BRASAVOLI
INDEX GENERALIS
IN GALENI
OPERA MEDICA

TOM VIII

1565

294

~~325~~ 2520/117

Presented to the Nav.l & Mil.y Library by Chas: Jno. Brandling Major 2d W. York Militia and late Lieut. 10th Roy.l Hussars.

Feby. 18th 1834.

A. XVIII. c

13/249



This Book
was presented to the
Naval & Military Library.
by
Major C W Brandling
2d W. York Militia
late Lt 10th R. Hussars.

Silvester & Co. 27 Strand.

WELLCOME
HIST. MED. MUSEUM

41294

see

Galenus

29

2





ANTONII MVSAE BRASAVOLI

Medici Ferrarienſis.

INDEX REFERTISSIMVS

IN OMNES GALENI LIBROS.

Qui ex Iuntarum quarta editione extant.

Illuſtriſs. & Excellentiſs. Herculi II. Ferrarienſium Duci. IIII. Dicatus.



VENETIIS APVD IVNTAS

M D LXI.



AD ILLVSTRISS. ATQVE EXCELLENTISS. HERCVLEM ESTENSEM DVCEM FERRARIÆ IIII.

Antonius Muſa Braſauolus.

CVM Deus optimus maximus, Illuſtriſſime atq; Excellentiſſime Princeps, eximias, innumeras, ac immenſas humano generi ſua innata ac inſita benignitate præſtiterit dotes: nullam tamen vel magis vtilem, vel magis iucundam ſanitate præſtitit, qua nihil dulcius eſt, & magis optatum. Nam cum omniũ rerum ſatietas hominibus contingat, integræ ſanitatis nunquam fit expletio, neq; vllum fœlicem iudicauit Ariſtoteles, qui eadem ſanitate non frueretur. opes nimirum deſpiciuntur, theſauri, prædia, oppida, vrbes, niſi præſens ſanitas id efficiat, vt cis homo frui poſſit. Illa enim abſente, omnia obſcura videntur, frigida, atque iniuhunda, vt denique neque ipſa vita abſque ſanitate placere poſſit: quam & Dij expetunt, & de qua Ariphron Sicyonicus in quodam hymno in hunc modum cecinit.

O qua nec altera vetuſtior eſt cœlitum,
O vna cunctis expetita ſanitas,
Quodcunque reliquum eſt vitæ, tecum vtinam
Agam, & vna omnium contubernalis ſis mihi.
Quicunque enim fortunis fruitur, aut liberis,
Aut eſt aliter obnoxius voluptæ,
Te vna fauente cuncta habet propitia,
Afflant & illum charites & ſi media hyems
Rigeat, tamen ver illi floſculos parit.
Abſente te ſunt cuncta dura & aſpera,
Nec grata prorſus cætera eſt fœlicitas,
Quin eſſe planè deſinit fœlicitas.

Legitur inſuper apud Lucianum, Pyrrhum Epirotarum Regem, cum Dijs innumera ſpolia dicaſſet, innumeras aras erigi, & innumeras victimas ante aras mactari iuſſiſſet, nunquam ab illis aliud expoſtulaſſe, quàm ſanitatem: ratus vir ille præſtantiſſimus ac prudentiſſimus, omnia facilè adfutura, nihilque penitus illi deeſſe poſſe, qui integra ſanitate fruatur: nam ſanus homo, omnia, quæ cupit aſſequitur, modo vt illa aſſequatur impenſe ſtudeat. Si vero quiſpiam ſanitate deſtitutus ſit, laboribus haud parcit, vigilijs, inedijs, & ſquallidæ ſiti, amara bibit pharmaca, fœtidaque tranſglutit catapotia, ſe incidi ſponte ſinit, ac inuri, dummodo amiſſam ſanitatem recuperet: quam & his omnibus adamuſſim perfectis plerunque non reſtaurat. Ad hanc vero aſſequendam, aurum, argentum, & cætera bona profundit: maximamque arbitrantur eſſe virtutem mortales, ſanitatem nunquam amiſſam, aut denuo recuperatam tueri. Ob hoc ſummum bonum, quod Græci, ὑγίειαν Latini

ſanitatem vocant, facultas quædam ab hominibus, immo à Dijs ipſis, inuenta eſt, qua facilè defendi poſſit præſens, & amiſſa recuperari. Hanc vero facultatem medicam artem appellant, quam nemo plenius, nemo elucubratius, nemo denique emunctius in lucem, ac publicum vſum promulgauit in ſuis de arte medica libris Galeno, è quibus ampliſſimum collegimus Indicem. Nunc vero eiuſcemodi Galeni libros tam caſtigatos, tam emunctos, tam pulchris characteribus ornatos, vir optimus Thomas Iunta in lucem prodire curauit, vt nunquam aliàs fuerint tam accuratè impreſſi, & libris nuper repertis, fragmentisq;, ac argumentis adaucti, & pulcherrimis characteribus conformati: Et quod maximum affert his voluminibus momentum, eſt ſedula diligentia, qua in ipſis ordinandis ornatiſſimus ac illuſtris Ioannes Baptiſta Montanus vſus eſt, vir tali doctrina præditus, vt cum Galeno de æqualitate prorſus certare poſſit. Verum vt ampliori decore in publicum exirent, nobiliſſimus Iunta Excellentiſſimum Gabrielem Falopium me oratum miſit, vt prædictum Indicem (pro me ipſo tantum, filijs ac amicis collectum) in publicam vtilitatē exire ſinerem. potuitq; Excellentiſſimus ille medicæ rei candidatus: ſuis mellifluis verbis tam belle mihi perſuadere, vt illi Indicem publicandum non denegarem. Veruntamen priuſquàm per hominum ora illum vagari voluerim, quid acturus eſſem te conſului, Excellentiſſime Princeps. at ſtatim ſuaſiſti publicam vtilitatem priuatæ eſſe anteferendam: quod maturum & probè excogitatum conſilium adeo efficax fuit, vt Indicem ipſum illico in publicum exire permiſerim. cum tamen haud eſſem ignarus quantum hoc colligendi authorum ſententias munus ſecum afferat calumniæ, & difficultatis: calumniæ inquam, quia inglorius labor videtur Indices parare: difficultatis vero, quoniam difficile admodum eſt authorum ſententias exquiſitè abſoluteq; colligere. neque enim ita colligere, vt nos fecimus vnicuique datum eſt, nec à quolibet fieri poſſe arbitramur: qui non ſolas Galeni ſententias ſemel adduximus, ſed illas omnes (vt conuenit, & res ipſa exigit) ad diuerſos alphabeti characteres retulimus: non paucaq; annotauimus, quæ à Galeno explicatè ſcripta non ſunt, ſed ex authore ipſo colligi poſſunt: nihilq; vel minimum, quod in Galeni libris ſcriptum ſit, à nobis prætermiſſum inuenies: & denique ſingularum materierum capita, ita per ordinem ſe ſequuntur, vt vnaquæque materia, & Galeni loca ad illam ſpectantia in ictu oculi intueri poſſint, tam in vna ſerie cūcta ſunt recte diſpoſita. In his autem materiebus ordinandis adiutorem elegi Excellentiſſimum Iacobum Antonium Bonum, iuuenem hac noſtra ætate in vtraque literatura, & præterea in naturali philoſophia, ac medica facultate nemini ſecundum. Cum denique tam pulchrè, tam ornatè, tam diligenter, tam denique accuratè Galeni libri ſint impreſſioni mandati, digni nobis viſi ſunt, vt noſtro etiam Indice decorarentur: non vt volumini ex Indice aliquid adderetur præſtantiæ, ſed vt dicentibus facilitas præberetur, & vt ſaluberrimo, ac chriſtianiſſimo Excellentiæ tuæ conſilio ſatisfactum iretur: quod tam optimum, & tam ſanctum fuit, quàm ab illo herculeo, & integro animo prodijt. Cum igitur Index in publicum proditurus ſit illum Inuictiſſimæ Excellentiæ tuæ nuncupo ac deuoueo, vt tua illa ferrea claua fretus, per detrahentium ora abſque vllo timore vagari poſſit. Vale.

IACOBVS ANTONIVS BONVS FERRARIENSIS MEDICVS

Medicinæ Studioſis S.

MIRVM profectò eſt, & dictu difficile, quantū Deo optimo maximo genus humanum debeat, non modo quòd ea omnia, quæ ab illius incredibili bonitate manarunt, in vnius gratiam condidit, eumq́ tanti, tamq́ admirādi operis ſpectatorem, et omnium, neſcio quo pacto, finem conſtituit: ſed quod rerū omnium ſimilitudinem, fluxum inquam, & ſtabile, corporeum et quod corporis expers eſt, quod ſub ſenſum cadat & ſenſu carens, mortale & immortale in eodem vno ita collocauit, vt vniuerſi differentias vniuerſas Dei ſui munere in ſe vnus contineat, et magnū naturæ miraculum non iniuria appelletur. Ad hæc illud quoq; accedit, quod infinito propemodum interuallo reliqua omnia antecellit, quòd unus ex omnibus animantibus immortalem animū, vnus rationem adeptus eſt: quam, artem ante oēs artes appellare poſſumus: cuius auxilio, quæcūq; homini deeſſe videri poterant, ita copioſe ſuppeditantur, ut nihil amplius deſyderet, nihil illi ad fælicitatem deeſſe poßit: hac enim fretus non plantarum more, quæ radicibus veluti ore alimentum à terra continenter trahunt, ventri ſeſe dedit, non voluptatibus veluti pecora in terrā prona, ſed ſeipſum ſuperans, atq; à mortalitate inter ea, quæ mori non poſſunt quodammodo tranſlatus ſupernis mentibus, Deoq́ ipſi immortali conatur ſe, quoad eius fieri poteſt, ſimilem reddere. Quòd ſi homo nō modo ratione recte vtatur, ſed etiam orationē, & manum in omni vitæ ratione ad aliorum cōmodum afferat: illa conſulendo, docendo, conſolando: hac vel agendo, vel ea conſcribendo, quæ uel doctrina, vel experientia ſug gerit, quæ Dei cultū, mores probatißimos, præclaras artes explicent: non ſolum humani à ſe nihil alienū putaſſe, ſed cū totus ſit in hoībus iuuandis, quaſi Deus merito videri poterit. Quamobrem cū à Deo diſceßimus, cui vni primum ea omnia iure accepta referuntur: quæ bene homines cogitant, incipiunt, perficiunt, ijs hominibus plurimū debemus, qui dies ac noctes nihil aliud mente voluunt, quàm quo pacto vel agendo, uel ſpeculando, vel ſcribendo, ratione, oratione, manu ad cæterorū mortalium cōmodum utantur. etenim perrarum eſt hoc hoīum genus. Neq; mirum id videri debet. nam ex aīantibus omnibus nullum eſt tam varium, ac multiplex, atq; homo ipſe, vt planè verū ſit verbum illud vetus, quot capita tot ſententias in hoībus inueniri. Quamuis enim cōmunis ferè ſententia ſit præclarißimorum philoſophorum, hoīes hominum cauſa eſſe generatos: non nulli tamen ſunt, qui naturæ operum contēplationi duntaxat ſe totos dedant, et in abditißimarum naturæ rerū cognitione conquieſcant, curent præterea nihil: ſibi ipſis tantū proximi, ſibi nati eſſe velint, à publicarū, priuatarumq́ rerū tractatione abhorreant. At hoc hominū genus illud magis in inuidiam trahit, quòd hi quaſi alios ſcire ægre, moleſteq́ ferant, quæ ab ipſis ſumma diligentia perquiſita, ſummis laboribus, longo rerū vſu inuenta ſunt, nolūt cum alijs cōmunicare, atq; ideo horum nomen, & ſcientia cum ipſis intereat neceſſe eſt. Hoc genus hominum tum diuinus Plato Academiæ princeps, tū eloquentiæ parens M. Cicero merito accuſat: quippe quod ſibi tātum vtile, alijs prorſus inutile ſit. Huic alud eſt hoīum genus pene proximum, qui paucos ſibi diſcipulos deligunt: ex quibus qui acerrimo præditi ingenio uidentur, ſacroſanctæ philoſophiæ myſterijs initiātur: qui minus ingenio pollent, ad communia quædam nullius ferè precij admittuntur. Quocirca neq; hi merita reprehenſione vacant: fit enim vt perpaucis, idq́ perbreui admodum proſint. quòd ſi malo quodā fato in diſcipulos inciderint, qui præceptorē tanquā numen non ſuſpiciant, (vt Plato et Xenophon gratißimi fecere, quorū ſcripta diuinißima Socratis præceptoris doctrinā & mortem imortalem reddidere) nonne labores illorum oēs irriti ſunt? ſcientia abiecta? nomen extinctū? Aliud porrò præter hoc hominum genus videre eſt, quod alijs non ſibi ſe viuere profitetur, vt amantes ij,

quos

quos ſe odio habere, alios amare poetæ dicunt, immo uero qui ita amãt in ſeipſis mori, in alijs viuere dicũtur, ſi redamentur: quòd ſi vſu veniat vltro ſeſe morti obijciunt quaſi furiata mẽte, ut amanti ſatisfaciant, vt amantẽ defendant, ſui prorſus curã negligunt. In ijs multi illud in primis admirãtur ac laudant, quòd pro amicis, pro patria, pro aris & focis vitam intrepide profundũt. verũ cum omnibus animantibus ſit à natura tributum, vt ea omnia declinent, quæ videntur nocere poſſe, uitamq; indefeſſe tueantur, hæc propriæ ſalutis deſpicientia, & in ſeipſos crudelitatis facies multis inſaniæ nota vacare non videtur: ſed quia eſt in alios pietas, non ſolũ venia, ſed etiã laude digna cenſetur. itaq; honorifica ipſorum mentio per hiſtoricorum ſcripta ad poſteros tranſit: & ſi hac ratione pericula nõ ſubierint, vt ſuum nomen immortalitati conſecrarent, cuius nõ nulli cõtra ita auidi extiterunt, vt nihil illis potius fuerit, quàm nomen quacunq; ratione adipiſci. His, quos hactenus memorauimus, adijcitur tertiũ genus hominũ, qui & ſibi, & alijs penitus ſunt inutiles, eorũ ſcilicet, qui in ocio degentes vitam omnẽ ſilentio tranſeunt: neq; enim rerum cognitione animum excolẽtes ſibi vtilitatem pariunt, neq; rebus agendis intenti cuiquam proſunt, immo uero tum ſibi, tum alijs tandem obeſſe videri poſſunt. nã cũ nimio ocio natiuus calor marceſcat, uitales ſpiritus penè extinguãtur, inualidi fiunt atq; imbecilles. quòd ſi corporis voluptatum captiui reddantur, gula, venere, atq; omnis generis libidinibus perniciosiſſimis totos dies conſumant, quis non videt quàm breuis, ne dicã infælix horum vita futura ſit? alios vero quì fieri poteſt, vt non lædant, cũ ocium & voluptas ſint vitiorũ omnium ſemina? Nam exẽplo ſuo haud dubie corrũpunt adoleſcentes, ac neceſſe eſt, vt ij quibus ociũ primò, deinde vitiũ dominatur, dum oẽs cupiditates ſuas quærunt explere, alijs moleſti atq; iniurij ſint. Sed veniamus tandem ad quartũ illud genus hominũ, ac penè Deorũ, huic ex diametro aduerſum, quod tanquam rariſſimum ab initio propoſui, quod tum ſibi, tum cæteris omnibus maximo eſt cõmodo atq; ornamento. hi ſunt qui Deum imitati, qui ſemper operatur, aut magna negocia tractant, aut rerũ optimarum ſcientias ſcribendo ad poſteros tranſmittunt. Et vt negotiatorum, atq; omne id genus hominũ, qui rebus agendis intẽti ſunt, neceſſitas atq; vtilitas in aliud tempus differatur. Scriptores optimi primum aſſiduamentis exercitatione ſibi mirũ in modũ utiles exiſtunt: nanq; illam ad omnia intelligẽda facultatem, quã ſibi natura benigne conceſſit, artium & ſciẽtiarũ inſtrumento in opus deducunt. Itaq; nihil eſt in naturæ penetralibus tam abditum, quod ij intellectus ſui lumine, qui diuini inacceſſibilis ſplendoris portio quædam à ſapientiſſimis iudicatur, non luſtrent, atq; peruadant. quibus animæ habitibus tantum reliquis hominibus præſtant, quantũ reliquis animantibus homines, immo fælicitatẽ contemplatricem ab Ariſtotele in Ethicis deſcriptã, ac vera illa animi bona conſequuntur, quæ neq; fortunæ inſtabilitati, neq; temporum viciſſitudinibus ſubiecta ſunt: poſtea vero quã ex hac vita migrarunt, ſuis lucubrationibus poſteris omnibus magnã vtilitatẽ afferunt. Quàm vero vtile ſit, atq; adeo neceſſarium homines res à ſeipſis inuẽtas literarum monumentis cõmendare, nemo eſt qui grato animo non fateatur, nemo qui ſcriptores pleno ore non laudet. Nam cum ſcire omnia ſingulis non liceat, vel propter intellectus imbecillitatẽ, uel propter rerũ difficultatẽ, vel propter vitæ breuitatẽ, vel (quod magis crediderim) propterea quòd animi dotes diuiſas eſſe Dij immortales voluerunt, operæpretium eſt commentaria relinquere, quibus eruditi à ſe cognita, atq; inuenta explicent, vt deinceps alij addere inuentis poſſint, quæ ipſi quoque inuenere. ita artes atque ſcientiæ per additionem perficiuntur, ita nomẽ eorũ qui bene vixere, & fæliciter ſcripſere, æternũ euadit. Sed quia ſcriptorũ plæraq; ita obſcura ſunt, vt oraculo Apollinis Pythij indigeant: vel quia aliqui, licet belle omnes receſſus difficillimarũ rerũ mentis acie penetrarint, tamen ita aridi & ieiuni atq; infantes ſunt, vt quæ ſubtiliter inuenerũt ſatis explicare nõ poſſint: vel quia patria lingua, qua cõſcribunt, ita fert: vel certe quia aliqui (quacunq; id ratione fecerint) ſcripta ſua dedita opera obſcurarunt: non modo ſcriptores qui aptè, diſtinctè, & copioſè ſententiam ſuam exprimerent, deſyderari cœpti ſunt, ſed interpretum quoq; opera neceſſaria fuit, qui obſcuras maximorum virorũ vigilias ijs, qui minus acuta mente præditi ſunt aperirent, atq; in apertum explicarent, quibus cum à Deo diſceſſimus, infinitum eſt, quantum debeamus. In eorum autem

numero

numero, qui dilucide ſcripſere, quiq́ à veteribus obſcure ſcripta luce interpretationis clara reddidere, honeſtiſsimum ſibi locum merito vindicat ANTONIVS MVSA BRASAVOLVS Ferrarienſis, qui & ſibi, & alijs vtiliſsimum ſe præſtitit: ſibi quidem, quòd honeſta voluntate, & ſtudio incredibili, & honeſtiſsimos mores imbibit, & omnium ſcientiarum abdita penetrauit: alijs autem, quòd liberos primum tum moribus, tum literis optimis inſtituit, eiſdem patrimonium honeſtiſsime quæſitum, & præclaram gloriæ hæreditatem relicturus. quid quòd ingenuos nobilesq́ ex tota Europa viros ita docet, vt ad honeſtarum diſciplinarum faſtigia facile ſubuehat? patriæ vero, tum priuatim eſt vtilis, dum ægros abſque perſonarum diſtinctione humaniſsime inuiſit, curat, ſanat, ab inferis propemodum reuocat, tum publice, dum quæ à diuino Hippocrate breuiter, ac propterea obſcure ſcripta ſunt in Ferrarienſi Academia, cui multos ab hinc annos merito præfectus eſt, perſpicue viua voce interpretatur. Poſtremo omnibus gentibus, dum tot volumina, tanq́ diuerſi generis vtilia conſcripſit, atq; edidit, vt mirum ſit, quo pacto vir ille diligẽtiſsimus, qui in ægrotis curandis aſsiduus eſt, tantumq́ temporis in publicis lectionibus conſumit, tot tantaq́ excogitare, ne dum ſcribere potuerit, præſertim cum quinquageſimum ætatis ſuæ annum plus minus attingat. Et ne quis ſibi fucum factum putet, En tibi ſtudioſe lector librorum à Muſa noſtro conſcriptorum fidiſsimum catalogum, quorum bona pars iam in lucem prodijt, reliqui mox ad commune cõmodum exibunt.

Iam primum omnium cum Muſa planè perſpiceret, eorum culpa, qui doctos ſe haberi volunt, cum quiduis aliud potius ſint, factum eſſe, vt noſtri temporis philoſophi, de religione ac fide, ſine qua Deo placere non poſſumus, peſsime audiant: Vitam IESV CHRISTI ſeruatoris Italica lingua conſcripſit, in qua paraphraſtæ more quatuor diuini verbi Euangelicos ſcriptores obiter interpretatus eſt, vt hinc Deo auſpice hunc virum ad ſcribendum acceſsiſſe facile poſsis agnoſcere. Hoc vero argumentum ea lingua tractare inſtituit, vt familia eius vniuerſa æqualem ex heri, & patris ſcriptis vtilitatem perciperet, bene ac fideliter chriſtianam religionem indueret. Deinde cum certo ſciret eum qui mortem contemneret, alijsq́ mortem contemnendam ſuaderet, haud vulgarem ex philoſophia fructum percepiſſe, maximaq́ laude dignum eſſe, ad ANNAM Illuſtriſsimi ac ſapientiſsimi HERCVLIS Ateſtitij Ferrarienſium Principis filiam, quæ huius erat philoſophicæ ſententiæ, vt mortem, quæ terribilium omnium vltimum eſt, fortiter contemnere ſe profiteretur, dialogũ illum conſcripſit, cuius inſcriptio eſt, Quod mors nemini placeat. Deinde vt ſtylum exerceret (ita vt fit) Muricis encomium, quaſi ludum luſit, ne quod ocij à negocijs ſuffurabatur, inutiliter contereret. Scripſit etiam de Cœna & Prandio, quod argumentũ in inſtituẽda victus ratione, tum ad ſanitatem tuendam, tum ad morbum depellendum non mediocriter conducit. Deinde quemadmodum Hippocrates omnium bonorum in re medica author tempora anni, ac cœli ſtatus apud Thaſios diligẽter obſeruauit, quæ obſeruatio non ſolum Thaſiis profuit, ſed Illiricos quoque à grauiſsima peſte liberauit, nobisq́ etiam hoc tempore ad prædictiones vtiliſsima eſt, Ferrariẽſis aeris temperie accurate obſeruata, libellum de hac materia fœliciter ſcripſit. Deinde cum ad logicen, quam philoſophiæ inſtrumentum peripatetici appellant, in Ferrarienſi gymnaſio interpretandam animum appuliſſet, ad eã illuſtrandam ſe totum conuertit. Itaque orationem ſcripſit de laudibus Dialecticæ, ſcripſit de Ordine librorum logicæ: de Vnitate logicæ: de ſuppoſitionibus ſecundum antiquos: Commentaria in Paulum Venetum: in Porphyrium phœnicem: porphyrij panoplia, in qua defenditur author ab his, qui ex profeſſo illum reprehendunt: Commentaria in Prædicamenta Ariſtotelis Stagyritæ: In librum de Interpretatione: in Poſteriora Analitica: in libellum Antij Manlij Seuerini Boethi de diuiſionibus. Deinde cum ad philoſophiæ exponendæ munus euectus eſſet, commentaria ſcripſit in librum Auerrois de Subſtantia orbis: in libros Phiſicorum Ariſtotelis: in libros de Anima. Deinde cum aliquot poſt annos medicinam publice profiteretur, in Aphoriſmos Hippocratis Coi commentaria edidit, quæ nunc ad incudem reuocauit. Scripſit etiam commentaria in Prognoſtica: in libros De ratione victus in morbis acutis: in libros Epidemiorum. Poſtremo cum animaduerteret quantũ detrimenti mortalibus omnibus afferret vetus ac peruulgata quædã

medicorum

medicorum penè omnium conſuetudo, qui quaſi inſigni medico indignum eſſet ſimplicia medicamenta de facie noſcere, illa ſæpe tractare, à falſis vera, ab adulteratis integra exacte cognoſcere, totum hoc onus alioqui honorificum, & medico perneceſſarium in ſeplaſiarios & pharmacopolas homines ignaros literarum reijciebant: tantam rei indignitatem ferre diu non potuit. ſed quia abſque exquiſita medicamentorum ſimplicium cognitione, neque medicinas componere, neque compoſitis recte vti quiſquam poteſt, in animum induxit ſimplicia quæque et compoſita medicamenta, quorum apud Ferrarienſes publicus vſus eſt, diligenter inſpicere & examinare, atque eò redigere, vt ægroti vix iam amplius, aut lædi poſsint aut decipi: quod alijs quoq; ciuitatibus non parum prodeſſe poſſe certum eſt: quamobrem librum ſcripſit de Simplicibus medicamentis, in quo vno multos errores primus correxit, multa ab alijs intacta primus edocuit. Poſtmodum de Syrupis egit, de Pillulis, de Medicamentis catharticis, de Electuarijs, quæ minimæ ſoluunt tam opiatis quam non opiatis. de Sief, id eſt collyrijs, de Suffuph, id eſt pulueribus. de Oleis, de Ceratis, de Unguentis, de Emplaſtris, de Trochiſcis, de Loch, id eſt linctibus, vel eclegmatibus. de Aquis, de Infuſionibus, de Decoctionibus, de Proprijs medicamentis humores educentibus tam ſimplicibus, quam compoſitis, & de eorundem præbendorum modis ac doſi: Neque vero hic finem ſcribendi Muſam feciſſe exiſtimetis (medicinæ ſtudioſi.) Nam Indicem in omnes, qui extant Galeni libros refertiſsimum nunc vobis exhibet. Quo vtili atque honorifico labore vos non minus Muſæ, quam Galeno ipſi debere vltro (niſi fallor) fatebimini. Nam ſiue vobis ægri curandi ſint, ſiue cum alijs de eorum vita ac morte diſceptandum, ſiue publice rem medicam profiteamini, ſeu de medica materia aliquid conſcribere in animo habeatis, ita copioſe, ita diſtincte, ita ſuo ſingula vobis ordine ſeſe offerent, vt nihil ſit vobis præterea requirendum. Duobus igitur nominibus vobis tam gratus eſſe debet Index hic, quam qui gratiſsimus. tum quod nihil quicquam prætermiſſum eſt, quod adnotatu dignum in Indicem referendum eſſe videretur, ita vt nullus adhuc Galeni index copioſior exierit, tum (quod à nemine adhuc tentatum eſt) ita cuncta ſunt ſuo ordine collocata, vt vniuſcuiuſque dictionis commentariolum quoddam habere poſsitis. Quantam vero ex hoc ordine vtilitatem percepturi ſitis, tum ad ea, de quibus dubitatis celeriter inuenienda, tum ocyus memoriæ commendanda, vos eritis iudices. Enimuero quæcunq; recto ſunt ordine diſpoſita admirabilia ſunt: nam, vt de ordine vniuerſi nihil dicam, qui omnes in ſui admirationem trahit, ſummiq; opificis ſapientiam oſtendit, ſine ordine nullæ artes conſtituerentur, nullæ ſcientiæ. Quare Braſauolo ſcriptori optimo ingentes gratias agitæ, (medicinæ ſtudioſi) illiq; vos multum debere ingenue profiteamini, qui quaſi ad veſtrum commodum natus tantum vobis prodeſſe voluit, quantumq; voluit, tantum profuit. Qui cum ratione, oratione, ac manu ad omnium hominum vtilitatem vſus fuerit, ſtatuam auream non minus meretur, quam Antonius ille Muſa Auguſti medicus magni nominis. Neque vero minus multis laudibus virum nobiliſsimum Thomam Iuntam proſequi omnes debetis, qui nulla ſumptuum magnitudine deterretur, quo minus vobis rem gratam facere perſeueret: nam acerrimi iudicij vir vtiliſsimos quoſque libros elegantibus typis quam emendatiſsime deſcribendos in dies curat, vt horum integritate & elegantia capti ad optimos authores legendos inuitemini, & à diurna, nocturnaq; illorum lectione mirificos atque vberrimos fructus percipiatis. Valete.

ANTONII MVSAE BRASAVOLI MEDICI FERRARIENSIS IN OMNES GALENI LIBROS REFERTISSIMVS INDEX

ARONIS medicamētū umbilico ſuſpēdēdū. in libro de incantatione, adiuratione, & ſuſpenſione. Septima Claſſe. fol.182.litera.C
ABAPTISTAE terebellæ quæ ſint.6°.meth.med. 7ª.42.C
ABASCANTI Medici Lugdunenſis antidotus.2°.de antidotis. 5ª.117.D
Abaſcanti colica medicamenta.9°.de comp.med.ſec.loc. 5ª.202.A
Abaſcanti Cletij potio.7°.de comp.med.ſe.lo. 5ª.183.C
apud ABDERITAS multi fatui nati ſunt.quod ani mor. 1ª.321.H
Abderitanæ uirginis caſus.in.3^{m}.de mor.uul.com.3°. 3ª.149.H
Abderitæ Heropyti caſus.in.3^{m}.de mor.uul.com.3°. 3ª.150.D
Abderitani Nicomedis caſus.in.3^{m}.de mor.uul.com.3°. 3ª.150.E
de ABDITIS omnibus empirici dicunt ſe dubitare. 6°.de dec. Hipp. & Plat. 1ª.263.H
Abditum nihil utile reperitur ſecundū methodicos.de opt.ſect. Iſ.21.A
ABDOMEN ἐπιγάστριον græci uocant.3°.de ſan.tuen. 2ª.77.B
Abdomen unde oriatur.introductio. Iſ.53.D
Abdominis anatomen.6°.meth.med. 7ª.39.B/C
Abdominis muſculi octo quales, et eorum exortus, ac finis. de muſc.diſſect.1ª.49.H/5°.de lo.aff. 4ª.33.C
Abdominis muſculorū diſſectio.5°.ꝗ ana.ad.87.B/6°.93.F/7°. 1ª.87.H
Abdominis muſculi ſtatim incidātur à iali mortuo.6°.de an.ad.1ª.87.B
in Abdomine muſculorum conſideratio.6°.de ana.ad. 1ª.93.F
Abdominus muſculorum utilitas.de muſ.diſſ. 1ª.50.C
Abdominis octo muſculi quid faciant, dum animal excernit.6°.de ana. adm. 1ª.93.H
Abdominis & thoracis muſculi, neceſſarij ſunt ad deiectionem.3°.de ſymp.cau.3ª.27.D/6°.de loc.aff. 4ª.38.F
Abdominis muſculos ſi feriari patiamur, non excludentur excrementa uentris, & inteſtinorum.2°.de ſan.tuen. 2ª.77.B
Abdominis muſculi fœtum expellunt.3°.de nat.fac. 1ª 303.B
in Abdomine muſculorum exercitatio eſt ſpiritus cohibitio.2°.de ſani. tuenda. 2ª.75.C
Abdominis muſculi leuiter contrahuntur in retentione ſpiritus.3°.de ſani.tuenda. 2ª.77.B
Abdominis muſculi conducūt cōtractioni thoracis.de muſ.diſ. 1ª.49.F
Abdominis, & artuum diuerſitas in motu muſculorum.1°.de motu muſculorum. 1ª.309.F
Abdominis motus quomodo uideatur.1°.de mot.muſ. 1ª.309.H
Abdominis muſculi a quibus uenis nutriantur.de uen.arte .diſ.1ª.58.D
Abdominis muſculis inflammatis febris fit.4°.de præ.ex pul.4ª.121.D
in Abdomine uulnus in quo loco habet minus periculi.6°.methodi medendi. 7ª.39.B
in Abdominis uulnere quid agendum.6°.meth.med. 7ª.39.A
Abdominis uulnus paruum quomodo curandum, quando inteſtinū exierit.6°.meth.med. 7ª.39.D
in Abdomine uulnerati qualis eſſe debeat ſitus.6°.meth.me. 7ª.39.D
in Abdominis uulneribus deligatio extrinſeca neceſſaria eſt.6°.meth. medendi. 7ª.39.G
in Abdominis uulnere qn̄ omēti ps amputāda ſit.6°.met.me. 7ª.40.B
in Abdomine uulnerato quæ pars ungenda.6°.met.me. 7ª.39.G
in Abdomine uulnerato clyſteres ex oleo puro.6°.met.med. 7ª.39.G
Abdōis, ſeu uentris ſuturæ gaſtroraphiæ uocantur.de muſ.diſſ.1ª.50.C
Abdominis ſuendi ratio ſpecies eſt cōpoſitionis chirurgiæ.intro.Iſ.59.E
Abdominis ſutura quæ.6°.de ana.ad.1ª.90.H/6°.meth.me. 7ª.39.E
Abdomen pingue habentia corpora non rubeſcere ob cucurbitularum applicationem, collige.de cucur.ſcar. 6ª.3.C
in Abdomen gracile habentibus uidetur iecinoris tumor.5°.de loc.affectis. 4ª.33.E
Abdomine cyclamino illito uenter ſubducitur.7°.de ſim.me.fa. 5ª.53.E
Abdominis membrana interior, peritonæum dicitur.commen.6°. aphoriſmo.58°. Ex.53.F
Abdominis membrana, cerebri, medullæ dorſi, thoracis ſuccinctorium eodem tempore fiunt.1°.de ſemine. 1ª.332.A
Abdominis membrana operiuntur arteria & uena teſtium.1°. de ſemine. 1ª.333.E/2°.339.E
ad Abdominis membranam in herniæ curatione adſtringēdā laqueus. de laqueis. 7ª.307.G
ABDVCTIO quid ſit.de ijs, quæ in med.ſi.com.3°. 7ª.219.G
ABDVCENS paruos digitos manus ab alijs muſculus. de muſcul. diſſect. 1ª.48.C
Abducens paruum manus digitum longiſſime a reliquis muſculus. de muſ.diſſectione. 1ª.49.B
Abducēs paruum pedis digitū extrorſum muſculus.de muſ.diſ. 1ª.52.E
Abducens magnum digitū pedis longiſſime ab indice muſculus ubi oriatur, & finiat.de muſ.diſſ. 1ª.49.B
Abducens retrorſum magis femur, ad alterum femur leniter adducens muſculus.de muſ.diſſ. 1ª.50.H
Abducens totum pedem retrorſum ſimul cum oſſe muſculus.de muſcu. diſſect. 1ª.52.A
Abducētes retrorſum ſimulq́; extrorſum pedē muſculi.ꝗ mu.di.1ª.52.B
Abducentes extrinſecos pedis digitos longiſſime ab alijs muſculi. de muſcul.diſſec. 1ª.52.H
ABHORRERE & appetere eandē rem: eadem gaudere & moleſtari non poteſt unum ſimplex & incompoſitū.5°.de decretis. 1ª.259.E
ABIETIS ſemen quando pulcherrimum.4°.de ſan.tuen. 2ª.86.G
Abietis ſemen colligendi tempus.4°.de ſani.tuen. 2ª.86.G
ex Abietis ſemine acopum.3°.de ſani.tuen. 2ª.81.C
ex Abiete acopo uti debent qui humores in carne & toto corpore congeſſere.4°.de ſani.tuen. 2ª.86.G
Abietinū oleū ſine morſione p halitū digerit.4°.de ſan.tuen. 2ª.86.H
Abietina reſina qualis.8°.de ſimp.med.fac.59.G/2°.de comp.med.per genera. 5ª.219.F
Abietina reſina ad quid utilis ſit.4°.de ſan.tuen. 2ª.87.C
quo ABIICIANT uirus hirudines.de cucur.ſcar. 6ª.4.C
ABLATA uuula raucedinem facit.de ana.uiu. Sp.49.E
Ablationem ſui indicantia.3°.meth.med. 7ª.16.D
de Ablatione ſui indicat quod eſt preter naturā.3°.meth.me. 7ª.18.B
de Ablatione ſui indicat humor hydroceles & hydropis. 14°.methodi medendi. 7ª.90.G
Ablationem ſui docet morbus.11°.meth.me. 7ª.68.E
ABLVENS edulium quibus acutis conueniat.de uict.rat.in mor. acu. commen.1°. 7ª.111.G
Ablutio capitis ad confortandum caput.ſecret. Sp.98.A
Abluit ſine morſu & extergit per clyſteres ſerum.10°.de ſimp. medic. facul. 5ª.73.G
Abluere aliquos prius q̄ ſanguinem detrahas, præſtiterit, alios prius ob ambulare.præſa.exper.conſ. Sp.77.H
ABNVAT caput in poſteriora, & annuat in priora qua dearticulatione.de muſ.diſſ. 1ª.45.D
Abnuendo qui ſit motus capitis, a quibus fiat muſculis recte, & a quibus cum inclinatione ad latera.de muſ.diſ. 1ª.45.G
Abnuendo obliquum caput mouent obliqui muſculi totam ceruicē occupantes, recti uero rectum id faciunt.de muſ.diſſ. 1ª.45.H
ABOMINABILI cibo, qui ſapit, ē digeſtibilior.de diſ.cō.Sp.73.D
Abominabile eſt uinum nimis ponticum.de diſſ.cont. Sp.73.B
Abominabilem ſaporē habentia tarde digeruntur.de diſſ.con.Sp.73.D
Abominabilia & monſtruoſa uomunt melancholici.de melan.ex Gale. Ruf.& Poſſ. Sp.109.C
pro ABORTV ἀποφθορά.i.deperditio eſt apud Hippocratem. in.6^{m}. de morb.uul.com.1°. 3ª.152.G

Abortus apud Atticos ἄμβλωσις. *in 6m.de morb.uulg.c.1°.* 3ª.152.G
Abortus quomodo apud Atticos & Hippocratem vocatur. in 6m. de mor.uul.com.1°. 3ª.152.G
Abortus fit propter multas cauſas.com.7°.aph.27°. Ex.55.H
Abortus quibus cauſis fiat.in 3m.de mor.uul.com.2°. 3ª.139.F
Abortum quæ faciant.3°.de nat.fa. 3ª.305.G
Abortus cauſæ,febris uehemens,alui fluxus,ſanguinis fluxus,eryſipe las uteri,ſaltus uehemẽs,vel clamor,vel triſtitia, vel ira,vel timor victus parcus,ſeu alia paſſio ſimilis,mucor in acetabulis vteri.com. 5°.aph.45°.41.G/& aph.53°. Ex.42.D
*Abort⁹ fit ſi prægnans habuerit alui profluuiũ.cõ.5°.aph.34°.*Ex.40.E
Abortus quando maxime fit mulieribus:& ſi non fiat, infantes ſunt debiles.com.3°.aph.12°. Ex.21.E
Abortiẽs ſecũdo,tertio,aut quarto mẽſe,pp quid.6°.de lo.af. 4ª.41.E
Abortus quo tempore fiat,& quot modis fiat.cõ.4°.aph.1°. Ex.27.A
Abortus fit ſi ſanguis mittatur ex uena,prægnanti.cõ.5°.apho.31°.Ex. 40.D/de ſper. Sp.36.D
Abortus fit propter inediam.com.5°.aph.53°. Ex.42.D
Abortum facit mulieri utero gerenti,ſi tentio ſuperuenerit.commẽ.7°. aph.27°. Ex.55.H
Abortũ facit grauida ſi ſupgrediat̃ amphisbænã.de the.ad Piſ. 5ª.93.G
Abortus cauſa moles nimia,pondus,morſus.3°.de nat.fa. 1ª.305.H
Abortus fit ſi mammæ prægnantis fiunt repente graciles. commen.5°. aph.37°. Ex.40.H
Abortus etiam ob alias cauſas euenientes q̃ defectum alimenti, mammarum gracilitas præcedit com.5°.aph.53°. Ex.42.F
Abortum difficilem habent grauidę febricitantes ſine occaſione manifeſta.com.5°.aph.55°. Ex.42.G
Abortit marem prægnãs ex gemellis,ſi mãma dextra gracilis fiat,ſi ſiniſtra,fœminam.com.5°.aph.38°.Ex.41. A/de ana.uiu. Sp.51.F
Abortum facturis mammę extenuantur,quę ſi rurſus dureſcãt, dolores fient mammarum,aut coxarum,aut oculorum, aut genuum, & non corrumpent.com.5°.aph.53°. Ex.42.C
Abortiunt grauidæ tenues præter naturam prius q̃ craſſeſcant.commẽ. 5°.aph.44°. Ex.41.F
Abortiua medicamenta.in 6m.de mor.uul.com.1°. 3ª.152.G
Abortum affert ſtachys.8°.de ſim.me.fa. 5ª.61.C
Abortũ facit decoctũ florũ leucoij,ſi bibatur.7°.de ſim.me.fa. 5ª.54.C
ad *Abortum impellens cataplaſma.de med.fa.par.* 7ª.169.A
Abortus qui cauſa eſt,punitur legibus.an animal ſit. 1ª.328.E
ĩ *Abortiẽtib⁹ cur maxime dolet ſinciput.ĩ 6m.đ mor.uul.c.1°.* 3ª.153.D
in *Abortu cur appareant carunculæ.de anat.uiu.* Sp.52.B
in *Abortibus.xxx.dierum iecur longe maius corde & cerebro.de fœ. form.* 1ª.323.A
in *Abortibus.xxx.dierum iecur,cor,cerebrum,iuxta ſe locata cernũtur.de fœt.form.* 1ª.323.A
ne *Abortiat mulier,& fœtum contineat,quid agẽdũ.de dyn.*Sp.29.H
Abortus mulieris.in 3m.de mor.uul.com.2°. 3ª.139.B
ex *Abortu caſus Oecetai.in 3m.de mor.uul.com.2°.* 3ª.139.E
Abortum an fecerit mulier ut cognoſcatur.de me.fac.par. 7ª.168.H
ABRASIO nouacula fit vt capilli facile,& cito naſcantur.1°.de cõ. med.ſecun.loc. 5ª.123.E
ad *Abraſa.1°.de comp.me.per gen.* 5ª.215.F
ad *Abraſos ualens emplaſtrum.2°.de comp.me.per gen.* 5ª.223.A
Abradit pumex.de ſimp.med. Sp.88.H
ABRENGI *fit mentio.ſecret.* Sp.103.B
ABROTONVM *quid,& eius uires.de ſimp.med.* Sp.81.B
Abrotoni duæ ſpecies,mas & fœmina.6°.de ſimp.me.fa. 5ª.40.F
*Abrotonum calidum medicamentum.10°.de comp.med.ſe.lo.*5ª.207.C
*Abrotonum calidum & ſiccũ in tertio ordine.6°.de ſim.me.fa.*5ª.40.C
Abrotonum digerit & incidit.6°.de ſimp.me.fa. 5ª.40.D
Abrotonon,& ſantonicum differunt.6°.de ſim.med.fa. 5ª.40.F
Abrotonum thebaicum.11°.de comp.me.ſe.lo. 5.208.B
*Abrotono minus eſt tenuiũ partium abſinthiũ.6°.de ſim.me.f.*5ª.40.G
Abrotono minus extenuat abſinthium.6°.de ſim.me.fa. 5ª.40.G
Abrotono non minus exiccat abſinthium.6°.de ſim.me.fa. 5ª.40.G
Abrotonon valde amarum.6°.de ſimp.med.fa. 5ª.40.C
Abrotonon coctum in aqua deponit qualitatem.3°.de ali.fa. 2ª.32.A
Abrotonũ pauciſſimæ acerbitatis particeps.6°.de ſim.me.fa. 5ª.40.D
Abrotoni coma contuſa poſita ſupra vlcus.mordax videtur.6°.de ſim. med.fac. 5ª.40.C
Abrotonum inimicum ſtomacho.6°.de ſim.med.fa. 5ª.40.D/G
Abrotoni flores contuſi poſiti ſupra ulcus mordaces vidẽtur.6°.de ſimpli.med.fac. 5ª.40.C
Abrotoni palea p̄ter comã cũ florib⁹ inutilis ẽ.6°.de ſim.me.f. 5ª.40.C
Abrotonum in cibo ſumptum meatus purgat.5°.de ſim.med.fa. 5ª.35.C
Abrotonum purgat indigeſtibiles cibos & lumbricos rotundos.Spu.de cathar.95.C/de ſim.me.81.B/6°.de ſim.me.fac. 5ª.40.D
Abrotonon ex oxymelite in peripneumonia.de uict.rat. in morb. acut. com.4°. 7ª.144.C
Abrotonon tritum & coctum cum farina hordeacea digerit phymata. 6°.de ſim.med.fac. 5ª.40.D
Abrotonum uſtum magis exiccat quam cucurbita ſicca vſta,& anethi radix.6°.de ſim.med.fa. 5ª.40.H
Abrotonum rigores mitigat.6°.de ſimp.med.fa. 5ª.40.C
Abrotono cum malo cydonio cocto aut pane,ſanantur phlegmonæ oculorum.6°.de ſimp.med.fa. 5ª.40.D
Abrotonon quo modo ad alopecias faciat.6°.de ſim.me.fa. 5ª.40.H
Abrotono quomodo procuretur barba.6°.de ſim.me.fa. 5ª.40.H
ABRVPTIO *quid ſit.de ijs,quæ in me.ſi.com.3°.* 7ª.219.G
ABSCEDERE quę intelligant̃.de ijs,q̃ in me.ſi.com.2°. 7ª.211.H
ABSCEDENTIA *quæ.de ijs,quę in me.ſi.com.2°.* 7ª.213.B
ABSCESSIO *quid ſignificet.de ijs,quę in me.ſi.com.2°.* 7ª.212.D
ABSCESSVS *qui vocatur.2°.de arte cur.ad Glauc.7ª.105.B/in 6m.de morb.uul.com.3°.* 3ª.178.E
Abſceſſum non ſignificare,uel ſub ſe comprehendere inflammationẽ elice.de palp. 3ª.55.B
Abſceſſus quid.ſi.med.Iſ.49.A/de tumor.pręter nat. 3ª.83.E
Abſceſſus eſt morbus inſtrumentalis.1°.de ſym.cau.14.G/3°. 3ª.24.G
Abſceſſus morbi cauſa, non morbus eſt.1°.meth.med. 7ª.7.D
Abſceſſus quot modis fiat ſecundum Hipp.in 1m. de mor.uulg. com.2°. 109.B/1°.de ſymp.cau. 3ª.14.G
Abſceſſus qñ fiãt,& quid ſignificent in.1m.de mor.uul.com.2°. 3ª.111.C
Abſceſſuum differentia.in.1m.de mor.uul.com.2°. 3ª.112.A
Abſceſſus duplex.14°.meth.med.7ª.90.D/in.3m.de morb.uulga.commen.1°. 3ª.127.G
Abſceſſus & ſinus differentia.de ijs,quæ in me.ſi.com.2°. 7ª.212.A
Abſceſſuum tria genera.14°.meth.me. 7ª.90.E
Abſceſſus,quancunq; corporis partem infeſtare pot̃.intr. Iſ.59.D
pro *Abſceſſu intelligitur decubitus.in.6m.de mor.uul.cõ.3°.* 3ª.178.F
Abſceſſus per decubitum maximi fiunt in longis morbis.in.1m.de mor. uul.com.2°. 3ª.111.E
Abſceſſus per effluxionem.in.1m.de mor.uul.com.2°. 3ª.111.F
Abſceſſus incidunt ibi,ubi laborauerint,qui ex morbis conualeſcunt cõmen.4°.aph.32°. Ex.30.H
Abſceſſus in contectu quid.fini.med. Iſ.49.B
Abſceſſus ut fiſtulę.in.6m.de mor.uul.com.3°. 3ª.178.E
*Abſceſſuũ diuerſitas,& q boni,q mali.in.1m.de mor.uul.cõ.3°.*3ª.118.B
Abſceſſus qui boni.com.2°.in.1m.prorrh. 4ª.187.H
in *Abſceſſus malos deflectunt cruda,& inconcocta.in.1m.de mor.uul. commen.2°.* 3ª.116.B
ad *Abſceſſus malos cruda conuerſa ſignificant iudicationis carẽtiã, labores,tpa,mortes,uel eorũdẽ malorũ redit⁹.c.4°.aph.22°.Ex.29.G*
Abſceſſus nullus bonus ante coctionẽ.in.3m.de mor.uulg.com.1°.131.F/ de inæq.intemp. 3ª.43.E
Abſceſſus in ſuperioribus partibus ſunt difficiliores.in.6m.de mor.uul. commen.2°. 3ª.162.H
Abſceſſus aurium,uel articulorũ,ſi fiãt in die iudicatorio, uel incipiãt, bonum,& notantur qui ſint iſti dies in quibus fieri debent, & in quibus non.com.4°.aph.36°. Ex.31.G
Abſceſſus poſt aures,ſignificatur à colore faciei.in.1m. prorrh. com.2°. 4ª.171.A/in.6m.de mor.uul.com.2°. 3ª.163.G
Abſceſſus poſt aures qñ fiat.cõ.2°.in pg.201.C/3°.de criſi. 4ª.144.B
per *Abſceſſus poſt aures cauſus ſanatus.de uict.rat.in mor.acut.commen.4°.* 7ª.135.E
Abſceſſus cerebri qui bonus,& qui malus.de inæq.intẽp. 3ª.43.F
Abſceſſus affectus albi oculorum.introductio. Iſ.58.D
Abſceſſus,oris affectus.introd. Iſ.59.C
Abſceſſus in gula incoctus qũo eẽ deprehendatur.5°.de loc.aff. 4ª.32.D
ex *Abſceſſu gulæ obiere multi.5°.de loc.aff.* 4ª.32.D
de *Abſceſſu in gula caſus.5°.de lo.aff.* 4ª.32.D
Abſceſſus in clauiculis eſt morbus longus intrinſecus.fin.med. Iſ.56.B
Abſceſſum ſuſtinere cor,pulmonem,& ligamẽta dolorẽ impoſſibile eſt. 1°.de loc.aff. 4ª.6.C

Abſceſſus in pulmone eſt paſſio diuturna.com.4°.aph.34°. Ex.31.D
Abſceſſus ex pulmonia quo modo erupturi cognoſcantur. in prognoſt. commen.2°. 4ª.205..A
Abſceſſus in pulmonia q̄n bonus & q̄n malus.in progn.cō.2°.4ª.205.D
in Abſceſſu in pulmone & thorace,magna fit thoracis dilatatio,ſed nō multus trahitur ſpiritus.4°.de loc.aff. 4ª.27..A
Abſceſſus qui ex pulmonia infeſtant,quandoq; ad aures, quandoq; deorſum eunt.in progn.com.2°. 4ª.205..A/D
Abſceſſus in medio latere eſt morbus longus intrinſecus.intro. Iſ.56.B
Abſceſſus circa coſtas boni,& mali.de inæq.intem. 3ª.43.F
Abſceſſum ad ſepti tranſuerſi regiones infernas expectare debēt, quibus urinæ tenues,& crudæ minguntur diuturnæ,ſi alia ſigna tanquā euaſuris adfuerint.de uri.ſign.ex Hip. Sp.78.G
Abſceſſus uentriculi qui bonus.de inæq.intem. 3ª.43.F
Abſceſſus uentriculi qui malus.de inæq.intem. 3ª.43.F
Abſceſſus ex ſuperioribus ad inferiores umbilico partes ſalubres ſunt. in 6^{m}.de morb.uul.com.1°. 3ª.157.H
Abſceſſus renum quo modo cognoſcatur.6°.de loc.aff.4ª.37.D/com.7. apho.36°. Ex.56.G
Abſceſſus in utero quando fiat.ſi.med. Iſ.48..A/50..A
Abſceſſus in utero non iuuatur ſternutatione.cō.5°.aph.35°. Ex.40.F
Abſceſſus in ueſica,cauſa eſt ſtillicidij urinæ.cō.3°.aph.16°. Ex 23.D
Abſceſſus in teſtes quandoq; incidunt tuſſientibus ſine dolore coſtarum. in 6^{m}.de morb.uulg.com.2°. 3ª.162.H
Abſceſſuū ḡnatiōes ꝑitāt cibi dulces,et craſſi de bo.et uitio.ſu.2ª.36.E
Abſceſſus poteſt facere anguſtationem partium, adeo ut nihil poſſit ad eas tranſire.com.6°.aph.44°. Ex.51.C
Abſceſſus quomodo cognoſcantur ſuperius uel inferius erupturi.in progno.com.2°. 4ª.205.C
per Abſceſſum futura criſis quomodo cognoſcatur.3°.de criſi.144.G/ 4°.de preſag.ex pul. 4ª.122.E
Abſceſſum futurum ſignificat rubedo faciei in longo morbo. in 6^{m}.de morb.uulg.com.2°. 3ª.163.G
Abſceſſus quando ab urinis prædicantur.de uri.ſig. Sp.78.H
Abſceſſus unguium.8°.de comp.med.ſec.loc. 5ª.188.G
Abſceſſu futuro ad articulos liberāt urina multa craſſa facta uel fluxu ſanguinis nariū.cō.4°.aph.74°.Ex.35.H/in prog.com.2°. 4ª.201.E
Abſceſſum futurum in conualituris ſignificat urina tenuis cruda. com. 2°.in progno. 4ª.201.C
Abſceſſibus putredinoſis iudicabantur ægrotantes ob malos cibos. de bo.& uit.ſuc. 2ª.33.H
Abſceſſus in ſanguinis profluuiū.in 1^{m}.de morb.uulg.com.2°. 3ª.104.D
Abſceſſum,aut profluuium ſanguinis narium qui capitis dolor ſignificet.in prog.com.3°. 4ª.208.F
Abſceſſum ſequuntur labores,& dolores.com.4°.aph.44°. Ex.32.G/ 4°.de loc.aff. 4ª.77.D
Abſceſſus faciunt uiſcerum dolores.com.4°.aph.66°. Ex.34.E
Abſceſſus in febribus qui non ſoluunt ad primas iudicationes, longitudinem morbi ſignificant.com.4°.aph.51°. Ex.33.C
Abſceſſus in febribus quando expectandus ad articulos. in progn.com. 3°.4ª.209.F/in 6^{m}.de morb.uul.com.2°.163.D/com.4°. 3ª.179.E
Abſceſſus articulorum fieri in laborantibus,qui propter motum habuerint calidos articulos non mirum.com.4°.aph.31°. Ex.30.G
Abſceſſus in articulis cur faciat clauditatem.in progn.cō.2°. 4ª.205.D
Abſceſſus articulorum aut maxillarum fiunt laſſitudinem habentibus in febribus.com.4°.aph.31°. Ex.30.G
in Abſceſſu arteriæ pulſus ſentitur cum dolore.2°.de lo.aff. 4ª.8.G
Abſceſſum in profundis abdominis muſculis habentis, Steſiani caſus. 5° de loc.aff. 4ª.34.B
Abſceſſus poteſt fieri in oſſibus.com.7°.aph.54°. Ex.58.G
Abſceſſus oſſis a corruptione.com.7°.aph.73°. Ex.60.G
Abſceſſus nō fiūt ꝑ morbos bilioſos,ſed ꝑ lōgos.in ꝓgn.cō.2°. 4ª.205..A
Abſceſſum,uel excretiones euidenter requirunt morbi ſubitæ ſolutionis.1°.de die.decre. 4ª.147.B
ꝑ Abſceſſum finiūt morbi craſſarū materierū.in ꝓgn.cō.2°. 4ª.201.C
ꝑ Aſceſſum iudicātur longi morbi.in prog.com.2°.4ª.205.B/.com.4°. aph.36°.Ex.31.H/.de uic.rat.in morb.acu.com.4°. 7ª.140.F
per Abſceſſum aut per coctionem ſoluuntur humores crudi & craſſi. in progno.com.3°. 4ª.209.G
per Abſceſſum euacuātur frigidi humores.in progn.com.3°.4ª.210.E
Abſceſſus q̄n fiat ĩ cōtinua,q̄ ĩ quartanā diſcedat.ĩ ꝓg.cō.3°.4ª.210..A
Abſceſſus in quartanam.in 1^{m}.de morb.uul.com.2°. 3ª.110..A
ob Abſceſſum in morbis ſtultitia,& obliuio.2°.de ſymp.cau. 3ª.24.B
Abſceſſus hiemæ potius accidunt,tardius deſinunt,minus retrocedunt. in progn.com.3°. 4ª.210.D
Abſceſſus ſecundum humores & uires q̄n fiunt.in ꝓg.cō.3°.4ª.209.H
Abſceſſus in quibus ætatibus magis fiant.in progn.com.3°. 4ª.209.G
Abſceſſus cito fiūt in febribus laſſitudinarijs.cō.4°.aph.74°.Ex.36..A
ꝑ Abſceſſus iudicari ſolēt febres molliores.1°.de ar.cu.ad Gl.7ª.100.C
Abſceſſus raro fiunt in febribus cum rigore.in 6^{m}.de morb.uulg.commen.1°. 3ª.157..A
an Abſceſſu facto ex inferioribus in ſuperiora rectitudo membri ſemper utiliter ſeruetur,ex ſuperioribus autem in inferiora,corrumpatur.in 6^{m}.de morb.uulg.com.2°. 3ª.162.F
in Abſceſſibus an ſemper ſitus rectitudo ſeruetur.in 6^{m}. de mor.uulg. commen.2°. 3ª.162.G
Abſceſſus corporum arterijs circunfuſorum quos pulſus faciant. 2°.de cau.pul. 4ª.91.F
Abſceſſus in ueſica facit urinæ difficultatem cum dolore. commen.4°. apho.48°. Ex.58..A
in Abſceſſum dū inflammatio uertitur,quid ſequatur.de palp. 3ª.55.B
Abſceſſus euaneſcens facit periculū uitæ.in prog.com.2°. 4ª.205.D
Abſceſſus craſſitudo quanta fuerit,tanta erit cauitas ulceris. com.6°. apho.45°. Ex.51.G
Abſceſſus quorum aut pars capax non eſt,aut ſi ſit,non ferat. in 3^{m}.de morb.uul.com.3°. 3ª.149.F
in Abſceſſibus qui ad maturitatem perduci queunt, non eſt inutile ut nihil eius qui adhuc ſuppurat humoris excernatur,& cur.de ijs,quę in med.ſi.com.2°. 7ª.212.G
ex Abſceſſu diſrupto quandoq; defluit pus bene expurgans partes. commen.4°.aph.47°. Ex.33..A
ex Abſceſſuū ruptura animi defectus quo modo curandus. 1°.de arte cur.ad Glau. 7ª.99.F
Abſceſſum diſtentum cum dolore pulſantem quando aperimus, & pus emittimus,non eſt curatio ſymptomatis.12°.meth.me. 7ª.74.G
Abſceſſibus & ulceribus ſuppurantibus,rigor fit.in 6^{m}.de morb.uul. commen.3°. 3ª.174.D
in Abſceſſus ſectione cum totum pus exit,animi defectus fit.1ª. de ar. cur.ad Glauc. 7ª.98.H
in Abſceſſibus quæ inueniantur.de tum.pręt.nat.83.G/ de diff.morb. 3ª.4.F/2°.de ar.cur.ad Glau.105.B/14°.meth.me. 7ª.92.D
Abſiceſſuum a ſinuū curatione diuerſa curatio eſt.de ijs, quæ in medi.ſi. commen.2°. 7ª.212.H
in Abſceſſibus ſcopus curationis.de ijs,quæ in med.ſi.cō.2°. 7ª.211.C
Abſceſſus ſimplici ſectione ſecantur.introductio. Iſ.59.E
Abſceſſus debent cito incidi.de ther.ad Piſ. 5ª.90.D
Abſceſſus qui bis in die curandi.de rem.par.fac. 7ª.155.E
in Abſceſſibus quidam utuntur menta.6°.de ſimp.me.fac. 5ª.48.B
Abſceſſus ſanat menta cum polenta.3°.de me.fa.par. 7ª.174.G
propter Abſceſſum qui ſuppurantur illis elleborus non dādus. de uic. rat.in morb.acut.com.4°. 7ª.144.G
Abſceſſus prohibens.5°.de comp.med.per gen. 5ª.249..A
Abſceſſum patientibus dari non debere uinum.8°.de comp.medi.ſecundum locos. 5ª.194.G
in Abſceſſibus non eſt multum calfaciendum, & exiccandum.6°.de ſimp.med.fac. 5ª.48.B
ad Abſceſſus.7°.de cōp.me.ſe.lo.182.F/1°.de cōp.me.per gen.217..A/ 3°.234.H/5°.246.H/247.F/6°.258.C/267.F/7°. 5ª.266.G
Abſceſſuum in ſuperficie curatio.2°.de ar.cur.ad Glau. 7ª.105.B
Abſceſſus ſuperficiarij facile ſanantur.2°.de ar.cur.ad Glau. 7ª.105.B
ad Abſceſſus particulares.6°.de comp.me.per gen. 261.G/5ª.262..A
de Abſceſſibus iuxta aures.de reme.par.fac. 7ª.155.D
Abſceſſus poſt aures diſcutit cicerum genus orobiæum appellatum. 6°. de ſimp.med.fa. 5ª.47.E
ad Abſceſſus occultos.7°.de comp.me.ſec.lo. 5ª.185.G
ad Abſceſſus latentes in collo & peritonæo prohibendos. 6°.de comp. med.per gen. 5ª.256.D
ad Abſceſſus in mammis & alis.5°.de comp.me.per gen. 5ª.246.E
ad Abſceſſus mammarum.6°.de comp.me.per gen. 5ª.262.B
ad Abſceſſus in ſpacio coſtali curatio.introd. Iſ.59.H
ad Abſceſſus præcordiorum.6°.de comp.me.per gen. 5ª.262.F
ad Abſceſſus in uiſceribus medicamenta.14°.meth.me. 7ª.99.E
Abſceſſus in uiſceribus indigent medicamentis ex aromatibus.14°.metho.medendi. 7ª.90.E

ad *Abſceſſus ſquamarũ quid faciat.* 5°.*de comp.me.per gen.* 5ª.248.B
ad *Abſceſſus interiores ſine dolore diſcutiendos.* 2°.*de comp.med.per genera.* 5ª.222.F
Abſceſſus in profundo quibus curentur. 7°.*de comp. med.ſecun.locos.* 186.D/7°.*de comp.med.per gen.* 5ª.265.B
Abſceſſus in profundo abſorbens malag. 9°.*de cõp.me.ſe.lo.* 5ª.200.C
ad *Abſceſſus in alto corporis obortos.* 7°.*de cõp.me.per gen.* 5ª.265.B
Abſceſſus furẽtes mitigãs Cyzicenũ. 5°.*de comp.me.per gen.* 5ª.250.B
Abſceſſus ĩternos diſrũpit thlaſpi ſemẽ potũ. 6°.*de ſim.me.fa.* 5ª.48.D
Abſceſſꝰ ĩternos ꝓbe repurgãs catapotiũ. 7°.*de cõ.me.ſe.lo.* 5ª.183.G/H
Abſceſſus digerit adiantum. 6°.*de ſimp.med.fa.* 5ª.41.E
Abſceſſus concoquit ſanguis urſorum. 10°.*de ſimp.me.fa.* 5ª.73.D
Abſceſſum rumpens pharmacum. 3°.*de comp.me.ſe.lo.* 5ª.146.F
ad *Abſceſſus humore ablato.* 2°.*de comp.me.per gen.* 5ª.227.E
Abſceſſus locum celerius diuiſit emplaſtrum quam ſcalpellum.de theriaca ad Piſ. 5ª.90.D
ad *Abſceſſus quibꝰ cõueniant aromata.* 6°.*de cõ.med.ſec.lo.* 5ª.186.G
Abſceſſus uide etiam apoſtema.
ABSCINDERE *partem affectam totam circunciſam undiq; ad incolumem uſq; non eſt curare.de atra bile.* 1ª.35.F
Abſciſſo neruo non mouebitur muſculus.de uo.& anhel. Sp.60.F
Abſciſſa ſpinali medulla apud tertium ſpondylum quid ſequatur de uo.& anhel. Sp.62.A
Abſciſſis omnibus prodeſt cinis impoſitus.de ſimp.me. Sp.86.A
ABSINTHIVM *& marrubiũ fere non differunt.de op.ſect.* Iſ.23.H
Abſinthium quid.& eius uires.de ſimp.med. Sp.80.C
Abſinthij tres ſpẽs, põticũ, sãtonicũ, ſeriphiũ. 6°.*đ ſim.me.f.* 5ª.40.F/G
Abſinthio ſpecie ſimile eſt ſeriphum. 8°.*de ſim.med.fa.* 5ª.60.C
Abſinthium ſeriphum ſtomacho inimicum. 6°.*de ſim.me.fa.* 5ª.40.G
Abſinthij pontici deſcriptio. 11°.*meth.med.* 7ª.72.F
Abſinthij pontici fit mentio. 10°.*de comp.me.ſe.lo.* 5ª.208.H
Abſinthium ponticum quale. 11°.*meth.med.* 7ª.72.F
Abſinthium ponticum redolet, ut aroma. 11°.*meth.med.* 7ª.72.F
Abſinthium ponticum purgat ueſicam.de cathar. Sp.95.D
Abſinthium ponticum ualet ad inflammationes iecoris, & uentriculi. 11°.*meth.med.* 7ª.72.F
Abſinthiũ quale. 6°.*de ſim.me.fa.* 44.D/8°.*de cõp.me.ſe.lo.* 5ª.190.B
Abſinthiũ calidũ ẽ ĩ prĩo ordĩe, ſiccũ ĩ tertio. 6°.*de ſim. med.fa.* 5ª.44.D
Abſinthij uis qualis ſit. 6°.*de ſan.tuen.* 2ª.99.A
Abſinthium habet duplicem facultatem. 11°.*meth.med.* 7ª.72.F
Abſinthiũ uidet̃ magis dulce q̃ amarũ de cura icteri(mẽtit̃) Sp.111.A
Abſĩthio guſtato, q̃ guſtant̃ uident̃ amara.ĩ 6ᵐ.*de mor.uul.c.* 5°.3ª.192.C
Abſinthiũ plus adſtringit quã amarum ſit. 6°.*de ſim.me.fa.* 5ª.44.D
Abſinthium amarum coctum in aqua deponit qualitatem. 3°.*de alimẽtorum facultatibus.* 2ª.32.A
Abſinthio amariora ſunt Ariſtolochia, Gentiana, Centaurea. de cura icteri. Sp.111.A
Abſinthium amarum, & acerbum. 5°.*de ſim.med.fa.* 5ª.35.B
Abſinthium magnam habet acerbitatem, 6°.*de ſim.me.fa.* 5ª.40.D
Abſinthium minus calidum abrotono, quoniam plurimam obtinet adſtrictionem. 6°.*de ſim.me.fac.* 5ª.40.G
Abſinthium minus extenuat quã abrotonon. 6°.*de ſim.med.fa.* 5ª.40.G
Abſinthiũ nõ minus exiccat quã abrotonon. 6°.*de ſim.med.fa.* 5ª.40.G
Abſinthiũ ẽ minus tenuiũ ꝑtiũ q̃ abrotonon. 6°.*de ſimp.me.fac.* 5ª.40.G
Abſinthium roborat omnia membra. 1°.*de arte cur.* 7ª.99.D
Abſinthium gratum eſt ſtomacho. 6°.*de ſimp.med.fa.* 5ª.40.D/G
Abſinthium conuenit ſtomacho imbecillo.de opt.ſecta. Iſ.23.H
Abſinthio utebant̃ antiq in ſtõ imbecillo, & quõ. 7°.*meth.med.* 7ª.43.H
Abſinthium pro frigiditate uentriculi. 1°.*de arte cu.* 7ª.99.C
Abſinthiũ cõuenit in uẽtriculo hñte deſtillationẽ. 7°.*meth.med.* 7ª.48.B
ex *Abſinthij oleo ĩ qua affectiõe fomẽtet̃ uẽtriculꝰ.* 8°.*met.me.* 7ª.53.C
Abſinthium eſt ſummum ſtomachi remedium ex melicrato, ubi infeſta uerit bilis. 1°.*de arte cur.* 7ª.97.B
Abſinthium iecori, & ori uentriculi conuenit.de reme.par.fa. 7ª.158.F
Abſinthij oleum pro uentriculo in quo pituita multa ſit aceruata. 1°.*de arte cur.* 7ª.99.D
Abſinthium uinum uentrem et choleram emundat.de ſim.me. Sp.92.C
Abſinthij uino curata eſt ſtomachi diſſolutio quæ fecit atrophiam.de theri.ad Piſ. 5ª.90.D
Abſinthio excutit̃ humor cõtẽtꝰ ĩ tunicis uẽtriculi. 1°.*de loc.aff.* 4ª.5.F
Abſinthium in mulſa coctum ualet quando pituita tenuis fuerit in uentriculo. 7°.*meth.med.* 7ª.48.D
Abſinthium quo modo nidorem amittit. 8°.*meth.med.* 7ª.53.B
Abſinthium bilioſos uentris humores per egeſtionem infernam propellit, ac per vrinas euacuat. 6°.*de ſimp.me.fa.* 5ª.44.D
Abſinthio utaris ĩ tertiana facta coctiõe. 1°.*de ar.cu.ad Gl.* 7ª.97.B/E
Abſinthium quale medicamentum eſt iecori, tale lieni eſt capparis cortex. 13°.*meth.me.* 7ª.84.F
Abſinthium conuenit iecinori, & lieni. 14°.*meth.me.* 7ª.88.D
Abſinthium purgat gibbam hepatis partem.de cathar. Sp.95.C
Abſinthiũ in ſplene duro ex flatu conuenit. 2°.*de ar.cu.* 7ª.104.C
ex *Abſinthio, oxymelite, & cappari cataplaſma pro liene.* 11°.*metho. medendi.* 7ª.74.A
Abſinthium non confert genu, oculis, & ori. 14°.*meth.me.* 7ª.88.D
Abſinthij potio quibus non conducat. 6°.*de ſan.tuen.* 2ª.99.C
Abſinthium non debet accipere exiccatus, & qui fere ad maraſmũ deuenerit. 7°.*meth.me.* 7ª.44.C/*de ſim.me.* Sp.80.E
Abſinthium perimere poteſt uermes teretes. 14°.*met.me.* 7ª.93.H
Abſinthium purgat cibos indigeſtibiles, & lumbricos rotundos. de cathar. Sp.95.C
Abſinthiũ cur miſceatur medicamentis. 8°.*de comp.me.ſe.lo.* 5ª.190.B
Abſinthium ualet in epilepſia.de puero epil. 7ª.181.A
ex *Abſinthio relaxantia in ſyncope.* 11°.*meth.me.* 7ª.76.A
Abſinthium cur intus purget, extra non. 5°.*de ſim.me.fa.* 5ª.35.B
Abſinthij coma quantum purget. 6°.*de ſani.tuen.* 2ª.99.A
Abſinthij coma ĩ iecoris dolore dãda ĩ aliquo liquore. 6°.*đ ſa.t.* 2ª.96.B
ex *Abſinthij coma ferucfacta oleum pro ſtomachi ore.* 8°.*de comp.me. ſec.loc.* 5ª.187.D
Abſinthij comæ in iecoris phlegmone. 11°.*meth.me.* 73.A.13°.83. G.2°.*de arte cur.* 7ª.104.D
Abſinthij comam in melicrato potandam dat Gal.pro deiectione deinceps vinum in animi defectu ex vitioſis ſuccis in ore uentriculi.de arte cur.ad Glau. 7ª.99.E
Abſinthij coma purgandus cui bilioſus humor in uentre colligitur. 6°.*de ſani.tuen.* 2ª.99.A
Abſinthij ſuccus calidior herba. 6°.*de ſim.me.fa.* 5ª.44.D
Abſinthij ſuccus uitandus in capitis doloribus a ſtomacho, & ab alijs. 2°.*de comp.me.ſe.lo.* 5ª.137.B
in *Abſinthij ſuccũ marrubiũ miſcẽt quũ adulterat̃.* 1°.*de anti.* 5ª.100.D
Abſinthij ſuccum dedit Gal.ut bilem (atram) contemperaret, ac uelut i edulcoraret.de ther.ad Piſ. 5ª.96.A
Abſinthij ſuccus infuſus in aqua cum nardo quibus conueniat. de cura icteri. Sp.111.A
Abſinthij cremore bilis euacuatur. 2°.*de comp.me.ſe.lo.* 5ª.136.H
Abſinthiũ melli mixtũ quid ĩprimit in linguã. 3°.*de ſim.me.fa.* 5ª.21.A
Abſinthij ſucci pars una, aloes & ſcãmonij partes duę, medullę colocynthidos pars una, ſucco pomorum omnia excepta, ac in pilulas redacta faciunt ad alopeciam, & ophiaſin.de reme.par.fac. 7ª.154.G
Abſinthij decoctio purgat matricem.de cathar. Sp.95.C
Abſinthij potio non admodum detergit. 6°.*de ſani.tuen.* 2ª.99.C
Abſinthij decoctum aluo, & uentriculo prodeſt.de mel.ex Galeno, Ru. & Poſ. Sp.110.B
Abſinthij, & centaureæ decoctio aperit obſtructionem minus quã decoctio iridis.de med.exper. Sp.104.B
Abſinthinum oleum adhibebimus cũ iecur, & uentriculus laborabũt. 11°.*meth.med.* 7ª.73.D
Abſinthium in oleo pro iecoris phlegmone. 11°.*met.me.* 7ª.73.A
pro *Abſinthio quę accipienda.* 11°.*meth.me.* 7ª.72.H
ABSORBENS *humiditates ex alto malagma.* 5°.*de comp. med.ſecun. locos.* 5ª.200.B
Abſorbẽs abſceſſus in ꝓfundo malagma. 9°.*de cõp.med.ſe.lo.* 5ª.200.C
ABSTERSIO *habet ordines.* 7°.*de ſimp.me.fa.* 5ª.53.B
Abſtergit, incidit, parũ deſiccat, adſtringit nonnihil tamarix. 7°.*de ſim. medi.fac.* 5ª.56.D
Abſtergendi uim habent amari ſapores. 4°.*de ſimp.me.fa.* 5ª.29.G
Abſtergere, terminus eſt amari ſaporis. 4°.*de ſim.me.fa.* 5ª.29.F
Abſtergunt amara. 8°.*de ſimp.me.fa.* 5ª.61.A/62.E
Abſterſio ab amaritudine non uerenda. 8°.*de ſimp.me.fa.* 5ª.61.B
Abſtergentia ualde medicamenta. 2°.*de comp.me.per gen.* 5ª.221.G
Abſtergit uehementiſſime mel. 6°.*de comp.me.ſe.lo.* 5ª.171.H
Abſtergunt cibi ſapidi, dulces, ſubtiles.de diff.cont. Sp.72.E
Abſtergẽtia leuiter carnẽ vlceri ĩducere apta sũt. 9°.*đ ſi.me.f.* 5ª.66.A
Abſtergentibus adduntur adſtringentia, ut eorum facultatẽ in profundum ducant. 2°.*de comp.me.per gen.* 5ª.225.C

Abſtergendi uim habet atriplicis ſemen.6°.de ſimp.me.fa. 5ª.44.C
Abſtergendi uim habet radix uitis albæ.6°.de ſimp.me.fa. 5ª.42.F
Abſtergit populus alba.7°.de ſimp.me.fa. 5ª.54.D
Abſtergit myrrha.8°.de ſimp.med.fa. 5ª.61.A
Abſtergit lampſane.7°.de ſimp.med.fa. 5ª.54.A
Abſtergit rhu ſiccum cum melle.3°.de ſimp.me.fa. 5ª.20.A
Abſtergentia quid faciant.5°.de ſimp.med.fa. 5ª.36.E
Abſtergit uiſum quid.ſecret. Sp.101.F
Abſtergatur quomodo uentriculus pituitæ plenus. in 6m.de morb.uul. com.2°.3ª.160.H/de diſſol.cont. Sp.74.G
Abſtergit uiſcera chamæpitys.8°.de ſimp.me.fa. 5ª.63.F
Abſtergētiū qñ us⁹ ſit ĩ melãcholia.đ melẽ.ex Gal.Ru.et Poſ.Sp.110.C
Abſtergũt,& mũdificant renes ficus hũidæ,et ſiccę.de diſ.cõ.Sp.74.G
Abſtergens,& amarum eſt aphronitrum.9°.de ſim.me.fa. 5ª.68.G
Abſtergit aphronitrum omnes ſordes de corpore.de ſim.me. Sp.80.C
Abſtergentia & parum adſtringentia exaſperant.ars me. Iſ.70.E
Abſtergentia,& exiccantia medicamenta, ac ulcera pura reddentia. de fract.commen.3°. 7ª.242.D
Abſtergit,& exiccat crethmõ ſalsũ ſubamarũ.7°.de ſim.me.f.5ª.52.H
Abſtergunt exiccantq́ ſalſa amara.7°.de ſimp.me.fa. 5ª.52.H
Abſtergunt,& exiccant uehementer æris ſquama & ærugo.4°.de compo.med.per genera. 5ª.240.H
Abſtergit & adſtringit caries lignorum.8°.de ſimp.me.fa. 5ª.60.A
Abſtergendi non ſunt ægri cum lauantur,niſi ſordidi ſint,& pruritu uexentur.de uict.rat.in morb.acut.com.3°. 7ª.132.A
Abſtergendus eſt mucor hirudinum ſpongia.de cucur.ſcar. 6ª.4.C
ABSTINENTIA à cibo idem ſignificat, quod inappetentia. commẽ. 4°.apho.17°. Ex.29.A
Abſtinens à cibo,id eſt non appetens,debet per ſuperiora purgari.com. 4°.apho.17°. Ex.29.A
ex Abſtinentia à cibo quidam breuiſſima uexabatur conuulſione.5°.de loc.affect. 4ª.32.G
Abſtinens à cibo ſanus,præſertim ſi ſit cholericus,quid patiatur. commen.6°.aph.50°. Ex.52.G
Abſtinentia cibi euacuat per accidens.14°.meth.me. 7ª.89.A
Abſtinentia tribus uel quatuor diebus facta plethoram ſanat abſque ſanguinis miſſione.de uict.rat.in morb.acu.com.4°. 7ª.136.H
Abſtinere à potu,& cibo decimo quoq; die,deinde poſtero die lauari,ciboq́ firmo uti,remediũ eſt ad impetũ morborũ.de dynamid. Sp.20.B
Abſtinentia maceratis,& alimenti defectu fit tremor. 1°.de palp.conuulſ.& rig.3ª. 3ª.52.H
Abſtinere à uenere quando debeamus.de dynamid. Sp.20.D
ob Abſtinẽtiam uiri dolori matricis quid proſit.de paſſ.muli.Sp.95.G
ABSTRAHENTIVM non eſſe mendacium probatur pulſuum exemplo.1°.de diff.pulſ. 4ª.56.H
ABSVRDA dicentes deridentur.com.2°.de nat.hum. 7ª.183.D
ABDVNDARE ſanguinem ætate puerili & uere,bilẽ flauã uigenti ætate,& æſtate,atrã bilẽ declinante ętate,& autũno, pituitam in ſenectute & hyeme placet Hipp.breu.denot.dogm.Hipp. 1ª.231.B
Abundantia ſanguinis ualetudinem uitiat.de dynamidijs. Sp.19.D
Abundans ſanguis minuendus eſt.de cucur.ſcar. 6ª.3.G
Abundantiam ſanguinis ualde ſtringit menta.de ſimp.med. Sp.87.D
Abundantiam ſanguinis reprimit hypociſthis.de ſim.med. Sp.92.E
Abundantiam ſanguinis reprimit rhu.de ſimp.medicamin. Sp.89.F
Abũdãtiã humorũ ĩduxit obſtructio cutis.ĩ 3m.đ mo.uul.c.3°.3ª.149.G
ĩ Abũdãtia q̃tuor humorũ uena ĩcidẽda.de ren.af.dig.et med.7ª.193.E
Abũdãtia humorũ alterare põt puls⁹,nõ efficere.1°.de ca.pul.4ª.86.G
Abundans cholera citrina quibus ſit nutriendus.de diff.cont. Sp.72.C
Abundantiam carnium adipis & ſuccorum exercitatio minuit. in 6m. de morb.uul.com.3°. 3ª.173.C
Abũdans calor & frigus corporis languorẽ efficit.de dynami.Sp.19.D
ad ABVVLSAM cutem efficax emplaſtrum album medicis conuenit habere.1°.de comp.me.per gen. 5ª.217.G
ACACIA quid,& eius uires. de ſimplicibus medicaminibus. Sp.79.G
Acacia quo modo fiat,& quo tempore.de dynamidijs. Sp.22.H
Acacia acerba,ſicca,et frig.ẽ ĩ ſcđo,ſicca ĩ tertio.6°.de sĩ.me.f.5ª.41.C
Acacia qualis.1°.de antido.107.C/7°.de comp.med.ſecun.lo. 5ª.184.B/ de ocul. 7ª.188.G/H
Acacia terroſa habet aliquid aquei.6°.de ſimp.med.fa. 5ª.41.C
Acacia qualis,& quo modo lauetur.4°.de comp.me.ſec.lo. 5ª.151.F
in Acacia adſtrictio conſideranda.4°.de ſimp.me.fa. 5ª.26.A
Acacia adſtringit.9°.de ſimp.med.fa. 5ª.64.C
Acacia uehementius adſtringit.4°.de comp.med.ſe.lo. 5ª.149.H
Acacia uehemẽter adſtringẽtẽ eẽ iudicat Gale.5°.metho.med. 7ª.31.G
Acacia ſtringit uiſcide.de ſimp.medicamin. Sp.79.G
Acaciæ rufæ fit mentio.7°.de comp.me.ſe.lo. 5ª.180.D
Acacia rufa ad quid utilis.3°.de med.fac.par. 7ª.173.G
Acacia facile leuigatur.4°.de comp.med.per gen. 5ª.237.H
Acacia toſta.9°.de comp.med.ſec.lo. 5ª.203.C
Acacia oculis conuenit.de ocul. 7ª.188.G
Acacia ſiſtit oculorum fluorem.introd. Iſ.58.C
Acacia in aſperitatem palpebrarum.de ocul. 7ª.189.C
Acacia ſiſtit ſanguinem.intro. Iſ.56.F
Acacia internis ulceribus opitulatur.4°.meth.me. 7ª.28.H
ACACII ad ſanguinem reijcientes.7°.de comp.med.ſe.lo. 5ª.184.A
ACADEMIAE diuerſæ.de hiſtoria philoſoph. Sp.2.E
Academia media,quæ.de hiſtoria philoſoph. Sp.2.E
ACADEMICI negant haberi ſcientificam oſtenſionem.de cuiuſq; ani. pec.not. 2ª.56.D
ACALEPHE quid.6°.de ſimp.me.fa. 5ª.41.C
ACANTHI folia mediocriter digerunt.6°.de ſimp.me.fa. 5ª.41.H
Acanthi radix calfacit.6°.de ſimp.med.fac. 5ª.41.H
Acãthi radix exiccat,ĩcidit,et ẽ tenuiũ partiũ.6°.de ſim.me.f.5ª.41.H
Acanthi radices ad arquatos.de med.fac.par. 7ª.166.F
ACANTHION quid ſignificet.1°.de comp.me.ſe.lo. 5ª.125.D
Acanthionis terreſtris corium.1°.de comp.med.ſe.lo. 5ª.125.B
ACANTHA leuce quid.6°.de ſimp.me.fa. 5ª.41.H
Ἀκάνθα. i. ſpina quid ſignificet in uertebris.de art.com.2°. 7ª.271.D
Ἄκαπνα ligna arida Græci uocant.4°.de ſani.tuen. 2ª.85.D
quæ ACCENDVNTVR citius non protinus nobis apparẽt calidiora.1°.de ſimp.me.fa. 5ª.4.H
Accẽſiones fiũt,ſi mars dederit ſchema præſertim diametrum lunæ motu,& lumine augeſcenti.de decub.progn.ex math.ſcientia.Sp.12.H
Accenſio atræ bilis quomodo fiat.2°.de diff.feb. 3ª.37.C
Accenſus humor unuſquiſq; habet ſuũ calorẽ.aduerſus Lycũ.Ex.65.H
in ACCENTV eſt tertius modus ſophiſmatum in dictione. de ſophiſmat. Iſa.7.B
Accẽtus,et nõia q ſectãtur nõ sũt admittẽdi.de fract.cõ.2°. 7ª.240.H
ACCESSIO quid ſignificet.commen.1°.aph.12°. Ex.5.F
Acceſſio febris ἐπισημασία dicitur.i.annotatio.cõ.2°.aph.1°. Ex.11.A
Acceſſionum repetitio & acceſſionum proportio idem.ad eos qui de typ.ſcrip. 3ª.92.D
Acceſſionis inſultus,quid.de morb.temp. 3ª.86.H
Acceſſio quinta die & circuitus quinque dierum nõ idem.ad eos,qui de typ.ſcripſ. 3ª.94.E
Acceſſiones febrium dicuntur accidentia.com.2°.aph.30°. Ex.16.H
Acceſſiones partim neceſſario,partim contingenter exiſtunt. 2°.de dif.reſp. 3ª.66.C
Acceſſiones numerandæ ſunt,non dies attendendi,in febribus intermittentibus.in 1m.de morb.uulg.com.3°. 3ª.120.F
Acceſſio in intermittentibus eſt idem,quod una dies in continuis. com. 4°.apho.59°. Ex.33.H
Acceſſio febris quota hora inuaſerit quibus uideatur ſolemnis interrogatio.8°.meth.med. 7ª.50.D
Acceſſiones quomodo fiant aliquibus morbis.cõ.1°.aph.12°. Ex.5.D
Acceſſiões dieb⁹ pibus.ĩ 1m.de mor.uul.cõ.3°.121.B/ĩ 3m.cõ.3°.3ª.150.F
Acceſſio febrilis multorum dierum quomodo fiat.8°.meth.me.7ª.56.F
Acceſſiones ad dies pares uehementiores transferuntur, ſi morbus debeat tardare.com.4°.apho.36°. Ex.32.A
Acceſſiones ſi ſint diebus paribus,erunt etiã & iudicia.in 3m.de morb. uulg.com.2°. 3ª.138.A
Acceſſio ſi per dies impares fict,etiam per impares fit iudicatio. in 6m. de morb.uulg.com.3°. 3ª.171.C
Acceſſiones in diebus imparibus cito iudicantur,in diebus paribus tarde.com.4°.apho.36°. Ex.32.A
Acceſſio particularis morbi poteſt prænoſci.com.1°.apho.12°. Ex.5.B
Acceſſio particularis in febribus prohibet uenæ ſectionem. de præſag. exper.confir. Sp.78.D
Acceſſionum particularium uigorem temporis ſpatium fieri conſpexit Galenus.de tot.morb.temp. 3ª.89.A
Acceſſionis principiũ qũo fiat.de uict.rat.in morb.acu.com.1°.7ª.115.G
in Acceſſionum principijs cur interiora calent,exteriora frigent. com. 4°.apho.48°. Ex.33.B

in Acceſſionum principijs ſomni cur,& quo modo aggrauent. 2°.de lo cis affectis. 4ª.14.C
Acceſſionis initiũ,qui pulſus ĩdicat.3°.de præſag.ex pulſ. 4ª.118.B/G
Acceſſionum initia,quæ eſſe indicent.3°.de præſag.ex pulſ. 4ª.118.G
in Acceſſionum principijs cerebrũ refrigeratur.2°.de lo.aff. 4ª.14.C
in Acceſſionibus,quod nihil dandum.com.1°.aph.19°. Ex.9.F
in Acceſſione cibi dandi tempus.de uict.ra.in mor.acu.cõ.1°. 7ª.115.G
in Acceſſionis principio quidam ſunt cibandi.1°.meth.me. 7ª.62.F/G
Acceſſionis principio febrienti dedit uictum debitum Galenus.10°.me thodi medendi. 7ª.63.B
ante Acceſſionem quando cibus poteſt exhiberi.11°.met.me. 7ª.74.D
ante Acceſſionem quando cibus,& uini potus poſſit offerri.de cauſ. procatarct. 3ª.95.G
ante Acceſſionem ṗ duas horas æger põt cibari.10°.met.me. 7ª.62.G
ante Acceſſionem cibauit Galenus.12°.meth.med. 7ª.78.A
ante Acceſſionẽ qñ perniciofiſſimum eſt cibare.11°.meth.me. 7ª.74.D
ante Acceſſionẽ ṗ tres horas balneum põt fieri.8°.meth.me. 7ª.52.H
Acceſſiões tertio quoq; die fiũt plurimũ ĩ acutis.3°.đ die. dec.4ª.158.G
ante Acceſſionẽ nox moleſta ĩ tertianis.ĩ 6ᵐ.đ mor.uul.c.2°.3ª.164.B
Acceſſio tertianarum præſertim purarum nunquam tranſit duodecim horas.com.4°.aph.59°. Ex.33.H
Acceſſio horrida eſt ſemitertianæ exquiſitæ ṗpria.2°.de criſ. 4ª.136.D
Acceſſionis horridæ fit mentio.2°.de diff.feb. 3ª.38.H
Acceſſio in febribus tertianis non puris quanto longior acceſſione puræ,tanto morbus eſt longior.com.4°.aph.43°. Ex.32.F
Acceſſionem primam morbi peracuti uehementiſſimam habent.comm. 4°.apho.36°. Ex.32.A
in Acceſſione prima febres cognouit Gal.1° de diff.feb. 3ª.35.H
in Acceſſiõe pria Gal.nouit tertianã et qrtanã.1°.de die.dec.4ª.150.H
in Acceſſionis primæ declinatione balneum utile eſt in febre ex obſtructione.8°.meth.me. 7ª.50.A
in Acceſſionibus plurimũ contingunt iudicia.1°.de die.decr. 4ª.148.F
in Acceſſione cur iudicia fiant.in 1ᵐ.de morb.uulg. 3ª.120.C
in Acceſſionibus uehemẽtioribus iudicia fiũt.c.4°.aph.36°. Ex.32.A
in Acceſſionis tempore occidunt quædam ægritudines,quædam in uigore.1°.de criſi. 4ª.125.G
Acceſſionis incremẽtũ quõ fiat.de uict.rat.in morb.acu.cõ.1°. 7ª.115.G
Acceſſionis ſtatus quõ fiat.de uic.rat.in morb.acu.com.1°. 7ª.115.G
per Acceſſiones maximas finit ſtatus.de tot.morb.temp. 3ª.89.G
Acceſſionis uigorem ceſſantem in febricitantibus aduertere debes, ubi ſanguinem detrahis.de præſag.exper.conf. Sp.77.H
Acceſſionis declinatio quõ fiat.de uict.rat.in morb.acu.cõ.1°. 7ª.115.G
Acceſſiones quõ doceant regulari ægrum in uictu.c.1°.aph.17°. Ex.9.C
Acceſſio breuis cur.2°.de diff.feb. 3ª.41.H/42.A
Acceſſio breuiſſima unde.2°.de diff.feb. 3ª.42.A
Acceſſio longa cur.3°.de diff.feb. 3ª.41.H
Acceſſio longiſſima unde.2°.de diff.feb. 3ª.42.A
Acceſſio cur non æque longa.2°.de diff.feb. 3ª.41.H
Acceſſionum cauſa ſi fuerit fixa,longus eſt morbus:ſi non, breuis.com. 4°.apho.30°. Ex.30.F
Acceſſiones cum diebus paribus ſtatim à principio fiunt,interim ad ſextum diem criſim peſſimam fore prænuntiant:interim in longum producendum morbum.in 1ᵐ.de morb.uulg.com.2°. 3ª.115.B
in Acceſſione tota frigus malum.in 1ᵐ.de morb.uulg.com.3°. 3ª.118.B
Acceſſiones ſimiles faciunt quædam continuæ,quæ alterno die acceſſionem faciunt.2°.de diff.feb. 3ª.36.G
Acceſſionum uarius implexus.ad eos,qui de typ.ſcrip. 3ª.92.D
Acceſſiones diſſimiles quædam faciunt.2°.de diff.feb. 3ª.36.G
Acceſſione una finiuntur ſynochę.2°.de diff.feb. 3ª.42.G
Acceſſiones inordinatæ à quibus cauſis fiant.2°.de diff.feb. 3ª.42.G
Acceſſiones tres una hora cõcurrere põt.ad eos,qui de typ.ſcri.3ª.92.E
Acceſſiões ſi ṗ duas horas anticipet,qd ſequat̃.ad eos,q ty.ſcr.3ª.91.H
Acceſſio ſi ſecunda & quarta ſit uehemens,tertio,quinto,ſexto,morietur æger.de præſag.exper.confir. Sp.77.D
ſm Acceſſionũ tpa dñt inſõnia cõſiderari.ĩ 1ᵐ.đ mor.uul.c.3°.3ª.118.A
cum Acceſſionibus deiectiones alui inuadunt iecinore afflicto uirtute imbecillos.11°.meth.med. 7ª.74.D
Acceſſiones ægritudinum,quæ per circuitus aliquos fiunt, ex membrorum diſpoſitionibus ortum habent.2°.de dif.feb. 3ª.42.H
in Acceſſionum principijs tumores increſcunt in laterum & pulmonis inflammationibus,in declinationibus autem euaporant ac ſubmittuntur.2°.de diff.feb. 3ª.40.F
Acceſſiones quõ oſtẽdãt quonã mõ ſit euacuãdũ.quos purg.cõu. 5ª.88.F
ad Acceſſiones omnes facit hydropoton.de dynamidijs. Sp.32.D
Acceſſio,lege Paroxyſmus,& Circuitus.
ACCESSVS quid ſignificet.in 6ᵐ.de morb.uulg.com.2°. 3ª.175.F
Acceſſus & receſſus maris quomodo fiat.de hiſt.phil. Sp.8.G
ACCIDENTIA inſanis nuncupantur, quæ conſtitutionem neceſſario ſequentur.1°.meth.med. 7ª.8.D
ex Accidente quod prouenit ſeparare ab eo,quod eſt per ſe ſenſu, Galeno pulchrum uidetur.1°.de ſimp.med.fa. 5ª.7.D
per Accidens cur diſtinguendum à per ſe. de ſymp.diff.3ª.10.G/ 1°.de ſimp.me.fa.2.E/2°. 5ª.12.E
ex Accidenti idem eſt,quod ſecundo loco.de ſymp.diff. 3ª.10.G
Accidens cauſæ opponitur.de cauſ.procatar. 3ª.96.H
Accidentia,cauſas,tẽperiẽ ſcire debet medicus.de med.exp.Sp.103.H
Accidentia euidentia prænoſcenda.in progno.com.1°. 4ª.189.C
Accidentia morborum tria.de ocul. 7ª.185.H
Accidentia ſuperuenientia tripliciter diuiduntur.3°.de criſi. 4ª.140.C
Accidẽtiũ cõcurſus,q empirico ĩdicat obſeruationẽ memo.đ ſec.Iſ.16.F
Accidentiũ cõcurſus,qui rõnali indicat euacuationẽ.de ſect. Iſ.16.E/F
Accidens putatur ægritudo ab aliquibus.de diff.mor. 3ª.3.E
Accidẽti originẽ præſtat ægritudo.de dif.mor.3ª.4.D/de ocul. 7ª.185.H
ab Accidentibus exercitatio circa affectorum locorum notitiam quo modo fiat.2°.de lo.aff. 4ª.8.D
ab Accidentiũ proprietate affectuũ indicia oriunt̃.1°.de lo.aff. 4ª.6.D
ex Accidentibus proprijs affectus locus quo modo innoteſcat.1°.de lo. affect.4.G/ 4ª.6.C
ex Accidentibus in morbi cognitionem uenimus.de ocul. 7ª.186.A
Accidentia ſanantur remotis cauſis.com.1°.aph.22°. Ex.15.B
in Accidentibus ẽt ſunt ſpẽs per rõnem ad unum.2°.meth.me. 7ª.13.G
Accidentia quædam mutantur de prauis in bona,& è contra.in progn. commen.3°. 4ª.212.D
in Accidẽtiũ gñe ſunt ſigna decretoria.in prognoſtica.cõ.3°. 4ª.212.G
Accidentium criticorum duplex natura.1°.de criſi. 4ª.131.B
Accidẽtalis differẽtia nulla põt eẽ firma in ſua ſũba.de ſpmate.Sp.37.F
Accidens ineuitabile tranſitus per œſophagum eſt eleuatio nodi gutturis.de mot.man.& obſ. Sp.70.F
Accidentia præter naturã earũ,quæ in corpore ſunt,diſpõnum ſunt,ſi in principio morbi aliquid excernatur.com.4°.aph.22°. Ex.29.G
Accidentia quomodo tempore fortiora,& imbecilliora. commento.2°. apho.30°. Ex.16.H
Accidentia oculi qualia per ſuffuſiones,unde.5°.de lo.af. 4ª.32.E
Accidentium melancholicorũ cauſæ omnes explicari nõ poſſunt.de mel. ex Gal.Ru.& Poſſ. Sp.108.D
ex Accidenti pulmo eſt frigidus,& humidus.de anat.uiu. Sp.52.H
Accidentia quæ fiunt in ſuffocatione matricis.de paſſ.mul. Sp.95.F
Accidentalis euacuatio dicitur ea, quæ fit per inediam. commento.2°. aphor.17°. Ex.13.E
Accidentales eſſe infirmitates quibuſdam.de ſpermate. Sp.39.G
Accidentales infirmitates phlegmatico ſunt cauſus,& ſynochus in æſtate.de ſpermate. Sp.39.G
Accidentales aquæ differentiæ,calor,& frigiditas.de ſper. Sp.40.F
Accidentaliter mutantur corpora noſtra in ſe inuicẽ.de ſper. Sp.40.H
Accidentia quæ bona,& mala ſunt.in progn.com.3°. 4ª.212.E
in Accidentibus nulla conſtitui poteſt propoſitio uniuerſalis.2°. de ſimpli.medica.facul. 5ª.10.E
Accidentia ſexto die difficiliora. com.4°.aph.29°. Ex.29.E
Accidentis ratione ſudantis caſus.in progn.com.1°. 4ª.189.E
ab Accidente notiſſimo totum morbum uocat Hippocrates. commen. 7°.apho.58°. Ex.59.C
Accidentia lege Caſus.
ACCIPITER habet oſſium concretionem minus denſam, ac duram quàm aquila.11°.de uſu par. 1ª.191.E
Accipitris oculis ſimiles oculos quãdoq; habet conceptus in hora phlegmatis.de ſpermate. Sp.37.C
Accipitrinum ſtercus ob nimiam acrimoniam inutile eſt.10°.de ſimpli. medi.facul. 5ª.77.B
Accipiter,nomen uinculi.de faſcijs. 7ª.293.H
Accipiter uinculum ad naſum ex tribus faſciolis.de faſcijs. 7ª.298.F
Accipiter ad naſum ex binis faſciolis.de faſcijs. 7ª.298.F
Accipiter Menecratis.de faſcijs. 7ª.299.C
ACCLIVIS ambulatio, cur exercitatio robuſta. 2°. de ſanitate tuenda. 2ª.74.C

ACCVBITVS cum rõne notat bonã criſim. cõ.4°. aph.71°. Ex.35.C
ACCVMVLATA & pinguis hypoſtaſis quid ſignificat. de urinæ ſignificatione ex Hippo. Sp.78.H
ACCVRATVS non poteſt eſſe breuis & manifeſtus. de puero epileptico. 7ª.179.F
ACCVSANTES æquo aĩo audiri debent. de cog.cu. aĩ. mor.2ª.52.G
ACEDVLA eſt de cibarijs medijs.de diff.cont. Sp.74.C
ACERBVM quid ſignificet.4°.de compo.med.per gen. 5ª.239.F
Acerbum uocabulum eſt ſpetiale.2°.de lo.aff. 4ª.12.D
Acerbum quid.4°.meth.med. 7ª.28.H
Acerbũ fit ex miſcella calidi,frigidi,hũidi,& ſicci.1°.de ali.fa.2ª.9.A
Acerba quæ.2ª.de loc.aff.4ª.12.D/6°.de comp. medic.ſec.loc. 172. G/ 1°.de ſimp.med.fac. 5ª.8.D
Acerbitas qualitas guſtus.fin.med.Iſ.50.B/de na.hu.com.1°. 1ª.28.H
Acerbum in guſtu,& tactu.3°.de diff.pulſ. 4ª.62.H
Acerbitas ex frigore.4°.de ſimp.med.fac. 5ª.25.G
poſt Acerbitatem aciditas.4°.de ſimp.med.fac. 5ª.27.F
Acerbum,auſterum,adſtringens,hæc tria ſaporis nomina,unam qualitatem ſignificant.2°.de ali.fac. 2ª.19.F
Acerbi,& auſteri,genus eſt adſtringens.1°.de ali.fac.9.A/ 2°.2ª.19.F 1°.de ſimp.med.fac.8.G/9.A.9°. 5ª.64.C
Acerba adſtringunt,ſed per magis & minus. 4°. de ſimplicium medicamentorum facultatibus. 5ª.25.H
Acerba quomodo ab auſteris differant.2°.de ali.fac. 2ª.19.F
Acerba,auſtera,& adſtringentia,quo differunt. 1°.de ſimplicium medicamentorum facultatibus. 5ª.8.H
Acerbum magis adſtringit auſtero.2°.de loc.aff.4ª.12.D/6°.de compo ſi.med.ſec.loc. 5ª.172.F
Acerbum diſſolutum,eſt auſterum,& quomodo fiat.4°. de ſimp.medicamentorum facultatibus. 5ª.26.E/F
in Acerbis adſtringendi qualitas intenſa eſt.de bo.& ui.ſuc. 2ª.36.C
Acerbus eſt uuæ acerbę amaræq́; ſuccus.de uict.rat.in morb.acu. commen.4°. 7ª.152.G
Acerbæ omnino paucæ fiunt uuæ paſſæ.2°.de ali.fac. 2ª.18.D
Acerbarum uuarum uſus uitandus.2°.de ali.fac. 2ª.18.B
Acerbarum uuarum muſtum ad omnia peſſimum.2°.de ali.fac.2ª.18.C
Acerbæ uuæ paſſæ quid agant.2°.de ali.fac. 2ª.18.D
Acerbo guſtu cum acrimonia odorata eſt macer. 7°. de ſimpli.medicamentorum facultatibus. 5ª.55.A
Acerbus eſt ſemper fructus arbuti.4°.de ſimp.med.fac. 5ª.26.F
Acerbum eſt meſpilum.7°.de ſimp.med.fac. 5ª.55.E
Acerba ſunt quercus,ilex,arbutus,fagus,lentiſcus, & hedera. 8°.de ſimp.med.fac. 5ª.62.C
Acerbæ qualitatis eſt phyllitis.8°.de ſimp.med.fac. 5ª.63.E
Acerbum eſt lemnium.7°.de ſimp.med.fac. 5ª.54.B
Acerbum eſſe frigidum probatur,& terrenum.4°.de ſimp.medicamentorum facultatibus. 5ª.25.H
Acerbus ſapor magis terrenus.4°.de ſimp.med.facultatibus. 5ª.25.G
Acerba ſunt craſſarum partium.4°.de ſimp.med.fac. 5ª.25.H
Acerba refrigerant,& exiccant.7°.meth.med. 7ª.46.H
Acerbitas denſat, contrahit, conſtringit. 7°. de ſimplicium medicamentorum facultatibus. 5ª.49.G
Acerba repellunt.6°.de ſimp.medi.fac.47.G/ 3°.de comp.medicamentorum ſec.loc. 5ª.147.F/G
Acerba ſunt adſtrictoria.de ſubf.empi. Iſa.33.F
Acerba ſunt ſtyptica.1° de ſan.tuen. 2ª.68.A
Acerbi ſapores tarde tranſeunt.4°.de ſimp.med.fac. 5ª.25.H
Acerbi,& craſſi cibi tardi ſunt tranſitus.3°.de ſymp.cau. 3ª.27.D
Acerba remorantur cibum in uentre.1°.de ſani.tuen. 2ª.68.A
Acerba in ſuperficie agunt.4°.de ſimp.med.fac. 5ª.25.H
Acerbitas duci poteſt in altum a caliditate quam habent cupreſſi folia. 7°.de ſimp.med.fac. 5ª.53.G
Acerbũ uinũ nõ per metaphorã,ſed proprie dicit.3°.de di.pul.4ª.63.H
Acerba uina frigida ſunt.3°.de comp.med.ſec.loc. 5ª.147.A
Acerba uina non ſanant famem.com.2°.aph.21°. Ex.14.H
Acerbũ ẽ amicũ ſto.6°.de ſimp. me.fa.5ª.40.D/ 5°.de uſu par.1ª.143.F
Acerba,acida,acria,nutriunt,ſi ſimul dulcia ſint.4°.de ſimp. medicamentorum facultatibus. 5ª.28.F
Acerba qualitas amaritudini mixta abſtergit,& abluit bilioſos,& ſalſos ſuccos.6°.de ſimp.med.fac. 5ª.41.D
Acerba & amara quid faciant.6°.de ſimp.med.fac. 5ª.47.F
Acerbis amaris,& acidis cibis delectantur,qui ſunt extra naturalem ſtatum.in 6m.de morb.uulg.com.5. 1ª.191.G
Acerbus cibus,uel qualitas exiccant corpora,acer cibus uel qualitas exiccant corpora.com.4°.aph.13°. Ex.28.G
Acerba participant dulcedine in fructibus. 4°.de ſim.med.fa.5ª.26.H
Acerba & dulcia ſunt craſſioris eſſentiæ & frigida.4°.de ſimp.medic. facultatibus. 5ª.28.F
Acerba,adſtringentia,repellentia, non recte iunguntur diſcuſſorijs ſine diſcrimine.6°.de comp.med.ſec.loc. 5ª.176.A
Acerba non ſunt iucunda.2°.de loc.aff. 4ª.12.D
Acerba quid faciant in linguam.4°.de ſimp.med.fa. 5ª.25.G
Acerba faciunt ſtuporem dentium.de opti.ſecta.Iſ.22.H/ 3°.de ali.fa. 2ª.28.C/1°.de ſymp.cau. 3ª.16.E
Acerba adſtringunt gulam.5°.de loc.affe. 4ª.32.D
Acerba maxime appetuntur a grauidis cur.1°.de ſymp.cau. 3ª.18.C
Acerba augent famem.com.2°.apho.21°. Ex.14.H
Acerba ſumme non nutriunt.4°.de ſimp.med.fac. 5ª.28.E
Acerba multum adſtringunt omnia, quæ fluunt. 6°.de ſimpli.medicamentorum facultatibus. 5ª.48.E
Acerba ſanguinis uomitum ſanant.com.2°.aph.37°. Ex.56.H
Acerbis curantur ulcera ſine inflammatione.co.7°.aph.37°. Ex.57.A
Acerba & mordacia medicamenta dimittenda, ubi adſtrictionis actio exploranda eſt.4°.de ſimp.med.fac. 5ª.25.H
Acerba exacte non habent odorem.4°.de ſimp.med.fac. 5ª.31.B
Acerbum,& auſterum in moribus.ꝙ animi mores. 1ª.319.F
Acerbus homo per metaphoram uocatur.3°.de diff.pul. 4ª.63.G
Acerbum odorem non dicimus quid habere.de ſimp.med.fa. 5ª.31.A
Acerbus dolor.in 6m.de morb.uulg.com.1°. 3ª.155.C
ACER ſapor unde fiat.de uict.rat.in morb.acut.com.3°. 7ª.125.H
Acer cibꝰ ſi acrimoniã ſeruaret itus,ſet exulceraret.3°.de tẽp.1ª.23.A
Acer eſt adeps bouis.4°.de ſimp.med.fac. 5ª.25.E
Acer eſt adeps ouis.4°.de ſimp.med.fac. 5ª.25.E
Acerrima ſunt multa medicamenta niſi ignem ſint experta.de ther. ad Piſo. 5ª.97.D
Acerrimas uires habet laſer.de ſimp.medi. Sp.85.G
Acerrimas uires habet thapſia.de ſimp.medi. Sp.91.F
Acerrimas uires habet ſcilla.de ſimp.medi. Sp.90.H
Acerrimas uires habet caliſiua.de ſimp.medi. Sp 82.E
ACERIS radix qualis.8°.de comp.me.ſec.lo. 5ª.195.D
Aceris multum habet tragus.de alim.fac. 2ª.12.G
Acerum emplaſtrum.4°.de comp.me.per gen. 5ª.245.C
ACERVVS uel ſoretica dicta ambiguitas.in prog.com.3°. 4ª.208.C
ACESIS, emplaſtrum.1°.de comp.med.per gen. 5ª.216.F
ACETABVLVM & pupilla quid ſignificet apud quoſdam. de fracturis.com.2°. 7ª.238.C
Acetabulum quid.de fract.com.2°.240.H/de artic.com.10°.255.D/cõmen.3°. 7ª.276.C
Acetabula quid ſint.de diff.uuluæ.109.F/15°. de uſu part. 211.G/ de ſemine. 1ª.331.B
Acetabula ſunt ora uenarum & arteriarum,quæ feruntur ad uterum. com.5°.aph.45°. Ex.41.G
Acetabula ſunt etiam in brutis.de diff.uuluæ. 1ª.109.G
Acetabula uteri plena mucore abortum faciunt.com.5°.aph.45°.41.G/ apho.53°. Ex.42.D
Acetabulum menſuræ nomen.2°.de antidotis.118.C/1°.de compo.medi. ſec.loc.126.A/132.C/139.D/4°.153.E/7°.185.E/ 2°.de compoſi.medicamento.per genera.221.D/de ponderibus & menſuris.275.G.276. B/E/G. 5ª.277.C/D/E
ACESCERE cito faciunt ipſum uinum uaſa uinaria aperta. in 6m.de morb.uulg.com.4°. 3ª.182.H
Aceſcũt aliũ ſorbitiones in uentriculo & innatãt.10°. met.me.7ª.62.E
Aceſcunt uelociter in ſtomacho medullæ & uinum nouum,craſſum,nigrum,ponticum.de diff.cont. Sp.74.F
Aceſcit quibuſdam facile ptiſſana.7°.meth.med. 7ª.46.D
Aceſcit quibus cibus in uentriculo,quod medicamentum conueniat. de remed.par.fac. 7ª.158.G
Aceſcit quibus in uentre cibus,remedium.8°.de compoſitione medicamentorum ſec.loc. 5ª.191.D
Aceſcant niſi primis tribus quatuorue annis aquoſa uina, celerrime in ueteraſcunt.de uinis. Sp.77.A
ACETVM uinũ mortuũ eſſe quidam aſſerunt.1°.de ſimp.me.fa. 5ª.5.D
Acetum ex uino non auſtero quale.3°.de comp.me.per gen. 5ª.232.B
Aceti qualitates.8°.de ſim.me.fa.57.D/6°.de cõp.med.ſe.lo.170.E/5°.

de comp.me.per genera.5ª.247.D/11°.meth.med. 7ª.73.E
Acetum dubium facit apud medicos an calidum, an frigidum poteſtate. 3°.de temp.1ª.24.G/1°de ſimp.me.fa.5.D/5°. 5ª.32.A
Acetum non eſt ad unguem unum.4°.de ſimp.me.fa. 5ª.25.B
Acetum ex contrarijs partibus ut lac.1°.de ſimp.me.fa. 5ª.5.D
Acetũ frigidũ tenuiũ ptiũ habet aliq̃ caliditatẽ.10°.meth.med.7ª.64.H
Acetum frigidius eſt quam calidius. 1°.de ſimp.me.fac. 5ª.5.E
Acetum parum calidum eſt plurimum frigidum tenuium partium.1°.de comp.me.ſe.lo. 5ª.128.H
Acetum cur nec frigidum nec calidum in totũ.4°.de ſim.me.fa.5ª.27.E
Acetum refrigerat & calfacit.1°.de ſimp.me.fa. 5ª.6.B
Acetum quomodo probetur eſſe frigidũ.1°.de ſim.me.fa. 5ª.5.F/6..A
Acetum ualide refrigerat.3°.de ſimp.me.fa. 5ª.18..A
Aceto reſtinguitur thapſiæ ardor.1°.de ſimp.me.fa. 5ª.5.G
Acetum tenue frigidum eſſe.1°.de ſimp.me.fa. 5ª.5.D
Acetum quo argumento probabant calidum quidam.1°.de ſimp. medi. fac.5.E/H/4°. 5ª.27.H
Acetum calidum probabant qui id calidis medicamentis mixtum inuenerant.1°.de ſimp.me.fa. 5ª.6.H
Acetum fit calidius, & tenuius uetuſtate.11°.de ſimp.me.fa. 5ª.79.C
Acetum q̃uo habeat calorem, & ob acrimoniam uideatur calefacere. 1°.de ſimp.me.fa. 5ª.5.G
Acetum tempore fit acre.3°.de comp.me.per gen. 5ª.233.H
Acetum caliditatem uini amiſit, & quãdam ex putredine caliditatem adeptum eſt, & quomodo.1°.de ſimp.med.fa.5.D/4°. 5ª.24.H
Acetũ hẽt acrimoniã quãdã a putrido calore.4°.de ſim.me.fa.5ª.27.D
Acetum caliditatem habens, quale ſit.2°.de comp.me.ſe.lo. 5ª.133.F
Acetum unde obſcure uideatur calefacere.1°.de ſimp.me.fa. 5ª.6.D
Aceti fæx caloris non expers.1°.de ſimp.me.fa. 5ª.5.D
Aceti pauco plurimo melli mixto ſtatim ſentitur manifeſte calor & frigus.4°.de ſimp.me.fa. 5ª.27.F
Acetum magis frigidũ quã mel calidum.4°.de ſimp.me.fac. 5ª.27.F
Acetum, & omphacium differunt.4°.de ſimp.me.fa. 5ª.25.B/27.D
Acetum eſt tenuius omphacio.4°.de ſimp.me.fa. 5ª.27.E
Aceti uires quales ſint.2°.de comp.me.ſe.lo. 5ª.136.C
Acetum tenue refrigeratorium ſiccatoriũq; eſt.1°.de ſim.me.fa. 5ª.6.F
Acetum, & cinis calore participant.3°.de ſymp.cau. 3ª.28.B
ut *Acetum & cinis atra bilis calida eſt*.3°.de ſymp.cau. 3ª.28.B
Acetum actu eſt humidum.1°.de ſimp.me.fa. 5ª.9.C
Acetum eſt ſiccum.de diff.cont. Sp.74.D
Acetum in tertio deſiccat.8°.de ſimp.me.fa. 5ª.57.D
Acetum ſiccat.5°.de ſimp.me.fa. 5ª.32..A
Acetum ſiccat corpora quæ contingit, licet ad imaginationem ſit humidum.10°.meth.me. 7ª.64.H
Acetum ſubtile ut ignis.1°.de ſimp.me.fa. 5ª.5.H
Acetum inter acria ponitur.6°.de ſimp.me.fa. 5ª.256.F
Aceto ſolo ad humectandum, & refrigerandum cur non utimur.10°. meth.med. 7ª.64.H
Acetum per ſe ſolum cur non uenit in uſu in medicamentis.2°.de cõpo. med.ſec.loc. 5ª.136.C
Acetũ nõ dẽt referre uini minimã ſpẽm.3°.de cõp.me.per gen.5ª. 232.B
Acetũ incidit & attenuat.2°.de atte.uic.2ª.46.B/de diff.cõt. Sp.72.H
Acetum incidit, diſcutit, & reprimit.1°.de comp.me.ſe.lo. 5ª.128.H
Acetum attenuat & perrodit.8°.de comp.me.ſe.lo. 5ª.189.D
Acetum quę ſecet, & erodat.1°.de ſimp.me.fa. 5ª.5.H
Acetum per ueſtes promptius perfluit q̃ aqua.1°.de ſim.me.fa.5ª.6..A
Acetum aquæ miſcetur ut penetret.1°.de ſimp.me.fa. 5ª.7.D
Acetum mixtum aquæ ueluti alas illi ad omnes corporis partes permeandas addit.1°.de ſimp.me.fa. 5ª.7.D
Acetum permeat exquiſite & infrigidat.1°.de ſimp.me.fa. 5ª.7.E
Acetum penetrat quia tenuium partium, & refrigerãs.3°. de com.me. per genera. 5ª.228.D
Acetum penetrare facit caliditas a putrido calore.4°.de ſimp. medic. faculta. 5ª.27.E
Acetum repellit, & digerit.14°.meth.me. 7ª.88.G
Acetum acrius facit citri acidum.2°.de ali.fac. 2ª.21.H
Acetũ mixtum cum attenuantibus auget illis uim.de attẽ.uic.2ª.44.C
Acetum quidam omnibus permiſcent.de atten.uict. 2ª.44.C
Aceti uſus quando tutus. & quando non.14°.meth.med. 7ª.88.C
Acetum quam ſitim ſanct, & quam non.1°.de ſimp.me.fa. 5ª.7.E
Acetum aliquibus infert ſitim, & alijs ſedat.1°.de ſimp.me.fa. 5ª.7.E
cũ *Aceto lactucã comedãt qb⁹ caput dolet*.2°.de cõ.me.ſe.lo. 5ª.133.E
in *Aceto condita tantum a priſtinis uiribus immutantur, quantum a conditura fuerint alterata*.de atten.uic. 2ª.46.B
Aceti parum addendum farri 4°.de ſani.tuen. 2ª.84.E
Acetum cur recipere debent alica, & ptiſſana.de marc. 3ª.48.E
Acetum ponitur in alica ad diſtributionem.8°.meth.med. 7ª.51.B
Aceto cocta alica prodeſt lichenicis.5°.de comp.me.ſe.lo. 5ª.161..A
Acetũ uenenis aduerſatur, & q̃uo.in 6m.de morb.uul.cõ.6°. 3ª.196.H
Acetum forte calidum contra morſum tyri de med.exper. Sp.106.D
Acetum auxiliatur uentriculo.3°.de ali.fac. 2ª.29.G
Acetũ rectificat ſtomachũ debilem, & mollem. de diff.cont. Sp.74.D
Aceto pedes & brachia madeſcũt p ſtõ.8°.de cõp.me.ſec.loc. 5ª.192.D
Acetum acre, & ſinapi non fert oris uentriculi ſenſus, in aliquibus. de locis affectis. 4ª.20.G
Acetum aluum modice ſiſtit.1°.de ali.fa. 2ª.9.C
ex *Aceto cimolia contra fauos*.de remed.par.fac. 7ª.154.D
Aceti pauxillum aqua accipiens conglutinat.1°.de ſimp.me.fa. 5ª.7.G
Acetũ ſicut & roſaceum, quomodo neutra.1°.de ſimp.me.fa. 5ª.6.B
Acetũ in principijs non ſit ualde acre.5°.de comp.me.ſe.lo. 5ª.159.C
Aceti & roſacei uſus in principijs affectuũ capitis.11°.met.me.7ª.73.E
cum *Aceto roſaceum inflammationibus incipientibus conuenit*. 2°.de comp.med.ſec.loc. 5ª.134.B
Acetum cum roſaceo adhibetur auribus inflammatis.de ſectis. Iſ.18.C
Acetum cum roſaceo auri conuenit.13°.meth.med. 7ª.83.C
Acetũ cum roſaceo oculis inflammatis non adhibetur.de ſectis. Iſ.18.C
Acetum cum roſaceo pro capitis dolore ex ſolis æſtu. de remedijs paratu.facilibus. 7ª.153.E
Acetũ ad reſpirationẽ apponit ad ozænas.3°.de cõp.me.ſe.lo.5ª.147.G
Aceto ſingultus ſanatur.de remed.par.fac. 7ª.159..A
Acetũ adſtringẽs prohibet ſanguinis fluxum.1°.de ſimp.me.fa. 5ª.5.F
Acetum facit ruborem.1°.de ſimp.me.fa. 5ª.6.E
Acetum mouet odoratum guſtumq;. 4°.de ſimp.me.fac. 5ª.30.H
ab *Aceto cum in ſublime attolluntur amara deſciſcunt in pituitam*.de uict.rat.in morb.acut.com.3°. 7ª.130.G
ex *Aceto & bitumine emplaſticum optimum*.5°.meth.me. 7ª.32.H
ex *Aceto lẽticula cõtra pleuritim*.de uict.rat.in morb.acu. 7ª.113.C
Acetum cum ſtercore caprino quale.7°.de comp.me.per gen. 5ª.265.F
Aceti diluendi menſura.de uict. rat.in morb.acu.com.2°. 7ª.117..A
Acetum quo pacto medicamentis miſcendum.1°.de ſimp.me.fa. 5ª.6.F
Acetum ualidiſſimum facit medicamentũ.6°.de cõp.me.p ge. 5ª.159.D
Aceti guttis de digito irrorati medicamenti fit mentio. 7°. de compoſi. med.ſecun.loc. 5ª.186.B
Acetum plus recipiens medicamentum quomodo coquendum.6°.de cõpoſi.med.ſecun.lo. 5ª.170.E
Acetum in hebetanda acrimonia uincit aquam, oleum, & oleum roſaceum.1°.de ſimp.med.fac. 5ª.5.H
Acetum quomodo aqua temperandum in inflammatione ex fluxione.2° de arte cur.ad Glauc. 7ª.101.H/103.F
Acetum & aqua q̃uo temperabant pro œdemate.14°.met.me.7ª.87.F
Aceti parum habenti aquę ſpongia infuſa pro œdemate ex pituita in locum influxa.2°.de arte cur. 7ª.103.F
Acetum pro mitigando.14°.meth.med. 7ª.88.G
ex *Aceto & aqua fomẽtũ pro pituitoſa materia*.14°.met.me.7ª.87.F
in *Aceto & in aqua intincta ſpongia ſupra inflammationem*.2°.de arte curandi. 7ª.101.G
Acetum & aquam miſce cum indiges herbis frigidis. 17°.de comp. me. per genera. 5ª.211.H
Aceto & aqua ſitis aufertur febriũ ardentiũ.1°.de ſimp.me.fa. 5ª.7.F
ex *Aceto, & eruo fomentũ*.de uic.rat.in morb.acu.com.2°. 7ª.116.H
ex *Aceto uel orobo uel ſale fot⁹ q̃lis*.de uic.ra.ĩ mor.ac.c.2°.7ª.116.F
ex *Aceto & hordeo fomẽtũ*.de uict.rat.in morb.acu.cõ.2°. 7ª.116.H
ex *Aceto & ſinapi experimẽtũ an ulcus ſit in gula*.5°.met.me.7.34.F
Acetum quale ad achoras.1°.de comp.med.ſe.lo.128.H. 5ª.129.G
Aceto, uino, & aqua, terra madeſcit.2°.de ſimp.med.fa. 5ª.14.G
Aceto acerrimo cur in dolore dẽtiũ utamur.5°.de cõ.me.ſ.lo. 5ª.163..A
Aceto utitur in capitis fracturis.2°.de comp.me.per gen. 5ª.226.H
Acetũ et oleũ roſaceũ ĩ capite uulnerato.2°.de cõp.me.ſe.lo. 5ª.134..A
cum *Aceto oleum roſaceum ſupra caluariam ponitur in ardore capitis*.2°.de comp.med.ſe.lo. 5ª.134.B
ex *Aceto, aut oxycrato illita omnis terra leuis ambuſta iuuat prohibens bullas*.9°.de ſimp.me.fac. 5ª.66.B
Acetũ acre in terram eiectũ eleuat partes.in.1m.prorrh.c.2°.4ª.174.G
Acetum cur terram fermentat.1°.de ſimp.med.fa. 5ª.7.C

Aceto comparatur atra bilis in mordacitate.cõ.4°.aph.23°. Ex.29.H
ut Acetum eſt atra bilis.14°.meth.med. 6ª.89.E
Acetum quando imponendum eryſipelati.14°.meth.med. 7ª.87.E
Acetum & pulegium odoranda,ne in animi deliquium incidant in balneo.9°.de comp.med.ſe.lo. 5ª.199.B/F
Aceti albi fit mentio.6°.de comp.med.ſe.lo. 5ª.170.D
Acetum album eſt tenuium partium.6°.de comp.me.ſe.lo. 5ª.170.E
*Acetũ albũ ĩ aurẽ inſtillatũ ad grauẽ auditũ.de remed.par.fa.*7ª.155.D
Acetum albiſſimum & lucidiſſimum pro aqua accipitur.1°.de compo. me.per genera. 5ª.217.F
Acetum,& hydromeli purgat aures.de cathar. Sp.95.B
Acetum ponitur in infrigidante medicamento.10°.meth.me. 7ª.65.A
Aceto & melli quid faciat coctura.de puero epil. 7ª.181.A
Acetum & mel optime miſceri facit coctura.de puero epil. 7ª.181.A
in Aceto ſimul & melle æque mixta frigiditas præualet. 4°.de ſimpl. med.facul. 5ª.27.F
*Acetum tẽperat in melle quod bilioſum.de uic.rat.in morb.ac.*7ª.13.A
cum Aceto & melle aphronitrum purgat aures.de cathar. Sp.95.B
Acetum mixtum cum melle tenuat uentrem, & expellit inflationem. de diff.cont. Sp.74.G
ex Aceto,melle,zingibere,pipere albo,& ſucco citoniorum, medicamentum ad appetentiam deiecti.2°.de ali.fa. 2ª.20.D
cum Aceto,& ſale tenuato,& garo præparatis ficubus uulgo ueſcũtur.2°.de ali.fa. 2ª.17.F
*cũ Aceto ſuccus cẽtaureę ualet ad furfures capitis.de uir.cẽ.*Sp.93.B
cum Aceto,& muria cathaſ comedi oportet.de diff.cont. Sp.74.E
cum Aceto,& melle cappares quid faciant.de diff.cont. Sp.74.G
cum Aceto,& melle capparis præparatus ſtomachum roborat & corrugat.de diff.cont. Sp.74.E
cum Aceto ſolo capparis præparatus ſtomachum roborat, & corrugat.de diff.cont. Sp.74.E
cũ Aceto qñ comedit ſumuſterrę mũdificat ſtõm.de diff.cõt. Sp.74.E
*cũ Aceto qñ oliuę põticę poſt cibũ edunt.qd faciãt.de diſ.cõt.*Sp.75.A
*cũ Aceto ſuccus radicũ iridis nihil calfacit.2°.de cõ.me.ſe.lo.*5ª.136.E
Aceti aliquid miſcemus ad lienẽ.11°.meth.med. 7ª.73.C
Acetum lieni conuenit,& cur.9°.de comp.me.ſe.lo. 5ª.198.D
cum Aceto ammoniacum lieni duro confert.14°.meth.med. 7ª.88.C
Aceto utaris in ſcirrho,& in duritię.11°.meth.med. 7ª.73.C
Aceto in ſplene duro utitur.2°.de arte cur.ad Glauc. 7ª.104.C
ĩ Aceto extinctº pyrites lapis ꝑ magnis ſcirrhis.14°.met.me. 7ª.88.B
Aceti uis ſcirrhis quando ſalutaris.14°.meth.med. 7ª.88.B
Acetum incidit,& eo utitur in ſcirrhis.14°.meth.med. 7ª.88.A
Acetum attenuat metalla.3°.de comp.me.per gen. 5ª.232.B
Aceto trita metalla qualia.4°.de comp.me.per gen. 5ª.241.D
Acetum bilioſis utiliſſimum.1°.de ſimp.me.fa. 5ª.7.F
Aceti acredo picrocholis prodeſt, & atrabilarÿs obeſt. de uict.rat.in morb.acu.com.3°. 7ª.130.G
Acetum melancholicis aduerſiſſimum.1°.de ſimp.me.fa. 5ª.7.F
Acetũ ꝑbet copioſe melancholicis.de mel.ex Cal.Ru.& Poſ. Sp.110.D
Acetum educit atra.de uict.rat.in morb.acut.com.3°. 7ª.130.G
Acetum mentẽ,& neruos ferit.de uict.rat.ĩ mor.acu.com.1°. 7ª.113.F
Acetum neruis noxiũ.de puero epil.181.C/de uict.rat. in mor.acut.cõ. 3°.130.H/de fract.com.2°.7ª.236.A/de diff.cont. Sp.74.D
Acetum neruorum ſubſtantiam debilitat qñ.14°.meth.med. 7ª.88.B
Aceto quomodo utitur in neruis.3°.de comp.med.per gen. 5ª.229.D
Acetũ coctũ ad nocẽdũ infirmiº eſt.de uic.ra.ĩ mor.acu.c.3°. 7ª.130.G
*Aceti uſus qñ conueniat tẽdonibº,& ligamẽtis.14°.met.me.*7ª.88.A
Acetum formidandum in febre ſingultuoſa. de uict.rat.in morb.acut. commen.4°. 7ª.143.E
Acetum cur ualeat in phreniticis.2°.de comp.me.ſe.lo. 5ª.134.B
Aceto thymum,pulegium,& origanum incocta naribus applicanda in lethargo.13°.meth.me. 7ª.85.F
Aceto,& oleo roſaceo utimur in lethargicis,& phreniticis.2°.de comp. med.ſecun.lo. 5ª.134.A
Aceto uti non debemus in lethargo,ſed euphorbio.2°. de compo. medi. ſecun.loc. 5ª.134.A
Acetũ peius ẽ mulieribº,q̃ uiris.de uic.rat.ĩ mor.acu.cõ.3°. 7ª.130.H
Acetum infert dolorẽ utero.de uict.rat.in morb.acut.cõ.3°. 7ª.130.H
Acetum non mitigat dolorem.2°.de comp.med.ſe.lo. 7ª.134.B/G
Acetum exaſperat,erodit,& dolorem excitat.1°.de ſimp.med.fa.7.G/ 3°.de comp.med.per gen. 5ª.232.H
Acetum contrarium inflammationibus.2°.de comp.me.ſe.lo. 5ª.134.B

Acetum mordax ulceribus & cuti.5°.de comp.me.ſe.lo. 5ª.159.A
Acetum mulſum in febribus ſecurum.9°.de comp.me.ſe.lo. 5ª.197.G
Acetum mulſum attenuat & perrodit.8°.de comp.me.ſe.lo. 5ª.189.D
*Acetũ mulſum oĩbº utiliſſimũ ſan.tuẽ.gratia.de bo.et uitio ſu.*2ª.39.A
Acetum mulſum e fauis confectum.de uſu theriacę. 5ª.98.H
Aceto mulſouiæ omnes anguſtę expediuntur,ut nuſquam craſſus glutinoſusq; humor hærcat.de bo.& uitio ſuc. 2ª.39.A
*Aceto mulſo in neruoſis ptibus uti nõ debemus.de frac.c.2°.*7ª.236.A
Acetum mulſum lieni conuenit,& cur.9°.de comp.me.ſe.lo. 5ª.198.D
Aceti ſcillini confectio ex Galeno.3°.de med.fac.par. 7ª.178.B
Aceti ſcillitici confectio.de dynamidÿs. Sp.26.G
Acetum ſcillinum ad quę ualet.3°.de med.fac.par. 7ª.178.B
Acetũ confectũ ex ſcilla urinã bñ prouocat.5°.de ſimp.me.fac. 5ª.35.E
Acetum confectum ex ſcilla incidens, quibus eſt minus calidum. 5°.de ſimp.med.fac. 5ª.35.E
Acetũ ſcilliticũ mire cõuenit orthopnoicis.7°.de cõ.me.ſe.lo. 5ª.186.G
Acetum ſcilliticum lapidem frangit.de ocu. 7ª.188.F
Acetum ſcilliticum in epilepſia.de puero epil. 7ª.180.E
ACETOSVS *ſapor qualis ſit & unde oritur.de ocul.* 7ª.188.A
Acetoſa quę ſint.de ocul. 7ª.188.A
Acetoſa ſunt frigida.de diff.cont. Sp.74.D
Acetoſi operationes.de ocul. 7ª.188.A
Acetoſa prouocant appetitum.de anat.uiuorum. Sp.50.A
Acetoſa parum nutrit,cur.de diſſol.cont. Sp.73.F
Acetoſum cur penetret.de ocul. 7ª.188.B
Acetoſi cibi attenuant & incidunt.de diff.cont. Sp.72.E
Acetoſi cibi quibus conueniant.de diff.cont. Sp.72.E
Acetoſa frigida puncturam,morſuram, & tumorem generant in oculo uulnerato.de ocul. 7ª.189.B
Acetoſus & põticus ſapor qñ cõueniant,& differãt.de ocu. 7ª.188.B
Acetoſi quomodo fiant fructus pontici.de ocul. 7ª.188.B
Acetoſa poma,& granata ſi inueniunt in ſtomacho humorem malũ, & craſſum incidunt,& expellunt,& leniunt uentrem: ſi inueniũt mun dum,ſtringunt uentrem.de diff.cont. Sp.75.C
*Acetoſorum granatorũ aquæ incidũt,& attenuãt.de diff.con.*Sp.72.G
Acetoſum lac eſt cibus craſſus.de diff.cont. Sp.73.A
Acetoſo lacti dominatur uehemens frigiditas.de diſſol.cont. Sp.73.B
Acetoſum lac tarde digeritur.de diff.cont. Sp.73.D
Acetoſitas citri incidit,& attenuat.de diſſol.cont. Sp.72.G
Acetoſus ſyrupus ad conſeruandam ſanitatẽ corporis.ſecr. Sp.103.D
ad Acetoſitatem in ſtomacho.ſecret. Sp.102.F
ad Acetoſam eructationem.ſecret. Sp.98.E/100.F
Acetoſæ radix ſuſpenſa ad ſcrophulas.de incant.adiuu. 7ª.182.B
Acetoſulæ fit mentio.de cura icteri. Sp.111.B
ACH AASOS *medicinæ.de med.exper.* Sp.106.C
ACHARISTVM *medicamentum.4°.de comp.me.ſe.lo.* 5ª.154.A
Achariſton.4°.de comp.med.ſe.lo. 5ª.152.D
ACHERDVS *frutex ſylueſtris.2°.de ali.fac.* 2ª.21.H
Acherdi fructus habet exiguum alimentum,& eſt praui ſucci.2°.de ali men.facul. 2ª.22.B
ACHILLES *heros præſtans.de cogn.curan.* 2ª.51.F
Achilles ſimpliciter formoſus.de bona habi. 1ª.39.C
Achilles maior erat Aiace.2°.de dign.pulſ. 4ª.76.F
Achilles iracundiæ ſuccumbebat.3°.de decr.Hipp. 1ª.242.F
Achillæ paſtillus.5°.de comp.med.per gen. 5ª.252.C
*Achillis Compunctoris medicamentum.7°.de comp.me.ſe.lo.*5ª.184.H
Achilleos ſideritis qualis.8°.de ſimp.med.fa. 5ª.60.D
Achilleos ſideritis ad ſanguinis eruptiones, muliebre profluuium, & dyſenterias congruit.8°.de ſimp.med.fa. 5ª.60.D
Ἀχλὺ *quid ſit.in 1m.prorrh.com.2°.* 4ª.170.E
ACHLYS *quid.introd.* Iſag.58.H
Achlys affectus iridis oculi.introd. Iſag.58.D
ACHNAE *quid ſit.1°.de comp.med.per gen.* 5ª.213.E
de ACHORIBVS *& quid ſint.de med.fa.par.* 7ª.171.G
Achor quid ſit.de tum.præt.nat. 3ª.84.F
Achor quid ſit,& qñ fiat & curetur.1°.de comp.med.ſe.lo. 5ª.128.G
Achores,exterior capitis affectus.introd. Iſag.59.C
Achores fiunt ex commixtis humoribus.de cau.mor. 3ª.8.B
Achorum meminit.in 6m.de morb.uulg.com.2°. 3ª.161.A
Achoribus quæ conueniant.1°.de comp.me.ſe.lo. 5ª.128.H
de Achoribus ſecundũ Critonẽ ſermo.1°.de comp.me.ſec.lo. 5ª.130.E
ad Achoras.1°.de comp.me.per gen.217.A/ 2°.224.E/ 9°.de compo. med.

med.ſec.loc. 5ª.204.H
ad Achoras inflammatos.1°.de comp.me.ſec.lo. 5ª.129.A
ad Achoras puerorum,mulierum,& diuerſarum ætatum.1°.de compo.med.ſec.lo. 5ª.129.G
in Achoribus in principio quæ conueniant,& quæ in proceſſu.1°.de cõpoſi.med.ſec.loc. 5ª.129.D
ad Achoras medicamenta cephalica introd. Iſa.58.C
ad Achoras qbus iũcta ẽ ulceratio doloroſa.de reme.par.fa.7ª.154.D
ad Achoras medicamenta fortiſſima.1°.de comp.me.ſe.lo. 5ª.129.D
ad Achoras ſecurum medicamentum.1°.de comp.med.ſe.lo. 5ª.131.B
ad Achoras ſmegma.1°.de comp.med.ſe.lo. 5ª.131.A
ad Achoras emplaſtrum album.1°.de comp.me.ſe.lo. 5ª.130.G
ad Achoras Apollonij medicamentum.1°.de comp.me ſe.lo.5ª.129.G
ad Achoras Archigenis medicamentũ.1°.de comp.me.ſe.lo. 5ª.129.B
ad Achoras Cleopatræ.1°.de comp.med.ſe.lo. 5ª.131.C
ad Achoras Critonis medicamentum.1°.de comp.me.ſe.lo. 5ª.130.D
ad Achoras Sorani.1°.de comp.me.ſe.lo. 5ª.131.D
ad Achoras Thebei emplaſtrum.1°.de comp.me.ſe.lo. 5ª.130.H
in Achoribus urinam humanam reprehendit Gal.1°.de cõp.me.ſe.loc. 130.D/10°.de ſimp.med.fa. 5ª.75.D
ad Achoras ſimplicium diuerſitas.1°.de comp.me.ſe.lo. 5ª.129.E
Achoras iuuat lupinus.6°.de ſimp.med.fa. 5ª.48.D
Achores exterguntur radice liliorũ cũ melle.7°.de ſimp.me.fa. 5ª.53.B
Achoras extergit balanus.6°.de ſimp.me.fa. 5ª.44.D
ad Achoras acetum quale.1°.de comp.me.ſe.lo. 5ª.129.F
ad Achoras ceruſſa qualis.1°.de comp.med.ſe.lo. 5ª.129.G
ad Achoras ſemperuiuum quale.1°.de comp.me.ſe.lo. 5ª.129.G
ACHRADES, & earum uires.6°.de ſimp.me.fa. 5ª.43.D
ACIA quid ſit.de ijs,quæ in med.ſi.com.2°. 7ª.208.C
Acia qualis eſſe debet.de ijs,quæ in med.ſi.com.2°. 7ª.208.C
per ACICVLAS compunctio cutis quomodo fiat in alopecia.1°. de cõpoſi.med.ſe.lo. 5ª.122.H
ACIDVM quid ſit.1°.de ſimp.me.fa. 5ª.8.D
Acidæ qualitates ſunt qualitates guſtus non medicamentorum facultates.5°.de ſimp.me.fac. 5ª.38.H
Acida qualia ſint.1°.de ſimp.medi.fac.25.F/ de uict.rat.in morb.acut. commen.1°. 5ª.111.D
ut Acidum & dulce,& amarum, & ſalſum ſuccorum ſpecies ſunt,ita & adſtringens & auſterum, & acre & pingue in animalibus, & plantis,& terra.de nat.hum.com.1°. 1ª.31.H
Acidus ſapor magis humidus.4°.de ſimp.me.fa. 5ª.25.G
Aciditas manifeſta cum ſentitur ſine acrimonia, iudica illum ſuccũ frigidum,& ad calidos affectus utitur.4°.de ſimp.me.fa. 5ª.25.B
Acidum eſt ſubtile frigidum.4°.de ſimp.me.fa.25.F/5°. 5ª.29.D
Aciditas ꝓuenit a calore mutãte,nõ tñ uicẽte.4°.de ſim.me.fa.5ª.28.B
Aciditas fit ui frigoris.4°.de ſimp.me.fa.25.G/ 5ª.27.D
Acidum tantum,eſt frigidum.4°.de ſimp.me.fa. 5ª.25.B
Acida omnia frigida.4°.de ſimp.me.fa. 5ª.26.D
Acida adſtringentia frigida ſunt.4°.de ſimp.me.fa. 5ª.26.E
Acidi ſapores ſunt frigidi omnes.4°.de ſimp.me.fa. 5ª.28.C
Aciditas ſequitur acerbitatem.4°.de ſimp.me.fa. 5ª.25.F
Acidus ſapor eſt acris.4°.de ſimp.me.fa. 5ª.29.D
Aciditas in ſaporibus quomodo naſcatur.4°.de ſimp.me.fa. 5ª.28.B
Acida frigiditas tenuium partium.4°.de ſimp.me.fa. 5ª.25.B
Acida,& dulcia ſunt tenuiora, quã dulcia,& frigida.4°.de ſimp.med. facul. 5ª.28.F
Acidum quid faciat.5°.de ſimp.med.fa. 5ª.39.A
Acida altius agunt.4°.de ſimp.med.fa. 5ª.25.H
Acidi ſapores uelociter tranſeunt.4°.dt ſimp.me.fa. 5ª.25.F
Acido ſucco magis penetrat acris.4°.de ſimp.me.fa. 5ª.27.E
Acida exaſperant.de uict.rat.in morb.acut.com.1°. 7ª.111.D
Acidorum & acrium incidendi differentia.2°.de ali.fac. 2ª.19.G
Acida craſſos ſuccos ĩcidũt,ſubducũt,& humectãt.2.de ali.fa.2ª.19.G
Acida,acria,acerba,nutriunt,ſi ſimul dulcia ſint.4°.de ſimpl.medica. facultatibus. 5ª.28.F
Acida ſumme,non nutriunt.4°.de ſimp.med.fa. 5ª.28.E
Acido ut frigido & ſubtili,amaro & acri ut calidis communis eſt mordicatio.4°.de ſimp.me.fa. 5ª.29.D
Acida medicamenta mordicant oculos.4°.de comp.me.ſe.lo. 5ª.150.C
Acida adſtringunt gulam.5°.de lo.aff. 4ª.32.D
Acida quid agant in linguam.1°.de ſimp.me.fa. 5ª.9.A
Acidum a ſola lingua percipitur.4°.de ſimp.me.fa. 5ª.28.Di
Acida faciunt ſtuporem dentium.de opt.ſect.Iſa.22.H/3°. de alim.fac. 2ª.28.C/1°.de ſymp.cau. 3ª.16.B
Acidi & auſteri cibi ſtuporem dentium faciunt.2°.de lo.aff. 4ª.9.H
Acida omnia mouent odoratum.4°.de ſimp.me.fa. 5ª.30.H
Acidum odorem dicimus quid habere.4°.de ſimp.me.fa. 5ª.31.A
Acidus ſuccus facit famem caninam.1°.de ſymp.cau. 3ª.18.B
Acida lac prohibent.de med.fac.par. 7ª.166.B
Acida ualde melancholia facit magnã appetentiã.6°.de lo.aff.4ª.36.B
Acidi humores in hore uentriculi ſunt cauſa appetitus canini. commẽ. 2°.apho.21°. Ex.15.A
Acida auſtera pituitoſis excrementoſisq́; ſtomachis ſunt apta.7°.de ſimpli.med.fac. 5ª.50.H
Acida,acria conueniunt in uictu attenuante.de atte.uic. 2ª.46.A
Acida nullam noxam afferunt uentriculo.5°.de uſu par. 1ª.143.F
Acida ſiſtunt uentrem,ſi purum inuenerint.2°.de ali.fac. 2ª.19.G
Acidas mutationes facit uenter ſub morbis frigidioribus. 3°.de ſympt. cau. 3ª.24.H
Acidi ructus quomodo fiant.4°.de ſimp.me.fa. 5ª.28.B
Acidi ructus quomodo ex frigore.3°.de ſymp.cau. 3ª.25.D
Acidos ructus creat frigida fluxio in uentrem.6°.de ſani.tuen.2ª.98.F
Acidi ructus ab alijs emittuntur,ab alijs nidoroſi.1°.de loc.aff. 4ª.5.F
ad Acidum & nidoroſum ructum conuerſio ciborum,ad cauſas & affectus uentriculi referenda eſt.1°.de loc.aff. 4ª.5.H
Acidi ructus qbus cauſis fiãt.de uict.rõne ĩ morb.acu.cõ. 2°. 7ª.119.E
Acidus ructus ſignificat pituitam.com.4°.apho.2°. Ex. 37.F
ex Acido ructu & cruditate coctionis non conſequitur diaria febris. 8°.meth.med. 7ª.53.G
Acidum ructantes uentriculi uitio iuuat antidotus zopyria.2°. de antidotis. 5ª.115.B
Acidum ructantibus auxilio eſt betonica.7°.de ſimp.me.fa. 5ª.51.A
ad Acidum ructũ ualet acetum ſcillinum.3°.de med.fa.par. 7ª.178.C
Acidum qui eructant non ualde morbo laterali corripiuntur. com.6°. aphor.33°. Ex.5.A
Acidus ructꝰ ĩ lõgis læuitatibus ĩteſtinorũ,bonũ.c.6°.aph.1°. Ex.45.G
Acida eructatio læuitatem inteſtinorum ſanat.in 6ᵐ.de mor. uulg.commen.4°. 3ª.196.E
Acida eſt atra bilis.de na.& ord.uniuſcuiuſq; corp. Sp.41.D
Acida eſt atra bilis ſyncera.de uict.rat.in morb.acu.com.3°. 7ª.130.H
Acida,& fermentoſa atra bilis.2°.de fac.nat.1ª.301.G/ com.4°.apho. 21°.Ex.29.D/14°.meth.med. 7ª.89.E
Acidæ pituitæ.ꝙ ani mor. 1ª.319.A
Acida pituita qualis.2°.de diff.feb. 3ª.37.F
Acida pituita ſpecies pituitæ.7°.de diff.feb. 3ª.37.F
Acida pituita uitioſa.in 6ᵐ.de morb.uulg.com.2°. 3ª.167.G
Acidum forte participat pituita uitrea.2°.de diff.feb. 3ª.37.F
in Acidum uertuntur cibi a frigiditate.1°.de loc.aff. 4ª.5.D
in Acidum ciborum conuerſio eſt uentriculi indicium frigidioris.in 6ᵐ de morb.uulg.com.4°. 3ª.186.D
Acidæ ciborum corruptiones ex quibus cibis.3°.de ſymp.cau.3ª.24.H
Acida excrementa a quibus cibis 3°.de ſymp.cau. 3ª.24.H
in Acidum conuerſi cibi ſunt minus mali.8°.meth.med. 7ª.53.B
Acidis acerbis & amaris cibis delectantur, qui ſunt extra naturalem ſtatum.in 6ᵐ.de morb.uulg.com.5°. 3ª.191.G
in Acidũ raro cõuertũtur cibi ĩ bilioſis naturis.8°.meth.me.7ª.53.B/G
in Acidum uertentibus cibum mel dandum.1°.de lo.aff. 4ª.5.E
Acidæ uuæ quid agant.2°.de ali.fac. 2ª.18.B
Acidarum uuarum uſus uitandus.2°.de ali.fac. 2ª.18.B
Acidæ uuæ quibus noceant.2°.de ali.fac. 2ª.18.B
Acidarum uuarum muſtum ad omnia peſſimum.2°.de ali.fac. 2ª.18.B
Acida qualitas uinorum ſeparata eſt ab aſtringente,ut bonitas a uitio. aduerſus Lycum. Ex.63.H
Acidum nullum eſt uinum ſecũdum naturam.aduerſus Lycũ.Ex.63.H
ACILEA miſturæ genus ad pilos tollendos.de ſimp.med. Sp.80.B
ACINVS totius uitis eſt fructus.2.de ali.fac. 2ª.16.C
Acinorum ſubſtantia qualis.2°.de ali.fac. 2ª.17.H
Acini uuarum terreni ſunt.9°.de ſimp.med.fac. 5ª.64.H
Acinos mutare non eſt uentriculi humani officium.1°.de lo.aff. 4ª.5.C
Acinus eiectus nullam oſtendit eſſe cruditatem.1°.de lo.aff. 4ª.5.B
Ακινησία nomen mediæ quietis in pulſibus.1°.de diff.pul. 4ª.48.C
ACMASTICA & anabatica,& paracmaſtica, ſynochæ ſpecies. 2°.de diff.feb.3ª.36.F/8°.meth.med. 7ª.57.A
in Acmaſtica homotona et paracmaſtica febre humorom in caua uena putrefactio

putrefactio.2°.de diff.feb. 3^{a}.42.H
Acmaſticus pulſum habet uigentem, & ſordidum ſine intermiſſione. de dynamidijs. Sp.34.C
Ἀκμὴν quid uocant Græci.6°.de ſani.tuen. 2^{a}.95.F
ACONCIAS ſerpens qualis.de ther.ad Piſ. 5^{a}.93.A
ACONITVM quid, & eius uires.de ſimp.medicamin. Sp.80.F
Aconitum eſt uenenum.in 6^{m}.de morb.uulg.com.6°. 3^{a}.197.A
Aconitum uenenoſum ualde eſt.de ſimp.medica. Sp.80.F
Aconitum, thapſiam, erificium proprio guſtu probare deuita.de ſimpl. medicamin. Sp.83.H
Aconitum ſepticum & deleterium medicamentum.5°.de ſimp.medica. facultatib.36.B/6°. 5^{a}.42.B
Aconitum aptum eſt ad putrefaciendum extra os & ſedem.6°.de ſimp. med.facul. 5^{a}.42.B
Aconitum lupos necans.6°.de ſimp.med.fa. 5^{a}.42.B
ad Aconitum remedium.2°.de antid. 5^{a}.114.B
ad Aconitum ualet theri.de theri.ad Piſo. 5^{a}.91.E
Aconitum qui ſumpſerint ijs lac exhibetur.10°.de ſimp.me.fa. 5^{a}.73.H
Aconiti fit mentio.4°.de comp.med.ſec.lo.153.B/10°. 5^{a}.109.C
de ACOPIS & quid ſignificet nomen.7°.de compoſi.medica. per genera. 5^{a}.269.D/E
Acopa quæ ſint, & ad quem finem.7°.de comp.med.ſec.lo. 5^{a}.177.E
Acopa quæ.3°.de comp.me.per gen. 269.D/E
ab Acopis quo differant myracopa.7°.de comp.me.per gen. 5^{a}.269.G
Acopa quæ unguenta.3°.de comp.me.per gen. 5^{a}.230.C/233.B
Acopa medicamenta extrinſecus admouenda.introd. Iſ.58.B
Acopum eſt uiticis ſemen.6°.de ſimp.me.fa. 5^{a}.41.B
Acopon medicamentum.6°.de comp.med.per gen. 5^{a}.256.D
Acopa quæ debeant recipere, collige.10°.de comp.me.ſe.lo. 5^{a}.207.H
Acopa apud antiquos liquida erant.7°.de comp.me.per gen. 5^{a}.269.F
Acopon.5°.de comp.med.per gene. 5^{a}.247.D
Acopa unguenta euaporantia ſunt.6°.de ſan.tuen. 2^{a}.98.C
ad Acopa aqua utilior quàm uinum.4°.de ſani.tuen. 2^{a}.87.A
Acopis, emplaſtris, & malagmatibus miſcetur cera.de ſimplicibus medicaminibus. Sp.82.B
Acoporum adipum differentiæ.7°.de comp.med.per gen. 5^{a}.269.F
pro Acopis olea diuerſa.7°.de comp.med.per gen. 5^{a}.269.E
ad Acopa, & malagmata facit oleum, in quo eſt cocta bryonia de ſimplicibus medicamin. Sp.81.E
Acopon bonum.7°.de comp.med.per gen.265.C/ 5^{a}.271.H
Acopon bonū diutinis reſolutionibus.10°.de comp.me.ſe.lo. 5^{a}.207.H
Acopum ex abietis ſemine.3°.de ſani.tuen. 2^{a}.81.C
Acopon calefaciens.7°.de comp.med.per gen. 5^{a}.272.D
Acopon fœtidum dictum.3°.de comp.med.ſecun.loc.142.F/ 7°.de compo.med.per gen. 5^{a}.270.B/272.A/D
Acopon metaſyncriticum.7°.de comp.me.per.gen. 5^{a}.271.F
Acopon quod ex melle inſcribitur.7°.de comp.med.per gen. 5^{a}.270.A
Acopon uiride.7°.de comp.me.per gen. 5^{a}.270.D/272.C
Acopon uiride Haliei.7°.de comp.med.per gen. 5^{a}.271.H
Acopon ex argenti ſpuma cruda, & oleo.7°.de compo.medica.per genera. 5^{a}.264.H
Acopon ex rubeta.7°.de comp.me.per gen. 5^{a}.271.E
Acopon confectum ut Aphrodas.7°.de comp.me.per gen. 5^{a}.272.B
Acopon barbaricum ex euphorbio.7°.de comp.med.per ge. 5^{a}.272.C
Acopon ex Aphrodiſei collectaneis.7°.de comp.me.per ge. 5^{a}.270.B
Acopo ex abiete uti debent, qui humores in carne, & toto corpore congeſſere.4°.de ſan.tuen. 2^{a}.86.G
Acopon ad laſſitudinum moleſtias.7°.de comp.med.per gen. 5^{a}.269.G
Acopon ad paralyticos.7°.de comp.me.per gen. 5^{a}.273.B
Acopon ad omnem dolorem neruorum conſentientem. 7°.de compo.medi.per gen. 5^{a}.270.E
Acopon uiride ad Iſchiadicos.7°.de comp.me.per gen. 5^{a}.273.B
Acopon aliud ad coxendicum dolores.7°.de comp.me.per ge. 5^{a}.273.B
Acopon aliud ad coxarum dolores.7°.de comp.me.per gen. 5^{a}.273.C
Acopon quo Arūtius Aquila curatus eſt.7°.de cōp.me.p gen. 5^{a}.272.C
Acopa Damocratis.7°.de comp.me.per gen. 5^{a}.273.C
Acopa Heræ.7°.de compo.med.per ge. 5^{a}.273.A
Acopon Orionis Pexoris.7°.de comp.med.per gen. 5^{a}.272.D
Acopon Quadrati.7°.de comp.medi.per gen. 5^{a}.272.A
ACOR una eſt ex qualitatibus guſtabilibus.fi.med.Iſag.50.B/ de natu. hum.com.1°. 1^{a}.28.H
ACORVS quid, & eius uires.de ſimp.medicamin. Sp.81.A
Acorum ſiccum, & calidum in tertio.6°.de ſimp.me.fa. 5^{a}.42.A
Acorum acre, modice amarum, odore non iniucundo, calidum eſt & tenue.6°.de ſimp.med.fa. 5^{a}.42.A
Acoron nobis admotum uidetur calidum.3°.de temp. 1^{a}.21.H
Acoron calidum & acre urinam ciens.5°.de ſimp.med.fa. 5^{a}.35.D
Acorus urinas frequentes ducit.de ren.aff.dig. 7^{a}.196.E
Acorum lienes induratos iuuat, & ceratoidis craſſitiem detergit, & urinam mouet.6°.de ſimp.me.fa. 5^{a}.42.A
Acori ſemē ſplenē uidetur cōſumere, potū.de ſim.medicamin. Sp.81.A
Acorus expurgat in icteris.3°.de cura icteri. Sp.111.B
Acorus menſtrua prouocat.de ocul. 7^{a}.188.F
Acorus maturatiuus eſt.de ocul. 7^{a}.189.C
Acoron ſanguinem extenuat & ſecernit.5°.de ſimp.med.fa. 5^{a}.35.D
Acorum admodum exiccat.4°.de comp.med.per gen. 5^{a}.240.G
Acorum ulcera ſanat.4°.de comp.med.per gen. 5^{a}.240.G
Acorum diſcutit.6°.de comp.med.ſe.lo. 5^{a}.169.D
Acori radice intenſior eſt aſari radix.6°.de ſimp.med.fa. 5^{a}.43.H
Acori radicis ſuccus claritatem oculis mirifice facit. de ſimplicibus medicaminibus. Sp.81.A
Acori radix ad neruos uulneratos ualet.3°.de com.me.p gen. 5^{a}.234.B
Acori radix cum melle cruſtas optime diſrumpit. 2°.de arte curan. ad Glauc. 7^{a}.107.B
Acori apozema purgat ueſicam.de cathar. Sp.95.D
ACOSMIA eſt ataxia.in progno.com.3°. 4^{a}.207.G
ACOSTROR medicamen.de med.experr. Sp.104.G
ACQVISITIVAE artes, quæ.ad Thraſy. 2^{a}.106.D
ACREDO humorum quomodo cognoſcitur. in 1^{m}.de morb. uulgar. commen.3°. 3^{a}.125.B
Acredo humorum alterare poteſt pulſus, non efficere. 1°. de cauſis pulſ. 4^{a}.86.G
Acredo attrahit humorem.de dynamid. Sp.20.F
Acredinem & morſum medicamentis tollit lotio.6°.meth.me. 7^{a}.38.C
ab Acredine mordaci dolor auris non ſanatur calidis.3°.de comp. me. ſecundum loc. 5^{a}.141.C
ab Acredine uel adſtrictione naſcitur aſperitas.de ptiſ. 2^{a}.47.E
Acredine nulla infectus humor inter flauum, & pallidum. 4°.de locis affect. 4^{a}.28.C
Acredinem remouent roſaceum & oleū dulce.7°.de ſim.me.fa. 5^{a}.51.F
Ἀκρεμόνας quid græci uocent.6°.de ſimp.me.fa. 5^{a}.42.F
ACRIMONIA una ex qualitatibus guſtabilibus.fi.med. Iſag.50.B/ de nat.huma com.1°. 1^{a}.28.H
Acrimonia ſignificat caliditatem.9°.de ſimp.me.fa. 5^{a}.66.C
Acrimonia deprehenditur mire in allio & cæpis. 4°. de ſimpli.medica. faculta. 5^{a}.25.C
in Acrimonia ſimile eſt allio ſcordion.8°.de ſimp.me.fa. 5^{a}.60.H
Acrimoniam habent, quæ ſunt tenuium partium.3°.de ali.fac. 2^{a}.32.G
Acrimoniæ faciunt differentiam in partibus diſſimilaribus. 3°.de ſimpl. medic.fac. 5^{a}.20.G
Acrimonia calfacit, incidit, digerit.7°.de ſim.me.fa. 5^{a}.49.G
Acrimonia facit dolorem.4°.de comp.med.per gen. 5^{a}.236.A
Acrimonia humoris lædit partes propinquas.15°.de uſu par. 1^{a}.211.H
Acrimonia humorum facit delirium.in 3^{m}.de mor.uulg.cō.1°. 3^{a}.131.E
Acrimoniam humorum infrenant oua, ſimila, & chondrus. de uict.ra. in morb.acu.com.4°. 7^{a}.149.D
cum Acrimonia trahunt, ex alto humiditates trahentia & digerentia. 4°.de comp.med.per gen. 5^{a}.235.H
Acrimonia aluum ad excretionem proritat.3°.de ali.fac. 2^{a}.32.G
Acrimonia cum dulcedine euacuat.7°.de ſimp.me.fa. 5^{a}.50.G
Acrimonia cum amaritudine, non obtinebit uehementiam uacuationis. 7°.de ſimp.me.fa. 5^{a}.50.G
Acrimoniam quandam à putrido calore habet acetum.4°.de ſimp.medica.facul. 5^{a}.27.D
Acrimonię expertes ſunt fœni græci decoctum, lac, tenuis ouorū liquor, gummi, tragacantha.4°.de comp.med.ſec.lo. 5^{a}.151.C
Acrimonia quomodo dematur melli.3°.de ali.fa. 2^{a}.32.G
Acrimonia melli adempta facit ipſum ad diſtributionem, & coctionem accommodatius.3°.de ali.fa. 2^{a}.32.G
Acrimonia adimit adſtrictionem.2°.de ali.fa. 2^{a}.19.D
Acrimoniā retūdit caſeoſum & craſſū lactis.10°.de ſim.me.fa. 5^{a}.73.G
Acrimonia humorum quomodo curetur.introd. Iſa.55.E
ACRITONIS medicamen.de med.exper. Sp.107.C
ACRITVDO acquiritur in melancholia quando ſupra modum exuritur.

exur..ur.com.6°.aph.56°. Ex.53.E
Acritudo mordax fieri non poteſt, ut in longum extendatur, ſi omnia circa ægrum opportune fiant.com.7°.aph.22°. Ex.55.E
Acritudo excitat ad excretionem.com.2°.aph.18°. Ex.13.F
Acritudo pituitę irritat iteſtina ad deiectionẽ.cõ.6°.apho.33°. Ex.50.B
Acritudo humorum abradit in ſumma parte inteſtina commẽ.4°.aphoriſ.24°. Ex.29.H
Acritudo humorũ facit difficultatẽ inteſtinorũ.cõ.6°.aph.3°. Ex.46.F
Acritudo puris ora uaſorũ arterioſorũ apit.cõ.6°.apho.27°. Ex.48.H
Acritudo urinæ aperit ora arteriarum quæ ſunt in renibus. commen. 7°.apho.34°. Ex.56.E
Acritudo urinę, cauſa ſtillicidij urinę.cõ.3°.apho.16°.23.D/ & com.7°. apho.48°. Ex.57.H
Acritudines malorũ humorũ lędũt ueſicam.cõ.3°.apho.22°. Ex.24.F
Acritudo eorum quæ excernuntur prouocat hæmorrhoidas.ex quo ſumi poteſt illius ſententię fundamentum, aloen non prouocare hęmorrhoidas, ſed ea quę euacuantur.com.6°.aph.47°. Ex.52.C
Acritudinem purgantium medicamentorum non fert natura ob æſtum exuſta.com.4°.aph.5°. Ex.28..A
ACRE & pingue, & auſterum, & adſtringens ſuccorum ſpecies ſunt, ut acidum, dulce, amarum & ſalſum in animalibus, plãtis, & in terra.de nat.hum.com.1°. 1ª.31.H
pro Acri adſtrictoriũ dixit Dioſcorides.11°.de ſimp.me.fa. 5ª.79.D
Acria quidam adſtringentia uocant.11°.de ſimp.me.fa. 5ª.79.D
Acres & acuti qui non nunquam dicantur. in 6m.de morbis uulgarib. commen.1°. 3ª.158.H
Acria quę ſint, & eorum effectus mu ti.de atten.uict.rat. 2ª.43.G
Acre fit ex miſcella calidi, frigidi, humidi & ſicci.1°.de ali.fa. 2ª.9..A
Acria quæ.in 6m.de morb.uul.cõ.5°.3ª.192.G/1°.de ſim.me.fa.8.D/& 9°.5ª.64.C/de uict.rat.in mor.acu.com.4°. 7ª.135.C
Acria quæ ſint, inter quæ ponit acetum.6°.de cõp.me.per ge. 5ª.256.E
Acria qualia ſint.de uict.rat.in morb.acu.com.1°. 7ª.111.D
Acria tenuis eſſentiæ, qualia.4°.de ſimp.med.fa. 5ª.29.H
Acria craſſæ eſſentiæ terreæ, qualia.4°.de ſimp.med.fa. 5ª.29.H
Acrium diſtinctio.4°.de ſimp.med.fa. 5ª.29.E
Acri aduerſatur dulcis ſuccus.de uict.rat.in morb.acu. 7ª.130.B
Acria ſunt quę ſenſus noſtros pungunt, ac mordicant. de atten.uictus ratione. 2ª.43.G
Acria omnia calefaciunt.2°.de ali.fac. 2ª.19.C
Acria ſunt magis calida amaris.4°.de ſimp.med.fa. 5ª.28.F
Acria calida, & ſicca urinam mouent.de ren.aff.dig.& med.7ª.196.E
Acria & calida urinam cientia.5°.de ſimp.me.fa. 5ª.35.D
Acria ad quę utilia, & potiſſimum lapides. 9°.de ſimp.me.fa. 5ª.67.G
Acre quid faciat.5°.de ſimp.med.fa.39..A/&.9°. 5ª.64.D
Acria quid agant in linguam.1°.de ſimp.me.fa. 5ª.9..A
Acria uehementer quid faciant.5°.de comp.me.ſe.lo. 5ª.162.H
Acria quibus conueniant.5°.de ali.fa. 2ª.19.G
Acria conueniunt corporibus habentibus humores frigidos, & craſſos, & lentos.de atten.uict.rat. 2ª.43.H
Acria trahunt uenenum.de ſectis. 1ſ.16.G
Acria & calida, conueniunt ad uenenata.7°.de ſimp.me.fac. 5ª.49.D
ab Acribus afficitur oculus.5°.de comp.med.ſec.loc. 5ª.159.H
Acria & calida oculos non iuuant.4°.de comp.me.ſe.lo. 5ª.150.C
Acria oculis non conueniunt.4°.de comp.me.ſec.lo. 5ª.150.B
Acria medicamenta non tolerant oculi.2°.de arte cur. 7ª.103.D
Acria ſunt aphthis aduerſiſſima.de reme.par.fac. 7ª.158.C
Acria exaſperant.de uict.rat.in mor.acut.com.1°. 7ª.111.D
Acria tenuium partium miſcenda adſtringentibus ut penetrent. 4°.de comp.med.per gen. 5ª.239.G
Acre quibus aliquid tranſpirat à quibus debent abſtinere. 8°.methodi medendi. 7ª.51.C
cum Acribus pugnant adſtringentia.9°.de ſimp.me.fa. 5ª.64.C
Acria irritant, mordent, calefaciunt, & fluorem affectis partibus cõcitant.5°.de comp.me.per gen. 5ª.246.B
Acria phlegmonas irritant.13°.meth.med. 7ª.81.D
Acria primo fiunt uina aquoſa, poſtea amara.de uinis. Sp.77.A
Acria uina, & uetuſta utilia his ſunt, qui frigidum humorem in uenis collegerunt.de uinis. Sp.76.C
Acria omnia inter obſonia connumerantur.2°.de ali.fa. 2ª.23.F
ob Acres cibos bile aceruata non leuarunt quendam ſinapi & beta.1°. de alimen.fac. 2ª.8.G
Acriũ omniũ ſemẽ cõuenit in diæta attenuãte.de atte.uic.rat. 2ª.44.E
Acria & acida conueniunt in uictu attenuãte.de atte.uic.ra.2ª.46.A
Acrium, & acidorum incidendi differentia.2°.de ali.fa. 2ª.19.G
Acria non acida poſtulat ſuccus frigidus.2°.de ali.fa. 2ª.19.G
Acres cibi exhibeant, ut medicinę, melancholicis.de melãch. Sp.110.D
Acria euacuat.ars med. 1ſ.70.D
Acria, & amara digerunt, & incidunt humores craſſos et lentos.8°.de ſimp.med.fac. 5ª.58.D
Acria & ſubamara expurgat iecur & renes, 6°.de ſim.me.fa.5ª.45.G
Acria & mordacia tuſſim prouocant, non contra. 2°.de ſimplicium medicamen.fac. 5ª.13.B
Acria eſui idonea, habent aliquã dulcedinẽ.4°.de ſimp.me.fac.5ª.29.E
Acria quæ non guſtantur.4°.de ſimp.me.fa. 5ª.29.E
Acria mordicant non ſolum linguam, ſed & carnem. 4°.de ſimplicium medic.fac. 5ª.29.D
Acria uellicant gulam.5°.de loc.aff. 4ª.32.D
Acria modice quæ frigida.4°.de ſimp.med.fa. 5ª.26.D
Acria inhorrere faciunt.5°.de ſimp.me.fa. 5ª.36..A
Acria debẽt facere ſitim, aliter peſſimũ eſt.in 1m.de mor.uulg.3ª.106.F
Acria mouent odoratum guſtumq́;.4°.de ſimp.me.fa. 5ª.30.H
Acria ulcus cuti noſtræ moliuntur.4°.de ſimp.me.fa. 5ª.29.E
Acria non adſtringere, collige.1°.de ſimp.me.fa. 5ª.7.H
Acria adſtringunt, & euacuant quomodo.3°.de ſimp.med.fa. 5ª.20..A
Acria uſta amittunt calorem.9°.de ſimp.me.fa. 5ª.64.E
Acria ſunt cum ratione ſumenda.de atten.uic.rat. 2ª.43.H
Acria uentriculum mordicant, ſi largius æquo ſumpta fuerint. de atte. uict.rat. 2ª.43.G
Acria maxime appetuntur à grauidis, cur.1°.de ſymp.cau. 3ª.18.C
Acria decocta faciũt aquam acrem; & ipſa acritudinem deponunt.3°. de alim.fac. 2ª.32..A
Acria craſſos ſuccus attenuant.de atten.uic.rat. 2ª.43.G
Acria ſuccos craſſos incidunt.2°.de alim.fac. 2ª.19.G
Acria conueniunt phymatibus & furunculis.de atten.uic.ra.2ª.43.G
Acria cauẽda in affectibus, q in cute sũt, curãdis.14°.met.me.7ª.93.D
Acria, quę ulceribus non conueniunt.4°.de cõp.med.per ge. 5ª.236.H
Acria, & tenuia excrementa faciunt ulceroſum laſſitudinis affectum. 3°.de ſan.tuen. 2ª.78.G
Acria non debẽt eſſe animalium nutrimenta, quorum lacte ſis uſurus. 5°.de ſan.tuen. 2ª.91.H
de Acribus pharmacis.4°.de comp.me.ſe.lo. 5ª.149.F
Acre, & calidum medicamentum ulceri admodũ primo dolorẽ infert, mox horrorem, deinde rigorem excitat.de pal.con.& rig. 3ª.55.B
Acria medicamenta qualia.de uic.rat.in mor.acu.com.4°. 7ª.138.G
Acria & calida ſunt medicamenta purgantia.de uict.rat. in mor.acu. commen.4°. 7ª.135.C
Acria medicamenta trahunt.in 6m.de morb.uulg.com.2°. 3ª.166.B
Acria medicamenta reuellunt à capite & uiſceribus.de hirud. 6ª.2.E
Acria medicamenta febrium cauſæ.de cau.morb. 3ª.6.G
Acria medicamẽta ferũt, ſenſũ difficilẽ habentia.2°.de ar.cu. 7ª.103.D
Acria medicamenta brachijs, & manibus impoſita ſuccos ad caput, et uiſcera uergentes reuellunt.de cucur. 6ª.4.G
Acria medicamenta non fert os uentriculi.2°.de ar.cur. 7ª.103.D
Acria medicamenta, & acres humores corpora facile ſentientia non ferunt.2°.de arte cur.ad Glau. 7ª.103.C
Acrioribus medicamentis utaris in neruorũ puncturis quę ſeruẽt apertum uulnus.3°.de comp.me.per gen. 5ª.234.F
ab Acribus medicamẽtis fit inflammatio, quia mordent, & faciũt dolorem, & trahunt materiam.4°.de comp.me.per gen. 5ª.236..A
Acria ſunt emplaſtra uiridia, & quæ his ſint acriora.2°.de arte cur.ad Glauc. 7ª.105.H
Acria quõ carnem progignere poſſint.6°.de cõp.me.per gen. 5ª.255.G
Acres herbæ.13°.meth.med. 7ª.84.H
Acrium herbarum uſus qualis.6°.de comp.me.per gen. 5ª.255.C
Acres herbę uel amaræ ſine adſtrictione ad neruos uulneratos ualent. 3°.de comp.me.per ge. 5ª.234.B
Acria olera miſcenda lactucæ.2°.de ali.fa. 2ª.23.F
Acriũ omnium aſparagus humidior eſt quã folia.2°.de ali.fac. 2ª.24.B
Acres cibi & calidi, qui.de cau.mor. 3ª.6.G
Acres cibi caliditatem augent, & febrem accẽdunt. de ca. mor.3ª.6.G
Acres & extenuantes cibi, morboſi.1°.de diff.feb. 3ª.32..A
Acre eſt cardamomum.5°.de comp.me.ſe.lo. 5ª.159.C
Acre eſt helenium.5°.de comp.med.per gen. 5ª.246.B
Acre modice eſt polium, & amarum.8°.de ſimp.me.fa. 5ª.59..A

Acris eſt

Acris eſt ſampſucus.de ſimp.med. Sp.90.G
Acris eſt,& excalfaciens calamus aromaticus.de ſimp.me. Sp.82.G
Acre,& excalfactorium eſt cinnamum.de ſimp.med. Sp.83.A
Acria ſunt nepitæ folia.de ſimp.med. Sp.87.H
Acre eſt fœnugræcum.de reme.par.fac. 7ª.156.A
ex Acri & amara ſubſtantia conſtat onoſma.8°.de ſim.me.fa.5ª.57.C
Acres ſunt groſſi,cur.8°.de ſimp.med.fac. 5ª.57.B
Acres uires habet anethum.de ſimp.med. Sp.81.B
Acres uires habet origanum.de ſimp.med. Sp.88.E
Acres uires habet uiſcus.de ſimp.med. Sp.91.H
Acres uires habet thymus.de ſimp.med. Sp.91.G
Acres uires habet ſcorodon.de ſimp.med. Sp.91.A
Acres uires habet herbum.de ſimp.med. Sp.85.B
Acres uires habet hyſſopum.de ſimp.med. Sp.92.E
Acres uires habet thlaſpi.de ſimp.med. Sp.91.G
Acres uires habet ſmyrnium.de ſimp.med. Sp.91.B
Acres uires habet ſcopa regia.de ſimp.med. Sp.91.C
Acres uires habet ſauina.de ſimp.med. Sp.85.C
Acres uires habet paſtinaca.de ſimp.med. Sp.89.B
Acris eſt omnis myrrha.de ſimp.med. Sp.87.B
Acres uires habent chamæpityos ſpecies omnes.de ſimp.med. Sp.85.F
Acris eſt lathyris.de ſimp.med. Sp.86.E
Acres uires habet gentiana.de ſimp.med. Sp.84.H
Acres uires marrubium habet.de ſimp.med. Sp.87.E
Acres uires habet ſori.de ſimp.med. Sp.90.F
Acres uires habet lapis pyrites.de ſimp.med. Sp.86.F
Acres & excalfactorias uires habet daucũ omne.de ſimp.me.Sp.83.E
Acres uires,excalfactorias,& relaxantes habet ladanum. de ſimpli. medic. Sp.86.D
Acres leniter uires habet uetonica.de ſimp.med. Sp.92.A
Acres & ſtypticas uires habet lixiuia.de ſimp.med. Sp.85.H
Acres,& aliquatenus ſtypticas uires habet ebenũ.de ſim.me.Sp.83.F
Acris res,& ſtyptica eſt cinis.de ſimp.med. Sp.86.A
Acres,& relaxantes uires habet chamædrys.de ſimp.med. Sp.82.G
Acres,& relaxantes uires habet filix.de ſimp.med. Sp.84.D
Acria,& exulcerantia folia clematis habet.de ſimp.med. Sp.83.B
Acriores aliquatenus uires oleo,hẽt opobalſamũ.de ſim.me. Sp.88.D
Acre ignitum eſt.5°.de ſimp.med.fac. 5ª.38.H
Acris ſapor omnium calidiſſimus.4°.de ſimp.med.fa. 5ª.29.D
Acria,acida,acerba,nutriunt,ſi ſimul dulcia ſint.4°.de ſimplicium medica.facul. 5ª.28.F
Acri nullo utimur pro cibo.4°.de ſimp.me.fac. 5ª.29.E
Acres ſapores quam uim habeant.4°.de ſimp.me.fac. 5ª.29.G
Acris ſaporis terminus eſt urere.4°.de ſimp.med.fac. 5ª.29.F
Acres ſapores ſumme ſunt calidi,deinceps poſt illos ſunt amari, deinde A uero dulces.4°.de ſimp.me.fa. 5ª.29.F
Acre proprium in ſaporibus a ſola lingua percipitur.4°.de ſimp.medica.fac. 5ª.28.D
Acres ſapores quo mõ ab amaris differant.4°.de ſimp.me.fa. 5ª.29.H
Acrem odorem dicimus quid habere.4°.de ſim.me.fa. 5ª.31.A
Acres & tenues humores quos dolores faciant,& quod faciunt conuulſionem.12°.meth.me. 7ª.80.A
ex Acri humore oculi dolor.2°.de arte cur.ad Glau. 7ª.103.D
Acris,& tenuis humor eſt cã exulcerationũ.cõ.4°.aph.12°. Ex.28.E
de Acribus humoribus proprie dicitur morderi,non de doloribus. de uic.rat.in mor.acu.com.4°. 7ª.144.F
Acris humor olfactũ angit,et horrorẽ incutit.15°.de uſu par. 1ª.211.H
Acris humor in ore uentriculi ſæpe facit animi defectum.2°.de ar.cur. ad Glauc. 7ª.103.C
Acris humor non manet in hepate.5°.de uſu par. 1ª.145.F
Acris humor & ſingultum,& conuulſionem per totum corpus efficere poteſt.3°.de loc.aff. 4ª.20.A
Acris humor quo modo dolorem faciat.1°.de ſymp.cau. 3ª.16.H
ut ab Acri humore afficitur acu uulneratus.2°.de loc.aff. 4ª.9.D
Acris humiditas facultate ſiccatoria, corpus incendit. de uict. rat.in mor.acu.com.4°. 7ª.134.D
Acri & amaro ut calidis,acido ut frigido & ſubtili communis eſt mordicatio.4°.de ſimp.me.fac. 5ª.29.D
Acris ſuccus magis penetrat quam acidus.4°.de ſimp.me.fa. 5ª.27.E
ab Acri ſucco rigor in multis fit.de pal.conuulſ.& rig. 3ª.55.C
ab Acri re fiunt horrores.10°.meth.med. 7ª.62.H
Acribus ſuccis poſtulant miſceri aquea.2°.de ali.fac. 2ª.16.H
Acres ſucci ſunt educendi.4°.de ſan.tuen. 2ª.84.D
de Acribus a quibus experimentũ ſumendũ.4°.de ſimp.me.fac.26.B
Acribus omnibus id eſt commune,ut ſoluta ipſorum acrimonia,exiguũ corpori prębeant alimentum.2°.de ali.fa. 2ª.19.C
Acribus magis ſiccant ſalſa.de uict.rat.in morb.acu.com.4°.7ª.135.C
Acribus curanda non eſt caro,& neruus nigrefactus, ſed lenibus. de fract.com.3°. 7ª.244.A
Acribus quidã utebatur,& in priapiſmũ incidit. 6°.de lo.aff.4ª.42.F
Acre & mordax calidum eſt quod exhalat ab impenſe calidis temperamento.6°.de ſan.tuen. 2ª.96.A
Acribus & mordacibus quæ imponantur.1°.de ſimp.me.fac. 5ª.8.B
ab Acribus exacerbantur inflammata.6°.de comp.me.ſe.lo.5ª.173.C
ab Acribus excrementis ſtrãguria.in 3ᵐ.de mor.uul.cõ.1°. 3ª.128.D
Acribus palatum ungendum in lethargo.13°.meth.med. 7ª.85.F
ab Acribus mordicatio.2°.de ſymp.cau. 3ª.23.B
Acribus,& mordacibus per aluum excretis quę auxiliẽtur.1°.de ſimpli.med.fac. 5ª.8.B
Acris,& mordax ſuperfluitas unde.1°.de diff.feb. 3ª.31.F
ab Acribus eſcharæ fiunt.de atten.uic.rat. 2ª.43.G
ab Acribus abſtinendũ in febre tertiana.1°.de ar.cu.ad Gla. 7ª.97.D
Acris fluxio quid agat ad uentrem,& guttur.6°.de ſan.tuen. 2ª.98.E
Acris materia ubi adſit,ſcarificatione utimur.de cucur.ſcar. 6ª.3.F
Acria ſuppoſitoria,& clyſteria,inteſtina mouent.de dynami. Sp.20.F
Acres clyſteres reuellũt quod per uomitum exit.de cucur.ſcar.6ª.4.F
Acris humor facit ut inteſtina eijciant.5°.de uſu par. 1ª.145.F
Acres qualitates ſunt qualitates guſtus,non medicamentorum facultates.5°.de ſimp.me.fac. 5ª.38.H
Acris qualitas deiectionem excitat.2°.de ali.fac. 2ª.19.A/23.C
Acrem qualitatem habentia concoctionẽ iuuant.2°.de ali.fac. 2ª.21.G
ab Acrium aſſiduo uſu abſtinendum,potiſſimum bilioſis.2°.de alimen. facul. 2ª.25.E
ad Acres & tenues fluxiones oculorũ.4°.de cõp.me.ſe.loc. 5ª.149.E
Acrior eſt omnibus cineribus cinis caprifici.de ſimp.med. Sp.86.A
Acriore lixiuia lauanda ſunt uulnera ſordida.de ſimp.med. Sp.86.A
ACRISIA quid ſignificet.in 2ᵐ.de mor.uul.com.2°. 3ª.112.C
in Acriſias deflectũt icocta et cruda.i 2ᵐ.de mor.uul.cõ.2°. 3ª.124.E
τὸ Ακροχειρίζεσθαι inter exercitatiões nũerat.2°.de ſani.tuẽ. 2ª.73.G
Acrochiriſmi,brachiorum & manuum propriæ ſunt exercitationes.2°. de ſani.tuen. 2ª.74.H
ACROCHORDON unde dicta.2°.meth.me. 2ª.74.H
Acrochordon quid.fin.med. Iſ.49.B
Acrochordon tumor eſt præter naturam toto genere. de diff.morb.3ª. 4.F/14°.meth.med. 7ª.90.E
Acrochordones uerrucarum genera.de diff.mor. 3ª.4.F
Acrochordones eſt genus uerrucarum,& tuberculorum. commen.3°. apho.26°. Ex.25.G
Acrochordones fiunt ex commixtis humoribus.de cau.mor. 3ª.8.B
Acrochordones cutis affectus.introd. Iſ.59.D
Acrochordonibus præditi ſunt homines non natura.fi.me. Iſ.45.E
Acrochordones cur fiant in pueris.com.3°.aph.26°. Ex.25.G
Acrochordonum curatio.intro. Iſ.60.D
Acrochordonibus quid conferat.de uirt.centa. Sp.93.G
Acrochordonas quidam ore ſanabat.14°.meth.med. 7ª.92.H
Acrochordonas detrahunt caulis & folia uirentia batrachij.6°.de ſimpli.med.fac. 5ª.44.G
ad Acrochordonas caput ſaurarum facit.11°.de ſimp.me.fa. 5ª.79.G
Acrochordonas auferunt tithymalli.8°.de ſimp.med.fac. 5ª.62.D
Acrochordonas auferunt caules chamæſyces.8°.de ſim.me.fa.5ª.63.G
ad Acrochordonas ouillum ſtercus.10°.de ſimp.med.fa. 5ª.76.H
Acrochordonibus difficilius curãt myrmecia.10.de ſim.me.fa.5ª.73.E
ACRODRYA qui ſint fructus.intro. Iſ.51.B
Α'κρώμιον quid ſignificet.de articulis.com.1°. 7ª.251.F
Acromion quid ſit.de oſſibus. 1ª.42.G
ACRON Agrigẽtinus auctor ſectę empiricæ cur ſit dictus.itr.Iſ.51.D
Aeron unus ex primis empiricis.de ſubfig.empi. Iſ.31.D
Α'κροχγίαρον quid ſignificet.de uict.rat.in mor.acu.com.3°. 7ª.129.H
ACTE quid.6°.de ſimp.med.fa. 5ª.42.B
ACTIO quid ſit.1°.de nat.fac.1ª.291.B/de mult.77.C/de ſymp.diff.3ª. 10.F/1.°de lo.aff. 4ª.3.E
Actio eſt opus naturæ,ſed opus non dicitᷓ actio.1°.de nat.fac. 1ª.291.C
Actionem & opus dicere nihil refert quandoq;.1°.meth.med. 7ª.5.H
Actio eſt agentis motus.de ſymp.diff. 3ª.10.D

Actio eſt

Actio eſt motus agens.de motibus manifeſtis & obſ.Sp.66.G|1°.meth. med.6.C|.2°. 7ª.10..A|B
per Actionem quid intelligat.de mot.man.& obſ. Sp.66.D
Actio in quo conſiſtat.de ſymp.differentijs. 3ª.10.E
Actiones habent eſſe ſuum in fieri.2°.meth.med. 7ª.10.B
Actionis,& motus differentia.de mot.man.& obſ. Sp.66.G
Actio,& corpus differunt.1°.meth.med. 7ª.7.E
Actio,ſanitas,& pulchritudo,q̃uo ſe h̃nt ad inuicẽ.ad Thra.2ª.104..A
Actio partis q̃uo differat ab uſu.17°.de uſu par. 1ª.221.C
Actiones præcedit corpus & illas gignit.1°.meth.med. 7ª.7.G
ab Actionibus prima utilitas animalibus.17°.de uſu par. 1ª.221.C
Actiones omnes cuius cauſa fiant.ad Thraſ. 2ª.105.B
Actionis cauſa in ſingulis inſtrumentis eſt temperies ſecundum naturã. 2°.de nat.fac. 1ª.301..A
Actionis cauſa eſt ſanitas.de ſymp.diff. 3ª.13..A
ad Actionem cauſæ uicem præſtat conſtitutio.1°.meth.med. 7ª.8.D
Actionis cauſa non inuenienda ſecundũ Theſſalũ.2°.meth.med. 7ª.11.G
Actio ſecundũ quos modos fiat,& locos in quibus , & inſtrumenta per quæ cognoſcere debet medicus rationalis.de uoc inſtr.diff. 1ª.106.B
Actionis modus cognitus reddit medicum aptiorem ad opitulandum.de uoc.inſtr.diff. 1ª.106.B
Actio & paſſio quomodo fiant.3°.de nat.fac. 1ª.304..A
Actiones fiunt a ſolidis animantiũ partibus.3°.de ſimp.me.fac.5ª.22..A
Actio quomodo diſtinguitur a paſſione.de ſymp.diff. 3ª.10.E
Actionis ſcopus eſt agendorum prima cauſa.6°.de uſu par. 1ª.152.F
propter Actionem,atq; ex accidenti a nobis expeti id quod eſt ſecũdũ naturam in quibus ipſa deficit,non primo,nec propter ſeipſum.14°. meth.med. 7ª.91.B
Actionum uis,quæ.ad Thraſyb. 2ª.103.H
Actionẽ propriã habet quælibet pars animalis.7°.meth.med. 7ª.43.F
Actio quælibet in animatis corpore peculiarem habet particulam. per quam perficitur.1°.de loc.aff. 4ª.3.H
Actionem propriam habet membrum compoſitum.de ocul. 7ª.182.G
Actiones proprias ſtatim ab initio cognoſcunt genitalia.6°.de locis affectis. 4ª.42.C
Actionem ſuam perficiendi facultatem habent inſtrumẽta naturalia,ut magnes lapis facultatem habet trahendi ferrum.1°.de lo.aff.4ª.8 A
Actiones ꝓprias quęlibet particula h̃et & uſus.1°.de nat.fac. 1ª.291.G
Actionum proprium inſtrumentum,quod.2°.de decretis. 1ª.236 G
ꝑ Actionem unam cur quandoq; natura facit multa inſtrumenta.12°. de uſu par. 1ª.195.G
Actionibus duabus unum inſtrumentum ſeruit.7°.de uſu par. 1ª.158.A
ex Actione utili,partis uſus apparet.17°.de uſu par. 1ª.221.D
Actio,& utilitas ſingularum partium neceſſario ſciri debet. de conſti.ar. Iſ.40.G
Actio cuiuſq; partis cognoſci debet ex anatome.1°.de loc.aff. 4ª.3.E
Actio primo in omni particula,quæ ſecari debet , conſideranda eſt. 4°. de uſu par. 1ª.138.D
Actiones conſiderandas,collige.1°.meth.med. 7ª.7.G
Actionũ cognitio præcedit uſus inuentionem.16°.de uſu par. 1ª.220.E
Actionum cognitio confert ad partem affectam cognoſcendam.17°.de uſu par. 1ª.222.E
Actiones debent præcedere utilitates.6°.de uſu par. 1ª.155.E
Actio primo,deinde utilitas cognoſcenda.9°.de uſu par. 1ª.172.E
Actione cognita inuenitur partis utilitas.1°.de uſu par. 1ª.114.H
Actione cognita utilitates exponẽdæ.7°.de uſu par.163.F|8°. 1ª.166.B
in Actionibus ſicuti eſt,ita eſt in utilitatibus.2°.de uſu par. 1ª.222.E
ad Actionem obeundam quæ exigantur.de conſt. Iſ.36.H
Actionum duplex genus.de conſt.ar. Iſ.37.B
Actionis genus alteratio,ſed nõ ut in g̃natione.1°.de nat.fac. 1ª.292.B
Actiones tres quæ operibus reſpondent.1°.de nat.fac. 1ª.291.D
Actiones ipſæ non conſiderandæ ſ̃m empiricos.2°.meth.med. 7ª.11.G
Actio inſtrumenti niſi prius ſciatur,particulæ uſus inueniri non poteſt. 5°.de uſu par. 143.F|16.1ª.&.215.F
Actio ſequitur corporis affectum.1°.meth.med. 7ª.7.E
Actionis conſtantiam tantam nullum membrum habet,quantam habet cor.6°.de uſu par. 1ª.150.D
Actionibus & uſibus membrum unum quodq;,non forma corporis iudicatur.1°.de Hipp.& Plat.decretis. 1ª.233.E
Actio dignitate poſterior utilitate.11°.de uſu par. 1ª.189.C
Actio poſterior ſecuritate ad ſanitatis diuturnitatem.12°.de uſu partium. 1ª.196.C
Actionẽ ignorat q muſculi poſitionem ignorat.2°.de uſu par. 1ª.126.D
Actiõis ubi æqualis utilitas,ibi æqualia dextra ſiniſtris. 6°.de uſu partium. 1ª.149..A
in Actione quod melius eſt , temperamento commodo referendum. 2°. de nat.fac. 1ª.300.F
Actiones quæ cõueniunt ad ſanitatis tuẽdæ rõnẽ.7°.meth.me. 7ª.48.E
in Actione quod deterius,temperamento uitioſo referendum. 2°.de natu.fac. 1ª.300.F
Actioni nocet morbus ſine mediatore.de ocul. 7ª.185.H
Actiones uniuerſaliores,quæ.ad Thraſy. 2ª.108.F
Actionum uariæ differentiæ.ad Thraſy. 2ª.105..A
Actionum duæ primæ differentiæ.de ſymp.diff. 3ª.11.D
Actionum differentiæ affectum partis declarant.1°.de loc.aff. 4ª.6.D
Actiones oẽs proueniũt à ſimilaribus corporibus.2°.met.med. 7ª.13.D
Actiones primæ à ſimilaribus corpibus.de cur.rat.ꝑ ſang.miſ. 6ª.16.E
Actiones primæ ſingulæ quæ ſint.ad Thraſ. 2ª.108.F
Actiones ſecundæ ab inſtrumentarijs corporibus. de cur.rat. per ſang. miſſ. 6ª.16.E
Actiones duplices in animalibus,corporales,& animales. 6°.de ſanitate tuenda. 2ª.95.F
Actionum aliæ naturales,aliæ animales.1°.de ſymp.cau. 3ª.14.B
Actiones tres ſunt,animalis,naturalis,uitalis.de ocul. 7ª.185.H
Actionum genera tria.de uo.& anhel. Sp.61.G
Actio rectrix in quot diuidatur.de ſymp.diff. 3ª.11.D
Actionis rectricis ſymptomata.2°.de ſymp.cau. 3ª.24.B
Actionis rectricis amiſſio conſiſtit in ſtoliditate,& obliuione.2°.de ſympto.cau. 3ª.24.B
Actio uoluntaria quæ.de nat.hum. 7ª.182.F
Actiones uoluntariæ ſunt muſculorum,neruorum,tendonum. 2°. de ſanita.tuen. 2ª.75..A
Actio uolũtaria qualiter ab ãiali fit facultate.de uo.inſt.diſ. 1ª.106.D
Actio uoluntaria fit ex nobiliſſimo motu animæ,ſcilicet ex motu cogitationis,& deliberationis.de uo.& anhel. Sp.61.H
Actiones uolũtariæ fiunt ꝑ muſculos & neruos.de uo.inſt.diſ. 1ª.106.D
ad Actionem omnem uoluntariam adoleſcentes aptiſſimi.1°. de ſanita. tuenda. 1ª.64.D
ad Actiõs uolũtarias ſunt ĩepti ſenes & ĩfantes.1°.de ſan.tu.2ª.64.D
Actio uoluntaria nobiliſſima,eſt uox.de uo.& anhel. Sp.61.H
in Actionibus uoluntarijs conſiſtit uita.de mot.man.& obſ. Sp.67.F
Actiones uolũtariæ q̃n uitiantur.in 6ᵐ.de morb.uul.com.3°. 3ª.173.H
Actiones uolũtarias lædit phrenitis,quia calidus & ſiccus morbus eſt. 3°.de ſymp.cau. 3ª.29.D
ut Actiones à uoluntate muſculi affecti lædere poſſunt,ita ueſica,& inteſtina naturales.1°.de loc.aff. 4°.8..A
Actiones manuum ſunt uoluntariæ.de mot.man.& obſ. Sp.69..A
Actiones pedum ſunt uoluntariæ per intentionem primam.de mot.mã. & obſ. Sp.69..A
Actiones uolũtariæ ſecũda intentione,quæ.de mot.ma.et obſ.Sp.69..A
Actiones uolũtarias q habẽt infirmas.4°.de præſa.ex pulſ. 4ª.120.H
Actio generationis inſtrumentorum non fit à uolntate tantum.de mot. man.& obſ. Sp.68.E
Actiones animales habent tãtum duas ſpecies ſenſus.de ocul.7ª.186..A
Actio nulla animalis ineſt cordi,ideo non eget magnis neruis. 6°.de uſu partium. 1ª.155.F
Actiones animales in quot diuiduntur.de ſymp.diff. 3ª.11.D
Actiones animales cur à multis cauſis offendantur.3°.de lo.af.4ª.16.G
ex Actionibus animalibus plurimæ ſecundum noſtram uoluntatem perficiuntur.de uoc.inſtr.diff. 1ª.106.C
Actiones animi ſunt pręcipuæ poſt pueritiam.6°.de ſan.tuen. 2ª.95.F
Actiones animæ alterantur ab humoribus, & temperie corporis. 3°.de loc.aff. 4ª.19.C
Actiones animæ irrationalis morales uocantur.3°.de loc.aff. 4ª.16.G
Actiones naturales quæ ſint.1°.de ſan.tuen. 2ª.64.D
Actiones naturales cur in pueris auctę.5°.de ſimp.med.fa. 5ª.33.H
Actio naturalis primũ eſt quod maxime deſideratꝰ.1°.met.med. 7ª.8.C
Actio naturalis communis etiam plantis.de nat.hum. 7ª.182.F
Actionum naturalium prima præcipua,et maxime neceſſaria nutritio. 3°.de ſymp.cau. 3ª.26.C
Actionũ naturalium cauſas cognoſcat medicus qui ratione curaturus eſt,ut illas ſeruare poſſit.de uoc.inſtr.diff. 1ª.106.B
Actionis naturalis opera quatuor.de nat.hum. 7ª.182.F
in Actionibus naturalibus magis uigent infantes quàm alij.1°.de ſani. tuen.

tuenda. 2ª.64.D

Actionum naturalium ſymptomata.de ſimp.diff. 3ª.12.A

Actio anhelitus,naturalis eſt ſm aliquos,cur.de uo.& anhe. Sp.62.B

an Actio naturalis ſit anhelitus,ſpectat ad dialecticũ quærere.de mo. man.& obſ. Sp.66.H

Actio anhelitus ſecundum aliquos eſt media inter uoluntatem & naturam.de uoc.& anh. Sp.62.B

Actione naturali egemus.1°.& propter hanc egemus ſanitate.2°.met. medendi. 7ª.10.D

Actiones corporales pueri præcipuas obtinent.6°.de ſan.tuen.2ª.95.F

Actio ipſa nutritio eſt.1°.de nat.fa. 1ª.292.H

Actio uitalis,qua arteriæ,& cor pulſant.de nat.hum. 7ª.182.F

ꝑ Actiones ſingulas eſſe artes diſtinctas,ẽ abſurdũ.ad Traſ.2ª.105.A

circa Actionem ſecundo uerſatur ars.ad Thraſ. 2ª.104.B

Actiones manuariæ,quæ per ſe fiunt.ad Thraſ. 2ª.105.A

ab Actione medicus manuarius dicitur.ad Thraſ. 2ª.105.D

Actiones quæ à medicamentis fiunt.ad Thraſ. 2ª.105.A

Actiones aliquæ contrariæ in re medica.ad Thraſ. 2ª.105.D

Actio proba non poteſt eſſe ſine corporis naturali affectu, aut uitioſa, niſi cum corpus ſit uitio affectum.1°.meth.med. 7ª.7.G

Actio an ſit læſa primo conſiderandum.2°.de loc.aff. 4ª.13.D

Actio læditur inſtrumento læſo,quod illam efficit.1°.de loc.aff. 4ª.3.H

Actio læſa in quo conſiſtat.3°.de ſymp.cau. 3ª.26.H

Actionum uitia,quæ.de ſym.diff. 3ª.11.C

Actionis uitium morbus poteſt dici.1°.meth.me. 7ª7.E

Actionem uitians affectus eſt cauſa cõtinens,& eſt proprie morbus.2°. met.med. 7ª.12.F

Actio uitiata ſemper primo conſideranda,poſt, quenam ſedes, uel ipſa afficiatur,uel alteri conſentiat.3°.de loc.aff. 4ª.15.C

Actionis noxa morbus eſt.ad Thraſ. 2ª.102.E

Actio læſa poteſt morbus uocari, & ex hoc nihil mutatur curatio.2°. meth.med. 7ª.12.E/F

Actionem lædens affectus poteſt morbus uocari,& ex hoc nihil mutatur curatio.2°.meth.med. 7ª.12.E/F

Actionis amiſſio defectus & prauitas in omnium ſymptomatum genere,quid diſtent.3°de ſymp.cau. 3ª.25.A

Actionis amiſſio,ſymptoma.2°.de ſymp.cau. 3ª.24.B

Actionis leſio eſt ſymptoma.de ſymp.diff.10.H/13.G/2°.de ſymp.cau. 3ª.24.D/1°.meth.med. 7ª.7.H

Actionum offenſæ ſunt ſymptomata & pathe.2°.meth.me. 7ª.10.C

in Actione læſionis cauſa,morbus eſt.de ſymp.dif. 3ª.13.A

Actionis læſio eſt affectus preter naturam.2°.meth.med. 7ª.12.E

Actione una læſa,quandoq; aliæ læduntur.2°.de lo.aff. 4ª.14.C

Actio eſt læſa etiam ſi prorſus perijt.1°.de ſymp.cau. 3ª.14.B

Actio læſa,uel integra non eſt affectus.2°.met.me. 7ª.9.H

Actioni læſæ nõ applicãtur remedia,ſed morbo.2°.meth.med. 7ª.10.D

Actionum læſarum modi docent partem affectam, & curandi facultatem.3°.de lo.aff. 4ª.14.E

Actio læſa affectam partem indicare poteſt.1°.de loc.aff. 4ª.6.A

Actionũ noxæ,affectã dũtaxat particulã declarãt.1°.de loc.af. 4ª.6.D

in Actione ꝓpria obeũda dolent partes inflãmatę.5°.de loc.af.4ª.32.B

in Actione oĩ tria ſymptomata.de ſymp.dif.3ª.12.B/de ocul. 7ª.185.H

Actio leuiter impedita ad quã partẽ artis ptinet.7°.met.med. 7ª.48.E

Actio extra noxam,ſed imbecilla,inutilis eſt.ad Thraſ. 2ª.102.E

Actionis læſæ ſymptoma peſſimum.3°.de ſymp.cau. 3ª.26.H

Actionis propriæ noxa,eſt proprium ſymptoma cuiuſcunq; partis.2°. de loc.aff. 4ª.10.H

Actionis læſionem auferre cupimus,& propter hoc morbum.2°.meth. medendi. 7ª.10.D

Actio imbecilla ad quam medicinę tractationem pertineat.7°.methodi medendi. 7ª.48.E

Actionem læſam ubi eſſe perſpexeris,læſionis modus eſt conſiderãdus. 2°.de loc.aff. 4ª.13.C

Actio nulla lędit,niſi pars quæ ipſam facit,afficiat.1°.de lo.af. 4ª.4.E

Actio quandoq; perit nulla exiſtente noxa in proprijs inſtrumentis ex materię defectu.1°.de lo.aff. 4ª.6.E

Actio ex materia nõ tranſmiſſa lædit parte nõ læſa.1°.de loc.af. 4ª.7.B

Actioni paruam noxam afferunt intemperies ſimilarium partiũ paruę: magnę uero,magnam.1°.de ſymp.cau. 3ª.15.B

Actiones multæ uitiatę unde ſequant,explicatio.4°.de loc.af. 4ª.25.C

in Actione nutriendi,priuatio actionis in atrophia eſt. 3°. de ſympto. cauſis. 3ª.25.B

ad Actiones pigritiam non eſt neceſſe ſequi,ſiquis male concoxit.3°.de ſympto.cau. 3ª.30.B

Actio praua & errans in uentre,in quo cõſiſtit.3°.de ſym.cau.3ª.25.A

Actionis priuatio in uentre,quæ ſit.3°.de ſymp.cau. 3ª.25.A

Actio deficiẽs ĩ uenis eſt cũ ſucci ſunt ſemicocti.3°.de ſym.cau. 3ª.25.A

Actiõis priuatio ĩ uenis ẽ cũ ſucci oĩno ſunt crudi.3°.de ſym.c. 3ª.25.A

Actio praua in uenis,eſt cum ſucci ſunt uitioſi.3°.de ſym.cau. 3ª.25.A

Actionis in aliam ſpeciem mutatio,ſymptoma.2°.de ſym.cau. 3ª.24.B

Actio motiua in quo conſiſtat.de ſymp.diff. 3ª.11.D

Actionum motiuarum prima ſymptomata,quę.de ſym.diff. 3ª.11.F

Actiones communes partium omnium.5°.de loc.aff. 4ª.34.D

ab Actione partis quo ſecũda indicatio ſumatur.7°.met.me. 7ª.48.H

ab Actione membri:ꝙ ipſa ſit uel omnibus partibus cõmunis, aut paucis,aut ſibi ipſi,indicationem ſumi.7°.meth.me. 7ª.49.B

Actiones homini conuenientiores ſunt ratiocinari,& loqui.de mot.mã. & obſ. Sp.67.F

Actiones ſuas faciũt partes corpis ſine doctrina.6°.de lo.af. 4ª.42.A

Actiones quę dependẽt a capite.de uirt.noſtrũ corp.diſpenſ. Sp.60.C

Actio oris ſtomachi eſt deſiderium.de mot.man.& obſ. Sp.70.H

Actionem ſuam facerent in omni parte cor,iecur, & ſplen, & reliquæ partes.6°.de loc.aff. 4ª.42.D

Actiones iecoris quę ſint.de uirt.noſtrum corp.diſpen. Sp.60.D

Actiones lienis ut conſeruentur,debent auſtera & adſtringentia miſceri ipſius medicamentis.5°.de com.me.ſe.lo. 5ª.198.D

Actio pulmonis perpendenda quæ ſpiritum & humores attrahit,ac ex pellit.5°.de lo.aff. 4ª.30.F

Actio cannæ in uoce,quę.de uo.& anhe. Sp.61.G

Actiones quæ dependent à corde.de uirt.noſtrum corp.diſp. Sp.60.D

Actio uniuerſi cruris ambulatio eſt.de conſt.art. Iſ.36.H

de Actione trina uirtutis regitiuæ.de ocul. 7ª.183.G

Actio qñq; impedit & muſculi nõ ſunt affecti.de art.cõ.3°. 7ª.280.E

Actionem eandem in omni parte habẽt arteriæ.6°.de lo.aff. 4ª.42.D

Actio partium,quę ſentiendi & mouendi uim ſolum habent, perit ipſis non affectis.1°.de lo.aff. 4ª.8.B

Actionẽ nullã uoluntariã facit neruus ſine muſculo.1°.de lo.aff.4ª.7.D

Actionẽ muſculorũ laryngis ĩquirit Galenus.de uoc.inſtr.diſ. 1ª.107.D

Actio muſculorum circa ſcapulas.1°.de diff.reſp. 3ª.62.H

Actio lacertorũ fit ꝑ motũ ad ſuã originẽ.de mot.man.& obſ. Sp.70.C

Actionis lacerti laxatio an ſit naturalis,uel uoluntaria.de motibus manifeſtis & obſcuris. Sp.68.H

Actio ſimplex eſt unius lacerti.de palp.conuulſ. 3ª.52.A

Actione una pereunte,muſculus,uel neruus eſt affectus. 4°.de locis affectis. 4ª.25.C

in Actione poſitus eſt oĩs motus.in 3m.de morb.uul.oom.1°. 3ª.129.D

Actiones aliquę indigent materia ab alijs partibus præparata.1°.de locis affec. 4ª.6.E

Actioni qui nec proſunt affectus,nec obſunt.1°.met.me. 7ª.7.G

Actio particulę quomodo defendatur.7°.met.me. 7ª.43.F

Actionum firmitas ex robore,uirium robur ex actionũ firmitudine cõſequitur.de mult. 3ª.79.A

Actiones firmæ exigunt robur firmum.de mult. 3ª.78.G

Actionibus firmior eſt uiribus robuſtus.de mult. 3ª.79.A

Actiões uehemẽtes hñt muſculos magnos,et binos.2°.de uſu p.1ª.123.D

Actioni ualidę gemini tendones præficiuntur.1°.de uſu.par. 1ª.119.F

Actiones fortes manꝰ ſunt articuli carpi motus.2°.de uſu par. 1ª.124.C

Actionum perfectio eſt exquiſite bonus habitus.ad Thraſy. 2ª.102.F

Actiones firmiores producit habitus bonus.ad Thraſ. 2ª.102.E

ad Actionem prompti ſunt calidi.2°.de ſani.tuen. 2ª.73.E

Actiones debiles producit ſanitas in affectione.ad Thraſy. 2ª.102.E

Actiones imbecilles habent paruos muſculos,& paruos tendones.2°.de uſu partium. 1ª.123.D

Actio libera ab imbecillitate,ſed nõ robuſta quę.ad Thraſy. 2ª.102.E

Actiones nondum firmas,non amplius autem debiles producit ſanitas in habitu.ad Thraſ. 2ª.102.E

Actio imbecilla ad quam partem artis pertinet.7°.meth.me. 7ª.48.E

Actionum infirmitas ſignificat uires non robuſtas.de mult. 3ª.78.A

in Actionibus ſuis chirurgici celeres eſſe debent.de faſcijs. 7ª.293.C

cuius Actio ſit ruminatio ĩ ruminãte aĩali.de mot.mã.& obſ.Sp.68.F

Actio digerẽtis põt ad digerẽdũ ſine occurſu ꝓuenire.de an.ui.Sp.45.B

Actio tãgibilis abſq; obuiatione rei tangẽdę nõ fit.de anat.ui. Sp.45.B

præter Actionem ipſam in ſaltatoria nihil oſtẽdere poſſumus.ad Thraſybulum. 2ª.105.H

Actionem augere & vtilitatem non idem.2°.de ſim.me.fac. 5ª.16.C
in *Actionibus ſymmetria uacuatorum.11°.meth.med.* 7ª.71.A
Actionum denſitatis cauſa in pulſibus, quæ.1°.de diff.reſp. 3ª.57.H
Actio crebra, & actio celer differunt.2°.de digno.pul. 4ª.75.E
Actiones omnes fiunt crebriores ex defectu.1°.de cau.pul. 4ª.90.A
Actiuus qui ſit.1°.meth.med. 7ª.6.C
Actiuus motus eſt actio.2°.meth.med. 7ª.10.A/B
Actiuæ artes & effectiuæ quo differunt.ad Thraſ. 2ª.105.H
Actiua pars philoſophiæ.9°.de decr.Hipp. 1ª.285.F
Actiuæ qualitates ſunt humiditas & ſiccitas.3°.met.med. 7ª.18.F
Actiua magis ſunt calidũ & frigidũ ſm Hippo.1°.de nat.fac. 1ª.291.C
Actiua cur dicantur calidum & frigidum.7°.meth.me. 7ª.44.D
ACTV *tale quot modis diſtinguatur,3°.de ſimp.med.fa.* 5ª.17.B
Actus quomodo pulcher.5°.de decr.Hipp. 1ª.256.B
Actum & acre uinum, quale.de theri.ad Piſo. 5ª.95.G
ACVS *non ſentitur ab oſſibus.1°.de elem.* 1ª.2.H
Acus non ſentitur à chartilaginibus.1°.de elem. 1ª.2.H
Acus non ſentitur à pilis.1°.de elem. 1ª.2.H
Acu uulneratus afficitur ut ſi ab acri humore facta fuiſſet eroſio. 2°.de locis affe. 4ª.9.D
ex *Acu uulnera quid exigant in curatione.6°.meth.me.* 7ª.37.A
ob *Acus puncturam in cute phlegmone infeſtabitur, cui ulcera difficulter ſaneſcunt.6°.meth.med.* 7ª.36.H
Acu pũcta exigua parte digiti, quid eueniat.2°.de diff.feb. 3ª.41.A
Acu pungi quidam dolentes uidentur.2°.de lo.aff. 4ª.12.F
Acu in cute puncti caſus.6°.meth.med. 7ª.36.H
Acus quidam colligantes ita, ut cuſpides ipſarum in eundem locum porrigantur, per ipſas cutem compungunt ad alopecias.1°.de compoſi. med.ſec.loc. 5ª.124.D
Acum in manu ſiniſtra tenenti ægro medicamentũ propinare, ſupſtitio eſt, de qua in remedio ad ſpleniticos fit mentio.de dyna. Sp.27.E
Acus acumen non poſſet ingredi collum matricis in cõceptione. de ana. uiuorum. Sp.51.E
ex ACVLEIS *plagas iuuat pharmacum ex ſucco centaureæ.de uirtute centaureæ.* Sp.93.G
Aculeum quomodo eximatur.14°.met.med. 7ª.93.A
ad *Aculeos educendos.5°.de comp.me.per gen.246.H/247.F/248.C/249.B/6°.* 5ª.256.H
Aculeos educens malagma.10°.de comp.me.ſe.lo. 5ª.207.G
ACVMEN *palpebræ inuerſatur extrinſecus, eiusq́; motio uix fit: & albugineus aſcendit ſuper nigredinem in tertia ophthalmiæ ſpecie. de oculis.* 7ª.186.F
Acuminata cur ſit cordis figura.de anat.uiu. Sp.46.B
ab *Acumine cordis corpus totum incipit formari.de ana.ui.* Sp.46.B
ACVENS *mentem medicina.ſecret.* Sp.101.F
ad *Acuendum uiſum electuarium.de med.exper.* Sp.107.H
ACVITAS *in cibis facit deſcendere ſuperfluitates ciborum de ſtomacho & inteſtinis.de diſſ.cont.* Sp.75.A
Acuitas ſequitur ad choleram citrinam.de anat.uiu. Sp.45.E/F
ex *Acuitate bilis ſynochus, & cauſus.de ſper.* Sp.39.H
Acuitatem ſtomachi extinguentia, conueniunt ſtomacho, in quo generatur cholera velociter multa.de diſſ.cont. Sp.71.F
ACVTIES *ægritudinis quibus horis fiat conſiderandum. de ſpermate.* Sp.39.H
Acuties quouſq; ꝓcedat in morbis continuis.com.2°.aph.23°. Ex.15.G
Acuties vrinæ eſt cauſa ſtillicidij urinæ.com.3°.aph.16°. Ex.23.D
ACVTOS, *& acres aliquos nominamus, quod idem eſt ac ſi celeres dixeris.in.6m.de mor.uul.com.1°.* 3ª.158.H
Acutus morbus qui intelligatur.3°.de diebus decr.160. C/ in prognoſt. com.3°. 4ª.208.C
Acutus morbus vnde dicatur.3°.de dieb.decre. 4ª.160.D
Acuti morbi, qui.fi.med.45.F/intro.Iſa.55.E/in.1m.de morb. uul. commen.3°.117.C/in 6m.commen.1°.3ª.158.H/de ratione uict.in mor.acu. commen.1°.108.H/7ª.111.C/commen.1°. aphor. 12°.5.D/ commen.2°. aphor.24°. Ex.14.B
Acutus morbus differt à longi tpis morbo.3°.de diebus dec. 4ª.160.D
Acutus non eſt ſemper morbus breuis tpis.3°.de diebus dec. 4ª.160.D
Acutum & non acutũ morbũ motu & natura non ſolum temporibus ſolis nudis appellauit Archigenes.2°.de dieb.decre. 4ª.155.G
Acutorum morborum natura duplex.com.2°.aph.19°. Ex.14.B
Acutorum morborum differentiæ.in progn.com.3°. 4ª.208.B
de *Acutorum uictu librum non nulli contra Gnidias ſententias, alij de ptiſſana inſcribunt.9°.de decre.Hipp.* 1ª.282.G
de *Acutorum morborum uictu, aphoriſmorũ, aquis, aere, & locis, libri ſunt Hippocratis.3°.de diff.reſp.* 3ª.69.E
de *Acutis morbis alium librum ſe ſcripturum promittit Hippocrates. de uic.rat.in mor.acu.com.2°.122.H/124.B/4°.* 7ª.134.D
de *Acutorum uictu fruſtra legit, qui de naturalibus facultatibus non legit.de uict.rat.in morb.acu.com.1°.* 7ª.111.H
de *Acutis, & longis morbis, qui ex acutis dependent loquitur in prognoſticis Hippocrates.2°.de die.decr.155.H/1°.de criſi.* 4ª.128.A
Acutæ ęgritudines q̃n naturaliter generantur.de ſper. Sp.39.C
Acuti morbi, & malefici à quibus fiant.de bon.& ui.ſuc. 2ª.39.D
Acutas accendere ægritudines proprium eſt flauæ bilis.in progn.commen.2°. 4ª.202.D
Acuti morbi ſecundum Hippocratem fiunt ut plurimum à bile, & ſanguine, ętatę vigente, ęſtiuo, aut verno tempore.breuis denotatio dogmatum Hippocratis.231.D/intro. Iſ.55.E
Acutiſſimæ febres ex bile.8°.de decretis Hippocratis.1ª.277.C/de ſpermate. Sp.38.B
Acutus affectus, qui.fin.med. Iſ.45.F
per *Acutus affectus, qui.fin.med.* Iſ.45.F
Acutus exacte morbus, qui.2°.de dieb.decre. 4ª.155.F
Acutus non exacte morbus, qui.2°.de dieb.decre. 4ª.155.F
Acutus ſimpliciter morbus, qui.2°.de dieb.decre. 4ª.155.F
Acutiſſimi morbi, qui.in 1m.de mor.uul.com.3°. 3ª.118.F
Acutiſſimi morbi ſunt in febre continua.in.1m.de morbis uulgarib. commen.3°. 3ª.118.F
Acutorum morborum proprium eſt febris continua.2°.de diebus decretorijs.4ª.156.B/de vic.rat.in morb.acu.com.1°.108.H/7ª.111.C/com. 2°.apho.19°. Ex.14.B
Acutæ non dicuntur febres diariæ.3°.de dieb.decre. 4ª.160.D
Acuta febris inuadens neq; medicos, neque idiotam quemlibet latere poteſt.1°.de dieb.decre. 4ª.147.F
Acuta febris communis eſt pleuritidi, & peripneumoniæ.de ſubfigura. empi. Iſ.32.E
Acutas febres facit iracundia.6°.de ſan.tuen. 2ª.96.E
Acutæ ſunt febres cacoethes.3°.de cau.pul. 4ª.99.D
Acutos morbos eſſe quandoq; ſine febre, poteſt ex illis uerbis colligi, In omnibus acutis morbis quicunq; febres habent.cõ.2°.aph.23°.15.E/ com.5°.aph.30°. Ex.40.D
Acuti morbi raro ſine febre.com.2°.aph.19°. Ex.14.B
Acuti morbi ſine febre.in progno.com.1°. 4ª.195.A
Acutiſſimi morbi in ſynochis.in.1m.de mor.uul. 3ª.118.G
Acuti humores tempore æſtiuo à uenis exiccatis trahuntur, qui faciũt febres ardentes.com.4°.aph.58°. Ex.33.G
in *Acutis ſeptimana comparatur mutationi temporum anni in chronicis.3°.de dieb.decre.* 4ª.158.B
Acuti morbi in quatuordecim diebus iudicant̃.cõ.2°.aph.23°. Ex.15.D
Acuti morbi qui tranſeunt uſq; ad quadrageſimum diem, appellantur à Galeno acuti qui in quadraginta diebus iudicantur, uel acuti ex decidentia.com.2°.aph.23°. Ex.15.E
Acutus morbus ex delapſu, qui.2°.de dieb.decre.155.F/H/ in prognoſt. commen.1°. 4ª.195.B
Acuti morbi ex decidentia habent quandoq; terminum ſexageſimum diem.2°.de dieb.decre. 4ª.156.D
Acuti ex decidentia in quos affectus conuertantur. in prognoſt. commen.1°. 4ª.195.B
Acutas ægritudines magna ex parte diebus imparibus iudicari inquit Hippocrates.bre.den.dogm.Hipp. 1ª.231.D
Acutorum morborum ſunt repentinæ mutationes.3°.de criſi. 4ª.139.F
Acute decernentium dierum principium eſt tertius dies.3°.de dieb. decretorijs. 4ª.158.D
in *Acutis tertio quoque die acceſſiones fiunt.3°.de dieb.dec.* 4ª.158.G
in *Acutis morbis ut apoplexia aut nihil indicat principium aut quippiã aliud q̃ incrementum prohibere.de opt.ſecta.* Iſ.29.C
Acuta febris nunq̃ eſt ĩ primo ĩſultu ĩ sũmo uigore.1°.de criſi. 4ª.132.B
in *Acutis morbis ſtatus raro hẽt tres acceſſiones.1°.de criſi.* 4ª.128.H
Acutorum, & longorum morborum differentia in nutritione. de uict. rat.in morb.acut.com.4°. 7ª.150.E
in *Acutis morbis cur in principio interdicat̃ cibus.de opt.ſec.* Iſ.28.G
in *Acutis morbis pro cibis dandis quæ conſideranda.de uict.ratio. in mor.acu.com.2°.* 7ª.121.B
in *Acutis quidam dant ptiſſanam non colatam.de uictus ratio. in morbis acutis*

bis acutis com.1º. 7ª.109.D
in Acutis ſecundum aliquos hordeum non uorandum, ſecundum alios cremor dandus.de uict.ra.in morb.acu.com.1º. 7ª.109.D
in Acutis morbis datur panis, & chondrus.de uict. rat.in morb.acu. commen.1º. 7ª.111.B
in Acutis morbis ptiſſana non eſt temere danda.de ptiſ. 2ª.47.H
Acutis febribus aliquoties facit aqua frigida.de ſimp.med. Sp.92.E de aſſ. 2ª.60.D
in Acutis morbis omnibus non probe abluente utimur edulio. de uict. rat.in mor.acu.com.1º. 7ª.111.G
in Acuta febre Petronæ uictus ratio.de uictus ratione in mor. acutis. commen.1º. 7ª.110.H
in Acutis quñ ſolus datur potus.de uic.rat.in mor.acu.cõ.3º. 7ª.133.D
in Acutis quando conueniat uinum dulce.de uic.ratione in mor. acut. commen.3º. 7ª.126.B
quibus Acutis melicratum, & mulſa ſint idonea.de uic.rat. in morb. acu.com.3º.127.C| 7ª.128.E
in Acutis mel bileſcit.de uic.rat.in mor.acu.com.3º. 7ª.128.B
in Acuta febre quõ ſomnus conciliandus ſit.de dynami. Sp.32.G
in Acutis quando uſus ſit adſtringentibus Galenus.de uic.rat.in mor. acu.com.1º. 7ª.111.G
in non Acutis morbis ſunt pauca medicamẽta à Cnidijs ſcripta. de uic. rat.in mor.acut.com.1º. 7ª.108.F
pro Acutis morbis potiones.de uic.rat.in mor.acu.com.3º. 7ª.131.G
in Acuto morbo uena ſecanda. de bon. & uitio ſuc. 2ª.34.C| præſ.exper.confir. Sp.78.D
in Acutiſſimis cur uenam quandoq; non ſecuerit Hippocrates. in.1ᵐ. de mor.uulg.com.3º. 3ª.124.H
in Acutis quibus ſecanda ſit uena brachij dextri interna.de uic.rat.in mor.acut.com.4º. 7ª.137.G
Acuti, & uehementis morbi ubi pericula inſideant, puero ſanguis eſt de trahendus.præſag.exper.confir. Sp.78.A
in Acuta febre non eſt ſecanda uena, in regione ualde frigida, ut Scythia uel ualde calida, ut Aethiopia.de ſectis. Iſa.16.E
in Acuta febre non eſt ſecãda uena in anni tempore multum calido uel multum frigido.de ſectis. Iſ.16.E
in Acuto aſthmate minuuntur uenæ iugulares.de ana.uiu. Sp.55.A
in Acutis morbis cum febre uehementiſſima medicamenta euitanda, ſed uena ſecanda potius, de uic.rat.in mor.acu.com.2º. 7ª.118.C
non Acutorum medicamenta quibus Cnidij utebantur. de uict.rat. in mor.acu.com.1º. 7ª.108.F
in Acutis morbis raro medicamenta exhibemus.de his quos purgare opor.88.H|5ª.89.A|com.1º.aph.24º. Ex.10.E|H
in Acutis morbis circa principia ſtatim, id eſt prima die, euacuãdum, uel non poſt ſecundum.com.1º.aph.14º. Ex.10.G
in Acutis ſolum datur occaſio purgandi in principio.in 1ᵐ.prorrh. cõmen.2º. 4ª.174.D
in Acutis morbis à principio ſoluendũ, ſi humores turgeant.quos pur. opor.quib.med.& quo temp. 5ª.88.G
in Acutis morbis uacuatio inſignis quibus fiat.de uictus rat.in morb. acut.com.2º. 7ª.116.C
ab Acutis morbis eſtate capi aſſuetus quomodo à Galeno ſeruatur.5º. de ſani.tuen. 2ª.93.G
Acutorum morborum præcognitionibus omnibus fidere non debemus. com.2º.aph.19º. Ex.14.C
Acuti morbi qui breui iudicantur inter initia facile præiudicantur. in progno.com.3º. 4ª.207.E
in Acuto morbo extremitates frigidæ & liuidę letales cur. in.3ᵐ.de morb.uul.com.2º.136.C| 3ª.137.F
in Acutis repentina ſanguinis deſtillatio quid ſignificet in æſtate, & au tumno.de uict.rat.in mor.acu.com.4º. 7ª.142.A|H
in Acutis febribus colliquatiuis uires labuntur.1º.met.me. 7ª.77.C
in Acutis abradi interdum inteſtinum, bonum non eſt.de uict. ratio.in mor.acut.com.3º. 7ª.130.C
in Acutis ægritudinibus pernicioſa ut plurimum atra urina eſt. quæſ. in Hippo. Sp.113.E
Acuta febris in tertianam conuertetur, ſi urina turbulenta, & tarde re ſidens in ſynocha fuerit, cum ſanitate intraneorum, quæ per multos dies perſeuerauerit.de dyna. Sp.34.C
in Acutam ægritudinem lapſum cũ male olens urina et hypoſtaſis atra fuerit, non mori impoſſibile eſt.quæſ.in Hip. Sp.113.E
cum Acuta febre frigidi ſudores mortem ſignificant. præſag. expert. conf. Sp.77.F
ad Acutos morbos ſequitur aqua inter cutem.6º.de loc.af. 4ª.36.B
ex Acuto morbo lætalis aqua inter cutem.in prog.com.2º. 4ª.197.F
in Acutis cur aures frigidæ, & contractæ.in prog.com.1º. 4ª.191.D
in Acutis uultus ſimilis ſibi ſano bonus, diſſimilis uero malus.in prog. commen.1º. 4ª.190.G
in Acutis qñ fit intenta cutis circa frontem.in prog.com.1º. 4ª.191.D
in Acutis ſudor multus inutilis.in 1ᵐ.prorrh.com.2º. 4ª.172.G
in Acutis ſurditas mala.in.1ᵐ.prorrh.com.1º. 4ª.167.H
in Acutis, nigris ex deiectionibus ſanguinem ſi deiecerint, pnicioſum. in 1ᵐ.prorrh.com.2º. 4ª.185.B
in Acutis morbis propter quid ἄφωνοι fiunt.in 1ᵐ.prorrheticorum. commen.1º. 4ª.167.H
in Acuto quid ſignificet ulcus.in progn.com.1º. 4ª.194.D
in Acutis cur color uiridis & niger.in progn.com.1º. 4ª.191.D
in Acutis cur feſtucæ euelluntur.in progn.com.1º. 4ª.194.G
Acuti morbi per excretionem iudicantur.in progn.com.2º. 4ª.205.B
in Acutis oculi quomodo caui fiant.in progn.com.1º. 4ª.191.C
in Acutis oculi clauſio mala.in 1ᵐ.prorrh.com.2º. 4ª.175.H
ad Acutas quotidianas in æſtate.de dynami. Sp.32.E
ad Acutas tertianas.de dynamidijs. Sp.32.F
Acutus morbus exigit diligentem curationem.de dyna. Sp.20.A
Acuta febris quomodo curetur.de ſectis. Iſ.16.E
ad Acutas febres omnes rhodoſachara.de dyna. Sp.32.H
in Acutis qui medici laudandi.de uic.rat.in mor.acu.com.1º.7ª.108.G
ad Acutas febres omnes Diacydonium.de dyna. Sp.32.H
ad Acutas febres omnes epithemata.de dyna. Sp.32.G
ad Acutas febres omnes antidotum.de dyna. Sp.32.G
ad Acutum dolorem.de med.exper. Sp.104.A
in Acutum morbum Sexti incidentis caſus.de præcognitione ad Poſthumum. 4ª.218.D
Acuti morbi.lege morbi acuti, & ægritudo acuta.
Acutiſſimum eſt euphorbium.de dyna. Sp.22.B
Acuta eſt lathyris.de ſimp.medicamin. Sp.86.E
Acuta oſſa quæ, & cur.de ſper. Sp.36.C
Acutum ſecat quod contingit.de conſt.ar. Iſ.38.E
Acutus ſapor qualis ſit, & unde oriatur.de ocul. 7ª.188.A
Acuta calida & ſicca ſunt, & quomodo.de ocul. 7ª.188.C
Acuta ſunt ſubtilia & ignea.de ocul. 7ª.187.H
Acuti cibi adurunt.de diſſ.cont. Sp.72.E
Acuti cibi calefaciunt ſanguinem calefactione nimia, & redit plurimũ eius cholera citrina.de diſſol.cont. Sp.72.F
Acuti cibi incidunt, aperiunt, & qui ſint.de diſſ.cont. Sp.72.E
Acuti cibi attenuant corpus, & debilitant.de diſſ.cont. Sp.72.E
Acuti cibi quibus conferant.de diſſ.cont. Sp.72.E
ex Acutorum ciborum continuo uſu plurimum ſanguinis fit cholera nigra, & quandoque generatur lapis in renibus nociturus. de diſſo. cont. Sp.72.F
Acuta eſt, aperitiua, & diſſolutiua medicina, & quomodo ualeat oculis.de ocul. 7ª.189.B
Acuta medicamenta ſæpe accipientes quomodo febrem incidant.1º.de diff.feb. 3ª.31.G
Acutum ſi quis comedat ut piper & aqua calida uinum dilutum bibat, ſingultum incidit.com.6º.aph.39º. Ex.50.H
Acuta non debent eſſe animalium nutrimenta, quorum lacte ſis uſurus. 5º.de ſani.tuen. 2ª.91.H
Acuta maxime appetuntur à grauidis, cur.1º.de ſimp.cau. 3ª.18.C
Acuta lac prohibent.de med.ſa.par. 7ª.166.B
Acuti oculi ſunt concepti in horis melancholiæ.de ſper. Sp.37.C
Acuta lingua peccat in formatione uocis.de anat.uiu. Sp.49.C
Acuta uox quomodo fiat.de uo.& anhel. Sp.61.G
Acuta uox cur fiat.de uo.& anhel. Sp.61.D
Acutæ uoces unde.in.1ᵐ.prorrh.com.1º. 4ª.162.D
Acutos pueros facit cholera rubra.de dyna. Sp.19.E
Acuta eſt ambulatio hominis concepti in horis bilis & melancholiæ. de ſpermate. Sp.37.C
ACYLI auſteri, duri, & inſuaues.de bo.& uitio ſuc. 2ª.36.C
Acyli cur uitandi.de bo.& uitio ſuc. 2ª.36.C
Acyli alijs glandibus magis acerbę.de bo.& uitio ſuc. 2ª.36.C
in Acylis & roborum glandibus & caſtaneis priuatim pro arborum diuerſitate non multum ineſt in fructu diſcriminis.de bonitate & uitio ſuccorum. 2ª.36.D

ADAEQVARE, diſſoluere, perforare, ſi quis uelit, ad hæc ualet Andreæ malagma.10°.de comp.med.ſe.loc. 5ª.207.H
ADAMAS habet plurimum terræ.9°.de ſimp.me.fa. 5ª.64.G
Adamas eſt impatibilis.1°.de ſani.tuen. 2ª.63.A
Adamātē rūpit plūbū, qđ ferrū nō facit.de incā.adiu.& ſuſp.7ª.182.D
ADARCION, uel adarcon, uel adarce quid ſit, & quale.11°. de ſimplicium med. 5ª.83.B
Adarcium, uel adarce quo loco reponatur inter calida quæ conueniunt alopecijs.1°.de comp.me.ſec.lo. 5ª.122.D
Adarce, caliditate ulcus facit.6°.de comp.me.per gen. 5ª.256.B
Adarce conuenit paraly.6°.de ſani.tuen. 2ª.99.F
ADDISCERE pauca multi expetunt, & nihil prætermittere.2°. de criſi. 4ª.136.B
qui Addiſcit medicinam & non exercet, permultum abeſt à perfectione.1°.de die.decre. 4ª.149.E
ADDITAMENTA cordis cur facta ſint.de anat.uiu. Sp.56.D
ADDVCENS indici magnum digitum manus muſculus. de muſcul. diſſ. 1ª.49.B
Adducens tres manus digitos alijs muſculus.de muſ.diſſ. 1ª.48.C
Adducens introrſum totum femur muſculus.de muſ.diſſ. 1ª.51.C
Adducēs femur introrſum, & retrorſum muſculus.de muſ.diſſ.1ª.50.F
Adducens femur ad aliud femur leniter muſculus.de muſ.diſſ. 1ª.50.H
Adducens uinculum Hippocratis.de faſcijs. 7ª.299.E
Αδελφιξία id eſt fratratio, appellatur cognatio ab Hip.de articulis.commen.3°. 7ª.280.F
ADEN quid.fin.med. Iſ.49.B
Adenum natura eſt exanguis & frigida, præſertim eorum qui ſunt in mammis.com.5ª.aph.40°. Ex.41.D
Adenes qualia corpora.2°.de diff.feb. 3ª.41.A
Ade·es ex ſe gubernantur.ars med. Iſ.63.B
Adenum duplex uſus, & qui.2°.de ſemi. 1ª.340.D
Adenes ſenſu carent.de mult. 3ª.77.G
Adenes ſunt ex illis partibus, quæ in homine ſunt laxiores, & humidiores.9°.de ſimp.me.fa. 5ª.65.H
Adenes apti ad ſuſcipienda excrementa, cur. de cur.rati. per ſang.miſ. 6ª.17.H/.13°.metho.med.7ª.80.H/com.3°.apho.26°. Ex.25.G
ad Adenas & aures cur materia à capite tranſmittatur. 2°. de differ. febrium. 3ª.40.H
Adenibus robuſtiores ſunt arteriæ, uenæ, muſculi, & nerui.13°. metho. medendi. 7ª.80.H
Adenes non habent pulſationem.2°.de loc.aff. 4ª.9.B
in Adenibus ſtruma.13°.meth.med. 7ª.80.A
Adenes ubi ſunt, ibi fiunt tubercula.com.3°.apho.26°. Ex.25.G
Adenes ſecus aures cur quandoq; intumeſcant.13°.meth.me. 7ª.81.A
Aden, os, & membranula, ſatis ſunt oſſibus narium colatorijs tegendis 9°.de uſu par. 1ª.172.C
Adenes circa maxillas ſuſcipiunt ea quæ in febribus tranſmittuntur ad caput.com.4°.apho.31°. Ex.30.H
Adenes in collo cur quandoq; intumeſcunt.13°.meth.me. 7ª.81.A
Adenes inſunt alis, & inſunt inguinibus.com.4°.apho.31°. Ex.30.H
Adenes q ſunt circa alas ſuſcipiūt ſupfluitates.cō.4°.aph.31°.Ex.30.H
Adenes q inſūt mām̄is quales ſūt, et quā uim hñt.c.5.aph.39°.Ex.41.C
Adenes mammarum quanto frigidiores hepate, tanto lac frigidius ſanguine.com.5°.apho.40°. Ex.41.D
Aden in medio brachij.2°.de diff.fe. 3ª.41.B
Adenes tumidi, ſunt bubones.13°.meth.me. 7ª.81.A
Adenes multi in inguinibus.com.3°.aph.26°. Ex.25.G
Adenes duo teſticulorū attrahentes, & purgātes ſperma.de ſp.Sp.36.F
Adenum paſſiones.2°.de arte cur.ad Glau. 7ª.101.D
Adenum excedentium naturam curatio.intro. Iſ.59.H
ad Adenes eliquandos.5°.de comp.med.per gen. 5ª.248.C
Adenū robori nō ē cōſulēdū ſi phlegmōe laborēt.13°.me.med. 7ª.84.E
Adeni, quæ cœpit phlegmone urgeri, apponit lanam ex oleo calente.13°. metho.med. 7ª.81.E
ꝑ Adenū phlegmone macedonicū medicamentū.13°.meth.me. 7ª.81.B
ADIPIS anatomia quarto loco cōſideranda.1°.de ana.ad. 1ª.64.B
Adeps 1ª.& ſimpliciſs.particula ē quo ad ſenſū.1°.de ele.6.D/E/1ª.7.E
Adeps eſt pars ſimilaris.de nat.hum.com.1°. 1ª.26.C
Adipis cauſa materialis non eſt ſperma.de anat.uiu. Sp.55.G
Adipis cauſa materialis eſt unctuoſitas ſanguinis, frigiditas & humiditas efficiens.de anat.uiu. Sp.55.G
Adepš ex frigiditate gignitur.1°.de tem. 1ª.18.D
Adeps ex quibus fiat.3°.de ſimp.me.fa. 5ª.17.D
Adeps exanguis, eſt tamen ex ſanguine factus.2°.de nat.fac. 1ª.297.E
Adipis ſitus vbi ſit.de anat.uiu. Sp.55.G
Adeps adiacet membranis.1°.de temp. 1ª.15.C
Adeps naſcitur ad internam membranam cutis.1°.de temp. 1ª.18.D
Adeps neruoſis, & mēbranoſis ptibꝰ eſt affuſa.16°.de uſu par.1ª.214.H
Adipis utilitas, & origo 16°.de uſu par. 1ª.214.H
Adeps, et medulla ptes āialis, et q̄, et earū iuuamētū.đ an.ui. Sp.44.D
Adeps habet ſimilem functionem in omni parte.6°.de decr. 1ª.266.B
Adeps ex ſe gubernatur.ars med. Iſ.63.B
Adeps non indiget neruis.16°.de uſu par. 1ª.214.H
Adeps non dolet, quia non ſentit.de conſt.ar. Iſ.38.C
Adeps & pinguedo differunt.2°.de ſimp.med.fa. 5ª.12.C
Adeps & pinguedo quomodo differant.11°.de ſimp.med.fa. 5ª.78.H
Adeps eſt multo ſiccior pinguedine.3°.dc ali.fac. 2ª.27.D
Adeps & pinguedo utrunq; oleoſum eſt.3°.de ali.fac. 2ª.27.D
Adeps inſtar olei pinguis eſt.16°.de uſu.par. 1ª.214.H
Adeps, & pinguedo confunduntur.11°.de ſimp.med.fa. 5ª.78.H
Adeps dicitur pingue ob craſſitiem.4°.de ſimp.me.fa. 5ª.25.E
Adeps qualis.1°.de com.med.per gen. 5ª.210.H
Adeps ſequitur animalis tēperamētū.7°.de cōp.me.per gen. 5ª.263.E
Adeps eſt humidum & calidum ſecundū exuperantiā.1°.de ele. 1ª.6.E
Adeps qūo probatur eſſe calidus.3°.de ſimp.med.fac. 5ª.17.G
Adeps humidus dicitur à prædominio.1°.de temp. 1ª.12.G
Adeps humidior cerebro.1°.de temp. 1ª.15.C
Adipē humidiſſimā eſſe cōmode dictū eſt ueteribus.1°.de temp. 1ª.17.G
Adeps calfacta liquatur, quoniam cogitur per id quod ualde eſt frigidū. 1°.de temp.1ª.15.D/de anat.uiu. Sp.44.G
Adeps non facile funditur, & facile coit.11°.de ſimp.med.fa. 5ª.78.H
Adeps cur congeletur.1°.de temp. 1ª.15.C
Adeps nō pōt coire circa iecur, uenas, arterias, aut cor.1°.de tē.1ª.15.A
Adeps ob quid exiccetur, & indureſcat.16°.de uſu par. 1ª.214.H
Adeps eſt potius carniū condimentū q̄ alimentū.3°.de ali.fa. 2ª.27.D
Adeps parum nutrit.3°.de ali.fac. 2ª.27.D
Adipem, aut pinguedinem obtinent quæcunq; bene nutriuntur. 11°.de ſimplicium med.fac. 5ª.78.G
Adipis abūdātiā exercitatio minuit.in 6^{m}.de mor.uul.cō.3°. 3ª.170.C
Adipis plus habentes, plus habent frigidi, & humidi.1°.de tēp. 1ª.18.E
Adipis pluris cauſa.1°.de temp. 1ª.18.F
Adipes diuerſarum animalium quomodo digerant & emolliant.7.°.de compoſi.med.per gen. 5ª.264.A
Adipum differentiæ ut acopa.7°.de comp.me.per gen. 5ª.269.F
Adipum comparatio in caliditate.11°.de ſimp.med.fa. 5ª.79.B
Adipum gradus ſm animalia.7°.de comp.med per ge.264.A/E/5°.de ſimp.med.fa.5ª.34.E/2°.de arte cur.ad Glauc. 7ª.104.A
Adeps agreſtum animalium acrior eſt & ſiccior quàm domeſticorum. 5°.de ſimp.med.fa. 5ª.34.B
Adeps animalium in urbibus altorum humidior eſt, & craſſior.3°.de comp.med.per gen. 5ª.232.H
Adipem minus calidum perfectis habent iuuenilia in omni animante.1° de comp.med.per gen. 5ª.216.G
Adeps marium ſemper calidior fœminarum, & non caſtratorum eorū qui ſunt caſtrati.11°.de ſimp.me.fa. 5ª.79.A
Adeps tenuium partium, & acris in quibus ſit animalibus.3°. de compoſitione med.per gen. 5ª.233.H
Adeps anſerinus gallinaceus, ſuillus, & uitulinus parum differunt.1°. de comp.med.per gen. 5ª.217.F
Adeps anſerinus qualis.7°.de comp.med.per.gen. 5ª.263.E
Adeps anſerinus laudatur, ſed ſylueſtris.3°.de compoſitio. medicamen. per gen.233.H/4°. 5ª.242.A
Adipem anſerinum præfert omnibus in medicamento gratia ſedandi doloris.1°.de com.med.per gen. 5ª.115.A
Adeps anſeris quo loco reponatur inter calida quæ ualent alopecijs.1°. de comp.med.ſec.loc. 5ª.122.D
Adeps anſerinus in quo ordine ſit inter adipes acopos.7°.de compoſit. medica.per gen. 5ª.269.F
Adcps anſerinus curatus.9°.de comp.med.ſec.loc. 5ª.204.G
Adeps anſerinus odoramētis conditus.7°.de cōp.me.per gen. 5ª.272.E
Adeps anſerinus ſuillo calidior.11°.de ſimp.med.fac. 5ª.79.A
Adeps anſerinus ꝙ gallinaceo ſit fortior.2°.de ſimp.me.fa. 5ª.12.D
Adeps anſerinus ualētior adipe gallinarum & gallorum.5°.de ſimpli. medica-

medicamentorum facul. 5ª.34.E
Adeps anſerum ad digerendum potẽtior adipe gallinaceorum.5°.de ſimplicium medic.fac. 5ª.34.B
Adeps anſerum tenuium partium.3°.de comp.med.per gen. 5ª.232.H.
*Adeps anſerũ ſubſtantia tenuior gallinaceo.5°.de cõp.med.fac.*5ª.34.B
Adeps anſerũ ſylueſtriũ tenuiũ partiũ.3°.de cõp.me.per gen. 5ª.232.H
Adeps anſerinus exiccat citra moleſtiã.2°.de cõp.me.ſec.loc. 5ª.134.F
Adeps anſerinus laxat.7°.de comp.med.per gen. 5ª.264.E
Adeps anſerinus q̃uo ĩ doloribus ualet.3°.de cõp.me.ſec.loc. 5ª.142.A
Adeps anſerinus doloroſas omnes affectiones iuuat.3°.de compoſitione medic.ſec.loc. 5ª.141.H
Adeps anſerinus pro inflammatione cum dolore. 2°. de arte curat. ad Glauc. 7ª.104.G
Adeps anſerinus oleo roſaceo coniunctus inflammationibus medetur. de ther.ad Piſo. 5ª.93.F
*Adeps anſerũ familiariſſimus phlegmonis.5°.de ſimp.medi.fa.*5ª.34.B
Adeps anſerinus liquatus in oleo rutæ ſanat dolores ex intemperie cũ mordicatione.2°.de ſimp.med.fac. 5ª.12.D
Adeps anſerinus q̃ ĩ alto mordicãt obtũdit.11°.de ſim.me.fa. 5ª.79.A
Adeps anſerinus imponitur mordacia & acria per aluum excernentibus.1°.de ſimp.med.fac. 5ª.8.B
Adeps anſerinus pro reſolutione tumoris ne aliquid duri remaneat. 2°. de arte cur.ad Glauc. 7ª.105.F
ꝑ *Adipe anſerino gallinaceus ſumẽdus ẽ.1°.de cõp.me.ꝑ gen.*5ª.215.A
ꝑ *Adipe anſerino ſuillus adeps.2°.de arte cur.ad Glauc.* 7ª.105.F
Adeps anſerinus pro adipe hyænæ.1°.de comp.med.ſec.loc. 5ª.122.F
Adeps boum qualis.4°.de comp.med.per gen.239.E/7°. 5ª.263.F
Adeps bubulus in quo ordine ſit inter adipes acopos.7°.de compoſitione medic.per gen. 5ª.269.F
Adeps bouis acer.4°.de ſimp.med.fac. 5ª.25.E
Adeps bubulus calidior ſuillo, & uehemẽtius digerit.1°.de compoſitione medic.per gen. 5ª.216.G
Adipem habent capræ & boues, & cur.11°.de ſimp.med.fac. 5ª.78.H
Adeps caprarum qualis.7°.de comp.med.per gen. 5ª.263.F
Adeps caprinus in quo ordine ſit inter adipes acopos.7°. de compoſitione medic.per gen. 5ª.269.F
*Adeps caprarũ minus calidus q̃ hircorum.11°.de ſim.med.fac.*5ª.79.B
Adeps capræ acrior ſuillo & uitulino.5°.de ſimp.med.fac. 5ª.34.B
Adeps caprinus in quibus ualet.11°.de ſimp.med.fac. 5ª.78.H
Adeps caprinus aduerſiſſimus ẽ adſtrigẽtibus.1°.de ſim.me.fa. 5ª.8.B
Adeps caprinus potius quam ſuillus cur tineſmoſis & dyſentericis imponatur.1°.de ſimp.med.fac.8.B/11°. 5ª.79.A
Adeps caprinus emollit ſcirrhum.5°.de ſimp.med.fac. 5ª.33.G
Adeps caprinus indurata iuuat.5°.de ſimp.med.fac. 5ª.34.E
*Adipẽ capræ nõ adhibemus oculis.in 6m.de morb.uul.cõ.6°.*3ª.196.D
ꝑ *Adipe caprino cera.8°.meth.med.* 7ª.53.F
*Adeps crocodili contra læſiones ab ipſo factas.de ther.ad Piſ.*5ª.94.A
Adeps gallinaceus qualis.7°.de comp.med.per gen. 5ª.263.F
Adeps gallinaceus in quo ordine ſit inter adipes acopos.7°.de compoſitione.med.per gen. 5ª.269.F
Adeps agreſtium gallorum & gallinarum eſt tenuium partiũ. 3°.de cõpoſ.med.per gen. 5ª.232.H
Adeps gallorum & gallinarum eſt in medio anſerini & ſuilli.11°.de ſimplicium med.fac. 5ª.79.A
Adeps gallinaceus laxat.7°.de comp.med.per gen. 5ª.264.E
Adeps gallinarum indurata iuuat.5°.de ſimp.med.fac. 5ª.34.E
Adeps gallinaceus doloroſas omnes affectiones iuuat.3°.de comp.med. ſec.loc.141.H/ 5ª.142.A
Adeps gallinaceus liquatus in oleo rutæ, ſanat dolores ex intemperie cum mordicatione.2.de ſimp.med.fac. 5ª.12.D
Adeps gallinaceus imponitur mordacia & acria per aluum excernentibus.1°.de ſimp.med.fac. 5ª.8.B
Adeps gallinaceorum familiariſſimus phlegmones. 5°. de ſimplicium medi.fac.5ª.34.B/2°.de arte cur.ad Glauc. 7ª.104.G
ꝑ *Adipe gallinaceo ſuillus.1°.de comp.med.per gen.5ª.215.A/2°.de arte cur.ad Glauc.* 7ª.105.F
Adeps hædorũ minus calidus ẽ quã caprarũ.11°.de ſim.me.fa. 5ª.79.B
Adeps hircinus qualis.3°.de comp.med.per gen.233.H/7°. 5ª.263.F
Adeps hirci morſibus medetur.2°.de ſimp.med.fac. 5ª.12.C
Adeps hyenę qualis.4°.de comp.med.per gen. 5ª.242.A
Adeps hyenæ tenuium partiũ.3°.de cõp.med.per ge.232.H/ 5ª.233.H
Adeps hyenę in quo ordine ſit inter adipes acopos. 7°. de compoſitione medic.per gen. 5ª.269.F
Adeps hyenæ quo loco reponatur inter calida quę ualent alopecijs.1°. de comp.med.ſec.loc. 5ª.122.D
pro *Adipe hyænæ anſerinus.1°.de comp.med.ſec.loc.* 5ª.122.F
Adeps infantis informis ad quid utilis.1°.de com.med.ſec.loc. 5ª.125.B
Adeps leoninus qualis.7°.de comp.med.per gen. 5ª.263.E
Adeps leoninus in quo ordine ſit inter adipes acopos.7°.de compoſitione medic.per gen. 5ª.269.F
Adipis leonini ſit mentio.6°.de comp.med.per gen. 5ª.261.F
Adeps leonis quo loco reponatur inter calida quæ ualent alopecijs. 1°. de comp.med.ſec.loc. 5ª.122.D
Adeps leonis eſt tenuiũ partiũ.3°.de cõp.me.per gen.232.H/ 5ª.233.H
Adeps leonis cæteris potentius digerit.11°.de ſimp.med.fac. 5ª.79.B
*Adeps leonum quæ iuuet, & quibus obſit.11°.de ſimp.med.fac.*5ª.79.B
Adeps leoninus tumoribus inueteratis, & ſcirrhi in morem induratis, tum neruorum curuaturis, & quæcunq; ſcirrhoſa ſunt conuenit.11°. de ſimp.med.fac. 5ª.79.B
ex *Adipe leonino, & taurino, pice, reſina, & terebinthina medicamentum.2°.de arte cur.ad Glauc.* 7ª.105.A
Adeps leoninus odoramẽtis cõditus.7°.de cõp.med.per gen. 5ª.272.E
Adeps ouis acer eſt.4°.de ſimp.med.fac. 5ª.25.E
Adeps pardalis quo loco reponatur inter calida quæ ualent alopecijs. 1°.de comp.med.ſec.loc. 5ª.122.D
Adeps pardi qualis.3°.de compoſitione medic. per gen.232. H/ 233. H/ 4°.242.A/7°. 5ª.263.E
Adeps pardi in quo ordine ſit inter adipes acopos. 7°. de compoſ.medi. per genera. 5ª.269.F
Adeps phaſiani in renum calculo.de ren.af.dig & med. 7ª.193.H
Adeps piſcium ad ſuffuſiones facit.11°.de ſimp.med.fac. 5ª.79.E
Adeps ſciuri.3°.de comp.med.ſec.loc. 5ª.142.G
Adeps ſuillus qualis.7°.de comp.med.per gen. 5ª.263.F
Adeps ſuillus in quo ordine ſit inter adipes acopos. 7°. de compoſitione medic.per gen. 5ª.269.F
Adeps ſuillus & oleum & ſimilia: quo differant.1°.de compoſitione medicamentorum per gen. 5ª.211.A
Adeps ſuillus quomodo differat ab oleo ueteri.4°.de compoſitione medicamentorum per gen. 5ª.240.A
Adeps ſuillus elaboratus.1°.de comp.med.per gen. 5ª.217.B
Adeps ſuillus recens curatur.7°.de comp.med.per gen. 5ª.263.H
Adipis ſuilli ueteris ſit mentio in medicamento quodam.10°.de compoſitione med.ſec.loc. 5ª.208.A
Adeps ſuillus molliens imbecillum.7°.de comp.med.per gen. 5ª.263.H
Adeps ſuillus molliſſimus, tempore acrimoniam acquirit.3°. de compoſitione med.per gen. 5ª.233.H
Adeps ſuillus laxat.7°.de comp.med.per gen. 5ª.264.E
Adeps ſuillus emplaſticus.4°.de ſimp.med.fac.25.E/5°. 5ª.34.D
Adeps ſuillus mouet pus.5°.de ſimp.med.fac. 5ª.34.B
Adeps ſuillus imponitur, mordacia & acria per aluum excernentibus. 1°.de ſimp.med.fac. 5ª.8.B
Adeps ſuillus phlegmonis familiariſſimus ẽ.5°. de ſim.me.fac. 5ª.34.B
Adeps ſuillus utilis eſt ulcerato capiti ex medicaminum impoſitione.de remed.par.fac. 7ª.154.H
Adeps p̃ſertim ſuillus ĩ ulceribus uitãdus.4°.de cõp.me.ꝑ ge. 5ª.236.H
Adeps ſuillus quibus non conuenit.11°.de comp.med.fac. 5ª.79.C
Adeps ſuillus uetus ꝓ oleo ueteri uẽdit̃.4°.de cõp.me.ꝑ gen. 5ª.240.A
Adeps ſuillus pro anſerino, & gallinaceo. 2°.de arte curatiua ad Glauconem. 7ª.105.F
Adeps taurinus qualis.3°.de comp.med.per gen.233.H/7°. 5ª.263.F
Adeps tauri eſt acrior ſuillo, & uitulino.5°.de ſimp.med.fac. 5ª.34.B
Adeps taurorum calidior & ſiccior ſuillo.11°.de ſimp.me.fac. 5ª.79.B
Adeps taurorũ minus calidũ eſt q̃ leonum.11°.de ſimp.me.fac. 5ª.79.B
Adeps taurinus ualentior eſt adipe caprarũ.5°.de ſimp.me.fac. 5ª.34.E
*Adeps taurin⁹ ẽ medius ĩter ſuillũ & leoninũ.11°.de ſim.me.fa.*5ª.79.B
Adeps tauri uetuſtus acris eſt & tenuium partium.3°. de compoſitione medic.per gen. 5ª.233.H
Adeps taurinus curatus.6°.de comp.med.per gen. 5ª.257.B
Adeps taurinus emollit ſcirrhum.5°.de ſimp.med.fac. 5ª.33.G
Adeps taurinus miſcetur utriq; medicamento, & ei quod ſcirrhoſis medetur, & ei q̃d phlegmonas concoquit.11°.de ſimp.med.fac. 5ª.79.B
Adipis taurini ſubacti ſit mentio.9°.de comp.med.ſec.loc. 5ª.200.D
Adipem uiperarum non ſinere pilos ſub alis euulſos creſcere falſum eſt & etiam ſuffuſionum initia ſanare.11°.de ſimp.med.fac. 5ª.79.E

*Adeps uitulinus eſt taurino minus calidus.*11°.*de ſim.med.fa.* 5ª.79.B

*Adeps uitulinus ora ulcerum indurata emollit.*4°. *de compoſitione medicamentorum per genera.* 5ª.240.A

*Adeps uitulinus mouet pus.*5°.*de ſimp.med.fac.* 5ª.34.B

p *Adipe uitulino ſuillus antiquus.*4°. *de comp.med.per gen.*5ª.239.E

*Adeps urſi eſt tenuium partium.*3°.*de cõp.mc.per ge.*232.H/ 5ª.233.H

*Adeps urſę quo loco reponatur inter calida quæ ualent alopecijs.*1°.*de comp.med.ſec.loc.* 5ª.122.D

*Adipem urſorum alopecias curare uerũ eſt.*11°.*de ſim.me.fac.*5ª.79.E

*Adeps uulpis in quo ordine ſit inter adipes acopos.*7°. *de compoſitione medicamentorum per gen.* 5ª.269.F

*Adipem uulpinum dolores quoſcunq; aurium ſanare non eſt attendendum.*11°.*de ſimp.med.fac.* 5ª.79.E

*Adeps uulpinus ad auris affectiones.*3°.*de cõp.med.ſec.loc.* 5ª.144.D

*Adipis uulpis fit mentio.*3°.*de comp.med.ſec.loc.* 5ª.146.A

*Adipi omnes membranulæ auferuntur,& quomodo paretur.*1°.*de cõp.med.per gen.* 5ª.211.B

*Adeps & medulla uetuſtate fiunt acriora.*5°.*de ſimp.med.fac.*5ª.34.F

*Adeps recens magis conuenit in phlegmone cũ magno dolore, antiquus ſine dolore.*1°.*de compo.med.per gen.* 5ª.211.A

*Adeps recens dolorem leuat.*1°.*de comp.med.per gen.* 5ª.215.C

*Adeps recens non iuuat ad cicatricem inducendam.*1°. *de compoſitione medic.per gen.* 5ª.215.C

Adeps inſulſus uetuſtiſſimus cur ſumendus in emplaſtro ex chalcitide. 1°.*de comp.med.per gen.* 5ª.211.A

*Adeps quadraginta annorũ ulcera ſanat.*4°.*de cõp.me.p ge.* 5ª.240.B

Adeps uetus & recens faciunt quatuor differentias in compoſitione. 7°.*de comp.med.per gen.* 5ª.264.F

*Adeps uetus ꝓdeſt phlegmoni cõtumaci.*1°.*de cõp.med.p ge.* 5ª.211.A

*Adeps inueteratus calidior ſeipſo & tenuior.*11°.*de ſim.me.fa.*5ª.79.C

*Adeps uetus abunde digerit ſine mordicatione.*4°. *de compoſitione medicamentorum per gen.* 5ª.239.E

*Adipem tenuiũ partiũ facit uetuſtas.*1°.*de cõp.med.per gen.* 5ª.211.A

*Adipes tenuiũ partiũ,qui.*3°.*de cõp.med.per gene.*232.H/7°. 5ª.263.F

*Adeps tenuium partium dolorẽ ſedat.*3°.*de cõp.med.per gen.*5ª.232.H

*Adipes mollificantes,qui.*2°.*de arte cur.ad Glauc.* 7ª.104.A

*Adeps qui conuenit teneris corporibus.*7°.*de cõp.med.p gen.*5ª.263.F

*Adeps quando opportunus ſit aſperitati.*2°.*de ſimp.med.fac.* 5ª.12.G

*Adipes oẽs in ulceribus uitandi.*4°.*de comp.med.per gen.* 5ª.236.H

*Adeps collinit & mitigat acres mordicationes.*10°.*de ſim.m.f.* 5ª.73.F

*Adipes ſchirrhum in hepate ſanant.*2°.*de arte cur.ad Glauc.*7ª.104.E

de *Adipibus emplaſtrum.ſecret.* Sp.103.A

*Adipis ſi ſit maior copia in medicamento, digerit fortius.*7°.*de compoſitione medic.per gen.* 5ª.264.G

cum *Adipe plurimo cæpe ſuccus purgat aures.de cathar.* Sp.95.B

*Adeps debet depurari a fibris in aurium doloribus.*3°.*de compoſitione medic.ſec.loc.* 5ª.147.B

*Adeps non poteſt oſtendi in tetrapharmaco, tamen per hoc non eſt dicẽdum quod non inſit.de nat.hum.com.*1°. 1ª.27.B

*Adeps & caro regeneratur non cutis.*3°.*meth.med.* 7ª.19.C

*Adeps ablata cur creſcat.*1°.*de ſemine.* 1ª.332.D

Adipem conſiſtentiam iecinoris, lienis, et pulmonis appellare Eraſiſtratus audet.intro. Iſa.52.F

Adeps & arteria digitorum partes.de ineq.intemp. 3ª.43.D

*Adipis colliquati commune ſignum.com.*7°.*apho.*35. Ex.56.E

*Adipis renum colliquatio quõ cognoſcatur.com.*7°.*apho.*35. Ex.56.F

*Adipis colliquatio eſt, ſi alui excrementum ſit pingue. com.*7°. *aphoriſ.*35°. Ex.56.E

*Adipis omnium partium corporis colliquatio quomodo cognoſcatur. com.*7°.*apho.*35°. Ex.56.F

ab *Adipe ueniunt unguinoſa corpuſcula in urinis.in* 6m.*de morbis uulgar.com.*5°. 3ª.192.A

Adeps quandoq; aufertur.de diff.mor. 3ª.5.A

ADHÆRENTIAM, & *adſimilationem differre docet uitiligo.* 1°.*de nat.fac.* 1ª.292.F

ADHAERERE *indiget tempore.*3°.*de nat.fac.* 1ª.302.E

ADIANTVM, *qui de herbis ſcribunt, magis appellant callitrichũ quam trichomanes.*2°.*de comp.med.ſec.loc.* 5ª.138.C

Adiantum quæ præſtat, eadem præſtat trichomanes. 8°.*de ſimplicium medic.fac.* 5ª.62.G

*Adiantum & polytrichon nõ ſunt idem.*3°.*de med.fac.par.* 7ª.179.D

*Adianti uires.*6°.*de ſimp.med.fac.*5ª.41.E/*de cura icteri.* Sp.111.B

*Adiantum deſiccat, extenuat, digerit, temperatum eſt in actiuis.*6°.*de ſimp.med.fac.* 5ª.41.E

Adiantum in riuis plurimum naſcitur.de bon.aquæ. Sp.75.F

Adiantum aquis prodeſt.de bonitate aquę. Sp.75.E

Αδιαπνευςία *id eſt minor quàm iuſtum ſit excrementi effluxus.*11°.*meth.med.* 7ª.70.H

ADIAPTOTOS *dicta colica.*9°.*de comp.med.ſec.loc.* 5ª.202.B

ADICIALIS *ueſicæ pars. de compagine membrorum, ſiue de natu. humana.* Sp.59.B

Αδηκτα *pharmaca quæ.de remed.par.fac.* 7ª.160.A

ADIECTIO *ſemper fit a natura.com.*1°.*apho.*3°. Ex.3.G

ADIPIMINIBVS *quid conferat de uirt.cent.* Sp.93.G

ADIPSON *catapotium.*8°.*de comp.med ſec.loc.* 5ª.189.G

ADIVMENTORVM *materiam inuenire, eſt magna pars artis medicæ.de conſt.art.* Iſa.40.A

ad *Adiumentorum uſum quæ ſcire oporteat.de conſt.art.* Iſa.41.C

ADIVNCTIONIS, & *agglutinationis differentiam docet anaſarca.* 1°.*de nat.fac.* 1ª.292.F

Adiuncta crura quid faciant in organis.de machin. 7ª.310.E

ADIVVANS *digeſtionem medicina.de med.exper.* Sp.104.A

de ADIVRATIONE. *de in cant.adiurat.& ſuſp.* 7ª.181.F

ADMIRATVR *uulgus peregrina ſpectacula, non admirabilia.*6°.*de loc.affect.* 4ª.42.B

ADMISSARIIS *equis datur cicer.*1°.*de ali.fac.* 2ª.14.B

*Admiſſarij equi ſanguis non facit cruſtam, nec ſepticus eſt, ut quidam dicunt.*10°.*de ſimp.med.fac.* 5ª.73.D

ADMOVENDA *cauſa ſanitatis, quę ſint.*1°.*de ſan.tuen.* 2ª.68.H

ex ADNATIS *accipitur nota ſedis affectæ.*1°.*de loc.aff.* 4ª.2.E

*Adnaſcentes res eſſentiæ proprietatem obtinent.*1°.*de loc.aff.* 4ª.2.F

ADOLESCENTIA *quando ſit.com.*3°.*aphor.*29°.26.B/ *cõ.*5°.*aphor.*9°. Ex.38.D

*Adoleſcentia eſt omnium ætatum optima.com.*3°.*apho.*18°. Ex.23.G

in *Adoleſcẽtia corpus obtinet optimã temperiẽ.*6°.*de ſan.tu.* 2ª.95.F

in *Adoleſcentiam quãdo tranſeunt pueri.in* 6m. *de morbis uulgaribus com.*4°. 3ª.186.H

Adoleſcentes calidi ob ætatem.in 1m.*de morbis uulg.commẽ.*1°.105.A/ *commen.*2°. 3ª.115.E

Adoleſcentes ſunt calidiores pueris ſm aliquos.de uti.reſp. 1ª.225.F

Adoleſcentes ſunt minus calidi pueris.de uti.reſp. 1ª.225.F

*Adoleſcens non eſt ſeni comparandus.*3°.*de ali.fac.* 2ª.26.B

cum *Adoleſcente diſputare eſt infra dignitatem ſenioris. de uenæ.ſec. aduerſus Eraſiſtratum.* 6ª.10.A

*Adoleſcẽtes aptiſſimi ad oẽm actionẽ uoluntariã.*1°.*de ſan.tu.*2ª.64.D

Adoleſcentũ naturæ ad quę pronæ ſint.de cogn.cur.aĩ mor. 2ª.54.A

Adoleſcentes cur inſani.quod animi mores. 1ª.320.H

Adoleſcentes qui uolunt ſe ſaluos fieri inſatiabilitatem fugiãt. de cogn. cur.animi mor. 2ª.55.F

*Adoleſcentes melius ſe habent uere.com.*3°.*aphor.*18°. Ex.23.G

*Adoleſcentes qui ęgrotent.in progn.com.*3°. 4ª.210.C

*Adoleſcentes quibus abundat ſanguis.in prognoſt.com.*3°. 4ª.210.C

Adoleſcentibus ſanguis è naribus ex ratione erumpit.in 1m. *de morbis uulg.com.*2°. 3ª.114.C

Adoleſcentis caſus qui excernebat rubidam profluuiem.in 1m.*prorrh. commen.*2°. 4ª.171.G

*Adoleſcẽtes in aqua ſanguiſugis plena ludebãt.*4°.*de loc.aff.* 4ª.26.A

*Adoleſcentium duorum caſus, qui uario modo didicerunt pulſus.*3°.*de diff.pulſ.* 4ª.69.F

*Adoleſcentis epileptici caſus, cui a crure ueluti aqua frigida uidebatur aſcendere.*3°.*de loc.aff.* 4ª.19.E

Adoleſcentis caſus ex laſſitudinibus febrientis.in 3m. *de morbis uulga. commen.*2°. 3ª.137.E

ADRASTIAE *lex qualis.*6°.*de uſu par.* 1ª.152.E

ADRIANVM *ſequutus ẽ Antoninus.ad eos, q de typ.ſcrip.* 3ª.91.H

*Adrianus ĩpator eruit oculũ ſeruo ſuo ſtylo.de cog.cur.aĩ mor.*2ª.51.H

*Adrianum uinum quale.*4°.*de ſan.tuen.*85.H/5°. 2ª.90.H

*Adriani uini fit mentio.*2°.*de antid.* 5ª.116.F

*Adrianum uinum auſterum.*7°.*meth.med.* 7ª.45.F

*Adrianum uinum quibus dandum.*7°.*meth.me.* 7ª.47.B

*Adriano & Sabino uino Titacazenum & Ariuſium ſunt ſimilia.*5°.*de ſanitate tuen.* 2ª.90.H

Adrianum balſamatum utile eſt nephriticis, & turbulentam urinam facientibus, & in ueſica lapidem habentibus.de dyna. Sp.28.B

Adſtrictio quid

ADSTRICTIO qđ ſit ſecundum Methodicos.de op.ſecta. Iſ.26.F
Adſtrictio,& profluuium in eodem foramine conſiſtere nequeunt. de ſectis. Iſ.18.H
Adſtrictionẽ facere põt aer frigidus et aqua frigida.de cau.mor.3ª.7.h
Adſtrictum ꝙ eſt ἀθρόον.i.ſimul totum eſt.com.7°.aph.35°. Ex.56.F
Adſtrictionem facit caſeus.de uict.rat.in mor.acu.com.4°. 7ª.145.D
Adſtrictio alui in febre fit luna in coniunctione ſolis,ſaturno in tetragono.de decu.progn.ex math.ſcientia. Sp.13.A
Adſtrictam aluum cur ferè ſemper habeant melãcholici.de Mel. ex Gale.& Ruff.& Poſſ. Sp.109.E
ex Adſtrictione quomodo fiat calor.de cau.mor. 3ª.6.F
ob Adſtrictionem accenditur febris.præſa.exper.conſ. Sp.77.D
ob Adſtrictionem q̃uo fiat febris.preſag.exper.conſ. Sp.77.D
Adſtrictio quid.3°.de ſimp.med.fac. 5ª.21.D
Adſtrictio eſt qualitas guſtus.de nat.hum.com.1°. 1ª.28.H
Adſtrictionis natura quæ.3°.de ſimp.med.fac. 5ª.21.G
Adſtrictio ẽ opus craſſe,& terrenæ ſubſtãtiæ.7°.de ſim.me.fa. 5ª.50.F
Adſtrictio à frigido uincente perficitur.4°.de ſimplicium med. faculta. 27.C/9°.66.C. 5ª.68.C
Adſtrictio iuncta frigiditati facit aliud frigiditatis genus q̃ ſit frigiditas puræ aciditatis.4°.de ſim.me.fac. 5ª.25.B
ꝑ Adſtrictionẽ q̃uo cognoſcant q̃ refrigerãt.4°.de ſim.me.fa. 5ª.26.B
Adſtrictio ſubit in altũ cum à caliditate ducit.7°.de ſimp.me.fa.5ª.53.G
Adſtrictionis cuiuſdam eſt particeps pyrum,uinum,malum,roſa.3°.de ſimp.med.fac. 5ª.21.E
Adſtrictione participant amomum,ſpica nardi,& malabathrum.3°.de com.med.per gen. 5ª.234.F
Adſtrictionis aliquid habet ſalſus ſapor.de ſim.me.fa. 5ª.8.G
Adſtrictio deprehenditur in galla & rhu.4°.de ſimp.me.fa. 5ª.25.E
Adſtrictorium multum eſt alumen.6°.de comp.med.ſe.lo. 5ª.169.H
ab Adſtrictione non degenerat uinum aquoſum.de uict.rat. in morbis acut.com.3°. 7ª.125.G
Adſtrictio ad coctionem facit.7°.de ſim.me.fa. 5ª.53.C
cũ Adſtrictiõe cõcoquẽdi uim hẽt crocus.7°.de cõp me.ſe.lo.5ª.179.A
citra Adſtrictionem cibi facile ſubſident.2°.de ali.fac. 2ª.16.G
Adſtrictio q̃uo faciat penetrare,& quæ.3°.de ſimp.me.fa. 5ª.21.G
Adſtrictoria qualitas ꝑdñat̃ ĩ ſtomachicis.8°.de cõ.me.ſe.lo. 5ª.193.A
ab Adſtrictione uel acredine naſcitur aſperitas.de ptiſ. 2ª.47.E
Adſtrictio in quo potiſſimũ conſideranda.4°.de ſimp.me.fac. 5ª.26.A
Adſtrictio eſt in ſubſtantijs glutinantibus.6°.de ſim.me.fa. 5ª.45.A
citra Adſtrictionem refrigerantia,& corporis ſubſtantia tenui, febri hecticæ extrinſecus admota conueniunt..10°.meth.med. 7ª.64.H
Adſtrictio pyri,mali,mali punici ſuauis eſt.3°.de ſimp.me.fac.5ª.20.D
Adſtrictio æris ſquamæ ingrata eſt & medicamentoſa. 3°.de ſimpliciũ medic.fac. 5ª.20.D
Adſtrictio aloes ingrata eſt & medicamẽtoſa.3°.de ſim.me.fa.5ª.20.D
Adſtrictio quibus inimica ſit.3°.de ſim.me.fac. 5ª.18.H
Adſtrictione non indigent pectus,& pulmo.11°.meth.med. 7ª.73.B
Adſtrictio cõuenit inducẽdis cicatricibus.1°.de cõp.me.ꝑ ge. 5ª.214.A
Adſtringens uocabulum generale.2°.de loc.aff. 4ª.11.F
Adſtringentes quid ſignificet.2°.de loc.aff. 4ª.11.F
Adſtringens quid ſit.3°.de ſimp.me.fac.21.D/4°.de comp.med. per ge. 5ª.239.F/4°.meth.me. 7ª.28.H
Adſtringens auſterum,acerbum,tria hæc ſaporis nomina, unam qualitatem ſignificant.2°.de ali.fac.19. F/9°.de ſimp. med.fac. 64.C/.3°. de comp.med.ſe.loc. 5ª.147.F
Adſtringens genus eſt auſteri & acerbi.2°.de ali.fac.2ª.19.F/1°. de ſimpli.med.fac. 5ª.9.A
Adſtringit auſterum,ſed acerbum magis.2°.de loc.aff. 4ª.12.D
Adſtringẽtia q̃ dñr auſtera & acerba.5°.de comp.med.ꝑ gen. 5ª.246.C
Adſtringunt tum auſtera,tum acerba,ſed per magis & minus inter ſe differunt.4°.de ſimp.me.fa. 5ª.25.H
Adſtringentia,auſtera,& acerba quo differũt.1°.de ſim.me.fa. 5ª.8.H
Adſtringunt debilius acerbis auſtera.6°.de comp.med.ſec.lo. 5ª.172.F
Adſtringens pro una ſpecie ſaporis.1°.de ſim.med.fac. 5ª.8.G
Adſtringentia quidam uocant acria.11°.de ſimp.med.fac. 5ª.79.C/D
Adſtringere quæ dicta ſint falsò ab antiquis.1°.de ſim.med.fa. 5ª.7.H
Adſtringẽtia qualia ſint.4°.de ſim.me.fac.5ª.25.F/3°.met.me.7ª.19.D
Adſtringẽtia habẽt aliã qualitatẽ,& quã.3°.de ſimp.me.fac. 5ª.20.E
Adſtringentia iudicat guſtus.8°.meth.med. 7ª.51.A
Adſtringentes qualitates ſunt qualitates guſtus non medicamentorum facultates.5°.de ſimp.med.fac. 5ª.38.H
Adſtringentibus quæ oppoſita ſint.1°.de ſimp.med.fac. 5ª.8.G
Adſtringens eſt terreſtre frigidum.4°.de ſimplicium med.facul.26.D/5°.38.H/6°. 5ª.44.F
Adſtringentia uehementer refrigerant.1°.de cõp.med.ſe.lo. 5ª.125.E
Adſtringentia acida,frigida.4°.de ſimp.med.fac. 5ª.26.D
Adſtringentia poſſunt colligi.com.2°.aph.20°. Ex.14.D
Adſtringentia quæ ſint.5°.de comp.medi.per gen.247.C/ 9°.de ſimpli. med.fac. 5ª.64.C
Adſtringens uinorum qualitas ab acida ſeparata eſt, ut bonitas à uitio.aduerſus Lycum. Ex.63.H
Adſtringentia uina generoſa ſunt.aduerſus Lycum. Ex.63.H
de Adſtringentibus pharmacis & eorum differentia. 4°.de compoſit. medic.ſec.lo. 5ª.149.G
Adſtringentis ſucci diſcrimina.de bo.& uit.ſuc. 2ª.36.C
Adſtringentium gradus qui.1°.de comp.me.ſec.loc. 5ª.129.E
Adſtringẽtia diuerſa q̃ hñt effectus diuerſos.3°.de ſimp.me.fa.5ª.20.D
Adſtringẽtia olea.1°.de cõp.me.p gen.5ª.211.D/13°.met.med. 7ª.83.G
Adſtringendi uim habens oleum.11°.meth.med. 7ª.72.G
Adſtringunt cum caliditate oleum cyprinum & lentiſcinum.2°. de cõpo.med.per gen. 5ª.220.F
Adſtringit oleum Hiſpanum.1°.de comp.med.per gen. 5ª.211.B/214.A 8°.meth.med. 7ª.51.D/11°.75.D
Adſtringit oleum omphacinum.1°.de cõp.me.per gen. 5ª.214.A
Adſtringit oleum Hiſtricum.1°.de comp.med.per gen.5ª.211.B/11°.metho.med. 7ª.75.D
Adſtringit parum,& amaricat oleum Hiſtricum.1°.de comp.medica. per gen. 5ª.214.A
Adſtringit uehementer oleum Hiſtricum.11°.meth.me. 7ª.72.G
Adſtringit oleum myrtinum.2°.de comp.me.per gen.5ª.220. F/11°.metho.med. 7ª.72.H
Adſtringit magis oleum myrteum,& melinum oleo Hiſpano & Hiſtrico.1°.de comp. medic.per gen. 5ª.211.B
Adſtringentia parum oleoſa,quæ.4°.de comp.med.per gen. 5ª.237.F
Adſtringentia leuia. 5°. meth.med. 7ª.31.G
Adſtringentia mediocriter,quæ.4°.de cõp.med.ſec.loc. 5ª.149.G
Adſtringendi uis quibus modica ſit. 8°.meth.med. 7ª.51.C
Adſtringentia moderate arida.6°.de comp.med.ſec.loc. 5ª.172.G
Adſtringit moderate ladanum.1°.de comp.med.ſe.lo. 5ª.125.E
Adſtringunt modice nardina.14°.meth.med. 7ª.92.B
Adſtringit modice purpura,& optima nardus.8°.meth.med. 7ª.53.C
Adſtringit moderate crocus.7°.de ſimp.med.fac.53.C/4°.de comp.me. ſec.loc.5ª.151.D/14°.meth.me. 7ª.92.B
Adſtringit ſolanum mediocriter.10°.meth.me. 7ª.65.B
Adſtringũt mediocriter è glaucio medicamẽta.14°.meth.me. 7ª.92.D
Adſtringunt parum roſæ.4°.de comp.med.ſec.loc. 5ª.151.C
Adſtringit ſal.9°.de ſim.me.fa. 5ª.68.F
Adſtringit ſal potius q̃ purget.2°.de comp.me.per ge. 5ª.222.A
Adſtringit parum ſal.6°.de compoſ.med.per gen. 5ª.258.D
Adſtringit parum cyperum,& exiccat ſine morſu. 6°.de compoſitione medic.per gen. 5ª.256.F
Adſtringit parum lappæ tertia ſpecies.6°.de ſim.med.fac. 5ª.43.F
Adſtringit,& calfacit parum ſchœni flos.8°.de ſimp.me.fac. 5ª.61.H
cum Adſtringendi modica facultate fortiter reſiccat amomum. 7°.de comp.med.ſec.lo. 5ª.178.G
Adſtringũt ſufficiẽter cortices punicorũ.6°.de cõ.med.ſec.lo. 5ª.168.H
Adſtringit in ſecundo & refrigerat Solanum hortenſe.8°.de ſimp.med. facul. 5ª.62.G
quantũ Adſtringit Solanum,tantum habet craſſæ, & terreæ ſubſtantiæ.2°.de comp.med.ſec.loc. 5ª.136.C
Adſtringant quæ euidenter.1°.de ſimp.med.fac.7.H/4°.de comp.med. per gen. 5ª.239.E
Adſtringentia exigue quæ diſcutiunt.5°.de comp.med.ſec.loc. 5ª.159.B
Adſtringentia uehementius quę.5°.de comp.med.ſec.loc. 5ª.149.G/5°. meth.med. 7ª.31.G
Adſtringit uehementer myrtus.5°.de comp.med.ſec.loc. 5ª.159.B
Adſtringit uehementer rheum.1°.de antid. 5ª106.G
Adſtringunt ualde paliuri folia.8°.de ſimp.med.fac. 5ª.57.G
Adſtringentia uehementer qualia.5°.de ſimp.med.fac. 5ª.39.D
Adſtringit uehementer galla.6°.de comp.med.ſec.loc. 5ª.173.G
Adſtringit efficaciter aloe extrinſecus.de ſim.medicami. Sp.80..A
Adſtringentia uehementer quid faciant.5°.de cõp.me.ſec.loc.5ª.162.H
Adſtringentia uehementiſſima arida.6°.de cõp.med.ſec.loc. 5ª.172.G

Adſtringit fortiter & reſiccat purulenta, alumen ſciſſile. 3°.de compo. med ſec.loc. 5ª.143.A
Adſtringentia fortiora arida.6°.de comp.med.ſec.loc. 5ª.172.G
Adſtringentia fortius ad quæ ualeant.6°.de comp.me.per ge.5ª.259..A
Adſtringens ſummum quod.3°.de ſimp.med.fac. 5ª.21.D/E
Adſtringens ſummum eſt alumen.3°.de ſimp.med.fac. 5ª.21.D
Adſtringit magis alumen ſciſſum q̃ liqdũ.6°.de cõp.me.ſe.lo. 5ª.168.G
Adſtringens ſummum eſt atramentum ſutorium. 3°.de ſimpli.medica. facul.21.E/9°. 5ª.71.C
Adſtringit parum & ualde calefacit atramentum ſutorium & ſal.6°. de comp.med.per gen. 5ª.256.B
Adſtringit ęrugo, & chalcanthũ.4°.de comp.med.per gen. 5ª.235.E
Adſtringit perſea.8°.de ſim.me.fa. 5ª.58.B
Adſtringit aliquantulũ mãna, nõ tñ thus.6°.de cõ.me.per ge. 5ª.256.F
Adſtringit magis thure manna.5°.met.me. 7ª.31..A
Adſtringit lapathi ſemen.de theri.ad Piſo. 5ª.90.H
Adſtringit cupreſſi reſina.3°.de comp.me.per gen. 5ª.230.D
Adſtringit purpura tyria.7°.meth.me. 7ª.46.H
Adſtringunt uuæ ſemina.2°.de alim.fac. 2ª.17.H
Adſtringit aliquo modo aqua pluuia.7°.de compoſi.medicamen.ſecun. loc.178.D/ 5ª.184.B
Adſtringit lyſimachios.7°.de ſimp.me.fac. 5ª.54.H
Adſtringens eſt malum granatum.8°.de ſimp.me.fac. 5ª.59.H
Adſtringit aſpalathus.8°.de comp.me ſe.loc. 5ª.194.F
Adſtringens æs alium effectum habet à meſpilo, aloe, moro, galla, cortice mali granati, alumine, & rhu.3°.de ſimp.me.fac. 5ª.20.D
Adſtringunt magis æris ſquama, ære uſto, multa quæ comeduntur.3°. de ſimp.me.fac. 5ª.20.D
Adſtringit ęris ſquama minus cydonio.3°.de ſimp.me.fa. 5ª.20.C
Adſtringunt magis aloę multa quæ comeduntur.3°.de ſimpli. medica. faculta. 5ª.20.D
Adſtringentia aliqua nigrorẽ inducunt.1°.de cõp.me.ſe.loc. 5ª.126.F
Adſtringit rhu ſiccum cum melle.3°.de ſimp.me.fac. 5ª.20..A
Adſtringit lignorum acerborum cinis.8°.de ſimp.me.fa. 5ª.62.C
Adſtringit medicamẽtũ ex rhu & melle.de pręco.ad Poſthu. 4ª.219.C
Adſtringit & emollit maſtiche.7°.de ſimp.me.fa. 5ª.55.D
Adſtringit & abſtergit caries lignorum.8°.de ſimp.me.fac. 5ª.60..A
Adſtringit morum immaturum.7°.de ſimp.me.fac. 5ª.56.C
Adſtringit multum mororum ſuccus.6°.de comp.me.ſec.loc.5ª.167.D
Adſtringit ſine morſu ſtœbe.8°.de ſimp.me.fac. 5ª.61.D
Adſtringit rubus caninus.1°.de comp.med.ſec.loc. 5ª.130.B
Adſtringit magis quàm roſa, roſarum flos, ac proinde exiccatorius eſt. 8°.de ſimp.me.fac. 5ª.59.G
Adſtringẽtia cur miſceant attrahẽtibus.6°.de cõp.me.ꝑ gen.5ª.260.H
Adſtringentia, acerba, & repellentia, nõ recte iungũtur diſcuſſorijs ſine diſcrimine.6°.de comp.me.ſec.loc. 5ª.176..A
Adſtringẽtia cõcoquẽtia & diſcutiẽtia.4°.de cõp.me.ſec.loc. 5ª.150.H
Adſtringentia cum digerentibus habentia medicamenta, qualia ſint & quæ ſint.6°.de comp.me.per gen. 5ª.258.C
Adſtringentia quæ calefaciunt.1°.de ſimp.me.fac. 5ª.8..A
Adſtringentia & calefacientia parum medicamẽta ſunt emplaſtica, & peptica, id eſt concoquentia.7°.de ſimp.med.fac. 5ª.53.D
Adſtringentia parum, calida, & tenuium partium metalla. 3°.de compoſi.med.per gen. 5ª.228.E
Adſtringentia tenuium partium quo caſu proficiunt.6°.de comp.med. ſecun.loc. 5ª.167.H
Adſtringentia craſſarum partium quid agant. 6°. de compoſi.medica. ſecun.loc. 5ª.167.H
Adſtringentia aliqua quæ aperiant intus non extra, qualia.5°.de ſimp. medic.fac. 5ª.35.B
Adſtringẽtia q̃uo cõpellant aperientia.6°.de cõp.me.ſec.lo. 5ª.167.D
Adſtringentia uicina urentibus, quæ.5°.de ſimp.me.fac. 5ª.39.C
ex Adſtringentibus parabilia.6°.de comp.me.ſec.loc. 5ª.169.F/G
Adſtringentia magis medicaminoſa, quæ.11°.de ſimp.me.fac. 5ª.81.E
Adſtringentia & mordacia medicamenta dimittenda, ubi adſtrictionis actio exploranda eſt.4°.de ſimp.me.fa. 5ª.26..A
Adſtringit, & mordicat æris ſquama.3°.de ſimp.me.fac. 5ª.20.B
Adſtringentibus cibis quando uſus ſit in acutis Galenus.de uictus ra. in morb.acu.com.1°. 7ª.111.G
Adſtringentem cibum accipientes appetentiores euadũt.in.6m.de mor. uul.com.4°. 3ª.185.B
Adſtringentes cibi quomodo aluum deijciant.6°.de ſan.tuen. 2ª.97.G
Adſtringentes cibi quandó à bilioſis ſumendi.6°.de ſan.tuen. 2ª.97.G
ex Adſtringente, & non facile corruptibili cibo ſanatum colon.1°.de loc.affect. 4ª.5.H
Adſtringentia poma.13°.meth.me. 7ª.83.G
Adſtringunt poma ceſtiana.6°.de comp.me.ſe.lo. 5ª.176.F
Adſtringit caſeus.de ther.ad Piſo. 5ª.90.H
Adſtringit uua paſſa.8°.de comp.med.ſec.loc. 5ª.194.F
Adſtringere allium quidam dixere.9°.de ſimp.me.fac. 5ª.64.D
Adſtringentes fructus.6°.de comp.med.ſec.loc. 5ª.176.F/ 7°.methodi medendi. 7ª.44.B
Adſtringit uinum.2°.de comp.med.ſec.loc. 5ª.134.F
Adſtringit mire uinum ſcybellite.1°.de digno.pulſ. 4ª.70.H
Adſtringit uinum atrum auſterum.8°.de ſimp.me.fac. 5ª.61.D
Adſtringit uinum auſterum uetus.5°.de comp.me.per ge. 5ª.250.D
Adſtringit plusq̃ oportet uinũ omphaciũ.1°.de cõp.me.ꝑ ge. 5ª.211.G
Adſtringunt braſſica ipſa, cochlearum carnes, & gallorum uetulorum carnes.de ther.ad Piſ. 5ª.90.H
Adſtringit gallinarum ius ſimplex.11°.de ſimp.med.fac. 5ª.82.C
Adſtringens quid faciat.5°.de ſim.me.fa. 5ª.39.A
Adſtringentia quæ agãt in corpora.1°.de ſim.med.fac.8.B/9°. 5ª.64.C
Adſtringentia quædam non agunt ut alia.1°.de ali.fac. 2ª.9.B
Adſtringens qualitas in uno quid agat.1°.de ali.fac. 2ª.9.C
Adſtringentia ad quæ ualent.9°.de ſimp.med.fac. 5ª.68.C
Adſtringentia omnia quid faciant.4°.de comp.med.per gen. 5ª.239.F
Adſtringentia quibus conueniant, & quibus non.8°.de compo.medica. ſec.loc. 5ª.188.F
Adſtringentia quæ pueris conueniant.6°.de cõ.med.ſec.lo. 5ª.176.F
Adſtringentia in principio ante euacuationem quo caſu ſint adhibenda. de ſectis. Iſa.18.D
Adſtringentia & auſtera medicamenta extenuant.in 6m.de morb.uul. commen.2°. 3ª.177.A
Adſtringentia parum exaſperant.ars med.Iſa.70.E/4°. de comp.med. per gen.235.H/6°.de cõp.med.ſec.loc.5ª.169. H/de uict.rat. in mor. acu.com.1°. 7ª.111.D
Adſtringentia ſicca.5°.meth.med. 7ª.32.E
Adſtringẽtia ualenter ſiccant.7°.meth.med. 7ª.46.H
Adſtringentia quomodo exiccent.1°.de ſan.tuen. 2ª.68.C
Adſtringentia non exiccant.4°.de cõp.me.ſec.loc. 5ª.150.C
Adſtringens & ſicca rhus eſt.8°.de ſimp.me.fac. 5ª.59.H
Adſtringit & deſiccat macer.7°.de ſimp.med.fac. 5ª.55.A
Adſtringit & exiccat oloſtium.8°.de ſimp.med.fac. 5ª.57.G
Adſtringentia reſiccantia ſine morſu.7°.de comp.med.ſec.loc. 5ª.183.E
Adſtringentia non penetrant.4°.de com.me.per gen. 5ª.239.F
Adſtringentibus miſcenda acria tenuium partium ut penetrent.4°.de comp.med.per gen. 5ª.239.G
Adſtringentia reprimunt.com.1°.aph.66°. Ex.45.C
Adſtringendi, & reprimẽdi quę uim habent.de rem.par.fac. 7ª.156.D
Adſtringentia citius influxũ repellunt.6°.de comp.me.ſe.lo. 5ª.167.A
Adſtringendo repellitur.ars med. Iſa.70.G
Adſtringentia repercutiunt.4°.de comp.me.per ge.235.H/5°. 5ª.249.F
Adſtringendo & refrigerando debent repelli morbi ex influxu humorum.1°.de comp.med.ſec.loc. 5ª.121.F
Adſtringentibus, & repercuſſorijs in principio uti oportet.4°.de compo.med.ſec.loc. 5ª.157.D
Adſtringentes herbę & repercutiẽtes.4°.de comp.me.ſec.loc.5ª.157.D
Adſtringente medicamento, quando uti oporteat.de conſt.ar.Iſa.41.E/ 11°.met.med. 7ª.72.E
Adſtringere multum non debent refrigerantia, quæ capiti adhibentur. 2°.de comp.med.ſec.loc. 5ª.132.F
Adſtringentia addere debemus in hemicraneæ medicamentis.2°. de cõpo.med.ſec.loc. 5ª.139.H
Adſtringentia adhibemus oculis inflammatis.de ſectis. Iſa.18.C
Adſtringentia admouentur phlegmone incipiente.de opt.ſec. Iſa.29.G
Adſtringentibus & frigidis potius utendum, q̃ digerentibus ad phlegmonas incipientes.13°.meth.med. 7ª.82.C
Adſtringentia cur in principijs ſint idonea.11°.meth.med. 7ª.72.D
Adſtringẽtia ꝙ in finẽ nõ cõueniant.elicc.5°.de cõp.me.ſec.lo. 5ª.159.B
Adſtringit & refrigerat potamogitum & polygonon.8°.de ſimp.medi. faculta. 5ª.59.B
ꝑ Adſtringentia quandoq; phlegmone deſinunt.de opt.ſecta. Iſ.29.E
Adſtringentia, quæ in phlgmone danda.13°.meth.me. 7ª.85.C
Adſtringentia quid agant in lingua.1°.de ſimp.med.fac. 5ª.9.A

Adſtringunt gulam acida & acerba.5°.de loc.aff. 4ª.32.D
Adſtringẽtia in diamorõ deducit myrrha.6°.de cõp.me.ſe.loc.5ª.67.D
Adſtringẽtia uenenoſa cauẽda diamorõ.6°.de cõp.me.ſe. lo. 5ª.167.D
Adſtringẽtia moderata pro gargariſmis.6°.de cõp.me.ſec.lo, 5ª.172.F
Adſtringẽtia fortiora pro gargariſmis.6°.de cõp.me.ſec.loc. 5ª.172.G
Adſtringẽtia fortiſſima pro gargariſmis.6°.de cõp.me.ſec.lo. 5ª.172.G
Adſtriugentia ſanguinem ſupprimunt.de uictus ratione in morbis acu. commen.4°. 7ª.152.G/F
Adſtringẽtibus,& emplaſticis ſiſtẽdus eſt ſanguis ab hirudinibus tractus quando nimis fluit,non frigidis.de cucur.ſcar. 6ª.4.D
Adſtringẽtibus nõ utendũ in phlegmone pulmonis.11°.me.me.7ª.73.D
Adſtringentia tuſſientibus ſanguinem ex pulmone aduerſantur. de conſtin.ar. Iſa.41.F
ab Adſtringentibus qñ pulmo iuuetur.9°.de ſimp.med.fac. 5ª.66.H
Adſtringens amicum ſtomacho.3°.de ſimpl.med.fac. 20. C/6°. 40. D/ 42.F/45.E.8°. 5ª.60.F
Adſtringentia cur præ cæteris expetant uentriculus & iecur.11°.methodi medendi. 7ª.72.E
Adſtringentibus etiam non ſolis laxatorijs debet curari os uentriculi inflammatũ,& iecur inflammatum.8°.de comp.med.ſe.loc. 5ª.187.C/ de reme.par.fac. 7ª.158.F
Adſtringentibus & ſubamaris cibis utebantur antiqui in uentriculo imbecillo.7°.meth.med. 7ª.43.H
Adſtringẽtia roborant membrũ effectũ.1°.de cõp.me.ſec.loc. 5ª.128.D
Adſtringẽtia robur addunt.2°.de cõp.med.ſec.loc.139.H/.8°.5ª.187.C
Adſtringentia roborant & firmãt os uentriculi.2°.de ali.fac.2ª.20.B/ de uict.rat.in morb.acut.com.1°. 7ª.111.F
Adſtringens aliquid & odoratum exterius ſuperponimus in uentriculi dolore.in 6ᵐ.de morb.uulg com. 6°. 3ª.196.D
Adſtringẽtia aliqua ſemp apponẽda ĩ curatiõe iecoris.ar med. Iſ.71.A 13°.meth.me. 7ª.83.F
Adſtringentibus iecur roboratur.6°.de ſimp.med.fac. 5ª.47.F
Adſtringẽtia qñ in phlegmone iecoris inaugẽda.11°.met.med. 7ª.73.A
Adſtringentia bilis meatum arctant,ideo non conueniunt iecoris phlegmoni.13°.meth.me. 7ª.83.E
Adſtringentia & auſtera debent miſceri medicamentis lienis, ut actiones conſeruentur.9°.de comp.med.ſec.loc. 5ª.198.D
Adſtringentia quando miſcenda in liene.11°.meth.me. 7ª.73.B
Adſtringentia,quæ non habent amaritudinem,uel acorem, debent accipi in difficultate inteſtinorum.de ſubfig.empi. Iſa.33.F
Adſtringens contrarium purganti.3°.de ſimp.me.fac. 5ª.20.E
Adſtringens qualitas nihil confert ad ſubductionem, immo uentrem cõſtipat,& cohibet alui deiectionem.2°.de alim.fac. 2ª.19.G
Adſtringentia ultimo ſumpta in habẽtibus uentriculum imbecillũ,ſunt deiectionis cauſa.2°.de alim.fac. 2ª.20.C
Adſtringẽs qd poſt cibũ sũptũ quos facit excernere.6°.đ ſa.tu.2ª.99.E
Adſtringentes & refrigerantes ſucci.1°.de arte cura.ad Glau.7ª.99.C
Adſtringentia & refrigerãtia omnia excedit plantago.6°.de ſimpliciũ medic.fac. 5ª.43.G
Adſtringens frigiditas craſſarum partium.4°.de ſimp.med.fac.5ª.25.B
Adſtringentibus,& frigidis fit euacuatio.13°.meth.me. 7ª.82.C
Adſtringentia quomodo in aliquibus ſoluant.2°.de alim.fac. 2ª.20.A
Adſtringunt,& euacuant acria quomodo.3°.de ſimp.med.fac.5ª.20.B
Adſtringentia purgant cum acribus.9°.de ſimp.me.fa. 5ª.64.C
Adſtringentia faciunt deijcere habentes bilem pallidam.2°.de alimẽtorum facultatibus. 2ª.20.B
Adſtringentia decocta pſunt ulceribus internis.4°.meth.me. 7ª.28.H
Adſtringentia etiam nõ ſolum ſiccantia deſiderat ulcus habens ſinum. 5°.meth.me. 7ª.29.G
Adſtringentia ualent ad cicatricem.de ſubfig.emp. Iſa.33.F
Adſtringentia pro dyſenteria,quæ.11°.de ſimp.med.fa. 5ª.81.E
Adſtringentia nõ ſunt medicamẽta profluuiorũ.1°.de ſim.me.fa.5ª.8.B
Adſtringentibus utendum,& quibus uas magnum perruptum in inteſtinis,utero,& ueſica,& quibus uas paruum in iiſdem locis ſit ruptum.5°.meth.me. 7ª.31.G
Adſtringentia parum cum digerendi uirtute ſine morſu in neruis detectis afferre conuenit.3°.de comp.med.per gen. 5ª.234.F
Adſtringentia,& refrigerantia.4°.de comp.me.per gen. 5ª.237.A
Adſtringendo ac refrigerãdo patentia cogere opus eſt.in 6ᵐ. de morb, uulg.com.2°. 3ª.160.F
Adſtringentia cogunt & denſant ſuperficiem corporis.6°.de compoſi. medic.ſec.loc. 5ª.167.A
ab Adſtringentibus cum coguntur corpora,in ſeipſa ſubſident.de cauſis mor. 3ª.9.B
Adſtringentibus & refrigerantibus diapedeſis curanda. 5°. methodi medendi. 7ª.32.A
Adſtringentia quæ ualent ad aſperitudines,ſycoſeis,& callos.4°.de cõpoſ.med.ſec.loc. 5ª.151.F
Adſtringentia quodam modo et ſicca pilos defluere prohibẽt.7°.de ſimpli.med.fac. 5ª.55.A
Adſtringendi uim habeant & caliditatem medicamẽta profluuij capillorum.1°.de comp.me.ſec.loc. 5ª.125.E
Adſtringentia pro capillis tenuium partium cur exigantur.1°. de com. med.ſec.loc. 5ª.126.G
Adſtringit,& exiccat ladanum,quando capillos fluẽtes cohibet. 7°.de ſimp.med.fac. 5ª.55.A
Adſtringentia debent pulueriʒari cur,& quo modo.2°.de comp.med. per genera. 5ª.225.C
ab Adſtringentiam non habentibus medicamẽtis partes effœminãtur. 1°.de comp.med.per gen. 5ª.212.C
Adſtrigẽtibus aduerſãt amylũ,et faria triticea.1°.de ſim.me.fa.5ª.8.B
Adſtrigẽtibus aduerſiſſimus ẽ adeps caprinus.1°.de ſim.me.fa. 5ª.8.B
Adſtringentias quæ nihil habent, nõ ſunt tuta pletonicis. 1°. de comp. med.per gen. 5ª.215.H
Adgringẽtia quibus mẽbris nõ ſunt admouenda.11°.meth.me. 7ª.73.B
Adſtringentia quæ ſint euitanda in ſiccitate.7°.meth.med. 7ª.44.C
Adſtringẽtia oĩa nõ agglutinãt,neq; ẽ cõtrario.1°.de ſim.me.fa.5ª.7.G
Adſtringentia quæ glutinare non poſſunt.1°.de ſimp.med.fa. 5ª.7.H
Adſtringentia non ſunt apta ad carnem generandã.6°.de compoſitione medi.per gen. 5ª.260.H
Adſtringens cur uitemus in carne generanda.3°.meth.me. 7ª.19.D
Adſtringentia medicamenta unà cũ eo ꝙ refrigerant,ad ulcera rebellia omnia,& ad fluxiones & putredines conueniunt, ac proinde & ad dyſenterias.6°.de ſimp.med.fac. 5ª.43.G
Adſtringit, & exiccat ſupercreſcentes ulcerum carnes aloe, & ſquama æris.de ther.ad Piſonem. 5ª.90.H
Adſtringentibus ſolis non debent curari humidi & frigidi.8°.de comp. med.ſec.loc. 5ª.188.A
Adſtringentia noxia deuorata.13°.meth.med. 7ª.85.C
Adſtringẽtia denſis corporibus potius obſunt quàm proſunt.de optima ſecta. Iſa.29.F
Adſtringentia cruſtis non conueniunt.6°.de comp.me.ſec.loc.5ª.172.D
Adſtringentes & cogentes ſcutiformem chartilaginem muſculi, qui.de muſc.diſ. 1ª.46.B
Adſtringentes aſperam arteriam muſculi,qui.de muſc.diſſ. 1ª.46.E
Adſtringenda linteis alliganda ſunt.de faſcijs. 7ª.293.F
ad Adſtringendã membranã abdominis in herniæ curatione laqueus. de laqueis. 7ª.307.G
ADVENE ægyptiaci medicina. de med.exper. Sp.104.B
Aduenæ cuiuſdam medicamentum de med.exper. Sp.104.C
ADVERSARIOS medicamento conſtringere ac uincire ut in iudicio nihil poſſint eloqui,ridiculum eſt.10°.de ſimp.med.fa. 5ª.72.D
ADVLATOR eſt qui frequentat ædes diuitum,potentum, & tyrannorum.de cog.cur.animi morb. 2ª.50.H
Adulatoris officium.12°.meth.med. 7ª.75.A
Adulari nõ dẽt medicus,nec aſper eẽ.in 6ᵐ.de mor.uul.cõ.4°.3ª.181.E
Adulationem euitans qũo probandus.de cog.cur.animi morb. 2ª.50.H
ADVLTERATORES monetarum puniendi. 2°. de diffic. pulſuum. 4ª.54.H
Adulterãtur ſimplicia quæ.9°.de ſimp.me.fa.69.B/1°.de antid.99.B/ 3°.de comp.med.per gen. 5ª.228.F
Adulteria ſimpliciũ cur Gal.ſcribere nõ uult.9°.de ſim.me.fa.5ª.69.C
Adulteria ſimplicium non ſunt diuulganda.1°.de antid. 5ª.105.F
Adulterata medicamenta qũo cognoſcenda.3°. de cõpoſitione medicamentorum per genera. 5ª.228.H
Adulteria medicaminum didicit Gal.puer.9°.de ſimp.med.fa.5ª.69.B
Adulterari quæ ſimplicia non poſſint.1°.de antid. 5ª.100.C
Adulterari non poſſunt uitrum,& aurum.1°.de antid. 5ª.104.D
ADVLTI ſunt calidiſſimi.in 1ᵐ.de morb.uulg.com.2°. 3ª.115.E
Adultorum ætati cum ſit plus iuſto calida & ſicca,utilis eſt uſus cõtrariæ diætæ.de ſal.diæ. 2ª.40.E
Adultis uinum modice ſumendum.1°.de ſan.tuen. 2ª.66.H
ex Adultis non conſueti timent in tenebris.de melãcholia,ex Galeno, Ruffo & Poſſidonio. Sp.109.D

ADVNATIO ſimilium q̃uo fiat in nutrimento.de util.reſp. Sp.64.A
Adunatur granum ſeorſum à palea in uentilatione per commotionem. de util.reſp. Sp.64.B
ADVNCI poſſunt eſſe ex ui formatrice potius quàm ex temperamento.2°. de temp. 1ª.20.G
Adunci ſicci ſunt ſecundum aliquos.2°.de temp. 1ª.20.F
ADVRAGI caro eſt cibus ſubtilians. de diſſol.cont. Sp.72.D
ADVRENTIVM materia,quæ.intro. Iſa.58.B
Adurentia medicamenta extrinſecus admouentur.intro. Iſa.58.B
ex Adurentibus partium apertio.intro. Iſa.58.B
Adurentibus quando utimur.intro. Iſa.58.B
Adurentibus in palpebris relaxatis utimur.intro. Iſa.58.B
Adurentibus quandoq; utimur in Cephalæa.intro. Iſa.58.B
Adurunt acuti cibi de diſſ.cont. Sp.72.E
Adurunt ſory,chalcitis,& miſy.9°.de ſimp.me.fac. 5ª.70.D
Adurit citra dolorem lixiuium, quia tenue.9°. de ſimplicium medicamentorum facultatibus. 5ª.69.G
cũ Adurẽtibus febribus tertianæ generatio cõis.2°.de criſi. 4ª.134.E
in Adurentibus febribus non peruenitur ad infebricitationem.2°.de criſi. 4ª.134.E
qñ Aduritur uena temporis.de anat.uiu. Sp.55.B
Aduſtio minus toleratur in cõſiſtẽtibus, quàm in iuuenibus.cõmen.3°. aphor.30°. Ex.26.D
ex Aduſtione ſolis multa genito capiti dolori cõfert ſuccus cẽtaureæ. de uirt.cent. Sp.93.B
ex Aduſta bile quartanam eſſe q̃uo deprehẽdaꝛ.de ſpermate.Sp.39.H
ex Aduſtis humoribus parum aut nihil excrementi prouenit,ideo minorem pulſum habent ſenes.3°. de cau.pulſ. 4ª.96.F
ad Aduſtam febrem ſecret. Sp.98.E
Aduſtæ febris trochiſci.ſecret. Sp.98.E
ad Aduſtionem in ſtomacho.ſecretorum. Sp.98.E
Aduſtio eſt ſpecies diuiſionis chirurgiæ.intro. Iſa.59.E
Aduſtione reſoluatur lentus humor,ſi medicamentis non poteſt. de artic.commen.3°. 7ª.276.C
ad Aduſtiones excoriatas cum ad cicatricem perueniunt.1°.de cõpoſ. med.per gen. 5ª.214.G
ad Aduſtiones cum lacte mulierum inungi ſolet lactuca.6°. de ſimplicium medic.facul. 5ª.48.E
ad Aduſtiones hyemis inunctio.3°.de me.ſa.par. 7ª.176.B
Aduſti oleo roſaceo iuuantur.2°.de ſimp.med.fac. 5ª.16.F
Aduſti ad balnea mittendi.1°.de arte cur.ad Glauc. 7ª.99.C
poſt Aduſtionem ſuccus porri.2°.de art.cur.ad Glauc. 7ª.107.A
pro Aduſtione ferramenta qualia.de artic.com.1°. 7ª.258.B
in Aduſtione os non debet calefieri. 7ª.269.F
Adurentes ſunt & calidi in quarto tithymalli.8°.de ſimplicium medicamentorum facultatibus. 5ª.62.D
AEDES cur ædificatæ fuerint.ad Thraſy. 2ª.104.C
Aedibus extruẽdis & cõputãdis expẽſis quãtũ conducit arithmetica et geometria,tm̃ ipſis utuntur diuites.de præcognitione. 4ª.214.C
Aedes fabricanti lignum eſt materia.ad Thraſy. 2ª.106.A
AEDIFICATORIAE artis finis qui.ad Thraſy. 2ª.105.G
Aedificatoria cur conſtituta.ad Thraſy. 2ª.106.C
Aedificatoria,arithmetica, & oratoria nullum commune propoſitum habent.ad Thraſy. 2ª.105.C
Aedificatores ignorãt uires motuũ quos exercẽt.2°.de ſa.tuen. 2ª.75.E
Aedificijs firma fundamenta iaci debent.11°.meth.med. 7ª.71.E
AEGAVSIEN uinum in Aſia quale.5°.de ſan.tuen. 2ª.91.B
Aegis prouenientia uina media inter Theræum & Cilicium, cũ nec exquiſite ſunt dulcia,ut Theræum,nec euidenti ita adſtringendi ui polleant,ut Cilicium.de bon.& uitio ſuc. 2ª.38.C
AEGIMIVS de palpitationibus librum fecit.1°.de dif.pulſ. 4ª.47.A
Aegimius ſcripſit de palpitatione & pulſu.4°.de dif.pulſ. 4ª.68.G
AEGILOPS quid.intro.Iſa.58.H/5°.de compo.med.ſec.loc.5ª.159.H/ de ocul. 7ª.187.A
Aegilops oculi affectus extrinſecus.intro. Iſa.58.D
ad Aegilopas.de medicinis fac.parabilibus.163.C/3°.de medicinis facile parabilibus. 7ª.170.D
Aegilopis curatio.intro. Iſa.59.G
Aegilops manu indiget.intro. Iſa.59.G
Aegilops non manuaria opera indiget,ſed pharmacis ſecundum genus. 5°.de comp.med.ſec.loc. 5ª.160.A
in Aegylope muſculus qui abſcinditur.11°.de uſu par. 1ª.181.F
Aegilopas quid ſanet.5°.de comp.med.per gen. 5ª.245.A
ad Aegilopas emplaſtrum.2°.de antid. 5ª.117.B
ad Aegilopas,Lamponis.3°.de comp.med.ſec.loc. 5ª.148.A
ad Aegilopas liquida compoſitio.4°.de comp.med.ſec.loc. 5ª.153.D
Aegilopas ſanat auena.6°.de ſimp.med.fac. 5ª.41.F
Aegilopas ſanat oleum ex nucibus.7°.de ſimp.med.fac. 5ª.50.B
ad Aegilopas,Aſclepiadis.5°.de comp.med.ſec.loc. 5ª.160.B
ad Aegilopas,Archigenis.5°.de comp.med.ſec.loc. 5ª.160.A
ad Aegilopas Diaſmyrnum.4°.de comp.med.ſec.loc. 5ª.156.A
Aegilopibus myrta utiliter facit.de ſimp.medicamin. Sp.87.E
ad Aegilopas Heræ.5°.de comp.med.ſec.loc. 5ª.159.H
in Aegilope cauterio utitur.5°.de comp.med.ſec.loc. 5ª.160.B
Aegilops auena eſt.5°.de compoſ.med.ſec.loc.160.A/ 6°. de ſimpliciũ med.facul. 5ª.41.F
Aegilops herba naſcitur inter frumenta.de med.fac.par. 7ª.163.C
Aegilops ex mutatione naſcitur quandoq;.1°.de ali.fac. 2ª.15.G
AEGOCEROS quid.1°.de comp.med.ſec.loc. 5ª.125.D
ad AEGYPTVM ac Lybiam attinentia loca calida ſunt ac ſicca,exceptis & hic illis quę mari adiacent locis.cõ.3°.aph.14°. Ex.22.E
apud Aegyptios ne per ſomnium quidem inuenies temperatum. 2°. de ſanitate tuenda. 2ª.73.C
Aegyptij uehementer calidi de aere aquis & loc. 2ª.5.C
Aegyptum incolentes dura habent corpora.4°. de compoſitione medicamentorum per gen. 5ª.236.F
Aegyptij ſunt graciles.2°.de ſimp.med.fac. 5ª.14.E
Aegyptij nigri.1°.de ſan.tuen. 2ª.64.A
Aegyptiorum nigritia eſt affectus ſm naturã.1°.de ſan.tuen. 2ª.64.A
Aegyptij non patiuntur phlebotomiam.de ſectis. Iſa.18.B
in Aegypto faſcinant infantes de aere.aq.& lo. 2ª.6.F
apud Aegyptios literas inuenit Theuth.9°.de decr.Hip. 1ª.282.E
Aegypti rex Ptolemæus.in.3m.de morb.uulg.com.2°. 3ª.136.H
Aegypti aquæ paludoſæ ſolæ ſunt ſanæ.de bon.aquæ. Sp.75.E
in Aegypto aqua q̃uo percoleꝛ.in 6m.de morb.uulg.cõ.4°. 3ª.184.D
in Aegypto & in Alexandria quomodo aqua refrigeratur. in 6m.de morb.uulg.com.4°. 3ª.182.B
in Aegypto eſt fluuius,cuius aquã ſi quis bibat depilatur eius caput. de bon.aquæ. Sp.76.B
in Aegypto uiperæ & ſerpentes comeduntur.3°.de ali.fac. 2ª.26.D
in Aegypto reperit uina tenuia Galenus,quod eſt mirum. de uict.rat. in morb.acut.commen.3. 7ª.127.B
Aegyptia palmula dura,ſicca,& auſtera.de bon.& uit.ſuc. 2ª.36.D
Aegyptiæ ſpinæ fructus modice exiccat.3°.meth.med. 7ª.20.A
Aegyptiæ ſpinæ fructus unum eſt ex adſtringentibus parabilibus. 6°. de comp.med.ſec.loc. 5ª.169.F
Aegyptia ſpina adſtringit,& exiccat.6°.de ſimp.med.fac. 5ª.41.H
Aegyptiæ fabæ natura.1°.de ali.fac. 2ª.14.A
in Aegypto habentur oleũ cicinum & raphaninũ.3°.de ſa.tu. 2ª.81.C
Aegyptiũ medicamentum.3°.de comp.med.ſec.loc. 5ª.144.B
Aegyptium medicamentum.3°.de comp.med.per gen. 5ª.235.D
Aegyptium unguentum.3°.de comp.med.per gen. 5ª.145.A
Aegyptium emplaſtrum.6°.de comp.med.per gen. 5ª.256.H
Aegyptium præſeruans abſq; phlegmone diuiſa quælibet et cõtuſa.6°. de comp.med.per.nen. 5ª.260.C
Aegyptiũ Claudij Philoxeni chirurgici.3°.de cõp.me.per gen.5ª.235.B
Aegyptia Andromachi.6°.de comp.med.per gen. 257.E/5ª.258.F
AEGYRI FLORES in primo calidi parum ſicci.6°.de ſimplicium medic.facul. 5ª.41.C
Aegyri reſina calida.6°.de ſimp.med.fac. 5ª.41.C
AEGRI quibus nõibus apud græcos uocentur.2°.meth.med. 7ª.10.D
Aegrum,& ſanum corpus unde.de ſpermate. Sp.40.C
Aegrum quomodo ſit animal.de diff.morb. 3ª.2.H
Aegris omnia inſunt pręter naturam.ars med.Iſa.67.D/4°.de uſu partium.1ª.140.H/cõtra ea quæ à Iul.in Hipp.aph.dicta ſunt. Ex.68.B
Aegris infirmitas functionũ eſt præter naturã.1°.de ſan.tuẽ. 2ª.64.A
Aegrum eſt immoderatum,ſanũ uero moderatũ.de conſt.ar. Iſa.39.C
Aeger habet læſas operationes.de conſt.ar. Iſa.38.H
Aeger nullus eſſe poteſt per totum ætatis ſuæ decurſum in omni parte. 2°.de loc.affec. 4ª.10.B
Aegrum & ſanum habere medium,poteſt colligi.ubi Galenus poſita ſanitate in moderantia,& ægritudine in immoderãtia,dicitur, quæ uero nondum id quod plurimum obtinent ægritudinum generationem oſtendere.com.2°.aph.4°. Ex.11.F

Aegri quandoq; fortiores ſanis, cur.3°.de die.decre. 4ª.158.F
Aegrorum ſcientia quando habetur.de conſt.ar. Iſa.39.B
Aegrorum quidā ſtatim decūbūt, quidā non. 1°.de dieb.decr.4ª.147.E
Aegri quidam expectant quintum aut ſextum diem prius quàm uocēt medicum.de cur.rat.pro ſang.miſſ. 6ª.21.B
Aegri quorū medicorū manibus ſe cōcredere audēt.ī pg.c.1°.4ª.185.C
Aegri per compita olim ponebantur.intro. Iſ.50.G
℘ *Aegri ob peſtilentiam non ſunt uiſēdi, dum humores ad putredinē paratos habemus.collige.1°.de diff.feb.* 3ª.32.B
Aegros quos curaturus eſt medicus, eos ſanos cognoſcere debet.de iis, quæ in me.ſi.cō.1°.7ª.198.A/de uict.rat.in mor.ac.cō.2°.7ª.119.A
ad *Aegrum cum accedis, quæ ſint conſideranda.* 1°. de arte cura. ad Glauc. 7ª.94.E/F/H
ad *Aegros medici introitus, qui eſſe debet.in* 6^{m}. *de morb. uulg.commen.4°.180.H.* 3ª.181.D
Aegros quandoq; raro, quandoq; ſæpe debet inuiſere medicus.in 6^{m}. *de mor.uul.com.4°.* 3ª.181.D
Aegri a medicis quomodo interrogandi. com. 1°.in prog. 4ª.192. C/in 6^{m}.*de mor.uul.com.2°.* 3ª.168.E
Aegro non referente medicus debet multa diſcere.de uict.rōne in mor. acut.com.1°. 7ª.108.C
ab *Aegro quæ petenda.de uict.rat.in mor.acu.com.4°.* 7ª.141.D
Aegri ingeniū ex ſmone cognoſcimus.ī 6^{m}.*de mor.uul.cō.2°.* 3ª.168.G
Aegri ſermo ad præſagium & diuinationem confert.in 1^{m}.*de mor.uul. com.3°.* 3ª.117.F
Aegri manus tāgēda ut calor pcipiat, qualis ſit.in pg.cō.1°.4ª.192.A
Aegri medicis fidē habere debēt.de iis, quæ in med.ſi.cō.2°. 7ª.205.D
Aegri ad portantem onus comparatio.3°.de criſi. 4ª.141.D
Aegri mores quando conſyderandi.1°.de diff.reſp. 3ª.61.B
Aeger quomodo ſe habet ad morbū.in 1^{m}.*de mor.uulg.cō.2°.* 3ª.112.G
Aegri utilitas ſemper querenda.11°.meth.med. 7ª.75.B
Aegri qui futuri ſunt, tamen nondum ſunt, euacuari debent ut præſeruentur.commen.6°.aph.47°. Ex.52.B
Aegri uere faciunt omnia præſidia intro. Iſa.61.E
Aegri macilenti quibus fiant.com.2°.aph.28°. Ex.16.D/E
Aegri anxii, qui dicantur.com.7°.aph.6°. Ex.59.A
Aegrum animal quando.de atra bile. 1ª.35.E
Aegri conditio.i.natura morbi.in prog.com.1°. 4ª.189.C
ab *Aegri natura indicatio.de ſectis.* Iſ.16.D
Aegri natura adamuſſim neſcitur.de cur.ra.per ſang.miſ. 6ª.19F
Aegris, & ſanis unus cibandi ſcopus, & qui de uict.ratio.in morb.ac. com.1°. 7ª.115.C
Aegri uictus ratio ex uiribus.com.1°.aph.9°. Ex.4.H
Aegri uires ex quibus & quō cognoſci pñt.cō.1°.aph.12°. Ex.5.B
Aeger quandoq; expetit idoneam uiuēdi rationem.de faſciis. 7ª.293.C
in *Aegro adoleſcente quomodo procedendum circa uictus rationē.2°. de die.decre.* 4ª.155.F
Aegris utiliſſimum eſt aſſumptos cibos conficere, & nutriri. in 6^{m}.*de morb.uul.com.4°.* 3ª.180.F
Aeger non fert ſubitam mutationem ad contrarium de uict.ra.in mor. acut.com.4°. 7ª.132.D
Aegris repentinæ ciborum mutationes obſunt, ſic etiam ſanis.de uict. rat.in morb.acu.com.2°. 7ª.119.A
Aegrorum cibus alicæ ptiſſana ſecundum aliquos.1ª.de ali.fa. 2ª.10.H
Aegro frequenter prohibetur ptiſſanæ cremor, ut ſupra mediocritatē. 2°.de digno.pulſ. 4ª.76.G
Aegris & ſanis hordeum dandum.1°.de ali.fa. 2ª.9.A
Aegris quandoq; fructus dandi.in 6^{m}.*de morb.uul.cō.4°.* 3ª.180.E
Aegrorum alimentis debemus acres humores remouere, & quando. com.2°.aph.18°. Ex.13.F
Aegri reficiendi ſunt cibis poſt criſim.1°.de dieb.decret. 4ª.148.A
Aegris debent imperare medici. 1°.meth.med. 7ª.2.E
Aegris non ſunt iubenda exer citia, nec motus, nec uomitus, nec purgamenta, nec phlebotomiæ, nec frictiones ſimul cum inedia.commē. 2°. aphor.16°. Ex.12.H
Aegri in quibus debent obedire medico.com.6°.aph.49°. Ex.52.E
Aeger debet agere, quæ conueniunt, & quæ à medico præcipiuntur. cō men.1°.apho.1°. Ex.2.B
Aegri quidam ſimplices ſunt omnia agentes aperte, & quomodo medicus erga hos habere ſe debet.1°.de præſag.ex pulſ. 4ª.105.C
Aegri pauci obtemperant.1°.de dieb.decr. 4ª.150.E
Aegri non obediunt illis, quos non libenter aſpiciunt. in 6^{m}. *de morb. uul.commen.4°.* 3ª.180.G
Aegri magis obediunt illis, quos libenter aſpiciunt. in 6^{m}. *de morbis uulg.commen.4°.* 3ª.180.G
Aeger cur obedit.in 6^{m}.*de mor.uul.com.4°.* 3ª.180.G
Aegri non ſemper dicunt uerum medico.1°.de præſa.ex pulſ. 4ª.105.B
Aeger quando uerum non dicit, quid agere debet medicus. 1°. de præſag.ex pulſ. 4ª.105.B
Aegri quidam inſidiantur medico & illum decipere uolunt, & quomodo agendum.1°.de preſa.ex pulſ. 6ª.105.B
Aegros in quibus decipiāt medici.in 6^{m}.*de mor.uul.com.5°.* 3ª.191.D
Aeger quomodo morbum adiuuet.in 1^{m}.*de mor.uul.cō.2°.* 3ª.112.G
in *Aegris tanto magis morbi augebuntur ob cibos, ſi in ſanis morbos cibi faciunt.2°.de diff.feb.* 3ª.43.G
Aegri rogant medicos ut omnia faciant.intro. Iſa.61.E
Aegris debemus aſſentire quandoq; in cibis.cō.2°.aph.38°. Ex.17.G
Aegris grata cōcedēda quō ītelligat.in 6^{m}.*de mor.uul.cō.4°.* 3ª.180.F
Aegrorum delectationi in pharmacis cur attendere debeat medicus. 6°.de comp.med.ſec.loc. 5ª.168.C
Aegro exteriora noceant quæ.cō.1°.aph.1°. Ex.3.B
Aegro exteriora, quæ.in 6^{m}.*de mor.uul.com.2°.* 3ª.169.A
Aegrorum miniſtri, qui eſſe debeāt.in 6^{m}.*de mor.uul.cō.4°.* 3ª.180.H
Aegri quid poſtulant.ad Thraſy. 2ª.107.C
Aegris non obſunt nomina.de mor.temp. 3ª.85.C
Aegris conuenit habere iecoris meatus apertos.2°.de alim.fa. 2ª.17.F
Aeger quomodo cubare debet.in pro.com.1°. 4ª.193.C
in *Aegri cubiculum inferri debent ea quibus delectatur.in* 6^{m}.*de mor. uul.commen.4°.* 3ª.181.A
Aegris renuntiari debent omnia ipſum uehementer oblectantia.in 6^{m}. *de morb.uul.commen.4°.* 3ª.181.A
Aeger nihil conſpiciat triſti animo.in 6^{m}.*de mor.uul.cō.4°.* 3ª.180.H
Aegris triſtia non ſunt dicēda.in 6^{m}.*de mor.uul.com.4°.* 3ª.181.A
Aegris ſi falſa dicenda, aſſiſtentibus tamen uera dicenda.in 6^{m}.*de mor. uul.com.2°.* 3ª.168.E
in *Aegris & in ſanis, quæ cognoſcuntur ex oculis. 1°. de arte cura.ad Glauc.* 7ª.95.C
in *Aegris oculi ſunt certiora indicia.1°.de ar.cur.ad Glau.* 7ª.95.C
Aegris inter dormiēdū uiſitur in reſpiratione ſpūs miſſio maior plerūq; cū efflatu, maxime ubi largius comederint.de uſu pulſuū. 1ª.229.E
Aegris & ſanis luna pōt pnūciare dies qles erūt.3°.de die.de.4ª.157.H
Aegris malæ, ſanis ſanæ, ſunt ſtationes lunæ.3°.de die.dec. 4ª.157.H
Aegri febriunt uehementius, uigilant, grauiter ſe habēt quādo ſunt ꝓpinqui iudicationi.com.4°.aph.71°. Ex.35.C
Aegri ſi uelint ſedere malum.in pro.com.1°. 4ª.194.A
in *Aegris uellicatio feſtucæ, & floſculi, quid ſignificent.in* 1^{m}.*de mor. uul.com.3°.* 3ª.118.A
Aeger ſi ſine ratione bene ſe habet, non fidendum, ſi etiam male, non timendum.com.1°.aph.27°. Ex.16.B
Aegri omnes non poſſunt ſanari.in pro.com.1°. 4ª.189.A
Aegri quando poſſunt ſanari, & quādo non.cō.2°.aph.17°. Ex.14.F
Aegri habentis omnia ſigna ſalutis exemplum.3°.de criſi. 4ª.140.D
Aegri quomodo ſanentur.1°.meth.med. 7ª.5.H
Aeger ſanabitur a Ioue, ſi Iuppiter cum ſole ſit. de decubitus pro. ex mathem.ſcientia. Sp.12.F
Aeger decumbens luna diminuente ſanabitur. de decubitus pro.ex ma them.ſcientia. Sp.12.F
Aeger qui ægrotare incipit quando luna incipit in uno ſigno, & faciat etiam tunc coniunctionem cum ſole, morietur.de decubitus progno. ex mathe.ſcientia. Sp.12.F
Aegri in augumento & ſtatu moriuntur.de tot.morb.temp. 3ª.88.C
Aegri moriuntur medico tñ culpa uacuante.in pro.com.1°. 4ª.189.E
de *Aegro deſperādū, qui uritur in ambiēte frigido.11°.me.m.* 7ª.70.H
Aeger quādo in ſyncope deſperatus.1°.met.me. 7ª.75.H
Aegri cum ſumus cerebri opus neceſſarium non eſt niſi iis inſtrumētis, quæ ad reſpiratum ſunt deputata.7°.meth.me. 7ª.49.B
Aeger cur ad balneum ducitur.de uict.ra.in morb.acut. 7ª.132.E
Aegri non ſunt immodice rareſaciendi.12°.met.me. 7ª.77.B
in *Aegram partē ſemper deferuntur humores.11°.me.me.* 7ª.74.B
in *Aegris ſymptomata dicuntur, quæ in ſanis accidentia. 1°. methodi med.* 7ª.8.D
Aegrorum curatrix, pars eſt curationis corporis.ad Thraſy.2ª.108.A
Aegri natura ignorata, quo modo debes dare medicamentum.de ui.ra. in mor.acu.com.2°. 7ª.118.C

Aegrum

Aegrum nullus curſibus et luctationibus curauit.3°.ĩ 6ᵐ. de mor. uul. commen.3°. 3ª.170.A
Aegros ob animi mores, ſanauit Gal.1°.de ſan.tu. 2ª.65.G
Aegri pulſum iuſto maiorẽ hñtis ſcaſus.1°.de præſa.ex pulſ. 4ª.105.E
Aegrum organum per idipſum læditur, per quod ſanum exiſtens actionem iuuit.1°.de diff.reſp. 3ª.61.C
Aegri animus conſulendus ante inciſionem.4°.meth.med. 7ª.23.F
Aeger quomodo ligandus ſupra ſcalas.de machin. 7ª.311.F
Aegri ulcera quando liceat bis terue in die aqua frigida irrigare.4°.de comp.med.per ge. 5ª.238.F
AEGRITVDO *eſt immoderantia. commẽ.2°.apho.4°.11. F/& aphor, 17°.* Ex.13.C
Aegritudo quid, ſecundum Zenonem.4°.de dec.Hip. 1ª.248.F
Aegritudo quid, ſecundum Chryſippum.3°. de decret.Hipp.245.F/4°. 248.E/ 1ª.253.A
Aegritudo, paſſio, & affectus idem.de diff.morb. 3ª.5.A
Aegritudine quomodo ſit antiquior ſanitas.ſecret. Sp.96.G
Aegritudines quæ ſint.de diff.morb. 3ª.4.A/D/F/G
inter *Aegritudinem, & ſanitatem non eſſe pathos dicentem Olympicũ cur deridat Galenus.1°.meth.med.* 7ª.7.B
Aegritudines quæ non ſint, tamẽ à medio diſcedunt.de diff.mor. 3ª.2.H
Aegritudinale nominatum eſt à ſubiecta materia.ad Thraſy. 2ª.108.F
Aegritudo quando ſit.de anat.uiuorum. Sp.47.A
Aegritudo fit per humorum corruptionem, exuſtionem, frigefactionẽ, cruditatem.com.2°.aph.17°. Ex.13.C
Aegritudinum cauſæ quæ ſint.de diff.morb. 3ª.4.A/.F/G
Aegritudo, & cauſa ſimul, quæ.de diff.morb. 3ª.4.H
Aegritudo putatur accidentis cauſa.de diff.morb.3.E/ 3ª.4.D
Aegritudines quæ uocantur, & ſymptomata diuerſo reſpectu.de diffe. morborum. 3ª.3.F
Aegritudinum magna pars ex habilitate corporis paſſuri. 1°. de different.feb. 3ª.32.C
in *Aegritudine ſenſus debet eſſe iudex.ars med.* Iſa.63.A
Aegritudo futura prohibenda.ars med. Iſa.69.C
Aegritudinem futuram oſtendentia.ars med.61.D/ Iſa.67.D
Aegritudinis futuræ ſigna ex tactu.ar.med. Iſa.67.H
Aegritudinis futuræ ſigna ex uiſu.ar.med. Iſa.67.H
Aegritudinis futuræ ſigna ex auditu.ar.med. Iſa.67.G
Aegritudinis futuræ ſigna ex odoratu.ar.med. Iſa.67.G
Aegritudinis futuræ ſigna ex guſtu.ar.med. Iſa.67.G
Aegritudo à prauo medico prorogata, à bono abbreuiatur. de natura, & ord.uniuſcuiuſq; corp. Sp.41.G
de *Aegritudinis cognitione ſecundum planetam, diem, & horam.de ſpermate.* Sp.40.B
Aegritudines primæ tot ſunt, quot elementa, ſm eos, qui putant elemẽta inter ſe alterari, id eſt quatuor.de diff.morb. 3ª.2.H/6/D
Aegritudo in ſimilaribus duplex ſecundum ſecundam ſuppoſitionem, ampliatio & anguſtatio meatuum.de diff.morb. 3ª.2.G
Aegritudinum in ſimilaribus duæ ſpecies ex ſecunda ſuppoſitione, uel alteratio ſola, uel alteratio cum materia.de diff.morb. 3ª.3.D
Aegritudines cõpoſitæ, quæ ſint ex prima ſuppõe.de diff.mor. 3ª.5.E
Aegritudines compoſitæ ex ſecunda ſuppoſitione tam partium ſimilarium, quam diſſimilarium.de diff.morb. 3ª.5.E/F/G/H
Aegritudinũ diſtinctio ĩ ordinatã & ĩ iordinatã.cõ.1°.aph.19°. Ex.9.F
Aegritudinum genera duo.ſecret. Sp.96.G
Aegritudinem ſecundo, ſanitatem primo oſtendentia ſigna, quæ ſint.ars medicinalis. Iſa.67.D
Aegritudinis recentis ad herbas dum naſcuntur comparatio in cognitione.in 1ᵐ.prorrh.com.1°. 4ª.160.H
Aegritudinis primi dies, qui ſint.1°.de criſi. 4ª.133.B
Aegritudinis forma qñ primis diebus noſcẽda.2°.de criſi. 4ª.138.D
Aegritudo naturas immutat.de puero epilep. 7ª.179.F
de *Agritudinis ſpecie inquiſitio faciẽda eſt.6°.de ſan.tu.* 2ª.97.C
Aegritudinis principium ſcire eſt ſcitum præcipuum.de uict.ra.in morbis acut.com.4°. 7ª.141.D
Aegritudinis cauſa primo cognoſcenda.de uict.ra.in morbis acut.commen.4°. 7ª.141.A
Aegritudinibus incipientibus quãdoq; accidit, quod ebriis, cum comate laborant & titubant, & grauedine capitis occupantur, neque ſi cogantur, palpebras tollere poſſunt.de comate. 3ª.50.H
Aegritudines acutæ qñ naturaliter generãtur.de ſpermate. Sp.39.C
Aegritudo an debeat augeri primo ſciẽdũ, & uñ.de ſpermate. Sp.39.G
Aegritudo quibus horis acuitur conſiderandum.de ſpermate. Sp.39.H
Aegritudo prima in inſtrumentis eſt in formatione.de diff.mor. 3ª.3.A
Aegritudo in inſtrumentis in quatuor gñibus cõſiſtit.de dif.mo. 3ª.3.A
Aegritudines inſtrumentorum compoſitorum.de diff.mor. 3ª.2.H
Agritudinum cõpoſitarũ cauſas facile eſt inuenire.de cau.mor. 3ª.9.H
Aegritudinum in compoſitionis genere diuerſitates.de ca.mor. 3ª.9.E
Aegritudines in compoſitione à repentinis, & uehementibus motibus fiunt de cau.morb. 3ª.9.E
Aegritudo compoſita non habens nomen.de cau.mor. 3ª.9.G
Aegritudinis quintum genus, ſolutio cõtinuitatis.de dif.morb. 3ª.5.D
Aegritudo celeriter facta eſt cum dolore.1°.de ſymp.cau. 3ª.17.F
Aegritudinis nullum eſt genus neq; in ſimplicibus, neq; in compoſitis corporibus, quod utriſque ſit proprium, præter uitium in temperatura & compoſitione, de diff.morb. 3ª.3.B
ĩ *Aegritudine auditẽ ſternutamẽtũ, tuſſis, flatus, ſtrepit°, delirãtis uox, clãgor, raucedo, & id genus.de iis, quæ in med.ſi.cõm.1°.* 7ª.199.A
Aegritudo frigida partim ex contactu frigidi tantum, partim potentia conſiſtit.de cau.morb. 3ª.7.D
Aegritudines ſiccæ ex quibus fiant cauſis.de cau.morb. 3ª.7.H
Aegritudines regionales docet Hippo. in libro de aqua, aere, & locis, 1°.de morb.uul. 3ª.100.H
ab *Aegritudine aliqua omnis operatio læditur.de diff.mor.* 3ª.4.H
Aegritudinum acceſſiones, quę per circuitus aliquos fiunt, ex membrorum diſpoſitionibus ortum habent.2°.de diff.feb. 3ª.42.H
Aegritudo inſenſibiliter facta eſt inſenſibilis.1°.de ſymp.cau. 3ª.17.F
Aegritudines, quæ fiũt in numero partium ſimpliciũ.de dif.mor. 3ª.4.F
Aegritudines quæ uere apparent.5°.de ſa.tu. 2ª.94.D
Aegritudines quæ fiant & quales luna in ſcorpione exiſtente. de decu. progn.ex math.ſcientia. Sp.14.H
Aegritudines quæ, & quales fiant luna exiſtente in libra.de decubitus progn.ex math.ſcientia. Sp.14.F
Aegritudines quę fiant luna exiſtente in piſcibus.de decub.prognoſt.ex mathem.ſcientia. Sp.15.G
Aegritudines quę fiant, luna exiſtente in aquario. de decub. progno.ex mathem.ſcientia. Sp.15.F
Aegritudines quæ fiant, ſi luna ſit in uirgine. de decub.progno.ex mathem.ſcientia. Sp.14.D
Aegritudines quæ, & quales fiãt, luna exiſtente in ſagittario.de decub. progn.ex math.ſcientia. Sp.15.G
Aegritudines quæ, & quales fiant, ſi quis decumbat luna exiſtente in capricorno, de decub.prog.ex math.ſcientia. Sp.15.D
Aegritudines quę inferantur a capricorno de decub. prognoſt.ex mathem.ſcientia. Sp.15.D
Aegritudinibus plenus eſt leonis annus.de ſpermate. Sp.39.D
Aegritudines quæ reuerti ſolẽt, uere mouẽtur.de puero epil. 7ª.179.H
Aegrotatio quæ grauis, & quę non grauis ex prognoſtico.in 1ᵐ.de mor. uulg.com.3°. 3ª.117.C
Aegritudinem celerem ſignificant bilioſæ hypoſtaſes, ſuperne autem tenuitates.de uri.ſig.ex Hipp. Sp.78.H
Aegritudinem circa ueſicam ſignificat, ſi ſanguinẽ meiat, & grumos, ſtranguriaq; affligatur, doloręq; ad perinæum ac epigaſtrium incidat. de uri.ſign.ex Hipp. Sp.78.H
Aegritudinem crudam, & diuturnam, & non ſine periculo ſignificat urina tenuis, & rutila de uri.ſign.ex.Hipp. Sp.78.G
Agritudinem ex renibus ſignificant bullæ in urinis inſidentes. de uri.ſignificatione ex.Hipp. Sp.78.H
Aegritudinis ſolutionem ſignificat urina alba ſpumoſa, & nebuloſa, ſi in critico die, aut poſt criticũ diẽ ſupuenerit de dynamidiis. Sp.34.D
in *Aegritudinibus acutis pernicioſa ut plurimum eſt urina atra.quęſi. in Hipp.* Sp.113.E
in *Aegritudinem acutã lapſum cũ urina male olens & hypoſtaſis atra fuerit, non mori impoſſibile.quæſi.in Hipp.* Sp.113.E
Aegritudo acuta, uide in dictione acuti morbi, & dictione morbi acuti.
Aegritudines quædam occidũt hominem in tempore acceſſionis, quædã in uigore.1°.de criſi. 4ª.125.G
Aegritudines omnes ſunt breues ęſtate.com.2°.aph.25°. Ex.16.A
Aegritudo facta curari debet.ars med. Iſa.69.C
in *Aegritudine omni primus & præcipuus curandi ſcopus eſt exacta uictus ratio.de remed.par.fac.* 7ª.156.B
Aegritudinem quando ignoramus coniectura aliqua artificioſa bona uictus ratio debet aſſignari.1°.de criſ. 4ª.133.E
Aegritudo docet rationem uictus.com.1°.aph.17°. Ex.9.B

Aegritudines quę uolunt integram diætam.cō.1°.aph.4°. Ex.4.A/B
ab Aegritudine ad ſanitatem progreſſio quomodo, & qualis ſit. ad Thraſyb. 2ª.102.E
Aegritudo copulata exigit curam copulatam, & ſimplex ſimplicem, ſi autem in copulata una fuerit maior, illi incumbendum eſt, non neglecta altera.com.1°.aph.16°. Ex.8.H
Aegritudine ſublata euãdi ſunt, qui nō appetũt.cō.2°.ap.8°. Ex.11.H
Aegritudines diſcutientia an cuſtodiant uitam.9°.meth.me. 7ª.59..A
Aegritudo longa fit quoties ex quatuor humoribus aliquis excreuerit. de natura, & ordine uniuſcuiuſq; corp. Sp.41.F
in Aegritudinibus lōgis ſemp expectãda digō.cō.1°.aph.24°. Ex.10.F
Aegritudo pituitæ quo modo curanda. de natura, & ordine uniuſcuiuſque corp. Sp.41.G
Aegritudo calida quo modo curanda.de partibus artis med. Sp.18.D
Aegritudo ſanguinis quo modo curanda ſit.de natura, & ordine uniuſcuiuſque corp. Sp.41.G
Aegritudo bilis q̃uo curãda.de natura, & or.uniuſcuiuſq; cor. Sp.41.G
Aegritudo atræ bilis quo modo curanda. de natura, & ordine uniuſcuiuſq; corp. Sp.41.G
ſm Aegritudines uarias, quę uenæ ſecandæ.ſecret. Sp.97.D
Aegritudinibus, quæ fiũt ex materiebus ad caput declinantibus, & ægritudinibus matricis cōfert ſectio uenarũ pedũ.de anat.uiu. Sp.5.A
in Aegritudinibus plenis.& laterum ſecantur iugulares uenæ.de anatomia uiuorum. Sp.55.B
in Aegritudinibus ſplenis ſecatur uena ſupra uentrem in ſiniſtra.de anatomia uiuorum. Sp.55.B
ad Aegritudines omnes emplaſtrum.ſecret. Sp.102.B
ad Aegritudines phlegmaticas.de med.exper. Sp.107.B
ad Aegritudines phlãticas, & melicas.ſecretorum.162.E/ Sp.103.E
Aegritudinibus antiquis quid bonum.ſecret. Sp.97.H
ad Aegritudines cerebri & hepatis ualet agarici decoctio. de medic. exper. Sp.106.E
ad Aegritudines pectoris dantur penidiæ.de med.exper. Sp.106.F
Aegritudinibus uiſcerum quid conferat.ſecret. Sp.100.F
Aegritudinibus omnibus hepatis, & ſplenis conferens medicamentũ. ſecret. Sp.101.G
Aegritudinibus ueſicę quid conferat.ſecret. Sp.101.F
ad Aegritudines fortes in matricibus mulierum euenientes electuarium.de med.exp. Sp.107.H
Aegritudo, lege morbus, & morbus longus.morbus acutus pro ægritudine longa, & acuta.
Aegrotare quos arbitrentur omnes homines.de dif.morb. 3ª.2.C
Aegrotare non dicuntur qui capite grauantur, aut dolent, aut uigilant. cum nondũ in cōſuetis impediuntur operationibus.ars me. Iſa.67.G
Aegrotare quæ proprie dicantur.1°.de lo.aff. 4ª.5.A
Aegrotant qui.de nat.hum.com.1°. 1ª.30.E
Aegrotare medicũ eſt turpiſſimum.in 6^{m}.de mor.uul.cō.4°. 3ª.181.H
Aegrotatio quid.fi.med. Iſa.45.E
Aegrotare ſæpe ſimulant homines ꝓpter multas cauſas.intro. Iſa.61.B
Aegrotanti diſſimile ſanum.4°.de decr.Hipp. 1ª.281.B
Aegrotaturi qui ſunt, eos ineunte uere purgare oportet. quos pur.op. quib.medi.& quo temp. 5ª.88.B
Aegrotaturi plurimum uigilant, cibos faſtidiunt, capite grauantur, ſegnes & ad motum pigri fiunt, toto corpore laſſitudinem ſentiunt, & & id genus alia infinita.1°.de die.decr. 4ª.147.D
Aegroti, dũ ſani sũt à medicis cognoſcẽdi.1°.de ar.cu.ad Gla. 7ª.94.D
Aegrotantium corporum ſigna unde ſumuntur.ars med. Iſ.67.H
Aegrotans uere ſcit morbum referre.intro. Iſa.61.E
cum Aegrotantibus medicorum ſermones quales.in 6^{m}. de morb.uul. commen.4°. 3ª.181.D
Aegrotat grauiter naturæ ſuæ contrarius, ut ſi modeſtus acerbe reſpondeat.in 1^{m}.de mor.uul.com.3°. 3ª.117.C
Aegrotos conſiderat Galenus in arte curatiua ad Glauconem, quorum natura ante quàm morbum contraherent, nobis erat exquiſite perſpecta.1°.de ar.cu.ad Glauc. 7ª.94.F
Aegrotari unde cœptum eſt occaſiones debẽt conſiderari.in 6^{m}.de morbis uul.com.2°. 3ª.178.B
Aegrotandi multi modi.9°.de uſu par. 1ª.171.C
Aegrotantis mores ſunt cognoſcendi.1°.de præſa.ex pulſ. 4ª.105.B
Aegrotantes ob dimiſſionem exercitij.5°.de ſa.tu. 2ª.93.E
Aegrotãtibus maxime neceſſarium cordis officiũ.7°.met.me. 7ª.49.B
Aegrotare caput quando dicatur.1°.de loc.aff. 4ª.5.A
Aegrotare quando dici poteſt, & debet uentriculus.1°.de lo.af. 4ª.5..A
Aegrotãt minime qui habẽt humidum uẽtrem.cō.6°.aph.33°. Ex.50.B
ab Aegrotantis uiribus indicatio faciendorum pctenda eſt. 9°.methodi medendi. 7ª.58.C
Aegrotãtis natura docet humorẽ peccãtem.cō.4°.aph.2°. Ex.27.E/G
Aegrotãtis ẽt natura ĩdicat bonas excretiōes.c.4°.aph.47°. Ex.33..A
Aegrotant quidam quodam modo ob prauam uictus rationem. 6°. de ſani.tuen. 2ª.97.B
Aegrotationi opportuna, quæ.fin.med. Iſa.45.F
Aegrotantibus cur præbeatur melicratum, oxymeli, uinum. de bo. aquæ. Sp.75.H
Aegrotis piſces molles accommodati.3°.de ali.fac. 2ª.31.E
Aegroti non tangunt aquam frigidam ſine læſione. de uict. ra. in morb. acut.commen.3°. 7ª.132.D
Aegroti tolerandi facilitas in diaria ſignum bonitatis febris. 1°. de ar. cur.ad Glauc. 7ª.95.A
Aegrotantes ſæpe, & imbecilli facile ſeruantur in morbis. 2°.de præſa.ex pulſ. 4ª.110.E
in Aegrotantibus urinæ deficientes a ſanis, quæ.de urinis. 4ª.125.C
Aegrotantium urina optima, quæ.de urinę ſig.ex Hippoc. Sp.79.B/de urinis. 4ª.125.C
in Aegrotante deterior urina, quæ.de uri.ſig.ex Hipp. Sp.79.B
Aegrotantes facile, ſunt medicandi.6°.de ſa.tu. 2ª.100..A
Αείζωον.6°.de ſimp.med.fac. 5ª.41.F
AELII Galli antidotus, quę Cęſarem liberauit, ad quæ ualeat. 2°. de antidotis. 5ª.110.H
Aelij Galli antidotus contra morſum canis rabidi. 2°. de antidotis. 115.G/ 5ª.116..A/H
Aelij Talij emplaſtrum.6°.de comp.med.per ge. 5ª.257..A
AELIANI, Pelopis, & Lyci muſculorum diſſectio cur in pretio habita eſt.de muſ°.diſſ. 1ª.44.B
AENEAE medicamenta pituitam detrahentia.2°.de compo.medic. ſec.loc. 5ª.139.E
AENEUM uas, in quo ponit punica.3°.de comp.me.ſec.loc. 5ª.147.G
Aenei uaſis fit mentio.6°.de compoſi.med.ſec.loc. 5ª.170..A
de ocul. 7ª.191.F
in Aeneo uaſe fit medicamẽtum ad oculorum dolores.de uictus rat. in morb.acut.com.4°. 7ª.152.G
Aenea an ferrea debeant potius eſſe inſtrumenta.de mach. 7ª.309.D
Aenearum cucurbitularum uſus frequentior erat apud antiquos.de cucur.ſcar. 6ª.3.D
Aenearum cucurbitularum tractus, quemadmodum etiam uitrearũ, per ignem fit.de cucur.ſcar. 6ª.3.E
AEOLICAM linguã nō perfecte callebat Gal.ad Thra. 2ª.107..A
AEQVABILITAS ars admirabilis.17°.de uſu par. 1ª.221.G
Aequabilitatem difficulter aſſequuntur ſtatuarij, etiam cum multis inſtrumentis.17°.de uſu par. 1ª.221.G
AEQVALE quid ſit.in prog.com.2°. 4ª.200.F
Aequale quod prorſus eſt, erit ſibi ſimile.de faſcijs. 7ª.293.E
Aequalibus deteriora inæqualia in prog.com.2°. 4ª.200.F
Aequalis, & inęqualis ſunt duę ſpecies doloris, ſi dolor addatur. com. 6°.aphor.5°. Ex.47..A
Aequalis pulſus a phlegmate fit.de dynamidijs. Sp.19.F
Aequalem leuem & albam eleuationem habens urina deterior eſt.de urinæ ſign.ex Hipp. Sp.79.B
Aequales ſint inter ſeſe magnitudine in ſcarificatione inciſiones, & quę inter eas ſunt ĩterualla, inter ſeſe æqualia ſint.de cucur.ſcar. 6ª.3.G
AEQVALITAS rerum iuſtitia dicitur.1°.de tem. 1ª.13.D
ad Aequalitatem febris quid exigatur.8°.meth.med. 7ª.56.C
de Aequalibus inęqualitatibus in pulſu.1°.de diff.pulſ. 4ª.49.D
Aequalitas, & inæqualitas pulſus quo modo, & quot fiat modis.1°.de diff.pulſ. 4ª.48.H
Aequalitas temperaturę fit a calore febrili.cō.6ª.apho.40°. Ex.51.A
Aequalitas a ſolis ortu æquale regioni temperamẽtum affert. de aere, aquis, & locis. 2ª.4.E
AEQVILIBRE membrum, quale de art.com.2°. 7ª.266..A
AEQVINOCTIVM uniuerſale eſt. in 1^{m}. de morb. uulga. commento.1°. 3ª.102.C
Aequinoctia, & ſolſtitia cur eadem in uarijs regionibus & ortus ſyderum uarius.in 1^{m}.de morb.uul.com.1°. 3ª.101.H
Aequinoctium quod hiemem ſequitur. ueris eſt initium.in 1^{m}. de morb. uul, com.2°. 3ª.108.C

Aequinoctiũ,utrũque periculoſum,maxime autumnale.de aere,aquis, & locis. 2ª.4.D
Aequinoctialium horarum meminit Galenus. 2°. de diffe.feb.36.H/de morb.temp. 3ª.85.G
Aequinoctiales horæ uigintiquatuor faciunt ſpatium diei & noctis. de ſep.partu. 1ª.341.B
Aequinoctiales horę æquales.de ſep.par. 1ª.341.B
Aeqnoctiales horæ mediæ inter maximas & minimas. de ſep. par. 1ª.341.B
AEQVITAS pro probabilitate.de fract.com.3°.7ª.246.D
AEQVIVOCA quæ ſint.de ijs,quæ.in med ſi.com.3°. 7ª.218.C
Aequiuoca duplicia,analoga,& æquiuoca ſimpliciter.de uictus rat.in morb.acut.com.4°. 7ª.135.G
Aequiuoca diſtinguenda ſunt.1°.de diff.reſp.3ª.57.C/1°. de præſag.ex pulſibus.104.D/ 4ª.108.D
Aequiuoca prius diſtinguenda. quàm definienda probat Galenus.2°.de diff.pulſ. 4ª.53.G
in Aequiuocis nõ eſſe unũ,qđ ſignificat,collige.2°.meth.med. 7ª.13.G
in Aequiuocis nomine generis quandoque utuntur antiqui.de uict.ra. in morb.acut.com.4°. 7ª.135.G
AEQVIVOCATIO duplex,& quę.9°.de decr.Hipp. 1ª.286.C
Aequum ſeu æquale ĩ partibus unius rei exiſtit.de frac.cõ.3°.7ª.246.B
Aequus eſt Mercurius ſecundum calidum & humidum,frigidum & ſiccum.de compag.memb.ſiue de nat.hum. Sp.59.G
AER & ſpiritus,idem.1°.de diff.feb. 3ª.31.B
Aeris nomen ab eſſentia ſumptum eſt.1°.de ſani.tu. 2°.62.E
Aer non dicitur corpus ſecundum quoſdam.3°.de diff.pulſ. 4ª.62.C
Aer ex corporibus in ſublime eiaculatis ortus eſt.de hiſt.phil. Sp.4.E
Aeris ſubſtantia eſt humiditas.de ſpermate. Sp.41.B
Aer quo modo intelligitur eſſe ſolũ elemẽtũ.de nat.hum.c.2°.7ª.28.A
Aerem elementum eſſe dicentes,cui innituntur.1°.de elem. 1ª.4.E
Aer & aqua cur inter ignem & terrã ſint ſita.8°.de uſu par.1ª.169.A
Aer,& aqua non ſunt elementa.de util.reſp. Sp.64.A
Aerem eſſe intra aquam probatur.de util.reſp. Sp.63.B
Aer quo modo tranſeat in alia elementa.1°.de elem. 1ª.4.E
ex Aere fit aqua euaporatione ignearũ partiũ.de util.reſp. Sp.64.A
Aer per digeſtionem fit ignis.de util.reſp. Sp.64.A
Aer & ignis ſunt formalia.in Timæum Plat. 1ª.287.B
Aer multus non fit ex multa aqua.de util.reſp. Sp.62.E
ex Aere plurimo fit multò minor ignis.de util.reſp. Sp.62.E
ex Aere modico fit multus ignis,ſm quoſdam.de util.reſp. Sp.62.E
Aer,& ignis ſunt elementa ſpiritus.5°.de decr.Hipp. 1ª.155.G
Aer non eſt ęque mobilis,ut ignis.de util.reſp. Sp.62.D
Aer eſt corpus diſſimilium partiũ habens caliditatis,et frigiditatis particulas in ſeipſo.de util.reſp. Sp.64.A
Aer non reperitur ſyncerus.1°.de elem. 1ª.5.D
Aer,qui ſimili ſit calore,uarie tangenti occurrit.1°.de tem. 1ª.17.E
Aeris natura debet ſciri ſecundum rationales.de ſec. Iſ.16.D
Aeris intemperies cognoſcenda eſt.in 1m.de mor.uul.cõ.1°. 3ª.101.A
Aere nunquam eſt uacuus locus.de cauſ.procat. 3ª.97.A
Aer ſemper mouetur,ſed nos fugit.in 3m.de mor.unl.com.3°. 3ª.140.H
Aer & ignis corpora ſunt præter cætera tenuioribus partibus, ac molliora,habiliora,& tractabiliora.de mult. 3ª.77.E
Aeris ſubſtantia tenuiſſima eſt.1°.de differ. feb. 3ª. 31.B/ 4°.de ſimplic. medic.fac. 5ª.24.F
Aer omnis natura calidus.2°.de ſimp.me.fa. 5ª.14.B
Aeres actu ſunt calidi,potentia medicinæ.de ſimp.me.fa. 5ª.15.G
Aer à quibus calidus et à quibus frigidus dicat.2°.de ſim.m.f.5ª.14.C
Aere ſemper multo calidius eſt cerebrum.8°.de uſu par. 1ª.165.E
Aer ſiccus exiccat.de cau.morb. 3ª.7.H
Aer mari comparatur.in 3m.de morb.uul.com.3°. 3ª.140.H
Aer eſt neceſſarius ad conſeruationem ignis,nõ ut quidã putãt propter refrigerationem,ſed nutrimenti cauſa.de util.reſp. Sp.63.H
Aer eſt nutrimentum ignis.de util.reſp.62.D/63.H/ Sp.64.C
Aer eſt ad ſpiritus nutrimentum.de nat.uiu. Sp.47.G
Aer ĩ nobis uocat̃ ſpũs,& eſt uocis materia. de uoc.inſtr. diff. 1ª.106.C
Aerẽ & ignẽ cõtinere,& terrã & aquã cõtineri dicũt.de mul. 3ª.77.C
Aer in animantium corporibus eſt cauſa, ſecundum Hippocratem. in 3m.de morb.uul.com.1°. 3ª.129.C
Aerem adeſſe in corpore aĩalis,quõ cognoſcatur.1°.de elem. 1ª.5.E
Aeris elementum deprehenditur in homine ex pulſibus & reſpirationibus.8°.de decr.Hipp. 1ª.275.D
Aere utitur natura ad fabricam membrorum,quæ habent ſinus,& uẽtriculos.2°.de ſemi. 1ª.339.F
Aer exquiſitam mediocritatem habere debet.ars med. Iſa.68.D
Aeri moderato ꝓportionat̃ oleũ & pinguedo.2°.de ſim.me.fa. 5ª.15.G
in Aere moderata temperatio,quæ.2°.de ſim.me.fa. 5ª.15.F
Aere utitur uiſus.7°.de dec.Hipp. 1ª.271.B
Aeris mediocritate fit uiſus.de ocul. 7ª.185.C
Aer ambiens eſt inſtrumentum oculi.7°.de dec.Hipp. 1ª.271.A
Aer an ſit inſtrumẽtum ad uiſum, ut neruus ad alios ſenſus.7°.de decr. Hippoc. 1ª.272.D
Aer circunfuſus tale inſtrumentum nobis eſt quo tẽpore uidemus, quale eſt ſemper neruus in corpore.7°.de dec.Hipp. 1ª.270.D
Aer illuſtratus à ſole tale uiſus inſtrumentum efficitur, quale is, qui à cerebro proficiſcitur ſpiritus.7°.de dec.Hipp. 1ª.272.D
ad Aerem eandem rationem habet oculus, quàm cerebrum ad neruũ. 7°.de.dec.Hipp. 1ª.271.A
per Aerem circunfuſum non fit uiſio quaſi per baculum, ut Stoici dicebant.7°.de dec.Hipp. 1ª.272.E
Aer quanto eſt craſſior luce,tanto uapor eſt craſſior aere.8°.de uſu.partiũ.1ª.168.A/1°.de ſymp.cau. 3ª.17.C
Aer non eſt ſplẽdidus ex propria natura ,ed ex radio ſolari.17°.de uſu par.1ª.222.C/in 6m.de morb.uul.com.4°. 3ª.182.G
Aer clarus ducit colorem in alium parietem.7°.de dec.Hip. 1ª.272.A
in Aere lucido dormiri nõ põt,niſi tectis oculis.de inſt.odor. 1ª.112.B
Aer purus coloratur,probatur exemplo recumbẽtis in aere nitido ſub arbore:nã arboris colore totus ꝑfunditur. 7°. de dec.Hip.1ª.272.A
Aer quo modo in colores mutetur.de oculis. 7ª.185.B
Aeris ſenſus eſt auditus.1°.de ſympt.cau. 3ª.17.C
Aereum auditus inſtrumentum.7°.de dec.Hipp. 1ª.271.B
Aere plena pellicula eſt ĩtra aurẽ ĩ qua fit auditus.de uti.reſp.Sp.63.D
Aeris iter cur prolongatur per aurem.de anat.uiu. Sp.48.H
Aerem recipit qui inſpirat.1°.de elem. 1ª.6.H
Aeris,quem reſpiramus,ꝙ cura habenda ſit.12.meth.med. 7ª.77.B
Aerem extrinſecum trahunt arteriæ.1°.de diff.feb. 3ª.32.B
Aer in arterijs eſt ſanguini mixtus.1°.de diff.feb. 3ª.31.A
Aeris receptionem per inſenſibiles meatus & expirationem Eraſiſtratus per circulum fieri dicebat, Plato per duos ſemicirculos.in Timæum Platonis. 1ª.290.A
Aerem refrigerantẽ plus cæteris requirit pulmo.10°.met.me.7ª.64.G
Aer in tuſſi tanquam manus ad emittendos humores iuuat.de ui.rat.in morb.acut.com.3°. 7ª.126.A
Aerem trahunt etiam carnes.in 6m.de mor.uul.com.6°. 3ª.194.H
ad Aerem ſpirandum,quòd conferat thorax.5°.de loc.af. 4ª.29.A
Aer quo modo tranſeat ad cor,& arterias.de cau.morb. 3ª.7.F
Aeris attractio ad pulmonem fit per cannam magnam, & per canales naſi.de anat.uiu. Sp.47.C
Aeris attracti receptaculum interius,cur fuit neceſſariũ. de anatomia uirorum. Sp.53.A
Aeris inſpiratio ad ſiniſtrum uentrem cordis,per quę foramina fiat.de util.reſp. Sp.64.C
Aer alterat pulſus.de uſu pulſuum. 1ª.229.E
Aeris aliqua pars in cor attrahitur.de util.reſp. 1ª.226.E
Aer nutrit cordis calorem.de util.reſp. Sp.63.C
Aerem ſpirare piſces maiores extra aquam cõſtat.de uti.reſp.Sp.63.B
Aer inſpiratus refrigerat.de util.reſp. Sp.63.C
Aer ex inſpiratione attractus per nares defluit.2°.de ſemi. 1ª.340.C
Aere ſuffocamur ſi copioſiſſime impleamur.de util.reſp. 1ª.223.D
Aeris q̃dã qualitas familiaris eſt & amica ſpũi.7°.de uſu par.1ª.159.B
Aer inſpiratu attractus in febre non debet eſſe calidior, q̃ conueniat.in 6m.de morb.uul.com.2°. 3ª.178.B
Aer frigidus eſt.in 1m.de morb.uul.com.1°. 3ª.104.D
Aer frigidus eſt,ob ignẽ ſit tẽperatus ſm ſtoicos.ꝙ animi mor. 1ª. 318.F
Aere frigido exiſtente, cur quæ ſunt in uentre fiunt duriora. in 6m. de morb.uul.com.5°. 3ª.193.B
Aer frigidus inſpiratus quid faciat.in 6m.de morb.uul.cõ.2°.3ª.164.G
Aeris inſpirati uel nihil,uel parũ ad cor deſcẽdit.an ſang.ĩ ar.1ª.62.A
Aer nimium frigidus ſyncope ex cruditatibus contrarius. 11°. methodi medendi. 7ª.76.B
Aer frigidus ſubito adhibitus horrorem facit.2°.de ſymp.cau.3ª.23.A
Aer circũfuſus laxationẽ,aut adſtrictionẽ facere põt.de ca.mor.3ª.7.G
ex Aere frigido dolor,ſtati abit,aere frigido remoto.3°.de l.af.4ª.14.E
Aer frigidiſſimus à febriente debet attrahi ad cor,ſed non debet contingere hominem.10°.meth.med. 7ª.64.E

Aer frigidus ſanat laborantes exuſtione ſolis.de inſtr.odor. 1ª.112.E
Aer frigidiſſimus denſat.10°.meth.me. 7ª.64.E
Aer borealis tenuis eſt,purus,frigidus.1°.de ſimp.me.fa. 5ª.6.D
Aer aquilonaris ſerenus,qualis.2°.de com.med.ſec.lo. 5ª.136.C
Aer quandoq; eſt frigidior nobis. 2°.de ſim.me.fa. 5ª.15.F
Aer in poroſitatibus rerum facilius acceditur.1°.de ſim.me.fa. 5ª.4.F
Aeris humiditas,et frigiditas trãſpirationẽ ꝓhibet.8°.met.me.7ª.58.A
Aer humid° eſt ſimpliciter,et nõ cõparat° ad aliud ullũ.1°.ð tẽ. 1ª.12.F
Aer quò plus humidis corporibus obuiat,craſſior,& corpulentior redditur.an ſang.in arter.nat.conti. 1ª.60.D
Aereum quod eſt,ſiccum eſſe colligitur.aduerſus Lycum. Ex.62.A
Aer accenſus flamma eſt.1°.de ſim.me.fa. 5ª.4.F
Aeris calor calefacit.1°.de diff.feb. 3ª.32.B
ab Aere uicino,tñ à pinguedine nutriũ flãma.de util.reſp. Sp.62.D
Aer prẹter modum frigidus lucernam ſub dio & ignem exiguum extinguit.de cau.mor. 3ª.7.C
Aer quandoq; calidior nobis.2°.de ſimp.me.fac. 5ª.15.F
Aeris feruor ẹſtus appellatur.com.7°.aph.13°. Ex.54.H
Aeri calidiori proportionatur pyrethrum,napi,& piper.2°.de ſimpli.medi.fac. 5ª.15.G
Aer auſtrinus qualis.2°.de arte cur.ad Glau. 7ª.104.E
Aer nubilus facit humores nubiloſos.in 1m.de mor.uul.cõ.1°. 3ª.104.B
Aer nubilus medicamenta denigrat,ſyncerus dealbat.1°.de comp.medi.per gen. 5ª.212.G
Aer ſemper ferè nubilus,ubi.de aere,aquis,& locis. 2ª.5.E
Aer fumidus,qui.aduerſus Lycum. Ex.62.D
Aer fuliginoſus,qui.aduerſus Lycum. Ex.62.E
Aer domus incluſus,qualis.1°.de ſan.tuen. 2ª.67.B
Aer,quo modo rarus.2°.de ſan.tuen. 2ª.72.F
Aer ꝙ ſit tenuis,& quo modo.1°.de ſimp.me.fa. 5ª.6.C
Aerea tenuis ſubſtantia intus ducit terreſtre frigidum. 8°. de ſimpliciũ medica.fac. 5ª.59.E
Aerem tenuem animalia inſpirantia, alijs prẹſtantiora ſunt. de atten.uict.rat. 2ª.45.D
Aeream ſubſtantiam habent leuia.9°.de ſimp.me.fa. 5ª.66.C
Aereæ ſubſtantiẹ aliquid eſſe,probaẽ leuitate.9°.de ſim.me.f.5ª.66.A
Aeris ſtatum conſiderant ſupra omnes,agricolæ & nautæ.3°. de dieb.decret. 4ª.157.E
ſub Aeris temperie ſeu cœli ſtatu continetur anni tempus & regio.8°.meth.med. 7ª.58.A
ſub Aeris temperie intelliguntur,& tempus anni. & preſens conſtitutio.10°.de ſimp.me.fa. 5ª.75.B
Aer temperatus cui comparetur.2°.de ſimp.med.fa. 5ª.15.F
Aer quo modo dicitur temperatus.1°.de ſan.tuen. 2ª.64.B
Aer cõtẽt° ĩ cerebro,erũpẽs facit ſternutamẽtũ.c.7°.aph.51°. Ex.58.C
Aerem tria immutant in inſtanti.de ocul. 7ª.185.C
Aer ambiẽs,unũ eſt à quib° neceſſario corpus alteraẽ.ars me.Iſ.68.B|ĩ 1m.de morb.uul.com.1°.3ª.100.H|1°.de ſan.tuen.63.B| 2ª.68.H
in Aere ambiente duplici ratione uerſamur.ad Thraſy. 2ª.104.D
Aere corpora animalium alterantur.in 1m.de mor.uul.cõ.1°. 3ª.104.B
Aer quo modo afficiat corpus.ars med.Iſa.68.B|in 1m.de mor. uul.commen.1°. 3ª.103.C
Aer nos continẽs ſi immoderatius calefiat,uel frigeſcat, uel humeſcat, uel ſicceſcat,corporum ſymmetriam,quæ ſanitas eſt,cõfundit,interturbat,ac corrumpit.in.1m.de morb.uul.com.1°. 3ª.100.H
Aer ambiens quo modo faciat intemperiem. 1°.de ſan.tuen. 2ª.68.B|de uict.rat.in mor.acut.com.4°. 7ª.134.C
Aer ambiens humidus chordas implet.com.6°.aph.39°. Ex.50.G
Aer immutat lac.de diff.cont. Sp.74.A
Aer ambiens facit defluxus è corpore.com.7°.aph.59°. Ex.59.D
ex Aeris nos ambientis temperie in locum & tempus diuiſa ſumitur ſanguinis mittendi quantitas.de cur.ra.per ſang.miſ. 6ª.18.D
in Aeris ambientis qualitate calida & ſicca febres tertianæ fiunt.2°.de diff.feb. 3ª.36.D
Aer ambiens facit nos deuenire in cognitionem morborum.com.1°.aph.12°.Ex.5.E|9°.met.med.59.G|11°. 7ª.67.H
Aer ambiens tempore ẹſtatis trahit humores extra, quos intra trahit medicina.com.4°.aph.5°. Ex.28.A
Aer corpus ambiens replet thoracem ſm Pla.in Tim.Plat. 1ª.289.F
Aer cauſa eſt morborum uulgarium.in 1m.de mor.uul.cõ.1°. 3ª.101.C
ab Aere qui fiunt morbi qũo cognoſcãtur.de na.hu.com.2°. 7ª.182.B
Aeris temperatura nõ eſt ſola cauſa morborum, aliter ſemper haberemus ægritudines complexionis aeris tunc exiſtẽtis.com.3°. aph.19°.Ex.23.H|in 3m.de mor.uul.com.3°. 3ª.141.F
Aeris ex qualitatibus diuerſitas non perinde ſe ad omnes homines habet.1°.de ſan.tuen. 2ª.67.B
Aeris temperies in ulceribus conſideranda.3°.meth.med. 7ª.21.C
ex Aeris temperamento preſagia.in 1m.de morb.uul.com.3°.3ª.117.D
Aeris proprietates faciunt differentiam in uiris,& mulieribus.breuis denot.dogm.Hipp. 1ª.231.C
Aerem ex luna mutari nemo dubitat.3°.de die.decre. 4ª.157.E
Aere ſpirituali,& terreſtri grauitate admiſta medicamina ſuperiorem purgant uentrem & inferiorem.de cath. Sp.94.F
Aerem ut poſſit percutere,lingua à natura conſtituta eſt. de uocal.inſtru.diſſ. 1ª.106.E
Aer percuſſus.eſt uocis diffinitio.de uoc.inſtr.diſſ. 1ª.106.D
Aerem ſolum,animam eſſe non licet dicere.ꝙ animi mores. 1ª.318.E
Aer largus qũo exeat aperta aſpera arteria.de util.reſp. 1ª.223.H
Aer in folles aliter trahitur,q̃ ferrũ à magnete.3°.de nat.fa. 1ª.307.G
Aerem uehentia corpora non dilatantur.de inſtr.odor. 1ª.111.F
Aerem duntaxat recipiunt pori,qui ſunt in brãchijs piſcium adeo ſunt tenues.de util.reſp. Sp.64.C
Aer peruenit ad cor piſcium,& non aqua.de util.reſp. Sp.63.B
Aer non intrat poros metallorum,ſed ignis.de util.reſp. Sp.64.A
Aer influens per poros cineris ignitur ad reſtaurationem euaporationis ignis.de util.reſp. Sp.63.H
Aer cur non nutriat.de anat.uiu. Sp.47.F
Aer,ex quo fit uox,quo indiget.de uo.& anhel. Sp.61.D
Aerem plurimum habet nix quemadmodũ ſpuma.de util.reſp. Sp.62.E
per Aeris expreſſionem ex aqua fit glacies.de util.reſp. Sp.64.C
Aer purus conuenit omni ætati.1°.de ſan.tuen. 2ª.67.B
Aer qualis homini temperato conuenit.1°.de ſan.tuen. 2ª.67.B
Aer qualis conuenit intemperatis.1°.de ſan.tuen. 2ª.67.B
Aer qui uitandus.12°.meth.med. 7ª.77.B
Aer quando offendit.de inẹqual.intemp. 3ª.44.C
Aer,qui noxius eſt omni ætati.1°.de ſan.tuen. 2ª.67.B
Aer in peſte corruptus eſt.de theria.ad Piſon.96. G| de uſu theria.ad Pamphil. 5ª.98.D
Aer peſtilens eſt circa Sardos & Hieradolin.1°.de ſan.tuen. 2ª.67.B
Aer peſtilens febrem facit.1°.de diff.feb. 3ª.31.B
in Aeris peſtilenti ſtatu, calor extrinſecus ſanguinem opprimit.2°.de diff.feb. 3ª.40.B
Aerem uicinum quẹ inficiant.in 3m.de morb.uulg.com.1°. 3ª.133.F
Aerem contaminantes uenti,qui ſpirant ex barathris charonijs, morbos generant.in 1m.de mor.uul.com.1°. 3ª.101.D
Aeris ſtatum euitare uictus contrarius poteſt. in 1m.de morb.uul.com.2°.108.F|in 3m.com.3°. 3ª.143.E
quibus Aer dominatur linguam pati faciunt uel cum delectatione, uel cum nocumento.de ocul. 7ª.187.H
Aer delatus per gulam ad uẽtriculum,ſi paucus ſit, non lædit.com.2°.aphor.17°. Ex.13.B
Aer cur euitandus in capite fracto.8°.de uſu par. 1ª.165.E|F
Aer exufflat uulnerato pectore,peritonæo, & gutture, an ſanguis in art.nat.cont. 1ª.60.E
Aer balnei qũo fiet tꝑatus.& modice humidus.10°.meth.me.7ª.66.H
Aerem balnei non deſiderat Galenus in ſiccis.7°.meth.med. 7ª.44.F
ab Aere,cibo,& potu quid habeat iecur.10°.meth.med. 7ª.64.F
Aereæ cauſæ frigidæ remedium eſt calefactio.2°.de ſymp.cau. 3ª.23.A
de Aere,aquis,& locis liber quid tractet.3°.de dif.reſp. 3ª.73.D
de Aere,aquis,& locis,aphoriſmorum, & acutorum morborum uictu libri ſunt Hippocratis.3°.de diff.reſp. 3ª.69.E
de in Aere cõſpectis reb° Aratus librũ fecit.in 1m.pr.cõ.1°. 4ª.160.H
Aera quid.6°.de ſim.me.fa. 5ª.41.F
Aerina farina exiccat & quomodo.5°.de ſim.me.fa. 5ª.33.H
Aerina farina non mouet pus.5°.de ſimp.med.fac. 5ª.33.H
ad Aeram.de med.fac.par. 7ª.163.F
Aerianum medicamentum.4°.de comp.med.ſec.lo. 5ª.154.H
Aerianum collyrium.4°.de comp.med.ſec.loc. 5ª.156.E
AERVGO, uel uitreolum,quomodo fiat,quid ſit,& eius uires.de ſim.medica. Sp.79.G
Aerugo præparatur arte.9°.de ſimp.med.fa. 5ª.71.B
Aeruginis præparatio.2°.de comp.med.per gen. 5ª.220.E
Aerugo funditur quo modo.1°.de comp.med.per gen. 5ª.212.F
Aerugo Cypria.4°.de cõ.me.ſe.lo.156.D|2°.ð cõp.med.ꝑ ge. 5ª.222.H

Aerugo Corinthia.4°.de comp.med.ſec.lo.152.H/5°.de comp.med ſec. loc.160.G/5°.de comp.med.per ge. 5ª.251.F
Aerugo habetur Puteolis.1°.de antid. 5ª.100.D
Aeruginis uermiculatæ fit mentio.4°.de comp.med.ſec.lo.154. G/156. D/6°.175.H/5°.de comp.med.per gen. 5ª.249.C
Aerugo campanæ quo modo fiat.de dyna. Sp.22.F
Aerugo qualis ſit.9°.de ſim.med.fa.269.D/1°.de comp. med.per gen. 210.B/4°.238.B/5°.247.D/4°.de comp.med.ſec.loc.151. E/5ª.176.D/ de oculis. 7ª.189.A
Aeruginis uiuæ meminit.3°.de comp.med.per ge. 5ª.234.B
Aerugo cõbuſta, & non cõbuſta qualis.4°.de cõp.me.per ge. 5ª.236.D
Aerugo combuſta qualis.3°.de comp.med.per gen. 5ª.232.B
Aerugo lota uſta qualis.3°.meth.med. 7ª.20.C
Aerugo acris eſt.6°.de comp.med.per gen. 5ª.256.F
Aerugo adſtringit.4°.de comp.med.per ge. 5ª.236.E
Aerugo euidenter ſiccat.4°.de comp.med.per ge. 5ª.240.H
Aerugo exiccat & abſtergit uehemẽter.4°.de cõp.me.ꝑ ge. 5ª.240.H
Aerugo morsũ & roſionẽ facit.2°.de cõ.me.ꝑ ge.218.G/4°. 5ª.240.H
Aeruginis eroſio quo modo miteſcat.2°.de cõp.med.per ge. 5ª.219.H
Aerugo cocta & incocta uaria facit.2°.de cõp.med.per gen. 5ª.222.B
Aerugo quid faciat ulceri.3°.meth.med. 7ª.17.A
Aerugo ignem nondum experta ulceribus ſola nõ admouetur.4°.de cõ po.med.per gen. 5ª.236.G
Aerugo quo modo præparãda ad ulcera.2°.de cõp.me.ꝑ gen. 5ª.219.G
Aerugo q̃uo aceto læuiganda.2°.de comp.med.per ge. 5ª.221.D
Aerugo cum cera ulceri cauo couenit.2°.de cõp.med.per ge. 5ª.218.G
Aeruginis uſus ĩ extrinſecis ulceribus, innoxiᵒ eſt.4°.met.me. 7ª.28.H
Aerugo carnem minuit.3°.meth.med. 7ª.20.C
ex *Aerugine, & cerato fit incarnans medicamentum, tamen utrunq; eſt contrarium incarnationi.6°.de comp.me.ſe.lo.176.H/1°.de cõp. med.per gen.5ª.210.E/3°.meth.med.* 7ª.17.B
Aerugo quomodo miſcenda medicamentis.2°.de compo.medi. per gen. 221.E/222.F/H. 5ª.223.B
Aerugo & thus quomodo ſimul miſceantur in medicamentis.2°.de cõ- po.med.per gen. 5ª.219.D
Aerugo oculis conuenit.de ocul. 7ª.188.G
Aerugo ualet contra ungulas, ſcabies palpebrarum, pruritus & craſ- ſas puſtulas.de ocul. 7ª.189.C
& *Aerugineũ & pallidũ ſignãt* χλωρὸν. *in 1ᵐ.prorrh.c.2°.* 4ª.180.A
Aeruginoſus ſuccus unde oriatur.in.1ᵐ.prorrh.com.1°. 4ª.164.D
Aeruginoſus humor quid ſignificet.in 1ᵐ.prorrh.com.1°. 4ª.164.D
Aeruginoſa primo fit bilis cũ aſſat, et cur aſſat.ĩ 1ᵐ.pr.c.1°. 4ª.164.D
Aeruginoſa bilis quo colore inficiat.1°.de criſi. 4ª.129.E
Aeruginem euomere, & eruginoſus uomitus differunt.comm.5°.apho- riſmo.1°. Ex.37.C
Aeruginẽ euomuit quidã.12°.meth.7ª.80.A/cõ.5°.apho.1°. Ex.37.C
Aeruginoſi uomitus meminit.in 6ᵐ.de mor.uul.com.1°.3ª.155. C/in 1ᵐ. prorrh.com.1°.4ª.164.D/com.7°.aph.6°. Ex.54.D
Aeruginoſus uomitus quibus ſuperueniat, & cur.in 6ᵐ. de mor. uulg. commen.1°. 3ª.155.E
pro *Aeruginoſo humore euomẽdo dedit aquam tepidam Galenus.12°. meth.med.* 7ª.80.A
Aerugo quam euomimus, quo modo differat ab ærugine ferri, & quo modo cognoſcantur choleræ.com.5°.aph.1°. Ex.37.C
Aerugo habet defruti craſſitudinem.com.5°.aph.1°. Ex.37.C
Aerugo facit conuulſionem.com.5°.aph.1°. Ex.37.C
Aerugine euacuata ceſſauit febris & conuulſio.cõ.5°.aph.1°. Ex.37.C
Aeruginoſa epanthiſmata in urinis.in 1ᵐ.prorrh.com.2°. 4ª.172.H
Aeruginoſum colorem hñs urina ſpaſmũ ſignificat.de dyna. Sp.34.B
Aeruginoſum Mantiæ.4°.de comp.med.per gen. 5ª.244.E
Aeruginoſa urina ſtranguriam ſignificat.de dyna. Sp.34.B
AES, ferrũ, lapis, eſt ſuperioris generis q̃ ſtirpes.1°.de temp. 1ª.13.C
Aes habet ſubſtantiam conſtantem & ſtabilem propter ſiccitatem & frigiditatem.9°.meth.med. 7ª.60.H
Aes, aurum, ferrum, & lapis, quoniam duriora, non coaleſcunt, neque agglutinantur.3°.de ſymp.cau. 3ª.29.A
Aes ualde ſiccum eſt, propterea aduenienté calore nõ eleuat uapores. com.1°.aph.14°. Ex.7.F
Aes ſiccum eſſe collige.in 3ᵐ.de mor.uul.com.3°. 3ª.141.A
Aeris duplex differẽtia, aliud ductile, aliud cõflatile.de mac. 7ª.309.E
Aes conflatile facilius rumpitur ductili.de machin. 7ª.309.E
Aeris duo genera.de ſpermate. Sp.41.A
Aeris Cyprij fit mentio.2°.de cõp.me.per gen.226.D/5°. 5ª.250.H
Aeris Cyprij uas.5°.de com.med.per gen. 5ª.254.D
Aeris Cyprij pyxis.5°.de comp.med.ſe.lo. 5ª.161.F
Aeris rubri fit mentio.3°.de comp.med.ſe.lo. 5ª.148.A
Aeris rubri radiᵒ ad medicamẽta agitãda.3°.de cõ.me.ſe.lo. 5ª.148.A
Aeris rubri olla.6°.de comp.me.per gen. 5ª.256.E
Aeris rubri uas.3°.de cõ.me.ſe.lo.148.A/2°.đ cõ.me.ꝑ gen. 5ª.226.C
Aeris rubri pyxis.de med.fac.par. 7ª.162.G
Aeris adſtrictio alia eſt à meſpilo, aloe, moro, galla, cortice mali grana- ti, alumine, & rhu.3°.de ſimp.med.fa. 5ª.20.D
in *Aeris fodina cinis repertus ad quid utilis.de ocul.* Sp.191.C
Aes uſtum quo modo fiat & eius uires.de ſimp.me. Sp.79.F
Aes uſtum habetur Puteolis.1°.de antid. 5ª.100.D
Aes uſtum ex Cypro Galenus aſportauit.1°.de antid. 5ª.100.C
Aes uſtum quale.9°.de ſim.me.fa.71.E/4°.de com.me.per ge.241.A/ 4°.de comp.me.ſe.lo.5ª.151.E/de ocul. 7ª.188.H
Aes combuſtum mite medicamentum.4°.de cõp.med.per ge. 5ª.238.G
Aes uſtum uicinum adurentibus.5°.de ſimp.med.fa. 5ª.39.C
Aes uſtum quo modo lauandum.2°.de ſimp.med.fac. 5ª.13.A
Aes uſtum lauatur ut argenti ſpuma.1°.de comp.me.per gen. 5ª.213.E
Aes uſtum & lotum.4°.de comp.med.ſe.lo. 5ª.153.H
Aes uſtum lotum eſt in medio tertij calidum.5°.de ſim.me.fac. 5ª.39.C
Aes uſtum cuius uſus.2°.de comp.med.per gen. 5ª.220.B
Aes uſtum lotum minus purgat.3°.de ſimp.me.fa. 5ª.20.D
Aes uſtum corpora adſtringit & purgat.3°.de ſimp.med.fac.20.C/5°. de comp.me.per gen. 5ª.247.C
Aere uſto magis adſtringunt multa eorum quæ comeduntur.3°. de ſim. medi.fac. 5ª.20.D
Aes uſtum adſtringens noxium, ſi deuoretur.13°.meth.med. 7ª.85.C
Aes uſtum pro oculis.de uict.rat.in morb.acu.com.4°. 7ª.152.G
Aes uſtum iuuat oculorum ſcabritiem.intro. 1ſ.58.C
Aes combuſtum exiccat.4°.de comp.med.per gen. 5ª.240.H
Aes uſtum quantum exiccet.3°.meth.med. 7ª.20.A
Aes combuſtum deſiccat & indurat.5°.de ſim.me.fa. 5ª.36.C
Aes uſtum extergit, & repurgat.4°.de comp.me.ſec.loc. 5ª.149.G
Aes uſtum corpus in aquam reſoluit ſecundum Aſclepiadem, & hydro pas auget.1°.de nat.fac. 1ª.294.B
Aes uſtum in extrinſecis ulceribus conuenit, in intrinſecis noxium eſt. 4°.meth.med. 7ª.28.H
Aes uſtum ulcera conglutinare non poteſt.1°.de ſim.med.fa. 5ª.7.H
Aes uſtum in ducẽdis cicatricibus pulcherrimum eſt medicamen.9°.de de ſimp.med.fac. 5ª.71.E
Aes combuſtum lotum cicatricẽ mire inducit.5°.de ſim.me.fac. 5ª.36.C
Aes cõbuſtũ ulcera uix ſanabilia curat.2°.de cõp.me.ꝑ ge. 5ª.220.B
Aeris uſti fit mentio.3°.de comp.med.ſec.lo.148.B/4°. 5ª.152.D/E
Aeris flos qualis.9°.de ſimp.me.fac.71.F/4°.de comp.med.ſec. loc.5ª. 151.E/de ocul. 7ª.188.H
Aeris flos oculis conuenit.de ocul. 7ª.188.G
Aeris flos contra aſperitatem palpebrarum.de ocul. 7ª.189.C
ex *Aeris flore facta collyria extergunt, auferuntq; ſupercilliorum ma gnas aſperitates.9°.de ſimp.me.fa.* 5ª.71.F
Aeris flos extergit & repurgat.4°.de comp.me.ſec.lo. 5ª.149.G
Aeris flos ualet contra ſcabiem uetuſtam, aſperitatem, ungulam uetu- ſtam & pruriginem oculorum.de ocul. 7ª.189.C
Aeris flos adſtringens noxium deuoratum.13°.meth.me. 7ª.85.C
Aeris ſquamã ſignificat ſquama ſimpliciter.4°.de cõ.me ꝑ ge. 5ª.238.D
Aeris ſquama habetur Puteolis.1°.de antid. 5ª.100.D
Aeris ſquama qualis.9°.de ſim.me.fa.69.H/4°.de comp.med.ſec.loc. 151.E/3°.de cõp.me.per gen.232.B/5°.254.D/6°.255.C/ 5ª.258.C
Aeris ſquama calida tenuium partium, & parum adſtringens.3°.de comp.per gen. 5ª.228.E
Aeris ſquama uicina adurentibus.5°.de ſimp.me.fac. 5ª.39.C
Aeris ſquama eſt medicamẽtum forte.2°.de cõp.me.per gen. 5ª.219.G
Aeris ſquamę nigræ fit mẽtio.2°.de cõp.me ꝑ ge.223.G/4°. 5ª.245.C
Aeris ſquamæ torrefactæ fit mentio.4°.de comp.me.ſec.loc. 5ª.156.C
Aeris Cyprij ſquamæ fit mentio.5°.de comp.me.ſec.lo. 5ª.161.G
Aeris ſquamæ Cypriæ lotæ fit mentio.4°.de comp.me.ſec.lo. 5ª.155.H
Aeris rubri ſquamæ fit mentio.3°.de comp.med.ſec.lo.148.C/2°. de cõ. po.med.per gen. 5ª.226.B
Aeris ſquama per os ſumpta aluum ducit.de theriaca ad Piſ. 90.H/3°. de ſimp.me.fa. 5ª.20.B
Aeris ſquama nõ lota qddã cathæreticũ obtinet.5°.de ſim.me.f. 5ª.36.C

Aeris ſquama elota minus purgat.3°.de ſim.me.fa. 5ª.20.D
Aeris ſquama educit pituitã,& aquoſos humores.de dyna. Sp.22..A
Aeris ſquamæ doſis,& quibus miſcetur.de dyna. Sp.22..A
Aeris ſquama debet cribrari.3°.de comp.med.per gen. 5ª.232.B
Aeris ſquama dẽt leuigari aliquo humido.6°.de cõ.me.ꝑ ge. 5ª.259.D
Aeris ſquama quo modo lauanda.2°.de ſimp.med.fa.13..A/5°.de compo.med.per gen. 5ª.213.E
Aeris ſquama adſtringens noxia deuorata.14°.met.me. 7ª.85.C
Aeris ſquama adſtringit,& membra repurgat.de opti.ſecta.23. H/ de ſubfig.empi.Iſa.33.F/1°.dc ali.fa.2ª.9.B/3°.de ſim.me.fa. 5ª.20.C
Aeris ſquama extergit,& repurgat.4°.dc comp.med.ſe.lo. 5ª.149.G
Aeris ſquama aſtringit & mordicat.3°.de ſim.me.f.20.B/4°.5ª.26..A
Aeris ſquama aſtringit minus cydonio.3°.de ſim.me.fa. 5ª.20.D
Aeris ſquama magis adſtringunt multa eorum quæ comeduntur. 3°.de ſimp.med.fac. 5ª.20.D
Aeris ſquama adſtringit,& exiccat ſupercreſcentes ulcerum carnes. de theriaca ad Piſ. 5ª.90.H
Aeris ſquamę adſtrictio ingrata.3°.de ſimp.med.fa. 5ª.20.D
Aeris ſquama ſiccat euidenter.4°.de comp.med.per ge. 5ª.240.H
Aeris ſquama quantum exiccet.3°.meth.med. 7ª.20..A
Aeris ſquama iuuat oculorum ſcabritiem.intro. Iſ.58.C
Aeris ſquama in extrinſecis ulceribus ſumi debet, in intrinſecis minime.4°.meth.me. 7ª.28.H
Aeris ſquama quid faciat ad ulcera.3°.de ſimp.me.fa. 5ª.20.B
Aeris ſquama ad ulcera,qualis.4°.de comp.me.per ge. 5ª.236.F
Aeris ſquama ulcera conglutinare non poteſt.1°.de ſim.me.fa. 5ª.7.H
Aeris ſquama lota cicatricẽ mire inducit.5°.dc ſimp.me.fa. 5ª.36.C
Aeris ſquama ulcera uix ſanabilia curat.2°.de cõp.me.ꝑ ge. 5ª.220.B
Aeris ſquamæ eroſio q̃uo miteſcat.2°.de com.me.per gen. 5ª.219.H
ex Aeris ſquama fit albũ emplaſtrum.1°.de comp.me per ge.5ª.217.D
Aeris ſquama corpus in aquam reſoluit ſecundum Aſclepiadẽ,& hydropas auget.1°.de nat.fa. 1ª.294.B
Aerea uel ferrea quæ organa eſſe debent.de machin. 7ª.309.D
Aerei uaſis fit mẽtio.3°.de cõp.med.ſec.lo.145.H/ 4°.152.H/6°.170.C/ 9°.205.B/2°. de cõp.med.per ge.225.F/4°.243.F/5°. 5ª.246.F
in Aereũ uas ſemp ponit malũ punicũ.3°.de comp.me.ſe.lo. 5ª.148.D
Aereum uas eligit pro coctura.de remed.par.fac. 7ª.155.F
Aerei mortarij fit mentio.5°.de comp.med.per gen. 5ª.252.E
Aereæ teſtæ fit mentio.5°.de comp.me.ſec.loc. 5ª.166.E
Aereæ pyxidis fit mẽtio.2°.de cõp.me.ſe.lo.139.B/4°.152.H.158.C/.5°. de comp.med.per ge. 5ª.254.E
Aerea patina.9°.de comp.med.ſec.loc. 5ª.199.D
Aerariã factitantes exercentur,& operantur.2°.de ſan.tuen.2ª.73.H
AESCRION empiricus medicamentorum peritiſſimus,Galeni præceptor,& Pergamenus.11°.de ſimp.me.fa. 5ª.81.H
AESCVLAPIVS, & Apollo Dei artis medicæ,diuinandi, canendi,ſagittandi.oratio ſuaſoria. Iſ.2.C
Aeſculapio,& Apollini ueram artem medicam qui concedunt. 3°.metho.med. 7ª.20.H
Aeſculapius inuenit medicinam perfectam,& diuinam.intro. Iſ.50.G
Aeſculapius ab Apolline inſtitutus rem medicã edocuit.intro. Iſ.50.F
Aeſculapius patrium numen Galeni.1°.de ſan.tuen. 2ª.65.G
ab Aeſculapio originem traxit Praxagoras.1°.met.med. 7ª.4.F
Aeſculapius medicamenti nomen.7°.de comp.med.per ge. 5ª.267.B
AESOPI manticæ fit mentio.de cuiuſq; animi pecc.not. 2ª.56.F
Aeſopi aſello Iulianum comparat.contra Iulianum. Ex.70.B
AESTAS quando ſit.in.1m.de mor.uul.com.3°. 3ª.103.B
Aeſtatis principium eſt ortus pleiadum.cõ.3°.aph.14°. Ex.22.F
Aeſtas finit oriente arcturo.in.1m.de mor.uul.com.1°. 3°.103.B
Aeſtatẽ pauciſſimorũ dierũ habẽt Scythę.de aere,aquis, & loc.2ª.5.E
Aeſtatẽ poſſe diuidi in multas partes,ſicut & alia tempora, collige.cõmen.3°.apho.23°. Ex.24.H
Aeſtatis,et hyemis diuiſio.ĩ 1m.de mor.uul.c.1°.102.B/cõ.3°. 3ª.107.G
Aeſtas meridiei ſimilis eſt.in 6m.de mor.uul.com.1°. 3ª.157.G
Aeſtas ſuapte natura,non ex alterius comparatione eſt calida, & ſicca.1°.de temp.11.C/F/de nat.hum.com.1°.1ª.32.D/in 1m.de mor.uul. commen.1°. 3ª.101.C
Aeſtatis calor fit a ſole.de nat.hum.com.1°. 1ª.32.D
Aeſtatis caloris ad calorem balnei comparatio.c.4°.aph.5°. Ex.28..A
Aeſtas calidiſſima & ſicciſſima quomodo intelligatur.2°.de cri.4ª.134 D/10.meth.med. 7ª.63.E
Aeſtate ẽ magnus æſtus cũ uẽti nõ ſpirãt.ĩ 3m.ď mor.uul.c.3°. 3ª.141.D
Aeſtate ꝑtes maritimæ ĩ locis frigidis sũt calidę, qm̃ humiles,in calidis frigidę,qm̃ uẽti q̃ ſpirãt ab arcto,refrigerãt.c.3°.aph.14°. Ex.22.F
Aeſtate Aq̃lonib⁹ expoſita loca adeũda eſſe,collige.de cau.pc.3ª.96.A
Aeſtas nubiloſa.in 1m.de mor.uul.com.1°. 3ª.104..A
Aeſtatis tꝑe abundat flaua bilis ſm̃ Hippocratẽ.bre.denot.dog.Hipp. 231.B/de natura hum.com.1°.32.B/8°.de decre.Hippo.1ª.276.D/.in 1m.de mor.uul.com.1°.1ª.100.H/104.B/commen.1°.aph.2°.3.D/ cõ. 3°.aph.2°.24.C/aph.22°. Ex.24.E
Aeſtate cur bilis abundet.8°.de decr.Hipp. 1ª.276.F
Aeſtate plus bilis medicamentis euacuatur.1°.de nat.fac. 1ª.294.C
Aeſtate etiam ſanguis abundat.8°.de decr.Hipp. 1ª.276.E
Aeſtate humores ſunt aſſati.cõ.3°.apho.9°. Ex.20.G
Aeſtate peruſti ſanguine & flaua bile abundãt,atra autumno. in 1m.de morb.uul.com.1°. 3ª.100.H
Aeſtate pituita imbecilliſſima eſt.8°.de decr.Hipp. 1ª.266.F
Aeſtate homines calidiſſimi,& rubri ſunt.8°.de decr.Hip. 1ª.276.E
Aeſtas alterare poteſt pulſus,non efficere.1°.de cau.pul. 4ª.86.G
Aeſtate cur ſemina iacta non naſcantur.cõ.5°.apho.62°. Ex.43.G
Aeſtas facit celeritatẽ morbis.cõ.2°.aph.9°.16..A/aph.25°. Ex.16..A
Aeſtate morbi citius ſanantur ſecundum Galenum, contrarium tamen ſenſit Diocles.com.2°.aph.34°. Ex.17.C
ĩ Aeſtate humores mouẽtur ad cutẽ, & difflant̃.c.3°.ap.9°. Ex.20.H
Aeſtas parit morbos.de nat.hum.com.2°. 7ª.182.B
Aeſtatis,et autũni morbi.ď na.hu.c.1°.1ª.32.C/c.3°.apho.21°.Ex.24.C
Aeſtas naturalis plurimas affert febres.2°.de criſi. 4ª.134.D
Aeſtas facit tertianas.com.4°.aph.59°. Ex.33.H
Aeſtate aliqui tertianis uexantur,ſed præſeruantur ſi in fine ueris euacuentur.com.6°.aph.47°. Ex.52.D
Aeſtate fiunt cauſi plures.2°.de criſi. 4ª.134.E
Aeſtate homines laborant inteſtinorum difficultate.8°. de decr.Hippo. 276.E/de nat.hum.com.1°. 1ª.32..A
Aeſtate ſi qui tempore quo fructus maturantur,uitioſos habeant humores,incidunt in podagram autumno.com.6°.aph.55°. Ex.53.D
Aeſtate terminantur morbi qui hyeme augẽtur.de na.hu.c.1°. 1ª.33.D
Aeſtate diſcuti prorſus morbos hyemales mẽdacium eſt.in.3m.de mor.uulg.com.3°. 3ª.147.D
Aeſtate homines patiuntur defluuia ſanguinis ex naribus. 8°.de decre.Hipp.276.E/de nat.hum.com.1°. 1ª.32.B
Aeſtas feruens dolorem facit.de nat.hum.com.1°. 1ª.28.H
Aeſtas ſimilis ueri facit multos ſudores ĩ febrib⁹.c.3°.ap.6°. Ex.20.E
Aeſtas borealis neque ſub caniculam neque ſub arcturum pluuioſa pituitoſis confert,billioſis nocet.de aere,aquis,& locis. 2.ª4.C
Aeſtas ſi ſit ſicca & auſtro perfletur,& autumnus ſequens pluuioſus ac uentris ſeptentrionalibus agitatus,qui morbi accidant in hyeme. de aerc,aquis,& locis. 2ª.4.C
Aeſtas ſi ſit pluuioſa,et auſtro multum perfletur & autumnus ſimilis ſequatur,quales morbi hyeme pariantur.de aere,aquis,& locis.2ª. 4.C/com.3°.aph.13°. Ex.21.H
Aeſtate qui contingant morbi,ſi hyems borealis ſit & ſicca,& uer auſtrinum,& pluuioſum.de aerc,aquis,& locis. 2ª.4.C
Aeſtate,in iuuenibus,partibus dextris, & ſuperioribus impares dies criticos eſſe,in contrarijs pares inquit Hippoc.breuis denotatio dogmatum Hippoc. 1ª.231.D
Aeſtatis mutationes ſentiuntur in generatione, & in ſemine. de aere, aquis,& locis. 2ª.6.B
Aeſtate uenæ exiccatę trahunt humores acutos & bilioſos, quibus fiũt febres acutæ.com.4°.aph.58°. Ex.33.G
Aeſtatis principio debent purgari flauæ bilis morbi. quos pur.op.quibus med.& quo temp. 5ª.88.D
Aeſtate purgationes ſunt moleſtę,nam natura tunc cxuſta non fert acritudinem medicamentorum,& multi eo tempore purgati incidunt in febres,& diſſoluuntur.com.4°.aph.5°. Ex.28..A
Aeſtate ꝑ ſupiora purgãdũ eſt.c.4°.apho.4°.27.H/apho.7°. Ex.28.B
Aeſtate bilis innatans deorſum trahenda.de ſal.diæ. 2ª.41.E
Aeſtas arida multam abſumit humiditatem.com.3°.aph. 6°. Ex.20.E
Aeſtas ſuperueniens ueri,humores ueris euacuat,quod non facit autũnus.com.3°.aph.22°. Ex.24.E
Aeſtate non accipienda theriaca.de ther.ad Piſo. 5ª.97.B
Aeſtate qui plethoricis morbis corripiuntur,illis uere uena ſecanda.de cur.ra.per ſang.miſſ. 6ª.17.E
in Aeſtate qui febre corripi ſolent,illis æque pars quæuis in ſanguinis detractionem uere accommoda eſt.de cur.ra.per ſang.miſ. 6ª.20.H

in *Aeſtate cur nõ detrahatur ſanguis, uel parum, rationem collige.9°. meth.me.* 7ª.60.H
Aeſtate calida & ſicca graciles ſunt imbecilles.10°.meth.med. 7ª.66.C
in *Aeſtate et hyeme humida et calida bñ ſe hñt.c.3°.aph.2°.* Ex.20.A
Aeſtas eſt optima pueris, & ſenibus. com.3°.apho.18°. Ex.23.G
Aeſtas prodeſt naturis frigidis.c.3°.aph.2°.20.A/aph.18°. Ex.23.H
Aeſtate ſenes magis ſunt ſani.com.3°.aph.3°. Ex.20.B
in *Aeſtate exiccare timebat Galenus corpus frigidæ & humidæ temperaturæ.de progn.ad Poſth.* 4ª.217.G
Aeſtate appetitus minor, hyeme maior.commen.1°.aphor.15°.8.A.& aphor.18°. Ex.9.E
Aeſtiui cibi qui.de bon.& uitio ſuc. 2ª.39.B
Aeſtate quo modo edendum & bibendum, & qualia.de ſal.diæ. 2ª.40.C/*de ren.aff.dig.& med.* 2ª.195.C
Aeſtate cibi ma i ſucci quibus non uitandi.de bon.& uitio ſuc. 2ª.39.B
Aeſtate quo modo debeant nutriri ægri.cõ.1°.apho.17°. Ex.91.C
Aeſtate utendum cibis frigidis & humidis.1°.de ali.fa. 2ª.13.F
Aeſtate frigidæ ſint potiones.11°.meth.med. 7ª.76.B
Aeſtate ſiccis & calidis debemus dare cibaria ex lacte.de boni. & uitio ſuc. 2ª.39.B
Aeſtate qui fructus & quo modo refrigerati dari poſſint ſiccis, & calidis.de bon.& uitio ſuc. 2ª.39.B
Aeſtate debemus dare aphrogala ſiccis, & cali.de bo.& ui.ſu. 2ª.39.B
Aeſtate ſiccis & calidis debent dari ficus, & cucurbitæ frigidæ. de bo. & uitio ſuc. 2ª.39.B
Aeſtate, hyeme, in loco calido, in loco frigido, uiro, puero, ſeni, mulieri non æque conueniunt capilli.11°.de uſu par. 1ª.189.F
Aeſtate ueſtes debent eſſe oleo infectæ.de ſal.diæ. 2ª.41.A
Aeſtate & hyeme idem amictus Scythis.de aere, aquis, et locis. 2ª.5.E
Aeſtate ab omnibus meridies euitatur.de cau.procat. 3ª.96.A
Aeſtate quid agere debeant exercitantes ſe.de ſal.diæ. 2ª.42.E
Aeſtate quõ præparãdus locus, ĩ quo fit exercitatio.2°.đ ſa.tu. 2ª.73.C
Aeſtate multis lauacris utendum.de ſalubri diæta. 2ª.41.A
Aeſtate debent eſſe duriora medicamenta, hyeme molliora. 7°. de cõp. med.per gen. 5ª.268.E
Aeſtate & hyeme medicamenta uariò modo applicanda.2°.de arte cu. ad Glauc. 7ª.101.G
Aeſtate frigidum, hyeme calidum oxymeli dandum.de uict.rat.in mor. acut.com.1°.114.F/de puero epil. 7ª.180.E
Aeſtate medicamẽta roſaceo ſunt contẽperanda.6°.meth.me. 7ª.38.E
Aeſtiuum tempus eſt calidum & ſiccum quocunq; tempore ſit.de uict. ra.in mor.acut.com.4°. 7ª.134.C
ut *Aeſtiuo tempore aqua fontana, medicamentum refrigerat. de præcogn.ad Poſth.* 4ª.217.G
Aeſtiuum ſolſtitiũ maxime periculoſum.de aere, aquis, & loc. 2ª.4.D
Aeſtiuo tempore ruri manens quos humores coaceruet. in 1^{m}.de morb. uulg.com.3°. 3ª.117.F
Aeſtiuo ſoli ſe exponentes poſt uehementes motus quicquid uitiatũ eſt in habitum corporis recipiunt.1°.de diff.feb. 3ª.31.H
Aeſtiuo ſoli caput exponere quid faciat.de cau.procat. 3ª.96.B
Aeſtiuos morbos tollit bruma.in 3^{m}.de mor.uul.cõ.3°.147.B/ 3ª.151.H
Aeſtiuo tempore, aut uerno fieri ut plurimũ acutos morbos inquit Hippocrates.bre.denot.dog.Hipp. 1ª.231.D
AESTVS *apud antiquos ſignificat febres, aeris ambientis feruorem, cauteria, eſcharas.com.7°.aph.13°.* Ex.54.H
Aeſtum & frigus poſſe pati, pulchrum.oratio ſuaſoria. Iſ.5.B/C
Aeſtus perpeſſo Galeno ptiſſanæ cremor bene refrigeratus ſatis fuit. de bo.& uitio ſuc. 2ª.39.C
Aeſtus uitandus.de ſal.diæ. 2ª.40.H
Aeſtus, & frigus fugiuntur ab animalibus.de cau.procat. 3ª.96.A
Aeſtus conſolationes, quę.de cau.procat. 3ª.96.A
ob *Aeſtũ paſtores geſtãt coronas ex uirẽtibꝰ ramis.đ cau.pc.* 3ª.96.A
in *Aeſtu q uerſatꝰ eſt, is febrẽ sẽtit, q̃ in capite primũ exorta, in uniuerſum corpus mox diffundit tãq̃ à lare, ubi accẽſa ẽ.de cau.pc.* 3ª.98.G
ſub *Aeſtu caniculæ fit quoddã cephalicũ.2°.de cõp.me.p ge.* 5ª.226.B
Aeſtus circa canis ortum febrem facit.1°.de diff.feb. 3ª.31.C
ex *Aeſtu diaria.4°.de ſan.tuen.* 2ª.88.F
ex *Aeſtu & ambulatione cauſus factus.de uict.rat.in mor.acut.commen.4°.* 7ª.134.E
per *Aeſtus magnos qui iter fecerint, loqui non poſſunt, niſi larynx eis ſit perfuſus.7°.de uſu par.* 1ª.161.C
Aeſtu imbecilles expurgatione diſſoluuntur.com.4°.aph.5°. Ex.28.A
ab *Aeſtibus fortibus cõuulſio aut diſtẽſio malũ.c.7°. aph.13°.* Ex.54.H
Aeſtus uentriculi fit à flaua bile.commen.4°.apho.65°. Ex.34.E
Aeſtus lateris cum dolore quid ſignificet.in.1^{m}.prorr.cõ.2°. 4ª.173.G
Aeſtus circa ſpinã ſignificat mẽſes erupturos.in.1^{m}.pr.cõ.2°. 4ª.186.B
Aeſtus plurimum ualent ad animi mores.ꝑ animi mores. 1ª.320.E
Aeſtuantes omnes non rigent.de palp.conuulſ.& rig. 3ª.55.C
Aeſtuoſi rigores pernicioſi ſunt.in.1^{m}.prorr.com.2°. 4ª.173.H
Aeſtuantes adiuuat portulaca.6°.de ſimp.me.fa. 5ª.43.A
in *Aeſtuoſis febribus qui delirant.de util.reſp.* 1ª.226.C
Aeſtuoſis debet dari uinum dilutũ refrigeratũ.de bo.& ui.ſuc. 2ª.39.C
AETATES *in numero plurali quid ſignificent apud Hippocratem. com.5°.aph.9°.* Ex.38.C
Aetates annorum numero non circunſcribuntur.6°.de ſan.tuẽ. 2ª.95.F
Aetatum differentiæ.8°.de decr.Hip. 1ª.276.G
Aetates quadrifariam diſtinguit Hippocrates.breuis denot.dog.Hipp. 1ª.231.B/*fin.med.* Iſ.44.G
Aetates q̃, ut iuuẽtꝰ, ſenectꝰ, pueritia, cõſiſtẽtia.c.1°.ap.13°. Ex.6.G/H
Aetates per ſeptimanas poſſumus diuidere.cõ.3°.aph.30°.26.D/ com. 5°.apho.7°. Ex.38.A
Aetates numerat quibus temporibus ſunt.com.5°.aph.9°. Ex.38.C
Aetatum qualitates.1°.de temp. 1ª.11.C
Aetates uariæ quo modo uariũ habeant calorẽ.cõ.1°.aph.14°. Ex.7.D
per *Aetates aĩal nõ ſemp fit calidius aut frigidius.1°.đ ſan.tu.* 2ª.67.C
Aetatum temperaturæ diſtinctæ.de ſal.diæ. 2ª.40.E
Aetates diuerſę quæ exigant tempora.com.3°.aph.18°. Ex.23.G
Aetates oẽs non afficiuntur ab anni tẽporibus.2°.de dig.pulſ. 4ª.78.F
Aetas debet referri ad dubium corporis & non ad uirtutem.de uic.ratio.in mor.acu.com.4°. 7ª.137.G
Aetas ſpectanda ſecundum Hippocratẽ.8°.de decre.Hipp. 1ª.276.G
Aetas, & natura sũt ĩ oĩ ſtatu cõſyderãda.ĩ.1^{m}.đ m.uul.c.2°. 3ª.108.E
Aetatum conſideratio.2°.de temp. 1ª.15.H
Aetas pubertatis quo tpe incipiat & deſinat.com.5°.aph.7°. Ex.38.A
Aetas pubertatis non habet certiſſimum terminũ, ſed tardius & citius fiunt ſecundũ caliditatẽ & frigiditatem.com.3°.aph.27°. Ex.25.H
Aetas temperatiſſima media inter pueros adultos.de ſal.dię. 2ª.40.H
Aetates omnes deteriores adoleſcentia.6°.de ſan.tuen. 2ª.95.F
Aetate calidi adoleſcentes.in.1^{m}.de mor.uul.com.2°. 3ª.105.A
Aetates calidiores ſunt bilioſiores.2°.de nat.fa. 1ª.300.D
Aetates tẽperatæ quæ, & quid cõueniat ipſis.cõ.3°.aph.18°. Ex.23.G
Aetates diuerſæ qbus humoribus abũdãt.bre.denot.dog.Hip. 1ª.231.B
Aetate qua plurimus sãguis abũdet.ĩ pg.cõ.1°.196.D/cõ.3°. 4ª.208.G
Aetate puerili abũdat sãguis ſm Hipp.breuis denot.dog.Hip. 1ª.231.B
ſm *Aetatem homo habet medium.3°.de ali.fac.* 2ª.33.D
Aetates mediæ hñt mediũ modũ ĩter duritiẽ, et mollitiẽ.2°.đ tẽ. 1ª.16.B
Aetas habet uigorem.de mor.temp. 3ª.86.D
Aetate uigẽte abũdat bilis flaua ſm Hip.bre.denot.dog.Hipp. 1ª.231.B
Aetas conſiſtentium bilioſiſſima omnium.2°.de diff.fe. 3ª.36.D
in *Aetatis uſq; uigorẽ homo fit ſemp ualẽtior.1°.de ſan.tuen.* 2ª.62.F
in *Aetatis uigore quid agatur.1°.de ſan.tuen.* 2ª.62.F
Aetate florentes aliqui quietem poſtulant.5°.de ſan.tuen. 2ª.89.F
Aetas floreſcens, membra habet mediocriter ſe habentia in duritie, & mollitie.2°.de temp. 1ª.16.B
ad *Aetate florentes tantum pertinet uenus.2°.de ſan.tuen.* 2ª.69.D
Aetate florẽtibus mel fit ſuccus amariſſimus.4°.de ſim.me.fa. 5ª.29.B
in *Aetate florentibus matrices maximæ.14° de uſu par.* 1ª.205.C
Aetatis remiſſio unde incipiat ſm aliquos.6°.de ſan.tuen. 2ª.95.F
Aetate declinãte abũdat atra bilis ſm Hip.bre.deno.dog.Hip. 1ª.231.B
Aetati ſenili mel utiliter datur.de bo.& uitio ſuc. 2ª.39.A
Aetas frigida uertit mel in ſanguinem.2°.de nat.fac. 1ª.300.H
in *Aetatibus ſenium, in rebus præter naturam febris tabida eſt uerus marcor.de marcore.* 3ª.46.H
Aetates frigidiores ſunt pituitoſę.2°.de nat.fa. 1ª.300.D
Aetates mutãt reſpirationẽ.de util.reſp.1ª.225.G/1°.đ diff.reſ. 3ª.58.C
Aetatum diuerſarum pulſus, quales.de pul.ad tirones. 4ª.44.A/B
Aetas quælibet ſuum habet pulſum.1°.de diff.pulſ. 4ª.48.G
ad *Aetatum portionem augetur ueſica.14°.de uſu par.* 1ª.205.C
Aetatis ratione corpus deficit à temperie.5°.de ſan.tuen. 2ª.89.E
in *Aetatis ſucceſſione omnes ſicceſcimus. 6°.de ſan.tuen.* 2ª.96.D
Aetatis curſu homo ad interitum tendit.1°.de ſan.tuen. 2ª.63.A
Aetas ut in animalibus, ita tempora in morbis.de mor.temp. 3ª.85.B
Aetatum morbi.8°.de decr.Hipp. 1ª.276.G
Aetati calidæ morbi calidi ſunt congruentes, frigidæ frigidi, humidę humidi,

midi,ſiccæ ſicci.com.2°.aph.34°. Ex.17.C
Aetates quibus fiunt tabes.com.5°.aph.9°. Ex.38.C
Aetas calida & ſicca facit tertianas.com.4°.aph.59°. Ex.53.H
Aetate uigēte fieri ut plurimū morbos acutos īquit Hippocrates. bre. denotat.dogm.Hipp. 1ª.231.D
in Aetate puecta corp⁹ nō ē humidū et frigidū.3°.de ſym.cau.3ª.29.C
in Aetate declinãte,et ī autūno febres fiūt q̄rtanæ.2°.d dif.fe.3ª.36.C
in Aetate ſenili ac puerili quotidianę febres fiunt.2°.de dif.fe.3ª.36.D
Aetatis ībecillitas facit oīa mala peiora ſeniorib⁹.c.7.ap.41°.ex.57.C
Aetas cui contingit apoplexia.com.6°.aph.57°. Ex.53.E
Aetate quã fluat ſanguis.in progn.com.1°.196.D/com.3°. 4ª.208.G
Aetatis ſcopus iuuat.de uict.rat.in morb.acut.com.1°. 7ª.115.F
ab Aetate indicatio.9°.meth.med.60.H/11°.68.B/E/13°. 7ª.84.D
ab Aetate inditia unde ſumantur.in progn.com.3°. 4ª.209.H
Aetas docet humorem peccantem.com.4°.aph.2°. Ex.27.E
Aetas conſideranda in inuentione curationis.3°.de lo.af. 4ª.15.D
Aetas,& ægri uires ab Hippocrate conſiderãtur in ſanguinis miſſione & magnitudo morbi.in 3ᵐ.de morb.uulg.com.1°. 3ª.127.F
Aetas confert ægritudinibus dignoſcendis.com.4°.apho.2°. Ex.27.E
Aetas indicat febres & morbos.com.1°.aph.12°. Ex.5.E
Aetas multū facit ad præſagiendū.in 1ᵐ.de morb.uul.com.3°. 3ª.117.F
ab Aetate colligitur ex tpe pportio.in 1ᵐ.de mor.uul.c.1°. 3ª.103.G/F
Aetates ſimilibus deprimuntur,diſſimilibus iuuãtur.ut calidæ calidis perimunt,ſeruãtur frigidis,& ita de alijs.cō.3°.apho.3°. Ex.20.B
Aetates,anni tempora,& regiones,quomodo ſe habeant ad purgationes.quos pur.op.quib.me.& quo temp. 5ª.88.E
Aetas indicat bonas excretiones.com.4°.aph.47°. Ex.33.A
Aetatum deiectiones quo ratione mutentur.cō.2°.aph.20°. Ex.14.E
Aetates sūt magis īclinatæ ad reſolōnē p febrē.c.2°.aph.28°. Ex.16.D
Aetas ſicca ſoluit morbum comitialem.com.2°.aph.7°. Ex.38.A
Aetatum mutatione epilepſia ſanatur,ſi uictus ratio cōſentiat in 1ᵐ.de morb.uul.com.5°. 3ª.193.B
Aetatis beneficio qui ſeruatus.5°.de loc.af. 4ª.32.D
Aetas docet unde accipitur uictus ratio.com.1°.aph.17°. Ex.9.B
pro Aetate uictus ratio immutanda.de ſal.diæ. 2ª.40.H
Aetas ſimilem uictum poſtulat.8°.met.med. 7ª.55.A
ob Aetatem qui ante cibum exerceri non poſſunt,uitent cibos craſſi et lenti ſucci.de bon.& uitio ſuc. 2ª.35.A
ſm Aetates & temperaturas medicamētorum uariatio.7°.de comp.med.ſec.loc. 5ª.181.B
ſm Aetates & hoīes diacodij uariatio.7°.de cōp.med.ſec loc. 5ª.181.B
Aetas frigida expetit alia medicamenta.1°.de cō.med.ſec.loc.5ª.125.F
Αετωμα teſtudinatum tecti.de art.com.3°. 7ª.270.F
AETHALODES quid.6°.de ſimp.med.fa. 5ª.62.B
AETHER & aer quid ſignificet in 6ᵐ.de mor.uul.cō.4°. 3ª.184.G
AETHIOPIAE habitatores quales de incant.adiu.& ſuſp. 7ª.181.F
Aethiopes ſunt graciles.2°.de ſimp.med.fa. 5ª.14.E
Aethiopum cutis,qualis.2°.de temp. 1ª.20.B
Aethiopes habent paucos capillos,& tamen non facile caluęſcunt.11°.de uſu par. 1ª.190.B
Aethiopes cur criſpi.2°.de temp. 1ª.13.B
Aethiopica lingua deterior Perſica.de ſophiſ.in. Iſa.8.G
Aethiopum linguæ ſi aliquod ſit uocabulum,ab ipſis Aethiopibus res diſcenda eſt.ad Thraſy. 2ª.106.H
Aethiopicum cuminum cæteris præſtat.4°.de ſan.tuen. 2ª.85.A
AFFECTIO quid ſignificet.de ijs,quæ in med.ſi.com.1°. 7ª.197.G
Affectio unde dicatur.de cur.rat.per ſang.miſ. 6ª.16.B
Affectio.quid.6°.de decre.Hipp. 1ª.260.F
Affectiones quæ ſint.2°.meth.med. 7ª.10.C
Affectionū p̄ter naturā cauſas cognoſcat medicus,qui rōne curaturus eſt,ut illa ē corpore eijcere poſſit.de uoc.inſtr.diſſect.1ª.106.B/de palp.conuulſ.& rig.3ª.53.B/in progno.com.1°. 4ª.189.D
Affectiones futuræ prænoſcendæ ſunt.in progn.com.1°. 4ª.189.D
in Affectionum cognitione conſiſtit artis coniecturale. 2°.de compoſi.medic.ſec.loc. 5ª.136.A
ad Affectionem morboſam parato corpore ita,ut prope completa ſit,aliquo extrinſeco detegitur.de uic.rat.in morb.acut.c.4°. 7ª.150.G
ad Affectionem pertinētia ſcribit Hippocrates.2°.de dif.reſp.3ª.65.F
Affectio,et opatio pōt una et eadē res appellari.6°.d dc.Hip.1ª.260.H
Affectiones à doloribus diſtinguit.3°.de comp.med.ſec.loc. 5ª.143.D
Affectiones calidæ,quæ.1°.de ſimp.med.fa. 5ª.5.H
Affectiōes corpis nigræ,ex ligua cognoſcunt.8°. de decr.Hip.1ª.275.H
Affectiones certæ ſunt in ſolidis animalis partibus,ut œdema,inflammatio,& ſcirrhus.in 3ᵐ.de morb.uulg.com.1°. 3ª.129.D
Affectio quãdoq; mitior eſt,et ſymptomata grauia.de uict.rat.ī morb.acu.com.3°. 7ª.133.E
Affectio ut facilius à sēſu dignoſcat̃ facit ībecillitas.4°.d lo.af.4ª.25.E
Affectio unde reperiatur.in 1ᵐ.prorrh.com.1°. 4ª.163.B
Affectionis quandoq; cauſa eſt ſola particula.4°.de loc.af. 4ª.23.C
Affectio q̄ primo,et q̄ per cōſenſū,q̄uo cognoſcat̃.3°.de lo.af.4ª.17.B
Affectus p cōſenſū,deletis cāis efficiētibus deficit.3°.de lo.af. 4ª.17.B
Affectio permanet diſpoſitione permanēte,cauſa efficiente quieſcente.3°.de loc.af. 4ª.17.B
Affectio quæ facilior,& quæ difficilior.in prog.com.2°. 4ª.202.D
Affectiones ſolum difficiles efficere,proprium eſt atræ bilis.in progno.commen.2°. 4ª.202.D
Affectiones intrinſecæ difficilius cognoſcuntur.de conſt.ar. Iſa.40.B
Affectio quæ laſſitudo ferè ſit,qualis ſit,& q̄uo differat ab alijs laſſitudinibus.3°.de ſan.tuen. 2ª.78.H
Affectio nulla peior q̄ quæ cum inſania.in 1ᵐ.prorrh.cō.2°. 4ª.174.H
Affectio peſſima cum humores ſunt in tunicis uentris cerebri.2°.de cōpo.med.ſec.loc. 5ª.134.A
Affectiones magnæ uehementesq́,uirtute languētibus pernitioſæ.in 1ᵐ.prorrh.com.2°. 4ª.179.B
Affectionis corporalis prudentia omnis,ppria eius internoſcenda eſſentia,& in uiribus materiæ præſidiorū conſiſtit.5°.de ſan.tu. 2ª.92.H
Affectio indicat auxilia.2°.de compo.med.ſec.loc. 5ª.134.A
Affectio,ſignū,et curatio q̄uo ſe habeãt adinuicē.4°.met.me. 7ª.27.A
ad Affectiones longas.7°.de comp.med.per gen. 5ª.274.E
Affectionū longorum librum fecit Archigenes.3°.de loc.af. 4ª.20.D
ad Affectiones inueteratas.7°.de compoſi.medica.ſecū.loc.182.C/9°.199.E/10°. 5ª.208.B
in Affectionibus inueteratis cōuenit ſanguinis detractio.2°. de comp.med.ſec.loc. 5ª.137.H
ad Affectiones fluidas.7°.de comp.med.ſec.loc. 5ª.184.F
ad Affectiones humectas ualde diu durãtes.7°.d cō.me.ſe.l.5ª.182.D
Affectio eadem intrinſeca alia quærit pharmaca,quàm extrinſeca.2°.de com.med.ſec.loc. 5ª.134.A
ad Affectiones omnes internas.7°.de compoſi.medica.ſecun.loc.179.F/186.A/8°. 5ª.190.D
ad Affectiōes īternas p circuitū repetētes.7°.de cō.me.ſe.lo. 5ª.182.F
ad Affectiones internas corporis antidotus multum efficax. 2°.de antidotis. 5ª.115.G
ad Affectiones malas internas corporis efficax eſt mithridatica antidotus.2°.de antid. 5ª.110.C
ad Affectiones malas & internas corporis ualet antidotus Mithridatis Eupatoris Diaſcinci nominata.2°.de antid. 5ª.115.C
Affectionum internarum librum fecit Aſclepiades.7°.de compo.med.ſecundum locos. 5ª.181.H
Affectionum internarum librum fecit Andromachus.7°.de cōpoſitione medicamentorum ſec.loc. 5ª.178.C
Affectio quæ facit dolorem capitis difficulter cognoſcitur.2°. de comp.med.ſec.lo. 5ª.132.A
ad Affectiones oculorum recentes.4°.de comp.med.ſec.loc. 5ª.154.C
ad Affectiones oculorū in declinatione.4°.de cōp.med.ſec.lo.5ª.154.E
ad Affectiones thoracis.7°.de compo.med.ſec.loc. 5ª.182.B
in Affectione ſanitas pducit operationes debiles.ad Thraſy.2ª.102.E
AFFECTVS, paſſio,& ægritudo idem.de dif.mor. 3ª.5.A
Affectus quid.de ſubfig.empi.32.C/& fin.med.Iſa.45.F/de cogn.cur.animi morb.2ª.50.C/de ſympt.dif.3ª.11.B/1°.de loc.af. 4ª.4.C
Affectus eſt motus præter naturam.6°.de decr.Hipc. 1ª.260.H
Affectus partis qui proprie dicatur.1°.de loc.af. 4ª.5.B
Affectus cum umbra quid ſecundum Archigenem.1°.de loc.af.4ª.3.H
Affectus unum & ex his quæ accidūt corporibus noſtris à naturæ ſuæ modo egreſſis.2°.meth.med. 7ª.9.B
Affectus an aliquis ſit innatus.in 3ᵐ.de morb.uulg.com.2°. 3ª.135.G
Affectus omnis præter naturam,aut morbus eſt,aut cauſa morbi,aut ſymptoma morbi.de ſympt.dif. 3ª.10.C
in Affectibus præter naturã febris tabida numerat̃.de mar.3ª.46.H
Affectus quæ dici poſſint,& quæ non.2°.meth.med. 7ª.9.H
Affectus ſanorum & ægrorum & neutrorum omniū commune eſt.de ſymp.dif. 1ª.10.C
Affectus,& paſſionis differentiæ.de ſymp.dif. 3ª.310.D
Affectuum uniuerſalis diſtinctio.3°.de præſa.ex pulſ. 4ª.14.F

Affectus omnes diuini ſunt ſm aliquos.de aere aquis,& lo. 2ª.5.G
Affectus diuini Scythis,qui.de aere,aquis,& lo. 2ª.5.G
*Affectus eſſe cām morbi medico fatēdū,& tenēdū.1°.meth.me.*7ª.7.E
Affectus omnes non poteſt unus homo perpeti.2°.de loc.af. 4ª.12.G
Affectus in quo conſiſtat.de ſympt. dif. 3ª.10.D
Affectum naturalem corporis ſequitur actio naturalis, & econtra.1°. meth.med. 7ª.7.E
Affectu aliquo oīo ꝑditū ē qcqd quocūq; mō ſe hēt.2°.met.me. 7ª.10.A
Affectus qui fit differt à iam facto.1°.de loc.af. 4ª.4.G
Affectus qui dum fiunt,ſunt.in.3^{m}.de morb.uul.com.1°. 3ª.129.D
Affectus qui relinquūtur in corpore ex frictione,ſunt ex his quæ fiunt. 2°.de ſani.tuen. 2ª.71.F
Affectum creantes cauſæ conſiderandæ ſunt.1°.meth.med. 7ª.7.G
Affectus qui actionē impedit poteſt habere cauſam,& poteſt eſſe remota cauſa.1°.meth.med. 7ª.7.G
Affectus à principio idem eſt ſpecie,cauſis agentibus tamē nō apparet. 1°.de loc.af. 4ª.4.F
Affectus mouent cauſas continentes,& fiunt præcedentes illorū cauſę. 1°.de cau.pulſ. 4ª.86.G
Affectus permanet plerunq; cauſa ablata.1°.de lo.af.3.H/ 4ª.4.C
Affectus,& cauſa ſimul,quæ.11°.meth.med. 7ª.71.D
*Affectus in cauſas nō diducit,ſed in differentias.9°.meth.me.*7ª.59.G
Affectus in quibus morbis non uidetur.13°.meth.med. 7ª.85.F
Affectus ſimplex eſt diaria,quando cauſa abijt.10°.meth.mc. 7ª.61.C.
Affectus firmus in particula non permanet cauſa efficiente pertranſeunte.1°.de loc.af. 4ª.3.H
Affectus qui nondum pertinaciter inhæret.1°.de loc.af. 4ª.4.G
Affectus ꝓprius potius nominādus q̃ primarius.1°.de loc.af. 4ª.4.H
Affectus primarios ab alijs uocatos ipſe uocat ꝓprios.1°.đ l.af. 4ª.6.D
Affectus primario locos inueſtigandos eſſe præcipit Hippocrates,& qd inde utilitatis habeatur.bre.den.dogm.Hipp. 1ª.231.D
Affectus ille primo inueniendus , qui eſt cauſa effectrix functionis.2°. meth.med. 7ª.12.F
Affectus et ſymptoma functionū noxæ.ī 3^{m}.de mor.uul.c.1°. 3ª.129.D
Affectus lædens, uel functio læſa eſt morbus.2°.meth.med. 7ª.9.C
Affectus qui lædit actionem poteſt morbus uocari,& ex hoc nihil mutatur curatio.2°.meth.med. 7ª.12.E
ſine Affectu corporis naturali actio proba eſſe nō poteſt,nec uitioſa niſi cum corpus ſit uitio affectum.1°.meth.med. 7ª.7.G
Affectū tertio mō corpus pōt dici cauſa morbi.1°.met.me.6.F/ 7ª.7.E
Affectus qui eſt morbus.2°.meth.med. 7ª.9.C/D
Affectus inflammatorius,qui.2°.de loc.af. 4ª.8.H
Affectus calidiores faciunt nimij motus.1°.de ſan.tuen. 2°.65.G
Affectus caliditate uincente.de palp.conuulſ.& rig. 3ª.54.C
Affectus frigiditate uincente.de pal.conuulſ.& rig. 3ª.54.D
Affectus mollis,qui.5°.de ſan.tuen. 2ª.89.D
Affectus mollis & humidus,qui.5°.de ſan.tuen. 2ª.89.D
Affectus humidus,qui.5°.de ſan.tuen. 2ª.89.D
Affectus ſiccus durum habitum facit.5°.de ſan.tuen. 2ª.89.D
Affectus acutus,qui.fin.med. Iſa.45.F
Affectus acutus,qui.fin.med. Iſa.45.F
Affectus dum alterantur,mouentur.2°.meth.med. 7ª.10.A
Affectus non poteſt dici permutari.de uen ſect.aduer.Eraſ. 6ª.11.E
Affectæ partes non permutantur.de ue.ſec.ad.Eraſ. 6ª.11.E
Affectus implicati,qui.in 3^{m}.de morb.uulg.com.2°. 3ª.135.B
Affectus an poſſit ſpeciē ſuā ſeruare remotis pathognomonicis ſignis. in 3^{m}.de morb.uulg.com.3°. 3ª.143.H
Affectus quidam laſſitudini proximus quem prauè laſſitudinem nominant.3°.de ſan.tuen. 2ª.78.F
Affectus ſimilis laſſitudini , & qui non eſt laſſitudo , qualis & quando incidat.3°.de ſan.tueu. 2ª.79.E
in *Affectibus ex frictione quæ inſint cōtrarietates.2°.de ſa.tu.*2ª.71.F
Affecta particula an tumore uel dolore infeſtetur,tertio loco conſiderādum.2°.de loc.af. 4ª.13.D
in *Affectu unico quod quiſque notauit,non eſt tribuendum multis.3°. de ſani.tuen.* 2ª.80.F
Affectus,quos incidebant,qui malos cibos ob annonæ penuriā ederāt. de bo.& uitio ſuc. 2ª.33.G
in *Affectibus tenuiū ſpiramētorū ſymmetriā ītelligēs ex utraq; parte duo īmodica,quæ inter ſe ſint cōtraria īuenies.11°.met.me.* 7ª.71.A
ex *Affectibus ſanguis exiens eſt in toto genere præter naturam.3°. de ſympt.cau.* 3ª.26.H
Affectus pilorum ſunt nouem.fi.med. Iſa.48.B
Affectus multi in uentriculo.7°.meth.med. 7ª.48.F
Affectuum cognitrix medicinæ pars.fin.med. Iſa.48.A
Affectuum conſideratio medicinæ pars.intro. Iſa.51.H
ꝓ *Affectus qualitate,et affecto loco cognoſcēdo, medicus exercitatiſſimus eſſe debet.1°.de lo.af.3.D/3°.4ª.15.C/14°.meth.me.* 7ª.88.A
ad *Affectuum notionem,quæ conducunt.5°.de ſan.tuen.* 2ª.93.B
ad *Affectus cognitionem multum faciunt cauſæ procatarcticæ. 2°.de comp.med.ſec.loc.* 5ª.132.A
Affectus proprius partis q̄uo cognoſcatur.2°.de loc.af. 4ª.14.C
*Affectus ptiū ī ſupficie cōſtitutarū facile cognoſcunt.1°.de lo.af.*4ª.2.C
Affectus raro euenientes q̄uo deprehenduntur.3°.de loc.af. 4ª.15.B
Affectuum inuentio,& cognitio præſentium eſt idem.4°. de præſag.ex pulſ. 4ª.121.F
Affectuum notæ unde accipiantur.1°.de loc.af. 4ª.6.A
*Affectuū indicia oriuntur ab accidētium ꝓprietate.1°.de loc.af.*4ª.6.C
Affectum ſignificat color.1°.de loc.af. 4ª.6.D
Affectus locus ex proprijs accidentibus innoteſcit.1°.de lo.af. 4ª.6.C
Affectuum paucæ ſunt propriæ notæ,quæ non oſtendant locum affectū. 1°.de loc.af. 4ª.6.D
Affecti loci qui dicantur. 3°.de loc.af. 4ª.14.D
Affectis locis q̄uo natura fiat imbecillior.de artic.com.3°. 7ª.276.A
Affecta pars cum priore ſtatu ſemper eſt conferenda.in 1^{m}.de morbis uulg.com.3°. 3ª.117.B
Affectos locos inueniendi uia & ratio.2°.de loc.af. 4ª.13.A
ꝓ *Affectis locis īueniēdis exercitatio q̄uo moliēda.2°.de lo.af.*4ª.13.C
de *Affectis locis exercitatio duplex,& qualis.4°.de loc.af.* 4ª.27.E
circa *Affectos locos exercitationis modi tres.2°.de loc.af.* 4ª.8.C
Affecta ſedes unde cognoſcatur.3°.de loc.af.15.D/4°. 4ª.25.C
Affectæ partis ꝓpriū indiciū eſt eſſentiæ ꝓprietas.6°.de lo.af. 4ª.39.B
Affectum locum plerunque ſignificat magnitudo.& non ſolum eſſentiæ proprietas.1°.de loc.af. 4ª.2.D
Affectam partem poſitus ſignificat.1°.de loc.af. 4ª.6.B
ad *Affectorum locorum cognitionem ualet totius corporis diſpoſitio. 1°.de loc.af.* 4ª.3.E
*Affectam ſedem maxime oſtendunt oculi & lingua.2°.de lo.af.*4ª.13.C
*Affectā particulā dūtaxat,declarant actionū noxæ.1°.de lo.af.*4ª.6.D
Affectum partis declarant noxarum differentiæ.1°.de loc.af. 4ª.6.D
Affectum locum docent ſymptomata.1°.de loc.af. 4ª.7.G
ad *Affectam ſedem inueniendā non ſolum ſymptomata præſentia conſideranda,ſed etiam præterita.6°.de loc.af.* 4ª.39.A
de *Affectis locis hr̄ coniectura ab innatis rebus.1°.de loc.af.* 4ª.4.G
Affecta ſedes ab excrementorum natura cognoſcitur, & dupliciter.1°. de loc.af. 4ª.4.G
Affectæ partis excrementa per quem meatū uacuentur conſiderandū. 2°.de loc.af. 4ª.13.D
Affectam partem ſignificāt excrementorū ſpecies.1°.de loc.af. 4ª. 6.B
Affectæ partis an aliquid eſſentiæ ſecernatur , quarto loco conſiderandum.2°.de loc.af. 4ª.13.D
in *Affectorum locorum notitia ſemper exercendus eſt medicus. 2°.de loc.af.* 4ª.8.C
Affectus in profundo corporis q̄uo noſcantur.7°.de uſu.par. 1ª.222.F
Affectus locus doloris capitis difficulter cognoſcitur.2°. de comp. me. ſecundum locos. 5ª.132.A
Affectum primo dic plerunq; cognouit Galenus.8°.med.med. 7ª.52.D
Affectam ſedem qui ſcire uult , in quibus libris debet exercitari. 1°. de loc.af. 4ª.7.G
de *Affectis locis cōmentaria fecit Gal.ꝑꝑ.amicos.2°.de lo.af.* 4ª.13.C
de *Affectis locis ſcripſit Archigenes.1°.de loc.af.* 4ª.3.H
de *Affectis locis librum fecit Galenus iā ſenex,tn̄ non intelligebat Archigenem.2°.de loc.af.12.H/.3°.* 4ª.15.C
de *Affectis locis libro quid agat Galenus.1°.de loc.af.* 4ª.4.F
de *Affectis locis libris,de his quæ ſenſu non percipiuntur, agit Galenus.4°.de loc.af.21.F/22.F/23.B/5°.29.G.* 4ª.31.H
de *Affectis locis libro tertio quid acturus erat Galenus,& quæ ex cōſequenti egit.3°.de loc.af.* 4ª.21.D
de *Affectis locis libro quarto Galenus agit de partibus faciei, quæ intrinſecus afficiuntur.4°.de loc.af.* 4ª.21.F
Affecti loci ullum ſignum in quibus morbis nō ſit.3°.de loc.af. 4ª.16.B
in *Affecto loco cognoſcendo quæ prius,& quæ poſterius conſiderāda. 2°.de loc.af.* 4ª.13.C
Affectus qui nec proſunt,nec obſunt curationi.1°.meth.med. 7ª.7.G

ex Affectibus prima ſumitur indicatio.1°.de cōp.med.ſec.lo.5ª.121.B/ 3°.meth.med.16.C/4°.26.B/29.B/C/9°.58.G/. 7ª.61.A
ab Affectu īdicatio ſequitur indicationē à uiribus.9°.me.me. 7ª.59.F
Affectus antea cognoſcēdus q̄ facias curationem.1°.de ali.fac.2ª.9.D
Affecti loci cum affectione multum faciunt ad remediorum inuentionē. 2°.de comp.me.ſec.loc. 5ª.134.C
Affecta ſedes ſimulq́; diſpoſitio eius inuenienda eſt, aliter recte curare non poſſumus.3°.de loc.af. 4ª.21.C
Affectus curatio facile inuenit̄ uel experientia.10°.meth.me. 7ª.65.D
Affectus non poteſt ſanari cauſa manente.7°.met.med. 7ª.48.G
Affectam partem, et curandi facultatem docent læſarum actionum modi.3°.de loc.af. 4ª.14.E
Affectus lædentis operationem eſt curatio.2°.meth.med. 7ª.9.C
Affectui debet̄ curatio nō ſymptomati.ī 6ᵐ.de morb.uul.c.2°.3ª.161.F
Affectum adimunt, nō ſymptoma, ſanguinis miſſio, balneum, purgatio, & uini potio.11°.meth.med. 7ª.75.D
Affectus ſanatur, & ſymptoma ī cōtrariū ducit̄.11°.me.me. 7ª.70.H
Affecti corporis ſolum eſt curatio.1°.met.med. 7ª.7.G
Affectum non curemus in uirium imbecillitate.9°.meth.med. 7ª.59.F
ab Affectibus non debent ſumi conferentia.de opt.ſecta. Iſa.21.D
Affectus idē in diuerſis locis nō poſtulat eadē remedia.in 6ᵐ.de morb. uulg.com.6°. 3ª.196.D
Affectus diuerſi dependentes ab una cauſa, eodem modo curantur.de opt.ſecta. Iſa.25.C
Affectus ijdē diuerſo mō curātur pp drīam cārum de opt.ſec. Iſa.25.C
Affectus uarij in idem coeuntes ſi unam medendi rationem indicēt, illā rationem magis, quàm ſi ſinguli ſeorſum conſiſterent, intendi conueniet.3°.de ſani.tuen. 2ª.81.D
Affectum, qui trahit ad ſe curationē debet ſanare medicus, cauſa, quandoq; relicta.3°.meth.med. 7ª.22.A
Affectus quando ante cauſam curandus.7°.meth.med. 7ª.48.G
Affectus ſi ſit in loco penitiori, quid agendum.ars med. Iſa.69.F
ante Affectum quemcunque particularem totum corpus purgandum. 6°.de comp.med.ſec.loc. 5ª.166.H
Affectu forti & uiribus imbecillis an euacuādū.9°.met.med. 7ª.59.C
Affectus q̄n ſunt mixti, curatio q̄uo aggredienda.4°.de ſa.tu. 2ª.87.C/ 7°.meth.med. 7ª.48.E
in Affectibus complicatis primo attendendum ei, quod uires proſternit.7°.meth.med. 7ª.48.F
Affectiones compoſitæ compoſitis ſunt ſanandis.2°.de nat.fa. 1ª.301.B
in Affectibus contrarijs, ille qui ſuperat prius eſt corrigendus, alio nō deſpecto.3°.de ſan.tuen. 2ª.81.D
Affectus habens cauſam non habet ſimplicem curationem, & quam habeat.10°.met.me. 7ª.61.C
Affectui rn̄der̄ ꝓportiōe debet medicamētū.1°.đ cō.me.ꝑ.gen.5ª.210.C
ꝓ Affectus ratione medicamenta augenda, & minuenda. 6°. de compo.med.ſec.loc. 5ª.169.D
ad Affectū unū cur plura pharmaca fiāt.2°.de cōp.me.ſe.lo.5ª.136.A
Affectibus diuerſis quo modo uaria ſint applicanda medicamenta. 7°. de comp.med.per gen. 5ª.264.D
ad Affectus inueteratos.10°.de cōp.med.ſec.loc.207.G/4°.de comp. medi.per genera.243.F/5°.250.D/7°.270.E/5ª.271.F/270. F/ 2°. de arte cur.ad Glauc. 7ª.103.G
ad Affectus internos.7°.de comp.med.ſec.loc 5ª.185.A/B/C
Affectis locis uel propinquis non pinguibus applicantur hirudines, de cucur.ſcar. 6ª.4.D
Affectus aliqui obſtant educendi rationi.4°.de ſan.tuen. 2ª.83.A
ad Affectā ptē applicat remedia ī hemicrania.de me.fa.par.7ª.170.H
de Affectibus oculorum.4°.de loc.af. 4ª.21.F
de Affectibus linguæ.4°.de loc.af. 4ª.22.G
Affectus ſimilis laſſitudini curatio.3°.de ſan.tuen. 2ª.79.F
in Affectu ſimili laſſitudini uberius cibandum.3°.de ſan.tu. 2ª.79.H
Affectui, & uinciendæ pti debet uinculū cōuenire.de faſcijs.7ª.294.A
Affect⁹ aī, qui ſint.de cog.cur.aī mor.2ª.50.G/12°.met.med. 7ª.77.D
Affectus & ſenſus in qua ſint aīæ parte.de hiſt.philoſoph. Sp.10.B
Affectus & cogitatio non ſunt in eadē ſede.3°.de decr.Hipp. 1ª.241.H
in Affectum acquiſititium & originalem naturā diuiditur uirtus. 11°. meth.med. 7ª.68.B
Affectus fit ob expertē rōnis appetitū.de cog.cur.animi mor. 2ª.50.G
ab Affectibus animæ ephemera.2°.de criſi. 4ª.138.F
cōtra Affectus proprios de ſubſidio ſcripſit Antonius Epicureus. de cogn.cur.animi morb. 2ª.50.E
de Affectibus librum fecit Poſſidonius.5°.de decr.Hipp. 1ª.257.F
de Affectibus dogmati annexum eſt neceſſarium decretum de uirtutibus.5°.de decr.Hipp. 1ª.257.F
ſine Affectibus nullus inuenitur.de cog.cur.animi mor. 2ª.51.E
Affectui quando reſiſtit ratio.4°.de decr.Hipp. 1ª.249.D
Affectus nouem, qui per quinq; ſenſus reſultant.de compag. memb.ſiue de natura humana. Sp.59.C
Affectus immodici euitandi.ars med. Iſa.68.E
Affici aliquem quid ſit.1°.de loc.af. 4ª.4.C/H
Affici quæ proprie dicantur.1°.de loc.af. 4ª.4.H
Affici nullam partem arbitratur Eraſiſtratus niſi uel tumor, uel ulcus in ipſo conſiſtat.6°.de loc.af. 4ª.36.C
Affici caput quando dicatur.1°.de loc.af. 4ª.5.A
Affici quando dici poteſt, & debet uentriculus.1°.de loc.af. 4ª.5.A
AFFERENTES nobis phantaſiam & opinionem, muſculi tres ſecundum plurimos.de uoc.inſtr.diſſ. 1ª.106.D
AFFIXIO quid ſit in nutrimento.3°.de ſymp.cau. 3ª.29.A
Affigantur commodius cucurbitulæ quæ.de cucur.ſcar. 6ª.3.E
AFFLICTIONIS dies debent numerari, non alij in febribus intermittentibus.in progn.com.3°. 4ª.207.G
Affligendum eſt fame & ſiti aīal incidendum, & ſcarificādum.de mot. man.& obſ. Sp.70.D
AFFVLCIRI quid ſignificet.de artic.com.4°. 7ª.285.A
Affulta pro firmata.de fract.com.2°. 7ª.241.H
Affultas faſcias eſſe, quid ſignificet in deligatione.de frac. 7ª.229.A
AGAMEMNON heros præſtans. de cogno.curan.animi morbis. 2ª.51.F
AGARGEI medicamen.de med.exper. Sp.104.E
AGARICVM quid ſit, & eius uires.6°.de ſimpli.med. fac.5ª.41.E/de ſimpl.medicamin. Sp.80.E
Agaricum compoſitum eſt ex ſubſtantia aerea & terrea à caliditate extenuata.6°.de ſimp.med.fac. 5ª.41.D/E
Agarici probatio.de dynamid. Sp.21.G
Agaricum quale eſſe debet.1°.de antid. 5ª.106.G
Agaricum fraudem non admittit.1°.de antid. 5ª.106.B
Agarici radix qualis.6°.de ſimp.med.fac. 5ª.41.D
Agaricum cacoſtomachum.de dynamidijs. Sp.21.F
Agaricum uomitū facit, ut experientia oſtendit, contra id quod ſcriptū eſt.de ſimp.med. Sp.80.E
Agaricum per os prouocat ſudorem.de cathart. Sp.95.D
Agaricum purgatorium.6°.de ſimp.med.fac. 5ª.41.E
Agaricum purgat choleram.de cathart. Sp.94.F
Agaricū pituitam, & bilem mediocriter purgat.de dynami. Sp.21.F
Agaricum purgat gibbam hepatis partem.de cathart. Sp.95.C
Agaricum purgat ſplenem.de cathart. Sp.95.C
Agaricum reſiſtit uenenoſis morſibus & potibus, uentrem purgat, choleram & phlegma deponit.de ſimp.med. Sp.80.E
Agarici decoctio quomodo fiat.de med.exper. Sp.107.E
Agarici decoctio dolorē antiquū capitis ſanat.de med.exp. Sp.104.D
Agarici decoctio contra ægritudines cerebri & hepatis.de medicinis expert. Sp.106.E
Agarici electuarium.de med.expert. Sp.108.C
AGATHII infuſum.9°.de med.ſec.loc. 5ª.203.H
AGATHINVS de ſemitertianis.in 1ᵐ.de morb.uul.c.2°. 3ª.110.D
Agathini pulſus diffinitiones.4°.de dif.pulſ. 4ª.68.F
ex Agathini libris medicamentum.5°.de cōp.med.per gen. 5ª.251.G
ex AGATHOCLE ad eryſipelata.5°.de cōp.med.ꝑ.ge. 5ª.252.A
Ἀγαθὸν de quo antiquitus diceretur.de artic.com.2°. 7ª.266.H
Ἀγαθῶς pro καλῶς.de fract.com.2°. 7ª.234.G
Ἀγκτῆρες quid ſint.3°.meth.med. 7ª.19.B
Ἀγκύλαι quid ſignificet.11°.de ſimp.med.fac. 5ª.79.B
Ἀγκύλη quid.de artic.com.3°. 7ª.279.F
Ἀγκὼν.i.cubiti gibbus.de fract.com.2°.226.G/com.3°. 7ª.249.D
AGER naturæ, eſt matrix.de anato.parua. Sp.43.C
AGERE quid ſit.1°.de loc.af. 4ª.4.H
Agere ſm̄ totam ſubſtantiam, quid.4°.de ſimp.med.fac. 5ª.28.D
Agunt abſque electione facultates naturales.de uoc.inſtr.diſſ.1ª.106.C
Agunt omnia gratia alicuius.de cauſ.procathar. 3ª.96.F
Agere celeriter quid ſit.de faſcijs. 7ª.293.C
Agere eleganter quid ſit.de faſcijs. 7ª.293.C
Agere iucunde quid ſit.de faſcijs. 7ª.293.C

Agere ubi poſſumus in arte decore ac recte, decore ac recte agere cõuenit. de faſcijs. 7ª.293.C
Agendorum prima cauſa eſt ſcopus actionis. 6º. de uſu par. 1ª.152.F
Agentis motus eſt actio. de ſympt. dif. 3ª.10.D
Agens ſemper patitur in agendo. 3º. de ſimp. cau. 3ª.26.F
Agentia magis in nos, q̃ patientia, quæ. 3º. de tem. 1ª.23.H
Agentia ſimul in nos & patientia, quæ. 3º. de temp. 1ª.23.H
Agens agit multo excellẽtius, quàm quod patitur, propterea hoc latet. 3º. de temp. 1ª.24.D
Agens omne debet habere menſuram quãdã. 3º. de ſimp. me. fa. 5ª.23.B
Agens exigit tempus & magnitudinem, & ut ſit proximum patienti. de cau. morb. 3ª.7.A
ut ab Agente à uoluntate fit uox. de uoc. inſt. diſſ. 1ª.106.D
Agentes aliquid, & non conſiderantes ſimiles ſunt dormientibus. 1º. de diff. reſp. 3ª.60.A
Agẽtes bene, et cognoſcẽtes, regũtur ſciẽtia. 7º. de decr. Hipp. 1ª.268.D
Agentes male, & falsò cognoſcentes, reguntur ignorantia. 7º. de decretis Hippo. 1ª.268.E
ad Agendum & intelligendum quid reddat homines tardiores. in 6ᵐ. de morb. uul. com. 4º. 3ª.186.F
Agẽdũ aliqd uel piclitari. conſiliũ eſt Thucydidis. 10º. met. me. 7ª.66.E
Agere mẽbra pp alia mẽbra non eſt uerũ. de mot. man. & obſ. Sp.68.B
Agant quo modo muſculi omnes. de uoc. inſt. diſſ. 1ª.107.D
Agens femur introrſum, & parumper retrorſum muſculus. de muſcul. diſſect. 1ª.51.F
AGERATVS lapis, quaſi nunq̃ ſeneſcens. de me. fa. par. 7ª.164.H
Ageratus lapis qualis. 9º. de ſimp. med. fac. 5ª.67.H
Ageratus lapis, quo ſutores muliebria calciamẽta expoliunt. 6º. de cõpo. med. ſec. loc. 172.G| 5ª.174.F
Ageratus lapis inter arida moderate adſtringentia. 6º. de compo. med. ſecundum loc. 5ª.172.G
Ageratus lapis columellas phlegmone grauatas euidẽter iuuat. 9º. de ſimp. med. fac. 5ª.67.H
Ageratus digerit, & à phlegmone liberat. 6º. de ſimp. med. fa. 5ª.41.E
AGGLVTINATIO ſemper fit à natura. cõ. 1º. aph. 3º. Ex.3.G
Agglutinatio eſt diuerſa à nutritione. 3º. de nat. fac. 1ª.307.B
Agglutinatio præcedit nutritionem. 1º. de nat. fac. 1ª.292.F
Agglutinatio, appoſitio, adſimilatio ſe ſequũtur. 1º. de nat. fa. 1ª.292.F
Agglutinatio ante adſimilationem. 3º. de nat. fac. 1ª.302.D
Agglutinationem præcedit appoſitio. 3º. de nat. fac. 1ª.302.D
Agglutinatio fit per appoſitionem. 1º. de nat. fac. 1ª.292.F
Agglutinationis et adiunctionis differentiam docet anaſarca. 1º. de nat. fac. 1ª.292.F
Agglutinatio nõ fit ſi ſuccus aliũ et aliũ mutet locũ. 3º. de na. f. 1ª.302.E
Agglutinatio & appoſitio, concoctio et nutritio optima eſt puſionibus, & qui calidũ humidumq; corpus habent. 3º. de ſympt. cau. 3ª.29.A
Agglutinantur & coaleſcunt facilius & celerius humida, dura uero partim nunquam, partim uix. 3º. de ſymp. cau. 3ª.29.A
nõ Agglutinantur neq; coaleſcunt, utpote duriora, ferrum, æs, lapis, & aurum. 3º. de ſymp. cau. 3ª.29.A
Agglutinans quale eſſe debet. 5º. meth. med. 7ª.29.G
Agglutinantia quæ medicamenta. 2º. de arte cur. ad Glauc. 7ª.106.A
Agglutinantia omnia non adſtringunt, neque è contrario. 1º. de ſimpli. medi. fac. 5ª.7.G
Agglutinatoria fluxiones cohibent. 4º. de comp. med. ſec. loc. 5ª.153.F
nõ AGGREDIENTES quæ non nouerunt, minus errãt q̃ qui illa tractant, quæ nunquam didicerunt. de ue. ſec. ad Eraſi. 6ª.13.A
AGGREGARI, & euacuari tã facile ut ſpiritus, nihil poteſt. de palp. conuulſ. & rig. 3ª.52.D
ad AGIBILIA quæ inſtrumẽta potiora. 3º. de ſymp. cau. 3ª.29.C
AGILIOR cur ſit cunctis natura humana. de ſpermate. Sp.37.D
de AGINE colore fit mentio. de ſimp. med. Sp.87.A
AGIOLAE ſuccus ad quid ſit utilis. de dynamid. Sp.24.H
AGITARI uerbum uetus. de palp. conuulſ. & rig. 3ª.54.H
Agitari membrum eſt indicationis futuræ ſignum. 1º. de arte cura. ad Glauc. 7ª.100.D
Agitatio rigoris in quartanis eſt ſufficiens excernere humorem. commen. 5º. aph. 70º. Ex.45.E
Agitantur facilius mares. in 6ᵐ. de morb. uulg. com. 2º. 3ª.169.E
ex Agitatorio principio, quod à mare proficiſcitur, & menſtruo fit generatio. 1º. de ſemi. 1ª.329.E
Ἀγμοὶ quid ſignificet. de fract. com. 1º. 7ª.223.F
cũ AGNASCENTIBVS proportionem habent oua animaliũ, fructus arborum, grauidarum fœtus. 11º. de ſimp. med. fac. 5ª.81.C
AGNI, natura humidi ſunt. de bo. & uitio ſuc. 2ª.35.H
Agnina caro qualis. 3º. de alim. fac. 26.A| de ſuc. bon. & uitio. 37.C| 5º de ſani. tuen. 2ª.91.D| de ren. aff. dig. & med. 7ª.195.F
Agnorum carnes faciunt craſſum ſanguinem cum bono ſucco. in 6ᵐ. de morb. uulg. com. 3º. 3ª.175.C
Agno digeritur uelocius anniculus ex pecude. de diff. cont. Sp.73.C
Agni anniculi carnẽ dat ĩ pituitoſo uẽtriculo. 3º. de me. f. par. 7ª.175.H
Agni caput, & caro cibus uiſcoſus, & humidus. de diff. cont. Sp.73.A
Agni & hædi anniculi uelocius digeruntur, quàm caro antiquorum & quàm capra. de diff. cont. Sp.73.C
Agninus ſanguis non incidit. 2º. de ſimp. med. fac. 5ª.73.C
Agnorum ſanguinem epilepſiæ conuenire negat Galenus. 10º. de ſimpl. med. fac. 5ª.73.C
Agninus pulmo ĩtertrigines à calciamentis curare creditur. 11º. de ſimpli. med. fac. 5ª.79.H
Agninum pingue. 7º. de comp. med. per gen. 5ª.272.D
AGNOS quid. 6º. de ſimp. med. fac. 5ª.40.H
de AGNOSCENDO præſagiendoq; plurima ſcripſit Hippocrates. 5º. de ſani. tuen. 2ª.93.C
Ἄγνοια quod ſymptoma ſit. in 1ᵐ. prorrh. com. 2º. 4ª.177.E
Ἀγωνιστικῶς frigida præbenda in marcore quid ſit. de marc. 3ª.48.A
Ἀγωγὴ quid. in 1ᵐ. de mor. uulg. com. 1º. 3ª.104.B
Ἀγωγίμων meminit. 10º. de ſimp. med. fac. 5ª.72.D
AGRANONES pilos quando habent fœtus. de ſpermate. Sp.36.E
AGRESTA ſtomachũ debilẽ et mollem rectificat. de diſ. cõt. Sp.74.E
AGRESTIA ſunt antiquiora domeſticis. in Timæum Plat. 1ª.286.H
Agreſtia prius fuere, ſemina, ſtirpes, arbores, quæ nunc effecta ſunt domeſtica. in Timæum Plat. 1ª.286.H
Agreſtes mores habent, qui ad Septentrionẽ degunt. ꝙ aĩ mor. 1ª.319.H
Agreſtia animalia habent ungues acutos, magnos, fortes, ac rotundos, 11º. de uſu par. 1ª.187.G
Agreſtium animalium alimentum, quale. 3º. de ali. fac. 2ª.27.E
Agreſtia omnia ſunt hortenſibus acriora, & ſicciora. 6º. de ſimpli. medic. fac. 5ª.42.E
Agreſtia olera ſunt praui cibi. 1º. de diff. feb. 31.G| 3ª.33.G
Agreſtia omnia domeſticis ualentiora. 8º. de ſimp. med. fa. 5ª.61.A
Agreſtium theriaca uocatur allium à Galeno. 12º. meth. med. 7ª.79.F
Agreſtis cucumer ſtomachum non euertit. de dynami. Sp.21.H
Agreſtis cucumer pituitam educit, & qua doſi. de dynam. Sp.21.H
Agreſtis cucumeris radix educit aquoſam pituitam, propterea hydropicis utiliſſima eſt. de dynamidijs. Sp.22.B
Agreſtis malua ſanguinẽ purgat. de dynam. 22.C| de cathart. Sp.94.G
AGRICOLAE duri, & aridi. 6º. de comp. med. ſec. loc. 5ª.176.F
Agricola ſimilis eſt ueſtes reſarcienti, & ueteres calceos inſtauranti. ad Thraſyb. 2ª.104.B
Agricolæ ignorãt uires motuũ quos exercent. 2º. de ſani. tuen. 2ª.75.E
Agricolæ ſeminant eligendo ſemina, & homines non conſiderant ſua ſemina. 11º. de uſu par. 1ª.188.C
Agricola quidam ob labores in colendis uitibus, et tenuem uictum, memoriam rationemq; uitiatam habuit. 3º. de loc. aff. 4ª.17.A
Agricola uitioſum corpus inſtaurat. ad Thraſyb. 2ª.104.C
Agricolæ quõ ἔτνον, & λέκυθον parent. de bo. & uitio ſuc. 2ª.36.F
AGRIMONIA ad curandum uulnera. de dynamid. Sp.35.E
AGRIOCARDAMVS. 10º. de comp. med. ſec. loc. 5ª.208.G
AGRIOSELINI ſemen calidum & acre urinam ciens. 5º. de ſimpli. med. fac. 5ª.35.D
Agrioſelini ſemen ſanguinem extenuat ac ſecernit. 5º. de ſimpli. medica. fac. 5ª.35.D
AGRIPPAE Iulij fit mentio. 8º. de compo. med. ſec. loc. 193.D| 7º. de comp. med. per gen. 5ª.271.F
Ἀγροικοπυρέττοντες, quos uocent. 3º. de diff. pulſ. 4ª.65.D
AGROSTIS quid. 6º. de ſimp. med. fac. 5ª.41.B
Agroſtis radix ubi mollis fuerit ut aq̃ dulcis ẽ. 6º. de ſim. me. f. 5ª.41.B
Ἀγρυπνία, à ſymptomate nomen habuit. 2º. meth. me. 7ª.9.E
in AHENVM magnum muſtum condit. 7º. de compo. med. per gen. 5ª.272.H
Aheni ad febrem comparatio. preſag. exp. confir. Sp.77.E
AIAX heros præſtans. de cognoſcendis curandisq; animi morbis. 2ª.51.F
Aiace maior erat Achilles. 2º. de dig. pulſ. 4ª.76.F

Α᾽μοφόβος quis.9°.meth.med. 7ª.58.B
ALAE uolatilium ſunt fibroſæ,duræ,ac ſalubres.3°.de ali ment.fac. 2ª.29.E
Alæ uolatilium quales circa coctionem.de bon.& uitio ſuc. 2ª.35.H
Alæ dari languentibus conſueuerunt.de uict.rat.in morb.acut.commen.1°. 7ª.113.C
Alæ gallorũ his qbus dolet caput,dãtur.2°.de cõp.med.ſec.lo.5ª.133.E
Alæ gallinaceorũ lacte altorũ dantur in ſiccitate.7°.met.me. 7ª.45.D
Alæ auium quæ molli admodum carne non conſtant,poſſunt cõcedi pro cibo in tertiana.1°.de arte cur.ad Glauc. 7ª97.C
Alas mille habentes formicæ.ſecret. Sp.100.A
Alæ ſiue pinnulæ nominantur exteriores narium partes.intro.Iſa.53.B
Alæ naſi,quæ.de oſſib. 1ª.41.A
Alarum naſi motus quid ſignificet.1°.de diff.reſp. 3ª.62.H
Alas naſi aperientes muſculi ubi ſint.de muſc.diff. 1ª.44.F
Alæ naſi inſpirationis impetum inſequuntur.de muſc.diff. 1ª.44.F
Alæ in mulieribus,quæ.intro. Iſa.53.D
Alarum formam habent orificia uaſorum ſpermatis.de comp.memb.ſiue de natura humana. Sp.59.C
Alati qui dicantur à medicis.in 6ᵐ.de morb.uulga.com.3°. 3ª.172.D
Ala locum qui ſub humero eſt,ſignificat.de frac.com.2°. 7ª.240.C
ſub Alis nerui cur tenores uocentur.de artic.com.1°. 7ª.259.A
Alarum affectarum et inguinum pulſus.4°.de præſa.ex pulſ.4ª.120.F
Alarum,& inguinum glandulæ ob ulcus manus aut pedis intumeſcũt.2°.de diff.feb.3ª.41.B/13°.meth.med. 7ª.81.A
Alarum fœtores in quo ſint genere ſymptomatum.de ſymp.dif.3ª.13.B
Alarum & totius corporis graueolentiam ſanat ſcolymos.8°.de ſimpli.med.facul. 5ª.60.H
ad Alarum tetros odores.de med.fac.par. 7ª.166.C
ad Alarum abſceſſus.5°.de comp.med.per gen. 5ª.246.E
Alarum pilos euulſos creſcere nõ ſinere adipem uiperarum falſum eſt.11°.de ſimp.med.fac. 5ª.79.E
Alas addit timor,& impendens neceſſitas.4°.de cau.pulſ. 4ª.99.G
ſub Ala tumor durus,& rotũdus ſignificat brachium luxatum.de ijs,quæ in med.ſi.com.1°. 7ª.198.E
in Alam prolapſum humeri caput qũo reſtituatur.de mach.7ª.312.A
in Alam prolapſum humerum reſtituens ſcala.de machin. 7ª.311.F
in Alam quãdo exciãit caput humeri,quomodo in ſcala plana reſtituatur.de machin. 7ª.313.H
in Alam prolapſum humeri caput,quo pacto per fabri organum reſtituatur.de machin. 7ª.318.A
in Alã ꝓlapſi humeri capitis ꝑ Hip.ſcãnũ repoſitio.de machi.7ª.319.D
ſub Ala lana rotunda in luxatis.de ijs,quæ in med.ſi.cõ.3°. 7ª.222.D
ad Alam,& pectus Soſtrati uinculum rectum.de faſcijs. 7ª.301.F
ad Alam,& pectus uinculum in ſpeciem literę X.de faſcijs. 7ª.301.G
Alæ quid ſint in organis.de machin. 7ª.309.F
Alæ ad quid ſint in organis.de machin. 7ª.310.B
ἅλας ὀρύκτους græci nominant ſal foſſile.9°.de ſim.med.fac.5ª.64.F
ALABASTRITES lapis unguis dicitur.9°.de ſim.med.fa. 5°.78.B
Alabaſtrites combuſtus bibendus datur ſtomachicis à quibuſdam.9°.de ſimp.med fa. 5ª.68.B
Alabaſtritis uſti fit mentio.5°.de comp.med.ſec loc. 5ª.164.A
ALAVDA uel galerita uſta ſi edatur,mirifice colicos ſubinde iuuat.de theri.ad Piſo. 5ª.93.G
ALBANVM uinum quale.4°.de ſan.tuen 85.H/5°. 2°.90.H
Albanum uinum eſt tenuis ſubſtantiæ.de bon.& uitio ſuc. 2ª.38.F
Albanum uinum aquoſum eſt.1°.de antidot. 5ª.100.H
Albanum uinum inter auſtera & nobilia uina numeratur.7°.methodi medendi. 7ª.45.F
Albanum uinum tuto ebibitur.de bon.& uitio ſuc. 2ª.38.F
Albates uinum auſterum & dulce.4°.de ſim.med.fac. 5ª.26.F
Albates uinum nigrũ auſterũ unà ac dulce.de bo.& uitio ſucc. 2ª.38.C
ALBEDROGIEZ, id eſt ameos.ſecret. Sp.97.A
ALBEDO eſt qualitas ſecũdum colorem,& ad quas qualitates ſequatur.de natu.homa. 1ª.28.H
Albedo nunquam dicitur corpus ipſum.1°.de temp. 1ª.13.H
Albedinem ſignificat quandoq; album.1°.de ſimp. 1ª.13.H
Albedo propter frigus fit fulua.de aere,aquis,& locis. 2ª.5.F
Albeſcat quomodo facies,& molleſcat.de dynam. Sp.25.H
ꝑ Album,an pura qualitas,uel etiam corpus ſubiectum intelligatur.1°.de elementis. 1ª.6.A
Album facit paſſiones & pathemata uiſus.de ſymp.diff. 1ª.10.D
Album,& ſplendidum corpus opponitur cito,& uelociter coloribus.de oculis. 7ª.182.G
Album ſplendens uiſui inimicum cur.1°.de ſymp.cau. 3ª.17.A
Albus color nocet lippientibus.de ſubſ.emp. Iſa.32.B
Albicans color ex pallido ὠχρόλευκον dicitur.5°.de ſan.tuen.2ª.91.A
Albo colori paucum cæruleum ſi admiſtum ſit,quid ſequatur.4°.de cõpoſi.med.ſec.loc. 5ª.150.D
Albus color ex ſpumarum generatione.8°.de decre.Hip. 1ª.277.D
Albam ſpumam facit mare uiride,& uinum nigrum commotum.de natura,& ordine uniuſcuiſq; corp. Sp.42.C
Albi facile recipiunt oẽm colorem.in 6ᵐ.de morb.uulg.cõ.2°.3ª.163.G
Album fit nigrum per oẽs medias alterationes.1°.de nat.fac.1ª.292.D
ab Albo fit trãſitus primo in fuluũ,poſt in flauum.de uict.rat.in mor.acut.commen.3°. 7ª.126.E
Alba febris cur dici non poſſit.3°.de præſa.ex pulſ. 4ª.117.E
Albus & niger dicitur pulſus,ſicuti uox dicitur alba & nigra.3°.de diff.pulſuum. 4ª.62.H
Alba uox quæ dicatur.3°.de diff.pulſ. 4ª.63.G
inter Albam & nigrã media nubes quomodo fiat in 1ᵐ.de morb.uulgar.commen.1°. 3ª.104.D
Albũ notat frigidũ tẽperamẽtũ.in 3ᵐ.de morb.uulg.com.3°. 3ª.146.D
Album omne non eſt frigidum.1°.de ſimp.med.fac. 5ª.2.E
Alba quędam frigida,quædam calida.1°.de ſimp.med.fac. 5ª.2.E
Albicans color ſignificat pituitam.com.4°.aph.2°. Ex.27.F
Albus humor eſt pituita.de atra bile.34.E/8°.de decr.Hipp.1ª.277.D
Alba pituita eſt ſpecies aquę intercutis.com.7°.apho.29°. Ex.55.H
Albiores fiunt homines pituita ſuperante.4°.de ſani.tuen. 2°.84.A
Albus eſt,conceptus in horis phlegmatis.de ſpermate. Sp.37.C
Albus partim eſt uultus cõcepti ĩ horis melãcholiæ.de ſperm. Sp.37.C
Albius corpus ſolito,indicat ſuccum pituitoſum abundare.4°.de ſanitate tuen. 2ª.84.B
Albæ mulieres & molles gignunt multum tenuemq; ſanguinem.in 6ᵐ.de morb.uulg.com.1°. 3ª.156.C
Alba caro in quibus ſit membris.de anat.uiuorum. Sp.44.D
Alba mẽbra albificãt materias,quas conuertũt.de ana.uiu. Sp.44.D
Albus cur ſit pulmo.de anat.uiuorum. Sp.47.G
Alba exanguia & foraminibus carentia ſunt,neruus,tẽdo,copula.de decr.Hipp.& Pla. 1ª.233.G
Alba eſt caro glandis,& teſticulorum.de anat.uiu. Sp.55.H
Albior eſt caro uberum,ꝗ glãdium,et teſticulorũ.de anat.uiu. Sp.55.H
cur Album ſperma ſit,cum ſit ſanguis.de natura,& ordine uniuſcuiuſque corp. Sp.42.C
in Album ius anhetum,& porrum inijcit.12°.metho.med. 7ª.78.A
ex Albis uinis nullum eſt dulce.de uinis. Sp.76.F
Album uinum craſſum dulce in nutriendo,quale.de diff.cont. Sp.73.F
Alba ualde ab initio uina ſi inueterauerint,flauitiẽ quandã contrahũt,unde primum pallidula mox planè pallida fiunt tandẽ ex pallido flauentia cernuntur.5°.de ſan.tuen. 2ª.91.B
Alba uina non poſſunt omnino fieri flaua.5°.de ſan.tuen. 2ª.91.B
Album uinum ſubtile minus eſt nutritiuum.de diff.cont. Sp.73.F
Album uinum non facit dolere caput.de diff.cont. Sp.74.F
Album uinum non calidum.5°.de ſan.tuen. 2ª.91.A
Album uinum ponticum eſt minus calidum albo.de diff.cont. Sp.74.D
Alba uina,& auſtera,ſenſibiliter refrigerant.de uinis. Sp.76.H
Album uinum uinoſum,quale.9°.de decre.Hipp. 1ª.283.E
Alba uina,& ſubſtyptica,& ſubtilia,et nõ ualde antiqua optima ſunt ictericis.de cura.icteri. Sp.111.D
Albus elleborus uomitum facit.de cathart. Sp.95.C
Albus elleborus purgat per uomitum.de cathart. Sp.94.F
Albus elleborus educit phlegma.de cathart. Sp.94.G
Albus elleborus purgat nates.de cathart. Sp.59.B
Albæ ſpinæ fructus ſtringunt uentrem cum ſtypticitate,& ponticitate.de diff.cont. Sp.95.B
Albæ uiolæ ſanguinem purgant.de dynamid. Sp.22.C
Alba,& tenuis urina ob quid mingatur.quæſi.in Hipp. Sp.113.E
Alba urina eſt aquoſa.de uri.ſign.ex Hipp. Sp.79.A
Alba urina,& aquoſa,& nebulam bonam habens,& cum odore bono egeſta,phrenitim purgat.de dynamid. Sp.34.D
Alba urina,& nuda in omnibus debilitatem,& frigiditatem ſignificat corporis.de dynamid. Sp.35.D
Alba urina,et ſpiſſa bonam ſignificat ſanitatem.de dynamid.Sp.34.A
Alba urina ſi lõgo tpe pſeuerauerit,frigora ſoluit.de dynami. Sp.34.F

Alba urina ſine febre in maſculis ſiue fœminis, dolorem laterũ, & aliquando renum ſignificat, & prægnantem fœminam ſignificat aliquãtulum.de dynamidijs. Sp.35.D
Alba urina, & aquoſa in augumento ægritudinis, aut in ſtatu ueniẽs laborẽ corporis cũ frigore, & maciẽ nũtiat futurã.de dyna. Sp.34..A
Alba urina, & aquoſa in cardiacis cum nebulis albis, eorum ægritudinis ſolutionem oſtendit.de dynam. Sp.34.H
Albæ urinæ, perſpicuæ, præcipue in phreniticis apparentes, improbæ. de urinæ ſignificatione ex Hipp. Sp.78.H
Albam leuem, & æqualem eleuationem habens urina deterior eſt. de urinæ ſignificatione ex Hipp. Sp.79.B
Albam nebulã habẽs urina colore cholerico, & furfures ſupernatãtes, aut longam ægritudinẽ, aut mortem ſignificat.de dynami. Sp.34.C
Alba urina, & ſubliuida in pleuriticis mortẽ oſtẽdit.de dyna.Sp.34.H
Alba urina, aut ſubliuida in phreniitica, uel pleuritica, ſynocha, cauſo, tertiana.de dynamidijs. Sp.35.D
Alba urina ſpumoſa, & nebuloſa in ſynocha, ſi in critico die aut poſt criticũ diẽ ſupuenerit ſolutionẽ ægritudinis oſtẽdit.de dyna. Sp.34.D
Alba urina ſi ſe mutauerit in ſynocha, apoſtema celerius uẽturũ ſcias. de dynamidijs. Sp.34.C
Alba urina, & turbulenta in ſynocha, & non compoſita, dolorem cum periculo ſignificat.de dynamidijs. Sp.34.F
Albe hypoſtaſes, et tenues admodũ, male.de uri.ſig.ex.Hipp. Sp.78.H
Albicans ſi fuerit color urinæ, hypoſtaſis ruſa, quid fieri debeat.de urinæ ſignificatione ex Hippo. Sp.79.D
Alba ſi fuerit hypoſtaſis, color urinællbilioſus, erit bilis cum pituita.de urinæ ſignificatione ex Hippo. Sp.79.D
Alba et pinguedinoſa urina pipneumoniã ſignificat.de dynam.Sp.35.D
Alba urina ſi ſe ſubito in malum colorem mutauerit proximam nũciat mortem.de dynamidijs. Sp.34.G
Alba ſi retineant̃ à partu inſaniũt mulieres.in 1^{m}.prrh.c.2°. 4^{a}.175.D
Album ſi uideatur palpebris commiſſis in dormientibus eſt letale, niſi ab extrinſeco aduenerit.com.6°.aphor.52°. Ex.53..A
Albidã cutẽ habẽtes qñ moriebãtur.in.1^{m}.de mor.uul.com.2°.3^{a}.115.D
Albidior ſi ſit color cutis, pituitoſi humoris purgatio fieri debet.14°. methodi medendi. 7^{a}.93.D
Albicans deiectio quæ, & quid ſignificet.in 1^{m}.prrh.com.2°. 4^{a}.183.C
Albicantes ſpumoſæ deiectiones malæ.in 1^{m}.prorrh.com.2°. 4^{a}.171.G
in Albis colore uehemens refrigeratio non eſt inducenda. 2°. de compoſi.med.ſec.loc. 5^{a}.132.E
Albi qui non ſunt, neq; carne molliculi, his ad euacuandum minus eſt parcendum.præſag.exper.confir. Sp.77.H
ad Album colorem.de med.fac.par. 7^{a}.163.G/H
ad Albedinem utitur cornu cerui.9°.de comp.med.ſec.loc. 5^{a}.202.F
ad Albas maculas præſidium.de dynam. Sp.25.F
Albidas maculas emendant radices aſphodeli combuſtæ, & in cinerẽ redactæ.de ſimp.me. Sp.81.B
ad Albam morpheam nigram, & ſerpiginem.de dynam. Sp.25.G
ad Albam morpheam trochiſci.de dynam. Sp.25.F
ad Albas cicatrices oculorum ualet ſuccus centaureæ. de uirtute centaureæ. Sp.93.B
Albis alcolis oris, & nigris cõfert ſucc⁹ cẽtaureæ.de uir.cẽt.Sp.93.D
ad Alba faucium uulnera.de dynamidijs. Sp.26.B
ad Album rheumatiſmum.de paſſ.mul. Sp.96.B
ALBI unguenti confectio.de dynam. Sp.32..A
Alba emplaſtra quibus fiant.1°.de comp.med.per gen. 5^{a}.217.C
Album Heræ medicamẽtũ ad canis rabidi morſum.2°.de anti. 5^{a}.117.B
Album ad rabidos morſus.1°.de comp.med.per gen. 5^{a}.216.C
Album Damocratis emplaſtrum.1°.de comp.med.per gen. 5^{a}.217.F
Album ariabarzanion.1°.de comp.med.per gen. 5^{a}.216.D
ALBOTIZ fit mentio.ſecret. Sp.98.C
ALBVCVS, ſeu aſphodelus quid ſit, & eius uires.de ſimplicibus medicaminibus. Sp.81.B
Albuci radicis fit mentio.5°.de comp.med.ſec.loc. 5^{a}.161..A
Albucus quo mũ ponat̃ in medicamẽta.5°.de com.med.ſec.loc.5^{a}.161.C
de ALBVGINIBVS. de med.fac.par. 7^{a}.163..A
Albugo, ulceratio oculorum.ſi.med. Iſa.48.D/E
Albugo quo modo differat à cicatrice in oculo.intro. Iſa.59..A
ad Albugines oculorum.4°.de comp.med.ſec. loc. 152. H/5^{a}. 158.C/de rem.par.fac.156.G/3°.de med.fac.par.170.D/7^{a}.172.F/de dynamidijs.24.H/ſec.et. Sp.97.F
ad Albugines applicatur phorbium.8°.de ſimp.med.ſa. 5^{a}.63.D
Alburginum oculorum tincturæ.4°.de comp.med.ſec.loc. 5^{a}.153.B
Albugo oculi unde oriatur.de util.reſp. Sp.63.D
Albugo in piſcibus eſt ualde dura.de util.reſp. Sp.63.D
Albugineus humor oculi.de oculis. 7^{a}.182.H
Albugineus eſt ſuperfluitas cryſtallini de anat.uiu. Sp.48.C
Albuginei oculi humoris ſitus.de anat.parua.43.D/ Sp.48.D
Albugineus humor, quando dilatatur, & conſtringitur. Sp.48.F
Albugineus humor qualis, & propter quid talis.de ocul. 7^{a}.183.D
Albugineus cur liquidus ſit.de anat.uiu. Sp.48.E
Albuginei humoris accidentia.de ocul. 7^{a}.186.C
Albugineo læſo deſtruitur uiſus.de anat.uiu. Sp.48.C
Albugineæ humiditatis fit mentio.de anat.uiu. Sp.44.E
ALBVLAE aquæ aluminoſæ ſunt.8°.meth.med. 7°.50.B
Albulę aquę adſtringunt.8°.meth.med. 7^{a}.51.C
Albulis qui ſe lauerat, quid contigerit.8°.meth.med. 7^{a}.50.C
Albulæ fontis aquę ualent ulceribus, & fluxionibus.1°. de ſimplicium me.fac. 5^{a}.3.D
ALBVMEN oui quale.11°.de ſimplicium medicam. fac. 5^{a}. 81. D/F/ de oculis. 7^{a}.189..A/B
Albumen oui magis terrenum oleo eſt.4°.de ſimp.med.fac. 5^{a}.25.E
Albuminis oui temperiem lac ſæpe habet.11°.de ſimp.med.fac.5^{a}.81.D
Albumina ouorum difficilius concoquuntur, quàm uitelli.1°. de arte cura.ad Glauc. 7^{a}.97.D
ut Album oui tenue eſt humor ſecundus oculi.de compag. memb. ſiue de natura humana. Sp.58.C
Albuminis oui uſus.11°.de ſimp.med.fac. 5^{a}.81.D
Albumen oui collinit & mitigat acres mordicationes.10°. de ſimpliciũ med.fac. 5^{a}.73.F
ALBVRNI cortices ad quid utiles.de dynam. Sp.30.G
Alburni carbo ad fiſtulam claudendam.de dynami. Sp.31.C
ALBVZARAN fit mentio.ſecret. Sp.100.C
ALCARASIM tarde digeritur.de diſſ.cont. Sp.73.D
ALCETII ſophiſtæ meminit.8°.de com.med.ſec.loc. 5^{a}.189.B
ALCHEISIM diſſoluit uentoſitatem.de diſſ.cont. Sp.74.G
ALCHOHOL ad conſeruandam ſanitatem oculi.ſecret. Sp.97.F
ALCHORONIA eſt thucia Inda ſecret. Sp.97.F
ALCIBIADIAE anchuſæ uis.6°.de ſimp.med.fac. 5^{a}.41.D
ALCIMII ad diſpnœam.7°.de comp.med.ſec.loc. 5^{a}.186.H
ALCIMIONIS fit mentio.2°.de compoſi.med.per gene. 221.B/5°. 252.C/ 5^{a}.253..A/B
Alcimionis arteriaca.7°.de comp.med.ſec.loc. 5^{a}.179.F
Alcimionis uiride.5°.de comp.med.per gen. 5^{a}.249.D
Alcimionis titulo inſciptũ malagma.7°.de com.med.per gen.5^{a}.265.F
ALCIMONIVM qd, & eius ſpecies ac uires.de ſim.med. Sp.80.C
Alcmæon in cerebro præcipuam animæ partem conſtituit. de hiſtoria philoſophica. Sp.9.F
Alcmena Herculem procreans, incutiebat terrorem aduerſarijs.an animal ſit. 1^{a}.328.F
Alcolis oris tam albis, quàm nigris confert ſuccus centaureæ. de uirtute centauræ. Sp.93.D
ALCYONII ſpecies & qualitates deſcribuntur.11°. de ſimplicium medic.fac. 5^{a}.83.B
Alcyonium quale eſſe debet.1°.de com.med.ſec.loc. 5^{a}.122.E
Alcyonium quo loco reponatur inter calida quæ ualent alopecijs.1°.de com.mad.ſec.loc. 5^{a}.122.D
Alcyonij torrefacti meminit.4°.de com.med.ſec.loc. 5^{a}.152.H
Alcyoniũ quo mõ ponat̃ in medicamẽto.5°.de cõ.med.ſed.loc. 5^{a}.161.C
Alcyonium pilos reſtituit.7°.de ſim.med.fac. 5^{a}.53.D
Alcyonium quale pilos urere poteſt.11°.de.ſim.med.fac. 5^{a}.83.C
Alcyoniũ aſperũ ad alopeciam & ophiaſim.de reme.par.fa. 7^{a}.154.G
ALEFINIS ſuccus quid faciat.ſecret. Sp.99.G
ALES alta non uidetur uolare.1°.de mo.muſ. 1^{a}.311.F
ALES, id eſt ſales, quales.9°.de ſimp.med.fac. 5^{a}.68.F
ALEXANDER ex Olympiade nõdum natus ab omnibus Ammonis filius dicebatur.an animal ſit. 1^{a}.328.F
Alexandri figura ab aſtris.de ſpermate. Sp.38.G
Alexander à leone tenuit criſpitudinem capillorum, citrinum colorem, iram, & robur.de ſpermate. Sp.38.G
Alexander ex tauro contraxit cornutam frõtem.de ſpermate.Sp.38.H
Alexander habuit à proprietate ſui ſigni oculũ unum aquileum, & naſum.de ſpermate. Sp.38.H
Alexãdro quid dedit ut totum orbem ſuperaret.de ſpermate. Sp.38.H

Alexãder Philalethes librũ fecit placitorũ.4°.de dif.pulſuũ. 4ª.66.F
Alexandri Philalethæ pulſus definitiones.4°.de diff.pulſu. 4ª.66.F
Alexandri Pilalethæ diſcipulus Ariſtoxenus.4°.de dif.pul. 4ª.68.D
Alexãdri medicamẽtũ ad capitis dolorẽ.2°.de cõ.med ſec.lo. 5ª.138.G
Alexandri emplaſtrum.6°.de comp.med.per gen. 5ª.261.F
ALEXANDRIA, & Roma alit multitudinem hominum. de partibus art.med. Sp.16.G
Alexandriæ fuit bibliotheca magna.in 3^{m}.de morb.uul.cõ.2°.3ª.136.H
in Alexandria ars ſophiſtica docet.in 6^{m}.de morb.uul.cõ.1°. 3ª.153.C
in Alexandria dies quatuordecim horarum eſt.6°.de ſan.tuẽ.2ª.97.C
Alexandrinorum uictus qualis.com.2°.aph.20°.Ex.14.D/.2°. de arte cur.ad Glauc. 7ª.107.E
Alexãdriæ comedunt carnes aſininæ,et camelinæ.1°.de ali.fa.2ª.10.A
in Alexãdria,& Aegypto quo modo refrigeratᷓ aqua.in 6^{m}. de morbis uulg.com.4°. 3ª.182.B
Alexandrinæ aquæ in clyſtere ad renum dolorem fit mentio. de dynamidijs. Sp.27.H
Alexãdriæ quo aqua percoletur.in 6^{m}.de morb.uul.com.4°. 3ª.184.D
in Alexandria ſola,eſt perſea.2°.de comp.med.ſec.loc. 5ª.137.H
in Alexandria Perſium plantam uidit Gal.2°.de alim.fac. 2ª.21.F
in Alexandria peculiaris eſt elephantis morbus.2°. de arte curat.ad Glauc. 7ª.107.D
ALEXIPHARMACA medicamenta.intro. Iſa.57.H
Alexipharmaca medicamenta.quæ.1°.de ſemi.328.A/1ª. 335.B/ in 6^{m}. de morb.uulg.com.6°. 3ª.196.H
Alexipharmaca,& alexiteria quo modo differant.5°.de ſimpliciũ medic.fac. 5ª.36.H
Alexipharmaca & alexiterias facultates dicere nihil intereſt.5°. de ſimplic.med.fac. 5ª.37.A
Alexipharmaca cur debeant eſſe media ueneni & corporis quod euacuatur.5°.de ſimp.med.fac. 5ª.36.H
Alexipharmaca quo modo alterent & quomodo euacuent. 5°. de ſimplicium med.fac. 5ª.36.F
in Alexipharmacis etiam medicamenta ſumenda ſunt à contrarijs.5°. de ſimp.med.fac. 5ª.36.G
Alexipharmacis uenena miſcentur.3°.de ſimp.med.fac. 5ª.23.A
Alexiphar macum omnis feræ muſtella eſt.11°.de ſimp.med.fa.5ª.82.D
Alex iteria quo modo attrahant.5°.de ſiuup.med.fac. 5ª.36.F
Alexiterias antidotos q̃ ingredi non poſſunt.5°.de ſimp.me.fa. 5ª.37.C
ALFENID, id eſt penidiæ,dantur contra infirmitates pectoris,& aſthma.de med.exper. Sp.106.F
ALGA quid.6°.de ſimp.med.fac. 5ª.45.D
Alga ſicca & frigida eſt in ſecundo.8°.de ſimp.med.fac. 5ª.63.D
Alga medicamentum.14°.meth.med. 7ª.92.E
ALGOR quid ſit.1°.de morb.uul.com.3°. 3ª.118.B
ab Algore congelatio fit.in 1^{m}.de diff.feb. 3ª.34.D
Algor minus toleratᷓ ĩ cõſiſtẽtibus,q̃ ĩ iuuenibus.c.3°.ap.30°.Ex.26.D
Algentes habent pulſum,& reſpirationem rariorem,tardiorem, ac minorem.de uſu pulſ. 1ª.227.F
ex Algore nimio fit pulſus durus in ephemeris.1°.de diff.feb. 3ª.34.C
Algentibus oleum prodeſt.2°.de ſimp.med.fac. 5ª.15.H
nõ Algere,non eſurire,non ſitim pati. primus eſt finis eorum quæ poſſidentur.de cogn.cur.animi morb. 2ª.54.F
ALICA nomen eſt rarum apud antiquos.1°.de alim.fac. 2ª.10.H
Alica genus tritici.1°.de alim.fac. 2ª.10.H
Alica contraria eſt orizæ. intro. Iſa.51.A
Alicæ ſimile eſt tragi ſemen.1°.de alim.fac. 2ª.12.G
Alica eſt ptiſſana triticea ſecundum Dioclem.1°.de alim.fac. 2ª.10.H
de Alica fit mentio.13°.meth.med. 7ª.83.H
Alica in Italia quo modo paretur.2°.de alimen.fac. 2ª.13.A
Alica maceratur.7°.de com.med.ſec.loc. 5ª.185.E
Alica ex q̃bus paretᷓ.com.2°.aph.18.Ex.13.H/de attẽ.uic.ra. 2ª.44.G
Alicæ lotæ,& nõ lotæ eadem eſt præparatio.1°.de alimen.fac. 2ª.11.A
Alica conditur modico anethi & ſalis.8°.metho.med. 7ª.51.B
Alica cum granis punici.12°.meth.med. 7ª.79.A
in Alica acetum ponitur ad diſtributionem.8°.meth.med. 7ª.51.B
Alicæ ſorbitio qualis.1°.de alim.fac. 2°.10.H
Alicæ uaria coctura.1°.de alim.fac.10.H/ 2ª.11.A
ex Alica ſorbitio cibus eſt qui nulla indiget cõtritione.8°.de compoſi. med.ſec.loc. 5ª.187.H
ad Alicam prope accedit ouorum natura.de bon.& uitio ſuc.2ª.34.G
Alica multum alit.1°.de alim.fac.10.H/de atten.uict.rat.2ª.44.G/8°. methodi medendi. 7ª.50.H
Alica facit uictum plenum.com.1°.aph.4°. Ex.4.C
Alica dat alimentum humens.de ptiſ. 2ª.48.B
Alica qui poſſint ueſci, & quo modo.de atten.uict.rat. 2ª.44.G
Alica cibus craſſus.3°.de alim.fac.28.B/de bo.& uitio ſuc. 2ª.34.F
Alica habet ſuccum lentum.1°.de alim.fac.10.H/ 2ª.12.B
Alica cremore ptiſſanæ condita eſt cibus frigidus & humidus.10°.methodi medendi. 7ª.67.A
Alica ſorbitio cibus boni ſucci.de ſuc.bon.& uitio.2ª.39.C/2°.de compoſi.med.ſec.loc.5ª.133.D/de remed.par.fac. 7ª.159.C
Alica generat ſanguinem bonũ,ſed uiſcoſum.de puero epilep. 7ª.180.G
Alica eſt difficilis coctionis.com.2°.apho.18°. Ex.13.H
Alica ſi à uẽtriculo coquatur,et à iecore in ſanguinẽ uertatur probatiſſimos humores gignit & parum glutinoſos.de bo.et uit.ſuc. 2ª.34.F
ex Alica panes sũt plurimi alimẽti et minus ſubſidẽt.1°.đ ali.f.2ª.10.H
Alicæ ſuccus quid operetur.de ſimp.med. Sp.90.A
Alica quid mali faciat.13°.meth.med. 7ª.83.E
Alica nihil detergit.1°.de alim.fac. 2ª.13.H
Alica iecur obſtruit & renum grauitatem & dolorem nonnunquam facit.de boni.& uitio ſuc. 2ª.34.F
ex Alica adaugẽtur iecoris,& lienis tumores,maxime cum melle. de atten.uict.rat. 2ª.44.G
Alicæ uſum qui uitare debent.1°.de alim.fac. 2ª.10.H
Alica purgatis tuto exhibetur.præſag.exper.confir. Sp.78.D
Alicæ farina.5°.de comp.med.ſec.loc. 5ª.161.C
ex Alicæ ptiſſana cibus eſt ægrorum ſm aliquos.1°.de alim.f. 2ª.10.H
Alica põt moderate guſtari in uictu attenuãte.de att.uict.rat.2ª.44.G
Alica ptiſſanę q̃ñ pręparata in diaria cõueniat.8°.meth.med. 7ª.53.E
Alica frigida ex mulſo,& uino frigido ſumpta calori & ſiccitati corporis ſuccurrit.de bon.& uitio ſuc. 2ª.39.C
Alica ut ptiſſana præparata in ſiccitate datur.7°.meth.med. 7ª.45.C
Alica poſt ptiſſanam in calidis & ſiccis offertur.8°.meth.med. 7ª.51.B
Alica in febre danda eſt.4°.de ſan.tuen. 2ª.87.G
ex Alica ſorbitiones dandæ in febribus continuis.1°. de arte curat. ad Glauc. 7ª.98.A
Alicæ ſorbitio dãda ꝓ cibo ĩ tertiana.1°.de arte cur.ad Glau. 7ª.97.C
Alicam Galenus dat cuidam,qui debebat incidere in maraſmũ.10°.methodi medendi. 7ª.62.D
Alica calẽte,quæ cocta in aqua eſſet immiſſis ei mali punici granis,quo caſu uſus fuerit Galenus.12°.meth.med. 7ª.79.A
ex Alica ſorbitionis fit mentio.13°.meth.med. 7ª.83.F
Alicam & uinum dat in capitis dolore per conſenſum.2°.de comp.medic.ſecundum locos. 5ª.136.H
Alica conuenit epilepticis de puero epilep. 7ª.180.G
Alica flaccida,calida,probè cocta ſit pro uentriculo roborando. 2°. de compoſi.med.ſec.loc. 5ª.133.D
Alica cibus eſt cõueniens ſtomachicis.8°.de comp.med.ſec.lo. 5ª.192.C
in Alicam elixatam uinum infuſum datur cum timemus animi defectum conſecuturum.1°.de arte cur.ad Glauc. 7ª.99.E
Alica quando danda in ſyncope.11°.meth.med. 7ª.75.H
ꝓ Alica ptiſſanæ cremor in ſyncope.11°.meth.med. 7ª.76.A
Alicã colatã accipiãt uẽtris mordicationẽ habẽtes.1°. de ali.f. 2ª.11.A
Alica aceto cocta,prodeſt lichenicis.5°.de comp.med.ſec.loc. 5ª.161.A
ex Alica probe cocta ſorbitio leniſſima in arteriæ inflammationũ principijs.7°.de comp.med.ſec.loc. 5ª.177.H
Alica exhibetur in phlegmone glãdularũ et artuũ.13°.met.me.7ª.83.D
ALIENA ſemper ſpectamus,propria nunquam.de cognoſc.cura. animi morb. 2ª.50.F
Alienum à uiribus duplex eſt.de cur.rat.per ſang.miſſ. 6ª.17.G
Alienum expellit uis expultrix.de cur.ra.per ſang.miſſ. 6ª.17.G
Alienorum auerſio ineſt omnibus membris.3°.de nat.fa. 1ª.303.G
ALIENATIO mentis eſt uehemens furor.com.7°.aph.5°. Ex.54.C
Alienatio mentis quid indicet in 1^{m}.prorrh.com.1°. 4ª.166.B
Alienatio mẽtis à furore bonũ,de quo ambigit Gal.c.7ª.ap.5°.Ex.54.C
Alienatio mentis & phrenitis quo lunæ aſpectu fiant.de decub.progn. ex mathem.ſcientia. Sp.12.G
Alienationes mentis fiunt ſi mars dederit ſchema,præſertim diametrũ lunę,motu & lumine augeſcẽti.de decu.ꝑg.ex math.ſcia. Sp.12.H
Alienationes tenet orobi farina.de ſimp.med. Sp.88.F
Alienationes ſtringit periſtereon.de ſimp.med. Sp.89.C
Alienationes continet ſori.de ſimp.med. Sp.90.F
ALIMENTVM q̃d ſit.1°.de elemẽt.1ª.7.B/3°.de ſimp.med.fa. 5ª.17.G

Alimenti ſignificatio triplex.1°.de ſan.tuen.2ª.69.A/cõ.1°.aph.4°.4.B/com.5°.aph.39°. Ex.41.B
Alimentum maxime proprium quod ſit.com.2°.aphor.17.Ex.13.E/3°.de temp.1ª.22.H/de boni.& uitio ſuc.34.B/. 2ª.36.E
de Alimentorum facultatibus, ſcilicet caliditate, frigiditate, humiditate, & ſiccitate, utiliſſima eſt doctrina.3°.de ali.fac. 2ª.28.F
Alimẽtorum facultates ſcire cur ſit omnium utiliſſimum in re medica.1°.de alim.fa. 2ª.7.C
de Alimentis diſſidebant antiqui.1°.de alim.fa. 2ª.7.C
de Alimentis ſcribendi ordo antiquus.2°.de alim.fac. 2ª.16.B
de Alimentis ſcripſit Mneſitheus.2°.de alim.fa. 2ª.24.C
de Alimentis adducit librum Galenus, nec dicit non eſſe Hippo.in 6m.de morb.uul.cõ.3°.3ª.170.B/1°.de cõp.med.per gen. 5ª.216.H
de Alimentorum facultate commẽtarijs tribus tota ſingulatim alimẽtorum ſylua conſtat.de ſal.diæ. 2ª.40.B
Alimentorum facultates ſola experientia nobis innoteſcere, aliqui medici contenderunt.1°.de alim.fac. 2ª.7.C
in Alimentorum, & temperamentorum ſubſtantiæ cognitionem, per quæ deueniamus.3°.de alim.fa. 2ª.28.F
in Alimentis quæ ſint conſideranda.3°.de alim.fa. 2ª.28.F
Alimento nutritur calor, ut ignis lignorũ materia.in 6m.de morb.uulgar.commen.5°. 3ª.194.A
Alitur totum corpus in uigilia.in 6m.de morg.uul.com.5°. 3ª.194.A
Alimenta cur fomenta dicantur. com.1°.aph.14°. Ex.7.H
Alimenta, medicamenta, & tegumenta ſunt calida poteſtate.2°.de ſimpli.medic.fa. 5ª.15.D
ut Alimentum calefacit oleum, intro in corpus aſſumptum.2°.de ſim.medic.fa. 5ª.15.E
Alimenta quæ ſint, & nõ medicamẽta, et qualia.1°.de alim.fa. 2ª.8.E
in Alimentis ſubſtantia in quo conſiſtat.3°.de alim.fa. 2ª.28.F
Alimẽtũ habet ptẽ ſeroſam gratia diſtributionis.c.3°.aph.15°.Ex.22.H
Alimenti neceſſitas.com.1°.apho.15°.Ex.8.D/ad Traſyb.2ª.104.E/de ren.aff.dig.& med. 7ª.195.A
Alimenti defectus, corpus exiccat.ars med. Iſa.68.G
Alimenti defectus ab aliquibus dicitur ægritudo, cum membra minuũtur.de diff.morb. 3ª.5.B
Alimenti defectus interficit fœtum.commen.5°.apho.30°.40.D/aph.31°.40.D/aph.37°. Ex.40.H
Alimento maiori indiget maior fœtus.com.5°.aph.31°. Ex.40.D
Alimento indigens fœtus calcitrat, & membranas frangit, unde facit initium partus.com.5°.aph.37°. Ex.41.A
Alimeuti magnus defectus oſtenditur ex capillis cadentibus.commen.5°.aph.11°. Ex.38.D
Alimẽto multo indigemus calido ſuperabũdãte.c.1°.ap.15°.Ex.8.A/B
Alimẽti penuria quo modo ſtirpes marceſcant.1°.de ſymp.cau.3ª.18.A
Alimenti inopia generat bilem.in 6m.de morb.uulg.cõmẽ.1°.3ª.157.A
Alimenti defectu, & abſtinentia maceratis fit tremor.de palpit.conuulſ.& rig. 3ª.52.H
Alimentum plurimum, humectat corpora.com.4°.aphor.13°.Ex.28.F
Alimento pluri utitur, ſi quis ex morbo cibum aſſumens non corroboratur.commen.2°.aph.8°. Ex.11.H
Alimenta cur proportionanda ſint alito.com.1°.aph.15°. Ex.8.C
Alimentum quo modo toti corpori datur.11°.meth.med. 7ª.72.E
Alimento eodem non aluntur omnes partes.6°.de uſu part. 1ª.154.H
Alimẽtũ propriũ habet unaquæq; pars corporis.c.2°.aph.17°.Ex.13.B
Alimentum proprium trahit quælibet pars.6°.meth.med. 7ª.40.D
Alimentum trahitur ex partibus propinquis.13°.de uſu par.1ª.202.B/1°.de ſymp.cau.17.H.de marc. 3ª.48.D
Alimẽta alia ſunt magis apta ut trahãtur alijs, et q̃ ſint.đ mar.3ª.48.C
Alimẽtũ ſibi ipſi alterat quælibet pars animalis.c.5°.aph.39°.Ex.41.B
Alimenti quantum capiant artus.13°.meth.med. 7ª.83.D
Alimẽti partes ſingulis diebus expurgãdę quę.cõ.3°.aph.15°.Ex.22.H
Alimẽtis qui recte uſurus eſt, qd agere debet.de bo.et uitio ſuc.2ª.38.B
Alimenta multa ex contrarijs conſtant.1°.de alim.fac. 2ª.7.G
Alimentum eſt quod alit, & quod eſt ueluti alimentum, & quod debet alere.com.5°.aph.39°. Ex.41.B
Alimentum quando celeriter permeet.5°.de uſu par. 1ª.142.H
in Alimẽtis qualitas nobis familiaris et cõtraria.7°.đ uſu p. 1ª.159.B
Alimentum humidum & ſiccum.2°.de decr.Hippo. 1ª.240.F
Alimentum humidum, & præſertim natura calidum magis nutrit.cõmen.2°.apho.11°. Ex.12.D
Alimentum humidius ut diſtribuitur, ita etiam diſcutitur celerius.3°.de aliment.fa. 2ª.25.H
Alimento humidiore egent laxa, & quæ facile inaniuntur. de bonitate & uitio ſuccorum. 2ª.38.A
Alimento ſicciore egent quæ perſpirare non poſſunt, & ſunt denſa. de bonita.& uitio ſucco. 2ª.38.A
Alimenta quæ tota ſubſtantia ab alendis animalibus ſunt aliena, ea aut non prorſus, aut inſuauiter manduntur.3°.de alim.fa. 2ª.30.F
Alimẽto boni ſucci, & nõ glutinoſi quibus utẽdũ.4°.de ſa.tuẽ.2ª.86.C
Alimentum conueniens duplex, & quale.6°.de ſan.tuen. 2ª.96.C
Alimenta facilia coctu uel difficilia alicui, inquirendum eſt uel ſymptomate, uel experientia.2°.de alimen.fa. 2ª.17.C
Alimentum uitioſum facit ſanguinem uitioſum.c.2°.aph.36°. Ex.17.F
Alimenti uitia ſunt craſſitudo, & lentitia.3°. de ſymp.cau. 3ª.26.A
Alimẽtis tẽperatis cur ſeruatur corpus temperatũ.1°.de ali.fa.2ª.8.E
Alimenta quæ plurimum ſeminis pariunt & excitant ad libidinem.6°.de locis affectis. 4ª.42.F
ad Alimenti, rationẽ, inſtrumẽtorũ opus uariatur.2°.de ſa.tu.2ª.75.B
Alimenti inſtrumentorum peritiam habere cupiẽs, in quibus debet eſſe exercitatus.5°.de uſu par. 1ª.143.F
de Alimenti digeſtione ſ̃m Platonem.8°.de decre.Hipp. 1ª.277.G
Alimentum ex uentre in uenas, ex uenis ad carnes digeritur.3°.de ſymptomatum cau. 3ª.25.A
Alimentum dum in uenis ab innato calore alteratur, ſanguis fit ex mediocri calore.2°.de nat.fa. 1ª.300.C
Alimẽtũ coquitur, etiã in trãſitu inteſtinorum.4°.de uſu.par.1ª.140.E
ꝑ Alimento ſanguis qui defertur, nõ eſt ſimilis parti uſquequaque.2°.de diff.feb. 3ª.41.H
Alimentum ſemper habent, niſi in maxima penuria ſanguinis, cor, & iecur.de marc. 3ª.46.G
Alimẽti principiũ qđ.de util.reſp.226.A/2°.de decr.Hipp. 1ª.240.F
Alẽtis ſanguinis principiũ nõ ẽ cor, ſed iecur.6°.đ dcr.Hipp.1ª.264.C
Alimenti ſecunda principia, quæ.2°.de decr.Hipp. 1ª.240.F
Alimenti tertium principium, quod.2°.de decr, Hipp. 1ª.240.F
Alimẽti quartum principium, quod.2°.de decre.Hipp. 1ª.240.F
Alimẽtũ quãtũ eſſe debeat ſ̃m uarias naturas.17°.đ uſu par.1ª.220.F
ad Alimẽti diſtributionẽ facit balnei uſus opportunus.đ mar.3ª.48.E
Alimentorum coctionem ſequitur alteratio.3°.de ali.fac. 2ª.29.B
Alimentũ aliquod partes alterantes illud ſibi aſſimilant.4°.de uſu partium. 1ª.138.E
inter Alimenta panum eſus utiliſſimus eſt.2°.de alim.fa. 2ª.16.B
Alimenta à plantis, & animalibus.2°.de alim.fac. 2ª.16.A
Alimenta animalium.8°.de decr.Hipp. 1ª.275.A
Alit multum caro ſuilla.8°.de comp.med.ſec.loc. 5ª.192.E
pp Alimenta piſces fiunt boni & mali ſucci.3°.de ali.fa. 2ª.30.G
ab Alimento ægrorum debent eſſe remoti humores mordaces.commẽ.2°.aph.18°. Ex.13.H
ab Alimento quæ ſyncope ſanatur.11°.met.med. 7ª.75.D
Alimento uitioſo ueſcentes facile exoluntur in purgationibus.commẽ.2°.aph.36°. Ex.17.F
ad Alimentum non ſentientes infantes.7°.de cõp.med.ſec.lo.5ª.185.F
ad Alimenta non retinentes.6°.de comp.med.per gen. 5ª.256.A
Alimentum.lege Cibus & Nutrimentum.
Aluntur aſſidue, qui ſufficientem cibum accipere non poſſunt. de diffic.reſpirationis. 3ª.58.H
Aluit hædum Galenus ſine matre.6°.de loc.aff. 4ª.42.A
ALIMUM diſſimilare eſt, maior pars eius calida eſt temperate cum humiditate inconfecta, & leuiter flatuoſa.6°.de ſimp.med.fa.5ª.42.B
Alimũ eſt acris & ſubſtringentis guſtus.6°. de ſimp.med.fa. 5ª.42.B
Alimum generat lac.6°.de ſimp.med.fac. 5ª.42.B
ALIPES, id eſt pinguis expers.1°.de compo.med.per gen. 5ª.215.E
Alipes medicamentum non poteſt adhærere cuti ſine ligatura.1°.de cõpoſ.med.per gen. 5ª.216.F
ALIPTA ingreditur antidotum ad lumborum dolorem, & frangendos lapides.de dynam. Sp.28.D
ad ALIQUID eſt commune multis generibus.2°.đ dif.pulſ. 4ª.55.F
ad Aliquid eſt multitudo.11°.meth.med. 7ª.71.D
ad Aliquid eſt quod uehementius dicitur.2°.de ſan.tuen. 2ª.69.E
ad Aliquid ſint, an qualia, magnum & paruum diſputatur.2°.de differentijs pulſuum. 4ª.54.E
ad Aliquid ſunt magnum & paruum, & ſignificant quantitatem.2°.de differ.pulſuum. 4ª.55.G
ad Aliquid ſunt paruus mons & magna formica.in 1m.de morb.uulg.commento.

commen.1°. 3ª.104.A
Α᾽λις quid ſignificet.in 1^{m}.prorrh.com.1°. 4ª.168.E
ALISMA quid.6°.de ſimp.med.fac. 5ª.42.B
Α᾽λυσμος id eſt inquietatio ſemper mala uidetur, & quando non ſit mala.in 1^{m}.prorrh.com.2°. 4ª.173.C
ALIVD agendo, ſcripta Galeñ non ſunt legenda.1°.de ſemi. 1ª.335.C
ALLANTOIS quid.de diſſ.uuluę. 1ª.109.D
Allantoidis membranę etymologia.1°.de ſemi. 1ª.331.B
ALLEVIATIONIBVS ſine ratione non eſt fidendum.in 1^{m}.prorrhe. commen.2°. 4ª.171.D
Alleuiationem tantum conſiderant, & gaudent ignari medici.in 3^{m}.de morb.uulg.com.1°. 3ª.132.C
Alleuiare grauitates poteſt cucurbitula. de cucurb.ſcarif. 6ª.3.F
ALLIGANTIVM inſcitia multos lædit.de faſcijs. 7ª.293.D
Alligabimus lana quæ tegenda, aut continenda ſunt.de faſcijs. 7ª.93.F
Alligabimus membrana naſum & maxillam.de faſcijs. 7ª.293.F
Alligabimus linteis quæ adſtringenda ſunt.de faſcijs. 7ª.293.F
Alligantur quæ parti alicui περίαπτα uocantur, latine amuleta. de reme.par.fac. 7ª.154.A
Alligatum fuit caput cuidam uario uinculo, cui oculi procidere. de faſcijs. 7ª.293.D
ALLIVM calidum eſt & ſiccum in quarto gradu. 8°.de ſimplicium medic.fac. 5ª.60.H
Allia nunquam erunt frigida, ſed plus minus ue calefaciunt. de bon.& uitio ſucco. 2ª.38.H
Allium fortiter dum guſtatur excalfacit.4°.de ſimp.med.fac. 5ª.29.D
Allium non refert maiorem caliditatem, quàm cæpa. de uict.ra.in mor. acut.commen.4°. 7ª.145.C
Allium & ampelopraſum calefaciunt corpus.2°.de ali.fac. 2ª.25.E
in Allio, & cæpis acrimonia mire deprehenditur.4°.de ſimplicium medic.fac. 5ª.25.C
ab Allio experimētū ſumi debet de acredine.4°.de ſim.me.fa.5ª.26.B
Allium habet acritudinem.2°.de ali.fa.2ª.25.E/in 6^{m}. de morb. uulga. 180.C/3ª.192.G/9°.de ſim.med.fac. 5ª.64.C
Allium habet radicem caule & folijs acriorem.2°.de ali.fac. 2ª.24.D
Allium acre in aqua coctum amittit acredinem.2°.de alim.fac. 23. A/ 25.E/3°. 2ª.32.A
Allio ſimile in acrimonia ſcordion.8°.de ſimp.med.fac. 5ª.60.H
Allia mouent odoratum guſtumq́;.4°.de ſimp.med.fac. 5°.30.H
Alliorū odor non debet ineſſe medico.in 6^{m}.de mor.uul.cō.4°. 3ª.181.H
Allia numerantur inter cibos calidos.de diſſol.cont. Sp.74.C
Allium quando in cibis dandum.5°.de ſan.tuen. 2ª.91.D
Allium eſt cibus acutus incidens, & aperiens.de diſſ.cont. Sp.72.F
Allium agreſte, quid, & eius uires.de ſimp.med. Sp.90.H
Allium agreſte, eſt efficacius domeſtico.8°.de ſim.med.fac. 5ª.60.H
Allij bona, quæ.de uict.rat.in mor.acut.com.4°. 7ª.145.C
Allium uenenis aduerſatur, & q̄uo.in 6^{m}. de mor.uul.cō.6°.3ª.196.G
Allium, agreſtium theriaca uocatur a Galeno.12°.meth.med. 7ª.79.F
Allium habet facultatem digerendi, & obſtructiones aperiendi. 2°. de alimen.facul. 2ª.25.E
Allium deobſtruit.5°.de ſa.tuen. 2ª.91.D
Allium incidit.de ocul. 7ª.188.F
Allium attenuat.de atten.uict.ra. 2ª.43.H
Allia incidunt, & attenuant humores craſſos.de diſſ.cont. Sp.74.H
Alliū & ampelopraſum craſſos humores tenuāt.2°.de ali.fac. 2ª.25.E
Allia aperiunt.5°.de ſim.med.fac. 5ª.35.F
Allium quidam dixere adſtringere.9°.de ſimp.me.fac. 5ª.64.D
Allij radices ſunt concoctu difficiles, & turbant.2°.de ali.fa. 2ª.24.C
Allij radices malum ſuccum generant.de bo.& uitio ſuc. 2ª.37.G/1°.de diff.feb.3ª.31.G/de diſſ.cont. Sp.74.C
Allium parum alit.2°.de alim.fac. 2ª.25.E
Allia q̄n comeduntur cruda non bene nutriunt, ſed q̄n coquuntur in cibis nutriunt nutrimento pauco bono.de diß.cont. Sp.73.G
Alliū potius pro obſonio comedit̄, q̄ pro alimēto.2°.de ali.fac. 2ª.22.H
Allium manditur ut medicamētum, non ut obſonium.2°.de ali.fa.25.E/ de atten.uict.rat. 2ª.45.G
Allium inter obſonia.2°.de alim.fac. 2ª.23.B
Alliū, cæpe, coriandrū faciūt cibos in delitijs.de atten.uict.ra. 2ª.44.C
Allium educit pituitam.de dynam. Sp.21.H
Allij doſis, & quibus miſcetur.de dynam. Sp.21.H
Allia gallinaceos pituita tentatos ſanant.2°.meth.med. 7ª.12.D
Alliū aſſumat ſenex q cibis obſtruentibus ſit uſus.5°.de ſa.tuē. 2ª.91.D
Allium flatum diſcutit, & ſitim non facit.12°.meth.med. 7ª.79.E
Allio maiorem ſitim excitant cæpe.12°.meth.med. 7ª.79.E
Allia aſſa, & cruda comeſta expurgāt in ícteris.de cura icte. Sp.111.B
Allium pro dolore coli.12°.meth.med. 7ª.79.E
Allium in urinam ſtatim mittit ſuam qualitatem.1°.de ſemi. 1ª.335.A
in Allio ſuperuacuum, & acre excernitur per aluum, urinas, & ſudorem.3°.de temp. 1ª.22.G
Allium quæ mala faciat.de uict.rat.in mor.acut.com.4°. 7ª.145.C
Allia q̄nq; faciunt bilem, quandoq; melancholiam.de diſſ.cōt. Sp.74.C
Allia caliditatem augent.& febrem accendunt.de cau.mor. 3ª.6.G
Allia addita temperamento calido accendunt febrem.præſa.experiētia confir. Sp.77.D
Allium pro dolore auris apud ruſticos.3°.de com.med.ſec.lo. 5ª.140.F
Allia uentriculum offendunt.de uict.rat.in mor.acu.com.2°. 7ª.34.B
Allij coma non iuuat in ſanguinis profluuio.de opt.ſecta. Iſa.23.H
Alliū irritat dolores conſuetos de uic.rat.in mor.acu.cō.4°. 7ª.145.C
Allium pruritum mouet.de cathart. Sp.95.D
Allium mordicat carnem.4°.de ſimp.med.fac. 5ª.29.D
Allia impoſita cuti exulcerant, & erodunt.3°.de temp. 1ª.22.G
Alliū excitat ſtrangulatus uteri olfactu.9°.de cōp.me.ſec.loc.5ª.205.G
Α᾽λλοφάσσοντες quid ſignificet.in prog.com.3°. 4ª.209.E
ALMACROR anhelitus quando fiat.de uo.& anhel. Sp.61.H
Almacror anhelitus fit per muſculos, qui ſunt inter coſtas.de uoce & anhelitu. Sp.62.B
ALMARV ſemen quid faciat.ſecret. Sp.102.B
ALMESCVS eſt cibus ſubtilians.de diſſ.cont. Sp.72.D
Almeſcus infiat.de diſſ.cont. Sp.74.F
ALOE quid.& eius uires.de ſimp med. Sp.79.H
Aloes uires.q animi mores. 1ª.317.D
Aloe ubi melior habeatur.6°.de ſimp.med.fac. 5ª.42.C
Aloes Indice fit mentio.2°.de com.me.per gen.221.C/3°.235. F/5°.249. C/250.H/251.C/7°.266.F/ de compoſi. med.ſec.loc.154. C/ 8°.188.F/ 189.B/9°. 5ª.204.C
Aloen Indicam Galenus habuit.9°.de ſim.med.fac. 5ª.69.B
Aloes iecorarię meminit.de med.fac.par. 7ª.162.D
Aloes uis qualis ſit.6°.de ſan.tuen. 2ª.99.A
Aloe qualis, & quo modo differat a myrrha.5°.de comp. med.per gen. 246.D/6°.255.C/8°.de comp.med.ſec.loc. 5ª.190.F
Aloe eſt mixtæ facultatis, & qualis.4°.de comp.med.ſec.lo. 5ª.151.F
Aloe in tertio ordine ſicca eſt, calida in primo intenſe, uel in ſecundo remiſſe.6°.de ſimp.med.fac. 5ª.42.C
Aloe ſicca eſt præter mordacitatem.6°.de ſim.med.fac. 5ª.42.B
Aloe exiccat ſine morſu.de arti.com.2°. 7ª.268.A
Aloen eſſe frigidæ, & calidæ temperantiæ, & condenſatorię, & extenuatorię, nihil mirum.de cathar. Sp.94.E
Aloe uentrē ſubducit.6°.de ſim.me.fa.42.C/de ther.ad Piſo. 5ª.90.H
Aloe quid attrahat, & quo modo. Sp.94.E
Aloe non euacuat totum corpus, & quam partem euacuet, & quem humorem.de dyna. Sp.20.H
Aloe quo modo purgatoria ſit.8°.de com.me.ſe.loc. 5ª.188.E
Aloe ad quantam partem purget.8°.de comp.me.ſe.lo. 5ª.188.E
Aloe dentur duæ drachmæ quotidie.de dyna. Sp.20.H
Aloe lota, & non lota, qualis.7°.met.med. 7ª.48.C
Aloe illota magis ducit.8°.de comp.med.ſe.lo. 5ª.188.D
Aloe elota minus purgat.3°.de ſimp.med.fac. 5ª.20.D
Aloe lota febricitantibus dari poteſt.8°.de com.med.ſec.loc. 5ª.188.D
Aloe potius detur mane, quam ueſperi poſt cibum, quia illū corrumpit. de dyna. Sp.20.H
Aloe bilis euacuatur.2°.de com.me.ſec.lo.5ª.136.H/de cath. Sp.94.F
Aloe eſt optimum medicamentum in bilioſis affectionibus.8°.de comp. med.ſe.lo. 5ª.188.E
ex Aloes compoſitione purgandus, cui bilioſus humor in uentrem colligitur.6°.de ſan.tuen. 2ª.99.A
Aloe purgat cibos indigeſtibiles in inteſtinis, & lumbricos rotundos.de cathart. Sp.95.C
ex Aloe hiera dupliciter fit.8°.de com.med.ſe.lo. 5ª.188.D
Aloe an lota an non lota in hiera recipi debeat.8°. de compoſitione medic.ſec.loc. 5ª.188.D
Aloe picra quo modo uentrem purget.6°.de ſan.tuen. 2ª.99.A
ex Aloe hiera ubi conuenit.4°.de locis affectis.4ª.22.C/8°.de compo. med.ſec.loc. 5ª.188.E
Aloe, & ſal cum melle uentrem purgat.de cathar. Sp.95.D

ex Aloe qui iuuantur morbi.8°.de compo.medi.ſec.loc. 5ª.188.E/de dynamidijs. Sp.20.H
ex Aloe,ſcãmonia,& colocynthide pilulę Gal.14°.meth.med.7ª.89.C
ex Aloe,ſcammonia,& colocynthide catapotia quo modo conficiãtur. 1°.de comp.med.ſec.loc.121.G/ 5ª.131.F
Aloes pilulæ quõ fiant,& quibus dandæ.5°.de ſa.tuen. 2ª.92.F
ex Aloe,ſcãmonia,& colocynthide ęqualiter braſſicæ ſucco exceptis catapotia ad achoras.de remed.par.fac. 7ª.154.D
Aloes & ſcammonij partes duæ,medullæ colocynthidos pars una,ſucci abſinthij pars una,excepta ſucco pomorum pilulas faciunt ad alopeciam,& ophiaſin.de remed.par.fac. 7ª.154.G
ex Aloe catapotijs bilis euacuatur.2°.de comp.med.ſec.loc. 5ª.136.H
ex Aloe,ſcammonia,& colocynthide catapotia educunt bilem & pituitam a toto corpore,& a capite.1°.de comp.me.ſec.loc. 5ª.121.E
Aloe oculis conuenit.de ocul. 7ª.188.G
Aloe euſtomatica eſt,ſupra omnia.de dyna.20.H/de cathar. Sp.94.E/ 6°.de ſimp.med.fac. 5ª.42.C
Aloe ori ſtomachi confert.8°.de comp.me.ſec.loc.187.D/ 5ª.188.E
Aloes & maſtiches puluis quo modo ſit adhibendus ad os uentriculi imbecillum.8°.meth.med. 7ª.53.D
ex Aloe medicamenta,& aloe ipſa conuenit cum ſucci ipſi ſunt in tunicis uentriculi.7°.meth.med. 7ª.48.C
ex Aloe medicamentum amarum datur comitiali ex ore uentriculi.5°. de loc.aff. 4ª.32.G
Aloes drachmæ duæ dantur ad triſtitiam,& confortãdum os ſtomachi. de med.exper. Sp.106.E
Aloe iecori,& ori uentriculi conuenit.de remed.par.fac. 7ª.158.F
Aloe nõ conducit uẽtriculo frigido pituita pleno.6°.de ſan.tu. 2ª.99.C
Aloe non danda ſeni.5°.de ſan.tuen. 2ª.92.E
Aloe humores craſſos non trahit.8°.de com.med.ſec.lo. 5ª.188.E
ex Aloes medicamento colicos ſanauit Galenus,& quid ipſum mouerit.1°.de loc.aff. 4ª.5.G
Aloe quę miſcenda ob inſuauitatem.de dynam. Sp.20.H
Aloe non fert coctionem.2°.de comp.med.per gen. 5ª.222.H
Aloe quibus inſpergitur.5°.de ſan.tuen. 2ª.92.F
Aloe facile læuigatur.4°.de comp.med.per gen. 5ª.237.H
ex Aloes uſu immodico in tabem quidam deueniunt. 8°.de compo.me. ſec.loc. 5ª.188.E
Aloe ad uteri & ueſicæ ulcerationes apta.9°.de com.me.ſe.l.5ª.205.D
Aloe adſtringit,ſed habet ſaporem prauum.de ſubfigu.empi. Iſa.33.F/ 1°.de alim.fac. 2ª.9.B
Aloes adſtrictio ingrata.3°.de ſimp.med.fa. 5ª.20.D
Aloe extrinſecus admota efficaciter adſtringit.de ſim.med. Sp.80.A
Aloe adſtringit parum,& amara eſt.6°.de ſimp.me.fac. 5ª.42.C/ 5°.meth.med.31.G/ 7ª.32.E
Aloe inter arida moderate adſtringentia numeratur.6°.de compoſitione medic.ſec.loc. 5ª.172.G
Aloe magis adſtringunt multa eorum quæ comeduntur.3°. de ſimpliciũ med.fac. 5ª.20.D
Aloe habet aliũ effectũ ab aliis adſtringẽtibus.3°.de ſim.m.fa.5ª.20.D
Aloe extinguit ſitim(ambiguo an ſit uerum)de ſimp.med. Sp.80.A
Aloe repellit,digerit,& extergit.6°.de ſim.med.fac. 5ª.42.C
Aloes in declinatione phlegmonis cur uti poſſumus.13°.me.me.7ª.85.C
Aloes cur non conuenit, quando phlegmone aliqua in uiſceribus ſit.13°. methodi medendi. 7ª.85.C
ex Aloe medicamẽtũ ad ſanguinẽ ſiſtẽdũ.de cur.ra.p ſan.miſ. 6ª.21.F
Aloes partis unius ſemiſſis,thuris,pars una cum oui candido miſta,excepta pilis leporis,medicamentum ſunt ad ſanguinem ſupprimendũ. 5°.methodi med. 7ª.30.H
Aloes quando plus immiſcendum,quando plus thuris in medicamento ad ſanguinem ſiſtendum.5°.meth.med. 7ª.31.A
Aloes trita ad fracturã q̃ non poſſit glutinari.de rem.par.fa. 7ª.154.A
Aloe uulnera glutinat.6°.de ſim.med.fac. 5ª.42.C
Aloe ſinus glutinat.6°.de ſimp.med.fac. 5ª.42.C
Aloe quibus ulceribus conueniat.5°.meth.med. 7ª.36.E
Aloe phlegmonas ani,& pudẽdorũ iuuat,uulnera glutinat,ad phlegmonas in ore,naribus,& oculis ualet.6°.de ſimp.med.fac. 5ª.42.C
Aloe ſupercreſcentes ulcerum carnes adſtringit & exiccat.de theriaca ad Piſonem. 5ª.90.H
Aloe lota recentibus ulceribus, & ſiccis bona eſt. 9°.de compoſitione medic.ſec.loc. 5ª.205.D
Aloe adiungenda melli pro fiſtulis,& laceroſis cutibus.2°.de arte cur. ad Glauconem. 7ª.106.G
Aloes lignum quid agat in medicamentis.de med.exper. Sp.104.B
ALOGOS, id eſt irrationalis,pulſus,in quo conſiſtat.compendium pulſuum. Sp.65.D
Ἀλωπεκία nomen habuit a ſimilitudine ad aliquid extra poſitum.2°. methodi med. 7ª.9.E
Alopecia unde dicta,& quã formam habeat.de reme.par.fa.7ª.154.E
Alopecia quid.fin.medicæ.48.B/C/intro. Iſa.59. C/F/ de remed.par. fac. 7ª.154.E
Alopecia eſt paſſio capillorũ,& quõ generet.cõ.6°.aph.34°. Ex.50.C
Alopecia ꝑpter quid fiat,& unde dicatur.1°.de cõ.med.ſe.lo. 5ª.121.E
Alopecia qui morbus ſit,& quo modo differat ab ophiaſi,ptiloſi,myrmecia,leuce,uitiligine.ſpacelo, elephante, ſcabie,& lepra.14°.methodi medendi. 7ª.92.B
Alopecia prouenit a uitioſa nutritione.de ſymp.diff. 3ª.12.A
Alopecia a quo humore fiat,& quibus curetur.7°.de ſim.m.fa.5ª.51.E
Alopecia quo modo fiat.14°.meth.med. 7ª.93.C
Alopecia qualis.1°.de comp.med.ſec.loc. 5ª.121.D
ad Alopeciam Crito conſcripſit.1°.de comp.med.ſec.loc. 5ª.123.B
Alopecia incipiens non eſt alopecia.1°.de comp.med.ſec.loc. 5ª.121.G
in Alopecia amittitur particula utilis.14°.meth.med. 7ª.93.C
in Alopecia colores conſiderandi ſunt.de remed.par.fac. 7ª.154.F
Alopecia uitiatum caput eſt indecorum.1°.de cõpo.me.ſec.loc.5ª.126.B
Alopeciã habere medicũ turpiſſimũ ẽ.ĩ 6^{m}.de mor.uul.cõ.4°. 3ª.181.H
Alopeciæ intentio.1°.de comp.med.ſec.loc. 5ª.125.E
Alopecia an debeat ſanari experimentũ.1°.de com.med.ſe.lo. 5ª.122.G
de Alopecia.1°.de coup.med.ſe.lo.5ª.121.E/de me.fac.par. 7ª.161.E
de Alopecia ſecundũ Aſclepiadem.1°.de com.med.ſec.loc. 5ª.124.A
Alopeciam patientium cibus,& potus.de comp.med.ſec.lo.5ª.124.A
in Alopecia adhibenda ſunt cataplaſmata,fomenta,ſcarificationes,cucurbitulæ,& cerata.1°.de comp.med.ſec.loc. 5ª.122.H
in Alopecijs uocatis,& ophiaſi,& ciliorum & ſuperciliorũ caſu quid conueniat.in 6^{m}.de mor.uulg.com.2°. 3ª.160.H
Alopeciam quæ ſanant,ſint tenuium partium, ut in profundum penetrent.1°.de comp.med.ſec.loc. 5ª.122.D
Alopecia parua,& incipiens ſola purgatione curatur.1°.de compo.medic.ſec.loc. 5ª.122.E
Alopecias iam factas Galenus ſola purgatione curauit.1°.de cõpoſitione med.ſec.loc. 5ª.121.G
Ad Alopeciã paruã medicamentum,quale.1°.de cõ.me.ſe.l. 5ª.122.E
Alopecia fortis quibus ſanetur.1°.de comp.med.ſec.loc. 5ª.122.D
ad Alopeciam ſimplicia.1°.de comp,med.ſec.loc. 5ª.122.D
Alopecias quæ ſpecies alcyonij ſanat.11°.de ſimp.med.fac. 5ª.83.C
Alopecijs attrita pilos reſtituit cæpa citius alcyonio.7°. de ſimplicium medicamentorum fac. 5ª.53.D
Alopecia glabrũ capillis caput cõueſtit adiãtũ.6°.de ſim.m.fa.5ª.41.E
Alopecias ſanare non poteſt ladanum.7°.de ſim.med.fac 5ª.51.E
Alopecijs impoſita uiperæ pellicula in puluerem redacta,pilos mirifice regenerat.de ther.ad Piſo. 5ª.93.F
in Alopecia quo modo naſcantur pili.1°.de com.me.ſec.loc. 5ª.124.C
in Alopecia capilli quibus renaſcantur. 1°.de com.me ſe.loc. 5ª.124.C
Alopecias & alphos ſanant nympheæ.8°.de ſim.med.fa. 5ª.57.A
Alopecias iuuant pauco tẽpore admota batrachij caulis & folia uirentia.6°.de ſimp.me.fac. 5ª.44.G
pro Alopecia calidorum orbo.1°.de comp.med.ſec.loc. 5ª.122.D
ad Alopecias qũo abrotonon conueniat.6°.de ſimp.med.fac.5ª.40.H
Alopecias ſanat aſphodelus.6°.de ſimp.med.fa. 5ª.44.B
Alopeciam emẽdant radices aſphodeli combuſtæ, & in cinerem redactę.de ſimp.medic. Sp.81.B
Alopecias curat cyclamini radix.7°.de ſimp.med.fac. 5ª.53.F
Alopecias capitis iuuat raphanus.de ſimp.med. Sp.89.F
ad Alopeciã Thapſiã miſcuit,& ponit curationẽ.14°.me.me.7ª.93.D
in Alopecia quo modo cognoſcatur qñ cutis pręter modum cõcaleſcat in applicatione pharmacorum.1°.de comp.med.ſec.loc. 5ª.122.G/H
ad Alopecias caput leporis.11°.de ſimp.med.fac. 5ª.79.G
Alopeciam ſanant capita murium.de ther.ad Piſo. 5ª.93.E
ad Alopecias ſtercus murium.10°.de ſimp.med.fac.77. D/de theria. ad Piſonem. 5ª.93.F
ad Alopecias ſtercus caprinum uſtum.10°de ſimp.med.fac. 5ª.76.E
Alopecias ſanat ranarum uſtarum cinis.11°.de ſimp.med.fac. 5ª.82.D
Alopecijs prodeſt hippocampus uſtus.11°.de ſimp.med.fac. 5ª.82.D
Alopecias quomodo ſanant ungues caprarũ.11°.de ſim.me.fa. 5ª.80.E

Alopecias curare

Alopecias curare urſorum adipem uerũ eſt.11°.de ſimp.me.fa.5^{a}.79.E
ad Alopeciam & ophiaſim localia.de reme.par.fac. 7^{a}.154.G
in Alopecia ſupra caput ſcarificatio.1°.de comp.med.ſec.loc.5^{a}.123.D
ad Alopeciam compoſita medicamenta.1°.de com.me.ſe.lo.5^{a}.122.E
ad Alopeciam pharmaca fortia.1°.de comp.med.ſec.loc. 5^{a}.123.A
ad Alopeciam admirãda pharmaca.1°.de compoſitione medicamẽtorũ ſec.loc.123.E/124.H/ 5^{a}.162.D
ad Alopeciam pharmaca debilia.1°.de comp.med.ſec.loc. 5^{a}.123.A
ad Alopeciam pharmaca media.1°.de comp.med.ſec.loc. 5^{a}.123.A
in Alopecia fortia & debilia medicamenta quo modo humectanda.1°.de comp.med.ſec.loc. 5^{a}.122.D
in Alopecia pharmaca in aere calido ſunt adhibẽda.1°.de compoſitione medic.ſec.loc. 5^{a}.122.H
ad Alopeciam & ophiaſim pilulæ.de reme.par.fac. 7^{a}.154.G
ad Alopecias Archigenis.1°.de comp.med.ſec.loc. 5^{a}.123.F
ad Alopecias Cleopatræ.1°.de comp.med.ſec.loc. 5^{a}.123.D
ad Alopeciam medicamenta Heræ.1°.de compo.med.ſec.loc.5^{a}.122.H
pro Alopecia puerorũ Heræ pharmacũ.1°.de com.me.ſc.loc. 5^{a}.123.B
ad Alopecias compoſitio Moſchi.1°.de compoſi.med.ſec.loc. 5^{a}.123.C
Alopecie diuturnæ, & renaſcẽtibus capillis preſidia.de dyna. Sp.23.E
ad Alopecias inueteratas.1°.de com.med.ſec.loc.124.A/5^{a}.161.G
ad Alopecias inueteratas Oreſtini.1°.de comp.med.ſec.loc. 5^{a}.123.D
ad Alopecias Orthonis medicamentum.7°.de com.me.ſe.lo.5^{a}.123.D
ad Alopecias Sorani medicamenta.1°.de comp.med.ſec.loc.5^{a}.124.D
Alopecia perſeuerante quid agendum.1°.de comp.me.ſec.loc.5^{a}.122.H
in Alopecia ruſticũ quo Galenus curauerit.1°.de cõ.me.ſe.l.5^{a}.123.A
in Alopecia caſus adoleſcẽtis, quem curauit Galenus.1°.de compoſitione med.ſec.loc. 5^{a}.121.G
ALOSARDIVM quid, & eius uires.de ſimp.med. Sp.80.C
ALPHOS, albus, & niger affectus cutis.intro. Iſa.59.D
Alphi uitiliginum ſpecies à pituita procreati.contra Iulianũ. Ex.67.E
Alphi quo modo fiant.in 6^{m}.de morb.uulg.com.3°. 3^{a}.178.E
ad Alphos accommodi ſunt utriq; ellebori.6°.de ſim.med.fa.5^{a}.47.C
Alphos in ſole abſtergit cæpa.7°.de ſimp.med.fac. 5^{a}.53.D
Alphos & alopecias ſanant nymphæa.8°.de ſimp.med.fac. 5^{a}.57.A
Alphos quæ alcyonij ſpecies ſanent.11°.de ſimp.me.fac. 5^{a}.83.C
ad Alphos.de rem.fac.par. 7^{a}.163.G
ALSINE quid.6°.de ſimp.med.fac. 5^{a}.42.D
ALTARIVM medicos laudat, & cæteris nobiliores appellat, qui curant cum cibis ſacrificiorum.de med.exper.104.A/ Sp.108.G
ALTERATIO quid ſit.7°.de decre.Hippo.1^{a}.271.H/1°.metho.med.6.C/2°. 7^{a}.10.A
Alteratio eſt commune nomen omnibus his quæ mouentur in qualitate.1°.de nat.fac. 1^{a}.290.H
Alteratio eſt motus paſſiuus.2°.meth.med. 7^{a}.10.A
Alterationes habent eſſe ſuum in fieri.2°.meth.med. 7^{a}.10.B
Alteratio quæ in paſſo remanet, affectus eius eſt.de ſym.diff. 3^{a}.10.D
Alteratio actionis genus, ſed nõ ut in gñatione.1°.de nat.fac. 1^{a}.292.B
ad Alterandi actionem, & negotiorum actionem diuerſum ſtatum requirit particula.3°.de ſym.cau. 3^{a}.28.G
Alteratio quibus fiat.1°.de elemen. 7°.B/6°.de ſanita.tuen.2^{a}.96.D/13°.meth.med. 7^{a}.82.C
Alteratio quot modis fiat.ars med. Iſa.68.C
Alterationes duplices ſunt in genere.3°.de ſim.med.fac. 5^{a}.17.D
ad Alterationem ducens, immodicũ duplex eſt, aut enim in admoti conſiſtit robore, aut in tẽporis diuturnitate.4°.de ſim.med.fac.5^{a}.29.B
Alterationes cur multiformes.1°.de ineq.intemp. 3^{a}.43.H
Alteratio & mutatio ſecundum qualitatem nihil aliud eſt quàm rei affectæ aſſimulatio ad efficientem.1°.de ſemi. 1^{a}.333.C
Alteratio ſubſtantię ſecundum ſolam qualitatẽ fit per medicinas non p alimentum.1°.de elem. 1^{a}.7.B
Alteratio per ſolas has qualitates, caliditatẽ, frigiditatẽ, humiditatẽ, & ſiccitatẽ, totam per totã tranſmutat ſubſtantiam.1°.de el.1^{a}.7.A
Alteratio potiſſimum perficitur à calido.2°.de nat.fa. 1^{a}.298.A
Alterationem humidum facit, ſi calidũ una ſit.3°.de ſym.cau. 3^{a}.28.H
Alteratio facilius fit a ſimilibus.com.2°.apho.50°. Ex.19.E
Alteratio facile ſuſcipit̃ i re molli ut cerebrũ.cõ.5°.apho.69. Ex.45.D
ex Alteratione & formatione cõſtat generatio.1°.de nat.fa. 1^{a}.291.E
Alteratrices facultates primæ, & elementares ſunt humiditas, ſiccitas, caliditas, & frigiditas.1°.de nat.fac. 1^{a}.291.F
Alterationes quæ naſcũtur ex primis inter ſe miſtis, tot ſunt in omni animali, quot ſenſibilia elementa in eo.1°.de nat.fac. 1^{a}.291.F
Alteratio fit in animalium corporibus ob aerem.in 1^{m}.de morbis uul. commen.1°. 3^{a}.104.B
Alterationes tres fiunt in animalium corpora, una ſecundum naturam, altera præter naturã, tertia ex utraq; miſta.5°.de ſim.me.fa.5^{a}.33.C
Alterationes ſunt concoctio, & nutritio.3°.de ſym.cau. 3^{a}.29.A
Alterationis eſt ſpecies concoctio.ars med. Iſa.69.E
Alterationis ſpecies eſt nutritio.3°.de ſym.cau. 5^{a}.26.C
Alteratio eſt concoctio, quæ in uentre ſit.3°.de ſym.cau. 3^{a}.26.C
Alteratio quæ fit in uentriculo minore, eſt minor quàm illa quę fit in iecore & uenis.3°.de nat.fac. 1^{a}.304.A
Alteratio naturalis concoctio eſt.5°.de ſimp.med.fac. 5^{a}.33.C
Alteratio ſequitur alimentorum coctionem.3°.de alim.fac. 2^{a}.29.B
Alteratio in ſanguinem eſt actio naturæ.intro. Iſa.55.B
Alteratio eſt concoctio quæ in uenis fit.3°.de ſym.cau. 3^{a}.26.C
ab Alteratione differt incrementum.de tumor.præt.nat. 3^{a}.82.H
Alteratio naturæ quando fiat.1°.de inæq.intemp. 3^{a}.43.G
Alteratio præter naturam putrefactio eſt.5°.de ſimp.med.fac. 5^{a}.33.C
Alteratio media inter eam quæ eſt ſecundum naturam, & præter naturam.5°.de ſimp.med.fac. 5^{a}.33.C
Alterationes ſenſuũ Plato pathemata appellauit.de ſym.diff. 3^{a}.10.D
Alteratio quo modo fiat in ſpiritu.12°.met.med. 7^{a}.77.C
Alteratio qualitatis quo modo fiat in corpore continuo.7°. de decretis Hippocratis. 1^{a}.269.G
Alterationes quę apparent in ſubſtantia ſecundum Anaxagoram ſecretione ac concretione accidunt.1°.de nat.fac. 1^{a}.291.A
Alterationem fieri a motu in corporibus indicat nauigatio.commẽ.4°.aphor.15°. Ex.28.H
Alteratio dolores facit.de conſt.ar. Iſa.38.C
Alteratio, & ſolutio continui ſunt duę doloris ſpecies.2°. de loc. affect.4°.9.C/D/12°.meth.med. 7^{a}.78.D
Alterationem exigit dolor.1°.de clem. 1^{a}.3.B
Alteratione uehementi fit dolor.7°.de decr.Hippo. 1^{a}.272.A
Alteratio q̃ ſenſim fit nõ facit dolorẽ, ſed uiolẽta.12°.meth.me.7^{a}.78.D
Alteratio ſit ſubito ſimulq́, ab efficiẽtibus qualitatibus, cum corpore ſenſibilia & calefiunt, & refrigerantur, & ſiccantur, & humectantur.de uict.rat.in mor.acut.com.2°. 7^{a}.116.C
Alteratio ſanguinis habet ſimilitudinem cũ uinis q̃ñ aceſcunt. Ex.13.E
Alterationis ſanguinis duplex eſt cauſa.2°.de diff.feb. 3^{a}.42.C
Alterationem ualidam, ira, exercitatio, & uinum concitant. 4^{a}.88.A
Alterationis pulſuum cauſæ, quæ.1°.de cau.pulſ. 4^{a}.86.G
de Alteratione ſignorum & ſeptem climatum mundi.de ſper.Sp.39.D
de Alteratione quatuor partium mundi.de ſpermate. Sp.39.F
Alterationes in his certe cognoſcũtur, quorũ ſcimus naturã. 4^{a}.104.G
Alteratio nulla, eſt morbus, niſi ſint læſæ operationes.1°.me.me. 7^{a}.8.C
Alteratio fit in contraria.1°.de tem. 1^{a}.10.E
Alteratio per contrarias qualitates plus iuuat, quàm quo modo libet euacuatio.1°.de arte cur.ad Glauc. 7^{a}.97.B
Alteratione humorũ fit concoctio.in 2^{m}.de mor.uul.com.2°. 3^{a}.112.C
Alteratio eſt indicatio febris.ars med. Iſa.69.E
Alteratio corpis nulla fieri dẽt ægris cũ inedia.c.2°.aph.16°. Ex.12.H
Alteratio ex calido ac frigido cur facile curatur.7°. meth.me.7^{a}.44.C
Alteratio ex humido & ſicco cur difficulter curat̃.7°.me.me.7^{a}.44.D
Alterat calor ſuper omnes qualitates.3°.de ſym.cau.28.H/ 3^{a}.29.E
Alterantur primo alteratu facilia.de inæqu.intemp. 3^{a}.43.H
Alteratur promptius ſubſtantia tenuis, quam craſſa.1°.de dif.feb.31.B/de inæq.intemp. 3^{a}.43.H
Alteratur facilius corpus exile.1°.de ſimp.med.fac. 5^{a}.4.B
ad Alterandum cur ſit promptus ſpiritus.de ineq.intemp. 3^{a}.43.H
Alteratur flaua bilis leui momento.1°.de ineq.intemp. 3^{a}.43.H
Alterat celerrime proprium nutrimentum & aſſimilat humidiſſimum calidiſſimumq́, corpus.3°.de ſymp.cau. 3^{a} 28.H
Alteratum quod prompte eſt in ſe recipit id quod humidiſſimum molliſſimumq́, eſt.3°.de ſymp.cau. 3^{a}.29.A
Alteratur primo ſanguis ſiniſtri ſinus cordis.de inæq.intem. 3^{a}.44.A
Alterat̃ difficulter quicquid eſt craſſarũ partiũ. de inæq.intẽp.3^{a}.43.H
Alteraſcit nigra bilis ægre.de ineq.intemp. 3^{a}.43.H
Alteratur difficilius corpus grandius.1°.de ſimp.me.fac. 5^{a}.4.B
Alterandi proprium nutrimentũ uim habent ſingulæ partes. 2^{a}.100.G
Alterari aliquid indiget tempore.3°.de nat.fac. 1^{a}.302.E
ꝙ Alterenter per ſe tota quæ alterãtur, Hippocraticum ſimul & Ariſtotelicum eſt dogma.2°.de nat.fac. 1^{a}.297.H
Alterantur quidam a medicamentis.1°.de preſag.ex pulſ. 4^{a}.105.B

Alterantia quæ

Alterantia quæ non ſunt pharmaca.3°. de ſimp.med.fac. 5ª.17.D
Alterãt ſolo tactu quædam per qualitatis uim ea quę eis uicina ſunt. 6°.de locis affectus. 4ª.40.B
niſi Alteraremur,non eſſet mors.de morb.temp. 3ª.85.B
Alterant ſtellę puerum in conceptu.de ſpermate. Sp.38.G
in Alterando fruſtratio,ſymptoma eſt coctionis,& uẽtriculi. 3ª.24.F
Alteranda ſunt aut expellenda excrementa ſiue calida ſint ſiue frigida. 4°.de ſanit.tuen 2ª.82.H
Alterandus eſt corruptus ſanguis.de cucur.ſcar. 6ª.3.G
Alterat̃ qua uia ꝓs,eadẽ retro ferri dẽt ꝑ cõtraria.7°.me.m. 7ª.49.A
Alterare ꝑ contraria quando debeamus,& q̃uo.de conſt.ar. Iſa.42.E
ALTERATRIX *facultas,attractrix.retentrix, & excretrix naturales ſunt de nat.hum.com.2°.* 7ª.182.F
Alteratrix uis ĩter quatuor uires naturales nõ minime ualet. 7ª.140.D
Alteratrices facultates quot ſint in animali.1°.de nat.fac. 1ª.291.G
Alteratrix uis generatim dicta,ſpeciatim ſanguifica uocatur. 4ª.34.D
Alteratrix uis generaliter eſt in omni animalis particula. 1ª.302.D
Alteratricis cuiuslibet partis officium eſt , ut ſuccus attractus ſimilis euadat parti quę alitur.5°.de loc.aff. 4ª.35.B
Alteratrici facultati retentrix & expultrix deſeruiunt. 4ª.35.B
Alteratrix uis quo modo inuenta fuerit 1°.de nat.fac. 1ª.292.F
Alterans & concoquens uis q̃uo cognoſcat.in prog.cõ.2°. 4ª.200.C
Alteratrix uis adiuuat auctricem.1°.de nat.fac. 1ª.292.A
Alteratrix facultas puerorũ fortior ẽ q̃ uigẽtiũ.3°.de ſym.ca. 3ª.29.B
Alteratrix potentia calida facit humorẽ bilioſum & melancholicum. 3°.de ſymp.cau. 3ª.26.B
Alteratrix potẽtia frigida humorẽ facit aquoſum & pituitoſũ. 3ª.26.B
Alteratricem uim eſſe in tunicis.1°.de nat.fac. 1ª.291.G
Alteratrix uix iecoris,quæ.8°.de com.med.ſec.loc. 5ª.194.A
Alteratricem habet ueſica.1°.de criſi. 4ª.129.H
Alteratrix uis habet duo ſymptomata.de ſymp.diff. 3ª.12.B
Alteratricis in quaq; particula uirtutis noxa atrophiã neceſſario inducit.3°.de ſymp.cau. 3ª.30.D
Alterans debet tangere alteratum.de conſt.ar. Iſa.38.E
ALTERCUM *eſt hyoſcyamus.8°.de ſimp.med.fac.* 5ª.63.A
Altercum humidum præter ſemen.5°.de ſimp.med.fac. 5ª.37.C
Alterci ſemen,anodynum,in quo errant medici.11°.meth.me. 7ª.75.B
Altercũ refrigerat.1°.de ſimp.med.fac.5ª.2.C/13°.meth.med. 7ª.87.B
Altercum ſtupefacit.in 6^{m}*.de mor.uul.cõ.2°.161.B/cõ.6°.* 3ª.196.E
Altercũ ĩmodice ſumptũ obſtupefacit & necat.5°.de ſim.m.fa. 5ª.35.G
Altercum dolores mitigat,quo modo.6°.de comp.med.per ge. 5ª.255.C
ex Alterco medicamẽta refrigerant,& ſiccãt.12°.meth.me. 7ª.79.C
Altercum potui non eſt utile.5°.de ſimp.med.fac. 5ª.37.C
Altercum fugiendum eſt in ulceribus.3°.meth.med. 7ª.21.C
Altercum ualde excalfactum non ſolum excalfacit,ſed etiam urit corpus humanum.1°.de ſimp.med.fac. 5ª.3.C
ꝑ ALTERES *fatigare corpus ẽ exercitatio.2°.de ſanit.tuẽ.* 2ª.73.G
p Alteres exercitiũ exercet ſupernas partes.6°.de ſa.tuen. 2ª.100.F
ALTHEA *eſt quædam agreſtis malua.2°.de alim.facul.* 2ª.24.D
Althea qualis ſit.6°.de ſimp.med.fac. 5ª.46.F
Althea rarefacit.5°.de ſimp.med.fac. 5ª.35.F
Altheæ radix emollit.5°.de ſimp.med.fac. 5ª.34.F
Althea digerit.14°.meth.med. 7ª.91.E
Althea reſoluit.2°.de arte cur.ad Glauc. 7ª.105.F
Altheę radix parum adſtringit.6°.de ſimp.med.fac. 5ª.46.F
Altheæ radix & ſemen uitiligines detergunt:ſemen renum calculos cõfringit,& radicis decoctum ad dyſenteriam,diarrhœam, & ſanguinis deiectionem aptum eſt.6°.de ſimp.med.fac. 5ª.46.F
Altheæ ſemen lapidem renũ frangit.de ren.aff.dig.& med. 7ª.196.D
Altheæ radix ad neruos uulneratos ualet.3°.de cõp.me.ꝑ ge. 5ª.234.B
Altheæ radix diſcutit tumores pituitoſos,q̃d folia ſua efficere nequeũt. 2°.de alim.fac. 2ª.24.D
ex Altheæ radicibus aqua cuius uſus.2°.de arte ad Glauco. 7ª.105.C
Altheę decoctum ad ſicca liquanda.7°.de com.med.per gen. 5ª.264.C
Altheæ radicẽ cur q̃nq; oleo incoquat Gal.14°.meth.me.ꝑ ge. 7ª.88.B
Altheæ,bryonię,cucumeris agreſtis radicibus in oleo decoctis,cur Galenus uteretur.6°.de comp.med.per ge. 5ª.258.A
Altheæ radix ſumenda pro roſmarino,ſi ipſum ad manũ nõ ſit. 2ª.87.B
ex Althea oleum mitigatorium eſt.3°.de comp.med.per ge. 5ª.235.A
Altheę oleum rareſacit.5°.de ſimp.med.fac. 5ª.35.F
ex Althea cataplaſmate quando uti debemus.14°.meth.med. 7ª.88.C
ALTIT *dulcis fit mentio.ſecret.* Sp.98.C
ab ALTO *in terram lapſu ruptiones in plagarum genere numerãtur. 3°.de ſymp.cau.* 3ª.26.H
ex Alto euocantia pharmaca,quæ.1°.de cõp.med.ſec.loc. 5ª.124.E
in Altum penetrãs medicamentũ,quale.3°.de cõp.me.ꝑ gen. 5ª.228.D
in Altiore parte cur ſit cerebrum.de anat.uiu. Sp.47.D
ALTRIX *poteſt uocari anima uegetatiua,quæ eſt in iecore.* 7ª.58.H
Altricis facultatis initium eſt iecur.6°.de dec.Hipp. 1ª.262.H
Altrix ab Ariſtotele dicitur animæ pars concupiſcibilis. ꝙ animi mores.318.E/de fœt.for. 1ª.323.C
Altrix uis ad magnitudinem inſtaurãdam in nobis ineſt. in 6^{m}*. de mor. uulg.commen.5°.* 3ª.188.E
Altricẽ uim debilitatã quid ſequatur.2°.de arte cur.ad Glau. 7ª.103.E
in ALVEARI *nouo facti mellis fit mẽtio.3°.de me.f.par.* 7ª.170.E
Alueoli uel pręſepiola quid.fin.med. Iſa.44.D
ALUMINIS, *id eſt ſtypteriæ , nomen ab adſtrictione deductũ eſt:nam adeſt illi uehementiſſima.9°.de ſimp.med.fac.* 5ª.71.A
Alumen unde dictum.6°.de comp.med.per ge. 5ª.256.C
Alumen ſignificat,ſimpliciter ſciſſile.4°.de cõp.me.per gen. 5ª.239.G
Alumen quid,& eius ſpecies ac uires.de ſimp.med. Sp.80.A
Alumen ubiq; facile paratur.6°.de comp.med.ſec.loc. 5ª.168.G
Aluminis g̃na,ex adſtringẽtibus parabilia.6°.de cõ.me.ſe.lo. 5ª.169.F
Aluminis genera adſtringentia arida uehemẽtiſſima.6°.de compoſitione medic.ſe.lo. 5ª.172.G
Aluminis differentiæ.9°.de ſimp.med.fac. 5ª.71.A
Alumen quale.4°.de comp.med.per gen. 5ª.236.E
Alumen habet diuerſum effectum ab alijs adſtringentibus. 5ª.20.D
Alumen adſtringens ſummum.3°.de ſimp.med.fac.21.D/5°.39.B/6°.de comp.med.ſec.loc. 5ª.169.H
Alumẽ adſtringit,& dr̃ auſterũ & acerbũ.5°.de cõp.me.ꝑ g. 5ª.246.B
Alumen ſiccat euidenter.4°.de comp.me.per ge. 5ª.240.H
Alumen exiccat tertio ordine & non urit.5°.de ſimp.med.fac. 5ª.39.B
Alumen deſiccat & indurat carnem.5°.de ſimp.med.fac. 5ª.36.C
Alumen ſciſſile præſtat.1°.de comp.med.per gene. 5ª.214.B
Alumen ſciſſum quale. 6°.de compoſi.med.ſec.loc.170.H/172.G/6°.de compo.med.per gen. 5ª.255.C
Alumen ſciſſile adſtringens eximium.4°.de cõp.med.per gen. 5ª.239.E
Alumen ſciſſum magis adſtringit q̃ liquidũ.6°.de cõp.me.ſe.l. 5ª.168.G
Alumen ſciſſile fortiter adſtringit & reſiccat purulenta. 5ª.143.A
Alumen fiſſum quantum exiccat.3°.meth.med. 7ª.20.A
Alumen fiſſum in ulceribus repellens.2°.de comp.med.per ge. 5ª.220.B
Alumẽ ſciſſum uſtum & uino auſtero extinctũ.5°.de cõ.m.ſ.l. 5ª.166.A
Alumen ſciſſile adhibetur uuæ inflammatæ.de ſectis. Iſa.18.C
Aluminis ſciſſilis meminit.5°.de comp.med.per gene. 5ª.251.C
pro Alumine ſciſſili diphryges.4°.de comp.med.per gene. 5ª.237.F
Alumen rotundum pro ſciſſili.4°.de comp.med.per gen. 5ª.237.E
Aluminis rotundi fit mẽtio.3°.de cõp.med.ſec.loc.148. A/8°. 5ª.192.H
Alumẽ rotundũ in ulceribus repellens.2°.de cõp.me.per gene. 5ª.220.B
Aluminis ægyptij meminit.4°.de comp.med.per ge.237.E/5°.5ª.254.E/ de remed.par.fac. 7ª.162.F
Alumẽ de Aphrica ad iliũ dolorẽ & ad frãgẽdũ lapidẽ.de dy. Sp.28.B
Alumen manſuetiſſimum pro ſtomaticis.6°.de cõp.me.ſec.loc. 5ª.171.E
Alumen q̃uo in ſplene conuenit.2°.de arte cur.ad Glaucon. 7ª.104.D
Alumine et ſulfure cõſtãs medicamẽtũ ꝑ duritie ſplẽis ex flatu. 7ª.104.D
Alumen ulcera conglutinare non poteſt.1°.de ſimp.med.facult. 5ª.7.H
Alumen ad cicatricem ducit.1°.de comp.med.per gen. 5ª.214.B
ex Alumine malagma.7°.de comp.med.per gen. 5ª.266.C
Alumẽ adde primis preſidijs cũ nõ ſanat̃ œdema.14°.meth.me. 7ª.87.F
Alumen chartę inuoluitur ut cõburatur 5°.de cõp.med.ſec.lo. 5ª.165.C
Alumen combuſtũ in ulcere exedẽte.in 6^{m}*.de mor.uul.cõ.4°.* 3ª.180.D
Aluminoſa aqua medicamentoſa eſt.7°.de comp.me.per gen. 5ª.264.D
Aluminoſæ aquæ prauæ ſunt.de ptiſ. 2ª.47.B
Aluminoſæ aquæ quid mali agant.1°.de ſan.tuen. 2ª.68.F
Aluminoſum balneum denſat.3°. de ſanitate tuen.81.B/6°.2ª. 98. G/2°. de criſibus. 4ª.138.H
Aluminoſa aqua facit obſtructionẽ inſeparabilem.10°.met.med. 61.G/ 1°.de arte cur.ad Glauc. 7ª.95.D
Aluminoſæ aq̃ frequẽs uſus cutẽ dẽſat,& febrẽ facit.8°.me.m. 7ª.50.B
ex Aluminoſa aqua lotio eſt contraria febri ex obſtructione. 8°.meth. med.50.A/11°. 7ª.69.H
Aluminoſa aqua ualet ulceribus & fluxionibus.1°.de ſim.m.fa. 5ª.3.D
Aluminoſæ aquę exiccant.de cau.mor. 3ª.7.H
Aluminoſa balnea fortius reſiccant.7°.de comp.med.ſec. loc. 5ª.177.E

Aluminoſa aqua indurat pulſum.3°.de preſa.ex pulſ. 4ª.119.C
ALVTAE *corio animalis conficiuntur.de artic.com.2°.* 7ª.265.E
Alutę Cartaginenſis meminit.de artic.com.2°. 7ª.265.D
Aluta ægyptia,eſt ualida & mollis.de fracturis.com.3°. 7ª.245.H
ad ALVVM *pertinẽtia inſtrumenta q̃ ſint.cõ.4°.aph.12°.* Ex.28.E
ad *Aluum uia à pulmone una.6°.de loc.aff.* 4ª.39.C
ꝑ *Aluum que partes expurgentur.6°.de loc.aff.* 4ª.39.B
ꝑ *Aluum raro purgantur thorax,& pulmo.6°.de loc.aff.* 4ª.39.C
ꝑ *Aluũ colliquationes uidẽtur deſcẽdere in febre colliquatiua.*7ª.67.F
Alui deiectiones ex qua ui fiant.com.7°.apho.21°. Ex.55.D
Alui deiectio ampla quandoq; ualentibus accidit.de ſym.diff. 3ª.13.G
Alui deiectiones unà cum acceſſionibus inuadunt iecinore afflicto uirtute imbecilles.11°.meth.med. 7ª.74.D
Alui deiectio eſt cõe auxiliũ ſuccos prauos habẽtiũ.6°.de ſa.t. 2ª.97.F
in *Alui deiectiones grauiter olẽtes,& mordaces,in affectibus,quos ob malos cibos cõtraxerũt in annonę caritate quidã incidebant.*2ª.33.H
ꝑ *Aluum deiecta excrementa cruditatem, & coctionem ex ſua forma arguunt.in 1m.de mor.uul.com.2°.* 3ª.112.A
Alui deiectiones ſemper cohibent adſtringentia.2°.de ali.fac. 2ª.19.G
in *Alui deiectionibus mordẽtibus iniectũ ſeuũ mitigat dolorẽ.*7ª.86.A
ad *Alui deiectiones,et ſudores urinas reuelles.de cuc.ſcar.* 6ª.2.D/4.F
Aluus dura fit in aquilonijs conſtitutionibus.com.3°.apho.5°. Ex.20.C
Aluos duras habentes craſſiſſimi pueri cur incidant in conuulſionẽ facile.com.3°.apho.25°. Ex.25.C
ꝑ *Aluũ exeuntia quæ ſint apud Hippocratẽ.cõ.7°.aph.64°.*Ex.60.A
Alui excremẽta quid ſignificẽt,& q̃uo ſe habcãt.1°.de criſi. 4ª.129.A
in *Aluo coctiones & incoctiones per excrementa inferne ſublabentia agnoſces.de conſt.ar.* Iſa.42.B
in *Alui excrementis non eſt expedita ſubſiſtentium cognitio, quia non fiunt in uaſe uitreo.com.7°.apho.64°.* Ex.60.B
Alui excrementa bilioſa ſi ſint,quædam ſimilia ſtrigmentis per aluũ excernuntur.com.7°.apho.64°. Ex.60.B
Alui excrementa poſſunt habere ſtrigmenta,ſed non urinæ. Ex.60.B
Alui aut ueſicæ excrementa qualia fuerint & ex carnibus, & ſicubi alibi a natura corpus exierit,ſi parum,paucus eſt morbus:ſi multũ, multus:ſi ualde multum,letale eſt.com.7°.apho.75°. Ex.60.H
*Alui excrementa ſi fiant in die iudicatorio,uel incipiant,bonũ.*Ex.31.G
*Alui excremẽta in principio,ꝑ criſim nũquã morbũ finierunt.*4ª.128.E
ꝑ *Alui excrementa quando criſis futura ſit.3°.de criſi.* 4ª.144.G
ꝑ *Aluum inferiorem uel per urinas bene exeuntes excretiones liuidę, cruentæ,fœtidæ,& bilioſæ,bonæ.commen.4°.aphor.47°.* Ex.32.H
Alui excremẽtũ ſi pingue ſit,adipis colliquatio ẽ.c.7°.aph.35°. Ex.56.E
Aluus q̃nq; fluit in inclinatione.quos pur.op.qb.me.& quo tẽp. 5ª.88.G
Alui fluor cuius aquę inter cutẽ ſit propriũ.in prog.com.2°. 4ª.197.H
in *Alui fluoribus immodicis fiunt pulſus uermiculantes.* 4ª.113.A
Alui fluxiones ex defluxionibus ad partes imbecillas. 3ª.109.A
ad *Alui fluores magnos ſequuntur pulſus uermiculantes.* 4ª.99.D
Aluus fluens compreſſionem indicat.de ſectis. Iſa.17.D
Aluum fluxu tentatam ſiſtit aſtragalus.6°.de ſimp.med.fac. 5ª.44.A
Alui fluxus deſiccat lagopus.7°.de ſim.med.fac. 5ª.54.A
Alui fluxum ſiccant milium,& panicum.de atten.uict.rat. 2ª.45.B
Alui fluxus curat idæa radix.6°.de ſimp.med.fac. 5ª.48.E
in *Alui fluxiões ſiſtẽdas uinis auſteris utimur.de bo.& uit.ſuc.*2ª.38.D
ad *Aluũ fluẽtia ꝑ urinas uel uterũ trãſmittẽda ſunt.5°.met.m.*7ª.30.E
*Aluo fluẽte ſanguis nõ ẽ mittẽdus.de uic.ra.in mor.acu.cõ.4°.*7ª.151.C
Aluum humidam & adſtrictam plus iuſto qui habent, non ſunt lauãdi. de uict.rat.in morb.acu.com.3°. 7ª.133.A
Aluus humidior,& aluus ſiccior unde fiat.cõ.2°.apho.20°. Ex.14.D
Alui humiditatis tres cauſæ.com.2°.apho.20°. Ex.14.D/E
*Alui humidiores fiunt in auſtrali tempeſtate.com.3°.apho.17°.*Ex.23.E
Aluum inferiorẽ maxime humidũ hñt Scythę.de aere,aq.& lo. 2ª.5.E
Aluus humida eſt ut plurimum ſenibus.com.3°.apho.31. Ex.26.F
Aluus humida in iuuentute,fit ſicca in ſenio,& è conuerſo. Ex.19.E
Aluus humida paucas ſignificat urinas.com.4°.apho.83°. Ex.37.B
*Aluus humectatur ijs qui habent ilia ſuſpenſa,lumborũ dolore adueniẽte,niſi multitudo urinæ,aut flatus erumpat.cõ.4°.aph.73°.*Ex.35.F/ *de uri.ſig.ex Hipp.* Sp.78.H
Alui cur humectantur ijs quibus in febribus ſanguinis fluxus ineſt,aliqua ex parte cum reficiuntur.com.4°.apho.27°. Ex.30.C
Aluus liquida quæ dicatur.in 1m.prorrh.com.2°. 4ª.169.A/C
Aluus ob quot cãs poſſit eſſe liqda.de uict.ra.in mor.ac.c.4°. 7ª.139.G
Aluum liquidam habenti,ſi cauſus ſuperuenerit, quando purgandũ.de uict.rat.in mor.acut.com.4°. 7ª.139.E
Aluus liquida in febribus cum mentem turbat,quid agẽdum. 7ª.139.G
circa *Aluum ut læuitas inteſtinorũ,ita circa ueſicã diabete.*4ª.129.H
Alui profluuium longum eſt paſſio propria uentriculi ex humiditate imbecillis.com.6°.apho.32°. Ex.50.A
*Alui profluuiũ fit quãdoq; a cibo et potu,q̃nq; morbi ratione.*Ex.47.G
*Alui profluuia in temporibus pluuioſis fiunt.cõ.3°.apho.16°.*Ex.22.H
*Alui ꝓfluuio maxime capiunt balbi,& quarc.cõ.6°.aph.32°.*Ex.49.G
Alui profluuiũ in fluxione ex capite in tabe.cõ.7°.aph.74°. Ex.60.H
Alui profluuium facit famem.com.2°.aph.21°. Ex.14.H
*Alui profluuium facit abortum prægnanti.com.5°.aphor.34°.*40.E/ *apho.45°.* Ex.41.G
in *Alui profluuijs quibus excrementa ſpumoſa ſunt his ex capite pituita defluit.com.7°.aphor.30°.* Ex.56.A
*Alui profluuiũ a tabe habitis ſi ſupueniat,malũ.c.5°.aph.14°.*Ex.38.E
*Alui profluuio ſuperueniente ijs quibus tabe laborantibus capilli a capite defluunt,moriuntur.com.5°.apho.12°.*38.D/*apho.14°.* Ex.38.F
Alui profluuiũ lõgum ſpõtaneo uomitu ſoluit.cõ.6°.aph.15°. Ex.47.F
Alui profluuium adueniens morbo laterali aut pulmonia habito,malũ. com.6°.apho.16°. Ex.47.F
*Aluus ꝓfluẽs in hepatis inflãmationibꝰ malũ.in 1m.ꝓrr.cõ.2°.*4ª.177.C
in *Alui profluuio in tabe adſtrictio purgationis ſuperioris in adſtrictione mors.com.7°.apho.74°.* Ex.6.H
ab *Alui profluuio difficultas inteſtinorũ.com.7°.apho.71°.* Ex.60.G
*Alui ꝓfluuiũ phlegmonẽ oculorũ ſanat.in 6m.de mo.uul.c.6°.*3ª.196.E
Alui profluuio corripi,lippienti bonum.com.6°.apho.17°. Ex.47.G
Alui profluuium facit apparere quid albi in oculis dormientium commiſſis palpebris.com.6°.apho.52°. Ex.53.A
*Alui profluuiũ quidã habuere in peſtilẽtia,& quidã euomuere.*7ª.35.B
pro *Alui profluuijs debet poni ferrum candens in lacte.* 5ª.73.G
Alui ꝓfluuioſi exercitãtes ſe corripiant,qd agẽdũ.de ſal.dię. 2ª.42.F
ex *Alui ꝓfluuio aũ defectus q̃uo curetẽ.1°.de arte cur.ad Glau.*7ª.98.G
ad *Alui profluuium ſupprimendum.3°.de med.fac.par.* 7ª.170.B
Aluũ ſoluit ꝑ glãdẽ in ſtomachi diſtẽtione.8°.de cõp.me.ſec.l. 5ª.192.D
Alui profluuium.lege uentris fluxus,fluxus uentris,& profluuiũ alui.
Aluo & uentriculo prodeſt abſinthij decoctum.de mel. ex Gal.Ruf.& Poſſi. Sp.110.B
ad *Alui affectus ualet lentiſcus.8°.de ſimp.med.fac.* 5ª.61.H
ꝑ *Aluum q̃n uis purgare,humectare debes.com.7°.aph.66°.*Ex.60.E
Aluo non purgata quanto plures dederis ſorbitiones tanto magis lædes.com.7°.apho.64°. Ex.6.A
Alui purgatio fieri debet ijs quibus deiectiones ſunt ueluti ſtrigmenta. com.7°.aphor.64°. Ex.60.A
*Aluum qui nolunt purgari,quid agere debent.4°.de ſan.tuen.*2ª.84.C
per *Aluum & uomitum iecur expurgari poteſt.7°.meth.me.*7ª.49.D
per *Aluum purgatur cauum iecinoris.13°.meth.med.* 7ª.83.H
per *Aluũ inferiorẽ purgãda eſt caua iecoris pars.13°.me.me.* 7ª.84.F
per *Aluum ſolum purgatur lien.13°.meth.med.* 7ª.84.F
*Alui inferioris ſubductio qbus,et q̃n fieri debeat.c.7°.aph.61.*Ex.59.F
Aluus quando ſoluenda.4°.de ſan.tuen. 2ª.84.C
Alui purgatoriũ ano immittẽdũ medicamẽtũ.de reme.f.par. 7ª.167.E
*Aluus q̃n prouocanda in renum affectu.de ren.aff.dig.& me.*7ª.193.D
Aluus reſtricta ſm uarias cauſas q̃uo curetur.1°.de ſan.tuen. 2ª.68.E
Aluus reſtricta ex paucitate comeſtorum & ſiccitate quo modo ſanetur.1°.de ſan.tuen. 2ª.68.E
Aluus aſſidue ſoluta ſit calculoſis,niſi quid aliud obſtet.de ren.aff.dig. & medela. 7ª.194.F
ad *Aluum molliendum.8°.de com.med.ſec.loc.* 5ª.188.H
Aluum emollit muſtum.de bo.& uitio ſuc. 2ª.38.F
Aluum molliens paſtillus.9°.de comp.med.ſec.loc. 5ª.198.H
ad *Aluũ deijciẽdã pruna Hiſpana ꝓcedũt Damaſ.5°.de ſa.tu.* 2ª.92.E
Aluum ſubducit ficus.8°.de ſimp.med.fac. 5ª.61.F
Aluum deijciunt olera cum garo.6°.de ſan.tuen. 2ª.97.G
Aluum ducit braſſica & digerit.in 6m.de morb.uulg.com.2°. 3ª.167.E
Aluum mouẽt braſſicarum ſuccus,gallorum uetulorum ius, & cochlearum marinarum humor.de ther.ad Piſ. 5ª.90.H
Aluum quo modo ſubducat fumus terræ.7°.de ſimp.med.fac. 5ª.49.G
Aluũ quo modo ſubducit thus in ictericis.9°.de com.me.ſc.l. 5ª.197.G
Aluum cur lens aliquibus mouet,alijs cohibet.1°.de alimẽ.fac. 2ª.7.G
Aluum ſubducunt uina craſſa,& dulcia.de bo.& uitio ſuc. 2ª.38.E
per *Aluum citiſſime ſubducunt panes hordeacei.1°.de ali.fac.*2ª.11.G
Aluum deijcit fœnum grecum.de atten.uict.rat. 2ª.45.B

Aluum omnibus

Aluum omnibus non ſubducit melicratum.1°.de ali.fac. 2ª.7.F
Aluum egregie mouet ſerum.de bonitate & uitio ſuc. 2ª.35.D/de mel. ex Gal.Ru.& Poſſ. Sp.110..A
Aluus citatur ſero lactis,ſale & melle cõdito.cõ.5°.aph.64°.Ex.44.F
Alui deijciendę gratia caſeus recens ante cibum cum melle ſumitur.de bonitate & uitio ſuc. 2ª.35.D
Aluus quo modo deijciatur a cibis adſtringẽtibus.6°.de ſa.tu. 2ª.97.G
Aluus magis laxatur ex carne acini cum ſucco,ablato ſemine & cortice.2°.de alim.fac. 2ª.17.H
Aluũ quo deijcere faciat medicamẽtũ dioſpoliticõ.4°.de ſa.tu.2ª.86.D
Aluũ ducũt aloe & æris ſquama p os ſumpta.de ther.ad Piſo. 5ª.90.H
Aluum ſoluunt catapotia ex caſtoreo.de ue.ſec.ad.Eraſi. 6ª.11.C
Aluũ q̃ ducãt medicamẽta extrinſecus impoſita.de me.ſ.par.7ª.168.B
Aluum deijcientia,bilioſum uentrem habentes ſemper primo debent comedere,& bibere.6°.de ſan.tuen. 2ª.97.F
Aluum humidam habentes plus comedant,minus bibant,& econtra in ſicca.com.4°.apho.83°. Ex.37.B
Alui uias aperit balneum,tamen non calefacit.11°.meth.med. 7ª.70.E
Aluus quotidie ſoluenda ſenibus,& quibus.5°.de ſan.tuen. 2ª.92.E
Aluus cur ferè ſemper melancholicis aſtricta eſt. de mel. ex Gal.Ruf. & Poſſi. Sp.169.E
Aluus cohibetur in aquilonia tempeſtate.com.3°.apho.17°. Ex.23.E
ad Aluum ſupprimendam.3°.de med.fac.par. 7ª.178.G
Aluum modice ſiſtit acetum.1°.de alim.fac. 2ª.9.C
Aluus debet ſiſti,q̃n uolumus purgare p uomitũ.c.7°.ap.66°.Ex.60.E
Aluum ſiſtit damaſonium.6°.de ſim.med.fac. 5ª.46..A
Aluum ſiſtit lens excorticata bis cocta.1°.de alim.fac. 2ª.9.C
Aluum omnibus non cohibet lens.1°.de alim.fac. 2ª.7.F/G
Aluum cur ſiſtit corpus ſolidum.1°.de alim.fac. 2ª.7.G
Aluũ,& ſanguinẽ cohibẽt tauri ſemora uſta. de ther.ad Piſo. 5ª.93.E
Aluum conſtipat macer arboris arabici cortex.de ſubfig.empi. Iſ.33.B
Aluum retinent panis ſiligineus,& ſimilagineus.de ren.affe.digno.et medela. 7ª.195.E
per Aluum per urinas transferenda ſunt quæ per uterum erumpunt. 5°.methodi med. 7ª.30.E
Aluus ſicca multas urinas ſignificat.com.4°.apho.83°. Ex.37.B
Alui tormina ſi fiant dormienti poſt potum aquæ mulſæ concepit,ſi nõ, minime.com.5°.apho.41°. Ex.41.D
Aluus turbata in febribus ſurditatem ſoluit.cõ.4°.apho.6°.Ex.34..A
Ad alui lumbricos.3°.de med.fac.par.172..A/175.F/ 7ª.178.H
Aluus,lege Corpus.
ALYSSVS herba quę nam ſit.2°.de antid. 5ª.116.G
Alyſſon unde dicta.6°.de ſimp.med.fac. 5ª.42.C
Alyſſon exiccat,digerit,& abſtergit.6°.de ſim.med.fac. 5ª.42.C
Alyſſon morſos a cane rabido iuuat, uitiliginem & ephelin expurgat. 6°.de ſimp.med.fac. 5ª.42.D
AMALOZ medicinæ.de me.exper. Sp.106.B
AMANTES cæci ſunt circa id quod amant.de cogn.cur.animi mor.2ª.50.F/in 6m.de morb.uulg.com.4°. 3ª.183.B
in Amante quo modo fiat cordis concuſſio, & duo ſpiritus ab eo exeãt de compag.memb.ſiue de natura humana. Sp.59.C
Amantis pulſus uarius.de præcog.ad Poſth. 4ª.216.F/G
in Amãtibus q̃uo erigat̃ priapus.de cõpa.mẽb.ſiue de na.hum.Sp.59.C
Amantium & puerorum ſatyriaſis,quæ.de mot.man.& obſ.Sp.67.D
Amans quidam uolebat amicam deſinere, & non poterat.de cogn.cur. animi morbis. 2ª.53.A
Amantibus conceditur periurium a Dijs.4°.de decre.Hip. 1ª.252.F
Amare mulierẽ q̃uo deprehẽdit Galenus.de pręco.ad Poſth.4ª.216..A
Amat quod mens,& ſibi profuturum ſperat, illud corpus iuuat.de incant.adiu.& ſuſp. 7ª.181.G
ut Amator ancillarum glorię ſuccumbit medicus qui ſtudioſus eius eſt. de ijs,quæ in med.ſi.com.2°. 7ª.205.D
Amatores Phœnices a cibo abſtinere perhibẽtur.6°.de lo.aff. 4ª.40.F
quaſi Amatorium deſcribitur doricnij ſemen.de ſim.med. Sp.83.E
AMARACVS ubi naſcatur.1°.de antid. 5ª.104.H
Amaracus in Italia prouenit.1°.de antid. 5ª.104.H
Amaracus ægre Romæ inuenitur.3°.de comp.med.per gene. 5ª.234.E
Amaracus calida ẽ ĩ tertio gradu,ſicca ĩ ſc̃do.6°.de ſim.m.fa.5ª.42.D
Amaracus tenuium partium.3°.de comp.med.per gen. 5ª.234.B
Amaracum odore ſuperat marus.1°.de antid. 5ª.104.H
Amaracus nigram bilem educit.de mel.ex Gal.Ruff.et Poſſ.Sp.110..A
Amaracus ad neruos uulneratos ualet.3°.de com.me.per ge. 5ª.234.B
AMARACINVM fit in Cyzico.2°.de comp.me.ſec.lo. 5ª.135.F
Amaracino utebantur antiqui.3°.de ſimp.med.fac. 5ª.18.F
Amaracinum nigrum quo modo fieret.3°.de com.me.per gen. 5ª.233.G
Amaracinum primum.7°.de comp.med.per gen. 5ª.271.G
Amaracinum unguentum,quale.1°.de antid. 5ª.104.H
Amaracinum in oleo coctum colorem expurgat, & ſudorem mouet.de cura icteri. Sp.111.C
Amaracinũ unguentũ rarefacit & diſcutit.9°.de cõ.me.ſe.lo.5ª.197.F
Amaracinum unguentum frigiditatibus conuenit.3°.de ſa.tuen.2ª.81.C
Amaracinum unguentum hæmorrhoidas occęcatas aperit.5°. de ſim. medic.fac. 5ª.35.G
AMARANTHVM incidit,& extenuat.6°.de ſim.me.fa. 5ª.42.D
Amaranthum menſes cũ uino pota educit, grumos ſanguinis liquare,et ſoluere creditur,fluxiones epota deſiccat,ſtomacho infeſta eſt. 6°.de ſimp.med.fac. 5ª.42.E
AMARANTHI grammatici antidotus.2°.de antid. 5ª.120.G
Amarãti eclegma ad ſanguinis reiectionẽ.7°.de com.m.ſ.l.5ª.184.D
AMARESCVNT liquores augumentato calore,poſtquam dulces facti ſunt ab eodem.de ocul. 7ª.188.C
Amareſcit mel inueteratum & coctum.de ocul. 7ª.188.C
Amaricat,& adſtringit parum oleum hiſtricum.1°.de compoſitione medic.per ge. 5ª.214..A
AMAROR qualitas guſtus. de nat. hum.com.1°.1ª.28.H/5°.de ſim.medic.fac. 5ª.38.H
Amaritatem faſtidioſam habet polygonatum.8°.de ſim.me.fa.5ª.58.H
Amaritudo per decoctiones amittitur.3°.de ali.fac. 2ª.31.H
Amaritas deprehenditur in nitro & felle.4°.de ſimp.me.fa. 5ª.25.C
Amaritates faciunt differentiam in partibus diſſimilaribus.3°. de ſimplicium med.fac. 5ª.20.G
Amaritas lienem,iecur,renes expurgat,pſoras,lichenes,lepras extergit.6°.de ſimp.med.fa. 5ª.47.E
Amaritudo calidis & ſiccis ſubſtãtijs accidit tenuibus & terrenis.4°. de ſimp.medi.fac. 5°.30..A
Amaritudo ſuapte natura craſſa,& lenta incidit.2°.de ali.fa. 2ª.25..A
Amaritudo incidit.7°.de ſimp.med.fac. 5ª.49.G
Amaritudo eſt in ſubſtantijs extergentibus.6°.de ſim.me.fa. 5ª.45..A
Amaritudinis abſterſio non uerenda.8°.de ſim.med.fac. 5ª.61.B
Amaritudine necantur lumbrici.6°.de ſimp.med.fac. 40. D/ 48.B/7°. 50..A/52.F/56..A/C/5ª.59.H/14°.meth.med. 7ª.93.H
Amaritudine filicis latus lumbricus necatur.8°.de ſim.me.fa. 5ª.59.C
Amaritudo oris unde ſit & quo modo.com.4°.apho.17°. Ex.29..A
Amaritudo oris notat debere fieri purgationem per ſuperiora.com.4°. apho.17°. Ex.29..A
Amaritudo oris uentriculi ſignificat cholericum humorem.commẽ. 4°. aphor.2°. Ex.27.E
Amaror dulcis γλυκύπικρος appellatur amor à poetis.3°. de ſimplicium med.fac. 5ª.21..A
AMARVM fit ex miſcella calidi,frigidi,humidi, & ſicci. 1°.de alimentorum.fac. 2ª.9..A
Amarum efficitur a caloris exceſſu.4°.de ſim.me.fac. 5ª.26.G
Amara partim ſunt proprio & inſito calore,partim uero adſcititio.4°. de ſim.med.fac. 5ª.27.B
Amarorum corporum generatio conſtat excalfactis dulcibus ſiue ab igne,ſiue a calore ingenito.4°.de ſimp.med.fac. 5ª.29.H
ex Amaris qui fructus dulces fiant.4°.de ſim.med.fac. 5ª.28.F
Amarus ſapor ex nitroſi intentione prouenit.1°.de ſim.me.fac. 5ª.8.G
Amarus ſapor adſtringentibus eſt oppoſitus.1°.de ſim.me.fac. 5ª.8.G
Amari ſapores ſunt poſt acres in caliditate.4°.de ſim.med.fac.5ª.29.F
Amarus ſapor quo modo generetur.4°.de ſim.me.fac. 5ª.31..A
Amarus ſapor qualis ſit, & unde oriatur.7°.de ſim.med.fac. 5ª.55.D/ de oculis. 7ª.188..A
Amarus ſapor calidus eſt & terrenus.4°.de ſimp.med.fac. 5ª.30.G
Amarus ſapor terrenę eſt eſſentiæ,et eſt à largo calore extenuatus.6°. de ſimp.med.fac. 5ª.40.C
Amarus ſapor acris eſt.4°.de ſimp.med.fac. 5ª.29.D
Amarũ ſaporẽ ineſſe ſiccis corporibus probat̃.4°.de ſim.me.fa.5ª.30.C
Amari ſaporis differentię.4°.de ſimp.med.fac. 5ª.30.G
Amari ſapores quam uim habeant.4°.de ſimp.med.fac. 5ª.29.G
Amari ſaporis terminus eſt abſtergere.4°.de ſim.me.fac. 5ª.29.F
Amari ſapores abſtergunt,expurgant,incidunt,menſes mouent,educunt pus è pulmone.4°.de ſim.me.fac. 5ª.29.G

Amara qualia

Amara qualia ſint.5°.de comp.me.per gen. 5ª.246.B
Amarum eſt terreſtre ſubtile.5°.de ſimp.med.fac. 5ª.38.H
Amara ſunt calida.4°.de ſimp.med.fac. 5ª.28.E
Amarum eſt calidius dulci.4°.de ſimp.med.fac. 5ª.27.B
Amara calidiora dulcibus,et ſicciora eē,quo probet.de ocul. 7ª.188.C
Amaro,acri ut calidis,acido ut frigido ſimul & ſubtili, communis eſt mordicatio.4°.de ſimp.med.fac. 5ª.29.D
Amaris acria ſunt magis calida.4°.de ſim.me.fa. 5ª.28.F
Amara omnia ſunt ſicca.4°.de ſim.med.fac. 5ª.30.C
Amara,ſicca ſunt & incidentia.de atten.uict.rat. 2ª.44.D
Amara aliqua tendunt ad frigidum.3°.de cōp.me.p gen. 5ª.228.F
Amara quę frigida.4°.de ſimp.me.fac. 5ª.26.D
Amara frigida & ſicca cur ſunt danda,ſi culpa ſanguinis fuerit ægritudo.de dyna. Sp.19.F
Amara ſunt cōtraria ſanguinē expuentibus.4°.de ſimp.me.fa. 5ª.29.G
Amarum fuligini fauillæ comparatur.4°.de ſimp.me.fac. 5ª.30.B
Amara ſunt cineri ſimilia.4°.de ſimp.med.fac. 5ª.29.H
Amarorum conſiſtentia qualis.4°.de ſimp.med.fa. 5ª.30.A
Amara,quæ.1°.de ſimp.medic.fac. 5ª.8.F
Amariora abſinthio ſunt Ariſtolochia,Gentiana, Centaurea. de cura icteri. Sp.111.A
Amarum & abſtergens eſt aphronitrum.9°.de ſim.me.fa. 5ª.68.G
Amarus admodum eſt chamæciſſi flos.8°.de ſimp.me.fac. 5ª.63.E
Amara eſt chamælea.8°.de ſimp.me.fac. 5ª.63.F
Amarum coſtum ad quid ſit utile.ſecret. Sp.97.A
Amarum eſt eruum non candidum.1°.de antid. 5ª.104.E
ex *Amara & acri ſubſtātia conſtat onoſma.8°.de ſimp.me.fa.* 5ª.57.C
Amarum eſt polium & modice acre.8°.de ſimp.me.fac. 5ª.59.A
Amara parum & emplaſtica eſt ſarcocolla.8°.de ſimp.me.fac. 5ª.60.B
Amaræ amygdalæ frangunt lapidē renū & ueſicæ.de cathar. Sp.95.D
Amarę amygdalę purgant ueſicam.de dyna. Sp.95.D
Amaris & acerbis & acidis cibis delectantur qui ſunt extra naturalē ſtatum.in 6^{m}.de mor.uul.com.5°. 3ª.191.G
Amara omnia guſtanti ſi uideantur,quid ſignificet.de iis, quæ in me.ſi. commen.1°. 7ª.199.D
Amara cum vnr cibi,& potus,indiciū morbi ex uētre.d dyn. Sp.19.H
Amara apparent dulcia ictericis.de cura icteri. Sp.111.A
Amara ob quid accipiantur.de uict.rat.in mor.acu.com.3°. 7ª.127.G
Amarū qd faciat.5°.de ſim.me.fa.39.A/6°.5ª.47.F/de ocu. 7ª.188.A
Amara quid agant in linguam.1°.de ſimp.me.fac. 5ª.9.A
Amara abſtergūt.8°.de ſim.m.f.61.A/62.E/4°.de cō.me.ſ.l. 5ª.151.F
Amara abſtergunt & expurgant in iecinore obſtructiones. 7°.de ſimp. medica.faculta. 5ª.49.E
Amara abſtergūt cū manifeſta caliditate.10°.de cō.me.ſe.lo. 5ª.205.H
Amara non adſtringunt.1°.de ſimp.me.fac. 5ª.8.H
Amara aperiunt.de ocul. 7ª.188.E
Amara omnia abſq; morſu,aperiunt meatus,et ſunt tenuium partium. 3°.de comp.med.ſec.loc. 5ª.141.B
Amara nitroſa ualent ad purgandos meatus. 5°.de ſim.me.fa.5ª.35.A/ de ocul. 7ª.188.C
Amara ualde extenuant,purgant,abſtergunt, obſtructione liberāt.6°. ſimp.me.fa. 5ª.45.E
Amara attenuant.de atte.uict.rat.2ª.44.C/11°.meth.med. 7ª.72.H
Amara competunt comitiali morbo.5°.de loc.aff.4ª.32.G/4°.de ſimpli. medica.facul. 5ª.29.G
Amara & acria digerunt & incidunt humores craſſos & lentos.8°.de ſimp.med.fac. 5ª.58.D
Amara deſciſcunt in pituitam cum ab aceto in ſublime attolluntur. de uict.rat.in mor.acut.com.3°. 7ª.130.G
Amara dolores auferunt ſecundum Homerum. 1°.de antid. 5ª.102.B
Amarum medicamentum in colico datur.1°.de loc.aff. 4ª.5.G
Amarum nunquam odoratum eſt.4°.de ſimp.me.fac. 5ª.30.H
Amarum odorem non dicimus quid habere.4°.de ſimp.me.fa. 5ª.31.A
Amara ſiccant corpora.com.4°.aph.13°. Ex.28.G
Amara magis,magis ſiccant.8°.de ſimp.me.fac. 5ª.63.H
Amara uina ſiccant immodice.7°.meth.med. 7ª.47.B
Amara & ſubacerba grata ſtomacho.6°.de ſimp.med.fac.48.B/8°.5ª. 60.F/11°.met.med. 7ª.73.D
Amarū ipſum p ſe oīfariam infenſum eſt ſtō.6°.de ſimp.me.fa. 5ª.40.D
Amara & ſalſa ſtomacho inimica.6°.de ſimp.me.fac. 5ª.40.G
Amarū inimicū eſt hominibus & uiuentibus.4°.de ſim.me.fa. 5ª.30.F
Amarum omne edi nequit.4°.de ſimp.me.fac. 5ª.26.G
Amara ſumme,non nutriunt.4°.de ſimp.med.fac. 5ª.28.E
Amara diſplicēt vētri & uiſcerib.de uic.ra.in mor.acu.c.3°. 7ª.127.G
ſub *Amaris & adſtringentibus cibis utebantur antiqui in uentriculo imbecillo.7°.met.me.* 7ª.43.H
Amarum præit,& uiam adſtringenti facit.11°.meth.med. 7ª.72.G
Amara iecur,ac lienem obſtructione liberant,pulmonem & pectus expurgant,menſes mouent.8°.de ſimp.med.fac.59.B/ 5ª.63.E
Amara adſtringentia auxilio ſunt lienoſis.6°.de ſimp.me.fac. 5ª.48.B
Amara ualde,& auſtera lieni conueniunt,& cur.9°.de comp.med ſecun.loc. 5ª.198.D
Amara medicamenta in liene.11°.meth.med. 7ª.73.C
Amara hiera melācholicis pdeſt.de mel.ex Gal.Ruf.et Poſſ. Sp.110.A
Amara ſunt quę ſerpentibus aduerſantur.1°.de antid. 5ª.102.B
Amara multa recipiunt theriaca & mithridatum.1°.de antid. 5ª.102.B
Amara lumbricos,& fœtum necant.8°.de ſimp.me.fac.60.E/ 5ª.61.A
Amara non putreſcunt.4°.de ſimp.med.fac. 5ª.30.C
Amarę herbæ ſine adſtrictione uel acres ad neruos uulneratos ualēt.3° de comp.med.per gen. 5ª.234.B
Amara medicamenta mordicant oculos.4°.de cō.med.ſec.loc. 5ª.150.C
Amara bilis ſimpliciter ab antiquis dicit bilis, ſed melancholia ſimplr non dicitur bilis,ſed cū additione atra.com.7°.aph.32°. Ex.56.D
Amarus humor flauus eſt uel pallidus.de atra bile. 1ª.34.E
Amarus & mordax humor eſt pallida & flaua bilis.2°.de compoſitio. med.ſec.loc. 5ª.135.D
maro humore abundant iuuenes.in progn.com.3°. 4ª.210.C
Amarā bilem aliquibus euacuari conuenit.com.6°.aph.47°. Ex.52.B
Amara bilis quā difficultatē inteſtinorū faciat.cō.6°.aph.3°. Ex.46.F
Amarum ſupra modum ſputum in pleuritide,& peripneumonia mortē minatur.de tot.morb.temp. 3ª.89.G
Amara ſaliua quando fiat in paſſionibus matricis.de paſſ.mul. Sp.95.F
Amara ſemper & ſicca ſunt guttur,os, & ſputum homini concepto in horis bilis.de ſper. Sp.37.C
Amari et triſtes q fiāt et quo.d uic.ra.i mor.acu.c.2°.122.F/ 7ª.123.A
Amarus & dulcis pulſus dici non poteſt.3°.de diff.pul. 4ª.62.H
Ἁμάρτημα *quid.de cuiuſq; animi pec.not.atq; mede.* 2ª.56.B
AMATHONIS *malagma ad quid ualeat.de cura icteri.* Sp.111.C
Amathonis malagmate cerotum cyprinum fortius eſt in icteris, de cura icteri. Sp.111.C
Ἀμαυρὸν *quid ſignificat.3°.de diff.pul.* 4ª.61.B
Amauroſis affectus pupillę.intro. Iſ.58.D
Ἀμαύρωσις *quid.in.1^{m}.prorrob.com.2°.170.E/* 4ª.182.C
AMAZONES *uirgines,non deuirginantur niſi poſt tres hoſtes occiſos. de aere,aquis,& loc.* 2ª.5.C
Amazonas exarticulare conſueuiſſe mares ut claudi efficerentur, fabuloſum eſt.de artic.com 3°. 7ª.278.A
Amazones quare ſibi mammā inciderent.com.7°.aph.44°. Ex.57.E
Amazonum paſtillus.8°.de comp.me.ſec.loc. 5ª.190.D
Ἄμβαι *quid ſignificent apud Iones.de artic.com.1°.* 7ª.255.B
Ἄμβη,*ideſt crepido.de artic.com.1°.* 7ª.255.A
AMBIDENTATA *ſunt ſolipeda.de artic.com.1°.* 7ª.256.H
AMBIDEXTRVM *quid ſit ſm Euripidem.cō.7°.aph.44°.* Ex.57.E
Ambidextera nō ē mulier,ſed bū uir,et quare.c.7°.apho.44. Ex.57.E
AMBIENS *cauſa ſine qua non obtinet rōnē.9°.meth.med.* 7ª.60.A
Ambiens quo modo ſit cauſa & remedium.9°.meth.me. 7ª.60.A
ab *Ambiente aere ſumuntur medicatorię indicationes.9°.methodi medendi.59.G/* 7ª.60.D
in *Ambientem aerem facile diſſipatur ſubiectum calidorum & humidorum.9°.meth.me.* 7ª.60.H
Ambiens corpus aer replet thoracem ſm Plat.in Tim.Pla. 1ª.289.F
Ambiens aer quo eſſe debet in febre.10°.meth.me. 7ª.64.D
in *Ambiente frigido quando uritur æger de eo deſperandum. 11°.meth. medendi.* 7ª.70.H
AMBIGVITATES *numero octo.de ſophiſ.* Iſa.7.B
Ambiguitas ſecundus modus ſophiſmatū in dictione.de ſophiſ. Iſa.7.B
Ambiguitas ſoretica q̄ de ſubfig.empi.Iſa.31.F/in pgn.cō.3°. 4ª.208.C
AMBILAEVVM *quid ſit ſm Ariſtophanē.c.7°.aph.44°.* Ex.57.E
Ambit frontem μετωπιαῖος *circuitus. de faſciis.* 7ª.295.A
AMBITIONIS *cauſa qui bona aut mala conſtituunt,maxime peccāt. de cuiuſq; animi pec.not.* 2ª.56.F
Ambitioſi damnādi,qui ſemp aliqd aſtute texūt.3°.de nat.fac. 1ª.302.C
Ἄμβλωσις *apud Atticos abortū ſign.in 6^{m}.de mor.uul.cō.1°.* 3ª.152.G
Amblotica medicamenta.i.abortiua.in 6^{m}.de mor.uul.cō.1°. 3ª.152.G

Amblyopia

Amblyopia quid.5º.de ſim.me.fac.38.D/2º.de com.me.ſec.lo.5ª.134.G
Amblyopia,id eſt uiſus hebetudo.1º.de ſymp.cau.15.G/ 3ª.16.B
Α᾿μβώναι *quid ſignificet apud comicũ quendã.de artic.com.1º. 7ª.255.B*
AMBROSIA *calefacit & exiccat.8º.meth.med. 7ª.54.D*
Ambroſia adſtringit repellitq́;.6º.de ſimp.med.fac. 5ª.42.D
Ambroſia compoſitio.4º.de loc.aff. 4ª.28 D
Ambroſia potio.7º.de comp.me.ſec.loc. 5ª.182.F
Ambroſia Philippi Macedonis antidotus.2º.de antid. 5ª.115.A
Ambroſia & ſacra dicta antidotus Archiuij.2º.de antid. 5ª.115.H
Ambroſiã aſſumat ſenex q cibis obſtruẽtibꝰ ſit uſus.5º.de ſa.tu.2ª.91.E
Ambroſia ad abſceſſus in uiſceribus.14º.meth.med. 7ª.90.F
Ambulatio,uniuerſi cruris actio eſt.de cõſt.ar.Iſa.37.A/3º.de uſu par. 135.C/15º.213.F/17º.1ª.222.F/.7º.met.me. 7ª.43.D
Ambulationis organum eſt crus.17º.de uſu par.1ª.221.G/1º. de diff.reſpirationis. 3ª.58.G
Ambulationis inſtrumentum ut conuenit ſapienti animali eſt crus.3º.de uſu par. 1ª.128.H
Ambulationis inſtrumentum pes.12º.de uſu par. 1ª.194..A
Ambulatio quo modo fiat.3º.de uſu par.129.B/15º. 1ª.213.F
Ambulatio perficitur firmatione,& motu.3º.de uſu par. 1ª.129.B
Ambulationes,inter uitę rationes connumerãt.3º.de ſym.cau.3ª.25.B
Ambulationes,uehicula,frictiones,balneę,ſunt motus materię. ars medicinalis. Iſ.71.F
Ambulatio accliuis cur exercitatio robuſta.2º.de ſan.tuen. 2ª.74.D
Ambulatio facienda cauſa ſanitatis.1º.de ſan.tuen. 2ª.68.H
Ambulatio quibus poſſit auferri.17º.de uſu par. 1ª.222.F
Ambulare cur nequeãt pueri,et crura hñt.com.6º.aph.32º. Ex.49.H
Ambulatio inęqualis quo modo fiat.1º.de diff.reſp. 3ª.61.C
Ambulatio acuta hominis concepti in horis bilis.de ſper. Sp.37.C
Ambulationẽ grauẽ habet cõceptꝰ in hora phlegmatis.de ſper.Sp.37.C
Ambulatio moderata eſt hominis in tribus horis ſanguinis concepti.de ſpermate. Sp.37.B
Ambulatione cur laborioſior eſt manſio.de palp.cõuul.& rig. 3ª.51.H
ab *Ambulationibus non ſunt penitus prohibendi quartanarij.1º.de arte cur.ad Glau. 7ª.97.F*
ex *Ambulatione & æſtu cauſus factus.de uict.rat.in morb. acu.commen.4º. 7ª.134.E*
Ambulationibus plenitudo exhauritur.de cur.rat.ꝑ ſang.miſ. 6ª.18.E
Ambulare alios præſtiterit,alios abluere prius, quàm ſanguinem detrahas.præſa.exper.confir. Sp.77.H
Ambulabilia animalia,& ſanguinea pulmonẽ hñt.de ana.ui. Sp.48.B
Ambulantes poſt ſumpta humida,facile & breuius deijciũt.1º. de alimentorum facul. 2ª.8.C
Ambulantes quidam dormiunt.2º.de mo.muſ. 1ª.314.D
AMBVSTVS *dicitur,uſtus aqua feruenti,& quo modo curetur.1º.de comp.med.per ge. 5ª.211.F*
Ambuſti non nulli & excẽtiª ex uſtione,& inciſione riguerunt.in 6ᵐ.de mor.uul.com.3º. 3ª.174.D
Ambuſti bullas habent.de tumo.preter.nat. 3ª.83.H
Ambuſta iuuantur ab omni terra leui & aceto,uel oxycrato,& probibentur bullæ.9º.de ſim.me.fac. 5ª.66.B
Ambuſta debent lenibus curari.de fract.com.3º. 7ª.44..A
Ambuſtis conueniunt digerentia leuiter,& parum adſtringentia. 6º. de ſimp.me.fac. 5ª.48.B
ad *Ambuſta ualent exiccantia ſine morſu, & in actiuis qualitatibus temperata.9º.de ſimp.me.fac. 5ª.66..A*
Ambuſtis aqua feruenti optime faciens pharmacum.1º. de compo.me.per gen. 5ª.211.F
ad *Ambuſta.1º.de comp.med.per ge.211. C/E/212.G/217.C/5º.5ª.247.D/3º.de med.fac.par. 7ª.174..A*
ad *Ambuſta Diophanti.5º.de comp.med.ſe.lo. 5ª.162.B*
ad *Ambuſta,ut citra cicatricis ueſtigium ſanentur, emplaſtrum. 5º.de comp.med.ſe.loc. 5ª.162.B*
Ambuſta curare creduntur androſæmi folia.6º.de ſim.me.fa. 5ª.43..A
Ambuſtis igni prodeſt hemerocalles.6º.de ſimp.med.fac. 5ª.48.B
Ambuſta ſanare poteſt non ſolum decoctum lappæ minoris, ſed etiam eius caules teneriores.6º.de ſimp.me.fac. 5ª.43.F
Ambuſta fouentur decocto foliorum cypri.7º.de ſimp.med.fac.5ª.53.H
ad *Ambuſtos q̃uo hederæ flores conueniant.7º.de ſim.me.fac. 5ª.51.F*
Ambuſtis quoad cicatrix obducatur,imponitur radix liliorum toſta,et deinde roſaceo contrita.7º.de ſim.me.fac. 5ª.53.B
Ambuſta ad cicatricem ducit hypericum.8º.de ſim.med.fac. 5ª.63.A
ad *Ambuſta ulcerũ remedia pulcherrima ſunt terra Selinuſia et Chia. 9º.de ſimp.med.fac. 5ª.66.A*
Ambuſta ulcerũ curat cinis ueterũ coriorũ.11º.de ſim.med.fac.5º.80.F
ad *Ambuſtiones utile eſt albumen oui.11º.de ſim.me.fa. 5ª.80.F*
AMENITAE *fungi ſecundi poſt boletos.2º.de ali.fac. 2ª.25.C*
AMENTIA *dicitur ueluti paralyſis functionis ratiocinatricis. de ſymptomatibus. 3ª.11.G*
Amentia moleſtat multos propter uitioſum humorem in ore uentriculi aceruatum.5º.de lo.aff. 4ª.32.H
Amentiæ fortunæ ſignum ſatis aptum oſtenderunt antiqui eam in fœmineam ſpeciem exprimentes.oratio ſuaſoria. Iſa.2.D
Amentem eſſe quid ſignificet.in 3ᵐ.de mor.uul.com.1º. 3ª.127.C
Amentiam imminere à qua urina ſignificetur.de uri.ſign. ex Hipp.78.H/quæſ.in Hip. Sp.113.E
Amens iudicandus eſt modeſtus & prudens,audacter reſpõdens.in 6ᵐ.de morb.uul.com 2º. 3ª.168.G
Amẽtiã nõ eſt neceſſe ſequi ſiquis male cõcoxit.3º.de ſym.cau. 3ª.30.C
Amentes quibus neglectis fiant.de dyna. Sp.19.H
AMENTVM *quid.de artic.com.3º. 7ª.279.F*
Amenti dulcis,& ſalſi fit mentio.de dyna. Sp.25.H
Amentum ſalſum & dulce ad cancrum.de dyna. Sp.31..A
Amentum dulce ad uuluam ſtringẽdã quaſi uirgo ſit.de dyna. Sp.29.D
AMERINAE *ſemen qñ det Gal.in priapiſmo.14º.meth.med. 7ª.89.B*
Amerinę molles frõdes & rutæ dedit Gal.cuidam, qui nocturnis Veneris imaginibus uexabatur.6º.de ſan.tuen. 2ª.100.G
AMETHYSTA *ab ebrietate præſeruat.2º.de com.me.ſe.loc. 5ª.138.B*
AMICI *& Deo noti ſunt probi uiri.de pręſag.ex inſ.ſum. 4ª.214.B*
Amici quãto meliores,tanto utiliores.de cogn.cur.animi mor. 2ª.55.G
Amicus maximus eſt,qui nobis detegit noſtros errores. de cogn.curan.animi morbis. 2ª.52.F
Amicos ꝑꝑ quę de uitijs non reprehẽdimus.de cog.cur.ãi mor. 2ª.51. A
Amicos,& ſeipſos quidam ignorabãt.de ſymp.dif. 3ª.11.H
Amiciſſimos formidãt melãcholici.de mel.ex Gal.Ru.et Poſ.Sp.109.C
ob *Amicos Gal.ſcripſit de diebus decretorijs.3º.de die.decr.4ª.159.H*
ab *Amicis coactum ſe ſcripſiſſe contra antiquos dicit Galenus.3º.de diff.pulſ. 4ª.64.B*
in *Amicorum gratiam librum de locis affectis compoſuit Galenus.2º.de loc.aff. 4ª.13.C*
Amicum per tranſlationem dicere conſueuerunt proprium,ac domeſticum.in 6ᵐ.de mor.uul.com.2º. 3ª.177.G
in AMICVLO *fœtus humoris utilitas.15º.de uſu par. 1ª.211.G*
AMICTVS *idẽ eſt æſtate & hyeme Scythis.de aere,aq.& loc.2ª.5.E*
Α᾿μυδρόν *quid ſignificet.3º.de diff.pul. 4ª.61.B*
AMI *quid,& eius uires.de ſimp.me. Sp.80.G*
Ami quale ſit.6º.de cõ.me.ſe.lo. 5ª.170.G
Ami calidum eſt.10º.de comp.me.ſec.loc. 5ª.207.C
Ami eſt tenuiũ partiũ,ſubamarũ,acre,digerit.6º.de ſim. me.f.5ª.42.D
Ami ſanguinem extenuat,& ſecernit.1º.de ſimp.me.fac. 5ª.35.D
Ami crudum longo tempore in uentre durat.4º.de ſan.tuen. 2ª.85.B
Ami urinam mouet.5º.de ſim.me.fa.35.D/6º.5ª.42.D/1º.de arte cur.ad Glau.99.F/de ren.aff.dig.& med. 7ª.196.E
Ami inflationẽ ſedat,urinã,& mẽſtrua prouocat.de ſim.me.Sp. 80.G
Amios torrefacti fit mentio.7º.de cõp me.ſe.lo. 5ª.182.B
Ami theriacam ingreditur.de ther.ad Piſõ. 5ª.92.G
AMINAEAE *uites.6º.de comp.med.ſec.lo. 5ª.171.E*
Aminææ uuæ auſteræ.6º.de comp.me.ſec.loc. 5ª.169.B
Aminæum muſtum.7º.de comp.med.per gen. 5ª.272.G
Aminæa oĩa uina q̃ in Italia naſcunt̃ qualia ſint.5º.de ſan.tuẽ. 2ª.90.H
Aminæũ Neapolitanũ differt à ſiculo,et à Bithyno.1º.de nat. 5ª.100.H
Aminæũ uinũ Siculi in magnis fictilibus reponũt.11º.meth.me.7ª.76.G
Aminęum à Bithynia quale ſit.5º.de ſan.tuen. 2ª.91.B
Aminæum uinum Bithynum cuiuſmodi fuerit generis, haud facile cognoſcitur.de bo.& uitio ſuc. 2ª.38.F
Aminęi uini meminit.2º.de antid.116.F/118.F/ 1º.de comp.med.ſec.loc. 124.H/3º.148.C/4º.153.E/6º. 5ª.171.E
AMINTAE *thorax.de faſcijs. 7ª.301.H*
Amintæ uallum.de faſcijs. 7ª.299.A
Amintæ uallũ ad naſum in alterã partẽ declinatum.de faſc. 7ª.299.D
AMISSIO *actionis,defectus, & priuatio in omnium ſymptomatum genere.3º.de ſymp.cau. 3ª.25.A*
ANITHAONIS *malagma.7º.de comp.med.ꝑgen. 5ª.266.G*
Α᾿μματα *quid Græci appellant.2º.de ſan.tuen. 2ª.77.D*

AMMONIACVM *quid,& eius uires.de ſimp.med.* Sp.79.H
Ammoniacũ pingue,eſt quod eſt recẽs.2°.de arte cur.ad Glau. 7ª.104.B
Ammoniacũ optimũ,odore ſubſimile eſt caſtorio.de ſimp.me. Sp.79.H
Ammoniacũ quale ſit.10°.de cõp.me.ſe.loc.5ª.207.D/de ocu.7ª.188.H
Ammoniacum oculis conuenit.de ocul. 7ª.188.G
Ammoniacum eſt oculorum cenoticum.de cathart. Sp.85.B
Ammoniacũ emollit.5°.de ſim.me.fa.34.F.6°.42.H/2°.de cõpo.med. per gen.222.C/6°.5ª.258.A/2°.de arte cur.ad Glau. 7ª.104.B
Ammoniacum mollit,& in quo gradu ſit.de ocul. 7ª.188.D
Ammoniacum inter emollientia principatum obtinet.6°.de compoſitione med.per gen. 5ª.258.B
Ammoniacum thymiama,& bdellium molliendo digerunt.14°.meth. medendi. 7ª.87.H
Ammoniacũ idẽ poteſt quod & propolis.7°.de cõp.me.p ge.5ª.264.C
Ammoniacum articulorum tophos diſſoluit,lienes iduratos ſanat,chœradas per habitum digerit.6°.de ſimp.med.fac. 5ª.42.H
Ammoniacum dolorem iunƈturarum ex humore craſſo curat.de medi. exper. Sp.104.C
Ammoniacum quo modo confert ſcirrhis.14°.meth.med. 7ª.88.C
Ammoniacum thymiama ſcirrhum in hepate ſanat.2°.de arte cur.ad Glauconem. 7ª.104.E
Ammoniacum cum aceto lieni duro confert.14°.meth.med. 7ª.88.C
Ammoniaci drachmæ tres ſplenitico dantur.de med.exper. Sp.106.D
Ammoniacum concoquit.intro. Iſa.58.B
Ammoniacum aquam educit.de dynam. Sp.22.B
Ammoniaci doſis,& quæ illi miſcenda.de dynam. Sp.22.B
Ammoniaci guttã quo pararet Galenus.4°.de cõp.me.p.gen.5ª.241.F
Ammoniaci gutta liquat aqua,aceto,et uino.3°.de cõ.me.p g.5ª.233.F
Ammoniacæ guttæ purgatæ fit mentio.7°.de cõp.me.per gen.5ª.271.E
ex *Ammoniaci gutta & oleo ricino medicamentum.6°.de compoſitione med.per gen.* 5ª.258.A
Ammoniaci gutta ulceribus nõ cõuenit.4°.de cõp.me.p gen.5ª.236.H
Ammoniaci gutta ulceris ora indurata emollit.2°.de compoſitione medica.per gen. 5ª.220.B
Ammoniacum ſal quale ſit.de ocul. 7ª.188.H
Ammoniacum ſal oculis conuenit.de ocul. 7ª.188.G
Ammoniacum ſal ualet ad ungulas,ſcabies palpebrarum,pruritus, et craſſas puſtulas.de ocul. 7ª.189.C
AMNIOS *membrana quænam ſit.de diff.uul.109.D/6°.de decre. Hipp.264.H/de fœtuum form.* 1ª.322.F
AMOMVM *quid,& eius uires.de ſimp.med.* Sp.80.H
Amomũ flores habẽs origano ſimiles,reprobat.de ſimp.me. Sp.80.H
Amomum quale.4°.de comp.me.ſec.loc.151.G/6°.170.G/7°.5ª.179.D
Amomi racemi fit mentio.6°.de comp.med.ſec.loc.170.H/9°.200.B/ 7°.de comp.med.per.gen. 5ª.272.H
Amomi ſcythici fit mentio.8°.de comp.med.ſec.loc. 5ª.196.H
Amomum inter aromata numeratur.7°.meth.med. 7ª.44.A
Amomus eſt aroma calidum.com.5°.apho.18°. Ex.40.C
Amomum odoratas reddit compoſitiones.1°.de cõp.med.ſe.lo.5ª.128.C
Amomum medicamentum odoratum.9°.de cõp.med.ſec.loc.5ª.201.G
Amomum ingreditur theriacam.de ther.ad Piſo. 5ª.92.F
Amomum adſtriƈtionis particeps eſt.3°.de comp.med.per ge.5ª.234.F
Amomum maturatiuum eſt.de ocul. 7ª.189.C
Amomum fortiter reſiccat.7°.de comp.med.ſec.loc. 5ª.178.G
Amomum ualde concoquit.6°.de ſimp.med.fac. 5ª.42.H
Amomum diſcutit generoſe.6°.de comp.med.ſec.loc. 5ª.169.D
Amomum urinas prouocat.5°.de ſimp.med.fac. 5ª.38.A
Amomum menſes prouocat.5°.de ſimp.med.fac. 5ª.38.A
Amomum pro oris putore.in 6ᵐ.de mor.uul.com.4°. 3ª.182.A
de AMOMIDE *herba fit mentio.de ſimp.med.* Sp.80.H
AMORONIS *Regis medicamen.de med.exper.* Sp.108.C
AMOR *à poetis amaror dulcis,id eſt γλυκύπικρον,appellatur.3°.de ſimp.med.fac.* 5ª.21.A
Amoris Deus deſcribitur.in progn.com.1°. 4ª.190.E
Amor quid.4°.de decr.Hippo. 1ª.248.E
Amoris affeƈtus non eſt diuinus morbus.in progn.com.1°. 4ª.190.D
Amore nimio cuiuſq; rei detineri,eſt animi affeƈtus.de cognoſc. curandisq; animi morbis. 2ª.50.H
Amor ad quam partem animæ ſpeƈtet.4°.de decr.Hipp. 1ª.252.G
Amoris receptaculum eſt ſanguis terreſtris plurimum calidus.de utilitate reſpirationis. Sp.64.F
Amor quo modo magis infeſtet.4°.de decre.Hipp. 1ª.252.E
Amore laborare quẽdã quo depͤhẽdit Gal.de pcog.ad Poſt.4ª.216.F/G
Amoris pulſus nullus proprius.in progn.com.1°. 4ª.192.B
Amor facit nos cæcos in cognoſcendis erroribus.de cognoſc.cura.animi mor.2ª.53.G/in 6ᵐ.de morb.uulg.com.4°. 3ª.183.B
Amor detrimentũ tam amãti.quàm amato.9°.de decr.Hipp. 1ª.280.B
Amor Medeæ & Iaſonis,qualis.3°.de decr.Hip. 1ª.244.A
AMORGE *.i.amurca.6°.de ſimp.med.f.5ª.42.E/c.7°.ap.45°.* Ex.57.F
AMPELINI *panniculi fit mentio.1°.de comp.med.ſe.loc.5ª.123.E*
AMPELITIS *terra quid,& eius uires.de ſimp.med.* Sp.85.A
Ampelites terra unde diƈta.9°.de ſimp.med.fac. 5ª.66.E
Ampelites terra qualis.5°.de comp.med.per gen. 5ª.246.C
Ampelitis terræ nigræ fit mentio.2°.de antid.119.G/2°.de compoſitione med.per genera. 5ª.221.E
Ampelitis terra capillos inficit,& in calliblephara mittitur.de ſimpli. medicaminibus. Sp.85.A
Ampeloprasi,& porri differentia.2°.de alim.fac. 2ª.25.E
Ampeloprasum eſt ſiccius & acrius porro.6°.de ſimp.me.fa. 5ª.42.E
Ampeloprasum ſtomacho nocentius porro.6°.de ſimp.me.fa. 5ª.42.E
Ampeloprasum hẽt radicẽ caule,et folijs acriorẽ.2°.de ali.fa. 2ª.24.D
Ampeloprasum habet acritudinem.2°.de alim.fa. 2ª.25.E
Ampeloprasum quo modo deponat acritudinem.2°.de ali.fa. 2ª.25.E
Ampeloprasum quo modo paretur.2°.de alim.fa. 2ª.23.A
Ampeloprasum inter obſonia connumeratur.2°.de ali.fa. 2ª.23.F
Ampeloprasa aceto condiuntur.2°.de alim.fa. 2ª.25.E
Ampeloprasum parum alit.2°.de alim.fac. 2°.25.E
Ampeloprasum & allium calefaciunt corpus.2°.de alim.fa. 2ª.25.E
Ampeloprasum & allium craſſos humores tenuant,et lentos incidunt. 2°.de alim.fa. 2ª.25.E
Ampeloprasum craſſos & lentos humores protinus incidit,infarƈta organa obſtruƈtione liberat,et urinas puocat.6°.de ſim.me.f.5ª.42.E
Ampeloprasum exulcerat illitum.6°.de ſimp.med.fa. 5ª.42.E
AMPELOS *agria eſt uitis agreſtis.6°.de ſimp.med.fa.* 5ª.42.F
Ampelos hemeros eſt uitis ſatiua,et culta.6°.de ſimp.med.fa. 5ª.42.F
Ampelos leuce uitis alba.6°.de ſimp.med.fa. 5ª.42.F
Ampelos melæna eſt uitis nigra.6°.de ſimp.med.fa. 5ª.42.G
Ἀμφιβληςροειδὴς tunica quæ appelletur.7°.de decr.Hip. 1ª.270.H
Ἀμφιβληςροειδὴς tunica,pars & particula animalis,non inſtrumentum uocatur.1°.meth.med. 7ª.6.D
AMPHIBOLOGIA *quid.4°.de dign.pulſ.* 4ª.85.H
AMPHIMERINA, *non cathemerina dicẽda eſt febris quotidiana.2°. de differentijs febrium.* 3ª.38.B
Amphimerinæ quæ febres uocentur.in 1ᵐ.de mor.uul.cõ.3°. 3ª.118.D
Amphimerinę,id eſt quotidianę febris circuitus.1°.de diff.feb.3ª.33.A
Amphimerina febris natura longa.1°.de criſi. 4ª.132.C
Amphimerina adeſt cõceptis ĩ hora phlegmatis.de ſpermate. Sp.37.C
AMPHIONIS *medicamentum.4°.de compo.med.per gen.5ª.243.A*
AMPHISBAENAE *morſibus confert centaurea.de uir.cent.* Sp.93.H
cõtra Amphisbænas theriaca ualet.de theri.ad Piſo. 5ª.91.F
AMPHISMELA *nomen inſtrumenti.6°.de ana.admi.92.H/* 1ª.93.D
AMPHORA *menſuræ nomen.de ponderibus & menſuris.275.F/276. F/H/* 5ª.277.B
Amphora ferucntis aquæ in heminam frigidæ inieƈta,& econtra, quid eueniat.3°.de ſympt.cau. 3ª.26.F
Amphoræ Romanæ fit mentio.9°.de ſimp.med.fa. 5ª.71.D
AMPLIATIONIS *duplex differentia.de diff.mor.* 3ª.3.C
ad Ampliationẽ epiglottidis quid ſequatur.de uoce,et anhel. Sp.60.H
Ampliſſima uocis inſtrumẽta uocẽ deſtruunt.de uo,et anhel. Sp.62.A
AMPVLLAE *quæ.1°.de ſimp.med.fa.* 5ª.8.D
AMPVTANDA *quæ.14°.meth.med.* 7ª.91.C
AMVLETA *quæ dicantur.de remed.par.fa.* 7ª.154.A
Amuleta pro capitis dolore.2°.de comp.med.ſec.loc. 5ª.138.B
Amuletum eſt quod ad aquarum formidinem admirabile proponitur. 2°.de antido. 5ª.120.G
AMVRCAE *uires.de ſimp.med.* Sp.80.F
Amurca olei craſſum uocatur.1°.de ſimp.med.fa.5.D/2°.5ª.13.F/commen.7°.aph.45°. Ex.57.C
Amurca cõtrahit ut reſina,pix ſicca,et bitumẽ.6°.de ſi.me.f.5ª.42.E
Amurca ulcera corporum temperatura ſiccorum curat.6°.de ſimplicium med.fa. 5ª.42.E
Amurcæ ſimile quid in abſceſſibus quandoq; uidetur.2°.de arte cura. ad Glauconem. 7ª.105.B
AMYDA *dicitur teſtudo paluſtris.2°.de compoſitione medi.ſecundum*

locos.5ª.138.D/de rem.par.fac. 7ª.154.B
AMYGDALAE, genere fœminino, & Amygdala genere neutro dici poteſt.2°.de alim.fa. 2ª.21.C
Amygdala quid,& eius uires.de ſimp.med. Sp.80.G
Amygdalas quo probabat pater Galeni.de bo.& uitio ſuc. 2ª.36.G
Amygdalæ quales.8°.de comp.med.ſec.loc. 5ª.195.E
Amygdalę ſũt cibi dulces ſapidi,ſubtiles abſtergẽtes.de diſ.c. Sp.72.E
cũ Amygdalis caricæ ſunt præſtantiores.de bo.& uitio ſuc. 2ª.37.F
Amygdalæ parum nutriunt,& cur.de diſſ.cont. Sp.73.F
Amygdalæ non ſubducunt,& parum nutriunt.2°.de alim.fa. 2ª.21.B
Amygdalæ cur ab aliquibus potius darẽtur ſenibus,quam cucumeres maturi,& cucurbitæ,& pruna,& mora.5°.de ſan.tuen. 5ª.92.C
Amygdalæ tenuant,& detergunt.2°.de alim.fa. 2ª.21.B
Amygdalę dulces habẽt aliquã amaritudinẽ.6°.de ſimp.me.f. 5ª.42.G
Amygdalæ dulces mundificant.de ocul. 7ª.188.E
Amygdalæ humores è pulmonibus ac thorace expectorant.2°. de alimentorum fac. 2ª.21.B
Amygdalæ purgant pulmonem,& thoracem.de cathar. Sp.95.B
Amygdalæ purgant uiſcera.2°.de alim.fac. 2ª.21.B
Amygdalæ nihil adſtringunt.2°.de alim.fac. 2ª.21.B
Amygdalæ recẽtes tritę ꝓ purulẽtis.d̃ uic.ra.ĩ mor.acu.c.4°. 7ª.152.G
Amygdalæ quædam amaræ.4°.de ſimp.med.fac. 5ª.26.E
Amygdalæ amaræ inter nuces numerant̃.3°.de cõp.me.ꝑ gen.5ª.228.F
Amygdalæ amaræ,quales.2°.de comp.med.ſec.loc. 5ª.136.F
Amygdalarum excorticatarum meminit.7°.de compoſitione med.ſec. loc.179.H/9°.197.H/10°. 5ª.206.B
Amygdalæ amaræ & dulces quid agant.5°.de ſimp.med.fa. 5ª.35.B
Amygdalæ amaræ nõ ĩprobãdæ ĩ uictu attenuãte.d̃ at.ui.ra. 2ª.45.H
Amygdalæ amaræ pharmacorum fortium uim exoluunt.1°.de compoſitione med.ſec.loc. 5ª.122.F
Amygdalæ amaræ in auricularia medicamenta miſcentur. 3°. de compoſitione med.ſec.loc. 5ª.141.B
Amygdalæ amaræ quo loco reponantur inter calida quæ ualent alopecijs.1°.de comp.med.ſec.loc. 5ª.122.D
Amygdalæ amaræ ꝙ extenuẽt expiẽtia ꝓbat.6°.de ſimp.me.f.5ª.42.G
Amygdalæ amaræ ſuccos craſſos,& lẽtos incidũt.2°.de ali.fa. 2ª.21.B
Amygdalæ amaræ ſuccos craſſos & lentos ex thoracæ & pulmone educunt.2°.de alim.fac. 2ª.21.B
Amygdalæ amaræ aperitiuæ.de ocul. 7ª.188.E
Amygdalæ amaræ expurgãt ephelin,& excretionibus ex pectore pulmoneq; impendio conferunt,& in iecore craſſorũ uiſcoſorũq; humorum in extremis uaſis impactorum obſtructiones abunde expurgãt, expediuntq;,quin & laterum dolores ab huiuſmodi cauſa natos & lienis & colli & renum ſanant.6°.de ſimp.med.fa. 5ª.42.G
Amygdalæ proprie amaræ mundificant,& tenuant,& aperiunt oppilationes hepatis & ſplenis,& adiuuant ad ſpuendum humiditatem ex pectore & pulmone.de diſſ.cont. Sp.74.G
cũ Amygdalis amaris & melle butyrum ualet pro educendo ſputo. 10°.de ſimp.med.fac. 5ª.74.D
Amygdalæ amaræ coctæ in ptiſſana optime expurgant in icteris de cura icteri. Sp.111.B
ex Amygdalis amaris, aniſo, & abſinthij coma compoſitum ad iecoris dolores.6°.de ſani.tuen. 2ª.96.B
Amygdalæ amarę frangũt lapidem renũ,& ueſicę.de cathar. Sp.95.D
Amygdalæ amaræ purgant ueſicam.de cathart. Sp.95.D
ex Amygdalis ſorbitionem facit.7°.de comp.med.ſec.loc. 5ª.177.H
Amygdalus habet eandem uim cum fructu.6°.de ſimp.me.fa.5ª.42.G
Amygdalæ oleoſæ ſunt & pinguis qualitatis.2°.de alim.fa. 2ª.21.B
Amygdalæ tardius quàm nuces fiunt oleoſæ.2°.de alim.fa. 2ª.21.B
ex Amygdala fit oleum.4°.de ſimp.med.fac. 5ª.26.G
Amygdalinum oleum quale.6°.de ſimp.med.fac. 5ª.46.H
Amygdalinum oleum.6°.de ſimp.med.fac. 5ª.46.H
Amygdalæ oculis conueniunt.de ocul. 7ª.188.G
Amygdalinum oleum eſt oculorum cenoticum.de cathar. Sp.95.B
Amygdalinum oleum purgat aures.de cathar. Sp.95.B
Amygdalinum oleum in auricularia medicamenta miſcetur.3°. de compoſitione med.ſec.lo. 5ª.141.B
Amygdalinũ oleum frangit lapidẽ renũ, & ueſicæ.de cathar. Sp.95.B
Amygdalæ duæ organa locutionis.de anat.uiu. Sp.49.B
Amygdalę duæ ſunt quaſi duę auriculę ãn os gulæ.de ana.uiu. Sp.49.F
AMYLVM quid ſit,& ad quæ ualeat.de ſimp.med. Sp.80.A
Amylum quo modo fiat.de dynam. Sp.22.E
Amylum ex tritico fit.1°.de alim.fac. 2ª.11.C
Amylũ ex tritico,eo frigidius eſt & ſiccius.8°.de ſimp.me.fa.5ª.59.D
Amylum quale ſit.4°.de comp.med.ſec.loc. 5ª.149.F
Amylum habet ſimilem facultatem panibus lotis.1°.de alim.f. 2ª.11.C
Amylum eſt cibus craſſus.3°.de alim.fac. 2ª.28.B
Amylũ cũ lacte decoctũ craſſum ſuccũ præſtat.de bo.& ui.ſuc.2ª.35.D
Amylum non mali ſucci,ſed craſſioris.de boni.& uitio ſucco. 2ª.35.F/ in 6ᵐ.de morb.uulg.com.3°. 3ª.175.C
Amylum cur ſit pauci nutrimenti.de diſſ.cont. Sp.73.G
Amylo elixata multum nutriunt.de ue.ſec.ad Eraſi. 6ª.14.D
Amylum neq; calefacit,neq; refrigerat.1°.de alim.fac. 2ª.11.C
Amylum nihil detergit.1°.de alim.fac. 2ª.13.H
Amylum lotum quale ſit.4°.de comp.med.ſec.loc. 5ª.150.A
Amylum elotum emplaſticum eſt.4°.de ſimp.med.fac. 5ª.25.D
Amylũ adſtringẽtibus aduerſat̃,et eſt emplaſticũ.1°.de ſim. m.f.5ª.8.B
Amylum ſecundum Herodotum adſtringit.1°.de ſimp.med.fac. 5ª.7.H
Amylum quidam addunt ptiſſanæ.de ptiſſ. 2ª.47.D
Amylũ miſcet̃ collyrijs ad lachrymã faciẽtibus.de ſim.me.f.Sp.80.A
ex Amylo,ceruſſa lota,& papauere fiunt quædam collyria in oculorum doloribus.com.6°.aph.31°. Ex.49.E
Amylum partes exaſperatas mollit,& læuigat.1°.de ali.fac. 2ª.11.C
Amylum leuiſſimum in arteriæ inflammationum principijs.7°.de compoſitione med.ſec.loc. 5ª.177.H
Amylum profluuio uentris prodeſt.de ſimp.med. Sp.80.A
ꝓ Amylo ſiligo.7°.de comp.med.ſec.loc. 5ª.177.H
AMYTHAONIS malagma.de comp.med.per gen. 5ª.265.B
AN EST primo quærendum,deinde quid eſt,ſm Ariſtotelem.in 6ᵐ.de mor.uul.com.1°. 3ª.153.F
Ἀνάβασις,& ἐπίδοσις,& αὔξησις ſignificant augmentum, uel incrementum.de morb.temp. 3ª.85.F
Anabatica & acmaſtica febris,id eſt aſſurgens,atq; inualeſcẽs,eſt ſecũda ſynochæ ſpecies.2°.de diff.feb. 3ª.36.F
ANABROSIS uel diabroſis uenæ eroſionem ſignificat.5°.de locis aff. 4ª.32.D/4°.meth.med. 7ª.23.B
Ἀναβροχισμὸς ſignificat pilorum in palpebris manualem operationem.de uict.rat.in morb.acut.com.4°. 7ª.152.H
Anacardinum pallidis ualde facit.de dyna. Sp.25.H
Anachardinum Theodoricum ictericis medetur.de dyna. Sp.26.F
ANACOLLEMATA uocant medici medicamenta,quæ fronti,dũ oculi fluxione laborant,imponuntur.11°.de ſimplicium med.fa.81.F/6°. de comp.med.per gen.5ª.258.D/de reme.par.fac. 7ª.156.F
Ἀναδενδρομαλάχη quæ ſit.14°.meth.med. 7ª.88.C
Ἀνάδοσις,id eſt diſtributio,quid.in Tim.Plat. 1ª.289.E
ANAGALLIS quid,& eius uires.de ſimp.med. Sp.80.G
Anagallidis habentis florem cæruleum meminit.4°.de comp.me.ſe.lo. 155.B/9°.199.G/4°.de cõp.me.ꝑ ge.244.A/6°.255.B/ 5ª.257.A
Anagallidis cæruleum florem habentis ſuccus mitigat & lenit fortia medicamenta.2°.de comp.med.ſec.loc. 5ª.139.G
Anagallis extergit,& trahit infixa corpi.6°.de ſimp.med.fa. 5ª.42.H
Anagallis exiccat ſine mordicatione.6°.de ſimp.med.fac. 5ª.42.H
Anagallides uulnera agglutinant, & putrida adiuuant. 6°. de ſimplicium med.fac. 5ª.42.H
Anagallis ad abolẽdum colorem è facie icterici.de cura icteri.Sp.111.F
Anagallidum ſuccus cum melle attico ad oculorum facit claritatem.de ſimplic.medic. Sp.80.G
Anagallidum ſuccus ex naribus purgat.6°.de ſimp.med.fac. 5ª.42.H
Anagallidis radiculæ uiribus ſtringentes.de ſimp.med. Sp.80.G
ANAGYRVS digerit & calfacit.6°.de ſimp.med.fac. 5ª.42.H
Anagyri folia tumentia reprimunt.6°.de ſimp.med.fac. 5ª.42.H
Anagyri ſemen uomitum prouocat.6°.de ſimp.med.fac. 5ª.42.H
ANALEPTICE, id eſt renutritoria,uictus ratio q̃ ſit medicinæ pars. de cõſt.art.Iſa.42.F/5°.de ſan.tuen.90.E/ad Thraſybulum. 2ª.106. E/7°.meth.med. 7ª.45.H
Analeptice parua minus caſtigat,quã ſalubris medicinę pars. ad Thraſybulum. 2ª.106.F
Ἄναλον,id eſt oleum expers ſalis.2°.de ſimp.med.fac. 5ª.12.B
Analogiſmus.de opt.ſecta.21.F/H/de ſubfigu.empir.Iſa.32.G/de mul. 3ª.76.E/in progn.com.1°. 4ª.191.B
Analogiſmi uſus,qui.de opt.ſecta. Iſa.21.F
ANALOGISTICAM & epilogiſticam cauſam reddere quid ſit,collige.de uict.rat.in morb.acut.com.4°. 7ª.140.D
in ANALYTICORVM ſecundorum librum ſecundum commentaria

ſcripſit Galenus.4º.de diff.pulſ. 4ª.65.A
Analyticorum libros priorum ſcilicet et poſteriorum unum librum eſſe & diſtingui in duas partes.4º.de diff.pulſ.65.A| 4ª.69.H
ANAPLEROTICA medicamenta ſunt quæ cicatrices craſſant, quæ alta uulnera complent,& limpidant.de dyna. Sp.18.H
Anapleroticis,& lenibus rebus curantur uulnera alta,caua,& limpida.de dynamid. Sp.19.A
Ἀναφωνήσεις uociferationes phonaſci appellãt.5º.de ſan.tu. 2ª.93.A
ANARRHOPHEMA quid græci uocent.de natura & ordine uniuſcuiuſq; corporis. Sp.41.H
ANASARCA eſt nomen quo recentiores utuntur. de uict. rat. in mor. acut.commen.4º. 7ª.148.G
Anaſarca,ſpecies hydropis.fin.med. Iſa.47.F
Anaſarca,hepiala,& febres,præter hæcticã, ſunt intemperies inæquales per totum corpus.1º.de inæq.intemp. 3ª.43.B
Anaſarcæ cauſæ non ſunt atrophiæ,& tabes.1º.de nat.fac. 1ª.292.F
Anaſarca docet differentiam adiunctionis,& agglutinationis.1º.de natu.fac. 1ª.292.F
in Anaſarca eſt ſanguis pituitoſus p totũ corpus.5º.de loc.aff.4ª.33.H
in Anaſarca qualis caro.3º.de ſymp.cau. 3ª.26.G
Anaſarca quo modo fiat.1º.de nat.fac. 1ª.292.F
Anaſarcæ pulſus,qualis.4º.de cau.pulſ. 4ª.103.E
in Anaſarca qui pulſus.2º.de præſag.ex pul. 4ª.112.H
Anaſarca et leucophlegmatia lethargo cõparat̃.3º.de ſym.ca. 3ª.29.D
Anaſarcam patientibus phlegmagoga danda.de dyna. Sp.21.D
Anaſarcas adiuuat theriaca.de ther.ad Piſo. 5ª.96.D
Anaſarca laborantibus prodeſt erinacei terreſtris deſiccata caro.11º. de ſimp.med.fac. 5ª.78.F
Anaſarca quo modo finiat.3º.de ſymp.cau. 3ª.25.C
Anaſtomoſis membranarum oculi affectus.intro. Iſa.58.D
Ἀναςόμωσις,id eſt apertio oris uaſorum. 6º. de uſu par. 1ª. 151. H| 4º. meth.med.23.B|5º. 7ª.30.A
Anaſtomoſis quo modo fiat.5º.met.med. 7ª.30.B
Anaſtomaticæ,id eſt aperientes medicamentorum facultates.5º. de ſimplicium med.fac. 5ª.35.E
Anaſtomoticũ medicamẽ oẽ eſſentiæ quidem terreæ ſimul & igneæ eſt, hactenus tñ excalfaciẽs ut nondũ urat.5º.de ſimp.med.fac.5ª.36.A
Ἀνασερέφειν quid ſignificet.2º.de ſimp.med.fac. 5ª.10.B
ANATASIS quid.fi.med. Iſa.50.D
Ἀνάτριψις,id eſt refrictio.de ijs,quæ in med.fi.com.3º. 7ª.218.E
Ἀνάτριψιν,aut τρίψιν dicas nihil refert.2º.de ſan.tuen. 2ª.70.D
Ἀνατρίψεως nomẽ ueteribus uſitatius eſt,quàm τρίψεως.2º.de ſanitate tuenda. 2ª.70.D
ANATES habent oſſium conſiſtentiam laxam,cauam,& leuem.11º.de uſu partium. 1ª.191.E
Anatis caro quibus ſit durior.3º.de alim.fac. 2ª.29.C
Anatis ſanguis aduerſatur omnibus uenenoſis & mortiferis. de medi. fac.par. 7ª.169.F
Anates conueniunt ſtomachicis.8º.de cõ.med.ſec.loc. 5ª.192.C
de Anatis ouis exemplum.1º.de uſu par. 1ª.113.F
ANATOME proprie in partibus intrinſecis.intro. Iſa.53.F
Anatomes vocabulum per abuſum ſignificat exteriores etiam corporis partes,quæ non inciduntur.intro. Iſa.53.F
Anatome quid.fin.med.Iſa.43.G|de anat.par. Sp.42.G
Anatome propter quid inuenta.de anat.par. Sp.42.G
Anatomes præſtantia.3º.de loc.affe. 4ª.20.H
Anatomen quanti faciat Galenus.an ſang.in art.nat.conti. 1ª.62.H
Anatomes contemplationem libris medicinalibus, in quibus aut affectuum dignotiones,aut præſagia,aut curationem deſcripſeris,immiſcere cur fuerit potius.2º.de anat.admi. 1ª.68.G
Anatome quid faciat ad rem medicam.1º.de loc.affec. 4ª.7.C
Anatome cui ſit vtilis.de decre.Hip. 1ª.239.A
Anatome chirurgiæ proficua eſt.1º.de ana.admini. 1ª.64.C
Anatome quo modo diuerſis artificibus vario modo ſubſeruiat. 2º. de anato.admi. 1ª.69.A
Anatomen ſcire oportet.de ſectis.19.A|Iſa.18.F|9º.de decr.Hip.281. F|de fœt.for.322.C|1ª.325.A|1º.de loc.affect.7.F|3º.20.H|21.C|4º. 23.H|25.C|6º.4ª.40.D|5º.methodi med.33.D|6º.39.A|13º.82.G| 85.D|2º.de arte cur.ad Glauc. 7ª.101.D
Anatomes vtiliſſima pars eſt quæ verſatur circa muſculos,neruos,arterias,& uenas,non cordis,aut alicuius uiſceris,uerũ quæ in cruribꝰ manibuſq́;,ac thoracis exteriore regione iuxta ſpinã,aut pectus,aut coſtas,aut ſcapulas,aut abdomen,aut collum,aut caput ſunt conſpicuæ.2º.de anat.admi. 1ª.69.B
Anatome quid præſtet.7º.de dec.Hippoc.270. A|1º.de ſemi.1ª.335.C| 1º.de loc.aff. 4ª.2.C
Anatome multa docet.7º.de decr.Hippo. 1ª.269.F
Anatome docet unde anima habeat principatum.de decr.Hip.1ª.235.B
Anatomia oſtẽdit principẽ animam nõ eſſe in corde.1º.de lo.aff. 4ª.3.G
Anatomiſtæ mirantur artem naturæ.9º.de decre.Hip. 1ª.284.G
ex Anatome cognoſci debet quę ſit cuiuſq; partis eſſentia,deinde actio, & ſocietas quam cum proximis habet.1º.de loc.aff. 4ª.3.E
ex Anatomes contemptu quid ſequatur.6º.de uſu par. 1ª.152.H
Anatomes imperiti in ſexcentos incidunt errores.3º.de anatomi.adminiſt.73.D|F|4º. 1ª.79.G
Anatomen ignorantium comparatio ad iter agentes.3º. de compoſitione med.per gen. 5ª.232.A
in Anatome olim a pueritia exercebantur.2º.de ana.admi. 1ª.68.E
Anatome incubuerunt antiqui philoſophi,& medici.2º. de anatomicis adminiſtrationibus. 1ª.68.E
Anatomes ſcriptores antiqui.de nat.hum.com.2º. 7ª.183.E
Anatome amiſſa a quibus reſtaurata fuerit.8º.de decr.Hip. 1ª.273.C
Anatomes ſcriptores noui.de nat.hum.com.2º. 7ª.183.E
Anatomicos aggreſſus Marinus ſcripſit.2º.de ana.admi. 1ª.68.H
Anatomiſtæ Martiani meminit.de præcogn.ad Poſthu. 4ª.215.B
Anatomen ſcripſit Galenus tempore Antonini.1º.de ana.admi.1ª.63.B
de Anatome qui nihil ſcripſerunt,antiquos non uituperat Galenus.2º. de anat.admi. 1ª.68.E
in Anatome Galenus nõ fuit primus,qui diſcordiã fecerit,ſed antiqui. 1º.de anat.admi. 1ª.64.H
Anatomẽ nemo añ Galenũ diligẽter ꝑtractauit.2º.de uſu par. 1ª.121.F
in Anatomicis quæ egit Galenus ab aliis non dicta.3º.de compoſitione medic.per ge. 5ª.232.A
Anatomen quãto amore proſequebatur Flauius Boethus.1º.de anatomi.adminiſtrationibus. 1ª.63.B
Anatomen diſcendi ordo.1º.de anat.admi. 1ª.68.B
Anatomes librorum ordo.4º.de anat.admi. 1ª.79.H
Anatomes librorum ordinis ratio.4º.de anat.admi. 1ª.79.F
Anatomicos commentarios ſeorſum cur ſcripſerit Galenus.2º.de anatomicis adminiſtrationibus. 1ª.68.G
Anatomicis libris non eſt credendum,ſed oculis ſpectandum. 2º.de uſu partium. 1ª.121.F
Anatome ſpectanda eſt.1º.de anat.admi. 1ª.64.A
Anatomico quid agendum priuſquam ſpectator accedat. 3º. de ana.adminiſtrationibus. 1ª.74.C
Anatome fortuita,quæ ſit.3º.de com.med.per gen. 5ª.232.A
Anatomen artuum in ægris uidebant empirici quando erant detecti.1º. de anat.admini. 1ª.64.A
Anatomen ex partium motu quidam cognoſcere ſtudebant.1º.de anat. adminiſtrationibus. 1ª.64.B
Anatomen hominum fieri prohibet humanitas.de natura,et ordine uniuſcuiuſq; corp. Sp.41.G
Anatomen hominis docet Galenus.6º.de uſu par. 1ª.150.H
Anatomen in brutis facit Galenus.2º.de ſemi. 1ª.336.A
pro Anatome brutorum,animal debet eſſe antiquius.de motibus manifeſtis & obſ. Sp.70.E
pro Anatome ſumenda ſunt animalia quæ habent quinq; digitos.6º.de anato.adminiſtrationibus. 1ª.89.F
Anatomizanda animalia in aqua ſuffocabat,& laqueo ſuſpendebat Galenus.8º.de anato.admi. 1ª.103.D
in Anatomica exercitatione animalium ordo.6º.de ana.admi. 1ª.90.F
Anatomen fecit ſimiarum,& aliorum animalium Galenus. 5º.de locis affectis. 4ª.33.E
pro Anatome ſimia eligenda eſt.de muſ.diſſ.46. F|1º. de anato.adminiſtrationibus 63.G|H|5º. 1ª.87.B
pro Anatome laudat ſimias cynocephalas.de mot.ma.et obſ.Sp.70.E
ꝓ Anatome ſimia ſumẽda q̃ homini ſimillima ſit.6º. de ana.ad.1ª.89.D
Anatomen hominum ex ſimijs diſces.3º.de comp.med.per gen.5ª.231.F
pro Anatome cur ſuffocabat ſimias in aqua Galenus.1º.de anatomicis adminiſtrationibus. 1ª.64.G
Anatome ſimiarum ĩ quibus muſculis fecerit errare.de motibus man. & obſcuris. Sp.70.E
Anatomizandus ſus quo modo debet ſituari.de anat.par. Sp.42.G
ad Anatomen magis neceſſaria extrinſeca quàm intrinſeca.4º. de ana

tomic.adminiſtrationibus. 1ª.79.F
Anatomica inſtrumenta.9°.de anat.admi. 1ª.104.A
Anatomicus in quo debeat eſſe diligens.16°.de uſu par. 1ª.220.D
Anatomici induſtrij etiam errant.2°.de ana.admi. 1ª.69.C
in Anatome iuuenes,q̃ debẽt omittere,& q̃ ſeq.2°.de ana.ad.1ª.69.D
Anatome oſſium primo ſpectanda in homine aut ſimia, & non ſolum ex libro legenda.1°.de ana.admi.63.E| 1ª.64.B
Anatome oſſium auditoribus ante oculos ponebant Alexandrini medici.1°.de ana.adm. 1ª.63.F
Anatome muſculorum ſecundo uidenda.1°.de anat.admi. 1ª.64.B
in Anatome poſt muſculos diſcere primum licet quod uis,ſiue arterias, ſiue uenas,ſiue neruos.1°.de anat.admi. 1ª.64.B
Anatome uiſcerum,adipis,inteſtinorum,glandularum,quarto loco conſideranda eſt.1°.de ana.admi. 1ª.64.B
Anatome arteriarum.de anat.uiuo. Sp.47.E
Anatomicus nullus dedit nomen arteriæ uenoſæ.6°.de uſu par.1ª.153.G
de Anatome aurium.de anat.uiuo. Sp.48.G
de Anatome cerebri.de anat.par. Sp.43.D
de Anatome cordis.de anat.uiuo. Sp.52.F
de Anatome dentium.de anat.uiuo. Sp.49.D
de Anatome diaphragmatis.de anat.uiuo. Sp.53.F
de Auatome Gulæ.de anat.uiuo. Sp.49.F
de Anatome hepatis.de anat.uiuo. Sp.50.F
de Anatome inteſtinorum.de anat.uiuo. Sp.50.A
Anatome manus, & cruris propter quid a Galeno proponitur.2°.de anato.admi. 1ª.69.D
in Anatome que inuenerit Galenus in ſumma manu & pede.1°.de ana. adminiſtrationibus. 1ª.64.H
de Anatome matricis.de ana.par.43.B|de anat.uiuo. Sp.51.D
de Anatome membrorum conſimilium.de anat.uiuo. Sp.55.C
in Anatome muſculorum,& partium intrinſecarum, poſtea in uiſcerũ latentium functionibus medicus debet eſſe optime exercitatus.2°.de anat.adminiſt. 1ª.69.B
Anatomicis ignotus fuit muſculus qui ualde confert ad ſermonem, & maſticationem.11°.de uſu par. 1ª.190.H
Anatomici quos duos muſculos manus unum putarint.2°.de uſu partium. 1ª.121.F|G
ab Anatomicis muſculi quidam ſpinales prætermiſſi.5°.de anatomicis adminiſtrationibus. 1ª.89.B
Anatomicorum error ante Galenum in muſculo ulnæ, quem putarunt flectere digitos.2°.de uſu par. 1ª.121.E
de Anatome naſi.de anat.uiuo. Sp.48.H
Anatomen neruorum nullus ante Galenũ cognouit.1°.de loc.aff.4ª.7.E
de Anatome neruorum primi poſt Hippocratem ſcripſere Herophilus & Eudemus.3°.de loc.affect. 4ª.21.C
de Anatome neruorum a ſpinali medulla orientium.de an.uiu.Sp.53.B
de Anatome oculorum.de anato.uiu. Sp.48.C
de Anatome oris.de ana.uiu. Sp.49.B
de Anatome panniculorum fœtus.de anat.uiuo. Sp.52.C
de Anatome pulmonis.de anat.uiuo. Sp.53.A
de Anatome renum.de anat.uiuo. Sp.51.B
de Anatome ſtomachi.de anat.uiuo. Sp.49.G
Anatomici ignari de quatuor uenarum paribus a capite.6°.de decret. Hippocratis. 1ª.262.E
de Anatome uenæ concauæ.de anat.uiuo. Sp.54.D
Anatomia uenarum profundarum brachij.3°.de ana.admi. 1ª.77.D
de Anatome uenarum manus.de anat.uiuo. Sp.54.G
Anatome uentris inferioris quo modo incipienda & perficienda ſit.5°. de anat.admini. 1ª.87.F
de Anatome ueſicæ fellis,& ſplenis.de ana.uiuo. Sp.50.H
de Anatome ueſicæ.de anat.uiuo. Sp.51.C
de Anatome uirgæ genitalis.de anat.uiuo. Sp.52.E
de Anatome uuulæ.de anat.uiuo. Sp.49.E
Anatomicis quid difficile circa neruos laryngis uiſum fuerit.7°.de uſu partium. 1ª.162.C
Anatomici quid ignorarint.5°.de anato.adminiſt.86.D|7°.de uſu par. 161.A|D|162.B|9°.172.B|16°. 1ª.216.F
Anatomicorũ error ante Galenũ.2°.de uſu par.123.A|8°. 1ª.168.H
ANAXAGORAE opinio de alteratione.1°.de nat.fac. 1ª.291.A
Anaxagoras nunciata illi morte filij dixit,ſciebam me genuiſſe mortalem.4°.de decr.Hippo. 1ª.253.B
ANAXIONIS caſus.2°.de diff.reſp.66.D|in 6m.de morb.uul.com.3°. 3ª.150.B|1°.de criſi. 4ª.132.F
in Anaxionis caſu ſtatus qui fuerit,& quantus.1°.de criſi. 4ª.132.H
ANCHILOS quid.fin.med.48.F|G|intro. Iſa.58.D|H
ANCHORALIS ſpatulę proceſſus.de artic.com.1°. 7ª.251.F
ANCHVSAE quadruplex ſpecies.6°.de ſimp.med.fac. 5ª.41.C
Anchuſæ onocleæ qualitates.6°.de ſimp.med.fac. 5ª.41.C
Anchuſæ Alcibiadię uis.6°.de ſimp.med.fac. 5ª.41.D
Anchuſa ad quid ualeat.de cura icteri. Sp.111.B
Anchuſa colorat medicamenta.2°.de cõp.me.ſe.lo.139.D| 5ª.224.D
Anchuſa bilioſi & ſalſi humores abſterguntur,& abluuntur.6°.de ſimplicium med.fac. 5ª.41.C
ANCHYLE quid.fi.med.49.B|intro. Iſa.59.D
ad Anchylas Damocratis.6°.de com.med.per gen. 5ª.162.H
ANCI qui ſint.de artic.com.1°.259.G|3°.278.D| 7ª.28.E
ut ANCILLARVM amator gloriæ ſuccumbit medicus qui ſtudioſus eſt gloriæ.de iis,quæ in med.ſi.commen.2°. 7ª.205.D
in ANCIPITE caſu agendum eſt quod eſt minus noxium.11°. methodi medendi. 7ª.74.C
ANCON quid.intro. Iſa.53.B
Ancona uocãt Græci cubitum gibberũ.3°.de cõp.me.per gen. 5ª.231.E
in Ancone ſanguinis detractionibus quæ membra iuuentur.præſag.ex per.conſ. Sp.78.B
ANCYLE, id eſt poplites.intro. Iſa.53.E
ANCYROIDES, uel coracoides proceſſus,qui.de oſſ. 1ª.42.G
ANDARCE palpitationis remedium.de palp. 3ª.52.G
ANDRACHNE eſt portulaca.6°.de ſimp.med.fac. 5ª.43.A
ANDREAS rudis,temerarius, & ab Hippocratis grauitate alienus. de ſubſi.empi. Iſa.33.D
Andreas herbarius qui inuexit præſtigiaturam herbis non legẽdus.6°. de ſim.med.fac. 5ª.39.H
Andreæ antidotus ad phalangiorum morſus.2°.de antid. 5ª.117.G
Andreæ catapotium.9°.de comp.med.ſec.lo. 5ª.198.G
Andreę malagma.10°.de compoſitione med.ſec.loc.207.G|7°.de compoſitione med.per gen. 5ª.266.F
Andreæ emplaſtrum.4°.de comp.med.per gen. 5ª.243.A
ANDREZEOS medicam.de med.exper. Sp.106.F
ANDROMACHVS memoria dignus Neroni conuixit. de theriaca ad Piſonem. 5ª.91.D
Andromachus primus inter Neronis medicos.1°.de antid. 5ª.99.F
Andromachi fit mentio.2°.de comp.med.per gen. 5ª.217.E
Andromachus diligens in commiſcendis medicinis appellatur.de theriaca ad Piſonem. 5ª.95.A
Andromachi liber Mnaſonis inſcriptus.2°.de antid. 5ª.114.A
Andromachus librum fecit inſcriptum,Virtutes ad exteriora.1°. de cõpoſ.med.per gen.215.C|3°.235.D|5°.251.H| 5ª.252.E
Andromachus librum fecit affectionum internarum.7°.de comp. med. ſec.loc.178.C|8°. 5ª.194.D
Andromachus medicamentorum ſcriptor. 7°. de com.me.ſe.lo.178.B| 2°.de comp.med.per gen.222.A|3°. 5ª.234.G
Andromachus omnia medicamenta ſcripſit per denarios. 6°. de compoſitione med.per gen. 5ª.259.C
ab Andromacho conſcripta ani medicamenta. 9°. de compoſitione medicamentorum ſec.loc. 5ª.204.F
Andromachus librum fecit de externis medicamẽtis.10°.de com. me. ſec.loc.207.B|2°.de comp.med.per gen.219.C| 5ª.257.D
Andromachi liber de medicamentis intra corpus aſſumendis.2°.de antidotis. 5ª.114.A
Andromachum de cõfectionibus internis libros cõſcripſiſſe,collige. 7°. de ſimp.med.fac. 5ª.182.D
Andromachi libri optimi cur ab omnibus neglecti. 6°. de compoſitione medi.per ge. 5ª.257.E
Andromachi pharmaca.7°.de com.med.ſec.loc. 5ª.186.H
Andromachi ſicca medicamenta.4°.de comp.med.per ge. 5ª.242.C
Andromachi theriacæ deſcriptio.de ther.ad Piſo. 5ª.95.A
Andromachi cõpoſitione theriacæ uti debemus.de ther.ad Piſ. 5ª.95.C
Andromachum taxat Galenus.de ther.ad Piſo. 5ª.89.G
Andromachi antidotus ad omnes malas internaſq; corporis affectiones.2°.de antid. 5ª.110.C
Andromachi ægyptia.3°.de comp.med.per gen.234.H|6°. 5ª.258.F
Andromachi arteriacæ.7°.de comp.med.ſec.loc. 5ª.178.B
Andromachi compoſitiones auriculares uigintiquatuor. 3°. de compoſitione med.ſe..lo 5ª.142.G

Andromachi

Andromachi confectiones.7°.*de comp.med.ſec.loc.* 5ª.184.H
iuxta Andromachũ cõfectio gleucini.7°.*de com.me.per gene*.5ª.272.E
ab Andromacho confectiones renales conſcriptæ.10°.*de compoſitione medic.ſec.loc.* 5ª.206.A
Andromachi cyphoides unde dicta.8°.*de comp.med.ſec.loc.* 5ª.194.E
Andromachi catagmatica 2°.*de com.med.per gen.* 5ª.226.F
Andromachi crocoſus.5°.*de comp.med.per gen.* 5ª.251.G
Andromachi diacodion.7°. *de comp.med.ſec.loc*.178.C/ 5ª.180.B
Andromachi diamoron.6°.*de comp.med.ſec.loc.* 5ª.169.H
Andromachi melina emplaſtra.2°.*de com.med.per ge.* 5ª.222.C
ſm Andromachum emplaſtri Attalici albi compoſitio.1°.*de compoſitione medic.per ge.* 5ª.214.F
Andromachi emplaſtrũ uiride. 2°.*de com.me.p ge*.219.B/5°. 5ª.249.E
Andromachi emplaſtra ad ulcera maligna.4°.*de com.m.p ge*.5ª. 238.C
Andromachi emplaſtrũ.5°.*de cõ.med.per gen*.250.E/6°. 5ª.262.A
Andromachi epulotica.2°.*de comp.med.per gen.* 5ª.224.F
Andromachi fuſcum.6°.*de comp.med.per gen.* 5ª.258.H
ut Andromachus Helleſpontia.6°.*de comp.med.per ge.* 5ª.259.E
Andromachi hypogloſſis ex filice.7°.*de comp.med.ſec.loc.* 5ª.181.F
Andromachi iceſium nigrum.5°.*de comp.med per gen.* 5ª.249.F
Andromachi in uſu malagma.10°.*de comp.med.ſec.lo.* 5ª.207.F
Andromachi malagma ex meliloto.8°.*de comp.med.ſec.loc.* 5ª.193.D
Andromachi malagma.8°.*de comp.medic.ſec.lo*.196. D/9°.199.A/E/ 7°.*de comp.med.per gen.* 5ª.265.H
Andromachi panacea.2°.*de com.med.per gen.* 5ª.225.A
Andromachi ſtomaticum ex punicis.6°.*de comp.med.ſec.lo*.5ª.170.A
Andromachi ſtomaticum ex muſto.6°.*de comp.med.ſec.lo.* 5ª.170.B
Andromachi ſtomaticum.6°.*de comp.med.ſec.loc.* 5ª.171.C
Andromachi, ad aphthas.6°.*de comp.med.ſec.loc.* 5ª.175.C
Andromachi iunioris ad caluiciem.1°.*de com.med.ſec.loc.* 5ª.126.E
Andromachi ad dentium dolores.5°.*de comp.med.ſec.loc.* 5ª.165.A
Andromachi ad dyſenteriam.4°.*de comp.med.ſec.loc.* 5ª.203.A
ex Andromacho ad hydropicos, & inflationes.9°.*de compoſitione medic.ſec.loc.* 5ª.200.E
Andromachi ad ſanguinis è naribus eruptiones.3°. *de compoſitione medicamentorum ſec.lo.* 5ª.149.B
Andromachi, ad ſanguinis reiectationẽ.7°.*de com.me.ſec.lo.* 5ª.183.F
ab Andromacho pharmaca potabilia conſcripta ad ſpleniticos.9°.*de compoſi.med.ſec.loc.* 5ª.198.E
ANDRONIS *medicamenti meminit*.14°.*meth.med.* 7ª.90.B
Andronis medicamento utendũ ĩ aurium exulcerationibus. 6°. *de ſanitate tuenda.* 2ª.100.C
Andronis medicamentum ulceribus protractis in longum tempus conuenit.2°.*de arte car.ad Glauc.* 7ª.102.D
Andronicus paſtillus.3°.*de cõp. med.ſec. loc*. 141. D/6°.167.E/174.G/ 5°.*de com.med.per gen*.251.C/5ª. 252.B/6°.*meth.med.* 7ª.38.E
Andronis paſtillorum uſus ualet ad ulcera contumacia.9°.*de ſimpliciũ medic.fac.* 5ª.65.E
Andronis paſtillis utendum in ſanguinis profluuio ex eroſione. 5°. *methodi medendi.* 7ª.31.H
Andronis trochiſci ad putreſcẽtia ualent.2°.*de ar.cu.ad Gl*.7ª.107.A
Andronicus laudatur, quia de animæ ſubſtantia locutus eſt, nihil obſcuritate inuoluens.ꝙ *animi mores.* 1ª.318.E
Andronicus tollit liberũ arbitriũ ex his quæ dicit.de ſperma. Sp.40.C
Andronici ad orthopnœam.7°.*de comp.med.ſec.loc.* 5ª.187.A
Andronio paſtillo ulcera in naris meatibus a Galeno curata. 3°.*de compoſi.med.ſec.loc.* 5ª.148.G
ANDROSACES *amara & acris herba ẽ*.6°.*de ſim.me.fac.* 5ª.43.A
Androſaces urinã ꝓuocat, digerit, & deſiccat.6°.*de ſim.m.fa*.5ª.43.A
ANDROSAEMI *herbæ uſus*.7°. *de comp.med.per gene.* 5ª.267.B
Androſæmi folia modice extergũt & ſiccant.6°.*de ſim.me.fa*.5ª.43.A
Androſæmi folia ambuſta curare creduntur.6°.*de ſim.me.fa*. 5ª.43.A
Androſæmi ſemen purgat.6°.*de ſim.med.fac.* 5ª.45.A
ANDRVS *inſula eſt in mari ægeo, quæ unam habet ciuitatem ex nominæ inſulæ*.9°.*de ſimp.med.fac.* 5ª.65.C
ANECTHERMANTOS rigor, qui. in 6ᵐ. *de morbis uulgar. commen*.1°. 3ª.156.F
ANALECTICEN *poteſtatem, id eſt retentiuam, uindicant ſibi nerui tranſuerſi.de comp.memb.ſiue de natura humana.* Sp.58.H
ANEMONES *herbæ meminit*.1°.*de comp.med.ſec.loc.* 5ª.123.F
Anemones flos.de remed.par.fac. 7ª.154.C
Anemones ſuccus pituitam ex naribus purgat, & oculorum cicatrices extenuat.6°.*de ſimp.med.fac.* 5ª.43.B
Anemonæ omnes extrahunt, attrahunt, & poros aperiunt. 6°. *de ſimplicium medic.fa.* 5ª.43.B
Anemonæ ſordida ulcerum expurgant, lepras detrahunt, menſesq; appoſitæ eliciunt, & lac trahunt.6°.*de ſimp.med.fa.* 5ª.43.B
Anemonæ pituitam euocat.6°.*de ſimp.med.fac.* 5ª.43.B
ANETHVM *quid, & eius uires.de ſimp.med.* Sp.81.B
Anethum quandoq; ſua ſponte naſcitur.2°.*de ali.fac.* 2ª.23.H
Anethum eſt tam cibus, quam medicamentum.3°.*de temp.* 1ª.24.D
Anethum eſt cibus acutus, incidens, & aperiens.de diff.cont. Sp.72.F
Anethum pro condimento ſeruatur.2°.*de alim.fac.* 2ª.23.H
Anethum quale ſit.8°.*de comp.med.ſec.loc.* 5ª.195.D
Anethum mediam temperaturam ſortitur, aut paulum ab ea recedit. 3°.*de ſimp.med.fac.* 5ª.19.B
Anetum in primo ordine calidum eſt.3°.*de ſimp.med.fa.* 5ª.19.G
Anethum calidum in ſecundo, ſiccũ in primo.6°.*de ſimp.me.fa*.5ª.43.B
Anethum uſtum calidum eſt & ſiccum in tertio gradu. 6°. *de ſimpliciũ medic.fac.* 5ª.43.B
Anethum calfacit, incidit, & attenuat.de atten.uic.rat. 2ª.44.B
Anethum exiccat.3°.*de alim.fac.* 2ª.26.D
Anethum acres, diureticas, & excalfactorias uires habet, & idoneas rurſus ad infrigidationes omnes inteſtinorum.de ſimp.med. Sp.81.B
Anethum prouocat vrinam.1°.*de arte cur.ad Glau*.97.B/ 7ª.99.F
Anethi, fœniculi, & erucæ differentiæ cum ſunt ſicca, & cum ſunt humida.5°.*de ſimp.med.fa.* 5ª.37.G
Anethum uiride magis concoquit & ſomnum conciliat, ſed minus digerit anetho ſicco.6°.*de ſimp.med.fac.* 5ª.43.C
Anethum ruta, & cæpa.inter ea quæ eduntur differũt caliditate.1°. *de comp.med.per gen.* 5°.210.C
Anethum expetit ptiſſana.1°.*de alim.fac.* 2ª.13.E
Anethi, & ſalis parum in alica inijcitur.8°.*meth.med.* 7ª.51.B
cũ Anetho & porro ius album.12°.*meth.med.* 7ª.78.A
Anethtum lac purgat, & multiplicat.5°.*de ſimp.med.fa.* 5ª.37.G
Anethi germẽ miſcẽdũ cũ coctura uiperæ.de the.ad Piſ.92.C/ 5ª.95.F
Anethum aufert uenenum uiperæ.de ther.ad Piſo. 5ª.94.A
Anethum digerit, dolorem ſedat, ſomnum conciliat, crudos, & incoctos humores concoquit.6°.*de ſimp.med.fac.* 5ª.43.B
Anethum digerit inflationem.de ren.aff.dig.& med. 7ª.194.B
Anethũ doloribus ĩternis ex frigore ſuccurrit.2°.*de ſim.me.fa*.5ª.12.D
Anethũ ulceribus nimis humidis mollibusq; prodeſt, & quæ in ꝑputio ſunt inueterata ea probe cicatrice includit.6°.*de ſim.me.fa*. 5ª.43.C
Anethum pro oleo debet eſſe uiride.4°.*de ſan.tuen.* 2ª.87.B
Anethum ſit maturum pro oleo.4°. *de ſan.tuen.* 2ª.87.B
Anethinum oleum facile paratur.4°.*de ſan.tuen.* 2ª.87.B
Anethinum oleum in duplici uaſe coquendum.4°.*de ſan.tuen.* 2ª.87.B
Anethum in oleo per tempus madefactum thermanticũ comprobatur. de ſimp.med. Sp.88.D
Anethum in oleo decoctum quæ bona faciat.6°.*de ſimp.me.fa*. 5ª.43.B
Anethinum oleum eſt uerum anodynum calidum in primo ordine.5°.*de ſimp.med.fac.* 5ª.37.B
Anethinum oleum ſanat dolores ex intemperie cũ mordicatione. 2°. *de ſimp.med.fac.* 5ª.12.C
Anethum in oleo ebullitum pro inflammatione cum dolore. 2°. *de arte curandi ad Glauco.* 7ª.104.G
Anethinũ oleũ pro capitis dolore ex frigore.de reme.par.fac. 7ª.153.F
Anethi oleũ pus mouẽtibus medicamẽtis ſimile.6°.*de ſim.m.f*.5ª.43.B
Anethinum oleum rarefacit & diſcutit.9°.*de comp.me.ſe.lo*.5ª.197.F
ex Anetho oleũ, euacuat, et diſſoluit.1°.*de arte cur.ad Glau*.7ª.100.A
Anethum in oleo ad relaxandum.11°.*meth.med.* 7ª.75.F
ex Anethino oleo frictio poſt balneum aquę dulcis ad morbum regium. de remed.par.fac. 7ª.159.E
Anethinum oleum ſudorem prouocat.de cathar. Sp.95.D
Anethinum oleũ eſt oculorum cenoticum.de cathar. Sp.95.B
Anethinũ oleũ pro lapide et dolore renũ.de ren.aff.dig.et me.7ª.193.H
Anethinũ unguentũ ex uiridi anetho calidius eſt.3°.*de ſa.tuen.* 2ª.81.C
Anethinũ unguẽtũ ſanãdæ cutis denſitati cõuenit.3°.*de ſa.tu.* 2ª.81.C
ANEVRISMA *qd.ſi.me.Iſa*.48.H/*de tum.præter naturam*.3ª.84.D
Aneuriſma facit arteria in cubito inciſa.5°.*meth.med*.30.H/ 7ª.32.D
Aneuriſma fit etiam cicatrice inducta in uulnerata arteria. de cur.rat. per ſang.miſ. 6ª.21.D
ANESVEN *ſit mentio*.3°.*de med.fac.par.* 7ª.176.G
ANFRACTVM, hoc eſt περιῤῥυδὲς, *circũcirca inflexum appel-*

lat Hippocrates.de artic.com.2°. 7ª.261.H
ANGEOLOGIA numeratur inter ſpecies illius actionis chirurgię, quæ diuiſio dicitur. Iſa.59.E
Angeologia quo modo perficiatur.intro. Iſa.59.H
Angeologia ſiſtit fluorem intro. Iſa.59.G
ANGINA interior, & exterior dicuntur epiglottidis apoſtemata.de voce & anhel. Sp.61.H
Angina quid.fin.med.47.A|intro. Iſa.55.G
Anginæ ſpecies.introductio. Iſa.55.G
Anginæ differentiæ.4°.de loc.aff. 4ª.24.E
Angina ubi fiat, & eius ſpecies.de anat.par. Sp.42.H
Anginæ quatuor ſpecies.4°.de loc. aff. 4ª.24.E
Anginæ ſecunda ſpecies.de uict.rat.in morb.acut.com.4°. 7ª.138.H
Anginæ quinta ſpecies.4°.de loc.aff. 4ª.24.F
Anginam nullo exiſtente in gutture proprio affectu raro uidit Galenus. 4°.de locis affe. 4ª.23.G
Angina ex affecta gula, qualis.5°.de loc.aff. 4ª.32.B
Angina quæ ad uertebrarum in ceruice luxationem ſequatur. 5°. de locis affectis. 4ª.32.B
Anginæ peripneumoniæ, & pleuritidis concurſus quo modo differant. 4°.de loc.affec. 4ª.24.C
Angina quo modo fiat, & quo tempore, & quo modo curetur.de uict. rat.in morb.acut.cum.4°. 7ª.138.E
Angina unde fiat.com.3°.apho.16°. Ex.23.A
Anginæ fiunt ex humiditate cerebri.com.6°.apho.2°. Ex.46.E
Anginam ex bilioſis humoribus & etiam pituitoſioribus fieri poſſe collige.com.3°.apho.22°. Ex.24.F
Angina eſt morbus acutus.com.2°.apho.19°. Ex.14.B
Angina eſt morbus peracutus.com.1°.apho.12°. Ex.5.D
Angina quæ longa.in progn.com.3°. 4ª.209.B
Angina longiſſima.in progn.com.3°. 4°.209.B
Angina quandoq; eſt ſine febre.intro. Iſa.55.G
Anginæ, ad cerebri, & ſpinalis medullæ læſionē comparatio.1°.de ſympto.cau. 3ª.16.D
Anginæ cur fiant in uere.com.3°.apho.20°. Ex.24.A
Anginæ ueris differunt ab anginis autumni.cō.3°.apho.22°. Ex.24.F
Anginæ ſpiritus qui.3°.de.diff.reſp.71.C|75.E| in 3^{m}. de morbis uulga. com.2°.3ª.136.C|.4°.de loc.aff. 4ª.24.H
Angina quo modo faciat dyſpnœam.4°.de loc.aff. 4ª.27.A
Angina quam faciat uocem.in 1^{m}.prorrh.com.2°. 4ª.172.E
Angina quo modo uocem tollat.1°.de loc.aff. 4ª.7.A
Anginæ pulſus qualis.de pul.ad Tiro.46.E|4°.de cau.pul. 4ª.102.H
in Angina morientium pulſus qualis.4°.de cau.pulſ. 4ª.102.H
Angynæ ſymptomata.de uict.rat.in morb.acut.com.4°. 7ª.139.C
Angina quanto inferior primis duabus uertebris, tanto mitior. 4°. de locis affect. 4ª.23.H
Angina ſecuriſſima, quæ.in progn.com.3°. 4ª.209.D
Angina habito ſi tumor fiat in collo, bonum.com.6°.aph.37°. Ex.50.D
Anginæ rubor ſi nō deleatur, quid ſequatur.in progn.cō.3°. 4ª.209.D
in Angina ſacer ignis, qui.in progn.com.3°. 4ª.209.C
Angina quando in conuulſionem mutabitur.de pulſ.ad Tir. 4ª.46.B
Angina quādo in peripneumoniam mutabitur.de pulſ.ad Tir. 4ª.46.B
ex Angina purulenti, qui.in progn.com.3°. 4°.209.D
Anginæ in coſtarum uitium mutationis meminit.in 6^{m}. de morbis. uul. commen.2°. 3ª.162.F
Anginę quæ prauæ, & lætales.in progn.com.3°. 4ª.209.A
Anginæ exitioſę primo die ſuffocant ſtatim & altero & tertio.in 3^{m}.de morb.uulg.com.2°. 3ª.137.B
ab Angina qui ſuffocantur pinnas narium mouent.in 3^{m}. de mor. uul. commen.2°. 3ª.136.A
q ab Angina liberantur iis ad pulmonem uertitur, & in ſeptem diebus pereunt: ꝙ ſi hos effugerint ſuppurantur.com.5°.aph.10°. Ex.38.D
Angina in qua reſoluta fuit manus.4°.de loc.affe. 4ª.24.C
Anginā aliqui patiētes habebāt colli vertebras intro, et collū extra apparebat hr̄e cauitatē, et hoc tactū dolebat.com.4°.aph.35°. Ex.31.F
Anginæ curatio.intro. Iſa.55.G
in Anginam qui prompte incidunt, illis uere uena ſecāda.cura. rat.per ſang.miſ. 6ª.17.E
Anginæ pericula ubi inſideant, puero ſanguis eſt detrahendus. præſag. expert.conf. Sp.78.A
in Angina quid agendum.de uict.rat.in mor.acu.com. 4°. 7ª.137.A| præſag.exper.confir. Sp.78.E
Anginoſi cur debēt eſſe uacui.de uict.rat.in morb. acu.cō.4°.7ª.138.G
in Angina quantū repellendū, & qn̄.6°.de comp.med.ſec.loc. 5ª.167.E
in Anginę fortis principio confert ſectio venarum iugularium. de anatomia viuorum. Sp.55.A
Angina corripi ſolitis ſanguinem mittēdum perſuaſit Galenus. de cur. rat.per ſang.miſ. 6ª.18.E
in Angina quæ vena ſecanda.13°.meth.med. 7ª.83.B
in Angina, venæ ſub lingua ſecantur.de cur.rat.ꝑ ſang. miſ. 6ª.20.G| præſag.exper.confir. Sp.78.D
in Angina gutturis & arteriæ quæ uena ſecanda.de ratio. curan. per ſanguinis miſſ. 6ª.20.G
Anginā quidam ſanabat ſine ſanguinis miſſione ſicco ſtercore pueri, qui lupinis uictitarit, cum melle attico ad leuorē trito. 10°. de ſimpliciū medic.fac. 5ª.76.B
in Angina quo gargariſmate utēdum.de præcog.ad Poſthu. 4ª.219.C
Anginam mitigat lac.10°.de ſimp.med.fac. 5ª.73.H
Anginæ quos male hn̄t iis quę exercitatio uitāda.5°.de ſa.tu. 2ª.90.A
in Angina quando concoquendum.6°.de comp.med.ſec.loc. 5ª.167.E
Angina laborantibus prodeſt elaterium.8°.de ſimp.med.fac. 5ª.60.E
ad Anginam ualet dyphriges poſt cadmiam repertus. 9°. de ſimplicium med.fac. 5ª.69.B
in Angina vſus aſellorū ſub aquariis vaſis.6°.de cōp.me.ſe.l. 5ª.174.B
ad Angiam qūo caninum ſtercus paretur.10°.de ſim.me.fa. 5ª.76.A
in Angina quamuis conueniat ſtercus, tamen non eſt comedēdum.10°. de ſimp.med.fac. 5ª.72.B
ad Anginas.6°.de comp.med.ſec.lo.170.H|7°.183.A|2°. de compoſ. med.per gen.5ª.222.F|de medic.fac.par.165.A|3°.171.H|172. C|7ª. 178.G|ſecre. Sp.97.B
ad Anginam Muſę.6°.de comp.med.ſec.loc. 5ª.172.C
ad Anginam Sorani.6°.de comp.med.ſec.loc. 5ª.172.C
in Angina cataplaſma, et diaclyſma.in 3^{m}.de mor.uul.cō.2°. 3ª.137.B
ad Anginam emplaſtrum.ſecre. Sp.102.A
in Angina vltimum auxilium.intro. Iſa.55.G
Anginę laborantis caſus.in 3^{m}.de morb.uul.com.2°. 3ª.135.H
ANGOR inęquales habet motus.2°.de ſymp.cau. 3ª.23.D
Angores, pauores, omneſq; id genus affectus in corde conſiſtunt. 3°.de decretis Hippocratis. 1ª.245.C
Angores animi numerantur inter extrinſecas cauſas bilioſius corpus reddentes.in 6^{m}.de morb.uul.com.1°. 3ª.157.A
Angor, & vigiliæ in ardētibus febribus ſemper exitioſum ſymptoma. in 1^{m}.de morb.uulg.com.2°. 3ª.115.A
ANGVILLAE viuunt aqua ſalſa, et dulci.de bo.et uitio ſuc. 2ª.37.H
Anguillę nunquam ſunt boni ſucci.de bo.& uitio ſuc. 2ª.37.H
Anguillę cur non mandendę iis qui tenuante dięta vti volunt. de atten. victus ratione. 2ª.45.E
ab Anguillarum multo eſu cauere debet ſenex.5°.de ſan.tuen.2ª.91.D
ANGVIS ſenectę fit mentio.3°.de comp.med.ſec.loc. 5ª.142.F
ANGVLARIS figura, quę.2°. de mo.muſ.1ª.313.H|de iis, quę in med. fi.commen.3°. 7ª.216.H
Angularis figura quæ ſit ſm Hippocratem.de fract.com.2°. 7ª.226.C
Angularis figura non admittit magis & minus.de iis, quę in medic. fi. commen.3°. 7ª.216.H
Angulorum differentię.de iis, quę in med.fi.com.3°. 7ª.216.H
Angulares manus, quę.de iis, quę in med.fi.com.1°. 7ª.203.A
ad Angulos lachrymales oculorum exeunt duo foramina, quę ſunt ſuperius in radice naſi.de anat.uiu. Sp.49.B
in Angulis lachrymalibus oculorum venę duę nō apparent multum. de anat.uiu. Sp.55.A
Angulorum magnorum oculi venę parum ſanguinis mittunt.de curan. rat.per ſang.miſ. 6ª.19.G
in Angulis oculorum poſita, in ore ſentiuntur.de ana.ui. Sp.49.A
in Angulis oculorum venę ſectio quo caſu fieri debeat.6°.de compoſitione medic.ſec.loc. 5ª.174.A
ad Angulos oculorum ſcabros & corroſos.4°. de comp. med. ſec.loc. 151.H|152.D|156.A|D|G|H| 5ª.157.B
iuxta Angulum naſi excreſcentis carnis remedia. 4°. de compoſitione medic.ſec.loc. 5ª.152.F
ANGVSTIA vnde oriatur.ars med. Iſa.66.F
Anguſtia viarum vnde fiat.3°.de ſymp.cau. 3ª.26.A
Anguſtia alicuius partis à quot cauſis fieri pōt.c.6°.aph.44°. Ex.51.C
Anguſtationis duplex differentia.de diff.mor. 3ª.3.C
Anguſtiam faciunt humores craſſi & lenti.de cau.morb. 3ª.9.A

Anguſtia foraminum facit febrem, quæ ſanatur balneo. commen. 7°. aphor. 42°. Ex.57.C
Anguſtia partium obſtruit ora vteri.com.5°.apho.62°. Ex.43.F
Anguſtia & calor in ſpiritalibus inſtrumentis quando adſunt, quæ ſymptomata contingunt, & quæ ſpiratio.4°.de loc.aff. 4ª.26.H
Anguſtia ſpiritalium inſtrumentorum quo modo deprehẽdatur. 4°.de locis affectis. 4ª.26.H
Anguſtia ſtrangulationis quid, & vnde fiat.cõ.4°.aph.34°. Ex.31.B
ĩ Anguſtatione anhelitus, minuunt iugulares venæ.de ana.vi. Sp.55.A
Anguſtiam pulmonis vaſorum facit aſthma.com.3°.aph.26°. Ex.25.E
Anguſtia ſtranguloſa circa pulmonem vexatus quo modo curatus fuerit.de cucur.ſcar. 6ª.4.A
Anguſtia loci ẽ cauſa cur uramus ſuppuratos.c.6°.aph.27°. Ex.48.G
Anguſtatio loci facit triſtem ſenſum laborantibus ex motu arteriarũ. com.7°.apho.21°. Ex.55.D
Anguſtia loquendi quo modo fiat.de voce & anhel. Sp.62.A
Anguſtus exitus aeris facit ſonitum.com.7°.apho.51°. Ex.58.C
Anguſtia quibus fiat in cauitatibus.de cau.morb. 3ª.9.A
Anguſtia aboletur cauitas.de cau.morb. 3ª.9.A
p Anguſta aliqua quæcunq; natura craſſa trãsfundere volumus, quæ calore eliquata ſunt facile pũadere, quæ nõ fuſa neque eliquata ſunt tranſire non poſſe cernimus.in 6m.de morb.uul.com.3°. 3ª.173.D
ad Anguſtias facit hydropoton.de dyna. Sp.32.D
ANHELATIO ex quibus cõponat.de mot.man.& obſ. Sp.66.G
Anhelitus quo modo fiat.de anat.par. Sp.43.A
Anhelitus almacror quando fiat.de uoc.& anhel. Sp.61.H
Anhelitus almacror fit per muſculos qui ſunt inter coſtas. de uoce & anhelitu. Sp.62.B
Anhelitum quidam exiſtimarunt motum naturalem eſſe. de mot. man. & obſcuris. Sp.69.H
Anhelitus actio naturalis eſt ſm quoſdam.de voce & anhe. Sp.62.B
an Anhelitus ſit actio naturalis ſpectat ad dialecticũ quærere. de motibus man.& obſ. Sp.66.H
Anhelitus actio voluntaria eſt ſm aliquos.de voce & anhel. Sp.62.B
Anhelitũ eſſe motũ voluntariũ probat.de mot.man.& obſc. Sp.67.A
Anhelitus actio ſecundum alios media eſt inter voluntatem, et naturã. de voce & anhel. Sp.62.B
ex Anhelitu fit vox, qui eſt ei vti materia.de voce & anhel. Sp.60.F
Anhelitus, & vox non fiunt niſi extendantur muſculi pectoris. de voce & anhelitu. Sp.61.A
in Anhelitu magno, quæ partes moueant.de mot.man.& obſ. Sp.66.H
Anhelitus lõgus medetur continuis oſcitationibus.in 6m.de morb.vul. commen.2°. 3ª.162.D
Anhelitus ſtricturæ cauſæ.de cura lap. Sp.112.D
Anhelitum conſtringentes muſculi comparantur muſculis ani, & veſicæ.de voc.inſt.diſſ. 1ª.107.H
ĩ Anhelitus anguſtatione minuunt venæ iugulares.de ana.vi. Sp.55.A
Anhelitũ habet homo arteria aſpera inciſa.2°.de decr.Hipp. 1ª.236.C
neq; Anhelitus, neq; vox amittitur fracta ſpinali medulla in coſtis.de voce & anhel. Sp.60.F
Anhelitus & vox deſtruetur neruis inter coſtas prope ſpondylos læſis de voce & anhel. Sp.60.E
Anhelitum quando magis exercemus.de par.pi.exer. 2ª.49.F
ex Anhelitu probatur exercitatio.2°.de ſan.tuen. 2ª.69.E
Anhelitus crebri quo modo fiant ob exercitia.cõ.3°.aph.26°. Ex.25.E
Anhelitus crebri cur fiant in puerulis accedentibus ad pubertatem.cõmen.3°.apho.26°. Ex.25.E
Anhelitus crebri cur fiant in conſiſtẽtibus.com.3°.apho.30°. Ex.26.E
Anhelitus crebri cur fiant in ſenibus, & quo modo.com.3°.aphor.30°. 26.E|aphor. 21°. Ex.26.G
Anhelitus crebri, id eſt aſthmata, concomitantur ſenes ad mortem.cõmen.2° aphor.40°. Ex.18.A
Anhelitus diffidultas quando bona & quando non bona conſiderandũ. 1°.de criſi. 4ª.128.B
Anhelitus difficilis ſanguinẽ è naribus fluxurũ indicat. 1°. de arte cur. ad Glauco. 7ª.100.G
Anhelitus difficultas, febris acuta, tuſſis, ſputum coloratum, ſunt communia pleuritidi & peripneumoniæ. de ſubfig.empi. Iſa.32.E
Anhelitus ſi prius fuerit frigidus, & uapor deinde calidus per cutem exeat eſt ſignum mortiferum.in 6m.de morb.vul.com.4°. 3ª.187.C
Anhelitus difficiles vnde fiant.de bo.vitio ſuc. 2ª.39.D
Anhelitus difficiles quo modo ex humoribus & frigiditate fiant. com. 3°.apho.22°.24.F|apho.31°. Ex.26.G
Anhelitus difficilis fit autumno, & q̃uo.com.3°.apho.22°. Ex.24.E|F
Anhelitus difficilis per compaſſionẽ q̃uo fiat.cõ.6°.apho.16°. Ex.47.G
Anhelitus difficultatem quæ faciunt pernicioſa ſunt, quæ ſint, & quot. com.6°.apho.46°. Ex.52.A
Anhelitus difficilis cur ineſt ſuppuratis & peripneumonicis. 7°. de cõpoſi.med.ſec.loc. 5ª.186.C
Anhelitus difficultas cauſa eſt cur vramus ſuppuratos. commen.6°. aphoriſ.27°. Ex.48.G
Anhelitus quo modo cohibeatur.5°.de ſan.tuen. 2ª.93.A
in Anhelitus retentione clauditur coopertorium epiglottidis. de uoce & anhelitu. Sp.61.C
Anhelitus cohibitio quando vitanda.2°.de ſan.tuen. 2ª.77.C
Anhelitu cohibendo ſi ilia implere velis, oleo perfundendum, & apotherapia vtendum eſt deinceps.2°.de ſan.tuen. 2ª.76.B
p Anhelitus cõtentionẽ q̃uo fiat conatus omnis.de vtil.reſp. Sp.63.D
Anhelitus carẽtia vnde ſit, & quo modo fiat.cõ.4°.apho.34°. Ex.31.B
Anhelitus ablatio accidit in paſſione vterina.cõ.5°.aph.35ª. Ex.40.F
Anhelitus dilatio in retentione menſtruorum.ſecret. Sp.99.B
Anhelitus dilatationis quid conferat.ſecret. Sp.103.E
Anhelitus difficultas exigit euacuationẽ pituitæ.quos pur.op. qui.me. & quo temp.5ª.88.C|com.6°.aph.47°. Ex.52.C
ad Anhelitus difficultatem.3°.de med.fac.par. 7ª.178.F
ad Anhelitus ſtricturam.ſecret.98.E|de cu.lap. Sp.112.B
ad Anhelitum malum decoctio hyſſopi.de med.exper. Sp.107.D
Anhelitus ſi olet q̃n perrexeris dormitũ, quod p̃ſidiũ.de dyn. Sp.25.C
ĩ Anhelantiũ medicamẽtis inditur myrrha.8°.de ſimp.me.fa. 5ª.61.A
Anheloſis exhibetur cyclamini radix ſicca.7°.de ſimp.med.fa. 5ª.53.F
Anheloſi q̃ dicant.3°.de diff.reſp.3ª.74.E|7°.de cõp.me.ſe.lo. 5ª.186.C
ad Anheloſos valet ſmyrnij ſemen.8°.de ſimp.med.fac. 5ª.61.B
Anheloſis ex frigida cauſa quid prodeſt.de cura.lap. Sp.112.H
Anheloſis valens medicamentum.de med.exper. Sp.104.C
ad Anheloſos.9°.comp.med.ſec.loc. 5ª.198.B
ad Anhelos.7°.de comp.med.ſec.loc. 5ª.186.H
ANICETON emplaſtrum.1°.de compo.med.ſec.loc.130.H|6°.de comp.med.per gen. 5ª.256.D
ANICETVS aſter ad quid ſit vtilis.4°.de comp.me.ſec.loc. 5ª.154.H
ANIMAM appellant philoſophi principem ac primigenitum diffuſum ſpiritum per omnia quæ ſunt in mundo.an animal ſit. 1ª.327.A
Anima mundi, quæ.de hiſt.philoſ. Sp.5.G
de Anima totius mundi fit mentio.de ſubſt.fac.nat. 1ª.230.B
Anima mundi ꝙ non per omnia permeet.de ſubſt.fac.nat. 1ª.230.B
Aĩa vniuerſi iſita eſt cũ ſemine vt corpus gubernet.an aĩal ſit. 1ª.327.F
Anima quæ per totum mundum diffuſa eſt, fœtum format ſecũdum Platonicos.de fœt.for. 1ª.326.B
Anima quid ſignificet ſecundum Ariſtotelem, quid ſecundum Platonẽ & quid ſecundum Stoicos.in 6m.de morb.vul.com. 3ª.192.B
de Anima quæſtiones quæ ſciendæ.de mot.man.& obſc. Sp.67.G
in Anima quæ conſiderãtur ſm Chryſippum.5°.de decr.Hip. 1ª.255.A
de Anima q̃d debet ſcire medicus.in 6m.de morb.vulg.cõ.5°. 3ª.189.H
de Anima quærere quid ſit, non eſt neceſſe medico.in 6m.de morb.vul. commen.5°. 3ª.187.G
Animæ eſſentiam ſcire nihil facit ad morborum curationem, neq; ad ſanitatis tutelam, neq; ad philoſophiam moralem, actiuamq; ac ciuilẽ. de ſubſt.fac.nat. 1ª.230.F
Animæ immigratio vel demigratio nihil facit ad rẽ medicam. de ſubſt. facul.nat. 1ª.230.F
de Animę facultatibus doctrinam inſtituere philoſophum decet.6°.de decretis Hippocratis. 1ª.266.G
Anima & ratio non ſunt idem.5°.de decr.Hipp. 1ª.255.F
Aĩæ & corpis morbos cõprehendens diffinitio.5°.de dec. Hip. 1ª.255.C
Anima quid.fin. med.Iſa.43.F|de hiſt.philo. Sp.4.H
Anima quid ſecundum Chryſippum.3°.de decr.Hipp. 1ª.241.C
de Anima liber Chryſippi.3°.de decr.Hipp. 1ª.241.C
Animam eſſe ſolum aerem non licet dicere.ꝙ animi mores. 1ª.318.E
Anima eſt tẽperatura, aut uis tẽperaturæ comes.ꝙ aĩ.mores. 1ª.318.E
Animæ ſubſtantia in ſimilari parte pro temperaturæ ratione conſiſtẽs efficitur à corpore.ꝙ animi mores. 1ª.318.G
Animæ ſubſtantia eſt ſpiritus ſm aliquos.2°.de decr. Hipp. 1ª.240.H| de ſpermate.37.G|de mot.man.& obſ. Sp.67.G
Animam ſpiritum quendam eſſe volunt Stoici.ꝙ animi mo. 1ª.318.E
Animæ ſubſtãtia eſt ſpiritus in vẽtriculis cerebri.de vti.reſp. 1ª.226.D

Anima nutritur ſpiritu.an animal ſit. 1ª.137.D
Anima,& natura nihil eſt præter calidum innatum.de palpit.conuulſ. & rig.53.B/in 6^{m}.de morb.vulg.com.5°. 3ª.189.H
Aiæ ſubſtantiã alio quouis ope definire q̃ naturali caloris intro foraſq; de latione cũ ſpiritu et ſanguine,audacia eſt.2°.de ſym cau. 3ª.25.C
Aia qua viuimus cõtinet̃ calido,ide eſt quod ſentimus.de dyn.Sp.19.D
Anima eſt ſanguis ſecundum quoſdam.2°.de decr.Hippo. 1ª.240.H
Anima ſanguine alitur ſecundum aliquos.2°.de decr.Hippo. 1ª.240.H
Animam eſſe tanquam tabulam raſam,elice.de hiſt.phi. Sp.9.B
Animæ materia & forma ſm Stoicos quæ ſit.ꝑ animi mor. 1ª.318.E
Aię humanę vna eſt ſubſtãtia,facultates tres.ſ.rõnalis,iraſcibilis, concupiſcibilis.in Thimęum Plato.1ª.287.C/de ana.viu. Sp.45.G
Animam formalem ſubſtantiam dixit Ariſtoteles.ꝑ aĩ mores. 1ª.318.E
Aię ſubſtãtia nõ eſt vna.de vtil.reſp.224.C/.9°.de dec.Hipp. 1ª.285.G
Animę duę in corpore humano.de mot.man.& obſ. Sp 67.E
de Animę ſubſtantia,& loco non habetur demonſtratio.5°.de decretis Hippocratis. 1ª.258.E
Animarum ſubſtantijs differuut pueri.ꝑ animi mores. 1ª.317.C
Animæ ſubſtantia ſi eſſet eadem pueris,ijſdem fungeretur actionibus. quòd animi mores. 1ª.317.C
Animæ naturam Plato inuenire vult,vt Hippocrates inuenit naturam corporis.1°.meth.med. 7ª.3.C/D
Animę quę apud Platonem.9°.meth.med. 7ª.58.H
Animæ ſubſtantiam vt à ſe immortalem ſumerent iuſſit Deus filijs ſuis (ſecũdũ Platonem) ſed illud tamen adderent vt generabilis efficeretur.9°.de decr.Hipp.& Pla. 1ª.285.C
de Animæ ſubſtantia quæ dicuntur à Platone ſunt probabilia, & non excedunt veriſimilitudinem.9°.de decr.Hipp. 1ª.285.D
de Animæ ſubſtantia nihil obſcurum locutus eſt Andronicus.quòd animi mores. 1ª.318.E
Animæ ſubſtantiam fatetur ſe ignorare Galenus.7°.de vſu. par.159.C/de vti.reſpir.225.G/226.D/de ſubſt.fac.nat.230.E/9°.de decre. Hippo.285.D/ꝑ animi mores.317.F/H/1ª.326.B/C/in 6^{m}.de morbis vul. com.5°.3ª.189.H/5°.de ſimp.med.fac. 5ª.33.H
Animæ ſubſtantia qualis ſecundum Galenum.de vti.reſp. 224.C/7°.de decr.Hipp.1ª.272.F/3°.de loc.affe. 4ª.18.D
Animę eſſentiam concludit Galenus eſſe temperamentum quatuor qualitatum,vel corporum.ꝑ animi mores. 1ª.317.G
Animas quotidie creari Stoici dicebant.de ſpermate. Sp.38.A
Animam & cor,& hepar creat ſol.de compag.memb. Sp.59.F
Anima deforis venit.de ſubſt.fac.nat. 1ª.230.E
Anima à cœlo delabitur & eius excellentia.an animal ſit. 1ª.327.H
Anima influit,& effluit in corpus ſecũdũ Platonẽ.ꝑ ani.mor. 1ª.318.C
Animę generatio eſt reſpiratio ſm Aſclepiadem.de vtil.reſp. 1ª.223.C
Animæ progreſſus.de ſpermate. Sp.37.H
Anima quo modo diuidatur.de ſpermate. Sp.37.H
in Anima idẽ eſt ſpecies & pars ſm Platonem.de dec.Hipp. 1ª.286.C
Animę partiũ nominũ dr̃ia apud diuerſos. 6°.de decr.Hipp. 1ª.261.H
Anima conſtat ex partibus diuerſis genere.5°.de decr.Hipp. 1ª.256.D
Animæ partes ſunt rõnalis,& irrationalis.5°.de decr.Hipp. 1ª.258.H
de Animę partibus Ariſtoteles,& Plato non multum differunt.7°.de decretis Hippocratis. 1ª.268.C
de Animæ partibus Platonis opinio.5°.de decr.Hippo. 1ª.258.E
Animę partes tres apud Platonem.de Hiſt.philoſ. Sp.5.A
Animę tres partes habent propriam ſpeciem,nec vnã facultatem, ſed plures iuxta Platonem.9°.de decr.Hippo. 1ª.285.G
Animę ſpecies quę dici poſſunt.6°.de decr.Hippo. 1ª.261.C
Animę noſtrę tres ſpecies.6°.de decr.Hipp.261.C/ꝑ ani.mor. 1ª.317.F
Animę tres partes,& quomodo appellentur.7°.de decretis Hippocratis.268.C/9°. 1ª.285.E
Animæ tres partes quidã falſo vnã putarunt.9°.decr.Hipp. 1ª.279.H
Animę tres partes quo ſimul coniungantur.5°.de decr.Hipp. 1ª.259.H
Animę partes tres,quibus incitamur ad motum voluntarium.5°. de decretis Hippocratis. 1ª.258.E
Animę quatuor partes ſecundum Stoicos.de hiſt.phi. Sp.5.A
Animę quinq; partes.de ſpermate. Sp.37.H
Animę partes ſunt pulchræ.7°.de decr.Hippo. 1ª.268.C
Animę pulchritudo quæ ſit ſm Platonem.5°.de decr.Hippo. 1ª.256.B
Animę omnes particulę utiles ſunt.1°.de vſu par. 1ª.113.C
Anima & facultas eſt idem.9°.meth.med. 7ª.58.H
Animę facultates quę ſint.intro. Iſa.55.B
Animarũ facultates Plato uocat animarũ ſpecies.in Tim.Pla.1ª.287.D
Animę tres facultates.5ª.de decr.Hippo. 1ª.256.D
Animę tres,vel animę facultates tres non placet Galeno vt dicãtur,ſed tria principia.in Tim.Plat. 1ª.287.D
Aię facultates in quibus viſceribus ſitę ſint.4°.de dec.Hipp. 1ª.248.D
Animæ facultates omnes ſunt in corde,ſecũdum Ariſtotelem.4°. de decretis Hippocratis. 1ª.248.D
Animæ facultates omnes à corde oriri dicunt Ariſtoteles,et Theophraſtus.de decr.Hippo. 1ª.260.E
ex Animæ facultatibus dependent ſcientia de virtutibus & ſcientia moralis.4°.de decr.Hippo. 1ª.253.E
Animæ facultates ad quæ trahant.5°.de decr.Hipp. 1ª.256.H
Animæ facultates ſequuntur ſanguinis vteri temperaturã, ſecundum Ariſtotelem.ꝑ animi mores. 1ª.319.C
Animæ naturalem partem addit Ariſtoteles.de hiſt.philoſ. Sp.5.A
Anima cum ſtirpibus nobis communis,quæ.9°.meth.med. 7ª.58.H
Anima vegetabilis ab Ariſtotele dicta,concupiſcibilis à Platone,natura à Stoicis dicitur.de fœ.for. 1ª.326.B
Animæ vegetatricis,& naturalis principium eſt iecur. in 3^{m}. de morbis vulg.commen.1°. 3ª.133.C
Anima vegetatiua quæ in iecore eſt,poteſt vocari appetitrix, naturalis,& altrix.9°.meth.med. 7ª.58.H
Anima cum brutis communis in corde eſt.9°.meth.med. 7ª.58.H
Animæ irrationalis partes ſunt concupiſcibilis et iraſcibilis.2°. de dec. Hippocratis. 1ª.239.G
Anima altrix,& concupiſcibils eadem.de fœt.for. 1ª.323.C
Anima ratiocinatrix quo mõ dicat̃ concupiſcibilis.ꝑ aĩ mores.1ª.317.E
Anima concupiſcibilis quæ ſit in cõmuni ſignificato.ꝑ ani.mo. 1ª.317.E
Animæ pars cõcupiſcibilis dicitur à Platone quæ in iecore,ab Ariſtotele altrix,& naturalis.ꝑ animi mores. 1ª.318.E
Animæ pars appetitrix vbi ſit ſecundũ Platonem.5°.de ana. admi.86. H/6°.de decre.Hippo. 1ª.267.A
Animæ pars concupiſcibilis, & iraſcibilis in corde eſt. 2°. de decretis Hippocratis. 1ª.239.G
Anima inſigniter concupiſcibilis à Platone appellata,quæ ſit. quòd animi mores. 1ª.317.E
Anima animoſa dicitur vis animalis.9°.mth.med. 7ª.58.H
Anima iraſcibilis an ſit pars diſtincta ab alijs.5°.de decr.Hip.1ª.259.D
Animę pars animoſa vbi ſit ſecundũ Platonẽ.5°.de ana.admi. 1ª.87.A
Animę pars iracunda eſt temperatio cordis.ꝑ ani.mo. 1ª.318.D
Anima ratiocinatrix quæ ſit ꝑ animi mores. 1ª.317.E
Animam rationalem ſolã non eſt concedẽdũ.7°.de der.Hipp. 1ª.267.G
Animę facultatem qua ratiocinamur,vnam tantum eſſe Ariſto. putauit & quid ad hanc opinionem ſequatur.7ª.de decr.Hipp.1ª.268.D
Anima rationalis vna cũ ſit,habet multas facultates.9°.de decr. Hpp. 286.D/ꝑ animi mores. 1ª.317.E
Animæ rationalis partis,iraſcibilis & cõcupiſcibilis eãdem eſſe ſubſtãtiam Platoni non eſt viſum.in Timęum Plat. 1ª.287.C
in Anima conſiſtunt cogitatio,ſciẽtia,& opinio.2°.de loc.aff. 4ª.12.E
in Anima rationali adſunt habitus,potentiæ,& ſcientia.7°. de decre. Hippocratis. 1ª.268.D
Anima rõnalis ſi eſſet ſola,prudẽtia ſola eſſet.7°.de dec.Hip. 1ª.267.G
Animæ vis ratiocinandi vbi ſit.7°.de decr.Hipp. 1ª.267.F
Animę rationalis domicilium eſt cerebrum. 9°. de vſu par. 172. F/17°. 222.F/ꝑ animi mor.1ª.317.G/1°.de ſan.tuen.2ª.68.D/3°.de vict.rat. in morb.acut.com.3°. 7ª.131.E
Animam rationalem eſſe in corde argumentum commune antiquorum probans.2°.de decr.Hipp. 1ª.240.A
Animæ præcipua pars quæ ſit ſm Chryſippũ.8°.de dec.Hipp.1ª. 237.D
Animæ pars princeps,quæ.fin.med. Iſa.45.A
Animæ principatus is eſt,vnde origo & ſenſus & motus ex voluntate exiſtit.8°.de decr.Hipp. 1ª.273.A
Animæ principalis facultas ſpiritus eſſe videtur.de hiſt.phi. Sp.3.D
Anima vbi habeat principatũ anatome docet.2°.de dec.Hipp. 1ª.235.B
Animæ principalis uis non inquirenda.3°.de loc.aff. 4ª.17.C
Animæ pars principalis in quo loco ſit ſcire non confert philoſopho,ſed medicis.9°.de decr.Hippo. 1ª.284.B
de Animæ principatu in demonſtratione qui erubeſcere debent. 8°.de decr.Hippocratis. 1ª.273.E
de Anima demonſtrationes quæ fieri poſſunt.9°.de dec.Hipp.1ª.285.E
Animæ principatus vbi ſit.2°.de decretis Hippocratis.1ª.235.A/de hiſtoria philoſophica. Sp.10.A
Animæ principatum inueniendi via.2°.de decr.Hippo. 1ª.235.B

Animæ

Animæ partis principalis nomina, & quòd ſit in cerebro.2°.de decre. Hipp.1ª.239.H/com.7°.apho.14°. Ex.54.H
Animæ principatus ẽ i capite ſm Peripateticos.2°.de dec.Hip.1ª.235.F
Animæ principatus eſt vbi neruorum origo. 7°. de decre.Hippocratis. 267.F/8°. 1ª.273.B
Anima cur in ſupremo corporis loco habitat.de conſuet. 2ª.61.F
Animæ ꝓcipua pars in cerebro eſt ſm Alcmeonẽ.de hiſt.philo. Sp.9.F
Animæ virium principaliũ affectus ſunt in cerebro.3°.de lo.af. 4ª.16.F
Anima ſedet in cerebro, & operationes omnes ibi habet ratiocinandi, memorandi,& ſentiendi.3°.de loc.aff. 4ª.17.H
Animæ principatus ꝙ i cerebro ſit,demõſtratio.8°.de de.Hip.1ª.273.F
Animæ prima facultas an i cerebro.uel i mẽbranis.2°.de l.af. 4ª.13.H
Animæ principatus eſt in membranis cerebri.1°.de uſu par. 1ª.114.H
Animæ principatum eſſe in pectore, quibus argumentis probet Chryſippus.2°.de dec.Hipp.234.F/ 1ª.235.F
Animę principatum eſſe in pectore, uel in corde nullo ſenſu percipimus.2°.de dec.Hip. 1ª.239.G
Animæ principalis vis an in corde.2°.de decr.Hip. 1ª.235.H
Animæ principatus ab aliquibus in corde ponit.1°.de uſu par. 1ª.114.H
Animę principatus quòd ſit in corde argumẽtum à cordis ſitu.2°.de decre.Hippo. 1ª.236.A
Animæ principatum qui uolunt eſſe cor,unde debent ſumere argumentum.2°.de decre.Hipp. 1ª.235.B
Animę præcipuam partem Diogenes in cordis arterijs ponit cum ſpiritu qui ad pulmonem deſcendit.de hiſt.philoſoph. Sp.9.F
Animam principẽ nõ eſſe in corde oſtendit anatomia.1°.de lo.af.4ª.3.G
Aiæ principẽ partẽ i corde ſtatuẽtes reprehẽdunt.13°.met.me.7ª.85.D
Anima an ſeparabilis,& an forma corporis,ingens pugna eſt inter philoſophos.2°.de loc.aff. 4ª.13.F
Animę habent ſuam vitam ſtabilem,& firmam.de ſpermate. Sp.38.A
Animę differentiæ firmæ,& immortales.de ſpermate. Sp.37.F
Anima rõcinatrix immortalis eſt ſm Platonẽ.ꝙ animi mores. 1ª.317.F
Anima ſine corruptione ſeparatur à corpore.de ſpermate. Sp.37.H
in Anima noſtra eſt præſenſio.in 1ᵐ.prorrh.com.1°. 4ª.160.G
Anima ſimul cum corpore conſtituitur.an animal ſit. 1ª.327.G
Anima cui ſit connexa.de ſpermate. Sp.37.G
Anima nõ p ſe exiſtit,ſed eſt qd ex corpe.de mot.mani.& obſ.Sp.67.G
Anima quomodo iungatur corpori.de ſpermate. Sp.37.E/F
Animam corpoream eſſe quomodo probatur.de ſpermate. Sp.37.G
Animam eſſe corpoream argumenta probãtia.ꝙ animi mores. 1ª.318.H
ſi Anima eſt forma ſimilaris corpis quid ſequatur.ꝙ ani.mo. 1ª.318.H
Anima nec eſt corporea,nec in loco.de ſpermate. Sp.37.G
Anima ſi nihil eſt corporis, neſcit uidere Galenus quo modo in totum poſſit extendi.ꝙ animi mores. 1ª.317.H
Anima ſi corporea eſt,ſpiritus qui in uentriculis cerebri continetur, eſt anima.7°.de decr.Hipp. 1ª.269.C
Anima ſi incorporea eſt,ſpiritus, qui eſt in ventriculis cerebri, eſt primum eius domicilium.7°.de decr.Hip. 1ª.269.C
Aia ſi immortalis eſt,cur affecto cerebro ſeparat.ꝙ ani.mo. 1ª.317.H
Anima ſi immortalis eſt cur necant ſanguinis larga e uacuatio, & cicuta.ꝙ animi mores. 1ª.317.H
Anima cur relinquat corpus ſupercaleſcens aut ſuperfrigeſcens, neſcit Galenus.ꝙ animi mores. 1ª.317.H
Anima ratiocinatrix mortalis eſt ſm Galenũ.ꝙ animi mores. 1ª.317.G
Animæ pars mortalis corporis eſt temperies.ꝙ animi mores. 1ª.318.D
Animæ,& corpori quę ſunt cõmunia,obeunt in ſenecta.in 6ᵐ.de morb. vulg.commen.4°. 3ª.190.E
Anima q̃ in corde,& q̃ in iecore,moriũtur cũ corpe.ꝙ ani.mo.1ª.317.F
Anima quot modis à corpore digreditur.de ſubſt.fac.nat. 1ª.230.F
Animę pars famulatrix quæ ſit.ſin.med. Iſa.45.A
Anima inſtrumenta quæ ſint.2°.de mo.muſ. 1ª.316.A
Animæ primum inſtrumentum eſt ſpiritus.in 6ᵐ.da morb.vul. com.5°. 3ª.189.G/4°.de loc.af. 4ª.23.A
Animæ ſaltem primum inſtrumentum eſt calor innatus,ſi non eſt eius eſſentia.5°.de ſim.med.fac. 5ª.34.A
per Animæ omnia organa tranſit ſpiritus.de vti.reſp. 1ª.226.A
Animæ mouentis inſtrumenta ſunt muſculi.17°.de uſu par. 1ª.221.C
Animę inſtrumenta quot habent ſymptomata.de ſymp.dif. 3ª.12.B
Animę artem,ciuilem appellat Plato.ad Thraſyb. 2ª.107.D
Anima per ſe agit opera ſua.de ſubſt.fac.nat. 1ª.230.B
Animę opera quę propriæ ſint.2°.de loc.aff. 4ª.13.F
Anima non agit abſque organis.1°.de uſu par. 1ª.113.F
Animæ organum corpus eſt.1°.de vſu par. 1ª.113.C
ab Anima operatio procedens vt melius in actum procedat, in corporibus noſtris perficitur.de anat.uiuo. Sp.55.C
Anima opatur quedã ſine corpe,& quædã cũ corpore.introd. Iſa.55.B
Animæ opera ſunt ſenſus,& motus uoluntarius,cum ſint propria animalium.1°.de nat.fac. 1ª.290.F
Animal,uel Deus fœtum format.de fœt.for. 1ª.325.B
Animam materię tantam artem aſſecutam fuiſſe ut fœtus formare potuerit,credibile non eſt.de fœt.for. 1ª.326.C
ab Anima & natura regitur animal.1°.de nat.fac. 1ª.290.G
Anima ad omnia magis idonea eſt quàm natura.an animal ſit.1ª.328.A
ab Animæ una facultate quæ fiunt,nõ fiunt ab alia. ꝙ ani.mo.1ª.317.E
Animæ actionum oĩum principaliſſima eſt uox.16°.de uſu par. 1ª.215.E
Anima ſuſtinet uitam.de dynamidijs. Sp.19.D
Animæ actio,eſt uita.de uti.reſp. 1ª.223.C
Anima prauũ corpus ratione ſui nequit regere.de ſpermate. Sp.40.D
Anima ẽ principiũ motus.in Ti.Plat.1ª.287.B/17°.de uſu par. 1ª.221.C
Anima eſt in primo membro quod mouetur.2°.de decr.Hipp.1ª.234.H
Anima eſt cauſa uirtutis motiuæ cordis.de anat.uiu. Sp.56.D
Animæ officium eſt mouere muſculos.2°.de mo.muſ. 1ª.314.H
Animæ ẽ mouere,nõ muſculi,neq; nerui.de palp.cõuulſ.& rig.3ª.53.C
Anima,in quibus p ſe ipſam moueatur, & in quibus ipſa corpus moueat.12°.meth.med. 7ª.77.D
ab Anima motus thoracis.7°.de uſu par. 1ª.159.H
Animæ motus in perturbationibus.2°.de ſymp.cau. 3ª.23.C
Animæ motus corporis tpamentũ calidius faciunt.1°.de ſa.tu. 2ª.65.G
ex Animæ nobiliſſimo motu,cogitationis ſcilicet & deliberationis, fit actio uoluntaria.de uo.& anhel. Sp.61.H
Aia q̃ uſum dat partibus,hũc uſum callet optime. de fœt.for. 1ª.325.E
Anima rationalis quæ habet opera.9°.meth.med. 7ª.58.H
Animæ rationalis actiones, principales uocantur.3°.de lo.af. 4ª.16.G
Aia rõnalis ſemẽ neruorũ mittit in cerebrũ.12°.de uſu par. 1ª.193.E
Animæ pars imperat,pars obedit,pars nutrit.9°.de dec.Hip.1ª.279.G
Animæ pars famulatrix quę ſit.ſin.med. Iſa.45.A
Anima ſeruit naturis quæ ex certa elementorum temperatione proueniunt.de ſub.fac.nat. 1ª.230.E
Animæ rationalis parti naturale eſt dominari,& imperare alijs.4°.de decre.Hippo. 1ª.252.G
Animæ pars imaginatiua recordatur.2°.de mo.muſ. 1ª.315.B
Animæ irrationalis actiones,morales uocantur.3°.de loc.aff. 4ª.16.G
in Anima irrationali uirtutes quæ exiſtunt,habitus tantum & potentiæ ſunt.7°.de decre.Hip. 1ª.268.D
Animæ iraſcibilis affectus,& opera.3°.de decre.Hip. 1ª.245.F
Aiæ opationes in aqlonia tẽpeſtate melius fiunt.cõ.3°.aph.17. Ex.23.E
Animæ exercitia quę ſint.de conſue. 2ª.61.E
Anima delectans exercitatio,optima eſt.de par.pi ex. 2ª.48.G
Anima quo modo ſe habet ad uenationes diuerſas.1°.de ſa.tu. 2ª.65.G
Animę functiones iuuant boni humores.ꝙ animi mores. 1ª.319.B
Animam confirmat ſanguis integer.de dynam. Sp.19.D
ſm Animę mores eſt forma corporis.11°.de uſu par. 1ª.189.D
Animę uirtutem ſequi complexionem corporis omnes antiqui uidentur concedere.de incant.adiur.& ſuſp. 7ª.181.F
Animę facultates corporis temperaturas ſequi uerum eſt & utile animos excolere uolentibus.quòd ani.mor. 1ª.317.B
Animã tpaturis corporis ancillari q fateri cogãtur.ꝙ ani.mo. 1ª.318.C
Animę ceſſatio in dormientibus eſt quies non perfecta, ſed quaſi quędã intermiſſio uigoris.2°.de mo.muſ. 1ª.314.F
Anima dormientium non quieſcit.2°.de mo.muſ. 1ª.314.F
Animę bona non ſunt unius generis:neq; ſimiliter.ad Thraſy. 2ª.103.H
de Animę uirtutibus quęſtiones unde ortę.9°.de decre.Hip. 1ª.283.H
Animę uirtutis una ne an plures ſubę iueniant.7°.d decr.Hip.1ª.268.B
Animæ uirtutum diuiſio.9°.de decre.Hipp. 1ª.283.H
in Anima quo modo quatuor uirtutes ſint.7°.de decre.Hip. 1ª.268.C
Animæ moribus & facultatibus, omnibus animalibus aptum corpus natura dedit.1°.de uſu par. 1ª.113.C
Animę moribus & facultatibus natura præparat corpus idoneum.2°.de ſemi. 1ª.337.G
Anima tota cur iuſta.7°.de decre.Hip. 1ª.168.C
Anima quo modo fiat prudens.quòd animi mores. 1ª.318.G
Anima non impellitur à corporis partibus, ut ſit timida,ſtrenua,aut ſapiens.1°.de uſu par. 1ª.113.F
Aiã brutorũ quo mõ ſint prudẽtes & potẽtes.d mo.ma.&ob.Sp.67.F

Anima fit fortis circa quartumdecimũ annum.5°.de dec.Hip. 1ª.257.D
Animæ opera quõ læduntur.ꝓ ani.mo.1ª.318.H/2°.de lo.aff. 4ª.13.F
Animæ partẽ rõnalẽ hebetẽ turbidãq; vinũ reddit.1°.de ſa.tu.2ª.66.H
Animam corpus mouet.de ſperm. Sp.40.D
Anima afficitur a corporeis malis.ꝓ ani.mor. 1ª.319.A
ad Animæ opera,& ad uitam eſt maximum malum diſſolutio corporis.com.3°.aph.17°. Ex.23.F
Animæ functiones lædunt praui humores.ꝓ animi mor.1ª.319.A/B/3°.de loc.aff. 4ª.19.B
Animæ functiones non ſolum immutat temperatio corporis, ſed etiam ſeiungere ipſam a corpore ualet.ꝓ ani.mor. 1ª.318.B
Animæ opera detrimentum patiuntur ex paſſione uentriculi. commen.4°.aphor.17°. Ex.29.A
Animę eſſentia quibus diſſoluatur.5°.de loc.aff. 4ª.29.B
Aĩa linquitur ſtomachice.13°.meth.me.84.G/de art.cõ.2°. 7ª.264.H
Anima deficit in euacuatione uniuerſa.com.6°.apho.27°. Ex.48.G
Animę defectus eſt bulimos.1°.de arte cur.ad Glauc. 7ª.98.E
Aĩæ defectus facit frigiditatẽ extremarũ partiũ.c.7°.aph.26°. Ex.55.G
in Animæ affectibus vehemẽtibus ſi humiditates roridæ ſuperuenerint, non in tempore fit animi defectus.1°.de arte cu.ad Glau. 7ª.98.F
in Animæ affectibus vehemẽtibus fit ſenibus & imbecillis animi defectus.1°.de arte cur.ad Glauc. 7ª.98.E
ab Animæ affectibus ephemera.2°.de criſ. 4ª.138 F
Animæ rationalis tenebræ atra bilis.2°.de ſymp.cau. 3ª.24.D
Animæ & corporis motu fit febris.præſ.exper.conf. Sp.77.D
Animæ partes in quibus ſanitas,& ægritudo locum habet.5°. de decretis Hippocratis. 1ª.255.C
Animæ ſanitas & ęgritudo non recte comparatur ſanitati & ægritudini corporis.5°.de decre.Hipp. 1ª.254.E
Animæ ſanitati, honor,gloria, diuitiæ, authoritas poſtponenda eſt.2°.de alim.fac. 2ª.18.F
Anima etiam eſt cauſa abortus.com.4°.aph.1°. Ex.27.A
Animæ morbus qui ſecundum Platonem.5°.de decre.Hip. 1ª.256.A
Animæ morbus febriculoſæ cõſtõni ſimillimus.5°.de dec.Hip. 1ª.254.G
Animę affectiones cur magis obſeruãdæ quàm motus corporis. de par,pi.ex. 2ª.48.G
Animæ affectus,unum ex ſex rebus non naturalibus.ars medi.Iſ.68.C
Animę affectus quo modo alterent corpus.ars medi. Iſa.68.C
Animæ affectiones nulla corporis quamuis uehemens paſſio uincit.de par.pi.ex. 2ª.48.G
Animæ turpitudo,quæ.5°.de decre.Hip. 1ª.256.C
Animæ quo modo peccent.de hiſt.philoſoph. Sp.5.A
Animæ ad aurigam & equos comparatio.in Tim.Plato. 1ª.287.D
Animę non ſunt uitia naturalia.de ſpermate. Sp.40.D
Animæ vitium inſanabile,quod.de cogn.cur.animi mor. 2ª.53.A
Anima.vide Animus.
ANIMATIO totius corporis quid.de ſpermate. Sp.37.F
Animatum corpus animal uocatur.in Tim.Plat. 1ª.287.B
Animata ſunt ſub ſubſtantia tanquam ſub genere.1°.de temp. 1ª.13.F
Animantia,& inanimata quo modo frigida dicantur,& calida.de uict.rat.in mor.acut. 7ª.113.E
Animata corporea ſubſtantia omnis ex elementis eſt.de ſper. Sp.39.A
Animata corporea ſubſtantia omnis, teſte Hip. iuncta eſt, & ligata in planetis,& ſignis,& quatuor elementorũ nexibus.de ſper.Sp.38.G
bene Animati qui.3°.de decre.Hippo. 1ª.245.B
Animatum emittitur ſemen.de ſpermate. Sp.36.B
Animatum quando uenit ſperma in matricem.de ſpermate. Sp.38.A
Animoſa animę pars ubi ſecundum Platonem.5°.de ana.ad. 1ª.86.H
Animoſa uirtus dicitur uis animalis.9°.meth.med. 7ª.58.H
Animoſæ uirtutis initium eſt cor.7°.de ana.ad. 1ª.96.C
Animoſi,ſunt calidi.2°.de ſan.tuen. 2ª.73.E
Animoſiora ſunt animalia,quæ lato ſunt pectore & calidiora.5°.de decre.Hippo. 1ª.257.B
ANIMAL eſt deus.1°.meth.med. 7ª.4.C
pro Animalibus omnibus pecudis nomẽ ſumitur.de ar.cõ.1°.7ª.256.F
Animal quod appellari debeat.in Tim.Plat. 1ª.286.H
Animal uocatur animatum corpus a Plat.de ſub.fac.nat.230.B/in Timæum Plat. 1ª.287.B
Animal vnum ſignificat.4°.de dif.pulſ. 4ª.68.H
Animal quid ſit.an animal ſit. 1ª.327.A
Animalis natura,quæ.2°.de ſemi. 1ª.337.C
Animalium natura quæ ſit ſm Hippocratẽ. cõ.1°.aph.15°. Ex.8.A/E
Animal à non animali differt ſenſu,& motu.1°.de motu muſ. 1ª.309.B
Animalis opifex pars habet intellectum,vt gubernator ciuitatis. com.5°.aph.39°. Ex.41.B
Animalis opifex primaria eſt natura.ad Thraſy. 2ª.105.G
Animalium ortus quo modo.de hiſt.philoſophica. Sp.11.D
Animalis generatio,diſpenſatio à tribus principiis conſiſtit. de uirt. noſtrum corp.diſpenſ. Sp.60.C
Aĩalia hñt quatuor naturales vires q̃bus gignant.2°.de dif.fe. 3ª.40.F
Animalium corpora quare augeantur,formentur,& nutriantur.commen.1°.apho.15°. Ex.8.D
Animalibus omnibus in lucem editis commune naturę opus eſt augere, & quantum fieri poteſt,ſeruare in uita.1°.de nat.fac. 1ª.291.E
Animalis ſubſtantię quæ ſint.1°.meth.med. 7ª.4.C
Animalia quæ ſint.de mot.man.& obſc. Sp.67.G
Animalium & plantarum differentia.4°.de vſu par.136.E/5°.1ª.145.C
Animalia quid habeant plus ſtirpibus.de ſubſt.fac.nat. 1ª.230.C
Animalia cur uocentur quandoq; ſtirpes.in Tim.Plat. 1ª.287.B
Animalia ſint ne ſtirpes.de hiſt.philoſo. Sp.11.H
Animalia,& plantas fingens facultas nunq̃ ſiſtit.de fœt.for. 1ª.324.F
Animalia,& plantas fingens facultas omnes partes ſimul fingit.de fę.for. 1ª.324.F
ad Animal à plantis quũ incedit natura,hẽt gradus.2°.de ſem.1ª.339.G
in Animalibus,& plantis diuerſo modo Ariſtoteles naturæ opera exponit.1°.de ſemi. 1ª.331.E
inter Animal & plantam media.de fœt.for. 1ª.323.F
Animalia plantæ,& ſemina viuere tantum dicuntur.de marc. 3ª.45.B
Animalis nullum genus perire qua arte natura inſtituit.14°. de uſu partium. 1ª.204.D
Animalium corpora conſtant calido,frigido, humido,ſicco,non tamen ęqualiter.1°.de temp. 1ª.10.B
Animalia ex quatuor elementis.1°.de elem. 1ª.5.E
Animalia generantur ex elementis multis interuenientibus mutationibus.8°.de decre.Hipp. 1ª.275.A
Animal propter quid unum dicitur.1°.de uſu par. 1ª.113.B
Animalis corpus non eſt unum,vt atomus Epicuri, & incompacta Aſclepiadis corpuſcula.de dif.mor. 3ª.2.E
Animal vt fiat duo principia exiguntur.1°.de ſemi.331.H/ 1ª.338.D
Animalia proprie generantur,non morbi.de morb.temp. 3ª.85.C
Animal debet augeri,abſolui,& diu durare.1°.de nat.fac. 1ª.292.C
Animalia oĩa habẽt inſtrumenta concipiendi.14°.de uſu par. 1ª.204.D
Animal nullum concipit ſemen excernens.1°.de ſemi. 1ª.329.A
Animal omne ſemen continens eſt grauidum.1°.de ſemi. 1ª.329.A
Animalis ſemine cur uulua indiget.1°.de ſemi. 1ª.331.G
Animalia ita corpori matris incluſa cohærent,ut plantarum ſemen terrę.2°.de ſemi. 1ª.338.E
in Animalibus ita fit chorion,ſicut plantæ ſemen radices facit.1°. de ſemi. 1ª.331.G
in Animali trunci inſpiciuntur in unoquoq; principio unum,aorta,caua uena,& dorſi medulla.1°.de ſemi. 1ª.331.G
in Animali concepto ubi colligitur urina.1°.de ſemi. 1ª.331.H
Animal potentia eſt,in vtero exiſtens.an animal ſit. 1ª.327.D
Animal ſit ne fœtus in vtero.de hiſt.philoſoph. Sp.11.A
Animal ſpirans in vtero.an animal ſit. 1ª.327.E
Aĩalis ꝑticulę ſunt naturæ opa dũ eſt in vtero.1°.de nat.facul. 1ª.291.E
Animalia procliuia ad ſaliendum,qualem ligaturam habeant in matrice.15°.de uſu par. 1ª.211.D
Animalia quæ commoda ad ſaliendum.3°.de ali.fac. 2ª.33.B
Animalia quæ ad ſaliendum inepta.3°.de alim.fac. 2ª.33.C
Animal recenter formatum in utero eſt calidiſſimum et humidiſſimum.2°.de temp. 1ª.16.A
Animalia cur primo ſint mollia.de marc. 3ª.46.C
Animalia parua cur ſugunt lac.14°.de vſu par. 1ª.205.A
Animalia parua maiorẽ pariunt admirationẽ.17°.de vſu par. 1ª.222.D
Animalium conſtructio admirabilis eſt.17°.de uſu par. 1ª.222.B
de Animalium fabrica neſcit Gal.ualidam rõnẽ.de fœt.for. 1..1ª.325.G
in Animali omni,non ſolum in homine, ars & ſapientia artificis cõſpici poteſt.17°.de uſu par. 1ª.222.D
Animalium cuique natura condidit corpus idoneum animi affectibus.6°.de ana.ad.89.G/3°.de uſu par. 1ª.135.E
Animaliũ particulæ differũt,quia & aĩæ differũt.1°. de uſu par.1ª.113.C
Animalium inſtrumenta formæ conuenientia ſunt. 14°. de uſu partium. 1ª.204.E

Animalia,

Animalia, & homo cõſtant ex ſolidis, humidis, & ſpiritibus. bre. denot. dogm. Hippo. 1ª.231.A
Animalium ſanguineorum proprium elementum. 2°.de ele. 1ª.9.F
Animalium ſanguineorum calor ſimilis eſt caliditati quæ in domibus ſentitur æſtatis tempore. de fœt.for. 1ª.323.F
Animalia calidiora ſunt ſanguine prædita. 2°.de nat.fac. 1ª.300.C
Animalia quæ lato ſunt pectore & calidiora, ſunt animoſiora. 5°.de decre.Hippo. 1ª.257.B
Animalia cum ſanguine tenui ſapientiora ſunt. ꝙ ani.mo. 1ª.319.C
Aĩalia q̃dã nõ hñtia ſanguinẽ, prudentiora ſunt. ꝙ ani.mo. 1ª.319.C/D
Animal omne habet caliditatem in ſanguine & uenis ueluti fontẽ ignis. in Tim.Plat. 1ª.289.H
Animal aliquot collatum homini eſt calidum, collatum leoni frigidum. 1°.de temp. 1ª.12.F
Animal omne plus minusq́, eſt humidum. 4°.de ſimp.me.fa. 5ª.30.C
Animalia frigida & ſicca, quæ. 2°.de temp. 1ª.15.G
Animalia frigidiora, ſunt exanguia. 2°.de nat.fac. 1ª.300.C
Animalia frigida hyeme latent ueluti mortua. 2°.de lo.af.14.B/4ª.33.E
Animalia ſunt diuerſa ſecundum loca, licet ſint in eadem ſpecie, & ſimiliter quæ ſunt in animalibus. 10°.de ſim.me.fa. 5ª.77.B
inter *Animalia differentia maxima eſt, quorum latitudo accipitur per comparationem ad plantas.* 14°.de uſu par. 1ª.205.G
de *Animalium numero cum quæritur, non conuenit unam differentiarum oppoſitionem reſpondere.* 1°.meth.me. 7ª.4.A
Animaliũ ſpẽs gñatiõi ſubiectas ſubſtãtias ſequunt̃. 2°.de ſem.1ª.337.C
Animalis propriæ differentiæ quæ ſint. 1°.meth.med. 7ª.4.C
Animalium differentiæ ab Ariſtotele in primo de partibus animalium enumerantur. 1°.meth.med. 7ª.4.D
Animalium genera quatuor, & an ſenſu prædita rationem habeant de hiſt. philoſophica. Sp.11.E
in *Animalis omni gñe mas eſt ualidior fœmina.* 3°.de cau.pul.4ª.95.G
ad *Aĩalia fabuloſa aĩæ ſimilitudinem fecit Plato.* in Tim.Pla.1ª.287.D
Animalia ſępe in lapidibus & terra gignuntur, ubi eundem penitus locum occupat opifex & opificium. de cauſ.procatar. 3ª.97.A
Animalia quædam habent oculos duros. de anat.uiuo. Sp.48.C
Animalia communia terrę & mari, quæ arabice dicuntur cenalia, & piſces reſpirant uaporem per branchias. de anato.uiuo. Sp.48.C
Animalia plurimum oſſuoſa, quæ. de util.reſp. Sp.64.E
Animalia quæ multum poſſunt ſub aqua morari. de anat.uiuo. Sp.53.B
Animalia q̃dam uenenũ ictu infundere obſeruatũ eſt. de opt.ſec.Iſ.22.E
Animalculi ex arboribus fit mentio. 3°.de comp.med.ſec.loc. 5ª.145.A
Animalculũ qđ inteſtinũ terræ appellat̃. 3°.de cõp.med.ſe.lo. 5ª.145.A
ad *Animalium habitationem metalla nocua ſunt.* de bo.aquæ. Sp.75.F
Animalia ſæpe in abſceſſibus inuenta ſunt. de tum.præter.nat. 3ª.83.G
Aĩal oẽ abũdãs ſepo, et pĩguedine, abũdat & medulla. đ an.ui.Sp.44.E
Animalia quędam habent ſanguinem ualde ſpiſſum, ac terreſtrem, qui coagulatur ſtatim. de util.reſp. Sp.64.F
Aĩalia q̃ latibula habitãt hyeme cur nõ comedãt. de ue.ſe.adEra.6ª.9.A
Animalia quæ hyeme deliteſcunt, adipe obeſa ſunt. 1°.de temp. 1ª.18.D
Animalium carnes crudę familiaris cibus leoni. 2°.de alim.fac.2ª.17.C
Animalia æſtum, & frigus effugiunt. de cauſ.procat. 3ª.96.A
Animalia ea parte ſe defendunt, qua alijs præſtant. de fœt.for. 1ª.325.E
Animalibus quibuſdam dantur dentes, alijs cornua ad armaturam. de anatomia uiuorum. Sp.49.E
Aĩalia q̃ calidiora, & magis terrena ſuibus 4°.de ſimp.med.fa.5ª.25.E
Animalia calida, & audacia, quæ. de util.reſp. Sp.64.F
Animalia cordis parui cur audacia ſint. de anat.uiu. Sp.46.H
Animalia quędam paruum cor habent, tamen ſunt audacia, quia calidũ habent cor. de ana.uiuo. Sp.53.A
Animalia laticlunia & frigidiora, ſunt timidiora. 5°.đ de.Hip. 1ª.257.B
Animalia timidiora a quo ſanguine fiant. ꝙ animi mo. 1ª.319.C/D
Animalia timida ſunt, eo quòd habẽt ſanguinem frigidum, & aquoſum. de util.reſp. Sp.64.E
Animal inter urſum & ſuem in Lucania. 3°.de alim.fac. 2ª.26.C
Animal pedeſtre bipes, definitio qualis. 1°.de diff.pulſ. 4ª.48.A
in *Animalibus ut ætas, ita in morbis ſunt tẽpora.* de mor.tẽp. 3ª.85.B
Aĩal ꝑ ętates non ſemꝑ fit calidius, aut frigidius. 1°.de ſan.tuen.2ª.67.C
Animal nullum pedeſtre, præter ſimias & ſatyros, incedit binis innixũ pedibus. 4°.de ana.admi. 1ª.80.G
Animalia carniuora propter quid habent pedes multifidos & curuos ungues. 3°.de uſu partium. 1ª.128.B
Animaliũ herbiuororum alia habẽt ungulas ſolidas, alia bifidas. 3°.de uſum partium. 1ª.128.B
Animalia iuuęnilia quo modo erudiantur. 5°.de decre.Hippo. 1ª.258.B
Animalia comparãtur ſm gradus caliditatis. 11°.de ſim.me.fa. 5ª.78.E
Animalia cõparantur ſm gradus ſiccitatis. 11°.de ſim.med.fa. 2ª.33.D
Animaliũ ſingulæ naturę hñt ſuũ ꝓprium mediũ. 3°.de ali.fac. 2ª.33.D
Animal perfectum, cui nulla propriarũ actionũ deeſt. de marc. 3ª.46.B
Animalia, quæ nõ generantur ex ſemine non ſat habent putredine ut generẽtur, ſed indigent etiam magno calore. com.3°.apho.26°.Ex.25.F
Animalia in limo, in colluuie, in paludibus, in plantis, fructibusq́, putrẽtibus gignuntur. 17°.de uſu partium. 1ª.222.C
Animalium partes quæ penitus ſunt exangues, frigido læduntur. cõmentario.5°.aphor.18°. Ex.39.A
Animalibus quædã familiaria adnaſcuntur. 11°.de ſim.med.fa. 5ª.81.C
Animalia in corꝑe hñt ſilẽm ſtatũ cœli. in 1ᵐ.de mor.uul. c.1°.3ª.104.D
Animalis genus ex ſubſtantia habetur. 2°.de ſemi. 1ª.339.H
Animalibus omnibus caro communis eſt. 11°.de ſim.med.fac. 5ª.77.F
Animal unum ſufficit ad omnes ſectiones. 8°.de ana.ad. 1ª.102.F
Animalia quæ ſumenda pro anatomia. 6°.de ana.admi. 1ª.89.F
Aĩal debet eẽ antiqus ꝑ anatomia brutorũ. de mot.ma.& obſ.Sp.70.C
Animaliũ ordo in exercitatione anatomica. 6°.de anat.admi. 1ª.90.G
Animalia habentia ſerratos dentes ſequuntur habentia quinque digitos in manu. 6°.de anato.admi. 1ª.89.F
Animãtia q̃ nõ multũ differũt ab hoĩum natura. 4°.đ ana.ad.1ª.80.B/G
Animalia excoriabilia, quæ. 7°.de anat.admi. 1ª.98.F
Animal male excoriãtes ignorarũt muſculũ latũ. de muſc.diß. 1ª.44.E
Animalium ad ſectionem differentię. 6°.de ana.ad. 1ª.90.D
Animalia anatomizanda ſuffocabat in aqua & laqueo ſuſpendebat. 8°. de anato.admi. 1ª.103.D
Animal incidendum & ſcarificandum fame & ſiti affligendum. de motibus man.& obſ. Sp.70.D
in *Aĩali uiuo tres modi ſecãdi.* 7°.de ana.adm.97.E/H/8°. 1ª.100.A
in *Animali mortuo primo exerciteris, ut in uiuo præter effuſionem ſanguinis anatomen uidere poſſis.* 8°.de anat.ad. 1ª.100.B
Animal lõgo tꝑe mortuũ cur non põt diſſecari. 1°.de anat.admi. 1ª.65.E
Animalis mortui partes perfundantur aqua calida, ut facile uideãtur. 8°.de uſu pattium. 1ª.168.B
Animal calidum eſſe debet, uel calefactum arte quod ſpectari debet in buccis. 4°.de anato.admin. 1ª.80.E
Animalia bruta incidit Galenus. 4°.de anato.admin. 1ª.80.B
Animalia q̃ diſſecauit Galenus, & q̃ non. 6°.de anat.adim. 1ª.89.G
in *Aĩalis ꝑtibus cõſtruẽdis tres ſcopi primi.* 14°.de uſu par. 1ª.204.C
in *Animalibus perfectis membra officialia.* de anatomia uiu. Sp.45.C
in *Animalibus imperfectis membra conſimilia officialibus perfectorum.* de anatomia uiuorum. Sp.45.G
Animalis partes ſunt adeps, & medulla. de anato.uiuo. Sp.44.D
Animalis particula propter quid una dicitur. 1°.de uſu par. 1ª.113.B
Animalium partes membra ſunt. in Timæum Platonis. 1ª.287.A
Animalium partes terrenę quę ſunt. 9°.de ſim.med.fac. 5ª.64.H
in *Animali uiuente capitis anatome.* 7°.de dec.Hipp.& Pla.1ª.369.B
Animalia quædam carent capite. 7°.de uſu partium. 1ª.166.C
Animalia carniuora hñt dentes ſupra, & infra. de ar.com.1°. 7ª.256.G
Animalia ruminãtia hñt tãtũ dẽtes inferiores. de artic.cõ.1°. 7ª.256.G
Animalia quędam habent duas tantum dentium maneries, ſicut inciſiuos, & molares. de ana.uiuorum. Sp.49.E
Animalia ad mordendum parata, qualia. 16°.de uſu partium.1ª.217.A
Animalia habentia dentes ſerratos quale habent temporalis muſculi caput. 16°.de uſu partium. 1ª.217.B
Animalia habentia maxillam magnam quale habent temporalis muſculi caput. 16°.de uſu partium. 1ª.217.B
Animalia omnia mouent inferiorem maxillam præter cocodrillum. 4°. de anato.adminiſtr. 1ª.80.B
Animalium aliorũ maxilla ꝓlixior eſt q̃ ſimiæ. 4°.de an.admi. 1ª.80.G
Animalibus omnibus a qua coniugatione cõmune eſt neruos accipi. 15°. de uſu partium. 1ª.215.H
in *Animalibus habentibus magnas uertebras, ut ſunt animalia dẽtes ſerratos habentia & cornigera, prima neruorum colligi coniugatio eſt magna.* de neruorum diſſectione. 1ª.54.E
in *Animalibus habentibus uertebras paruas ut in ſimijs, prima coniugatio neruorum colli parua eſt.* de ner.diſſ. 1ª.54.E
in *Animalibus, quæ non multum diuerſam ab homine naturam habẽt, ſeptem ſunt uertebrę in collo.* de ner.diſſ. 1ª.54.H
Animalia longum collum habentia inclinato corpore deglutiunt. 3°. de natural.

natural.facultat. 1ª.305.C
Animal habens ampliſſimam uocem aptum eſt ad ſectionem thoracis. 8°.de anatomicis adminiſtrationibus. 1ª.100.B
Animalia habentia magnam uocem quot muſculos habeãt in aſpera arteria.7°.de uſu partium. 1ª.160.D
Animalia prędita magna uoce qualia.16°.de uſu partium. 1ª.216.H
in Animante omni qui muſculi chartilaginem cogunt,& guttur claudunt.de muſ.diſſ. 1ª.46.C
Aĩalia ꝑua quot mnſculos habeãt ĩ arteria aſpa.7°.de uſu par. 1ª.160.D
inter Animalia parua uoce ꝑdita eſt ſimia.de uoc.inſtr.diſſ. 1ª.107.A
Animalia utrinque dentata an habeant unum uentriculum, ſenſus indicat.de natura humana.commen.2°. 7ª.183.C
Animal non habens dentes ſuperiores habet plures uentriculos. 6°. de anatomicis adminiſtrationibus. 1ª.90.D
Animalia q̃ hñt magnũ & aſperũ uentriculũ.6°.de ana.admi. 1ª.90.D
Animal habens dentes ſuperiores nõ ruminat,nec habet multos uẽtres. 6°.de anat.admini. 1ª.90.E
Animalia ruminantia an habeant quatuor uentriculos, ſenſus iudicat. de natura humana commen.2°. 7ª.183.C
Aĩalia ambulabilia,& ſanguinea pulmonẽ habẽt.de ana.ui. Sp.48.B
Animal omne habens calorem magnum,neceſſarium fuit habere pulmonem magnum.de ana.uiuo. Sp.47.F
Animalia quadrupeda magnum pulmonem habent.de ana.ui.Sp.45.F
Animalia plura habent plures lobos quàm hõ.6°.de uſu par. 1ª.149.B
in Animali quocunque lobi pulmonis ſunt plus in dextra parte quàm in ſiniſtra.6°.de uſu partium. 1ª.149.A
Animalia propter quid reſpirant.de utilitate reſpirationis. 1ª.225.B
Animalia tenuẽ aerem inſpirantia alijs præſtantiora ſunt. de attenuante uict.rat. 2ª.45.D
Animalium trahentium aerem eadem eſt ſtructura pulmonum. 7°. de anato.adminiſtrationibus. 1ª.96.H
in Animalibus quibuſdã loco pulmonis ſunt canales.de an.ui.Sp.48.C
Animalia quæ degunt in cauernis,an reſpirent.4°.de loc.aff. 4ª.27.D
Animal & maximum & minutum habet ſimilem cordis ſtructuram. 7°.de anatomicis adminiſtrationibus. 1ª.96.H
Animal dum uiuit,cor in utriſq; ſinibus ſanguine repletum eſt.de decretis Hippocratis & Platonis. 1ª.231.F
Animalia ex corde ſortiuntur igneã caliditatem.de fœt.for. 1ª.323.F
Aĩalia multa nõ hñt dextrũ cordis uẽtriculũ.6°.de decr.Hip.1ª.263.E
in Animalibus paruis uidetur unus ſolus uentriculus cordis.de utilitate reſpirationis. Sp.64.D
Animalia hñtia arterias amplas & manifeſtas.de uſu pulſ. 1ª.228.G
Animalis totius erectio ſupra cor poſita eſt a natura tanquam ſupra radicem ultimam.de ana.uiuo. Sp.47.B
Animalia aliquã nõ hñt ueſicã fellis,tñ hñt fel.4°.de uſu par. 1ª.138.E
Animalia quæ hñt lienem album & quæ nigrũ.6°.de ana.ad. 1ª.92.G
in Animalibus q̃ augent̃ ueſica ẽ maior matrice.14°.de uſu p.1ª.205.C
in Animalibus iã auctis ueſica minor matrice.14°.de uſu par.1ª.205.C
Animal putatur eſſe ab aliquibus,uterus.6°.de lo.affe. 4ª.40.D
Animalis uires in teſtibus.1°.de ſemi. 1ª.334.C
Aĩalia ꝑter hoĩem cõueniẽter hñt quatuor pedes.3°.đ uſu par. 1ª.128.A
Animalia qua potentia regantur.com.2°.apho.17°. Ex.13.A
Aĩaliũ rõnẽ habet natura.17°.de uſu par.1ª.222.G/ad Traſ. 2ª.105.G
Animal oẽ a natura ſimul,& ab anima regitur.de atra bile.34.H/1°.de fac.na.1ª.290.G/cõtra ea q̃ a Iuliano ĩ Hip.aph.dicta sũt.Ex.68.A
Animal gubernans facultas motus arbitrarij eſt opifex.de palpitatione conuulſ.& rig. 3ª.53.C
Animal ſm̃ aliquos memorijs gubernatur.1°.de natu facul. 1ª.293.A
Animal alimento & ſpiritu gubernatur.introductio. Iſa.54.A
Animal adminiſtrantia tria principia.7°.de uſu partium. 1ª.164.A
Animal requirit tres naturæ facultates ſolum.1°.de nat.fac. 1ª.292.C/ 9°.meth.med. 7ª.58.H
per Animales quinque uirtutes corpus fruitur nouem uoluptatibus.de compag.memb.ſiue de natura humana. Sp.59.B
in Animali nihil prius uita.9°.meth.med. 7ª.59.F
Animalis ſenſus expectãt ut offerat̃ ſenſibile.7°.de dec.Hip. 1ª.271.A
Animali uiuente difflatio,expiratio,& inſpiratio fit ſemper. in Timæũ Platonis. 1ª.289.C
Animalia quo tempore per os inſpirant.11°.de uſu partium. 1ª.188.E
Animalia occluſa latebris non uidentur ſpirare.6°.de lo.affe. 4ª.39.E
Animalia nõ poterũt durare niſi ſtatim ab initio a natura ſit tributa facultas quædã naturalis unicuiq; inſtrumẽto.2°.de nat.fac.1ª.297.C
Aĩalib⁹ oĩum inſtrorũ corpis ita facultates inſitas dedit natura,ut ſine illa diſciplina illis ad ꝓprias functiões uterent̃.2°.de ſemi.1ª.340.A
Animalibus,et ſtirpibus natura ĩſitas quaſdam uires deficiẽtis ac deſiderati ſemp appetẽtes ab initio ſtatim dedit.1°.de ſani.tuen. 2ª.62.G
Animal nullũ alimẽto carere debet.de renũ affe.dign.et med.7ª.195.A
Animalis q̃libet pars hẽt naturales potentias plures,ſed ꝑcipue ẽt hẽt potẽtiam,ꝑ quã alterat alimentum ſibi ipſi.cõ.5°.apho.39°. Ex.41.B
in Animalis qualibet parte uis eſt,quã alteratricẽ gñaliter, particulariter aſſimilatricem,& nutritoriã nominamus.3°.de na.fa.1ª.302.D
Animalia et plãtæ reddũt ſibi ſile alimẽtũ.de dec.Hip.et Pla.1ª.264.G
Aĩal oẽ ſuarũ partium uires nullo doctore ꝑſentit.1°.de uſu par.1ª.113.F
Animalia accedũt ad alimẽta uirtute quadã innata.15°.đ uſu p.1ª.213.B
Animal conuenienti alimento nutritur.3°.de temp. 1ª.22.C
Animalia quo modo naturalr̃ ueniũt ad ꝓpria nutrimẽta.de cõſ.2ª.61.A
Animal omne non nutritur quocunq; cibo.1°.de natu.fac. 1ª.292.D
Animal omne à totius ſubſtantiæ proprietate cibum habet familiarem. 2°.de alimentorum facultatibus. 2ª.17.B
Animalis partes ex partibus propinquis trahũt alimentum.13°. de uſu partium.1ª.202.B/1°.de ſymp.cau.17.H/de marcore. 3ª.48.D
Animalium alimenta,quæ.8°.de decre.Hippo. 1ª.275.A
Animalia nutriuntur fructibus,herbis,& lacte.2°.de ſemi. 1ª.338.E
Animalis partes quo ſanguine nutriantur.com.2°.aphor.47°.Ex.18.H
in Animalibus an gignatur bilis,uel ſit in cibis.2°.de nat.fac.1ª.300.F
Animalibus quibuſdã guloſis uẽter in os rapitur.3°.de na.fa.3ª.305.A
Animalia quæ ſine cibo poſſunt perdurare.commen.1°.aph.15°.Ex.8.B
Animalia latẽtia in latibulis,alimento nullo aliqua indigẽt, aliqua pauco.commen.7°.apho.59°. Ex.59.D
Animalibus nutriuntur homines.8°.de decre.Hipp.& Plat.1ª.275.A
ab Animalibus alimenta.2°.de alimentorum facultatibus. 2ª.16.A
Animalium quæ membra ſint bona,quæ mala.de diſſ.cont. Sp.74.A
Animalium carnes diuerſæ.3°.de ſymp.cau. 3ª.26.D
Animalium iuniorum caro præſtãtiſſima eſt.3°.de alimen.fac. 2ª.29.E
Animalium herbam uiridem non habentium carnes ſunt malæ de uict. rat.in mor.acu.com.4°. 7ª.147.B
Animalia omnia habentia alimenta ſunt meliora quàm quibus deſunt. 3°.de alim.fac. 2ª.26.B
Animalia quæ exercẽtur ꝑferenda ſunt ocioſis.de atten.uic.ra.2ª.45.C
ex Animalibus humidis quod eſt maius, uelocius digeritur antequam dureſcat,quàm minus.de diſſ.cont. Sp.73.C
ex Animalibus ſiccis quod paruum eſt uelocius digeritur, quam quod magnum.de diſſ.cont. Sp.73.C
Animalia domeſtica quo differãt ab agreſtibus.3°.de alim.fac.2ª.27.E
Animalium domeſticorum alimentum quale.3°.de alim.fac. 2ª.27.F
Animalium domeſticorum carnes edendæ ſunt potius aſſæ quàm elixæ. de cura icteri. Sp.111.D
Aĩaliũ aliorũ carnes ut alimẽti bonitate ſunt ſuilla ĩferiores,ita ex carnes eorũ ꝑtes ſuĩ ex carnibus ſunt deteriores.3°.de alim.fa. 2ª.26.F
Animalium agreſtium alimentum,quale.3°.de alim.fac. 2ª.27.F
Animalium ſylueſtrium carnes elixæ magis quàm aſſæ edendæ ſunt. de cura icteri. Sp.111.D
Animalia montana qualia.3°.de alimẽ.fac.27.E/3°.de uict.ra.2ª.45.C
Animalia montuoſa diutius ſeruantur imputria quàm domeſtica. 3°.de alimentorum facultatibus. 2ª.27.E
Animalia in ſtagnis,locis aquoſis, & campeſtribus degentia qualia.de attenuante uict.ratione. 2ª.45.C
Aĩalia humida ĩ florẽti ætate ſunt in mediocritate.3°.de ali.fa. 2ª.25.H
Animalia ſicca in adoleſcẽtia ſunt in mediocritate.3°.de al.fa.2ª.25.A
Animalis quod eſt in augmẽto & cremẽto caro uelocius digeritur,quã eius quod inueteratum eſt.de diſſ.cont. Sp.73.C
Animalia recentia qualia.8°.meth.med. 7ª.51.B
Animalia ſeniora non ſunt boni ſucci. de bo. & uitio ſuc.2ª.36.B/8°.methodi meden. 7ª.51.B
Animalium oĩum antiquorũ caro parũ nutrit,cur.de diſſo.con.Sp.73.F
Animalis multorum annorum caro eſt ſuilla.de diſſo.conti. Sp.74.D
Animalium paruorum caro lenit uentrem. de diſſolu.conti. Sp.75.A
Animalia pinguia non ſunt gracilibus comparanda in nutriendo. 3°.de alim.fac. 2ª.26.C
Animalium gracilium caro peſſima eſt.3°.de alimen.fac. 2ª.29.E
Animalium partes extremæ quales.de boni.& uitio ſuc. 2ª.35.G
Animalium omnium aures tarde digeruntur.de diſſ.conti. Sp.73.D
Animalium oĩum hepata tarde digeruntur.de diſſo.conti. Sp.73.D
Animalia quæ herbis tenuioribus ueſcuntur, primo uere pingueſcunt.

3°.de alimen.faculta. 2ª.26.B
Animalia, quorum paſcua ſunt in deſertis, & in locis ſiccis, non habẽt ſuperfluitates.de diſſol.cont. Sp.73.E
Aĩalium oĩum interiora ſunt multarũ ſupfluitatũ.de diſſo.cõti. Sp.73.E
Animalis lactãtis caro eſt multarũ ſuperfluitatum.de diſſ.cõt. Sp.73.E
ex quali Animali ſumendum ſit lac.de diſſo.continua. Sp.73.H
Animal cuius lac ſumis, cuius ætatis eſſe debet.5°.de ſan.tuen. 2ª.91.H
Animalium, quorum lacte ſis uſurus, qualia debent eſſe nutrimenta.5°. de ſan.tuen. 2ª.91.H
Animalium ignotorum præparationes ſunt diſcendæ ab his, in quorum regionibus naſcuntur.3°.de alim.fac. 2ª.26.C
in Animalibus quæ augentur, cur nil ſuperfluum benigni alimenti relinquatur.14°.de uſu partium. 1ª.205.D
Animal omne particeps eſt rationis.ora.ſuaſoria. Iſa.2.C
Animaliũ omnia excedit homo ratione.ora.ſuaſoria. Iſa.2.C
Animalia irrationalia habent concupiſcibilem, & iraſcibilem facultatem.5°.de decre.Hippo. 1ª.258.C
Animalia irrõnalia ſola cupiditate regũtur.5°.de decre.Hipp. 1ª.258.C
Animalis ſpũs nomẽclatura, & potẽtia ubi diſcẽda.3°.de lo.af. 4ª.17.H
Animalis ſpiritus quis.intro.Iſa.55.E| de utilita.reſpi. 1ª.226. G| 1°. de præſag.ex pul.4ª.104.E| de uir.noſtr.corp.diſp. Sp.60.C
Animalis ſpirit⁹ eſt exhalatio ſanguinis benigni.6°.de uſu par. 1ª.155.C
Animalis ſpũs multũ diſcrepat ab alijs ſpiritibus.16°.de uſu p. 1ª.219.C
Animalis ſpiritus unde oriatur.2°.de decre.Hippo. 1ª.240.F
Animalis ſpiritus in cerebri uentriculis oritur.7°.de decre. 1ª.269.D
Animalis ſpiritus quo modo conficiatur.7°.de uſu partium. 1ª.169.D
Animalis ſpiritus ex qua materia fiat.7°.de decr.Hip. 1ª.269.E
Animalis ſpũs fit ſpiritu attracto ex arterijs.8°.de decre.Hip. 1ª.278.B
Animalis ſpiritus fit ex uitali ſpiritu elaborato.de ocul.7ª.183.G| de uirtu.noſtrum corpus diſpen. Sp.60.C
ad Animalem ſpiritum generandum facit ſubſtantia ſpiritualis, quam habent arteriæ.4°.de diff.pulſ. 4ª.65.E
Animalis ſpiritus multitudini non eſt potius tribuenda bonitas ac perfectio intellectus, quam qualitati.8°.de uſu partium. 1ª.170.D
Animalis ſpũs cur ĩ toto cerebri corpe cõtineat.8°.de uſu par. 1ª.170.C
Animalis ſpiritus ex coctione cerebri fit.9°.de uſu partium. 1ª.172.F
Animalis ſpiritus pleni ſunt uentriculi cerebri.de uſu pul. 1ª.227.H
Animalis ſpiritus augetur cum corpore.1°.de diff.reſp. 3ª.58.C
Animalis ſpiritus quo modo penetret ad membra.de ocul. 7ª.184.F
Animali ſpiritu plenum eſſe ſinum ſpiritus aſſerit Chryſippus.1°.de decre.Hippoc.& Plato. 1ª.232.A
Animalis ſpiritus principium per ſe mobile.1°.de ſemi. 1ª.331.D
Animalis ſpiritus eſt aĩæ primum inſtrumentum.4°.de lo.aff. 4ª.23.A
Animalis ſpiritus nutritur, & quo nutriatur, & per quem locum. de utili. reſp.225.G| H| de uſu pul.228.A| 1ª.228.D
Animalis ſpiritus præſtat auribus uirtutem audiendi.de compa.mem. ſiue de natura humana. Sp.58.B
Animalis ſpiritus qualis in oculo ſit.1°.de ſimp.cau. 3ª.15.C
Animalis ſpiritus copia eſt in oculo.7°.de decre.Hippo.1ª.269.H| 1°.de ſympt.cau. 3ª.15.C
Animalis ſpiritus conſumitur in motu uoluntario.de uſu pulſ.1ª.227.H
Animalis ſpiritus ſi euacuetur, quid ſequatur. 7°. de decretis. 1ª.269.E
de Animalibus ſenſibus.de cõpag.membrorũ, ſiue de nat.hu. Sp.59.B
Aĩales aliꝫ, aliꝫ naturnles sũt ĩtrĩſecꝫ facultates.de uo.ĩſt.diſ. 1ª.106.C
Animalis uis quibus nominibus dicatur.9°.met.med. 7ª.58.H
Animalis uis unde ſit, & quo mõ cognoſcat̃.de arte cu.ad Gla. 7ª.99.G
Animalis facultas nõ oĩs a uoluntate eſt.de uocaliũ inſtr. diſſ. 1ª.106.C
ab Animali facultate qualiter fiat omnis actio uoluntariæ.de uocalium inſtrumentorum diſſectione. 1ª.106.D
Aĩalis uis nõ dat̃ cerebro a corde per arterias.2°.de dec.Hip. 1ª.239.D
Animalem uirtutem a cerebro nerui accipiunt.1°.de uſu par. 1ª.117.B
Animalis uis primum mouet ad reſpirationem. 1°.de diffi.reſp. 3ª.61.B
Animalis uis in ſtatu morbi fatigatur, naturalis uel uitalis fortes perſiſtunt.commen.2°.apho.29°. Ex.19.G
Animalis uis quieſcit in ſomno, & maxime uiget naturalis.1°.de ſymp. cau.3ª.18.H| com.4°.aph.15°. Ex.28.H
Animalis uis quo mõ deijcitur & ꝓſternit̃.4°.de p̃ſag. ex pul. 4ª.123.G
Animalia, & naturalia inſtrumenta differunt.1°.de lo.aff. 4ª.8.A
Animalia inſtrumenta indigent uenis & arterijs.1°.de loc.affec. 4ª.8.B
Animalis actio nulla ineſt cordi, ideo non eget magnis neruis. 6°.de uſu partium. 1ª.155.F
Animales actiones in quot diuiduntur, de ſym.diffe. 3ª.11.D
Animales actiones habẽt tãtũ duas ſpecies ſenſus.de oculis. 7ª.186.A
ex Animalibus actionibus plurimæ ſecundum noſtram uoluntatẽ perficiuntur.de uocalium inſtru.diſſ. 1ª.106.C
Animales actiones cur à multis cauſis offendãtur.3°.de lo.aff. 4ª.16.G
Animale officium eſt appetens cibum & potum uentriculi cupiditas. 6°.de locis affectis. 4ª.37.H
Animalium partium officium quod.in progno.com.1°. 4ª.197.B
Animali appetitu fiunt motus muſculorum. commen. 6°. aphoriſ.39°. Ex.50.G| 1°.de motu muſcu. 1ª.309.B
Animalibus partibus inſunt diuerſa ſymptomata ratione qua animata, & ratione qua naturalia.1°.de locis affectis. 4ª.8.B
Animalium ſymptomatum enumeratio.de ſymp.diffe. 3ª.12.B
de Animaliũ utilitate librũ fecit Xenocrates.10°.de ſim.me.fa. 5ª.73.C
Animalibus prima utilitas eſt ab actionibus.17°.de uſn par. 1ª.221.C
Animalibus ſecunda utilitas eſt a partibus.de uſu partium. 1ª.221.C
Animalis quꝫlibet pars neceſſaria eſt.de diff.morb. 3ª.4.A
Animalis nulla pars extrinſeca inutilis eſt.17°.de uſu par. 1ª.221.E
in Animalibus duplices ſunt actiones corporales, & animales. 6°.de ſanitate tuenda. 2ª.95.F
Animales actiones diuiduntur in ſentientes, actiuas, & rectrices.1°.de ſympt.cau. 3ª.14.B
Animalia magis natura, q̃ rõne artẽ aliquã exercẽt.1°.de uſu p. 1ª.113.G
Animal ut animal ex ſeipſo mouetur.11°.de uſu partium. 1ª.191.E
Animal quum uult, illico mingit.2°.de decret.Hipp. 1ª.237.G
Animalis motus principium eſt cerebrum.7°.de uſu partiũ. 1ª.164.A
Animalis partium munia quæ.de diff.mor. 3ª.4.H
Animalis per ſolidas partes fiunt operationes.cõ.3°.aph.17°. Ex.23.G
Animalis membra motura inſtrumenta debent eſſe robuſta. de decretis Hippo.& Plato. 1ª.234.A
in Animalibus inſtrumentorum finis.de diff.mor. 3ª.4.A
in Aĩalis parte nulla ſine neruo eſt motus, uel ſenſus.de ner.diſſ. 1ª.53.B
Animalis ſolidꝫ partes quiete humectantur non per ſe, ſed ex accidenti. commentario.4°.apho.13°. Ex.28.G
Animalia aliqua concoquunt ſpiritus gratia.2°.de natu.fac. 1ª.300.E
Animalis partes quæ aptæ ſunt generare aliquos humores, propter quid eos generent.commentario.5°.apho.39°. Ex.41.B
in Aĩali ruminãte cui⁹ ſit actio ruminatio.de mo.mani.et obſ. Sp.68.F
Animali cũ in perpetuo ſit fluore, cur ſubſtantia ſimilis reſtituenda ſit. 1°.de ſan.tuen.2ª.62.F| G| 6°. 2ª.95.B
Animalium corpora diſſlantur occulte.com.1°.apho.15°. Ex.8.D
Animaliũ corpa ſemper duplr diſſlãtur, & quo mõ.1°.de diff.fe. 3ª.31.F
Animalia ꝑ cutim exteriorẽ trãſpirãt.de uenꝫ ſec.aduer. Eraſi. 6ª.8.H
Animalis natura æſtate propter aerem ambientem magis ad ſuperiora mouetur.commen.4°.apho.4°. Ex.27.H
Animal non delectatur aliquo immodico.1°.de ſan.tuen. 2ª.65.H
Animalia differunt in receſſu a naturali habitu.de cau.mor. 3ª.6.G
Animal quo modo ſanum & quo modo ægrum ſit.de diff.mor. 3ª.2.H
Animal quando bene ſe habere dicitur.1°.de temp. 1ª.13.D
Animal plenum malis humoribus, & non obſtructum, ſanum eſt ut nunc.1°.de diffe.feb. 3ª.31.G
Animalia q̃uocunq; rareſcere, et dẽſeſcere nõ poſſunt.đ dif.mor. 3ª.2.H
Animalium corpora hñt magis, & minus, & q̃uo.de diff.mor. 3ª.2.E
Aĩalis partes q̃uo ſeruãdæ.6°.đ ſan.tuen.2ª.96.F.11°.met.me. 7ª.68.F
Animalia habentia naturalem temperiem inculpatam debent ſimilibus nutriri.3°.de ali.fac. 2ª.33.D
Animalibus prauam temperiem habentibus cibi contrarij conueniunt. 3°.de alim.fac. 2ª.33.D
Animalia bruta & ipſa tollunt morbos contrarijs. 5°.de natura humana, commen.2°. 7ª.181.H
ex Animalibus quæ ſumantur ad medicinas oculorum. 7ª.188.G
in Animalibus an poſſit fieri corruptio adeo uehemens, ut uenenũ æquetur.6°.de loc.affe. 4ª.40.B
Animalis uox ex medulla ſpinali impedita.de mot.man.& ob. Sp.67.C
ex Aĩalium putredine aer coinqnatus peſtilẽs eſt.1°.dc ſa.tu. 2ª.67.B
ex Animalium putredine temperiem cõtrahens aer uitandus. 7ª.77.E
Animalia immortalia dicere eſt dementia.ad Thraſyb. 2ª.108.C
Animal periret ſi unum elementum deſtrueretur.1°.de elemen. 1ª.5.F
Animal quomodo perit extincto calore.de palp.conuul.& rig. 3ª.55.F
Animal quare nõ capiatur frequẽter apoplexia.8°.de uſu par. 1ª.168.B
Animalia quæ in febribus bene concoquunt.2°.de nat.fac. 1ª.300.E
Animal uiuit detecto etiam cordc.7°.de ana.ad. 1ª.97.E
Animalia quædã cur uiuunt ſine corde, & pulmone.de util.re. Sp.63.B

Animal non poteſt mori quin cor ceſſet ab agendi munere. 3°. de ſimpli. medica.facul. 5ª.22.B
Animali mortuo ſemper in ſiniſtro cordis ſinu adeſt ſanguis concretus. 1°.de decre.Hipp.& Plat. 1ª.231.F
ab Animali cor extractum contrahitur diutius,ac dilatatur.in Timæ. Platonis. 1ª.290.D
Animal ſine ſpiratione uiuere non poteſt.2°.de loc.aff. 4ª.27.D
Animal nihil patit̃ arterijs circa collũ cõſtrictis.de utili.reſpi. 1ª.225.H
Animal per diem uiuit uinctis iugularibus uenis.de uſu pulſ. 1ª.227.H
Animal quibus uenis & arterijs p̃ciſis peribit.2°.de dec.Hip. 1ª.239.B
Animal cur tam cito obeat non reſpirans.de utilitate reſpi.1ª.225..A|de uict.rat.in morb.acut.commen.4°. 7ª.139.C
Animal qua uertebra læſa amittat ſpirationem, & totum corpus fiat immobile.8°.de ana.ad. 1ª.103..A
Animal quomodo ſuffocatur ſ̃m Eraſiſtratũ.de utilitate reſp. 1ª.223.G
Animalia non ſuffocãtur ob inopiam ſubſtantiæ aeris,ſed ob aliud quippiam.de uti.reſpi. 1ª.224..A
Animalia ſuffocant̃ ob penuriã alicuius qualitatis.de uti.reſp.1ª.224.D
Animal illico periret,ſi totũ pectus impleretur.2°.de nat.fac. 1ª.297.E
Animal moritur per incluſionem caloris ut non poſſit exteriorem aerẽ communicare.de cau.mor. 3ª.7.E
Animal aqua ſuffocatum non habet membra maculata.1°.de dec. Hippocra.& Plato. 1ª.231.G
in Animali uiuo non poteſt conſumi cerebrum in totum.in 6^{m}. de mor. uulg.comen.2°. 3ª.370..A
Animal totum repente ſopitum collabitur cerebri uentriculis colliſis uel uulneratis.3°.de dec.Hippo. 1ª.245.D
Animal quo modo reddetur ſemiuocale.de neru. diſſo. 54. B|8°.de anatomicis admini. 1ª.101.H
Animal quo modo reddetur mutum.8°.de ana.ad. 1ª.101.H
Animalis in corpore prius illæ partes abſumuntur quæcunque ſunt humidiores.commen.7°.apho.59°. Ex.59.D
Animalia ſeniora carnes modicas,& aridas habent,& reliquas partes.4°.de ana.ad. 1ª.80.D
Animalis partes omnes quando priuantur ſeroſo humore,& ſpiritu uitali.1°.de ſemi. 1ª.335.D
Animal omne ab ortu ſemper fit ſiccius.1°.de ſan.tuen. 2ª.67.C
Animal oẽ a principio ortus ad finẽ ſemper ſicceſcit.6°.de ſa.t. 2ª.95.B
in Animalibus ſenium quid ſit.1°.de ſanit.tuen. 2ª.62.F
Animalia cur citius ueniunt ad ſenium.6°.de ſan.tuen. 2ª.96.F
Animal quo modo nunquam ſeneſceret.de marcore. 3ª.46.C
cũ Animali g̃natur pulſus,& moritur cũ eo.cõpendiũ pulſuũ. Sp.65.C
in Aiali mortuo oĩa ſunt p̃frigerata ac denſata.3°.de nat.fac.1ª.307.H
ad Animal ingreſſum aures.3°.de compo.med.ſec.lo. 5ª.145.H
ab Animalibus uinculorum nomen.de faſcijs. 7ª.293.H
ANIMANTIS curam habet natura.3°.de nat.fac. 1ª.302.E
Animanti cuiq; ſua natura ſatis eſt ad proprias excitandas appetitiones,quibus ſanitatem ſalutemq; tueatur.1°.de ſani.tuen. 2ª.65.E
Animans eſt etiã in uentre,q̃n eſt conformatũ.5°.de uſu.par. 1ª.212.D
de Animantis ſtructura ex uoce iudicatur.6°.de anato.admi.1ª.89.H
Animanti neceſſaria inſtrumenta.6°.de anatomicis adm. 1ª.90.C
Animantibus oĩbus ſanguineis quæ ſint cõia.6°.de anato.adm.1ª.92.G
Animanti toti cões ſunt uenæ,arteriæ,& nerui.2°.meth.me. 7ª.12.G
Animantium ſylueſtrium carnes ſale conditæ calefaciunt, & exiccant. de ſal.diẹta. 2ª.40.B
ANIMVS ſapientiſſimus eſt ſ̃m Heraclitum.q̃ animi mores. 1ª.318.G
Animus apparet tũc ſcire,quum uſus poſtulat.de ther.ad Piſ.5ª.90..A
Animus inuite ignorat.5°.de decr.Hipp. 1ª.256.C
Animi cõſtitutiones,quas uocet Ariſtoteles.5°.de dec.Hippo. 1ª.257.C
Animi intentio in uniuerſa arte adhibenda eſt.de faſcijs. 7ª.293.C
Animũ & corpus ad exercitationẽ excitat mutatio;ſimilitudo & æqualitas perpetua ſegnitiem parit.de aere,aquis,& lo. 2ª.6.C
Animi actiones ſunt præcipue poſt pueritiam.6°.de ſa.tuen. 2ª.95.F
in Animi functiõibus ĩmobilitas,& ĩſenſibilitas.3°.de ſym.ca.3ª.24.F
Animi uirtutes,quæ.finitiones med. Iſa.45.D
ad Animi uirtutem non nihil ualent cibus & potus.q̃ ani.mo.1ª.317.B
de Animi moribus quomodo loquantur philoſophus et medicus.3°.de ſani.tuenda. 2ª.65.F
Animum ab alijs diuerſum debet philoſophus habere, non ueſtem.de hiſtoria philoſophica. Sp.2.D
Animi mores curare ad medicum ſpectat, & non ſolum ad philoſophũ. 1°.de ſani.tuen. 2ª.65.F
ob Animi ægritudinem magnanimus non moritur.5°.de lo.af. 4ª.29.C
de Animi ægritudinibus librũ fecit Chryſippus.3°.de loc.affe.4ª.14.E
Animi ſubitam concitationem conſuluit Hippocrates uires diſſolutas habẽtibus,ut ĩcitationis robore, ſolutionis imbecillitati medeamur, poſtea dat cibum,& cur.de ther.ad Piſ. 5ª.94.D
Animi mores ægrorum ex geſtu produntur quomodo. in 1^{m}. de morbis uulg.commen.3°. 3ª.117.H
ob Animi mores ægros,ſanauit Galenus.1°.de ſan.tuen. 2ª.65.G
de ea quę in Animis puerorũ ẽ diſpẽſatione.5°.de decre.Hip. 1ª.256.G
de Animo durum dicitur.3°.de diff.pul. 4ª.65.F
Animi dexteritas & prudentia proficiſcitur a bilioſo humore.de natu. humana,commen.1°. 3ª.33.B
Animus agitur ad prudẽtiã ſiccitate ſ̃m Platonẽ.q̃ animi mo. 1ª.318.C
Animi integritas & conſtantia proficiſcitur ab atra bile. de natura humana,commen.1°. 1ª.33.B
Animi modeſtia quartodecimo anno cõparãda.1°.de ſan.tuen. 2ª.67.D
Animi benigniores & cultiores ſunt Aſianis,quàm Europæis. de aere, aquis & locis. 2ª.4.E
Animi mores quibus corrumpantur.1°.de ſan.tuen. 2ª.65.F
Animis impuris ſi nutrientes ſermones offeras, non modo nihil profueris ſed etiam magnopere obfueris.1°.de ſimp.med.fac. 5ª.9.D
Animos ſuos excolere uolentibus utile eſt ſcire animæ facultatis ſequi corporis temperaturas.q̃ animi mores. 1ª.317.B
Animi uis rationis expers duplex eſt in nobis.de cog.curandisq; animi morbis. 2ª.53..A
ad Animi facultates momentum habent ęſtus,& uenti,ſecundum Platonem.q̃ animi mores. 1ª.320.E
Animi affectus q̃ ſint.de cog.cur.ani.mo.2ª.50.G|12°.me.me. 7ª.77.D
Animi affectus diuerſi.de cog.cur.animi mor. 2ª.50.E
Animi perturbatio quid ſit.5°.de decr.Hipp. 1ª.254.D
Animi perturbationes quinque.de cog.cur.animi morb. 2ª.52.E
ex Animi affectibus motus ſunt duplices.2°.de ſan.tuen. 2ª.75.A
Animi affectibus careat iudex.de ordi.librorum ſuorum. Iſa.14.G
Animi affectus alterant pulſus.de uſu pul. 1ª.229.E
Animi perturbatio pulſum mutat.in progno.commen.1°. 4ª.192.C
in Aĩo perturbato pulſus immutat̃.de p̃cog.ad Poſthumum. 4ª.216.F
Animi affectus ſi poſt ephemeram reſtet, pulſus conſiderandus. 1°. de arte cur.ad Glauc. 7ª.95.B
Animi affectus corpus exiccant.ars medic. Iſa.68.G
in Animi uehementibus affectibus cur in poſterum non recordemur ullius eorum quæ egerimus.2°.de mo. muſ. 1ª.315.B
Animi paſſiones ſi ſint uariarum rerum,altera alteram obſcurat:ſi eiuſdem rei,magis augentur.commen.2°.apho.46°. Ex.18.H
Animo imbecillis,& relaxatus qui dicatur.4°.de decre.Hipp.1ª.252.C
in Animo ex his quę audiuntur,fiunt horror,& ſtupor.4°.de ſanitate tuenda. 2ª.86..A
Animi ſimplicitas & ſtupiditas proficiſcitur a ſanguine. de natura humana.commen.1°. 1ª.33.B
Animus omnino deſes decoloratos reddit.1°.de ſan.tuen. 2ª.65.F
Animi ignauiam inducit frigiditas primo,humiditas ſecundo. 3°.de locis affectis. 4ª.16.G
Animi hebetudo nõ naturalis oñdit futurã ægritudinẽ.ars me. Iſ.67.F
Animos ſtupidos excitant exempla.2°.meth.me. 7ª.10.G
Animi ſeruitute preſſi, non libenter pro alijs ſe periculis exponunt.de aere,aquis,& lo. 2ª.5.B
Animi ſecuritas humidarum ægritudinum eſt cauſa.de ca.mor. 3ª.7.H
Animus agitur ad dementiã humiditate ſ̃m Platonẽ.q̃ ani.mo.1ª.318.C
Animi deformitas quanta in iraſcentibus,in memoria habẽdum eſt.de cog.cur.animi morb. 2ª.52.F
Animo ob q̃ mediocriter liceat cõmoueri.de cog.cur.ani.morb.2ª.50.E
Animi uoluptates longe maiores quàm corporis.de cuiuſque animi pec. notitia. 2ª.58.G
Animũ in cõſenſu ducit os uẽtriculi.in 6^{m}.de mor.uul.cõ.4°. 3ª.186.F
Animo uacillantes quid agant.1°.de diff.reſp. 3ª.60..A
ad Animi perturbationem remedia pertinentia ſcripſerunt Chryſippus,Ariſtoteles,& Plato.de cog.cur.animi mor. 2ª.50.D
Animi perturbationes et perplexas cogitationes ſomno adducto ſanare poteſt theriaca.de ther.ad Piſo. 5ª.96..A
Animo affecto auxiliatur theriaca.de ther.ad Piſo. 5ª.96.D
Animi angores g̃nant bilem.in 6^{m}.de mor.uulg.commen.1°. 3ª.157..A
Animus ſanguine corrupto uitiatur.de dynamidijs. Sp.19.D
cum Animi mærore facies florida,mala.in 1^{m}.pror.cõ.2°. 4ª.170.G

Animi

Animi triſtẽ habitum ſoluit antidotus Aelij galli.2°.de antid. 5^{a}.110.H
Animus quibus acuitur.dc cuiuſq; animi pec.not. 2^{a}.56.G
ad *Animi prudẽtiã acrimoniãq; ualet theria.de ther.ad Piſo.*5^{a}.96.H
*Animi morbi quomodo ſanentur.*1°*.de ſan.tuen.* 2^{a}.65.H
Animo qui ſanantur magis ſeruantur, quàm ſi corpore ægrotantes ſana rentur.de cogn.curan.animi mor. 2^{a}.51.A
*Animi defectus, & diſſolutio de una re dicunt medici.*1°*.de arte curat. ad Glauco.* 7^{a}.98.E
inter *Animi deliquium, lipopſychiam ſcilicet, & ſyncopam differẽtia.* 12°*.meth.med.* 7^{a}.77.F
ad *Animi defectum uſque ſanguis ducendus, niſi quid aliud uetat.*4°*. de ſanitate tuenda.* 2^{a}.87.F
ad *Animi defectum uſque ducere ſanguinem in maximis doloribus, et maximis inflammationibus, eſt prẹſidium quo nullum maius.præſa. exper.confirma.* Sp.77.H
*Animi defectio multiplex.commen.*1°*.apho.*23°. Ex.10.D
*Animi defẹctus ex pluribus cauſis.*1°*.de arte cur.ad Glauc.* 7^{a}.98.E
*Animi deliquia in quibus fiant.dẹ uict.ra.in mor.acu.com.*2°.7^{a}.122.F
*Animi deliquia facit dolor unius partis.*2°*.de ſymp.cau.* 3^{a}.23.F
*Animi deliquia faciunt timor, & gaudium.*2°*.de ſym.cau.* 3^{a}.23.F
*Animi deliquia ſtomachica, quæ.*2°*.de comp.med.ſec.lo.* 5^{a}.135.C
*Animi defectus ex ore uentriculi pleno humoribus quandoque fit. com men.*1°*.aphor.*23°. Ex.10.D
Animi defectio ex pituita in ore uentris.de uen.ſect.adu.Eraſ. 6^{a}.12.C
Animi defectio cx bile in ore uentris.de ue.ſec.adu.Eraſ. 6^{a}.12.C
*Animi defectus ex humoribus mordicantibus os uentriculi.*1°*.de ar.cu ra.ad Glauc.* 7^{a}.99.C
in *Animi defectu cx cruditatibus febres fiunt quotidie uerſus ueſperã.* 12*.methodi medendi.* 7^{a}.77.G
*Animi defect⁹ eſt cõis caſus õis ĩmodicæ euonis.c.*5°*.aph.*56°. Ex.42.H
*Animi defectus qñq; fit per ſectionem uenæ.cõ.*1°*.aphor.*23°. Ex.10.E
*Animi defectus ſi in fluxu muliebri fiat, malũ.cõ.*5°*.aph.*56°.Ex.42.H
*Animi defectio fit p̄p uitalis ſp̃us excretionem.cõ.*7°*.aph.*8°. Ex.54.E
*Animi defectus fit à tuberculi intus ruptione.com.*7°*.aph.*8°.Ex.54.D
*Animi defectus fit cum totum pus exit per abſceſſum.*1°*. de arte curat. ad Glauconem.* 7^{a}.98.G
*Animi defectus ex utero quot modis fiat.*1°*.de arte cu.ad Gla.*7^{a}.98.E
*Animi defectus ex inedia fit.*8°*.meth.med.* 7^{a}.50.F
*Animi defectus quos morbos antecedit.*1°*.de arte cu.ad Glau.*7^{a}.98.F
*Animi defectu tenuia excrementa in uentrem defluunt & faciunt uomi tum, & alui profluuium.de art.commen.*2°. 7^{a}.264.H
Animi deliquium ne incidant in balneo, acetum, & pulegium odorãda. 9°*.de compo.med.ſec.lo.* 5^{a}.199.B/F
*Animi deliquium quibus curetur.*8°*.de comp.me.ſec.lo.* 5^{a}.192.E
in *Animi defectu quando uinum dandum, & quod, & in qua ætate.*12°*. methodi medendi.* 7^{a}.77.G
*Animi deliquium patientes uel ex ſtomachi, uel ex cordis dolore, uinũ ſanat.*3°*.de ſimp.med.fac.* 5^{a}.22.F
ad *Animi deliquium adſtringentium uſus conuenit.de uict.ra.in mor. acut.commen.*1°. 7^{a}.111.G
*Animi defectus ex cholera, profluuio alui, & euacuationibus magnis, quo modo curetur.*1°*.de arte cur.ad Glauc.* 7^{a}.98.G
*Animi defectus ex ore uẽtriculi qũo curet̃.*3°*.de ar.cur.ad Gl.*7^{a}.99.B
*Animi defectus ex multitudine quo modo curandus.*1°*.de arte curat. ad Glauc.* 7^{a}.99.B
*Animi defectus ex utero quo mõ curãdus.*1°*.de arte cu.ad Gl.* 7^{a}.99.B
*Animi defectus ex multitudinc ſudoris quo modo curetur.*1°*. dc ar.cu. ad Glauc.* 7^{a}.99.B
*Animi defectus ex ſiccitate quo mõ curãd⁹.*1°*.de ar.cu.ad Gl.*7^{a}.99.E
Animi defectus ex membri principalis obſtructione quo modo curetur. 1°*.dc arte cur.ad Glau.* 7^{a}.99.F
*Animi defectus ex ruptura abſceſſuum, et euacuationibus quo modo cu retur.*1°*.de arte cur.ad Glauc.* 7^{a}.99.F
*Animi defectus ex dolore inteſtini laxi, & ilei quo modo curctur.*1°*.de arte cur.ad Glauc.* 7^{a}.99.G
*Animi defectus ex triſtitia, gaudio, ira, timore, terrore, uulneribus, pur gationibus, doloribus articulorum, neruorum, & tendonum quomo- do curandus.*1°*.de arte cur.ad Glauc.* 7^{a}.99.G
Animi defectus ex propria uirium imbecillitate quo modo curandus. 1°*.de arte cur.ad Glauc.* 7^{a}.99.G
ad *Animi deliquiũ cũ exuſtione ſtomachi.*8°*.de com.me.ſe.lo.*5^{a}.191.H
ad *Animi deliquium ſanguinis euacuatio quid boni faciat. de cur.rat. per ſang.miſ.* 6^{a}.19.B
Animi deliquia leuat cucurbitula.de hirud.reuul.cuc.& ſcari. 6^{a}.2.F
Animi defectiones remouere poteſt cucurbitula.de cucur.ſcar. 6^{a}.3.F
ex *Animi defectu quidam periere facta euacuatione in calidis conſtitu tionibus.*1°*.de arte cur.ad Glauc.* 7^{a}.98.C
*Aĩ deliquio duos uidit mortuos Gal.in uenẹ ſectiõe.*9°*.me.me.*7^{a}.54.A
Animi defectus, ad quos ſequitur mors, fiunt ex calore. commentario, 5°*.aphor.*16°. Ex.38.H
ad *Animi defectum uſq; qñq; euacuandum.cõ.*1°*.aph.*23°. Ex.10.C/E
ad *Animi deliquium non mittendus ſanguis, niſi in magna neceſſitate, de cur.rat.per ſang.miſſ.* 6^{a}.19.D
ad *Animi defectum quando ſanguis educi debet. de uictus rat.in mor, acu.commen.*4°. 7^{a}.134.G
Animus.uide Anima.
ANISI *deſcriptio & uircs.de ſim.medicam.* Sp.80.D
Aniſo ſimillimum eſt ſemen comi herbæ.de ſim.medicamini. Sp.81.G
*Aniſum miſcet̃ purgãtibus medicamẽtis.*8°*.de com.me.ſe.lo.* 5^{a}.190.B
*Aniſum Cretenſe optimum eſt:*4°*.de ſan.tuen.* 2^{a}.85.C
*Aniſum quale.*6°*.de cõp.me.ſe.lo.*5^{a}.170.G/3°*.de me.fa.par.*7^{a}.175.H
*Aniſi ſemẽ calidũ eſt cũ ſubtili ſubſtãtia.*2°*.de ar.cu.ad Glau.*7^{a}.104.G
*Aniſum calidum & ſiccum in tertio gradu.*6°*.de ſimp.me.fac.*5^{a}.43.C
*Aniſum acre & ſubamarum.*6°*.de ſim.med.fac.* 5^{a}.43.C
*Aniſorum amarorum fit mentio in paſtillo de ſeminibus ad tuſſiẽtes.*3°*. de medi.fac.par.* 7^{a}.173.D
Aniſi ſemen conuenit in diæta attenuante.de atte.uic.rat. 2^{a}.44.E
Aniſum diſſoluit uentoſitatem.de diſſ.cont. Sp.74.G
*Aniſum lac prouocat, & auget odore eius ſuaui.de ſimp.med.*Sp.80.E
*Aniſi ſemẽ craſſitudinẽ humorũ attenuat.*9°*.de com.me.ſe.l.* 5^{a}.201.H
*Aniſi ſemẽ urinã prouocat, & attenuat.*9°*.de cõ.med.ſec.loc.*5^{a}.201.H
Aniſum urinam mouet.de mel.ex Gal.& Ruff.& Poſſ. Sp.110.B
*Aniſum urinam ciet, digerit, & flatus uentris reprimit.*6°*.de ſimplic. medic.fac.* 5^{a}.43.C
*Aniſum cur miſtum medicamentis.*8°*.de com.med.ſec.loc.* 5^{a}.190.B
*Aniſum decorticatum.*10°*.de compo.med.ſec.loc.* 5^{a}.206.C
*Aniſi torrefacti fit mentio.*7°*.de comp.med.ſec.lo.*186.E/ 5^{a}.206.C
ex *Aniſo, amygdalis amaris, & abſinthij coma compoſitum ad ieco- ris dolores.*6°*.de ſan.tuen.* 2^{a}.96.B
Aniſum expurgat in icteris.de cura icteri. Sp.111.B
Aniſum purgat pulmonem, & thoracem.de cathart. Sp.95.B
Aniſum ingreditur theriacam.de ther.ad Piſo. 5^{a}.92.F
Aniſum, liguſticum, caron, petroſelinon, & cyminum ſunt eiuſdẽ uſus. 7°*.dc ſim.med.fac.* 5^{a}.53.F
pro *Aniſo fœniculum & cuminum.*7°*.de comp.med.ſec.loc.* 5^{a}.182.B
ANIVDEM *nigri fit mentio.ſecret.* Sp.102.D
in ANNONAE *caritate quadam ciues in urbem portarunt frumẽ tum, hordeum, fabas, lentes, partem leguminum & chedropum reli querunt ruſticis.*4°*.de ſani.tuen.* 2^{a}.33.G
*Annonæ caritas uitioſos ſuccos gignit aptos ad morbos generandos.*4°*. de ſan.tuen.* 2^{a}.33.G
ANNOTATIONES *debent ſibi conficere homines. in* 6^{m}*. de morbis uulg.com.*2°. 3^{a}.169.B
*Annotatio, eſt acceſſio febris.commen.*2°*.apho.*1°. Ex.11.A
*Annotatio incompreſſa, quæ.*1°*.de diff.feb.* 3^{a}.35.C
ANNI, *& eorum menſura.de hiſt.philoſ.* Sp.7.D
Annus quantus ſit.ad eos qui de typ.ſcripſ. 3^{a}.94.E
Annus quot diebus conſtet.in progno.com. 3°.4^{a}.207. C/ *de die. decre.* 3^{a}.159.D/2°*.de criſi.* 4^{a}.133.H
*Annus eſt dierum trecentorum ſexagintaquinq. computatis etiam nocti bus.*7°*.de compo.med.ſecun.loc.* 5^{a}.180.G/H
Annus trecentis ſexagintaquinque diebus, & quarta diei parte con- ſtat.de ſept.par. 1^{a}.341.A
*Annus integris diebus non numeratur.in prog.com.*3°. 4^{a}.207.C
Annuum tempus unde incipere poſſit.de ſep.par. 1^{a}.341.B
Anni tempora ſ̃m Macedones.in 1^{m}*.dc uulg.mor.com.*1°. 3^{a}.102.D
Anni & mẽſes Paleſtinorũ & Indorũ.in 1^{m}*.de mor.uul.c.*1°. 3^{a}.102.E
Annus Romanorũ duodecim menſiũ.in 1^{m}*.de mor.uul.com.*1°.3^{a}.102.D
Anni Romanorum dies.in 1^{m}*.de mor.uul.com.*1°. 3^{a}.102.E
*Anni totius conſideratio uniuerſalis.com.*3°*.aph.*16°. Ex.23.C
Anno toti proportione correſpondet dies, & habet uer, æſtatem, autum num, & hyemem.in 6^{m}*.de mor.uul.com.*1°. 3^{a}.157.G
Anni temporum differentiæ.in 1^{m}*.de uul.morb.com.*1°. 3^{a}.103.A
Anni diuiſio.in 1^{m}*.de mor.uul.com.*2°. 3^{a}.107.G

Anni temporum quodlibet ex ſuapte æſtimatur natura, non ex alterius comparatione.1°.de temp. 1^{a}.11.F
Anni partes quadrifariam diſtinguit Hippocrates.bre. denota.dogma. Hippocratis. 1^{a}.231.B
Anni diuiſio in quatuor tempora.in 1^{m}.de morb.uulg.com.1°. 3^{a}.102.B
*Anni tpa quibus diſtinguãtur.in 1^{m}.de mor.uulg.commen.1°.*3^{a}.102.A
Anni quæ pars horæum tēpus dicatur.in 6^{m}.de mor.uul.c.4°. 3^{a}.184.F
*Anni quatuor temporum auctor eſt ſol.3°. de dieb. decret.*4^{a}.156.H/*de ſpermate.* Sp.40.E
Anni horas ſol facit, & non curat Diagoræ, Anaxagorę, neq; Epicuri calumnias.12°.de uſu par. 1^{a}.194.D
Anni dimidium quantum ſit.de ſept.par. 1^{a}.341.D
Anni dimidij tēpus, eſt primus terminus fœtus ſeptimeſtris editionis. de ſeptim.par. 1^{a}.340.H
Annus ſemper æqualis.de ſept.par. 1^{a}.341.B
Anno quarto eſt biſſextus.in 1^{m}.de mor.uulg.commen.1°. 3^{a}.102.E
in *Anno biſſextili errat toto cœlo Gal.in 1^{m}.de mor.uul.cõ.1°.* 3^{a}.102.E
*Anni tēporũ tēperies cauſa eſt oĩum bonorũ in Aſia.ꝗ ani.mo.*1^{a}.319.H
*Anni, & mēſes decretorij sũt poſt cētũ uigĩti dies.2°.đ die.đc.*4^{a}.156.D
*Annis, menſibus, & diebus morbi iudicãtur.2°.de die.decre.*4^{a}.154.D
Anni iudicant de annis, dies de diebus, menſes de menſibus, ſeptimanæ de ſeptimanis.commen.3°.apho.28°. Ex.26.A
*Anni tempus inſpectandum ſecundum Hippocratem.8°.de decre.Hippocra.*1^{a}.276.G/*3°.de loc.affe.* 4^{a}.15.D
*Anni tēpus cõfert ad auxiliorũ iuētionē.9°.met.me.*58.G/13°.7^{a}.84.D
Anni tempus indicat euacuationem.de ſectis. Iſa.16.E
Anni tempus dat indicium bonę euacuationis.cõ.4°.aph.2°. Ex.27.G
Anni tempus docet bonam excretionem.com.4°.aphor.47° Ex.33.A
Anni tempora, ætates, & regiones, quomodo ſe habeãt ad purgationes. quos purg.op.quib.med.& quo temp. 5^{a}.88.E
Anni tēpora ad uictus rationem conferunt.com.1°.aphor.15°. Ex.8.A
pro *Anni tempore cœli ſtatus conſiderandus.10°metho.med.* 7^{a}.63.D
Annus particeps omnium, calidi, frigidi, ſicci, & humidi omnibus tēporibus.8°.de decre.Hippo. 1^{a}.276.F
in *Anni partibus non inuenitur temperamentum calidum, & humidũ. 1°.de temp.* 1^{a}.11.H
Anni temporis caliditas eſt ita cauſa reſolutionis, ut in pueris ſubſtantia mollis.de uict.ratione in morb.acu.com.1°. 7^{a}.115.F
Anni temporibus naturæ humorum reſpondent ſecundum Hippocratē. bre.denot.dogm.Hipp. 1^{a}.231.B
*Anni tēpus ſi calidũ eſt, ã uina nõ cõueniãt.de bon.& uitio ſuc.*2^{a}.38.E
Anni tempora calidiora, ſunt bilioſa.2°.de nat.fac. 1^{a}.300.D
Anni tempora frigidiora, ſunt pituitoſa.2°.de nat.fac. 1^{a}.300.D
in *Anni tempore multum frigido, aut multum calido, non eſt ſecanda uena, uel in febre acuta.de ſectis.* Iſa.16.E
Anno eodē uenas ſępius ſecare nõ eſt idoneũ.de cucurbi.ſcariſi. 6^{a}.3.H
ab *Anni temporibus non afficiuntur nec omnes naturæ, nec omnes ætates, nec omnes pulſus.2°.de dignoſ.pul.* 4^{a}.78.F
circa *Anni tempora iter quomodo faciendum.de ſal.diæ.* 2^{a}.40.H
Anni temporum nomina morbos non faciunt, ſed temperamenta. in 3^{m}. de morb.uul.com.3°. 3^{a}.147.C
Anni conſtitutio calida habet conuenientes morbos calidos, frigida, frigidos, humida humidos. ſicca ſiccos com.2°.apho.34°. Ex.17.C
Annus conſtans qui ſit.com.3°.apho.8°. Ex.20.G
Annus inconſtans facit recidiuum.com.3°.apho.8°. Ex.20.G
Annus temperatus naturalem ſeruat temperiem.de uict.ratio.in mor. acut.commen.4°. 7^{a}.134.C
Anni qualitates mutant ferè inſenſibilr.ĩ 1^{m}.de mor.uul.cõ.1°. 3^{a}.103.C
Anni temporum mutationi in chronicis, comparatur ſeptimana in acutis.3°.de die.decre. 4^{a}.158.B
Anni tempus alterat pulſus.de uſu pul. 1^{a}.229.E
Anni partium diuerſarum pulſus. 2°. de digno. pulſ. 78. F/*3°.de cauſ. pulſ.* 4^{a}.96.H
Annis ſingulis qui ſolebant ægrotare pręſeruauit Galenus in uere purgando, aut ſecando uenam.com.6°.aph.47°. Ex.52.C
Anno humido exiſtente, frigido, aquilonio, quid ſecutum ſit. ĩ 1^{m}.de morbis uulg.com.2°. 1^{a}.108.A
*Annus auſtrinus pluuius ſine uētis.in 3^{m}.de mor.uul.com.3°.*3^{a}.140.F
*Annorum numero ætates non circunſcribuntur.6°.de ſan.tuen.*2^{a}.95.F
Annorum numerus non tantum conſiderandus, ſed etiam habitudo pręſag.exper.confir. Sp.78.A
ad *Annum quartum decimum uſq;, cur pueris non ſit mittendus ſanguis.præſag.exper.conf.* Sp.77.H
intra *Annos ſexaginta detractio ſanguinis facienda eſt a quartodecimo.pręſag.exper.confir.* Sp.78.D
Annorum menſuram habent aliqui morbi in prog.com.3°. 4^{a}.208.D
in *Annis ſeptem finiunt aliqui morbi, aliqui in quatuordecim, aliqui in uiginti.de die.decr.* 4^{a}.149.D
Annos ſexaginta uiuunt æthiopes ſm Aſclepiadē.de hiſt.phil. Sp.12.B
Annos centum uiginti uiuunt Britanni de hiſt.philoſ. Sp.12.B
Anni tempora quo modo mutentur in qualitatibus.de ſper. Sp.38.B
Annus cancri qualis.de ſpermate. Sp.39.D
Annus leonis plenus ęgritudinibus.de ſpermate. Sp.39.D
Annus librę qualis.de ſpermate. Sp.39.D
Annuales uenti dicuntur Eteſiæ.de cau.procatarct. 3^{a}.96.A
Anni conſtitutio lege tempora.
ANNICVLI *hædi caput, bonum generat humorem medium inter craſſum, & tenuem.de diſſol.cont.* Sp.73.H
*Anniculus ex pecude uelocius digeritur quã agn⁹.de diſſ.cõt.*Sp.73.C
ANNVENDO, *dearticulationem primæ uertebræ ad latera mouentes muſculi.de muſc.diſſ.* 1^{a}.45.H
Annuat caput in priora, & in poſteriora abnuat qua dearticulatione muſculus.de muſc.diſ. 1^{a}.45.D
Annuendo ſolum caput mouentes muſculi, qui.de muſc.diſſ. 1^{a}.45.H
Ἀνώδυνος *quid.5°.de ſimp.med.fac.* 5^{a}.32.B
*Anodyna medicamenta, quę.intro.Iſa.*57.H/*7°. de compo. med.ſecundum locos.*184.G/9°. 5^{a}.200.H
*Anodyna nomine qualia ſint, & quę re uera anodyna. 5°.de ſimp.med. fac.*37.A/*1°.de com.med.per gen.* 5^{a}.210.G
Anodyna auxilia dolorem leuant; in 6^{m}.de mor.uul.com.2°. 3^{a}.161.G
Anodyna, id eſt ſedantia dolorem, collyria ad oculorum dolorem. commen.6°.aphor.31°. Ex.49.E
Anodyna facultas duplex.5°.de ſim.med.fac. 5^{a}.37.A
Anodyna nihil debent habere adſtrictionis.5°.de ſim.me.fa. 5^{a}.37.B
Anodynorum munus.5°.de ſim.med.fac. 5^{a}.37.B
Anodyna medicamenta ex pompholyge.10°.de ſim.med.fac. 5^{a}.73.H
Anodyna, in quibus errant medici.11°.meth.med. 7^{a}.75.B
Anodynos dici poteſt homo mortuus, quia dolore uacat. 5°. de ſimplic. med.fac. 5^{a}.37.A
Ἀνωδυνίαν *ſana corpora habent.de mor.uul.com.2°.* 3^{a}.112.C
Ἀνωμαλία *quid ſignificet.de uict.rat.in morb.acu.com.4°.* 7^{a}.141.E
ANOEA *dicitur ueluti paralyſis functionis ratiocinatricis. de ſympt. differ.* 3^{a}.11.G
ANSERVM pulli ſunt tarde digeſtionis.de diſſol.cont. Sp.73.D
Anſerum pullorum caro eſt multarum ſuperfluitatum pręter axillas. de diſſol.cont. Sp.73.B/E
Anſerinæ partes exceptis alis ſunt duræ & excrementoſæ, nec facile coquuntur.de bo.& uitio ſuc. 2^{a}.37.B
Anſeribus abſtinendum in dięta attenuante.de atte.uict.ra. 2^{a}.45.C
Anſeres male dat in quartana.de dynamidijs. Sp.33.A
Anſeris uentriculus præſtantiſſimus.de bo.& uitio ſuc. 2^{a}.37.B
Anſeris alas & uentriculum edat temperatus homo & æſtuans rediēs ex balneis.de bo.& uitio ſuc. 2^{a}.39.C
Anſerum hepata, & axillæ ſunt temperata.de diſſol.cont. Sp.73.A
Anſerum pullorum hepata, & axillę ſunt uelocis digeſtionis.de diſſol. cont. Sp.73.C
Anſerini oui putaminis meminit.de remed.par.fac. 7^{a}.160.A
Anſerinus adeps, qualis.7°.de com.med.per gen. 5^{a}.263.E
Anſerinus adeps ſuillo calidior.11°.de ſimp.med.fac. 5^{a}.79.A
Anſerũ adeps ſubſtantia tenuior gallinaceo.5°.de ſimp med.fa. 5^{a}.34.B
Anſerũ ſylueſtriũ adeps tenuiũ partium.3°.de com.me.ꝑge. 5^{a}.232.H
*Anſerinus adeps laxat.7°.de com.medic.per gen.*5^{a}. 264. E/*2°.de arte cur.ad Glauc.* 7^{a}.104.A
Anſerinus adeps exiccat citra moleſtiam.2°.de cõ.me.ſec.lo. 5^{a}.134.F
*Anſerinum adipem pręfert omnibus.1°.de compo.med.per gen.*215.A/3°.232.H/4°. 5^{a}.242.A
*Anſerinus adeps odoramentis conditus.7°.de cõp.me.per ge.*5^{a}.272.E
Anſerinus adeps curatus.9°.de comp.med.ſec.lo. 5^{a}.204.G
in *Anſerini & ſuilli adipis medio eſt adeps gallorum & gallinarũ. 11°. de ſimp.med.fac.* 5^{a}.79.A
Anſerum adeps ad digerendum potentior adipe gallinaceorum.5°.de ſim.med.fac. 5^{a}.34.B/C
Anſeris adeps quo loco reponatur inter calida quæ ualent alopecijs.1°. de comp.med.ſec.loc. 5^{a}.122.D

Anſerinus

Anſerinus adeps in quo ordine ſit inter adipes acopos.7°.de comp. me. per gen. 5ª.269.F
Anſerinus adeps quę in alto mordicăt obtŭdit.11°.de ſim.m.f.5ª.79.A
Anſerinus adeps doloroſas omnes affectiones iuuat.3°.de comp.med.ſecundum locos.141.H| 5ª.142.A
Anſerum adeps familiariſſimus phlegmonis.5°.de ſimp.med.f. 5ª.34.B
Anſerinus adeps valet pro inflammatione cum dolore.de theria.ad Piſo.5ª.39.F|2°.de arte curat.ad Glau. 7ª.104.G
Anſerinus adeps confert pro reſolutione tumoris,ne aliquid duri remaneat.2°.de arte cura.ad Glauc. 7ª.105.F
Anſerinũ adipẽ ſequitur gallinaceus. 2°.de ar.cur.ad Glauc.7ª.104.A
ꝑ Anſerino adipe gallinaceus ſumitur.1°.de cõp.me.ſec.loc. 5ª.215.A
ꝑ Anſerino,& gallinaceo adipe ſuillus adeps accipitur.2°. de arte cura.ad Glauc. 7ª.105.F
Anſerinus adeps pro adipe hyænæ.1°.de comp.med.ſec.loc. 5ª.122.F
Anſeris pinguedo calidior & ſiccior q̃ ſuum,& tenuior, & minimum terreſtris.4°.de ſimp.med. fac. 5ª.25.E
ex Anſeris pĩguedine et oleo ſabino cliſter ad morſus.8°.me.m.7ª.53.F
ꝑ Anſeris pĩguedine pĩguedo gallinacea.8°.meth.me. 53.F|12°.7ª.79.F
Anſeris ſeuũ tenuiũ eſt partiũ,et altius deſcẽdit.14°.meth.me. 7ª.93.E
Anſerini ſeui fit mentio.7°.de comp.med.per gen. 5ª.270.D
Anſeris ſeuum in clyſteri in coli dolore.12°.meth.med. 7ª.79.F
ꝑ Anſerino ſeuum gallinaceum ſumitur.14°.meth.med. 7ª.88.C
Anſerinus fimus à colũbino recedit ad calidius.5°.de ſim.me.f.5ª.36.F
Anſerinum ſtercus ob nimiam acrimoniam inutile eſt.10°.de ſimp.medica.fac. 5ª.77.B
ANTECEDENTES cauſas ponit Gal.cõ.7°.aph.30°. Ex.56.A
Antecedentes cauſæ,quæ.intro.Iſa.52.B|.1°.meth.med. 7ª.7.H
Antecedens cauſa eſt plenitudo.contra ea quæ à Iul.in Hippoc.aphoriſ. dicta ſunt. Ex.68.H
Antecedentes cauſæ quomodo differant à continentibus. contra ea quæ à Iul.in Hipp.aph. Ex.68.G
Antecedentia vaſa ſeminaria,quæ.de anat.viu. Sp.51.G
in ANTERIORI parte cur cerebrum ſit mollius, & humidius. de anat.viuo. Sp.53.G
Anteriorum cerebri ventriculorum figura.de ner.diſſ. 1ª.53.C
Anteriora corporis ſunt venoſa,& arterioſa.cõ.5°.aph.65°. Ex.45.A
Anterior & interior idem ſunt in vertebris.de art.com.3°. 7ª.272.A
ad Anteriora feruntur canales duo colli pneumaticus vel ſpiritualis et æſophagus.de compag.memb.ſiue de natura humana. Sp.58.F
Anteriora magis reſpicit cõcauitas pulmonis.de an.viuorũ. Sp.48.A
ĩ Anterioribus partibus nõ inchoăt rigores.cõ.5°.apho.69°. Ex.45.D
Anteriora an cõuellantur,& quare,& q̃uo.cõ.5° aph.68°. Ex.45.B
Anterioribus partibus ſi tumor in vlceribus repente euaneſcat,inſaniunt.commen.5°.apho.65°. Ex.45.A
Anteriores partes diuertunt à poſterioribus.cõ.5°.apho. 68°. Ex.45.D
ANTESOLANI quomodo circa ſolem vel lunam exiſtant ſecundum Ariſto.7°.de dec.Hip. 1ª.272.C
ANTHELE ſignificat cannæ florem.7°.de ſimp.med.fa. 5ª.49.F
ad ANTHEMATA facit ardacha.de ſimp.medicamini. Sp.80.H
ANTHEMIS, eſt chamæmelum.6°.de ſimp.med.fa.43.C|2°. de cõp. med.ſec.loc. 5ª.138.D
Anthemis calfacit & deſiccat in primo ordine,eſt tenuiũ partiũ,et dige rẽdi,laxădi,& rarefaciendi vim obtinet.6°.de ſimp.me.fa. 5ª.43.C
Ἀντενδέιξεις quid ſignificet.9°.meth.med. 7°.58.D
ANTHERA medicamentum.5°.meth.med. 7ª.34.B
Antheræ compoſitiones quæ.5°.de cõpo.me.ſec.loc.164.H|6°.5ª.172.C
Anthera pro oculorum doloribus.4°.de comp.med.ſec.loc. 5ª.153.E
Antheræ fit mentio.3°.de comp.med.ſec.loc. 5ª.147.H
Antheræ pulueris fit mentio.de dynam. Sp.29.H
ANTHILION euitandum eſt in herpete exedente.2°. de arte cura. ad Glauco. 7ª.102.B
Anthillis chamepityi adſimilis,comitialibus competit. 6°.de ſimpl.medic.fac. 5ª.43.C
Ἄνθραξ nomen habuit à ſimilitudine ad aliquid extra poſitum. 2°. methodi medendi. 7ª.9.E
Anthrax,id eſt carbo,eſt vlcus eſcharoſum,& quo modo fiat. commẽ. 6°.apho.45°. Ex.51.F
Anthraces ſunt caliditate vincente.de palp.conuulſ.& rig. 3ª.54.C
Anthraces ex commixtis humoribus fiunt.de cau.mor. 3ª.8.B
Anthracode vlcera iuuant tithymalli.8°.de ſim.me.fa. 5ª.62.E
ANTHRACOSIS affectus meatuum pupillæ.intro. Iſa.58.E
ANTIAS quid.3°.de ſymp.cau. 3ª.29.F
Antiades ſaniem à capite decidentẽ conſequunt.6°.de ſani.tuẽ.2ª.98.F
Antiades quos male habẽt,ijs q̃ exercitatio vitãda.5°.de ſa.tu.2ª.90.A
Antiadas phlegmone affectas mitigat la.10°.de ſimp.med.fa. 5ª.73.H
ad Antiadas diſſipandas.de med.fa.par. 7ª.165.C
ANTICANIS quid,ex quo aphoriſmum expone,Sub cane,& ante canem.in 1m.de morb.vulg.com.1°. 3ª.102.A
ANTICHEIRA quaſi promanum,id eſt pollicem,dicas,appellant magnum digitum.de muſc.diſſ. 1ª.49.B
Anticyricos helleborus vocatur ſeſamoides magnum.8°.de ſimplicium medicamentorum fac. 5ª.60.D
ANTICIPATIONES, et notiones quæ ſint.de hiſt.philoſo. Sp.9.B
Anticipatio multa acceſſionis ſignificat incremẽtũ.1°.de criſ.4ª.126.A
Anticipantes febres quæ,& quæ tardantes.1°.de criſi. 4ª.125.H
ANTICNEMION quid appellent.de muſc.diſſec.1ª.51.E|de fract. cõ. 2°.236.E|de artic.com.3°. 7ª.280.D
ANTIDOTVS quid ſignificet.2°.de antid. 5ª.113.H
Antidotus quid ſit.1°.de antid. 5ª.99.F
Antidota conficere ingenioſi facile diſcunt.1°.de antid. 5ª.100.B
ꝑ Antidotis conficiendis quæ loca vitanda.1°.de antid. 5ª.105.D
Antidota carmine ſcripta habent vera pondera, & facile memoriæ mãdantur.2°.de antid. 5ª.111.A
Antidotis apium miſcetur.de ſimp.med. Sp.80.D
in Antidotis aliquibus faciunt cantharides.de ſimp.med. Sp.82.D
in Antidotis,& purgatorijs careum mittitur.de ſimp.med. Sp.82.C
in Antidotis mittitur caſia.de ſimp.med. Sp.82.H
in Antidotis pretioſum valde eſt cinnamum.de ſimp.med. Sp.83.A
Antidotis omnibus mel commiſcetur.de ſimp.med. Sp.87.B
Antidotis excalfactorijs immittitur naſcaphthũ.de ſimp.me.Sp.88.A
in Antidota mittitur pelecinus.de ſimp.med. Sp.89.B
Antidotis cõtra maligna admiſcetur roſmarinus.de ſimp.me.Sp.89.E
Antidotis admiſcetur rhu.de ſimp.med. Sp.89.E
Antidotis plurimis miſcetur ſeſeli ſemen.de ſimp.med. Sp.90.D
Antidotis miſcetur ſilphij radix.de ſimp.med. Sp.90.D
Antidotis miſcetur ſtœchas.de ſimp.med. Sp.90.G
ĩ Antidota,q̃ aduerſus venena faciũt,mittit ſyrũ.de ſim.me.Sp.90.H
Antidotis immittitur trifolij radix.de ſimp.med. Sp.91.G
Antidotorum differentiæ.1°.de antid. 5ª.99.F
Antidotorum tria genera.2°.de antid. 5ª.113.H
Antidotus Abaſcanti medici Lugdunenſis.2°.de antid. 5ª.117.D
Antidotus Aelij Galli,qua Cæſarẽ liberauit,ad quæ valeat,& ex quibus fiat.2°.de antid.110.F|H|115.G| 5ª.116.H
Antidotus Amaranthi grammatici.2°.de antid. 5ª.120.G
Antidotus ambroſia Philippi Macedonis.2°.de antid. 5ª.115.A
Antidotus Andreæ ad phalangiorum morſus.2°.de antid. 5ª.117.G
Antidotus,quam cõpoſuit Andromachus,ad omnes malas internasq́; corporis affectiones.2°.de antid. 5ª.110.C
Antidotus Apellis contra venena.2°.de antid. 5ª.114.H
Antidotus Apollodori.2°.de antid.117.H| 5ª.118.A
Antidotus ab Aphroda ſumpta.2°.de antid. 5ª.120.F
Antidotus apyretos.8°.de comp.med.ſed.loc. 5ª.192.C
Antidotus Antipatri quæ theriaca dicitur.2°.de antid. 5ª.115.H
Antidotus Tyrannis appellata,ab Antipatro compoſita fuit.2°.de antidotis. 5ª.116.D
Antidotus Antonij Coi.2°.de antid. 5ª.116.G
Antidotus Archiuij ambroſia & ſacra dicta.2°.de antid. 5ª.115.H
Antidotus Ariſtarchi.7°.de comp.med.ſec.loc. 5ª.186.A
Antidotus Arpuli ad quartanarios.2°.de antid. 5ª.116.F
Antidotus Athanaſia.8°.de comp.med.ſec.loc. 5ª.194.H
Antidotum Baſilij hemitritæis omnibus conferens.de dynam. Sp.33.F
Antidotus qua vtebatur circulator Samius.2°.de antid. 5ª.117.H
Antidotus calliſta & eximie bona.2°.de antid. 5ª.117.D
Antidotus Charitonis circulatoris ad phalangiorum morſus.2°. de antidotis. 5ª.117.F
Antidotus Codij tuſci,qua Craterus vtebatur contra venena. 2°. de antidotis. 5ª.114.H
Antidotus vocata charmen.2°.de antid. 5ª.112.E
Antidotus centena.2°.de antid.115.E| 5ª.120.D
Antidotus Cratippi viri alendis canibus dediti.2°.de antid. 5ª.116.G
Antidotus diæmaton,id eſt ex ſanguine.2°.de antid.112.C| 5ª.115.B
Antidotus ad omnium reptilium ictus.2°.de antid. 5ª.118.D
Antidotus hepatica Dioſcori.8°.de comp.med.ſec.loc. 5ª.194.H

Antidotus Heraclidis enneapharmacos dicta, contra viperæ morſum. 2°. de antid. 5ª.118.D
Antidotus Heraclidis. 2°. de antid. 5ª.117.H
Antidotus Herę cappadocis ad rabidos canes. 2°. de antid. 5ª.116.H
Antidotus Hybriſti acuti roſtri. 2°. de antid. 5ª.118.E
Antidotus Mithridatis athanaſia dicitur. 2°. de antid. 5ª.114.H
Antidotus Mithridatis Eupatoris diaſcinci nõiata. 2°. de antid. 5ª.115.C
Antidotum mithridaticum quale. de theria. ad Piſonem. 97. A. 2°. de antidotis. 5ª.110.C/D
Antidotus Mithridatica vt Xenocrates ait apud Nicoſtratum quid faciat. 2°. de antid. 5ª.116.D
Antidotus nectarea. 8°. de comp. med. ſec. loc. 5ª.194.H
Antidoti nephriticæ quæ ſint. 10°. de comp. med. ſec. loc. 5ª.205.H
Antidotus ĩ Orbanũ indũ relata ad fœtus eijciẽdos. 2°. de anti. 5ª.110.E
Antidotus panacea. 2°. de antid. 5ª.110.F
ad Antidotos polij minoris vſus. 8°. de ſimp. med. fac. 5ª.59.A
Antidotus prognoſtica. 2°. de antid. 5ª.113.G
Antidotus ruſtici medici ad morſus viperæ. 2°. de antid. 5ª.118.B
Antidotus ſcorpiaca. 2°. de antid. 5ª.117.E
Antidotus Themiſonis hiera dicta. 8°. de compoſitione medicamentorũ ſecundum locos. 5ª.190.H
Antidotus Theophanis. 2°. de antid. 5ª.117.G
Antidotus theſpeſiana. 7°. de comp. med. ſec. loc. 5ª.186.A
Antidotus Zenonis ad canes rabidos eſt bona theriaca. 2°. de antidotis. 5ª.116.H
Antidotus Zoili pro ſcorpionis punctura. 2°. de antid. 5ª.117.E
Antidotus Zopyria ex quibus fiat, & eius doſis. 2°. de antid. 5ª.110.H
Antidotus Zopyria. 2°. de antid. 115. A/ 5ª.120.E
p Antidota curatio quo modo fiat. 1°. de ſemi. 1ª.335.A
Antidoto magno non debet ſanari morbus paruus. de vſu theriacę ad Phamphi. 5ª.99.A
Antidotus ad multa bona. 2°. de antid. 5ª.111.F
Antidotus contra aquam timentes. 2°. de antid. 5ª.119.F
Antidotis, q̃ colicis pſunt, miſcet libyſticũ. de ſimp. medicami. Sp.85.H
Antidotis q̃ colicis ſunt propria, admiſcet vrtica. de ſim. me. Sp.92.A
Antidotus ad conuulſiones. 2°. de antid. 5ª.116.C
Antidotis crocũ cõmiſtũ mitigat dolores oẽs. đ ſim. medicamini. Sp.81E
Antidotus qua Galenus vtebatur ad dolorẽ pedũ. 2°. de anti. 5ª.120.G
Antidotum ad omnes acutas febres. de dynam. Sp.32.G
Antidotum ad lumborum dolorem, & frangendos lapides, vt & lumbi pingueſcant. de dynamidijs. Sp.28.D
Antidotum contra plagas. de dynam. Sp.31.F
Antidotum ad ſplenem. de dynam. Sp.26.G
Antidotum ad ſtringendũ ventrẽ ex quacũq; cauſa de dynam. Sp.27.G
Antidotum probatiſſimum ad pręcluſionem veſicæ. de dyna. Sp.29.A
Antidotum ad furfuris mictus. de dynamidijs. Sp.29.A
Antidotus ad omnia valens ad quę theriaca. 2°. de antid. 5ª.112.C
Antidota medicamenta quæ præſeruant à venenis. 2°. de anti. 5ª.114.G
Antidotus contra venena. 2°. de anti. 119. D/ 5ª.120.E
Antidotus celebris ad rabidum canem. 2°. de anti. 5ª.116.F
Antidotus ad phalangiorum morſus. 2°. de anti. 5ª.117.G/H
Antidota ad ſcorpionum ictus. 2°. de anti. 5ª.117.C/D
ANTIGENES *medicus de præcogn. ad Poſth.* 4ª.215.B
ANTIGONVS *inſignis medicus in caſtris. 2°. de compoſi. medica. ſecundum locos.* 5ª.138.G
Antigoni medicamentũ ad capitis dolorẽ. 2°. de cõp. med. ſe. lo. 5ª.138.G
ANTIMACHVS. *7°. de comp. med. per gen.* 5ª.272.B
ANTIMONIVM *quale ſit. de ocul.* 7ª.188.H
Antimonium oculis conuenit. de ocul. 7ª.188.G
Antimonium valet ad vulnera, & puſtulas oculorũ. de ocul. 7ª.189.C
ANTIOCHEI *Iſidori emplaſtrũ. 6°. de cõp. med. per gen.* 5ª.257.A
ad Antiochidem librum fecit Heraclides. 6°. de cõp. med. ſec. lo. 172. D/ 174. G/ 4°. de comp. med. per gen. 242. A/ 5°. 5ª.249.H
Antiochidis malagma. 9°. de comp. med. ſec. loc. 199. D/ 10°. 5ª.207.E
ANTHIOCHVS *medicus plus q̃ octoginta annos natus quo modo ſe in victu regeret. 5°. de ſan. tuen.* 2ª.90.F
Antiochi Philomitoris theriaca cõtra vipę morſus. 2°. de ant. 5ª.118.B
Antiochi Placcij meminit. 9°. de comp. med. ſec. loc. 5ª.202.F
ANTIPATER *methodicæ ſectæ auctor. intro.* Iſa.51.E
Antipatri antidotus q̃ & theriaca dicitur. 2°. de antid. 115. H/ 5ª.116.D
Antipatri emplaſtrum. 6°. de comp. med. per gen. 5ª.261.E
Antipatri hiera ad ſtomachicos. 8°. de comp. med. ſec. loc. 5ª.189.A
Antipatri in vſu malagma. 10°. de compoſi. med. ſec. loc. 208. B/ 7°. de comp. med. per gen. 5ª.266.G
Antipatri medicamentum. 9°. de comp. med. ſec. loc. 5ª.203.C
Antipatri ad nomas. 5°. de comp. med. per gen. 5ª.253.A
Antipatri potio. 7°. de comp. med. ſec. loc. 5ª.182.G
Antipatri potio ad ſplenicos. 9°. de comp. med. ſec. loc. 5ª.198.E
Antipatri ad polypos. 3°. de comp. med. ſec. lec. 5ª.148.B
Antipatri medici caſus. 4°. de loc. aff. 4ª.28.E
ANTIPHON *librum ſcripſit de veritate. in 3^{m}. de morb. vulga. commen. 3°.* 3ª.143.C
ANTIQVATAM, *& longam conſuetudinem, & ſi ſit non bona imitari debet medicus in cibando ægro. de diſſol. cont.* Sp.72.C
Antiqtus multa non erant, q̃ nunc ſunt inuenta. 14°. meth. me. 7ª.92.H
Antiquiora ſunt agreſtia domeſticis. in Tim. Plat. 1ª.286.H
Antiquior eſt ſanitas ægritudine. ſecre. Sp.96.G
Antiquorum philoſophorum ordo. de hiſt. philoſoph. Sp.2.D
ab Antiquis cur cœna præferretur prandio. de diſſ. con. Sp.72.B
Antiqui viuebant moderate, ꝑpterea rigores ſine febre non incidebãt. 2°. de ſymp. cau. 3ª.23.B
Antiqui nõ habebãt frequentẽ vſum balneorũ. 2°. de ſymp. cau. 3ª.23.B
Antiqui cum nec balneis poſt cibum nec vita otioſa vterentur, veteres medici ſcripſere febrim comitari neceſſario rigores. de palp. conuul. & rigo. 3ª.55.H
apud Antiquos ænearum cucurbitularum vſus frequentior erat. de cucur. ſcar. 6ª.3.D
Antiquorum dicta non temere approbanda, nec negligenda ſunt. in 6^{m}. de morb. vul. com. 2°. 3ª.165.A
Antiqui Galeno viam aperuere. 4°. de digno. pulſ. 4ª.85.E
ab Antiquis ne Galenus in re minima diſſentiat, cum oſtenderit muſculos genu dearticulationẽ mouentes eſſe nouem, tamen dicit eſſe octo. de muſ. diſſ. 1ª.51.G
Antiqui pro purgatiõe magnã ſeri copiã offerebant. de ſal. diæ. 2ª.41.G
Antiqui breuitati ſtuderunt. 4°. meth. med. 7ª.26.H
apud Antiquos multa ſcripta defectiuo modo reperiuntur. de vict. rat. in morb. acut. com. 4°. 7ª.139.D
contra Antiquos ſcripſit Galenus coactus ab amicis. 4°. de differen. pulſ. 4ª.64.B
Antiquos qui contemnit, nõ interpretatur aperte, neque preſpicue. de diffe. reſp. 5ª.57.B
Antiqui mutabant obſcuros locos veterum ſcriptorum. in 1^{m}. prorrh. commen. 2°. 4ª.182.D
Antiqui viſcera ſcrutati ſunt, vt ſcirent vnde, et quo modo homines morerentur. de nat. & ordine vnius cuiuſq; corp. Sp.41.G
Antiqui arterias vocabant venas. in Tim. Plat. 1ª.287.G
Antiqui ponunt priores muſculos tibiæ eſſe tres, Galenus vero ſeptem. de muſc. diſſ. 1ª.52.C
ab Antiquis & ab Hipocrate qui muſculi manſorij appellentur. de muſcu. diſſ. 1ª.44.H
Antiquos mordet Galenus in vocabulo inflationis. commen. 4°. aphoriſmo. 34°. Ex.31.C
Antiquorum errores in anatomis, & cauſam eorum ſcripſit Galenus. 2°. de vſu par. 1ª.121.E
Antiqui ignorarunt motum labrorum in priora. de muſc. diſſ. 1ª.44.F
ab Antiquis ignorata circa digitos. 2°. de vſu par. 1ª.121.E
Antiquos ſi in omnibus ſequeretur in gloria nulla ſe apud omnes futurũ quidam ſibi perſuadebat. de cau. procatar. 3ª.98.C
Antiquarum auium, & macrarum axillis velocius digeruntur axillæ auium pinguium, & iuuenum. de diſſ. cont. Sp.73.C
Antiquorum agnorum, & hædorum carne, hædi, & agni anniculi velocius digeruntur. de diſſ. cont. Sp.73.C
Antiqui animalis caro eſt ſicca. de diſſol. cont. Sp.74.D
Antiquę pecudis caro mala eſt. de diſſ. cont. Sp.74.B
Antiquę capræ caro facit atram bilem. de diſſ. cont. Sp.74.A
Antiquus caſeus eſt cibus calidus. de diſſ. cont. Sp.74.C
Antiquum frumentum generat atram bilem. de diſſ. cont. Sp.74.A
Antiqua farina generat atram bilem. de diſſ. cont. Sp.74.A
Antiqui, & ſaliti piſces generant melancholiã. de diſſ. cont. Sp.74.B
Antiqui galli brodium lenit ventrem. de diſſ. con. Sp.75.A
Antiquum vinum, citrinum, clarum, ſubtile, calidum, eſt cibus acutus incidens, & aperiens. de diſſ. cont. Sp.72.F
Antiquum vinum, citrinum, facit dolere caput. de diſſ. cont. Sp.74.F
Antiquum vinum dulce citrinũ, eſt cibus calidus. de diſſ. cõt. Sp.74.C

non

nũ *Antiqua valde vina alba, ſubſtyptica, ſubtilia, ſunt optima icteri- cis. de cura icteri.* Sp.111.D
Antiqua vina & acria conueniunt frigidum humorem habentibus in venis. de vinis. Sp.76.G
Antiquum byzanticum conuenit ictericis. de cura icteri. Sp.111.C
ad *Antiquas ęgritudines vnguentum bonum. ſecret.* Sp.97.G
ad *Antiquum aſthma valens medicamen. de med. exper.* Sp.106.C
Antiquũ dolorẽ capitis ſanat decoctio agarici. de med. exper. Sp.114.D
Antiquo dolori hepatis confert ſectio arteriarum poſt aures. de anato. viuorum. Sp.55.B
Antiquis doloribus hępatis & diaphragmatis mire confert ſectio arte riæ manus. de ana. viuo. Sp.54.H
ad *Antiquas febres medicina. de med. exper.* Sp.104.A
Antiquis febribus valens electuarium. de med. exper. Sp.105.B
ad *Antiquum fluxum qui contingit ex frigiditate mẽbrorum. de med. exper.* Sp.106.D
ad *Antiquas omnes diſpoſitiones oculorum valet ſuccus centaureæ. de virt. cent.* Sp.93.B
Antiquæ ophthalmiæ confert ſectio venarum temporum, & quæ ſunt in angulis oculorum lachrymalibus. de anat. viuo. Sp.55.A
ad *Antiquas oppilationes medicina. de med. exper.* Sp.104.B
ad *Antiqua vlcera valet ſuccus centaureę. de vir. cent.* Sp.93.F
ad *Antiquata vulnera peucedanũ facit. de ſimp. medicamini.* Sp.89.B
Antiquius debet eſſe animal pro anatomia brutorum. de moti. manif. & obſcuris. Sp.70.E
ANTIRRINVM *habet ſemen vituli naribus ſimile. 6°. de ſimp. med. facultatibus.* 5ª.43.D
ANTISTHENES *philoſophiam primus in opus deduxit. de hiſto. phi loſoph.* Sp.2.E
Ἀντίσπασις *quid ſignificet. 5°. meth. me.* 7ª.30.D
Ἀντισπᾶσαι, *id eſt reuellere. de vict. rat. in mor. acu. cõ. 4°.* 7ª.149.B
Ἀντισπασικὸν *quid ſignificet. 13°. meth. me.* 7ª.83.A
ANTISPODIO *nunquam vſus eſt Galenus. cum haberet pompholigẽ 9°. de ſimp. me. fac.* 5ª.70.H
Ἀντιστρέφειν *mutuo conuerti ſignificat. 2°. de ſimp. me. fac.* 5ª.10.B
Ἀντιστρέφοντες *propoſitiones, quæ. 2°. de ſimp. me. fac.* 5ª.13.D
Ἀντίτασις *quid ſit. 6°. meth. me. 40.G|* 7ª.41.C
Ἀντίτυπον *ſignificat renitens. 5°. de ſimp. me. fac.* 5ª.32.G
ANTONINVS *Galeni tẽpore. ad eos qui de typ. ſcrip. 3ª.91.H| de præ cog. ad Poſth.* 4ª.217.H
Antoninus ſeipſum mutato nomine vocauit Seuerũ, qui fuit tẽpore Ga leni. ad eos qui de typ. ſcrip. 3ª.91.H
Antoninus ſequutus eſt Adrianum. ad eos qui de typ. ſcrip. 3ª.91.H
Antonini Imperatoris laus. 6°. de ſan. tuen. 2ª.97.C
Antonini tpe oẽs ad cutem detonſi. in 6m. de morb. vulg. cõ. 4°. 3ª.181.G
Antonino Imperatori theriacam fecit Galenus. 1°. de antid. 5ª.105.G
Antoninus Imperator theriacam quotidie ſumebat. 1°. de anti. 1ª.99.H
Antoninus theriacã accepit ante duos mẽſes factã. 1°. de anti. 5ª.105.H
Antonini Imperatoris caſus. de præcog. ad Poſth. 4ª.218.H
ANTONIVS *Epicureus ſcripſit de ſubſidio aduerſus ꝓprios affectus de cogn. cur. animi mor.* 2ª.50.B
Antonius herbarius experientia multa clarus. 2°. de compo. me. ſe. lo. 138.G| 6°. de comp. me. per gen. 5ª.262.A
Antonij herbarij ad capitis dolorem medicamentum. 2°. de comp. med. ſecundum loc. 5ª.138.G
Antonius Muſa plures libros ſcripſit. 6°. de comp. me. ſec. loc. 5ª.175.C
Antonij Muſæ cõpoſitio exacuẽs viſum. 4°. de cõp. me. ſec. loc. 5ª.153.A
Antonij Muſæ ad aurium abſceſſus in profundo. 3°. de compoſi. medica. ſecundum loc. 5ª.143.G
Antonij Muſæ cataplaſma ex elaterio. 9°. de comp. me. ſec. lo. 5ª.200.E
Antonij Muſę compoſitio dolores ſedans. 7°. de cõp. me. ſec. lo. 5ª.182.A
Antonij Muſæ ad dyſpnoicos. 7°. de comp. me. ſec. loc. 5ª.186.E
Antonij Muſæ hepatica. 8°. de comp. me. ſec. loc. 5ª.195.B
Antonij Muſæ ad hordeolos. 4°. de comp. me. ſec. loc. 5ª.153.C
Antonij Muſæ medicamentum. 3°. dc comp. me. ſec. loc. 5°.148.C
Antonij Muſę nephritica compoſitio. 10°. de comp. me. ſec. loc. 5ª.206.C
Antonij Muſæ panacea. 7°. de comp. me. ſec. loc. 5ª.186.B
Antonij Muſæ ad ſuffuſiones. 4°. de comp. me. ſec. loc. 5ª.153.B
Antonij Muſæ ad trichiaſim. 4°. de comp. me. ſec. loc. 5ª.153.B
Antonij Muſæ ad vocem interceptam. 7°. de comp. me. ſec. loc. 5ª.181.B
Antonij pharmacopolæ ad coli inflatiões. 9°. de cõp. me. ſe. lo. 5ª.202.D
ex ANTYLLI *libris, de Hirudinibus. de cucur. ſcar.* 6ª.4.B
ex *Antyllo de ſcarificatione. de cucur. ſcar.* 6ª.3.F
ANVM vocat circulum pudicum. de compagine memb. ſiue de natu ra humana. Sp.59.F
Anus calidus eſt & humidus vt os. 9°. de ſimp. me. fac. 5ª.69.B
Anus incumbit orę vltimę recti inteſtini. 5°. de vſu par. 1ª.147.A
circa *Anum cur ſint nates. 11°. de vſu par.* 1ª.190.C
ad *Anũ ventriculi fundus peruenire non põt. 4°. de vſu par.* 1ª.140.G
in *Ano qui muſculi. 1°. de ſani. tuen.* 2ª.67.F
Ani muſculi quo modo ſe habent. 2°. de mo. muſ. 1ª.315.G
ad *Anum muſculi parui vnde ſint. 16°. de vſu par.* 1ª.218.D
Ani muſculus ſphicter dicitur. 3°. de ſymp. cau. 3ª.25.H
Ani muſculus cur factus. 2°. de mo. muſ. 1ª.315.H
ad *Anum muſculus pertinens. 2°. de ana. adm.* 1ª.71.D
ex *Ani muſculis vnus eſt ſolutus ac ſine pari. 5°. de vſu. par.* 1ª.146.E
in *Ano muſculi exiſtentis motus. 1°. de mo. muſ.* 1ª.309.H
Ani muſcul⁹ differt ab illo q ẽ ĩ collo veſicæ, et qũo. 6°. đ vſ. p. 1ª.147.E
Ani, & veſicæ muſculis comparantur muſculi anhelitum conſtringen- tes. de voc. inſtr. diff. 1ª.107.H
in *Ano quo modo ſe habeat media conſtitutio. 2°. de mo. muſ.* 1ª.315.G
Ani muſculus orbicularis relaxat̃ in excretiõe. 6°. de ana. ad. 1ª.94.H
Ani muſculis reſolutis ſuperflua inuitis nobis exeunt. 4°. de vſu par- tium. 1ª.141.E
Ani muſculo reſoluto pueri inuitc excernẽtis caſus. 1°. de lo. aff. 4ª.7.H
Ani muſculo exciſo, ſtercus effluit inuitis nobis. 2°. de mo. muſ. 1ª.315.H
Ani muſculus quo modo afficiatur frigore aut ictu. 1°. de lo. aff. 4ª.7.H
ad *Anum depellunt̃ vniuerſa ꝑꝑ diaphragma. 5°. de vſu par.* 1ª.148.B
ꝑ *Anum melius eſt tranſmittere excrementa quàm per ſtomachum. 5°. dc vſu par.* 1ª.147.A
Ani excrementa quorum ſunt notæ. 6°. de loc. affe. 4ª.41.E
Ani morbos curantes medici Romę appellabantur anales. de par. art. med. Sp.16.F
Anus & os gaudet ſimilibus medicamẽtis. 9°. de ſimp. me. f. 5ª.69.B
Ano quæ medicamenta apta, & quæ non. 9°. de cõp. me. ſe. lo. 5ª.204.E
Ani medicamẽta ab Andromacho cõſcripta. 9°. đ cõ. me. ſe. l. 5ª.204.F
Anus aqua lauandus & extrema manuum, & pedes in aqua mittẽdi, quando non vis amplius purgari. de dynam. Sp.21.F
Anus non eſt lauandus aqua ſi Iſion debeat educere, ſed abſtergendus panno lineo. de dynamidijs. Sp.21.F
Ano quę metalla conueniant. 9°. de compoſi. me. ſec. lo. 5ª.204.E
ad *Ani affectus. 5°. de comp. med. per gen.* 5ª.251.D
ad *Ani affectus valet ſuccus centaureæ. de vir. centau.* Sp.93.E
ad *Ani dolorem. ſecre.* Sp.99.G
ad *Ani eminentias. 3°. de comp. me. per gen. 225.E|* 5ª.235.C
ad *Ani eminentias paſtillus. 9°. de comp. me. ſec. loc.* 5ª.205.C
ad *Ani exitus confert ſuccus centaureæ. de virt. cent.* Sp.93.E
ad *Ani internas prominentias. 3°. de med. fac. par.* 7ª.178.H
ad *Ani ꝓminẽtias ĩteriores, et exteriores. 3°. de me. fa. par.* 7ª.179.A
ad *Ani inflammationes, ac rimas. 9°. de compoſi. medic. ſecundum lo- cos. 204.C| 5°.* 5ª.252.E
Ani phlegmonas, vlcerationes, quaſſationes, depaſcentias, putredines mitigat ſuccus centaureæ. de virt. cent. Sp.93.E
ad *Ani pondus. de dynamidijs.* Sp.28.A
ad *Anum procidentem. de remed. par. fa. 7ª.160.B| de dyna.* Sp.28.A
ad *Ani procidentiam cum ſanguine. de dyna.* Sp.27.H
ad *Ani pruritus. 9°. de comp. med. ſecundum loc. 5ª.204.F| de remed. par. fac.* 7ª.160.B
ad *Ani rhagadas ĩtumeſcẽtes, Apollonij. 6°. de cõp. me. ſe. lo.* 5ª.130.C
ad *Ani rhagadas. 4°. de comp. me. per. gen.* 5ª.241.B
ad *Ani rhagadas & nomas. 5°. de comp. me. per. gen.* 5ª.251.G
ad *Ani rugas intumeſcentes. 1°. de comp. me. ſec. loc.* 5ª.130.C
in *Ano cur ſanguinis exituræ plerunq; fiant. de anat. viuo.* Sp.44.C
ad *Ani tumores exterius prominentes. 3°. de med. fa. par.* 7ª.176.E
ad *Ani tumores internos. 3°. de med. fac. par.* 7ª.172.G
de *Ani vitijs, & affectibus & cur difficillime curentur. 9°. de compo. med. ſec. loc.* 5ª.204.E
ad *Ani vitia. 2°. de comp. me. per gen. 224.E| 5°.* 5ª.253.A
Ani vlcera ſanat aloe. 6°. de ſimp. me. fac. 5ª.42.C
ad *Ani vlcera valet dyphriges poſt cadmiam repertus. 9°. de ſimplic. med. fac.* 5ª.69.B
ad *Anum aſſuta iunctura. de faſcijs.* 7ª.304.D
iuxta *Anum vbi curantur corpora quo laqueo figuranda ſint. de la- queis.* 7ª.308.G

per Anum & q̃uo curant̃ vlcera inteſtinorum.5°.meth.med.7ª.34.D
in Anum q̃uo mittenda clyſteris fiſtula.4°.meth.me. 7ª.29.B
ĩ Anũ immittẽdũ medicamẽtũ ad coli dolores.de me.fa.par. 7ª.168.A
Ano immittendũ medicamẽtũ alui purgatoriũ.de me.fa.par. 7ª.167.E
Anus.lege ſedes.
in ANVLO Phaetõ quatuor equis ĩſculptus.7°.de vſu par. 1ª.222.D
in Anulis ſculpturæ an aliquid ſignificent & proſint.9°.de ſimp.med. facultatibus. 5ª.67.D
Anulus deglutitus cur facile excretus.3°.de nat.fac. 1ª.303.C
Anulus in homine,qui.intro. Iſa.53.E
Anuli gutturis.de anato.viuorum. Sp.53.D
Anuli figuram imitans chartilago.de voc.inſtr.diſſ. 1ª.106.G
Anulari digito perdito quæ actiones perduntur.1°.de vſu par. 1ª.120.C
Anuli ad quid organis adhibeantur.de machin. 7ª.310.E
ANXIETVDO quid ſit,& quo modo fiat,& quo modo dicatur à Græcis.com.7°.apho.56°. Ex.59.A
Anxietudo dolor eſt ſecundum Chryſippum.3°.de dec.Hipp. 1ª.245.F
Anxietates quibus fiant.de vict.rat.in mor.acu.com.2°. 7ª.122.F
Anxietudinem habent ſani & ægri.com 7°.aph.56°. Ex.59.A
Anxietudinis & mæſtitiæ ẽ quaſi genus dolor.3°.de dec.Hip. 1ª.245.F
ex Anxietate reſoluuntur vires.1°.meth.me. 7ª.77.D
Anxietudo vino ſoluitur,& quo modo.com.7°.aph.56°. Ex.59.A
ad Anxietatem.ſecret. Sp.102.F
AORTAE vocabuli inuentor fuit Ariſtoteſtes. de ven.& arter.diſſ. 1ª.55.G
Aortam vocat Ariſtoteles arteriam maximam à corde procedentẽ.1°. de ſemine. 1°.331.D
Aortæ venæ officium,& ex quibus compoſita ſit.de ana.viuo.Sp.52.H
Aorta arteria quorſum procedat.de vtil.reſp. Sp.62.G
Ἀοχλησίαν,id eſt moleſtiæ vacationem, habent corpora ſana. in 1m.de morb.vulg.com.2°. 3ª.112.C
Ἀπακμαστικὴ febris eſt ſpecies ſynochi.8°.meth.me. 7ª.57.A
Ἄπαγμα nomen ſolutionis cõtinui ĩ oſſe proprium medicis ignotum.6°.meth.me. 7ª.40.B
Ἀπάγματα,id eſt abductiones.de ijs,quæ in med.fi.com.3°.7ª.219.G
Ἁπαλὰ pharmaca quæ.de remed.par.fac. 7ª.160.A
APARACHYTON vinũ quale.4°.de comp.me.per gen. 5ª.241.F
APARINE ſtrangulat lentem.1°.de alim.fac. 2ª.15.H
Aparine extergit,& deſiccat.6°.de ſimp.me.fuc. 5ª.43.D
Ἀπαρτὶ quid ſignificet.de vict.rat.in acu.morb.com.2°. 7ª.122.E
Ἁπαρτὶ ſignificat perfecte.com.1°.apho.20°. Ex.9.H
Ἀπάρθωσις ſignificat dearticulationem.de art.com.2°. 7ª.263.E
APECHEMA quid.fin.med.48.C/intro. Iſa.59.C/F
APELLARVM curatio duplex.intro. Iſa.60.A
vt APELLES medicamentum.5°.de comp.me.per gen. 5ª.254.B
Apellis antidotus contra venena.2°.de antid. 5ª.114.H
APELLIDES, & Archimedes non fuere medici, ſed architecti. de machin. 7ª.316.C
Apellidis,ſeu Archimedis triſpaſtum.de machin. 7ª.316.C
Ἀπεψία à ſymptomate nomen habuit.2°.meth.me. 7ª.9.D
Apepſia quod ſymptoma ſit. 3°.de ſymp.cau. 3ª.24.F
Apepſia quid.de ſymp.dif. 3ª.12.D
Apepſia quæ eſt cruditas.3°.de ſymp.cau. 3ª.24.F
Apepſia quæ eſt deprauatio.3°.de ſymp.cau. 3ª.24.F
Apepſia facit particulam gracilem.de ſymp.diſſ. 3ª.12.H
APERIRE quid.in 6m.de morb.vulg.com.2°. 3ª.165.E
Aperta & expãſa q̃ vocet Hipp.de ijs,quæ in med.fiu.cõ.2°. 7ª.213.A
Aperire dẽſata & rarefacere mediocriter calefaciendo opus eſt. in 6m. de morb.vulg.com.2°. 3ª.160.F
Aperientium natura qualis.5°.de ſimp.me.fac. 5ª.35.F
Aperitiua qualia ſint,& quæ ſint.de ocul. 7ª.188.E
Aperientia quæ ſint.5°.de ſimpli.medi.fac.35.F/5ª.36.A/comment.2°. apho.20°. Ex.14.D
Aperientia quo modo compellant adſtringentia.6°.de compo.me.ſecundum loc. 5ª.167.D
Aperitiua,quæ ſtypticitatem,& ponticitatem habent extra poſita nõ aperiunt,ſed potata viſcerũ aperiũt obſtructionem.de ocu. 7ª.188.E
Aperiunt,& incidunt cibi acuti.de diſſ.cont. Sp.72.E
ad Aperiendum,melangia valet.de dynamid. Sp.35.E
Aperit mel deducendo humorem.de ſimp.medicamin. Sp.87.B
Aperit oppilationes decoctio aſſari,& decoctio ſquinanthi. de med. exper. Sp.107.B
Aperit obſtructionem decoctio abſinthij, & centaureæ, ſed minus quã decoctio iridis.de med.exper. Sp.104.E
Aperit obſtructionem craſſam decoctio iridis.de med.exper. Sp.104.B
Aperit craſſas oppilationes decoctio aſſę.fętidæ.de med.exp. Sp.107.C
Aperiens oppilationes medicamentum.ſecret.101.H/de med.exper. 105.G/106.C/ Sp.107.D
Aperiens oppilationes electuarium.de med.exper. Sp.107.D
Aperit oppilationes electuarium centaureæ.de med.exper. Sp.107.G
Aperiunt oppilationem hepatis fiſtici.de diſſ.cont. Sp.74.G
Aperit ſicla oppilationes hepatis.de diſſ.cont. Sp.74.G
in Apertione hepatis valens medicina.de med.exper. Sp.106.F
Aperit oppilationes hepatis electuariũ gaſit.de med.exper. Sp.108.A
Aperit oppilationem hepatis & ſplenis lac ſi comedatur cum origano, cum mentaſtro ſylueſtri.cum pipere.de diſſ.cont. Sp.74.H
Apertione oppilationis ſplenis,hepatis,pectoris, & cerebri indigẽti cõuenit cibus acutus,qui incidit & aperit.de diſſ.cont. Sp.72.F
Aperit oppilationẽ hepatis,& ſplenis ſecaniabin.de diſſ.cõt. Sp.74.H
Aperit aqua temperata.7°.meth.me. 7ª.44.F
Aperit vias vrinæ,ſudoris,& alui,balneum,tamen non calefacit.11°. methodi med. 7ª.70.E
Aperiens canales medicamentum.de med.exper. Sp.104.G/H
Apertio vaſorum quibus fiat cauſis.3°.de ſymp.cau. 3ª.27.A
Aperiens venas medicina.de med.exper. Sp.104.A
qd Aperiat ora venarum.de cura.lap. Sp.112.H
Aperit orificia hæmorrhoidum ſectio ſaphenæ.de anat.viuo. Sp.54.H
Apertio venæ quo modo cognoſcatur.de ren.aff.dig.& med. 7ª.192.G
ad Aperiendum,Tractum.de dynam. Sp.31.F
Aperitiuæ medicinæ ad oculos pertinent.de oculis. 7ª.189.A
ad Aperiendum oppilationes quæ accidũt in membris interioribus valent drach.ij.cubebarum.de med.exper. Sp.106.E
Apit̃ coopertoriũ epiglottidis ĩ vociferatiõe.de vo.& anhel. Sp.61.C
Aperientes alas naſi muſculi vbi ſint.de muſc.diſſ. 1ª.44.F
Aperiat̃,& claudat̃ quibus muſculis larynx.de voc.inſtr.diſſ.1ª.107.E
APERISTATA emplaſtra,id eſt aperta,quæ ſint.2°.de compoſi. me. per gene. 5ª.222.B
Aperiſtatum vlcus.2°.de comp.med.per gen.218.F/ 5ª.220.E
Ἀπέῤῥωγε.i.abrupta eſt.de vict.rat.in mor.acu. 7ª.139.B
APES quo modo generentur.9°.de comp.me.ſec.lo. 5ª.201.E
Apes quo modo ex equis & bobus naſcantur.an animal ſit. 1ª.328.B
Apes cur habent crura longa & gracilia.5°.de vſu par. 1ª.128.C
Apes cur ingenioſiores multis ſanguine præditis.q̃ animi mor. 1ª.319.C
Apes obeunt oleo madefactæ.2°.de ſimp.me.fac. 5ª.14.E
Apum puncturas ſanans medicamentum.2°.de anti. 1ª.118.H
Apum morſus iuuat ſtercus bubulum.10°.de ſimp.me.fac. 5ª.76.G
APHACES ſubſtantia,natura,& vſus.de alim.fac. 2ª.15.G
Aphace ſicca eſt ĩ tertio gradu,calida ĩ prĩo.6°.de ſim.me.fa. 5ª.44.C
Aphace adſtringit vt lenticula.6°.de ſimp.me.fac. 5ª.44.C
ex Aphace humor melancholicus generatur.1°.de alim.fac. 2ª.15.G
Aphlegmantis dictis phlegmonis aduerſus eſt leichen.7°.de ſimp. med. fac. 5ª.54.B
APHONIA quæ ſit.de ſymp.cau. 3ª.19.G
Aphoniæ quomodo fiant.in 1m.pror.com.1°. 4ª.166.E
Aphoniæ variæ cauſæ explicantur.in 1m.pror.com.3°. 4ª.178.G
Aphoniæ ex capitis dolore.in 1m.pror.com.3°. 4ª.178.F
Aphoniæ cum exolutione vnde fiant.in 1m.pror.com.1°. 4ª.166.E
Aphoniæ in acutis morbis pp quid fiant.in 1m.prorrhe.cõ.1°. 4ª.167.H
Aphoniæ cum exolutione pernicioſæ.in 1m.pror.com.3°. 4ª.179.B
Aphoniæ in febre quæ deſinunt in ecſtaſim,pernitioſæ ſunt.in 1m. pror. commen.2°. 4ª.172.B
Aphoniæ cum ſingultu peſſimę ſunt.in 1m.pror.com.1°. 4ª.166.E
Aphoniæ quibus ex dolore,hi cum dolore moriuntur.in 1m.prorrh.commen.2°. 4ª.172.D
ad Aphoniam ob ſuffocationem matricis.de paſſ.mul. Sp.95.B
APHORISMORVM liber an ſit primo loco inter Hipp. libros legendus.com.1°.aph.1°. Ex.2.F
Aphoriſmorum,& de aquis,aere, & locis, & de acutorum morborũ victu libri ſunt Hippocratis.3°.de diff.reſp. 3ª.69.E
Aphoriſmos vocat ſñias.de vict.rat.in morb.acut.comp.4°. 7ª.137.E
Aphoriſmorũ,et epidemiorũ libri differẽtia.in p̃gnoſt.cõ.3°. 4ª.212.B
añ Aphoriſmos ſcripti fuerũt libri epidemici.2°.de die.dec. 4ª.154.D
in Aphoriſmis ſola capita ponit Hippocrates,quę in prognoſticis particulariter dicuntur.1°.de criſi. 4ª.127.D

Aphoriſtica doctrina qualis.com.1°.apho.1°. 2. G/3.A/apho.14°.7.G/ com.2°.aph.28°.Ex.16.D/6°.de ſimp.med.fac. 5ª.40.E
in Aphoriſmis,in paucis verbis vis magna continetur.de vict. ratio. in morb.acut.com.4°. 7ª.136.F
Aphoriſmi non habent ſolœcum,& ſi cum maxima breuitate enuntientur.in 1^{m}.pror.com.1°. 4ª.162.E
Aphoriſtica breuitas quod non ſeruetur ab Hippocrate, & quænã ſit. com.5°.apho.64°. Ex.44.H
Aphoriſmum eundem aliqui bis ſcribunt,& in eiſdem commẽtarijs eũ exponunt.com.5°.aph.64°.44.H/com.7°.apho.53°. Ex.58.E
in Aphoriſmis particularẽ cauſam ponit Hip.cõ.7°.aph.26°.Ex.55.G
Aphoriſmorũ ſermones quomõ ſint intelligẽdi.cõ.7°.aph.22°. Ex.55.E
Aphoriſmos verificari vt in pluribus ſatis eſt com.6°.aph.58. Ex.53.F
*Aphoriſmos Hippo.legenti quid obſeruandũ ſit.cõ.6°.aph.58°.*Ex.55.F
Aphoriſmos explanare quos decet.aduerſus Lycum. Ex.61.G
Aphoriſmi ab interpretibus ampliandi ſunt.com.3°.apho.18. Ex.23.G
Aphoriſmorum librum ante librum de ratione victus in acutis expoſuit Galenus.de vict.rat.in morb.acu.com.2°. 7ª.123.E
Aphoriſmi fuerũt ĩterp̃tati à p̃batiſſimis viris.cõ.5°.aph.62°·ex.43.H
Aphoriſmos ab alijs expoſitos fuiſſe preter Galenum collige. com. 2°. aph.34°.17.E/com.4°.aph.65°.34.E/com.4°.aph.76°.36.C/com.5°. aph.13°.38.E/com.6°.aph.33°.50.A/aph.44°.51.C/ in procemio. cõ. 7°.53.H/com.7°.aph.37°.56.H/aph.53°.58.E/aph. 59°.59. D/ apho. 64°.60.D/aph.74. Ex.60.H
Aphoriſmos interpretatus eſt Marinus. com.7°.apho. 13°. apho.24°. 55.F/aph.13°. Ex:54.H
Aphoriſmorum quorundam ordo.com.5°.aph.62°. Ex.43.E
Aphoriſmorum plurium cõis quędã gloſſa.com.6°.aph.16°. Ex.47.G
Aphoriſmi tertij libri ordinantur à Galeno.com.3°.aph.15°. Ex.22.G
Aphoriſmum quendam ſe non intelligere fatetur Galenus.commen.7°. aporiſ.46°. Ex.57.G
Aphoriſmum,Sub canem & ante canem,exponere vbi poſſis. in 1^{m}.de morbis vulg.com.1°. 3ª.102.A
Aphoriſmis Hippocratis plura fuere addita.cõ.5°.aph.64°. Ex.44.G
Aphoriſmus quidam interiectus com.7°.aph.47°. Ex.57.G
Aphoriſmi quidã nothi in fine aphoriſmorũ additi.de vict. rat. in mor. acu.com.4°. 7ª.134.B
Aphoriſmus qui non eſt Hippocratis.commen.5°. aphoriſ. 62°. 43°.H/ apho.63°.44.C/commen.6°.apho.26°.48.F/aph.44°.51.C/ com.7°. aphor.63°. Ex.59.H/& ſequentes.
APHRA *Diophantis emplaſtrum.2°.de comp.med.per gen.* 5ª.222.F
APHRODES *mecon quid.7°.de ſim.me.fa.55.H/8°.* 5ª.58.A
ab Aphroda ſumpta antidotus.2°.de antid. 5ª.120.F
vt Aphrodas confectum acopon.7°.de comp.med.per gen. 5ª.272.B
Aphrodę cephalicum viride.2°.de comp.med.per gen. 5ª.226.G
Aphrodœ viride ex cyprino.2°.de comp.med.per gen. 5ª.221.D
Aphrodæ molaris.5°.de comp.med.ſec.loc. 5ª.165.A
Aphrodæ paſtillus amarus.8°.de comp.med.ſec.loc. 5ª.188.H
Aphrodæ medicamentum.4°.de comp.med.per gen. 5ª.243.C
ex APHRODISEI *collectaneis acopon.7°.de compoſitio. medic.per genera.* 5ª.270.B
Aphrodiſiacum Clidion.7°.de comp.med.ſec.loc. 5ª.184.F
APHRODITARIVM *medicamentum.4°.de compoſi.medica.ſecundum locos.* 5ª.154.B
APHROGALA *eſt ſpuma lactis.de bo.& vitio ſuc.* 2ª.39.B
Aphrogala cibus romanus.7°.meth.med. 7ª.44.B
APHROLITRVM *quale.9°. de ſimp. med. fac. 68. H/11°.83.D/3°.de comp.med.per gen.* 5ª.230.F
Aphrolitrum,nitrum,& nitri ſpuma differunt.1°.de compoſi.med.ſec. loc.128.B/3°. 5ª.141.B
inter Aphrolitrum & ſalem medium eſt aphronitrum.9°.de ſimp.medic.fac. 5ª.68.H
in Aphrolitri & ſalis medio eſt nitrum.11°.de ſimp.med.fac. 5ª.83.E
Aphrolitro carnes ſeruantur.11°.de ſimp.med.fac. 5ª.83.D
Aphrolitrum quo loco reponatur inter calida quæ valent alopecijs. 1°. de comp.med.ſec.loc. 5ª.122.D
Aphrolitrum in auricularia medicamenta miſcetur.3°.de compoſi.me. ſecundum locos. 5ª.141.B
Aphrolitrum molle,quod re vera aphrolitrum eſt, vlceribus ſolum nõ admouetur 4°.de comp.med.per gen. 5ª.236.G
*Aphrolitrum ad vulnera neruorum.3°.de comp.med.per gen.*5ª.230.F
APHRONITRVM *quid, & eius vires. de ſimp. medi.* Sp.80.C
Aphronitrum quomodo fiat.de dynamidijs. Sp.23.A
Aphronitri probatio.14°.meth.med. 7ª.88.H
Aphronitrum quale.4°.de ſimp.med.fac.30.F/9°.68.H/7°.de compo. med.per gen. 5ª.265.G
Aphronitrum eſt ſubtilium partium.3°.de cõp.med.per ge. 5ª.228.E
Aphronitrorum differentiæ.4°.de ſimp.med.fac. 5ª.30.G
Aphronitrum laxum quomodo differat à ſale.3°.de ali.fac. 2ª.33.C
Aphronitrũ mediũ eſt ĩter aphrolitrũ et ſalẽ.9°.de ſim.me.fa. 5ª.68.H
*ĩter Aphronitrũ et ſalẽ media ẽ ſpuma nitri.9°.de ſim.me.fa.*5ª.68.G
Aphronitrum album ad quid vtile.3°.de med.fac. 7ª.173.E
*Aphronitrum non excedit fines tuendæ ſanitatis.1°. de ſani.tu.*2ª.68.H
Aphronitrum ſtomacho eſt inimicum.9°.de ſimp.me.fac. 5ª.70.A
Aphronitrum in cibo ſumptũ meatus purgat.5°.de ſimp.me.fa. 5ª.35.C
*Aphronitrum eſt amarum & abſtergens.5°.de ſimp.med.fac.*5ª.68.G
Aphronitrum detergit.1°.de alimen.facul.2ª.13.H/8°.methodi medendi.51.A/ 7ª.52.H
Aphronitro ſordes balneorum exterũtur.9°.de ſimp.me.fac. 5ª.68.H/ *de ſimp.med.* Sp.80.C
Aphronitro,nitro,& aqua lixiña detergenda eſt ſpongia non noua in nouę defectu.14°.meth.med. 7ª.87.F
Aphronitrum in lixiuij penuria.14°.meth.med. 7ª.88.H
Aphronitrum ſiccat,vt ſal,& non habet vim adſtringendi. 2°. de cõp. med.per gen. 5ª.222.A
*Aphronitrũ mordicat excreſcẽtias carniũ.4°.de ſim.med.fac.*5ª.30.G
Aphronitro ad fungos ſuffocantes ruſticus quidam vtiliter vtebatur. 9°.de ſimp.med.fac. 5ª.70.A
Aphronitrum pruritum ſanat.9°.de ſimp. med.fac. 5ª.68.H
Aphronitrum ad vulnera neruorũ facit.3°.de cõp.med.p̃ ge. 5ª.230.F
Aphronitrum cum melle,& aceto purgat aures.de cathar. Sp.95.B
APHROSELINVM *quid de ſimplicibus medica.* Sp.80.D
Aphroſelinum omnia vitia capitis potatum emẽdat,cephalalgicis, & epilepticis vtiliter prodeſt.de ſimp.med. Sp.80.D
Aphroſelinus contra comitialẽ morbũ valet.9°.de ſim.me.fa. 5ª.67.E
APHTHAE *ſimpliciter dictæ,quid ſignificent.6°.de compo. me.ſecundum locos.* 5ª.175.D
Aphtha quid.fin.med.48.H/intro. Iſa.59.C
Aphtha,id eſt oris vlcera in pueris.com.3°.aph.24°.25.A/ cõmen.4°. aphor.12°. Ex.28.E
Aphthę quid ſint,& vnde habeant ortum.com.3°.aph.24°. Ex.25.A
Aphthæ cur fiant circa ora puerorum,& cur fiant.in 3^{m}.de morb.vulgarib.com.2°. 3ª.135.G
Aphthæ quæ ſint,quibus fiant,& quomodo curentur.6°.de comp. me. ſecundum locos. 5ª.175.B
Aphtharum differentiæ viſu ſimul & tactu cognoſcuntur.6°.de comp. med.ſec.loc. 5ª.176.E
in Aphthis nomæ,id eſt vlcus depaſcens.6°.de cõp.me.ſc.lo. 5ª.175.B
in Aphthis ſaliua multa quid ſignificet.6°.de com.me.ſec.lo. 5ª.175.G
Aphtharum curatio.in 3^{m}.de morb.vulg.comp.2°. 3ª.135.G
Aphthas quomodo Galenus curat.6°.de comp.med.ſec.loc. 5ª.176.F
*Aphthis accõmoda ſunt cypri folia cõmanſa.7°.de ſim.me.fac.*5ª.53.H
Aphthas ſanant rubi folia & germina recens nata ſi mandantur.6°. de ſimp.med. fac. 5ª.44.F
ad Aphthas,hoc eſt oris vlcera.3°.de med.fac.par.174.G/de remed. par.fac. 7ª.158.B
ad Aphthas,Andromachi.6°.de comp.med.ſec.loc. 5ª.175.D
ad Aphtas,Apollonij.6°.de comp.med.ſcc.loc. 5ª.175.G
ad Aphthas,Archigenis.6°.de comp.med.ſec.loc. 5ª.176.C
ad Aphthas,Aſclepiadis.6°.de comp.med.ſec.loc. 5ª.175.G
ad Aphthas,Critonis.6°.de comp.med.ſed.loc. 5ª.175.D
ad Aphthas adhibeť decoctũ leucoi cũ melle.7°.de ſim.me.f. 5ª.54.D
ad Aphthas albas.6°.de compoſi.medic.ſecun.loc.5ª.175.G/de reme. par.facil. 7ª.158.B
ad Aphthas nigras.6°.de compoſi.med.ſecun.loc.5ª.175. H/de reme. par.fac. 7ª.158.C
ad Aphthas nigras malignas.6°.de comp.med.ſec.lec. 5ª.175.D
ad Aphtas nigras,& depaſcentes.de remed.par.fac. 7ª.158.B
ad Aphthas in pueris.6°.de compoſi.med. ſecundum loc.5ª.168. B/ de remed.par.facil. 7ª.158.C
in Aphthis puerorum à quibus abſtinere nutrices debent. 6°. de cõp. med.ſec.loc. 5ª.176.B
ad Aphthas oris.6°.de comp.med.ſec.loc. 5ª.170.C
Aphthis teſticulorum quid vtile ſit.9°.de comp.med.ſec.loc. 5ª.205.E

ad Aphthas putredinoſas.6°.de comp.med.ſec.loc. 5ª.175.D
ad Aphthas ſordidas,Galeni.6°.de comp.med.ſec.loc. 5ª.176.C
Aphthis vehementer acria ſunt aduerſiſſima.de reme.par.fa. 7ª.158.C
in Aphthis non ſunt danda,quæ putrefactis conueniunt.6°.de compo. medica.ſecundum locos. 5ª.176.H
Aphthæ infenſiſſimum eſt oleum.6°.de comp.med.ſec.loc.5ª.176.G/de remed.par.fac. 7ª.158.C
Aphthæ infenſiſſima chalcitis.6°.de comp.med.ſec.loc. 5ª.176.G
Aphtha appellatum infuſum.9°.de comp.med.ſec.loc. 5ª.203.G
APHYSON eſt,hoc eſt flatus extinguit,petroſelini ſemen.8°.de ſimpl. med.facul. 5ª.58.C
ſup APICEM pinnaculi,aut montis excelſi incedens cur timet,& pedes eius tremunt.de mot.man.& obſ. Sp.69.D
APICVLARVM, & ſimilium animalculorum puncturæ cõfert ſiſymbrium.de ſimp.medicaminibus. Sp.91.B
APIOS ſignificat pyrum.6°.de ſimp.med.fac. 5ª.43.D
APIONIS ad carbunculos.5°.de comp.med.per gen. 5ª.254.D
APIVM quid ſit,& eius vires.de ſimp.med. Sp.80.D
Apiũ habet caulem inutilẽ poſt ſemen effuſum.2°.de alim.fac. 2ª.24.B
Apium non habet caulem hyeme.2°.de alim. 2ª.23.E
ex Apij,& petroſelini genere eſt ſmyrnium.8°.de ſimp.me.fa.5ª.61.B
Apium quale.6°.de compoſi.med.ſec.loc.5ª.170.G/3°. de medici facil. par. 7ª.175.H
Apij ſemen calidum & acre.5°.de ſimp.med.fac.35.D/8°. 5ª.60.B
Apij ſemẽ calidũ eſt cũ ſubtili ſubſtãtia.2°.de arte cu.ad Gla. 7ª.104.G
Apium exiccat.3°.de ali.fac. 2ª.26.D
Apium adſtringit & repercutit.4°.de comp. med.ſec. loc. 5°.157.D/de remed.par.fac. 7ª.156.D
Apium vſitatiſſimum eſt,& gratum ſtomacho.2°.de ali.fac. 2ª.23.E
Apium condendi modus.2°.de alim.fac. 2ª.23.F
Apium eſt cibus calidus.de diſſ.cont. Sp.74.C
Apium eſt cibus acutus incidens,& aperiens.de diſ.con. Sp.72.F
Apio,& carbtho facilius digeruntur,lactucæ,endiuia,citruli, cucurbita.de diſſol.cont. Sp.73.D
Apij ſemen conuenit in dięta attenuante.de atte.vic.ra. 2ª.44.E
Apij decoctũ ſolũ poſt balneũ quibus põt offerri.8°.meth.me. 7ª.53.A
cũ Apio vel ocymo panis cruſtas optime diſrumpit. 2°. de arte cura. ad Glau. 7ª.107.B
Apium detergit.8°.med.med. 7ª.52.G
Apiũ interdũ deguſtare epilepticis conuenit.de puero epilep. 7ª.180 C
Apij ſemen flatus ſanat.8°.met.med. 7ª.53.F
Apium & Aſarum ebullita in aqua pro humore aqueo in corpore. 4°. de præcogni.ad Poſthu. 4ª.217.H
Apij ſemen inflationem ſedat.14°.meth.med. 7ª.88.F
Apium cit vrinas.2°.de ali.fac.2ª.23.F/8°.de ſimp.med.fac.60. B/9°. de compoſi.med.ſec.loc.200.H/5ª.201.H/13°.meth.med.83. H/1°.de arte cur.ad Glau.97.B/7ª.99.F/de ſimp.med. Sp.80.D
Apij ſeminis,& carui decoctio prouocat vrinam,& menſtrua fortiter & ſubtiliat humores craſſos.de med.exper. Sp.104.D
Apio mouenda eſt vrina ſenibus.5°.de ſani.tuen. 2ª.92.E
Apium menſes cit.8°.de ſimp.med.fac. 5ª.60.B
Apium cur miſceatur purgantibus medicamentis.8°.de compoſi.med. ſecundum locos. 5ª.190.B
Apium mittitur in purgatorijs,& antidotis.8°.de ſimp.med. Sp.80.D
Apij radix non calefacit & euacuat.11°.meth.med. 7ª.69.G
Apium lac purgat & multiplicat.5°.de ſimp.med.fac. 5ª.37.G
Apium mundificat ſtomachum.de diſſol.cont. Sp.74.E
Apij ſemen purgat renes.de cathar. Sp.95.C
Apij ſemen ſanguinem extenuat,ac ſecernit.5°.de ſimp.med.fa.5ª.35.D
Α᾽πνοια à ſymptomate non habuit.2°.meth.med. 7ª.9.D
Apnœa quid ſit.2°.de ſymp.cau.3ª.19.G/4°.de loc.affe. 4ª.27.D
Apnœæ vnde proueniant.1°.de ſym.cau. 3ª.18.F
Apnœas facit os ventriculi,ratione ſocietatis.1°.de ſymp.cau. 3ª.17.G
APNVS dictus liber Heraclidis. 6°. de loc.affe. 4ª.39.E
APOCYNON calidũ eſt non inſtrenue.6°.de ſimp.me.fac. 5ª.43.E
Apocynon illitum admodum digerentis eſt facultatis.6°.de ſimp.med. faculta. 5ª.43.E
Apocynon eſt venenum hominibus.6°.de ſimp.med.fac. 5ª.43.E
Apocynon canes celerrime interimit.6°.de ſimp.med.fac. 5ª.43 D/E
APOCRETICEN facultatem.i.expulſiuam,vindicant ſibi nerui obliqui.de compag.memb.ſiue de natura humana. Sp.58.H
Α᾽ποκλασματα.i.abruptiones.de ijs,quæ in med.ſi.com.3°. 7ª.219.G
APODACRYTICA, id eſt delacrimatiua pharmaca,quæ.4°.de cõp. med.ſec.loc. 5ª.151.G
Α᾽πόληψις quid ſignificet.in 1^{m}.pror.com.2°. 4ª.183.G
APOLLO, & Aeſculapius Dei artis medicæ, diuinandi, canendi,ſagittandi.oratio ſuaſoria. Iſa.2.C
Apollini & Aeſculapio veram medicam artem qui concedunt. 3°.methodi medendi. 7ª.20.H
Apollinis catapotium album.7°.de comp.med.ſec.loc. 5ª.183.D
APOLLINAREM herbam ſi quis comederit, quid conferat. 2°. de antido. 5ª.114.C
APOLLETES ſcripſit de arte augurandi.de vict.rat.in morb.acutis. commen.1°. 7ª.110.C
APOLLODORI antidotus contra viperas.2°.de antid. 5ª.117.H
APOLLONIVS diſcipulus Hippocratis.de vict.rat.in morb.acu.cõ. 1°.113.A/com.3°. 7ª.131.F
Apollonius Alexandriæ diu vixit.2°.de comp.med.ſec.loc. 5ª.132.G
Apollonius quid ſcripſerit.6°. de ſimp.me.fac. 5ª.39.H
Apollonius librum de parabilibus conſcripſit.11°.de ſim. me. fa.82.H/ 2°.de comp.med.ſe.loc.132.B/3°.141.F/144.G/148.D.5°. 159.D/163. H/6°.174.C/ 5ª.175.G
ex Apollonij libris de ſcarificatione.de cucur. 6ª.3.G
Apollonij Archiſtratoris aſmilinus.5°.de comp.me. per gen. 5ª.252.C
Apollonij Abderitani caſus.in 3^{m}.de morb.vulg.com 3°. 3ª.151.B
Apollonij Claudij medicamentum contra canem rabidum, & eſt theriaca.2°.de antid. 5ª.117.A
Apollonius cognomento Cyclas.in 3^{m}.de morbis vulg.cõ.2°. 3ª.137.H
Apollonius empiricus.in 3^{m}.de morb.vulg.com.2°. 3ª.137.H
Apollonij iunioris ἡμυκεραύνιος. de faſcijs. 7ª.302.G
Apollonius Organicus.5°.de comp.med.per genera. 5ª.254.D
Apollonium & Dexippum omnibus affectibus inediam opitulari exiſtimaſſe,collige.de vc.ſec.adu.Eraſi. 6ª.8.G
contra Apollonij ſententiam conyza calfacit. 2°. de compoſi. medica. ſecundum locos. 5ª.132.H
Apollonij ad achoras.1°.de com.med.ſec.loc. 5ª.129.G
Apollonij ad aphthas.6°.de comp.med.ſec.loc. 5ª.175.G
Apollonij arteriaca.7°.de comp.med.ſec.loc. 5ª.179.F
Apollonij colica.9°.de comp.med.ſec.loc. 5ª.202.B
vt in Apollonio & putiolio,Publius colica. 9°. de comp. med. ſecundum locos. 5ª.202.D
Apollonij confectio ad tuſſim commoda.7°.de cõp.med.ſec.loc.5ª.183.B
vt Apollonius confectio.10°.de comp.med.ſec.loc. 5ª.206.C
Apollonij ad dolorẽ capitis pp ardorem.2°.de cõp.me.ſec.loc. 5ª.132.B
Apollonij hiera.8°.de comp.med.ſec.loc. 5ª.189.A
Apollonij ad ictericos.9°.de comp.med.ſec.loc. 5ª.197.G
Apollonij malagma ad multa vtile.7°.de comp.med.per genera. 266. E/8°.de comp. med.ſec.lo. 5ª.196.D
vt Apollonius medicamentum.9°.de comp.med.ſec.loc. 5ª.204.F
Apollonij ad orthopnœas.7°.de comp.me.ſec. loc. 5ª.187.A
Apollonij Tarſei aridum.5°.de comp.med.per gen. 5ª.253.C
Apollonij theſpiana ad internos abſceſſus.7°. de comp. med. ſecundum locos. 5ª.182.H
Apollonij Thirij paruum templum.de faſcijs. 7ª.302.H
in Apollonium & Dexippum calices cereos Eraſiſtratus retorſit. de vict.rat.in morb.acu.com.4°. 7ª.135.A
APOLLOPHANIS malagma.7°.de cõp.med.per gen. 5ª.266.C
Apollophanis medicamentum.5°.de comp.med.per gen. 5ª.251.G
Α᾽πομέλι.i.mella.de fract.com.3°. 7ª.248.D
Apomeli eſt medium inter mulſam,& oxymeli.8°.metho.me. 7ª.52.G
Apomeli quo modo fiat.4°.de ſani.tuen. 2ª.85.G
i Apomelite cõficiẽdo fauus nõ debet eẽ vitioſus.4°.de ſan.tu. 2ª.85.G
pro Apomelite aqua qualis debeat eſſe.4°.de ſan.tuen. 2ª.85.G
Apomeli tota æſtate bibitur vice refrigerantis.4°.de ſan.tuen. 2ª.85.G
Apomeli leuiter refrigerat.4°.de ſan.tuen. 2ª.87.G
Apomeli non calefacit,& euacuat.11°.meth.me. 7ª.69.G
Apomeli quibus conueniat.4°.de ſani.tuen. 2ª.84.F
APONEVROSIS quid ſignificet.6°.meth.med. 7ª.39.A
Aponeuroſis quid.3°.de alim.fac.2ª.26.G/in 6^{m}.de morbis vulga. cõmen.1°. 3ª.153.B
Aponeuroſis dicũtur tẽdones quaſi deneruationes.1°.de loc.af. 4ª.7.D
Α᾽πονευρώσεις.i.pneruatiões,fines muſculorũ.de ar.cõ.2°. 7ª.263.B
Α᾽πονεύρωσις vbi & qualis.de bo.& vitio.ſuc. 2ª.35.H
Α᾽πονίαν ſana corpora habent.2°.de morb.vul.com.2°. 3ª.112.C

APOPATEMA *ſignificat ſtercus.*10°*.de ſim.med.fac.* 5ª.75.H
APOPHYSIS *quid ſit.de oſſibus.* 1ª39.H
Ἀποφλεγματίζειν *qd ſignificet.6°.de ſim.me.fa.* 44.B/7°.5ª.49.H
Apophlegmatizonta quæ ſint.5°.de ſim.med.fac. 5ª.37.E
Apophlegmatiſmata, ſunt ea quæ pituitam eliciunt.6°.de ſani.tuen.2ª. 100.B/6°. de ſimp.med.fac.32.B/2°. de compo.medic.ſecun.loc. 5ª. 137.E/13°.metho.med.83.E/de reme.par.fac. 7ª.154.F
de *Apophlegmatiſmis, & quæ naribus infunduntur.2°.de compoſi. medica.ſecundum locos.* 5ª138.H
Apophlegmatiſmata ex quibus fiunt.de remed.par.fac. 7ª.156.B
ex *Apophlegmatiſmis facienda eſt particularis purgatio per os poſt purgationem vniuerſalem.1°.de compo.medi.ſec.lo.* 5ª.121.F
Apophlegmatiſmi Critonis.2°.de compo.medi.ſec.loc. 5ª.139.D
Apophlegmatiſmi quibus opitulentur.3°.de loc.affec. 4ª.16.F
Apophlegmatiſmis quandoque vtatur qui eſt temperamento humido. 6°.de ſani.tuen. 2ª.96.G
Apoplegmatiſmi in dentium doloribus.2°.de com.medic.ſecundum loc. 138.H/5°.5ª.163.F.de remed.par.fac. 7ª.157.E
Ἀποφθορὰ *ideſt deperditio, pro abortu apud Hippocratem.in 6m.de morbis vulg.commen.1°.* 3ª.152.G
APOREXIS *affectus meatuum oculorum.introd.* Iſa.58.D
APOPLEXIAM *vocant morbum attonitum.de diff.mor.* 3ª.3.E
Apoplexia quid.fin.med.47.B/intro.Iſa.56.A/13°meth.med. 7ª.85.F
Apoplexia cur ſubito fiat.2°.de ſympt.cau. 3ª.24.C
Apoplexia quo modo fiat.de cur.ra.per ſang.miſ. 6ª.17.A
Apoplexiæ propter quid fiant, & vnde ſint.1°.de ſympt.cau.19.C/2°. 3ª.24.C/de vic.rat.in morbis acutis, com.4°.7ª.137.F/commen.2°. apho.42°.18.B/commen.3°.aphor.16°. Ex.23.A
Apoplexia quo modo differat à caro.4°.de loc.affec. 4ª.22.H
Apoplexiæ & comitialis morbi differentia, & in quo loco fiant, & à quo humore.commen.2°.apho.45°. Ex.18.G
Apoplexiæ, comitialis, catochi, cari, catalepſis, & ſoporis vigilantis differentiæ.4°.de loc.affectis. 4ª.23.A
Apoplexia quo modo differt à paraplexia.fin.med. Iſa.47.B
Apoplexia quandoq; dicitur paraplegia.cō.2°.in 1m.pror. 4ª.175.F
Apoplexia eſt morbus diutinus.quos pur.op.quib.med.& quo temp. 5ª.88.C/com.6°.apho.47°. Ex.52.B
Apoplexia morbus acutus.introd. Iſa.55.E
Apoplexia morbus peracutus.fin.med. Iſa.45.F
*Apoplexia acutiſſima q̃ ſit, & multi modi ipſius.c.2°aph.42°.*Ex.18.B
Apoplexia poteſt eſſe ſine febre.commen.2°.aphor.19°.14.B/commen. 5°aphor.30°. Ex.40.D
Apoplexia alto ſomno comparatur.1°.de ſym.cau. 3ª.19.
Apoplexiæ ſunt ægritudines capitis.de virt.noſtrū corp.diſp. Sp.60.B
Apoplexia qua cerebri parte affecta fiat.4°.de loc.aff. 4ª.22.G
Apoplexiam ſequitur paralyſis.2°.de loc.affec. 4ª.22.H
Apoplexia eſt totius corporis paralyſis.2°.de ſymp.cau. 3ª.19H
Apoplexia quæ proprie ſit.3°.de loc.affe. 4ª.20.G
Apoplexia dicitur cum eſt neruorum totius corporis reſolutio.de ſym. differentijs. 3ª.11.F
Apoplexiæ cur ſubitæ, & à quo humore fiant, & quo modo.3°.de locis affe.4ª.20.B/com.2°. apho.42°. Ex.18.B
Apoplexia fit ex humore plurimo, & craſſo.de vtil.reſp. Sp.63.E
Apoplexia eſt ex craſſis humoribus, qui hanc patitur debet in vere pur gari.com.6°.aphor.47°. Ex.52.D
*Apoplexia morbus eſt ex pituita ortum habēs.cō.3°.aph.16°.*Ex.23.A
Apoplexia eſt morbus pituitoſus, in quo debet euacuari pituita.cōmen. 6°.aphor.47°. Ex.52.C
Apoplexia fit ab humore pituitoſo, & etiam à melancholico.cōmen.6°. aphor.56°. Ex.53.D/E
*Apoplexias facit plenitudo quo ad uaſa.de cur.ra.per ſan.miſ.*6ª.17.B
Apoplexia fit cum pleni ſunt ventriculi cerebri de inſtr.od. 1ª.112.F
Apoplexia ex oppilatione.de vtil reſp. Sp.63.E
Apoplexia poteſt fieri ſine oppilatione per ſolam inflammationem.com men.2°.aphor.42°. Ex.18.B
Apoplexia capiuntur maxime ſenes.2°.de temp.1ª.16.D/comment.3°. aphor.31°. Ex.26.H
Apoplexiæ cur fiant hyeme.com.3°.aphor.23°. Ex.24.H
Apoplexia cur non facta fuerit in cōſtitutione frigida & humida.in 1m. de morb.vulg.com.2°. 3ª.108.H
Apoplexiæ fiunt maxime à quadrageſimo anno vſque ad ſeptuageſimū. com.6°.apho.57°. Ex.53 E.
Apoplexia quæ fit à quadrageſimo vſque ad ſexageſimū annum.fit ab atra bile ſolum.com.6°. aph.57°. Ex.53.E
*Apoplexia plures ſenes laborāt ex ſola atra bile cō.6°.aph.57.*Ex.53.E
*Apoplexia naſcitur q̃nq; ex ſupfluitate ſanguinis.de ſpermate.*Sp.36.G
Apoplexia facta ob clauſas euacuationes hæmorrhoidarum.de ve.ſec. aduer.Eraſi. 6ª.7.E
Apoplexia ex immodico vini potu.3°.de temp. 1ª.22.G
Apoplexię plerunq; excipiunt pituitoſam & frigidam habitudinem.1°. de ſani.tuen. 2ª.65.G
Apoplexia cur frequenter non capiat animal.8°.de vſu par. 1ª.168.B
in *Apoplexiam quomodo poſſimus per exercitium incidere.comment. 3°aphor.20°.* Ex.24.C
Apoplexia habet tempora quo modo.de totius morbi temp. 3ª.89.C
Apoplexia nō habet principium, quia ſtatim venit in ſummū vigorem, ideo non indicat principium.de opt.ſecta. Iſa.29.C
Apoplexia magis cognoſcitur ex ſpiratione.3°.de loc.aff. 4ª.21.B
Apoplexia habet magnitudinem periculi ex anhelitus nocumento.3°.de loc.affe. 4ª.20.B.
in *Apoplexia oēs muſculi thoracis operant̄.cō.2°.apho.42°.* Ex.18.C
in *Apoplexia ſpiritus quo modo habeatur.4°de lo.affe.* 4ª.27.E
Apoplexia qui affectus ſit.com.6°.aphor.51°. Ex.52.H
Apoplexia manifeſte oſtendit cerebrum læſum.3°de lo.affe. 4ª.21.A
Apoplexia lædit vocem.4°.de loc.affe. 4ª26.D
Apoplexia totum corpus ſenſu repēte priuat, ac motu, ſolus reſtat anhe litus.com.2°.aphor.42°. Ex.18.B
Apoplexia laborantes ſine ſenſu iacent.com.7°.aphor.58°. Ex.59.C
cur *Apoplexia laborantes, cum non habeant læſa ſenſuum inſtrumenta, non ſentiant.8°de vſu par.* 1ª267.F
in *Apoplexia cur afficiatur cor.5°.de loc.aff.* 4ª.29.A
Apoplexiam ſignificat vrina pinguis ſine febre ſenibus eueniens de dynamidijs. Sp.34.B
Apoplexiæ fortis indicium eſt ſtertere.com.6°.aphor.51°. Ex.52.H
Apoplexia duplex eſt: fortem impoſſibile eſt ſoluere, debilem vero non facile.com.6°.aphor.51°. Ex.52.H
Apoplexia quando letalis eſt de dynamidijs. Sp.24.D
in *Apoplexia moriuntur qui ſpirare non p̄nt.3°de loc.aff.* 4ª.21.C
in *Apoplexia vrina rubra mortē prædicit futuram.de dyna.* Sp.35.D
*Apoplexia ſoluta, vrina pinguis ſine febre ſenibus eueniens oculorū caliginē cito tranſeuntē, & delectationē cibi oſtendit.de dyna.*Sp.34.B
Apoplexiæ febris ſuperueniens quare cōferat.cō.6°.aph.51°. Ex.52.H
Apoplexiæ curatio.intro. Iſa.56.B
in *Apoplexia remedia capiti applicantur.3°.de lo.affe.* 4ª.17.B
Apoplexia ſanatur calefaciendo caput.3°.de lo.affe. 4ª.17.C
Apoplexia laborātibus q̃dā infunduntur.de mot.mā.& obſc. Sp.70.F
Apoplexiæ venæ ſectio conuenit.de cur.rat.per ven.ſect. 6ª.17.G
in *Apoplexiam qui prompte incidunt illis vere vena ſecanda.de cura. rat.per ſan.miſſ.* 6ª.17.E
Apoplexia infeſtante vtimur catharticis.de dynamidijs. Sp.20.E
in *Apoplexia damus phlegmagoga.de dynamidijs.* Sp.21.C
APOPLECTOS *qui dicitur.1°.meth.med.* 7ª.8.E
Apoplectici nerui falſo dicti.de mot.mani.& obſ. Sp.67.B
Ἀπορία *quid ſignificet de vict.rat.in mor.acutis, com.2°.* 7ª.123.B.
APOSCEPARNISMVS *quid fin. med.* Iſa.48.C
Apoſceparniſmus fractura in capite.fin.med. Iſa.48.C
Ἀπόσπασμα *appellatur continui ſolutio in ligamēto.4°.meth.med. 7ª.23.B/de conſt.ar.* Iſa.37.D
Ἀπόσιτοι *dicuntur qui oblatum cibum faſtidiunt,* ἄσιτοι *appetentia carentes.in 1m.de morb.vulg.com.1°.* 3ª.106.F
Ἀποσίτους *vocat Hippocrates more antiquorum græcorum carentes appetentia.in 3m.de morbis vulg.com.3°.* 3ª.148.A
APOSITIA, *ideſt abſtinentia à cibo, idem ſignificat quod anorexia, id eſt innapetentia.com.4°.aphor.17°.* Ex.29.A
Ἀπόστασις *ideſt abſceſſus.de vict.rat.in morb.acu.com.4°.* 7.143.B
de *Apoſtaſi mamillarum.de med.fac.par.* 7ª.166.A
Ἀποστήματα *dicuntur abſceſſus.de ijs quæ in med.fi.cō.2°.* 7ª.211.C
Ἀπόστημα *nomen eſt quod nec locum affectum, nec cauſam quæ effecit repreſentat.2°.meth.med.* 7ª.9.E
*Apoſtemata numerantur inter paſſiones ſanguinis.de ſpermate.*Sp.38.B
Ἀπόστημα *duplex eſt.14°.meth.med.* 7ª.90.D
Apoſtematum omnium cauſæ.de oculis. 7ª.189.D
*Apā quod interius eſt quaſi pingue ſeuū, à quo ḡnatur.de ocul.*7ª.189.E
in *Apoſtematibus quibuſdam humores quales.14°.meth.med.*7.90.E

Apoſtema futurũ ſcias, licet ſoluat̃ morbus, ſi in ſynocha vrina tenuis ſit, & boni coloris, frequens, & multa egeſta. de dynami. Sp.34.C
Apoſtema celerius vẽturũ ſcias, ſi vrina alba ſe mutauerit in ſynocha. de dynamidijs. Sp.34.C
Apoſtemata ĩ articulis cõtingũt cõcepto ĩ hora phl'atis. de ſper. Sp.37.C
de Apoſtematibus oculorum. de oculis. 7^{a}.189.D
Apoſtemata muſculorum epiglottidis dicuntur angina interior & exterior. de vo. & anhel. Sp.61.H
Apoſtemata multimoda diaphragmatis ex ſuperfluitate ſanguinis naſcuntur. de ſpermate. Sp.36.G
Apoſtema diaphragmatis fit ex ſuperfluitate pituitæ. de ſper. Sp.36.G
Apoſtemata diaphragmatis ex bile in ſtomacho. de ſpermate. Sp.36.H
Apoſtema in ventre. ſecret. Sp.100.H
Apoſtemata hñt quatuor tpa, & quæ cõueniãt in illis. de ocu. 7^{a}.189.G
in Apoſtematis initio venæ ſectio. de ocul. 7^{a}.189.F
Apoſtema ex ſanguine quo modo curatur. de oculis. 7^{a}.189.F
Apoſtema à ſanguine craſſo quo modo curatur. de oculis. 7^{a}.189.G
Apoſtemata phlegmatica quo modo curentur. de oculis. 7^{a}.189.G
Apoſtema aquoſum quo modo curetur. de ocul. 7^{a}.189.G
Apoſtema ex flatu quo modo curetur. de ocul. 7^{a}.189.H
Apoſtema mellinum quo modo curetur. de ocul. 7^{a}.189.G
in Apoſtematibus dolor, quo modo curetur. de ocu. 7^{a}.189.H
ad Apoſtemata omnia exteriora, ſiue tumores. de dynami. Sp.30.E
ad Apoſtemata omnia dura. de cura lapidis. Sp.112.G
ad Apoſtema ſubtiliandum. de dynamidijs. Sp.30.E
ad Apoſtema rumpendum. de dynamidijs. Sp.30.E
Apoſtemata diſpergit emplaſtrum diachryſu. de dynamidijs. Sp.32.B
ad Apoſtematos, & quaſſatos vngues valet ſuccus cẽtaureæ. de virtute centau. Sp.93.E
ad Apoſtemata ĩciſa, parua, valet ſuccus cẽtaureę. de vir. cẽ. Sp.93.H
ad Apoſtema oculorum die vno diſſoluendum, & ophtalmiam valens collyrium. de ocul. 7^{a}.191.B
Apoſtematib⁹ labiorũ cõfert venarũ labiorũ ſectio. de ana. uiu. Sp.55.B
in Apoſtemate pulmonis ſecant̃ iugulares venę. de anat. viuo. Sp.55.A
ad Apoſtema in hepate. ſecret. Sp.99.C
ad Apoſtema ſplenis emplaſtrum. de cura lap. Sp.112.G
ad Apoſtema matricis. de dynamidijs. 25.H | de paſſ. mul. Sp.95.H
ad Apoſtema teſticulorum ſecret. Sp.100.B
Apoſtema. uide abſceſſus.
APOSYRMATVM meminit. 1°. de comp. med. per gene. 5^{a}.214.C
Ἀποθεραπευτικὴ quid ſignificet. 2°. de ſani. tuen. 2^{a}.72.H
Apotherapia qd vocet gymnaſtis. 2°. de ſa. tu. 72.C. 3°.76.F | 2^{a}.81.D
Apotherapiam quid vocet Theon & Thrypho. ad Traſ. 2^{a}.109.F
Apotherapia duplex eſt. 3°. de ſani. tuen. 2^{a}.76.F
Apotherapiæ pars aliqua quomodo fiat balneum probe adhibitum. 2°. de ſani. tuen. 2^{a}.78.A
Apoterapia exercitatio qualis. 3°. de ſani. tuen. 2^{a}.79.B
Apotherapiæ ſcopus proprius. 3°. de ſani. tuen. 2^{a}.76.F
Apotherapiæ non exigua portio ſpũs cohibitio. 3°. de ſan. tuen. 2^{a}.77.B
ad Apotherapiam ſpiritus cohibitio qualis. 2°. de ſani. tuen. 2^{a}.77.D
Apotherapia vtendum ſi ilia, cohibendo anhelitu, implere velit. 2°. de ſanitate tuenda. 2^{a}.76.B
Apotherapiæ motus proprij nec vehementes, nec continui. 2°. de ſanitate tuenda. 2^{a}.77.D
Apotherapia deuitantur laſſitudines. 3°. de ſani. tuen. 2^{a}.76.F
Apotherapia exercitatio corpus relaxat. 3°. de ſani. tuen. 2^{a}.81.E
Apotherapia exercitatione qui vti debent. 6°. de ſani. tuen. 2^{a}.97.G
Apotherapia quibus ſeruanda. 2°. de ſani. tuen. 2^{a}.73.H
Apotherapia vtantur temperati. 3°. de ſani. tuen. 2^{a}.76.G
Apotherapia quando vtendum. 3°. de ſani. tuen. 80.G | 2^{a}.81.D
Apotherapia ſemper vti tutiſſimũ eſt. quæ qualis adhibenda ſit, ipſa finiũ, ad quos tendimus, demonſtrabit natura. 3°. de ſan. tuẽ. 2^{a}.76.G
Apotherapia exercitatio idonea eſt poſt vigilias, & triſtitias. 3°. de ſanitate tuenda. 2^{a}.81.F
circa Apotherapiã quæ perperam à pleriſq; ſcripta ſunt refellẽdi ſatis ſeminũ non hebetibus dediſſe Gal. collige. 3°. de ſani tuen. 2^{a}.77.H
Ἀπόξη ideſt in acutum abeuntia. de ijs, quæ in med. fi. com. 3°. 214.D | de fract. commen. 1°. 7^{a}.228.F
Ἀποζηρά ideſt deſiccanda quæ vocet. de frac. commen. 1° 7^{a}.228.F
APOZEMA acori purgat veſicam. de cathart. Sp.95.D
APPARATV non indiget paruæ pilæ ludus. de par. pi. 2^{a}.48.H
APPARERE ea dicunt empirici q̃ ſub ſenſum cadunt, noſci vero quæ memoria tenentur, apparere ſimul, & noſci quæ & ante aliquando ſub ſenſum venerũt & nũc ſimili modo veniũt. 1°. metho. med. 7^{a}.5.C
Apparentium duplex genus ſecundum antiquos. 1°. meth. med. 7^{a}.5.D
Apparentia vituperabat Democritus. aduer. emp. med. Iſa.35.C
Apparentia ſola traditurus eſt Galenus in libro de motu muſculorum. de muſ. diſſ. 1^{a}.44.C
Apparentia manifeſte libro de locis affectis non tractantur. 5°. de locis affectis. 4^{a}.31.H
APPELLATIONES quas vocãt, olim fuiſſe collige, cum inquit Gal. ſed alicui fortaſſe, ꝓuocare ad aliũ iudicẽ licebit. 1°. met. med. 7^{a}.3.H
Appellationes transferre à pathematis ad patientes, & à patientibus pathemata antiqui omnes conſueuerunt. de victus ratione in morbis acutis, commen. 4°. 7^{a}.141.D
APPENDICES magnis oſſibus adnaſcuntur. de oſſibus. 1^{a}.39.H
circa Appendicẽ frãgitur qñq; caput br[a]chij. de frac. cõ. 3°. 7^{a}.250.E
Appendix cuneata, & lunata in organis ĩmobilis eſt de. mach. 7^{a}.310.F
Appẽdicibus duabus cõſtãs laqueus ad qd utilis. 7°. de uſu par. 1^{a}.161.H
APPENSAE vuæ ſunt cibaria media. de diſſol. cont. Sp.74.C
Appenſiones, peregrinationes, equitationes, in ſole nudari, per ſe natis balneis vti tentare oportet in longa icteritia. de cura icteri. Sp.111.E
APPETERE, abhorrere eandẽ rem, eadem gaudere & moleſtari non põt vnũ, ſimplex, & incõpoſitũ. 5°. de decr. Hipp. & Plat. Ex.259.E
Appetere cibum idem eſt apud Aſianos quod aſſumere cibum, è cõtrario non aſſumere. commen. 2°. apho. 8°. Ex.11.H
APPETITRIX poteſt vocari anima vegetatiua quæ eſt in iecinore, 9°. meth. med. 7^{a}.58.H
Appetitrix animæ pars vbi ſit ſecundũ Platonem. 5°. de anat. ad. 86.H | 6°. de decr. Hippo. 1^{a}.267.A
APPETITVS, deſideriũ, & voluntas idem. in prog. cõ. 2°. 4^{a}.198.E
Appetitus quid. fin. med. Iſa. 44.F | 5°. de decr. Hip. 1^{a}.259.A
Appetentia eſt ſenſus penuriæ. 1°. de ſymp. cau. 3^{a}.18.A
Appetitus, naturæ actio eſt. intro. Iſa. 55.B | 1°. de ſympt. cau. 3^{a}.17.H
Appetentia eſt opus ad vitam neceſſarium. com. 6°. apho. 3°. Ex.46.F
Appetentia ex frigore. 2°. de temp. 16.E | 4°. de vſu par. 1^{a}.136.F | 1°. de locis affectis. 4^{a}.5.D
Appetitum prouocat melancholia tranſmiſſa à ſplene ad os ſtomachi. de anatomia viuorum. Sp.51.A
Appetitũ quo modo facit ſanguis melancholicus. de ana. uiuo. Sp.50.A
Appetendi vis vbi ſit. com. 2° apho. 20°. Ex.14.E
Appetimus cibum virtute proueniente ex hepate. de virtute noſtrum corpus diſpen. Sp.60.B
Appetẽtia cur ſemp ſit in aĩalibus & ſtirpibus. 1°. de ſani. tuẽ. 2^{a}.62.G
Appetentia conuenientiũ ineſt omnibus membris. 3°. de nat. fa. 1^{a}.303.G
ad Appetitiones proprias excitandas cuiq; animanti ſua natura ſatis eſt. 1°. de ſani. tuenda. 2^{a}.65.E
Appetẽtia ciborũ eſt ventriculi opus. in 3^{m}. de mor. vul. cõ. 3°. 3^{a}.145.E
Appetit nõ cõcoquit os vẽtriculi. de vict. rat. in mor. acu. cõ. 1°. 7^{a}.111.F
Appetens cibum & potum ventriculi cupiditas, animale officium eſt, & non eſt citra ſenſum noſtrum. 6°. de locis affectis. 4^{a}.37.H
in Appetentia ordo attrahendi. de anato. viuo. Sp.49.G
Appetentiam vacuatio præcedit. 1°. de ſympt. cau. 3^{a}.18.A
in Appetitu, quę ſymptomata. de ſympto. diff. 3^{a}.12.A
Appetentia naturalis euacuatorum ſecundum eſt ſymptoma oris ventriculi pro fame inducenda. 1°. de ſymp. cau. 3^{a}.18.A
Appetentia ventriculi animalis quintum & vltimum ſymptoma oris ventriculi pro fame inducenda. 1°. de ſympt. cau. 3^{a}.18.B
Appetenda ſunt quæ ad ſeruandam valetudinem conducunt. de cogn. cur. animi morb. 2^{a}.54.H
quę Appetũtur & ſapiunt, ſunt velocioris actionis. de diſ. cõ. Sp.73.B
Appetentes cur ocyſſime deglutiunt. 3°. de nat. fac. 1^{a}.304.H
Appetentiæ languidæ vnde fiant. 1°. de ſymp. cau. 3^{a}.18.B
Appetentia diminuta quid. 1°. de ſympt. cau. 3^{a}.17.H
Appetitũ diminutũ habet os uẽtriculi ꝑ ſeipſum. 1°. de ſym. cau. 3^{a}.17.H
Appetentia potus diminuta, quæ. 1°. de ſymp. cau. 3^{a}.18.D
non Appetere & non ſitire in febribus, propter quid eueniat. in 3^{m}. de morb. vulg. com. 1°. 3^{a}.133.A
Appetentia carentes dicuntur ἀπόσιτοι ab antiquis græcis & ab Hippocrate. in 3^{m}. de morb. vulg. com. 3°. 3^{a}.148.A
Appetentiæ amiſſio vnde fiat. 1°. de ſymptom. cau. 18.B | in 3^{m} de morbis vulg. commen. 1°. 132.G | commen. 2°. 3^{a}.135.H
Appetitus defectus cauſaq; eſt quandoq; caliditas, quandoque frigiditas. commen. 2°. aph. 20°. Ex.14.F

Appetitus defectus ſignificat colericū humorē.cō.4°.aph.2°. Ex.27.F
Appetitus cur deficiat in ſenibus.com.2°.apho.20°. Ex.14.E
Appetitus quo mō pereat vitio iecoris.in 3^{m}*.de mor.vul.cō.1°.* 3ª.133.C
Appetentiam prohibet os ventriculi non fundus.5°.de loc.aff. 4ª.32.E
Appetentiam euertunt cibi pingues & lenti.3°.de ali.fac. 2ª.30.F
Appetentiam, hirudinum oleum ſubuertit.de cucur.ſcar. 6ª.4.D
Appetitricis ciborum facultatis emorientis maximum ſignum. in 3^{m}*. de morb.vulg.com.2°.* 3ª.135.H
Appetentiam qui amiſerunt, Galenus inedia macerans eſurientes reddidit.in 6^{m}*.de mor.vulg.com.4°.* 3ª.184.A
Appetentiam cur pariat vigilia.in 6^{m}*.de morb.vul.com.4°.* 3ª.185.B
Appetere quæ faciant.in 6^{m}*.de morbis vulgar.commeu.4°.* 3ª.185.B/ *ſecret.* Sp.101.F
Appetentiam quo modo excitet ſuccus frigidus.1°.de ſym.cau. 3ª.18.B
Appetitum prouocant ſtyptica, & acetoſa.de anat.viuo. Sp.50.A
Appetentiam cibum faſtidientibus excitat vua ſeruata. 2°.de alimentorum facultatibus. 2ª.18.A
Appetentiam excitant oliuæ cum oleo repoſitæ.2°.de ali.fac. 2ª.20.H
Appetentiam prouocant plantæ ſeruatæ in aceto vel muria. 2°. de alimentorum facultatibus. 2ª.22.C
Appetentiam collapſam gingidiū cū aceto excitat.2°.de ali.fa. 2ª.23.G
Appetētia quibus deiecta eſt iuuāt poma cū pane.2°.de ali.fa. 2ª.19.H
Appetentiam deiectam excitat capparis.2°.de ali.fa. 2ª.21.E
*ad Appetentiam deiectam medicamentum.2°. de alim.fac.*2ª.20.D/3°. *de med.fac.par.* 7ª.174.C
Appetentiam cibi excitans antidotus.7°.de com.med.ſe.loc. 5ª.186.A
*ad Appetētiā pditā, cū ſtomachi exuſtiōe.8°.de cōp.me.ſe.loc.*5ª.191.H
ad Appetentiam excitandam vtile medicamentum ex malorum ſucco. 6°.de ſanitate tuenda. 2ª.101.B
Appetentias reuocare poteſt cucurbitula.de cucur.ſcar. 6ª.3ª.F/2ª.F
Appetitum confortans vnguentum.de dynamidijs. Sp.23.H
Appetentia quibus augetur.in 6^{m}*.de morb.vul.com.4°.* 3ª.185.B
neq; Appetentiam intenſam neq; alia multa eſt neceſſe ſequi ſi quis male concoxit.3°.de ſympt.cau. 3ª.30.B
Appetitus maior eſt hyeme, quàm æſtate.com.1°.apho.15°. Ex.8.A
Appetitū permanere ē bonū ſignū in oī morbo.cō.2°.aph.33°. Ex.32.A
Appetentes in principio morborum, prius euadunt, quàm non appetentes.com.2°.apho.32°. Ex.17.A
Appetitus vehemens ciborum in morbis longis his ineſt, qui debēt ſanari.com.7°.apho.6°. Ex.54.D
*Appetentiā magnā facit melancholia acida valde.6°.de lo.aff.*4ª.36.B
*vt Appetitio vltra rationis terminum redundet quid in cauſa. 4°.de decre.Hippo.*1ª.249.F/5°.*de loc.aff.*34.A/6°. 4ª.36.B
Appetitū ſine rōe intenſum reprimit theriaca.de the.ad Piſo. 5ª.96.A
Appetentia canina ſubito fieri non poteſt.6°.de loc.aff. 4ª.37.H
Appetitus caninus vnde pcedat, & quō ſanetˀ.cō.2°.aph.21°. Ex.14.H
Appetitus caninus fit ex ſuperflua tranſmiſſione melancholiæ à ſplene ad os ſtomachi.de anato.viuo. Sp.51.A
*Appetentia canina ſignificat læſum os ventriculi.5°.de locis affectis.*32 H/6°. 4ª.37.H
Appetitū caninū habētes dicunt ſtomachici.8°.de cō.me.ſe.lo. 5ª.188.C
in Appetentia canina implentur, & euomunt.6°.de loc.affe. 4ª.37.H
*in Appetētia canina excretiōis cōparatio ad renes.6°.de lo.af.*4ª.37.H
ad Appetitum caninum.ſecret. Sp.100.F
Appetuntur quędam non recte.de cogn.cur.animi mor. 2ª.54.H
cur Appetant extranea pregnantes.1°.de ſymp.cau. 3ª.18.C
Appetentia ciborum malorum ſignificat læſum os ventriculi.5°.de locis affectis. 4ª.32.H
Appetentia vitioſa, quid.1°.de ſymp.cau. 3ª.17.H
Appetentia potus vitioſa, quæ.1°.de ſymp.cau. 3ª.18.D
Appetentię vitioſæ vnde proueniant.1°.de ſymp cau. 3ª.18.B
Appetentiæ vitiatæ in ſenibus cauſa.2°.de temp. 1ª.16.D
Appetitur qui magis cibus, præbeat, ſi ſint duo boni cibi.de diſſolutione continua. Sp.72.C
ſi Appetatur cibus deterior, & ſit cibus melior alio, deterior præbeatur.de diſſol.cont. Sp.72.D
Appetētes minime poſt morbū ſunt euacuādi.cō.2°.aph.12°. Ex.12.D
Appetēs minimē debet p ſuperiora purgari.cō.4°.apho.17°. Ex.29.A
*Appetitiui motus ſunt motus muſculorum.com.4°.apho.15°.*Ex.28.H
*Appetitu animalis fiunt motus muſculorū.com.6°.apho.39°.*Ex.50.G
APPLICANDA *cui parti ſint remedia ſcire, valde confert ad curandi rationem.2°.de loc.affe.* 4ª.13.G
Applicantur facile remedia in laterali morbo, colica, iecoris, ſplenis, et præcordiorum inflammatione.3°.de loc.affec. 4ª.16.B
APPOSITIO, *agglutinatio, adſimilatio, ſe ſequuntur. 1°.de natu.facultat.* 1ª.292.F
Appoſitio antecedit agglutinationem.1°.de nat.fac. 1ª.292.F
per Appoſitionem fit agglutinatio.1°.de nat.fac. 1ª.292.F
Appoſitio quo modo fiat.3°.de ſymp.cau. 3ª.29.A
Appoſitio cibi aſſumpti fit virtute proueniente ab hepate.de vir.noſtrū corpus diſpen. Sp.60.B
Appoſitio eſt vitiata in ſenibus.2°.de temp. 1ª.16.D
Apponunt optime & agglutinant, concoquunt, & nutriunt puſiones, vt qui calidum humidumq́; corpus habeant.3°.de ſymp.cau. 3ª.29.A
APPREHENSIONEM *pro reprehenſione & anſa dixit Hippocrates.de art.com.3°.* 7ª.274.E
Apprehenſionis inſtrumentum manus.12°.de vſu partium. 1ª194.A
Apprehenſorium organum quo modo optime conſtitutum ſit.1°.de vſu partium. 1ª.113.H
Apprehendunt carnem facile mites hirudines.de cucur.ſcar. 6ª.4.B
APPROPINQVANTIA *alicui, licet ſint valentiora, ſemper tamen aliquid patiuntur.3°.de ſymp.cau.* 3ª.26.F
APRI *cur ſint animoſi, iracundi, & furibundi.quod aī mor.*1ª.319.D
in Apris ira percitis calor generat ſpumam.cō.2°.aph.43°. Ex.18.D
Apris dantur dentes ad armaturam.de anat.viuo. Sp.49.E
Apri ſuibus domeſticis quando anteponendi.de atte.vic.ra. 2ª.45.B
Apri quomodo olim condirentur.4°.de ſa.tuen. 2ª.85.B
Apri caro facit humorem melancholicum.3°.de loc.affec. 4ª.18.F
Aprorū ſanguinem nemo guſtare tentauit, propterea quod inſuauis eſt, & ad coquendum difficilis.3°.de ali.fac. 2ª.29.C
Aprorū vrina valida eſt & acerrimo odore.10°.de ſim.me.fa. 5ª.75.D
APRILIS *eſt triginta dierum.in* 1^{m}*.de mor.vulg.com.10°.* 3ª.102.E
APTA *eſt mulier alia medicinę, alia minime, & ſic in reliquis.9°.de decre.Hippoc.* 1ª.280.H
Ἄπτυσος *id eſt ſputo carens.aduerſus Lycum.* Ex.62.G
Ἄπτυσοι *laterum dolores, qui.in* 1^{m}*.de mor.vul.com.1°.* 3ª.105.B
Ἄπτοιτο. *quid ſignificet.de vict.ra.in mor.acu.com.3°.* 7ª.131.E
APYRETOS *dicta antidotus.8°.de comp.med.ſec.loc.* 5ª.192.C
AQVA *quomodo facta fuerit.de hiſtoria philoſophica.* Sp.4.E
Aqua fit ex euaporatione ignearum partium.de vtil.reſp. Sp.64.A
Aqua & aer non ſunt elementa.de vtil.reſp. Sp.64.A
Aquam duntaxat rerum elementum eſſe dicentes, cui innitantur.1°.de elemen. 1ª.4.E
*Aqua quo mō intelligatˀ eſſe ſolū elementum.de nat.hum.cō.1°.*1ª.28.A
Aqua & aer cur inter ignem & terram.8°.de vſu partium. 1ª.169.A
Aqua, & terra materialia ſunt.in Tim.Plato. 1ª.287.B
Aqua quomodo tranſeat in alia elementa.1°.de elem. 1ª.4.E
Aqua poteſt in aerem, ſed non in ignem mutari.3°.de temp. 1ª.23.E
Aqua nullatenus eſt nutrimentum ignis, ſed aer.de vtil.reſp. Sp.64.B
intra Aquam aerem eſſe probatur.de vtil.reſp. 1ª.63.B
*Aquarum natura debet ſciri ſecundum empiricos.de ſectis.Iſa.*16.D/*de aere, aquis, & locis.* 2ª.2.C
Aquæ nomen ab eſſentia ſumptum eſſe.1°.de ſan.tuen. 2ª.62.E
de Aquis, aere, & locis, aphoriſmorum, & acutorum morborum libri ſunt Hippocratis.3°.de diff.reſp. 3ª.69.E
de Aquis, aere & locis liber quid tractet.3°.de diff.reſp. 5ª.73.D
*Aquæ nomine ſimpliciter dicto proprie dulcis intelligitur. de ptiſſ.*2ª.47.B/11°.*meth.med.* 7ª.69.H
Aquā & terrā contineri, aerē & ignē continere dicūt.de mul. 3ª.77.C
Aquæ natura.1°.de ſim.med.fac. 5ª.7.D
Aqua eſt corpus molle.3°.de diff.pulſ. 4ª.63.D
Aquam eſſe tenuis ſubſtantiæ probatur.1°.de ſimp.med.fac. 5ª.4.G
Aqua media inter illa quæ ſunt tenuium partium, & quæ craſſarum.de ſimp.med.fac. 5ª.24.F
Aqua eſt humida ſimpliciter, & non comparata.1°.de temp. 1ª.12.F/G
Aqua eſt frigida & humida, quę.de ptiſſa. 2ª.47.B
Aqua, & oleum natura humida.11°.de ſimp.med.fac. 5ª.80.B
Aqua humida in ſummo.1°.de temp. 1ª.10.C
Aqua omninm humidiſſima eſt.1°.de ſimp.med.fac. 5ª.7.E
Aquæ humiditas eſt idem quod eius frigiditas.de ſper. Sp.41.B
*Aqua humectat.2°.de ſimp.med.fac.*16.A/5°. 5ª.32.A
*Aqua ſemper humectat, & refrigerat.1°.de com.me.per gene.*5ª.212.H
Aqua ſemper humectat, non ſemper calefacit.1°.de ſim.me.fac. 5ª.3.E

Aqua quo modo corporibus applicanda, vt eius facultas ſciatur.1º.de ſimplicium medic.fac. 5ª.2.G
Aquam vnde didicimus frigidam eſſe.1º.de ſimp.med.fac. 5ª.7.D
Aquā refrigerare probāt cerati humidi exēplo.1º.de ſim.me.fa. 5ª.3.C
Aqua refrigerat, ſed non adſtringit.5º.de ſimp.med.fac. 5ª.35.G
Aquam, oleum, & roſaceum vincit acetum in refrigerando calore.1º. de ſimplicium me.fac. 5ª.5.H
Aqua non eſt exacte humida & frigida.de nat.hum.com.1º. 1ª.32.H
Aquæ correſpondet pituita.8º.de decre.Hippo. 1ª.275.D
Aqua, vino, & aceto, & alijs liquoribus probe terra madeſcit, oleo nō probe.2º.de ſimp.med.fa. 5ª.14.G
Aqua non reperitur ſincera.1º.de elemen. 1ª.5.D
Aqua pura quibus ſenſibus iudicetur.1º.de ſimplicium med.fac.5ª.3.B| de renum affec.dig.& med. 7ª.195.G
Aquæ puriores ſunt in ſummitatibus.de bo.aquæ. Sp.75.E
Aqua neq; alia elementa ſunt ſyncera, ſed ad ſenſum duntaxat comparata.1º.de ſim.med.fa. 5ª.3.C
Aqua optima quę.de ptiſſana.47.A|1º.de ſan.tuen.2ª.67.A|in 6ᵐ.de morbis vulgaribus commē.4º.3º.182.C|de vict.ratione in morb.acutis com.2º.125.D|cō.3º.131.B|de ren.aff.dign.& med.7ª.195.H|de bonitate aquæ. Sp.75.D|H
Aquam bonam facit terra pinguis.de bon.aquę. Sp.76.B
Aqua optima nullam habet qualitatem.2º.de alim.fac.5.D| 2ª.16.E
Aquas expertas qualitatis ſenſibilis, ἀποίους Græci vocant.2º.de alimentorum facultatibus. 2ª.16.F
Aquæ color qualis eſſe debet.de ptiſſa. 2ª.47.A
Aquæ odor qualis eſſe debet.de ptiſſa. 2ª.47.A
Aqua eſt inodora.de vict.ra.in mor.acu.com.3º. 7ª.125.E
Aquæ guſtus qualis eſſe debet de ptiſſa. 2ª.47.A
Aqua guſtui inſipida eſt.4º.de ſimp.med.fac. 5ª.28.F
Aquæ guſtus in re ſicca oſtēdit rem tēperatā.4º.de ſimp.me.fa. 5ª.25.E
Aqua medium qualitatum guſtabilium.4º.de ſimp.med.fac. 5ª.25.C
Aquā qui iudicāt ex potu, licet, bene iudicēt, non tñ perfecte.Ex.40.A
Aq̄ æſtate calide, hyeme frigidæ, sūt ſublimes.de aere,aq.& loc.2ª.3.C
Aquæ virtus eſt eſſe bñ alterabilē, ſicut & cibi.c.5º.aph.25º.Ex.40.A
Aq̄ probatio ex ijs quæ incoquūtur.in 6ᵐ.de mor.vul.cō.4º. 3ª.182.D
Aq̄s bonis ſiqd decoquat, cito decoquit, & ſi aliqd caleſiat, cito caleſit, ſi vino pmiſcueris modicā, ad digeſtionē & vrinarū ſeceſſionē erit benigna, & hepati, & ſpleni, & renibus, & pulmoni.de bo.aq. Sp.75.F
Aquarū probatio per curſus verſus mūdi partes.1º.de ſan.tu.2ª.67.A
Aquā ire per inteſtina eſt malū, per vrinā bonum.de bo.aquę.Sp.76.A
Aqua optima conuenit omni ætati.1º.de ſan.tuen. 2ª.67.A
Aquę viribus contraria vina.7º.meth.med. 7ª.45.F
Aquæ vitia.7º.meth.me. 7ª.45.F
Aqua mala, quæ, & quid faciat epota.1º.de diff.feb. 3ª.31.F
Aquæ malæ ſunt quæ æſtate calidę, hieme sūt frigidę.de bo.aq. Sp.75.D
Aquę, quę conſimiliter ſe habent in caliditate et frigiditate, omnibus horis peſſimæ ſunt.de bon.aquæ. Sp.75.H
Aqua acris & putrida praua eſt.1º.de ſimp.med.fac. 5ª.3.C
Aquæ cauendæ, quę.1º.de ſan.tuen. 2ª.66.H
Aquam infectā bibentibus quid euenerit.de nat.hum.com.2º. 7ª.182.B
Aqua vitioſa corrumpitur epota.de bo.& vitio ſuc. 2ª.38.H
Aquę infectę hauſtus interdum efficit morbum vniuerſalē.in 1ᵐ.de morbis vulgaribus, com.1º. 3ª.101.D
Aqua vitioſa naturale robur exoluit.de bo.& vitio ſuc. 2ª.38.H
Aqua poteſt habere aliquid mali ingenitū ab ignota cauſa.in 6ᵐ.de mor vulg.com.4º. 3ª.182.D
Aquam ſæpe haurire illam reddit bonam.de bon.aquæ. Sp.75.D
Aquam ducere de loco ad locum illam rectificat.de bo.aquæ. Sp.76.B
Aqua elixari debet vt tranſeat in meliorem naturā, & quātum.in 6ᵐ. de mor.vulg.com.4º.3ª.182.C|de bon.aquæ. Sp.75.D
Aqua quomodo percoletur Alexādriæ & in Aegypto.in 6ᵐ.de morbis vulgaribus, com.4º. 3ª.184.D
Aqua limoſa per fictilia percolata efficitur pura, et quomodo.1º.de ſimplicium medic.fac. 5ª.3.B
Aqua male olēs medicamētoſa eſt. de vict.ra.in mor.acu.c.3º. 7ª.131.B
Aquæ habentes odores prauos, & ſapores quomodo corrigātur.in 6ᵐ. de mor.vulg.com.4º. 3ª.182.D
Aqua quando eſt praua, cocta bibenda eſt.de bon.aquę. Sp.76.B
Aqua coquenda in lagenis figularibus.de bon.aquæ. Sp.76.B
Aqua quo præparetur per artificiū.in 6ᵐ.de mor.vulg.cō.4º. 3ª.184.E
ab Aquis prauis liberat theriaca.de vſu ther.ad Pamph. 5ª.98.D
Aquæ differūt guſtu, pondere, ſtatione, virtute.de aere,aq.& lo.2ª.2.C
Aquarum differentiæ.2º.de ſan.tuen.77.H|de aere,aq.& loc.2ª.2.C| de ren.affec.dig.& med. 7ª.195.G
Aquę differunt ſecundū colorem, & regionem.de bon.aquæ. Sp.76.A
Aquarum differentia ex ventis.de bon.aquæ. Sp.75.G
Aquæ verſus auſtrum fluentes, quales.de bon.aquæ. Sp.75.E
Aquæ fluentes verſus ſeptentrionem dulces quidem ſunt, in frigiditate autem excedunt.de bon.aquæ. Sp.75.E
Aqua ſi flauerit boreas, dulcior quidem erit, & frigidior: ſi vero auſter minus quidem dulcis, calida vero magis.de bon.aquæ. Sp.75.G
Aquæ ciuitatum a ſeptentrione tutarum.de aere,aq.& lo. 2ª.2.E
Aquæ permutant naturam.de aere, aq.& lo. 2ª.3.A
Aquarum differentia ex metallis, & herbis.de bon.aquæ. Sp.75.F
Aquis aliquādo nocent herbæ, aliquando proſunt.de bo.aquæ. Sp.75.F
Aquarum differentiæ in ſaporibus.de bon.aquæ. Sp.75.E
Aquæ differētiæ accidētales ſunt calor & frigiditas.de ſper. Sp.40.F
Aquæ differunt ſecundū naturā terræ p quā trāſeūt.de bo.aq. Sp.75.E
ad Aquarū effluxiones terra plana deterior eſt.de bon.aq. Sp.75.E
Aquæ Alexādrinæ in clyſtere ad renū dolorē fit mētio.de dyn.Sp.27.G
Aquæ autumnales, & æſtiuæ, malæ & quibus.de bon.aquæ.Sp.75.F|G
Aqua lacus bituminoſi amarior æſtate q̄ hyeme.4º.de ſim.m.f.5ª.30.E
Aquæ in ariditatibus, quales.de bon.aquę. Sp.75.G
Aqua in bilioſis eſt bilioſa.de vict.rat.in mor.acu.com.3º. 7ª.131.A
Aqua calybeata non danda febricitantibus.de remed.par.fa. 7ª.159.F
Aquę crudę quæ vocātur ab antiqs.in 6ᵐ.de mor.vul.cō.4º. 3ª.182.D
Aqua cruda, & glacialis quid agat.3º.de ſa.tuen. 2ª.78.D
Aqua quo modo denſa dicatur.2º.de ſan.ten. 2ª.72.F
ex Aquis ſponte naſcentibus dulcium tantum vſus in calida capitis intemperie ſine noxa eſt.6º.de ſan.tuen. 2ª.98.G
Aquæ durę, quæ.3º.de differ.pulſ.4ª.63.F|de bon.aquæ. Sp.75.G
Aqua dura quibus obſit.de bon.aquę. Sp.75.G
Aqua edax, vigilia edax.in 6ᵐ.de mor.vulg.com.4º. 3ª.185.B
Aqua fabrorum ad quid vtilis.3º.de med.fac.par. 7ª.174.E
Aquę fluxibiles ſubtiliores ſunt.de bon.aquæ. Sp.75.E
Aqua fontana qualis eſſe debeat in frigiditate & caliditate, vt competat hecticis.10º.meth.med. 7ª.67.C
vt Aqua fontana frigidum eſt glaucium.6º.de ſimp.med.fac. 5ª.45.E
Aquam fontanam, & non niualem qui bibere debent.de ren.aff.dig.& med. 7ª.195.H
Aqua grauis quę ſit, & quas conditiones habeat, & quo modo cognoſcatur.com.5º.apho.25º. Ex.39.H
Aqua grauiſſima, quæ.4º.de ſimp.med.fac. 5ª.30.E
Aqua ignita quo modo fiat.de dyna. Sp.23.B
Aquæ indomitæ q̄ vocātur ab antiqs.in 6ᵐ.de mor.vul.cō.4º. 3ª.182.D
Aquæ lactoſæ fit mentio.8º.de com.med.ſec.loc. 5ª.189.C
Aqua leuis quæ ſit, & quas conditiones habeat, & quo modo cognoſcatur.com.5º.apho.25º.39.H|Ex.40.A|de ptiſſa. 2ª.47.B
Aqua limoſa medicamentoſa.de vict.rat.in mor.acu.com.3º. 7ª.131.B
Aqua limoſa eſt compoſita.1º.de ſimp.med.fac. 5ª.3.B
Aquę lixiuij figulini meminit.10º.de comp.med.ſec.loc. 5ª.209.D
Aqua lutulenta ingrediī medicamentū.6º.de com.me.per ge. 5ª.262.C
Aquæ medicamentoſæ, quæ.de vict.rat.in morb.acu.com.3º. 7ª.131.B
Aquæ paludoſæ omnes, ſunt peſſimę.de bon.aquæ. Sp.75.D
Aquæ petroſæ plus alijs, & abſq; hypoſtaſi, quæ.de bon.aquæ. Sp.75.F
Aquæ impluuij, quales.de bon.aquæ. Sp.75.G
Aqua procelloſa, quæ horæa.i.temporaria dicitur, in 6ᵐ. de mor.vulgaribus, commen.4º. 3ª.184.E
Aqua rara quo modo intelligatur.2º.de ſan.tuen. 2ª.72.F
Aquæ ſcaturiginoſę quales, & quę.de bon.aquę. Sp.75.D
Aquę Sodominę quales.11º.de ſimp.med.fac. 5ª.83.D
Aqua ſplendida non eſt ex propria natura, ſed ex radio ſolari.in 6ᵐ.de morbis vulga.com.4º. 3ª.182.G
Aquæ ſtagnantes à ſole putreſiunt, & augentur ab imbribus. de aere, aquis, & loc. 2ª.4.H
Aquas ſtagnātes, æſtate calidæ ſunt craſſę & olētes.de aere,aq.2ª.3.A
Aquæ ſtagnantes & olentes lædunt ventrem & ſplenem.de aere, aquis & loc.3 B| 2ª.6.D
Aquæ Trageſiæ, quæ & quales.11º.de ſimp.med.fac. 5ª.83.D
Aqua temporaria, quæ.in 6ᵐ.de morb.vulg.com.4º. 3ª.184.F
Aquæ vernales, & hiemales optimę.de bon.aquæ. Sp.75.F
Aquę vires, quę.de ſimp.medic. Sp.92.B
Aqua quem vſum præſtet animalibus.4º.de vſu par. 1ª.136.C

Aqua communiſſima

Aqua cõmuniſſima oĩbus, & vitæ neceſſaria ẽ. 1°. *de ſimp. me. fa.* 5ª.2.G
Aquæ dulces remedio ſunt ſitientibus. 1°. *de ſimp. mc. fac.* 5ª.3.E
Aquæ dulcis multi effectus. 2°. *de ſan. tuen.* 2ª.78.A
Aqua potabilis eſt humida. 1°. *de ſimp. med. fac.* 5ª.3.D
Aqua potabilis refrigerat. 1°. *de ſim. med. fac.* 5ª.3.B
Aqua eſt ad corporis nutrimentum. de anat. viuo. Sp.47.G
Aquæ, nutrimentum comparat. in Tim. Plato. 1ª.287.F
Aqua nulla particula nutriri poteſt. 4°. *de vſu par.* 1ª.136.C/ *de vict. ra. in morb. acut. com.* 3°. 7ª.128.F/ *de bon. aquæ.* Sp.75.G
Aqua cur non nutriat. de anat. viuo. Sp.47.F
Aquæ potus quibus accommodatior uino. de bnn. & vitio ſuc. 2ª.38.H/ *de vinis.* Sp.76.D
Aqua bibenda calidis. in 6m. de morb. vulg. com. 4°. 3ª.183.E
Aqua quando bibenda. de vict. ra. in morb. acut. com. 3°. 7ª.131.D
Aquam bibentes, appetunt. in 6m. de morb. vulg. com. 4°. 3ª.185.B
Aquam bibens aquam in corpus dicitur recipere. 1°. *de ele.* 1ª.6.H
Aqua ſtomachum ſupinat. de vict. ra. in morb. acu. com. 1°. 7ª.111.E
Aquæ potio potiſſimum vitioſe dolorem capitis facit. de bonitate & vitio ſuc. 2ª.38.H
Aquæ potatio præter conſuetudinem, quid agat. de vict. rat. in morbis acutis. com. 2°. 7ª.121.B
Aqua ne an vino vti debeat iuuenis qui exercitat. 5°. *de ſan. tu.* 2ª.94.E
Aqua non vinũ ſtatim bibenda ab exercitationibus. de ſal. diæ. 2ª.41.C
Aqua qñ debet dari ſitientibus, & qñ vinum. cõ. 5°. *aph.* 27°. Ex.40.A
Aqua quomodo vino miſcenda. de vict. rat. in mor. acu. com. 3°. 7ª.131.D
Aqua dum vino miſcetur vtriuſq; partes ad minima cõfringũtur. 1ª.8.D
Aqua mixta vino quid agat. com. 7°. *apho.* 56°. Ex.59.B
Aqua mixta vino cur ſitim magis aufert, quàm ſi ſola bibatur. 5ª.7.D
Aquæ non dulces ſitim augent. 11°. *de ſim. med. fac.* 5ª.3.D
Aqua mixta vino quẽ colorẽ habeat, & faciat. 5°. *de ſan. tuen.* 2ª.91.A
quã Aqua magis calefacit vinũ auſterũ, & roborat inteſtina. 7ª.39.D
Aquã poſt vinũ bibe, ne caput tẽtet. de vic. ra. ĩ mor. acu. cõ. 1°. 7ª.131.E
Aquæ aut aquei vini potus vrinæ quales. ĩ 6m. de mo. vul. c. 5°. 3ª.192.A
Aquam paucam ſuſtinẽs vinũ non facit dolere caput. de diſ. cõ. Sp.74.F
Aquæ potus quandoq; inducit capitis dolorẽ, & qũo. de vinis. Sp.76.C
ad Aquarum potationem metalla nocua ſunt. de bon. aquæ. Sp.75.F
Aquæ potabiles omnes carnes corrumpunt, & putrefaciunt, muria & aqua marina ſiccant, & incorruptas ſeruant. 2°. *de nat. fa.* 1ª.301.C
pro Aqua accipitur vinum albiſſimum lucidiſſimum, & acetum albiſſimum lucidiſſimum. 1°. *de comp. med. per gen.* 5ª.217.F
Aqua, & oleũ ſi coquaut, prius aqua cõſumit. 1°. *de ſimp. me. f.* 5ª.4.H
in Aqua ſola q̃ coquunt reliquis ſunt humidiora. 2°. *de ali. fac.* 2ª.26.C
Aqua elixans recipit qualitatẽ eius quod elixatur. 3°. *de ali. fa.* 2ª.31.H
in Aqua dulci elixa dant alimentum humidius. 3°. *de alim. fac.* 2ª.29.D
in Aqua triticum elixum raro vidit Galenus. 1°. *de alim. fac.* 2ª.11.B
ex Aqua & farina potio datur ſuibus. 3°. *de nat. fac.* 1ª.303.D
Aqua in eo quod calẽs, aut frigida eſt, maxime cõtraria facere nata eſt. de comp. med. per gen. 5ª.229.E
Aqua gelida nix frigidior eſt. de mar. 3ª.48.B
Aquam frigidam niue præparabant Romæ. 7°. *meth. med.* 7ª.44.B
Aqua quomodo refrigeratur in Alexandria, & Aegypto. in 6m. de morbis vulg. com. 4°. 3ª.182.B
Aqua frigida qd faciat. 2°. *de ſim. m. f.* 5ª.11.C/ *cõ.* 5°. *aph.* 22°. Ex.39.B
Aqua frigida infrigidat animata & inanimata. 3°. *de temp.* 1ª.24.H
Aqua quo modo infrigidet. 1°. *de ſimp. med. fac.* 5ª.2.E
Aqua frigida quomodo mordax dicitur. com. 5°. *apho.* 20°. Ex.39.B
Aqua frigida quo modo calefaciat. 1°. *de ſim. med. fac.* 5ª.2.E/ 2°. *de arte cur. ad Glauc.* 7ª.103.D/ *com.* 5°. *apho.* 21°. Ex.39.B/C
q Aqua frigida per ſe non calefaciat. 3°. *de temp.* 1ª.24.H
Aqua per ſe frigida, ex accidenti calida. 3°. *de temp.* 1ª.23.C
Aqua frigida cur per accidens calefaciat. 3°. *de tem.* 1ª.25.A
Aqua frigida calorem repercutit. 2°. *de ſimp. med. fac.* 5ª.14.H
Aqua frigida humens ſpongia repercutit, & elidit quod in loco eſt. 1°. *de comp. med. per gen.* 5ª.13.A
Aqua frigida quatenus frigida raro ẽ vtilis. de iis, q̃ in me. ſi. cõ. 3°. 221.D/ *de vict. ra. in morb. acut. com.* 4°. 7ª.140.D
Aquæ frigidæ potio quæ proſit & quæ obſit. 3°. *de temp.* 1ª.23.B
Aquæ frigidæ potio quibus innocua ſit. de ren. aff. dig. & med. 7ª.195.H
Aqua frigida non læduntur, qui corpus nõ habent attenuatum. 7ª.47.F
Aqua niue refrigerata fertur à calidis vẽtriculis. 3°. *de ali. fa.* 2ª.28.D/ 7°. *meth. med.* 47.F/ 8°. 7ª.51.H
Aqua frigidiſſima quo mõ fiat, & cur. in 6m. de mor. vul. c. 4°. 3ª.183.A
Aqua frigida lauari quomodo non lædat. 2°. *de ſan. tuen.* 2ª.78.C
ex Aqua frigida ſanata fuit vẽtriculi imbecillitas. 7°. *met. me.* 7ª.44.B
Aqua frigida datur ſi coctionis adſint indicia in declinatione. 7ª.57.G
Aqua frigida quando vti debemus. 11°. *meth. med.* 7ª.70.A
Aqua frigida quo tpe anni & die debemus vti. 2°. *de ſan. tuen.* 2ª.78.C
Aqua frigida qua ætate debemus vti. 2°. *de ſan. tuen.* 2ª.78.C
Aqua frigida quando vti poteſt temperatus. 2°. *de ſan. tuen.* 2ª.78.B
p Aqua frigida exhibẽda cõſiderãdũ nunqd particula quæpiã, cui frigida natura ſit, lædi magnope ex eius potiõe poſſit. 9°. *me. me.* 7ª.60.E
Aqua frigida qui incipit lauari q̃ debeat obſuare. 2°. *de ſan. tu.* 2ª.78.C
añ Aquã frigidã pro frictionibus duriora lintea accipiantur. 2ª.78.C
Aqua frigida quas paſſiones ſanat. com. 5°. *apho.* 25°. Ex.39.H
Aqua dulci quotidie lauari debent calidi. in 6m. de morb. vul. 3ª.183.E
Aquæ frigidæ balneũ his qui quadrato ſunt habitu, cõceditur. 7ª.160.G
Aqua frigida in continua febre febricitantibus quando danda. 11°. *met. med.* 69.B/H/ *de vict. ra. io mor. acu. com.* 1°. 7ª.114.G
Aqua frigida cõfert febri liq̃factiuæ. de vict. ra. ĩ mor. ac. c. 3°. 7ª.128.A
Aqua gelida becticis febribus quæ non ſint cum putridis implicatæ, prębenda. 1°. *de marc.* 3ª.47.E
Aquã frigidã in bectica cum putrida dedit Gal. 10°. *meth. me.* 7ª.63.F
Aqua corrigitur intemperies ſicca carnis. 4°. *meth. med.* 7ª.23.E
Aquæ frigidæ potu febris ex ira ſub cane ẽ extĩcta. 10°. *me. me.* 7ª.63.F
Aqua frigida quandoq; iuuat in his qui exuruntur. 1°. *de arte curat. ad Glauc.* 98.A/ 7ª.99.C
Aqua frigida quandn danda in ardẽtiſſima febre. 11°. *met. me.* 7ª.70.A
ex Aqua frigida ſanata fuit febris ardens. 9°. *meth. med.* 7ª.60.G
Aqua frigida multa epota quid fecerit. 7°. *meth. med.* 7ª.47.D
Aqua niſi in tpe bibat, aut ea lauemur, qd faciat. 1°. *de diff. fe.* 3ª.24.D
Aquis frigidis qui febricitantes lauandi. 10°. *meth. med.* 7ª.66.B
Aqua primo die quo eius balneum fit, nõ ſit admodum frigida. 3°. *de ſanitate tuenda.* 2ª.78.D
Aquæ frigidæ balneum in ardente febre. 11°. *meth. med.* 7ª.70.B
Aquã frigidã ingrediẽti cibus quãtus capiendus ſit. 3°. *de ſa. tu.* 2ª.78.D
Aquam frigidam ingreſſuri oleo perfricandi. 2°. *de ſan. tuen.* 2ª.78.C
Aquam frigidam ingreſſus oleo fricandus. 3°. *de ſa. tuen.* 2ª.78.D
in Aqua frigida quantum immorandum. 3°. *de ſan. tuen.* 2ª.78.D
Aqua gelida aridã corporis caliditatẽ curat. de bõ. & vitio ſuc. 2ª.39.C
in Aquam frigidam proiiciatur becticus. 10°. *met. med.* 7°.66.H
Aqua non eſt perfundendum caput bectici. 10. *meth. med.* 7ª.66.H
Aqua & oleum maxime oĩum humectãt. 4°. *de cõp. med. p ge.* 5ª.237.D
Aqua & oleũ eſt remediũ exiccatis corpibus. 2°. *de ſim. me. fa.* 5ª.16.C
Aquæ frigidæ perfuſio ſanat conuulſionẽ, & quam, & quomodo, & quo tempore. com. 5°. *apho.* 21°. Ex.39.B/C
Aqua frigida claudit, & cogit cutim. 3°. *de ſan. tuen.* 2ª.80.E/ *de ſimp. med.* 5ª.35.G/ *com.* 5°. *aphc.* 20°. Ex.39.B
Aqua frigida corpus roborat, & cutem denſam & duram facit. 2°. *de ſanitate tuen.* 2ª.78.B *de ocul.* 7.188.E
Aqua quomodo vires recreet. de vict. ra. in mor. acu. com. 3°. 7ª.128.F
Aqua frigida non exiccat. 1°. *de ſimp. med. fac.* 5ª.3.G
Aqnæ incommoda & noxæ. de vict. rat. in mor. acu. commen. 3°. 131.A/ 8°. *meth. med.* 7ª.57.E
Aquam frigidam non tangunt ægroti ſine læſione. de vict. rat. in morb. acu. com. 3°. 7ª.132.D
Aquæ frigidæ potus quàm euitandus. 5°. *de loc. affec.* 4ª.34.A/ 10°. *methodi medendi.* 7ª.64.C
Aqua frigida euitãda ĩ herpete exedente. 2°. *de ar. cu. ad Gla.* 7ª.102.B
Aquæ frigidæ potio quibus minus tuta. 8°. *met. me.* 57.F/G/ 11°. 7ª.70.B
Aqua frigida non danda becticis. 8°. *metho. med.* 7ª.57.H
Aqua gelida quomodo obſit hæcticis. de marc. 3ª.46.F
Aqua frigida in inflãmatiõe nõ dat. de vi. ra. in mor. ac. cõ. 1°. 7ª.114.H
Aqua dulcis lędit laborantes aqua intercutem, cæteræ iuuant. 1°. *de ſimplicium med. fac.* 5ª.3.E
Aqua frigida quomõ hydropẽ faciat. 5°. *de lo. affe.* 34.A/ 6°. 4ª.36.C
ex Aquę frigidę potu tranſglutiendi difficultas. 7°. *me. me.* 7ª.47.D
Aqua frigida latenter frigus corpori infirmo inſinuat. 7ª.44.F
Aqua frigida impedit incrementum. 2°. *de ſan. tuen.* 76.B/ 2ª.78.B
Aqua qui ventriculum fecerit inualidum, tunc ſolent eò ex corpore deferri humores ex bile tenues quidam, id quod ieiunantibus etiam uſu venit. de bo. & vitio ſuc. 2ª.38.H
ab Aqua quomodo tractetur plenum corpus, carne carens de iis, quæ in medi. ſi. com. 3°. 7ª.215.H
ex Aqua frigida lotio eſt contraria febri ex obſtructione. 8°. *method medendi.*

medendi. 7ª.50.A
Aqua frigida quõ venas frangit. 4º.*de loc.affec.* 4ª.28.A
ab *Aquæ frigidæ lauatione quid fiat.* 3º.*de ſanitate tuenda.* 2ª.78.D/
commen. 1º.*aphor.* 15º. Ex.8.B
in *Aqua frigida natans quomodo læditur.de cau.mor.* 3ª.7.D
ab *Aqua quomodo tractetur corpus non plenũ, carne carens.de ijs, quæ in med.fi.commen.* 3º. 7ª.215.H
Aqua frigida laxationẽ aut adſtrictionẽ facere põt.dc cau.mor. 3ª.7.H
Aqua quo modo facit intemperiem. 1º.*de ſa.tuen.* 2ª.68.B
Aquę omnes tarde deſcendunt.de diſſ.cont. Sp.74.H
Aqua cũ frigida ẽ nõ põt penetrare.de vic.ra.in mor.ac.c. 4º. 7ª.135.B
Aqua neq; epota neq; extrinſecus adhibita partes ſolidas corporis hu mectat.com. 4º.*apho.* 13º. Ex.28.G
Aqua frigida non euacuat humore[illegible]1º.*meth.med.* 7ª.69.H
A qua frigida infuſa fit rigor. 2º.*de ſymp.cau.* 3ª.22.F
ex *Aqua frigida horror quo modo fiat.* 3º.*de ſan.tuen.* 2ª.78.D
ex *Aqua frĩda dolor ſtatĩ abit aqua frigida remota.* 3º.*de lo.af.* 4ª.14.E
in *Aqua frigida panis eſt cõmodus cibus hecticis.* 10º.*me.me.* 7ª.67.A
ex *Aqua admodum frigida cerata refrigerant.* 14º.*meth.me.* 7ª.87.A
veluti *Aqua frigida videbatur quiddam aſcẽdere à crure adoleſcẽti qui conuulſione arripiebatur.* 3º.*de lo.aff.* 4ª.19.F
Aquæ frigidæ potu quidam obijt in cauſone. 1º.*de ſymp.cau.* 3ª.18.E
Aquã frigidiſſimã ex niue potãtiũ venæ ſectiõe ꝑſeruatorũ caſus. 6ª.11.B
Aquã coctã, quæ debet refrigerari, vbi fontibus rapide labẽtibus ſubijcim⁹, curvas aliqua ex ꝑte ĩane eẽ debet.ĩ 6ᵐ.*de mor.vul.* 3ª.182.H
A qua fugienda in ſyncope. 11º.*meth.med.* 7ª.76.H
ex *Aquæ redundantia febres tertianę.* 8º.*de decre.* 1ª.277.B/*de natur.huma.commen.* 2º. 7ª.181.B
Aqua feruens eſt tutior frigida 3º.*de ſa.tuen.* 2ª.80.E
Aqua valde calida accipit igneam qualitatẽ, et eſt aqua cõpoſita. 5ª.3.B
Aquam maiorẽ debent habere balnea publica. 16º.*de vſu par.* 1ª.214.F
Aquam minorẽ debent habere balnea priuata. 16º.*de vſu par.* 1ª.214.F
Aquæ miſturæ multæ in balneis.de vict.rat.in mor.acu.cõ. 3º.7ª.132.C
Aqua, qñ calidiore, & quãdo non, debemus vti. 3º.*de ſa.tuen.* 2ª.80.D
Aqua calida, humectat, & calefacit. 1º.*de tẽp.* 1ª.10.D/ *de aſſuet.* 61.D/ 2º.*de ſa.tu.* 74.B/5º.89.F/2ª.92.D/5º.*de ſimp.me.fac.* 5ª.33.B
Aquarum dulciũ balneis pueri humectandi ſunt. 1º.*de ſa.tuen.* 2ª.65.C
ex *Aqua & oleo balneum multum humectat, & calefacit.* 5ª.33.B
Aqua calefacta facilc digeritur & exhalat. 9º.*meth.me.* 7ª.60.H
ex *Aqua humida, adueniente calore multi vapores eleuantur.* Ex.7.E
Aquæ dulcis vapores quales.com. 1º.*apho.* 14º. Ex.7.E
Aquæ dulcis balneum calens non prodeſt ſenibus, ſi humectationis non indigent. 5º.*de ſan.tuen.* 2ª.92.D
Aquarum dulcium balnea humidarum ægritudinum ſunt cauſę. 3ª.7.H
Aquæ calidæ ſoliũ quibus exercitatiõib⁹ cõueniat, & qbus nõ. 2ª.80.F
Aqua perſentitur attrahi ab hominibus ſitiẽtibus, quãdo balnea ingre diuntur.in 6ᵐ.*de morb.vulg.com.* 6º. 3ª.195.B
Aqua calida quõ calefacit, & refrigerat.de ijs, quæ in med.fi. 7ª.215.H
ex *Aquę calidæ lotionc fit mollities.* 1º.*de ſimp.med.fac.* 5ª.3.F
Aqua calida lenitionẽ affert cũ calefactiõe.de re.af.dig.et me. 7ª.194.B
Aquę calidę moderata perfuſione q̃ fieri ſoleãt.de ijs q̃ in me. 7ª.215.H
Aquarum calidarum potus ſomnum conciliat. 2º.*de lo.aff.* 4ª.14.A
Aqua calidior tenues meatus cogit, conſtringit, ac denſat. 7ª.44.F
Aqua calida quõ facit intumeſcere, & decumbere corpus. 2ª.73.D
ex *Aqua dulci temperata fit lotio in febre ex obſtructione.* 7ª.50.A
Aquę calidæ balneum quos dolores oculorum ſanet, & quõ. Ex.57.G
Aquarũ dulciũ lauacra cõueniũt laſſitudinibus. 2º.*de ſim.me.f.* 5ª.16.A
Aquæ feruentis lauatio minus laſſitudini obnoxios reddit. 2ª.80.B
Aquas calidiores volunt affectus ſimiles laſſitudini. 3º.*de ſa.t.* 2ª.80.A
Aqua feruens claudit & cogit cutim. 3º.*de ſan.tuen.* 2ª.80.E
Aqua feruens non exiccat, licet vrat. 1º.*de ſimp.med.fac.* 5ª.3.G
Aqua feruens in ſanum infuſa facit horrorem. 2º.*de ſymp.cau.* 3ª.22.E
Aquæ feruentis lauatio, ξεσολουσίᾳ dicitur. 3º.*de ſan.tuen.* 2ª.80.B
Aquę calidæ balneum facit ad ſudores.de cura icteri. Sp.111.C
Aqua calida quomodo euacuat. 5º.*de ſimp.me.fac.* 5ª.33.C
Aquæ calidiſſimæ qualcs. 2º.*de ſan.tuen.* 2ª.78.A
Aqua ora aperiendi vim habens nimium laxat.de cau.mor. 3ª.9.B
Aquæ dulces calefactæ, ſed tepidę, quales. 2º.*de ſan.tuen.* 2ª.78.A
Aquę dulcis lauacrũ temperatum oẽs euacuationes ꝓmouet. 7ª.69.H
Aqua temperata non ſimiliter tactum afficit vt aer temperatus. 1ª.17.E
Aqua temperata aperit, dilatat, & relaxat. 7º.*meth.me.* 7ª.44.F
Aqua tepida quid agat. 3º.*de ſan.tuen.* 2ª.78.D/2º.*de ſimplicium med. fac.* 5ª.11.C/7º.*met.med.* 7ª.45.B
Aquã tepidã dedit Galenus pro ęrugincſo humore euomendo. 7ª.80.A
Aquis medij tẽperamẽti in quibus vti poſſimus, et in qbus nõ. 2ª.79.H
Aquas tepidiores deſidcrat laſſitudo phlegmonodes. 3º.*de ſa.t.* 2ª.79.H
Aqua calida frequens vires ſoluit.de ren.aff.dig.& med. 7ª.194.B
Aq̃ pluuialis ẽ iuſtiſſima & certiſſima põderis rõ.de põ.& m. 5ª.277.C
Aqua pluuialis quæ bona, quæ non.in 6ᵐ.*de mor.vul.cõ.* 4º. 3ª.184.E
Aquæ pluuiales leuiſſimæ ſunt, ſubtiles, puræ, & bonæ, et dulc[illegible] *guſtus. de bon.aquæ.* Sp.75.F
Aqua pluuia aliquo modo adſtringit. 7º.*de comp.med.* 178.A/ 5ª.183.B
Aqua pluuialis cur putreſcat citiſſime omnium.de bon.aquæ. Sp.75.F
Aquam pluuiam adhibet in arteriace diacodion, dicens aqua pluuia additur quo minus putredini obnoxium ſit pharmacum. habet autẽ adſtringens quippiam in ſe hæc aqua, tamen alibi habes eam eſſe maxime putreſcibilem. 7º.*de comp.med.ſec.loc.* 5ª.178.D
Aqua pluuia vtit̃. 1º.*de cõ.me.ſe.lo.* 131. B/3º.141.C/4º.153.F/154.B/7º.180.C/182.H/184.D/185.C/8º.188.F/9º.5ª.202.F/3º.*de med.fa. par.* 170.E/*de ocu.*7ª.197.C/*de dyna.* Sp.29.C
*Aqua pluuialis medicamentis oculorũ adhibetur.de mor.uul.*3ª.184.F
Aqua pluuialis frigida pro ſanguinis eruptione. 3º.*de com.m.* 5ª.148.H
Aqua pluuia vtitur in ſanguinis reiectatione. 7º.*de com.med.* 5ª.183.F
Aquam pluuiam non probat Galenus. 4º.*de ſa.tuen.* 2ª.85.G
Aquę pluuialis incommoda, quæ.de bon.aquę. Sp.75.F
Aquarum pluuialium melior eſt tonitrualis quàm procellaris. Sp.75.G
Aqua tonitrualis cur approbetur ab Hippocrate.in 6ᵐ. *de morbis vulgaribus.commen.* 4º. 3ª.184.G
Aquę medicamẽtoſæ vitandæ, & q̃ ſint. 7º.*de cõp.me.per ge.* 5ª.264.D
Aquas ſponte naſcentcs αὐτοφυῆ *vocant.* 1º.*de ſimp.me.fa.* 5ª.5.C
Aquarum ſponte naſcentium naturæ. 4º.*de ſan.tuen.* 2ª.83.C
Aquæ aliquæ ſponte natæ, & calentes numerantur inter medicamenta quæ non excedunt fines tuendę ſanitatis. 1º.*dc ſan.tuen.* 2ª.68.H
Aquis ſponte naſcentibus vtebantur antiqui ad excremẽta vacuanda. 4º.*de ſan.tuen.* 2ª.83.C
Aquarũ ſpõte naſcẽtiũ lauacri meminit.de vict.ra.in mor.ac. 7ª.132.B
Aquæ calidæ ſponte naſcentes quibus malæ. 6º.*de ſan.tuen.* 2ª.98.G
in *Aquis calidis ſponte naſcentibus, in vaſis, vbi caleſcit aqua quotidie, fit lapis.in* 6ᵐ.*de mor.vul.com.* 3º. 3ª.173.B
Aquarum ſponte natarum vſus calculoſis prodeſt, cum nihil prohibet. de renum.affe.dig.& med. 7ª.144.F
Aqua naturalis digerens in Lesbo. 14º.*meth.med.* 7ª.91.E
Aquis digerentibus quando vtendum.de art.com. 4º. 7ª.288.B
Aquæ ex pugnãtibus qualitatibus cõpoſitæ, quæ. 1º.*de ſim.me.f.* 5ª.6.F
Aquę Albulæ quales. 8º.*meth.me.* 7ª.51.C
Aquæ fontis albulæ valent ad vlcera, & fluxiones. 5ª.3.D
Aqua aluminoſa eſt miſta. 1º.*de ſimp.med.fac.* 5ª.3.B
Aquæ aluminoſæ valent ad vlcera & fluxiones. 1º.*de ſim.m.fa.* 5ª.3.D
Aquæ Balneorum aluminoſorum cutem denſant. 2º.*de criſi.* 4ª.138.H
Aquæ aluminoſę frequentius vſæ cutem denſant, & febrem faciunt. 8º.*methodi med.* 7ª.50.B
Aqua aluminoſa pulſum indurat. 3º.*de pręſag.ex pulſ.* 4ª.119.C
Aqua aluminoſa facit obſtructionẽ inſeparabilem. 10º.*meth.me.* 61.G/ 1º.*de arte cur.ad Glauc.* 7ª.95.D
ex *Aqua aluminoſa lotio eſt contraria febri ex obſtructione.* 7ª.50.A
Aquæ balneorum multum differunt à marina. 1º.*de ſimp.me.fa.* 5ª.3.D
Aquæ omnes balneorum exiccant, ſi medicam vim habeant. 2ª.65.C
Aquę bituminoſæ, ſulfureæ, aluminoſæ tantũ à propria aquæ natura recedunt, quantum fuerint adulteratæ.de ptiſſ. 2ª.47.B
Aqua bituminis non eſt frigida. 1º.*de ſim.med.fac.* 5ª.3.B
Aqua bituminoſa ex pugnantibus qualitatibus compoſita. 5ª.3.B/6.F
Aqua calcãthodes obſtructionẽ inſeparabilẽ facit. 10º.*met.me.* 7ª.61.G
Aqua marina non eſt frigida. 1º.*de ſimp.med.fac.* 5ª.3.B
Aqua marina quomodo ſit ſicca, cum maiorem partem humidi habeat. 3º.*de ſimp.med.fac.* 5ª.17.E
Aqua marina quo modo probetur eſſe ſicca per fomenta. 5ª.17.F
Aqua marina deſiccat. 5º.*de ſim.med.fac.* 5ª.32.A
Aqua marina ſiccat carnes, & incorruptas ſeruat. 2º.*de na.fa.* 1ª.301.C
ex *Aqua marina balneũ non debet fieri febrienti.* 11º.*met.me.* 7ª.69.H
Aquæ marinæ, ſalſæ, nitroſæ, & ſulfureæ balnea, ducunt plus bilis, ſed multo minus proſunt, quã potabiles. 1º.*de arte cur ad Glau.* 7ª.97.B
Aqua marina epota quid faciat. 1º.*de ſymp.cau.* 3ª.18.E
cũ *Aqua marina vinum ad quod ſit opportunum.* 2º. *de arte curato.ad Glauconem.* 7ª.101.H

Aquam marinam

Aquam marinam habens vinum ſiquis ſiticuloſus biberit corpus incēditur.de vict.ra.in morb.acu.com.4°. 7ª.134.D
Aqua marina,aut bituminoſa,aut ſulfuroſa,aut muria,ſi inſpergas eryſipelas,adures partem.1°.de ſimp.med.fac. 5ª.3.B
Aqua marina quando imponenda eryſipelati.14°.meth.me. 7ª.87.E
Aquæ marinæ flos ſalis miſtus facit corpulentis,& hydropicis. 7ª.91.E
Aqua marina & aliæ aquæ thermarum quomodo conficiantur arte.1°.de ſimp.med.fac. 5ª.3.E
pro *Aqua marina muria.3°.de comp.med.ſec.loc.* 5ª.147.B
Aqua marina quo modo fiat,vbi nō habetur.4°.de ſimp.me.fa. 5ª.30.E
Aqua maris mortui ſalſa & amara.4°.de ſimp.med.fa. 5ª.30.D
Aqua maris mortui cur amara.4°.de ſimp.med.fac. 5ª.30.E
Aqua maris mortui pondere tantum ſuperat marinam,quantum marina fluuiatilem.4°.de ſim.med.fac. 5ª.30.D
in *Aquam maris mortui non ſubmerguntur homines & animalia.4°.de ſim.med.fac.* 5ª.30.D
Aqua maris mortui copioſa portat̄ in Italiā.4°.de ſimp.me.fa. 5ª.30.E
Aqua maris mortui q̄uo fiat arte.4°.de ſimp.med.fac. 5ª.30.E
Aqua nitri non eſt frigida.1°.de ſim.med.fac. 5ª.2.H
Aqua nitroſa ex pugnantibus qualitatibus compoſita.3.B| 5ª.6.F
Aqua ſalſa praua eſt.1°.de ſimp.me.fac. 5ª.3.C
Aqua ſalſa medicamentoſa eſt.de vict.ra.in mor.acu.cō.3°. 7ª.131.B
Aquæ quæ ſunt ſalſę rectificant ſtomachū mollem,& debilē. Sp.74.D
Aqua ſalſa quo modo ventrem ſoluat.2°.de ſim.me.fa. 5ª.12.B
Aqua diutius decocta tandem fit ſalſa.3°.de alim.fac. 2ª.32.B
Aqua ſulfuroſa eſt miſta.1°.de ſim.med.fac. 3ª.3.B
Aqua ſulfuris non eſt frigida.1°.de ſimp.med fac. 5ª.2.H
Aquæ ſalfureæ,nitroſæ,bituminoſæ,marinæ palpitatiōis ſunt remedia.de palp.conuul.& rig. 3ª.52.G
Aqua ſulfurea pulſum indurat.3°.de præſa.ex pulſ. 4ª.119.C
Aq̄ calidæ.i.thermarū qbus ſint locis apud Græcos.6°.de ſa.t. 2ª.98.G
Aquæ thermarum capiti obſunt.6°.de ſa.tuen. 2ª.98.G
Aquarum thermarum,vſus pro ventriculi imbecillitate. 7ª.44.A
Aqua ſulfuroſa ex pugnantibus qualitatibus compoſita. 5ª.6.F
de *Aquis ſordidis thermarū piſces ſunt multarū ſuperfluitatū.* Sp.73.E
Aquæ intellectum ſuggerit inſpicienti in corporibus animalium, rarum humidum,ac fuſile.1°.de elemen. 1ª.5.E
ex *Aqua fit glacies per expreſſionem aeris.de vtil.reſp.* Sp.64.C
Aqua frigore congelaſcit.ꝙ animi mores. 1ª.319.D
Aqua ipſa minor eſt glacies.de vtil.reſp. Sp.64.B
ex *Aqua modica fit ſecundum quoſdam multus aer, nec ex modico aere ignis multus.de vtilitate reſp.* Sp.62.E
Aqua primo decocta quo modo fiat frigida.in^m.6de mor.vul. 3ª.182.C| *7°.methodi med.* 7ª.44.B
Aqua an lignis grauior eſſet,duo philoſophi altercabantur. 2ª.59.G
Aqua fontis tpe hiberno tepida videtur.3°.de ſimp.med.fac. 5ª.22.G
Aquam puteorum cur calidam exiſtimemus frigore rigentes. 3ª.18.C
Aqua puteorum hyeme tepida videtur.3°.de ſimp.me.fac. 5ª.19.D
Apua tepida cur frigida videatur exiſtentibus in balneis calidis. 5ª.18.B
Aqua cum vehementem caliditatem accipiat,cur nec flamma fiat,nec pruna.4°.de ſim.med.fac. 5ª.24.G
Aqua calida extinguit flammam.3°.de temp. 1ª.23.C
Aquæ ductum Plato vocauit ſanguinis lationem per venas. 1ª.288.C
Aqua quo modo poſſit deſcendere per aſperam arteriam, & tuſſim non excitare.8°.de dec.Hippo. 1ª.278.H
ꝙ *Aqua ingrediatur ꝑ tunicā aſperæ arteriæ,experimentū.* 1ª.278.H
in *Aquā iactus lapis circulos multos facit.3°.de ſim.med.fa.* 5ª.20.H
Aqua ī æſtate,et nō in hieme abūdat fons ī Delo,putei ī Pytho. Sp.75.H
Aqua ī quibuſdā fontibus hyeme diſparet,æſtate abūdat,cur. Sp.75.H
Aqua Nili eſt limoſa & compoſita.1°.de ſim.med.fac. 5ª.3.B
Aquæ Nili bonitas paucis fluuijs eſt comparanda.de bo.aquę. Sp.75.E
Aquæ paludoſæ Aegypti ſolæ ſanæ,cur.de bon.aquæ. Sp.75.E
Aquā bibūt Scythæ reſolutā à niuib⁹ & glacie.d aere,aq.& lo. 2ª.4.H
Aquæ tiburtinæ per lapideas fiſtulas Romā deriuatæ crudiuſcule ſunt.in 6^m.de mor.vul.com.4°. 3ª.182.E
Aqua in vrbem vnde debet deriuari.6°.de dec.Hip. 1ª.164.B
cū *Aqua per canales ducenda eſt,quibus debeant illiniri.* 3ª.184.D
Aqua per plumbeos canales tranſiens fugienda,& ideo colligo aquas à lambico,quibus hodie vtūtur,fugiēdas eſſe.7°.de com.me. 5ª.180.H
ex *Aqua ꝑ plūbeū canalē deriuāte dyſenteria.7°.de cō.med.* 5ª.180.H
ſub *Aqua quæ animalia multum poſſunt morari.de anat.viuo.* Sp.53.B
extra *Aquā ſpirare aerem piſces maiores conſtat.de vtil.reſp.* Sp.63.B
extra *Aquam cur ſpirent piſces aliqui.de vtil.reſp.* Sp.64.C
Aquam in Ereo Arcadiæ ſi quis bibit,moritur.de bon.aquæ. Sp.76.A
Aquam in Leontinis ſiquis bibit,moritur.de bo.aquæ. Sp.76.A
Aqua eſt Suſis,quā ſiquis biberit,amittit dentes.de bo.aquæ. Sp.76.A
Aqua eſt in Thracia,quā ſiquis biberit,moritur.de bo.aquæ. Sp.76.A
Aqua euaporante vinum ſuſpenſum ad ignem in vtribus indureſcit in modum ſalis.de vtil.reſp. Sp.64.F
Aqua accenditur lapis thracias.de ſim.med. Sp.86.G
in *Aqua ſanguiſugis plena ludebant adoleſcētes.4°.de lo.aff.* 4ª.26.A
Aqua non peruenit ad cor piſcium.de vtil.reſp. Sp.63.B
Aqua cur colligatur in fœtus pelliculis.de anat.viuo. Sp.52.C
ī *Aq̄ ad eius motū mouet̄ iūcus ex ſua mollicie & flexibilitate.* Sp.52.H
Aqua bathecæ generat ſuccum frigidum.de diſſ.cont. Sp.74.B
Aqua ciceris confert in dolore lapidis.de cur.lap. Sp.111.H
Aqua caſei ſaliti eſt cibus ſalſus,diſſoluens,ac attenuans. Sp.72.F
Aquæ caulium,& lentium quid faciant.de diſſol.cont. Sp.75.A
Aquæ granatorū acetoſorū incidunt,& attenuāt.de diſ.cont. Sp.72.G
Aquā hordei videtur innuere.de vic.ra.in morb.acu.com.3°. 7ª.131.H
Aque hordei mentio fit.de vict.ra.in morb.acu.com.4°. 7ª.143.E
Aqua hordei eſt cibus ſapidus,dulcis,ſubtilis,abſtergens. Sp.72.E
Aqua mellis velociter tendit in venas.de diſſ.cont. Sp.75.B
in *Aqua mellis infuſa pruna ſicca leniunt vētrē.de diſſ.cont.* Sp.75.A
Aqua mulſa per noctē ſub dio exponēda.9°.de com.me.ſe.lo. 5ª.199.H
Aqua mulſa auſtera,mella eſt.de fract.com.2°. 7ª.235.H
Aqua mulſa ad quæ valet.11°.meth.med. 7ª.70.F
Aqua mulſa nihil adſtringit,ſed extergit.6°.de cō.med.ſec.lo. 5ª.173.G
Aqua mulſa,& ptiſſanæ cremor detergunt humores in vētre infarctos.de vict.rat.in morb.acut.com.1°. 7ª.111.E
Aqua mulſa vt ptiſſana humectat,& ſecat,non tamen roborat.de vict.rat.in morb.acu.com.1°. 7ª.113.C
Aqua mulſa non calefacit,& euacuat.11°.met.med. 7ª.69.G
Aqua mulſa meracior per vomitum purgat.de art.com.2°. 7ª.267.H
Aqua mulſa in quo morbo ſatis ſit.de vict.rat.in mor.acu. 7ª.127.C
Aqua mulſa vſq; ad vigorē danda in pleuritide,ſi vires cōſtēt. 7ª.115.D
ex *Aqua mulſa hyſſopus datur in pleuritide.5°.de loc.affec.* 4ª.34.G
Aqua mulſa cum hyßopo vſq; ad ſeptimum datur in ſyncope. 7ª.76.A
Aqua mulſa non ſunt nutriendi qui ſyncope ex tenuibus humoribus correpti ſunt.12° meth.med. 7ª.78.A
Aqua mulſa quo modo noxia in febribus.11°.meth.med. 7ª.70.F
Aqua mulſa in qua roſæ ferbuerint ad quid vtilis. 4ª.219.C
Aquam mulſam ſi dederis mulieri,& dormiens poſt potum ſentiat alui tormina,concepit,ſi non,minime.com.5°.apho.41°. Ex.41.D
Aquam mulſam expuunt vulnerati thorace.5°.de lo.aff. 4ª.31.A
ex *Aqua mulſa panis pro cataplaſmate.5°.de com.me.ſe.loc.* 5ª.161.G
pro *Aqua mulſa cremor ptiſſanæ.11°.meth.med.* 7ª.75.H
Aqua ſi fluat per nares,per os,aut per aures caput dolenti morbum ſoluitur.com.6°.apho.10°. Ex.47.C
Aquæ mixtum piper quibus bibere liceat.6°.de ſan.tuen. 2ª.99.B
Aqua calida ſi quis vinum diluat ac bibat,ac comedat aliquid acutum, vt piper,in ſingultum incidit.com.6°.apho.39°. Ex.50.H
Aqua aliqui alocn inſpergunt.5°.de ſan.tuen. 2ª.92.E
Aqua igni aduerſiſſima.1°.de ſimp.med.fac.4.H| 5ª.5.C
Aqua febris naturæ aduerſiſſima.de vic.ra.in mor.acu.cō.1°. 7ª.114.G
Aqua tēpeſtiue data illico febres extinguit.de vi.ra.in mor.a. 7ª.114.H
Aqua cal̄a ſupinfuſa q̄uo & quas febres ſanet.cō.7°.aph.42°. Ex.57.C
Aqua vtendum ad ſitim in pleuritide.de vict.ra.in morb.acu. 7ª.114.F
Aqua dulci vtimur in fluxionibus acribus ad oculos.13°.me.m. 7ª.86.D
Aquæ potus ad capitis dolorē ex vini potu.de remedijs par.f. 7ª.153.G
Aq̄ ī qua ambuſtū medicamē ablutū ē,calidā aſciuit qualitatē. 5ª.64.F
Aquæ tantum miſcendum medicamento,quantum coquendo totum vaneſcet.4°.de ſani.tuen. 2ª.87.A
Aqua cū ceruſſa et lithargyro ſimul ebullita,aqua prius digerit̄. 5ª.4.H
Aqua ad ptiſſanam conficiendam qualis.de ptiſſ. 2ª.47.A
Aqua qualis exigatur pro apomeli.4°.de ſan.tuen. 2ª.85.G
Aqua miſcenda eſt oxymeliti vt vino miſcetur.4°.de ſa.tuen. 2ª.85.E
Aquæ quæ bonæ et quæ prauæ calculoſis.de ren.af.dig.et me. 7ª.194.E
Aqs qbus lædant̄ renes,& veſica calculo obnoxia.de mor.vu. 3ª.182.D
ex *Aqua vel vino accipitur diatrion pipereon.1°.de loc.aff.* 4ª.5.F
Aqua è meſpilis,myrtis,malis,ſorbis,palmulis, & œnanthe quibus dāda.de vict.rat.in mor.acu.com.4°. 7ª.149.B
Aqua calida mitigatoria eſt.de remed.par.fac. 7ª.154.A
Aqua calida fluxionibus aduerſatur.2°.de arte cur.ad Glau. 7ª.101.H

ex *Aqua*

ex Aqua calida fomentum ad dolorem capitis ex vini potu quando cõueniat.de remed.paratu.fac. 7ª.153.H
Aqua calida in vtre,vel in veſica,vel vaſculo aut ęneo,aut teſtaceo poſita fomentum eſt calidum.de vict.ra.in mor.ac.com.2°. 7ª.116.D
Aquę calidæ fotus quid boni habeat.in 6ᵐ.de mor.vul.c 6°. 3ª.196.A
Aqua calida ẽ optimũ fomentũ cũ ſpõgia ĩ doloribus oculorũ. Ex.49.G
Aqua calida ſedat dolorem ad tempus, ſed magis deinde augetur & quare.comment.6°.apho.31°. Ex.49.F
ex Aqua fomenta ad dolores partium extremarum. 3ª.196.A
Aqua calida madente ſpongia molli ac mox expreſſa inteſtinum inflatũ quo modo mitigandum.6°.meth.med. 7ª.39.D
Aquæ calidæ potus pro vomitu in diſſolutione ex humoribus mordicãtibus os ventriculi.1°.de arte cur.ad Glauc. 7ª.99.C
Aqua quo modo temperandum acetum in inflammatione ex fluxione. 2°.de arte cur.ad Glauc. 7ª.101.H
Aquam & acetum miſce cum indiges herbis frigidis.1°. de compoſitione med.per gen. 1ª.211.H
ex Aqua & aceto fomẽtũ ꝑ pituitoſa materia.7ª.14°.me.me. 7ª.87.F
Aqua,oleo,& lini ſemine tepidis illinenda ſunt hypochondria, quando ſunt tenſa.de vict.rat.in mor.acu.com.4°. 7ª.140.H
Aquę ſedes eſt pulmo,cur.de anat.viuo. Sp.47.H
in Aqua calida ſit manus quę phlebotomatur.de ana.viu. Sp.54.H
Aquam prius bibiſſe à leui nutrimento & iam ſubducto oportet,quàm cucurbitulæ applicentur,aut prius comediſſe oĩno.de cu.ſca. 6ª.3.C
Aqua ſuffocato aĩali nõ cõſueuit rũpi vas,vt ĩ ſuffocato laqueo.1ª.231.G
in Aqua debet ſuffocari ſimia,in qua fieri debet ſectio, & excoriari. de muſc.diſſ. 1ª.44.D
Aqua abſtineat manu & pede vulneratus.3°.de cõ.me.ꝑ ge. 5ª.231.A/ 2°.de arte cur.ad Glauc. 7ª.101.H
Aquæ,quæ vlcera exaſperant.1°.de ſimp.med.fac. 5ª.3.D
Aqua tepente vlcera abluenda.4°.de comp.med.per gen. 5ª.244.E
Aqua valet in vlcere cum phlegmone.1°.de comp.me.per ge.5ª.217.A
Aqua potabili ſanantur vlcẽra calida,& ſicca.1°.de ſim.me.fa. 5ª.3.D
Aquæ cæterę pręter potabilẽ vlcera deſiccant.1°.de ſimp.me.fa.5ª.3.D
Aqua expertiſſima acrimoniæ,in vlceribus eſt mordax.5°. de compoſitio.med.ſec.locos. 5ª.159.A
Aqua aut vino frigidis madidam ſpongiam vlceri applicat. 4°.de compoſi.me.per gen. 5ª.236.H
Aqua frigida balneandum vlcus deligatum.4°. de compoſitione medic. per ge.237.D/ 5ª.238.F
Aqua vulneribus cancroſis,ſi ſola adhibeatur,perniciem infert.de ſim. medicaminibus. Sp.92.C
Aqua calida vulneratis neruis inimiciſſima eſt.6°.meth.me. 7ª.37.D
Aqua neruo vulnerato inimica.6°.meth.med. 7ª.38.E
Aqua calida ſi perfundatur caro vlcerata fit mollis & fluida.1°.de ſimplicium.me.fa. 5ª.3.F
Aqua calida plurima laxat,& attenuat. de ijs q̃ in me.fi.c.3°.7ª.215.G
Aqua calida modica mollit,& carne replet.de ijs quæ in me.fi.7ª.215.G
ex Aqua,oleo,& farina hordei cataplaſma ad pus cito mouendũ.4°. met.me.27.D/2°.de arte cur.ad Glau.102.A/ 7ª.105.C
ex Aqua,oleo,& farina cataplaſma cõcoquens.2°.de ar.cu. 7ª.105.C
Aqua calida cum oleo maturat.de oculis. 7ª.188.E
Aqua tẽperata aptiſſima eſt ad puris gñationẽ.5°.de ſim.me.f.5ª.34.A
Aquæ calidæ fomentum pus mouet.4°.meth.me. 7ª.27.D
Aqua & oleũ aptiſſima ad puris gñationẽ.5°.de ſimp.med.fa 5ª.34.A
ex Aqua,& oleo panis pus mouet celerrime.4°.meth.med. 7ª.27.D
Aqua lixina cum farina hordeacea in ea cocta, medicamentum eſt ad putrefactionem in neruo vulnerato.6°.meth.med. 7ª.37.F
Aquæ calidæ vſus in fracturis.de ijs,quæ in med.fi.com.3°. 7ª.215.F
Aqua infundenda in deligatura oſſis.6°.meth.med. 7ª.41.D
Aq̃ dulcis ex ſpõgia fomẽtũ mitigat phlegmonẽ,qñ irritata eſt. 7ª.81.D
Aqua et aceto ĩtincta ſpõgia qñ ĩponẽda ſit ſupra inflãmationẽ. 7ª.101.G
Aqua ſimplici perfuſum eryſipelas nihil ſentit incommodi. 5ª.3.A
Aqua calida quando imponenda eryſipelati.14°.meth.med. 7ª.87.E
Aqua frigida ſanandum eſt verum eryſipelas.8°.meth.med. 7ª.57.F
Aqua & acetũ quo mõ tẽperabant pro œdemate.14°.met.me. 7ª.87.F
in Aqua quæ parum aceti habeat ſpongia infuſa œdemati ex pituita in partem influxa prodeſt.2°.de arte cur.ad Glauc. 7ª.103.F
vt Aqua coagulata lucidiſſima eſt humor primus oculi, in quo eſt vis viſiua.de com memb.ſiue de natura humana. Sp.58.C
ad Aquæ deſcenſum in oculum.ſecre. 101.D/Sp.107.A
ex Aqua aurium nocumenta q̃uo curentur.de reme.par.fac. 7ª.155.A
ad Aquã quæ in aurẽ illapſa eſt.3°.de cõp.me.ſec.lo.5ª.145.F/Sp.97.H
Aquã multã in ꝑcordijs exiſtẽtẽ nequeũt curare malagmata. 5ª.197.B
Aqua inter cutem eſt morbus diuturnus.fin.med.Iſa.45.F/ Ex.5.D
Aqua intercus eſt morbus frigidus & humidus.10°.de tempe. 1ª.11.C
in Aqua intercutem an ſpiritus vel humor ſit,non poteſt tactu percipi & quo modo.4°.de dign.pulſ. 4ª.85.F
Aqua ĩter cutẽ quali cõtingat naturę.in 6ᵐ.de mor.vul.c.1°. 3ª.156.C
Aqua inter cutem quot fiat modis.4°.de præſag.ex pul. 4ª.121.E
Aqua ĩtercus fit cũ gñatio ſanguinis fruſtrat̃.cõ.6°.apho.12°. Ex.47.E
Aqua intercus fit quãdo exit multus ſanguis,quãdoq; aut ex vtero mulieris vel ex hæmorrhoidibus,aut ex venis,aut ex vlcere. Ex.15.B
Aqua intercus fit per hepatis compaſſionẽ, aut lienis,aut venoſi generis in lienoſis.com.6°.apho.43°. Ex.51.C
Aqua inter cutem ſequitur iecoris ſcirrhum.5°.de locis affect. 4ª.33.F/ 2°.de arte cur.ad Glauc. 7ª.104.D
Aqua inter cutẽ ex vitio aliorũ mẽbrorũ q̃ iecoris.5°.de lo.aff. 4ª.33.H
Aqua inter cutem à iecore,qualis.in prog.com.2°. 4ª.197.H
Aqua inter cutem fit indurato liene.6°. de loc.aff. 4ª.36.B/C
Aqua intercus fit in lienoſis ſi longa inteſtinorum difficultate capiãtur, & moriuntur.com.6°.apho.43°. Ex.51.B
Aqua intercus qua tẽpeſtate ſequat̃ quartanã.cõ.3°.apho.11°.Ex.21.D
Aqua intercus quartanam à liene factam,hanc mors ſecuta eſt.3ª.118.H
Aqua inter cutem ſequitur ad acutos morbos.6°.de loc.aff. 4ª.36.B
Aquæ inter cutẽ ſpẽs vna dicit̃ leucophlegmatia.cõ.7°.aph. 29°.56.H/ apho.70°.Ex.60.G/in 3ᵐ.de mor.vul.com.3°. 3ª.146.D
Aqua intercus fit ob clauſas euacuationes hæmorrhoidarum. 6ª.7.E
Aqua inter cutem fit ex frigidæ aquæ potu.5°.de loc.aff. 4ª.34.A
Aqua intercus,quando ex inflammatione procedat.intro. Iſa.56.H
Aquę inter cutẽ cuius eſt propriũ alui fluor.in prog.cõ.2°. 4ª.197.G
Aqua inter cutẽ laborãtes lædunt̃ ab aqua dulci,ab alijs iuuant̃. 5ª.3.E
Aqua intercus à quo humore fiat.1°.de morb.vulg. 3ª.111.C
Aqua quo in loco ſit in hydrope.3°.de loc.affect.18.D/5°. 4ª.33.H
Aqua hydropum vbi congregetur.com.7°.apho.56°. Ex.58.H
Aqua inter inteſtina & peritonęũ collecta eſt cã aq̃ inter cutẽ.Iſa.56.H
in Aqua inter cutem reſpiratio qualis.de vtil.reſp. 1ª.225.G/3ª.59.D
in Aqua inter cutẽ oĩ,pedes intumeſcũt,& cur.in ꝑgn.c.2°.4ª.197.G
in Aqua inter cutem quæ ſit cauſa præcedens pulſus mollis.4ª.109.D
Aqua intercus à furore bonum.com.7°.apho.55°. Ex.54.C
Aqua inter cutem habito,ſi aqua è venis in ventrem fluxerit ſoluitur morbus.com.6°.apho.14°. Ex.47.F
Aqua intercute laborantibus vlcera in corpore facta difficulter ſanant̃. com.6°.apho.8°. Fx.47.B
Aqua ĩter cutẽ laborãtibus tuſſis ſuꝑueniẽs malũ.c.1°.ap.35°. Ex.50.C
Aqua ĩter cutẽ laborãs ſi a tuſſi habeat̃ deſꝑat°.c.7°.aph.47.Ex.57.H
Aqua plenum hepar quibus in omentum eruperit, ijs vẽter aqua repletur,& moriuntur.com.7°.apho.55°. Ex.48.H
Aqua inter cutem ex acuto morbo letalis eſt.in prog.com.2°.4ª.197.F
Aquæ inter cutem curatio.c.7°.apho. 6°.Ex.58.H/ de theriaca.90.G/ 9°.de com.med.ſec.loc. 5ª.200.A
Aqua intercus quo modo à Galeno ſanetur.de pur.med.fa. 5ª.86.G
in Aqua inter cutem punctiones magis quam vſtiones antiquis medicis in vſu erant.com.6°.apho.27°. Ex.48.H
Aquam inter cutem patientes,ſi vrantur,uel ſecentur, & tota aqua exeat omnes moriuntur.com.6°.apho.27°. Ex.48.G
in Aquam inter cutem periculum eſt incidere à diuturnis ſanato hęmorroidibus,ſi vna non ſeruatur.com.6°.apho.10°. Ex.47.D
Aqua intercus,& febris,qui ſunt morbi cõtrarij,q̃uo curẽtur. Ex.8.H
Aqua inter cutem laborantibus prodeſt erinacei terreſtris deſiccata caro. 5ª.78.F
Aqua ĩter cutẽ laborãtiũ toti vẽtri cochleæ ĩpoſitę valde d̃ſiccãt.5ª.81.G
Aqua ĩtercute tumẽtẽ carnẽ exiccãt arenæ fluuiatiles et mariæ.5ª.67.G
Aqua inter cutẽ laborãtibus ſanguis caprarũ cũ melle exhibet̃.5ª.73.B
Aqua inter cutẽ q̃uo ſtercore bubulo ſanet̃.10°.de ſim.me.fac. 5ª.76.G
ad Aquã ĩter cutẽ ſtercus caprinũ accõmodũ eſt.11°.dc ſim.m.f.5ª.76.E
ad Aquam inter cutem ut exeat per vrinam.de med.fac.par.7ª.167.D
in Aqua inter cutẽ dicto morbo nõ euacuãda ſimul tota aqua. 7ª.98.G
Aquæ ĩtercutis exolutio ex aq̃ ĩmodica euacuatiõe q̃uo curãda.7ª.99.F
Aqua intercus q̃uo euacuãda.quos pur.op.quib.me.& q°.tẽp.5ª.88.E
Aqua ab aliqua medicina trahitur & euacuat.c.6°.aph.14°. Ex.47.F
Aquas trahẽtia medicamenta proſunt hydropicis.de atra bile.1ª.36.B
Aquã inter cutem trahentia medicamenta qualia eſſe debeant.5ª.86.H
Aquam hydropis non educit medicaᵐ.flauæ bilis.de pur.m.fa.5ª.86.G

Aqua iter cutẽ laborãtes adiuuat theriaca.de th.ad.Pi. 96.D/5ª.98.G
Aqua intercute laborãtes quo mõ curentur terrę ęgyptię luto. 5ª.65.G
ad *Aquas intercutem incipientes effundi, antidotus zopyria.*5ª.120.E
ad *Aquam intercutem.* 5°*.de comp.med.per gen.* 5ª.247.A
ad *Aquam inter cutem malagma.*7°*.de comp.med.per gen.* 5ª.266.H
Aquam educit ammoniacum.de dyna. Sp.22.B
*Aquam ducunt æris flos,æris ſquama,æs vſtum.*1°*.de nat.fa.* 1ª.294.B
Aquam educens medicamentum non educet bilem,& econtra. 1ª.31.C
*Aquã ducẽs medicamẽtũ ſi icterico detˇ quid agat.*1°*.de na.f.* 1ª.294.A
ad *Aquam citrinam in hepate.ſecret.* Sp.99.E
*Aqua plenum hepar quibus in omentum eruperit,his venter aqua impletur,& moriuntur.com.*7°*.apho.*55°. Ex.58.H
Aqua intercus,lege Hydrops.
in *Aquę pricipio ſecant venæ & arteriæ poſt aures.de an.ui.*Sp.55.A/B
Aquę reformidatio quid.fin.med. Iſa.47.D
Aquæ pauor peſſimum malum,& quale.de ther.ad Piſo. 5ª.96.E
ad *Aquam expaueſcentes ex rabidi canis morſu.* 5ª.215.F
in *Aquarum formidinem deuenientes morſos à canibus rabidis quid adiuuet.*2°*.de antid.* 5ª.120.G
Aquæ pauorem peſſimum morbum tollere conſueuit theriaca. 5ª.96.D
ad *Aquam timentes antidotus.*2°*.de antid.*119.F/ 5ª.120.F/G
AQVARIVS *calidus eſt in primo gra.humidus in ſecundo.* Sp.38.H
Aquarius,gemini,& libra ſunt occidentales,aerei,calidi & humidi.de ſpermate. Sp.39.A
Aquatici ſunt cancer,ſcorpio,piſcis.de ſpermate. Sp.39.A
*Aquaticis omnibus ineſt,vt ex aere non reſpirent, neq; habeant pulmonem.*6°*.de decre.Hippo.* 1ª.263.F
in *Aquatilibus ſunt ſpecies & differentiæ.*3°*.de alim.fac.* 2ª.30.A
Aquatilia mollia,quæ ſint & qualia.de bo.& uitio ſuc. 2ª.35.E
Aquatilia non conueniunt ictericis.de cura icteri. Sp.111.D
Aquatilis dryini morſibus confert centaurea.de virt.cent. Sp.93.H
*Aquatũ oui ad qd ſit vtile.de re.par.fa.*155.F/156.D/159.A/ 7ª.160.G
*Aquea quæ ſunt plus quã cõueniat,ſiccitate corrigi debẽt.*4°. 5ª.128.H
*Aqueam qualitatem habẽtia omnia ſuccis acribus, vel acidis,vel auſteris vel ſalſis admiſceri poſtulant, ſi in cibo ſuauia ſunt futura, & nauſeam non paritura.*2°*.de ali.fac.* 2ª.16.H
*Aqueũ oĩa ęqualiter penetrat & peruadit.*4°*.de ſimp.med.fa.*5ª.25.H
*Aquei admixtio qualitates omnes exoluit.*4°*.de ſim.med.fa.* 5ª.31.C
Aquei ſapores uocati ab alijs à Galeno dulces vocantur. 4°*. de ſimplicium med.fac.* 5ª.25.C
*Aquea eſſentia in pumilium fructibus.*4°*.de ſim.med.fac.* 5ª.28.G
*Aqueus quidam ſuccus & qualitatis expers in fructibus, vt aqua ipſa in medio ſaporum eſt.*2°*.de alim.fac.* 2ª.19.G
*Aqueus ſuccus & qualitatis expers in omnibus fructibus ſtomachum non iuuat.*2°*.de alim.fac.* 2ª.19.G
*Aquei omnes cibi attenuantium uim minuunt.de atte.vict.ra.*2ª.44.C
*Aqueũ ſuccũ habẽtia & tenuem ſunt pauci alimẽti.*2°*.de ali.f.* 2ª.16.G
Aquei coloris vrinæ ſunt multũ tenues.in 1^{m}*.de mor.vul.c.*3°.3ª.124.H
*Aquea medicamenta quid agant.*5°*.de ſim.med.fa.* 5ª.35.H
Aqueus humor numeratur inter affectus iuncturæ cubiti.intr. Iſ.59.C
pro *Aqueo humore in corpore apium & aſarum ebullita in aqua vtilia ſunt.de præcog.ad Poſthu.* 4ª.217.H
Aqueus,vide Aquoſus.
AQVILAE *hñt denſiſſimã oſſiũ concretionẽ.*11°*.de vſu par.* 1ª.191.E
Aquila habet proprietatem leonis.de ſpermate. Sp.38.H
*Aquilæ optime cernunt.*1°*.de ſa.tuen.* 2ª.63.H
Aquilæ euitãt partim æſtũ,partim frigus.de venæ ſec.ad Eraſi. 6ª.7.D
*Aquilæ pinnæ commodæ ad verrucas.*14°*.meth.med.* 7ª.93.A
*Aquilæ lingua ad quid faciat.*3°*.de med.fac.par.* 7ª.171.B
*Aquilæ fel quale.*10°*.de ſimp.med.fac.* 5ª.75.A
*Aquile fel ad quid valeat.*4°*.de comp.med ſec.loc.* 5ª.153.A
ab *Aquila iecur Tityo eroſum poetę, pictores, & ſculptores fingunt cur.*3°*.de locis affect.* 4ª.16.E
de *Aquilę ouis exemplum.*1°*.de vſu par.* 1ª.113.F
*Aquilarũ ſtercus ob nimiã acrimoniã ĩutile ẽ.*10°*.de ſim.me.f.* 5ª.77.B
*Aquila piſcis habet carnem duram.*3°*.de ali.fac.* 2ª.31.G
Aquilinum oculum vnum & naſum habuit Alexãder ex proprietate ſui ſigni.de ſpermate. Sp.38.H
*Aquilatum tectum,quid.de art.com.*2°. 7ª.270.F
AQVILIAE *Secũdillæ meminit.*7°*.de cõ.me.per gene.*265.H/5ª.271.G
AQVILONII *venti ſunt frigidi & ſalubres. in* 1^{m}*. de morbis vulga. commen.*1°. 3ª.103.F
Aquilo in tractu Galeni frigidus eſt,auſter calidus. in 1^{m}*.de mor.vulg. commen.*1°. 3ª.103.D
Aqlonẽ magnũ & lõgo tpe hẽre ſolet hyẽs.ĩ 1^{m}*.de m.vul.c.*1°.3ª.103.H
Aquiloniæ hyemis meminit.in 1^{m}*.de mor.vul.com.*2°. 3ª.107.G
Aquilone ſpirante multi & magni imbres qua tempeſtate fuerint.in 1^{m}*. de morb.vulg.com.*2°. 3ª.113.E
Aquilone & auſtro ſimul ſpirãtibus,q̃ fuerit cõſtitutio.in 1^{m}. 3ª.107.F
Aquilonio,& frig.& hu.exiſtente anno quid ſecutum ſit.in 1^{m}*.de morbis vulg.com.*2°. 3ª.108.A
Aquilone ſpirante quo modo factę ſunt ardentes febres paucæ, & paucis ſanguis profluit.in 1^{m}*.de mor.vul.com.*1°. 3ª.104.E
Aquilo quibus obſit.ars med. Iſa.64.A
Aquilonijs & frigidis ventis ſpirantibus caput apertum plurimum læditur.in 1^{m}*.de morb.vul.com.*2°. 3ª.113.F
Aquilo obeſt thoraci vniuerſaliter.in 3^{m}*.de morb.vulg.cõ.*3°.3ª.146.H
*Aquilonius aer,qualis.*2°*.de compoſitione medicamen.ſec.lo.*5ª.136.C/2°*.de arte cur.ad Glauc.* 7ª.104.E
Aquilone exiſtente qñ nõ ſine nubes.in 1^{m}*.de mor.vul.com.*1°.3ª.104.C
Aquilo.lege ventus.
Aquilonij & tẽperati ſtatus meminit.in 3^{m}*.de mor.vul.c.*3°. 3ª.140.H
AQVOSITATES, *vnctuoſitates, ſalſitates, amaritates,dulcedines, acerbitates,auſteritates, ſiccitates, acrimonię, faciunt differentiam in partibus diſſimilaribus.*3°*.de ſim me.fac.* 5ª.20.G
*Aquoſitatem paucam coagulato ſanguine ſupernatare vidit Galenus ijs,quibus ſecatnr vena.*5°*.de vſu par.* 1ª.144.F
Aquoſitatem lactis remouent lapides fluuiales et fruſtra ferri igniti.de diſſol.cont. Sp.75.B
Aquoſa,& ſubtiliatiua,vel terreſtria & craſſa ſunt conſtringentia.de oculis. 7ª.188.A
*Aquoſa ad guſtũ nullam habent inſignẽ qualitatẽ.*2°*.de ali.fac.* 2ª.25.B
Aquoſum vinum quid.de vinis. Sp.76.B
*Aquoſum uinum,quale ſit.*7°*.meth.med.* 7ª.45.A
Aquoſa uina cum urinam cieant, pauciſſimum nutrimentum prębent corpori.de uinis. Sp.76.D
Aquoſa uina cito inueteraſcunt.de uinis. Sp.76.H
Aquoſa uina primo acria poſtea amara fiunt.de uinis. Sp.77.A
Aquoſa uina quibus ſint conſeruanda locis.de uinis. Sp.77.A
*Aquoſum uinum omnes euacuationes promouet.*11°*.meth.me.*7ª.69.H
Aquoſum uinum ſubtile adiuuat ad ſpuendum humiditatem ex pulmone de diſſol.cont. Sp.74.H
*Aquoſum uinũ conuenit imbecillas habentib⁹ uires.*7°*.me.me.*7ª.45.E
*Aquoſus humor in uapores breui dirigitur.*7°*.de uſu par.* 1ª.161.C
Aquoſus humor eſt uehiculum nutrimenti 4°*.de uſu par.* 1ª.136.C
*Aquoſo humore & tenui ſanguis eſt plenus.*4°*.de uſu par.* 1ª.136.C
*Aquoſus humor poſtquam ſuo officio functus eſt, mittitur ad renes.*4°*. de uſu par.* 1ª.136.D
*Aquoſus humor nõ relinqt ſitim in purgatiõe.cõ.*4°*.aph.*19°. Ex.29.C
*Aquoſa ſubſtantia quę etiam in uenis eſt habet ſuum pharmacum proprium.com.*2°*.apho.*36°.17.F/*com.*7°*.apho.*55°. Ex.58.H
*Aquoſus ſanguis exiens deſuper malus.com.*4°*.apho.*25°. Ex.30.A
Aquoſum,& frigidum ſanguinem habentia animalia timida ſunt.de utili.reſpir. Sp.64.E
*Aquoſa humiditas miſcetur humoribus, & facit deiectiones non ſinceras.com.*7°*.apho.*6°.54.D/*apho.*32°. Ex.56.D
cũ *Aquoſa humiditas in hydrope tantũ adaucta fuerit, ut iam aſperas arterias occupet,ſi tuſſis ſuperueniat, tunc periculum eſt ne homo haud ita multo poſt ſtranguletur.com.*6°*.apho.*35°. Ex.50.C
Aquoſum & humidũ corpus quo durius reddatˇ.in 6^{m}*.de mor.*3ª.161.A
Aquoſi & tenues humores euacuandi ſunt in principio morbi nulla facta coctione.de his quos purg.opor. 5ª.88.F
*Aquoſum,& pituitoſum humorem facit alteratrix potentia frigida.*3°*. de ſymp.cau.* 3ª.26.B
Aquoſa pituita deſcendit cum uero ſpermate.de ſpermate. Sp.36.F
Aquoſam pituitam quæ educunt.de dyna. Sp.22.B
Aquoſam pituitam educit maxime euphorbiũ.de dynamidijs. Sp.22.B
*Aquoſos humores,& pituitam educit æris ſquamma.de dyn.*Sp.22.A
Aquoſa purgat chamelæa.de dynamidijs. Sp.22.B
Aquoſos humores,& pituitam ducit coccus Cnidius.de theria.ad Piſo. 5ª.90.F/*de dynami.* Sp.21.F
*Aquoſos humores laxat electuarium.*9°*.de med.exper.* Sp.107.G
ad *Ad.aquoſum rheumatiſmum.de paſſ.mul.* Sp.96.B
*Aquoſa cur per tuſſim non poſſunt expelli.*2°*.de ſymp.cau.* 3ª.21.F

Aquoſo excremento abundant ſenes.5°.de ſani.tuen. 2ª.91.B
Aquoſa ſuperfluitas fit multa tpibus pluuioſis.cõ.3°.aph.7°. Ex.20.F
Aquoſũ excrementũ copioſiſſimũ, et tenuiſſimũ.5°.de vſu pa. 1ª.144.E
Aquoſæ vrinæ quę ſint.com.7°.aphor.32°. Ex.56.D
Aquoſa eſt vrina alba integre tenuis.de vrinæ ſigni.ex Hip. Sp.79..A
Aquoſa vrina cruda eſt & diuturna.com.7°.aphor.32°. Ex.56.D
Aquoſa vrina in infantibus peſſima eſt.de vrinæ ſignificatione ex Hippocrate.78.G/quæſ.in Hippo. Sp.113.F
Aquoſa,albaq́ vrina cum albis nebulis in cardiacis, eorum ægritudinis ſolutionem oſtendit.de dynamidijs. Sp.34.H
Aquoſa & alba vrina,in augmento ægritudinis,aut in ſtatu veniẽs laborẽ corporis cũ frigore,& maciẽ futuram ſignificat.de dy.Sp.34.B
Aquoſa vrina,alba bonam habens nebulam cũ odore bono egeſta phrenitim purgat.de dynamidijs. Sp.34.D
Aquoſa vrina,male olens,& atra,& craſſa letalis eſt. de vrinæ ſignificatione,ex Hippocrate. Sp.78.G
A ϱα coniunctione cum tono circunflexa utimur cum de aliquibus rebus dubitamus.in 1m.pror.com.1°. 4ª.161.C
ARA parua Soſtrati.de faſcijs. 7ª.302.H
ARABVM linguæ ſi ſit uocabulum, ab ipſis arabibus res diſcenda eſt. ad Thraſy. 2ª.106.B
apud Arabes ne p ſomniũ quidẽ inuenies tẽperatũ.2°.de ſa.tu. 2ª.73.C
Arabes ſunt graciles.2°.de ſimp.med.fac. 5ª.14.E
Arabiam incolentes dura habent corpora.4°.de com.me.p ge.5ª.136.F
Arabũ cutis cur vſta,dura,ſicca,& nigra reddatur.2°.de tẽp. 1ª.20.B
ARABIVS lapis elephãti ſimilis,& qualis.9°.de ſim.me.fa. 5ª.68.B
ARABICA ſpina quid.6°.de ſim.med.fac. 5ª.41.H
ARAKIERI. fit mentio.ſecret. Sp.103.E
ARACVS, doſis nomen.7°.de com.med.ſec.lo.183.A/ 5ª.185.D
ARACI ſubſtantia,figura,& vſus.1°.de alim.fac. 2ª.14.H
Aracum in lente naſcitur.1°.de alim.fac. 2ª.15.H
Α᾽ϱαχνοειδής,tunica,pars & particula animalis non inſtrumentum vocatur.1°.meth.med. 5ª.6.D
Α᾽ϱαδον,quid ſignificet.de vict.rat.in morb.acu.com.4°. 7ª.146.F
Αϱαιοσυγκϱίτους quid appellant Græci.6°.de ſan.tuen. 2ª.97.D
ARANEA anſam dedit telas conficiendi. 5ª.94.F
Aranei tela à phlegmone tuetur vlcera cutis.1°.de ſim.me.fa. 5ª.80.F
Araneorum oua.5°.de comp.med.ſec.loc. 5ª.163.E
ad Aranei muris ictus.5°.de comp.med.per gen. 5ª.246.H
Aranei muris morſus ab eodem cõtuſo & impoſito ſine dolore ſanatur. de theriaca ad Piſo. 5ª.94.A
Araneæ morſibus confert centaurea.de vir.cent. Sp.93.H
Aranei morſibus medetur trifolium.de ther.ad Piſo. 5ª.90.H
ad Aranei muris morſum.de med.fa.par. 7ª.169.F
ARANEA quæ tunica ſit, & unde naſcatur.de anato. uiuorum.48.E/ de anato.oculorum. Sp.57.F
Aranea tela ẽ inter cryſtallinũ,& albugineũ humorẽ.de ocu.7ª.182.H
Araneas illas tenues,quæ à pupilla ad circuli circunferentiã extenduntur,non amplius araneas,ſed viſiones uoca.10°.de vſu par. 1ª.182.D
Arãeoſę pĩguedĩes vrinis ſupne ĩnatãtes qd ſignificẽt.d vr.ſi. Sp.78.G
ARATILLI ſuccus ſanguinem purgat.de dyna. Sp.22.C
ARATIO eſt exercitatio,& opus.2°.de ſan.tuen. 2ª.73.G
ARATRA qui pangit,exercetur & operatur.2°.de ſa.tuen. 2ª.73.H
ARATVS librũ fecit de his q̃ ĩ aere cõſpiciunt.in 1m.p.cõ.1°.4ª.160.G
Arathus Athenienſis venenorũ cõpoſitiones ſcripſit.2°.de ant.5ª.114.F
ARBITRARII motus opifex eſt facultas quæ ãial gubernat. 3ª.53.C
ARBORES, ſtirpes,ſemina prius fuere agreſtia, quæ nunc effecta ſunt domeſtica.in Timæum Plat. 1ª.286.H
Arborum generationis initium a ſemine in terram moderate humidam & calidam iacto ſumitur.de fœt.for. 1ª.323.C
Arbores quando perfectæ ſunt.de hiſto.philoſ. Sp.11.F
Arbores frigidiſſimæ & ſicciſſimæ,quæ.4°.de ſimp.med.fac. 5ª.26.F
Arbores frigidi pro capite.2°.de comp.med.ſec.loc. 5ª.132.H
Arbores quæ ſemper frondeant,& cur.de hiſt.philoſ. Sp.11.H
Arbor duriſſima corallus naſcitur in terra molli & lutoſa in mare ſecũdum Ariſt.de anato.viuo. Sp.46..A
in Arbore duplex eſt germinatio.de fœt.for. 1ª.323.C
Arborum germina quæ ſint.2°.de alim.fac. 2ª.24.C
Arborum & fruticum germina inter ſe quodam modo ſunt ſimilia, tamen arborum ſunt lignoſiora.2°.de ali.fac. 2ª.24.B
Arborum ac fruticum germina olerum aſparagis proportione reſpõdent 2°.de alim.facul. 2ª.24.C
Arborum germina cocta manduntur.2°.de ali.fac. 2ª.24.C
Arborum germina pariunt malos ſuccos.de bo.& vitio ſuc. 2ª.33.G
ab Arboribus & oleribus hortenſibus fructus plantarum ſumuntur. 2°.de alimen.facul. 2ª.16.D
Arborum ſtipes perpetuo manet.2°.de alim.fac. 2ª.24.C
Arborum ſtipes proportione reſpondet cauli oleraceorum & herbaceorum.2°.de alim.fac. 2ª.24.C
in Arbore matureſcentes fructus multum differunt à non matureſcentibus.de puero epil. 7ª.180.D
Arbor ne fructum amittat,quid fieri debeat.3°.de me.fa.par. 7ª.175.D
Arborum fructus tantum non omnes mali ſucci,exceptis caſtaneis glandibus.de bo.& vitio ſuc. 2ª.37.E
Arborum fructus humidi,tenue & humidum corpori alimentũ prębẽt. 2°.de alimen.facul. 2ª.17.D
ex Arborum fructibus conſiſtentia ſolidis alimentum copioſius corpori apponitur,tardiusq́ permeat, maxime cum ſuccum in ſeipſis habent craſſum,aut lentum,aut adſtringentem. 2ª.17.D
ut Arbor à radicibus attrahit cibũ, ita iecur à meſeraicis.6°. 4ª.37.G
Arboribus tumores cõtingũt & quales.in 6m.de mor.uul.c.1°.3ª.152.G
in Arboribus quibuſdam appendices ſunt,quas congros uocant.in 6m. de mor.uul.com.3°. 3ª.172.G
Arborũ quorũdã halitus ĩficit uicinũ aerẽ.ĩ 3m.de mo.uul.c.1°.3ª.133.F
ex Arboribus animalcula cuius ſint uſus.3°.de com.me.ſe.l. 5ª.145..A
Arborib⁹ ĩmodice fructiferis q uiri cõparant à Pla.6°.d lo.aff.4ª.39.G
Arbori quo modo cõparetur conuulſio uniuerſalis.3°.de lo.aff. 4ª.17.D
Arbori ſiccæ comparatur ſenectus.1°.de diff.feb. 3ª.34.F
Arbitrariarũ functionũ inſtrã muſculi exiſtunt.in 1m.pr.c.1°. 4ª.163.G
ARBVTVS arbor frigidiſſima & ſicciſſima eſt. 5ª.26.F
Arbuti fructus memecylus dicitur.de ſimplicium medi.faculta. 52..A/ 2°.de comp.med.ſec.loc. 5ª.137.B
Arbuti fructus ſemper acerbus eſt.4°.de ſimplicium medi.facul.26.F/. 7°.52..A/8°. 5ª.62.C
Arbutus infenſus ſtomacho,& capiti dolorem commouet. 7°. de ſimp. med.fac.52..A/2°.de com.med.ſec.lo. 5ª.137.B
ex Arbuti decocto fit adſtringens fortius pro gargariſmis. 5ª.172.G
ARBYLA genus calciamenti.de art.com.4°. 7ª.284.C
ARCADES diu in cibo glandes retinuerunt.2°.de ali.fa. 2ª.22..A
in Arcadię Ereo aqua eſt,quã ſi quis biberit,morit.de bo.aq. Sp.76..A
ARCHELAI pharmacum.9°.de comp.med.ſec.loc. 5ª.205..A
ARCHEVS Tryphon.4°.de compo.med.per gen. 5ª.243.H
ARCHIBIVS 5°.de compo.med.per gen. 5ª.253.G
ARCHIVII antidotus ambroſia,& ſacra dicta.2°.de ant. 5ª.115.H
ARCHIGENES Apameus Syrius meth.ſectæ author.intr. Iſa.51.E
Archigenes qua ætate fuerit.com.6°.apho.1°. Ex.46.C
Archigenes circa medicæ artis opera ſtudioſus.2°.de lo.affec. 4ª.10..A
Archigenes exercitatiſſimus in curandi ratione.3°.de lo.aff. 4ª.16.C
Archigenes non fuit uulgaris medicus.2°.de com.med.ſec.lo. 5ª.134.H
Archigenes non fuit indoctus.2°.de loc.aff. 4ª.12..A
Archigenes dignus eſt ut alijs præferatur.3°.de loc.aff. 4ª.14.D
Archigenes laudat.3°.de dif.pulſ.59.F/60.H/2°.de die.decr. 4ª.155.G/ 1°.de com.med.ſec.loc. 5ª.126.H
Archigenem laudat,& uituperat.3°.de diff.pulſ.4ª.64.D/6°. de compoſ.med.ſec.loc. 5ª.176.D
Archigenes ut reprehendit alios,ita à Galeno reprehendendus.2°.de cõpoſi.med.ſec.loc. 5ª.135..A
apud Archigenem dolorum nomina,quæ.2°.de lo.affe. 4ª.9.H
Archigenes libros undecim epiſtolarum ſcripſit.3°.de loc. aff. 4ª.15.F
Archigenes logicas quæſtiones,& obſcuras ſcribebat.1°.de l.af.4ª.3.C
ab Archigene ſolo motu diſtincti ſunt acuti,et nõ acuti morbi.4ª.155.G
Archigenes librum ſcripſit de ſignis febris. 3°. de differen.pulſ. 64..A/ 2°.de criſibus. 4ª.136.B/D
Archigenis liber de pulſibus. 2°. de loc.affec.9.H/12.H/2°. de diff.pulſ. 54.B/55.F/4°.69..A/4°.de dig.pul.85.C/de p̃.ad Poſth. 4ª.219.B
Archigenis pulſus definitio.4°.de diff.pulſ. 4ª.69..A
ſm Archigenẽ quibus cõſtet pulſus formicãs.1°.de dign.pulſ. 4ª.75.D.
Archigenis liber de reſtauratione lęſæ memoriæ.3°.de lo.aff. 4ª.15.E
Archigenes de lõgarũ affectionũ notitia librũ fec.3°.de loc.af. 4ª.20.D
Archigenes de locis affectis ſcripſit.1°.de locis affectis. 3. G/2°.10.D/de criſi. 4ª.136.C
Archigenem non intelligebat Galenus,ſenex tamen librum fecit de locis affectis.2°.de loc.affect. 4ª.12.H
Archigenes librũ fecit de pharmacis.2°.de com.me.ſe.lo.133.C/134.H/ 6°.173.D/

6°.173.D/176.D/7°.178.B/2°.de compoſi.medic.per genera. 222..A/
4°.5ª.242.D/de reme.par.fac. 7ª.156.C
Archigenes librũ fecit de pharmacis ſecundũ genus.1°.de comp.med.
ſecũ. locos.125.H/3°.142.D/146.G/4°.157.C/5°.158.G/160..A/162.C/
8°.191.F/196.B/9°.198..A/199.G/10°.206.G/ 5ª.208.G
Archigenes de caſtorei vſu librum fecit.11°.de ſimp.med.fac. 5ª.80..A
Archigenis hiera pro melancholicis.de melancholia.109.H/Sp.110. A
Archigenis præſidũ ad alopecias.1°.de cõp.me.ſe.lo.123.F/ 5ª.125.H
Archigenis ad furfures medicamentũ.1°.de comp.med.ſec.lo. 5ª.128.E.
Archigenis capillos denigrantia.1°.de compo.med.ſec.loc. 5ª.126.H
Archigenis ad achoras medicamentũ.1°.dc.cõp.med.ſec.loc. 5ª.129.B
Archigenis præſidia ad dolorem capitis quando eſt ſine febre.5ª.134.H
Archigenes de capitis dolore ex ebrietate.2°.de cõp.me.ſe.lo. 5ª.138.B
Archigenis ad apthas.7°.de comp.med.ſec loc. 5ª.176.C
Archigenis ad aurium dolores.3°.de comp.med.ſec.loc. 5ª.142.D
Archigenis ad parotidas medicamẽtũ.3°.de cõp.med.ſec.loc.5ª.146.G
Archigenis ad cruſtas.6°.de comp.med.ſec.loc. 5ª.172.B
ſm Archigenem cucurbitula ſupra caput memoriam deperditam re-
ſtaurat.3°.de locis affect. 4ª.15.F
Archigenis ad dentium dolores.5°.de comp.med.ſec.loc. 5ª.163..A
Archigenes ad gurguliões inflãmatas.6°.de cõp.med.ſec.loc.5ª.173.D
Archigenis ad ozenas medicamentum.3°.de cõp.med.ſec.lo.5ª.147.G
Archigenis ad ſugillata.5°.de comp.med.ſec.loc. 5ª.158.H
Archigenis de fiſſuris & cõtuſiõibus ĩ capite fcĩs.2°.de cõ.me.5ª.138.D
Ἀρχήγονον.i.primogenitum,innatũ nobis.aduerſus.Lycum.Ex.65..A
ARCHIMEDES, & Appellides non fuere medici, ſed architecti.de
machin. 7ª.316.C
Archimedis,ſeu Apellidis triſpaſtum.de machin. 7ª.316.C
ARCHISTRATORIS Apollonij ſmylinus. 5ª.252.C
ARCHITECTONICA quæ comprehendat.de lib.prop. Iſa.13.G
in Architectonica certa methodus.de cuiuſq; animi.pec.not. 2ª.57.B
Architectõica quorũ deſcriptiões cõplectat.ď cuiuſq; aĩ pe.no. 2ª.57.B
Architectura innitit arithmeticæ & linearũ ſcĩæ.de aĩ pec.no. 2ª.58.B
Architecturam callebat Galeni pater.de cogn.cur.animi mor.2ª.54.D
Architecti ſunt in ſecunda ſede apud deũ Mercuriũ.in ora.ſuaſ. Iſa.2.F
Architecti inter rationales numerantur.de cuiuſq; aĩ.pec.no.2ª.60..A
Architecti ad medicum comparatio.in 6^{m}.de mor.vulg.cõ.5°. 3ª.188.C
Architectus philoſophus deridet.de cuiuſq; animi pec.no. 2ª.59.H
ARCTICI vel Bunij vires.6°.de ſimp.med.fac. 5ª.45.B
ATCTIVM eſt lappa minor.6°.de ſimp.med.fac. 5ª.42.F
ARCTVRVS quando oriatur.in 1^{m}.de mor.vul.com.1°. 3ª.102.D
Arcturo oriente principium eſt autumni & æſtatis finis.1°.de morbis
vulga.3ª.103.B/com.3°.apho.14°. Ex.22.F
Arcturo oriente pluit ferè, ac frigidi venti ſpirant.in 1^{m}.de morbis vul-
garibus,commen.1°. 3ª.103.B
inter Arcturum & Virgilias quod tẽporis ſpatiũ interſit.in 1^{m}.de mor
bis vulga.com.1°. 3ª.102.B
ab Arcturo ad Vigilias duo menſes intercedunt in 1^{m}.de morbis vulga
ribus,commen.2°. 3ª.107.G
ARCVS cœleſtis quo modo fiat.de hiſt.philoſ. Sp.7.H
Arcus cœleſtis colorum exemplum.de hiſt.philoſ. Sp.8..A
Arcum intendendi impotentiam facit humerorum humiditas.de aere,
aquis,& locis. 2ª.5.C/F
ARDACHA quid,& eius vires.de ſimp.medic. Sp.80.H
ARDENTIA & anthraces affectus fiunt caliditate vincẽte.de palp.
conuulſ.& rigo. 3ª.54.C
Ardens febris quo modo fiat & quando.de victus ratio.in morbis acu-
tis commen.4°. 7ª.134.C
Ardens febris eſt ſynochus.2°.de criſ. 4ª.135.G
Ardens febris ob cerebri inflãmationem.1^{m}.pror.com.1°. 4°.166..A
Ardẽtiſſimæ febres ex inedia frequenter ſupueniũt.8°.met.me.7ª.52.D
Ardẽtes febres facit inedia primũ,poſtea becticas.10°.me.me.7ª.63.F
Ardens febris exquiſita quæ ſit.2°.de criſi. 4ª.135.E
Ardentiſſimæ febres ex bile.8°.de decr.Hippo.1ª.277.B/in 1^{m}.de mor.
vulga.commen.1°. 3ª.104.E
in Ardente febre atra bilis ſupcraſſatur.3°.de loc.aff. 4ª.18..A
in Ardentibus, & tertianis bilis mouetur per carnes, & fit rigor.de
palp.conuulſ.& rig. 3ª.55.E
Ardens febris habet breue tempus.1°.de criſi.126.F/2°. 4ª.135.G
in Ardentium febrium vigore vigilant & delirant,in inclinatione dor
miunt,& ſapiunt.2°.de loc aff. 4ª.14.B
Ardẽtes febres aliquæ ſunt extra periculũ.3°.de ꝑſag.ex pul. 4ª.111.B
Ardens febris maligna eſt, cuius ſupremę partes non caleſcunt. in 1^{m}.
pror.com.1°. 4ª.187.B
in Ardentibus quæ ſigna mala.in 1^{m}.pror.com.1°. 4.175.E
Ardens febris cum refrigeratione, eſt ſymptoma prauum.in 1^{m}.prorrh.
commen.2°. 4ª.175.F
in Ardentibus pernicioſis cõuulſio fit ex ſola ſiccitate.de palp.cõuulſ.
& rig. 3ª.56.C
Ardentium febrium dementia à quo fiat.3°.de loc.affec. 4ª.18.B
Ardentium febrium ſpiritus, qualis.4°.de loc.affec. 4ª.25..A
Ardentis febris inſpiratio, qualis.4°.de loc.affec. 4ª.27..A
Ardentes febres pulſum habent crebrum.2°.dc præſ.ex pul. 4ª.111.B
in Ardentibus febribus tanta eſt vis vrinæ, vt illi ſoli credendum ſit.
in 6^{m}.de mor.vulg.com.1°. 3ª.156.H
in Ardente febre tempora pulſant.3°.de diff.pulſ. 4ª.64.C
Ardens febris.in 6^{m}.de mor.vulg.com.1°. 3ª.160..A
Ardentibus febribus demptis, cor prope mortẽ frigida intemperie affe-
ctum eſt.4°.in 6^{m}.de mor.vulg.com.1°. 3ª.187.D
Ardens febris quo modo ſanetur. 3°.de criſi. 4ª.139.D
in Ardẽtiſſima febre quãdo aqua frigida danda.11° met.med.7ª.70..A
Ardens febris ex aqua frigida ſanata.9°.meth.med. 7ª.60.G
in Ardente febre aquæ frigidæ balneum.11°.meth.med. 7ª.70.B
Ardens febris ex pituita ſalſa non petit balneum.de vict.rat.in morbis
acu.commen.3°. 7ª.133.E
Ardens febris quo modo abeat.2°.de ſymp.cau. 3ª.22.F
nec Ardentes febres, nec profluuiũ ſanguinis facit aquilo.in 1^{m}.de mor
bis vulgar.com.1°. 3ª.104.E
Ardentẽ febrẽ ſemel habuit Galenus.de palp.conuulſ.& rig.3ª.56..A/
4°.de locis affectis. 4ª.22.E
ARDOR febris,qui.ſi.med.Iſa.46.C/com.7°.apho.42°. Ex.57.D
Ardor fit ob calidam & ſiccam intemperiem.de atra bile. 1ª.35..A
Ardores, febres exactę ſiccæ ſunt.aduerſus.Lycum. Ex.62..A
Ardores & ſitis ꝓpriũ ardentis febris.in 1^{m}.de mo.vul.cõ.2°.3ª.115..A
Ardor vigilias inducit.3°.de loc.aff. 4ª.16.F
Ardores cur in iuuenibus fiant.com.3°.apho.29°. Ex.25.B
Ardores cur fiant in conſiſtentibus, & quo.com.3°.aph.30°. Ex.26.E
cum Ardore frigidi ſudores ſignificant morbi longitudinem.præſag.ex
per.confir. (corruptus eſt textus.) Sp.77.G
Ardor externus numeratur inter cauſas extrinſecis doloris capitis.2°.
de compo.med.ſec.loc. 5ª.131.H
Ardor ex quo fit dolor capitis ſignificat ex ſole æſtiuo circa caput factã
perſeuerantem caliditatem.2°.de comp.med.ſec.loc. 5ª.132.E
ob Ardorem, & dolorem reſpiratio difficilis.1°.de diff.reſp. 3ª.59..A
Ardorem facit & ventrem procurat vua paſſ.de ſimp.med. Sp.92.B
in Ardoribus oleum eſt ſolatium.2°.de ſimp.med.fac. 5ª.15.B
Ardoribus prodeſt omphax & quo.4°.de ſimp.med.fac.25.B/ 5ª.27.F
Ardorem ſtringit ſiligo tritici.de ſimp.med. Sp.90..A
ad Ardorem multum perferentes.8°.de compo.med.ſec.loc.5ª.189.G/
de remed.par.fac. 7ª.160.E
ab Ardore ſtomachi ſi q ructãt male, electuariũ vtile.de dyn.Sp.26.C
ad Ardorem ſtomachi.8°.de comp.med.ſec.loc. 5ª.189.G/.190.D
ad Ardorem ſtomachi confert oriza cum butyro.8°.de cõpoſitione me
dicamen.ſec.loc. 5ª.191.H
ad Ardorẽ ſtomachi cũ ſyncope ſorbitiões.8°.ď cõp.me.ſe.lo.5ª.191.H
ad Ardorem ſentientes ſtomachicos.8°.de comp.med.ſec.lo. 5ª.190.H
AREIS, barbatis, trabibus, columnis, quam cauſam aſſignent Peri-
patetici.de hiſto.philoſ. Sp.7.F
AREA quid ſit & quo modo curetur.de reme.par.fac. 7ª.154.E
Aream, vel tineam quid tollat.de dyna. Sp.23.D
AREO Aſclepiadeo traditum pharmacum à Dioſcoride. Tharſeo mi-
rifice ſanguinis profluuia cõprimens.5°.de cõp.me.per gen.5ª.254.E
ex Areo medicamentum ad colicos, & pſoras.10°.de cõpoſitione me-
dicamen.ſec.loc. 5ª.208..A
Arei medicamentum, ad nomas, & vuluæ exeſum.5°.de compoſitione
medicamen.per genera. 5ª.254..A
Arei ad pſoras depaſcentes.5°.de comp.med.per gen. 5ª.251.F
Arei ad herpetas. 5°.de comp.med.per gen. 5ª.251.E
Arei Lecanij aridum exedens.5°.de comp.med.per gen. 5ª.252.H
AREOTICA medicamenta dicuntur quæ rarefaciunt.5°. de ſimpli-
cium medic.fac. 5ª.35.F
AREFACERE medicamenta emplaſtica collige.in 6^{m}.de morbis vul
ga.commen.2°. 3ª.161..A
ab Arefacientibus cũ marceſcunt corpora in ſeipſa ſubſident.de cauſis
morborum.

morborum. 3ª.9.B
Arefactis ſub ſole remedium expeditũ & facillimum eſt ſm quoſdã non modo bibere, ſed calidæ & dulcis aquæ balneo vti.1°.de tẽp. 1ª.10.E
ARENAE fluuiatiles, & marinæ tumentem carnem ab aqua intercutem exiccant.9°.de ſimp.med.fac. 5ª.67.G
Arena, pilus, ſordes, oleum, & id genus, & oris vulnerum glutinationẽ prohibent.4°.met. med. 7ª.23.C
Arenoſam terram vt ad pleraq; inutilem damnant agricolæ.9°.de ſimplicium medic.fac. 5ª.64.G
Arenoſa & petroſa terra intemperata eſt.11°.de vſu.par. 1ª.190.B
Arenula in oculo quo modo eximatur.14°.meth.med. 7ª.93.A
ab Arenis, vel craſſis, & tenacibus ſuccis cum tantũ fit obſtructio, & lapis nondum conſtitit, neq; magnus eſt, quid agendum ſit.de renum affectuum & dign.& med. 7ª.194.D
Arenularum & lapidum differentia.de ren.af.dig.& med. 7ª.193.C
Arenulæ quomodo fiant in renibus.in 6m.de mor.vulg.cõ.1°. 3ª.155.G
Arenam habens vrina, & veluti raſuram, & in nebulis quaſi ſanguinem, renum colliquationem oſtendit.de dyna. Sp.34.G
Arenulæ tenues quando excernuntur, ſe non putant ægrotare.de re.aff. dig.& med. 7ª.193.C
Arenoſa in lotijs ſubſidentia quid ſignificent.de nat.hu.cõ.1°.7ª.180.F
Arenoſa in vrinis materies quibus ſubeſt, ijs veſica calculeſcit.de vrinæ ſignificatione ex Hippo. Sp.78.H
Arenalis mictus ſigna.de dyna. Sp.28.H
Arenalis mictus curatio.de dynamidijs. Sp.28.H
ad Arenoſas ſubſidentias.10°.de comp.med.ſec.loc. 5ª.206.E
Arenæ ſimile in abſceſſibus eſſe uidet̃.2°.de ar.cur.ad Glauc. 7ª.105.B
Arenoſum ſedimentum quando fit.de ren.aff.dig.& med. 7ª.192.D
ARGEMON eſt vlceratio, quæ in nigro oculi alba apparet, in albo autem ſubrubra.fin.med. Iſa.48.D
Argemon in iridis circulo, vel in albo, interdum etiam nigro, vlcus rotundum & ſubalbidum oritur.intro. Iſa.58.H
ARGEMON vel eupatorium quid ſint.de ſimp.me. Sp.80.D
Argemone eſt diuretica valde.de ſimp.medic. Sp.80.D
Argemone abſtergit & digerit.6°.de ſimp.medic.fac. 5ª.43.E
Argemone vlcera exiccat.4°.de comp.med.per gen. 5ª.236.G
Argemone ad neruos uulneratos ualet.3°.de cõp.med.per ge. 5ª.234.B
Argemone valet contra venena de ſimp.medic. Sp.80.D
ARGEMAS expurgat lactucæ agreſtis ſemen.6°.de ſimplicium medicamentorum.facul. 5ª.48.E
ARGENTVM purum Romani candidũ vocant.1°.de antid. 5ª.104.D
Argentum eſſe ſiccum, collige.in 3m.de morb.vulg.com.2°. 3ª.141.A
Argenti talenti meminit.in 3m.de mor.vulg.com.2°. 3ª.137.A
in Argenteis metallis etiam eſt cadmia.9°.de ſimp.med.fac. 5ª.69.E
Argentum viuum extinguit̃ ſputo, & cinere.de dyna. Sp.30.E
Argenti ſpuma lythargyrium dicitur.de ſimpl.med. Sp.90.F
Argenti ſpuma eſt venenum.in 6m.de mor.vulg.com.6°. 3ª.197.A
ad Argenti ſpumam haurientes quid valeat.2°.de antid. 5ª.114.D
Argenti ſpuma qualis.1°.de compoſ.med.per gen.212.E/4°.240.H/5°.247.D/6°.5ª.257.F/5°.meth.med. 7ª.36.E
Argenti ſpumæ chryſitidis.1°.de cõp.med.per ge.215.G/2°. 5ª.223.A
Argenti ſpuma funditur, & quo modo.1°.de cõp.med.per ge. 5ª.212.F
pro Argenti ſpuma fundenda oxelæũ.1°.de cõp.med.per gen. 5ª.212.F
Argẽti ſpuma quo modo cito liqueſcat.1°.de cõp.med.per.gen.5ª.217.E
Argenti ſpuma cruda quid agat.1°.de comp.med.per gen. 5ª.213.D
Argenti ſpuma per cocturam fit melior.6°.de cõp.me.ſec.loc. 5ª.168.E
Argenti ſpuma fit nigrior coctione.6°.6e com.med.per gen. 5ª.257.H
Argenti ſpuma quo modo lauanda.1°.de med.per.gen. 5ª.213.D
vt Argenti ſpuma quæ lauentur.1°.de comp.med.per gen. 5ª.213.E
Argenti ſpumæ torreſactæ fit mentio.5°.de comp.med.ſec.lo. 5ª.162.B
Argenti ſpuma quo mõ roſione carebit.1°.de cõp.med.per ge. 5ª.213.D
Argenti ſpuma ſtringit aliquatenus, & refrigerat.de ſimp.me.Sp.90.F
Argenti ſpuma aufert mordacitatem pharmaci ex charta.1°.de compoſitione medicamen.ſec.loc. 5ª.128.H
Argẽti ſpumæ duplex vſus in emplaſtris.6°.de cõ.med.p.gen.5ª.257.F
Argenti ſpuma ponitur pro forma emplaſtri, & qualis ſit.5°.de cõpoſitione medic.per gen. 5ª.246.C
Argẽti ſpumæ et ceruſſæ cõparat̃ molybdena.1°.de cõ.me.p g.5ª.215.A
Argenti ſpuma, & molybdena valet ad eoſdem uſus, & quo modo differant.1°.de com.med.per gen. 5ª.213.F
cũ Argenti ſpuma quando eſt ceruſſa, quo modo ponenda in emplaſtrũ.1°.de compo.med.per gen. 5ª.215.G
ex Argenti ſpuma, & œneleo empl̃m.1°.de cõp.med.per gen. 5ª.213.C
ex Argenti ſpuma, & hydrelæo empl̃m.1°.de cõp.me.per ge. 5ª.212.H
ex Argenti ſpuma & ceruſſa empl̃a alba.1°.de cõp.me.p gen.5ª.213.G
ex Argenti ſpuma cruda & oleo acopon.7°.de cõp.me p ge. 5ª.264.H
ex Argenti ſpuma, & oleo emplaſtrũ.1°.de cõp.med.p gen. 5ª.213.A
Argenti ſpuma achoribus conuenit.1°.de compo.med.ſec.loc. 5ª.128.H
pro Argenti ſpuma ceruſſa vti abſurdũ.1°.dc.cõp.me ſec.loc. 5ª.130.B
Argenti ſcoria helcyſma dicitur.9°.de ſimp.med.fac. 5ª.71.A
ex Argẽto nõ puro vaſa rubiginẽ cito cõtrahũt.1°.de antid. 5ª.104.D
Argentei vaſis meminit.7°.de compo.med.ſec.loc.181.G/5ª.274.F/G/ de incant.adiur.& ſuſp. 7ª.182.B
Argenteæ phialæ meminit.7°.de comp.med.per gen. 5ª.274.F
Argenteę pyxidis meminit.7°.de compoſ.med.ſec.loc.179.E/5ª.186.A
Argenteæ cucurbitulæ, quia uehementius igniuntur, reijciendæ ſunt.de cucur.ſcari. 6ª.3.C
ARGYRITES terra, quæ.9°.de ſimplicium medic.facult.5ª.66.D. de de ſimplici.medicaminibus. Sp.85.C
Ἀργυροτρόφημα quid. de.ſuc.bon.& vitio. 2ª.39.B
ARGILLA candida eſt friabilis, & nihil habet pinguedinis.9°.de ſimplicium med.fac. 5ª.64.G
Argilloſa terra vt inutilis ad multa damnator ab agricolis.9°.de ſimplicium medic.fac. 5ª.64.G.
ARGVMENTVM quid ſit.in 1m.de mor.vulg.com.3°. 3ª.117.H
Argumentorum variæ ſpecies in libris tum antiquorũ, tum Galeni tractantur. 2°.de decre.Hipp. 1ª.235.A
Argumẽtationes quo ordine debẽt poni ĩ ſciẽtijs.2°.de dec.Hip.1ª.135.C
in Argumẽtatiõib⁹ ueris debem⁹ exerceri.de cuiuſq;.aĩ.pe.no.2ª.57.E
Argumenta remotiora quæ dicantur.2°.de dec.Hipp. 1°.235.C
Argumentum ex modo loquendi.commen.1°.aphor.20°.9.H/com.2°.apho.23°.16.F/com.7°.apho.63°. Ex.59.H
Argumentum per diſtinctionẽ à contrario.com.1°.apho.21°. Ex.10.B
Argumentũ quo quis poteſt vti, q̃n intẽdit probare aliquã ſententiam, vel aliquẽ librum nõ eſſe alicuius authoris.cõ.7°.aph. 63°. Ex.39.H
Argumentum Galeni in empiricos, qui ex ſingularibus experientiam fieri volebant.aduerſus emp.med. Iſa.35.E
ARIDITAS pilorum affectus.fi.med. Iſa.48.B/C
Ariditate corporis cognoſcuntur morbi ſicci venarum & arteriarum. de vict.rat.in mor.acut.com.1°. 7ª.112.F
Ariditas cutis eſt in cauſa cur nõ ſudemus.com.5°.aphor.71°. Ex.45.F
ob Ariditatem ſenes vigilant.3°.de loc.affe. 4ª.16.F
Ariditas ſolidorum membrorũ quibus reparetur.de marcore.3ª.48.D
in Ariditatibus aquæ quales.de bon.aquæ. Sp.75.G
Aridi & duri qui dicantur.6°.de com.med.ſec.loc. 5ª.176.F
Arida valde eſt ſepti tranſuerſi temperies.6°.de loc.aff. 4ª.40.F
Aridiore ſunt temperatura aues quã nos ſimus.in 6m.de morbis vulg. commen.4°. 3°.186.H
Aridum ſi conſumitur iam alendi inſtat occaſio.ad Thraſy. 2ª.104.E
Aridum corpus quo modo ſanetur.3°.de ſan.tuen. 2ª.81.F
in Aridioribus morbis ptiſſana non danda.de ptiſſ. 2ª.47.H
Aridis damnoſe præbetur lens.1°.de ali.fac. 2ª.13.E
Aridæ diſpoſitioni non conuenit cucurbitula.3°.de.loc.aff. 4ª.15.G
Aridæ & viridis mentæ differentiam non facit Gal.2°.de compoſitione medic.ſec.loc. 5ª.138.G
Arida & viridis ruta multũ differunt.2°.de cõp.me.ſec.loc. 5ª.136.D
Aridũ ſerpillũ & viride multũ differunt.2°.de cõp.me.ſe.lo. 5ª.136.E
ARIDA quæ ſint.9°.de comp.med.ſec.loc. 5ª.205.D
Arida moderate adſtringentia.6°.de comp.med.ſec.loc. 5ª.172.G
Arida fortiora adſtringentia.6°.de comp med.ſec.loc. 5ª.172.G
Arida adſtringentia vehementiſſima.6°.de comp.med.ſec.loc.5ª.172.G
Aridum erodens.5°.de comp.med.per gen. 5ª.253.B
Aridum excdens ſine morſu.5°.de comp.med.per gen. 5ª.252.E/H
Aridum capiti accõmodatum.5°.dc comp.med.per gen. 5ª.252.G
Aridum cicatricem inducens.5°.de comp.med. per gen. 5ª.252.G
Arida collyria pro oculis.4°.de comp.med.ſec.loc. 5ª.151.H
Aridis vtitur ad columellam.6°.de comp.med.ſec.loc. 5ª.172.G
Aridum Galeni ad tuendam oculorum valetudinem.4°.de compoſitione medica.ſec.loc. 5ª.152.A
Aridum Galli.5°.de comp.med.per gen. 5ª.252.F
ARIES eſt calidus in ſecundo gradu, ſiccus in tertio.de ſper. Sp.38.H
Aries, leo, ſagittari⁹, sũt oriẽtales, calidi, ignei & ſicci.de ſp.Sp.39.A
Aries ſi capram inierit, facit capram molliori pilo.2°.de ſemi.1ª.336.G
Arietes non vndequaq; laudabilis ſunt alimenti.atte.vict.ra.2ª.45.E

Arietum

Arietum caro qualis.3°.dc alimen.fac. 2ª.26.A
Arietum carnes quidam cum delectatione edunt, quidam non poſſunt etiaw odorem ſentire.de conſuet. 2ª.61.A
Arietum teſtes inſuaues ſunt, coctu difficiles, & mali ſucci.3°.de alimen torum facultatibus. 2ª.27.A
ARIES, vinculi nomen.de faſcijs. 7ª.293.H
ARIETINA cicera qualia.1°.de alimen.fac. 2ª.14.B
ARII Tarſenſis medicamentum.9°.de comp.med.ſec.loc. 5ª.199.C
Arij Aſclepiadei malagma.8°.de comp.med.ſec.loc. 5ª.193.A
ARIOBARZANION album.1°.de comp.med.per gen. 5ª.216.D
ARIOREPANII radicem in vinum dulce demittito, & ægrotanti potui dato ad vulnera incurabilia.3°.de med.fac.parab. 7ª.167.C
ARISARVM radicem habet oliuæ magnitudine.6°.de ſimplicium medicamen.facul. 5ª.43.F
ARISTARCHI Tarſei paſtillus.5°.de comp.med.per gen. 5ª.251.B
Ariſtarchi Antidotus.7°.de compo.med.ſec.loc. 5ª.186.A
ARISTIDES quo modo iuſtus euaſiſſet.de cog.cur.aĩ.mor. 2ª.54.A
ARISTION cuius Gloſſocomi fuerit author.de machin. 7ª.315.E
ARISTIPPVS voluptatem ſtatuit finem philoſophiæ, & quid eam eſſe dixerit.de hiſt.philoſ. Sp.2.H
ARISTO putauit vnam tantum eſſe animæ facultatem, ideſt rationalem, & vnam virtutem.7°.de decre.Hippo. 1ª.268.D
ARISTOCHIVS 5°.de decre.Hippo. 1ª.257.E
ARISTOCLES. 8°.de comp.med.ſec.loc. 5ª.195.A
Ariſtoclis malagma.7°.de comp.med.per gen. 5ª.265.H
Ariſtoclis ſtomaticum.6°.de com.med.ſec.loc. 5ª.170.D
ARISTOCRATIS ad dolores dentium & gingiuarum.5°.de compoſitione med.ſec.loc. 5ª.165.B
Ariſtocratis molaris.5°.de comp.med.ſec.loc. 5ª.165.B
ARISTOLAVS. 9°.de comp.med.ſec.loc. 5ª.203.F
ARISTOLOCHIA quid, & eius vires.de ſimp.med. Sp.80.F
Ariſtolochiæ tres ſunt ſpecies, tenuis, craſſam radicem habens, & rotunda.1°.de antidot. 5ª.107.D
Ariſtolochia clematite vtuntur vnguentarij ad vnguenta.6°.de ſimplicium med.fac.43.E/7°.de comp.med.ſec.loc. 5ª.186.H
Ariſtolochia Cretica rotunda eſt.5°.de comp.med.per gen. 5ª.251.D
Ariſtolochia Cretica eſt tenuis corticis.11°.de cõp.me.ſec.lo. 5ª.207.H
Ariſtolochiæ Creticæ vſus.10°.de comp.med.ſec.loc. 5ª.207.G/H
Ariſtolochiæ dactylitis vſus.7°.de compo.medic.ſec.loc.179.G/273.C/ 2°.de comp.med.per gen. 5ª.226.B
Ariſtolochia qualis.6°.de comp.med.ſec.loc.270.G.5°.de cõpoſ.med. per gen.247.C/6°.5ª.258.B/3°.meth.med. 7ª.18.A
Ariſtolochiæ et iris qb° ſubtiliores ſint.& cur.4°.de ſim.me.f.5ª.30.B
Ariſtolochiam eſſe herbam tenuium partium, collige.3°.de compoſitione medic.per gen. 5ª.234.B
Ariſtolochia leuiſſima eſt.5°.de comp.med.per gen. 5ª.249.A
Ariſtolochia medicamentaria & calida facultate.9°.de compoſitione medicamen.ſec.loc. 5ª.197.F
Ariſtolochia eſt amara & ſubacris.6°.de ſimp.med.fac. 5ª.43.E
Ariſtolochia eſt amarior abſinthio.de cura icteri. Sp.111.A
Ariſtolochia imbecillior centaurio, & chamelæa.5°.de compoſitione medicamen.per gen. 5ª.246.A
Ariſtolochia numeratur inter digerentia med.14°.meth.med. 7ª.91.E
Ariſtol.& iris detergentiũ ſumme lenia, & immordacia ſunt.5ª.256.F
Ariſtolochia parum extergit.6°.de comp.med.ſec.loc. 5ª.271.H
Ariſtolochia magis detergit moderatiſſime detergentibus.8°.methodi medendi. 7ª.52.H
Ariſtolochia rotunda ſubtiliſſima eſt.6°.de ſimp.med.fac. 5ª.43.E
Ariſtolochia rotũda dolores ab infarctu, aut craſſitie crudorum ſpirituũ natos curat, ſpicula extrahit, putredines ſanat, ſordida vlcera repurgat, dẽtes & gingiuas cãdidas efficit: aſthumaticis auxilio eſt, ſingultientibus, comitialibus, podagricis, ſi cũ aqua bibatur: tum ruptis et conuulſis idoneum eſt medicamentum.6°.de ſimp.med.fac. 5ª.43.F
Ariſtolochia rotunda incidit corpulentiam.14°.meth.med. 7ª.191.D
Ariſtolochia euſtomacha.de dynamidijs. Sp.21.G
Ariſtolochia rotunda pituitam purgat, & choleram.de dyna. Sp.21.G
Ariſtolochia rotunda aſthumatico datur.de med.exper. Sp.104.C
Ariſtolochia rotunda, quibus ſit efficacior longa.6°.de ſimplicium medicamentorum facul. 5ª.43.E
Ariſtolochiæ tenuis vſus.5°.de compoſitione medic.per.gen.5ª.249.D/ de cura icteri. Sp.111.B
Ariſtolochiæ longæ vſus qualis.6°.de ſimp.med.fac. 5ª.43.E
Ariſtolochia longa abſtergit, & digerit minus quam rotunda. 5ª.43.E
Ariſtolochia vrinas, & menſes prouocat.5°.de ſimp.med.fac.5ª.38.A
Ariſtolochia ad viperarum morſus, & ad alia venena intrinſecus facit de ſimplic.medicamin. Sp.80.F
ex Ariſtolochia oleum mitigatorium quibus ſit valentius in duris corporibus.3°.de comp.med.per gen. 5ª.235.A
Ariſtolochia cephalicum eſt medicamentum.6°.meth.med. 7ª.42.B
Ariſtolochia longa vlceribus carne explẽdis & fomentationibus vteri commodior eſt.6°.de ſimp.med.fac. 5ª.43.E
Ariſtolochia vlcera abſtergit, & expurgat.4°.de ſimp.me.fa. 5ª.29.F
Ariſtolochia vulnera exiccat.4°.de comp.med.per gen. 5ª.236.G
Ariſtolochia carnem explet.2°.de compoſ.medic.per gen. 5ª.220.B/ 3°.meth.med.16.G/ 7ª.18.A
Ariſtolochia vlceri cauo conuenit.2°.de comp.med.per gen. 5ª.218.G/ de ſimpl..medicamin. Sp.80.F
Ariſtolochia vlcera ſanat.4°.de compo.med.per gen. 5ª.240.C
Ariſtolochiarum radices ad neruos vulneratos valent.3°.de compoſitione medic.per genera. 5ª.234.B
Ariſtolochię radix cum melle cruſtas optime diſrumpit.2°.de arte.cur. ad Glauconem. 7ª.107.B
Ariſtolochiæ in auricularia medicamẽta miſcentur.3°.de compoſitione medic.ſec.loc. 5ª.141.B
Ariſtolochia in emplaſtris mittitur.de ſimpli.medic. Sp.80.F
ex Ariſtolochia duplici, nigrum.5°.de comp.med.per gen. 5ª.247.B
ex Ariſtolochijs duabus emplaſtrum.5°.de cõp.med.per gen.5ª.250.F
Ariſtolochiæ electuarium.de med.exper.105.F/ Sp.108.A
ad ARISTONEM refertur liber de ſalubri victu, qui & ipſi inſcribitur Hippocrati.com.6°.apho.1°. Ex.46.D
Ariſtonis colica.9°.de comp.med.ſec.loc. 5ª.202.C
ARISTOPHANES in nebulis Socratem lacerat.in 6m.de morbis vulgaribus commen.4°. 3ª.191.B
ARISTOTELES ſolus verus veritatis ◌̃nſor.de vti.re. Sp.64.H
Ariſtoteles & Theopraſtus non ſunt legendi ſine methodo.3°.de ſimplicium medic.fac. 5ª.17.E
Ariſtotelis ſcripta ſunt cõmentaria phyſiologiæ Hippocratis.2°.de natura.fac.1ª.297.H/1°.meth.med. 7ª.3.E
Ariſtoteles ĩterp̃tatus eſt Hippocratẽ & Plato.2°.de nat.fac.1ª.300.H
Ariſtoteles & Athenæus delectant demõſtrationibus.1°.de ſe.1ª.333.B
Ariſtoteles multum tribuit ſuis principijs.1°.de ſemi. 1ª.330.D
Ariſtotelis auſcultationes familiaribus cõditæ.de ſub.fac.na. 1ª.230.B
nõ Ariſtoteles ſolus, ſed multi alij reſolutoria ſcripſ.2°.d dec.1ª.235.D
apud Ariſtotelẽ quid ſint lemmata probabilia.2°.de dif.pul. 4ª.54.D
Ariſtoteles arbitratur cœlum, & ſtellas animal immortale, & ratione præditum.de hiſto.philoſ. Sp.11.E
Ariſtoteles de duro & molli, Platone elimatius egit.3°.d dif.p.4ª.63.E
Ariſtoteles primus reducere aggreſſus eſt particularium omniũ cauſas ad actiuas, & paſſiuas qualitates.1°.de nat.fac. 1ª.192.C
Ariſtoteles in libris de generatiõe, & corruptiõe quatuor qualitatibus ad elementorum generationem vtitur, in meteorologicis, & problematibus, atque alibi tantum duabus.1°.de nat.fac. 1ª.291.C
Ariſtoteles vtitur calido, frigido, humido, ſicco, alijs veluti agentibus, alijs veluti patientibus.2°.de nat.fac. 1ª.299.G
Ariſtoteles accuſari poteſt, ꝙ ſuorũ decretorum oblitus, naturæ opera diuerſo modo in animalibus, & plãtis exponit.1°.de ſemine.1ª.331.F
Ariſtoteles ait calorem aggregare ſimilia, & diſgregare diſſimilia.de vtilitate reſp. Sp.64.A
Ariſtotelis opinio de inſtrumento odoratus.de inſtr.odor. 1ª.111.D
Ariſtoteles ponit tactũ fieri in carne totius corpis.de util.reſp.Sp.63.D
Ariſtoteles animæ naturalem partem addidit.de hiſt.philoſ. Sp.5.A
Ariſtoteles & Plato de animæ partibus non multum differunt.7°.de decretis.Hippocra. 1ª.268.C
Ariſtoteles appellat facultates animę quas Plato partes & ſpecies.6°. de decretis Hippo. 1ª.261.D
Ariſtoteles quid de aĩæ facultatibus ſenſerit.3°.de decr.Hip. 1ª.245.G
Ariſtoteles in corde poſuit omnes animæ facultates.4°.de decretis Hippocratis.248.D/6°. 1ª.260.E
Ariſtoteles quid ſentiat de ratiocinatrice parte, iraſcibili, ac concupiſcibili.5°.de decre.Hippo. 1ª.259.F
apud Ariſtotelem aĩæ partiũ nominũ d̃ria.6°.de decr.Hip. 1ª.261.H
Ariſtoteles ſcripſit quę ad animi perturbationũ remedia pertinebant. de cogn.cur.animi mor. 2ª.50.D
Ariſtoteles Chryſippus & Plato diſcrepãt de virtutum differentia, ſed

conueniunt in concluſiones.5°.de decre.Hippo. 1ª.258.F
Ariſtoteles primus de corporis partibus locutus eſt intro. Iſa.52.G
Ariſtoteles inqt humores mortuo hoīe in terrā redire.de ſper. Sp.40.E
ſm Ariſtotelē ſperma in quo ſit genere cauſarū.de anat.viuo. Sp.55.G
ſm Ariſtotelem oē membrū ſit ex ſanguine mēſtruo.1°.de ſe. 1ª.332..A
Arl'es appellat humorē chryſtallinū grādinē glacialē.đ ana.vi.S.48.D
Ariſtotelis ratio cur natura animalibus ijs quorū oculos exterior tunica durà protegit palpebras non dederit.de inſtr.od. 1ª.112.B
Ariſtoteles poſuit membrū vnū principale cor.de anat.viuo. Sp.56..A
Ariſtoteles ponit cor frigidę cōplexionis de ſubſtātia.de ana.ui.Sp.56.B
Ariſtoteles ſenſit calorē & oīa ortū habere à corde.de ana.ui.Sp.45.G
ſm Ariſtotelem cor eſt principiū ſanguinis,& cur.de ana.ui. Sp.50.F
ſm Ariſtotelē generat̄ ſanguis in vētriculis cordis de vti.re. Sp.62.F
ſm Ariſtotelē motus et ſenſus principiū eſt ī corde.de vti.re. Sp.63.D
Arl'es ponit cor eſſe principiū uenarū, & arteriarū.de ana.ui.Sp.56.E
ſm Ariſtotelem,arteria & vena ſeroſi humoris ſubſtantiam gignunt. 1°.de ſemine. 1ª.332.G
Ariſtoteles fuit inuentor huius vocabuli aorta.de ven.art diſ. 1ª.55.G
Ariſtoteles ſenſit in hepate nullam eſſe arteriam.de vtil reſp. Sp.64.E
ſm Ariſtotelem lien eſt hepar ſiniſtrum de vtil.reſp. Sp.64.H
Ariſtoteles vngues dicit eſſe munimentum. 1°.de vſu partium. 1ª.114.F
Ariſtoteles recte cenſuit fœminam mare eſſe imperfectiorem,non tamē totam hanc diſputationem eſt executus.14°.de vſu partiū. 1ª.205.E
neq; Ariſtoteles neq; ſuperiorum quiſquam omnes organorum actiones dixit.1°.de vſu partium. 1ª.114.H
Ariſtoteles mire errat in vnguium vtilitate.1°.de vſu par. 1ª.114.E
Ariſtoteles accuſatur à Galeno:quoniā caloris cordis refrigerandi cauſa cerebrū extitiſſe confirmat ſui ipſius immemor, qui reſpirationem huius rei cauſa paratam dixerit.8°.de vſu partium. 1ª.165.G
Ariſtotelis error ī tribus vnius naturę potētijs.6°.de de.Hip.1ª.261.D
Ariſtoteles reprehenditur de viſione.7°.de decr.Hippo. 1ª.272.C
Ariſtoteles neſciuit vnde ſomnus fieret.1°.de ſym.cau. 3ª.19..A
Ariſtoteles de neruis confuſe,& indiſtincte bis tractauit.1°.de decretis Hippocratis. 1ª.233.D
Ariſtoteles quo modo errauerit ponendo cor principium neruorum.1°. de decre.Hippo.233.H/ 1ª.234..A
cōtra Ariſtotelem cor non eſſe principium neruorum.1°.de decre Hippoc.232.C/233.D/ 1ª.272.H
Ariſtoteles teſtibus ſeminis gn̄ationē auferebat,et male.1°.de ſe.1ª.33.C
Ariſtoteles ignorauit vaſorum ſeminalium coniunctionem in muliere. de diſſ.vuluæ. 1ª.109.C
Ariſto.non ſeruauit ſuā ipſius legem in nominibus.11°.met.me. 7ª.71.B
Ariſtotelis cōtradictio citat̄ qui nūc dicit aerē non eſſe intra aquā, nūc glaciem fieri ex aqua per expreſſionem aeris.de vtil.reſp. Sp.64.C
ARISTOXENVS alexandri philaletis diſcipulus. 4°. de differ. pulſuum. 4ª.68.D
Ariſtoxeni pulſus definitio.4°.de diff.pulſ. 4ª.67.C
ARITHMETICA eſt ars nobilis.in ora.ſuaſoria. Iſa.5.G
Arithmetica principalis ſciētia appellat̄.de cog.cur.ani mor. 2ª.54.D
in Arithmetica eſt certa methodus.de cuiuſq; animi pec.noc. 2ª.57.B
Arithmetica,oratoria,& ædificatoria, nullum commune propoſitum habent.ad Thraſy. 2ª.105.C
Arithmeticæ finis in contemplatione poſitus eſt.ad Thraſy. 2ª.106.D
Arithmetica acuit animum.de cuiuſq; animi pec.not. 2ª.56.G
Arithmeticæ innituntur architectura & aſtronomia. de cuiuſq; animi pec.not. 2ª.58.B
Arithmetica,exercitatio iuuenū eē dēt.ad eos.qui de typ.ſcri. 3ª.92.G
Arithmeticam antiquiores primo docebantur. de lib.prop. Iſa.13.F
Arithmeticam callebat Galeni pater.de cog.cur.animi mor. 2ª.54.D
Arithmeticam didicit à patre Galenus.de or.lib.ſuorum. Iſa.15.D
Arithmetica & geometria tm̄ vtuntur diuites, quātū extruēdis ædib9, & cōputandis expenſis conducit.de præſag.ex inſ.ſum. 4ª.214.C
in Arithmetica & ſupputatione caſus.2°.de decre.Hipp. 1ª.235.D
Aritmetici occupant primā ſedē apud deū Mercuriū.in or.ſu. Iſa.2.F
Arithmetici inter rōnales numerant̄.de cuiuſq; animi pec.no.2ª.60..A
Arithmeticus ſimul grammaticus,& philoſophus ſi fuerit idem homo, poterit quiſpiam vnius artis has omnes eſſe particulas exiſtimare. ad Thraſybulum. 2ª.105.E
ARIVS Aſclepiades librum fecit de proprijs pharmacis. 4°. de compoſ.medic.ſec.loc. 5ª.156.B
ARIVSIVM vinum celebratiſſimum eſt. de atte. vic. rat. 2ª. 46. D/ de vinis. Sp.77.B
Ariuſium vinum prouenit in Chio.2°.de compoſi. med. per.gen.223.C/ de vinis. Sp.77.B
Ariuſium vinum in Aſia aquoſum.2°.de compo.med.ſec.loc. 5ª.133.D
Ariuſium vinū quale.4°.de ſa.tu.85.H/5°.2ª.90.H/1°.de ant.100.H/ 2°..118.E/1°.de.cōp.med.per gen. 5ª.213.D
Ariuſium vinum calidum.de bo.& vitio ſuc. 2ª.38.E
Ariuſium vinum fuluum & odoratum.4°.de cōp.me.ſec.loc..5ª.152.B
Ariuſium vinum fuluum in Aſia optimum.de vinis. Sp.77.B
Ariuſium vinum ſimile Adriano.5°.de ſan.tuen. 2ª.90.H
Ariuſium vinum bibere poſſunt ſenes, quibus caput eſt valentius. 5°.de ſanitate tuenda. 2ª.90.H
Ariuſium vinum dandum pituitoſis,frigidiſq; temperamentis,ac humorū crudorum copia refertis,ocioſe viuentibus,in regione frigida, & hyeme,& cœli ſtatu frigido,ac humido.de vinis. Sp.76.G
Ariuſium vinum quibus non eſt dandum.de vinis. Sp.76.G
Ariuſium vinum non eſt idoneum bilioſis,vel natura,vel alia cauſa. de bo.& vitio ſuc. 2ª.38.E
ARMA cur non dederit natura hominibus.1°.de vſu par. 1ª.113.G
ad Armaturam dantur cornua quibuſdam animalibus, quibuſdam dētes.de anato.viuo. Sp.49.E
Arma conueniebant audacibus.1°.de vſu par. 1ª.113.B
Armorū meditatio,motus hoplomachicus dicitur.2°.de ſa.tu. 2ª.75.D
Armorum vmbratilis meditatio,eſt exercitatio celeris citra robur.2°. de ſanitate tuenda. 2ª.74.F
Arma ſunt exercitationes magnæ.in 6^m.de mor.vulg.com.1°.3ª.156..A
Armatus qui pugnat exercetur,& operatur.2°.de ſan.tuen. 2ª.73.G
Armatura graui tectum celeriter agitari,eſt vehemens exercitatio.2°. de ſanitate tuenda. 2ª.74.G
ARMEONIVM eſt minium.de ſimp.me. Sp.81.C
Armeonium à proprietate genas ſiccat, & nutrit palpebras.de ſimp. medicam. Sp.81.C
ARMENIACA mala aliqui nominant, alij armenia. 2°. de alimentorū facultatibus. 2ª.19.E
Armeniaca ſunt ex genere perſicorum.2°.de ali.fac. 2ª.19.E
Armeniaca bonitate ſuperant perſica.2°.de ali.fac. 2ª.19.E
Armeniaca non corrumpuntur,neq; aceſcunt in vētriculo, vt perſica. 2°.de alimen.facul. 2ª.19.E
Armeniacis præſtantiora ſunt pręcocia.2°.de ali.fac. 2ª.19.E
Armeniaca non poſſunt ſiccari.de bo.& vitio ſuc. 2ª.36.H
ARMENIACVM ſal foditur.de ſimp.medi. Sp.90..A
Armeniacum ſal, quale.9°.de ſimp.med.fac. 5ª.68.G
Armeniacum ocularibus miſcetur facultatibus,& ad pilorum in ſupercilijs incrementum valet.9°.de ſimp.med.fac. 5ª.68.G
ARMENIA terra ad dyſenterias,ventris profluuia, ſanguinis expuitiones,catharros,putreſcentia oris vlcera competit, illos magnifice iuuat quibus ex capite in thoracem fluxio decumbit, & eos etiā qui phthoe laborant.9°.de ſimp.med. fac. 5ª.66.G/H
ARNOGLOSSVM eſt plantago.6°.de ſimp.med.fac. 5ª.43.G
ex Arnogloſſa,lente,pane,& oleo roſaceo cataplaſma. 2°. de arte cura.ad Glauconem. 7ª.101.G
Arnogloſſi folia adhibenda ſunt in herpete exedente.2°.de arte curati. ad Glauconem. 7ª.102.C
Arnogloſſi ſuccus ad herpetes ſupficiarios.2°.đ ar.cu.ad gl. 7ª.102.D
Arnogloſſi ſuccus in inflammatione.2°.de ar.cur.ad Glauc. 7ª.102.D
Arnogloſſi radix ad ſcrofulas.de incant.adiur.& ſuſp. 7ª.182.B
AROMATA quæ ſint.7°.meth.med. 7ª.44..A
Aromata quæ ſint odor,& guſtus docent.2°.de ali.fac. 2ª.19.C
Aromata calida, ſunt caſia,coſtus, cinnamomum amomum. com.5°. Aphoriſ.28°. Ex.40.C
Aromata redolet macer.7°.de ſimp.med.fac. 5ª.55..A
Aromatum natura eſt calida.com.5°.apho.28°. Ex.40.C
Aroma omne calidum eſt.2°.de alim.fac. 2ª.19.C
Aromati ſpēm guſtu repreſentās calm̄ ē viribus.de atte.ui.ra. 2ª.44.B
Aromatum ſubſtantia eſt ſubtilium partium.ars.med.Iſa.71..A/de ſimpli.med.49.E/7°.de comp.med.ſec.loc. 5ª.186.G
Aromatum ſuffitus caput grauare,experientia,& ratio docet. com.5°. aphoriſ.28°. Ex.40.C
Aromatum ſuffitus eſſet ad frigidas, & humidas diſpoſitiones vtilis, niſi caput grauaret.com.5°.apho.28°. Ex.40.C
Aromatū ſuffitus q̄ menſtrua curēt,et q̄ non.cō.5°.aph.28°. Ex.40.B
Aromatum qualitas extinguitur ab humiditate,& conſumitur a caliditate.com.5°.apho.62°. Ex.44.B

Aromatica medicamenta, quæ. 9°. de comp. me. ſec. loc. 5ª.201.G
Aromatica medicamenta coquendo amittunt vires. 6°. de compoſitione med. ſec. loc. 5ª.168.E
Aromata odorata quæ ſint miſcenda purgantibus medicamentis. 8°. de comp. me. ſec. loc. 5ª.190.B
Aromata in compoſitionibus debent poni craſſa, & integris partibus. 7°. de comp. me. ſec. loc. 5ª.178.H
Aromata debere craſſo modo contundi, elice ex compoſitione arteriacæ delingibilis. 7°. de comp. me. ſec. loc. 5ª.179.G
Aromaticum croceum collyrium. 4°. de comp. me. ſec. loc. 5ª.156.G
Aromatica Galli optime ad omnia facit. 2°. de anti. 5ª.115.G
Aromaticum inſcriptum malagma. 8°. de comp. me. ſec. loc. 5ª.193.A
Aromaticum melinum inſcriptum. 8°. de comp. me. ſec. loc. 5ª.193.A
Aromatica Mithridatis. 7°. de comp. me. ſec. loc. 5ª.181.E
Aromatici nardini Aſiani meminit. 8°. de comp. me. ſec. loc. 5ª.193.C
Aromaticus paſtillus ad quid vtilis. 9°. de comp. me. ſec. loc. 5°.204.C
Aromata ad quos abſceſſus conueniant. 7°. de cõp. me. ſec. loc. 5ª.186.G
ex Aromatis medicamentis indigent abſceſſus in viſceribus. 14°. meth. medendi. 7ª.90.E
AROMATICVS calamus inter aromata numeratur. 7°. methodi medendi. 7ª.44.A
Aromaticus calamus purgat matricem. de cathar. Sp.95.C
Aromaticus calamus prouocat menſtrua. de cathar. Sp.95.D
AROSTROCAMET medicamentum conſtipans naturam. de medic. exper. Sp.104.G
ARPVLI antidotus ad quartanarios. 2°. de antido. 5ª.116.F
ARQVATVS morbus quid. fin. 47. D/intro. Iſa.55.H
Arquatus & cholera ab eadem cauſa fiunt. de opt. ſecta. Iſa.25.C
Arquati cauſa, & curatio. intro. Iſa.55.H
in Arquatis totius corporis color mutatur. de ſymp. dif. 3ª.13.B
Arquati cum mutant colorem, an ſit vitium alteratricis venarum. de ſympto. diff. 3ª.12.H
Arquati coloris quæ ſit cauſa. de ſymp. diff. 3ª.13.C
in Arquatis ſymptoma ĩ guſtatrice facultate. 1°. de ſymp. cau. 3ª.16.H
Arquatorum deiectio qualis. in progn. com. 2°. 4ª.199.E
Arquato morbo laborantium fit mentio. 8°. de cõp. me. ſec. lo. 5ª.194.H
Arquatis ſeu regio morbo affectis quę fortuito viſa ſunt conferre. contra ea quæ à Iul. in Hipp. apho. Ex.66.E
Arquatis dat aſellos ſub aquario vaſe repertos. de re. fac. par. 7ª.166.G
Arquatus morbus quo medicamento ſanetur. de ther. ad Piſo. 5ª.90.G
in Arquatis ſcammonium bilem trahit, ſecundum Aſclepiadem illam facit. 1°. de nat. fa. 1ª.294.B
Arquatos nõ iuuat medicamentũ pituitã ducens. 1°. de nat. fa. 1ª.294.B
Arquatum morbum ex aliquo iecoris vitio reficit theriaca. de theriaca ad Piſonem. 1ª.96.A
Arquatos liberans antidotus. 2°. de anti. 5ª.116.C
ARRHABIANI poticũ medicamẽtũ. 7°. de cõ. me. ſe. lo. 5ª.184.C
ARRHENICVM antiquitus dicebatur, quod nunc arſenicum. 4°. de comp. me. ſec. loc. 5ª.151.G
Arrhenicum in vulneribus neruorũ. 3°. de comp. me. per gen. 5ª.230.G
ARRIGI mentulam non ſinit erucæ ſemen ex melle aut cũ fœnogræco ieiuno illitum. 3°. de medic. fac. para. 7ª.174.H
ARROGANTIAE cauſa, aliqui bona aut mala conſtituunt. de cuiuſq; ani. pec. not. 2ª.56.F
Ἀῤῥωσία, id eſt infirmitas. 2°. meth. me. 7ª.10.D
ARS quid. fin. med. Iſa.43. D/11°. metho. me. 7ª.68.A
Ars ſola eſt, quæ ad vſum vitæ pertinet. in ora. ſuaſoria. Iſa.4.A
Ars, exercitatio, experientia, in quo differant ſecundum Platonẽ. adu. emp. med. Iſa.35.E
Ars circa quæ verſetur. de pulſi. ad tirones. 4ª.44.F
in Artẽ refertur quod perfectionem conſequitur. 9°. de dec. 1ª.284.G
Artes iudicantur ex vniuerſalibus & per finẽ. ad Thraſyb. 2ª.106.A
ex Arte quid ſit. de vict. rat. in mor. acu. com. 1°. 7ª.108.D
Artem vnã in multas diſcerpere pp artificũ inſcitiã, aut propter eorũdẽ excellẽtiã multas in vnã cõiũgere, vitioſum ẽ. ad Thra. 2ª.105.E
Artes vel à filijs deorum, vel propinquis inuentæ. intro. Iſa.50.F
Artium inuentum in Aegypto columnis inſcribebatur in ſacris locis poſitis. contra Iulianum. Ex.66.B
Artes inueniuntur ſucceſſu. de mo. muſ. 1ª.312.B
ad Artem quæ ſpectant inuenienda duæ ſunt inſtrumenta, experimentum & ratio. 8°. de comp. me. ſec. loc. 5ª.187.C/in prog. com. 3°. 4ª.208.D/com. 1°. apho. 1°. Ex.2.C/H
Artium inuentio non eſt conſideranda ſed vſus. 3°. de loc. aff. 4ª.14.H
Artium fides contra ſe habent quàm inuentiones. 3°. de criſi. 4ª.142.C
Artes à brutis natura habentur, ſi quæ habentur. in ora. ſuaſo. Iſa.2.C
Artes cur non datæ à natura hominibus. 1°. de vſu par. 1ª.113.G
Artes oẽs homo aſſequitur ingenio, etiam diuinas. in ora. ſuaſo. Iſa.2.C.
ab Artis operibus multũ differunt naturæ opera. 1°. de dif. feb. 3ª.31.A
Arte qualibet potẽtior eſt vis naturæ. in 6m. de mor. vul. cõ. 5°. 3ª.188.C
Arte & prouidentia quod fit, cõtrarium eſt ei quod caſu & fortuito fit 11°. de vſu par. 1ª.186.E
Artes in ſpeciebus, & generibus poſitæ ſunt. 2°. de diff. pul. 4ª.57.B
Artes quomodo diſtingui debent. ad Thraſyb. 2ª.105.F
Artium diuiſio & enumeratio. de conſt. art. Iſa.36.D
Artes eſſe diſtinctas p ſingulas actiones eſt abſurdũ. ad Thra. 2ª.105.B
Artium duo prima genera, alię nobiles, aliæ ignobiles. in or. ſua. Iſa.5.G
Artes nobiles quæ. in ora. ſuaſo. Iſa.5.G
Artes illuſtres quæ. ad Traſybulum. 2ª.105.E
Artium alię quæ non ſunt efficiunt, aliæ facta conſeruant, aliæ vtrunq; præſtant. de opt. ſecta. 20. D/de conſt. art. Iſa.36.F
Artis refectricis differentiæ. intro. Iſa.52.C
Artium quædam finem ſuum ſemper conſequuntur, quædam finem ſuũ ſeu ſcopum deſiderant, contingunt autem non ſemper, ſed plurimum. introductio. Iſa.5.F
Artium aliquæ, dum fiunt, ſunt & ſimul atq; ab actione deſtiterint, nihil quod perfecerint oſtenditur. non nullæ in actione euidens opus planè nullum habent, ſed tanquam futuri cuiuſdam præparatoria exiſtunt: vbi vero à functione ceſſauerint, tũc quid effecerint apparet: tũ aliæ quarum opera poſt actionem perdurant. intro. Iſa.51.F
Artium aliquarum finis eſt in ſola natura rerum, quas conſiderant. de conſtit. art. Iſa.36.D
Artes, quarum finis in contemplatione poſitus eſt. ad Thraſy. 2ª.106.D
Artium aliquæ methodo rationali, aliquæ obſeruatione conficiũtur. 9°. de decre. Hippo. 1ª.282.F
Artes rationales multi tractant qui non intelligunt quid dicant. 9°. de decretis Hippo. 1ª.284.E
in Artibus effectiuis vnde ſumitur indicatio. de conſt. art. Iſa.39.E
Ars effectiua nulla alia egens rara inuenitur. in 6m. de morbis vulgaribus commen. 5°. 3ª.188.C
Artes effectiuæ, & actiuæ quo differunt. ad Thraſyb. 2ª.105.H
Artes acquiſitiuæ, quæ. ad Thraſybulum. 2ª.106.D
Artes duas ponit Plato, cum duæ ſint tres, alteram animę, alteram corporis. ad Thraſybulum. 2ª.107.D
Ars quæ verſatur circa corporis bonũ, vna eſt. ad Thraſy. 2ª.106.C.
Artes improbæ bonum apparens vnicuiq; eorum quæ ſunt, artes autẽ verum bonum comparant. ad Thraſyb. 2ª.103.A
Ars an ſit reponere veſtes & calceos ne ſurripiãtur, & à muribus erodantur. ad Thraſyb. 2ª.104.B
Artis cuiuſq; propria quę ſint. ad Thraſyb. 2ª.106.B
Ars textrix quot artibus indigeat. in 6m. de morb. vul. cõ. 5°. 3ª.188.C
Artium indicationes primę ab omnibus hominibus natura ſciuntur. 6°. methodi medendi. 7ª.37.A
Ars quęlibet oritur ex propriorum à communibus diſtinctione. de vict. rat. in morb. acut. com. 1°. 7ª.110.F
Artes vnde ſunt incipiendæ. 9°. de dec. Hippo. 1ª.84.B
Artis principia non ſunt nota ſenſui. de opt. ſecta. Iſa.20.A
Ars quælibet ex quibus procedat. de cur. ra. per ſan. miſ. 6ª.16.B
Ars aliud eſt, & eius finis aliud. intro. Iſa.51.G
Artium finis eſt ipſum opus, & non facere opus. ad Thraſy. 2ª.105.G
Ars quælibet appetit finem. ad Thraſy. 2ª.103.E
Artis finis p ſe conſideratᷓ ab artifice. de ijs quæ ĩ me. fi. cõ. 1°. 7ª.197.F
Ars raro fruſtratur ſuo fine. 9°. de decre. Hippo. 1ª.285.B
in Artibus omnibus eſt vnum primum bonum. ad Thraſy. 2ª.105.D
in Arte aliqua medium quid eſt. 1°. de criſi. 4ª.136.D
ad Artes conſtituendas facultates tres in nobis. de ijs quæ in medi. fi. commen. 1°. 7ª.199.D
Artes quo modo conſtituantur. 5°. de ſimp. me. fac. 5ª.33.D
Artium conſtituendarum principium, eſt finis notio. 1°. meth. me. 7ª.7.C
Artis conſtitutio à fine initium ſumit. ad Thraſy. 2ª.106.B
Arti omni conſtitutio à finis notione efficitur. de conſt. ar. Iſa.36.D
Artis finis cõſtituit ꝓpria pręcepta artis et dijudicat. ad Thr. 2ª.106.B
Artes à fine iudicare præcipit ratio. ad Thraſy. 2ª.106.B
Artis conſtituẽdæ quã methodũ docuerit Plato. 9°. meth. me. 7ª.61.A
Artẽ q volũt conſtituere qd agũt. de vict. ra. in mor. acu. cõ. 1°. 7ª.110.G

Ars non pōt cōſtitui obſeruatione,remota rōne.2°.de dig.pul. 4ª.77.G
Ars perfecta eſt quādo nihil ſuperfluum & nihil diminutum habet.9°. de vſu partium. 1ª.170.H
Ars agit mediante materia.11°.meth.me. 7ª.68.A
Ars vna permultis vti materijs videtur.ad Traſyb. 2ª.106.A
Ars in nulla materia finē efficit,quē alia cōſeruet.ad Traſy. 2ª.104.B
Artes non ſunt iudicandæ ex materia.ad Traſy. 2ª.106.A
Artes quoq; ſequuntur temperaturam regionis.ꝙ animi mo. 1ª.320.B
Artes quo modo ſe habent circa tempus.4ª.de decr.Hipp. 1ª.253.H
Artes hominum negligentia laborant.2°.de ana.admi. 1ª.68.G
Artes bonæ contemnebantur tempore Galeni.3°.meth.me. 7ª.17.E
Artium ſtudia non ſunt contemnenda propter genus,gloriam,formam. in ora.ſuaſoria. Iſa.3.G
Artes illæ ſunt comparandæ,quæ cum poſſeſſore in naufragio enatēt.in ora ſuaſoria. Iſa.2.H
ad Artes exemplum dedere Hipp.& Pla.9°.de dec. 1ª.280.C
Artē ad quā ſunt propenſi debent addiſcere pueri.9°.de dec. 1ª.284.D
ad Artes addiſcendas præſtat multum à pueritia didiciſſe diſciplinas, & eſſe ingenioſum.2°.de comp.me.ſec.loc. 5ª.134.H
ad Artes qui homines ſolertes ſint.6°.de aere,aquis,& loc. 2ª.6.E
ad Artes tractandas craſſi vbi naſcantur.quòd animi mo.1ª.320.B/de aere,aquis,& locis. 2ª.6.B
ad Artem quamlibet acquirēdam,quibus homo debeat eſſe imbutus. de conſti.ar. Iſa.37.H
in Arte omni,& ſcientia eſt ordo.2°.de diff.pul. 4ª.58.B
in Arte omni optimum docendi genus,quod.fin.med. Iſa.43.B
Artis generalia & particularia ſciēda ſunt.6°.de cō.me.ꝑ ge. 5ª.257.C
Artis minimæ partes addiſcendæ.de partibus art.med. Sp.16.G
Artes non addiſcūtur in particulari,neq; pleuritis addiſcitur in Dione. 2°.de diff.pul. 4ª.57.B
in Arte ſua credendum vnicuiq;.in ora.ſuaſoria. Iſa.4.C
in Artibus debemus eſſe exercitati.9°.de decre.Hipp. 1ª.284.D
Artium opera exercitio firmantur. 6°.de comp.me.per gen. 5ª.257.C
Artis ſuæ methodus ſemper exercenda eſt.de conſt.ar. Iſa.36.H
in Artibus quid poſſit experientia & ſpeculatio. 8°. de compoſitione med.ſec.loc. 5ª.193.F
Ars tota ex plurimis experimentis conflatur.de ſubfig.emp. Iſa.31.F
Ars muſicæ in corde cur ſit,& quo modo.de ana.viuo. Sp.46.H
Ars nulla indiget dialectica.de ſectis. Iſa.17.B
Artes quibus antiqui exercebant animum præter dialecticam. de cuiuſq; ani.pec.not. 2ª.56.G
Artis opera perquirenda,& ſophiſtica dimittenda ſunt.in 6m. de morbis vulga.com.5°. 3ª.191.F
Artem ſophiſticā odio habuit Gal.in 6m.de morb.vul.cō.2°. 3ª. 167.A
Ars ſophiſtica ī Alexādria docet̄.ī 6m.Hip.de mor.vul.cō.1°.. 3ª.153.C
in Arte oī turpe eſt oſtētare,& nihil efficere.de art.cō.2°. 7ª.271.A
Artium controuerſiæ partim ſenſu partim demonſtratione iudicantur. de natura humana com.2°. 7ª.183.C
Artis quæ per experientiam iudicat,diffidentia oritur ex diſtincta, & indiſtincta rerū cognitione.de vict.rat.in morb.acut.cō.1°. 7ª.110.B
Artis opus nō eſt dicere notiſſima.de vic.rat.in mor.ac.cō.1°. 7ª.108.B
in Artibus euidentias maximas omnes diſcernunt.de cogn.cura. animi morbis. 2ª.50.E
in Artibus euidētias minimas ſoli prudentes diſcernere ſciūt. de cog. cur.animi mor. 2ª.50.E
Artis ſtudium,quale ad Traſy. 2ª.107.G
Artis vnius has omnes eſſe particulas poterit quiſpiam exiſtimare, ſi idem homo fuerit arithmeticus ſimul grammaticus,& philoſophus. ad Thraſybulum. 2ª.105.E
Ars arti quo modo deſeruit.ad Thraſy. 2ª.108.H
Artium omnium parens eſt philoſophia.de pręco.ad Poſthu.4ª.214.A
Ars Aſclepiadum,quæ.de criſi. 4ª.134.A
Ars medica non erat ante Apollinem,ſed tantum quaſdam herbas cognoſcebant.intro. Iſa.50.F
Ars medica,quid ſit.de ſectis. Iſa.15.H
Ars medicinæ eſt de factricium genere.de conſt.artis. Iſa.36.F
Artis medicæ gloria.de aere,aquis,& locis. 2ª.2.D
Artes reliquas præcedit medicina.1°.meth.med. 7ª.3.B
q̄bus Artibus præſit ars medica.ad Thraſy. 2ª.108.H
Artis medicæ materia eſt humanū corpus.de partibus art. me.Sp.18.C
Artes ſeptem circa corpus humanum verſantur,quorū finis eſt ſanitas ad Traſybulum. 2ª.103.A
Artem vnā circa corpus humanū q̄uo ſeptē facimus.ad Thra.2ª.102.C
Ars primo circa ſanitatem verſatur,ſecūdo circa actionem & pulchritudinem.ad Traſy. 2ª.104.B
Artes quę circa humanū corpus vnum finem habent.ad Tra. 2ª.103.E
Artes quæ per accidens ſanitatem,& vitam ſeruāt.ad Tra. 2ª.104.C
Artis corpus curantis diuiſio ſecundum Platonem.ad Traſ. 2ª.108.D
Ars per quā medicus fit eſt prior dignitate medico.in 6m.de morbis vulgaribus.com.5°. 3ª.188.B
Artes multæ præparant materiā medico in 6m.de morbis vulgaribus. commen.5°. 3ª.188.C
Ars diuinatrix ad rem medicam quid faciat.de conſt.ar. Iſa.41.F
ad Artem ſunt neceſſaria prenotio, & prædictio ſecundum Hipp.bre. denot.dogm.Hipp. 1ª.231.D
Artis vel naturæ miniſter medicus dici poteſt.in 1m.de morbis vulgaribus com.2°. 3ª.112.G
Artes quæ prædiſcendæ medico.1°.meth.me. 7ª.2.E
Ars medica omnibus ciuitatibus vtilis eſt.de cauſ.proca. 3ª.95.H
Artis vtilitas,quæ.9°.meth.me. 7ª.58.D
Arti qui tribuit minus quàm diuitijs, hic finem non aſſequitur.ſi quis op.Med. Iſa.6.E
Ars medica tota magna eſt.11°.meth.me. 7ª.71.H
Ad artē acquirendā medicus indiget multo tp̄e.1°.de dig.pu. 4ª.70.C
Ars quo modo longa,& quo modo breuis eſſe intelligatur, & quid ſit, & quo modo fiat.com.1°.apho.1°.2.C/H/ Ex.3.A
Artē ſex menſibus ſe docturū profitebat̄ Theſſalus.1°.meth.me. 7ª.2.E
in Arte continue exercitari debet medicus.3°.meth.me. 7ª.21.F
in Arte vniuerſa animi intentio adhibenda eſt.de faſcijs. 7ª.293.C
Artis neceſſaria ſæpe tractanda ſunt.com.4°.apho.22°. Ex.29.F
ad Artem nihil faciunt nomina.1°.de diff.pulſ. 4ª.46.F
in Arte medica nihil poteſt cognoſcere qui ignorat quibus elementis homo conſtat.intro. Iſa.52.D
Artis elementa,quæ manifeſta ſunt Hippocrati placent.bre.denot.dog. Hippoc. 1ª.231.A
Ars medica ſm̄ formam & materiā quibus cōſtet.de cōſt.ar.Iſa.39.A
Ars medica quibus conſtet.in 1m.de morbis vulg.com.2°.3ª.112.G/1°.de arte cura.ad Glau. 7ª.94.C
Artis conſtitutio apud empiricos,quæ.de ſectis. Iſa.16.A
Artis cōſtitutionē à finis notione demōſtrauit Gal.de cōſt.ar. Iſa.42.G
Artis medicæ ſcopus,qui.de vict.rat.in morb.acu.com.1°. 7ª.108.C
Ars medica vna eſt,quę tamen duas habet partes.ſecre. Sp.96.F
Artium mechanicarum comparatio ad medicinam, & eius diuiſio. ad Thraſybulum. 2ª.106.G
Artis totius duæ partes,& quæ.ad Traſy. 2ª.108.D
Artis medicæ tres partes,& quæ.de conſt.ar. Iſa.42.C
Artis medicæ diuiſiones multæ.de parti.ar.med.16.D/ Sp.17.E/F
Ars medica nil mirum ſi in multas partes diuidatur,maxima exiſtens. de partibus artis medicinæ. Sp.16.G
Ars medica agit & conſeruat.de opt.ſecta. Iſa.20.E
Artis medicæ prima pars prophilactice eſt.de conſt.ar. Iſa.42.C
Ars corporis conſeruatrix,circa quę verſetur.ars med. Iſa. 68. B/11°. meth.med. 7ª.68.G
Artes conſeruatrices,quæ.ad Thra. 2ª.104.C
Artis medicæ pars eſt.cauſas cognoſcere.de partibus art.med. Sp.18.B
Artis cōiecturale ī affectionū cognitiōe cōſiſtit.2°.đ cō.m.ſ.l. 5ª.136.A
Artis quæ pars eſt curatrix.11°.meth.me. 7ª.68.D
ad Artis medicę quam partem pertineat actio perdita,imbecilla,& leuiter impedita.7°.meth.me. 7ª.48.E
Artis magna pars eſt adinuenire adiumentorum materiam. de conſtitutione artis.40.A/ Iſa.41.A
Artis maxima pars eſt ratio victus ordinandi.11°.meth.me. 7ª.71.H
Artis finis eſt curatio,non dignotio,vel prenotio.de vict.rat. in morbis acu.com.1°. 7ª.108.E
Ars quo modo & quando cauſa ſit ſanitatis.11°.meth.me. 7ª.68.A
ex Arte q̄ quis ꝓfitet̄ ſumit̄ indicatio remediorū.11°.meth.me. 7ª.68.B
Ars curādi poſt quæ methodū dicitur librum de arte curatiua ad Glauconem ſcripta fuit à Galeno.2°.de arte cura,ad Glau. 7ª.107.G
poſt Artem curandi ad Glauconem quos libros ſcripſerit Galenus.2°.de arte curat.ad Glau. 7ª.107.G
in Arte vbi decore,ac recte agere poſſumus:decore ac recte agere conuenit de faſcijs. 7ª.293.C
Arte mittendus non eſt ſanguis,ſi natura vult ipſum trāſmittere.de pręcogni.ad Poſthu. 4ª.219.F

ad Artē punctoriā ſuffuſionū quæ requirant.de par.ar.me. Sp.17.B
in Arte medica hæretici aliqui dicuntur.de cathart. Sp.94.H
ARSENICVM nunc,antiquitus arrhenicum dicebatur.4º.de compo. medic.ſec.loc. 5ª.151.G
Arſenicum vocatum auripigmentum.5º.de comp.med.per ge. 5ª.251.D
Arſenicum quid.de ſimplicibus medicaminibus. Sp.80.B
Arſenici pontici meminit.6º.de comp.med.per ge. 5ª.263.A
Arſenicum quale.4º.de cōp.med.per ge.5ª.242.D/de ocu. 7ª.188.H
Arſenicum vrit.1º.de comp.med.ſec.loc.5ª.127.F/2º.de arte curat.ad Glauconem. 7ª.102.D
Arſenicum per eroſionem interimit.4º.de ſimp.med.fac. 5ª.30.B
Α'ϱσενικὸν ſepticum medicamentum.5º.de ſimp.med.fac. 5ª.36.B
Arſenicum ſciſſile ad quid vtile.3º.de med.fac.par.172.E/H/ 7ª.173.B
Arſenicum fiſſile ad tabeſcentes.3º.de med.fac.par. 7ª.171.C
Arſenicum oculis conuenit.de ocul. 7ª.188.G
Arſenicum valet contra ſcabiem vetuſtam,aſperitatem,vngulam vetuſtam,& pruriginem oculorum.de oculis. 7ª.189.C
Arſenicum in vulneribus neruorum.3º.de comp.med.per gen.5ª.230.F
℘ Arſenico quæ ſatis ſunt.3º.de comp.med.per gen. 5ª.232.B
ARSIYNVM vinum quale.4º.de ſan.tuen. 2ª.85.H
Arſyenium vinum in Aſia aquoſum.2º.de comp.med.ſec.loc. 5ª.133.D
Arſyinum vinum facile ad contrarias qualitates tranſmutatur ad acidam in principio,ad amaram ſi perdurauerit.de vinis. Sp.77.A
Arſyinum vinum cito redditur idoneum vt bibatur.de bo.& uit.ſuc. 2ª.38.G.de vinis. Sp.76.D
Arſinium vinum pro ſiccis in Aſia,& quale ſit.7º.meth.me. 7ª.45.E
ARTABA ægyptia qualis.de pon.& menſ. 5ª.275.G
ARTEMIDORI qui capito appellatus eſt fit mētio.de ijs,quę in med.ſi.commen.1º. 7ª.197.E
Artemidorus Capito Hippocratis libros edidit.de na.hu.cō.1º.1ª.27.D
Artemidorus Phocas de arte augurandi ſcripſit.de uict.rat.in morbis acut.com.1º. 7ª.110.C
ARTEMISIA quid,& eius vires.de ſimp.med. Sp.80.F
Artemiſiæ maternę mentio fit.7º.de comp.med.per gen. 5ª.272.H
Artemiſia calida in ſecundo,ſicca in primo.6º.de ſimp.me.fa. 5ª.43.H
Artemiſia colorem expurgat & ſudorē mouet.de cura icteri. Sp.111.C
Artemiſia per os prouocat ſudorem.de cathar. Sp.95.D
Artemiſia matricem purgat.de cathar. Sp.95.C
Artemiſia relaxat menſtrua,& vrinam prouocat,et partum expellit.de ſimp.med.80.F/de cathar. Sp.95.D
Artemiſiæ ad renum calculos mediocriter commodę ſunt,& ad fomentationes vteri.6º.de ſimp.med.fac. 5ª.43.H
Artemiſia vlcera exiccat.4º.de comp.med.per gen. 5ª.236.G
Artemiſius menſis nomen.in 1ᵐ.de morb.vulg. 3ª.102.D
ARTEMONIVM collyrium.4º.de compoſitione medicamentorū ſec.loc.156.D/10º. 5ª.206.D
Arterias antiqui vocabant venas.6º.de decre.Hippo.266.E/in Tim.Plat.287.G/℘ animi mor.320.C/de fœt.form.1ª.323.G/de cauſis.morb.7.E/in 6ᵐ.de morb.vulg.commē.6º.3ª.195.C/in 1ᵐ.prorh.4ª.180.D/7º.de compoſ.medic.ſec.loc.5ª.177.B/de cur.rat.per ſanguinis miſſionem. 6ª.21.D
Arteria quid ſit.7º.de ana.admi.94.F/H/1ª.95.A/de ve.ſect.ad Eraſ.6ª.6.G/de anat.viuo.44.B/ Sp.55.F
Arteriarum ſubſtantia ne prope quidem accedit ad cordis naturam.de fœtuum formatione. 1ª.324.E
Arteria eſt ſimilarium partium.de diff.mor. 3ª.2.F
Arteria tres habet dimenſiones,vt alia corpa.1º.de diff.pulſ. 4ª.47.C
ab Arterijs multi meatus differunt.1º.de nat.fac. 1ª.291.G/H
Arteria quam figuram referat.3º.de digno.pulſ. 4ª.81.B
Arterię,venę,& nerui referunt formam oſſium,ſecundum quæ porriguntur.1º.de anato.admi. 1ª.63.E
Arterię ſunt frigidę natura & exangues.1º.de tempe. 1ª.15.C
Arteriæ quo modo poſſunt eſſe frigidæ.3º.de præſa.ex pul. 4ª.115.C
Arteria exanguis eſt,tamen ex ſanguine facta.1º.de nat.fa. 1ª.297.E
Arteriarum corpus cum prorſus exangue ſit,veriſimile eſt habere primam è ſemine generationem.de fœtuum formatione.322.G/324.A/1º.de ſemine.330.C/ 1ª.331.H
ad Arteriæ generationem quæ ſunt neceſſaria,in ſeminis ſubſtantia inueniuntur.1º.de ſemi. ª.330.E
Arteria eſt minus ſicca chartilagine.1º.de temp. 1ª.15.C
Arteriæ quam habent carnem.1º.de temp. 1ª.18.A
Arteriæ et venæ alendæ ſemen accommodatum eſt.1º.de ſemi. 1ª.332.G
Arterię faciunt ſemen paucum,& tarde.1º.de ſemi. 1ª.335.A
Arteriam difficillimum eſt fieri carnem.1º.de ſemi. 1ª.332.E
Arterias vis faciens qualis.de fœt.for. 1ª.324.G
Arteriæ fiunt latę ob ſpiritum calidum.2º.de ſemi. 1ª.339.B
Arteriæ citius fiſtulantur caliditate,& ſiccitate.2º.de ſemi. 1ª.339.B
Arteriæ ſunt membra compoſita.cum tamē vocentur ſimplicia,de anatomia viuorum. Sp.44.G
Arteriā,vena,& neruus ſunt elementa hominis.2º.meth.me. 7ª.11.H
Arteria ex quibus fiat.3º.de ſimp.med.fac.5ª.17.D/ Sp.44.G
Arteriæ,& venæ ex fibris,membraniſq; fiunt.de inæq.intēp. 3ª.43.D
Arteriæ quas habent fibras.1º.de temp. 1ª.18.A
Arteriarum operimenta eiuſdem ſubſtantiæ cum operimentis cerebri.de fœtuum formatione. 1ª.324.D
Arteriarum tunica denſior eſt q̃ venarum.4º.de vſu par. 1ª.140.C
Arteria habet duas tunicas,& cur.fin.med.Iſa.44.C/7º.de anato.admin.95.A/6º.de vſu par.1ª.155.C/de ana.viu.45.A/46.F/Sp.56.A
Arteria cur videat̃ tritunicalis,et q̃tritūicalis.de par.ar.me. Sp.16.H
Arteria quales tunicas habet.7º.de anat.admi. 1ª.95.A
Arteriæ tunicæ ex quibus fibris conſtent.3º.de nat.fac. 1ª.35.F
Arteriæ tunicarum fibræ,quales.de partib.artis med. Sp.16.H
Arteriarum tunicæ ſunt earum elementa.1º.de nat.fac. 1ª.291.G
Arteriæ tunicæ differentiæ,quæ.1º.de cauſis pul. 4ª.87.B
Arteriarum tunicæ habent quandam vim qua diſtenduntur & attrahunt quicquid vicinum eſt.an ſan.in art. 1ª.62.E
cui Arteriæ ſubſtrata ſit membrana & chartilago.16º.de vſu partium. 1ª.218.G
cui Arteriæ ſubiecta ſit glandula molliſſima inſtar ſtrati. 1ª.218.G
Arteriarum veluti fulcimentum glandulæ.16º.de vſu par. 1ª.220.A
Arteriæ in quas glandulas inſerantur.2º.de ſemi. 1ª.340.D
Arteriæ ſunt robuſtiores adenibus.13º.meth.med. 7ª.80.H
Arteriæ neceſſariæ ſunt.6º.de vſu partium. 1ª.155.C
Arteriarū vtilitas,quæ.1º.de vſu par.117.B/6º.de vſu pul.1ª.228.H/de anatomia viuorum. Sp.44.B
Arteriæ ex principaliſſimis vitalibus organis.de vtilita.reſpir.225.H/de cau.reſp. 1ª.226.H
℘ Arteriam & venam cur muſculus inſtrumentum naturale factus eſt.1º.de motu muſ. 1ª.309 B
Arteriæ,venæ,nerui,ſi ab inſtrumentis demantur,reliquum corpus,quatenus ſenſu animaduerti licet,ſimplex elementareq; eſt.1ª.291.G
Arteria eſt cōe corporis inſtr̃m.16º.de vſu par.214.D/1º.de ſe.330.C/6º.de decr.1ª.266.A/2º.meth.med.12.G/7º. 7ª.49.B
Arteriæ cur inditæ membris.6º.de dec.Hip. 1ª.266.A
Arterijs indigent partes compoſitæ.ars med. Iſa.63.B
Arterijs,& venis cur indigent membra naturalia et animalia.1º.de locis affectis. 4ª.8.A/B
ex Arteria,vena,& neruo contextæ ſunt omnes animalis particulæ.7º.de vſu partium.158.H/16º. 1ª.220.D
Arteria,vena,neruus continuantur vnicuiq; lacerto.de mot.man.& obſcuris. Sp.66.E
ex Arteria,vena,& neruo irrigant̃ muſculi.1º.de mo.mu. 1ª.309.B
Arteria & vena nullus muſculus caret.16º.de vſu par. 1ª.220.A
cur Arterijs & venis egeāt muſculi.1º.de loc.aff. 4ª.8.A
Arteriarū pulſu aereā igneamq; ſubſtātiā tuemur.1º.de ſa.tu. 2ª.62.G
Arteriæ refrigerant & purgant omnes partes.de vſu pulſ. 1ª.229.A
ex Arterijs,venis,neruis,oſſibus.& carne compoſitum,incorruptibile eſſe non poteſt.14º.de vſu partium. 1ª.204.D
Arterię ſunt æquales numero neruis.13º.de vſu par. 1ª.202.A
Arterias in neruos tranſmutari putauit Praxagoras.1º.de decretis Hippocratis & Plat. 1ª.232.C
Arterijs fœtus non indiget in principio.de fœt.for. 1ª.323.B
Arteriarum vſus eſt exiguus hepati in fœtu.15º.de vſu par. 1ª.212.F
Arteriæ cur ſint rotundæ.6º.de vſu par. 1ª.153.B
Arterijs tutius erat per interna iter facere.16º.de vſu par. 1ª.217.H
Arteriæ & venæ differentia.6º.de vſu partium.151.A/1ª.152.G/4º.de diffe.pulſ. 4ª.65.D
Arteria ſiccior,quàm vena.5º.meth.med. 7ª.32.D
Arteria ſexcuplo craſſior eſt vena.1º.de ſemi. 1ª.333.A
Arteria cur ſit craſſa in omni animali.6º.de vſu par. 1ª.151.A
quā Arteria tenuior eſt ac imbecillior vena.5º.de loc.aff. 4ª.30.F
Arteriæ vas magis albicat quam venæ.6º.de ana.admi. 1ª.93.B
Arteriæ cur ſint inferiores venis,& magis profundæ.16º.de vſu partium. 1ª.219.E/F

Arteria cur ſit in parte anteriore, vena vero ad dorſum.7°. de vſu partium. 1ª.159.C

ex Arteriarum ſanguine calidiore & ſubtiliore, quàm is qui in neruis eſt, fit cor.1°.de ſemi. 1ª.331.C

Arteriarum, & venarum differentia in meatibus.de vſu pulſ. 1ª.228.G

Arteriarum meatus manifeſti ſunt.de diff.mor. 3ª.4.C

de Arteriarum anatomia.1°.de anato.viuo. Sp.47.E

Arteriarum, aut venarum, aut neruorum anatomia conſideranda poſt oſſa & muſculorum conciſionem.1°.de ana.admi. 1ª.64.B

Arteriæ, & venæ in conceptibus non perfectis viſuntur. de venarum & arteriarum diſſectione. 1ª.59.E

Arteria in omni animali diſſecto à Galeno ſemper viſa eſt.6°. de decretis Hippocratis. 1ª.263.F

Arteriæ ſemper diſſidentibus videntur partibus propter alteram earũ tunicam, quæ dura eſt.de vſu pulſ. 1ª.229.B

Arteriæ omnes non ſunt æquales, nec æqualiter diſtant. 2°. de dignot. pulſ. 4ª.78.C

Arteriarum diuiſio.7°.de ana.admi. 1ª.95.B

Arteria diuiſa eſt in duas partes.16°.de vſu partium. 1ª.214.F

Arteriæ duplex genus.7°.de ana.admi. 1ª.94.B

Arteria qua parte oriatur.7°.de ana.admi.95.A/6°.de uſu par.1ª.153. F/de vtil.reſp. Sp.63.H

Arterię dependent à corde, ars med.Iſa.63.B/de ven.arte.diſſect.55.G/1°.de vſu par.117.B/6°.152.D/15°.212.E/16°.214.D/2°.de decre.Hippo.239.D/3°.245.D/6°.262.F/266.D/G/in Timæum Plato. 287.D/de fœtuum formatione.1ª.323.G/5°.methodi med.7ª.30.H/de anatomia viuorum. Sp.56.E/G

Arteriarum corpora non vidẽtur à iecore vel corde progerminaſſe. de fœtuum for. 1ª.324.G

Arteria maxima quomodo intelligatᷣ apud anatomicos.3°. de anatomi. adminiſt. 1ª.75.C

Arterię maximæ ortus.6°.de vſu par.1ª.149.E/4°.de dif.pul.4ª.67.F

Arteriæ maximæ ex corde ortum habent.6°.de decr.Hippo.262. F/1°. de ſemine. 1ª.331.D

Arteria maxima è ſiniſtro cordis ſinu oritur.de ven.arte.diſſe. 58.H/1° de decr.Hipp.& Plat.1ª.232.D/de anat.viuo. Sp.46.E

Arteria in fœtu cur non eat ad ſiniſtrum cordis ventriculum.15°.de vſu partium. 1ª.211.D

Arteria maxima ẽ trũcus oĩum arteriarũ.de dec.Hip.& Pla.1ª.232.D

Arteriæ maxime ꝓpagines.16°.de vſu par.219..A/6°.de decr.1ª.263.E

Arteria magna quibus nominibus vocetur.7°.de ana.admi. 1ª.94.B

Arteria magna dicta aorta, quorſum procedat.de vtil.reſp. Sp.62.G

Arteriæ magnæ ſectio quomodo fieri debeat.7°.de ana.admi. 1ª.98.G

Arteria magna à corde oritur.de ven.art.diſſec.55.G/16°. de vſu partium. 1ª.214.F

Arteria, & vena magna procedunt à duobus ventriculis cordis ad ſupremum ſpondylum colli.de vtil.reſp. Sp.62.G

Arteria magna, & vena caua ſub ſepto tranſuerſo ſuper vertebras incumbit.in Tim.Plat. 1ª.287.H

Arteria magna ad quintum ſpondylum attinet.6°.de vſu par.1ª.149.E

Arteriæ magnę ſitus diuiſio.16°.de vſu.par. 1ª.218.E

ab Arteria magna quæ in ſiniſtro cordis ventriculo eſt, oriuntur arteriæ omnes.1°.de decre.Hpp. 1ª.133.C

Arteriæ in fœtu quo modo incedant.6°.de decretis Hippocratis.265.B/de fœtuum form. 1ª.322.H

Arteriarum inceſſus.16°.de vſu par.218.E/1°.de dec.Hipp. 1ª.233..A

Arteriæ ſemꝑ altius ſuꝑ muſculos ingrediunt̃.3°.de ana.admi. 1ª. 79.D

Arteriæ magnæ inceſſus, qualis.6°.de vſu partiũ.149.F/16°.216..A/B/6°.de decr.Hipp.1ª.262.B/1°.de ſymp.cau. 3ª.18.G

Arteriæ magnæ comparatio ad arborem.6°.de decretis Hipp. & Platonis.262.E/8° 1ª.273.G

Arteria aorta vel magna ẽ tãq̃ caudex in arbore.de ve.art.diſſ.1ª.55.G

Arteriæ aliæ ab arteria magna ſunt veluti rami, aliæ veluti germina et folia.an ſang.in art. 1ª.61.E

ab Arteria magna quædam arteria it in pulmonẽ.5°.de lo.af.4ª.30.G

Arterias & venas cõparat naſſularum funibus.in Tim.Pla. 1ª.288.G

Arteriæ & venæ cum inſeruntur in aliquã partem ſemper propagines mittunt, ſed differenter.16°.de vſu par. 1ª.220.D

Arteriæ q̃ ſunt ĩ dextra ꝑte, ſunt ẽt ĩ ſiniſtra.9°.de decr.Hip. 1ª.284.H

Arteriam magnam venæ, quæ fertur ad pulmonem, vas cõnectens ſemper minuitur.15°.de vſu par. 1ª.212.H

Arteria magna cur deriuetur in pulmones.de ven.art.diſſ. 1ª.58.H

ab Arteria magna quando cor attrahit aerem ſecundum Eraſiſtratũ. de vtil.reſp. 1ª.223.E

Arteriæ pars quæ tendit deorſum, cur maior.16°.de vſu par. 1ª.214.F

Arteriã magnã ſanguine vacuã dicẽtes errãt.7°.de ana. admi.1ª.98.D

Arteriam magam ſecantis caſus.7°.de ana.admi. 1ª.97.G

Arteria à qua omnes dependent.de anato.parua. Sp.42.H

Arteriæ omnes à qua arteria oriantur.16°.de vſu.par. 1ª.220.B

Arteria magna per vrinæ meatum expurgatur.11°.meth.me. 7ª.73.F

Arteriæ quibus ſint anguſtæ.com.2°.apho.44°. Ex.18.F

Arterias & venas à propinquis vaſis natura ducit ad partes omnes minimo interuallo.16°.de vſu par. 1ª.219.C/220.A

Arteriæ omnes in vnam magnam contrahuntur.4°.de vſu par.141.G/15°.211.D/6°.de decre. 1ª.266.B

Arteriarũ & venarũ ora perueniunt ad cutĩ.1°.de ſimp.me.fa.5ª.4.D

Arteriæ paruæ cur aliquæ ad cutim perueniũt.16°.de vſu par. 1ª.29.F

Arteriæ carotides numerantur inter ea quæ connectũt cor cerebro.2°. de decr.Hippo. 1ª.239.B

Arteriæ euntes ad caput, quæ.16°.de vſu par. 1ª.219.G

Arteriæ cur ab infernis partibus veniunt in cerebrum. 9°. de vſu partium.172.F/ 1ª.73.A

Arterias quamplurimas quidem in facie & toto capite, venas autem cum venis natura commiſit, tum à detrix ad ſiniſtra, tum ex ſiniſtis ad dextra, tum à parte anteriore ad poſteriorem, & rurſus à poſteriore in anteriorem, & ab externis intro, et ab internis foras ducẽs. 16°.de vſu par. 1ª.220.D

Arteriæ quamplurimæ exiguæ veluti fibræ quædam per oſſa capitis inueniuntur.16°.de vſu par. 1ª.220.D

cur tot Arterię ſint in cerebro.6°.de decr.Hippo. 1ª.269.D

Arteriæ quo modo tendant ad cerebrum.9°.de vſu.par. 1ª.172.D

quę Arteria faciat plexum retiformen.16°.de vſu par.220.C/de decre. Hippocra. 1ª.233.A

Arteriarum plexus retiformis eſt in capite ſub dura meninge, quæ retardet ſpiritus.4°.de vſu par. 1ª.139.B

Arteria ad baſim cerebelli.16°.de vſu par. 1ª.220.B

per Arterias non datur aĩalis uis à corde cerebro.2°.de dec. 1ª.239.E

ex Arterijs ſpiritu attracto fit ſpũs animalis.8°.de dec.Hip. 1ª.278.B

Arteriæ ad oculos q̃.16°.de vſu par.1ª.220.C/4°.de loc.aff. 4ª.22.F

cum Arterijs aſcendunt nerui optici.16°.de vſu par. 1ª.220.C

Arterię maiores poſt aures in capite, quæ 3°.de loc.aff. 4ª.20.D

Arterię faciei & naſi, quæ.16°.de vſu par. 1ª.220.C

Arteria ad linguam, quæ.16°.de vſu par. 1ª.220.B

Arterię in lingua maiores & plures ſunt, quàm linguæ corpus exigat. 3°.de alim.fac. 2ª.26.G

Arteriæ in lingua, & priapo ſunt maiores quàm in alijs mẽbris. de mo. man.& obſ. Sp.67.H

Arteriæ in lingua communes cum alijs carnibus.3°.de ali.fac. 2ª.26.G

Arterias multas et venas cur habeat vuea.de ocul. 7ª.183.C

Arteriæ omnes ſuperiores ab arteria ceruicis & capitis oriunt̃.an ſan. in arterijs. 1ª.61.A

Arteria ad internos maxillæ interioris muſculos, quæ. 1ª.220.B

Arteria carotida eſt antiquum nomen.16°.de vſu par. 1ª.220.A

Arteria carotis à qua parte fiat & quorſum eat.6°. de vſu partium. 216.B/ 1ª.220.A

Arteriæ carotidis collũ aſcẽdẽtis ĩplexus reticularis.đ vſ.pu.1ª.227.H

Arteriæ ſoporariæ falſo dictæ vbi ſint, & quorſum tendant.1°. de decr. Hippo.& Plato. 1ª.232.H

Arteriæ quo modo ferantur in collum.16°.de vſu par. 1ª.218.G

Arteriæ colli, & faciei vnde oriantur.16°.de vſu par. 1ª.219.G

Arterię colli continuant cor cum cerebro.de vſu pul. 1ª.227.E

Arteria quæ à corde ſubit ad collum quid trahat.3°.de nat.fac.1ª.307.F

Arteriæ ſolũ vocabant̃ aſperæ apud antiquos.6°.de decr.Hip. 1ª.266.F

Arteria aſpera bronchos nominatur.7°.de vſu par. 1ª.160..A

Arteria aſpera quæ ſit.intro.Iſ.54.C/7ª.de anat.admi.1ª.94.B/in prog. com.2°.4ª.202.B/7°.de comp.med.ſec.loc. 5ª.177.B

Arteria aſpera ſanguinis omnino eſt expers, quando ſecundum naturam ſe habet animal.7°.de vſu par. 1ª.157.E

Arteria trachea, & œſophagus vbi ſint.de ana.par. Sp.42.H

Arteria aſpera corpus chartilaginoſum.2°.de ſymp.cauſ. 3ª. 21.E/5°.de locis affect. 4ª.31.B

Arteriæ aſperæ chartilaginum figura.4°.de loc.aff. 4ª.27.F

Arteriæ aſperæ natura qualis, & cur talis.7°.de vſu par.1ª.157.C/E/1°. de loc.affect. 4ª.2.C

Arteria aſpa cur media ſit iter leuẽ arteriã & uenã.7°.de uſ.p.1ª.159.C
Arteriæ aſpæ nulla potuit fieri cõſtructio melior.7°.de uſ.p. 1ª.160.C
Arteriæ aſperæ gratia quæ exiſtant.8°.de vſu par. 1ª.165.A
Arteriæ aſperæ miniſterium neceſſarium.7°.meth.me. 7ª.49.B
Arteria trachea, lingua, epiglottis ſunt voci, & orationi neceſſaria. de voce, & anhel. Sp.61.C
Arteria aſpera & pulmo ſecundum ſe ſunt inſenſibilia, & immobilia. de vtil.reſp. Sp.63.G
per Arteriam aſperam & fauces purgantur pectus & pulmones. 7°. metho.me.49.D/11°. 7ª.73.F
Arteriæ aſperæ non ſunt inſtrumentum odoratus.de inſt.odor. 1ª.111.A
Arteriarum aſperarũ oĩum vnũ eſt os maximũ.7°.de vſu par. 1ª.159.F
Arteriæ aſpere caput eſt larynx.de ven. art.diſſ.58.A/6°.de vſu part. 156.H/8°.165.A/1°.de motu muſ.1ª.309.G/6°.de ſani.tuen.98.E/2ª. 100.A/5°.meth.me. 7ª.35.B
Arteria & larinx ſumuntur pro re diuerſa.de vſu par. 1ª.160.G
Arteriæ aſperæ officia.intro. Iſa.54.A
Arteria laryngi vocem concinnat.7°.de vſu par. 1ª.157.G
ad Arterias tracheas aer ſolus ex pharynge puenit.7°.de vſ.p.1ª.159.F
in Arterias aſperas ſpiritus tractus primo in carne pulmonis conficitur.7°.de vſu par. 1ª.159.C
cum Arterijs quo modo cor contrahatur, & diſtendatur. 4°.de præſa. ex pulſ. 4ª.122.C
Arteriæ aſperæ in collo & pulmone, quæ.8°.de vſu par. 1ª.164.H
ad Arteriam aſperam in collo vaſa peruenientia capillorum ſpeciem referunt.1°.de loc.affec. 4ª.2.D
Arteriæ aſperæ chartilagines mouent̃ p muſculos.7°. de vſu p.1ª.160.C
Arteria aſpera habet motum voluntarium.7°.de vſu par. 1ª.160.C
Arteria aſpera p eãdẽ viã attrahit & expellit.3°.de nat.fac. 1ª.306.H
Arteriẹ aſperæ ſeruiunt motui pulmonis.7°.de vſu partium. 1ª.159.G
Arteriæ nutriunt pulmonem.6°.de vſu partium 1ª.155.C
Arteria aſpa qñ & quo loco carne pulmonis tegat̃.13°.de uſ.p.1ª.201.D
in Arteria aſpera quot muſculos habeant animalia habentia magnam vocem.7°.de vſu partium. 1ª.160.D
Arteriam aſperam qui muſculi adſtringunt.de muſc.diſſ. 1ª.46.E
Arteriæ aſperæ muſculi quatuor peculiares ſunt, qui illam arctant, & contrahunt.de muſculorum.diſſectione. 1ª.46.A
Arteriæ tracheæ anuli nõ ſunt rotũdi ꝑpter cibũ.7°.de vſu par.1ª.158.C
per Arteriam aliam quàm ſit aſpera, cor participat fructum reſpirationis.7°.de vſu partium. 1ª.158.G
Arteria trachea facit pellem plenam fiſtulis, quæ recipiũt aerem, & nõ ſanguinem.de vtil.reſp. Sp.64.C
Arteriæ aſperæ meatu ſuperiore aperto largus aer cum quodam ſtrepitu foris fertur, qui efflatus dicitur.de vtil.reſp. 1ª.223.H
in Arteriam aſperam nobis tranſglutientibus aliquid humidi deſcendit.6°.de vſu partium. 1ª.154.H
per Arteriæ aſperæ tunicam quòd aqua ingrediatur experimentum. 8°.de decre.Hippo. 1ª.278.H
ĩ Arteriã aſperã hũiditas deſcẽdẽs quõ deſcẽdat.7°.de vſu par.1ª.163.B
cũ Arterias aſpas aquoſa humiditas occupat in aqua inter cutẽ, ſi tuſſis ſupuenerit, periculũ iminet ſtrangulationis.cõ.6°.apho.35°.Ex.50.C
in Arteriam aſperã recipitur oris excremẽtũ.6°.de ſan.tuẽ. 2ª.98.E
ad Arterias aſpas pulmõis quõ materia pmeet.c.7°.aph.35°.Ex.56.B
in Arterias aſperas quot modis confluunt materiæ. 2°. de præſag.ex pulſ. 4ª.109.G
in Arteriã aſperã quæ incidũt, moleſta ſunt.2°.de ſimp.me.fa. 5ª.13.E
in Arteriam aſperam & in ventriculum capitis fluxio deſcendit.3°.de ſymp.cau. 3ª.29.F
Arteria aſpera vnà cum larynge fluxione capitis humectatur. 2ª.98.E
Arteria aſpa offendit̃ à materia exñte ĩ cerebro.c.6°.aph.2°. Ex.46.E
Arteriarũ aſperarũ læſio coarctatio quædã eſt.1°.de diff.reſp. 3ª.59.F
in Arteriam aſperam quando tendunt medicamenta, quid accidat.4°. methodi medendi. 7ª.29.A
in Arteriã aſperã quõ medicamentum deſcendat.5°.met.med.7ª.34.G
in Arteriam aſperam ſi largius incidat medicamentum, tuſſis excitatur.4°.meth.med. 7ª.29.A
per Arteriam aſperam quomodo poſſit deſcendere aqua, & tuſſim non excitare.8°.de decre.Hippo. 1ª.278.H
Arteriæ aſperæ ægritudines quomodo cognoſcantur.ars med. Iſa.67.C
Arteriarum & venarum morbi ſicci cognoſcuntur linguæ ſiccitate, & corporis etiam ariditate.de vict.rat.in morb.acu.com.1°. 7ª.12.F
Arteria aſpera laborat ob ſanguinem vel humorem ingredientem.8°. de decre.Hippoc. 1ª.274.F
in Arteriam aſperam quomodo ſanguis ex thorace tranſmittatur.5°. methodi medendi. 7ª.32.F
in Arteria aſpera concreſcit ſanguis .de atra bile. 1ª.34.D
in Arterijs ſanguis craſſus & lẽtus quid faciat.2°.de cau.pul.4ª.91.G
in Arteria aſpera ſanguis facit tuſſim & eiectionem ſanguinis per os. 7°.de vſu partium. 1ª.159.A
in Arteria aſpera quomodo fit expulſio.2°.de ſymp.cau. 3ª.21.F
Arteriæ tunica quandoq; expuitur.4°.de loc.affec. 4ª.25.G
Arteriæ aſperæ inæqualitas tuſſim facit.2°.de ſimp.med.fac. 5ª.13.E
Arteria aſpera cur ſenſibiliter exaſperatur. in 6m. de morbis uulgaribus, commen.2°. 3ª.160.H
Arteriæ aſperitates ſanat cacaliæ radix, & tragacanthe.7°.de ſimplic. medicamentorum facultatibus. 5ª.49.F
Arteriæ aſperitates ſanat ſymphytũ petræũ.8°.de ſim.me.fac. 5ª.61.G
Arteriæ aſperitates lenire poteſt glycyriza.6°.de ſimp.med.fa.5ª.45.F
Arterijs proſunt caricæ.de ſimp.medi. Sp.84.C
ad Arteriæ aſpritudinem.7°.de compo.med.ſec.loc.179.F/5ª.181.D/de reme.par.fac. 7ª.158.C
Arteriam offendit puluis ſupra folia platani exiſtens. 8°.de ſimplicium medicamentorum facultatibus. 5ª.58.G
ad Arteriã ex pituita deſtillante laborãtẽ.3°.de med.fa.par. 7ª.171.D
Arteriæ & venæ à fluxione incaleſcunt.de inæq.intemp. 3ª.43.E
Arteria cur vlceretur ſynãchicis.de uict.ra.in mor.ac.cõ.4°.7ª.139.C
Arteria vbi affecta eſt. aut pulmo, aut thorax, ponuntur calida tenuiũ partium, tamen infeſtiſſima ſunt ſanguinis reiectationi. 7°. de comp. medic.ſec.locos. 5ª.183.E
ex Arteriis & uenis ad neruos noxij humores tranſmittuntur, & è cõtrario.commen.6°.apho.26°. Ex.48.G
Arteria aſpera cum ex capite ægrotat, quo modo curanda. 6°.de ſanitate tuenda. 2ª.100.A
Arteriæ aſpe ĩflãmatio anguſtiã anhelitus facit.c.4°.aph.34°.Ex.31.D
circa Arteriã aſperã inflãmatorũ victus.7°.de cõ.me.ſec.loc.5ª.177.H
in Arteriæ inflammationibus a vino abſtinendum, tamen medicamenta facit ex vino.7°.de compo.med.ſec.loc. 5ª.177.H
in Arteriæ affectione braſſicam dat & porrum.ibidem. 5ª.178.A
in Arteriẹ aſperæ laſſitudinibus tenſiuis quid agendum per quatuor tempora.7°.de comp.med.ſec.loc. 5ª.177.G
Arteria lenitur humidis.ars med. Iſa.70.E
Arteriis aſperis plenis quomodo ſpiretur.4°.de loc.affect. 4ª.26.H
per Arteriam aſperam cur excrementa partiũ inflammatarum exeãt. 2°.de loc.affect. 4ª.13.B
in Arteria humores adhærentes magis expellit ſternutatio, quàm tuſſis.2°.de ſympt.cau. 3ª.21.F
in Arteria aſpera quomodo ulcus deprehẽdatur.4°.de loc.af.4ª.28.B
Arteriæ aſperæ vlcera ſunt cum pauco dolore.4°.de loc.affe. 4ª.28.B
ab Arteriæ aſperæ vlceribus quomodo differat ulcus pulmonis. 4°.de locis affectis. 4ª.28.B
in Arteria aſpera vlcus quõ ſit curãdũ.4°.met.me.29.A/5°. 7ª.34.E
ex Arteria aſpera & pulmone feruntur, quæ extuſſimus. commen.7°. aphoriſ.37°. Ex.56.H
Arteria aſpera, & ſtomachus comparantur tibiæ.in Tim.Pla 1ª.288.F
ad Arteriã aſperam.7°. de comp.med.ſec.loc.5ª.180. A/3°.de remed. facile par. 7ª.171.D
ad Arterias exaſperatas accommodũ eſt gummi ceraſorum.7°.de ſimpli.med.facul. 5ª.51.A
Arteriæ quo modo ſe habeant in reſpiratione.8°.de decre. 1ª.278.D
Arteriæ læues quæ iungunt aſperas arterias cordi, quibus ſint plenæ. 7°.de vſu partium. 1ª.158.G
Arteria tendens ad partes ſupra cor.16°.de vſu par. 1ª.219.G
Arteriæ mammarum vnde oriantur, & quorſum tendant. de decretis Hippoc.& Plato. 1ª.232.G
Arteria quõ recipiatur ab oſſe medij pectoris.16°.de vſu par. 1ª.218.F
Arteriarũ primũ par ex thorace quorſum eat.de decre.Hipp. 1ª.232.E
Arteriarũ ſm par ex thorace quorſum tendat.de decre.Hipp. 1ª.232.E
Arteriæ viginti duẹ, in vnoquoq; intercoſtali vna.de dec.Hip.1ª.232.E
Arteria uenæ nutrientis octo coſtas inferiores thoracis, qualis.16°.de vſu partium. 1ª.219.A
Arteriæ non eodem ſemper modo diſtributæ ſunt in primis quatuor coſtis.de ven.ar.diſſ. 1ª.59.B
cum Arteria quomodo feratur uena caua ad ſpinalem medullam.16°.de vſu partium. 1ª.219.D/E

ab Arteria ad ſpinam ſpacium breuiſſimum eſt.6°.de uſu par. 1ª.149.F
Arteria ſpinæ inhærens eſt ueluti truncus arboris.an ſang.in ar. 1ª.61.E
Arteriæ coniugationes per ſpinam quot ſint.16°.de uſu par. 1ª.219.D
Arteria fertur ſuper uenã,uena ſuper vertebras.de ven.ar.di.1ª.59.D
Arteria longiſſime ſuper vertebras exporrigitur eis partibus, quę ſupra ſeptum ſunt.in Tim.Plat. 1ª.287.H
Arteriæ ad muſculos dorſales,quæ.16°.de uſu par. 1ª.219.D
Arteria magna, & magna vena in dorſo.de anato.parua. Sp.43.B
Arteria quę ſita eſt ſm dorſum quãdo ſentiatur.de pulſ.ad tir. 4ª.43.C
Arterię brachij ſectio.3°.de anato.admi. 1ª.77.F
Arteria ab axilla ĩ brachiũ venit cũ vena axillari.3°.de an.ad.1ª.76.D
Arteria vna in brachio vicina venæ axillari,& vnde veniat.3°.de anatomi.adminiſtra. 1ª.77.E
de Arteria,quæ ad cubitum ſiniſtrum meat.6°.de decr.Hip. 1ª.266.E
Arteriarum manus ſectio.3°.de anato.admi. 1ª.76.B
Arteriarum & venarum manus cõis ratio.16°.de uſu par. 1ª.221.A
Arterię quomodo eant ad manus.16°.de vſu partium. 1ª.220.A
Arteria vnã propagatur in totam manum.3°.de anat.admini. 1ª.76.B
Arteriæ rami ad varias partes manus pertingũt.3°.de an.ad. 1ª.77.F
Arteria manus quę phlebotomatur,eſt arteria quæ inter pollicem & indicem exiſtit.de ana.uiuorum. Sp.54.H
Arteria venoſa,quæ,& cur ſic dicta.7°.de ana.adm.94.H|6°.de dec.Hip.1ª.264.C|de ana.viuo.46.F| Sp.47.E
in Arteriæ venoſæ adminiſtratione quidã reprehenſus.7°. 1ª.98.B
Arteria venalis cur vnam habet tunicã,& mollem.de an.vi. Sp.52.H
Arteria habens tunicam venoſam vbi, & quorſum tendat, & qualis.de dec.Hip.& Plato. 1ª.233.C
Arteria venoſo corpore conſtans in corde oritur.2°.de decre. 1ª.236.A
Arteria venoſa in pulmone.6°.de vſu partium. 1ª.151.A
Arteriæ venoſæ membranis nullus anatomicus dedit nomen.6°.de vſu partium. 1ª.153.G
Arteriæ venoſæ orificiũ cur habet duas tunicas.6°.de vſu p. 1ª.154.D
ex Arteriæ venoſæ ore plus retro ferĩ q̃ ex alijs.3°.de na.fa. 1ª.307.E
in Arteriam venoſam vena caua cur pertuſa ſit in fœtibus. 15°. de vſu partium. 1ª.212.G
in Arteria venali ſanguis qui defertur,qualis.de ana.viuo. Sp.47.E
ad Arteriam venalem iunci comparatio.de anat.viuo. Sp.52.H
Arterioſa vena,quæ.7°.de ana.admi. 1ª.94.H
Arterialis vena quæ ſit,vbi,& ob quem finem.de anat.viuo. Sp.47.F
Arterioſa vena cur dicta.7°.de ana.admi. 1ª.94.H
Arterialis vena habet duas tunicas.de anato.viuo. Sp.46.F
in Arterioſa vena mẽbranæ σιγμοειδεῖς ſunt.6°.de vſu par. 1ª.153.F
per Arterialem venam cor alimentum ad pulmonem tranſmittit.2°.de naturalibus facultatibus. 1ª.296.H
ex Arterioſis cordis partibus natura facit venas,quæ tendunt ad pulmonem.6°.de vſu par. 1ª.153.A
Arteriæ quæ tendunt ad pulmonem,factæ ſunt à natura ex venoſis cordis partibus.6°.de vſu partium. 1ª.153.B
Arteriam aſperam pulmonis gñatio ſequitur.13°.de vſu par. 1ª.201.D
Arteria propria particula pulmonis.7°.de vſu partium. 1ª.158.A
Arteriæ pulmonis vnde oriantur.2°.de dec.Hip. 1ª.236.A
Arteriæ à corde ad pulmonem duæ,& quæ.de ven.art.diſſ. 1ª.58.H
Arteriæ pulmonis quomodo ſe habeant.7°.de ana.admi. 1ª.94.F
Arteria quæ tẽdit ad pulmonẽ minor eſt illa q̃ eſt in corde.6°. 1ª.155.D
Arteriæ ſparſæ ad pulmones ſunt veluti radices.de ven.ar.diſſ.1ª.55.G
Arteria in pulmone radici arboris comparatur.6°.de decr. 1ª.262.B
Arteria venæ,vena autem arteriæ habuit tunicas in ſolo pulmone.6°. vſu partium. 1ª.151.A
in Arterias pulmonis quo mõ ſanguis deueniat.6°.de uſu par. 1ª.151.H
Arteriarũ tunica in pulmone cur craſſa.7°.de vſu partium. 1ª.159.E
Arterijs quæ ſunt à corde in pulmones,quæ venæ reſpõdeant.16°.de vſu partium. 1ª.220.F
Arteriæ duæ cordis vnde oriãtur,& eorũ iuuamẽtũ.de an.vi. Sp.47.E
Arteria,& vena,quæ veniunt à corde,faciũt pelles duas, circa pulmonẽ plenas venis,et arterijs pluribus,et ſubtilib°.de vt.re. Sp.64.C
Arteria & vena totũ cordis corp° amplectũtur.6°.de vſu par.1ª.155.F
Arterijs quæ ſunt in corde,quæ venæ rñdeãt.16°. de vſu par. 1ª.220.E
per quam Arteriam cor attrahat ſuccum cibi ab inteſtinis aliunde quam per hepar.de vtil.reſp. Sp.64.E
Arteriæ pars ſub corde maior eſt.6°.de vſu partium. 1ª.149.D
Arteriæ pars maior,quæ à corde ſe promit,quorſum tẽdat.de venarum art.diſſ. 1ª.59.B
per quas Arterias fuliginoſum quod eſt in corde tranſmittitur.7°.de vſu partium. 1ª.159.E
Arteriæ propinquæ cordi trahũt aliquid ab illo.3°.de nat.fac. 1ª.307.E
Arteriæ à corde diſtantes quid trahant.3°.de nat.fac. 1ª.307.F
Arteriarum proceſſus ſurſum.de ven.art.diſſ. 1ª.59.A
Arteriæ inferne ſurſum feruntur.7°.de vſu par. 1ª.165.B
Arteriæ iferiores oriũtur ab arteria quę deſcẽdit.an ſan.in ar. 1ª.61.A
Arteriã vnde accipiãt vẽtricul°,lien,et hepar.16°.de vſu pa.1ª.219.A
Arteria eſt principalior ſtomacho ad vitam.16°.de vſu partiũ.1ª.218.H
Arteriæ ad vmbilicum,quæ.de ven.ar.diſ.59.D|de diſſ.vul.108.H|15°. de vſu partium. 1ª.211.C|F
Arteria cur per vmbilicum ſolum ingreditur.15°.de vſu par. 1ª.211.D
ex Arterijs tenue attrahitur.4°.de vſu partium. 1ª.140.C
ex Arterijs trahit ſpiritum & tenuem ſanguinem fœtus dum augetur. 1°.de ſemine. 1ª.330.H
Arteria cur in iecore ſit.4°.de vſu partium.138.G| 1ª.139.C
Arteriæ ſitus in iecore conueniens.4°.de vſu partium. 1ª.139.C
Arteriæ iecoris cur paruæ.4°.de vſu partium. 1ª.140.D
Arterię non facile apparent ad iecoris portas.6°.de ana.admi.1ª.92.B
Arteria nulla eſt in hepate ſecundum Ariſtotelem.de vt.reſp.Sp.64.B
ab Arteria etiam,non ſolum à vena hepatis ſunt meatus quidam ad renes.de vtil.reſp. Sp.64.G
Arterias vnde habeat veſica fellis.5°.de vſu partium. 1ª.145.A
Arteria nulla eſt in ſplene,nec in hepate.ſm Ariſt.de vti.reſp.Sp.64.H
Arteriæ,& venæ inueniuntur in curuatura hepatis,& ſplenis.de vtilitate reſpirationis. Sp.64.H
ad Arteriam hepatis partim ſuccum cibi tranſmitti,non omnino ad venam hepatis manifeſtum eſt.de vtili.reſp. Sp.64.G
nec Arteria,nec vena eſt in gibbo ſplenis.de vtil.reſp. Sp.64.H
Arteriæ ad muſculos epigaſtrij.16°.de vſu par. 1ª.219.D
Arteriæ peritonæo quantum ſunt craſſiores.4°.de dig.pulſ. 4ª.85.G
Arteria quæ protenditur à corde per dorſum,& coniungitur meſenterio,non tranſit per hepar.de vtil.reſp. Sp.64.E
Arteriæ cuidã pcedẽti à dorſo cõtinuat meſeraicũ.de vtil.reſ.Sp.64.G
Arteriæ extremæ ſunt quæ meſenteriũ occupant.an ſang.in ar. 1ª.61.D
Arteriæ quæ veniũt ad meſenteriũ vnde oriantur.an ſang.in ar. 1ª.61.E
Arterias meſenterio propinquas lacte plenas habent hædi nuper nati. an ſang.in art. 1ª.61.D
Arteria vena,neruus diſſeminantur,in ſingulas circumuolutiones inteſtinorum.5°.de vſu partium. 1ª.145.E
Arteriæ inteſtinorum ortus.16°.de vſu partium. 1ª.219.A
Arteriæ ad lactes,& inteſtina,quæ.in 6°.de mor.vul.cõ.4°. 3ª.180.E
Arteriæ iũguntur in magna arteria q̃ eſt ad lũbos.15°.de vſu p. 1ª.211.D
Arteria non eſt venæ ſubiecta in vltimis lumborum vertebris,ſed è contrario.de ven.art.diſſ. 1ª.58.D
ab Arteria magna rami deſcendunt ad renes.6°.de lo.aff. 4ª.39.C
Arteriæ ad renes à corde quæ, cur, & quo modo.de ren. affect.digno.med. 7ª.192.A
Arteria quæ peruenit ad renes,vbi ſit.16°.de vſu par. 1ª.219.A
Arteriæ renum omnium maximæ ſunt, quæ à magna arteria deducuntur.2°.de nat.fac. 1ª.298.B
Arteriæ cur tam magnæ in renibus.5°.de vſu partium. 1ª.144.A
Arteria dextri renis vnde oriatur.16°.de vſu partium. 1ª.219.B
in Arterijs renum ſanguis continetur.5°.de vſu partium. 1ª.144.C
Arteriæ renũ habẽt ora,per quæ exit ſpũs.com.7°.apho.34°. Ex.56.E
Arteriæ circa vrinaculũ ſunt in inferiorib° ptibus.15°.de vſu p.1ª.211.G
Arteriæ cur magnæ in veſicis.5°.de vſu partium. 1ª.144.H
Arterias vnde habeat veſica vrinæ.5°.de vſu partium. 1ª.145.A
Arteriæ & venæ ſunt organa ſpermatis.de ſpermate. Sp.36.E
Arteriæ cur maximæ & duplices in pudendis,& quorſum eant.14°.de uſu partium. 1ª.209.A
Arteriæ ad teſticulos,quales.16°.de uſu partium. 1ª.219.B
Arterias teſticulorum natura à longinquis partibus ducit.16°. de uſu partium. 1ª.219.C
Arteriæ breui ad genitalia ueniunt & unde.14°.de vſu par. 1ª.209.C
Arteria teſtium operitur abdominis membrana.1°.de ſemi. 1ª.333.E
Arteriæ & venæ teſtium inceſſus.1°.de ſemi. 1ª.333.E
Arteriæ ante teſticulos,& ſub dura meninge cur multipliciter inuolutãtur.4°.de vſu partium.139.B|16°. 1ª.219.C
Arteria & vena cur oblique deſcendunt ad vtrunque teſtem,& non recte.1°.de ſemi. 1ª.332.F
in Arterijs & venis teſtium ſanguis albeſcit.1°.de ſemi. 1ª.332.F

Arteriæ

Arteriæ teſticulorum debebant aliquid impuri, & ſeroſi recipere.16°. de vſu partium. 1ª.219.B
Arteria & vena teſtium gignunt ſubſtantiam ſeroſi humoris ſecundum Ariſtotelem.1°.de ſemi. 1ª.332.G
Arteriæ magnæ ſunt in priapo,& cur.6°.de lo.aff.41.H/ 4ª.42.E
Arteria & vena in matrice vbi ſit,& ad quid.15°.de vſu par. 1ª.211.B
quæ Arteriæ vterum nutriant.de diſſ.uul. 1ª.108.G
Arteriæ in vtero minores ſunt quàm venæ.de diſſ.vul. 1ª.108.G/H
Arteriarum & venarum ora quæ feruntur ad vterum, acetabula vocat Praxagoras.com.5°.aphor.45°. Ex.42.G
Arteriæ ad os latum quales.16°.de vſu partium. 1ª.219.E
Arteriæ crurum vnde naſcantur.de decre.Hipp.& Pla. 1ª.233.B
Arteriæ ad crura quo modo incedunt. de ven. art. diſſol. 59. D/16°. de vſu partium. 1ª.218.E
Arteria malleoli liberat à coxæ dolore.de cur.rat.p ſang.miſſ. 6ª.21.F
Arteria cruris & pedis q̃uo ramificetur & eat.3°.de an.adm. 1ª.79.C
Arteriæ cur vbique cum venis ponuntur à natura, niſi quid maius obſtet.5°.de vſu partium. 1ª.142.C
Arteriam habent venæ profundæ.de ven.ar.diſſ. 1ª.59.G
Arteriæ & venæ habent ora communia.de vſu pulſ. 1ª.228.G
Arteriarum orificiorum apertiones ad venas non ſine ratione parauit natura.6°.de vſu partium. 1ª.155.B
ad Arteriam a vena meatum aliquem eſſe.de vtil.reſp. Sp.64.F
Arteriæ & venæ ĩ quibus partibus ſe cõtingũt.9°.de vſu par.1ª.172.H
Arteria non inuenitur ſine vena ſua.16°.de vſu partium. 1ª.220.E
ab Arteria nuſquam vena relinquitur.16°.de vſu par. 1ª.220.H
Arteria ſine vena.de ven.art.diſſ. 1ª.59.C/D/E/G
Arteria ſine vena eſt rete mirabile.de ven.ar.diſſ. 1ª.59.H
ſine Arterijs ſunt venæ iugulariæ externæ.de ven.ar.diſſ. 1ª.59.B
Arteriæ non egent qualitate extrinſeca, & maxime caliditate. de vtilitate reſp. 1ª.226.A
Arteria habet quatuor facultates.3°.de natu.facul. 1ª.305.C
Arteriarum,neruorum,& venarũ facultas eſt diuerſa.de mul.3ª.77.B
in Arteriam aliquid deſtillare.de op.ſecta. Iſa.21.F
Arteriæ quid contineant.6°.de vſu partium. 1ª.154.H
in Arterijs negat eſſe humores Praxagoras.de dignoſ.pulſ. 4ª.84.H
in Arterijs an ſanguis contineatur, & impleantur ſpiritu à corde.an ſang.in art. 1ª.62.D
in Arterijs naturalr̃ ſanguis cõtinet̃.4°.de vſu par.141. B/de vſu pulſ. 1ª.229.A/de ven.ſect.aduer.Eraſ.6ª.6.H/de vtil. reſp. Sp.64.G
in Arterijs eſſe ſanguinem quo modo deprehenditur. 1ª.61.H
in Arterijs eẽ ſanguinẽ q̃uo oſtendit̃ p ſectionẽ. 7°. de ana.admi.1ª.98.G
in Arterijs aer eſt ſanguini mixtus.1°.de diff.feb. 3ª.31.A
in Arterijs ſanguis paucior eſt quàm in venis.fin.med. Iſa.44.B
in Arterijs qui ſanguis cõtineat̃.6°.de vſu par.155.C/de fœ.for.323.F/de vſu pulſ.1ª.228.A/1°.de ineq.intemp.3ª.43.G/5°.met.med. 7ª.32.C
Arteriarum ſanguis tenuiſſimus & calidiſſimus. 6°. de dec.Hippocra. 266.D/1°.de mo.muſ. 1ª.309.B
Arteriarum ſanguis calidior ſanguine venarũ.de fœt.for.323.F/ de vſu pulſ.228.D/1°.de ſemi.1ª.331.C/de tum.præter naturam. 3ª.84.D
Arteriarum ſanguis ſubtilior & vaporoſior quàm venarum.4°.de vſu partium. 1ª.140.C
Arteriæ ſanguis liquidior eſt quam venæ.de vtil.reſp. Sp.64.E
Arteriarum ſanguis cur primo caleſiat.1°.de inæqual.intem. 3ª.43.G
Arteriarum ſanguis vbiq: ſimilis eſt.6°.de decre.Hippo. 1ª.263.C
Arterię quam habent caliditatem.1°.de temp. 1ª.18.A
Arterię fiunt calidæ ex tactu ſanguinis,& veniunt ad medium temperamentum.1°.de tempe. 1ª.15.C
Arteria calidior eſt omni particula animalis.8°.de vſu par. 1ª.165.E
Arteriarum & cordis motu an calor oriatur,vel ſit connatus,vt cordi motus.aduer.Lycum. Ex.61.H
Arteria habet vim attrahendi debilem.de vtil.reſp. Sp.64.E
Arterię trahunt ex venis.6°.de vſu partium. 1ª.156.F
in Arterias quòd ſanguis ex venis feratur.3°.de nat.fac. 1ª.307.G
Arterijs datur ſanguis confectus in venis.6°.de vſu partium. 1ª.155.C
Arterię ſemper primo trahunt quod leuius eſt.3°.de nat.fac. 1ª.307.G
Arteriæ trahunt & aerem,& tenuia.1°.de ſim.med.fa. 5ª.4.D
Arteriæ in capitibus per cutem attrahunt.8°.de decre.Hipp. 1ª.278.B
Arterię ad cutim trahunt externum aerem.3°.de nat.fac. 1ª.307.E/1°. de diffe.febrium. 3ª.32.B
in Arterias cor mittit aerem.de vtil.reſp. 1ª.226.E
Arterię attrahunt piper ad exactiſſimum redactum pollinem ſimul cum aere.1°.de ſimpli.medica.facul. 5ª.4.D
Arteriarum attractio eſt prima cauſa deducendi per corpus medicamẽta.3°.de ſimp.med.fac. 5ª.22.A
Arteriæ trahunt ſanguinem tenuiſſimum à venis propinquis.3°.de naturalibus facult.307.E/ 1ª.308.D
Arteriarum ſanguis eſt fomentum ſpiritus.6°.de vſu par. 1ª.155.C
Arteriæ ſanguis nõ coagulatur,vt ille q eſt in vena.de vtil.reſ.Sp.64.E
in Arterias trahit̃ ſp̃us & à corde & vndequaq;.an ſan.in ar. 1ª.62.E
in Arterijs qui ſpiritus contineatur.4°.de digno.pulſ. 4ª.84.G
in Arterijs & corde generatur ſpiritus vitalis.6°.de decretis Hippocr. 1ª.269.D/E/11°.met.me.7ª.77.C/de vir.noſtrum cor.diſ. Sp.60.C
in Arterijs non ſunt ſolum ſpiritus, vt Eraſiſtratei putarunt.6°.de locis affectis.4ª.39.C/2°.meth.med: 7ª.12.H
per Arterias non fertur ſpiritus tanquam per canales lapideos. an ſan. in arterijs nat.con. 1ª.62.F
in Arterijs quo modo clarificetur ſpiritus.de ſpermate. Sp.37.G
ex Arterijs in venas fit trãſult° ſp̃uum.de venæ ſect.aduer.Eraſ.6ª.5.F
in Arterias aliquid ex vẽtre,ſed exiguũ defertur.3°.de na.fa.1ª.307.G
Arteriarum orificia ad inteſtina pertingentia paruu cibi ſumunt.4°.de vſu par.141.A/3°.de na.facul.307.B/F/ 1ª.308.D
in Arterijs excremẽtũ ẽ ſicuti ſerũ in lacte cõcreto.1°.de ſa.t. 2ª.67.G
ab Arterijs omnibus, & venis corporis mittitur vrina, & ſudor.de vtilitate reſpir. Sp.64.G
Arteria habet quandam vim,qua excernit aliena per ſudores,per profluuia ſanguinis,per deiectiones inferiores.com.7°.aph.21°.Ex.55.D
Arteriæ motus,qui.fi.med. Iſa.44.H
Arterię motus,q̃uo fit.4°.de diff.pul.64.G/1°.de cau.pul. 4ª.87.B
Arteriarum motus à calore fit.8°.de decr.Hipp. 1ª.277.E
Arteriarum,& cordis motus quomodo differant.2°.de ſa.tuen.75. A/ 3°.de præſ.ex pul. 2ª.115.C
Arteriarum motus multi.3°.de diff.pulſ. 4ª.64.E
Arterię mouent̃ motu naturali non volũtario.9°. de vſu par.180.H/16°. 214.H/1°.de mot.muſ.309.B/2°.1ª.314.H/2°.de ſanit.tuen. 2ª.75.A
Arteriarum exercitatio per accidens fit a motibus voluntarijs. 2°.de ſanitate tuenda. 2ª.75.A
præter Arterias,venas,& pelliculas,& neruos nihil de corpore ſenſibile eſt.de vtil.reſp. Sp.62.G
Arteria,neruus,vena,& vẽtricul⁹ diuerſo mõ ſentiũt.de mul.3ª.77.F
Arteriæ non habent ſenſum.16°.de vſu partium. 1ª.220.D
Arteriarum omnium motus æqualiter fit circa reſpirationem & eius cohibitionem.de vtil.reſp. 1ª.223.F
Arteriarum motus in animalibus quid pręſtat. 4°. de vſu partium.1ª. 140.D/in 3m.de mor.vulg.commen.3°. 3ª.141.A
Arteriarum motu calor natiuus in omnibus animalis partibus temperatur.de cau.morb. 3ª.7.E
Arteriarũ motũ primus Hippoc.pulſum appellauit.ꝙ ani mo. 1ª.320.C
Arteriæ eſt pulſuum organum.1°.de diff.reſp. 3ª.58.G
Arteriarum,& pulſus origo.de marcore. 3ª.46.G
circa Arterias ſolum,& cor fit pulſus.comp.pulſ. Sp.65.B
ab Arteriis & corde motus vitales ſunt.de palp.conuulſ.& ri.3ª.51.D
Arteriis repletis,corde vacuato,pulſum fieri docet.com.pul. Sp.65.C
per Arterias tranſpiratio fit à corde.4°.de locis affectis. 4ª.27.E
Arteriam tangere quo modo debemus.1°.de dign.pul.70.F/ 4ª.74.H
Arteriarum motus duplex & compoſitus eſt.de vſu pulſ. 1ª.228.F
Arteriarum pulſus eſt compoſitus motus.2°.de ſymp.cau. 3ª.20.C
Arteriarum motum duplicari quid ſit.de vti.reſp. 1ª.224.B
Arteriarum actio an ſyſtole & diaſtole.de vſu pulſ. 1ª.229.A
Arteriarum vterq; motus ꝙ actio ſit.de vſu pulſ. 1ª.229.C
Arteriæ in omni parte habent eandem actionem.6°.de lo.aff. 4ª.42.D
Arteriæ mouentur à corde ob virtutem in tunicas tranſmiſſam. an ſan. in ar. 62. G/H/1°.de vſu par.117.B/6°. de dec. Hip.265. D/278.B/1°. de ſemine.1ª.335.B/de multitu.3ª.77.B/3°.de præſ. ex pulſ. 4ª. 115.C/ 7°.meth.med.49.C/de uict.rat.in mor.ac.com.2°.7ª.123. H/de ana. uiuo.47.A/de virtu.noſtrum corpus diſpenſantibus. Sp.60.D
Arteriarum pulſus non eſt à cerebro.2°.de decre.Hippo. 1ª.237.A
Arteriæ pulſant proprio rhythmo.15°.de uſu partium. 1ª.210.D
Arterię ſecundum aliquos ex ſeipſis pulſant.6°.de decre.Hip.1ª.265.D
Arterię in extremis manibus pulſant.de uen.art.diſſ. 1ª.59.D
cuius Arteriæ ſit pulſus qui in brachio tãgitur.3°.de ana.admi.1ª.77.F
Arteriæ per tarſos pedum pulſant.de uen.ar.diſ. 1ª.59.D
Arteriarum pulſatus,& caloris dignotio à quibus differant. ad Traſybulum. 2ª.105.A

Arteriæ &

Arteriæ & cor habent eandem pulſandi rationẽ.de pul.ad tir. 4ª.43.C
Arteriæ vis quæ extenditur, à corde eſt.an ſang.in art. 1ª.62.F
in Arterijs ſingulis vis quædam à corde, qua dilatantur & contrahuntur.3°.de na.fac. 1ª.307.E
Arteriæ quo modo dilatentur & conſtringantur.de vſu pul. 1ª.228.E
Arteriæ cur dilatentur.2°.de ſymp.cau. 3ª.20.G
Arteria quantum dilatetur in pulſu.2°.de digno.pul. 4ª.79.D
Arteria dum dilatatur, vacuatur: dum contrahitur, impletur ſecundũ antiquos.de vſu pulſ. 1ª.228.E
Arteriæ non dilatantur quum ſpiritum reddunt.de vſu pul. 1ª.228.F
Arteriæ inter dilatandum attrahunt oẽ vicinũ.3°.de ſimp.me. 5ª.22.A
Arteria an attollatᷣ qñ cor demittitᷣ, an ſubmittatᷣ qñ cor attollitur, vt cõſpiciamus, cor in viuo animante denudamus.7°.de ana.ad. 1ª.97.H
Arteriæ cur habent eleuationem, & depreſſionem.de cau.mor. 3ª.7.E
de Arteriæ cõtractione & de alijs fuit incertus Galenus per multos annos.1°.de digno.pulſ. 4ª.70.E
Arterię vacuantur per tractionem acris.de vtil.reſp. 1ª.224.B
Arteriæ vacuantur per externam ſuperficiem.2°.de cau.pulſ. 4ª.95.B
Arterię quo tempore trahunt, dilatantur.de vſu pulſ. 1ª.228.E
in Arteria vnde fiat conſtrictio.1°.de præſag.ex pulſ. 4ª.107.F/G
Arteriarum adſtrictio quæ toti corpori contingit, contingit & parti.de cauſis morborum. 3ª.7.G
Arteriæ plenæ diſtenduntur.de vtil.reſp. 1ª.224.B
Arteriarum tenſio vnde fit.1°.de præſag.ex pulſ. 4ª.107.G
Arteriæ à robore diſtenduntur.1°.de cau.pulſ. 4ª.87.B
Arteriam magis tendunt & indurãt membranę.5°.de loc.aff. 4ª.29.H
Arteriæ diſtentio quanta ſit.de pulſ.ad tirones. 4ª.43.C
in Arterię diſtentione quid tactus patiatur.4°.de dign.pulſ. 4ª.84.C
Arterię tenduntᷣ ob affectũ diaphragma.4°.de pręſ.ex pul. 4ª.120.C
in Arterijs & corde vires debiles vel robuſtæ cognoſcuntᷣ ex functionibus pulſuum.de cur.ra.per ſang.miſſ. 6ª.17.D
Arterię & duorum hoĩum incedentiũ exemplũ.2°.de cau.pul. 4ª.91.D
Arteriæ implentur, quia diſtenduntur vt folles: non diſtenduntur, quia impleantur.an ſang.in ar.62.E/de vſu pulſ. 1ª.229.A
Arterię non ob id quod dilatantur implentur, ſed quia implentur dilatãtur.6°.de vſu par. 1ª.156.E
Arterię trahunt à venis, dum dilatantur.de vſu pul. 1ª.228.G
in Arterias mittit ſpiritus cor, vbi contrahitur naturali modo ſe habẽte animali.de vtil.reſp. 1ª.224.A
Arteriæ cũ contrahuntᷣ in oẽm partem expellunt.de vſu pulſ. 1ª.228.F
Arterię cur plus accipiũt à corde & min⁹ reddunt.de vſu pul. 1ª.228.H
Arteriarũ expletionis grã fit reſpiratio ſm Eraſiſ.de vti.reſ. 1ª.223.B
Arteriæ mittunt in venas cum conſtringuntur.de vſu pulſ. 1ª.228.G
Arteriarũ altera introducit, altera educit ſpiritũ.6°.de decr. 1ª.263.D
in Arterijs quies illa, quę contractui earum ſuccedit, multo maior eſt ea, quæ dilatationem ſequitur.de vſu pulſuum. 1ª.228.F
Arteriam totam pulſare quõ oculis videri poſſit.an ſang.in ar. 1ª.62.G
Arterias maiores & validi⁹ pulſantes habẽt calidi.2°.de ſem. 1ª.339.B
ex Arteriæ motu quõ cognoſcãtur iracũdi & furioſi.de decre. 1ª.266.E
Arteriæ multę ſentiuntur in macilentis.de ven.art.diſſ. 1ª.59.E
Arterię tracheæ motus videtur in aĩali mortuo.7°.de vſu par. 1ª.157.G
Arteriarum motus nunq̃ omnino intermittitur.2°.de ſan.tuen. 2ª.75.A
Arteriæ motus perpetuus eſt.6°.de loc.affe. 4ª.42.D
Arteriæ & cor ſemper pulſant in vita.1°.de cau.pulſ. 4ª.86.H
Arterioſarum partium pulſus ſunt maiores aliarum partium.4°.de præſa.ex pulſ. 4ª.123.E
Arterię pulſatio quantus ſit calor oſtendit.4°.de loc affe. 4ª.24.G
Arteriæ opus quibus de cauſis mutationẽ ſuſcipiat.2°.de ſa.tuẽ. 2ª.75.B
Arteriæ quomodo contumaces fiant.2°.de cauſ.pulſ. 4ª.92.H
ex Arteriæ corpore pulſus differentiæ.1°.de diff.pulſ.47.D/ 4ª.48.B
ab Arteriæ ſede inæqualitas in pulſu.1°.de diff.pulſ. 4ª.51.G
Arteriæ inęqualitas in diuerſis partibus qualis.1°.de diff.pulſ. 4ª.51.E
Arteriæ corporis inæqualitas, quæ.1°.de diff.pulſ. 4ª.51.F
in Arteriæ cauitate inæqualitas à materia infuſa.1°.de dif.pul. 4ª.51.F
in Arteria vnde fiat ſiccitas.1°.de pſag.ex pulſ.107.F/3°. 4ª.119.C
Arteriæ rugoſitas auget numerum corporum impoſitorum.1°.de pręſag.ex pul. 4ª.106.D
Arterijs durities vñ.1°.de diff.feb. 3ª.34.D/1°.de pſa.ex pul. 4ª.107.F
Arteriæ duræ pulſus, qualis.1°.de præſag ex pulſ. 4ª.107.C
Arteria calida, & dura quales faciat pulſus.1°.de cau.pulſ. 4ª.89.F
Arteria dura, & frigida quem faciat pulſum.1°.de cauſ.pul. 4ª.89.D
Arteria dura cũ facultate imbecilli quos faciat pulſus.ibidẽ. 4ª.89.H
Arteria calida, & mollis quales faciat pulſus.ibidem. 4ª.89.E
Arteria mollis & frigida quales faciat pulſus.ibidem. 4ª.89.G
Arteria mollis cũ facultate ĩbecilli quales faciat pulſus.ibidẽ. 4ª.89.H
Arterias molles hñt mulieres, tñ hñt pulſus puos.3°.de ca.pul. 4ª.95.H
ab Arteriæ infuſione pulſuum differentiæ.1°.de diff.pulſ. 4ª.48.B
ex Arteriarum & cordis ſiccitate & humiditate pulſus mutatio.3°.ex præſag.ex pulſ. 4ª.119.C
Arteriarũ frigidarũ, & cordis calidi pulſus.3°.de pſag.ex pul. 4ª.115.C
in Arteria qd ſentiatur & ad quantum.2°.de dign.pul.79.D/4ª.80.D
Arteriæ quæ illuſtrem habent motum.de pulſ.ad tirones. 4ª.43.C
Arteriarum motus in quibus augetur.com.7°.apho.21°. Ex.55.D
Arteriæ & venæ intenduntur in inflammatione.2°.de loc.affe. 4ª.10.G
Arteriæ ſolæ citra dolorẽ pulſant aĩali bene valente.2°.de lo.af. 4ª.8.G
Arteriarum motus ſenſibilis cum dolore eſt.in ĩflammationibus.de tu.præter natu. 3ª.84.A/2°.de loc.affect. 4ª.8.G
Arteriarum motus qñ facit pulſum, & dolorẽ.cõ.7°.aph.21°. Ex.55.D
Arteriarũ motus facit triſtẽ ſenſum laborãtibus, qñ ſunt mẽbra inflata, & locus anguſtatus, & depoſitio dolorifica.c.7°.aph.21°. Ex.55.D
Arteriæ pulſant poſt ictum vulneris.2°.de decre.Hippo. 1ª.237.A
Arteriæ & venæ vario dolore afficiuntur.1°.de inæq.intemp. 3ª.43.E
Arteriarum dolores, qui.2°.de lo.affe. 4ª.11.E
Arterijs dilatatis dupl'.dolor sẽtitᷣ muſculo ĩflãmato.2°.de l.af. 4ª.8.H
Arteriarum dilatatio dolorem infert, muſculis intercoſtalibus inflammatis.2°.de locis affectis. 4ª.9.A
ad Arteriæ dolorem.7°.de comp.med.ſec.loc. 5ª.180.D
in Arteriarum motu bubo habet alterationem.2°.de nat.fac. 1ª.300.E
Arteriarum motus dolorem non excitat in ſcirrhis, & œdematis propric, & in intemperiebus appellatis ſine tumore.2°.de lo.aff. 4ª.8.H
in Arterijs adeſt palpitatio.2°.de ſymp.cau. 3ª.20.F
in Arteriarum motu non eſt febrium eſſentia, vt quidã putarũt. in 6m.de mor.vulg.comment.1°. 3ª.158.F
Arteriæ circumſtantibus partibus calidiores maximum eſt febrium hecticarum indicium.1°.de diff.feb. 3ª.35.G
Arteriarũ et venoſi generis paſſiones ſunt febres, ideo vrinæ in febribus ſunt conſiderandæ.1°.de criſi. 4ª.128.C
Arteriæ quõ ſe habeant in febribus liperijs.3°.de pſag.ex pul. 4ª.115.D
Arteriarum motiones læduntur corde colliſo, aut vulnerato.2°.de decre.Hippo. 1ª.245.D
Arteria de ſede ſua raro migrat.1°.de præſag.ex pulſ. 4ª.106.F
Arteriarum motus ceſſat cum corpus frigore vel veneno frigefactũ eſt.8°.de decre.Hippo. 1ª.277.F
in Arterias inter alas, & inguina ſanguis incidens febrem facit.an ſang.in ar. 1ª.61.B
Arteriarum ſatietatis indicia ſcientifica habentur in libro de pulſibus.de multitudine. 3ª.77.F
ex Arteriarũ plenitudine cur ſequatur ſtrãgulatio.de cau.mor. 3ª.7.E
per Arterias quõ cognoſces materiam fluere.13°.meth.med. 7ª.86.E
propter Arteriarum temperamẽtũ capita in vertigines incidentia quibus curentur.6°.de ſanitate tuenda. 2ª.98.H
Arteriam in longitudine qui muſculi erigant.de voc.inſtr.diſſ. 1ª.107.E
ab Arteria longiſſime ſanguis detrahendus eſt.3°.de an.admi. 1ª.77.C
ad Arteriæ vitia.3°.de med.fac.par.172.C/ 7ª.178.G
ad Arteriam affectam.7°.de comp.med.ſec.loc.179.D/G/ 5ª.181.E
cum Arterijs cor patitur.de fract.com.2°. 7ª.235.C
in Arteria ſolutio vnitatis nullã habet appellationẽ.6°.me.me. 7ª.36.G
Arteria quandoq; vulnerata exit ſanguis.an ſan.in arte.nat.cõt.60.B/6°.de vſu partium. 1ª.155.A
ex Arterijs & venis qui effunditur vna appellatione vocatur ſanguis.de atra bile. 1ª.34.D
ex Arterijs ſanguis effuſus flauior ẽ quã qui è venis.de atra.bi. 1ª.34.D
Arteria pforata acu tenuiſſimo ſanguinẽ eiaculatᷣ.an ſang.ĩ ar. 1ª.60.E
Arteriarum ſanguis quo modo exit.de tum.præter nat. 3ª.84.D
Arterijs ſectis maius ſanguinis profluuium contingere quàm ſectis venis collige.it.7°.de anat.admi. 1ª.97.C
ex Arterijs magnis ſanguinis profluuium quod ſedari non poteſt.3°.de anat.admi. 1ª.73.F
Arteria inciſa totus ſanguis illuc confluit, niſi ſupprimatur.an ſang.in ar.61.B/de vſu pulſ. 1ª.228.F
ab Arteria exire ſanguinem quõ cognoſcatur.1°.de loc.affec. 4ª.2.E
Arterias apertas animalia habentia pereunt.de vſu pulſ. 1ª.228.G
Arteria in coxa vulnerata nullo pacto ſuatᷣ aĩal.3°.de vſu par. 1ª.131.B
Arterię os quomodo claudatur.5°.meth.med. 7ª.30.D

Arteria magna

Arteriá magná vulnerata, quibus curat̃.3°.meth.med.5ª.30.A/7ª.32.B
Arterię vulnus non eſt ſuendum.5°.meth.med. 7ª.30.D
Arteria vulnerata quòd non poſſit coaleſcere.5°.meth.med. 7ª.32.B/D
Arteria quòd poſſit conſolidari.5°.meth.med. 7ª.32.D
Arterioſæ partes vulneratæ magis exiccandæ ſunt. 2°. de arte cura: ad Glauconem. 7ª.102.E
ad Arteriam exulceratam.7°.de compo.med.ſe.loc. 181.C/5ª.183.G/3°. de med.fac.par. 7ª.171.D
ꝑpe Arteriã magnã aut venã vlcus bubões excitat.13°.me.m.7ª.81.A
Arteriarum oſculorum & venarum apertio in toto corpore, anaſtamoſis dicitur.6°.de vſu partium. 1ª.151.H
Arteriam ſecare, & venam ſoluere inter ſe diſtãt.ad Thraſy.2ª.105.A
Arteriæ q̃n debẽt ſecari gñalis regula.de rat.cur.ꝑ ſang.miſſ. 6ª.21.D
Arteriam ſecare aliquis eſt idoneus, aliquis non.ad Thraſy. 2ª.105.E
Arteria ſecatur eodẽ modo, quo vena.de rat.cur.ꝑ ſan.miſſ. 6ª.21.D
ad Arterias manũ pone, cũ venã ſecas.de rat.cur.ꝑ ſang.miſſ. 6ª.21.C
Arterias cur medici incidere timent.de cur.ra.per ſang.miſſ. 6ª.21.E
Arteriæ inciduntur in capitis doloribus.6°.de ſan.tuen. 2ª.98.H
Arteriarum ſectio in oculis quandoq; fit.4°.de cõp.me.ſec.lo.5ª.150.B/ 13°.meth.med. 7ª.86.E
Arteria temporis quandoq; phlebotomatur, & quandoq; inciditur, & quandoq; extrahitur, & quando aduritur.de anat.viuo. Sp.55.B
Arterię temporum propter oculos ſecantur ob ſluxum calidum & ſpirituoſum.de ra.cur.per ſang.miſſ. 6ª.21.D
Arteriæ poſt aures non ſunt temere ſecandæ.de anato.viuo. Sp 55.B
Arteriæ poſt aures ſecantur in vertiginoſis.3°.de loc.affe. 4ª.20.D
Arteriæ poſt aures ſecantur propter vertigines & dolores capitis longos, calidos, & ſparſos.de ra.cur.per ſang.miſſ. 6ª.21.D
in Arteriæ angina quæ vena ſecanda.de cur.ra.ꝑ ſang.miſſ. 6ª.20.G
Arterias diſſecuit Galenus ab inſomnio monitus, & quo modo.de rat. cur.per ſang.miſſ. 6ª.21.E
Arteriam in malleolo ſectam vulnere, quæ non poterat claudi, totam incidit Galenus.de cur.ra.per ſang.miſſ. 6ª.21.F
Arteria debet tota incidi, cur.5°.meth.med. 7ª.30.G
Arteria inter indicem, & pollicem ſecta liberat à dolore inter iecur & ſeptum.de cur.ra.per ſang.miſſ. 6ª.21.E
Arteria in cubito ſecta quid mali fecerit.de cur.ra.ꝑ ſang.miſſ.6ª.21.E
Arteria in cubito inciſa aneuriſma facit.5°.meth.med. 7ª.32.D
Arteria in ſumma manu inciſa liberauit miniſtrum dei à dolore lateris. de cur.rat.per ſang.miſ. 6ª.21.F
Arteria exciſa quid faciat.13°.meth.med. 7ª.86.E
Arterijs ligatis aut ſectis quid ſequatur.de fœ.for. 1ª.324.D
Arteria ſecta obeſt voci, ſed nõ priuat reſpiratione.1°. de lo.aff.4ª.7.A
Arterijs conſtrictis quid ſequatur.de fœ.for. 1ª.324.D
Arteriæ colli ſi ligentur, quid ſequatur.2°.de de decre.Hipp. 1ª.239.B
Arterijs circa collum conſtrictis nihil patitur aĩal de vtil.reſ. 1ª.225.H
Arterię colli vinculo exceptæ non obſunt.de vſu pul. 1ª.227.D
Arterię eius, cui compreſſum forcipe fuit cor, non mouebantur, tamen non amiſit ſenſum vel motum.de decre.Hip.& Pla. 1ª.232.B
Arterias circa vmbilicum ſi liges vel comprimas, quid ſequatur.6°.de decre.Hippo. 1ª.265.A
Arteriæ ligatæ frigidas partes reddunt.de vſu pul. 1ª.228.D
Arteriæ fractæ ægre ſanantur.ſi.med. Iſa.50.A
Arteria fracta quibus deligetur.5°.meth.med. 7ª.30.G
pro Arterijs vincula qualia eſſe debent.13°.meth.me. 7ª.86.E/F
pro Arteria liganda ſericum filum.13°.meth.med. 7ª.86.F
Arteria quo modo intorquenda ſit.5°.meth.med. 7ª.30.G
Arteria aſpera inciſa animal fit inuocale. 2°.de decre.Hippo.1ª.236.A
Arteria aſpera inciſa homo habet anhelitũ. 2°. de decre.Hipp.1ª.236.C
Arterijs quibus pręciſis animal peribit.2°.de decre.Hippo. 1ª.239.B
Arteria nunq̃ vel raro uiſa renaſci ĩ magnis vulnerib⁹.1°.de ſe.1ª.332.H
Arteria ablata cur non creſcat.1°.de ſemi.332.D/ 1ª.333.A
Arteriæ ſectę q̃uo poteſt induci cicatrix.de cur.ra.ꝑ ſang.miſ. 1ª.21.E
Arteria cum diuellitur, qui morbus ſit, & quib⁹ cõe.de diſ.mor.3ª.5.D
Arteriæ cur poſt mortem in ſe non decidant.de vſu pulſ. 1ª.229.B
Arteriæ quandoq; auferuntur.de diff.mor. 3ª.5.A
Arterioſum corpus quid ſit.4°.de diff.pulſ. 4ª.67.F
Arterioſa ſunt anteriora.com.5°.aph.65°. Ex.45.A
Arterioſum vas vbi eſt, ibi adeſt etiam vena.16°.de vſu par. 1ª.220.H
Arteriaca medicamenta à meatu in pectus deſcendente nominantur.de vſu thor.ad Pamph. 5ª.98.G
Arteriaca quæ ſint medicamenta.7°.de comp.med.ſec.lo. 5ª.177.B
Arteriaca medicamẽta debẽt recipe myrrhã.8°.de ſim.me.fa. 5ª.61.B
Arteriaca acris, quæ.7°.de comp.me.ſe.loc. 5ª.177.C
Arteriacę Andromachi.7°.de comp.me.ſe.lo. 5ª.178.B
Arteriaca Apollonij, & Alcimionis.7°.de comp.med.ſe.lo. 5ª.179.F
Arteriaca Blaſti ad tabeſcentes.7°.de comp.med.ſec.lo. 5ª.178.D
Arteriaca bona.7°.de comp.med.ſe.loc. 5ª.179.C
Arteriaca Charixenis.7°.de com.med.ſec.loc.187.H/ 5ª.181.C
Artheriacæ Critonis.7°.de com.me.ſec.loc. 5ª.179.H
Artheriaca Galli.7°.de com.med.ſec.loc. 5ª.179.D
Arteriaca Heraclidæ.7°.de comp.med.ſec.loc. 5ª.179.G
Arteriaca Lyſiæ.7°.de comp.me.ſec.loc. 5ª.181.D
Arteriaca Moſchionis.7°. de com.med.ſec.loc. 5ª.179.E
Arteriaca Marini.7°.de comp.med.ſec.lo. 5ª.179.B
Arteriaca media.7°.de comp.med.ſec.loc. 5ª.177.C
Arteriaca meatus obducens.7°.de com.me. ſe.lo. 5ª.177.C
Arteriaca Origeniæ.7°.de comp.me.ſec.lo. 5ª.184.E
Arteriaca Perigenis.7°.de comp.med.ſec.loc. 5ª.179.G
ad Arteriacæ ſpiſſitudinem docet confectionem quandam conficere.9°. de comp.med.ſec.loc. 5ª.202.F
Ἀρθρῖτις à leſa particula nomen habet.2°.meth.me. 7ª.9.D
Arthritim poſſe nominari dolorem non vnius articuli, ſed multorũ, colligitur.com.3°.aph.16°. Ex.23.B
Arthritis quid ſit.fin.med.Iſa.47.H/10°.de cõp.med.ſe.loc. 5ª.206.G
Arthritim.i.articulorum morbum, fluxionibus, & acrimonia fieri poſſe, collige.com.3°.aph.16°. Ex.23.B
Arthritis eſt morbus diutinus.quos purgare op.quibus medicamentis, & quo tempore. 5ª.88.B
Ἀρθριτικὸς hoc eſt articularis.de fract.com.2°. 7ª.240.G
Arthritici habent artus imbecilliſſimos.de nat.hu.com.2°. 7ª.182.G
Arthritis articulorum oſſa nudat.de atten.vic.ra. 2ª.43.F
ex Arthritidis gñe ẽ tũ iſchias, tũ podagra.10°.de cõ.me.ſe.l.5ª.206.G
Arthriticos nõdũ appellat Hipp.genua dolẽtes.cõ.3°.aph.16°. Ex.23.B
Arthriticum vocare iſchiadicum eſt præter morem græcorum.in 6^{m}.de morb.vulg.com.4°. 3ª.179.H
in Arthritide tophi quo modo generentur.1°.de alim.fac. 2ª.10.G
in Arthritide tophi ex qua materia fiãt.ĩ 6^{m}.de mor.vul.cõ.1°.3ª.155.F
Arthriticorum vrina, qualis.de dynamidijs. Sp.35.D
Arthritides victu attenuante ſanatæ ſunt.de atte.vic.ra. 2ª.43.F
Arthriticis ſedans dolorem.10°.de comp.med.ſe.lo. 5ª.208.H
ad Arthriticum dolorem.de dynamidijs. Sp.31.D
Arthritico dolore non moleſtabitur qui vſus fuerit puluere cirico. de dynamidijs. Sp.30.C
Arthriticis & podagricis ex cauſa frigida remediũ.de cu.lap.Sp.112.G
Arthritides quibus ſanentur, & fiant.10°.de cõp.med.ſe.lo. 5ª.208.G
Arthritica ſi quis laboret, catharticis vtimur. de dynamidijs. Sp.20.E
in Arthritide principium curationis ab euacuatione.10°.de compo.medic.ſecundum loc. 5ª.207.A
Arthritici in principio veris euacuandi vel ſectione venæ, vel medicamento.quos purg.opor.5ª.88.C/de cur.ra.per ſang.miſ. 6ª.17.F
Arthriticis ſanguinẽ mittẽdũ pſuaſit Gal.de cur.ra.ꝑ ſang.miſ.6ª.18.E
in Arthritide quando bilis, & quando pituita euacuanda ſit.de his quos purg.oportet, quib.med. 5ª.88.C
Arthriticis vtiliter datur colocynthis.de dynami. Sp.21.D
Arthriticis ſuccurrit potio ſancti Pauli, & opopyri.de dynam.Sp.31.C
Arthriticis medicametis ebibitis articulorũ vitijs laborãtes, ſi ſint carnoſi, craſſi, & pingues, nullũ ſentiũt incõmodũ.6°.de ſa.tu. 2ª.99.H
Arthriticos iuuans epithema.10°.de cõp.med.ſe.loc.207.H/5ª.209.A
ad Arthriticos malagma.10°.de comp.med.ſec.loc. 5ª.209.C
Arthriticis prodeſt diapenidion magnum.de dynam. Sp.26.D
Arthritidi, & podagræ oleũ cũ ſale ꝑfricat̃.2°.de ſimp.med.fa. 5ª.13.H
pro Arthriticis ſcliroſmon.de dynamidijs. Sp.28.C
Arthriticis febrientibus cur cõmoda ſint balnea.11°.met.me. 7ª.74.A
in Arthriticis articulorum tumoribus impenſe deſiccant cochleæ vſtæ. 11°.de ſimp.med.fa. 5ª.81.G
Arthriticos aliqui curant. vulpes totas in oleo coquentes. 11°.de ſimp. med.fac. 5ª.82.H
ad Arthriticos muſtelę cinis quo mõ faciat.11°.de ſim.med.fac.5ª.82.D
ad Arthritides podagricas ſtercus colũbinũ.10°.de ſim.me.fa. 5ª.77.A
Arthritim ſanant oſſa hominum.1°.de ſimp.med.fa. 5ª.80.E
ad Arthriticos.8°. de compo.med.ſec.loc. 191. F/9°.199.A/D/H/11°. 207.E/F/H/209.B/6°.de comp.med.per ge.262. B/7°.267.B/269.C 270.H/271.D/F. 5ª.273.G

Arthritis,

Arthritis, *reliqua vide in dictione Articuli.*

ARTHRODIA *quid. de oſſibus.* 1ª.40.A

de ARTICVLIS *liber Hippocratis eſt exactũ opus. in* 6^{m}. *de morbis vulgaribus com. 2°.* 3ª.169.B

de Articulis liber ſequitur librum de fracturis. de ar. com. 1°. 7ª.251.B

de Articulis liber præcedit librum de ijs, quæ fiũt in medicatrina. de ijs, quæ in med. fi. com. 3°. 7ª.219.G

Articulus quid ſignificet. de oſſibus. 1ª.40.A | de fract. com. 2°.238.C | de artic. commen. 1°. 7ª.251.E

Articulus quid. fi. med. Iſa.50.C

Articulorum duæ differentiæ. de oſſibus. 1ª.40.A

Articuli ex quibus componantur. 12°. de vſu par. 1ª.192.G

per Articulum naturalis fit compoſitio oſſium. de oſſibus. 1ª.39.H

Articulos omnes ſtabiles & firmos cur conſtruxit natura. 1ª.126.H

in Articulis cur ſint ligamenta. 1°. de vſu partium. 1ª.116.H

ante Articulos cur caro multa. 1°. de vſu partium. 1ª.116.C

in Articulis digitorum cur caro pauca. 1°. de vſu partium. 1ª.116.C

Articuli rotundiſſimi ac laxiſſimi, qui. 12°. de vſu par. 1ª.194.A

ad Articulos à muſculis tẽdo eſt exquiſite rotũdus. 1°. de vſu p. 1ª.117.D

Articuli cauitas cur ſẽp æqualis ſit oſſi qđ iponit̃. 1°. de vſu p. 1ª.116.G

in Articulis ſæpe humor pituitoſus aceruatur. c. 6°. aph. 59°. Ex.53.G

in Articulis omnibus cur viſcoſus humor. 13°. de vſu partium. 1ª.201.H | de art. commen. 3°. 7ª.271.E

Articulorum compagines glutinoſis humoribus nutriuntur. commentario. 5°. aphoriſ. 39°. Ex.41.C

in Articulis ſpondylorum eſt humiditas craſſa, & viſcoſa. 13°. de vſu partium. 1ª.201.G

Articulorum immodica humiditas facit ægritudines in genere compoſitionis. de cau. mor. 3ª.9.E

Articulos exuſtos habent ob humiditatem multi Nomades. de aere, aquis, & locis. 2ª.5.F

Articulorum quorundam præ humiditate luxationes rubrificat enula, 6°. de ſimpli. medic. fac. 2ª.47.B

Articulis non apparentibus homines vbi inueniãtur, & vbi articulis probe diſiunctis. de aere, aquis, & locis. 2ª.6.E

Articulis, & carnibus exercitatio eſt veluti cibus, ideſt alimẽtum, robur, adiumentum. in 6^{m}. *de morb. vulg. com. 4°.* 3ª.190.G

Articuli & muſculi primo motum excipiunt. de cau. mor. 3ª.6.F

Articuli cuiuſcunq; motus ſunt quatuor. 3°. de vſu par. 1ª.131.H

Articulus primus, & tertius à quo tendone flectatur, & quo modo. de muſc. diſſ. 1ª.48.H

Articulũ primũ mouẽs tendo ſi patiat̃, qđ ſequit̃. 1°. de vſu par. 1ª.118.D

Articulorum ſecundam dearticulationem flectentes muſculi, & quomodo. de muſcu. diſſ. 1ª.49.C

Articuli vibrantur vibratis muſculis. 2°. de ſymp. cau. 3ª.22.G

Articuli maiores per magnos muſculos vel multos, vel robuſtos tendones mouentur, minores vero per minores aut pauciores, aut imbecilliores. 3°. de vſu partium. 1ª.135.D

Articuli in curſu non torquentur, ſed extenduntur & flectuntur. 2°. de anatom. admin. 1ª.70.B

Articulus capitis cur duplex ſit. 12°. de vſu par. 1ª.194.B

Articulum nullum detinet muſculus latus in collo, nec in articulum inſeritur. de muſcu. diſſ. 1ª.44.D

Articulus brachij & magnus eſt & ſinus plures habet. de fracturis, commentario. 3°. 7ª.248.H

Articulus angularis ad gibberum. 2°. de mo. muſ. 1ª.315.G

Articuli digitorum, vt ianuarum cardines, eminentiam cauitati immiſſam habent. 1°. de vſu partium. 1ª.116.G

Articuli in digitos vtriuſq; manus ſunt triginta. 1°. de vſu par. 1ª.119.G

Articuli digitorum quibus extenduntur & quibus flectuntur tendonibus. 1°. de vſu partium. 1ª.118.C

Articuli duo ſuperiores pollicis quando agunt. 1°. de vſu par. 1ª.117.F

Articulum digiti primum qui muſculi flectant. de muſ. diſſ. 1ª.49.C

Articulus primus magni digiti euidẽtẽ habet motũ. de muſ. diſ. 1ª.49.D

Articulũ ſecundũ cuiuſq; digiti qui muſculi flectant. de muſ. diſ. 1ª.52.G

Articulum digiti medium qui muſculi flectant. de muſ. diſſ. 1ª.52.H

in Articulo primo medij digiti dexteræ manus luxati pueri caſus. 3°. de comp. med. per gen. 5ª.229.A

Articulus coxæ mouetur ſine doctrina. 6°. de lo. affe. 4ª.42.C

Articulus ſolus in genu, iuſta & æquali dearticulatione iungitur. de fracturis, com. 3°. 7ª.248.H

Articuli non debent repente moueri ad actiones, de victus ratio. in morbis acutis, commentario. 2°. 7ª.124.C

in Articulis q̃ ĩpediãt, & q̃ defendãt actiones. de fract. cõ. 3°. 7ª.249.C

Articulorum motum tardum reddit repletio. in 6^{m}. *de morbis vulgaribus, commentario. 4°.* 3ª.190.H

in Articulo quolibet vnica figura indolens eſt, ſcilicet media. 1°. de vſu partium. 1ª.119.A

in Articulo figuræ dolorificæ, quæ. 1°. de vſu par. 1ª.119.A

Articuli quot modis inepti rediguntur ad motum. de diff. morb. 3ª.4.B

Articulorum morbi, qui. intro. Iſa.59.E

Articularis morbus, quid. fin. med. Iſa 47.H

Articulorum vitia, quæ. intro. Iſa.57.F

Articulorum vitiorum cauſa. intro. Iſ.57.F | de bo. & vitio ſuc. 2ª.39.D

Articularis morbus fit ex coitu, vino, ocio, & deſidia. commentario. 6°. aphoriſmo. 28°. Ex.49.A

Articularem morbum promouet libido. intro. Iſa.52.B

Articulorum morbus diuturnus eſt. fin. med. 45.F | introd. Iſago.56.F | 1°. de criſi. 4ª.126.F

Articularis morbus per totam vitam durat. 6°. de ſan. tuen. 2ª.98.A

Articularis morbus eſt morbus ſenum. 5°. de ſan. tuen. 2ª.92.B

Articularis morbus cõcomitat̃ ſenes ad mortẽ. cõ. 2°. aph. 40°. Ex.18.A

Articularem morbum habere medicum eſt turpiſſimum. in 6^{m}. *de morbis vulgaribus, commen. 4°.* 3ª.181.H

Articulari morbo turpe eſt virũ robuſtũ ægrotare. 5°. de ſa. tu. 2ª.88.H

Articulorum dolores nõ eſt neceſſe ſequi, ſi quis male concoxit. 3ª.30.C

Articulorum morbo qui laborãt maxima ex parte prius podagrici fiũt. com. 6°. aphor. 28°. Ex.49.B

Articulorum dolores differunt à podagra. intro. Iſa.57.F

Articulorum dolores conueniunt & differunt cum coxarum doloribus, & podagra. intro. Iſa.57.F

Articulares morbi ponuntur inter morbos vere apparentes. 5°. de ſanitate tuenda. 2ª.94.D

Articulorum dolores cur fiant in vere. com. 3°. aph. 20°. Ex.24.B

Articulorum dolores fiunt in coniunctione Solis, Saturno in tetragono. de decub. prog. ex math. ſcientia. Sp.13.A

Articulorum & aurium dolores per circuitus exacerbantur. 2°. de differ. febr. 3ª.40.E

in Articulis dolores quibuſcũq; ex febre decumbunt, aut tubercula diutina, ij cibo pleniore vtuntur. com. 7°. apho. 61°. Ex.59.G

Articulorum dolorum curatio. intro. Iſa.57.B

ad Articulorum phlegmonas valet ouum totũ crudũ cum roſaceo. 11°. de ſimp. medic. fac. 5ª.81.E

Articulis dolentibus prodeſt raphanus. de ſimp. med. Sp.89.G

Articulorũ dolores auferẽs malagma. 10°. de cõ. medi. ſec. loc. 5ª.209.D

ad Articulorum dolores. 8°. de comp. med. ſec. lo. 193.A | 5°. de compo. med. per gen. 246.H | 7°. 5ª.265.B | de rem. par. fac. 7ª.160.C

ex Articulorum doloribus animi defectus quo modo curandus. 1°. de arte cur. ad Glauconem. 7ª.99.G

Articularem morbum aut vitium in renibus ſignificãt carunculæ cum vrina craſſa in ſpeciem pilorum. de nat. huma. com. 2°. 7ª.180.H

in Articulari morbo materiæ lapideſcunt. 14°. meth. med. 7ª.87.H

Articulorum maligna vlcera animi defectum inducunt. 1°. de arte cur. ad Glauconem. 7ª.98.G

in Articulari morbo quando humores tranſmittuntur ad membrum nobile ſequitur mors. de nat. hum. com. 2°. 7ª.183.B

in Articulari morbo quando humores tranſmittuntur ad membrum nobile, ſpes ſalutis eſt reuocare humores ad artus. de nat. hum. 7ª.183.B

Articuli genuum, & manuũ intumeſcunt pueris cur. com. 6°. Ex.49.C

Articuli morbo comparat morbum puerorum, quo articuli genuum & manuum tument. com. 6°. aph. 30°. Ex.49.C

Articulorum caliditas ſequitur labores ex pluribus meatibus. commẽ. 4°. aphoriſ. 31°. Ex.31.G

Articulorum abſceſſus non mirum eſt fieri in laborantibus, qui propter motum habuerint articulos calidos. com. 4°. aph. 31°. Ex.30.G

in Articulis ap̃ata cõtingunt concepto in horis phl'atis. de ſper. Sp.37.C

in Articulis abſceſſus quibus ſit expectandus. in 6^{m}. *de morbis vulgaribus, commen. 2°.* 3ª.163.D

ad Articulos quando expectandus abſceſſus in febribus. in prognoſti. commen. 3°. 4ª.209.F

Articuli qui habent ſpatia lata ad ſuſcipiendas ſuperfluitates, ideo ad ipſas fluxiones decumbunt. com. 4°. apho. 31°. Ex.30.G

Articulorum futuri abſceſſus liberant vrina multa craſſa facta, vel fluxu ſanguinis narium. com. 4°. apho. 74°. Ex.35.H

Articulorum

Articulorum abſceſſus ſi fiant in die iudicatorio vel incipiant, bonum. com.4°.aphor.36°. Ex.31.G
Articulorum abſceſſus quibus fiant, & q̃uo.cõ.4°.apho. 74°.Ex.35.H
Articulorum abſceſſus fiunt laſſitudinem habentibus in febribus.commẽta.4°.apho.31°. Ex.30.G
Articulorum abſceſſus in morbis alijs qui per abſceſſus iudicantur, rariores, in laboribus preſertim ſpontinis maxime à multitudine, plures.commen.4°.aphor.31°. Ex.30.G
ad Articulos abſceßus fiunt in morbis longis.in 6^{m}.de morbis vulgaribus, commen.4°.3ª.179.E/com.4°.apho.44°. Ex.32.F
Articulorum labores ſi fiant in conualeſcentibus, ij pluribus vtuntur cibis.com.4°.aphor.45°. Ex.32.G
in Articulis abſceſſus cur faciat claudit atẽ.in prog.com.2°. 4ª.205.E
in Articulis calli quo modo fiant.7°.de comp.med.per gen. 5ª.267.G
Articulorum vulnera, qualia.4°.meth.med. 7ª.28.A
Articulorum vitiorum curatio.intro. Iſa.57.F
Articularis morbi qbus ẽ ſuſpicio, quo vino vti debẽt.5°.de ſa.t.2ª.91.C
Articulares morbos patientes debent in vere purgari.commẽtario.6°. aphoriſ.47°. Ex.52.C
Articulares morbi ſi calidi ſunt, amara bilis euacuari debet, ſi cum frigidis humoribus, pituita.com.6°.apho.47°. Ex.52.C
Articulares morbos incipientes prohibuit Galenus euacuatione. commen.6°.aphor.47°. Ex.52.B
ad Articularium morborum medicamenta vinum vtilius eſt, quã aqua. 4°.de ſanitate tuenda. 2ª.87.A
ad Articulorum abſceſſus.6°.de com.med.per ge. 5ª.261.G
in Articulos fluxiones, ſtatus vigore data abſumit & auertit theriaca. de ther.ad Piſo. 5ª.96.C
Articulorum tumores & dolores abſq; vlcere quomodo aqua frigida ſanantur.com.5°.aphor.25°. Ex.39.G
Articulis myrta vtiliter imponitur.de ſimp.medi. Sp.87.E
Articulos mollit balneum.de vict.ra.in morb.acut.com.3°. 7ª.132.H
Articulos diſſoluit eruum.2°.de com.med.ſec.loc. 5ª.137.B
Articulorum tophos diſſoluit ammoniacum.6°.de ſim.me.fa. 5ª.42.H
circa Articulos conſiſtentes collectiones reſorbens malagma. 10°.de cõpo.med.ſec.loc. 5ª.209.D
ad Articulorum morbos. 1°. de comp. med.per genera. 211.C/2°.222. F/7°. 5ª.270.G
Articulorũ morbo laborantes adiuuans antidotus.2°.de antid.5ª.116.D
ad Articulorũ vitia oĩa.2°.de cõp.me.per gene.5ª.227.G/6°.5ª.262.A
ad Articulorum difficiles motus.7°.de comp.med.per gene. 5ª.265.B
ad Articulorum epiphorã emplaſtrũ.6°.de com.med.per gen.5ª.256.H
ad Articulos obſtrictos.7°.de comp.med.per ge. 5ª.265.B
ad Articulos recenti cicatrice contractos.7°.de cõp.me.p ge.5ª.265.C
ad Articulos tumentes.7°.de comp.med.per gen. 5ª.268.F
Articuli cum ſuis ſedibus excidunt, quę ægritudo ſit.de dif.mor.3ª.5.C
Articuli ſuis ſedibus decidunt, ob morbi, qui arthritis dicitur, magnitudinem.de diff.morb. 3ª.4.B
Articulus cur facile luxetur.de art.com.1°. 7ª.252.E
Articulus citius excidit, & reponit carne exptib.de ar.cõ.1°.7ª.256.G
Articulus vt frequenter & ex leui occaſione excidat duæ cauſę.de art. commentario.1°. 7ª.252.E
Articuli luxati reponendi modus non cõmunis.de art.com.1°. 7ª.253.B
Articulus capitis non patitur luxationem, aliter animal moritur.12°. de vſu partium. 1ª.194.A
Articulus ceruicis repandus eſt.de art.com.3°. 7ª.273.A
Articulus humeri facile luxatur.12°.de vſu partium. 1ª.194.A
Articulus humeri facilius omnibus excidit.de ar.com.1°. 7ª.252.A
Articulos humeri q̃uo nouit Hippo.lubricare.cõ.6°.apho.59°.Ex.53.G
Articulum coxę debemus intelligere, quando dicimus coxam excidere. commen.6°.apho.59°. Ex.53.G
Articulos plus iuſto laxatos contrahentibus medicamentis palmæ velut tegumentum miſcetur.8°.de ſimp.me.fa. 5ª.63.D
Articuli reficiendi modus eſt circumuagatio.de art.com.1°. 7ª.252.H
Articuli reponẽdi ſunt, vbi adhuc ſunt calidi.de ar.com.4°. 7ª.292.A
Articuli non ſunt reponẽdi tertio, aut quarto poſt die.de ijs, quæ in med. fi.commen.1°. 7ª.201.A
in Articulorum repoſitionibus paruis & facilibus minimum attenuandus homo eſt.de ar.com.4°. 7ª.292.B
in Articulorum repoſitionibus omnibus attenuatione & inedia ad ſeptimum diem vtendum eſt.de art.com.4°. 7ª.292.G
Articulus contractus reductusq; ex loco vbi eſt, ſanguis detrahendus atq; ſyndrome plethorica. de vict.rat.in morb.ac.com.4°. 7ª.136.H
ad Articulum reponendum efficacius eſt in diuerſa contendere. de machinamentis. 7ª.320.C
Articulũ ĩ propriũ ſitũ reponere fit ſine ſcalpello.ad Thraſ. 2ª.104.H
ad Articulamentum luxatum ac peruerſum.2°.de compoſi.medica.per gen.225.E/ 5ª.226.D
ad Articulos ſolutos.5°.de com.me.per ge.5ª.247.B/ 5ª.248.G
ad Articulos fractos.3°.de com.med.per gen.235.C/7°. 5ª.267.C
Articulos inciſos iungit emplaſtrum barbarum.de dynamid. Sp.35.F
Articulorum ligationes.7°.de com.med.per gen.265.B/ 5ª.273.B
ad Articulos reponendos machinę.de art.com.4°. 7ª.289.H
Articulis reponendis Hip.ſcamnum per ſe ſatis eſt.de machi. 7ª.310.G
Articulum reſtitutum eſſe, quæ fidem faciant.de machin. 7ª.320.C
Articulorum morbus.reliqua vide in dictione Arthritidis.
ARTICVLATIO quid ſit.12°.de vſu par. 1ª.192.G
Articulationes cur exigunt dura oſſa.11°.de vſu par. 1ª.191.G
Articulationes oſſium quomodo eſſe debeant.de conſtit.ar. Iſa.37.B
Articulatio ſecunda facit motus rectos ĩ capite.12°.de vſu par.1ª.194.E
Articulationes humeri laxę cur ſint.2°.de vſu par. 1ª.126.H
Articulatio digitorum eſt miraculum.1°.de vſu par. 1ª.116.G
Articulationes digitorum quales.1°.de vſu partium. 1ª.116.H
Articulatio oſſis ſacri.13°.de vſu partium. 1ª.201.F
Articulationẽ genu q̄ muſculus ad exteriora ĩuertat.de muſ.diſ.1ª.51.A
Articulationis ligamenta quo mõ fiant laxa.com.6°.apho.59°.Ex.53.G
Articulationes ĩplent ĩ podagricis doloribus.c.6°.aph.49°. Ex.52.D
in Articulationibus humores exiſtentes per ligamenta per modum vaporis euacuantur.com.6°.aph.49°. Ex.52.F
ARTIFEX ab arte deducitur quàm facit.2°.de ſa.tuen. 2ª.73.H
Artifex qui dicatur.9°.de decre.Hip. 1ª.284.F
Artificem fieri quid ſit.2°.de criſi. 4ª.136.H
Artifex quomodo differat ab experte artis.in prog.com.3°. 4ª.207.F
Artifices omnes continentur in tertia ſede prope deum Mercurium.in oratione ſuaſoria. Iſa.2.G
de Artifice qui nos finxit, nihil ſcit Galenus.de fœt.for. 1ª.325.G
Artificis ſapientiã oẽ aĩal habet nõ hõ tantũ.17°.de vſu par. 1ª.222.D
Artificis, & cauſæ vim obtinent facultates intrinſecę. de vocal.inſtrumen.diſſ. 1ª.106.C
Artifices à natura accipiunt.16°.de vſu par. 1ª.214.F
ab Artifice p̄ ſe cõſiderat̃ artis finis.de ijs, q̃ ĩ med.fiũt cõ.1°. 7ª.197.F
Artifex non agit abſq; organis.1°.de vſu par. 1ª.113.E
Artificibus, inſtrumẽtis, materia, oĩa fiunt.de voc.inſtr.diſſ. 1ª.106.C
Artificis exemplum, qui iubeat diſcipulum operari, & non det inſtrumenta.de op.docendi genere. Iſa.30.F
Artifex minime errat.in progn.com.3°. 4ª.212.H
Artifices cur non fiunt tam pręclari, ſicut antiquitus, cum ſit idem mũdus, idem Sol.ſi quis optimus medicus. Iſa.6.D
Artifices alijs præſtantiores facit celeritas, et elegãtia.de faſ.7ª.293.C
Artifices optimi ĩ multitudine operũ allucinant̃.15°.de vſu par.1ª.213.B
Artificum opera circa formas indiuiduas verſantur.in 1^{m}.de morbis vulg.com.3°. 3ª.120.H
Artifices motuum, quos exercent, ignorant, vires.2°.de ſan.tu. 2ª.75.E
Artifices ijs q̃ tractãt nõ ſibi vtilitates cõparare.9°.de de.Hi. 1ª.281.G
Artifex quando eſt ſanitatis cauſa.11°.meth.med. 7ª.68.A
Artifex debet ſæpe repetere q̃ ſũt neceſſaria.cõ.4°.aph.22°. Ex.29.F
Artificem minus acutum fallit quandoq; pus cum vrina excretum, & ſubſidẽs, iecore, aut renibus languẽtibus.de uri.ſig.ex Hip. Sp.79.C
Artifices non poſſunt venationibus incumbere.de par.pi.ex. 2ª.48.H
Artifices deſipientes in ægritudine cogitant de ſuis artibus.in 1^{m}.prorr. commentario.1°. 4ª.167.B
Artificioſum omne pulchrum & ordinatum ex Deo & cœlo eſt.1°.de die.decre. 4ª.151.H
ARTISCI theriaci quo modo conficiantur, & cur viperæ caput & cauda abijciantur.11°.de ſim.med.fac. 5ª.78.C
Ἀ'ρτίως integre ſignificat.com.1°.apho.20°. Ex.9.H
ARTOMELI p̄ cataplaſmate in phlegmone.11°.meth.med. 7ª.73.C
ARTVVM anatomiam in ægris videbant antiqui, quando caſu aliquo erant detecti.1°.de ana.admi. 1ª.64.A
Artuum naturã quibus conſtet.3°.de ana.admi. 1ª.73.D
Artus expetunt neruos duriſſimos.9°.de vſu par. 1ª.174.G
Artuum muſculi habent duos motus.1°.de mo.muſ. 1ª.309.H
Artuum & abdominis muſculorum diuerſitas in motu.1°. de motu muſculorum. 1ª.309.H

ab Artuum

ab Artuum functionibus differunt oculi, aures, lingua, meninges, cerebrum, & collum. 4°. de præſag. ex pul. 4ª.120.G
Artus quantum cupiant alimenti. 13°. meth. med. 7ª.83.D
Artuum dolores varices ſanant. in 6m. de mor. vul. com. 6°. 3ª.196.E/F
ad Artuum dolorem. 3°. de med. fac. par. 7ª.176.B/E
in Artibus quorundam intemperies eſt. 1°. de ſan. tuen. 2ª.64.H
in Artuũ & glãdularũ phlegmone alica exhibetur. 13°. me. me. 7ª.83.D
circa Artuum particulas ſi ſit phlegmone, quo modo ſit curanda. 13°. methodi med. 83.B/14°. 7ª.88.F
Artus quando luxatur ſimul, & inflammatur. de diff. mor. 3ª.5.H
Artus in quibus affectibus vinciatur. 13°. meth. me. 7ª.83.B
ad Artus fractos. 2°. de compoſi. med. per gene. 226.D/234.H/5°.246.C/6°.258.F/7°. 5ª.267.C
Artus effracti male alligati figuram euariant. de cau. mor. 3ª.8.G/H
Artus effracti ſi exerceantur antequam callus ſit factus, membra euertunt. de cau. mor. 3ª.8.H
ad Artus è loco motos. 2°. de compo. med. per gen. 5ª.223.A
ad Artuum difficiles motus. 7°. de comp. med. per gen. 5ª.265.B
Artubus ſæpius tota oſſa eximuntur. de diff. mor. 3ª.4.G
ARVM diuerſum eſt in diuerſis locis. 2°. de alim. facul. 2ª.24.F
Arum calidũ & ſiccũ eſt in primo ordine. 6°. de ſimp. med. fac. 5ª.43.H
Arum acerrimum & amariſſimum eſt. de bo. & vitio ſuc. 2ª.35.F
Arum ad Cyrenẽ nõ eſt medicamẽtoſum & acre. 2°. de ali. fac. 2ª.24.F
Ari ſuccus craſſior. 2°. de alim. fac. 2ª.24.G
Ari radices mediæ inter illa quæ ſunt boni, & mali ſucci. de bo. & vitio ſuccorum. 2ª.37.G
Ari radix lõgiori tpe ſine germine põt pdurare. 2°. de alim. fac. 2ª.24.G
Ari radices præſtantiores folijs. 2°. de ali. facul. 2ª.24.D
Ari radix manditur vt rapi. 2°. de alim. facul. 2ª.24.F
Ari radix bis coquenda eſt vt braſſica & lens. 2°. de alim. fa. 2ª.24.F
Ari radices comeſtæ craſſitiem humorũ mediocriter incidunt, et excreationibus ex pectore idoneæ ſunt. 6°. de ſimp. med. fac. 5ª.43.H
Ari radix tenuium partium eſt, & lapidem atterit in renibus. 3°. de compoſi. med. ſec. loc. 5ª.141.B
Ari radix acrior ac medicamentoſa, cõuenientior ad materias in pectore. 2°. de alim. fac. 2ª.24.G
Arum toſtum. 7°. de comp. med. ſe. lo. 5ª.182.B
ex Aro oleum mitigatorium in duris corporibus. 3°. de compoſi. medic. per genera. 5ª.235.A
ARVNDO græca. 1°. de compo. med. ſec. loc. 5ª.124.G
Arundinis cortex & radix pharmacorum fortium vim exoluunt. 1°. de compo. med. ſec. loc. 5ª.122.F
Arundinis radix quo loco reponatur inter calida quæ valent alopecijs. 1°. de compo. med. ſec. loc. 5ª.122.D
p Arũdinẽ. & p ſtipulã fomẽta fiebãt. 3°. de cõ. med. ſec. loc. 5ª.145.B
per Arũdinẽ quo accipiatur fumus in os 6°. de com. me. ſe. lo. 5ª.174.B
ex Arũdinũ viridiũ radicibus ſpathula. 4°. de cõ. med. p gene. 5ª.243.D
per Arundinem inſufflatio. 3°. de comp. med. ſec. loc. 5ª.148.C
ARVNTIVS Aquila quo acopo curatus eſt. 7°. de compoſi. medicamentorum per genera. 5ª.272.C
ARVSPICES qui. 1°. de diebus decret. 4ª.150.G/ de de vict. ratio. in morbis acutis. 7ª.110.A
Aruſpices quid cõmentantur. de vict. rat. in mor. acu. com. 1°. 7ª.110.A
ARITHMI pulſus quo modo intelligantur & tres eius differentiæ. 1°. de diffe. pulſ. 4ª.48.F
Arytænotides chartilago q̃ de muſ. diſ. 46.B/de voc. inſtr. diff. 1ª.106.H

AS

AS de ponderibus & menſuris. 5ª.276.D/G
ASACRAI. ATI fit mentio. ſecret. Sp.100.E
Ἀσαφεῖς. i. obſcure loquẽtes, qbus cauſis fiãt. in 1m. pr. cõ. 2°. 4ª.169.B
ASARVM quid, & eius vires. de ſimp. medic. Sp.80.H
Aſarum calidum eſt & acre. 5°. de ſimp. medic. fa. 35.D/8°. de compoſi. medic. ſec. loc. 5ª.190.F
Aſari radix intenſior eſt radice acori. 6°. de ſimp. me. fa. 5ª.43.H
Aſaron ſanguinem extenuat & ſecernit. 5°. de ſimp. med. fa. 5ª.35.D
Aſaron purgat renes. de cathart. Sp.95.C
Aſaron purgat veſicam. de cathart. Sp.95.D
Aſaron vrinam ciens. 5°. de ſimp. med. fa. 35.D/38.A/ 9°. 5ª.202.A/de ren. aff. dig. & med. 7ª.196.E/de mel. ex Gal. Ruff. & Poſſ. Sp.110.B
Aſari decoctio puocat vrinã, & mẽſtrua fortiter. de me. exp. Sp.104.D
Aſaron menſes prouocat. 5°. de ſim. med. fa. 5ª.38.A
Aſari drachma vna curat ſtranguriam. de med. exper. Sp.106.D
Aſarũ & apium ebullita in aqua pro humore aqueo in corpore. de præcogni. ad Poſthu. 4ª.217.H
Aſaron in phlegmone gibbæ partis iecoris cõfert. 13°. meth. me. 7ª.83.H
Aſaron expurgat in ictericis. de cura icteri. Sp.111.B
Aſari radix pro reſolutione tumoris, ne aliquid duri remaneat. 2°. de arte cur. ad Glauc. 7ª.105.F
Aſarum maturatiuum eſt. de ocul. 7ª.189.C
Aſari radix ad neruos vulneratos valet. 3°. de cõ. med. per g. 5ª.234.B
pro Aſaro par pondus opobalſami. 9°. de comp. med. ſec. lo. 5ª.200.F
pro Aſaro carpeſium ponendum in dolore capitis ex conſenſu ventriculi. 2°. de compo. med. ſecundum loc. 5ª.135.E
Ἀσβόλη, fuligo. in 1m. pror. commen. 2°. 4ª.171.F
ASCALABOTA ſanat à ſcorpio ictos. 11°. de ſim. me. fac. 5ª.82.G
Aſcalabotæ morſibus confert centaurea. de vir. centau. Sp.93.H
ASCARIDES vermes quidam minuti. de diff. mor. 3ª.4.F
Aſcarides ſunt ex toto genere præter naturam. de dif. mor. 3ª.4.F/14°. methodi medendi. 7ª.93.G
Aſcarides numerantur inter morbos, qui oriuntur, cum prius nõ eſſent. 14°. meth. med. 92.D/ 7ª.93.C
Aſcaridas enecat ſuccus calaminthæ. 7°. de ſimp. med. fa. 5ª.49.D
Aſcarides educuntur ex inteſtino extremo. de cathart. Sp.94.G
Aſcaridas educit triphera magna. de dynamid. Sp.26.E
ASCENSVS morbi eſt aliud tẽpus à principio. 1°. de criſi. 4ª.128.D
Aſcenſus, incrementum, & augmentum idem. de morb. temp. 3ª.85.F
Aſcenſus quidam in eo qui propria peccata obſeruat quomodo fiat. de cuiuſq; animi pec. not. 2ª.58.A
ASCIA vocatur quæ lunata figura ab vna parte ſima eſt, ab altera gibba. de faſcijs. 7ª.295.B
Aſcia eſt ſima. de faſcijs. 7ª.293.E
Aſcia faſciatio. de faſcijs. 315.G/de frac. com. 3°. 244.F/de art. commentario. 2°. 7ª.266.D
Aſciatim quo mõ ligãdæ plagulæ. de ijs. q̃ in med. fiũt. cõ. 2°. 7ª.208.G
ASYRON & aſcyrodes altera ſpecies androſæmi. 6°. de ſimp. medicamentorum facult. 5ª.43.A
ASCITES genus hydropis quid ſit, & vnde dicatur. commentario. 4°. aphoriſ. 11°. Ex.28.D
Aſcites hydrops quando fiat. 3°. de ſym. cau. 3ª.26.C
Aſcites fit à maiore frigiditate q̃ tympanias. cõ. 4°. apho. 11°. Ex.28.E
Aſcitis pulſus qualis. 4°. de cau. pulſ. 4ª.103.E
in Aſcite nihil cruentum per aluum ſecerni ſolet. 5°. de loc. affe. 4ª.33.H
Aſcitem per ſanguinis miſſionem nullus ſanare eſt auſus. de victus rat. in morbis acut. commen. 4°. 7ª.149.A
ASCLEPIADVM ars. 1°. de criſi. 4ª.134.A
Aſclepiadę antiqui qua medicinę parte non ſunt admodum vſi. ad Traſybulum. 2ª.107.B
ex Aſclepiadarum genere fuit Hippocrates. 1°. meth. med. 7ª.2.G
Aſclepiadæ duo. 6°. de com. med. ſec. loc. 5ª.175.C
Aſclepiadæ duo, & quis eorum glorietur ſe reperiſſe viam curandi. 1°. de comp. med. ſec. loc. 5ª.124.A
Aſclepiades ad nomas. 5°. de comp. med. per gen. 5ª.254.A
Aſclepiadis Marci Talẽtij malagma. 7°. de comp. med. per ge. 5ª.265.F
Aſclepios Machaonis ex Scribonio Largo ad veteres affectiones, & oculos ſuppuratos. 4°. de comp. med. ſec. loc. 5ª.155.H
Aſclepiades cognomento Pharmacion. 1°. de com. me. p gen. 5ª.216.E
Aſclepiadis Pharmacionis ſcriptura. 3°. de cõp. me. per gene. 5ª.234.G
Aſclepiades qui philoſophicus dicitur. 7°. de cõpo. med. ſec. loc. 5ª.185.H
Aſclepiadę, qui philoſophicus dictus eſt, pharmacum. 8°. de compoſitione medica. ſecundum locos. 5ª.192.G
Aſclepiades commentatus eſt medicatrinam Hippocratis. de ijs, quæ in med. fiunt, commentario. 1°. 7ª.197.E
Aſclepiades medicus contentioſus. de venę ſect. ad Eraſ. 6ª.6.G/7ª.3.F
Aſclepiades admirabilis cauillando. 3°. de criſi. 4ª.141.H
Aſclepiadem impudentem dicit. de pur. med. fa. 5ª.86.C
Aſclepiadis principia, quæ. in 3m. de morb. vulg. com. 1°. 3ª.129.B
Aſclepiades ſpũs cohibitionẽ caput opplere dicebat. 2°. de ſa. t. 2ª.77.H
Aſclepiades exiſtimauit plenitudinem nunquam eſſe cauſam continẽtẽ. contra ea quæ à Iul. in aphor. Ex.68.H
Aſclepiadis ſententiã cõfutat de cõpõne rerũ. de ther. ad Piſo. 5ª.94.C
ab Aſclepiade medicandi ratio antiqua vocata eſt mortis meditatio. de venæ ſect. adu. Eraſ. 6ª.6.G
Aſclepiadis incompacta. de diff. mor. 3ª.2.E
Aſclepiades de medicamentis egregie pertractauit. 2°. de compoſitione

medicamentorum per genera. 5ª.222.A
Aſclepiades de medicamentis ſcripſit.7º.de comp.me.ſec.loc.178.B/3ª.de comp.me.per gen. 5ª.236.G
Aſclepiades Arius librum fecit de proprijs pharmacis.4º.de compo.me.ſecun.locos. 5ª.156.B
Aſclepiades librum fecit interiorum.7º.de compoſi.me.ſec.loc.181.B/186.D/8º.189.C/9º.195.B/ 5ª.197.H
Aſclepiades librum fecit exteriorum.2º.de compoſi.me.ſec.lec.138.G/3ª.143.F/148.B/149.A/4º.152.D/5º.160.B/164.A/8º.192.G/9º.199.C/200.A/205.A/10º.207.E/208.H/1º.de compoſitione medica.per genera.216.E/2º.224.B/225.D/226.A/4º.237.G/5º.249.H/250.D.7º. 5ª.265.A
Aſclepiades librum fecit de alopecia.1º.de comp.me.ſec.loc. 5ª.214.A
Aſclepiades ſcripſit de reſpiratione & pulſu.4º.de diff.pu. 4ª.69.C
Aſclepiadis, & diſcipulorum pulſus definitio.4º.de diff.pulſ. 4ª.69.C
ab Aſclepiade pharmaca potabilia ad ſplenicos.9º.de compoſi.med.ſecundum locos. 5ª.198.G
Aſclepiadis attrahentia.6º.de comp.me.per gen. 5ª.261.G
vt Aſclepiadis cyzicenum.5º.de comp.me.per gen. 5ª.250.D
Aſclediadis cineritium.5º.de comp.me.per gen. 5ª.253.G
Aſclepiadæ dolorem ſedans.7º.de comp.med.ſec.loc. 5ª.185.B
Aſclepiadis diſcutientia.6º.de comp.me.per gen. 5ª.262.B
Aſcepiadis emplaſtrum.6º.de comp.me.per gen. 5ª.261.F
Aſclepiadeum emplaſtrum cephaleum.3º.de cõp.me.ſe.lo. 5ª.146.B
Aſclepiadis epulotica.2º.de comp.med.per gen. 5ª.224.B
Aſclepiadæ malagma.8º.de comp.me.ſec.loc. 5ª.193.B
apud Aſclepiadem malagma dolorem ſubmouendo.7º.de compoſi.medica.per genera. 5º.267.A
Aſclepiadeum medicamentum.4º.de comp.me.ſec.155.G/5º.de comp.me.per ge.253.A/7º. 5ª.265.F
Aſclepiadis medicamẽtũ ad carbũculos.1º.de cõp.me.per ge. 5ª.254.C
Aſclepius paſtillus.5º.de comp.me.per gen. 5ª.252.H
Aſclepiadæ ſtomaticũ ex hirundinibus.6º.de cõp.me.ſe.lo. 5º.171.A
Aſclepiadæ ſtomaticæ illitiones.6º.de comp.me.ſe.lo. 5ª.171.B/D
ab Aſclepiade ſtomachica.8º.de comp.me.ſe.lo. 5ª.189.C
Aſclepiadis, ad aphthas.6º.comp.me.ſec.loc. 5ª.175.G
Aſcepiadis ad capitis dolorem.2º.de comp.me.ſe.loc. 5ª.138.G
Aſclepiadis ad cicatricem ducendam.1º.de comp.me.per ge. 5ª.216.H
ſm Aſclepiadem ad coli affectus.9º.de comp.me.ſe.lo. 5ª.202.D
Aſclepiadis ad columellas laxatas.6º.de comp.me.ſe.lo. 5ª.174.G
Aſclepiadæ ad dyſentericos.9º.de comp.me.ſe.lo. 5ª.204.A
Aſclepiadæ ad ægilopas medicamentum.5º.de cõp.me.ſe.lo. 5ª.160.B
Aſclepiadæ ad hæmoptoicos.7º.de comp.me.ſe.lo. 5ª.184.C
Aſclepiadis ſanguinem ſiſtens.5º.de comp.me.per ge. 5ª.254.E
Aſclepiadis ad ſerpentium noxas.2º.de anti. 5ª.116.F
Aſclepiadis ad ſplenis recẽtes ĩflãmatiões.9º.d̃ cõp.me.ſe.lo. 5ª.198.H
Aſclepiades Pharmaceon dabat ſtercora ꝑ os.10º.de ſim.me.f. 5ª.75.H
Aſclepiadæ ad tuſſim.7º.de comp.me.ſec.loc. 5ª.182.H
Aſclepiadem damnat.de theri.ad Piſo. 5ª.90.G
Aſclepiadis herbę periculũ nõ fecit Galenus.6º.de ſimp.me.f. 5ª.43.H
ASCVTIANVM medicamentũ.7º.de comp.me.per ge. 5ª.270.C
ASELLI piſces pelagici ſunt.de atte.vic.rat. 2ª.45.E
Aſelli non ſunt ſaxatiles.de vict.rat.in morb.acu.com.1º. 7ª.113.C
Aſelli piſces, quales.3º.de alim.fa. 2ª.31.B
Aſelli piſces non multũ differunt ex locis inter ſe.3º.de alim.fa. 2ª.31.C
Aſini piſces molles carne.3º.de alim.fac. 2ª.31.A
Aſellorum piſcium caro mollis eſt.de atte.vic.rat. 2ª.45.D
Aſelli piſcis caro friabilis.de bo.& vitio ſuc. 2ª.37.H
Aſelli piſces inter illos qui facilius cæteris conficiuntur.3º.de alimentorum facultatibus. 2ª.31.A
Aſelli piſces neq; craſſi, neq; tenuis ſucci ſunt.de bo.vitio ſuc. 2ª.34.H
Aſelli piſces non ſemper optimi.3º.de alim.fa. 2ª.31.C
Aſelli vbi praui.7º.meth.med. 7ª.51.B
Aſelli, qui in puro mari degunt, ad ſaliendum non ſunt accommodi.3º.de alim.fac. 2ª.33.C
Aſelli vtiles ſunt calidis, & ſiccis.8º.meth.me. 7ª.51.B
Aſellus ex iure albo in ſiccitate datur.7º.meth.me. 7ª.45.D
Aſelli in aquarijs vaſis naſcentes.3º.de comp.me.ſe.lo. 5ª.142.F
Aſelli ſub hydrijs quales ſunt.7º.de comp.me.ſec.loc. 5ª.186.G
Aſelli ſub aquario vaſe naſcentes ad capitis dolorem valent.2º.de compoſi.me.ſec.loc. 5ª.137.E
Aſellorũ ſub aquarijs vaſis ĩ angina vſus.6º.de cõp.me.ſe.lo. 5ª.174.B
Aſellos ſub aquario vaſe dat arquatis.de med.fac.par. 7ª.166.G
Aſelli in ſterquilinijs.7º.comp.me.ſec.loc. 5ª.186.H
Aſelli axes appellantur ab Hippocrate.de fract.cõ.2º.238.A/3º.247.B/de art.com.3º.270.H/com.4º. 7ª.290.B
ASIÆ ſitus.de aere, aquis, & locis. 2ª.4.E
Aſiæ & Europæ terminus.de aere, aquis, & locis. 2ª.4.E
Aſiæ regio temperata auſtris perflatur.de aere, aq.& lo. 2ª.4.E
Aſiæ pars ſimilis optimæ conſtitutioni.de aere, aq.& loc. 2ª.4.E
Aſiæ & Europæ differẽtia ex terræ naſcẽtibus & hominibus.de aere, aquis & locis. 2ª.4.E
Aſiæ pars fertiliſſima.de aere, aquis, & locis. 2ª.4.E
in Aſia omnia maiora & pulchriora naſcunt.de aere, aq.et lo. 2ª.4.E
Aſia habet homines cultiores & benigniores.de aere, aq.& lo. 2ª.4.E
Aſiæ regio cur non multum habitata.de aere, aq.& lo. 2ª.5.B
Aſiæ pars maxima ſub regibus eſt.de aere, aq.& lo. 2ª.5.A
in Aſia quæ vina fulua, vel alba, & tenuia.4º.de ſa.tu. 2ª.85.H
in Aſia non mirum gigni vina tenuia.de victus ratione in morbis acutis, com.3º. 7ª.127.B
in Aſia Aegauſien vocatum vinum, quale 5º.de ſan.tu. 2ª.91.B
in Aſia vinũ Aphrodiſiẽſe, aut auſterũ Tmolite.11º.met.me. 7ª.76.G
in Aſia Tibenum vinum cito redditur idoneum vt bibatur.de bon.& vitio ſucc. 2ª.38.G
in Aſia olyra frequens, qualis.de atte.vic.rat. 2ª.44.H
in Aſia frequentia ſunt olyra & typha.1º.de alim.fac. 2ª.12.G
in Aſia peſtilẽtia vehemẽs.de cuc.ſcar.6ª.4.B/ꝑſ.exp.conf. Sp.78.C
ex Aſia literas accipiebat Galenus.4º.de loc.affe. 4ª.22.C
in Aſia conſtituere ſignificat reſtituere, & in propriam ſedem reducere.de fract.com.3º. 7ª.246.H
Aſiaticę Phrygiæ vltimum oppidum Poryle.1º.de alim.fa. 2ª.12.A
Aſiatici homines pulchri.de aere, aq.& lo. 2ª.4.E
Aſiani cur ſint timidiores, effœminatiores, magis imbelles, & manſuetiores Europæis.de aere, aq.& lo. 2ª.5.A
Aſiani ſunt minus magnanimi Europæis.de aere, aq.& lo. 2ª.6.C
Aſiatici non ſunt viriles, tolerantes laborum, audaces, conſtantes, & amatores.de aere, aquis, & locis. 2ª.4.F
Aſiani cur imbelles.de aere, aq.& lo. 2ª.5.A
Aſiaticum panicum eſt peius Italico.1º.de alim.fac. 2ª.13.C
Aſianum aromaticum nardinum.8º.de comp.me.ſe.lo. 5ª.193.C
Aſianum emplaſtrum Neapolitæ.6º.de comp.me.per ge. 5ª.262.C
ASIVS lapis quid.de ſimpli.medicam. Sp.86.F
Aſius lapis qualis.9º.de ſimp.me.fa. 5ª.67.H
Aſium lapidem ſarcophagon appellant.de ſimp.med. Sp.86.F
Aſius lapis ſubtilium partium.3º.de comp.med.per ge. 5ª.228.E
Aſius lapis viſcide relaxat.de ſimp.med. Sp.86.F
Aſii lapidis flos, qualis.4º.de ſimp.me.fa.30.G/9º.67.H/68.H/7º.de comp.med.per gen. 5ª.265.G
Aſii lapidis flos calidus eſt, & ſubtiliſſimus omnium terreſtrium.3º.de comp.med.per ge. 5ª.228.E
Aſii lapidis flos molles carnes ac fluidas eliquat.9º.de ſi.m.f. 5ª.67.H
Aſii lapidis flos ſepticum medicamentum.5º.de ſim.me.fa. 5ª.36.C
Aſii lapidis flos ſiccat vt ſal, & non habet vim adſtringendi.2º.de compoſi.me.per ge. 5ª.222.A
Aſii flos erodit.4º.de comp.me.ſec.loc. 5ª.149.G
Aſii lapidis floris meminit.de cõp.me.ſecundum locos.152.H/ 5ª.168.E
ASINI cognoſcunt & recordantur.2º.meth.me. 7ª.14.B
Aſini habent duplicem cognitionem.2º.meth.me. 7ª.14.E
Aſino vtiliſſimum habere tergus denſum.1º.de ſan.tu. 2ª.66.F
Aſinorum cibi.2º.de ali.fac. 2ª.17.B
Aſinis agreſtibus nonnulli veſcuntur.3º.de alim.fac. 2ª.26.A
Aſinorum agreſtium caro, qualis.3º.de alim.fac. 2ª.26.A
Aſini agreſtes laudantur à quibuſdam medicis.3º.de alim.fa. 2ª.26.B
Aſinorum domeſticorum caro, qualis.3º.de alim.fac. 2ª.26.A
Aſinina caro facit humorem melancholicum.3º.de lo.aff. 4ª.18.F
Aſinina caro comeditur Alexandriæ.1º.de ali.fac.2º.10.A/2º.de arte cur.ad Glac. 7ª.107.E
Aſinorũ eſus hominibus aſininis relinquendus.de atte.vic.rat. 2ª.45.E
Aſinarum lac, quale.3º.de ali.fa.2ª.27.F/7º.meth.med. 7ª.44.G
Aſinæ lac ſubtilius eſt lacte camelæ.de diff.cont. Sp.73.F
inter Aſinæ, & camelæ lac, medium eſt lac capræ.de diff.cont. Sp.73.F
Aſininum lac & caprinum quo modo differant.5º.de ſa.tu. 2ª.91.H
Aſinino lacti contrarium eſt ouillum.de bo.& vitio ſuc. 2ª.35.B
Aſinæ lac tenue, et ſeroſũ eſt.5º.de ſan.tu.2ª.91.H/5º.met.me. 7ª.35.A

Aſininum lac cæteris eſt tenuius.2°.de ſa.tu. 2ª.99.G
Aſininum lac habet plus ſeri.de bon.& vitio ſuc. 2ª.35.C
Aſininum lac habet mininum pinguedinis.3ª.de alim.ſa. 2ª.27.H
Aſininum lac caſeum non facit,& cur.1°.de ſimp.med.fac. 5ª.73.F
Aſininum lac coagulatur in ventriculo,ſi calidum ſit epotum.3°.de alimentorum facultatibus. 2ª.27.H
Aſininum lac facit multum deijcere.3°.de alimen.ſa. 2ª.27.H
Aſinæ lac eſt humidius lacte omni,& ventrem magis ſubducit.de vic. ra.in morbis acut.com.4°.148.F/ 7ª.152.F
Aſinæ lac mitius inter purgantia medicamenta.de victus ratio.in morbis acut.com.4°. 7ª.148.F
Aſininũ lac expurgat,cõtẽperat.de vic.rat.in mor.ac.cõ.4°.7ª.149.D
Aſinæ lacte purgat in cauſo.de vic.rat.in morb.acut.com.4°. 7ª.135.B
Aſininum lac ſiccis concedendum,ſed non alijs.6°.de ſan.tu. 2ª.99.G
Aſinini lactis dandi modus.10°.meth.me. 7ª.67.B
cũ Aſinæ lacte miſcet aliquid mellis,& ſalis. de victus rat. in morbis acutis com.4°. 7ª.138.E
Aſinæ lactis quãtitas ſumẽda.de vict.rat.in mor.acu.cõ.4°. 7ª.138.D
Aſininum lac & capræ alternis diebus ſumẽdũ eſt.5°.de ſa.tu.2ª.91.H
Aſininum lac datur hecticis,& quomodo.10°.meth.med. 7ª.67.B
Aſina cuius lac accipiendum eſt,qũo ſit tractãda.7°.met.me. 7ª.45.A
Aſininum lac ab vbere dabat in ſiccitate Gal.7°.meth.me. 7ª.44.F
Aſininũ lac adhuc calidum in tabe, niſi quis toleret mammã muliebrẽ in ore apprehendere.de marcore. 3ª.48.D
Aſine lac dat̃ in dolore.de vict.rat.in morb.acu.com.4°. 7ª.148.E
Aſini aut equi ſylueſtris lien ꝑ ſplenicis.9°.de cõp.me.ſec.lo. 5ª.198.G
Aſininus ſplen ad quid vtile.1°.de comp.me.ſec.loc. 5ª.124.H
Aſinorum vngues comitiales morbos ſanant.11°.de ſimp.me.f. 5ª.80.E
Aſinoram vnguium cinis perniones ſiue chimethla ſanat.11°.de ſimpli. medica faculta. 5ª.80.E
Aſinorum vngues chœradas digerunt.11°.de ſimp.me.fa. 5ª.80.E
Aſininum membrum ad quid vtile.1°.de comp.me.ſec.loc. 5ª.124.H
Aſini vrina non eſt bibenda.6°.de comp.me.ſe.lo. 5ª.174.E
Aſininus fimus dentium dolorem tollit.de ſimp.me. Sp.84.E
Aſinus non percipit lyram.de cuiuſque ani.pec.not. 2ª.56.G
dc Aſini vmbra prouerbium.3°.de diff.pulſ. 4ª.59.D
Ἀσύνδετον orationis genus,& quod.in 1m.de mor.vul.cõ.3°. 3ª.118.F
ASIRITAE medicamen.de med.exper. Sp.108.F
Ἀσιτία.i.ciborum abſtinentia,κενεαγγεία.i. vaſorum inanitio ſæpius dicitur.de vict.rat.in morbis acut.com.2°. 7ª.123.F
Ἀσώδη quid ſignificet.de vict.rat.in morb.acu.com.4°. 7ª.142.A
Ἀσώδεις febres,q̃ appellẽtur.de vic.rat.ĩ morb.acu.cõ.4°. 7ª.140.G
ASPHARAGVS dr̃ ab Atheniẽſibus ꝑ ph,6°.đ ſim.me.fa. 5ª.44.A
Aſparagi qui dicantur.de atte. vic. rat. 2ª.44.D
Aſparagus quid ſit.2°.de alimen.fac. 2ª.24.A
Aſparagus quid,& eius vires.de ſimp.med. Sp.80.G
Aſparagorum alius regius,alius ἕλειος,alius bryoniæ.2°.de alimentorum facultatibus. 2ª.24.B
Aſparagus in plantis fruticoſis proueniens.2°.de alim.fac. 2ª.24.B
Aſparagus non videtur calidus vel frigidus.6°.de ſim.me.f. 5ª.44.A
Aſparagum habentium olerum, & caulem,caulis eſt ſiccus.2°. de alimentorum facultatibus. 2ª.24.A
Aſparagorum regiorum radices incidentes,quibus ſunt minus calidæ, 5°.de ſimp.med.fac. 5ª.35.E
Aſparagi omnes parum nutriunt.2°.de alim.fac. 2ª.24.B
Aſparagus abſtergit.6°.de ſimp.med.fac. 5ª.44.A
Aſparagi omnes iuuant ſtomachum.2°.de alim.fac. 2ª.24.B
Aſparagus pruritum mouet de cathart. Sp.95.D
Aſparagi oẽs ciẽt vrinas.2°.de ali.fac.2ª.24.B/de cura icter. Sp.111.D
Aſparagus vrinã prouocat,duritiem relaxat, diureticas vires habet, de ſimp.med. Sp.80.G
Aſparagorũ regiorũ radices vrinã bene ꝓuocãt.de ſimp.me.fa. 5ª.35.E
Aſparagorum regalium radix lapidem renum frangit.de ren. aff.dignotione & medela. 7ª.196.D
Aſparagos renes,& iecur infarctu liberat, & dentium dolores ſanat. 6°.de ſimp.med.fac. 5ª.44.A
Aſparagi amari perperam dati exiccato.7°.meth.med. 7ª.44.C
Aſparagus paluſtris exhibeatur melancholicis.de mel. ex Galeno Rufo,& Poſſ. Sp.110.D
Aſparagorum paluſtrium radices.9°.de comp.me.ſe.lo. 5ª.197.H
ASPASIVS 9°.de comp.me.ſe.lo. 5ª.204.B
ASPECTVS ꝓ puſillanimitas,ſolitudo,timor,tarditas, fletus, grauitas,cogitatio,taciturnitas accidit ꝑ melãcholiã.de ana.viu. S.45.F
ASPERVM læui opponitur.de ijs,quæ in med.ſi. com. 3°. 7ª. 215. B/de vrinæ ſignifica.ex Hipp. Sp.79.B
Aſpera quæ ſint.1°.de ſimp.med.fac. 5ª.8.D
Aſperantes cauſæ quid faciant.de cau.morb. 3ª.3.C
qb9 Aſperantur quæ prius erant leuia.de cau.mor. 3ª.9.C
Aſperantia ob quid accipiant̃.de vic.rat.in mor.acu.com.3°. 7ª.127.G
Aſpãtia diſplicẽt vẽtri,et viſcerib.de vic.ra.ĩ mor.acu.cõ.3°.7ª.127.G
Aſp nõ debet medicus eẽ,nec adulari.in 6m.de mor.vul.cõ.4°.3ª.181.E
Aſperæ arteriæ,quæ.in progn.com.2°. 4ª. 202.B
Aſpera arteria eſt via, quæ vadit ad pectus, poteſt colli vbi diſtinguit ipſum contra gulã,quæ tendit ad vẽtriculũ.cõ.2°.apho.17°. Ex.13.B
Aſpera arteria corpus cartilaginoſum.2°.de ſypto.cauſ.21.E/5°.de locis affectis. 4ª.31.B
Aſperæ arteriæ chartilaginum figura.1°.de loc.affe. 4ª.27.E
Aſperæ arteriæ quibus conſtent.1°.de loc.aff. 4ª.2.C
Aſperæ arteriæ ſuprema pars quæ ori coniungitur,larynx dr̃. 2ª.98.E
in Aſperã arteriam recipitur oris excrementũ. 6°.de ſani. tu.2ª.98.E
ꝑ Aſperam arteriã cur excrementa partium inflammatarum exeant. 2°.de locis affectis. 4ª.13.B
Aſpa arteria cur ſenſibilr̃ exaſpatur in 6m.đ mor.vul.cõ.2°. 3ª.160.H
ad Aſperas arterias pulmonis quomodo materia permeet.commentario.7°.apho.30°. Ex.56.B
in Aſpas arterias quot modis cõfluũt materiæ.2°.de ꝑſ.ex. 4ª.109.G
ꝑ Aſperã arteriam fertur deſtillatio à capite cõ.7°.aph.38°. Ex.57.A
Aſpera arteria offenditur à materia exiſtente in cerebro commentario 6°.aph.2°. Ex.46.E
Aſpæ arteriȩ iflãmatio anguſtiã anhelit9 facit.cõ.4°.aph. 34°.Ex.31.D
Aſperæ arteriæ inflãmatio difficultatẽ ſpirandi facere põt, ſed non ſtrangulationẽ propter magnitudinem meatus.com. 4°.aph.34°. Ex 31.D
Aſperis arterijs plenis erecti ſpiramus.4°.de loc.aff. 4ª.26.H
Aſpera arteria cum ex capite ægrotat,quo modo curanda. 6°. de ſanitate tuenda. 2ª.100.A
in Aſpera arteria quomodo vlcus deprehẽdatur.4°.de lo.af.4ª.28.A
ab Aſperæ arteriæ vlceribus quo modo differat vlcus pulmonis.4°.de locis affectis. 4ª.28.B
Aſperæ arteriæ vlcera ſine dolore.4°.de loc.aff. 4ª.28.B
in Aſpera arteria vlcus quomodo curandum.7°.meth.me. 7ª.29.A
ex arteria Aſpera & pulmone feruntur,quæ extuſſimus.comment. 7°. apho.37°. Ex.56.H
in Aſpera arteria quomodo fit expulſio.2°.de ſymp.cau. 3ª.21.F
Aſpera arteria tuſſi purgatur.com.7°.apho.51°. Ex.58.D
Aſpera arteria,& ſtomachus cõparantur tibiæ.in Tim.Plat. 1ª.288.F
ad Aſperatos cãcros oculorũ valet ſucc9 cẽtaureæ.de vir.cẽt.Sp.93.B
Aſperum multum eſt milium,& panicum.de diſſ.cont. Sp.73.B
Aſper pulſus fit à cholera rubra.de dyn. Sp.19.F
Aſperũ vinũ,nigrum, craſſum quale ſit nutriendo.de diſſ.cont.Sp.73.F
Aſperũ vinum,rubrũ,craſſum,quale ſit in nutriẽdo.de diſ.cõt.Sp.73.F
Aſpero vino,dulce eſt digeſtibilius.de diſſol.cont. Sp.7.D
Aſpera vox vnde.in 1m.de mor.vul.com.2°. 3ª.115.F
Aſperã habẽtes vocẽ qñ moriebãtur.in 1m.de morb.uul.cõ.2°. 3ª.115.D
Aſpera vrina ſi poſt criſim fuerit,in eandem febrem reintegrari demõſtrat ægrotum.de dyn. Sp.34.G
ASPERITAS naſcitur ab adſtrictione vel acredine . de ptiſſa.2ª. 47. E/6°.de comp.me.ſe.lo. 5ª.169.H
Aſperitas ex ſiccitate oritur.in 1m.de mor.vulga.com.2°. 3ª.115.F
Aſperitatẽ nõ fruſtra molitur partiũ opifex natura.de diſ.mor. 3ª.4.E
Aſperitas in quo genere ægritudinis.de diſſ.mor.3. A/ 3ª.4.E
ſm Aſperitatem vel lenitatem vel concauitatem, vel foramen, vel figuram eſt cauſa morbi compoſita,& quomodo.de ocu. 7ª.185.G
Aſperitates læuigantia.7°.de comp.me.ſe.lo.177.E/ 5ª.182.E
Aſperitati quando opportunus ſit adeps.2°.de ſimp.me.fa. 5ª.12.H
Aſperitati leniendȩ congruit coni fructus.7°.de ſim.me.fa 5ª.54.A
Aſperitati medẽtur chõdrus,lac,& ptiſſana.2°.de ſimp.me.fa. 5ª.12.G
Aſperitatibus medentur gummi.7°.de ſimp.me.fac. 5ª.52.B
cõtra Aſperitatem valent putrefactiua.de ocul. 7ª.189.C
ad Aſperitatem ſmegma.1°.de comp.me.ſe.lo. 5ª.131.A/B
ad Aſperitudines ſycoſéis & callos oculorum quæ valeant adſtringentia.4°.de comp.med.ſec.loc.150.E/ 5ª.151.F
Aſperitudites oculorum extenuat thlaſpi.de ſimp.me. Sp.91.G
ad Aſperitudines oculorum.4°.de cõp.me.ſe.lo.5ª.152.H/ 5ª.155.H
Aſperitas palpebrarum lachrymas cit.com.4°.aph.52°. Ex.33.D

Aſperitudinibus

Aſperitudinibus palpebrarum accommodatum collyrium ex vino.4°. de comp.med.ſec.loc. 5ª.150.D
ad *Aſperitatem palpebrarum collyrium.de ocul.* 7ª.191.E
ad *Aſperitudines palpebrarum.4°.de compoſi.med.ſec.loc.*150.D/5ª.156.D/de ocul. 7ª.189.C
in *Aſperitatibus palpebrarum quid agant medici ad conſily inopiam redacti.4°.dc comp.med.ſec.loc.* 5ª.150.E
ad *Aſperitates circa os.6°.de comp.med.ſec.loc.* 5ª.175.D
Aſperitas faucium tuſſim facit.2°.de ſymp. cau. 3ª.21.G/*commen.4°.aphoriſ.54°.* Ex.33.E
Aſpitas linguæ quo lunæ aſpectu fiat.de decu.pg.ex meth.ſciẽ. Sp.12.G
Aſpera lingua melle fricanda eſt.de dyn. Sp.20.A
Aſperitas arteriæ quomodo tuſſim faciat.2°.de ſimp.med.fa. 5ª.13.E
ad *Aſperitatem arteriæ vocalis,de remed.par.fac.* 7ª.158.C
Aſperitates non modo in arteria, ſed & in veſica ſcabra lenire poteſt glycyriza.6°.de ſimp.med.fac. 5ª.45.F
ad *Aſperitudinem arteriæ,& gutturis.7°.de cõp.med.ſe.lo.* 5ª.179.F
Aſperitates arteriæ ſanat ſymphytum petræũ.8°.de ſim.me.fa. 5ª.61.G
ex *Aſperatio in oſſibus ob quæ fiat.de cau.morb.* 3ª.9.C
ASPHALTON, *id eſt bitumen.11°.de ſimp.med.fac.* 5ª.83.F
Aſphalton optimum è Iudea aduehitur.1°.de antid. 5ª.105.E
Aſphalton ſiccum quid.de ſimp.med. Sp.80.C
Aſphalton calidũ ẽ cũ ſubtili ſubſtãtia.2°.de arte cur.ad.Gla. 7ª.104.G
ex *Aſphalto medicamenta.2°.de arte cur.ad Glau.* 7ª.106.A
Aſphaltus fugiendus in vlceribus.3°.meth.med. 7ª.21.C
Aſpalathus acris & adſtringens.6°.de ſimp.med.fac. 5ª.44.A
Aſpalathus deſiccat.6°.de ſimp.med.fac. 5ª.44.A
Aſpalathus adſtringit,concoquit,putrefactiones corrigit.8°.de comp.med.ſec.loc. 5ª.194.E
Aſpalathi decoctũ adſtringẽs pro gargariſmis.6°.de cõp.med. 5ª.172.F
Aſpalathus ad putredines et fluxiões ẽ vtilis.6°.de ſim.me.f. 5ª.44.A
ASPHALARTESII *acopon.7°.de comp.med.per gen.* 5ª.272.B
ASPHODELVS, *& albucus ſunt idem.de ſimp.med.* Sp.81.B
Aſphodelus fuluus,flauus,et ruber,albo calidior.4°.de ſim.m. 5ª.31.D
Aſphodeli radix ſcillæ ſimilis eſt.2°.de alim.fac. 2ª.24.B
Aſphodeli radix qualis.7°.de ſimp.med.fac. 5ª.44.B
Aſphodelum in fame ruſtici ederunt.2°.de alim. 2ª.24.H
Aſphodeli radix,amaritudinem deponit,ſi paretur vt lupini.2°.de alimen.facultatibus. 2ª.24.H
Aſphodelum habet vim tenuandi & aperiendi.2°.de alim.fa. 2ª.24.H
Aſphodelus menſtrua,& vrinam prouocat.de ſimp.med. Sp.81.B
Aſphodeli radix ictericis conuenit.2°.de alim.fac. 2ª.24.H
Aſphodeli radices combuſtæ,& in cinerem redactæ alopeciam emendant,& albidas maculas.de ſimp.med. Sp.81.B
Aſphodelus ad tuſſim veterem facit.de ſimp.med. Sp.81.B
Aſphodelus duritiem emollit.de ſimp.med. Sp.81.B
Ἀσφυξία *ẽ plſus priuatio.d ſym.ca.*3ª.12.A/1°.*d pſ.ex pul.*4ª.106.A
Ἀσφυξίαν *nunquam habet corpus viuũ.1°.de præſ.ex pul.* 4ª.106.A
Ἄσφυκτον *quid ſignificat.1°.de præſ.ex pulſ.* 4ª.106.B
ASPIDVM *triplex ſpecies ptyas,chelidonia, cherſea, & quales ſint.de ther.ad Piſ.* 5ª.93.A
Aſpides quomodo parandæ pro cibo.2°.de arte cur.ad Glau. 7ª.107.F
Aſpidibus nutriuntur Marſi.2°.de arte cur.ad Glau. 7ª.107.F
Aſpidis exuuium viſum acutiſſimum reddit.de theri.ad Piſo. 5ª.93.F
Aſpis aſpidem non necat.de inæqu.intemp. 3ª.44.C
cõtra *Aſpidem valet theriaca.de theri.ad Piſo.*91.E/ 5ª.98.E
ad *Aſpidis morſus valet antidotus Antipatri.2°.de antid.* 5ª.115.H
ad *Aſpidum morſus theriaca Euclidis Palatiani.2°.de antid.* 5ª.116.B
Aſpidis morſum ſanans medicina.2°.de antid. 5ª.118.H
ex *Aſpidibus emplaſtrum.6°.de comp.med.per gen.* 5ª.261.B
ASPLENVM, *& ſcolopendra dicitur & hemionitis.* 5ª.198.E/H
Aſplenum tenuium eſt partium non tũ calidũ.6°.ſimp.me.fa. 5ª.44.A
Aſplenos obſtructiones fortes lienis curat.5°.de ſimp.med.fac. 5ª.35.C
Aſplenum lapides frangit & lienes liquat.6°.de ſimp.me.fa. 5ª.44.A
ASYRACVS *vocatus percuſſis à ſcorpio exhibetur.11°.de ſimp.med.faculta.* 5ª.82.G
ASSA *qualis ſit.de ocul.* 7ª.188.G
Aſſa maturatiua eſt.de ocul. 7ª.189.C
Aſſa oculis conuenit.de ocul. 7ª.188.C
Aſſa fœtida contra morſum ſcorpionis.de med.exper. Sp.106.D
Aſſæ fœtidæ electuarium.de med.exper. Sp.108.D
ASSANDA *quo modo ſint ſimplicia.4°.de cõpo.med.ſec.loc.* 5ª.152.E
Aſſata ſimplicia quo modo cognoſcant.4°.de cõp.med.ſec.lo. 5ª.152.E
Aſſata conſiderandum an deponant qualitatis vehementiam.2°.de alimentorum facul. 2ª.24.H
Aſſatio præparat alimentum ori.de bon.& vitio ſuc. 2ª.37.A
*Aſſa ſunt ſicciora.3°.de alim.fa.*2ª.29.D/11°.*de ſimp.med.fac.*5ª.78.E/*de diſſol.continua.* Sp.74.D
Aſſata quale nutrimentum dant.3°.de ali.fac. 2ª.26.C
Aſſa allia & cruda comeſta expurgãt in icteris.de cura icteri. Sp.111.B
Aſſæ potius quàm elixæ edendæ ſunt carnes animalium domeſticorum.de cura icteri. Sp.111.D
Aſſa elixis commutanda vere ineunte.de ſal.diæ. 2ª.40.C
quomodo *Aſſetur caro ſine nidore.de puero epil.* 7ª.180.G
ob *Aſſationem ambuſtæ carnes quales ſint, & quem gignunt homorẽ.de vict.rat.in morb.acut.com.4°.* 7ª.147.C
Aſſæ fabę cibus craſſus,& cur.de diſſ.cont. Sp.72.H
Aſſa oua dura,cibus eſt craſſus,& cur.de diſſ.cont. Sp.72.H
Aſſa oua dura tarde deſcendunt.de diſſ.cont. Sp.74.H
Aſſatus panis cibus craſſus.de diſſ.cont. Sp.72.H
Aſſos piſces dat non febrientibus,elixos vero febrientibus.de vic.rat.in morb.acut.com.4°. 7ª.149.B
ASSAFATI *fit mentio.ſecret.* Sp.97.G
ASSARION. *de pond.& menſ.* 5ª.276.D/G
ASSENTIVNTVR *quandoq; homines alicui quæcunque dicenti.de cuiuſque animi pec.not.* 2ª.59.D
Aſſenſum temerarium ſemper refugit Gale.3°.de loc.affe. 4ª.15.A
ASSIMILATIO *quædum ẽ nutritio.3°.de ſymp. cau.*26.C/ 3ª.29.A
Aſſimilatio ſemper fit à natura.com.1°.aph.3°. Ex.3.G
Aſſimilare quod optimum eſt natura conatur,quod vero peſſimum expellere.2°.de diff.feb. 3ª.37.D
Aſſimilat celerrime proprium nutrimentum, & alterat humidiſſimum calidiſſimumq́; corpus.3°.de ſymp.cau. 3ª.29.A
Aſſimilari alicui dicitur fratrare.de art.com.3°. 7ª.272.A
Ἄσσης *.i.cibi faſtidium.de vict.rat.in morb. acut. commen. 2°.*119.E/*commen.4°.* 7ª.145.C
Ἄσσας *Græci vocant ſtomachi faſtidia.4°.de ſani.tuen.* 2ª.84.E
ASSIDENTIA *ſigna,quæ in* 3^{m}*.de morb.vulg.com.3°.*3ª.143.H/*cõ.1°.aphoriſ.12°.* Ex.5.H
Aſſidentium librum fecit Praxagoras.com.6°.aph.1°. Ex.46.C
ASSISTENTES *debent agere circa ægrum quæ conueniunt.commẽ.1°.apho.1°.* Ex.2.B
Aſſiſtentibus vera dicenda de morbo.in 6^{m}*.de mor.vul.cõ.2°.*3ª.168.E
ASSISTA *electuarium.de med.exper.* Sp.107.B
Ἀσσώδεις *id eſt faſtidioſi fiũt bifariam.in* 1^{m}*.pror.com.2°.* 4ª.175.B
de ASSVETVDINIBVS *ſcripſit Eraſiſtratus.de cõſue.* 2ª.61.G
Aſſuetudines debent ſciri ſecundum empiricos.de ſect. Iſa.16.D
ab *Aſſuetudinibus ſumitur vna intentio curatiua.de conſue.* 2ª.60.C
Aſſuetudinis ratio in inuentione eorum quæ ad ſanandum cõferunt, magnam ſibi partem vendicat.de conſue. 2ª.60.D
Aſſuetudines cur non mutandæ.5°.de ſan.tuen. 2ª.93.D
Aſſueſcentes alicui rei magna ex parte conuenientem ſuæ naturæ deligunt conſuetudinem.5°.de ſan.tuen. 2ª.93.H
ASSVTAE *faſciæ,quæ.dc faſcijs.* 7ª.293.F
Aſſuta faſcia ad mammam.de faſcijs. 7ª.303.C
Aſſuta iunctura ad anum.de faſcijs. 7ª.304.A
ASSYRIORVM *linguæ ſi ſit vocabulum,ab ipſis Aſſyrijs res diſcenda eſt.ad Thraſy.* 2ª.106.H
Aſſyrius ſuccus.in 6^{m}*.de morb.vulg.com.6°.* 3ª.196.B
ASTACI *non habent collum neq; caput.8°.de vſu par.* 1ª.164.H
*Aſtaci piſces habent tenuem & mollem teſtam.3°.de ali.fac.*2ª.32.D/*de ren.aff.dig.& med.* 7ª.195.E
ASTAPHIS, *id eſt vua.6°.de ſimp med.fac.* 5ª.44.B
Aſtaphis agreſtis ad pſoram accõmoda eſt, ſed & vrendi vim habet.6°.de ſimp.med.fac. 5ª.44.B
Aſtaphis capite purgat pituitam.6°.de ſimp.med.fac. 5ª.44.B
ASTAINVS *Icodoti cõpoſitione à vitijs ſedis liberatus.9°.de comp.med.ſec.loc.* 5ª.204.H
ASTER *anicetus ad quid ſit vtilis.4°.de comp.med.ſec.loc.* 5ª.154.H
ASTER *atticus quid.6°.de ſimp.med.fac.* 5ª.44.A
Aſter atticus refrigerat,reprimit,eſt mixtæ potentię vt roſa,tamen nõ adſtringit.6°.de ſimp.med.fac. 5ª.44.B
Aſter atticus bubones ſanare creditur.6°.de ſimp.med.fac. 5ª.44.B
ASTER *ſamius,qualis.7°.de com.med.ſec.loc.* 5ª.183.E

Aſter ſamius frigidus & albus.1°.de ſimp.med.fac. 5ª.2.E
Aſter ſamius magis tenuium partium quàm ſamia terra.4°.de compo. med.ſec.loc. 5ª.150..A
Aſter ſamius tenax eſt,& viſcoſus.9°.de ſimp.med.fac. 5ª.66..A
Aſter ſamius leniſſimus in arteriæ inflammationum principijs.7°.de cõpoſi.med.ſec.loc. 5ª.177.H
Aſter ſamius ad ſanguinis expuitiones valet.9°.de ſim.me.f. 5ª.65.H
Aſter ſtomachicus.8°.de comp.med.ſec.loc. 5ª.191.D
Aſteris terræ fit mentio.4°.de comp.med.loc.loc. 5ª.155..A
Aſter inexuperabilis.8°.de comp.med.ſec.loc. 5ª.191.E
Aſter confectio.7°.de comp.med.ſec.loc. 5ª.185..A
Aſteris medicamentum.4°.de comp.med.per gen. 5ª.243..A
Aſterica vrina quæ,& quid ſignificet.de dyn. Sp.34.D
Α῎σθμα *in curſibus, vel exercitijs vehementibus reſpiratio dicebatur tempore Galeni.com.6°.apho.46°.* Ex.52..A
Aſthma quid.in 3m.de morbis vulgaribus.commen.2°. 3ª.136. B|*commen.6°.aph.46°.* Ex.52..A
Aſthma,quod dicitur orthopnea,quid.com.6°.aph.46°. Ex.52..A
Aſthma vnde fiat.in 6m.de morb.vul.com.4°. 3ª.180..A
Aſthma fit ex ſuperfluitate pituitæ.de ſpermate. Sp.36.G
Aſthma ex bile in ſtomacho quo modo fiat.de ſpermate. Sp.36.H
Aſthmate afficitur pulmo.3°.de præſa.ex pulſ. 4ª.116.C
Aſthma contingit conceptis in hora phlegmatis.de ſpermate. Sp.37.C
Aſthmata cur fiant in puerulis accedentibus ad pubertatem. commẽ. 3°.apho.26°. Ex.25.E
Aſthma quo modo autumno fiat.com.3°.apho.22°. Ex.24.F
Aſthma cur fiat in conſiſtentibus.com.3°.apho.3°. Ex.26.E
ex *Aſthmate aut tuſſi qui gibbi fiunt,ante pubertatem moriuntur.cõmen.6°.apho.46°.* Ex.51.G
Aſthma morbus ſenum.5°.de ſan.tuen. 2ª.92.B
Aſthmata cur fiant.in ſenibus.com.3°.apho.31°. Ex.26.G
Aſthmata concomitantur ſenes ad mortem.cõ.2°.apho.40°. Ex.18..A
in *Aſthmate acuto minuuntur iugulares.de anat.viuorum.* Sp.55..A
Aſthmate infeſtante catharticis vtimur.de dyna. Sp.20.E
in *Aſthmate & orthopnœa cauenda ſunt calefacientia valde & refrigerantia.7°.de comp.med.ſec.loc.* 5ª.186.G
Aſthmatici qui dicantur.7°.de comp.med.ſec.loc. 5ª.186.C
Aſthmaticis quæ conueniant.7°.de comp.med.ſec.loc. 5ª.186.F|G
Aſthmaticis medicamentis inditur myrrha.8°.de ſimp.me.fa. 5ª.61..A
Aſthmaticorũ remedijs cur naſturtiũ miſcetur.7°.de ſim.m.f. 5ª.50..A
Aſthmaticis idonea eſt ariſtolochia rotunda.6°.de ſim.me.fa. 5ª.43.F|*de med.exper.* Sp.104.C
Aſthmaticis prodeſt calamintha.7°.de ſimp.med.fac. 5ª.49.E
Aſthmaticos iuuat ſuccus centaureæ.de virt.centau. Sp.94..A
Aſthmaticis prodeſt cyclamini cyſſanthemi fructus.7°.de ſimpli. med. facultatibus. 5ª.53.F
Aſthmaticis ſiue anhelantibus exhibetur cyclamini radix ſicca. 7°.de ſimp.med.fac. 5ª.53.F
Aſthma curat decoctio hyſſopi.de med.exper.106.F| Sp.107.D
Aſthmaticis datur lapis armenus.de dyn. Sp.21.C
ad *Aſthma dantur penidiæ.de med.exper.* Sp.106.F
Aſthmaticis facit diapenidion magnum.de dyn. Sp.26.D
Aſthmaticos adiuuat pix humida.8°.de ſimp.med.fac. 5ª.58.E
Aſthmaticos iuuat pulmo vulpinus.11°.de ſimp.med.fac. 5ª.79.H
ad *Aſthmata ſiue anhelationes valet ſmyrnij ſemen.8°.de ſimpl.med. facultatibus.* 5ª.61.B
Aſthmaticis auxiliatur ſotira.de dyn. Sp.26.B
ad *Aſthma aptum eſt ſpondylij fructus.8°.de ſimp.med.fac.* 5ª.61.G
ad *Aſthma valet theriaca.de theria.ad Piſo.* 5ª.91.F
ad *Aſthma medicamen.de me.exp.104.B|H|105.B|G|* Sp.106.B|G|C
ad *Aſthma antiquũ valẽs medicamẽ.de me.exp.106.C|* Sp.107..A|E
ad *Aſthma valet electuarium ſcillæ.de med.exper.* Sp.108.D
Aſthmaticos peculiariter adiuuans electuarium.de dyn. Sp.27.C
ad *Aſthmaticos.7°.de comp.me.ſe.lo.5ª.186.E|de medi.facile par.7°. 165.F|ſecret.97.B|99..A|de med.exper.* Sp.105.E
ASTORONIS *experimentatoris medicina.de med.exp.* Sp.104..A
ASTRAGALITIS *iris.1°.de comp.med.ſec.loc.* 5ª.125..A
ASTRAGALVS *adſtringit,& exiccat.6°.de ſimp.med.fac.* 5ª.44..A
Aſtragalus vlcera vetera glutinat,& aluum fluxu tentatam ſiſtit. 6°. de ſimp.med.fac. 5ª.44..A
Aſtragali fit mentio.9°.de comp.med.ſec.loc. 5ª.202.D
ASTRA *mouentur,& non videntur.4°.de diff.pulſ.* 4ª.66.C
Aſtro nullo indiget Sol.3°.de die.decre. 4ª.157..A
Aſtrorum ortus & occaſus medico obſeruandi ſunt.de aëre, aquis,& locis. 2ª.2.D
Aſtra quæ præcipue conſideranda.de acre,aquis,& locis. 2ª.4.D
ab *Aſtris figuram contraxit Alexander.de ſpermate.* Sp.38.G
ASTRONOMI *inter rõnales nũerãtur.de cuiuſq; aĩ pec.no.* 2ª.60..A
Aſtronomia prædiſcenda medico.ſi quis opt.med.Iſag.6.B|1°. methodi medendi. 7ª.2.D
Aſtronomia innititur arithmetice & linearum ſcientiæ.de cuiuſq; animi pec.not. 2ª.58.B
Aſtronomiæ methodus quæ.de cuiuſq; animi pec.not. 2ª.57.B
Aſtronomiæ finis in contemplatione conſiſtit.ad Thraſy. 2ª.106.D
Aſtronomia acuit animum.de cuiuſq; animi pec. not. 2ª.56.G
de *Aſtronomia ſcribentes laudandi.3°.de die.decr.* 4ª.157.C
Aſtronomiam callebat Galeni pater.de cogn.cur.animi mor. 2ª.54.D
Aſtronomia à nonnullis contẽnebatur.1°.de nat.fac. 1ª.293..A
de *Aſtronomicis inſtrumentis exemplum.14°.de vſu par.* 1ª.205.E
ASTROLOGIA *& diuinatione tm̃ vtuntur diuites, q̃tũ ad pͥuidendũ faciat quorum hæredes eſſe debeant.de pręcog.ad Poſth.* 4ª.214.C
Α᾿σθενίκ.*id eſt imbecillitas.2°.meth.med.* 7ª.10.D
Ασθενοῦντες *qui vocentur.2°.meth.med.* 7ª.10.D
ASTVTORVM *forum Athenis.in 3m. de morb. vul. com. 2°.137. G| commen.3°.* 3ª.140.E
ad ASTYDAMANTEM *Heraclidis.2°.de antido.117.H| 4°. de com. med.per gen.* 5ª.241.C
ATAGENES volucres laudabiles.de ren.aff.dig.& me. 7ª.195.F
Atagenes neq; craſſum faciũt,neq; tenuãt.de bon.et vit.ſuc. 2ª.34.H
Atagenis caro concoctu facilis.3°.de ali.fac. 2ª.29.C
Atagenarum caro quibus commoda.6°.de ſan.tuen. 2ª.99.G
Atagenes conueniunt ſtomachicis.8°.de comp.med.ſec.loc. 5ª.192.C
ATAXIA *eſt acoſmia.in progno.com.3°.* 4ª.207.G
ATERAMNA *quæ dicuntur.de bo.& vitio ſuc.* 2ª.36.G
ATHANASIA *compoſitio.4°.de loc.affe.* 4ª.28.D
Athanaſia antidotus.8°.de comp.med.ſec.loc. 5ª.194.H
Athanaſia antidotus Mithridatis.2°.de antid. 5ª.114.H
Athanaſia calefacit,& exiccat.8°.meth.med. 7ª.54.D
Athanaſia ad quotidianas acutas in æſtate.de dyna. Sp.32.F
Athanaſiam aſſumat ſenex,qui cibis obſtruentibus ſit vſus. 5°.de ſanitate tuenda. 5ª.91.E
Athanaſia ad abſceſſus in viſceribus.14°.meth.med. 7ª.90.F
ATHENAEVS *inter pneumaticæ ſectæ probatiſſimos numeratur.2°. de ſymp.cau.* 1ª.21.H
Athenæus et Ariſtoteles delectant̃ demõſtrationib⁹.2°.de ſem. 1ª.337.B
Athenæus quæ elementa poſuit.intro. Iſa.52.F
Athenæus de arte augurãdi ſcripſit.de vic.rat.ĩ mor.ac.cõ.1°. 7ª.110.C
ſm Athenæum plus habent nati à matre q̃ à patre.2°.de ſem. 1ª.336.G
Athenęo nõ eſt adhibẽda fides in mẽbris ſeminalibus mulierũ. 1ª.336.C
Athenæus elaborauit ſcientiã medicã vniuerſam.1°.de elemẽtis. 1ª.5.G
Athenæi opinio de febris materia.1°.de diff.feb. 3ª.32.G
Athenæus ſcripſit de pulſibus.3°.de diff.pul. 4ª.62.D
Athenęi pulſus definitio.4°.de diff.pulſ. 4ª.69.B
cũ Athenæo ſentit Galenus in motu pulſus.4°.de diff.pulſ. 4ª.69..A
Athenæus reprehendit medicos de rigore.2°.de ſymp.cau. 3ª.21.B
Athenæi infuſum.9°.de comp.med.ſec.loc. 5ª.203.F
ATHENA, *hoc eſt Minerua, appellatum emplaſtrum. 2°. de compoſi. med.per gen.221.C|6°.* 5ª.258.H
Athena emplaſtrum.2°.de comp.med.per gen. 5ª.221.C
ATHENIENSIBVS *leges dedit Pallas.an animal ſit.* 1ª.328.E
Athenis myſteria ſunt qn̄ mẽſis Septẽber Romæ.4°.de ſan.tu. 2ª.86.G
Athenis pauci imprudentes & multi philoſophi.ꝙ animi mor. 1ª.321.H
Atheniẽſium lingua multas paſſa eſt mutatiões.2°.de dif.pul. 4ª.54.H
Athenis Aſtutorum forum. in 3m. de morb. vulga. commen.2°.137.G| commen.3°. 3ª.140.C
Athenis peſtis magna.de ſymp.diffe. 3ª.11.H
Α᾿θέρα *pulticulam ſignificat.2°.meth.med.9.E|14°.* 7ª.90.E
Α᾿θέρωμα *nomen habuit à ſimilitudine ad aliquid extra poſitum.2°.methodi medendi.* 7ª.9.E
Atheroma quid.ſi.med. Iſa.48.H
Atheroma affectus circa cutem capitis.intro. Iſa.59.F
Atheroma ſuturarum diſtentio.intro. Iſa.59.C
Atheroma affectus iuncturarum cubiti.introd. Iſa.59.C
Α᾿θέρωμα *apoſtematis genus.14°.meth.med.* 7ª.90.E

Atheromata fiunt ex commixtis humoribus.de cau.morb. 3ª.8.B
Atheromata ſunt ex toto genere præter naturam.de diff.mor. 3ª.4.F
Atheromata numerantur inter morbos,qui oriuntur, cum prius non eſſent.14º.meth.med.92.D| 7ª.93.C
Atheromatum tumor differt ab aliјs.ad Thraſy. 2ª.105.A
Atheromatum fit mentio.1º.de tumor.præt.nat. 3ª.83.G
Atheroma quo modo ſanetur. 14º.meth.med. 7ª.93.F
Atheromata ablationem ſui indicant.3º.meth.med. 7ª.16.D
in Atheromatibus inutile abijcitur.de cau.morb. 3ª.9.D
Atheromatibus quid conferat.de virt.cent. Sp.93.G
Atheroma excidere,& putrefacere licet.14º.meth.med. 7ª.90.E
ATHLETICA an ſit ars.in ora.ſuaſoria. Iſa.4.A
Athleta vnde dicatur.in ora.ſuaſoria. Iſa.5.A
Athletarum ars quando cœpit.ad Thraſy. 2ª.107.B
Athletica eſt ars ſcelerata.ad Thra. 2ª.107.H
Athleticam artem odit bene inſtituta reſpub.ad Thra. 2ª.109.B
Athleticæ ſpecies pancratium.in or.ſuaſoria. Iſa.5.A
Athleticæ ſpecies cæſtus.in or.ſuaſoria. Iſa.5.A
Athletarum exercitationes quædam.de ſal.diæ. 2ª.41.D
Athletis ſolis quod exercitationis genus in vſu ſit.3º.de ſa.tu. 2ª.80.F
Athletas exercentes quo modo appellentur.ad Thra. 2ª.109.B
Athletæ cur ſe oleo fricant.2º.de ſimp.med.fac. 5ª.11.B
Athletarum emplaſtrum.5º.de comp.med.ſec.loc. 5ª.162.A
ad Athleticam affectionem quod pertinet luctatoria athleticæ arti adipiſcitur.ad Thra. 4ª.109.B
Athletę diu,et vehemēter mouent citra laſſitudinē.de cau.mor.3ª.6.H
Athletis præſto adſunt laſſitudines,niſi apotherapia deuitētur, & cur. 2º.de ſan.tu. 2ª.76.G
Athletę cur potius obſtruuntur in exercitatione, quàm expurgentur. 2º.de ſan.tuen. 2ª.77.G
Athleticus habitus,qui.ad Tra. 2ª.102.C
Athleticū habitū habet Gal.ꝑ optima cōſtitutione.de atra bile.1ª.37.D
Athletę bonum habitū habent,ſed periculoſum.cō.1º.aph.3º. Ex.3.E|F
Athleticus habitus non ſanus.2º.de ſan.tuen. 2ª.77.G
Athletæ cur vtantur cibis craſſis & viſcoſis.1º.de alim.fac. 2ª.10.B
Athletæ ſuū carne veſcebātur.3º.de ali.fa.25.G|2º.de ſan.tuē. 2ª.77.G
Athletæ cur ſoli vtuntur ſuillis carnibus & pane ex caſeo.1º.de alimē. facultatibus. 2ª.10.B
Athletarum panis qualis.5º.de ſan.tuen. 2ª.91.F
Athletæ deterius coquunt panes optimos,quàm meſſores & foſſores robuſti.1º.de alim.fac. 2ª.10.A
Athletæ qui panis commodus.1º.de alim.fa. 2ª.10.A
Athletis carnis duæ minæ ſunt parum.2º.de digno.pulſ. 4ª.76.G
Athletæ cur multum comedere poſſunt.com.1º.aph.15º. Ex.8.B
Athletæ cur cibos valentiores acciperent in cœna.7º.met.me. 7ª.46.B
Athletæ quibus veſci debent.de ren.aff.dig.& med. 7ª.195.B
Athletarum ſanguis qui.de atra bile. 1ª.35.C
Athletæ quo modo extenuatis parare carnem ſtuderent,& è cōtrario. de ſal.diæ. 2ª.41.D
Athletæ non vtuntur venere.6º.de loc.aff. 4ª.42.G
Athletæ cui affectui ſint proni.3º.de ſan.tuen. 2ª.80.F
Athletæ quo genere mortis obeunt.ad Thra. 2ª.107.G
Athletæ ex puluere ſuffocati.11º.de vſu par. 1ª.188.E
Athletis rhododaphnis terga dirumpuntur.in or.ſuaſoria. Iſa.4.G
cōtra Athletas inuehitur Galenus.in or.ſuaſoria.Iſa.4. C| ad Thraſ. 107.B|H| 2ª.109.E
Athletæ ſtudium peſſimum eſt.ad Thra. 2ª.107.G
Athletis valentior Galenus.ad Thra. 2ª.109.C
Athleta non melior beſtiјs.in or.ſuaſoria. Iſa.4.A
Athletarum comparatio ad concuſſum murum.in or.ſuaſoria. Iſa.4.H
Athletis quæ acciderent.in 1^{m}.de morb.vulg.com.1º. 3ª.105.A
Athletæ Secundi nominati caſus ex imbecillitate ſepti tranſuerſi.4º.de locis affectis. 4ª.25.A
ATHROOS ſignificat vniuerſim vel magnis portionibus,& celeriter. 1º.de ſymp.cau. 3ª.16.H
ATOMVS quid.1º.de elementis.1ª.2.F|de diff.morb. 3ª.2.E
Atomos primus excogitauit Leucippus.de hiſto. philoſ. Sp.2.G
Atomus Epicuri.de diff.mor. 3ª.2.E
Atomos,vacuum aera putabat Democritus.aduer.emp.med. Iſa.35.C
ex Atomis eſt corporū cōpoſitio ſecūdū Democritū.1º.de elem. 1ª.2.E
ex Atomis qualitates fiunt ſecundum Democritum.1º.de elem.1ª.2.E
Atomi ſunt elementa ſecundum aliquos.17º.de vſu par. 1ª.221.E
Atomus nullam habet qualitatem.de conſt ar. Iſa.38.A
ex Atomis corpora humana eſſe conflata dicētes reprehenduntur.11º. de vſu partium. 1ª.186.G
ex Atomis corpora non conſtare probatur.1º.de elem. 1ª.2.F
ex Atomis ꝙ homo non conſtet.de diff.mor. 3ª.2.E
Atomus dicitur ab aliquibus ſpūs primus in mūdo an ani.ſit.1ª.327.A
Ἀτονία.i.imbecillitas.4º.meth.med. 7ª.26.D
ATRVM quandoq; frigiditatem oſtendit,quandoq; caliditatē.quæſita in Hippo. Sp.113.E
Atrum quo modo cognoſcitur eſſe à frigido,& quo modo à calido.quæſita in Hippo. Sp.113.E
Atra bilis cum adiectione atra nominatur,ſed amara bilis ſæpe dicitur bilis ſimpliciter.com.7º.aph.32º. Ex.57.D
ꝑ Atra bile bilis vocabulo vtitur Galenus.de theri.ad Piſo. 5ª.96.D
Atra bilis & pituita,quid ſint,& quos pariant morbos ſecundum Platonem.contra ea quæ à Iul.in Hipp.apho. Ex.67.E
Atra bilis affinis eſt pituitæ.de ſpermate. Sp.38.C
Atra bilis cur ſit nigra.de mel.ex Gal.Ru.& Poſſ. Sp.109.E
Atra bilis fit ex ſanguinis fæce.9º.de comp.med.ſec. loc. 5ª.198.C
in Atrā bilē et bilē flauā quo mō vertat̄ ſanguis.2º.de criſi. 4ª.138.D
Atra bilis ex calore ſufficienter immodico fit.2º.de criſ. 4ª.138.D
Atra bilis ad dupliciter fit ex craſſo ſanguine & bile cōbuſta. in 6^{m}.de morbis vulga.com.6º. 3ª.195.F
Atra bilis generatur dupliciter.& quo modo.in 1^{m}. pror.com.1º. 162. F|164.D|in progn.com.3º.4ª.210.A|com.3º.apho. 22º. 24. F|commen.6º.aph.53º. Ex.53.B
Atra bilis dupliciter generatur,& quo mō.in progno.cō.3º.4ª.210.A
Atra bilis ſuperaſſatur in febre ardente.3º.de loc.affe. 4ª.18.A
Atra bilis ex bile aſſata malefica fit. in progn.com.3º. 4ª.210 A
Atra bilis fit ex ſanguine aſſato,craſſo,aduſto.de vic.ra.in morbis acutis.com.2º. 7ª.120.F
Atræ bilis differentiæ.3º.de loc.affe. 4ª.18.A
inter Atram bilem & melancholicum ſanguinem ponit differentiam. 5º.de locis.affectis. 4ª.34.E
Atra bilis quomodo generetur,& differat ab humore melācholico.cōmen.4º.aph.21º. Ex.29.D
Atra bilis,& ſanguis niger,quo mō differūt.cō.4º.aph.23º. Ex.29.H
Atra bilis quæ propria ſit,& qui humor melancholicus.com. 4º. aph. 21º.29.D|com.6º.aph.53º. Ex.53.B
Atra bilis quæ dici non poſſit,& vnde fiat. 2º.de lo.aff. 4ª.18.A
Atrabilarius ſanguis habet ſerum atrabilarium. 4º.de ſan.tu. 2ª.83.H
Atræ bilis ſerum,quale.in 6^{m}.de morb.vulg.com.2º. 3ª.167.E
Atram bilem nullum animal guſtauit.14º.meth.med. 7.89.E
Atræ bilis qualitates.14º.meth.med. 7ª.89.E
Atra bilis eſt veluti acetū.14º.met.7ª.89.E|cō.4º.aph.23º. Ex.29.H
Atra bilis acida,& fermentoſa eſt.14º.meth.med. 7ª.89.E
Atra bilis quo modo acida intelligatur.14º.meth.med. 7ª.89.E
Atra bilis ſincera acida eſt.de vict.rat.in morb.acu.com.3º. 7ª.130.H
Atra bilis in terram eiecta eleuatur.in 1^{m}.pror. com.2º. 4ª.174.G
Atra bilis eſt acris,corrodens, effuſa in terram bullit, acida eſt veluti ſanguinis limus,qualis fæx in vinis craſſioribus conſiſtentibus.com. 4º.aph.21º. Ex.29.D
Atra bilis fuſa non concreta,fulgentem habēs calorem, mordax vt acetum,terram abradit,fermentat.com.4º.aph.23º. Ex.29.H
in Atra bile quid ſit fermentatio,& feruor.14º.meth.med. 7ª.89.E
Atra bilis ꝑ oculos hēt reſpirationē.de na.& or.vniuſcu.cor. Sp.41.E
Atra bilis per quas partes deſcendit.2º.de arte cur.ad Glau. 7ª.107.C
Atra bilis abundat ætate declinante,& autumno.breuis denotatio dogmatum Hippocratis. 1ª.231.B
Atra bilis autumno abundat,duobus ſuccis æſtate peruſtis, ſanguine, & pallida ſeu flaua bile.in 1^{m}.de morb.vul.com.1º. 3ª.100.H
Atra bilis cur autūno & vere generetur.cō.3º.apho.20º. Ex.24.A|B
Ara bilis dominantis indicium eſt temporis inæqualitas.1º. de arte curatiua ad Glauconem. 7ª.96.B
Atra bilis quo tpe creſcat.de natura,et ord.vniuſcuiuq; corp. Sp.41.D
Atra bilis quibus horis dominetur.de ſpermate.38.C|de natura, & ordine vniuſcuiuſq; corporis. Sp.41.E
Atrabilaris infans quibus horis efficiatur.de ſpermate. Sp.38.A
Atræ bilis horis ſi puella ſit concepta, quid ſequatur.de ſperm.Sp.38.C
in Atræ bilis horis ſi puer ſit conceptus,pater in horis flauæ bilis,mater in horis ſanguinis quid eueniat.de ſpermate. Sp.38.D
in Atrę bilis horis ſi cōceptio oīum fuerit,quid ſequat̄.d̄ ſper. Sp.38.E

Atra bilis cui proportionatur.2°.de arte cur.ad Glau. 7ª.107.C
Atræ bilis exhalationis ad caput comparatio ad fuliginem in aere. in prognoſt.com.3°. 4ª.210.F
Atram bilem qui facile gignant,& quę ad illam generandam adiuuent. de mel.ex Gal.Ru.& Poſſ. Sp.109.F
Atrabilariũ,vel bilioſum ſuccũ gignũt laborantes.4°.de ſa.tu. 2ª.83.F
Atram bilem maxime generant labores diuturni.4°.de ſa.tu. 2ª.83.G
Atram bilem generantes cibi, qui ſint.de diſſol.cont. Sp.74.A
Atram bilem quandoq; faciunt allia,& cæpæ.de diſſol.cont. Sp.74.C
Atram bilem generant caules.de diſſol.cont. Sp.74.C
Atram bilem facit caro capræ antiquæ.de diſſol.cont. Sp.74.A
Atram bilem generant lentes.de diſſol.cõt. Sp.74.B
Atram bilem generant piſces ſaliti,antiqui.de diſſol.cont. Sp.74.B
Atra bilis ĩ ſplene dominatur.de nat.et ord.vniuſcuiuſq; cor. Sp.41.D
Atra bile nutritur ſplen.2°.de arte cur.ad Glauc. 7ª.107.C
Atra bilis manet in ſplene,quoad deijciatur.de anat.viu. Sp.51.B
Atra bilis cur nõ coaceruatur ĩ venis.2°.de arte cur.adGlau.7ª.107.C
Atra bilis quid faciat in humano corpore.bre.denot.dog.Hip. 1ª.231.C
Atra bilis quos faciat mores.de natura et ord.vniuſcuiuſq; cor.S.41.E
ab Atra bile,& phlegmate diuturnos fieri morbos inquit Hippocra. bre.denot.dogm.Hippo. 1ª.231.D
Atra bilis morbus chronicus.com.1°.apho.12°. Ex.5.D
Atræ biles faciunt melancholiam.com.3°.aph.22°. Ex.24.G
Atra bilis tenebræ animæ rationalis.2°.de ſymp.cau. 3ª.24.D
ex Atra bile cũ principium rationalis animę occupauit,cur timor mœrorq́; ac mortis expectatio accidant.2°.de ſymp.cau. 3ª.24.D
Atræ bilis color reddens mentem ſimilem tenebris,timorem efficit.3°. de locis affectis. 4ª.19.C
ad Atræ bilis naturam ſi vergat humor infeſtus,in ſomnis tendens ad caput,timores facit.com.4°.aph.67°. Ex.34.F
Atra bilis ex flaua fcã facit ĩſanias ſatis furioſas.c.6°.ap.53°.Ex.53.B
Atra bilis comitialem facit.3°.de loc.affect. 4ª.18.C
Atra bile plenus ſi exerceatur incidit ĩ apoplexiã,vel comitialem morbum,aut ruptionem vaſis in pulmone.com.3°.aph.20°. Ex.24.C
Atra bilis facit inſanabilem difficultatem inteſtinorum. Ex.29.H
Atra bilis habet febres per quartum diem.com.1°.aph.12°. Ex.5.D
Atra bilis redundat in quartana febre.2°.de criſi. 4ª.134.G
Atræ bilis pulſus.de natura,& ord.vniuſcuiuſq; corpo. Sp.41.F
Atrabilarij habent vapores vti ſuffuſiones.de mel.ex Gale. Sp.109.G
Atra bilis quo mõ cognoſcatur præualere.6°.de cõp.me.ſe.lo.5ª.176.E
Atra bilis deterrima in progn.com.2°. 4°.202.E
ab .Atra bile corrupta vitium capitis eſſe indicat nigrior cutis capitis color.de remed.par.fac. 7ª.154.F
Atræ bilis ſignificatur timore,& mœſtitia longo tempore perſeuerantibus.com.6°.apho.23°. Ex.48.E
Atra bilis futuræ ſigna.com.6°.aph.23°. Ex.48.E
Atram bilem ſignificat ſomnium fumi,caliginis,& tenebrarum.de præſag.ex inſom.ſum. 4ª.213.C
Atra bilis ſi abundat ſputum eſt nigrum.5°.de loc.affe. 4ª.29.H
Atræ bilis ſymptomata ſunt flatus hypochondriaci accidentia.5°. de locis affectis. 4ª.32.H
Atræ bilis ægritudo quo modo curanda.de natura et ordine vniuſcuiuſque corporis. Sp.41.G
Atra bilis inueterata difficulter curatur.de mel.ex Gal.Ruf.Sp.109.H
Atrabilarijs qui cibi conueniant.de mel.ex Gal.Ruf.& poſ. Sp.110.D
Atra bilis à mordentibus irritatur.14°.meth.med. 7ª.89.H
Atrabilarijs obeſt aceti acredo.de vict.rat.in mor.acu.cõ.3°.7ª.130.G
ad Atram bilem præſidia communia.de mel.ex Gal.Ruf. Sp.109.H
in Atra bile quæ vena ſecanda.de mel.ex Gal.Ruf.& Poſſ.Sp.109.H
Atrabilarijs mulieribus quibus menſes defecerunt quæ vena ſecãda.de mel.ex Gal.Ruff.& Poſſ. Sp.109.H
ab Atra bile multos ſeruauit Galenus eos ineũte vere euacuans. quos pur.op.quib.me.& quo temp. 5ª.88.C
Atram bilem educente medicamento purgantur melancholia, cancer, & elephantiaſis.quos purg.oportet. 5ª.88.F
ad Atrabilarias materias craſſas medicamenta mediocria. 14°. methodi medendi. 7ª.89.H
Atra bilis quibus euacuari debet.com.6°.aph.47°. Ex.52.B
Atrã bilẽ medicamẽto purgãte ſanauit Gale.cõ.6°.aph.47°. Ex.52.C
Atra bilis quibus quandoq; ſanetur.in 6^{m}.de mor.vul.cõ.2°.3ª.163.A
Atram bilem educentibus in quibus vtamur,& qñ.de dyn. Sp.21.B
Atra bilis purganda cum vincit.4°.meth.med. 7ª.28.E
Atra bilis difficulter euacuatur.14°.meth.med. 7ª.92.G
Atra bilis non eſt euacuanda niſi cocta.quos purg.oportet. 5ª.88.F
Atrorum medicamenta ſero quàm aqua diluere præſtat.10°.de ſimpli. med.fac. 5ª.73.G
Atram bilem educentia,quæ.de cathart.94.G/de mel.ex Galeno Ruff. & Poſſ. Sp.110.A
Atra educit acetum.de vict.rat.in morb.acut.com.3°. 7ª.130.G
Atram bilem educit epithymus.de dynamidij. Sp.21.B
Atram bilem educunt epithymus & elleborus.de cathart. Sp.94.E
Atrã bilẽ purgat hiera ex veratro nigro.1°.de cõp.med.ſe.loc.5ª.121.E
Atram bilem educit lapis armenius.de dynamidijs. Sp.21.C
Atram bilem educit peplium.de dyn. Sp.21.A
Atram bilem educit polypodium.de dyn. Sp.21.B
Atram bilem educit pulegium.de dyn. Sp.21.C
Atram bilem educit tithymalum.de dyna. Sp.21.E
Atram bilem educit tragoriganum.de dynamidijs. Sp.21.C
Atra bilis de ſe eſt ſincera deiectio.com.7°.aph.23°. Ex.56.E
Atra bilis qũo differat à deiectiõibus nigris.cõ.4°.aph.29°. Ex.29.D
Atra bilis vel ſupra vel infra exiens in principio morbi letale. commẽ. 4°.aph.22°. Ex.29.F
Atra bile deſubter exeunte extenuatis poſtridie moriuntur. commen. 4°.apho.23°. Ex.29.G
Atram bilem generantibus ſi inflatur ſtomachus,quid ſuccurrat.8°.de comp.med.ſec.loc. 5ª.192.B
ad Atræ bilis vomitum.de remed.par.fac. 7ª.159.B
ad Atrabilarem vomitum.3°.de med.fac.par. 7ª.176.H
Atra bilis facta ob retentas euacuationes hæmorrhoidũ.de venæ ſect. aduer.Eraſ. 6ª.7.E
ab Atra bile habitis ſuperueniẽtes hæmorrhoides bonũ. de venæ ſect. adu.Er.6ª.7.E/com.6°.aph.11°. Ex.47.D
Atra bilis.lege Melancholia,& Cholera nigra.
Atrabilarij humores qui proprie ſint.3°.de loc.aff. 4ª.18.A
Ater humor excretus quandoq; bonum.de atra bile. 1ª.34.E
Atri homoris vtriuſq; notas à pueritia didicit Gal.ꝺ atra bile.1ª.34.H
Atra nubes quo modo.in 1^{m}.de morb.vulg.com.1°. 3ª.104.C
Ater ſangis craſſus quos morbos faciat.de atra bile. 1ª.35.A
Atras venas habentibus,& mediocriter tenues minus parcendum in miſſione ſanguinis.præſag.exper.confir. Sp.77.H
Atra vrina aut raro aut nunquam eſt tenuis.quæſ.in Hipp. Sp.113.E
Atræ vrinæ quid ſignificent.quæſita in Hipp. Sp.113.E
Atræ vrinæ in lienoſis ſunt minus pernicioſæ.quæſ.in Hpp. Sp.113.E
Atra vrina in viro,et muliere eſt peſſima.de vri.ſign.ex Hip. Sp.78.G
Atra vrina in viris,& mulieribus peſſima eſt.quæſita in Hip.Sp.113.F
Atra vrina,& aquoſa,& craſſa,& male olens letalis eſt. de vrinæ ſignifi.ex Hippo. Sp.78.G
Atra hypoſtaſis,vrina male olente in acuta ægritudine, letale eſt.quæſita in Hipp. Sp.113.E
Atra vrina in acutis ægritudinibus vt plurimum pernicioſa eſt.quæſita in Hippocratem. Sp.113.E
Ἀτράχηλος homo.1°.de diff. pul. 4ª.48.F
ATRACTYLIS planta ſpinoſa.2°.de ali.fac. 2ª.22.E
Atractilis deſiccat,& parum digerit.6°.de ſimp.med.fac. 5ª.44.B
ATRACIS planta ſpinoſa.2°.de ali.fac. 2ª.22.C
ATRAMENTVM Indicum, quale. de compoſi. medic. ſecundum locos.151.F/ 5ª.156.F
Atramentum librarium.4°.de comp.med.ſec.loc.. 5ª.158.A
Atramentum memphiticum.4°.de comp.med.ſec.loc. 5ª.158.A
ad Atramentum ſcriptorium.in progn.com.1°. 4ª.190.E
Atramentum ſcriptorium præparabatur in vſum medicamẽtorum. 2°. de comp.med.ſec.loc. 5ª.140.B
Atramentum ſcriptorium, quale.9°.de ſimp.med.fac. 5ª.70.B
Atramẽtũ ſcriptoriũ ꝑgamenũ laudat.2°.de cõp.med.ſec.loc. 5ª.140.B
Atramentum ſutorium quid.9°.de ſimp.med.fac. 5ª.71.B
Atramentum ſutorium quomodo colligatur.9°.de ſimp.me.fa. 5ª.71.C
Atramentum ſutorium quale.5°.meth.med.7ª.31.D/3°.de compo.med. ſecun.loc.147.B/6°. 5ª.172.H
Atramentum ſutorium crudum.4°.de comp.med.ſec.loc. 5ª.155.G
Atramẽtũ ſutoriũ vſtũ.3°.de comp.med.ſec. loc.147.H/5ª.148.A/B/C
Atramentum ſutorium adſtringit.1°.de alim.fac. 2ª.9.B
Atramentum ſutorium adſtringens ſummũ.3°.de ſimp.med.fac.5ª.21.E
Atramentum ſutorium vehementer adſtringit,& habet magnam caliditatem.9°.de ſimp.med.fac. 5ª.71.C

Atramentum

Atramentum ſutorium calefacit valde, & adſtringit parum.6°. de cõpo.med.per gen. 5ª.256.B

Atramentum ſutoriũ ſiccat euidenter.4°.de cõp.med.p gen. 5ª.240.H

Atramentum ſutorium omnium maxime condire ſeruareq; carnes humidas poteſt.9°.de ſimp.med.fac. 5ª.71.C

Atramentum ſutorium olentia balnea, fortius reſiccant.7°. de compo. med.ſec.loc. 5ª.177.E

Atramentum ſutorium ſtomacho valde obeſt, & eſt contrarium humanæ naturæ.6°.de comp.med.ſec.loc.169.A/8°. 5ª.190.A

Atramento ſutorio vlcera maligna in ore ſanantur.6°.de compo. med. ſecundum locos. 5ª.169.B

Atramentum ſutorium ſeruat colorem medicamentorum viridium.2°. de compo.med.per gen. 5ª.220.B

Atramentum ſepiæ.1°.de comp.med.ſec.loc. 5ª.124.F

ATRAPHAXIS *id eſt triplex.6°.de ſimp.med.fa.* 5ª.44.C

ATRETORVM *curatio.introd.* Iſa.60.B

Atretæ fœminæ quæ.3°.de ſymp.cau. 3ª.29.H

ATRIPLEX *frigidum eſt.in* 6^{m}*.de morb.vulg.com.5°.* 3ª.194.B

Atriplex humidum eſt in ſecundo ordine, frigidum in primo.6°.de ſimpli.medicamen.fac. 5ª.44.C

Atriplex perhumidum & lentum eſt.1°.de alim.fac. 2ª.8.C

Atriplex hortenſe humidius eſt, & frigidius ſylueſtri. 6°. de ſimplici. medica.fac. 5ª.44.C

Atriplex calefaciendi vim non habet.de bo.& vitio ſuc. 2ª.38.H

Atriplex & blitum aquoſiora ſunt alijs oleribus.2°.de ali.fac. 2ª.23.B

Atriplex aqueum eſt & terreũ vt malua.6°.de ſimp.me.fa. 5ª.44.C

Atriplex aqueum eſt, & minimum habet acris facultatis. de attenuantis victus rat. 2ª.43.H

Atriplex abſtergendi vim habet, & ad auriginem ex pituitæ infarctu prognatam vtile eſt.6°.de ſimp.med.fac. 5ª.44.C

Atriplicis caulis eſt ſiccus.2°.de alim.fac. 2ª.24.A

Atriplex eſt de cibarijs medijs.de diff.cont. Sp.74.C

Atriplex manditur ex oleo, garo, & aceto 2°.de alim.fac. 2ª.23.C

Atriplex ẽ mediocris ĩ bonis et malis ſuccis.de bo.& vitio ſuc. 2ª.37.G

Atriplex generat humores viſcoſos, craſſos, & frigidos.2°. de ſim. me. fac.5ª.14.D/de puero ep. 7ª.180.D

Atriplex parum nutrit.2°.de alim.facul. 2ª.23.C

quàm *Atriplex cur potius braſſicam aliqui offerunt ſenibus.5°.de ſanitate tuenda.* 2ª.92.C

Atriplex cur facile deſcendat & ſubducat ventrem.1°.de ali.fa. 2ª.8.C

Atriplex ſemẽ ſupprimit, non tñ corrũpit.6°.de ſimp.me.fac. 5ª.38.C

Atriplex in febre dandum.4°.de ſani.tuenda. 2ª.87.G

Atriplex dãda p cibo in tertiana febre.1°.de ar.cur.ad Glauc. 7ª.97.C

Atriplex pro cibo in cancro.2°.de arte cur.ad Glau. 7ª.167.E

Atriplex conuenit epilepticis.de puero epilep. 7ª.180.C

Atriplex pro obſonio in cubiti fractura.de frac.comp.1°. 7ª.230.G

Ἄτρητον *.i.ſine fiſtula vlla.de ſimp.med.* Sp.90.E

Ἀτροφία *appellatur cum ali corpus deſit.12°.meth.med.* 7ª.74.H

Atrophia quid ſit.3°.de ſan.tuen.2ª.82.E/3°.de ſymp.cau.26.G/de tot. morbi temp. 3ª.89.D

Atrophiæ ſunt fruſtrationes in nutriendi actione ſymp.diff. 3ª.12.A

in *Atrophia eſt actionis priuatio in nutriendi actione.3°. de ſymptom. cauſis.25.B/* 3ª.26.C

Atrophia non habet typum.de Typ. 3ª.90.D

Atrophia ſecundum quos non eſt morbus.1°.meth.med. 7ª.8.B

Atrophia fit in toto animali, & in parte.de ſyp.diff. 3ª.12.G

Atrophiam neceſſario inducit actionis digerendi in corpus alimenti ſiue priuatio, ſiue imbecillitas, ſicuti etiam alteratricis in quaque particula virtutis noxa.3°.de ſymp.cau. 3ª.30.D

Atrophia pilorum affectus.fin.med. Iſa.48.B/C

Atrophia in oculo quid.fin.med. Iſa.48.E

Atrophia oculorum vlceratio.fin.med. Iſa.48.D

Atrophia in oculo totum oculum exercet.intro. Iſa.58.D

Atrophiã præcedunt multa ſyptomata & quæ.de ſymp.diff. 3ª.12.G

Atrophiæ ſunt ægritudines iecoris patiẽtis.de vir.noſtrũ corp. Sp.60.B

Atrophia ex nimia excretione.de ſymp.diff. 3ª.12.G

ex *Atrophia quomodo fiat virium lapſus in longiſſimis morbis.12°.methodi medendi.* 7ª.77.G

Atrophia cur facit graciles.1°.de ſani.tuen. 2ª.65.G

Atrophia laborans aliqua particula quid patitur.de ſymp.diff. 3ª.2.G

Ἀτροφίαν *qui patiuntur.14°.meth.med.* 7ª.91.C

Atrophiæ & tabes non ſunt cauſæ anaſarcæ.1°.de nat.fac. 1ª.292.F

Atrophia laborantibus atram bilem educimus.de dynam. Sp.21.B

Atrophia quã facit ſtomachi diſſolutio, curata vino ex abſinthio.de theria.ad Piſo. 5ª.90.D

in *Atrophia ad expurgandam & remouẽdam prolixam humorum diſpoſitionem vtimur catharticis.de dynamidijs.* Sp.20.E

in *Atrophia de malis humoribus facta vtimur catharticis ad reſtaurandam corporis habitudinem de dyn.* Sp.20.E

Atrophia macerati iuuant à veſpertina frictione.3°.de ſa.tuẽ. 2ª.82.A

Ἀτροφοῦντας *quo mõ carne impleuit Galenus.5°.de ſan.tu.* 2ª.89.F

Ἀτροφοῦσαι *.i.q̃ ex nutrimẽto fructũ nõ ſentiunt.7°.met.me.* 7ª.47.B

ATROX *eſt calumniari hominem qui benedicat.2°.de ſan.tu.* 2ª.71.H

ATTALVS & Ptolemæus reges inter ſe certamẽ habuere de libris comparandis.de nat.hum.com.2°. 7ª.181.D

Attalus rex Pergamenorum, ſtudioſus medicamentorum. 1°. de comp. med.per gen. 5ª.214.D

Attalus rex quæ ambitioſiſſime ad experientiam conquireret. 10°. de ſimp.med.fac. 5ª.72.D

Attalus & Mithridates omnium ſimpliciũ, quæ venenis aduerſantur, vim experti ſunt in condemnatis morti.1°.de antid. 5ª.99.E

ATTALICVM *ad digerendũ.1°.de comp.med.per ge.* 5ª.216.H

Attalica cõpoſitio ex Mantiæ cõpõnibus.8°.de cõp.med.ſec.lo. 5ª.191.C

Attalici emplaſtri albi ſecundum Andromachum compoſitio. 1°.de cõpoſi.med.per gen. 5ª.214.F

ATTENVARE *quid ſit.de ijs quæ in med.ſi.com.3°.* 7ª.218.E

Attenuatio q̃d ſit, & quot fiat modis.in 6^{m}*.de mor.vul.cõ.3°.* 3ª.176.D

Attenuatio à medico facta, qualis.de art.com.1°. 7ª.257.B

Attenuatio ex euacuatione continuo quidem ſequitur, ſed laxatio nõ cõtinuo, ſed per alia media.de ijs quæ in med.ſi.com.3°. 7ª.215.G

Attenuantes cibi guſtu & olfactu diſcernuntur. de attenu. victus ratione.43.G/ 2ª.44.B

Attenuantia quæ ſint.de atte.vic.rat. 2ª.43.H

Attenuant & incidunt cibi acetoſi.de diff.cont. Sp.72.E

Attenuat corpus & debilitat nimius vſus ciborum ſubtiliantium. de diſſol.cont. Sp.72.E

Attenuant ac diſſoluunt cibi ſalſi.de diff.cont. Sp.72.E

Attenuantes cibi, & incidentes humores craſſos.de diff.cont. Sp.74.G

Attenuare corpus & otioſa vita poſſet, & quo modo.in 6^{m}*. de morbis vulgaribus, com.3°.* 3ª.170.D

Attenuare humores corporis & per inuiſibilia foramina excernere nõ poteſt calor naturalis.de vict.rat.in morb.acu.com.4°. 7ª.140.A

Attenuantis facultatis mel eſt.7°.de comp.med.ſec.lo. 5ª.181.A

Attenuat, & excalfacit ferulæ ſemen.8°.de ſimp. med.fac. 5ª.56.H

quæ *Atttenuent, & vrinã prouocent.9°.de cõp.med.ſec.loc.* 5ª.201.H

Attenuantis victus ratio multos ſine medicamentis ſanauit.de attenu. vict.ratione. 2ª.43.F

quæ *Attenuent, & perrodant.8°.de comp.med.ſec.loc.* 5ª.189.D

ad *Attenuandum pinguem hominem.de dyn.* Sp.30.B

Attenuatoria victus ratio.3°.de comp.med.ſec.loc. 5ª.145.B

Attenuantibus & calidis miſcẽtur cibi flatulenti.1°.de ali.fa. 2ª.14.A

in *Attenuãte victu à quibus in gñe abſtinẽdũ.de atte.vic.rat.* 2ª.45.D

Attenuantibus citra manifeſtam caliditatem indiget lien. 9°. de comp. med.ſecundum loc. 5ª.198.D

Attenuãtibus ĩdiget obſtructio ex qualitate hũorũ.10°.me.me. 7ª.62.B

Attenuantia medicamina non poſſunt efficere bonam habitudinem.de bo.& vitio ſuc. 2ª.39.A

Attenuãti victui cõtraria ſunt põtica & auſtera.de att.vi.ra. 2ª.45.H

Attenuantium vim minuentia, quæ.de atte.vic.rat. 2ª.44.C

Attenuans phlegma medicamentum.ſecret. Sp.101.G

Attenuatorum duplex affectio.1°.de marc. 3ª.47.B

Attenuatum corpus qui non habent, aqua frigida non læduntur.7°.methodi medendi. 7ª.47.F

Attenuati qui curari poſſint.de marc. 3ª.47.B/C

quæ *Attenuent pilos.1°.de comp.med.ſec.loc.* 5ª.128.B

Attenuatoria pilorum, & capillorũ.1°.de comp.med.ſec.loc. 5ª.127.E

ATTENTVM *quomodo eſſe oporteat.7°.de vſu par.* 1ª.162.B

ATTICORVM *lingua quadam ex parte vtitur Hippocrates. de frac. commentario.1°.* 7ª.223.E

Attica lingua tẽpore Galeni multũ à proprietate ſua deciderat, [quid nunc eſt?] 1°. de comp.med.per gen. 5ª.213.F

Attica nomina ſciuit exquiſite Gale.ad Thraſy. 2ª.107.A

Atticam locutionem non curat Gale.in ſcientijs.de ord.lib. Iſa.15.F

Attici ſermonis affectatores taxat Gale.2°.de ali.fac. 2ª.18.F

Atticiſmi affectatores non curant de ſanitate.2°.de ali.fac. 2ª.18.F
de Atticiſmo non curant medici.2°.de alim.fac. 2ª.18.F
Atticus thymus optimus eſt.4°.de ſani.tuen. 2ª.85.C
Atticum mel probatiſſimum eſt 5°.de ſani.tuen. 2ª.92.E
Atticum mel coctum & crudum quibus vtile.5°.de ſani.tuen.2ª.90.G
Atticum mel melius habetur ad claritatem faciei & oculorum. de ſimpli.medicam. Sp.87.A
Attica vel pontica cera alba ad phlegmonas & eryſipelata eſt vtilis. 10°.meth.med. 7ª.65.A
Atticum congium vas magnæ capacitatis.de ſal.diæ. 2ª.41.G
ATTOLLENS muſculus baſim ſcapularum è directo capitis, vbi & quo modo procedat.de muſc.diſſ. 1ª.45.B
Attollens brachium ſurſum ꝑ rectã lineã muſculus.de muſ.diſ. 1ª.47.F
Attollens brachium ad interna muſculus qui.de muſ.diſ. 1ª.47.E
Attollentes ſurſum teſtem muſ.diſſ. 1ª.50.D
Attollentes ſurſum ſedem muſculi.de muſ.diſſ. 1ª.50.E
Attollens tibiam altam quoquo modo muſculus, & ſimul illam flectẽs ad interiora.de muſ.diſſ. 1ª.51.D
Attollendo tibiam in rectum qui muſculus illam introrſum inuertat.de muſ.diſſ. 1ª.51.D
Attollentis laquei ratio.de laqueis. 7ª.306.F
ATTONITA & aquoſa frigida ſunt omnia. de palpitatione conuulſ. & rigore. 3ª.53.E
Attoniti affectus ſunt frigiditate vincente.de pal.cõuul.et rig. 3ª.54.D
Attonitum morbum apoplexiam vocant.de diff.mor. 3ª.3.E
Attonitus morbus, quem græci dicunt apoplexiam, eſt morbus acutus ſine febre.com.2°.aph.19°.14.E/com.5°.aph.30°. Ex.40.D
Attonitus morbus ex ebrietate.de cau.mor. 3ª.7.D
in Attonito morbo quæ paſſio ſæpius accidat.de diff.mor. 3ª.3.E
Attonitum morbum cum malignus eſt antecedit animi defectus.1°.de arte cur.ad Glauconem. 7ª.98.F
Attonitum vel apoplectum dicimus eum, qui aliquo temporis ſpatio toto corpore tam vehementer ſit arreptus vt neq; ſentiat, neq; moueatur.1°.meth.med. 7ª.8.E
Attoniti, quos græci ἀποπλήκτους dicunt, fiunt tẽporibus pluuioſis. com.3°.aph.16°. Ex.22.H
Attonitorũ pulſus quales.de pulſi.ad tir.46.B/4°.de cau.p. 4ª.102.H
Attonitus exigit euacuationem pituitæ.quos.pur.op.quib.me. 5ª.88.D
ATTRACTRIX facultas eſt naturalis. de natu. huma. com.2°.7°.182.F/de anato.viuo. Sp.44.H
Attractio inter facultates naturales eſt maxĩe ꝑcipua.ĩ Tim. 1ª.290.C
Attractione vtitur Hippocrates in multis naturalibus operationibus. 8°.de decre.Hippo. 1ª.278.A
Attractionem tollit Plato.8°.de decre.Hipp. 1ª.278.A
Attractionem, ſi poneret Plato, & non circumpulſionem, idem cũ Hip. ſentiret.in Tim.Platonis. 1ª.290.C
Attractio eſt vt ſit appoſitio.3°.de nat.fac. 1ª.302.D
ad Attractionem quæ fit in corpore noſtro, tibiæ vel arundinis comparatio.8°.de decre.Hip.278.A/in Tim.Plat. 1ª.290.C
Attractio fit breui tempore.3°.de nat.fac. 1ª.302.E
Attrahere eſt calidi.2°.de diff.feb. 3ª.41.A
Attrahentia q̃ & qualia ſint.5°.de ſim.me.fa.5ª.36.E/de ocu.7ª.188.F
Attrahentia omnia ſunt calida.5°.de ſimp.med.fa. 5ª.36.E
Attrahentia ſponte nata, quæ.5°.de ſimp.med.fa. 5ª.36.E
Attractrix vis attrahit familiare.de cur.ra.per ſang.miſ. 6ª.17.G
Attrahentia ex putrefactione.5°.de ſimp.med.fa. 5ª.36.E
Attrahere & digerere ſunt vires vicinæ.6°.de cõp.me.ꝑ ge. 5ª.260.G
Attrahentis vis pars vel ſpecies eſt purgantis medicamenti. de purga. med.fac. 5ª.87.H
Attrahendi proprium nutrimentum vim habent ſingulæ partes. 6°. de ſanitate tuenda. 2ª.100.C
Attractiua virtus eſt in oĩ particula corporis.cõ.1°.aph.22°. Ex.10.C
Attractrix vis trahit ſibi conueniens nutrimentum.3°.de na.fa.1ª.302.D/de vtil.reſp.64.A/de mot.man.& obſ. Sp.68.B
Attrahendi ordo in appetentia.de anat.viu.Sp.49.G/de ocu. 7ª.189.E
Attrahunt & expellunt ſingula membra.de vict.rat.in morbis acutis, commentario.4°. 7ª.34.E
Attractricem vim propriorũ, & expultricem eſſe in carnibus collige. in 6m.de morb.vulg.com.6°. 3ª.195.F
Attractiuam poteſtatem quæ helctice dicitur, vindicant ſibi nerui lineares.de compag.memb. Sp.58.H
Attrahendi debilem vim habet arteria.de vtili.reſp. Sp.64.E
Attrahentes villi qui ſint.de ana.viuo. Sp.44.H
Attrahunt villi longitudinales.de ana.viuo. Sp.55.H
Attractrices facultates in villis rectis.4°.de vſu par.1ª.141.B/de anat. viuorum.44.G/ Sp.55.H
Attrahunt cur ſanguinem partes.13°.meth.med. 7ª.80.F
Attractio eſt inſpiratio.in 6m.de morb.vulg.com.5°. 3ª.194.B
Attractiuam vim habet pulmo cum ſit ſpongioſus, & calidus. de vtilitate reſpirationis. Sp.64.D
Attractio aeris ad pulmonem fit per cannam magnam, et canales naſi. de anat.viuorum. Sp.47.C
Attrahendi ſpiritus in pulmonem quæ primaria, & quæ ſecundaria ſit ratio.de voc.inſtr.diſſ. 1ª.106.F
Attractus ſpiritus vbi excoquat̃.de cõpag.mẽb.ſiue de na.hu.Sp.58.G
Attrahit ac expellit humores & ſpiritum actio pulmonis. 5°. de locis affectis. 4ª.30.F
Attrahit ab hepate dexter ventriculus cordis.de anat.viuo. Sp.56.C
Attrahit à pulmone ſiniſter ventriculus cordis.de ana.viu. Sp.56.C
Attrahit cor ſibi ſuccum cibi à ſplene per venam, quæ protenditur ab ipſo ad ſplenem.de vtil.reſp. Sp.64.H
Attractrice iecoris vitiata quid ſequatur.5°.de loc.aff. 4ª.35.B
ad Attrahẽdũ lõgaon habet villos longitudinales.de ana.viu. Sp.50.E
Attractiua vis magis viget ĩ exteriore tunica veſicę.de ana.vi.Sp.51.D
Attrahi perſentitur aqua ab hominibus ſitientibus, quãdo balnea ingrediuntur.in 6m.de morb.vul.com.6°. 3ª.195.B
Attractrix vis habet duo ſymptomata.de ſym.diff. 3ª.12.B
Attrahentis vis pars vel ſpecies eſt purgantis medicamenti. de purga. med.facul. 5ª.87.H
de Attractione medicamentorum quæ humores attrahunt, cur Hipp. non ſcripſit.de pur.medica.fa. 5ª.86.C
Attractrice virtute ꝑpollent trahentia.6°.de cõp.med.ꝑ gen.5ª.260.H
Attractio fit à qualitate ſubſtantiali.3°.de ſimp.me.fa.23.C/5°. 5ª.36.F
Attractricia exiccant.5°.de comp.med.per gen. 5ª.247.E
Attrahat quo modo aloe.de cathart. Sp.94.E
Attrahentia Aſclepiadis.6°.de comp.med.per gen. 5ª.261.G
Attractione tepida ventrem purgat chamælea.de ſim.med. Sp.85.F
ad Attrahendum Cyrti emplaſtrum.6°.de cõp.me.per gen. 5ª.261.C
Attrahens emplaſtrum.6°.de comp.med.per gen. 5ª.261.D
Attrahens emplaſtrum Harpali. 6°.de com.me.per ge. 5ª.261.D
Attrahens nigrum emplaſtrum.6°.de comp.med.per gen. 5ª.261.H
Attrahendi & digerendi ea quæ in aluo ſunt, vim habet fermẽtum.8°. de ſimp.med.fac. 5ª.59.D
Attrahit digerit, & ſiccat gladiolus.8°.de ſimp.med.fac. 5ª.57.B
Attrahens medicamentum.5°.de comp.med.per gen. 5ª.247.A
Attrahens & eruens melinum.2°.de comp.me.per gen. 5ª.222.F
Attrahit, & detergit phorbium, & tenuium partium eſt. 7°. de ſimpli. med.fac. 5ª.63.D
Attrahens ſplenium.6°.de comp.med.per gen. 5ª.259.F
Attrahit in profundo reſidentia magis cæteris reſinis terebinthina.8°. de ſimp.med.fac. 5ª.59.F
Attractio ad partes oppoſitas, ſpecies euacuationis.ars.medi. Iſa.59.E
Attrahendi cõmunis indicatio eſt ad maxime diſtãtia.ars med.Iſa.71.E
Attrahentiũ applicationes cur debet ꝑcedere eũo.8°.meth.me. 7ª.52.F
Attrahunt vehementer cucurbitulæ in capite cum multo igne affixæ.de cucur.ſcar. 6ª.3.D
Attrahentes magis cucurbitulæ, quę.de cucur.ſcar. 6ª.3.E
Attrahere φθοροποιοῦς δυνάμεις.i.facultates corruptionem inducẽtes, poteſt cucurbitula.de cucur.ſcar. 6ª.3.F
Attractio, & erectio nodi gutturis, vnde.de mot.man.& obſ. Sp.70.E
Attrahens caput brachij muſculus.de muſcu.diſſ. 1ª.47.G
Attrahentes muſculi chartilaginem ſcutiferam ad ſuperiora & priora, qui.de muſ.diſſ. 1ª.46.B
ATTRITIO quid.de art.com.1°. 7ª.255.D
Attritio inſtrumẽtorũ, qd & vnde.in 6m.de morb.vul.cõ.3°. 3ª.170.B
ad Attritiones calceorum coria vetera.11°.de ſimp.med.fac. 5ª.80.F
Attritæ veſtes & vaſa ex diuturno vſu fiunt ſicciora. in 6m. de morbis vulg.commen.3°. 3ª.170.B
Attritionem curat ſuccus mororum.de ſimp.med. Sp.87.H
Attritæ ſimul partes duritiam quandam, & δυσπάθειαν acquirunt. 1°.de ſanitate tuenda. 2ª.68.G
Attritis proprie iunctio facit olei, in quo cucumeris agreſtis radix admixta, & decocta fuerit.de ſimp.med. Sp.88.E
Attritis dẽtiũ partib⁹ ĩpoſitũ medicamen.6°.de cõp.me.ꝑ ge.5ª.256.A

ad Attritus.

ad Attritos.1°.de compoſitione med. per gen.213.D/3°.234.H/235.C/4°.241.D/6°. 5ª.258.F
Ἄναυσις eſt ſenium in ſtirpibus,& quid ſit.1°.de ſan.tuen. 2ª.62.F
AAVAROS facit cholera nigra.de dynamidijs. Sp.19.F
AVCTRICIS facultatis proprium.1°.de nat.fac. 1ª.292.A
Auctricem adiuuant vis alteratrix & nutrix.1°.de nat.fac. 1ª.291.H
Auctio quid.fin.med.Iſa.44.G/1°.de nat.fac. 1ª.291.E
Auctionis & generationis differentia.2°.de nat.fac. 1ª.297.H
Auctio eſt actio naturę.intro. Iſa.55.B
Auctio eſt primũ naturę operũ,& veluti caput.1°.de nat.fac. 1ª.292.C
Auctio plantis etiã eſt cõmunis,& opus naturæ.1°.de na.fa. 1ª.290.G
Auctio vna ex actionibus quæ operibus rñdent.1°.de nat.fac. 1ª.291.E
Auctio quo modo fiat.2°.de nat.fac. 1ª.298.A
Auctio non eſt ſine nutrimento.1°.de nat.fac. 1ª.292.B
Auctione & nutritione exceptis omni functioni contraria eſt humiditas.3°.de ſymp.cau. 3ª.29.E
Auctione nihil æque aducrſat vt ſiccitas.de rc.aff.dig.&me.7ª.195.D
ad AVDACIAM & timiditatem faciunt regiones.5°.de decretis Hippocratis. 1ª.257.B
Audacia à natura ineſt Europæis.de aere,aquis,& loc. 2ª.6.C
Audacia animalia & calida,quæ.de vtil.reſp. Sp.64.F
Audacia animalia,propter quid ſint talia.de anat.viu.46.H/ Sp.56.E
Audacia ſequitur ad dominium bilis.de aua.viuo. Sp.45.E/F
Audax non eſt cor magnum.de anat.viu. Sp.46.H
Audacia ſunt quædam animalia, quę tamen habent cor paruum, ſed calidum.de anat.viuo. Sp.53.A
Audacia cur ſint animalia parui cordis.de anato.viuo. Sp.46.H
Audaciæ ſignum eſt cordis calor excellens.de ana.viuo. Sp.53.A
Audacia eſt ſignũ delirij,maxime cum impudens eſt.in 6m.de mor.vulgaribus,commen.1°. 3ª.160.D
Audacter reſpondens,modeſtus & prudens,iudicãdus amens.in 6m.de morbis vulgar.com.2°. 3ª.168.G
Audacibus ſua arma conueniebant.1°.de vſu par. 1ª.113.C
Audax quodpiam & ſtrenuum non deſtituit nudum natura.1°.de vſu partium. 1ª.113.D
Audaciſſimi cõmendant.cõtra ea quæ à Iul.in aph.dicta ſunt.Ex.66.C
AVDIENDI virtutem auribus præſtat ſpiritus animalis.de compag.memb.ſiue.de natura humana. Sp.58.B
Audiendi facultas per duo foramina.intro. Iſa.54.F
Auditorius ſpiritus,& viſiuus,vocalis,et genitalis ſunt partes animæ.5°.de decre.Hippo. 1ª.255.G
Audibilis qualitas calida eſt,& humida.de compag.memb. Sp.58.C
Audibilium qualitatum habemus nomina.2°.de loc.aff. 4ª.12.E
Auditorius meatus,qui.introd. Iſa.53.A
Auditorius meatus non ſolum vſq; ad cerebri duram membranam pertinet,ſed etiam neruum contingit, qui in ipſum à cerebro deſcendit.6°.methodi medendi. 7ª.42.H
Auditorij meatus,cum ſint occupati præſertim cholera,ſurditatem faciunt.com.4°.aph.28°. Ex.30.D
Auditorius meatus medicamẽta tolerat fortiſſima.6°.me.me.7ª.42.H
Auditus quid.fin.med.Iſa.45.B/1°.de ſympt.cau.3ª.17.C/de hiſtoria philoſophica. Sp.9.H
Auditus cur dicatur aereus.de oculis. 7ª.185.B
Audiendi inſtrumentũ cur aereum.7°.de inſtr.odor.110.E/7°.de decre.Hippocratis. 1ª.271.B
Auditus inſtrumentum auris.de inſtru.opor. 1ª.110.E
Auditus quarto loco adiungitur cum natura incedit à plãtis ad animal.2°.de ſemine. 1ª.339.G
ad Auditũ ita ſe habet oſſis petroſi pars,vt humor cryſtallinus ad viuũ.de anat.viuorum. Sp.48.H
Auditus quo fiat.de hiſt.philoſophica.9.E/de compag.memb. Sp.58.B
Auditus fit in pellicula plena acre intra aurẽ.de vti.reſp. Sp.63.D
Audiendi ſenſorium,quale.4°.de loc.affec. 4ª.22.G
Auditus duplex.in 6m.Hippo.de mor.vulg.com.4°. 3ª.181.A
Auditorius neruus dicitur qui ad aures venit.de anat.par. Sp.43.D
Auditorij nerui exortus & proceſſus,qui.de ner.diſſ. 1ª.53.G
Auditorius neruus cur durior ſit quàm vt actioni conueniat.8°.de vſu partium. 1ª.167.H
ad Auditum quę pertinent.an qual.incorp.ſint. Iſa.9.A
Audiunt melius aures in aquilonia tẽpeſtate.com.3°.apho.17°.Ex.23.E
Auditui q̃ vox iucũdiſſima,& quæ infeſtiſſima ſit.1°.de ſym.ca.3ª.17.C
Auditus qua voce contriſtetur.1°.de ſymp.cau. 3ª.16.H
in Auditu quomodo voluptas fiat.1°.de ſymp.cau. 3ª.17.C
in Auditu delectatio,& dolor contingunt euidenter poſt odoratum,& tactum,& guſtum.1°.de ſymp.cau. 3ª.16.F
Auditu priuati fuere aliqui in magnis tonitribus.1°.de ſym.ca.3ª.16.H
Auditus dolores nõ ſunt,ſed tactus,auriũ phlegmões.de ſym.dif.3ª.11.E
Audim° oẽs cõfuſe & oblæſe ſi cũ Melãpode cõparemur.1°.ſ.t.2ª.63.H
Audiendi praua conſuetudine mores aĩ corrũpunt.2°.de ſa.tu. 2ª.65.F
ex Auditu ſigna futuræ ægritudinis.ars med. Iſa.67.F
Auditus hebetior oſtendit futuram ægritudinem.ars med. Iſa.67.F
Auditus ſi deficiat in febre continua;exiſtente corpore debili,lętale eſt.com.4°.apho.49°.33.B/com.7°.apho.66°. Ex.60.F
Auditus inſtrumenti propria & præcipua paſſione factam in febribus ſurditatem ſanguis ex naribus fluens, aut aluus turbata ſoluit.commen.4°.aphor.60°. Ex.34.A
in Auditu omnimodum ſilentium ſimile quid eſt atque tenebra in viſu.1°.de ſym.cau. 3ª.17.C
Auditus ſenſus affectiones.4°.de locis affectis. 4ª.23.B
Auditus grauis,affectus aurium.intro. Iſa.59.C
Audiendi grauitas vnde fiat.1°.de ſymp.cau.15.F/ 3ª.16.B
in Auditu barycoia,ideſt audiendi difficultas, proportione reſpondet diminute guſtandi ſymptomati.1°.de ſym.cau. 3ª.16.G
Auditus cur grauis ſit in ſenibus.com.3°.apho.31°. Ex.26.H
Auditus grauis cur fiat ab auſtro.com.3°.apho.5°. Ex.20.C
ad Auditus grauitatem ex capitis dolore.3°.de cõp.me.ſec.lo. 5ª.145.E
ad Auditus grauitatem.3° de compo.med.ſec.loc.145.B/F/ de remedijs par.fac.155.B/C/162.E/3°.de med.fac.par.170.A/ 7ª.175.A
ad Auditum obtuſum quo modo ſpongiæ medicamentum conferat.3°.de comp.med.ſec.loc. 5ª.145.D
Audiendi difficultas quo modo ſanetur.3°.de comp.me.ſec.lo. 5ª.141.D
ad Auditus difficultatem confert ſuccus centaureæ.de vir.cen. Sp.93.C
Auditus difficultatem ſedare poteſt theriaca.de ther.ad Piſo. 5ª.95.H
in Auditus poro phlegmonas in ſuperficie mitigat ſuccus centaureæ.de vir.centaureæ. Sp.93.C
ad Auditum.de dynamid. Sp.25.A
Audire & intelligere omnia Galeni,eſt omnibus commune ita clare explicantur.2°.de criſi. 4ª.133.G
Auditor qui nõ intelligit eſt Galeno moleſtus.12°.de vſu par. 1ª.194.C
Auditores quæ confundunt nomina.1°.de diff.reſp. 3ª.57.B
AVELIANA nux pontica,& λεπτοκάρυα, idem.2°.de alimentorum facultatibus. 2ª.21.A
Auellana,qualis.7°.de ſimp.med.fac. 5ª.50.C
Auellana difficilius coquitur quàm nux.2°.de alimentorũ fac.2ª.21.A/de diſſol.cont. Sp.73.D
Auellanę parum nutriunt,cur.de diſſol.cont. Sp.73.F
Auellana plus alit quàm nux regia,& cur.2°.de ali.fac. 2ª.21.A
Auellana nux,doſis nomen.8°.de comp.med.ſe.lo.5ª.195.H/9°.197.G/1°.de comp.med.per gen.5ª.215.F/de reme.fac.par. 7ª.159.D
AVELLVNTVR difficulter cucurbitulæ quę in capite cum multo igne affiguntur.de cucur.ſcar. 6ª.3.D
Auelli quãdo non poſſunt cucurbitulæ,quid agendũ.de cuc.ſca. 6ª.3.D
Auellendæ quo modo ſint hirudines.de cucur.ſcar. 6ª.4.D
AVENA inter cerealia ſemina numeratur.de vict.rat.in morbis.acutis,commen.1°. 7ª.111.B
Auena quid,& eius vires.de ſimpl.med. Sp.81.A
Auena dicitur ægylops.5°.de comp.med.ſec.loc. 5ª.160.A
Auena multum calida eſt.1°.de ali.fac. 2ª.13.C
Auena digerit,& eſt acris tenuiter.6°.de ſimp.med.fac. 5ª.41.F
Auena vbi plurima proueniat.1°.de alim.fac. 2ª.13.B
Auena iumentorum alimentum.1°.de alim.fac. 2ª.13.B
Auenæ panis inſuauis.1°.de alim.fac. 2ª.13.C
Auena comeditur citra famem cum vino dulci,aut ſapa, aut mulſo,non aliter quàm typha.1°.de ali.fac. 2ª.13.C
ex Auena non fiunt panes niſi in extrema fame.1°.de ali.fa. 2ª.13.C
Auena minus nutrit quàm typha.1°.de ali.fac. 2ª.13.C
Auena licet vti vt ptiſſana in victu attenuante.de att.vic.ra.2ª.44.H
Auena eſt cortice emundanda cum vtimur.de atte.vic.ra. 2ª.45.A
Auena facit ad omnem tumorem.de ſimp.med. Sp.81.A
AVERTATVR quo modo ſanguis.5°.meth.me. 7ª.30.D
Auerſio duplex in ſanguine è naribus.5°.meth.med. 7ª.31.H
Auerſio fit per contrarium à membri poſitu.14°.meth.med. 7ª.89.D/commen.5°.apho.68°. Ex.45.D
Auerſio ad contraria quando ſit facienda.4°.meth.me. 7ª.28.C

Auerſio alienorum

Auerſio alienorum ineſt omnibus membris.3°.de nat.fac. 1ª.303.G
Auerſio.lege Diuerſio.
AVFERENDA, quæ.14°.meth.med. 7ª.91.B
Auferri quę non poſſunt, tranſponuntur.ars med. Iſa.71.C
Auferens tremorem in febribus medicina.de med.exper. Sp.106.B
Auferens triſtitiam electuarium.de med.exper. Sp.107.A
Auferens dolorem frigidum electuarium.de med.exper. Sp.107.D
Auferens dolorẽ fortem decoctio chamęmeli.de med.exper. Sp.107.D
Auferens dolores decoctio aſſari. de med.exper. Sp.107.B
Auferens vomitum medicamen.de med.exper. Sp.105.G
AVGERE & augmentum, imminui & imminuere quid ſignificet apud Hippo.2°.de diff.reſp. 3ª.64.D
Augendi vis pręſtat fœtui augmentum.an animal ſit. 1ª.327.E
Auget animalia calor naturalis.com.1°.apho.15°. Ex.8.D
Augemur virtute proueniente ex hepate.de vir.noſ.cor.diſp. Sp.60.B
Augeri faciunt calorem pori obſtructi.de vtil.reſp. Sp.62.F
Augenda debent facillime tum tendi, tum perflari vndiq;.3°.de ſymptomatum cauſis. 3ª.29.E
quæ Augeantur.1°.de nat.fac. 1ª.297.H
Augetur quidq;, ac nutritur à ſimilibus.1°.de inæq.intemp. 3ª.44.C
Auget̃ celerius à partu femina, cur.in 6m.de mor.vulg.cõ.2°.3ª.169.E
Auget ſuccos tempeſtas vnaquæq; pro ratione ſuæ temperaturę ac non propter nomen.in 1m.de mor.vulg.com.1°. 3ª.100.H
ad Augendum lac.de paſſ.mul. Sp.96.D
Auget craſſities ſplenis, & hepatis lac ſi comedatur ſolum.de diſſolutione continua. Sp.74.H
Augeatur per quas partes priapus.de mot.man.& obſ. Sp.68.B
Augeri vulnera eſt aliquam generari ſubſtantiam, qualis abſciſſa, ſicut caro germinat in cauis vlceribus.com.6°.apho.19°. Ex.48.B
non Augentur abſciſſa, os, chartilago, neruus, gena, pręputium.com.6°.apho.19°.48.B/com.7°.apho.28°. Ex.55.H
Augeri ne debeat ægritudo primo ſciendum, & vnde.de ſper. Sp 39.G
AVGMENTVM et augere, imminui & imminuere quid ſignificet apud Hippo.2°.de diff.reſp. 3ª.64.D
Augmentum quid.1°.de nat.fac. 1ª.290.H
Augmentum ſtirpium quo modo fiat.de hiſto.philo. Sp.11.H
Augmentum minus fit in ætate pubertatis, com.3°.aphor.27°.Ex.25.H
in Augmento exiſtentia animalia velocius digeruntur quam antiqua.de diſſol cont. Sp.73.C
Augmentum, aſcenſus, & incrementum idem.de morb.temp. 3ª.85.F
Augmentum morbi eſt aliud tempus à principio.1°.de criſi. 4ª.128.D
Augmentum tempus tertium morbi.de morb.temp. 3ª.86.E
Augmentum, principium, ſtatum & declinationem quandoq; morbi habent.1°.de tot.morb.temp. 3ª.89.D
Augmentum et principium nonvidentur quãdoq; diſtingui poſſe.de tot.morb.temp.3ª.89.D/1°.de criſi. 4ª.126.C
Augmentum ẽt dici poteſt tempus inęqualitatis.de mor.temp. 3ª.86.E
Augmenti diuiſio in continuis.de tot.morb.temp. 3ª.87.D
Augmentum febris quando.2°.de diff.feb. 3ª.42.B
Augmentum inflammationis, quale.1°.de tot.mor.temp. 3ª.88.F
in Augmento inflammationis quo modo diamoro vti debemus.6°.de cõpoſitione medic.ſec.loc. 5ª.167.E
Augmentum in pleuritide quibus ſignis cognoſcatr̃.1°.de criſi. 4ª.132.D
Augmentum morbi quo modo cognoſcatur.6°.de criſi. 4ª.125.H
Augmenti ſigna, quæ.1°.de criſi. 4ª.126.C
Augmentum morbi vnde cognoſcatur.com.1°.apho.12°. Ex.5.G
ante Augmentum non cognoſcitur principium.1°.de criſi. 4ª.128.F
Augmentum non cognoſcitur ante ſtatum.1°.de criſi. 4ª.128.F
Augmentum cognoſcendi exemplum.1°.de criſi. 4ª.126.B
Augmentorum cognitio.1°.de criſi. 4ª.132.B
Augmentum non amplius fit in conſiſtentia.com.3°.apho.30°. Ex.26.E
Augmenti pulſus in tertiana.de mor.temp. 3ª.85.G
Augmentum ſignificat vrina liuida caput dolentibus.de dyna.Sp.34.G
in Augmento colliquefactionis vrina, qualis.quæſ.in Hippo. Sp.113.E
in Augmento nigra excrementa, malum.com.4°.apho.21°. Ex.29.E
Augmento ſomnus confert, ſed in vltima parte.cõ.2°.aph.21°.Ex.29 E
in Augmento aliud agendum, aliud in principio.de opt.ſect. Iſa.22.D
in Augmento quibus vti debemus.6°.de com.med.ſec.loc. 5ª.167.C
in Augmentis cibi obſunt.de vict.ra.in mor.acu.com.1°. 7ª.115.G
in Augmento cur non fiat balneũ, nec in principio.1°.meth.med.7ª.65.F
in Augmento & principio mittitur ſanguis.de opt.ſecta. Iſa.27.G
in Augmento & ſtatu moriuntur ęgri.de tot.mor.temp. 3ª.88.C
ĩ Augmẽto, ĩ ſtatu, & circa initia moriũt ægri.3°.de cr.141.F/4ª.142.B
in Augmento particulari rari moriuntur, & quo modo moriantur.3°.de criſibus. 4ª.142.G
Augmentandis capillis remedium.de dynamidijs. Sp.23.F
AVGVRIA à non nullis contemnebantur.1°.de nat.fac. 1ª.293.A
Auguriorum periti meminit.11°.de ſimp.medic.fac. 5ª.78.A
Augures quid commentantur.de vict.rat.in mor.acu.com.1°.7ª.110.A
Augures niſi à Galeno, diſcordes.de vict.ra.in mor.acu.cõ.1°. 7ª.110.B
AVIVM corporum ſubſtantia non parum habet aeris.4°. de ſimplicium medic.fac. 5ª.25.E
Auis nuper nata poteſtate volatilis eſt.3°.de temp. 1ª.22.F
Aues habent corpus ſiccum.14°.de vſu partium. 1ª.205.B
Aues aridiore ſunt q̃ nos tẽperatura.in 6m.de mor.vul.cõ.4°.3ª.186.H
in Auium pullis amor à natura eſt cauſa cur nutriant illos. 14°. de vſu partium. 1ª.205.B
cur Aues cum ſint frigidioris naturæ, habent paruum pulmonem.de anatomi.viuorum. Sp.47.F
Auicularum crura oſtẽdũt motũ muſculorum.1°.de motu muſ. 1ª.310.F
Aues habẽtes crura lõga cur habẽt collũ longũ.1°.de vſu par. 1ª.185.A
in Auibus viſcera habent proportionem ad carnem, vt in pedeſtribus. 3°.de alim.fac. 2ª.29.E
in Auibus aliquibus eſt duplex inteſtinũ cæcũ.4°.de vſu par. 1ª.141.D
ĩ Auibus fortibus bina excremẽtorũ receptacula.4°.de vſu pa.1ª.141.E
Aues faciẽtes oua ſine mare, ſunt ſiccæ temperaturæ.2°.de ſe. 1ª.338.D
Aues cur non habent mammas.14°.de vſu par. 1ª.205.E
in Auibus teſtes altiores ſunt quam vaſa ſeminaria.1°.de ſemi. 1ª.333.G
Aues habent intra peritonæum.1°.de ſemi.333.G/ 1ª.334.F
ex Auibus & piſcibus cognoſcuntur vaſa ſpermatica in mare magna. 14°.de vſu partium. 1ª.208.G
in Auibus vaſa ſpermatica longa.14°.de vſu par. 1ª.208.G
Aues licet habeant minus ſpatium vaſorum ſeminalium, tamen ſunt in loco calidiori.1°.de ſemine. 1ª.333.G
Aues quædam cur non potent.de anat.viuo. Sp.47.F
Aues ſeleucides locuſtas edunt, & per anum celeriter emittunt. 6°.de locis affectis. 4ª.37.H
Auis volare nõ põt ſup aquã, quę ẽ in Sauromatibus.đ bo.aq.Sp.76.A
Auium carnes velocius digeruntur, quã quadrupedũ.3°.de tẽ. 1ª.22.C/3°.de alim.fac.2ª.29.C/de diff.cont. Sp.73.C
Auium paruarum caro generat ſanguinem calidiorẽ, & craſſiorem tẽperato.de diff.cont. Sp.73.A
Auis quę eſt multi motus, & cuius paſcua ſunt in locis boni nutrimẽti, eſt melior multum & ſubtilior.de diff.cont. Sp.74.A
Auis quietis eſt oppoſita aui multi motus, & eſt peior & immundior. de diſſol.cont. Sp.73.A
Aues montanæ præſtantiores alijs.de atte.vic.rat. 2ª.45.C
Aues monticolæ optimæ ad detergendum.4°.de ſan.tuen. 2ª.84.F
Aues monticolæ ſunt boni ſucci, & non glutinoſi.4°.de ſan.tu. 2ª.86.C
Aues quæ in turribus & vineis degunt, quales.de atte.vi.rat.2ª.45.D
Aues concluſę in caueis à cauponibus quod alimentum dant. 6°.de ſanitate tuenda. 2ª.99.G
Aues paucum pręſtant alimentum, comparatæ ad greſſibilia, potiſſimũ ad ſues.3°.de alim.fac. 2ª.29.C
Aues quæ tarde digeruntur.de diſſol.cont. Sp.73.D
Auium omnium antiquarum caro parum nutrit.de diſſol.cont.Sp.73.F
Aues quæ habent carnem excrementitiam.de atten.vict.rat. 2ª.45.C/8°.methodi medendi. 7ª.51.E
Aues de paludibus, & lacubus, & culturæ ſunt multarũ ſuperfluitatũ. de diſſol.cont. Sp.73.E
Aues paluſtres quando & cũr vitandæ.7°.meth.me. 7ª.45.D
Aues paluſtres vitent epileptici.de puero epil. 7ª.180.G
Auis boni ſucci non paluſtres dandæ ſunt quartanarijs.1°.de arte cura. ad Glauconem. 7ª.97.F
Auium piſciumq; vniuerſorum propemodum ſuccus bonus eſt, & quæ excipiantur.de bon.& vitio ſuc. 2ª.37.G
Auis ex iure ſimplici eſt boni ſucci, nec facile putreſcit.5°.de ſanitate tuenda. 2ª.90.G
Auium cerebri natura.3°.de alim.fac. 2ª.29.F
Auium montanarũ & paluſtrium cerebri natura.3°.de ali.fac.2ª.29.F
Auium axillæ non habent ſuperfluitates.de diff.cont. Sp.73.E
Auium omniũ axillę ſunt boni chymi, & ſubtiles.de diff.cõ.Sp.73.D/H
Auium omnium pinguium, & iuuenum axillę velocius digeruntur quã macrarum & antiquarum.de diff.cont. Sp.73.C

Auiũ omnium ventres tarde digeruntur.de diſſol.cont. Sp.73.D
Auium omnium ventriculi nutriunt eũ, qui digerit eos, nutrimento multo craſſo.de diſſol.cont. Sp.73.E
Auiũ vẽtriculus ſi coquatur, vberrime nutrit.de bo.& vi.ſuc. 2ª.37.B
Auium inteſtina non manduntur.3°.de alim.fac. 2ª.29.E
Auicularum iuſcula boni ſucci ſunt.de reme.par.fac. 7ª.159.C
Auium carnes in iure albo poſt lactucam.12°.meth.med. 7ª.78.H
Aues quæ ſeni commodæ.5°.de ſan.tuen. 2ª.91.D
Aues quæ commodæ ſiccis.6°.de ſanitate tuenda. 2ª.99.G
AVIDIVS trahunt ſanguinem hirudines vbi illum guſtarunt.de cucur.ſcar. 6ª.4.E
AVRAM frigidam cũ potu introducere id eſt ventum vna cum potu frigidus attrahere ſitim extinguit.in 6m.de mor.vul.com.2°. 3ª.178.B
ab Aura quomodo fiat obſtructio.3°.de ſan.tuen. 2ª.81.B
AVRIGA quos motus ſciat, & circa q̃ ſit ignarus.2°.de ſa.tu. 2ª.75.E
Aurigæ & hiſtriones à diuitibus ditantur.de præſag.ex inſ. 4ª.214.B
ad Aurigam & equos animæ comparatio.in Timæum Plat. 1ª.287.D
Auriga nomen vinculi.de faſcijs. 7ª.303.A
AVRIGO quid.fin.med. Iſa.47.D
Aurigo vnde ſit, & quomodo fiat.in 3m.de mor.vulg.com.1°. 3ª.131.F
Auriginoſa febris, quæ.fin.med. Iſa.46.D
Aurigini eſt vtilis anchuſæ onocleæ radix.6°.de ſimp.med.fac. 5ª.41.D
Aurigini ex pituitæ infarctu prognatæ vtilis eſt atriplex.6°.de ſimplicium medic.fac. 5ª.44.C
Auriginoſis bonum eſt remedium chamæpitys.8°.de ſim.me.fa. 5ª.63.F
ad Auriginem ab obſtructione iecoris proficiſcentem quidam vtuntur chelidonij radice.8°.de ſimp.med.fac. 5ª.63.G
Aurigini vtile eſt cornu ceruinum.11°.de ſimp.med.fac. 5ª.79.G
Aurigini prodeſt cyclaminis radix.7°.de ſimp.med.fac. 5ª.53.E
Auriginoſos ſanat hippomarathri radix, & ſemen.7°.de ſimplicium medicamen.facul. 5ª.55.C
Auriginẽ purgant quidã per nares marrubio.8°.de ſimp.me.fa. 5ª.59.B
Aurigini prodeſt ſpondylion.8°.de ſim.med.fac. 5ª.61.G
ad Auriginem ſtercus caprinum.10°.de ſimp.med.fac. 5ª.76.F
AVRIPIGMENTVM vocatum arſenicum.5°. de compoſitione medicamen.per genera. 5ª.251.D
Auripigmentum quid, & eius vires.de ſimp.medic. Sp.80.B
Auripigmentum calidũ eſt, et tenuiũ partium.de cõ.me per g. 5ª.228.E
Auripigmentum numeratur inter adurentia.intro. Iſa.58.C
Auripigmentum ſepticum medicamentum. 5°. de ſimplicium medicam.facul.36.E/9°. 5ª.68.H
Auripigmentum erodit.3°.de com.med.ſec.loc. 5ª.149.G
Auripigmentum auri coloris.9°.de com.me.ſe.lo.199.E/10°. 5ª.207.F
Auripigmentum quale ad vlcera.6°.de comp.med.per ge. 5ª.255.C
Auripigmentum ad denudandam pilis partem quam vis valet. 9°. de ſimp.med.fac. 5ª.68.H/de ſim.med. Sp.80.B
Aripigmentum ſciſſile ad tabeſcentes.3°.de me.fa.p.170.B/ 7ª.171.B
Auripigmenti fit mentio.2°.de comp.med.per gene. 5ª.221.E
Auripigmentum torrefactum.3°.de comp.med.ſec.loc. 5ª.148.B
AVRES habent proprium nomen ſubſtantiæ.8°.de vſu par. 1ª.166.D
Auris eſt inſtrumentum auditus.de inſtr.odor. 1ª.110.H
de Aurium auatomia.de anat.viuorum. Sp.48.G
Aurium ſitus & partes.intro.43.H/52.H/ Iſa.53.A
Aurium partes, quę.5°.de decre.Hippo. 1ª.255.F
Aures cur habent mollem ſubſtantiam.1°.de vſu par. 1ª.115.H
Auris conſtat ſola cute & chartilagine.3°.de alim.fac. 2ª.26.F
Auris foramen à petroſo oſſe incipit.de anat.viuo. Sp.48.G
Auris reſidua pars ab oſſe petroſo extra apparens chartilaginoſa eſt.de anato.viuorum. Sp.48.H
Aures chartilagineę ſunt.de voc.inſtr.diff. 1ª.107.C
Aures cur chartilaginoſæ.11°.de vſu par. 1ª.188.H
Auribus germina adnaſcuntur.3°.de ſymp.cau. 3ª.28.D
Aurium alæ pterygia dicuntur.11°.de vſu par. 1ª.188.H
Aurium finis, & figuræ ratio redditur.de anat.viuo. Sp.48.G
Aurium magnus eſt vſus.6°.de ſan.tuen. 2ª.100.B
Aures ad viuendum commodius fecit natura.14°.de vſu par. 1ª.204.C
Auris cur poſita ad latus.de anat.viuo. Sp.48.H
Aures duæ ſunt pp æqualem vtilitatẽ actionis.6°.de vſu par. 1ª.149.A
Auris dextera nõ plus audit q̃ ſiniſtra.ĩ 6m.de mor.vul.cõ.2°. 3ª.169.C
Aures cur promineant.11°.de vſu par. 1ª.188.H
Aures cur patulę ſint.de anat.viuo. Sp.49.B
Aures cur intus cauæ ſint, extra conuexæ.11°.de vſu par. 1ª.189.B
Auri ſupponitur os frigidũ, & ſiccũ.de cõp.mem.ſiue de na.hu. Sp.58.B
Auribus quare os durũ ac denſum oppoſitũ ſit.8°.de vſu par. 1ª.167.H
in Auribus cur multi flexus.11°.de vſu.p. 1ª.189.B/de ana.vi. Sp.48.G
Aurium ſenſus principium eſſe cerebrum dicentes, poſiturę vicinitatę decipiuntur.2°.de decre.Hipp. 1ª.237.B
Auri ſenſibilitatem præſtans panniculus vbi ſit.de ana.viuo. Sp.48.H
ad Aures neruus veniens auditorius dicitur.de ana.parua. Sp.43.D
Aures habent vnum genus neruorum.8°.de vſu par. 1ª.166.H
Aurium nerui, quales.16°.de vſu par.215.A/D/ 1ª.217.B
Aures habent maximos neruos propter ſenſum.5°.de vſu par. 1ª.145.C
circa Aures partes vnde accipiant neruos.9°.de vſu par. 1ª.176.C
circa Aurem nerui minimi quibus.16°.de vſu par. 1ª.217.B
circa Aures & faciem venæ.de ven arte.diſſ. 1ª.57.H
poſt Aures venę quædam ſunt grandiores, in ipſis vero auribus perexiguę vixq; aſpectabiles, & plerunq; neq; perſpicuæ. in 6m. de morbis vulgaribus.com.5°. 3ª.192.F
poſt Aures arterijs arteriæ ad cerebrum ex ipſius baſi per retiformem plexum aſcendentes ſunt maiores in capite.3°.de loc.affec. 4ª.20.D
ſub Auris radice muſculus.4°.de ana.admi. 1ª.83.G
circa Aurem delmiamẽta quędam muſculorũ ſunt animalibus exiguis.16°.de vſu partium. 1ª.217.B
Aures habere tegumentum, exemplum.11°.de vſu par. 1ª.189.A
in Aure finis meatus prope neruũ dilatati ſe habet vt cryſtallin⁹ humor in oculo.1°.de ſymp.cau. 3ª.15.F
Auris quæ partes rhagoidi comparentur.1°.de ſymptoma.cau. 1ª.15.F/de anat.viuorum. Sp.48.E
Auribus virtutem audiendi præſtat ſpiritus animalis.de compag.mẽb.ſiue de natu. humana. Sp.58.B
intra Aurẽ eſt pellicula plena aere, in qua fit auditus.de vti re. Sp.63.D
Aures differũt functionibus ab artubus.4°.de præſ.ex pulſ. 4ª.120.G
Auris operationes ſunt ſonorum acuti, grauis, magni, parui, lenis, aſperi.5°.de decre.Hippo. 1ª.255.F
ad Aures ꝑpago à cerebro, qua ſoni recipiũtur.8°.de vſu par. 1ª.167.G
Aures dolent ex magno ſono.de ſymp.diff. 3ª.11.E
Aures in ſermonibus myſticis, prophanis olim obturare imperabant.12°.de vſu partium. 1ª.194.C
Aurium phyſionomia.quod animi mores. 1ª.319.G
Aures magnę, & vltra modum arrectæ, indices ſtultitiæ, aut loquacitatis.quod animi mores. 1ª.319.G
Aures paruę, iudices malorum morum.quod animi mo. 1ª.319.G
Aures mediocres, indices morum optimorum.ꝙ animi mo. 1ª.319.G
Aures non mouentur in hominibus, vel eſt motus minimus.11°.de vſu partium. 1ª.189.B
Auriũ ſubſtãtia fere ĩmobilis in hoĩbus & ſimijs.16°.de vſu p. 1ª.217.A
Aures magnas animalia habentia cur vertunt illas ad ſonũ & voces.11°.de vſu partium. 1ª.189.A
Aurium ſubſtãtia magna eſt, facileq; ac multũ mouetur ijs animalibus, quibus temporalis muſculus eſt maximus.16°.de vſu par. 1ª.217.A
Aures mobiles & magnæ quales habent neruos.16°.de vſu pa. 1ª.217.B
Aures cur breues equis bellicoſis.11°.de vſu par. 1ª.189.A
Aures cur nil offenduntur à pileis & galeis.11°.de vſu par. 1ª.188.H
per Aures, & nares, & palatũ purgatur cerebrũ.7°.met.me. 7ª.49.D
per Aures bilis reſpirationem habet.de nat.& ordine vni.cor. Sp.41.E
per Aures expurgatio eſt aliena a natura.com.3°.apho.24°. Ex.25.B
per Aures expelluntur ceratæ gummæ.de compag.memb. Sp.59.B
Aurium ſordes vnde & cur.in 6m.de morb.vulg.com.5°. 3ª.189.B
Auriũ ſordes naturalr amara ſunt.in 6m.de mor.vul.cũ.5°. 3ª.192.D
in Auribus hominibus ſordes dulcis cur mortifera ſit.in 6m.de morbis vulgaribus, commen.5°. 5ª.192.D
ex Aure quæ exeunt qualia ſint probãtur igne & odore.in 6m.de morbis vulgaribus, com.5°. 3ª.191.D
Aurium ſordes quidam medici guſtant.de ſymp.diff. 3ª.13.C
per Aures exeuntia oſtendunt cerebri robur.de conſt.ar. Iſa.42.B
per Aures exeuntia oſtendunt futuram ægritudinem.ars.med. Iſ.67.F
Aurium ſordes obſtruunt.1°.de ſymp.cau. 3ª.15.F
Aurium ſordes conferunt paronychius.10°.de ſimp.med.fac. 5ª.77.E
Aurium variæ conditura.3°.de alim.fac. 2ª.26.E
Aures ſunt cibaria media.de diſſ.cont. Sp.74.C
Aures omnium animalium tarde digeruntur.de diſſ.cont. Sp.73.D
Aures cibus eſt viſcoſus, & cur.de diſſ.cont. Sp.72.H
Aures parum nutriunt, cur.de diſſol.cont. Sp.73.F
Auribus ſuillis licet veſci, ſi quis ſe exerceat.de atte.vic.rat. 2ª.45.D

Aurium chartilago ſicca eſt, & non nutrit. de bo. & vitio ſuc. 2ª.37.B
Aurium cutis exterior tenuis & arida ægre coquitur, et parum nutrit. de bon. & vitio ſuc. 2ª.37.B
Aures frigidę, contractæq;, & fibræ earum verſæ, malæ. in progn. commentario. 1°. 4ª.191.B
Aures cur frigidæ & contractæ in acutis. in progn. com. 1°. 4ª.191.D
Aures frigidas eſſe qñ malum, & quãdo non. com. 7°. aph. 1°. Ex.54.A
Aures extenuantur elephantiaſi laborantibus. de cau. mor. 3ª.8.H
Auriũ morbi, qui intro. Iſa.59.C/de ſym. dif. 11.E/1°. de ſym. cau. 3ª.15.F
de Aurium vitijs. de med. fac. par. 7ª.162.C
in Auribus quot modis fiat ſonitus. 3°. de comp. med. ſec. loc. 5ª.144.D
Aurium ſonitus in febribus, quales. de comp. med. ſec. loc. 5ª.144.E
in Auribus quod ſymptoma ſint ſonitus, quando nihil extra ſonat. 1°. de ſymp. cau. 3ª.15.H
Aurium tinnitus in phrenitide, cauſa. in 1^{m}. prorrh. com. 1°. 4ª.166.B
Aurium tinnitus quibus moleſtus eſt, medicamentum non eſt exhibendum. de vic. rat. in mor. a cu. com. 4°. 7ª.150.F
Aurium pulpæ inflammatio in infantibus. 3°. de cõp. me. ſe. loc. 5ª.146.B
in Auribus q̃uo fiat exacerbatio per circuitum. 2°. de dif. fe. 3ª.41.H
Aurium & articulorum dolores quotidie & tertia die infeſtant. 2°. de differen. febrium. 3ª.40.E
ex Auribus quibus liquor fluat. in 6^{m}. de mor. vul. com. 1°. 3ª.154.F
Aurium fœtores in quo genere ſymptomatum. de ſymp. dif. 3ª.13.B
Aurium dolor dicitur otalgia. de ſymptomatum differentijs. 3ª.11.F/ in progn. commen. 3°. 4ª.208.H
Auriũ dolores morbos minutos appellat Gal. de vſu the. ad Pãp. 5ª.99.A
Auris dolore minor eſt capitis dolor. 2°. de comp. med. ſec. loc. 5ª.134.G
Aurium dolores quot fiant modis, & quo modo cognoſcantur. 3°. de cõ. med. ſec. loc. 140.E/F/G/141.A/B/ 5ª.142.A
Aurium dolor à pituita quibus neglectis fiat. de dyna. Sp.19.G
Aurium dolores æſtate fiunt, & cur. com. 3°. apho. 21°. Ex.24.D
Aurium dolor lętalis, qui in prog. com. 3°. 4ª.208.H
Aurium dolores quo die interimant, & non. in progn. com. 3°. 4ª.208.H
ad Aures & adenas cur materia à capite tranſmittatur. 2°. de differentijs febrium. 3ª.40.H
Aurium adenes cur quandoq; intumeſcant. 13°. meth. med. 7ª.81.A
Aurium phlegmonę ſunt proprij dolores tactus non auditus. de ſymptomatum differentijs. 3ª.11.E
ad Aures quandoq; & quandoq; deorſum eunt abſceſſus ex pulmonia. in progn. com. 2°. 4ª.205.A/D
Aurium abſceſſus παρωτὶς dicitur. com. 4°. apho. 74°. Ex.36.B
poſt Aures abſceßuum meminit. in 6^{m}. de morbis vulg. com. 2°. 163.G/ de remed. par. fac. 7ª.155.D
poſt Aures abſceſſus in febribus laborioſis conſueuere fieri. commẽ. 4°. aphor. 74°. Ex.36.A
Aurium abſceſſus ſi fiant in die iudicatorio, vel incipiãt, bonũ, & notantur dies in quibus fieri debent, in quibus non. cõ. 4°. aph. 36°. Ex.31.G
poſt Aures abſceſſus quando fiat. 3°. de criſi. 144.B/ in progno. commentario. 2°. 4ª.201.C
poſt Aures abſceſſus ſignificãt à colore faciei. ĩ 1^{m}. pr. cõ. 1°. 4ª.171.A
poſt Aures tubercula in febribus ardẽtibus. in 1^{m}. de morbis vulgaribus, commen. 1°. 104.G/commen. 2°. 3ª.116.E
poſt Aures abſceſſu cauſus ſanatus. de vict. ra. in mor. ac. c. 4°. 7ª.135.E
poſt Aures tubercula quæ euanuerant quo decumbebant. in 1^{m}. de morbis vulgaribus, com. 2°. 3ª.114.D
poſt Aures tumores qui euaneſcunt, faciunt recidiuam. in 6^{m}. de morbis vulgaribus, com. 4°. 3ª.179.E
poſt Aures tumores præter naturam ſunt eparmata. in 6^{m}. de morbis vulgaribus com. 4°. 3ª.170.D
poſt Aures tumores in principio per criſim nunquam finierunt morbũ. 1°. de criſi. 4ª.128.E
poſt Aures tumores quando boni. 1°. de criſi. 4ª.128.B
iuſta Aures tumores nigricantes quando ficbant. in 1^{m}. de morbis vulgaribus, commen. 1°. 3ª.111.D
Aurium & narium poros obturat quandoq; ſperma à capite deſcendẽs. de ſpermate. Sp.36.F
Aurium obturationem, & narium, capitis grauitatem ſuperius, inferius dolorem renum ſignificat vrina ſuperius ſubnigra & plena, quæ inferius claritatem habuerit. de dyna. Sp.35.D
Aures quæ roborent, & quomodo. 6°. de ſan. tuen. 2ª.100.B
Auribus purgatoria medicamenta ſunt danda. de cathar. Sp.94.G
Aurium cenotica, quæ. de cathar. Sp.95.B
Auri acetum cum roſaceo conuenit. 13°. meth. med. 7ª.83.C
ad Aures valet acetum ſcillinum. 3°. de med. fac. par. 7ª.178.C
pro Auribus quo modo paretur glaucium. 6°. de ſan. tuen. 2ª.100.B
Auribus qñ optimũ nardinũ ſit inſtillãdũ aſſidue. 6°. de ſan. tu. 2ª.100.B
ad Aures quæ inſufflantur. 3°. de comp. med. ſec. loc. 5ª.145.A
in Aures quę inſtillanda. 2°. de com. med. ſec. loc. 5ª.140.D
in Aurẽ q̃uo inſtillãdũ et calefaciẽdũ. in 6^{m}. de mor. vul. cõ. 4°. 3ª.191.C
in Aurem infundi apta. de remed. par. fac. 7ª.155.D
Auribus inſtillat vnguentũ per ſtrigilẽ. 3°. de cõp. med. ſec. loc. 5ª.142.F
Auribus inſtillatum medicamentum ex caſtoreo ſcdat dentium & oculorum dolores. 12°. meth. med. 7ª.79.G
Aures incaleſcunt oleo & caſtoreo. 12°. meth. me. 7ª.79.H
Auribus quæ lanæ apponendę. 3°. de comp. med. ſec. loc. 5ª.145.E
ad Aurem quo modo vapor rutæ ferucfactæ pcr lanam penetret. 3°. de comp. me. ſec. loc. 5ª.142.E
in Aurem fomentationẽ frequentẽ fieri dcbere, collige. in 6^{m}. de morbis vulgaribus commen. 5°. 3ª.191.D
ad Aurium dolorem fomenta. 3°. de com. med. ſec. loc. 5ª.145.D
pro Auribus cataplaſmata. 3°. de comp. med. ſec. loc. 5ª.146.C
ad Aures accommoda arteriaca. 7°. de comp. med. ſec. loc. 5ª.180.A
ad Aures infuſilia. 3°. de comp. med. ſec. loc. 5ª.144.H
in Auribus quando ſint vſui lenientia cataplaſmata. 3°. de compoſitione medic. ſec. loc. 5ª.146.E
ad Auris affectiones adeps vulpinus. 3°. de cõp. med. ſec. loc. 5ª.144.D
Auribus non adhibetur fructus ſpinæ Aegyptiæ, & alumen ſciſſile. de ſectis. Iſa.18.C
Aures offendunt ex papaueris ſucco compoſita. 2°. de compoſitione medicamen. ſec. loc. 5ª.134.G
ad Aurium vitia. de dynamidijs. Sp.25.A
ad Auris inueteratas affectiones. 3°. de comp. med. ſec. loc. 5ª.144.A/ de med. fac. par. 7ª.162.F
Aurium humiditates cur puerulis fiant. com. 3°. apho. 24°. Ex.25.A/B
ad Aures humẽtes medicamẽtũ. 3°. de cõp. med. ſec. lo. 144.B/ 5ª.145.A
Aurium frigidis affectibus debent apponi calida mediocriter. 3°. de compoſitione med. ſec. loc. 5ª.144.G
ad Aurium affectus valet ſuccus centaureę. de virt. cent. Sp.93.C
ad Auris affectiones connatas. 3°. dc comp. med. ſec. lo. 5ª.144.B
ad Auriũ affectiones extra meatum. 3°. de com. med. ſec. loc. 5ª.146.B
ad Aurium ſonitus. 3°. de cõ. med. ſec. loc. 141.A/143.D/ 5ª.144.D/E/ G/de rem. par. fac. 155.B/3°. de med. fac. par. 7ª.175.A
ad Aurium ſonitus intra ſeipſas. de med. fac. par. 7ª.162.D
ad Aurium ſonitus ex profundo. de med. fac. par. 7ª.162.E
ad Aurium ſonitus à morbis. 3°. de comp. med. ſec. loc. 5ª.146.A
ad Aurium diuturnos ſonitus. de dyna. Sp.25.A
ad Aurium ſonitus confert ſuccus centaureæ. de virt. cent. Sp.93.C
ad Aurium ſonitum cum dolore. 3°. de comp. med. ſec. loc. Sp.143.B
ad Aurium tinnitus ſonoſq; repente exortos. de med. fac. par. 7ª.162.E
Aurium ſonitum quomodo ſanauit Galenus, qui erat ex audiendi ſubtilitate. 3°. de comp. med. ſec. loc. 5ª.144.E
Aures prurientes curat myrta. de ſimp. med. Sp.87.F
Aurium paſſionibus frigidis quid valeat. de cura lap. Sp.112.F
Auriũ rubores & quaſſatiões mitigat ſuccus cẽtaureæ. de vi. cẽ. Sp.93.C
ad Aurium feruorem igneum. de remed. par. fac. 7ª.155.B
Aurium difficilem auditum quę iuuant. intro. Iſa.58.C
Aurium confuſionem quæ remedia iuuant. intro. Iſa.58.C
Aurium influxum quæ remedia iuuant. intro. Iſa.58.C
in Aurium multo fluxu. 3°. de compo. med. ſec. loc. 5ª.143.H
Auribus qñ rheuma frequẽter nocet, vtimur catharticis. de dy. Sp.20.E
ad Aurium fluxiones vtunt echini herbæ fructu. 6°. de ſim. fac. 5ª.47.G
Aures cum ex capitis excrementis ægrotant, quo modo curandæ. 6°. dc ſanitate tuenda. 2ª.100.B
in Aures ſi larga fluxio à capite feratur, & adſit exulceratio, quo medicamento vtendum. 6°. de ſan. tuen. 2ª.100.C
Auriũ vetuſtas fluxiones ſanat hederæ ſuccus. 7°. de ſim. me. fa. 5ª.51.F
ad Aures fluentia deriuãda ſunt ad naſum vel os. 6°. de ſa. tu. 2ª.100.B de cucurb. ſcar. 6ª.4.E/5°. meth. med. 7ª.30.F
ad Aures qñ permittẽdus naturæ motus. 3°. de cõp. me. ſec. loc. 5ª.146.E
Aurium inflammatio extrinſcca, rubor, et plaga, quo modo curetur. 3°. de com. med. ſec. loc. 5ª.146.B
Auribus inflammatis adhibetur acetum cum roſaceo. de ſect. Iſa.18.C
Aures phlegmone laborantes, & dolentes mitigat ſuccus centaureæ. de virtute centau. Sp.93.C

ad Aurium phlegmonas valet ouum totum crudum cum roſaceo.11°.de ſimplicium med.fac. 5ª.81.E
Auribus inflammatis non laxantur manus, ſicuti inflammato crure.de ſectis. Iſa.18.C
ad Aurium inflammationes.de reme.par.fac.155.B| 7ª.156.F
ad Aures inflammatas & purulentas.3°.de cõp.me.ſec.loc. 5ª.143.D
ad Aurium inflammationes cum fluxu.3°.de com.me.ſec.loc. 5ª.143.H
ad Aurium inflãmatiões & exulceratiões.3°.de cõp.me.ſ.l.5ª.143.D|G
Aurium dolores quos male habent, iјs quæ exercitatio vitanda.5°.de ſanitate tuenda. 2ª.90.A
in Aurium dolore preceptum.3°.de comp.med.ſec.loc. 5ª.141.A
Aurium dolores indigent quiete.3°.de comp.me.ſec.loc. 5ª.145.D
ad Auriũ dolores ſuccus viridis canabis valet.7°.de ſim.me.ſ. 5ª.49.F
Aurium dolores ſedat caſtorei medicamentum.12°.meth.med.7ª.79.G
in Aurium dolore collyria ex glaucio, & croco.5°.de compoſitione medicamentorum ſec.loc. 5ª.141.C
ad Aurium dolores cataplaſma quo confectum.12°.meth.med.7ª.79.G
pro Auris dolore cæpa & allium apud ruſticos in vſu eſt.3°.de compoſitione med.ſec.loc. 5ª.140.F
ad Aurium dolores Archigenis.3°.de comp.me.ſec.loc. 5ª.142.D
ad Auris omnem dolorem auricularis Herę compoſitio.3°. de compoſitione med.ſec.loc. 5ª.141.E
ad Aurium dolores, Galeni.3°.de comp.med.ſec.loc. 5ª.141.E
in Auriũ dolore nihil infundit Galenus.3°.de cõp.me.ſec.lo. 5ª.140.H
Aurium dolores mitigare vermes terræ in oleo coctos ſcripſit Apollonius.11°.de ſimp.med.fac. 5ª.82.H
ad Aurium dolores paulatim ingruentes.de med.fac.par. 7ª.162.D
ad Aurium inflammationes & dolores.de med.fac.par. 7ª.162.D
ad Aurium acres do lores.de med.fac.par. 6ª.162.D|E
Aurium dolores cum phlegmone iunctos ſanat cucurbitæ ramentorum ſuccus.7°.de ſimp.med.fac.5ª.52.A|de med.fac.par. 7ª.162.E
ad Auriũ dolores ĩueteratos adhibet marrubiũ.8°.de ſim.m.f. 5ª.59.B
de Auriũ dolore ex flatu ventoſo.3°.de cõp.med.ſec.lo.141.A| 5ª.143.B
Aurium doloris, ventoſitatis, & ſurditatis remedia.de dyna.Sp.25.A
Aurium dolores in febribus quo modo curentur.12°.meth.me. 7ª.79.G
ad Aurium dolorem calidum, & tumorem.de dyna. Sp.25.A
Auricularum dolorem mitigat opium.de ſimp.med. Sp.88.B
ad Aurium dolores oui candidum valet.3°.de cõp.med.ſe.lo. 5ª.140.G
ad Aurium dolores.2°.de cõp.med.ſec.loc.139.A|5°.163.H|7°.180.A| 7°.de com.med.per ge.5ª.273.G|de med.fac.par.162.D|F|172.D|3°. de med.fac.par.7ª.175.F|de dyna.25. A|ſecre. Sp.97.B.H
ad Aurium dolores omnes animalibus, quæ ſub ſitulis oriuntur, quidã vtebantur.3°.de ſimp.med.fac. 5ª.82.H
p Aures caput dolẽti ſi aqua fluat morbũ ſoluit.c.6°.aph.10°. Ex.47.C
Aurium dolores finit ſcarabæus.de ther.ad Piſo. 5ª.93.G
ad Aurium dolores abſq; vlcere.de med.fac.par. 7ª.162.E
Aurium dolores ſanare vulpinum adipẽ nõ eſt attendendum.11°. de ſimplicium med.fac. 5ª.79.E
in Aurium doloribus exhibet ſtupefacientia. 11°. meth.med. 7ª.75.C
in Aurium dolore quo mõ adhibet opiũ.3°.de cõp.me.ſec.loc. 5ª.140.G
Aurium doloribus contrariјs præſidiјs indigent ſurdaſtri.3°.de compoſitione medic.ſec.loc. 5ª.145.D
poſt Aures abſceſſus diſcutit cicerum genus orobiæum appellatum.6°. de ſimplicium med.fac. 5ª.47.E
ad Aurium abſceſſus in profundo, Antonij Muſæ.3°.de compoſitione medicamentorum ſec.loc. 5ª.143.G
Aures in febribus ſi obſurdeſcant, ſanguis è naribus vel aluus turbata ſoluit morbum.com.4°.apho.60°. Ex.34.A
Aures obturãdæ pro ſanguine è naribus fluente.de re.par.fa. 7ª.155.H
ex Auribus erũpẽtis ſanguinis remedia.3°.de cõp.me ſec.loc.5ª.144.B
de Auriũ vlceribus, & quibus curentur.3°.de cõp.med.ſe.lo. 5ª.141.D
Auris vlceratę curatio Galeni.5°.meth.med. 7ª.34.A
Aurium remedia quæ iuuant earum exulcerationem.intro. Iſa.58.C
ad Aures reſiccatoria.3°.de comp.med.ſec.lo. 5ª.144.H
Auris ſiccisſima ſiccisſimis indiget. 5°. methodi meden.34.B| de articulis, commentario.2°. 7ª.268.D
Aurium vlceribus prodeſt polygonon.8°.de ſimp.med.fa. 5ª.58.H
ad Aurium vlcera diuturna conuenit ſpondylij floris ſuccus.8°. de ſimplicium med.fa. 5ª.61.G
ad Aurium vlcera bilis domeſticarum ſuum.10°.de ſim.me.fa.5ª.74.H
Aurium vlcera ſanat ſuccus centaureæ.de vir.centau. Sp.93 C
ad Aurium vlcera.6°.de compoſitione med.ſec.loc.170.D|7°. 180. A|
5°.de comp.med.per gen.5ª.248.D|de rem.par.fac. 7ª.155.B
ad Aures vlceratas, cruentas, ac dolentes medicamentum. 3°.de compoſitione med.ſec.loc. 5ª.144.C
in Auribus vetera vlcera ſanat hederæ ſuccus.7°.de ſim.me.fa.5ª.51.F
ad Aurium vlcerationes ſiccas.3°.de com.med.ſec.lo. 5ª.143.G
ad Aures exulceratas ex plaga.3°.de comp.med.ſec.loc. 5ª.146.D
ad Aurium vulnera, & ſaniem.de ocul. 7ª.191.D
ad Aures exulceratas & purulentas.3°.de comp.med.ſec.lo.5ª144.H
Aurium pure manantium curatio.3°.de comp.med.ſec.loc. 5ª.141.D
ad Aures pure fluentes valet vrina humana.10°.de ſim.me.fa. 5ª.75.D
ad Aures pure fluentes valet Lycium.7°.de ſimp.me.fa. 5ª.75.D
Auribus pure fluentibus inijcitur ſtœbe.8°.de ſimp.med.fac. 5ª.61.D
Auribus ſanie manantibus, & humidis, & fœtidis confert ſuccus centaureæ.de vir.centaureæ. Sp.93.C
ad Aures ſanie manantes.de med.fac.par. 7ª.162.D|E
ad Aurium teredines & ſaniem.de med.fac.par. 7ª.162.D
ad Aurium ſaniem, & magnum dolorem.de med.fac.par. 7ª.162.F
ad Aures purulentas.3°.de comp.med.ſec.loc.43.B|46.B|4°.5ª.152.H
ad Aures purulentas cum inueterata affectione.3°. de compoſitione medicamen.ſec.loc. 5ª.143.H
ad Aurium dolores cum purulentia & humiditate.3°. de compoſitione medi.ſec.loc. 5ª.146.A
ad Aures purulentas cum dolore.3°.de comp.med ſec.loc. 5ª.143.H
ad Aures quæ longo iam tempore pure fluxerunt valet ſcoria ferri. 9°. de ſimp.med.fac. 5ª.71.A
Aures ſuppurantes curans paſtillus Aſcepiadis.5°.de compoſitione medic.per gen.251.B| 5ª.254.D
ad Aures vlceratas & purulentas.de med.fac.par. 7ª.162.E
ad Auris corruptiones, & fœtores.3°.de com.med.ſec.lo. 5ª.144.A
ad Aurium fœtorem, & vlcus depaſcendo proſerpens.3°.de cõpoſitione medi.ſec.loc. 5ª.144.A
Aures quibus opplentur, illis elleborus dandus. de vict. rat.in morbis acutis, commentario.4°. 7ª.144.G
Aures deobturantur ab atterentibus lapides in renibus, & ab illis quę ſunt tenuium partium ſine morſu.3°.de com.me.ſec.loc. 5ª.141.B
ad Aurium ſordem.3°.de compoſitione medicam.ſec.loc. 5ª.145.H| de med.facile para. 7ª.162.F
Aurium mucos purulẽtos quo modo deſiccat mucus limacis. 11°.de ſimplicium medi.fac. 5ª.78.F
in Aure vbi generantur vermiculi, quid agendum.3°. de compoſi. med. ſec.loc.5ª.143.B|de med.fac.par. 7ª.162.F
Aurium vermes amaritate ſua digerit capparis fructus. 6°. de ſimplicium medicamen.facul. 5ª.49.H
Aurium vermes nepita occidit.de ſimp.med. Sp.87.H
Aurium vermes enecat ſuccus calaminthæ.7°.de ſim.med.fa. 5ª.49.D
ad Aurium vermes.3°.de compoſitione medic.ſec.locos. 5ª.144.D| de remed.par.fac.7ª.155.D|ſecre. Sp.97.H
in Aurẽ quę inciderũt, quo mõ extrahi poſſint.de med.fac.pa. 7ª.162.F
ad Auribus illabentia corpuſcula.3°.de com.med.ſec.loc.5ª.145.F|G|H
in Aure corpuſculum aliquod habẽtium ſitus qualis eſſe debet, vt extrahatur.3°.de comp.med.ſec.loc. 5ª.145.G
in Auribus ſi ſint pulices, & cimices iuuat ſuccus centaureæ.de virtute centaureæ. Sp.93.C
ad Aures ingreſſos pulices, & vermiculos.3°.de com.me.ſe.lo.5ª.145.H
ab Aure quo extrahat calculus & faba.3°.de com.me.ſec.loc.5ª.145.G
Auris dolor ex aqua quo modo curetur.3°.de cõp.med.ſe.lo.5ª.140.G| de reme.par.fac. 7ª.155.A
in Aure ſi aqua cadat, quo modo extrahatur.ſecre. Sp.97.H
in Aurem illapſæ aquæ remedia.3°.de comp.me.ſec.loc. 5ª.145.F
ex Aure per os & per ſtipulam exuctio egregie aquam extrahit.3°.de comp.med.ſec loc. 5ª.145.G
in Auribus ſi vulnus fuerit, aut auditus grauetur quod remedium.de dynamidijs. Sp.25.B
ad Aurem percuſſam, aut vulneratam.de dyna. Sp.25.A
pro Auribus contuſis quę debeant eſſe remedia.3°. de com.med.ſec.loc. 146.B|C|6°.de com.med.per ge. 5ª.256.H
ad Auris os corroſũ & pigui humore ĩbutũ.3°.de cõ.me.ſe.l. 5ª.144.D
in Auribus carnium incremẽti remedia. 3°. de compoſitione medicamẽ. ſec.loc.144.A| 5ª.145.D
in Aure quæ deficiunt quo curent, & nominent.14°.met.me. 7ª.92.B
Auris quæpiam particula quando deficit, quo modo decorem liceat adijcere.14°.meth.med. 7ª.93.B

Aurium mutilationes quæ dicantur.de diff.mor. 3ª.4.G
Aurium curtarum reſtauratio.intro. Iſa.60.D
in Aure curtos reficere non licet.14º.meth.med. 7ª.93.C
Auris fracta non reſtituitur.intro. Iſa.60.E
Aures quibus diſtendendæ.8º.de comp.med.ſec.loc. 5ª.192.E
Aurium venæ quando ſecandæ.in 6^{m}.de mor.vulg.com.5º. 3ª.192.F
poſt Aures venæ inciſio quo caſu fieri debeat.de oculis. 7ª.191.A/de anatomia viuorum. Sp.55.A
poſt Aures venæ inciſæ faciunt ſomnum.de aere,aquis,& loc. 2ª.5.H
poſt Aures arteriæ non ſunt temere ſecandæ.de ana.viuo. Sp.55.B
poſt Aures venę ſectæ pariunt ſterilitatem.de aere,aq.& lo. 2ª.5.H
in Aure ſiniſtra venæ ſectiõis ſupſtitio.9º.de cõp.me.ſec.loc. 5ª.200.A
poſt Aures arteriæ quando ſecandæ.de anat.viuo. Sp.55.B
poſt Aures Arteriæ ſecantur in vertiginoſis.3º.de loc.aff.4ª.20.D/de cur.ra.per ſang.miſſionem. 6ª.21.D
ad Aures linteum ſciſſum in quatuor partes.de faſcijs. 7ª.299.E
Auris ex faſcia glomerata.de faſcijs. 7ª.299.F
quæ iuxta Aurem & maxillę proceſſum ſunt, deuinciens vinculum.de faſcijs. 7ª.296.E
Auricula genus uinculi qđ gladiatorib⁹ decoris gr̃a dat̃.de fa.7ª.297.C
Auriculæ nuncupati laquei ratio.de laqueis. 7ª.308.E
Auricularij medici cur dicti.ad Thra.2ª.105.B/de par.ar.med.Sp.16.F
Auriculis comparantur additamenta cordis.de anat.viuo. Sp.56.D
Aurium cordis diſſectio.7º.de ana.admi. 1ª.96.E
Aures cordis nõ factę fruſtra,ſed temere nõiatæ.6º.de vſu pa.1ª.154.E
Aures quid faciãt in corde.6º.de vſu par.1ª.154.A/de an.vi.Sp.46.E
in Auricularia medicamẽta quę miſcẽtur.3º.de cõp.me.ſe.lo. 5ª.141.B
Auricularium ſpecillum.3º.de comp.med.ſec.lo.142.E/ 5ª.145.G
Auricularis clyſter.3º.de comp.med.ſec.loc. 5ª.148.H
Auriculares compoſitiones vigintiquatuor Andromachi.3º.de compoſitione medic.ſec.loc. 5ª.142.G
Auricularis bona.7º.de comp.med.ſec.loc. 5ª.184.E
Auricularis Heræ compoſitio ad omnem dolorem auris.3º.de compoſitione medic.ſec.loc. 5ª.141.E
Auricularis digitus eſt veluti operculum aliorum digitorum.1º.de vſu partium. 1ª.120.C
Auriculari digito perdito quę actiões perdunt̃.1º.de vſu par. 1ª.120.C
AVRICVLA muris refrigerat & humectat citra adſtrictionem.6º.de ſimp.medic.fac. 5ª.42.D
Auricula muris ſicca eſt in ſecundo ordine, temperata in actiuis qualitatibus.7º.de ſimpli.med.fac. 5ª.56.D
Auricula muris ad phlegmonas feruẽtes,& mediocria eryſipelata valet.6º.de ſimp.med.fac. 5ª.42.D
AVRISCALPIO naribus illapſa extrahit.3º.de compoſitione medicamentorum ſec.loc. 5ª.148.E
Auriſcalpium ad dentes.5º.de comp.med.ſec.loc. 5ª.165.E
Auriſcalpiũ ad extrahẽdũ illapſa in aures.3º.de cõ.me.ſe.loc. 5ª.145.H
per Auriſcalpium fomentum.5º.de comp.med.ſec.loc. 5ª.164.G
cor Auritum quis ſe parum recte putet, ſi quod ſexaginta ſtadijs abeſt non audiat.1º.de ſan.tuen. 2ª.63.H
Auritus,eſt vinculum & laqueus.de faſcijs. 7ª.293.H
Auritus lepus quid ſit.de faſcijs. 7ª.297.C
ad AVRORAM in medio ſolis exortu ſita eſt Aſia.de aere,aquis,& locis. 2ª.4.E
AVRVM habet ſubſtantiam conſtantem & ſtabilem propter ſiccitatem & frigiditatem.9º.meth.med. 7ª.60.H
Aurum ſiccum eſſe collige.in 3^{m}.de mor.vulg.com.3º. 3ª.141.A
Aurum igne iudicatur.de ther.ad Piſo. 5ª.97.D
Auro nihil fraudulenter admiſceri poteſt.1º.de antido. 5ª.104.D
Aurum,æs,ferrum,& lapis,quoniam duriora,non coaleſcunt, neq; agglutinantur.3º.de ſymp.cau. 3ª.29.A
Auro glutinando idoneum,eſt huſtolex.de ſim.med. Sp.85.D
Aurũ fabrefaciẽtes,igne ex paleis vtuntur.aduerſus Lycũ. Ex.64.A
Aureo filo dentes alligandi.de articulis,com.2º. 7ª.265.A
Aureũ medicamen,quo vtitur Galenus.5º.de cõp.med.per ge.5ª.253.B
Aureum collyrium.4º.de comp.med.ſec.loc. 5ª.157.A
Auri colorem referens malagma.9º.de compoſitione medicamentorũ ſec.loc.199.A/E/11º. 5ª.207.F
Auri fuſoria ſpecilla.3º.de comp.med.ſec.loc. 5ª.140.H
AVSCVLTATIONES ab Ariſtotele & Theophraſto familiaribus conſcriptæ.de ſubſt.fac.nat. 1ª.230.B
AVSTER ſemper calidus.in 3^{m}.de mor.vulg.com.3º. 3ª.141.D
Auſter feruidus eſt in tractu Galeni.in 1^{m}.de mor.vul.com.1º.3ª.103.D
Auſter quando frigidus vere ineunte.in 1^{m}.de mor.vulg. 3ª.103.D
Auſter ſm aliquos eſt ſemp humidus.in 3^{m}.de mor.vul.com.3º.3ª.141.C
Auſter quandoq; ſiccus.in 3^{m}.de mor.vul.com.3º. 3ª.141.C
Auſter quomodo caliginoſus.in 1^{m}.de mor.vul.com.1º. 3ª.104.D
Auſtrinus aer qualis.2º.de arte cur.ad Glauc. 7ª.104.E
ad Auſtrum ſitæ vrbes differunt ab his quę ſitæ ſunt ad Septentrionem Orientem,& Occidentem.de aere,aquis & locis. 2ª.2.E
Auſtris perflatur Aſię regio temperata.de aere aquis, & locis.2ª.4.E
Auſter ventus frequens Phaſianis.de aere,aq.& loc. 2ª.5.A
Auſtri quando regnent.in 1^{m}.de mor.vulg.com.1º. 3ª.103.B
Auſtro flante fiunt pluuiæ,& quales.in 1^{m}.de mor.vul.cõ.1º. 3ª.101.H
Auſtrinus ventus qualis ſit.in 1^{m}.de mor.vul.com.1º. 3ª.102.H
Auſter diſſoluit corpora,fundit humores,& putrefacit largioribus coniunctus imbribus.in 1^{m}.de mor.vulg.com.2º. 3ª.114.A
Auſtro flante fiunt putredines.1º.de temp. 1ª.12.B
Auſtro ſpirante capitis grauitas fit.de ther.ad Piſo. 5ª.94.D
Auſter quibus obſit.ars med. Iſa.64.A
Auſtrinũ,& ſqualidũ vident̃ oppoſita.in 1^{m}.de mor.vul.cõ.1º.3ª.104.B
Auſtrina tempeſtas qualis.in 3^{m}.de mor.vul.com.3º. 3ª.140.H
Auſtrina tempeſtas poteſt eſſe humida,& non humida.in 1^{m}.de morbis vulgaribus,commen.1º. 3ª.105.D
Auſtrinæ tẽpeſtates diuturnæ putredines inducunt.in 1^{m}.de morbis vulgaribus,commen.1º. 3ª.105.D
Auſtrinus annus pluuius ſine ventis.in 3^{m}.de mor.vul.cõ.3º.3ª.140.F
Auſtrina hyems.in 1^{m}.de mor.vul.com.1º. 3ª.103.G
Auſtro perflãte ſi æſtas ſit ſicca,& autũnus pluuialis,morbi expectãdi in hyeme ventis ſeptẽtrionalibus vigẽtibus.de aere,aq.& lo.2ª.4.C
Auſtro ſpirante,ſi ſit eſtas pluuioſa, & autumnus ita ſit,qualis ſequat̃ hyems ventis ſeptẽtrionalibus vigentibus.de aere,aq.& lo. 2ª.4.C
Auſtro & aquilone ſimul ſpirantibus quæ fieret cõſtitutio.in 1^{m}.de morbis vulgaribus,com.2º. 3ª.107.F
Auſtrinũ & frigidum ſi ſit,ver,parũ pluit.in 1^{m}.de mor.vul.3ª.104.A
Auſtrinus & tranquillus ſtatus.in 3^{m}.de mor.vul.com.3º. 3ª.140.H
Auſtrum verſus fluentes aquę,quales.de bon.aquæ. Sp.75.E
Auſter ſi flauerit aqua minus eſt dulcis,quàm ſi flauerit boreas,ſed magis calida.de bon.aquæ. Sp.75.G
AVSTERVM quid ſignificet.4º.de comp.med.per ge. 5ª.239.F
Auſterum & acerbum.1º.de alim.fac. 2ª.9.A
Auſterum,adſtringens,acerbum,hæc tria ſaporis nomina vnam qualitatem ſignificant.2º.de ali.fac.19.F/3º.de com.med.ſe.loc. 5ª.147.F
Auſterum quid.4º.meth.med. 7ª.28.H
Auſterum eſt acerbum exolutum,& quõ fiat.4º.de ſim.me.fa.5ª.26.E
Auſterũ fit ex miſcella calidi,frigidi,humidi,et ſicci.1º.de ali.fa.2ª.9.A
Auſterũ in animalibus,plantis,necnon in terra.de nat.hu.cõ.1º.1ª.31.G
Auſtera,quę.2º.de loc.affec.4ª.12.D/1º.de ſimplicium medic.fac.8.D/4º.de compo.med.per gen. 5ª.241.G
Auſtera qualia ſint.3º.meth.med. 7ª.19.D
Auſtera ſunt adſtrictoria.de ſubfig.empi. Iſa.33.F
Auſtera adſtringunt,ſed per magis & minus.4º.de ſim.me.fa. 5ª.25.H
Auſteri,& acerbi,genus adſtringens.2º.de alimentorum fac. 2ª.19.F/1º.de ſimp.med.fac.8.G/9.A/.9º. 5ª.64.C
Auſtera,acerba,& adſtringentia quo differũt.1º.de ſim.me.fa. 5ª.8.H
Auſtera quo modo ab acerbis differant.2º.de alim.fac. 2ª.19.F
Auſterum adſtringit,ſed acerbum magis.2º.de locis affectis.4ª.12.D/6º.de comp.med.ſec.loc. 5ª.172.F
in Auſteris adſtringendi qualitas remiſſa eſt.de bo.et vitio ſuc.2ª.36.C
Auſtera ſunt ſtyptica.1º.de ſanitate tuen. 2ª.68.A
Auſtero calidius eſt dulce.4º.de ſimp.med.fac. 5ª.27.D
Auſtera quid faciant in linguam.4º.de ſimp.med.fac. 5ª.25.G
Auſtera & nitroſa ſimul quõ linguam afficiãt.3º.de ſim.me.fa.5ª.21.A
Auſteri fructus.12º.methodi medendi. 7ª.79.A
Auſteræ vuæ.2º.de alim.fac. 2ª.18.B
ex Auſtera & dulci qualitate miſtæ ſunt plurimæ vuæ paſſæ.2º.de alimentorum facultatibus. 2ª.18.D
Auſteræ vuæ paſſæ frigidiores ſunt.2º.de alim.fac. 2ª.18.B
Auſteræ vuæ quibus noceant.2º.de alim.fac. 2ª.18.B
Auſtera vina vocat nobilia,& qualia ſint.7º.meth.me. 7ª.45.E
Auſtera vina frigida ſunt.3º.de comp.med.ſec.loc. 5ª.147.A
Auſterum vinum nigrum,quale.9º.de decr.Hippo. 1ª.283.E
Auſterum vinum nigrum repellit.14º.meth.med. 7ª.88.G
Auſterum vinum ruffum,quale,9º.de decre.Hippo. 1ª.283.E

Auſteri vini meminit.6°.meth.med. 7ª.39.D
inter Auſtera vina optimum eſt Italicum.3°.de com.me.per.g.5ª.230.D
Auſterum eſt & dulce vinum Albates.4°.de ſimp.med.fa. 5ª.26.F
Auſtera vina alba ætate fiunt fulua.11°.meth.med. 7ª.76.F
Auſterum vinum adſtringit.com.2°.apho.20°. Ex.14.D
Auſterum vinum ad quidnam vtile.8°.de ſimp.med.fac. 5ª.63.F
Auſtera vina omnia ſtomacho reſoluto robur addunt & ventri, quãdo eſt ex calida intemperie, tamen non præſtant bonum ſuccum. de bon. & vitio ſuc.2ª.38.D/de vinis. Sp.76.G
Auſterum vinum aquoſum conuenit imbecillas habentibus vires. 7°. methodi medendi. 7ª.45.E
Auſterũ vinũ magis calefacit aq̃, & roborat ĩteſtina.6ª.m.m. 7ª.39.D
Auſteris vinis vtimur ad alui fluctiones ſiſtendas, & non ad aliud.de bonitate & vitio ſuc. 2ª.38.D
Auſtera vina vitent bilioſum ventrem habentes.6°.de ſan.tuẽ.2ª.97.G
Auſtera repellunt.3°.de com.med.ſec.loc. 5ª.147.F
Auſtera victui attenuanti contraria.de atte.vict.rat. 2ª.45.H
Auſtera ſunt contraria ſiccitatibus.7°.meth.med. 7ª.44.D
Auſteris mel admiſceri debet.6°.de comp.med.ſec.loc. 5ª.173.G
Auſterus ſolus ſapor ſummus itidem eſt.3°.de ſimp.med.fac. 5ª.20.G
Auſterum ſuccũ facit cucurbita cũ cydonijs elixa.2°.de ali.fa. 2ª.16.H
Auſterus ſuccus gratus eſt ſtomacho.2°.de alimentorum fac. 2ª.20.G/ 6°.de ſimp.med.fac. 5ª.40.D
Auſtera vẽtriculo ĩbecillo et vẽtris fluxui cõueniũt.de att.vi. 2ª.45.H
Auſtero cibo vtebant̃ antiqui in ſtomacho imbecillo.7°.me.m. 7ª.43.H
Auſteri & acidi cibi ſtuporem dentium faciunt.2°.de loc.affec.4ª.9.H
Auſtera acida pituitoſis excrementoſisq́; ſtomachis apta ſunt.7°. de ſimplicium medic.fac. 5ª.50.H
Auſtera remorantur cibum in ventre.1°.de ſan.tuen. 2ª.68.A
Auſtera vbi ſumpta ſunt, cibi innatantes deorſum detrudunt. 6°. de ſanitate tuenda. 2ª.99.E
Auſtera non conueniunt oculis.4° de comp.med.ſec.loc. 5ª.50.B
Auſtera admodum eſſe non debent animalium nutrimenta, quorum lacte ſis vſurus.5°.de ſan.tuen. 2ª.91.H
Auſteræ cuiusq; herbæ decocto lauãdũ vlcus humidũ.4°.m.m.7ª.23.E
Auſtera & adſtringentia medicamenta extenuant.in 6^{m}.de morbis vulgaribus, commen.2°. 3ª.177.A
Auſtera & valde amara lieni conueniunt.9°.de cõ.me.ſe.lo. 5ª.198.D
Auſtera et adſtringentia debẽt miſceri medicamentis lienis vt eius actiones conſeruentur.9°.de comp.med.ſec.loc. 5ª.198.D
Auſterum odorem non dicimus quid habere.4°.de ſim.med.fa.5ª.31.A
Auſterum & acerbum in moribus.quod animi mores. 1ª.319.F
Auſteritas vna ex q̃litatibus guſtabilibus.ſi.me.50.B/de na.hu.1ª.28.H
Auſteritas ĩ vinis ꝑpria rõne iuuat et obeſt.de vic.ra.ĩ mo.ac.7ª.125.F
Auſteritates faciunt differentiam in partibus diſſimilaribus.3°.de ſimplicium medic.fac. 5ª.20.G
AVTEM coniunctionem in principio etiam orationis conſtituere morem eſſe veterum ſcriptorum exiſtimarunt aliqui loco Xenophontis decepti.de art.com.1°. 7ª.251.C
AVTHOREM antiquum vocat Hippocratem Gale.1°.de cri.4ª.127.D
Authores fide digni adducendi pro ſuis ſententijs aſtruendis. de vict. ratione in morb.acu.com.1°. 7ª.110.C
ob Authores magnæ famæ & nominis flecti ſine demonſtratione non debemus.2°.de diff.reſp. 3ª.63.D
Authorum inuenta non occultanda.2°.de diff.reſp. 3ª.63.E
Authorem aliquod opus non edidiſſe quo modo poteſt probari. com.7°. aphor.64°. Ex.60.B/C
Authores ab interpretibus ampliãdi ſint.com. 3°. apho. 18°.Ex.23.G
Authores cum dicunt vnum aut duo, nos debemus ſubintelligere, quæ in ſunt ipſis potentia.com.1°.aph.16°.9.E/com.4°.apho.41°. Ex.32.D
Authores ſi quandoq; aliquid bis dicant, eſt ad maiorem vtilitatem, vt in altera libri parte id in memoriam reducant, quod prius dictum erat.com.1°.apho.25°. Ex.10.H
Authores non ſolum vtile eſt ſcire vbi conueniunt, ſed opus eſt ſcire vbi diſſentiunt.9°.de decre.Hippo. 1ª.279.B
in Authoribus obſcuritas vnde proueniat.3°.de decre.Hipp. 1ª.243.E
Authores qui de medicamentis ſcripſere.7°.de cõ.med.ſec.lo.5ª.178.B
Authoritatibus ſine ratione non credendum.2°.meth.med. 7ª.12.A/B
Authoritas poſtponenda ſanitati animæ & corpis.2°.de ali.fa.2ª.18.F
AVTOCRATOR hologrammatos titulus Menecratis libri. 7°.de cõp. med.per gen. 5ª.268.A
AVTHEMERON medicamentũ.9°.de comp.med.ſec.loc.5ª.199.E/G
Αὐτόῤῥυτος quare dicatur reſina.2°.de ſimp.med.fac. 5ª.15.A
Αὐτοφυῆ vocant aquas ſponte naſcentes.1°.de ſimp.med.fa. 5ª.5.C
per Autumnum quid intelligendum.de cura lap. Sp.111.H
Autumni ortus quando.in 1^{m}.de mor.vul.cõ.1°.101.H/cõ.2°. 3ª.107.F
Autumnus incboat oriente arcturo. in 1^{m}.de mor.vulg.cõ.1°. 3ª.103.B/ commen.3°.apho.14°. Ex.22.F
Autumnum poſſe in plures partes diuidi ſicut & alia tẽpora, collige. commen.3°.apho.23°. Ex.24.H
Autumnus habet duos menſes.in 1^{m}.de mor.vulg.com.1°. 3ª.102.B
Autumnus duorum menſium.in 1^{m}.de mor.vul.com.1°. 3ª.102.F
Autũni finis Vergiliarũ occaſus.ĩ 1^{m}.de mor.vul.c.1°.103. H, 3ª.107.G
Autumni fini reſpondet initium veris.de pulſ.ad tirones. 4ª.44.B
Autumno ver contrarium eſt.de natu.hum.com.1°. 1ª.32.C
Autumni & veris differentia.1°.de temp. 1ª.11.G
Autumni ad æſtatem comparatio, vt iuuentutis ad conſiſtentiam. commentario.3°.apho.30°. Ex.26.D
Autumnus veſperi ſimilis eſt, in 6^{m}.de mor.vulg.com.1°. 3ª.157.G
Autũni natura tota eſt ex natura tẽporis æſtatis.de cura lap. Sp.111.H
Autumnus frigidus & ſiccus.1°.de tẽp.11.G/& de nat.hu.c.1°.1ª.33.D
Autumnus frigidus eſt & ſiccus.bre.deno.dogm.Hippo. 1ª.231.B/ cõ.3°.apho.10°.1ª.20.H/apho.22°.Ex.24.G/de ſper. Sp.39.B
Autumnus inæqualis eſt, tamen in eo ſiccum frigidumq́; dominatur. in 1^{m}.de morb.vulg com.1°.101.C/ 3ª.103.A
Autumnus non recte frigidus ſiccusq́; dicitur ſimpl̃r.1°. de temp.1ª.11.G
Autumnus mixtus eſt in calore & frigore.1°.de temp. 1ª.11.G
Autumnus nec calidus nec humidus.com.3°.apho.6°. Ex.20.E
Autumnus cur quandoq; multum intemperatus.de ſpermate. Sp.39.B
Autumno qui humor abundet.de nat.hum.com.1°. 1ª.32.B/C
Autumni conuerſio quando ſit, & qui humor creſcat, & quibus vti debemus.de dynamidijs. Sp.20.D
Autumno abundat atra bilis ſecundũ Hip.bre denot.dog.Hippo.231.B/ 8°.de dec.276.E/F/2°.de na.fa.1ª.301.D/cõ.3°.apho.20°. Ex.24.B
Autumno abundat atra bilis peruſtis æſtate ſanguine & pallida ſeu flaua bile. in 1^{m}.de mor.vulg. 3ª.100.H
in Autũno cur frigidus & ſiccus humor abundet.de na.hu.c.1°. 1ª.32.C
Autumnus contrarius ſanguini.de nat.hu.com.1°. 1ª.32.B
in Autumno cur ſanguis paucus. de natura huma.commen.1°. 1ª.32.C/ com.1°.apho.15°. Ex.8.F
Autumno coguntur & denſantur corpora.com.1°.apho.18°. Ex.9.F
in Autumno humores depelluntur ad interiora. cõ. 3°.aphor.9°. 20.H/ aphoriſ.22°. Ex.24.E
Autumnus omnibus ætatibus, naturis, ac regionibus malus. commẽ.3°. aphor.18°. Ex.23.H
Autumnus tabidis malus.com.3°.apho.10°. Ex.20.H
Autumnus quod habeat mala.cõ.3°.aph.9°.20.G/aph.22°. Ex.24.E
Autumno cur praua procreantur.in 6^{m}.de morbis vulgaribus commentario.1°.157.E/de vrinis. 4ª.123.E
Autumnus ſi inueniat aliquem bene temperatum, ipſum non ita conſeruat.commen.3°.apho.20°. Ex.24.B
Autumnus cur morbiferus.1°.de tem. 1ª.11.G
Autumni & æſtatis morbi.de nat.hum.com.1°. 1ª.32.C
Autũnus morbos facit acutiſſimos ac mortiferos.c3.°.aph.9°.Ex.20.G
Autumno fiunt morbi ex extranea qualitate, & non ex multitudine.cõmen.6°.apho.55°. Ex.53.D
Autumnales morbos expectare oportet, quando eadem die modo calor, modo frigus.com.3°.apho.4°. Ex.20.C
Autumnus ſi ſit pluuioſus & æſtas ſicca, auſtro perflante, qui morbi expectandi in hyeme, ventis ſeptentrionalibus vigentibus.de aere, aqs, & locis. 2ª.4.C
Autumnũ pluuioſum, & ęſtatẽ ſiccã ſequitur hyems in qua fiũt capitis dolores, tuſſes, raucedines, grauedines, tabes.cõ.3°.aph.13°. Ex.21.H
Autumno multi inſaniunt.com.3°.apho.30°. Ex.26.D
Autũno, in ætate declinante, febres fiũt quartanæ.2°.de dif.feb.3ª.36.E in progno.commen.3°. 4ª.210.B
Autumno et vere magna ex parte podagrici dolores fiunt.commen.6°. aphoriſ.55°. Ex.53.D
Autũno finiũt morbi veris, et morbi autũni vere.đ na.hu.cõ.1°.1ª.32.C
Autumnus quando poſſit eſſe ſaluber.com.3°.apho.11°. Ex.21.D
Autumnus calidis & humidis minus aduerſat̃.cõ.3°.apho.18°.Ex.23.H
Autumno probatiſſimam carnem habent vulpes ob vuas, ſic etiam paſer & ficedula.de vict.rat.in mor.acu.com.4°. 7ª.147.B
Autumno q̃uo edendum & bibendum, & qualia.de ſal.dię. 2ª.40.D

Autumno & æſtate carnes caprinę peſſimæ.de vict.rat. in morbis acutis,commentario.4°. 7ª.147.A
Autumno qũo regẽdus ęger præſertim in victu.cõ.1°.aph.18°. Ex.9.C
Autũno abſtinẽdum à cibis melãcholicis et ſiccis.1°.de ali.fac. 2ª.13.G
Autumnus,& ver,ſunt purgandi tempora.de dyna. Sp.20.G
Autũno poſſunt fieri euacuationes per ſuperius, & inferius, niſi naturæ obſtent.com.2°.apho.7°. Ex.28.B
Autumno etiam purgauit Gal.eum, qui ſingulis annis in melãcholiam, incidebat non ſolum vere.com.6°.apho.47°. Ex.52.C
Autumnalium fructuum principatum obtinẽt ficus & vuæ.2°.de alimẽtorum facultatibus. 2ª.17.G
Autumnales fructus magis iuuant ſtomachum ipſis melopeponibus.2°. de alimentorum facultatibus. 2ª.17.B
Autumnales fructus ſunt praui ſucci.2°.de alimen.fac. 2ª.17.B
Autumnales omnibus fructibus multi medici antepoſuerunt lactucas. 2°.de alimentorum facultatibus. 2ª.22.D
Autumnales fructus exigue nutriunt.2°.de alim.fac.17.B| 2ª.19.A
Autumnales fructus magis lædunt ficubus.2°.de alim.fac. 2ª.17.E
Autumnales aquæ malæ ſunt & quibus.de bon.aquæ. Sp.75.F
AVI FIGVRAM retinet puer quando principium habet in horis ſanguinis ſicut auus eius.de ſpermate. Sp.38.F
Aui & patres podagrici ſimili morbo filios procreant, quare.com.6°. aphoriſ.28°. Ex.49.B
AVVLSA *quę.de conſt.artis.* Iſa.37.D
Aulſio quid ſit.de ijs,quæ in med.ſi.com.3°. 7ª.219.G
Aulſiones ſunt inſtrumentariarum partium propriæ paſſiones.de differentijs morb. 3ª.5.D
AVXILIVM quid vocetur.11°.meth.med. 7ª.68.A
Auxilium quid.fin.med.Iſa.46.B|11°.meth.med. 7ª.68.A
*q̃ Auxilia in curatione alopecię adhibẽda ſint.de cõ.me.ſec.loc.*5ª.121.E
ad Auxiliorum inuentionem quæ conferunt.9°.meth.med. 7ª.58.G
Auxilia indicat affectio.2°.de comp.med.ſec.loc. 5ª.134.A
*Auxiliorum dexter vſus præcipua artis pars.de conſt.artis.*Iſa.41.A
Auxiliorum tempora.de opt.ſecta. Iſa.27.E
Auxilia diuerſa in temporibus diuerſis.de tot.morbi temp. 3ª.89.A
*Auxiliorum quantitas vnde ſumenda.2°.de comp.med.ſe.lo.*5ª.134.A
Auxiliorum quantitas,& temporis occaſio ad recte medendum plurimum conferunt.1°.de arte cur.ad Glauc. 7ª.94.C
*Auxiliũ deſcribẽs medicus qd agere debet.de ve.ſec.adu.Eraſi.*6ª.11.H
Auxilia magna quando ſunt præſtanda,quid cõſiderandũ.in 1^{m}.de morbis vulgaribus,com.2°. 3ª.112.F
*Auxiliari cum repente volumus ægro,& ipſi velocem præſidij ſenſum moliri,celerrima fit mutatio in corporibus.de ther.ad Piſo.*5ª.94.D
Auxilijs ꝓprijs cur cõtraria, qñq; miſcem⁹.2°.de cõ.me.ſe.lo. 5ª.134.B
Auxiliorum materiæ.9°.meth.med. 7ª.58.D
*ab Auxiliorũ mã medicamentariũ & gymnaſticũ noĩatum eſt.*2ª.108.F
Auxiliorum materiæ,& non auxilia quæ.in 6^{m}.de morbis vulgaribus, commen.5°.180.D| 3ª.188.A
Auxiliaria ſigna quę.fin.med. Iſa.46.B
Auxilium ad omnia.5°.de comp.med.per gen. 5ª.252.H
Αὔξησις,& ἐπίδοσις,ἀνάβασις *idem ſignificant.de mor.tẽp.*3ª.85.F
AVTOPSIA *quid.de ſectis.* Iſa.16.G
AXIS *quid.10°.de vſu partium.* 1ª.182.C
Axes pars organorum.de machin. 7ª.309.E
Axes ad quid in organis.de machin. 7ª.309.H
Axes cum organa mouentur vſui ſunt.de machin. 7ª.310.F
Axes pleriq; mouentur in eodem.de machin. 7ª.310.F
*Axis vſus in inſtrumẽto,quod cruribus ſubijcitur.6°.met.me.*7ª.41.H
Axem & ſuculum ſignificat aſellus.de art.com.3°. 7ª.270.H
AXILLAE omnium auium ſunt boni chymi, & ſubtilis. de diſſolu. continua.72.D| Sp.73.H
Axillæ omnium auium pinguium & iuuenum velocius digeruntur, quã axillæ macrarum,& antiquarum.de diſſol.cont. Sp.73.C
Axillæ auium ſuperfluitates non habent.de diſſol.cont. Sp.73.E
*Axillæ pullorũ anſerũ nõ ſunt multarũ ſuꝑfluitatũ.de diſſ.cont.*Sp.73.E
Axillarum glandulę.de anat.viuo. Sp.55.G
ſub Axilla quandã paruã carnẽ inuenit Galenus.1°.de ana.ad. 1ª.64.F
Axillæ partem carnoſam qui muſculus faciat.de muſ.diſſ. 1ª.47.C
in Axillis pili plurimi ſunt incrementi.11°.de vſu par. 1ª.190.A
*Axillarũ odor nõ debet ineſſe medico.in 6^{m}.de mor.vul.cõ.4°.*3ª.181.H
Axillarum odor poteſt curari.in 6^{m}.de mor.vul.com.4°. 3ª.182.A
in Axillis & inguinibus quo modo cutis incidenda in ſpeciẽ myrti. 13°. methodi medendi. 7ª.81.E
AXILLARIS *vena per totum brachium decurrit.3°.de anatomicis adminiſtrationibus.* 1ª.77.D
Axillaris vena humerali multo maior eſt.3°.de ana.admi. 1ª.76.D
Axillari venæ in brachio vna arteria vicina,& vnde veniat.3°.de anatomicis adminiſtra. 1ª.77.E
*Axillaris vena vna eſt ex qnq; venis brachij q̃ ſecãtur.d̄ an.vi.*Sp.54.G
Axillaris vena ſecari debet ſuper iuncturam.de ana.viuo. Sp.54.G
AXIOMATA *quæ ſint.1°.meth.med.* 7ª.5.B
Axiomata ſi dicãtur aut lemmata,aut principia, aut propoſitiones,nihil refert.1°.de ſimp.med.fac. 5ª.4.C
Ἀξίωμα συνημμένον,*nuncupatur hypothetica propoſitio.2°.de ſimplicium medic.fac.* 5ª.13.C
Ἀξίωμα *ex ſenſu.2°.de ſimpli med.fac.* 5ª.13.C
Axioma innatum homini,Nihil fit ſine cauſa.de ſubſt.fac.nat. 1ª.230.C
AXVNGIA *quid.11°.de ſimp.med.fa.80.H |1°.de compo.medi.per ge. 211.B|4°.239.E|7°.* 5ª.264.F
Axungia à rotis deraſa.1°.de comp.med.ſec.loc. 5ª.124.G
Axungias luna replet.de compag.memb.ſiue de na.hu. Sp.59.G
*Axungia porci virginis ingreditur medicamentũ.de paſſ.mul.*Sp.95.H
AZANITAE *emplaſtrum.5°.de compo.medic. per gen.* 5ª.247.D
AZARICONIS *philoſophi medicinæ.de med.exper.* Sp.105.F
AZEGIZ vt ſtertitio.de vo.& anhel. Sp.60.H
AZYMVM panẽ accipi iubet in curatiõe oſſis fracti. de dy. Sp.31.E

BABYLONICI *gũmi meminit in pilulis ad dyſenteriã.de dy.* Sp.28.B
*Babylonicarum roſarũ fit mentio in compoſitione quæ dicit̃ triaſandali.de dyn.*Sp.26.E
BACCAS lauri calidas eſſe conijcitur. 10°.de compoſi.med.ſec lo. 5ª.208.B
Bacca lauri colorem expurgat, & ſudorem mouet.de cura icte.Sp.111.C (5ª.208.B
Baccis lauri purgatis vtit̃ ĩ malagmate ex ſilphio.10°.de cõp.me.ſe.loc.
Baccarum myrti nigræ exacinatarum fit mentio in catapotijs ad ſtomachi ſubuerſiones.8°.de comp.med.ſec.loc. 5ª.189.F
cum Bacca lauri decoctum oleum pluſquàm oporteat thermãticum eſſe certum eſt.de ſimp.med. Sp.88.D
BACCHIVS *antiquus medicus empiricus interpretatus eſt Aphoriſmos.com.7°.apho.64°.* Ex.60.D
Bacchius interpres ſexti epidemiorũ.in 6^{m}.de morb.vul.cõ.1°. 3ª.152.C
Bacchij malagma,quo Cæſar vſus eſt.7°.de comp.med.per ge. 5ª.267.B
BACVLA *verſantia,pars organorum.de machin.* 7ª.309.E
Bacula verſantia ad quid in organis.de machin. 7ª.309.H
BALENAE inter cetacea numerantur.3°.de alim.fac. 2ª.32.E
Balena habet multum ſanguinem, & reſpirat in aere miro modo. 6°.de vſu partium. 1ª.150.H
Balenæ vbi habeant oculos.8°.de vſu par. 1ª.166.F
Balenarum cutes ſumme duræ, & propemodum inſenſibiles ſunt. 3°.de vſu partium. 1ª.134.A
Balenæ habent ſaporem ingratum,& mucoſum.3°.de ali.fa. 2ª.31.F
Balenæ carnes ſalſę faciũt humorẽ melancholicũ.3°.de loc.aff. 4ª.18.F
BALANI *ex teſtaceis conueniunt ſtomachicis. 8°.de compoſitione medicamentorum ſec.loc.* 5ª.192.C
BALANVS *myrepſica,hoc eſt glans vnguentaria, affertur ex barbarica regione.6°.de ſimp.med.fac.* 5ª.44.D
Balani vnguentarię carnis ſuccus facultate calidus eſt. 6°. de ſimpliciũ medicamen.facul. 5ª.44.D
*Balani vnguentariæ carnem ſi quis dragmæ pondere cum melicrato bibat,medicamen experietur vomitorium.6°.de ſim.med.fa.*5ª.44.D
Balani vnguentariæ reliquiæ, vnde eſt expreſſus ſuccus, terreſtres ſunt & duræ,vincentẽ habent qualitatem amaram cum quadam adſtrictione.6°.de ſim.med.fac. 5ª.44.D|E
Balanus vnguentaria ſæpe per infernam aluum largiter ſubducit, ad iecinoris,& lienis expurgationem ex oxycrato datur. 6°. de ſimpliciũ medicamen.facul. 5ª.44.D
Balani vnguentarię recrementa ad ionthos,lentes,ephelin,pruritũ,deinde ad pſoram.& lepram conueniunt,& lienes liquant,iecurq; indureſcentia.6°.de ſimp.med.fac. 5ª.44.D
Balanus vnguentaria exantemata,achoras,tum vlceroſa & quę craſſi

ſunt

ſunt ſucci omnia extergit.6°.de ſimp.med.fac. 5ª.44.E
Balanus unguētaria cicatricibus decorē affert.6°.de ſim.me.f.5ª.44.E
Balani unguētariæ cortex admodū adſtringit.6°.de ſim.me.fa.5ª.44.E
Balanini olei fit mentio.2°.de ſimp.med.fac.11.G/6°. 5ª.46.H
pro BALANO & peſſo ſubditi nomine utitur Hippocrates. in 6m. de morbis uulg.com.3°. 3ª.122.D/H
Balano ſeu glande utendum eſt uirtute imbecilla exiſtente. de uict.rat. in morbis acu.commen.1°. 7ª.115.E
Balani in coli dolore ex quibus fiant.12°.meth.med. 7ª.79.F
Balanum ex ſapoue innuit, cum inquit gallicum ſaponem lana inuolutū ſubmittito.de rem.par.fac. 7ª.167.E
BALANVS nomen ponderis.de pond.& menſ. 5ª.277.F
BALAVSTIVM quid.& eius uires.de ſimp.med. Sp.81.D
Balauſtij floris meminit.7°.de comp.med.ſec.loc. 5ª.183.F
Balauſtium & Cytinum ponuntur tanquam diſtincta. 7°. de compoſitione med.ſec.loc.183.G/H/184.F/8°. 5ª.192.H
Balauſtia refrigerat,repugnat,deſiccat,& confortat.de ocul. 7ª 188.H
Balauſtium ſiccum eſt & frigidum.6°.de ſimp.med.fac. 5ª.44.F
Balauſtiū exiccat tertio ordine,& non urit.5°.de ſimp.me.fac.5ª.44.F
Balauſtium cibis non conuenit.6°.de comp.med.ſec.loc. 5ª.175.A
Balauſtium acerbum eſt.2°.de loc.affec.4ª.12. D/6°. de compoſitione medicamen.ſec.loc. 5ª.172.G
Balauſtium auſterum eſt.4°.de comp.med.per gen. 5ª.241.H
ex Balauſtijs,hypociſtide, & palmularū carne confecta medicamenta ad refrigerandum,& firmandum uētriculum.8° meth.me. 7ª.53.D
Balauſtium unum ex adſtringentibus medicamentis. 9°. de ſimp. med. fac.67..A/11°.84.G.6°.de comp med.ſec.loc. 5ª.175.H
in Balauſtio adſtrictionis actio cōſiderāda ē.4°.de ſim.me.fa.5ª.26.A
Balauſtium adſtringit uehementer.6°.de ſimplicium me.fac.44.F/4°. de comp.med.ſec.loc.5ª.154.G/5°.meth.med. 7ª.31.G
Balauſtium ſiſtit ſanguinem.intro. Iſa.56.F
Balauſtium intertriginibus,& alijs ulceribus ſi illinatur,celerrime illa cōtrahunt cicatricē:& ad ſanguinē reijcientes,ad dyſenteriā,& uētris uteriq; pfluuia illo uſi ſunt oēs medici.6°.de ſim.me.fa.5ª.44.F
Balauſtiū ad hæmoptoicos & dyſentericos.7°.de cōp.me.ſe.l.5ª.184..A
Balauſtium internis ulceribus opitulatur.4°.meth.med. 7ª.28.H
Balauſtia ad aſperitatem palbebrarum faciunt.de oculis. 7ª.189.C
BALBVTIRE eſt uitiū prolationis nō uocis. cō. 6°. aph.32°.Ex.49.G
Balbi quare impediuntur.4°.de loc.affec. 4ª.26.F
Balbuties unde proueniat.in 1m.prorrh.com.1°. 4ª.26.F
Balbuties quare,qūo,& quot cauſis fiat.com.6°.apho.32°. Ex.49.H
cur Balbutiant pueri.com.6°.apho.32°. Ex.49.H
Balbe loquuntur melancholici.de mel.ex Gal.Ruf.& Poſſ. Sp.109.E
Balbutiunt aliquando ebrij.com.6°.apho.32°. Ex.49.H
Balbi ab alui profluuio maxime capiuntur.com.6°.apho.32°.Ex.49.G
BALNEA cum ſimpliciter dicitur,intellige balneum aquarum dulciū. 7°.de comp.med.ſec.loc. 5ª.177.E
de Balneis calidarum & frigidarum aquarum quatenus ad tuendam ſanitatem comparantur.3°.de ſan.tuen. 2ª.77.H
poſt Balnei uſum quæ in fine ſunt libri de Ptiſſana, pleriq; tollunt,quæ uero euſq; habentur omnes conſeruant.3°.de diff.reſp. 3ª.71.F
Balneorū uſum frequentē nō habebāt antiqui.2°.de ſymp.cau. 3ª.23.B
Balneorum inopia tempore Hippocratis oſtenditur.de ijs quæ in medic. fiunt.commen.3°. 7ª.220.G
Balneorum nomina ſecundum Quintum.3°.de ſan.tuen. 2ª.81.H
Balnei partes quæ,& quales.8°.meth.med. 7ª.65.E
Balneorum quatuor partes.10°.meth.med. 7ª.65.E
Balneorū partes,q̄ promalacteria dr̄,quæ.9°.de ſimp.me.fac.5ª.71.D
ex Balnei prima parte quid hecticis proueniat, modo tempeſtiue balneo utantur.10°.meth.med. 7ª.63.H
Balnei ſecūda pars,quod lauacrū uocat̄,quid agat.10°.me.me.7ª.65.H
Balnei tertia pars,qualis.10°meth.med. 7ª.65.H
Balnei quarta pars.10°.meth.med. 7ª.66..A
Balneorū ἄρμενα, id eſt commoda,uocantur ab Hippocrate alueí rotæ, pelues,labra & id genus.de his quæ in med.fiunt.com.1°.7ª.200.H
Balnei tectum qūo eſſe debet.de uict.rat.in mor.acu.com.3°. 7ª.131.H
Balnearum aqua habet tres calores.2°.de temp. 1ª.17.D
Balnei calori ſimilis ē caliditas febris ex sāguine.2°.de dif.fe. 3ª.40.C
Balnea publica debent habere aquam maiorem, priuata minorem.16°. de uſu partium. 1ª.214.F
Balneis quæ ſunt neceſſaria in paucis domibus parātur.de uictus rat.in morbis acu.commen.3°. 7ª.131.H
in Balneis aquę multæ mixturæ.de uic.rat.in mor.acu.cō.3°. 7ª.132.C
Balneo uehementiori egentes,id eſt qui multa aqua perfundendi ſunt.de uict.rat.in mor.acut.com.3°. 7ª.133.C
in Balnei ſolio cui longiori temporis ſpatio ſit immorandum cruribus extra aquam emotis.8°.de comp.med.ſec.loc. 5ª.199.B/F
Balnearū aer adeo frigid⁹ eſt qn̄q; ut nō īducat ſudorē.2°.de tēp.1ª.17.D
Balnearum aer quandoq; temperatus.2°.de tempe. 1ª.17.D
Balnei aer qūo fiet tēperatus,& modice humid⁹.10°.met.me.7ª.66.H
Balneum temperatū dicimus nō ſolum cū alterū huic,alterū illi tale eſt, ſed ēt cum ad eūdē hominē in latitudine tale eſt.1°.de ſa.tu. 2ª.64.B
Balnearum aer adeo calidus eſt qn̄q; ut nō feratur.2°.de temp. 1ª.17.D
Balneorum intemperies tres,quæ ſint adu.Lycum. Ex.62.B
in Balneis ſudorem detergebant ſtrigili.14°.meth.med. 7ª.87.B
in Balneis ſpongijs primum, deinde linteis utebantur ad detergendum. 10°.methodi medendi. 7ª.67..A
in Balneis ſpōgijs utaris p ſtrigili.de uic.ra.ī.mor.ac.cō.3°. 7ª.132.E
ut Balnea,ita etiam noſtra corpora purgantur.de ſal.dię. 2ª.41.E
Balneorum ſordes exteruntur aphronitro.9°.de ſimp.med.fa. 5ª.68.H
Balnei ſordium ſpiſſitudinis ſimilitudine utitur in docenda compoſitione medicamenti.de remed.paratu facil. 7ª.173.D
Balneorum ſtrigmenta emolliunt.6°.de ſimp.med.fac. 5ª.45.F
Balneas,uenerem,& id genus uocat Galenus uitæ rationem.3°. de ſymptomatum cauſis. 3ª.25.B
Balneę,frictiones,ambulationes,uehicula,ſunt motus materiæ.ars medicinalis. Iſa.71.F
Balneum quo modo apotherapię pars ſit.3°.de ſan.tuen. 2ª.78..A
in Balneis aliqui ſe citra exercitationem elixant.3°. de ſan.tu. 2ª.78.B
ad Balneum uia ſit breuis, & ingreſſus, & egreſſus facilis. de uictus rat.in morbis acu.com.3°. 7ª.132.B
Balnea intrantibus rigor atq; horror quādoq; accidunt. de palp. trem. conuulſ.& rig. 3ª.55.F
Balnea præcalida faciunt horrorem.2°.de ſymp.cau. 3ª.22.E
in Balneo qui horreſcant,& cur.10°.meth.med. 7ª.65.E/F
ante Balnea & poſt qui palmularum glandes multas teneras & recētes pluribus diebus comederat in horrorē & rigorē incidit.de palp. trem.conuulſ.& rig. 3ª.55.G
Balneo frigido rigor incitatur.2.de ſymp.cau. 3ª.22.E
Balneo caleſcunt rigentes.de marc. 3ª.47.H
Balneū ingreſſi cruditate laborātes horruere.2°.de ſymp.cau. 3ª.22.D
Balneum ingreſſus,qui non horruit, ſed laxata illi rareſactaq; cutis ſit, quæ aſſequatur commoda.10°.meth.med. 7ª.65.H
Balneorum uſus debet eſſe in tempore.3°.de cau.pulſ.4ª.98. F/de arte curatiua ad Glauc. 7ª.97.C
Balnea obſunt niſi tempore fiant.de marc. 3ª.44.E
Balneis calidis poſt uſum pilæ utebant̄ antiq.de par.pilæ.exer. 2ª.49.E
Balneum non eſt tutū,niſi prius corpus ſit inanitū.3°.de ſa.tu. 2ª.94.E
Balnea nō ſunt utilio niſi poſt euacuationem,aut coctionem.commē. 7°. aphoriſ.42°. Ex.57.D
Balnea a coctione exhibenda ſunt.de marc. 3ª.48.E
cur Balnea uacuato corpore adhiberi debent.de uictus ratio.in morbis acutis commen.3°. 7ª.133.E
ante Balnea qui poterit,exerceatur.de bon.& uitio ſuc. 2ª.39.B
ante Balneum qui debeant aliquid comedere.6°.de ſan.tuen. 2ª.97.F
ante Balneum per ſex horas comedendum.6°.de ſan.tuen. 2ª.97.G
ante Balneum quę obſonia comedenda.6°.de ſan.tuen. 2ª.97.G
Balneandi non ſunt qui nuper comedere uel bibere. de uict.rat.in morbis acutis commen.3°. 7ª.132.G
in Balneo melicratum bibitum quibus cōferat.de cura icteri. Sp.111.C
Balneum aliqui oleo perfuſi protinus ingrediuntur.6°.de ſa.tu.2ª.97.C
Balneum ex aqua,& oleo multum humectat,& calefacit.5°.de ſimplicium medicamen.facul. 5ª.33..A
in Balneo inungendi non ſunt cruditatem,aut plethoricum corpus habentes.2.de ſimp.med.fac. 5ª.15.H
a Balneo,ſiue balnei expertes quos ſudare uolunt homines,ijs nō protinus ab initio oleū admouent, uerum in ijs qui morbo laborarunt ubi ſudare inceperint tum excalfactū pfundūt,ī his uero, qui etiamnū laborant,ubi abunde iā ſatis ſudarint.2°.de ſimp.med.fac. 5ª.15.H
in Balneo utuntur butyro,ubi oleum deeſt.3°.de alim.fac. 2ª.27.G
in Balneo perungendum eſt,quādo ægri corpus humidū exiſtit. de uict. rat.in mor.acu.com.3°. 7ª.132.E
in Balneis cur frigidū mingimus,foris tepidū.3°.de ſimp.me.fa. 5ª.18.B
in Balneis ſudor eſt coloris urinæ ijs qui diutius cibo abſtinuerunt. 14°.

methodi medendi. 7ª.87.A
Balneis ubi abunde incalueris, aqua tepida cur frigida uideatur. 3°. de ſimp.med. 5ª.18.C
à Balneis tepidiorib⁹ exeuntes frigiditatē ſentiūt.de cau.ꝑcat.3ª.96.B
Balnea an in morbis conferant.de uict.ra.in mor.acu.com.3°.7ª.131.H
Balnea ægrorū qualia eſſe debēt.de uic.rat.in mor.acu.cō.3°. 7ª.132.A
qui Balneantur quid agere debēt.de uict.ra.in mor.acu.cō.3°. 7ª.132.C
Balneum quid boni faciat.12°.meth.me. 7ª.74.A
Balneum nō eſt opus medici ſpectantis ſymptoma, ſed eius qui totum affectum adimere ſtudet.12°.meth.med. 7ª.75.D
ex Balneis conuenientibus uires roborātur.7°.de rerum affect. digno. & medela. 7ª.196.F
Balneum laſſitudines tollit, mollit articulos, & cutē per ſumma apparētem, urinas ciet, capitis ſoluit grauitatem, & nares humectat.de ui. rat.in mor.acu.com.3°. 7ª.132.H
Balnea in fluxibus ad uentrem aptiſſima ſunt, ſanguinis uero fluxū acriter irritant.1°.de arte cur.ad Glauc. 7ª.99.A
Balneum corpus calfaciendo maxime foris ad digeſtionem confert, & digeſtorum appoſitionem.de ſal.diæ. 2ª.41.C
Balneis uti prodeſt his qui uentriculum habent ad coquendum non idoneum.de mel.ex Gal.Ruf.& Poſſ. Sp.110.D
Balneū calfaciēs mediocriter maturat.ĩ 1ᵐ.de mor.uul.cō.2°. 3ª.112.A
Balneum trahit foras humores.4°.de ſan.tuen. 2ª.86.A
Balneum ad quid conducat.3°.de ſan.tuen. 2ª.80.A
Balneum quibus ſit ſalubre.5°.de ſan.tuen. 2ª.94.C
Balnea debent infantibus adhiberi ex aquis dulcibus ſalubribus. 2°.de ſanitate tuenda. 2ª.65.B
Balneum mediocre adhibendum temperato.2°.de ſan.tuen. 2ª.75.H
Balnea pauca temperatis debentur.3°.de ſan.tuen. 2ª.78.A
Balnea bene coquenti non admodum ſunt neceſſaria.de mel.ex Gal.Ruf. & poſſ. Sp.110.D
Balnea ſitientibus ſitim leuant.de marc. 3ª.47.H
Balnea ingredientes homines ſitientes aquam attrahi ſentiunt. in 6ᵐ.de mor.uulg.com.6°. 3ª.195.B
Balnea non ſitientibus ſitim accendunt.de marc. 3ª.47.H
Balneum plus cōuenit gracilibus, quàm corpulētis.de ſal.diæ.2ª.41.A
Balneum non fit in pletorica diſpoſitione ſine maximo detrimento.commen.7°.apho.46°. Ex.57.G
tum Balneo frequenti, tum ſanguinis miſſione, tum exercitatione, tum frictione, digerentibus medicamentis, & inedia plethora curatur. 13°.meth.me. 7ª.81.H
Balneis multis ſanatur plethora abſq; ſanguinis miſſione. de uict. ra.in mor.acut.com.4°. 7ª.136.H
Balneis plenitudo exhauritur.de curan.rat.per ſang.miſſ. 6ª.18.E
Balnea quo modo extenuant.de ſal.diæ. 2ª.41.H
Balneū aq̃ dulcis humidū eſt & calidū moderate.1°. de uſu par.1ª.116.E
Balnea dulcium aquarum calefaciunt, & humectant.1°.de tēp. 1ª.10.E/ de rerum affec.digno.& medela. 7ª.94.B
in Balneis adhibendis intentio ſit ut corpus madeat atq; humectetur. 1°.de arte curatiua ad Glauc. 7ª.97.B
Balnea calida ex aqua potabili humectant & refrigerant potentia. 1°. de arte cur.ad Glauconem. 7ª.97.B
ad Balneum ſæpius æger ducitur non uacuandi corporis gratia, ſed ut humectetur, & madeſcat quod immoderatius exaruit. de uict. rat. in morbis acutis com.3°. 7ª.132.E
Balnea ſiccitates omnes calidas, & frigidas iuuant.de marc. 47.H/ 7°.meth.me. 7ª.44.E
ad Balnea mittendi ſunt aduſti.1°.de arte cur.ad Glauc. 7ª.99.C
Balneum auxilio eſſe quibuſdam æſtuantibus febribus, colligitur.de ra. uict.in mor.acu.commen.3°. 7ª.133.A
Balneum impenſe calidis ſatisfacit.6°.de ſan.tuen. 2ª.96.A
Balnea extinguunt flammam.de util.reſpi. 1ª.224.F
Balneo frigeſcunt a ſole calefacti.de marc. 3ª.47.H
Balnei aerem non deſiderat Galenus in ſiccis.6°.meth.med. 7ª.44.F
Balnea calefaciūt ēt mortuos.de ijs quæ in med.fiūt,cō.3°. 7ª.215.H
Balneum aperit uias urinæ, ſudoris, & alui, tamen non calefacit.11°.methodi medendi. 7ª.70.E
ex Balneis duo ægro cōpendia accedunt, ꝙ redūdantiæ humorū aliquid uacuatur, & multū caloris febrilis tranſpirat.11°.met.me. 7ª.75.H
Balneum ex aquis potiſſimum digerentibus eſt unum ex auxilijs uacuātibus.14°.meth.me. 7ª.89.A
Balnea ſunt in quinto ordine euacuationis.com.2°.apho.17°. Ex.13.E
Balnea quid & quantum euacuent, & quòd nō ſatis ſint pro euacuatione ſuperfluitatum quotidianarum.com.3°.apho.15°. Ex.22.G
Balneo excalfaciente non eſt uacuanda ſuccorum exuberantia in febriēte.13°.meth.medendi. 7ª.81.H
ex Balneis quicquid in corpore uel fumidum eſt, uel fuliginoſum euacuatur.8°.meth.med. 7ª.76.A
Balneorum uſus quando ſit ſine periculo. 11°. metho. med.70.A/74.B/ de uict.rat.in mor.acu.com.3°. 7ª.133.C
Balneum perpetuo iuuat affectionem, quæ cū igneo calore coniuncta eſt. de marc. 3ª.47.H
Balnea quibus febribus conferant, & de eorum utilitate.comment.7°. aphoriſ.42°. Ex.57.C
Balneum requirit febris per ſe nulli alteri implicata, ſicut omnes aliæ ſiccitates.de marc. 3ª.47.H
Balnearum uis marasmo, hecticæ, &, ut ſemel dicā, omnibus febribus eſt accommoda.8°.meth.med. 7ª.65.D
Balnei utilitas duplex in febribus.8°.meth.me. 7ª.65.H
Balnea podagricis, & arthriticis commoda ſunt propter febrem.11°.methodi medendi. 7ª.74.A
Balnea in quacunq; febre feceris, tria conſidera.11°.meth.me. 7ª.73.H
Balneum calidi, & humidi diaria laborantes requirunt, ceu quòd cutim laxet, ceu quòd humectet, non requirunt.8°.meth.med. 7ª.54.C
Balneo iuuatur febris ex itinere.de motu.muſ. 1ª.315.C
quo Balneo iuuemur, poſtquam in ſole feruenti iter fecerimus. 8°. methodi medendi. 7ª.66.A
Balneum quo uis tempore non conuenit febricitātibus, ſed in acceſſionis remiſſione.8°.meth.med. 7ª.51.F
ad Balneum ducendi ſunt in prima acceſſione inclinante, qui diaria ex meatuum ſtipatione febricitant.8°.meth.med.50.A/ 7ª.51.E
Balneo q̃uo curet̃ ephemera ex labore.1°.de arte cur.ad Glauc.7ª.95.E
Balnea laſſitudinem ſedant.de mel.& Gal.Ruf.& Poſſ. Sp.110.D
Balneum bis ante prādium ingreſſus eſt laborās diaria ob æſtum.8°. methodi medendi. 7ª.50.D
Balneo bis breui interiecto ſpatio utitur Galenus ĩ febricitāte diaria ob meatuum ſtipationem.8°.meth.med. 7ª.50.B
ꝙ a Balnei aere febre diaria laborantes citiſſime oporteat remouere.1°. de arte cur.ad Glauc. 7ª.95.E
Balnei tempus in febribus intermittētibus q̃n ſit.11°.meth.me.7ª.74.C
Balneū poteſt adhiberi ꝑ tres horas ante acceſſionē.8°.met.me.7ª.52.H
Balneū, cur neq; fiat in principio, neq; in augmento.8°.me.me. 7ª.65.E
Balneum in declinatione fiat.8°.meth.med.65.E/11°. 7ª.73.H
Balneū ēt poſt cibū toto corꝑe extenuatis conuenit.14°.met.me.7ª.91.G
Balneo delectātur hectici.de marc.3ª.47.F/3°.de præſ.ex pul. 4ª.116.F
ad Balnea accedentes hectici niſi in frigidam ſint dimiſſi nihil iuuantur. 10°.methodi medendi. 7ª.66.D
Balnea frigida in hecticis recuſamus, quoniā his & pauci ſanguinis, & nudū carne, & expꝰs adipis redditū corpus eſt.10°.meth.me.7ª.66.B
Balnea quibus febribus tabidis cōueniāt, & quib⁹ nō.de mar. 3ª.48.A
Balneis quando hectica febris ſanatur.de marc. 3ª.44.E
Balneis maraſmatos curauit Galenus.de marc. 3ª.47.E
Balneādus hecticus, q̃uo ſit tractādus, & exuēdus.10°.met.m.7ª.66.G
Balneum prohibet putrida hecticæ coniuncta.10°.meth.med. 7ª.66.G
Balnea dicebat Philippus hecticis noxia eſſe.8°.meth. med. 7ª.65.C
Balneo, & relaxantibus non utitur Galenus in febre putrida, niſi poſt purgationem.11°.meth.med. 7ª.72.D
Balneis quando putrida febris ſanatur.de marc. 3ª.47.E
Balnea calida ex aqua potabili ĩ tertiana q̃d faciāt.1°.de ar.cu.7ª.97.B
Balneandum non eſt in tertianis non exquiſitis, ſtatim, ſed apparētibus ſignis coctionis.1°.de arte cur.ad Glau. 7ª.97.E
Balnea ſæpius in die adhiberi p̃nt laborantibus exquiſita tertiana poſt ſigna coctiōis, ꝑſertim ſi his delectent̃.1°.de arte cur.ad Gla.7ª.97.C
Balneis cur non ſunt inſpergenda nitrum, ſal, & ſinapi.1°. de arte cur. ad Glauconem. 7ª.97.B
Balnea marina in tertianis ſunt inutilia.1°.de arte cur.ad Gla. 7ª.97.B
Balneum marinæ aquæ ducit plus bilis, ſed minus prodeſt tertianis quā potabilis.1°.de arte cur.ad Glau. 7ª.97.B
Balneum aquæ ſalſæ, nitroſæ, & ſulfureæ plus bilis ducit, ſed minus prodeſt tertianarijs quam potabilis.1°.de arte cur.ad Glau. 7ª.97.H
Balnea mineralia tertianis inutilia eſſe, collige.1°.de arte cur.ad Glauconem.97.B/11°.meth.med. 7ª.69.H
à Balneis non penitus ſunt arcendi quartanarij, tamen melius eſſet, ſi ab his poſſent abſtinere.1°.de arte cur.ad Glauc. 7ª.97.F

Balneo lauatus Menāder ſubito febre leuatus eſt.de ca. procat.3ª.95.D
Balneo ſi abſtineant frigidi & humidi,nō læduntur.5°.de ſa.tu. 2ª 94.E
Balneum quid faciat in capitis dolore.2°.de comp.med.ſec.loc. 5ª.133.E
Balneū capitis caliditatē iuuat.de rat.uic.in mor.acu.cō.4°. 7ª.140.B
Balnea quandoq; in pleuritide ſunt exhibenda.9°.de dec. 1ª.282.G
Balnea utero geſtātis mulieris quid faciāt fœtui.11°.de uſu par. 1ª.188.B
Balneum quando prohibetur in lichenibus, quid agendum.5°.de compo ſitione medic.ſec.loc. 5ª.161.G
Balneum calidæ ualet in dolore renū.de renū affe.dig.& me. 7ª.196.D
Balneis multis cur utantur,& cibos lenes ac laxantes edant citharœdi, phonaſci,præcones,tragœdiam ac comœdiam agentes.7°.de compo-ſitione me.ſe.lo. 5ª.177.E
Balnea uoci congrua ſunt.7°.de comp.me.ſec.loc. 5ª.177.E
Balneo plerūq; in affectu oculorū uſus eſt Galenus. 2°.de dif.fe.3ª.41.G 3°.methodi medendi. 7ª.17.D
in Balneo lauationes ubi concocta iam phlegmone fuerit,& ſimul cor-pus uacuum,ſedant dolorem ſtatim, & fluxiones quæ ad oculos fe-runtur,ſiſtunt.13°.met.me. 7ª.86.B
Balnea quem dolorem oculorum ſanent.commen.6°.aphor.31°. 49.F/ com.7°.aph.46°. Ex.57.G
Balneati adoleſcentis caſus in oculorū dolore.com.6°.apho. 31°. 49.D/ com.7°.apho.46°. Ex.57.G
Balneo antiquiores,linteo homines contegebant,aut ueſtibus & potiſſi-mum puris,ut plurimum ſudarent,obuoluebant.de ui.ratio.in mor. acu.com.3°. 7ª.132.E
Balnea quę ceſſare faciunt pruritus.de cura icteri. Sp.111.C
Balneum aquæ calidæ facit ad ſudores.de cura icteri. Sp.111.C
in Balneo ęgrū non ſemper conuenit copioſè ſuadere.de uict.ra.in mor. acu.com.3°. 7ª.132.E
Balneorum ſudores, quales.3°.de ſym.cau. 3ª.28.F
à Balneo calido ægri dum tranſeunt in frigidum, lauantur prius tepida triplici prima admodum tepida,ſecunda minus,tertia magis ad frigi dum declinante.de rat.uict.in mor.acu.com.3°. 7ª.132.D
Balnea calida,poſtea frigida ingredientibus, quid eueniat. 3°.de ſimpli-cium med.fac. 5ª.21.D
ex Balneis calida uelocem,& magnam, & denſam faciunt reſpiratio-nem,frigida uero contrariam.1°.de dif.reſp. 3ª.58.D
à Balneis qui pulſus.3°.de dif.pul. 4ª.61.F
Balneæ frequentiores ſunt cauſæ præcedentes pulſus mollis.1°.de preſa. ex pulſ. 4ª.109.D
Balneæ calidæ,quos pulſus creent.de pulſ.ad tiro. 44. D/3°. de cauſis pulſ. 4ª.98.F
Balneo loti habent reſpirationem & pulſum arteriarum frequentiorem & maiorem.de uſu pul. 1ª.227.F
Balneum frigidæ quibus faciendum.10°.met.med. 7ª.66.C
Balneæ frigidæ ſtatim refrigerant.3°.de cau.pul. 4ª.98.H
in Balneum frigidæ tutū non eſt conijci imbecillos & graciles,niſi prius fuerint in balneo æqualiter excalfacti.10°.meth.med. 7ª.66.C
ex Balneo impenſè frigido conuulſio euenire poteſt, ut accidit Alexan dro,dum tempore æſtiuo in Cydno Ciliciæ flumine ſe lauaret.de cauſ. procatar. 3ª.97.F
Balneo aquæ frigidæ non lædetur ardentiſſima febre laborans, ualenti-bus uiribus,concoctionis notis euidentibus, non ſenex,bona corpo-ris habitudine,ſtatu cœli calido,& ſicco.11°.met.med. 7ª.70.A
Balneum ad uerſiſſimum eſt febri ardenti ex pituita ſalſa putrefacta.de uict.ra.in mor.acu.com.3°. 7ª.133.E
cur Balneum magis iuuat peripneumonias, quàm febres ardentes.de ui.ra.in mor.acu.com.3°. 7ª.132.H
Balneum aquæ frigidæ his qui quadrato ſunt corpore ad choleram di-ctum affectum conuenit.de reme.paratu facil. 7ª.160.G
à Balneo frigido quando cauendum.11°.meth.med. 7ª.73.B
Balneum nimium frigidum ſyncopæ ex cruditatibus cōtrarium eſt. 12°. met.me. 7ª.76.B
ex Balneo frigidæ quando ſudor fiet.10°.meth.me. 7ª.66.C
Balneū frigidū pulſus alterādi,non gñandi cā eſt.1°.de cau.pul.4ª.86.G
ex Balneis frigidis pulſus mutatio.3°.de cau.pul. 4ª.98.G
Balneę frigidæ quos pulſus creent.de pulſ.ad tiro. 4ª.44.E
ex Balneis pulſus mutatio non eſt diuturna.1°.de pſ.ex pul. 4ª.104.H
ex Balneis redeuntis uictus qualis eſſe debeat.de bo.& ui.ſu.2ª.39.C
Balneum ſequatur cibus.1°.de ſan.tuen. 2ª.66.E
à Balneo non eſt confeſtim ſorbendum uel bibendum.de uict.rat. in mor bis acu.com.3°. 7ª.132.G
Balneo qui potus non conueniant.de renum affec.dign.& me.7ª.196.C
à Balneo non conuenit uinum.de renum affec.dig.& med. 7ª.196.C
mox à Balneo uinum potum caput tentat,ſi præ alijs omnibus cibis,et potibus bibitur.de ſal.diæ. 2ª.41.C
à Balneo quando ſenex debet bibere uinum album.5°.de ſa.tu. 2ª.91.C
poſt Balneum ad uomitum uinum dulce bibebant.4°.de ſan.tu.2ª.83.C
Poſt Balneum ſola aqua, in qua apium ſit coctum,quibus danda. 8°. methodi medendi. 7ª.53.A
Balneum calidum capitis ſomnum conciliat.1°.de ſymp.cau. 3ª.19.A
Balnea,quę caput madefaciunt,ſoporifera ſunt.3°.de loc.aff. 4ª.16.G
Balneo longo qui uſi ſunt,ex uictoria caloris dormiūt.2°.de tēp. 1ª.16.F
à Balneo ſomnus ſuper omnia concoquit,quę concoqui poſſunt, & ma-los ſuccos per halitum digerit.4°.de ſan.tuen. 2ª.84.D
à Balneo non poſſe dormire,nec eſt cauſa,nec ſignum commodum ſpera tæ utilitatis.4°.de ſan.tuen. 2ª.84.E
Balneum relaxat in toto corpore.11°.meth.med. 7ª.73.H
poſt Balneum relaxitas,quomodo corrigenda.3°.de ſa.tuen. 2ª.82.A
Balnea quibus fieri non debent.8°.meth.me. 7ª.65.E
Balnea obſunt inflammationi eryſipelati & cruditati de marc.3ª.48.A
Balnea conſueta minus nocent inconſuetis.com.2°.apho.50°. Ex.19.B
Balneum qui affectant, & qui aſſueti ſunt,minus læduntur à balneo.de uict.ra.in mor.acu.com.3°. 7ª.132.H
Balnea frequētia aquæ dulcis effœminant.7°.de cōp.me.p gen.5ª.263.F
Balnea quomodo ſint præter naturam.de pulſ.ad tiro. 4ª.44.F
Balnea idonea ſunt ut generent cauſas antecedentes cuiuſq; morbi. de na.hum.com.2°.181.G/ 7ª.182.B
Balneis ſupfluis utētes facile febribus corripiūtur.1°.de diff.fe. 3ª.31.H
Balneū uitādū in dolore capitis ab ardore.2°.de cōp.me.ſe.lo. 5ª.132.B
Balneum nimium calidum ſyncopæ ex cruditatibus contrarium.12°. me thodi medendi. 7ª.76.B
Balneæ calidæ comparatio ad calorem æſtatis.cō.4°.apho.5°. Ex.28.A
Balneæ calidæ obſiſtunt purgationibus.com.4°.aphor.5°. Ex.28.A
Balnea poſt cibum quid faciant.9°.meth.med.60.D/14°. 7ª.92.H
Balneati à cibo exercitati in uiſcerum dolores incidunt, potiſſimum in ie core.de ſal.dięta. 2ª.43.C
Balneo poſt cibum utentes,quibus uitijs iecinoris tententur.6°.de ſani-tate tuenda. 2ª.96.A
Balnea à cibo trahunt humorū copiā.in 1m.de mor.uul.cō.3°. 3ª.122.G
Balneis poſt cibos utentibus quotidianę fiunt.2°.de diff.feb. 3ª.36.D
Balneis calidis ſe exponētes quicquid uitiatum eſt,in habitum corporis recipiunt.1°.de diff.feb. 3ª.31.H
Balneo uti Galenum,licet uitioſo ſucco uentriculi tunicæ plenæ ſint, col lige.6°.meth.med. 7ª.48.D
in Balneis cur exoluuntur hoīes,& moriuntur.de util.reſp. 1ª.225.C
in Balneo ne animi deliquium accidat,acetum & pulegium odorandū. 8°.de com.med.ſe.loc.199.B/9°. 5ª.199.F
Balneum & poculum quomodo necant.4°.de ſimp.med.fac. 1ª.24.E
qui in Balneo concluduntur,mortē obeunt.de cau.proca. 3ª.96.C
Balnea obſunt in fluxu ſanguinis.1°.de arte cur.ad Glauc. 7ª.99.B
à Balneo abſtineat ulceratus.4° de comp.med.per gen. 5ª.237.D
in Balneis uerſantiū ulcera humida ſunt ac mollia.1°.de ſim.me.5ª.3.D
Balneum excrementa quieta calefacit, attenuat,& ad motum excitat. 2°.de ſymp.cau. 3ª.22.D
Balnea aquarum ſponte naſcentium laudantur. de uict.ra.in morb.acu. com.3°. 7ª.132.B
Balneorum aqua quęcunq; ſulfur,aut bitumen,aut nitrum,aut chalcan thum,aut miſy,aut chalcitem,& id genus aliquod guſtu refert,mul tum differt à dulci,& inimica eſt calidis corporum noſtrorum affe-ctibus de ſim.med.fa. 5ª.3.D
Balneis p ſe natis uti tentādū eſt in lōga ictéritia.de cura.ict̄er. Sp.111.E
Balneū aluminoſum dēnſat.3°.de ſan.tu.2ª.81.B/2°.de criſi. 4ª.138.G
Balneum aluminoſum fortiter reſiccat.7°.de compoſitione medicamen-torum ſec.loc. 5ª.177.E
Balneum atramentum ſutorium olens fortiter reſiccat. 7°. de cōpoſitio. medic.ſec.lo. 5ª.177.E
Balneum bituminoſum fortiter reſiccat.7°.de com.me.ſec.loc. 5ª.177.E
Balneum marinum fortiter reſiccat.7°.de comp.med.ſec.loc. 5ª.187.E
Balnea marina & mineralia duxerūt quendam ad tabem.1°.de arte cu. ad Glauconem. 7ª.97.B
Balnea nitroſa,ſulfurea,bituminoſa,euacuant totum corpus ęqualiter. com.4°.apho.2°. Ex.27.D
in Balneo in Sabanis ſedenti bibenda cū uino datur leporis uulua aſſata

trita ad concipiendum.de dyna. Sp.29.G
*Balneum ſulfurulentum fortiter reſiccat.7°.de cõp.me.ſe.loc.*5ª.177.E
Balneatorum non medicorum uocabula ſunt calidum & frigidum ſecũdum aliquos, qui explodendi ſunt.1°.meth.med. 7ª.12.B
ex Balneis potabilium aquarum quid uulgaribus quibuſdam acciderit. in 6ᵐ.de mor.uulg.com.6°. 3ª.195.B
Balnco deficiente quõ lauandum.de uict.ra.in mor.ac.com.3°. 7ª.132.B
Balneum.uide aqua,lauacrum,lauatio.
BALSAMVM *quid ſignificet.2°.de comp.med.ſec.loc.* 5ª.136.F
Balſamum inter aromata numeratur.7°.meth.med. 7ª.44.A
Balſamum tenuium partium,& odoratum eſt.6°.de ſimp.me. 5ª.44.E
Balſamũ calidum eſt & ſiccũ in ſecundo ordine.6°.de ſim.me. 5ª.44.E
Balſamum plurimis artibus adulteratur, ut internoſci uix queat.1°.de antidotis. 5ª.105.F
Balſamum prouocat menſtrua.de cathar. Sp.95.D
Balſamum habuit Galenus in Palæſtina Syriæ 1°.de antid. 5°.100.C
oalſami fructus non poteſt adulterari.1°.de antido. 5ª.100.C
Balſami fructus ingreditur theriacam.de ther.ad Piſo. 5ª.92.F
Balſami ſemen purgat ueſicam.de cathar. Sp.95.D
Balſami ſemen per ſuffumigationem prouocat ſudorem.de cat. Sp.95.D
Balſami lignum non poteſt adulterari.1°.de antido. 5ª.100.C
BALSAMATVM *adrianum utile eſt nephriticis turbulentam urinam facientibus,& in ueſica lapidem habentibus.de dyna.* Sp.28.B
BALSAMITA *cum oleo trita, & expreſſa cerebro & fronti tepida ungendo appoſita ad capitis uertiginem facit.de dyna.* Sp.23.H
BARATHRORVM *aerem uitandum eſſe,collige.12°. methodi medendi.* 7ª.77.E
BARBA *Iouis,nomen herbæ ad guttam.de dyna.* Sp.31.E
Barba ſyluana & centũneruia eſt idẽ,ualet ad epilepſiã.de dy. Sp.24.D
Barbæ ſyluanæ radix quõ ſit ad concipiendum utilis.de dyna. Sp.29.G
Barba eſt pars animalium marium 2°.de ſemine. 1ª.338.G
Barbã qd faciat creſcere.de ſim.me.f.5ª.40.H/de re.par.fa. 7ª.179.D
Barba quomodo abrotono procuretur.de ſim.med.fac. 5ª.40.H
*Barba & pubes quibus tardior & imperfectior.de ar.cõ.3°.*7ª.269.H
Barbam nutriebant ſophiſtæ,& tetrici erant.2°.de pul.diff. 4ª.53.G
Barbam nutrire, & tetricum eſſe habebatur pro grauitate. 2°. de pulſuum differentijs. 4ª.53.G
Barba quomodo denigrari poſſit.1°.de comp.med.ſec.loc. 5ª.127.A
circa Barbæ pilos accidit ut cutis exaſperetur.in 6ᵐ.de morbis uulgaribus,commen.2°. 3ª.160.H
ad Barbæ defluuium.de reme.par.facil. 7ª.170.H
BARBARAE *linguæ brutis comparantur.2°.de pul.diff.* 4ª.54.H
*inter Barbaras linguas alia eſt alia melior.de ſophiſ.in uer.cõt.*Iſ.8.F
Barbari gręcis peiores.2°.de dec.Hipp. 1ª.235.A
Barbari bellicoſiſſimi omnium exiſtunt.d. aere.aquis,& loc. 2ª.5,B
Barbari uincuntur ab ira.3°.de dec.Hippo. 1ª.243.B
Barbara enęma a medicis dicta medicamenta ad quid ſint utilia. 5°.me. medendi. 7ª.32.H
*Barbara dicũtur emplaſtra ex bitumine. 2°.de cõp.me. ꝑ.ge.*5ª.227.F/ *de arte cur.ad Glauc.* 7ª.106.A
Barbarum ex bitumine.2°.de comp.med.per gen. 5ª.227.C
Barbarum emplaſtrum ad quid ualeat.de dyn. 5ª.227.C
Barbarum medicamentum.9°.de ſimp.med.fac. 5ª.68.A
Barbaram medicamentum ſanat capitis mala.intro. Iſa.58.B
Barbarum medicamentum ſanat canum morſus.intto. Iſa.58.B
Barbarum Galeni ad uulnera minora.2°.de comp.me.per ge 5ª.227.H
Barbarum Galeni ad uulnera maxima.2°.de cõp.me.per ge. 5ª.227.G
Barbarum Heræ.2°.də comp.med.per gen. 5°.227.E
Barbaricum uinculum.2°.de locis affec. 4ª.10.C
BARDANA *Eſit mentio.6°.de ſimp.med.fac.* 5ª.43.F
BARYCOLA *in auditu eſt audiendi difficultas.1°. de ſyptomatum cauſis.15.G/* 3ª.16.B
BASANVM *eſt ruta ſylueſtris.8°.de ſimp.med.fac.* 5ª.58.E
BASILICA *eſt una ex quinque uenis brachij quæ ſecantur. de anatomia uiuorum.* Sp.54.G
Baſilica uena,qui nam ramus ſit uenæ ctncauę.de anat.uiuo. Sp.54.E
Baſiliam ſecare cur ſit periculoſum.de anat.uiud. Sp.54.G
Baſilicam cum ſecas,tende uerſus brachium.de anat.uiuo. Sp.54.G
Baſilica debet ſecari ſuper iuncturam.de ana.uiuo. Sp.54.G
in Baſilica quando fieri debet ſectio uenæ.ſecretorum. Sp.74.D
Baſilica in quibus affectibus ſecatur.de anat.uiuo. Sp.54.H
BASILICVM *id eſt regiũ collyriũ.4°.de cõp med.ſec.loc.* 5ª.156.F
Baſilica contra canis rabidi morſum compoſita.2°.de antido. 5ª.117.C
Baſilicum malagma.8°.de comp.med.ſec.loc. 5ª.193.C
Baſilicum pharmacum ad dolorem auris ex inflammatione. 3°.de compoſitione medic.ſec.loc. 5ª.140.G
cũ Baſilico medicamine nardus immiſſa,iuuat aurium inflammationes. de remed.paratu facilibus. 7ª.155.B
BASILIDION *hoc eſt regineũ pſoricũ.4°.de cõp.me.ſec.loc.*5ª.157.B
BASILISCVS *qualis ſit.de ther.ad Piſo.* 5ª.92.H
Baſiliſcum nunquam uidit Galenus.de ſim.med.fae. 5ª.72.D
Baſiliſci morſibus confert centaurea.de uir.cen. Sp.93.H
BASILII *antidotum ad hemitritæos omnes.de dyna.* Sp.33.F
BASIS, *& radix uirtutum moralium eſt cor.de anat.uiu.* Sp.46.B
circa Baſim oculi muſculus ſiue ſimplex,ſiue duplex,ſiue triplex ſit,dubitatur.de muſcu.diſſ. 1°.44.F
circa Baſim oculi muſculi faciũt ad firmãdũ oculũ.de muſ.diſ. 1ª.44.F
Baſim ſcapularum è directo capitis attollens muſculus ubi & quo modo procedat.de muſ.diſſ. 1ª.45.B
Baſis pars organorum.de machin. 7ª.309.E
Baſis organorũ ex robuſtiori materia cõficienda eſt.de mach. 7ª.309.D
Baſis in organis immobilis eſt.de machin. 7ª.310.F
Baſis ſemper immobilis manet.de mach. 7ª.310.F
Baſis ad quid fiat.de mach. 7ª.309.F
BASSA *uxor Marij.10°.de comp.med.ſec.loc.* 5ª.206.B
BASSI *pharmacum.7°.de comp.med.per ge.* 5ª.270.E
Baſſo inſcriptum pharmacum ad hæmoptoicos & ſuppuratos.7°.de cõpoſi.med.ſec.loc. 5ª.182.C
Baſſi ſtoici acopon.7°.de comp.med.per ge. 5ª.271.H
*Baſſus longo tpe paralyſi infeſtatus.7°.de comp.med.per gen.*5ª.270.F
BATHECA *eſt frigida & humida.de diſſ.cont.* Sp.74.D
Batheca eſt ex cibarijs medijs.de diſſ.cont. Sp.74.C
Batheca eſt cibus dulcis,ſapidus,ſubtilis,abſtergẽs.de diſſ.cõt. Sp.72.E
Batheca facit incenſionem in ſtomacho.de diſſ.cont. Sp.74.F
Batheca ueloci ter corrumpitur in ſtomacho.de diſſ.cont. Sp.74.H
poſt Bathecæ comeſtionem accipiatur plurimus cibus boni chymi.de diſſol.continua. Sp.74.F
Batheca mundificat.de diſſ.continua. Sp.74.G
Batheca lenit uentrem.de diſſ.cont. Sp.75.A
Bathecam comedenti accidit indigeſtio.de diſſ.cont. Sp.74.B
Bathecæ aqua generat chymum frigidum.de diſſ.cont. Sp.74.B
Βαθμίδα *quid nocet Hippoc.de fract.com.1°.* 7ª.226.B
Βάθρον *recentiores apellant organum Hippocratis.* 7ª.318.H
Βάτινον *rubi fructũ appellãt.2°.de al.fa.2ª.19.B/6°.de com.*5ª.169.A
Batina prius abluenda quàm edenda.2°.de alim.fac. 2ª.19.B
Batina acerba adſtringunt multum.2°.de alim.fac. 2ª.19.B
Batina moris magis adſtringunt.2°.de alim.fac. 2ª.19.B
ex Batinis medicamenta efficaciora ſunt, quàm ex mororum ſucco. 2°. de alim.fac. 2ª.19.B
BATRACHIDES *lapis quid.de ſimp.med.* Sp.87.A
Batrachides lapis lenit,& relaxat.de ſimp.med. Sp.87.A
BATRACHIVM *quid.de ſimp.med.* Sp.81.D
Batrachium herba ſimilis eſt coriandro uel apio.de ſimp.med. Sp.81.D
*Batrachium herba calida eſt & ſicca ualde.6°.de ſim.med.fa.*5ª.44.G
Batrachium uires habet cauſticas.de ſimp.med. Sp.81.D
Batrachium acre eſt & exulcerat cum dolore.6°.de ſimp.me. 5ª.44.G
Batrachij caulis,& folia pſoras,& lepras excoriant,ungues diuellũt, leproſis ſtigmata digerunt,acrochordonas & myemecias detrahũt, & alopecias iuuant.6°.de ſimp.med.fac. 5ª.44.G
Batrachij radix arefacta, ſternutationem prouocat, & dentes dolentes iuuat.6°.de ſimp.med.fac. 5ª.44.G
BATVS *id eſt rubus.6°.de ſimp.med.fac.* 5ª.44.F
BAVCIAE *ſeminis fit mentio.de dynamidijs.* Sp.27.A
BAVRACH *in quibus cibis poſitum eſt, hi diſſoluunt,ac attenu… ſalſedine ſua.de diſſol.cont.* Sp.72.F

BDELLIVM *quid,& eius uires.de ſimplic.medicaminibus.* Sp.81.C
Bdellium inter aromata numeratur.7°.me.me. 7ª.44.A
Bdellium,quale.7°.de comp.med.per ge. 5ª.264.C
Bdellium duplex eſt.14.me.me. 7ª.88.H
*Bdellium duplex arabicũ & ſcythicũ.7°.de cõp.me.per gen.*5ª.264.A
Bdellij ſcythici,& arabici differentia.6°.de ſimpliciũ med.fac. 44. H/ 7°.de comp.med.per gen. 5ª.264.C
Bdellium lucidum eſſe debere,collige.8°.de comp.med.ſec.lo. 5ª.196.H

Bdellium pellucens.7°.de comp.med.per gen.266.H| 5ª.267.B
Bdellium eſt pingue quãdo recens eſt.2°.de arte cur.ad Glau. 7ª.104.B
Bdellium ad brõchocelas,hydrocelas,ſaliua matutina ieiunaq; ſubactũ ualet.6°.de ſim.me.fac. 5ª.44.H
Bdellium pituitam educit.de dyna. Sp.22.A
Bdellij doſis,& quibus miſceatur.de dyna. Sp.22.A
Bdellium proprium eſt oculis rheumatizantibus.de dyna. Sp.22.A
Bdellium emollit,& in quo gradu ſit.de ocul. 7ª.188.D
Bdelliũ emollit,cõcoqt,moderate diſcutit.8°.de cõp.med.ſe.lo.5ª.194.G
Bdellium ſcythicum emollit.5°. de ſim.med.fa. 5ª.44.H| 2°.de arte cur. ad Glauc. 7ª.104.A
Bdellium molliendo digerit.14°.meth.med. 7ª.88.H
Bdellium emollit ſcirrhum.5°.de ſim.me.fac. 5ª.33.G
Bdellium quibus admiſtum hepatis ſcirrhum ſanat. 2°.de arte curat.ad Glauconem. 7ª.104.E
Bdellium poteſt in inſtanti excalfacere,durities neruorum emollire, ſtricturas relaxare.de ſimp.med. Sp.81.C
Bdellium arabicum,calculos renum in potu ſumptum frangere apparet, & urinas ciere,& crudorum flatuum diſcurſus, præterea laterum dolores & rupturas perſanare.6°.de ſim.me.fac. 5ª.44.H
Bdellium frangit lapidem renum,& ueſicæ.de cathar. Sp.95.D
Bdellium ex arabia renum lapidẽ frangit.de re.aff.dig.& me.7ª.196.D
Bdellium per ſuffumigationem ſudorem prouocat.de cathar. Sp.95.D
Bdellium ulceribus non conuenit.4°.de comp.med.p gen. 5ª.236.H
BECHICAE *medicamẽtorũ facultates à bechos i.tuſſi dictæ.5°.de ſim.me.f.5ª.32.B*
Bechica bifariam nominata ſunt,partim quia tuſſim prouocent, partim quia ſedent.5°.de ſimp.me.fac. 5ª.37.E
Bechica medicamenta,quæ.5°.de ſim.me.fac. 5ª.37.E
Bechichiarũ pilularũ formula quædam habetur.de re.par.fac.7ª.158.C
Bechium.i.tuſſilago,inde nuncupatum eſt,ꝙ bechas,hoc eſt tuſſes,& orthopnœas iuuare ſit creditum.6°.de ſimp.med.fac. 5ª.44.H
BEDARVC *tarde digeritur.de diſſ.cont. Sp.73.E*
BEDARVS *calefacit ſanguinẽ calefactione forti.de diſ.cont. Sp.74.C*
BELLVM *eſt dulce inexperto.4°.de pulſuum diff. 4ª.69.G*
in Bello germanico medici nihil didicerũt.3°.de cõp.me.p gen. 5ª.231.F
in Bello contra Romanos cartaginenſis dux ollas multas plenas ſerpẽtibus,qui cõfeſtim,interimere ſolẽt,in hoſtes eiaculatus eſt. de ther. ad Piſonem. 5ª.91.C
Bello inteſtino ægrotant ciuitates.5°.de decre.Hipp. 1ª.255.C
Bellicoſos homines quæ terra faciat.de ſper. Sp.40.E
Bellicoſiores ſunt Europæi Aſianis.de aere,aquis,& loc. 2ª.5.A
Bellicoſiores cæteris ſunt uiuentes ſuo iure.de aere,aquis,& lo. 2ª.5.B
ne Bellicoſi uidcant curant q ſub legibus degũt.de aere,aq.et lo. 2ª.5.B
Bellantes ui & coacti male ſe gerunt.de aere aquis,& loc. 2ª.5.B
BELENOIDIS *proceſſus.de muſc.diſſ. 1ª.46.D*
BENE *qui cauerint in diæta.i.qui recte ſe rexerint, non ſunt purgandi.de dyna. Sp.20.F*
Bene,& male ſe habent homines ſecundum lunæ & planetarum ſtationes.3°.de dieb.decre. 4ª.157.H
Bene ſe habere cum ſignis prauis peſſimum.in 3m.de morb.uul.3ª.132.D
ad BENE OLENTIAM, *& graueolentiam reducuntur omnes odores.4°.de ſim.me.fa. 5ª.31.A*
BERENGI *ad humorem crudum.ſecre. Sp.100.D*
BERENICIVM *nitrũ eſt tenuiũ partiũ.6°.de cõp.me.ſec.lo.5ª.167.E*
Bereniciũ nitrũ ad uulnera neruorum.3°.de comp.med.per ge.5ª.230.F
Berenicariũ nitrum ingreditur med.diſpoliticon.6°.de ſan.tuẽ.2ª.99.D
BERONICE *ad quid utilis.de rem.par.facil. 7ª.171.D*
BERRHEA *urbs Syriæ.2°.de alim.fac. 2ª.21.C*
BERYTHII *medicamẽti cõpoſitio,et us⁹.4°.de cõp.me.ſe.l. 5ª.153.H*
Berytij paſtill⁹ ad dyſentericos,et cœliacos.9°.de cõp me.ſe.lo.5ª.203.B
Berytij paſtillus aromaticus.9°.de comp.me.ſec.loc. 5ª.204.C
BES *gummi.7°.de comp.med.ſec.loc. 5ª.179.B*
BESASA *eſt ſemen rutæ ſylueſtris.9°.de comp.me.ſec.lo. 5ª.200.A*
Beſaſa in tertio ordine calefacit.6°.de com.me.ſe.loc. 5ª.170.G
Beſaſa ſtomatica illitio.6°.de comp.med.ſe.lo. 5ª.170.F
Beſaſę compoſitionem an ingrediantur hirundines, an nidi ipſarum.6°. de comp.med.ſe.loc. 5ª.170.G
Beſaſa Heræ.6°.de comp.med.ſec.lo. 5ª.170.H
BESTIAE *ſecundum aliquos non habent in animo neque iracundiam, neq; concupiſcentiam.5°.de decr.Hipp. 5ª.260.C*
ad Beſtiarum uenenum iaculantium plagas antidotus.7°.de compoſi. medica.ſec.loc. 5ª.186.A
à Beſtijs frigore lędentibus morſos aut compunctos quomodo ſanat agaricum.6°.de ſimp.me.fac. 5ª.41.E
BETA *nulla eſt agreſtis.2°.de alim.fac. 2ª.22.H*
Beta agreſtis lapathon dici poſſet.2°.de ali.fac. 2ª.22.H
Beta,blito,lapatho à ſimili utuntur empirici.intro. Iſa.50.B
Beta eſt poti⁹ medicamẽtũ,q̃ alimẽtũ & obſoniũ.2°.de ali.fac. 2ª.22.H
Beta alba,qualis.8°.de ſim.me.fa. 5ª.62.B
Betæ albę radix poteſt ſumi pro roſmarino.4°.de ſan.tuen. 2ª.87.B
Beta nigra,qualis.8°.de ſimp.me.fac. 5ª.62.B
Betæ caulis eſt ſiccus.2°.de alim.fac. 2ª.24.A
Beta habet radicẽ,quę plus habet uirium,q̃ folia.2°.de ali.fac. 2ª.24.D
Betæ radix diſcutit humores pituitoſos, quod folia ſua efficere non poſſunt.2°.de alim.fac. 2ª.24.D
Beta,ſinapi,& porrum leuarunt quendam,qui de ore uentriculi quærebatur,ob aceruatam pituitam.1°.de ali.fac. 2ª.8.G
Beta nitroſam participat qualitatem.8°.de ſimp.med.fac. 5ª.62.B
Beta uentrem excitat.2°.de alim.fac. 2ª.22.H
Beta quo modo ſoluit & adſtringit.de ſim.med.fac. 5ª.20.B
Beta numerat̃ inter cibos q poſterius accipiebant̃.2°.de ali.fac. 2ª.18.G
Beta continet multam bilem.2°.de nat.fac. 1ª.300.A
Beta ĩdiget multa alteratiõe,ſi debet fieri ſanguis.1°.de na.fa. 1ª.292.D
Beta facile nutrit,ſed parum.8°.meth.med. 7ª.50.H
Beta parum nutrit.2°.de alim.fac. 2ª.22.H
Betã aſſumãt q ſemel tm̃ comedũt.de uic.ra.in mor.acu.cõ.4°. 7ª.145.B
Beta numerat̃ ĩter cibos cõuenictes ſtomachicis.8°.ꝺ cõ.m.ſ.l. 5ª.192.E
Beta obeſt ſtomacho.2°.de ali.fac. 2ª.22.H
Beta ſtomachum mordicat.2°.de alim.fac. 2ª.22.H
Betę cum lente edulium τευτλοφακὴ.1°.de ali.fac.9.C|. 2ª.13.G
Beta repurgans eſt & extergens.1°.de comp.med.ſec.loc. 5ª.129.H
Betæ ſuccus eſt tenuium partium,& detergit.2°.de alim.fa. 2ª.22.H
Beta digerit,extergit,& per nares purgat.8°.de ſimp.med.fac. 5ª.62.B
Betæ ſuccus purgat nares.de cathar. Sp.95.B
Betæ ſuccus purgat aures.de cathar. Sp.95.B
Betę ſuccus mitigat medicamenta.2°.de comp.me.ſec.loc. 5ª.139.C
Beta in febre danda.4°.de ſan.tuen. 2ª.87.G
Beta obſtructum hepar malua magis aperit.de alim.fac. 2ª.22.H
Beta cum ſinapi & aceto hepar aperit.2°.de alim.fa. 2ª.22.H
Beta & ſinapi non leuarunt quendam à bile ob cibos acres aceruata.1°. de alim.fac. 2ª.8.G
Beta utile medicamentum lienoſis.2°.de alim.fac. 2ª.22.H
Beta facultatem habet phlegmoni aduerſam.8°.de ſimp.me.fa. 5ª.62.B
Beta pro obſonio in cubiti fractura datur.de fract.com.1°. 7ª.230.G
Beta ualet in dearticulatione.de articulis,com.4°. 7ª.285.E
BETARNEM *medicinę.de med.exper. Sp.106.B*
BETONICA *cum minimum calida ſit,& incidere ualeat, ad calloſas ſeu tophaceas conſiſtentias incidendas idonea eſt. 5°.de ſimpli.medicamentorum facul. 5ª.35.E*
Betonica incidit,amariuſcula eſt & ſubacris.7°.de ſimp.med. 5ª.51.A
Betonica urinam bene prouocat.5°.de ſimp.med.fac. 5ª.35.E
Betonica renibus prodeſt peculiariter.de ther.ad Piſo. 5ª.91.A
Betonica calculos in renibus conſiſtentes rumpit,pulmonem,iecur,et pectus expurgat abſtergitq;,menſes cit,comitialibus prodeſt, rupta cõuulſaq; curat,& omnibus beſtiarum morſibus ulceri illita auxiliat̃, acidũ ructantibus,& iſchiadicis bibita auxilio eſt.7°.de ſimp.medicamen.facul. 5ª.51.A
Betonica eſt immiſcenda uino pro calculoſis ſenibus.5°.de ſa.tu.2ª.91.C
Betonica lapidem renum frangit.de ren.affe.dign.& medic. 7ª.196.D
Betonica pro febre.de dyna. Sp.35.F
BETINI *paſtillorũ uſus ualet ad ulcera cõtumacia.9°.de ſim.5ª.65.F*
BIBERE *nuſquam à quoquã diſcim⁹,ſed in nobis facultates habem⁹ quæ pficiũt.1°.de ſa.tu.2ª.62.g*
Bibere & edere ſunt nobis neceſſariæ,ppterea ꝙ è corpe noſtro aliquid ſemper defluit.1°.de ſan.tuen.62.H|2ª.67.E|de diſſ.cont. Sp.71.C
Bibentes & edentes neceſſario faciunt excremẽta.1°.de ſan.tu.2ª.62.H
Bibentes tempore Galeni inuicem ſibi propinabant,& de poculorũ magnitudine certabant.1°.meth.med. 7ª.2.D
Bibendum non eſt poſt cœnam ante cibi concoctionem cõualeſcentibus, quia innatant cibi ſi bibant.6°.meth.med. 7ª.46.B
Bibere poſt coctionem ſinendi ſunt ſitibundi.6°.meth.med. 7ª.46.B
Bibens minus per multos dies poteſt uiuere,ſed minus quàm oportet reſpirans ne minimam quidem diei partem.1°.de diff.reſp. 3ª.60.B

Bibentes parum, & magno interiecto ſpatio βραχύποτοι appellantur. in.3m.de mor.uul.com.3º. 3ª.149..A

Bibentes multum, multum mingunt.1º.de natu.fac.296.D/ 3º.1ª.308.C/ 1º.de diff.reſpir. 3ª.60.B

Bibentes amphoras integras, & ad portionem potus meientes nihil in ſeparando impediuntur.4º.de uſu par. 1ª.139..A

Bibat multum qui habet ſiccam aluum, è contrario qui humidam. commen.4º.apho.83º. Ex.37.B

Bibentes plurimum cur uident idola.de ſymp.cau. 3ª.15..A

Bibere plene poſt quadrageſimũ annũ licet.quod animi mo. 1ª.320.G

Bibentium capita depilat fluuius quidam in ægypto.de bo.aq. Sp.76..A

Bibens aquam, quæ eſt Suſis amittit dentes.de bo.aq. Sp.76..A

ſi Biberit quis aquam quæ eſt in Leontinis, & in Ereo Arcadiæ, moritur.de bon.aquæ. Sp.76..A

ſi Biberit quis aquam quandã in Thracia, moritur.de bo.aq. Sp.76.A

Bibenda eſt aqua cocta in lagenis infrigidando per noctem, & rurſus calefaciendo, quando eſt praua.de bo.aq. Sp.76.B

ꝑ Bibita, & comeſta iuuatur uentriculus affectus.8º.met.me. 7ª.64.B

ꝑ ea quæ Bibuntur & eduntur curanda eſſe ulcera uentriculi, pulmonis, & pectoris, unde ſit excogitatum.5º.meth.med. 7ª.34.D

Bibere uinum quantum poſſunt conuincere, ſunt permittendi febrientes ex laſſitudine.1º.de arte cur.ad Glau. 7ª.95.E

Bibendum uel ſorbendum non eſt confeſtim à balneo.de uic.rat.in morb.acut.com.3º. 7ª.132.G

qui Bibere uel comedere nuper non ſunt balneandi. de uic. rat.in mor.acut.com.3º. 7ª.132.G

BIBLIOTHECHA *magna Alexandriæ.3º.de morbis uulgarib. commentario.2º.* 3ª.136.H

Bibliothecæ palatij ingentes incendio conflagratæ.1º.de comp.medicam.per genera. 5ª.209.G

BIBLIOPOLIA *romana erãt olim in Sãdalario.de lib.ꝓpr.* Iſa.10.F

BICOLORA emplaſtra quæ uocent.2º.de ar.cu.ad Glauc. 7ª.106.B

BIENNITAE antidotus.10º.de comp.med.ſec.lo. 5ª.206.F

BIENNII *confectio.6º.de compoſitione medi.ſec.loc.* 5ª.200.H

BIFACIA emplaſtra quæ ſint.2º.de arte cur.ad Glau. 7ª.106.B

BIFORIS *ianuæ fit mentio.de artic.com.1º.* 7ª.255.F

BIMESTRES cur abortiant ſine cauſa.15º.de uſu par. 1ª.211.H

BILIS nomen unde.8º.de decrc.Hipp. 1ª.276..A

Bilis nomen apud græcos ſimpliciter poſitum ſignificat flauam, aliæ biles dicuntur cum adiuncto.de nat.hu.com.1º. 1ª.31.E

Bilis ſine nomine coloris ſemp intelligitur flaua.3º.de ali.fac. 2ª.32.H/ *de tum.præter nat.84..A/in 6m.de mor.uulg.commen.3º.* 3ª.180.B/ *10º.de ſimp.med.fac.5ª.74.E/de uict.rat.in morb.acu. com.3º.126.C/4º.134.G/* 7ª.140.C

Bilioſum quid abſolute ſignificet.com.7º.aph.32º. Ex.56.D

Bilis uocabulo utitur pro atra bile Galenus, quia quartana non fit à bile, ſed ab atra bile, de ther.ad Piſo. 5ª.96.E

Bilis pallida in nobis naturalr̃ gignit.in 3m.dc mor.uul.com.3º. 3ª.141.F

Bilis generatur intra corpus.2º.de nat.fac. 1ª.300.H

Bilis quid ſit, & quos gignat morbos ſm Platonem.cõtra Iul. Ex.67.E

Bilis flauæ natura, qualis.fin.med. Iſ.44.B

Bilis, & ſanguis contrarijs generantur.2º.de nat.fac. 1ª.300.G

Bilis flaua, & lutea idem.8º.de decr.Hipp. 1ª.275.B

Bilis flaua amara dr̃.de na.hu.cõ.1º.1ª.28..A/4º.de ſim.me.f. 5ª.29..A

Bilis pallidæ, flauæ, et amarę fit mẽtio.ĩ 3m.de mor.uul.cõ.3º. 3ª.146.H

Bilis amara, bilis atra, & ſeroſitas ſunt excrementa in concoctione uenarum.3º.de ſym.cau. 3ª.26..A

Bilis flaua, & bilis pallida differunt.3º.de loc.aff. 4ª.18.B

inter Bilem flauã, et pallidã dr̃iam facere uidctur.5º.de lo.af.4ª.29.H/ 2º.de comp.med.ſec.loc.5ª.135.D/de fract.com.2º. 7ª.236.C

Bilis flaua propinqua pallidæ & qũo.in 6m.de mor.uul.cõ.5º. 3ª.191.F

Bilis flaua eſt calidior pallida.10º.de ſimp.med.fac. 5ª.74.F

Bilis flaua, et pallida, et amara dr̃.de uic.ra.in mor.acu.c.2º. 7ª.120.D

Bilis flaua & pallida idem.in 3m.de mor.uul.cõ.1º.3ª.131.F/ de uict.rat.in mor.acu.com.4º. 7ª.134 G

Bilis flaua & pallida eſt humor mordax amarus.2º.de compo.med.ſec.locos. 5ª.135.D

de Bilis flauæ ortu, opinio Aſclepiadis.1º.de nat.fac. 1ª.293.H

Bilis pallida quomodo fiat.in 6m.de morb.uulga comm.5º.3ª.191.G/10º.de ſimp.med.fac. 5ª.74.F

Biles ex nimio ſunt calore ſecundum Platonem & Hip.8º.de dec.Hip.276..A/2º.de nat.fac.1ª.300.F/2º.de criſi. 4ª.138.D

Bilem pallidam & flauam gignit calor natiuus, quando in magis igneũ uerſus fuerit temperamentum.in.3m.de mor.uul.com.3º. 3ª.142.D

Bilis tum flaua, tum atra ex quibus fiat.3º.de ſimp.med. 5ª.17.D

in Biles tranſit ſanguis ui medicaminis alteratus.de atra bile. 1ª.37.D

Bilis fit ſanguis ferarum morſu.5º.de loc.aff. 4ª.34..A

Bileſcit ſanguis qui nõ purgatur.de uic.rat.in morb.acu.cõ.2º. 7ª.123.B

in Bilem, & atram bilem qũo ſanguis tranſeat.2º.de criſ. 4ª.138.D

in Bilem flauam uertitur pars ſanguinis ſubtilior ac pinguior ſi ſanguis aſſetur.2º.de diff.feb. 3ª.40.C

Bilis flaua generatur ex ſanguine ſupercalefacto.de uict.rat.in mor.acutis com.2º. 7ª.120.F

Bilis ex ſanguine ſupra modum concocto, qualis.4º.de ſanit.tu. 2ª.84.B

cur Bilis nulla poteſt in ſanguinem tranſire.de uict.rat.in morb. acutis commen.2º. 7ª.120.F

in Bilem non tranſit melancholia.de ſper. Sp.40.G

Bilis flaua qualis ſm Hippocratem.bre.deno.dog.Hipp. 1ª.231.B

Bilis eſt amara, ignea, & ſicca.de nat.& ord.uniuſcuiuſq; cor. Sp.41.D

Bilis calida eſt.4º.de ſimp.med.fac. 5ª.26.E

Bilis flaua eſt temperamento ſicco.de ſal.diæta. 2ª.40.E

Bilis flaua ſicca eſt & calida.de nat.hum commen.1º.32.D/ 8º.de decr.Hipp.1ª.275.D/de diff.mor. 3ª.5.G

Bilis calida eſt & ſicca poteſtate, quamuis aſpectu humida ſit. de natu.hu.com.1º.1ª.33.B/2º.de nat.fac.301.C/de cau.mor. 3ª.8.B

cũ Bile idem genus ſubibit quicunque humor fuerit calidus & ſiccus.de cau.morb. 3ª.8.C

Bilis habet uim exiccandi, ut muria, & mare.3º.de cau.pul. 4ª.103.F

Bilis flauæ ſuccus eſt multo calidior ſanguine.2º.de tempera. 1ª.16.E/ *de inæq.intemp.* 3ª.43.H

Bilis calidiſſima eſt.de inæq.intemp. 3ª.43.H

Bilis flauæ humor inter omnes qui in corpore ſunt humores eſt calidiſſimus & ſicciſſimus. Vbi dubitandum eſt de atra bile, quæ eſt ſiccior. 1º.de arte cur.ad Glauc. 7ª.97.B

Bilis flaua correſpondet igni.8º.de decr.Hipp.& Pla. 1ª.275.D

Bilem igneam diſtinguere uidetur in flauam, & craſſam.de uict.ratio.in mor.acu.com.3º. 7ª.127.H

Bilis calida eſt & humida ſm Platonẽ.de palp.tre.con.& rig. 3ª.55.D

Bilis flaua, quandoq; haud modice humeſcit.de nat.hum.cõ.1º. 1ª.30.G

Bilis pallida tenuis ſubſtantiæ eſt.14º.meth.med. 7ª.87..A

Bile craſſiorem aliqui putarunt urinam.2º.de alim.fac. 1ª.297.B

Bilis tenuior eſt urina.2º.de nat.fac. 1ª.297.B

Bilis quomodo ſit craſſior quàm ſeroſum excrementum ſecũdũ aliquos. 2º.de nat.fac. 1ª.297.B

Bilioſum excrementum eſt medium inter craſſiſſimum, & tenuiſſimum. 5º.de uſu par. 1ª.144.E

Bilis flauæ attenuatæ tenuitatem nunquam recipere poteſt attenuata pituita.2º.de ſymp.cau. 3ª.23.B

Bilis flaua flori uini comparatur.2º.de nat.fac. 1ª.301.G

Bilis cur ſpumam accipiat.de uict.rat.in mor.acu.com.3º. 7ª.127.H

Bilium differentiæ.8º.de decr.Hippo.276..A/2º.de na.fac.1ª.301.H/1º.de alim.fac. 2ª.8..A

Bilis flaua ſex differentię.fin.med. Iſ.44.C

Bilis innumeræ ferè ſpecies.4º.de ſan.tuen. 2ª.84.C

Bilis multę ſpecies colore diſtinctæ.in 6m.de mor.uulg.com.5º. 3ª.191.F

Bilis humor quo modo ſe habet in colore.4º.de ſanita. tuen. 2ª.83. G/ *de ſimp.med.fac.* 5ª.37.F

Bilis amara aliqñ rufa, aliqñ flaua, et pallida, et qũo.1º.de cri. 4ª.130.B

Bilis amaræ humor cur flauus.8º.de dec.Hipp.& Pla. 1ª.275.H

Bilis flaua plus inficit, quàm aliæ.in 6m.de mor.uulg.com.4º. 3ª.180.B

Bilis flaua interim pallida uidetur.de atra bile. 1ª.34.E

Bilis ſola, & craſſa, & flaua eſt, permiſta uero aquoſis ichoribus, & liquidiſſima, & pallida uidetur.de uic.rat.in mor.acu.cõ.3º. 7ª.126.C

Bilis flaua tenui mixta humiditate & colore pallidior, & humidior conſiſtentia redditur.de atra bile. 1ª.34.E

Bilioſum ſuccum eſſe pallidum, & non pallidum, elicitur.4º.de pręſagitione ex pulſ. 4ª.120.H

Bilis, quæ flaua, uel pallida cõſpicitur, amara eſt.de fra.cõ.3º. 7ª.148.D

Bilis cur aſſatur.in.1m.prorrh.com.1º. 4ª.164.D

Bilis cum aſſatur primo fit ęruginoſa.in.1m.prorrh.com.1º. 4ª.164.D

Bilis æruginoſa in uentriculo gignitur.de atra bile. 1ª.34.F

Bilis æruginoſa euomitur.in.6m.de mor.uulg.com.4º. 3ª.180.B

Bilis ęruginoſa, quæ.dc nat.hum.com.1º. 1ª.28.E

Bilis æruginoſa fit, quæ eſt ouorum uitellis ſimilis.5º.de loc.aff. 4ª.33.D

Bilis æruginoſa quo modo fiat.10°.de ſimp.med.fac. 5ª.74.F
Bilis æruginoſa quo colore inficiat.1°.de criſi. 4ª.129.E
Bilis rubiginoſa,quæ.in prog.com.2°. 4ª.199.F
Bilis cærulea.5°.de loc.aff. 4ª.35.H
Bilis cærulea quo modo fiat.10°.de ſimp.med.fac. 5ª.74.F
Bilem tauri cæruleam uidit Galenus.10°.de ſimp.me.fac. 5ª.74.G
Bilis crocea,quæ.in prog.com.2°. 4ª.200.F
Bilis fuſca,quæ.de nat.hum.com.1°. 1ª.28.E
Bilis Iſatidi herbę ſimilis,& bilis porracea,& bilis uitellina ſemper cũ adiectione dicuntur.in 6^{m}.de mor.uulg.com.5°. 3ª.191.F
Bilis iſatodes,quæ.de atra bile. 1ª.34.F
Bilis iſatis quomodo fiat.10°.de ſimp.med.fac. 5ª.74.F
Bilis liquida,quæ.4°.de loc.aff. 4ª.28.C
Bilis obſcura euomitur.in 6^{m}.de mor.uul.com.4°. 3ª.180.B
Bilis porracea in uentriculo gignitur.de atra bile. 1ª.34.F
Bilis porracea q̃uo in corpore gignatur.in prog.com.2°. 4ª.200.H
Biles omnes in ægritudinibus grauibus præter porraceam, euomuntur. 3°.de alim.fac. 2ª.32.H
Bilis porracea ẽt ſine morbo euomit̃,& deijcitur.3°.de ali.fac. 2ª.32.H
Bilis praſſina,quę.de nat.hum.com.1°. 1ª.28.E
Bilis rubens,quæ.de nat.hum.com.1°.28.E/de atra bile. 1ª.34.F
Bilis rubra ſanguinis ſerum.in 6^{m}.de mor.uul.com.5°. 3ª.191.G
Bilis rubra aduſta ex phlegmate ſalſo uertit̃ i melãm.de ſper. Sp.40.A
Bilis ſubrubra euomitur.in 6^{m}.de mor.uul.com.4°. 3ª.180.B
Bilis flaua, unde dicta ſit uitellina.de atra bile. 1ª.34.F
Bilis uitellina,quæ.de na.hu.cõ.1°.1ª.30.H/in progn.com.2°. 4ª.200.F
Bilis pallida,flaua,& uitellina in uaſis generatur.de atra bile. 1ª.34.F
Bilis uitellina unde efficiatur.2°.de nat.fa. 1ª.301.G
Bilis uitellina flaua bile ſpiſſeſcẽte fit.in 6^{m}.de mor.uulg.cõ.3°. 3ª.191.G
Bilis uitellina,quomodo tranſit in atram.2°.de nat.fac. 1ª.301.H
Bilis eſt ſub pectore ſecundũ Chryſippum.2°.de dec.Hipp. 1ª.242.C
Bilis utraq; excernitur in corpore humano.intro. Iſ.55.B
Bilioſum excremẽtũ copioſius eſt melãcholico.5°.de uſu par. 1ª.144.D
Bilioſus humor fit in iecore.de atra bile. 1ª.37.A
Bilis quibus in iecore gignit̃ flaua eſt,uel pallida.2°.de temp. 1ª.20.D/E
Bilis flaua exuperat in iecinore.intro. Iſa.55.B
Bilis & ſanguis in iecore dominatur.de nat.& ord.uni.cor. Sp.41.D
Bilem à ſanguine ſegregat iecur.de ther.ad Piſo. 5ª.96.A/H
Bilem recipientes meatus,qui.6°.de anat.admin. 1ª.90.C
Bilẽ excipiens meatus q̃uo ſ̃m Eraſiſtratũ excipiat.2°.d̃ na.f. 1ª.298.D
Bilem accipientes meatus,illam trahunt.4°.de uſu par. 1ª.139.A
Bilem ad ſe trahit ueſica fellis.5°.de loc.aff. 4ª.35.F
Bilis puriſſima trahitur à ueſica fellis.5°.de uſu par. 1ª.144.G
Bilis cur trahitur à ueſica fellis.5°.de uſu par. 1ª.144.E
Bilioſum excrementum ueſica quæ iecinori ſubeſt expurgat. 3°. de ſymptom.cauſis. 3ª.26.B
Bilem ducentes meatus deferunt excrementum bilioſum paulo ſupra ad ipſam ex uentriculo ecphyſim.5°.de uſu par. 1ª.142.G
Bilem recipiẽs ueſica propter quid habet poros.4°.de uſu par. 1ª.138.F
Bilem flauam attrahentium pororum ſitus ratio redditur.4°.de uſu partium.139.C/5°. 1ª.142.B
Bilis meatus ex ueſica ad pyloron deſcendit.6°.de ana.admi. 1ª.93.B
Bilis meatus ex hepate ad inteſtinũ ſtructura differẽs eſt his quib⁹ bilis flaua ſurſum natat,fluctuatq;.de uic.ra.im mor.ac.cõ.2°. 7ª.120.G
Bilis ueſica & ueteres eandẽ hẽnt proportionẽ.5°.de uſu par. 1ª.146.C
Bilis flaua non eſt in columbis,quia non habent ueſiculã fellis ſecundum aliquos.de atra bile. 1ª.37.E
Bilis hyænarum eſt inferior bile callionymi,ſcorpij marini, & marinæ teſtudinis.10°.de ſimp.med.fac. 5ª.74.H
Bilis taurorum inferior eſt bile hyenarum.10°.de ſimp.me.fac.5ª.74.H
Bilis taurorum ualentior eſt bile caprarum, urſorum, & boum.10°.de ſimp.med.facul. 5ª.74.H
ut Biles,ita diuerſæ ſunt urinæ in animalibus.10°.de ſim.me.f. 5ª.75.D
Bilis quid faciat in corpore humano.bre.denot.dogm.Hipp. 1ª.231.C
qua Bile indiget ſanguis.2°.de nat.fac. 1ª.302.A
Bilis cum ſanguine tendit per corpus.de anat.uiu. Sp.45.F
Bilis flaua ſua mordacitate irritat ad excernẽdum.1°.de ali.fac. 2ª.8.D
Bilis quare non faciat,ut omnia inteſtina ſint uacua.de ana.ui. Sp.50.C
Bilioſi humores ſeroſi purgantur ꝑ vtranq; veſicã.de atra bile.1ª.37.A
Bilis reſpiratio vbi.de anat.viuo. Sp.45.F
Bilis per aures habet reſpirationem.de nat.& ord.vni.cor. Sp.41.E
Bilis amaræ ſuccus inuiſibiliter exhalat, corpore pro naturæ modo gubernato.14°.meth.med. 7ª.87.B
Bilis multum & ſanguinis trahunt renes.5°.de uſu par. 1ª.144.G
Bilioſus ſanguis.qualis.10°.de comp.med.ſec.lo. 5ª.206.H
Bilioſus ſanguis habet ſerum bilioſum.4°.de ſan.tuen. 2ª.83.H
Bilis ſerum,quale.in 6^{m}.de mor.uul.com.2°. 3ª.167.F
Bilioſa caro non idem eſt quod caro.3°.de ſymp.cau. 3ª.26.D
Bilioſi unde quidam ſint,quidam pituitoſi, quidam melancholici, quidã ſanguinei.de ſper. Sp.37.B
Bilioſus infans quibus horis efficiatur.de ſper. Sp.38.A
Bilis horæ,quæ.de ſper. Sp.38.A
Bilis quibus horis dominatur.de nat.& ord.cuiuſ.cor. Sp.41.E
in Bilis horis concepti pueri natura.de ſper. Sp.37.G
Bilis quo tempore plurima gignatur.1°.de antid.5ª.110.A/ de natura & ordine cuiuslibet corp. Sp.41.D
Bilis flaua æſtate abundat.8°.de decr.Hipp.1ª.276.D/in 1^{m}.de mor.uul.com.1°.103.B/ 3ª.104.C
Bilis cur uigeat in æſtate.de nat.hu.com.1°.32.B/8°.de dec. 1ª.276.E
Bilis flaua æſtate abundat,humor calidiſſimus in hora calidiſſima.in 1^{m}.de morb.uulg.com.2°. 3ª.110.H
plus Bilis æſtate medicamentis euacuatur.1°.de nat.fa. 1ª.394.C
Bilis etiam ad autumnum uſq; porrigitur.8°.de dec.Hipp. 1ª.276.E
Bilis quo ſtatu generetur.in 1^{m}.de mor.uulg.com.2°. 3ª.113.H
Bilis flaua in quibus redundat.fin.med. Iſ.44.G
Bilis in quibus abundat.6°.de ſan.tuen. 2ª.95.H
Bilioſior eſt mas ipſa fœmina.in 6^{m}.de mor.uul.com.2°. 3ª.169.F
Bilis flaua plurima fit in calida ætate,& regione,anni tempore, ætate, & calidis naturis hominum,calidis uitæ ſortibus,uictus rationibus, & morbis calidis.2°.de nat.fac. 1ª.300.F
Bilis dominatur ab anno quartodecimo uſq; ad annũ uigeſimũ quintum. de natu.& ord.cuiuslibet. Sp.41.E
plus Bilis iuueni medicamentis euacuatur.1°.de nat.fac. 1ª.294.C
Bile flaua,& pallida abundant iuuenes.in prog.com.3°. 4ª.210.C
Bilis flaua abundat uigenti ætate,& æſtatis tempore ſecundum Hippo, bre.denot.dogm.Hipp. 1ª.231.B
Bilioſiſſima omnium eſt ætas conſiſtentiæ.2°.de diff.feb. 3ª.36.D
Bilioſum corpus quibus cauſis fiat.in 6^{m}.de mor.uul.com.1°. 3ª.157.A
Bilioſus qbus cauſis fiat q antea optimi ſucci fuerit.8°.met.me. 7ª.54.D
Bilioſas naturas maxime accendit iracundia.6°.de ſan.tuen. 2ª.96.E
Bilioſum ſuccum uel atrabilariũ gignũt laborãtes.4°.de ſan.tu. 2ª.83.F
Bilioſi fiunt ieiunantes multum.4°.de ſimp.med.fac. 5ª.29.A
in Bilioſis naturalis calor in igneum trãſit in inedia.de uict.rat.in mor. acutis,com.2°. 7ª.119.H
Bilis redditur amarior in inedia.de uic.rat.in morb.acu.cõ.2°.7ª.120.E
Bilioſum habitum facit inedia.8°.met.med. 7ª.62.H
Bilioſis non eſt fames iniungenda.2°.de comp.med.ſec.loc. 5ª.136.D
Bilioſis cur facilius inediã ferunt pituitoſi.de uict.rat.in morbis acutis, commen.2°. 7ª.120.F
Bilioſis,& ſanguinis inopia laborantibus cibi parcitas neq; laſſitudinẽ ſedat,neq; ſitim extinguit.in 6^{m}.de mor.uulg.com.3°. 3ª.176.A
in Bilioſis,hoc eſt calida & ſicca intemperie laborãtibus, niſi cibentur diaria febris ocyſſime tranſit in acutam.8°.meth.med. 7ª.54.E
cur Bilioſius reddit̃ corpus emaciatis. in 6^{m}.de mor.uul.c.3°. 3ª.177.C
in Bilioſis calor uehemens eſt.2°.de dif.feb. 3ª.40.C
Bilioſorum notę.2°.de temp.1ª.20.C/6°.de comp.med.ſec.loc. 5ª.176.E
Bilioſo ſucco abundare indicat corpus pallidius, aut flauius ſolito. 4°.de ſanit.tuen.83.G/ 2ª.84.A
Bilis ſi ſit meracior,hoĩes planè flauiores cernunt̃.4°.de ſan.t. 2ª.84.A
de Bile flaua, aut atra, aut æruginoſa ubi dicitur merum .i. ἄκρατον edi ſignificat proprium colorem, & formam retinere ſyncerã.in 1^{m}.de morb.uul.com.1°. 3ª.133.G
Bilioſos quæ ſequantur.de multitudine. 3ª.81.G
Bile multum abundantis caſus.5°.de loc.aff. 4ª.35.H
Bilem flauã quę procreent.de uict.rat.in mor.acu.com.3°. 7ª.126.C
Bilioſorũ ciborũ nimius vſus gñat bilem.in 6^{m}.de mor.uul.c.1°. 3ª.157.A
Bilem in cibis contineri ſciendum pro uero.2°.de nat.fac. 1ª.300.A
Bilem quandoq; faciunt allia,& cępe.de diſſol.cont. Sp.74.C
in Bilioſis aqua bilioſa efficitur.de uic.rat.in mor.acu.cõ.3°. 7ª.131.A
Bilem multam continent beta,& oleum.2°.de nat.fac. 1ª.300.A
Bilioſi ſunt,& cacochymi cibi mordentes,& abſtergentes.5°.de uſu partium. 1ª.143.F
Bilioſum eſt euphorbium.de dyna. Sp.22.B
in Bilem dulcia omnia facile mutantur.2°.de natura.facult. 1ª.300.H/

de uict.rat.in mor.acu.com.3°. 7ª.126.C
in Bilem amaram uertuntur dulcia et pinguia ſupra modum calefacta. 1°.de criſi. 4ª.130.A
Bilioſus ſuccus plurimus ex pingui alimenti parte procreatur.in 6^{m}.de morbis uulgarib.commen.5°. 3ª.191.G
in Bilem qñ conuertitur dulce.de uic.rat.in mor.acu.cō.3°. 7ª.127.H
in Bilem uertuntur mel & dulcia omnia,ſi uehemēter incaluerint, aut in uentriculo morata fuerint.in.6^{m}. de mor.uul.com.5°. 3ª.191.G
in Bilē trāſit mel ſumptū à calidis corporibus.de bo.& ui.ſu.2ª.39.A
in Bilem facile uertitur mel in calidis natura,& ætate florentibus. 2°. nat.fac.1ª.300.G/3°.de alim.fac. 2ª.32.H
in Bilem flauam uertitur mel totum,in eo qui in flore ætatis eſt,ſi ſit natura calidior & uitam degat laborioſam.2°.de nat.fac. 1ª.300.B
Bileſcit maxīe oīum mel.de uic.ra.in mor.ac.cō.3°.126.C/4°. 7ª.135.A
Bilioſi fugiant mel.1°.de alim.fac. 2ª.8.G
Bilioſis naturis & morbis mel non conuenit.2°.de nat.fa. 1ª.300.G
in Bilem mel conuerſum non nutrit.3°.de ali.fac. 2ª.32.H
Bilioſū qđ eſt in melle tēperat acetū.de uic.ra.ī mor.ac.cō.3°.7ª.130.A
Bilis flauæ materia ſunt omnia uina dulcia.de uinis. Sp.76.E
Bilis parum continent uinum,& panis.2°.de na.fac. 1ª.300.A
Bilem aggregant aliqui quocunq; genere victus vtantur.de atr.1ª.35.H
Bilioſis qui cibi conueniant.de diſſol.cont. Sp.71.E
Bilioſis quando ſumendi ſunt cibi adſtringentes.6°.de ſan.tu. 2ª.97.G
Bilioſis utiliſſimum acetum.1°.de ſimp.med.fa. 5ª.8.E
Bilis amaræ acrimoniam mitigat uinum,ac frangit.1°.de ſa.tu.2ª.66.H
in Bilioſū ventrē habētes à quibus debēt abſtinere.6°.de ſa.t.2ª.97.H
Bilioſis quæ uina non conueniant.de bo.& ui.ſuc. 2ª.38.E
Bilioſum ventrem habentes vitent vina auſtera.6°.de ſa.tuen. 2ª.97.F
Bilioſis corporibus nec falernū,nec Tmolites fuluū,& dulce,nec Ariuſium,nec Lesbium odorum,ac fuluum conuenit.de uinis. Sp.76.E
in Bilioſis cibi raro in acidum conuertuntur.8°.meth.med. 7ª.53.B/G
Bilis quos faciat mores.de na.& or.cui.cor.41.E/de ana.uiu. Sp.45.E
à Bilioſo humore proficiſcitur animi dexteritas & prudentia.de natu. huma.com.1°. 1ª.33.B
Bilem ſignificat ſomnium incendij.de præſag.ex inſomnio ſu. 4ª.213.C
Bilis flaua alteratur leui momento.1°.de inæq.intemp. 3ª.44.H
Bilis mater morborum.de dyna. Sp.19.D/H
Bilis amara quid faciat.3°.de ſymp.cau. 3ª.26.B
Bilis flauæ morbi.8°.de dec.Hipp.275.F/1ª.276.A/de ſper. Sp.36.H
à Bile morbi calidi.2°.de nat.fac. 1ª.300.D
Bilis flauæ proprium eſt acutas ęgritudines accendere . in progno.commentario.2°. 4ª.202.D
à Bile & ſanguine fieri vt plurimum acutos morbos inquit Hip. intro. Iſa.55.E/bre.den.dog.Hipp. 1ª.231.D
Bilis ſeptem morbi ſm Cnidios.de uic.ra.in mor.acu.com.1°. 7ª.108.H
Bilis vbi eſt,concitat calorem,pruritum,dolores inteſtinorum , inflationem qua corpus extenditur vt rumpi videatur.de dyna. Sp.19.D
ex Bile flaua fit regius morbus.2°.de diff.feb.3ª.36.C/de ijs quę in medic.ſi.com.1°. 7ª.199.D
Bile flaua ſeptima die tranſmiſſa per cutem ſanatus fuit quidam febre acuta.5°.de loc.aff. 4ª.35.G
Bilis flaua & bilis lutea ſola ſi ſuperauerit,non facit plethoram,ſed affectus talis humorum uitium eſt.de mult. 3ª.81.E
Bilis eſt febrium ſoboles.de nat.hum.com.2°. 7ª.180.H
Bilem augeri non ſufficit ad generationem febrium.2°.de dif.fe. 3ª.36.C
Bilis flaua,& bilis atra ſi non putreſcunt,non faciunt febrem. 2°.de differentijs feb. 3ª.37.D
Bilis cur cito putreſcit.2°.de nat.fac. 1ª.302.A
ex Bile pallida febris.in 6^{m}.de mor. uulga.commen.1°. 3ª.159.G
Bilioſa febris,& pituitoſa,ſimul commiſceri poſſunt , & atrabilaria cū utraq; earum.2°.de diff.feb. 3ª.39.F
ex Bile flaua prouenientiū febriū continuarum ſpecies eſt duplex ſynocha,& quæ idē cū genere nomē ſortit continua.2°.de dif.fe. 3ª.36.F
à Bile flaua,quæ & pallida dicitur,ardēs febris fit. in 1^{m}.de morb.uul. commen.1°. 3ª.104.E
ex Bilis acuitate fit cauſus,& ſynochus.de ſper. Sp.39.H
Bilis horis ſi magis acuitur ſynocha,non eſt propria ſynocha, quia mutabitur in tertianam,vel in cauſum.de ſper. Sp.39.H
Bilis copiam ſignificat febris cauſus.quæſ.in Hipp. Sp.113.C
Bilioſi magnopere impedita totius uaporatione,corporis in ardentem febrem inciderunt.in 6^{m}.de mor.uul.com.2°. 3ª.109.E
ex Bilioſis humoribus febris ardens,cum tamen cruda deijcerētur , quo modo.in 3^{m}.de mor.uul.com.2°. 3ª.139.C
ob Bilem flauam dominantem quo modo in ardentibus febribus ſanguinis profluuim efficitur.in 1^{m}.de mor.uul.com.2°. 3ª.114.C
ex Bile flaua febres tertianæ.8°.de decr.Hippo.1ª.277.B/ 2°.differentijs febrium. 3ª.36.E
Bilioſiſſimæ ſunt tertianæ ueræ.in progn.com.3°. 4ª.211.A
Bilis horis ſi acuitur tertiana,uera tertiana eſt,& propria , in illam.n. aliquando mutabitur febrem.de ſper. Sp.39.H
Bilis horis ſi quotidiana acuitur & mutatur,cito uertitur in tertianam. de ſpermate. Sp.39.H
Bilis vomitus,tertianarū ꝓpriū eſt ſignū.1°.de ar.cu.ad Glau. 7ª.96.B
à Bile flaua febris indicia.2°.de diff.feb. 3ª.36.H
Bilis flauæ pulſus.de mul.3ª.81.H/de nat.& ord.cuiuſ.cor. Sp.41.F
Bilioſorum,& crudorum humorum urinæ.in prog.cō.2°. 4ª.200.D
quibus Bilioſæ in urinis ſunt hypoſtaſes,ſuperne autem tenuitates, celerem ægritudinem ſignificant.de uri.ſign.ex Hipp. Sp.78.H
Bilioſæ febris tempus durationis.2°.de diff.feb. 3ª.36.H
Bilioſi,& calidi morbi quę ſymptomata faciant.3°.de loc.aff. 4ª.16.F
à Bile ſecundum Platonem fit rigor.de palp.trem.con.& rig. 3ª.55.E
à Bile flaua quo mō rigor generetur.in 1^{m}.de mor.uul.cō.2°. 3ª.114.E
à Bile uehementer mota rigor fit.2°.de criſi. 4ª.144.C
cum Bilis mouetur per carnes in tertianis & ardentibus febribus, fit rigor.de palp.trem.conuul.& rig. 3ª.55.E
Bilis flaua quando ad ſolidas corporis partes peruenit ac eà permeat,fit rigor.in 1^{m}.de mor.uul.com.2°. 3ª.114.G
Bilis per urinam,& per ſudorem diuertenda in tertiana. 1°.de arte cur. ad Glauconem. 7ª.97.E
Bilis plus ducunt balnea aquæ marinæ, ſalſæ , nitroſæ , & ſulfureæ , ſed multo minus proſunt in tertianis quàm balnea aquarum potabilium. 1°.de arte cur.ad Glauc. 7ª.97.E
Bilioſa mera cur ī acutiſſimis febribus gignant.de ar.cō.2°. 7ª.264.H
Bilis cum pituita erit,ſi bilioſus fureit color urinę,hypoſtaſis autē alba. de urinę ſigni.ex Hipp. Sp.79.D
Bilis horis ſi acuitur tertiana phlegmatica cur ſit minus periculoſa . de ſpermate. Sp.40.A
in Bilioſis naturis,febris ex cruditate peſſima eſt.8°.meth.med.7ª.53.B
Bilis quæ ſurſum recurrit,quę mala faciat.de vict.ra. in morbis acutis , commen.3°. 7ª.130.D
Bilis quo modo cognoſcatur in capite corrumpi.de re.pa.facil. 7ª.154.F
Bilioſa cruda interdum à capite,& thorace attrahuntur, uigilięq; accedunt,& quid ſequatur.de uic.rat.in mor.acu.com.2°. 7ª.122.F
ex Bilioſo & calido ſucco redundante ęgri efficiuntur inſomnes, et ſitibundi.in 1^{m}.de mor.uul.com.3°. 3ª.123.B
à Bile fit phrenitis & unde.4°.de cauſis pulſ.102.B/in 1^{m}.prorrhe.commentario.1°. 4ª.162.C
Bilis flauę ſanguis facit phrenitim.de util.reſp. 1ª.226.C
à Bile flaua in corde accumulata,& putredine affecta ſupponit excitari phrenitim.2°.de loc.aff. 4ª.13.H
ex Bile aſſata fiunt deliramenta ferina.3°.de loc.affe. 4ª.18.A
Bile flaua in cerebro redundāte cur fiat demētia,neſciuit Galenus. quod animi mores. 1ª.318.A
Bilis,& ſanguis æqualiter mixta quid faciant.de tumo. 3ª.84.B
Bilis,& pituita mixta,quid faciant.in 1^{m}.prorrh.com.1°. 4ª.161.D
ex Bilis,& pituitæ commixtione febris,qualis ſit.2°.de dif.fe. 3ª.37.G
Bilioſus & pituitoſus humor cum abundauerit , fit ſopor vigilans.3°.de locis affect. 4ª.16.H
quæ Biles recipiantur ad oculos.10°.de ſimp.med.fac. 5ª.74.F
p Bilioſos morbos nō fiūt abſceſſus,ſed p lōgos.in ꝓgn.cō.2°. 4ª.205.A
Bile abundantibus qua tempeſtate coſtarum,et pulmonis abſceſſus fiūt. de aere,aquis,& loc. 2ª.4.C
Bilioſus humor cur medius ſit quo ad ſimplicitatem malignitatemq; inter eos à quibus prouenit pleuritis.de conſt.ar.med. Iſ.40.H
Bilis flaua appareat permiſta admodum ſcreationi oportet. 4ª.202.C
Bilioſum magis ſputum ſæpenumero in pleuritide, in peripneumonica uero magis pituitoſum ſequi conſueuit.2°.de loc.aff. 4ª.13.B
Bilioſa poſt cruenta expui,conuenientem eſſe ordinem,morbo laterali recte ad indicationem tendente, dicunt quidam Hippocratis interpretes.in 6^{m}.de mor.uulg.com.4°. 3ª.179.C
Bilioſus ſi fuerit ſanguis inflammationis flauum aut pallidum erit ſputū. 4°.de loc.aff.12.B/5°. 4ª.29.H
Bilis cocta,quę ſit.de uic.rat.in mor.acu.com.2°. 7ª.122.H
Bilis portionē cur natura in ventriculum infixit.5°.de vſu par. 1ª.143.C

Bilis

Bilis flaua, quibus ex cauſis in uentriculum uenit. 2°. de decre. Hippocr. & Plato. 1ª.240.C
Bilis copia in uentriculo aceruatur, uel ob malam quampiam temperiẽ, uel ob peculiarem conſtructionem. 1°. de ali. fac. 2ª.7.G
Bilis quibus in uentre gignitur. 2°. de temp. 1ª.20.D
Bilioſus humor ne in ventrem prorſus confluat quo modo caueamus. 6°. de ſani. tuen. 2ª.98.H
Bilioſus humor ex iecore in inteſtina deſcendit. 2°. de ſemine. 1ª.340.C
Bilis hominibus quibuſdam ex iecore in inteſtina defluens regurgitat in uentriculum. 1°. de alim. fac. 2ª.7.F
Bilis à iecore in uentriculum raro confluit. 2°. de temp. 1ª.20.C
Bilis in ſtomacho quid faciat. de ſper. Sp.36.H
Bilis flaua quo modo euertit uentriculi officium. 5°. de uſu par. 1ª.143.D
In Bilioſis cibi corrumpuntur in nidorulentam & fumoſam qualitatem 8°. meth. med. 7ª.53.B
à Bile redundante faſtidioſi. i. appetitu carentes, efficiunt. in. 1^{m}. de morbis uulg. com. 3°. 3ª.123.B
Bilis in uentriculo facit ſitim continuam. 2°. de nat. fac. 1ª.301.C
Bilioſus aut ſalſus quiſpiam malus ſuccus facit ſitim immodicam, ſi in uentris tunicis contineatur. 1°. de ſymp. cau. 3ª.18.D
In Bilioſo ſucco uentrem mordente magis potio, q̃ cibus deſyderatur. 1°. de ſymp. cau. 4ª.18.B
ex Bilioſo ſucco dolor mordax. 3°. de loc. aff. 4ª.20.F
ex Bile flaua in uentriculo dolet caput. 3°. de loc. aff. 4ª.19.B
Bilioſos, & ſalſos ſuccos acerba qualitas amaritudini mixta abſtergit, & abluit. 6°. de ſimp. med. fac. 5ª.41.D
Bilis ob naturalẽ leuitatẽ ad uẽtris os ſurſũ fert̃. 2°. đ cõp. me. 2ª.135.D
Bilis in ore uentriculi, quid faciat. 5°. de uſu par. 1ª.143.E
ex Bile flaua circa os uentriculi ſyncope, quo modo ſit curanda. 12°. methodi meden. 7ª.76.D
Bilis multa quibus quotidie in uentrem effunditur, ante cibos debent uomere. 2°. de temp. 1ª.20.D
Bilioſum uentrem habentes, ſemper primo loco debent comedere, et bibere aluum deijcientia. 6°. de ſan. tuen. 2ª.97.F
Bilioſo ſtomacho malum punicũ eſt optimus cibus. 8°. met. med. 7ª.62.E
Bilioſus humor cui ĩ uẽtre colligit̃, q̄bus purgãdus. 6°. de ſa. t. 2ª.99.A
Bilioſarum uentris affectionum optimum medicamentum eſt aloes. 8°. de comp. med. ſecun. loc. 5ª.188.E
ad Bilem in uẽtre, præſertim quæ ipſis in tunicis in alto cõtinetur, pharmacum. 8°. de comp. med. ſec. loc. 5ª.191.B
tũ à Bile flaua, tũ sãguine fit iflãmatio. 6°. de cõp. med. ſec. lo. 5ª.176.E
Bilis meatum arctant adſtringentia, ideo non cõueniunt iecinoris phlegmoni. 13°. meth. med. 7ª.83.E
à Bile inflammationibus conueniunt fomenta humida. de uic. ra. in morbis acu. com. 2°. 7ª.116.E
Bilis flaua eryſipelas facit. de atra bile. 1ª.35.F / de diff. mor. 3ª.5.F
à Bile et materia caligĩoſa fit ſacer ignis. ĩ 1^{m}. đ mor. uul. c. 1°. 3ª.104.G
ex Bile flaua herpetibus, & eryſipelatibus reſpondent cancri, & phagedænæ ex atra. 2°. de diff. feb. 3ª.37.D
Bilioſioris fluxionis munus eſt cogere, ſiccare, tendere, indurare. 4°. de cauſis pulſuum. 4ª.101.G
Bilioſus fluor cutem ulcerat. de tum. præter. 3ª.84.B
Bilem ſignificat tumor pallidus, & flauus. 14°. meth. med. 7ª.89.D
Bilioſus & pituitoſus humor nõ uacuatur per cutim ob balnea in febre ardente ob ſalſam pituitam. de uict. rat. in mor. acut. com. 3°. 7ª.133.E
Bilis multa ne gignatur ſatius eſt prohibere, quàm iam genitam euacuare. 2°. de nat. fac. 1ª.299.E
Bilis ut mordet, indicat ut temperetur: ut grauat, remotionem ſui. de opti. ſecta. ad Thraſ. Iſ.29.A
Bilis ægritudo quo modo curãda. de nat. et ord. cuiuslibet corp. Sp.41.G
Bilioſus ubi ſit totius corporis temperamentum, & uenter imbecillus, quid agendum. 6°. de ſan. tuen. 2ª.98.H
Bilis redũdans in aliquo ſine febre quo modo à Galeno purgetur. de purgan. med. fac. 5ª.86.F
Bilis flaua aliter euacuatur quam atra. de conſt. ar. med. Iſ.42.E
Bilis flauę morbî debent purgari in principio æſtatis. quos purga. opor. quib. med. & quo tempore. 5ª.88.C
ante Bilis eductionem præparat hoĩem Galenus. de purg. med. 5ª.86.F
Bilioſi humores extenuant, et extergunt̃ anchuſa. 6°. de ſim. me. 5ª.41.C
Bilis flauæ excrementum moratur in corpore aut propter atrahentis expellentiſue facultatis infirmitatem, aut propter uaſorum, quibus deducitur atq; excernitur anguſtiam. 1°. de ſan. tuen. 2ª.68.B
Bilis flaua retẽta ꝑm uarias cauſas q̃uo aperiatur. 1°. de ſan. tu. 2ª.68.E
Bilis diſſipari contumax, quibus auxilijs leuetur. 5°. de loc. aff. 4ª.35.G
Bilis flauæ purgationem quid indicet. 14°. meth. med. 7ª.93.D
Bilioſa magis urina notat eſſe euacuandum per urinã, uel per ſeceſſum. de ſignifi. urinę ex Hipp. Sp.78.H
Bilem purgandum eſſe cum uincit, ſuadet Hipp. 4°. meth. med. 7ª.28.E
Bilis ꝑ quot uias educitur. quos pur. op. quib. med. & quo temp. 5ª.88.F
Bilis q̃n euacuat̃ per aluũ, & q̃n per uomitum. 2°. de ſymp. cau. 3ª.22.F
Bilis ſi repat ſurſum, per uomitum: ſi deorſum, per ſeceſſum educẽda eſt. 1°. de arte cur. ad Glauc. 7ª.97.B
Bilis præ leuitate fluitare natura aſſolet: & ob eã rẽ ad ſtomachũ redundat, relinquẽs uẽtriculi fundũ, & facile uomit̃. ĩ ꝓgn. cõ. 3°. 4ª.210.G
Bilis ꝑ ſupiora excernitur. quos purg. op. quib. med. et quo tpe. 5ª.88.E
Bilioſis ventre, prouocetur vomitus ante cibum ex potione uini dulcis. 6°. de ſani. tuen. 2ª.97.H
Bilis ſi euomat̃, ſedat magis ſitim, q̃ ſi abũde bibam⁹. 2°. đ na. f. 2ª.301.C
Bilem uomere ieiunum melius eſt. de dyna. Sp.19.H
Bilem nõ vomunt, nec ſudant, nec vrinas bilioſas habẽt, nec excremẽta bilioſa, quotidiana, & quartana febre laborãtes. 2°. đ dif. fe. 3ª.36.D
Bilis flaua ẽt ſine morbo euomitur & deijcitur. 3°. de ali. fac. 2ª.32.H
Bilem quidam nunq̃ euomentes, tamen graciles, & hirſuti, & muſculoſi & nigri, & venoſi fuerunt affatimq; calidi. 2°. de alim. 1ª.20.C
Bilioſus vomitus pręcedit καρδιαλγίαν. 5°. de vſu par. 1ª.143.D
Bilioſi vomitus rigorẽ ſequuntur. in 1^{m}. de morb. uul. com. 2°. 3ª.114.B
Bilis vomitum facit rigor. in progn. com. 3°. 4ª.210.G
Bilioſi & exigui vomitus mali. in 1^{m}. prorr. com. 2°. 4ª.175.D
Bilioſa vomitio, quando expectanda. in prog. com. 3°. 4ª.210.E/F
Bilioſo vomitu ſuperueniente à cõuulſione protinus liberati ſunt quidã per febres repente conuulſi. 5°. de loc. aff. 4ª.32.G
Bilẽ flauã euomebat Paulus rhetor. de uic. rat. ĩ mor. ac. c. 2°. 7ª.120.D
ad Bilioſum vomitum. de remed. par. facil. 7ª.176.H
ad Bilẽ vomẽtes, et ſecernẽtes antidotus. 7°. de cõp. med. ſ. l. 5ª.186.A
ad Bilẽ vomentes pharmacũ Polyarchi. 8°. de cõp. me. ſec. loc. 5ª.193.C
Bilioſa ructantes non ſunt lauandi. de vic. rat. in mor. acu. c. 3°. 7ª.133.A
Bilis quando per inferiora debeat purgari. quos purg. oport. quibus medi. & quo temp. 5ª.88.E
Bilis innatans ęſtate deorſum trahenda. de ſal. dięta. 2ª.41.E
Bilioſa excrementa in uenis alijs à primis per purgationem euacuãtur. de conſt. ar. med. Iſ.42.F
Bilis quando euacuanda, & quando pituita, in podagra, & arthritide. quos purg. opor. quib. med. & quo temp. 5ª.88.C
Bilem educens medicamentum datum laboranti aſcite quam minimum aquæ educet. de nat. hum. com. 1°. 1ª.31.C
Bilis flauæ med^{m}. non educit aquam hydropis. de purg. med. fa. 5ª.86.G
Bilem non educet med^{m}. educens aquam. de nat. hu. com. 1°. 1ª.31.C
Bilioſo homini ſi med^{m}. pituitã educẽs dederis, nocebis. 2°. de ele. 1ª.9.B
Bilem flauã trahentia medicamenta qualia eẽ debẽt. de pur. me. 5ª.86.h
Bilioſa, prius purgatione, deinde cutis euacuatione purgantur. de conſti. ar. medi. Iſa.42.F
Bilis flaua facile euacuatur. 14°. meth. med. 7ª.93.G
Bilis quibus euacuanda in dolore capitis ob humorem bilioſum. 2°. de cõpo. med. ſecun. loc. 5ª.136.H
Bilem flauam quæ purgent. de cathar. Sp.94.F
vt Bilis edulceſcat, dat abſinthij ſuccum. de ther. ad Piſo. 5ª.96.E
Bilioſos uentris humores per egeſtionem educit abſinthium. 6°. de ſimp. medic. facul. 5ª.44.D
Bilem purgare abſinthium, collige. 1°. de arte cur. ad Glau. 7ª.97.B
Bilis vbi mordicauerit ſtomachũ abſinthij coma melicrato intincta ſummum remedium eſt. 1°. de art. cur. ad Glauc. 7ª.97.B
Bilem, & pituitam à toto corpore, et à capite educũt catapotia ex aloe, ſcammonio, & colocynthide. 1°. de comp. med. ſec. lo. 1ª.121.F
Bilem purgat centaurium minus. de dyna. Sp.21.C
Bilem purgat chamælea. de dyna. Sp.22.B
ex Bilioſis humoribus prouenientes febres chamæmelon diſcutit, et diſſoluit. 3°. de ſimp. med. fac. 5ª.18.H
Bilem, & pituitam mediocriter purgat coccus cnidius. de dyn. Sp.21.F
Bilem, & pituitam purgat cyclaminus. de dyna. Sp.21.H
Bilem per ſudorem emittit cyclaminus. 7°. de ſimp. med. fac. 5ª.53.E
Bilis aquoſa exit cum ſudore. 14°. meth. med. 7ª.87.A
Bilioſis temperamentis diacalaminthes cauenda. 6°. de ſan. tu. 2ª.96.B
Bilem & pituitam purgat elaterium. de dyna. Sp.21.F
Bilem & pituitam educit empetron. 6°. de ſimp. med. fa. 5ª.47.D

Biles detrahit origanum.de ſimp.med. Sp.88.E
Bilem educit peplium.de dyna. Sp.21..A
Bilem diſtrahentes & uentrem ſoluentes uires habet polypodiũ. de ſimplic.medicam. Sp.89.C
Bilem flauam purgat radix pycnocomi.8°.de ſimp.med.fac. 5ª.59.D
Bilẽ flauã trahit ſcãmonia.quos purgare op.quib.me.& quo tẽ. 5ª.90.f
Bilem flauam purgat ſcammonium.1°.de compo.med.ſecun.locos. 5ª.121 E/de dynami. Sp.20.H
Bilis ubi deorſum repat, ſcammonia danda eſt.de uic.rat.in mor.acutis, commentario.4°. 7ª.142.F
Bilem in arquatis ſcammonium attrahit.1°.de nat.fac. 1ª.294.B
Bilem flauã trahẽtia medicamenta proſunt regio morbo.de atra. 1ª.36.B
Bile peccante purgatio neceſſaria eſt ad icteri curam.de cur. Sp.110.G
Bilem educens medicamentum, multam bilem euacuat in icteritia.de natu.huma.com.1°. 1ª.31.C
Bilem detrahit ſpondylium.de ſimp.med. Sp.91.B
Bilem, & pituitam purgat thymus, & qua doſi, & cum quibus miſcetur.de dyna. Sp.21.H
Bilioſos humores thlaſpi euacuat.6°.de ſimp.med.fac. 5ª.48.D
Bilioſos humores neque ſecum unà ducunt, nec euacuant uina dulcia.de uinis. Sp.76.E
ad Bilem flauam educandam medicina.ſecretorum. Sp.99.D
Bilis cur aſcẽdat, & nõ deſcẽdat p inteſtina.in 1m.prorrh.c.1°. 4ª.165.B
Bile infecta ſunt ſanorum excrementa.5°.de uſu par. 1ª.143.G
Bile carentia excremẽta quid ſignificent.in 1m.prorrh.cõ.3°. 4ª.179.D
Bilis utraq; eſt aduerſiſſima inteſtinis.5°.de uſu par. 1ª.146.B
Bilis ſincera quid faciat in inteſtinis.5°.de uſu par. 1ª.145.E
Bilis flaua erodit inteſtina.de atra bile.1ª.35.F/de uict.rat.in mor.acut. commen.3°. 7ª.130.C
Bilis flaua acris mordens omnia abradit.5°.de uſu par. 1ª.143.D
à Bile flaua exulcerata curantur difficulter.de atra bile. 1ª.35.F
à Bile flaua profluuium difficile.de atra bile. 1ª.35.F
Bilioſa proluuies, quę.in 1m.prorrh.com.1°. 4ª.162.B
Bilioſa cruda q̃ appellent ab Hipp.de uic.ra.in mor.acu.c.2°. 7ª.122.G
Bilioſum aut melancholicum excrementum facit alteratrix potentia ad calidius mutata.3°.de ſymp.cau. 3ª.26.B
Bilis ſincera quid ſignificet.5°.de loc.affect.33.D/in progn.com.2°.200. F/in 1m.prorrh.com.1°. 4ª.166.D
Bilioſa ſincere ſubducta uitioſa ſunt.de uic.ratio.in morbis acutis, commentario.3°.127.H/ 7ª.128.C
Bilioſa plane excremẽta mera uocar̃ ſolet Hip.ĩ 1m.đ mor.uul. 3ª.106.D
Bilis, & bilis atra.cum meræ deijciuntur, ſemper ſunt prauæ. in 1m.de mor.uul.com.3°. 3ª.121.C
Bilioſæ, & merę deiectionis in Critone ęgroto fit mentio. in 1m.de morb. uulg.commen.3°. 3ª.124.G
Bilis uiridis ex uentre, notat malam coctionem.2°.de temp. 1ª.20.E
Bilem flauam deijciebat Eudemus philoſophus temperamento bilioſus. de uic.rat.in mor.acu.com.2°. 7ª.120.D
Bilis eodem die deiecta, ſudata, & uomita.2°.de ſymp.cau. 3ª.22.F
neq; Bilioſas urinas nec excrementa bilioſa habẽt quotidiana & quartana laborantes.2°.de diff.feb. 3ª.36.D
Bilioſa quæ ſubducantur in febribus liquefactiuis, & ad tabem perducentibus.de uic.rat.in mor.acu.com.3°. 7ª.128.G/A
Bilis atra ſemper cum adiectione dicitur.de tum.præter nat. 3ª.84.B
Bilis atra nigra dicitur.de nat.hu.com.1°. 1ª.28.E
Bilis atra potius ad nigrius declinat.de multitudine. 3ª.81.E
Bilem atram, acidam ueteres nominarunt, ut pallidam, amaram.14°.methodi medendi. 7ª.89.E
Bilis acida pro melãcholia ſumitur à Galeno.in 1m.de mor.uulg. 3ª.103.B
Bilis acidæ humor cur niger.8°.de decr.Hipp. 1ª.275.H
de Bile atra diuerſi diuerſimode locuti ſunt.de atra bile. 1ª.34.B
de Bile atra optime ſcripſit Rufus epheſius.de atra bile. 1ª.34.C
de Bile atra Aſclepiadis opinio.1°.de nat.fac. 2ª.293.H
Bilis atræ generatio neceſſaria eſt ſecundum Hip.de atra bile. 1ª.35.H
Bilem atram nonnulli putarunt non generari in corpore ſano, ſed ſolum in corpore male affecto.de atra bile. 1ª.37.D
Bilis atra præter naturam in ægris gignitur.de atra bile. 1ª.37.E
Bilis atra quomodo fiat.10°.de ſimp.med.fac. 5ª.74.F
Bilis atræ differentia.de mult. 3ª.81.G
Bilis nigra duplex eſt.14°.meth.med. 7ª.89.E
Bilis atra dupliciter g̃natur, & quo mõ.in 1m.prorrh.com.1°. 4ª.162.F
Bilis atra dupliciter fit ex craſſo ſanguine, & bile aduſta.in 6m.de morbis uul.com.6°.3ª.195.B/in 1m.prorrh.com.1°. 4ª.164.D
Bilis atra ex ſanguine aſſato, aduſtoq́, atq; etiam ex craſſo generatur.de uict.rat.in morb.acut.com.2°. 7ª.120.F
Bilis, & ſanguis tranſeunt in melancholiam.de ſper. Sp.40.G
in Bilem atram, quo modo tranſeat ſanguis.de aere, aq.& lo. 2ª.4.C
in Bilem atram uertitur ſanguinis craſſior pars, ſi ſanguis aſſetur.2°. de differ.febris. 3ª.40.C
in Bilẽ atrã uel flauã tranſit sãguis, qui putreſcit.2°.de dif.fe. 3ª.42.F
Bilis nigra facillime efficitur ſanguis craſſus, qui uelut lim⁹ purioris eſt. 13°.meth.med. 7ª 84.C
Bilis atra non eſt fæx ſanguinis.de tum. 3ª.84.C
Bilis atra eſt contraria ſanguini.de nat.hum.com.1°. 1ª.32.C
Bilis atra in quo differat à ſanguine atro.de atra bile. 1ª.34.G
Bilis atra dici nõ põt melãcholicus ſucc⁹, et vñ fiat.3°.de lo.af. 4ª.18.A
Bilis atra quando non eſt melancholicus humor.de mult. 3ª.81.H
Bilis atra, & ater ſuccus quo modo differant.2°.de nat.fac. 1ª.301.G
in Bilem atram, quo modo flaua bilis uertatur.2°.de criſi. 4ª.138.D
Bile aduſta fit atra bilis.in.6m.de mor.uul.cõ.6°.3ª.195. G/in 1m.prorr. 4ª.164.D/de ſper. Sp.40.A
Bilis atra à flaua bile ſuperaſſata, eſt cæteris peior.de atra bile.1ª.34.G/ in progn.com.3°. 4ª.210.A
Bili atræ ſanguis mixtus qualis ſit.3°.de ſymp.cau. 3ª.28.A
Bilis atra quo calore fiat.2°.de criſi. 4ª.138.D
Bilis atræ natura.ſin.med.Iſa.44.B/de nat.hum.com.2°. 7ª.181.A
Bilis atra naturalis, quæ.2°.de nat.fac. 1ª.301.H
Bilis atra proprie, quæ.de tum. 3ª.84.C
Bilis atræ qualitates.14°.meth.med. 7ª.89.E
Bilis atra poſt pituitam frigida eſt.de ineq.intemp. 3ª.44.H
Bilis atra frigida eſt, eo quod terrea.3°.de ſymp.cau. 3ª.28.B
Bilis nigra frigida ẽ, putrefacta calida efficitur.2°.de ſymp.cau. 3ª.23.C
Bilis atra ẽ, caloris particeps, uelut cinis & acetũ.3°.de ſym.ca. 3ª.28.B
Bilis atra frigida eſt & ſicca.8°.de decr.Hippo.1ª.275.D/de differentijs morborum. 3ª.5.G
Bilis atra frigida eſt & ſicca poteſtate.2°.de natura. facul.1ª.301.D/de cauſis morborum. 3ª.8.B
Bilis atra quo modo ſicca dicitur & terrena, tamen habet in ſe humiditatem.de nat.hum.com.1°. 1ª.33.B
Bilis atra correſpondet terræ.8°.de dec.Hipp. 1ª.275.D
Bilis atra ſemper craſſior eſt flaua, ſed non modice in ipſa eſt magis, & minus.de natu.hu.com.1°. 1ª.30.H
Bilis atra amurcæ, et fæci ẽ ſil'is.de atra bi.34.G/2°.de nat.fa. 1ª.301.G
Bili atræ aſſimilauit Deus oſſa, chartilagines, ungues, & ligamenta.de anatom.uiuorum. Sp.45.F
Bilis atra bitumini iudaico ex mari mortuo, quod ſplendidum eſt, comparatur.3°.de ſymp.cau.28.A/de tum. 3ª.83.H
Bilis atræ nota ex guſtu, & olfactu.de atra bile. 1ª.34.G
Bilem atram, neq; muſca, neq; aliud animal guſtat.de atra bile. 1ª.34.G
Bilẽ atrã nullũ aĩal, ne ipſi qdẽ mures guſtauerint.14°.met.me. 7ª.89.E
Bilis atra non eſt, quæ neq; acerbitate, neq; acore manifeſte participat. de atra bile. 1ª.34.G
Bilis atra, acerba & acida eſt.5°.de uſu par.1ª.143.F/4°.de ſimp.medic. fac.51.29.A/de uic.rat.in morb.acut. commen.3°.130.H/ de fractu. commen.3°. 7ª.248.D
Bilis atra acida eſt & terram fermenti ritu eleuans.2°.de nat.fa.1ª.301. G/14°.met.med. 7ª.89.E
in Bile atra quid ſit fermentatio.& feruor.14°.meth.med. 7ª.89.E
Bilis atra abradit terram.com.4°.aph.23°. Ex.29.H
Bilis atra aceto acerrimo ſimillima eſt.de atra bile.34.G/ 2°.de nat.fac. 1ª.301.G/14°.meth.med. 7ª.89.E
Bilis atra præter naturam malignior eſt quàm ſit naturalis & flaua.2°. de natu.facul. 1ª.301.G
Bilis atra præter naturam non habet nomen.2°.de nat.fac. 1ª.301.G
Bilem atram trahit lien, & à bile atra ſanguinem purgat. de atra bile. 36.G/2°.de nat.fac. 1ª.301.E
Bilis atra exuperat in liene.intro. Iſ.55.B
Bilis atra cum aliquo ſanguine trahitur à liene.5°.de uſu par. 1ª.144.G
Bilis atræ quanta portio ſecernitur.2°.de nat.fac. 1ª.302.A
cur Bilis atra mittatur in uentriculum.1°.de ſan.tuen. 2ª.67.F
Bilis atra non offendit uentriculum: cũ.n.ſit acerba & arida contrahere ipſum et cõſtringere poteſt, ſed illi prodeſt.5°.de uſu par. 1ª.143.H
in Bilis atrę horis ſi ſit conceptio omnium, parentum, inquam & infantis, quid ſequatur.de ſper. Sp.38.E

Bile atrà unde, quando, & in quibus abundare cenſuerint ſapientes medici, & philoſophi.2°.de nat.fac. 1ª.301.D
Bilis atra quibus temporibus fiat.de atra bile. 1ª.35.H
Bilis atra in autumno uiget.2°.de nat.fac.1ª.301.D|in 1ᵐ.de morb.uulg. commen.1°. 3ª.103.B
Bile flaua, & ſanguine æſtate peruſtis, atra bilis abundat autũno.in.1ᵐ. de morb.uul.com.1°. 3ª.110.H
Bilis atra cur uigeat in autumno.de natura humana.com.1°.32.D|8°.de decre.Hipp. 1ª.276.E
Bilis atra qua tempeſtate accidat bilioſis.de aere,aq.& loc. 2ª.4.C
Bilis atra in quibus redundat.fin.med. Iſa.44.G
Bilis atra copioſior gñari uidetur in aãntibus, quæ tpaturis calidiores ſiccioreſq́; ſunt, in calidioribus ſimul, & ſiccioribus anni tpibus, locis, cœli conſtitutionibus, ſtudijs laſſitudines, curas, & uigilias exigentibus, edulijs quoq; craſſis atq; ſicciſſimis.de atra bile. 1ª.35.H
Bilis atra abundat in ætate poſt uigorem.2°.de nat.fac. 1ª.301.D
Bilẽ atrã aggregãt aliqui quocũq; gñe uictus utant.de atra bile. 1ª.35.H
Bilis atra fit in morbis ardentibus.de atra bile. 1ª.36.A
Bilis atræ generatio cur exitialis.de atra bile. 1ª.34.G
Bilis atra nutrire non poteſt.de uict.ra.in mor.acu.com.2°. 7ª.122.G
à Bile atra proficiſcitur animi integritas, & conſtantia. de natu.hum. commen.1°. 1ª.33.B
Bilem atram ſignificat ſomnium fumi, caliginis, & tenebrarum. de præſag.ex inſom.ſu. 4ª.213.C
Bilem atram aggerere natura aptis color totius corporis nigrior eſt. de atra bile.36.A|4°.de ſan.tu. 2ª.84.B
Bilem flauam abundare ſignificat urina ruffa, & atra. de morb.uulga. commen.1°. 3ª.131.C
Bilis atræ pulſus.de mult. 3ª.81.H
Bilem atram quæ ſequuntur.de mult. 3ª.81.G
Bilis atra alteraſcit ægre.de inæq.intemp. 3ª.44.H
Bilis atra longos morbos parit.intro. Iſa.55.E
ex Bile atra & flaua ægrotationes difficiliores & ſolutu difficiles cenſentur.in prog.com.2°. 4ª.202.D
Bilis atra, uel nigrum ſputum, ac nigra urina cum inter initia morborũ apparet, & uim maximam habet, & dignotionem facillimam affert. de ijs quæ in med.ſi.com.1°. 7ª.198.C
Bilis atræ morbi.8°.de decre.Hipp. 1ª.275.F
Bilis nigra facit carbunculum, & cancrum.de atra bile.1ª.35.B|F|D|de differ.morbor. 3ª.5.F
ad Bilis atræ naturam conuerſus ſanguis carbunculos facit.1°.de diffe. feb.32.A| 3ª.40.C
ex Bile atra ſine feruore cancri efficiuntur.de tum. 3ª.83.H
Bilis atræ excremẽtũ quo modo ſiſtit, et qb° de cãis.1°.de ſa.tu. 2ª.68.C
Bilis atra craſſiorũ partium corporibus inhæret.de atra bile. 1ª.34.G
Bilis atra qd faciat in inteſtinis.de atra bile.35.F|5°.de uſu par.1ª.145.E
Bilis atra præter naturã rodit corpus animalis.2°.de nat.fac. 1ª.301.G
Bilis atra exedendo exulcerat.de atra bile. 1ª.34.D
à Bile atra quandoq; fit dyſenteria.3°.de ſymp.cau. 2ª.28.B
à Bile atra dyſenteria letalis.de atra bile.35.F|5°.de uſu par. 1ª.145.E
à Bile atra ulcus incurabile eſt.de atra bile. 1ª.35.F
Bilis atra exacte excreta ſemper ſignificat mortẽ.de atra bile. 1ª.34.H
Bile atra affecti quando febricitant.2°.de diff.feb. 3ª.37.D
Bilis atra quo modo accenditur.2°.de diff.feb. 3ª.37.C
ex Bile atra quartanæ originem habent, & quibus fiant.2°.de differentijs febrium. 3ª.36.E
ex Bile aduſta quartanam eſſe quo mõ deprehẽdatur.de ſper.Sp.40.A
Bilis atræ ſanguis in uitioſos uapores ſolutus ad melancholiam perducit.de util.reſp. 1ª.226.C
Bilis atræ color mentem reddens tenebris ſimilem timorem efficit.3°.de loc.affect. 4ª.19.B|C
Bile atra in cerebro abundante, cur ad melancholiam trahamur, neſciuit Gal.ꝙ animi mores corp.temp.ſeq. 1ª.318.A
Bilis atra quo modo cognoſcatur, in capite corrumpi. de remedijs para. facilibus. 7ª.154.F
in Bile atra agitatis, capitis cura habenda eſt.de fœt.form. 1ª.324.C
Bilis atra euomitur.in.6ᵐ.de mor.uul.com.4°. 3ª.180.B
Bilis atra ſi abundat in pleuritide ſputũ eſt nigrũ.5°.de lo.aff. 4ª.29.H
à Bile atra uarices in cruribus.de atra bile. 1ª.35.C
à Bile atra morbi ſtatim à principio ſtrenue purgandi.de atr. 1ª.37.D
Bilem atram euacuandam quid indicet.14°.meth.me. 7ª.93.D
Bilis atra aliter euacuatur, ꝙ flaua.de conſt.ar.med. Iſ.42.E
Bilis atra difficulter euacuatur.14°.meth.med. 7ª.93.G
Bilem atram trahentia medicamenta, qualia eſſe debent.de purgantium medicamento.facultate. 5ª.86.H
Bilem educens, medicamentum quo ordine trahit alios humores.2°.de elemen.ſecundum Hipp. 1ª.9.B
Bilem nigram prouocat centaurea.de ſimp.med. Sp.82.A
Bilem atram educit epithymum.de ther.ad Piſo. 5ª.90.F
Bilẽ atrã purgat hiera ex ueratro nigro.1°.de comp.me.ſec.loc.5ª.121.E
Bilem atram trahentia medicamenta proſunt cancro, & elephanto.de atra bile. 1ª.36.B
Bilis atra à mordentibus medicamentis irritatur.14°.met.me.7ª.89.H
Bilẽ atrã deijciẽtes in peſtilẽtia tpe Galeni oẽs periere.de atra bi.1ª.35.b
Bilis admiſcetur cycliſis uocatis medicamentis & trochiſcis.10°.de ſimpli.med.fac. 5ª.74.F
à Bile atra ulcerum cicatrices nigræ.2°.de nat.fac. 1ª.301.F
Bilem ſicciorẽ præferet, ulcus ubi diuturnum fuerit, multamq́; ſaniem, pus contineat.10°.de ſimp.med.fac. 5ª.74.H
Bilis domeſticarũ ſuũ ad ulcera auriũ ualet.10°.de ſim.me.fa. 5ª.74.H
Bilis.lege Cholera, & Melancholia.
Βιωτικῶς quid ſignificet.4°.meth.med. 7ª.26.D
BIPEDEM eſſe cur fuit melius homini.3°.de uſu par. 1ª.128.A
Bipes & greſſibile addita rationali animali ſpeciem hominis conſtituũt. 1°.meth.med.4.C| 7ª.15.E
BIRRENUM uas.ſ.lebes.ſecretorum. Sp.98.D
BIRRHAE hordeaceæ uel herbaceæ potionis pro morbis acutis fit mẽtio.de uict.rat.in mor.acut.com.3°. 7ª.131.G
BIRRUM de lana ſuccida ad dolores matricis.de dyna. Sp.29.H
BIS idem dici non debet, & quomodo ab Hippocrate & ſuis interpretibus dicatur.com.7°.apho.53°. Ex.58.F
Bis terq́, idem relatum quid faciat.5° de comp.med.per gen. 5ª.248.H
BISSEXTUS eſt quarto quoque anno.1°.de mor.uul. 3ª.102.E
BITHYNIAE urbes.1°.de alim.fac. 2ª.12.E
Bithyni ſunt pingues.2°.de ſimp.med.fac. 5ª.14.E
in Bithynia zeopyrum prouenit.1°.de ali.fa.12.E| 2ª.13.A
à Bithynia uinum amineum quale.5°.de ſan.tuen. 2ª.91.B
in Bithynia non mirum gigni uina tenuia.de uict.rat.in mor.acut.commentario.3°. 7ª.127.B
Bithynum uinum album, cum inueteratum eſt, Romani cecubum uocãt. de uinis. Sp.76.H
Bithynus Demetrius.4°.de comp.med.per gen. 5ª.241.G
Bithynus paſtill° ĩ Sicilia factus ad q̃ ualeat.5°.de cõ.me.p ge. 5ª.252.E
Bithynum emplaſtrum.9°.de compoſitione me.ſe.lo. 5ª.200.C
BITUMEN naſcitur in caua Syria Paleſtinę parte.9°.de ſimp.medic. fac.65.B|68.A|11°. 5ª.83.F
Bitumen iudaicum ex mari mortuo ſplendidum eſt, cui atra bilis comparatur.3°.de ſymp.cau. 3ª.28.A
Bitumen iudaicum non poteſt adulterari.1°.de antid. 5ª.100.C
Bitumen congelatur.1°.de ſimp.me.fa. 5ª.5.B
Bitumen barbarum, & cyzicenum.de artic.com.4°. 7ª.286.H
Bitumen quale ſit, & quomodo utaris. 2°.de compo.medic. per genera. 227.C|7°. 5ª.264.B
Bitumen poteſtate calidum eſt.3°.de temp. 1ª.21.G
Bitumen in mari mortuo calidum eſt & ſiccũ.11°.de ſimp.me.fa.5ª.83.F
Bitumen calidum & ſiccum eſt in tertio ordine, ut triphyllum.8°.de ſimpli.med.fac. 5ª.62.F
Bitumen eſt calidiſſimum.1°.de ſimp.med.fac. 5ª.5.B
Bitumen calefacit & exiccat.2°.de ſimp.med.fac.16.D|5°.de compoſi. med.per gen. 5ª.246.C
Bitumen adſtringit, & calefacit.1°.de ſimp.med.fac. 5ª.8.A
Bituminis iudaici fit mentio.2°.de compoſi.med.per gen.225. D|226.E| 227.G|5ª.247.A|6°. 5ª.262.F
Bitumen humidum eſt.com.1°.aph.14°. Ex.7.F
Bituminis non ſicci fit mentio.2°.de ſimp.med.fa. 5ª.15.A
Bitumen à calore extrinſeco in ſpiritũ ſoluitur.cõ.4°.aph.7°. Ex.35.B
Bitumen pro doloribus internis ex frigore.2°.de ſimp.med.fac. 5ª.12.C
Bitumen excitat ſtrãgulat° uteri olfactu.9°.de comp.me.ſe.l. 5ª.205.G
Bitumẽ cõmodũ eſt ꝑ ceratis & malagmatibus.8°.de cõp.me. 5ª.198.D
ex Bitumine emplaſtra barbara dicuntur à recentioribus.de comp.medi.per gen.5ª.227.F|de arte cur.ad Glauc. 7ª.32.H
ex Bitumine quæ conficiuntur medicamenta, cruenta appellantur.de fract.com.3°. 7ª.242.E
ex Bitumine & aceto emplaſticum optimum.5°.methodi med.7ª.32.H

Bitumen

Bitumen nigrum medicamentum 2°.*de comp.med.per gen.* 5ª.221.E
Bitumen iudaicum nigrum ingredit̃ theriacā.de ther.ad Piſo. 5ª.92.G
Bitumen glutinat in corporibus admodum ſiccis, quæ uulnera & ſinus. de ſimp.med.fac. 5ª.42.E
Bitumen in mari mortuo ad glutinationes uulnerum cruentorum ualet. 11°.*de ſimp.med.fac.* 5ª.83.F
Bituminis quo fabri ferrarij utuntur fit mentio in medicina ad partum accelerandum de reme.par.facil. 7ª.168.G
*Bituminis uis ineſt aliquibus aquis thermarum.*4°.*de ſan.tuen.* 2ª.83.C
*Bituminoſa aqua ab aqua ad calidius accedit.*1°.*de ſimp.med.fac.*5ª.5.C
*Bituminis aqua non eſt frigida.*1°.*de ſimp.med.fac.* 5ª.2.H
*Bituminoſa aqua compoſita eſt ex pugnantibus qualitatibus.*1°.*de ſimp. med.fac.*3ª..A| 5ª.6.F
Bituminoſæ aquæ prauæ ſunt.de ptiſ. 2ª.47.C
*Bituminoſæ aquæ quibus malæ.*6°.*de ſeni.tuen.* 2ª.98.G
*Bituminoſum balneum fieri non debet febrienti.*1°.*meth.med.* 7ª.69.H
*Bituminoſa balnea euacuāt totū corpº æqualr.com.*4°.*aph.*2°. Ex.27.D
*Bituminoſæ aquæ exiccant.*1°.*de ſan.tuen.*2ª.65.C|*de cauſis morb.* 3ª.8. A|7°.*de comp.med.ſecun.loc.* 5ª.177.E
*Bituminoſa aqua, aut ſulfuroſa, aut marina, aut muria, ſi inſpergas, adu res partem.*1°.*de ſimp med.fac.* 5ª.3..A
Bituminoſum trifolium ad morſum uiperæ, & muris aranei.de medica. facile parab. 7ª.169.G
BYZANTICVM *antiquum conuenit ictericis.de cura icter.* Sp.111.C
Βλάβας.*i.offenſas ſolet Hippocrates* σίνεα *dicere.de uict. rat.in mob. acu.com.*3°. 7ª.128.C
BLANCA *antidotum in cephalea.de dyna.* Sp.23.C
BLANDOS *pueros facit ſanguis.de dyna.* Sp.19.D
BLASTI *arteriaca ad tabeſcentes.*7°.*de comp.med.ſec.loc.* 5ª.178.D
BLATTAE *byzantiæ pannum ad epilepſiam de dyna.* Sp.24.B
*Blattæ domeſticę meminit.*3°.*de comp.med.ſec.loc.* 5ª.144.C
*Blatta piſtrinaria.*5°.*de comp.med.ſec.loc.* 5ª.163.E
*Blattis detrahebant pennas.*3°.*de comp. med.ſec.loc.* 5ª.143.D
*BLENNA apud Hippocratem apud alios mucus dr̃.*2°.*de ſe.* 1ª.340.C
*Bleſi quare impediti.*4°.*de loc.affec.* 4ª.26.F
*Bleſi quo modo fiant.in.*1ᵐ.*de mor.uul.com.*2°. 3ª.115.F
*Bleſi quādo, & qua de re moriebant̃.in.*1ᵐ.*de mor.uul.com.*2°. 3ª.115.D
Βλαισός.*i.ualgus acuto accētu ꝓnunciatur.de fract.com.*2°. 6ª.240.G
BLISCVNNA pro ſtomacho.de remed.par.facil. 7ª.176.D
BLITVM, *beta, malua, lapathum cum ſimilia ſpecie appareant, utuntur his empirici ſine diſcrimine.intro.* Iſ.51. A
*Blitum qualitatis expers.*2°.*de alim.fac.* 2ª.23.B
*Blitum aquoſius eſt alijs oleribus.*2°.*de ali.fa.*23.B|*de att.uic.* 2ª.43.H
*Blitum lentum eſt & humidum.*1°.*de alim.fac.* 2ª.8.C
*Blitū debiliter humectat, & frigefacit.*2°.*de cōp.med.ſec.loc.* 5ª.134.G
Blitū certiſſime refrigerare noſcitur.in 6ᵐ.*de mor.uul.com.*5°.3ª.194.B
Blitum calefaciendi uim non habet.de bon.& uitio ſuc. 2ª.38.H
Bliti caulis eſt ſiccus 2°.*de alim.fac.* 2ª.24..A
*Blitum minus ſiccat, quàm braſſica.*5°.*de ſan.tuen.* 2ª.92.C
*Blitum manditur ex oleo, garo.& aceto.*2°.*de alim.fa.* 2ª.23.C
*Blitum parum nutrit.*2°.*de alim.fac.* 2ª.23.C
Blitum eſt in medio boni & mali ſucci.de bon.& ui.ſuc. 2ª.27.G
*Bliti ſuccus eſt frigidus & uiſcoſus.*2°.*de ſimp.med.fa.*5ª.14.D|*de puero epileptico.* 7ª.180.D
Blitum eſt olus minime pituitoſum.de attenu.uict.ra. 2ª.45.G
Bliti radix quibus ſit uitanda.de atten.uict.rat. 2ª.45.G
*Blitum quo modo uentrem ſoluat.*2°.*de ſimp.med.fac.* 5ª.12.B
*Blitum cur facile deſcendit, & uentrem ſubducit.*1°.*de ali.fa.* 2ª.8.C
*Blitum ſemen ſupprimit, non tñ corrumpit.*5°.*de ſimp.med.fa.* 5ª.38.C
Blitum epilepticis conuenit.de puero epile. 7ª.180.C
*Blitum pro cibo in cancro cōceditur.*2°.*de arte cur.ad Glau.* 7ª.107.E
*Blitum pro obſonio in cubiti fractura datur.de frac.com.*1°. 7ª.230.G
BOETHI *filij caſus, qui ſæpe in febris recidiuam incidit.de præcog.ad Poſth.* 4ª.16.H
BOEOTIA *uecors.in oratione ſuaſoria.* Iſa.3.E
pro Βοηθῆσαι *utuntur plerunq; ueteres & Hippocrates* τιμωρῆσαι. *de uict.rat.in mor.acu.com.*1°. 7ª.113.F
*BOLETI elixi belle accedūt ad cibos inſipidos.*2°.*de ali.fa.* 2ª.25.C
Boleti incocti aliquibus cholerā excitarunt.de bo.& ui.ſuc. 2ª.33.F
*Boletos edentium caſus, & ſymptomata.*2°.*de ali.fac.* 2ª.25.C
ex Boletis ſolis nemo fertur interijſſe.de bon.& ui.ſuc. 2ª.35.F
BOLVS *armenus, ſiue lapis armenus, ſiue terra armena uocetur, nihil refert.*9°.*de ſimp.med.fac.* 5ª.67..A
*BOMBOS faciunt flatus in inteſtinis latis.*3°.*de ſymp.cau.* 3ª.27.G
BOMBYLIIS uaſculis quo modo exugunt infantes. 8°.*de decretis Hippocra.* 1ª.278..A
BONITATIS Dei pfectiſſimæ ſpecimē, ꝙ cultu cōueniēte exornarit oīa, nihilq; ſuis beneficijs priuatū eē uoluerit.de uſu par. 1ª.133.D
Bonitas aquæ Nili paucis fluuijs eſt comparanda.de bon.aquæ. Sp.75.E
BONVM *quid.*7°.*de decre.Hipp.* 1ª.268.F
Bona ſunt ſecundum aliquos quæ propter ſe ſequēda ſunt, & adepta poſſidentibus utilitatem apportent.de hiſtoria philoſ. Sp.2.H
Bonum cuiuſq; rei uirtus, & perfectio, idem.ad Thraſ. 2ª.103.G
Bonum de quo antiquitus dicebatur.in 1ᵐ.*de artic.com.*2°. 7ª.266.H
*Bonum apud Hippocratem pro certo, ſtabili, uero, & perpetuo.de frac. commen.*2°. 7ª.236.B
*Boni & mali noībus quo mō utit̃ Hipp.*1°.*de criſi.*130.G|H| 4ª.131.D
*Bonum uel malum in morbis ſignificantes dictiones, quibus utitur Hippo.in progno.com.*3°. 4ª.211.E|F
*Bonum non tanquam bonum aliquando dictum apud Hippo.ſed tanquā melius.com.*4°.*aph.*25°. Ex.30.B
Bonum triplex eſt genus.in oratione ſuaſoria. Iſa.4.E
Bonos agnoſcimus atq; amamus, ſiue tales ex natura, ſiue ex inſtitutione ſiue ex ꝓpoſito, ac meditatione euaſerint.ꝙ animi mores. 1ª.321.C
ut Bonum amplectamur, ambiamus, amemus præ omnibus inſitum eſt quod animi mores. 1ª.321.C
Bonum maximū eſt in diuinis bonis philoſophia.oratio ſuaſoria. Iſ.2.C
Bona quo modo det fortuna.in oratione ſuaſo. Iſ.2.E
circa Bonum corporis ars uerſans una eſt.ad Thraſ. 2ª.106.C
*Bonus nemo quicquam inuidet.*12°.*de uſu par.* 1ª.194.D
Boni non fiunt mali Romæ, ſed qui mali prius erant, hic materiam male agendi nanciſcuntur, & maius lucrum Romæ quàm in alijs urbibus faciunt.de præcog.ad Poſthu. 4ª.215.F
*Bonarū aquarū, et malarū cognitio, q̄.de bonitate aquæ.*75.H| Sp.76.B
Bonarum aquarum proprietates.de bon.aquæ. Sp.76..A
Bonæ aquæ effectus.de bon.aquæ. Sp.75.F
Bona quo modo fiat aqua ex praua.de bon.aquæ. Sp.76.B
Bonam reddit aquam, illam ſępe haurire.de bon.aquæ. Sp.75.D
Boni humoris cibi, qui.de diſſ.cont. Sp.73.G
Boni nutrimenti cibi & tenuis, qui.de diſſol.cont. Sp.73.H
Bonum humorem, & craſſum quę generant.de diſſ.cont. Sp.74..A
Bonos humores īter tenues et craſſos q cibi generent.de diſſ.cō. Sp.73.H
Boni nutrimenti piſces, qui ſint.de diſſ.cont. Sp.73.B
Boni nutrimenti fructus & nuæ, quæ.de diſſ.cont. Sp.73.B
Boni nutrimenti eſt uinum coloris granati.de diſſ.cont. Sp.73.B
Boni odoris uinum leue, in quo eſt dulcedo pauca, bonum generat humorem inter craſſum, & tenuem.de diſſ.cont. Sp.73.H
Boni odoris uinum perſicum, uel citrinum eſt boni chymi & ſubtilis. de diſſol.conti. Sp.73.H
Boni chymi cibus plurimus eſt accipiendus poſt comeſtionem bathecę. de diſſ.cont. Sp.74.F
Bonis cibis duobus propoſitis, præbeatur qui magis appetitur ab ægro. de diſſ.cont. Sp.72.B
*Bonus ſanguis efficit, ut quis calorē, et frigº facile ferat.de dyn.*Sp.19.D
Bonum medicū pręceptorū mathematices meminiſſe operæpretiū eſt, et quę ſint illi pſpicienda.de decub.prog.ex mathe.ſcientia. Sp.15.H
*Bona, bonum ſemper portendunt.in progn.com.*3°. 4ª.211.E
*neq; Bonum, neq: malū portendentia ſymptomata.*1°.*de criſi.* 4ª.131.C
Boni ſudores qui ſint.de pręſag.exper.confir. Sp.77.G
Bonum eſt aquam ire per urinam.de bon.aquę. Sp.76..A
Bonum odorem dari medicinis à petroſelino, uel dauco, uel pulegio, uel ſatureia, collige.de dyna. Sp.21.B
Boni ſaporis, et dulcia cur miſceant̃ medicinis.de med.exper. Sp.108.G
Bonæ ſunt medicinę in aliquibus locis, in alijs ſunt uenena.de medicinis expertis. Sp.108.H
*BORRORYGMON quod genus ſonitus.*3°.*de ſymp.cau.* 3ª.28.G
BOREAS *ab Vrſis, & Rhiphæis montibus ſpirat.de aere, aquis, & locis.* 2ª.5.D
Boreas debilis, & leuis eſt cum peruenit ad partes longinquas.de aere, aquis, & locis. 2ª.5..A
Boreas frigidus eſt & ſiccus, omniaq; ſiccat & infrigidat. 1°.*de temperamentis.* 1ª.10.E
*Boreas facit frigus, & ſerenitatem.*3°.*de ſymp.cau.* 3ª.27.F
*Borea flante non fiunt putredines.*1°.*de temp.* 1ª.10.E

à Borēa,Euro,et Subſolano tutus ē ſinus inter Surrētū ctNeapolim ob collē lōgitudine ad Tyrrhenū mare porrectū.5°.meth.med. 7ª.34.H
Boream uerſus regiones æſtate adeundas eſſe,elicitur. de cauſis procatarcticis. 3ª.96.A
ad Boream piſces meliores.3°.de alim.fac. 2°.30.C
Boreas ſi flauerit,dulcior erit aqua,& frigidior.de bo.aquæ. Sp.75.G
Borealis aer tenuis,non calidus.1°.de ſimp.med.fac. 5ª.6.D
Boreales conſtitutiones faciunt fructus tenuis eſſentię & frigidos.4°.de ſimp.med.facul. 5ª.28.C
BOVEM ſpeciem uel genus animalis appellare poſſumus.2°.de ſemine. 1ª.339.H
Bos à natura hominis non longe aliena in fœtu.de fœtuum for. 1ª.322.E
Bos medium locum obtinet inter prona exacte,et planè recta animalia. 3°.de uſu par. 1ª.128.F
Boues habent muſculum temporalem maximū.11°.de uſu par. 1ª.184.G
Boum gena inferior maxima.11°.de uſu par. 1ª.185.A
Boues habent tantum dentes inciſiuos et molares.de anat.uiu.Sp.49.E
Boum nerui ad profundam laryngem euidētiſſime apparent.16°. de uſu partium. 1ª.216.E
Boues uulneratæ in dorſi medullæ exortu habent ſanguinē in aliquo uentriculo.1°.de decre.Hip.& Plat. 1ª.231.G
Boues ſine cornibus ubi.de aere,aquis,& locis. 2ª.5.D
Bobus cur eximantur teſtes.3°.de alimen.fac. 2ª.27.B
Boue exerto calidior eſt taurus.11°.de ſimp.med. 5ª.78.E
de Bouis temperie ſi quæratur,quid reſpondendum.1°.de tem. 1ª.13.E
Bos eſt multo ſiccior ſue.3°.de alim.fac. 2ª.25.H
Bos ſiccior eſt capra.11°.de ſimp.med.fac. 5ª.78.E
Boue ſiccior eſt leo.11°.de ſimp.med. 5ª.78.E
Boues ob ſiccitatem adipem plurimū generāt.11°.de ſimp.med. 5ª.78.H
Boum adeps,qualis.7°.de comp.med.per genera. 5ª.263.E
Bouis adeps acer eſt.4°.de ſimp.med. 5ª.25.E
Boum fel ſupra ouillum eſt acre.10°.de ſimp.med. 5ª.74.H
Bouina medulla emollit,& in quo gradu ſit de oculis. 7ª.188.D
cur Boues non poſſunt depaſcere herbam breuē.de ar.com.1°.7ª.256.H
Boues ueſcuntur eruo.2°.de alim.fac. 2ª.17.C
Boues ſaginat herbum,ſi decoctum detur.de ſimp.med. Sp.85.B
Boues fiunt macilentiſſimi ſub finem hyemis.de art.com.1°. 7ª.256.D
Boum lac,quale.3°.de alimen.fac. 2ª.27.F
Boum lac ſpiſſum eſt.5°.meth.med. 7ª.35.A
Boum lac habet multum pinguedinis.3°.de alimen.fac. 2ª.27.G
Bouina caro cur quoſdā lædit & quoſdā nō.de aſſuetudinibus.2ª.60.H
Boum carnes quidam cum delectatione edunt,quidam etiam nō poſſunt odorem ſentire.de aſſuetudin. 2ª.60.A
Bouinas carnes aliqui facilius digerunt piſcibus ſaxatilibus.6°. de ali.fa.7.F/8.G/de aſſuetudinibus. 2ª.60.H
Bouinas carnes cur aliqui digerāt.& nō pullinas.de diſſ.con. Sp.72.C
Bouis caro tarde digeritur.de diſſ.cont. Sp.73.D
Bouis carne uelocius digeritur caro uituli.de diſſ.cont. Sp.73.C
Bouis caro mala eſt.de diſſ.cont. Sp.74.A
cur Bouis caro ſit cibus craſſus.de diſſ.cont. Sp.72.H
Boum caro quibus obſit.de atten.uic. 2ª.45.E
Bouinæ carnes fugiendæ ſunt in epilepſia.de puero epilep. 7ª.180.H
Bobus lien eſt nigrior præſertim ubi conſenuerint. de atra bile.1ª.36.A
ex Bobus quomodo apes,& ueſpæ gignantur.an animal ſit. 1ª.328.B
Bouis talus lumbricos rotundos educit,lienem conſumit, & leucas tollit illitus,& mediocriter uenereus eſt.de theriaca ad Piſo. 5ª.93.E
Bouis talus dentes uacillantes confirmat.de theria.ad Piſo. 5ª.93.E
Bouis armētariæ ſtercus ad quid utile.8°.de cōp.med.ſec.loc. 5ª.192.C
Bouis armentariæ ſtercus pro cataplaſmate in hydrope.9°.de compoſi.med.ſec.loc. 5ª.200.E
Bouillum ſtercus hydropem ſanat.de theria.ad Piſo. 5ª.93.F
Bouis ſiccum ſtercus quo modo melancholicis proſit. de mel. ex Galeno Ruf.& Poſſ. Sp.110.C
Bouis tomij lotio buccinum uſtum extingunt ne penis erigatur. de remed.paratu facilibus. 7ª.169.D
Boues ne ægrotent quid agendum.de remed.paratu.facil. 7ª.173.A
Bouis articulus ad coxam luxatur.de articulis.com.4°. 7ª.288.G
Bobus tunc magis femora ex acetabulis elabuntur,dum ſunt macilentiſſimi.de articulis,commen.1°. 7ª.256.F/G
Bos.lege Bubulus.
BOSCADAE columbæ,quales.2°.de comp.med.per gen. 5ª.223.C
BOTRIA appellantur foramina quæ dētes ſubeunt.de oſſib. 1ª.41.F
Bothrion quid.fin.med.48.D/introd. Iſa.58.D/H
BOTRVS uuæ maturus infundit, & procurat uentrem. de ſimpli. medic. Sp.92.B
Botrus uuæ immaturæ uentrem ſtringit.de ſimp.me. Sp.92.B
BOTRYOS medicamentum.3°.de comp.med. 5ª.144.B
BOTRYTES cadmia quæ.9°.de ſimp.med.fac.5ª.69.E/ de ſimplicibus medicaminibus. Sp.81.F
Βουφθαλμος herba,hoc ē bouis oculus.de articulis.com.4°.7ª.286.H
Βούφθαλμος durities ſanat.6°.de ſimp.med.fac. 5ª.47.B

BRABYLA fructus habent exiguum alimētum. 2°.de alimen.fac. 2ª.22.B
Brabyla fructus ſunt praui ſucci.2°.de alim.fac. 2ª.22.B
ex Brabylis,& prunis & cornis ſtomatica fiunt medicamenta. 6°.de comp.med.ſec.loc. 5ª.169.B
BRACHIVM quid uocetur.introd. Iſa.53.B
Brachij noīe ſm nōnullos quid ītelligat Hipp.de frac.com.2°. 7ª.231.H
Brachiū os ſolum uocatur ab Hipp.ſm aliquos.de frac.cō.2°. 7ª.236.E
Brachium appellatur quod inter duas iuncturas humeri et cubiti intercedit.de articulis,com.4°. 7ª.252.C
Brachium eſt os magnum ab humero.de motu muſculorum. 1ª.313.F
Brachium eſt pars manus.2°.de uſu partium. 2ª.121.A
Brachium eſt pars maxima manus 1°.de motu muſcu. 1ª.313.F
ꝓ Brachio & manu,manus noīe utitur Gale.17°.de uſu par. 1ª.221.G
Brachia,crura à græcis dicuntur κῶλα.i.membra longa.de cucurbitulis.ſcarifica. 6ª.4.D
cur Brachium non eſt longum uſq; in terram.17°.de uſu par. 1ª.221.G
Brachium in manu tale eſt,quale femur in crure.3°.de ana.ad.1ª.74.A
quod Brachiū eſt ī manu,id ī crure eſt femur.de fract.cō.2°. 7ª.232.H
Brachia,& crura poſteriora ſunt in formatione fœtus.de ſemi. 1ª.331.F
ne Brachia frangantur timendum eſt,quando pedes in partu præcedūt. de anatomia uiuorum. Sp.52.E
in Brachio unum os.2°.de uſu partium. 1ª.126.A
in Brachio cur unum os.2°.de uſu partium. 1ª.126.G
Brachij os cur gibberoſū exterius,ſimū īterius.2°.de uſu par.1ª.126.A
Brachij oſſa caua ſunt,ne grauiſſimum ſit brachium ac geſtatu difficile. 11°.de uſu partium. 1ª.191.D
Brachij os tria ligamenta ualida ligant.13°.de uſu par. 1ª.203.C
Brachij ligamenta quæ.13°.de uſu partium. 1ª.203.C/D
Brachij ligamenta unde oriantur.13°.de uſu partium. 1ª.203.D
Brachiorū oſſa à quibus muſculis moueantur.17°.de uſu par. 1ª.221.C
Brachij rotundam regionem græci appellant τροχιλώδι. 2°. de uſu partium. 1ª.125.G
Brachij caput cur rotundum ſit.13°.de uſu partium. 1ª.203.B
Brachij acetabulum,quod.de articulis.com.1°. 7ª.255.D
Brachiū debebat eſſe circundatū undiq; carne.2ª.de uſu par. 1ª.126.B
in Brachij medio aden eſt.2°.de diff.feb. 3ª.41.B
Brachium eſt maius cubito.2°.de uſu partium. 1ª.126.F
Brachij articulus & magnus eſt,& ſinus plures habet.de fracturis cōmentario.3°. 7ª.248.H
Brachium utrunq; humeri articulo coarctatur.intro. Iſa.54.H
in Brachio q̄ partes ſint cōdylus,et tuberculus.de fra.cō.1°. 7ª.226.F
in Brachium cur inſeruntur uaſa tenuia.13°.de uſu partium. 1ª.202.B
Brachijs cur non immittuntur nerui à cerebro.16°.de uſu par. 1ª.215.E
Brachij neruorum ſectio.3°.de anat.adm. 1ª.74.F
Brachiorum,& manuum nerui forma differt à forma neruorum pedū, & crurum.de ana.uiuo. Sp.54.C
Brachiorum exercitationes,quæ.2°.de ſani.tuen. 2ª.74.G
Brachia exercentur paruæ pilæ ludo.de paruæ pilæ exer. 2ª.49.B
Brachiorū ꝑtes mediæ quā exercitationē deſiderāt.5°.de ſa.tu. 2ª.90.B
Brachium quoquo uerſus circumagitur.12°.de uſu par. 1ª.194.A
Brachij motus fit à ui animali.2°.de ſympt.cau. 3ª.20.A
in Brachio,ex motibus obliquis fiunt recti.11°.de uſu par. 1ª.190.G
Brachij muſculorum diſſectio.1°.de anat.adm. 1ª.67.H
ꝑ Brachium totum muſculi duo inuicem uniti prius quàm in tendinum radices terminentur.1°.de anat.adm. 1ª.65.D
in Brachio quatuor muſculi.2°.de uſu par. 1ª.126.A
Brachium mouentes muſculi undecim ſunt,qui,& quo modo, & ubi cōplantati ſint ac finiant.de muſc.diſſ. 1ª.47.B
de Brachij totam articulationem mouentibus muſculis,ac tendonibus. 13°.de uſu partium. 1ª.203.E
Brachiorū motus magni muſculi,qualis.de motu muſculorū. 1ª.309.G
Brachij nodi exterioris muſculi.1°.de anat.adm. 1ª.66.F

Brachium attollentes muſculi uehæmentius mouent, quàm deprimentes 13°.de uſu par. 1ª.203.H
Brachiũ totũ eleuãt muſculi q ſunt ad epomida.16°.de uſu par.1ª.217.G
ꝓ Brachio attollẽdo neruũ ualidũ flagitãt muſculi.16°.de uſu p.1ª.217.G
pro Brachio attollendo neruus unde oriatur.16°.de uſu par. 1ª.217.H
Brachiũ qui muſculus ſurſum ꝑ rectã lineã attollat.de muſ.diſ. 1ª.47.F
Brachium qui muſculus attollat, ſed ad interiora inclinans. de muſculorum diſſectione. 1ª.47.F
Brachium quibus cauſis non poteſt attolli.de ijs quæ in medi. fiunt.commentario.1°. 7ª.198.D
Brachiũ qui muſculus ad exteriora oblique abducit.de muſ.diſ.1ª.47.F
Brachij caput qui muſculus attrahat.de muſ.diſſ. 1ª.47.G
Brachium qui muſculus pectori adducat.de muſ.diſ. 1ª.47.G
Brachium totum qui muſculus pectori adducat.de muſ.diſſ. 1ª.47.G
Brachium qui muſculus ad latera detrahat.de muſ.diſſ. 1ª.47.G
Brachium ad coſtas rectum extendens muſculus.de muſ.diſſ. 1ª.47.G
in Brachio toto quo modo fit flexio, & extenſio.de motu muſ. 1ª.313.G
Brachij extenſio iuſtiſſima quæ ſit, & quo modo paretur.de fractu.commentario.2°. 7ª.232.A
Brachium extentum duobus fit motibus, uirtute ſurſum attollente, & naturali pondere peſſum trahente.2°.de ſymp.cau. 3ª.20.B
Brachij corpus deorſum trahit, uirtus attollit, ac ſuſtinet.2°.de ſymptomatum cau. 3ª.20. A
Brachij extenti habitus eſt ex actionum & motuum genere.2°. de ſymptomatum cauſis. 3ª.20.B
Brachiũ & crus qui in altum ſuſtulerunt, deinde ita ut habent ſeruãt immotos eſſe ne arbitreris.de pal.trem.conuulſ. 3ª.52.A
in Brachio tres quietes, quo modo à diuerſis fiãt, & ita in alijs mẽbris. 2°.de ſymp.cau. 3ª.20.B
Brachij immobilitas ſ͠m naturam fit à ui ãali.2°.de ſym.cau. 3ª.20.A
Brachiorum ſenſum & motum perdere facit ſpina in quinta uertebra uitiata.1°.de ſymp.cau. 3ª.16.D
Brachium cum tenditur, uel conuellitur, eſt uitium unius nerui, qui particulam mouet.1°.de ſymp.cau. 3ª.19.D
Brachia & cubiti gracilia ſicui ſunt, crura autem craſſiora, huic omnia, quæ per manus fiunt exercitia, ſunt petenda, fugienda uero quæ cruribus obeuntur.5°.de ſani.tuen. 2ª.90.D
Brachij uenarum conſideratio.de uenar.arte.diſſ. 1ª.56.G
Brachij uenarum poſitus non ſemper idem, ſed tres habet differentias. de uena.arte.diſſect. 1ª.56.G
in Brachij externis atq; anterioribus partibus natura proprias mittit uenas per ſuperficiem ſine arterijs.17°.de uſu par. 1ª.221.A
per Brachium totum duæ uenæ, axillaris, & humeraria.3°.de anatomicis adminiſt. 1ª.77.E
per Brachium totum, quæ fertur uena ὠμιαῖα.i.humeralis, uocatur.1° de anat.adm. 1ª.67.H
Brachium nutrientes uenæ unde oriãtur.de ijs quæ in medica.fiunt.commentario.3°. 7ª.220.E
in Brachio quæ uenæ incidendę.3°.de anat.adm. 1ª.77.C
in Brachio tres uenæ ſecandę.præſ.exper.confir. Sp.78.B
in Brachio ſunt uenæ quinque quæ ſecantur.de anat.uiu. Sp.54.G
Brachij funis ẽ una ex qnq; uenis brachij q̃ ſecant̃.de anat.uiu.Sp.54.G
Brachij funis in quibus affectibus ſecatur.de anat.uiu. Sp.54.H
Brachij uenarum occultarum conſideratio.de uena.art.diſſ. 1ª.57.A
Brachij uenarum profundarum ſectio.3°.de ana.adm. 1ª.77.D
Brachiorum uenę non ſecandæ in ſuppreſſis menſibus.de cur.ratio. per ſanguinis miſſ. 6ª.18.F
ex Brachij dexteri interiore uena ſanguis in angina detrahendus. præſa.exper.confir. Sp.78.E
Brachium uerſus tende cum ſecas baſilicam.de anat.uiu. Sp.54.G
in Brachio in parte inflammata uena non eſt incidẽda, quia arteria propinqua eſt.3°.de anat.adm. 1ª.77.C
Brachij arterię ſectio.3°.de anat.adm. 1ª.77.E/F
in Brachio una arteria uicina uenę axillari, & unde ueniat.3°.de anat. adminiſtra. 1ª.77.E
Brachia quo modo pulſu priuabis.de uſu pulſ. 1ª.227.D
Brachia & pedes madeſcunt acerrimo aceto, pro ſtomacho.8°. de compo.medica.ſecun.locos. 5ª.192.D
Brachijs & manibus impoſita acria medicamenta ſuccos ad caput, & uiſcera uergentes reuellunt.de cucur.ſcar. 6ª.4.G
Brachiorum, & crurum uincula reuellunt.de cucur.ſcar. 6ª.4.F
Brachiorum & extremorum ligaturę fortes ſtomachicis adhibentur. 8°.de comp.med.ſecun.loc. 5ª.192.D
ad Brachiorũ, dolorẽ, & mẽbrorum quid faciat.de cura lap. Sp.112.D
ad Brachiorum dolorem.de cura lap. Sp.112.B
in Brachio puncti pueri caſus emplaſtico curati qui perijt.3°.de med. comp.per gen. 5ª.231.G
Brachij robori nõ cõſulẽdũ ſi phlegmone laboret.13°.met.med.7ª. 84.E
Brachiorum, & crurũ uulnerum differentia.de fract.com.2°. 7ª.238.F
Brachium ad coſtas alligatum in ulceribus.de articulis.cõ.1°.7ª.259.F
Brachij caput ſi frangatur circa appendicem, quid accidat. de fracturis commen.3°. 7ª.250.E
Brachium nudum exigit operatio, honeſtas tectum.de ijs quæ in medicatri.fiunt.com.1°. 7ª.202.H
in Brachij fractura quomodo debet appendi manus, quando homo deambulat.de fract.com.1°. 7ª.231.A
Brachij os ĩ quadragita diebus corroboratur.de fract.com.2°.7ª.232.G
de Brachij luxatione.de decre.Hipp. 1ª.281.E
Brachium cur frequenter non luxetur.13°.de uſu par. 1ª.203.C
Brachij ala in luxato, & ſano quomodo ſe habeat.9°.de decre. 1ª.281.B
Brachium luxatum, cur non poteſt circumagi.13°.de uſu par. 1ª.202.G
Brachium luxatum cognoſcitur ex tumore ſub ala duro, & rotundo.de ijs quæ in medic.fi.com.1°. 7ª.198.F
in Brachij laxatione qui ſit error minor.de fract.com.1°. 7ª.224.G
Brachium ſæpe excidit.de articulis.com.1°. 7ª.252.A
Brachij luxationẽ quinquies uidit Gal.de articu.com.1°. 7ª.256.G/H
Brachium an exciderit ſignum.9°.de decre.Hipp. 1ª.281.B
Brachium quo modo cognoſcetur è propria ſede excidiſſe in alam prolapſum.de ijs quę in med.fi.com.1°. 7ª.198.G
Brachium iugiter excidens uri debet.com.6°.aph.60°. Ex.53.G
cur Brachia exuſta humeris manuũ iuncturas, pectora, coxas, & lumbos habent Nomades.de aere, aq.& loc. 2ª.5.F
Brachium ſi in poſteriorem partem exciderit maximos omnium dolores febres continuas, mereq; bilioſas, & letales, paucisq; diebus conficientes affert.de artic.com.3°. 7ª.250.C
quibus Brachij aut femoris os extra eminet, hi non euadunt.de fractu. commen.3°. 7ª.248.A
Brachiũ, & crus habẽt diuerſam deligationẽ.de fract.cõ.2°. 7ª.239.A
Brachio quæ deligatio fieri poteſt.de ijs quæ in me.fi.com.2°. 7ª.206.C
Brachium qua figura illigandum.de fract.com.1°. 7ª.225.H
Brachiorum motus, & figurationes quales.de fract.com.1°. 7ª.226.A
Brachij figura anguloſa, ἐγγώνιος, dicta eſt à dolore libera & maxime naturalis.6°.meth.med. 7ª.41.B
in Brachio quę figurę quibus contrariæ ſint.de fract.com.1°. 7ª.226.B
Brachij oſſis primus repoſitionis modus.de artic.com.1°. 7ª.252.F
BRACHIALE quod dicatur.introd. Iſ.53.C
Brachiale appellatur prima pars palmæ.de oſſibus. 1ª.43.A
Brachiale ſeu carpus eſt nodus, quo cubitus extremæ manus committitur.de uenarum, arteriarumq; diſſec. 1ª.56.F
Brachialis cutis ĩ articulo, diligẽter eximi debet.1°.de ana.adm.1ª.65.F
Brachiale quibus compoſitum ſit.de oſſibus. 1ª.43.B
Brachialis oſſa tria.intro. Iſ.54.H
Brachialis, & poſtbrachialis oſſa nectentia, ligamenta dura craſſaq; ſunt.1°.de anat.adm. 1ª.67.F
Brachiale flectimus, & reflectimus ad utranque partem recti.de motu muſculorum. 1ª.315.G
Brachiale à quibus muſculis extendatur.de muſc.diſſ. 1ª.48.C
Brachiale extendens muſculus.de diſſ. 1ª.48.D
Brachiale qui muſculus flectit cum inclinatione ad ſupinum, & qui cũ declinatione in pronum.de muſ.diſſ. 1ª.48.G
Brachiale flectentes duo muſculi.1°.de ana.adm. 1ª.65.E
Brachiale mouentes muſculi apud magnum digitum exortus.de muſculorum diſſect. 1ª.48.H
Brachiale apud magnum digitum flectens in pronum muſculus. de muſculo.diſſect. 1ª.49.A
Brachiale mouentis muſculi apud paruum digitum exortus. de muſculorum diſſect. 1ª.48.H
Brachiale & digitos flectere quorum muſculorum ſit officium.de muſculorum diſſect. 1ª.48.F
poſtBrachiale quid appelletur.de oſſibus. 1ª.43.B
poſtBrachiale quibus compoſitum ſit.de oſſibus. 1ª.43.C
poſtBrachialis oſſa quinque.introd. Iſ.54.H
cum Brachiali poſtbrachialis motus eſt latens, & obſcurus. de muſculorum diſſect. 1ª.49.D

Βραχύποτοι, qui. in 3^{m}.de mor.uul.com.3º. 3ª.149.A
BRADYPEPSIA id eſt tarditas coctionis, quid ſit. de ſymptomatũ diffe.12.E/3º.de ſymp.cau. 3ª.24.F
Bradypepſia quomodo gracilitatem faciat. de ſymp.diff. 3ª.13.A
BRANCA lupina, quæ inferius eſt rotunda ad cancrum quo modo ualeat. de dyna. Sp.31.A
Branca lupina, ad caducos, et q̃ ſpumat, et paralyticos. de dyn. Sp.24.C
BRANCHIARVM piſcium compoſitio. de uſu par. 1ª.150.H
Branchias habent piſces uice pulmonis.6º.de uſu par.1ª.150.H/de anatomia uiuo. Sp.48.B
Branchia ad piſces, ita ſe habet pulmo ad terreſtria animalia. de anato. uiuorum. Sp.53.B
in Branchijs piſcium ſunt pori adeo tenues, ut non recipiant niſi aerem. de util.reſp. Sp.64.C
per Branchias uaporem reſpirant delphinus, lepus marinus, & alia animalia quæ ſunt communia terræ, & mari, quæ arabici cenalia dicuntur, & piſces. de anat.uiuo. Sp.48.C
BRANCHVS ſiue raucitas, quid.3º.de ſymp.cau. 3ª.29.F
Branchus quo modo fiat, & ubi. de anat.parua. Sp.41.H
Branchis occupatur qui biberit aquam pluuialem. de bon.aq. Sp.75.F
BRASSICA q̃uo antiquitus appellabatur.2º.de alim.fac. 2ª.23.B
Braſſica habet naturam compoſitam ex repugnantibus facultatibus.2º de ali.fac.2ª.7.G/de rat.uict.in mor.acu.com.1º. 7ª.111.G
Braſſicæ mordaces humores præparatione auferre oportet, ſi uis de eius ſubſtantia quæ alit, rectum iudicium ferre.cõ.2º.aph.18º. Ex.13.H
Braſſica agreſtis eſt uehementior domeſtica.7º.de ſim.me.fa. 5ª.52.H
Braſſica agreſtis ab humana temperatura longius recedit domeſtica.7º de ſimp.me.fa. 5ª.52.H
Braſſicæ ſylueſtris ſemen, quale.9º.de comp.me.ſec.loc. 5ª.202.A
Braſſica ut obſonium manditur.2º.de alim.fac. 2ª.22.H
Braſſica hyeme edenda. de ſal.diæta. 2ª.40.B
Braſſica quo modo præparetur.com.2º.aph.18º. Ex.13.H
Braſſicæ facile nutriunt, ſed parum.8º.meth.med. 7ª.50.H
Braſſica paucũ habet alimẽtũ.2º.de ali.fac.2ª.23.B/de di.fe. 3ª.31.G
Braſſicæ ſuccus prauus.2º.de alim.fac. 2ª.23.B
Braſſica crudum, craſſum, & frigidum humorem gignit. de bo. & uitio ſuccorum. 2ª.35.E
Braſſica ſola ĩter olera facit ſanguinẽ melãcholicũ.3º.de lo.aff. 4ª.18.F
Braſſica q̃uo aſtrĩgat & ſoluat.1º.de ali.fac.2ª.7.G/3º.de ſim. 3ª.20.A
Braſſica ipſa aſtringit. de ther.ad Piſo. 5ª.90.H
Braſſicę ſuccus purgat.2º.de alim.fac.22.H/2ª.23.A/de theria. ad Piſonem. 5ª.90.H
Braſſicam ducere aluum & digerere, elicitur, in 6^{m}.de morb.uul. commentario.2º. 3ª.167.E
Braſſicæ folia naturaliter ebrietati reſiſtunt.2º.de compo.medic.ſecundum locos. 5ª.133.C
Braſſica cocta conuenit ſtomachicis.8º.de cõp.me.ſe.lo. 1ª.192.C
Braſſica calefacit & ſiccat. de ſal.diæta. 2ª.40.B
Braſſica deſiccat.7º.de ſimp.med.fac. 5ª.52.G
Braſſica bis cocta ſicca.2º.de ali.fac. 2ª.23.A
Braſſica & lens æque exiccant.2º.de alim.fac. 2ª.23.A
Braſſica magis ſiccat, quàm malua, blitum, lapathum, atriplex, & lactuca.5º.de ſan.tuen. 2ª.92.C
Braſſicæ cyma minus ſiccat, quàm braſſica.2º.de ali.fac. 2ª.24.A
Braſſica corpus exiccat & ſtringit.2º.de alim.fac. 2ª.23.A
Braſſica uapores reſiccat.2º.de compo.med.ſec.loc.5ª.133.D/de remed. par.fac. 7ª.153.G
Braſſica nunq̃ erit humectantis naturæ. de bon.& uitio ſuc. 2ª.38.H
Braſſica acris eſt. de attenu.uic.rat. 2ª.43.H
Braſſica attenuat. de attenu.uic.rat. 2ª.43.H
Braſſica hebetat uiſum.2º.de ali.fac. 2ª.23.B
Braſſicæ, careæ, & buxi halitus aerem uicinum inficiunt. in 3^{m}.de mor. uulg.com.3º. 3ª.133.F
Braſſicarum cinis adurit.7º.de ſimp.me.fa. 5ª.52.G
Braſſicarum cinis cum adipe ad inueteratos laterum dolores ualet.7º. de ſimp.med.fac. 5ª.52.G
cum Braſſicæ ſucco aloes pillulæ conficiuntur ad ſoluendam aluum ſenibus, quod non laudat Galenus.5º.de ſani.tuen.2ª.92.E/1º.de comp. med.ſecun.locos. 5ª.131.F
Braſſicæ ſuccus aloes inſuauitatem remittit. de dyna. Sp.20.H
Braſſica epilepticis conuenit. de puero epilep. 7ª.180.B
Braſſica ad phtyſicos. de remed.paratu.facil. 7ª.172.C
Braſſicam, & porrum dat in arteriæ affectione.7º.de compo. medic.ſecundum locos. 5ª.178.A
Braſſicæ ſemen lumbricos amaritudine necat: ephelidas, & lentes abſterſione adiuuat.7º.de ſimp.med.fac. 5ª.52.G
Braſſica ulcera glutinat, maligna ulcera ſanat, phlegmonas iam induratas, ac ægre ſolubiles, & id genus eryſipelata ſanat, epinyctidas, & herpetes ſanat, lepras curat.7º.de ſimp.me.fa. 5ª.52.G
Braſſicæ, quę chloros.i.uiridis, dicitur, fit mẽtio. in pg.cõ.1º. 4ª.191.D
Braſſicam marinam thalaſſocramben uocant.5º.de ſan.tuen. 2ª.92.F
Braſſica marina ſoluenda ſenum aluo accommoda eſt.5º.de ſan.tuen.2ª.92.F/7º.de ſimp.med.fac. 5ª.52.H
BRATHYOS uires.6º.de ſim.me.fa. 5ª.45.B
Brathyos fit mẽtio.5º.de cõp.me.per ge.251.D/7º.269.G/H/ 5ª.271.E
BREGMA ſeu ſinciput deſcribit. in 6^{m}.de mor.uul.cõ.3º. 3ª.169.H
BRENITI confectio.9º.de comp.med.ſec.lo. 5ª.202.H
BRETANICAE herbæ folia adſtringunt.6º.de ſimp.medi.fa.5ª.45.C
Bretonica eſt uulnerum glutinatoria.6º.de ſimplicium med.fac.5ª.45.C
BREVILOQVENTIA antiquis propria.3º.de diff.reſp. 3ª.71.C
BREVITATI ſtuduerunt antiqui.4º.meth.me. 7ª.26.H
Breuis, et manifeſtus haudquaq̃ accuratus eſſe põt. de puc.ep.7ª.179.F
Breues loquutiones dedita opera fieri uidentur ab his qui enunciare obſcure aliquid uolunt. de ijs quæ in med.fiunt.com.1º. 7ª.200.D
Breuiloquio & obſcuritate tegere uult Chryſippus ea à quib9 redarguitur. de decre.Hipp. 1ª.243.F
Breuitatem perpetuam profitetur Galenus.3º.de pul.diff. 4ª.63.B
Breuitas Chryſippo inſueta eſt, & q̃n ea utatur.3º.de decre. 1ª.243.E
inter Breuitatem & prolixitatem, mediam uiam profitetur Galenus. 4º.de decr.Hipp. 1ª.248.B
Breuiſſima res, indiuiſibilis res, & elementum idem ſunt.8º.de decre. Hippoc. 1ª.274.C
Breuiſſimæ ſunt propriæ motiones capitis. de muſ.diſſ. 1ª.45.D
BREXANTES quidam appellant uirides ranas paruas.10º.de ſimp. med.fac. 5ª.73.D
BRITANNI uiuunt annos centum uiginti, ſecundum Aſclepiadem. de hiſtoria philoſophica. Sp.12.E
BRITVS tractus in Myſia.1º.de antido. 5ª.101.E
BRODIVM galli antiqui lenit uentrem. de diſſol.cont. Sp.75.A
Βρώματα quid ſignificet. de uict.rat.in mor.acu.com.4º. 7ª.145.C
BROMVS ſimilis hordeo in uiribus.6º.de ſimp.me.fac. 5ª.45.D
Bromus frigidior hordeo.6º.de ſimplicium medic.fac. 5ª.45.D
Bromij fit mentio.5º.de comp.med.ſec.lo. 5ª.166.E
BRONCHVS quid. introd.Iſ.54.C/7º.de uſu par.1ª.158.F/7º.de compo.med.ſec.lo.5ª.177.B/de art.com.3º. 7ª.269.E
Brõchi proprietatẽ, illi tm̃ cognoſcũt, qui uiderunt.1º.de loc.aff. 4ª.2.C
Bronchi caput quid.7º.de anatomicis adminiſtra. 1ª.94.B
Bronchi caput, & laxynx, idem.7º.de uſu par. 1ª.160.A
Bronchi caput ex quibus conſtitutum ſit. de uoc.inſtr.diſſ. 1ª.106.E
Bronchi caput cur ex chartilaginibus. de uoc.inſtr.diſſ. 1ª.107.B
Bronchus cur non ex una chartilagine eſt confectus, & cur ex tribus, & non pluribus. de uoc.inſtr.diſſ. 1ª.107.C
Bronchus eſt ut cauſa uocis. de uoc.inſtr.diſſ. 1ª.106.E
qua Brõchi figura rõne dormiẽtes maxĩe ſtertũt. đ ar. cõ.3º. 7ª.269.E
Bronchij tunica quandoque expuitur.4º.de loc.aff. 4ª.25.G
Bronchium quod expuitur, à pulmone eſt.1º.de loc.aff. 4ª.2.C
in Brõchio nõ fit ulceratio, quin ãial prius moriat̃.1º.de loc.aff. 4ª.2.C
Bronchiorum muſculi ſunt in collo. de uoce, & anhel. Sp.60.F
Bronchij quid ſint.4º.de loc.aff. 4ª.27.F
in Bronchijs pulmonis aliq̃n ſunt humores craſſi.4º.de lo.af. 4ª.27.F
BRONCHOCELE quaſi dicas gutturis ramex. fin.me. Iſ.49.B
Bronchocelæ ſunt fauciũ tumores.2º.de comp.med.per ge. 5ª.225.E
ad Bronchocelas bdellio utebantur ſaliua matutina ſubigentes.6º.de ſimp.med.fac. 5ª.44.H
ad Bronchocelas Moſchionis catagmaticum.3º.de comp.medicam.per genera. 3ª.235.C
ad Bronchocelen diſcutiẽdã.6º.de comp.med.per ge.261.B/ 5ª.262.H
in BRVMATI leni quid reponendum ſit. ſecret. Sp.102.A
BRVTA ſunt eiuſdem complexionis. ae ſper. Sp.37.D
Bruta cur non imitantur naturam humorum. de ſper. Sp.37.C
Bruta non mutantur ſecundum planetas. de ſperma. Sp.37.D
Bruta animalia incidit Galenus.4º.de anatom.admini.80.B/7º.97.B/2º.de ſemine. 1ª.336.A
ꝑ Brutorũ anatomia ãial debet eẽ antiquius. đ mo.ma.et obſ. Sp.70.E

in Brutis

in Brutis uociferationis uaſa,quæ.de anat.uiuorum. Sp.49.B
Bruta quædam uertunt aures ad ſomnum,quoniam magnas illas à natura ſunt nacta.11°.de uſu par. 1ª.89.A
in Brutis uentriculi fundus tendit uerſus anteriora ad hypochondrion. 4°.de uſu par. 1ª.136.H
Bruta quædam nutriuntur per odoratum.de anat.uiu. Sp.49.B
Bruta habent aliter flexiones,quàm homo.3°.de uſu par. 1ª.128.E
in Brutis muſculi qui flectunt & extendunt,ſunt ſimiles illis qui ſunt in homine.6°.de ana.adm. 1ª.90.A
Bruta cur non ſtent recta,ut homines.3°.de uſu par. 1ª.128.D
in Brutis crura & ſpina faciunt angulum rectũ.3°.de uſu par. 1ª.128.D
in Brutis ſunt etiam acetabula.de diſſ.uul. 1ª.109.F
Bruta coeunt ut excernant ſemen, ſicut etiam mingunt & cacant.6°.de locis affect. 4ª.39.H
in Brutis an ſemẽ retineatur,Galeni obſeruatio.1°.de ſemine.1ª.329.A
cum Brutis communis anima eſt in corde,& quibus nominibus appelletur.8°.meth.med. 7ª.58.H
Brutorũ animæ quo modo ſint prudẽtes.de moti.man.& obſc. Sp.67.F
Bruta non concupiſcunt nec iraſcuntur ſecundum aliquos. 2°.de decret. Hipp.234.D| 1ª.243.C
Bruta concupiſcunt & iraſcuntur,contra ſtoicos.2°.de decr. 1ª.234.E
Brutis an aliqua ratio inſit.in oratione ſuaſoria ad artes. Iſa.2.B
Bruta non habent imaginationem.de hiſt.philo. Sp.9.C
Bruta natura hñt artes,ſi quas hñt.ĩ ora.ſuaſoria ad bonas artes.Iſ.2.c
Bruta cur uitent frigus & calorem.de opt.ſecta. Iſ.21.E
in Brutis,non tantum in hominibus,ſine ulla doctrina, natura duce eſt fides,& perſuaſio.9°.de decre. 1ª.279.E
Bruta uolunt uincere.5°.de decre.Hipp. 1ª.256.G
Brutis quomodo ſimilis efficitur homo.de cogn.cur.animi mo. 2ª.52.H
Brutis comparantur barbaræ linguæ.2°.de pulſ.diff. 4ª.54.H
Βρυώδες quid ſignificet.3°.meth.med. 7ª.19.B
BRYON thalattion.i.alga,guſtum aſtringit,& calidis quibus uis illitum,ea refrigerat & adiuuat.6°.de ſimp.med.fa. 5ª.45.D
Bryon aut ſplanchnon,id eſt muſcus,quale ſit,& eius uires.6°.de ſimp. med.fac. 5ª.45.D
BRYONIA quid,& eius uires.de ſimp.med. Sp.81.D
Bryonia uocatur proprie uitis nigra.6°.de ſim.med.fa. 5ª.42.G
Bryoniæ cauliculi urinam excitant cum natura pigra eſt. de renum affe. dignot.& med. 7ª.196.E
Bryonia purgat ueſicam.de cathar. Sp.95.D
Bryoniæ radix tenuium partium eſt, & lapidem atterit in renibus.3°. de comp.me.ſe.lo. 5ª.141.B
Bryoniæ aut aſſari radix in aqua cucumeris agreſtis decocta ſæpius ꝑ ſe ſola,nonnunquã carycis pinguibus adiectis facit pro ſolutione tumoris ne aliquid duri remaneat.2°.de arte cur.ad Glau. 7ª.105.F
Bryoniæ radix ad neruos uulneratos.3°.de comp.me.per gen. 5ª.234.B
ex Bryonia oleum.3°.de comp.me.per gen. 5ª.235.A
Bryoniæ radicibus oleum,pro ueteri,faciebat Galenus.5°.de compo.medi.per gen. 5ª.258.A
Bryonię oleum ad acopa,& malagmata facit.de ſimp.med. Sp.81.E

BVBO & phygethlon quid.de tumoribus. 3ª.84.F
Bubo quæ ſit adenarum paſſio.13°.meth.med.81.A| 2°.de arte curat.ad Clauco. 7ª.101.C|D
Bubones ſimplices inguinum affectus.introd. Iſ.59.D
Bubo inguinũ tumor,eſt ex gñe inflãmationum.1°.de diff.feb. 3ª.32.G
Bubones ſub alis quando exurgunt.2°.de diff.feb 3ª.41.A
Bubones excitat ulcus ꝑpe magnã arteriã et uenã.13°.met.me.7ª.81.A
Bubo habet alterationem in motu arteriarum & cordis. 2° de nat.facultatibus. 1ª.300.E
Bubo hẽt immodicã quãtitatẽ caloris naturalis.2°.de nat.fac.1ª.300.E
Bubonibus pars continua primũ caliditatẽ aſſumit.de cauſ.mor. 3ª.6.G
ex Bubonibus febres lenes.2°.de dignoſcendis pul. 4ª.91.B
ex Bubonibus febrium lenium pulſus,qualis.2°.de dig.pul. 4ª.91.C
ex Bubone diaria febres.1°.de digno.pul. 4ª.73.A
ex Bubone diariæ curatio.8°.meth.med. 7ª.53.H
Bubo nõ ſatis eſt ut labefactet uẽtriculi actionẽ.2°.de nat.fac. 1ª.300.D
Bubone quidẽ laborabũt qui preparati ad ſanitatẽ ad unguẽ ſunt, ſi modo eorũ corpus ab utroq; excrementorum genere uacet, et eo quod ĩ quãtitate conſiſtit,& eo quod in qualitate.5°.de ſan.tuen. 2ª.88.G
Bubonũ curatio qualis eſſe debeat.2°.de arte cur.ad Glauc. 7ª.102.B
Bubones ſolis relaxantibus curantur.13°.met.med. 7ª.83.F
ad Bubonas,& parotidas butyro utuntur.10°.de ſimplicium medica. facul.73.F| 5ª.74.C
Bubonas ſanare credit aſter atticus ſuſpẽſus.6°.de ſim.me.fa. 5ª.44.B
ad Bubonas utilis eſt terra ſamia.9°.de ſim.me.fa. 5ª.65.H
ad Bubonem ſordes ualent.10.de ſimp.med.fa. 5ª.75.C
ad Bubonas caprinum ſtercus.10°.de ſimp.med.fa. 5ª.76.F
BVBONOCELE in inguine,& exomphalos in umbilico quid.de tum. pręter naturam. 3ª.84.G
cur BVBONIVM appelletᵣ aſter atticus.6°.de ſim.med.fa. 5ª.44.B
Bubonium modice calidum eſt nec uehemẽter nec ita deſiccat.6°. de ſimpli.med.fac. 5ª.45.A
BVBVLCI quo modo differunt ab opilionibus.9°.de decr. 1ª.281.H
BVBVLA cerebra ꝑ anatomia accipit Gal.9°.de ana.admi. 1ª.103.H
Bubulam linguam diſſecuit Pelops.de muſ.diſſ. 1ª.46.E
Bubula lingua diſcrepat multum ab humana.2°.de ana.admi. 1ª.69.E
Bubulæ linguæ muſculi ſedecim ſunt.de muſc.diſſ. 1ª.46.E
Bubulum cor diſcrepat multum ab humano.2°.de ana.adm. 1ª.69.E
Bubulus ſanguis eſt craſſus,& melancolicus.3°.de ali.fa. 2ª.29.C
Bubula caro in magno uſu eſt.2°.de ali.fa. 2ª.16.B
Bubula caro eſt duræ coctionis.2°.de temp.20.E|3°.1ª.22.C|1°. de alim. fa.2ª.10.A|in 6m.de mor.uul.com.4°. 3ª.180.C
Bubulæ carnes à quibuſuis uentriculis non concoquuntur.de uict. ra.in mor.acu com.4°. 7ª.146.H
Bubulæ carnes duræ quo mõ fiũt coctibiles.8°.de ſimp.me.fa. 5ª.66.F
Bubulam carnem quidam facile concoquunt.6°.meth.me. 7ª.46.D
Bubula & ſuilla,caro & panis facilius concoquentur q̃ piſces ſaxatiles ubi ſiccum,& igneum uentriculi calorem conuerſio ad bilioſum ſequitur.2°.de temperamentis. 1ª.20.E
Bubula caro tarde & paulatim nutrit.com.2°.aph.18°. Ex.13.F
Bubula caro multum alit,ſed ſanguis eſt craſſus,quem facit.3°. de alim. facultatib. 2ª.25.G
Bubulæ ſuccus nunq̃ aquoſus,et humidus euadet 2°.de alim.fa. 2ª.17.C
Bubulæ carnes maxime ſũt craſſi ſucci.1°.de cõ.med.ſecun.loc.5ª.128.D
Bubula caro magis craſſa eſt ſuilla.3°.de ali.fac. 2ª.25.H
Bubula caro minus lenta eſt ſuilla.3°.de alim.fa. 2ª.25.G
Bubula carne præſtantiores ſunt ad coquendum carnes ſuum ætate florentium hominibus ætate florentibus,fortibus,& qui ſe multũ exercent.3°.de alim.fac. 2ª.25.H
Bubula caro eſt inutilis ſenibus.5°.de ſani.tuen. 2ª.91.D
Bubulæ carnes uetuſtę ſunt peſſimæ.de uict.ratione in morbis acu.commentario.4°. 7ª.146.H
à Bubula carne lien quibuſdam intumuit.3°.de alim.fa. 2ª.25.G
Bubula caro facit ſanguinem melancholicum.3°.de loc.aff. 4ª.18.F
ex Bubula carne melancholici incidunt in affectus melancholicos.3°.de ali.fa.2ª.25.G|de uict.rat.in mor.acu.com.4°. 7ª.146.H
à Bubula carne hydropes.3°.de ali.fac. 2ª.25.H
Bubulæ carnes cum laſerpitio choleram uocatam ſiccã faciunt. de uict. rat.in mor.acu.com.4°. 7ª.146.G
è Bubulis carnibus diſtillans ſeroſus cruor ad quid utilis. 3°. de comp. med.ſec.lo. 5ª.143.F
ex Bubulis carnibus cum aſſantur defluens humor pro uermibus aurium.de remed.paratu.facil. 7ª.155.D
Bubulus adeps qualis.4°.de comp.med.per gen. 5ª.239.E
Bubulus adeps ẽ ĩ primo ordine ĩter acopa.7°.de cõp.me.ꝑ ge.5ª.269.F
Bubulum lac pinguiſſimum eſt.3°.de alim.fac.27.G|de bon.& uitio ſuc. 2ª.35.B|C|10°.de ſimp.med.fac. 5ª.73.F
Bubulum lac craſſum eſt.10°.de ſim.me.fa. 5ª.73.F
Bubuli lactis frequẽs eſt uſus apud nõnullos.de bo.& uitio ſuc. 2ª.35.B
in Bubulo lacte butyrum pingue,& oleoſum admodum eſt.10°. de ſim. med.fac. 5ª.74.A
Bubulum ſtercus non grauiter olet.10°.de ſimp.me.fa. 5ª.75.H
Bubulum ſtercus ad quę ualeat.10°.de ſim.med.fac. 5ª.76.G
Bubulus.uide Bos.
BVCCA ſiue mala.i. γνάθον quid ſignificẽt.de arti.cõ.2°. 7ª.262.G
Buccæ,labia,maxilla inferior,quibus moueantur neruis. de muſculorũ diſſectione. 1ª.54.G
Buccæ fines inferiores multum conferunt ad maſticationem.11°. de uſu partium. 1ª.185.F
in Buccis animal quod ſpectari debet,debet eſſe calidum,uel calefactum arte.4°.de anat.adm. 1ª.80.E
de Buccarum muſculis.4°.de anat.adm. 1ª.80.B
Buccam mouens muſculus,qualis.16°.de uſu par. 1ª.217.B

Buccam mouens muſculus, quales habet fibras & quorſum incedat. 16° de uſu partium. 1ª.217.B
Buccas unà cum labris mouentium muſculorum ſectio, inferiore maxilla quieſcente. 4°. de anat. adm. 1ª.80.A
in Buccam & labra ceſſantes duos muſculos latos & tenues ignorauerunt antiqui anatomici. 4°. de anat. adm. 1ª.79.G
Buccas mouet muſculus latus. de muſc. diſſectione. 1ª.44.D
Buccarum latus muſculus quo modo aperiatur. 9°. de uſu par. 1ª.175.G
Buccæ auulſæ ad alteram partem, quibus muſculis perperam inciſis, efficiantur. 4°. de anat. admin. 1ª.79.G
in Buccis fit motus maxilla inferiore quieſcẽte. 4°. de ana. ad. 1ª.80.A
Buccarum pars tenuis non poteſt conſolidari. 3°. meth. med. 7ª.16.E
BVCCINAE mediæ ſunt inter aĩal & plantã. de fœtuũ form. 1ª.323.F
Buccina, qualis ſit. 3°. de comp. med. ſec. loc. 5ª.147.B
Buccinæ habent carnẽ durã. 3°. de ali. fa. 32.C/de bon. & ui. ſuc. 2ª.35.E
Buccinæ ſunt admodum craſſi ſucci. de bo. & uitio ſuc. 2ª.35.E
Buccinæ conueniunt ſtomachicis. 8°. de comp. med. ſec. loc. 5ª.192.C
Buccinarum teſta, qualis. 11°. de ſimp. med. fa. 5ª.80.G
Buccinarum teſtæ uſtæ pro ulceribus exiccandis. 4°. de compo. medica. per genera. 5ª.236.F
Buccinarum cinis ualide exiccat. 1°. de comp. med. per ge. 5ª.216.E
ex Buccinis fit album emplaſtrum. 1°. de comp. med. per ge. 5ª.217.C
Buccinæ marinæ fit mentio. 2°. de comp. med. ſec. loc. 5ª.147.G
BVGLOSSVM calidũ eſt & humidum. 6°. de ſimp. med. fac. 5ª.45.B
Bugloſſum in uinis iniectum letitiæ, & hilaritatis cauſam eſſe creditum eſt: & illis, qui ob ſupremi gutturis aſperitatem tuſſiunt, coctũ in melicrato conuenit. 6°. de ſimp. med. fac. 5ª.45.B
Bugloſſæ piſcẽs neq; craſſi, neq; tenuis ſucci sũt. de bo. et ui. ſuc. 2ª.34.H
BVGLVM id eſt herba uenti maior, id eſt conſolida, ad plagam. de dynamidijs. Sp.35.F
BVLBO ſimilis eſt myles radix. 7°. de ſimp. med. fac. 5ª.56.D
Bulbus caulem habet inutilem poſt ſemen effuſum. 2°. de ali. fa. 2ª.24.B
Bulbi quales. de atten. uic. 2ª.45.G
Bulbus excitat ad appetendum. 2°. de alim. fac. 2ª.24.H
Bulbi crudi magis excitant ad cibum. 2°. de alim. fac. 2ª.25.A
Bulbi aſparagus interdum uere comeditur. 2°. de ali. fac. 2ª.24.H
Bulbi cibus hyemis. de natu. huma. com. 1°. 1ª.32.F
Bulbi radix ſine folijs manditur. 2°. de alim. fac. 2ª.24.H
Bulbi quo modo edantur. 2°. de alim. fac. 2ª.25.A
Bulbi tarde, & paulatim nutriunt. com. 2°. aph. 18°. Ex.13.G
Bulbi uires reficere poſſint. 8°. de comp. med. ſec. loc. 5ª.192.E
Bulborum uariæ conditurae. 2°. de alim. fac. 2ª.25.A
Bulbi non ſuſtinent diuturnam decoctionem. 2°. de alim. fac. 2ª.25.A
Bulbi bis cocti quam habeant uim. 2°. de alim. fac. 2ª.25.A
ex Bulbis lotis, & ſæpius iterata coctura, quicquid ſupereſt craſſi ſucci habetur. de bon. & uitio ſuc. 2ª.35.F
Bulborum ſuccus qualis. 2°. de alim. fac. 2ª.25.B
Bulbus habet facultatem amaram & auſteram. 2°. de alim. fac. 24.H/de bon. & uitio ſuc. 2ª.35.F
Bulbus facit expuere quæ ſunt in thorace. 2°. de alim. fa. 2ª.25.A
Bulbi ſi omnem amarorem depoſuerint, aduerſantur ijs quæ ſunt ſpuenda. 2°. de alim. fac. 2ª.25.A
Bulbi craſſi ſunt ſucci. 1°. de comp. med. ſec. loc. 5ª.128.D
Bulbus fatiuus pituitam gignit craſſam. 6°. de ſimp. med. fac. 5ª.45.A
Bulbi uenerẽ excitãt. 2°. de ali. fa. 2ª.25.A/6°. de ſimp. med. fa. 5ª.45.A
Bulbi ſemẽ augẽt. 2°. de alim. fac. 2ª.25.A/5°. de ſimp. med. fac. 5ª.38.C
Bulbi flatus, & tormina faciũt, niſi belle ſint elixi. 2°. de ali. fa. 2ª.25.B
Bulbi quo modo concoctu faciliores efficiantur, & flatus non pariant. 2°. de alim. fac. 2ª.25.A
Bulbi cocti conueniunt ſtomachicis. 8°. de comp. med. ſec. loc. 5ª.192.C
Bulbi crudi ſæpius uſi faciunt cruditates. 2°. de alim. fa. 2ª.25.B
Bulbi fugiendi ſunt in epilepſia. de puero epilep. 7ª.180.H
Bulbi euitandi ſunt in ſiccitate. 7°. meth. med. 7ª.44.C
à Bulborum multo eſu ſenes debent cauere. 5°. de ſan. tuen. 2ª.91.D
Bulbus cãdidus cũ ouo ac melle ad ſigillata facit. de rem. pa. f. 7ª.157.A
Bulbus flauus, qualis. 5°. de comp. med. ſecun. loc. 5ª.159.B
Bulbi rubri meminit. 5°. de comp. med. ſecun. loc. 159.G/8°. 5ª.192.C
BVLBVS erraticus quid & eius uires. de ſimp. med. Sp.81.E
Bulbus uomitorius calidior eſt ſatiuo. 6°. de ſimp. med. fac. 5ª.45.A
Bulbus narciſſi maculas in facie tollit, ſuppurationem ponit, intumeſcere non permittit. de ſimp. med. Sp 87.H
BVLLAE quo modo fiant in urinis, & quæ ſint ſtabiles, & quæ non. com. 7°. apho. 34°. Ex.56.E
Bullæ in urinis morbum renalem, & longum ſignificant. com. 7°. aphor. 34°. Ex.56.E/de urinæ ſign. ex Hip. Sp.78.H
Bullas habent ambuſti. de tum. præt. nat. 3ª.83.H
Bullæ, quemadmodum in ambuſtis, pręcedunt ulcus gangrenę & carbũculi. de tumoribus. 3ª.83.H
Bullæ ambuſtis prohibentur ab omni terra leui, cum aceto & oxycrato. 9°. de ſimp. med. fac. 5ª.66.B/C
ad Bullas oculorum accõmoda ſunt remedia ocularia, quibus mixta eſt Ebenus. 6°. de ſimp. med. fa. 5ª.46.F
inter BVLLIENDVM mouet ſine requie. 2°. de compoſ. medicam. per genera. 5ª.224.B
Bullit effuſa in terram atra bilis. com. 4°. aph. 21°. Ex.29.D
BVLIMOS quid. fin. med. Iſa. 47.D/1°. de arte cur. ad Glauc. 7ª.98.E
Bulimos quæ fames ſit. com. 2°. aph. 21°. Ex.15.A
Bulimos unde ſit, & quæ illum comitantur. 1°. de ſymp. cau. 3ª.18.E
Bulimos, ſiue caninus appetitus, fit ob ſuperfluam tranſmiſſionem melancholiæ a ſplene ad os ſtomachi. de anat. uiu. Sp.51.A
in Bulimo infrigidantur partes circa cor. de util. reſp. 1ª.224.D
Bulimos quomodo curetur. 8°. de comp. med. ſecun. loc. 5ª.192.D/1°. de arte cur. ad Glauc. 7ª.99.D
ad Bulimon incurrentes. de remed. paratu facil. 7ª.159.C
BVNIVM calidum eſt. 6°. de ſimp. med. fac. 5ª.45.B
Bunium urinas & menſes ꝓuocat. 5°. de ſimp. med. fa. 38.A/6°. 5ª.45.B
Buniados id eſt napi dulcis ſemina ponuntur in theriaca. de theriaca ad Piſonem. 5ª.92.E
BVPRESTIS ſimilis cantharidibus ſpecie & uiribus. 11°. de ſimpli. medic. fac. 5ª.82.F
Bupreſtibus ueſcuntur uiperæ. de theria. ad Piſo. 5ª.95.D
Bupreſtes os uentris ſtomachumue afficiunt. 1°. de ſymp. cau. 3ª.18.G
Bupreſtim ebibentibus quid auxilietur. 2°. de antido. 5ª.114.D
BVRSAE teſtium, comparatur cauitas matricis. de anat. uiu. Sp.51.E
BVSELINI fit mentio. 1°. de comp. med. ſec. loc. 1ª.123.F
BVTYRVM unde dictum. 10°. de ſimp. med. fa. 5ª.74.C
Butyrum quid. 10°. de ſimp. med. fac. 5ª.73.G/de ſimp. med. Sp.81.D
Butyrum ex oue & capra non fit. 10°. de ſimp. med. fac. 3ª.74.C
in Butyro taxat Dioſcoridem Galenus. 1°. de ſimp. med. fac. 5ª.74.C
Butyrum fit ex pingui ſucco lactis. 3°. de alim. facul. 2ª.27.G/10°. de ſimpli. med. fac. 5ª.73.G
Butyrum multum habent boues. 10°. de ſimp. med. fac. 5ª.73.G
Butyrũ pinguefacit ut oleũ, ſi corpus inũgatur. 3°. de alim. fac. 2ª.27.G
Butyro pingue fit corium animalis mortui. 3°. de alim. fac. 2ª.27.G
Butyrum ſi ignitis carbonibus infundatur, excitat flammam, ut pinguedo. 3°. de alim. fac. 2ª.27.G
Butyrum temperatum eſſe elicitur. 4°. de ſimp. med. fac. 5ª.29.C
Butyrum fit calidius & tenuius uetuſtate. 11°. de ſimp. med. fa. 5ª.79.C
Butyrum adhibendũ dẽtientibus gingiuis. 10°. de ſimp. med. fac. 5ª.74.D
Butyrum emplaſticam uim habet. 5°. de ſimp. med. fac. 34.D/4°. de compo. med. per gen. 5ª.238.E
Butyrum eſt laxantis, & concoquentis facultatis. 10°. de ſimpli. medicamen. facul. 5ª.73.G
ut Butyrum concoquunt ſordes lanarum. 10°. de ſimp. med. fa. 5ª.77.E
Butyri eſus in cataplaſmatibus. 3°. de alim. fac. 2ª.27.G
Butyrũ cataplaſmatis inditur quę extrinſecus imponunt̃ parotidibus hypochõdrij, et bubonibus, ex expuitionib⁹ ex pulmone in pleuriticis, et peripneumonicis confert. 10°. de ſimp. med. fac. 73.G/ 5ª.74.D
Butyrum ad omnes oris phlegmonoſos affectus ualet. 10°. de ſimp. medicamen. facul. 5ª.74.C
Butyrum in mollibus, ut eunuchorum, mulieris, & puerorum parotidibus ſatis eſt. 3°. de comp. med. ſec. loc. 5ª.146.H
Butyrum in inflammationum arteriæ principijs leniſſimum. 7°. de comp. medic. ſecun. loc. 5ª.177.H
Butyrum ad uuluę dolores, & tumores, & loca neruoſa, & delicata, et ſiccitatem pulmonis proprie uidetur facere. de ſimp. med. Sp.81.D
Butyrum ad ſicca liquanda. 7°. de comp. med. per gen. 5ª.264.C
ex Butyro, cera, adipibus, oleo relaxante compoſita emollentia. 7°. de comp. med. per gen. 5ª.268.A
Butyrum quos tumores ſanet. 10°. de ſimp. med. fac. 5ª.74.C
cum Butyro cocta oriza ad ſtomachi ardorem cum ſyncope. 8°. de compoſi. med. ſecun. loc. 5ª.192.A
Butyrum cum melle, & amygdalis amaris pro educendo ſputo. 10°. de ſimp. med. facul. 5ª.74.D

Butyro & ſimilagine placentæ ſunt peſſimi cibi, niſi mel recipiant. 5°. de ſani. tuenda. 2ª.91.E
Butyri inſulſi fit mentio. de remed. paratu facil. 7ª.179.D
BVXVS nocet capiti. de ſubfig. empir. Iſ.32.C
Buxi, careæ, & braſſicæ aerem uicinum inficiunt. 3°. de morbis uulgari. commen. 1°. 3ª.133.F
ex Buxo non debent fieri lecti, fores, nec uaſa. de ſubfig. empir. Iſa.32.B
ex Buxo inſtrumenta anatomica. 6°. de anat. adm. 1ª.92.H
Buxeum uas ad quid utile. 7°. de comp. med. per gen. 5ª.273.E
Buxea uocat melina medicamenta. 2°. de comp. med. per gen. 5ª.223.D
BVZARAN ad humorem crudum. ſecretorum. Sp.100.D
BVZIDEN, ideſt ſatyrij, ad iſchiadem. ſecret. Sp.100.D
BYCIVM uinum, quale. de bo. & uitio ſuc. 2ª.38.D
BYTHINVM aminæum uinum inueteratum cæcubum Romani uocant. de bon. & uitio ſuc. 2ª.38.F
Bythino paſtillo ulcera in naris meatibus à Galeno curantur. 3°. de compo. med. ſecun. loc. 5ª.148.G
BYZANTIAE blattæ pannum ad epilepſiam. de dyn. Sp.24.B

CABBALLICEN noīant Lacones artē luctatoriā ſeu proſtratoriā. i. uim ſternēdi habētē: eūq; magis caballicum, non qui robuſtior, ſed qui magis in hac arte uerſat° fuerit. ad Thraſy. 2ª.109.B
CABDATI mēſuræ nomē. ſecr. Sp.102.E
CACALIA eſſentiam craſſam, & emplaſticam habet. 7°. de ſimp. med. fac. 5ª.49.F
Cacaliæ ſuccus deſtuens prodeſt arteriæ ut glycyriza. 7°. de ſimp. medicamen. facul. 5ª.49.F
CACARE uehementer appetunt, qui tentionem habent. commen. 7°. aphoriſ. 27°. Ex.55.H
ad Cacandum ſurgentes, poſtea tamen id obliti ob mentem motam, non cacabant. 1°. de diff. reſp. 3ª.60.A
CACHEXIA, ideſt malus habitus corporis. 4°. meth. med. 7ª.25.G
Cachexiæ ægritudines ſunt iecoris patientis. de uir. no. cor. di. Sp.60.B
Cachexia eſt in omnibus partibus corporis. 3°. de loc. affect. 4ª.18.D/de mel. ex Gal. Ruff. & Poſſ. Sp.109.A
Cachexia infeſtante utimur catharticis. de dyna. Sp.20.E
in Cachexia aquea, lens utiliter præbetur. 1°. de alim. fac. 2ª.13.E
Cachexiæ optimum remedium eſt theriaca. de theria. ad Piſ. 5ª.56.E
Cachecticorum pulſus, qualis. de dyna. Sp.35.A
Cachecticis, hoc eſt qui malo ſunt habitu, prodeſt erinacei terreſtris caro deſiccata ſi bibenda præbeatur. 11°. de ſimp. med. fac. 5ª.78.F
Κάχληκας uocatos calculos ignitos lacti admiſcet ad dyſenteriam. 10°. de ſimp. med. fac. 5ª.76.A
Κακοχόους quos uocet. de rat. uict. in mor. acu. com. 4°. 7ª.150.H
CACHRYS eſt roſmarini ſemen. de ſimp. med. Sp.89.D
Cachrys emollientis nihil habet, ſed eſt digerens duntaxat. 7°. de comp. medic. per gen. 5ª.265.E
Cachrys & ſtaphis agria eſt detergens, & concoquens generoſius manna. 6°. de comp. med. 5ª.256.F
CACOCHYMIA quid ſit. 5°. de ſan. tuen. 2ª.81.A/4°. metho. medendi. 25.G/13°. 7ª.81.H
Cacochymiam, & plethoram differre, collige. de mult. 3ª.81.E
Cacochymia à quibus cauſis fiat. 3°. de temp. 1ª.23.A
Cacochymiæ fiunt patiente hepate. de uirt. noſt. corp diſp. Sp.60.B
Cacochymum eſt corpus cum tumet lien. 2°. de nat. fac. 1ª.301.E
ex Cacochymia qui morbi oriantur. 3°. de temp. 1ª.23.A
in Cacochymijs pulſus proprij. de mult. 3ª.81.H
Cacochymi rigent omnes. de palp. trem. conuulſ. & rig. 3ª.55.C
Cacochymia quibus corrigatur. 13°. meth. med. 7ª.81.H
Cacochymiam indigere purgatione collige. de rat. uict. in morbis acutis, commen. 4°. 7ª.150.H
Cacochymia & plethora, quando non adſunt ſtatim deueniendum ad localia remedia. 5°. de comp. med. ſec. loc. 5ª.166.H
Cacochymum uel plethoricum quando fuerit corpus. ſtatim utimur uenæ ſectione, & purgatione, clyſteribus, & inedia. 6°. de comp. medica. ſecun. loc. 5ª.166.H
Cacochyma & bilioſa omnia ſunt, quæ mordent & abſtergunt cibaria. 5°. de uſu par. 1ª.143.F
Cacochyma mordicationem mitigare, collige. 2°. de ſimp. med. fa. 5ª.12.F
Cacochyma aliqua id quod mordicabat educendo, mordicationes ſanarunt. 2°. de ſimp. med. fac. 5ª.12.G
CACOETHES, uel mali modi morbus, qui ſit. in 1^{m}. de mor. uul. cō. 3°. 117.D/in 3^{m}. cō. 2°. 3ª.141.G/de uic. rat. in mor. acu. com. 2°. 7ª.122.D
Cacoethes febres non poſſunt non acutę eſſe. 3°. de cau. pul. 4ª.99.D
Cacoethe febre oppreſſam facultatem ſequuntur pulſus formicantes. 3° de cauſ. pul. 4ª.99.D
Cacoethes morbus quo modo ſe per urinas nigras prodat. in 1^{m}. de mor. uulg. commen. 3°. 3ª.121.C
Cacoethe ulcera quę ſint, & quæ uocentur. 1°. de comp. med. per genera 217.B/C/4°. 5ª.235.G
Cacoethe ſunt ulcera exedentia. 4°. meth. med. 7ª.28.C
Cacoethe ulcera prętumida dura. 1°. de comp. med. per ge. 5ª.217.D
Cacoethes ulcus omne ſtatim etiam cauum eſſe, utpote ex roſione natū, quis eſt qui norit? 4°. meth. med. 7ª.25.C
Cacoethe omnia admittunt difficulter cicatricem. 1°. de compo. med. per genera. 5ª.214.H
Cacoethes ulcus ex pruritu factum. 4°. meth. med. 7ª.25.F
ex Cacoethe dictis ulceribus dyſenterię. 3°. de ſymp. cau. 3ª.27.E
Cacoethe ſanat centaurij minoris decoctum. 7°. de ſimp. me. fa. 5ª.52.H
Cacoethe dictis ulceribus facit chamęleon nigra. de ſimp. me. Sp.82.F
aduerſus Cacoethe & maligna ulcera omnia etiā ſi putreſcant, exedātur, ac erodant, mirabiliter reſiſtit iſatis. 6°. de ſimp. me. fa. 5ª.48.G
ad Cacoethe ulcera ualet Lycium. 7°. de ſimp. med. fac. 5ª.54.G
ad Cacoethe ulcera adhibetur petaſites. 8°. de ſimp. med. fac. 5ª.58.C
Cacoethe ulcera ſanat ſolanum manicum. 8°. de ſim. med. fac. 5ª.62.H
ad Cacoethe ulcera, & putrida terra lemnia adhibetur. 9°. de ſimplic. medic. facul. 5ª.65.E
ad Cacoethes nomas. 6°. de comp. med. per gen. 5ª.257.A
ad Cacoethe ulcera. 1°. de compo. med. per gene. 216.D/217.B/5°. 252.G/253.A/6°. 259.A/ 5ª.261.A
CACOPHONIAE differentiæ. de ſymp. diff. 3ª.11.G
CACOREMATA fiunt ex oſiride herba. 8°. de ſimplicium medicamentorum facul. 5ª.57.F
CACOSPHYXIA ideſt pulſus uitioſus, circa pulſuum actionē eſt ſymptoma. de ſymp. diff. 3ª.12.A
CACOSTOMACHA ſunt medicamenta purgātia omnia pręter aloen. de dynami. Sp.20.H
Cacoſtomachum eſt præ omnibus catharticis ſcāmoniū. de dy. Sp.20.H
CACOTROPHIA ideſt uitioſa nutritio. de ſymp. diff. 3ª.12.H
CACOZELVM quid ſignificet. com. 7°. aph. 62°. Ex.59.G
CACTVS arbor uel ſmilax eſt uenenoſę facultatis. 8°. de ſimpli. medicamen. facul. 5ª.61.A
CADAVERA ſuper ſcordium exiſtentia non computruere. 1°. de antidotis. 5ª.105.E
Cadauerum diſſectione multa etiam quæ manu adminiſtrantur apud primos medicos inuenta eſſe uidentur. intro. Iſ.50.G
in Cadauere mox poſt oſſium cognitionem, ad muſculorum conciſionē properandum. 1°. de anat. adm. 1ª.64.B
Cadauera interfecta uidentes, præter ea quæ in ſimijs iam didicerūt nihil amplius pręter uiſcerum ſitum addiſcere potuerunt. 3°. de anatomicis adminiſtrationibus. 1ª.77.B
Cadauera humana non ita in promptu fuiſſe Galeni tempore, collige. 3°. de anatom. adm. 1ª.27.B
Cadauera ſepulchris quibuſdam uel monumentis diſſolutis, inſpexit Galenus, & quoddā quod ſibi fluuius caſu obtulit. 1°. de ana. ad. 1ª.63.F
Cadauer ſi collocetur in latus, prorſus aut in partem pronam, aut ſupinam conuertetur. in progn. com. 1°. 4ª.193.F
CADERE ad terram, & uolare ad terram, in auibus diuerſa ſunt, de palp. trem. conuulſ. & rig. 3ª.52.A
Cadere cum decoro ſtuduit Polyxena. de ther. ad Piſo. 5ª.93.B
Cadentes, & calcitrati quandoq; expuunt ſanguinem per tuſſim bene coloratum. com. 5°. aph. 13°. Ex.38.F
Cadentem uuulam ſubleuat diamoron de rubis. de dyna. Sp.26.B
cum Cadit quis in epilepſia, quid agendum. de cura lap. Sp.112.G
CADMIAM uictoriā uincere, prouerbium. 1°. de dieb. decre. 4ª.147.G
CADMIA quid. de ſimp. med. Sp.81.E
Cadmia quo modo fiat. 9°. de ſimp. med. fac. 5ª.69.D
Cadmia, æs, pompholix, ſpodium, & diphryges per fornaces fit. 9°. de ſimp. med. 5ª.71.E
Cadmia fit ex pyrite lapidę ī fornacibus uſto. 9°. dę ſim. me. fac. 5ª.69.E

Cadmia etiam in argenteis metallis efficitur.9°.de ſim.med.fa. 5ª.69.E
Cadmia botryites,quę.9°.de ſimp.med.fac.69.E/ 4°.de compo.med.ſecun.loc.5ª.156.B/de ſimp.med. Sp.81.F
Cadmia onychites,quæ.de ſimp.me. Sp.81.F
Cadmia oſtracitis,quæ.de ſimp.med. Sp.81.F
Cadmia placitis,que.9°.de ſimp.med.fac. 5ª.69.E
Cadmia abſq; fornace in Cypro inuenitur ac iure quiſpiam illam lapidē nuncupet.9°.de ſimp.me.fa. 5ª.69.E
Cadmię cypriæ meminit.4°.de compoſi.medica.ſecundum loc.152.D/E/156.D/E/ 5ª.157.E
Cadmiam portauit ad amicos Galenus ex Cypro.9°.de ſimpli.med.fac. 69.E/1°.de antid. 5ª.100.B
Cadmia qualis.9°.de ſimp.med.fac.5ª.69.E/1°.de compo.med.ſec.loc. 129.E/4°.5ª.151.D/de ocul. 7ª.188.H
Cadmia eſt ſicca & temperata in actiuis.9°.de ſimp.med.fac. 5ª.69.F
Cadmia oīs ſtyptica eſt,& vehemēter ſtringere pōt.de ſim.me. Sp.81.F
Cadmia obſtruit.de ocul. 7ª.187.H
Cadmia modice ſiccat,& quomodo magis exiccabit.4°.de compo.med. per genera. 5ª.236.D
Cadmia inter oculorum medicinas.de ocul. 7ª.188.G
Cadmia collyrijs miſcetur,vulnera ſordida expurgat, & ad cicatricem perducit.de ſimp.med. Sp.81.F
Cadmia vtilis eſt ad vlcera carnis repletionem poſcentia,& in oculis et in toto corpore humida,aut putreſcentia,in corporibus impēdio mollibus adiuuat.9°.de ſimp.me.fa. 5ª.69.F
ex Cadmia medicamen cicatricem inducit.9°.de ſimp.med.fac. 5ª.70. G/3°.meth.med. 7ª.81.F
ex Cadmia medicamen cicatricem in quibus partibus inducit.5°.meth. medendi. 7ª.33.G
Cadmia in extrinſecis vlceribus adhibeť,in intrinſecis minime. 4°.methodi medendi. 7ª.28.H
Cadmia carnem facit,& qualis ſit.3°.meth.med. 7ª.18.A
Cadmia,thus,cornu ceruinū & caprinum,& ut dicit Galenus,antimonium inter mundificantia colatiua numerantur, & valēt contra paruas puſtulas,& vulnera.de ocul. 7ª.189.C
Cadmia quomodo abſtergit abſq; mordicatione.9°.de ſim.me.f.5ª.69.F
Cadmia achoribus conuenit.1°.de comp.med.ſec.loc. 5ª.128.H
Cadmia lacte extinguitur.4°.de comp.med.ſec.loc.154.B/ 5ª.155.F
Cadmia vt argenti ſpuma lauatur.1°.de comp.med.per gen. 5ª.213.E
Cadmia vino elota qualis.5°.meth.med. 7ª.36.E
Cadmię ex vino pręparatæ meminit.2°.de comp.med.per gen.5ª.224.B
Cadmia uſta et lota calido et humido tēpamento vicina.de ocu. 7ª.189.B
Cadmia exacte elota eſt ex pharmacis emplaſticis.4°.de ſimpliciū medica.facul. 5ª.25.D
Cadmia vſta ac lota deobſtruit.4°.de comp.med.ſec.lo. 5ª.150.A
Cadmię vſtę meminit.4°.de comp.med.ſec.loc.152.E/F/ 5ª.154.B/C
Cadmia toſta.2°.de comp.med.per gen. 5ª.224.B
Cadmia album emplaſtrum fit.1°.de comp.medic.per gen. 5ª.217.G
ex Cadmia medicamentum.2°.de comp.med.per ge. 5ª.224.B
CÆCITAS nomen eſt proprium,non cōe.1°.de ſymp.cau. 3ª.16.B
Cæcitas ob quid.1°.de ſymp.cau. 3ª.14.F
Cæcitas cur ſenibus nōnunq̄ adueniat.in 1^{m}.de mor.vul.cō.2°. 3ª.113.D
Cæcitatē qui maxime oculorū morbus inferat.10°.de vſu par.7ª.179.G
Cæcitates quibus vulneribus oculorū ſuccedāt.1°.de ſymp.cau. 3ª.15.D
Cæcitas fit magna ex parte cum cornea,quæ pupillæ prætenditur, vulnus accepit,ſi id vulnus introrſum deſcendit.1°.de ſymp.cau.3ª.15.D
Cæcitas adueniens in febre continua,debili exiſtente corpore letale eſt. com.4°.aph.49°. Ex.33.B
ex Cæcitate talpæ nihil habent commodi.2°.de ſem. 1ª.339.G
Cæcorum deuiantium comparatio.de venę ſect.adu.Eraſ. 6ª.6.B
Cæco proportionatur colon.4°.de vſu par. 1ª.141.D
Cæcum foramen vbi,& cur ita dictum.de neruo.diſſ. 1ª.53.G
Cæcū inteſtinū principiū craſſorū inteſtinorum.4°.de vſu par. 1ª.141.D
Cæcum inteſtinum quartum eſt in ordine inteſtinorum.5°.de vſu partiū. 1ª.142.E/de anat.viu. Sp.50.B
Cæcum inteſtinum vnum eſt in pedeſtribus.4°.de vſu par. 1ª.141.D
Cæcū inteſtinū duplex eſt in aliquibus aīalibus.4°.de vſu par. 1ª.141.D
Cæcum inteſtinum ad infernas partes extenditur.6°.de lo.aff. 4ª.36.H
Cæci inteſtini vſus.4°.de vſu par. 1ª.141.D
Cæcum inteſtinum facile deſcendit in ſcrotum,ſecundum aliquos.in 6^{m}. de morb.vulg.com.4°. 3ª.179.G
Cæcas hæmorrhoides diſſoluit marrubiaſtrum.de ſimp.med. Sp.87.C
CAELVM quid.in 1^{m}.de mor.vulg.com.2°. 3ª.108.A
de Cæli eētia opinio Anaximenis,Empedoclis,et Ariſt.Ⅎ hiſt.Sp.6.C
Cælum quibus factum.de hiſt.philoſ. Sp.4.E
Cælum,& ſtellæ animal immortale,& ratione præditum arbitrať Ariſtoteles.de hiſt.philoſ. Sp.11.E
ex Cælo,& Deo omne pulchrum ordinatum & artificioſum. ex materia vero inordinatum & erraticū prouenit.2°.de dieb.dec. 4ª.151.H
Cælum quibus agitur.de hiſto.philo. Sp.4.E
Cæli zonæ quinq; ſm Thaletem,& Pythagoram.de hiſt.philo. Sp.6.C
Cęlū et mūdū vniuerſum volētes philoſophi cōſiderare,primo man°,& digitorū ſtructurā cōſiderare debebāt.1°.de fœt.formatiōe. 1ª.325.C
Cælum vulgariū morborū cauſa.in 1^{m}.de mor.vulg.com.1°. 3ª.101.D/F
Cæli ſtatus vniuerſus,et ſingularis q.in 1^{m}.de mor.vulg.cō.3°. 3ª.117.E
ſub Cęli ſtatu comprehēdit aeris temperiem,ſub aqua anni tempus,& regionem.8°.meth.med. 7ª.57.B
Cęli ſtatus pro anni tempore.10°.meth.med. 7ª.63.E
Cęli ſtatus facit ad auxiliorum inuentionem.8°.metho.meden. 7ª.58.G
Cæli ſtatu frigido,& humido dandum Falernum, Tmolites, Ariuſium, & Lesbium.de vinis. Sp.76.G
Cæli huius ſimilem ſtatum intus habere aliquando animantium corpora non eſt mirandum.in 1^{m}.de mor.vulg.com.1°. 3ª.104.D
Cæli mutatiōes quo mō euitare poſſīt.ī 6^{m}.de mor.vulg.cō.3°.3ª.175.H
Cęleſtis arcus quo modo fiat.de hiſto.philoſ. Sp.7.H
Cæleſtis arcus tres habet colores,& quos,& qūo.de hiſt.phi. Sp.8.A
Cæleſtis arcus colorum exemplum.de hiſt.philoſ. Sp.8.A
Cæleſtis lilij radicis drach.iij.purgant pectus.de med.exper. Sp.106.D
Cælo acuto quando ſcarificat caput in alopecia.1°.de compo.medicamē. ſecundum loc. 5ª.124.C
CENCHRON ventus peculiaris Phaſianorū.de aere,aq. 2ª.5.A
CAEPAE habent radicem caule,& folijs acriorem.2°.de alimentorum facultatibus. 2ª.24.D
Cæpa,anethum,& ruta inter ea,quæ eduntur,differunt caliditate.1°.de comp.med.per gen. 5ª.210.C
Cæpæ mouent odoratum,& guſtum.4°.de ſimp.med.fac. 5ª.30.H
Cæpa fortiter excalfacit,dum guſtatur.4°.de ſimp.med.fac. 5ª.29.D
Cæpa maiorem caliditatem non habet allium.de vict.ra. in mor.acutis, commen.4°. 7ª.145.C
Cępę cibus calidus.de diſſol.cont. Sp.74.C
Cæpa calida eſt in quarto ordine.7°.de ſim.med.fac. 5ª.53.D
Cæpæ nunquam erunt frigidæ,ſed plus minus ue calefaciunt.de bonitate & vitio ſuc. 2ª.38.H
Cæpa,ſcilla,vinum quanto fuerint albidiora,tanto et minus ſunt calida. 4°.de ſimp.medi.facul. 5ª.31.D
Cæpæ ſunt acres.2°.de alim.fac.25.E/3°.32.A/de atte.vict.2ª.43. H/de cauſ.morb.6.G/in 6^{m}.de morb.vulg.commentario.5°. 3ª.192.G/9°. de ſimp.med.fac. 5ª.64.C
in Cæpis,& allio mire deprehēnditur acrimonia. 4°.de ſimpli.medica. facultat. 5ª.25.C
à Cæpis expimentū ſumi debet de acredine.4°.de ſimp.me.fa. 5ª.26.B
Cępæ quo modo acritudinem deponant.2°.de alim.facul. 2ª.25.E
Cępa incendit.de oculis. 7ª.188.F
Cępa carnem mordicat.4°.de ſimp.medi.facul. 5ª.29.D
Cæpa impoſita cuti hanc exulcerat,& erodit.3°.de temp. 1ª.22.G
Cæpa calfacit corpus.2°.de alim.fac. 2ª.25.E
Cępa exiccat.3°.de alim.fac. 2ª.26.D
Cæpa attenuat.de att.vict.rat. 2ª.43.H
Cæparum vſus immodicus febrem accendit.de cau.mor. 3ª.6.G
Cępas ampliter comedētiū calor ē acris,et mordax.5°.de ſa.tu. 2ª.93.E
Cæpa parum alit.2°.de alim.fac. 2ª.25.E
Cępę radices malum ſuccum gignunt.de bon.& vitio ſuc. 2ª.37.G/Ⅰ°. de diff.feb.3ª.31.G/de diſſol. Sp.74.C
Cępa potius pro pharmacis,quàm pro alimentis habenda eſt. de attenuante vict.rat. 2ª.45.G
Cæpæ bis elixæ ſucci prauitatem non retinent.2°.de alim.fac. 2ª.25.E
Cæpa potius pro obſonio ſumitur,quàm pro alimento. 2°. de alimentorū facul.22.H/ 2ª.23.F
Cæpis,allijs,coriādo præparantur cibi ꝑ delitijs.de atten.vict. 2ª.44.C
Cæpæ à ruſticis in muria,vel in aceto ſeruantur.2°.de alimentorum facultatibus.22.C/23.H/ 2ª.25.E
Cæpas non comedat medicus.4°.in 6^{m}.de morb.vulg. 3ª.181.H
Cępæ radices ſunt concoctu difficiles & turbāt.2°.de alim.fac. 2ª.24.E
Cępę non nutriunt,niſi coquantur.2°.de alim.fac. 2ª.19.D

Cępę, quando comeduntur crudæ, non bene nutriunt, ſed qñ coquuntur in cibis, nutriunt nutrimento pauco bono. de diſſol. cont. Sp.73.G
Cæpę ſitum excitant. 12°. meth. med. 7ª.79.E
Cæpæ gallinaceos pituita tentatos ſanat. 2°. meth. med. 7ª.12.D
Cæpæ, et allia qñq; faciunt bilē, qñq; melancholiā. de diſſo. con. Sp.74.C
Cæpa flatuoſa eſt. 7°. de ſimp. med. fac. 5ª.53.D
cum Cæpis faba minus eſt flatuoſa. 1°. de alim. fac. 5ª.14.A
Cæpæ caput replent, & inflammant. de puero epilep. 7ª.180.E
in Cæpa ſuperuacuum & acre excernitur per aluum, urinas, & ſudorem. 3°. de temp. 1ª.22.H
Cæpæ numerantur inter cibos ſubtiliantes ſecundi generis. de diſſolutione continua. Sp.72.E
Cæpæ incidunt, & attenuant humores craſſos. 2°. de alim. facul. 2ª.25.E/ de diſſol. cont. Sp.74.G
Cæpę aperiunt. 1°. de ſan. tuen. 2ª.91.D/5°. de ſimp. med. fac. 5ª.35.F
Cæpa utatur ſenex qui cibis obſtruentibus ſit vſus. 5°. de ſan. tu. 2ª.91.D
Cępa expurgat ictericos. de cura icteri. Sp.111.B
Cæpa hæmorrhoidas aperit, in ſole alphos abſtergit, alopecijs attrita pilos alcyonio citius reſtituit. 7°. de ſimp. med. fac. 5ª.53.D
Cæpa hortenſis vrinam mouet. de cura icteri. Sp.111.D
Cæpæ coma non iuuat in ſanguinis profluuio. de opt. ſecta. Iſ.23.H
Cæpa cum pane in dyſenteria à quibus dabatur. 12°. meth. me. 7ª.75.A
Cæpę ſuccus cum adipe plurimo purgat aures. de cathar. Sp.95.B
Cæpa pro dolore auris apud ruſticos. 3°. de comp. med. ſe. lo. 5ª.140.F
Cępæ ſuccus purgat nares. de cathar. Sp.95.B
Cæpæ ſuccus eſt oculorum cenoticus. de cathar. Sp.95.B
Cępę ſuccus ijs, qui ſuffuſi ſunt, prodeſt. 7°. de ſimp. med. fac. 5ª.53.D
Cępa excitat ſtrangulatas ex vtero olfactu. 9°. de compoſi. medicamen. ſecundum locos. 5ª.205.G
Cępę oblique conciſę meminit. 1°. de compoſitione med. ſec. loc. 5ª.123.G
Cępa canina quid, & eius vires. de ſimp. med. Sp.89.B
Καιρὸς quid ſignificet. de rat. vict. in morb. acut. com. 3°. 129.F/ de articulis, commentario. 4°. 7ª.290.B
Καιροὶ tempora morborum. de morb. temp. 3ª.85.B
CAERVLEVM quomodo fiat. 1°. de ſymp. cau. 3ª.17.B
Cęruleum, & fuſcum colorem habent pictores ante oculos, quando albū quid pingunt, quia oculos recreat. 10°. de vſu par. 1ª.178.H
Cæruleus color viſui iucundiſſimus eſt. 1°. de ſymp. cau. 3ª.17.A/B
Cærulei coloris pauci albo admiſti comparatio ad pharmacū. 4°. de compo. medica. ſecun. loc. 5ª.150.D
Cæruleus, cyanos, qualis. 9°. de ſim. med. fac. 5ª.69.G
Ceruleæ bilis meminit. 5°. de loc. aff. 4ª.35.H
CÆSARES habebant optima ſimplicia. 1°. de antid. 5ª.101.F
Cæſari theriacam confecit Galenus. 1°. de antid. 5ª.101.G
Cæſar vſus eſt malagmate Bacchij. 7°. de comp. med. per gen. 5ª.267.B
Cęſaris Titi meminit in malagmate Aſclepiadis ad podagricos, & arthriticos. 10°. de comp. med. ſec. lo. 5ª.209.C
Cæſaris Tiberij ad herpetas. 5°. de compoſ. med. per gen. 5ª.252.D
CAESTVS ſpecies artis athleticæ. in oratione ſuaſo. Iſa.5.A
CAFITH decoctio datur contra debilitatem hepatis, & oppilationem. de med. exper. Sp.106.E
CAII colica. 9°. de com. med. ſec. loc. 5ª.201.H
Caij Neapolitani paſtillus. 5°. de compoſitione med. per gen. 5ª.251.G
CALAMINTHA & pulegium potiſſimum eſt ex Creta. 4°. de ſanitate tuenda. 2ª.86.E
Calamintha in riuis plurimum naſcitur. de bon. aquæ. Sp.75.F
Calamintha iuuantur aquæ. de bon. aquę. Sp.75.F
Calaminthæ buniſæ meminit in confectione Ioachi martyropolitæ. de medic. fac. parab. 5ª.175.B
Calamintha calida eſt & ſicca in tertio quodam modo ordine. 6°. de ſimplic. med. facul. 5ª.49.C
Calamintha acris eſt. de atten. vict. rat. 2ª.43.H/9°. de ſimp. med. fa. 5ª.64.C/13°. meth. med. 7ª.84.H
Calamintha infirmior eſt menta. 6°. de ſimp. med. fac. 5ª.48.B
Calaminthę loco nepitam ſcripſit Andromachus iunior lingua romana. 1°. de antido. 5ª.103.H
Calamintha pro origano poni poteſt. 6°. de comp. med. ſec. loc. 5ª.168.F
Calamintha tam cibus, q̃ medicamentum calidum. 3°. de temp. 1ª.24.D
Calamintha numeratur inter obſonia, quæ ſponte proueniunt. 2°. de alimento. facul. 2ª.25.D
cum Calamintha ficus ante cibū qñ exhibeatur. 2°. de alim. fac. 2ª.17.F
Calamintha menſes & vrinas prouocat. 5°. de ſimp. med. fac. 5ª.38.A
Calamintha ſudores cit, contra rigores per circuitum repetentes adhibetur, coxendicibus, atque iſchiadicis ęgritudinibus tanquam ſtrenuū remedium illinitur, menſes tum apota tum appoſita efficaciter prouocat, elephanticorum bonum eſt remedium, cicatricibus atris candorem reddit, & ſugillata digerit. 6°. de ſimp. med. fac. 5ª.49.C
Calaminthę radix lapidem frangit. de ocul. 7ª.188.F
Calamintha arefacta ad venenatarum beſtiarum morſus aſſumitur. 6°. de ſimp. med. fac. 5ª.49.D
Calamintha ingreditur theriacam. 1°. de theria. ad Piſo. 5ª.92.E
Calamintha attenuat. de atten. vict. rat. 2ª.43.H
Calamintha detergit. 8°. meth. med. 7ª.52.G
Calaminthæ ſuccus aſcaridas, & lumbricos, et aurium vermes enecat, conceptum ſeu pota, ſeu admota interimit & eijcit, aſthmaticis prodeſt & ictericis, purgat obſtructiones. 6°. de ſimp. med. fa. 5ª.49.D
Calaminthæ decoctum in aqua mulſa eſt diſcuſſorium parabile moderatum. 6°. de comp. med. ſec. loc. 5ª.169.G
Calamintha ſi in oleo ebullierit, facit ipſum euacuare, & diſſoluere. 1°. de arte cur. ad Glau. 7ª.100.B
ex Calamintha cretica medicamentum Galeni ad abſceſſus in viſceribus. 14°. meth. med. 7ª.90.F
Calaminthes compoſitio. 4°. de ſani. tuen. 2ª.86.D
dia Calaminthes quo modo coquatur. 4°. de ſan. tuen. 2ª.86.F
dia Calaminthes quo modo ſumenda. 4°. de ſan. tuen. 2ª.86.F
dia Calaminthes perfertur per totum corpus. 4°. de ſan. tuen. 2ª.85.E
dia Calaminthes lenta & craſſa attenuat, & per halitum educit. 4°. de ſanitate tuenda. 2ª.86.F
dia Calaminthes ad iecoris dolorem confert. 6°. de ſani. tuen. 2ª.96.B
dia Calaminthes eget pituita in ventrē defluēs. 6°. de ſa. tuen. 2ª.99.D
dia Calaminthes medicamento vtatur ſenex, ſi cibis obſtruentibus ſit vſus. 5°. de ſan. tuen. 2ª.91.D
dia Calamīthes vrinas mouet, & mulierib9 menſes. 4°. dē ſa. t. 2ª.86.F
dia Calaminthes quibus poteſt eſſe in continuo vſu. 6°. de ſa. t. 2ª.99.C
dia Calaminthes vſus cauendus eſt bilioſis. 6°. de ſan. tuen. 2ª.96.B
de Calaminthe ſyrupus ſpaſmo conferens. ſecretorum. Sp.103.E
CALAMVS phragmites, ideſt canna. 7°. de ſimp. med. fac. 5ª.49.E
Calami virides dulcem habent ſaporem. 4°. de ſimp. med. fac. 5ª.25.C
Calami teneri quos inſufflamus, tantum extenduntur, quantum poſſunt extendi. an. ſang. in art. nat. cont. 1ª.60.G
in Calamis quibus trahitur aqua abeunte acre, ſequitur aqua, ſed non ita in venis. 2°. de nat. fac. 1ª.296.H
Calami mediocriter tenti ad interiora flectuntur, ita & ſpina dorſi. commen. 6°. aphor. 46°. Ex.51.H
Calamos aridos obtinere multos meatus plenos aeris ſummum argumē tum eſt ipſius leuitatis. 1°. de ſimp. med. fac. 5ª.4.F
Calami arentes primo attactu inflammantur. de cau. mor. 3ª.6.H
Calamus prompte accenditur nō ſolum quia ſiccus, ſed ꝙ plurimi aeris eſt particeps. 1°. de ſimp. med. fa. 5ª.4.G
Calami aridi ignem facilius in maximam flammam attollunt. de cauſis morborum. 3ª.6.E
Calami arefacti ab igne nos contra recalfaciunt, & velut partes fiunt quædam caloris natiui ſicut illi ignis. 1°. de ſimp. med. fac. 5ª.4.B
cur Calami aridi licet facile accendantur, tamen nos contactu non calefaciunt. 1°. de ſimp. med. fac. 5ª.4.E
Calami gręci cinis. 4°. de comp. med. ſec. loc. 5ª.158.A
ex Calamis incenſis & incineratis fit ſal, ſecundum Ariſtotelem ſi miſtus fuerit aquæ, & eadē aqua bulliat ad ignē. de vtil. reſp. Sp.64.F
per Calamum arctum applicantur hirudines. de cucur. ſcar. 6ª.4.D
per Calamum facit fomentum. de remed. para. facil. 7ª.155.D
per Calamum inſpirat naribus nepetam ſiccatam, & tritam. de remedijs paratu facil. 7ª.155.G
per Calamum fumum accipi iubet in remedio ad tuſſes nocturnas. de med. facil. parab. 7ª.165.E
ad Calami ictum. de medic. facil. parab. 7ª.174.C
ex Calamis plagis quid conferat. de virt. centau. Sp.93.G
Calamos ad ſcribendum quo modo aptarent in Alexandria. 9°. de anatomicis adminiſtrationibus. 1ª.105.G
CALAMVS aromaticus quid. de ſimp. med. Sp.82.G
Calamus aromaticus inter aromata numeratur. 7°. meth. me. 7ª.44.A
Calamus indicus, quem odoratum appellant, calefacit in puluerem redactus. 1°. de ſimp. med. fac. 5ª.4.E
Calamus odoratus ſiccus calidus eſt in ſecundo ordine. 7°. de ſimplicium medica. facul. 5ª.49.E

Calamus aromaticus viribus ſtypticis eſt, acris, & excalfaciens. de ſimplicium med. facul. Sp.82.G
Calamus odoratus moderate vrinam mouet & miſcetur in fomenta vteri, quæ phlegmones gratia, aut irritandis menſibus aſſumuntur. 7°. de ſimp. med. fac. 5ª.49.E
Calamus aromaticus matricem purgat. de cathar. Sp.95.D
Calamus aromaticus prouocat menſtrua. de cathar. Sp.95.C
in CALATHIS quo modo expellantur quę intus inſunt. 3°. de ſanitate tuenda. 2ª.77.F
Καλάθιον quid ſit. de machin. 7ª.310.A
Καλάθιον, & σκιβάλιον communiter parata ſunt, vt epipigma ferãt. de machinamentis. 7ª.310.A
CALCANEI deſcriptio. 3°. de vſu par. 1ª.130.B
Calcanei ſitus. 3°. de vſu par. 1ª.130.B
Calcaneus principaliſſimum os ad firmationem. 3°. de vſu par. 1ª.130.E
Calcanei oſſa, quæ. 3°. de vſu par. 1ª.130.B
Calcanei oſſium poſitio. 3°. de vſu par. 1ª.130.B
Calcanei oſſis pars anterior cur tenuior & anguſtior eſt. 3°. de vſu partium. 1ª.130.A
Calcanei oſſis pars anterior cur ſpectare videatur ad paruum digitum. 3°. de vſu par. 1ª.130.A
Calcaneo adiacet quartum os tarſi. 3°. de vſu par. 1ª.130.A
Calcaneus cur rotundus. 3°. de vſu par. 1ª.130.E
Calcaneus quibus ligetur tibiæ. 3°. de vſu par. 1ª.130.G
Calcaneus cur nõ ſit inarticulatus tibię, & fibulæ. 3°. de vſu p. 1ª.130.G
inter Calcaneũ & tibiã cur medius ſit aſtragalus. 3°. de vſu p. 1ª.130.G
Calcaneus cur excedat aſtragalum in magnitudine. 3°. de vſu p. 1ª.130.F
Calcanei ſubſtantia cur dura. 3°. de vſu par. 1ª.130.G
Calcanei cutis inferior cur dura. 3°. de vſu par. 1ª.130.G
Calcaneo ſuperiacet totum ferè corpus quando ſalire volumus aut gradum magnum facere. 3°. de vſu par. 1ª.130.F
Calcaneum tres muſculi mouent. 3°. de vſu par. 1ª.132.G
in Calcaneo ſui tendonis germen diſſeminatum eſt ad totam pedis cutẽ. 3°. de vſu partium. 1ª.133.H
ſuper Calcaneum vena eſt ſaphenæ ramus. de anat. viuo. Sp.54.H
à Calcaneo ad cor citius peruenit frigiditas quàm à cerebro ad cor. 8°. de vſu partium. 1ª.165.D
Calcanea cur nihil minꝰ frigida iuenias, q̃ cerebrũ. 8°. de vſu p. 1ª.165.D
Calcaneo nihil vilius, cum ſole tamen comparatur. 3°. de vſu p. 1ª.133.F
Calcanea hyeme exulcerantur frigore, ſanantur calore. commentario. 5° aphoriſ. 22°. Ex.39.E
CALCARIA pars animalium marium. 2°. de ſemi. 1ª.338.G
Calcar ex qua ſit ſubſtantia. 1°. de vſu partium. 1ª.115.G
Calcaria tertio ordine ſicca ſunt. 2°. de temp. 1ª.18.A
Calcar durum dicitur per exceſſum. 4°. de ſimp. me. fa. 5ª.32.E
CALCEAMENTORVM genera. de articu. com. 4°. 7ª.284.C
Calceamẽta plura duobus habere alienum eſt ab vſu. de cogn. curãdisq; animi morbis. 2ª.54.H
Calceant omnes calopodio vno, prouerbium. 8°. meth. med. 7ª.60.E
Calceamentum vnius cubiti quatenus ad finẽ ſpectat, inutile eſt. de cog. cur. animi mor. 2ª.54.H
Calceis vſq; ad tibiã Cretẽſes, et Aſiani vtebant. de art. c. 4°. 7ª.284.E
ad Calceamenta mulierum polienda ageratus lapis. 6°. de compoſitione med. ſecun. loc. 5ª.174.F
Calceos veteres inſtauranti ſimiles ſunt medicus, & agricola. ad Thraſybulum. 2ª.104.B
Calceamẽta fracta ars reſtituẽs neruorũ ſutoria dr̃. ad Thraſ. 2ª.102.B
Calceos reponere, ne ſurripiantur an ſit ars. ad Thraſ. 2ª.104.B
ad Calceorum attritiones coria vetera. 11°. de ſimp. med. facul. 5ª.80.F
Calcei plumbei meminit. de artic. com. 4°. 7ª.284.B
Calceus vinculi nomen. de faſcijs. 7ª.306.C
CALCITRAT infans ſi quando eſt maior & ipſi deſit cibus, & tunc eſt principium partus. com. 5°. aph. 37°. Ex.41.A
ex Calcitratu equi caſus difficulter ſpirantis. 4°. de loc. aff. 4ª.25.B
CALCVLVS in aurem illapſus quo modo extrahatur. 3°. de compoſit. med. ſecun. loc. 5ª.145.G
CALCVLARIS morbus quid. fin. med. Iſa.47.G
Calculo turpe eſt virum robuſtum ęgrotare. 3°. de ſan. tuen. 2ª.88.H
Calculi in quibus corporibus naſcantur. 3°. de alim. fac. 2ª.28.H
Calculus in quibus gignatur. 6°. de ſan. tuen. 2ª.99.F
Calculi in puero efficiens cauſa. de nat. hum. com. 2°. 7ª.180.B
Calculi cur naſcantur pueris. de nat. hum. com. 2°. 7ª.184.H
Calculorum creandorum prima cauſa eſt vrinæ craſſitudo. in 6m. de morbis vulga. commen. 3°. 3ª.172.B
Calculeſcit veſica ijs, quibus materies arenoſa in vrinis ſubeſt. de vrinæ ſign. ex Hipp. Sp.78.H
Calculo laborantium vrinæ quales. de ren. affe. dign. & med. Sp.193.B
Calculi initium proxime venturum aut in renibus eruptionem oſtendit vrina ſanioſa, plurimum egeſta, & velut coagulata. de dyn. Sp.35.C
Calculi in veſica ſigna. 1°. de locis affectis. 4ª.3.A
cum Calculus trãſit per vrinarios meatus, præcedit dolor quidã acutꝰ medio inter renes, & veſicam loco. 1°. de nat. fac. 1ª.293.C
Calculoſi, quibus neglectis fiant. de dynamidijs. Sp.20.A
Calculoſi quos cibos cauere debent. de ren. aff. digno. & med. 7ª.194.D
Calculos in calidioribus generant cibi craſſi ſucci. 3°. de ali. fa. 2ª.28.E
Calculoſis quæ cauenda. de ren. affec. dignot. & med. 7ª.194.E
Calculoſis aduerſiſſima cruditas. de ren. aff. dign. & med. 7ª.194.E
Calculo obnoxia veſica, & obnoxij renes quibus aquis lædantur. in 6m. de morb. vulg. com. 4°. 3ª.182.D
Calculoſis quę aquę bonæ, & quæ prauæ. de renum affectuum dignotione, & medela. 7ª.194.E
ad Calculos gignendos aptum eſt lac. in 6m. de morbis vulgaribus, commentario. 3°. 3ª.173.E
in Calculũ incidunt ſenes vina nigra craſſa bibẽtes. 5°. de ſa. tu. 2ª.91.B
Calculoſis quæ vina cõueniãt, & q̃ nõ. de re. aff. dign. & med. 7ª.194.E
Calculi quibus ſuſpicio eſt, quo vino vti debent. 5°. de ſan. tuen. 2ª.91.C
pro Calculoſis vinum medicatum. 5°. de ſan. tuen. 2ª.91.C
Calculoſus obeſus qua victus ratione ſit redẽdus. 6°. de ſa. tu. 2ª.99.H
Calculoſis quæ auxilientur. 10°. de comp. med. ſec. lo. 5ª.205.H
Calculoſis ira quandoq; conuenit. de ren. aff. dign. & med. 7ª.194.E
Calculoſis exercitia vbi facienda ſint. de ren. affe. dign. & me. 7ª.194.E
Calculoſis vomendũ à cena, quando. de ren. aff. dig. & med. 7ª.194.F
Calculoſis cõueniũt quæ ſunt tenuium partiũ. 7°. de ſimp. me. fa. 5ª.51.H
Calculis proſunt incidentia. 7°. de ſimp. med. facul. 5ª.53.H
Calculoſis non ſunt danda multum exiccantia. 6°. de ſan. tuen. 2ª.99.H
Calculis vexatos adiuuat ceraſorum gummi. 7°. de ſimp. me. fa. 5ª.51.H
Calculos confringit cotyledon. 7°. de ſimp. med. fa. 5ª.52.G
Calculo vexatis congruit cyperi radix. 7°. de ſimp. med. fac. 5ª.53.H
Calculos frangere poteſt radix, & ſemen hippomarathri. 7°. de ſimplic. medica. facul. 5ª.55.B
Calculos confringit, & iecori prodeſt cortex radicis lauri. 6°. de ſimplicium med. facul. 5ª.46.B
Calculos veſicæ comminuit paliuri ſuccus. 8°. de ſim. med. fac. 5ª.57.G
Calculo infeſtatis conuenit peponum ſemen. 2°. de alim. fac. 2ª.16.H
Calculos veſicæ comminuit murium ſtercus. de ther. ad Piſ. 5ª.93.F
Calculos expellit ſcolopendria. de ſimp. med. Sp.91.G
Calculos veſicæ conterit ſcorpius. de ther. ad Piſo. 5ª.93.F
Calculum prouocat ſyricium. de ſimp. med. Sp.90.C
Calculis veſicę prodeſt theriaca. de vſu theria. ad Pamphi. 5ª.98.H
pro Calculis ponebat ferrum in lacte Gale. 10°. de ſim. me. fa. 5ª.76.A
Calculoſis aluus ſoluta aſſidue conuenit. de ren. aff. dig. & me. 7ª.194.E
Calculoſis quando ſanguis mittendus, & quando purgatio facienda. de renum affect. dignot. & med. 7ª.194.F
ad Calculoſos. de rem. par. facil. 160.B| 7ª.178.E|F
ad Calculoſos inſperſile. 10°. de comp. med. ſec. loc. 5ª.206.E
ad Calculoſos valens antidotus. 2°. de antid. 5ª.116.D
Calculos atterens antidotus. 10°. de comp. med. ſec. loc. 5ª.206.F
ad Calculos exterendos. de medic. fac. parab. 7ª.178.F
Calculos frangens. de medic. fac. parab. 7ª.179.A
ad Calculoſos. 7°. de comp. med. ſec. loc. 186.C|10°. 5ª.206.B|C|D| de reme. par. fac. 160.C| de med. fac. par. 178.E| 7ª.179.A
Calculoſi pueri caſus. 4°. de locis affect. 4ª.3.A
Calculus per totam vitam durat. 6°. de ſan. tuen. 2ª.98.A
Calculus veſicæ non ætatis mutatione, ſed manuum opera duntaxat curari poteſt. in 6m. de morb. vul. com. 6°. 3ª.193.B
Calculus veſicæ quid primo indicet. 3°. meth. med. 7ª.16.C
Calculus in veſica de ſui remotione penitus indicat. 14°. met. me. 7ª.91.F
Calculi detractores, perforatores, & herniæ diſſectores, medici communi nomine vocitantur. ad Thraſy. 2ª.105.B
circa Calculi extractionem actio qualis. ad Thraſ. 2ª.104.H
Calculo euulſo quod vinculũ aliqui adhibeant, quorum opinio reijcitur, & qua faſcia vtatur Galenus. de faſcijs. 7ª.304.E
CALCVLVS in renibus eſt morbus ſenum. 5°. de ſan. tuen. 2ª.92.B
Calculi in renibus quomodo & quando fiant. fin. med. Iſ.47.G

Calculi quo modo generant in renibus.2°.de bon.& vitio ſucc. 2ª.34.G
Calculi an in cauitate renum oriantur, an in carne.in 6^{m}.de morb.vulg. commentario.1°. 3ª.155.C
Calculi in renibus cur fiant.14°.meth.med. 7ª.87.H
Calculũ in renibus gignẽs inæqualis cõpoſitio, quæ.6°.de ſa.tu. 2ª.99.F
Calculi renum quibus generentur.3°.de alim.fac. 2ª.28.F
Calculos renum gignunt ſatietas,& cruditas.de renum affec. dignotio. & medela. 7ª.194.D
Calculi quo victu generentur in renibus.14°.meth.med. 7ª.91.G
Calculos in renibus gignunt edulia ex triticea farina & lacte. de alimentorum facultatibus. 2ª.10.G
Calculos in renibus gignunt itria ex ſimilagine.1°.de alim.fac. 2ª.10.E
Calculus in renibus ex vſu lactis cuidam eſt natus.5°.de ſan.tu.2ª.91.G
Calculos renum gignit caſeus.3°.de alim.fac. 2ª.28.C
Calculi in renibus ex caſei ſucco.3°.de alim.fac. 2ª.28.H
Calculus renum, vel veſicę ſignificatur ab arenoſis vrinis . commentario.4°.aph.79°. Ex.36.G
à Calculo renum præſeruatio, quæ.de ren.affe.dign.& me. 7ª.194.D
Calculis gignendis quorum renes ſunt appoſiti, alicæ vſum vitare debẽt 1°.de alim.facul. 2ª.10.H
Calculus quo modo non generabitur in renibus.in 6^{m}.de morbis vulga. commen.1°. 3ª.156.B
in Calculo renum ſubito inuadente quid agendum.de renum affe.digno. & medela. 7ª.196.C
in Calculo renum nihil ęque conducit q̃ habere ventrem læuem.de ren. affec.dign.& medela. 7ª.195.E
pro Calculo renum panis furfuraceus. de renum affectuum dignotione & medela. 7ª.195.E
in Calculo renum quædam agunt à proprietate.de renum affec.dignot. & medela. 7ª.194.H
Calculos renum conſtringit altheæ ſemen.6°.de ſimp.med.fac. 5ª.46.F
Calculos renum frangere apparet bdellium arabicum in potu ſumptum. 6°.de ſimp.med.fac. 5ª.44.H
Calculos in renibus rumpit betonica.7°.de ſimp.med.fac. 5ª.51.A
Calculis degrauatos renes expurgat carpeſiũ.7°.de ſim.me.fa. 5ª.50.C
Calculos renum confringit ciceris arietini decoctum. 6°.de ſimpl.medicamen.facul. 5ª.47.E
Calculos in renibus comminuere damaſonium aqua in qua decoctũ fuerit epotum, expertus eſt Galenus.6°.de ſimp.med.fac. 5ª.46.A
in Calculo renum phaſiani adeps.de ren.affe.dign.& med. 7ª.193.H
Calculos renum frangit ſion.8°.de ſimp.med.fac. 5ª.60.F
Calculos renum conterit theriaca.de ther.ad Piſo. 5ª.96.B
Calculus.lege Lapis, tam.
CALEFACTIO quot modis fiat.2°.de diff.feb. 3ª.41.A
Calefactio & refrigeratio ſi abſint, humidum & ſiccum contingũt corpus ſine violentia.1°.de ſimp.cauſ. 3ª.16.G
Calefactio tribus generibus medicaminũ cõis eſt, lac procreantibus, mẽſes, & vrinã cientibus, & qũo differant.5°.de ſimp.med.fa.5ª.38.A
ex Calefactione viri & mulieris ſemen emittitur.de ſperma.Sp.36.A
Calefactio ſi ſit conſueta, minus nocet, è contrario ſi inconſueta.commẽtario.2°.aph.50°. Ex.19.B
Calefactio in duplici vaſe.5°.de comp.med.ſec.loc. 5ª.162.H
Calefactio ſanguinis in febribus quomodo fiat.de inęq.intẽp. 3ª.44.A
Calefactio ſemper peruenit per partes ad cor.1°.de diff.feb. 3ª.32.A
Calefactio cuius ſit remedium.3°.de ſan.tuen. 2ª.81.B
Calefactio.vide Caliditas, & Calor.
Calefaciẽtes cauſæ tot ſunt, quot refrigerantes.1°.de prę ſ.exp. 4ª.105.H
Calefacientium aliud ſimpliciter eſt calidum, aliud exuperãtia.1°.de ſimplic.med.fac. 5ª.4.H
non Calefaciunt calida poteſtate, priuſquàm in tenuia ſint comminuta. 1°.de ſimpli.medicamen.facul. 5ª.4.A
quæ Calefacere valent corpus humanum aut refrigerare, aut exiccare, aut humectare, non inquiritur an pinguia ſint, aut lenta, aut leuia.1°. de ſimplic.medicamen.facul. 5ª.2.E
Calefiat corpus quot modis.de palp.trem.conuulſ.& rig. 3ª.54.H
Calefacientia, & infrigidantia corpus humanum non abſolute calida & frigida inquirit Galenus.2°.de ſimp.med.fa. 5ª.10.D
Calefacientia noſtra corpa ab externo, quę ſint.2°.de ſan.tuen. 2ª.74.B
Calefacere medicamentum putandum eſt, ſi ſana corpora ab eo incaleſcant, & calidi affectus exaſperentur, frigidiq́, iuuentur. 4°.de ſimp. med.facul. 5ª.26.B
Calefacere quo modo obſcure videatur acetũ.1°.de ſim.med.fa. 5ª.6.D
Calefacit, incidit, digerit, acrimonia, hoc collige exẽplo corticis radicis capparis.7°.de ſimp.med.fac. 5ª.49.G
Calefaciant quę adſtringentia.1°.de ſimp.med.fac. 5ª.8.A
Calefacientia parum & adſtringentia medicamenta ſunt emplaſtica & peptica.i.concoquentia.7°.de ſimp.med.fac. 5ª.55.C
Calefaciendi vim habent amari ſapores.4°.de ſimp.med.fa. 5ª.29.G
quomodo Calefaciat, & refrigeret aqua calida.de ijs quæ in medicatrina fiunt:commen.3°. 7ª.215.H
quomodo Calefacit aqua frigida.1°.de ſimp.med.fac.5ª.2.E/2°. de arte cur.ad Glau. 7ª.103.D
Calefaciunt parum, & valde adſtringunt atramentum ſutorium, & ſal. 6°.de comp.med.per gen. 5ª.256.C
Calefaciunt & humectant cito balnea.de ren.aff.dign.& me. 7ª.194.B
Calefaciunt ẽt mortuos balnea.de ijs quæ in med.fiunt.com.3°.7ª.215.H
Calefacti & ſiccati à ſole, balneo frigeſcunt, & humectantur . de marcore. 3ª.47.H
Calefacit ſanguinem bedarus calefactione forti.de diſſol.cont. Sp.74.C
Calefacit in tertio beſaſa.6°.de comp.med.ſec.loc. 5ª.170.G
Calefacientes acriter, & ſtringentes vires habet omnis caſia fiſtula.de ſimpli.medic.. Sp.82.H
Calefacit, & deſiccat caſtoreum.11°.de ſimp.med.fac. 5ª.80.B
Calefaciens vt Caſtus acopon.7°.de comp.med.per ge. 5ª.272.D
Calefacit abunde cedria.1°.de comp.med.ſecun.loc. 5ª.126.F
Calefaciunt ſanguinem calefactione nimia cibi acuti.de diſſ.cõ. Sp.72.F
Calefaciunt corpus plethoricum cibi multi, cum vero ante vacuatũ fuerit ſiccant abunde.de vic.ra.in mor.acu.com.4°. 7ª.145.C
Calefaciunt quędam cum nutriunt.3°.de temp. 1ª.24.B
Calefacit coitus robuſtos.in 6^{m}.de mor.vulg.com.6°. 3ª.191.G
Calefaciens, emolliens, & remittens confectio.7°.de compoſi.medicam. per genera. 5ª.272.G
Calefacit conyza contra Apollonium.2°.de comp.med.ſec.lo. 5ª.132.H
Calefaciunt & reſiccant nos vehementer chalcitis, ſandarache, & miſy.2°.de ſimp.med.fac. 5ª.16.D
Calefacit primo imbecilles, deinde frigefacit coitus. in 6^{m}.de mor.vulg. commen.6°. 3ª.192.G
Calefacit, & exiccat venus frequens.8°.meth.med. 7ª.54.D
Calfaciens corpus electuarium.de med.exper. Sp.107.B/D
Calefacit renes electuarium turbit.de med.exper. Sp.108.C
Calefacit fortiter euphorbium.1°.de comp.med.ſec.loc. 5ª.122.B
Calefit exercitio proprie noſtrum corpus.2°.de ſan.tuen. 2ª.74.B
Calefacit febris pituitam, & ſpiritum flatuoſum.c.6°.aph.51°.Ex.52.H
Calefacit leniter fœniculi ſuccus.de ſimp.med. Sp.84.D
Calefactio per fomenta.in 6^{m}.de morb.vulg.com.6°. 3ª.196.A
Calefacere commune eſt omnis frictionis.2°.de ſan.tuen. 2ª.71.G
Calefaciat quo modo frigidum.in 6^{m}.de morb.vul.com.2°. 3ª.161.E
Calefacit git.de ſimp.med. Sp.84.F
Calefactorias vires habet hyſſopus.de ſimp.med. Sp.92.E
Calefacientes acriter vires habet laurus.de ſimp.med. Sp.85.H
Calefacit in tertio ordine leontopetalon.7°.de ſimp.med.fac. 5ª.54.B
Calefacit in primo ordine leucacanthon.7°.de ſimp.med.fac. 5ª.54.B
Calefaciẽdi vim habent medicamenta tenuãtia.de bo.& vi.ſuc.2ª.34.F
Calefacientia tenuium partiũ qualia ſint.8°.de cõp.me.ſec.lo.5ª.196.A
Calefacit multum lolium.3°.de comp.med.per ge. 5ª.228.E
Calefacit in ſecundo ordine lotus agreſtis.7°.de ſimp.me.fac. 5ª.54.H
Calefaciens corpus medicamen.de med.exper. Sp.106.B
Calefaciens renes medicamen.de med.exper. Sp.107.H
Calefactoriã, & exterſoriã vim habet mel.7°.de cõp.me.ſe.lo.5ª.178.G
Calefacit corpora motus.de fracturis.com.2°. 7ª.238.G
Calefaciendi, & reſiccandi uim habet myrrha.2°.de cõp.me. 5ª.134.F
Calefacit, fundit, & emollit myrrha bœotia.8°.de ſimp.me.fa. 5ª.61.A
Calefacit oleum.in 6^{m}.de mor.vulg.com.3°. 3ª.163.B
Calefacit vt alimentum oleum.2°.de ſimp.med.fac. 5ª.15.E
Calefacit ſufficienter laurinum oleum & vnguentum.1°.de compo.med. ſecundum locos. 5ª.122.B
Calefacit valde oleum laurinum.de comp.med.per gen. 5ª.256.C
Calefacit opopanax.de ſimp.med. Sp.88.C
Calefacit & digerit peucedani radix.8°.de ſimp.med.fac. 5ª.58.C
Calefacit et humectat humana corpa pĩguedo oĩs.11°.d ſim.me.5ª.79.A
Calefaciunt tanto citius piperis particulæ, quanto accurratius in minimas comminutæ fuerint.1°.de ſimp.med.fac. 5ª.4.G
Calefacit pulegium cum aliqua acrimonia de ſimp.med. Sp.88.H
Calefacit acriter pyrethrum.de ſimp.med. Sp.88.H

Calefaciunt reſinæ omnes.1°.de cõp.me.per gene. 5ª.210.C
Calefaciunt & exiccant reſinæ omnes.2°.de cõpo.med.per ge. 5ª.219.E
Calefaciunt reſina & pix applicatæ parti.2°.de diff.feb. 3ª.41.A
Calefacit parum & adſtringit ſchini flos.8°.de ſimp.med.fac. 5ª.60.H
Calefaciat quo mõ ſomnus,& qñ.in 6^{m}.de mor.vul.cõ.4°. 3ª.184.A/B
Calefacit leniter ſpica nardi.de ſimp.med. Sp.89.H
Calcfacit ſtyrax.de ſimp.med. Sp.90.E
Calefacit & diſcutit ſulfur.1°.de comp.med.ſec.loc. 1ª.130.A
ad Calefaciendum tempus requirit thapſia.6°.de ſimp.me.fa. 5ª.48.F
Calefacit domum turba hominum,quare arcenda eſt à febricitantibus. 10°.meth.med. 7ª.64.E
Calefacit pectus pulmonemq́, tuſſis vehemens.in 6^{m}.de mor.vulg.commentario.2°. 3ª.164.F
Calefactoria guſtu eſt vella.de ſimp.med. Sp.92.A
Calefactionis vinorum ordo.de vic.rat.in mor.acu.com.3°. 7ª.126.G
Calefacere valenter non poſſunt vina alba.de vict.rat.in morbis acutis commentario.3°. 7ª.126.G
Calefacit vinum antiquum.de præcog.ad Poſthu.4ª.214.E/ 7°.methodi medendi. 7ª.44.B
Calcfacit magis quàm aqua calens,vinum auſterum,& roborat inteſtina.6°.meth.med. 7ª.39.D
Calefacit mediocriter vinũ dulce.de vic.ra.in mor.acu.cõ.3°. 7ª.125.H
Calefacit valde vinum falernum & ſurrentinum.7°.met.med. 7ª.44.B
Calefaciens vnctio trahit foras humores.4°.de ſan.tuen. 2ª.86.A
Calefacit valentius vnguentum nardinum.11°.meth.med. 7ª.72.H
Calefacit Xilobalſamum.de ſimp.med. Sp.92.C
Calefacere plurimum nocet.com.2°.aph.51°. Ex.19.C
Calefacientia plurimum grauitatem capitis maxime faciunt.comment. 5°.apho.28°. Ex.40.C
Calefacientia immoderate lędunt cerebrum.de inſtr.odo. 1ª.112.E
Calefacientia valenter vires deyciunt.de cur.rat.per ſan.mi. 6ª.17.E
quę Calefaciendo ſanitatem corrumpunt non omnibus nota ſunt. 1°.de ſanitate tuenda. 2ª.63.B
Calefacientia vehementer & conſiſtentia craſſa qualia ſint.5°.de ſimpl. medicamen.faculta. 5ª.36.A
q̃ Calefacere magis periculoſum eſt infrigidare.7°.meth.me. 7ª.44.D
Calefaciendum quando eſt corpus totum celeriter,quid agendum.6°.de ſimp.med.facul. 5ª.47.H
Calefacientium euidenter acrium & odoratorum ſemen conuenit in diæta attenuante.de atten.vic.rat. 2ª.44.E
Calefacere aliquod corpus intendentes medici quid ipſis agendum. 1°.de elementis. 1ª.7.B
Calefacienda quando eſt pars aliqua refrigerata, quid agendum. 6°.de ſimp,med.fac. 5ª.47.H
Calefaciendum eſt & refrigerandum quantum vnũquodq; calidius aut frigidius factum.ars medicinalis. Iſ.71.B
Calefactæ partes frigidiores,debent magis infrigidari,& calidiores partes infrigidatæ magis calefieri.7°.meth.me. 7ª.49.A
Calefacienda ſunt omnia frigida, his demptis quibus ſanguis fluit, aut fluxurus eſt.com.5°.apho 19°. Ex.39.A
Calefacientia corpus cum accepere principium mutationis ab eo, tum demum ipſum recalefaciunt.3°.de temp. 1ª.23.B
Calefacientes & refrigerantes partes poteſt habere idem corpus. 1°.de alimentorum fac. 2ª.9.C
quę Calefaciunt magis quàm refrigerent, deſiccant plus quàm humectent,laſſitudinis ſenſus non admodum ſoluere valent.2°.de ſimp.medicamentorum.fac. 5ª.16.D
Calefacientia modice pharmaca, cum ſuperfluitatem euacuant, protinus quod affectum eſt phlegmone,frigidius efficiunt.1°.de ſimplicium medic.facul. 5ª.2.H
Calefaciunt mediocriter illa quæ incidunt humores craſſos. de curan.ratio.per ſang.miſſ. 6ª.17.E
Calefacientia niſi etiam valenter digerãt,liquãt ac in flatum mutant lentos omnes craſſosq́, & frigidos humores.12°.meth.med. 7ª.79.E
Calefacientia humorem ſuperfluum euacuant, dum contentum in caleſcentibus corporibus humorem in vapores diſſoluunt.4°.de ſimplic. medic.facul. 5ª.33.A
Calefacientia digerunt.14°.meth.med. 7ª.92.C
Calefacientia omnia vbi digerunt ſubſtantię contactæ quippiam, continuo illam ſiccant,niſi quid natura fuerit humidum, ceu oleũ et aqua. 11°.de ſimp.med.facul. 5ª.80.B
Calcfacientibus modice,dolor ſedatur.13°.meth.med. 7ª.82.F
cum Calefit modice quod lentum,& abſq; morſu eſt dolorem tollit.13°. methodi medendi. 7ª.86.A
Calefacientia nimium,exiccant.7°.meth.med. 7ª.46.F
Calefacientia & exiccantia medicamenta.8°.meth.med. 7ª.54.D
Calefacientia & deſiccantia vehementer quid agant. 8°. de ſimpliciũ medicamen.facult. 5ª.62.D
Calefacientia,& ſiccantia eliciendo per halitum humore ſiccitatem inducunt.1°.de ſan.tuen. 2ª.68.C
Calefacientibus & exiccantibus eſt vtendum in fine omnium morborũ ex ſuccis vitioſis.14°.meth.med. 7ª.89.C
Calefacientia & exiccantia ſunt neruoſarum partium medicinæ.comm. 5°.aphor.66°. Ex.45.C
Calefacientium atq; exiccantium medicaminum immodicus vſus tertianas facile affert.2°.de diff.feb. 3ª.36.D
non Calefacientia,& euacuantia quæ accipienda pro febre.11°.metho: medendi. 7ª.69.G
Calefacientia,& incidentia vehementer,vrinam & menſes prouocant, fœtum euellunt.6°.de ſimp.med fac. 5ª.48.E
Calefacit ad lucernæ flammam,aut ad candelam cercam quod in aurem inſtillandum eſt.in 6^{m}.de mor.vulg.com.6°. 3ª.191.D
Calefactum vehementer nullum edibilium durare imputre poteſt.3°.de ſymp.cau. 3ª.25.D
Calefactum corpus & rarefactum aquæ calidę perfuſione frigidum efficitur tranſpirante immoderatius calore natiuo.1°.de ſimp.me.1ª.3.F
quæ Calefaciant,& humectent.5°.de ſan.tuen. 2ª.89.E
Calefacto,aut humectato,quod in capite inane,fit ſternutamentum. cõmen.7°.aph.51°. Ex.58.C
p Calefacientia fiunt maturationes.in 1^{m}.de mor.vul.com.3°. 3ª.112.A
Calefacientia valde cauenda in orthopnœa, & aſthmate.7°.de compo. med.ſecun.loc. 5ª.186.G
cum Calefiunt horreſcunt ſuccis malis pleni.in 6^{m}. de mor.vulg.commentario.3°. 3ª.175.G
Calefactum corpus vbi rurſus refrigeretur morbi longitudinem ſignificat.præſag.exper.confir. Sp.77.G
Calefactus hõ poſtea in frigidam poſitus fit fortis.10°.met.me.7ª.66.C
Calefacientes affatim ad ignẽ manus frigidas dolorẽ intolerabilẽ ſentiũt maxime in vnguiũ radice.de ĩæq.intẽ.3ª.44.E/2°.de loc.aff. 4ª.9.D
Calefiunt,& frigefiunt facile tenuia eſſentia,non tamen congelantur.1°. de ſimpli.med.fac. 5ª.5.B
Calefiunt quæ prægnantes in febribus abſq; cauſa manifeſta,difficulter pariunt,& cum periculo,aut abortum facientes periclitantur.commen.5°.apho.55°. Ex.42.G
quomodo Calefiunt ea quæ ſunt in cerebro.com.7°.aph.51°. Ex.58.D
Calefacti,magis reſpiramus.de vtil.reſp. 1ª.224.E
Calefit venter vacuus.de anat.viuo. Sp.47.G
cur Calefiant veſtes.de vtil.reſp. Sp.62.F
ſi Calefiat cito,et cito ĩfridigeť aqua,bona eſt.de bo.aq.75.F/ Sp.76.A
Calefieri non debet os in aduſtione.de artic.com.3°. 7ª.276 B
Caleſcere,& calefactum eſſe multum differunt.1°.de diff.feb. 3ª.30.B
Caleſcunt cum ſubito manus frigidæ,dolor fit.12°.meth.med. 7ª.78.D
Caleſcunt balneo rigentes.de marcore. 3ª.47.H
Calens.i.parum febriens,ſicut igni correptus pro valde febriens.in 3^{m}. de mor.vulg.com.1°. 3ª.131.A
Caleſcentis.i.parum febrientis ęgroti duodecimi caſus, qui poſt intẽpeſtiuum cibum magis ægrotauit,obijtq́,.in 1^{m}.de mor.cõ.3°. 3ª.125.D
Calent magis hectici poſt cibum.1°.de diff.feb. 3ª.35.B
Caleſcentis & frigeſcentis pulſus qũo mutetur.1°.de p̃ſ.ex. 4ª.105.H
cur Calentia trahunt ad ſe humores.2°.de diff.feb.3ª.41.A/ de ren.aff. dig.& med. 7ª.193.G
Caleſcere cutim præter modum, quomodo cognoſcatur in applicatione pharmacorum in alopecia.de comp.med.ſec.loc. 5ª.122.G
CALICREON quid ſit.de venar.arte.diſſ. 1ª.55.G
CALIDITAS quid ſit,collige.1°.de diff.feb. 5ª.35.C
Caliditas dicitur etiam calidum.1°.de temp. 1ª.13.H
Caliditas nunquam dicitur de ſubiecto.1°.de temp. 1ª.13.H
Caliditas,frigiditas,humiditas,ſiccitas ſunt qualitates primę. 3°.đ ſimplicium medic.facul. 5ª.17.C
Caliditas eſt efficaciſſima qualitatum.de conſt.art. Iſ.38.E
Caliditas alterat totam rem.de conſt.ar. Iſ.38.E
Caliditas citius corrũpit mẽbra alijs qualitatibus.de vtil.reſ. 1ª.226.C
Caliditas ignis,qualis.1°.de ſimp.med.fac. 5ª.4.A
Caliditatis et frigiditatis ꝑticulas habet aer ĩ ſeipſo.de vtil.re.Sp.64.a

in Caliditate, & frigiditate conſimiliter ſe habentes aquæ omnibus horis, peſſimæ ſunt. de bo. aquę. Sp.75.H
ſine Caliditate, & frigiditate notabili humiditas humectat corpora. de aſſuctudinibus. 2ª.61.D
Caliditas quæ refrigcret. in 6^{m}. de mor. vulg. com. 5°. 3ª.194.F
pp Caliditatem & frigiditatem ſpuma fit. in 1^{m}. prorrh. cō. 1°. 4ª.166.D
Caliditatem magnam habet atramentum ſutorium & vehementer adſtringit. 9°. de ſimp. me. fa. 5ª.71.B
Caliditatem, & adſtringendi vim habeat medicamenta profluuij capillorum. 1°. de comp. med. ſec. loc. 5ª.125.E
Caliditatem in ſummo nullum animal habet. 1°. de temp. 1ª.10.C
ſm Caliditatis gradus cōparant aīalia. 11°. de ſimp. med. fac. 5ª.79.B
Caliditas, & humiditas hñr ſtatim ī primo aīantis ortu. 1°. đ tē. 1ª.10.h
Caliditas moderata quantū vtilitatis aīali afferat. de vti. reſp. 1ª.226.B
Caliditas humana, qualis. 1°. de ſimp. med. fac. 5ª.4 B
Caliditas pinguedinis ſuum talis eſt, qualis eſt in nobis. 11°. de ſimplic. medicamen. facul. 5ª.79.B
Caliditatem in corpore, Plato vocauit ignem. in Tim. Pla. 1ª.288.C
Caliditatis innatæ principium eſt in corde. in Tim. Pla. 1ª.287.D
Caliditatem in ſanguine, & venis veluti fontem ignis habet animal oē. in Tim. Pla. 1ª.289.H
Caliditas interna quibus corroboretur. de vtil. reſp. 1ª.225.A
Caliditatem ingenitam moderatur reſpiratio. in 6^{m}. de mor. vulgaribus, commentario. 6°. 3ª.190.B
Caliditas innata ad quæ opera conferat. 3°. de ſimp. me. fa. 5ª.21.H
Caliditate, venę, & arteriæ citius fiſtulantur. 2°. de ſem. 1ª.339.B
Caliditate, nerui citius extenduntur. 2°. de ſem. 1ª.339.B
Caliditate & ſiccitate oſſa citius concreſcunt. 2°. de ſem. 1ª.339.B
Caliditas facit mares, & quare. com. 5°. aph. 48°. Ex.41.H
Caliditas in viris facit ſterilitatem. com. 5°. aph. 63°. Ex.44.C
Caliditas pubertatem feſtinare facit [quod & in alijs ætatibus intelligēdū eſt] è cōtrario frigiditas retardat. com. 3°. aph. 27°. Ex.25.H
Caliditas propria coquit. 2°. de diff. feb. 3ª.40.A
Caliditas in animalis corpore ſemper excrementa facit, quæ indigēt euacuatione. in 6^{m}. de mor. vulg. com. 6°. 3ª.195.F
Caliditas facit fortem virtutem retentiuā. com. 2°. aph. 20°. Ex.14.F
Caliditas facit debilem appetitum. com. 2°. aph. 20°. Ex.14.E
Caliditas eſt continens cauſas nō eſuriēdi, & cur. 1°. de ſym. cau. 3ª.18.B
à Caliditate cibi vertuntur in fumum. 1°. de loc. aff. 4ª.5.D
Caliditas vehemens dominatur melli. de bon. aquę. Sp.73.B
à Caliditate vehementi quo magis diſtāt vina dulcia, eo minus capitis grauedinem mentisq; læſionem faciunt. de vinis. Sp.76.E
Caliditatem nimiam habentia tarde digeruntur. de diſſol. con. Sp.73.D
Caliditatem modicam, quæ facere poſſunt. de conſt. art. Iſa.42.F
Caliditas moderata generat flatum ventoſum in humoribus viſcoſis & craſſis. 9°. de comp. med. ſec. loc. 5ª.205.E
Caliditas & humiditas facile p halitū digerunt. aduer. Lycū. Ex.65.D
Caliditas extrinſeca vrinas iumentorum, bitumen, picē, reſinam in ſpiritum ſoluit. com. 4°. aph. 70°. Ex.35.B
Caliditas maxima vincit aromatum facultatem, alterat, atq; corrūpit. com. 5°. aph. 62°. Ex.44.B
Caliditas immoderata non minus frigiditate noxia eſt. 4°. de ſimpli. medicamen. facul. 5ª.28.B
Caliditas naturalem ſymmetriam excedens eſt prima ægritudo. de differentijs morborum. 3ª.2.H
Caliditas aliena quę ſit, & quid faciat. 2°. de dif. feb. 3ª.40.A
à Caliditate aliena oritur putredo. 2°. de diff. feb. 3ª.40.A
Caliditas quomodo fiat ex putredine. de cauſ. morb. 3ª.6.D
Caliditatem ſemper ad continua diſpartitam continet quod putreſcere natura aptum eſt. 1°. de diff. feb. 3ª.32.H
Caliditatem ex putredine acquiſiuit acetum. 1°. de ſimp. med. fac. 5ª.2.E
Caliditas quam acetum à putrido calore contraxit, facit acetum penetrare. 4°. de ſimp. med. fac. 5ª.27.D/E
Caliditas quomodo tota ſenſim recedat ab imputreſcibilibus. 1°. de differentijs febrium. 3ª.32.H
Caliditas ex putredine poteſt eſſe vehementiſſima, tamen naturalis erit pauca. com. 4°. aph. 37°. Ex.32.B
Caliditas putredinis ad cor peruenit. 2°. de diff. feb. 3ª.41.C
Caliditas quot modis generetur, & augeatur. 1°. de diff. feb. 3ª.31.E
Caliditas quibus fiat. de cau. morb. 3ª.6.D
Caliditatis vicinia quo modo faciat calorem. de cau. morb. 3ª.6.D
Caliditatem augent cibi acres. de cauſ. morb. 3ª.6.G
Caliditas maxima īter canis, et arcturi ortū. 1°. de ar. cu. ad Gl. 7ª.98.C
Caliditas maior accēdit ī motibus vehemētibus. c. 4°. aph. 32°. Ex.30.h
Caliditas quo modo fiat ex motu. de cau. morb. 3ª.6.D
Caliditas articulorum fit ex motibus pluribus. cō. 4°. aph. 31°. Ex.30.G
Caliditas, & dolor, fluxionum ſunt cauſæ. 2°. de diff. feb. 3ª.41.A
Caliditas pūehit ſupfluitates ad locū affectū. cō. 4°. aph. 32°. Ex.30.H
Caliditas inſignis, in qua parte corporis fuerit, ibi ſignificatur eē morbum. com. 4°. aph. 39°. Ex.32.D
Caliditas phlegmonoſa fit à ſanguinis fluxione. 1°. de diff. feb. 3ª.32.A
Caliditas eryſipelatodes fit à fluxione exqſite bilioſa. 1°. de diff. 3ª.32.A
Caliditas, quam ab humidiorum poteſtate medicamētis editur, tardius accenditur, & durat diutius. 6°. de ſim. med. fa. 5ª.47.H
Caliditas, quæ ſicca poteſtate medicamentis editur, celerrime accendit & vndequaq; diſpergitur. 6°. de ſimp. me. fa. 5ª.47.H
Caliditatis magna permutatio facit morbos. com. 3°. aph. 1°. Ex.19.H
Caliditate vincente qui affectus fiāt. de pal. trem. cōuul. & rig. 3ª.54.C
ex Caliditate īmodica fit animi defectus. 1°. de arte cu. ad Cla. 7ª.98.G
Caliditas quo modo ineſſe poſſit in ſingulis aīalis ptibus. de dif. f. 3ª.3.D
Caliditate inflāmati vteri febris aucta. ē ī 6^{m}. de mor. vul. c. 1°. 3ª.151.D
Caliditas præternaturalis in corde febris eſt. 1°. de diff. feb. 3ª.31.D
Caliditas eſt eſſentia febris. in 6^{m}. de morb. vulg. com. 1°. 3ª.158.F
Caliditatis febrilis differentiæ. in 6^{m}. de mor. vul. com. 1°. 3ª.158.F
Caliditatis differentiæ vnde ſumantur. 1°. de diff. feb. 3ª.31.D
CALIDITAS ephemerę ſuauis eſt. 1°. de diff. feb. 3ª.33.H
Caliditas febris ex ſanguine, eſt vt caliditas balnei. 2°. de diff. f. 3ª.40.C
Caliditatis ſubſtantia fumoſa eſt in febribus pituitoſis. de vict. ratio. in mor. acu. com. 4°. 7ª.136.B
Caliditas febris refert multitudinem ad caput. cō. 4°. aph. 31°. Ex.30.H
Caliditatis innatæ ebulitio eſt paſſio à corde dependens. de vir. noſtrum corpus diſpen. Sp.60.D
Caliditas habet ſanguinē materialē vnde accēditur. de vti. re. 1ª.224.H
Caliditas ſubleuās materiam facit profluuium ſanguinis, aut parotidas commen. 4°. aph. 74°. 3ª.36.A
à Caliditate, & frigiditate fiunt vehementiſſimi dolores capitis. 2°. de comp. me. ſec. loc. 5ª.131.H
Caliditas ſola ſine humore vitioſo, quo modo deſipientiam faciat. commentario. 6°. aph. 53° Ex.53.B
Caliditas quo modo faciat ad excitandam inſaniam. in 6^{m}. de mor. vul. commen. 3°. 3ª.178.D
ex Caliditate carbonum, deſipientiæ. in 1^{m}. prorrh. com. 1°. 4ª.164.B
ob Caliditatem immoderatam ſpiritus patitur. de vtil. reſp. 1ª.226.D
Caliditate abundante, & frigiditate quomodo reſpiratio ſe habet. 1°. de diff. reſpi. 3ª.58.C
Caliditas acuta quid faciat in pulſu, & reſpiratione. 1°. de dif. re. 3ª.58.b
ad Caliditatis multitudinem neceſſario ſequitur magna & frequens reſpiratio. de vtil. reſp. 1ª.225.F
Caliditatis & facultatis creſcentis, pulſus. 1°. de cau. pul. 4ª.89.A
Caliditas fumoſa quam reſpirationem facit. 1°. de diff. reſp. 3ª.62.D
ob Caliditatem immoderatam qui ſuffocantur. de vtil. reſp. 1ª.226.E
Caliditate externa non egent arteriæ. de vtil. reſp. 1ª.226.A
Caliditas imminuta quid faciat in reſpiratione. 1°. de diff. reſp. 1ª.58.B
in Caliditatis genere quęcunque fuliginoſa, fauilloſa, ac fumoſa recrementa ſunt, omnia ſunt terrea, & veluti ſemicocta cum innato calore. 1°. de diff. reſp. 3ª.62.D
Caliditas, et ſiccitas vētriculi pportiōe rñdet febri. 7°. met. me. 7ª.47.c
Caliditati prauæ vētriculi iuncta ſiccitas qūo curet. 7°. me. me. 7ª.47.c
Caliditas nimia exiccat & conſumit humorem, quo naturalis calor nutritur, humores nigrefacit, non aliter atq; ſol fructus & hominū corpora. de mel. Sp.109.F
Caliditas callum porumue contrahit, ac procreat, non incidit, neq; diuidit. 5°. de ſimp. med. fac. 5ª.35.E
Caliditas quo modo deprehendatur in thorace. 4°. de loc. aff. 4ª.24.G
Caliditas prēter naturam circa cor, & thoracem in ęſtuoſis morbis. de vtil. reſpira. 1ª.224.D
Caliditatem ſignificat acrimonia. 9°. de ſimp. med. fac. 5ª.66.G
Caliditatē qñq; ſignificat atrū qñq; frigiditatē. quæſi. in Hipp. Sp.113.E
Caliditatem flammeam hypochōdriorum ſudores per totum corpus exigui, qui non remouent, non boni. in 1^{m}. prorrh. com. 1°. 4ª.164.B
Caliditatis hora non eſt accipiendus cibus. de diſſol. con. Sp.72.B
Caliditati intenſæ ſicut etiam frigiditati, nihil magis prodeſt, quàm balneum aquæ calidæ. 1°. de vſu par. 1ª.116.E
Calitatē capitis affecti iuuat balneū. đ vic. ra. ī mor. acu. c. 4°. 7ª.140.G

Caliditatem tepidam generant aqua & oleum mixta.de rat.vic.in mor. acu.com.4°. 7ª.140.D
ob Caliditatem intẽta q̃uo laxant.de ijs quæ in med.ſi.com.3°.7ª.215.H
Caliditate multiplicatio cauenda eſt & ad frigiditatem potius debet medicus declinare.ſecretorum. Sp.97.B
Caliditatem ſi animalibus cohibueris atq; intercluſeris ita, vt nihil cũ aere exteriori communicet, ſtatim exitiũ afferes.de cau.mor. 3ª.7.E
Caliditas in morientibus extinguitur.de pal.trem.cõuul.et rig.3ª.54.F
Caliditatis extinctæ ſigna, qualia.2°.de diff.reſp. 3ª.67.B
Caliditas, vide Calor.
CALIDVM, & frigidum vocabula ſunt balneatorum, non medicorum ſecundum Empiricos.2°.meth.med. 7ª.12.B
Calidum quid ſignificet.1°.de temp. 1ª.12.E/G
Calidum quot modis dicatur.2°.de ſimp.med.fac.17.B/3°. 5ª.18.D
Calidũ eſt nomen à qualitate ſumptũ, nõ ab eſſentia.1°.de ſa.tu. 2ª.62.E
per Calidum an pura qualitas, vel etiam corpus ſubiectum intelligat. 1°.de alimentis. 1ª.6.A
Calidum accipitur pro qualitate, & corpore.com.1°.apho.14°. Ex.7.B
Calidũ quod eſt mediocriter, & quod ab hoc multũ deficit, ad hæc quoq; & quidquid calidius eſt, calidũ appellamus.3°.de ſim.me.f. 5ª.19.D
Calida a nobis non nunquam dicuntur appellationis abuſu poculum, & balneum cum temperata ſunt.4°.de ſimp.med.fac. 5ª.24.E
Calidæ vel gelidæ minimo iniecto tpatũ nõ imutat.1°.de ſan.tu. 7ª.64.B
Calidũ, frigidũ, humidũ, & ſiccũ Hipp.primũ inuexit.1°.meth.me.7ª.3.E
Calidum, humidum, frigidũ, & ſiccum, cauſas rerum ponit Hippocrates.3°.de mor.vul.com.1°. 3ª.129.C
pp Calidũ, frigidũ, humidũ, et ſiccũ vnũquodq; ẽ tale.1°.me.me. 7ª.6.E
Calidũ et trãquillũ vocat lenẽ Hip.in 3^{m}.de mor.vulg.com.2°. 3ª.141.E
Calido, frigido, humido, ſicco alijs velut agentibus, alijs veluti patiẽtib⁹ omnia quę in corpore animalis ſunt gubernari ſenſerunt Hippo.Diocles, Praxag.Philiſt.Plat.Ariſt Theoph.2°.de nat.fac. 1ª.299.G
de Calido, frigido, humido, ſicco, quomodo tractent medici, & philoſophi.3°.de ſimp.med.fac. 5ª.17.E
Calidum eſſe aiunt aliqui medici omne quod viſcoſum eſt, alij quidquid adſtringit, nonnulli quidquid eſt dulce, quidam ẽt quod auſterũ acerbumue eſt, ſed errant.1°.de ſimp.med.fac. 5ª.5.C
Calidum, & frigidum, tantum ſunt elementa.de vtil.reſp. Sp.64.A
Calidum in elementis eſt ſincerum, reliqua vero omnia corpora in medio illorum collocata ſunt.1°.de temp. 1ª.14.A
Calidum, qualitas effectrix.de cur.rat.per ſang.miſſ. 6ª.16.C
Calidum, & frigidum actiua ab aliquibus dicuntur.1°.de nat.fa. 191.C/ 2°.de ſemine. 1ª.339.A
Calidum, & frigidum cur dicantur actiua.7°.meth.me. 7ª.44.C
Calidum maxime actiuum.2°.de nat.fac. 1ª.297.H
Calidum efficaciſſimum inter qualitates.2°.de nat.fac. 1ª.300.C
Calidũ, frigidũ, humidũ, ſiccũ, agũt et patiunt iter ſe.2°.de na. 1ª.297.H
inter Calidum, & frigidũ eſt tepidũ, & temperatũ.1°.meth.me. 7ª.7.C
Calidum eſt quod facile accendit, quia proxime accedit ad flammę naturam.4°.de vſu par.1ª.137.D/1°.de ſimp.me.fac. 5ª.3.H
Calida quędam ſunt quę facile accenduntur, nos vero non facile calefaciunt.1°.de ſimp.med.fac. 5ª.4.B
Calidius protinus ad nos non apparet ſimpliciter quod citius accendit. 1°.de ſimp.med.fac. 5ª.4.H
Calidum energia, vel actu quo modo intelligatur.3°.de temp. 1ª.21.E
Calidum actu eſt & quod ſimpliciter eſt calidum, & quod per exuperãtiam, & quod ad ſui generis ſymmetrum comparatur, & quod ad quid vis obuium.2°.de ſimp.med.fac. 5ª.15.D
Calida ſunt aliqua tactui, q̃ ſunt alioqui frigida.3°.de ſimp.med. 5ª.18.B
Calidum actu, tactu diſcerni poteſt.2°.de temp.16.H/ 1ª.17.C/F
Calidum ſm potentiã vocat quod re ipſa vere tale exiſtit, quale eſſe dicitur, ſm imaginationem aũt, quod ex prompto quidem ſenſu, tale eſſe imaginamur, cum tamen vere tale non ſit.ars med. Iſ.69.D
Calidum poteſtate ratione inuenitur.2°.de temp. 1ª.17.A
Calidum poteſtate vt ad hominem quid ſit.3°.de temp. 1ª.25.D
Calida poteſtate vt ad nos medicamẽta alteri animaliũ generi ſunt actu calida.3°.de ſimp.med.fac. 5ª.22.H
Calidũ facultate aliud eſt eiuſmodi vt ad id qđ prĩo et abſolute ẽ calidũ, aliud vero vt ad id qđ p exuperãtiã dicit.1°.de ſimp.me.fac. 5ª.4.H
Calidũ poteſtate primũ diſtinguitur cõtra id quod eſt ex accidẽti, deinde tot hẽt ſignificationũ dĩas, quot actu calidũ.2°.de ſimp.me. 5ª.15.D
Calidum poteſtate non præpollet ſua natura frigido, tamen in propinquo eſt vt præpolleat.3°.de temp. 1ª.22.B
Calida poteſtate, quæ.3°.de temp. 1ª.21.H
Calida facultate ſunt omnia diſcuſſoria.1°.de comp.med.ſec.loc.5ª.121.F
quæ Calida ſunt poteſtate partim alimenta ſunt, partim medicamenta, partim tegumenta.2°.de ſimp.med.fac. 5ª.15.D
Calida ptãte, ſunt alimẽta, medicamẽta, & tegumẽta.2°.de ſim. 5ª.15.D
Calida poteſtate maxime conſideranda, ſint ne ex natura eorum quæ corpus nutrire poſſint.3°.de temp. 1ª.23.C
Calidũ ptãte breuem opẽ requirit vt mutetur in actũ.3°.de tẽp. 1ª.22.B
Calida poteſtate, quæ celerrime calida actu fiũt, & celerrime inflãmantur, & admota humano corpori calefaciunt.3°.de temp. 1ª.21.G
à Calido eſſe atrum quo modo cognoſcatur.queſi.in Hipp. Sp.113.E
Calidum in continuo motu eſt.de vtil.reſp. Sp.64.B
Calidum, & frigidum faciunt diuerſitatem motibus, & ſunt eorum principia.14°.de vſu par. 1ª.206.C
Calida quo modo agant.1°.de comp.med.per gen. 5ª.210.A
Calidum facile alterat, & in aliam ducit naturam.4°.de ſimp. 5ª.28.A
Calidum alterat totum per totum.1°.de elem. 1ª.7.H
Calidum prompte omnia ſubintrat.com.5°.aph.5°. Ex.37.G
Calidiora redduntur, quę per vim trahuntur.de na.hu.com.5°. 1ª.31.H
Calidum paratum eſt vt calidius fiat.de cau.mor. 3ª.7.A
Calidum ſemper exiccat.6°.de ſan.tuen. 2ª.95.E
Calida vbi habent multa excrementa non calefaciunt niſi tempore.6°. de ſimp.med.fac. 5ª.48.F
Calidiſſimum & humidiſſimum corpus palàm eſt celerrime alteraturũ, id eſt tum concocturum proprium nutrimentum, tum ſibi ipſi aſſimilaturum eſſe.3°.de ſymp.cau. 3ª.28.H
Calidum quo modo refrigerat.in 6^{m}.de mor.vul.com. 2°.3ª.161.F/2°.de arte cur.ad Glau. 7ª.103.E
Calida refrigerant quandoq; per accidens.de conſt.ar. Iſ.40.B
Calidum remiſſius ab intenſiue calido frigidius factum, collige.3°.de ſimplicium med.fac. 5ª.18.A
Calidorum haud pauca craſſæ eſſentiæ ſunt, nec pauciora frigidorum, tenuis.1°.de ſimp.med.fac. 5ª.6.F
Calido craſſo q̃uo comparetur frigidum tenue.1°.de ſimp.me. 5ª.6.C
Calida parum ſi etiam humida ſunt id habent ex propria natura, cum calore tamen copioſo ſunt ſicca.3°.de temp. 1ª.23.D
Calidi proprium eſt ſubiectam materiam fundere, & liquare.4°.de ſimplicium med.fac. 5ª.24.F
à Calido cur diſſoluitur adeps.de anat.viuo. Sp.44.G
Calidi eſt ſecundum quoſdam ſecare atq; diuidere, frigidi contrahere, & refrigerare.1°.de ſimp.med.fac. 5ª.5.H
Calida tenuium partium & amara incidere.1°.de ſimp.me.fa. 5ª.49.D
Calido continet aĩa, inde eſt qua viuimus quod ſentimus.de dy.Sp.19.D
in Calido, & humido cõſiſtit vita, & ita in ſanguine.de an.vi. Sp.50.F
Calidum delectat aliter quàm frigidum.1°.de ſymp.cau. 3ª.16.G
Calidum ad quæ conferat.com.5°.aph.22°. Ex.39.C
Calidum quibus partibus vtile ſit.com.5°.aph.18°. Ex.39.A
Calidum plurimũ valet ad ſuccorũ generationẽ.2°.de nat.fac. 1ª.299.G
Calidum elementum quo modo ad ciborum mutationem in ventriculo cõferat.3°.de ſymp.cau. 3ª.25.A
Calidum perpetuo coctioni opitulatur, frigidum vero aduerſatur. 3°.de vict.rat.in mor.acu.com.3°. 7ª.130.A
à Calido quo fiat coctio.in 6^{m}.de mor.vul.com.4°. 3ª.186.C
Calidum à frigido in profundum corporis fugit.in 6^{m}.de mor.vulgarib. commen.5°. 3ª.193.D
Calido ſupabundãte, multo alimento indigemus.com.1°.aph.15°.Ex.8.B
Calidi inſolens appetitus oſtendit futurã ęgritudinem.ars med.Iſa.67.F
in Calido, & ſicco retentiua vis fortior.3°.de ſym.cau. 3ª.29.D
Calida exquiſite in longo proceſſu ætatis, fortem habent retentiuam virtutem.com.2°.aph.20°. Ex.14.F
Calidum rarefacit & aperit.in 6^{m}.de mor.vulg.com.2°. 3ª.160.F
Calidum ſuperabundans digerit humorem.1°.de temp. 1ª.10.D/G
Calida & penitus tenuia magis digerunt, diſcutiũtq; humores ex corporibus quibus admouẽtur, quã alios ipſa apponãt.2°.de ſimp. 5ª.15.G
Calida & ſicca ſunt quæ per halitum digerunt.14°.meth.med.7ª.89.A
Calida & ſicca diſcutiunt.quorũ ſyluã ponit.3°.de cõp.me.ſ.l.5ª.147.F
Calidum, acre, & mordax quibus exhalet.6°.de ſan.tuen. 2ª.96.A
Calida ſunt omnia euacuantia.1°.de compo.med ſec.loc.5ª.121.H/de victus rat.in mor.acu.com.4°. 7ª.135.C
Calidæ, & humidę medicinę eſt omnis detractio.de cathar. Sp.94.E
Calida omnia guſtu acria ſternutationem prouocant.8°.de ſimp.5ª.61.E
à Calida prouocantur excretiones.in 6^{m}.de mor.vul.cõ.5°. 3ª.193.D

Calida,& humida,vacuant contenta in partibus phlegmone affectis,et non exiccant partes,ſed potius humectant.3°.de temp. 1ª.21.D
Calidum,frigidum,ſalſum,nõ dant vt aliquid aluum aut vrinã moueat, ex Diocle.1°.de alim.fac. 2ª.7.D
Calida,& humida pus mouent.5°. de ſimp.med.fac. 5ª.34.C
Calidum ſuppurat,& prohibet aliquando ſuppurationem.comment.5°. aphoriſ.22°. Ex.39.B
Calidi eſt attrahere.2°.de diff.feb. 3ª.41.A
Calida valde & acria cum humiditate coniuncta ex alto violẽter extrahere,& digercre qđ extraxere,collige.6°.de ſimp.med.fac. 5ª.48.C
Calida trahunt venena.de ſectis. Iſ.16.G
Calida medicamenta & acria,tenuiumq́; partium quęque facile ex alto ad ſeſe circum iacentem omnem humiditatem poſſunt attrahere, ad venenatarũ beſtiarum morſus valent.7°.de ſimp.med.fac. 5ª.49.D
Calidũ immodicũ quid faciat,et quas paſſiones.cõ.5°.aph.16°. Ex.38.G
Calidi natura eſt ſuperiora petere.com.5°.aph.28°. Ex.40.C
Calida plus quàm ſicca capitis dolorem mouent.7°.de ſimp.mc.5ª.56.B
Calidiſſima excitant dolorem.ars med. Iſ.70.G
Calidum mediocre & humidum non faciunt dolorem.ars med. Iſ.70.G
Calida & acria oculos non iuuant.4°.de comp.med.ſec.loc. 5ª.150.C
Calida medicamª vigilias,et motiões varias ĩducũt.2°.de lo.af.4ª.14.a
Calida cauſa motum excitat,& vigilias.2°.da loc.aff. 4ª.14.B
Calidum mordax eſt.com.5°.aph.2°. Ex.39.B
Calida cauſa etiam facit rigorem & horrorem.4°.de ſan.tuen. 2ª.82.G
ex Calido,& frigido fiunt horror,& rigor.4°.de ſan.tuen. 2ª.86.A
Calida lac alterant ad fumoſum.com.5°.aph.64°. Ex.44.E
Calido aſſatur,& torretur ſemen.com.5°.aph.63°. Ex.44.D
Calidum ſi ampliter exuperat,morbus eſt.1°.de temp. 1ª.11.B
Calidum multum exuperans,mors.1°.de temp. 1ª.11.B
Calidus natura omnis aer ſecundum Ariſtotelem,ſecundum Stoicos frigidus.de ſimp. 5ª.14.B/C
Calidus actu aer.2°.de ſimp.med.fac. 5ª.15.G
Calidior nobis quandoq; aer.2°.de ſimp.med.fac. 5ª.15.F
CALIDI ob ętatẽ adoleſcentes.in 1m.de mor.uulg.com.1°. 3ª.105.A
Calidior quo modo eſt puer iuuene,& è contrario. in 6m.de morb.uulg. com.1°.144.H/in 6m.com.3°. 3ª.173.B
Calidum in ætatibus tactu iudicatur.2°.de temp. 1ª.16.H
Calidiſſimę ætates,quę.1°.de mor.vulg.com.2°. 3ª.115.E
Calidiores ætates,regiões,nãę,anni tpa,ſunt billioſa.2°.de na. 1ª.300.D
Calidius iuſto corpus,& temperatum in paſſiuis qualitatibus in vigore ætatis fit ſiccum.6°.de ſan.tuen. 2ª.96.E
CALIDO, frigido,humido,ſicco conſtant animalium corpora, non tamen æqualiter.1°.de temp. 1ª.10.B
Calida,& frigida quo modo dicantur animalia & inanimata.de vic.ra. in morb.acut.com.1°. 7ª.113.E
Calidius & humidiº aĩal ad quorũ cõparationẽ ſit dictũ.1°.de tẽ.1ª.12.E
Calidum corpus multis modis.3°.de temp. 1ª.25.C
Calidiora animalia ſunt ſanguine prędita.2°.de nat.fac. 1ª.300.C
Calidum nullum animal exangue eſt.de fœt.for. 1ª.323.F
Calidæ & ſiccę naturæ ſunt animalia,quæ pectinatim inſerũt iunguntq́; dentes.de atra bile. 1ª.36.A
Calidiora animalia,& magis terrena ſuibus ſunt boues & oues. 4°.de ſimplicium med.fac. 5ª.25.E
Calidiſſima animalia,quæ.8°.de vſu par. 1ª.165.D
Calidior eſt mas fœmina.com.5°.aph.42°.41.E/aph.48°. Ex.41.H
Calidiores ſunt partes anteriores poſterioribus.c.5°.aph.69°. Ex.45.D
Calida ſuperiora,& frigida inferiora habent lienem decliuem habentes in 6m.de mor.vul.com.2°. 3ª.167.H
Calidior ne ſit ſiniſtra,an dextra,& quomodo.in 6m.de mor. 3ª.169.C
Calidiorẽ eẽ dextrã ꝓbat̃ p diſſectiões.ĩ.6m.de mor.vul.cõ.2°. 3ª.169.F
Calidior eſt pars dextera vteri ꝓpter hepar.cõ.5°.apho.48°. Ex.41.H
Calidius eſt,& fortius ſperma viri,ſpermate muliebri.de ſper.Sp.36.B
Calida humiditas cur ſit in carne.1°.de vſu par. 1ª.116.D
Calidior pars ſtomachi,quæ.de anat.viuo. Sp.50.A
Calidæ,et ſiccę cõplionis eſt cor ſm Galenũ.de ana.viu.56.B/E/ Sp.58.G
Calidius ẽ cor oĩbus mẽbris corpis.de cõpag.mẽb.ſiue de nat. Sp.58.G
Calidiſſimus locus in corpore eſt diaphragma.14°.de vſu par. 1ª.208.G
Calidi admodũ ſumus virtute ꝑueniẽte à corde.de vir.noſ.cor. Sp.60.B
Calidum cor habent licet paruũ ſerpens,thirus,muſtella, & propterea ſunt animalia audacia.de anat.viuo. Sp.53.A
Calidũ plurimũ q hẽnt in corde ſunt vocaliſſimi.in 6m.de morb.3ª.185.H
Calida,et fortia aĩalia hñt affatim lienẽ nigrũ.6°.de ana.admi. 1ª.92.G
Calidorũ & ſiccorũ aĩaliũ lien niger,et vix põt comedi.de atr. 1ª.36.A
Calidam & ſiccam complexionem cur habeat pulmo ſecundum aliquos. de anato.viuo. Sp.52.H
Calidus cũ ſit pulmo & ſpõgioſus vim hẽt attractiuã. de vtil.Sp.64.D
Calido & ſicco ſanguine nutritur pulmo.de anat.viuo. Sp.52.H
CALIDAE aquę hyeme,frigidę æſtate optię sũt.de bo.75.H/ Sp.76.A
Calidiſſimi cur ſint hyeme ꝓfundi fõtes,ęſtate frigidiſſimi.de bo.Sp.75.h
Calidę aquæ æſtate,hyeme frigidæ,malæ ſunt.de bon.aquę. Sp.75.D
Calida magis erit aqua flante auſtro,quam ſi flauerit boreas,ſed minus dulcis.de bon.aq. Sp.75.G
Calida bibenda eſt aqua cocta ob prauitatem.de bon.aq. Sp.76.B
Calidas aquas ſtagnantes qui populi bibant.de aere,aq.& loc. 2ª.4.H
Calida potio,et ñ frigida cur poſt exercitationẽ dãda.de ſal.di. 2ª.41.C
Calidæ potiones quæ ſint.de dynami. Sp.32.F
Calida aqua quomodo ferenda.3°.de ſimp.med.fac. 5ª.22.G
Calidarum aquarum potus ſomnum conciliat.2°.de loc.affec. 4ª.14.A
in Calida aqua ſit manus illius qui phlebotomatur, ne cito ſanguis reſtringatur.de anat.viuo. Sp.54.H
Calidæ aquę ſponte naſcentes,quæ mala gignant, quibus, & cur.6°.de ſanitate tuenda. 2ª.98.G
CALIDA balnea ex aqua potabili refrigerant potentia. 1°.de arte cur. ad Glauconem. 7ª.97.B
Calidæ aquæ balneum facit ad ſudores.de cura icteri. Sp.111.C
Calidæ lotio vires diſſoluit.de ren.affect.digno.& medela. 7ª.196.D
poſt Calidæ perfuſionem frigida affundebatur in furfuratione curanda. 1°.de comp.med.ſec. 1ª.128.E
Calida lotus non ſtet multum aere in furfuratione curanda. 1°.de compoſitione medic.ſec.loc. 5ª.128.E
in CALIDARIIS manet calor igne extincto.de vſu pul. 1ª.228.B
CALIDI, & acres cibi,qui.de cau.morb. 3ª.6.G
Calidi cibi quibus conueniunt.de diſſol.cont. Sp.74.C
Calidis & attenuantibus corriguntur cibi flatulenti.1°.de ali. 2ª.14.A
inter Calida malitiam habentia rapas numerat.de diſſol.con. Sp.74.C
Calida,& ſicca cibaria prætermittamus quando caput eſt calidum ſuſcipiens vapores.de diſſol.cont. Sp.71.F
Calidæ carnes,& ægre coctiles. in 6m.de mor.vulg.com.4°. 3ª.180.C
CALIDVM aut frigidum excrementum vel expellendum eſt,vel certe alterandum.4°.de ſan.tuen. 2ª.82.H
CALIDA fomenta quæ ſint,& quot eorum genera.de victus ratione in morb.acutis,com.2°. 7ª.116.C
Calida fomenta trahunt foras humores.4°.de ſan.tuen. 2ª.86.A
Calida fomenta cur obſint frigidis & ſiccis.7°.meth.med. 7ª.47.B
Calida pars plus trahit,q̃ euaporet per fomenta, in pleuritide vbi adeſt humorum redundantia.de vict.rat.in mor.acu.com.2°. 7ª.116.C
ex CALIDIS medicamentis liquidis frictio.de ijs quæ in medicatrina fiunt.commen.3°. 7ª.220.C
CALIDI humores à quibus cauſis fiant.de cur.rat.p ſan.miſ. 6ª.16.G
Calidus,& humidus eſt ſanguis.bre.denot.dog.Hipp. 1ª.231.B
Calidũ ĩ ſanguine ꝓpolleat frigido,& humidũ ſicco.1°.de ſan.tu. 2ª.62.E
Calidus minus,& humidus,& humano ſimilis tẽperiej eſt ſanguis ſuũ. 10°.de ſimp.med.fac. 5ª.72.F
Calidiorem ſanguinem temperato generat caro pullorum,columbarum, & paruarum auium.de diſſol.cont. Sp.73.A
Calidus & ſiccus humor bilis pallida æſtate gignitur.in 1m.de mor.vul. commen.1°. 3ª.104.C
Calidiſſimus humor flaua bilis,æſtate abundat,hora calidiſſima. in.1m. de morbis vulgaribus.com.2°. 3ª.100.H
Calidior,& ſiccior eſt bilis omni humore [dubitandũ de atra bile quæ eſt ſiccior] 1°. de arte cur. ad Glau. 7ª.97.B
Calidus,& ſiccus quicunq; fuerit humor idem cum bile genus ſubibit. de cauſ.morb. 3ª.8.C
Calidi humores quomodo cognoſcantur.de reme.par.facil. 7ª.160.C
Calidi humores qũo in doloribus cognoſcantur.3°.de loc.aff. 4ª.20.F
Calida humorũ materia decũbit ſurſũ.in 1m.de mor.vul.cõ.1°. 3ª.105.A
Calidi ſucci,& mordaces efficiunt vigilias.4°.de ſan.tuen. 2ª.84.E
Calidos & mordaces humores ſequũtur vigiliæ & deliria.in.3m.de morbis vulg.com.1°. 3ª.131.A
Calidus humor facit tubercula alta,& acuta.com.6°.aph.9°.Ex.47.C
ad Calidum humorem in tunicis ventriculi contẽtum ſequitur nauſea. 1°.de loc.affect. 4ª.5.E
Calidos humores habentes neq; acre neq; vetuſtum bibãt vinum.de bonitate,& vitio ſuc. 2ª.38.D

Calidi tenues humores ſunt paratiſſimi ad excretionem. in prognoſtica commentario.3°. 4ª.209.F
Calidi humores per excretionẽ euacuantur in progno.com.3°. 4ª.210.E
CALIDVM innatum vnde dictum.aduerſus Lycum. Ex.65.C
Calidum innatum eſt natura & anima.de palp.trem.conuul. 3ª.54.B
Calidũ innatũ nobis ex ſemine, et ſanguine mẽſtruo.adu.Lycũ. Ex.61.H
Calidum innatum, quod eſt ſanguis, & ſemen, fit minus, quo magis creſcit fœtus.aduerſus Lycum. Ex.65.B
Calido innato ſeneſcere corpa ac tãdẽ corrũpi verũ eſt.de mar. 3ª.46.B
Calidi naturalis affectus rigor.de palp.trem.conuul.& rig. 3ª.54.A
Calm inſitũ quia digerit, tãtundẽ caloris addẽdũ eſt.ad Thra. 2ª.104.E
CALIDA, & humida loca in primo gradu Mercurio ſubiecta ſunt. de ſpermate. Sp.40.C
Calida loca in ſecundo gradu, humida in primo, ſunt ſub ditione Martis. de ſpermate. Sp.40.C
Calida eſt Lybia.in progn.com.3°. 4ª.212.H
in Calidis regionibus vina craſſa, odora, & fortia gignuntur. de victus rat.in mor.acu.com.3°. 7ª.127.B
in Calida admodum regione non eſt ſecanda vena etiam in febre acuta. de ſectis. Iſa.16.E
Calida ſi ſint loca & tempus conſentiat, ſanguis non eſt mittendus.1°.de arte cur.ad Glau. 7ª.98.C
in Calidis vel frigidis ſupra modum locis ſanguis non eſt mittendus.1°. de arte cur.ad Glau. 7ª.98.C
in Calidis locis diutius manentia in putredinẽ labuntur.de bo. 2ª.34.F
Calida loca promptiſſime putrefaciunt res calidas humidasq̃, niſi difflẽtur.1°.de diff.feb. 3ª.31.H
Calida cum putreſcunt, pars in qua putreſcunt, fit calidior.de curan.ratione per ſang.miſſ. 6ª.16.H
Calidis & ſiccis locis tertianæ febres maxime fiunt.2°.de diff. 3ª.36.D
CALIDVM medicamentũ quod dicat.4°.de cõp.me.per gen. 5ª.240.F
Calida, humidaq̃ medicamenta q̃uo dicant.5°.de ſimp.med.fa. 5ª.33.B
Calidum an ſit medicamentũ quo mõ probet.3°.de cõ.med.fa. 5ª.230.D
Calidi iudiciũ vnde ſumat.3°.de tẽp.1ª.24.F/6°.de ſimp.me.fa. 5ª.45.F
Calidum non eſt quidquid eſt rubrum.1°.de ſimp.med.fac. 5ª.2.E
Calida & frigida non quærit Galenus, in libris de ſimp.med.fac.ſed calefacientia, & refrigerantia. 2°.de ſimp.med.fac. 5ª.10.D
Calidũ q̃rimᵒ nõ ſimpliciter, ſed ad hoĩem cõparatũ.3°.de ſimp. 5ª.17.G
Calidum quo ad nos quid.3°.de temp. 1ª.25.D
Calida ſunt quæ admota corporibus noſtris primario ac per ſe excalfaciunt.1°.de ſimp.med.fac. 5ª.2.E
Calidum primi ordinis eſt quod nos calefacit, non tamen euidenter.5°.de de ſimp.med.fac. 5ª.39.B
Calida & frigida in primo ordine vocat Galenus quæ paululum a media temperie ad calidiorem declinant.2°.de ſimp.me.fac. 5ª.16.F
Calida ſecundi ordinis dicuntur quę nos manifeſte calfaciunt. 5°.de ſimplicium med.fac. 5ª.39.B
Calida tertij ordinis dicuntur, quę vehementer calefaciunt non tamen ſumme.5°.de ſimp.med.fac. 5ª.39.B
Calida et ſicca in tertio ordine ſunt ſubſtãtiæ tenuis.8°.de ſimp. 5ª.58.A
Calida quarti ordinis dicuntur, quæ adeo excalfacere poſſunt, vt eſcharam moliantur, & vrant.5°.de ſim.med.fac. 5ª.39.B
Calida in quarto ordine quę ſunt tenuium partium carnem mollem putrefacere ſine dolore, collige.7°.de ſimp.med.fac. 5ª.50.D
Calida in quarto ordine vrunt.3°.de comp.med.per gen. 5ª.230.H
Calida ſubtilium partiũ q̃nq; omnino non mordicant, ſed calfaciũt duntaxat, q̃nq; mordicant, & tñ non vrunt.4°.de ſimp.me.fa. 5ª.24.F
Calida craſſarum partium, quoniã plus vlcerãt, iccirco violentius affligunt.4°.de ſimplicium med.fac. 5ª.24.F
Caliditas medicamentorum procedit ad vſtionem vſq; vbi in craſſa conſiſtit eſſentia.4°.de ſimp.med.fac. 5ª.24.G
quæ Calida vlcus faciunt.6°.de comp.med.per gen. 5ª.256.C
Calidiſſima medicamenta aliqua numerantur.10°.de cõp.med.5ª.207.C
Calida cum ſubtili ſubſtantia.2°.de arte cur.ad Glau. 7ª.104.G
Calidorum ordo pro alopecia.1°.de comp.med.ſec.loc. 5ª.122.D
Calidum parum, frigidum plurimum, & tenuium partium eſt acetum.1° de compo.med.ſec.loc. 5ª.128.H
Calidum acetum eſſe, quo probetur argumento.5°.de ſim.me.fac. 5ª.5.H
Calidus quo modo probatur eſſe Adeps.3°.de ſimp.med.fac. 5ª.17.G
Calidior ſuillo adipe eſt bubulus adeps.1°.de comp.me.per ge. 5ª.216.G
Calidior, et ſiccior ẽ anſeris piguedo, q̃ ſuũ.4°.de ſimp.25.E/11°. 5ª.79.A
Calidum & ſiccum in quarto ordine Allium.8°.de ſimp.me.fa.5ª.61.A
Calidæ, & frigidę temperantiæ, & condenſatorię, & extenuatoriæ eſt Aloe.de cathar. Sp.94.E
Calidum in primo ordine eſt Anethum.3°.de ſimp.med.fac. 5ª.19.G
Calidum eſt Apium.8°.de ſimp.me.fac. 5ª.60.H
Calida, & acria vrinam cientia ſunt ſemen Apij, petroſelini, fœniculi, dauci, agnoſelini, ſmyrnij, ſeſeli, ammi, phu.meum, aſaron. & acorõ. 5°.de ſimp.med.fac. 5ª.35.D
Calida, ſicca, & acria ſunt, vrinam mouentia.de ren.affe.dig. 7ª.196.E
Calidus & ſubtiliſſimus omnium terreſtrium eſt Aſiæ petrę flos. 3°.de compo.med.per gen. 5ª.228.E
Calidum & ſiccum in ſecundo ordine eſt bitumen in mari mortuo.11°.de ſimp.med.fac. 5ª.83.F
Calida & ſicca eſt in tertio Chamædrys.8°.de ſimp.me.fac. 5ª.63.E
Calidus, & humidus eſt Canis teſticulus.8°.de ſimp.med.fac. 5ª.57.F
Calidum, & ſiccum tertio ordine eſt Cardamine.i. Siſymbrium ſiccum, viride in ſecundo.8°.de ſimp.med.fac. 5ª.60.G
Calida in quarto ordine eſt Cępa.7°.de ſimp.med.fac. 5ª.53.D
Calida eſt in ſecundo ordine & ſicca in tertio Chamæleontis radix.8°.de ſimplicium med.fac. 5ª.63.F
Calida eſt in tertio ordine & ſicca in prima Chamæleuce. 8°.de ſimplic. medicamen.facul. 5ª.63.F
Calida in ſecũdo ordine et ſicca ĩ tertio ẽ Chamæpytis.8°.de ſim.5ª.63.G
Calidũ & ſiccũ in tertio ordine eſt Chelidoniũ maius.8°.de ſim. 5ª.63.G
Calidũ eſt in quarto ordine Chelidoniũ minus.8°.de ſimp.me.fa. 5ª.63.G
Calida, & ſicca in tertio ordine eſt Colocynthis.de cathar. Sp.94.E
Calidũ & ſiccũ eſt Crocodilij ſemen, acre, odoratũ.7°.de ſimp. 5ª.53.C
Calidus in ſecundo ordine ſiccus in primo eſt Crocus.7°.de ſimp.5ª.53.C
Calidum tertio ordine eſt Cyminum.7°.de ſimp.med.fac. 5ª.53.F
Calida, & ſicca eſt Cyperi radix.7°.de ſimp.med.fac. 5ª.53.H
Calidus & tenuis eſt Cyrenaicus ſuccus.8°.de ſimp.med.fac. 5ª.57.D
Calidę et tenuiſſimę ſubſtãtię ẽ Cyrenaicus ſuccus.3°.de comp. 5ª.228.E
Calidum eſt in ſecundo ordine Elaterium.8°.de ſimp.med.fa. 5ª.60.C
Calida & ſicca ſunt Epithymum, & Elleborus, & atram bilem educũt. de catharticis. Sp.94.E
Calida, & tenui natura conſiſtit Epithymum, & Elleborus, & frigidã, & terreſtrem habent ſubſtantiam.de cathar. Sp.94.F
Calidum in primo ordine ſiccũ in ſecundo eſt Eruum.8°.de ſimp. 5ª.57.C
Calidus, & tenuiũ partiũ eſt Euphorbij liquor.3°.de cõp.med. 5ª.228.E
Calidiſſimum ex ijs quæ valent alopecijs eſt Euphorbium.1°.de compoſi. medica.ſecun.loc. 5ª.122.D
Calidũ in tertio ordine eſt Fœniculũ, ſiccũ in primo.7°.de ſimp. 5ª.55.B
Calidum in ſecundo ordine, ſiccum in primo eſt fœnum græcũ. 8°.de ſimplicium medic.fac. 5ª.62.D
Calida valde eſt Ficus arbor.8°.de ſimp.med.fac. 5ª.60.F
Calidæ in primo ordine complete ſunt Ficus aridæ.8°.de ſimp. 5ª.61.E
Calidũ in tertio ordine, et ſiccũ in ſecundo Galbanũ.8°.de ſimp. 5ª.63.E
Calidum & ſiccum multum eſt Garum.11°.de ſimp.med.fac. 5ª.83.G
Calidum eſt et ſiccũ in tertio ordine Hypericon.8°.de ſimp.me. 5ª.63.A
Calidum & ſiccum in tertio Hyſſopum.8°.de ſimp.med.fac. 5ª.63.B
Calidiſſima ſunt Lauri folia.2°.de comp.me.ſec.lo. 5ª.136.F
Calidum in quarto ordine eſt Lepidium.7°.de ſimp.med.fac. 5ª.54.B
Calida & ſicca in tertio ordine eſt Leucas.7°.de ſimp.med.fac. 5ª.54.B
Calidum eſt Libyſticum.7°.de ſimp.med.fac. 5ª.54.F
Calidum in primo ordine & temperatum in paſſiuis qualitatibus eſt Lini ſemen.7°.de ſimp.me.fac. 5ª.54.F
Calidi & tenuium partium Liquores.8°.de ſimpli.med.fac.60.A/3°.de compo.me.per gen. 5ª.228.E
Calida eſt virtus Lupinorum.de ſimp.med. Sp.86.C
Calida, & ſicca in ſecundo ordine Lychnis coronaria. 7°. de ſimplicium medicamen.fac. 5ª.54.G
Calida, & ſicca in tertio ordine eſt Maiorana.8°.de ſimp.me. 5ª.60.A
Calida, & ſicca eſt Maſtiche.7°.de ſimp.med.fac. 5ª.55.C
Calida eſt, & humida Medulla.de anat.viuo. Sp.44.E
Calidum & ſiccũ in ſecundo ordine eſt Mel.7°.de ſimp.me.fac. 5ª.55.D
Calida magis, quàm frigida Melilotus.7°.de ſimp.me.fac. 5ª.55.D
Calida tenuium partium, & parum adſtringentia Metalla, quæ.3°.de cõpoſitione me.per gen. 5ª.228.E
Calidum in tertio ſiccum in ſecundo Meum.7°.de ſimp.me.fac. 5ª.56.B
Calida eſt Milax læuis.7°.de ſimp.me.facul. 5ª.56.B
Calida eſt Milax aſpera.7°.de ſimp.med.fac. 5ª.56.B
Calidum tertio ordine eſt Moly.7°.de ſimp.med.fac. 5ª.56.F
Calida & ſicca in ſecũdo ordine eſt Myrrha.8°.de ſimp.me.fa.5ª.61.A

Calida in

Calida in ſecundo ordine Myrrhis.7°.de ſimp.med.fac. 5ª.56.E
Calidum & ſiccũ in quarto ordine eſt Napy.8°. de ſimp.me.fa. 5ª.56.H
Calidior aliis eſt Nardus gallica.8°.de ſimp.med.fac. 5ª.56.H
Calida & ſicca eſt in tertio ordine Nigella.7°.de ſimp.med. 5ª.55.C
Calidum eſt in ſecundo ordine Ocimum, & humiditatem habet recremẽtitiam.8°.de ſimp.med fac. 5ª.64.H
Calida in tertio ordine eſt Ononis.8°.de ſimp.med.fac. 5ª.57.D
Calidum eſt Opobalſamum.7°.meth.med. 7ª.47.A
Calidum in tertio ordine, ſiccum in ſecundo eſt Opoponax. 8°. de ſimplicium medic.fac. 5ª.57.H
Calidus eſt, ſiccus, extenuans, & incidens Origanus.8°.de ſimp. 5ª.57.E
Calidi & tenuium partium ſunt liquor Panacis, & liquor tithymallorum.3°.de comp.med.per gen. 5ª.228.E
Calidum in primo ordine ſiccum in tertio eſt Pentaphyllum. 8°.de ſimplicium med.fac. 5ª.58.A
Calidũ & ſiccũ in tertio ordine eſt Petroſelinũ.8°.de ſimp.med. 5ª.58.D
Calida & ſicca in tertio ordine eſt Peucedani radix.8°.de ſimp. 5ª.58.D
Calida, & tenuis eſt Phaleris.8°.de ſimp.med.fac. 5ª.63.B
Calidum eſt facultate album Piper, granum cnidium, cnicus, calx, & veratrum album.1°.de ſimp.med.fac. 5ª.2.E
Calidum facultate eſſe Piper, & facile poſſe incaleſcere, idem eſt.1°.de ſimplicium med.fac. 5ª.4.D
Calidi medicamenti vt piperis multa aſſumptio, deinde ſuper id calidam potionem bibere quid efficiat.3°.de ſymp.cau. 3ª.25.F
Calida & ſicca in ſecundo ordine eſt Pix ſicca.8°.de ſimp.med. 5ª.58.E
Calidũ in ſecũdo ordine ſiccũ in tertio ẽ Poliũ minus.8°.de ſim. 5ª.59.A
Calidũ & ſiccũ in ſecũdo ordine eſt Polycnemon.8°.de ſim.me. 5ª.59.A
Calidũ & humidum eſt Polygalum, & lac generat.8°.de ſimp. 5ª.58.H
Calida eſt in ſecundo ordine Propolis.8°.de ſimp.med.fac. 5ª.59.B
Calida, & ſicca in ſecundo ordine eſt Ptarmice viridis, in tertio, ſiccata. 8°.de ſimp.med.fac. 5ª.59.C
Calidus ĩ tertio ordine, ſiccus ĩ ſecũdo eſt Raphanus.8°.de ſimp. 5ª.59.E
Calidę & ſiccæ ſunt Reſinæ.8°.de ſimp.med.fac. 5ª.59.F
Calida in ſecundo radix Rhodia.8°.de ſimp.med.fac. 5ª.59.G
Calida & ſicca in quarto Ruta agreſtis.8°.de ſimp.med.fac. 5ª.58.D
Calidũ tenuium partium Sagapenum.3°.de cõp.med.per gen. 5 .228.E
Calida & ſicca in primo gradu eſt Scammonia.de cathar. Sp.94.E
Calida & ſicca in ſecundo ordine Scandix.8°.de ſimp.me.fac. 5ª.60.G
Calida in ſecundo ordine eſt Scilla, & multum ſcindens. 8°. de ſimpliciũ medicamen.facul. 5ª.60.H
Calidus, & ſiccus in ſecundo ordine eſt Scolimus. 8°.de ſimplicium medicamento.facul. 5ª.60.H
Calida in tertio, & ſicca in ſecundo ordine eſt Scorpioides. 8°.de ſimplicium medic.facul. 5ª.61.A
Calidũ in ſecundo ordine ſiccũ in tertio eſt Seriphũ.8°.de ſimp. 5ª.60.C
Calidum in ſecundo ordine eſt Siſaron.8°.de ſimp.med.fac. 5ª.60.F
Calidum, & ſiccũ in tertio ordine eſt Smyrniũ.8°.de ſimp.me.f. 5ª.61.B
Calida in primo ordine ſicca ĩ ſecũdo eſt ſpica nardi.8°.de ſimp. 5ª.56.C
Calida in tertio ordine eſt Stachys.8°.de ſimp.med.fac. 5ª.61.C
Calidũ & ſiccum in quarto ordine eſt Struthium.8°.de ſimp. 5ª.61.D
Calidũ & ſiccũ eſt in ſecundo ordine Telephiũ.8°.de ſimp.me. 5ª.62.C
Calida in ſecundo ordine & ſicca eſt Terebinthus.8°.de ſimp. 5ª.62.A
Calidum in ſecũdo ordine ſiccũ in tertio ẽ Teucriũ.8°.de ſimp. 5ª.62.H
Calidum eſt mediocriter Thus.4°.de comp.med.ſec.loc. 5ª.151.C
Calidum in ſecũdo ordine ẽ Thus, ſiccũ in primo.7°.de ſim.me. 5ª.54.D
Calidus ſiccus in tertio ordine eſt Thuris ramus.7°.de ſim.me. 5ª.54.E
Calidi sũt ĩ quarto ordine Tithymalli, & adurẽtes.8°.de ſimp. 5ª.62.D
Calidum in tertio ordine eſt Tragion.8°.de ſimp.med.fac. 5ª.62.E
Calidũ, et humidũ tẽperatura eſt Triphyllũ.i.Satyriũ.8°.đ ſim. 5ª.60.B
Calidũ, et ſiccũ ẽ Triphyllũ, vt bitumẽ, ĩ tertio ordĩe.8°.de ſim. 5ª.62.F
Calidum eſt in tertio ordine Tripolium.8°.de ſimp.med.fac. 5ª.62.F
Calidum in primo ordine, temperatum in actiuis qualitatibus eſt Triticum.8°.de ſimp.med.fac. 5ª.59.D
Calida parũ, et tenuiũ partiũ ſemĩa frumẽtaria q̃ ſint.3°.de cõ. 5ª.228.F
Calidæ fruges quo modo cognoſcantur eſſe.1°.de alim.fac. 2ª.13.A
Calida in tertio ordine, et ſicca ĩ p° eſt Rododaphne. 8°.de ſimp. 5ª.59.G
Calida Venena, quę. ꝙ animi mores corp.temp.ſeq. 1ª.318.B
Calidum eſt Vinum omne.de ſimp.med. Sp.92.B
Calidum vinum eſt quod aquam ducit.in 1m.de mor.vul.cõ.2°. 3ª.108.F
Calidum & ſiccum in primo ordine eſt muſtum.8°.de ſimp.med. 5ª.57.B
Calidum eſt in ſecundo ordine vinum.8°.de ſimp.med.fac. 5ª.57.B
Calidum eſt in tertio ordine vinum vetus.8°.de ſimp.med.fac. 5ª.57.B
Calidum eſt vinum antiquum.2°.de loc.affec. 4ª.14.A
Calida ſunt natura vina vetuſta.1°.de arte cur.ad Glauc. 7ª.97.G
Calidiora, & tenuiora omnia fiunt vetuſtate quæ non putreſcere anticipent.11°.de ſimp.med.fac. 5ª.79.C
Calidum vinum antiquum, ſubtile, clarum, citrinum, eſt cibus acutus, incidens, aperiens.de diſſol.cont. Sp.72.F
Calidum vinum dulce, eſt cibus calidus.de diſſol.cont. Sp.74.C
Calidum eſt vinum auſterum.6°.meth.med. 7ª.93.D
Calidũ minus eſt vinum nigrũ ponticũ vino albo.de diſſ.cont. Sp.74.D
Calidũ vinũ incidit phlegma, et mũdificat ſtomachũ.de diſ.cõt. Sp.74.E
Calidum vinum quibus dandum.5°.de ſan.tuen. 2ª.94.F
Calidiore natura vinũ modicũ frigidis, & humidis corporibus humido & frigido exiſtente aere dandũ.in 1m.de mor.vulg.cõ.2°. 3ª.108.F
Calidiora vina ſunt commodiora ſeni.5°.de ſan.tuen. 2ª.91.A
Calidiſſimũ vinũ frigidiſſimis intẽperãtijs dandũ ẽ.5°.de ſa.tu. 2ª.94.G
Calidiora redduntur, & capita, & corpora vniuerſa ob nimiam potationem.com.7°.aph.7°. Ex.54.D
Calida ſunt comptoria vnguenta (aliàs comagenũ vnguentum).2°.de cõpoſi.med.ſec.loc. 5ª.132.H
Calida ſunt vnguẽtũ foliatũ & ſpicatũ.2°.de cõp.med.ſec.loc. 5ª.133.A
cur Calidis multis medicamentis frigidum vnum mixtum ſit, aut refrigerantibus quod calfaciat.1°.de ſimp.med.fac. 5ª.6.H
Calida cur ponant cũ opio & ſtupefaciẽtibus.8°.de cõp.med. 5ª.190.A
CALIDI morbi ſeptuplex cauſa.de oculis. 7ª.185.F
Calidum eſt pathema ſeu paſſio tactus.3°.de ſymp.diffe. 3ª.10.D
Calidæ intemperiei cauſæ.de cauſ.mor. 3ª.6.D
Calidiores aff ctus faciunt multi motus.1°.de ſan.tuen. 2ª.65.F
Calidi morbi in regionibus calidis facilius generantur, & ſunt minus periculoſi.com.3°.aph.3°. Ex.20.B
in Calidos morbos facile incurrũt calidiores natura.5°.de ſa.t. 2ª.93.C
Calidiora membra per naturam facile patiuntur à cauſis calidioribus. de natu.hum.com.2°. 7ª.182.H
Calidę particulæ calidis, frigidę frigidis morbis facile corripiuntur.1°. de comp.med.ſec.loc. 5ª.126.H
Calidæ partes vel frigidæ fiũt vel per intemperiem ſolum vel per humores.de curan.rat.per ſang.miſſ. 6ª.16.G
ad Calidius corpora quædã verſa vñr in ingentibus exuſtionibus citra aut malũ ſuccũ aut pectoris viſceris ue ĩflãmationẽ.2°.đ ſim. 5ª.14.b
ad Calidum, & frigidum inordinata & repentina permutatio, quos faciat morbos.com.3°.aph.22°. Ex.24.F
Calidi morbi à bile.2°.de nat.fac. 1ª.300.D
Calidę paſſiones ſunt phlegmonæ, phygethla, eryſipelata, carbunculi.1°. de ſimpli.med.fac. 5ª.5.H
Calidus affectus eſt inflammatio.2°.de loc.aff. 4ª.13.B
Calida moderate tubercula pruritũ ſolum excitant.in 6m. de mor. vulgaribus, com.2°. 3ª.165.G
Calida vehementer tubercula mordent & contriſtant. in 6m.de morbis vulgarib.commen.2°. 3ª.165.G
Calida quæ per cutis denſitatem ſua craſſitudine traduci non poſſunt, ſed intus detinentur, carbones gignunt, minus vero talia faciũt cancros. de atra bile. 1ª.35.C
Calidi dolores noui.in 6m.de morb.vulg.com.1°. 3ª.156.E
Calida, & frigida intẽperies dolorẽ facit.in 1m.de mor.vulg. 3ª.104.H
ad Calidæ cauſæ icteritiam.ſecretorum. Sp.101.C
Calidi, & bilioſi morbi quæ ſymptomata faciant.3°.de loc.aff. 4ª.16.F
Calidi morbi quõ propinquas partes primo calefaciãt.3°.de cau. 3ª.6.F
Calidæ affectiones cito ad vigorẽ veniunt.in 1m.prorrh.cõ.1°. 4ª.164.E
Calidis morbis ſuccedentia frigora pernicioſiſſima, & inſanabilia.in 3m. de morbis vulg.com.1°. 3ª.132.A
in Calidorum, et ſiccorum ciborũ parcitate vita aſſueta tertianas inducit febres.2°.de diff.feb. 3ª.36.D
Calido in ſtomacho & in reliquo corpore conueniunt cibi acetoſi. de diſſolutione cont. Sp.72.G
Calida & humida intẽperies ventriculi quõ curat.7°.met.me. 7ª.47.F
in Calido, et humido vẽtriculo frigida aqua cõuenit.7°.me.me. 7ª.47.F
Calidus et ſicc⁹ vẽtricul⁹ nõ debet temere refrigerari.7°.met. 7ª.48.B
Calidus, et ſiccus vehemẽter vẽtriculus nõ põt ſanari.7°.met. 7ª.47.F
Calidum, & ſiccum habentis ventriculum caſus.7°.meth.me. 7ª.47.D
in Calido ſtomacho quando generatur pituita cuſcutæ & apium mundificant eum.de diſſol.cont. Sp.74.E
Calido iecori dulcia prohibenda ſunt.de diſſol.cont. Sp.71.F
Calidam intemperiem iecoris quę comitantur.5°.de loc.affec. 4ª.34.E

Calida ægritudo quo modo curanda.de part.med.art. Sp.18.D
Calido affecti cauſa frigida contraria exiſtit.ars med.Iſ.69.D|1ª.de nat. hum.1º.de loc.aff.4ª.5.E|4º.de ſimp.med. 5ª.28.H
Calidiores partes infrigidatæ, debēt magis calefieri.7º.me.me. 7ª.49.A
Calidiora tanto debent eſſe medicamēta,quanto frigus exuperat : tātoq; humidiora,quanto vincit ſiccitas .4º.de ſimp.med.fac. 5ª.33.A
in Calidis,quibus fiat refrigeratio.8º.meth.med. 7ª.50.G
Calida,& hūida moderate pſūt frigiditate & æſtui.1º.de vſu. 1ª.116.D
Caliditas febrium putridarum,qualis.1º.de diff.feb. 3ª.34.D
Calida medicamenta cur exhibētur in febre,cum calida nō exigat. quos purg.opor. 5ª.88.G
Calida,& medicamentoria facultate lædunt febricitantes, & quæ ſint talia.9º.de compo.med.ſecun.loc. 5ª.197.F
Calidis affectibus mel aduerſum eſt.de marc. 3ª.48.E
Calida,& humi.et dulcia dāda ęgrotāti ex cholera nigra.de dy.Sp.19.f
Calida ſicca,et dulcia dāda,ſi ęgritudo ſit ex phlegmate.de dy.Sp.19.F
Calida ſi ſint interiora,& exteriora frigida in febre continua,letale eſt. com.7º.apho.68º. Ex.60.F
ex Calido alteratio facile curatur,cur.7º.meth.med. 7ª.44.C
Calida pars calefacta pauco frigore reducitur.7º.meth.med. 7ª.49.A
ſub Calidioribus morbis nidoroſas facit mutationes venter. 3º. de ſym ptom.cauſ. 3ª.24.H
Calida,& humida ventriculi intēperies quō cureṫ.7º.met.me. 7ª.47.H
Calidi morbi per excretionem iudicātur,ſi vires ægri validę ſint, in pro gnoſt.commen.3º. 4ª.209.G
Calida in dolore coli,& dolore lapidis,adhibentur.2º.de loc.af. 4ª.9.F
Calida actu danda in ſyncope.12º.meth.med. 7ª.76.D
Calida quando,& quando frigida debent eſſe remedia in cephalea.2º.de com.med.ſec.loc. 5ª.137.D
Calidi ſi ſint morbi,choleram amaram euacuare debemus. commen.6º. aphoriſ.47º. Ex.52.C
per Calida medicamenta curantur ſucci inhęrentes cuti. in 6^{m}.de mor. vulg.com.2º. 3ª.165.G
Calida ſemper præcordijs applicanda.intro. Iſ.55.F
Calida tenuiū partiū īfeſtiſſima ſanguinis reiectiōi cur ponunṫ vbi pul- mo aut thorax,aut arteria affecta eſt.7º.de comp.me.ſe.lo. 5ª.183.E
Calidis vehementer ſiccisue non debet curari ſcirrhus,ſed ijs quę molliē do digerunt.14º.meth.med. 7ª.87.H
Calida vrinā prouocātia lapidē indurāt.de ren.aff.dig.& me.7ª.194.C
Calida moderate q̄ lapidi rupēdo magis cōueniūt.de re.af.di. 7ª.196.E
Calida quando porrigenda in renum lapide.de ren.aff.dig. 7ª.194.D
ad Calidam podagram.de dyn. Sp.30.B
Calida nimis fugienda in vlceribus.3º.meth.med. 7ª.21.C
Calida ſemp in vulneribus neruorū applicāda.3º.de comp.me.5ª.229.H
Calida quō manere debeat lana ī vulneṙ neruorū.3º.d cōp.me. 5ª.229.g
CALIDAE naturæ q̄ apud Hipp.in 6^{m}.de morb.vulg.com.4º.3ª.183.E
Calidum ſimul & frigidū eſſe idē tēperamentū nō pōt.1º.de tēp. 1ª.10.G
Calidum & frigidum an poſſit vna fieri corpus.de cau.mor. 3ª.8.A
Calidi,& frigidi habent diuerſam naturam.de pulſ.ad tir. 4ª.44.A
Calidi temperamēti triplex differentia.5º.de ſan.tu. 2ª.94.F
Calidiores temperamento ſunt animoſi,certaminis auidi,& prompti ad actionem pluſquam expedit.2º.de ſani.tuen. 2ª.73.E
Calidiſſimus primo die hō quō & cur.de nat.hu.com.2º. 7ª.180.A|B
Calidi intemperies efficacior eſt ſicca & humida.6º.de ſan.tu. 2ª.96.D
Calidis reſpiratio ſemper maior,& denſior.de vtil.reſp. 1ª.227.G
Calidiores ſunt,qui habent venas latas.2º.de temp. 1ª.18.C
Calidi habēt arterias maiores,et validius pulſantes.2º.de ſem.1ª.339.B
Calidiorum pulſus nam qualis.de pul.ad tir.44.B|3º.de cau.p.4ª.46.B
Calidius temperamentū ſignificat pulſus celerior.1º.de præſ. 4ª.108.D
Calidi habēt corpus robuſtū,et prōptū ad oēs motiōes.2º.de ſe.1ª.339.B
Calidius corpus procliuius ad motum.3º.de præſ.ex pul. 4ª.116.E
Calidi habent plurimos pilos,11º.de vſu par. 1ª.190.B
Calidū tpamentū ſignificat rubēs color.in 3^{m}.de mor.com.3º. 3ª.146.D
Calidi quidam fiunt ex aloes vſu.8º.de comp.med.ſec.loc. 5ª.188.E
Calida intemperies,temperata in humido,& ſicco,quomodo ſeruetur et quo modo mutetur.6º.de ſan.tuen. 2ª.95.H
Calidę naturę hyeme melius ſe habent.com.3º.aph.18º. Ex.23.H
an Calidis omnibus vinum non ſit idoneum, ſed vtilior his aquę potio ſit.5º.de ſan.tuen. 2ª.94.E
Calido naturaliter frigida potio conuenit & quieſcere.de ſal. 2ª.43.B
Calidis aqua bibēda.in 6^{m}.de mor.vul.cō.4º.3ª.183.E|de vi. Sp.76.D
Calidam intemperaturam patientibus dari non debet vinum. 8º.de com poſitio.med.ſec.loc. 5ª.194.F
Calidi natura aut ætate quo vino vti debent.de bo.& vitio ſu. 2ª.38.H| de vinis. Sp.26.D
Calidæ naturę calidis lędūtur,frigidis ſanantur.cō.3º.aph.3º. Ex.20.B
Calidiores natura facile incurrūt in calidos morbos.5º.de ſa.tu. 2ª.93.C
Calidę naturæ,& ętati,& habitui,et tempori, & anni conſtitutioni,& regioni,morbi calidiores ſunt cōgruentes.com.2º.aph.34º. Ex.17.C
Calido temperamento additum piper,ſinapi,allia accendit febrem.pro- ſag.exper.conf. Sp.77.D
Calidi debēt quotidie lauari aqua dulci.ī 6^{m}.de mor.vul.cō.4º.3ª.183.E
Calida natura ſomnum capiat in frigido cubili calido tempore . in 6^{m}.de mor.vulg.com.4º. 3ª.185.E
Calidæ temperiei homo quibus ſit nutriendus.de diff.cont. Sp.72.C
Calida corpora calidis nutriuntur.ars med. Iſ.68.G
Calidiores frigidis nutriendi.in 6^{m}.de mor.vul.com.4º. 3ª.183.E
Calidi cibos frigidos fortius digerunt.de diſſol.cont. Sp.73.B
in Calido corpore quid efficiant cibaria craſſa.de diff.cont. Sp.72.G
Calidæ naturæ quo modo debēt ſe gerere poſt cibos.in 6^{m}.de morb.vulg. commen.5º. 3ª.194.E
in Calidis natura,& ætate florentibus cur mel facile in bilem vertiṫ. 2º.de natu.fac.1ª.300.G|1º.de alimentorum facul.10.A|3º.2ª.32.G| 4º.de ſimp.med.fac. 5ª.29.B
Calidis impenſe quibus modis ſint exercitandi.6º.de ſa.tuen. 2ª.96.A
Calidis naturis quo modo quietē imponit Hipp.5º.de ſa.tuen. 2ª.94.A
Calidi debent abſtinere à curis.in 6^{m}.de mor.vulg.com.4º. 3ª.183.E
in Calidis breui fit putrefactio.8º.de comp.med.ſec.loc. 5ª.193.H
Calida humida in locis calidis facile putreſcūt.de cur.ra.p ſan.6ª.16.H
Calidi moriuntur,conuulſi,cōtra ac illi qui corripiūtur ſyncopa, hi enim ēt vehementer frigidi viuunt adhuc.1º.de præſag.ex pul. 4ª.107.H
Calidæ,& humidæ complexiones ſunt corporis rari,& habent ſemen fę cundum.com.5º.aph.63º. Ex.44.C
Calidis,& humidis venus innocua eſt.6º.de ſan.tuen. 2ª.96.H
Calida flatuoſa adhibenda perineo,& lumbis pro coitu excitando frigi- da pro ipſo remouendo.6º.de loc.affe. 4ª.42.F
Calida,& ſicca venerem cohibent.8º.de ſimp.med.fac. 5ª.57.F
Calida & humida habent ſubſtantiam quę quàm celerrime in ambiētem diſſipatur.8º.met.med. 7ª.60.H
Calida,& humida temperies,vt puerorum,facile abſumitur.de curan. rat.per ſang.miſſ. 6ª.19.F
Calida,& humida natura æſtate, & hyeme bene ſe habet.commen.3º. aphoriſ.2º. Ex.20.A
Calidæ,& humidæ naturę minus quàm aliæ læduntur in autumno.com- men.3º.aphor.18º. Ex.23.H
Calidi,& humidi qua victus ratione regendi.1º.de mor.vul. 3ª.108.G
Calida & humida corpa cur optime nutriant.3º.de ſymp.cau. 3ª.28.H
Calidiſſimum humidiſſimumq́, corpus celerrime alterat proprium nutri mentum & aſſimilat.3º.de ſymp.cau. 5ª.28.H
Calidum,& humidum qui habent corpus concoquunt,apponunt, agglu tinant,& nutriuntur.3º.de ſymp.cau. 3ª.29.A
Calidi,& humidi quo modo balneum requirunt.8º.meth.me. 7ª.54.C
Calidorū & humidorū tēperies hircis ſimilis ē,ideo prōpta eſt qualibet occaſione tū alijs morbis,tū febribus corripi.8º.meth.med. 7ª.54.B
Calida,& humida promptiſſime putreſcunt.1º.de differ.feb.3ª.31.H|8º. meth.med.54.B|. 7ª.57.A
Calidum,& humidum temperamentum interdum incidit in peſtilenti et morbido aeris ſtatu.1º de temp. 1ª.11.H
Calidiores & humidiores naturæ quibus morbis tententur in pueritia. 6º.de ſan.tuen. 2ª.96.F
Calidi,& humidi ſecūdo loco ſunt ad febrem proni.8º.met.me. 7ª.54.E
Calidi,& in paſſiuis qualitatibus temperati tertio loco ſunt ad febrem proni.8º.meth.med. 7ª.54.E
Calidi,& humidi febricitant ſtatim ſtipata cute.8º.meth.me. 7ª.54.C
Calidæ & humidæ naturę promptius digeruntur, & exhalant.8º.me- thodi meden. 7ª.60.H
Calida,& humida temperato homini conueniunt.de ocul. 7ª.188.C
Calidi,& humidi propēſi ſunt ad ſuccos digerēdos.8º.met.me.7ª.58.A
Calidi,& ſicci hoīes,quales.8º.metho.med.50.F|60.D|10º. 7ª.63.D
Calidum,& ſiccum temperamentum quæ faciat.14º.met.med. 7ª.91.C
Calida,& ſicca intemperies facile cognoſcitur.10º.meth.med. 7ª.63.D
Calidæ & ſiccę naturæ ad hyemem bene ſe habent,ad æſtatem male.cō- mentario.3º.apho.2º. Ex.20.A
Calidi,& ſicci ad febres opportuniſſimi ſunt.8º.meth.med. 7ª.54.E

Calidum,&

Calidum & ſiccum corpus febricitans nõ poteſt eſſe viribus valẽtibus. 10°.metho.medendi. 7ª.63.H
Calidi,& ſicci qui febre corripiuntur ex ſiccitate,& caliditate poſſunt in principio acceſſionis cibari.10°.meth.med. 7ª.62.G
Calidis,& ſiccis aduerſiſſima eſt inedia.10°.meth.med. 7ª.63.D
Calidis,& ſiccis qui cibi boni.8°.meth.med. 7ª.51.B
Calidis & ſiccis æſtate argyrotrophema dãda,de bo.& vi.ſuc.2ª.39.B
Calidis et ſiccis ficus et cucurbitæ æſtate dari debẽt.de bo.et vi.2ª.39.b
Calidis,& ſiccis lactis ſpuma æſtate danda.de bo.& vi.ſu. 2ª.39.B
in Calidis,& ſiccis volatilia optima.8°.meth.med. 7ª.51.B
in Calida & in ſicca intemperie quæ Galenus adhibeat.2°.de compoſi. medica.ſec.loc. 5ª.138.A
in Calidis & ſiccis vrinæ bilioſæ ſunt.8°.meth.med. 7ª.50.F
Calidi & ſicci ab euationibus plenis offendũt.de ar.cu.ad Gla.7ª.98.D
Calidum,et ſiccum corpus febricitans,ſi habet phlegmonem,morietur. 10°.meth.med. 7ª.63.H
CALIDA & tenuia quadantenus ſunt, quæ odorata ſunt. 4°.de ſimp. medic.facul. 5ª.31.B
Calidum eſſe ſequitur non quicquid bene redolet,neq; quicquid calidum eſt bene olere,neq; ſi quid graue olens eſt calidum eſſe, neq; ſi calidũ etiam graue olere.2°.de ſimp.med.fac. 5ª.10.C
Calidorum innumera ſunt partim bene olentia,partim grauiter olentia, partim neutra.2°.de ſimp.med.fac. 5ª.10.D
Calidi odores capitis dolorem faciunt.3°.de loc.aff. 4ª.20.G
Calida sũt oĩa odorata.4°.de ſimp.5ª.31.A|com.5°.aph.28°. Ex.40.C
Calidum viribus eſſe oportet olfactui odorem bonum inferens aromati ſpeciem guſtui repræſentans.de atten.vic.rat. 2ª.44.H
CALIDI ſunt paleſtritæ,& gymnaſtæ ob vitæ inſtitutum.in 1^{m}.de morbis vulgaribus. 3ª.105.A
CALIDA ſigna & planetæ.
Calidus eſt Aries in ſecundo gradu,ſiccus in tertio.de ſper. Sp.38.H
Calidi,& humidi ſunt,gemini,libra,aquarius.de ſper. Sp.39.A
Calidus & humidus eſt Iuppiter.de cõpag.mẽb.ſiue de nat.hu.Sp.59.F
Calidus eſt & ſiccus leo in quarto gradu.de ſper. Sp.38.H
Calidus & ſiccus eſt Mars.de compag.memb.ſiue de nat.hum.Sp.59.F
Calidus,frigidus,humidus,ſiccus ęque ẽ Mercuri⁹.de cõp.me.Sp.59.G
Calidus in primo gradu eſt ſagittarius,ſicc⁹ in ſecũdo.de ſper. Sp.38.H
Calidus,& ſiccus eſt Sol Minus marte.de cõp.mẽ.ſiue đ na.h. Sp.59.F
CALIDA, & humida cur ſit qualitas audibilis.de cõp.mẽb. Sp.58.C
Calida,& ſicca cur ſit qualitas viſibilis.de comp.memb. Sp.58.C
ex CALIDI, frigidi, humidi, & ſicci miſcella fiunt ſapores.1°.de alimentorum facul. 2ª.9.A
Calidi ſumme ſunt acres ſapores,deĩceps poſt illos ſunt amari, deinde vero dulces.4°.de ſimp.med.fac. 5ª.29.F
Calidi primum exacte ſunt acres ſapores,deinde exedẽtes,vrentes, cruſtam molientes ac deniq; ẽt colliquantes.4°.de ſimp.me.fa. 5ª.29.G
Calidius auſtero eſt dulce.4°.de ſimp.med.fac. 5ª.27.C
Calidiora tanto ſunt dulcia,quanto dulciora.de cathar. Sp.94.E
Calidius dulci eſt amarum.4°.de ſimp.me.fa.5ª.27.C|de ocul.7ª.188.C
Calidum immodice eſt amarum.4°.de ſimp.med.fac. 5ª.27.A
Calida,& ſicca ſunt acuta,& ſalſa,& quo modo.de ocul. 7ª.188.C
CALIDVS quando ſit ſpiritus.4°.de loc.affec. 4ª.27.A
Calidum,& frigidum ſunt elementa ſpiritus.5°.de decre. 1ª.255.G
CALIDVS ſudor,& multus quid indicet.cõ.7°.aph.61°. Ex.59.F
Calidi ſudores ſunt minus malum frigidis.com.4°.aph.42°. Ex.32.E
Calidiſſima pars hominis non poteſt continere frigidos ſudores.commen. 4°.aphor.37°. Ex.32.B
Calida intima,exteriora frigida,malum.in progn.com.2°. 4ª.198.C
Calidum vaporem exire per cutẽ cũ prius anhelitus fuerit frigidus, eſt ſignum mortiferum.in 6^{m}.de mor.uul.com.4°. 3ª.187.G
Calidus vapor ſuperiora petit.in 1^{m}.de mor.uul.com.3°. 3ª.104.D
CALIDA.tempora anni.
Calida,& ſicca eſt æſtas.bre.denot.dog.Hipp.1ª.231.B| in 3^{m}.de morb. vulg.commen.1°. 3ª.101.C
Calidiſſimus & ſicciſſimus ſtatus nõ fit niſi ĩ ęſtate.10°.met.me.7ª.63.E
Calida ſunt valde tempora ante canem,quare à venę ſectione abſtinendum.in 6^{m}.de mor.vulg.com.3°. 3ª.179.B
Calida,& ſicca vnde ſit æſtas.de ſper. Sp.39.B
Calidum,& ſiccum tempus pro æſtiuo intelligit Hippocrates quocunq; tempore ſit.de vic.rat.in mor.acu.com.3°. 7ª.134.C
Calidũ,& humidũ eſt ver.bre.de dog.1ª.231.B|de ſper.39.B| Sp.40.E
Calidi & humidi ſtatus,temperamenta calida & humida offendunt.in 1^{m}.de mor.vulg.com.2°. 3ª.108.F
Calidum & humidum cum eſt tempus,ne putreſcant veſtes, quatiũtur. in.3^{m}.de mor.vulg.com.2°. 3ª.141.A
Calida et ſicca,tp̃a regiões,cõſtõnes extenuant.cõ.2°.aph.28°.Ex.16.D
in Calido admodum tempore anni non eſt ſecanda vena ẽt in febre acuta.de ſectis.Iſa.16.E|1°.de arte cur.ad Glau.97.C|de vict.ra.in morbis acu.com.4°. 7ª.136.H
in Calidis admodum conſtitutionibus euacuati, ex animi defectu et diſſolutione periere.1°.de ar.cur.ad Glauc. 7ª.98.C
Calidum,vide Calor.
CALIGATIONES oculorum numerantur inter morbos longos ad intrinſecas partes pertinentes.intro. Iſa.56.B
Caligo oculis offuſa cognata eſt comitiali morbo.intro. Iſa.56.C
Caliginis cauſa.intro. Iſa.56.C
Caliginem turbando inducit lenticula.de ſimp.med. Sp.86.B
Caliginem oculorum cito tranſeuntem & delectationẽ cibi oſtendit vrina pinguis ſine febre ſenib⁹ eueniẽs apoplexia ſoluta.de dyn.Sp.34.B
Caliginis oculorum præſidia.de dyna. Sp.24.G
ad Caligines oculorum valet ſuccus centaureæ.de virt.cen. Sp.93.B
ad Caliginẽ oculorũ ꝓdeſt collyrijs miſta chelidõia.de ſim.me.Sp.82.B
Caligines oculorum eximit fel.de ſimp.med. Sp.84.E
Caligines expurgat lactuca.6°.de ſimp.med.fac. 5ª.48.E
Caliginem oculorum extenuat lapis thyites.de ſimp.med. Sp.86.H
ad Caliginem oculorum facit oleum.de ſimp.med. Sp.88.D
Caligini oculorum facit oliuæ lachryma.de ſimp.med. Sp.83.G
ad Caliginem oculorum.de med.fac.para.163.B| 7ª.172.F
Caliginis,& tumoris,& ſanguinis oculorum præſidia.de dyn.Sp.24.G
Caligini,& nebulę quando ſimilis ſpiritus.in 1^{m}.de mor.vul. 3ª.104.C
Caliginoſa in ſomnis quid ſignificent.in 1^{m}.de mor.vul.cõ.3°. 3ª.117.H
Caliginis ſomniũ ſignificat atrã bilem.de præſ.ex inſom.ſum. 4ª.217.C
Caliginoſus eſt auſter.in 1^{m}.de mor.vulg.com.1°. 3ª.104.D
Caliginoſa,& flatuoſa materia cũ diuerſis humoribus quid faciat.in 1^{m}. de mor.vulg.com.1°. 3ª.104.G
à Caliginoſa materia cum bile fit ſacer ignis.1°.de mor.vul. 3ª.104.G
CALISIVA cauſtica eſt,& vires habet acerrimas.de ſim. Sp.82.E
Caliſiua mittitur in emplaſtris,& in cauſticis.de ſimp.med. Sp.82.E
CALIX menſura.de med.fac.parab. 7ª.170.B
Calices cereos in Apollonium & Dexippũ retorſit Eraſiſtratus.de uict. rat.in mor.acu.com.4°. 7ª.135.A
CALOPODIVM vnum ad omnes homines non poteſt ſutor accommodare.5°.de ſan.tuen. 2ª.93.D
Calopodio vno omnes calceant,prouerbium 8°.meth.med. 7ª.60.E
in CALORE mediocri durum ſiccum eſt.2°.de temp. 1ª.17.G
in Calore mediocri molle,humidum eſt.2°.de temp. 1ª.17.G
cũ Caliditate humiditatẽ eſſe nõ poſſe nõnulli putabãt.1°.de tẽp 1ª.10.D
Caloris humidi & caloris ſicci fit mentio.de aſſuet. 2ª.61.D
cũ Calore vehementi molle neceſſario nõ eſt humidũ.2°.de tẽp. 1ª.17.G
quę Calore ſunt eodem,& odore,& ſapore.non omnia eaſdem vires obtinent ex Diocle.1°.de alim.fac. 2ª.7.D
Caloris non eſt expers aceti fæx.1°.de ſimp.med.fac. 5ª.5.D
Calorem quo modo habeat acetum.1°.de ſimp.med.fac. 5ª.5.G
Caliditatem vini amiſit acetum,et quandam ex putredine adeptum eſt, & quo modo.4°.de ſimp.med.fac. 5ª.24.H
Calore ex atrio aſcendẽte calefacta cella vinaria partim herba ſtœbe tepefacta vinũ quodcũq; repoſitũ aceſcere nõ ſinit.1°.de anat. 5ª.101.B
Calore ꝑticipãt cinis et acetũ,vt & bilis nigra.3°.de ſymp.cau. 3ª.28.B
Calor egit in calce,cinere,& ſale.de vtil.reſp. Sp.64.F
Calor,& frigiditas ſunt differẽtię accidentales aquæ.de ſper. Sp.40.F
in Caliditate,& frigiditate quo modo ſe habeat aqua fontana.10°.methodi meden. 7ª.67.G
Calorem tepidum habet chamęmelum.11°.meth.med.69.H| 7ª.73.C
Calorem temperatum habet lini ſemen.11°.meth.med. 7ª.73.C
Calor duplex ẽ,genuinus videlicet et acquiſititius ſiue ſpurius.1°.de diffi.reſp.62.C|in 6^{m}.de mor.vulg.com.4°. 3ª.184.B
Calor duplex apud Hippocratem,alterum quod ipſe ingenitum vocat, eſſentiam in ſanguine, ſanguineiſq; viſceribus repoſitam habens, alterum vero acre,mordax,& igneum,ſub quo genere eſt febris. in 6^{m}. de mor.vulg.com.4°. 3ª.186.B
Calor naturalis eſt diſtinctus a febrili.1°.de criſi. 4ª.132.H
Caloris innati,& febrilis diuerſitas.com.1°.aph.14°. Ex.7.D
Calor naturalis,& febrilis quod ſint duo diſtincti calores, põt inde colligi,vbi dicit frigidos humores neq; à calorę natiuo neq; à febrili poſſe

calefieri,

calefieri, & conſidera totum commentum.cō.4°.aph.37°. Ex.32.C
de *Calore innato quæ fuerit ſn̄ia Hippo.& Plat.8°.de dec.* 1ª.277.E
Caloris natiui differentiæ, quæ.1°.de cau.pul. 4ª.87.B
Calor innat⁹ ē natura nr̄a.de marc.3ª.46..A/cō.5°.apho.22°. Ex.39.E
Calor naturalis eſt illa natura, quæ regit ſolida corpora, ſecundum Hippocra.com.4°.aph.37°. Ex.32.B
Calor naturalis eſt animæ ſubſtantia apud Hippocratem. in 6^{m}*.de mor. uulg.com.6°.* 3ª.190..A
Calor natiuus eſt ſubſtantia uiriū ſ̄m plures & ſummos medicos uel ſaltē primū & neceſſariū uiriū inſtr̄m.2°.de ar.cu.ad Glauc. 7ª.103.C
Calorem naturalē ignem ſubſtātiā uocat Galenus.1°.de ſa. tuen.2ª.62.E
Calorem naturalem habere fundamentum in ſanguine & ſpiritibus, poteſt ex Galeno colligi ubi inquit, < ſpiritus, ſanguiſue, atque caloris qui in eis eſt > com.2°.aph.1°. Ex.11.B
Caloris naturalis ſubſtantia ex ſanguine & pituita (aliàs ſpiritu).8°.de decre.Hippo. 1ª.277.F
Calor natiuus in bono ſanguine conſiſtit.de ſal.diæta. 2ª.40.F
Calor naturalis eſt eēntia potētiæ uitalis.ī 6^{m}*.de mor.uul.c.3°.3ª.174.b*
Calor innatus eſt natiuus ſpiritus.5°.de ſim.me.fac. 5ª.33.H
Caloris innati ſubſtantia ex quibus ſit.com.1°.aph.14°. Ex.7.D
Calor naturalis temperatus.8°.de decr.Hippoc.1ª.277.F/de ſal.diæ.2ª.40.F/3°.de cau.pulſ.4ª.97.C/com.1°.aph.14°. Ex.7.D
Calor natiuus non modo eſt calidus temperatus, ſed etiam humidus. de natu.hum.com.2°. 7ª.180.B
Calor naturalis eſſentia eſt ſe ipſum mouēs, & ſemper.de palp.trem.cō uulſ.& rig. 3ª.54.B
*Caloris ſubſtātia non dijudicatur rōne molis corp̄is.adu.Lycū.*Ex.65.A
pp *Calorem homo eſt perfectior muliere.14°.de uſu par.* 1ª.205.H
Calor quo modo uarius ſit ſecundum ætates.com.1°.aph.14°. Ex.7.B
Caloris pueri differentia à iuuenili.2°.de temp. 1ª.17.F
Calor in pueris magis halituoſus eſt, & multus, & ſuauis: in florētibus exiguus, ſiccus, nec ſimiliter ſuauis eſt caloris occurſus.1°.de temp. 1ª.17.F/3°.de ſymp.cau. 3ª.29.C
Calor pueri admoti uentriculo ſuperat omnem calorem fomentorum.5°. de ſimp.med.fac. 5ª.33.D
à *Calore pueri & catuli iuuatur uentriculus.7°.meth.med.* 7ª.47.B
Caloris natiui plus habent pueri.de ſal.diæta. 2ª.40.F
Calor naturalis plurimus his ē q media tēperie ſunt.5°.de ſa.t.2ª.94.E
Caloris puerilis cum iuuenili æqualitas.2°.de temp. 1ª.17.F
Calor pueri ſalubris eſt.com.1°.aph.14°. Ex.7.D
ad *Calorem naturalem in pueris comparatio lignorum humidorum.de marcore.* 3ª.45.H
Calor eorum qui in ætatis uigore conſiſtunt eſt mordax.commentario.1° aphoriſ.4°. Ex.7.D
Caloris naturalis ſenum ad lucernam quæ extinguitur comparatio: commen.1°.aph.13°. Ex.7.B
Calor naturalis non pōt cum flamma ignis comparari.de marc.3ª.45.H
Calores uehementes quibus populis ſint.de aere, aq.& lo. 2ª.6.B
Calor mordens unde.2°.de diff.feb. 3ª.40.C
Calor cæpas ampliter comedētiū ē acris & mordax.5°.de ſa.t. 2ª.93.F
Calor naturalis p̄rio humid⁹, & ībecillus iuxta aliquos.d̄ mar.3ª.45.H
Caloris innati ſubſtantia eſt humida.com.1°.aph.14°. Ex.7.E
Caloris natiui partes quædam fiunt calami aridi ab igne dum nos recalfaciunt.1°.de ſimp.med.fac. 5ª.4.B
Calor naturalis frigoris aliquatenus particeps eſt.de pal.tre. 3ª.54.C
Calori natiuo magnum uſum exhibet ēt frigiditas.de pal.trem. 3ª.54.C
Calor an ex motu cordis, & arteriarum oriatur, an ſit connatus ut cordi motus.aduerſus Lycum. Ex.71.H
Caloris cordis cauſa eſt motus.de anat.uiuo. Sp.56.D
Calor multus inſitus eſt in corde, & in iecore.in.6^{m}*.de morb.uulgarib. commen.4°.* 3ª.186.F
Calor cordis eſt diuerſus ab aliarū partium calore.de uſu pul. 1ª.228.B
Caloris focus eſt cor.6°.de uſu par.1ª.150.B/in 6^{m}*.de morb.uul.com.4°. 3ª.185.H/5°.de loc.aff.* 4ª.28.H
Calor uehemētiſſimus eſt in uentriculo ſiniſtri cordis.de inæq. 3ª.44.A
*Calor q̄ ē ī ſiniſtro uētre cordis et ī arterijs, à quo nutriat.d̄ ut.*Sp.63..A
Calor cordis minimus eſt.de uſu pul. 1ª.228.C
Calor uitalis incipit à corde.de anat.uiu. Sp.47.B
in *Calorem naturalem mutatur ſpiritus à corde.de ſper.* Sp.37.F
Calor naturalis cordis eſt principiū oīum aliorum.de ana.uiu. Sp.45.G
Calor & ipſius uia, ſecundum Ariſtotelem, ſicut effectus & cauſa, à cordis radice conſurgunt.de anat.uiu. Sp.45.G
Calor à corde ad uenas continue effluit & per uenas ad totum corpus & inde continue effluit extra corpus.de util.reſp. Sp.62.F
Calor per arterias & uenas confluit in corpus.de uſu pul. 1ª.228.D
Calor effluit per poros uenas ſubtiliſſimas.de util.reſp. Sp.62.F
ob *Calorem naturalem quotidie cunctis animalibus nonnulla ſubſtātiæ portio defluit.1°.de ſan.tuen.2ª.62.H/com.7°.aph.59°.* Ex.59.D
Calor naturalis ſeruatur modicis tum corporis, tum animi exercitijs.1°. de ſani.tuenda. 2ª.65.F
Calor naturalis euacuat ſuperflua tantum: calor circumfuſus euacuat tā bona, quàm ſuperflua.com.1°.aph.15°. Ex.8.D
Calor numeratur inter ea quæ euacuant totum corpus æqualiter. commen.4°.aph.2°. Ex.27.D
Caloris naturalis ad cucurbitulas comparatio.cō.7°.aph.1°. Ex.54..A
Calor proprius quid agat.11°.meth.med. 7ª.69.E
Calor proprius nihil corrumpit.11°.meth.med. 7ª.69.E
Calor naturalis corrumpit corpus, ut ignis ligna.de marc. 3ª.46.B
Calor naturalis alimento nutritur, ut ignis lignorum materia. in 6^{m}*.de morb.uulg.com.5°.* 3ª.194..A
Calor naturalis indiget multa humiditate.3°.de cauſ.pulſ. 4ª.98.C
Calor naturalis humido ſemper inhęret.de marc. 3ª.46.A
Calor uitalis nutrimēto indiget nō refrigeratione.de util.reſp. Sp.64.B
Calor naturalis nutritur ut flamma ab oleo.de util.reſp. Sp.62.C
Calor uitalis qui eſt in corde nutritur ſanguine pingui & unctuoſo, ſecūdum Ariſt.de util.reſp. Sp.62.C
Calor ſiniſtri uentriculi cordis ingens eſt.de uſu pul. 1ª.228.C
Calorem cordis aer inſpiratus nutrit ſecundum Hippocratem. de utilitate reſp.63.C/ Sp.64.B
Calorem magnum habentia animalia neceſſe fuit habere pulmonem magnum.de anat.uiuo. Sp.47.F
*Calor cordis excellens ſignum eſt audaciæ, et maniæ.de ana.ui.*Sp.53..A
Calor natiuus in quibus non accenditur, non fiunt deſipientiæ.commentario.7°.apho.7°. Ex.54.D
Calor naturalis in ſōno potius ferē ītro, quā extra.de uſu par. 1ª.229.E
Calor primum naturæ inſtrumentum.14°.de uſu par. 1ª.205.H
Calor innatus omnium operum naturalium author, ſecundum Hippocratem.8°.de dec.Hip.1ª.277.E/in 6^{m}*.de mor.uulg.com. 6°.3ª.190..A/ com.1°.aph.15°.* Ex.8.D
Calor innatus quid agat in corpus.16°.de uſu par.220.G/ 2°.de nat.fac. 1ª.298..A/de mar. 3ª.46..A
Calor inſitus uel ſpiritus inſitus uel bona temperatura, ſecundum Ariſtotelem eſt cauſa roboris membrorum.1°.de ſem. 1ª.334.G
Calor facit caput firmum.in 1^{m}*.de mor.uul.com.1°.* 3ª.104.B
Calor in uigilia extra in ſomno intus.in 6^{m}*.de mor.uul.cō.6°.* 3ª.191..A
Calore excitato uis nutriendi firmatur.6°.de ſan.tuen. 2ª.98.C
Calor naturalis ē cōcoctionū opifex.in 6^{m}*.de mor. uul. cō. 4°.3ª.183.D/ com.1°.aph.15°.* Ex.8.D
Calore natiuo debilitato per ſanguinis fluxū, non poſſunt concoqui cibi, neq; ī ſāguinē diſtribui, unū fit aluus hūida.cō.4°.apho.27°. Ex.30.C
Calorem naturalem igneum & ſquallidum habentes facile coquunt quæ alij difficile.2°.de alim.fac. 2ª.17.C
Calor pręter naturam nocet concoctioni ex ſua ſubſtantia. 2°.de naturalibus facul. 1ª.300.E/F
Calor inſpiſſat nutrimentum.de util.reſp. Sp.64.B
Calor naturalis generat ſanguinem.com.6°.aph.12°. Ex.47.E
à *Calore mediocri fit ſanguis.de nat.hum.com.1°.* 1ª.300.E
Calor natiuus temperatus ſanguinem gignit.in 3^{m}*.de morb. uulgaribus, commentario.2°.* 3ª.142.D
Calor mediocris in motibus remiſſioribus prodeſt ſanguificationi & nutritioni.de ſal.dięta. 2ª.41..A
*Calorem, & frigus facile ferimus ob ſanguinem bonum.de dyn.*Sp.19.D
Calore matricis ſperma uertitur in ſanguinem.de ſper. Sp.36.B
Calore matricis pingueſcit ſperma uiri muliebri aſſociatum cum ſpiritu quodam in ea receptum.de ſper. Sp.36.B
ex *Calore ueniente à matrice per ſpiritum naturalem craſſeſcunt oſſa. de ſpermate.* Sp.36.C
Calore fiunt oſſa.1°.de ſem. 1ª.332.B
Caloris plurimum habet ſanguis terreſtris, ideo eſt receptaculum amoris.de util.reſp. Sp.64.F
ob *Calorē ſanguis bonus emittit fumoſos uapores.de uti.reſp.* 1ª.226.C
ex *Calore fructus primo dulceſcunt, poſt amareſcunt.de ocu.* 7ª.188.B
Calor duplex fructus maturat, alter proprius & cuiq; ingenitus, alter externus à ſole, ſed tamen naturæ ipſorū cōueniens ac familiaris.4°. de ſimplicium

de ſimplicium med.fac. 5ª.25.G
Calore fit concoctio.in progno.com.1°. 4ª.196.E
Calor naturalis diſſoluit,& effundit,& attenuat humores corporis. de rat.uict.in mor.acu.com.4°. 7ª.140.A
Calor naturalis deducit ad ſuppurationẽ ulcera.c.5°.aph.20°. Ex.39.B
Calor in pure unde fit.in progn.com.1°. 4ª.197.C
Calor innatus inſtrumentum auctionis.de nat.hum.com.2°. 1ª.180.A
Calor inſitus quibus augeatur.2°.de ſan.tuen. 2ª.74.B
Calor naturalis hyeme augetur.com.1°.aph.15°. Ex.8.A
Calor innatus hyeme,æſtate aduentitius abundat.8°.de decr. 1ª.277.G
Calor in corporis penitioribus partibus creſcit,cute præ frigore denſata.de aſſuet. 2ª.61.C
Calor naturalis ſi eſt uehementior hyeme, igitur hyeme non deberet gigni pituita.de nat.hum.com.1°. 1ª.32.F
Calor natiuus internus in omni exercitatione augetur. 2°.de ſan.tu.69.F/2ª.74.B/com.1°.aph.15°. Ex.8.B
ex Caloris genuini augmento ob exercitationem quot bona fiant in corpore.2°.de ſan.tuen. 2ª.69.F
Calorem auget anguſtatio.de cauſ.mor.3ª.6.E/de util.reſp. Sp.62.F
Calor quomodo ex frigore fiat & adſtrictione.de cau.mor. 3ª.6.F
Calorem innatum excitat ira.3°.de diff.reſp. 3ª.74.B
Calor uehemens eſt in bilioſis.2°.de diff.feb. 3ª.40.C
Calor auctus non eſt ira,ſed ueluti feruor eſt caloris in corde. 2°.de ſanitate tuenda. 2ª.74.B
Calor naturalis hẽt latitudinẽ quę nõ põt trãſiri.adu.Lycum. Ex.62.A
Calor naturalis pręter cętera intra ſanitatis fines ſeruandus eſt. 1°.de ſanitate tuenda. 2ª.65.F
Calore proprio quælibet res in propria natura ſeruatur. 4°.de ſimp.medica.facul. 5ª.28.B
Caloris natiui modus, ut ad unguẽ ſeruetur non omnes partes ſimiliter poſtulant.16°.de uſu par. 1ª.220.D
Calor cordis quo modo ſeruetur.11°.meth.med. 7ª.69.E
Calor cordis ſola reſpiratione ſeruatur.de uſu pulſ. 1ª.228.C
Caloris augmentatio fit nutrimento deficiente,ratione uacuitatis.de utilitate reſpirationis. Sp.63.C
Calorem natiuum adauget uinum modice hauſtum.de cauſ.mor. 3ª.7.D
Calor cordis quot modis calidior uel frigidior fiat.de curan.ratione per ſanguinis miſſionem. 6ª.16.G
Calor natiuus ubi efferueſcit,pallidam & flauam bilem gignit. in 3m.de morb.uulg.com.2°. 3ª.142.D
ex Calore nimio ſunt biles,ſecundum Hippocratem & Pla.1°. de decr. Hipp.276.A/2°.de nat.fac. 1ª.300.F
Caloris naturalis auctio,& diminutio eſt una cauſa mutandi pulſus.2°. de ſani.tuen. 2ª.75.B
à Calore fit arteriarum motus.8°.de decr.Hipp. 1ª.277.E
Calor quantus ſit,arterię pulſatio oſtendit.4°.de loc.aff. 4ª.24.G
Calor uenarum minor eſt calore arteriarum.de uſu pul. 1ª.228.D
Caloris imbecillitas unde proueniat.1°.de ſani.tuen. 2ª.68.D
Calor diminutus facit flatus.3°.de ſymp.cau. 28.E/ in 6m.de morb.uul. com.3°.3ª.172.A/.14°.meth.me. 7ª.89.A
Calor fortis non facit flatus, & ſi facit quinam ſit & quantus. 3°.de ſymp.cauſis. 3ª.27.E
Caloris natiui defectus pulſus,quales.1°.de cauſ.pulſ. 4ª.87.F
ex Calore deficiẽte et facultate robuſta pulſus.1°.de cauſ.pul. 4ª.89.A
Calor naturalis ſpatio temporis languet iuxta aliquos & quo modo. de marcore. 3ª.45.H
Calor naturalis ſpatio temporis creſcit iuxta recẽtiores aliquos.de marcore. 3ª.45.H
Calor uitalis dupliciter extinguitur de util.reſp. Sp.62.D
Calor natiuus ob multitudinem accenditur,ſed extinguitur.commen.7° aphoriſ.7°. Ex.54.D
Calor naturalis q̃uo extinguat à multitudine.cõ.6°. apho.12°. Ex.47.E
Calorem natiuum extinguunt refrigerantia ſupra modum.2°.de arte curatiua ad Glauc. 7ª.103.C
Calor intenſus extinguit flammam.de util.reſp. 1ª.224.F
Calor natiuus extinguitur in forti dolore uentris,& ideo fit extremitatum frigiditas.com.7°.aph.26°. Ex.55.G
Caloris extinctio quo modo cognoſcatur fieri.in 3m.de morbis uulgarib. commentario.1°. 3ª.132.G
cum Calor inſitus extinguitur & natura enecatur, exitioſa ſymptomata contingunt.in 3m.de mor.uul.com.1°. 3ª.132.C
Calor naturalis uel extinctus,uel proximus extinctioni facit quæ euacuantur frigida.com.4°.aph.37°. Ex.32.B
Calor innatus quod duret uſq; ad mortẽ,collige.cõ.1°.apho.15°. Ex.8.D
Calor naturalis in morte extinguitur.de marc. 3ª.45.H
Calore extincto quo modo perit animal.de pal.trem.conuul. 3ª.55.F
Calor in igne eſt differentia uirtutis ipſius.de ſper. Sp.41.B
Calor,ut ait Ariſtoteles,aggregat ſimilia,& diſgregat diſſimilia. de utilitate reſp. Sp.64.A
Calor agit in partes remotas,ſicut in propinquas.de ana.uiu. Sp.49.H
ex Calore fit motus imodicus,ex frigore ſegnitia.13°.meth.me.7ª.85.E
Caloris non innati motiones quot modis euarient.in 6m.de mor. uulgar. commen.4°. 3ª.186.G
CALOR aſcititius,qui.de pal.trem.conuulſ.& rig. 3ª.54.A
Calor aſcititius eſt intemperatus.3°.de cauſ.pulſ. 4ª.97.C
Caloris aduentitij ſubſtantia ignea,fumida,fuliginoſa,& acris eſt.commen.1°.apho.14°. Ex.7.D
Calor alienus quid facit in corpore.11°.meth.med. 7ª.69.E
Calorem igneum renes habentes tophos faciunt.1°.de alim.fac. 2ª.10.G
Calor immodicus quo modo ex numero primorum morborum.2°.de naturalibus facul. 1ª.300.E/F
Calor mordax horrorem,& rigorem facit.2°.de ſymp.cau. 3ª.22.E
Calor,& frigus qua parte corporis,ibi morbus.com.4°.aphor.39°.Ex. 32.C/præſag.exper.conf. Sp.77.G
Calor in meridie,& frigus mane & ueſpere, facit morbos.commen.3°. aphoriſ.22°. Ex.24.G
Calor & frigus ſi fiat eadem die,morbi autumnales expectandi ſunt.commen.3°.apho.4°. Ex.20.C
Caloris & frigoris mutationes in toto corpore longitudinem morbi ſignificant.com.4°.aph.40°.32.D/com.7°.apho.60°. Ex.39.E
Calor,& frigus abundans corporis languorem facit,uel malum generat odorem.de dyna. Sp.19.D
Calor & frigus quo modo ſimul ab extrinſeco ſentiatur. de inæquali intemperie. 3ª.44.F
à Calore uehementi fit dolor.12°.meth.med. 7ª.78.E
Calor ſolus facit dolorem capitis.com.4°.aph.7°. Ex.35.B
à Calore immodico læditur uentris actio.2°.de nat.fac. 1ª.300.D/E
Calor & frigus quo modo ſoluunt unitatem.de inæq.intemp. 3ª.44.C
Calor extrinſecus quo modo ſanguinẽ opprimat. 2°.de diff.fe.3ª.40.A
Calor extraneus eſt cauſa efficiens putredinis.in.3m. de morb.uulg.commen.3°.141.A/ 3ª.142.D
Calor putrefacit facillime humorem,qui non eſt in ſuo loco,immo eſt alienus à natura corporis in quo cõtinetur.com.2°.apho.12°. Ex.12.E
Calor præter naturam putredinem ſequitur.2°.de diff.feb. 3ª.41.C
Calore humido corrumpuntur res.4°.de ſimp. med.fac.28.A/3°.de cõpo.med.per gen. 5ª.228.C
Calor putredinis,qualis.de cur.rat.per ſang.miſſ. 6ª.16.H
Calore plurimo indigent animalia, quæ fiunt ex putredine,& nõ ſola putredine.com.3°.aph.26°. Ex.25.F
ex Calore,pulſu,et urina poteſt cognoſci an putredo ſit in ſuccis.10°.methodi medendi. 7ª.63.D
Calor eſt cauſa fluxionis.13°.meth.med. 7ª.81.C
Calor naturalem auctum & alterationem motus eius, qui eſt in corde & arterijs,habet bubo.2°.de nat.fa. 1ª.300.E
Calor loci phlegmones cauſa.13°.meth.med. 7ª.80.H
Calor quomodo phlegmonem augeat.13°.meth.med. 7ª.82.F
Calor inflammationis qui ſit.com.5°.aph.47°. Ex.18.H
Calor inflammationis magnus in morbis acutis trahit per modum cucurbitulæ ſanguinem ex toto corpore,ijsq; qui ita ſe habent,uiſcera perurũtur,extremæ autem partes frigeſcũt propter defectum ſanguinis ad uiſcera ſe recipientis.com.7°.aph.1°. Ex.54.A
Calor & anguſtia adeſt in peripneumonia.4°.de loc.aff. 4ª.26.H
Calorem iecoris ſignificant excrementa torrida combuſtaue. in.3m.de morb.uulg.com.1°. 3ª.131.B
Calor punctionis.de ſimp.med. Sp.80.H
Calor febrilis,qualis.de uic.rat.in mor.acu.com.2°. 7ª.119.F
ut Caloris qualitas percipiatur,manus ægri tangenda eſt in prognoſt. commen.1°. 4ª.194.G
Calorẽ naturalẽ immodicũ eſſe febrẽ,colligitur.2°.de nat.fa. 2ª.300.E
Calor ita auctus,ut eius occaſione corpus laboret,eſt febris. 2°.methodi med.15.D/8°. 7ª.49.G
Calor ſi in totum corpus extendatur,eſt febris.de cau.mor. 3ª.6.E
in Calore præter naturam febris ſubſtantia.1°.de diffe.feb. 3ª.30.H/de fractu.commen.3°. 7ª.243.D

ob Caloris extranei acceſſum accendit febris.de preſa.exper.Sp.77.D
Calor acris non ſemper eſt cum febre,licet ſub eius genere reponatur.in 6^{m}.de morb.vulg.com.4°. 3ª.186.B
Calor pter naturã nondũ febris,cum cor nõ affert.1°.de dif.fe. 3ª.31.E/F
Calor ventriculi immodicus ſi ad cor peruenit,facit febrem.7°.methodi medendi.47.F/8° 7ª.53.B
Calor aeris cor calefacit.1°.de diff.feb. 3ª.32.B
Calor multus dum humorem abſumit,reddit temperamẽtum ſiccius.6°. de ſanitate tuenda. 2ª.93.H
Calorem, & ſiccitatem conſequitur corpus totum ex dominio bilis. de anatom.viuo. Sp.45.F
Caloris febrilis differentiæ.1°.de diff.feb. 1ª.30.H
Calor & habitus in quibus febribus conſiderandus.1°.de arte curat.ad Glauconem. 7ª.96.H
Caloris febrilis multitudo conſiſtit in multitudine defluxus. 2°.de differentijs febrium. 3ª.40.C
Caloris qualitas tibi febrẽ idicat ex quo fiat hũore.2°.đ dif.fe. 3ª.40.C
Calor,qui febris eſt,vnde incipit in ephemeris.1°.de diff.feb. 3ª.31..A
Calor febrilis ex tranſmutatione ſanguinis eſt mitior, & ſimplicior, ac ex humoris acredine eſt moleſtior.2°.de diff.feb. 3ª.40.C
Calor pituitoſæ febris,qualis.2°.de diff.feb.37.B/ 3ª.40.C
Caloris multitudo pituitoſiorem humorem exiccando lentores circa dentes facit.com.4°.aph.53°. Ex.33.D
Calor tertianæ,qualis.2°.de diff.feb. 3ª.37..A
Calor ardens,& ſitis propria ſunt febrium ardentium. in 3^{m}.de morbis vulg.commen.21°. 3ª.143.G
Caloris aucti proprium indicium eſt exufflare.4°.de loc.aff. 4ª.27..A
Calor,& anguſtia in ſpiritalibus inſtrumentis quando adſunt, quę ſymptomata contingunt,& quæ ſpiratio.2°.de loc.affe. 4ª.26.H
Calor,& frigus qualem faciant reſpirationem.2°.de diff.reſp. 3ª.65.E
Calor intenſus in febribus acutis facit conuulſiones malas,& viſcerum dolores.com.4°.apho.66°. Ex.34.E
Calor quartanæ,qualis.2°.de diff.feb. 3ª.37.C
ex Calore maraſmus,qui.de marc. 3ª.45.C
Calor hecticorum,qui.in progno.com.2°. 4ª.204.D
Calor eſt cauſa vigiliarum.com.2°.aph.3°. Ex.11.E
à Calore abundanti febris,delirium fit.2°.de loc.affe. 4ª.14.B
Calor ſurſum eleuat.in 1^{m}.de mor.vulg.com.1°. 3ª.104.D
Calor aſcendit per ſedem vſq; ad ventrem.com.5°.aph.22°. Ex.39.F
Caloris febrilis vis immodica lædit actionem ventriculi.2°.de naturalibus facultatib. 1ª.300.D
Calor febrilis quædam ex humidis deteriora reddit,quædam difflat.contra.Iul. Ex.70.F
Calor febrilis ad temperaturæ æqualitatem perducit. commentario.6°. aphoriſmo.40°. Ex.51..A
Calor febris incidit,extenuat,diſſoluit.com.6°.aph.40°. Ex.51..A
Calor extrinſecus aliqua concoquit,aliqua diſcutit, & euacuat.commẽta.5°.apho.22°. Ex.39.E
Calor febrilis concoctionem facit quandoq:,pręſertim humorum pituitoſorum.com.5°.aph.70°. Ex.45.E
Calor febrilis ſanguinis multũ digerit.de cur.ra.per ſang.miſſ. 6ª.19.F
Calor quas diſpoſitiones ſoluat.com.5°.aph.21°. Ex.39.B
Calor febrilis eſt aptus ſanare ileum.com.6°.aph.40°. Ex.51..A
Caloris diuerſi à natiuo pulſus.3°.de præſag.ex pulſ. 4ª.115.B
à Calore facti pulſus qui.1°.de cau.pul.87.C/88.E/3°.de prę. 4ª.114.G
Caloris dignotio,& arteriarum pulſatus quorũ non eſt ſimilis.ad Thraſybulum. 2ª.105..A
Calor alterat ſuper omnes qualitates.3°.de ſymp.cau. 2ª.28.H
Calor adauctus valenter alterat.3°.de ſymp.cau. 3ª.29.E
Calor nimis adauctus colliquat.3°.de ſymp.cau. 3ª.29.E
Calore quo modo liqueſiant caro & pinguedo. in 3^{m}.de mor.vulgaribus commen.3°. 3ª.147.H
citra Calorem nullũ corpus in halitũ digeri põt.8°.meth.med. 7ª.60.H
Calor omnis febri eſt inimicus.10°.meth.med. 7ª.65.H
Caloris ęſtiui ſudores,quales.3°.de ſymp.cauſ. 3ª.28.F
Calorem naturalem in corporibus ſenum confortans medicamen.de medicinis expertis. Sp.108..A
Calor mordax quib⁹ natura eſt,ijs balneũ eſt ſalubre.5°.de ſa.t. 2ª.94.C
Calor mordax quibus natura eſt,ijs aduerſiſſimus eſt motus multus, & celer,exiguus,& lentus, ſalubris eſt.5°.de ſan.tuen. 2ª.94.C
Calorem mordacem habentium cibi qui ſunt.5°.de ſan.tuen. 2ª.94.C
ex Calore intemperies quomodo curanda.13°.meth.med. 7ª.82.C
Calor qñ ſuperat in membro affecto quid agendũ.11°.meth.med. 7ª.73.C
Calori & ſiccitati corporis ſuccurrit aqua frigida.de bo.& vi. 2ª.39.C
Calorem repercutit aqua frigida.2°.de ſimp.med.fac. 5ª.14.H
Caloris reuocationem facit aqua frigida non vi ſua,ſed ex accidenti, & quomodo.com.5°.aph.21°. Ex.39.C
Calor naturalis ex occurſu aquæ frigidæ,aut vincitur,aut colligitur, & cur.com.5°.aph.21°. Ex.39.C
Calor ex accidenti refrigerat.3°.de temp. 1ª.25..A
Calor medicamenti tepidus affectionem frigidam non perſanabit.3°.de ſimp.med.fac. 5ª.19.B
Calor medicamenti quando acceperit ſcintillam caloris naturalis, totus accenditur.3°.de temp. 1ª.22..A
Calor animalium à medicamentis non mutatur, niſi prius medicamenta ſint mutata à calore.3°.de temp. 1ª.21.H
Calor naturalis vtitur medicamento quaſi nutrimento,ſicut ignis ligno. 3°.de temp. 1ª.22..A
Caloris excitandi latentem poteſtatem habent omnia purgantia. quos pur.opor.quib.med.& quo temp. 5ª.88.G
Calor æſtatis nocet purgationibus,vt balneæ calidæ, quia extrahũt humores quos intra trahit medicina.com.4°.aph.5°. Ex.28..A
Calor æſtatis fit à ſole.de nat.hu.com.1°. 1ª.32.C
Calor febrilis plerunq; impedit ſcammonij operationẽ.de dyn.Sp.20.H
Calor doloroſus in capite cum flatu ventoſo quando abundat, quid agendum.2°.de comp.med.ſec.loc. 5ª.136.B
à Calore capitis dolor facile ſoluitur.2°.de comp.med.ſec.lo. 5ª.132..A
ad Calorem membrorum.de dyna. Sp.30.E
Calorem interiorum conſuetum extirpat triaſandali.de dyna. Sp.26.E
ex Calore dolorẽ hepatis potẽter emẽdat triaſandali.de dyn. Sp.26.E
ex Calore pditã vocẽ pfecte reparat diapenidiõ magnũ.de dy.Sp.26.D
ex Calore exolutiones qũo curentur.1°.de arte cur.ad Glau. 7ª.99.D
Caloris ventriculi cum ſiccitate curatio.7°.meth.med. 7ª.48.F
pro Καλῶς,ἀγαθῶς,ponitur.de fract.com.2°. 7ª.234.G
CALLAINA teſta aſſata ac trita dentibus affricatur,ad eorũ denigrationem.5°.de comp.me.ſec.loc. 5ª.163.H
CALLIBLEPHARA medicamenta,quæ.9°.de ſimp.med.fa. 5ª.68.G
Calliblepharon medicamentum.4°.de comp.med.ſec.loc. 5ª.152.F
in Calliblephara mittitur terra ampelitis.de ſimp.med. Sp.85..A
ad Calliblepharas facultates vſurpant fuliginem thuris. 7°.de ſimpli. medicamen.facul. 5ª.54.F
CALLICEROS quid ſignificet.1°.de comp.med.ſec.loc. 5ª.125.D
Callicerios ſuccus.1°.de comp.med.ſec.loc. 5ª.125.B
CALLINICI malagma ex collectaneis Paccij.7°.de compoſitio. medicamen.per gen. 5ª.266.G
CALLIONYMI piſcis fel ad oculos eſt inferior bilis felle hyænarum. 10°.de ſimp.med.fac. 5ª.74.H
Callionymi piſcis fel.3°.de comp.med.ſec.loc.145.C/4°. 5ª.151.H
CALLISTA Antidoti nomen.5°.de antid. 5ª.117.D
CALLITRICHVM magis q̃ trichomanes appellatur adiantum. 2°. de comp.med.ſec.loc. 5ª.138.C
ex Callitricho corona pro capitis dolore.de rem.par.fac. 7ª.154.B
CALLVS quid.de fract.com.1°. 7ª.230..A
Calli cutis affectus ſunt.intro. Iſa.59.D
Calli (i.pori) q incidũt in pulmones et ĩ articulo ſunt morbus,in quo ſubſtantia quæ prius non erat,poſtmodũ gñata eſt.14°.met.me. 7ª.93.C
Callus ex qua fiat materia.ars med. Iſa.70..A
Callus ex ſeroſa humiditate non gignitur,ſed ex craſſa, & renali.6°.methodi medendi. 7ª.41.E
Callum porumue contrahit ac procreat caliditas non incidit neq; diuidit.5°.de ſimp.med.fac. 5ª.35.E
Calloſæ ſubſtantiæ in abſceſſibus inuentæ.14°.meth.med. 7ª.92.D
Calli curatio.introd. Iſa.60.D
Callus cũ gignit,quibus cibis corpus nutriendum.6°.meth.me. 7ª.41.E
Calloſæ & in ſcirrhum verſæ phlegmonę molliuntur. in 6^{m}.de mor.vulga.commen.2°. 3ª.161..A
ad Calloſam carnem.5°.de comp.med.ſec.loc. 5ª.166.C
ad Callum.4°.de compo.med.per gen. 5ª.243..A
ad Calloſas durities.6°.de comp.med.per gen.264.D/ 5ª.255..A
ad Calloſa,& vetera admodum.4°.de comp.med.per gen. 5ª.242.B/H
ad Calloſa vlcera.4°.de comp.med.per gen.242.H/5°. 5ª.50.F
Calloſa vulnera ad ſanandum difficilia ad ſanitatem perducit lixiuia. de ſimplic.medica. Sp.85.H
ad Calloſas cicatrices.4°.de comp.med.per gen. 5ª.241.B

ad Callos oculorum exterendos.4°.de cõp.med.ſe.lo. 152.H/ 5ª.156.D
ad Callos & cicatrices oculorum exterendos.4°.de compoſitione medicamen.ſecun.loc. 5ª.156.D/F/H
ad Callos oculorum exterẽdos collyriũ melinũ.4°.de cõp.me. 5ª.157.A
Callos antiquos oculorum quæ ſanent.4°. de comp.medic.ſe.loc.5ª.151.B
Callis & ſycoſi oculorũ quę cõueniãt.4°.de cõp.me.ſe.loc. 5ª.151.E/F/H
ad Callos palpebrarum.4°.dc compoſitio. medica.ſecun.loc. 5ª.156.C/ de remed.para.fac. 7ª.156.F
Callos fiſtularum tollit ſpondylum.8°.de ſimp.med.ſac. 5ª.60.G
Callos fiſtularum eximunt tithymalli.8°.de ſimp.med.fa. 5ª.62.D
ad Callos fiſtularum.5°.de com.medicamen.ſecun.loc. 5ª.16.G
Calli in articulis quo modo fiant.10°.de compoſi.med.ſec.lo. 206.H/7°. de comp.med.per gen. 5ª.267.H
ad Calloſos exceſſus in manibus pedibusq́;.2°.de compoſitione medica. per gen.225.E/3°. 5ª.235.C
Callum pedis mire curat emplaſtrum diachriſu.de dyna. Sp.32.C
Calloſa quędam veluti caro vel callus carnoſus gignitur loco oſſis ex toto ſublati,& proceſſu temporis magis ac magis ad calli duritiẽ tranſfertur,cũ ab initio carnis potius imitetur naturam.ars med. Iſ.71.C
Callus obducitur in fracturis oſſium.5°.de loc.affe. 4ª.31.A
Callum fieri in oſſibus fractis exemplo brutorum cognoſcitur. commentario.6°.apho.19°. Ex.48.B
Callus ex quo generetur in oſſe.de fract.com.1°. 7ª.230.A
ad Callo obducenda oſſa,Moſchionis catagmaticum.3°.de compoſitione medic.per genera. 5ª.235.C
ad Callum perducens oſſa cum conuenienti ligatura pharmacum. 2°.de compo.med.per gen. 5ª.225.E
Callum ducens celerrime.5°.de comp.med.per gen.246.E/ 5ª.248.C
Callus quando maxime fit in oſſe.6°.meth.med. 7ª.41.D
Callus quo modo prohibetur creſcere.6°.meth.med. 7ª.41.F
Calli magnitudo quanta eſſe debet.6°.meth.med. 7ª.41.F
à Callo vendicans.2°.de comp.med.per gen. 5ª.224.F
Callus fit ſinus,ni probe curetur.de tum.pręter nat. 3ª.83.F
Calloſa emolliens emplaſtrum.6°.de comp.med.per gen. 5ª.258.D
Callos excidens.2°.de comp.med.per gen.224.C/5°. 5ª.253.H
Callos conſumens.5°.de comp.me.per ge.245.G/H/5°.248.C/ 5ª.53.D
ad Callos excoriandos.6°.de comp.med.ſec.loc. 5ª.175.D
Callos demens.6°.de comp.med.per gen. 5ª.260.B
Callum detrahit elleborus niger,ſi duobus vel tribus diebus in fiſtulam callo induratam infundatur.6°.de ſimp.med.fac. 5ª.47.C
ad Callos.2°.de comp.med.per gen.226.C/7°. 5ª.268.D
CALVARIA dicitur os capitis.de oſſibus. 1ª.40.D
Caluariæ oſſa ſeptem.intro. Iſa.54.F
ad Caluarię ſimilitudinem cerebrum factum eſt.1°.de ana.adm.1ª.63.E
Caluaria in anatomia non eſt ſępe ferenda.9°.de anat.admi. 1ª.104.A
Caluarię membrana habet continuam ſubſtantiam per totum caput extenſam.2°.de comp.med.ſec.loc. 5ª.133.F/G
Caluaria ſubtiliſſima eſt in ſincipite & plures habens meatus. in 6^{m}.de morbis vulga.com.1°. 3ª.153.E
Caluariam tangit,& oẽm interiorem cauitatẽ complet cerebrũ in iuuenibus cũ molle ſit,atq; humidũ.in 6^{m}.de mor.vul.com.3°. 3ª.170.A
Caluariæ foramen per quod quędam neruorum portio deorſum fertur, & ſoporarię arteriæ per quod eius reliquum ad cerebrum aſcendit, commune eſt.de ner.diſſect. 1ª.53.E
à Caluaria diſtat cerebrum ſicceſcens in ſenibus.in 6^{m}.de morb.vulga. commentario.3°. 3ª.170.D
intra Caluariam dolores,quales.2°.dc comp.med.ſec.loc. 5ª.137.C
Caluariæ fracturarum differentiæ.8°.meth.med. 7ª.42.A
Caluarię fracturarum quinq; differentiæ exiſtunt.intro. Iſa.59.C
Caluaria fracta vſq; ad menyngem oſſibus admodum motis cycliſcis vti vult.6°.meth.med. 7ª.42.C
de Caluarię fracturis vſq; ad ſecundam laminam.6°.met.me.7ª.42.A
Caluariæ fracturæ quo modo ſanantur.intro.Iſag.59.G/6°.methodi medendi. 7ª.42.A/F
in Caluariæ fractura ſanguis turturis ſuper membranã inſtillatur.10°. de ſimp.med.fac. 5ª.72.G
Caluariam perforantes in quo peccare poſſunt.4°.de loc.affe. 4ª.23.A
Caluariam perforantes caueant ne cerebri ventriculos immoderate cõprimant.de inſtr.odor. 1ª.112.F
ad Caluariã vſq; vulnus quo mõ curandũ.2°.de cõp.me.ſe.lo. 5ª.133.H
Caluariæ fractura cũ contuſione q̃uo debet curari.6°.meth.me. 7ª.42.B
ad Caluariam ſcapha vel tholus vinculum.de faſcijs. 7ª.295.C
CALVITIES affectus ſuperioris partis capitis et mentis.intr.Iſ.59.C
Caluitij cauſæ.fin.med.Iſa.44.E/1°.de compoſi.medic.ſec.loc. 5ª.121.E/ 14°.metho.meden. 7ª.93.D
Caluities ex ſiccitate prouenit.2°.de temp. 1ª.20.F
Caluities à cerebri exiccatione.in 6^{m}.de mor.vulg.com.3°. 3ª.170.A
Caluities non accidit mulieribus & eunuchis propter humidam temperaturam.com.6°.aph.28°. Ex.48.H
in Caluitie amittitur particula vtilis.14°.meth.med. 7ª.93.C
Caluitiem incipientem quidam prohiberi poſſe,quidam nõ poſſe dicunt. 1°.de comp.med.ſec.loc. 5ª.121.D
Caluitium eſt paſſio inſanabilis.com.6°.aph.34°. Ex.50.B
de Caluitie.1°.de comp.med.ſec.loc. 5ª.121.D
Caluities qua re ſanetur.1°.de comp.med.ſec.loc. 5ª.124.H
ad Caluitiem præter ętatem.1°.de comp.med.ſec.loc. 5ª.124.H
ad Caluitiem Andromachi iunioris.1°.de comp.med.ſec.loc. 5ª.126.E
ad Caluitiẽ.1°.de cõp.me.ſe.lo.123.E/5ª.124.H/de med.fac. 7ª.171.A
Calui vnde fiant homines magis.2°.de temp. 1ª.19.E
Calui cur aliqui fiunt citius.2°.de temp. 1ª.19.E
Calui qui difficulter fiant.ars med. Iſa.63.F
Calui non fiunt eunuchi.com.6°.aph.28°. Ex.48.H
Caluorum cutis valde arida eſt.in 6^{m}.de morb.vulg.com.3°. 3ª.170.A
in Caluo dolor capitis ex cauſa calida.2°.de comp.me.ſec.loc. 5ª.132.G
Calui magnas varices non habent,ſi vero varices fiant, capillati iterum fiunt.com.6°.aph.34°. Ex.50.B
Calui caluos generant.de aere,aq.& loc. 2ª.4.G
CALVMNIARI hominem qui bene dicat,& eius inuenta ſibi tribuere,atrox eſt.2°.de ſa.tuen. 2ª.71.H
Calumniæ æquo animo ferendæ ſunt.de cog.cur.animi mor. 2ª.51.D
in CALCE libri ſcribuntur epodi.in 1^{m}.prorrh.com.2°. 4ª.178.B
CALX in pede quid.de oſſibus. 1ª.43.F
Calx pedis pars poſterior.introd. Iſa.53.F
Calcis oſſa quibus communicent.de fract.com.2°. 7ª.234.D
Calcis tendo cur ſit robuſtus.3°.de comp.med.per gen. 5ª.231.E
Calcis morbi,qui.introd. Iſa.59.D
Calcis os quibus affectionibus vitietur.de fract.com.2°. 7ª.235.B
Calcis os ſideratur.de fract.com.2°. 7ª.235.A
in Calcis ſideratione quæ febres fiant.de fract.com.2°. 7ª.235.C
in Calcis dimotione veratrum dat.de fract.com.2°. 7ª.235.E
Calcis deligatio qualis eſſe debeat.de fract.com.2°. 7ª.235.E
Calx non patitur ferulam.de fract.com.2°. 7ª.240.A
ad Calcem alligandum vinculum.de faſcijs. 7ª.306.A/D
Calcis male deligati malignitas q̃uo cognoſcat.de frac.com.2°. 7ª.235.G
CALCES quid ſint in organis.de machin. 7ª.309.F
CALX abſolute dicta ſignificant viuã.4°.de comp.me.per ge.5ª.239.G
Calx eſt petra combuſta.9°.de ſimp. med.fac. 5ª.66.G
in Calce egit calor.de vtil.reſp. Sp.64.F
Calx viua qualis.9°.de ſimp.me.fa.71.B/4°.de cõp.me.per ge.5ª.238.B
Calx cineris ſpecies qualis.8°.de ſimp.me.fac. 5ª.62.C
Calcis,& roſæ,qualitates probãt viſus,et tactus.de ther.ad Piſ.5ª.9.E
neq; Calcem,neq; cinerem,neq; puluerem,neq; fauillam animal vllũ eſitat.4°.de ſimp.med.fac. 5ª.30.C
Calx terrenæ eſt conſiſtentię.4°.de ſim.med.fac. 5ª.30.A
Calce cinereq́; craſſiora ſunt ferrum,& lapis ignita,multoq́; magis q̃ fauilla,ad hæc quoq; & calidiora.4°.de ſimp.med.fac. 5ª.30.B
Calx frigida non dicenda,licet ſit alba vt nix.de ther.ad Piſo. 5ª.90.E
Calx calida eſt.3°.de ſimp.medicamen.facul. 5ª.22.G
Calx aqua perfuſa ebullit.1°.de diff.feb. 3ª.35.D
Calci & lapidibus calefactis cum aqua inſperguntur,quod contingit,idẽ hecticis contingit ſumpto cibo.1°.de diff.feb. 3ª.35.D
Calx viua adurit.intro.Iſa.58.B/2°.de arte cur.ad Glau. 7ª.102.D
Calx vrit,non tamen habet vim adſtringendi.5°.meth.me. 7ª.31.D
Calx viua cruſtas efficit.9°.de ſimp.med.fac. 5ª.71.B
Calx viua eſt valde digerẽs & exiccans. 4°.de cõp.me.per ge.5ª.240.C
Calx viua non eſt adhibenda teneris corporibus.1°.de cõp.me.5ª.212.A
Calx non vſta exedit.4°.de comp.med.per gen. 5ª.240.H
à Calce ſumi debet experimentum de acredine.4°.de ſimp.me.5ª.26.B
Calcis viuæ nouæ meminit.9°.de comp.med.ſec.loc. 5ª.203.H
Calx vnum ex fortiſſimis medicamentis ad achoras. 1°. de compoſitione medicamen.ſec.loc. 5ª.129.D
Calx non extincta vrit.1°.de comp.med.ſec.loc. 5ª.127.F
Calx quando lauari debet.6°.meth.med. 7ª.38.C
Calx quo modo lauetur.6°.meth.med. 7ª.37.E

*Calx vt argenti ſpuma lauatur.*1°*.de comp.med.per gen.* 5ª.213.E
*Calx elota aqua marina,qualis.*8°*.de ſimp.med.fac.* 5ª.62.C
*Calx exacte elota eſt ex pharmacis emplaſticis.*4°*.de ſimp.me.* 5ª.25.D
*Calx quomodo abſq; mordicatione exiccat.*9°*.de ſimp.med.* 5ª.71.B
*Calx elota citra morſum deſiccat.*8°*.de ſimp.med.fac.* 5ª.62.C
*Calx lota in vulneribus neruorum.*6°*.meth.med.*37.F| 7ª.38.B|C
*Calx viua reſtincta ĩ vulneribus neruorũ.*3°*.de cõp.me.ꝑ ge.* 5ª.230.G
*Calx viua ſola vlceribus non admouet̃.*4°*.de comp.me.per ge.*5ª.236.G
*ex Calce,& ſorde balnei medicamentũ.*2°*.de ar.cu.ad Gla.* 7ª.105.A
*Calce album emplaſtrum fit.*1°*.de comp.med.per ge.* 5ª.217.C
*ex Calce lixiuium,quale.*9°*.de ſimp.med.fac.* 5ª.71.B
*Calce nuper illitas domos incolentes q̃uo moriant̃.*7°*.de vſu pa.* 1ª.159.B
ex Calcis ſeruante qualitatem domo,deſipientiæ.in 1^m^*.prorrheti. commentario.*1°. 4ª.164.B
CALYBITIDIS *vulpis pellis quibus proſit.de dyna.* Sp.23.F
CAMAROSIS *quid.fin.med.* Iſa.48.C
Camaroſis vna ex differentijs fracturarum caluariæ.intro. Iſ.59.C|F
*Camaromata fracturæ quæ ſint.*6°*.meth.med.* 7ª.42.D
CAMELVS *cornibus caret,tamen ruminat & multos habet ventres, quia alimentũ ſpinosũ & ligneũ depaſcitur.*6°*.de ana.admi.* 1ª.90.E
*Cameli interior oris membrana cur aſpera ſit.*6°*.de anat.admi.* 1ª.90.E
*Cameli ventres cur aſperi.*6°*.de anat.admi.* 1ª.90.E
*Cameli comedunt iuncum.*1°*.de antid.* 5ª.106.F
*Camelina caro comeditur in Alexandria.*1°*.de alim.fac.* 2ª.10.A
*Camelorum carnes,quales.*3°*.de alim.fac.* 2ª.26.A
*Camelorum carnes faciunt humorẽ melancholicũ.*3°*.de loc.aff.* 4ª.18.F
*Camelorum lac,quale.*3°*.de alim.fac.* 2ª.27.F
Camelinum lac habet plurimum ſeroſitatis.de bon.& vi.ſuc. 2ª.35.C
Camelæ lacte,lac aſinæ ſubtilius eſt.de diſſol.cont. Sp.73.F
inter Camelæ,& aſinæ lac medium eſt lac capræ.de diff.cont. Sp.73.F
Camelinum ſeuum maturat.de ocul. 7ª.188.E
*Cameli vrina,qualis.*1°*.de comp.med.ſec.loc.* 5ª.129.H
Cameli cerebrum comitialibus prodeſt.de ther.ad Piſo. 5ª.93.E
*Cameli medullæ meminit.*9°*.de comp.med.ſec.loc.* 5ª.204.H
CAMINORVM *aer vitandus.*12°*.meth.med.* 7ª.77.E
CAMISIA *pueri quæ dicatur pellicula.de ana.viu.* Sp.52.C
CAMMARI *tarde nutriunt,& ſunt difficiliores digeſtionis.commentario.*2°*.apho.*18°. Ex.13.G
Κάμνοντες,*ideſt laborantes.*2°*.meth.med.* 7ª.10.D
CAMPAE *vermiculi genus.de med.fac.par.* 7ª.164.F
CAMPANAE *ęrugo quo modo.de dyna.* Sp.22.F
*in Campania fuit Galenus.*6°*.de ſan.tuen.* 2ª.99.F
CAMPHORAM *non cognouit Galenus,ideo collige librum. de dynamidijs non eſſe Galeni.de dyna.* Sp.23.D
Καμπύλεσθαι *quid.de artic.com.*3°. 7ª.282.F
CANALES *duo ex memoriali parte cerebri tenues,& humidi procedunt.de compag.memb.ſiue de nat.hum.* Sp.58.B
Canales duo in collo ſunt,qui ad anteriora feruntur.de compag.memb.ſiue de natu.huma. Sp.58.F
*per Canales naſi fit attractio aeris ad pulmones.de anat.viuo.*Sp.47.C
*Canalis pneumaticus qui ſit & vbi.de nat.& ord.cuiuslibet cor.*41.H| *de comp.memb.* Sp.58.F
Canalis ſp̃ualis in pulmone diuidit̃ in duos canales.de cõp.mẽb. Sp.58.F
Canalem ſpiritualem aperit lingua quando loquimur, claudit quãdo mãducamus.de natura & ordine cuiuslibet corp. Sp.41.H
Canales ſunt in aĩalibus quibuſdam loco pulmonis.de ana.viu. Sp.48.C
Canales pulmonis,& hepatis mundificat decoctio corticis fiſticis.de medicinis exper. Sp.104.D
ad Canales hepatis valens medicina.de med.exper. Sp.104.H
Canales aperiens medicina.de med.exper. Sp.104.G|H
*Canalis quãtus debet fieri in crure.de ijs quæ in med.fi.cõ.*3°. 7ª.216.D
*Canali cur vti non debemus in cruribus fractis.de fract.cõ.*2°. 7ª.239.B
*à Canali contineri non poteſt coxæ articulus nec à capſula.de fractu. cõmentario.*2°. 7ª.239.E
*Canales ex arbore tilia confecti.de fract.com.*2°. 7ª.239.F
*in Canali non ita,vt in puluino tibia collocãda.de fra.com.*2°. 7ª.239.B
*Canalis quomodo habendus.de fract.com.*2°. 7ª.240.F
*Canali quomodo circundanda mitella.de fract.com.*2°. 7ª.241.G
CANCANVS *cacalia.*7°*.de ſimp.med.fac.* 5ª.49.F
CANCELLI *piſces qui ſint.*3°*.de alim.fac.* 2ª.31.G|B
CANCRI *viuunt aqua dulci,& ſalſa.de bo.& vi.ſuc.* 2ª.37.H
*Cancri non habent collum,neq; caput.*7°*.de vſu par.* 1ª.164.H
*Cancri ſunt humidi carne & ſicci cute.*2°*.de temp.* 1ª.21.A
*Cancri habent tenuem teſtam.*3°*.de alim.fac.* 2ª.32.D
Cancri mollem teſtam habent.de ren.aff.digno.& med. 7ª.195.F
*Cancrorum cutis inſ[illegible]ibilis eſt.*3°*.de vſu par.* 1ª.134.A
*Cancri vbi habeant oculos.*8°*.de vſu par.* 1ª.166.F
Cancri habent oculos duros.de ana.viuo. Sp.48.C
Cancri non habent palpebras.de inſtr. 1ª.112.B
*Cancris non oriuntur pili.*2°*.de temp.* 1ª.18.G
*Cancri cinis,qualis.*11°*.de ſimp.med.fac.* 5ª.81.H
*ex Cancris medicamentum probatum à Galeno pro morſis à cane rabido.*1°*.de comp.med.per gen.* 5ª.216.A
*Cancri agunt ex proprietate ſubſtantię contra canis rabidi morſum.*11°*. de ſimp.med.fac.* 5ª.82.A
Cancer ſpicula,& ſurculos extrahit.de ther.ad Piſo. 5ª.93.F
*Cancros coqui iubet in qua nati ſunt aqua.*9°*.de cõp.me.ſe.lo.* 5ª.200.F
CANCER, *ſcorpio,piſces,ſunt aquatici,frigidi,& humidi,ſeptentrionales.de ſpermate.* Sp.39.A
Cancer eſt lunæ ſedes.de ſpermate. Sp.38.H
Cancri annus qualis ſit.de ſpermate. Sp.39.D
CANCER *morbus à ſimilitudine ad animantem.*2°*.met.med.* 7ª.9.F
*Cancri radices per ſimilitudinem nominare malum non eſt, & quæ ſint ſuæ radices.com.*6°*.apho.*38°. Ex.50.F
Cancri natura,quæ.de diff.morb. 3ª.5.F
Cancer in parte,eſt inæqualis intemperies cum fluxione. 1°*. de inæquali intempe.*43.A| 3ª.44.F
*Cancrum facit fluxum ad membra.in progno.com.*2°. 4ª.202.D
Cancer quomodo fiat.de tum.præter nat. 3ª.84.D
*Cancer ex qua fiat materia.*2°*.de criſi.* 4ª.138.C
*Cancer ex cacochymia oritur.*3°*.de temp.* 1ª.23.A
*Cancri ex vitioſis ſuccis naſcuntur.*3°*.de ſymp.cau.* 3ª.25.B
Cancer à quo humore.de tum.præter nat. 3ª.84.C
*Cancer ex humore craſſiſſimo.*14°*.meth.med.* 7ª.92.E
*Cancer affectus melancholicus.*3°*.de alimentorum facul.* 2ª.25.G| *commen.*7°*.apho.*40°. Ex.57.B
*Cancer à bile nigra.de atra bile.*35.E|E|8°*.de decr.*1ª.275.F|*de bo.& vitio ſuc.*2ª.39.D|*de diff.morb.*5.F|*de tumo.pręt. naturam.*3ª.83.H|*de ocu.*7ª.189.F|*com.*1°*.aph.*2°.3.D|*com.*4°*.aph.*2°. Ex.27.F
Cancer dicitur nigra bilis in vna quapiam particula redũdãs. 3°*.de ſymptomatum cau.* 3ª.26.B
Cancroſa ſunt omnia quę ab atrabilario ſucco indurantur. 5°*.de ſimplic. medicamen.* 5ª.34.E
*Cancri quibus fiant,& quomodo.*2°*.de arte cur.ad Glauc.* 7ª.107.C
*Cancer contingit ſenioribus.in progno.com.*3°. 4ª.210.D
*in Cancros incurrunt qui largius lente vtuntur.*1°*.de alim.fac.* 2ª.13.E
Cancri fiunt patiente hepate.de virt.noſtrum corp.diſpen. Sp.60.C
*Cancri & phagedænæ reſpondent herpetibus,& eryſipelatibus ex flaua bile.*2°*.de diff.feb.* 3ª.37.D
Cancri à carbunculo diſtantia.de dyna. Sp.30.F
*Cancri meminit.de tum.præ.natu.*3ª.84.E|2°*.methodi med.* 7ª.9.E|F
*Cancer qualis ſit cum incipit,& qualis poſtea.*14°*.meth.med.* 7ª.89.G
*Cancer in principio ſanatur.*2°*.de arte cur.ad Glau.* 7ª.107.D
ad Cãcros incipiẽtes ſanãdos q̃ magnã vim habẽt. 14°*.met.me.*7ª.89.h
*Cancer quo modo curetur.*14°*.meth.med.* 7ª.89.G
*Cancrorum remedia.com.*6°*.apho.*38°. Ex.50.E
*in Cancro qui cibi dandi.*2°*.de arte cur.ad Glau.* 7ª.107.E
Cancri à principio ſtrenue purgandi.de atra bile. 1ª.37.D
Cancro proſunt medicamenta trahentia bilem atrã.de atra bile. 1ª.36.B
Cancer purgatur medicamento educente atra bilem.quos pur. op.quib. med.& quo temp. 5ª.88.F
*in Cancris ſanguis mittendus.*2°*.de ar.cur.ad Glau.* 7ª.107.E
*in Cancro vacuatione facta quid agendum.*14°*.meth.med.* 7ª.89.H
*Cancri occulti,ideſt non apparentes,abſconditi in profundo corporis ſine vlceratione.com.*6°*.apho.*38°. Ex.50.D
Cancer latens quo modo & quando.de atra bile. 1ª.35.B
*Cancros occultos,melius eſt non curare,curati enim cito perimunt, non curati longius tempus perdurant.com.*6°*.aph.*38°. Ex.50.D
*Cancros non permittunt curari multi medici digni auctoritate.com. *6°*. aphoriſ.*38°. Ex.50.F
*ſi Cancer in ſumma parte exiſtens, vbi poſſunt applicari remedia, vel difficulter, vel omnino inſanabilis eſt,quãto magis is qui eſt in inteſtinis,per quæ feces tranſeunt.com.*4°*.apho.*24°. Ex.30.A
Cancris occultis cataplaſtri in morem illitum prodeſt eryſimum. 6°*.de*

ſimplicium med.fac. 5ª.47.F
ad Cãcros oculorũ aſperatos valet ſuccus cẽtaureæ.de vir.cẽ. Sp.93.B
Cancri in mãmis mulierũ potiſſimũ fiũt.2°.de ar.cu.ad Glauc. 7ª.107.B
Cãcer in mãmis ſimilis cãcro animali.2°.de ar.cu.ad Glau. 7ª.107.D
Cancrum in mãmilla aduentantem quomodo purgatione prohibuit Galenus.quos pur.op.quib.me.et quo.5ª.88.C|c.6°.aph.47°. Ex.52.C
ad Cancrum vberum.de paſſ.mul. Sp.96.D
Cancer vteri poteſt facere paucitatem menſtruorum . commentario.5°. aphoriſ.57°. Ex.43.A
Cancri matricis ſigna.& curatio.de paſſ.mul. Sp.96.A
Cancerosa vlcera à Galeno ponuntur.com.5°.apho.22°. Ex.39.D
Cancer vlceratus & difficultas inteſtinorum ex atra bile,idem.commẽtario.4°.aph.24°. Ex.30.A
Cancri vlcerati quo modo curentur.14°.meth.med. 7ª.92.D
Cancroſa cauſa ſtalticis,& chatarticis,& acerrimis rebus , & igne curantur.de par.art.med. Sp.19.A
Cancroſis vulneribus ſi frigida aqua ſola adhibeatur , perniciem affert. de ſimp.medicamin. Sp.92.C
Cancer ſemper lauari pręcipitur cum melle,& aqua iuncta,aut ex lixiuia,aut cum vino,& melle ſimul.de ſimp.med. Sp.92.C
ad Cancroſa vulnera quæ depaſcuntur in circuitu.de dyna. Sp.30.H
Cancros,et polypodas eliquare creditus eſt dracũculi fructus.6°.de ſimpli. med.fac. 5ª.46.D
ad Canceroſa vlcera faciunt ederæ folia.de ſimp.med. Sp.84.A
Cancroſis vlceribus applicatur lac.10°.de ſimp.me.fa. 5ª.73.H
Cancerata vulnerum aufert lixiuia ex cinere de ſarmentis oliuæ. de ſimplic.medicam. Sp.86.A
ad Cancros mirabilis eſt plumbeus quidam ſuccus à Galeno deſcriptus 9°.de ſimp.medica. 5ª.70.F|G
ad Cancroſa vlcera idonea eſt pompholyx.9°.de ſimp.me.fac.5ª.70.H
ad Cancrum valent medicamenta ex pompholyge , & chalcitide confecta.2°.de ar.cur.ad Glau. 7ª.107.E
ad Cancrum valet ſolani ſuccus.2°.de arte cur.ad Gla. 7ª.107.E
contra Cancrum valet theria.de ther.ad Piſo. 5ª.91.E
Cancroſa ſanat vrtica.6°.de ſimp.med.fa. 5ª.41.H
ad Cancroſa vlcera.4°.de comp.me.per ge.242.G| 5ª.244.E
ad Canceroſas durities.5°.de comp.med.per gen. 5ª.250.B
ad Cancrum puluis.de dyna.30.G|H| Sp.31.A
ad Cancrum occidendum remedium.de dyna. Sp.30.G
Cancer quo modo per chirurgiam curatur.14°.meth.med. 7ª.89.H
Cancer quo modo curetur,& quòd non incidendus.de oculis. 7ª.189.G
Cancer excidendus.14°.meth.med. 7ª.91.F
Cãcri q debẽt incidi,vel vri,& curari,q nõ.com.6°.aph.38°. Ex.50.E
Cancri in palato,ſede,ſinu muliebri non perueniunt ad cicatricem ſi vrãtur vel ſecentur.com.6°.aph.38°. Ex.50.E
Cancros,qui in ſumma parte corporis hærent,ſi poſſumus , debemus cũ radicibus reſecare.com.6°.aph.38°. Ex.50.F
Cancri quo modo vrantur & quando.11°.de ſimp.med.fa. 5ª.81.H
Cancer,vide Carcenoma.
CANCER *vinculi genus.de faſcijs.293.H|* 7ª.294.G
Cancri,faſciæ ad capitis vulnera,ſiue in quatuor partes ſcindantur,ſiue in ſex,ſiue in octo.de faſcijs. 7ª.293.F
Cancrum vinculum pro inguine.de faſ.304.B| 7ª.305.B
CANCHRY *nos excalfacit.1°.de ſimp.med.fac.* 5ª.4.E
Canchry ſolũ non conuenit vlceribus.4° de comp.med.per ge.5ª.236.H
CANDENTI *ferro ſimilis eſt affectus hecticorum ex caliditate & ſiccitate ſolidarum partium.10°.meth.med.* 7ª.66.D
Candenti pallore herbis infectis quandoq; aſſimilatur corpus.5°.de locis affectis. 4ª.34.H
Candor niuis maioris minoriſq; ratione differt ab eo , qui eſt in lacte.1°. de ſanitate tuen. 5ª.63.F
Candorem ex diutina vmbratili conſuctudine contractum non eſſe morbum,collige.1°.de ſan.tuen. 2ª.64.A
Candidi & molles ſunt Galli.de curan.rat.per ſang.miſſ. 6ª.19.F
Candidæ mulieres,molles ſunt.4°.de comp.medic.per genera. 5ª.236.F
Candidę,& carnoſæ mulieres paruas habent venas.1°.de curan.ratio. per ſang.miſſ. 6ª.18.G
Candidi,molles,& obeſi non habent ſanguinem melancholicum.3°.de locis affectis. 4ª.18.E
Candidi imbecilles ſunt.2°.de cõp.me.per gen. 5ª.218.H
Candidi cute quæ medicamenta requirãt.1°.de cõp.me. per ge.5ª.212.H
Candida nubes quomodo fiat.in 1m.de mor.vulg.com.1°. 3ª.104.C
Candidi ad digerendum.6°.de compoſitione medica.per gen. 5ª.261.A
Candidum quod magnum dicitur.2°.de comp.me.per gen. 5ª.224.A
Candidum Telephanis.2°.de comp.med.per gen. 5ª.225.A
Candida vt fiat tota facies.de dyna. Sp.25.G
CANENDI *ars inter illuſtres numeratur.ad Thraſ.* 2ª.105.E
Canendi Deus Apollo eſt.in oratione ſuaſoria. Iſa.2.C
Canendo tibiam defeſſi cur balbutiunt.com.6°.aph.32°. Ex.49.H
CANIS *nomen ęquiuocum.2°.de diff.pulſ.* 4ª.53.H
Cani ſimilem membrorum naturam habet homo. in 6m.de mor. vulgar. commentario.4°. 3ª.180.D
Canis habet oſſium ſubſtantiam denſiorem , ſub capris & ouibus. 11°.de vſu partium. 1ª.191.D
Canes habent multos dentes caninos vtrinq;.11°.de vſu par. 1ª.187.E
Canini dentes vnde dicti,& qui.de oſſ. 1ª.41.F
Canini dentes pineale habent acumen,& eorum officium ſpeciale eſt frãgere,ſiue incidere.de anat.viu. Sp.49.D
Canum dentes ſimiles leoninis.11°.de vſu par. 1ª.187.C
Canini dentes cum generantur,febres,conuulſiones, & fluxus generãt. com.3°.apho.25°. Ex.25.C
Canibus in larynge commixtio eſt neruorum recurrentium cum neruis à ſexta coniugatione productis.16°.de vſu par. 1ª.216.E
Canibus maxillæ commiſſura euidens eſt.4°.de anat.admi. 1ª.81.F
Canes habẽt muſculos temporales maximos & neruoſiſſimos. 11°.de vſu partium. 1ª.184.F
Canes cur vertant aures ad ſonos,& ad voces.11°.de vſu par. 1ª.189.A
i Canibus crura anteriora sũt ſil'ia poſterioribus.2°.de vſu pa.1ª.127.d
Canũ pedes cur medij inter pedes hoĩem et equorũ.3°.de vſu p. 1ª.129.E
Canis eſt medius in rectitudine & pronitate corpis.3°.de vſu. 1ª.128.F
Canis habet lienem affatim nigrum.6°.de ana.admi. 1ª.92.G
de Canis temperie ſi quæratur, quid reſpondendum.1°.de temp. 1ª.13.D
Canis eſt ſiccus ſecundum quoſdam.1°.de temp. 1ª.12.H
Canis homini collatus eſt ſiccus.1°.de temp. 1ª.12.E
Canes ſunt temperamento ſicco.de atten.vic.rat. 2ª.45.F
Canis quo modo humidus,ſiccus,frigidus,& calidus.1°.de tem. 1ª.12.E
Canis comparatus ad apim & formicam eſt humidus.1°.de tem. 1ª.12.E
Canis eſt calidior tauro.11°.de ſim.med.fac. 5ª.78.E
Canes numerantur inter animantia calidiora,ſicciora,& graciliora. 2°. de ſimp.medicamen.facul. 5ª.14.E
Cani comparat gracilem,& muſculoſum.10°.metho.meden. 7ª.62.C
Cane calidior eſt leo.11°.de ſimp.med.fac. 5ª.78.E
Canis ipſa recipit ſperma lupi,& vulpis.2°.de vſu par. 1ª.127.F
ex Canibus,& vulpibus generatur mixtum animal.de natu. humana, com.1°.29.D|2°.de ſem. 1ª.336.F
Canis præfeſtinatione parit catulos cæcos,puerbiũ.2°.de ſem. 1ª.339.F
Canis nuper natus poteſtate venaticus eſt.2°.de temp. 1ª.21.F
Canis bonitas in quibus conſiſtat.1°.de temp. 1ª.13.D
Cani conuenientia.1°.de temp. 1ª.14.H
Canis Lycurgi vocati meminit.de med.fac.par. 7ª.165.E
Canis nilum tranſeunter delibat.2°.de ſan.tuen. 2ª.71.D
Canes apud quaſdam gentes manduntur.3°.de alim.fac. 2ª.26.B
Canum caro qualis ſit.de atten.vic.rat. 2ª.45.F
Canis & leo animalia ſunt craſſi ſucci.6°.de anat.admi. 1ª.91.H
Canina caro facit humorem melancholicum.3°.de loc.aff. 4ª.18.F
Canes quando volunt purgari gramen edunt.de ſimp.med. Sp.81.C
Canis vomitum ſibi parat.de venę ſect.aduer.Eraſ. 6ª.7.C
Caninum lac non ſinere pilos renaſci falſum eſt.10°.de ſimp.medicamentorum facul. 5ª.74.A
Canis nigrę adeps.2°.de antid. 5ª.117.C
Canis vrina.1°.de comp.med.ſec.loc. 5ª.127.G
Canibus hominum ſtercus ſuauiſſimum eſt.3°.de nat.fac. 1ª.305.D
Caninum ſtercus quo modo ad anginam,& quomodo ad dyſenteriam paretur.10°.de ſimp.med.fac. 5ª.76.A
Canum ſtercus vbi oſſibus veſcuntur,non grauiter olet. 10°. de ſimplic. medicamen.facul. 5ª.76.A
Canum ſtercus ſimile eſt medicamentis extergentibus.5°.de ſimplicium medicamen.facul. 5ª.36.F
Caninus fimus tumores,& vlnera delicate mundat.de ſimp. Sp.84.E
Caninum ſtercus pro vlceribus malignis quomodo paretur.1°.de ſimpli. medicamen.facul. 5ª.76.A
Canino vtitur ſtercore,& vſum laudat ad cruſtas. 6°.de compo.medicamento.ſec.loc. 5ª.172.B
Canis fimus albus ad oris putredines & cruſtas.de re.pa.fa. 7ª.158.A

Caninum ſtercus album.9°.de comp.med.ſec.loc. 5ª.198.B
Canini pediculi ſanguis ad pilos palpebris innatos oculum infeſtantes. de reme.para.facil. 7ª.156.G
Caninarum muſcarum ſanguis.4°.de comp.med.ſec.loc. 5ª.153.C
Canes ne latrent.de incant.adiur.& ſuſp. 7ª.182.C
Canes interimit cynomoros.6°.de ſimp.med.fac. 5ª.43.D
ad Canum impetum timentes.de medic.para.fac. 7ª.172.B
Canis quo modo furorem deponat.de med.par.fac. 7ª.172.B
CANIS ſolus rabie afficitur.6°.de loc.aff. 4ª.40.C
Canis rabidus quo modo cognoſcitur.de ther.ad Piſo. 5ª.96.F
Canis rabidi ſputum poteſt excitare rabiem.6°.de loc.aff. 4ª.42.C
Canis rabidi morſus ſimilis morſui canis nõ rabidi.d the.ad Pi.5ª.96.E
Canum rabidorum morſus eſt venenum.11°.de ſimp.med.fac. 5ª.82.A
Canis rabidi morſus pernicioſiſſimus.1°.de comp.med.per ge. 5ª.216.A
Caninum virus.in 1m.prorrh.com.1°. 4ª.171.E
Canis rabidi virus difficulter cognoſcitur.de conſt.art. Iſa.42.C
Canis rabidi morſus quo modo ſenſim inficiat,ac tandem cito perimat. in 3m.de morb.vul.com.3°. 3ª.149.D
Canis rabidus quæ ſymptomata faciat in cõmorſo.2°.de antid. 5ª.119.D
ex Canis rabidi morſu aquam expaueſcentibus.1°.de comp.medicam. per genera. 5ª.215.F
à Canibus rabidis morſos in aquarum formidinem deueniẽtes quid adiuuet.2°.de antid. 5ª.120.G
à Cane rabido morſi quãto tpe moriunt.in 1m.prorrh.com.1°. 4ª.171.E
à Cane rabido morſi qñ non pñt curari.in 1m.prorrh.com.1°. 4ª.171.E
à Cane rabido morſi quo modo curantur.11°.de ſimp.med.fac. 81.H/de ther.ad Piſo. 5ª.96.E
à Cane rabido morſis vulnus eſt ampliandum.de ther.ad Piſo.5ª.96.F de virtute cent. Sp.93.H
Canis rabidi vlcus quandiu debet permanere apertũ.2°.de anti.5ª.117.B
Canis rabidi morſus medicinæ duplicem habent appellationem, & quã. commen.2°.aph.22°. Ex.15.C
ad Canis rabidi morſum Hære Album.2°.de antid. 5ª.117.B
à Cane rabido morſos iuuat mirifice alyſſon.6°.de ſimp.me. 5ª.42.B
ad Canes rabidos antidotus Aelli Galli à Ceſare ſumpta. 2°.de antidotis. 5ª.116.H
à Cane rabido morſos ſeruans antidotus.2°.de antidotis. 116.G/118.F/119.D/ 5ª.120.D/E
ad Canes rabidos antidotus Heræ Cappadocis.2°.de antid. 5ª.116.H
ad Canes rabidos antidotus Zenonis.2°.de antid. 5ª.116.H
ad Canis rabidi morſum Baſilica.2°.de antid. 5ª.117.C
à Cane rabiente morſi cãcri cinis mirabilis eſt.11°.de ſimp.me. 5ª.81.H
contra Canis rabidi morſum agunt cancri ex proprietate ſubſtantiæ. 11°.de ſimp.med.fac. 5ª.82.A
à Cane rabido morſorum medicamentum ex cancris certum & probatum à Galeno.1°.de comp.med.per gen. 5ª.216.A
ad Canis rabidi morſus valet iecur canis rabidi.11°.de ſim.m. 5ª.79.H
Canis omnis,& proprie rabioſi morſibus confert centaurea. de virtute centau. Sp.93.H
ad Canem rabidum Claudij Apollonij medicam.2°.de antid. 5ª.117.A
ad Canis rabidi morſum dentes ſuſpenſi.de incant.adi.& ſus. 7ª.182.B
ad Canis rabidi morſum electuarium.de med.exper. Sp.107.A
ad Canis rabidi morſum emplaſtrum.2°.de antid.117.A/ 5ª.119.F
ad Canem rabidum Menelai emplaſtrum.2°.de antid. 5ª.117.A
à Cane morſis opitulatur herbum.de ſimp.med. Sp.85.C
ad Canis rabioſi morſum medicina.ſecretorum. Sp.97.B
Cane mordente inflictis vlceribus competit mutulorum caro.11°.de ſimplicium medi.fac. 5ª.78.F
Canis rabientis morſum ſanare dicitur terra lemnia in vino diluto epota.9°.de ſimp.med.fac. 5ª.65.E
ad Canis rabidi morſum valet theriaca.de ther.ad Piſo. 5ª.91.H
à Cane rabido commorſis efficax remedium eſt theriaca.de vſu theriacæ ad Phamphi. 5ª.97.E
à Cane rabido morſi,cuius ętatis theriaca vti debeant. de theriaca. ad Piſonem. 5ª.95.G
ad Canis rabidi morſum.2°.de antid.116.F/120.B/2°.de comp.med.per gen.227.E/3°.233.G/235.B/5°.247.A/E/248.D/H/5ª.249.H/ de me.fac.pa.170.H/172.A/B/7ª.178.G/ſec. Sp.102.B
à Cane rabido morſorum duorum caſus.de ſectis. Iſ.18.A
Cane rabido morſi hominis exemplum.de ſectis. Iſ.16.G
CANINA fames quę ſit,& quo modo fiat.1°.de ſymp.cau. 3ª.18.B
Caninus appetitus qui ſit,vnde procedat,& quomodo ſanetur.commẽtario.2°.apho.21°.14.H/ Ex.15.A/B
Canina appetentia aliena à natura eſt.6°.de ſan.tuen. 2ª.98.F
Canina appetẽtia multa impetuoſe ingerere,atq; ea excernere cogit.6°. de locis affectis. 4ª.37.H
Canina appetentia ſignificat læſum os ventriculi.5°.de locis affectis. 32.H/6°. 4ª.37.H
Canina fames à quo humore fiat.1°.de ſymp.cau. 3ª.18.B
Caninus appetitus fit ex ſuperflua tranſmiſſione melancholię à ſplene ad os ſtomachi.de anat.viuo. Sp.51.A
Canina appetentia ſubito fieri non poteſt.6°.de loc.affec. 4ª.37.H
Caninæ famis pulſus.de pulſ.ad tiro.46.D/4°.de cau.pul. 4ª.103.C
ad Caninum appetitum.ſecretorum. Sp.100.F
CANINA lupinaue melãcholia.de mel.ex.Gal.Ruf.& Poſſ. Sp.100.F
CANINVS ſpaſmus cuius muſculi affectio ſit.de muſ.diff. 1ª.44.E
ad Canina conuulſione affectos.7°.de comp.me.per ge. 5ª.209.H
CANINA cæpa quid,& eius vires.de ſimp.med. Sp.89.B
CANIS ſydus,quid ſit.in 1m.de mor.vulg.com.1°. 3ª.102.A
Canis exortus conſiderandus.de aere,aq.& lo. 2ª.4.D
Canicula oritur in medio horæ,quod eſt tempus anni.2°.de ali. 2ª.16.D
Canis ortus oporam appellatam inchoat,quam etiam ſecundam partem æſtatis vocant.com.3°.aph.14°. Ex.22.F
Canicula per quadraginta dies durat,& qui ſint.de pue.epil. 7ª.181.B
circa Canem Eteſiæ ſpirant.in 1m.de mor.vulg.com.2°. 3ª.113.E
Cane oriente ſi fiant tempeſtates hybernæ,& ſpirent Eteſiæ ſpes eſt quietis in morbis.com.3°.apho.11°. Ex.21.D
ante Canem tempora valde calida,proinde miſſio ſanguinis vitanda. in 6m.de mor.vulg.com.3°. 3ª.179.B
inter Canis & arcturi ortum maxima caliditas.1°.de arte curatiua ad Glauconem. 7ª.98.C
in Canis ortu ſemp ardentes febres.in 1m.de mor.vulg.cõ.2°.3ª.109.A
circa Canis ortum æſtus febrem facit.1°.de diff.feb. 3ª.31.C
ſub Cane furiunt viperæ,& ſerpentes.2°.de loc.aff. 4ª.14.B
ſub Cane cur ſemina iacta non naſcantur.com.5°.aph.62°. Ex.43.G
ſub Cane pluuia raro accidit.6°.de comp.med.per gen. 5ª.257.C
ſub Caniculam æſtas non pluuioſa borealis & ſicca confert pituitoſis. de aere,aq.& loc. 2ª.4.C
ſub Canicula præparat medicamentum,4°.de comp.me.per ge.241.D/5°.252.C/E/6°.255.F/ 5ª.256.E
ſub Caniculæ æſtu fit cephalicum quoddam.2°.de compoſi. medicamen. per genera. 5ª.226.C
ſub Caniculæ æſtu fit Iſis.2°.de comp.med.per gen. 5ª.226.B
ſub Cane febris ex ira,extincta aqua frigida 10°.meth.med. 7ª.63.F
ſub Cane,et añ canẽ purgationes ſunt moleſtę.cõ.4°.aph.5°. Ex.28.A
in Canicularibus diebus quodam anno ſecta vena cauſa mortis fuit. 1°. de arte cur.ad Glau. 7ª.98.C
CANIS piſcis in cetaceorum genere ponitur.3°.de alimentorum facultatibus.31.F/ 2ª.32.E
Canis piſcis,phoca,delphini,& cete omnia pulmonem habent, & plus caloris quàm cæteri piſces.de vtil.reſp. Sp.64.C
Cane piſce quo modo vulgus veſcatur.3°.de alim.fac. 2ª.31.F
Canes piſces habent duram carnem,ægre conficiuntur, & pariunt ſuccos craſſos,& ſalſos.3°.de alim.fac. 2ª.31.F
Canis piſcis ingrati ſaporis & mucoſus eſt.3°.de alim.fac. 2ª.31.F
Canis marini caro ſalſa facit ſanguinẽ melancholicũ.3°.de loc.af.4ª.18.F
CANIRVBVS frutex ſylueſtris.2°.de alim.fac. 2ª.21.H
Canirubi germina numerant inter præſtantiſſima.2°.de ali.fac. 2ª.24.C
Canirubi germina muria,vel oxyhalme condita faciunt humorem melãcholicum.3°.de loc.affect. 4ª.18.F
Canirubi fructu paſſim veſcuntur ruſtici.2°.de alim.fac. 2ª.21.H
Canirubi fructus exiguum habent alimentum.2°.de alim.fac. 2ª.22.B
Canirubi fructus eſt praui ſucci.2°.de alim.fac. 2ª.22.B
Canirubi fructus multum adſtringit.2°.de alim.facul.2ª.19.B/de ſimpl. med.fac.53.F/1°.de comp.med. 5ª.130.B
in Canirubi fructu,quod lanæ ſpecie habet arteriam vitiat. 7°.de ſimp. medicamen.facul. 5ª.53.F
CANIS teſticulus calidus & humidus.8°.de ſimp.med.fac. 5ª.57.F
CANIS eſt morbus faciei.2°.de diff.pul. 4ª.53.H
CANITIES quid.fin.med. Iſ.48.B/C
Caneſcunt vbi homines magis.2°.de temp. 1ª.19.E
Canities oſtendit temperamentum cerebri.2°.de temp. 1ª.20.F
Canos cito producentes phlegma facit.de dyna. Sp.19.F
Canos capillos habere non eſt turpe.1°.de comp.med.ſe.lo. 5ª.126.E

Canities quomodo retardetur.1°.de comp.med.ſec.loc. 5ª.126.G
Canitiem tardantia quæ ex auſteris & acerbis ſunt compoſita.1°.de cō-po.medicamento.ſec.loc. 5ª.126.G
Canitiem tardans medicina.ſecretorum. Sp.101.F
à Canitie præſeruatio.de reme.par.fac. 7ª.161.C
CANNAE *flos, quem anthelem vocant, ſi in aures incidat adeo tenaciter adhærens affligitur, vt auelli non poſſit, auditumq; vitiat, quam ob rem ſæpiſſime exurdat.7°.de ſimp.me.fa.* 5ª.49.F
Canna abſtergentem facultatem poſſidet non paucam, minimeq; acrem. 7°.de ſimplicium medicamen.facul. 5ª.49.F
Cannæ radicem cum bulbis aculeos ac ſtipites ex alto extrahere quidam ſcripſere.7°.de ſimpli. med.fac. 5ª.49.E
Cannę cortex vſtus calidus eſt & ſiccus in tertio ordine. 7°.de ſimplic, medicamen.facul. 5ª.49.F
CANNAE *pulmonis compoſitio, quæ.de anat.viuo.* Sp.53.C
ꝑ Cannam magnam fit attractio aeris ad pulmonē.de ana.vi. Sp.47.C
Canna pulmonis non ſonora eſt in radice, quia carnoſa, & humida. de voce & anhelitu. Sp.61.F
Cannæ pulmonis iuuamentum.de ana.viuo. Sp.53.D
Canna pulmonis eſt primum inſtrumentum formationis vocis, & ita virtutis voluntarie mobilis.de ana.viuo. Sp.53.D
Canna quam habeat actionem in voce.de voce & anhel. Sp.61.G
Canna prima vocis eſt epiglottis.dc ana.viuo. Sp.49.E
Canna ſecunda vocis eſt vuula.de ana.viuo. Sp.49.E
CANNABIS *vitici quodam modo ſimilis.1°.de alim.fac.* 2ª.15.F
Cannabis eſt cibus calidus.de diſſol.cont. Sp.74.C
Cannabis ſemen flatus extinguit, adeoq; deſiccat, vt ſi pluſculum edat, genituram exiccet.7°.de ſimp.med.fa. 5ª.49.F
Cannabis ſemen concoctu eſt difficile, ſtomacho ac capiti nocet, praui eſt ſucci, multum calefacit.1°.de alim.fa. 2ª.15.F
Cannabis ſemen medicamentoſum eſt, & caput tentat.de atte. 2ª.44.E
Cannabis agreſtis ſemen.de medi.fac.par. 7ª.171.D
CANON, *hoc eſt norma, Polycleti liber.de decre.* 1ª.225.H
CANTABRI *ſuccus ad ſynocham.de dyna.* Sp.33.C
CANTHARIDES *quid.de ſimp.medic.fac.* Sp.82.D
Cantharidibus ſpecie & viribus ſimilis eſt bupreſtis. 11°.de ſimp.medicamentorum facul. 5ª.82.E
Cantharides in frumento inuentæ aptiores.11°.de ſimp.med.fac. 5ª.82.E
Cantharidibus veſcuntur viperę.de ther.ad Piſo. 5ª.95.D
Cantharis terrenę eſt conſiſtentię.4°.de ſimp.med.fac. 5ª.30.A
Cantharidis qualitas eſt contraria nobis.7°.dc vſu par. 1ª.159.B
Cantharides venenoſæ ſunt.de ſimp.medic. Sp.82.D
Cantharides eroſione aut putrefactione interimunt. 4°. de ſimplic.medicamen.facul. 5ª.29.E
Cantharis interimit erodendo.10°.de ſimp.med.fa. 5ª.73.H
Cantharidis centeſima drachmę particula non necat.3°.de ſimp.medicamentorum facul. 5ª.25.A
Cantharides aſſumentibus quid prodeſt.2°.de antid. 5ª.114.D
Cantharidum alexiterium.9°.de ſim.med.fac. 5ª.65.E
contra Cantharides valet theriaca.de ther.ad Piſo. 5ª.91.E
Cantharis veſicam lædit.de ther.ad Piſo. 5ª.91.A
Cantharis quomodo veſicam lędat & iuuet.de ther.ad Piſo. 5ª.94.B
Cantharis veſicam exulcerat.3°.de temp.1ª.23.C|1°.de compoſi. medicamentorum per gen. 5ª.209.H
Cantharides ſponte ſua feruntur per vrinam ad veſicam, atq; ſic rodendo eam exulcerant.3°.de ſimp.med.fac. 5ª.23.A
Cantharidum vſus.11°.de ſimplicium med.fac. 5ª.82.E
Cantharides faciunt ad aliquas antidotos, & ad aliqua cauſtica. de ſimplicium medic. Sp.82.D
Cantharides q̃uo præparet.de vict.ra.in mor.acu.com.4°. 7ª.152.E
Cantharides q̃uo accipiant an totę, an partes.11°.de ſimp.med. 5ª.82.E
Cantharidum ventres accipit.5°.de cōp.med.ſec.lo.161.F|H| 5ª.162.C
Cantharides dat in potu.de vict.ra.in mor.acu.com.4°. 7ª.152.A
Cantharis correcta per vrinam ſine noxa educit.3°.de temp. 1ª.23.C
Cantharides non nihil recipiunt medicamenta ad vrinas mouendas efficaciora.4°.de ſimp.med.fa.30.B|11°. 5ª.82.E
*Cantharidis parte ſumpta, quibusq; oportet admiſta, præter quā quod veſicā nihil offendit, etiā renes expurgat.4°.de ſimp.med.fa.*5ª.30.B
ex Cantharidibus vbi paucum multis miſcetur bonis atq; vtilibus, illa quidem ad veſicam veluti manu ducunt, rodere tamen nequeunt. 3°. de ſimpli.medic.fac. 5ª.23.A
ex Cantharide confectum medicamentum vrinæ ciendæ accommodum eſt.3°.de ſimp.medic.fac. 5ª.23.A
ex Cantharidibus medicamentum vrinarum prouocatiuum citra incōmodum.dc vic.rat.in mor.acu.com.4°. 7ª.152.E
Cantharides vngues pſorodes ſanant.11°.de ſimp.med.fac. 5ª.82.C
Cantharis lumbricos educit.de ther.ad Piſo. 5ª.93.F
in Cantharidibus exhibendis actio ignari medici.de vict.rat.in morbis acu.commen.4°. 7ª.152.E
CANTERIVS *quid ſit.de artic.com.1°.* 7ª.255.C
CANTORES *non vtantur venere.6°.de loc.aff.* 4ª.42.G
in Cantibus neceſſaria eſt longę vocis emiſſio.de ana.viuo. Sp.48.B
CANTILENA *vetulę, prouerbium.1°.de criſi.* 4ª.131.H
CANVBEA *cum abſinthio & lupinorum apozemate purgat ſima hepatis.de cathar.* Sp.95.C
CANVM *quid, de ſimp.med.* Sp.83.C
Canum acriter ſtringentes vires habet. & quodam modo cauſticas. de ſimplicium med. Sp.83.C
Cani pars vna ingreditur Ponitij confectionem.de ſimp.med. Sp.88.F
in CAPACITATIBVS inſtrumentorum amplis quæ continent, vis expultrix non expellit.2°.de ſymp.cau. 3ª.22.B
Κάπετοι.*i.foſſulæ.de articu.com.4°.* 7ª.290.B
CAPILLORVM *nullū eſt regimen, ſed tantū gn̄atio.ars med.* Iſa.63.B
Capillos, & pilos generare eſt naturæ opus.14°.meth.med. 7ª.93.C
ꝑ Capillos excernuntur ſupflua.de cōpag.mēb.ſiue de na.hu. Sp.59.B
Capilli quando oriuntur.de fœt.for. 1ª.323.H
Capilli fiunt modo maiores, modo minores, vt conuenit temporis mutationi.11°.de vſu par. 1ª.189.F
Capilli cur pauci æthiopibus, & tamen facile non calueſcunt. 11°. de vſu partium. 1ª.190.C
Capillis non ſemper indigemus.11°.de vſu par. 1ª.189.F
Capilli non æque conueniunt viro, puero, ſeni, mulieri, æſtate, hyeme, in loco calido, in loco frigido.11°.de vſu par. 1ª.189.F
Capilli non itidem conueniunt ei qui ophthalmia aut capite alioqui laborauit & ſaniſſimo.1°.de vſu par. 1ª.189.F
ad Capillorum generationem.1°.de comp.med.ſec.loc. 5ª.125.H
ad Capillos conſeruandos Critonis.1°.de comp.med.ſec.loc. 5ª.126.C
Capilli vt creſcant.de medi.fac.par.7ª.179.D|de dyn. Sp.23.E|F
Capilli criſpi quibus fiunt.1°.de comp.med.ſec.loc. 5ª.127.B
Capillorum criſpitudinem à leone tenuit Alexander.de ſper. Sp.38.H
Capilli in rubedinem homini tendunt ſi ſperma conceptum fuit à muliere in tribus ſanguinis horis.de ſper. Sp.37.C
Capilli rubentes, & citrini, ſunt concepto in bilis horis.de ſper. Sp.37.C
Capilli ſunt flaui concepto in hora phlegmatis.de ſper. Sp.37.C
Capilli flaui quo modo reddantur.1°.de compo.medi.ſec.loc. 5ª.127.B|de reme.par.facil. 7ª.161.C
Capilli fului quo modo reddantur.1°.de comp.med.ſec.loc. 5ª.127.B
Capillos inficit terra ampelitis.de ſimp.med. Sp.85.A
Capillos tingit myrta.de ſimp.med. Sp.87.E
Capillos tingere eſt comptorij generis.1°.de comp.med.ſec.loc. 5ª.126.F
de Capillorum tincturis.1°.de compoſitione medica.ſecun.loc.126.E|de remed.par.facil. 5ª.161.B
Capillos nigros habet conceptus in horis melancholię.de ſper. Sp.37.C
Capillos rectos, & nigros habentibus obturata ſunt ſpiramenta.in 1m.de morb.vulg.com.2°. 3ª.115.E
Capillos denigrant vetulæ.1°.de comp.med.ſec.lo. 5ª.126.F
Capillos q̃bus mulierib⁹ nigros facere liceat.1°.de cōp.mc.ſe.l. 5ª.126.F
Capilli quo modo fiant nigri.1°.de cōp.med.ſec.loc.125.A|5ª.126.A|de reme.para.fac.7ª.154.C|de dyna. Sp.23.F
Capilli ſubnigri quo modo fiant.1°.de comp.med.ſec.loc. 5ª.126.C
Capillos denigrantia.1°.de comp.med.ſec.loc. 5ª.126.C
Capillos denigrantia Archigenis.1°.de comp.med.ſec.loc. 5ª.126.H
ad Capillos nigros faciēdos medicamentū quoddā Herę nō rite vſurpatum in quas ęgritudines inducat.1°.de comp.med.ſec.lo. 5ª.125.H
Capillos denigrantibus qui morbi aliquando contingunt. 1°.de compoſi. medic.ſecun.loc. 5ª.126.G
à Capillos denigrantibus, quæ capita facilius, quę tardius læduntur.1°. de comp.med.ſec.loc. 5ª.126.H
in Capillis denigrādis mortui ſunt aliqui ob refrigerationem capitis.1°. de compo.med.ſec.loc. 5ª.126.G
Capillos nigros habentes quando moriebantur.in 1m.de mor.vulgaribus commen.2°. 3ª.115.D
ad Capillos albos faciendos.de rem.par.fac. 7ª.161.C
pro Capillis illinendis pix liquida.1°.de comp.med.ſec.loc. 5ª.126.G

ad Capillorum raritatem.1°.de compoſitione .med.ſecun.lo.5ª.124.H/ de dynamidijs. Sp.23.F
Capilli vt oriantur in loco combuſto ab igne.de reme.par.fac. 7ª.161.E
Capillorum attenuatoria.1°.de comp.med.ſec.loc. 5ª.127.E
Capillorum affectiones ſunt communes cum paucis partibus.1°.de compoſi.med.ſecun.loc. 5ª.121.C
Capillorum vitium ſymptoma eſt affectionis capitis.1°.de compoſitione medica.ſec.loc. 5ª.121.F
Capilli ob quas cauſas corrumpantur.1°.de comp.med.ſec.loc. 5ª.121.E
Capillorum radices à vitioſis humoribus corrumpuntur. commentario 6°.apho.34°. Ex.50.C
Capillorum paſſiones à græcis dicuntur alopecię,& ophiaſis. comment. 6°.aphor.34°. Ex.60.C
Capilli nouacula ſunt auferēdi in alopecia.1°.de cōp.me.ſe.lo. 5ª.122.G
Capillis glabrum caput ex alopecia conueſtit agaricum. 6°.de ſimpliciū medicamen.facul. 5ª.41.E
Capillorum pſilothra.1°.de comp.med.ſec.loc. 5ª.127.C
Capillos extirpantia.1°.de comp.med.ſec.loc. 5ª.127.E
Capilli quibus renaſcantur in alopecia.1°.de comp.me.ſec.loc. 5ª.124.C
Capilli vt facile & cito naſcantur abraſio nouacula fit.1°.de compoſitio. medica.ſec.loc. 5ª.123.E
Capillos extirpantia ſunt periculoſi vſus.1°.de comp.me.ſe.lo. 5ª.127.F
de Capillorum defluuio,& curatione.1°.de comp.med.ſec.lo. 5ª.125.D
Capilli defluunt facilius,quàm pili palpebrarū.11°.de vſu par. 1ª.190.B
Capillorum defluuium à medicis dicitur quando fluunt capilli.commen. 6°.apho.34°. Ex.50.B
Capillorū defluuiū ab Hippo.caluitiū dicitur.cō.6°.apho.34°. Ex.50.B
Capillos reddere caluis.de medi.fac.parand. 7ª.171.A
Capillati fiunt calui quibus varices fiunt.cōm.6°.aph.34°. Ex.50.B
Capilli defluunt ob pituitam.de dyna. Sp.19.G
Capillorum profluuium citra morbum accidens.1°.de compoſitio. medicamen.ſec.loc. 5ª.126.B
Capillorum profluuiū poſt morbos ſæpe.1°.de cōp.med.ſec.loc. 5ª.125.E
de Capillis qui cadunt ijs qui reſumuntur ex ægritudine.de remedijs paratu facilius. 7ª.161.D/E
Capillorum profluuium fit in phthiſicis,cum ad extremum mali perducuntur.com.7°.aph.16°. Ex.55.B
Capillis à capite fluentibus,tabidis ſi ſuperueniat alui profluuiū moriūtur.com.5°.aph.1°. Ex.38.D
Capilli ſi fluant in tabidis,& ſputum graue oleat poſitum ſupra carbones,letale eſt.com.5°.aph.11°. Ex.38.D
de Capillorum caſu.de reme.para.facil. 7ª.161.D
Capillorum profluuij medicamenta quid agere debent.1°.de compoſitio. medica.ſecun.loc. 5ª.125.E
Capillorum profluuij medicamenta caliditatem, & vim adſtringendi habeant.1°.de comp.med.ſec.loc. 5ª.125.E
pro Capillis,adſtringentia cur admiſta debeant habere quippiā tenuiū partium.1°.de comp.med.ſec.loc. 5ª.126.G
Capillorum defluuium ſola purgatione ſanauit Galenus. de purgantium medicamen.facul. 5ª.87.G
Capillos defluentes retinet ladanum.7°.de ſimp.med.fac. 1ª.51.E
Capillos defluentes cohibet ladanū,ideo adſtringit,& exiccat.7°.de ſimplicium med.fac. 5ª.55.A
Capillos fluentes cū oleo myrtino continet ladanū.de ſimp.me. Sp.86.D
Capillis fluentibus myrta prodeſt.de ſimp.med. Sp.87.E
pro Capillorum defluuio optimum eſt oleum lentiſcinum cum ladano. 1°.de comp.med.ſec.lo.5ª.125.F/de ſimp.med. Sp.86.B
pro Capillis fluentibus oleum hiſpanum.1°.de comp.me.ſec.lo.5ª.125.F
in Capillorum defluuio valet oleum myrtinum,vnguentum nardinum, vnguentū foliatū,& vnguentū ſpicatū.1°.de cōp.med.ſe.loc.5ª.125.F
ad Capillorum profluuium.1°.de comp.med.ſec.loc.5ª.123.E/de remed. par.fac.154.B/de med.fac.par.7ª.170.H/de dyna. Sp.23.E
ad Capillorum profluuium Archigenis.1°.de comp.med.ſe.lo.5ª.125.H
ad Capillorum profluuium Heræ cōpoſitio.1°.de cōp.me.ſe.lo.5ª.125.G
Capilli diſtendendi ſunt in ijs qui ex bulimo animo delinquuntur. 8°.de compoſi.medic.ſec.loc. 5ª.192.E
quibus veluti CAPILLI in vrina craſſa exiſtente,aut carunculę paruæ vnà exeunt ijs à renibus excernitur.cō.4°.aph.76°. Ex.36.C/D
Capillitium appellatur à medicis paſſio,qua quis mingit veluti capillos. commen.4°.aph.76°. Ex.36.C
Capillitium ex quibus fiat,& quomodo,& in quo loco,& quibus curetur.com.4°.apho.76°. Ex.36.C
Capillitio laborans minxit quandoq; corpora tam lōga, vt ad dimidium cubitum extenderentur.com.4°.aph.76°. Ex.36.C
Capillitium habentes ſemper habent vrinam craſſam.commentario. 4°. aphoriſ.76°. Ex.36.D
Capillitium nunquam vidit Galenus.com.4°.aph.76°. Ex.36.D
CAPILLORVM veneris electuarium.de med.exper. Sp.107.H
CAPISTRVM vocatum dimidiatum, vel ad alteram partem. de faſcijs. 7ª.296.B
Capiſtrum ab inferiori parte ſurſum.de faſcijs. 7ª.296.C
Capiſtrum ad vtranq; partem.de faſc. 7ª.296.C
Capiſtrum in vtranq; partem ductum à ſuperiori parte deorſum. de faſcijs.7ª.296.D/Idem aliter.296.E/aliter ibidem.
Capiſtrum obliquum ad alteram partem.de faſc. 7ª.296.F
CAPITO librum Hippocratis de morbis vulgaribus commētatus eſt. in.1m.de mor.vulg.com.2°.113.A/in 3m.de mor.vul.cō.2°. 3ª.136.A
Capito ſcripturas peruertit.in 6m.de mor.vul.com.1°. 3ª.152.D
Capito appellatus Artemidorus. de ijs quæ in medi.fi.com.1°. 7ª.197.E
CAPITONVM maritimorum caro quo differt à degentibus in aquis vitiatis.de bon.& vi.ſucc. 2ª.37.H
Capitones viuunt aqua ſalſa & dulci.de boni.& vitio ſuc. 2ª.37.H
CAPNAELEON. 2°.de comp.med.ſec.loc. 5ª.135.F
Capnelæos reſina.3°.de comp.med.per gen. 5ª.233.E
CAPNIOS id eſt Fumus.7°.de ſimp.med.fac. 5ª.49.F
in CAPPADOCIA hordeum nudum prouenit.1°.de alim.fa. 2ª.13.A
CAPPAR venarum fit mentio.ſecretorum. Sp.99.E
CAPPARIM acrem eſſe,collige.2°.de atten.vic. 2ª.43.H
Capparis comeditur ceu obſonium ac medicamentum. 2°.de alimentorū facultatibus. 2ª.21.E
Capparis eſt potius medicamentum quā alimentū.2°.de ali.fac. 2ª.21.E
Capparis conditur in aceto & muria.2°.de alim.fac. 2ª.21.F
Capparis cur ſale aſpergatur.2°.de alim.fac. 2ª.21.E
Capparis ante omnes cibos ex oxymelite vel oxelæo edi debet. 2°.de alimentorum facultatib. 2ª.21.F
Cappares cum aceto,& melle quid faciant.de diſſol.cont. Sp.75.G
Capparis eſt tenuium partium & parum nutrit.2°.de ali.fac. 2ª.21.E
Cappares cur parum nutriunt.de diſſ.cont. Sp.73.F
Capparis ſalſus niſi eluat̄,nihil alit,aluū tn̄ ſubducit.2°.đ ali.fa.2ª.21.E
Capparis viridis ſicco magis alit.2°.de ali.fac. 2ª.21.E
Capparis præparatus cum aceto ſolum,aut cum aceto & melle,roborat ſtomachum,& corrugat.de diſſ.cont. Sp.74.E
Capparis valet ad appetentiam deiectam.2°.de alim.fac. 2ª.21.F
Capparis attenuat.de atten.vict.rat. 2ª.43.H
Capparis ex oxymelite,vel aceto,vel oleo citra calorem extenuat. 4°. de ſanitate tuen. 2ª.85.G
Capparis fructus aurium vermes ſua amaritudine occidit. 7°.de ſimpli. medicamen.facul. 5ª.49.H
Capparis detergit pituitam exiſtentem in ventre.2°.de ali.fac. 2ª.21.F
Cappares in epilepſia conueniunt.de puero epile. 7ª.180.E
Capparis ex oxymelite edatur in principio cibationis, vbi grauitas eſt in hypochondrijs.14°.meth.med. 7ª.91.H
Capparis purgat obſtructiones hepatis & lienis.2°.de alim.fa. 2ª.21.F
Capparis eſt lieni,vt abſinthium iecori.13°.meth.med. 7ª.84.F
ex Cappari,abſinthio,& oxymelite cataplaſma pro liene. 11°.methodi medendi.73.D/13°. 7ª.84.F
Capparis cortex,qualis.7°.de ſimp.med.fac. 5ª.49.G
Capparis cortex lienes induratos optime iuuat,& dolores coxarū, menſes promouet,ex capite purgat,& ruptis atq; conuulſis auxiliatur. 7°.de ſimp.med.fac. 5ª.49.G
Capparis radicum cortices mire ſpleni conueniunt. 2°.de arte curat. ad Glauc.7ª.104.C/de cathar. Sp.95.C
Capparis cortex euacuat.5°.de ſimp.med.fac. 5ª.49.G
Capparis radicis cortex vlceribus malignis impoſitus non malum eſt remedium,dentium dolores ſanat,vitiligines detrahit,chœradas et tumores duros digerit.7°.de ſimp.med.fac. 5ª.49.H
Capparis radix lapidem frangit.de oculis. 7ª.188.F
Capparis ægyptiæ radix lapidem renum frangit.de ren. affec. digno. & medela. 7ª.196.D
Capparis radix vrere poteſt.5°.de ſim.med.fac. 5ª.38.F
Capparis electuarium.de medici.exper. Ex.108.B
CAPRAM ſi inierit aries,capram facit molliori pilo,ſi caper ouem,ouē facit duriori lana.2°.de ſem. 1ª.336.G
Capræ habent oſſium ſubſtantiam minus durā ac denſam canibus, lupis,

ac pardalibus.11°.de vſu par. 1ª.191.D
Caprarum dentes,& leonum differunt.11°.de vſu par. 1ª.187.C
Caprarum muſculus temporalis.qualis.10°.de vſu par. 1ª.184.G
Capram diſſecuit grauidam,& viuentem Galenus.in 6^{m}.de mor.vulga. commentario.6°. 3ª.189.E
Capra habet vuluam vt mulier.de diſſect.vul. 1ª.108.E
Capræ quam ligaturam habeant in matrice.15°.de vſu par. 1ª.211.D
Capre à natura hominis non longe aliena in fœtu.de fœt.for. 1ª.322.E
Capræ geminos ferre ſolent.6°.de loc.aff. 4ª.41.E
Capræ propter quid caſtrantur.3°.de alim.fac. 2ª.27.B
Capra ſui,& homini comparata eſt multum ſicca.3°.de ali.fac. 2ª.25.H
Capra eſt ſiccior oue.11°.de ſim.med.fac. 5ª.78.E
Capra eſt minus ſicca quàm bos.3°.de alim.facul.2ª.25.H/11°.de ſimplicium med.fac. 5ª.78.E
Caprina caro in magno vſu eſt.2°.de alim.fac. 2ª.16.B
Caprinę carnes quales.de vict.ra.in mor.acu.com.4°. 7ª.147.A
Caprinæ carnes optimæ ſunt æſtate,autumno peſſimæ.de vic.ra.in mor. acu.comm.4°. 7ª.147.A
Capræ prima ęſtate & media pingueſcunt.3°.de alim.fac. 2ª.26.B
Caprinæ carnes,cur frigidę potius q̃ calidę ſint edendæ.de vic.ra.in morbis acut.com.4°. 7ª.147.A
Caprina caro difficulter coquitur.1°.de alim.fac. 2ª.10.A
Capræ maiores cur tarde digerantur.de diſſol.cont. Sp.73.D
Capræ carne velocius digeritur hędus anniculus,& agnus. de bonitate aquæ. Sp.73.C
cũ Caprina & ouilla carne ruri comeditur faba.1°.de alim.fa.2ª.14.A
Caprarum & ouium genus omne non vndequaq; laudabilis eſt alimenti.de atten.vict.rat. 2ª.45.E
ex Capris alimentum,quale.de vic.ra.in mor.acu.com.4°. 7ª.147.A
Caprarum caro præter ſuccum vitioſum, habet acrimoniam. 3°.de alimentorum facul. 2ª.26.A
Caprinæ carnes choleram gignunt.de vict.rat.in mor.acu. 7ª.147.A
Caprina caro facit humorem melancholicum.3°.de loc.aff. 4ª.18.F
Caprina caro eſt inutilis ſenibus.5°.de ſan.tuen. 2ª.91.D
Caprarum ventres pingui ſanguine pleni qui cibi ſint.de vict.ra.in mor. acutis,commen.4°. 7ª.147.C
Caprarũ ſanguis in cibo iucundus apud Homerũ.3°.de alim.fa. 2ª.29.C
Caprarum ſanguis cum melle exhibetur aqua inter cutem laborantib. 10°.de ſimp.med.fac. 5ª.73.B
Caprarum ſanguis toſtus ad dyſenteriam,& fluxum vẽtris.10°.de ſimplicium medicamen.facul. 5ª.73.B
Caprino iecori idem valet iecur hircinum.11°.de ſimp.med.fac.5ª.79.H
Caprinum iecur ad nyctalopes.11°. de ſimplic.medi.fac. 5ª.79.H
Caprinus pulmo vſtus.5°.de comp.med.ſe.loc. 5ª.159.G
Caprarum lac,quale.3°.de alim.fac. 2ª.27.F
Capræ lac eſt mediocris ſubſtantiæ.5°.de ſan.tuen. 2ª.91.H
Caprinum lac,& aſininum quomodo differant.5°.de ſan.tuen. 2ª.91.H
Caprę lac medium eſt inter lac camelę,& aſinæ.de diſſ.cont. Sp.73.F
Capræ lac eſt temperatius,& ſubtilius quàm lac pecudum & vaccæ,et craſſius,quàm lac aſinæ,& camelæ.de diſſ.cont. Sp.73.H
Caprinum lac multo minus pingue,quã bubulum.3°.de ali.fac. 2ª.27.H
Caprinum lac nõ admodũ pingue,nec craſſum.de bo.& vi.ſucc.2ª.35.B/ 5°.metho.meden. 7ª.35.A
Caprinum lac conueniens noſtris corporibus.de bo.& vi.ſuc. 2ª.35.B
Capræ quę pauerit aut ſcammoniam,aut tithymallum, quale ſit lac.3°. de alimen.facul. 2ª.28.A
Caprini lactis vſus Pergami frequens.de bon.& vi.ſuc. 2ª.35.B
Caprinũ lac ſine melle ſumptũ periculoſum eſt.de bon.& vi.ſuc.2ª.35.C
Caprinum lac plerisq; coactum eſt in ventriculo in ſpeciem caſei.de bon. & vitio ſucco. 2ª.35.C
Caprinum lac & aſininum vicibus ſumendum.5°.de ſan.tuen. 2ª.91.H
ex Capræ lacte non fit butyrum.10°.de ſimp.med.fa. 5ª.74.C
cur Capræ habent adipem.11°.de ſimplicium medic.fac. 5ª.78.H
Caprarum adeps,qualis.7°.de comp.med.per gen. 5ª.263.F
Caprarum adipe valentior ad emolliendum eſt hircinus. 5°.de ſimpliciũ medicamen.facul. 5ª.34.E
Caprarum adeps minus calidus eſt,quàm hircorum.11°.de ſimp.medicamentorum facul. 5ª.79.B
Caprarum adipe minus calidus eſt adeps hædorum.11°.de ſimp.medicamentorum facul. 5ª.79.B
Capræ adeps,eſt acrior ſuillo,& vitulino.5°.de ſimp.me.fa. 5ª.34.B
Capræ adipem non adhibemus oculis.in 6^{m}.de mor.vul.cõ.6°.3ª.196.D
Caprinus adeps ad quæ valet.11°.de ſimpli.med.fac. 5ª.78.H
Caprinus adeps mollificat.2°.de arte cur.ad Glauc. 7ª.101.A
Caprinus adeps,quæ indurata ſunt iuuat.5°.de ſimp.med.fa. 5ª.34.E
Caprinus adeps cur potius quàm ſuillus tineſmoſis & dyſentericis imponitur.11°.de ſimp.med.fac. 5ª.78.H
Caprinum pingue,quale.7°.de comp.med.per gen. 5ª.269.F
Caprina pinguedo pro gallinacea.8°.meth.med. 7ª.53.F
Caprinum ſeuum vel vitulinum indifferenter accipit.5°.de compoſi. medica.per gen. 5ª.249.E
Caprina medulla eſt minus efficax vitulina.de ſimp.medic. Sp.87.D
Caprina medulla in quo gradu ſit inter emollientia.de ocu. 7ª.188.D
Capræ fel ſuper ouillũ poſt vrſorũ & boum.10°.de ſimp.med.f.5ª.74.H
Caprę fel ad nyctilopas.de reme.par.fac. 7ª.156.H
Caprinum fel.5°.de comp.med.ſec.lo. 5ª.160.E
Caprina veſica,aut ouilla vſta ex poſca bibita ad eos qui ſe in ſomno per mingunt.9°.de comp.med.ſec.loc. 5ª.205.F
Caprarum pellis ſubſternenda.de fract.com.3°. 7ª.245.C
Caprarum cornu vſtum quale,& quomodo lauetur. 4°.de compo. medicamen.ſec.loc. 5ª.151.F
Capræ,& cerui cornu non differunt.5°.de comp.med.ſec.loc. 5ª.165.H
Caprinum cornu mundificatiuum,& colatiuum eſt.de ocul. 7ª.189.C
Capræ & cerui cornua ad candorem dentium.11°.de ſimplicium medicamento.facul. 5ª.79.G
Capræ & cerui cornua valent ad contrahendas mollitie fluidas gingiuas.11°.de ſimp.medic.fac. 5ª.73.G
Capræ nigræ cornu accipi iubet.de med.fac.para. 7ª.173.A
Caprarum pili vſti.1°.de comp.me.ſe.lo. 5ª.124.F
Caprarum vngues alopecias ſanant.11°.de ſimp.med.fac. 5ª.80.E
Caprę vrinam calfactam dãt ad bibẽdum.9°.de cõp.me.ſe.lo.5ª.200.G
Caprarũ deiectiones vocãt.σπυράθους.in 1^{m}.prorrh.com.1°.4ª.172.H
Caprinum ſtercus non grauiter olet.10°.de ſimp.med.fac. 5ª.76.A
Caprinum ſtercus,quale.10°.de .ſimp.med.fac. 5ª.76.E
cũ Caprino ſtercore acetum,quale.7°.de comp.med.per gen. 5ª.265.F
Caprinum ſtercus vſtum ad alopecias,lepras,pſoras,& lichenas.10°. de ſimp.medic.fac. 5ª.76.E
Caprinum ſtercus ad aquam intercutem,& ad ſplenicos.10°.de ſimplic. medica.facul. 5ª.76.E
Caprinum ſtercus in hydrope.9°.de compo. med.ſec.lo. 5ª.200.F
Caprinum ſtercus competit lieni duro.3°.de cõpo.med.ſec.lo. 5ª.147.A
Caprinum ſtercus ad genu tumorem habens inueteratum. 10°.de ſimpl. medicamen.facul. 5ª.76.E
Caprinum ſtercus ad parotidas,& ad bubonas confert. 10°.de ſimplic. medicamen.facul. 5ª.76.E
Caprinũ ſterc⁹ induratæ parotidi cõpetit.3°.de cõp.med.ſe.lo.5ª.147.A
Caprinum ſtercus ad viperarum morſus,ad auriginem, & profluuium muliebre.10°.de ſimp.med.fac. 5ª.76.E
de CAPRIZANTE pulſu.1°.de diff.pul. 4ª.52.D
Caprizans pulſus quid denotet.2°.de præſag.ex pul. 4ª.112.C
Caprizans pulſus,qui.de pul.ad tiro. 4ª.43.G
Caprizans pulſus omnium incommodiſſimus eſt.2°.de præſa. 4ª.111.F
Caprizans pulſus mortem præſentem denunciat.2°. de præſagitione ex pulſibus. 4ª.113.C
CAPRECLI caro non mala.de diſſ.cont. Sp.74.B
ex Capreoli corio cingulum quibus proſit.de dyna. Sp.24.B
CAPREOLI vitium ſternendi in cubiculo febricitantium. 10°.methodi medendi. 7ª.64.E
Capreoli vitium pro herpete excedente.2°.de arte cur.ad Glau.7ª.102.B
CAPREOLVS ſimilis lenticulæ dimidiatę.de machin. 7ª.310.C
Capreolis cochleæ differunt.de machin. 7ª.310.C
CAPRICORNI natura,& quos inferat morbos.de decub.progno.ex mathe.ſcientia. Sp.15.E
Capricornus,taurus,virgo,terrei,frigidi,& ſicci,meridionales ſunt.de ſpermate. Sp.39.A
Capricornus frigidus eſt in ſecũdo gradu,ſiccus ĩ tertio.de ſper.Sp.38.H
CAPRIFICI ficus,qualis.8°.de ſimp.med.fac. 5ª.60.F
Caprifici cinis eſt omnibus acrior.de ſimp.med. Sp.86.A
ex Caprifico fit lixiuium.3°.de comp.med.per gen. 5ª.228.E
in CAPSVLA continetur cor & pulmo quilibet in ſua. de anatomia parua. Sp.42.H
Capſula cordis,q̃,& cur facta,& vbi cordi colligat̃.de ana.vi. Sp.52.F
in Capſula cordis colligitur materia quæ facit ſyncopen. de anatomia parua. Sp.42.H

in Capſula pulmonis colligitur materia quæ facit peripneumoniam. de anatomia parua. Sp.42.H
CAPSVLA machinaria quæ, & q̃uo facta. de fract. com. 2°. 7ª.239.F
Capſulæ pro cruribus ad quid vtiles. de fract com. 2°. 7ª.239.D
Capſula quę cruribus ſubÿcitur, qualis. de frac. com. 2°. 7ª.239.D
Capſulæ differentia. de fract. com. 2°. 7ª.239.E
à Capſula contineri nequit coxæ articulus, nec à canali. de fractu. commentario. 2°. 7ª.239.E
CAPTAE nuper hirudines per dies ſeruãdę, et ſãguis illis ꝑ nutrimẽto dãdus, itaq; earũ virulẽtia reſpirabit. de cucur. ſcarificatio. 6ª.4.C
CAPTI & capiuntur ſunt verba, q̃ apud Hippocratem ſm Galenum longitudinem temporis ſignificant. com. 5°. aph. 70°. Ex.45.E
CAPTIOSAE ſcientiæ, quę. 2°. de decr. Hippo. 1ª.240.A
Captioſa argumẽta absũt ab ſuba rei q̃ quærit. 2°. de dec. Hipp. 1ª.235.D
à Captioſis differunt lemmata facientia ſcientiam. 2°. de decr. 1ª.235.F
CAPVT appellatur tota pars ſupra collum. 3°. de decr. 1ª.247.D
Caput præcedit in partu ſecundum naturalem ordinem exeundi, ſequuntur cætera membra. de ana. viuo. Sp.52.D
Caput ab aliquibus factum dicit̃ propter cerebrũ. 8°. de vſu par. 1ª.165.C
Caput non eſt factum gratia cerebri. 8°. de vſu par. 1ª.166.B
Caput cur non eſt propter aures. 8°. de vſu par. 1ª.166.F
Caput cur non eſt propter nares. 8°. de vſu par. 1ª.166.F
Caput ĩ ſupiori parte poſitũ eſt ꝓcipue ꝓꝓ oculos. de anat. viuo. Sp.48.C
Caput cur nõ eſt factũ ꝓꝓ os, ſed propter oculos. 8°. de vſu par. 1ª.166.F
Capitis anatomen in animali viuente fecit Galenus. 7°. de decr. 1ª.269.B
pro Capitis anatomia inſtrumenta. 9°. de anat. adm. 1ª.104.B
in Capite, ſupercilÿs, ac palpebris pilorum generatio neceſſaria eſt. 17°. de vſu partium. 1ª.222.B
Capitis pili cur in nobis. 11°. de vſu par. 1ª.189.D
in Capite pili cur ſunt plurimi incrementi. 11°. de vſu par. 1ª.189.F
Caput ea pilorum parte, quæ in regione ſuperiori producitur, aſſimilat̃ aruo cuipiam triticum, aut hordeum, aut quippiam cæterorum cerealium ſeminum in ſe natorum habẽti. 1°. de compo. med. ſec. lo. 5ª.121.C
per Caput totum continuam ſubſtantiam habent caluariæ membrana, & cutis extrinſeca capitis. 2°. de comp. medic. ſecun. loc. 5ª.133.H
Capiti alligat̃ dura menynx ꝑ tenues quaſdã mẽbranas, q̃ ab ipſa enaſcũtur: viæ aũt vt foras exeãt, sũt capitis ſuturæ. 8°. de vſu p. 1ª.169.C
ad Caput à corde membranæ non pertingunt. 7°. de decre. 1ª.268.A
Caput ambiens pellis non habet ſenſum. 4°. de loc. aff. 4ª.25.D
Capitis cutis pueris, mulieribus, & eunuchis humida eſt. in 6^{m}. de mor. vulga. commen. 3°. 3ª.170.A
in Capitis poſteriore parte cutis mollities vnde ſit. de ana. viu. Sp.45.C
Capitis poſterior pars nõ facile caleſcit. 2°. de cõp. med. ſec. lo. 5ª.132.E
Capitis os caluaria dicitur. de oſſibus. 1ª.40.D
in Capite conuenienter fuit os. 8°. de vſu par. 1ª.167.A
Capitis os poſt omnia alia oſſa fit. de fœt. for. 1ª.323.G
Capitis os ex quo fiat. 1°. de ſem. 1ª.331.D
Caput in infantibꝰ cõſtrictũ manibus fit lõgũ. de aere, aq. & loc. 2ª.4.G
Caput firmum facit calor. in 1^{m}. de mor. vulg. com. 1°. 3ª.104.B
Capitis os quando firmatur. de fœt. for. 1ª.323.H
cum Capite augeſcit & roboratur materia oſſium & muſculorũ. in 6^{m}. de morb. vulg. com. 1°. 3ª.154.E
Capitis os ſenſu caret. 13°. meth. med. 7ª.86.A
Capitis os cur cauernoſum ſit et hñs multas ſuturas. 9°. đ vſu p. 1ª.171.F
Capitis oſſa ſunt ſex, excepto ſphenoide. de oſſibus. 1ª.40.G
Capitis oſſa ſunt ſeptem. 11°. de vſu par. 1ª.191.B
Capitis oſſa ſuperiora tenuiora ſunt. 11°. de vſu par. 1ª.192.B
Capitis oſſa lateralia duriora ſunt ac craſſiora. 11°. de vſu par. 1ª.192.B
Capitis oſſa lateralia cur ſquammæ ſimilia. 9°. de vſu partium. 177.D| commen. 11°. 1ª.191.G
cum Capitis oſſe prima vertebra articulatur. 12°. de vſu par. 1ª.194.F
Capitis os magis ſuperat oſſa primorum ſpondylorum, quàm os aliud ab altero oſſe ſuperetur. 12°. de vſu par. 1ª.195.H
in Capitis oſſibus cur ſolus omnium muſculorum abditus ſit muſculus temporalis. 11°. de vſu par. 1ª.185.B
Capitis oſſibus nullus motus ineſt perſpicuus. 13°. de vſu par. 1ª.201.H
Capitis oſſa ſuturis conſtant. introd. Iſa.54.F
Capitis figura variat numerũ ſuturarũ, & poſiturã. de oſſibus. 1ª.40.D
Capitis ſuturarum diuiſio. in 6^{m}. de mor. vulg. com. 3°. 3ª.169.H
Capitis ſuturarum diuerſitas. 13°. meth. med. 7ª.85.H
Capitis tres ſuturæ. de oſſibus. 1ª.40.D
Capitis quinq; ſuturę. introd. Iſa.54.F
in Capite muſculi hñt qnq; ſuturas. de natu. & or. cuiuſ. corp. Sp.41.E
Capitis dextram partem a ſiniſtra diſtinguit ſutura per longitudinem ipſius protracta. 3°. de loc. affe. 4ª.20.F
Capitis nõ habentis tumorẽ in occipitio ſuturæ. 9°. de vſu par. 1ª.177.A
Capitis tumor in fronte ſi perit, perit etiam ſutura coronalis. 9°. de vſu partium. 1ª.177.A
Capitis ſuturæ niſi eſſent, medicamenta extrinſecus applicata nihil proficerent. 13°. meth. med. 7ª.85.G
Capitis tres figuræ. 9°. de vſu par. 1ª.176.H
Capitis quatuor figurę ab Hippocrate. 9°. de vſu par. 1ª.177.B
Capitis naturalis figura. de oſſibus. 40.D| 9°. de vſu par. 1ª.177.B
Capitis propria figura, quę. ars med. Iſa.63.C
Capitis optima figura, quæ. in 6^{m}. de mor. vul. com. 1°. 3ª.154.D
Capitis vitia in magnitudine, & forma, qualia. in 6^{m}. de morb. vulgari. commentario. 1°. 3ª.154.B
Caput magnum quid ſignificet. ars med. Iſa.63.C
Capita nimis magna aut parua habentibus vis cogitandi oblæſa eſt. in 6^{m} de morb. vulg. com. 1°. 3ª.154.C
Caput magnũ q̃nq; bonũ ẽ, ſed raro, cur. ĩ 6^{m}. de mor. vul. cõ. 1°. 3ª.154.C
Caput magnũ eſt, ſi cerebrũ magnũ. in 6^{m}. de mor. vulg. com. 3°. 3ª.174.B
Caput magnũ habuit Pericles. in 6^{m}. de morb. vul. com. 1°. 3ª.154.C
Caput paruum, quale. in 6^{m}. de morb. vul. com. 1°. 3ª.154.B
Caput paruum quid ſignificet. ars med. Iſa.63.C
Caput exiguum ſemper eſt malũ. in 6^{m}. de mor. vulg. com. 1°. 3ª.154.C
Capita nimis parua habentibus vis cogitandi oblęſa eſt. in 6^{m}. de morb. vulga. commen. 1°. 3ª.154.C
Caput paruũ eſt, ſi cerebrũ paruũ. in 6^{m}. de morb. vul. com. 3°. 3ª.174.B
Caput paruum habent quædam animalia, & oculos decliues poſitos in quibuſdam neruorum extremitatibus, quos emittunt quandoq; à ſe, & retrahunt ad ſe. de anat. viuo. Sp.48.C
Caput rotundum prauum eſt. in 6^{m}. de morb. vul. com. 1°. 3ª.154.B
Capitis rotundi ſuturæ quam figuram habeant. 9°. de vſu par. 1ª.177.A
Capite acuti φοξοὶ dicuntur. in 6^{m}. de morb. vul. com. 1°. 3ª.154.F
Caput non poteſt eſſe acuminatum circa aures. 9°. de vſu par. 1ª.177.A
Capitum acutorum figuræ quid oſtendunt. 9°. de vſu par. 1ª.176.H| in 6^{m} de morb. vulgar. com. 1°. 3ª.154.B
Caput acutũ q̃n vitioſum, & q̃n nõ. in 6^{m}. de mor. vul. com. 1°. 3ª.154.D
Caput acutum q̃n robuſtum. in 6^{m}. de morb. vulg. com. 1°. 3ª.154.B
in Capite eſt cerebrum propter oculos. 8°. de vſu par. 1ª.167.A
Capitis ventriculorum trium harmonia vſq; ad animam qui nerui dicantur. de ſpermate. Sp.37.G
in Capite ſunt duo foramina ab ore ad cerebrũ. cõ. 7°. aph. 51°. Ex.58.D
Caput ſolidorũ formationis et cõpactionis originẽ ponit Hippocrates ꝓbabiles ſequutus rõnes. breuis denotatio dogmatum Hipp. 2ª.231.B
in Capite quodnam principium ſit. 7°. de decr. Hipp. 1ª.268.H
Caput propria eſt rationis ſedes. 3°. de loc. affec. 3ª.16.E
ex Capite ꝓuenit virtus, qua ratiocinamur, & meminimꝰ, & ſentimꝰ. & de loco ad locum permutamur. de virtu. nr̃m cor. diſpẽſ. Sp.60.B
in Capite eſt ſitum ſapere, & ea animæ pars quæ ratiocinatur. de vict. rat. in mor. acut. com. 3°. 7ª.131.F
è Capite Iouis Minerua, fabula. 3°. de decre. Hipp. 1ª.246.H
Caput Taurus reſpicit. de decub. prog. ex math. ſcientia. Sp.13.C
in Capite cur ſenſus. 8°. de vſu par. 1ª.165.C
in Capite quatuor inſtrumenta ſenſoria. 8°. de vſu par. 1ª.167.D
in Capite ſenſoria omnia ſunt ꝓpter cerebrum. 8°. de vſu par. 1ª.167.A
in Capite neruorum origo. 7°. de decre. Hippocra. 1ª.268.H| commentario. 5°. apho. 69°. Ex.45.D
Capitis nerui, & eorum differentia. 12°. de vſu par. 1ª.193.G
in Capitis lateribus neruorum exortus. 6°. meth. med. 7ª.42.G
à Capite neruorum dependentium plãtationes. 9°. de vſu par. 1ª.174.D
à Capite orientium neruorum miſcella, qualis. de ner. diſſ. 1ª.54.B
à Capite orientium neruorum plurima pars in os ventriculi inſeritur. de neruorum diſſectione. 1ª.54.C
ad Caput aſcendunt nerui quatuor ex primis ſpinæ vertebris. 4°. de locis affectis. 4ª.25.D
à Capite q̃ actiões depẽdeãt. de virt. nr̃m corpus diſpẽſantib. Sp.60.C
à Capite, & pulmone vno ĩpulſu ſpũs emittit̃. 2°. de ſymp. cau. 3ª.21.G
Caput pectori motus principium dat. 2°. de ſymp. cau. 3ª.21.G
Capitis articulus qui, & cur. 12°. de vſu par. 1ª.193.E
Capitis articulus cur duplex. 12°. de vſu par. 1ª.194.B
Capitis articulatio adęo eſt perfecta, vt aliter fieri non poſſet. 12°. de vſu partium. 1ª.195.B

inter Caput,& thoracem cur ſpondyli.8°.de vſu par. 1ª.165.B
ſub Capite partibus omnibus ſpinalis medulla eſt veluti cerebrum.12°. de vſu partium. 1ª.196.E/F
Capitis,& faciei coagmentationes cões in oſſibus iugalib⁹.intr. Iſ.54.G
Caput cõmittẽtes muſculi clauiculis & pectori.4°.de ana.adm. 1ª.83.F
Caput calidum mobile eſt naturaliter.de ocul. 7ª.183.H
Caput frigidum non eſt mobile.de ocul. 7ª.183.H
Capitis motus quomodo fiat.de oſſib. 1ª.41.H
Caput magnis motibus agitatur.4°.de anat.adm. 1ª.82.D
Capitis motus genera in differentias diuiſa.12°.de vſu par. 1ª.193.G
Capitis motus duplex eſt.de oſſib. 1ª.41.H
Capitis totius motus duos genere eſſe oportet.12°.de vſu par. 1ª.193.F
Capitis motiones propriȩ duplices ſunt.de muſ.diſſ. 1ª.45.D
Capitis motiones propriȩ breuiſſimȩ ſunt.de muſ.diſſ. 1ª.45.D
Capiti proprium motum muſculi dãtes,quales.de muſ.diſſ. 1ª.45.D
de Capitis motibus qui eligibilior,ſm ſpõdylos.12°.de vſu par.1ª.194.b
Caput mouentes muſculi,quot.12°.de vſu par. 1ª.195.B
Caput mouentes muſculi qũo diſtribuantur.12°.de vſu par. 1ª.195.B
Caput mouentium muſculorũ quatuor genera.12°.de vſu par. 1ª.193.G
Capitis motus rectus eſt,ſi duo muſculi agant.de muſc.diſſ. 1ª.45.H
in Capite ſecũda articulatio facit motus rectos.12°.de vſu pa. 1ª.194.E
Capitis motus eſt obliquus,ſi vnus muſculus agat.de muſ.diſſ. 1ª.45.H
Capitis obliqua motio quibus muſculis fiat.4°.de anat.adm. 1ª.83.B
Capitis ſecundi muſculi motus eſt obliquus,& circumagit caput in priorem partem.de muſc.diſſ. 1ª.45.E
Capitis muſculus ſecundus cur non ſit vnus.de muſ.diſſ. 1ª.45.E
Capitis muſculus ſecundus quomodo in duas partes diuidatur, & vnde partes oriantur,ac finiant.de muſc.diſſ. 1ª.45.D
in Capite non erat cõueniens ex duobus motibus obliquis ſimplicibus fieri vnum rectum compoſitum.11°.de vſu par. 1ª.193.F
Caput annuendo mouentes muſculi,qui.de muſ.diſſ. 1ª.45.H
Capitis motus abnuendo à quibus fiat muſculis recte,& à quibus inclinatione.de muſ.diſſ. 1ª.45.G
Capitis dearticulatio,quæ in priora annuit, & in poſteriora abnuit. de muſcu.diſſect. 1ª.45.D
Capitis motus ad latera à prima vertebra fit.12°.de vſu par. 1ª.194.G
Caput in latebra quibus muſculis mouetur.4°.de anat.adm. 1ª.83.F
Capitis dearticulatio,qua ipſum ad latera circumuertitur. de muſculorum diſſectione. 1ª.45.D
in Capitis articulatione in partibus poſterioribus octo muſculi. 12°. de vſu partium. 1ª.193.F
Caput in poſteriora qui muſculi flectant.4°.de ana.adm. 1ª.83.B
Caput quo mõ attollat̃,& deprimat̃.12°.de vſu par.192.F/ 1ª.194.E
Caput tollere,& deprimere officium eſt ſecundæ vertebræ. 12°. de vſu partium. 1ª.194.G
Capite inclinato exercitatio quibus fieri non dẽt.5°.de ſan.tuẽ.2ª.90.A
Caput quibus muſculis circumuertatur. 4°. de anato.admi.83.F/11°.de vſu partium.192.F/12°. 1ª.195.G
Capitis flexio recta à quibus muſculis fiat.12°.de vſu par. 1ª.195.G
Caput quando in neutram partem declinat.4°.de anat.adm. 1ª.82.H
in Capitis dearticulatione quæ muſculorum coniugationes habẽtur,vbi ſint.de muſc.diſſ. 1ª.45.G
Caput mouẽtes muſculi circa dearticulationẽ ſolã,q.de muſ.diſſ.1ª.45.G
de Capitis,& faciei muſculis.3°.de anat.adm. 1ª.79.G
Capiti & ceruici communes ſunt muſculi à capite orti qui in ceruicem inſeruntur.de muſc.diſſ. 1ª.46.H
Capitis,& colli commune genus muſculorum in octo diuiditur muſculos de muſc.diſſ. 1ª.45.F
ad Capitis cognitionem confert capitis conſideratio.in 6^{m}.de morb.vulgar.commen.1°. 3ª.154.C
ad Caput et collũ q ſũt muſculi,hñt motũ facilẽ.7°.de vſu par. 1ª.161.E
Caput & collum trahentes muſculi,qui.12°.de vſu par. 1ª.195.B
Caput & collum retro attollunt tres muſculorum coniugationes. 16°.de vſu partium. 1ª.217.E
Caput vnà cũ ceruice tota mouentes muſculi,qui.de muſ.diſſ. 1ª.45.G
Caput vnà cum ceruice mouentes muſculi duo in priori parte qui, & quorſum extendantur.de muſ.diſſ. 1ª.45.H
Caput cum ceruice flectentes muſculi,qui.de muſc.diſſ. 1ª.45.H
ad Caput ſcapulas trahentium muſculorum ortus,& proceſſus.de muſculorum diſſectione. 1ª.45.A
è Capitis directo baſim ſcapularum attollens muſculus quomodo procedat.de muſc.diſſe. 1ª.45.B
Caput qũo exerceatur in paruæ pilæ ludo.de par.pil.exer. 2ª.49.A
Caput quibus venis nutriatur.de vic.rat.in mor.acu.com.2°. 7ª.117.E
à Capite quatuor venarum paria ferri non eſt verum.6°.de decre. Hippocratis. 1ª.262.D/E
in Capitis venis,quæ phlebotomantur,quædam ſunt quietæ, quædam pulſatiles.de ana.viuo. Sp.55.A
ſuper Capitis cornu vena frontis,propter hemicraniam & vlcera capitis.ſecatur.de anat.viu. Sp.55.A
ad Caput arteriæ euntes vnde.16°.de vſu par. 1ª.219.G/H
p Capitis oſſa quãplurimȩ arteriȩ diſſeminatæ.16°.de vſu par. 1ª.220.C
per Capitis oſſa arteriæ quamplurimæ tum intro foras,tum è contra inuicem coniunguntur.16°.de vſu par. 1ª.220.C
in Capite toto arteriæ cum arterijs,& venæ cum venis committuntur. 16°.de vſu par. 1ª.220.C
à Capitis & ceruicis arteria oriuntur omnes arteriæ ſuperiores. an ſangui.in art.nat.cont. 1ª.61.A
Capite quædam animalia carent.8°.de vſu par. 1ª.166.E
Caput animalia non habẽtia,neq; collũ habent.7°.de vſu par. 1ª.164.H
Caput aĩalia non hẽntia,hñt quid ſimile in thorace.8°.de vſu p. 1ª.165.C
Caput non habentia ad oſſa pectoris ſenſus omnes habent,ipſorum principio videlicet illic neceſſario collocato, quod cerebro proportionale eſt ſecundum Ariſtotelis opinionem,quem tamen reprehendit Galenus.8°.de vſu par. 1ª.166.C
in Capite carentibus cor pro cerebro.8°.de vſu par. 1ª.165.C
Capitis cura in quibus morbis ſit habenda.de fœtus for. 1ª.324.C
in Capite exuperat pituita.introd.Iſa.55.B/de natura & ordine cuiuſlibet corpus. Sp.41.D
in Capite quo modo cognoſcatur pituita corrumpi, quomodo bilis, & quomodo atra bilis.de reme.para.fac. 7ª.154.F
à Capite,thorace,ventre,& veſica,origo infirmitatis vel ſanitatis oſtẽditur.de dynam. Sp.19.G
in Capite morbum eſſe quæ ſignificent.in 1^{m}.prorrh.commen.1°.4ª.164 E/de dynami. Sp.19.G
qui Capitis affectus quo Lunȩ ſitu cum Marte fiant.de decub.progn.ex mathem.ſcientia. Sp.12.H
Capitis exteriorum partium affectus.introd. Iſa.59.C
Capitis cutis morbi,qui.introd. Iſa.59.F
Capitis cutis morborum curatio.introd. Iſa.59.F
Capitis cutis medicamenta debent eſſe vehementia. 1°.de compoſi.medicamen.ſecun.loc. 5ª.121.H
pro Capitis cute cur optimum medicamentum eſt thapſia.1°.de compoſi.med.ſec.loc. 5ª.122.H
ad Capitis omnia vitia medicamentis ex ſinapi et thapſia quidam medicorum vtuntur.6°.de ſan.tuen. 2ª.98.G
Capita bibentiũ depilat fluuius quidã in Aegypto.de bo.aquæ. Sp.76.B
Caput alopecia vitiatũ indecorũ eſt.1°.de comp.med.ſec.loc. 5ª.126.B
Capitis alopecias raphanus iuuat.de ſimp.med. Sp.89.G
Caput exaſperare pilis conuenit.in 6^{m}.de mor.vul.com.2°. 3ª.160.H
Capita quæ facilius,& quæ tardius læduntur a capillos denigrantibus. 1°.de comp.med.ſec.loc. 5ª.126.H
ad Capitis ficoſos humores.5°.de cõp.me.ſec.loc. 5ª.162.D
ad Capitis furfures medicamenta cephalica.intr. Iſa.58.C
Capitis furfures iuuat ſuccus centaureæ.de virt.cent. Sp.93.B
ad Capitis furfures.de rem.par.fac. 7ª.154.C
Capitis furfuribus myrta aduerſatur.de ſimp.medica. Sp.87.E
ad Capitis papulas feruidas & eruptiones vlceroſas. 1°. de compoſit. med.ſecun.loc. 5ª.129.B
ad Capitis eruptiones medicamenta cephalica.introd. Iſ.58.C
ad Capitis vlcera.1°.de comp.med.ſecun.locos.128.G/5°.de compo.medica.per genera. 5ª.251.F
de Capitis vlceribus manantibus.de rem.par.fa. 7ª.154.C
ad Capitis manantia vlcera,quæ achores dicuntur.2°.de compo.medicamen.per gen. 5ª.224.E
Capitis vlcuſcula ſpiſſa,& parua,& rubicunda iuuat ſuccus centaureæ de virt.centau. Sp.93.B
ad Capitis ſquammas tollendas ſine foramine.6°.de compo.medicam. per genera. 5ª.255.A
ad Capitis ſudores confert ſuccus centaureæ permiſtus cum vino et vnctus abraſo capite.de virt.cent. Sp.93.B
ad Capitis pediculos.de remed.par.fac. 7ª.154.C
ad Capitis affectus multos valet ſuccus cẽtaureæ.de virt.cen.Sp.93.B
Capitis vitia oĩa aphroſelinum potatũ emendat de ſimp.medic.Sp.80.D

de Capitis

de Capitis tremore.de med.par.facil. 7ª.161.H
ad Capitis tumores quos talpas noı̄ant.de med.fac.parab. 7ª.174.G
ad Capitis vitia diuerſa.de med.facile par. 7ª.170.F
Capitis ægritudines ſunt deſipiētiæ,maniæ,melācholię,phreneſes,lethargi,catarrhi,apoplexiæ,epilepſiæ.de virt.nr̄m corpus diſpē. Sp.60.B
Caput ſe non habere cur quidam putaret.de melancholia ex Galeno, Ruſo,& Poſſidonio. Sp.109.D
Caput ſemper læditur in pleuritide, & in peripneumonia.4°.de cauſis pulſuum. 4ª.100.H
Capiti in quibus morbis adhibentur præſidia.3°.de loc.aff. 4ª.17.B
Capiti applicantur medicamenta in caro,lethargo,& comate.1°.de ſymptoma.cau. 3ª.19.E
Capiti pręſidia admouēt in curatione phrenitidis,delirij,& vigiliarum. 1°.de ſymp.cau. 3ª.19.B
Capiti ęgro quę applicanda.intro. Iſa.55.F
Cnpitalia pharmaca qualia ſint.2°.de comp.med.per gen. 5ª.225.C
Capiti accōmodatum aridum.5°.de comp.med.per gen. 5ª.252.G
Capitale emplaſtrum.5°.de comp.med.ſec.loc. 5ª.160.B
Capiti accommodatum Iſis.4°.de comp.med.per gen. 5ª.244.B
Caput balneo calido lauatum ſomnum cōciliat.1°.de ſym.cau. 3ª.19.A/3°.de loc.affect. 4ª.16.F
Capiti phreniticorum oxyrhodinum applicatur.13°.meth.me. 7ª.85.D
Caput radebant in phrenitide.13°.meth.med. 7ª.85.D
Capiti imponebatur ſpondylium in phrenitide.13°.meth med. 7ª.85.D
in Capitis affectuum proceſſu aliquid ſpondylij & ſerpilli ad miſcendū medicamenta.11°.meth.med. 7ª.73.E
Capiti phreniticorum ſerpillum,caſtoreum, & cucurbitam imponebāt. 13°.metho.meden. 7ª.85.D
Caput affici dicitur quando ventriculo conſentit,& ęgrotare quādo proprio affectu laborat.1°.de loc.affe. 4ª.5.A
Capitis affectus ſanat caſtorei ſuffitus.11°.de ſimp.med.fac. 5ª.80.E
in Capitis affectione inueterata medicaᵐ.2°.de cōp.me.ſe.lo. 5ª.140.C
Capitis affectus quo modo finiant.3°.de criſi. 4ª.139.F
Caput cur fricandum non eſt primo,ſed poſt alias omnes partes confricatas.de pue.epilep. 7ª.180.B
Caput incipit ſudare quando morbus eſt à thorace.de dyna. Sp.19.G
Caput proprium morbum habere ſignificat delirium permanens in morbo laterali.2°.de loc.aff. 4ª.14.B
Caput calidum aliquibus eſt,& venter frigidus.de bon.& vi.ſuc.38.B 6°.de ſani.tuen. 2ª.95.D
Caput frigidum aliquibus eſt,& venter calidus.6°.de ſan.tu. 2ª.95.D
cum Capite frigido ventris complexio intemperanter calida grauis eſt, nec facile tractabilis.6°.de ſan.tuen. 2ª.99.D
Caput frigidum habentes,& ventrem frigidum, quo modo ſint curandi. 6°.de ſani.tuen. 2ª.99.D
Caput frigidū & ventrē hn̄tes,quo mō ſint regēdi.6°.de ſa.tu. 2ª.99.B
Capitis morbi frigidi,qui.1°.de comp.medica.ſecun.loc. 5ª.126.H
Caput plurimū vitiat ītēperies frigida,& humida.13°.met.me. 7ª.86.D
Capiti frigido,& humido cedria illinenda in nigris reddendis capillis.1°. de cōp.me.ſec.loc. 5ª.126.F
ad Caput calefaciendum cedrino vtuntur ruſtici Aſiani. 2°. de compo. med.ſecundum locos. 5ª.135.F
in Capite caloris humorisq; exceſſus cur fugiendus ſit puerilis præſertim.1°.de ſani.tuen. 2ª.66.G
Caput quidam habent temperatum,thoracem,ventrem, & partes genitales intemperatas.1°.de ſani.tuen. 2ª.64.H
Capite nudo eſſe in ſole æſtiuo quid faciat.de cauſ.procatar. 3ª.96.B
Capitis tegumento indigent dormientes,ſi aer ſit frigidus.in 6ᵐ.de morbis vulg.com.4°. 3ª.183.D
à Capite febris ex æſtu incipit.de cau.procat. 3ª.98.G
Capitis febris nunq̄ pmittit ægrū qeſcere,vel dormire.de dyna. Sp.23.C
Capitis febrem quid tollat.de dyna. Sp.23.C
in Capitis phlegmone artus vinciuntur.13°.meth.med. 7ª.83.B
Capiti à ſole exuſto aut modo quodam alio affecto remedium. de inſtrument.odor. 1ª.111.C
Capitis affecti caliditatē iuuat balneū.đ vic.ra.ī mor.ac.c.4°.7ª.140.B
Capiti multa aqua calida affuſa ſanat febres,ſi non ex bile habeant. commen.7°.aph.42°. Ex.57.C
pro Capite refrigerando cucurbitæ ramentis vuæ ımaturæ ſucco admixtis ruri vſus eſt Galenus.2°.de cōp.med.ſec.loc. 5ª.132.G
pro Capite infrigidādo vinū omphacium.2°.de cōp.med.ſe.lo. 5ª.132.G
Capitis fotus hapſo lanæ ex oleo mitigat.dc remed.par.facil. 7ª.154.A
in Capitis ardore afflictis roſaceo vti licet.2°.de ſimp.med.fa. 5ª.10.A
Capitis optima eſt refrigeratio ex roſaceo.2°.de comp.me.ſe.lo.5ª.132.E
in Capitis affectuū principijs vſus aceti et roſacei.11°.me.med. 7ª.73.E
Caput quando refrigerare volumus,qui ſucci non debeant admiſceri roſaceo.2°.de compo.med.ſec.loc. 5ª.132.F
pro Capite calido,frigida remedia ex quibus arboribus ſumantur. 2°. de comp.medic.ſecun.loc. 5ª.132.H
pro Capite refrigerādo mali punici acidi.2°.de cōp.med.ſec.lo.5ª.132.G
Capitis poſterior ps cur nō dēt infrigidari.2°.de comp.me.ſe.lo. 5ª.132.E
Caput refrigerando cōuulſio aliqn̄ accidit.in 1ᵐ.pror.com.3°. 4ª.186.E
Capitis ſiccitas quo modo cognoſcatur.de ptiſſ. 2ª.48.B
in Capite diſtentio,quid ſignificet.2°.de comp.med.ſec.loc. 5ª.135.H
ex Capitis alteratione quidam cum eſſet in lecto, quis ventus ſpiraret cognouit.de theria.ad Piſo. 5ª.94.D
Caput intemperatum cum gignat multa excrementa, ad quas partes ea tranſmittat.6°.de ſan.tuen. 2ª.98.E
in Capite ſolo pōt eē laſſitudo vlceroſa.de cur.ra.per ſan.miſſ. 6ª.16.F
Caput cur congregat materias.2°.de diff.feb. 3ª.41.G
ad Caput ab oī parte poſſūt materiæ deferri.in 1ᵐ.pr.cō.3°. 4ª.179.F
in Caput humores efferri quo modo cognoſcitur. in 6ᵐ.de morb.vulga. commen.6°. 3ª.190.F
ad Caput declinantibus materiebus confert ſectio venarum pedum. de anato.viuo. Sp.55.A
à Capite capilli defluunt & ob maximum alimenti defectum, & aliqn̄ ob humorum corruptionem.com.5°.aph.11°. Ex.38.D
Caput ad quas partes materias tranſmittat.2°.de diffe.feb.3ª.40.H/in 1ᵐ.prorrh.com.3°. 4ª.179.F
Capitis purgationem quandam,& euacuationem vocat,cum in quibuſdam coacto amplius,& quaſi compreſſo capite expreſſa materia inutilis ad loca capiti ſubiecta deſcendit.com.3°.aph.13°. Ex.22.C
Caput quot morborum eſt cauſa.2°.de diff.feb. 3ª.40.H
Caput prōptiſſie ī os,et nares trāſmittit excremēta.6°.đ ſa.tu. 2ª.98.E
à Capite ſpma deſcēdēs,nariū,et auriū poros obturat.de ſper. Sp.36.F
à Capite ſperma deſcendēs quo modo alteretur à partibus per quas trāſit.de ſpermate. Sp.36.H
à Capite fluxionum differentia duplex,tenuis,& craſſa.de vict. rat.in mor.acu.com.4°. 7ª.138.F
à Capite materia defluens,mali quid faciat.6°.de ſan.tuen. 2ª.98.F
ex Capite lęduntur quæ illi ſubiecta ſunt.6°.de ſan.tuen. 2ª.100.C
ex Capite ægrotantes partes quo mō curandæ.6°.de ſan.tu. 2ª.100.A
in Capite ſolum eſt grauedo,ſed aliquando ex ipſo capite,interdum vero ex cauſa externa.in 6ᵐ.de morb.vul.com.3°. 3ª.171.E
Capitis grauedinibus occupat̄ q biberit aquā pluuialē.de bo.aq.Sp.75.F
Capitis grauedinem habentes raro incidunt in lienis tumores præter naturam.in 6ᵐ.de mor.vul.com.3°. 3ª.168.D
Capiti grauedini quo mō medent̄ ſternutamenta.de inſtr.odor. 1ª.112.D
Capitis diſpoſitionem quo modo declarant excrementa in deſtillatione, & grauedine.3°.de loc.aff. 4ª.16.H
à Capite ſunt defluxus ad oculos.2°.de diff.feb. 3ª.40.F
à Capite ad oculos quo mō materiæ tranſmittant̄.13°.met.me. 7ª.86.D
ex Capite ad oculos fluxio quomodo curanda.7°.meth.med. 7ª.74.H
Caput primo ſanandum eſt pro oculis curandis.13°.meth.med. 7ª.86.D
Caput corpusq; totum primo euacuandum quam aliquid oculis adhibeatur.4°.de compo. med.ſec.loc.5ª.149.F/14°.meth.med. 7ª.92.B
Caput ſi quis non purgauerit,& oculos curet,in quæ incurrat.4°.de compo.med.ſecun.loc. 5ª.149.F
Capiti Gal.applicata fuere fomēta an̄ purgationem.4°.de lo.af.4ª.22.E
Caput purgatur per nares,& per palatum.ars medi.Iſa.71.E/1°.de ar. cur.ad Glau.7ª.100.B/com.4°.aph.2°. Ex.27.D
Caput per os,& nares purgatur.intro. Iſ.58.A
Caput per os purgantia.de cathar. Sp.95.B
Caput purgans gargarizatum.de med.fac.par. 7ª.178.E
à Capite pituitam extrahens medicamentum per manducationem, & quomodo.de med.fac.parab. 7ª.170.F
vt Caput purgent mandentes quo modo debent manere inclinati. 2°.de cōp.med.ſec.loc. 5ª.139.B
pro Capitis pituita detrahenda apophlegmatiſmi.2°.de compoſi. medica.ſecundum locos. 5ª.137.E
Caput quæ manſa purgant.2°.de cōp.med.ſec.loc. 5ª.139.B
pro Capite purgando naribus indita Errhina. 2°.de comp.medicamen. ſecundum loc. 5ª.139.A/C
de Caput purgantibus ſternutatorijs.2°.de comp.me.ſec.loc. 5ª.139.B

pro Capite purgãdo illitio iuxta palatũ.2°.de cõp.med.ſec.lo. 5ª.139.D
Caput ꝑ q̃ euacuet.4°.de comp.med.ſec.lo.5ª.149.F/de dyna. Sp.19.G
ex Capite purgat capparis cortex.7°.de ſim.med.fac. 5ª.49.G
à Capite & à toto corpore bilem & pituitam educũt catapotia ex aloe ſcammonia,& colocynthide.1°.de comp.med.ſec.loc. 5ª.121.F
Capitis paſſionibus omnibus vtiliter datur colocynthis.de dyna. 21.D/ de cathart. Sp.95.A
Caput cur purget colocynthis.de cathar. Sp.94.F
à Capite purgat pituitam hiera ex colocynthide.1°.de compoſi.medica. ſecundum loc. 5ª.121.E
Caput purgat cyclamini ſuccus quo modo.de ſimp.medi. Sp.82.D
Capiti purgando idoneus eſt hederæ ſuccus.7°.de ſimp.me.fa. 5ª.51.F
Caput polium purgat.de ſimp.med. Sp.89.A
Caput purgat ſcammonia.de cathar. Sp.95.A
Capite purgat, quod ἀποφλεγματίζειν græci dicunt, abſtergitq; valenter vua agreſtis.6°.de ſimp.med.fac. 5ª.44.A
à Capite difficulter remouentur humores ſeroſi inſerti. 1°. de compoſit. med.ſecun.loc. 5ª.121.H
in Capitis partibus corruptionis terribiliorem ſpeciem prębet humorũ putredo.in 3^{m}.de morb.vulg.com.2°. 3ª.142.E
à Capite vitiant̃ dentes,& q̃uo.de nat.& ord.cuiusli.corp. Sp.42.D
à Capite ſi larga fluxio ad aures feratur,& adſit exulceratio, quo medicamento ſit vtendum.6°.de ſan.tuen. 2ª.100.C
ex Capite ijs pituita defluit, quibus in alui profluuijs excrementa ſpumoſa ſunt.com.7°.aph.30°. Ex.56.A
Capitis fluxio in vẽtriculi,& in aſperã arteriã.3°.de ſymp.cau.3ª.29.F
ex Capite defluentem materiam ad aſperas arterias pulmonis, primũ ad cordis ventriculos peruenire oportet.cõ.7°.aph.30°. Ex.56.B
à Capite ſanies decidens quid faciat.6°.de ſan.tuen. 2ª.98.F
Caput cum tranſmittit ad ventrem calidam ſaniem,& ipſe venter eſt calidus, quid agendum.6°.de ſan.tuen. 2ª.99.A
Capitis deſtillationem tabes ſequitur.in 3^{m}.de mor.vul.cõ.2°. 3ª.143.E
a Capite pituitoſus ſuccus in ventrem frigidum decidens remouetur ex diatrion pepereon medicamento.6°.de ſa.tuen. 2ª.99.B
à Capite ad pectus in fluxionibus, quo medicamento vtẽdum ſit. 4°.de ſanitate tuenda. 2ª.88.B
Capitis fluxioni ĩ thoracẽ ꝓdeſt armenica terra.9°.de ſimp.me.5ª.66.H
à Capite deſtillat humor ad pulmonem quaſi pluuia,& ideo ex accidenti in illo abundat pituita.de ana.viuo. Sp.52.H
à Capite in pulmonem deſtillationes quæ malignæ.in 6^{m}.de morb.vulg. commentario.3°. 3ª.174.B
à Capite ad pulmonẽ deſtillatio tripliciter corrigit̃.5°.met.me. 7ª.35.H
à Capite ad inteſtina quo modo permeet materia, & per quas partes, & venas.com.7°.aph.30°. Ex.56.B
à Capite & viſceribus reuellunt medicamenta acria admota, brachijs vel pedibus.de hiru.reuul.cucur.& ſcarif.2.E/ 6ª.4.G
ad Caput,& viſcera vergentes ſuccos reuellunt acria medicamẽta brachijs & manibus impoſita.de cucur.ſcar.2.E 6ª.4.G
circa Caput totum quibus fluxiones procumbunt, quę exercitatio vitãda.5°.de ſan.tuen. 2ª.90.A
Caput firmandum eſt in fluxionibus.6°.de ſan.tuen. 2ª.98.F
à Capite defluxio mox reprimenda.de rem.par.fac. 7ª.157.G
à Capite reuulſio quibus fiat.2°.de cõp.me.ſec.loc. 5ª.137.D/1°.de arte cur.ad Glau. 7ª.100.A
in Capitis affectibus purgat per aluũ vt reuellas.13°.met.me.7ª.83.A
in Capite affecto, quæ vena ſecanda.de conſt.ar. Iſ.41.A/E
Capite vitiato purgandum per aluum, & ſecanda vena cubiti. in 6^{m}.de morb.vulg.com.2°. 3ª.162.C
Capiti ꝓſunt crura ſcarificata.de hirud.reuul.cuc.& ſcar. 2ª.F/ 6ª.3.F
Capitibus quibus fluxio eſt, illis elleborum dare conuenit.de vict.rat.in morb.acu.com.4°. 7ª.144.G
in Capitis fluxione elleborus non eſt omnibus neceſſarius.de vict.ra.in mor.acu.com.4°. 7ª.144.G
à Capite catarrho tenui defluẽti cõuenit papauer.1°.de alim.fa.2ª.15.E
Capitis fluxiones deſiccat ſpica nardi.8°.de ſimp.med.fac. 5ª.56.G
à Capite fluxionem ſiſtens medicamentum.de medi.fac.par. 7ª.171.F
ad Caput fluxione tentatum.de med.fac.par. 7ª.173.C
Caput primum tentet torpedo illius quem morbi à cerebro profecti corripiunt.de ſal.diæta. 2ª.43.D
Capiti quæ noceant.de ſubfi.empir. Iſa.32.C
Capitis grauitas non neceſſario ſequitur male concoquentem. 3°.de ſymptoma.cauſis. 3ª.30.B
Capitis grauitatem faciunt quæcunq; ſatis calefaciunt.commẽtario. 5°. aphoriſ.28°. Ex.40.C
Capitis grauitas ſignificat repletionẽ.in 1^{m}.de mor.vulg.cõ.3°.3ª.124.E
quę Capita faciliter implentur.3°.de loc.aff. 4ª.20.F
Capitis grauitas ſignificat phlegma peccare.com.4°.aph.2°. Ex.27.F
Capitis grauitatem ſuperius, obturationem aurium, et narium, inferius dolorem renum ſignificat vrina inferius claritatem habens, ſuperius ſubnigra,& plena.de dyna. Sp.35.D
cum Capite ſimul aggrauatum collum, eſt indicationis ad partes ſuperiores ſignum.1°.de arte cu.ad Glau. 7ª.100.D
Capitis grauitatem quando facit allium.de vict.ratio.in morbis acutis, commen.4°. 7ª.145.C/D
Capiti quæ aquæ thermarum obſint.6°.de ſan.tuen. 2ª.98.G
Capitis grauitas fit ſpirante auſtro.de ther.ad Piſo. 5ª.94.D
Capita aggrauat tempeſtas auſtralis.com.3°.aph.17°. Ex.23.E
Caput quo modo vento impleatur.2°.de comp.med.ſec.loc. 5ª.135.G
Caput quando plurimum læditur ſpirantibus ventis frigidis,& aquilonijs.in 1^{m}.de mor.vul.com.2°. 3ª.113.F
Caput lædit crocus.2°.de comp.med.ſec.loc. 5ª.135.D
Caput replent exercitia vehementia.7°.de puero epilep. 7ª.180.A
Caput implens exercitatio quibus vitanda.5°.de ſan.tu. 2ª.90.A
Caput grauatur in febribus propter multitudinem, quæ ad caput refertur.com.4°.aph.31°. Ex.30.H
Caput ferit fœnum gręcum.1°.de alim.fac. 2ª.14.E
Caput grauat herbum.de ſimp.med. Sp.85.B
Caput mire replet inedia.de venę ſect.aduer.Eraſ. 6ª.14.H
Caput calefacit iuniperi ſuccus.2°.de alim.fac. 2ª.19.C
Capiti non conuenit lac.3°.de alim.fac. 2ª.28.B
Caput tentant lini,& cannabis ſemen.de atten.vic.rat. 2ª.44.E
Caput grauant,& febrem faciunt menſtrua ſuppreſſa. in 6^{m}.de morbis vulga.com.1°. 3ª.153.D
Caput lædunt odores validi.de inſtr.odor. 1ª.112.E
Caput grauant ſuffitus aromatum.com.5°.aph.28°. Ex.40.B
Caput replet orobum.de ſimp.med. Sp.88.F
Caput grauat papaueris ſemen.de atten.vict.rat. 2ª.44.E
ad Caput prompte fertur ſpiritus flatuoſus vnà cum calore. commentario.4°.aph.70°. Ex.35.B
in Caput quomodo feratur flatus.2°.de comp.med.ſec.loc. 5ª.135.G
Caput opplere ſpiritus cohibitionem, vt ſenſit Aſclepiades, reprehendi poteſt.3°.de ſani.tuen. 2ª.77.H
Capitis grauitatẽ facit sõnus fortis.de vic.rat.ĩ mor.ac.cõ.2°. 7ª.125.B
cur Caput nihil iuuant tuſſes.2°.de ſymp.cau. 3ª.21.F
Caput repletur ob tuſſes vehemẽtes.in 6^{m}.de mor.vul.c.3°. 3ª.174.C
Caput ferit vua ſeruata largius ſumpta.2°.de alim.fac. 2ª.18.A
Caput replet halitu vinum ijs qui humido calidoq; temperamento ſunt. 1°.de ſani.tuen. 2ª.66.G
Caput facile petunt vina quę calido ſeruantur.1°.de antid. 5ª.101.B
Caput feriunt vina fulua.12°.meth.med. 7ª.77.A
Caput tentat vinum odorum.de bon.& vi.ſucc.38.D/ de atten.vict.2ª. 46.D/12°.meth.med. 7ª.76.H
Caput implent vina rutila.de bon.& vi.ſuc. 2ª.38.G
Caput tentat vinum, ſi mox à balneo præ omnibus alijs cibis,& potibus bibatur.de ſal.diæta. 2ª.41.C
Caput & mentẽ cur tentet vinũ.de vict.rat.in mor.acu.cõ.3°. 7ª.131.E
Capitis grauitatem eo minus faciunt vina dulcia, quo magis à vehementi caliditate diſtant.de vinis. Sp.76.E
Caput non feriunt vina aquoſa.12°.meth.me.7ª.77.A/de dyn. Sp.76.E
Caput non tentat vinum dilutum album modice adſtringens,& ventriculum robuſtum efficit.5°.de loc.aff. 4ª.32.F
Caput minime tentant vina auſtera.12°.meth.med. 7ª.76.H
Capiti nullam noxam infert vinum tenue.de bon.& vit.ſuc. 2ª.38.D
in Capitis grauitate à vino abſtinẽdũ.de vic.ra.ĩ mor.ac.cõ.3°.7ª.131.E
in Capitis oĩb⁹ affectibus vitãda ſunt vina odorata.de att.vic.2ª.46.D
Capiti affecto officit vini larga potio.in 3^{m}.de mor.vul.cõ.2°. 3ª.135.G
Caput ſi non ſit valentius ſenibus, quo vino vti debent: & ſi valentius, quo debeant vti.5°.de ſan.tuen. 2ª.90.H
Capiti imbecillo, quod facile vinis calidis impletur, quod vinum exhibẽdum.12°.meth.med. 7ª.76.G
ne Caput tentet vinum aquam ſuperbibe.de vict.ratio.in morb.acutis, commentario.3°. 7ª.131.E
Capita,& corpora omnia redduntur calidiora ob nimiam potationem. commen.7°.aph.34°. Ex.54.D

Caput replentia & inflammantia.de puero epile. 7ª.180.E
Caput quando eſt calidum ſuſcipiēs vapores prætermittamus cibaria calida,& ſicca,licet conueniant in reliquo corpore.de diſſ.cōt.Sp.71.F
Caput petunt aliqua non multitudine vaporum,ſed tenuitate . 6°.de ſimpli. medicamen.facul. 5ª.41..A
Caput plenum & graue magnæ voces reddunt.de inſtr.odor. 1ª.112.D
Caput validiſſime impletur tibiam inflantibus,& maximam & acutiſſimam vocem habentibus.3°.de ſan.tuen. 2ª.77.C
Caput replet vomitio.de venæ ſect.aduerſ Eraſ. 6ª.14.H
Caput repletum habenti quibus ſuccurratur.6°.de ſan.tuen. 2ª.97.H
Capitis grauitatem ſoluit balneū.de vict.rat.in mor.acu.c.3°. 7ª.132.H
ad Caput quibus ſpiritus calidus aſcendit ob humorum prauitatem nō ſunt lauandi.de vict.rat.in morb.acu.com.4°. 7ª.140.B
Caput ardore grauatum Galenus olei admodum frigidi perfuſione refrigerat.2°.de ſimp.med. 5ª.11.D
in Capitis diſpoſitionibus quæ faciat calor, & quo modo eius grauitati ſuccurrat.com.5°.apho.22°. Ex.39.E
Capitis grauitas qūo allio ſanetur.de vic.ra.ī mor.acu.cō.4°. 7ª.145.D
Caput leuant ſternutamenta,quæ ex capite motus initium habent. commen.7°.aph.51°. Ex.58.D
Capitis poſterioris partis grauitati confert ſectio venæ frontis . de anatomia viuorum. Sp.55..A
Capitis parte poſteriore laborāte q̄ vena ſecāda.13°.meth.med. 7ª.83.B
Caput quando ſtomachi fumum recipit fit ſectio venarum poſt aures, de anatomia viuo. Sp.55..A
Caput repletum humore deſcendente ſoluit fluxus. commen. 4°.aphor. 28°.30.D/aph.60°. Ex.34..A
Caput leuiſſimum facit frigus.in 1^{m}.de morb.vul.com.1°. 3ª.104.B
Caput alleuians vnguentum laxatiuum.de dyna. Sp.23.D
à Capite quomodo cognoſcatur vertigo fieri.3°.de loc.aff. 4ª.20.D
Capitis pulſus quid ſignificet.de vict.rat.in mor.acu.com.4°.7ª.140..A
Capitis pulſus,vertigines,& vrina tenuis cum adſunt in febribus,expecta febris acceſſionem vſq; ad iudicationem.de vict.rat.in mor.acu. com.3°.7ª.139.H/de vrinæ ſign.ex Hip. Sp.78.H
Capitis vertiginem infert vinum nigrum dulce.de ſimp.med. Sp.92.B
Capita propter arteriarum temperamentum in vertigines incidētia quibus curentur.6°.de ſan.tuen. 2ª.98.H
Capitis vertiginis præſidium.de dyna. Sp.23.H
ſuper Caput ex alto inſtillare plurimū imprimit.13°.meth.me.7ª.85.H
in Capite venas rumpi facile eſt.in 1^{m}.de morb.vulg.com.1°. 3ª.104.G
à Capite vel ab eius partibus cruor quando eijcitur,quid conſiderandū 4°.de loc.affec. 4ª.25.H
ex Capitis refrigeratione ob ſanguinis ex naribus fluxum, aliqui deterius habuerunt.5°.meth.med. 7ª.31.H
Caput in morbis acutis nō lauādum eſt his quibus de naribus erumpit ſanguis,niſi minus iuſto fluat.in 1^{m}.de morb.vulg.com.3°. 3ª.123.D
Caput calida quando perfundendum citra reliquas corporis partes.de vic.rat.in morbis acu.com.3°. 7ª.133.B
Caput ſpongia ſiccandum.de vic.rat.in morb.acu.com.3°. 7ª.132.F
ad Caput per lumbos,& dorſum aſcendunt rigores mulieribus.commētario.5°.apho.69°. Ex.45.D
CAPITIS dolor dicitur cephalalgia.de ſymp.diff. 3ª.11.F
Capitis dolor paruus,non eſt ægritudo.de conſt.ar. Iſa.42.D
Capitis dolor minor eſt coli,auris,oculi,& dentis dolore.2°.de compoſiſi.medic.ſecundum locos. 5ª.134.H
Capitis dolores īter magnos morbos cōnumerāt.6°.de ſan.tu.2ª.100..A
Capitis dolore qui ſæpe vexantur.in 6^{m}.de morb.vulg.com.1°. 3ª.154.F
Capitis dolor ob varias contingit cauſas.de victus ratio.in mor.acutis, commentario.4°. 7ª.150.E
Capitis dolori obnoxij capite īfirmiſſimo ſūt.de natu.hu.cō.2°. 7ª.182.F
Capitis dolores ob quæ ſæpe cōtingunt.2°.de cōp.med.ſec.loc. 5ª.138.C
Capite ſæpe dolet hō in tribus horis ſanguinis cōceptus.de ſper. Sp.37.B
Capitis dolores quo modo communibus ſubſint doloribus.3°.de compoſi. med.ſecundum loc. 5ª.141.G
Capitis dolores quot modis fiant.2°.de comp.me.ſec.loc. 5ª.131.G/H
Capitis dolor à quibus fiat cauſis , & quomodo cognoſcatur. 1°.de arte cur.ad Glauco. 7ª.99.H
Capitis dolorum differentiæ.3°.de loc.affec. 4ª.20.E
Capitis dolores tres differentiæ.in progn.com.3°. 4ª.210.G
Capitis dolores extra,& intra caluariā.2°.de cōp.me.ſe.lo. 5ª.131.H
Capitis dolor quo modo cognoſcatur eſſe ſupra caluariam , vel ſub ipſa. 3°.de loc.affec. 4ª.20.F
in Capitis dolore locum affectum difficile eſt cognoſcere.2°.de comp.medic.ſecun.loc. 5ª.132..A
Capitis ſiue totius ſiue medietatis,quem græci hemicraniū appellāt, dolores cur quotidie tertio die infeſtant.2°.de diff.feb. 3ª.40.E
ad Capitis dolorem hemicranium.de med.fac.parab. 7ª.170.H
ad Capitis dolores ex vna parte.de med.fac.par. 7ª.162.B
Capiti poſteriorem partem dolenti recta vena inciſa prodeſt.commentario.5°.aph.68°. Ex.45.C
Capitis dolor fit , aut propter inflammationem , aut propter crudos humores in capite aceruatos,aut propter ſpiritum flatuoſum , aut propter multitudinem ſanguinis,aut propter bilem mordacem, aut propter temperaturam.com.6°.aph.10°. Ex.47.D
de Capitis dolore qūo ſint ægri īterrogādi.2°.de cōp.me.ſe.lo. 5ª.135.H
Capitis dolor cum tenſione ſine grauitate ac pulſu,ſignificat ſpiritus crudi,ac flatuoſi multitudinem:cum pulſu membranoſi corporis inflammationem:cum grauitate multitudinem intra membranas contentā. 1°.de ar.cur.ad Glau. 7ª.99.H
Capitis dolor cum mordicatione ſignificat vaporis,vel humoris acritudinem.1°.de arte cur.ad Glauc. 7ª.99.H
in Capitis doloribus tempora pulſant.3°.de diff.pul. 4ª.64.C
in Capitis dolore cur pulſent tpum venę.in 1^{m}.prorr.com.3°.4ª.180..A
qui Capitis dolor ſignificet ſanguinem de naribus fluxurum.in progno. commen.3°.208.F/ 4ª.211..A
Capitis dolor eſt indicium inſeparabile vomitus decretorij & ſanguinis fluxus ex naribus.1°.de art.cur.ad Glau. 7ª.100.B/D
in Capitis dolore qui fluxum ſanguinis,aut vomitum decretorium ſignificat,non ſunt quęrenda remedia.1°.de ar.cur.ad Glau. 7ª.100.B
Capitis dolor mordax grauans ue quid ſignificat.3°.de criſ. 4ª.144.F
in Capitis ſuperficie dolores quid ſignificēt.de cōp.med.ſec.lo. 5ª.137.C
Capitis dolores profundi qd ſignificēt.2°.de comp.med.ſec.lo. 5ª.137.C
Capitis dolor quid ſignificet.in 1^{m}.prorrh.com.3°. 4ª.188.C
Capitis dolor ex cauſa extrinſeca.2°.de comp.med.ſec.lo. 5ª.131.H
Capitis doloris cauſę procatarcticæ.2°.de cōp.med.ſec.loc. 5ª.131.H
Capitis dolor ab intemperie ſine materia.2°.de cōp.me.ſec.loc. 5ª.131.G
Capitis dolores cur,& vnde fiant hyeme.com.3°.aph.23°. Ex.24.H
Capitis dolores ad hyemem expectare conuenit , ſi ęſtas ſicca ſit & auſtro perfletur,& ſequens autumnus pluuioſus & à ventis ſeptentrionalibus agitatus.de aere,aq.& loc. 2ª.4.C
Capitis dolores fiunt hyeme frigida & humida,quando præceſſerit ęſtas ſicca & humidus autumnus.com.3°.aph.13°. Ex.22..A
Caput dolentis ob ſolem cuiuſdam caſus.de cau.procat. 3ª.98..A
Capitis dolores vehementiſſimi fiunt à caliditate,& frigiditate.2°.de cōpoſi.med.ſecundum locos. 5ª.131.H
Capitis dolor à caliditate et frigiditate facile ſanat̄.2°.cō.me. 5ª.132..A
Capitis dolor ex calor̄ qūo cognoſcat̄,et curet̄.2°.đ cō.me.ſe.lo.5ª.132.D
Capitis dolores ex ardore eſſe,quibus cognoſcatur. 2°.de comp.medica. ſecun.locos. 5ª.132.D
Capitis dolor ex ſolis ęſtu qūo curetur.de rem.para.fac. 5ª.153.E
in Capitis dolore ex ardore in principio repercutiendum. 2°.de compo. med.ſec.loc. 5ª.132.D
in Capitis dolore calido oleum roſaceum in principio ponendum , & in qua parte.2°.de comp.me.ſec.loc. 5ª.132.D
in Capitis dolore calido ſanando menſura refrigerantium à quibus indicetur.2°.de comp.med.ſec.loc. 5ª.132.E
Capitis dolori qui fit propter multam aduſtionem ſolis,vel vini meri potationem confert ſuccus centaureæ.de virt.cent. Sp.93.B
Capitis dolores & exuſtiones à ſole efficaciter tollit cichorium impoſitū de med.fac.par. 7ª.162.B
Capitis dolore laborantes ab ardore,in quo loco degere debeant. 2°.de compo.med.ſec.loc. 5ª.132.C
ad Capitis dolorem propter ardorem Apollonij pharmaca.2°.de compo..med.ſec.loc. 5ª.132.B
in Capitis dolore ob ardorē quæ vitāda.2°.de cōp.med.ſe.loc. 5ª.132.B
Capitis dolorem,& pallorem luna conciliat dormiētibus ſub ipſa. 3°.de diebus decre. 4ª.157..A
Capitis dolorem aquæ potus quandoq; īducit, & qūo.de vinis.Sp.76.C
Capitis dolor cur ab aqua vitioſa bibita excitet̄.đ bo.et vi.ſuc. 2ª.38.H
Caput dolere facientes cibi.de diſſol.cont. Sp.74.F
Capitis dolorem commouet Arbutus.7°.de ſimp.med.fac. 5ª.52..A
Capiti dolorem infert Cedri fructus.2°.de alim.fac. 2ª.19.C
Capitis dolorem facit Cedrides eſus atq; ardorem et morſum in ventre. 7°.de ſimp.med.fac. 5ª.50.F

Capitis dolorem Galenus patiebatur ex Croci odore,2°.de compoſitione medic.ſecun.loc. 5 .135.D
Capitis dolorem facit Epimelis ſtō ingratus.6°.de ſimp.me.fa. 5ª.47.D
Capitis dolorem infert Eruca.2°.de alim.fac. 2ª.23.G
Caput dolentibus nocet Lac.com.5°.aph.64°. Ex.44.D
Capitis dolorem facit vtraq; Lora.2°.de alim.fa. 2ª.18.D
Capiti dolorem mouet Meum.7°.de ſim.med.fac. 5ª.56.B
Capitis dolorem parit Myrrhæ odor.2°.de comp.med.ſec.loc. 5ª.134.E
Capite dolentes qui indigent rubrificatione,excalfaciunt Naſturtio. 7°.de ſimp.med.fac. 5ª.50.A
Capitis dolorem pariunt Odorata omnia.3°.de loc.aff. 4ª.20.G
Capiti dolorem inferunt Palmæ.2°.de alim.fac. 2ª.20.G
Capitis dolorem pariunt à proprietate Palmarum glandes.2°.de comp.med.ſecun.loc.5ª.133.D|de rem.par.fac. 7ª.153.G
Capitis dolorem inducit Triticum elixum.1°.de alim.fac. 2ª.11.B
Caput ex Vino dolet.3°.de loc.aff. 4ª.20.G
Caput dolere facit vinum citrinum antiquum.de diſſol.cont. Sp.74.F
Capitis dolorem infert vinum rutilum dulce.de bon.vi.ſuc. 2ª.38.E
Caput non facit dolere vinum album,& vinum paucam ſuſtinens aquā.de diſſol.continua. Sp.74.F
de Capitis dolore ex ebrietate,& ſolis ęſtu.de rem.par.fa. 7ª.154.A
in Capitis dolore ex ebrietate lēs eſt bona.2°.de cōp.me.ſe.lo. 5ª.133.D
Capiti dolenti ex vini potu etiam poſt vini concoctionem apponit repercutientia.2°.de comp.med.ſec.lo. 5ª.133.C
de Capitis dolore ex ebrietate,Archigenis.2°.de cō.me.ſe.l. 5ª.138. A
ad Capitis dolorem ex ebrietate & vini potu.2°.de comp.med.ſecundū loc.5ª.133.B|de rem.par.fac. 7ª.153.G
ad Capitis dolores ex vini potu corona.de med.fac.par. 7ª.170.H
in Capitis dolore vehemēti prohibet vinū.1°.de ar.cu.ad Gla. 7ª.99.A
Capitis dolori ex vino,Galeni præſidia.2°.de comp.med.ſec.loc.5ª.133.C
contra Capitis dolorem crapulamq; malum eſt ieiunium.de vic. rat.in morbis acu.com.4°. 7ª.145.B
ī Capitis doloribus quibus,cōueniat fames.2°.de cōp.me.ſe.lo.5ª.135.C
Capitis dolor ex calore,& flatu.2°.de comp.med.ſec.loc. 5ª.137.E
Capitis dolor à cauſa calida,in caluo.2°.de comp.med.ſec.loc. 5ª.132.G
Capitis doloris ex frigiditate ſigna,& curatio. 2°.de comp.med.ſec.loc.132.H|5ª.135.E|de rem.par.fac. 7ª.153.F
Capitis dolor ex frigiditate facile curatur.2°.de cōp.me.ſec.lo.5ª.132.H
Capitis doloris à cauſa frigida remedia.2°.de cōp.med.ſec.loc. 5ª.136.E
ad Capitis dolorem ex frigore.2°.de comp.med.ſec.loc. 5ª.132.C
in Capitis dolore frigido Euphorbium ſubito ſanat & quomodo.2°.de compo.med ſec.loc. 5ª.140.D
in Capitis dolore frigido quæ vitanda.2°.de cōp.me.ſe.lo. 5ª.132.C
in Capitis dolore frigido vinū ēt ꝑhibet.2°.de cōp.med.ſec.lo. 5ª.132.G
in Capitis dolore à frigido dat vinum tenuium partium. 2°.de compoſi.med.ſecun.loc. 5ª.133.A
Capitis dolor ab humiditate ſola nullus. 2°.de compo.med.ſecun.loc.5ª.152.H|de rem par.fac. 7ª.153.E
Capitis dolorem non facit humiditas ſine materia. 2°.de compo.medic.ſecundum loc. 5ª.132.H
Capitis dolor à ſiccitate moderatus.2°.de comp.med.ſec.loc. 5ª.132.H
Capitis dolorē mouēt calida plus q̃ ſicca.7°.de ſimp.med.fac. 5ª.56.B
Capitis dolor ex ībecillitate quo mō curet.1°.đ ar.cu.ad Gla. 7ª.100.A
Capitis dolor à qualitate humorum.2°.de cōp.med.ſec.loc. 5ª.131.G
Capitis dolor à quibus fiat ſuccis.in 1^{m}.prorrh.com.3°. 4ª.188.G
Capitis dolor à multitudine humorum.2°.de cōp.med.ſec.loc. 5ª.131.G
Capitis dolor ob multitudinem cū obturatione qualis,& qualis ſine obturatione.2°.de comp.med.ſec.loc. 5ª.131.H
Capitis dolor ob multitudinem quo modo diſtinguendus.1°.de arte cura.ad Glauco. 7ª.99.H
Capitis dolor ſi perſeuerat ex relictis in tenuib⁹ poris,humoribus, quid agendum.2°.de comp.med.ſec.loc. 5ª.133.E
Capitis dolor ob humores acres,qualis.2°.de comp.med.ſec.lo. 5ª.135.C
de Capitis dolore per conſenſum.2°.de comp.med.ſec.loc. 5ª.136.H
Capitis dolorem faciens morbus difficulter cognoſcitur. 2°. de comp.medica.ſecun.loc. 5ª.132.A
Capitis dolor ex ſtomacho quo modo fiat.2°.de cōp.med ſec.lo.5ª.135.A
Caput dolere ſolet ſtomacho laborantibus cum è lecto ſurgunt.de remediis para.facil. 7ª.153.G
ad Capitis dolorem ex ſtomacho flatuoſo.2°.de cōp.med.ſec.lo. 5ª.135.C
Capitis dolor ex ſpiritu flatuoſo. 2°.de compoſitione medicamentorum ſecun.loc.131.H| 5ª.135.G
Caput dolet ex flaua bile in ventriculo . 3°.de locis affectis. 4ª.19. B| de ſpermate. Sp.36.H
Capitis dolor à materia in ventriculo bilioſa, non eſt affectio capitis.1°.de locis affectis. 4ª.3.F
Capitis dolor ob bilioſum humorem quomodo oriatur, cognoſcatur, & curetur.2°.de comp.med.ſec.loc. 5ª.136.H
Capitis dolores quo modo cognoſcuntur eſſe à ventriculo,vel ab intemperie capitis.2°.de temp. 1ª.20.E
Capiti dolenti ex ſtomacho,quando non ſunt apponenda remedia. 2°.de compo.med.ſec.loc. 5ª.135.A
in Capitis doloribus à ſtomacho & ab aliis quæ medicamenta ſunt vitāda.2°.de comp.med.ſec.loc. 5ª.137.A
Capitis dolorem ab humoribus in ventriculo contentis ſedant vina paucifera.de bo.& vi.ſuc.2ª.38.G|de vinis. Sp.76.C
Caput cui dolet ex vaporibus nō dormiat interdiu.de re.par.f. 7ª.153.F
ad Capitis dolorem ex vaporibus.de rem.par.fac. 7ª.153.F
de Capitis dolore ex ventriculi cruditate.de rem.par.fac. 7ª.153.F
Capitis dolores ex craſſis & viſcoſis humoribus in ſtomacho fiunt quandoq;.2°.de comp.med.ſec.loc. 5ª.136.H
in Capitis dolore ex ſtomacho vomitum prouocat.2°.de comp.med.ſec.loc.133.B|1°.de arte cur.ad Glauc. 7ª.99.H
in Capitis dolore ex craſſis et glutinoſis humoribus in ſtomacho quibus vtendum.2°.de comp.med.ſec.lo. 5ª.137.A
in Capitis dolore per conſenſum,alicam & vinum dat.2°.de comp. medica.ſecun.loc. 5ª.136.H
in Capitis dolore ex ſtomacho quæ obſonia conueniant. 2°.de compoſit.medic.ſec.loc. 5ª.133.B
Capitis dolorem inferentem ſtomachum pituitæ plenum roborantia. de medica.fac.parab. 7ª.175.H
Capitis,& ſtomachi dolorem tollens electuarium.de dyna. Sp.23.D
de Capitis dolore ex hepate affecto,vel ventre,vel ſtomacho, & eius curatione.2°.de comp.med.ſecun.loc. 5ª.136.H
Capitis & colli dolores cum febribus,& ſine febribus fiūt.in 1^{m}.de morbis vulg.com.2°. 3ª.112.H
Capitis dolores cum febre qui.2°.de comp.med.ſec.loc. 5ª.137.C|D
Capitis dolores in quibus fiant morbis.in 1^{m}.prorrh.com.1°. 4ª.174.H
Capite vbi doluit,principium non eſt, ſed vbi febricitauit.1°.de diebus decretoriis. 4ª.147.F
Capitis grauitatem & dolorem ſtomachi multum in fœmina ſignificat vrina aſterica.de dyna. Sp.35.D
Capitis dolor adeſt,vel aderit,quibus vrinæ perturbatæ,quales ſunt iumentorū,& quare.cō.4°.aph.7°.Ex.35.B|quæſ.in Hip. Sp.113.C
Capitis dolorem ſignificant vrinæ iumentorū lotio ſimiles.in 6^{m}.de mor.vulga.commen.5°. 3ª.192.B
Capitis dolorem,veſicę,& renum,ſignificat vrina alba,& pinguedinoſa vel iumentina.de dyna. Sp.35.E
Caput ſi dolet,aut dolere debet, non eſt tamen neceſſarium vrinas eſſe perturbatas.com.4°.aph.70°. Ex.35.B
Caput dolet aut ex ſolo calore,aut ex flaua bile,quæ eſt in capite, vel in ſtomacho,aut ex multis humoribus in capite,aut ob aliquam loci obſtructionem,aut ob ventum in cerebro generatū,quæ omnia ſunt præter vrinas perturbatas,vt iumentorum.com.4°.aph.7°. Ex.35.B
Capitis dolorem patientes & prædicentes vrinę cur ſint craſſæ. in 3^{m}.de morb.vulg.com.1°. 3ª.131.E
cum Capitis dolore tenues eſſe vrinas falſum ē.cō.4°.aph.7°. Ex.35.B
Caput dolentibus vrina liuida augmentū ſignificat.de dyna. Sp.34.G
Caput dolenti & circundolenti pus,vel aqua, vel ſanguis effluens per nares,os,aut aures,morbum ſoluit.com.6°.aph.10°. Ex.47.C
ad Capitis dolorem ex febre q̃ agēda.1°.de arte cur.ad Glau. 7ª.100.B
Capitis dolor ob æſtum vel febrem quo modo curetur. in 6^{m}.de mor.vulgaribus,com.6°. 3ª.196.B
cum Capitis dolore febriētis caſus & curatio.de cauſis procat.3ª.95.E
Capitis dolor,qui letalis.in prognoſt.com.3°. 4°.208.F
Capitis dolor quòd talis eſſe non poſſit,vt homo ſe necet. 2°. de compoſi.med.ſecun.loc. 5ª.134.G
in Capitis dolore à cauſa calida quo modo procedendum in augmento et aliis temporibus.2°.de comp.med.ſec.loc. 5ª.132.D
in Capitis dolore proceſſu obeſt papauer.2°.de cōp.me.ſe.lo. 5ª.137.F
Capitis dolorem calidum curant eryſipelas curantia. 2°.de compo.medicam.ſec.loc. 5ª.132.G
de Capitis dolore & temporum.de rem.par.fac. 7ª.161.H
Caput dolentibus dandi teſticuli gallorum,alę auium,piſces petroſi, & pulli

pulli columbarum.2°.de comp.med.ſec.loc. 5ª.133.E
Caput dolẽtes lactucã cũ aceto comedãt.2°.de cõp.med.ſec.lo. 5ª.133.E
ad Capitis dolorem facit decoctio agarici.de med.exper. Sp.104.C
Capitis dolorem iuuat chamæmelum.2°.de comp.med.ſec.loc. 5ª.138.D
pro Capitis dolore coronæ.2°.de comp.med.ſe.lo. 5ª.138.B
à Capitis dolore liberat corona ex verbena.2°.de cõp.me.ſe.l. 5ª.138.d
Capitis dolores ſanat elaterium.8°.de ſimp.med.fac. 5ª.60.F
Capitis dolorem ſedat menta.de ſimp.med. Sp.87.D
quibus Capitis dolorib⁹ cõueniat polygonũ.2°.de cõp.me.ſe.l. 5ª.138.C
Capitis dolorem quo modo ſedat Pſyllium.de ſimp.med. Sp.89.A
Capiti quę facienda pro reſoluenda materia quando dolet, & imbecillũ eſt.1°.de arte cu.ad Glau. 7ª.100.B
in Capitis dolore quid faciat balneum.2°.de cõp.med.ſec.loc. 5ª.133.E
Caput fricandum ſiccis ſindonibus ex balneis in dolore ipſius ex particulæ imbecillitate.1°.de ar.cu.ad Glau. 7ª.100.B
Capite dolentes quando, quæ & loca debeant perambulare pro dolorũ varietate.2°.de comp.med.ſec.loc. 5ª.133.E
in Capitis dolore ſternutatoria.2°.de comp.med.ſec.loc.5ª.137.H/1°.de arte cur.ad Glau. 7ª.100.B
Capitis dolorem quo modo leuat ſternutatio. in 6^m.de mor.vulgaribus, commentario.6°. 3ª.196.G
Capitis dolorem ſanat torpedo.11°.de ſimp.med.fac. 5ª.82.F
ad Capitis dolorem medicamenta cephalica.intro. Iſ.58.C
ad Capitis dolorem, Heræ.2°.de comp.med.ſec.loc. 5ª.140.A
in Capitis dolore cataplaſmata.2°.de comp.med.ſecum.loc. 5ª.137.F
in Capitis dolore fomenta ex ſale ob grauitatem ſunt moleſta. 2°.de cõpoſi.med.ſecun.loc. 5ª.137.F
in Capitis dolore fomenta ex milio ſunt meliora q̃ ex ſale. 2°.de compo. med.ſecun.loc. 5ª.137.G
in Capitis dolore quidam agreſtes pedes, & anos vngunt. 2°.de compo. medic.ſecun.loc. 5ª.135.F
ad Capitis dolores malagma.7°.de comp.me.per gen. 5ª.266.H
in Capitis dolore, amuleta.2°.de comp.med.ſec.lo. 5ª.138.B
ad Capitis clauos.de medic.fac.paran. 7ª.170.G
ex Capitis dolore aphoniæ, vnde.in 1^m.prorrh.com.3°. 4ª.178.F
ob Capitis nimium dolorem muti qũo curẽtur.de rem.par.fa. 7ª.153.G
Caput derelinquitur à ſanguine in forti dolore.cõ.7°.aph.26°. Ex.55.C
Capitis dolor ex acuto neruorũ sẽſu quo mõ curet̃.6°.de ſa.tu. 2ª.98.H
ad Capitis lupinum dolorem.de medic.fac.par. 7ª.179.C
ad Capitis dolores citra cauſas manifeſtas.2°.de cõ.me.ſe.lo. 5ª.134.D
ad Capitis dolorem, Alexandri.2°.de comp.med.ſec.loc. 5ª.138.G
ad Capitis dolorem, Antigoni.2°.de comp.med.ſec.loc. 5ª.138.G
ad Capitis dolorem, Antonij herbarij.2°.de cõp.med.ſec.loc. 5ª.138.G
ad Capitis dolorem quando eſt ſine febre, præſidia Archigenis. 2°.de comp.med.ſec.loc. 5ª.134.H
ad Capitis dolorem, Aſclepiadis.2°.de comp.med.ſec.loc. 5ª.138.G
ad Capitis dolorem, Chariclis.2°.de comp.med.ſec.loc. 5ª.138.G
ad Capitis dolorem.7°.de compo.medi.ſec.lo.182.C/8°.191.E/10°.207.D/2°.de compo.medic.per gen.224.E/3°.234.H/5°.246.H/249.B/6° 256.A/258.F/7°.5ª.271.F/de reme.par.fac.161.H/de med.fac.par. 170.F/174.H/175.C/7ª.176.B/de dyna.23.D/ſecret.97.C/de med.exper.107.F/de cura lap. Sp.112.C
Capitis dolor longus, quem veternus ſequutus eſt. in 3^m.de morb.vulg. commentario.2°. 3ª.135.C
Capitis dolores longos ſanare poteſt theriaca.de theri.ad Piſo. 5ª.95.H/de med.exper. Sp.106.H
Capitis dolor diutinus ſola purgatione ſanatus.de purg.med.fa.5ª.87.G
propter Capitis dolores longos calidos & ſparſos, arteriæ poſt aures ſecantur.de curan.ra.per ſang.miſſ. 6ª.21.D
Capitis mediocres dolores aufert crurum ſcarificatio. præſag. expert. confir. Sp.78.C
Capite affecto crura ſcarificamus.de cucur.ſcar.3.F/ 6ª.4.B
in Capitis morbis quę vena ſecanda.de med.fac.par. 7ª.176.A
in Capitis affectibus ſecat venas extrinſecas è directo.2°.de ar. cu. ad Glauconem. 7ª.102.G
Capitis dolori confert ſectio venarum, quæ ſunt in angulis oculorum lachrymalibus & temporum.de anat.viuo. Sp.55.A
Capitis quos dolores leuat vena frontis.de cur.rat.per ſang.miſſ. 6ª.20.G/de anat.viu. Sp.55.A
Capitis dolorẽ antiquũ ſanat decoctio agarici.de med.exper. Sp.104.G
Capitis dolores inueterati qũo curentur.2°.de cõp.med.ſec.lo. 5ª.133.A
Capitis veterem dolorem curantia medicamenta curant etiam hemicraniam.2°.de comp.med.ſec.loc. 5ª.140.A
ad Capitis veterem dolorẽ ſternutatoria.2°.de cõp.me.ſec.loc.5ª.139.B
Capitis dolores vetuſtiores diſſoluuntur ſcarificationum ſectionibus.pręſag.exper.conf. Sp.78.C
in Capitis dolore medicus ſenex quinquagenarius ſibi venam ſecuit.12° methodi medendi. 7ª.74.H
quibus Capitis doloribus arteriæ inciduntur.6°.de ſan.tu. 2ª.98.H
ad Capitis dolorẽ inueteratũ, Chariclis.2°.de cõp.me.ſec.loc. 5ª.138.G
ad Capitis inueteratos dolores.10°.de comp.med.ſec.loc. 5ª.208.C/G
ex Capitis dolore ſurditas quo modo ſanet̃.3°.de cõp.me.ſe.lo.5ª.145.F
Capitis dolor ex plaga eſt inflammatio.2°.de comp.med.ſec.lo. 5ª.133.G
in Capitis inflammationis principio non apponendæ cucurbitulę. de hirud.reuulſ.cucurb.& ſcarif.2.E/ 6ª.3.B
Capiti aptari non poteſt cucurbitula.3°.de loc.aff. 4ª.16.A
Capiti quæ cucurbitulæ vtiliter applicantur.de cucur.& ſcar. 6ª.3.E
in Capite magis accomodantur cucurbitulæ humiliores.de cucurbitulis & ſcarifi. 6ª.3.E
in Capite corneis vtemur cucurbitulis.de cucur.& ſcar. 6ª.3.D
in Capite cucurbitulæ cum multo igne haud ſunt infigendæ. vehemẽter enim attrahunt, difficulterq́; auelluntur.de cucur.ſcar. 6ª.3.D
Capitis materiam vacuare poteſt cucurbitula.de cucur.ſcar. 6ª.3.F
Capiti cucurbitulam apponere in ſanguinis profluuio, præſentiſſimum eſt remedium.de med.fac.par. 7ª.163.F
Caput radendum pro ſanguine ſupprimendo.de vict.rat.in morb.acutis commen.4°. 7ª.152.F
ad Capitis dolorem ex plaga aut caſu.2°.de comp.med.ſec.lo. 5ª.133.F
in Capitis dolore ex plaga roſaceo vtitur.2°.de cõp.me.ſe.loc. 5ª.133.F
Capitis dolor ex ictu, & caſu ab alto.de rem.par.fac. 7ª.153.H
in Capitis verticem cadere difficile eſt.11°.de vſu par. 1ª.192.B
à Capitis ictu, obſtupeſcẽtia, et deſipiẽtia, malũ.c.7°.aph.14°.Ex.54.H
ad Capitis dolorem ex contuſione.de rem.para.facil. 7ª.154.A
in Capite qd ſignificet eroſio, & pũctio.2°.de cõp.med.ſec.loc. 5ª.135.H
Capitis fracturarum quinq; genera.introd. Iſ.59.C/F
Capitis vulnera quæ medico indigent legitimo, & quæ non. 2°.de comp. medic.ſecun.loc. 5ª.138.E
in Capitis fracturis non eſt compertum plebeio an ſit expectanda calli generatio, an aliter curandum.3°.meth.med. 7ª.16.E
Capitis fracturæ faciunt vomitum bilioſum, nauſeam, & ſtomachi morſum.3°.de loc.affectis. 4ª.18.C
Capite percuſſis primo ſecanda eſt vena, ſi alia conſentiunt. 2°.de compo.med.ſec.loc. 5ª.133.H
in Capitis vulneribus radit pilos.2°.de comp.med.ſec.loc. 5ª.138.E
Capitis fracturis calor vtiliſſimus eſt.com.5°.aph.22°. Ex.39.E
in Capite fracto ſummopere cauẽdum ne ab aere refrigeretur.8°.de vſu partium. 1ª.165.E
Caput fractum ſi ab aere tangatur, malorum id vltimũ illi eſt.8°. de vſu partium. 1ª.165.F
Capite vulnerati, à vino, & cibis craſſis abſtineant.2°.de compoſi.med. ſecundum locos. 5ª.134.A
in Capitis fracturis vino vtitur. 2°.de cõp.me.per gen. 5ª.225.F
in Capitis vulneribus oleo vtitur ſimplici.2°.de cõp.me.ſe.lo. 5ª.133.H
in Capite vulnerato oleum roſaccum, & acetum.2°.de compoſi.medic. ſecundum locos. 5ª.134.A
in Capitis fracturis aceto vtitur.2°.de comp.med.per gen. 5ª.226.C
in Capite vlcerato porci adeps, & roſaceũ.de rem.par.fac. 7ª.154.H
in Capitis fractura oleo vtitur, & re pingui.6°.de compoſi.medicamẽ. per genera. 5ª.255.G
ad Capitis notatu dignas diuiſiones nigrum emplaſtrum. 2°. de compo. med.per gene. 5ª.227.E
Capitis fiſſuræ & contuſiones ſecundum Archigenem quo modo curentur.2°.de comp.med.ſecun.loc. 5ª.138.D
in Capite fracto fungi adnaſcuntur, menynge cerebrum cuſtodiente affecta.1°.de loc.affec. 4ª.2.F
in Capitis fracturis vſq; ad membranas non peruenientibus, quo vtemur.6°.de comp.med.per gen. 5ª.255.G
in Capitis oſſibus ſunt plures nuncupationes ſolutæ continuitatis.de cauſis morborum. 3ª.9.F
in Capitis & aliarum partium oſſibus denudatis pinguia pharmaca vitamus, ſiccis ſolis vtimur.5°.de comp.med.per gen. 5ª.253.D
in Capitis oſſibus denudatis fugimus emmota pharmaca, quoniam linamentis inunctis offeruntur.5°.de comp.med.per gen. 5ª.253.D
Capitis os denudatum cur abradendum.2°.de cõp.med.ſec.loc. 5ª.138.E

Capitis oſſe perforato quæ curatio adhibenda.6º.meth.med. 7ª.42.G
ad *Capitis oſſa innatantia,& ab alijs ſeparata.2º.de compoſi.medica. per genera.* 5ª.225.D
in *Capite os vehementer confractum totum auferendum eſt.6º.methodi medendi.* 7ª.42.E
ex *Capite ſæpius tota oſſa eximuntur.de diff.morb.* 3ª.4.F
de *Capite os confractum excidens quæ actio in medicina ſit. ad Thraſybulum.* 2ª.104.H
ad *Capitis vulnera cũ oſſiũ præciſione.5º.de cõp.med.per ge.* 5ª.246.C
Capitum vulnera glutinare poteſt myrrha.8º.de ſimp.med.fac. 5ª.61.A
ad *Capitis fracturas emplaſtra.2º.de comp.med.per gen.* 5ª.225.D
ad *Capitis vulnera.2º.de comp.med.ſec.loc.138.E/de dyna.* Sp.31.G
ad *Capitis fracturas.2º.de cõp.med.per ge.226.B/C/6º.* 5ª.255.F
Capiti fracto præſidium.de dyna. Sp.23.H
in *Capite vtimur Rhombo.de ijs quæ in medic.fi.com.2º.* 7ª.206.D
in *Capitis fracturis quando ſuſpecti cycliſci,& quãdo illis vtẽdum.6º. methodi medendi.* 7ª.42.B
in *Capitis fracturis cur terebella ſunt ſuſpecta,& quando illis vtendũ. 6º.metho.medendi.* 7ª.42.B
Caput vbi pluribus locis vulneratum ſit,galea vtilis.de faſ. 7ª.297.B/ *galea aliter,ibidem.*
Capitis quæ vnlnera fibulis conſtringit.2º.de comp.med.ſec.lo. 5ª.138.E
Caput quomodo deligandum.de ijs quę in med.fi.com.2º. 7ª.209.E
Capitis partes contrariæ quomodo ligandæ.de ijs quæ in medicatri.fiunt commen.2º. 7ª.208.G
Capitis lateribus quæ deligatio fieri debet.de ijs quæ in medicatri.fiunt commentario.2º. 7ª.206.C
Caput non eſt in orbem circumligandum,& quomodo ligãdum ſit. de ijs quæ in med.fi.com.2º. 7ª.208.F
ad *Capitis vulnera faſciæ.de faſcijs.* 7ª.293.F
Capiti,& faciei in orbem circundata faſcia longior, dicitur κάτοχος. *de faſcijs.* 7ª.294.H
ad ſummum *Caput & ei proximam regionem quomodo fieri debeat linteum ſciſſum.de faſcijs.* 7ª.294.D
ad *Caput totum linteum ſciſſum.de faſcijs.* 7ª.294.F
ad *Caput vniuerſum obuoluendum faſcia.de faſcijs.* 7ª.294.H
ad *Caput operculum ſciſſum in partes octo.de faſcijs.* 7ª.294.G
Caput qua vinciendi ratione inuolutũ ſine nodis defenditur à tedio, quod nodi comprimendo faciunt.de faſcijs. 7ª.294.G
qa *Caput cuidã fuit vario vinculo alligatũ,illi oculi procidere.* 7ª.293.d
ad ſummum *Caput vinciendum & id quod inter ipſum eſt & frontem, vinculum.de faſcijs.* 7ª.295.C
ad *Capitis proceſſus recondendos laqueus.de laqueis.* 7ª.308.F
Capitis ornamentum quod κεφαιλὸν *appellant,de faſcijs.* 7ª.297.B
Caput quid ſignificat in faſcijs.de ijs quæ in med.fi.com.2º. 7ª.210.C
Capitis vinculum venas vnit.in Tim.Plat. 1ª.288.A
Caput quo modo luxatur.intro. Iſa.60.G
Capitis articulus oĩum ſolũ non dico luxationẽ magnã, ſed ne deflexionẽ quidẽ vel tẽporis momẽto ferre põt.12º.de vſu par.193.E/ 1ª.194.A
Caput agni & pecudum cibus humidus,et viſcoſus.de diff.cõ. Sp.73.A
Caput hædi anniculi generat humorem bonum,inter craſſum & tenuem dc diſſol.cont. Sp.73.H
Caput leporis ad alopecias.11º.de ſimpli.med.fac. 5ª.79.G
Capita menidum ſale inueteratarum ad ſedis fiſſuras.11º.de ſimpli. medicamen.facul. 5ª.79.F
Caput milui podagricis auxiliatur.5º.de ther.ad Piſo. 5ª.93.E
Capita murium alopeciam ſanant.de ther.ad Piſo. 5ª.93.E
Capita muſcarum ad alopecias.de compoſi.medic.ſec.loc. 5ª.124.D/H
ex *Capitibus muſcarum cataplaſma.de ocul.* 7ª.190.E
Capita porri purgant pulmonem,& thoracem.de catha. Sp.95.C
Caput pulli in ouo primo apparet.de ana.viu. Sp.52.A
Caput ſaurarum myrmecias,acrochordonas,& clauos extrahit.11º.de ſimp.med.fac. 5ª.79.G
Caput ſaurarum palos,& ſpicula extrahit.11º.de ſimp.med.fa. 5ª.79.G
Caput ſtellionis.3º.de comp.med.ſec.loc. 5ª.144.G
Capita viperarum cur abijciantur.de ther.ad Piſo. 5ª.93.C
Caput pernitioſius alijs feris habet vipera.de ther.ad Piſo. 5ª.93.C
Caput maris truncat in coitu vipera.de ther.ad Piſo. 5ª.93.C
CAPVT *bronchi ex quibus cõſtitutum ſit.de voc.inſtr.diſſ.* 1ª.106.E
Caput bronchi cur ex chartilaginibus.dc voc.inſtr.diſſ. 1ª.107.B
Capiti gutturis incumbens os quomodo vocatur.de muſc.diſſ. 1ª.46.D
Capiti gurgulionis præſtatur qualitas guſtabilis.de compag.membrorũ ſiue de natura humana. Sp.58.D
ad *Capita venarũ sãguinẽ fundẽtia vinciẽda laque⁹.de laq̃is.* 7ª.307.G
CAPVT *in oſſibus quid.de oſſib.40.B/1º.de mot.muſc.* 1ª.312.C
Caput humeri in alam prolapſum q̃uo reſtituatur.de machin. 7ª.311.A
Caput humeri ſi in priorem vel poſteriorem partem exciderit, quomodo reponatur.de machin. 7ª.312.F
ad *Caput humeri caput reſtituendum in ſcala plana,quando in alã excidit.de machin.* 7ª.313.H
ad *Caput humeri in priorem, vel poſteriorem partem exciſum repoſitio.de machin.* 7ª.314.B
ad *Caput humeri ſuo loco motum.de machin.* 7ª.316.A
ad *Caput humeri reſtituendum per inſtrumentum Fabri, vbi in alã prolapſum ſit.de machin.* 7ª.318.A
Capitis humeri in alam prolapſi per Hippocratis ſcamnum repoſitio. de machin. 7ª.319.D
Caput femoris ad exteriorẽ regionẽ trahẽs muſculus.de muſ.diſ. 1ª.51.A
Caput femoris ſurſum ſimul & extrorſum trahens muſculus.de muſculorum diſſectione. 1ª.51.B
Caput femoris ſurſum tollens & vna ad interiora inuertens. de muſculorum diſſectione. 1ª.51.B
Capita librorum in ſuã vtilitatẽ ſolũ ſcribebat Gal.7º.met.me. 7ª.43.B
CARAVS *tolme.de medic.fac.parab.* 7ª.176.H
CARABI *mollem teſtam habent.de renum aff.dig.& med.* 7ª.195.F
de CARABE *trochiſci ad ſputum ſanguinis.de med.fac.pa.* 7ª.165.H
CARBO *terra eſt,aer accenſus,flamma.1º.de ſimp.med.fac.* 5ª.4.F
Carbones pleroſq; eẽ flauos,flãmas ſubflauas,ſolẽ ſpẽdidũ & id genus axiomata ex ſenſu & p ſenſum ſumunt.2º.de ſimp.med.fa. 5ª.9.G
Carbones cur nigri ſint.de mel.ex Gal.Ruf.& Poſſ. Sp.109.E
Carbones ſunt primo vrendi, quàm concoquantur medicamenta.1º.de compo.med.per gen. 5ª.212.G
ad *Carbones coquit mel.de rem.fac.parab.* 7ª.170.A
Carboni paruo ſi multum niuis aut glaciei imponas cõtinuo extinguitur de cauſis morborum. 3ª.7.B
Carbones extincti maxime appetuntur à grauidis,cur.1º.de ſymptomatum cauſis. 3ª.18.C
ex *Carbonum extinctorum quodam odore quo modo aliqui moriantur. 7º.de vſu partium.* 1ª.159.B
à *Carbonum fætore cur ſuffocamur.de vtil.reſp.* 1ª.225.D
Carbo alburni quid faciat.de dyna. Sp.31.C
CARBVNCVLVS *quid fi.med.48.H/int.Iſa.59.B/de dif.mor.* 3ª.5.F/ *5º.de comp.med.per gen.5ª.254.C/2º.de arte cur.ad Glau.* 7ª.101.C
Carbo vlcus eſcharoſum,cui adiungitur multum partium circunſtãtium inflammen.com.6º.aph.45º. Ex.51.F
Carbunculorum cruſta,qualis.de tum.præter nat. 3ª.83.H
Carbunculi & cancri diſtinctio.de dyna. Sp.30.F
Carbunculi,& gangrenę generatio.de tum.præter nat. 3ª.83.B
in *Carbunculis colores naturales mutantur.de ſymp.diff.* 3ª.13.B
Carbunculus morbus ex inęquali intẽperie.1º.de inæq.intemp. 3ª.44.F
Carbũculi sũt morbi flãmantes.de vic.rat.in morb.acu.cõ.4º. 7ª.137.B
Carbunculi inter calidas paſſiones numerantᷓ.1º.de ſim.med.fac. 6ª.5.H
Carbunculi immodicum calorem in partibus,in quibus ſunt,efficiunt.de cauſis morborum. 3ª.6.F
Carbunculus morbus eſt inſtrumentalis.3º.de ſymp.cau. 3ª.24.G
Carbunculi affectus totius corporis.introd. Iſa.59.B
Carbunculus vnde generatur.2º.de præſag.ex pulſ. 4ª.109.G
Carbunculi ex cacochymia oriuntur.3º.de tempe.1ª.23.A/3º.de ſymptoma.cauſis. 3ª.25.B
in *Carbunculos incidebant,qui malos cibos ob penuriam ederant.de boni.& vitio ſuc.* 2ª.33.G
Carbo morbus fit à ſuperfluis calidis.de atra bile. 1ª.35.C
Carbunculi fiunt ex ſanguine calido ad atræ bilis naturam conuerſo.1º. de diff.feb.32.A/ 3ª.40.C
Carbo morbus q̃uo fiat ab humore melancholico.de atra bile. 1ª.35.B
Carbunculus à bile nigra.de atra bile. 1ª.35.E
Carbunculus ex craſſa materia, ſed calido feruore.in 3m.de morb.vulgaribus,commen.2º. 3ª.144.H
Carbunculis,& morbis putridis quę vrbes obnoxię ſint. in 1m.de morb. vulga.commen.1º. 3ª.103.F
Carbones cur facti ſunt in Cranone.com.3º.aph.11º. Ex.21.B
ex *Carbunculorum fœda quadam lue in pleriſq; Aſiæ ciuitatibus,multorum partes cute,nonnullorum etiam carne ipſa detectæ fuerunt.de ven.art.diſſ.* 1ª.57.G

in Carbunculis in peſtilentia Aſiæ citra puſtulas quibuſdam cutis ſtatim excoriata.14°.meth.med. 7ª.90.A
Carbunculis laborantes in peſtilentia neceſſario febricitant.14°.metho. medendi. 7ª.90.A
Carbunculi excitant febrem.de cauſ.morb. 3ª.6.F
Carbunculi quomodo febrem faciant.1°.de diff.feb. 3ª.32.E
Carbunculo vbi febris adiūgitur.fit alter morbus.de diff.mor. 3ª.4.D
ex Carbonis caliditate deſipientiæ.in 1m.prorrh.com.1°. 4ª.164.B
Carbunculus vna eſt ex differētijs vlcerationū oculorū.fi.me. Iſa.48.D
Carbunculus in oculo,quid.fin.med. Iſa.48.E
Carbunculus in oculo,totum oculum exercet.introd. Iſa.58.D
ad Carbonem oculorum.de oculis. 7ª.190.A
Carbunculi ſemper periculoſi,cur.in 3m.de mor.vul.com.2°. 3ª.141.H
Carbunculus quomodo curetur.14°.meth.med.90.B/2°.de arte cur.ad Glauconem. 7ª.102.D
Carbunculi ſcarificandi.14°.meth.med. 7ª.90.C
ad Carbunculos,Apionis.5°.de comp.med.per gen. 5ª.254.D
ad Carbunculos medicamenta ab Aſclepiade poſita.5°.de compo.medica.per genera. 5ª.254.D
ad Carbunculos Magni florida.5°.de cōp.med.per gen. 5ª.254.D
Carbunculis medicamenta idonea extrinſecus.intro. Iſ.58.A
Carbunculos exterens medicamentum citra dolorem.4°.de compo.medi.per genera. 5ª.244.E
Carbunculos refrigerat Ceratum humidum.1°.de ſimp.med.fac. 5ª.3.C
ad Carbunculos Ceratum ex aceto.1°.de ſimp.med fac. 5ª.7.G
ad Carbunculos quidam vtuntur Cupreſſo.7°.de ſimp.med.fac.5ª.53.G
aduerſus Carbunculos vtuntur Cypri foliorum decocto. 7°.de ſimplic. medic.facul. 5ª.55.H
Carbunculos diſpergit Emplaſtrum diachryſu.de dyna. Sp.32.C
Carbunculos malignos ſanat Erbum.de ſimp.med. Sp.85.B
Carbunculos ſanat Oleum ex nucibus.7°.de ſimplicium med.fa.5ª.50.B
Carbunculos ſoluit Sabina.6°.de ſimp.med.fac. 5ª.45.C
ad Carbunculum auferendum.de dyna. Sp.31.F
ad Carbunculos.1°.de compo.medic.per gene.217.A/2°.224.E/225.B/5°.245.H/246.H/247.E/5ª.254.C/de medicamen.fac.par. 7ª.170.E/de dynamidijs. Sp.30.D
CARBTO & apio facilius digeruntur lactucæ,endiuia,citruli,cucurbita.de diſſol.cont. Sp.73.D
in CARCERE qui diu ſunt incluſi,pereunt ſi prohibeantur inambulatione,unctione,& lotione.5°.de ſan.tuen. 2ª.94.A
CARCHESIVS duplex.de artic.com.1°. 7ª.256.C
Carcheſia nominant rudentes,qui de ſummo malo demittuntur.de artic. commentario.3°. 7ª.269.H
CARCINADE veſcentes mulli ſunt peiores reliquis mullis.de bonita. vitio & ſuc. 2ª.37.H
CARCINOMA. fin.med. Iſ.49.A
Carcinomata in quib⁹ partib⁹ corpis maxime proueniāt.intro. Iſ.60.A
Carcinoma tum occultum,tum vlceratum affectus cuiuslibet partis corporis.introd. Iſ.59.D
Carcinomata,mamillarum,tum naturalis ſexus vtriſq; affectus ſunt, introductio. Iſ.59.D
Carcinoma in vtero quid.fin.med. Iſ.48.B
Carcinomatum curatio.introd. Iſ.60.A
Carcinoma ſola purgatione ſanatum.de purg.med.fac. 5ª.87.G
ad Carcinomata.6°.de comp.med.per gen. 5ª.255.A
Carcinoma.vide Cancer.
vt CARDAMELEVM coquere.7°.de comp.med.per ge. 5ª.267.B
CARDAMINE vocatur ſiſymbrium.8°.de ſimp.med.fac. 5ª.60.F
Cardamine ſiſymbrium ſiccum calidum eſt & ſiccum, in tertio ordine: viride vero in ſecundo.8°.de ſimp.med.fac. 5ª.60.G
CARDAMOMVM quid.de ſimp.med. Sp.82.F
Cardamomum calidū medicamentū.10°.de comp.med.ſec.loc. 5ª.207.C
Cardamomum non eſt calidū vt naſturtium.8°.de ſimp.me.fa. 5ª.50.A
Cardamomum acre eſt.5°.de comp.med.ſec.loc. 5ª.159.C
Cardamomum vires habet acres & excalfactorias & relaxantes. de ſimp.medicamen. Sp.82.G
Cardamomum ingreditur theriacam.de ther.ad Piſo. 5ª.92.G
Cardamomum pruritum mouet.de cathar. Sp.95.D
Cardamomum diſcutit.6°.de comp.med.ſec.loc. 5ª.169.D
Cardamomū tortiōes,et inflationes vētris ſedat.de ſim. med. Sp.82.G
Cardamomum ad tuſſem veterem facit.de ſimp.med. Sp.82.G
Cardamomum purgat nares.de cathart. Sp.95.B
Cardamomum vrinam,& menſtrua prouocat.de ſimp.med. Sp.82.G
Cardamomum partum expellit.de ſimp.med. Sp.82.G
Cardamomum lumbricos interficit,& pſoras detergit.7°.de ſimpl.medica.facul. 5ª.50.A
Cardamomum frangit lapides renum & veſicæ.de cathar. Sp.95.D
Cardamomi exenterati meminit.7°.de comp.med.ſec.loc. 5ª.183.A
Cardamomum pro cinnamomo.2°.de antid. 5ª.111.E
pro Cardamomo ſinapi duplum.7°.de comp.med.ſec.lo. 7ª.182.B
CARDAMVM eſt naſturtium.7°.de ſimp.med.fac. 5ª.50.A
Cardami aſparagus eſt humidior quàm folia.2°.de ali.fac. 2ª.24.A
Cardamum eſt obſonium ſponte proueniens.2°.de alim.fa. 2ª.25.D
CARDIA, id eſt cor,vnde dicatur.3°.de decre.Hipp. 1ª.245.A
Καρδία etiam os ventriculi dicitur.2°.de alim.fac. 2ª.20.E
Καρδίας πόνος,ideſt oris vētris dolor.in 1m.prorrhe.cō.1°. 4ª.174.F
CARDIACA diſpoſitio,quæ.fin.med.47.C/introd. Iſa.55.H
Cardiacus affectus,eſt morbus acutus.introd. Iſa.55.E
Cardiaca paſſio.i.verberatio corporis,contingit conceptis in horis melancholiæ.de ſpermate. Sp.37.D
Cardiacæ ſyncopę quando incidant.1°.de ſymp.cau. 3ª.18.F
Cardiaca ſyncope quos affectus ſequatur.5°.de loc.aff. 4ª.29.C
Cardiacæ ſyncopę quid faciant.1°.de mot.muſ. 1ª.313.A
Cardiacæ ſyncopes pulſus.de pulſ.ad tiro. 4ª.44.H
Cardiacorum pulſus.de dynamidijs.34.G/comp.pulſ. Sp.65.G
Cardiacā phrenitim,paracopē,đmētiā ſignificat ī ſynocha vrina tenuis ſi dolor capitis,& ſcapularū,& inſomnia fuerint.de dyna. Sp.34.E
Cardiacorum vrina alba,& aquoſa cum nebulis albis eorum ægritudinis ſolutionem oſtendit:ſpiſſa vero,ſi ſpiſſitudo velut ſciſſa apparet, paralyſim ſignificat.de dyna. Sp.34.H
Cardiaci,& ſtomachici frigefacti non admodum rigent. de palp.tremo. conuulſ.& rig. 3ª.53.D
Cardiaci & ſtomachici defectus cauſa eſt inopia alimenti.de palp.tremore.conuul.& rig. 3ª.52.H
Cardiacę paſſionis curatio.introd. Iſa.55.H
ad Cardiacos facit electuarium dianthu.de dyna. Sp.26.D
Cardiacis prodeſt theriaca.de theria.ad Piſo. 5ª.96.B
Cardiacis præ doloribus ventriculi deficientibus optime confert theriaca.de vſu ther.ad Pamph. 5ª.99.A
Cardiaca ſyncope quo modo homo moriatur.5°.de loc.affect. 4ª.29.D
CARDINAMENTVM quid vocet Hip.de fract.com.1°. 7ª.225.H
per CARDIOGMON, id eſt cordis morſum, intelligunt aliqui quendam motum ſimilem palpitationi.com.4°.aph.65°. Ex.34.E
Cardiogmi quibus fiunt.3°.de nat.fac. 1ª.305.H
Cardiogmos,id eſt morſus ventriculi,ſignū futuri vomitus. in 1m.pror. commen.1°. 4ª.167.E
CARDIALGIA quid ſignificet.2°.de decr.Hip. 1ª.240.B
Caddialgia,i.cordis dolor.de ſymp.diff.3ª.11.F/8°.de compo. med.ſecū. loc.5ª.187.F/com.4°.aph.65°. Ex.34.D
Cardialgia quid proprie ſit.2°.de decre.Hipp. 1ª.240.C
Cardialgiæ,quæ.1°.de ſymp.cau. 3ª.17.G
Cardialgia oris ventris infeſtum eſt ſymptoma.1°.de ſymp.cau. 3ª.18.E
Cardialgia vnde proueniat.3°.de ſymp.cau. 3ª.18.E
Cardialgia.i.ventris dolor,non neceſſario ſequitur ad malam concoctionem.3°.de ſymp.cau. 3ª.30.B
Cardialgia ex copia humorum.in 1m.prorrh.com.3°. 4ª.185.C
Cardialgia ſanata polēta punici mali ſucco aſpſa.2°.de alim.fac.2ª.20.E
Cardialgiæ meminit.2°.meth.med. 7ª.9.E
Cardialgici fiunt qui prandio præter ſolitum priuantur. de vict.ratio.in morb.acu.com.2°. 7ª.119.H
Cardioſſin.i.corde morderi ab aliquibus pro cardialgin.i.cor dolere, accipitur.com.4°.aph.65°. Ex.34.E
Καρδιώσσειν quid ſignificat.2°.de alimen.facul.2ª.20.E/8°.de compo. med.ſec.loc. 5ª.187.F
peri CARDION membrana,quæ.7°.de anat.adm. 1ª.94.D
periCardij membranæ ſectio.7°.de anat.adm. 1ª.94.D
periCardion.i.cordis inuolucrum,vt in anatome inſpici poſſit,quid agendum.7°.de anat.adm. 1ª.95.C
periCardiō nō ē tunica,ſed ē domiciliū vel vallū.6°.de vſu par. 1ª.154.F
periCardion eſt admirabile.6°.de vſu par. 1ª.154.G
periCardij forma & vſus.6°.de vſu par. 1ª.154.E
periCardij diſtantia à corde.6°.de vſu par. 1ª.154.F
periCardio putrefacto,ſanatus eſt puer.7°.de ana.adm. 1ª.97.G
CARDVNCELLI albi ſuccus quid facit.de dynami. Sp.25.E

ad CARDVVM *colligendum vtitur oratione Dominica,hinc collige an liber de dynamidijs ſit Galeni.de dyna.* Sp.28.B

Cardui decoctum obſtructiones vię vrinę aperit, purgat renes & meatus.de ren.affect.digno.& medela. 7ª.194.F

Cardui radix vrinam craſſam ducit.de ren.affec.dig.& med. 7ª.196.D

Cardui molles vrinam mouent.de cura icteri. Sp.111.D

CAREAE *halitus inficiunt vicinum aerem. in* 3^{m}*.de morbis vulgarib. commentario.1°.* 3ª.133.F

CARENVM *quo modo fiat.de dyna.* Sp.22.G

CAREVM *quid.de ſimp.medic.* Sp.82.C

Careum in antidotis,& in purgatorijs mittitur.de ſimp.med. Sp.82.C

in CARIA *dolichorum figura,quæ.1°.de alim.fac.* 2ª.15.C

Καρηβαρία,id eſt capitis grauitas.com.5°.aph.22°. Ex.39.E

CARICA *lingua eſt varia.2°.de diff.pul.* 4ª.53.D

CARYCAE *proportionantur ficubus.de alim.fac.18.D|* 2ª.20.H

Carycæ poſſunt conſeruari.de puero epil. 7ª.180.D

ex Carycarum vſu ficata ſunt ſuauiſſima propter quid.de vict.ratio.in mor.acu.com.3°. 7ª.127.H

Carycæ,nux,& ruta,ante cibum valent contra medicamēta letalia.2°.de alim.fac.21.B|de bo.& uitio ſuc. 2ª.37.F

Carycæ habent facultatē tenuandi & incidendi.2°.de alim.fac. 2ª.17.F

Carycę accommodatæ ſunt ad victum attenuantē.2°.de atte. 2ª.45.H

Carycæ gignunt ſanguinem non admodum probum.2°.de ali.fa. 2ª.17.F

Carycę cum amygdalis vel cum nucibus comeſtę optimum ſuccum prębent.de bo.& vitio ſuc. 2ª.37.F

Carycas eſſe boni ſucci,& mali ſucci,quo modo verificetur.de boni.& vitio ſuc. 2ª.37.E

Carycæ ſtomacho vtiles ſunt,ſitim operantur,ventrem ſtringunt,faucibus,arterijs,renibus,& veſicæ vtiliter proſunt, ſpiritum tarde recipientes iuuant,longa ægritudine pallidis hydropicis proſunt, thoracis ſorditiem purgant.de ſimp.med. Sp.84.C

Carycis quando iuuantur ſani.2°.de alim.fac. 2ª.17.F

Carycæ in copia ſumptæ obſunt.2°.de alim.fac. 2ª.17.F

Carycæ cum aliquo craſſi ſucci ſumptæ obſunt.2°.de alim.fac. 2ª.17.G

Carycarum vſus pediculos gignit.2°.de alimen.fac.17.F|de bon.& vitio ſuccorum. 2ª.37.E

cum Carycis,aut cum dactylis comeſtus ſuccus tithymalli purgat ſuccos indigeſtibiles in inteſtinis,& lumbricos rotundos.de cat. Sp.95.C

in Carycas ſingulas tithymalli ſeptem guttę pro hydrope.de vict.rat.in morb.acu.com.4°. 7ª.152.G

Carycę irritant ventrem ad excretionem.2°.de alim.fac. 2ª.17.F

Carycæ ſenibus hyeme ſunt præ cæteris fructibus eligendæ. 5°.de ſanitate tuenda. 2ª.92.D

Carycas hyeme ſoluere ſenum aluum,collige.5°.de ſan.tuen. 2ª.92.F

Carycæ cum acribus vtiliter ingeruntur in iecoris aut lienis obſtructionibus.2°.de alim.fac. 2ª.17.F

Carycę obſtructionibus iecoris,lienis,& ſcirrho obſeſſis proſunt. 2°.de alimen.facul. 2ª.17.F

Carycæ obſunt inflammationi iecoris,& lienis.2°.de alim.fac. 2ª.17.F

Carycæ renes purgant.2°.de alim.fac. 2ª.17.F

Carycarum decoctum,quale.7°.de comp.me.ſec.lo. 5ª.177.F

Carycarum decoctum melli ſimile eſt cōſiſtentia,& facultate. 8°.de ſimplic.med.fac. 5ª.61.E

Carycarū decoctū diſcuſſoriū parabile.6°.de comp.me.ſec.loc. 5ª.169.G

Carycę decoctæ cum hyſſopo & careno tuſſibus antiquis proſunt,et pulmonum vitia mundant,arterijs & tonſillis tumētibus optimum gargariſmum eſt,durities,& parotidas,& feruores ſoluūt ſicut iris,duritics,& vulnerum rheumatiſmum emendant, impetigini & maculis vtiles ſunt.de ſimp.med. Sp.84.C

Carycæ quales eſſe debent pro cataplaſmate ex caricis conficiendo.2°.de arte cur.ad Glauc. 7ª.105.D

ex Carycis medicamentum quo modo conficitur.5°.de ſan.tu. 2ª.92.F

cū Carycis radix tithymalli ſiccata ī vmbra reponitur.de dy. Sp.21.E

Carycę combuſtę.5°.de comp.med.per gen. 5ª.252.G

CARIDES *habent tenuem teſtam.3°.de alim.fac.* 2ª.32.D

CARIES *lignorum vt vlmi adſtringit, & abſtergit.8°.de ſimplicium.medic.facul.* 5ª.60.A

Caries lignorum implet vlcera humida.8°.de ſimp.med.fac. 5ª.60.A

Caries querna ad ficos in ſede.de med.fac.parab. 7ª.170.B

CARIES *oſſium affectus.intr.* Iſ.59.D

Caries quid ſit in oſſe.de cau.morb.9°.G|6°.meth.med. 7ª.41.A

Caries & fractio dr̄ cum ſoluitur continuitas in oſſe.de cau.mor. 3ª.9.F

Cariem in oſſibus inducunt exaſperantes cauſæ.de cauſ.mor. 3ª.9.C

Caries in oſſe quæ τερηδὼν græce dicitur,an ſanari queat,ſicut in carne eroſio,non eſt compertum vulgo.3°.meth.med. 7ª.16.E

CARMINE *conſcripta medicamenta cur alijs præſtent.7°.de compoſi.med.per gen.267.C|* 5ª.268.B

*Carmine conſcripta antidota habent & vera pondera, & facile memorię mandantur.2°.de antid.*111.*A|* 5ª.118.G

Carminibus qui res illuſtrant commendandi ſunt.2°.de antid. 5ª.114.E

CARNEADES *non vult euidentiſſimum eſſe credendum, quod magnitudines vni cuipiam æquales ſint etiam inter ſe ſe ęquales. de optimo docendi genere.* Iſa.30.E

CARO *quæ vocetur.2°.de loc.aff.* 4ª.8.G

Caro quid.fin.med.Iſa.44.D|12°.de vſu par. 1ª.193.C

Caro eſt caro ob certam quādam temperaturam caliditatis,frigiditatis,humiditatis,& ſiccitatis.1°.de vſu par. 1ª.115.D

Caro quæ proprie ſit.10°.meth.med. 7ª.67.D

Carnis vtilitas.12°.de vſu par.1ª.193.D|de anat.viu.44.C| Sp.55.G

Caro eſt tegmen contra æſtum & frigus.1°.de vſu par. 1ª.116.D

Caro eſt magis communis animalibus,quàm cæteræ partes.11°.de ſimp.medicamen.facul. 5ª.77.F

Carnes quando oſſibus circumponantur.1°.de ſemine. 1ª.332.B

Caro,glandula,chartilago,& os non poſſunt eſſe vtiles ad pudendi confectionem.15°.de vſu par. 1ª.210.D

Caro quo ad ſenſum eſt primum elementum.1°.de elem. 1ª.7.F

Caro an ex vnico elemento conſtet.de con.art. Iſa.38.A

Caro quibus elementis conſtet.de hiſt.philoſo. Sp.11.F

Carnis conſideratio pro diſcuſſione an plura vno ſint elementa.de conſtitutione artis med. Iſa.38.A

Caro & ſi ex multis elementis conſtaret,ſi ea eſſent impatibilia, non doleret.de conſt.art. Iſa.38.B

Carnis cauſa materialis & efficiens,quæ ſit.de ana.viuo. Sp.55.D

Carnis materialis cauſa non eſt ſperma.de anat.viuo. Sp.55.G

Caro recens,non ſecus eſt,ac recēter coagulatus caſeus.de ijs quæ in medicat.fi.com.3°. 7ª.215.H

Caro ad replenda loca vacua generatur ex ſolo ſanguine ſpiſſo, quē caliditas,& ſiccitas coagulauerat.de anat.viuo. Sp.44.G

Caro ſola inter alias partes ſanguinea eſt.aduerſus Lycum. Ex.65.C

Caro ex humoribus,humores ex cibis gignuntur.3°.de ſimp.medicamētorum facul. 5ª.17.D

Caro eſt calida,& multi ſanguinis,neruus exanguis & frigidus, cutis media eſt inter vtrunq;.1°.de temp. 1ª.15.B

in Carne eſt vis attractrix propriorum,et expultrix alienorum.in 6^{m}*.de mor.vulg.com.6°.* 3ª.195.F

Caro trahit ſanguinem,vt magnes ferrum.3°.de ſimp.med.fac. 5ª.23.E

qūo Carnes trahant ex ventre ciborum & potionū ſuccū, & quid extrinſecus trahant.in 6^{m}*.de mor.vulg.com.6°.* 3ª.194.H

per Carnis poros inſpirationem ēt fieri probatur.de vtil.reſp. Sp.63.B

a Carne ſeparata eſt foraminum diuerſitas.de anat.viu. Sp.44.G

ad Carnes ex venis alimentum digeritur.3°.de ſymp.cau. 3ª.25.A

Carnem fieri ſanguinem facillimum eſt.1°.de ſem. 1ª.332.E

Caro debet nutriri ex ſanguine.de ana.viu. Sp.49.H

Carnca membra ſanguine generantur & nutriuntur.1°.de ſem. 1ª.335.E

Carneam ſpeciem habentia ſunt è ſanguine facta.1°.de ſem. 1ª.332.C

Carnoſæ partes ac ſanguineæ,longius tempus requirunt ad generationē.de fœt.form. 1ª.322.G

in Carnem qui ſpiritus ſemen conuertat.de ſper. Sp.36.B

Carnis gracilitas facit continere ſemen.de aere,aquis,& lo. 2ª.5.G

Caro denſa quibus nutriatur.4°.de vſu par. 1ª.140.C

Caro fungoſa,& laxa quibus nutriatur.4°.de vſu par. 1ª.140.C

Caro calida eſt.de inæq.intemp. 3ª.44.B

Caro poteſtate calida.3°.de temp. 1ª.23.D|E

Caro eſt calida & humida moderate,& cur.1°.de vſu par. 1ª.116.D

Caro ſecundo loco humida poſt adipem.2°.de temp. 1ª.17.G

Carnis varietas ſecundum humiditatem.1°.de tempera. 1ª.15.E

Caro humidior cute & calidior.1°.de temp. 1ª.15.C

Caro eſt humidior cute & oſſe.2°.de temp. 1ª.19.E

Carne eſt ſiccior,& denſior cutis.3°.meth.med. 7ª.19.H

Carne frigidior eſt cutis.de vict.rat.in morb.acu. 7ª.147.C

Carnis ſubſtātia mollior eſt,et rarior ligamētis.c.6°.aph.49°. Ex.52.E

Caro humida ſecundum cxupcrantiam.1°.de elemen. 1ª.6.E

Caro humidiſſima ē à p^{a} *genitura ad adoleſcētiā vſq;.6°.đ ſa.t.* 2ª.96.D

Caro eſt impenſe ſicca in ſenio.6°.de ſan.tuen. 2ª.96.D

Caro eſt

Caro eſt pars ſimilaris.de nat.hu.cõ.1°.1ª.26.C/de diff.morb. 3ª.2.F
Carnis,vt caro eſt,in compoſitione quatuor elementorum differentia cõ ſiſtit.de differen.morb. 3ª.2.F
Carnis,vt pars eſt inſtrumenti,in formatione & magnitudine diſcrimina ſunt.de diff.morb. 3ª.2.F
vt Caro partim iuſta eſt,partim excedẽs,ita et ſanguis.de mul.3ª.80.F
Caro ſimplex à ſeipſa gubernatur.ars med. Iſ.63.B
Caro nulla ex ſeipſa ſenſum habet.1°.de vſu par. 1ª.118.D
in Carne totius corporis fit tactus ſm Ariſtotelẽ.de vtil.reſp.Sp.63.D
in Carne cõmiſtis pelliculis,non in carne fit tactus.de vti.reſp.Sp.63.d
Caro nuſquam ſola in corpore inuenitur.2°.de loc.affec. 4ª.8.G
Carnium ligamenta ſunt venæ.de ana.viu. Sp.44.B
à Carne potius q̃ à neruo naſcuntur venæ:neruo enim magis aſſimilantur.de anat.viuo. Sp.50.F
Carnem reticulatam eſſe pelliculis valde ſubtilibus, quæ à craſſis venis procedunt,& ab eis deportant ſubtilem ſanguinem ad nutrimentum carnis,manifeſtum eſt.de vtil.reſp. Sp.63.D
Carnoſas,membranoſas,& fibroſas particulas habent partes ſimplices.10°.meth.med. 7ª.67.D
ex Carne,uenis,neruis,oſſibus & arterijs compoſitum, incorruptibile eſſe non poteſt.14°.de vſu par. 1ª.204.D
Carnem fieri,terram impoſſibile eſt.4°.de ſimp.med.fac. 5ª.28.D
in Carnium & humorum tanta colluuie tantam mẽtem admiratur.17°. de vſu partium. 1ª.222.D
bene Carnoſum eſſe natum eſt optimum,& quid ſit eſſe carnoſum.commenta.2°.aph.44°. Ex.18.F
bene Carnoſi.i.ἐυκρατοι,qui.1°.de ſan.tuen. 2ª.64.E
Carnoſos eſſe calidos natura,poteſt colligi.com.5°.aph.21°. Ex.39.C
Carnoſi homines vbi naſcantur.de aere,aq.& loc. 2ª.6.E
Carnoſi ſiue corpulẽti qui ſint,& à quibus cauſis fiãt.2°.de tẽp. 1ª.18.D
Carnoſæ,& candidæ mulieres paruas habent venas. de cura.ratio.per ſang.miſſionem. 6ª.18.G
Carnis mediocritas ex mediocritate tẽperamẽti ꝓuenit.1°.de tẽ.1ª.15.A
Carnoſæ ſubſtantiæ magnitudo variatur.11°.meth.me. 7ª.68.B
Carnoſi generis plures ſunt ſpecies.2°.de temp. 1ª.17.G
Carniũ quædã dura,quædã mollis,quædã mediocris.de ana.vi. Sp.55.G
Carnis diuerſitas ſecundum colores.de ana.viu. Sp.55.G
Caro,et sãguis rubra sũt in corpe ꝑterea nihil.de tum.ꝑter nat. 3ª.82.H
Caro eſt rubra.3°.de ſymp.cau. 3ª.26.D
Caro,rubra eſt,vt in pluribus.de anat.viu. Sp.55.H
Caro rufa ſeu roſea in quibus ſit membris.de anat.viu. Sp.44.D
Caro alba in quibus ſit membris.de anat.viu. Sp.44.D
Caro dura adijcit̃ frictiõe dura vnà cũ mediocri mõ.2°.de ſa.tu. 2ª.71.H
Caro mollis adijcitur frictione molli, & quantitate mediocri. 2°.de ſanitate tuenda. 2ª.71.H
Caro mollis in quibus ſit membris.de anat.viu. Sp.44.D
Carnes molles cum habeant homines liquidioris ſanguinis, ſunt timidi, ſed boni ſenſus,ſecundum Ariſtotelem.de vtil.reſp. Sp.64.F
Carnium alia villoſa eſt,alia caret villis.de anat.viuo. Sp.55.H
Carnium abundantiam minuit exercitatio. in 6m.de morb.vulgaribus, commentario.3°. 3ª.170.C
Carnes,& ſuccos detrahit curſus,& exercitatio velox.in 6m.de morb. vulga.com.3°. 3ª.170.E
Carnis exercitatio fit per accidens à motibus voluntarijs.2°.de ſanitate tuenda. 2ª.75.A
Carnibus & articulis exercitatio vtilitatem præbet,cibus vero, et ſomnus viſceribus.in 6m.de mor.vul.com.6°. 3ª.190.H
CARNIS tenuiſſimæ modicũ in ſe habet pãnus,qui diuidit ĩter memorialẽ,& rõnalem.de cõpag.mẽbrorũ ſiue de natura huma. Sp.58.B
cur Caro pauca ſit in articulis.1°.de vſu par. 1ª.116.C
cur Caro multa eſt in partibus ĩter articulos medijs.1°.đ vſu p.1ª.116.C
Carnoſa ſubſtantia in aure enata meatũ obſtruit.1°.de ſymp.cau.3ª.15.F
Carnoſam Axillæ partem qui muſculus faciat.de muſc.diſſ. 1ª.47.C
Caro Cordis eſt rubicunda.de ana.viu.44.D/ Sp.55.H
Caro cordis eſt fortis,et ſolida et ſicca,et dura.de an.vi.46.D/ Sp.55.G
ex Carne craſſa forti & dura cur conſtet cor.de an.viu.46.D/ Sp.52.F
Caro cordis generat melancholiam.de anat.viuo. Sp.56.B
Caro cordis diſtemperata lapidibus reſarcitur corallis,margaritis,hyacinthis.de anat.viuo. Sp.56.B
Caro eſt Digitorum pars.de inæq.intemp. 3ª.43.D
Caro in digito cur intrinſeca.1°.de vſu par. 1ª.114.C
Caro cur extra digitos nulla.1°.de vſu par. 1ª.116.C
Caro in digito cur ſupra extremas oſſium partes.1°.de vſu par. 1ª.116.C
Carnes cur in lateribus digitorum.1°.de vſu par. 1ª.118.E
Caro in lateribus digitorum cur tanta.1°.de vſu par. 1ª.116.C
Carnium ſpecies ſunt Glandulæ.de anat.viu. Sp.44.D
Caro glandis,& teſticulorum eſt alba.de anat.viu. Sp.55.H
Carnoſum eſt Hepar.de ana.viu. Sp.50.F
Caro hepatis quo modo vocetur.10°.meth.med. 7ª.67.D
Caro hepatis qualis.2°.de arte cur.ad Glau. 7ª.102.F
Caro hepatis eſt purpurea.de ana.viuo.44.D/ Sp.55.H
Caro hepatis eſt mediocris inter mollitiẽ & duritiẽ.de ana.viu.Sp.55.G
Caro in ſima hepatis parte an ſentiat,dubitatur,& cur.de mul.3ª.77.G
Caro circa gibbam hepatis partem non ſentit.de mult. 3ª.77.G
Caro Lienis quo modo vocetur.10°.meth.med. 7ª.67.D
Caro lienis qualis.2°.de arte cur.ad Glau. 7ª.102.F
Caro ſubnigra ſeu nigra eſt in liene,& in vua.de ana.vi.44.D/ Sp.55.H
Caro Maxillarum eſt crocea.de ana.viuo. Sp.55.H
Caro inter partes Muſculorum numeratur.2°.de loc.aff. 4ª.11.D
Caro eſt perpetuo muſculi pars.2°.de temp. 1ª.17.G
Carnes mediæ ſunt muſculorum partes.de bo.& vi.ſuc. 2ª.35.G
Carnoſa cutis vel cuticuloſus muſculus dici poteſt muſculus ſedis.de muſculorum diſſect. 1ª.50.E
Carnes pro muſculis accipit Hippocrates.de fract.com.2°. 7ª.240.F
Carnes quo modo fiant muſculi.1°.de vſu par. 1ª.118.E
Carnoſa pars muſculorũ vulnerata ꝑiculo vacat.3°.de cõp.me. 5ª.231.D
Carunculæ duæ ſpongioſę inſtar duarum paruarum mamillarum iacent in oſſis Naſi concauitate.de ana.viuo. Sp.49.A
Carne ſpongioſa plenæ pelliculæ ſunt intra nares, in quibus fit olfactus. de vtilita.reſp. Sp.63.D
Caro pulmonis quo modo vocetur.10°.meth.med. 7ª.67.D
Caro pulmonis,qualis.2°.de arte cur.ad Glau. 7ª.102.F
Caro pulmonis inſenſibilis eſt.de vtil.reſp. Sp.62.H
Caro pulmonis eſt mollis.de ana.viuo. Sp.55.G
Caro pulmonis eſt flameola.de anat.viuo. Sp.55.H
Carnoſa,& humida eſt pulmonis canna in radice,propterea non ſonora. de voce.& anhel. Sp.61.F
Carnis pulmonis quæ ſit vtilitas.de anat.viu. Sp.47.H
Caro Renum qualis.2°.de arte cur.ad Glau. 7ª.102.F
Carnoſæ partes renum,& hepatis quo modo cognoſcantur pati.commẽ. 6°.aphoriſ.5°. Ex.46.H
Caro renum quo modo vocetur.10°.meth.med. 7ª.67.D
Carnoſa aliquando naſcuntur in ſtomacho,quæ vel omnino ciborum viã obſtruunt,vel aliquatenus impediunt.3°.de ſymp.cau. 3ª.25.G
Carne vacat reliquũ caput præter tp̃a in acutis.in progn.cõ.1°. 4ª.191.C
Caro Vberũ eſt albior carne glandiũ & teſticulorũ.de ana.viu.Sp.55.H
ex Carne plurima conſtant Viſcera.11°.de ſimp.med.fac. 5ª.77.F
Caro viſcerum parenchyma dicitur.11°.de ſimp.me.fa. 5ª.77.F/13°.metho.med.7ª.87.B/de part.art.med. Sp.17.A
Carnoſę partes quo modo cuſtodiantur.11°.meth.med. 7ª.68.E
Carniuora animalia toto habitu ſunt feroci.3°.de vſu par. 1ª.128.B
Carniuora ſunt animoſiora herbiuoris.3°.de vſu par. 1ª.128.B
Carniuora animalia propter quid habent pedes multifidos, aut vngues curuos.3°.de vſu par. 1ª.128.B
Carniuora animalia habẽt dẽtes ſupra,& infra.de art.cõ.1°. 7ª.256.G
CARO ex Animalibus maxime editur.11°.de ſimp.me.fa. 5ª.77.F
Caro animalium maxima ex parte ex muſculorum ſubſtantia.4°.de anatom.adminiſt. 1ª.84.E
Caro proprie quæ eſtur,eſt muſculus.de bon.& vitio ſuc. 2ª.35.G
Carnes omnes animaliũ hominẽ non nutriũt.11°.de ſim.me.fa. 5ª.77.G
quæ Carnes ſunt in magno vſu.2°.de alim.fac. 2ª.16.B
Carnium malarum & bonarum diuerſitates.de diſſol.cont. Sp.74.B
Carnes ſunt diuerſæ ex loci differentijs.3°.de alim.fac. 2ª.29.D
cur Caro cuius paſcua ſunt in locis ſiccis,velocius digeratur,q̃ cuius paſcua ſunt in locis humidis.de bon.aquæ. Sp.73.C
Carnem mutat nutrimentum.3°.de ſymp.cauſ. 3ª.26.D
Carnes animalium viridem herbam non habentium ſunt malæ.de victus ra.in morb.acu.com.4°. 7ª.147.B
Caro omnis animalis quod eſt in augmento,velocius digeritur quã eius quod antiquum eſt.de bon.aquæ. Sp.73.C
Caro facilius coquitur quæ prius ſit occiſa [nos frollam vocamus].7°. meth.med. 7ª.46.A
Carnes nutriunt multum.de venæ ſect.aduerſus Eraſiſtra. 6ª.14.C/8°. meth.meden. 7ª.50.H

Carnes dulcedine participant.4°.de ſimplic.med.fac. 5ª.26.H
ex Carne facile fit ſanguis.1°.de nat.fac. 1ª.292.D
Caro quelibet dura,tarde nutrit,& eſt difficilioris digeſtionis.commentario.2°.aph.18°. Ex.13.G
Carnes ex terreſtribus aĩalibus quæ laudãtur.de ren.affe.dig. 7ª.195.F
Caro bona,mollitie,& friabilitate cognoſcit.2°.de atten.vic. 2ª.45.D
quæ Caro preſtantiſſima ſit.3°.de alim.fac. 2ª.29.F
Carnes quæ faciunt bonum ſanguinem cum bono ſucco. in 6^{m}.de morbis vulg.commentario.3°. 3ª.175.C
Carnes facientes humorem melancholicum.3°.de loc.affec. 4ª.18.F
Caro aĩalis lactantis eſt multarum ſuperfluitatem.de diſſol.cõ. Sp.73.E
Caro omnis quieſcens,non velocis exercitij eſt multarum ſuperfluitatũ.de diſſol.cont. Sp.73.E
Carne qualibet ſui generis pinguedo eſt deterior ad concoctionem et nutritionem.de vict.ra.in morb.acu.com.4°. 7ª.147.C
quæ Caro peſſima ſit.3°.de alim.fac. 2ª.29.F
Carnes aliquæ lætales ſunt.10°.de ſimpli.medicamen.facul. 5ª.77.G
quę Carnes ſint validæ,& ęgre coctiles. in 6^{m}.de morbis vulgaribus, commentario.4°. 3ª.180.C
Carnes difficulter coctiles homines inaniti comedentes, incidunt in morbos grauiſſimos.1°.de alim.fac. 2ª.10.A
ex Carnibus,eæ quæ ſunt ferarum,magis ſiccant quàm cicurum. 5°.de ſanitate tuenda. 2ª.92.C
Caro animalis multorum annorum eſt ſicca.de diſſ.cont. Sp.74.D
Caro paruorum animalium lenit ventrem.de diſſ.cont. Sp.75.A
Carnes humidæ quibus poſſint ſeruari.9°.de ſim.med.fac. 5ª.71.B
Caro ſalita eſt ſiccior non ſalita.11°.de ſimp.med.fac. 5ª.78.E
Carnes ſalitæ magis ſiccant,quam recentes.5°.de ſan.tu. 2ª.92.B
Carnes ſalitæ tarde nutriunt,& ſunt difficilioris digeſtionis.commentario.2°.apho.18°. Ex.13.G
Carnes ſalſæ faciunt humorem melancholicum.3°.de loc.aff. 4ª.18.F
Caro animalium cruda eſt cibus familiaris leoni.2°.de alim.fac.2ª.17.C
Carnes differre valde ſecundum modum quo parantur, collige.commentario.2°.aphor.18°. Ex.31.H
Caro cocta eſt cibus familiaris homini.2°.de alim.fac. 2ª.17.C
Carnium coctura ſimplex,quæ ſit.de puero epilep. 7ª.180.G
Carnes aſſæ quales ſint,& quem gignant humorem.de vict.ra.in morb.acut.commen.4°. 7ª.147.C
Caro quo modo aſſetur ſine nidore.de puero epilep. 7ª.180.G
Caro toſta adſtringitur in exiguam molem.in 6^{m}.de morbis vulgaribus commentario.3°. 3ª.171.A
Caro toſta creat carnem non humidam,nec laxam. in 6^{m}.de morbis vulgarib.commentario.3°. 3ª.171.A
ad Carnes quæ in craticula torrentur colliquationis comparatio. 10°.methodi medendi. 7ª.67.E
Carnes aſſę calefaciunt ſimul & ſiccant,ſi cum maza & oleribus conferantur.de ſal.diæta. 2ª.40.A
Caro aſſa eſt ſiccior elixa.11°.de ſimp.med.fac. 5ª.78.E
Carnes bene elixæ optimum ſanguinem gignunt,ſi ſit caro animalis boni ſucci.3°.de alim.fac. 2ª.25.G
Caro elixa cibus eſt Scytharum.de aere,aq.& lo. 2ª.5.D
Caro ĩtra modũ elixa nõ põt ꝑbe cõcoqui in vẽtre.4°.de ſani.tu.2ª.88.B
Caro male cocta non coquitur probe in corpore.4°.de ſani.tuen. 2ª.88.B
Carnes quales in oleo coctæ.3°.de comp.med.per gen. 5ª.229.E
quæ Carnes calidæ,& quæ frigidæ edendæ ſint.de vict. ratio.in morbis acu.commentario.4°. 7ª.147.D
Carnes Auiũ velocius digerunt quã quadrupedũ.de diſſol.cõt. Sp.73.C
Caro auium paruarum generat calidiorem,& craſſiorem ſanguinem tẽperato.de diſſol.cont. Sp.73.A
Caro omnium auium,& animalium antiquorum cur parum nutriat. de diſſol.continua. Sp.73.F
ante Carnes auium in iure albo elixas, lactuca.12°.meth.med.7ª.78.H
CARO Aduragi eſt cibus ſubtilians primi generis.de diſſ.cõ. Sp.72.D
Caro aduragi eſt velocis digeſtionis.de bon.aquæ. Sp.73.E
Caro Agnina qualis.de ren.affec.dignot.& medela. 7ª.195.F
Caro agni & pecudum cibus humidus,& viſcoſus.de diſſ.cõ. Sp.73.A
Caro pullorum Anſerum eſt multarum ſuperfluitatum pręter axillas.de diſſol.cont. Sp.73.E
Caro pullorum anſeris eſt plurium ſuperfluitatum.de bo.aq. Sp.73.B
Carnes Aſininę ab Alexandrinis comeduntur. 2°.de arte curatiua ad Glauconem. 7ª.107.E
Caro Bouis mala eſt.de diſſol.cont. Sp.74.A|B
Carne bouis velocius digeritur caro vituli.de bon.aq. Sp.73.C
Caro bubula tardiſſime & paulatim nutrit.com.2°.aph.18°. Ex.13.F
Caro bouis cur tarde digeratur.de diſſol.cont. Sp.73.D
Carnes bubulę à quibusuis ventriculis non concoquuntur.de victus ra.in morb.acu.com.4°. 7ª.145.H
Carnes bubulę duræ quo modo fiant coctibiles & friabiles. 8°.de ſimpli.medicamen.facul. 5ª.61.F
Carnem bubulam quidam concoquunt.7°.meth.med. 7ª.46.D
Caro bouis nutrit eum qui digerit eam nutrimento multo craſſo. de diſſolu.continua. Sp.73.E
Carnes bubulæ craſſi ſunt ſucci.1°.de compoſi.med.ſec.loc. 5ª.128.D| de diſſol.continua. Sp.72.H
Caro bubula in aliquibus facilius coquitur quàm piſces ſaxatiles. 1°.de alimentorum facul. 2ª.8.G
Carnes bouinas cur aliqui digerãt,& nõ pullinas.de diſſol.cõ. Sp.72.C
Caro bubula nõ corrũpitur velociter in ſtomacho.de diſſol.cõ.Sp.75.A
Caro bubula eſt de cibarijs medijs.de diſſ.cont. Sp.74.C
Carnes bubulæ vetuſtę non bonam præſtant alimoniam. de vict.ratio.in morb.acu.com.4°. 7ª.147.A
Carnes bubulæ cum laſerpitio faciunt choleram ſiccam.de vict.ratio.in morb.acu.commen.4°. 7ª.145.H
Carnes bouinæ fugiendæ ſunt in epilepſia.de puero epilep. 7ª.180.H
Carnes bubulæ generant affectus melancholicos.de victus rat.in morb.acutis,commen.4°. 7ª.145.H
à Carnibus bubulis cruor ſeroſus deſtillans,dum torrentur,ad quid vtilis.3°.de comp.med.ſecun.loc. 5ª.143.F
ex Carnibus bubulis cum aſſantur defluens liquor ad aurium vermes.de remed.paratu facil. 7ª.155.D
Carnes caprinæ quales.de vict.rat.in mor.acu.cõ.4°. 7ª.147.A
Carnes caprinæ ęſtate optimę ſunt,autumno peſſimę.de vi.rat. in morb.acutis,commen.4°. 7ª.147.A
Carnes caprinæ cur frigidæ potius,quàm calidæ edendæ.de vict.ratio.in morb.acu.commen.4°. 7ª.147.A
Carnes caprinæ choleram gignunt ſi incoctæ maneant,& cur. de victus rat.in mor.acu.com.1°. 7ª.147.A
Caro capræ antiquæ facit atram bilem.de diſſ.cont. Sp.74.A
Caro capreoli non mala.de diſſol cont. Sp.74.B
Caro caſtrati eſt de cibarijs medijs.de diſſol.cont. Sp.74.C
Caro caſtrati eſt melior multum non caſtrato.de diſſ.cont. Sp.74.B
Caro ceruina,qualis.de ren.affec.digno.& mede. 7ª.195.F
Caro cerui non mala.de diſſol.con. Sp.74.B
Caro cerui cur tarde digeritur.de diſſol.cont. Sp.73.D
Caro cerui eſt cibus craſſus,& cur.de diſſol.cont. Sp.72.H
Caro pullorum Columbarum generat ſanguinem calidiorem, & craſſiorem temperato.de diſſ.cont. Sp.73.A
Caro Gallinæ eſt velocis digeſtionis.de bon.aquæ. Sp.73.C
Caro gallinę generat humorem bonum inter tenuem,& craſſum. de diſſol.conti. Sp.73.H
Caro Hirci maxime ſylueſtris mala eſt.de diſſ.cont. Sp.74.A
Caro hirci maxime non caſtrati mala eſt.de diſſol.cont. Sp.74.B
Caro hirci cur tarde digeratur.de diſſol.cont. Sp.73.D
Caro hirci eſt cibus craſſus,& cur.de diſſol.cont. Sp.72.H
Caro hędina,qualis.de ren.affec.digno.& medela. 7ª.195.F
Caro hædi anniculi eſt humida,& viſcoſa.de diſſ.cont. Sp.73.A
Caro Hominis media inter carnẽ leonis & pecudis.de con.ar. Iſa.38.G
Carnis humanæ ius ſuauiſſimum eſt.10°.de ſimp.med.fa. 5ª.72.F
Caro Leonis calidior eſt,& ſiccior.de conſt.ar. Iſa.38.G
Caro Leporis non mala.de diſſ.cont. Sp.74.B
Caro leporis ſtringit ventrem cum craſſitie.de diſſol.cont. Sp.75.B
Caro Locuſtarum,& polypodum qualis.de ſymp.cau. 3ª.26.D
Carnes duras habent Mulli piſces.8°.de comp.med.ſec.loc. 5ª.192.C
Carnes Murium pro remedio oculorum.de rem.par.fac. 5ª.156.D
Carnem eandem ſemper habent Oſtreæ.3°.de ſymp.cau. 3ª.26.D
Caro Ouilla,qualis.de ren affec.digno.& medela. 7ª.195.F
Caro ouilla humidior & frigidior eſt.de conſt.art. Iſ.38.G
Caro ouilla eſt de cibarijs medijs.de diſſol.cont. Sp.74.C
Caro ouilla cur tarde digeratur.de diſſol.cont. Sp.73.D
Caro ouilla multorum annorum mala eſt.de diſſol.cont. Sp.74.B
Caro ouilla parum nutrit.in 6^{m}.de morb.vulg.com.3°. 3ª.170.F
Caro ouilla facit pituitam.de diſſol.cont. Sp.74.A
Carnem ouis annualis dat pro cibo.ſecretorum. Sp.102.E
Carnem probatiſſimam in autumno habent Paſſer & ficedula.de victus

rat.in

rat.in morbis acutis,com.4°. 7ª.147.B
Caro Phaſiani eſt cibus ſubtilians primi generis.de diſſol.cont. Sp.72.D
Caro Piſcium paruorum in quibus non eſt viſcoſitas,eſt cibus ſubtiliãs primi generis.de diſſol.cont. Sp.72.D
Carnis craſſæ,& viſcoſæ piſces nutriunt eum qui digerit illos nutrimento multo craſſo.de diſſol.cont. Sp.73.E
Carnis non duræ piſces,nec multæ viſcoſitatis ſunt temperati. de bonitate aquę. Sp.73.A
Carnis leuis,& paucæ pinguedinis ſaliti piſces ſunt cibi ſalſi diſſoluentes ac attenuantes cum ſalſedine ſua.de diſſ.cont. Sp.72.F
Caro Pullorum eſt cibus ſubtilians primi generis.de diſſo.cont.Sp.72.D
Carnes Suillæ,quales.de vict.ra.in morb.acu.com.4°. 7ª.147.B/de ren. affe.digno.& medela. 7ª.195.F
Carnes ſuum carnibus humanis ſunt ſimiles.10°.de ſimp.me.fa. 5ª.72.F
pro Carnibus ſuum qui coqui venderet carnem humanam. 10°.de ſimplic.med.fac. 5ª.72.F
Caro quorum ſuum optima ſit & quorum deterrima.de vict.rat.in morbis acut.com.4°. 7ª.147.C
Carnium ſuillarum optima eſt montana.8°.meth.med. 7ª.51.B
Carnes ſuum ſylueſtrium minimum ſupra prunas colliquantur,domeſticorum vero plurimum.10°.meth.med. 7ª.67.E
Caro ſuilla laudatur.de ren.affe.dignot.& medela. 7ª.195.F
Caro ſuis debet eſſe eodem die occiſa æſtate.7°.meth.med. 7ª.46.A
Caro ſuis heſterna hyeme facilius coquitur,quam recens necata. 7°.methodi medendi. 7ª.46.A
Carnem ſuillam recentem expetit ptiſſana.1°.de alim.fac. 2ª.13.F
Carnem ſuillam ſalſam expetit lens.1°.de alim.fac. 2ª.13.F
Carnes ſalſæ cum lente generant ſanguinem craſſum melancholicum.1°. de alimen.fac. 2ª.13.F
cum Carnibus ſalſis lens comeſta quid agat.1°.de alim.fac. 2ª.13.F
Carnes ſuillæ cibus hyemis.de nat.hum.com.1°. 1ª.32.F
Caro ſuilla multum nutrit.in 6^{m}.de morb.vulg.com.3°. 3ª.170.F
Caro ſuilla multum alit.8°.de comp.med.ſec.loc. 5ª.192.E
Caro ſuilla maxime nutrit,ſed non eſt coctu facilis, generat ſuccum craſſum & glutinoſum.7°.meth.med. 7ª.45.D
Caro ſuilla quos faciat humores.com.2°.aph.18°. Ex.14.B
Carnes ſuillæ gñant ſanguinem bonum,ſed viſcoſum.de pue.ep.7ª.180.h
Caro ſuilla implet corporis habitum carne denſa & conſtricta.2°.de alimentorum facul. 2ª.13.E/G
Carne ſuilla vtuntur athletæ.3°.de ſan.tuen. 2ª.77.G
Carnes & panem edunt athletæ.de ſal.diæta. 2ª.39.H
Carnis duæ minæ ſunt parum athletis.2°.de dig.pul. 4ª.76.G
Carnem cœnant,& prandent panem luctatores & certatores. de vict. rat.in morb.acu.com.1°. 7ª.111.H
Carnes ſuillæ quando ſiccis dandæ.7°.meth.med. 7ª.45.H
Caro ſuilla toſta cur danda quando nimis detractum eſt.in 6^{m}.de morb. vulg.commen.3°. 3ª.171.A
Carnes ſuillæ an ĩ hydrope dãdæ.de vict.ra.in mor.acu.cõ.4°.7ª.149.B
Caro Starnæ eſt velocis digeſtionis.de bon.aquæ. Sp.73.C
Caro ſtarnæ eſt cibus ſubtilians primi generis.de diſſ.cont. Sp.72.D
Caro Viperæ qualis.14°.de ſimplicium med.fac. 5ª.78.D
Carnes viperarum quales in albo iure coctæ.11°.de ſimp.me.fa. 5ª.77.G
Carnes viperarum quomodo excoquendæ pro theriaca, & quomodo ad elephantiaſin.2°.de ar.cu.ad Glau. 7ª.107.F
Caro viperarum quo tempore bona.11°.de ſimplic.medic.facul. 5ª.78.D
Caro viperarum generat pediculorum numerum, quibus affatim eſt in corpore mali ſucci.11°.de ſimp.med. 5ª.78.D
Caro viperarũ quo modo humores eijciat.11°.de ſimp.me.fac. 5ª.78.D
Caro viperæ euacuat totum corpus per cutẽ.11°.de ſim.me.fa. 5ª.77.G
Caro Vituli velocius digeritur quàm caro bouis.de bon.aquæ. Sp.73.C
Caro vituli generat bonum chymum,& craſſum.de diſſ.cont. Sp.74.A
Carnem probatiſſimam habent Vulpes autumno ob vuas.de vict.rat.in morb.acut.com.4°. 7ª.147.B
Carnibus contuſis,& ſimilagine olim implebant inteſtina pro lucanicis. de fracturis. 7ª.245.H
Carnes quæ non conueniunt ſenibus.5°.de ſan.tuen. 2ª.91.D
CARNEM & vinum febrientibus dabat Petronas. de vict. ratione in morb.acu.com.1°. 7ª.109.F
Carnes ſuillas aſſatas in febre dabat Petronas.de opt.ſecta. Iſa.3.A
Carnem ſi petant febrientes dat piſces ſaxatiles, & oniſcos in albo iure bene elixos.4°.de ſan.tuen. 2ª.87.G
Carnis multa deuoratio magnam habet facultatem.de vict. rat.in mor. acutis,commen.2°. 7ª.121.C
Carnis multa deuoratio præter ſolitum, ventriculum offendit.de victus rat.in morb.acu.com.2°. 7ª.121.B
in Carne,& toto corpore qui humores congeſſere, debent vti acopo ex abiete.4°.de ſan.tuen. 2ª.86.G
Carnis ĩcremẽtũ quo mõ accepere iuuenes emaciati.5°.de ſa.tu.2ª.89.F
Carnis incrementum ex mediocri prouenit frictione,quæ parti augendæ & ſanguinis moderatum acceſſum,& validam virtutem pręſtat.2°. de ſanitate tuen. 2ª.71.F
Carnis augendę cauſa qui fricantur,quando his frictio finienda.2°.de ſanitate tuenda. 2ª.73.C
Carnem augent,& rarefaciunt motus tardi.2°.de ſan.tuen. 2ª.75.E
Carnis abundantia,vel corpulentia ex copia boni ſanguinis fit.2°.de tẽperamentis. 1ª.18.D
ad Carne implendum qui ſanguis ſit vtilis.4°.meth.med. 7ª.23.D
Carne impleuit Galenus ἀτροφοῦντας frictione adhibita. 5°.de ſanitate tuenda. 2ª.89.F
in Carnibus quibus eſt cachexia aquea,lens vtiliter præbetur.1°.de alimentorum facultatibus. 2ª.13.E
Carnes pro epilepticorum cibo quæ ſint.de puero epilep. 7ª.180.G
Carnibus ſylueſtris ſuis epilepticus vti poteſt.de puero epil. 7ª.180.G
Carnium condimentum in epilepſia.de puero epilep. 7ª.180.G
Carnes quadrupedum vitent epileptici.de puero epil. 7ª.180.G
Carnes quæ conueniunt ſtomachicis.8°.de compo.med.ſec.loc. 5ª.192.E
Carnẽ dat poſt oua in ſyncope ex tenuibus ſuccis.12°.meth.me.7ª.78.A
Carnes habentibus humidas famem adhibere conuenit:fames.n.corpora ſiccat.com.7°.aph.59°. Ex.59.C
Carnes humidas condire,ſeruareq́; poteſt atramentum ſutorium. 9°.de ſimp.med.fac. 5ª.71.B
Carnes ſeruantur aphrolitro.11°.de ſimp.med.fac. 5ª.83.D
Carnes ſylueſtres domeſticis meliores in ictero.de cura icter. Sp.111.D
Carnes domeſticorum animalium edendæ ſunt potius aſſæ icterico. de cura icteri. Sp.111.D
Carnes auium montanarum exhibentur contra nimiam humiditatem.de præcog.ad Poſth. 4ª.217.H
quæ Carnes dandę habentibus lapidem.de cura lapidis. Sp.112.A
Carne carens plenum corpus quomodo ab aqua afficiatur.de iis, quæ in medicatrina fiunt.com.3°. 7 .115.H
Carne carens non plenum corpus quomodo ab aqua tractabitur. de iis quæ in medicat.fiunt.com.3°. 7ª.215.H
Carne qui ſunt compacta cur citiſſime plenitudinem aceruent.de ſalubri diæta. 2ª.42.G
in Carne et cute humores lentos ac craſſos euaporare facit oleũ ex chamæmelo.4°.de ſan.tuen. 2ª.87.B
CARNES ſanas habentibus elleborus eſt periculoſus.facit enim conuulſionem.com.4°.aph.16°. Ex.28.H
cum Carnibus,& pane veratri comparatio ad ſecũdum librum de pulſibus.2°.de diff.pulſ. 4ª.53.C
Carnem dilabilem habentibus parcendum eſt in euacuatione. pręſag.ex per.confir. Sp.77.H
bñ Carnoſus mediocriter ſi difficulter euomat,debet per inferiora purgari,æſtatem cauendo.comm.4°.aph.7°. Ex.28.A
Carne non mollibus neque albis in euacuando minus parcẽdum.præſag. exper.confir. Sp.77.H
Carnium loturæ ſimilis excretio.3°.de ſymp.cau. 3ª.28.A
Carnium ablutioni ſimilis cruoris tenuis ſanies in iecoris inflammatione.5°.de loc.affec. 4ª.34.G
Carunculæ paruæ in vrina ſignificant à renibus proficiſci, commentario 4°.aphor.76°. Ex.36.B
Carunculæ ſunt ſubſtantiæ partium renum exulceratorum. commentario.4°.aphor.76°. Ex.36.D
Carunculæ in mictu craſſo prodeuntes ſimul capillorum ſpeciem referentes,has ſcire oportet à renibꝰ prodire atq; ab articuloſis, Aphoriſmꝰ eſt Hippocratis.de na.hu.com.2°.7ª.180.H/de vri.ſign. Sp.78.H
in Carunculis non eſt neceſſarium ſemper vrinam craſſam. commentario.4°.apho.76°. Ex.36.D
Carunculæ ſi appareant in inteſtinorum difficultate,letale eſt. commentario.4°.aph.26°. Ex.30.C
Carunculas vidit ſæpe Galenus,& in quibus febribus.commentar.4°. aphoriſmo.76°. Ex.36.E
Carunculas veras nunquam cum vrina exeuntes vidit Galenus. commentario.4°.apho.76°. Ex.36.E

ex Carnibus ſi parum exierit, paucus eſt morbus: ſi multum, multus: ſi valde multum, letale.com.7°.aph.75°. Ex.60.H
Carunculę quando appareant in abortu, & cur.de anat.viu. Sp.52.B
Caro alutæ quorſum aduertenda.de artic.com.2°. 7ª.265.E
ex CARNE Cidoniorum læuigata cum melle edulium.2°.de alimentorum facultatibus. 2ª.20.D
Caro Citri cur tarde digeratur.de diſſol.cont. Sp.73.E
Caro Citri eſt cibus craſſus, & cur.de diſſol.cont. Sp.73.A
quæ Caro generetur ex Faba, & ptiſſana.1°.de alim.fac. 2ª.13.G
Carnem ſublaxam & ſubinanem generant ficus & fabæ. 2°.de alimentorum facultatibus. 2ª.17.E
Caro Mali medici pituitoſa eſt ac craſſi ſucci.de att.vict.rat. 2ª.46.A
Caro non continetur in Pane.1°.de nat.fac. 1ª.291.B
ex Carnis eſu eſt caro denſa & firma.2°.de alim.fac. 2ª.17.G
Carnis & radiculæ differentia in nutriendo.1°.de nat.fac. 1ª.292.E
Carnem exercitatorum, & non exercitatorum comparat caſeo coagulato, & non coagulato.de artic.com.3°. 7ª.277.E
Caro Peponis ad oculorum dolores, quomodo.de rem.par.fa. 7ª.156.E
Carnis multum facit Rapa.de ſimp.med. Sp.89.F
in Carnem facile tranſeunt Triticum, & hordeum.4°.de ſimplic.medicamen.facul. 5ª.28.D
CARO bilioſa non eſt idem, quod caro.3°.de ſymp.cau. 3ª.26.C
Caro melancholica non eſt idem quod caro.3°.de ſymp.can. 3ª.26.C
Carnem pituitoſam facit ſanguis pituitoſus.3°.de ſymp.cau. 3ª.26.D
Caro pituitoſa, non eſt idem quod caro.3°.de ſymp.cau. 3ª.26.C
Caro pituitoſa, qualis eſt.3°.de ſymp.cau. 3ª.26.D
Carnium laxarum, & pituitoſarum mulieres per vterum purgantur.6° de loc.affect. 4ª.41.D
Caro hydropum flatuoſa eſt.3°.de ſymp.cau. 3ª.26.G
Carnium effœminatio fit ex calido, quæ nihil aliud eſt quam debilitas. commentario.5°.aph.16°. Ex.38.G
Carnem facit humidiorem, & excrementoſam expultrix imbecilla.3°. de ſymp.cauſ. 3ª.26.G
Caro leucis defœdati, qualis, & vnde dicatur.3°.de ſymp.cau. 3ª.26.D
Carnes ἕωλαι quæ.in 1m.prorrh.com.3°. 4ª.182.F
Carnes quę ψαθυραὶ.in 1m.prorrh.com.3°. 4ª.182.F
Carnes quæ σαχναὶ.in 1m.com.3°. 4ª.182.F
Carncs animalium ab alimentis alterari.3°.de ſymp.cau. 3ª.26.D
Caro ex multa aduſtione nigreſcit.8°.de dccr.Hipp. 1ª.276.A
Caro calloſa gignitur loco oſſis.ars medic. Iſa.71.C
Caro nigra & calloſa ab elephante nomẽ habet.3°.de ſym.cau. 3ª.26.D
Caro nigrefacta non eſt acribus curanda.de fract.com.3°. 7ª.244.A
Carnem etiam cuti ſubiectam dolere fatentur quidam laſſitudine vlceris affecti inter mouendum.3°.de ſani.tuen. 2ª.79.A
Caro dolet.de conſt.ar. Iſ.38.A
in Carne media membranæ, quos dolores faciant.2°.de loc.aff. 4ª.11.D
Caro laborat ob flatus.8°.de decr.Hipp. 1ª.274.E
Carnes refrigerantur ex ſanguinis penuria. in 6m.de morb.vulgaribus, comment.4°. 3ª.186.F
Carnoſarum partium inflammationes morborum acutorum ſubijciunt termino, ſcilicet quatuordecim diebus.com.6°.aph.49°. Ex.52.E
Carne oppletis & ſiccis maior ſuperuenit inflammatio, q̃ humidis, & macilentis.de artic.com.1°. 7ª.256.G
Carnoſæ partes inflammatæ paulum exiccandę ſunt.2°.de arte curat.ad Glauconem. 7ª.102.E
Caro à fluxione incaleſcit.de inæq.intemp. 3ª.43.E
Carnes teneras vrit in viuis ob calorẽ cedrea.7°.de ſim.me.fa. 5ª.50.E
Carnes & ſanguinem colliquant medicamenta, quando non adeſt humor euacuandus.quos pur.opor.qui.med.& quo temp. 5ª.88.B
Carnes molles et fluidas eliquat aſię petræ flos.9°.de ſim.me.f. 5ª.67.H
Caro quomodo calore liquefiat.in 3m.de mor.vul.com.3°. 3ª.147.H
Caro colliquata habet colliquationem pallidæ bili colore ſimilem. 8°.de decretis Hipp. 1ª.277.D
Carnis colliquatio quid agat.3°.de ſymp.cau. 3ª.28.E
Caro colliqueſcens tranſit in prauam ſaniem. 4°.de compoſi.medicamẽ.per genera. 5ª.237.C
in Carnis colliquatione ſudores, quales.3°.de ſymp.cau. 3ª.28.F
Carnis intemperies ſicca aqua corrigitur.4°.meth.med. 7ª.23.E
Caro ſicca & ſquallens eo vſq; perfundenda ac humectanda, quouſq; rubeſcat.4°.meth.med. 7ª.23.E
ad Carnes flaccidas & humectas.5°.de comp.med.per gen. 5ª.248.E
vt Carnes non ſiccantur, nec liquantur fibræ.10°.meth.med. 7ª.67.E
Carnem mollem putrefacere citra dolorem calida in quarto, quæ ſunt tenuium partium, collige.7°.de ſimplic.med.fac. 5ª.50.D
Carnẽ mollẽ putrefacit cedrea abſq; dolore.7°.de ſimp.med.fa. 5ª.50.D
Caro contuſa alteratur.5°.de ſimp.med.fac. 5ª.33.C
in CARNE vnitatis ſolutio quid ſit.3°.meth.med. 7ª.16.D/E
in Carnoſis partibus continuitatis ſolutio dicitur ruptio.de differ.morborum.5.D/de cau.morb. 3ª.9.H
in Carnoſo genere omni continuitatis ſolutio communiter, dicitur vlcus de diff.mor.5.D/de cau.morb.3ª.9.F/4°.meth.med.23.B/de fract.cõ.2°.231.H/de artic.com.2°. 7ª.267.E
Caro exulceratur à ſanie ex oſſe corrupto manante. commentario.6°. aphoriſmo.45°. Ex.51.G
Caro quando ab extrinſeco vulneratur & quaſſatur, magis læditur ab intrinſeco oſſe propter ſui duritiem.de ana.viuo. Sp.55.D
in Carne vacuis locis vlcera ſunt doloroſa, ſpaſmoſa, & deliria facientia.4°.meth.med. 7ª.28.B
Carnem ſubiectam corrumpentia vlcera dicuntur phagedænæ. commentario.6°.apho.45°. Ex.51.F
Caro vlcerata fit mollis & fluida, ſi aqua calida perfundatur.1°.de ſimplicium medicamen.facul. 5ª.3.F
Caro vlceris quando flaccida eſt, quid agendum.2°.de compoſitio.medicamento.per gen. 5ª.220.A
Caro, chartilago, neruus, affecta diuerſo curantur modo.de vocalium inſtrumentorum diſſectione. 1ª.106.C
pro Carne ſananda.de dynami. Sp.30.H
Caro calida in vlcere quo modo curanda.4°.meth.med. 7ª.23.E
Caro frigida in vlcere quo modo curanda.4°.meth.med. 7ª.23.E
Carnoſum ſi deſit, haud difficulter reficitur.14°.meth.med. 7ª.93.B
Caro germinare in cauis vlceribus videtur.com.6°.aph.10°. Ex.48.B
Caro nunquam viſa eſt non creſcere à Galeno in exeſis vlceribus. commenta.6°.apho.19°. Ex.48.B
Caro regeneratur non cutis.3°.meth.med. 7ª.19.G
Caro non poteſt creſcere in inteſtinorum difficultate, vbi carunculæ appareant.com.4°.aph.26°. Ex.30.C
Caro eadem ſpecie gignitur.3°.meth.med. 7ª.19.G
Caro reſecta, cur poſſit refici.de conſt.ar.Iſa.37.E/1°.de ſem. 1ª.332.D
Carne ĩplenda oĩno a phlegmone tuta ſint.6°.de cõp.me.ꝑ gen. 5ª.255.E
Carne implendum corpus quomodo tractandum.7°.meth.med. 7ª.45.B
Carne implendi tempus eſt præceps.7°.meth.med. 7ª.45.C
ad Carnis generationem quid præſtent medici.6° meth.med. 7ª.42.B
Caro non fit à medicamento, ſed à natura, medicamenta remouent impedientia.2°.de comp.med.per gen. 5ª.227.A
Caro naturæ opus.1°.dc natur.facul.1ª.291.C/ 6°.methodi medendi.42.B/14°. 7ª.93.C
Carnis gñatio ex ſana quę ſubiecta eſt, ortũ habet.3°.meth.me. 7ª.21.G
Caro ex quo generatur.3°.meth.med. 7ª.19.G
Carne implenda vlcera quo mõ indigent.2°.de cõp.med.per ge.5ª.218.G
in Carne cauitas quid exigat.3°.meth.med. 7ª.19.E
Carnem generantia medicamenta, qualia eſſe debent. 2°.de compoſi.medicamen.per genera.221.E/5°.253.F/6°.5ª.255.D/3°.methodi medendi.19.C/5°. 7ª.29.G
Carnem vlceris apta ſunt inducere quæ leuiter abſtergunt.9°.de ſimpli.medic.facul. 5ª.66.A
Carnem gñantia medicamenta detergũt.1°.de cõp.med.per ge. 5ª.217.C
Carnem facientia ſunt morſus expertia.2°.de cõp.me.per ge. 5ª.227.A
Caro vbi augmentanda eſt, non debet poni emplaſtrum acre dibalon.2°.de comp.med.per gen. 5ª.222.A
Carnem progignunt acria quædam, ſi cum cerato temperentur. 6°.de cõpo.med.per gen. 5ª.255.G
Carnem quæ faciant, & cuius ordinis ſiccantium & detergentium ſint. 3°.methodi meden. 7ª.18.A
Carnem producens medicamentum modice ſiccans, & detergens eſt in primo ordine.3°.meth.med. 7ª.18.A
ad Carnem generandam adſtringentia non ſunt apta. 6°.de comp.med.per gen.5ª.261.A/3°.meth.med. 7ª.19.D
Caro dura aliud vult medicamẽtum, quàm mollis.9°.de ſimplicium medicamen.facul. 5ª.71.E
Carne tenera prædita corpora morſum facile recipiunt. 4°.de compoſi.med.per genera. 5ª.236.F
Carne mollibus quo mõ ſint applicãda remedia.de rem.par.fa.7ª.154.E
in Carnem mollem habentibus vehemens infrigidatio non eſt inducenda in capitis dolore.2°.de comp.med.ſec.loc. 5ª.132.E

Carnem

Carnem quæ generent.8°.de ſimp.med.fac.57.H/ 2°.de compo.med.per gen.220.A/5ª.221.G/3°.meth.med. 7ª.17.F
Carnis explentia cerati miſtura fiunt digerentia, & extrahentia.6°.de comp.med.per gen. 5ª.260.H
Carne implentia ſanguinem tuentur.2°.de comp.me.per gen. 5ª.227.A
Carnẽ gñantia, vt plurimũ viridia ſunt.2°.de cõp.med.per gen.5ª.225.B
Carne implet diaphanes vſtum, quod ſpeciarium nominant.11°.de ſimpl. medicamen.fac. 5ª.80.H
Carnem procreat cortex radicis panacis Heraclij.8°.de ſimplicium medicamen.facul. 5ª.57.H
ad Carne implenda vlcera valent lapides pollinis inſtar comminuti.9°. de ſimp.med.fac. 5ª.67.G
Carnem generat thus.1°.de comp.med per gen. 5ª.214.A
Carnem gignit, concoquit, & mouet pus, manna thuris.2°.de compoſi. med.per genera. 5ª.221.E
ad Carnem ſibi reſtitui ægre patientia congruit terra vſta.9°.de ſimpl. medicamen.facul. 5ª.66.F
ad Carnẽ reſtaurãdã, picari optimũ remediũ eſt.14°.meth.me. 7ª.91.F
Caro procreatur ex roſaceo cũ melino.2°.de cõp.me.per gen. 5ª.222.C
Carnem conficiens medicamentum ex oleo, cera, & ęrugine. 3°.methodi medendi. 7ª.17.B
Carnem genuinam generans.5°.de comp.med.per gen.245.G/ 5ª.253.E
Carne ſolida implens medicamentum.1°.de comp.med.per ge. 5ª.211.F
ad Carne ęgre implebiles, & diuturnas ex fluxione cauitates valet teſta oſtrearum combuſta.11°.de ſimp.med.fac. 5ª.80.H
Caro quæ producitur dẽt eſſe ſimilis priori.3°.met.me.18.B/4°. 7ª.23.D
in Carnis generatione duplex excrementum.3°.meth.med. 7ª.17.G
in Carnibus ſunt excrementa.2°.de ſymp.cau.22.D/3°. 3ª.26.G
Carnis diuerſitas ab excremẽtis diuerſis, cur.3°.de ſymp.cau. 3ª.26.G
Carnis aggeneratio quo modo fiat.de ijs quę in med.fi.com.3°. 7ª.215.H
Carne quo modo implentur ſinus.2°.de comp.med.per gen. 5ª.221.G
Caro cum creuerit, quid proportionale cuti inducẽdũ.ars med.Iſa.70.B
Carne ĩplẽtibus ſicciora ſunt glutinãtia.2°.de cõp.me.per ge. 5ª.227.A
Carnem glutinans, & producens medicamentum, primaria ratione deterſorium appellatur.2°.de comp.med.per gen. 5ª.227.A
ad Carnem glutinandam.de medic.fac.parab. 7ª.173.A
Caro eſt illa, quæ glutinat.4°.meth.med. 7ª.23.D
Caro alteratur, vt fiat ſimilis cuti.3°.meth.med. 7ª.19.H
Caro durata efficitur cutis, & cicatrix. in 6m.de morbis vulgarib.commentario.2°. 3ª.161.A
Carnem liquare neque detrahere ſunt nata cicatricem inducentia, ſed indurare & deſiccare.5°.de ſimp.med.fac. 5ª.36.D
Caro fit cutis in vlceribus per ea quę illam contrahere, conſtringere, cõſtipare, denſare, ſiccare, & calli inſtar indurare valeant.5°.de ſimplicium medicamen.facul. 5ª.36.D
Caro in caput inducenda eſt vt in alijs locis. 2°.de cõp.me.ſe.lo.5ª.138.E
Carnoſum eſt collum veſicæ, ideo quotidie ſanatur quando lapis extrahitur.com.6°.aph.18°. Ex.48.A
Carnium incrementum quid ſit.de mul. 3ª.80.F
Carnium incrementum ſignificat aliquando coitio cutis.in 6m.de morb. vulg.commen.3°. 3ª.169.G
Carne adnata quandoq; in cauitatibus fit anguſtia.de cauſ.mor.3ª.9.A
Carne ſupercreſcente, quid faciendũ.de conſt.art.39.C/intro. Iſa.58.B
Caro ſupercreſcens quo modo curetur.3°.meth.med. 5ª.20.B
Carnem ſupercreſcentem tollentia medicamenta, qualia.5°.de compoſit. med.per gen.5ª.253.E/de ocul. 7ª.188.F
Carnes vlcerum ſupercreſcentes adſtringunt & exiccant aloe, & ſquãma æris, de ther.ad Piſo. 5ª.90.H
Carnem minuit ærugo.3°.meth.med. 7ª.20.C
Carnes luxuriantes ſtringit in ceratis poſita chryſocolla. de ſimplicibus medicaminibus. Sp.82.E
Carnium excreſcentiam minore cruciatu quàm aphronitrum colliquat aſiæ petræ flos.4°.de ſimp.med.fac. 5ª.30.G
Carnem ſupercreſcentem quæ detrahant.3°.meth.med. 7ª.20.B
ad Carnis omnem excreſcentiam.4°.de compoſitione medicam.per genera.157.D/5°. 5ª.251.B/F
ad Carnium in auribus incrementum. 3°.de compoſi.medica.ſecundum loc.144.A/ 5ª.145.D
ad Carnis excreſcentiam in oculo.de oculis. 7ª.190.D
ad Carnis excreſcentiam in gengiuis.de medic.fac.parab. 7ª.164.G
ad Carnem excreſcentem iuxta naſi angulum. 4°. de compoſi.medi.ſecundum locos. 5ª.152.F/G
ad Carnem in naribus excreſcentem.3°.de comp.med.ſec.loc.5ª.148.D
ad Carnem excreſcẽtem teſticulorum.9°.de comp.me.ſec.loc.5ª.205.E
Caro, quæ ſupercreuit, excidenda eſt.14°.meth.meden. 7ª.90.G
Caro nigrefacta excidet ac etiam neruus.de fract.com.3°. 7ª.244.A
de Carne naturali tantum deperditur cruſta facta, quantum particulæ eſt aduſtum.5°.meth.med. 7ª.31.C
Caro quandoq; aufertur.de diff.morb. 3ª.5.A
ad Carnem malam.de dynamidijs. Sp.31.A
ad Carnem corruptam in vlceribus.4°.de comp.med.per ge.5ª.243.H
ad Carnem mortuam exedendam vnguentum.de dyna. Sp.30.G
ad Carnem mortuam auferendam, tractum.de dyna. Sp.31.F
Carnem mortuorum tuetur cedrea.7°.de ſimp.me.fa. 5ª.50.E
Caro liuida in oſſe ægrotante malum.com.7°.aph.2°. Ex.54.B
Caro increſcit ſuper membrum ſeminarium denudatum, non tamen aliquid fit illi membro ſimile.1°.de ſem. 1ª.332.D
Carnulentæ quæcunq; partes vel vi auulſæ, vel putrefactæ, vel ex toto reſectæ, mutilæ dicuntur.de diff.morb. 3ª.4.G
Caro quomodo oſſi inhærebit.6°.metho.med. 7ª.42.B
Carne ex ptibus cito excidit, & reponĩt articulus.de art.c.1°.7ª.256.E
à Carne mucoſa fiunt oſſis ſiderationes.de artic.com.3°. 7ª.276.A
à Carne, et à vino abſtinẽdũ ĩ cubiti fractura.de fract.cõ.1°. 7ª.230.G
Carnoſa membra non diſtenduntur, nec contrahuntur. in 6m.de morbis vulg.commen.1°. 3ª.153.B
Carnem facile apprehendunt mites hirudines.de cucur.ſcar. 6ª.4.B
à Carnoſis particulis cur mangones cutem ſurſum, trahunt. in 6m. de morb.vulg.comm.3°. 3ª.176.D
CARON, aniſum, liguſticum, petroſelinum, & cyminum ſunt in eodem vſu.7°.de ſimp.me.fa. 5ª.53.F
Caron, aromaticum quiddam oſtentat.2°.de alim.fac. 2ª.25.B
Caron calefacit.2°.de alim.fac. 2ª.25.B
Cari ſemen calidũ eſt & ſiccũ in tertio ordine.7°.de ſim.me.fa. 5ª.50.A
Caron exiccat.3°.de alim.facul. 2ª.26.D
Cari ſemen, & planta flatus extinguit.7°.de ſimp.med.fac. 5ª.50.A
Caron vrinam ciet.2°.de alim.fac.2ª.25.B/7°.de ſimp.me.fac. 5ª.50.A
Cari radix paſtinaca præſtantior eſt.2°.de alim.fac. 2ª.25.B
Cari radices minus nutriunt, q̃ rapæ, & arum.2°.de alim.fac. 2ª.25.B
Cari radix media eſt inter illa quæ ſunt boni, & praui ſucci.de bonit. & vitio ſuccorum. 2ª.37.G
Caron ſi quis eo copioſius vtatur, vitioſum ſuccum mediocriter gignit. 2°.de alimen.fac. 2ª.25.B
CAROS quid proprie ſignificet.in 1m.prorrh.com.1°. 4ª.173.D
Caros proprie nominatur totius corporis inſenſibilitas, atque immobilitas repentina.com.5°.aph.5°. Ex.37.G
Caros quid ſit.de ſymp.diff.3°.11.G/de articulis.com.2°. 7ª.264.G
Caros an poſſit appellari coma.in 1m.prorrh.com.1°. 4ª.173.F
à Caro quomodo differat apoplexia.4°.de loc.aff. 4ª.22.H
Cari, comitialis, apoplexiæ, catalepſis, catochi & ſoporis vigilantiæ differentiæ.4°.de loc.affec. 4ª.23.A
Caros & ſomnus profundus differunt.in 1m.prorrh.com.1°. 4ª.173.E
Caron & coma faciunt frigida non ſomnum.1°.de ſymp.cau. 3ª.19.B
Caros.i.ſopor, ex immodico vini potu gignitur.3°.de temp. 1ª.22.G
Caros.i.ſopor, quando fit.4°.de loc.affec. 4ª.22.H
Carus fit cum pleni ſunt ventriculi cerebri.de inſtr.odor. 1ª.112.F
Caris quidam corripiuntur ex vitio ſtomachi.10°.de ſmyp.cau. 3ª.18.F
Cari fit mentio.13°.meth.med. 7ª.85.F
Caros morbus peſſimus.de dyna. Sp.20.E
Caros q̃nq; bonus tum cauſa tum nota.in 1m.prorrhe.com.1°. 4ª.173.E
in Caro medicamenta capiti applicantur.1°.de ſymp.cau. 3ª.19.B
Caro infeſtante vtimur catharticis.de dyna. Sp.20.E
in Caro ſternutamenta prouocanda.de inſtr.odor. 1ª.112.D
Caros iuuatur ſternutamentis.de inſtr.odor. 1ª.112.D
CAROTIS arteria antiquum nomen.16°.de vſu par. 1ª.220.A
Carotides venæ vnde ſint dictæ.de vtil.reſp. Sp.63.F
Carotis arteria, à qua parte oriatur.16°.de vſu par. 1ª.216.B
Carotidum arteriarum inceſſus.16°.de vſu par.220.A/ 1ª.221.A
Carotides arteriæ q̃uo cõficiant plexũ reticularem.de vſu pul. 1ª.227.H
Carotides arteriæ iungunt cor cerebro.2°.de decr.Hipp. 1ª.239.B
CARPASI ſucci meminit.1°.de compoſitione medicamentorum ſecun. locos.127.B/5°. 5ª.164.C
CARPENTARIO lignum eſt materia.ad Thraſy. 2ª.106.A
CARPESIVM quid ſit.1°.de antido. 5ª.106.D
Carpeſium, quale.1°.de antid. 5ª.106.E

Carpeſium vbi naſcatur.1°.de anti.106.D/3°.de cōp.med.ſe.lo. 5ª.141.B
Carpeſii duo genera.1°.de antid. 5ª.106.E
Carpeſio loco Cinnamomi vtebatur Quintus.7°.de ſimp.med.fac.50.D/ de antidotis. 5ª.106.D
Carpeſium cinnamomi viribus vicinum eſt,immo nō paruo deterius optima caſia.7°.de ſimpli.medicamen.facul. 5ª.50.D
Carpeſium duplo pondere,vel Caſia pro cinnamomo. 3°. de compoſitio. medic.ſecun.loc. 5ª.141.B
Carpeſium pro aſſaro ponendum.2°.de comp.med.ſecun.loc. 5ª.135.E
Carpeſium pro phu.1°.de antid. 5ª.106.E
Carpeſium miſcetur medicamentis auricularibus.3°.de compoſitio.medicamen.ſecun.loc. 5ª.141.B
Carpeſium viſcerum obſtructiones extergit, & vrinam mouet, renesq; calidis degrauatos expurgat.7°.de ſim.med.fac. 5ª.50.C
Κάρφολογεῖν *quid.in progno.com.1°.* 4ª.194.F
CARPOBALSAMVM *quid.de ſimp.medicamin.* Sp.88.C
Carpobalſamum ingreditur theriacam.de ther.ad Piſō. 5ª.92.F
Carpos quid de oſſibus.43.B/de ven.arte diſſect.1ª.56.F/ de fractu.com. 2°.233.A/de artic.com.4°. 7ª.286.E
Carpus manus pars.de inęq.intemp. 3ª.43.D
Carpus vbi ſitus.2°.de vſu partium. 1ª.124.B
Carpus habet figuram extra connexam, intus ſimam magis.2°.de vſu partium. 1ª.123.F
in Carpo ſunt quatuor paruæ cauitates.2°.de vſu par. 1ª.123.F
Carpos quot oſſibus ſit compoſitus.de oſſibus. 1ª.43.B
Carpus ex octo oſſibus.2°.de vſu par. 1ª.123.D
Carpi oſſa cur octo.2°.de vſu par.123.H/ 1ª.124.B
Carpi os octauum,quale.2°.de vſu par. 1ª.124.F
Carpi oſſa omnia ſe inuicem contingunt.2°.de vſu par. 1ª.124.C
in Carpis oſſa facta propter motum.11°.de vſu par. 1ª.191.C
Carpum cur in duos ordines oportuit componi.2°.de vſu par. 1ª.124.C
in Carpo radij finis cur craſſior eſt.2°.de vſu par. 1ª.125.C
Carpi proceſſus verſus magnum digitum.2°.de vſu par. 1ª.124.G
Carpi particulæ verſus magnum digitum.2°.de vſu par. 1ª.124.G
Carpi dearticulationes,quales.2°.de vſu par. 1ª.126.H
Carpi dearticulationes pluribus actionibus ſubſeruiunt. 2°. de vſu partium. 1ª.127.C
ad Carpi articulos omnes fortis manus actiones referendæ ſunt. 2°. de vſu partium. 1ª.124.C
Carpus habet quatuor motus.2°.de vſu par. 1ª.121.H
Carpi motus à quibus fiant.2°.de vſu partium. 1ª.121.H
Carpum qui muſculi extendant.1°.de mot.muſc. 1ª.311.A
*in Carpi flexiōe duplices muſculorū.deneruatiōes.1°.de vſu pa.*1ª.118.B
in Carpi flexione muſculorum deneruationes in quot tendones tendant. 1°.de vſu partium. 1ª.118.B
ad Carpum tendones quod officium habent.1°.de vſu par. 1ª.117.C
Carpi tendones verſus magnum digitum.2°.de vſu par. 1ª.124.G
in Carpo ex motibus obliquis fiunt recti.11°.de vſu par. 1ª.190.G
*in Carpo ex duobus obliqs motib⁹ fit vnus rectus.12°.de vſu p.*1ª.193.F
in Carpo cur minimi motus obliqui.2°.de vſu part. 1ª.123.C
in Carpo manus,arteriæ illuſtrē habent motū.de pul.ad tir. 4ª.43.C
in Carpo,ideſt brachiali,manum ægri medici apprehendit Galenus, vt pulſum arteriarum ſentiret.5°.de loc.affec. 4ª.34.G
in Carpo latior pulſus quid ſignificet.2°.de præſag.ex pul. 4ª.113.G
Carpo an conueniat pedis tarſus.3°.de vſu partium. 1ª.130.D
meta CARPION *quid.de oſſibus.* 1ª.43.C
metaCarpium vbi ſitum 2°.de vſu partium. 1ª.124.B
metaCarpion quibus compoſitum.de oſſ. 1ª.43.C
metaCarpium ex quatuor oſſibus.2°.de vſu par. 1ª.123.D
metaCarpij oſſa cur quatuor.2°.de vſu par.123.H/ 1ª.124.B
metaCarpij oſſa à ſeſe diſtant.2°.de vſu par. 1ª.124.C
metaCarpio manus,an conueniat planum pedis.3°.de vſu par. 1ª.130.D
Κάρτα,*ideſt valde.de vict.rat.in morb.acu.com.3°.* 7ª.129.F
CARTAMVM *vrinam mouet.de cura icteri.* Sp.111.D
CARTERI *medicamentum ad hæmoptoicos.2°.de compoſitio. medicamen.ſecun.loc.* 5ª.184.A
CARTILAGO *quid. finitiones medicæ.Iſago.49.C/ de anatomia viuorum.43.G/* Sp.55.D
Cartilago eſt prima & ſimpliciſſima particula.1°.de elem. 1ª.6.E
Cartilago inter prima hominis elementa.1°.de elem. 1ª.7.E
Cartilago membrum ſimilare.de nat.hum.com.1°. 1ª.26.C/ de differentijs morborum. 3ª.2.F
Cartilago ſecundum membrum ſimilare.de ana.viuo. Sp.43.G
Cartilago eſt inter primas partes,quę generantur.8°.de decre. Hippoc. 275.C./1°.de nat.fac. 1ª.291.F
Cartilagines vltimæ partes quæ perficiuntur.2°.de temp. 1ª.16.A
Cartilago quam habet qualitatem.1°.de temp. 1ª.18.A
Cartilago exanguis,eſt tamē ex ſanguine facta.2°.de nat.fac. 1ª.297.E
Cartilago frigida eſt.1°.de elem. 1ª.6.D
Cartilagines ſunt terreſtre corpus in animali.1°.de elem. 1ª.5.D
Cartilago ſicca.1°.de temp. 1ª.12.G
Cartilago minus ſicca oſſe.1°.de temp. 1ª.15.C
Cartilago eſt mollior oſſe, ſed duriſſima ſupra alias partes. 7°. de vſu partium. 1ª.157.C
Cartilago vice oſſis.5°.de anat.admin. 1ª.86.G
Cartilagines ab oſſibus quandoq; procedunt.de vtil.reſp. Sp.62.H
Cartilago,neruus,ligamentum,à natura nunquam vnum in aliud tranſponitur.12°.de vſu par. 1ª.193.A
Cartilagines duę maximæ in corpe ſunt,& q̃ ſint.de vtil.reſp. 1ª.62.H
Cartilago magna ex parte eſt eſſentia aſperarum arteriarum. 5°.de locis affectis. 4ª.31.B
Cartilaginis aſpere arteriæ partes extremæ ſigmoides vocantur.4°.de locis affectis. 4ª.26.C
Cartilago σιγμοειδὴς, *quę.7°.de vſu par.* 1ª.157.D
Cartilaginum aſperę arterię figura,quę.4°.de loc.affe. 4ª.27.F
Cartilago arytenoides,quæ.de voc.inſtru.diſſectio. 1ª.106.H
Cartilago κρικοειδὴς.*i.anuli figuram imitās,quę.de voc.inſt.*1ª.106.G
ex Cartilagine vna cur non eſt confectus bronchus, & cur ex tribus, & non pluribus.de voc.inſtrumen.diſſ. 1ª.107.C
ex Cartilaginibus cur ſit bronchi caput.de voc.inſtru.diſſ. 1ª.107.B
Cartilago maxima laryngis,qualis.de voc.inſtr.diſſ. 1ª.106.G
Cartilago ſecunda laryngis,qualis.de voc.inſtr.diſſ. 1ª.106.G
Cartilago tertia laryngis,qualis.de voc.inſtr.diſſ. 1ª.106.G
Cartilago epiglottalis quæ dicatur.de anato.viuo. Sp.55.D
Cartilaginis fines coniungentes muſculi,qui.de muſc.diſſ. 1ª.46.B
Cartilaginem qui muſculi cogunt,& guttur claudunt, et qui nam ſint in omni animante.de muſc.diſſ. 1ª.46.C
Cartilago θυρεοειδὴς.*i.ſcutiformis,quæ.de voc.inſtru.diſſ.* 1ª.106.G/ *de anato.viuorum.* Sp.53.E
Cartilaginē ſcutiformē qui muſculi coniungunt.de muſc.diſſ. 1ª.46.B
Cartilago quaſi enſis ante os ſtomachi cur poſita ſit.6°.de vſu partium. 1ª.148.E/*de anat.viuo.* Sp.55.D
Cartilago cur multa ſuper nothas coſtas.7°.de vſu par. 1ª.163.H
Cartilago cymbalaris,quæ.de anat.viuo. Sp.53.E
Cartilago nomen non habens,quæ ſit.de ana.viuo. Sp.53.E
Cartilaginis vſus.12°.de vſu par.193.A/15°. 1ª.214.G
Cartilagines quædam ſunt iuuamenta buccellarum ingredientium vacuitates alterius oſſis, quędam ponuntur in extremitate ſcapularum & humerorum, vt in hora percuſſionis minor fiat lęſio, quędā ad defenſaculum nocumenti exterius aduenientis.de ana.viuo. Sp.55.D
Cartilago quædam ſuſcipit,& retinet muſculos à remotis partibus venientes.de ana.viuo. Sp.55.D
*Cartilago quędā eſt ſuſpēſoriū carnium inferiorum.de ana.viu.*Sp.55.D
Cartilaginis ſubſtantia ad ſubiecta inſtrumenta tegenda ac defendenda maxime eſt idonea.12°.de vſu par. 1ª.197.F
Cartilago cur in iuncturis.1°.de vſu par. 1ª.116.H
Cartilago iuncturarum cur habeat humorem vnctuoſum & viſcoſum.1° de vſu partium. 1ª.116.H
Cartilagini quoddam mucoſum circunfunditur.3°.de nat.fac. 1ª.308.C
Cartilago inſtar glutinis quid faciat.11°.de vſu par. 1ª.191.G
Cartilago commiſſuras omnes iungit.2°.de vſu par. 1ª.123.F
Cartilaginis nomen non habentis iuuamentum.de ana.viuo. Sp.53.E
Cartilago eſt digitorum particula.de inæqu.intemp. 3ª.43.D
ex Cartilagine, & neruo corpus in paruis animalibus.6°.de vſu partium. 1ª.155.H
Cartilago à ſeipſa gubernatur.ars med. Iſa.63.B
Cartilagines cur non habent motū voluntariū.15°.de vſu par. 1ª.214.H
in Cartilagine nullus neruus inſeritur.15°.de vſu par. 1ª.214.G
Cartilagines omnes ſunt inſenſibiles,quemadmodum & oſſa.de vtilitate reſpirationis. Sp.62.G
Cartilaginis commune cum vngue ſenſu carere.fin.med. Iſ.49.D
Cartilagines non ſentiunt acum.1°.de elem. 1ª.2.H
Cartilago non dolet,quia non ſentit.de conſt.art. Iſa.38.C
Cartilago non palpitat.2°.de ſymp.cau. 3ª.20.F

Cartilago,

Cartilago, caro, neruus, affecta diuerſo modo curantur. de voc. inſtrumẽtorum diſſect. 1ª.106.C
Cartilaginibus ſubiecta tunica ſanatu facilis eſt. 7°. de vſu par. 1ª.158.E
Cartilaginum affectus aut inſanabiles ſunt, aut ſanatu difficiles. 7°. de vſu partium. 1ª.158.E
Cartilagine deperdita an aliud gignatur. de conſt. ar. Iſa.39.G
Cartilaginem non generari in confeſſo eſt. com. 6°. aph. 19°. 48.B| comm. 7°. apho. 18°. Ex.55.H
Cartilagines cur non creſcunt ablatæ. 1°. de ſemine. 1ª.332.D
in Cartilagine fractura improprie dicitur. de art. com. 2°. 7ª.267.F
ad Cartilagines præciſas. 2° de comp. med. per gen. 5ª.227.E
ad Cartilagines alto corpore putreſcẽtes. 5°. de cõp. me. per ge. 5ª.250.g
Cartilago perfecti animalis omnino cõfici non põt. 3°. de ali. fac. 2ª.26.F
Cartilago animalium quæ adhuc augeſcunt, ſi in ore bene læuigata & in ventriculo confecta fuerit, paucum alimentum dabit corpori. 3°. de alimento. facul. 2ª.26.F
CARTILAGINEAE ſunt aures, palpebræ. de vocalium inſtrumentorum diſſectione. 1ª.107.C
Cartilaginoſa cur ſit reſidua auris pars ab oſſe petroſo extra apparens. de anat. viuo. Sp.48.H
Cartilagineum quid eſt in corde. 4°. de ana. admi. 1ª.79.H
Cartilaginoſę ſunt vngues. de voc. inſtr. diſſ. 1ª.107.C
Cartilaginoſum ligamentum, quale. 1°. de temp. 1ª.18..A
Cartilaginoſum os in magnis animalibus. 6°. de vſu par. 1ª.155.G
Cartilaginea corpora cur vbiq; fecit natura. de voc. inſtr. diſſ. 1ª.107.C
Cartilaginoſæ partes multũ exiccandæ. 2°. de ar. cur. ad Glau. 7ª.102.C
Cartilaginoſis aluta opus eſt in fracturis. de artic. com. 2°. 7ª.265.D
Cartilaginea animalia habent partes ad caudam medijs partibus corpulentiorem. 3°. de alim. fac. 2ª.32.E
Cartilaginea animalia habent aſperam cutim. 3°. de alim. fac. 2ª.32.D
Cartilagineorum nullum genus vtile ſenibus. 5°. de ſan. tuen. 2ª.91.D
Cartilaginea omnia, quę σελάχια dicuntur, cauenda in epilepſia. de puero epilep. 7ª.180.H
CARTOS genus cepæ. 12°. meth. med. 7ª.75..A
CARVI eſt cibus acutus, incidens, aperiens. de diſſ. cont. Sp.72.F
Carui ſemen conuenit in diæta attenuante. de atten. vic. rat. 2ª.44.E
Carui quid faciat. de dynami. Sp.28.D
Carui decoctio & ſeminis apij prouocat vrinam & menſtrua fortiter, et ſubtiliat humores craſſos. de med. exper. Sp.104.D
Καρυκεία mixtura quędam eſt. 4°. de ſan. tuen. 2ª.85.B
CARYA, id eſt nuces. 7°. de ſimp. med. fac. 5ª.50.B
Καρύον βασιλικὸν latine iuglans dicitur. 7°. de ſimp. med. fac. 5ª.50.C
CARYINVM oleum, quale. 6°. de ſimp. med. fac. 5ª.46.H
Caryini olei vires medicus noſcat oportet. 2°. de ſimp. med. fac. 5ª.11.F
CARYINVM vinum dulce. de bonita. & uitio ſuc. 2ª.38.C| 7°. de compo. medi. ſec. loc. 5ª.177.H
Caryino vino qñ vti cõueniat in victu attenuante. de atte. vi. ra. 2ª.46.E
Καρυωταὶ palmæ. 2° de alim. fac. 2ª.20.G
CASEVS quomodo fit. de nat. fac. 1ª.295.D
Caſearij non faciunt caſeum niſi lac fuerit conuenienter induratum. 2°. de ſemine. 1ª.339.B
Caſeus eſt lac coagulatum. 10°. de ſimp. med. fac. 5ª.74..A
Caſeus aſſumit acrimoniã à coagulo dum paratur. 3°. de ali. fac. 2ª.28.H
Caſeus pinguis quomodo fiat. 10°. de ſimp. med. fac. 5ª.74..A
Caſeo recenter coagulato ſimilis eſt caro recens. de ijs quæ in medicatrina fiunt. com. 3°. 7ª.215.H
Caſeo coagulato, & non coagulato comparat carnem exercitatorum & non exercitatorum. de artic. com. 3°. 7ª.277.E
Caſeum non facit lac aſininum. 10°. de ſimp. med. fac. 5ª.73.F
Caſei genus oxygalactinus. 1°. de alim. fac. 2ª.12.H
Caſeus oxygalactinus, qualis. 3°. de alim. fac. 2ª.29..A
Caſei viridis meminit. 5°. de comp. med. ſec. loc. 5ª.165.H
Caſeus declinat ad frigidum. 4°. de ſimp. med. fac. 5ª.29.C
Caſeus cibus hyemis. de natu. hum. com. 1°. 1ª.32.F
Caſeos bonos à deterioribus duo ſcopi cognoſcendi. 3°. de ali. fa. 2ª.29..A
Caſeus à guſtabili qualitate conſideratur. 3°. de alim. fa. 2ª.29..A
Caſeorum diuerſi guſtus. 3°. de alim. fac. 2ª.29.B
Caſei bonitatem docet ructus. 3°. de alim. fac. 2ª.29.B
à Caſei certa conſiſtentia caſeus eſt mollior, durior, laxior, glutinoſior, ac friabilior. 3°. de alim. fac. 2ª.29..A
Caſeus rarus, et lax⁹ duro & cõpacto p̃ſtãtior eſt. 3°. de ali. fac. 2ª.29.B
Caſeus mediocriter ſalitus præſtantior eſt ſalito, & eo qui eſt omnino ſalis expers. 3°. de alim. facul. 2ª.29.B
Caſeus ſalſus, qualis. 5°. de comp. med. ſec. loc. 5ª.158.H
Caſei recẽtis, & duri cõparatio. de vic. ra. in mor. acu. cõ. 4°. 7ª.145.D
Caſeus mollior duro præſtantior. 3° de alim. fac. 2ª.29.B
Caſei recentes probatiores, & qui. 3°. de alim. fac. 2ª.29..A
Caſeus minus malus qui non eſt vetus, neq; acris. 3°. de ali. fa. 2ª.29..A
Caſeus ſuauis eſt inſuaui præſtantior. 3°. de alim. fac. 2ª.29.B
Caſeus nullam habens vehementem qualitatem guſtu ſitã, parum dulcis eſt omnium præſtantiſſimus. 3°. de alim. fac. 2ª.29.B
Caſeus præſtantiſſimus Pergami, & in Myſia, quæ eſt ſupra Pergamũ. 3°. de alim. fac. 2ª.29..A
Caſeus Romæ præſtantiſſimus. 3°. de alimentorum facul. 2ª.29..A
Caſeus recens facit craſſum ſanguinem cum bono ſucco. in 6m. de morb. vulg. commen. 3°. 3ª.175.C
Caſeus recens facit bonum ſuccum. de bonitate & vitio ſuccor. 2ª.35.B| de diſſol. cont. Sp.74..A
Caſeus recens non mali ſucci. de bon. & vi. ſuc. 2ª.35.D
Caſeus recens eſt minus craſſi ſucci q̃ vetus. de bon. & vitio ſuc. 2ª.35.D
Caſeus recens coagulatus repercutiẽdi vim habet, et leuiter refrigerat. 10°. de ſimp. med. fac. 5ª.74.C
Caſeus oẽm humiditatẽ deponit præſertim inueterat⁹. 3°. de al. f. 2ª.28.h
Caſeus inueteratus acrior & calidior redditur & ardentior, & ſiticuloſior, & ad coquendum difficilior, & peioris ſucci, quàm recens. 3°. de alim. fac. 28.H| 10°. de ſimp. me. fac. 5ª.74.B
Caſeus antiquus acris fugiendus propter quid. 3°. de alim. fac. 2ª.29..A
Caſeus dracontio à putredine cõſeruatur. 6°. de ſimp. med. fa. 5ª.46.D
Caſeus cur non ſit bonũ eduliũ. de vict. rat. in mor. acu. cõ. 4°. 7ª.145.E
Caſeus aſper & ſit friabilis, eſt vitioſus. 3°. de alim. fac. 2ª.29.B
Caſeus antiquus eſt cibus calidus. de diſſol. cont. Sp.74.C
Caſei recentis & duri mala. de vict. ra. in mor. acu. com. 4°. 7ª.145.D
Caſei duri tarde nutriunt, & ſunt difficilioris digeſtionis. commenta. 2°. aphoriſ. 18°. Ex.31.G
Caſeus cur tarde digeritur. de diſſol. cont. Sp.73.D
Caſeus vetus facit malum ſuccum. de bon. & vitio ſuc. 2ª.35.B|D
Caſeus & maxime antiquus generat nutrimentum craſſum, & corruptibile. de diſſ. cont. Sp.74.B
Caſeus vetus vbi in corpore fuerit ſupercalefactus humorem melancholicum parit. 3°. de loc. aff. 4ª.18.F
Caſeus omnis craſſus. 3°. de ali. fac. 29..A| de bon. & vitio ſuc. 2ª.356.D| de diſſol. cont. Sp.72.H
Caſeus valde glutinoſus eſt vitioſus. 3°. de alim. fac. 2ª.29.B
Caſeo omni non ineſt craſſities cum lentore. de bon. & vi. ſuc. 2ª.35.B
ex Caſeo craſſi ſucci & lacte placenta præbet craſſum alimẽtum. de bonitate & vitio ſuc. 2ª.35.D
ex Caſeo craſſi ſucci & lacte placenta obſtruit iecoris meatus. de boni. & vitio ſuc. 2ª.35.D
Caſei quid habentes panes azymi lædunt omnes. 1°. de ali. fa. 2ª.10..A
Caſei qui panis calidus expetit. 1°. de ali. fac. 2ª.12.G
Caſeus cum laſerpitio facit choleram ſiccam. de vict. ra. in morb. acutis commen. 4°. 7ª.145.G
ex Caſeo, pane, carnibus ſuillis comeſtis qui incidant in plethoram. 1°. de alimen. facul. 2ª.10.C
Caſeus ſubtiliat. de diſſol. cont. Sp.74.G
ex Caſei ſicca prauitate, & ardenti calore, maior noxa accidit, quàm craſſorum tenuatio conferre queat. 3°. de alim. fac. 2ª.28.H
Caſeus non habet citra noxam, id quod habent cibi craſſi, habentes acres & tenuantes facultates mixtas. 3°. de alim. fac. 2ª.28.H
à Caſei multo eſu cauere debet ſenex. 5°. de ſan. tuen. 2ª.91.D
Caſeus vim obſtruendi habet. 5°. de cõp. med. ſec. loc. 5ª.158.H
Caſeus multus cur obſtruit. de diſſol. cont. Sp.74.H
Caſeum tenerum ac ſiccum ſæpiſſime comedere, facit capillitium. comm. 4°. apho. 76°. Ex.36.C
Caſeus tener, ac ſiccus cibus eſt craſſus, collige. cõ. 4°. aph. 76°. Ex.36.c
Caſeus facit lapides in renibus. in 6m. de mor. vul. com. 3°. 3ª.173.E
Caſeus fugiendus in epilepſia. de puero epilep. 7ª.180.H
Caſeus adſtringit. de ther. ad Piſo. 5ª.90.H
Caſeus ſiſtit aluum, ſerum lactis eandem ſubducit. 3°. de ſimp. med. fac. 5ª.21..A| de diſſol. cont. Sp.75.B
à Caſeo habet lac quod ſiſtit. 3°. de alim. fac. 2ª.27.H
Caſeus aluum ſiſtit, ſuccos craſſos gignit, iecoris obſtructiones, & renũ calculos. 3°. de alim. fac. 2ª.28.B
Caſeus recens & modo coactus ad deijciẽdam aluum ante cibũ ſumitur.

de

de bonitate & vitio ſuc. 2ª.35.D

Caſeus quando maxime admiſcetur ei ſal & mel, lenit ventrem. de diſſolutione continua. Sp.75.A

Caſeus decoctus in iure cruris ſuilli ſalſi pro toſis ſanandis. 10°.*de ſimp. medicamen. facul.* 5ª.74.B

Caſeus recens quomodo ſanat vulnera. 10°.*de ſimp.med.fa.* 5ª.74.C

Caſeus oxygalactinus vulnus magnum conglutinauit. 10°.*de ſimp.medicamen.facul.* 5ª.74.C

Caſeus recens ad oculos purulentos.de rem.par.facil. 7ª.157.A

Caſeoſum quod eſt in lacte emplaſticum eſt. 4°.*de ſimp.med.fac.* 5ª.25.E

Caſeoſum lactis ad dyſenterias, & ventris acres fluxiones. 10°.*de ſimpli.medicamen.fac.* 5ª.73.G

Caſeoſum & craſſum lactis, acrimoniā retūdit. 10°.*de ſim.me.f.* 5ª.73.G

Caſeoſo lacte multum vti periculoſum eſt. 3°.*de alim.fac.* 2ª.28.A

Caſeoſum lac iecur obſtruit. 3°.*de alim.fac.* 2ª.28.A

Caſeoſum lac offendit renes calculoſos. 3°.*de alim.fac.* 2ª.28.A

CASIA *quid. & eius ſpecies.de ſimp.med.* Sp.82.H

Caſia dicitur Ziger ab indigenis.de ther.ad Piſo. 5ª.94.H

Caſia ſępe non eſt bona quę accipitur.de ther.ad Piſo. 5ª.94.H

Caſia quomodo diſtinguatur à pſeudocaſia.de ther.ad Piſo. 5ª.94.H

*Caſię daphnitidis meminit.de comp.med.ſec.loc.*196.H/9°. 5ª.206.C

*Caſia gizi.*1°.*de antido.* 5ª.106.E

*Caſia fulua.*6°.*de comp.med.ſec.loc.*170.F/H/ 5.179.E

*Caſia fiſtula vilis, & cur ita dicta.*1°.*de antid.* 5ª.106.E

*Caſiæ fiſtulæ fit mentio.*4°.*de comp.med.ſecun.loc.*156.A/H/157.A/B/ 7°.179.E/8°.191.F/9°.200.D/203.B/10°.206.E/7°.*de compo.medic. per gen.*269.H/ 5ª.271.A

*Caſiæ nigræ meminit.*7°.*de comp.med.ſec.loc.*179.E/182.G/183.G/184. H/185.B/8°.188.F/7°.*de comp.med.per ge.* 5ª.272.H

Caſia ponitur in theriaca de ther.ad Piſo. 5ª.92.E

Caſia ſit optima quæ theriacam ingreditur.de ther.ad Piſo. 5ª.94.G

Caſia optima, qualis de ther.ad Piſo. 5ª.94.H

*Caſia roſas ſpirans.*8°.*de compoſi.medi.ſecun.loc.*193. D/7°.*de compo. medica.per gen.* 5ª.271.G

*Caſiæ optimæ ſimile eſt cinnamomum.*1°.*de antid.* 5ª.106.A

*Caſia ſuprema ab infimo cinnamomo parū differt.*1°.*de antid.* 5ª.105.G

*Caſſia optima cinnamomum euadit.*1°.*de antid.*105.B/ 5ª.106.C

*Caſia optima non paruo deterius eſt carpeſiū.*7°.*de ſimp.me.f.* 5ª.50.D

*Caſia vel carpeſium duplo pondere pro cinnamomo ſumi poteſt.*3°.*de cōpoſi.medic.ſec.loc.* 5ª.141.B

*Caſiæ duplum aſſumendum, cum deeſt cinnamomum.*6°.*de ſa.tu.*2ª.99. C/1°.*de antid.*5ª.106.C/*de ſimp.med.* Sp.82.H

*Caſię pluſquā duplum pro cinnamomo.*8°.*de comp.med.ſec.lo.*5ª.190.D

*Caſia exquiſitiſſima vtimur, ī cinnamomi penuria.*6°.*de ſa.tu.* 2ª.99.C/ 3°.*de cōp.med.ſe.lo.*141.B/8°.194.F/1°.*de cōp.me.per gen.*5ª.215.A

*quę Caſia theriacam ingredi debet.*1°.*de antid.* 5ª.106.E

*Caſia, qualis.*4°.*de comp.med.ſec.loc.*5ª.151.G/6°. 5ª.170.H

*Caſiæ aromaticæ meminit.*7°.*de comp.med.ſe.lo.* 5ª.186.A

*Caſia eſt aromaticum medicamentum.*9°.*de comp.med.ſec.lo.* 5ª.201.G

*Caſia eſt aroma ſufficienter calidum.com.*5°.*aph.*28°. Ex.40.C

*Caſia calida eſt & ſicca in tertio ordine.*7°.*de ſimp.med.fac.* 6ª.50.B

Caſia acriter calfaciētes, & ſtringētes vires habet.de ſim.me. Sp.82.H

*Caſiæ ſiccæ meminit.*7°.*de comp.me.per gen.* 5ª.272.H

*Caſia eſt idonea ſuppreſſis menſibus.*7°.*de ſimp.med.fa.* 5ª.50.B

Caſia per os prouocat ſudorem.de cathar. Sp.95.D

Caſia colorem expurgat, & ſudorem mouet.de cura ictcri. Sp.111.C

Caſia inter oculorum medicinas numeratur.de oculis. 7ª.188.G

Caſia maturatiua eſt.de oculis. 7ª.189.C

*ex Caſia medicamentum in pectore perforato.*5°.*meth.med.* 7ª.33.C

Caſia demēda ē à medicamēto διὰ τριῶν πεπέρεων.4°.*de ſa.t.*2ª.85.b

CASIONIS *Armeni medicinæ.de medic.exper.* Sp.104.H

CASII, *vt Criſpus, colica.*9°.*de comp.me.ſec.loc.*201.H/ 5ª.202.G

CASSVM *quid ſignificet.de iis quæ in med.fi.com.*2°. 7ª.209.B

*Caſſæ partes corporis, quæ ſint.de iis quæ in med.fi.com.*2°. 7ª.209.B

CASTANEAE *copioſæ oriuntur Sardis & leucis. de bonitate & vitio ſuccorum.* 2ª.36.C

*Caſtaneæ dictæ robuſteæ glandes, ſi caleſcant duntaxat dulcedinē acquirunt.*4°.*de ſimpli.med.fac.* 5ª.26.E

*inter Caſtaneas, acylos, quernas glandes, in ipſis particulatim arboribus non magnū fructus diſcrimen recipit.*2°.*de bo. & vi.ſuc.*2ª.36.d

Caſtaneæ ſunt cibaria media.de diſſol.cont. Sp.74.C

Caſtaneæ ſemper ſunt prauę ſiue elixentur, ſiue aſſentur, ſiue frigantur, & multo magis ſi crudæ mandantur.de atten.vic. 2ª.46.A

*Caſtaneæ omnium glandium præſtantiſſimæ.*2°.*de alim.fac.* 2ª.22.A

Caſtanea excepta omnes arborum fructus ſunt mali ſucci.de bonitate & vitio ſuccorum. 2ª.37.E

Caſtaneæ non ſunt praui ſucci.de bon. & vit.ſuc. 2ª.36.D

Caſtaneæ ſi recte in ventriculo cōficiantur alibiles ſunt ac craſſi ſucci, minime tamen mali.de bon. & vi.ſuc. 2ª.37.E

Caſtaneæ nutriunt eum qui digerit illas nutrimento multo craſſo.de diſſolutione continua. Sp.73.E

Caſtaneę parum adſtringunt.de bon. & vitio ſuc. 2ª.36.C

Caſtaneæ ſuperantur à glandibus in adſtringendi facultate. de bonitate & vitio ſucc. 2ª.36.C

Caſtaneæ ſtringunt ventrē cū ſtypticitate, & pōticitate.de diſſ. Sp.75.B

Caſtaneę craſſi ſucci, ventrem ſupprimūt, ægre concoquuntur, flatumq́ procreant.de bon. & vitio ſuc. 2ª.36.D

*Caſtanearum hiſpidarum cortex.*1°.*de comp.med.ſec.lo.* 5ª.124.H

CASTANEOLAE *meminit.de dyna.* Sp.27.A

CASTIGARE, *quid antiqui dicerent.de cog.cur.ani.mor.* 2ª.52.H

CASTITAS *ſequitur ad dominium phlegmatis.de ana.viu.* Sp.45.E

*Caſtum eſſe præſtabat in certaminibus coronariis.*1°.*de ſem.* 1ª.334.A

*Caſto cuidam natura quid contigerit.*6°.*de loc.affec.* 4ª.42.G

CASTOR, *& Pollux quæ ſtellæ ſint.de hiſt.philo.* Sp.6.F

CASTOREVM *quid.de ſimp.med.* Sp.81.G

*Caſtorei guſtus, & odor videntur humanæ naturę aduerſiſſima.*11°.*de ſimp.med.fac.* 5ª.80.C

Caſtorio ſubſimile odore eſt optimū ammoniacū.de ſimp.med. Sp.79.H

*Caſtoreum quale.*3°.*de compoſitio.medic.ſec.loc.*142.C/4°.151.D/9°.5ª. 201.G/*de ocul.* 7ª.189.A

*Caſtoreum ſi ſpatio concoquitur, erit ſimul nutrimentum, ſimul medicamentum calidum.*3°.*de temp.* 1ª.24.D

*Caſtoreum calidum cur dicatur.*3°.*de temp.* 1ª.21.G

*Caſtoreum habet vim calefaciendi.*1°.*de ſimp.med.fac.* 5ª.2.C

*Caſtoreum calefacit, & deſiccat.*11°.*de ſimp.med.fac.* 5ª.80.B

*Caſtoreum oppoſitum opio in facultate.*8°.*de comp.me.ſe.lo.* 5ª.190.C

*Caſtoreum & euphorbium quo modo temperauerit Galenus.*1°. *de ſimplicium medica.facul.* 5ª.7.F

*Caſtoreum liquatur ſapa.*12°.*meth.med.* 7ª.79.G

*Caſtoreū cur torrefaciāt, & an bene faciāt.*3°.*de cōp.me.ſe.lo.* 5ª.142.B

*Caſtoreū medicamentū celebre, & multi vſus.*11°.*de ſim.m.fa.* 5ª.50.A

*de Caſtorei vſu fecit librū Archigenes.*11°.*de ſimp.med.fac.* 5ª.80.A

Caſtoreum ingreditur theriacam.de ther.ad Piſo. 5ª.92.G

*Caſtoreo excepto, medª.oīa aliqd mali faciūt.*11°.*de ſimp.m.fa.* 5ª.80.D

Caſtoreū magis agit in noſtrū corpus, q̄ patiat̄ ab eo. 3°.*de tēp.* 1ª.23.H

*Caſtoreū excitat ſtrāgulatas ex vtero olfactu.*9°.*de comp.me.*5ª.205.G

*Caſtoreū valet mēſibus retētis.*11°.*de ſimp.me.fac.*8.D/*de cat.*Sp.95.D

Caſtoreū cū pulegio p̄ ſuffumigationē prouocat ſudorē.de cath. Sp.95.D

Caſtoreum numeratur inter oculorum medicinas.de oculis. 7ª.188.G/ *de cathar.* Sp.95.B

*Caſtorei medicamentum aurium dolores ſedat.*12°.*meth.med.* 7ª.79.G

*ex Caſtoreo medicamentum oculorum & dentium dolores ſedat auribus inſtillatum.*12°.*meth.med.* 7ª.79.G

*Caſtoreo & oleo aures incaleſcunt.*12°.*meth.med.* 7ª.79.G

*Caſtorei ſuffitus pulmōis & capitis affect⁹ ſanat.*11°.*de ſim.me.* 5ª.80.D

*Caſtorei vſus ī phlegmōe cerebri & ei⁹ mēbranarū.*11°.*met.me.*7ª.73.F

*Caſtoreum capiti imponebāt in phrenitide.*13°.*meth.med.* 7ª.85.D

*à Caſtoreo potiſſimū iuuātur neruoſæ partes.*11°.*de ſimp.me.f.* 5ª.80.B

*Caſtoris teſticuli poti conuulſionibus medentur.de ther.ad Piſ.*5ª.93.E/ *de mel.ex Gal.Ruf. & Poſſ.* Sp.110.D

*Caſtoreū nō cōuenit cōuulſioni ex inanitione.*11°.*de ſimp.me.fa.* 5ª.80.C

Caſtorium poteſt elimare longinqua vitia neruorum, quæ nimiis doloribus contrahuntur.de ſimp.med. Sp.81.H

Caſtoreum quomodo adhibendum, vt euacuet ea quæ ſunt in neruis. 11°. *de ſimpli.med.facul.* 5ª.8.C

Caſtoreum datur contra lapidem renum.de med.exper. Sp.106.E

*Caſtoreum concoquit.*4°.*de comp.me.ſec.loc.*149.H/*de ocul.* 7ª.189.D

*Caſtoreum probe concoquit in lethargo.*13°.*meth.med.* 7ª.86.F

*Caſtoreum ad lethargicos & cataphoricos.*11°.*de ſimp.me.fac.* 5ª.80.D

*Caſtoreū adſtringit, cōcoquit, & diſcutit.*4°.*de cōp.me.ſe.lo.* 5ª.150.H

Caſtoreum facit ſtypticum.de ocul. 7ª.190.C

*Caſtoreum iniectum valet in coli dolore.*12°.*meth.me.* 7ª.79.F/G

*Caſtoreum locos morantes eiicit, ventrem flatu diſtentum ita, vt tormina & ſingultus fiant, adiuuat.*11°.*de ſimp.med.fac.* 5ª.80.D

ex Caſtoreo

ex Caſtoreo catapotia ſoluunt aluum.de venæ ſect.aduer.Eraſ. 6ª.11.C
Caſtorcũ ijs vtiliſſimũ, q̃ p̄ plenitudine tremũt.11°.de ſimp.med. 5ª.80.C
ex Caſtoreo compoſitio contra rigores.de palp.trem.conuul. 3ª.55.H
ex Caſtoreo medicamẽta pro palpitatione.de palp.tre.conuul. 3ª.52.G
Caſtoreo ſanatur ſingultus ex repletione.11°.de ſimp.med.fac. 5ª.80.C
ex Caſtoreo pharmacum.7°.de comp.med.per gen. 5ª.270.F
Caſtoreum vitandum vbi ſtomachus male affectus eſt. 7°.de compoſitione medicamen.ſec.loc. 5ª.178.E
Caſtorei vires habet coagulum Phocę.10°.de ſimp.med.fac. 5ª.74.E
in CASTRIS vinum non guſtandum,ſed aqua.quòd animi mor. temper.corp.ſeq. 1ª.320.H
in Caſtris medicus inſignis Antigonus.2°.de comp.me.ſe.lo. 5ª.138.G
CASTRATIS pecoribus prodeſt cinis impoſitus.de ſimplicibus medicaminibus. Sp.86.A
Caſtratum animal frigidius,& imbecillius fit.1°.de ſemine. 1ª.334.A
Caſtratũ animal ſimile fœminæ.10°.de ſimp.med.fac.74.F/11°.5ª.79.A
in Caſtrãdis fœminis cur maius periculũ,q̃ in marib⁹.1°.de ſe.1ª.333.H
Caſtrati quid emittant in coitu.14°.de vſu par. 1ª.208.C
Caſtrati habent carnes ſuauiores non caſtratis.1°.de ſemi. 1ª.333.H
non Caſtrati hirci caro mala eſt.de diſſol.con. Sp.74.B
Caſtratarum victimarum caro ſuauior eſt.1°.de ſemine.1ª.334.B/de diſſol.cont. Sp.74.B
Caſtratorum carnes quibus pręſtantiores.3°.de alim.fa. 2ª.26.A
Caſtrati caro eſt de cibarijs medijs.de diſſ.cont. Sp.74.C
Caſtratorum adipe calidior eſt adeps non caſtratorum.11°.de ſimpli.medicamen.facul. 5ª.79.A
Caſtratorum ſuum grandiorum ſanguis editur.3°.de alim.fac. 2ª.29.C
vt CASTVS calefaciens acopon.7°.de comp.me.per gen. 5ª.272.D
vt Caſtus emplaſtrum Xenocratis dolorem ſedans. 6°. de compoſitione medic.per gen. 5ª.26.F
Caſti nominatum medicamentum.4°.de comp.med.per gen. 5ª.243.D
CASVS, & fortuna quo modo differant.de hiſto.philo. Sp.5.F
Caſu,& fortuito quod fit,contrarium eſt ei, quod prouidentia, & arte fit.11°.de vſu par.1ª.186.E/in progn.com.1°. 4ª.189.G
Caſu quæ fiant.de ſubfi.emp. Iſa.31.D
Caſu quæ fiunt,non ita vocantur ex veritate, ſed ex noſtra cognitione. 4°.de decr.Hipp. 1ª.250.H
Caſu quæ fiunt,fine carent.de cau.procatar. 3ª.96.G
Caſu nihil fit pulchrum.de hiſt.philo. Sp.4.G
Caſu quædam ſunt obſeruata intro. Iſa.50.G
Caſu inuenta eſſe multa medicamenta volunt empirici.3°.de compoſitio. medicamento.per gen. 5ª.230.G
Caſus genus experimenti.de ſectis. Iſa.16.B
Caſus,trichiaſeos eſt differentia.fin.med. Iſa.48.F
in CASIBVS ab alto ſimile accidit,ac ſi vter lapidi illideretur.5°.methodi medendi. 7ª.30.B
ex Caſu ab alto capitis dolor.de rem.par.fac. 7ª.153.H
ex Caſu ab alto vocis amiſſæ caſus.1°.de loc.aff. 4ª.6.F
Caſus q̃nq; facit gibbã ſpinã.6°.de lo.4ª.38.G/cõ.6°.aph.46°. Ex.51.H
Caſus ab alto facit mictum ſanguinis.com.4°.aph.78°. Ex.36.G
ex Caſu ſanguinem mingentis caſus.6°.de loc.aff. 4ª.38.H
in Caſibus ab alto ſanguis mittitur.4°.meth.med. 7ª.27.H
Caſui capillorum quid opem ferat.de dyna. Sp.23.E
CASVS & ſigna criſima,id eſt iudicatoria appellata,quomodo idem ſignificent.com.1°.aph.12°. Ex.6.D
Caſus pro accidentibus qui fiunt ex diſpoſitione, quę eſt morbus.commẽtario.2°.aph.29°. Ex.16.G
Caſus quæ dicatur.com.1°.aph.12°. Ex.6.D
Caſus,id eſt accidentia,nominat Galenus febrem,& conuulſionem propter dentes.com.3°.aph.25°. Ex.25.C
Caſus ꝙ poſſit accipi pro febre,collige vbi ĩquit Galenus,ſi quis dormiat in principio acceſſionũ,caſus ipſis protendunt.cõ.2°.apho.1°.Ex.11.B
Caſus ſuperuenire caſibus cum dicunt antiqui medici, quid intelligatur. comm.6°.apho.35°. Ex.50.C
Caſus vehementiſſimi in morbis acutis ſolent bonas criſes quandoque operari.com.7°.apho.5°. Ex.54.C
Caſus ſunt debiliores in ſtatu eorum qui debent ſaluari, quàm in principio.comm.2°.apho.30°. Ex.16.H
Caſus ſi in diebus indicatorijs incipiant,boni,& qui ſint hi dies. commẽtario.4°.apho.36°. Ex.31.H
cum Caſibus quandoq; difficilibus ſextæ diei iudicium fit. commentario.4°.aphor.29°. Ex.39.E
Caſus eſt earum quæ pręter naturam ſunt in corpore diſpoſitionum,ſi in principio morbi aliquid excernatur.com.2°.aph.22°. Ex.29.G
Caſus qui proueniunt ex extrinſecis nullam faciunt certam præcognitionem,commen.4°.aph.41°. Ex.32.D
ex Caſibus notitia humoris peccãtis ꝑquirẽda ẽ.c.4°.aph.2°.Ex.27.E
CASVS pulcher inter medicos,alterum factis, alterum verbis confidentem.de ſubfig.emp. Iſa.34.E
Caſus de abſceſſu in gula.5°.de loc.aff. 4ª.32.D
Caſus adoleſcentis alopecia laborantis,quem curauit Galenus.1°.de cõpoſitione med.ſec.loc.121.G/ 5ª.123.A
Caſus virginis Abderitanæ ęgroti ſeptimi.in 3^{m}.de morbis vulgaribus, commentario.3°. 3ª.149.H
Caſus Antipatris medici.4°.de lo.aff. 4ª.28.E
Caſus Antonini imperatoris.de præcog.ad Poſth. 4ª.218.H
Caſus Apollonij Abderitani ægroti tertijdecimi.in 3^{m}. de mor.vulgari. commentario.3°. 3ª.151.B
Caſus mulierum quæ Aquam frigidam ex niue potarant, quæ venæ ſectione præſeruatæ fuerunt.de venæ ſect.aduer.Eraſ. 6ª.11.B
Caſus Arrię.de ther.ad Piſo. 5ª.90.C
Caſus Arteriam magnam adeo ſtrenue ligantis poſt ſectionẽ, vt gangrænam induxerit.7°.de anat.admi. 1ª.97.G
Caſus cuiuſdam,qui Bile multa abundabat.5°.de loc.affec. 4ª.35.H
Caſus pueri puncti in brachio curati emplaſtico,qui perijt.3°.de compoſitione med.ſec.loc. 5ª.231.G
Caſus de voce amiſſa ex Caſu ab alto.1°.de loc.aff. 4ª.6.F
Caſus alter cuiuſdam,qui ab alto cecidit. 1°.de loc.aff. 4ª.7.F
Caſus pueri calculoſi.1°.de loc.affe. 4ª.3.A
Caſus Cambyſis.com.7°.aph.50°. Ex.58.B
Caſus de Capillitio viſus.com.4°.aph.76°. Ex.36.C
Caſus Catochi.in 1^{m}.prorrh.com.1°. 4ª.176.F
Caſus ĩ Smyrne Ioniæ,vbi cerebrũ vidit ſanari.c.6°.aph.18°.Ex.48.A
Caſus frigidi hũoris à cerebro in vẽtriculũ defluẽtis.7°.me.me.7ª.48.F
Caſus cuiuſdã,cui ex pluuia ceruix infrigidata eſt.4°.de lo.aff. 4ª.25.D
Caſus de ægro non habentis ſigna coctionis. 3°.de cri. 4ª.140.F
Caſus cuiuſdam,qui longo tp̄e à coitu abſtinuit. 6°.de loc.affec.4ª.42.F
Caſus penis magni ob abſtinentiam à coitu.6°.de loc.aff. 4ª.42.G
Caſus de Colis palpitatione.6°.de loc.aff. 4ª.42.F
Caſus patientis palpitationem Cordis.5°.de loc.aff. 4ª.29.E
Caſus famuli,cuius cor erat detectũ,et ſanatus ẽ.7°.d̃ ana.adm.1ª.97.F
Caſus galli tumore ſcirrhoſo tunicam Cordis affectam habentis.5°.de locis affectis. 4ª.29.D
Caſus ſimię,quæ quotidie emaciabatur ob tumorem in tunica Cordis.5°. de locis affectis. 4ª.29.D
Caſus Criſis in ſeptimo.1° de dieb.decre. 4ª.148.F
Caſus cuiuſdam iudicati ſeptimo die.de pręcog.ad Poſthu. 4ª.219.H
Caſus iudicati in ſextodecimo.1°.de dieb.decr. 4ª.148.E
Caſus ad præcognoſcendum ſtatum.1°.de cri. 4ª.131.H
Caſus quo oñdit cognitionẽ principij in lõgis morbis.1°.de cri. 4ª.132.C
Caſus Criſis mortalis.3°.de cri. 4ª.143.A
Caſus Cyneſiæ.commen.7°.aph.44°. Ex.57.F
Caſus in Dealcis horto iacentis.com.7°.aph.31°. Ex.56.C
Caſus Dealcis vxoris ægroti q̃ntidecimi.ĩ 3^{m}.de mor.vul.cõ.3°. 3ª.151.D
Caſus Diuitis qui medicamentum ſumpſerat & fallere Galenum quęrebat.1°.de pręſag.ex pul. 4ª.105.C
Caſus cuiuſdã,q in ſole fuit,et ĩ Dolorẽ Capitis ĩcidit.de ca.ꝓca. 3ª.98.A
Caſus medici quinquagenarij in Dolore Capitis, qui ſibi venã ſecuit.12°. methodi medendi. 7ª.74.H
Caſus Doloris Coli in inteſtinis.1°.de loc.affec. 4ª.5.G
Caſus alterius Doloris coli inteſtini à medicamento.1°.de lo.aff. 4ª.5.H
Caſus ruſtici Dolore Coli laborantis.12°.meh.med. 7ª.79.E
Caſus quadragenarij Dolentis ob mordaces ſuccos in tunicis inteſtinorũ impactos.12°.meth.med. 7ª.78.G
Caſus quadragenarij qui noxam in inteſtinis ex ſcammonia contraxerat 12°.methodi med. 7ª.78.H
Caſus adoleſcentis dolore Oculorum laborantis,quem Galenus balneo liberauit.com.6°.aph.31°. Ex.49.D
Caſus adoleſcentis Dolore Oculorum laborantis, quem Galenus vino liberauit.com.6°.aph.31°. Ex.49.F
Caſus Dolentis ſæpe in regione Renum qui febre cum horrore correptus eſt.6°.de loc.affect. 4ª.39.A
Caſus Dolentis circa Veſicam,& qui in febrem cum horrore incidit.6°. de locis affectis. 4ª.39.A

Caſus laborãtis Elephãte, qui caſu ſanatus eſt.10º.de ſim.me.f.5ª.77.G
Caſus duorũ qui ab Elephante ſanati ſunt.11º.de ſimp.med.fac. 5ª.77.H
Caſus pueri Epileptici, quem ſuſpenſione radicis pæoniæ à conuulſione liberabat.6º.de ſimpl.medica.facul. 5ª.45.G
Caſus grammatici qui in Epilepſiam ob oris ventriculi conſenſum incidebat.5º.de loc.affect. 4ª.32.F
Caſus Epileptici ex Ieiunio.de venæ ſect.aduer.Eraſ. 6ª.14.G
Caſus adoleſcẽtis Epileptici, cui tibia videbatur veluti aqua frigida aſcẽdere femur, ilia, & latera, ceruicẽ & caput.3º.de loc.aff. 4ª.19.E/F
Caſus Eryſipelatis ob frigus indurati.2º.de arte cur.ad Glau.7ª.104.A
Caſus Eudemi.de pręcogn.ad Poſth. 4ª.214.C
Caſus pueri qui inuitus Excernebat reſoluto muſculo circa ſedem. 1º.de locis affectis. 4ª.7.H
Caſus ſenis, qui inuitus Excernebat.1º.de loc.aff. 4ª.7.H
Caſus cuiuſdam, qui infrigidata ſede, & veſica Excrementa retinere nõ poterat.4º.de loc.aff. 4ª.25.B
Caſus cuiuſdã non potentis Excremẽta retinere.4º.de loc.aff. 4ª.25.C
Caſus adoleſcẽtis q Excernebat rubidã pluuię.in 1^{m}.pr.cõ.1º. 4ª.171.F
Caſus qualia Excrementa ex cibis arenulentę ſubſtantiæ.in 1^{m}.prorrhe. commentario.3º. 4ª.182.G
Caſus Exiccati à medicis.7º.meth.med. 7ª.44.B
Caſus quatuor de Exolutione.com.2º.aph.41º. Ex.18.A
Caſus Febrientis cum dolore capitis, & curatio.de cau.proc. 3ª.95.D
Caſus Febrientis quẽ, in acceſſione cibabat Galenus, cõtra famoſum aliorum medicorum diatriton.de cau.procatar. 3ª.95.F
Caſus Febrientis, qui balneis fuit ſanatus.de cau.procat. 3ª.95.E
Caſus Febricitantis ob exercitium.de cau.procat. 3ª.98.B
Caſus ſanati à febre acuta tranſmiſſa per cutem ſeptima die bile flaua. 5º.de loc.affec. 4ª.35.G
Caſus febris horridę.2º.de criſi. 4ª.136.E
Caſus mulierculæ ex Febriũ cõplicatione laborãtis.2º.de cri. 4ª.136.G
Caſus adoleſcentis in febrium complicatione.2º.de criſi. 4ª.137.B
Caſus habentis motum Febris tardiorem in primis diebus in morbo ſalubri.3º.de criſi. 4ª.140.H
Caſus Febrientis decima diei hora.1º.de dieb.decr. 4ª.147.H
Caſus filij Boethi, q ſæpe ĩ Febris recidiuã ĩcidit.d præ.ad Po. 4ª.216.H
Caſus Febrientis Commodi.de præcogn.ad Poſthu. 4ª.219.C
Cas⁹ et curatio hẽtis Febrẽ ex obſtructiõe meatuũ.8º.me.me.7ª.50.B
Caſus cuiuſdam qui Febricitauit ex cœna copioſa.8º.met.me. 7ª.54.A
Caſus duorũ febricitantium in diuerſis regionibus.8º.met.me. 7ª.55.A
Caſus Febris ſynochi ex putredine.8º.meth.med. 7ª.56.H
Caſus iuuenis correpti Febre, qui ob multa ſicciſſimus erat. 10º.methodi medendi. 7ª.62.C
Caſus Febris tertianæ nothę in iuuene.1º.de arte cur.ad Glauc.7ª.96.F
Caſus Febris ſemitertianę.2º.de criſi. 4ª.136.F
Caſus cuiuſdam, quem Galenus primo nouit Febre quartana laborare, de pręcog.ad Poſth.214.D/ 4ª.215.H
Caſus Febris, & aquæ intercutis eodem tempore vexantium, et quæ ſit curatio.com.1º.aph.16º. Ex.8.H
Caſus fiſtulæ poſt aures in puero.1º.de comp.med.per gen. 5ª.213.B
Caſus Furoris mulierum ex collectione ſanguinis in mammis, quem non vidit Galenus.com.5º.aph.40º. Ex.41.C
Caſus Genu, quod facile rigore afficiebat.3º.de cõp.me.p gen. 5ª.229.B
Caſus fluxus ad Genu, in quo venam ſecuit, ex brachio.2º.de arte cura. ad Glauconem. 7ª.101.F
Caſus de puero cui euulſa eſt rotula à Genu.3º.de vſu par. 1ª.134.F
Caſus duorũ hominũ qui Grauantur, & qui punguntur.de mul.3ª.79.D
Caſus de obſtructione Hepatis.ars med. Iſa.69.B
Caſus Hepatis affecti & pleni tenacium, lentorum, & craſſorum humorum.ars medicinalis. Iſa.70.H
Caſus medici Glauconis philoſophi amici ex Hepatis inflammatione laborantis.5º.de loc.aff. 4ª.34.G
Caſus Theagenis Philoſophi cynici in Hepatis phlegmone. 13º.methodi medendi. 7ª.83.F
Caſus Heropyti Abderitę ægroti noni.in 3^{m}.de mor.vul.cõ.3º.3ª.150.D
Caſus mulieris habentis Herpetum in malleolo.14º.met.med. 7ª.92.F
Caſus humeri auulſi.de ijs quę in med.fiunt, com.1º. 7ª.198.C
Caſus ægrotantis ex Inopia & mœſtitia.in progn.com.1º. 4ª.91.H
Caſus ſuppoſitus de minore inſpiratione, & maiore expiratione. 1º.de diff.reſpir. 3ª.62.C
Caſus iuris de pugile qui pugno vetulã interfecerat.de cau.pca.3ª.98.C
Caſus alius in iure.de cauſ.procat. 3ª.39.F
Caſus iuris an Oreſtes Clytemneſtrã interfecerit.de cauſ.pca. 3ª.99.D
Caſus iuris de medico, qui venenum dedit.de cau.procat. 3ª.99.F
Caſus Lariſſę calui ægroti quinti.in 3^{m}.de mor.vul.com.3º. 3ª.149.E
Caſus virginis Lariſſæ ęgroti duodecimi.de mor.vul.com.3º. 3ª.150.H
Caſus ſuppoſitus tẽperati iuuenis, qui inciderat in laſſitudinem vlceroſam propter multa, & qũo eſſet curandus.4º.de ſan.tuen. 2ª.83.D
Caſus luxati ad ptes externas q mingere ñ poterat.6º.de lo.af. 4ª.38.G
Caſus cuiuſdam, qui non poterat mouere manus ad partes externas.2º. de vſu partium. 1ª.126.E
Caſus cuiuſdam qui per reliquas manus partes omnes ita fuit reſolutus vt neq; ſentiret, neq; moueretur, ſed in tribus digitis ſenſum habebat integrum.2º.de loc.affec. 4ª.7.F
Caſus cuiuſdam, qui trium digitorum ſenſum amiſerat, ſeruato motu, & curatio.1º.de loc.aff. 4ª.7.B
Caſus morſi in digito.1º.de comp.med.per gen. 5ª.214.E
Caſus reſoluti in omnibus partibus, pręter quam in facie, & in ſpiratione.3º.de loc.affect. 4ª.21.B
Caſus reſoluti in oĩbus partibus, demptis manibus.3º.de lo.aff. 4ª.21.B
Caſus Pauſaniæ, qui amiſerat ſenſum minimorum digitorum ſiniſtræ manus.3º.de loc.aff. 4ª.21.C
Caſus pueri in primo articulo medij digiti dexteræ manus totũ circa neruum locum adeo humentem habentis ex contuſione, vt iam computreſcere.3º.de comp.med.per gen. 5ª.229.A/B/C
Caſus habentis particulam putridam.6º.meth.med. 7ª.37.F
Caſus in quo nullum ſeruauit Galenus.4º.de loc.aff. 4ª.28.C
Caſus maraſmi qui per annos ſuperuixit.10º.meth.med. 7ª.66.F
Caſus cuiuſdam qui ſingulis annis in melancholiam incidebat, & mulieris tumorem cancroſum in mamilla patientis, & alterius in quo elephas morbus erat inchoatus, & alterius qui tempore æſtiuo febribus tertianis corripiebatur, quomodo curati omnes fuerint à Galeno com.6º.aph.47º. Ex.52.C/D
Caſus adoleſcentis Melibœæ ęgroti ſextidecimi. in 3^{m}.de morbis vulgaribus, commen.3º. 3ª.151.G
Caſus Melitonis.com.7º.aph.42º. Ex.57.C
Caſus menſtrui retenti.de venæ ſect.aduer.Eraſ. 6ª.9.H
Caſus mulieris ex retentione menſtruorum, omiſſa ſectione, mortuæ.de venæ ſect.aduer.Eraſ. 6ª.9.D
Caſus menſtruorum profluuij.de pręſag.ad Poſthu. 4ª.217.D
Caſus mulieris enixæ in Mẽdaciũ foro.3º.de mor.vul.cõ.2º. 3ª.140.B
Caſus mulieris enixæ nec purgatę apud aquam frigidam.in 3^{m}.de morb. vulgarib.com.3º. 3ª.148.C
Caſus mulieris gemiparæ ægroti quartidecimi. in 3^{m}.de morb.vulgaribus, commen.3º. 3ª.151.C
Caſus mulieris moroſæ ægroti vndecimi.in 3^{m}.de mor.vul.c.3º. 3ª.150.F
Caſus mundorum ac immundorum corporum quo modo varie afficiciantur ab aere putredinoſo.1º.de diff.feb. 3ª.32.D
Caſus Steſiani habentis in muſculis abſceſſum.5º.de loc.aff. 4ª.34.B
Caſus in Naſcẽte reſpectu aſpectus planetarũ.3º.de dieb.decr.4ª.157.H
Caſus Nicodemi Abderitani ægroti decimi.in 3^{m}.de morbis vulgaribus, commentario.3º. 3ª.150.E
Caſus Oſſis ſincipitis fracti.6º.meth.med. 7ª.42.G
Caſus oſſis in brachio fracti ad medullam ipſam.6º.meth.med. 7ª.42.E
Caſus Parij ęgroti primi in 3^{m}.de mor.vulg.com.3º. 3ª.147.E
Caſus percuſſi in peritonæo qui vrinam reddere non poterat, cur, et quo modo cognoſcatur.1º.de loc.affe. 4ª.3.C
Caſus Periclis ęgroti ſexti.in 3^{m}.de mor.vul.com.3º. 3ª.149.H
Caſus de œconomo laborãte Phlegmone oculorum qui per ſanguinis miſſionem è directo ſanatus eſt.de cur.rat.per ſang.miſſ. 6ª.20.B
Caſus patientis vehemẽtem peripneumoniam quæ paſſus ſit ſymptomata.4º.de loc.affec. 4ª.25.B
Caſus Phrenitici ægroti quarti.in 3^{m}.de mor.vulg.com.3º. 3ª.149.C
Caſus Phrenitici q hẽbat læſã cogitationẽ.et ſẽſus.4º.de lo.af. 4ª.22.D
Caſus Phthiſici.4º.de loc.affect. 4ª.28.C
Caſus Plethoræ maximæ.de venæ ſect.aduer.Eraſ. 6ª.14.G
Caſus Pleuritici humidi natura.de vict.ra.in mor.acu.com.1º.7ª.115.A
Caſus Pleuritici ſicci natura.de vic.rat.in mor.acu.com.1º. 7ª.115.A
Caſus Pleuritidis.3º.de locis affe. 4ª.14.H
Caſus temporum in morbo laterali.1º.de cri. 4ª.132.E
Caſus Anaxionis, Pleuritici.in 3^{m}.de morb.vulg.com.3º. 3ª.150.B/1º.de criſi.4ª.132.F/com.1º.apho.12º. Ex.6.A
Caſus Dionis, & Theonis in Pleuriſi.com.6º.aph.5º. Ex.47.A
Caſus Podagrici qui ex adhibitis medicamẽtis peius habuit.1º.de ſimpli

cium

cium medicamentorum facul. 5ª.7.B
Caſus de affectu raro in Pulmone.4°.de loc.affec. 4ª.28.D
Caſus celeris Pulſus.1°.de cau.pul. 4ª.90.G
Caſus ægri Pulſum iuſto maiorem habentis.1°.de præſ.ex pul. 4ª.105.E
Caſus in pulſu proponitur.1°.de diff.pulſ. 4ª.49.B
Caſus adoleſcentiũ duorũ q vario mõ didicerũt Pulſus.3°.ibidẽ.4ª.69.f
Caſus Pueri puncti in pupilla.1°.de ſymp.cau. 3ª.15.D
Caſus Puncti acu in cute.6°.meth.med. 7ª.36.H
Caſus in Punctura nerui.6°.meth.med. 7ª.37.B
Caſus Simonis cui per hyemem latę puſtulæ effloruerunt. in 6^{m}.de mor. vulg.comm.2°. 3ª.165.F
Caſus habentis Puſtulas vlceroſas in toto corpore.de purg.me.5ª.86.F
Caſus Pythionis ęgroti tertij.in 3^{m}.de mor.vul.com.3°. 3ª.148.G
Caſus cuiuſdã q fumoſum Ructũ ſentit vt ab ouis frictis.1°.đ lo.af 4ª.5.c
Caſus laboran is Salubri morbo.3°.de criſ. 4ª.140.G
Caſus de ægro habente omnia ſigna Salutis.3°.de criſ. 4ª.140.D
Caſus iuuenis Sani.1°.de digno.pul. 4ª.73.A
Caſus de particula plena ob ſanguinẽ influentẽ intro.ars med. Iſ.70.E
Caſus Sanguinem reijcientis ex catarrho.5°.meth.med. 7ª.35.C
Caſus expuentis ex interuallis quotidic non ita multum ſanguinem tuſſiendo.4°.de loc.aff. 4ª.25.F
Caſus expuentis Sanguinem floridum.5°.meth.med. 7ª.35.A
Caſus iuuenis cui fluxurum ſanguinem è narc dextra prædixit Galenus de præcogni.ad Poſth. 4ª.219.E
Caſus cuiuſdam qui Sanguiſugam ebibit.4°.de loc.affe. 4ª.26.A
Caſus cuiuſdã q Sanguiſugã in naribus habebat.4°.de lo.aff. 4ª.26.A
Caſus morſi à Scorpione.3°.de loc.affec. 4ª.19.F
Caſus althletæ Secundi nominati imbecillitatem ſentientis in Septo trãſuerſo.4°.de loc.affect. 4ª.25.A
Caſus duo de Semine retento.6°.de loc.affe. 4ª.39.G
Caſus mulieris neruorum diſtentione affectæ ob Semen retentum.6°.de locis affectis. 4ª.39.H
Caſus Sexti de præcogni.ad Poſthu. 4ª.218.C
Caſus Sileni.com.7°.aph.31°. Ex.56.C
Caſus difficulter Spirantis ex calcitratu equi.4°.de loc.aff. 4ª.25.B
Caſus cuiuſdam cui Spina ſinuata eſt pp caſum.6°.de loc.aff. 4ª.38.G
Caſus cuiuſdã,grauiter offenſi circa Spinã.đ ijs q̃ ĩ mc.cõ.2°. 7ª.209.G
Caſus amiſſionis vocis ob ſtrumas.1°.de loc.aff. 4ª.7.A
Caſus habẽtis ſuppuratione ĩ nate,et qd ſecutũ ſit.4°.de lo.aff. 4ª.25.B
Caſus ſudantis ratione ſyncopes.in progn.com.1°. 4ª.189.E
Caſus ſynanchici.de venæ ſect.aduer.Eraſ. 6ª.9.H
Caſus Tuſſis ortæ ex frigore cũ ſanguinis profluuio.5°.met.med. 7ª.35.E
Caſus cuiuſdã qui vẽtriculũ,tripliciter affectũ hẽbat.ars med. Iſa.69.B
Caſus habentis Ventriculum calidum & ſiccum.7°.meth.me. 7ª.47.D
Caſus quo oſtenditur prius Ventriculi os roborandum,quam medicamẽtum exhibendum.1°.de ar.cur.ad Glau. 7ª.98.B
Caſus alicuius qui auerſetur eſum boni ſucci,& à cibis abſtineat:cũ vero mandere cogitur,ſi nauſeabundus, & ſolum acriora admittat cũ hoc etiam intumeſcit ei ventriculus flatibus.5°.dc vſu par.1ª.143.A
Caſus cuiuſdam,qui acribus vſus eſt.6°.de loc.aff. 4ª.42.F
Caſus pueri grãmatici qui ob vinũ icidit ĩ vigilias.2°.de lo.aff.4ª.14.A
Caſus alter ruſtici vinitoris commorſi à Vipera qui ſibi falce digitũ ſecuit.3°.de loc.aff. 4ª.19.H
Caſus abſcindẽtis ſibi digitũ,quẽ vipa momorderat.3°.de lo.af.4ª.19.H
Caſus colligantis ſibi radicem digiti apud palmam validiſſimo vinculo ob ictum venenoſi animalis,& incidentis.3°.de lo.affe. 4ª.19.H
Caſus morſi à vipera.5°.de lo.aff. 4ª.34.A
Caſus mulieris Voluulo laborãtis apud tiſamenũ.3°.đ mor.vul.3ª.138.b
Caſus adoleſcentis qui æruginem euomuit.com.5°.aph.1°. Ex.37.C
Caſus duo vrinæ ſuppreſſę.6°.de loc.aff. 4ª.38.G
Caſus habentis Vrinam nigram,qui tabefactus obijt die ſeptima. in 1^{m}. prorrhe.com.1°. 4ª.171.F
Caſus mulieris,quæ vrinam nigram minxit.de atra bile. 1ª.36.H
Caſus mingentis ſanguinem ex caſu.6°.de loc.aff. 4ª.38.H
Caſus multorum qui vrinam & excrementa inuiti emittebant, & cur. 1°.de loc.affect. 4ª.7.H
Caſus Vlceris caui aperti.2°.de comp.med.per gen. 5ª.220.E
Caſus vlceris in diuite.3°.de comp.med.per gen. 5ª.234.C
Caſus vulneris in femore.3°.de comp.me.per gen. 5ª.231.C
Caſus vulnerati ĩ neruo.de p̃co.ad Poſt.4ª.216.A/6°.mct.me.7ª.37.H
Caſus cuiuſdam,qui exiuit domum nimis cito à vulnere nerui.3°.de compoſi.medic.per gen. 5ª.229.F
Caſus in quo Hippocrates & Galenus reprehenditur ab indocto & obſtinato quodam.2°.de diff.reſp. 3ª.64.B
Caſus quo modo in quodã ęgro procedendũ.2°.de dieb.dec. 4ª.155.E
Caſus quo mulier quędam ſeruari debebat lyſimachia, & ſeruata eſt ſpinæ ęgyptiæ ſemine.dc ſubſt.me. 5ª.84.C
Κατὰ τὸ ἔγχυμα plenitudo.de cur.rat.p̃ ſang.miſſ.16.D/E/ 6ª.17.B
Κατὰ ἶξιν quid ſignificet.2°.de compoſitio.medicamen.ſec.lo.5ª.132.D
Κατ' ἶξιν id eſt ſecundum rectitudinem,quid apud Hippocratem.in 6^{m} de morb.vul.com.1°.3ª.152.H/de cur.rat.per ſang.miſſ. 6ª.19.H/2°. de arte cur.ad Glauc. 7ª.102.G
Κατακορέως quid.de vic.rat.in mor.acu.com.3°. 7ª.128.C
Κατὰ περίσφαλσιν modus reficiendi articulos.de ar.cõ.1°. 7ª.152.H
Κατὰ σχέσιν quid ſignificet.2°.de compoſitione med.ſec.loc. 5ª.132.D
CATACLISIS quid.in 6^{m}.de morb.vulg.com.1°. 3ª.160.C
CATACLEIDA ſiue acromion quid vocent.de oſſibus. 1ª.42.G
Catacleida,quaſi ſubclauiũ dixeris, q̃ coſtã appellẽt.de muſ.diſ.1ª.46.C
CATACLYSMA quid ſit.de ſal.diæta. 2ª.41.E/F
Cataclyſma quo anni tempore fieri debet.de ſal.diæta. 2ª.41.E
Catacl yſmata tenuiorum & corpulentorũ,qualia.de ſal.dięta. 2ª.41.F
CATAGMA eſt ſolutio continuitatis in oſſe, & ita ab omnibus græcis proprio nomine appellatur.2°.meth.med.9. F/ 4°.36.G/6°.40.B/de fract.commen.1°. 7ª.223.E
CATAGMATICA quæ proprie medicamenta.2°.de compoſitio.medicamento.per gen. 5ª.225.H
Catagmaticum medicamentũ vnde dictũ.2°.de cõp.me.per ge. 5ª.225.C
Catagmatica ligamenta,quæ.1°.de comp.medic.per gen. 5ª.211.F
Catagmaticis potẽtiora ſunt cephalica.2°.de cõp.med.per ge.5ª.226..A
de Catagmaticis ſcripſit Heras.2°.de comp.med.pcr gen. 5ª.226.B
Catagmatica Andromachi.2°.de comp.med.per gen. 5ª.226.F
Catagmaticum Moſchionis.3°.de comp.med.per gen. 5ª.235.C
Catagmaticum Nigrum optimum.2°.de comp.med.per ge. 5ª.225.D
Catagmaticum Oenanthe.2°.de comp.med.per gen. 5ª.225.G
CATALEPSIS quid ſit.de ſymp.diff. 3ª.11.G
Catalepſis,cari,comitialis,apoplexię,catochi,& ſoporis differẽtiæ.4°. de loc.affect. 4ª.23.A
in Catalepſi palpebræ ſunt apertę.4°.de loc.aff. 4ª.23.A
in Catalepſi ſpiritus quo modo habeatur.4°.de loc.aff. 4ª.27.E
Catalepſis.i.deprehenſio,fit ex refrigeratione forti primę partis ſenſitiuæ cum ſiccitate.com.2°.aph.3°. Ex.11.E
in Catalepſim quidam incidunt vitio ſtomachi.1°.de ſymp.cau. 3ª.18.F
in Catalepſi nullum eſt ſignum loci affecti.3°.de loc.aff. 4ª.16.B
Καταμολυνθέντα quid ſignificet.in 1^{m}.prorrh.com.3°. 4ª.188.H
Κατάπασον medicamentum quod inſpergitur ad hæmoptoicos. 7°.de comp.med.ſec.loc. 5ª.184.D
Cataphora quid ſit.in 1^{m}.prorrh.com.3°. 4ª.178.D
Cataphoræ duæ ſpecies.de comate. 3ª.49.G
Cataphora quandoq; ſomnolenta,& vigil.de comate. 3ª.49.H
Cataphoræ vigilis duæ ſpecies.de comatc. 3ª.50.C
Cataphora pigra,quæ.dc comate. 3ª.50.D
Cataphoræ lethargũ referentes.ad eos qui de typ.ſcripſerunt. 3ª.90.F
Cataphorici habent oculos clauſos.in 1^{m}.prorrh.com.1°. 4ª.176.F
Cataphora quando expectanda.in 1^{m}.prorrh.com.1°. 4ª.175.D
in Cataphoris febres,quales.11°.de ſimp.med.fac. 5ª.80.C
ad Cataphoricos affectus valet caſtoreũ.11°.de ſimp.me.fac. 5ª.80.D
à Cataphora,ideſt inclinatione in ſomnum,excitare poteſt cucurbitula. de cucurb.ſcar. 6ª.5.F
CATAPHRACTA vinculum vnde nomen habeat.de faſcijs. 7ª.301.E
CATAPLASMA eſt vnum ex auxilijs morbi.de vict.rat.in mor.acut. commen.1°. 7ª.115.C
Cataplaſmata inter modos euacuandi.1°.de arte cur.ad Glau. 7ª.98.D
Cataplaſma ſuperdare alicui membro eſt actio quæ fit ſine ſcalpello. ad Thraſybullum. 2ª.104.H
Cataplaſmatum differentia quo modo fiat.intro. Iſa.55.F
Cataplaſmatis ſpiſſitudinis meminit.de med.fac.parab. 7ª.173.H
Cataplaſmata nõ applicãda niſi foto pr ius loco.de rem.par.f. 7ª.156.D
Cataplaſmata adhibentes,miniſtri medicorum.in 6^{m}.de morbis vulgaribus,commentario.5°. 3ª.188.C
Cataplaſma q̃uo ſeruetur calidũ ſupra locũ.de ren.affe.dig. 7ª.194.A
Cataplaſmatis ex melle vſus,Galeni tempore.1°.de diff.feb. 3ª.35.F
Cataplaſmata adhibenda in Alopecia.1°.de cõp.med.ſec.loc. 5ª.122.H
Cataplaſma in Angina ponendum.in 3^{m}.de mor.vulg.com.2°. 3ª.137.B
Cataplaſmata pro Auribus.3°.de comp.med.ſec.loc. 5ª.146.B

Cataplaſmata ſunt ſiccißima pro auribus.de artic.com.2°. 7ª.267.G
Cataplaſma ad aurium dolores q̃uo confectum.12°.meth.med. 7ª.79.G
Cataplaſmata in Capitis dolore.2°.de comp.med.ſec.loc. 5ª.137.F
Cataplaſma ex plantagine reprimit,& ſimul digerit Carbunculos.14°.methodi medendi. 7ª.90.B
Cataplaſma ex arnogloſſo,lente,pane,& oleo roſaceo. 2°. de arte cura. ad Glauconem. 7ª.101.G
Cataplaſma ad Contuſionem.6°.meth.med. 7ª.38.G
Cataplaſmata ex lixiuia ſtillatitia,& farina hordei putreſcens pars ſouetur in Cōtuſionibus neruorum.3°.de comp.med.per ge. 5ª.229.A
Cataplaſma in Declinatione.de opt.ſecta. Iſ.27.G
Cataplaſma ex farina hordeacea conuenit Eryſipelati ex vlcere.14°.metho.med.87.E/2°.de ar.cur.ad Glau. 7ª.102.A
Cataplaſma ad Febres omnes.de dyna. Sp.33.F
Cataplaſma Hepaticum.8°.de comp.med.ſec.loc. 5ª.196.C
Cataplaſma pro Hepatis phlegmone.13°.meth.med. 7ª.83.F
poſt Cataplaſma ceratū imponebat Galenus in Hepatis phlegmone. 13° methodi medendi. 7ª.83.H
Cataplaſma nullum frigidum adhibendum in phlegmone hepatis.13°.methodi medendi. 7ª.83.C
Cataplaſma Antonij Muſæ ex elaterio ad Hydropas.9°.de compoſitio. medicamen.ſec.loc. 5ª.200.E
Cataplaſma in hydrope educens.9°.de comp.med.ſec.loc. 5ª.200.E
Cataplaſmanda ſunt Hypochondria in ictero.de cura icteri. Sp.110.H
Cataplaſma pro Liene.11°.meth.med. 7ª.73.D
Cataplaſma quo modo fiat pro liene.de medic.fac.para. 7ª.172.D
per Cataplaſmata fiūt Maturationes.in 1m.de mor.vul.cō.2°. 3ª.112.A
Cataplaſma Mitigatorum.de rem.par.facil. 7ª.155.E
Cataplaſma Obuli.de dyna. Sp.26.A
Cataplaſmata ſupra Oculos,qualia.de ocul. 7ª.190.C
Cataplaſma Oedematum,& phlegmonum.4°.meth.med. 7ª.27.E
Cataplaſma ex lente,q̃u adeſt Phlegmone.2°.de ar.cu.ad Gla. 7ª.101.H
pro Cataplaſmate artomeli in phlegmone.11°.meth.med. 7ª.73.C
Cataplaſmata adhibenda ī phlegmone poſt reprimētia.de op.ſec. Iſ.22.D
Cataplaſma ex lini ſemie ī Pleuritide.de vi.ra.ī mor.ac.c.4°. 7ª.144.B
Cataplaſma ex farre macerato.de artic.com.2°. 7ª.267.H
Cataplaſma ex triticea farina,quale.5°.de ſimpli.med.fac. 5ª.34.B
in Cataplaſmate farinæ triticeæ facultas ineſt modice tum humida, tū calida.5°.de ſimp.med.fac. 5ª.32.C
Cataplaſma quod ex farina triticea cōficitur emplaſticam vim habet.5°. de ſimpli.med.facul. 5ª.34.D
Cataplaſmata ex farina triticea q̃uo moueāt pus.4°.de ſim.m.f. 5ª.33.B
Cataplaſma ex farina triticea,vel hordeacea.13°.meth.med. 7ª.81.B
Cataplaſma ex aqua,oleo,& farina citius ad ſuppurationem perducit, quam quod ex pane.2°.de ar.cu.ad Glau. 7ª.105.C
Cataplaſma ex farina,oleo,& aqua pro inflammatione ad pus mouendum.4°.meth.med.27.D/2°.de arte cur.ad Glau. 7ª.102.A
Cataplaſma concoquens ex aqua,oleo,& farina triticea.2°.de arte cur. ad Glauconem. 7ª.105.C
Cataplaſma ex pane,quale.5°.de ſimp.med.fac. 5ª.34.B
Cataplaſma ex pane magis digerit,q̃ ex tritico.8°.de ſim.me fa. 5ª.59.D
Cataplaſma ex pane cur maxime diſſoluat.2°.de ar.cu.ad Gla. 7ª.105.C
pro Cataplaſmate panis ex aqua mulſa.5°.de comp.med.ſe.lo. 5ª.161.G
Cataplaſma ex pane & melle.13°.meth.med. 7ª.83.F
Cataplaſma ex caricis in aqua decoctis pro his quæ tarde ſuppurantur. 2°.de arte cur.ad Glau. 7ª.105.D
Cataplaſmata,quæ aut detergētia,aut validiꝰ excalfaciētia halitus diſflare,ꝑmittunt,exiccāt q̃dē,ſed pus nō mouēt.5°.de ſim.m.f. 5ª.33.H
Cataplaſma Relaxans.5°.meth.med. 7ª.36.D
Cataplaſma pro Renum dolore.de ren.affec.digno.& med. 7ª.194.A
Cataplaſmate ex althea q̃u vti debemus ī Scirrhis.14°.met.me. 7ª.88.C
Cataplaſma quo modo fiat pro ſtomacho.de medi.fac.par. 7ª.172.E
Cataplaſma ad ventriculum in melancholicis . de mel. ex Galeno.Rufo. & Poſſidonio. Sp.110.C
in Cataplaſmatibus difficilis eſt vſus milij.7°.de ſimp.med.fa. 5ª.50.D
Cataplaſma ex muſcarum capitibus.de ocu. 7ª.190.E
ex Cataplaſmatibus quæ non deberent apponi,multi moriuntur.11°.methodi meden. 7ª.72.C
Cataplaſma nulla deſiderant vlcera penis & ſedis.5°.met.me. 7ª.36.D
CATAPTOSIS eſt ſymptoma nō morbus.de to.mor.tempo. 3ª.89.C
CATAPOTIVM adipſon.8°.de comp.med.ſec.loc. 5ª.189.G
Catapotia ſitim extinguentia ex ardore.de rem.par.facil. 7ª.159.A
Catapotia Galeni ex aloe,ſcammonia,& colocynthide quo modo conficiantur.1°.de comp.med.ſec.lo. 5ª.121.G
Catapotia Galeni ex aloe, ſcammonia, & colocyntide æqualiter ſucco braſſicæ exceptis.de rem.par.fac. 7ª.154.D
Catapotia ex aloe,ſcammonia,& colocynthide educunt bilem.1°.de cōpoſi.med.ſec.loc. 5ª.121.F
Catapotijs ex aloe bilis euacuatur.2°.de comp.med ſec.lo. 5ª.136.H
Catapotium Andreæ.9°.de comp.med.ſec.loc. 5ª.198.G
Catapotium Baſſi.7°.de comp.med.ſec.loc. 5ª.182.C
Catapotia ex Caſtoreo ſoluūt aluum.de venæ ſect.aduer.Eraſ. 6ª.11.C
Catapotia ex Colocynthide.3°.de comp.med.ſec.lo. 5ª.145.B
Catapotium Harmonia dictum.7°.de comp.med.ſec.loc. 5ª.182.C
Catapotium pro Hepaticis.8°.de comp.med.ſec.loc. 5ª.195.D
Catapotia Heraclidæ Tarentini ad veſicę toſos & ſtillicidium.10°.de cōpo.med.ſec.loc. 5ª.206.E
Catapotia pro Hydrope.de vict.ra.in mor.acu.com.4°. 7ª.152.G
Catapotium ex Marrubio Platonis.7°.de comp.med.ſec.loc. 5ª.182.C
Catapotium Pæonium dictum.9°.de comp.med.ſec.loc. 5ª.198.G
Catapotium Panacea.7°.de comp.med.ſec.loc. 5ª.182.B
Catapotium Scribonij Largi ad phthiſicos,& ſuppuratos.7°.de compo. medic.ſec.loc. 5ª.185.F
Catapotium Spleniçis.9°.de comp.med.ſec.lo. 5ª.198.G
Catapotia ad Stomachi ſubuerſiones.8°.de comp.med.ſec.loc. 5ª.189.F
Catapotium ad Tuſſim ſtatim auxilians.7°.de comp.me.ſec.lo. 5ª.183.C
Catapotium Criſpi liberti ad tuſſim.7°.de comp.med.ſec.loc. 5ª.182.H
Catapotium concoctorium ex libris Perigenis ad tuſſim & deſtillationē 7°.de comp.med.ſec.loc. 3ª.183.A/D
Catapotium album Pritanis & Apollonis ad tuſſim. 7°. de compoſitio. medicamen.ſec.loc. 5ª.183.D
Catapotia ciceris magnitudine.8°.de comp.med.ſec.loc. 5ª.189.F
Catapotiū dat,poſtea ad ſemiborā dat mulſā.7°.de cōp.me.ſ.l. 5ª.186.H
Καταπτωσις.de morborum temporibus. 3ª.89.C
CATAPVTIA pituitam magis purgat q̃ cnicus.de dyn. Sp.21.G
CATARACTA quæ ſit in oculo.de ocul. 7ª.186.D
Cataractas habentes oculi veneti dicūtur apud antiquos.de ocu. 7ª.187.D
ad Cataractam qui ſint præparati.de ocul. 7ª.186.D
Cataracta quot modis fiat,& quo modo,& quid ſit,& quo modo predicenda.de oculis. 7ª.187.C
CATARRHVS quid.ſin.med.Iſa.47.D/3°.de ſymp.cau. 3ª.29.F
Catarrhi ſunt ægritudines capitis.de virt.noſtrum corp.diſ. Sp.60.B
Catarrhos conuenienter poſſe diſtingui cōmuniter & proprie vt faciunt recentiores poteſt colligi in fine.com.3°.apho.12°. Ex.21.H
Catarrhi & coryzæ cauſæ,quæ.3°.de ſymp.cau. 3ª.29.E
Catarrhi multi in pueruli nuper natis.com.3°.aph.54°. Ex.25.B
Catarrhi fiunt maxime temporibus pluuioſis.com.3°.aph.16°. Ex.23.A
Catarrhi ponunt inter morbos,qui vere apparēt.5°.de ſani.tu. 2ª.94.D
Catarrhi faciūt intemperiē in naſo,& cerebro.1°.de ſymp.cau.3ª.16.A
Catarrhus oſtendit temperamentum cerebri.2°.de temp. 1ª.20.F
in Catarrhis cur voces raucæ.7°.de vſu partium. 1ª.158.F
Catarrhi faciunt tuſſim.2°.de ſymp.cau. 3ª.21.G
Catarrhus deſcēdit ad pulmonē ex bile in ſtō,quo mō.de ſper. Sp.36.H
Catarrhus quoſdam facit ſtupidos à dextra, vel ſiniſtra. commentario. 3°.aphor.12°. Ex.21.H
Catarrhus decumbens dolorem perficit.com.4°.aph.32°. Ex.30.H
Catarrhi quomodo dicantur coqui.de vict.rat.in mor.acu. 7ª.122.H
Catarrhi cōparatio ad ventris inconcoctionē.3°.de ſymp.cau. 3ª.29.F
Catarrhis conuenit Armeniaca terra.9°.de ſimp.med.fac. 5ª.66.H
in Catarrho Ceratum thapſiæ ſupra pectus.5°.meth.med. 7ª.35.E
pro Catarrho Diaſpermaton Galeni.5°.metho.med. 7ª.35.E
ex Catarrho ſanguinem reijcientis caſus, & quo modo curandi.5°.methodi meden. 7ª.35.C
in Catarrho,& ſputo ſanguinis,ī cibo offert piſces.5°.met.med. 7ª.35.F
Catarrhos & coryzas palam deſiccat melanthium frictum, ſiquis id in calidum linteum rarum liget,aſſidueq; calorem ex eo per inſpirationē in nares attrahat.6°.de ſimp.med.fac. 5ª.45.H
Catarrhos ſanat nigella olfacta.7°.de ſimp.med.fac. 5ª.55.C
ſupra Catarrhum habentis caput medicamentum ex palumbium ſtercore.5°.meth.med. 7ª.35.C
Catarrho tenui à capite defluenti conuenit papauer.1°.de ali.fa. 2ª.15.E
Catarrhis prodeſt Styrax.8°.de ſimp.med.fac. 5ª.61.E
in Catarrho dat theriacam.5°.meth.med. 7ª.35.C
Catarrhus,vide fluxio.

CATASARCA *quid.de vict.rat.in mor.acut.com.4°.* 7ª.148.G
Κατάσασις, *conſtitutio.de fract.com.3°.* 7ª.246.H
CATATASIS *quid.intro.fin.med.* Iſa.50.C
Καθαίρεσθαι & φαρμακεύειν *idem ſignificant.de vict.ra.in mor.acu. commen.4°.* 7ª.150.F
CATHARTICA *dicta eſt quædam facultas à purgatione.4°.de ſimp. medicamen.fac.* 5ª.32.C
Cathartica,quæ.de part.art.med. Sp.18.H
Cathartica experimenta longa ſunt ſecundum aliquos.de cath. Sp.94.h
Catharticorum tria genera ſm phyſicos,& quę.de cathar. Sp.74.D
de Catharticis liber Romæ crematus.de cathar. Sp,94.C
Catharticorum quædam quę ventrem molliunt tantum,malactica dicuntur.de dynamidijs. Sp.20.G
Cathartica euacuant à proprietate.de dyna. Sp.20.G
Catharticis miſcetur colocynthis.de ſimp.med. Sp.89.D
Catharticam virtutem habet oleum,in quo cucumeris agreſtis radix admiſta,& decocta ſit.de ſimp.med. Sp.88.E
Catharticum oxymeli quo modo fiat.de dyna. Sp.32.F
Catharticum ad phlegma deponendum.de dyna. Sp.32.F
Catharticis ſimpliciter qñ vti debemus,& in quibus.de dyna. Sp.20.F
Cathartico vtitur ad abundantiam humorum,ad prolixam eorum diſpoſitionem,& in atrophia ob malos humores.de dyna. Sp.20.E
Catharticis ad reſtaurandam habitudinem qñ vtimur.de dyn. Sp.20.E
Catharticis vtimur in robuſtis virtute,et promptis ad exercitia,ſtomachumq́; robuſtum habentibus,& multam inutilem materiam in corpore congregantibus.de dyna. Sp.20.F
Catharticis fortibus quando vtimur.de dyna. Sp.20.G
Cathartica quibus partibus danda.de cathar. Sp.94.G
Catharticis,ſtalticis,& acerrimis rebus,& igne curatur cancroſa cauſa.de part.art.med. Sp.19.A
CATENAE *pars organorum.de machin.* 7ª.309.E
Catenulę æreæ vel ferreæ fieri debent.de machin. 7ª.309.D
Catenę ad quid in organis.de machin. 7ª.309.H
Κατεχόμενος. *de pulſ.ad tiro.* 4ª.45.H
CATHAF *eſt humida.de diſſol.cont.* Sp.74.D
Cathaf cum aceto,& muria camedere oportet.de diſſ.cont. Sp.74.E
Cathaf cur eſt mala ſtomacho.de diſſ.cont. Sp.74.E
CATHEGETES *Lucius.2°.de comp.me.per gen.* 5ª.224.B
CATHEMERINA, *id eſt quotidiana.2°.de diff.feb.* 3ª.38.B
nō Cathemerina,ſed amphimerina dicēda febris,q̄.2°.de diff.fe. 3ª.38.B
Cathemerinę febres quæ vocentur.in 1m.de mor.vul.com.3°. 3ª.118.D
CATHAERETICA *ab excreſcentia carnis detrahenda quædam dicta eſt facultas.4°.de ſimp.med.fac* 5ª.32.C
Cathæreticis,hoc eſt detractorijs,vtuntur ad inducendam vlceribus excreſcentibus cicatricem.5°.de ſimp.med.fac. 5ª.36.B
Καθεσικὸς *cōſtans in febribus quid ſit.de vict.ra.in mor.acu.* 7ª.141.B
CATHETERES *inſtrā quę ſint.9°.de comp.med.ſec.loc.* 5ª.205.D
Catheter eſt ſpecillus ſiue fiſtula.de opt.ſecta. Iſ.25.B
Cathetera,ſyringam,quæ nunc ex argento fit,tempore Galeni ęneā fuiſſe collige.1°.de loc.affec. 4ª.3.A
Cathetere rite vti ſine ſcalpello præſtatur.ad Thraſ. 2ª.104.H
CATILINAE *medici medicinę.de med.exper.* Sp.105.A
Κατιλλαίνειν,κατιλλαίνουσαι *quę verba. in 3m.de morbis vulgarib. commen.2°.* 3ª.143.A/B
CATHOCVS *quidnam ſignificet.in 1m.prorrh.com.2°.* 4ª.177.E
Catochus quid.fin.med.Iſa.47.B/in 1m.prorrh.com.3°. 4ª.187.H
Catochus,& mētis vacillatio an ſil' eē poſſit.in 1m.prrh.cō.1°. 4ª.176.E
Catochi qui ſunt.4°.de cauſ.pul. 4ª.102.D
Catochi tria genera.fin.med. Iſa.47.B
Catochus à vigilante quo differat.in 3m.de mor.vul.com.2°. 3ª.140.A
Catochi,catalepſis,cari,comitialis morbi,apoplexiæ,& ſoporis differētiæ.4°.de loc.affect. 4ª.23.A
in Catocho nullum eſt ſignum loci affecti.3°.de loc.aff. 4ª.16.B
Catochi habēt oculos apertos,& tenſos.in 1m.prorrh.com.1°. 4ª.176.F
cū Catocho diſtorſio oculorū peſſimū.in 3m.de mor.vul.cō.2°. 3ª.140.A
Catochæ cum exolutione pernicioſæ.in 1m.prorr.com.3°. 4ª.179.A
Catochorū pulſus,qualis.de pul.ad tir.45.H/4°.de cau.pul. 4ª.102.D
Catochi caſus.in 1m.prorrh.com.1°. 4ª.176.F
Catochæ fit mentio.13°.meth.med. 7ª.85.F
Καθολκεὺς *ex faſcia fit oblonga.de faſcijs.* 7ª.294.H
Catoryctus,pulſus,ideſt defoſſus vel decidiuus, quando fiat cardiacis. de dynamidijs. Sp.34.H
CATOTERICA, *ideſt deiectoria pharmaca.7°.meth.med.* 7ª.49.D
CATVLOTICA *medicamenta,quæ.de part.art.med.* Sp.18.H
Catuloticis,& colleticis rebus curantur difficilia vulnera, & cicatrices craſſæ.de par.art.med. Sp.19.A
CATVLI *nuper nati potius imperfecti, quàm cæci ſunt dicendi.2°.de ſemine.* 1ª.339.E
Catulus incitatur ad mordendum, licet validos dentes non habeat.de fœt.for. 1ª.325.E
à Catuli calore iuuatur ventriculus.7°.meth.med. 7ª.47.B
CAVATA *ex colliſione mollia omnia,magna ex parte ad naturę ſuę locum regrediuntur,vbi percuſſor diſceſſerit.de cau.mor.* 3ª.9.G
CAVCALIS *calfacit & exiccat,vt daucus ſylueſter & vrinā ciet,& muria ad repoſitionem conditur.7°.de ſimp.med.fac.* 5ª.50.G
CAVDAE *non ſunt excrementoſæ ob motum.de bo.& vitio.* 2ª.37.B
Caudæ ſunt duriores,quàm ventriculi.de bon.& vi.ſuc. 2ª.37.B
Caudæ piſcium cur magis nutriant.de ther.ad Piſo. 5ª.93.D
Caudę Hirudinum ſunt incidendæ,quando opus eſt iterū eiſdem nos vti. de cucur.ſcar. 6ª.4.C
Cauda Viperarum cur abijciatur.de ther.ad Piſo. 5ª.93.C/D
Cauda Equina adſtringentem cum amaritudine facultatem poſſidet, ac proinde valenter ſimulq́; citra mordacitatem exiccantem. 6°.de ſimpli.medicamen.facul. 5ª.48.F
Caudę equinę ſuccus profluuio ſanguinis prorumpenti è naribus & fluxui obnoxijs in ventre paſſionibus prodeſt ex auſterorum minorum quopiā potus,ac ſi febre teneant̄,ex aqua.6°.de ſim.me.fac. 5ª.48.F
Cauda equina vulnera vel maxima cōglutinat.6°.de ſim.me.fa. 5ª.48.f
Cauda equina ſanauit non nunquam veſicæ et tenuium inteſtinorum vulnera ſecundum quoſdam.6°.de ſimp.med.fac. 5ª.48.F
Cauda Lupina.de dyna. Sp.25.H
Caudæ Vulpinę grana quid faciant.de dyna. Sp.28.E
CAVE *à medicinis non expertis.de med.exper.* Sp.108.H
in CAVEIS *aues concluſæ à cauponibus quod alimentum dent. 6°. de ſanitate tuenda.* 2ª.99.G
in CAVERNIS *degentia aīalia an reſpirent.4°.de loc.aff.* 4ª.27.D
è Cauernis trahit ſerpentes ceruus ſpiritu ſuo.de cathar. Sp.94.H
Cauernoſum eſſe pulmonem conſtat,ſi calamo intromiſſo infletur.de anatom.parua. Sp.43.A
CAVILLI *qui.de hiſto.philo.* Sp.3.B
Cauillatoria argumenta abſunt ab ſubſtantia rei,quæ quæritur.2°. de decretis Hippo. 1ª.235.D
Cauillationes parit homonymia.1°.meth.med. 7ª.6.B
Cauillando admirabilis Aſclepiades.3°.de criſi. 4ª.141.H
Cauillatoribus meliores ſunt imperiti.de pur.med.fac. 5ª.86.F
CAVITAS *quælibet venter appelletur.cō.6°.apho.20°.* Ex.48.G
Cauitates cum format natura,quid agat.2°.de temp. 1ª.339.E
Cauitas,& eminentia in cranij ſuturis quid.9°.de vſu par. 1ª.171.F
de Cauitatibus cordis.de ana.viuo. Sp.46.E
Cauitates quot in ventre,in inteſtinis,& in iecore.8°.de compoſitio.medicamentorum ſec.loc. 5ª.193.B
Cauitates debent habere ſuam proportionem.de diff.mor. 3ª.4.B
Cauitas vlnę figuræ cui literæ ſit ſimilis.2°.de mot.muſ. 1ª.313.G
Cauitas manēti oſſi adeſt,ei qđ mouet̄ conuexitas.1°.de mo.mu. 1ª.312.G
in Cauitatibus quibus fiat anguſtia.de cauſ.mor. 3ª.9.A/B
Cauitatū ægritudines reducunt̄ ad genus formatiōis.de dif.mor. 3ª.4.D
Cauitas non eſt affectus,ſed vlceris differentia.ars med. Iſa.70.B
Cauitates quomodo corrigantur.ars med. Iſa.69.B
Cauitatem meatus in corporibus quo mō aboleant̄.de cau.mor. 3ª.9.A
Cauitates maiores,minores,inaniores iuſto,pleniores, craſſis humorib. confertæ,quo modo curandæ.de conſt.art. Iſ.39.D
Cauitas in carne quid exigat.3°.meth.med. 7ª.19.E
Cauitas impleri poſtulat.2°.meth.med. 7ª.17.B
ad Cauitates ægre carne implebiles,& diuturnas ex fluxione & fiſtuloſas valet teſta oſtrearum combuſta.11°.de ſimp.me.fac. 5ª.80.H
Cauitate inteſtinorum vulnerata cur ea rariſſime ſanetur. comment.6°. aphoriſ.18°. Ex.48.A
Cauitas,vide Cauus.
CAVLATIM *facta fractura.de ijs quæ in med.fiunt.com. 2°.219.G/de articulis,com.2°.* 7ª.265.B
Caulatim factæ fracturæ quo modo deligandæ.de ijs quæ in medicatrina fiunt,commen.2°. 7ª.208.G
CAVLEDON *quæ ſciſſura in oſſe.6°.meth.med.* 7ª.40.A
Cauledon oſſis fracturæ curatio.6°.meth.med. 7ª.40.E

CAVLES, *radices,folia,fructus,ſemina,habent diuerſas inter ſe facultates in vna planta.1°.de alim.facul.* 2ª.7.E
CAVLIVM, *& lentium iuris quæ ſit vis.de diſſol.cont.* Sp.75.A
Caules cocti ſtringunt ventrem craſſitie ſua.de diſſol.cont. Sp.75.B
Caules ſucci.de diſſol.cont. Sp.74.D
Caules cur parum nutriunt.de diſſol.cont. Sp.73.F
Caules generant melancholiam.de diſſol.cont. Sp.74.C
Caulis præter ſolitum ingeſtus ventriculum offendit.de vic.rat.in mor. acut.commen.2°. 7ª.121.B
Caulis pruritum mouet.de cathar. Sp.95.D
Caulis ſuccus expurgat in ictericis.de cura icteri. Sp.111.B
Caules & orinibum eius vrinam mouet.de cura icteri. Sp.111.D
Κευλὸς *pudendum virile appellatur.14°.de vſu par.208.E/* 1ª.209.B
CAVNIACE. *2°.de comp.med.per gen.* 5ª.225.A
CAVPONES *quo modo vendant vina recentia pro vetuſtis. de bonitate & vitio ſuc.* 2ª.38.F
à Cauponibus in caueis aues concluſæ quod alimentum dent. 6°.de ſanitate tuenda. 2ª.99.G
CAVRVS, *qui & leuconotus,auſter purus,id eſt ſine imbribus.in* 3^{m}*.de morb.vulg.com.2°.* 3ª.141.C
Caurus quandoq; frigidus.in 3^{m}*.de mor.vulg.com.2°.* 3ª.141.D
CAVSA *quid ſignificet.et quod oı̃bus notũ.de cau.proca.* 3ª.96.D/H
Cauſa principium poteſt dici.de cauſis procatar. 3ª.96.H
Cauſa,& principium quo modo differunt.de hiſto.philoſ. Sp.4.A
Cauſarum nomina.de cau.procatar. 3ª.99.A
Cauſæ rerum ſolum cognoſcunt à præſtantiſſimis medicis.in 6^{m}*.de mor. vulga.commen.5°.* 3ª.193.C
Cauſarum notitia medicinæ pars.introd.Iſa.51.H/ de partibus artis medicæ.16.E/ Sp.18.B
Cauſas actionũ naturalium,& affectionum preter naturam modos ſm quos actio fit,& locos in quibus,& inſtra per quæ cognoſcere debet medicus qui ratione curaturus eſt,cur.de voc.inſtr.diſſ. 1ª.106.E
circa Cauſas & diſpoſitiones exercere mentem debemus. 2°.de loc.affect.4ª.8.C/de med.exper. Sp.103.H
Cauſarum,& affectuum notitia cur habenda.intr. Iſ.52.A
Cauſarum inquirendarum fructus.2°.de nat.fac. 1ª.301.B
Cauſæ valent in tuẽda ſanitate,vt ex quibus cuſtodia ſanitatis perficitur.1°.de ſani.tuen. 2ª.58.G
Cauſas inutiles ad curationem dicentes methodicos arguit . de theriaca ad Piſonem. 5ª.96.E
Cauſas rerũ neſciẽtes reddere medici qdã,eas negãt.5°.d lo.af. 4ª.30.h
Cauſas omnium volentibus aſſignare non attendendum,ex Diocle.1°.de alimentorum facul. 2ª.7.E
Cauſam ſemper ſtudet inuenire Galenus.de ther.ad Piſo. 5ª.93.H
Cauſas inquirens quo modo debet docere.aduer.emp.med. Iſa.35.C
Cauſarum inuentio eſt ſecunda in actionibus.ars med. Iſ.62.B
Cauſa vbi non reperitur , ab euidentibus non diſcedendum . 2°.de motu muſculorum. 1ª.314.H
Cauſa in quibus non reperiatur.2°.de motu muſ. 1ª.314.H
ſine Cauſa ſufficit nouiſſe quod experientia comprobatur . commen.2°. aphoriſ.24°. Ex.15.H
Cauſarũ affectus inuẽtio,eſt cognitio pteritorũ. 4°.de præſag. 4ª.121.F
Cauſa quæ vere ſit.2°.meth.med.9.C/H/de oculis. 7ª.185.E
Cauſæ ſunt ex genere permanentium.2°.meth.med. 7ª.10.B
Cauſæ nihil eſt fortuitum.4°.de decre.Hipp. 1ª.251.A
Cauſa omnis eſt ad aliquid.ars med.Iſa.68.A/1°.de nat.fac. 1ª.291.D
Cauſa eſt à quo fit aliquid.de cau.procatar. 3ª.97.B
Cauſæ.de conſt.ar. Iſa.40.C
Cauſarum diuerſitas.fin.med.50.B/ introd.Iſa.52. B/ 1°.de præſagitione ex pulſ. 4ª.104.D
Cauſarum communiſſima differentia duplex.de opt.ſecta. Iſa.26.H
Cauſæ quatuor genera.de hiſt.philoſ. Sp.4.A
Cauſarum quinque genera cuius cauſa aliquid fit,à quo fit, ex quo , per quod,quale.6°.de vſu par. 1ª.152.F
Cauſarum tot ſunt genera, quot ſũt infirmitatis ac roboris particularũ, quę facile patiuntur vel non patiuntur.de na.hu.com.2°. 7ª.182.G
Cauſarum nulla per ſe perfecta.de cau.procatar. 3ª.99.A
con Cauſa,quæ.fin.med.46..A/introd. Iſa.52.B
Cauſa adiutrix quæ.fin.medic. Iſa.46.A
Cauſarũ ordo,ad calculorũ ſeriẽ quandã cõparatio.de ſym.dif. 3ª.10.F
Cauſa dicitur & finis,& materia,& inſtrumentum,& efficiens.de cauſis procatar. 3ª.96.E
Cauſæ principaliſſimæ duæ,finis & efficiens.de cau.procatar. 3ª.96.F
Cauſa prima rerum naturalium efficiens Deus.de hiſt.philo. Sp.3.F
Cauſa efficax,& effectrix idem.de mult. 3ª.77.B
Cauſam efficientem requirit definitio rerum,quæ poſitæ ſunt in generatione.3°.de diff.pul. 4ª.67.H
Cauſas ponit Hippocrates,calidum,humidum,frigidum,& ſiccũ.in 3^{m}*. de mor.vulg.com.1°.* 3ª.129.C
Cauſa quo modo ſit ſperma ſecundum Ariſtotelem & Galenum.de anatomia viuorum. Sp.55.H
Cauſæ efficiẽtis opus auget eius aucta ſubſtãtia.cõ.6°.aph.5°. Ex.46.H
Cauſæ plures in agendo ſuperant pauciores.de cauſ.mor. 3ª.8.A
Cauſę,et artificis vim obtinẽt facultates intrinſecę.de vo.inſt. 1ª.106.G
Cauſa vocatur facultas à qua procedit actio.1°.de nat.fac. 1ª.291.B/D
Cauſa ad actionem eſt corporis conſtitutio.1°.meth.med. 7ª.8.D
Cauſa non agit niſi patiens ſit aptum.1°.de diff.feb. 3ª.32.C
Cauſa materialis adipis quæ ſit,& quę efficiens.de anat.viuo. Sp.55.G
Cauſa materialis carnis quę ſit & quæ efficiens.de ana.viuo. Sp.55.G
Cauſa materialis membrorum ſimplicium,id eſt conſimilium,eſt ſperma præter quàm carnis,& adipis ſiue pinguedinis.de ana.viu. Sp.55.G
Cauſa motus cordis eſt fortitudo virtutis.de ana.viuo. Sp.56.D
Cauſa frequentiæ motus cordis eſt neceſſitas.de ana.viuo. Sp.56.D
Cauſa virtutis motiuę cordis eſt anima,caloris autem motus,fortitudinis vero caloris fortis motus,& frequens.de anat.viuo. Sp.56.D
Cauſa dilatationis & conſtrictionis cordis,quæ.de anat.viuo. Sp.56.D
Cauſa audaciæ non eſt cordis magnitudo , neq; timiditatis paruitas.de anatomia viuorum. Sp.53.A
Cauſa motus voluntarij quę ſit ſm aliquos.de mot.man.& ob. Sp.69.E
vt Cauſa vocis eſt bronchus.de voc.inſtr.diſſ. 1ª.106.E
Cauſa prolationis vocum eſt compreſſio diaphragmatis, quę fit in reſpirando.de vtil.reſp. Sp.63.F
Cauſa erectiõis et dilatatiõis linguæ,quæ ſit.de mo.ma.& ob. Sp.67.H
Cauſę erectionis priapi.de mot.man.& obſ. Sp.67.H
Cauſę tenſionis nerui eſt ſpiritus neruum inflans.de vtil.reſp. Sp.63.D
Cauſæ cur cibi tarde digeruntur.de diſſol.cont. Sp.73.D
Cauſa,qua exeat ſudor per poros corporis.de vtil.reſp. Sp.64.D
abſq; Cauſa manifeſta ſudor multus ex ſomno factus, corpus vti pluri cibo ſignificat,ſi vero cibum non accipienti hac accidat,ſcire oportet quod euacuatione indiget.commen.4°.aph.41°.Ex.32.D/ de præſag. exper.conf. Sp.77.G
ſine Cauſa nihil.4°.de decre.Hipp.250.F/2°.de na.fac.1ª.298.B/ 1°.methodi medendi. 7ª.6.E
Cauſę ſanitatis quę dicantur.11°.meth.med. 7ª.67.H
Cauſæ ſanitatis quo modo eſt ars & artifex , & quo modo fortuna.11°. methodi medendi. 7ª.68.A
Cauſa ſanitatis eſt medicus.de cau.procatar. 3ª.96.F
Cauſæ ſanitatis dici qũo pñt dies iudicatorij.1°.de dieb.dec. 4ª.148.C
Cauſæ ſalubres partium inſtrumentariarum,quæ.ars med. Iſa.69.A
Cauſæ ſalubres effectrices ſanitatis.ars med. Iſa.68.A
Cauſæ conſeruatrices ſunt priores tpe et dignitate alijs.ars med. Iſ.68.a
Cauſa præſeruatiua triplex.ars med. Sp.71.D
Cauſæ ſalubres quæ.ars med. Iſa.71.E
Cauſa naturalis concoquit.in progno.com.1°. 4ª.197.C
Cauſæ inſalubres,quę.ars med. Iſa.71.E
Cauſæ neutrę,quę.ars med. Iſa.71.E
Cauſæ contrariæ ſimul alia aliam ſuperat.1°.de alim.fac. 2ª.8.A
Cauſa vnum ex tribus generibus rerum pręter naturam. de conſtitutione artis medicę.40.C/ Iſa.42.C
Cauſa morbi vnum eſt ex illis quę pręter naturam ſunt in corpore.1°.methodi medendi. 7ª.8.H
Cauſæ naturales,& non naturales, quo modo fiant pręter naturam. de pulſ.ad tiro. 4ª.44.F
Cauſæ præter naturam ſunt in numero infinito.de pulſ.ad tiro. 4ª.44.F
Cauſæ præter naturam quid agant.de pulſ.ad tiro. 4ª.44.F
Cauſa pręter naturam putrefacit.in progno.com.1°. 4ª.197.C
Cauſæ faciunt affectiones.de vict.rat.in morb.acu.com.3°. 7ª.128.C
Cauſæ quę poterunt corrũpere ſanitatẽ,quæ ſint.de conſt.ar. Iſa.42.G
Cauſæ morborum ſunt multa genera.de ſymp.diff. 3ª.10.F
Cauſarum in morbis renalibus diſtinctio.de ren.affect.dign. 7ª.196.G
Cauſę morborum duplices externæ , & ex nobis ipſis. de natura huma. commentario.2°. 7ª.182.G
Cauſa morbi triplex.in 1^{m}*.de morbis vulgaribus commen.1°.* 3ª.100.G/ *de oculis.* 7ª.185.F

Cauſa quæ

Cauſa quæ in morbis.fin.med.Iſa.45.H/de ſymp.diffe.3ª.10.F/1°.methodi meden.6.F/7.D/E/2°. 7ª.10.C

Cauſæ morborum ſm Hippocratem.bre.denot.dogm.Hipp. 1ª.231.D

Cauſarum ac etiam corporum vocibus vtitur Hippocrates inter ſigna. de vict.rat.in mor.acu.com.3°. 7ª.128.C

Cauſa morbi in confeſſo apud omnes homines eſt id, quo tangente afficimur, & quo ſeparato ſtatim ceſſat affectus.1°.de loc.aff. 4ª.4.B

Cauſæ cum agant in corpus, à principio eadem eſt ſpecies affectus, tamẽ non apparet.1°.de loc.aff. 4ª.4.F

in Cauſas non diducit affectus, ſed in differentias.8°.met.me. 7ª.59.G

Cauſa morbi eſt corporis ſtatus.1°.meth.med. 7ª.7.F

Cauſa quæ poteſt dici ægritudo.de diff.mor. 3ª.4.D

Cauſa & ſymptoma ſimul, quæ.11°.meth.med. 7ª.71.C

vt Cauſa & vt ſignum ſymptoma.in 1^{m}.prorrh.com.3°. 4ª.183.C

Cauſarum & criſis ſigna.1°.de criſi. 4ª.131.D

inter Cauſæ effectricis differentias numeratur modus quo ſymptoma generatur.3°.de ſymp.cau. 3ª.25.B

Cauſa & effectus ſimul, quę.11°.meth.med. 7ª.71.D

Cauſæ quæ affectus gignunt conſiderandæ.1°.meth.med. 7ª.7.G

Cauſa functionis effectrix quì eſt, affectus primo inueniendus.2°.methodi medendi. 7ª.12.F

Cauſa ægritudinis prìo cognoſcẽda.de vic.ra.in mor.ac.cõ.4°. 7ª.141.E

Cauſam morbi inuenire magnam vim habere ad morbum tollendum.2°.de arte cu.ad Glau. 7ª.101.D

Cauſa, vna ne ſit, vel plures conſiderandum.3°.de ſymp.cau. 3ª.30.A

circa Cauſam morbi quo modo medicus ſe habere debeat.3°.de compo.med.ſec.loc. 5ª.142.D

Cãm morbi q ſcire vult in qbus libris dĉt exercitari.1°.de lo.af. 4ª.7.G

Cauſa epilogiſtica, & analogiſtica, quæ. de vict.ratione in morb.acutis. commentario.4°. 7ª.140.D

Cauſę paruę morborum occaſiones dicuntur.in 3^{m}.de morb.vul.com.1°. 133.F/com.2°. 3ª.142.C

Cãs manifeſtas vocat προφάσεις.de vict.ra.ĩ mor.ac.cõ.4°. 7ª.141.C

Cauſę manifeſtæ quo nõie dicantur.in 1^{m}.de mor.vul.com.1°. 3ª.104.H

Cauſę manifeſtæ, quæ.fin.med.46.A/introd.Iſa.52.B/de natu.humana, commentario.2°. 7ª.181.G

Cauſæ non manifeſtæ, quę.fin.med. Iſa.46.A

Cauſę obſcuræ pro tempore, quæ.fin.med. Iſa.46.A

Cauſarum hæ internæ ſeu antecedentes, illæ externæ ſeu primitiuę.1°.methodi medendi. 7ª.8.A

Cauſæ externæ, quæ.1°.de cauſ.pul. 4ª.86.G

Cauſæ externę quo modo lædant.2°.de nat.hum.com.2°. 7ª.182.G

à Cauſa extrinſeca factũ debet à medico diſtingui ab eo, quod eſt factum à morbo, vt melius ſciat prædicere.com.3°.aph.5°. Ex.20.C

à Cauſa externa indicationem curationis ſumi eſt abſurdum. 4°.methodi medendi. 7ª.24.E

Cauſæ morborum intraneæ, quæ.de ocul. 7ª.185.G

Cauſarum meminit incipientium, antegreſſarum, & contentiuarum. in 6^{m}.de mor.vulg.com.3°. 3ª.174.G

Cauſam antecedentem potes ex Galeno colligere, vbi dicit plenitudinem eſſe ante morbum.com.2°.aph.22°.15.A/com.7°.aph.3°. Ex.56.A

Cauſæ procatarcticæ.i.initiatrices.6°.de loc.aff. 4ª.38.G

Cauſam, quæ προκαταρκτική dicitur, non ineſſe in corpore animalis, collige.de ſan.tuen. 2ª.82.E

Cauſam, quæ προηγουμένη vocatur, intra corpus contineri, collige.4°. de ſanitate tuen. 2ª.82.E

Cauſa procatarctica, quæ.fin.med.45.H/intro. Iſa.52.B

Cauſæ procatarcticæ doloris capitis.2°.de cõp.med.ſec.loc. 5ª.131.H

Cauſa antecedens, quæ.fin.med.45.H/intro.52.C/ars med. Iſa. 69.D/de cauſ.morb.3ª.7.B/4°.de loc.aff.27.H/1°.de cau.pul.4ª.86.G/1°.methodi medendi. 7ª.8.A

Cauſæ præcedentes affectus ſunt ex differentijs accidentium corporis à natura egreſſi.2°.meth.med. 7ª.9.B

Cauſas antecedentes inducentia.de nat.hum.com.2°. 7ª.181.G

Cauſa antecedens eſt plenitudo.contra Iulianum. Ex.68.H

Cauſarum in humoribus duplex genus, ex plenitudine, & ex corruptela.contra Iulianum. Ex.69.B

Cauſa quædam antecedens eſt humorum putredo.11°.met.med. 7ª.70.C

Cauſæ abditæ antecedentes.de nat.hum.com.1°. 1ª.35.C

ad Cauſam antecedentem non ſunt omnia referenda. 1°.de arte cura.ad Glauconem. 7ª.94.G

Cauſæ procatarcticæ prægnoſcendæ.in progn.com.1°. 4ª.189.D

Cauſæ procatarcticæ multum faciunt ad notitiam affectus.2°.de compoſi.med.ſecun.loc. 5ª.132.A

Cauſa quę morbũ præcedit, qui affectus appelletur.de ſymp.dif.3ª.10.G

Cauſæ pręcedentes fiunt cauſæ, quæ ſunt continentes, motæ ab affectibus 1°.de cauſ.pulſ. 4ª.87.G

Cauſæ antecedentes in quibus febribus conſiderandę. 1°.de arte cura.ad Glauconem. 7ª.96.H

Cauſæ primitiuæ quæ vtilitas.4°.meth.med. 7ª.24.B

Cauſæ primitiuæ non indicãt curationem.4°.meth.med. 7ª.24.A

Cauſę per accidens, quę.de cauſ.procatar. 3ª.96.H

Cauſæ quæ ſimul cum morbis inuadunt.1°.de arte cur.ad Glau.7ª.96.H

Cauſę continentis nomen vnde.contra Iulianum. Ex.69.B

Cauſa continens quæ nominetur ab antiquis.2°.meth.med. 7ª.10.H

Cauſam continentem ſiue contentiuam aut proximam ponit Galenus.de nat.hu.com.1°.35.B/1°.de motu muſ.1ª.312.G/1°.de ſymp.cau.3ª.16.B com.7°.aph.30°. Ex.56.A

Cauſa continens quid.fin.med.45.H/intro.Iſa.52.B/contra Iulianũ. Ex. 70.G/de hiſto.philo. Sp.4.A

Cauſę continentes quo modo ab antecedentibus differant.contra ea quæ à Iul.in Hipp.apho. Ex.68.G

Cauſa continens coctionis.2°.meth.med. 7ª.11.A

Cauſa continens morborum ſecundum Iulianum eſt plenitudo. contra ea quæ à Iul.in Hipp.aph. Ex.68.E

Cauſa continens ſecundum Aſclepiadem nunquam eſt plenitudo. contra ea quę à Iuliano.in Hipp.aph. Ex.68.H

Cauſa cõtinens nõ mutatur manente affectu ſuo.1°.de cau.pul. 4ª.86.G

Cauſa continens per totum affectum perdurat.contra Iulianũ. Ex.70.G

Cauſas continentes mouent affectus, & fiunt præcedentes illorum cauſæ.1°.de cauſ.pul. 4ª.86.G

Cauſę continentis in pulſibus exemplum.1°.de cau.pul. 4ª.86.G

Cauſæ pulſuum quę primæ & cõtinẽtes.3°.de præſa.ex pul. 4ª.119.D

Cauſæ continentes gñationis pulſuum tres ſunt.2°.de cau.pul. 4ª.91.B

Cauſa continens pulſus ex inſtrumentis.1°.de cauſ.pul. 4ª.87.B

Cauſarũ continentiũ in pulſibus complexiones.1°.de cau.pul. 4ª.89.H

Cauſæ continentes pulſus vehementis languidi, mollis, & duri.1°.de prẹſag.ex pulſibus. 4ª.109.A

Cauſæ continentes pulſus dicroti.3°.de pręſag.ex pulſ. 4ª.116.B

Cauſę omnes aliæ ſunt propter continentes.1°.de cau.pul. 4ª.86.G

Cauſæ quæ pulſus variant, partim eos generant, partim alterãt, et quæ ſint.1°.de cauſ.pul. 4ª.86.G

Cauſę quæ pulſum facit, ignota.1°.de cau.pul. 4ª.86.H

Cauſarũ quot ſunt differentię, tot ẽt pulſuum.1°.de cauſ.pul. 4ª.87.B

in Cauſis pulſuum vſus exercitationis.1°.de cau.pul. 4ª.90.G

Cauſę continentes ſunt præcipue.1°.de cauſ.pul. 4ª.86.G

Cauſa contentrix requiritur in omni re vt ſit, ne detur proceſſus in infinitum.de mult. 3ª.77.D

Cãæ cõtinentis meminit.2°.de dig.pul.4ª.77.E/10°.meth.med. 7ª.65.E

Cauſam ſine qua non, deridet Galenus, & eius mentionem non facit. 6°. de vſu partium. 1ª.52.F

Cauſæ ſine quibus non, quæ ſint.de ſym.diff.10.F/de cau.proc. 3ª.97.A

Cauſa ſine qua non, eſt ambiens.8°.meth.med. 7ª.59.H

à Cauſis mixtis ait Hippocrates medios morbos prouenire. bre. denot. dogma.Hippo. 1ª.231.D

Cauſam motã magis infeſtare qeſcẽte, collige.2°.de ſymp.cau. 3ª.22.D

Cauſa minima moueri ſenes, elice.5°.de ſan.tuen. 2ª.90.F

Cauſa intellecta errores corriguntur.2°.de nat.fac. 1ª.301.A

à Cauſis curatio conueniens indicatur.10°.metho.meden.61.D/1°.de arte cur.ad Glau. 7ª.99.H

Cauſa quando adhuc manet, indicatio quæ, & quæ efficiente ſummota. 11°.methodi meden. 7ª.69.D

Cauſa effectrix cum manet in morbo, ab ea ſummouẽda curatio incipiat. 4°.metho.meden. 7ª.25.B

Cauſa manente non poteſt affectus ſanari.7°.meth.med. 7ª.48.G

ante Cauſam quando affectus curandus.7°.meth.med. 7ª.48.G

Cauſa poteſt etiam adeſſe illius affectus, qui actionem impedit, poteſt & non adeſſe.1°.meth.med. 7ª.7.G

Cauſa per ſe finiens eſt, quæ ipſa per ſe finem facit.fin.med. Iſa.46.A

Cauſa ablata permanet plerunq; morbus, & affectus.1°.de loc.aff.4ª.3. H/4°.meth.med. 7ª.24.A

Cauſa quandoq; adeſt pręſente morbo, quandoq; abeſt, quandoq; morbũ præcedit, quod variat curationem, com.2°.aph.22°. Ex.15.C

Cauſa abſente, febris põt eſſe præſens.8°.meth.med.49.H/9°. 7ª.61.B

Cauſa in quibus diarijs abit & in quibus manet.10°.meth.med.7ª.61.F
Cauſa quando abijt, diaria eſt ſimplex affectus.10°.meth.med. 7ª.61.C
Cauſa efficiente pertranſeunte non fit firmus in particula affectus.1°.de locis affectis. 4ª.3.G
quãuis Cauſa efficiens quieſcat, ipſa tñ permanet affectio, ſi cõſentiẽtes partes diſpoſitionem permanentem habuerint.3°.de loc.aff. 4ª.17.B
Cauſarum febrium genera.11°.metho.meden. 7ª.71.C
Cauſæ quibus febris accenditur.præſag.exper.confir. Sp.77.D
Cauſam effectricem, febrem, et putredinem inter ſe conferre difficile eſt. 11°.metho.meden. 7ª.69.H
Cauſam habens affectus non habet ſimplicem curationem, & quomodo habeat.9°.meth.med. 7ª.61.C
Cauſæ cuiuslibet morbi à quo remoueri debent.cõ.2°.aph.22°. Ex.15.C
de Cauſa & febre quid primo ſanandum.10°.meth.med. 7ª.61.D
Cauſa febris remota, febris quæ ſit remouetur.8°.meth.med. 7ª.51.D
Cauſę quando intendendum poſt febrem.10°.meth.med. 7ª.61.E
Cauſa febris quomodo auferatur.11°.meth.med. 7ª.68.H
Cauſam febris primum auferẽs eſt ſanguinis miſſio, vbi humorum abundantia eſt craſſities & viſcoſitas.11°.meth.med. 7ª.69.A
Cauſam & febrẽ extinguẽs remediũ, eſt optimũ.10°.meth.me. 7ª.61.D
Cauſis remotis accidentia ruunt.com.2°.aph.22°. Ex.15.B
Cauſis efficiẽtibus deletis, affect⁹ per cõſenſum deficit.3°.ð lo.af.4ª.17.b
Cauſæ efficientis morbos abolitionem curationem dici poſſe, collige. commentario.2°.aph.22°. Ex.15.C
Cauſis facientibus ſymptomata curatio per contraria debetur. de optima ſect. Iſa.24.C
Cauſa cõtraria ſemp eſt adhibẽda retẽtionis cauſa.1°.de ſan.tu. 2ª.68.D
Cauſas omnes accidentium melancholicorum explicare nemo poteſt. de mel.ex Gal.Ru.& Poſſ. Sp.109.D
Cauſę generales dolorum ſolutio continuitatis & intemperiei. in 1ᵐ.de mor.vul.com.1°.3ª.104.H/3°.de comp.med.ſec.lo. 5ª.141.G
Cauſę quot ſunt, quæ dolorem inferant, tot debent eſſe remedia. 3°.de cõpo.med.ſec.loc. 1ª.141.G
Cauſæ intemperiei primò occurrendum, poſtea ipſi intemperiei. 5°.methodi medendi. 7ª.29.H
Cauſarum quę intemperaturam efficiunt, curatio fit per curationem. ars medicinalis. Iſa.69.G
ex Cauſa frigida dolori forti ſuccurrit decoctio chamæmeli. de medicinis exper. Sp.104.H
Cauſæ frigidæ podagram diſſoluens medicina.ſecretorum. Sp.101.F
ex Cauſa frigida membrorum interiorum debilitati quid opem ferat.de med.exper. Sp.107.B
ex Cauſa frigida debilitati hepatis valet rhabarbarum. de medicinis expertis. Sp.106.E
Cauſa frigiditatis membrorum fluxui conferens medicamentum.de medicinis expertis. Sp.104.G
Cauſas diuerſas profluuiorum ventris variare curationem, collige: de medic.exper. Sp.103.H
ex Cauſa frigida anhelofis quid valeat.de cura lap. Sp.112.H
Cauſa aſthmatis ſi ẽ humor craſſus medicamẽ valẽs.ð me.ex.Sp.106.g
Cauſa calida motus varios excitat, & vigilias.2°.de lo.aff. 4ª.14.B
Cauſa calida etiam facit rigorẽ, & horrorem.4°.de ſan.tu. 2ª.82.G
Cauſæ calidæ ad icteritiam.ſecretor. Sp.101.C
Cauſa ſanitatis oculorũ eſt q̃nq; fomentum.com.6.°aph.31°. Ex.49.G
Cauſę generationis lapidis.de cura lap. Sp.112.C
Cauſæ ſtricturæ anhelitus in laborante lapide.de cura lap. Sp.112.D
Cauſa venæ ruptionis eſt aut vehemens motus, aut humorum abundantia.4°.de loc.affe. 4ª.28.E
Cauſæ rationem quid habet in vlcere cauo ſordido.3°.meth.me. 7ª.21.H
Cauſa in quibus vlceribus deſit.5°.meth.med. 7ª.30.C
Cauſa quando in vlceribus manet, qũo curandum.5°.meth.med.7ª.30.C
ad CAVSIDICOS *falſa tuentes expoſitorum comparatio. in 1ᵐ.pror re.commen.2°. 4ª.177.A*
Cauſidici quomodo viuere debent.de ren.affec.dign.& me. 7ª.195.B
CAVSVS, *id eſt ardor, qui.fin.med.46.C/intro.Iſa.55.G/ de fracturis commentario.2°. 7ª.240.G*
Cauſi febres ab incendio dictæ ſunt.2°.de diff.feb. 3ª.36.D
Cauſus morbus acutus ẽ itr.Iſ.55.E/de vic.ra.in mor.acu.c.1°.7ª.108.b
Cauſorum duo genera.de vic.ra. in mor.acu.comm.4°. 7ª.135.H
Cauſus q̃ noth⁹, q̃ vero legitimus.de vict.rat.in mor.ac.cõ.4°. 7ª.135.H
Cauſus qui ſit legitimus & exquiſitus, qui vero ſimpliciter dictus.de victus ra.in mor.acutis, commen.4°. 7ª.135.H
Cauſum in toto corpore referens affectio quando ſit.de vic.ra.in morbis acu.com.4°. 7ª.134.D
Cauſus proprie dictus qui calore, & ſiti conſtat. de vict.ratio.in morb. acu.com.4°. 7ª.134.D
Cauſi cauſa.introd. Iſa.55.G
Cauſus quo mõ fiat & quãdo.de vic.rat.in mor.acu.com.3°.7ª.134.E/G
Cauſus per calidam & ſiccam intemperiem fit.de atra bile. 1ª.35.A
Cauſus ex ambulatiõe, & æſtu fact⁹.de vi.ra.in mor.ac.c.4°. 7ª.134.F
Cauſus quandoq; factus ob potum vini meracioris.de vict. ra.in morb. acutis, commen.4°. 7ª.134.F
Cauſus ex ſalſamentorum ſalſarumq́, rerum vſu factus.de victus rat.in mor.acu.com.4°. 7ª.134.F
Cauſus ob iram factus.de vic.ra.in mor.acu.com.3°. 7ª.134.F
Cauſus ob vigilias factus.de vict.ra.in mor.acu.com.4°. 7ª.134.F
Cauſus alicuius partis, & totius.de vic.ra.in mor.acu.cõ.4°.7ª.134.D
Cauſum cum ſiti in vna parte facit os ventriculi primo, ſecundo ventriculus, tertio ſtomachus, quarto pulmo, quinto ieiunum inteſtinum.de vict.ra.in mor.acu.com.4°. 7ª.134.E
Cauſi habẽtes ſedẽ in pulmone, quales.de vic.ra.ĩ mor.ac.c.4°.7ª.136.C
Cauſi in hepate ſedem habentes, quales.de vict.ratione in morb. acutis, commentario.4°. 7ª.136.C
Cauſi in ieiuno ſedẽ hñtes, quales.de vic.ra.in mor.ac.com.4°. 7ª.136.C
Cauſi & tertianæ differentia.2°.de criſ. 4ª.134.E
Cauſus eſt paſſio ex ſanguine.de ſper. Sp.38.B
Cauſus, & ſynochus ſunt infirmitates naturales ſanguineis, & cholericis, in æſtate phlegmaticis accidentales.de ſper. Sp.39.G
Cauſus, & ſynochus ex bilis acuitate generantur.de ſper. Sp.39.H
Cauſus febris copiam ſignificat bilis.quæſi.in Hipp. Sp.113.C
Cauſus & ſynoch⁹, ambo hñt pulſum ſynochæ cõſimilẽ.de dy.Sp.34.A
Cauſus & ſynocha ſi cõtingãt pituitoſo quid agendũ ſit.de ſper.Sp.39.G
Cauſi plures æſtate fiunt.2°.de criſi. 4ª.134.D
Cauſi ſymptomata, quæ.in mor.acu.com.4°. 7ª.134.F
in Cauſo laſſitudo vlceroſa, cur.de vi ct.ra.in mor.acu.cõ.4°. 7ª.134.F
in Cauſo rigor ſuperueniens cauſum ſoluit. de vict.rat. in morb acutis, commentario.4°. 7ª.135.F
Cauſi alterius ſymptomata.de vict.rat.in mor.acu.com.4°. 7ª.135.G
Cauſum indicantia ſigna pathognomonica dicta.de vict.ratio. in morbis acu.com.4°. 7ª.134.G
in Cauſo quæ vrinę fiant.in 1ᵐ.prorrh.commen.1°.4ª.162.F/quæſita in Hippocra. Sp.113.C
Cauſum ſynochum ſignificat vrina ſanguinea.de dyna. Sp.35.E
in Cauſõnide phrenitis qua vrina ſignificatur.de vrinis. 4ª.123.C
Cauſi & phrenitides ab eadem cauſa.de comate. 3ª.49.F
Cauſus, & ſynochus quando lethales ſint.de dyna. Sp.34.A
Cauſus letalis quę habeat ſigna in 1ᵐ.prorrh.com.1°. 4ª.164.A
in Cauſo vrina pinguis mortem ſignificat.de dyna. Sp.34.B
in Cauſo cur excremẽta pallida.de vict.ra.in mor.ac.cõ.4°. 7ª.136.A
in Cauſo vrina alba aut ſubliuida mortem ſignificat.de dyna. Sp.35.D
Cauſus p̃ abſceſſus q̃nq; ſanatur.de vic.ra.in mor.acu.com.4°.7ª.135.E
Cauſi ſecũdi iudicatio p̃ q̃ fieri poſſit.de vic.ra.in mor.ac.c.4°. 7ª.136.C
Cauſus ſoluitur per fluxum ſanguinis nariũ & per ſudores iudicatorios. de vic.rat.in mor.acu.com.4°. 7ª.135.D
Cauſi frigidæ potu ſanantur.de vic.ra.in mor.acu.com.4°. 7ª.135.F
in Cauſonẽ quidam obijt potu aquæ frigidæ.1°.de ſymp.cau. 3ª.18.E
Cauſo neq; pura aqua neq; pura mulſa bibenda, cur.de vict.rat.in mor. acutis, commen.4°. 7ª.135.A
in Cauſo quando vomitus conuenit, & ventris ſubductio.de vict.ra.in mor.acu.com.4°. 7ª.135.B
Cauſus ſi ſuperuenerit liquidam habenti aluum quando purgandum. de vict.rat.in mor.acu.com.4°. 7ª.139.E
in Cauſo purgat lacte aſinæ coctõ.de vic.ra.in mor.ac.c.4°. 7ª.135.B/C
ad Cauſum remedia, & quomodo cognoſcatur.de dyna. Sp.33.D
CAVSTICA, *hoc eſt vrentia.5°.de ſim.med.fac. 5ª.36.A*
Cauſticum in craſſa.5°.de ſimplicium med.fac. 5ª.36.B
Cauſtica medicamenta habent duplicem ſimlitudinem ad attractionem vnam actu, alteram potentia.3°.de ſimp.med.fac. 5ª.23.D
Cauſticum eſt Auripigmentum.9°.de ſimplicium medic.fac. 5ª.68.G
Cauſtica vires habet Batrachium.de ſimplic. medicam. Sp.81.D
Cauſtica eſt Caliſiua.de ſimp.med. Sp.82.E
Cauſticis aliquibus miſcentur Cantharides.de ſimp.med. Sp.82.D
Cauſticas quodam modo vires habet canum.de ſimp.med. Sp.83.C
Cauſticis Cedrum admiſcetur.de ſimplic.medi. Sp.82.B

in Cauſtica

in Cauſtica mittitur Fæcula.de ſimp.med. Sp.84.D
Cauſticis immittitur Lixiuium lauri.de ſimp.med. Sp.85.H
Cauſtica radix Pyrethri.8°.de ſimp.med.fac. 5ª.59.D
in Cauſtica mittitur Sapo.de ſimp.med. Sp.90.G
Cauſticis & deſiccantibus medicamentis miſcetur ſmiris.9°.de ſimpl. medicamen.facul.5ª.67.C|de ſimp.med. Sp.87.A
Cauſticas vires ignis in modum habet Thapſia.de ſimp.med. Sp.91.F
quaſi Cauſticũ vrit Tithymallus,ſi incidat in cutẽ.de ſim.me. Sp.91.F
Cauſticum non vehementer,eſſentiæ tenuioris,ab omni abeſt mordacitate,aut cum exiguo tum dolore,tum morſu carnoſas partes cliquat. 5°.de ſimp.med.fac. 5ª.36.A
Cauſticum medicamentum cum vlceratæ particulæ imponitur horrẽt, rigent,& febricitant.2°.de ſymp.cau. 3ª.22.E
Cauſticis vtitur in columella.14°.meth.med. 7ª.91.A
pro CAVTERIIS & eſcharis quidam æſtus nomen exponunt. commen.7°.aph.13°. Ex.54.H
Cauterium,& Napy non ſimiliter vrunt.5°.de ſimp.med.fac. 5ª.39.C
Cauterijs vtitur.de ther.ad Piſo. 5ª.96.F
Cauteriorum manubria pannis inuoluenda.10°.de ſim.med.fa. 5ª.73.G
Cauterio vtitur in ægilope.5°.de comp.medi.ſec.lo. 5ª.160.B
Cauteriũ ad dẽtes pforatos & dolentes.5°.de comp.me.ſe.loc. 5ª.163.F
Cauterio ad putredines in ore.6°.de cõp.med.ſec.loc. 5ª.172.E
Cauteria candentia in fluxu ſanguinis.1°.de ſimp.med.fac. 5ª.5.E
Cauterium trahit.13°.meth.med. 7ª.82.D
Cauteria ad venenum valere,collige.7°.de ſimp.med.fac. 5ª.49.D
de CAVTIONE adhibẽda in ſanguinis detractiõe.pſ.ex.cõſ.Sp.78.D
CAVVM conuexo oppoſitum dicitur.com.6°.aph.46°. Ex.51.G
Cauum fiat id quod colliditur neceſſe eſt.de cauſ.mor. 3ª.9.G
Caua omnia,& anguſta,quæ non poſſunt reſpirare, extinguunt ignem. de vtil.reſp. 1ª.224.F
Caua cur ſint oſſium extrema.de anat.viuo. Sp.43.G
in Caua Syria naſcitur bitumen.9°.de ſimp.med.fa. 5ª.65.B
in Cauam Syriam,& in Cyprum nauigauit Galenus diſcẽdi gratia. 9°. de ſimp.medicamen.facul. 5ª.65.H
Caua Vena propter quid dicta.de ven.art.diſſec. 1ª.56.C
Caua vena vnde oriatur.de anatom.viu. Sp.50.H
Caua vena,arteria magna ſub ſepto tranſuerſo ſuper vertebras incumbit.in tim.Plato. 1ª.287.H
Caua vena cur iuncta non eſt ſpinæ.16°.de vſu par. 1ª.218.G
Caua vena comparatur trunco.de venarum arteriarumq; diſſec. 1ª.55.F
Cauæ venæ inceſſus.de ven.art.diſ.57.F|de nat.hu.com.2°. 7ª.183.E
Cauę venæ inceſſus.16°.de vſu par.1ª.218.G|de vtil.reſp. Sp.62.G
Caua vena ſurſum & deorſum per propagationes mittit ſanguinem per totum corpus,& quomodo.de ven.art.diſſec. 1ª.56.C
à Caua vena quæ venę oriantur aſcendendo.de ven.art.diſſec. 1ª.56.C
Caua vena quõ feratur ad ſpinam cum arteria.16°.de vſu par. 1ª.214.D
à Caua deriuatio venarum ad partes infernas.de ven.art.diſſe. 1ª.58.B
à Caua venæ renum ampliſſimę.de ven.art.diſſ. 1ª.58.G
ex Caua vena ſanguis quomodo riuulo & fluuio comparatur. de natu. humana.com.2°. 7ª.184.B
per Cauam venam hepatis quo modo tendat materia in gibbam. commentario.7°.aph.30°. Ex.36.B
Cauum omne Vlcus eſt cacoethes.4°.meth.med. 5ª.52.C
Cauum vlcus apertum quo modo curetur.2°.de compoſi.medicamentorum per genera. 5ª.218.F
Caua vlcera quibus medicamentis curanda. in 6ᵐ.de mor.vulgaribus, commentario.2°. 3ª.160.H
Cauis vlceribus quæ carnem inducant.2°.de cõp.med.per gen.5ª.221.G
Caua vulnera comprehendit ariſtolochia.de dyna. Sp.80.F
ad Caua implenda.5°. de compoſi.medic.per gen. 5ª.253.D
Caua replens aliud.5°.de comp.med.per gen. 5ª.253.E
Cauis vlceribus videtur caro germinare.com.6°.aph.19°. Ex.48.B
Cauæ cicatrices neceſſario fiunt in vlceribus diuturnis.commentario.6° aphoriſ.45°. Ex.51.E
Cauę tm̃ ſunt cicatrices quãtũ fuerit abſceſſus.com.6°.aph.45°.Ex.51.G
Vide concauum.
CEBI habent muſculos temporales debiles & exiles. 11°.de vſu partium. 1ª.184.F
Ceborum maxilla inferior cur minima.11°.de vſu par. 1ª.185.A
CECIS, galla.7°.de ſimp.med.fac. 5ª.51.B
CECVBVM vinum quid appellent Romani.de vinis. Sp.76.H
Cecubum vinum cuiuſmodi fuerit generis haud plane cognoſcas. de bonitate,& vitio ſuc. 2ª.38.F
Cecubum vinum efficaciſſime calefacit.de bon.& vi.ſuc. 2ª.38.H
CEDERE diuerſimode contingit in tumoribus, & quo modo.7°.de arte cur.ad Glau. 7ª.105.B
CEDRIA quid ſit.in 6ᵐ.de morb.vul.com.6°. 3ª.192.F
CEDRVM quid & eius vires.de ſimp.med. Sp.82.B
Cedrum cauſticis admiſcetur.de ſimp.med. Sp.82.B
CEDRVS ſpecie duplex eſt,altera fruticoſa iuniperis ad ſimilis,altera arbor non exigua.7°.de ſimp.med.fac. 5ª.50.D
Cedrus eſt calida & ſicca in tertio ordine.7°.de ſimp.med.fac. 5ª.50.D
Cedri fructus κεδρὶς dicitur.2°.de alim.fac. 2ª.19.C
Cedrides,hoc eſt cedri baccæ.5°.de comp.med.ſec.loc. 5ª.198.H
Cedri fructus grano Iuniperi ſimilis,ſed iunipero durior,ſiccior,& exilior eſt.2°.de alim.fac. 2ª.19.C
Cedri fructus non præbet alimentum,niſi aqua maceretur.2°.de alimen. facultatibus. 2ª.19.C
Cedris,id eſt cedri fructus,eſus capitis dolorem facit,ardorem,& morſum in ventre.7°.de ſimp.med.fac. 5ª.50.F
Cedri fructus ex genere eſt medicamentorum.2°.de alim.fac. 2ª.19.C
Cedri fructus non eſt aromaticus.2°.de alim.fac. 2ª.19.C
Cedri fructus capiti dolorem infert.2°.de alim.fac. 2ª.19.C
Cedridum ſemen.8°.de comp.med.ſec.loc. 5ª.195.G
Cedrea,ideſt oleum cedri,in caliditate & ſiccitate quartum ordinem videtur attingere.7°.de ſimp.med.fac. 5ª.50.D
Cedria abunde calfacit.1°.de comp.med.ſec.lo. 5ª.126.F
Cedrinum oleum calefacit,& exiccat.2°.de ſimp.med.fac. 5ª.16.D
Cedrino ad calefaciendum caput,ruſtici aſiani vtuntur. 2°.de compoſit. medica.ſec.loc. 5ª.135.F
Cedrea lendes,pediculos,tineas,& in corpibus natos vermes interficere valet,fœtũ viuentẽ interimit,mortuum aũt eijcit, oculorum cicatrices extenuat,& viſus hebetudini medet̃.7°.de ſim.me.fa.5ª.50.E
Cedria quo loco ponatur inter calida,quę conueniunt alopecijs.1°.de cõpo.med.ſec.loc. 5ª.122.D
Cedria quõ nigros reddat capillos.1°.de comp.med.ſec.locos. 5ª.126.F
Cedria illinenda capiti frigido & humido in nigris reddendis capillis.1°. de comp.medicamen.ſec.loc. 5ª.126.F
Cedria qua mulieres inunguntur.1°.de compo.med.ſec.loc. 5ª.126.F
Cedrea ſi dentium foraminibus inſtilletur,& dolores mitigat,& confringit dentes.7°.de ſimp.med.fac. 5ª.50.E
Cedrea eſt tenuium partium.7°.de ſimp.med.facul.50.D|3°.de compoſi. med.ſecun.loc. 5ª.228.E
Cedriæ odor.1°.de comp.medi.ſecun. loc. 5ª.126.F
Cedria olfacta excitat ſtrãgulatas ex vtero.9°.de cõ.me.ſe.l. 5ª.205.G
Cedrea carnem mortuorum quo modo tueatur à corruptione.7°.de ſimplic.med.fac. 1ª.50.E
Cedrea mollẽ carnẽ putrefacit abſq; dolore.7°.de ſimp.med.fa. 5ª.50.D
Cedrea in viuis ob calorem carnes tenues vrit.7°.de ſim.me.fa. 5ª.50.E
Cedrea ſanat vulnera ouium à forfice facta.7°.de ſimp.med.fac.5ª.50.F
Cedrea phlegmonen in vlceribus excitat.7°.de ſimp.med.fac. 5ª.50.E
Cedrinum oleum pro doloribus.in 6ᵐ.de morb.vul.com.6°. 3ª.196.B
Cedria cocta.9°.de comp.med.ſec.loc. 5ª.199.C
ex Cedria malagma.9°.de comp.med.ſecun.loc. 5ª.199.D
Cedri cortex cum oxymelite vomitum.de cathar. Sp.95.C
Cedri fuligo,qualis.7°.de ſimp.med.fac. 5ª.54.F
Κεγχραμὶς fici ſemen.2°.de alim.fac.16.C| 2ª.17.H
CELE, id eſt Ramex,quid.ſin.med. Iſa.49.D
CELERITATEM motus ouium ſignificat ſtridor apud Homerum. 3°. de diff.pulſ. 4ª.60.B
Celeritas,& elegantia faciunt vt artifices ſint alijs præſtantiores. de faſcijs. 7ª.293.C
Celeritas aliquid facit ad paſſionem.1°.de ſymp.cau. 3ª.16.H
Celeritas motus in morbis,vnde.3°.de criſi. 4ª.140.E
Celeritatem ægritudinis ſignificant quibus bilioſæ hypoſtaſes, ſuperne autem tenuitates.de vri.ſign.ex Hipp. Sp.78.H
Celeritate motus reſarcitur affectus.1°.de cauſ.pulſ. 4ª.87.E
Celeritas pulſus,vnde.1°.de cauſ.pul. 4ª.87.C
Celer tardus,creber,rarus pulſus,vnde accipiantur,& quid ſint.1°.de diff.pulſ. 4ª.48.D
Celer pulſus,qui.3°.de dign.pul.79.G|1°.de cauſ.pul. 4ª.88.E
Celer motus,qui.2°.de ſymp.cau.21.A|3°.de dign.pul. 4ª.80.D
Celer motus,& creber differunt.2°.de digno.pulſ. 4ª.75.D
Celeres in ſuis actionibus eſſe debent chirurgici.de faſcijs. 7ª.293.C

Celer primipilarius.7°.de comp.med.per genera. 5ª.271.G
Celerior qui motus,& qui tardior.2°.de digno.pulſ. 4ª.75.G
Celerrrimi pulſus à quibus fiant.1°.de cau.pul. 4ª.87.E
Celeriter agere quid ſit.de faſcijs. 7ª.293.C
Celeriter,& munde conficienda ſunt quæcunq; mundiciem, & celeritatem admittunt.de faſcijs. 7ª.393.C
Celeriter inijciendum eſt vinculũ,vt opus expediatur.de faſ. 7ª.294.B
Celerrime & maxime vniuerſim vinum alit.com.2°.aph.18°. Ex.13.F
CELLAE *vinariæ ſm quoſdã ſcriptores de re ruſtica in ædibus ad aquilonem expoſitus defodiendæ ſunt.4°.de ſim.med.fac.* 5ª.27.H
Cella vinaria quo modo poſſit calida fieri.1°.de antid. 5ª.101.A
Cella quæ melior vinis in fidelias tranſlatis.1°.de antid. 5ª.101.B
CELLVLAS *ſeptem habet matrix.de anat.par.* Sp.43.C
Cellulæ matricis non ſunt quinque,neq; ſeptem.de ana.viuo. Sp.51.F
CELTARVM *multa nomina cur collegit Galenus.ad Thr.* 2ª.106.H
ex Celtica accipiebat literas Galenus.4°.de loc.aff. 4ª.22.C
Celticum nardum.4°.de comp.med.ſec.lo. 5ª.157.B
CENCHRIA *herpetis genus.14°.meth.med.* 7ª.92.G
CENCHRVM, *id eſt milium.7°.de ſimplic.medica.facul.* 5ª.50.D
CENCHRAMIDES *minuta grana ficus.7°.de ſimp.med.* 5ª.55.E
Κενεαγγεία,*ideſt vaſorum inanitio,ſæpius dicitur* ἀσιτία. *de vict.rat. in morb.acu.com.2°.* 7ª.123.F
Κενεών,*quæ pars ſit corporis.de ijs, quę in medicatri.ſi.com.2°.209.D/ de articulis.comm.3°.* 7ª.276.H
Κενοδοξίαν,*id eſt vanam gloriam, ambitionem græci appellant. 6°.de ſanitate tuenda.* 2ª.98.B
Κενὸν *quid ſignificet.de ijs quæ in medica.ſi.com.2°.* 7ª.208.B
Cenotica auriũ quæ ſint,quę nariũ,& quæ oculorũ.de cathar. Sp.95.B
CENTAVREA *quid.de ſimpl.medica.* Sp.82..A
Centaureæ duæ ſpecies.de virt.cent. Sp.92.H
Centaurea origano aſſimilis eſt.de ſimp.med. Sp.82..A
Centauream Romę inuenit Galenus.de antid. 5ª.102.B
Cẽtaurea medicamẽtaria et calida facultate.9°.de cõ.me.ſe.l. 5ª.197.F
Centaurio & chamæleonte imbecilliora ſunt ariſtolochia & iris. 5°.de comp.med.per gene. 5ª.246.A
Centaurium ingreditur theriacam.de ther.ad Piſo. 5ª.92.G
Centauriũ maius acre eſt adſtringẽs,ſubdulce.7°.de ſim.me.fa. 5ª.50.F
Centaurium maius menſes prouocat, fœtum mortuum euellens, viuũq; corrumpens atq; eijciens,vlcera glutinat,& ſanguinem reijciẽtibus prodeſt.7°.de ſimp.med.fac. 5ª.50.F
Centaurium maius ruptis,conuulſis,ſpirandi difficultati, tum inueteratæ tuſſi conuenit.7°.de ſimp.med.fac. 5ª.50.F
Centaurij maioris ſuccus pro lycio.7°.de ſimp.med.fac. 5ª.50.G
CENTAVRIVM *minus amarum adſtringens exiccat citra mordacitatem.7°.de ſimp.med.fac.* 5ª.50.G
Centaurea eſt amarior abſinthio.de cura ićter. Sp.111..A
Centaurium tenue.1°.de antid. 5ª.107.C
Centauriũ minus vires hẽt in folijs,& floribus.7°.de ſim.me.f. 5ª.50.G
Cẽtaureæ ſuccus quo mõ extrahatur & conſeruẽt.de vir.cen. Sp.93..A
Centaurij ſuccus tempore dureſcit.6°.de compo.med.ſec.loc. 5ª.172.H
Centaurea nihil vtilius eſt ad multa.de vir.cent. Sp.92.G
Centaureæ ſucci vis,quæ.de vir.cent. Sp.93.B
Centaureę ſuccus ad ani affectus confert.de vir.cent. Sp.93.E
Centaureæ,& abſinthij decoctio Aperit obſtructionem minus,quàm decoctio iridis.de medici.exper. Sp.104.B
Centaureæ ſuccus ad Apata inciſa parua confert.de vir.cent. Sp.93.H
Centaureæ ſuccus ad Aurium affectus confert.de vir.cent. Sp.93.C
Centaurium minus purgat Bilem pinguiſſimam,& mucilagines.de dynamidijs. Sp.21.C
Centaurea nigram Bilem prouocat.de ſimp.med. Sp.82..A
Centaureę ſuccus ad multos valet capitis affectus.de vir.cen. Sp.93.B
Centaureæ ſuccus ad Combuſtos confert.de vir.cent. Sp.93.F
Centaurium minus Corpulentiam incidit.14°.meth.med. 7ª.91.D
Centaurium digerit.14°.meth.med. 7ª.91.E
Centauriũ minus nõ dandũ in Febre,collige.de med.fac.par. 7ª.167..A
Centaurij minoris herba arefacta glutinatorijs, & deſiccatorijs miſcetur facultatibus,duritias veteres emollit,vlcerum maligna, & cacoethe,ſanat,& miſcetur ijs quæ rheumaticis affectibus medentur.7°. de ſimp.med.fac. 5ª.50.G
Centauriũ tenue ad glutinandos ſinus.2°.de art.cur.ad Glauc. 7ª.106.G
Centaurium exile prædicabatur contra ictus venenoſorum.9°.de ſimpl. medica.facul. 5ª.65.E
Centaurij minoris herbę decoctum cur Iſchiadicis infunditur. 7°.de ſimpli.medi.fac. 5ª.50.H
Centaureę decoctio curat Iſchiadẽ.de medi.exper.104.D/ Sp.106.E
Centaureę radicem tenuium partium eſſe abſq; morſu & Lapidẽ atterere in renibus,collige.3°.de comp.med.ſec.loc. 5ª.141.B
Centaurij minoris decoctum facit ad Melancholicos.de mel. ex Galeno, Rufo,& Poſſ. Sp.110.B
Centaurea Menſtrua amouet.de ſimp.med. Sp.82..A
Cẽtaureæ ſucc⁹ ad Morsũ ferarũ venenoſarũ cõfert.de vir.cen. Sp.93.H
à Centaurea ſanatur morſus canis rabidi.de vir.cent. Sp.92.H
Centaureæ decoctio & rutæ valet contra morſum rutelæ. de medicinis expertis. Sp.106.F
Centaureæ ſuccus ad Narium paſſiones confert.de vir.cent. Sp.93.C
Centaurium ad Neruos vulneratos valet.3°.de cõp.med.p ge. 3ª.234.B
Centaurij minoris ſuccus cum melle oculis illinitur,menſes,& fœtũ euocat,& illis præbetur,quibus nerui affecti ſunt, iecinoris obſtructiones expedit,& lieni indurato remediũ eſt.7°.de ſimp.me.fa. 5ª.50.H
Centaureæ ſuccus ad Oculorum affectus confert.de vir.cent. Sp.93.B
Centaureæ ſuccus ad hypopya,id eſt liuiditates oculorum, confert. de virtu.centau. Sp.93.D
Centaurea eſt oculorum cenotica.de cathar. Sp.95.B
Centaureæ ſuccus Oedemati conuenit.de vir.cent. Sp.94..A
Cẽtaureæ ſuccus ad affectus Oris,et partiũ ei⁹ cõfert.de vir.cẽ. Sp.93.d
Centaurea Partum expellit.de ſimp.medic. Sp.82..A
Centaurium minus in clyſteri in Phlegmone iecoris in declinatione.13°. methodi meden. 7ª.84..A
Centaureæ ſuccus ad pudendorum affectus confert.de vir.cen. Sp.93.D
Centaureæ radicis ſuccus confert ſuſpirioſis, & tuſſientibus.de ſimplicibus medicinis. Sp.82..A
Centaurea totum Ventrem purgat.de ſimp.med. Sp.82..A
Centaureæ ſuccus ad Vulnera & vlcera antiqua.de vir.cen. Sp.93.F
Centaurium vlcera exiccat.4°.de comp.med.per gen. 5ª.236.G
Centaurium vlcera maligna curare põt.5°.de cõp.me.per ge. 5ª.246..A
Centaureæ ſuccus ad Vngues quaſſatos,& apoſtematos confert. de virtute centau. Sp.93.C
Centaureę dictum electarium Zenonis.de med.exper. Sp.107.G
CENTAVRI *habent quatuor crura.3°.de vſu par.* 1ª.127.E
de Centauris fabula apud Pindarum.3°.de vſu par. 1ª.127.F
CENTVM *pro multis.9°.de decre.Hipp.* 1ª.284.G
CENTENA *antidotus qua Galenus vtebatur,& compoſuit Ceſari.2°. de antidotis.* 5ª.115.E
CENTENARIVS *ſenex quo victu ſit vſus.5°.de ſan.tuen.* 2ª.91.F
CENTESIMVS *vigeſimus dies terminus eſt decretoriorum dierum, poſtea menſium & annorum decretoriorum numero ſoluuntur morbi.2°.de diebus decre.* 4ª.156.D
CENTONIBVS *& operculo quo modo prępparetur uas.7°.de compo. med.per gene.* 5ª.273..A
CENTRIO *vnde dictum.1°.de comp.med.per gen.* 5ª.213.E
CENTRVM *quid.fin.med.Iſa.45..A/10°.de vſu par.* 1ª.182.B
CEPHALALGIAE *morbo nomen impoſitum eſt à læſa particula. 2°. methodi medendi.* 7ª.9.D/E
Cephalalgia quid,& quo modo differt à cephalæa.de loc.aff. 4ª.20.E
Cephalalgia,hemicrania,& cephalæa differunt.in 6m.de morb.vulgar. commentario.1°. 3ª.154..A
Cephalalgia capitis dolorem ſignificat.de ſymp.diff. 3ª.11.F
Cephalalgia eſt paſſio ex bile.de ſpermate. Sp.38.B
Cephalalgia vel adeſt,vel aderit quibus ſunt vrinæ perturbatæ veluti iumentorum.de vri.ſign.ex Hipp. Sp.78.G
Cephalalgia laborantibus vitanda vina odorata,de att.vi.ra. 4ª.46.D
Cephalalgia affectis damus cholagoga.de dyna. Sp.20.G
Cephalalgici,qui.2°.de comp.med.ſec.loc. 5ª.137.B
Cephalalgica puella vnde naturaliter ſit.de ſper. Sp.38.C
Cephalalgicis prodeſt aphroſelinum.de ſimp.med. Sp.80.D
CEPHALAEA *quid.fin.med.47.D/intro.Iſa.56.C/ de compo.medica. ſecun.locos.* 5ª.137.B
Cephalæa cerebri morbus eſt,& cur,& quomodo.de loc.aff. 4ª.20.E
de Cephalæa capitis dolore antiquo.2°.de comp.med.ſec.loc. 2ª.137.B
Cephalęa ex morbis longis internus capitis dolor eſt.intro. Iſa.56.C
in Cephalæa quę partes doleant.2°.de comp.med.ſec.lo. 5ª.137.C
in Cephalæa dolor turgidus euenire ſolet.2°.de loc.aff. 4ª.10.E
Cephalæa habet acceſſiones,vt comitialis morbus.3°.de lo.aff. 4ª.20.E
Cephalæa intermittit qñq; vt in comitialibus.2°.de cõ.me.ſe.l. 5ª.137.B

Cephalęa laborantem moriturum eſſe quid ſignificet.de dyna. Sp.23.B
Cephalææ curatio.de dyna. Sp.23.C
Cephalææ laborantibus vitanda vina odorata.de att.vic.rat. 2ª.46.D
in Cephalęa,quæ repellant.2°.de comp.med.ſec.lo. 5ª.137.D
ad Cephalæam valēt Aſeli ſub aquario naſcentes.2°.de compoſi.medicamen.ſecun.loc. 5ª.137.E
in Cephalæa,quando calida,& quando frigida debent eſſe medicamenta.2°.de comp.med.ſec.lo. 5ª.137.D
ad Cephalææ inueteratā ſtercus colūbinū.10°.de ſimp.me.fac. 5ª.77.A
Cephalææ auxilium.intro. Iſa.56.C
Cephalæa infeſtante Catharticis vtimur.de dyna.20.E| Sp.23.C
ad Cephalęam Crocodialidis radix.2°.de comp.med.ſe.lo. 5ª.137.D
Cephalæa diuturna laborātibus datur Elleborus niger.de dyn. Sp.21.A
ad Cephalæam veterem electuarium agarici.de med.exper. Sp.108.C
ad Cephalæam.de medic.exper. Sp.107.F
in Cephalæa vena ex naribus incidēda.2°.de cōp.med.ſec.loc. 5ª.137.D
CEPHALICA *medicamēta vnde dicta,& quæ ſint.6°.me.m.* 7ª.42.B
Cephalica medicamenta quaſi capiti dicata.intro. Iſa.57.H
de Cephalicis ſcripſit Heras.2°.de comp.med.per gen. 5ª.226.B
Cephalica quæ proprie nominentur.2°.de comp.med.per ge. 5ª.225.H
Cephalicum medicamentum vnde dictū.2°.de cōp.med.per ge. 5ª.225.C
Cephalicum medicamentum,quale.1°.de comp.medi.per gene. 5ª.210.B
Cephalica ſunt potētiora catagmaticis.2°.de cōp.med.per ge. 5ª.226.A
Cephalica medicamenta.4°.de compoſi.medic.per gen.5ª.243.H|5°.methodi medendi. 7ª.32.E
Cephalicorum diuerſorum compoſitio.3°.meth.med. 7ª.16.G
in Cephalicis cur repercutientia addant.2°.de cōp.me.per gen. 5ª.225.C
Cephalici cuiuſdam ſicci compoſitio.3°.meth.med. 7ª.16.G
Cephalicū quoddā fit ſub caniculæ æſtu.2°.de cōp.med.per ge. 5ª.226.C
Cephalicum emplaſtrum Aſclepiadeū.3°.de comp.med.ſec.lo. 5ª.146.B
Cephalicum emplaſtrum Iſis.2°.de comp.medi.per gen. 5ª.226.B
Cephalicum Philotæ.4°.de comp.medi.per genera. 5ª.243.H
Cephalicum Tryphonis.5°.de compo.med.per gen. 5ª.253.E
Cephalicum viride.2°.de comp.med.per gen.5ª.226.G| 4°.5ª.243.G
Cephalica medicamenta ad diuerſas capitis paſſiones accommodantur.introductio. Iſa.58.C
Cephalica medicamenta ad capitis dolorem.intro. Iſa.58.C
Cephalica medicamenta ad capitis eruptiones.intro. Iſa.58.C
Cephalica medicamenta ad capitis furfures.intro. Iſa.58.C
Cephalicum ad diuturna,& quæ difficulter curantur.4°.de compo.medi.per genera. 5ª.243.H
Cephalicum cum melle adhibitum,vt cruſta cito excidat.2°.de arte curat.ad Glau. 7ª.107.B
Cephalicus paſtillus.2°.de comp.me.per gen. 5ª.226.C
Κεφαλον *capitis ornamentum.de faſcijs.* 7ª.297.B
CEPHALICA *vena eſt vna ex quinque venis quæ ſecantur in brachio.de anat.viuo.* Sp.54.G
Cephalica vena ſecari debet ſuper iuncturam.de ana.viu. Sp.54.G
Cephalica vena quinam ramus ſit venæ concauę.de ana.viuo. Sp.54.E
in Cephalica quando fieri debet ſectio venæ.ſecre. Sp.97.D
Cephalica vena in quo euacuet.de anat.viuo. Sp.54.H
CERA *plurimam ſubſtantiam humidā habet.cō.1°.aph.14°.* Ex.7.F
in Ceris non eſt magna differentia humiditatis,& ſiccitatis.3°.de compo.medi.per genera. 5ª.230.C
Cera eſt ſubſtantię craſſę emplaſticæ.7°.de ſimp.med.fac. 5ª.51.D
Cera quodam modo medium tenet calfacientium, refrigerantium, humectantium,& deſiccantium.7°.de ſimp.med.fac. 5ª.51.C
Cera quo calidior eſt pix eo etiā acrior eſt.de fract.com.3°. 7ª.244.B
Cera congelatur.1°.de ſimp.med.fac. 5ª.5.D
Cera liquatur igne.3°.de comp.med.per gen. 5ª.233.F
Cera quando eſt in melle vel propolis eſt malum.7°.meth.med. 7ª.43.H
Ceræ vires.de ſimpli.medica. Sp.82.B
Cera quomodo exiccet & humectet.7°.de ſimp.med.fa. 5ª.51.D
Cera cur vtamur in pluribus medicamentis.7°.de ſimp.med.fac.53.A|9°.70.4°.de comp.med.ſec.lo. 5ª.140.D
Cera commoda pro ceratis & malagmatibus.9°.de comp.med.ſec.loc.5ª.198.D|de ſimp.med. Sp.82.B
Cera quid faciat in vnguentis.4°.de ſan.tuen. 2ª.87.B
Ceræ quantnm miſcendum ſit medicamentis parandis,collige.4°.de ſanitate tuenda. 2ª.87.A|B
Ceræ ætas,et qd ſignificet nouū in cera.4°.de comp.me.per ge. 5ª.238.H
Cera noua melior pro medicamento.4°.de comp.med.per gen. 5ª238.H
Cera non debet eſſe ſicca,ncc antiqua.2°.de comp.med.per ge. 5ª.219.B
Cera debet eſſe noua,quòd ſi non ſit,quomodo paranda.4°.de comp.medica.per gen. 5ª.242.B
Ceræ vnguentariæ meminit.3°.de cōp.me.per gen. 5ª.234.F
Cera additur oleis cum ſunt fluida.1°.de comp.med.ſec.loc. 5ª.122.B
Cera materia oīum medicamentorū.7°.de ſimp.med.fac.51.C|5°.de cōp.med.per gen.247.C|6°.255.C|5ª.258.A|7°.meth.med. 7ª.46.H
Cera aqua calente prius caleſit,q̃ ponatur in emplaſtris duobus Heræ.4°.de comp.med.per gen. 5ª.245.A|B
Cera vim fortiū pharmachorū exoluit.1°.de comp.med.ſec.lo.122.G|4°.de cōp.med.per gen. 5ª.240.A
Cera emplaſtica.6°.de compo.med.per ge.255.E| 5ª.258.B
Cera dulcis mitigans eſt.2°.de ſimp.med.facul. 5ª.12.H
Cera mordacitatis expers eſt cera lota.2°.de ſimplic.med.fac. 5ª.12.D
Ceram expertem mordacitatis,& oleum effectum candidum ad eandē valere,collige.2°.de ſimp.mcd.fa. 5ª.12.D
Cera non poteſt oſtendi in tetrapharmaco,tamen propter hoc non eſt dicendum ꝙ non inſit.de nat.hum.com.1°. 1ª.27.B
ex Cera,& refrigerātibus cōpoſitio q̃uo fiat.6°.de ſan.tuen. 2ª.100.F
ex Cera,æſypo,& reſina,cerata qualia.7°.de cōp.med.ꝑ gen. 5ª.264.E
ex Cera & oleo roſato ceratū liquidū.2°.de comp.me.per ge. 5ª.218.H
Cera multo indiget oleo ad liquiditatem.3°.de comp.me.per ge. 5ª.230.C
Cera non poteſt per anguſta tranſire niſi liquida.in 6m.de morb.vulgar.commentario.3°. 3ª.173.D
Cera q̃uo dēt in duplici vaſe liquefieri.8°.de comp.med.ſec.loc. 5ª.187.E
Cera quę deligenda in vlceribus.4°.de comp.med.per gen. 5ª.237.D
Cera (ſola) nō cōuenit vlceribus malignis.4°.de cōp.me.ꝑ ge. 5ª.236.H
Cera facit vlcus ſordidum.2°.de cōp.med.per ge. 5ª.218.G
Cera cū ærugine vlceri cauo conuenit.2°.de comp.med.per ge. 5ª.218.G
ex Cera,oleo,& ærugine carnē cōficiēs medicamētū.3°.me.me. 7ª.17.B
ex Cera,euphorbio,reſina fricta,& pice,emplaſtrum pro neruis vulneratis.6°.metho.med. 7ª.37.F
Cera omnis emollit,& laxat durities.de ſimp.med. Sp.82.B
Cera mediocriter emollit.5°.de com.med.per gen. 5ª.247.H
Cera emollit imbecilliſſime.7°.de comp.med.per gen. 5ª.263.H
Cera emollit,& tn̄ cicatricē non generat.4°.de cōp.me.per ge. 5ª.241.C
Cera pro adipe caprino.8°.meth.med. 7ª.53.F
Cera cum oleo maturat.de ocul. 7ª.188.E
Cera parum concoquit.7°.de ſim.med.fa. 5ª.51.C
Cera liquefacta quopiam cx calidorum oleorum apta eſt in feruentibus phlegmonibus pus mouere.5°.de ſimp.med.fac. 5ª.34.C
ex Cera,aloe,maſtiche,& nardo ceratum Iecori, & ori ventriculi conuenit.de rem.par.fac. 7ª.158.F
Cera ad lauandum idonea eſt quæ ex melle facta eſt tum aquoſiore; tum minime mordaci.4°.de ſimp.med.fac. 5ª.25.E
Cera lauatur vt mordacitatē amittat.1°.de cōp.med.per gen. 5ª.217.D
Ceræ acres quo modo lauantur.1°.de comp.med.per gen. 5ª.213.H
Cera lota pro neruis detectis.6°.meth.med. 7ª.38.C
Cera elota emplaſtica eſt.4°.de ſimp.med.fac. 5ª.25.E
Cera quę ex acri & thymoſo melle cōficitur fugiēda eſt, cū medicamētū ab oī mordacitate alienū ꝑparare volumus.4°.de ſim.mc.fa. 5ª.25.E
Cerarum electio.8°.de comp.medicamen.ſec.loc. 5ª.187.E
Ceræ albæ facit mentionem.8°.de compo.med.ſec.loc. 5ª.197.A
Cera quòd ſcirent dealbare.1°.de comp.med.per gen. 5ª.213.H
Cera alba.9°.de compoſi.med.ſecun.loc.204.H|2°.de compo.medi.per gen.225.A|B|6°.258.A|7ª.270.C| 5ª.272.C
Cera non olens candidiſſima.7°.de comp.med.per gen. 5ª.274.F
Cera alba quæ ſua ſpōte ꝑuenit eſt pontica.1°.de cō.me.per ge. 5ª.213.H
Cera cādida emolliens in primo ordine.7°.dc cōp.med.per ge. 3ª.264.D
Cera alba ad tubercula oculorum.de reme.par.fac. 7ª.156.H
ex Cera alba fomentū ad oculorū hordeolū.de med.fac.par. 7ª.163.B
Cera Chia.6°.de comp.med.per geb. 5ª.255.B
Ceræ pōticæ meminit.5°.de comp.medi.ſec.lo.162.B|8°.193.B|196.E|F 10°.208.B|H.1°.de compoſitione medicamen.per genera.213.H|217.|B|G|2°.225.A|5°.250.G|6°.260.B|F|263.B|7°.269.C|272.D|273.E|H. 5ª.274.C
Cera optima,vel alba pontica,vel attica.10°.meth.med. 7ª.65.A
Cera alba pontica.8°.de comp.med.ſec.loc.197.C|1°.de compo.mecdic.per gen.215.G|2°.215.D|6°. 5ª.260.D
Cera pontica ex ſua natura eſt amara,& ex abſinthio amaritudinē obtinet,quam lotione non deponit.4°.de ſimp.med.fa. 5ª.25.E
Cera pontica amara.8°.de comp.med.ſecun.loc. 5ª.187.D

Cera alba põtica vim habet medicamẽtoſam.1º.de cõp.me p ge.5ª.215.H
Cera pontica valet ad emplaſtra candida prẹparanda. 1º.de comp.medicamen.per gen. 5ª.217.D
Cera præſtantior eſt terebinthina.6º.de comp.med.per gen. 5ª.258.B
Cera tyrrhenica valet ad emplaſtra candida præparanda. 1º.de compoſit. med.per genera. 5ª.217.D
Cera tyrrhenica,quæ.3º.de comp.med.ſecun.lo.143.G/148.D/5º.159.G/162.A/8º.187.D/9º.204.F/G/H/1º. de comp.med.per ge. 5ª.213.H
Ceræ tyrrhenicæ fit mentio.2º.de comp.med.per gene.222.D/226.D/3º.234.F/4º.242.E/7º.267.A/5ª.272.B/E/8º.methodi meden.53.D/de remed.par.fac. 7ª.163.G
Cera tyrrhenica alba.1º.de comp.med.ſec.loc.131.B/1º.de compo.medi.per genera. 5ª.213.H
Cera tyrrhenica ſponte non naſcitur alba.1º.de cõp.me.p gen. 5ª.213.H
vt in Cera ſigillum imprimens ſe habet ad ſigilli impreſſionem, ita ſe habet inſtrumentum generationis in muliere ad inſtrumentum generationis in maſculo.de anat.viuo. Sp.51.E
è Cera ficta mala,& punica,& apia,& vuę,et nuces,prius q̃ olfactu, & guſtu,& tactu tententur,à veris differre minime videntur. de ijs quæ in med.ſi.com.1º. 7ª.199.C
Ceram ſecando gladius hebetatur.3º.de ſimp.me.fac. 5ª.22.A
Κηρίας *quid vocant græci.14º.de vſu partium.1ª.208.D/E/3º.de ſymptom.cau. 3ª.29.H*
CERAMIVM, *id eſt amphora, qua nota ſignificatur.de ponderib. & menſuris.275.D/ 5ª.276.H*
Ceramium habet choas octo.de pond.& menſ. 5ª.275.E
Ceramium quæ menſura ſit pro humidorum diuerſitate. de ponderibus & menſuris. 5ª.277.A/B/C/D
CERAMITIS *vſus multiplicis.5º.de cõp.med.per ge. 5ª.252.D*
CERASIA *habent qualitates eaſdem mororum, & fructuum rubi. 2º.de alimen.fac. 2ª.19.B*
Ceraſia quædam ſimilia moris.2º.de alim.fac. 2ª.19.A
Ceraſia frigida ſunt.4º.de ſimpl.med.fac. 5ª.26.D
Ceraſorum ſapores.7º.de ſimpli.medica.facul. 5ª.50.H
Ceraſia dulcia humida & lenta.1º.de alim.fac. 2ª.8.C
Ceraſia adſtringunt magis & minus.2º.de ali.fa. 2ª.19.B
Ceraſia numerantur inter fructus minus noxios,qui non reponunt̃, quia ventrem lubricant,& in tertio ordine.de atten.vict.rat. 2ª.45.H
Ceraſa quę ſtomacho conueniant,quæ non.7º.de ſimp.med. 5ª.50.H
Ceraſa quando commode edi poſſunt.de bon.& vitio ſuc. 2ª.39.B
Ceraſorum gummi,quale.7º.de ſimp.med.fac. 5ª.50.H
Κέρασμα. *de vict.rat.in morb.acu.com.3º. 7ª.132.C*
CERASTAE *morſibus confert centaureum.de virt.cent. Sp.93.H*
ad Ceraſten valet theriaca de theria. ad Piſo. 5ª.91.E
CERATIA *in regionibus orientalibus naſcuntur.2º.de ali.fa. 2ª.21.E*
Ceratia ad nos non importari melius erat.2º.de alim.fac. 2ª.21.E
Ceratia ſunt praui ſucci,lignoſa,et coctu difficilia.2º.de ali.fa. 2ª.21.E
Ceratia,ideſt ſiliquę dulces.de rem.par.fac. 7ª.159.H
Ceratonia ſi humida ſumas,ventrem ſubducũt,ſi ſicca magis ſiſtunt.7º.de ſimp.med.fac. 5ª.51.A
Ceratonia exiccant,& adſtringunt.7º.de ſimp.me.fac. 5ª.51.A
CERATIVM *menſuræ nomen,qua nota ſignificetur. de ponderib. & menſuris. 5ª.275.C*
Ceratium,id eſt ſiliqua,quod põndus.de pond.& menſ. 5ª.276.D/G
Ceratij menſuræ meminit.de med.fac.par. 7ª.173.G
CERATOIDES, *id eſt cornea,panniculus oculi.de oculis. 7ª.182.H*
Ceratoidis craſſitiem detergit acorus.6º.de ſimp.med.fa. 5ª.42.A
Vide Cornea.
CERATAE *gummę per aures expelluntur.de compag.memb. Sp.59.B*
CERATVM *quid ſit,collige.10º.meth.med. 7ª.65.A*
Ceratum dicit ſimpliciter ſine adiecto.6º.de comp.med.ſec.lo. 5ª.176.H
Ceratiformia.8º.de compoſi.med.ſec.loc. 5ª.187.D
Cerati forma quæ conſtant.3º.de comp.med.ſec.lo. 5ª.147.E
Cerati conſiſtentiam pix ſeruat.3º.de compo.med.per gen. 5ª.233.C
Ceratum quomodo præparari debet.8º.de compo.medi.ſec.loc.5ª.187.E
Cerati cuiuſdam confectio.6º.de comp.med.per gen. 5ª.255.F
Ceratũ quo modo emplaſticis miſcetur.2º.de arte cu.ad Gla. 7ª.106.A
Cerati ſpeciem habent relaxantia.7º.de comp.med.per ge. 5ª.268.A
ad Cerati temperaturam.de rem.fac.par. 7ª.167.B
ad Cerati craſſitudinem medicamentum miſcetur. 1º.de cõp.me.ſe.loc.130.E/2º.136.E/5º.160.E/7º.186.H/9º.199.F/3º.de cõpo. medic.per gen.5ª.232.H/de rem.par.fac.160.B/161.E/162.A/ 7ª.167.B
Cerati ſpiſſioris craſſitudo.8º.de comp.med.ſec.lo. 5ª.192.G
Cerati liquidi ſpiſſitudo.10º.de comp.medica.ſec.loc.209.D/3º.de compo.medica.per ge.230.A/C/7º. 5ª.271.C
Ceratum liquidum,quale.3º.de cõp.med.per ge. 5ª.233.B
Cerati liquidi duplex con ectio.de fract.com.1º. 7ª.227.D
Ceratũ liquidũ ex cera & oleo roſaceo.2º.de cõp.med.per ge. 5ª.218.H
Ceratum liquidum magis quam durum conuenit inflammationibus. de fracturis.com.1º. 7ª.227.D
in Cerato humido quanta eſſe debeat frigidæ mixtio.1º.de ſimpl.medicamentorum fac. 5ª.3.C
Ceratum humidum prohibet phlegmonen.6º.meth.med. 7ª.41.B
Ceratum humidum ex aqua quibus conueniat affectibus. 1º.de ſimp.medicamen.fac. 5ª.3.C
Ceratum liquidum in vulneribus.de fract.com.3º. 7ª.245.A
Cerati liquidi meminit.5º.de compo.med.ſec.loc.164.C/9º.205.B/1º.de comp.med.per gen.210.H/211.E/2º. 3ª.224.B
Ceratum liquidum.7º.de compo.med.per gene. 5ª.269.D
Ceratum ſubliquidum.1º.de comp.med.per genera. 5ª.212.H
Cerata ſubhumida quę ſint, & quo modo ab emplaſtris differant. 1º.de comp.med.per gene. 5ª.217.F
Cerati ſpecies.3º.de cõp.med.p ge. 5ª.234.C
Ceratum ex aceto ad eryſipelata.1º.de ſimp.medic.fac. 5ª.7.F
Cerato ſimplici quod neq; calfaciebat,neq; refrigerabat Aqua admiſta frigida refrigerat.1º.de ſimp.med.fac.5ª.7.F/14º.meth.me. 7ª.87.E
Ceratum Chamæmelinum refrigerat.9º.de comp.me.ſe.loc. 5ª.205.F
Cerati,quod κηρέλαιον *dicitur,fit mentio.6º.de ſan.tuen. 2ª.100.G*
Ceratum Cruentum.de fract.com.3º. 7ª.242.E
Ceratum Cyprium, quale.3º. de comp.med.ſe.loc. 5ª.147.B
Ceratum Cyprinum fortius eſt Amathonis malagmate in ictero.de cura icteri. Sp.111.C
Ceratum Cyprinum.3º.de comp.med.ſec.loc. 5ª.146.G
ex Cerato & ærugine fit Incarnans medicamentum, tamen vtrunque per ſe eſt contrarium incarnationi.7º.de cõp.med.ſec.loc. 5ª.176.H
Ceratum habens parum æruginis generat carnem,non ærugo.1º.de ſimpli.med.fac. 5ª.7.G
Ceratis adhibita chryſocolla carnes luxuriantes ſtringit.de ſimplicibus medicaminibus. Sp.82.E
Ceratum Liguſtrinum.de rem.par.fac. 7ª.169.B
Ceratum Melinum ad ventriculum qui intus vrat̃.8º.meth.me.7ª.53.D
Ceroti Oeſypi compoſitio.de dyna. Sp.22.D
Cerotum iuris de lana.de dynam. Sp.22.D
Cerata ex œſypo,reſina,et cera,qualia.7º.de cõp.med.per ge. 5ª.264.E
Ceratum œſypi ad phlegmonas præcordiorum.14º.meth.med. 7ª.88.G
Cerelæon, quale.7º.de comp.med.per gen. 5ª.269.A
Cerelæon quo modo conficiatur.7º.de cõp.me.per ge. 5ª.263.H
Cerelęon emolliens imbecillius.7º.de comp.med.per gen. 5ª.264.E
Ceratum ex eloto Oleo ceraq; confectum collinitur, & acres mordicationes mitigat.10º.de ſimp.med.fac. 5ª.73.F
Ceratum ex oleo dulci,morſibus frequenter ſuccurrit.2º.de ſimp.medicamen.fac. 5ª.12.C
Ceratũ dulce q̃n opportunũ ſit aſperitati.2º.de ſimp.med.fac. 5ª.12.G
Cerata ex Ouis,qualia.7º.de comp.med.per gen. 5ª.264.E
Ceratis quibus miſceatur vitellus ouorum.11º.de ſimp.med.fac. 5ª.81.E
Ceratum Picatum pro prurigine.de fract.com.3º. 7ª.243.G
Ceratum picatum,quod de fract.com.1º. 7ª.227.D
Ceratũ picatũ.de fract.com.3º.242.C/de artic.com.2º. 7ª.267.E
Ceratum picatum quale,& q̃n adhibendum.de fract.com.3º. 7ª.242.E
Ceratum picatum vbi ponendum.de fract.com.3º. 7ª.245.B
Ceratũ interim fiat per Reſinã pityinam.5º.de cõp.me.per ge. 5ª.248.C
Ceratum Roſaceum,quale. 3º. de compoſi.med.ſec.loc. 5ª.147.B
Ceratũ ex ſimplici roſaceo pro priapiſmo.14º.meth.med. 7ª.89.B
Ceratũ roſaceũ parũ hñs reſinæ vſtæ.8º.de compo.med.ſec.lo. 5ª.192.B
Ceratum roſaceum,cui admiſtum ſit aliquid calcis pro eryſipelate. 14º. methodi medendi. 7ª.87.E
Ceratum ex roſaceo,& adipe aut pinguedine infuſum morſibus continuo ſuccurrit.2º.de ſimp.med.fac. 5ª.12.C
Ceratum roſaceum infuſum valet in dyſentericorum deiectionibus, vbi vehementer rodunt.12º.meth.med. 7ª.74.H
Ceratum roſaceum.1º.de comp.med.ſec.loc. 5ª.124.F
Ceratum roſaceum.3º.de comp.med.ſecun.lo. 5ª.146.G
Ceratum roſaceum.5º.de comp.med.ſec.loc. 5ª.159.G
Ceratum cum oleo miſcetur Thapſia ne ipſa vlceret. 1º.de compoſitione medicamentorum

medicamentorum ſec.loc. 5ª.122.A
Ceratũ Thapſiã recipiens pro habente catarrhum.5°.meth.med. 7ª.35.E
Ceratum thapſię ſupra pectus in catarrho.5°.meth.med. 7ª.35.E
Ceratum habeant, qui cinctum non patiuntur.8°.meth.med. 7ª.53.D
Ceratum mitigat medicamenta.2°.de comp.med.per gen. 5ª.220.D
Cerati quæ parum accipiunt medicamenta, efficaciora ſunt.5°. de compo ſi.med.per gen. 5ª.246.G
Ceratis valentiora ſunt epithemata.7°.meth.med. 7ª.44.A
Cerata adhibenda in Alopecia.1°.de comp.med.ſec.loc. 5ª.122.H
Ceratum morſu carens non adhibemus Oculis . in 6^{m}.de morb.vulgaribus, commen.6°. 3ª.196.D
Ceratum poſt cataplaſma imponebat Galenus in Iecoris phlegmone.13°. methodi medendi. 7ª.83.H
Ceratum ex aloe, maſtice, cera & nardo Iecori & ori ventriculi conuenit.de reme.par.fac. 7ª.158.F
Ceratũ pro Hepate et ore vẽtriculi inflãmato.8°.de cõp.m.ſ.l. 5ª.187.D
Ceratum pro ore ventriculi imbecillo.8°.meth.med. 7ª.53.D
Ceratum in Ictero ad ſplenem.de cura icteri. Sp.111.A
Ceratum vel malagma applicandum hypochondrio Icterici. de cura icteri. Sp.111.C
Cerato malagmata, quę.7°.de comp.med.per gen. 5ª.269.E
Ceratum in Pleuritide.de vict.ra.in mor.acu.com.4°. 7ª.144.B
Ceromate eſt vtendum ad pedes calefaciendos in febribus aluum liquidam facientibus.de vic.ra.in mor.acu.com.4°. 7ª.139.G
Ceratum pro hyeme & æſtate.8°.de compo.medica.ſec.loc. 5ª.187.D
pro Ceratis quę medicamẽta ſint cõmoda.9°.de cõp.med.ſe.l. 5ª.198.B
Κεραύνιος *à fulmine appellatum vinculum.de faſcijs.* 7ª.302.C
Κεραύνιος *Soſtrati.de faſcijs.* 7ª.302.G
CERCILII *puerulus quo modo à Galeno curatus.2°.de arte curat.ad Glauconem.* 7ª.104.C
Κερκίς *quid.2°.de motu muſc.* 1ª.313.F
Κέρχνειν *quid ſignificet.2°.de ſimp.med.fac.* 5ª.10.H
Κέρχνος *eſt exiguus qdã ad tuſſiẽdũ impetus.2°.de ſymp.cau.* 3ª.21.G
Cerchnos præcedit tuſſim.2°.de ſym.cau. 3ª.21.G
Cerchnum qñq; patiunt aliqui, & nõ tuſſiunt.2°.de ſymp.cau. 3ª.21.G
Cerchnos ex quibus contingat.2°.de ſymp.cau. 3ª.21.G
Cerchnos quibus ſuperueniat.2°.de ſymp.cau. 3ª.22.H
Κερχνώδεες *à* κερχνεῖν *deducitur, quod ſonum, & ſibilum facere ſignificat.de artic.com.3°.* 7ª.275.F
CEREALIA *ſemina.2°.de alim.fac.* 2ª.16.B
Cerealia ſemina, quæ.de atten.vic.rat. 2ª.44.F
Cerealia ſemina quæ ſint.de vict.rat.in mor.acu.com.2°. 7ª.111.B
Cerealibus humida eſſe debet terra.9°.de ſimp.med.fac. 5ª.64.F
CEREBRVM, *græce* ἐγκέφαλον, *habet nomen à ſitu.8°.de vſu partium.* 1ª.166.C
Cerebrum non habet propriũ nomen ſubſtantiæ.8°.de vſu par. 1ª. 166.D
Cerebrum, quid.intro.52.F| Iſa.53.G
Cerebrum inter partes inſtrumentales numeratur.de diff.mor. 3ª.2.F
Cerebrum ex quibus formetur in fœtu.de ana.viuo. Sp.52.A
Cerebrum ex ſolo ſemine oritur.1°.de ſemi. 1ª.331.C
Cerebrum creat Sol.de compag.memb.ſiue de na.hu. Sp.59.F
ad Cerebri generationem intendit ſpũs animalis.de anat.viuo. Sp.51.H
Cerebri membranæ, abdominis membrana, thoracis ſuccintorium, medullæ dorſi, eodem tempore fiunt.1°.de ſem. 1ª.332.B
Cerebrum eſſe primum in creatione tenet Hippocrates, quia in ouo apparet primo caput pulli.de ana.viuo. Sp.52.A
Cerebrum poſterius corde formatur, & quando.de fœt.for. 1ª.323.G
Cerebro cur non indiget fœtus.de fœt.for. 1ª.323.G
Cerebri functiones in fœtu, quales.de fœt.for. 1ª.323.H
Cerebrum, cor, & iecur, iuxta ſe locata cernuntur in abortibus triginta dierum.de fœt.for.323.A|1°.de ſemi. 1ª.331. D
Cerebrum cur longius à corde.de fœt.for. 1ª.323.G
Cerebro & corde iecur maior in abortibus triginta dierum . de fœtuum formatione. 1ª.323.A
Cerebrum viſcus nominat.3°.de decr.Hipp.243.F| 1ª.245.D|E
Cerebrũ, cor, & iecur, viſcera.6°.de decr.Hipp. 1ª.261.H
Cerebrum, cor, & iecur tria ſunt principia, & quarum ſint operationũ. in 1^{m}.prorrh.com.1°. 4ª.169.F
Cerebrum, cor, & iecur, & ab ipſis dependentia membra conſideranda. de morborum temporibus. 3ª.89.H
Cerebrum, cor, hepar, ſtomachus ſunt membra quatuor principalia ſecundum aliquos.de anat.viuo. Sp.56.A
Cerebrũ, et cor sũt duo mẽbra principalia ſm ąlios.de anat.vi. Sp.56.A
Cerebrum eſt inter prima membra poſt cor.de ana.viuo. Sp.47.B
Cerebrum principium in noſtro corpore.ars med. Iſa.63.B
Cerebrum eſt vnum ex principijs vniuerſi corporis. 2°.de arte curat.ad Glauconem. 7ª.103.B
Cerebrũ hẽt imperiũ corporis humani.3°.de dec.Hip.& Pla. 1ª.245.A
Cerebrum propter quid, præcipuum, & princeps omnium quæ humano corpore continentur.intro. Iſa.53.G
Cerebrũ pars ꝓpria ad vitã.fin.med.Iſa.45.E|14°.de vſu par. 1ª.204.C
pro Cerebro eſt cor in carentibus capite.8°.de vſu par. 1ª.165.C
ꝑ Cerebrũ ab aliquibus dicit̃ eſſe factum caput.8°.de vſu pa. 1ª.165.C
Cerebri gratia non eſt factum caput.8°.de vſu par. 1ª.166.C
Cerebrum eſſe factum, vt refrigeret cor, abſurdum eſt dicere . 8°. de vſu partium. 1ª.165.D
Cerebrum à corde pari cum pedibus interuallo in æliquibus animalibus diſtat.8°.de vſu par. 1ª.165.D
Cerebrum eſt ſitum in capite propter oculos.8°.de vſu par. 1ª.167.A
Cerebrũ q aiunt à cranio cõformari q̃ lõge errẽt.8°.de vſu par. 1ª.170.B
Cerebrum factum eſt ad caluarię imitationem.1°.de ana.admi. 1ª.63.E
Cerebrum ſi paruum eſt, caput quoq; eſt paruũ: & ſi cerebrum magnũ, caput quoq; magnum in 6^{m}.de mor.vul.com.3°. 3ª.174.B
de Cerebri anatomia.de anat.par.43.D|de anat.viuo. Sp.53.G
Cerebrum aſinorum perplexum eſt vt in homine.8°.de vſu par. 1ª.170.C
Cerebra bubula accipit pro anatome.9°.de anat.admi. 1ª.103.H
Cerebrum ſeorſum poteſt videri ſine reliquis corporis partibus. 4°.de anatomicis adminſt. 1ª.81.H
Cerebri anatomię adminiſtratio.9°.de ana.admi. 1ª.103.H
Cerebrum duabus membranis comprehenditur.intro. Iſa.53.G
Cerebri mẽbrana mollis & dura ob qd.7°.de dec.Hip.& Pla. 1ª.269.B
Cerebri panniculi duo, & quales, & eorum officium.de ocul. 7ª.183.A
Cerebrum ambiri à tenui menynge argumentũ.8°.de vſu par. 1ª.168.H
Cerebri tegmẽtum innatum eſt tenuis menynx.8°.de vſu par. 1ª.169.A
Cerebri tenuis membranę diſſectio.9°.de anat.admi. 1ª.104.E
Cerebrum quo modo diuidatur à dura menynge.8°.de vſu par. 1ª.166.B
à Cerebro ſeiuncta eſt craſſa menynx, vaſis tamen cohærens. 8°.de vſu partium. 1ª.169.A
Cerebri membranas pulſare dicunt aliqui.3°.de diff.pul. 4ª.64.E
in Cerebri membranis pulſus eſt motus naturalis.de ijs quæ in medica. fiunt.com.3°. 7ª.222.D
Cerebri inuolucrum craſſum quędam membranulę pericrauco tunicæ cõnectunt.in 6^{m}.de mor.vul.com.1°. 3ª.153.E
Cerebro nullum aliud operimentum extra craſſam menyngem fuit circũdatum.13°.de vſu par. 1ª.201.H
Cerebri menynx frigida & ſicca & denſa eſt. de compag. membro.ſiue de natu.humana. Sp.58.B
Cerebri membranæ cute ſicciores ſunt.1°.de temp. 1ª.18.A
cum Cerebri operimentorum ſubſtantijs eiuſdem ſubſtantiæ ſunt operimenta medullæ dorſi & arteriarum.de fœt.for. 1ª.324.D
Cerebri membrana habet multa foramina.de inſtr.odor. 1ª.112.E
Cerebrũ cooperientis pelliculæ duplex eſt iuuamẽtũ.de ana.vi. Sp.53.D
in Cerebrorum tunicis glacialis grandinis, & humorum ſuorũ iuuamẽtum.de anato.viuo. Sp.44.C
per Cerebri corpus humiditas eſt diſperſa.3°.de lo.aff. 4ª.16.H
Cerebri humiditas cur neceſſaria .de ocul. 7ª.183.H
Cerebri ſubſtantia, qualis.8°.de vſu par. 1ª.167.B
Cerebri ſubſtãtiæ ſil'is, vt in nullo alio reperiat̃.6°.de dec.Hip. 1ª.266.B
Cerebrum eſt medulla ſecundum Platonem.8°.de vſu par. 1ª.166.C
Cerebrum eiuſdem naturæ cum ſpinali medulla.1°.de tempera. 17.G| *de fœt.forma.* 5ª.324.D
Cerebrũ nõ eſt ſuperabũdantia ſpinalis medullæ.8°.de vſu par. 1ª.170.B
cum Cerebro ſpinalis medulla quęnam habet communia, & quænã propria.13°.de vſu par. 1ª.201.G|H
Cerebro compacto ſimilis eſt ſpinalis medulla.1°.de mot.muſ. 1ª.308.H
vt Cerebrum, duplici pelle tegitur medulla ſpinalis, ſecundum anatomicos.de vtil.reſp. Sp.62.G
Cerebri ſubſtantiæ conſideratio.8°.de vſu par. 1ª.162.B
Cerebri diuiſio.de anat.viuo. Sp.53.G
Cerebrum geminatum eſſe quod ſignum habeatur.de anat.vi. Sp.48.A
Cerebrum duplex eſt mollius, & durius, & cur.8°.de vſu.par. 1ª.167.B
Cerebrum incipit molle, & vſq; ad ſpinalem medullam fit magis ac magis durum: qua vero parte ei coniungitur, ibi reliquis ſuis partibus eſt durius.9°.de vſu par. 1ª.174.F

Cerebrum cur molle.de anat.viuo. Sp.53.G
Cerebrum cur neruis mollius.8°.de vſu par. 1ª.167.B
Cerebrum in iuuenibus molle cum ſit atq; humidum, caluariam tangit, & omnem interiorem cauitatem complet, in ſenibus ſicceſcens diſtat à caluaria.in 6m.de mor.vulg.com.3°. 3ª.170.A
Cerebrum paulatim fit durius.9°.de vſu par. 1ª.175.D
Cerebrum anterius quare mollius.8°.de vſu par.1ª.167.B/ de oculis.7ª.183.H/de anat.viu. Sp.53.G
Cerebri priores partes tãto humidiores, q̃to molliores.1°.de tẽp. 1ª.17.H
Cerebrum poſterius quo modo appelletur.9°.de anat.admi. 1ª.104.D
Cerebellum quid.fin.med. Iſa.43.H
Cerebelli forma, qualis, & cur.8°.de vſu par. 1ª.170.C
Cerebelli ſeu cerebri poſterioris figura cõcinna ſignũ ẽ optimũ. Iſa.63.D
ad Cerebelli baſim arteriæ.16°.de vſu par. 1ª.220.B
Cerebrum quo modo diſtinguatur à cerebello.8°.de vſu par. 1ª.169.F
Cerebellum multo durius cerebro.8°.de vſu par. 1ª.170.A
Cerebrum poſterius quare durius.8°.de vſu par.167.B/1°.de mot.muſc. 1ª.308.H/de anat.viuo. Sp.53.H
Cerebri plurima pars in ſincipite.in 6m.de mor.vul.com.1°. 3ª.152.H
Cerebrum ab vtraq; parte cerebelli duos proceſſus habet.intr. Iſa.54.F
Cerebrum cur diuiſum ſit ſecundum latitudinem.de anat.viu. Sp.53.H
Cerebrum à qua linea diuidatur per medium.3°.de loc.aff. 4ª.20.F
Cerebri ventriculorum ſectio.9°.de ana.admi. 1ª.104.H
Cerebri duo ventriculi.intro. Iſa.53.H
Cerebri ventriculi cur duo, & non vnus.8°.de vſu par. 1ª.169.D
in Cerebro quatuor ventriculi.7°.de decr.1ª.269.B/de ocul. 7ª.183.G
Cerebri anteriorum ventriculorum figura.de ner.diſſ. 1ª.53.C
Cerebri anteriores ventriculi cur coeant.8°.de vſu par. 1ª.169.F
Cerebri duo ventriculi anteriores quid faciant.8°.de vſu par. 1ª.169.D
in Cerebri anteriori ventriculo duo foramina oriuntur, quæ tendunt ad nares.de inſtr.odor. 1ª.110.D
in Cerebri anterioribus ventriculis odoris ſenſus ineſt.de inſtru.odor. 1ª.111.C/1°.de ſymp.cau. 3ª.15.G
in Cerebro cur olfactus præter alios ſenſus.8°.de vſu par. 1ª.168.C
à Cerebri prioribus vẽtriculis meatus in poſteriorem ventriculum.8°.de vſu partium. 1ª.169.E
Cerebri ventriculorũ anteriorum ſeptũ vbi ſit ſitũ.3°.de lo.af. 4ª.20.F
Cerebri poſterior ventriculus cur magnus.8°.de vſu par. 1ª.169.E
Cerebri poſterioris vẽtricul⁹ cur minor anteriorib⁹.8°.de vſu.1ª.170.A
Cerebri poſterior ventriculus cur nõ potuit eſſe duplex.ibidẽ. 1ª.169.E
in Cerebri tertio vẽtriculo meatus maximus.9°.de ana.admi.1ª.105.D
Cerebri ventriculus medius non eſt contemnendus quaſi non ſit nobiliſſimus.3°.de loc.affect. 4ª.17.H
Cerebri quartus vẽtriculus qui dicat̃ à nõnullis.8°.de vſu par.1ª.169.F
Cerebri ventriculi in q̃ vſq; partẽ veniant.7°.de decre.Hipp. 1ª.269.H
Cerebri ventriculorum compreſſionem quo modo dura menynx prohibeat.9°.de vſu par. 1ª.173.E
in Cerebri ventriculis ſp̃us fit exacte animalis.7°.de vſu par. 1ª.159.C
ex Cerebri coctione fit ſpiritus animalis.9°.de vſu par. 1ª.172.F
Cerebri ventriculi pleni ſunt ſpiritu animali.de vſu pul.227.H/ 7°.de decre.Hippo. 1ª.269.E
Cerebrũ fons ſp̃us ãialis.de dec.Hipp.1ª.269.C/12°.meth.me. 7ª.77.B
Cerebri ſpiritus animalis dicitur.de vir.noſtrum corp.diſp. Sp.60.C
p Cerebrũ totũ propter quid ſpiritus animalis.8°.de vſu par. 1ª.170.C
Cerebri poſterior vẽtriculus accipit ſpiritum animalem à prioribus. 8°.de vſu partium. 1ª.169.E
Cerebri poſterioris ventriculus principalis ſecundum Herophilum. 8°.de vſu par. 1ª.169.G
Cerebri ſinus nobiliſſimus in occipitio.in 6m.de mor.vul.cõ.1°. 1ª.154.D
Cerebrum obtinet animalem facultatem.fin.med. Iſa.50.B
Cerebrum eſt princeps animalium actionum.de vſu pul. 1ª.227.E
Cerebro nõ datur uis animalis à corde per arterias.2°.de dec. 1ª.239.D
in Cerebro eſt ſpiritus, qui oẽs operationes facit.3°.de lo.aff. 4ª.17.H
in Cerebro ſpiritui animali potiſſima alimenti pars accedit ex inſpiratione per nares.de vſu reſp. 1ª.226.A
in Cerebri ventriculis ſpiritus eſt, vel animæ ſubſtantia, vel primum organum.de vtil.reſp. 1ª.226.D
in Cerebro animæ ſubſtantiam eſſe neceſſarium eſt, ſi ſpiritus in ventriculis cerebri contentus, eſt animæ ſubſtantia.de vtil.reſp. 1ª.226.D
in Cerebro ab aliquibus ponit̃ ãiæ principatus.1°.de vſu par. 1ª.114.H
in Cerebro eſt vna ſpecies animæ.ꝙ animi mo. 1ª.317.F
in Cerebro eſſe animę principatus.com.7°.aph.14°. Ex.54.H
in Cerebro eſſe animæ partem principalem probatur.2°.de decre.Hippocratis.239.H/8°. 1ª.273.F
in Cerebro oẽs ãiæ principaliũ viriũ affectus ſunt.3°.de lo.af. 4ª.17.B
in Cerebro anima ratiocinatrix habitat.9°.de vſu partium.172.F/17°.1ª.222.F/1°.de ſan.tu.2ª.68.D/3°.de loc.aff. 4ª.16.E
in Cerebri corpore ſedet anima, & operationes ibi habet, ratiocinandi, memorandi, & ſentiendi.3°.de loc.aff. 4ª.17.H
in Cerebri menyngem ſunt tres diuiſiones, phantaſia, rationalis, memorialis.de compag.memb.ſiue de nat.hu. Sp.58.B
in Cerebro ne an ĩ mẽbranis ãię ſit prima facultas.2°.de lo.af.4ª.13.H
in Cerebri membranis, ab aliquibus ponitur animæ principatus.1°.de vſu partium. 1ª.114.H
in Cerebrum ãia ratiocinatrix mittit ſemen.12°.de vſu par. 1ª.193.E
Cerebri meatuum varij proceſſus.7°.de dec.Hip. 1ª.269.F
Cerebro idem Conarion quod ventriculo pyloron iuxta aliquos. 8°.de vſu partium. 1ª.170.D
in Cerebro corpus turbinatum q̃uo vocetur.9°.de anat.admi. 1ª.105.B
Cerebro ſuppoſitæ glandulæ pinealis iuuamentum.de anat.vi.Sp.44.D
in Cerebro quid ſit nates, & gemelli.9°.de anat.admi. 1ª.105.F
in Cerebro excreſcentia vermicularis, quæ.9°.de anat.admi. 1ª.105.G/de oculis. 7ª.183.G
Cerebrum & dura menynx ſupra quæ feratur.9°.de vſu par. 1ª.173.F
in Cerebrum cur venę ex vertice deſcendunt.9°.de vſu.par. 1ª.172.F
Cerebri venæ ſpirituales vbi.de natu.& ord.cuiusli.corp. Sp.41.H
ad Cerebrum quo modo tendunt arterię.9°.de vſu par. 1ª.172.D
in Cerebrũ cur arterię veniũt ab ĩfernis partib⁹.9°.de vſu par. 1ª.172.F
in Cerebrum arteriæ, & venæ cur non coniunctæ, ſed diuerſo loco veniunt.9°.de vſu par. 1ª.173.A
ĩ Cerebrũ ꝑ craniũ veniũt venæ ab extrema pte.9°.de vſu par.1ª.173.A
in Cerebro cur tot venæ & arterię.7°.de dec.Hip. 1ª.269.D
in Cerebro cur reticularis plexus.7°.de dec.Hip. 1ª.269.E/de virt.noſtrum corp.diſp. Sp.60.C
Cerebrum in capite habet duo foramina, quæ ad os deſcendunt. commentario.7°.apho.51°. Ex.58.D
Cerebrum cur habeat meatus patentes præter poros latentes tres cauſæ.1°.de ſani.tuen. 2ª.68.D
Cerebri partes cur habent inſtrumentum attrahendi nutrimentum à lõginquis.9°.de vſu par. 1ª.172.G
Cerebri partes quibus nutriantur.9°.de vſu par. 1ª.172.G
Cerebrum eget hepate & corde ad conſeruandam ſubſtantiam ſuam. de mot.man.& obſ. Sp.66.G
Cerebrum & cor iuuantur à iecore.de fœt.for. 1ª.324.H
Cerebro miniſtrat ſanguinem cor vt ſibi ab hepate præparatum eſt. de compag.memb.ſiue de na.hu. Sp.59.B
Cerebrũ ob caloris inopiã minus corde digerit.16°.de vſu par.1ª.220.H
Cerebrum non valde eget ſpiritu à corde allato.de vtil.reſp. 1ª.226.A
Cerebro obedit cor.3°.de decre.Hip. 1ª.245.A
à Cerebro in quo iuuetur cor.de fœt.for. 1ª.324.H
Cerebrũ, & corpora hominũ augentur creſcente luna.de dyna. Sp.20.B
Cerebrum nullum habet fumum, quem reſpirare deſideret.9°.de anatomia adminiſt. 1ª.105.E
Cerebrum cur trahat ſpiritum, & reddat.de inſtr.odor. 1ª.111.C
in Cerebrum inſpiratio neceſſaria ad vitam.8°.de vſu par. 1ª.168.C
ad Cerebrum accedit ſp̃us per nares.de cau.re.226.B/E/H/ 1ª.227.G
Cerebrum reſpirationem efficit per thoracem.4°.de loc.aff. 4ª.27.E
in Cerebrum cur nulla pars odoris impellatur in motu ſpiritus per tunicas naſi, etiam ſi ſpiritus ſit violentus.de inſtr.odor. 1ª.111.H
in Cerebrum nihil impellitur, quamuis vehementer ſpiritum plenis naribus comprimas.de inſtr.odor. 1ª.112.A
Cerebri pelles ex cõtentiõe ſp̃us in conatu inflant̃.de vtil.reſp. Sp.63.D
Cerebrum quo modo ingrediatur vox.8°.de vſu par. 1ª.167.G
à Cerebro vox creatur ſecundum aliquos.2°.de dec.Hip. 1ª.236.D
in Cerebro non contineri vocem experimentum.1°.de decre. 1ª.231.F
Cerebrum ſua natura aptum eſt ad generandum pituitam.com.3°.apho.12°.Ex.21.F/de diſſol.cont. Sp.74.B
Cerebro deſtillans excrementum, fortaſſe nec pituitam quis appellet.2°.de natural.facul. 1ª.302.B
Cerebrum vnde expurgetur.de natura humana, commen.2°. 7ª.180.D/1°.de ſanitate tuenda.2ª.68.D/2°.de locis affectis.4ª.13.C/2°.de arte cur.ad Glauc. 7ª.102.H
in Cerebro craſſiora vnde excernantur.de inſtru.odor. 1ª.110.D
à Cerebro ſupfluorũ craſſorũ viã infundibulũ.9°.de vſu par. 1ª.172.A

Cerebrum per

Cerebrum per palatum,nares,& aures purgatur.7°.meth.med.49.D/11°.7ª.73.C/com.1°.aph.21°. Ex.10.A
Cerebri expurgatio per palatum,& nares naturæ conuenit,ſed per aures minime,niſi in pueris.com.3°.aph.24°. Ex.25.B
Cerebri muccus per nares & os excernitur.de inſtr.odor. 1ª.110.D
Cerebrum expurgatur per duos ҫanales in palato, qui ſufficiunt quando animal recte omnino ſe habet.8°.de vſu par. 1ª.168.C
ex Cerebro excrementitius humor per palatum.2°.de ſem. 1ª.340.C
Cerebrum per nares purgatur.de conſt.ar.Iſag.41.D/commentario.6°. aphoriſmo.2°. Ex.46.E
Cerebri foramina ex naſo orta ſunt duo.de na.& or.cuiuſ.cor.Sp.41.H
Cerebri meatus cur ampli per nares.9°.de vſu par. 1ª.171.D
in Cerebro eorum quæ ſunt,cruditatem aut concoctionem per nares excreta indicant.in 1^{m}.de mor.vul.com.2°. 3ª.112.A
Cerebri robur oſtendunt exeuntia per palatum,per nares,& per aures. de conſt.ars med. Iſ.42.B
in Cerebro tenuia et vapori ſimilia vnde excernunt.de inſt.od.1ª.110.D
Cerebrum expurgatur etiam per commiſſuras.1°.de ſan.tu. 2ª.68.D
Cerebri halituoſa excrementa per ſinciput diffIantur.in 6^{m}.de mor.vulgaribus.com.1°. 3ª.153.D
à Cerebro ortum habentia,quæ.ars med. Iſ.63.B
Cerebrum quorum principium.8°.de vſu par. 1ª.166.A/B
Cerebri inſtrumenta ſunt nerui.de oculis. 7ª.183.E
Cerebrum eandem rationem habet ad neruum, quam oculus ad aerem. 7°.de decre.Hipp. 1ª.271.A
ex Cerebri ſubſtantia nerui.3°.de anat.ad.73.A/7°.de decre.1ª.270.F
Cerebrum denſatum eſt nerui ſubſtantia.1°.de mot.muſ. 1ª.308.H
Cerebro neruos eſſe ſimiles dicentes,errant.7°.de anat.adm. 1ª.96.A
à Cerebro nerui ortum habent.ars med.Iſa.63.B/de neru.diſſ.53.B/14°. de vſu par.214.D/15°.212.E/2°.de decre.1ª.239.A/D/com.6°.aphor.50°.Ex.52. G/com.7°.aph.3°. Ex.54.B
à Cerebro oriunt nerui,nõ à mẽbranis vel ĩuolucris.7°.d dec.1ª.268.h
Cerebrum principium omnium neruornm.1°.de vſu par.117.B/3°.133.G/8°.166.A/12°. 1ª.193.E
Cerebrum eſt principium neruorum mollium.9°.de vſu par. 1ª.175.D
ex Cerebri poſteriori parte nullus penitus neruus mollis.8°.de vſu partium. 1ª.167.C
à Cerebro nerui omnes non ſimpliciter, ſed primarie naſcuntur.3°.de locis affectis. 4ª.20.B
à Cerebro quot nerui procedant,& quo modo.de ocul. 7ª.183.F
à Cerebro nullus neruus oritur non coniugatus.de ner.diſſ. 1ª.53.E
à Cerebro orientium neruorum prima coniugatio.de ner.diſſ. 1ª.53.C
à Cerebro orientium neruorum coniugatio ſecunda, qualis & vbi.de neruo.diſſ. 1ª.53.D
à Cerebro orientium neruorum coniugatio tertia, qualis, & quorſum tendat.de neru.diſſ. 1ª.53.D
à Cerebro orientium neruorum coniugatio quarta,qualis, & quorſum tendat.de ner.diſſ. 1ª.53.D
à Cerebro orientium neruorum coniugatio quinta,qualis,et vnde orta. de neruo.diſſ. 1ª.53.G
à Cerebro orientium neruorum ſexta coniugatio,qualis, & vbi.de neruorum diſſect. 1ª.53.H
à Cerebro orientium neruorum ſextæ coniugationis diſtributio. de neruorum diſſect. 1ª.54.B
à Cerebro ꝓdeuntiũ nernorum ſeptima coniugatio.de ner.diſſ. 1ª.53.H
à Cerebro orientium neruorum ordo in craſſitie & tenuitate.de inſtrumen.odor. 1ª.110.E
à Cerebro quanto ſunt diſtantiores nerui,tanto etiam ab eius vi diſtãt. 7°.de decre.Hippo. 1ª.270.F
à Cerebro nerui faciei procedunt.3°.de loc.aff. 4ª.21.A
à Cerebro ad oculum neruus,porus ab Herophilo vocatur. 1°.de ſymptom.cauſ. 3ª.14.D
in Cerebri anteriori parte nerui duri,vt opinor,mouentes oculos. 8°.de vſu partium. 1ª.167.C
ad Cerebri vẽtriculũ cur pertingũt nerui optici.16°.de vſu pa.1ª.215.D
Cerebri naturã cognoſcat q oculorũ naturã ſcire vult.de ocul. 7ª.183.E
ad Cerebri naturam tanto propius accedit oculus quàm alia, quanto certius,ſubtiliusq; primũ ſenſibile habet.7°.de decre.Hip. 1ª.270.H
ex Cerebri ĩuolucris oriunt tunicę oculorũ.2°.de cõp.me.ſec.lo.5ª.137.C
Cerebrum ad humorem cryſtallinum portionem quandam à ſeſe producit.8°.de vſu par. 1ª.167.E
à Cerebro pura ac ſyncera ꝓpago ĩ oculũ ꝓficiſcit.8°.de vſu p. 1ª.167.F
à Cerebro progago ad aures,qua ſoni recipiunt.8°.de vſu par. 1ª.167.G
à Cerebro quæ partes ſub facie habent neruos.16°.de vſu par. 1ª.215.E
à Cerebro duo nerui orti diuiduntur in quatuor ramos vnuſquiſq;, qui tendunt ſupra coſtas.de vo.& anhel. Sp.61.H
à Cerebro neru⁹ ad os vẽtriculi neceſſario accedit.16°.de vſu p.1ª.215.E
à Cerebro ad vẽtriculũ nerui obliqua via ĩcedũt.6°.de vſu p. 1ª.149.G
à Cerebro neruorum portio ad cæteras partes mittitur exigua, magna vero ad os ventriculi.6°.de vſu p.1ª.216.E/cõ.6°.aph.51°. Ex.52.F
à Cerebro neruorũ ꝓpagines ad q̃ viſcera veniãt.16°.de vſu p. 1ª.215.F
à Cerebro deſcẽdẽs paruus neruus in cor infigitur.1°.de decr. 1ª.233.H
à Cerebro nerui partim à prima,partim à tertia,partim à ſexta perueniũt ad iecur,ad lienẽ,ad renes,ad vẽtrẽ,ad viſcera.de ne.di.1ª.54.d
à Cerebro cur non mittantur nerui ad manus, & ad pedes.16°.de vſu partium. 1ª.215.E
à Cerebro poſteriori neruorum productio,quæ.7°.de vſu par. 1ª.162.B
Cerebri poſterior pars in ſexaginta neruos diuiditur.2°.de compo.medi. ſecundum locos. 5ª.132.E
Cerebri,& ſpinalis medullæ coniunctio,medium principium eſt mediorum neruorum ſubſtantiæ.9°.de vſu par. 1ª.76.A
ex Cerebro neruos alios,alios ex dorſali oriri dicẽdum eſt. de ner.diſſe. 1ª.53.C/de mot.man.& obſ. Sp.66.F
à Cerebro & ſpinali medulla orientes nerui proprie nerui appellantur. 15°.de vſu par. 1ª.210.D
à Cerebro aut ſpinali medulla neruos accipiunt muſculi.1°.de mot.muſ. 1ª.308.H/de vo.& anhel. Sp.60.F
cum Cerebro,ſpinali medulla,quomodo muſculi communicant.1°.de motu muſculo. 1ª.308.H
à Cerebro nerui riuorum in morem tanquam ex fonte deducunt vires muſculis.1°.de motu muſc. 1ª.309.A
à Cerebro neruum accipiente muſculo caret mẽbrum nullum,quod voluntarie mouetur.1°.de decre.Hip.& Plat. 1ª.234.B
à Cerebro progerminata ſunt nerui & medulla dorſi.de neru.diſſ.53.B/de fœt.for.324.G/7°.de decre.Hipp. 1ª.272.G
à Cerebro oritur ſpinalis medulla.ars med.Iſa.63.B/de neruo.diſſect.53.F/1°.de vſu par.117.B/15°.214.G/de decre.Hipp.262.F/1°.de ſem. 1ª.331.D/de oculis. 7ª.183.F
à Cerebro accipit vim tum ſentiendi,tum mouendi pro arbitrio ſpinalis medulla.7°.de decre.1ª.272.G/3°.de loc.aff. 4ª.20.H
Cerebrum inſenſibile eſt.de vtil.reſp. Sp.62.H
Cerebrum non ſenſibile à natura,ſed organum ſenſuum factũ eſt.de virtut.noſtrum corp.diſp. Sp.60.C
Cerebri proprium corpus eſt elementũ ſenſibile.1°.de nat.fac. 1ª.291.G
Cerebrum ſentiens organũ à natura conditũ non eſt,ſed quòd ea quæ ſentiant ſentire poſſit.1°.de ſymp.cau. 3ª.18.H
Cerebrum & ſpinalis medulla ſenſum obtinent.de mult. 3ª.77.G
Cerebrum,primum ſenſorium ſeu ſenſus cõmunis.7°.de dec. 1ª.272.F
Cerebrum ſenſus principium.3°.de vſu par. 1ª.133.G
in Cerebro neruorum,voluntariorumq; motuum, ac quinque præterea ſenſuum principium eſt.in tim.Plat. 1ª.287.C
prope Cerebrum cur omnia ſenſoria.8°.de vſu par. 1ª.167.A
ꝓpter Cerebrum in capite ſunt omnia ſenſoria.8°.de vſu par. 1ª.167.A
Cerebrum omnibus neruis principium eſt ſenſus & motus. de conſt.ar. Iſa.37.A/3°.de dec.Hipp.245.D/1°.de ſem. 1ª.335.B
Cerebrum veluti fons facultatis neruorum.de mult.3ª.77.A/de victus rat.in mor.acu.com.2°. 7ª.123.H
à Cerebro ſuppeditat ſẽſus,& motus vniuerſis corpis partib.5°.de lo. aff.4ª.28.H/de ana.viu.45.H/de vir.nr̃m corp.diſp. Sp.60.C
Cerebrum non habet originem à corde ſenſus & motus, vt quidam voluerunt.2°.de decre.Hipp. 1ª.239.D
Cerebrum motus voluntarij principium.2°.de decre.Hippo.240.D/7°. 1ª.272.G/in 6^{m}.de morbis vulg.commen.6°.3ª.189.G/in 1^{m}.ꝓrheti. commen.1°.169.F/in prognoſt.4ª.200.A/de voce, & anheli.61.H/de mot.man.& obſ. Sp.66.G
à Cerebro partibus habentibus ſenſum exactiorẽ neruus immittit maior & mollior.16°.de vſu par. 1ª.215.B
ex Cerebri mixtione partes,intra peritonæum ſenſum cæteris exactiorem aſſumunt.16°.de vſu par. 1ª.216.E
à Cerebro quo mõ trãſmittit ſenſoriũ ad viſum.8°.de vſu par. 1ª.167.E
à Cerebro ſpiritum ſplendidum affluentem habet viſus inſtrumentum. 16°.de vſu partium. 1ª.215.D
à Cerebro ad oculos ſpiritus animalis luminoſus.in 6^{m}.de morb.vulga. commen.4°. 3ª.187.B

à Cerebro ad oculum quo modo eant ſpiritus.1°.de ſymp.cau. 3ª.14.D

ad Cerebrum cito peruenit colorum alteratio.8°.de vſu par. 1ª.167.F

Cerebrum eſſe principium ſenſus aurium,oculorum,& narium, eo quia ſit propinquum,qui dicunt decipiuntur.2°.de decr.Hipp. 1ª.237.B

Cerebro nihil propinquius muſculis tẽporalibus.11°.de vſu par.1ª.185.C

Cerebro nullus alius muſculus præter temporalem per plures neruos cõmunicat.11°.de vſu par. 1ª.185.C

à Cerebro ꝓbent corpi nouẽ voluptates.de cõp.mẽb.ſiue đ na.h.Sp.59.b

à Cerebro nerui accipiunt virtutem animalem.1°.de vſu par. 1ª.117.B

à Cerebro vis non tranſmittitur neruo inciſo.de oculis. 7ª.184.H

Cerebrum excipit omnes neruos & ſenſus.10°.de vſu par. 1ª.184.G

Cerebrum neruis ac muſculis ſuppeditat virtutẽ.7°.meth.me. 7ª.49.C

à Cerebro nõ eſt principiũ pulſus neq; arteriarũ.2°.de decr. 1ª.237.A

ex Cerebro oriuntur tendones quatenus ſunt neruorum participes. 6°. methodi meden. 7ª.38.H

ex Cerebro non eſt natum ligamentum.1°.de vſu par. 1ª.117.C

Cerebrum principium motus animalis.7°.de vſu par. 1ª.164.B

in Cerebro ordinata volũtas in ſanis iuxta originẽ neruorũ motus principium primo dat neruis,poſtea muſculis.3°.de lo.aff. 4ª.17.E

Cerebrũ mouet tñ,& nõ mouet ab alio.de mot.mani.& obſ. Sp.66.G

Cerebrũ ad motum & ſenſum non indigere corde.2°.de decre. 1ª.239.C

Cerebro nõ ĩdiget cor ad ſui motionẽ,& è contrario.de decr. 1ª.232.B

Cerebrum mouet alia,& ſeipſum.de inſtru.odor. 1ª.111.A

Cerebrum & cor mouetur motu dilatationis,& conſtrictionis,licet differant.de anat.viuo. Sp.56.E

Cerebrum ſemper mouetur.6°.de vſu par. 1ª.153.E

Cerebrũ quoq; ipſum quidam pulſare dixerunt.3°.de diff.pul. 4ª.64.F

Cerebrum pulſat,non ſpinalis medulla.13°.de vſu par. 1ª.201.H

in Cerebro & neruis vires fortes,& debiles cognoſcuntur ex arbitrarijs functionibus.de cur.rat.per ſang.miſſ. 6ª.17.D

Cerebrũ differt functionibus ab artubus.4°.de præſa.ex pul. 4ª.120.F

Cerebrum quarum operationum ſit initium.de ocul. 7ª.183.E

Cerebri miniſteria præcipua,quæ.in progn.com.2°. 4ª.198.E

Cerebri officium ad vitam,quale.7°.meth.med. 7ª.49.C

Cerebrũ ĩducit ſomnũ naturalẽ,vt quieſcat.1°.de ſymp.cau. 3ª.19.A/B

Cerebri officium quale ſit cum ſani ſumus,& quale cum ęgrotamus. 7°. methodi meden. 7ª.49.B

à Cerebro ad teſtes prodeuntes venæ vaſa ſeminaria antecedentia dicũtur.de anat.viuo. Sp.51.G

ad Cerebri nutrimentum qui erat dealbatus ſanguis defertur ad teſtes. de anat.viuo. Sp.51.G

ex Cerebro ſperma deducitur.de nat.& ord.cuiuslibet corp. Sp.42.C

à Cerebro q̃uo ſemẽ deducatur.de cõp.mẽb.ſiue de nat.hu. Sp.59.C

Cerebrum,quale.ſin.med.Iſa.43.H/com.3°.aph.24°. Ex.25.B

Cerebri temperaturam quinque oſtendunt.ars med. Iſ.63.C/F

Cerebri temperamentorum notæ vnde ſumantur.2°.de temp. 1ª.20.F

Cerebri varia compoſitio non facit intellectum,ſed temperies. 8°.de vſu partium. 1ª.170.C

Cerebrum q̃uo iudicetur bene conſtitutum.com.2°.aph.33°. Ex.17.B

Cerebri bonæ temperaturæ ſigna.ars med. Iſa.63.F

Cerebri temperiem ſeruare debent qui recte viuere, & recte meditari volunt.de vir.noſt.corp.diſp. Sp.60.C

Cerebrum eſt frigidum,& propter ſubſtantiam mollem facile alterabile. com.5°.aph.69°. Ex.45.D

Cerebrum cur ſit frigidum & humidum.de oculis.7ª.183. H/ de anat.viuo.53.G/de compag.mem. Sp.58. A

Cerebrum cur à Deo genitum ſit frigidum membrum, & humidum, & phlegmaticum.de anat.viu. Sp.45.E

Cerebrum obſtat caliditati cordis.ars med. Iſa.64.F

Cerebrum cur non debet eſſe calidum.de ocul. 7ª.183.H

Cerebrum ſemper eſt multo calidius aere.8°.de vſu par. 1ª.165.E

Cerebrum ſi refrigeretur vt aer,letale eſt.8°.de vſu par. 1ª.163.H

Cerebrum calidius eſt ſpinali medulla.1°.de temp. 1ª.17.H

Cerebri frigidi indicia.ars med. Iſa.63.G

Cerebrum frigidum,& ventriculum calidum habẽtes ſunt morbis obnoxij.3°.de alim.fac. 2ª.28.F

Cerebrum humidum eſt prope adipem.1°.de temp. 1ª.17.G

Cerebrum humidius eſt ſpinali medulla.1°.de temp.15.C/ 1ª.17.H

Cerebri humidi indicia.ars med. Iſa.63.H

Cerebri humiditatis proprium ſunt altus ſomnus & coma. 4°.de præſag.ex pulſ. 4ª.120.G

Cerebri calidi ſigna. ars med. Iſa.63.F

Cerebrum calidũ habentes ſunt inſtabiles,& mobiles.de ocul. 7ª.183.H

Cerebri caliditatis pulſus.4°.de præſag.ex pulſ. 4ª.120.G

Cerebri ſicci indicia.ars med. Iſa.63.H

Cerebri calidi & ſicci indicia.ars med. Iſa.63.H

Cerebri calidi,& ſicci pulſus.4°.de præſag.ex pulſ. 4ª.120.G

Cerebri calidi,& humidi indicia.ars med. Iſa.64.A

Cerebri frigidi,& ſicci indicia.ars med. Iſa.64.B

Cerebri frigidi & humidi indicia.ars med. Sp.64.C

Cerebrum læditur quandoq; totius ratione, quandoque partis. de mel. ex Gal.Ruf.& Poſſ. Sp.109.B

Cerebro affecto aut per ſe aut per conſenſum, qui morbi contingant.17°. de vſu partium. 1ª.222.F

Cerebrũ facile lædunt ĩmoderate refrigerantia.de inſtr.odor. 1ª.112.F

Cerebro frigidum inimicum eſt.com.5°.aph.18°. Ex.39.A

Cerebro inimicum frigidum,calidũ amicum.com.5°.aph.22°. Ex.39.E

Cerebrũ frigore ſtringitur vt à manu ſpongia.com.3°.aph.12°. Ex.21.G

Cerebrum,glacies,& nix refrigerant adeo,vt deſtillationes fiant. commenta.5°.aph.24°. Ex.39.G

in Cerebro,& naſo faciunt intemperiem coryzę,et catarrhi.1°.de ſymptoma.cauſis. 3ª.16.A

à Cerebro in ventriculum defluentis frigidi humoris curatio. 7°.methodi medendi. 7ª.48.F

à Cerebro ad ventriculum fluxus curatio à cerebro incipiat, ſi nihil impediat.7°.meth.med. 7ª.48.H

Cerebrum refrigeratur in principijs acceſſionũ.2°.de lo.aff. 4ª.14.C

Cerebrum quo modo frigeſcat ex ſtomacho.1°.de ſymp.cau. 3ª.18.G

Cerebrum duobus modis lęditur à deleterijs, aut cũ tota ſubſtantia ſunt contraria,aut cum vna duabusue qualitatibus temperaturam immutant.5°.de ſimp.med.fac. 5ª.37.C

in Cerebro grauitates fiunt.de mult. 3ª.77.F

Cerebri refrigerati ſymptoma ẽ fatuitas.4°.de præſ.ex pul. 4ª.120.G

Cerebrum non habere fatuum dicunt.3°.de loc.affe. 4ª.16.E

ſine Cerebro dicitur imprudens.3°.de dec.Hipp. 1ª.243.D

Cerebrũ,& neruos debilitat venus.in 3^{m}.de mor.vul.com.3°. 3ª.151.G

Cerebrũ facile lædunt immoderate calefacientia.de inſtr.odor. 1ª.112.F

Cerebri extrema caliditas,deliria facit.4°.de pſag.ex pulſ. 4ª.120.G

Cerebrum incaleſcet ſi menynges ſint calidę.8°.de vſu par. 1ª.165.F

Cerebro quę inſunt,quo modo calefiant.com.7°.aph.51°. Ex.58.D

Cerebro calefacto,aut humectato quod in capite inani, fit ſternutamentum.com.7°.aph.51°. Ex.58.C

Cerebri ſubſtãtia diſſoluit ex calidi ĩmodico vſu.c.5°.aph.16°. Ex.38.H

Cerebro,& neruis obſunt pocula multa.in 3^{m}.đ mor.vul.cõ.3°.3ª.151.G

Cerebrum ebriorum multa humiditate perfunditur, & eius multitudine grauatur.com.6°.aph.32°. Ex.49.H

Cerebro tantum,ſiue corpore vniuerſo humidiores non cõtingit ſalubrẽ vitam omnis expertem noxæ traducere.com.6°.aph.2°. Ex.46.E

Cerebrum humidius quę mala pariat.com.6°.aph.2°. Ex.46.F

Cerebro propinqua,communia, & prima maxime læduntur ſecundum Hippocratem.11°.de vſu par. 1ª.85.C

Cerebrũ humidum facit longa profluuia,q̃uo.cõ.6°.apho.32°. Ex.49.H

Cerebrum humidum facit balbutiem.com.6°.aph.32°. Ex.49.H

in Cerebro fluunt morbi ſoporiferi.3°.de loc.aff. 4ª.20.C

Cerebri vẽtriculus medius maximũ ſoporẽ facit.4°.de loc.aff. 4ª.23.A

Cerebri ventriculis plenis fiunt carus,apoplexia, & morbus comitialis.de inſtrum.odor. 1ª.112.F

Cerebri ventriculus medius ſi ſit attritus, oſſe terebra perforato ſopor fit.4°.de loc.aff. 4ª.23.A

Cerebri ſiccitatis ꝓpriũ ſunt vigilię.4°.de præſag.ex pulſ. 4ª.120.H

Cerebri morbus eſt cephalęa,& cur, & quo mõ.3°.de loc.aff. 4ª.20.E

in Cerebri dura membrana dolor quo modo fiat. de ijs quæ in medicat. fiunt.com.3°. 7ª.22.G

in quibus Cerebri partibus eſſe poſſunt intẽperies.3°.de lo.af.4ª.16.H

cum Cerebri anterior pars duntaxat afficietur ſola linguæ motio vitio carebit.4°.de loc.aff. 4ª.22.H

Cerebri qua parte affecta fiat paralyſis.4°.de loc.aff. 4ª.22.G

in Cerebro noxam eſſe oſtenditur ſi cum toto corpore partes faciei paralyſi afficiantur.3°.de loc.aff. 4ª.21.B

Cerebri qua parte affecta fiat apoplexia.4°.de loc.aff. 4ª.22.G

Cerebrum læſum eſſe oſtẽdit manifeſte apoplexia.3°.de loc.aff.4ª.21.A

in Cerebro humor frigidus redundans immobilitatis inſenſibilitatisq́, eſt cauſa.13°.meth.med. 7ª.85.F

Cerebro affecto fit comitialis morbus.3°.de loc.aff. 4ª.19.E

Cerebrum debet eſſe imbecille, ſi morbum comitialem paſſurum ſit. commentario.6°.aph.28°. Ex.49.A
Cerebri imbecillitas duplex.de oculis. 7ª.186.B
Cerebrum ob imbecillitatem vacillat.com.7°.aph.9°. Ex.54.E
Cerebrum aggrauatur in ſomnis, in plethoricis diſpoſitionibus. commentario.4°.aph.67°. Ex.34.F
Cerebrũ habile eſt ad fluxiones recipiẽdas.de cur.ra.per ſang. 6ª.18.A
ad Cerebrũ humor infeſt⁹ pueniens ĩplet caput.c.4°.aph.67°.Ex.34.F
Cerebrum impletur vaporibus, & facit phrenitim quando inflammatio pulmonis eſt calida.com.7°.aph.12°. Ex.54.G
in Cerebro humores quo modo illi obſint.3°.de loc.aff. 4ª.18.C
Cerebrum afficitur ex ſanguine, quem habet.3°.de loc.affe. 4ª.18.E
in Cerebro ſanguis dupliciter lædit.3°.de loc.affe. 4ª.18.E
in Cerebro quandoq; fit ſanguis melancholicus quando recipit ab alia parte.de mel.ex Gal.Ruf.& Poſſ. Sp.109.B
in Cerebro quando ſit atrabilaris materia.3°.de loc.affect. 4ª.19.D
in cerebro ne ſit an in toto corpore ſanguis melancholicus quomodo cognoſcatur.3°.de loc.affe. 4ª.18.E
Cerebrum eſſe melancholicum primo affectu quomodo cognoſcatur . de mel.ex Gal.Ruf.& Poſſ. Sp.109.H
in Cerebro ſolo ſi eſt ſanguis melancholicus, non eſt opus venæ ſectione. 3°.de locis affect. 4ª.18.E
Cerebrũ affectũ eſt cauſa oĩum deſipientiarũ, & inſaniarum ſiue primo & per ſeipſum, ſiue per cõpatiendi rõnem.com.6°.aph.53°. Ex.53.B
Cerebri & cordis colligatio, qualis.2°.de cauſ.pul. 4ª.93.H
Cerebrũ in cõſenſum trahit à prçcordijs.de mel.ex Gal.Ruf. Sp.109.B
Cerebrum cordi tria vaſorum genera connectunt.2°.de decre. 1ª.239.B
Cerebrum cum corde colli arteriç continuant.de vſu pul. 1ª.227.E
Cerebrum facile ducitur in ſimilem affectum patiente oſtiolo ventriculi. de mel.ex Gal.Ruf.& Poſſ. Sp.109.B
Cerebrum ventriculo, & ventriculus cerebro ſuas affectiones tranſmittit.3°.de loc.aff.18.C/5°. 4ª.32.H
Cerebrum ſepto tranſuerſo & ori ventriculi conſentit, & neruoſis omnibus.in progno.com.1°. 4ª.197.H
Cerebrũ compatitur ex affectu totius corporis.8°.de vſu par.1ª.166.A 3°.de locis affect. 4ª.18.D
Cerebrum patitur cum neruis.de fract.com.2°. 7ª.235.C
Cerebrũ q̃uo ſentiat affectionem digiti pedis.in progn.com.1°. 4ª.194.F
in Cerebro flaua bile redundante, cur ad dementiã trahamur neſcit Galenus, ſi aĩa eſt immortalis ac per ſe eẽ poſſit.ꝙ animi mor. 1ª.318.A
ad Cerebrum cholera tendens ſoluit fluxum, & è contrario. commentario.4°.aph.28°. Ex.30.D
Cerebrum, & oculos afficientia ſymptomata vaporationem vitioſorum humorum ſequuntur.5°.de loc.aff. 4ª.32.H
Cerebri ſuffuſio quomodo cognoſcatur.de ocul. 7ª.187.D
Cerebri inæqualis ĩtẽperies ſpũm vertiginoſũ parit.3°.de lo.af.4ª.20.D
in Cerebri qua parte fiat vertigo, & quo modo.3°.de loc.affe. 4ª.20.C
Cerebri ſymptomata aliquot, ſurditas, conuulſio, inſania.in 3^{m}.de mor. vulgarib.com.2°. 3ª.135.D
à Cerebro deſcendens meatus obſtructus aliud ſymptoma facit, quã cũ crura ſunt reſoluta per ſpinæ inflammationem.1°.de loc.aff. 4ª.6.G
Cerebri abſceſſus qui bonus, & qui malus.1°.de inæq.intemp. 3ª.43.F
Cerebri ægritudines ſiccæ, quæ.de vic.rat.in mor.ac.com.1°. 7ª.112.F
Cerebro inareſcente, & exortus neruorum inareſcunt. in 6^{m}.de morbis vulgaribus, com.3°. 3ª.170.B
Cerebri conſumptio pro comminutione ex ſiccitate, vnde caluitium.in 6^{m}.de mor.vulg.com.3°. 3ª.170.A
à Cerebri conſumptione, hoc eſt exiccatione, caluities.in 6^{m}.de morbis vulgaribus, com.3°. 3ª.170.A
Cerebrum in viuo animali non poteſt eſſe conſumptum in totum . in 6^{m}. de mor.vulg.com.3°. 3ª.170.A
Cerebrũ cur cõcutiat q̃nq;.3°.de lo.af.4ª.20.A/c.7°.aph.58°. Ex.59.C
Cerebri cõcuſſiones ad hyemẽ expectare cõuenit, ſi æſtas ſicca ſit, et auſtro pflet, & ſequẽs autũnus ſit pluuioſus.de aere, aq.& loc. 2ª.4.C
Cerebrum quibus aliqua ex cauſa concuſſum fuerit, neceſſe eſt ſtatim mutos fieri.com.7°.aph.58°. Ex.59.B
Cerebrũ põt diuidi, & pati ſolutionẽ vnitatis.1°.de ſymp.cau. 3ª.14.C
ad Cerebri læſionẽ, ſpinalis medullæ læſæ comparatio in his quæ ad hãc conſequuntur incommoda.1°.de ſymp.cau. 3ª.16.D
Cerebro inflammato febris & deliria neceſſario ſequuntur. 4°. de præſag.ex pul. 4ª.120.G
in Cerebro & eius inuolucris phlegmonen excitat phrenitis, non tantũ ex calidis ortum habet ſuccis.2°.de ſymp.cauſ. 3ª.24.C
ob Cerebri inflãmationem febris ardens.in 1^{m}.prorrh.cõ.1°. 4ª.166.A
Cerebrum pati magnam inflãmationem ſignificat rubor oculorum à vomitu.com.2°.aph.3°. Ex.54.B
Cerebri ĩflãmatio mortifera ægritudo ẽ.ĩ 6^{m}.de mor.vul.c.2°. 3ª.162.H
in Cerebri inflammationis principio non ſunt apponendæ cucurbitulæ. de hirud.reuulſ.cucurb.& ſcarif.2.E/ 6ª.3.B
circa Cerebrum inflammatio qua re indiget.11°.meth.med. 7ª.73.F
ex Cerebri inuolucris profluuium ſanguinis ſupprimentibus medicamẽtis miſcetur vitellus ouorum.11°.de ſimp.med.fac. 5ª.81.D
à Cerebro et gurguliõe q̃nq; sãguis expellit tuſſiẽdo.4°.de lo.af.4ª.25.F
in Cerebri ſinibus quo modo ſanguinẽ inuenies.de decre.Hipp. 1ª.231.F
Cerebrum in ictu capitis q̃uo cognoſcat pati.com.7°.aph.14°. Ex.54.H
Cerebrum læſum quo modo cognoſcatur.in 1^{m}.prorrh.com.1°. 4ª.163.B
Cerebri patientis ſigna.ars med. Iſa.67.A
Cerebro læſo quid ſequatur.1°.de ſymp.cau. 3ª.16.D
à Cerebro profecto morbo correptũ quid ſequatur.de ſal.diæ. 2ª.43.D
in Cerebro lçſionem ſignificat ſpiratio impedita.3°.de lo.af. 4ª.20.C
Cerebro patiente qualis ſit ſpirandi difficultas.cõ.4°.aph.50°. Ex.33.C
Cerebro patiente, ſpiritus apparet magnus ex multo interuallo, ideſt magnus & rarus.com.4°.aph.50°. Ex.33.C
Cerebrum læſum ſignificat delirium.in 1^{m}.de mor.vul.com.2°.3ª.115.A/ de fract.com.2°. 7ª.235.C
Cerebri vitiũ, facit deliriũ, mot⁹ ac sẽſus priuationẽ.3°.de dec. 1ª.245.E
à Cerebro phrenitis delirium perpetuum facit.5°.de loc.aff. 4ª.31.H
Cerebrum per conſenſum affectum eſt, ſi deliria aſſidue non permanent, ſed acutam febrem ſequuntur.2°.de loc.aff. 4ª.14.C
Cerebrum ſtupefacere oportet cum deliria & peruigilia infeſtant. 13°. methodi medendi. 7ª.85.F
Cerebrum quando læſum ſit & non neruus.4°.de loc.aff. 4ª.23.D
Cerebrũ colliſum aut vulneratũ, totũ corpus lædit.6°.de decre.1ª.261.G
Cerebrum quibuſcunq; præciditur, his neceſſe febrem, & bilis vomitũ superuenire.com.6°.aph.5°. Ex.52.F
Cerebro affecto vomitus cur fiat.in 1^{m}.prorrh.com.1°. 4ª.164.E
Cerebro præciſo compatitur ventriculus, & præſertim eius os per communicationem.com.6°.aph.50°. Ex.52.F
propè Cerebri vẽtriculos peruenit medicamentum.de inſtr.od. 1ª.111.B
in Cerebro & membranis proxima exiſtit paſſio in deſipientia ob oſſis præciſionem.com.7°.aph.24°. Ex.55.F
Cerebri vẽtriculo cõpreſſo ſenſus amittiť & motus.1°.de dec.1ª.232.A/ B/in 3^{m}.de morb.vul.com.1°.3ª.150.D/2°.de lo.af. 4ª.13.F
Cerebri ventriculis immoderate compreſſis incidunt homines in affectũ ſimilem caro.de inſtr.odor. 1ª.112.F
Cerebri ventriculis colliſis aut vulneratis, totum animal ſopitum collabitur.3°.de decr.Hip. 1ª.245.D
Cerebri vẽtriculi vulnerati ſubitũ afferũt periculũ.7°.de decr.1ª.272.G
Cerebri poſterioris ventriculi vulnera ſunt peiora, poſtea medij, poſtea primi.7°.de decre.Hipp. 1ª.269.C
Cerebrum vulneratum mortem affert.com.6°.aph.18°. Ex.47.H
Cerebrum ſi auelli contigerit, aut aliquam eius partem conuelli, qui ita patiuntur non amplius reſtituuũtur.com.7°.aph.58°. Ex.59.C
ĩ Cerebro ſpũs corruptus mortẽ ĩducit.ĩ 6^{m}.de mor.vul.c.6°. 3ª.189.H
Cerebri læſio cur maxima.de vtil.reſpir. 1ª.226.C
ob Cerebrum lçſum cur mors.de vtil.reſpi. 1ª.226.D
Cerebro affecto cur ſeparatur aĩa, ſi eſt immortalis. ꝙ aĩ mor. 1ª.317.H
Cerebro læſo, et iecore, aĩal viuit, corde nõ affecto.5°.de loc.af. 4ª.28.H
Cerebro affecto tardius fit mors q̃ corde affecto.de vict.ra.in morb.acu. commen.2°. 7ª.123.H
Cerebri ſubſtantia vulnerata raro ſanatur.de ſubfig.emp. Iſ.32.E
Cerebrũ vulneratũ ſæpe vidit Galenus ſanari.cõ.6°.aph.18°. Ex.48.A
Cerebro mẽbrãis d̃nudato aĩal ñ patiť niſi ſpatio tpis.7°.d̃ d̃cr.1ª.269.G
ſine Cerebro põt eẽ affecta menynx dura.4°.de p̃ſag.ex pulſ. 4ª.121.B
Cerebrũ nõ patiť ſine menynge, & e cõtrario.4°.de p̃ſ.ex pul. 4ª.121.B
Cerebrum eſt agnatum multis partibus duræ membranæ, ideo facile ipſi communicat omnes paſſiones.com.6°.aph.50°. Ex.52.G
in Cerebri & membranæ inflammatione non debemus vti cucurbitulis in principio.11°.meth.med. 7ª.74.B
Cerebri membranæ ſanguinem effundentes difficulter compeſcuntur. fin.med. Iſa.50.A
à Cerebro affecto febres malignæ ſunt: febres à mẽbranis, quç cerebrũ continent affectis, malignç; febres à pulmone affecto, malignç: febres à corde affecto, malignç.in 3^{m}.de morb.vulg.com.2°. 3ª.135.A

Cerebri ſupe-

Cerebri ſuperiori membrana percuſſa quandoque moritur, quandoque viuit æger.de ſubſi.emp. Iſa.32.E
Cerebrũ,et cerebri mẽbranæ cadẽ idigẽt curatiõe.4°.de loc.aff. 4ª.13.B
Cerebri mẽbranæ vulnus quo mõ curetur.2°.de cõp.med.ſe.lo.5ª.133.H
Cerebri membrana craſſa cur valentiſſimis gaudet medicamentis.6°. methodi medendi. 7ª.42.H
ad Cerebri membranas medicamentum.5°.meth.med. 7ª.31.B
Cerebri membrana quibus glutinetur.2°.de comp.med.ſec.loc. 5ª.138.E
ad Cerebri membranas in fractura ſimplici,ſcalpelli quales.6°.methodi medendi. 7ª.42.B
in Cerebro generationem phlegmatis timenti conueniunt cibi ſubtiliantes primi generis.de diſſ.cont. Sp.72.E
ad Cerebrum confortandum capitis ablutio.ſecreto. Sp.98.A
Cerebrum confortans capitis ablutio.ſecreto. Sp.98.A
ad Cerebri infirmitatem quid ualeat.de med.exper. Sp.106.H
ad Cerebri ęgritudines valet agarici decoctio.de med.exper. Sp.106.E
Cerebri & neruorum paſſionibus frigidis conferens medicamen. de medicinis exper. Sp.104.E
CEREBRVM exiguum habent volucria.3°.de alim.fa. 2ª.29.F
Cerebri auium natura.3°.de alim.fac. 2ª.29.F
Cerebri auium montanarũ,& paluſtriũ natura.3°.de alim.fa. 2ª.29.F
Cerebrũ craſſi ſucci eſt.de bon.& vi.ſuc.2ª.35.H/de diſ.con. Sp.72.H
Cerebrum cibus eſt pituitoſior craſſi ſucci,tarde permeans, ad coquendum difficilis.3°.de ali.fac. 2ª.27.B
Cerebra ſunt multarum ſuperfluitatum.de diſſ.cont. Sp.73.E
Cerebra tarde deſcendunt.de diſſ.cont. Sp.74.H
Cerebra nutriũt eũ q digerit ea nutrimẽto multo craſſo.d diſ.cõ.Sp.73.E
Cerebrum probe alit,ſi conficiatur.3°.de ali.fa. 2ª.27.C
Cerebrum ſtomacho nocet.3°.de ali.fac. 2ª.27.B
Cerebra omnia ſunt mala ſtomacho, & cum quibus ſunt edenda.de diſſolutione continua. Sp.74.F
Cerebrum cum origano,& ſale conditur.3°.de alim.fac. 2ª.27.C
Cerebra ſunt edenda cum origano,& mentaſtro ſylueſtri,& ſinapi, & ſale.de diſſ.cont. Sp.74.F
Cerebrum cum oleo vel garo, conditum quale ſit.de vict.rat.in morbis acutis,commen.1°. 7ª.111.G
Cerebrum non eſt dandum non appetentibus.3°.de alim.fac. 2ª.27.B
Cerebrũ nauſeam & vomitũ excitat,& quo mõ.3°.de ali.fac. 2ª.27.B
Cerebrum cum incidentibus,& calefacientibus vomitum magis parat. 3°.de alimen.facul. 2ª.27.C
Cerebrum ſuis diligenter aſſum in ſyncope ex tenuibus ſuccis.12°.methodi medendi. 7ª.78.A
Cerebra ſunt vtilia in tertiana pro cibo.1°.de arte cur.ad Glau.7ª.97.C
Cerebrum qui dant ægris ob mollitiem errant.3°.de ali.fac. 2ª.27.B
cum Cerebro eiuſdẽ generis eſt ſpinalis medulla.3°.de ali.fac. 2ª.27.C
Cerebrum auſterũ ſi medullæ comparatur.3°.de alim.fa. 2ª.27.C
ex CEREBELLIS, ſedis medicamẽ.9°.de cõp.med.ſec.loc. 5ª.204.G
Cerebrum Cameli comitialibus prodeſt.de ther.ad Piſo. 5ª.93.E
Cerebrum Gallinæ.de med.fac.parab. 7ª.169.F
Cerebrum Gruis.9°.de comp.medicamen.ſec.lo. 5ª.204.G
Cerebrum Hirundinis ad ſuffuſiones oculorum.de ther.ad Piſ. 5ª.93.E
Cerebrum Leporis aduerſus metum.11°.de ſimp.med.fac. 5ª.79.H
Cerebrum Leporis ad mingentes in ſtragulis.de med.fac.para. 7ª.179.B
Cerebrũ Leporis dẽtientibus pueris cõmodũ.11°.de ſimp.me.fa.5ª.79.G
Cerebellũ Leporinũ gingiuis ĩfantis illitũ.5°.de cõp.med.ſe.lo..5ª.164.F
Cerebrũ Muſtelæ comitialibus prodeſt.de ther.ad Piſo. 5ª.93.E
Cerebrum Ouillum ad dentitionem puerorum.de ther.ad Piſo. 5ª.93.E
Cerebrum Veſpertilionis.de rem.par.fac. 7ª.161.E
in CERERIS ſacris cur mulieres viticem ſternant. 6°.de ſimp.medicamen.facul. 5ª.41.A
ex CEREIS cyathis duodecim pro dando potu ægris vnum vel duos quidam medici exhibebant.de vic.rat.in mor.acu.com.3°. 7ª.131.F
CERION quid.fin.med.Iſa.49.A/de tum.præter naturam. 3ª.84.F/ 1°.de compoſi.medic.ſec.loc. 5ª.128.G
Ceria eſt ex ijs morborum generibus, quę cum prius omnino nõ fuerint, poſtmodum ſunt orta.14°.meth.med.92.D/ 7ª.93.C
CERNENDI ſenſus quibus de cauſis amittit.4°.de loc.af. 4ª.21.G
Cernimus omnes male,ſi cum aquilis & lynce comparemur. 1°.de ſanitate tuenda. 2ª.63.H
CERNVAE habent duram carnem.3°.de alim.fac. 2ª.31.E
Cernuæ ægre concoquuntur,& pariunt ſuccos craſſos & ſalſos.3°.de alimentorum facul. 2ª.31.E
CEROSVM mel,quale.7°.meth.med. 7ª.4.H
CERRI piſces inter teſtacea numerantur, quę ſtomachicis cõueniunt. 8°.de comp.me.ſec.lo. 5ª.192.C
CERTAMEN honeſtum medicorum ſcholæ Coæ,Cnidiæ, & Italicæ de augenda ac perficienda arte medica.1°.meth.med. 3ª.2.F/G
Certanis de reliqua re pulſus.de præcogn.ad Poſth. 4ª.216.F
Certatores & luctatores prandent panẽ,& cœnant carnem.de vic.rat. in mor.aeu.com.1°. 7ª.111.H
Certatores cur nõ luxent in magnis ictibus.de artic.com.4°. 7ª.286.H
CERVISIAE potio pro morbis acutis.de vic.ra.in mor.c.3°.7ª.131.G
CERVIX & collum idem.de oſſ. 1ª.41.G
Ceruix quæ.introd.Iſag.53.B/de oſſ. 1ª.41.G
in Ceruice vertebræ quo modo ſe habent.4°.de loc.aff. 4ª.23.B
in Ceruice vertebra eſt pars ſpinæ.in progno.com.1°. 4ª.193.E
Ceruix valida dicitur robuſta,cur.in 6ᵐ.de mor.vul.com.1°. 3ª.154.A
Ceruicibus robuſtis homines,quibus nominibus à gręcis appellentur.in 6ᵐ.de mor.vulg.com.1°. 3ª.154.A
Ceruices longæ vitioſę ſunt.in 6ᵐ.de mor.vulg.com.1°. 3ª.154.B
Ceruicis articulus repandus,quid.de artic.com.3°. 7ª.273.A
à Ceruicis & capitis arteria oriuntur omnes arteriæ ſuperiores.an ſangui.in art.natura cont. 1ª.61.A
ſub Ceruice ptes oẽs q̃ à cõſilio,& volũtate moueri pñt, neruos habent qui eas moueant ex ſpinali medulla procedẽtes.3°.de lo.af. 4ª.20.H
Ceruicalis medullæ nomen clarioris gratia dignotionis excogitatum eſt. 5°.de loc.affe. 4ª.31.E
ex Ceruicis medulla nerui manus oriunt.in 3ᵐ.de mor.vul.c.1°.3ª.127.d
à Ceruicis ſecunda vertebra incipiunt muſculi ſpinales, & quot ſunt. de muſc.diſſectione. 1ª.49.F
cum Ceruice caput flectentes muſculi,qui.de muſc.diſſ. 1ª.45.H
cum Ceruice tota caput mouentes muſculi,qui.de muſ.diſ. 1ª.45.G
cum Ceruice caput mouentes muſculi duo in priori parte qui, & quorſum extendantur.de muſc.diſ. 1ª.45.H
Ceruici inſerti muſculi à capite ori,capiti & ceruici ſunt communes.de muſcul.diſſ. 1ª.46.H
Ceruicis ꝓprij muſculi qui,et vñ oriant ac finiant.de muſc.diſſ. 1ª.46.H
in Ceruicis priorem regionem verſus proprium principium adducens ſcapulam muſculus.de muſc.diſſ. 1ª.45.C
Ceruicis motus quibus fiat muſculis.de muſc.diſſ. 1ª.47.A
Ceruix recta quo modo moueatur.de muſc.diſſ. 1ª.47.A
Ceruicis rectitudinem reſpicit in ſimijs.de artic.com.3°. 7ª.273.B
in Ceruicem totam occupantibus muſculis obliqui quidẽ obliquũ caput abnuendo mouent,recti vero rectũ id faciunt.de muſc. diſſ. 1ª.45.H
Ceruicem qui muſculus in priora obliquã flectat.de muſc.diſſ. 1ª.46.H
Ceruicis totius media flexura in latera efficitur.de muſc.diſſ. 1ª.47.A
ſub Ceruice thorax eſt.4°.de loc.affe. 4ª.23.C
à Ceruice ad thoracem ſex muſculi ſunt.8°.de anat.adm. 1ª.102.F
Ceruicis,an thoracis ſit muſculus dubius.de muſc.diſſ. 1ª.47.A
Ceruix quõ exerceatur in paruę pilæ ludo.de par.pil.exer. 2ª.49.A
Ceruicis morbi,qui.introd. Iſa.59.C
Ceruicis dolor quando malus.in 1ᵐ.prorrh.com.1°. 4ª.174.H
Ceruicis dolor cum comate quid ſignificet.in 1ᵐ.prorr.com.3°. 4ª.179.C
Ceruicis,hypochondrij,lumborum dolores habet caput dolen.in 1ᵐ.prorrhe.commen.1°. 4ª.161.H
ad Ceruicis dolores ĩueteratos ſterc° colũbinũ.10°.de ſim.me.f. 5ª.77.A
Ceruicis neruos omnes extentos habet tetanus.de muſ.diſſ. 1ª.47.A
ad Ceruicis vertebrarum luxationem anginæ conſecutæ fit mentio.5°. de locis affectis. 4ª.32.B
Ceruicis truncatio habet quatuor tempora.de tot.morb.temp. 3ª.89.C
ſupra Ceruicẽ cucurbita appoſita confert ſanguine è naribus profluente.5°.metho.med. 7ª.32.A
in Ceruice ſcalpello vti non licet.5°.de comp.med.per ge. 5ª.250.B
ad Ceruicem vinculum ſimplex.de faſcijs. 7ª.302.D
ad Ceruicem vinculum duplex.de faſcijs. 7ª.302.D
CERVIX vteri quõ dicatur neruoſa.in 6ᵐ.de mor.vulg.cõ.1°. 3ª.153.B
Ceruix vteri cum vtero mouetur.6°.de loc.aff. 4ª.40.G
in Ceruice vt plurimum vteri eroſio contingit.6°.de loc.aff. 4ª.41.D
CERVICES oſſium,quę.de oſſibus. 1ª.40.B
Ceruix ſcapulę quid.de oſſibus. 1ª.42.G
CERVSIANA antidotus.7°.de comp.med.ſec.loc. 5ª.186.B
CERVSSA quomodo fiat.de dyna.22.F/de ſimp.med. Sp.81.F
Ceruſſa ſtypticas vires habet.de ſimp.med. Sp.81.F
Ceruſſa paratur ex metallis.9°.de ſimp.med.fac. 5ª.68.E

Ceruſſa qualis ſit.1°.de comp.med.ſec.loc.5ª.129.F/de oculis. 7ª.188.H
Ceruſſa qualis ad Achoras.1°.de comp.med.ſec.loc. 5ª.129.G
Ceruſſa habetur Puteolis.1°.de antido. 5ª.100.D
Ceruſſa Puteolis alba fiebat.1°.de compo.med.per gen. 5ª.214.C
Ceruſſa Rhodiaca, qualis.4°.de comp.med.ſec.lo. 5ª.150.D
Ceruſſæ Rhodiacæ meminit. 4°.de compo. medicamen.ſec.loc. 156.E/1°. de compo.med.per gen. 5ª.214.C
Ceruſſæ torrefactæ ſit mentio.5°.de comp.med.ſec.lo. 5ª.162.B
Ceruſſa adusta tranſit in ſandyca.9°.de ſimp.medic.facul. 5ª.71.G
Ceruſſa, vt argenti ſpuma lauatur.1°.de cõp.med.per ge. 5ª.213.E
Ceruſſæ & argenti ſpumæ comparatur molybdena.1°.de compoſit. med. per genera. 5ª.215.A
Ceruſſa lota, qualis.4°.de comp.medica.ſec.loc. 5ª.150.A
Ceruſſa lota calido & humido temperamento vicina.de ocul. 7ª.189.B
Ceruſſa exacte lota eſt ex pharmacis emplaſticis.4°.de ſimplic. medicamen.facul. 5ª.25.D
Ceruſſa emplaſtica eſt & refrigeratoria.9°.de ſimp.med.fa. 5ª.71.G
ex Ceruſſa lota, amylo, & papauere conficitur collyrium anodynũ, id eſt dolorem ſedans, in doloribus oculorũ.com.6°.aph.31°. Ex.50.E
Ceruſſa, aut lithargyro, aut id genus aliquo cum aqua diligenter cõmiſtis & ſimul decoctis aqua prius digeritur. 1°.de ſimp.me.fa.5ª.4.H
Ceruſſa apta ad emplaſtrũ conficiendũ.5°.de comp.med.per ge.5ª.247.d
Ceruſſa p colore ponit ĩ emplaſtris cãdidis.6°.de cõp.me.p ge. 5ª.257.G
ex Ceruſſa, & argẽti ſpuma emplaſtra alba.1°.de cõ.me.p ge. 5ª.213.G
Ceruſſa quo modo ponenda in emplaſtro, quando eſt cum argenti ſpuma 1°.de comp.med.per gen. 5ª.215.G
Ceruſſa aſtringit modice.3°.meth.med. 7ª.19.F
ex Ceruſſa phycos quo modo.9°.de ſimp.med.fac. 5ª.71.A
Ceruſſa in extrinſecis vlceribus vſitatur, in intrinſecus ſumi non debet. 4°.methodi meden. 7ª.28.H
Ceruſſa ex aqua, & vino potata venenoſa eſt.de ſimp.med. Sp.81.E
Ceruſſam aſſumentibus quid proſit.2°.de antid. 5ª.114.E
Ceruſſa os ventris ſtomachumq; afficit.1°.de ſymp.cau. 3ª.18.G
ad Ceruſſam ſumptam, & ſuffocantem.2°.de antid. 5ª.120.D
CERVVS animal timidum.1°.de vſu par. 1ª.113.C
Cerui, & lepores cur timida ſunt animalia, cum habeant cor magnum. de anat.viuo.46.H/ Sp.53.A
Cerui maſculi cornua habent quæ decidunt, & denuo recreſcunt. 11°.de ſimp.medic.fac. 5ª.81.C
Cerui quam ligaturam habeant in matrice.15°.de vſu par. 1ª.211.D
ĩ Ceruis crura anteriora ſimilia sũt poſterioribus.3°.de vſu p. 1ª.127.E
Cerui corpus velox eſt, ſed nudum, & inerme.1°.de vſu par. 1ª.113.C
Ceruorum muſculus temporalis, qualis.11°.de vſu par. 1ª.184.G
Cerui habent longa cornua, ceruę non ita.2°.de ſem. 1ª.338.G
Ceruus trahit ſpiritu ſuo ſerpentes.de cauernis.de cathar. Sp.94.H
Cerui trucidantur à ſpiculis venenatis, tamen caro ipſorum non eſt venenata.de ther.ad Piſo. 5ª.93.H
Ceruina Caro qualis.de ren.affec.digno.& medela. 7ª.195.F
Cerui ſunt aſinis proximi, eoq; ab eorum eſu eſt abſtinendum. de attenuãte victus rat. 2ª.45.F
Cerui caro cur tarde digeritur.de diſſol.cont. Sp.73.D
Cerui caro cur eſt cibus craſſus.de diſſol.cont. Sp.72.H
Ceruina caro vitioſum ſuccum generat, & concoctu eſt difficilis. 3°.de alimento.facul. 2ª.26.A
Ceruina caro eſt inutilis ſenibus.5°.de ſan.tuen. 2ª.91.D
Cerui caro non mala.de diſſol.cont. Sp.74.B
Ceruini cordis os mirabile ad vteri ſtrangulatum.de med.fa.p. 7ª.175.B
Ceruinum Cornu ſtringentes habet vires.de ſimp.med. Sp.83.C
Ceruinum cornu mundificatiuum, & collatiuum eſt.de ocul. 7ª.189.C
Ceruinum cornu dyſenteriam, ſanguinis excretionem, & cœliacos affectus ſanat, aurigini vtile eſt, & collyrijs deſiccantibus fluxiones oculorũ miſcetur.11°.de ſimp.med.fac. 5ª.79.G/de ſimp.med. Sp.83.C
Cerui cornu ſuffitur ad ſtrangulatas ex vtero excitandas.9°.de compo. med.ſec.loc. 5ª.205.G
Ceruinum cornn viperas, & ſerpentes fugat.de ſimp.med. Sp.83.C
Ceruinum cornu lumbricos expellit.de ſimp.med. Sp.83.C
Ceruinum cornu.1°.de comp.med.ſec.loc. 5ª.131.A
Cerui cornu abraſũ, et ĩ vio bibitũ expurgat ĩ icteris.de cur.ict.Sp.111.B
Ceruinum cornu quo modo vratur.de medic.fac.parab. 7ª.170.C
Cerui recẽs nati cornu vſtũ ad albedinẽ.9°.de comp.me.ſe.loc.5ª.202.F
Cerui cornu tenerum vſtum.9°.de comp.med.ſe.loc. 5ª.202.C
Ceruinum cornu vſtum.10°.de comp.med.ſec.loc.106.D/4°.de compoſi.medic.per gen. 5ª.242.G
Cerui & capræ cornu non differunt.5°.de cõp.med.ſec.loc. 5ª.165.C
Cerui, & capræ cornua ad candorẽ dentiũ.11°.de ſimp.med.fa. 5ª.79.H
Cerui et capræ cornua valent ad contrahẽdas mollitie fluidas gingiuas. 11°.de ſimp.med.fac. 5ª.79.G
Cerui cornu dentes vacillantes confirmat.de ther.ad Piſo. 5ª.93.E
Ceruina Medulla quo modo fiat.de dyna. Sp.22.F
Ceruina medulla elaborata.2°.de comp.med.per gen. 5ª.225.H
Cerui medulla vetuſtiſſima pro vituli marini adipe. 7°. de compo.medicamen.per gen. 5ª.270.H
Cerui medulla quo modo miſcenda medicamentis ad chironia.4°.de compoſi.med.per gen. 5ª.273.H
Cerui medulla inflammationibus blandiſſimum eſt remedium.de theria. ad Piſonem. 5ª.93.F
Ceruina medulla vlceris non indurata emollit.2°.de compoſi.medicam. per genera. 5ª.220.B
Ceruina medulla mollificat.2°.de arte cur.ad Glau. 7ª.104.A
Ceruina medulla emollit modice.5°.de ſimpl.med fac. 5ª.34.E
Ceruina medulla molliendo digerit.14°.meth.med. 7ª.87.H
ex Ceruina medulla peſſi vterũ mollientes.11°.de ſimp.me.fac. 5ª.79.F
Ceruina medulla optima emollit, hanc ſequitur in bonitate medulla vitulorum.11°.de ſimpli.medica.facul.5ª.79.F/de ſimp.med. Sp.87.D
Ceruinæ medullæ meminit.3°.de cõp.med.per ge. 5ª.234.A
Ceruorum Sanguis non habet fibras.quòd animi mores. 1ª.319.C
ĩ Ceruo Sãguis venę nõ põt coagulari, qa tenuis eſt.de vti.reſ.Sp.64.E
Cerui ſperma.de dyna. Sp.28.C
Cerui pudendi ſcobs.de medic.fac.par. 7ª.169.E
CERYCAE, hoc eſt buccinæ.de med.fac.par. 7ª.163.H
CESII oculi quales, & quo modo cognoſcantur.in 3m.de mor. vulgaribus.comm.3°. 3ª.146.D
Ceſij oculi calidi, & ſicci.in 3m.de morb.vul.com.3°. 3ª.146.E
Ceſij oculi & glauci differentia.in 3m.de mor.vul.com.3°. 3ª.146.F
CESSATIO duplex in reſpiratione.1°.de diff.reſp. 3ª.63.A
CESTIANA poma adſtringunt.6°.de compo.med.ſec.lo.5ª.176.F/7°. methodi meden. 7ª.44.C
Ceſtiana poma adſtringunt.13°.meth.med. 7ª.83.G
Ceſtiana mala cocta ſtomacho ſatis commoda ſunt.2°.de compoſi.medica.ſecun.loc. 5ª.133.D
Ceſtiana poma quo modo coquenda, 2°.de comp.med.ſe.lo. 5ª.133.D
Ceſtiana mala.6°.de comp.med.ſecun.lo.167.F/9°. 5ª.203.A
CESTRVM, id eſt betonica.7°.de ſimpl.medicamen.facul. 5ª.51.A
Ceſtrum ſarxiphagon vocant.5°.de ſan.tuen. 2ª.91.C
Ceſtri ſemen.8°.de comp.med.ſec.loc. 5ª.155.H
Ceſtri qui in gallijs naſcitur aliquid injiciendum vino pro calculoſis. 5°. de ſanitate tuen. 2ª.91.C
CETACEA marina quæ, & qualia.3°.de alim.fac. 2ª.32.E
Cete omnia pulmonem habent, & plus caloris quàm reliqui piſces. de vtilitate reſpirationis. Sp.64.C
Cetacea condiuntur ſale.3°.de alim.fac. 2ª.32.E
Cetacea ſalita meliora euadunt.3°.de alim.fac. 5ª.33.C
Cetacea ſalſa sũt magis accõmoda ſanguini faciẽdo.3°.de ali.fa. 2ª.32.E
Cetaceorum omnium carnes ſalſæ faciunt ſanguinem melancholicum.3°. de locis affectis. 4ª.18.F
Cetacea habent ſuccũ craſſum, & glutinoſum.de bon.& vi.ſuc. 2ª.35.E
Cetaceorum caro recens facit ſuccos crudos copioſe in venis.3°.de alimẽtorum facultatibus. 2ª.32.E
Cetaceum genus nullum vtile eſt ſenibus.5°.de ſan.tuen. 2ª.91.D
Cetacei piſces vitandi ſunt in victu attenuante.de att.vict. 2ª.46.B
Cetaceorum coria aſpera pro tuberculis vlceratis.in 6m.de mor.vulga. commentario.2°. 3ª.161.A
CHAEREAE molaris compoſitio. 5°.de compo.medica.ſec.loc. 5ª.165.A
CHALASTICE medendi ratio.4°.meth.med. 7ª.28.G
Chalaſtica, id eſt relaxantia, ſiue remittentia medicamenta. 4°.metho. meden.29.C/13°. 7ª.82.B
Chalaſtica medicamenta quæ vocentur.7°.de cõp.med.per ge. 5ª.267.F
Chalaſticon relaxatorium remedium quot modis exponãt Methodici.de rat.vict.in morb.acu.com.4°. 7ª.136.F
CHALAZA numeratur inter affectus qui poſſunt occupare quãcunque partem corporis.intro. Iſa.59.D/F
Chalaza eſt globulus in gena, milij magnitudine, à ſimilitudine grandinis ſic vocata.fin.med.48.F/intro. Iſa.53.D

ad Chalazia, hoc eſt inſtar grandinis in palpebris tubercula. 4°.de com po.med.ſecun.loc. 3ª.153.D

Chalazion quomodo curandum.14°.meth.med. 7ª.93.F

CHALBANE, *id eſt galbanum.8°.de ſimp.med.fac.* 5ª.63.E

Chalbanum, quale.10°.de comp.med.ſecun.loc.207.C/5°.de comp.med. per genera. 5ª.246.C

Chalbani ſquamma, qualis.6°.de comp.med.per ge. 5ª.256..A

Chalbane eſt pinguis, quũ eſt recens.2°.de arte cur.ad Glau. 7ª.104.B

Chalbani pars in ſagapenum tranſit.1°.de antid. 5ª.105..A

Chalbano adulteratur ſagapenum.1°.de antid. 5ª.105..A

è Chalbano ſagapenum confectum quomodo à vero ſagapeno diſtingua tur.1°.de antido. 5ª.105.C

cum Chalbano nihil habet ſimile panacis ſuccus.1°.de antid. 5ª.105..A

Chalbani, & opopanacis differentię in emolliendo, & coquendo. 7°.de compoſi.medicamen.per gen. 5ª.264.C

Chalbanum vlceris ora indurata emollit.2°.de comp.med. per gene.5ª. 220.B/2°.de arte cur.ad Glau. 7ª.104.B

*Chalbanum ſolum nõ cõuenit vlceribus.4°.de cõp.me.per gen.*5ª.236.H

Chalbana pro doloribus.in 6m.de morb.vulgaribus, com.6°.3ª.196.B/ 3°.de compo.med.per gen. 5ª.232.G

Chalbanum excitat ſtrangulatas ex vtero olfactu.9°.de compo.med.ſe cundum locos. 5ª.205.G

Chalbanum non lignoſum.7°.de comp.med.ſec.lo. 5ª.181.G

Chalbanuu purgatum.2°.de comp.med.per gen. 5ª.226.F

Chalbanum liquatur igne.3°.de comp.med.per ge. 5ª.233.F

*Chalbanum debet liquari in duplici vaſe.3°.de cõp.med.per ge.*5ª.233.F

Chalbani meminit.7°.de compoſitio. medicamen.per gen. 5ª.268..A

Chalbano eaſdem vires habet Thus, ſed imbecilliores.5°.de comp.medi. per genera. 5ª.246.C

CHALCANTHVM *neutro, & chalcanthus maſculino & fœminino ge nere dr̃.4°.de comp.med.ſe.lo.151.E/4°.de cõp.med.per ge.*5ª.236.E

Chalcanthos, id eſt atramentum ſutorium.9°.de ſimp.me.fa. 5ª.71.B

Chalcanthum quid.de ſimp.medic. Sp.81.H

Chalcanthos tranſit in chalcitin.9°.de ſimp.med.fac. 5ª.71.B

Chalcanthum, quale.4°.de comp. med.ſec.loc. 5ª.151.E

Chalcanthum optimum viſcide ſtringere poteſt.de ſimp.med. Sp.81.H

Chalcanthos adſtringit.1°.de ſimp.med.fac.8..A/ 4°.de comp.medi.per genera.236.E/5°. 5ª.247.C

Chalcanthum adſtringit & mordicat.4°.de ſimp.med.fac. 5ª.26..A

Chalcanthum adſtringens noxium deuoratum.13°.meth.med. 7ª.85.C

Chalcanthum inter metalla maxime exiccat non ærugo.4°.de compoſit. med.per gene. 5ª.236.E

Chalcanthum medicamentum forte.2°.de comp.me.per gen. 5ª.219.G

*Chalcanthi eroſio quomodo miteſcat.2°.de comp.med.per gen.*5ª.219.H

Chalcanthũ vſtũ medicamentũ mite.4°.de com.med.per gen. 5ª.238.G

Chalcanthum inter oculorum medicinas.de ocul. 7ª.188.G

Chalcanthum eſt oculorum cenoticum.de cathar. Sp.95.B

CHALCANTHOSA *aqua medicamentoſa eſt. 7°.de compoſi.medica. per genera.* 5ª.264.C

Chalcanthodes aqua obſtructionem inſeparabilem facit. 10°. methodi medendi. 7ª.61.G

*Chalcanthode balneum fieri non debet febrienti.11°.meth.med.*7ª.69.H

CHALCEDONIA *ad inueteratas affectiones aurium. 3°.de comp.me- dica.ſecun.loc.* 5ª.144..A

in CHALCIDE *Eubœæ locus maris ſtrictus. 3°.de morbis vulgarib. commentario.2°.* 3ª.140.H

CHALCIDEI *emplaſtrum.5°.de comp.med.per gen.* 5ª.249..A

CHALCIDIVM *quo modo fiat.de dyna.* Sp.22.H

CHALCIDONIAE *meminit.7°.de comp.medicamen.ſec.lo.* 5ª.181.G

CHALCITIS *quid, & eius vires.de ſimplicib.medicaminib.* Sp.81.C

Chalcitis, miſy, & ſory ſponte naſcuntur.9°.de ſimp.med.fac. 5ª.71.E

Chalcitis, miſy, & ſory quũo in vno ſint loco.9°.de ſimp.me.fac. 5ª.70.B

ſupra Chalcitẽ orit̃ miſy, vt ęrugo ſup æs.9°.de ſimp.med.fac. 5ª.70.C

Chalcitidi genere cognata ſunt, miſy, & ſory.4°.de compo.medicamen. per genera. 5ª.236.E

Chalcitis, ſory, & miſy earundem ſunt virium, ſed differunt tenuitate, & craſſitudine.9°.de ſimp.med.fac. 5ª.70.C

Chalcitin ex Cypro Galenus aſportauit.1°.de antid. 5ª.100.C

n Chalcitin tranſit chalcanthos.9°.de ſimp.med.fac. 5ª.71.B

Chalcitis funditur citiſſime.1°.de comp.med.per ge. 5ª.212.F

Chalcitis, qualis.9°.de ſimp.me.fa.71.E/6°.de cõp.med.ſec.loc.180.H/ 174.D/1°.de cõp.med.p ge.210.H/5°.5ª.246.B/5°.met.med. 7ª.31.D

Chalcitis ex ſua natura calida eſt.1°.de ſimp.med.fac.6.F/3°. 5ª.22.G

Chalcitis nobis admota videtur calida.3°.de tempera. 1ª.21.H

Chalcitis calida eſt tenuium partium, & parum adſtringens.3°.de com- po.med.per genera. 5ª.228.E

Chalcitis nos vehemẽter calefacit, & exiccat.2°.de ſim.me.fa. 5ª.16.D

Chalcitis vrit ut ignis.2°.de arte cur.ad Glau. 7ª.102.D

Chalcitis adurit, & eſcharas efficit.9°.de ſimp.med.fac.70.D/ 5ª.71.E

Chalcitis quantum exiccet.3°.meth.med. 7ª.20..A

Chalcitis adſtringit.1°.de alim.fac.2ª.9.B/1°.de ſimp.med.fac. 5ª.8..A/ *de ſimpli.medicam.* Sp.81.G

Chalcitis adſtringit, & mordicat.4°.de ſimp.med.fac. 5ª.26..A

Chalcitis mordet vehementer.6°.de comp.med.ſec.loc. 5ª.176.H

Chalcitis adſtringens noxium deuoratum.13°.meth.med. 7ª.85.C

Chalcitis per eroſionem interimit.4°.de ſimp.med.fac. 5ª.30.B

Chalcitis pro ſanguine ſupprimẽdo.de vic.ra.i mor.acu.cõ.4°. 7ª.152.F

Chalcitis extergit, & repurgat.4°.de comp.me.ſec.loc. 5ª.149.F

Chalcitis vlcera conglutinare non poteſt.1°.de ſimp.med.fac. 5ª.7.H

Chalcitis humidę naturæ applicatum, carnem potius demit, quàm cica- tricem inducat.3°.meth.med. 7ª.20.C

Chalcitis cocta, & cruda quid faciat.de ther.ad Piſo. 5ª.97.E

Chalcitidis crudæ fit mentio.3°.de compoſi.medi.ſecundum loc.148..A/ 4°.152.F/157.A/ 5ª.161.B

Chalcitide quare cocta vtamur.6°.de comp.med.ſec.lo. 5ª.174.D

Chalcitis non vſta exedit.4°.de comp.med.per gen. 5ª.240.H

*Chalcitidis eroſio quomodo miteſcat.2°.de comp.med.per gen.*5ª.219.H

Chalcitis quo modo vrenda.1°.de comp.med.per gen. 5ª.217.F

Chalcitis vſta qualis.4°.de compoſitio. medicamen.ſec.loc.151.E/ 4°.de compo.med.per gen. 5ª.236.D

Chalcitis combuſta exiccat plus pice.4°.de cõp.med.per gen. 5ª.240.G

Chalcitis vſta medicamentum mite.4°.de comp.med.per gen. 5ª.238.G

Chalcitide vſta vtimur in ſubtilibus medicamentis.3°.de compo.medic. per genera. 5ª.228.E

Chalcitidis vſtæ meminit.3°.de comp.med.ſec.loc.147.H/148..A/B/4°. 156.B/2°.de comp.med.per gen. 5ª.221.E

Chalcitis toſta.2°.de comp.med.per gen. 5ª.224.B/C

Chalcitidis aſſatæ fit mentio.4°.de compoſi.medic.ſec.loc.154.D/156.B/ 5°.161.F/6°. 5ª.172..A

Chalcitidi quo modo fiat luteus & flauus color.1°.de antid. 5ª.107.H

Chalcitis iuuat oculorum ſcabritiem.intro. Iſa.58.C

Chalcitis ad oculorũ dolores.de vic.rat.in mor.acu.com.4°. 7ª.152.G

Chalcitis medicamentum forte.2°.de comp.med.per gen. 3ª.219.G

Chalcitis vnum ex fortiſſimis medicamentis ad achoras.1°.de compoſi. med.ſecun.loc. 5ª.129.D

Chalcitis ſeruat colorẽ medicamentorũ.2°.de cõp.me.per gen. 5ª.220.B

Chalcitidis etiam minima pars theriacam inficit.1°.de antid. 5ª.17.H

Chalcitis ingreditur theriacam.de theria.ad Piſ. 5ª.92.F

Chalcitis quomodo aſſumenda pro theriaca.1°.de antid. 5ª.107.H

ex Chalcitide vſta fit album emplaſtrũ.1°.de comp.me.per ge. 5ª.217.C

ex Chalcitide emplaſtrum Galeni.1°.de comp.med.per ge. 5ª.210.H

ex Chalcitide medicamẽtũ emplaſticũ ẽ.2°.de art.cu.ad Gla. 7ª.101.H

ex Chalcitide & pompholyge confecta medicamenta ad cancrum va- lent.2°.de arte cur.ad Glauc. 7ª.107.E

ex Chalcitide roſaceum ad fluxiones.2°.de arte cur.ad Glau. 7ª.101.H

ex Chalcitide medicamentum quo modo parãdum ad ſuppuratos tumo res diſſectos, vbi pars aliqua ſectioni circunſtans fuerit inflammata. 2°.de arte cur.ad Glauc. 7ª.105.G

ex Chalcitide medicamenti vires.2°.de arte cur.ad Glau. 7ª.106.F

Chalcitis debet læuigari aliquo humido.6°.de cõp.med.per ge. 5ª.259.B

Chalcitis comminui non poſtulat.3°.de comp.med.per ge. 5ª.232.B

CHALCOS *cecaumenos, id eſt ęs vſtum.9°.de ſimp.med.fa.* 5ª.71.E

Chalcoceucaumenon quo modo fiat.de dyna. Sp.22.E

CHALCV *anthos, id eſt flos æris.9°.de ſimp.med.fac.* 5ª.71.E

CHALCVS *.i.æreus, quod pondus.de pond.& menſ.* 5ª.276.B/D/G

Chalcos.i.æreus, qua nota ſignificetur.de pond.& menſ. 5ª.275.C

CHAMAE *.i.hiatulę, ſunt admodum craſſi ſucci.de bo.& vit.* 2ª.35.E

Chamarum ſuccus ducit aluum, non ſecus ac lactis ſerum.de bon. & vi tio ſucco. 2ª.35.E

CHAMAECISSI *flos eſt admodum amarus.8°.de ſimplicium medica- mento.facul.* 5ª.63.E

Chamæciſſi flos iecur obſtructione liberat, & ex coxendice laborãtibus datur 8°.de ſimp.med.fac. 5ª.63.E

CHAMAEDAPHNE *quid, & eius vires.de ſimp.med.* Sp.85.E

Chamædaphne genus aſparagi in plãtis fruticoſis.2°.de ali.fa. 2ª.24.B
Chamædaphnes aſparagi, quales.de att.vict. 2ª.44.D
Chamędaphnes germina tenera edi ſolent.6°.de ſimp.med.f. 5ª.46.C
Chamædaphne diureticum fructum habet.de ſimp.medic. Sp.85.E
Chamædaphne valet ad vrinam excitandam, cum natura pigra.de renũ affect.digno.& medela. 7ª.196.E
CHAMAEDRYS quid.de ſimp.med. Sp.82.G
Chamędrys in Italia naſcitur, & q̃n eſt optima.1°.de antid. 5ª.105.D
Chamędrys Italiæ æqualis illi quæ in Creta naſcitur, & quando.1°.de antidotis. 5ª.105.D
Chamędryn Romæ inuenit Galenus.1°.de antid. 5ª.102.B
Chamædrys Romæ melior quàm in Creta.1°.de antid. 5ª.107.A
Chamædrys calida & ſicca eſt in tertio ordine.8°.de ſim.me.fa. 5ª.63.E
Chamędrys ingreditur theriacam.de ther.ad Piſo. 5ª.95.A
Chamædrys lienes colliquat, vrinas, ac menſes prouocat, craſſitudinem humorũ icidit, & viſcerũ obſtructiões purgat.8°.de ſim.me. 5ª.63.E
Chamędrys ad tuſſim veterem facit, menſtrua, & vrinam prouocat, partum expellit, hydropicis prodeſt.de ſimp.med.fac. Sp.82.H
Chamædrys vires habet acres, & relaxantes.de ſimp.med. Sp.82.G
Chamædrys non ducit aquam, ſed ſecundum Aſclepiadem illam facit.1°.de natur.facul. 1ª.294.B
CHAMAELEA quid.de ſimp.med. Sp.85.F
Chamælea eſt amara.8°.de ſimplicium medicamento.facul. 5ª.63.E
Chamelæa purgat aquoſa, pituitam, & bilem.de dyna. Sp.22.B
Chamælea ventrem purgat tepida attractione.de ſimp.med. Sp.85.F
Chamæleæ doſis, & miſcenda.de dyna. Sp.22.B
Chamælea admodũ ſordida vlcera, & quæ maximas cruſtas habẽt, purgare poteſt.8°.de ſimp.med.fac. 5ª.63.F
CHAMAELEON quid.de ſimp.medica. Sp.82.F
Chamæleontem vtranq; quibuſdam in locis circa folia viſcus emittere dicunt.de ſimp.med. Sp.82.F
Chamæleontis altera ſpecies eſt planta ſpinoſa.2°.de ali.fac. 2ª.22.C
Chamæleontis altera ſpecies exiguum dat corpori alimentum, & eſt praui ſucci.2°.de alim.fac. 2ª.22.C
Chamæleon alba vrinam mouet.de ſimp.med. Sp.82.F
Chamæleon alba lumbricos occidit.de ſimp.med. Sp.82.F
Chamæleon non ducit aquam, ſed ſecundum Aſclepiadem illam auget.1°.de natu.facul. 1ª.294.B
Chamæleon alba hydropicos ſiccat.de ſimp.med. Sp.82.F
Chamæleontis nigri radix in Creta bona eſt, deinde in Cilicia.6°.de compo.med.per gen. 5ª.260.B
Chamæleontis nigri radix in tertio ordine ſicca eſt, calfacit vero ſecũdo ordine abſoluto.8°.de ſimp.medic.fac. 5ª.63.F
Chamæleontis nigri radix extrinſecus ad pſoras adhibetur & lichenas & vitiligines, digerentibus & emollientibus pharmacis cõmiſcetur & phagedænica vlcera ſanat illita.8°.de ſimp.med.fac. 5ª.63.F
Chamæleon nigra maculas, & lentigines tollit.de ſimp.med. Sp.82.F
Chamæleon nigra facit ad maligna vlcera, quæ grece cacoethe dicuntur.de ſimp.medic. Sp.82.F
Chamæleonte & ladano curantur vlcera ſanatu difficilia.4°.de compo.med.per gen.241.B/5°. 5ª.246.A
Chamæleon eiuſdẽ virtutis cum ladano.4°.de cõp.med.per ge. 5ª.241.B
Chamęleon vlcera exiccat.4°.de comp.med.per gen. 5ª.236.G
Chamæleonte & centaurio imbecilliora ariſtolochia & iris, in curandis malignis vlceribus.5°.de comp.med.per gen. 5ª.246.A
Chamæleon niger letalis eſt.8°.de ſimp.med.fac. 5ª.63.F
Chamęleon niger mures necat.de med.fac.par. 7ª.164.D
CHAMAELEVCE calida eſt in tertio, & ſicca in primo.8°.de ſimplic.medicamen.facul. 5ª.63.F
CHAMAEMELVS quid, & eius vires.de ſimp.med. Sp.82.G
Chamęmelum ab ægyptiorum ſapientiſſimis ſoli conſecratũ eſt, febriũq; omnium vnicum putatur remedium.3°.de ſimp.med.fac. 5ª.18.H
Chamæmelum ſolano contrarium eſt.3°.de ſimpl.med.fac. 5ª.21.C
Chamæmelum calefacit & ſiccat in primo ordine.6°.de ſimpli.medicamen.facul. 5ª.43.C
Chamæmelon temperatum eſt.3°.de ſimp.medic.fac. 3ª.19.B
Chamæmelum habet colorem tepidum.11°.meth.med.69.H/ 7ª.73.C
Chamæmelum calefacit.5°.de ſimpli.med.fac. 5ª.35.F
Chamæmelo parti inflammatæ impoſito quid ſequatur.3°.de ſimplic.medica.facul. 5ª.21.B
Chamęmelum laſſitudini confert, dolores ſedat & mitigat, tenſa remittit, & laxat, quæ mediocriter dura ſunt emollit, cõſtipata rarefacit, febres citra viſceris alicuius inflãmationem infeſtantes diſcutit diſſoluitq;, præſertim quæ ex humoribus bilioſis, aut cutis denſitate proueniunt.3°.de ſimp.med.fac. 5ª.18.H
Chamæmelum capitis dolorem iuuat.2°.de comp.med.ſec.loc. 5ª.138.D
Chamæmelum mundificat.de ocul. 7ª.188.E
Chamæmelus expurgat in icteris.de cura icteri. Sp.111.B
Chamæmelus ſudorem prouocat.de ſimp.med. Sp.82.G
Chamemelus ſudorem mouet, colorem expurgat.de cura icter. Sp.111.B
Chamęmelon eſt gratiſſimũ hypochondriis.3°.de ſimp.med.fac. 5ª.18.H
ex Camęmelo medicamentum pro priapiſmo.14°.meth.med. 7ª.89.B
Chamęmelinum ceratum refrigerat.9°.de comp.med.ſec.lo. 5ª.205.F
Chamæmelo decoctũ oleũ, metaſyncreticũ videtur.de ſim.me. Sp.88.D
Chamæmelinum oleum proximum roſaceo, quando vehementem frigiditatẽ inducere veremur in capitis dolore.2°.de cõp.me.ſe.lo. 5ª.132.E
Chamęmelino oleo vtitur, q̃n calidius eſt roſaceo.de re.par.fa. 7ª.153.H
Chamæmelino vtitur, in frigidis.2°.de cõpo.med.ſec.lo. 5ª.137.A
ex Chamæmelo oleum humores lentos & craſſos in carne et cute euaporare facit.4°.de ſan.tuen. 2ª.87.B
Chamæmelinum oleum prouocat ſudorem.de cathar. Sp.95.D
Chamæmelinũ oleum mitigatoriũ in puncturis neruorũ.3°.de compoſit.medic.per gen. 5ª.235.A
Chamæmelini olei meminit.9°.de comp.me.ſe.lo. 5ª.197.F
CHAMAEPITYS quid.de ſimp.med. Sp.85.F
Chamæpitys Italię æqualis illi quæ in Creta naſcitur, & quando.1°.de antidotis. 5ª.105.D
Chamæpityn Romæ inuenit Galenus.1°.de antid. 5ª.102.B
Chamæpitys Romæ melior, quam in Creta.1°.de antid. 5ª.107.A
Chamæpitys, qualis.8°.de ſimp.med.fac.63.F/ 5ª.195.D
Chamæpitys ſicca eſt in tertio ordine, & calida in ſecundo.8°.de ſimpli.medica.facul. 5ª.63.G
Chamæpityos ſpecies omnes vires habent acres, & diureticas.de ſimpl.medicaminibus. Sp.85.F
Chamæpitys ad quæ conferat.de cura icteri. Sp.111.B
Chamępitys vrinam mouet.de mel.ex Gal.Ruf.& Poſſ. Sp.110.B
Chamæpitys ingreditur theriacam.de ther.ad Piſo. 5ª.95.A
Chamæpitys expurgat, abſtergitq;, viſcera, auriginoſis, & quibus facile iecur obſtruitur bonum eſt remedium, menſes ducit, vrinæ mouendæ medicamen eſt, & iis, qui coxendicis doloribus torquentur, exhibet.8°.de ſimp.med.fac. 5ª.63.F/G
Chamæpitys educit pituitam & quibus miſceatur.de dyna. Sp.22.A
Chamæpitys numeratur inter illa quibus vlcera maligna curari debẽt.5°.de comp.med.per gen. 5ª.246.A
Chamæpitys ad neruos vulneratos valet.3°.de cõp.me.per ge. 5ª.234.B
CHAMAESYCE qualis.8°.de ſimp.med.fac. 5ª.63.G
Chamæſyce achrochordonas, & myrmecias aufert, craſſas oculorum cicatrices detergit, hebetudinem viſus à craſſitie natum, & ſuffuſionum principia adiuuat.8°.de ſimp.med.fac. 5ª.63.G
CHANNAE piſcis venter in os ſurſum rapitur auiditate perurgente.3°.de natur.facul. 1ª.305.A
CHARACIA valentior cæteris tithymallis.8°.de ſim.med.fa. 5ª.62.E
Characia tithymallus mas dicitur.8°.de ſimp.med.fac. 5ª.62.E
CHARCHESIVS ſimplex qua via implicetur.de laqueis. 7ª.307.H
Charcheſius duplex quo modo ex ſimplici fiat.de laqueis. 7ª.308.A
Charcheſius duplex quo modo implicetur.de laqueis. 7ª.307.H
Charcheſius duplex quo mõ implicet circũponendo.de laqueis. 7ª.308.B
CHARICLIS paſtillus ad calculoſos.10°.de compoſitione medicamentorum ſecun.loc. 5ª.206.E
Chariclis confectio ſedans dolorem.7°.de compo.med.ſec.loc. 5ª.185.C
Chariclis ad Capitis dolorem.2°.de comp.med.ſec.loc. 5ª.138.G
Chariclis ad Capitis dolorẽ inueteratũ.2°.de comp.med.ſec.lo. 5ª.138.G
Chariclis ad Coli inflationes.9°.de compo.medicamen.ſec.loc. 5ª.202.D
Chariclis potio ad Dyſpnoicos.7°.de comp.med.ſec.lo. 5ª.186.E
CHARITONIS circulatoris Antidotus ad phalangiorum morſus.2°.de antidotis. 5ª.117.G
CHARIXENIS Arteriaca.7°.de comp.medica.ſec.loc. 5ª.191.A/E
Charixenis Eclegma ad dyſpnoicos.7°.de comp.med.ſec.loc. 5ª.186.E
Charixenis ad Hæmoptoicos.7°.de comp.med.ſe.loc. 5ª.184.C
Charixenis pharmacum Ictericon.9°, de comp.med.ſec.loc. 5ª.198.A
Charixenis confectio ad Tuſſictes, &c.7°.de cõp.med.ſec.loc. 5ª.185.H
CHARMAE Antidotus.2°.de antido. 5ª.112.E
in CHARONIIS barathris quo modo aliqui moriantur.7°.de vſu partium. 1ª.159.B

Χαροπός, id eſt flauidis oculis. 3°. de diff. pulſ. 4ª.67.E
Charopi oculi quales, & quomodo cognoſcantur. in 3^{m}. de morb. vulgar. commen. 3°. 3ª.146.D
CHARTA inda. i. papyrus, ad fluxum ſanguinis narium. ſecr. Sp.98.B
Charta vtebatur Galenus ꝓ fulcimēto præputij. 14°. meth. me. 7ª.92.A
Chartę alumen inuoluit vt cōburatur. 5°. de comp. medi. ſec. lo. 5ª.165.C
in Charta ligat hordeum vt cōburatur. 5°. de comp. me. ſe. lo. 5ª.165.D
ex Charta mordacitatem aufert argenti ſpuma. 1°. de comp. medicamento. ſec. locos. 5ª.129.A
Chartā ſupne ſupponit medicamento. 10°. de cōp. med. ſec. loc. 5ª.207.D
ex Charta quo modo Galenus fecit ex templo medicamentum. 1°. de cōpoſitio. medicamen. ſec. loc. 128.H/129.A/5°. de comp. med. per gen. 5ª.254.B/2°. de arte cur. ad Glau. 7ª.105.H
ex Charta vſta medicamentum quo modo conficiatur. 9°. de comp. medicamen. ſec. lo. 5ª.205.D
ex Charta vſta medicamentum valde reſiccat. 9°. de cōp. med. ſec. loc. 5ª.205.D/5°. metho. med. 7ª.36.D
ex Charta medicamentum ſiccum fit. 2°. de cōp. med. per gen. 5ª.22.H
ex Charta vſta Galeni paſtillus. 3°. de comp. med. ſec. loc. 5ª.141.F
Chartæ cinis exiccat, ſed infirmius, quàm papyri. 8°. de ſimpli. medicamen. facul. 5ª.57.G
Chartæ cinis. 9°. de comp. med. ſec. lo. 5ª.203.E
Charta vſta ex aceto ad fauos capitis. de rem. par. fac. 7ª.154.D
Chartæ vſtæ meminit. 9°. de comp. med. ſec. loc. 203.F/G/H/9°. 204.A/C/D/5°. de comp. med. per gen. 253.A/254.A/B/ 5ª.255.A
CASCHASIS de medic. fac. parab. 7ª.176.G
CATAF lenit ventrem. de diſſol. cont. Sp.75.A
in Cathedra dn̄r multa, quæ non poſſunt oſtēdi. 2°. de anat. ad. 1ª.69.D
CHEDROPA quæ nuncupentur. de atten. vic. rat. 2ª.44.F
CHELIDONIA aſpis. de ther. ad Piſo. 5ª.93.A
CHELIDONES, id eſt hirundines. 11°. de ſimp. med. fac. 5ª.82.B
CHELIDONIA quid, & eius vires. de ſimp. med. Sp.82.B
Chelidoniū maius calidū eſt, & ſiccū in tertio. 8°. de ſim. me. fa. 5ª.63.G
Chelidonium minus calidum eſt in quarto. 8°. de ſimp. med. fac. 5ª.63.G
Chelidonium minus cutem exulcerat, & vngues ſcabros eijcit. 8°. de ſimplicium med. fac. 5ª.63.G
Chelidonij ſuccus ad acuendum viſum commodus eſt. 8°. de ſimp. medicamen. facul. 5ª.63.G
Chelidonia collyrijs miſta ad caliginē oculorū facit. de ſim. me. Sp.82.B
Chelidoniæ ſuccus eſt oculorum cenoticus. de cathar. Sp.95.B
Chelidoniæ ſuccus in icteritijs citrinis, & in nigris bibitur. de ſimplicib. medicaminibus. Sp.82.B
Chelidonij radix ad auriginem ab obſtructione iecoris proficiſcentem valet, & dentium doloribus confert. 8°. de ſimp. med. fac. 5ª.63.G
Chelidonij ſuccus per nares purgat. 8°. de ſimp. med. fac. 5ª.63.G
CHELIDONIVM collyrium. 4°. de comp. med. ſec. loc. 5ª.156.F
CHEMA quæ menſura ſit. 5°. de comp. med. ſec. lo. 160.D/ de ponderib. & menſuris. 276.D/G/ 5ª.277.C/D/E
Chema drachma dimidia. 3°. de comp. me. ſec. loc. 5ª.147.H
Chema qua nota ſignificetur. de pond. & menſ. 5ª.275.C
CHEMOSIS, eſt ambientis oculum membranæ, quod album quoque appellatur, affectus albæ carni perſimilis. fin. med. Iſa.48.F
Chemoſis affectus albi oculorum. introd. Iſa.58.D
Chemoſis numeratur inter oculorum vlcerationes. fin. med. Iſa.48.D
Chemoſeis ſuſcipit tunica circumocularis. de anat. ocul. Sp.57.C
ad Chemoſeis Libyanum. 4°. de cōp. med. ſec. lo. 5ª.155.A
ad Chemoſeis Nectarium Marci. 4°. de compoſi. medic. ſec. lo. 5ª.154.A
ad Chemoſi ſimiles oculorum affectiones Neapolite. 4°. de comp. medi. ſecun. loc. 5ª.154.C
ad Chamoſeis pharmacum ex Thure. 4°. de comp. med. ſec. loc. 5ª.154.F
ad Chemoſeis Trypheron. 4°. de comp. med. ſec. loc. 5ª.154.G
Chemoſeis. vide Chymoſis.
CHENCHRIS non calcanda eſt quando furit, ſecundum Nicandrum. 2°. de loc. affect. 4ª.14.B
CHERAEMON de arte augurandi ſcripſit. de vict. rat. in morb. acutis, comment. 1°. 7ª.110.C
CHERIONIS ægroti quinti caſus ob copiam bilioſorum humorum. in 3^{m}. de morb. vulg com. 2°. 3ª.135.E
CHERSAEA aſpis. de ther. ad Piſo. 5ª.93.A
contra Cherſydrum valet theriaca. de ther. ad Piſo. 5ª.91.E
ad Cherſydri morſum medicina. 2°. de antido. 5ª.118.G
χιασός laqueus quomodo replicetur. de laqueis. 7ª.307.B
CHIFIEN quid. de ſimp. medica. Sp.82.H
Chifien poteſt acriter, & efficaciter relaxare. de ſimp. med. Sp.82.H
CHILIODYNAMON, id eſt polemonium. 8°. de ſimp. me. fa. 5ª.59.A
à CHYLOSITATE quę excrementa diſtinguuntur. de vic. ra. in morbis acu. com. 4°. 7ª.136.E
CHINISCI, pars organorum. de machin. 7ª.309.E
Chiniſci ad quid in organis. de machin. 7ª.309.H
CHIRAGRICI quibus neglectis fiant. de dyna. Sp.19.H
ad Chiragra & podagra toto corpore diſtortos. 7°. de compoſi. medicamen. per gen. 5ª.271.D
CHIRONIO vulneri nomen impoſitum fuit ab his qui primum illud ſanarunt. 2°. metho. med. 7ª.9.F
Chironia, & telephia eſt ſuperuacuum vocare vlcera: ſat enim eſt ea dicere cacoethe, id eſt maligna. de tum. præter nat. 3ª.84.E
Chironia & telephia. 14°. meth. med. 7ª.92.E
Chironij vlceris à Galeno fit mentio, tamen hanc curioſam vocat appellationem. com. 6°. aph. 41°. Ex.51.F
Chironia vlcera, quę. 4°. de comp. med. per ge. 237.G/ 5ª.239.C
Chironia vlcera ſuræ affectus. intro. Iſa.59.D
Chironia vlcera, ex cacochymia. 3°. de temp. 1ª.23.A
Chironia per ſe ſanat hordeum combuſtum inſperſum. 5°. de compoſi. medica. per gene. 5ª.249.E
ad Chironia quæ faciant. 6°. de comp. med. per gen. 5ª.254.H
in Chironijs pharmacis quando laricina loco therebinthinę ponenda ſit. 4°. de comp. med. per gen. 5ª.244.G
in Chironijs vlceribus arida debent eſſe bene læuiga. 4°. de compoſi. medic. per gen. 5ª.244.G
Chironijs vlceribus conuenit plumbum. 9°. de ſimp. med. fac. 5ª.70.G
ad Chironia vlcera. 4°. de comp. med. per ge. 237.G/239.D/242.G/243.D/G/245.C/5°. 245.G/H/249.E/6°. 5ª.256.H
de CHIRVRGIA librum fecit Theſſallus. 4°. meth. med. 7ª.24.G
Chirurgia quid. fin. med. 43.G/intr. Iſa.59.E
Chirurgia ampliatur ad omnes artes manuarias, etiam ſi non ſunt medicæ. 1°. de vſu par. 1ª.114.E
Chirurgiæ partes. introd. Iſa.52.D
Chirurgię vtilis eſt anatomes cognitio. de anat. adm. 1ª.64.D
ad Chirurgiam quid faciat muſculorum, & fibrarū cognitio. 1°. de anatom. admi. 1ª.64.D
Chirurgia indiget diætetica, & pharmaceutica. 3°. de compoſitio. medicamen. per gen. 5ª.231.F
Chirurgias multas ponit. 1°. de dignoſ. pul. 4ª.70.D
Chirurgię ſtudium. 14°. meth. med. 7ª.90.H
Chirurgia in quibus exercetur. de ijs quę in med. fi. com. 1°. 7ª.200.F
Chirurgię primę intentiones, quæ. intro. Iſa.59.E
in Chirurgia habitum vocat Hippocrates ab habendo poſt deligationis tempus membrorum deligatorum collocationem. de ijs. quæ in medi. fiunt. commen. 3°. 7ª.217.H
poſt CHIRVRGIAM cionidi confert ſuccus centaureę. de virtute centaureæ. Sp.93.D
Chirurgi veſtimētū quale eē debet. de ijs quæ in med. fi. cō. 1°. 7ª.202.F
in Chirurgo quales eſſe debent vngues. de ijs quæ in medicatrina fiunt, commentario. 1°. 7ª.204.B
Chirurgi celeres eſſe debent in ſuis actionibus. de faſcijs. 7ª.293.C
Chirurgus quando debet ſuum opus exercere. de decub. progn. ex mathematica ſcientia. Sp.16.B
Chirurgus qūo ſe habere debet. de ijs quæ in med. fi. com. 1°. 7ª.201.E
Chirurgus qūo lucē debet recipere. de ijs quæ in med. fi. com. 1°. 7ª.201.E
Chirurgi ſitus qualis eſſe debet. de ijs quæ in med. fi. com. 1°. 7ª.202.E
Chirurgus ſtans qua figura ſtare debet. de ijs quæ in medica. fiunt commentario. 1°. 7ª.203.C
Chirurgi aduertant. 3°. de comp. med. per gen. 5ª.231.C
Chirurgus ſegnis, qui totum membrum reddidit inutile ob ignauiam. 3°. de anatom. adm. 1ª.177.H
Chirurgis pmittebat ſuas partes Galenus Romæ. 6°. meth. me. 7ª.42.H
Chirurgi multa habent ferramenta. de fract. com. 3°. 7ª.246.H
Chirurgica inſtrumenta. de ijs quæ in medi. fi. com. 1°. 7ª.200.H
Chirurgi debent habere omnia inſtrumenta præparata. de fractur. commentario. 2°. 7ª.238.B
Chirurgicæ indicationes aliquid habent commune, & aliquid proprium. 14°. methodi medendi. 7ª.90.F
CHITRAN quid, & eius vires. de ſimp. med. Sp.81.F
Chitran præſtat quod dragantum. de ſimp. med. Sp.81.G

CHIVS *inſula eſt in mari ægeo, quæ vnam ſolam habet ciuitatem ex nomine inſulę.9°.de ſimp.med.fac.* 5ª.65.C
ex Chio oriundæ puellæ caſus.de venæ ſect.adu.Eraſ.9.H| 6ª.10.F
Chia terra quid, & eius vires.de ſimpli.medic. Sp.85.A
Chia terra, qualis.9°.de ſimp.med.fac. 5ª.66.A
Chia terrà efficaciter ſtringit cutem, purgat, & extenuat, & ſplendidã facit.de ſimp.medic. Sp.85.A
Chia terra pulcherrimum eſt remedium ad ambuſta vlcerum remedia. 9°.de ſimp.med.fac. 5ª.66.A
in Chio prouenit Ariuſium vinum.2°.de comp.me.per gen. 5ª.223.C
Chij vini fit mentio.3°.de cõp.med.ſe.loc.147.G|4°.156.D|6°. 5ª.169.H
Chia crepida.de artic.com.4°. 7ª.284.B
χλοερὰ, *id eſt herbida, quę.in 6m.de morb.vul.com.1°.* 3ª.163.B
Chloron quid ſignificet.in progn.com.1°.191.D|194.D|2°. 4ª.202.E
χλωρὸν *ſignificat & æruginæũ & pallidũ.in 1m.pror.cõ.3°.* 4ª.180.A
χλωερὰ *putredo viridis.in 1m.prorrh.com.3°.* 4ª.180.A
Chloron viride & quin proprie ſit.de vict.rat.in mor.acutis, commentario.2°. 7ª.119.D
CHOENIX *quę mẽſura.de pon.& menſ.275.G|276.B|E|* 5ª.277.E
Chœnix qua nota ſignificetur.de pond.& menſ. 5ª.275.C
Chœnix.1°.de cõp.med.ſec.loc.129.H|9°. 5ª.198.H
CHOENICIDES *nomen inſtrumenti.6°.meth.med.* 7ª.42.C
CHOERAS *.i.ſtruma, quid.de tu.pt.n.3ª.84.F|14°.meth.me.* 7ª.90.C
in Chœrada.i.ſtrumam, tranſit quandoque bubon ingens ab vlcere obortum in plethorico corpore.1°.de loc.aff. 4ª.4.H
Chœradas per halitum digerit Ammoniacũ.6°.de ſimp.me.fa. 5ª.42.H
Chœradas & duros tumores digerit Capparis radicis cortex idoneis ad ea medicamentis mixtus.7°.de ſimp.med.fac. 5ª.49.H
Chœradas cum eregmo diſcutit Coriandrum.7°.de ſimp.me.fa. 5ª.52.E
Chœradas curat Lupinorum farina.6°.de ſimp.med.fac. 5ª.48.D
ad Chœradas Stercus bubulum adhibitum.10°.de ſimp.me.fa. 5ª.76.G
Chœradas digerunt Vngues aſinorum.11°.de ſimp.med.fac. 5ª.8.E|14°. *methodi meden.* 7ª.90.C
CHOHOL *cauben fit mentio.ſecretorum.* Sp.99.C
χοινικὶς *rotæ modiolus.de fract.com.2°.* 7ª.237.B
CHOLAGOGA *medicamenta, id eſt quæ educunt choleram, ab effectu nominantur.com.4°.aph.2°.* Ex.27.E
Cholagogis, id eſt bilem purgantibus, quando vtendũ, in quibus, & quo tempore.de dyna. Sp.20.F|G
Cholagogum dandum in Eryſipelate, nã venæ ſectio non conuenit.2°.de arte cur.ad Glau. 7ª.102.A
CHOLE, *id eſt fel.10°.de ſimp.med.fac.* 5ª.74.E
CHOLERA *appellatur ſpumoſa ſuperfluitas ſanguinis ſuperius calida, & ſicca.de anat.viuo.* Sp.50.H
Cholera rubra, amara, viridis, eſt calida & ſicca.de dyna. Sp.19.E
Cholerę porri colorem præ ſe ferentis, & ęruginoſæ meminit. comment. 6°.apho.6°. Ex.54.D
Cholera rubra cum parte ſanguinis dominatur ab anno quartodecimo vſq; ad annũ trigeſimũ quintum vel quadrageſimũ.de dyn. Sp.19.E
Cholera tempore æſtiuo, & ętate cõſiſtente, fit.cõ.1°.aph.2°. Ex.3.D
Cholera generatur in æſtate ẽt in bñ tẽperato.com.3°.aph.20°. Ex.24.B
Cholera ęſtate magis ſuperabundat.com.4°.aph.4°.Ex.27.H|de dynamidijs. Sp.19.E
Cholera habet partem humidiſſimam, & aquoſiſſimam, quæ exiccatur in æſtate calida.com.3°.aph.14°. Ex.22.D
Choleræ pars craſſiſſima, & acutiſſima linquitur exiccata, humidiſſima & aquoſiſſima abſumitur.com.3°.aph.14°. Ex.22.D
Cholera maxime in ſiccitatibus generatur.com.3°.aph.16°. Ex.22.H
Cholera habet poteſtatem in renibus.de ſpermate. Sp.36.G
Choleræ rubræ propria ſedes eſt fel.de ſpermate. Sp.36.H
Choleræ rubræ virtus, eſt in dextro latere in hepate.de dynam. Sp.19.D
Cholera quæ vena gaudeat.de anat.viuo. Sp.54.E
Cholera habet meatus proprios, ad quos ex venis hepatis transfertur. com.4°.aph.64°. Ex.34.D
Cholera rubra per aures habet reſpirationem.de dynamid. Sp.19.E
Cholera citrina fit plurimũ ſanguinis ob acutos cibos.de diſ.co. Sp.72.F
Choleram gignunt carnes caprinæ ſi incoctæ maneant, cur.de vict.rat. in morbis acutis, com.4°. 7ª.147.A
in Choleræ rubrę horis ſi infans ſit conceptus, quid contingat.de ſpermate. Sp.38.B
Cholera rubra facit pueros acutos, ingenioſos, & leues, macilentos comedentes multum, ventres ſolubiles.de dynamidijs. Sp.19.E
Choleræ pallidę & flauę eſt opus os ſentire amaritudinem. commentario 4°.aph.17°. Ex.29.A
Cholera rubra tenuiorem, aſperum, percutientemq́; pulſum facit. de dynamidijs. Sp.19.F
Cholera plenum corpus ſi exerceatur, incidit in apoplexiam, vel morbũ comitialẽ, aut fractionẽ vaſis in pulmone.com.3°.aph.2°. Ex.24.C.
Choleræ abundantia eſt cauſa vigiliarum.com.2°.aph.3°. Ex.11.E
Cholera flaua, quæ vel in capite, vel in ventriculo continetur, capitis dolorem facit.com.4°.apho.70°. Ex.35.B
Cholera mordax facit dolorem capitis.com.6°.aph.10°. Ex.47.D
Cholera ſi ad caput rapiatur facit delirium.com.4°.aph.72°. Ex.35.F
Cholera flaua facit deſipientias cum ſtudio.com.6°.aph.53°. Ex.53.B
Cholera ſuperaſſata facit atram bilem.com.3°.aph.22°. Ex.24.E
Cholera flaua ſuperaſſata, efficitur atra bilis, & facit deſipientias periculoſas.com.6°.aph.53°. Ex.53.B
Cholera facit phrenitides, & difficultates inteſtinorum.commentario 3°. aphoriſmo.30°. Ex.26.E
Cholera furorem facit.com.6°.aph.21°.48.D|aph.56°. Ex.53.E
ob Choleram flauam per mẽbra ſentiẽtia veloci motu delatam fit rigor. com.4°.aph.58°.33.G|apho.63°. Ex.34.C
Cholera flaua ebulliente in tunicis ſtomachi fortis æſtus generatur.commentario.4°.aph.65°. Ex.34.E
Cholera facit febrẽ ardentẽ, q̃ expurgata ſoluit. c.4°.aph.58. Ex.33.G
Cholera facit morbum regium.com.5°.aph.72°. Ex.45.F
Choleram flauam reponente natura ad totum corpus, & pręcipue ad cutem fit interdum, & iudicatorie morbus regius.cõmentario 4°.aphoriſmo 62°. Ex.34.B
Cholera non poteſt iudicatorie ad corpus effundi citius ſeptima die. commentario 4°.aph.62°. Ex.34.B|G
Cholera nõ euacuata p ſedẽ color pallidior in toto corpe apparet morbo regio laborantibus, quod bilẽ notat peccare. cõ.4°.aph.2°. Ex.27.E
Cholera expurgata p aluũ ſoluit morbũ regiũ. c.4°. aph.62°. Ex.34.C
Choleræ multitudo ad aluum fluens irritat ad expulſionem. commentario.2°.apho.20°. Ex.12.E
à Cholera pallida vel flaua maxima ex parte incipit difficultas inteſtinorum.comment.4°.aph.24°. Ex.29.H
Choleræ amaræ naturam habentes ichores ab hepate fluentes inteſtina abradentes faciunt difficultates inteſtinorũ.cõ.6°.aph.3°. Ex.46.F
Cholera facit inteſtinorum difficultates faciliores, quàm phlegma ſalſum.com.3°.aph.12°. Ex.21.G
Cholera rubra ſi fuerit ægritudinis cauſa, ad frigida, humida, & dulcia. de dynamidijs. Sp.19.F
Cholera citrina abundans hõ quibus nutriendus ſit.de diſſ.cont. Sp.72.C
Cholera ſi generatur in ſtomacho velociter multa, cõueniunt quæ extinguunt acuitatem choleræ, aut quod prætermittantur res generantes ipſam.de diſſol. cont. Sp.71.F
Cholera vomitur non ſolum vulnerato cerebro, ſed & dura membrana ipſum circunſtante.comment.6°.aph.50°. Ex.52.G
Cholera quibus abundat his damus cholagoga.de dynamidijs. Sp.20.G
Choleram amaram euacuare debemus, quando conſuetus eſt homo ex ipſa pati.com.6°.apho.47°. Ex.52.B
Choleram deponit Agaricum.de ſimpli.medica. Sp.80.E
Cholerę abundantia ſi qui ſitiunt his Aloẽ damus.de dynam. Sp.20.H
Cholerã & pituitam purgat Ariſtolochia rotunda. de dynam. Sp.21.G
Choleram, cum melicrato purgat ſuccus Centaureæ & ſoluit craſſos, & viſcoſos humores.de virt.cent. Sp.94.A
Choleram deponit Cnicum.de ſimp.med. Sp.83.B
Choleram rubram deponit Lathyris.de ſimp.med. Sp.86.E
cum Cholera phlegma purgat Scammonia.de cathart. Sp.95.A
ad Choleræ roſiones proprie Sium facit.de ſimp.med. Sp.91.D
Choleram emundat Vinum abſinthinum.de ſimp.med. Sp.92.C
Choleram rubram temperat Vinum ſambucatum & maſtichatum. de ſimplicibus medicam. Sp.92.C
Choleram citrinam refrenans medicamentum.ſecretorum. Sp.101.G
Choleram purgans medicamen.de medic.exper. Sp.105.A
Cholera amara facit ſitim euacuata.com.4°.aph.19°. Ex.29.C
CHOLERA *nigra acida, frigida eſt, & ſicca.de dynam.19.E|de natura & ordine.cuiuſ.corp.* Sp.41.D
Choleræ nigræ propria ſedes eſt ſplen.de ſpermate. Sp.36.H
Cholera nigra in ſiniſtro latere eſt in liene.de dynamidijs. Sp.19.D
Cholera nigra fit, ſanguis, ob cõtinuum vſum ciborum acutorum. de dſſol.contin. Sp.72.F

Cholera nigra in autumno creſcit.de dynamidijs. Sp.19.E

Cholera nigra cum magna ſanguinis parte dominatur ab anno trigeſimo quinto,vel quadrageſimo vſq; in ſuã ætatem.de dynami. Sp.19.E

Cholera nigra per oculos reſpirationem habet.de dynamid. Sp.19.E

Cholera nigra facit ſubdolos, auaros,perfidos, triſtes, ſeditioſos, & timentes.de dynamidijs. Sp.19.F

Cholera nigra tardum,& ſegnem pulſum facit.de dynamidijs. Sp.19.F

Cholera nigra ſi fuerit cauſa ægritudinis,da ei calida,& humida,& dulcia.de dynamidijs. Sp.19.F

Choleram nigram ſoluit Epithymum.de ſimp.med. Sp.84.A

CHOLERICI *humores in iuuentute vigẽt.cõ.3°.apho.29°.* Ex.26.C

Cholericus eſt æſtiuus humor.com.5°.aph.22°. Ex.24.E

Cholerici humores valde gñantur in ſiccitatibus.cõ.3°.aph.7°. Ex.20.F

Cholericus humor hyeme quandoq;,raro tamen viſus eſt abundare.commen.4°.aph.4°. Ex.27.H

in Cholericum humorem conuerti poſſe pituitæ putrefactionem, colligi poteſt.com.7°.aph.43°. Ex.57.E

Cholericus humor eſt ferè ſemper cum ſeroſa ſuperfluitate. cõmentario. 6°.apho.50°. Ex.52.E

Cholericus humor ſi in ventre fuerit,corrumpitur ab aqua dura,& frigida de bon.aquæ. Sp.75.G

Cholericus humor facit vlcera oris.com.3°. aph.21°. Ex.24.D

à Cholerico humore calefacto ſanguine tubercula fieri ſunt apta. commen.2°.aph.15°. Ex.12.G

Cholericus,& acris humor dolorem auget,ſicut et ſpiritus flatuoſus nõ habens exitum.com.6°.aph.5°. Ex.46.H

Cholericus humor & melancholicus non tantum pituitoſus facit menſes decolores.com.5°.aph.36°. Ex.40.G

Cholerici humores trahuntur à venis exiccatis tempore æſtatis,& ideo ardentes febres tunc fiunt.com.4°.aph.58°. Ex.33.G

Cholericos humores magis quàm pituitoſos ſuſcipere prõpta eſt membrana ſubcingens.com.6°.aph. 33°. Ex.50.B

ex Cholericis humoribus ortum habet morbus lateralis,qui vnà cũ pallidis & flauis fit ſputis.com.6°.aph.33°. Ex.50.A

Cholerico calidoq; humore quamuis fiant herpetes exedentes,tamen calido ſanantur.com.5°.aph.22°. Ex.39.E

Cholericus humor quo modo per ſigna cognoſcatur,& quõ poterit facile quiſque cognoſcere an cholera peccet, omnia ponuntur indicia.comment.4°.apho.2°. Ex.27.E

Cholericus humor ſolus euacuatus dicitur ſyncera deiectio.cõ.7°. apho. 6°.54.D/aph. 23°. Ex.55.E

Cholericus ſanguis qui cõtinetur in cyſti,eſt alia ſanguinis ſuperfluitas. de anat.viuo. Sp.50.F

CHOLERICI *qui ſint.7°.de comp.me.ſe.lo.* 5ª.185.B

Cholerici ſunt vt plurimum graciles.com. 4°.aph.6°. Ex.28.B

Cholerici hyeme melius ſe habent.com.3°.aph.18°. Ex.23.H

Cholerici etiam ſani ſi cibo abſtinuerint, quid ipſis contingat.commentario.6°.aph.50°. Ex.52.H

Cholericis,& ſanguineis ſynochus, & cauſus ſunt naturales infirmitates,phlegmaticis accidentales.de ſpermate. Sp.39.G

Cholerici quando diu infirmi manebunt.de ſpermate. Sp.39.G

Cholerici ſi ſint faciles ad vomendum,per ſuperiora purgandi ſunt, niſi hyems obſtet.com.4°.aph.6°. Ex.28.B

Cholericos ventres turbat euphorbium.de ſimp.med. Sp.83.F

CHOLERICI *morbi æſtate fiunt,& quare.c.3°.aph. 21°.* Ex.24.D

Cholerica,& ſanguinea paſſio mutationi temporum cõcordare,ſed à natura patientis diſcordare poteſt & è contrario.de ſperm. Sp.39.F

Cholericus ſicuti eſt morbus,melius eſt ſic vrinas apparere bilioſas.cõmenta.4°.aph.72°. Ex.35.F

Choleric febres ſudoribus ſæpius ſanantur.com.7°.aph.43°. Ex.57.D

Choleric puſtulę notant peccare cholerã. com.4°. apho. 2°. Ex.27.E

Cholerica præter conſuetudinem vrina eſt laborantibus ex triſtitia, vigilijs, cogitationibus.de dynamidijs. Sp.34.A

Cholerico colore vrina nebulam albam habens & furfures ſupernatantes,aut longam ægritudinẽ,aut mortẽ ſignificat.de dynam. Sp.34.C

Cholerica vrina & ſpiſſa in augmento ſynochæ mortem ſignificat. de dynamidijs. Sp.34.E

Cholericas nebulas ſi quotidianarij vrina habeat in ægritudinem acutã tranſire ſignificat.de dynam. Sp.34.G

Cholerici vomitus fiunt poſt rigores.com.4°.aph.58°. Ex.33.G

Cholericus vomitus raro videtur exquiſitus, cui non ſit admiſta ſeroſa ſuperfluitas.com.6°.apho.50°. Ex.52.G

Cholerica cum fiunt alui inferioris excrementa,quedã ſimilia ſtrigmentis videmus per aluum excerni.com.7°.aph.64°. Ex.60.B

Cholerica ſuperfluitas in magnis doloribus, & mœroribus fortibus ad ventriculum fluit.com.6°.aph.50°. Ex.52.F

Choleric excretiones ſi bene excernantur,ſunt bonæ.commentario. 4°. aphoriſmo.47°. Ex.32.H

Choleric excretiones in febribus cõtinuis malæ,quòd ſi bene excernantur bonum,& p aluũ inferiorẽ,& p veſicã.cõ.7°.aph.65°. Ex.60.E

Cholerica deijcientibus nocet lac.com.5°.aph.64°. Ex.44.F

Cholericę deiectiones ſurditate ſanantur, & è contrario.commentario 4°.aph.58°. Ex.30.D

Cholerica excrementa in febribus ſoluunt ſurditatem. commentar. 4°. aphoriſ.6°. Ex.34.A

CHOLERA *arida nomen mali.de vict.rat.in morbis acutis, commentario.4°.* 7ª.145.G

Cholera arida q̃ intelligatur.de vict.rat.in morb. acu. cõ.4°. 7ª.147.D

Choleram ſiccam quæ faciant.de vict.rat.in morb.acu. cõ.4°. 7ª.145.G

Cholera arida quid faciat. de vict.rat. in morb.acu. com.4°. 7ª.147.D

Cholera arida quo mõ curetur.de vict.rat.in morb.acu.cõ.4°. 7ª.147.D

Cholera,vide Bilis.

CHOLERAE *morbo ijs qui ſunt à Cnido medicis nomen impoſitum eſt à cauſa putata.2°.methodi med.* 7ª.9.E

Cholera quid.fin.med. Iſa.55.H

Cholera morbus acutus.introd. Iſa.55.E

Cholera morbus peracutus fin.med.Iſa.45.F/cõ.1°.aph.12°. Ex.5.D

Choleræ cauſa.introd. Iſa.56.H

Cholera ab eadem cauſa,à qua arquatus morbus.de opt.ſecta. Iſa.25.C

Choleræ morbo obnoxios efficere conſueuit peponis vſus.de alimentorũ facultatibus. 2ª.16.H

Cholerę morbus qua ętate fiat.com.3°.aph.36°. Ex.26.D

Choleræ quibuſdam fiunt certis interuallis,& omnem corporis redundantiam educunt.7°.meth.med. 7°.48.B

in Choleris euacuatur cum malo bonum.3°.de ſympt.cau. 3ª.26.G

in Choleris per quam viã humores euacuantur.3°.de na.fac. 1ª.306.F

in Choleris quo modo procedat purgatio.3°.de nat.fac. 1ª.306.G

ĩ Choleris vocatis expelliĩ bilis p duo ora vẽtris.3°.de ſym.cau. 3ª.25.F

Choleræ tremor,qualis.de palp.trem.& conuulſ.& rig. 3ª.52.G

ex Choerla fit defectus animi.1°.de arte cur.ad Glauc. 7ª.98.E

ex Choleris animi defectus proueniens quomodo curetur.1°.de arte curatiua ad Glauconem. 2ª.98.G

Choleram morbum patientibus contractiones frequenter fiunt pręſertim eorum quę ſunt in ſuris muſculorum.com.5°.apho.1°. Ex.37.D

Cholerę pulſus,qualis.de pulſ. ad tiro. 4ª.44.H

Choleras ſequuntur pulſus vermiculantes.3°.de cauſ.pulſ.99.D/2°. de præſag.ex pul. 4ª.113.A

Choleræ curatio.introd. Iſa.56.A

ad Choleram, quadratis balneum aquæ frigidæ conuenit. de remedijs paratu facil. 7ª.160.G

Choleræ fluxu laborantibus cõducit theriaca.de theria.ad Piſo. 5ª.96.B

ad Choleram & vomitũ & voluulum & vomitum ſtercoris.de reme. paratu facil. 7ª.166.D

ad Choleram.8°.de comp.me.ſe.lo.5ª.190.C/de rem.pa.fa. 7ª.160.C

ad Cholera vexatos valde efficax.de med.fac.par. 7ª.166.E

CHOLERICIS *vinum aqua frigida dilutum datur. de venæ. ſect. aduerſ.Eraſiſt.* 6ª.7.F

Cholericis quibus iam vox intercepta eſt,optime cõfert theriaca. de vſu theria.ad Pamph. 5ª.99.A

ad Cholericos.7°.de comp.med.ſect.loc.185.B/8°. 5ª.191.C/E

χώλωμα,quid.de articulis.com.4°. 7ª.284.B

χωλός,id eſt claudus.de fract.com.2°. 7ª.240.G

CHONDRILLA *cichorei ſpecies eſt.8°. de ſimplicium medicamentorũ facult.* 5ª.60.C

Chondrilla à quibuſdam ſeris dicitur.8°.de ſimp.med.fac. 5ª.63.H

Chondrilla lactucę ſimilis eſt.2°.de alim.fac. 2ª.22.F

Chondrilla habet lac vt tithymallus.2°.de alim.fac. 2ª.22.F

Chondrillam comedunt homines fame adacti.2°.de alim.fac. 2ª.22.B

Chondrilla eſt vitioſiſſimi ſucci.de bon.& vitio ſuc. 2ª.37.G

CHONDRVS, *id eſt cartilago, mollior oſſe, ſed duriſſima ſuper alias partes.7°.de vſu partium.* 1ª.157.C

CHONDRVS *eſt ſemen.8°.de ſimp.med.fac.* 5ª.63.H

in Chondro medicorum plurium error vnde proueniat. 8°.de ſimplic. medic.fac. 5ª.63.H

Chondrum fuiſſe tempore Hippocratis tum Hippocratis authoritatẽ.tũ comicorum cõprobatur.de vict.rat.in mor.acu.com.1°. 7ª.111.B
Chondrus farina triticea ſiccior eſt.5°.de ſimp.med.fac. 5ª.34.D
Chondro elixata nutriunt multum.de venæ ſect.aduer.Eraſi. 6ª.14.D
Chondrus plus nutrit tritico.8°.de ſimp.me.fa. 5ª.63.H
Condrus eſt optimum nutrimentũ vt triticũ.8°.de ſimp.me.fa. 5ª.63.H
Chondrus eſt ex genere euchymorum.2°.de ſimp.med.fac. 5ª.12.H
Chondrus eſt craſſi ſucci & boni,& acrimoniam humorum infrenat. de vict.rat.in mor.acu.com.4°. 7ª.149.D
Chondrus primo in pituitam,poſt in ſanguinem tranſit. de vict.ratio.in morbis acu.com.2°. 7ª.120.F
Chondrus & ptiſſana cur acetum recipere debent.de mar. 3ª.48.E
Chondrus dandus eſt his qui cibum in fumũ vertunt.1°.de lo.af. 4ª.5.E
Chondrus in acutis morbis datur.de vic.rat.in mor.acu.cõ.1°. 7ª.111.B
Chondrus eſt tantum cibus Pleuriticorum.de vict.rat.in morb.acutis, commentario.1°. 7ª.115.D
Chondrus,lac,ptiſſana,cibi Tabidorum.1°.de marc. 3ª.48.E
Chondri ſorbitio,qualis.de vic.rat.in mor.acu.com.1°. 7ª.111.E
Chondri ſorbitio humectat,& ſupinat os ventriculi. de vict.rat.in morbis acutis,com.1°. 7ª.111.F
ex Chõdro vni mordet ſtomachus,alteri nõ.2°.de ſimp.me.fac. 5ª.12.E
Chondrus roborat,non tamen humectat,nec ſecat.de vict.rat. in morb. acutis,com.1°. 7ª.113.C
Chondrus,vbi ventriculus habet igneum calorem, non coquitur.1°.de locis affectis. 4ª.5.E
Chondrus materia eſt apta ad accipiẽda liqda.8°.de ſim.me.fa. 5ª.63.H
Chondrus epiceraſticus eſt ex ſua natura.2°.de ſimp.me.fa. 5ª.12.F
Chondrus exacte elotus,eſt ex pharmacis emplaſticis. 4°. de ſimpliciũ med.fac.25.D/8°. 5ª.63.H
Chõdrus,lac,& ptiſſana aſperitati medent.2°.de ſimp.med.fac. 5ª.12.G
Chõdri ſuccus morſibus frequẽter ſuccurrit.2°.de ſimp.med.fa. 5ª.12.C
Chondrum ex lacte coctum ad tormina ſine febre.de vict.rat. in morbis acutis,com.4°. 7ª.149.C
Chondrus obeſt in affectibus Iecinoris,& quãdo naturales eius meatus ſunt anguſti.de vict.rat.in mor.acu.com.1°. 7ª.111.E
ex Chondro fiunt deiectiones albæ.in 1^m.*prorrh.com.1°.* 4ª.165.A
CHORDA, *ſeu tendo quid ſit.de anat.viu.* Sp.55.D
Chordæ vñ originẽ habeãt,& earũ iuuamẽtũ.de anat.vi.43.H/ Sp.55.D
Chordæ oriuntur ex finibus muſculorum.com.5°.aph.66°. Ex.45.C
Chordarum ſubſtantia qualis ſit.de anat.viu. Sp.43.H
Chordarum natura ex ictu longiori tempore ad conſiſtentiam inflammationis veniunt,ac tardius ſanantur.com.6°.aph.49°. Ex.52.E
in Chordas validas deſinentes muſculi non ſunt in partibus anterioribus in tibia.com.5°.aph.65°. Ex.45.A
Chordam maximam videmus in coxa in partibus genu anterioribus, ob quam per compatiendi rationem poteſt fieri conuulſio.commentario 5°.aphor.65°. Ex.45.A
in Chordarum,& neruorum inflammationibus ſolent frequenter conuulſiones aduenire.com.6°.aph.45°. Ex.52.E
Chordæ nõ inflãmant,ſed dolẽt in podagricis.com.6°.aph.49. Ex.52.E
CHORDAS *cur relaxent cithariſtæ.2°.de loc.aff.* 4ª.11.A
Chordæ lyrarum quo modo & ipſæ conuellantur.3°.de loc.aff. 4ª.17.F
Chordæ ab humido,& ſicco tenduntur.2°.de loc.aff. 4ª.11.A
Chordæ implẽt ex humiditate aeris ambiẽtis.cõ.6°.apho.39°. Ex.50.G
vt Chordæ in cithara,ita nerui tenduntur.de pal.trem.3°.56.B/2°.de locis affect.11.A/3°. 4ª.17.E
Chordæ inſtrumentorum oſtendunt genera conuulſionum.2°.de ſymptoma.cauſis. 3ª.20.A
CHORDAPSON *quid ſignificet.6°.de loc.aff.* 4ª.37.A
CHORION *quid ſit.de diff.vuluæ.109.D/ 15°.de vſu par. 211.G/ 6°.de decret.Hipp.* 1ª.264.G
Choria,ideſt ſecundæ.com.5°.aph.3°.5ª.40.F/aph.49°. Ex.42.A
Chorij ſubſtantia.de fœt.for. 1ª.322.E
Chorion quale erat ancillæ pſaltriæ,cui ſaltanti genitura poſt ſextum diẽ in terram deſilijt.de fœt.for. 1ª.322.D
Chorion in vulua oritur.de diff.vuluæ. 1ª.109.D
Chorion quomodo vuluæ inhæreſcat.de diff.vul. 1ª.109.D/E
Chorion quomodo fiat,exemplum.de diff.vul. 1ª.109.G
Chorij ideſt ſecundarum ſitus & vſus.15°.de vſu par. 1ª.211.B
Choriõ ita facit ĩ aĩalib⁹,vt plãtæ ſemen radices facit.1°.de ſem. 1ª.331.G
Chorij vaſa difficulter numerantur.15°.de vſu par. 1ª.211.G
Chorij venarum & arteriarum origo vnde.de fœt.for. 1ª.322.E
Chorij vaſorum omnium collectio in duas venas,& arterias redigitur. de fœt.for. 1ª.322.F
in Chorij magnarũ venarũ,et arteriarũ medio meatus qdã gignit ĩ fundũ veſicæ infantis pforatus dictus vrinaculum.de fœt.for. 1ª.322.F
per Chorion membranam arteriȩ & venæ penetrant materias e vulua ad fœtum tranſmittentes.1°.de ſem. 1ª.331.B
Chorion qua parte ſolum perforatum.de fœt.for. 1ª.322.E
CHORIOIDES *plexus,qui.7°.de decre.Hipp.* 1ª.269.D
CHORYGII *fit mentio.de medic.fac.par.* 7ª.176.C
χρησμολόγοι *de vict.rat.in morb.acu.com.1°.* 7ª.110.A
CHRISTVS *& Moyſes legem tulere citra demonſtrationem.2°.de differen.pulſ.* 4ª.54.D
Chriſti aſſeclȩ in ſecta obſtinatiſſimi hñr à Galeno.3°.de differ. 4ª.60.H
CHRISTIANORVM *mentio fit,quibus ſe quoq; auctor annumerat. de ren.affect.digno.& medela.* 7ª.195.A
in CHRONICIS *temporum anni mutationi comparatur ſeptimana in acutis.3°.de dieb.decre.* 4ª.158.B
in Chronicis morbis acceſſiones fiunt quotidie,vel quarto. 3°.de diebus decretorijs. 4ª.158.G
ad CHRONICVM *Aſthma valet elect*^{m}.*laccæ.de me.ex.* Sp.107.A
ad Chronicum aſthma.de med.exper. Sp.107.E
ad Chronicos Dolores valet electarium quod dicitur euadens.de medicinis expertis. Sp.108.E
in Chronicis Febribus typum remouens electarium ariſtolochiæ.de medi.expertis. Sp.105.F
ad Chronicas febres valet decoctio ſquinanti.de med.exper. Sp.107.B
ad Chronicas febres expertum medicamen.de med.exper. Sp.107.H
ad Chronicas febres,quȩ fiunt ex humore craſſo,medicamen.de medicinis expertis. Sp.108.D
ad Chronicam febrem electarium.de med.exper. Sp.107.D
ad Chronicas febres electarium aſſæ fœtidæ.de med.exper. Sp.108.D
ad Chronicas febres electarium turbit.de med.exper. Sp.108.C
ad Chronicum fluxum medicamen bonum.de med.exper. Sp.105.G
Chronicum fluxum intercipiens electarium.de med.exper. Sp.108.A
ad Chronicas Oppilationes valet elect^m *laccæ.de med.exp.* Sp.107.A
ad Chronicas Tuſſes decoctio hyſſoppi.de med.exper. Sp.107.D
ad Chronicam tuſſim valet electarium laccæ.de med.exper. Sp.107.A
contra Chronicum Vomitum medicamen.de med.exper. Sp.107.F
χρῶτα, *id eſt corpus,pro carnoſa parte accipitur ab Hippocrate.de fracturis,commen.3°.* 7ª.242.H
χρῶτα. *de fract.com.2°.* 7ª.233.C
CHRYSERMI *paſtillus.9°.de cõp.med.ſe.loc.* 5ª.198.H
Chryſermi pulſus definitio.3°.de diff.pul. 4ª.67.H
CHRYSIPPVS *proauus ſectæ Archigenis.2°.de diff.pul.* 4ª.58.F
Chryſippus in Sicilia natus linguam grȩcam non callebat,& legem græcis dare voluit de nominibus.2°.de diff.pul. 4ª.58.G
Chryſippus de nominibus ſcita ſanctius,q̃ Solon de numis,leges ferebat. 2°.de diff.pulſ. 4ª.58.F
Chryſippus quo modo prudens effectus ex ſtoicorum ſententia.quòd animi mores. 1ª.318.F
Chryſippus antiquus ſcriptor Anatomiȩ.de nat.hum.com.1°. 1ª.183.E
Chryſippus venæ ſectionem auferebat.de cur.ra.per ſang.miſſ. 6ª.15.H
Chryſippus quo modo exiſtimauerit fieri viſionem.de hiſt.phil. Sp.9.E
Chryſippi libri.5°.de decre.Hipp. 1ª.259.F
Chryſippus librum fecit de animi ægritudinibus.3°.de loc.aff. 4ª.14.E
Chryſippus ſcripſit quatuor libros de affectibus.5°.de decr. 1ª.258.D
Chryſippus ſcripſit quæ ad remedia pertinerent animi perturbationum. de cog.cur.animi mor. 2ª.50.D
Chryſippus ſcripſit de anima.2°.de decre.Hipp. 1ª.234.F
Chryſippus animali ſpiritu plenum eſſe ſinum ſpiritus aſſerit.de decretis Hippo.& Plat. 1ª.232.A
Chryſippus cur breuis.3°.de decr.Hipp. 1ª.243.E
Chryſippus probabat argumenta ex vulgaribus poetis, & etymologia. 2°.de decre.Hipp. 1ª.234.E
CHRYSITES *terra,quæ.9°.de ſimp.med.fac.* 5ª.66.C
Chryſites.8°.de ſimp.med.fac. 5ª.63.H
CHRYSOBALANVS, *qualis.8°.de comp.med.ſec.lo.* 5ª.190.F
ex Chryſobalano medicamenta ſtomachica quo quo modo conficiantur à Galeno damnantur.8°.de comp.med.ſec.loc. 5ª.190.A
Chryſobalani.9°.de comp.med.ſec.loc. 5ª.202.D
CHRYSOCOLLA *quid.de ſimp.med.* Sp.82.E
Chryſocolla naturalis,quæ.9°.de ſimp.med.fac. 5ª.71.F

Chryſocolla fictitia quo mō fiat.9°.de ſimp.med.fac.71.F/10°. 5ª.75.E

Chryſocolla qualis ſit.9°.de ſimp.med.fac. 5ª.71.F

Chryſocolla tenuium partium eſt citra calorem.3°.de compoſitione med. per genera. 5ª.228.E

Chryſocolla eſt ſepticum medicamentum.5°.de ſimp.med.fac. 5ª.36.B

Chryſocolla exiccat plus pice.4°.de comp.med.per ge. 5ª.240.H

Chryſocolla vires habet acriter ſtypticas.de ſimp.med. Sp.82.E

Chryſocolla miſcetur collyrijs ad lachrymam facientibus. de ſimplicib. medicaminibus. Sp.82.E

Chryſocolla in cerotis poſita carnes luxuriantes ſtringit. de ſimplicibus medicaminibus. Sp.82.E

Chryſocolla qualis ſit ad vlcera.6°.de comp.med.per gen. 5ª.255.C

Chryſocolla ex vrina vlcera difficilia ſanat.10°.de ſimp.me.fac. 5ª.75.E

Chryſocolla aptiſſima eſt vlceribus contumacibus. 9°. de ſimplici.medicamen.facult. 5ª.71.F

Chryſocolla vlcera vix ſanabilia curat. 2°.de compo.medicamentorum per gene.220.B/4°. 5ª.244.C

Chryſocolla ad vlcera maligna.4°.de compoſ.medic.per genera.236.F/242.D/5°. 5ª.247.A

CHRYSOCOME *qualis.8°.de ſimplic.medic.fac.* 5ª.63.H

Chryſocome peripneumonijs,& hepaticis morbis prodeſt,& menſtruæ purgationis prouocandæ vim habet.8°.de ſimp.med.fac. 5ª.63.H

CHRYSOMELA *cur parum nutriant propter multitudinem humiditatis.de diſſ.cont.* Sp.73.F

Chryſomela velociter corrumpuntur in ſtomacho.de diſſ.con. Sp.74.H

CHVS *quæ menſura.de pond.& menſ.275.E/276.B/E/* 5ª.277.E

Chus quæ menſura humidorum pro eorum varietate.de pond. & menſ. 275.F/276.F/H. 5ª.277.A/B/C/D

Chus,id eſt congius,qua nota ſignificetur.de pond.& menſ. 5ª.275.C

χυλὸς*,ideſt ſuccus,vocatur humor incraſſatus tum in animalibus, tum in plantis.1°.de ſimp.med.fac.* 5ª.8.G

Chylus aſſimilatur rei imperfecte coctę.4°.de vſu partium. 1ª.136.A

Chylus alteratus à carne iecoris debet fieri ruber, ſi illi debet aſſimilari.4°.de vſu par. 1ª.138.E

Chyli deſcenſum retardat pylorus in ventriculo.4°.de vſu par. 1ª.139.B

in Chylum non mutata deiectio ſignificat ventriculum male concoquere.de tot.morb.temp. 3ª.88.G

CHYMETHLA *affectus digitorum.introd.* Iſa.59.C

Chymethla,id eſt perniones,ſanare poſſunt non modo decoctum radicis, & ſeminis lappæ minoris,ſed & eius caules teneriores.6°.de ſimpli. medicam. fac. 5ª.43.F

Chymethla,ſiue perniones,curat viri ſemen quod in mulieris congreſſu intus non remanſit.10°.de ſimp.med.fac. 5ª.72.C

Chymethla ſanat aſinorum vnguium cinis.11°.de ſimp.med.fa. 5ª.80.E

CHYMOSIS *affectus totum oculum exercens.intro.* Iſa.58.D

Chymoſis dicitur rubra,carnoſaq́; cornee oculi pelliculę inflammatio.de rem.par.fac. 7ª.156.D

Chymoſes prima ratione pupillam obtenebrant.1°.de ſymp.cau. 3ª.15.E

ad Chymoſin,hoc eſt vtriuſque palpebræ diſtortionem ex inflammatione obortam.4°.de comp.med.ſec.lo. 5ª.157.E

ad Chymoſin grauem,& difficilem.de rem.par.fac. 7ª.156.D

Chymoſis,vide Chemoſis.

CHYMVS *dictus eſt ſapor ab antiquis.de oculis.* 7ª.183.F

Chymus quid ſignificet apud Ariſtotelem & Plat.fin.med. Iſa.50.B

Chymus quid apud Hippocratem.fin.med. Iſa.50.B

Chymus eſt in iecore,et mittit ad nutriēdū aīal.4°.de vſu part. 1ª.136.B

Chymum frigidum generant pira & poma,ſi matura comedantur, cucumeres,citruli,aqua bathecæ,cucurbitæ.de diſſ.con. Sp.74.B

Chymi boni cibus plurimus accipiatur poſt comeſtionem bathecæ.de diſſolu.contin. Sp.74.F

Chymi mali cur ſint cicera,& fœnum græcum.de diſſ.cont. Sp.74.B

Chymi mali ſunt renes,& cur.de diſſ.cont. Sp.74.B

Chymi mali sūt cæpæ,allia,raphanus,rapę,paſtinacę.de diſſ. Sp.74.C

χυλοῦσθαι *quid ſignificet.2°.de ſimp.med.fac.* 5ª.16.B

CIBIVS *vocatus vtiliter vulneri à cane inflicto.imponitur.11°.de ſimp.med.fa.* 5ª.82.G

CIBORIVM *quid.de vſu theria.ad Pamph.* 5ª.98.G

CIBVS *id eſt* σίτος*, quid ſignificet.de vict.rat.in morbis acutis,commentario.1°.* 7ª.113.G

Cibo oppoſitus eſt potus.3°.de alim.fac. 2ª.33.A

Cibum & potum aliqñ Hipp.vocat victum.de nat.hu.com.2°. 7ª.182.B

Cibi nomen quo modo pro excrementis quoque ſumatur. in 6m.de morbis vulgarib.com.1°. 3ª.155.E

Cibaria ſignificant panes.de vic.ra.in mor.acu.com.4°. 7ª.145.E/F

Cibi ex quatuor fiunt elementis.1°.de elemen. 1ª.7.E

Cibus & potus vnū ex gñibus ſex rerū non naturaliū.ars med. Iſ.68.C

à Cibo & ſpiritu gubernatur animal.introd. Iſa.54.A

Cibus neceſſario occurrit noſtro corpori.ad Thraſ. 2ª.104.D

Cibo cur indigemus.de cog.cur.animi mor.2ª.54.G/de diſ.cōt. Sp.71.C

Cibo quicquid ſiccioris ſubſtātię effluxit,reſarcimus.1°.de ſa.tu. 2ª.62.G/in 6m.de morb.vul.com.6°.3ª.190.B/de diſſ.cont. Sp.71.C

Cibum ſumat corpus,cum eſt inanitum.ad Thraſ. 2ª.104.D

Cibo non indigeremus,ſi nihil à noſtro efflueret corpore.de vic.ratio.in morb.acu.com.1°. 7ª.115.E

ſine Cibo poſſunt perdurare animalia quæ in latebris degunt, cum ſe recondunt.com.1°.apho.15°. Ex.8.B

Cibo frequenti ſi indigeremus, vita noſtra eſſet aliena à muſis.de vſu partium. 1ª.164.C

Cibum quo reficitur habet membrum omne.de oculis. 7ª.182.H

Cibus membro conueniens,qui.de ocul. 7ª.183.A

Cibus à quo nerui aluntur.de atra bile. 1ª.36.E

bñ Cibati aliqui cur nō poſſint inſtaurari.com.2°.aph.32°. Ex.17.A

Cibo refectis atque inſtauratis ſanguinoſius corpus efficit. in 6m.de morbis vulga.com.3°. 3ª.177.C

Cibi omnes quomodo dicuntur nutrimenta.1°.de nat.fac. 1ª.292.G

Cibus quo modo nutriat corpus.de cog.cur.animi mor. 2ª.54.G

ex Cibis roborantur vires.de ren.affe.dign.& med. 7ª.196.F

Cibus vt nutrit,conſideratur rōne ſubſtantiæ.de vtil.reſp. 1ª.223.D

Cibus vt dulcis,vt auſterus, vt frigidus, vt calidus, conſideratur ratione qualitatis.de vtil.reſp. 1ª.223.D

Cibus valet ad animi virtutem.ꝙ animi mor. 1ª.317.E

Cibus qui eſt cibus ſimpliciter per ſe humectat ſolidas partes corporis non ex accidenti.com.4°.aph.13°. Ex.28.G

Cibus plurimus humectat corpora.com.4°.aph.13°. Ex.28.F

Cibus non ſimpliciter copioſior humectat,ſed qui non habet fortem qualitatem.com.4°. aph.13°. Ex.28.G

in Cibo vinum ad ſedādum ſitim ſolū inuentū eſſe,collige.de diſſ. Sp.72.B

Cibo aſſumpto pro medicamento vinum accipitur.in 6m.de morbis vulgaribus,com.6°. 3ª.196.F

per Cibos fiunt maturationes.in 1m.de mor.vul. 3ª.112.A

Cibum in terra,quæ animalia prona ſumunt.11°.de vſu par. 1ª.185.A

Cibum in terra,quæ aīalia prona non ſumunt.11°.de vſu par. 1ª.185.A

Cibi deglutitio eſt actio naturæ.introd. Iſa.55.B

Cibum quo modo poſſumus videre animal deglutire ex anatome.3°. de natur.facul. 1ª.305.B

Ciborum introitus os.1°.de nat.fac. 1ª.292.E

Cibus,& potus per fauces deſcendunt.2°.de ſem. 1ª.340.G

Cibi non ingrediuntur laryngis meatum.7°.de vſu par. 1ª.163.C

Cibum ſpinoſum & durum ſumentia non indigent dentibus ſuperioribus. 6°.de anat.adminiſt. 1ª.90.E

Cibus ſi ingreditur aſperam arteriam,ſtrangulationes & tuſſes excitantur.introd. Iſa.54.C/D

propter Cibum maioris molis, chartilaginis anuli tracheæ arteriæ non ſunt rotundæ.7°.de vſu par. 1ª.158.C

Ciborum inſtrumentorum differentia.6°.de anat.admi. 1ª.90.D

Cibus it per collum.11°.de vſu par. 1ª.186.B

inter Cibi inſtrumenta numerantur muſculi in terminis vaſorum.6°.de anatom.adminſt. 1ª.90.C

Cibi quo modo conficiantur & diſtribuantur.ꝙ animi mor. 1ª.320.F

Cibus quo muſculo conteratur.11°.de vſu par. 1ª.185.F

Cibi qui nulla indigent contritione.8°.de comp.me.ſe.lo. 5ª.187.H

Cibi primum inſtrumentum ventriculus.6°.de anat.adm. 1ª.90.C

Cibi per gulam trahuntur à ventriculo.3°.de nat.fac. 1ª.304.G

Cibi trahuntur à ventriculo eſurienti,antequam ſint in ore lęuigati.3°. de natu.facul. 1ª.305.E

Cibus,et potus trahunt à vētriculo uillis rectis.4°.de vſu par. 1ª.137.B

Cibus,& potus expelluntur à ventriculo villis tranſuerſis. 4°. de vſu partium. 1ª.137.B

à Cibis venter trahit alimentum ſibi accōmodatū.6°.de decr. 1ª.265.H

de Cibo in ventriculo Eraſiſtrati opinio.3°.de nat.fac. 1ª.303.E

Cibi cōplectuntur à ventriculo,vt fœtus ab vtero.3°.de nat.fa. 1ª.303.E

Cibos amplecti propriū eſt ventriculi ſe circunſtringendo certo tpe detinere,& rurſus ad inferiora dimittere.com.6°.aph.1°. Ex.45.H

in Cibis quod optimum eſt,trahit ſibi retentrix.3°.de nat.fa. 1ª.303.H

Cibus

Cibus quo modo exuccetur.com.2°.aph.20°. Ex.14.F
Cibus quando eſt in ventriculo,pyloros eſt clauſus vt os vteri. 3°.de naturalibus facul. 1ª.303.E
poſt Cibū ſūptū vētricul⁹ inferius os ſuū claudit.2°.de ſymp.ca. 3ª.21.C
Cibi inſtrumentum omentum.6°.de anat.admi. 1ª.90.F
Cibi diſtributionis inſtrumentorum triplex differentia . 6°.dc anatomia adminiſtration. 1ª.93.F
Cibo concocto aperitur inferius os ventriculi.3°.de nat.fa. 1ª.303.D
Cibus de ſtomacho educitur.de cathar. Sp.94.G
Cibus quo modo à ventriculo ad iecur efferatur.de conſt.ar. Iſa.41.D
Cibi ſuccus non omnino tranſmittitur ad venam hepatis , immo etiā partim ad arteriam.de vtil.reſp. Sp.64.G
Cibum attrahit iecur à ventriculo per meſeraicas,vt arbor à radicibus 6°:de loc.affect. 4ª.37.G
Cibi liquamen,vel chylus,quod ex ventriculo,& inteſtinis in iecur trāſmittitur,partim tenuioribus portionibus, partim craſſioribus conſiſtit.de atra bile. 1ª.34.H
Cibi tranſmiſſio à ventriculo in ieiunium inteſtinum non eſt opus naturę. 6°.de loc.affect. 4ª.38.E
Cibi ſuccum trahit hepar ab inteſtinis.de vtil.reſp. Sp.64.D
Cibus quo modo eat per iecur.5°.de loc.aff. 4ª.33.G
Cib⁹ in ſimā iecoris partē,deinde in gibbā prouenit.de cōſt.ar.Iſa.41.D
Cibi cur mutant qualitatem poſtquam à caua ad gibbam iecoris peruenerint.13°.meth.med. 7ª.83.E
Cibum aſſumptum claboramus virtute proueniente ab hepate, cōcoctione,& digeſtione,& ſanguificatione,& appoſitione , & proſphyſi,et diſcretione,& excretione.de virt.noſtrum corp.diſp. Sp.60.B
Cibus non mutatur à ventre propter iecur.6°.de decr.Hip. 1ª.265.H
à Cibis,& potibus,atq; aere quid habeat iecur.10°.meth.me.7ª.64.F
Cibum concoquenti in ventre potentię ſanguifica potentia proportionalis eſt.com.2°.apho.17°. Ex.13.A
Cibus vbi fit ſanguis,fit motus paſſiuus cibi.1°.de nat.fa. 1ª.291.B
Cibum alterat iecur in ſanguinem,& mittit ad cor.an āīal ſit. 1ª.326.E
Cibi vltima coctio fit in cor ſecundum Ariſtotelem.de vtil.reſ.Sp.62.F
Cibatur cor ſpiritu,& ſanguine attracto.de anat.viu. Sp.56.D
Cibus alteratus à iecore in totū corpus tendit.6°.de anat.admi. 1ª.90.C
Cibi à ventriculo in iecur,& ab hoc in totum corpus deductio , opus eſt naturale.3°.de ſymp.cau. 3ª.26.A
Cibi tantummodo vehiculum eſt humiditas,non autem cibus. de victus rat.in mor.acu.com.3°. 7ª.128.F
Cibum concoctum in diuerſas corporis partes reddi prohibet iecinoris obſtructio.de bon.& vitio ſuc. 2ª.34.F
Cibus quo modo per totum corpus deferatur.6°.de lo.aff. 4ª.38.A
Cibus per quas venas aſcendat.de venarum,art.diſſec. 1ª.56.B
Cibos comeſos non ſuſcipiunt venæ conſtipatæ.de ſal.diæta. 2ª.42.F
Cibi aſſimilatio fit ſpatio temporis.in progn.com.1°. 4ª.197.B
Cibum,& potum appetens ventriculi cupiditas animale officium eſt.6° de locis affect. 4ª.37.H
Cibū appetimus virtute ꝓueniēte ex hepate.de vir.noſt.cor.di.Sp.60.b
Cibi defectum percipit ventriculus per neruum.9°.de vſu par.1ª.174.G
Cibum plurimum cur melancholici appetant.de mel.ex Gal. Sp.109.D
Ciborum vehemens appetentia in morbis longis ſolet accidere in his qui ſunt euaſuri.com.7°.aph.6°. Ex.54.D
Cibi appetentiæ defectus,morſus & faſtidium in vētriculo, ſitis, ore ad amaritudinē alterato notāt peccare bilem.cō.4°.aph.2°. Ex.27.E
Cibos,& potus amara videri indiciū morbi ex ventre.de dyn. Sp.19.H
Ciborum appetentia quę non ſeruet tempus conſuetum oſtendit futurā ægritudinem.ars med. Iſa.67.E
Ciborum appetentia ad non vſitata edulia oſtendit futuram ægritudinē. ars medendi. Iſa.67.E
Ciborum appetentia intenta vel diſſoluta oſtendit futuram ęgritudinem. ars medendi. Iſa.67.E
à Cibo prohibendi ſunt qui appetentiam amiſerunt. in 6m.de morb.vulgaribus,com.4°. 3ª.184.A
à Cibo abſtinētia quę apoſitia dicitur,ſignificat idem quod anorexia,id eſt inappetentia.com.4°.aph.17°. Ex.29.A
Cibi pingues,ac lenti appetentiam euertunt.3°.de ali.fa. 2ª.30.F
Cibi appetentiam excitat cucurbitula.de hirud.reuulſ.cucurbitulis, & ſcarifi.2.F| 6ª.3.F
Cibum nō capientes ſuauiter reſtituit theriaca.de ther.ad Piſo.5ª.96.A
Cibi appetentiam excitans antidotus.7°.de cōp.med.ſec.loc. 5ª.186.A
ad Cibi inappetentiam.2°.de antid.113.D|de med.fac.par. 7ª.174.C
Ciborum vehementiſſimæ inappetentiæ vitio lienis quando fiant. 6°.de locis affectis. 4ª.36.B
Ciborum inſatiabilitas appellatur vltra quam ſatis ſit progredi veſcendo.de cog.cur.animi mo. 2ª.54.G
Cibum inſatiabiliter appetentem ſtomachum ſanat theriaca.de theri.ad Piſonem. 5ª.96.A
Cibos uitioſos qui appetant,& cur.1°.de ſymp.cau. 3ª.18.C
Cibos præter naturam edunt pręgnantes.7°.de loc.aff. 4ª.41.B
Cibi vitioſi cupiditatem facit fluxio corrupta.6°.de ſan.tu. 2ª.98.F
Ciborū malorū appetētia ſigñat læſū eē os uētriculi.5°.de lo.af.4ª.32.H
Cibus magis q̃ potio appetitur,vitioſo ſucco,qui ſalſus & bilioſus ſit,uētrem mordente.1°.de ſymp.cau. 3ª.18.B
Cibi faſtidium vnde oriatur.intro.Iſa.57.C| in 6m.de mor. vulg.com.1°. 132.G|com.6°.aph.3°. 3ª.46.F
Cibi faſtidium quando generat allium.de victus rætione in mor. acutis , commentario.4°. 7ª.145.C
Ciborum magnam nauſeam inducunt acria, ſi largius æquo ſumpta fuerint.de atten.vic.rat. 2ª.43.G
Cibum faſtidientes,qui.in 1m.de mor.vul.com.1°. 3ª.106.F
Cibi faſtidium in morbo diuturno & deiectiones ſinceræ,malum.commētario.7°.aph.6°. Ex.54.C
Cibi faſtidij curatio.intro. Iſa.57.C
Cibū faſtidiētibus excitat appetētia vua ſeruata.2°.de ali.fac. 2ª.18.A
ad Cibum faſtidientes.8°.de comp.med.ſe.lo. 5ª.196.H
Cibos faſtidientes purgandi nō ſunt.in 1m.prorrh.com.1°. 4ª.174.B|D
Cibum faſtidientcs non ſunt lauandi.de vict.rat.in morbis acutis, commentario.3°. 7ª.133.A
Cibum faſtidientes comeſſe coacti,euomunt.3°.de nat.fa. 1ª.303.G
Cibi inter ſe ſe mutuo diſſidentes facilius vomitum cient. 2ª.41.H
Cibi vomitum facientes.3°.de ſymp.cau. 3ª.27.B
à Cibo vomitum ſemcl aut bis in menſe cur laudat Galcnus . 5°.de vſu partium. 1ª.143.E
Cibi quibus vti debent vomentes.5°.de vſu par. 1ª.143.E
ad Cibum uel alimenta non retinentes.6°.de comp.me per ge.5ª.256.A
Cibus ſi non poſſit retineri,medicamentū.8°.de cōp.me.ſec.loc.5ª.187.E
ad Cibi reiectionem.8°.de comp.med.ſec.loc.189.G| 5ª.191.C
Ciborum modus retinet cibum in uentre.1°.de ſan.tu. 2ª.68.A
Cibum ſemel,& eum vnicum capere,& vinum vnum bibere intereſt , ut uenter illa & retineat & coquat.de ſal.diæta. 2ª.42.C
Cibum in uentre remorantur,auſtera,acerba,& ſicca natura. 1°.de ſanitate tuenda. 2ª.68.A
ad Cibum non ſentientes.7°.de comp.med.ſec.loc. 5ª.196.A
Cibi omnes agunt,& etiam patiuntur aliquid in corpus noſtrum. 3°. de temperamentis. 1ª.24.D
Cibi pauciſſimi ſunt qui non agunt in corpus.1°.de alim.fac. 2ª.8.E
Cibus quo modo alteret corpus.ars med. Iſa.68.C
Cibi mutationis pulſus,qualis.3°.de cauſ.pul. 4ª.98.H
ex Cibo pulſus mutatio eſt diuturna.1°.de præſag.ex pul. 4ª.104.H
Cibi largi pulſus,qui.de pulſ.ad tiro. 4ª.44.E
Cibi modici pulſus,qui.de pulſ.ad tiro. 4ª.44.E
Cibi parcioris quàm qui nutriat,pulſus qui.de pulſ.ad tiro. 4ª.44.E
Cibum qui acceperunt,& biberunt,cur habent reſpirationem paruam, & frequentem.de util.reſp. 1ª.226.G
Cibus humidus eſt cā ꝑcedēs pulſus mollis.1°.de præſ.exper. 4ª.109.D
Cibi primo frigefaciunt corpus,humidi potiſſimum , poſtea cocti calefaciunt.3°.de tempera. 1ª.22.F
Cibi alterantur.1°.de nat.fac. 1ª.291.C
Cibus quo modo mutetur.1°.de nat.fac. 1ª.292.F
Ciborum mutationis cauſa eſt temperies quatuor elementorum,quæ proprietatem corporis uentriculi effecit.3°.de ſymp.cau. 3ª.25.A
Ciborum mutationem efficit calidum elementū.3°.de ſymp.cau.3ª.25.A
Cibos accendit caſeus.de uic.rat.in mor.acu.com.4°. 7ª.145.D
Cibus non eſt quod non uincitur.3°.de nat.fac. 1ª.304.A
Cibi et itē aquæ uirtus eſt eſſe bñ alterabilē.com.5°.aph.26°. Ex.40.A
Cibis tribuit coctionem Galenus.ars med. Iſa.70.H
Cibus oīs nō coquitur in cuiuſuis āīalis uentre.4°.de ſan.tuen. 2ª.82.H
Cibus non habet in omnibus vnum tempus coctionis præfinitum neq; vinum.com.5°.aph.5°. Ex.37.H
Cibi in dentibus amittunt ſpeciem.3°.de nat.fac. 1ª.304.A
Ciborum alteratio in ore,quanta.3°.de nat.fac. 1ª.304.A
Cibi in ore miſcentur cum pituita,quę in ore hř.3°.de nat.fac. 1ª.304.B
Ciborum coctio eſt uentriculi actio.17°. de vſup artium. 1ª.222.F

ad Cibos concoquendos vis vẽtriculi.in 6^{m}.de mor.vul.cõ.5°. 3ª.188.B
Ciborum concoctio in uentriculo,quę.3°.de nat.fac. 1ª.303.D
Cibus in ſtomacho uertitur in lacteum ſuccum.de compag.mem. ſiue de natura humana. Sp.58.H
Cibi in ſtomacho mutant conſiſtentiam,colorem, & odorem, & alias qualitates.com.6°.aph.1°. Ex.45.G
Cibus coctus in ventriculo non eſt propinqua materia carnis, ſed fit primo ſanguis.3°.de tempe. 1ª.21.G
Cibus modicus bene concoquitur.de cog.cur.animi morbis. 2ª.54.G
Cibus debet adęquari virtuti digeſtiuæ.de diſſ.cont. Sp.71.H
Cibos corruptu difficiles cur aliqui magis, quàm faciles concoquant.1°. de alimen.fac. 2ª.7.F/G
Cibi cur non coquantur.de diff.morb. 3ª.3.G
Ciborum copia cruditates facit.introd. Iſa.55.C
propter Cibi immodicam copiam concoctio ab extrinſeco impeditur. 3°. de ſymp.cauſ. 3ª.24.H
propter Cibi qualitatem alienam & intempeſtiuitatem coctio ab extrinſeco impeditur.de ſymp.cau. 3ª.24.H
Cibos crudos reddit vigilia fortis.de vic.rat.in mor.acu.cõ.2°. 7ª.125.B
Cibi concoqui non poſſunt,nec diſtribui calore natiuo debilitato. commẽtario.4°.aph.27°. Ex.30.C
circa Cibos mediocres & conſuetos nihil in totum effeciſſe ventris maximam intemperiem oſtendit.3°.de ſymp.cau. 3ª.25.C
Cibi concoctio ſi ex frigiditate immodica perditur, quid ſequatur. 3°.de ſympto.cauſ. 3ª.25.D
Cibi cur non coquãtur,ſi inflammatio,aut vlcus,aut aliquid huiuſcemodi ventriculum infeſtet,nullam præterea cauſam exquirunt.de differentijs morborum. 3ª.3.G
Cibus natans in ſtomacho non digeritur.de diſ.cont. Sp.71.H
Cibus ſi natet in ſtomacho quibus cibandum.de diſ.cont. Sp.71.F
Cibi innatantes,vbi ſumpta ſunt auſtera,deorſum truduntur. 6°.de ſanitate tuenda. 2ª.99.E
Cibus & ſi non exacte impleat cõceptaculi menſuram, lædit ſi illum non bene concoquit ſtomachus.com.2°.aph.17°. Ex.13.A
Cibus qui non bene coquitur,quid agat.11°.methodi meden. 7ª.72.F
Cibi in ventriculo male cocti non coquuntur in iecore. in 6^{m}.de mor.vulgaribus.com.4°. 3ª.186.D
Cibus non ſuperatus putreſcit.de cur.rat.per ſang.miſſ. 6ª.16.H
Cibi ſi non vincantur,refrigerant.3°.de temp. 1ª.23.C
Cibos indigeſtibiles in inteſtinis quid purget.de cathart. Sp.95.C
ad Cibum minus concoquentes.8°.de comp.me.ſec.lo. 5ª.169.H
Cibum digerens medicina.ſecretorum. Sp.101.F
Cibum non mutari melius eſt, quàm ſi mutetur in peregrinam qualitatẽ. 8°.de comp.med.ſec.lo. 5ª.194.B
qui Cibi velociter corrumpuntur in ſtomacho.de diſſ.cont. Sp.74.H
Ciborum qui non velociter corrumpuntur in ſtomacho,qui melior.de diſſolu.conti. Sp.75.A
Cibus ſumptus antequam primus deſcenderit,facit corrumpere primũ, & ſecundum.de diſſ.cont. Sp.72.A
Cibus quo modo corrumpatur, & quibus.3°.de ſymp.cau. 3ª.25.C
Ciborum ad fumoſum vel acidum ructum conuerſio,ad cauſas & affectus ventriculi referenda eſt.1°.de loc.aff. 4ª.5.H
Cibos natantes corrumpere pertinet ad propriam rationem oris ventriculi.5°.de loc.aff. 4ª.32.E
Cibos non corrumpit fundus ventriculi.5°.de loc.aff. 4ª.32.E
Ciborum corruptionis tres generaliſſimæ differentiæ.1°.de lo.af. 4ª.5.B
Cibi vertuntur in fumum à caliditate.1°.de lo.aff. 4ª.5.D
Ciborum corruptiones nidoroſæ ex calidioribus,magis quàm bilioſis veniunt cibis.3°.de ſymp.cau. 3ª.24.H
Cibi in bilioſis in nidorulentam, & fumoſam qualitatem corrumpuntur. 8°.meth.meden. 7ª.53.B
Cibum in nidorem vertentibus dandus eſt panis, & chondrus. 1°.de locis affectis. 4ª.5.E
Cibi in bilioſis raro in acidum conuertuntur.8°.meth.med. 7ª.53.B/G
Cibi in acidum conuerſi ſunt minus mali in calidis naturis. 8°. methodi medendi. 7ª.53.B
Ciborum corruptiones acidæ ex ijs cibis veniunt, qui frigidiores natura ſunt magisq; pituitoſi.3°.de ſymp.cau. 3ª.24.H
Cibis corruptis in ventriculo ſimilis ei affectus incidit, qui vtero ob fœtus corruptelam.2°.de ſymp.cau. 3ª.21.C
Cibo corrupto quando aperiatur os ventriculi inferius.2°.de ſymptomatum cauſis. 3ª.21.C
Ciborum corruptio quibus accidit in ventre, & ſi deſcendat in aluũ, vel non deſcendat,quid agendum.6°.de ſan.tuen. 2ª.97.H
ex Cibis corruptis fit qñq; febris.in 6^{m}.de mor.vul com.5°. 3ª.194.A
Cibos valde corruptos in ſtomacho habentes,quomodo curandi.8°.de cõpoſi.med.ſec.lo. 5ª.191.G
ad Cibum corrumpentes.8°.de comp.med.ſec.loc. 5ª.193.C
Cibos poſtridie eructant, & ſi præcordia aleuantur, his, tanquam cibis non percoctis,diuturnior ſomnus prodeſt.de ſal.diæta. 2ª.43.B
Cibi oĩno incõcocti nõ poſſunt facere ructus.com.6°.aph.1°. Ex.46.A
ad Cibos eructantes.8°.de comp.med.ſec.loc. 5ª.191.G
Cibus in ventre quibus aceſcit remediũ.8°.de cõp.med.ſec.loc. 5ª.191.D
Cibum in acidum vertentibus dandum mel.1°.de loc.aff. 4ª.5.E
Cibus in ventriculo quibus aceſcit,ijs auxiliabitur antidotus Athanaſia Mitridatis.2°.de antid. 5ª.114.H
Cibus non emittitur à ventriculo antequam ſit perfecte coctus. 4°. de vſu partium. 1ª.140.G
Cibus crudus emittitur,ſi ventriculus acrimonia irritetur, aut multitudine grauetur.3°.de nat.fac. 1ª.303.F
Cibus ſemicoctus qualis, & cur excernatur.3°.de ſymp.cau. 3ª.27.H
Cibi ſemicocti qui dicantur.4°.de ſimp.med.fac. 5ª.28.B
Cibus ſi de ſtomacho añ digõnẽ exeat.quid agẽdũ ſit.de diſ.cõt. Sp.75.B
Ciborum qualitas & quantitas cur faciat remorari excrementa, quæ in ventriculo continentur.1°.de ſan.tuen. 2ª.68.A
Ciborum ordo cur cauſa ſit cur retineantur excrementa in ventre. 1°.de ſanitate tuenda. 2ª.68.A
Ciborum cur maior aut minor fiat deiectio, q̃ pro comeſtorum multitudine.3°.de ſymp.cau. 3ª.27.D
qñ Cibi ſuperfluitas eſt difficilis deſcenſus de ſtomacho et inteſtinis, ĩdigemus his q̃ deſcẽdere faciũt & vẽtrẽ mollificent.de diſ.cõ. Sp.71.F
ad Cibum deponendum quæ excitent.de diſſ.cont. Sp.75.B
Cibi ex cõtrarijs ſubſtãtijs quo mõ turbẽt vẽtrẽ.1°.de alim.fac. 2ª.8.A
Cibi ſtyptici qui ſint.de diſſ.cont.74.D/ Sp.75.B
Cibaria ſtyptica rectificant ſtomachum debilem & mollem. de diſſolutione continua. Sp.74.D
Cibi lenientes qui ſint. de diſſ.cont. Sp.75.A
Cibus leniens añ ſtypticũ, & è cõtrario,quid agant.de diſ.cõt. Sp.71.H
Cibus qui ducit ventrem.1°.de alim.fac. 2ª.9.C
Cibos ſibi ſimiles adiuuant ad excretionẽ aut cohibitionẽ alui bilis et pituita.1°.de alim.fac. 2ª.8.A
Cibaria ſalſa deiectiones moliri,collige,com.2°.aph.20°. Ex.14.D
Cibi humidiores & glutinoſiores celerem efficiunt deiectionem. 3°. de ſympto.cauſ. 3ª.27.C
Ciborum ſuperflua ſi tarde deſcendant,dari debent cibi lenientes & pũgentes,in quibus ſit dulcedo,aut acuitas,aut ſalſedo, aut nitroſitas. de diſſol.cont. Sp.75.A
Cibum quando de ſtomacho faciat deſcendere vinũ.de diſ.cõt. Sp.72.B
poſt Cibum adſtringens quid ſumptum facit ventrem retinentem habentes excernere.6°.de ſan.tuen. 2ª.99.E
Cibi indigeſti de ſtomacho educuntur.de cathar. Sp.94.G
Cibus quando glande, vel clyſteri educendus.8°.meth.med. 7ª.53.F
Cibi non quia oĩno incocti permanent,ideo cito deijciuntur, ſed quia cito deijciuntur,iccirco nullam habẽt coctionẽ.com.6°.aph.1°. Ex.46.D
Cibus exit per inteſtina qualis fuit deuoratus in lienteria.6°.de locis affectis. 4ª.37.G
Cibos extra protrudunt inteſtina.3°.de ſymp.cau. 3ª.27.D
ex Cibo aut potu aliquo poſſe alui profluuium contingere, collige. commentario.6°.aph.16°. Ex.47.G
Ciborum, & naturarum diuerſitas eſt ſcienda.de diſ.cont. Sp.71.D
Cibi quo modo diuerſi ſint.de diſſ.cont. Sp.71.D
Ciborum ratio maxima habenda eſt.6°.de ſan.tuen. 2ª.101.A
Cibi naturã Medicũ ſcire oportet, ſm Rationales.de ſect. Iſa.16.D
Ciborum facultas breui non poteſt comparari.1°.de alim.fac. 2ª.9.D
Cibarijs medicis nomen à materia inditum eſt.ad Thraſ. 2ª.105.B
Cibi pro viribus conſiderandi ſunt.12°.meth.med. 7ª.77.E
Cibi, ac potus ſunt materiæ medicinæ.ad Thraſ. 2ª.106.A
Cibũ exhibere ĩter primas medici actiões numerat.ad Thraſ. 2ª.108.F
qui Cibi ſanguini faciendo maxime conſentiant, qui diſſentiãt, magis quærendum erat Eraſiſtrato, quam qui ventriculi operi facile cedant, qui aduerſentur.2°.de nat.fac. 1ª.299.E
Ciborum ſalubrium exacta cura non habetur, niſi corporũ naturę agnoſcantur. de bon. & vit.ſuc. 2ª.38.A
Cibus tota ſubſtantia ſingulis idoneus ſola experientia diſcernitur. 6°. de ſani.tuen.

de ſani.tuen.2ª.96.C/de vict.rat.in mor.acu.com.4º. 7ª.145.C
Cibi comeſti qũo deprehẽdunt ex ſubſtantia.1º.de pſa.ex pul. 4ª.107.H
in Ciborum facultatibus diuturnæ experientiæ credendum ex Diocle. 1º.de alimen.facul. 2ª.7.E
Cibi modus quo modo experientia inueniat.2º.de ſani.tuen. 2ª.73.E/.A
Cibi ſubſtantia alendo accommodata cognoſcitur voluptate edendi. 3º. de alimen.fac. 2ª.30.F
de Cibis quę neſciat coquus.ad Thraſ. 2ª.108.H
Ciborum differentiæ.in 6m.de morb.vulg.com.5º. 3ª.194.G
Ciborũ aliq nõ habẽt facultatẽ manifeſtã aliqui hñt.1º.de ali.fac. 2ª.9.B
Ciborum alium ſimpliciter cibum:alium,medicinalem cibum appellandum eſſe,collige.com.4º.aph.13º. Ex.28.G
in Cibo,et potu qũo vis qpiã medicinalis ẽ immiſta.1º.de ſa.tu.2ª.68.B
Cibi quidam quando plane videntur agere & excellenter, non ſolum cibi ſunt,ſed medicamenta 3º.de temp. 1ª.24.D
Ciborũ eſus,& veratri potio nulla ſocietate pticipãt.ad Thra.2ª.105..A
Cibi habent eandem facultatem cum medicamẽtis,cum quibus communicant in ſapore.1º.de ali.fac. 2ª.9.B
Cibis q inſunt qualitates,quib9 aluũ vel exercere vel cohibere poſſint, nõ tanq̃ alimentis,ſed tanq̃ medicamẽtis inſunt.1º.de ali.fac. 2ª.14.D
Cibi medicinales qui ſint.8º.meth.med. 7ª.50.H
Cibi,et medicamẽti vim hẽt ptiſſana.de vic.ra.in mor.ac.cõ.1º.7ª.115.D
Cibus phacoptiſſana.i.ex ptiſſana & lente,qualis.1º.de alim.fa.2ª.13.E
Cibus medicinalis cur difficulter deglutitur.3º.de nat.fac. 1ª.304.H
Cibi habentes qualitatem medicamentoſam omnino non nutriunt, niſi coctione,aut aſſatione,aut maceratione qualitatem illam depoſuerint, tuncq; exigue nutriunt.2º.de alim.fac. 2ª.19.D
cum Cibis ſacrificiorum curantes medicos altarium laudat.de medicin. exper.104.A/ Sp.108.G
Cibi habentium calorem mordacem,qui.5º.de ſan.tuen. 2ª.94.C
à Cibis calidis ſubſtantia caloris in animali augetur,qualitas tamen nõ intenditur.3º.de temp. 1ª.24.E
Cibi acres,& calidi,qui.de cauſ.mor. 3ª.6.G
Cibi acres caliditatem augent,& febres generant.de cauſ.mor. 3ª.6.G
Cibi acuti calefaciũt ſanguinẽ calefactione nimia.de diſ.cont. Sp.72.F
Cibi calidiores ſunt magis bilioſi.2º.de nat.fac. 1ª.300.D
Cibi calidi quibus conueniunt.de diſſ.cont. Sp.74.C
Cibi potusue varijs modis refrigerati.de bon.& vi.ſuc. 2ª.39.C
Cibi certiſſime refrigerantes,qui.in 6m.de mor.vul.com.5º. 3ª.194.B
Cibus frigidus infrigidat poſtea concoctus calefacit.3º.de temp. 1ª.24.C
Cibi frigidi quibus præbendi.de diſſ.cont. Sp.74.D
Cibos frigidos fortius digerunt calidi.de diſſ.cont. Sp.73.B
Cibi qui magis exiccent in omni genere.2º.de ſan.tuen. 2ª.92.D
Cibi ſicci quibus conueniant,& qui ſint.de diſſ.cont. Sp.74.D
Cibos ſiccos digerunt humidi.de diſſ.cont. Sp.73.C
Cibus mollior habet molliorem ſubſtantiam.3º.de ali.fac. 2ª.31.H
Cibi qui humectent,& qui non.quos purg.op.quib.med. 5ª.88.A
Cibi humectantes ſunt quicunq; nullã habẽt fortẽ qualitatẽ,hoc eſt neq; acerbã,neq; acrẽ,neq; ſalſam,neq; amarã.cõ.4º.apho.13º. Ex.28.G
Cibi humidi quibus conueniant,& qui ſint.de diſſ.cont. Sp.54.D
Cibos humidos digerunt ſicci.de diſſ.cont. Sp.73.C
Cibi humectantes ſõporiferi ſunt.3º.de loc.aff. 4ª.16.F
Cibi humidi citra adſtrictionem facile ſubſident.2º.de ali.fac. 2ª.16.G
Cibi frigidi,& humidi,qui.10º.meth.med. 7ª.67.A
Cibi qui boni,& qui mali in genere.de bo.& vi.ſuc.36.H/ 2ª.37.A
Cibi boni ſucci,qui 2º.de comp.med.ſec.loc.5ª.133.D/ de remed.para.facil.7ª.159.C/de diſſ.cont. Sp.73.G
Cibus idoneus ad coctionẽ,trãſit in ſanguinẽ.com.2º.aph.17º. Ex.13.A
Cibi bonũ ſuccũ gñant,q probe ĩ vẽtriculo coquunt.de bo.et vi. 2ª.37.A
Cibaria recte cõfecta bonũ ſanguinẽ gñant.cõtra ea quæ à Iul. Ex.69.F
Cibi boni ſucci detergũt,nec glutinoſi ſunt, nec craſſum ſuccũ efficiunt, nec valenter nutriunt.4º.de ſan.tuen. 2ª.84.F
Cibi boni ſucci qui non calefaciunt.de rem.par.fac. 7ª.149.A
Cibi optimi ad bonam valetudinem,quales.de bon.& vit.ſuc. 2ª.36.E
Ciborum generantium chymum bonum tẽperatum inter ſubtile,et craſſum,enumeratio.de diſ.cont. Sp.73.H
Ciborum boni chymi,& ſubtilis enumeratio.de diſſ.cont. Sp.73.H
Cibi molles,ac friabiles maxime cõferũt ad ſanitatẽ 3º.de ali.fac.2ª.3.E
Cibus boni chymi plurimus accipiat poſt comeſtionẽ bathecæ. Sp.74.F
Cibus ſalubris cui curæ eſt,perdicibus,& turturibus vtat mortuis vno die aſſeruatis.de atten.vic.rat. 2ª.45.G
Cibi pbati ſucci ex frumẽtaceorũ genere ſunt.de bo.& vit.ſuc. 2ª.34.E
Cibi non habentes ſuperfluitates,qui ſint.de diſſ.cont. Sp.73.E
Ciborũ qui malos generãt humores tres ſunt ſpẽs.de diſſ.con. Sp.74.A
Cibi qui pariũt malos ſuccos.de bon.et vit.2ª.33.G/1º.de diſ.ſe. 3ª.31.G
Cibi peſſimi,qui.de puero epilep. 7ª.180.D
à Cibis gulã nimium irritãtibus abſtinẽdũ eẽ docet.de cog.cur. 2ª.33.C
à Ciborum malorum ſuccorum vel tenuium, vel craſſorum eſu ſemper abſtinendum.2º.de ali.fac.17.D/de bon.& vi.ſuc. 36.B/2ª.39.B
Cibi vitiati febrem faciunt.1º.de diff.feb. 3ª.31.C
Cibi vitioſi ſucci qñ ęſtate non vitandi.de bon.& vi.ſuc. 2ª.39.B
à Cibis paruis cur minus lædant exercẽtes ſe laborib.1º.de ali. 2ª.10.B
Ciborum putridorum odores.3º.de ſymp.cau. 3ª.25.D
Cibi qui minus nutriunt,& plurimum nutriunt.de diſſ.cont. Sp.73.G
Cibus qui alimentum copioſius præſtat.3º.de alim.facul.2ª.30.E/1º. de marc.48.D/de venę ſect.aduer.Eraſ.6ª.14.C/8º.meth.med. 7ª.50.H de diſſol.cont. Sp.73.E
Cibi inſipidi & dulces præſertim,& compacti corpus multum nutriũt. 2º.de alim.fac. 2ª.24.H
Cibus coctu facilis non põt eſſe maxime nutriẽs.7º.meth.med. 7ª.45.D
Cibi multi nutrimenti à quo ſummendi ſint.de diſſ.cont. Sp.73.E
Cibi multi nutrimenti aggrauant ſtomachum.de diſſ.con. Sp.73.E
Cibi robuſti,qui.in 6m.de morb.vulg.commen.4º.184.C/3ª.192.G/de articu.commen.3º. 7ª.275.F
Cibi imbecilli,qui.in 6m.de mor.vul.com.4º.184.C/ 3ª.192.E
Cibi qui facile nutriant,ſed parum.8º.meth.med. 7ª.50.H
Cibus qui alimentum minus copioſum præſtat.3º.de alim.fac. 2ª.30.F
Cibi oẽs acres & amari parcius corpus nutriũt.2º.de ali.fac. 2ª.24.G
Cibus leuiſſimus eſt ouum ſorbile.de dyna. Sp.19.H
Cibi tum tenuium partium,tum natura calidi faciles attractu ſunt, ſed parum nutriunt.de marc. 3ª.48.D
Cibus humidus minus nutrit,facilius coquitur ac diſtribuitur.3º.de alimen.facul. 2ª.30.F
Cibi ſubtiles ſũt pauci nutrimẽti,et qui alij ſint pauci nutrimẽti. Sp.73.F
Cibi qui carent fere nutrimento.de venæ ſect.aduer.Eraſ. 6ª.14.C
Cibi aliqui vñr duri ac terreſtres,q elixi molles reddunt.de bon.2ª.36.F
Cibi qui velocius digerantur.de diſſ.cont. Sp.73.C
Cibariorum velocis digeſtionis modus primus.de diſſ.cont. Sp.73.B
Cibatio citiſſima per quæ fiat.com.2º.aph.11º. Ex.12.D
Cibi concoctu difficiles,& ſi pauciores,tardius digerũtur à natura imbecilli,q̃ faciles,ẽt ſi plures,nã forti exiſtẽte.com.2º.aph.17º. Ex.13.A
Cibus durior habet craſſam ſubſtantiam.3º.de alim.fac. 2ª.31.H
Cibi craſſi ſucci,qui.3º.de ali.fac.2ª.28.E/1º.de cõp.me.ſec.lo. 5ª.128.D
Cibi craſſi viſcoſi ſi coquantur,multum nutriunt, aliter faciunt oppilationem.de diſſ.cont. Sp.72.G
Cibos craſſos aliqui velocius digerunt.de diſſ.cont. Sp.73.C
Cibos craſſos in hyeme ſumere cur ſit melius.de diſſ.cont. Sp.72.G
Cibis craſſis cur vtantur athletæ.1º.de ali.fac. 2ª.10.B
Cibaria craſſa dominante eis ſiccitate,duritie,& viſcoſitate,& ſimplicia,& commiſta quid faciant.de diſ.cont. Sp.72.G
Cibaria craſſa in corpore calido quid efficiant.de diſ.cont. Sp.72.G
Cibi craſſi ſucci calculos generant in calidioribus.3º.de ali.fac. 2ª.28.F
Cibi craſſi faciunt capillitiũ dictum morbum.com.4º.aph.76º. Ex.36.C
Cibi craſſi qũo edẽdi ſint à nõ calidis,& qui nõ mouent.de diſſ. Sp.72.G
Cibi craſſi et glutinoſi ob putredinẽ cãæ ſunt febrium.1º.de diff. 3ª.32.A
Cibi humidi & glutinoſi cur facile permeant.3º.de ſymp.cau. 3ª.27.D
Cibi craſſi & acerbi tardi ſunt tranſitus.3º.de ſymp.cau. 3ª.27.D
Cibi qui obſtruunt numerantur.de diſ.con. Sp.74.H
Cibi craſſi faciũt obſtructionẽ ĩ iecore & renibus.de bo.et vi.ſu. 2ª.36.B
Cibi craſſi & lenti ſucci nihil faciũt grauitatis,aut tenſionis, dextrę parti hypochondriorum.de bon.& vi.ſuc. 2ª.35.A
Cibos craſſi & lenti ſucci vitent,qui ob ætatem vel conſuetudinem exerceri non poſſunt.de bon.& vit.ſuc. 2ª.35.A
à Cibis craſſis abſtineãt capite vulnerati.2º.de cõp.me.ſe.loc.5ª.134.A
à Ciborũ craſſorũ eſu,& ſi ſint boni ſucci cur abſtinẽdũ.de bo. 2ª.36.B
Cibis craſſis,& lẽti ſucci pñt veſci hoĩes ſua ſpõte.de bo.& vi. 2ª.34.H
Cibi pingues ac lenti non poſſunt diu edi.3º.de ali.fac. 2ª.30.F
Ciborum ſubtiliantium tria genera,& quod ſit primum genus, & eius enarratio.de diſſ.cont. Sp.72.D
Ciborum ſubtiliantium ſm genus,eiusq; enarratio.de diſſ.cont. Sp.72.E
Ciborum ſubtiliantium tertium genus,quod in quatuor ſecatur differentias.de diſſ.cont. Sp.72.E
Cibi qui attenuãt craſſos humores.de at.vic.2ª.44.A/de diſſ. Sp.74.G
Cibi oẽs,qui ſunt cõditi,& præparati ex aceto,ſinapi,et oxymelite, attenuant.

tenuant.de atten.vict.rat. 46.B
Cibi in quibus poſitum eſt ſal muria,& baurach,diſſoluunt, ac tenuant cum ſalſedine ſua.de diſſ.cont. Sp.72.F
Cibi ſalſi diſſoluunt,ac attenuant,& qui ſint.de diſſ.cont. Sp.72.F
Cibos attenuantes,guſtus,& olfactus diſcernere docẽt.de atten.2ª.43.G
Cibi acres,& extenuantes morboſi ſunt.1°.de diſſ.fe. 3ª.32.A
Cibi oẽs aquei,& mucoſi minuunt vim attenuantium.de atten.2ª.44.C
Ciborum mediorum differentię.1°.de alim.fac. 2ª.13.G
Cibaria media quę ſint.de diſſ.cont. Sp.74.C
Cibi qui neq; craſſi,neq; tenues ſunt,quales.de bo.& vit.ſuc. 2ª.34.H
Cibi qui neq; craſſi,neq; tenues nullo mõ dãnãdi.de bon.& vi. 2ª.34.G
Cibos temperatos in ſubtilitate, & craſſitie dabimus quando motus eſt conueniens.de diſſ.cont. Sp.71.G
Ciborũ tẽperatorũ diuiſio in craſſum,ſubtilẽ,& mediũ.de diſſ. Sp.73.G
Cibaria media inter ſubtilia & craſſa danda ſunt temperato qui nõ multum mouetur.de diſſ.cont. Sp.73.A
Cibi nõ tẽperati nõ gñant ſanguinẽ purũ,mũdũ,clarũ.de diſſ. Sp.74.A
Cibi acuti incidunt,aperiunt,& qui ſint.de diſſ.cont. Sp.72.F
Cibi acuti attenuant corpus,& debilitant.de diſſ.cont. Sp.72.F
Cibi acuti inciſiui quibus conferant.de diſſ.cont. Sp.72.F
Cibi acuti adurũt ſanguinem,ſi quis multum vtatur eis.de diſ. Sp.72.F
Cibi acetoſi incidunt,& attenuant,& qui ſint.de diſſ.cont. Sp.72.G
ob Ciborũ acutorũ cõtinuũ vsũ ſanguis fit cholera nigra. de diſ.Sp.72.f
Cibi aſpredinoſi,qui.de artic.com.3°. 7ª.275.F
Cibis pinguibus,dulcibus,& nulla vehementi qualitate pręditis delectãtur,qui naturaliter ſe habẽt.in 6m.de mor.vul.com.6°. 3ª.191.G
Cibis amaris,acerbis,acidis delectantur,qui naturaliter non ſe habent. in 6m.de mor.vul.com.6°. 5ª.191.G
Cibi ſapidi dulces,ſubtiles abſtergunt,& qui ſint.de diſſ.cont. Sp.72.F
Cibi dulces obſunt iecori,& lieni inflammatis.2°.de alim.fac. 2ª.17.F
Cibi omnes dulces ſunt mali hepati, & renibus quando eſt in eis craſſities.de diſſ.cont. Sp.74.H
Cibi ex farina milij et panici apud ruſticos ſunt in vſu.1°.de ali.f.2ª.13.C
Cibi milioſi qui.de artic.com.3°. 7ª.275.F
Cibus vt generet lac,debet eſſe modice calidus,nullamq; inſignem habere adiunctã ſiccitatem,nullam craſſitiem.5°.de ſimp.med.fa.5ª.37.G
Cibi multi ſeminis dicuntur & ſunt bulbi,cicer,fabę,polypodes, conus. 5°.de ſimp.med.fac. 5ª.38.C
Cibi & medª.multi ſeminis ſunt lini ſemẽ,& eruca.5°.de ſimp. 5ª.38.C
Ciborum quorundam coctorum diuerſitas. de diſſ.cont. Sp.72.E
qui Cibi cocti efficiuntur mali.de diſſ.cont. Sp.72.E
Cibi gignunt humores.1°.de elemen. 1ª.7.E
ex Cibis alijs,atræ bilis non parum gignitur,ex alijs pituitæ vel flauæ bilis plurimum,ex alijs ſanguis purus.de aſſuetud. 2ª.61.B
Cibi qui conueniunt ſanguineo.de diſſ.con. Sp.71.E
in Cibis ne cõtineatur bilis an gignatur in aĩantium corporibus dubitare eſt hominis ignari.2°.de natu.fac. 1ª.300.F
in Cibis ipſis bilis continet,ſm Eraſiſtratũ.2°.de nat.fac. 1ª.300.A
Ciborum bilioſorũ nimi° vſus gñat bilẽ.in 6m.de mor.vul.c.1°. 3ª.157.A
Cibi qui conueniunt bilioſis.de diſſ.cont. Sp.71.E
Cibi qui facile in pituitam vertantur.de nat.hum.com.1°. 1ª.32.F
Cibi hyemis pituitoſiores.de nat.hu.com.1°. 1ª.32.F
Cibi frigidiores ſunt magis pituitoſi.2°.de nat.fac. 1ª.300.D
Cibi hñtes naturã pituitoſã febres quotidianas faciũt.2°.de di.f.3ª.36.d
Cibi qui conueniunt pituitoſis.de diſ.cont. Sp.71.E
Cibi q incidũt pituitã,mũdificãt ſtomachũ,& q ſint.de diſ.cõt. Sp.74.E
Ciborum aſſumptorũ craſſitie, aut multitudine qñ gñat phlegma in ſtomacho ac reliquo corpore,conueniunt cibi acetoſi.de diſſol. Sp.72.G
Cibis calidis,& ſiccis vtẽdũ pituitoſũ ſanguinẽ habẽtib.de bo.2ª.38.A
Cibi faciẽtes humorẽ melãcholicũ.3°.de lo.af.4ª.18.F/de diſ. Sp.74.A
à Cibis ſiccis,& craſſis humor melãcholicus fit.1°.de ali.fac. 2ª.13.E
Cibis calidis,& humidis vtendum melancholicum ſanguinem habentibus.de bon.& vit.ſuc. 2ª.38.A
Cibi qui conueniunt melancholicis.de diſſo.cont.71.E/de melan.ex Gal. Ruf.& Poſſ. Sp.110.D
Cibi acres exhibeantur vt medicinæ melancholicis.de melanch.ex Gal. Ruf.& Poſſ. Sp.110.D
Cibi debẽt eẽ oppoſiti naturis ꝑter q̃ qñ eſt tẽperata.de diſ.cõt. Sp.71.G
Cibi contrarij ad contraria bene,ſimiles autem ad ſimilia male ſe habẽt. com.3°.aph.3°. Ex.20.B
Cibi quibus indigẽt corpa q̃ egrediunt tẽperamẽtũ.de diſ.cõt. Sp.73.G
Cibi quibus indigent corpora temperata in tempore non temperato. de diſſ.cont. Sp.73.G
Cibi quibus corpora denſa & quibus rara corpora ſint nutrienda.de diſſolu.cont. Sp.71.E
Cibus quo modo debeat exhiberi ſanis,ægris,plenis,vacuis,fortibus,debilibus,& quo tempore,com.1°.aph.17°. Ex.9.B/C/D
vt Cibus opportunus eligatur ad duo ſpectandũ.7°.meth.med.7ª.45.D
Cibationis tria ſunt capita,quantitas ciborum,qualitas,& vtendi modus.com.1°.aph.19°. Ex.9.E
Ciborum præbendorum quatuor regulæ.de diſ.cont. Sp.71.H
Cibi qualitatẽ,& quantitatem facultas indicat.de opt.ſecta. Iſa.29.A
Cibi offerendi qualitas in his quæ ſunt præter naturã,ſumit à cõtrarijs: in his quæ ſunt ſm naturam à ſimilibus.com.1°.aph.16°. Ex.8.H
de Cibi quãtitate quo modo dematur notum eſt.6°.de ſan.tu. 2ª.97.E
de Cibi qualitate quo modo dematur.6°.de ſan.tuen. 2ª.97.E
Cibi mediocritas quę.ars med. Iſa.68.D
Cibus,potio,labor,ſõnus,ven° oĩa ſint mediocria.2°.de ſa.tu. 2ª.69.D
Cibus mediocris temperato adhibendus eſt.2°.de ſan.tu. 2ª.75.H
in Cibis qđ ſatis eſt cibi indigẽtia metimur.de cog.cur.aĩ mor. 2ª.54.G
Cibus multus quot modis dicatur.3°.de ſymp.cau. 3ª.27.G
Cibi plus iuſto impleri temperatus non poteſt,ſi naturę ſuæ impetus ſequatur.2°.de ſan.tuen. 2ª.73.F
Cibo replcti vt venter extendatur,non lęduntur,ſi virtute exiſtẽte forti bene concoquant.com.2°.aph.17°. Ex.13.A
Cibus excedẽs nõ facit morbũ niſi multũ excedat.c.2°.aph.17°.Ex.13.D
de Ciborum ingeſtorum copia ex ventris mole non eſt coniectura faciẽda.1°.de diff.reſp. 3ª.60.E
Cibo plurimo vſus eſt,qui ſudat dormiẽs abſq; cauſa manifeſta,ideo prohibẽdi cibi.cõ.4°.aph.41°.Ex.32.D/E/præſ.exper.conf. Sp.77.G
Cibum ſiquis ex morbo aſſumens nõ corroboratur,ſignificat corpus pluri alimento vti.com.7°.aph.62°. Ex.59.G
Cibum ſiquis nõ acceperit,ſudor mult° ex ſõno factus,illũ indigere euacuatiõe ſignificat.c.4°.aph.41°.Ex.32.D/præſ.exper.con. Sp.77.G
Cibariorum vſus adeo erat auctus tempore Galeni vt nihil addi poſſe videretur.com.6°.aph.28°. Ex.49.A
Cibi copia inducit cauſas antecedentes.de nat.hu.com.2°. 7ª.181.G
Cibi pariunt morbos.de nat.hum.com.2°. 7ª.182.E
Cibus ꝑter naturã plus ingeſtus facit morbũ.com.2°.aph.17°. Ex.12.H
à Cibo,& à potu morbi qñ & quales.in 1m.de mor.vul.cõ.1°. 3ª.101.D
Ciborum quantitas & qualitas inter cauſas frigidorum morborum numerantur.de cauſ.mor. 3ª.7.B
Cibi optimi,quiq; plurimum animali offerunt nutrimentum ſupra modũ aſſumpti morbos frigidos pariunt.de cau.mor. 3ª.7.D
Cibis plenum eſſe,& quieſcere ſimul, facit ad torminum generationem com.5°.aph.41°. Ex.41.D
Ciborum varietas præſertim vbi varijs conſtat facultatibus, eſt nocentiſſima.de vict.ra.in mor.acu.com.1°. 7ª.111.H
Ciborum vitia quid agant.3°.de ſymp.cau. 3ª.26.B
Cibis lógo tpe repleti inexercitati & otioſi,tremunt.2°.de ſym. 3ª.20.E
Cibis vtuntur pluribus,quibus tubercula vel in articulis labores fiunt. com.4°.aph.45°. Ex.32.G
Cibi immoderate ſumpti quid faciant fœtui.11°.de vſu par. 1ª.188.B
Cibus ſupra modũ ſũptus facit vomitũ & ꝓfluuiũ.2°.de dif.fe. 3ª.40.G
ex Cibis & crapula dolores quandoq; veniunt ad lumbos & ad coxã. de vict.rat.in mor.acu.com.4°. 7ª.145.A
Cibi multi corpus plethoricum calefaciunt,& vacuatũ ſiccant.de vict. rat.in mor.acu.com.4°. 7ª.145.C
Cibos plus cõſueto ſiquis aſſumpſerit,æquali aũt prioribus, aut etiã minori vtatur exercitio,moxq; aggrauato corpore cũ rubore atq; tumore venarũ incipiat febricitare non abſq; rõne quiſpiam illum ex multitudine febricitare exiſtimauerit.com.2°.aph.17°. Ex.13.D
Cibaria imbecilliora.i.parum alimenti corpori exhibentia,ipſis veſcẽtes breuis vitę reddere apta ſunt.in 6m.de mor.vul.com.6°. 3ª.192.E
ex Cibis quod orit ſymptoma facile corrigit.3°.de ſymp.cau. 3ª.25.G
Cibus ſupfluus recẽter aſſũptus corrigit ab euacuatiõe.ars me.Iſ.70.D
Cibi ſubtractio quid ſignificet.de venæ ſect.aduer.Eraſ. 6ª.10.H
à Cibo qñ abſtinẽdũ tpato cũ ſatis ſe impleuerint.2°.de ſani.tu. 2ª.73.F
Cibi parcitas laſſitudinẽ tollit,& ſitim extinguit pituitoſis & ſanguinẽ multũ habẽtibus,bilioſis nequaq̃.in 6m.de mor.vul.cõ.3°. 3ª.176.A
Cibos,& labores minuant,& vinum dilutum quàm frigidiſſimũ bibant, quos ſitis infeſtat.de ſal.diæta. 2ª.43.B
Cibi pauci habent paucum excrementum.3°.de ſymp.cau. 3ª.27.D
Cibatis parce euidẽtia phãtaſmata ſõniorũ vñr,ĩ 1m.prr.cõ.1°.4ª.163.G

à Cibo

à Cibo ſi diu abſtinuerunt ſani, præſertim ſi cholerici ſint, quid illis contingat.com.6°.aph.50°. Ex.52.G
Cibum ſi quis non ſumat, augetur halitus bilioſus.10°.met.me. 7ª.62.H
ſine Cibo quando manemus, vrina fit rufa magis.1°.de criſ. 4ª.130.A
Ciborum inopia ſanguis areſit, & denſior ſe ipſo redditur. de venæ ſect. aduerſ.Eraſ. 6ª.11.A
in Ciborũ calidorum præſertim & ſiccorum parcitate aſſueta vita tertianas faciliter affert febres.2°.de diff.feb. 3ª.36.D
niſi Cibent, & lauent ſicci, affectus non finiunt.10°.met.med. 7ª.63.C
ob Cibos prauos in fame, quæ contingunt.1°.de diff.feb. 3ª.31.G
Ciborum penuria non tam perunt famelici poſt inedias, quàm qui iugulantur, ſpiritus inopia.1°.de marc. 3ª.46.H
Cibi abſtinentia euacuat per accidens.14°.meth.med. 7ª.89.B
Cibi abſtinẽtia p accidẽs vires euertit.de vic.ra.in m.ac.cõ.3°. 7ª.128.E
Cibis omnibus ſal admiſtus conuenit.de ſimp.med. Sp.90.A
Cibi modus.ars med. Iſa.68.E
Cibus quo modo offerri debeat.com.1°.aph.17°. Ex.9.D
in Cibo omni oportet conſiderare regionem, anni tempus, & aeris conſtitutionem.1°.de ali.fac. 2ª.13.F
Cibi & potus veris, qui.de renum affe.digno.& med. 7ª.195.C
Cibi æſtiui.de bo.& vi.ſuc.2ª.39.B|de ren.aff.dig.& med. 7ª.195.C
Cibi hyemis, qui.de nat.hu.com.1°. 1ª.24.E
Cibandum quomodo ſit in hyeme.de diſſ.cont. Sp.71.G
Cibi multi hyeme dari poſſunt, & pauci æſtate.cõ.1°.aph.18°. Ex.9.E
Cibus hyemis, quantus.de ren.affe.dig.& med. 7ª.195.B
Cibo ac potu ſemel impleti diem integrum, & noctem perduramus. 7°. de vſu partium. 1ª.164.C
Cibi intempeſtiue non ſunt ſumendi.3°.de ſymp.cau. 3ª.24.H
Cibi ſumendi ſunt in ſua hora.de diſſ.cont. Sp.71.H
Cibi accipiẽdi hora cõuenĩẽtior ẽ hora frigiditatis.& cur.de di.Sp.72.B
Cibus non eſt accipiendus in hora caliditatis.de diſſ.cont. Sp.72.B
Cibandum ſæpe, ſed paulatim indicat imbecillitas. de vict.ratio.in mor. acu.commen.2°. 7ª.121.G
Cibandi ſunt ſicci paulatim, & ſępius.7°.meth.med. 7ª.46.A
Cibum ſufficientem, qui ſemel ingerere non poſſunt, aſſidue modice aluntur.1°.de diff.reſp. 3ª.58.H
Cibi hora conſueta ſi mutetur, quid contingat.de diſſ.cont. Sp.72.C
Cibari, qui conſueuerunt bis in die, & pranſi non ſunt, quid mali patiantur.de vic.ra.in mor.acu.com.2°. 7ª.119.H
Cibum ſemel in die accipientes, in quæ incurrant. de vic.ra.in mor.acu. commen.4°. 7ª.145.A
qui Cibari bis in die ſunt conſueti, bis cibandi, & qui ſemel, ſemel.de victus rat.in mor.acu.com.1°. 7ª.112.C
Cibum qui capturi non ſunt, ijs eo die labor aliquis iniungendus non eſt. com.2°.aph.10°. Ex.12 H
Cibos valentiores in cœna cur accipiebant athletę.7°.meth.me.7ª.46.B
Cibus ſecundũ naturã vtentium dari debet.de bon.& vi.ſuc. 2ª.38.H
Cibi cuiuſq; inſueti q̃uo natura exploranda.de bon.& vi.ſuc. 3ª.36.F
Cibi ex longo tempore conſueti, & ſi deteriores ſint, inſuetis minus moleſtare ſolẽt.de vic.ra.in m.ac.c.2°.7ª.121.A|c.2°.aph.20°.Ex.19.B
Cibi inconſueti, etiam boni, difficulter feruntur. de vic. rat.in mor.acut, commentario.2°. 7ª.121.A
circa Cibi quantitatem, vel qualitatẽ, quæ in ante acta vita acciderũt, coindicant ſanguinis mittẽdi quãtitatẽ.de cur.ra.per ſan.m. 6ª.18.D
Cibi praua conſuetudine mores animi corrũpunt.1°.de ſan.tuen. 2ª.65.F
Cibi quo modo mutent animi mores.q animi mor. 1ª.320.G
Ciborum repentinæ mutationes ſi bene valentibus læſionem, ergo & male valentibus.de vic.rat.in mor.acu.com.2°. 7ª.119.A
in Cibis qui ordo ſeruandus.de diſſ.cont. Sp.71.H
añ Cibũ ſi vinũ potauerint q vel iedia, vel fluxu alui, aut sãguinis fameſcũt, cõuulſionib.atq; delirijs ſtatĩ capiunt.com.2°.aph.21°.Ex.14.H
ſine Cibo vinum lædere doloribus vexatũ, Galenus expertus eſt in 6ᵐ. de mor.vul.com.6°. 3ª.196.F
Cibi qui debẽt pcedere, & q ſequi.de vic.rat.in mor.ac.cõ.3°. 7ª.129.C
Cibi qui primo ſumendi.2°.de ali.fac.18.G| 2ª.19.E
Cibi duræ, & tardæ digeſtionis ſunt præponendi in fundo ſtomachi. de diſſol.cont. Sp.71.H
ante Cibum qui fructus ſint comedendi.de diſſ.cont. Sp.75.A
añ Cibũ ficus cũ tymo, aut calamĩthe qñ exhibeat.2°.de ali.fac.2ª.17.F
añ Cibũ ſi oliuæ cũ muria comedunt, leniunt vẽtrẽ..de diſſ.cõ.Sp.75.A
Cibus Romanus eſt aphrogala.7°.meth.med. 7ª.44.B
Cibi qui poſterius ſumendi.2°.de alim.fac. 2ª.18.G
poſt Cibum ſi oliuæ ponticæ ſine muria cum aceto edantur, confortant, ſtomachum.de diſſ.cont. Sp.75.A
pp Cibi incõgruũ ordinẽ coctio ab extrĩſeco ĩpedit.3°.de ſymp.3ª.24.H
Cibum antecedant labores.com.2°.aph.16°. Ex.12.H
ante Cibum exercitatio maximum affert commodum.de bon.& vi.ſuc. 35.A|de paruæ pil.exer.48.F|2°.de ſan.tu. 2ª.73.H
Cibum bene concoquens, & mediocri vtens exercitio ſuperfluitatibus vacat.com.6°.aph.28°. Ex.49.A
añ Cibũ & poſt cibũ ambulatiões quales eẽ debẽt.6°.de ſa.tu. 2ª.97.H
Cibus ante motum quid facit.de diſſ.cont. Sp.72.A
ante Cibũ quando non eſt motus.quid agendum.de diſſ.con. Sp.71.G
añ Cibũ q nõ ſunt liberi, vt poſſint exerceri, nec aptis tpibus cibũ ſumere, ĩ morbos incidũt, niſi deijciant per aluũ.de bo.& vi.ſuc. 2ª.34.D
ante Cibum qui non ſunt liberi, vt poſſint exerceri, nec cibum aptis temporibus ſumere, egent interdum validiori vacuatione, & opportuna ſanguinis miſſione.de bon.& vit.ſuc. 2ª.34.E
Cibos ilico aſſumere nõ debẽt exercitati.ĩ 6ᵐ.de mor.vul.c.3°. 3ª.170.E
Cibũ qui anhelando ab exercitationibus ſumpſerãt, multis viſcera ſunt oppilata, in primis iecur.de ſal.diæta. 2ª.41.B
Cibus poſt motum quid facit.de diſſ.cont. Sp.72.A
ante Cibũ ſi motus ſit multus q̃uo cibandum ſit.de diſſ.cont. Sp.71.G
ante Cibum vina nigra ſumi.5°.de ſan.tuen. 2ª.91.B
añ Cibũ & potũ clara eſt vox, poſt, minus clara.de vo.& anh. Sp.61.G
poſt Cibum, & ante, quo modo deambulandum caput dolentibus. 2°.de comp.med.ſec.loc. 5ª.133.E
à Cibo exercitatio non eadem quæ ieiuno.2°.de digno.pulſ. 4ª.77.C
Cibo ſumpto, qualiſcunq; motus noxius.de bon.& vi.ſuc. 2ª.35.A
poſt Cibum motus quæ mala pariat, de bon.et vit.ſuc.2ª.35.A| in 1ᵐ.de mor.vul.com.3°.3ª.122.A|de diſſ.cont. Sp.72 A
à Cibo exercitatio replet.de ſal.dięta. 2ª.41.B
à Cibo exerceri multis obſtruit viſcera.de ſal.diæta. 2ª.41.B
à Cibo exercitati vel balneati in viſcerum dolores incidunt, potiſſimum iecinoris.de ſal.diæta. 2ª.43.C
poſt Cibum non laboret lapidem habens.de cura lap. Sp.112.B
poſt Cibũ quãdiu qeſcẽdũ caput dolẽtib.2°.de comp.med.ſe.lo. 5ª.133.E
poſt Cibum ſi homines vehementer non exercerentur, nunquam morbo corriperentur.de bon.& vit.ſuc. 2ª.35.A
à Cibis vigiliæ duplex finis.in 6ᵐ.de mor.vul.com.4°. 3ª.185.C
poſt Cibum ſomnus quid facit.de diſſ.cont. Sp.72.A
à Cibo ad ſomnum conuerſi implent caput.com.4°.aph.67°. Ex.34.F
poſt Cibũ ſomni multi digerũt, & nutriunt corpus nutrimento plurimo adhærente, & cõfortãt cõfortatione plurima.de diſſ.cont. Sp.72.G
poſt Cibũ qñ ſomnus eſt multus, quo mõ cibãdũ ſit.de diſſ.cont.Sp.71.G
poſt Cibũ ne an ſine cibo ſint insõnia, cõſiderãdũ.in 1ᵐ.de mor.3ª.118.A
poſt Cibũ quid faciant balnea.de mul.3ª.81.G|8°.meth.med. 7ª.60.D
à Cibo balnea trahũt humorũ copiã.in 1ᵐ.de mor.vulg.cõ.3°. 3ª.122.G
poſt Cibũ balneo vtẽtes, qbus iecoris vitijs tẽtent.6°.de ſa.tu.2ª.96.A
Cibus dandus cũ pedes ſunt calidi.de vict.ra.in mor.acu.cõ.3°.7ª.139.E
poſt Cibos balneis vtẽtibus febres quotidianæ fiũt.2°.de dif.fe. 3ª.36.D
Cibus quãtus eſſe debet ingredientis aquã frigidã.3°.de ſan.tu. 2ª.78.D
à Cibis obſtruentibus cauendum ſeni.5°.de ſani.tuen. 2ª.91.E
in Cibis piper albũ, tuſum, cribratum, ac in pollinem redactum aſſumat ſenex qui cibis obſtruentibus ſit vſus.5°.de ſan.tuen. 2ª.91.D
à Cibis non leuiter lęduntur ſenes ſi breue quippiam tranſgreſſi limites ſint.5°.de ſani.tuen. 2ª.90.F
in Cibis quando danda Cæpa ſeni.5°.de ſani.tuen. 2ª.91.D
Cibandi indicatio vnde ſumatur.10°.meth.med. 7ª.63.H
Cibandi quantitas à viribus ſumitur.de ſal.diæt. 2ª.40.A| 11°.methodi medendi. 7ª.69.A
Cibi dantur propter virtutem, non propter febrẽ.11°.met.med. 7ª.71.G
Cibandi ſcopus vnus ſanis, & ægris.de vict.rat.in morbis acutis, commentario.1°. 7ª.115.C
Cibi nõ ſine iudicio ſumẽdi in morbis.in 1ᵐ.de mor.vul.com.3°. 3ª.125.D
Cibãdi certa rõ haberi nõ põt in morbis ĩordinatis.c.1°.aph.19°.Ex.9.F
Cibandi ratio & remediorum qua proportione modo à facultate, modo à morbi tempore ſumatur.de opt.ſecta. Iſa.28.G
Cibi qualitas ſumitur ex morbi affectu.11°.meth.med. 7ª.69.B
Cibi febricitantium ſint frigidi, & humidi.8°.meth.med. 7ª.50.H
Cibus febricitãtiũ quãtũ frigidus & hũidus eẽ debet.8°.me.me.7ª.54.H
Cibus quibus febricitãtibus proſit, & quibus obſit.10°.me.me. 7ª.63.G
in Cibis dandis quæ conſideranda in acutis morbis.de vict.rat.in morb. acutis, commen.2°. 7ª.121.E

Cibus cur interdicatur in principio inſtammationis, & ſimilium acutorum.de opt.ſecta. Iſa.28.G
Ciborũ concoctioni proſpiciendũ in omni febre.11°.meth.med. 7ª.72.F
Ciborum coctio cur deterior ſit in febribus.2°.de nat.fac. 1ª.300.D
Cibandi tẽpora in febre, quæ.de vict.rat.in mor.acu.com.4°. 7ª.149.D
de Cibo exiguo exhibendo non indicat initium, & incrementum morbi. de opt.ſecta. Iſa.28.G
Cibi obſunt in acceſſionum principijs, & augmentis.de vict.rat.in mor. acutis, commen.1°. 7ª.115.G
Cibandum potius in principio, quàm poſt, ante iudicationem.de vict.ra. in mor.acu.com.1°. 7ª.118.G
Cibus potius ſubtrahendus, quàm adhibendus ante iudicationem. de victus rat.in mor.acu.com.2°. 7ª.121.H
Cibus non dandus in vigore.de vict.rat.in mor.acu.com.2°. 7ª.120.H
Cibum mutare poſt vigorem conuenit, non ante.de vict.rat.in mor.acutis, commen.2°. 7ª.122.F
Cibi ſpecies non eſt mutanda ante ſigna coctionis.de victus ratio.in mor. acu.commen.2°. 7ª.121.E
Cibus in declinatione dandus.de opt.ſecta. Iſa.27.G
Cibãdi qua hora ſint febricitãtes à prin° ad finẽ.11°.meth.med. 7ª.69.B
Cibus quo pacto dandus eſt in febribus æſtimato initio ac vigore febris. 11°.meth.med. 7ª.74.C
Cibus neq; cum iam adſunt, neq; cum haud ita multo poſt futuræ ſunt acceſſiones, dandus eſt.com.1°.aph.11°. Ex.5.A
Cibare ante acceſſionem eſt pernicioſiſſimum.11°.meth.med. 7ª.74.D
Cibus quibus dãdus, etiam ſi incipiãt febricitare.10°.met.me. 7ª.63.H
Cibandum aliqñ ante acceſſionẽ p duas horas.10°.meth.med. 7ª.62.H
Cibus, & vini potus quando ante acceſſionem exhibendus, de cau.procatar.3ª.95.G/10°.meth.med. 7ª.62.G
Cibus quando exhibendus ante acceſſionem.11°.meth.med. 7ª.74.D
Cibus qñ non poteſt exhiberi ante acceſſionem.11°.meth.med. 7ª.74.D
Cibũ dedit Galenus acceſſiõe incipiẽte.10°.meth.me.63.B/12°. 7ª.78.A
Cibi dãdi quod tẽpus ſit in acceſſione.de vi.ra.in mor.ac.cõ.1°. 7ª.115.G
Cibandi ſunt quidam in vigore ſummo.10°.meth.med. 7ª.63.C
Cibandum quando ſit in ſtatu.11°. meth.med. 7ª.74.C
Cibandi ſunt ægri in febris declinatione.10°.meth.med. 7ª.63.C
Cibus in quacunq; parte inclinationis morbi dat̃.de mor.temp. 3ª.86.H
qui Cibi in febre ex obſtructione conueniant.8°.meth.med. 7ª.50.B/F
Cibum febricitanti ſiquis dederit, vt ſano robur, ſic laboranti morbus. commentario.7°.aph.62°. Ex.59.G
ſine Cibo vſq; ad tertium diem permanere aliquos, vt tertianæ ſuſpectas horas prætereant, collige.1°.de diff.feb. 3ª.35.A
Cibandi ratio diatritariorum.10°.meth.med. 7ª.64.A
Cibo quando abſtinendum ad ſeptimum.2°.de die.decr. 4ª.155.F
abſq; Cibo æger detinendus eſt vſq; ad ſeptimum, ſi vires conſtent, & morbus ſit finiendus.11°.meth.med. 7ª.74.C
Cibum per ſeptem dies quibus non dedit Galenus, ſed ſolam mulſam.10° methodi meden. 7ª.63.G
ad Cibum exhibendum in tertiana tempus.2°.de diff.fe. 3ª.39.H
Cibi vtiles in febre tertiana.1°.de arte cur.ad Glau. 7ª.97.C
ex Cibis vehementer calefactis ſitiunt immodice, febricitantq́; interdũ tenui paruaq́; hectica febre.3°.de ſymp.cau. 3ª.25.D
Cibus eorum qui in hecticam tranſeunt.10°.meth.med. 7ª.64.A
poſt Cibum quid hectici patiantur.1°.de diff.fe. 3ª.35.B
poſt Cibum hectici magis calent.1°.de diff.fe. 3ª.35.B
Cibi tabidorum, lac, ptiſſana, alica.de mar. 3ª.48.E
Ciborum quantitas in ſiccis, quæ.7°.meth.med. 7ª.45.G
Cibus in ſiccis quo modo dandus.7°.meth.med. 7ª.45.G
Cibi qui boni in calidis, & ſiccis.8°.meth.med. 7ª.51.B
Cibus peculiaris corpori exiccato.de vict.rat.in mor.ac.c.2°. 7ª.120.C
Cibus ſi det ex lõgo itervallo p̃gnãti febriẽti, deſtruit̃ fœtus; ſi crebro cibus exhibeat̃, auget̃ febris & mr̃ occidit̃.cõ.5°.apho.30°. Ex.40.D
Cibãdę quo mõ ſint prægnantes ægræ.in 1^{m}.de mor.vulg.cõ.3°. 3ª.126.F
ſi Cibi praui ĩ ſanis faciũt morbos, tãto magis ĩ ægris augebũt. 3ª.42.G
Cibum cum accipit natura ceſſat ab omnibus motibus.de vic.ra.in mor. acutis, commen.4°. 7ª.140.E
Cibi quantum ægroti robur adaugent, tantum coctiones impediunt.1°.de arte cur.ad Glau. 7ª.97.D
Cibum offerre nihil aliud eſt, q̃ plenitudinem ſuppeditare. de venæ ſect. aduerſus Eraſ. 6ª.7.C
cur in Cibis quãdoq; debeamus ægris aſſentiri.cõ.2°.aph.38°.Ex.17.G
Cibus qui melius ſapit digeſtibilior eſt abominabili.de diff.cõ. Sp.73.D
duorum Ciborum bonorum ſi nobis optio ſit, præbeatur ægro qui ex his magis ab eo appetitur.de diff.cont. Sp.72.C
Cibos quos faſtidit ventriculus, reijcit.3°.de nat.fac. 1ª.305.E
Cibus & potus parũ deterior, ſuauior aũt, meliorib⁹ qdẽ, ſed minus ſuauibus eſt præferendus.cõ.2°.aph.38°.Ex.17.G/de diff.cont. Sp.72.D
Cibi delectationem ſignificat vrina pinguis ſine febre ſenibus eueniens ſoluta apoplexia.de dyna. Sp.34.B
inter Cibũ et venę ſectionẽ tp̃s interponẽdũ, collige.8°.met.me.7ª.56.H
Cibi niſi ſint probe cocti in vẽtriculo, vena nõ ſecãda. in 3^{m}.de mor.vul. cõ.1°.3ª.127.E/de cur.rat.p ſan.miſ.6ª.19.A/8°.meth.med.7ª.57.H
Cibus ilico dandus poſt ſectionem venę, ſi ægrotus inediam non ferat. de opt.ſecta. Iſa.28.F
ſine Cibo q fuere p quatuor dies, illis vena nõ ſecãda.5°.met.me.7ª.35.C
Cibandum quo modo ſit in ſcarificatione.de cucur.ſcar. 6ª.4.B
ante Cibum dandum per duas vel tres horas medicamentum ex malis cotoneis.6°.de ſan.tuen. 2ª.101.B
poſt Cibum quæ medicamenta ſumi non poſſunt.4°.de ſan.tu. 2ª.86.E
añ Cibũ dẽt fieri fomẽtũ, vel longe poſt cibũ.de rem.para.fac. 7ª.157.D
Cibũ aut potum non petunt animo vacillantes.1°.de diff.reſp. 3ª.60.A
Cibi languentibus dari conſucti.de vict.rat.in mor.acu.com.1°. 7ª.113.C
Cibaria cõueniẽtia mẽbro affecto ſunt inuenienda.de diff.cont. Sp.74.D
Cibaria calida, & ſicca prætermittamus quando caput eſt calidum ſuſcipiens vapores.de diff.cont. Sp.71.F
qui Cibi faciunt dolere caput.de diff.cont. Sp.74.F
Cibi epilepticorũ proprij, & contrarij.de puero epilep. 7ª.180.D
Cibos multos ideo nõiat Galenus, vt variari poſſint.de pue.epi.7ª.180.F
Cibi ſint ſimplices.de puero epilep. 7ª.180.F
Cibi ſimplices, & vnius ſpeciei mox ſaturant.de ſal.diæ. 2ª.41.H
Cibi ventrem mollientes.de puero epilep. 7ª.180.C
Cibis viſcoſis craſſis & frigidis debẽt abſtinere epileptici.ibidẽ. 180.D
Cibos præbet qui non conueniunt epilepſiæ.de dyna. Sp.24.A
pro Cibo dat carnem ouis annualis.ſecretorum. Sp.102.E
Cibi à quibus abſtinendum eſſe vult Hippocrates in affectibus pectoris. in 6^{m}.de mor.vul.com.4°. 3ª.180.C
Cibãdi ordo ĩ pleuritide qñ augent̃ cibi.de vic.rat.ĩ m.ac.c.1°. 7ª.118.H
Cibãdi q̃uo ſint pleuritici poſt ſeptimã.de vic.ra.in m.a.c.4°. 7ª.143.H
Cibi nocentes ventriculo, quales.1°.de loc.aff. 4ª.5.B
Cibi præditi inſignibus viribus qui ventriculum offendunt præter ſolitũ ſumpti.de vict.rat.in mor.acu.com.2°. 7ª.121.B
Cibi inflantes ventrem.de diff.cont. Sp.74.F
Cibi inflatiui quo modo poſſint corrigi.de diff.cont. Sp.74.G
Cibi flatulenti corrigunt̃ calidis & attenuantibus.1°.de ali.fa. 7ª.14.A
Cibi refrigerantes iuuant flatum hypochondriacũ.3°.de loc.af. 4ª.18.H
Cibi ſanantur partes propinquæ ventriculo.1°.de loc.aff. 4ª.5.H
Cibi ſalſi mũdificãt ſtomachũ et ĩteſtina, et leniũt naturã.de diſ. Sp.72.F
Cibi qui ſumendi ſunt ſtomacho & hepate frigidis.de diff.cont. Sp.71.F
Cibos nõ exigit inflammatio vẽtriculi, & iecoris.10°.met.me. 7ª.63.H
Cibi mordentes cur irritant phlegmonen iecoris eam magis quæ in cauo eſt, q̃ quæ in gibbo.13°.meth.med. 7ª.83.E
Cibi adſtrĩgẽtes cur iecoris phlegmõis ſint ĩcõmodi.13°.met.me. 7ª.83.E
Cibis, ac potibus, qui vim adſtringẽdi habeant, ſanat̃ læuitas inteſtinorũ ex humorũ acritudine in ventriculi atq; inteſtinorũ abraſa ſup̃ficie, ceſſante humorum malignitate.com.6°.aph.1°. Ex.46.A
Cibi, & pulmenta ictericorum.de cura icteri. Sp.111.C
ex Ciborum acutorum continuo vſu fit lapis in renibus nociturus. de diſſect. Sp.72.F
Cibi habentium lapidem.de cura lap.111.H/ Sp.112.E
Cibus pro lapide, lepus.de cura lap. Sp.112.A
Cibi lapidem in renibus habentium.de ren.aff.dign.& med. 7ª.194.C
Cibi à quibus calculoſi cauere debent.de re.aff.dign.& med. 7ª.194.D
Cibi qui ad Cicatricem ducunt.4°.meth.med. 7ª.28.H
Cibi emundantes vlcera.4°.meth.med. 7ª.28.H
Cibus ſi exit à vulnere, ipsũ ĩ vẽtriculo eſſe ſignificat.1°.de lo.af. 4ª.2.E
Cibãdi tenuiſſime in principio qbus oſſa ſunt fracta.6°.met.me. 7ª.41.E
Cibus, lege Alimentum.
CICADAE ad colicos quo modo.11°.de ſimp.med.fa. 5ª.82.B
CICATRIX quid ſit.14°.meth.med. 7ª.92.C
ad Cicatricem ducere vlcus quid ſit.3°.meth.med. 7ª.19.H
ad Cicatricẽ q̃uo perducant̃ vlcera.2°.de arte cur.ad Glau. 7ª.106.F
ad Cicatricem q̃uo ducitur vlcus cum phlegmone.3°.meth.me. 7ª.21.B
Cicatrix in vlceribus vbi initium habet.1°.de cõp.med.ſec.loc. 5ª.124.C
ad Cicatricem quę duci debent, quæ poſtulent.5°.meth.me. 7ª.29.G

ad Cicatricem proprie, & primario inducendam quid requiratur. 5°. de ſimp.med.fac. 5ª.36.D
Cicatricem inducens facultas. ἐπουλωτικὴ vocatur. 5°. de ſimp. medicamen.facul. 5ª.36.C
Cicatrix citra callum induci debet.5°.de comp.med.ſec.lo. 5ª.162.A
Cicatrix arteriæ ſectæ quō pōt induci.de cur.rat.per ſang.miſſ. 6ª.21.E
Cicatrix quo maxime inducatur.7°.de ſimp.med.fac. 5ª.53.B
Cicatricem inducentia medicamenta.qualia.9°.de ſimp.med.fa. 66.A/ 69.D/4°.de comp.med.per ge.5ª.242.D 7ª.188.F
Cicatricem obducunt exiccantia.ars med.Iſag.70.B/ commentario. 6°. aphoriſmo.8°. Ex.47.C
Cicatricem quod probe inducit modice adſtringat oportet,atq; deſiccet. 5°.de ſimp.med.fac. 5ª.36.B
ad Cicatricem perduci vlcera inueterata ab exiccātibus citra morſum collige.6°.de ſimp.med.fac. 5ª.48.C
Cicatricē ducunt per accidens catherica hoc eſt detractoria. 5°.de ſimplici.medica.fac. 5ª.36.D
Cicatricibus inducendis adſtrictio cōuenit.1°.de cōp.me.p ge. 5ª.214.A
Cicatricē inducentia ſicca & adſtringētia.2°.de cōp.me.p ge. 5ª.227.A
Cicatricē contrahentium finis,qui.2°.de cōp.me.per gen. 5ª.227.A
Cicatricē inducētia,et glutinatoria quo mō differāt.3°.met.me.7ª.19.H
Cicatricē inducentia medicamenta extrinſecus.intro. Iſa.58.A
Cicatricibus inducendis pulcherrimum medicamen eſt Aes vſtum. 9°. de ſimp.med.fac. 5ª.71.E
ad Cicatricem inducendam præſtātiſſimum eſt ęs combuſtum lotum. 5°. de ſimp.med.fac. 5ª.36.C
ad Cicatricem plana vlcera perducit Aloe.ꝑ ani.mor. 1ª.317.D
ad Cicatricem ducit Alumen.1°.de comp.med.per gen. 5ª.214.A
ad Cicatricem vlcus producens Andræ malagma.10°.de compo.medica.ſecun.locos. 5ª.207.G
Cicatricem inducens Aridum.5°.de comp.med.per gen. 5ª.252.G
ad Cicatricem ducendam Aſclepiadis.1°.de comp.med.p ge. 5ª.217.A
Cicatricem inducit medicamen ex Cadmia.9°.de ſimp.med.fac.5ª.70.G
Cicatricem in quibus partibus inducit medicamen ex cadmia. 5°.methodi medendi. 7ª.33.G
Cicatricem vlceribus inducit Chalcitis toſta.de ther.ad Piſo. 5ª.97.E
ad Cicatricem Cibi ducentes.4°.meth.med. 7ª.28.H
Cicatricem inducens Cineritium.5°.de comp.med.per gen. 5ª.253.F
Cicatricem prę nimia humiditate difficulter admittētibus vlceribus mirifice prodeſt Cyperi radix.7°.de ſimp.med.fac. 5ª.53.H
Cicatricem ducens Cyzicenum.5°.de comp.med.per gen. 5ª.250.B
Cicatrici inducendæ optimum medicamen eſt Emplaſtrum Hepheſtias. 9°.de ſimp.med.fac. 5ª.70.G
Cicatricē probe inducens emplaſtrum.2°.de cōp.med.per gen.5ª.224.E
Cicatrice includit exulcerationes igne factas Hedera viridis. 7°.de ſimpli.medi.facul. 5ª.51.F
ad Cicatricem ducit Hypericum.8°.de ſimp.med.fac. 5ª.63.A
ad Cicatricū claudēda vlcera valēt Lapides.9°.de ſim.me.fa. 5ª.67.G
ad Cicatricem vlceribus inducendam vſurpatur Lapis in ęgypto naſcēs cerato mixtus.de ſimp.med.fac. 5ª.68.E
ad Cicatricem ægre peruenientia vlcera curat Leuconij decoctum. 7°. de ſimp.med.fac. 5ª.54.C
Cicatricem inducens,Magni.5°.de comp.med.per ge. 5ª.253.G
ad Cicatricē inducēdā Medicamētū optimū.2°.de cōp.med.p ge.224.B
ad Cicatricū obducenda vlcera optimum medicamen eſt Plumbum lotum.9°.de ſimp.med.fac. 5ª.70.G
ad Cicatrices craſſas.ꝗ valeant Rhyptica,& ſyluam ponit.4°.de comp oſi.med.ſecun.loc. 5ª.151.G
Cicatricem inducens Rufum.5°.de comp.med.per gen. 5ª.253.G
ad Cicatricem vulnera contumacia perducit Scordion.8°.de ſimpl.medicamen.facul. 5ª.60.H
ad Cicatricem ducit vlcera Sina ægyptia.6°.de ſimp.med.fa. 5ª.42.A
ad Cicatrici inducendæ contumacia vulnera valet Terra lemnia. 9°.de ſimp.med.facul. 5ª.95.D
ad Cicatricem difficulter prouenientia iuuat terra vſta. 9°.de ſimplici. medica.fac. 5ª.66.F
ad Cicatricem perducit ulcera inueterata Thalietrum. 6°.de ſimpliciū medicamen.facul. 5ª.48.C
Cicatrices recentes attenuare pōt Thyites Lapis.9°.de ſim.me. 5ª.67.E
ad Cicatricem vlcera producens.6°.de comp.med.ſec.loc.175.D/1°.de compoſi.medi.per gene.210.H/215.G/216.G/2°.223.D/224.B/C/F/G/ 4°.238.C/239.A/D/242.C/F/5°.245.G/253.A/F/6°.255.B/259.G/ 261.H/ 5ª.262.B/C
ad Cicatricem citra dolorem ducens.5°.de comp.med.per ge. 5ª.251.F
Cicatricem ducens ſine morſu.4°.de comp.med.per ge. 5ª.242.D
Cicatrice carnes obducens citra eroſionē.5°.de cōp.me.p gen. 5ª.252.H
ad Cicatricem venientibus vlceribus.1°.de comp.med.per ge.5ª.212.H
ad Cicatrice recenti contractos articulos.7°.de cōp.me.p gen.5ª.265.C
ad Cicatrice claudenda,& implenda vlcera humida quid ſit vtile. 11°. de ſimp.med.facul. 5ª.80.H
Cicatrices cauæ neceſſario fiunt vlceribus diuturnis . commentario.6°. aphoriſmo.45°. Ex.51.E
cur Cicatrix quandoque non aduenit vlceribus, & quandoq; facta iterum ſoluitur.com.6°.apho.45°. Ex.51.E
Cicatricem cur non inducant vlcera.4°.de cōp.med.per gen. 5ª.242.H
ad Cicatricē quæ nō pmittāt vlcera deuenire.cō.6°.aph.4°. Ex.46.G
Cicatricē nō oīa cacoethe admittūt difficulter.1°.de cō.me.p ge. 5ª.214.b
Cicatrix nō poteſt induci in inteſtinorum difficultate, vbi carunculæ appareant.com.4°.aph.26°. Ex.30.C
Cicatrices craſſę,& vulnera difficilia catuloticis,& colleticis rebus curantur.de part.art.med. Sp.19.A
ad Cicatricem vix venientia vlcera quæ dyſepulota dicuntur, quę vocentur.1°.de comp.med.per gen. 5ª.217.B
Cicatricem vlceribus difficillimis,calloſis, & inueteratis maxime inducens.2°.de comp.med.per gen. 5ª.223.D
ad Cicatricem ægre recipientia vlcera, præſertim vbi calloſa & dura labra vlcus amplectanī,claudenda.6°.de comp.me.per ge. 5ª.259.B
ad Cicatricem ægre ducentia vlcera.1°.de compoſitio. medicamen. per genera.211.C/214.C/215.F/2°.223.A/224.D/3°.235.B/4°.241.B/242. E/G/243.A/244.D/E/5°.246.H/247.E/248.H/249.C/E/ 253.G/ 5ª.259.A
ad Cicatrices malignas.10°.de comp.med.ſecun.loc.208.A/ 4°.de cōpoſi.med.per gen.242.C/6°. 5ª.258.D
ad Cicatricem tibiarum de dyna. Sp.30.A
Cicatricem ex rabioſi morſu vlcus ducere non ſinens medicamētum. 3°. de comp.med.per gen. 5ª.233.G
Cicatrices induratæ figuram euariant.de cauſ.morb. 3ª.9.A
Cicatrices quàm conueniat duriores,remolliuntur. 1°.de mo.muſ.1ª.310. G/in 6ᵐ.de mor.vulg.com.2°. 3ª.161.A
Cicatrices cur turpes fiāt,& quo mō pulchræ fiāt.13°.met.me. 7ª.81.F
Cicatricibus atris candorē reddit calamintha.6°.de ſim.me.fa.5ª.49.C
CICATRIX affectus iridis oculorum.introd. Iſa.58.D
Cicatrices oculorum eximit fel.de ſimp.med. Sp.84.E
ad Cicatrices albas oculorū valet ſuccus cētaureæ.de vir.cē. Sp.93.B
ad Cicatricē ægre recipiētia vlcera oculorū.4°.de cō.m.ſe.lo. 5ª.152.H
ad Cicatrices veteres oculorum.de med.fac.par. 7ª.170.D
ad Cicatricem oculorum male inductam.5°.de cōp.med.ſe.lo. 5ª.160.G
Cicatrices oculorum extenuat lapis thyites.de ſimp.med. Sp.86.H
Cicatrices oculorum extenuat thlaſpi.de ſimp.med. Sp.91.G
ad Cicatrices oculorū exterēdas collyriū mellinū.4°.de cō.m.5ª.157.A
ad Cicatrices oculorum exterendas.4°.de comp.med.ſecun.loc.152.H/ 154.H/155.A/156.C/D/E/F/ 5ª.157.A
ad Cicatrices oculorū & callos exterendos.4°.de cō.me.ſc.lo. 5ª.156.D
Cicatrices oculorum craſſa detergit chamæſyce.8°.de ſim.me.f. 5ª.63.G
Cicatrices craſſas oculorū extenuāt leuconij flores ſicci.7.ď ſim.5ª.54.c
ad Cicatrices oculorum.4°.de comp.med.ſec.loc.155.B/H/ 5ª.156.C
CICERA inter ſemina cerealia numerantur.de vic.rat.cō.1°. 7ª.111.B
Cicer legumen eſt flatuoſum,copioſi nutrimenti,aluo mouēdæ habile,ciēdæ vrinæ idoneum,lacti,& ſemini generando aptum,& mēſes ciens. 6°.de ſimp.med.fac. 5ª.47.E
Cicer venerem incitat.1°.de alim.fac. 2ª.14.B
Cicer auget ſemen,& veneris deſiderium.de bon.& vi.ſuc. 2ª.37.D
Cicer eſt cibus multi ſeminis.5°.de ſimp.med.fac. 5ª.38.C
Cicer pudenda intendit.de vict.rat.in morb.acu.com.4°. 7ª.145.F
Cicer à quibuſdam datur equis admiſſarÿs.1°.de alim.fac. 2ª.14.B
Cicerum immaturorum natura.1°.de alim.fac. 2ª.14.B
Cicera recentia ſunt multarum ſuperfluitatum.de diff.cont. Sp.73.E
Ciceris viridis ſiliqua non eſt eſculenta.2°.de alim.fac. 2ª.16.C
Cicer cū propter humiditatem principio qualitatū prope expers ſit tpis ſucceſſu maturatū ac ſiccatū dulcius euadit.4°.de ſim.ma.f. 5ª.28.G
Cicerum ſiccorum meminit.9°.de comp.med.ſec.loc. 5ª.197.H
Cicerum genus orobieum appellatum quibus viribus polleat.6°.de ſimplicium medi.fac. 5ª.47.E
Cicer quale ſit.de vict.rat.in mor.acu.com.4°. 7ª.145.F

Cicer calidũ eſt & modice ſiccum, particeps item amaritatis. 6°.de ſimplic.med.fac. 5ª.47.F
Cicera numerantur inter cibos calidos.de diſſol.cont. Sp.74.C
Cicer agreſte ad omnia efficacius eſt domeſtico, hoc eſt tum calidius, tũ ſiccius, quanto & acrius, & amarius. 6°.de ſimp.med.fa. 5ª.47.E
Cicera, fulua, flaua, et rubra albis sũt calidiora. 4°.de ſimp.m.f. 5ª.31.D
Cicera, & fœnum græcum ſunt mali chymi, cur.de diſſ.cont. Sp.74.B
Cicer egregie nutrit, non eſt boni ſucci, nec minus inflat, quàm faba. de bon.& vitio ſuc. 2ª.37.D
Cicera inflant ventrem.de diſſ.cont. Sp.74.F
Cicer vt faba flatulentum eſt. 1°.de alim.fac. 2ª.14.B
Cicera, & faba potiſſimũ iter legumina vẽtoſa ſunt.đ pue.ep. 7ª.180.H
Cicer magis nutrit quàm faba. 1°.de alim.fa. 2ª.14.B
Ciceribus facultas abſtergẽdi maior eſt quã eſt fabis. 1°.đ ali.fa. 2ª.14.B
Cicera nutriũt eũ q digerit ea nutrimẽto multo craſſo.de diſ.cõt. Sp.73.E
Cicerum ſuccus in aqua elixus potius bibendus. 1°.de alim.fac. 2ª.14.B
Cicera quo modo varie parabantur. 1°.de alim.fac. 2ª.14.B
Cicerum frixorum natura. 1°.de alim.fac. 2ª.14.B
Cicer elixum, vel frixum in cœna pro tragematibus ſumitur. 1°. de alimen.facul. 2ª.14.B
Cicera frixa de tragematibus ſunt optima ictericis.de cur.ict. Sp.111.D
Cicer eruinum ictericis prodeſt. 9° de.comp.med.ſec.loc. 5ª.198.C
Cicerum decoctio expurgat in ictericis.de cura icter. Sp.111.B/D
Ciceris aqua confert in dolore lapidis.de cura lap. Sp.111.H
Cicera parua nigra lapidem renum comminuunt. 1°.de alim.fa. 2ª.14.B/ de diſſol.cont. Sp.75.G
Ciceris arietini decoctum calculos renum confringit. 6°. de ſimplicium medicamen.fac. 5ª.47.E
Cicer arietinum efficacius cęteris vrinam prouocat. 6°.de ſimpli.medicamen.fac. 5ª.47.E
Cicer album in cura veſicæ.de dyna. Sp.20.A
ex Ciceribus puls haud frequenter fiebat. 1°.de alim.fac. 2ª.14.B
Ciceris farina excalfacit ſimul et exiccat. 5°.de ſim.me.f.33.H/3ª.34.A
Ciceris farina vſus eſt Galenus in neruorum vulneribus. 3°.de compoſi. medic.per gen. 5ª.229.H
CICERIS magnitudo, Doſis. 7°.de compo.med.ſecun.locos.182.C/183. A/185.H/186.F/8°.189.B/F/G/9°.204.B/10°.5ª.206.E/ de medica.facil.par.171.H/ 7ª.179.D
Ciceris magnitudine catapotia. 8°.de compo.medica.ſec.loc. 5ª.189.F
CICERCVLA inter cerealia ſemina numerantur.de vict.ratio.in morbis acutis.com. 1°. 7ª.111.B
Cicercula, eruia, phaſeli, ſunt vnum gñe, plura noie. 1°.de ali.fac. 2ª.15.B
Cicerculę ſunt dolichi. 1°.de alim.fac. 2ª.14.G
Cicerculę ſubſtantia & vſus. 1°.de alim.fac. 2ª.14.G
Cicerculas quo modo explorabat Galeni pater.de bo.& vi.ſu. 2ª.36.G
Cicerculis meliores ſunt ochri, & dolichi.de bon.& vit.ſuc. 2ª.37.D
CICERELLI meminit.de dynam. Sp.24.B
CICHON inſtrumentum ad ſuffitũ faciendũ.de med.fac.par. 7ª.171.C
CICHORIVM frigidum & ſiccum in ſecundo ordine. 8°.de ſimpl. medicamen.fac. 5ª.60.C
Cichorei facultas ſubfrigida eſt, ſubamara & modice adſtringens. 8°.de compo.med.ſecun.loc. 5ª.195.C
Cichorea eſt cibarij genus. 8°.de comp.med.ſe.loc. 5ª.195.B
Cichorea & cruda & cocta apud rurales edebatur. 8°.de compoſitione med.ſecun.loc. 5ª.195.B
Cichorion comedunt homines fame adacti. 2°.de alim.fac. 2ª.22.B
Cichorei cõdiẽdi modus ex Eraſiſtato.de venæ ſect.adu.Eraſi. 6ª.12.A
Cichorium eſt vitioſiſſimi ſucci.de bon.& vit.ſuc. 2ª.37.G
Cichorei ſpecies eſt chondrila. 8°.de ſimp.med.fac. 5ª.60.C
Cichorion ad capitis dolorem.de rem.par.fac. 7ª.154.B
Cichorium inter olera quæ cruda ſtomachicis conueniunt. 8°.de compoſi.med.ſecun.loc. 5ª.192.C
Cichoreũ optimũ medicaᵐ eſt calidis iecoris intemperaturis, qui vltra hoc ꝙ moderate refrigerat, amplius robur viſceri addit, & extergit cõmiſſuras oſculorũ venarũ q̃ ſunt in ipſo. 8°.de cõp.me.ſe.l. 5ª.195.C
Cichoreum non admodum lædit frigidas iecoris intemperies. 5ª.195.C
Cichoreo vtitur Eraſiſtratus abunde in cura affectionum, quæ ſunt circa aluum. 8°.de comp.med.ſec.loc. 5ª.195.C
Cichorium cum vino expurgat in ictericis.de cura icter. Sp.111.B
CICI, id eſt ricinus. 7°.de ſimp.med.fac. 5ª.51.B
CICINVM oleum quale, & vbi. 7°.de comp.med.per gen. 5ª.269.E
Cicinum oleum in Aegypto habetur. 3°.de ſani.tuen. 2ª.81.C
Cicini olei vires medicus noſcat oportet. 2°.de ſimp.med.fac. 5ª.11.F
Cicinum oleum tenue eſt. 6°.de ſimp.med.fac. 5ª.40.H
Cicinum oleum vetuſtate fit calidius & tenuius. 11°.de ſim.me. 5ª.79.G
Cicinũ oleũ habet naturã ſabini inueterati. 1°.de cõp.me.ſe.lo. 5ª.122.A
Cicinum oleum rarefacit. 5°.de ſimp.med.fac. 5ª.35.F
Cicinũ oleũ diſcuſſoriũ, & rarefaciẽs cutim. 9°.de cõ.me.ſe.lo. 5ª.197.F
cũ Cicino oleo abrotanũ ad alopecias cõuenit. 6°.de ſim.me.f. 5ª.40.H
Cicinum oleum ſoluit ventrem. 6°.de ſimp.med.fac. 5ª.46.H
Cicino oleo pus mouetur in phlegmonis frigidioribus. 5°. de ſimplicium medicamen.facul. 5ª.34.G
Cicino oleo ſimile eſt oleum lucernarum. 1°.de comp.med.ſe.l. 5ª.123.A
Κίγκλισις quid de articulis.com. 4°. 7ª.289.E
CICONIAE cur habent roſtrum magnum, & collum longius. 11°.de vſu partium. 1ª.187.D
Ciconiarum ſtercus epilepſiæ mederi quidam falſo dicunt. 11°.de ſimpli. medica.facul. 5ª.77.B
CICVRVM carnes minus ſiccant, quã ferarum. 5°.de ſani.tuẽ. 2ª.92.C
CICVTA à græcis κώνειον dicta. ꝙ animi mores. 1ª.318.A
Cicutæ ſimile eſt ſemen aniſi.de ſimp.med. Sp.80.E
Cicutæ caryſtię fit mentio.de med.fac.par. 7ª.166.A
Cicuta frigida eſt. 2°.de temp. 1ª.21.G
Cicuta frigida iudicatur ab omnibus. 3°.de ſimp.med.fac. 5ª.17.H
Cicuta frigida extreme. 7°.de ſimp.med.fac. 5ª.53.H
Cicuta eſt frigidiſſima, hoc eſt frigida quarto gradu. 3°. de ſimplicium medicamen.facul. 5ª.19.G
Cicutæ ſemen eſt oium refrigerantiũ valentiſſimũ, tñ cuti noſtrę impoſitũ, antequã exacte cõminuatur, eſt imbecillũ. 1°.de ſim.me.fa. 5ª.4.F
Citutæ ſuccus frigidus eſt & viſcoſus. 2°.de ſimp.med.fac. 5ª.14.D
Cicuta frigida cum ſit, humiditatis item copiam obtineat, potui non eſt ſumpta vtilis ad ſomnum inducendum. 5°.de ſimp.med.fac. 5ª.37.C
Cicuta & ſi detur calefacta, poſtea tamẽ fit frigida. 3°.de temp. 1ª.23.G
Cicuta calefacta vrit. 1°.de ſimp.me.fa.3.C/1°.de cõp.me.p ge. 5ª.219.H
Cicuta frigida natura eſt, & parit frigidos morbos.de cauſ.mor. 3ª.7.D
Cicutæ ſuccus odore pugnantiam cum homine quam habet oſtendit. 4°. de ſimp.med.fac. 5ª.29.E
Cicuta refrigerat hominem. 1°.de ſimp.med.fac. 5ª.2.D
à Cicuta refrigeratur corpus. ꝙ animi mores. 1ª.317.H
Cicuta quantã pariat refrigerationem. 1°.de comp.med.per ge. 5ª.210.A
Cicuta numeratur inter medicamenta natura frigida, quæ deleteria nuncupantur. 3°.de ſimp.med.fac. 5ª.21.H
Cicuta numeratur inter medicamenta, quę habent naturam exitialem, tamen non poteſt ſine quantitate nocere.com. 2°.aph. 17°. Ex.13.B
Cicuta ſumme nos refrigerat ac interimit, ac minime omnium eſt acida. 4°.de ſimp.med.fac. 5ª.28.C
Cicuta obſtupefacit, & necat. 5°.de ſimp.med.fac. 5ª.35.F
Cicuta epota cur fiat ſtultitia neſciuit Galenus. ꝙ animi mor. 1ª.318.A
Cicutæ eſu quidam mortui.de bon.& vit.ſuc. 2ª.34.A
Cicuta hominem necat tum ob meatuũ amplitudinem, calorisq; multitudinem, tum ob attractionis arteriarum robur validum ad cor pertingens. 3°.de ſimp.med.fac. 5ª.22.C
Cicuta ſi vino mixta bibatur cur necet citius. 3°.de ſim.me.fac. 5ª.22.E
Cicuta cur necat ſi anima immortalis. ꝙ animi mores. 1ª.317.H
ad Cicutam valet theriaca.de ther.ad Piſo. 5ª.91.D
Cicuta eſt nutrimentum aliquibus animalibus. 6°.de ſan.tuen. 2ª.96.D
Cicuta homines necat, ſturnos nutrit.de ther.ad Piſo. 5ª.91.A
Cicuta ſturno nutrimentum, homini medicamentũ. 3°.de temp. 1ª.24.E
Cicuta veſcuntur ſturni. 2°.de alim.fac. 2ª.17.C
Cicutam non refrigerare ſturnum & eum nutrire, collige. 1°.de ſimplic. medicamen.facul. 5ª.2.D
Cicuta ſturnos nutrit & calefacit, nõ enecat. 3°.de ſimp.med.fa. 5ª.17.H
Cicuta cur ſturnos non necat. 3°.de ſimp.med.fac. 5ª.22.C
Cicutam anus Athenienſis comedebat, & quomodo tali cibo cœperit aſſuefieri. 3°.de ſimp.med.fac. 5ª.22.C
in Cicutæ decocto macerata medicamenta exhibet per os. 7°.de compo. medicamen.ſec.loc. 5ª.182.A
Cicutæ ſemen dat per os. 7°.de compoſitio.medica.ſecun.locos.183.G/H/ 185.D/184.A/10°. 5ª.206.A
Cicutæ ſemen quibus conueniat. 7°.de comp.med.ſec.loc. 5ª.184.B
Cicutæ ſemen pro oculis.de reme.par.facil. 7ª.156.D
Cicuta adſtringit & reprimit.de remed.par.fac. 7ª.156.D
CIENVS qui & Pruſias dictus eſt inter auctores ſectæ rationalis. introductio. Iſa.51.D

Κιγκλισμός

Κιγκλισμὸς quid.de artic.com.1°. 7ª.261.B
Κῆλαι teſticulorum tumores nominantur. de tum.præter nat.3ª.84.G
CILIA quæ.introd. Iſa.53.A
Cilia propter quid facta.10°.de vſu par. 1ª.180.A
ex Cilijs pili decidentes quo mō reſtaurentur.14°.met.med. 7ª.93.C
Cilia pilis exaſperare conuenit.in 6^{m}.de mor.vul.com.2°. 3ª.160.H
in CILICIA fit capnelæon.2°.de comp.mc.ſec.loc. 5ª.133.F
in Cilicia quæ vina naſcantur.5°.de ſan.tuen. 2ª.91.B
in Cilicia vina valde tenuia & aquoſa reperit Galenus. de vict.rati.in morb.acu.com.3°. 7ª.127.B
Cilicium vinum auſterum & dulce,ſimul nigrum eſt,adſtringit.de boni. & vitio ſuc. 2ª.38.C
CILINI fit mentio.ſecretorum. Sp.101.C
CIMICES hirudines eijciunt.11°.de ſimp.med.fac. 5ª.82.E
Cimices ſuffiti ad hirudines deuoratas.de medic.fac.par. 7ª.174.D
Cimices lectuli ad vrinæ difficultatem.de medic.fac.par. 7ª.178.E
Cimicum ſanguis.4°.de comp.med.ſe.loc. 5ª.158.B
Cimicis ſanguis ad pilos palpebris innatos oculum infeſtantes. de reme. par.fac. 7ª.156.G
Cimices ante ſuffuſionem apparent.de oculis. 7ª.187.C
ad Cimices in auribus proprie valet ſuccus centaureę cum oleo.de virtute centau. Sp.93.C
CIMOLIA terra quid,& eius vires.de ſimp.med. Sp.85.B
Cimolia terra duplex.9°.de ſimp.med.fac. 5ª.66.F
Cimolia terra qualis.9°.de ſimpli.medi.fac. 5ª.66.B
Cimolia terra ſicca eſt citra morſum.9°.de ſimplic.medic.fac. 5ª.66.F
Cimoliam terram quādoq; appetunt grauidæ.1°.de ſymp.cau. 3ª.18.C
Cimolia terra debet ſępe lauari.9°.de ſimp.med.fa. 5ª.66.F
Cimolia exacte elota ē ex pharmacis ēplaſticis.4°.de ſim.me.f. 5ª.25.D
Cimolia terra in medicamentis ad defluuium capillorum. 1°.de compoſitio.medicamen.ſec.loc. 5ª.126.A
Cimolia terra achoribus conueuit.1°.de cōp.med.ſec.lo. 5ª.128.H
Cimolia ex aceto contra fauos.de remed.para.facil. 7ª.154.D
Cimolia terra illinitur ad ignem ſacrum, & combuſta:puſtulas enim fieri prohibet.de ſimp.med. Sp.85.B
CINADAR quid,& eius vires.de ſimp.med. Sp.82.B
CINAEDI auiculæ fel.4°.de comp.med.ſec.loc.153.B| 5ª.158.B
CINARAE conditura,quæ.2°.de ali.fac. 2ª.23.E
Cinara melancholicum ſuccum gignit.2°.de alim.fac. 2ª.23.E
CINCINNORVM imaginem referens faſcia.de faſcijs. 7ª.295.E
CINCTVM non patientes ceratum habeant.8°.meth.med. 7ª.53.D
CINENON quid & eius vires.de ſimp.med. Sp.83.C
CINERVLA qualis.1°.de comp.med.ſec.lo. 5ª.129.E
Cinerulę Cypriæ meminit.3°.de comp.me.ſe.lo.145.A|5°.de comp.med. per gen.5ª.251.H|de rem.par.fac. 7ª.163.E
Cinerula achoribus conuenit.1°.de comp.med.ſec.lo. 5ª.128.H
CINETICOS catatopon, id eſt vis animæ ad omnia loca progrediendi.de ſpermate. Sp.37.H
CINGVLVM faſciolæ humeri.de faſcijs. 7ª.302.E
Cingulum de corio capreoli quibus proſit.de dyna. Sp.24.B
CINIS quid ſignificet.6°.de comp.med.ſec.loc. 5ª.170.G
Cinis quid ſit,& qualis ſit.8°.de ſimp.med.fac. 5ª.62.B
Cinis tenue corpus eſt.4°.de ſimp.med.facul. 5ª.30.B
in Cinerem aduſtam vertitur conſumptus lignorum natiuus liquor. 2°. de differen.feb. 3ª.41.D
Cineris aduſtio quo modo fiat.com.2°.aph.47°. Ex.18.H
in Cinere egit calor.de vtil.reſp. Sp.64.F
vt Cinis & acetum,ita & nigra bilis particeps eſt caloris. 3°. de ſymptoma.cauſis. 3ª.28.B
vt Cinis & acetum,calida eſt atra bilis.3°.de ſymp.cau. 3ª.28.B
vt Cinis atra bilis fit è ſanguine immodice cocto feruentiq;. 3°.de ſymptomatum cauſis. 3ª.28.B
Cinere, & calce craſſiora ſunt ferrum & lapis ignita, multoq; magis q̃ fauilla,ad hęc quoq; & calidiora.4°.de ſimp.me.fa. 4ª.30.B
in Cinere taxat Dioſcoridem.8°.de ſimpl.medica.fac. 5ª.62.C
per Cineris poros influens aer ignitur ad reſtaurationem euaporationis ignis.de vtil.reſp. Sp.63.H
Cinis pro materia combuſta varius.8°.de ſimp.med.fac. 5ª.62.B
Cinis animalium vſtorum,qualis.6°.de comp.med.ſec.lo. 5ª.170.G
Cinis Braſſicarum adurit.7°.de ſimp.med.fac. 5ª.52.F
Cinis Braſſicarum cum adipe ad inueteratos laterum dolores valet. 7°. de ſimp.med.fac. 5ª.52.H
Cinis Cancri qualis.11°.de ſimp.med.fac. 5ª.81.H
Cinis Caprifici omnibus acrior.de ſimp.med. Sp.86.A
Cinis Chartę exiccat,ſed infirmius,quàm papyri. 8°.de ſimp.medi.fac. 57.G|9°.de comp.med.ſec.loc. 5ª.203.E
Cinis Cochlearū vſtarū adſtringit dyſenteriā.11°.de ſimp.me.fac.5ª.81.E
Cinis locorum vbi Aes funditur.de oculis. 7ª.191.C
Cinis ex Ferraria officina.9°.de comp.med.ſec.loc. 5ª.199.H
Cinis Ficulneus,qualis.8°. de ſimp.med.fac. 5ª.62.C
Cinere ficulneo nunquam ad ſanguinem ſupprimendum vti debemus.8°. de ſimp.med.fac. 5ª.62.C
Cinis Ficuum.5°.de comp.med.ſec.loc. 5ª.253.B
Cinis Hirundinum vſtarum ad oris putredines ac cruſtas.de remed.paratu facil. 7ª.158.A
in Cineribus oībus vſtorum lignorū aliquid veluti fomes quidā igneus per exiguas partes diſperſum eſt,quod & valide calidum eſt,reliquū omne tum terreum eſt,tum frigidum.4°.de ſimp.med.fac. 5ª.25.A
Cinis acerborum Lignorum ſanguinis eruptionem ſupprimit. 8°.de ſimplici.med.fac. 5ª.62.C
Cinis Muſtelæ cōtra podagricos et arthriticos.11°.de ſim.me.fa.5ª.82.D
Cinis Myrrhæ.6°.de comp.med.per gen. 5ª.262.B
Cinis Nucum,qualis.6°.de comp.med.ſec.loc. 5ª.175.A
Cinis ſarmentorum Oliuæ,qualis.de ſimp.med.fac. Sp.86.A
Cinis Quercinus,qualis.8°.de ſimp.med.fac. 5ª.62.C
Cinis Ranarum ſanguinis eruptionē ſanat.11°.de ſimp.med.fa. 5ª.82.D
Cinis Salamandræ quibus valeat.11°.de ſimp.med.fac. 5ª.82.F
Cinis Spinarum.5°.de comp.med.per gen. 5ª.253.B
Cinis ſpongiæ combuſtæ ſanguinem inhibet.de theria.ad Piſ. 5ª.97.E
Cinis tithymallorum,qualis.8°.de ſimp.med.fac. 5ª.62.C
Cineris ſpecies eſt calx.8°.de ſimp.med.fac. 5ª.62.C
neq; Cinerē,neq; puluerē,neq; fauillā, neq; calcem animal vllū eſitat, neq; eorū quæ planè amara ſunt quicquā.4°.de ſimp.me.fa. 5ª.30.C
Cinis in recentia vulnera in profundum poſitus ſanguinem ſtatuit à curſu.de ſimpl.med. Sp.86.A
Cinis pecoribus caſtratis impoſitus prodeſt,omnibusq; abſciſis. de ſimplic.medicam. Sp.86.A
Cinere, & ſputo argentum viuum extinguit.de dyna. Sp.30.E
Cineri comparatur pulmo.de vtil.reſp. Sp.63.H
in CINEREM vertitur humorum putridorum terreſtris cocta ſuperfluitas.2°.de diff.feb. 3ª.41.D
Cinis in febre quorſum mittatur.3°.de pręſag.ex pul. 4ª.119.A
ſub CINERITII panes omnium deterrimi.1°.de alim.fac. 2ª.10.C
Cineritius color qñ in vrinis & cur.in 6^{m}.de mor.vul.com.1°. 3ª.155.F
Cinereum in vrinis quos colores ſignificet præter ruffum. in 6^{m}.de mor. vulgarib.com.1°. 3ª.155.G
Cinereus eſt puris color.de fract.com.2°. 7ª.236.D
Cineritium Aſclepiadis cicatricē inducēs.5°.de cōp.med.p ge. 5ª.253.G
CINNABARI quale.9°.de ſimp.med.fac. 5ª.69.F
Cinnabaris viridis fit mentio.3°.de comp.med.ſec.loc. 5ª.145.H
Cinnabari vnum ex fortiſſimis medicamentis ad achoras.1°.de compoſi. medi.ſecun.loc. 5ª.129.D
Cinnabarium collyrium.4°.de comp.med.ſec.loc. 5ª.156.H
CINNAMVM quid.de ſimpli.med. Sp.83.A
Cinnamomi arboris deſcriptio.1°.de antid. 5ª.126.A
Cinnamomū,ellebori,et damaſonij figurā pſefert.1°.de antid. 5ª.106.A
Cinnamomi arbor Romam portata.1°.de antid. 5ª.105.H
Cinnamomum cognitu facillimum eſt.1°.de antid. 5ª.105.G
Cinnamomum perfectiſſimum,quod theriacam ingreditur, deſcribitur. de ther.ad Piſo.94.G|1°.de antid. 5ª.106.A
Cinnamomum in antidotis valde prætioſum.de ſimp.med. Sp.8[illegible].A
Cinnamomum pro regibus.5°.de comp.med.ſec.loc. 5ª.165.H
Cinnamomi probatio ex ætate.1°.de antid. 5ª.105.H
Cinnamomi vis ad quantum tempus durat.1°.de antid. 5ª.105.G
Cinnamomi diuerſitas.de theria.ad Piſo. 5ª.94.G
Cinnamomi ſex ſpecies.1°.de antid. 5ª.105.G
Cinnamomis eſt veluti imbecillum cinnamomū.7°.de ſimp.me.f. 5ª.51.C
Cinnamomum,opocalpaſum,& ſagapenum tria habent, quæ neq; chalbanum,neq; myrrha,neq; caſia ſunt,tamen non ſunt perfecte ſagapenum,opocalpaſum,aut cinnamomum.1°.de antid. 5ª.105.B
Cinnamomum,quale.4°.de compo.med.ſec.loc.151.G|7°.170.G|179.C| 8°.188.E|5ª.190.B|de oculis. 7ª.188.H
Cinnamomum calidum eſt in tertio ordine.7°.de ſimp.med.fac. 5ª.51.C
Cinnamomum quia eſt tenuium partium deſiccat ſupra omnia quæ ſunt

calida in tertio ordine.7°.de ſimp.med.fac. 5ª.51.C
Cinnamomum eſt aroma calidum.com.5°.aph.28°. Ex.40.C
Cinnamomum aromaticum medicaᵐ.9°.de comp.med.ſec.loc. 5ª.201.G
Cinnamomum odoratum ſubtile.5°.de comp.med.per ge. 5ª.234.E
Cinnamomum omnium rerum odoratiſſimum.de ſimp.med. Sp.83.A
Cinnamomum rutam præſe fert.de theria.ad Piſo. 5ª.94.G
Cinnamomum eſt tenue.1°.de antid. 5ª.105.B
Cinnamomum acre eſt,& excalfactorium.de ſimp.med. Sp.83.A
Cinnamomum acrimonia,& calore ſuccos craſſos,& lentos diſſecat, ac detergit.6°.de ſani.tuen. 2ª.99.C
Cinnamomum diſſoluit ventoſitatem.de diſſ.cont. Sp.74.G
Cinnamomum putredinoſas,& venenoſas facultates corrigit. 8°.de cõpoſi.med.ſec.loc. 5ª.194.E
Cinnamomum per os prouocat ſudorem.de cathar. Sp.95.D
Cinnamomum menſes & vrinas prouocat.5°.de ſimp.med.fac.5ª.38.A
Cinnamomi peſſarium matricem purgat.de cathar. Sp.95.C
Cinnamomum maturatiuum eſt.de oculis. 7ª.189.C
Cinnamomum in auricularia medicamenta inijcitur. 3°.de compoſitione medica.ſecun.loc. 5ª.141.B
Cinnamomum quid agat in medicamentis.de med.exper. Sp.104.B
Cinnamomum inter oculorum medicinas.de ocul. 7ª.18.G
ex Cinnamomo collyrium pro oculis.12°.meth.med. 7ª.79.H
cum Cinnamomo aloen componunt diuites.5°.de ſan.tuen. 2ª.92.E
pro Cinnamomo caſia.3°.de comp.med.ſec.loc. 5ª.141.B
in Cinnamomi penuria exqſitiſſima caſia vtimur.6°.de ſan.tuẽ. 2ª.99.C
Cinnamomum cum deeſt,duplum caſię aſſumendum eſt.6°.de ſani.tuen. 2ª.99.C/1°.de antid.106.C/8°.de comp.med.ſec.loc. 5ª.190.D
pro Cinnamomo Caſia cur ſumatur.1°.de comp.med.per gen. 5ª.215.A
à Cinnamomo optimo parum differt optima caſia. 1°. de antidotis. 105.G/ 5ª.106.A
Cinnamomum quandoq; ex Caſia oritur.1°.de antid. 5ª.106.C
cum Cinnamomo eandẽ vim habet caſia.8°.de cõp.me.ſec.lo. 5ª.194.F
pro Cinnamomo cardamomum.2°.de antid. 5ª.111.E
Cinaamomi loco carpeſio vtebatur Quintus.7°.de ſimp.me.fa.50.D/1°. de antid.106.D/3°.de comp.med.ſe.loc. 5ª.141.B
pro Cinnamomo carpeſium duplo pondere vel caſia. 3°. de compoſitio. med.ſecun.loc. 5ª.141.B
CINNVS quid ſit,Collige.1°.de alim.fac. 2ª.11.E
Κίων & σύλος appellatur columna.1°.de alim.fac. 2ª.15.B
Cion,hoc eſt gurgulio & columna.6°.de comp.med.ſec.loc. 5ª.172.E
Cionida ſeu vuluam dislocatam,vel relaxatam, vel phlegmone affecta curat ſuccus centaureę.de vir.cent. Sp.93.D
Cionidi poſt chirurgiã confert ſuccus centaureæ.de vir.cent. Sp.93.D
CIRCEAE radix ex vino dulci pota ſecundas purgat.7°.de ſimplic. medicam.fac. 5ª.51.C
CIRCVITVS quid fin.med.Iſa.46.D/de morb.temp.85.F/ ad eos qui de typis ſcripſerunt.3ª.89.D/com.1°.aph.12°. Ex.5.F
Circuitus morbi diuiſio in duas partes.de morb.temp. 3ª.86.H
Circuitus totus poteſt in duas diuidi partes, acceſſionem & remiſſionẽ. de morborum temporib. 3ª.90.A
ad Circuituum numerum non dierum fieri iudicationem tum in tertianis,tum in quartanis obſeruauit Galenus.com.4°.aph.59°. Ex.33.H
Circuitus cur fiant eodem modo,& reuertantur diebus ſtatis.commen. 4°.aphoriſ.63°. Ex.34.D
Circuitus acceſſio non eſt conſyderanda in febribus, ſed modus & forma.1°.de differ.feb. 3ª.35.H
Circuitus quotidiani horarum vigintiquatuor.de mor.temp. 3ª.85.F/G
Circuitus ternarius.de morb.temp. 3ª.85.G
Circuitus febrium tertianarum cum quotidianis comparatus quantus. de morborum temporib. 3ª.87.H
Circuitus octo horarum.ad eos,qui de typ.ſcrip. 3ª.93.C
Circuitus tertiani horarum quadraginta octo.de morb.temp. 3ª.85.F
Circuitus nõ habẽt σύνοχοι. de mor.tẽp.3ª.87.D/3°.de criſ. 4ª.139.H
Circuitus quartani horarũ ſeptuaginta duarũ.de mor.temp. 3ª.85.F/G
Circuitus quinq; dierum,& acceſſio quinta die,non eſt idem.ad eos, qui de typ.ſcripſ. 3ª.94.E
Circuitus primus viginti dierũ perfectus eſt.2°.de dieb.dec. 4ª.154.G
per Circuitus aliquos quæ ægritudinum acceſſiones fiunt, ex membrorũ diſpoſitionibus ortum habent.2°.de diff.feb. 3ª.42.G
per Circuitus,pedum & articulorum dolores exacerbant. 2°.de differen.febrium. 3ª.40.F
Circuitus per dies referuntur ad ſeptimanas & ad lunas. 3°. de diebus decretorijs. 4ª.158.A
Circuitus lunæ tum communes tum proprij.3°.de dieb.decr. 4ª.159.E
Circuitus per menſes referuntur ad ſolem.3°.de die.decr. 4ª.158.B
Circuitus menſtruorũ cur ſeruatur,& quando.2°.de diff.feb. 3ª.42.E
Circuitus menſium ſuggerere poteſt cucurbitula.de cucur.ſcar. 6ª.3.F
Circuitus morbi initiũ ex pulſu qũo cognoſcatur.de morb.temp.3ª.87.C
iuxta Circuitus parilitas pulſum,quę.1°.de diff.reſp. 3ª.61.F
Circuitus ſoluere poteſt cucurbitula.de cucur.ſcar. 6ª.3.F
per Circuitum repetentium affectionum remedium. 7°.de compoſitione med.ſecun.loc. 5ª.182.H
per Circuitum repetentium internarum affectionum remedia.7°.de compo.med.ſecun.lo. 5ª.182.D/G
Circuitus,lege Acceſſio,& Paroxyſmus.
CIRCVLVS quid.10°.de vſu par. 1ª.182.C
Circulus maxima figurarum planarum habentium æqualem figuram. 4°.de vſu partium. 1ª.136.G
de Circulis duobus à lapidibus duobus factis in aqua dubitatio. 3°.de ſimp.med.fac. 5ª.20.H
Circulos duos qui per ſeſe inuicem ferantur, efficiunt duo lapides coniecti vno tempore in diuerſas placidæ tranquillæq; aquæ partes. 3°.de ſimp.med.fac. 5ª.20.H
ꝑ Circulũ fieri dicebat Eraſiſtratus expirationẽ,et receptionẽ aeris per iſenſibiles meatus,Plato ꝑ duos ſemicirculos.ĩ Thim.Pla. 1ª.290.A
in Circulum eſt motus diaphragmatis.de anat.viu. Sp.53.F
CIRCVLOS cœli,qui Zonæ dicuntur,eſſe imaginabiles,collige. comm. 3°.aphor.14°. Ex.22.F
CIRCVLVS lacteus quid ſit.de hiſto.philoſo. Sp.7.E
CIRCVLVM pudicum vocat anum.de compag.memb. Sp.59.F
Circulus pudicus quando formetur.de compag.memb. Sp.59.E
Circuli pudici fit mentio.de compag.memb.ſiue de nat.hum. Sp.59.A
Circulorum curribus per habenas aurigę traijciunt & muſculi cuiuſdã vtilitas eadem.de muſ.diſſ. 1ª.52.H
CIRCVLVS quadruplex dicitur Plinthij laqueus.de laque. 7ª.308.C
CIRCVMAGENTES brachium ad exteriora, poſterioraq; muſculi. de muſc.diſſ. 1ª.47.G
Circumagere radium in pronam,quorum muſculorum ſit officiũ.de muſcul.diſſect. 1ª.48.F
Circumagens manum in ſupinum muſculus,qui.de muſ.diſſ. 1ª.49.A
Circumagit caput in priorem partem ſecundus capitis muſculus.de muſcul.diſſect. 1ª.45.E
Circumagentes caput femoris muſculi.de muſc.diſſ. 1ª.51.B
Circumagitur ſub mento γενειάς vinculum.de faſcijs. 7ª.295.A
CIRCVNCISIO vel circunſectio,quid.fin.med. Iſa.49.C
CIRCVMDEXTRVM quid ſit apud Hom.com.7°.aph.44°. Ex.57.E
CIRCVMINNVENTES pulſus,qui.de pulſ.ad tiro. 4ª.45.D
Circumnuentes pulſus in quo ſint genere.1°.de diff.pul. 4ª.51.E
CIRCVMLINIATVR primo pars parum,ſi ſanguinem detrahere volumus.de cucur.ſcar. 6ª.3.C
CIRCVMOCVLARIS tunica quæ ſit, & cur ſit facta.de anato.oculorum. Sp.57.C
per CIRCVMPVLSIONEM quo modo fiat diapnoe perſpiratũ quando fit per totum corpus.in Tim.Plat. 1ª.289.G
Circumpulſionem niſi poneret Plato,ſed attractionem,idem cum Hippocrate ſentiret.in Tim.Plat. 1ª.290.C
CIRCVMVAGATIO in articulis quid.de art.com.4°. 7ª.289.F
Circumuagatio modus reficiendi articulos.de artic.com.1°. 7ª.152.H
CIRCVMVERTATVR caput ad altera qua capitis dearticulatione. de muſcu.diſſ. 1ª.45.D
CIRCVMVOLVTIONIS motum in lingua qui muſculi faciant. de anatom.viuor. Sp.49.C
CIRCVS habet denſiſſimã oſſium concretionem.11°.de vſu p. 1ª.191.E
Circuunt vitreum humorem nerui oculum ingredientes, & ſe in latum extendentes.de ner.diſſ. 1ª.53.D
Κιρτλάιον cerati fit mentio.6°.de ſan.tuen. 2ª.100.G
CIRCVS puluis vtilis ad pingues homines attenuandos, curat leproſos,hernioſos,pruriginoſos,ſcabioſos:ſi qs eo vtatur, neq; podagrico, neq; arthritico,neq; alio dolore moleſtabitur.de dyna. Sp.30.B
Κιῤῥὸν ideſt fuluum, ξανθόν, ideſt flauum,pro eodem ſumi poſſunt.5°. de ſanitate tuenda. 2ª.91.A
Κιῤῥὸν fuluum vocat Hippocrates.5°.de ſan.tuen. 2ª.91.A
Cirrhum dictum Galeni medicamentum ad vulnera ſanguinolenta. 2°. de arte cur.ad Glanc. 7ª.106.E

Κιρσοὶ .i.varices, quid.de tum.præter naturam. 3ª.84.G
CIRSOCELE tumor ſcroti.ſin.med.49.C/D/intr.59.D/ Iſa.60.B
Cirſocele.de tum.præter natu. 3ª.84.G
CIRRI qui in vulua, ſecundum Eudemũ.de diſſe.vul. 1ª.108.D
Κηρύκιον quid.de machin. 7ª.310.D
CISERIS, id eſt pumex.9°.de ſimplic.medic.fac.6ª.67.C/5ª.69.F
CISSAMPELOS dicta elixinc digerendi facultatem obtinet.6°.de ſimpli.medi.fac. 5ª.47.C
CISSOS, ideſt hedera.7°.de ſimp.med.fac. 5ª.51.F
CISTAE & ſportulæ fabricationis fit mentio.ad Thraſ. 2ª.105.F
CISTARVS 7°.de ſimp.med.fac. 5ª.51.D
in CISTERNA ſanguinis eſſe ſomniare, ſignificat copiam ſanguinis. de digno.ex inſom. 4ª.213.D
CISTIS fellis eſt in ſubſtantia hepatis.de ana.par. Sp.43.A
CISTHI flores cum vino poti dyſenterias, ventris imbecillitates fluxusq; ac humiditates ſanant, cataplaſmatis ritu illita vlcerum putredinoſa iuuant.7°.de ſimp.med.fac. 5ª.51.D
Ciſthus à regione caliditatem accipit.7°.de ſimp.med.fac. 5ª.51.D
Ciſthus adſtringit.7°.de ſimp.med.fac. 5ª.51.D
CITHARAE, & tibiæ ſonus non eſt à tibijs, ſed à tibicine. de palpi.trem.conuulſ.& rig. 3ª.53.C
Cithara perſonare ſolebant in ſympoſiis.1°.meth.med. 7ª.2.D
Citharam non debent attingere ſenes.5°.de ſan.tuen. 2ª.89.H
Citharistæ cur remittant cordas intentas.1°.de ſem. 1ª.334.G
Citharœdi cur multis vtantur balneis, & cibos lenes ac laxantes edant. 7°.de comp.med.ſec.loc. 5ª.177.E
Citharœdus ἄφωνος ἀρύθμως pulſui ſimilis quo modo.1°.de differentijs pulſuum. 4ª.48.F
CITHARI piſces molles carne.3°.de alim.fac. 2ª.31.A
Citharus adſimilis Rhombo, ſed mollior.3°.de alim.fac. 2ª.31.D
Citharus aſello inferior.3°.de alim.fac. 2ª.31.D
Citharus coquitur in patinis.3°.de alim.fac. 2ª.31.D
CITHE quid ſit.de vſu ther.ad Pamph. 5ª.98.G
CITINOS & balauſtia eſſe diuerſa, collige.8°.de compoſitio.medicamen.ſecun.loc. 5ª.192.H
in Citino adſtrictionis actionem explorare oportet.4°.de ſimpl.medicamento.fac. 5ª.26.A
CITO fieri quo modo intelligatur.in progno.com.2°. 4ª.202.A
ex CITONII mali ſucco medicamᵐ.quid agat.4°.de ſa.tu. 2ª.86.F
CITRAGO eſt ſuperflua, vbi eſt marrubiũ.7°.de ſimp.me.fa. 5ª.55.E
CITRIVM vocant quidam malum medicũ.2°.de alim.fac. 2ª.21.G
Citri folia exiccant & digerunt.7°.de ſim.me.fa. 5ª.56.B
Citrij partes ſunt tres acida, caro, tegumentum.2°.de ali.fac. 2ª.21.G
Citrij cortex in ſecundo ordine ſiccus eſt, in actiuis qualitatibus temperatus.7°.de ſimp.med.facul. 5ª.56.A
Citrij cortex difficilis coctu, quia durũ et calloſum.2° de ali.fa. 2ª.21.G
Citrij cortex aromaticus eſt odore & guſtu.2°.dc alim.fac. 2ª.21.G
Citrij cortex q̃n accipit̃ de eo parũ cõfortat ſtomachũ.de diſ.cõ.Sp.74.E
Citrij cortex quomodo confortet vel aggrauet.de diſſ.cont. Sp.74.E
Citrij corticis ſuccus aloes inſuauitatem remittit.de dyna. Sp.20.H
Citrij acidum facit acetum acrius.2°.de alim.fac. 2ª.21.G
Citrij acetoſitas ĩcidit, et attenuat cũ acetoſitate ſua.de diſ.cõ. Sp.72.G
Citrij caro comeditur cum aceto & garo.2°.de alim.fac. 2ª.21.H
Citrij caro dura ad conquoquendum.2°.de ali.fac. 2ª.21.H
Citrij caro cur tarde digeritur.de diſſ.cont. Sp.73.E
Citrij caro cibus craſſus.de diſſ.cont. Sp.73.A
Citrij caro pituitoſa eſt & frigida.7°.de ſimp.med.fac. 5ª.56.A
Citrij ſemen quodnam ſit.7°.de ſimp.med.fac. 5ª.56.A
Citrij ſemen in tertio ordine frigidum & ſiccum.7°.de ſimplicium medicamen.facul. 5ª.56.A
Citriũ totũ miſcet̃ medicamẽtis vẽtrẽ deijciẽtibus.2°.de ali.fa. 2ª.21.G
Citrium coctionem iuuat, ſi quis eo vt medicamento vtatur. 2°. de alimen.facul. 2ª.21.G
ad CITRINAM aquam in hepate.ſecretorum. Sp.99.E
Citrinum colorem habet conceptus in horis bilis.de ſper. Sp.37.C
Citrium colorem à leone tenuit Alexander.de ſper. Sp.38.H
Citrini coloris non nihil habet tertius humor oculi. de compag.membr. ſiue de natura hum. Sp.58.C
Citrinis colore extra rõnem infectis, aloen damus.de dyna. Sp.20.H
Citrino colori valens medicamen Azariconis.de med.exper. Sp.105.G
CITRINA Cholera fit plurimum ſanguinis ob acutos cibos.de diſſolutio.continua. Sp.72.F
Citrina cholera abundans hõ quibus ſit nutriendus.de diſſ.con. Sp.72.C
Citrinam choleram refrenans medicamentum.ſecreto. Sp.101.G
in Citrinis icteritijs ſuccus Chelidonæ bibitur.de ſimp.med. Sp.82.B
ad Citrinam icteritiam.ſecret. Sp.99.D
Citrinas Venas habet conceptus in horis bilis.de ſper. Sp.37.C
Citrinæ venę fit mentio.ſecret. Sp.97.G
Citrinũ Vinũ boni odoris eſt boni chymi, et ſubtilis.de diſ.cont. Sp.73.H
Citrinũ vinum, clarum, ſubtile, antiquũ, calidum, eſt cibus acutus, incidens, aperiens.de diſſ.cont. Sp.72.F
Citrinũ vinum, antiquũ dulce, eſt cibus calidus.de diſſ.cont. Sp.74.C
Citrinum vinum antiquum facit dolere caput.de diſſ.cont. Sp.74.F
CITRVLI ſunt frigidi.de diſſ.cont. Sp.74.D
Citruli humidi, frigidi, ac pituitoſi, potiſſimum ſi crudi & non elixi edantur.de atten.vict. 2ª.44.A
Citruli, cucurbitæ, endiuia, lactucę, facilius digeruntur, quàm apium, et carbtum.de diſſ.cont. Sp.73.D
Citruli ſunt humidi.de diſſ.cont. Sp.74.D
Citruli generant ſuccum frigidum.de diſſ.cont. Sp.74.B
Citruli inter cibos craſſos numerantur.de diſſ.cont. Sp.73.A
Citruli ſunt cibaria media.de diſ.cont. Sp.74.C
Citrulos duriores cur quidam elixent.de atten.vict.rat. 2ª.44.A
CITTA, picatio.1°.de ſymp.cau. 3ª.18.C
Citta ex ore ventriculi.5°.de loc.affect. 5ª.32.H
Cittam quanto tempore habent pręgnantes.1°.de ſymp.cau. 3ª.18.C
CIVILIS potentia quęrebatur tempore Galeni.1°.meth.med.7ª.2.C
Ciuilibus negocijs impliciti nõ poſſunt venationibus incumbere. de par.pil.exer. 2ª.48.H
Ciuilibus negocijs diſtrictus tutius eſt vt non mutet temperamentum.6°. de ſanitate tuen. 2ª.96.C
Ciuilem appellat Plato artem animæ in Gorgia.ad Thraſ. 2ª.107.D
ad Ciuilem philoſophiam nihil facit ſcire quænam ſit animę eſſentia. de ſubſt.fac.nat. 1ª.230.F
in Ciuili contemplatione fieri non poteſt vt naturalem, & ratiocinatoriam prorſus non attingas.9°.de decr.Hipp. 1ª.284.D
Ciuilia vocabula, quæ.in 3ᵐ.de mor.vulg.com.2°. 3ª.143.A
CIVES dant gloriam ciuitatibus.in oratione ſuaſoria. Iſa.3.D
Ciues in quo ſatius ſit cæteris antecedere.de cog.cur.animi mor. 2ª.55.C
Ciues in annona fruges omnes in vrbẽ portãt.de bo.& vi.ſuc. 2ª.33.G
Ciues lauabantur, & vngebantur poſt febrem, non agreſtes. 10°.methodi medendi. 7ª.61.H
CIVITATES cur ędificatæ fuerint.ad Thraſ. 2ª.104.C
Ciuitas nulla adeo floruit, quin tandem memoria conditoris ſit deleta. 14°.de vſu partium. 1ª.204.D
in Ciuitate tria ſunt hominum genera, et quæ.5°.de decr.Hip.1ª.260.A
Ciuitatibus omnibus ars medica vtilis.de cau.procat. 3ª.95.H
Ciuitates dant gloriam ciuibus.in oratione ſuaſo. Iſa.3.D/E
Ciuitatis adminiſtrationem cum explicare volueris, prima eius origo tibi erit repetenda.6°.de decre.Hip. 1ª.264.B
in Ciuitatibus quid ſit lex.de ijs quæ in med.ſi.com.1°. 7ª.206.H
Ciuitatum gubernatori comparat naturam opificem in animali.commentario.5°.aph.39°. Ex.41.B
Ciuitates ſacerdotis vel regis genus permanere ſtudentes, vbi mulieres non concipiunt, quærunt vtrius cauſa hoc accidat, vt facto diuortio mulieres concipiant.com.5°.aph.59°. Ex.43.C
Ciuitates ſeditione & aliquo bello inteſtino laborantes cur ægrotare dicantur.5°.de decr.Hipp. 1ª.255.C
Ciuitatẽ potius proderent aliqui quàm opinionẽ.2°.de diſ.pul. 4ª.59.B
Ciuitatis Lucæ horizontis fit mentio.ſecret. Sp.98.H
Ciuitas tuta à ſeptẽtrione, quas aquas habeat.de aere, aq.& lo.2ª.2.E
Ciuitas ſita ad ventos calidos.de aere, aq.& lo. 2ª.2.E
CLAMARE poteſt non loqui ſola lingua reſoluta, in.3ᵐ.de mor.vul.c.3°.3ª.149.C
ex CLAMORE acuto accidere poteſt inſtrumentorum ruptio. 3°. de ſympto.cauſ. 3ª.26.H
ex Clamore vas ruptum in pulmone.5°.meth.med. 7ª.30.C
Clamor vehemens in cauſa eſt quandoq; cur iuuenibus fiant fluxus ſanguinis.com.3°.aph.29°. Ex.26.C
Clamor numeratur inter cauſas abortus.com.5°.aph.45°. Ex.41.G
Clamor vitãdꝰ eſt ĩ capitis dolore ob ardorẽ.2°.de cõ.me.ſec.lo. 5ª.132.B
CLANGENTES voces vnde oriantur.in 1ᵐ.prorrhe.commentario. 1°. 162.D/ 4ª.166.A
Clangores ſunt ſymptomata vocum.de ſymp.diff. 3ª.13.D

Clara

CLARA habens ſuſpecta dubitationibus oblectatur. 2°.de motu muſcu lorum. 1ª.315.A
Clara ſtudens euertere maxime fatuus eſt.2°.de mot.muſ. 2ª.315.A
ad Clarificandam Faciem.de dyna. Sp.25.H
Claritatē Oculorū mirifice facit ſucc⁹ radicis acori.de ſim.me. Sp.81.A
Claritati oculorum vtilis eſt ſuccus anagallidis.de ſimp.med. Sp.80.G
ad Claritatē oculorum Cridrium maxime facit.de ſimp.med. Sp.83.E
ad Claritatem faciei et oculorum melius habetur mel atticum alio melle.de ſimp.med. Sp.87.A
ad Claritatē oculorū proprie cōfert lapis pyrites.de ſimp.me. Sp.86.F
Clarum Sanguinem purum & mundū non generant cibi non temperati. de diſſol.cont. Sp.74.A
Clarificatio Spiritus in arterijs quo modo fiat.de ſpermate. Sp.37.G
Clarum Vinum citrinum,ſubtile,antiquum,calidū,eſt cibus acutus,incidens.de diſſ.cont. Sp.72.F
Clara eſt Vox añ potū & cibū,poſt minus clara.de vo.et anhe. Sp.61.G
Clarioris vocis ſunt ſicca corpora quàm humida.de vo.& anh. Sp.61.G
ad Clarificandam vocem electarium de dyna. Sp.26.B
Clarificans vocem medicina.ſecretorum. Sp.101.F
Clara Vrina ſuperius,inferius nebuloſa & ſubliuida dolorē ſignificat renum,& genu,& coxæ,& ſuperioris ſtomachi.de dyna. Sp.35.D
Claritatem habens vrina inferius,quæ ſit ſuperius ſubnigra, & plena ſignificat inferius dolorem renum,& ſuperius grauitatem capitis,& obturationem aurium,& narium.de dyna. Sp.35.D
CLAVDICANT niſi vrantur,à coxendicum dolore diuturno moleſtati.com.6°.aph.60°. Ex.53.G
Claudítatē cur faciat abſceſſus in articulos.in prog.com.2°. 4ª.205.E
Claudicatio cruris quo ſignificetur.17°.de vſu par. 1ª.222.F
Claudi qui facti ob ignauiam medicorū.3°.de cōp.med.p gen. 5ª.228.C
Claudos facit equitatio nimia.de aere,aq.& loc. 2ª.5.H
CLAVDII Apollonij medicamentum contra canem rabidum. 2°. de antidotis. 5ª.117.A
Claudij Philoxeni chirurgi Aegyptium.3°.de cōp.me.per ge. 5ª.235.A
Claudij Philoxeni pharmacum Apelū.2°.de comp.med.per ge.5ª.225.G
CLAVDITVR cooperculum epiglottidis in retentione anhelitus. de vo.& anhel. Sp.61.C
Clauditur perfecte coopertoriū epiglottidis, quando comeditur aliquid. de vo.& anhel. Sp.61.C
Claudentes Guttur muſculi in omni animante,qui.de muſ.diſ. 1ª.46.C
Claudat,et apiat quibus muſculis Larynx.de voc.inſtr.diſſ. 1ª.107.E
Claudens Sedem muſculus tranſuerſus.de muſ.diſſ. 1ª.50.E
Claudi cū nō poſſint integre oculi,aut ob palpebrarū ſiccitatē, aut pp potētiæ ipſas mouētis imbecillitatē euenit.com.6°.aph.52°. Ex.53.A
Claudatur quo modo os Venæ,& arterię.5°.meth.med. 7ª.30.D
Claudatur quo modo Vlcus.5°.meth.med. 7ª.30.D
quæ Claudunt ventrem.de diſſ.cont. Sp.75.B
ī Clauſu,& fluxu conſiſtunt morbi,ſm Theſſalum.1°.meth.me. 3ª.3.H
ad Clauſam Matricem.de paſſ.mul. Sp.96.A
CLAVICVLAE quæ.introd. Iſa.53.B
Clauis generatio & vſus.13°.de vſu par. 1ª.202.H
Clauiculæ oſſis forma.1°.de anat.adm.67.H/13°.de vſu par. 1ª.203.A/B
Clauiculæ aliorum oſſium ad ſummum humerū ligantur.intro. Iſa.54.G
Clauiculæ finis elatior thoracis.8°.de anat.adm. 1ª.99.C
ad Clauiculam primam coſtam attrahētes muſculi.de muſ.diſ. 1ª.46.D
ſub Clauicula vnaquaq; muſculus vnus,& qualis,et eius ortus ac finis. de muſc.diſſ. 1ª.46.C
ſupra Clauiculam ſi ſit morbus quo ordine ſecandę venæ.3°.de anatom. adminiſt. 1ª.77.D
Clauiculę loca ſublimiora qua vena euacantur.de vict.rat.in morb.acutis,commen.2°. 7ª.117.F
ad Clauiculam pleuritis.2°.de differentijs pulſ. 4ª.57.B
in Clauiculis abſceſſus morbus longus intrinſecus. introd. Iſa.56.B
infra Clauiculam ſi ſit morbus,quę vena ſecāda.3°. de ana.ad. 1ª. 77.D
Clauiculam ſi dolor lateralis contingat,fiat venæ ſectio. commenta. 6°. aphoriſmo 5°. Ex.46.G
Clauiculæ dolor in iecoris affectu.de multitudine. 3ª.77.G
Clauicula fracta difficulter ſanatur. introd. Iſa.60.E
CLAVI numerantur inter ea quæ cutē,totiusq; corporis partes exagitant.introd. Iſa. 59.D
CLAVVS eſt carnoſus nigri oculi exceſſus ſolidus, cum leui, albaq; velut cicatrice,frequenter etiam in albo nigro cohærenti conſurgens. introdu. Iſa.59.A
CLAVVS, græce gomphos, eſt quartus modus egreſſionis vueæ, quia egrediens pelliculas vueæ ſuperficietenus operit: vnde eius forma fit quaſi clauus.de oculis. 7ª.187.C
CLAVVS, eſt vlcus in pedis planta orbiculatum,quod callum contraxit.ſin.med. Iſa.49.E
Claui curatio. introd. Iſa.60.D
Clauos, quos vocant,eijcientibus facultatibus miſcētur cantharides.11°. de ſimp.med.fac. 5ª.81.E
Clauos quos vocant,callos. (grẹci τύλους vocant)myrmecias tollit Cinis ex cortice ſalicis aceto macerata.6°.de ſimp.med.fac. 5ª. 48. H
Clauos eijcit Nigella.7°.de ſimp.med.fac. 5ª.55.D
Clauos extrahit caput Saurarum.11°.de ſimp.med.fac. 5ª.79.G
ad Clauos ī manibus,& pedibus.2°.de cōp.me.per ge.225.E/3°.5ª.235.C
ad Clauos ſtercus ouillum.10°.de ſimp.med.fac. 5ª.76.H
ad Clauos.5°.de cōp.me.per ge.5ª.247.E/de med.fac.par. 7ª.170.G
ad Clauos etiam in capite.de med.fac.parand. 7ª.170.G
ex CLAVIS confecta melanteria.5°.de cōp.med.per gene. 5ª.253.B
CLAVI, pars organorum.de machin. 7ª.309.E
Claui,ærei vel ferrei fieri debent.de machin. 7ª.309.D
Claui ad quid in organis.de machin. 7ª.309.H
CLAZOMENII ægroti decimi caſus,magnū exemplum ac teſtimonium generalium præceptorum.in 1m.de mor.vulg.com.3°. 3ª.125.A
CLEANTHIS carmina de ratione & ira.5°.de decret. 1ª.258.C
CLEMATIS quid.de ſimp.med. Sp.83.B
Clematis daphnoides.7°.de ſimp.med.fac. 5ª.51.G
Clematis folia habet acria,& exulcerantia.de ſimp.med. Sp.83.B
Clematis eſt cauſtica,in quarto ordine calida.7°.de ſimp.med.fa.5ª.51.G
Clematis phlegma deorſum deducit,& purgat.de ſimp.med. Sp.83.B
CLEMATITES ariſtolochia longa fragrantior eſt, itaq; ea vtūtur vnguentarij ad vnguenta,ſed ad ſanationes infirmior eſt. 6°.de ſimplic. medicamen.fac. 5ª.43.E
CLEMENTIS Flauij pharmaca.7°.de cōp.med.per ge. 5ª.271.D
CLEMENS ſertorius curatus. 6°.de compoſi.medicamento. per genera.26.B/7°. 5ª.272.C
CLEOBVLVS 5°.de comp.med.per gen. 5ª.254.C
CLEONACTIDIS ægroti ſexti caſus.in 1m.de morbis vulgarib.commentario.3°. 3ª.123.A
CLEOPATRA qua fera interijt.de ther.ad Piſo. 5ª.93.A
Cleopatræ libri geneſiæ dicti.de paſſ.mul. Sp.95.G
Cleopatra librum fecit de ornatu corporis.1°.de compo.medi.ſecun.loc. 123.D/125.H/ 5ª.130.C
Cleopatra librum fecit de fœminarum formanda ſpecioſitate de incanta. adiur.& ſuſ. 7ª.181.H
Cleopatræ pharmaca ad Achoras.1°.de comp.med.ſec.loc. 5ª.130.C
Cleopatræ ad Alopecias.1°.de comp.med.ſe.loc. 5ª.123.D
CLEOPHANTI ad Hydropicos.9°.de compo.med.ſecun.lo.5ª.200.E
Cleophantis malagma ad aquā intercutē.7°.de cōp.me.per g. 5ª.266.H
Cleophanti compoſitio ad Sedem.9°.de comp.med.ſec.loc. 5ª.204.H
CLEPSYDRARVM inſtrumenta vera.de libris proprijs. Iſa.13.F
Clepſydrarum deſcriptiones architectonicę nomiue complectuntur. de cuiuſque animi pec.not.atq; me. 2ª.57.B
Clepſydra quo modo inuenta ſit methodo reſolutoria.de cuiuſque animi peccat.not.atq; med. 2ª.58.E
in Clepſydra æquinoctium,& horæ quo modo declarentur. de cuiuſque animi pec.not.atque med. 2ª.58.E
Clepſydræ.de curan.rat.per ſang.miſſ. 6ª.16.C
CLETII Abaſcanti potio ad tabeſcentes.7°.de cōp.me.ſec.lo.5ª.183.E
in CLIBANO ſit ignis moderatus in coquendo panem. 1°.de alim. faculta. 2ª.9.H
in Clibano coctus panis,qualis.14°.meth.med. 7ª.90.B
Clibanitæ panes omnium optimi.1°.de alim.fac. 2ª.10.C
Clibani panis non confectus diligentia eſt cibus craſſi ſucci.de bon.& vitio ſuccorum. 2ª.34.G
Clibani teſta dentes ſplendidi fiunt,& excreſcentię mediocriter exterūtur.11°.de ſimp.med.fac. 5ª.81.A
de CLIBANI pectoris motu in tuſſi,riſu,& ſternutatione.de mo.mani.& obſc. Sp.69.G
CLIDION Aphrodiſiacum.7°.de comp.med.ſec.lo. 5ª.184.G
Clidion ad dyſentericos.9°.de comp.med.ſec.loc. 5ª.203.B
CLIMATA ſeptem ſunt ſm planetarum rationem.de ſper. Sp.39.D
de Clymatum mundi ſeptem,alteratione.de ſper. Sp.39.D
CLINICVS inſcriptus liber Damocratis. 10°. de compoſitione medicamentorum

dicamen.ſecum.loc. 3ª.208.C
CLINOPODIVM calidum ſiccum in tertio.7°.de ſimp.me.fac.5ª.51.F
CLISSISSIA tritici,id eſt ſimila.ſecretorum. Sp.100.D
CLOACAE & latrinæ in hortis repurgabantur. in 3^m.de morb.vulgaribus,com.1°. 3ª.133.F
ex Cloacis vrbem vel numeroſum exercitum purgantibus aer qui vitium contraxit,peſtilens eſt.1°.de ſani.tuen. 2ª.67.B
CLONIACI malagma boni coloris.7°.de comp.me.per gen. 5ª.267.C
CLYDONAS vocant græci fluctuationes cum ſonitu.de ſympt.diff. 12.E/3°.de ſymp.cau. 3ª.25.D
CLYSMA, vnum ex auxilijs morbi.de vict.ratio.in mor.acutis, commentario.1°. 7ª.115.C
CLYSTERE vtimur,& purgamus,ſi opus ſit,& ſecamus venam.de totius morbi temp. 3ª.88.E
Clyſteris vſus ſpecies euacuationis.ars med. Iſa.69.E
Clyſteres ſunt euacuationes communes.ars med. Iſa.71.E
Clyſtere corpus totum æqualiter non euacuat.cō.4°.aph.2°. Ex.27.D
Clyſteres molles inter modos euacuandi.1°.de arte cur.ad Gla. 7ª.98.D
Clyſteris vſus,& inedia nulla ſocietate participant.ad Thraſ. 2ª.105.A
Clyſteris vſus vnde.introd. Iſa.50.B
Clyſterem auis Aegyptia imitatur.de venæ ſect.aduer.Eraſ. 6ª.7.C
Clyſter erat apud Galenū ex cornu et veſica.2°.de cō.med.p ge. 5ª.21.G
Clyſter qui in ſedem immittebatur fiebat ex veſica, cui fiſtula recta ad finem erat annexa.5°.meth. 7ª.32.D/E
per Clyſterem ex veſica,cui fiſtula directum foramē hebens ſit appoſita,quo medicamenta inijcit in fiſtulam,& in ſinum.2°.de arte cur.ad Glauconem. 7ª.105.H
Clyſteria immittebant miniſtri medicorum.in 6^m.de morbis vulgarib. commentario.5°. 3ª.188.C
Clyſterio aliquis recte vtitur,alter perite fiſtula.ad Thraſ. 2ª.105.E
Clyſterium quo tempore fieri debeat.introd. Iſa.55.F
Clyſteris indicatio vnde ſumatur.de vict.rat.in mor.acu.cō.1°. 7ª.115.E
Clyſter imponendus virtute exiſtente forti.de vict.ra.in morbis acutis, commentario.1°. 7ª.115.E
Clyſteribus vtimur quando corpus fuerit cacochymum,vel plethoricū. 6°.de comp.med.ſec.loc. 5ª.166.H
Clyſterium in morbi decremento.de opt.ſecta. Iſa.27.G
Clyſteres noctu,& quocunq; tempore exhibentur.de cur. rat. per ſanguinis miſſionem. 6ª.19.B
Clyſteris fiſtulæ probe in anum immitendæ indicatio ſumenda à figura & poſitura partis. 4°.meth.med. 7ª.29.B
per Clyſterem in inteſtina medicamēta immittant.5°.meth.me. 7ª.31.F
per Clyſteres infuſa fortaſſe aliquando,ſi admodum nitaris, tenue tantum inteſtinum contingunt.13°.meth.med. 7ª.84.G
Clyſter validus qui,& ad quantam partem inteſtinorum euacuet.2°.de comp.med.ſec.loc. 5ª.136.D
Clyſteres ꝙ non aſcendant ad ventriculum.5°.meth.med. 7ª.34.D
Clyſteris aliquid nō nullis vſq; ventriculū ſubijt.3°.de ſym.cau. 3ª.25.G
Clyſteri ſanare partes remotas à ventriculo.collige.1°.de lo.aff. 4ª.5.H
Clyſter,quomodo agat in ventre tantum. in 6^m.de morbis vulgarib.commentario.2°. 3ª.166.E
ꝑ Clyſteres purgabat inferiores partes laborātes.13°.me.med.7ª.84.G
per Clyſterem iniectis medicamentis promptius adiuuantur partes quę non multum à ſede diſtant.1°.de loc.aff. 4ª.5.H
Clyſteres ex quibus fiant.introd. Iſa.55.F
Clyſteris formula.de dyna. Sp.27.G
Clyſter ex melle,aqua,& oleo.8°.meth.med.53.F/11°. 7ª.69.G
Clyſter ex hemina olei.12°.meth.med. 7ª.79.F
Clyſter pinguis quid agat.de vic.rat.in mor.acu.com.4°. 7ª.148.E
Clyſter vbi pro aliqua occaſione intromittatur ad ſuperfluitates educendas,aloe vtimur.de dyna. Sp.20.H
Clyſteri vel glande quando cibus educendus.8°.meth.med. 7ª.53.F
Clyſteres acriores,qui.de rem.par.fac. 7ª.160.H
Clyſter acer quo modo mordaces deiectiones curet.in 6^m.de morb.vulg. commentario.2°. 3ª.161.H
Clyſteres fortes in fluxionibus oculorum.4°.de comp.me.ſe.ſo. 5ª.157.C
Clyſteres acres reuellūt quod per vomitū exit.de cucu.ſcar.2.D/ 6ª.4.F
Clyſteres ex puro oleo in Abdomine vulnerato.6°.meth.med. 7ª.39.G
Clyſter auricularis.3°.de comp.med.ſec.loc. 5ª.148.H
Clyſteres auricularij. ὠτεγχύται vocantur.5°.meth.med. 7ª.34.C
Clyſter in capitis doloribus ob reuulſionem laudatur. 2°. de compoſitio. medic.ſecun.loc. 5ª.136.D
Clyſter in Coli dolore qui recipit anſeris ſeuum.12°.meth.med. 7ª.79.F
Clyſtere vtitur Galenus oleo,in quo ruta cocta,in Dolore ex flatu & humore.12°.meth.med. 7ª.80.A
Clyſteribus quibus curetur dolor ex flatu in ventre inferiori.2°.de arte cur.ad Glauc. 7ª.104.G
per Clyſterem muria infuſa in Dyſenteria.12°.meth.med. 7ª.75.A
Clyſter ex mulſa & ſale in phlegmone cauæ partis iecoris . 13°.methodi medendi. 7ª.84.A
Clyſteribus iuuantur Inteſtina inferiora læſa.6°.de loc.aff. 4ª.36.E
Clyſter acutus ſæpe laxioris inteſtini incommoda ſtatim ſanat.2°.de differ.febrium. 3ª.37.F
Clyſteribus ſanantur paſſiones craſſorum inteſtinorum. 2°.de arte cur. ad Glauconem. 7ª.104.H
Clyſteribus & purgationibus medici omnes ſubducunt aluum in Lippitudinibus.com.6°.aph.17°. Ex.47.H
Clyſter in Melancholia.de mel.ex Gal.Ruf.& Poſſ. Sp.109.H
Clyſter ex oleo ſabino,& anſeris ſeuo ad Morſus.8°.meth.med. 7ª.53.E
Clyſtere cum ſanguinis miſſione affectus Oculorum ſanabat Galenus.2°. de diff.feb. 3ª.41.G
Clyſteres in Quartana,quales.1°.de arte cur.ad Glau. 7ª.97.F
Clyſter in Renum dolore.de ren.affect.dignot. & medela. 7ª.193. G/ de dynamidijs. Sp.27.G
Clyſtere cur in renum dolore vtamur.de ren.aff.dig.& med. 7ª.193.G
Clyſteres,venæ ſectio conueniunt mire ijs qui Suffocantur.6°.de compo. medicamen.ſec.loc. 5ª.174.C
Clyſteres molles in Tertiana.1°.de arte cur.ad Glau. 7ª.97.E
Clyſteres non admodum molles in tertianis notis. 1°.de arte curatiua ad Glauconem. 7ª.97.E
Clyſterem præmittit venę ſectioni.3°.de comp.medic.ſec.loc. 142.D/6°. 5ª.174.A/prę̄ſ.exper.conf. Sp.78.D
Clyſter quando exhibendus à ſanguinis miſſione.de vict.rat.in mor.acutis,commentario.4°. 7ª.143.H
Clyſtere vtitur pro ſectione venæ,vbi ſectio venæ fieri non poſſit. 2°.de compoſi.medicamen.ſecun.loc. 5ª.133.H
Clyſter poteſt ſanguinem exhaurire.de venæ ſect.aduer.Eraſ. 6ª.8.A
Clyſter præſidium commune omnium quæ in ventre præter naturam cō tinentur.de vic.rat.in mor.acu.com.4°. 7ª.148.E
Clyſterem mollem adhibe in ventre adſtricto.de vict.rat.in mor.acutis, commentario.4°. 7ª.151.C
Clyſtere quod facit ad nimiam ventris ſolutionem.de dyna. Sp.27.G
Clyſteres vteri μητρεγχύται dicunt.5°.meth.med.31.F/32.D/ 7ª.34.C
Clyſtere indigentibus ptiſſana non eſt danda.de ptiſ. 2ª.47.H
Clyſtere indigenti ſi ptiſſana offeratur,interimit.de ptiſ. 2ª.48.C
Clyſteres aſſidui moleſti.13°.meth.med. 7ª.86.B
ex Clyſteribus vehemētioribus animi defectus contingit. 1°.de arte cura.ad Glauco. 7ª.98.G
CNEORVS, quam aliqui chamælæam vocant. 9°.de compo.med.ſec. loc.200.F/10°. 5ª.206.F
in CNIDO, Coo,& Rhodo,& Italia certabant medici, vtri inuentorum multitudine reliquos ſuperarent.1°.meth.med. 7ª.2.E
CNIDII medici.de opt.ſecta. Iſa.21.F
Cnidij quibus medicamentis vterentur in non acutis. de vict.rat.in morbis acutis,com.1°. 7ª.108.F
CNIDIAE ſententiæ Euriphontis.in 6^m.de mor.vul.com.1°. 3ª.159.F
Cnidiæ ſententiæ.1°.de vict.rat.in mor.acu.com.1°. 7ª.108.B
contra Cnidias ſententias inſcriptus eſt à quibuſdam liber de ratione victus in morbis acutis.de vic.rat.in mor.acu.com.1°. 7ª.111.A
CNIDIVM granū & Cnicū differre,collige.3°.de ſimp.me.fac.5ª.23.D
Cnidium granum facultate calidum,quamuis ipſum ſit album. 1°.de ſimpli.med.fac. 5ª.2.E
Cnidium educit pituitam.3°.de ſimp.med.fac. 5ª.23.D
Cnidium granum,ſi quando à corpore noſtro vincatur, vice purgationis alimentum efficitur.3°.de ſimp.med.fa. 5ª.23.D
CNICIVM triphyllum.8°.de ſimp.med.fac. 5ª.62.F
CNICVM quid,& eius vires.de ſimp.med. Sp.83.B
Cnicon planta ſpinoſa.2°.de alim.fac. 2ª.22.C
Cnicū exiguū dat corpori alimentū.et eſt praui ſuc.2°.de ali.fa. 2ª.22.C
à Cnico differre granum cnidium,collige.3°.de ſimplicium medicamentorum facul. 5ª.25.D
Cnicus facultate calida eſt,quāuis ipſe ſit albus.1°.de ſimp.me.f. 5ª.2.E
Cnici ſemen in tertio ordine calfacit.7°.de ſimp.med.facul. 5ª.51.G
Cnicum à pituitæ natura alienū non eſt,vti colore ſuo præ ſe fert, ſed ta-

men calore ipſo quàm pituita valentius eſt.3°.de ſim.me.fa. 5ª.23.D
Cnici ſemen purgat.7°.de ſimp.med.fa. 5ª.51.G
Cnicum in ptiſſana ſoluit ſenum aluum.5°.de ſan.tuen. 2ª.92.F
Cnicum ventrem totum purgat & phlegma, & choleram deponit. de ſimplic.med. Sp.83.B
Cnicus mediocriter purgat pituitam.de dyna. Sp.21.G
Cnicus non trahit pituitam,ſed ſecundum Aſclepiadem illam facit.1°.de decret.Hippoc. 1ª.294.B
Cnicus pituitam aquoſam educit.de dyna. Sp.22.B
Cnicus cur pituitam ducit.2°.de ſimp.med.fac. 5ª.11.B
Cnicus cibis admiſcetur in phlegmone cauæ partis iecoris ad euacuandum per aluum.13°.meth.med. 7ª.84.A
Cnicus in clyſtere in phlegmone intrinſeca.13°.meth.med. 7ª.85.C
ex Cnico & ficis compoſitum leuiter deijcit.6°.de ſan.tu. 2ª.97.H
ex Cnico vel epithymo cõpoſitum leuiter deijcit.6°.de ſa.tu. 2ª.97.H
Cnicum magnum facit adiutorium dyſentericis.de ſimp.med. Sp.83.B
Cnicus agreſtis Attractilis dictus ex ſpinarum eſt genere, facultatẽ habet deſiccandi & modice digerendi.6°.de ſimp.medic.fac. 5ª.44.B
COAE ſcholæ fortuna plurimos & optimos dedit diſcipulos.1°.meth.med. 7ª.2.F
COACAE prædictiones non ſunt Hippocratis & ſcatent erroribus. in 3m.de mor.vulg.com.1°. 3ª.134.D
COAGMENTATIO quid.fin.med. Iſa.50.C
Coagmentatio ſpecies ſtabilitatis in capite. introd. Iſa.54.F
Coagmentatione conſtant ſuperioris maxillæ oſſa.intro. Iſa.54.G
COAGVLATIO quomodo fiat in lacte.3°.de alim.fac. 2ª.28.G
Coagulũ,quale.10°.de ſimp.med.fac.74.D/3°.de cõ.me.ꝑ ge. 5ª.234.A
Coaguli vires quales.de ſimp.med. Sp.83.C
Coagulo comparatur ſperma viri,ſm Ariſtotem.de anat.viuo.Sp.55.H
Coagulum ſtringit,& glutinat,ad omne profluuium vtiliſſimum habetur.de ſimp.med. Sp.83.C
Coagulum inuolutum ad nares immiſſum ſanguinem ſupprimit.de vict. rat.in mor.acu.com.4°. 7ª.152.F
Coagulũ Equũ ad dyſentericos,et cœliacos.10°.de ſimp.med.fa. 5ª.74.E
Coagulum Hinnuli.7°.de comp.med.ſec.lo. 5ª.184.F
Coagulum Leporinum ſanguinis reiectiones ex thorace ſupprimere prodiderunt.10°.de ſimp.med.fac. 5ª.74.D
Coagulum leporis cæteris præſtat.10°.de ſimp.med.fac. 5ª.74.D
Coagulum Phocę habet vires caſtorei.10°.de ſimp.med.fac. 5ª.74.E
COAGVLATVS humor aqueus in ſuffuſionibus. de ana.ocu. Sp.57.F
Coagulatur ſtatim ſanguis valde ſpiſſus,ac terreſtris quorundam animalium,vt tauri,cuius ſanguis venenoſus eſt.de vtil.reſp. Sp.64.F
Coagulari non poteſt in ceruo & lepore ſanguis venę, quia tenuis eſt. de vtilita.reſp. Sp.64.E
Coagulata quodam modo vrina,ſanioſa,plurimum egeſta, aut aliquam eruptionem in renibus,aut initium calculi in proximo venturũ oſtendit.de dynamidijs. Sp.35.C
COALESCERE eſt quando diſciſſi corporis labra agglutinantur.cõ. 6°.aph.19°.48.B/com.7°.aph.28°. Ex.55.H
Coaleſcunt & agglutinantur humida, dura vero non item.3°.de ſymptomat. 3ª.29.A
Coaleſcunt quæ ſiccantur & refrigerantur.de vict.ratio.in mor.acutis, commentario.4°. 7ª.138.C
Coaleſcãt minime vulnera in qiibus partibus.cõ.6°.aph.18°. Ex.47.H
Coaleſcere non poteſt arteria vulnerata.5°.meth.med. 7ª.32.B
Coaleſcunt minime inteſtina gracilia.com.6°.aph.24°. Ex.48.E
Coaleſcunt minime os,cartilago,neruus,gena,prępʋtium. commentario 6°.apho.19°. Ex.48.B
non Coaleſcunt,neq; agglutinantur æs,ferrum,aurum,& lapis,quoniã duriora.3°.de ſymp.cau. 3ª.29.A
Coaleſcit quomodo cum alio plumbum.3°.de ſymp.cau. 3ª.29.A
COALITV læduntur cauitates.de cau.morb. 3ª.9.A
Coalitum,id eſt connutritum accommodatum,& congruum apud Hippocratem.de fract.com.3°. 7ª.247.G
COARCTATIO, quædam eſt arteriarum aſperarum læſio.1°.de differen.reſp. 3ª.61.C
Coarctãdo ſegregata vinculũ partes alterat.3°.de ſimpl.me.fa. 5ª.17.D
COARTICVLATIO quid.de artic.com.2°. 7ª.263.E
Coarticulationes coſtarum contrahens muſculus.de muſc.diſſ. 1ª.50.A
COCCALOS, id eſt coni fructus.7°.de ſimp.medica.fac. 5ª.53.H
COCCALVS, id eſt nux pinea.de victus ratio.in morbis acutis, commentario.4°. 7ª.143.D
Coccalus quomodo coquatur.de vict.rat.in mor.acu.com.4°. 7ª.143.D
Κόκκυγα quid vocent.de articulis.com.3°. 7ª.281.G
Coccyx os quodnam ſit.de oſſibus. 1ª.42.D
Coccyx os ſacrum.2°.de anat.adm. 1ª.71.A
Coccyx os,quibus conſtet.de oſſib. 1ª.42.D
Coccyx os,quale.de oſſib. 1ª.42.D
COCCVS cnidius,id eſt granum cnidium.7°.de ſimp.med.fa. 5ª.51.G/ de ſimp.med. Sp.82.G
Cocci cnidij naturæ igneę eſt.de dyna. Sp.21.E
Coccus adſtringit,amarus eſt.7°.de ſimp.med.fa. 5ª.51.H
Coccus cnidius acris eſt.6°.de comp.med.per gen. 5ª.256.E
Coccus cnidius caliditate vlcus facit.6°.de comp.med.per ge. 5ª.256.B
Coccus cnidius purgat vehementer.de ſimp.med. Sp.82.G
Coccus cnidius inter aquoſos purgãtia eſt magis habẽdũ.de dy. Sp.21.F
Coccus cnidius pituitam & aquoſos humores ducit de theria.ad Piſo.5ª. 90.F/de dyna. Sp.22.B
Coccus cnidius trahit pituitam,ſed ſecundum Aſclepiadem illam facit. 1°.de natu.fac. 1ª.294.B
Coccus cnidius pituitam,& bilem mediocriter purgat.de dyn. Sp.21.F
Coccus cnidius educit pituitam.de cathar. Sp.94.F
Cocci cnidij doſis,& quibus miſceatur.de dyna. Sp.21.F
Coccus ad ingentia vulnera congruit,et ad neruorum vulnerationes.7°. de ſimp.med.fac. 5ª.51.H
Coccymelæa.7°.de ſimp.med.fac. 5ª.51.H
COCHLEAE victus Alexandrinorũ.2°.de arte cur.ad Gla. 7ª.107.E
Cochlea tarde nutrit,& eſt difficilis coctionis.com.2°.aph.18°. Ex.13.F
Cochleæ generant ſanguinem craſſum,& nigrum.de atra bile. 1ª.35.A
Cochleæ craſſi ſucci ſunt.de bon.& vitio ſuc. 2ª.35.D
Cochleę vires reficere poſſunt.8°.de compoſi.medic.ſec.loc. 5ª.192.E
Cochleæ cibus hyemis.de nat.hum.com.1°. 1ª.32.F
à Cochlearum multo eſu cauere debet ſenex.5°.de ſan.tuen. 2ª.91.D
Cochleæ cauendæ de epilepſia.de puero epilep. 7ª.180.H
Cochlearum caro mire deſiccat.11°.de ſimp.med.fa. 5ª.78.F
Cochleæ non vſtæ toti ventri aqua inter cutem laborantium impoſitę valde deſiccant.11°.de ſimp.med.fac. 5ª.81.G
Cochleæ vſtæ deſiccant arthriticis articulorum tumoribus impoſitæ, & in tumoribus ex ictu natis difficile ſolubilibus,& ex contuſione facta in auribus.11°.de ſimp.med.fac. 5ª.81.G
Cochleæ coctæ ſtomachicis cõueniũt.8°.de comp.med.ſec.loc. 5ª.192.C
Cochleæ tota ſubſtantia iecori conferre vñr.8°.de cõp.me.ſe.lo. 5ª.195.F
ex Cochleis pharmacum hepaticum.8°.de comp.med.ſe.loc. 5ª.195.F
Cochlearum carnes adſtringunt.de ther.ad Piſ. 5ª.90.H
Cochlearum vſtarum cinis adſtringit dyſenteriam.11°.de ſimpl.medica. facultatib. 5ª.81.E/G
Cochlearũ mucus quo mõ habeatur multus.11°.de ſim.med.fac. 5ª.78.G
Cochlearum mucus pilorum in ſupercilijs præter naturam gluten eſt. 11°.de ſimp.med.fac. 5ª.78.G
Cochleæ mucoſitas cũ thure ſiccat abſq; morſu.de art.cõ.2°. 7ª.268.A
Cochleæ veteris cornu.5°.de comp.med.ſec.lo. 5ª.164.G
Cochlea ægyptia.5°.de comp.med.ſec.loc. 5ª.159.E
Cochleæ africanæ meminit. 8°. de compoſitio. medicamen.ſecund.locos. 192.B/9°. 5ª.200.B
Cochlea africana varij coloris.9°.de comp.med.ſec.loc. 5ª.202.F
Cochlearum marinarum humor aluum mouet.de ther.ad Piſ. 5ª.90.H
COCHLEAE pars organi.de machin. 7ª.309.E
Cochlea fœmina,pars organorum.de machin. 7ª.309.E
Cochlearum differentiæ.de machin. 7ª.310.C
Cochlea ſimplex,quæ.de machin. 7ª.310.D
Cochlea duplex,quę.de machin. 7ª.310.D
Cochleæ differunt à capreolis.de machin. 7ª.310.C
Cochlea quadrata,quæ.de machin. 7ª.310.C
Cochlea quadrata quo modo teſtudinem habeat.de machin. 7ª.310.C
Cochlearum diuerſi vſus.de machin. 7ª.310.D
Cochleæ cum organa mouentur,vſui ſunt.de machin. 7ª.310.F
Cochlea ad imaginem lentis mouet tympanum.de machin. 7ª.310.D
Cochleæ mouentur in eodem loco manentes.de machin. 7ª.310.F
COCHLEARIVM inſtrumentum,quo medicamenta mouentur ac læuigantur.5°.de comp.med.per gen. 5ª.252.E
Cochleario mouet medicamentum poſtquam rudicula mouerit. 4°.de cõpoſi.medic.per gen. 5ª.239.C
Cochleari vtitur ad vuam contingendã.6°.de comp.med.ſe.lo. 5ª.174.F
COCHLEARIVM doſis.7°.de comp.med.ſec.loc. 5ª.187.A

Cochlearij

Cochlearij menſuræ nomen.11°.de ſimpli.medicam.5ª.80.D/de dynamidijs.22.G/ Sp.26.C

Cochleariū quæ mēſura.de pond.& menſ.275.E/276.D/G/H/ 5ª.277.E

Cochlearium paruum.7°.meth.med. 7ª.48.D

Cochlearij magni menſura.11°.de ſimp.me.fac.81.H/7°.de comp.medic. ſec.loc.5ª.181.B/de mel.ex Gal.Ruf.& Poſſ. Sp.110.A

Κῶνος quid.de vic.rat.in mor.acu.com.4°. 7ª.143.D

COCTIONEM, *diſtributionem,ſanguinis generationem,adiectionem agglutinationem,atque aſſimilationem ſemper operatur natura. commen.1°.aph.3°.* Ex.3.G

Coctionē quo modo tribuit cibis & potibus Galenus.ars med. Iſa.70.H

Coctio in omni eſt particula.3°.de ſymp.cau. 3ª.26.C

Coctionis particula eſt alia à particula ἀναδόσεως,id eſt diſtributionis. 4°.de vſu par. 1ª.140.G

ante Coctionem exercitatio inter reliqua facit,vt cibi crudi deſcendant ad omnes partes.1°.de ſani.tuen. 2ª.69.G

ante Coctionem ſuam quando cibus de ſtomacho deſcendit, quid agendum ſit.de diſſ.cont. Sp.71.F

Cocti prius quàm ſint,humores crudi nutrire non poſſunt.12°.methodi medendi. 7ª.77.F

Coctio aliqua fit in ore.3°.de nat.fac. 1ª.304.A

Coctio prima,ſecunda,& tertia vbi fiant.de bo.& vi.ſuc. 2ª.37.A

Coctio prima in ventriculo.4°.de vſu par. 4ª.135.G

Coctio ciborum eſt ventriculi actio.17°.de vſu par. 1ª.222.F

Coctio fit in fundo ventriculi.5°.de loc.aff. 5ª.33.A

Coctio à qua vi fiat in iecore & in ventriculo.in prog.com.1°. 4ª.197.B

de Coctione quando ſermo fit,& iecur, & ſplen conſideranda ſunt.1°. de loc.affect. 4ª.5.E

Coctio quæ fit in ventriculo minor eſt quàm illa quæ fit in iecore & venis.3°.de nat.fac. 1ª.304.A

Coctio ſecunda fit in venis.4°.de ſanitate tuenda.2ª.88.B/ in prognoſtic. commen.2°. 4ª.197.F

in Coctione ſecunda qūo contingat error ob ſplenē.de anat.vi. Sp.51.A

Coctio in venis nō bona quomodo in vrina ſignificatur.de vrin. 4ª.125.B

Coctionis ſecundę modo peractæ ſignum vrina quæ modice pallet.2°.de ſanita.tuen. 2ª.69.G

Coctio vltima cibi fit in corde ſm Ariſtotelem.de vtil.reſp. Sp.62.F

Coctionem primam bene admittentia,& ſecundam & tertiam facilius admittunt.de bon.& vit.ſuc. 2ª.37.A

in Coctione tertia excrementi pituitoſi non facit mentionem.3°.de ſymptom.cauſ. 3ª.26.B

Coctio ſeminis vbi fiat,& accipiat formam ſeminis. de compag.memb. ſiue de natu.hu. Sp.59.C

ad Coctionem quid faciat fellis.de anat.viuo. Sp.50.A

Coctiones,& ſanguificationes,& nutritiones cur ſint hyeme meliores. com.1°.aph.15°. Ex.8.B

ad Coctionem faciunt ſomni profundi.1°.de alimen.facul.2ª.10.B/3°.de cauſ.pulſ. 4ª.97.E

in Coctione quæ ſymptomata.de ſymp.diff. 3ª.12.A

Coctionum noxarum diuiſio in genera.3°.de ſym.cau. 3ª.24.F

Coctionis læſæ quot ſint ſpecies.3°.de ſymp.cau. 3ª.24.G

Coctionis duplex deprauatio eſt.3°.de ſymp.cau. 3ª.24.F

Coctiones prauæ, duobus modis fiunt in ventre.de curand.rat. per ſangui.miſſio. 6ª.16.G

Coctionis tarditas quid ſit.de ſymp.diff. 3ª.12.D

Coctionis ſymptoma eſt fruſtratio in alteratione.3°.de ſymp.cau.3ª.24. F/8°.de comp.med.ſec.loc. 5ª.194.B

Coctionis fruſtrationes ex frigiditate prouenientes faciunt ructus acidos com.6°.aph.1°. Ex.46.A

Coctionis carentia eſt lienteria.com.6°.aph.1°. Ex.45.G

Coctionem nullam iccirco habent cibi in lienteria,quia cito deijciuntur. com.6°.aph.1°. Ex.46.D

Coctionem noxarum cauſa.3°.de ſymp.cau. 3ª.24.F

Coctio ab extrinſeco quot modis impeditur.3°.de ſymp.cau. 3ª.24.G

Coctionis tarditatem quid efficiat.3°.de ſymp.cau. 3ª.24.H

Coctionis tarditati conducere iecur deobſtruentia,collige.6°.de ſanitate tuenda. 2ª.97.H

in Coctione tertia,cruditas.3°.de ſymp.cau. 3ª.25.A

Coctionem prohibet obſtructio.de diff.mor. 3ª.4.D

Coctionis in ventre factæ alui excrementa cruditatem,& concoctionem ex ſua forma indicant.in 1^{m}.de mor.vul.com.2°. 3ª.112.A

Coctionem malam notat bilis viridis ex ventre.2°.de temp. 1ª.20.E

Coctionē adiuuare mergi vētriculū quidā aſſerūt.3°.de ali.fac. 2ª.29.G

Coctionem perfectam faciunt pueri admoti ventriculo vt augeant calorem.5°.de ſimp.med.fac. 5ª.33.D

Coctioni magis conducunt vina fulua q̄ aquoſa.12°.meth.med. 7ª.76.H

Coctionem impenſius adiuuat decoctum abſinthij. de mel. ex Gale.Rufo & Poſſ. Sp.110.B

Coctionem adiuuans.7°.de comp.med.per gen. 5ª.271.G

Coctio quando non eſt facta lanæ manipulum nardino pigmento inunctū ori ventriculi apponendum.de præcogn.ad Poſth. 4ª.219.A

Coctionis velocioris ſunt quæ appetunt,& ſapiunt.de diſſ.cont. Sp.73.B

Coctio ī mollioribus facilius,ī durioribus ęgrius fit.3°.de ali.fa. 2ª.31.G

Coctio puerorum in humidis,& mollibus rebus,eſt vt vigentium,in duris autem,deterius.3°.de ſymp.cau. 3ª.29.C

ante Coctiones quandoq; excernit ventriculus.3°.de die.decr. 4ª.158.E

Coctioni idonea inſtrumenta præparari oportuit.4°.de vſu par. 1ª.136.B

Coctio nulla futura eſt in excrementorum inſtrumentis, eoq; gracilia ea iure fuerunt.5°.de vſu par. 1ª.146.B

COCTA *immodice fiunt primo ſalſiora,poſtea amariora.2°.de natur. faculta.* 1ª.300.G

Coctana primo pontica ſunt,deinde dulceſcunt.de ocul. 7ª.188.B

Cocta facilius mutantur,quàm non cocta.de bon.& vit.ſuc. 2ª.37.A

Cocta bis lens & braſſica ventrem cohibet.2°.de ali.fac. 2ª.23.A

Coctorum quorundam ciborum diuerſitas.de diſſol.cont. Sp.72.E

Cocta Aqua ob prauitatem calida bibenda eſt.de bon.aquæ. Sp.76.B

Cocti Caules ſtringunt ventrem cum craſſitie.de diſſ.cont. Sp.75.B

Cocta probe Chondrus,& ptiſſana faciunt ad ſucci in corpore bonitatē. 2°.de ſimp.med.fac. 5ª.12.E

Coctum Frumentum eſt cibus calidus.de diſſ.cont. Sp.74.C

Coctum frumentum propter eius viſcoſitatem tarde digeritur. de diſſol. continua. Sp.73.D

Coctum eſſe Lac ſumptum quomodo deprehendat̄.7°.met.me. 7ª.45.B

Coctū lac coctionib⁹ pluribus ē cibus craſſus,& cur.de diſ.cō. Sp.72.H

Coctum lac craſſitie ſua ſtringit ventrem.de diſſ.cont. Sp.75.B

non Coctum Mel lenit ventrem.de diſſ.cont. Sp.75.B

Cocta oua in tegamine, vel in teſtis generant nutrimentum craſſum, & corruptibile.de diſſ.cont. Sp.74.B

Coctum tenuius,ex pane eſt craſſus cibus,& cur.de diſſ.cont. Sp.72.H

Coctura facit iudicium de ſeminibus.de bon.& vit.ſuc. 2ª.36.F

Coctum vinum ex vua craſſa in natura ſua,eſt cibus craſſus, & cur.de diſſol.cont. Sp.72.H

Coctu facilis cibus non pōt eſſe maxime nutriens.7°.met.med. 7ª.45.D

Coctu non facilis eſt ſuilla caro.7°.meth.med. 7ª.45.D

Coctionis difficilis ſunt radices quæ manduntur.de pue.epil. 7ª.180.D

Coctu difficilia ſunt oua in aqua durata.de puero epil. 7ª.180.H

Coctibilia difficulter quibus facile coquantur.1°.de alim.fac. 2ª.10.A

Coctu difficilia coquentes vulgus beatos putat ob corporis robur.1°.de alimen.facul. 2ª.10.B

non Coquuntur à quibusuis ventriculis carnes bubulæ.de vict.ratio.in morbis acutis,com.4°. 7ª.145.H

Cocta aliqua apud ſe morari non patiuntur ventriculus, & iecur.3°.de ſympt.cauſ. 3ª.28.A

Coctura carnium ſimplex quæ ſit.de puero epilep. 7ª.180.G

COCTIONEM *oportet præire,ſubſequi diſcretionem, & poſtea euacuationem,vt bona ſit criſis ſiue iudiciū.com.4°.aph.22°.* Ex.29.G

Coctio quæ ſit.3°.de criſ.4ª.141.B/de vic.ra.in mor.ac.cō.4°. 7ª.140.D

Coctio excrementorum,quæ de vict.rat.in mor.acu.com.2°. 7ª.122.H

Coctio morborum fit in alteratione humorum.in 1^{m}. de morbis vulgaribus,commen.1°. 3ª.112.C

Coctio non à medico,ſed à ſola natura fit.de conſt.ar. Iſa.39.E

aut per Coctionem,aut per abſceſſum ſoluuntur crudi, & craſſi humores.in progn.com.3°. 4ª.209.G

ante Coctionē nullus abſceſſus bonus.in 3^{m}.de mor.vul.com.1°. 3ª.131.F

Coctio ſemper expectanda in morbis longis.quos pur.op.quib.medic.& quo temp. 5ª.88.G

Coctio in longis morbis expectanda eſt.de dyna. Sp.20.D

Coctio expectanda eſt in pituita,& atra bile.de dyna. Sp.20.D

Coctio humorum quantum faciat ante purgationem.in 6^{m}.de mor.vulgaribus,commen.1°. 3ª.156.B

ante Coctionē vacuare qd mali ĩportet.in 6^{m}.de mor.vul.c.1°. 3ª.156.B

Coctio non eſt expectanda in humoribus tenuibus, ſed in principio euacuandum.de dyna. Sp.20.H

Coctione nulla facta in principio morbi tenues & aquoſi humores euacuandi.

cuandi.quos purg.op.quib.med.& quo temp. 5ª.88.F
Coctionis cauſa continens.2°.meth.med. 7ª.11.A
ad Coctionem quandoq; aliquo indiget externo auxilio natura imbecillior reddita.de vict.ratio.in mor.acutis,com.4°. 7ª.140.E
ad Coctionem quæ perducant.de conſt.ar. Iſa.42.F
Coctionem ex calefacientibus fieri cenſet.de conſt.ar. Iſa.39.F
Coctioni aduerſatur frigidum,calidum vero perpetuo opitulatur. de victus rat.in mor.acu.com.3°. 7ª.130.A
Coctio à quo calido fiat.in 6^{m}.de mor.vul.com.4°. 3ª.186.C
Coctio à calido innato,alij aliter.fin.med. Iſa.44.F
Coctionem præſertim humorum pituitoſorum fieri à calore febrili, collige.com.5°.aph.70°. Ex.45.E
ad Coctionem facit inedia.in 6^{m},de mor.vul.com.3°. 3ª.175.C
Coctiones tantum impediunt cibi, quantum ægroti robur adaugent.1°. de arte cur.ad Glau. 7ª.97.D
ad Coctionem quantum valent inediæ,tantum vel amplius officiunt viribus.1°.de arte cur.ad Glau. 7ª.97.D
cur Coctionibus aduerſantur purgantia medicamēta.de vic.ra.in mor. acutis,com.4°. 7ª.140.E
Coctiones morborum impediunt vigiliæ.de vict.ratio.in morbis acutis, commentario.2°. 7ª.122.F
Coctionis ratione plus afferunt vtilitatis ſomni,quàm ſit damnum,quod ex motu materiæ ad interiora conſequat.com.4°.aph.67°. Ex.34.G
Coctiones fiunt temporis ſpatio.in 3^{m}.de mor.vul.com.1°. 3ª.131.D
Coctio quando fiat.in 1^{m}.de mor.vul.com.2°. 3ª.112.C
Coctiones morborum morbo iam conſiſtente maxime fiunt.comment.2°. aphoriſ.29°. Ex.16.G
Coctio exquiſita fit tempore ſtatus.3°.de criſ. 4ª.141.A
Coctio omnia excrementa cogit & incraſſat. de vict.rat.in mor.acutis, comment.4°. 7ª.134.G
Coctionis ſigna in quo differant à iudicatorijs.com.1°.aph.12°. Ex.6.F
Coctionis ſigna ſemper ſunt bona,vt quæ morbi ſolutionē haud ita multo poſt futuram oſtendant.com.1°.aph.12°. Ex.6.D
Coctionis ſigna nunquam male apparent.1°.de criſ. 4ª.128.D
Coctio ſalubritatem ſignificat.ars med.Iſa.68.A/1°.de criſ. 4ª.128.C
Coctionis ſigna perfecta faciunt bonum iudicium,è cōtrario imperfecta. com.4°.aph.29°. Ex.30.D
Coctiones omnes celeritatem iudicationis,& ſecuritatem ſignificant. de conſt.ar.Iſa.42.B/com.4°.aph.22°.29.G/aph.29°. Ex.30.D
Coctionis ſignis præcedentibus nullus obijt in criſi.3°.de criſ. 4ª.139.D
Coctionis cōſtātiſſimæ notæ,quę.de vic.rat.in morb.acu.cō.4°. 7ª.135.D
Coctio debilis,quæ.1°.de criſ. 4ª.132.C
Coctionis debilis ac perfectæ ſigna media,quæ.1°.de criſ. 4ª.132.C
quo ad Coctionē materię principium debet accipi.1°.de criſ. 4ª.128.D
Coctionis ſignis determinatur principium morbi.1°.de criſ. 4ª.128.D
ex Coctione quo modo principium præcognoſcit.1°.de criſ. 4ª.133.B
Coctione principium eſſe perfectum cognoſcitur.1°.de criſ. 4ª.133.B
Coctionis ſigna nunquam inuadunt in primo ſtatim morbi principio,terminant autem illud principium quod eſt pars totius morbi. commentario.1°.aph.12°. Ex.5.H
Coctionis indicium eſt ſpuere in dolore pectoris pulmoniſue. in 6^{m}.de mor.vul.com.1°. 3ª.163.E
Coctionem mediocrem ſputa liquida & tenuia,craſſa vero perfectam ſignificant.in 6^{m}.de mor.vul.com.2°. 3ª.163.E
Coctionē malā fœtor excrementorum indicat.cō.3°.aph.26°. Ex.25.F
ad Coctionem multum ſpatium requirunt vrinæ tenues. in 1^{m}.de morb. vulg.com.3°. 3ª.123.B
Coctio morbi quomodo ex vrina cognoſcatur.in 1^{m}.pror.cō.3°. 4ª.188.C
Coctionis ſigna,quæ ſint in vrinis.com.4°.aph.71°. Ex.35.D
Coctio perfecta quomodo ex vrinis cognoſcitur.1°.de criſ. 4ª.132.C
Coctionis ſignum quę vrina ſemper eſt.1°.de criſ. 4ª.131.C
Coctionem aliquam ſignificant vrinæ conturbatæ, ſi ſtatim ſubſidunt. in 3°.de mor.vulg.com.1°. 3ª.131.E
Coctionis modū & mēſurā ſedimētorū ſitus docet.de vrinis. 4ª.124.B
Coctionis ſigna non habentis ægri caſus.3°.de criſ. 4ª.140.F
Coctio aliquando poteſt in parte fieri,toto morbo exiſtente crudo. in 1^{m}. de mor.vul.com.2°. 3ª.116.F
Coctione non expectata mittebat ſanguinem Galenus,poſtea dabat medicamentum.11°.de ſimp.med.fac. 5ª.78.A
ante Coctionis ſigna cibi ſpecies non eſt mutanda.de vict.rat. in morbis acutis,com.2°. 7ª.121.F
poſt Coctionē fit oīs optima excretio.4°.de præſag.ex pulſ. 4ª.122.E
Coctio & bona tolerantia ſunt maxima indicia bonæ excretionis. comment.4°.aph.47°. Ex.33.A
poſt Coctionem bibendum.7°.meth.med. 7ª.46.B
poſt Coctionē vinum dandū in tertiana.1°.de arte cur.ad Gla. 7ª.97.C
poſt Coctionis ſigna,balnea.1°.de arte cur.ad Glau. 7ª.97.C
Coctum,& incoctum vnum nomine & genere,ſed plurimam per magis & minus habent differentiam.1°.de criſ. 4ª.129.F
non Cocta dicuntur imputrida apud antiquos.com.6°.aph.1°. Ex.46.D
inter Coctum & crudum mediæ vrinæ.1°.de criſ. 4ª.130.E
Coctum bene eſt leue.1°.de criſ. 4ª.129.B
Cocta quæ ſint dicenda.de vic.rat.in mor.acu.com.2°. 7ª.122.H
Coctum vt dicatur excrementum,quid exigat.1°.de criſ. 4ª.129.A
Coctum perfecte excrementum,quale.1°.de criſ. 4ª.129.C
Cocta mediocriter,an incocta ſint excrementa ſecundo loco conſiderandum.2°.de locis affect. 4ª.13.D
Cocta optime vrina qualis in ſanis.1°.de criſ. 4ª.129.F
Coctum quomodo dicatur pus in phlegmone.de vict.rat.in mor.acutis, commentario.2°. 7ª.122.H
Cocti humores ſtatim expetuntur in affectibus thoracis.de vict.ratio.in mor.acu.com.3°. 7ª.133.D
COCTVRA *quomodo fiat in vaſe duplici.7°.de compo.medicamentorum ſec.loc.* 5ª.180.A
pro Coctura eligit vas æreum.de rem.par.fac. 7ª.155.F
Coctura emplaſtri quanta eſſe debet.2°.de cōpoſi.medi.per ge. 5ª.222.F
Coctura ad carbones.7°.de comp.med.per gen. 5ª.269.A
Coctura olei in medicamento quid faciat.7°.de cōp.me.p ge. 5ª.264.A
Coctionem medicamenti retardat ſi plus olei iniectum fuerit. 6°.de compo.med.per gen. 5ª.259.F
Coctura facit mel,& acetum optime miſceri.de puero epil. 7ª.181.A
Coctura melli,& aceto quid faciat.de puero epil. 7ª.181.A
Coctura melli tollit malignitatem.de vict.ratione in morbis acutis,commentario.3°. 7ª.129.C
Cocturam non ferunt thus,myrrha,& aloe.2°.de comp. medicamentorum per gen. 5ª.222.H
Coctura ad tertias quo mō intelligēda.8°.de comp.med.ſec. lo. 5ª.189.C
Coctura ad tertias.5°.de comp.med.ſec.loc. 165.B/7°.184.C/8°.196.B/ 9°.200.G/202.E/204.A/2°.de comp.med.per ge.225.H/5°.5ª.248. G/de rem.par.fac.167.A/ 7ª.170.B
Cocturam iudicat à colore.7°.de comp.med.ſec.loc. 5ª.179.E
Coctura ad dimidium.5°.de compoſi.medica.ſec.loc.165.D/7°.181.A/F/ 9°.198.B/ 5ª.203.F
Coctura ad glutinis compagem.7°.de comp.med.ſec. loc. 5ª.186.G
Coctura ad ſpiſſitudinem quę non inquinet.1°.de comp.med.per ge.211.C 4°.243.B/E/F/245.C/5°.246.A/H/247.E/249.A/251.A/6°.260.E 261.H/262.A/B/E/263.B/7°.268.F/ 5ª.269.B/C
Coctura vt cū diffunditur non inquinet.7°.de comp.med.ſec.lo. 5ª.179.B
Coctura medicamentorum quando inſtillata in aquam non inquinant.7° de comp.mc.ſe.lo. 5ª.181.G
Coctura quoad digitos inquinet.7°.de comp.med.per gen. 5ª.258.G
Coctura quoad non ſtrepat.4°.de comp.med.per gen. 5ª.243.H
in CODICIBVS *tiliæ,& membranis libros ſcribebant. de ijs quæ in medica.fiunt.com.1°.* 7ª.197.E
CODII *Tuſci antidotus, qua vtebatur Cratercus contra venena. 2°. de antidotis.* 5ª.114.H
COELIACA *diſpoſitio quid.fin.med.* Iſa.47.E
Cœliacæ diſpoſitiones vnde ſint,& quæ.6°.de loc.aff. 4ª.37.A
Cœliacus morbus vnde interdum fiat.in 6^{m}.de morbis vulgaribus,commentario.5°. 3ª.193.C
Cœliaci quibus neglectis fiant.de dyna. Sp.19.H
Cœliacę,& ſtomachicę affectioni comparatur hepatica affectio.8°.de cōpo.med.ſec.loc. 5ª.194.D
Cœliacos iuuat Acantha leuce, id eſt ſpina alba. 5°.de ſimplic. medicamen.facul. 5ª.41.H
Cœliacos ſanans Antidotus.2°.de antid. 5ª.116.C
Cœliacos inteſtinorum torminibus laborātes iuuat Antidotus Zopyria. 2°.de antid. 5ª.115.A
ad Cœliacos Catapotia.9°.de comp.med.ſe.loc. 5ª.204.B
ad Cœliacos,& dyſentericos Coagulū eqnū.10°.de ſimp.me.fa. 5ª.74.E
Cœliacos affectus ſanat Cornu ceruinum.11°.de ſimp.med.fa. 5ª.79.G
Cœliacis prodeſt Coronopodis radix.7°.de ſimp.med.fa. 5ª.52.F
Cœliacis quo modo exhibita eſt Faba.7°.de ſimp.med.fac. 5ª.53.D
Cœliacis conuenit Ferula.8°.de ſimp.med.fa. 5ª.56.H

Cœliacis profluuium omne ſtatuit Gypſum.de ſimp.med. Sp.84.H
ad Cœliacos affectus efficax remedium eſt Hypociſthis.7°.de ſimplici. medicam.fac. 5ª.51.D
Cœliacis exhibetur Lemonij fructus.7°.de ſimp.med.fac. 5ª.54.B
Cœliacis cibus accõmodus Lens.1°.de alim.fac. 2ª.13.E
Cœliacis affectibus accommodæ Loti lignorum aſſulę deraſæ.7°.de ſimp. medica.fac. 5ª.55.A
Cœliacis adhibetur Lycium.7°.de ſimp.med.fa. 5ª.54.G
Cœliacis & dyſentericis facultatibus admiſcetur Macer.7°.de ſimplic. medicam.fac. 5ª.55.A
ad Cœliacas affectiones accommodus eſt Mori ſuccus. 7°. de ſimplici. medicam.fac. 5ª.56.B
Cœliacis & ſtomachi affectibus cur datur Opium. 8°.de compoſi.medicamen.ſec.loc. 5ª.190.C
Cœliaco affectui conuenit Ouum, ſi illi adiungatur aliquid, quod ad affectum cœliacum valeat.11°.de ſimp.med.fac. 5ª.81.E
ad Cœliacos Paſtillus.9°.de comp.med.ſe.loc. 5ª.204.B
Cœliacis confert Rha.8°.de ſimp.med.fa. 5ª.59.E
ad Cœliacos affectus Stercus columbarũ.10°.de ſimp.med.fa. 5ª.77.A
Cœliacis fortiter prodeſt Terra ſamia.de ſimp.med. Sp.84.H
Cœliacis valet Thuris radit.7°.de ſimp.med.fac. 5ª.54.C
ad Cœliacos.7°.de compoſi.medicamen.ſecun.loc.180.A/181.D/184.E/G/185.B/D/186.A/8°.188.H/189.E/191.C/192.G/H/196.A/9°.203.A/B/C/204.A/B/D/5°.de compoſi.medi.per gene.5ª.251.B/de reme. par.fac.158.F/ 7ª.159.H
ad Cœliacos.i.ventriculoſos.de med.fac.parab.170.A/ 7ª.176.D
COELOMA quid.introd. Iſa.58.D/H
COENA cur ab antiquis præferretur prandio de diff.cont. Sp.72.B
Cœnã differũt laſſitudo valida, et ſiccitas imodica.3°.de ſa.tu. 2ª.82.B
in Cœna cicer elixum vel frixum pro tragematibus ſumitur. 1°.de alimento.facul. 2ª.11.B
Cœnant carnem, & prandent panem luctatores, & certatores. de vict. rat.in mor.acu.com.1°. 7ª.111.H
in Cœna cibos valẽtiores cur accipiebãt Athletæ.7°.met.me. 7ª.46.B
in Cœna exhibendos eſſe cibos valentiores, collige, & cauſam.7°.methodi medendi. 7ª.46.B
in Cœna quando valentius alimentum exhibendum, quid ſeruandum. 7°.meth.med. 7ª.46.A
ex Cœna copioſa febre correpti caſus.8°.meth.med. 7ª.54.A
poſt Cœnam cur non eſt bibendum conualeſcentibus, quòd ſi ſitiãt, quo modo bibendum.7°.met.med. 7ª.46.B
poſt Cœnam quibus ſit parum ambulandum. de vict.ratio.in mor.acu. commentario.4°. 7ª.145.B
à Cœna vomendum calculoſis quãdo.de ren.aff.dig.& med. 7ª.194.F
Cœnabant medici apud potentes tempore Galeni.1°.meth.med. 7ª.2.D
COENALIA arabice dicuntur animalia communia terræ, & mari. de anato.viuo. Sp.48.C
in COENO eſſe ſomniare quid ſignificet.de dig.ex inſom. 4ª.213.E
Cœno ſimilia in abſceſſibus inueniuntur.de tum.prę ter natu.3ª.83.G/14° metho.med. 7ª.90.C
Cœnoſorum locorum vaporationes cauſæ ſunt morborum communium, qui fiunt vitio ambientis.de nat.hum.com.1°. 1ª.35.H
COEPIT qui bene, dimidium facti habet.6°.meth.med. 7ª.42.E
COEVNT in vnum ſolum corpora mollia.5°.meth.med. 7ª.32.B
COGITATIO, mens & intellectus communiter dicitur. de ijs quæ in medic.fiunt, com.1°. 7ª.199.B
Cogitationes ratiocinia dicuntur.in 6m.de mor.vul.com.6°. 3ª.191.A
de Cogitatione & mente vbi egit Plato.9°.de decr.Hipp. 1ª.279.H
Cogitatio intelligibilium rerum iudicium.9°.de decr.Hipp. 1ª.279.D
Cogitatio eſt opus animæ.2°.de loc.aff. 4ª.13.F
Cogitatio in anima conſiſtit, & quo modo deliria fiant in morbis thoracis.2°.de loc.affect. 4ª.13.E
Cogitatio, voluntatis conſeruatio & imaginatio rerum ſunt tria genera actionis animalis.de voce & anhel. Sp.61.G
Cogitatio communicat corpori.de mot.man.& obſ. Sp.69.D
Cogitatio & affectus nõ ſunt in eadẽ ſede.2°.de decr.Hipp. 1ª.241.H
ex Cogitationis & deliberationis nobiliſſimo motu fit vox, quæ eſt actio voluntaria.de voce & anhel. Sp.61.H
Cogitatio accidit per melancholiam.de anat.viu. Sp.45.F
Cogitantes intra ſe phlegma facit.de dyna. Sp.19.F
Cogitantes non ſentimus aliquem motũ in corde.2°.de decr. 1ª.239.G
aduerſus Cogitationẽ ſenſus loq; finxit Democritus.aduer.emp. Iſ.35.C
Cogitare multum inimicum eſt ijs quibus calor mordax natura eſt.5°.de ſanitate tuen. 2ª.94.C
Cogitationes generant bilem.in 6m.de mor.vul.com.1°. 3ª.157.A
Cogitantes quo modo in febrem incidant.1°.de diff.feb. 3ª.31.G
ex Cogitationibus laborantes vrinam habent croceam igneã præter cõſuetudinem, cholericã cum morſu veretri exeuntẽ.de dyna. Sp.34.A
ex Cogitatione nimis vehementi grammaticus morbo comitiali corripiebatur.5°.de loc.aff. 4ª.32.F
Cogitationem & imaginationem in ægritudine aliquid agere probatur. de mot.man.& obſ. Sp.69.F
Cogitationes & excandeſcentiæ quibus vtiles.in 6m.de morb.vulgarib. commentario.6°. 3ª.191.B
Cogitanti vis oblæſa eſt capita nimis parua, aut nimis magna habentib. in 6m.de mor.vul.com.1°. 3ª.154.C
Cogitatio quando vitiatur.4°.de loc.aff. 4ª.22.H
Cogitationẽ læſam qui ſcreatus ſignificet.in 1m.prorrh.com.1°. 4ª.163.H
Cogitationem, & ſenſus læſos habebat phreniticus quidam. 4°.de locis affectis. 4ª.22.D
Cogitationis mentisq; ſegnitia quid faciat.1°.de ſan.tuen. 2ª.65.F
Cogitabundus, peruigil, loquax, ſobrius, ſi torpens & tardus appareat in reſpondendo, mentem læſam ſignificat.in 6m.de morb.vulgaribus, commentario.2°. 3ª.168.G
ad Cogitationem.ſecretorum.98.H/100.G/ Sp.103.C
COGNATIO eſſe debet eius quod concoquit, cum eo quod concoquitur.4°.de ſani.tuen. 2ª.83.A
Cognata, & familiaria ſine dolore retinentur.5°.de vſu par. 1ª.145.G
pro Cognationem habere fratrare ponitur ab Hippocrate. de fracturis. commentario.3°. 7ª.246.F
COGNITIONEM duplicem habent aſini & recordantur. 2°.methodi medendi. 7ª.14.F
Cognitio dei quo modo nobis aduenerit.de hiſt.philo. Sp.4.G
Cognitio ſenſibilium in quot ſit differentijs.3°.de dign.pul. 4ª.80.G
Cognitio apud Rationales medicos ab iiſdem naſcitur à quibus Empiricis obſeruatio de Ratione tantum inueniendi ea inter eoſdem diſſenſio eſt.de ſectis. Iſa.16.F
ad Cognitionem rerum nihil referũt nomina.1°.de diff.pul. 4ª.46.H
Cognitionem rei commendans, quam nullo pacto docuerit, eſt ridiculus ſcriptor.in progno.com.1°. 4ª.190.F
Cognitio præſentium eſt affectuum inuentio.de præſag.ex pul. 4ª.121.F
Cognitio præteritorum eſt inuentio cauſarum affectus. 4°. de præſag. ex pul. 4ª.121.F
ex Cognitione diſtincta & indiſtincta rerũ orit̃ diſſidentia artis, quæ per experimenta iudicat ſua theoremata.de vi.ra.in m.ac.c.1°. 7ª.110.C
Cognitio Aquarũ bonarũ, et malarũ ex quibus habeat̃.de bo. Sp.75.H
Cognitio ęgritudinis ſm planetam, diem, & horam.de ſperm. Sp.40.B
Cognitio Flatus hypochõdriaci vñ ſumat̃.de mel.ex Gal.Ruf. Sp.109.G
COGNOSCERE quid ſit.3°.de comp.med.per gen. 5ª.228.H
Cognoſcerc accurate quid ſit.3°.de comp.med.per gen. 5ª.228.H
Cognoſcendũ eſſe ſe ipſum, collige, & cur.de cog.cur.animi mo. 2ª.50.D
Cognoſcentes bene, & agentes reguntur ſcientia.7°.de decre. 1ª.268.E
Cognoſcentes male, & agentes reguntur ignorantia.7°.de dec. 1ª.268.E
Cognoſcere cauſas eſt pars artis.de part.art.med. Sp.18.B
quæ Cognoſcenda ſint à medico ratione curante.de voc.inſt.diſ.1ª.106.B/de vir.noſt.corp.diſp. Sp.60.A
Cognoſci omnia non poſſunt, vel ſi in triplum hæc vita noſtra prorogetur.3°.de diff.pul. 4ª.59.C
Cognoſci iubet Hippocrates dies decretorios.bre.denot.dog. 1ª.231.D
de Cognoſcendis febribus.de natu.& or.cuiuslib.cor. Sp.42.E
Cognoſcere debet oculos ſanos qui vult illos ægros curare. de anatom. oculorum. Sp.57.B
qũo Cognoſcatur atrũ eſſe à frigido, aut à calido.quæſ.in Hip. Sp.113.E
quomodo Cognoſcatur cerebrum eſſe melancholicum primo affectu. de mel.ex Gal.Ruf.& Poſſ. Sp.109.H
ad Cognoſcendum ſi conceperit mulier.de paſſ.mul. Sp.96.C
vt non Cognoſcatur violata mulier.de paſſ.mul. Sp.96.D
COGNOMINA philoſophiæ.de hiſt.philo. Sp.2.G
COGVNT, & denſant ſuperficiem corporis adſtringẽtia.6°.de comp. medic.ſec.loc. 5ª.167.A/H
Cogitur, & adſtringitur frigido.in 6m.de mor.vul.com.2°. 3ª.160.F
Cogit tenues meatus aqua calida.7°.met.med. 7ª.44.F
non Cogitur in ventriculo lac cum melle.5°.meth.med. 7ª.35.A
Cogens quædã, & criſpans emplaſtrũ.6°.de comp.med.per ge.5ª.261.C

COHIBERE *ſanguinis eruptiones poteſt cucurbitula. de cucurbitulis,ſcarific.* 6ª.3.F
Cobibitio ſpiritus quando fiat,& quot modis.de voc.inſt.diſſ. 1ª.107.G
COINDICANTIA *quę vocentur.13°.meth.med.* 7ª.84.D
in COITV *naturalis ſeminis excernendi cupiditas eſt, quia ſemen nemině nõ ad ſui excretioně vi quadă ſtimulat.6°.de loc.aff.* 4ª.39.G
Coeũt bruta vt excernăt,ſicut ẽt mingũt & cacăt.6°.de lo.aff. 4ª.39.H
ad Coitum incitatis animalibus per metaphoram ductum eſt irritari. in 6^{m}*.de mor.vul.com.2°.* 3ª.162.B
Coitus pertinet ad tactum.1°.de ſymp.cau. 3ª.17.G
Coitus voluntas vnde generatur.de ſper. Sp.36.F
de Coitus appetentia Empedoclis opinio.2°.de ſem. 1ª.337.G
Coitus cupiditatem illam incredibilem,natura coniunxit animę inſtrumentis concipiendi vſuræ.14°.de vſu par. 1ª.204.D
Coitus cupiditas confertur cũ pruritu in cute.14°.de vſu par. 1ª.207.E
Coitus proprietas eſt ſanguinem conſequens.de anat.viu. Sp.45.D
Coitus deſiderium ſequitur ad dominium bilis.de anat. viuo. Sp.45.F
Coitũ in iuuenibus cur præcedit cupiditas inſana.14°.de vſu. 1ª.207.D
ad Coitum vis magis accenditur ijs, qui coire à iuuentute aſſueti ſunt. 6°.de locis affect. 4ª.42.H
Coitum cur aſſidue appetant ſeni ores aliqui affectu mirachiali laborantes.in 6^{m}*.de mor.vul.com.3°.* 3ª.171.G
Coitus cupiditatis et voluptatis cauſa & mod°.14°.de vſu p. 1ª.207.D
in Coitu maxima voluptas propter ſalutem generis,ac cõſeruationem. 14°.de vſu par. 1ª.204.E
de Coitus communi ſapore.de compag.memb.ſiue de nat.hu. Sp.59.D
Coitus dulcedo in qua parte potiſſimum fiat in viris, & mulieribus.de compag.memb.ſiue de nat.hum. Sp.59.D
Coitus quantam cum mari,tum fœminæ voluptatem afferat.1°.de ſymptom.cauſ. 3ª.17.G
in Coitu mulier videtur magis delectari.1°.de ſymp.cau. 3ª.17.G
Coitũ nõ appeteret mulier,ſi ſemẽ et teſtes nõ haberet.2°.de ſe. 1ª.338.C
in Coitu cur fœmina extra emittat humorem in glandulоſis paraſtatis contentum.14°.de vſu par. 1ª.208.D
in Coitu collum matricis eo vſq; patet,cum animal concepit,vt ſemẽ facile in matricum ſinum perueniat.14°.de vſu par. 1ª.204.F
in Coitu caput maris truncat vipera.de ther.ad Piſ. 5ª.93.C
Coitui indulgendum non eſt ob voluptatem,ſed ad euitandas noxas.6°. de loc.affect. 4ª.39.H
Coitu quando vtendum.de medic.fac.parab. 7ª.176.A
in Coitu cur genitales partes extendantur.14°.de vſu partium. 208. A/15°. 1ª.210.H
in Coitu tenſio virgæ cauſa eſt vt ſemen longinque vibretur.15°. de vſu partium. 1ª.210.H
in Coitu ad excernenda ea quæ in vaſis continentur ipſum partium veluti ſpaſmum conferre.14°.de vſu par. 1ª.208.A
in Coitibus ſemen excerni.1°.de ſem. 1ª.335.B
in Coitu quid emittant ſpadones.14°.de vſu par. 1ª.208.C
in Coitibus homo ex hoïe gignitur.in 6^{m}*.de mor.vul.com.3°.* 3ª.161.H
à Coitu qui iuuantur.in 6^{m}*.de mor.vul.com.5°.* 3ª.193.B
Coitus quando confert in icteritia.de cura icteri. Sp.111.E
à Coitu qui morbi lęduntur.in 6^{m}*.de mor.vul.com.6°.* 3ª.193.A
à Coitu omnino abſtinendum pręcipitur in deſtillatione in oculos. de remed.par.facil. 7ª.156.C
Coitus effectus diuerſi in diuerſis hominibus.6°.de lo.aff. 4ª.39.G
Coitus calefacit robuſtos.in 6^{m}*.de mor.vul.com.6°.* 3ª.192.G
Coitus efficit corpus & laxius,& frigidius,& imbecillius, & ſiccius. 3°.de ſanita.tuen. 2ª.81.C
Coitus incommoda eliciuntur.de cura icteri. Sp.111.F
ex Coitu lac odoris gratiam mutat in deterius.1°.de ſan.tu. 2ª.66.B
Coitus cur maxime diſſolutum corpus reddat.1°.de ſem. 1ª.335.D
Coitu immoderato vtentes cur imbecilliores.1°.de ſem. 1ª.335.D
Coitus calefacit primo imbecillos,deinde frigefacit. in 6^{m}*.de morb.vulgaribus,com.6°.* 3ª.192.G
Coitus voluptatem amouet dolor & frigus.de aere,aq.& loc. 2ª.6.A
Coitus refrigerando quibus prodeſt.in 6^{m}*.de mor.vul.com.5°.* 3ª.193.B
bis qui Coiere qui cibus dandus.3°.de ſan.tuen. 2ª.81.E
Coitus intempeſtiuus quorũ malorũ ſit cauſa.14°.de vſu par. 1ª.206.H
Coeuntibus immoderate quid contingat.1° de ſem. 1ª.335.C
ex Coitu nimio exiccatus humor in glădulоſis paraſtatis cõtentus, quo modo reficiatur.14°.de vſu par. 1ª.208.D
Coitus deſiderij paucitas ſequitur ad dominium phlegmatis. de anatomia viuorum. Sp.45.E
ad Coitum cur Scythę omnium hominum minime ſint valentes.de aere, aquis,& locis. 2ª.6.A
ad Coitum impotentiores reddit homines equitatio continua. de aere, aq.& loc.5.F/G/ 2ª.6.A
à Coitu longo tempore quidam abſtinuit.6°.de loc.aff. 4ª.42.F
à Coitu abſtinentia penem magnum fecit.6°.de lo.aff. 4ª.42.G
Coeũdi cupiditatẽ amittit animal teſtibus exectis.2°.de ſem. 1ª.340.A
Coitum non appetunt ſues caſtratæ.2°.de ſem. 1ª.338.C
Coire non potentis curatio.de incant.adiur.& ſuſ. 7ª.181.H
pro Coitu perinæo,& lumbis calida flatuoſa adhibenda, frigida ꝑ ipſo remouendo,caſus cuiuſdă qui ibat præcinctus.6°.de loc.af. 4ª.42.F
Coitum excitat Eruca.2°.de alim.fac. 2ª.23.G
Coitum per ſuam virtutẽ ad venas portitat eruca.de ſimp.me. Sp.83.H
ad Coitum confectio.ſecretorum. Sp.100.A
ad Coitus debilitatem.ſecretorum. Sp.99.H
Coitus,vide Libido,Venus.
COLA *græci vocant extrema ad Thraſ.* 2ª.105.H
Κῶλα,*ideſt membra longa,dicuntur à gręcis crura, & brachia. de cucur.ſcar.6ª.4.D/de fract.com.1°.228.F/de art.com.3°.* 7ª.275.D
Κολάσαι *quid ſignificet.de vic.rat.in mor.acu.com.3°.* 7ª.130.A
COLATIVA *potentia vna ex medicinis oculi.de ocul.* 7ª.189.A
Colatica medicamenta quæ ſint.de ocul. 7ª.189.C
COLATORIVM *os naſi (ſic omnes interpretes nominant) an inſtrumentum odoratus.de inſtr.odor.* 1ª.110.F
Coli ſimilia oſſa multis ſunt foraminibus traiecta.de inſtr.odo. 1ª.112.E
Cola oſſa ſi aliqñ obturantur,olfaciendi vis læditur.3°.de lo.af. 4ª.21.D
per Colatoria oſſa ſpiritũ halituoſum caput per ſe exturbat. 2°.de ſymptoma.cauſ. 3ª.21.G
COLAT *per linteũ.6°.de cõp.med.ſe.lo.5ª.170.B/de med.f.* 7ª.172.A
Colat per ſaccum.9°.de comp.med.ſe.lo. 5ª.202.E
COLCHICVM *quid.de ſimp.med.* Sp.83.B
Colchicum dicitur vicem fungi ſtrangulatoris facere, & ferro pręciſos ſanare linitum.de ſimp.med. Sp.83.B
COLES *quid.introd.* Iſa.53.D
Coles genitalis cur cauernoſus neruus dicať ab aliquibus.in 6^{m}*.de morbis vulgar.com.1°.* 3ª.153.B
à Cole affecto,quo modo differat veſica affecta.6°.de loc.aff. 4ª.41.F
Colis affecti indicia.6°.de loc.affect. 4ª.41.E
de Colis palpitatione aſſidua caſus.6°.de loc.aff. 4ª.42.F
Colis excrementa quid portendant.6°.de loc.aff. 4ª.41.E
in Colis phlegmõe nõ ſemp dăda quæ vrină ꝓuocat.13°.me.me. 7ª.82.B
ad Colem pecten ſeu vinculum ſuſpendens. de faſcijs. 7ª.303.H/ *aliter. 304.A/Idem ex faſcia ſciſſa & zona.ibidem.*
COLICA *diſpoſitio quid.fin.med.* Iſa.47.F
Colici dolores,qui.2°.de loc.aff. 4ª.9.E
Colici dolores à vulgo vocant oẽs,ẽt ſi nõ ſint ĩ colo.6°.de lo.af. 4ª.36.b
Colică diſpõnem in partibus ſiniſtris qdă fieri negăt.6°.de loc. 4ª.36.F
Colici non poſſunt flatum neq; ructum excernere.6°.de loc.aff. 4ª.36.G
Colico dolori quo modo ſimilis ſit nephritis, & quo modo diſtinguatur. 6°.de locis affect. 4ª.37.C
in Colico & nephritico dolore ijſdem præſidijs indigemus in principio, poſtea diuerſis.6°.de loc.aff. 4ª.36.H
Colica contingit conceptis in horis phlegmatis.de ſper. Sp.37.C
Colica ex indigeſtione,& infrigidatione prouenit.introd. Iſa.61.C
Colicos affectus quæ præcedant.2°.de loc.aff. 4ª.9.F
Colicam patientium vrinæ quales ſint.6°.de loc.aff. 4ª.36.G
Colici doloris curatio.introd. Iſa.56.A
Colica qui leuiter capiuntur non ſunt purgandi.de dyna. Sp.20.F
Colicus dolor ſanatus ex cibo non facile corruptibili,& adſtringente.1°. de locis affect. 4ª.5.H
Colicæ quid conferat.ſecretorum. Sp.100.F
Colicos ſubinde mirifice iuuat Alauda vſta ſi edať.ď the.ad Piſ. 5ª.93.G
Colicos ſanauit Galenus medicamento ex Aloe.1°.de loc.affe. 4ª.5.G
in Colicis aloen vt daret quid mouerit Galenum.1°.de loc.aff. 4ª.5.G
Colico medicamentũ amarũ dare auſus eſt Galenus.1°.de lo.aff. 4ª.5.G
ad Colicos Cicadę quo modo.11°.de ſimp.med.fac. 5ª.82.B
Colicis conuenit herba Corydalis.11°.de ſimp.med.fa. 5ª.82.C
Colicis Eclegma Nectareum.9°.de comp.med.ſec.loc. 5ª.202.D
ad Colicam paſſionem electariũ Zacharonis.de med.exper. Sp.106.H
Colicis datur Euphorbium.de dyna.22.B/de ſimp.med. Sp.83.F
Colicos adiuuat Calerita.11°.de ſimp.med.fac. 5ª.82.B

Colicos

Colicos iuuantibus antidotis miſcetur Libyſticum.de ſimp.me. Sp.85.H
in Colicis mirabile eſt Lupinum ſtercus.10°.de ſimp.med.fac. 5ª.74.C
pro Colica quo loro ſtercus lupinũ inguinibus apponebatur.10°.de ſimpli.med.fac. 5ª.76.D
in Colica Philonium.introd. Iſa.61.C
Colicis exhibet ſtupefacientia Galenus.12°.met.med. 7ª.75.B
in Colicis cur ſtupefacientibus vtimur.7°.de comp.medicamen.ſecundum locos. 5ª.184.H
ad Colicum dolorem proprie facit Seſeli ſemen.de ſimp.med. Sp.90.D
ad Colicam, quæ eſt ileos, Triphera valens.ſecre. Sp.102.G
ad Colicam paſſionẽ ex ventoſitate electariũ turbit.de medi. Sp.108.C
in Colicę, & lapidis dubio medicamen.de med.exper. Sp.106.H
Colicæ paſſioni ex craſſis humoribus in inteſtinis valens medicina.de medi.exper. Sp.106.G
Colicæ ex vẽtoſitate valens medicamẽ.de med.exper.106.A/Sp.107.E
ad Colicam ex ventoſitate, & humore craſſo.de med.exper. Sp.107.E
ad Colicos.10°.de comp.medic.ſec.loc.106.D/5ª.208.A/ de reme.par.fac.159.G/7ª.167.F/de dyna.28.E/ſecre. Sp.99.G
in Colica facile applicantur remedia.3°.de loc.aff. 4ª.16.B
COLICA medicamenta vnde dicta. 9°.de compoſitio. medicament.ſecundum loc. 5ª.201.F
Colica medicamenta quo modo differant ab alijs anodynis.7°.de compo.med.ſec.loc. 5ª.284.H
Colica vocata medicamenta ſunt per ſedem immiſſa efficaciora: nam dolores auferunt, ſomnum conciliant, & aluum mouent.intr. Iſa.56.A
Colica medicamenta.9°.de comp.med.ſec.loc. 5ª.200.H
Colica ſedans dolorem.9°.de comp.med.ſec.lo. 5ª.202.H
Colica Abaſcanti.9°.de comp.med.ſe.lo. 5ª.202.A
Colica Adiaptotos dicta.9°.de comp.med.ſec.lo. 5ª.202.B
Colica Amirabilis.9°.de comp.med.ſec.lo. 5ª.202.B
Colica medicamenta Andromachi.9°.de comp.medic.ſec.loc. 5ª.201.H
Colica Apollonij.9°.de comp.med.ſec.lo. 5ª.202.B
Colica quam admiratus eſt Ariſton, vt Diophantus Lycius.9°.de compo.med.ſecun.loc. 5ª.202.C
Colica ſedãs dolorẽ, qua vſus eſt Caſſius.9°.de cõp.me.ſec.loc. 5ª.202.G
Colica Caſſii.9°.de compo.med.ſec.loc. 5ª.201.H
Colica Caßij vt Criſpus.9°.de comp.med.ſec.loc. 5ª.201.H
Colica Lingonis.9°.de comp.med.ſec.loc. 5ª.202.G
Colica ſedans dolorem Lucij.9°.de comp.me.ſe.ſo. 5ª.202.G
Colica vt Nicoſtratus, Iſotheos appellata empta duobus talentis. 9°.de comp.med.ſec.loc. 5ª.202.B
Colica vt Publius in Putiolo & Apollonio.9°.de cõ.me.ſe.lo. 5ª.202.D
Colica vt Scribonius.9°.de comp.med.ſec.lo. 5ª.202.B
Colica Sicula inſcripta.9°.de comp.medic.ſec.lo. 5ª.202.G
Colica Sigonis, qua vſus eſt Valens.9°.de comp.med.ſec.lo. 5ª.202.F
Colica Terentij Valentis.9°.de comp.med.ſec.lo. 5ª.202.B
Colica Tullij.9°.de comp.med.ſe.loc. 5ª.202.A/C
Colica Tullij bona.9°.de comp.med.ſec.loc. 5ª.202.C
Vide Colon.
COLLA aut gluten.7°.de ſimpli.medicam. 5ª.52.A
COLLAPSIO à Demiſſione & laxatione particulæ quo modo differat. 1°.de diff.reſp. 3ª.62.H
Collapſio thoracis coaceruata quid agat.1°.de diff.reſp. 3ª.62.H
COLLECTIONIBVS & compoſitionibus diuerſarum rerum arte factis quomodo reſpondeat naturalis animantis conſtitutio. 3°. de anato.adm. 1ª.73.A
ad Collectionem in cornea naſcentem.de ocul. 7ª.190.H
COLLECTIVA quid ſit in pulſu.1°.de diff.pul. 4ª.48.H
Collectiuæ inæqualitatis differentiæ in pulſu quę.1°.de diffe. 4ª.49.D
Collectiua inæqualitatis differentia in pulſu.1°.de diff.pul. 4ª.51.A
COLLETICA à glutinando quædam dicta eſt facultas. 4°.de ſimplic.medica.facultatib. 5ª.32.C
Colletica medicamenta ſunt glutinatoria.de par.art.med. Sp.18.G
Colleticis, & catuloticis rebus curantur vulnera difficilia, & craſſæ cicatrices.de part.art.med. Sp.19.A
Colleticum eſſe videtur oleum maſtiche miſtum.de ſimp.med. Sp.88.D
COLLIDI quod debet oportet vt in ſeipſum cedat: hoc autem & molle eſſe expoſtulat & minime durum.de cauſ.morb. 3ª.9.G
Collidi quod debet cauum fiat oportet.de cauſ.mor. 3ª.9.G
Collidi non dicuntur oſſa, ſed muſculi, & cutis.de fract.cõ.2°.7ª.240.A
Colliſio magna ex parte in partibus fit carnulentis, non nunquam vero & in oſſibus capitis, in pueris præſertim.de cauſ.morb. 3ª.9.G
ad Colliſa.10°.de comp.med.ſec.loc. 5ª.208.A
COLLIGATIO inter primas partes, quæ generantur. 8°.de decr.Hippocratis. 1ª.275.C
Colligamen ablatum cur non creſcit.1°.de ſem. 1ª.332.D
Colligatũ qua metaphora dicat̃ de dẽſo, & duro.2°.de ſan.tu. 2ª.72.F
COLLIGVNT excrementum multum, & prauum membra imbecilla. in 6m.de mor.vul.com.1°. 3ª.154.F
COLLIQVESCERE quid ſignificet apud Hippocratem. commentar. 2°.apho.28°. Ex.16.G
Colliqueſcere & extenuari corpus q̃ faciãt.cõ.2°.aph.28°. Ex.16.D/E
Colliqueſcere pluſquã ratio expoſtulat, malum.cõ.2°.aph.28°. Ex.16.C
Colliquat calor nimis adauctus.3°.de ſymp.cau. 1ª.29.E
Colliquationes facit iecoris calida intẽperies.8°.de cõ.me.ſe.lo. 5ª.194.C
Colliquat quandoq; membra exercitium.de puero epil. 7ª.180.A
Colliquare carnem poteſt ſtaphiſagria.4°.de ſimp.me.fac. 5ª.29.G
Colliquatio carnis quid agat.3°.de ſymp.cau. 3ª.28.E
in Colliquatione carnis ſudores q̃uo fiant.3°.de ſymp.cau. 3ª.28.F
Colliquatiui, & diſcuſſorij morbi extenuant.in 6m.de morb.vulgaribus commentario.3°. 3ª.176.E
Colliquatiua febris q̃uo differat à maraſmode.10.meth.med. 7ª.67.E
quæ Colliquatio fiat in febribus peſtilentibus. 8°. de compo.medicam.ſecundum loc. 5ª.194.C
in Colliquantibus febribus acutis vires labuntur. 12°.met.me. 7ª.77.C
Colliquatio quo modo fiat.de vrinis.4ª.124.D/de vict.ratio. in mor.acutis.commen.4°. 7ª.149.B
Colliquationis comparatio ad carnes, quæ in craticula torrentur.10°.methodi medendi. 7ª.67.E
Colliquantur minimum ſupra prunas carnes ſuum ſylueſtrium, domeſticorum vero plurimum.10°.meth.med. 7ª.67.E
Colliquatio & excretio difficulter diſtinguuntur, ſecundum Eraſiſtratũ & Hippocratem.de opt.ſecta. Iſa.26.E
Colliquatio quo indicio ſignificetur.in 3m.de mor.vul.com.3°. 3ª.147.G
in Colliquatiua febre videntur colliquationes deſcendere per aluum.10° methodi meden. 7ª.67.F
ex Colliquatione fiunt deiectiones acres ex ventre inferiori calido. de vict.rat.in mor.acu.com.4°. 7ª.149.B
in Colliquefactionis principio, qualis ſit vrina, qualis in augmẽto, in ſtatu, & declinatione.quæſ.in Hipp. Sp.113.C
Colliquatio adipis facit vrinam, & excrementa pinguia. commentario 7°.aphor.35°. Ex.56.E
Colliquefactionis ſignum eſt vrina habens pinguedines ſuperne innatantes araneoſas.de vri.ſigni.ex Hipp. Sp.78.G
Colliquationem renum ſignificat vrina quæ velut raſuram habuerit, & arenam, & in nebulis quaſi ſanguinem.de dyna. Sp.34.G
Colliquatiuæ febres quo modo curentur.10°.meth.med. 7ª.67.F
in Colliquationibus ptiſſanæ cremore vtemur.de vict.rat.in morb.acu.commentario.3°. 7ª.128.E
Colliquatiuis febribus inimiciſſima eſt mulſa.10°.meth.med. 7ª.67.F
ex COLLIQVABILIBVS medicm.3°.de comp.me.per ge. 5ª.233.F
COLLVM & Ceruix idem.de oſſib. 1ª.41.G
Collum quid ſit.de voce, & anhel. Sp.60.F
Collum pars ſpinæ.12°.de vſu par. 1ª.196.G
Collum factum eſt propter pharynga.8°.de vſu par. 1ª.165.A
Collum homini, & ſimilibus ei animalibus tanta eſt magnitudine, quanta pharyngi ad ſuas actiones erat neceſſaria.8°.de vſu par. 1ª.165.B
Collum quale, & quantum eſſe debet.in 6m.de mor.vul.com.1°. 3ª.154.B
Collum mobile factum eſt propter oculos.10°.de vſu par. 1ª.180.E
Collum cur conſiderandum pro capite.in 6m.de mor.vul.cõ.1°. 3ª.154.C
in Collo ſimiæ homini ſimillimæ ſunt.de ner.diſſ. 1ª.54.E
Collũ longũ cur habeãt aues crura lõga habẽtes.11°.de vſu par. 1ª.185.A
Collum longius cur habeant grues, & ciconiæ.11°.de vſu par. 1ª.187.D
Colla volatilium ſimilia caudis.de bon.& vitio ſuc. 2ª.37.B
Collum æquale cruribus, quæ animalia habeant.8°.de vſu par. 1ª.165.B
Collo pro manibus multa animalia vtuntur.8°.de vſu par. 1ª.165.B
Collum longius habent animalia vngulas ſolidas aut bifidas habentia. 11°.de vſu partium. 1ª.187.D
Collum longum animalia habentia corpore inclinato deglutiunt.3°.de natural.facul. 1ª.305.B
Collũ lõgũ aĩalia habentia cur ædunt clangorem.7°.de vſu par. 1ª.157.D
Collum breuius cur habent animalia pedes fiſſos in digitos habentia.11°.de vſu partium. 1ª.187.D
Collum animalia non habentia, neq; caput.8°.de vſu par. 1ª.164.H

Collum habent habentia pulmonem, carentia pulmone capite carent. 8°. de vſu partium. 1ª.164.H
Collum cur non ineſt piſcibus. 11°. de vſu par. 1ª.187.D
Collum non habentia ſunt muta. 8°. de vſu par. 1ª.165.A
Collum cur non eſt forte in homine vt in leone. 11°. de vſu par. 1ª.191.H
in Collo inſtrumentorum multitudo maior eſt, quàm in aliqua tam exigua parte corporis. 11°. de vſu par. 1ª.186.B
Colli vertebræ quot ſint, & quo modo iunctę. de oſſ. 1ª.41.G
in Collo ſeptem ſpondyli. 12°. de vſu par. 196.G/13°. 1ª.281.F
in Collo productionum vertebrarũ numerus. 12°. de vſu par. 1ª.197.G
Collum in animalibus, quæ non multum diuerſam ab hominibus naturã habent, ſeptem vertebris conſtat. de ner. diſſ. 1ª.54.G
Collũ cur ex ſeptẽ ſpondylis multis animalibus. 13°. de vſu par. 1ª.200.C
per Collum totum ſtomachus ab initio ſpondylis inuectus fertur. 16°. de vſu partium. 1ª.218.G
per Collum eunt cibus, potus, & ſpiritus. 11°. de vſu par. 1ª.186.B
Collũ differt functionibus ab artubus. 4°. de præſag. ex pul. 4ª.120.F
Colli articuli tutiſſima conſtructio, oſſium exacta compoſitio, & figura. 11°. de vſu par. 1ª.193.F
in Collo ſunt canales duo, qui ad anteriora feruntur. de compag. memb. ſiue de natu. hum. Sp.58.F
circa Collum membranę non ſunt à corde. 7°. de decre. Hipp. 1ª.268.B
in Collum quo modo ferantur venæ, & arteriæ. 16°. de vſu p. 1ª.219.A
Collum quibus venis nutriatur. de vic. ra. in mor. acu. com. 2°. 7ª.117.E
in Collo vena iugularis ſine coniuge. 16°. de vſu par. 1ª.221.A
Colli arteriæ vnde. 16°. de vſu par. 1ª.219.G
in Collo venæ, & magnæ arteriæ vbi & quomodo à corde veniant. 7°. de vſu partium. 1ª.162.F
ad Colli ſpondylum ſupremum procedunt magna vena & arteria à duobus ventriculis cordis. de vtil. reſp. Sp.62.G
ad Collum quæ ſubit arteria quid trahat à corde. 3°. de nat. fa. 1ª.307.F
Colli arterię officium. 8°. de vſu par. 1ª.154.F
Colli arterię continuant cor cum cerebro. de vſu pul. 1ª.227.E
in Colle & pulmone ſolis aſperarum arteriarum genus ineſt. 8°. de vſu partium. 1ª.164.H
in Collo vaſa peruenientia ad aſperam arteriam capillorum ferè ſpeciẽ referunt. 1°. de locis affectis. 4ª.2.D
in Collo neceſſariam habet poſitionem larynx. 13°. de vſu par. 1ª.201.D
in Collo ſunt muſculi bronchorum. de voce, & anhel. Sp.60.F
in Collo muſculus latus vocatur myωdes platiſma, id eſt muſculoſa dilatatio. de muſ. diſſ. 1ª.44.E
ſub Colli cute muſculus latus vnde incipiat, ac finiat, & eius ſubſtantia. de muſ. diſſ. 1ª.44.D
ſub Colli cute muſculus latus poteſt dici muſculoſa natura, vel muſculoſa ſubſtantia. de muſc. diſſ. 1ª.44.D
ſub Colli cuti muſculus latus facile laniatur. de muſ. diſſ. 1ª.44.D
ſub Colli cute muſculus latus nullum detinet articulum, nec in articulũ inſeritur. de muſc. diſſ. 1ª.44.D
ſub Colli cute muſculus latus buccas mouet. de muſ. diſſ. 1ª.44.D
ſub Colli cute muſculus latus primo intenditur iis qui ſpaſmo corripiendi ſunt. de muſ. diſſ. 1ª.44.D
ad Collũ qui ſunt muſculi, habent motum facilẽ. 7°. de vſu par. 1ª.161.E
Colli, ac capitis commune genus muſculorum diuiditur in octo muſculos. de muſc. diſſ. 1ª.45.F
Collum, & caput trahentes muſculi, qui. 12°. de vſu par. 1ª.195.B
Collum, & caput retro attollunt tres muſculorum coniugationes. 16°. de vſu partium. 1ª.217.E
ad Colli muſculos nerui ab inferioribus partibus ſurſum feruntur. 16°. de vſu partium. 1ª.217.E
Colli duorum neruorum origo vbi ſit. de voce, & anhel. Sp.61.G
Colli neruorũ prima cõiugatio in aĩalibus habẽtibus vertebras paruas parua eſt vt in ſimiis, prima in habentibus magnas vertebras eſt magna, vt ſunt habentia dẽtes ſerratos & cornigera. de ner. diſ. 1ª.54.E
in Collo à ſpinali medulla orientium neruorum cõiugatio prima quo modo procedat. de neru. diſſ. 1ª.54.D
Colli neruorũ ſecunda coniugatio vbi, & q̃uo exit. de ner. diſſ. 1ª.54.E
Colli neruorũ tertia coniugatio vbi, et quo mõ exit. de ner. diſſ. 1ª.54.F
quæ in Collo ſunt neruorũ cõiugationũ cõia quædã. de ner. diſſ. 1ª.54.F
in Collo neruorum coniugationum peculiaria. de ner. diſſ. 1ª.54.G
in Collo ſuſcipiunt portionem quandam neruorum à ſexta coniugatione cor & pulmo. de ner. diſſ. 1ª.54.D
Collũ bẽt duas glãdulas in quibꝰ gñat̃ humiditas. de voc. et an. Sp.61.C
Collum omne dilatatur tibiam inflantibus, & maximam et acutiſſimam vocem edentibus. 3°. de ſan. tuen. 2ª.77.C
Collum præſertim gymnaſticorum in tumorem extollunt muſculi latiores. 4°. de anat. adm. 1ª.82.F
Collum etiam laborat in equitante. 2°. de ſan. tuen. 2ª.75.C
Collum quo modo lædatur. 5°. de ſanitate tuenda. 2ª.89.H
in Collo adenes cur quandoq; intumeſcunt. 13°. meth. med. 7ª.81.A
in Collo pullulantibus, pariſthmiis prẹſertim, mirifice proſunt lina marinę purpuræ, ſi illis vipera ſuffocetur, et ea collo alicuius obuincias. 6°. de ſimp. med. fac. 5ª.45.H
ex Colli muſculorum extenſione aliis omnibus remanentibus in ſuo ſtatu accidit raucedo. de vo. & anhel. Sp.60.F
Colli inflationes, et tẽſiones petroſelinũ remediat. de ſimp. med. Sp.89.C
in Collo ſi tumor fiat ab angina habito, bonum: foras enim morbus deducitur. com. 6°. aph. 37°. Ex.50.D
Colli ſuperficiarias partes melius eſt affici q̃ imas. de vic. rat. in morbis acu. commen. 4°. 7ª.138.G
Collum ſi peruertitur à febre habito, & vix poteſt deuorare ſine vllo tumore, letale eſt. com. 4°. aph. 35°. Ex.31.E
Colli vertebræ intro vergebant, & extra apparebat collum habere cauitatem in angina. com. 4°. aph. 35°. 31.F/com. 7°. aph. 59°. Ex.59.E
Collum ſi vertitur, & vix poteſt ęger deuorare propter ſiccitatem excedentem, letalis eſt caſus. com. 4°. aph. 35°. Ex.31.G
Colli venę & arteriæ ſi ligent̃, quid ſequat̃. 2°. de decr. Hipp. 1ª.239.B/C
circa Collũ arteriis conſtrictis nihil patitur aĩal. de vtil. reſp. 1ª.225.H
Colli arteriæ vinculo exceptæ animali euidenter non obſunt. de vſu pulſuum. 1ª.227.E
Colli venis quibuſdam compreſſis fit homo inſenſibilis, & dormienti ſimilis, ſecundum Ariſtotelem. de vtil. reſp. Sp.63.F
Colli venis quibuſdam compreſſis fit homo abſque omni ſenſu, & motu. de vtil. reſp. Sp.63.H
Colli venæ abſciſæ cauſæ mortis. de cauſ. procatar. 3ª.99.D
Collum ſanguinem effundens difficulter compeſcitur. fin. med. Iſa.50..A
Colli neruis prẹciſis quid ſequatur. 2°. de decr. Hip. 1ª.239.B
Collo circundato laqueo cur ſpuma fiat. com. 2°. aph. 43°. Ex.18.E
in Collo ſpina vitiata aufert vocem. 1°. de ſymp. cau. 3ª.16.D
Collum inflammatum neceſſario dolorem habet. cõ. 4°. aph. 35°. Ex.31.F
in Colli phlegmoue artus vinciuntur. 13°. meth. med. 7ª.83.B
Colli dolor oſtendit principium læſum. in 1ᵐ. prorr. com. 3°. 4ª.178.H
Colli dolorem ruta ſedat. de ſimp. med. Sp.89.D
ad Colli dolorem. de medi. fac. parab. 7ª.178.G
ad Colli dolorem omnem. 5°. de compoſi. medic. per gen. 5ª.246.H
Colli & capitis dolores cum febribus & ſine febribus ſunt. in 1ᵐ. de morbis vulg. com. 2°. 3ª.112.H
ad Colli & faciei impetigines. 1°. de compo. med. ſec. loc. 5ª.126.A
circa Collum quibus fluxiones procumbunt, quæ exercitatio vitanda. 5°. de ſanitate tuenda. 2ª.90.A
ad Colli vlcera emplaſtrum ex dictamno Damocratis. 5°. de compo. medica. per gen. 5ª.250.G
ad Colli vulnera medicamentum. 5°. meth. med. 7ª.31.B
Colli vlceribus confert ſectio venarum poſt aures. de anat. viu. Sp.55.A
in Collo affecto humeraria vena ſecanda. de conſt. ar. Iſa.41.E
Collo, & mento apponit cucurbitas. 6°. de comp. med. ſe. lo. 5ª.174.A
Collum ſimul cum capite aggrauatum iudicationis ſignum. 1°. de arte curat. ad Glauco. 7ª.100.D
circa Collum ſudores praui. de vic. rat. in mor. acu. com. 2°. 7ª.122.F
Collo quæ ſuſpenduntur quo modo vocentur. de rem. par. fac. 7ª.154.A
Collo ſuſpenſa adiuuant. de incant. adiur. & ſuſp. 7ª.182.A
Collo ſuſpenſa quo modo prodeſſe poſſint, collige pæoniæ exemplo. 6°. de ſimp. med. fac. 5ª.45.H
Collo duplicem manticam ſuſpenſam habemus. de cogn. cur. an. 2ª.50.F
COLLVM matricis cur ſit lacertoſũ cũ multis picis. de an. vi. Sp.51.E
Colli matricis diuerſitas. de anat. viuo. Sp.51.F
Colli altera extremitas, quæ pudendo muliebri coniungit̃, non vteri, ſed ipſius colli os haud ſine ratione vocaretur. cõ. 5°. apho. 46°. Ex.41.H
Collum vbi incipit, deſinit vero vterus, magis proprie os vteri diceret̃. commen. 5°. aph. 46°. Ex.41.H
Collum matricis ſubintrat os veſicæ. de anat. viuo. Sp.51.H
Colli matricis & virgę virilis maxima pars eſt chartilago quędam procedens ab oſſe pubis. de vtil. reſp. Sp.62.H
Collum matricis comparatur priapo. de anat. viuo. Sp.51.D
vt in Collo matricis, ita contingit in priapo, quia per alium meatũ exit vrina,

vrina,& per alium meatum intrat ſperma viri, tamen ipſi duo conueniunt in ipſo collo,& fit meatus vnus.de anat.viuo. Sp.52.E
Collo vtitur vterus tanquam manu.1°.de ſem. 1ª.329.H
Collum matricis dilatatur in defloratione virginis, & rumpuntur quædam venæ ſubtiles, quæ ſunt in dextra parte ipſius colli, & exit ſanguis.de anat.viu. Sp.51.E
Collum matricis non poſſet ingredi acumen acus in conceptionis hora, ita clauditur.de anato.viu. Sp.51.E
Collum vteri tantum aperitur in fœtu edendo, quantum fœtui facilis præſtetur exitus.2°.de ſymp.cau. 3ª.21.B
COLLI *veſicę duę partes.de compag.memb.due de nat.hu.* Sp.59.B
Colli veſicæ muſculi munus quale ſit.de muſ.diſſ. 1ª.50.D
Collum veſicæ quoniam carnoſum eſt, videmus quottidie ſanari quando lapis extrahitur.com.6°.aph.18°. Ex.48.A
COLLICVLVM *quid.introd.* Iſa.53.D
COLLVSTRATIO *Platonis quid ſit.de hiſt.philo.* Sp.9.D
COLLVTIO *addentes molares.5°.de comp.med.ſec.loc.* 5ª.164.B
in Collutionibus mulierum quidem communiter, proprie vero matricis confert ſuccus centaureæ.de vir.cent. Sp.94.B
COLLVVIEM *vocat Galenus elementorum congregationem.17°.de vſu partium.* 1ª.222.C
COLLYRIA *ſunt formę medicamentorum.2°.de compoſi.medicamento.per gene.* 5ª.226.C
Collyriorum formæ.3°.de comp.med.ſe.loc. 5ª.148.E
circa Collyria omnia quibus vtamur liquoribus.4°.de compo.medicamen.ſec.loc. 5ª.151.C
Collyria quibus humectanda.de ocul. 7ª.190.C
Collyria optima vſitata ſint.de reme.para.fac. 5ª.156.A
Collyria in cotibus teruntur ex lacte.4°.de comp.med.ſec.lo. 5ª.150.D
Collyria teruntur in cote medica.4°.de compoſi.med.ſecun.lo. 5ª.151.C
Collyriũ reprimẽs humores tenues deſcẽdẽtes ad oculos.de ocu. 7ª.191.C
Collyrium in initio ophthalmię.de ocul. 7ª.191.A
Collyrium in augmento ophthalmiæ.de ocul. 7ª.191.C
Collyrium in ſtatu & declinatione ophthalmiæ.de ocul. 7ª.191.B
Collyrium duræ ophthalmiæ.de ocul. 7ª.191.D
Collyrium lippientibus.3°.de comp.med.per gen.234.H/6°. 5ª.258.F
Collyrium in linteolo ad lippientes.5°.de comp.med.per gen. 5ª.247.E
Collyrium ad aſperitatem palpebrarum.de ocul. 7ª.191.E
Collyrium pro ſoluendo apoſtemate vno die.de ocul. 7ª.191.B
Collyria repurgantia vlcus oculorũ, quæ.4°.de comp.me.ſe.l. 5ª.151.A
Collyrium ad mundificandam vulneris putredinem.de ocul. 7ª.191.C
Collyriũ valẽs ad vſtionẽ, ad exitũ vuę,& ad vulnera.de ocu. 7ª.191.D
Collyria qualia per gradus ad hypoſphagmata oculorum.10°.de ſimpli.med.facul. 5ª.73.A
Collyrium ad omnem paſſionem oculorum.de ocul. 7ª.191.C
Collyria diuerſa.de ocul. 7ª.190.C
Collyria facta ex flore ęris extergũt, auferuntq́; ſuperciliorum magnas aſperitates.9°.de ſimp.med.fa. 5ª.71.E
Collyriũ indicũ Aerianum inſcriptũ.4°.de comp.med.ſe.loc. 5ª.156.E
Collyrium Aerianum Aſclepiadæ.4°.de cõpo.med.ſec.loc. 5ª.154.G
Collyrium Acrianum Diomedi inſcriptum.4°de cõp.me.ſe.lo. 5ª.154.G
Collyrium album.4°.de compoſi.medic.ſec.loc. 5ª.154.F
Collyrijs ad lachrymã faciẽtibus miſcetur Amylũ.de ſim.me. Sp.80.A
Collyria Arida pro oculis, quæ.4°.de comp.med.ſec.loc. 5ª.151.H
Collyrium Aromaticum.4°.de comp.med.ſec.lo. 5ª.156.G
Collyrium Aromaticum croceum.4°.de comp.med.ſec.loc. 5ª.156.G
Collyrium Artemonium.4°.de compoſi.medica.ſec.loc. 5ª.156.D
Collyrium Atarachum.4°.de comp.me.ſec.lo. 5ª.156.H
Collyrium Aureum.4°.de comp.med.ſe.loc. 5ª.157.A
Collyrium Baſilicum, ideſt regium.4°.de comp.med.ſe.loc. 5ª.156.F
Collyrium Baſilidion.4°.de comp.med.ſe.loc. 5ª.157.A
Collyrijs miſcetur Cadmia.de ſimp.med. Sp.81.F
Collyria Cathæretica, ſiue detrahentia, quo modo effectum ſuum pręſtãtius efficiãt in ingẽtes oculorũ aſperitates.11°.de ſimp.med. 5ª.81.B
Collyrium Chelidonium.4°.de compo.med.ſec.loc. 5ª.156.F
Collyrijs miſta Chelidonia ad caliginẽ oculorũ facit.de ſim.me. Sp.82.B
Collyrium Cinnabarium.4°.de comp.med.ſecundum locos. 5ª.156.H
Collyrium ex Cinnamomo pro oculis.12°.meth.med. 7ª.79.H
Collyrium ex Cornu Cerui.4°.de comp.med.ſec.loc. 5ª.155.A
Collyrijs deſiccantibus fluxiones oculorum miſcetur Cornu ceruinũ.11°.de ſimp.med.fac. 5ª.79.H
Collyrijs cõmiſtum Crocum omnes dolores mitigat.de ſim.med. Sp.81.E
Collyrijs ad lachrymã faciẽtibus miſcet̃ Chryſocolla.de ſim.m. Sp.82.E
Collyrium Currus.4°.de comp.med.ſec.lo. 5ª.156.D
Collyria Cygni quæ,& vnde dicta.4°.de comp.med.ſec.loc. 5ª.150.D
Collyria Dialibani.14°.meth.med. 7ª.93.G
Collyrium διὰ πομφόλυγος valet ad oculos.5°.de ſimp.med. 5ª.38.E
Collyrium διὰ ῥόδων valet ad oculos.5°.de ſimpl.medi.fac.38.E/4°.de comp.med.ſec.loc. 5ª.155.C
Collyrium diarhodon in augmento doloris ophthalmiæ.de ocu. 7ª.191.A
Collyrium Diaſmyrnum.4°.de compoſi.medi.ſec.loc.155.D/5°.5ª.158.G/14°.meth.med. 7ª.93.G
Collyrium Diocleum.4°.de comp.med.ſe.loc. 5ª.154.F
Collyrijs miſcentur Ebeni ſcobes.de.ſimp.med. Sp.83.F
Collyrio emplaſtico & anodyno cui videretur vtendum in oculi dolore, & cur.com.6°.aph.31°. Ex.49.E
Collyrium Enſtacton, ideſt inſtillatitium.4°.de compoſitio.medicamen.ſecundum loc. 5ª.156.F
Collyrium Flori in Antonia Druſi.4°.de comp.med.ſec.lo. 5ª.155.E
Collyrium Gai ophtalmici.4°.de cõpoſi.med.ſec.lo. 5ª.155.G
Collyrium Gennadij.4°.de comp.med.ſe.loc. 5ª.154.H
Collyria ex Glaucio & croco in aurium dolore.5°.de compoſit.medica.ſecundum locos. 5ª.141.D
Collyrium Hieracium.4°.de comp.me.ſe.lo. 5ª.156.F
Collyrium Hygidion.4°.de comp.med.ſec.loc. 5ª.154.H
Collyrium Horæum.4°.de compo.med.ſe.lo. 5ª.155.C
Collyrium Iſochryſon.4°.de comp.med.ſec.lo. 5ª.156.H
in Collyrijs propter quid Lac mulieris ponitur.4°.de compoſi.medica.ſecundum locos. 5ª.150.D
Collyria Libiana quæ,& vnde dicta.4°.de comp.med.ſe.lo. 5ª.150.D
Collyrium Lyſiponion.4°.de com.med.ſec.lo. 5ª.155.G
Collyrium Melinum.4°.de comp.med.ſe.loc. 5ª.157.A
Collyriorum Monohemeron diuerſitas.4°.de comp.me.ſe.lo. 5ª.150.G
Collyria Monohemera ad Lippitudines.4°.de cõp.med.ſec.loc. 5ª.150.G
Collyrium Mordax.4°.de comp.med.ſec.lo. 5ª.154.E
in Collyrijs quid faciat Myrrha.1°.de antid. 5ª.105.C
Collyrio Nardino, quãdo,& cur vti debemus ad lippitudines.4°.de cõpo.med.ſecun.loc. 5ª.150.G
Collyrium Nigrum.4°.de comp.med.ſec.loc. 5ª.154.B
Collyrium Nili ex roſis diarhodon celebratum iandiu.4°.de compoſit.med.ſecundum loc. 5ª.158.G
Collyrium Odoratiſſimum.4°.de comp.med.ſec.loc. 5ª.156.E
Collyria ex Opio pro oculorum doloribus vehementiſſimis.12°.methodi medendi. 7ª.79.G
Collyrijs admiſtũ ſyncerum opium lachrymã ſtringit.de ſimp. Sp.88.B
Collyria ex opio multis fuere detrimento.2°.de cõp.me.ſe.lo. 5ª.134.G
Collyrium Oribaſij in initio ophthalmiæ.& vulneris.de ocu. 7ª.191.D
Collyrium Oxydercicum.4°.de comp.med.ſec.lo.156.G/ 5ª.157.B
Collyrium Panchreſtum.4°.de comp.med.ſec.loc. 5ª.156.G
Collyrium Pauli.de ocul. 7ª.191.D
Collyrijs immittitur ſuccus herbę Periſtereon.de ſimp.med. Sp.89.C
Collyrijs quę ad oculorum imponũtur fluxiones inditur Pompholyx.9°.de ſimp.med.fac. 5ª.70.H
Collyrium Proteus.4°.de comp.me.ſec.lo. 5ª.157.A
Collyrium ex Pumice ad aſpritudines palpebrarum.4°.de comp.medicamen.ſecun.loc. 5ª.150.E
Collyrium Rhinema, hoc eſt lima.4°.de comp.med.ſec.lo. 5ª.156.C
Collyrium ex Sandice.5°.de comp.med.ſec.loc. 5ª.158.G
Collyrijs Sepia admiſcetur.de ſimp.med. Sp.90.C
Collyria Sicca.9°.de ſimp.med.fa. 5ª.71.A
Collyriũ Siccũ ex phrygio lapide quib° ſit vtile.6°.de ſan.tu. 2ª.100.B
Collyrium Sphęricum.4°.de comp.med.ſec.loc. 5ª.156.G
Collyrium Terrenum.4°.de comp.med.ſec.loc. 5ª.154.F
Collyrium Thalaſſerum.4°.de comp.med.ſec.loc. 5ª.156.E
Collyrium Therimum, id eſt ęſtiuum.4°.de comp.med.ſe.loc. 5ª.154.H
Collyrium ex Thure palpebrarum vlcera caua explet.4°.de comp.medica.ſecun.loc. 5ª.150.E
Collyrium Tripherum.4°.de comp.med.ſec.loc. 5ª.154.F/G
Collyrium ex Vino aſperitudinibus palpebrarũ accommodatum.4°.de comp.med.ſec.loc. 5ª.50.D
Collyriũ Viride ad oculorũ affectiones.4°.de comp.med.ſe.lo. 5ª.155.B
Collyrijs non indigemus ad ventris morſus.in 6m.de morbis vulgarib.commentario.6°. 3ª.196.D
Collyrij loco cyzicenum.5°.de comp.med.per gen. 5ª.250.B

COLOBOMA *quid.fin.med.* Iſa.49.A
Colobomata affectus partium exteriorum palpebrarum.intr. Iſa.58.D
Colobomatum fit mentio.2°.meth.med.9.F/14°. 7ª.92.A
Colobomatibus confert centaurea.de virt.cent. Sp.93.G
COLOCASIA *à ruſticis in muria vel in aceto ſeruatur.* 2°.*de alimento.facul.* 2ª.22.E
COLOCYNTHE, *id eſt cucurbita.7°.de ſimp.med fac.* 5ª.52.A
Colocynthis quid.de ſimplici.med. Sp.89.C
Colcoynthidis probatio,& quomodo paranda.de dyna. Sp.21.D
*Colocynthis calidum medicamentum.*10°.*de comp.med.ſec.lo.*5.207.C
Colocynthis calida eſt,& ſicca in tertio gradu.de cathar. Sp.94.E
Colocynthis in plura cathartica mittitur.de ſimp.med. Sp.89.D
Colocynthidis quæ pars ſumenda.de dyna. Sp.21.D
Colocynthidis medulla. 4°.*de comp.med.ſec.loc.*152.*H/*10°. 5ª.208.B
Colocynthidis doſis,& cui miſcetur.de dyna. Sp.21.D
Colocynthis quid mali faciat.de dyna. Sp.21.D
Colocynthis viſcide ventrem purgare poteſt.de ſimpl.med. Sp.89.D
*Colocynthis ſubducit ventrem, quia habet medicamentoſas facultates commiſtas.*1°.*de alim.fac.*2ª.8.D/*de cathar.* Sp.94.F
Colocynthis validè purgat.7°.de ſimp.med.fa. 5ª.52.A
Colocynthis educit phlegma.de cathar. Sp.94.G
Colocynthis phlegma purgat bilẽ,& mucilagines.de dyna. Sp.21.D
*Colocynthis datur vtiliter omnibus capitis paſſionibus.de dyn.*Sp.21.D
Colocynthis caput purgat & phlegma.de cathar. Sp.95.A
Colocynthis cur caput purget.de cathart. Sp.94.F
ex *Colocynthide hiera,proprie hiera dr̃.8°.de cõp.me.ſe.lo.* 5ª.188.D
ex *Colocynthide hiera pituitã à capite purgat.*1°.*de cõ.me.ſ.l.* 5ª.121.E
ex *Colocynthide hiera non ſolum pituitam, ſed & alios purgat humores.*1°.*de comp.med.ſec.loc.* 5ª.121.E
ex *Colocynthide hierę quantitas exhibenda,& frequentia.*1°.*de comp.med.ſecun.loc.* 5ª.121.G
ex *Colocynthide hiera purgatus qui fungis vſus fuit.*1°.*de compo.medicamen.ſec.loc.* 5ª.121.G
ex *Colocynthide hiera quæ habet elleborum non aũt ſcãmoniã in pleuritide danda eſt.de vict.rat.in mor.acu.com.*2°. 7ª.118.C
Colocynthis purgatiua eſt neruorũ,& eorũ paſſionũ.de dyna. Sp.21.D
ex *Colocynthide catapotia.3°.de comp.med.ſec.loc.* 5ª.145.B
ex *Colocynthide,aloe,& ſcãmonia pilulæ Galeni.*14°.*meth.* 7ª.89.C
ex *Colocynthide,aloe,& ſcammonia catapotia quo modo conficiantur.* 1°.*comp.med.ſec.loc.* 5ª.121.G
ex *Colocynthide,aloe,& ſcammonio pilulæ exceptæ ſucco braſſicæ.* 2°.*de comp.med.ſec.loc.*5ª.131.*F/de remed.par.fac.* 7ª.154.D
ex *Colocynthide,aloe,& ſcãmonia catapotia educũt bilem & pituitã à toto corpore,& à capite.*1°.*de comp.med.ſec.loc.* 5ª.221.F
Colocynthidis medullę pars vna,aloes,& ſcãmonij partes duę, ſucci abſinthij pars vna excepta ſucco pomorum pilulæ ſunt ad alopeciam et ophiaſin.de reme.par.facil. 7ª.154.G
*Colocynthis ĩ clyſteri phlegmõe iecoris ĩ declinatiõe.*13°.*met.* 7ª.84.A
*Colocynthis viridis ſuccus intritus iſchiadib.pdeſt.7°.de ſimp.*5ª.52.A
*Colocynthidis prodeſt.*10°.*de ſimp.med.ſec.loc.* 5ª.207.B
in *Colocynthidis corio calefactum vinum.de remed.par.fac.* 7ª.159.E
Colocynthidis electarium.de med.exper. Sp.107.G
COLON *inteſtinum vnde ſit dictũ,& eius vtilitas.de ana.vi.* Sp.50.E
Colon vocat craſſius inteſtinum.6°.de ſan.tuen. 2ª.58.F
Colon quintum in ordine inteſtinorum. 5°.*de vſu partium.* 1ª.142.E/ *de anat.viuorum.* Sp.50.B
*Colon vt eſt in medio,ita iuuatur exercitatione inferiorum, & ſuperiorum partium.*5°.*de ſan.tuen.* 2ª.90.B
Colon cur ſit obliquum.de anat.viuo. Sp.50.E
Colon proportionatur cæco inteſtino.4°.de vſu par. 1ª.141.D
in *Colo,et cæco inteſtino ſeruatur excremẽti portio.*1°.*de criſ.* 4ª.129.C
Colon inteſtinum.6°.de anat.admi. 1ª.92.F
in *Colo inteſtino venæ & arterię adeo ſibi mutuo ſunt vicinæ & continuæ,vt ſe contingant.9°.de vſu par.* 1ª.172.H
*Colõ mouet ad motũ reſpiratoriorũ organorũ.*1°.*de diff.reſp.* 3ª.59.H
*Colo turpe eſt virum robuſtum ægrotare.*5°.*de ſan.tu.* 2ª.88.H
ex *Colo inteſtino fit quandoq; hectica.*10°.*meth.med.* 7ª.64.F
in *Colo inteſtino ſi fuerit affectus qũo cognoſcat̃.2°.de loc.aff.* 4ª.9.F
in *Colo abſceſſum eſſe ſignificauit ſtercus exiens ex inciſione pani ſuppurati.*1°.*de loc.aff.* 4ª.2.B
ad *Colli affectus ſm Aſclepiadem.9°.de comp.med.ſec.lo.* 5ª.202.D
ad *Coli affectus.8°.de comp.med.ſec.loc.*188.*H/* 5ª.196.H
ad *Colon pertinet dolor infixus.2°.de loc.aff.* 4ª.11.A
Coli,& renum dolores decipiunt medicos,nec requirunt multum varia medicamenta.6°.de loc.aff. 4ª.36.F
Coli,& lapidis dolores difficulter diſtinguuntur.2°.de loc.aff. 4ª.9.E
Coli,& renum communicatio in ſymptomatibus.6°.de loc.aff. 4ª.36.D
*Coli,& lapidis dolores habent præſidia cõmunia.2°.de locis aff.*4ª.9.F
in *Coli,& lapidis dolore calida adhibentur.2°.de lo.aff.* 4ª.9.F
Coli doloris ſymptomata,& differentiæ.6°.de loc.aff. 4ª.36.F
Coli dolore minor eſt capitis dolor.2°.de comp.med.ſec.lo. 5ª.134.H
Coli dolor talis,vt ſeipſos aliq interfecerint.2°.de cõp.me.ſe.l. 5ª.134.G
in *Coli dolore vrina rubra mortem prædicit.de dyna.* Sp.35.D
in *Coli dolore fomentum ſiccum ex milio.*12°.*meth.med.* 7ª.79.G/F
*Coli dolor in aliquibus minus vexat,qui non vnguntur, neq; perfunduntur.*12°.*meth.med.* 7ª.79.E
in *Coli dolore quæ per ſedem imponenda.*12°.*meth.med.* 7ª.78.G
in *Coli dolore balanus.*12°.*meth.med.* 7ª.79.F
in *Coli dolore clyſter qui recipit anſeris ſeuũ.*12°.*met.med.* 7ª.79.F
ad *Coli & inteſtinorum dolores oleum rutaceum.*12°.*met.me.* 7ª.78.H
ad *Coli dolores medicamẽtũ ano imponẽdũ.de reme.par. fa.* 7ª.168.A
*Coli vitio obnoxijs theriaca prodeſt.de ther.ad Piſ.*96.*B/de vſu ther.ad Pamph.*5ª.98.*F/*12°.*meth.med.* 7ª.79.F
in *Coli vehementibus doloribus ſtupefacientia adhibentur.3°.de comp.med.ſecundum locos.* 5ª.140.G
in *Coli dolore quæ ſtupefacientia.in 6m.de mor.vul.com.6°.* 3ª.191.E
ĩ *Coli dolore valet ſucc⁹ papaueris et caſtoreũ ĩtecta.*12°.*met.* 7ª.79.F
ad *Coli dolorem.9°.de comp.med.ſec.loc.* 5ª.201.A
Coli dolor per duos dies vexauit.2°.de ſymp.cau. 3ª.23.F
*Coli doloris in inteſtinis caſus.*1°.*de loc.aff.* 4ª.5.G
*Coli inteſtini doloris à purgante medicamento caſus.*1°.*de lo.aff.* 4ª.5.H
in *Coli dolore caſus ruſtici quo modo ſe curauerit, & ſanatus ſit.* 12°.*methodi meden.* 7ª.79.E
*Coli dolor cum febre quo modo curandus.*12°.*meth.med.* 7ª.79.F
ad *Coli inflationes Antonij pharmacopolæ.9°.de cõ.me.ſe.lo.*5ª.202.D
ad *Coli inflationes Chariclis.9°.de comp.med.ſec.lo.* 5ª.202.D
*Coli,& matricis prolixis inflationibus prodeſt pepliũ.de dyn.*Sp.21.A
ad *Coli inflationes.2°.de antid.* 5ª.116.A
Coli inflammati pulſus,qualis.de pulſ.ad tiro. 4ª.45.A
ad *Coli mordicationẽ valet adeps caprinus.*11°.*de ſimp.me.fa.*5ª.78.H
ad *Colon pulſu exagitatum theriaca valet.de ther.ad Piſo.* 5ª.91.F
ad *Colon infeſtantes rugitus valens antidotus.2°.de antid.* 5ª.111.F
Coli tormina qua pituitæ ſpecie fiunt.2°.de diff.feb. 3ª.37.F
Coli,ſplenis,& hepatis tumores q̃ reſpirationẽ faciãt.de diſ.re. 3ª.59.C
ad *Colon turgidum.2°.de antid.* 5ª.118.A
Colo vexatus ſolis purgationibus ſanatus.de purg.med. 5ª.87.G
*Colo laboranti non ſunt admouẽda adſtringentia.*11°.*meth.med.* 7ª.73.B
COLOPHONIA *quæ,& qualis.2°.de compoſitione medicamentorum per gen.*219.*E/3°.* 5ª.233.C
Colophonia oĩum reſinarũ ſicciſſima eſt.3°.de comp.me.per ge. 5ª.230.C
Colophonia,pinea,& phrycta reſina accipiuntur pro eodem. 7°.*de compo.medica.per gen.* 5ª.264.B
*Colophonia,& phrycte melior Terebinthina.*1°.*de cõ.me.p ge.* 5ª.215.D
Colophonia quæda m eſt chiæ maſticæ perſimilis.7°.de compoſitio.medicam.per gen. 5ª.264.B
*Colophonia liquida.*5°.*de comp.med.per gen.* 5ª.246.H
COLOR *quid ſit.de hiſt.philoſ.* Sp.5.B
Color proprium ſenſibile viſus.7°.de decr.Hipp. 7ª.271.A
*Colores ex contrarijs facti.*1°.*de ſymp.cau.* 3ª.17.B
*Colores conſequunt̃ mixtionem ex qualitatibus.*1°.*de vſu par.* 1ª.115.D
Colorum genera tantum quatuor.de hiſt.philo. Sp.5.B
Colorum cauſas tractare non ſpectat ad medicum.8°.de decr. 1ª.275.H
de *Coloribus librum fecit Galenus.6°.de decr.Hipp.* 1ª.226.D
propter *Colorẽ fit actio oculorũ ex cõſequenti.*1°.*de vſu par.* 1ª.115.E
*Colorum dignotiones ſunt operationes oculi.*5°.*de decr.* 1ª.255.F
à *Coloribus ſolus alteratur cryſtallinus humor.*1°.*de ſym.cau.* 3ª.14.B
*Colorum alteratio cito peruenit ad cerebrum.*1°.*de vſu par.* 1ª.167.F
in *Colores quo modo aer mutetur.de ocul.* 7ª.185.B
Coloratum cognoſcit viſus vnà cum colore.7°.de decre. 1ª.271.A
inter *Colores medios non diſcernunt oculi piſciũ propter debilitatem viſus ex continua apertione.de ana.viuo.* Sp.49.B
Colorem non variat incrementum rerum.de tum.præter nat. 3ª.82.H
Coloribus cito,& velociter opponit̃ albũ,& ſplẽdidũ.de ocul. 7ª.182.G
à *Coloribus omnibus alterationes ſunt pathemata,ſiue paſſiones viſus.de ſymp.*

deſymptom.cauſ. 3ª.10.D
Color cęruleus confert lippientibus.de ſubfig.empirica. Iſa.32.B
Color cęruleus viſui iocundus. 1°.de ſymptomatum cauſis. 3ª.17.A| de ana.ocul. Sp.57.E
Colores qui viſum conſolentur.1°.dc ſymp.cau. 3ª.14.F
Coloris citrini non nihil habet tertius humor oculi, qui eſt vt vitrum.de compag.memb.ſiue de nat.hu. Sp.58.C
Colores oculorum non ſignificant ſuper totam temperaturam. in 3^{m}.de mor.vnlg.com.3°. 3ª.146.D
Color vuæ tunicæ.de anat.viuo. Sp.48.F
Colorem Citrinum à Leone tenuit Alexander.de ſper. Sp.38.H
Color citrinus & aliqñ viridis eſt cõcepti in horis bilis.de ſper. Sp.37.C
Color Fulgidus aerem mutat in inſtanti.de oculis. 7ª.185.C
Color Lacteus à lacte clare denominatur.ſed de porro & porraceo dubitatur.in progno.com.2°. 4ª.201.G
Colorem Liuidum,& nigrũ facit frigus.de mel.ex Gal.Ruf. Sp.109.F
Color Phœniceus vnde dicatur.in prognoſt.com.2°. 4ª.201.G
Coloris phœnicei quouſq; euadãt partes ſpõgijs fouẽdæ ſunt, quę nec tumeſcũt nec rubeſcunt,& deinceps ſcarificãdæ.de cucur.ſcar. 6ª.3.C
Color Ruber in ſanguine à quo fiat.8°.de decre.Hipp. 1ª.277.G
Color rubeus nocet ſanguinem expuentibus.de ſubfig.emp. Iſa.32.B
Color Rufus qui ſit.1°.de criſ. 4ª.130.B
Color rufus eſt qualis eſt ſandarachę.in 6^{m}.de mor.vul.com.1°.3ª.155.F
Color ſplendidus ſumme aduerſatur lippienti.de ſubfig.emp. Iſa.32.B
Coloris Vitalis flos.1°.de diff.feb. 3ª.34.F
ſecundum Colores carnis diuerſitas. Sp.55.G
in Coloribus humorum variationes.8°.de decr.Hip. 1ª.276.A
Colores hominum conſiderare debet medicus.de ſper. Sp.39.F
Color quando non eſt conſiderandus.4°.de ſan.tuen. 2ª.84.A
Color quem hæmorrhoides induxerunt à docto medico cognoſcitur.1°.de locis affectis. 4ª.6.D
Colores ſignificantes tẽperamenta.in 3^{m}.de mor.vul.com.3°. 3ª.146.D
bñ Colorata fiũt corpora in aqlonia tẽpeſtate.cõ.3°.aph.17°. Ex.23.F
bene Colorata eſt mulier ad ſe ipſam collata ſi marẽ concepit,ſi vero fœminam,male colorata.com.5°.aph.42°. Ex.41.D
Coloratior facies quid ſignificat.in 1^{m}.prorrh.com.1°. 4ª.170.H
Colores varij ſecundum varium ſanguinem.2°.de elem. 1ª.9.A
Coloris vitium non eſt morbus.1°.meth.med. 7ª.8.C
Color vitioſus eſt affectus.2°.meth.med. 7ª.10.A
Color ſignificat affectum.1°.de loc.aff. 4ª.6.D
Colores hominum oſtendunt humores abundantes.8°.de decr. 1ª.276.F| 4°.de ſan.tuen.2ª.84.B|14°.meth.med. 7ª.93.D
Color prouenit à ſuccis,cum ſe ſucci in altum non receperunt. 4°.de ſan. tuen.2ª.84.A|com.1°.aph.2°. Ex.3.D
Color pręter naturam totius corporis notat humorem euacuãdũ.com.1°. aph.2°.3.D|com.4.aph.2°. Ex.27.E
Color albicans ſignificat pituitam.com.4°.aph.2°. Ex.27.F
Color niger toti corpori quo modo ex liene fiat.de atra bile. 1ª.36.A|5°. de locis affect. 4ª.83.B
Color ater præter naturam,ſimilis eſt atro colori qui naturalis eſt. de opt.ſecta. Iſa.26.A
Colorem plumbi aliqui habent.4°.de ſan.tuen. 2ª.84.B
Colorem mixtum ex albo,& liuido aliqui habent.4°.de ſan.tu. 2ª.84.B
Color liuidus in febribus ſemper malus.in 6^{m}.de mor.vul.c.1°. 3ª.159.G
Color pallidus & ruber familiaris in febribus.in 6^{m}.de morb.vulgarib. commentario.1°. 3ª.159.G
Colore faciei rubro ſignificatur ſanguis è naribus et abſceſſus poſt aures. in.1^{m}.prorrh.com.1°. 4ª.170.G
Coloris viridis,& nigri in acutis cauſa.in progno.com.1°. 4ª.191.D
Color totius vultus viridis,aut niger,malus.in progn.com.1°. 4ª.191.B
Colore malo qui ſint.de vict.rat.in mor.acu.com.4°. 7ª.150.H
Color patientium peſtilentiam,qualis.3°.de præſag.ex pul. 4ª.116.G
ĩ Colore et alimẽto paulatĩ lędit hõ iecore debilitato.6°.de dec.1ª.261.H
Color linguæ,et totius corpis alterat̃ iecore vitiato.2°.de lo.af. 4ª.13.E
Colorũ vitijs cognoſcunt̃ affectus ex iecore et ſplene.3°.de lo.af. 4ª.18.E
Colores varij ob iecur male affectum.5°.de loc.aff. 4ª.34.B
Color pallidior in toto corpore apparens ſignificat bilis exceſſum.cõmentario.4°.aph.2°. Ex.27.E
Color à facie icterici quibus ſit abolendus.de cura icteri. Sp.111.F
Colorem quæ expurgent.de cura icteri. Sp.111.B
Colores malos emendat herbum.de ſimp.med. Sp.85.B
Colori citrino valens medicamen Azariconis.de med.exper. Sp.105.G
Colorem icterícorum potenter emendat triaſandali.de dyna. Sp.26.E
Coloratis male theodoricum emperiſton facit.de dyna. Sp.25.H
Colorem bonum facit acetum ſcillinum.dc medic.fac.par. 7ª.178.C
Colorem bonum in vniuerſum inducens confectio. 8°.de compoſi.medic. ſecundum loc. 5ª.195.G
Color hilaris quo modo per totum corpus inducatur.de dyna. Sp.25.G
Colorem faciei nitidiorem per pharmaca facere eſt comptorij maleficij. 1°.de comp.med.ſec.loc. 5ª.126.B
Color in quibus viſibiliter mutetur.de ſymp.diff. 3ª.13.B
Colores naturales in quibus mutantur.de ſymp.diff. 3ª.13.B
Coloris ſymptomata vnde.3°.de ſymp.cauſ. 3ª.30.D
Color quo modo mutet̃ in corpore,& ex quib.4°.de ſan.tuen. 2ª.84.A
Colores quo modo ĩ corpore affecto mutabunt̃.3°.de ſymp.cau. 3ª.30.A
Color q̃uo mutet̃ in leuce,& elephãtiaſi diſputatio.de ſymp.diff.3ª.12.H
Color vnius particulæ quandoq; mutatur.de ſymp.diff. 3ª.13.B
Colores pręter naturã morbos neceſſario ſequunt̃.de ſymp.diff. 3ª.13.F
Coloris mutationes in toto corpore longitudinem morbi ſignificant.commen.4°.aph.40°.Ex.32.D|de præſ.exper.conf. Sp.77.G
Color mutatus ex fluxu ſanguinis ſuperfluo ſignum eſſe infrigidati, & humectati corporis,collige.ſecretorum. Sp.98.G
Coloris mutatio in ſanguine quo modo intelligitur. de venæ ſect.aduerſ. Eraſiſtratum. 6ª.7.G
ex Coloribus ſputorũ diuerſitas humoris oñditur.2°.de loc.af. 4ª.13.B
de Colore ſedimenti.de vrinis. 4ª.124.B
Colores nigros in excrementis ſponte deiectis, malum portendere collige.com.4°.aph.21°. Ex.29.D
Colores præter naturam plures in excrementis eductis à medicamento vim habente plures humorum ſpecies euacuare,nihil abſurdum ſignificant.com.4°.aph.21°. Ex.29.F
Colores preter naturam multi ſponte euacuati multarum atq; malarum diſpoſitionum in corpore ſunt ſigna.com.4°.aph.21°. Ex.29.F
Colorẽ graminis habẽtia excremẽta.in 3^{m}.de mor.vulg.cõ.3°. 3ª.148.F
Colorem,odoremq́; excremẽto quod euacuatur ſimilem habent ſudores. 3°.de ſymp.cau. 3ª.28.F
Colores nebularum in vrinis conſiderandi.de vri.ſigni.ex Hip.Sp.78.G
Colores vrinarũ,& nebularũ quid importẽt.com.4°.aph.71°. Ex.35.D
Colores vrinarũ qui ſpectant,tinctores per deriſum ab Eraſiſtratijs appellantur.de cauſ.procatar. 3ª.98.C
Colores vrinarum,quales.dc vrinis. 4ª.123.A
Coloris ſubſidentiarum vrinarum varietas vnde proficiſcatur.in 6^{m}.de mor.vul.com.1°. 3ª.155.F
Color ſubrubeus vrinæ ſalutaris eſt.com.4°.aph.71°. Ex.35.D
Coloratam bene duntaxat eſſe vrinam ſufficit quandoque ad ſolutionem morbi.de vri.ſign.ex Hipp. Sp.79.C
Color vrinæ ſi bilioſus fuerit,hypoſtaſis autem alba, erit bilis cum pituita.de vri.ſign.ex Hipp. Sp.79.D
Colore cholerico ſi fuerit vrina albam habens nebulam, & furfures ſupernatantes,aut lõgã ægritudinẽ aut mortẽ ſignificat.de dy.Sp.34.C
Colorem æruginoſum habens vrina ſpaſmũ ſignificat.de dyna. Sp.34.B
Colorem non bonum habens vrina in ſynocha, & ſi non fuerit digeſta, vel conſtitutionem vrinę animalis ſimilem habuerit,& miſſa in calice cito reſederit,& amens patiens fuerit,& inſomniam ſenſerit,ſpaſmum ſignificat,aut mortem.de dyna. Sp.34.E
Color vrinæ ſi albicãs fuerit,& hypoſtaſis rufa quid fieri debeat.de vri. ſigni.ex Hipp. Sp.79.D
Colorũ oleoſorũ in vrinis iudicia.in 3^{m}.de mor.vul.com.3°. 3ª.147.H
ſecundum Colorem,& regionem differunt aquę.de bo.aquæ. Sp.76.A
à Colore ſecũda bonarũ,et malarũ aquarũ cognitio.de bo.aq.Sp.76.A
Colore,& guſtu cognoſcimus fruges calidas eſſe vel frigidas. 1°.de alimen.facultatib. 2ª.13.B
Color albus minime calidum indicat vinum.5°.de ſan.tuen. 2ª.91.A
Color flauus calidiſſimum eſſe indicat vinum.5°.de ſan.tuen. 2ª.91.A
Coloris granati vinum eſt boni nutrimenti.de diſſ.cont. Sp.73.B
Color vini per ſe nec prodeſt nec obeſt,ſed per accidens. de vict. ratio.in mor.acut.commentario.3°. 7ª.125.H
in Coloribus ſingulis calida, frigida, humida, ſiccaq́; reperias. 4°.de ſimp.med.fac. 5ª.31.D
Colores,odores,conſiſtentias, formas medicamenti cuiuſq; non eſſe æſtimandas,collige.2°.de ſimp.medica.fac. 5ª.10.A
neq; Colores,neq; odores,neq; alia accidentia ſunt conſideranda in expendendis facultatibus medicamentorũ.2°.de ſimp.med.fa. 5ª.16.E
ex Colore quærentes facultates medicamẽtorum,reprehendũtur. 3°.de ſimplic.

ſimp.med.fac. 3ª.17.C

ex Coloribus certum,tutumq́; non eſt de tota medicaminum facultate conijcere.4°.de ſimp.med.fac. 5ª.31.D

ex Colore arguit ſimilitudinem naturæ Galenus in cnico, & pituita.3°. de ſimp.med.fac. 5ª.23.D

Colores quo mō varient in emplaſtris.2°.de comp.med.per ge. 5ª.222.B

ſui Coloris cur debent eſſe faſciæ.de faſcijs. 7ª.293.G

COLVMBAE *boſcades,quæ.2°.de comp.med.per ge.* 5ª.223.C

Columbę non habent flauam bilem ſecundum aliquos,quia non habēt veſiculam fellis,ſed ridiculi ſunt.de atra bile. 1ª.37.F

Columbæ volucres laudabiles.de ren.affect.dign.& med. 7ª.195.F

Columbæ nulla ex parte omnino damnandæ.de bon.& vi.ſuc. 2ª.34.H

Columbæ turricolæ ſunt meliores domeſticis ad tenuantem cibum.de atten.vict.rat. 2ª.45.C

Columbæ caro ad coquendum facilior greſſilibus.3°.de ali.fa. 2ª.29.C

Columbarum pulli ſunt boni chymi,& ſubtilis.de diff.cont. Sp.73.H

Columbarum pullorum caro generat ſanguinem calidiorem, & craſſiorem temperato.de diff.cont. Sp.73.A

Columbę edendę ſunt modice ſi homo viuit ocioſe.de atten.vic. 2ª.45.F

Columbę iuuenes vtiles in calidis,& ſiccis.8°.meth.med. 7ª.51.B

Columbæ gregales in turri nidificantes conueniunt ſiccis. 6°. de ſanitate tuenda. 2ª.99.G

Columbi languentibus dari conſueti.de vict.ratio.in morb.acutis, commentario.1°. 7ª.113.C

Columbarum pulli dandi ſunt his quibus dolet caput. de compoſit. medica.ſec.loc. 5ª.133.E

Columbinus ſanguis,qualis.2°.de comp.med.per ge. 5ª.223.C

Columbarum ſanguis nō eſt inferior ſanguine ſuū.3°.de ali.fa. 2ª.29.H

Columbarū ſanguis multo peior ſanguine leporino.3°.de ali.fa. 2ª.30.A

Columbarum ſanguine quidam veſcuntur.3°.de ali.fac. 2ª.29.H

Columbæ ſanguis menyngi affunditur in fractura cranei.10°.de ſimplici. medicam.fac. 5ª.72.G/H

Columbæ ne an columbi,pulli vel adultæ ſanguis debeat poni ſuper menyngem.10°.de ſimp.me.fac. 5ª.72.H

cum Columbino ſanguine fœnugræci ſuccus ad ophthalmias oculorum. 10°.de ſimp.med.fac. 5ª.72.H

Columbinus ſanguis inſtillatus ad hæmalopas,et hypoſphagmata.de re med.par.facil. 7ª.156.F

Columbę ſanguis inſtillatus ad nyctalopas.de reme.par.fac. 7ª.156.H

Colūbæ ſanguis ad hyposphagmata in oculis.10°.de ſim.me.fa. 5ª.72.H

Columbę ſanguis ex pennis teneris in oculis cruentis & in plagis eorū. 4°.de comp.med.ſec.loc. 5ª.157.G

Columbæ ſanguis ad petiam oculi.de ocul. 7ª.190.D

Columbæ ſanguis ad oculorum tumores.de ocul. 7ª.190.D

Columbarum ſtercus,quale.3°.de comp.med.per gen. 5ª.234.A

Columbarum ſtercus non fætidam.10°.de ſimp.med.fac. 5ª.77.A

Columbino ſtercori accumulato,potiſſimum ſylueſtrium columbarum,ſi manum inſeras,etiam ſi calidam,manifeſtam tamen ſenties caliditatem.3°.de ſimp.med.fac. 5ª.22.G

Columbinum ſtercus acre.6°.de comp.med.per gen. 5ª.256.F

Columbarum,& iumentorum excrementa à ſole calefacta exurebant. 1°.de diff.feb. 3ª.33.A

in Columbarum ſtercore ignem accenſum ob putrefactionem vidit Galenus.de cauſ.mor. 3ª.6.D

Columbarum agreſtium ſtercus maiori tempore perfecte accenditur,& plurimo tempore durat.6°.de ſimp.med.fac. 5ª.48.A

Columbinum ſtercus quo modo accendit domum ex reflexione ſolis.3°. de temperamentis. 1ª.22.D

Columbinum ſtercus eſt minus ſubtile Euphorbio. 3°.de compoſi.medic. per genera. 5ª.234.B

Columbinus fimus admodum attrahit.5°.de ſimp.med.fac. 5ª.36.F

Columbinum ſtercus ad pilorum ablationem in oculis.de ocul. 7ª.190.E

ex Columbarū ſtercore medicamentū.3°.de cōp.med.per ge. 5ª.234.A

Columbinū ſtercus quale ſumi debet.2°.de comp.med.ſec.loc. 5ª.140.B

Columbarum domeſticarum ſtercus imbecillius eſt montanarum.10°.de ſimp.med.fac. 5ª.76.H

Columbarum ſtercus ad quæ valet.10°.de ſimp.med.fac. 5ª.77.A

Columbarum ſtercus ad rubrificandum.10°.de ſimp.med.fac. 5ª.77.A

Columbarum ſtercus.3°.de comp.med.per ge. 5ª.231.A

COLVMBINA *herba columbaria,verbena,& periſtereon, idem eſt. de ſimp.medic.* Sp.89.C

COLVMBARIA *pars organorum.de machin.* 7ª.309.F

Columbaria cur in organis.de machin. 7ª.310.B

COLVMNA *ita eſt matrix mulieri,vt maſculo veretrum.de natura & ordi.cuiuslib.corp.* Sp.42.B

Columnæ quid.de hiſt.philoſ. Sp.7.F

Columella quid ſit.de comp.med.ſec.loc. 5ª.172.E

Columna & vua idem.11°.de vſu par. 1ª.188.E

Columellæ vtilitas.11°.de vſu par. 1ª.88.F

in Columellæ vitio quid agendum.14°.meth.med. 7ª.90.H

Columella cum ex capite ægrotat qūo curanda.6°.de ſan.tu. 2ª.100.A

in Columellam quibus fluxiones procumbunt,quæ exercitatio ſit vitādæ.5°.de ſani.tuen. 2ª.90.A

in Columellis tumentibus quę vitanda.6°.de cōp.med.ſec.lo. 5ª.174.H

Columellæ prodeſt acantha ægyptia.6°.de ſimp.medic.fac. 5ª.42.A

ad Columellæ affectus hirundines vſtę valēt.11°.de ſimp.med.f. 5ª.82.B

Columellæ inflammatio vua dicitur.6°.de comp.med.ſec.loc. 5ª.173.E

Columellæ inflammationes quo modo ſecundum tempora curandæ.de re me.para.facil. 7ª.157.E

Columellę phlegmonæ quæ conueniant.7°.de ſimp.med.fac. 5ª.51.H

Columellas phlegmone grauatas iuuat euidenter lapis ageratus. 9°.de ſimp.med.fac. 5ª.67.H

Columellā phlegmone affectā mitigat lac.10°.de ſimp.med.fac. 5ª.73.H

Columellam phlegmone affectam quo modo iuuat ſuccus cyrenaicus collo ſuſpenſus.6°.de ſimp.med.fac. 5ª.45.H

ad Columellas inflammatas.6°.de comp.med.ſec.loc.173.C/5ª.174.D/ F/de rem.par.157.H/ 7ª.158.A

ad Columellā diu inueteratā capita męnidū faciūt.11°.de ſimpl. 5ª.79.F

Columella pendula quid ſit.6°.de comp.med.ſec. lo. 5ª.174.E

ad Columellam pendulam.6°.de comp.med.ſec.loc. 5ª.174.E

ad Columellas laxatas Aſclepiadis.6°.de comp.med.ſec.lo. 5ª.174.G

ad Columellam laxatam Heræ.6°.de comp.med.ſec.lo. 5ª.174.F

ad Columellam laxatam. 6°. de compo.med.ſec.loc.171.B/7°.5ª.181.G/ de rem.par.fac. 7ª.158.A

Columella laxata reſecatur.6°.de comp.med.ſec.loc. 5ª.174.E

Columella quo caſu incidat.6°.de ſa.tu.2ª.98.F/14°.met.med. 7ª.90.G

Columellā Galenus præſecuit,ac ſolo eo diphryge, quod poſt cadmiā reperta fuerat,ad cicatricē vſq; eſt vſus.9°.de ſimp.med.fac. 5ª.69.B

Columella quo modo auferenda.14°.meth.med. 7ª.90.G

ad Columellas Critonis.6°.de comp.medica.ſecun.loc. 5ª.175.A

Columellæ pharmacum.6°.de comp.med.ſecun.lo. 5ª.173.F

ad Columellam vtitur aridis.6°.de comp.med.ſec.lo. 5ª.172.G

contra Columellā arida excipiūtur cochleari, quod melius eſt vt in obliquam lineā deſinat quā in rectā.6°.de comp.med.ſe.loc. 5ª.172.G

in Columella cauſticis vtitur.14°.meth.med. 7ª.91.A

ad Columellas Sorani.6°.de comp.mc.ſec.loc. 5ª.175.A

ad Columellam.6°.de compoſi.medic.ſec.loc.5ª.172.E/de medici.facil. parab.169.H/ 7ª.171.E

Columella ſanguinē effundens difficulter cōpeſcitur.fin.med. Iſa.50.A

COLYMBADIS *herba,qualis.1°.de antid.* 5ª.101.B

COLYMBAENAE *conueniunt ſtomachicis.8°.de compoſitione medica. ſecundum loc.* 5ª.192.C

COMA *nomen habuit à ſymptomate.2°.meth.med.* 7ª.9.E

Coma apud Hippocratē quid ſignificet ſecundū aliquos.de com. 3ª.48.H

Κῶμα,græci vocant marcorem frigidi ſucci.4°.de ſan.tu. 2ª.84.E

Coma quid vocetur ſecundum conſuetudinem.de comate. 3ª.49.H

Coma quid ſit.de ſymp.diffe.11.G/de comate.3ª.49.G/in 1^{m}.prorr.commentario.1°.161.B/com.3°. 4ª.178.C

Coma vnde oriatur.de comate. 3ª.49.A

Coma quo modo fiat.de mult. 3ª.81.G

Coma quæ nā ſit,et an caros poſſit appellari.in 1^{m}.prorr.cō.1°. 4ª.173.F

Coma eſt ſomnus obſtupidus.in progn.com.1°. 4ª.192.A

Coma pro ſomno.de comate. 3ª.48.H

Coma vigiliæ opponitur.de comate. 3ª.49.E

Coma vigil.de comate.3ª.49.H/in 1^{m}.prorr.com.1°. 4ª.161.B

cum Comate fiunt vigilię.in 1^{m}.prorr.com.1°. 4ª.161.B

Coma iunctum vigilantiæ quo modo fiat.in 1^{m}.prorr.com.3°. 4ª.178.D

Coma ecſtaſi contraria.in 1^{m}.prorrh.com.3°. 4ª.179.D

Coma à quo fiat humore.1°.de ſymptom. cauſ.3ª.19.B/in 1^{m}.prorrheti. commentario.3°. 4ª.188.G

Coma,& caron faciunt frigida non ſomnum.1°.de ſymp.cauſ. 3ª.19.B

Coma & altus ſomnus proprium ſunt cerebri humiditatis. 4°. de præſag.ex pulſ. 4ª.120.G

Comatis vitio ſtomachi quidam corripiuntur.1°.de ſymp.cau. 3ª.18.F

Coma non neceſſario ſequitur male cōcoquentē.3º.de ſymp.cau. 3ª.30.B
Coma ex immodico vini potu.3º.de temp. 1ª.23.D
Comatoſis quæ ſymptomata contingunt.in 1^{m}.prorr.com.1º. 4ª.160.H
Comatoſi habent oculos clauſos.in 1^{m}.prorr.com.1º. 4ª.176.F
cum Comate deſipientia quo modo fiat.in 1^{m}.prorr.com.1º. 4ª.168.B
cum Comate ceruicis dolor quid ſignificet.in 1^{m}.prorrheti. commentario.3º. 4ª.179.C
Comata cur ſunt ſine inſomnijs.in 1^{m}.prorr.com.1º. 4ª.163.G
cum Comate deſipientium pulſus, qualis.in 1^{m}.prorr.com.1º. 3ª.168.B
Coma habentes non phrenitici.de comate. 3ª.49.B
Comatoſus homo q̄uo fiat, & qui pulſus.4º.de præſ.ex pulſ. 4ª.121.A
in Comate cauſa præcedens pulſus mollis eſt præter naturam.1º.de præſag.ex pulſib. 4ª.109.D
in Comate euacuandū ante quartū diem.in 1^{m}.prorr.com.1º. 4ª.161.E
in Comate medicamenta capiti applicantur.1º.de ſymp.cau. 3ª.19.B
COMA *non alenda ante curationem in defluuio capillorum. 1º.de compo.medicamen.ſec.loc.* 5ª.125.F
ad Comam.de medic.fac.par. 7ª.175.F
COMAE *roſarum.5º.de comp.medic.ſec.loc.* 5ª.166.B
COMACINVM *vnguentum conuenit frigiditatibus.3º.de ſanitate tuenda.* 2ª.81.C
Comacinum vnguentum ad quid vtile.3º.de ſan.tu. 2ª.81.C
COMAGENVM *ex Syria aſportatur.2º.de compoſi.medicamen. ſecundum locos.* 5ª.135.F
Comagenum oleum acopon.7º.de compoſi.medic.per gen. 5ª.269.F
Comagenum oleum laxat.7º.de comp.me.per ge. 5ª.264.E
Comagenum ad ſicca liquanda.7º. de compo.med.per gen. 5ª.264.C
COMMANDVCATIONES *ad molares dentes.5º.de compoſi. med.ſecun.locos.* 5ª.164.B
COMARVS, *ideſt arbutus.7º.de ſimp.med.fac.* 5ª.52.A
Comarus eſt planta agreſtis.2º.de alim.fac. 2ª.21.H
COMBVRVNTVR *quandoque partes ſub cute ipſa refrigerata. commen.4º.aph.37º.32.B/apho.48º.33.B/com.7º.aphor.1º.54.A/aphoriſmo.68º.* Ex.60.F
COMBVSTA *an calidiora ſint vel frigidiora. 9º.de ſimplic.medicam. facultatibus.* 5ª.64.C
Combuſta quæ calida, & quę frigida fiant.9º.de ſimp.med.fac. 5ª.64.E
Combuſta ab aliquibus frigidiora putantur, ab aliquibus fieri magis calida.9º.de ſimp.me.fac. 5ª.64.E
Combuſtum nullum eſt frigidum.9º.de ſimp.med.fac. 5ª.64.E
non Combuſta, diphryges, ſarcocolla, chalcitis, æs, ærugo, chalcanthum acria omnia.4º.de comp.med.per ge. 4ª.238.G
Combuſta diphryges, ſarcocolla, chalcitis, æs, ærugo, chalcanthum, moderata.4º.de com.med.per gen. 5ª.238.G
COMBVSTIO *tollit eroſionem ſimplicibus.4º.de cōp.me.ꝑ.*5ª.236.B
ex Combuſtionibus ephemeræ tactu cognoſcuntur. 1º.de arte curati.ad Glauconem. 7ª.95.D
ad Cambuſtos ſuccus Centaureæ.de virt.cent. Sp.93.F
ad Combuſta faciunt Ederæ folia.de ſimp.med. Sp.84.A
Combuſtis mederi & ſanguinis profluuijs competere videtur Gallij flos. 6º.de.ſimp.med.fac. 5ª.45.D
Combuſta ſanat Hypericon pro fomento poſitum.de ſimp.med. Sp.92.E
ad Cōbuſta proficiūt Lilij folia cocta & impoſita.de ſimp.me. Sp.86.D
ad Combuſta illinitur terra ſamia, vt prohibeat fieri puſtulas. de ſimplic.medic. Sp.85.B
ad Combuſtos.2º.de compoſi.medi.per gene.223.A/6º. 5ª.259.F
ad Combuſtionem in ſtomacho.ſecretorum. Sp.98.C
cur COMESSE *bibereq́; nobis neceſſe eſt.1º.de ſan.tuen.* 2ª.67.E
non Comedant cur animalia & ferę quę latibula hyeme habitant.de venæ ſect.aduerſ.Eraſ. 6ª.9.A
Comedenda quæ ſint prius, & quæ poſterius.de vict.ratio.in morb.acutis.commen.3º. 7ª.129.C
Comedendi fructus ante cibum, qui.de diſſol.cont. Sp.75.A
Comedentes multum facit cholera rubra.de dyna. Sp.19.E
Comedendi magnum deſiderium remittere, eundemq; proſtratum excitare theriaca poteſt.de vſu ther.ad Pamph. 5ª.98.F
Comedunt quidam ſemel, ſed plus quàm alij bis.de ſal.diæ. 2ª.41.C
pro Comedentibus ſemel tantum quæ olera conueniant contra ipſorum ſymptomata.de vict.rat.in mor.acu.com.4º. 7ª.145.B
Comederunt qui nuper & biberunt, lauandi non ſunt, neq; nuper loti ſtatim comedant bibantq́;.de vic.rat.in mor.acu.com.3º. 7ª.132.G
quando Comeditur aliquid, clauditur perfecte coopertorium epiglottidis.de vo.& anhel. Sp.61.C
Comediſſe oīno prius oportet, vel aquā prius bibiſſe à leunutrimēto, & iam ſubducto, q̄ cucurbitulas adhibeas.de cucur.reuul. 6ª.3.C
per ea quæ Comeduntur, & bibuntur ſanantur vlcera ventriculi, pulmonis, & pectoris.5º.meth.med.34.D/10º. 7ª.64.F
COMOEDIAM *agentes cur multis vtantur balneis, et cibos lenes ac laxantes edant.7º.de compo.med.ſec.loc.* 5ª.177.E
COMMENTARIA *differunt à tractatione rerum. in 3^{m}.de morb.vulgaribus, commentario.1º.* 3ª.130.A
Commentatoris enarratoriſue intentio, & officium quod ſit. in progno. commentario.2º. 4ª.200.H
Commentariorum officium.in 3^{m}.de mor.vulg.com.1º. 3ª.130.A
Commentator non debet ſolum bene dicere, ſed debet etiam menti hęrere ſcriptoris.de comate. 3ª.49.B
Commentationes longas eſſe non debere, collige.com.1º.aph.2º. Ex.3.E
Commentaria ſua Galenus qua occaſione conſcripſerit. in 3^{m}.de morbis vulgarib.commen.1º. 3ª.134.E
Commentarios ſibi fecit Galenus ob ſenectutem obliuioſam. 3º.de differ. pulſuum. 4ª.60.H
Commentaria Galeni in primum de morbis vulgaribus, qualia. in 1^{m}.de mor.vul.com.2º. 3ª.107.F
Commentaria libri de morbis vulgaribus Hippocratis poſt commentaria libri ꝓgnoſticorū fecit Galenus.in 1^{m}.de mor.vul.cō.3º. 3ª.121.A
Commentarius eſt liber ſextus Hippocratis epidemiorum non iuſtū volumen.in 6^{m}.de mor.vul.com.1º. 3ª.154.F
Commentationes in Hippocratem ſuas cur Galenus voluerit eſſe inęquales.in prognoſt.com.3º. 4ª.206.E
Commentationes lege Expoſitiones.
COMI *ſemen eſt ſimillimum aniſo.de ſimp.med.* Sp.81.G
COMMI, *id eſt gummi.7º.de ſimp.med.fac.* 5ª.52.A
COMICI *nihil volunt probare: & eorum finis.5º.de decr.* 1ª.259.D
Comici cur mordent ſtultitiæ, filios Hippocratis ex ſententia ſtoicorum. ꝙ animi mores. 1ª.318.F
COMMINVTAE *in minimas partes piperis particulæ calefaciunt citius.1º.de ſimp.med.fac.* 5ª.4.C
COMMISSVRAS *habet fœmina in circuitu, cui galea ſuperpoſita eſt, quā gręce cranium appellant.de nat.& ord.cuiuſ.corp.* Sp.41.H
Commiſſura cranij cur ſerrata.9º.de vſu par. 1ª.171.F
Commiſſurę ſquammoſę, quę.in 6^{m}.de mor.vul.com.3º. 3ª.169.H
Commiſſuras omnes iungit chartilago.2º.de vſu par. 1ª.123.F
per Commiſſuras expurgatur cerebrum.1º.de ſan.tuen. 2ª.68.D
Commiſſurarum diſtentio inter capitis exteriores connumeratur affectus.introd. Iſa.59.C
Commiſſurarum diſtentio articulorū omnium affectus.introd. Iſa.59.E
de COMITIALI *morbo.3º.de loc.aff.* 4ª.19.E
Comitialem morbum epilepſiam vocant.de diff.mor. 3ª.3.E
Comitialis morbus, cur magnus & puerilis dicatur.in 6^{m}.de morb.vulgaribus, com.6º. 3ª.197.C
Comitialis cur Herculeus dicitur.in 6^{m}.de mor.vul.com.6º. 3ª.197.C
Comitialis cur ſacer morbus, ſed falſa opinione dictus. in 6^{m}.de morbis vulgarib.com.6º. 3ª.197.D
Comitialis non eſt diuinus morbus.in progn.com.1º. 4ª.190.D
Comitialis morbus quid.introd. Iſa.56.C
Comitialis morbus eſt genus quoddam conuulſionis, & quid ſit. 3º.de locis affectis. 4ª.17.G
Comitialis morbus eſt conuulſio totius corporis.in 6^{m}.de mor.vul.com. 6º.3ª.197.E/1º.meth.med. 7ª.8.E
Comitialis morbus, & morbus attonitus eſt morbus acutus ſine febre. commen.5º.aph.30º. Ex.40.D
Comitialis morbus eſt diuturnus.com.6º.aph.47º. Ex.52.B
Comitialis morbus, diuturnus eſt.fin.med.Iſa.56.B/1º.de criſib.4ª.126. F/quos pur.opor.5ª.88.B/com.6º.aph.47º. Ex.52.B
Comitialis morbus inter magnos morbos connumeratur. 6º. de ſanitate tuenda. 2ª.100.A
Comitialem morbum paruum, in quibus concubitū eſſe Democritus ſentiebat.in.3^{m}.de mor.vul.com.1º. 3ª.130.D
Comitialis morbus habet tempora.de tot.morb.temp. 3ª.89.C
Comitialis morbus quo modo fiat.in 6^{m}.de morb.vulg.com.1º.3ª.155.A/ 4º.de locis affec. 4ª.22.H
à Comitiali morbo quo modo differt conuulſio, quę à ſpinali medulla incipit.3º.de loc.affec. 4ª.17.G
Comitialis morbi, apoplexiæ, cari, catalepſis, catochi, & ſoporis vigilantiæ.

lantiæ differentiæ.4°.de loc.affec. 4ª.23.A
Comitialis morbi & apoplexiæ differentiæ.com 2°.aph.43°. Ex.18.G
Comitialis morbi quo modo oritur & in qua parte.in 6^{m}.de mor.vulga. com.6°.3ª.197.D/3°.de loc.aff. 4ª.17.G
Comitialis fit cum pleni ſunt ventriculi cerebri.de inſtr.odor. 1ª.112.F
Comitialis morbus propter quas cauſas iuuenibus fiat. commẽtario.5°. aphoriſ.29°. Ex.26.C
Comitialis puerorũ morbus vnde.in 6^{m}.de mor.vul.com.1°. 3ª.144.G
Comitialis morbi tres differentiæ,à ventriculo,à cerebro,& ab alia parte.3°.de loc.aff. 4ª.19.E
Comitialis morbi quædam cauſę adducuntur.5°.de loc.aff. 4ª.32.F
Comitiales morbi ex ĩmodico vini potu.3°.de tẽ.1ª.22.G/de cau. 3ª.7.D
Comitialis conuulſio ex vapore ichorum aliquibus oboritur.6°.de ſanitate tuenda. 2ª.98.H
Comitialis morbus fit,ſiquis plenus humoribus exerceat corpus. commentario.3°.aph.20°. Ex.24.C
Comitiales morbos faciunt pauci motus.8°.de ſan.tu. 2ª.65.F
Comitialis à coitu læditur.in 6^{m}.de mor.vul.com.6°. 3ª.193.A
Comitialis morbus fit etiam à ventriculo.de ſymp.cauſ.3ª.18.F/3°.de locis aff.19.C/5°. 4ª.32.E
Comitialis morbus ex ore ventriculi ob non probam coctionem,largum meri potum,veneris immodicum vſum.5°.de loc.aff. 4ª.32.G
Comitialis morbi à ventriculo dependentis exemplo eſt melancholię tertium genus, quod medicorum aliqui hypochondriacum flatuoſumq́ morbum nominant.3°.de loc.aff. 4ª.18.G
Comitiales affectus ſunt frigiditate vincente.de palp.trem.con. 3ª.54.D
Comitialis morbi & apoplexiæ cauſa eſt humor frigidus,& craſſus.cõmentario.2°.aph.45°. Ex.18.G
Comitialis morbus fit in pluuiarũ multitudine.cõ.1°.aph.16°. Ex.22.H
Comitialis morbus ex pituita ortum habet.com.3°.aph.16°. Ex.23.A
Comitialis morbus fit craſſis,frigidis,& pituitoſis humoribus. commentario.5°.aph.7°. Ex.38.A
Comitialem morbum faciunt atra bilis,& pituita.3°.de loc.aff.4ª.18.D
Comitiali morbo afficiuntur magna ex parte melancholici. 3°. de locis affectis. 4ª.18.C
Comitialis morbus cur fiat in autũno,& qbus.cõ.3°.aph.22°. Ex.24.G
Comitialis morbus fit vere.com.3°.aph.2°. Ex.24.A
Comitialem paſſuro morbum,cerebrum imbecille eſſe debet. comment. 6°.aphoriſ.28°. Ex.49.A
Comitialem morbum antecedit animi defectus.1°.de arte cur. ad Glauconem. 7ª.98.F
in Comitiali morbo loci affecti nullum eſt ſignum.3°.de lo.aff. 4ª.16.B
in Comitiali quæ paſſio ſæpius accidat.de diff.mor. 3ª.3.E
in Comitiali morbo ratio,& memoria læduntur.3°.de loc.aff. 4ª.17.G
in Comitiali morbo ſpiritus quomodo habetur.4°.de loc.aff. 4ª.27.E
Comitialis morbus lædit vocem.4°.de loc.aff. 4ª.26.D
Comitialium pulſus qualis.de pulſ.ad tir.46.B/de cau.pul. 4ª.102.G
in Comitiali morbo quare fiat ſpuma.com.2°.aph.43°. Ex.18.D
Comitialis morbus proximus eſt apoplexiæ.com.2°.aph.43°. Ex.18.G
in Comitiali morbo ſemen quandoq; emittitur.6°.de loc.aff. 4ª.41.G
in Comitiali morbo velox diſcuſſio ꝑpter quid fit.3°.de loc.aff. 4ª.17.G
vt Comitialis morbus habet acceſſiones cephalæa.3°.de lo.aff. 4ª.20.E 2°.de comp.med.ſec.loc. 5ª.137.B
Comitiales circuitus luna cuſtodit.3°.de dieb.decre. 4ª.157.A
Comitialem morbum à crure incipientem patientis pueri caſus. 3°.de locis affectus. 4ª.19.E
Comitiali morbo correpti grammatici caſus.5°.de loc.aff. 4ª.32.F
Comitialis morbus an ſanabilis ſit,expimẽtũ.de med.fac.par. 7ª.162.C
Comitiales morbi quibuſcunq; fiunt ante pubertatem,mutationem accipiunt,quibuſcunq; autem vigeſimoquinto anno,commori untur. commen.5°.apho.5°. Ex.37.H
Comitialis puerorum cur finiat in pubeſcentia. in 6^{m}.de morb.vulgaribus,commen.1°. 3ª.144.G
in Comitiali morbo cõuulſio ex repletiõe partiũ neruoſarũ nec acutiſſima,neq; ſimiliter ꝑiculoſa eſt vt ex euacuatiõe.c.5°.aph.7°.Ex.45.E
Comitialis morbus non finitur in paralyſim.4°.de loc.aff. 4ª.22.H
Comitialem morbum quo modo iuuant diuturnę febres & quartanæ. in 6^{m}.de mor.vulg.com.6°. 3ª.197.D
Comitialis morbus à quartana ex pulſus.in 1^{m}.de morb. vul.commẽ.3°. 118.H/in 6^{m}.com.6°. 3ª.197.D
Comitialis morbi curatio.introd. Iſa.56.C
Comitiali morbo quæ conferant.com.2°.aph.45°. Ex.18.G
Comitialẽ morbũ incipientẽ ꝓhibuit Galenus.com.6°.aph.47°. Ex.52.B
Comitiali morbo laborantes quo modo regendi.6°.de ſan.tu. 2ª.100.A
ad Comitialẽ morbũ patientẽ ſubito excitãdũ.de med.fa.par. 7ª.162.C
ad Comitialem morbum valde efficax.de med.fac.par. 7ª.174.C
ad Comitialẽ morbũ diuturnũ & incipientẽ.de med.fac.par. 7ª.178.D
à Comitiali morbo multos ſeruauit Galenus,eos ineunte vere euacuãs. de purg.med.87.G/quos purg.opor. 5ª.88.B
in Comitialem morbum qui prompte incidunt, illis vere vena ſecanda. de cur.rat.per ſang.miſſ.17.E/G/ 6ª.18.E
Comitialibus morbis obnoxijs præſeruationis cauſa potius in cruribus ſecanda eſt vena.de cur.rat.per ſang.miſſ. 6ª.20.H
Comitialis morbus vere indiget purgatione humoris pituitoſi,cum ſit ex craſſis humoribus.com.6°.aph.47°. Ex.52.D
Comitialis morbus exigit euacuationem pituitæ.quos purga. opor.quib. med.& quo temp.5ª.88.C/F/com.6°.aph.47°. Ex.52.B
Comitiali ſpaſmo aſſidue vexatus grammatici ſtomachus quomodo roboratus fuerit à Galeno.6°.de ſan.tu. 2ª.100.H
ad Comitiali morbo apprehenſos.2°.de comp.med.ſec.loc. 5ª.139.A
in Comitialibus habenda cura capitis.de fœt.for. 1ª.324.C
in Comitiali morbo remedia capiti applicantur.3°.de loc.aff. 4ª.17.B
Comitialis morbus ſanatur calefaciendo cerebrũ.3°.de loc.aff. 4ª.17.C
Comitiali correptus ex membro aliquo quomodo ſit curandus. 3°.de locis affectis. 4ª.19.H
pro Comitiali morbo ab aliqua parte medicamentum ex thapſia, & ſinapi.3°.de loc.aff. 4ª.19.H
Comitiali morbo ex ore ventriculi laboranti cur dedit Galenus vinum album modice adſtringens.5°.de loc.aff. 4ª.32.F
Comitiali morbo ex ore ventriculi laboranti medicamẽtum amarum ex aloe datur.5°.de loc.aff. 4ª.32.G
Comitiali morbo competunt amara.4°.de ſimp.me.fac. 5ª.29.G
Comitiali morbo obnoxijs conuenit Agaricũ.6°.de ſimp.med.fa.5ª.41.E
Comitialibus competit Anthillis chamæpityi abſimilis.6°.de ſimp.medicamen.facul. 5ª.43.C
Comitiales iuuat Antidotus Zopyria.2°.de antid. 5ª.115.B
Comitiales adiuuans Antidotus.2°.de antid. 5ª.116.D
ad Comitialẽ morbũ valet Aphroſelinus.9°.de ſimp.med.fa. 5ª.67.E
Comitialibus auxilio eſt Ariſtolochia rotũda.6°.de ſimp.me.fa.5ª.43.F
Comitiales ſanant Aſinorum vngues.11°.de ſimp.me.fac. 5ª.80.E
Comitialibus prodeſt Betonica.7°.de ſimp.med.fa. 7ª.51.A
Comitiali morbo obnoxios arguit,cõuulſionemq́ illis acerſit iecur Caprinum.11°.de ſimp.me.fac. 5ª.79.H
Comitiales curant æquorum Lichenes.11°.de ſimp.med.fac. 5ª.80.E
Comitialem morbum ſanare proditum eſt coagulum Leporis. 10°.de ſimpli.med.facul. 5ª.74.D
Comitialibus prodeſt cerebrum Muſtelæ & cameli.de theria. 5ª.93.E
Comitiali morbo afflictos iuuat caro Muſtelæ epota.11°.de ſimplici. medicam.fac.78.F/ 5ª.82.D
Comitialem morbum ſanare Pæoniæ radicem recentem ſuſpenſam collo affirmat Galenus.6°.de ſimp.med.fac. 5ª.45.G
Comitiali morbo conuenit Seſeli.8°.de ſimp.med fac. 5ª.60.C
ad Comitialem morbum aptum eſt Spondylum.8°.de ſimp.medicamentorum facul. 5ª.60.G
Comitialibus auxiliatur theriaca.de theria.ad Piſo.96.A/de vſu ther. ad Pamph. 5ª.98.H
Comitialis morbus.lege Epilepſia.
COMMODERATIONVM, & immoderationum diſtinctio. de conſt. artis. Iſa.39.C
COMMODO ſuo,& reparationi intendit membrum omne.de mot. mani.& obſcuris. Sp.68.A
COMMODVS imperator quæ diſſipauerit.1°.de antid. 5ª.105.H
Commodi febrientis caſus.de præcogn.ad Poſt. 4ª.219.C
COMMOTES græce,latine,comptor dicitur.ad Thraſ. 2ª.107.E
Commotica ars,quę.de part.art.med. Sp.16.E
Commotica ars vitioſa eſt.ad Thraſ. 2ª.103.A
COMMOVET totum corpus vehementer piper omne. ſimplici.medicamen. Sp.88.G
in COMMISTIS ſpeciebus non ſeruatur actio cuiuſq; ſubſtantiæ ſimplic.3°.meth.med. 7ª.16.H
à COMMVNIBVS diſtinguendo propria fit ars.de vict.rat. in morb. acu.commen.1°. 7ª.110.F
de Communibus tractare exordia,collige.de ijs quæ in medi.fiunt, commentario.1°. 7ª.200.B

Communia debẽt ꝑlixius tractari.de ijs quæ in med.ſi.com.1°. 7^{a}.200.B
Communis ſermo docetur ex particulari exemplo.de vict.ratio.in morbis acu.commen.1°. 7^{a}.109.G
Communia explicantur ſermone.1°.de arte cur.ad Glau. 7^{a}.94.C
Communem eſſe ſermonem de naturalibus facultatibus, collige.5°.de locis affectis. 4^{a}.35.B
Commune dixiſſe ſemel ſatis eſt.11°.de vſu par. 1^{a}.192.E
Communis ſermo de re communi ſemel faciendus.in 6^{m}.de mor.vulgar. commentario.1°. 3^{a}.152.F
Cõmune qui probet tenet, raro à vero aberrat.de pulſ.ad tir. 4^{a}.44.A
ad Communem ſenſum reducuntur omnes ſenſus particulares.de anatomia viuorum. Sp.45.G
Communia vſus ſecundum locum obtinent, propria primum.1°.de arte cura.ad Glauc. 7^{a}.94.D
ad Cõe confugiendum ꝓprio ignorato.1°.de arte cur.ad Glau. 7^{a}.94.D
Commune eſt omnibus audire, & intelligere omnia Galeni: quippe qui clare omnia proponat expliceṫq;.2°.de criſ. 4^{a}.133.G
Communis caro eſt rubra.de anat.viu. Sp.55.H
Cõia quædã cõiugationũ neruorũ, quę in collo ſunt.de ner.diſſ. 1^{a}.54.F
Commune omnium muſculorum, quid.de muſc.diſſ. 1^{a}.45.C
Communes morbi.in 1^{m}.de mor.vul.com.1°. 3^{a}.101.F
Communis morbis peſtis.in 1^{m}.de mor.vulg.com.1°. 3^{a}.101.E
Communia ſigna melancholiæ.de mel.ex Gal.Ruf.& Poſſ. Sp.109.D
Communia prę ſidia ad atram bilem.de mel.ex Gal.Ruf. Sp.109.H
Communis ſalutis procuratio maxima imperandi pars ab Antonino habita eſt.de ther.ad Piſo. 5^{a}.90.C
COMMVNITAS *quid.de opt.ſecta.* Iſa.25.E
Communitates, quæ.8°.meth.med. 7^{a}.58.D
Communitatum Themiſon inuentor.1°.meth.med. 7^{a}.5.C
de Communitatibus librum fecit Theſſalus.1°.meth.med. 7^{a}.2.G
COMPAGVM *diſſidentia, quæ.de ijs quæ in med.ſi.com.3°.* 7^{a}.222.F
COMPATIENS *quæ pars proprie dicatur.3°.de loc.aff.* 4^{a}.14.E
per Compatiendi rationem, vel primum & per ſe ipſum patiente cerebro fiunt omnes deſipientiæ.com.6°.aph.53°. Ex.53.B
COMPARATIONES *quomodo faciendę & intelligendæ.1°.de alimentorum facul.* 2^{a}.10.D
Comparatio fieri debet ex optimo vnius generis, ad optimum alterius. 3°.de alim.facul. 2^{a}.26.C
Comparatio, vt fieri debet in optimis eiuſdem generis, ita fieri debet in optime comparatis.3°.de alim.fac. 2^{a}.26.D
Comparatio fieri debet partis ad partem in eadem.ars med. Iſa.64.E
Comparatio pulcherrima.6°.de ſimp.med.fac. 5^{a}.40.A
Comparatio virtutis in animali, & gubernatoris vrbium. commentario 5°.aphoriſmo.39°. Ex.41.B
Comparatio fœtuum connexus ad vteros, & fructuum ad plantas. comment.4°.aph.1°. Ex.27.A
Comparatio ſtatuarij ad Eraſiſtratum.5°.meth.med. 7^{a}.36.G
Comparatio expoſitorum ad cauſidicos.in 1^{m}.prorr.com.2°. 4^{a}.178.H
Comparatio de malo interprete.in 3^{m}.de morbis vulgaribus, commentario.1°. 3^{a}.129.C
Comparatio bene ſcribentium, & viam à rubis ſpinis emundantium. de cauſ.procatar. 3^{a}.95.H
Comparatio facientis iter ad celeritatem pulſus.1°.de cau.pul. 4^{a}.88.G
Comparatio illorum qui ſunt incorrigibiles.3°.de diff.pul. 4^{a}.60.H
Comparationes de vino & mulſa quomodo faciendæ.de rat.vict.in morbis acu.com.3°. 7^{a}.129.A
Comparatio veratri cum pane & carnibus ad ſecundum de pulſibus librum.2°.de diff.pul. 4^{a}.53.C
Comparatio aquæ, quę exiccatur ab igne, & ſanguinis in viris à proprio calore exiccati.de ſpermate. Sp.36.D
Comparatio vini aceſcentis ad ſanguinis alterationem, quòd ſanguis ad naturalem habitum non redeat amplius, vbi magna in eo facta ſit corruptio, vt vina ex toto acida non redeunt rurſum ad vini naturam. commen.2°.aph.17°. Ex.31.E
Comparatio lucernæ quæ extinguitur ad calorem naturalem ſenum.commentario.1°.aph.13°. Ex.7.A
Comparatio cucurbitulę ad naturalem calorem in tractione.commentario.7°.aphor.1°. Ex.54.B
Comparatio ignis lignorum multitudine ſuperiniecta, & lucernæ flammę oleo vniuerſim ſuperfuſo ad calorem natiuum qui ſanguinis & ſpiritus multitudine extinguitur.com.7°.aph.7°. Ex.54.D
Comparatio lignorum ſuperingeſtorum igni, & multorum humorum ad calorem.com.6°.aph.12°. Ex.47.E
Comparatio lignorum carpentarij & corij coriarij ad corpus humanum circa quod verſatur medicus.com.1°.aph.1°. Ex.2.H
Comparatio lignorum ad virus rabiei.in 1^{m}.prorrh.com.1°. 4^{a}.171.F
Comparatur ætas in vigore conſiſtens ad iuuentutẽ vt autumnus ad ęſtatem.com.3°.aph.38°. Ex.26.D
Comparatio veris ad exercitia.com.3°.aph.20°. Ex.24.B
Comparatio iuuenis ad ſenem in motu.1°.de cauſ.pulſ. 4^{a}.88.A
Comparatio caloris æſtatis ad calorem balneæ in prohibitione purgationis.commen.4°.aph.8°. Ex.28.A
Comparatio ægri ad portantem onus.3°.de criſ. 4^{a}.141.D
Comparatio oneris ad hominem.de cur.rat.per ſang.miſſ. 6^{a}.16.E
Comparatio recentis ægritudinis ad herbas dum naſcuntur.in 1^{m}.prorrhet.commen.1°. 4^{a}.160.H
Comparatio colliquationis ad carnes, quę in craticula torrentur.10°.methodi medendi. 7^{a}.67.E
Comparatio guttę longo tpe cauãtis lapidẽ ad humores craſſos & crudos ĩ qbus remediorũ vtilitas cito nõ elucet.cõ.2°.aph.52°. Ex.19.D
Comparatio manus ſtringentis ſpongiam aqua plenam, & frigoris cerebri humiditatem exprimentis.com.3°.aph.12°. Ex.12.G
Comparatio neruoſarum partium conuulſionis ad chordas. commentario.5°.aph.1°.37.D/& com.6°.aph.39°. Ex.50.G
Comparatio aſcitis ad vtrem, & timpaniæ ad timpanum. commentario 4°.aphor.11°. Ex.28.D
Comparatio fumi atrę bilis ad fuliginẽ in aere.in prog.com.3°. 4^{a}.210.E
Comparatio artis ſagittandi ad medicinam.2°.de criſ. 4^{a}.134.C
Cõparat ſophiſmata Galen⁹ ſpinis, rubis, & hamis.de cau.ꝓca. 3^{a}.95.H
COMPLANARE *quibus conueniat.in 6^{m}.de morbis vulgaribus, commentario.2°.* 3^{a}.160.H
COMPLEXIO *multipliciter dicitur.de oculis.* 7^{a}.185.D
Complexio in diuerſis febribus quid.2°.de diff.feb. 3^{a}.39.F
Complexio eſt ſubſtantia corporis & natura eius.ſecreto. Sp.96.F
de Complexione dicitur natura.ſecretorum. Sp.96.F
Complexio humana qualis ſit.de oculis. 7^{a}.187.H
Complexio naturalis in quo ſit.de oculis. 7^{a}.185.D
Complexionem ſequentes qualitates, quæ.ſecreto. Sp.96.F
Complexionem corporis ſequi animę virtutẽ.de incant.adiur. 7^{a}.181.F
Complexio imperfecta puerorum, ſenum, & mulierum quomodo probetur.de incant.adiur.& ſuſ. 7^{a}.181.F
Complexioni naturali contrarium quando non appetit, & quod eſt conueniens accidentaliter diminuendo corpus aut addendo in ipſum, tarde digeritur.de diſſol.cont. Sp.73.D
Complexionis calidæ & ſiccę eſt cor ſm Galenum.de anat.viu. Sp.56.B
Complexionem habet cor ex diuerſis ſubſtantijs.de anat.viu. Sp.56.B
Complexionis melancholicæ eſt ſplen.de anat.viuo. Sp.51.A
à Complexione ſanguinis remota indigent vt multis conuerſionibus ſanguis ad ſui nutritionem conuertatur.de anat.viuo. Sp.44.G
Complexioni ſanguinis vicina non indigent multitudine cõuerſionis ſanguinis ad ſui nutritionem.de anat.viuo. Sp.44.G
Complexionis eiuſdem ſunt bruta.[quod tamen abſurdũ eſt, etiam ſi intelligat in diuerſis ętatibus reſpectu vnius.] de ſper. Sp.37.D
ad Complexionẽ corruptã.ſecretorũ.101.G/de med.exper. Sp.104.A
ad Complexionis corruptionẽ electariũ gaſit.de med.exper. Sp.108.B
Complexiones omnes, & conſtitutiones locorum & temporum quomodo quis per methodũ facile poſſit habere.com.3°.aph.14°. Ex.22.D
Complexiones locorum docentur.com.3°.aph.14°. Ex.22.E/F
Vide Natura & Temperatura.
COMPLEXVS, *& miſtura differunt.de mor.temp.* 3^{a}.87.E
Complexum cibi imbecillum modo clydones excipiunt, modo inflationes de ſympto.diff. 3^{a}.12.E
COMPLICATVS *& implicatus idem.ad eos qui de typ.ſcri.* 3^{a}.93.E
in Complicatis affectibus curationis ordo.7°.meth.med. 7^{a}.48.F/G
COMPONENDI *& diuidẽdi ars neceſſaria eſt.9°.de dec.* 1^{a}.282.A
in Componendo, & diuidendo quomodo exerceri debemus.9°.de decretis Hippocratis. 1^{a}.282.A
Componendi, & diuidendi vim ſolus habet Dialecticus. 2°. de differentijs pulſuum. 4^{a}.56.C
ex Compoſitione & reſolutione quæ inueniantur.de cuiuſq; animi pec. not.atq; med. 2^{a}.58.C
Compoſitio quartus modus ſophiſmatũ in dictione.de ſophiſ. Iſa.7.B
de COMPOSITIONE *dicitur natura.ſecretorum.* Sp.96.F
Compoſitiones ex elementis ſyncrimata vocantur, id eſt concretiones.de diff.morb.

differen.morb. 3ª.3.C
Compoſitionem ob ſui nimiam ponderoſitatem terra non ingreditur ſecũdum Hippocratem, ſed mandat ſuam frigiditatem, & ſiccitatem quæ temperet alia tria elementa. de ſpermate. Sp.40.G
Compoſita omnia ſunt calida frigida, humida & ſicca comparatione aliorum. 1°. de temp. 1ª.12.E
ex Compoſitionibus multis fit vnum tertium diuerſæ formę & naturę. 1°. de element. 1ª.3.D
Compoſitum omne eſt poſterius ſimplici. 4°. de ſanit.tuen. 2ª.86.B/1°. de diff.reſpir. 3ª.56.H/de ijs quæ in medicat.fi.commen.1°. 7ª.203. E/ de anatomia viuo. Sp.50.F
Compoſito prius eſt ſimplex natura, atq; doctrina. commẽtario.3°. aphoriſmo.15°. Ex.22.G
Compoſitio triplex in corporibus animalium. de diff.mor. 3ª.2.F
Compoſitio prima in corporibus animalium eſt partium ſimilarium, & quæ. de diff.morb. 3ª.2.F
Compoſitio ſecunda in animalium corporibus eſt partium inſtrumentalium. de diff.morb. 3ª.2.F
Compoſitio tertia in corporibus animalium eſt totius corporis. de differen.morborum. 3ª.2.F
Compoſitum nullum ſimilare. 6°. de decr.Hipp. 1ª.261.F
in Compoſita, & ſimplicia diuiduntur corporalia inſtrumenta. de anatomia viuorum. Sp.55.C
Compoſita inſtrumenta corporalia, quæ. de ana.viuo. Sp.55.C
Compoſita membra quæ ſint. de anat.viu. Sp.43.F
Compoſita membra quæ tamen vocentur ſimplicia à medicis. de anato. viuorum. Sp.44.G
Compoſitam particulam ſenſus iudicat. de diff.mor. 3ª.3.B
Compoſitio Aortę à corde egredientis ex quib. ſit. de ana.viu. Sp.52.H
Compoſitio Cordis ex quibus conſtet. de ana.viu. Sp.46.D
Componitur cor ex omnibus generibus filorum. de anat.viu. Sp.52.G
Compoſitio Corneæ tunicæ qualis ſit. de anat.viu. Sp.45.C
Cõpoſitio Gulę ex quot pãniculis, & qbus villis ſit. de ana.vi. Sp.49.F
Compoſitio Gutturis ex quibus ſit. de anat.viuo. Sp.53.D
Componitur Hepar ex venis. de anat.viu. Sp.50.F
Compoſitio Laryngis ex quibus. de voc.inſtr.diff. 1ª.106.G
Compoſitio Linguæ ex quibus conſtet. de anat.viu. Sp.49.C
Compoſitio Matricis quæ ſit. de nat. & ord.cuiusl.corp. Sp.42.B
Compoſitio Oeſophagi ex quibus ſit. de mot.man. & obſ. Sp.68.F
Cõpoſitio Pericardij ex quibus ſit. de cõp.mẽb. ſiue de nat.hu. Sp.58.G
Cõpoſitio Priapi ex craſſis venis, neruis, & arterijs. de ana.vi. Sp.52.E
Compoſitio cannæ Pulmonis quæ ſit. de anat.viu. Sp.53.C
Compoſitio Splenis qualis ſit, & cur talis. de anat.viuo. Sp.51.B
Compoſitio Stomachi ex qbus ſit. de cõpag.mẽb. ſiue de nat.hu. Sp.58.H
Componitur panniculus interior ſtomachi ex filis quibuſdam longitudinalibus, & quibuſdam tranſuerſis. de anat.viu. Sp.49.H
Componitur exterior panniculus ſtomachi ex filis longitudinalib. & ex quibuſdam tranſuerſis. de ana.viu. Sp.49.H
Compoſitio Veſicę fellis ex quibus ſit. de anat.viuo. Sp.50.H
Compoſitio interioris tunicæ Veſicæ ex quibus ſit. de ana.viu. Sp.51.D
Cõpoſitio anhelationis eſt ex aeris inſpiratione ab exteriori ad interius & expiratione è conuerſo. de mot.man. & obſ. Sp.66.H
Compoſitum corpus, & non ſimplex eſt nutrimentum corporis, & ſpiritus. de anat.viuo. Sp.47.G
Compoſitos corpore facit phlegma. de dyna. Sp.19.F
Compoſita ex pluribus particulis facilius fatigantur & flexa collabuntur. 1°. de vſu par. 1ª.116.E
COMPOSITIONE, & formatione duntaxat paſſio atomis cõtingit. de diffe.morbo. 3ª.2.F
in Compoſitis, & ſimplicibus corporibus nullum ægritudinis genus reperitur, quod vtriſq; ſit proprium. de diff.mor. 3ª.3.B
in Compoſitionis genere ægritudinũ diuerſitates. de cau.mor. 3ª.9.E
Compoſitæ particulæ ægritudines, quæ. de diff.mor. 3ª.3.B
Compoſiti morbi difficulter cognoſcuntur. 2°. de criſ. 4ª.135.H
ad Compoſitas febres medicamen. de med.exper. Sp.104.F
ad Compoſitas & chronicas febres expertum medicamen. de medicin. expertis. Sp.104.F
COMPOSITIO ad paralyſin, & ad multa alia. ſecreto. Sp.97.A
Compoſitionem ſimpliciter optimam idiotæ, & medici ignari ſcire volunt. 1°. de comp.med.per ge. 5ª.215.B
Compoſitores primi medicamentorum qui fuerint. 2°. de compoſi.medi. per genera. 5ª.218.D
Compoſitiones medicamentorum cur inuentæ. de theria.ad Piſ. 5ª.91.A
Compoſita medicamenta cur inuenta. 1°. de comp.med.per gen. 5ª.210.B
Compoſito vtimur cum ſimplex non habemus. 2°. de compoſi.medic.per genera. 5ª.218.G
Componendi ars à Galeno traditur. de antid. 5ª.102.C
de Compoſitione medicamentorum librum ſcripſit Galenus ante librũ methodi. 3°. meth.med.17.B/20.A/5°.33.A/ 7ª.37.B
de Compoſitione medicamentorum ſecundum genera fecit Archigenes. 5°. de comp.med.ſec.loc. 5ª.158.G
de Compoſitione medicamentorum per genera alias ſcripſerit duos libros Galenus. 1°. de comp.med.per gen.217.B/ 5ª.209.D
de Compoſitione medicamentorum per genera librorum ordo. 2°. de cõpo.med.per gen. 5ª.218.D
de Compoſitione medicamentorum per genera librũ pręcedit liber ſimplicium. 2°. de comp.med.per ge. 5ª.218.G
de Compoſitione medicamentorum per genera librum præcedit methodus curatiua. 2°. de comp.med.per ge.218.F/ 5ª.227.B
de Compoſitione medicamẽtorum ſm genera liber præcedit ſm aliquos librum de compoſitione ſm locos. 1°. de comp.med.ſec.loc. 5ª.121.C
in de Compoſitione medicamentorum per genera libro quid agat Galenus. 1°. de compoſi.medi.per gene. 5ª.212.H
in de Compoſitione medicamentorum libro ſexto quid acturus ſit Galenus. 6°. de comp.med.per ge. 5ª.254.G
de Compoſitione medicamentorum per genera libris vti nõ poſſunt medicinæ ignari. 3°. de com.med.per gen. 5ª.228.B
de Compoſitione medicamẽtorum ſm locos librum præcedit Methodus medendi. 1°. de compo.med.ſec.loc.121.C/2°.136.D/3°.141.H/ 4°.149. E/8°.188.A/ 5ª.193.E/F
de Compoſitione medicamentorum ſecundum locos librum confecit propter ſodales. 6°. de compoſit.medica.ſec.loc. 5ª.168.G
de Compoſitione medicamentorum ſecundum locos libri intentio. 1°. de comp.med.ſec.loc. 5ª.121.C
de Compoſitione medicamentorum ſecundum locos liber, ad quid vtilis. 8°. de comp.med.ſec.lo. 5ª.193.E
Compoſitiones quomodo perfectæ fiant. 1°. de antid. 5ª.100.A
Compſitionis medicamentorum regula. 4°. de ſan.tuen. 2ª.86.E
in Componendis medicamentis diſciplina mixta. 2°. de compoſitio.medicamento.per gen. 5ª.218.C
in Compoſitionibus medicamentorum quæ præſcienda. 1°. de compo.medica.per genera. 5ª.210.B
Compoſita qui facturus eſt, ſimplicia debet noſcere. 7°. de comp.med.ſecun.loc.175.C/177.F/ 5ª.178.B
Compoſito medicamento probe vti non poteſt qui ſimplicium vires neſcit. 1°. de comp.med.per ge. 5ª.215.B
Compoſitorum medicamentorum virtus ex ſimplicium vigore eſt. 1°. de an. 5ª.102.C
Componendi pharmaca ſcopus. 4°. de comp.med.ſec.loc. 5ª.149.C
Componendi & vtendi methodus eadem eſt in pharmacis. 4°. de compoſitione medica.ſecundum loc. 5ª.149.C
in Componendis pharmacis id maxime agendum vt bona integraq; & in vigore ſint omnia quæ miſcentur. 1°. de comp.med.ſec.loc. 5ª.130.E
in Compoſitionibus ordo ſimplicium. 1°. de comp.med.per ge. 5ª.214.C
Compoſitionis ordo ſecundum ſimplicia in acopo, diaphrynon conficiendo. 7°. de compo.med.per gen. 5ª.271.B
in Compoſitione quomodo ſimplicia diſponantur in acodo Flauij Clementis conficiendo. 7°. de comp.med.per gen. 5ª.271.C
Compoſitio ſimplicium quo modo adminiſtranda in acopis Damocratis conficiendis. 7°. de comp.med.per gen. 5ª.273.E
Compoſitionem quo ordine ingrediantur ſimplicia in myracopo Damocratis conficiendo. 7°. de comp.med.per gen. 5ª.274.D
Compoſitiones quo modo ingredi debeant ſimplicia. 7°. de ſimpli.medic. ſecundum locos. 5ª.179.G
in Componendo quodam emplaſtro, quo ordine ingrediantur ſimplicia. 2°. de comp.medica.per gen. 5ª.226.E/F
in Componendo ægyptio Damocratis ſimplicium ordo. 6°. de compoſit. medica.per gen. 5ª.260.E
in Compoſitione ſimplicium ſecundum aliquos contrarię inter ſe poteſtates corrumpuntur. 1°. de compoſi.medic.per gen. 5ª.209.H
in Compoſitionibus cur genere ſimilia miſcent empirici. 3°. de compoſit. medica.per gen. 5ª.230.H
Compoſitio inæqualis quæ calculum gignit, aut tophos. 6°. de ſanitate tuenda. 2ª.99.F

Compoſitionem ingredientia minutiſſima ſimplicia prouocare vrinam, collige.4°.de ſan.tuen. 2ª.86.E
Compoſitiones Antheræ.5°.de comp.med.ſec.loc. 5ª.164.G
Compoſitio Games.de med.exper. Sp.106.H
Compoſitio Tripheræ ad anxietatem,& humectationẽ.ſecre. Sp.102.G
Compoſitio quædam tripheræ ad dolorem frontis,& acetoſitatem in ſtomacho & punctionem.ſecreto. Sp.102.F
COMPOSITIO eſt altera ex primarijs chirurgiæ intentionibus. introductio. Iſa.59.E
COMPREHENSIONEM complexionemq́; habent inteſtina, & cur. 3°.de ſymp.cau. 3ª.25.G
Comprehenſionis bonæ membra debent eſſe ſicut volæ manuum.de anatomia viuo. Sp.50.G
COMPREHENSAMENTVM quid vocetur.de ijs quæ in medi.fiunt, commen.2°. 7ª.208.C
COMPRIMENS linguam ſapor inter nouem ſaporis ſpecies numerat. de compag.memb.ſiue de nat.hu. Sp.58.E
Comprimens ſine dolore digitus ſuper os vulneris vaſis ſanguinem ſiſtit. 5°.meth.med. 7ª.30.G
Compreſſo ventriculo cerebri,ſenſus amittitur & motus.de decre.Hippo.& Plat. 1ª.232.A|B
Compreſſum forfice cor,tamen animal non amiſit ſenſum vel motum,ſed arteriæ mouebantur.de decr.Hip.& Plat. 1ª.232.B
Compreſſione læduntur cauitates.de cauſ.mor. 3ª.9.E
ad Compreſſionem vertebræ qñ ſequit̃ paralyſis.4°.de lo.aff. 4ª.23.C
Compreſſio diaphragmatis, quæ fit in reſpirando cauſæ eſt prolationis vocum.de vtil.reſp. Sp.63.F
Compreſſio à proximis partibus quibus cauſis fiat.1°.de ſan.tu.2ª.68.C
Compreſſio vehemens in faſciando quid faciat.de fract.com.1°.7ª.229.C
Compreſſæ particulæ quo modo curandę.de conſt.art. Iſa.39.D
COMPTOR latine,græce commotes dicitur.ad Thraſ. 2ª.107.E
Comptoriæ ſcopus qui.1°.de comp.med.ſec.lo. 5ª.126.B
Comptorij generis eſt tingere capillos.1°.de comp.med.ſec.lo. 5ª.126.F
Comptoria ars malefica.1°.de comp.med.ſec.lo. 5ª.126.B
Comptiua ars vitioſa eſt.ad Thraſ. 2ª.103.A
de Comptoria qui ſcripſere.1°.de comp.med.ſec.lo. 5ª.127.B
Comptoria quo modo differat ab exornatoria medicinæ parte.1°.de compo.med.ſe.loc. 5ª.126.B
Comptoria vnguenta (alias comagenum vnguentum) calida.2°.de compo.med.ſec.loc. 5ª.132.H
COMPVTANDI peritia ars nobilis.in oratione ſuaſ. Iſa.5.G
Vide Arithmetica.
COMVM quid & eius vires.de ſimp.med. Sp.81.G
CONARION quid ſit,& propter quid.8°.de vſu par. 1ª.170.D
Conarium non eſt pars cerebri.8°.de vſu par. 1ª.170.E
Conariõ idẽ eſt cerebro,quod vẽtriculo pyloros.8°.de vſu par. 1ª.170.D
CONATELI calami ad capillos defluentes.de med.fac.par. 7ª.170.H
in CONATV omni fit per contentionem anhelitus concluſio ſpiritus inter diaphragma,& in ipſis fiſtulis pulmonis, quæ procedunt à trachea arteria.de vtil.reſp. Sp.63.E
in Conatu omni fit oppilatio omnimodo tracheę arterię ſuppoſitę vuluę. de vtil.reſp. Sp.63.G
in Conatu inflantur omnes venæ.de vtil.reſp. Sp.63.H
CONCAVITAS in quo ſit genere ægritudinis.de diff.mor. 3ª.3.A
ſecundum Concauitatem morbi,qui.de oculis. 7ª.185.G
CONCAVITAS lactea quæ ſit,& vbi.de anat.viu. Sp.50.H
CONCAVVM quid.10°.de vſu par. 1ª.182.C
Concaua quæ dicantur,& concaui homines qui appellentur.intr.Iſ.53.B
Concaua exacte manus quo modo fiat.2°.de vſu par. 1ª.123.G
Concauitas oculorũ quorum ſit commune accidens.2°.de criſ. 4ª.138.G
ad Concauitates oculorum.4°.de comp.med.ſec.loc. 5ª.155.A
in Concauitate oſſis naſi iacent duæ carunculæ ſpongioſæ inſtar duarum paruarum mamillarum.de ana.viu. Sp.49.A
Concauitates duæ ſunt ſub linguæ radice in quibus ſaliua digeritur. de anato.viuorum. Sp.49.C
Concauum ſtomachum creauit Deus propter meliorem receptionem. de anato.viuorum. Sp.49.C
Cõcauitas pulmonis cur reſpiciat anteriora magis.de ana.vi. Sp.48.A
ad Concauum lienis vena à gibbo ventriculi porrigitur. 6°.de anatomicis admin. 1ª.91.D
Concaua pars lienis ad dextrã partem inclinat verſus iecur. 6°.de anatom.admin. 1ª.91.D
Concauitas interior matricis cõparat̃ burſæ teſtiũ.de anat.viu. Sp.51.E
de CONCAVAE venæ anatomia.de anat.viuo. Sp.54.D
Concaua vena vnde oriatur & eius proceſſus.de anat.par. Sp.42.H
Concaua vena quo modo ramificetur in partibus inferioribus.de anatomia viuorum. Sp.54.F
CONCAVA vulnera replere poteſt iris.de ſimpli.med. Sp.85.D
Concaua loca prãteſia æſtuoſa habitãtes quales ſint.de aere,aq. 2ª.6.D
Concaua vide Caua.
CONCEPTACVLA maxima ſunt principia minorum. 6°.de decretis Hippocratis. 1ª.265.A
Conceptaculum pro vtero dictum non ſapit Hippocratis phraſim.in 6ᵐ. de mor.vul.com.6°. 3ª.192.D
CONCIPIENDI inſtrumenta oẽ aĩal habet.14°.de vſu par. 1ª.204.D
Cõcipiendi inſtrumentis natura tribuit eximiam quandam vim voluptatis effectricem.14°.de vſu par. 1ª.204.D
Conceptio vnde dicta.1°.de ſem. 1ª.329.B
Cõcipiãt cur raro mulieres,ẽt ſi ſæpe cõcumbant.de hiſt.philo. Sp.10.E
Conceptus habent ſua tempora ſtata.2°.de dieb.decr. 4ª.151.G
Conceptionis tempus eſt incipientibus,vel ceſſantibus menſibus.de diſ. vul.1ª.109.E|de natu.& ord.cuiusl.corp. Sp.42.C
Concipiunt mulieres facile ſtatim poſt menſes.1°.de ſem. 1ª.329.C
Conceptus cur non fit antequam veniant menſes.de diff.vul. 1ª.109.E
Concipere nõ põt mulier in tpe mẽſium intermedio.de diff.vul. 1ª.109.E
Conceptionis cauſa,quæ.fin.med. Iſa.49.H
ad Conceptionem neceſſaria colliguntur.com.5°.aph.93°. Ex.44.C
Concipiant quo mõ mulieres.de hiſt.philo.9.D|de anat.par. Sp.43.C
in Conceptu quæ vaſa aperiantur.de diff.vul. 1ª.109.E
ſi Conceperit mulier quo modo cognoſcatur.de paſſ.mul. Sp.96.C
Conceperit ne mulier ſi noſcere velis,cum dormitura eſt ei aquam mulſam,potandam da,& ſi tormina patietur,concepit,ſi minus,non concepit.commen.5°.aph.41°. Ex.41.D
ſi non Concipit mulier,ſcire autem velis ſi conceptura ſit, pannis circũtectã deſubter ſuffias,& ſi odor videatur per corpus ire ad nares, et os,ſcito qđ ipſa non ex ſeipſa ſterilis eſt.com.1°.aph.59°. Ex.43.C
Concepiſſe ſe quo modo ſciant mulieres.3°.de nat.fac. 1ª.302.H
Cõceperint vbi ſemen mulieres, quid dicãt ſe ſentire.1°.de ſem. 1ª.329.B
in Conceptus principio prægnantes ſentiunt vterum in ſe ipſum concurrere.3°.de nat.fac. 1ª.302.H
Concipit nullum animal ſemen excernens.1°.de ſem. 1ª.329.A
Conceptionis maximum indicium eſt ſi obſtetrix potuerit immiſſo digito os vteri tangere.com.5°.aph.5°. Ex.42.B
Conceptio in muliere quo modo ex oris vteri compreſſione cognoſcatur. com.5°.aph.54°. Ex.42.F
in Conceptibus os vteri conniuet.3°.de nat.fac. 1ª.302.H
in Cõceptionis hora ita clauditur os interius matricis,in quo inchoatur collum,quod non poſſet etiam acus intrare.de anat.viu. Sp.51.E
Conceptionis indicium ex colore.com.5°.aph.42°. Ex.41.D
Conceptus ſex dierum qualis fuerit.de fœt.for. 1ª.322.D
in Conceptu quid fiat ſex primis diebus.de anat.viu. Sp.52.A
in Conceptu quid fiat in tribus diebus ſex primos ſequentibus. de anatomia viuorum. Sp.52.B
in Conceptibus non perfectis venæ arteriæ quo modo coeãt. de ven.ar. diſſect. 1ª.59.E
poſt Conceptum quo modo formetur fœtus.de anat.viu. Sp.52.B
poſt Conceptum loci inhærent fœtui.1°.de ſem. 1ª.329.F
in Conceptione fœtus cõparatio matricis ad ſtipitẽ.de ana.vi. Sp.51.F
Conceptus quo humore enutriantur.com.5°.aph.39°. Ex.41.B
Conceptum habere ſanguinem ad ſui alimentum deputatum,collige.commentario.5°.aph.44°. Ex.41.F
Conceptus nutrit̃ ex ſanguine vteri.de venæ ſect.aduer.Eraſ. 6ª.6.H
Cõceptus nutriunt̃ dulciſſimo qđ eſt in ſanguine.cõ.5°.aph.37°.Ex.41.A
Concepto in ſiniſtra parte matricis in horis ſanguinis quid contingat. de ſpermate. Sp.38.A
Conceptum ſperma à muliere in tribus horis ſanguinis quid efficiat. de ſpermate. Sp.37.B
Concepti pueri in horis ſanguinis natura.de ſperma. Sp.37.B
Concepto in dextra parte matricis in horis ſanguinis quid contingat. de ſpermate. Sp.38.B
Concepta in horis ſanguinis puella fuerit,& parentes in horis phlegmatis,quid eueniet.de ſpermate. Sp.38.C
Conceptio infantis ſi ſit in horis ſanguinis, patris in horis phlegmatis, matris in horis choleræ nigræ,quid ſequatur.de ſperm. Sp.38.C

Conceptus ſi ſit puer in horis ſanguinis vel phlegmatis, parẽtes verò in horis cholerę rubræ, quid ſequatur. de ſper. Sp.38.D
Conceptio infantis & parentum ſi ſit in horis ſanguinis, quid ſequatur. de ſpermate. Sp.38.D
Conceptio omnium ſi ſit in horis ſanguinis & in ſiniſtra ſperma, & matris ſperma ſit debile, quid ſequatur. de ſper. Sp.38.D
Concepti ſi ſunt pater & auus, infans vel puer in hora ſanguinis, infantis mater in horis phlegmatis, & ſperma matris ſuperet, ſed tamen de bile, quid ſequatur. de ſper. Sp.38.F
Concepti pueri in bilis horis natura. de ſper. Sp.37.C
Cõceptus ſi ſit ĩfans in horis choleræ rubræ, qd eueniat. de ſper. Sp.38.B
Cõcepto infanti in ſiniſtra parte matricis in hora choleræ rubræ, genitoribus conceptis in hora ſanguinis, quid accidat. de ſper. Sp.38.B
Conceptio omnis ſi ſit in horis choleræ rubræ, & ſperma patris eſt forte, & matris debile, quid ſequatur. de ſper. Sp.38.E
Concepti pueri in horis melancholiæ natura. de ſper. Sp.37.C
Cõcepta ſi ſit puella in horis. choleræ nigræ, quid ſequat̃. de ſper. Sp.38.B
Conceptus ſi ſit puer in horis cholerę nigræ, pater in horis bilis, mater in horis ſanguinis, quid eueniat. de ſper. Sp.38.D
Conceptio oĩum ſi fuerit in horis atrę bilis, quid ſequat̃. de ſper. Sp.38.E
Concepti pueri in horis phlegmatis natura. de ſper. Sp.37.C
Conceptus puer in dextra matricis parte, in horisq́ phlegmatis ſit conceptio omnium, quid patietur. de ſper. Sp.38.C
Conceptus ſi ſit puer in ſiniſtra matricis parte hora phlegmatis, parentẽs horis ſanguinis, quid ſequatur. de ſper. Sp.38.D
Conceptio parentum, & infantis, & ſperma ſit in ſiniſtra matricis parte, ſi ſit in horis phlegmatis, quid ſequatur. de ſper. Sp.38.C
Conceptus in læua parte vteri conſtitutus eſt frigidior, ſi muliebre ſemen quod in ſiniſtro teſticulo continetur, ſeroſius eſt, atque frigidius. commenta. 5°. aph. 48°. Ex.42.A
Conciperet nunquam mulier fœminam, niſi & viri ſemen, & vterus mulieris frigidior eo tpe fuiſſet in quo concepit. c. 5°. aph. 42°. Ex.41.E
in Conceptu ſtellæ alterant puerum. de ſper. Sp.38.G
Conceptus in tauro vbi habebit mutationes. 3°. de dieb. decr. 4ª.157.G
nõ Cõcipiũt vtero quæcunq; præter naturã craſſæ: iis omẽtũ os vteri cõprimit, et priusq̃ extenuatæ fuerint ñ cõcipiũt. c. 5°. aph. 45°. Ex.41.G
Concipientes extenuatæ præter naturam abortiunt anteq̃ craſſeſcant. cõmen. 5°. aph. 44°. Ex.41.F
Conceptus imbecillis ſignificat ſi mulieri vtero gerenti lac multũ è mammis effluat. com. 5°. aph. 52°. Ex.42.B
non Concipere an ſit culpa mulieris an viri quo modo cognoſcatur. de paſſ. mul. Sp.96.C
vt Concipiat mulier quid agendum. de dyna. Sp.29.F
Concipere nequeuntibus mulieribus opitulatur antidotus Mithridatis Eupatoris diaſcinci nominata. 2°. de antid. 5ª.115.C
nõ Cõcipiẽtib⁹, & qbus mẽſtrua nõ apparẽt potio vtilis. de d. Sp.29.G
ad Conceptionem. de medic. fac. parab. 168.D/E/7ª.176.F/ de dynami. 29.G/de paſſ. mul. Sp.96.C
ad Concipiendum eadem die ſine periculo. de dyna. Sp.29.F
Conceptum ſeu pota, ſeu admota interimit, & eiicit calamintha. 7°. de ſimp. med. fac. 5ª.49.D
Conceptum vetare menta dicitur. de ſimp. med. Sp.87.D
ne Concipiat mulier. de incãt. ad. & ſuſ. 7ª.182.B/de paſſ. mul. Sp.96.C
Concipiat vt nunq̃ mulier. de incant. adiur. & ſuſ. 7ª.182.C
CONCEPTVS animi communes ſeruandi, non ſubuertendi. de multitudine. 3ª.79.C
quæ CONCERTATIO & æmulatio pulcherrima ſit. de cogn. curan. animi morbis. 2ª.53.D
CONCHAE omnes epilepticis malæ. de puero epil. 7ª.180.G
Conchæ vſtæ vnum ex fortiſſimis medicamentis ad achoras. 1°. de comp. med. ſec. loc. 5ª.129.D
CONCHA magna & parua quę menſuræ. de põde. & menſ. 5ª.276.E
Concha parua. 3°. de compo. med. ſec. loc. 5ª.145.A
CONCHLAX eſt nomen fictũ ad riſum. 6°. de ſimp. med. fac. 5ª.40.B
CONCHVLA quæ. introd. Iſa.52.H
Conchularum maris cętcrorumq́ ferè oſtreorum ſuccus planè tum ſalſus eſt, tum ventrem ſoluendi vim obtinet quamuis eorum caro ventrem reprimat. 3°. de ſimp. med. fa. 5ª.20.B
CONCHYLII ſanguis. 3°. de comp. med. ſec. loc. 5ª.143.E
CONCILIARE ſomnos poteſt cucurbitula. de cucur. ſcar. 6ª.3.F
CONCITATIORES motus quid faciat ſeni quã iuueni. 1°. de cauſis pulſuum. 4ª.88.B
ad CONCLVSAM febrem. ſecretorum. Sp.97.C
CONCOCTIO quot modis capiatur. in 6^{m}. de morbis vulgarib. commentario. 6°. 3ª.190.D
Concoctio quid. de fin. me. Iſ.44.F/ 2°. de nat. fa. 1ª.298.A/de ſymp. dif. 12.C/3°. de ſymp. cau. 3ª.29.A/C
Cõcoctio eſt alteratio. 3°. de nat. fac. 1ª.305.C/3°. de ſymp. cau. 3ª.29.A
Concoctio eſt alteratio in ꝓpriã qualitatẽ nutriri. 3°. de nat. fac. 1ª.304.C
Cõcoctio eſt res diuerſa à cõuerſione in cremorẽ. 3°. de nat. fac. 1ª.303.D
Concoctio elixationi ſimilis eſt, cõtra Eraſiſtratũ. 3°. de nat. fa. 1ª.304.D
Concoquit cibos natura valida ſine impedimẽto. de ther. ad Piſ. 5ª.96.H
Concoctio fit à calore innato. 2°. de natu. fac. 1ª.298.A/ in 6^{m}. de morbis vulg. com. 4°. 3ª.183.D/in prog. com. 1°. 196.E/ 4ª.197.C
Concoctio cur fuerit neceſſaria naturę. 1°. de ſan. tu. 2ª.62.H
Cõcoquẽs, & alterãs vis quo mõ cognoſcat̃. in progn. com. 2°. 4ª.200.C
Concoquendi facultas quo modo ſit intelligenda. 3°. de ſan. tu. 2ª.80.C
Concoquendi inſtrumenta, quæ. 3°. de temp. 1ª.22.C
ad Cõcoctionẽ inſtrumenta idonea qualia eſſe debẽt. 3°. de ſym. 3ª.29.D
Cõcoctio fit à ſolidis corporibus ſanis. in 1^{m}. de mor. vul. com. 2°. 3ª.112.C
Concoctio prima ventriculo attribuitur. intro. Iſa.57.D
non Concoquit, ſed appetit os ventriculi. de vict. rat. in morbis acutis, commentario. 1°. 7ª.111.F
Concoctio propria actio ventriculi. 5°. de vſu par. 1ª.143.E/ in 6^{m}. de morbis vul. com. 5°. 3ª.188.B
Concoctio in ventriculo actio naturæ. introd. Iſa.55.B
Concoctio quæ in ventre agitur alteratio eſt. 3°. de ſymp. cau. 3ª.26.C
Concoctio cibi in ventre, aut in viſceribus, & vaſis, qui inibi generatur ſuccus, vnde rurſum pars vnaquęq; nutriatur, eſt alteratio ſecundũ naturam. 5°. de ſimp. med fac. 5ª.33.C
Concoctio vocatur alteratio ipſa vſque quo in ſimilitudinem partis quæ nutritur, tranſmutatur, vbi vero parti apponitur, nutritio. 8°. de cõpo. med. ſec. lo. 5ª.194.C
in Concoquendo eſt vis retentrix in ventre. 3°. de nat. fac. 1ª.305.C
Concoquit facilius ventriculus quęcunque cum voluptate aſſumuntur. com. 2°. aph. 38°. Ex.17.G
Concoctio ciborum in ventriculo, quæ. 3°. de nat. fac. 1ª.303.D
Concocta qñ dicant̃ quæ ſunt in ventriculũ ingeſta. de aſſuetu. 2ª.60.H
Concoctiones efficacius fiunt dormientibus. in 6^{m}. de mor. vulg. com. 4°. 183.D/3ª.185.B/12°. meth. med. 7ª.75.G
Concoquuntur per quietem quę in ventriculo, & in iecore. in 6^{m}. de morbis vulg. com. 3°. 3ª.194.A
Concocto cibo aperitur inferius os ventriculi. 3°. de nat. fac. 1ª.303.D
in Concoctorum ciborum in tenue inteſtinum deſcẽſu, eſt vix expultrix in ventre. 3°. de nat. fac. 1ª.105.C
Concoquere alimentũ ac ſibi aſſimilare eſt principaliſſima iecoris facultas. 8°. de comp. med. ſec. loc. 5ª.194.A
Concoctio quæ in venis agitur eſt alteratio. 3°. de ſymp. cau. 3ª.26.C
in Concoctione venarum, bilis amara, atra, & ſeroſitas ſunt excremẽta. 3°. de ſymp. cau. 3ª.26.A
Concoquunt, apponunt, agglutinant, & nutriuntur puſiones, & qui habent calidum & humidum corpus. 3°. de ſymp. cau. 3ª.29.A
Concoquitur ęgre album ouorum. 12°. meth. med. 7ª.78.A
Concoctu facilia in quibus facile corrumpantur. 2°. de ali. fac. 2ª.17.C
Concoctu difficilia, in quibus non corrumpantur. 2°. de ali. fac. 2ª.17.C
Concoquunt facile carnem bubulam quidam. 7°. meth. med. 7ª.46.D
Concocta & in ſanguinem conuerſa an retineant aliquid propriarum virium. in 6^{m}. de mor. vul. com. 5°. 3ª.194.E
cur non Concoquunt ſenes. 3°. de ſymp. cau. 3ª.29.C
Concoctio vitiata eſt in ſenibus. 2°. de temp. 1ª.16.D
Concoquere male ventriculum ſignificat deiectio nondum in chylũ mutata. de tot. morb. temp. 3ª.188.G
Concoctorum male differentię vt vel ad frigidum pituitoſumq́, vel ad nidoſorum calidumq́ tendunt, faciunt diuerſitatem ſymptomatum. 3°. de ſymp. cauſ. 3ª.30.C
ex Concoctione non probe facta comitialis morbus fit ex ore ventriculi. 5°. de loc. affect. 4ª.32.G
Concoctionem imperfectam indicat ſonitus flatuantis humoris. 3°. de natural. facul. 1ª.303.C
Concoctionem in ſanis, & ægris indicant excrementa. in 1^{m}. de mor. vulgaribus, com. 2°. 3ª.111.H
Concoctio ventris exquiſita ex deiectionibus, iecoris, & venoſi generis ex naturalibus vrinis innoteſcit. de ren. affect. dig. & med. 7ª.196.C
Concoctionem malam oſtendunt ſtercora humida olentia, & plena flatus, in

tus,in aſina.7°.meth.med. 7ª.45.A
Concoctionem alimenti equorum quidam ex ſtercore odorato cognoſcebant,vt bonam habitudinem cognoſcerent.7°.meth.med. 7ª.45.A
Concoctio fruſtrata ventriculi eſt accidens.1°.de loc.aff. 4ª.5.H
Concoquens male ventriculus quo mõ corrigendus.2°.met.me. 7ª.10.H
ad Concoquendũ nõ idoneum ventriculum habenti huic frequenter balneis vti prodeſt.de mel.ex Gal.Ruf.& Poſſ. Sp.110.D
ad Concoctionem,quæ in ventriculo fit adiuuandam,& ad concocta diſtribuenda,ad ſanguinem creandum,ad nutriendum, ad lotium ciendum,& ad recte valentium corpora difflanda vinum aquæ præſtat. in 6^{m}.de mor.vul.com.4°. 3ª.185.C
Concoctionem qui non fecere,ijs dandum vinũ pipere inſperſum.de præcog.ad Poſth. 4ª.219.A
qui Cõcoxerũt parũ qđ medicamẽtũ aſſumere debẽt.4°.de ſa.t. 2ª.85.B
Concoctione qui egent,aſſumant diatrion pipereon ſimplex. 4°. de ſanitate tuenda. 2ª.86.E
Concoctionem difficilem ventriculi imbecillitatemq́; reficit theriaca. de theria.ad Piſ. Sp.96.B
ad Concoctionem vtile medicamentum ex malorum ſucco. 6°.de ſanitate tuenda. 2ª.101.B
ad Concoctionem adiuuandã oxyporiũ.de mel.ex Gal.Ruf. Sp.110.E
ad Cõcoctionib⁹ ægris laborãtẽ ſtomachũ.8°.de cõ.med.ſec.l. 5ª.191.E
Concoctiones iuuans.7°.de comp.med.per gen. 5ª.271.G
ad Concoctiones difficiles antidotus.2°.de anti. 5ª.116.C
Cõcoctionis debilitatẽ nõ facit inedia.8°.de comp.med.ſec.lo. 5ª.187.H
Concoctio tarda non eſt cruditas.8°.de comp.med.ſe.lo. 5ª.194.B
Concoctioni tarditatem creat fluxio frigida.6°.de ſan.tu. 2ª.98.F
ad Cõcoquẽtes tardc.2°.de anti.113.D/8°.de comp.med.ſec.lo.5ª.188.G
ad Concoquentes minus cibum.8°.de comp.med.ſec.lo. 5ª.196.H
Concoquentem male,quæ non neceſſario ſequuntur.3°.de ſymp. 3ª.30.B
Concoctrix vis potior ad febres,quã facultas voluntaria,& vitalis.11° metho.meden. 7ª.70.A
Concoctioni ciborum proſpiciendũ in omni febre.11°.met.me. 7ª.72.F
Concoctio praua febres intendit.11°.meth.me. 7ª.72.F
CONCOCTIO quid ſit in morbo.in 1^{m}.de mor.vul.com.2°. 3ª.111.H
Concoctionis proprium quid.in 1^{m}.de mor.vul.com.2°. 3ª.112.C
Concoctio fundit & eliquat.de opt.ſecta. Iſa.20.C
Concoquentia medicamenta.intro. Iſa.57.H
Concoquentia ſunt medicamenta parum calefacientia,& adſtringentia. 7°.de ſimp.medica.fac. 5ª.53.C
ad Concoctionem facit adſtrictio.7°.de ſimp.med.fac. 5ª.53.D
Concoquentia non habent caliditatem vehementem.7°.de ſimpl.medicamento.fac. 5ª.53.D
Concoctionem iuuant habentia acrem qualitatem.2°.de ali.fac. 2ª.21.G
Concoquentia ſimul & adſtringentia,& diſcutiẽtia quædam enumerat. 4°.de comp.med.ſec.loc. 5ª.150.H
quæ Concoquuntur leni calore indigent.de vict.rat. in morb. acu.commentario.4°. 7ª.140.E
Concoquentia medicamenta quæ ſint.5°.de ſimp.med.fac. 5ª.38.D
Concoquentia medicamenta ex quibus conſtent.intr. Iſa.58.B
Concoquit magis Anethum viride,quàm Anethum ſiccum. 6°.de ſimpli.med.fac. 5ª.43.C
Cõcoquẽtis,et laxãtis facultatis eſt Butyrũ.10°.de ſimp.me.fa.5ª.73.F
Concoquens,& detergens Cachrys.6°.de comp.med.per gen. 5ª.256.F
Concoquere aliqua calorem extrinſecus,& ad melius alterare,quędam diſcutere & euacuare,collige.com.5°.aph.22°. Ex.39.E
Concoctorium Catapotium ex libris Perigenis ad tuſſim et deſtillationẽ. 7°.de comp.med.ſe.loc. 5ª.183.A
Concoquit in lethargo probe Caſtoreum.13°.met.med. 7ª.86.F
Cócoquit Crocus.7°.de ſimp.me.fac. 53.C/8°.de cõ.med.ſe.lo. 5ª.194.F
Concoquit cum adſtrictione crocus.7°.de comp.med.ſec.lo. 5ª.179.A
Concoctorium Eclegma.9°.de comp.med.ſec. loc. 5ª.202.D
Concoquunt tubercula dura Ficus aridæ.8°.de ſimp.med.fa. 5ª.61.E
Concoquit vt butyrum Lanarum ſordes.10°.de ſimp.me.fac. 5ª.77.E
Concoctricem vim habet Lens.in 6^{m}.de mor.vul.com.5°. 3ª.194.C
Concoquit & exiccat mediocriter Lotus domeſtica. 7°.de ſimplici. medicam.facul. 5ª.54.H
Concoquit & digerit Melilotus.7°.de ſimp.me.fac. 5ª.55.D
Concoquunt,& ſuppurare faciunt,dolores Mitigantia.3°.de comp.medicam.ſec.loc. 5ª.146.E
Concoquere communiter facit Piper.4°.de ſan.tu. 2ª.85.A
Concoquere affectiones omnes ſufficienter videtur plurimum Myrrha, & dolores leuare.7°.de comp.med.ſec.loc. 5ª.178.F
Concoquit affectiones myrrha,thus,& crocus.7°.de compoſitio. medicamen.ſec.loc. 5ª.178.G
Concoquit & repellit Roſaceum.2°.de compo.med.per gen. 5ª.220.G
Concoquit & emollit Seuum vitulinũ. 2°.de comp.med.per ge. 5ª.221.D
Concoquit Thus.1°.de comp.me.per ge.214.A/2°. 5ª.219.G
Concoquit manna,mouet pus,& carnem gignit. 2°.de compoſi.medicamen.per gen. 5ª.221.E
Concoquens cataplaſma ex aqua,oleo,& farina triticea.2°.de arte cur. ad Glauconem. 7ª.105.C
Concoquendum quando eſt aliquid,oportet ſpiritum intus ſeruari. 5°.de ſimp.med.fac. 5ª.34.A
Concoquentia medicamenta quibus conducant.intro. Iſa.57.H
de Concoquentibus medicamentis ocularibus. 4°.de compoſi. medicamen.ſec.loc. 5ª.149.H
Cõcoquẽtia qd ad oculos faciãt,& q̃ ſint.4°.de comp.me.ſe.lo. 5ª.150.C
Concoctio qñ maxime fit,tũc eſt affectionis vigor.de tot.morb. 3ª.88.F
Concoctio celere facit iudicium,& celerem ſecuritatem. in 1^{m}.de morb. vul com.2°.112.B/116.F/com.3°. 3ª.124.E
Concoquere,diſcernere,& excernere ſe conſequi, collige.commentario 4°.aphoriſ.23°. Ex.29.H
Concoctis humoribus natura euacuat.quos pur.op.quib.med. 5ª.89.A
Concocti debent euacuari humores in vno loco firmi. quos purg.op.qui. med.& quo temp. 5ª.88.H
Concoctione facta homo amplius non ægrotat.in 6^{m}.de morb.vulg. commentario.3°. 3ª.161.F
Concoctiones ſumuntur ex vrinis,ſputis,& deiectionibus.de totius morbi temporibus. 3ª.88.G
Cõcoctio reddit craſſiorẽ vrinã ac deiectionẽ.in progn.com.2°. 4ª.201.B
Cõcoctus eſt morbus ſi vrina careat cõtẽtis.de vri.ſig.ex Hip.Sp.79.C
abſq; Cõcoctione vrinarũ iudicatus.in 1^{m}.de mor.vul.com.3°.3ª.124.E
ſi Concoctionis indicia adſint,aqua frigida datur.8°.meth.me. 7ª.57.C
Concoctionem neceſſario ſequuntur puris generatio, & eius in aliquod ſpatium abſceſſio.de inæq.intemp. 3ª.43.F
non Concocta & cruda in malos abſceſſus deflectunt, & in quos.in 1^{m}. de mor.vul.com.3°. 3ª.124.E
Concoctio,vide Coctio.
CONCORDIAE de rebus ſenſibilibus certæ & fideles in vita ſunt de ſubfig.empir. Iſa.33.B
Concordãtia optimũ eſt hiſtoriæ iudicatorium.de ſubfig.empir. Iſa.33.B
Cõcordia quæ à rei natura producĩt,dogmatica eſt.de ſubfi.emp.Iſ.33.C
CONCRESCENTIA debent eſſe mollia.3°.meth.me. 7ª.19.A
Concreſcere non poſſunt dura.3°.meth.me. 7ª.19.A
Concretum in humoribus exercitatione ſtatim in ſpiritum vertitur, ac funditur.5°.de ſan.tuen. 2ª.94.D
Concretus eſt ſanguis denigratus,nigra autem bilis abſque concretione. commen.4°.aph.23°. Ex.29.H
ad Concretiones ſanguinis.de medi.fac.par. 7ª.174.D
CONCVRRERE verbum vetus.de palp.tre.conuul.& rig. 3ª.54.H
CONCVTI & excuti verbum vetus. de tremore palpitatio. conuulſ. & rig. 3ª.54.B
CONCVBITVS quandoq; refrigerando quibus proſit.in 6^{m}.de morb. vulg.commen.5°. 3ª.193.B
Concubitus exiccat vt vigilia quo modo. in 6^{m}.de morbis vulgaribus, comment.6°. 3ª.192.G
Concumbentibus imbecillibus vires imbecillitantur.3°.de ſa.t. 2ª.81.D
Concumbentibus robuſtis corpora rareſcunt potius quàm in imbecillitatem mutentur.3°.de ſan.tuen. 2ª.81.E
Concumbentes robuſti quomodo corrigantur.3°.de ſan.tu. 2ª.81.E
Vide Coitus.
CONCVPISCIBILIS anima,& altrix idem.de fœt.for. 1ª.323.C
Concupiſcibilis anima proprie,quæ.ꝙ animi mores. 1ª.317.E
Concupiſcibilis pars animæ irrationalis.2°.de decr.Hip. 1ª.239.G
Concupiſcibilis,rationalis,& iraſcibilis, ſunt partes diuerſæ ſecundum Platonem.5°.de decr.Hip. 1ª.259.G
Concupiſcibilis,iraſcibilis,rationalis tres ſunt animę facultates.in Tim. Platonis. 1ª.287.C
aduerſus Concupiſcibilem habitantem in corpore facultatem iraſcibilẽ rationali opitulari.in Tim.Plat. 1ª.287.C
Concupiſcibilẽ nunquam adiuuat iraſcibilis.5°.de decr.Hip. 1ª.259.G
Concupiſcibilem quando ſequitur ratio ſponte vnà cum ratione etiã accedit iraſcibilis.5°.de decr.Hip. 1ª.259.G

Concupiſcibilis pars animæ dicitur à Platone, quæ ab Ariſtotele altrix, & naturalis. quòd animi mores. 1ª.318.E
Cõcupiſcibilis anima à Platone, vegetabilis ab Ariſtotele, natura à ſtoicis appellatur. de fœt. for. 1ª.326.B
Concupiſcibilis, non proprio, ſed communi vocabulo à Platone ſolet nominari anima ratiocinatrix & iraſcibilis. ꝙ animi mo. 1ª.317.E
de Concupiſcibili parte quid ſentiat Ariſtoteles, & Poſſidonius. 5°. de decretis Hipp. 1ª.259.F
Concupiſcibilis an ſit mortalis vel immortalis ſcire non confert medicinæ, neq; morali. 9°. de decr. Hipp. 1ª.286.E
Concupiſcibilis in iecore ſita eſt. 9°. de dec. Hip. 1ª.285.E/ *3°. de locis affectis.* 4ª.16.E
Concupiſcibilis facultatis principium eſſe iecur demonſtratio. 8°. de decretis Hippocra. 1ª.273.H
Concupiſcentię viſcus non debet eſſe calidiſſimum. 6°. de decr. 1ª.266.G
Concupiſcibilem potentiam eſſe in corde, Ariſtotelis eſt dogma, nõ Stoicorum. 3°. de decre. Hipp. 1ª.246.F
Cõcupiſcibilis animę pars vbi, ſecũdũ Platonem. 6°. de decr. 1ª.267.A
Concupiſcibilem, & iraſcibilem habent animalia irrationalia. 5°. de decretis Hippocra. 1ª.258.E
Concupiſcibilis anima ſeparata eſt ab alijs, ſecundum Platonem, in ſtirpibus. 6°. de decre. Hip. 1ª.261.F
CONCVPISCENTIA *quid, ſecundum quoſdam. 5°. de decretis Hippocratis.* 1ª.259.B
Concupiſcentia (ſecundum quoſdam) praua eſt, & ſolum in prauis, & in ſtultis. 5°. de decr. Hip. 1ª.259.B
ex Cõcupiſcibilibus ad voluptates trahimur. 5°. de decr. Hip. 1ª.256.H
Concupiſcibilis facultas ſi tollatur, continentia & temperantia non eſt. 5°. de decre. Hip. 1ª.259.A
CONCVRSVS *quid. fin. med.* Iſa.46.A
Concurſus ſunt collectiones eorum quæ acciderunt, quæ conſiderãtur ab empiricis. de ijs quæ in med. ſi. com. 1°. 7ª.198.G
per Concurſus empirici faciũt doctrinã. 2°. de comp. me. ſe. lo. 5ª.134.C
de CONCVSSIONE *terræ. de hiſt. philoſ.* Sp.8.E
CONCVSSIONES, *muſculorum propriæ affectiones. 1°. de differen. reſpiratio.* 3ª.61.C
Concuſſio cerebri, & in ſpinæ vertebris fit quãdoq; ob caſum totius corporis violentum ex locis altioribus. com. 7°. aph. 58°. Ex.59.B
Concuſſum quibus aliqua ex cauſa fuerit cerebrum, neceſſe eſt ſtatim mutos fieri. com. 7°. aph. 58°. Ex.59.B
Concuſſio cerebri cur facit mutos. com. 7°. aph. 58°. Ex.59.C
Concuſſio cordis quo modo fiat in amante, & duo ſpiritus ab eo exeant. de compag. memb. ſiue de nat. hu. Sp.59.C
Concuſſio per interualla citra perpetuam conuulſionem cur fieret in epilepſia. 3°. de loc. aff. 4ª.20.A
Concuſſio in rigore, in morbis quo modo fiat. in 3^{m}. de morb. vulgaribus, commenta. 1°. 3ª.129.G
Concuſſio rigor. 1°. de dieb. decr. 4ª.148.A
Concuſſio, id eſt rigor, quo modo fiat. 10°. meth. med. 7ª.62.H
Concuſſiones faciunt mordicantia. 10°. meth. med. 7ª.65.G
ad Concuſſionem, & dolorem ſtomachi cum ventris dolore remedium. de dynamid. Sp.27.A
in CONDEMNATIS *ad mortem omnium ferè ſimplicium quæ venenis aduerſantur vim experti ſunt Mithridates & Attalus. 1°. de antidotis.* 5ª.99.E
CONDENSANS *appellant quod poros contrahit. 5°. de ſimpli. medica. facultat.* 5ª.35.F
Condenſantium natura frigida eſt ſanè, ſed non terrena, neque aerea; ſed potius aquea. 5°. de ſimp. med fac. 5ª.35.F
Condenſantia, gręce πυκνωτικὰ, quę ſint. 5°. de ſimp. med. fa. 5ª.35.H
Condenſatoriæ & extenuatoriæ, frigidę & calidę temperantiæ eſt aloe. de cathart. Sp.94.E
CONDERE *eſt eius quod fuit prius. 2°. de nat. fac.* 1ª.298.H
CONDIMENTA *à græcis vocata ὑποτρίμματα. 2°. de alimentor. facultatibus.* 2ª.24.G
Condimentum cuminum & fœniculũ. 1°. de cõpo. med. ſec. lo. 5ª.128.E
ad Condimenta excipienda vtuntur tuberibus. 2°. de alim. fa. 2ª.25.B
Condimentum acre debet adhiberi piſcibus cetaceis, & quale. de attenuante vict. 2ª.46.B
Condimenta qualia eſſe debent apud medicos. 2°. de ali. fac. 2ª.23.F
Condimentum carnium in epilepſia. de pue. epilep. 7ª.180.G
CONDITIO *ægri eſt natura morbi. in progn. com. 1°.* 4ª.189.C
in Conditione frigida non eſt exitioſa facies Hippocratica. in prognoſti. commen. 1°. 4ª.191.E
CONDITIONALIVM *ſyllogiſmorum ſpecies ſeptem. de hiſtoria philoſophica.* Sp.3.E
CONDITVM *inter nouem ſpecies ſaporis numeratur. de compa. mẽb. ſiue de nat. hum.* Sp.58.D
ex Cõdito quædã exhibent, quædam ex aqua. de rem. par. fac. 7ª.160.B
CONDRILLA *eſt nomen ſpeciei oleris à ruſticis impoſitum. de attenuante vict. rat.* 2ª.44.B
Condrilla haud dubie eſt frigida. in 6^{m}. de mor. vul. com. 5°. 3ª.194.B
CONDVCENS, *conueniens, conferens, ſecundum naturam, & vtile, idem ſunt. 14°. meth. med.* 7ª.91.A
CONDYLOMA *quid. fin. med.* Iſa.49.C
ad Condylomata matricis. de paſſ. mul. Sp.96.C
ad Condylomata. 9°. de comp. med. ſec. loc. 204. F/H/ 1°. de compo. med. per gen. 217. A/ 2°. 223. A/D/ 225. B/ 227. A/ 5°. 247. A/E/ 249. H/ 251. F/G/H/ 5ª.252.E/H
CONDYLON. *de muſcu. diſſect. 48. D/ 11°. de vſu partium. 191. C/ 1°. de motu muſcu.* 1ª.312.C
Condylus quæ pars ſit in brachio. de fracturis. comment. 1°. 226. E/ commentario. 3°. 7ª.249.A
CONION, *id eſt cicuta. 7°. de ſimp. med. fac.* 5ª.53.H
CONFECTVM *& fermentatum, aut nimis digeſtum quod eſt ex pane, aut tenuius coctum eſt, cibus craſſus, & cur. de diſſ. cont.* Sp.72.H
Cõfectiones oẽs ſunt optimæ, & nõ optimæ. 1°. de cõp. me. per ge. 5ª.215.B
de Confectionibus internis librum fecit Andromachus. 7°. de compoſi. medi. ſec. loc. 5ª.182.D
Confectio Apollonij. 7°. de comp. medi. ſec. loc. 5ª.183.F
Confectio ad coitum. ſecretorum. Sp.100.A
Confectum vt Eunomus. 5°. de comp. me. per ge. 5ª.254.A
Confectio emplaſtri melini Menæti. 2°. de comp. med. per ge. 5ª.222.G
Confectio finiens febrem Pamphili pharmacopolæ. 7°. de comp. medicamen. ſecun. loc. 5ª.183.A
Confectio medicamenti Moſchionis ad fracturas ſecundum ordinem ſimplicium ingredientium. 2°. de comp. med. per gen. 5ª.225.E
Confectio ex fructibus. 8°. de comp. med. ſe. loc. 5ª.189.E
Confectio Gari Ioachi martyropolitæ. de medic. fac. par. 7ª.175.B
Confectio gari optima. de medic. fac. par. 7ª.175.C
Confectio Biennij ad hydropas. 9°. de comp. med. ſec. lo. 5ª.200.H
Confectio Hygyni emplaſtri. 2°. de comp. med. per gen. 5ª.223.B
Confectiones Hypoglottides, quæ. 7°. de comp. med. ſec. lo. 5ª.179.F
Confectio Iſotheos. 7°. de comp. med. ſec. loc. 5ª.183.G
Confectio ad lapidem. de cura lap. Sp.111.H
Confectio quæ prouocat menſtrua. ſecretorum. Sp.99.C
Cõfectio Proxeni, in vſu Antonij Muſæ. 7°. de cõp. med. ſe. lo. 5ª.182.D
Confectio Apollonij ad tuſſim. 7°. de comp. med. ſec. loc. 5ª.183.B
Confectio ad tuſſim Sacrificuli. 7°. de comp. med. ſec. loc. 5ª.182.E
CONFERENS, *conueniens, conducens, ſecundum naturam, & vtile, idem ſunt. 14°. meth. med.* 7ª.91.A
Conferentium iudicatio ab affectibus non prouenit contra methodicos. de opt. ſecta. Iſa.21.D
CONFERTA *quæ dicantur. 4°. de dign. pulſ.* 4ª.83.G
in CONFESSA *re de nominibus litigare obſcenum. in prognoſt. commentario. 3°.* 4ª.209.C
CONFICIENDI *emplaſtri albi Ariabarzanij, modus. 1°. de comp. medica. per gen.* 5ª.216.D
Conficere cibos & nutriri ęgris vtiliſſimum. in 6^{m}. de morbis vulgarib. commen. 4°. 3ª.180.F
CONFIRMATVRIO *quid ſignificet. de artic. com. 1°.* 7ª.251.H
CONFLATILE *æs facilius rumpitur ductili. de machin.* 7ª.309.E
CONFLVXILE *ſibi totum corpus & conſpirabile. de vſu pulſuum.* 1ª.228.B/H
CONFORMATIO *ex his eſt quæ neceſſario accidunt. 1°. de vſu partium.* 1ª.115.E
Conformatio oſſium quæ appelletur. de fract. com. 1°. 7ª.224.C
CONFORTANT *confortatione plurima ſomni multi poſt cibum. de diſſol. cont.* Sp.72.G
Confortatiuum, conſtrictiuum, & conſolidatiuum eſt vinum mixtum licio, & nitro. de oculis. 7ª.189.G
Confortans Calorem naturalem in corporibus ſenum, medicamen. de medicin. exper. Sp.108.A
ad Confortandum Cerebrum capitis ablutio. ſecretorum. Sp.98.A

Confortans

Confortans Cor, & hepar, & ſtomachum medicina. de medicinis expertis. Sp.107.B
Confortans Digeſtionem compoſitio.ſecre. Sp.102.A
in Confortatione Hepatis, & omnium membrorum interiorum quid ſit optimum.de med.exper. Sp.105.F
Confortant hepar fiſtici.de diff.cont. Sp.74.G
Cõfortat hepar electariũ rhabarbari.de med.exper. 105.E| Sp.108.B
Confortans hepar confortatione maxima electarium ſquinanthi.de medicinis exper. Sp.107.H
Confortans hepar confortatione magna medicamen. de medicinis expertis.105.B| Sp.108.B
Confortans Inteſtina, & membra interiora medicamentum.de medicin. expertis. Sp.104.G
Confortans Membra frigida medicamen.de med.exper. Sp.104.E
Confortans Stomachum drachmæ duæ aloes.de med.exper. Sp.106.E
Confortat ſtomachum decoctio corticis fiſtici.de med.exper. Sp.104.D
Confortat ſtomachum debilem valde decoctio maſtiches. de medici.expertis. Sp.104.D
Confortans debilem ſtomachum electarium.de med.exper. Sp.108.A
Confortans ſtomachum medicina.de me.exper. Sp.105.A|G
Cõfortãs ſtomachũ, & hepar electariũ agarici.de med.exper. Sp.108.C
Confortans Virtutem retentiuam medicamen.de med.exper. Sp.106.D
CONFRACTA oſſa cur prius extendenda.de fract.com.1°. 7ª.224.B
CONFVSIO õium quid ſignificet.in 6m.de mor.vul.com.3°. 3ª.170.C
Confuſio in diuerſis febribus quid.2°.de diff.feb. 3ª.39.F
Confuſio in oculo quid.ſin.med. Iſa.48.D|E
ad Confuſiones oculorum.4°.de comp.med.ſec.loc. 5ª.155.B
Confuſe, & imperfecte formant voces qui habent foramina naſi ſtricta, vel oppilata.de anat.viu. Sp.49.B
CONGELATA pluuia fit grando.de vtil.reſp. Sp.62.E
Congelata nubes fit nix.de vtil.reſp. Sp.62.E
Congelatum membrum omne terreſtre, ſenſu priuatum, ex melancholia eſt.de anat.viu. Sp.45.F
Congelari, & refrigerari quo modo differant.1°.de ſimp.med.fa. 5ª.5.B
Congelatio fit ab algore.1°.de diff.feb. 3ª.34.D
Cõgelant corpora vehemẽti dũtaxat frigore.4°.de ſim.me.fac. 5ª.32.H
Congelatio ex frigore pulſum durum facit.1°.de dif.feb. 3ª.34.B|D
Congelationibus vocatis paſſionibus non nulli affliguntur. de different. morborum. 3ª.3.E
à Cõgelatione induratũ excalfieri poſtulat.4°.de ſimp.me.fac. 5ª.32.G
Congelatum ſanguinem in ſtomacho & veſica quid diſſoluat. de cura lapidis. Sp.112.H
ad Congelatum ſanguinem in veſica.de cura lap. Sp.112.F
CONGLVTINARE vlcera non poteſt alumen, nec æs vſtum, nec æris ſquama.1°.de ſimp.medica.fac. 5ª.7.G
Conglutinandi, & purgandi quo modo ſint ſinus. de iis quæ in medicatr. fiunt.com.2°. 7ª.211.H
Conglutinat ſinus ꝓfundos melicratũ.2°.de ar.cur.ad Glau. 7ª.106.C
Conglutinat magna vulnera ſcordion.8°.de ſimp.med.fac. 5ª.60.H
Conglutinans emplaſtrum.5°.de comp.med.per ge. 5ª.249.A
Conglutinans helleſpontia.6°.de comp.med.per gen. 5ª.159.E
Cõglutinãs & dolore vindicans medicm.5°.de com.me.per ge. 5ª.149.H
Conglutinans excolando.6°.de compoſi.med.per gen. 5ª.256.H
Conglutinans vulnera.1°.de com.me.per ge.215.G|5°. 5ª.248.C|D
Conglutinans perfecte.5°.de comp.med.per ge. 5ª.245.G
Conglutinata an bene ſit pars profunda ſinus, & fiſtulę, quo modo cognoſcatur.2°.de arte cur.ad Gla. 7ª.106.D
CONGIVM quę menſura ſit.6°.de comp.medicamen.ſec.lo. 5ª.170.A
Congium menſura dicta non eſt apud omnes eiuſdem capacitatis.de ſalubri dięta. 2ª.41.F
Cõgiũ atticũ mẽſurã eſſe magnę capacitatis, collige.de ſal.diæ. 2ª.41.F
Congius quot minas capit.5°.de comp.me.per ge. 5ª.248.B
quã Congij maris magis ignorantur, prouerbium.in prognoſtica, commentario.3°. 4ª.208.E
Congij meminit.de nat.fac.296.E|8°.de comp.med.ſec.loc. 189.E|196.B|4°.de comp.med.per ge. 5ª.244.A
Congius quæ menſura, vide Chus.
CONGRI habent carnem duram, ęgre conficiuntur, & pariunt ſuccos craſſos & ſalſos.3°.de ali.fac. 2ª.31.E
Κονία, ideſt lixiuium.4°.de ſimp.med.fac.25.A|7°.52.B|9°. 5ª.69.G
CONIECTVRA habet multas ſpecies. 3°.de compoſi. medicamentorum ſec.loc. 5ª.144.D
Coniectura artificioſa, quę.1°.de criſ. 4ª.128.F
Coniectura artificioſa media eſt inter exactam notitiam, & omnifariam ignorantiam.1°.de locis affectis. 4ª.3.D
Cõiecturæ artificioſę in actionib.aliqñ aberrãt.cõ.4°.aph.12°. Ex.27.E
Coniicere artificioſe eius eſt qui omnia didicerit, meminerit, exercuerit. de vict.rat.in mor.acu.com.2°. 7ª.122.A
Coniecturalis non eſt medicina, ſed ſcientifica in curatione. 2°.de comp. med.ſec.loc. 5ª.135.H
Coniecturalis à quo maxime fiat medica ars.de curandi ratio. per ſang. miſſionem. 6ª.18.H
Coniectura artificioſa in quo conſiſtat.3°.de loc.aſt. 4ª.15.B
Coniecturale artis in affectionum cognitione conſiſtit.2°.de comp.medicam.ſecun.loc. 5ª.136.A
Coniectura poteſt fieri à cauſis procatarcticis.3°.de compoſitio.medicamen.ſec.loc. 5ª.144.D
CONIVNGANTVR quo modo ſpermata.de compagine membrorum, ſiue de nat.hum. Sp.59.E
CONIVGATIONES quatuor faciunt duæ oppoſitiones inter ſe complicate.3°.de diff.reſp. 3ª.69.G
Coniugia reſpirationum quatuor conſtituunt duæ oppoſitiones inter ſe ꝑmutatæ, denſa & velox, rara, & tarda.1°.de diff.reſp. 3ª.62.E
Coniugatio prima neruorum à cerebro orientium.de ner.diſſ. 1ª.53.C
Coniugatio prima neruorum eſt mollior cæteris.de ner.diſſ. 1ª.53.D
Coniugatio ſecunda neruorũ à cerebro qualis, & vbi.de ner.diſ. 1ª.53.D
Coniugatio tertia neruorum à cerebro qualis & quorſum tendat.de neruorum diſſectio. 1ª.53.D
Coniugatio tertia neruorũ diuidit in multas partes.de ner.diſſ. 1ª.53.E
Coniugatio quarta neruorũ à cerebro qualis & quorſum tendat.de neruorum diſſectione. 1ª.53.D
Coniugatio quinta neruorum à cerebro orientium, qualis, & vnde orta. de ner.diſſect. 1ª.53.G
Coniugatio ſexta neruorum à cerebro orientium qualis & vbi.de neruorum diſſectione. 1ª.53.H
Cõiugationis ſextæ neruorũ à cerebro diſtributio.de ner.diſſ. 1ª.54.B
Cõiugationẽ ſextã neruorũ ñ eẽ totã ſecãdã, collige.4°.de lo.af. 4ª.26.C
Coniugatio ſeptima neruorũ à cerebro prodeuntium.de ner.diſſ. 1ª.53.H
Coniugatio neruorum guſtatoria, quæ.de ner.diſſ. 1ª.53.F
Coniugatio prima neruorum à ſpinali medulla quæ in colla quo modo procedat.de neru.diſſect. 1ª.54.D
Cõiugatio prima colli neruorũ in ãialibus hñtib9 magnas vertebras magna ẽ, vt ãialia hñtia dẽtes ſerratos, et cornigera.de neru.diſ. 1ª.54.E
Coniugatio ſecunda colli neruorum vbi, & qũo exit.de ner.diſ. 1ª.54.E
Coniugatio tertia neruorum colli vbi, & qũo exit.de ner.diſſ. 1ª.54.F
Coniugationũ neruorum q̃ in collo ſunt cõia quędam.de ner.diſſ. 1ª.54.F
Coniugationum neruorum in collo particularia.de ner.diſſ. 1ª.54.G
Coniugatio prima colli neruorum in animalibus habentibus paruas vertebras parua eſt vt in ſimijs.de ner.diſſ. 1ª.54.E
Cõiugationes neruorũ ex thoracis vertebris ꝓdeũtiũ.de ner.diſ. 1ª.54.H
Coniugationes neruorũ prodeuntiũ ex vertebris lũb.da ner.diſſ. 1ª.55.B
à Coniugatione tum prima, tum tertia, tum ſexta nerui perueniunt ad iecur, ad lienem, ad renes, ad ventrem, ad viſcera.de ner.diſ. 1ª.54.D
à Coniugatione ſexta pulmo, ac cor quandam neruorum portionem in collo ſuſcipiunt.de neru.diſſe. 1ª.54.D
ſine Coniugio neruus vnus ſolus, & qui.de ner.diſſ. 1ª.53.E
Coniugationes muſculorum quæ in capitis dearticulationes habẽtur vbi. de muſc.diſſ. 1ª.45.G
Coniugationes quatuor muſculorum maxillam inferiorem mouent, & vbi ſiti.de muſ.diſſ. 1ª.44.G
CONIVNGENTES ſcutiformem chartilaginẽ muſculi, qui.de muſcu. diſſect. 1ª.46.B
Coniungentes fines chartilaginis muſculi, qui.de muſc.diſſ. 1ª.46.B
Coniungere vbi diducta neceſſe eſt, vinculum.de faſc. 7ª.295.F
CONIVNCTIONIBVS diſiunctiuis in quo ſermone vtamur.de ſymptom.diſſ. 3ª.13.F
Coniunctio ſubdiſiunctiua non diſiunctiua.de mul. 3ª.76.D
Coniunctio puncti cum ſuperficie in pineata figura egregie fit. de anato. viuorum. Sp.52.F
in CONIVNCTIONIBVS caro alba, & mollis eſt.de anatomia viuorum. Sp.44.D
CONIVNCTIVA quæ tunica ſit, & vbi.de ana.viu. Sp.48.G
CONIVNCTIVA panniculus oculi.de ocul. 7ª.182.H
Coniunctiua eſt oculi tunica quæ apparet alba.de anat.par. Sp.43.D

Coniunctiua ſeptima ex oculorum tunicis extrinſecus adnata, vnde originem ducat.10°.de vſu par. 1ª.128.C
Coniunctiua vnde procedit.de oculis. 7ª.183.C
Coniunctiua habet ſex parta lacertorum ad motum oculi perficiendum. de anat.viuo. Sp.48.G
in Coniunctiua ſeptem morbi.de ocul. 7ª.186.F
CONIVNCTAE *ſunt vena pulſatilis & quieta, et quo modo.de anatomia viuorum.* Sp.56.D
Coniunctum in excrementis quo modo intelligatur.1°.de cri. 4ª.129.B
CONYLE *.i.origanus agreſtis.8°.de ſimp.med.fac.* 5ª.57.E
CONNEXIO *ex his eſt quæ neceſſario accidũt.1°.de vſu par.* 1ª.115.E
Cõnexũ retiformẽ quæ arteriæ faciant.de decr.Hipp.& Pla. 1ª.233.A
CONNIVERE *quid ſit.in 6^m.de mor.vul.com.6°.* 3ª.188.F
cur Conniuent oculis melãcholici.de mel.ex Ga.Ru.& Poſſ. Sp.109.E
Conniuentia oculorum vlceratio.fin.med. Iſa.48.D
CONSANGVINEI *vnde dicant.de nat.& ord.cuiuſ.cor.* Sp.42.C
CONSENSVS *communis eſt,nihil ſine cauſa fieri.de decr.* 1ª.250.F
Conſenſus quantus ſit oris ventriculi,& cordis acq; cerebri. 5°.de locis affectis. 4ª.32.H
ꝑ Conſenſum,& propria rõne idẽ põt laborare.1°.de loc.affe. 4ª.4.H
per Conſenſum affici quid ſignificet.1°.de lo.aff.6.E/2°. 4ª.14.C
Conſentiat ne alteri,an ipſa afficiatur ſedes,primo actione vitiata conſiderandum.3°.de loc.aff. 4ª.15.C
per Conſenſum quãdo ſit prima affectio & quo modo cognoſcatur.3°. de locis affect. 4ª.17.A
per Conſenſum partem læſam,nondum habere permanentem diſpoſitionem,collige.3°.de loc.aff. 4ª.14.D
per Conſenſum affectus,deletis cauſis efficientibus, deficit. 3°.de locis affectis. 4ª.17.B
per Conſenſum quando fit affectio,cui parti adhibenda ſint remedia.2°. de locis affect. 4ª.13.G
Conſentiens quę pars proprie dicatur.3°.de lo.aff. 4ª.14.E
in Conſentientibus indicationibus, & diſſentientibus quo modo victus ratio ordinanda.8°.meth.med. 7ª.55.A
Cõſentiẽtes diſpoſitiones corporũ læduntur facile.1°.de diff.feb. 3ª.32.D
CONSEQVENTIA *vaſa ſeminaria quę ſint.de anat.vi.* Sp.51.G
quæ CONSERVANTVR *perpetuo ac memoria tenentur.2°.de mot. muſcu.* 1ª.315.G
Conſeruatrices artes quæ ſint.ad Thraſ. 2ª.104.C
Conſeruatricis artis diuiſio.ad Thraſ. 2ª.106.E
Conſeruatio eſt cõis actio corporum ſanorum.ad Thraſ. 2ª.108.F
Conſeruat quies in eodẽ ſtatu:motus vero tranſmutat, atque alterat corpus.com.4°.aph.14°.28.G/aph.34°. Ex.17.C
ad Conſeruationem ſubſtantiæ cerebri eſt indigentia cordis,& hepatis. de mot.man.& obſ. Sp.66.G
ad Conſeruandam ſanitatem oculi alchohol ſecret. Sp.97.F
ad Conſeruandam ſanitatem corporis ſyrupus acetoſus.ſecr. Sp.103.D
ad Conſeruationem ſanitatis tum ad eiuſdem recuperationem optimum pręſidium eſt ſcarificatio in cruribus.de cucur.ſcar. 6ª.3.H
ad Conſeruationẽ ignis neceſſarius eſt aer,non,vt quidam putant,propter refrigerationem,ſed nutrimenti cauſa.de vtil.reſp. Sp.63.H
Conſeruetur quo modo ſuccus centaureę.de vir.cent. Sp.93.A/B
CONSIDENTIA *ſiue conſiſtentia ſiue cõſequentia morbum ſunt quæ græce συνεδρεύοντα dicuntur.de vic.ra.in mor.acu.c.4°.* 7ª.134.F
CONSIDERATIONIS *initium vnde fieri debet in omni re,& quæ ſequuntur.de optima noſtri corpo.conſti.* 1ª.38.A
Conſideratio pertinet ad præſagiũ in 1^m.de mor.vul.com.2°. 3ª.112.A
non Conſiderantes,& aliquid agentes dormientibus ſunt ſimiles.1°.de differen.reſp. 3ª.60.A
Conſilium.i.Metis.3°.de decr.Hipp. 1ª.247.C
Conſilium in pectore ſecundum poetam.3°.de decr.Hip. 1ª.242.D
Conſilia potentior ira in Medea.3°.de decr.Hip. 1ª.243.A
Cõſiliũ Thucydidis, Agẽtes aliquid vel periclitari.10°.met.m. 7ª.67.D
Conſilium de abſurdis,& admirabilibus medicinis à Galeno petebant omnes medici Romæ.de artic.com.1°. 7ª.255.H
CONSISTENS *ætas ad iuuentutem comparatur,vt autũnus ad æſtatem.com.3°.aph.30°.* Ex.26.D
Conſiſtentes declinant, quare collige incipere nos tranſacta iuuentute, declinare.com.3°.aph.3°. Ex.26.D
Conſiſtentibus & iam declinantibus terreſtris ſubſtantia ſuperabundat & minor eſt natiui caloris ſubſtantia,quam recenter natis.commen. 1°.aphor.14°. Ex.7.F
Conſiſtentes nõ habẽt calidũ corpus,vt prius.com.3°.aph.30°. Ex.26.E
Conſiſtentes habent paucum ſanguinem.com.3°.aph.30°. Ex.26.E
Conſiſtentibus hyems optima eſt.com.3°.aph.18°. Ex.23.H
Conſiſtentes habent proprias paſſiones hęmorrhoidas, & melancholia. com.3°.aphoriſ.30°. Ex.26.F
Conſiſtentię ętas bilioſiſſima omnium.2°.de diff.feb. 3ª.36.D
Conſiſtens ætas gignit flauam bilem.com.1°.aph.2°. Ex.3.D
Conſiſtentium ętate tertianæ febres maxime fiunt.2°.de dif.feb. 3ª.36.D
Conſiſtentibus phrenitides,& ardores,& choleræ, & difficultates inteſtinorum iuuenibus accidunt,occaſionem ſui ortus à flaua bile capiẽtes.com.3°.aph.30°. Ex.26.E
CONSISTENTES *humores deriuantur.2°.de arte cur.* 7ª.102.F
Conſiſtentiam eſſe etiam in vinis,collige.com.4°.aph.21°. Ex.29.D
Conſiſtentiæ indicant de temperamento plantæ.2°.de ali.fa. 2ª.24.E
Conſiſtentia medicamenti cuiuſque non eſt conſideranda.2°.de ſimpl.medicamen.facultat. 5ª.10.A
ex Conſiſtentia cuiuſq; medicamenti exiſtentem in ſingulis facultatem inuenire tentantes reprehenduntur.3°.de ſimp.med fac. 5ª.17.C
Conſiſtentia quid in febrium circuitibus.de mor.temp. 3ª.86.B
Conſiſtentia febris quando ſit.2°.de dif.feb. 3ª.42.D
Conſiſtentia morbi quo modo comprehendatur.1°.de criſ. 4ª.126.B
CONSOLATIONES *ęſtus quæ.de cauſ.procat.* 3ª.96.A
CONSOLIDA *ad vulnera conſolidanda valet.de dyna.* Sp.35.F
CONSOLIDANTVR *celerius fracturæ ſi fomententur aqua, in qua lentiſci folia ſint decocta.de ſimp.med.* Sp.86.B
quæ Conſolidari non poſſint.3°.meth.med. 7ª.16.E
CONSONANTIA *ſumma & exactiſſima in lyris vnica eſt & in ſectilis,quæ in vſum hoĩum venit,hẽt latitudinem.1°.de ſani.tu.* 2ª.64.B
CONSORTIA *partium affectarum tribus modis fiunt. in 3^m.de mor. vulg.com.1°.* 3ª.130.C
CONSPIRABILE *ſibi totum corpus & confluxile. de vſu pulſuum.* 1ª.228.B/H
Conſpiratum confluxumq; in noſtris corporibus eſſe ait Hippocrates.1°. de naturalib.faculta. 1ª.293.G
CONSTANTIA *aĩ ab atra bile proficiſcitur.de natu.hu.cõ.1°.* 1ª.33.B
Conſtantia quædam habent ſuam eſſentiam.2°.meth.med. 7ª.10.A/B
CONSTANT *animalia,& homo ſolidis,humidis,et ſpiritibus. breuis denotatio dogmatum Hipp.* 1ª.231.A
CONSTIPATIONIS *cauſa eſt virtutis contentiuæ motus immodicus.de cau.mor.* 3ª.9.B
Conſtipat habitum corporis vſtio.10°.meth.med. 7ª.61.G
Conſtipans naturam medicamentum.de med.exper. Sp.104.G
Conſtipata rarefacit chamæmalum.3°.de ſimp.medica.fac. 5ª.18.H
Conſtipata pectora mollit diapenidion minus.de dyna. Sp.26.D
Conſtipatæ venæ ꝑ induratis,& quę ægre intendant.de ſal.dię. 2ª.42.G
CONSTITVERE *quid in Aſia ſignificet.de fract.com.3°.* 7ª.246.H
CONSTITVTIO *vnum ex tribus principijs medicinæ.intr.* Iſa.50.H
Conſtitutio artis medicę apud empiricos.de ſectis. Iſa.16.A
Conſtitutio omnis artis à finis notione.de conſt.ar. Iſ.36.D
Conſtitutiones,& colligationes diuerſarum rerũ non natura,ſed arte factę,quas natura imitatur.de anat.adm. 1ª.73.A
Cõſtitutiones tres corporis,optima,vitioſa,ægrotãs.de conſt.ar. Iſa.38. H/de oculis. 7ª.185.E
Conſtitutio optima corporis,quæ.de optima noſtri corporis conſtitutione.37.H/38.A/C/1°.de vſu par. 1ª.115.C
Conſtitutio optima idem cum diſpoſitione habitudine,habitu,& de natura.opti.noſt.corp.conſt. 1ª.37.C
Conſtitutio optima in quibus.de opt.noſt.corp.conſt. 1ª.38.B/G
Conſtitutionis indicia vnde ſumantur.ars med. Iſa.62.G
Conſtitutionis optimæ ſigna ab eſſentia.ars med. Iſa.62.G
Conſtitutio optima,nec re medica indigeret ſi corpus eſſet impatibile. ars medicinalis. Iſa.68.B
Conſtitutio corporis eſt cauſa ad actionem.1°.meth.med. 7ª.8.D
Conſtitutiones prauæ corporis aliquando ſunt cum intemperie totius, aliquando vero partis.in 6^m.de mor.vul.com.4°. 3ª.186.G
in Conſtitutionum,vel functionum genere morbum & ſanitatem ponere ad quã diſputationem nihil referat.1°.de ſan.tu. 2ª.64.C
Conſtituta eſt lingua à natura vt aerem poſſit percutere. de vocalium inſtrumentorum diſſectione. 1ª.106.E
Conſtitutio bronchi ex quibus ſit.de voc.inſtr.diſſ. 1ª.106.E
Conſtitutionis anni conſideratio ad temperaturas vtilis eſt.commen.3°. aphor.16°. Ex.23.C

Conſtitutiones omnes & complexiones locorũ & temporũ q̃uo vnus per methodum facile poſſit habere.com.3°.aph.14°. Ex.22.D
Conſtitutio pręſens ad dignotionem & ſpeciem euacuationis facit. com. 4°.aphor.2°. Ex.27.G
Cõſtitutionis calidæ & ſiccæ extenuant corpora.c.2°.aph.28°. Ex.16.D
in Conſtitutionibus admodũ frigidis euacuati,cũ acceſſiones incipiũt, nimium refrigerati nõ poſſunt tolerare.1°.de arte cu.ad Glau. 7ª.98.C
CONSTRICTIO quid ſignificet.de ijs quę in medica.cõ.2°. 7ª.212.D
Conſtrictũ nomen eſt translatum de denſo,& duro.2°.de ſan.tu.2ª.72.F
Conſtringi maxime & dilatari proprium eſt neruoſorum. de vict.rat.in mor.acu.com.3°. 7ª.131.A
Conſtrictionis,& dilatationis motu mouetur cerebrum & cor,licet differant.de anat.viu. Sp.56.E
Conſtrictio humoris albuginei,& dilatatio q̃n fiat.de anat.vi. Sp.48.F
Conſtringitur,& dilatatur in horis neceſſarijs motus duorum lacertorum,qui ſunt in folijs narium.de anat.viu. Sp.49.A
ad Cõſtrictionẽ nimiã epiglottidis q̃d ſequat̃.de vo.& anhel. Sp.60.H
Cõſtrictio,& dilatatio laryngis quib⁹ muſcul' fiat.de vo.ĩſt.diſ.1ª.107.E
Conſtringentes anhelitum muſculi comparantur muſculis ani & veſicæ. de voc.inſtr.diſſ. 1ª.107.H
Conſtringendo,& dilatando horis determinatis mouetur inferius orificium ſtomachi.de ana.viuo. Sp.56.E
Cõſtrictiõis circa cibũ op⁹ quot modis vitioſum fuerit.de ſym.di.3ª.12.E
Conſtringatur,& dilatetur quo modo pulmo.5°.de lo.aff. 4ª.31.C
ad Conſtrictionem,& dilatationem thoracis conſtringitur & dilatatur pulmo.de anat.viu. Sp.47.H
Conſtrictionis cordis motu quid fiat.de anat.viu. Sp.56.D
q̃n Cõſtringit̃ cor rugoſa eſt intrinſec⁹ forma cordis.de ana.vi. Sp.56.G
Conſtrictionis motus cordis cauſa,quæ.de ana.vi. Sp.56.D
in Cõſtrictione & dilatatione q̃d faciat cor.2°.de p̃ſag.ex pul. 4ª.111.C
Conſtrictio vnde fiat in arteria.1°.de præſag.ex pulſ. 4ª.107.F
Conſtrictoriam & contẽtricem virtutem habẽt inteſtina.in 6^{m}.de mor. vulg.com.5°. 3ª.193.D/E
q̃n Conſtringatur,& dilatetur vterus.de ana.vi. Sp.56.E
Cõſtrictorius,σφιγκτήρ,inteſtini recti muſculus.de art.c.3°. 7ª.272.G
CONSTRICTIO ſolum q̃uo febrem faciat.1°.de dif.feb. 3ª.31.G
Conſtringentia qualia ſint.de oculis. 7ª.187.H
Cõſtrictiua,& põtica multũ ſunt terreſtria,& craſſa.de ocu. 7ª.188.A
Conſtringentia vel ſunt craſſa terreſtria,vel ſubtiliatiua & aquoſa. de oculis. 7ª.188.A
Conſtringere,& exiccare eſt frigiditatis actio.de ocul. 7ª.188.B
Conſtrictiua medicina,qualis.de oculis. 7ª.189.C
Conſtrictiua potentia vna ex medicinis oculi.de ocu. 7ª.189.A
Conſtringit meatus tenues aqua calida.7°.meth.med. 7ª.44.F
Conſtringens anicetum.6°.de comp.med.per ge. 5ª.256.D
Conſtringit galla,& contrahit partes laxas,& languidas.7°.de ſimpl. medicamen.fac. 5ª.51.B
ad Conſtringendum plantago valet.de dyna. Sp.35.F
Conſtringit,& exiccat linguam ponticum.de ocul. 7ª.188.B
Conſtrictiuum,confortatiuum,& ſolidatiuum eſt vinum mixtum cum licio,& nitro.de oculis. 7ª.189.G
Conſtringere valenter & conſtipare quidquid robur quoddam renitens, & durum habeat,oportet.5°.de ſimp.med.fac. 5ª.35.H
Conſtringentia nihil lędunt ventriculum.5°.de vſu par. 1ª.143.F
Conſtringunt quo modo offendentia.7°.meth.med. 7ª.44.F
Conſtringendæ q̃uo ſint partes.de ijs,quæ in medi.com.3°. 7ª.214.E
CONSVETVDO dicitur ſex modis.de ocul.5ª.185.D/de ijs quæ in medicat.fiunt.com.3°. 7ª.217.F
Cõſuetudo eſt natura acquiſititia.3°.de mo.muſc.1ª.315.F/3°.de ſimp.medi.fa.5ª.22.C/de ijs quę in med.cõ.3°.7ª.217.F/de diſſ.cont. Sp.72.C
Conſuetudo,& natura conueniunt.2°.de mot.muſ. 1ª.315.F
à Cõſuetudine praua dimouere quẽpiã difficile eſt.2°.de decr. 1ª.235.G
in Conſuetudinibus malis perſiſtunt aliqui dulcedine victi vel præ nimia dementia.5°.de ſan.tu. 2ª.93.H
nõ Cõſueti ex adultis timẽt in tenebris.de mel.ex G.R.& Po.Sp.109.D
Conſuetudinis repentina mutatio corpora multum offendit. dę vict. rat. in morb.acu.com.1°. 7ª.121.B
Conſuetudinem ſuæ naturę conuenientem deligunt alicuĩ rei magna ex parte aſſueſcentes.5°.de ſan.tu. 2ª.93.H
Conſuetudo omnis vniformis periculoſa eſt.com.2°.aph.30°. Ex.19.C
Conſuetudine fieri poteſt virilitas,& laboris tolerantia.de aere,aquis, & locis. 2ª.6.D
Conſuetudo in ſenibus multum facit ad exercitationis ſpeciem eligendã. 5°.de ſan.tuen. 2ª.89.H
Conſuetudinem cur non debet mutare ſenex.5°.de ſan.tu. 2ª.93.B
ob Conſuetudinem qui exerceri non poſſunt,vitent cibos craſſi & lenti ſucci.de bon.& vitio ſuc. 2ª.35.A
Conſuetudo maxime poteſt.de vic.rat.in mor.acu.com.2°. 7ª.121.B
Cõſuetudo hẽt maximã vim ad p̃turbationũ motus.4°.de dec. 1ª.253.H
Conſuetudo maximã vim habet in ſpectantibus ad medicinam.de ijs quæ in medic.fiunt,com.3°. 7ª.217.F
Conſuetudo noſcenda eorum quibus medemur.de ijs quę in medica.fiunt commen.1°. 7ª.198.B
Conſuetudo quantum valeat.8°.meth.med. 7ª.60.E
Conſuetudo facit ad præſagiendum.in 1^{m}.de mor.vul.com.3°. 3ª.117.E
Conſuetudo coindicat.13°.meth.med. 7ª.84.D
Cõſuetudo facit ad auxiliorũ inuẽtionem.8°.met.med.58.G/11°. 7ª.68.B
à Cõſuetudine ĩdicatio ſimiliũ quoad ægrotãt hoĩes.8°.met.med. 7ª.55.C
Cõſuetudinẽ oẽm p̃uãdã medici cẽſentes minus errãt.5°.de ſa.t. 2ª.93.H
Conſuetudo,vitę induſtria,præſens aeris conſtitutio, acceſſionem, reciprocationẽ,& morbi conſtitutiones indicant.cõ.1°.aph.12°. Ex.5.E
ex Conſuetudine,victus rõ & alia multa ſumunt̃.7°.met.me. 7ª.46.C
Conſuetudo ſimilem victum poſtulat.8°.meth.med. 7ª.54.H
Cõſuetus prãdere ſi nõ prandeat,quid illi cõtingat.de diſſ.cont. Sp.72.C
Conſueta hora cibi ſi mutetur,quid contingat.de diſſ.con. Sp.72.C
Conſuetudinẽ,quando eſt antiquata & longa,& ſi ſit non bona, quando non adducit aliquid neceſſitatis ad mutationem ſuã, imitari debet medicus in cibando ægro.de diſſ.cont. Sp.72.C
Conſueta quæ ſunt ex longo tempore,& ſi deteriora ſunt,inſuetis minus moleſtare ſolent.com.2°.aph.30°. Ex.19.A
quæ Conſueta ſunt vt minime laſſantia ſunt,quos exercent,etiam delectant.5°.de ſan.tu. 2ª.89.H
Conſuetis gaudent naturæ.8°.meth.med. 7ª.54.H
Conſueta ſunt bona.in progn.com.2°. 4ª.198.H
Conſuetudo quid agat,& quo modo paulatim mutanda. in 6^{m}.de morb. vulg.commen.2°. 3ª.165.B
Conſuetudo multum facit ad euacuationem.quos purg.op.quib.5ª.88.E/ 1°.de arte cur.ad Glau. 7ª.98.D
propter Conſuetudinem euacuationibus corpora non indigent,& cur indigeant.de aſſuetu. 2ª.61.H
à Cõſuetis leuioribus g̃naliter laxare naturã debes.d̃ me.ex.Sp.108.H
poſt Conſueta aliqua exercitia ſanguis è vena detrahendus eſt. præſag. experientia confir. Sp.77.H
niſi CONSVANTVR cito vulnera,fiunt dolores intenſi. de ijs quæ in med.fiunt,com.1°. 7ª.201.A
CONSVMPTIONEM ſignificat pingue ſuper vrinam.in prognoſtica, commen.2°. 4ª.201.C
Conſumptionem ex interna,& incerta cauſa patientibus ſubuenit theriaca.de vſu ther.ad Pamph. 5ª.98.F
Vide Tabes.
CONTAGIOSI morbi enumerantur.1°.de diff.feb. 3ª.31.B
CONTABEFACTA quæ vocet Hippocrates.de ijs, quæ in medicatri. commen.3°. 7ª.220.F
CONTEMPERAT & expurgat lac aſininum.de vict.rat.in mor.acutis,commen.4°. 7ª.149.D
CONTEMPLATIO pręcedit actionem.fin.med. Iſa.48.A
CONTEMPLABILES dies,& iudices qui ſint.com.2°.aph.24°.15.G/ com.4°.aph.71°. Ex.35.C
CONTENDENTIA ſiue intendentia,ac ſoluentia proprie dicũtur de cauſis,ſicut intenta & ſoluta de corporibus.de na.hum. 7ª.182.A
Contentio ſecundum plurimum quid ſit.3°.de diff.pulſ. 4ª.59.B
Contentio corporũ q̃bus fiat,& q̃uo.in 1^{m}.de mor.vul.com.1°.3ª.104.H
Contentione fit dolor.in 1^{m}.de mor.vul.com.1°. 3ª.104.H
Contentio vitanda in capitis dolore ob ardorem,& etiam in dolore capitis frigido.2°.de comp.med.ſec.loc. 5ª.132.B
Contendenti & laxanti medicamentorum facultates ſunt contrariæ.5°. de ſimp.med.fac. 5ª.38.H
Contentum opponitur laxo.in 3^{m}.de morbis vulgarib.commen. 1°.131.B/ in 6^{m}.comm.1°. 3ª.160.B
CONTENTIVA cauſa,ideſt de continenti facta.de cau.proc.3ª.96.H
Contentiuam cauſam ponit Galenus.com.7°.aph.30°. Ex.56.A
Vide Continens cauſa.
Contentrix facultas à ſtoicis orta.de mul. 3ª.77.C
in Contentrice facultate continens & contentum.de mul. 3ª.77.C

Contentrix cauſa requiritur in omni re vt ſit, ne detur proceſſus in infinitum. de mul. 3ª.77.D
Cōtentricem virtutem hn̄t inteſtina. in 6ᵐ. de mor. vul. c. 5°. 3ª.193.F
Contentricem virtutem in veſica eſſe, collige. 6°. de loc. aff. 4ª.41.H
Cōtētiuæ virtutis motus īmodicus cōſtrictiōis cauſa ē. de cau. m. 3ª.9.B
Contentiua virtus in ſenibus multū ībecillis eſt. cō. 3°. aph. 30°. Ex.26.E
Contentiuæ virtutis imbecillitas nimium laxat. de cauſ. mor. 3ª.9.B
Contentiuę potentiæ debilitas oſtenditur per lachrymas. commenta. 4°. aphoriſmo. 52°. Ex.33.D
ex CONTENTIS in alieno ſpatio notitia etiam ſumitur affectæ ſedis. 1°. de loc. aff. 4ª.2.F
Contentorum in vrina ſitum variat flatus. de vrinis. 4ª.124.A
CONTENTIONIS & gloriæ & principatus appetitus eſt animi affectus, licet minor. de cogn. cur. animi mor. 2ª.53.G
Contentio quando nulla foret mortalibus. 3°. de dif. pul. 4ª.59.B
Contentionem aufert ſapientiæ amor. 3°. de dif. pul. 4ª.59.B
Contentioſi qui fuere. de hiſt. philo. Sp.3.B
CONTINERE tempeſtiue, naturæ eſt officium, vt tempeſtiue excernere. 6°. de loc. aff. 4ª.41.G
Continere qui ſe non poſſunt iacentes præ ægritudine, indigent ſumma cuſtodia diligentiaq;. de vic. rat. in mor. acu. com. 4°. 7ª.140.F
Continenda & tegenda lanæ alligabimus. de faſcijs. 7ª.293.F
ad Cōtinēdū mēbra cū ī ſuā ſedē cōpellunt laqueis. de laque. 7ª.306.F
Continentis cauſæ nomen vnde. contra Iulianum. Ex.69.B
Cōtinētē ſiue cōtētiuā et ꝓximā cām ponit Galenus. 1°. de ſymp. 3ª.16.B
Continentis cauſæ definitio. contra Iul. Ex.70.G
Cōtinens ſeu proxima cā. 1°. de mot. muſc. 1ª.312.G | de hiſt. philo. Sp.4.A
Cōtinentes cauſæ quo mō differāt ab antecedētibus. cōtra Iul. Ex.68.G
Cōtinēs cauſa nunquā eſt plenitudo ſm Aſclepiadē. cōtra Iul. Ex.68.H
Continens cohærensq; cauſa omnium morborum. intro. Iſa.52.B
Cōtinentis cauſæ exēplū in febre à bubone facta. contra Iul. Ex.70.G
Continens cauſa per totum affectum perdurat. contra Iul. Ex.70.G
Continentis cauſæ meminit. 10°. meth. med. 7ª.65.E
CONTINENS ab aliquibus vocata curatio eſt eius affectus qui actioni incommodat. 2°. meth. med. 7ª.12.E | F
CONTINENTIAE nomen vnde ſit deductū. de cog. cur. animi. 2ª.53.E
Continentia non eſt, ſi tollat cōcupiſcibilis facultas. 5°. de dec. 1ª.259.A
Continens ſui ſuorumq; affectuum qui dicatur. 4°. de decr. 1ª.249.E
CONTINERE & non decidere medicamēta idem eſt. de ijs quæ in medica. fiunt, com. 2°. 7ª.210.G
CONTINVVM pelion apud gręcos dicitur. de dif. morb. 3ª.5.A
Continuat vnicuiq; lacerto, arteria, vena, neruus. de mo. man. Sp.66.E
Continuæ, & tenuis ſubſtantiæ medicamentum vt facile ab igne alteratur, ita etiam à calore noſtro. 1°. de ſimp. med. fac. 5ª.4.G
Continuam, & indiuulſam hypoſtaſim inquit Galenus læuem vocari ab Hippocrate. de vrinę ſign. ex Hipp. Sp.79.B
CONTINVI morbi qui ſint. fin. med. Iſa.45.F
Cōtinuā febrē nunq̄ nōiauit σύνοχον Hipp. de na. hum. com. 2°. 7ª.181.D
Continua febris, quæ. 2°. de criſ. 4ª.135.G
Continuarum febrium cū interpollatis differentię. 2°. de criſ. 4ª.135.E
Cōtinuarū febriū aliæ cōtinuę nōiant, aliæ tritæophyes. 2°. de dif. 3ª.36.F
Continua febris q̄uo fiat, & à quo humore. de nat. hu. com. 2°. 7ª.180.H
Continuæ febres ex materia in venis fiunt, intermittentes vero ex materia extra venas. 2°. de criſ. 4ª.138.B
Cōtinua febris fit ex ignis abūdātia iuxta Platonē. d̄ na. h. c. 2°. 7ª.181.B
Cōtinua bilioſa ſpecies habet, ſynochā, & cōtinuam. 2°. de dif. fe. 3ª.36.F
Cōtinua tertiana et cōtinua bilioſa q̄n ſint ſimul mixta. 2°. de dif. 3ª.39.d
Continuarum febrium cum intermittentibus miſtio difficilior cognitu. 2°. de criſ. 4ª.136.G
Continuarum quę faciunt acceſſionem alterno die, quædam ſimiles habēt acceſſiones, quædam diſſimiles. 2°. de dif. feb. 3ª.36.G
in Continuis febribus poſſe rigorem paruum fieri, collige. 1°. de arte cura. ad Glauco. 7ª.95.H
Continuarum febrium vi ſanguinis excitatarum vrinæ. quæſ. Sp.113.B
Continua ſi ſit febris, tempus ſectioni venę accommodatius eſt matutinum. prę ſag. exper. confir. Sp.78.D
ī Cōtinua q̄n fiat abſceſſus, et ī quartanā diſcedat. ī ꝓgn. c. 3°. 4ª.210.A
in Cōtinuo corpore q̄uo fiat alteratio qualitatis. 7°. de decre. 1ª.269.G
CONTINVITATIS ſolutio nomen eſt inuentū à Galeno. de cau. mor. 3ª.9.F | 9°. meth. med. 61.A | 13°. 7ª.80.D
Continui ſolutionis nomē proprium medicis eſt apagma, ignotum vulgo. 6°. metho. meden. 7ª.40.B
Continuitas quid. ars med. Iſa.62.H
Continuitatis ſolutio eſt quintum genus ægritudinis. de dif. mor. 3ª.5.D
Continui ſolutio morbus eſt communis partibus ſimilaribus, & diſſimilaribus. ars med. Iſa.69.C | de dif. mor. 3ª.5.E
Continuitatis ſolutio pōt eſſe ſimul cū morbis in qualitate. de dif. 3ª.5.E
Continui ſolutio in omni parte animalis contingit, tamen non habet vnū nomen in omnibus. 4°. meth. med. 7ª.23.A
Continuitatis ſolutio, & vnitatis ſolutio idem ſunt, & in quibus ſint partibus. 5°. meth. med. 7ª.29.H
Continui ſolutionis diuerſæ appellationes, ſecundum diuerſas partes in quibus fit. 4°. meth. med. 7ª.23.B
Cōtinuitatis ſolutio in carne dr̄ vlcus. de dif. mor. 5.D | de cauſ. m. 3ª.9.H
Continuitatis ſolutio in neruis dicitur conuulſio. de cauſ. mor. 3ª.9.H
Continuitatis ſolutio in oſſe eſt catagma, & ita ab omnibus græcis proprio nomine appellatur. 6°. meth. med. 7ª.40.B
Continuitatis ſolutio in oſſe, dicitur fractio. de diff. mor. 3ª.5.D
Cōtinuitas quot modis ſoluat. ars me. Iſa.67.C | 2°. de cōp. med. 5ª.135.H
Continuum quę ſoluunt, cuius naturæ ſint. 12°. meth. med. 7ª.78.E
Continuitatem qui ſucci diuidant. 1°. de ſymp. cau. 3ª.16.H
Continui ſolutio & alteratio doloris duæ ſpecies ſunt. 2°. de loc. af. 4ª.9.C | 3°. de comp. med. ſec. loc. 5ª.141.G | de fract. com. 3°. 7ª.246.E
Cōtinui ſolutio dolores facit. de conſt. art. Iſ.38.A | 2°. de cōp. m. 5ª.135.H
Continui doloris ſignificatio nota. 2°. de loc. af. 4ª.12.G
Continui ſolutio quomodo fiat in pleuritide. de rat. vict. in morb. acutis, commentario 2°. 7ª.116.B
Continui ſolutio quo modo fiat in oculis. de ocul. 7ª.189.H
in Coutinui ſolutione quid agendum. ars med. Iſa.69.G
ad CONTORSIONEM tali, vel genu. 2°. de compoſitione medicam. per genera. 5ª.226.D
CONTRACTIVA medicina quid facit ad oculos. de ocul. 7ª.189.C
CONTRACTVM relaxato contrarium eſt. 11°. meth. med. 7ª.71.B
Contractum in ſeipſum & adſtrictum quod eſt, ἀθρόον, id eſt ſimul totū nominant. com. 7°. aph. 35°. Ex.56.F
CONTRACTIO ꝑtinet ad irrationalē facultatē. 4°. de lo. af. 1ª.248.F
Contractio in ſeipſos eſt actio inſita muſculis. 1°. de mot. muſ. 1ª.310.E
Contrahentes & arctantes aſperam arteriā muſculi quatuor vnde oriātur ac finiant. de muſc. diſſ. 1ª.46.A
quibus Contrahatur thorax. de muſc. diſſ. 1ª.49.F
Contrahentes thoracem fibræ vbi ſitæ. de muſc. diſſ. 1ª.49.E
Contractioni thoracis conducunt muſculi thoracis. de muſ. diſſ. 1ª.49.F
Cōtrahēs coſtarū coarticulationes coſtarū muſculus. de muſ. diſ. 1ª.51.A
Cōtrahat, & diſtendat vnde corpus cordis. 2°. de præſa. ex pul. 4ª.111.G
Contrahitur diutius & dilatatur cor ab animali extractum. in Timæ. Platonis. 1ª.290.D
in Contractione cor aperte exprimit quod in ſeipſo continet. in Timæ. Platonis. 1ª.290.D
Contractio pulſus quo modo inuenta à Galeno. 1°. de dign. pul. 4ª.72.B
Contractio pulſus declaratur per alia vaſa. 1°. de dign. pul. 4ª.72.C
Contractionem manifeſtam habentes pulſus. 1°. de dign. pul. 4ª.72.H
Cōtractionē ſenſibilē habēt pulſus vehemētes. 1°. de dign. pul. 4ª.73.E
ad Cōtractionē pulſus ꝑcipiēdā aliq̄d facit durities. 1°. de dig. p. 4ª.73.B
Contractionis extremę partes non ſentiuntur, ſecundum aliquos. 1°. de differ. pulſ. 4ª.48.E
Contractionis & diſtentionis in pulſu pars quanta non ſentiatur. 1°. de dign. pulſ. 4ª.74.E
Contractionis finis in pulſu non ſentitur. 1°. de dign. pul. 4ª.64.H
Contractio pulſus excernit. 2°. de cauſ. pul. 4ª.95.B
in Contractione cur pulſus altus, & celer promittit decretorias excretiones. 4°. de præſ. ex pul. 4ª.122.B
Contractio pulſus maxillarum quibus eueniat. præſag. exper. Sp.78.E
Contractionē corporis ſignificat vrina tenuis, ſi ī malū colorē ſe poſt criſim mutauerit, et ij qui patiunt prima ætate fuerint. de dyn. Sp.34.G
Cōtractiōes neruorū quot modis, & q̄uo fiāt. com. 4°. aph. 49°. Ex.33.B
ad Contractiones neruorum. 6°. de comp. med. per ge. 256.D | 7°. 265.C | 269.H | 5ª.270.C
ad Cōtractos articulos recenti cicatrice. 7°. de com. me. per ge. 5ª.265.C
Contractionem, & diſtentionem quæ membra non patiantur. in 6ᵐ. de morb. vulg. com. 1°. 3ª.153.B
Contrahi vires ad ſe facit dolor. in progn. com. 2°. 4ª.198.H
Contrahit, denſat, conſtringit acerbitas. 7°. de ſim. med. fac. 5ª.49.G
Contrahit & digerit ſalſa qualitas. 11°. de ſimp. med. fac. 5ª.83.A
Contrahentia nihil lędunt ventriculum. 5°. de vſu par. 1ª.143.F

CONTRACTIVA *potentia vna ex medicinis oculi.de ocul.*7ª.189.A
ad CONTRADICENTES,*& diſcere volentes quid dicebat Galenus.* 3º.*de criſ.* 4ª.142.B
CONTRARIETAS *eſt in quantitate.*11º.*meth.med.* 7ª.71.B
Contrarietas in quantitate eſt oppoſitio,ſecundum Ariſtotelem. 11º.*methodi meden.* 7ª.71.B
*ĩ Cõtrarijs ſingulis rõnem quãtitatis hẽre oportet.*5º.*de ſan.tu.* 2ª.94.G
*Contraria quo modo intelligantur.*11º.*meth.med.* 7ª.68.H
*Contraria quę ſint.*1º.*meth.med.*6.*F*/11º. 7ª.71.A
*Contraria vere quæ ſint.*8º.*de comp.me.ſe.lo.* 5ª.193.G
Contraria ſunt quæ maxime diſtant,ſecundum quoſdam. in 6^{m}.*de morb. vulg.com.*3º. 3ª.174.E
*Contraria ſunt eadem genere.*8º.*de comp.med.ſec.loc.* 5ª.193.G
Contrarijſſima eſſe poſſunt eadem genere.aduer.Lycum. Ex.63.E
*Contraria quo modo non poſſunt in eodem fieri.*5º.*de decr.* 1ª.259.C
*Contraria quo modo in eodem tempore fieri poſſunt.*9º.*de dec.*1ª.286.A
*Contraria quomodo cognoſcantur.*8º.*de comp.med.ſec.loc.* 5ª.193.G
Contrarium ne luminis tenebra ſit,an eius priuatio,in quæſtionẽ venit. 1º.*de ſymp.cau.* 3ª.17.C
*Contraria maxime ſunt optimis peſſima.com.*3º.*aph.*18º. Ex.23.H
*per Contrariorum negationem exprimuntur media.de ijs quę in medic. fiunt,commen.*2º. 7ª.210.D
*Contraria opponuntur contrarijs,& etiam medio,aliquo pacto, collige. com.*4º.*aph.*76º. Ex.36.E
*ĩter Cõtrarios motus duos neceſſe eſt qetẽ ĩteruenire.de an.vi.*Sp.46.H
*Cõtraria euidẽtibus ſtatuẽti qs credat de rebus obſcuris? ad emp.*Iſ.35.d
*ex Contrarijs iudicare contraria eſt Hippocratis conſuetudo. in progn. com.*2º.199.*B*/ 4ª.202.C
Contrariorum vna eſt diſciplina.ad Thraſ. 2ª.102.F
*Cõtraria q̃dã sũt totis ſubſtãtijs, q̃dã ſolis qualitatibus.*13º.*me.* 7ª.82.C
*Contrarietate qualitatis aliqua alexipharmaca alterant, aliqua per totius ſubſtantiæ facultatem.*5º.*de ſimp.med.fac.* 5ª.36.G
*Cõtraria tota ſubſtãtia ꝑ experiẽtiã ſunt inuẽta.*13º.*meth.med.* 7ª.82.C
*ex Cõtrarijs vt nos multa facimus,ita & natura.*1º.*de alim.fa.* 2ª.7.G
Cõtrariorũ mixturę ſummitates ipſas frãgũt.de ſimp.med.fac. 5ª.20.G
*ex Contrarijs commixta ſunt multa alimenta.*1º.*de ali.fac.* 2ª.7.G
ex Contrarijs naturis lens conſtant adſtringente & laxante. in 6^{m}.*de mor.vulg.com.*5º. 3ª.194.C
*ex Cõtrarijs miſtã naturã habet oleũ myrteũ.*1º.*de cõp.me.ſe.* 5ª.129.E
*Contrarijs facultatibus præditis medicamẽtis maximus eſt vſus in morbis.*1º.*de comp.med.per ge.* 5ª.210.G
*Contrariorum mixtionem non habentia medicamẽta adſtringentia, ſunt myrti,rubus,& ſycomorus.*1º.*de comp.medica.ſec.lo.* 5ª.129.E
*Cõtraria cur q̃nq; miſceamus auxilijs ꝓprijs.*2º.*de cõp.med.ſe.* 5ª.134.B
*ſi Contraria ſimul partim imponantur,vtrunq; ſm ſuã operari facultatẽ,collige ſolani & chamemęli exemplo.*3º.*de ſimp.med.fac.* 5ª.21.C
*ex Cõtrarietate vnaquaq; tres ĩtẽperies q̃n ꝓdibũt.*3º.*de lo.af.*4ª.16.H
Contraria ea natura conſtant vt fiant à contrarijs.de aſſuet. 2ª.61.C
*à Contrarijs omne quod eſt tranſmutatur,à ſimilibus conſeruatur. commen.*3º.*aph.*18º. Ex.23.G
*in Contrariũ qui inclinant, q̃uo reddant meliores.*5º.*de decre.* 1ª.257.C
*per Contraria ſimpliciter,vel coniugate curandum eſt, morbi eſſentia conſiderata.*2º.*de loc.aff.* 4ª.13.H
Contrariorum contraria eſſe remedia, diſcurrendo per omnia morborũ genera.de conſt.ar. Iſa.39.C
ꝑ Cõtraria curatio adhibet̃ cauſis facientibꝰ ſymptomata.de op. Iſ.24.C
in Contrarium auocatione ad priſtinam naturam reducenda ſunt, quæcunq; à naturali ſitu euaſere.de conſt.ar. Iſa.39.D
per Contraria in ſanitatem q̃uo ducendum ſit.de conſt.ar. Iſa.42.D
*Cõtrarijs auferẽda cõtraria iuxta cõiſſimã curationẽ.ars med.*Iſa.69.D
*per Contraria reducit corpus intẽperatum,& q̃uo.*1º.*de ali.fa.* 2ª.8.F
*Contraria contrarijs curantur.de ſal.dięta.*40.*A*/1º.*de ſani.tuen.*65.*B*/5º.93.*C*/*H*/2ª.94.*G*/*in* 1^{m}.*de mor.vulg.com.*2º.108.*F*/*in* 6^{m}.*com.*2º.160.*H*/161.*H*/*com.*3º.177.*H*/*com.*6º.3ª.190.*C*/*E*/8º.*de comp.med.ſecun.loc.*157.*H*/4º.*de comp.med.per gen.* 5ª.240.*G*/ *de venæ ſect.aduer.Eraſ.*6ª.7.*C*/3º.*meth.med.*18.*B*/3º.21.*D*/11º.71.*G*/*de ijs quę in medic.fi.com.*2º.213.*G*/*de artic.com.*4º.7ª.283.*H*/*cõ.*2º.*apho.*22º.15.*B*/*aph.*34º.17.*C*/*com.*7º.*aph.*59º. Ex.39.D
*Contrarijs alteranda ſunt corpora ægra.*1º.*de ſan.tu.* 2ª.65.C
*Cõtraria cauſa ſemꝑ adhibẽda eſt retentionis cauſæ.*1º.*de ſa.tu.* 2ª.68.D
*ex Contrario cuiuſq; fit curatio in particulari.*4º.*de ſan.tu.* 2ª.83.A
*ex Contrario in genere fit curatio.*4º.*de ſan.tuen.* 2ª.83.A
*Contraria male affecto corꝑi ſemꝑ ſunt adhibenda.*5º.*de ſani.tu.*2ª.93.C
*Contraria male affecto corpori exhibenda quod priſtinum ſtatum conſecutum ſit.*5º.*de ſan.tuen.* 2ª.93.C
*Contrarijs corriguntur naturæ intemperatę.*5º.*de ſan.tu.* 2ª.94.D
*per Contrarium non per ſimile fit curatio.*1º.*de ſymp.cau.* 3ª.17.F
*per Contraria ad naturalem ſtatum reducimur, & quomodo ſint accipienda contraria.*1º.*de ſymp.cau.* 3ª.17.F
à Cõtraria viuẽdi rõne q̃uo cõſuat̃ ſanitas.ĩ 1^{m}.*de mo.vul.c.*1º. 3ª.101.A
*per Contraria fit reditus ad naturam.*5º.*meth.med.* 7ª.29.H
*Contraria eo vſq; inducenda quoad particula in ſymmetriã & naturalẽ habitum reddat.*7º.*meth.med.* 7ª.43.G
*per Contraria retro ferri debet pars eadem via qua alterata fuerat.*7º.*metho.meden.* 7ª.49.A
*Contraria poſtulat quod eſt præter naturam.*8º.*met.med.* 7ª.54.G
*Contrariorum exhibitionem indicat ſublatio.*11º.*meth.med.* 7ª.68.E
*Cõtrariũ ĩ curatiõe debet eẽ cõtrario æquale.de articu.cõ.*4º. 7ª.283.H
Contraria quo modo ſint agenda in corpore.ad Thraſ. 2ª.104.E
*Contrarietatis menſurę indicationes oſtendunt̃ temperies laborantis & morbus.*11º.*meth.med.* 7ª.67.H
*Contraria non ſemper adhibenda contrarijs.*1º.*de ſan.tu.* 2ª.65.B
à Contrario & à ſimili purgatio quo modo.de cathar. Sp.94.D
*Cõtrarijs aĩalia bruta & ipſa tollunt morbos.de nat.hu.cõ.*2º. 7ª.181.H
*Contrarietatem ſuam habet quiſq; morbus.*11º.*meth.med.* 7ª.68.C
Contrarij duo morbi ſi incidũt,fortior aggrediendus,altero non neglecto 1º.*de arte cur.ad Glau.* 7ª.98.E
*Contraria ſi ſint duo ſymptomata,aduerſus fortius eſt inſtandum,altero non neglecto.*1º.*de arte cur.ad Glau.* 7ª.98.E
*ex Contrarijs vni affectui duobus medicamentis fit medicamentũ optimum illi affectui.*6º.*de comp.med.ſec.lo.* 5ª.176.H
*ad Cõtraria fit auerſio.*4º.*meth.me.*7ª.28.*C*/*c.*5º.*aph.*68º. Ex.45.D
*ad Contrariũ reuocant frictio,& vincula ſtricta.*5º.*meth.me.* 7ª.30.F
*in Contraria trahenda fluxio incipiens.*4º.*metho.med.*28.*C*/ 2º.*de arte cur.ad Glau.* 7ª.101.F
*in Contrariũ quomõ trahas à capite.*1º.*de arte cur.ad Glau.*7ª.100.A
Contraria ſunt ſuperiora inferioribus,& dextera ſiniſtris.in 6^{m}.*de morbis vulg.com.*3º. 3ª.174.E
*Controuerſiæ medicorum oſtendunt ignorantiam.de vict.ra. in mor.acutis,commen.*1º. 7ª.109.H
*Controuerſiæ artium partim ſenſu,partim demonſtratione ſoluuntur. de nat.hum.com.*2º. 7ª.183.C
CONTVITVS *eſt agentis.fin.med.* Iſa.45.B
CONTVMACES *homines vbi.de aere,aq.& lo.* 2ª.6.E
*Contumacia vulnera ad cicatricẽ ꝑducit ſcordiũ.*8º.*de ſim.me.* 5ª.60.H
*ad Contumacia vlcera.*1º.*de comp.me.per gen.* 5ª.216.D
CONTVMELIIS *diſputant ſophiſtæ.*2º.*de diff.pul.* 4ª.53.D
*Contumeliæ cauſas in ſe iecur habet.*6º.*de decr.Hipp.* 1ª.267.D
CONTVNDENTIA *qualia ſint.*5º.*meth.med.* 7ª.30.B
*Contũdẽdo lapis & plũbũ partes alterat.*3º.*de ſimp.medica.fa.* 5ª.17.D
*Contundi quidam dolentes videntur.*2º.*de loc.aff.* 4ª.12.F
Contuſio quid.de conſt.ar. Iſa.37.D
*Contuſum quid.de conſt.ar.*37.*D*/*fin.med.*Iſa.48.*D*/*de ijs quæ in medic. fiunt,commen.*3º. 7ª.219.C
*Contuſio vnde proueniat.*12º.*meth.med.* 7ª.78.F
Contuſio affectus aurium.introd. Iſa.59.C
cũ Cõtuſione & ruptione plurimũ fit ἐκχύμωσις.4º.*meth.me.* 7ª.23.B
*Contuſio facit impedimentum in motibus.*1º.*de mo.muſ.* 1ª.308.G
*Contuſa aliam exigũt curationẽ quã vlcerata.de frac.com.*3º. 7ª.245.B
*Contuſionem omnem à phlegmone reſeruans.*6º.*de comp.medi.per gen.* 258.*G*/ 5ª.260.C
ex Contuſione capitis dolor.de rem.par.fac. 7ª.154.A
*cum Contuſione ſi ſit dolor,quid agendum.*6º.*meth.med.* 7ª.38.G
*in Contuſione capitis quæ intentio in curatione.*2º.*de compoſitio.medicamen.ſec.loc.* 5ª.133.G
Contuſionis capitis præſidia,quæ.de rem.par.fac. 7ª.154.A
*Contuſa vlcera non debent exiccari.*4º.*meth.med.* 7ª.27.D
*cum Contuſione fractura caluariæ vſq; ad cerebri membranas perueniens quomodo curanda.*6º.*meth.med.* 7ª.42.B
*ex Contuſione facta in auribus tumores cochleę vſtę deſiccãt.*11º.*de ſimpli.med.fac.* 5ª.81.G
*ad Contuſiones aurium.*6º.*de compoſi.med.per gen.* 5ª.256.H
*in Contuſione coſtarum venã ad cubitũ ſecat.de fract.cõ.*2º. 7ª.236.C
*Contuſi nerui quo modo curentur.*6º.*meth.med.* 7ª.38.F

ad Contuſionem

ad Contuſionem neruorum, & muſculorum proprie facit emplaſtrum barbarum.de dyna. Sp.35.F
in Contuſionibus neruorum dolentem partem non putreſcentem oleo calente perfunde.3°.de comp.med.per ge. 5ª.229.A
Contuſi muſculi quibus liniendi.14°.meth.med. 7ª.88.G
Contuſio quando liganda.de artic.com.4°. 7ª.292.F
in Contuſionibus ferula non vteris.de artic.com.4°. 7ª.292.F
ad Contuſionem cataplaſma.6°.meth.med. 7ª.38.G
Contuſis conuenit lana ſuccida cũ irrigatur.11°.de ſimp.me.fac. 5ª.81.B
Contuſis cruentum medicamentum.de fract.com.3°. 7ª.245.B
ad Contuſiones ex ictibus.7°.de comp.me.per ge. 5ª.271.A
ad Contuſione diuiſa.2°.de comp.med.per gen. 5ª.225.E
ad Contuſione factas diuiſiones.3°.de comp.med.per ge. 5ª.235.C
ad Contuſiones.1°.de cõp.med.p ge. 211.*C/F/3°.234.H/5°.246.H/247.E/248.A/6°.256.D/* 5ª.258.F
ad Contuſiones teſticulorum.3°.de comp.med.per ge. 5ª.235.C
Contũdantur quo modo herbæ ſciendũ.3°.de comp.med.per ge. 5ª.234.B
Contundenda eſſe quę in olea inijcienda ſunt.4°.de ſan.tu. 2ª.86.G
Contundenda contunduntur, & cribrantur.de ther.ad Piſ. 5ª.95.F
in CONVALITVRIS *ſumma præſagationis.in prognoſtica, commentario.2°.* 4ª.198.D
ad Conualeſcentia omnia bona indicia ſunt neceſſaria.in prognoſt. commentario.2°. 4ª.203.H
Conualituri quo modo ſe habeant.in progn.com.3°. 4ª.207.H
Conualeſcentes habent ſanguinem exiguum optimum.ars med. Iſa.71.F
Cõualeſcẽtes habẽt ſpiritum vitalem & aĩalem exiguũ.ars med. Iſ.71.F
Conualeſcentium vires quare imbecilliores.ars med. Iſa.71.F
Conualeſcentibus ſi quid laborauerint, hic fiunt abſceſſus.comment. 4°. aphoriſmo.32°. Ex.30.H
Conualeſcentum & ſenum affectus videntur medij inter ſanitatem, & ægritudinem.5°.de ſani.tu. 2ª.90.E
ad Cõualeſcentes pertinẽs pars reficiẽs, & inſtaurans.ars med. Iſ.71.F
Conualeſcentium domus qualis eſſe debet.7°.meth.med. 7ª.46.C
Conualeſcentes vehementer extenuati, indigent plurima adiectione, & refectione.2°.de nat.fac. 1ª.299.B
Conualeſcentes quibus cibis & potibus vti debent.ars med. Iſa.71.F
à Conualeſcentibus poſt cœnam non eſt bibendum cur, & quomodo bibendum, ſi ſitiant.7°.meth.med. 7ª.46.B
Conualeſcentes, quibus tubercula, vel in articulis labores fiunt, ij pluribus vtuntur cibis: his enim repleti plethorici caſus adueniunt ob virium imbecillitatem.com.4°.aph.45°. Ex.32.G
Conualeſcentibus oleo aluum ſoluebat Galenus.5°.de ſan.tu. 2ª.92.G
ad Conualeſcentes ægre.7°.de comp.med.per ge. 5ª.273.D
ad Conualeſcentes & ſe reficientes ex infirmitate.8°.de comp.medicamen.ſecun.loc. 5ª.195.B
CONVENIENTIAE *medicorum oſtendunt ſcientiam. de vic.ratio.in morb.acu.com.1°.* 7ª.109.H
Conueniens, conferens, conducens, ſecundum naturam, et vtile, idẽ ſunt. 14°.meth.med. 7ª.91.A
Conuenientia oris ventriculi ad cerebrũ.de mel.ex Gal.Ruf. Sp.109.B
Conuenientium appetentia ineſt oĩbus membris.3°.de nat.fa. 1ª.303.G
CONVEXVM *quid.1°.de vſu par.* 1ª.182.C
Conuexitas quid.1°.de mot.muſ. 1ª.312.C
Conuexo cauum opponitur.com.6°.aph.46°. Ex.51.G
Conuexi tempore Galeni dicebantur, quos Gibbos ſolet Hippocrates nominare.com.6°.aph.46°. Ex.51.G
CONVERSARI, *id eſt ὁμιλεῖν quid.de artic.com.1°.* 7ª.252.D
CONVERSIO *ſolis.de hiſt.philo.* Sp.6.H
Conuerſio veris quando.de dyna. Sp.20.C
Conuerſio ęſtatis quando.de dyna. Sp.20.C
Conuerſio autumni quando.de dyna. Sp.20.C
Conuerſio hyemis quando.de dyna. Sp.20.B
Conuerſiones paradoxæ ſæpe accidunt in morbis. in 3m.de morb.vulga. commentario.2°. 3ª.136.D
Conuerſione ſanguinis multiplici indigent ea quorum eſt materia ſperma & à ſanguinis complexione remota.de anat.viu. Sp.44.G
Conuerſione magna, ſanguinis non indigent ad ſui nutritionem quæ ſunt complexioni ſanguinis vicina.de ana.viu. Sp.44.G
CONVITIA *ſunt æquo animo ferẽda.de cog.cur.animi mor.* 2ª.51.D
in CONVIVIIS *coronæ ex roſis ob æſtum adhibentur. de cauſis procatarcticis.* 3ª.96.A
in Conuiuijs hedera ob æſtum adhibetur.de cau.procatar. 3ª.96.A
CONVOLVTIO *quid.de hiſt.philoſ.* Sp.7.G
CONVS *quid ſit.7°.de comp.medi.ſec.loc.* 5ª.177.H
Conus arbor, qualis.8°.de ſimp.medicamen.facul. 5ª.58.F
Conorum putamina terrena ſunt.9°.de ſim.med.fac. 5ª.64.H
Conus eſt cibus multi ſeminis.5°.de ſimp.med.fac. 5ª.38.C
Coni fructus purulentis accommodus eſt.7°.de ſimp.med.fac. 5ª.53.H
Coni fructus aſperitati leniendæ congruit.7°.de ſimp.med.fa. 5ª.54.A
Conus emplaſticus eſt.7°.de ſimp.med.fac. 5ª.54.A
Coni fuligo, qualis.8°.de ſimp.med.fac. 5ª.58.F
Coni fuligo ad pilos ſuperciliorum, angulos oculorum lippientes, & lachrymantes accommoda eſt.8°.de ſim.me.fa. 5ª.58.F
Conorum exiccatorum comparatio ad palpebras & alias corporis partes, quæ non poſſunt extendi.com.6°.aph.52°. Ex.53.A
CONO *cordis arteriæ, & venę porriguntur per totum.de anatomia viuorum.* Sp.56.G
CONVVLSIO *quæ σπάσμα dicitur.3°.meth.med.* 7ª.16.E
Conuulſio quid.fin.med. Iſa.47.*A/3°.meth.med.* 7ª.16.E
Conuulſum quod.de conſt.artis. Iſa.37.D
Cõuulſio eſt ſolutio continuitatis in partibus neruoſis.de diff.morb.5.D/ de cauſ.mor.3ª.9.H/4°.met.med. 7ª.23.B
Conuulſio cuius ſymptoma ſit, nullus añ Gal.dixit.1°.de ſym.ca. 3ª.19.G
Conuulſio numeratur inter voluntariæ potentiæ læſiones. 2°.de ſymptoma.cauſis. 3ª.19.G
Conuulſio eſt paſſio inuoluntaria in partibus neruoſis. commentario.6°. aphoriſmo.39°. Ex.50.G
Conuulſionis motus, qui.2°.de ſymp.cau. 3ª.22.G
Conuulſio differt à motu naturali, qa ẽ ꝑter volũtatẽ.3°.de lo.af. 4ª.17.E
Conuulſionis, tremoris, palpitationis, rigoris, horroris, ſingultus, tuſſis, ructus, ſternutationis, pandiculationis, oſcitationis, ex dentium concuſſione ſtrepitus (triſmon græci vocant) genus cõe eſt motus illegitimus, & q̃uo hæc in genere differant.2°.de ſymp.cau. 3ª.19.E
Conuulſio, palpitatio, & rigor quomodo differant, & quomodo fiant. in 3m.de mor.vul.com.1°. 3ª.129.E
Conuulſio et tremor differũt toto gñe.in 3m.de mor.vul.com.1°. 3ª.129.D
Conuulſio, palpitatio, & reſolutio, noxæ ſunt inſtrumentorum. de palp. trem.conuulſ.& rig. 3ª.53.C
Conuulſiui affectus, qui.in 1m.prorrh.com.3°. 4ª.188.A
Conuulſiuus affectus à quo fiat.1°.de praſag.ex pul. 4ª.107.H
Conuulſio vnde fiat.in 1m.prorr.com.1°. 4ª.166.C
Conuulſio ſolius morbi eſt opus.2°.de ſymp.cau.19.F/ 3ª.20.A
Conuulſa parte, neruus aut muſculus, qui illam mouet, affectus eſt.3°.de locis affectis. 4ª.21.B
Conuelluntur facile nerui.de artic.com.4°. 7ª.285.C
Conuulſio eſt affectio plena doloris.in 1m.prorrh.com.1°.4ª.172.D/ commen.2°.aph.6°. Ex.11.G
Conuulſionẽ parit dolor in neruoſis partibus.de artic.com.4°. 7ª.285.B
Conuulſiones vt plurimum in parte poſteriori fiunt, quia ſunt neruoſæ. com.5°.aph.65°. Ex.45.A
Conuulſio fit vbi nerui.in progn.com.1°. 4ª.191.D
Conuulſio quorum ſit neruorum.3°.de loc.aff. 4ª.17.C
Conuulſio quid faciat circa neruos.2°.de ſymp.cau. 3ª.20.A
Conuulſiones vitium muſculorum.de opt.ſecta. Iſa.24.C
Conuulſiones, muſculorum propriæ affectiones.1°.de diff.reſp. 3ª.61.C
Cõuulſiões, et tremores fiũt ex muſculis affectis.de frac.cõ.2°. 7ª.235.C
Cõuulſiões potiſſimũ fiũt læſis muſculis tpalibus.11°.de vſu par. 1ª.185.B
Conuulſio quo modo fiat.de palp.trem.conuulſ.& rig. 3ª.56.*B/ com.6°. aphor.39°.* Ex.50.G
Conuulſio à quibus cauſis fiat.2°.de loc.aff. 4ª.11.A
Conuulſio à contrarijs fit cauſis.com.6°.aph.39°. Ex.50.G
Conuulſionis caput duplex eſt ſm Hippocratẽ, repletio, & euacuatio.2° de ſymp.cau.3ª.20.A/3°.de loc.af.4ª.17.F/8°.de comp.med.ſec.loc. 5ª.190.E/com.6°.aph.39°. Ex.50.F
Conuulſio ex quà ptiũ repletiõe & inanitione fiat.cõ.5°.aph.1°. Ex.37.D
Conuulſiones oẽs fiunt ex repletione & euacuatione partium neruoſarum.com.7°.aph.57°.33.F/com.5°.aph.1°. Ex.37.D
Conuulſionis, & palpitationis cauſa vnde ſit.2°.de ſymp.cau. 3ª.20.H
Conuulſio ex repletiõe ẽ in phlegmonarũ gñibus.2°.de ſym.ca. 3ª.20.A
Conuulſio ex repletione q̃uo.de palp.trem.conuul.& rig. 3ª.56.C
Conuulſio ex ſiccitate quomodo.de palp.trem.conuulſ.& rig. 3ª.56.C
Conuulſio qua cauſa fiat.& q̃uo chordis cõparetur.3°.de lo.af. 4ª.17.E
Conuulſionum genera oſtendunt chordæ inſtrumentorum.2°.de ſympto. cau.20.A/de palp.trem.conuul.& rig. 3ª.56.B

Conuelli commune eſt corrigijs exiccatis.in progn.com.1°. 4ª.191.D
Conuellantur quomodo lora,& chordę lyrarum.3°.de loc.aff. 4ª.17.F
Conuulſio quando accidat.in progn.com.3°. 4ª.211.B
Conuulſio ratione,non ſenſu cognoſcitur.3°.de loc.aff. 4ª.20.H
Conuulſoria inſpiratio.1°.de diff.reſp. 3ª.62.A
ex Conuulſione proueniens expiratus,muſculorum,qui expiratum efficiunt,conuulſionem ſequitur.2°.de ſymp.cau. 3ª.19.H
Conuulſionem ſignificat ſpiritus æqualis per vtrãq; narem tractus redditusq́;.de vic.rat.in mor.acu.com.4°. 7ª.141.G
Conuulſionem ſignificat permutatio in phreniſi,& quid ſit permutatio. in 1^{m}.prorr.com.1°. 4ª.167.A
in Conuulſionibus & rigoribus qui articulus primum ſignificationem faciat.de artic.com.2°. 7ª.263.F
Conuulſorum pulſus.de pulſ.ad tiro.45.H/1°.de diff.pul. 4ª.52.C
Conuulſiui pulſus cauſę,quæ.2°.de cauſ.pul. 4ª.93.G
Conuulſiorum pulſus,qualis.4°.de cauſ.pul. 4ª.102.F
in Conuulſiuo pulſu quõ percipiatᷣ diſtentio.1°.de dignoſ.pul. 4ª.71.C
Conuulſiuus pulſus cur violenter feriat.4°.de dign.pul. 4ª.83.C
qñ Conuelluntur labra,oculi,cutis frontis, mandibulæ totæ, & radix linguæ,quæ pars affecta ſit.3°.de loc.aff. 4ª.17.D
Conuulſio in oculum,totum oculum exercet.intro. Iſa.58.D
Conuulſionem pati poteſt pupilla.de diff.morb. 3ª.5.H
Conuellantᷣ quõ pinnæ narium.de vict.rat.in mor.acu.cõ.4°. 7ª.141.G
Conuulſa quando eſt facies cum vniuerſo corpore, quid curemus.3°.de locis affect. 4ª.17.D
Conuulſio quædam ſtomachi eſt ſingultus.com.5°.apho.4°.37.F/com.6°. apho.39°. Ex.50.G
Conuulſio qualis paſſio eſt muſculis,talis eſt ſtomacho ſingultus. comm. 7°.apho.3°. Ex.54.B
Conuulſiones fiunt ob oris ventriculi affectus.5°.de loc.aff. 4ª.32.E
Conuulſione breuiſſima quidam vexabatur ſi abſtinere à cibo diutius cogeretur.5°.de loc.aff. 4ª.32.G
Conuulſionis caſus ex morſione ventriculi ob vomitum æruginis.comm. 5°.apho.1°. Ex.37.C
Cõuulſio vicinarũ partiũ ſepti qd faciat.ĩ 3^{m}.de mor.vul.cõ.2°. 3ª.135.D
Cõuulſio cur fiat in mulieribus ex vtero.in 6^{m}.de mor.vul.c.1°.3ª.153.C
Conuulſi teſtes quid ſignificent.in progn.com.2°. 4ª.198.H
Conuulſio particularis quõ comparetur ramo.3°.de loc.aff. 4ª.17.D
Conuulſiones ex immodico vini potu.3°.de temp. 1ª.22.G
Conuulſio ex ebrietate fit repletis neruis à calida vini ſubſtantia. com. 5°.apho.5°. Ex.37.G
Conuulſionem ex vino vinum quandoq; ſanat.com.5°.aph.5°. Ex.37.G
Conuulſionem facit lac.in progn.com.3°. 4ª.211.B
Conuulſio totius corpis eſt morbus ſpinæ in collo.1°.de ſymp.ca. 3ª.19.C
Conuulſio totius corporis non fit, niſi patiatur principium neruorũ aut principaliter,aut per compaſſionem.com.5°.aph.5°. Ex.37.G
Conuulſio vniuerſalis quõ cõparetᷣ caudici arboris.3°.de lo.aff. 4ª.17.D
Conuulſionis tres ſpecies & quæ.de trem.palp.conuulſ.& rig. 3ª.56.D/ 12°.meth.med. 7ª.80.B
Conuulſiones ſunt totius corporis emproſthotonos,opiſthotonos,& tetanos.de ſym.diff.3ª.11.F/com.4°.aph.57°. Ex.33.F
Conuulſio totius corporis cum rectricis partis actionum cobibitione epilepſia dicitur.de ſymp.diff.11.F/2°.de ſymp.cau.19.H/in 6^{m}.de mor. vul.com.6°.3ª.197.E/1°.meth.med. 7ª.8.E
Cõuulſionis gñis quoddã ẽ comitialis morb⁹,et qd ſit.3°.de lo.af.4ª.17.g
Conuulſio,& comitialis morbus ſunt morbi acuti ſine febre.commen.5°. apho.30°. Ex.40.D
Conuulſiones epilepticæ cur fiant.3°.de loc.aff. 4ª.19.H
Conuulſio comitialis ex vapore ichorum aliquibus oboritur. 6°.de ſanitate tuenda. 2ª.98.H
Cõuulſio ẽ ĩ epilepſiis,vt ĩ ſentiẽdi functiõe vigilia.1°.de ſym.ca.3ª.19.C
ĩ Cõuulſiõe ex comitiali morbo quare fiat ſpuma.c.2°.aph.43°.Ex.18.D
in Conuulſione ſemen emittitur.6°.de loc.aff. 4ª.41.G
Conuulſio in comitiali morbo ex repletione partium neruoſarũ,nec acutiſſima,nec periculoſa.com.5°.aph.70°. Ex.45.E
Conuulſio à ſpinali medulla quomodo differat à comitiali morbo.3°.de locis affectis. 4ª.17.G
Cõuulſio,apoplexia,cæcitas,fiunt propter pituitoſum humorem, fiunt etiam propter melancholicum.com.6°.aph.56°. Ex.35.E
Conuulſiones ex repletione humorũ lentorum & pituitoſorum,qui partibus neruoſis inſerti ſunt,ſanat quartana.cõ.5°.aph.70°. Ex.45.E
Conuulſiones quibus facile fiunt,de ſal.dię. 2ª.42.D
Cõuulſiones præſertim craſſos hões moleſtant.com.3°.aph.25°. Ex.25.C
cur Conuulſionibus opportuni ſunt pueri. in 1^{m}.de mor.vul.com.2°.3ª. 113.C/in progn.com.3°. 4ª.211.C
Cõuulſiones cur fiãt pueris iã dẽtire incipientib⁹.cõ.3°.aph.25°.Ex.25.C
Conuulſiones quo minus tentent pueros infantes, quomodo ſint tractandi.de ſal.diæ. 2ª.42.C
Conuulſiones ſunt ex frigore.de diff.morb.3.E/de palp.trem.conuulſ.& rig.3ª.54.D/in progn.com.3°.4ª.21.C/ de fract.com.3°.7ª.247.H/cõ. 5°.aph.17°.38.H/aph.20°. Ex.39.A
Conuulſione capiuntur ſenes.2°.de temp. 1ª.16.D
cur Conuulſio non accidat in conſtitutione frigida, & humida. in 1^{m}. de morb.vulg.com.2°. 3ª.108.H
Conuulſionem facere natura aptum eſt frigidum,tamen ſanat aliquando. com.5°.aph.22°. Ex.39.D
Conuulſio ſanatur per perfuſionem aquæ frigidæ,ſed quandoq́, & quomodo,& in quo.com.5°.aph.21°.39.B/aph.25°. Ex.39.G
Conuulſio cum ſanatur,aqua frigida ſanatur,per caloris repercuſſum.1° de ſymp.cau. 3ª.17.F
Cõuulſio ex vlceratiõe nũq̃ ab aqua frigida ſanatᷣ.c.5°.aph.21°. Ex.39.G
Conuulſio ex repletione,mala.in 1^{m}.progn.com.3°. 4ª.188.A
Conuulſio ex repletione curatur.de palp.trem.conuulſ.& rig. 3ª.56.D/ com.5°.aph.1°. Ex.37.D
Conuulſio ex repletione quomodo curetur.com.2°.aph.26°. Ex.16.B
Conuulſionem ſoluit febris ſuperueniens.de opt.ſecta.Iſa.22.D/in 6^{m}.de mor.vul.com.6°. 3ª.197.E
Conuulſioni febrem ſuperuenire melius eſt,quàm febri conuulſionẽ. cõ. 2°.aph.26°.16.B/com.4°.aph.57°.33.F/com.5°.aph.5°. Ex.37.G
Conuulſiones ab initio febrium fiunt ex repletione, ideo ſanantur per febrem.com.7°.aph.57°. Ex.33.F
Conuulſiones fiunt phreniticis.in 1^{m}.de mor.vul.com.2°. 3ª.112.H
Cõuulſionibus,atq; delirijs q ſtatim capiantᷣ.com.2°.aph.21°. Ex.14.H
Conuulſio ſi coniungatur deſipientiæ ex defectu,omnino ſalus eſt deſperata.com.7°.aph.9°. Ex.54.E
in Conuulſionem quando mutabitur angina.de pulſ.ad tiro. 4ª.46.B
Conuulſionum cauſa ſæpe eſt ſanguis.de opt.ſecta. Iſa.24.C
Conuulſionem non nunquam faciunt humores tenues, & acres. 12°.methodi medendi. 7ª.80.A
Conuulſionem,& ſingultum per totum corpus efficere poteſt acris humor.3°.de locis affectis. 4ª.20.A
Conuulſio ex ſiccitate fit ex vigilijs. commenta. 7°. aphoriſmo.18°.55.E/ aphoriſ.24°. Ex.55.F
Conuulſio ex ſiccitate incurabilis.12°.meth.med. 7ª.80.B
Conuulſio ex ſiccitate eſt pene inſanabilis.com.2°.aph.26°.16.B/com.5°. aph.1°.37.D/aph.4°. Ex.37.F
Conuulſio ex ſiccitate lætalis.de palp.trem.conuulſ.& rig. 3ª.56.D
Conuulſio ex euacuatione acutiſſima eſt & pernicioſiſſima non ex repletione.com.5°.aph.70°. Ex.45.E
Cõuulſio,aut diſtentio ab ęſtibus fortibus malũ.c.7°.aph.13°. Ex.54.H
Conuulſio ex inanitione ex febribus ardentiſſimis, ſicciſſimisq́;. 2°.de ſympt.cau. 3ª.20.A
Conuulſiones quæ ſequũtur febres ardentes,fiunt ſiccitate & ſunt letales.com.4°.aph.57°. Ex.33.F
Cõuulſioni quæ in febribus pernicioſis & ardentibus euenire ſolet,& ẽt in phrenitide vehementi,contraria eſt conuulſio quæ fit ex repletione.de palp.trem.conuul.& rig. 3ª.56.B
Conuulſiones in febribus acutis,malum.com.4°.aph.66°. Ex.34.E
Conuulſio à febre letalis.de op.ſecta. Iſa.22.D
Conuulſi ex febre vomitu bilioſo ſuperueniente liberati ſunt. 5°. de locis affectis. 4ª.32.G
Conuulſiones in febribus ex ſomnis,malum.com.4°.aph.67°. Ex.34.F
Conuulſionibus cur non admodum capiuntur à quartanis capti.commẽ. 1°.aphor.70°. Ex.45.E
Conuulſionẽ pati numq̃ viſus eſt podagricus.com.6°.aph.49°. Ex.52.E
Conuelluntur qui habent ileum,compatiente neruorum principio ſtomachi paſſioni.com.7°.aph.10°. Ex.54.F
Conuulſio ab ileo,malum.com.7°.aph.10°. Ex.54.F
Conuulſio fit nimis purgatis.com.5°.aph.4°. Ex.37.F
Conuulſio ex medicamenti potione letalis eſt.com.7°.aph.25°. Ex.55.F
Conuulſionem facit elleborus propter operationis vehementiam.comm. 4°.apho.16°. Ex.29.A
Conuulſio ex elleboro duplex,& quæ magis minuusue periculoſa.com. 5°.aphor.1°. Ex.37.C

Conuulſio

Conuulſio ex elleboro lætalis eſt.com.5°.aph.1°. Ex.37.C
Conuulſio propter immodicam euacuationem exitialem eſſe recte inquit Marinus.com.7°.aph.24°. Ex.55.F
Conuulſio ex ſuperflua purgatione,mala.com.5°.aph.4°. Ex.37.F
Conuulſiones cur fiant in hæmorrhagijs.in 1^{m}.prorrh.com.3°. 4ª.186.E
Conuulſio ſuperueniens,vbi ſanguis plurimus fluxerit,malum. com.5°. aph.3°.37.C|com.7°.aph.9°. Ex.54.E
Conuulſis purgatio ſiſtenda eſt.præſag.exper.confir. Sp.78.C
Conuulſione quandoq; tentari aliquos in vulneris inflammatione,& ſic interire,collige.de cog.cur.animi mor. 2ª.51.H
Conuulſio fit vlnis vel tibijs inflãmatis.4°.de præſ.ex pul. 4ª.121.D
Conuulſio q̃ñ ſequitur in vertebris inflammationẽ.4°.de lo. aff.4ª.23.E
Conuulſio fit capite nerui puncto.3°.meth.me. 7ª.21.H
Conuulſionem facit oſſis temporis abſciſſio.in 1^{m}.pror.com.3°. 4ª.183.H
Conuulſionis maior timor eſt in vulnere nerui tranſuerſo. 6°. methodi medendi. 7ª.38.F
non Conuelluntur valde,neq; inſaniunt quibus tumores in vlceribus appareant.com.5°.aph.65°. Ex.44.H
Conuulſiones fiunt,ſi tumores vlcerum in partibus poſterioribus derepente euaneſcant.com.5°.aph.65°. Ex.44.H
in Conuulſione ex vulnere q̃ primo cõuellãtur.com.5°.aph.2°.Ex.37.E
Conuulſio ex vulnere letalis eſt.com.5°.aph.2°. Ex.37.E
Conuulſi moriuntur calidi.1°.de præſag.ex pulſ. 4ª.107.H
Conuulſionẽ quæ afferunt nõ ſuppurant oĩno.com.5°.aph.22. Ex.39.D
in Conuulſione vniuerſali cui parti applicantur remedia. 3°.de locis affectis. 4ª.17.D
Conuulſis neruis,primis vertebris remedia adhibenda, ſicuti etiam dimidia parte corporis reſoluta.3°.de loc.aff. 4ª.17.B
qui Conuelluntur melancholici quomodo tractandi. de mel. ex Galeno Ruf.& Poſſ. Sp.110.C
ad Conuulſione canina affectos.7°.de comp.med.per ge. 5ª.169.H
illis qui Conuelluntur conuenit Acanthaleuce.i.ſpina alba. 6°.de ſimp. med.facul. 5ª.41.H
illis qui Conuellunt̃ auxiliatur Acanthium.6°.de ſimp.me.fa.5ª.41.H
Conuulſis idonea eſt Ariſtolochia rotunda 6°.de ſimp.med.fa. 5ª.43.F
Conuulſa curat Betonica.7°.de ſimp.med.fac. 5ª.51.A
Conuulſis auxiliatur capparis cortex.7°.de ſimp.med.fac. 5ª.49.G
Conuulſionibus medentur Caſtoris teſticuli.de ther.ad Piſo. 5ª.93.E
Cõuulſioni ex inanitione nõ cõuenit caſtoreũ.11°.de ſim.me.fa. 5ª.80.C
Conuulſis conuenit Centaurium maius.7°.de ſimp.med.fa. 5ª.50.F
Conuulſis Coſtus conuenit.7°.de ſimp.med.fac. 5ª.52.F
Conuulſionem patientibus prodeſt terreſtris Erinacei deſiccata caro.11° de ſimp.medicamen.facul. 5ª.78.F
Conuulſione tentatis Oleum calidum valet.2°.de ſim.med.fac. 5ª.11.E
neq; Conuulſiones,neq; tremores,neq; ſenſum,tũ difficilẽ,tum deperditũ,oleũ magnopere aut iuuat,aut lædit.2°.de ſimp.med.fac. 5ª.15.C
in Conuulſionem dat Polentã coctam.de vic.rat.in mor.acu. 7ª.44.E
Conuulſis prodeſt Rha.8°.de ſimp.med.fac. 5ª.59.E
Conuulſa ſanat Scordium.8°.de ſimp.med.fac. 5ª.60.H
ad Conuulſa bibitur cum oxymelite Symphytum petræum.8°.de ſimp. med.facul. 5ª.61.F
in Conuulſione quando dandum Vinum creticum vinoſum. de vict.rat. in mor.acu.com.4°. 7ª.144.E
ad Conuulſos muſculos.7°.de comp.me.per gen. 5ª.267.C
ad Conuulſa.2°.de antid.116.A|C|7°.de comp.medi.ſec.loc.185.B|186. A|8°.188.G|195.B|9°.198.F|201.A|2°.de comp.medi.per gen.226. E|7°.271.G| 5ª.272.D
CONYZA quid.de ſimp.med. Sp.83.A
Conyza fruticoſa planta.7°.de ſimp.med.fa. 5ª.52.B
Conyza alia maior,alia minor,datur & tertium genus.7°.de ſimp.medicamen.fac. 5ª.52.B
Conyza prima & ſecunda ſpecies amara eſt acris, excalfactoria.7°.de ſimp.med.fac. 5ª.52.B
Conyzæ primæ duę ſpecies ſunt calidæ, & ſiccæ in tertio ordine. 7°. de ſimplic.medica.fac. 5ª.52.B
Conyza calfacit,contra Apollonium.2°.comp.med.ſec.loc. 5ª.132.H
Conyzæ flores ad menſes fortiter ducendos.7°.de ſimpli.med.fa.5ª.52.B
Conyzæ folia vuluæ lõginquis vitijs remedio ſunt.de ſimp.me. Sp.82.B.
Conyzæ folia p̃ acrimõia ſua vipas,& ſerpẽtes fugãt.de ſim.m.Sp.83.a
Conyzæ oleum ſanat rigores.7°.de ſimp.me.fac. 5ª.52.B
COOPERIRI proprium eſt phreniticorum, & melancholicorum. in 3^{m}.de mor.vulga.com.3°. 3ª.151.F
Cooperculum epiglottidis quid,& vbi ſit.de voce & anhel. Sp.61.B
Cooptoriũ epiglottidis claudit̃ q̃ñ comedit̃ aliq̃d.de vo.& anhe.Sp.61.C
Cooperculum epiglottidis in vociferatione aperitur,clauditur in anhelitus retentione.de voce & anhe. Sp.61.C
Coopertmentum pulmonis panniculoſum,& neruoſum eſt, & cur tale. de anato.viuo. Sp.48.A
COPIA, egeſtas,et qualitas mala humores occupãt.de mul.3ª.79.C
Copia mellis pungit ſtomachũ,& facit inciſionem.de diff.con. Sp.74.F
quę Copia humorum facit cardialgiam.in 1^{m}.pror.com.3°. 4ª.185.C
Copia ſanguinis in frigore cur nõ eſt educẽda.pręſa.exp̃.cõfir. Sp.78.A
Copia excrementi à quo proueniat.1°.de ſan.tuen. 2ª.68.D
Copiam bilis ſignificat febris cauſus.quæſ.in Hipp. Sp.113.C
Copiam humiditatis ſignificat ſudor aduentante febre, nec deficiente febre.præſagium exper.confir. Sp.77.G
Copia vrinæ tenuis adueniens illis,quibus non febricitantibus erant vrinæ craſſæ,grumoſæ,paucę,prodeſt.de vri.ſign.ex Hipp. Sp.78.G
Copia vrinæ niſi proueniat,aut flatus erumpant quibus hypochondria ſuſpenſa murmurantia,ilium dolore ſuperueniente, ijs alui humectantur.de vrinæ ſignifi.ex Hipp. Sp.78.H
Κόπρος quid ſignificet.de vic.rat.in mor.acu.com.1°. 7ª.113.G
Copros.i.ſtercus.10°.de ſimp.me.fac. 5ª.75.H
Κοπροφάγος 10°.de ſimp.med.fac. 5ª.72.C
Coprotica medicamenta.i.ſtercora tm̃ mouentia.de cathar. Sp.95.A
Κόπος quid ſignificet.3°.de ſa.tu.2ª.78.F|7°.de cõp.me.p̃ ge.5ª.269.D
COPTARIVM ad tuſſientes.7°.de comp.med.ſec.lo. 5ª.182.B
COPVLA quid,& quod offm̃ habeat.in 6^{m}.de mor.vul.cõ.1°. 3ª.153.B
Copulæ à multis medicis dicuntur nerui.3°.de loc.aff. 4ª.17.C
Copulæ quæ ſunt,nerui dicuntur ab Hipp.de fract.com.3°. 7ª.249.D
Copulas totius dearticulationis neruos vocat Hippocrates.de fracturis commen.3°. 7ª.249.E
Copula,neruus,tendo quo mõ differãt,& quid ſint.1°.de decre.1ª.233.F
Copula tendo,neruus alba ſunt,exanguia,foraminibus carẽtia. 1°.de decre.Hipp.& Plat. 1ª.233.G
Copulæ,& membranæ differentiæ.1°.de decr.Hipp. & Plat. 1ª.233.G
Copula ſenſu vacat.1°.de decr.Hip.& Pla. 1ª.233.G
Copulæ non ſunt teretes.1°.de decr.Hip.& Pla. 1ª.233.F
COQVATVR ſi quid in bonis aquis,cito decoquit̃.de bon. Sp.75.F
Coquenda eſt aqua in lagenis fictilibus.de bon.aq. Sp.76.B
Coquendum eſt lac donec eius aquoſitas ſit conſumpta.de diſ. Sp.75.B
ſi Coquatur mel non lenit ventrem.de diſ.cont. Sp.75.B
COQVVS eſt miniſter medici.2°.de ſan.tuen.2ª.75. F| in 6^{m}.de morb. vulg.commen.5°. 3ª.188.C
Coquis malis cõparant̃ medici,qui neſciunt diuidere.2°.met.me.7ª.13.B
Coquo proportione reſpondet luctator.ad Thraſ. 2ª.108.G
Coquus quæ neſciat de cibis.ad Thraſ. 2ª.108.G
Coquus præparat,ſed non intelligit quam vim obtineat id quod præparauit.2°.de ſan.tuen. 2ª.75.F
Coquorũ ſuauitas in cõdimẽtis plus obeſt,quã p̃ ſit.2°.de ali.fa.2ª.23.G
Coquorũ apparatus in patinis ſunt cauſæ cruditatis.3°.de ali.fa.2ª.31.D
Coqui diuitũ ptiſſanã non coquunt.de vic.rat.in mor.ac.cõ.1°. 7ª.112.A
Coqui ſciunt ſitum renum,& meatus.1°.de nat.fac. 1ª.293.C
Coqui elixant ſuum linguas cum muſculis.3°.de alim.fac. 2ª.26.G
quidam Coqui vendidere pro carnibus ſuum carnes humanas . 10°.de ſimp.med.fac. 5ª.72.F
COQVIT caliditas propria.2°.de dif.feb. 3ª.40.A
Coquitur per ſomnum.com.5°.aph.27°. Ex.40.A
Coquendi alimẽti facilitas & difficultas vnde ſit.4°.de vſu p. 1ª.137.H
Coquuntur melius,& nutriunt grata.in 6^{m}.de morb.vulgaribus,commentario.4°. 3ª.180.E
Coquitur facilius caro quæ prius ſit occiſa [nos frollam vocamus.] 7°. metho.meden. 7ª.46.A
ſi Coquantur cibi craſſi viſcoſi,multum nutriunt,aliter faciunt oppilationem.de diſſ.cont. Sp.72.G
Coquenti bene balnea non admodum ſunt neceſſaria.de melan. ex Gale. Ruf.& Poſſ. Sp.110.D
Coquitur qui non bene cibus,quid agat.11°.meth.med. 7ª.72.F
Coquentem male non eſt neceſſe ſequi ſpiritum flatuoſum. 3°.de ſympto. cauſis. 3ª.30.B
Coquit monomacũ inteſtinũ.de compag.memb.ſiue de nat.hu. Sp.59.A
Coquunt meſaraicæ ſuccum,qui in gibbo iecoris fit ſanguis . de compag. memb.ſiue de nat.hu. Sp.59.A
Coquitur ſanguis in venis,& iecore.in 6^{m}.de mor.vul.com.5°. 3ª.188.B

cur Coquuntur etiam corrupta quæ habent in corpore cibaria, nec inde febricitare poſſunt ij qui bono ſunt habitu, & q̃uo. de dif. feb. 3ª.31.H

quomodo Coquatur quod eſt corruptum, & fiat optimum in aliquibus naturis. 1°. de diff. feb. 3ª.31.H

COQVI poteſt paulatim morbus. 1°. de criſi. 4ª.128.C

Coquuntur cito morbi pueris. in 1^{m}. de mor. vul. com. 2°. 3ª.116.G

Concoquit & emollit magis oleo pinguedo ſuũ. 11°. de ſimp. med. 5ª.78.H

COQVEBANT aliqui in duplici vaſe medicamenta, & Galenus quandoq;. 4°. de ſan. tuen. 2ª.87.A/7°. de comp. medi. ſec. loc. 179.D/1°. de comp. med. per ge. 211.E/7°. 5ª.272.H

Coquenda quo igne ſint medicamenta. 1°. de comp. med. per ge. 5ª.215.A

Coquit in flamma fumo carente. 1°. de comp. medic. per gen. 5ª.211.E

Coquit ad flammam ignis acerrimi. 6°. de comp. med. per ge. 5ª.263.B

Coquitur pruna non nimis acri. 6°. de comp. med. per ge. 5ª.257.A

Coquit ad tertias. 4°. de comp. med. per gen. 5ª.243.E

Coquit ad quartam partem. 8°. comp. med. ſec. loc. 5ª.196.B

Coquere vt cardameleum. 7°. de comp. me. per gen. 5ª.267.B

CORDI adeſt proprium nomen ſubſtantię. 8°. de vſu par. 1ª.166.D

Cor (id eſt cardia) vnde dicatur. 3°. de decr. Hipp. 1ª.245.A

Cor, cerebrum, & iecur viſcera dicuntur. 6°. de decr. Hipp. 1ª.261.H/de marcore. 3ª.46.F

Cor pulſans viſcus dr̃. 7°. de ana. adm. 1ª.94.E/cõ. 4°. aph. 65°. Ex.34.D

Cor eſt viſcus. 2°. de decr. 240.C/3°. 243.F/3°. de nat. fac. 1ª.304.B/in 6^{m} de mor. vul. com. 1°. 3ª.154.C/com. 6°. aph. 27°. Ex.48.H

Cor viſcus præcipuum, quantum ad vitam. 3°. de decr. Hipp. 1ª.245.A

Cor eſſe viſcus non videtur, cum Galenus dicat in viſceribus & corde. de inæquali intemp. 3ª.44.A

Cor dicitur os ventris. 1°. de ſymp. cau. 3ª.17.G/3°. de loc. affe. 32.E/3°. de criſ. 4ª.144.E/8°. de comp. med. ſec. lo. 5ª.187.F/com. 4°. aph. 17°. 29. A/aph. 65°. Ex.34.D

Cor dicitur ventriculi os, & cur valde ſentit. in progn. com. 3°. 4ª.210.F

Cor quid. fin. med. Iſa.43.H

Cor quid ſit ſecundum Ariſtotelem. de anat. viuo. Sp.46.B

de Corde ſtoicorum opinio, & ꝙ primo gignatur. de fœt. for. 1ª.324.B

à Cordis acumine totum corpus incipit formari. de anat. vi. Sp.46.C

Cor primum eſt in generatione ſm Ariſtotelem. de anat. viu. Sp.52.A

Cor ſtatim ab initio conformatur. 2°. de decre. Hippo. 1ª.240.D/in 6^{m}. de mor. vul. com. 4°. 3ª.186.A

Cor ante cerebrum gignitur. de fœt. for. 1ª.323.G

Cor poſterius iecore factum eſſe credendum eſt. de fœt. for. 1ª.323.G

Cor non eſt primo genitum, quia indiget ſanguine, qui per venas à vulua trahitur. de fœt. for. 1ª.324.F

Cor perinde ac iecur primis fœturæ diebus eſſe quaſi quoddam fundamẽtum cur dixerit Galenus. de fœt. for. 1ª.323.A

Cor, & cerebrum, & iecur iuxta ſe locata cernũtur in abortibus triginta dierum. de fœt. for. 323.A/1°. de ſem. 1ª.331.D

Cor ab initio eſt vt milij granum vel fabæ. 2°. de nat. fa. 1ª.297.G

Cordis generatio ex quo & quando. de fœt. for. 1ª.323.B

Cor ex quibus formetur in fœtu. de anat. viu. Sp.52.A

Cor ex ſanguine arteriarum fit. 1°. de ſem. 1ª.331.C

Cor creat ſol. de compag. memb. ſiue de nat. hu. Sp.59.F

ad Cordis generationem intendit ſpiritus vitalis. de anat. viu. Sp.51.H

Cordi comparat radices ſtirpium. de anat. viuo. Sp.47.C

Cor, Cerebrum, & iecur, & ab ipſis dependentia membra conſiderãda. de morbo. temp. 3ª.89.H

Cor vnum principium in noſtro corpore. ars med. Iſa.63.B

Cor principiũ vnum vniuerſi corporis. 2°. de arte cur. ad Glau. 7ª.103.B

Cor eſt vnum ſolum principiũ regale ſm ſapientẽ. de ana. viu. Sp.45.G

Cor eſt membrum vnum principale ſecundum Ariſtotelem, ſecundum alios duo, cor & cerebrum. de ana. viu. Sp.56.A

Cor, cerebrum, hepar, ſtomachus, ſunt membra quatuor principalia, ſecundum aliquos. de anat. viuo. Sp.56.A

poſt Cor prima membra ſunt cerebrum, & hepar, & pulmo & ſtomachus. de anat. viu. Sp.47.B

Cor aut eſt principium vniuerſale aut non, & quid ad hæc ſequatur. de anatomia viuo. Sp.56.G

Cor, cerebrum, & iecur tria ſunt principia. in 1^{m}. pror. com. 1°. 4ª.169.F

Cor principaliſſimũ eſt ſpiritualiũ mẽbrorũ. de compag. memb. Sp.58.G

Cor non habet vt dominetur. 3°. de decr. Hipp. 1ª.245.A

Cor quorum principium ſit. 8°. de vſu par. 166.A/7°. de decr. 1ª.268.H

Cor cuius operationis principium. in 1^{m}. prorr. com. 1°. 4ª.169.F

in Corde non eſt principium nutricandi. 2°. de dec. 1ª.240.F

Cor eſt principium mediatum digeſtionis. de anatomia viuo. Sp.56.H

Cor pars propria ad vitam. fin. med. Iſ.45.E/13°. 202.E/14°. de vſu par. 204.C/1°. de ſem. 1ª.334.C

à Corde ad cætera membra influit virtus vitalis. de anat. viu. Sp.50.F

Corde, & hepate eget cerebrum ad conſeruandum ſubſtantiam ſuam. de mot. man. & obſ. Sp.66.G

Cor niſi ceſſet ab agendi munere, animal non poteſt mori. 3°. de ſimp. medicam. facul. 5ª.22.B

ſine Corde, & pulmone cur viuant aĩalia quædam. de vti. reſp. Sp.63.B

Cor pro Cerebro in carentibus capite. 8°. de vſu par. 1ª.165.G

in Corde vna ſpecies animæ. ꝙ animi mo. 1ª.317.F

in Corde eſt anima cum brutis communis. 8°. meth. me. 7ª.58.H

quę in Corde eſt anima cum corpore moritur. ꝙ animi mo. 1ª.317.F

in Corde ab aliquibus ponitur animæ principatus. 1°. de vſu par. 1ª.114.H/13°. metho. med. 7ª.85.D

à Corde omnes animæ facultates oriri dicunt Ariſtoteles & Theophraſtus. 6°. de decr. Hippocratis. 1ª.260.E

in Corde Ariſtoteles poſuit omnes animæ facultates. 4°. de decr. Hipp. & Platonis. 1ª.248.D

in Corde an principalis vis animę. 2°. de decr. Hipp. 1ª.235.H

Cor eſſe animę principium quibus argumentis probet Chryſippus. 2°. de decretis Hippocratis. 1ª.235.F

in Corde eſſe animam rationalem argumentum antiquorum commune. 2°. de dec. Hipp. 1ª.240.E

Cor volentes eſſe animę principatum, vnde debent ſumere argumẽtum. 2°. de decr. Hip. 1ª.235.B

à Cordis ſitu argumentum demonſtratiuum non deſumitur, quòd animę principatus ſit in ipſo. 2°. de decr. Hipp. 1ª.236.A

in Corde eſſe animæ principatum nullo ſenſu percipimus. 2°. de decret. Hippocratis. 1ª.239.G

in Corde non eſſe rationem ratio probans. 5°. de loc. af. 4ª.29.E

Cordi nihil accidit cum aliqua ſcientia quomodocunq; animus agitatur. 2°. de decre. Hipp. 1ª.240.D

in Corde non eſſe principẽ animã oſtendit anatomia. 1°. de lo. af. 4ª.3.G

Cor animoſæ virtutis initium. fin. med. Iſa.50.B/7°. de anato. adminiſtra. 96.C/3°. de decretis. 242.A/5°. 254.B/6°. 266.D/8°. 273.F/9°. 285.E/quòd ani. mor. 1ª.318.D/3°. de loc. affectis. 4ª.16.E/de virtut. noſtrum corp. diſpen. Sp.60.B

in Corde concupiſcibilem potentiam eſſe Ariſtotelis eſt dogma non ſtoicorum. 3°. de decr. Hipp. 1ª.246.F

Cor habet quatuor facultates. 3°. de nat. fac. 1ª.305.C

Cor non dat vim aĩalem cerebro per arterias. 2°. de decr. Hip. 1ª.239.D

Cor eſt baſis, & radix virtutum moralium. de ana. viu. Sp.56.H

Cordis ſitus. 2°. de decr. Hipp. 235.H/de ana. viu. Sp.46.E/G

Cordis & pulmonis domus eſt venter ſuperior. de anat. viu. Sp.47.C

Cor eſt in medio totius. 7°. de anat. adm. 95.D/6°. de vſu par. 1ª.150.C/de anat. viu. 46.G/ Sp.56.C

Cor cur in medio thoracis. 6°. de vſu par. 148.D/E/2°. de decre. 1ª.240.B

Cor non eſt in medio. 2°. de decr. Hipp. 1ª.236.B

Cor eſt in ſiniſtra parte. de anat. par. Sp.42.H

Cordis declinatio eſt magis ad ſiniſtrã partẽ. de ana. viu. 48.A/Sp.56.C

Cor cur verſus ſiniſtram partem. de anat. viu. Sp.52.G

Cor non eſt in ſiniſtra parte, vt vulgus putat. 6°. de vſu parti. 148.D/in 6^{m}. de mor. vul. com. 2°. 3ª.169.C

Cor cur videatur in ſiniſtra parte eſſe. 7°. de anat. adm. 1ª.95.D

Cor quo modo dicat̃ eſſe in ſiniſtris. in 6^{m}. de mor. vul. com. 2°. 3ª.169.C

Cordi ſubſternitur pulmo ſicut culcitra ſuſtentans, & leniens ipſum. de anatomia viuorum. Sp.48.A

in Cordis protectione poſitus eſt pulmo, vt folium in protectione fructus. de ana. viuo. Sp.48.B

Cor ambitur à pulmone ſuis lobis veluti digitis. 6°. de vſu partiũ. 148.D 149.H/7°. 1ª.159.H

Cordi ob nihil aliud pulmonem natura circundedit, quam vt illi miniſtraret. 1°. de ſymp. cau. 3ª.19.B

à Corde pericardij diſtantia. 6°. de vſu partium. 1ª.154.F

Cor, & pulmonem ambit thorax. 6°. de vſu par. 1ª.148.D

Cor circundatur à thorace. 6°. de vſu par. 1ª.149.H

Cor poſitionem ac magnitudinem in thorace ſibi ipſi habet conuenientẽ. 13°. de vſu partium. 1ª.201.D

Cor tegitur à mammis. 7°. de vſu par. 1ª.164.E

Corde longius Cerebrum conſtitui conueniens fuit, quippe quod poſterius etiam fabricetur. de fœt. for. 1ª.323.G

à Corde cerebrũ pari cũ pedibus interuallo diſtat.8°.de vſu p. 1ª.165.D
ſub Corde partes ſunt plures & maiores, quã quæ ſupra cor. 6°.de vſu par.149.E|16°. 1ª.118.E
Cordis ſtructuram ſimilem vel ſpecie eandem habet & maximum animalium & minimum.7°.de anat.adm. 1ª.96.H
Cor aſſimilatur Pineæ.de anat.viu. Sp.46.C
Cordis figura cur ſit pineata.de anat.viu. Sp.52.F
Cordis pars ſuperior cur eleuata ſit.de anat.viu. Sp.46.C
Cordis figura cur acuminata.de ana.viu.46.C| Sp.52.F
Cordis figura qualis & cur.6°.de vſu par.1ª.150.A|de ana.vi.Sp.56.C
Cordis figura eſt prima & mater figurarum.de anat.viu. Sp.47.B
Cordis forma rugoſa eſt intrinſecus quando conſtringitur, plana quando dilatatur.de anat.viu. Sp.56.C
Cordis menſurauit quantitatem Deus,& cur.de anat.viu. Sp.46.G
Cor cuiuſdam galli habebat duos apices.7°.de anat.adm. 1ª.96.H
de Cordis anatomia.de anat.viu. Sp.52.F
Cordis anatomia qũo facienda ſit.7°.de anat.adm.95.E|96.C| 1ª.97.B
Cor poteſt videri extra animal ſeorſum à reliquis partibus. 4°.de anatomia adminiſt. 1ª.81.H
Cor ab animali eximi debet,vt perfectius eius anatomia videatur.7°.de anatom.adminiſt. 1ª.96.D
Cor in omni animali diſſecto à Galeno ſemp̃ viſum.6°.de decr. 1ª.263.F
Cor quo pacto detegendum.7°.dc anatom.admiſtra.97.B|2°.de decretis Hippocratis.236.H|6°. 1ª.265.E
Cor cur denudetur.7°.de anat.adm. 1ª.97.H
Cor bubulum diſcrepat multum ab humano.2°.de ana.ad. 1ª.69.E
Cor inter partes inſtrumentales numeratur. de nat.hum. commen.1°.1ª.26.C|de diff.morb. 3ª.2.F
Cor inſtrumentum ſpiritus.7°.de ana.adm. 1ª.94.A
Cor ex quibus componatur.de ana.viu. Sp.46.D
Cordis fundamentum quale ſit.de anat.viu. Sp.46.C
Cordis baſis caput viſceris dicitur.7°.de anat.adm. 1ª.94.E
in Corde an chartilagineum quid reperiatur, inutilis quæſtio eſt.4°. de anat.admin. 1ª.79.H
Cordis chartilago in quibus aĩalibus videt̃ os.7°.de anat.adm. 1ª.96.E
Cordis os quo modo inueniri debeat.7°.de anat.adm. 1ª.96.G
Cordis os chartilago eſt.7°.de anat.adm. 1ª.96.E
in Corde oſſiculum.de oſſibus. 1ª.43.G
ex Corde elephantis magnum os.7°.de anat.adm. 1ª.96.F
ad Cordis caput propter qd os in magnis aĩalibus.6°.de vſu p. 1ª.155.G
Cor inuoluentia,quæ.7°.de anat.adm. 1ª.96.C
Cor,& pulmo quilibet in ſua capſula continetur.de anat.par. Sp.42.H
Cordis capſula quæ,& cur facta,et ubi cordi colligat̃.de an.vi. Sp.52.F
in Cordis capſula colligit̃ materia q̃ facit ſyncopẽ.de anat. p. Sp.42.H
Cordis panniculus eſt denſior quocunq; alio.de anat.viu. Sp.46.E
Cordis panniculus ubi illud tangat.de anat.viu. Sp.56.B
Cor ambiẽs pãnicul⁹ inter partes ignobiles reputat̃.5°.de lo.af. 4ª.29.E
Cordis pars perfectiſſima,quæ.6°.de vſu par. 1ª.150.A
Cordis partes mediæ in dignitate,quæ.6°.de vſu par. 1ª.150.A
Cordis pars abiectiſſima,quæ.6°.de vſu par. 1ª.150.A
Cordis particula abiectiſſima dicitur per comparationem ad alias cordis partes.6°.de vſu par. 1ª.150.A
Cordis orificijs cur membranę adnatæ.6°.de vſu par. 1ª.155.G
in Corde vaſorũ oſculis cur adnaſcant mẽbranæ.3°.de nat.fa. 1ª.307.E
Cordis membranarum diſſectio.7°.de anat.adm. 1ª.96.C
in Corde membranæ,quæ.6°.de vſu par. 1ª.153.F
in Corde membranæ quo modo ſe habent.6°.de decr.Hip. 1ª.264.D
à Corde vaſorum proficiſcentium orificia quales membranas habent, & earum vſus.6°.de vſu par. 1ª.152.B
Cordis membranæ triſulcę.7°.de anat.adm. 1ª.96.C
à Corde ad caput membranæ non pertingunt.7°.de decr. 1ª.268.A
à Corde non ſunt membranę circa collum.7°.de decre.Hipp. 1ª.268.B
Cor circumiens membrana unde nutriatur.6°.de decre. 1ª.263.B
Cordis additamenta cur auriculis comparantur. de anat.uiu. Sp.56.D
Cordis aurium diſſectio.7°.de anat.adm. 1ª.96.C
Cordis aures cur tenues,& neruoſæ ſint.6°.de vſu par. 1ª.154.C
Cordis aures nõ fruſtra factę,ſed temere noĩatę.6°.de vſu par. 1ª.154.B
in Corde quid faciant aures.6°.de vſu partium. 1ª.154.A
Cordis duæ aures propter quid ſit creatæ,& cuius ſubſtantiæ. de anatomia viuorum. Sp.46.F
Cordis propria caro numeratur inter primas partes quæ generantur.1°. de natur.facul. 1ª.291.G
Cordis caro qualis.6°.de vſu par. 1ª.150.C
Cordis ſubſtantia talis,vt in nullo talis reperiatur.6°.de decr. 1ª.266.B
Cor non habet ſimplicem carnem.1°.de temp. 1ª.17.H
Cor quidam in muſculorum genere ponunt.de bon.& vit.ſuc. 2ª.35.G
Cor eſſe muſculum dicentes errant.7°.de anat.adm. 1ª.96.B
Cordis ſubſtantia à muſculo differt.7°.de anat.admin.95. G|1°. de motu muſculorum. 1ª.309.E
Cordis caro,videtur muſculus,tamen non eſt.6°.de vſu par. 1ª.150.C
Cor coctum habet diuerſum guſtum à muſculo.7°.de anat.adm.1ª.96.H
Cor durius eſt quolibet muſculo.7°.de anat.adm. 1ª.95.H
Cor componitur ex carne craſſa,forti,& dura.de anato.viuo.46.D|52.F|55.G| Sp.56.D
Cor paulo minus durum cute.1°.de temp. 1ª.15.C
Cordis caro cur dura ſit.de anat.viu. Sp.46.D
Cor cur ex duris & compactis & non liquabilibus ſit cõfectum. de anatomia viuo. Sp.46.D
Corde cur mollis iecur.6°.de decre.Hipp. 1ª.266.C
Cordis dextera pars cur mollis,& tenuis,ſiniſtra uero craſſa, & dura. 6°.de vſu par. 1ª.154.E
Cordis caro quanto eſt durior carne lienis,renum,& iecinoris,tanto eſt ſiccior.2°.de temp. 1ª.17.H
in Corde eſt caro rubicunda.de anat.viu. Sp.44.D
Cordis caro eſt rubicunda.de ana.viu. Sp.55.H
Cor omnium partium animalium maxime ſanguineum.1°.de tẽp. 1ª.15.C
Cor eundem colorem,ſed non uſquequaque habet cum iecore. 6°. de decretis Hippo. 1ª.266.C
Corde cur rubicundius ſit iecur.6°.de decr.Hipp. 1ª.266.C
Cor coctu difficile eſt.3°.de alim.fac. 2ª.27.E
Cor dat non paucum alimentum,neq; mali ſucci.3°.de ali.fac. 2ª.27.E
Cordis caro generat melancholiam.de ana.viu. Sp.56.B
Cor habet carnem fibroſam duram.3°.de alim.fac. 2ª.27.E
Cor conſtat ſubſtantia duriore,fibroſiore q̃ cętera viſcera.de bon.& vitio ſuccorum. 2ª.35.F
in Corde eſt omne genus fibrarum.6°.de vſu par. 1ª.150.F
Cor componitur ex omnibus generibus filorum.de ana.viu. Sp.52.G
in Corde diuerſum fibrarum genus.1°.dc ſem. 1ª.332.C
Cordis villorum diuerſitas,& cur.de anat.viu. Sp.46.D
Cordis fibrarum natura.1°.de temp. 1ª.17.H
Cordis fibræ differunt ab alijs.6°.de vſu par. 1ª.150.C
in Corde fibræ multæ,ſolidæ & longæ,non ſecus atq; in muſculis ſpectãtur.de bon.& vit.ſuc. 2ª.35.E
in Corde fibrę multiplices.6°.de vſu par. 1ª.150.D
Cor non eſt perforatum.de anat.viuo. Sp.56.E
Cordis pori imperceptibiles ſunt p̃p ſui paruitatẽ.de util.reſp. Sp.64.D
de Cordis cauitatibus.de anat.viuo. Sp.46.E
Cordis fouea ob quid ſit facta.de anat.viu. Sp.46.E
in Cordis dextro latere q̃ ſint,& q̃ in ſiniſtro.de anat.viu. Sp.46.E|F
Cor uentriculos habere collige.com.7°.aph.30°. Ex.56.D
Cordis ventriculorum numerus in omnibus animalibus haudquaquam eſt idem.6°.de vſu par. 1ª.150.G
in Corde duos ventriculos non habent animalia,quæ non habent pulmonem.6°.de vſu partium. 1ª.152.D
Cordis vnus ſolus eſt ventriculus in animalibus paruis à quo procedit magna arteria.de vtil.reſp. Sp.64.D
Cordis tres folliculi.de anat.viu. Sp.52.G
Cor habet tres ventres intrinſecus.de anat.viu. Sp.56.C
Cordis ventriculus medius,qualis.de ana.viuo. Sp.56.C
Cordis tertiũ ventriculũ vbi eſſe putauit Ariſt.de vẽ.art.diſſ. 1ª.58.H
Cor non habet triplicẽ ſinũ,vt putauit Ariſt.7°.de anat.adm. 1ª.96.F
Cordis duo ventriculi.de fœt.for. 1ª.323.F
Cordis ventriculos eſſe tãtum duos viſui patẽs eſt.de vtil.reſp.Sp.64.D
Cordis ventriculorum ſitus.7°.de ana.adm. 1ª.96.H
Cordis dextrum ventriculum cum pulmone generari & interire certum eſt.6°.de decr.Hipp. 1ª.263.F
Cordis dexter ventriculus neceſſario interit cum pulmone. 6°. de vſu partium. 1ª.150.F
Cordis dexter vẽtriculus gratia pulmonis factus.6°.de vſu pa. 1ª.152.D
Cordis dextrum ventriculum habent animalia inſpirãtia aerem per os, nares,& pharynga.6°.de vſu par. 1ª.150.F
Cordis dextrũ ventriculũ multa animalia non hñt.6°.de decre.1ª.263.E
Cordis dexter venter inferior eſt,& magis verſus hepar diſpoſitus, attrahens ab hepate,de anat.viuo. Sp.56.C

Cordis ſiniſter venter minor eſt dextro, & ſuperior verſus pulmonem, attrahens ab eo. de anat. viu. Sp.56.C
ad Cordis ſiniſtrum ventriculum cur non eat vena in fœtu. 15°. de vſu partium. 1ª.211.D
à Cordis dextro ventriculo quid transferatur in ſiniſtrum. 3°. de naturalibus facultatib. 1ª.307.H
Cordis ſiniſter ventriculus quid agat. 6°. de vſu par. 1ª.153.G
Cordis ventres ob quem vſum ſint facti. de anat. viu. Sp.46.E
in Cordis ventriculis ſunt quędam ligamenta. 1°. de mot. muſ. 1ª.309.E
de Cordis vẽtriculis an pulſent, & qui pulſent. 3°. de dif. pul. 4ª.64.G
in Corde quatuor orificia, bina in vtroq; ventriculo: alterũ inducit materias, alterum educit. 6°. de vſu par. 1ª.152.C/ 1ª.153.F
in Cordis dextro ſinu duo ora. 3°. de nat. fac. 1ª.307.H
in Cordis ſiniſtro ventriculo duo orificia. 6°. de vſu par. 1ª.150.B
in Corde medio cur ſint foramina. 6°. de vſu par. 155.C/ 3°. de naturalib. facultatibus. 1ª.308.H
Cordis partium vtilitas. de anat. viu. Sp.46.C
à Corde dependentia, quæ. ars med. Iſa.63.B
à Corde Arteriæ dependent. ars med. Iſa.63.B/ de venarum arteriarũq; diſſectione. 49.F/ 1°. de vſu par. 117.B/ 6°. 152.D/ 15°. 212.E/ 214.D/ 2°. de decretis Hippocratis. 239.D/ 3°. 245.D/ 6°. 262.F/ 1ª.266. D/F/G/ de anat. viuo. Sp.56.E
Cor princeps viſcus, à quo arterię procedunt, quæ eundem cum illo motum cuſtodiunt. de vſu pul. 1ª.227.E
Cor producit maximam arteriam. 1°. de ſem. 1ª.331.D
à Corde arterię maximę. 6°. de decr. Hipp. 1ª.262.G
à Corde eſt origo arteriarum, ſuſpenſio ligamentorum, & virtus omnis in vniuerſo. de anat. viuo. Sp.46.G
à Corde oritur magna arteria. de venarum arteriarumq; diſſ. 1ª.56.C
in Corde eſt principium arteriarum. & innatæ caliditatis pulſusq; ac iræ. in Timæum Plat. 1ª.287.D
Cor eſſe principium venarum & arteriarum tribus rationibus probat̃, ſecundum Ariſtotelem. de anat. viu. Sp.56.E
à Corde vel iecore arteriarũ et venarũ corpora ñ vñr germinaſſe, ſicuti è cerebro & mẽbranis medulla dorſi & nerui. de fœt. for. 1ª.324.G
ad Cordis magnam arteriam in fœtu arteriæ infiguntur. 15°. de vſu partium. 1ª.211.D
à Cordis duabus ventriculis procedunt magna vena & arteria ad ſupremum ſpondylum colli. de vtil. reſp. Sp.62.G
Cordis ſiniſter ventriculus arteriarum origo. de ven. art. diſſ. 1ª.58.H/ de anatomia viuo. Sp.46.F
in Cordis ſiniſtro ventriculo eſt arteria magna, à qua omnes oriuntur. 1°. de decr. Hipp. & Plat. 1ª.233.C
à Cordis cono & radice & puncto arterię, & venę porriguntur ad ſui circulum, & ſic ad totum. de ana. viu. Sp.56.G
ſub Corde arterię pars maior. 6°. de vſu par. 1ª.149.E
à Corde arteriæ pars maior quorſum tendat. de ven. art. diſſ. 1ª.59.B
Cordis arteria maior eſt ea q̃ tẽdit ad pulmonem. 6°. de vſu par. 1ª.155.D
ex Cordis venoſis partibus natura fecit arterias quæ tendũt ad pulmonem. 6°. de vſu par. 1ª.153.A/B
à Corde quædam arteria dirigitur ad hepar per medium hepatis ad renes, quæ his vitam defert. de ana. viu. Sp.51.C
à Corde, quæ protenditur arteria per dorſum, & coniungitur meſenterio non tranſit per hepar. de vtil. reſp. Sp.64.E
ex Corde arterię venoſę ortus & diſſeminatio in pulmones. 2°. de decr. Hippocratis. 1ª.236.A
Cor cur habeat duas arterias in ambitu. de ven. art. diſſ. 1ª.58.H
Cordis totũ corpus amplectitur vena & arteria. 6°. de vſu par. 1ª.155.F
in Corde venæ & arteriæ ſe contingunt. 9°. de vſu par. 1ª.172.H
Cordi arterias aſperas iungentes, lęues arterię quibus plenæ. 7°. de vſu partium. 1ª.158.G
ad Cordis naturam ne prope quidem accedit arteriarum ſubſtantia. de fœtuum forma. 1ª.324.D/E
à Corde venas oriri aliqui dicunt. 6°. de decr. Hip. 1ª.261.H
à Corde quòd venæ naſcantur, nõ ab hepate probat Ariſtoteles. de anatomia viuo. Sp.45.H
Cor venarum principium non eſſe probatur. 6°. de decr. Hipp. 262.G/ 1ª. 263.G/ de anat. viuo. Sp.56.F
à Corde vel iecore an oriatur vena caua incertum eſt quantum ad ſubſtantiam. de fœt. for. 1ª.324.E
Cor habet venas quatuor. de nat. & ord. cuiuſ. corp. Sp.42.A
à Cordis parte dextera vena magna egreditur. de anat. vi. Sp.46.F
ex Corde naſcitur magna quædam vena & quorſum tendat, & quæ ab illa naſcantur, ſecundum Eraſiſtratum. 5°. de loc. aff. 4ª.30.F
Cordi q̃ infigit̃ vena maior eſt ea, q̃ ab eo exorit̃. 6°. de vſu par. 1ª.155.D
à Corde ad pulmonem vena minor eſt ea, quæ cordi inſeritur. 6°. de vſu partium. 1ª.155.D
ex Cordis arterioſis partibus natura fecit venas quæ tendunt ad pulmonem. 6°. de vſu par. 1ª.153.A
in Cor quę tendit venæ cauę pars amplior eſt illa, quæ tendit in pulmonem. 3°. de natu. facul. 1ª.307.H
à Corde, & non à iecore cur natura produxit venam quę pulmonem nutrit. 6°. de dec. Hipp. 1ª.263.D
à Cordis auricula dextra vena ſine pari omnes thoracis partes, quæ cõſiſtunt circa octo coſtas inferiores, alit. 5°. de lo. aff. 4ª.30.H
ſub Corde emergit vena alens partes inferiores thoracis. de vict. rat. in mor. acu. com. 2°. 7ª.117.G
ad Cor venas duxit natura prius quàm ad mammas, & qua via incedant. 7°. de vſu par. 1ª.164.D
ad Cor ventrem habens vena, quando venit in rectitudinem diaphragmatis, ramos ad ipſum nutriendum tranſmittit. de anat. viu. Sp.54.D
à Corde protenditur vena ad ſplenem quemadmodum ad hepar, p quã cor attrahit ſibi ſuccum cibi à ſplene quemadmodũ ab hepate. de vtilitate reſpiratio. Sp.64.H
à Corde quo modo veniant venæ, & magnæ arteriæ in collum. 7°. de vſu partium. 1ª.159.F
à Corde quę ſubit arteria ad collũ, quid trahat. 3°. de nat. fac. 1ª.307.F
à Corde in pulmones diuiſis arterijs, quæ venę correſpõdeat. 16°. de vſu partium. 1ª.220.E
in Corde arterijs exiſtentibus quæ venæ rñdeãt. 16°. de vſu p. 1ª.220.F
Cor eſt radix vltima erectionis totius animalis. de ana. viu. Sp.47.B
Cor eſt primum, & vniuerſale inſtrumentum omnium ſenſuum, ſecundũ Ariſtotelem, non cerebrum. de vtil. reſp. Sp.62.F
in Corde eſt principium motus & ſenſus, ſecundum Ariſtotelem. de vtilitate reſpi. Sp.63.D
Cor qđ ſit principiũ ſenſus & motus cõtra Galenũ. de ana. viu. Sp.45.H
Cor quòd non ſit principium ſenſus & motus probat Galenus. de anatomia viuorum. Sp.45.H
Cor non præſtat cerebro primam originem ſenſus, & motus, vt aliqui voluerunt. 2°. de decr. Hipp. 1ª.239.D
in Corde non ſentimus aliquem motum, cogitantes, & diſcentes, & docentes. 2°. de decr. Hipp. 1ª.239.G
in Corde neruorum origo ſm aliquos. 2°. de decr. Hipp. 1ª.234.E
Cor non eſt principium neruorum. 3°. de vſu partium. 1ª.161.E/ 3°. de locis affectis. 4ª.17.C
à Corde non oriuntur nerui, contra ſtoicos. 2°. de decr. Hip. 1ª.234.E
Cor non eſſe principium neruorum, contra Ariſtotelem. 1°. de decretis Hip. & Pla. 232.C/ 233.D/H/ 2°. 1ª.234.A
in Corde non ſunt multi nerui, ſed neruoſæ diſcriminationes. 1°. de decr. Hipp. & Plat. 233.E/H/ 2°. 1ª.240.E
Cor nõ habere multos neruos oſtenditur. 1°. de decr. Hip. & Pl. 1ª.233.H
Cor nullam actionem animalem habet, ideo non eget magnis neruis. 6°. de vſu partium. 1ª.155.F
in Corde nullus videtur neruus, tamen à pericardio aliquis paruus in ipſum deduci videtur in magnis animalibus. 6°. de vſu par. 1ª.155.F
Cor ex animali exemptum mouetur, igitur nerui non faciunt ad eius motum. 7°. de anat. adm. 1ª.96.B
Cor, & pulmonem qui neruus intret. de voce, & anhel. Sp.61.H
in Cor infigitur neruus paruus à cerebro deſcendẽs. 1°. de dec. 1ª.233.H
Cordi mittuntur nerui à ſexta coniugatione neruorum a cerebro ꝓdeuntium. 16°. de vſu par. 1ª.215.H
Cor ac pulmo à ſexta coniugatione quandam neruorum portionẽ in collo ſuſcipiunt. de ner. diſſ. 1ª.54.D
ad Cor cur fuit neceſſe neruos accedere. 16°. de vſu par. 1ª.215.E
Cor cur habet aliquos paruos neruos. 6°. de vſu par. 1ª.155.G
Cordi melius fuit habere neruos minimos. 7°. de vſu par. 1ª.159.H
Cordi cur neruus ſyncerus. 16°. de vſu par. 1ª.216.E
cur Cor ſentiat in ſuperficie non in cauitate. de ren. aff. dign. 7ª.193.A
ad Cor habent colligãtiam per venas, pelliculas, & neruos corporis particulę omnes. de vtil. reſp. Sp.62.G
Cor cum cerebro colli arteriæ continuant. de vſu pul. 1ª.227.E
Cor cerebro tria vaſorum genera connectunt. 2°. de decr. 1ª.239.B
Cordis mutua cũ cerebro colligatio quo modo. 2°. de cauſ. pul. 4ª.93.H
Cordi quo modo copuletur iecur. 4°. de vſu par. 1ª.130.F

Cor eſt frigidæ cõplexionis de ſubſtantia ſm Ariſt. de anat.viu. Sp.56.B
Cor omne ſecundum Galenum calidum eſt, & ſiccum.de ana.viu. 46.E/ 56.B/de compag.ſiue de nat.hu. Sp.58.G
in Corde, & ſtomacho ſemẽ mutat̃ in calidũ, & ſiccũ.de ſper. Sp.36.H
Cor omnibus membris corporis calidius eſt.de compag.memb. Sp.58.G
Cor caloris fons.7°.de ana.ad.96.C/6°.de vſu p.150.B/de fœ.for.1ª.323. F/in 6^{m}.de mor.vul.com.4°.3ª.185.H/de ana.viu. Sp.45.G
Cor non deberet eſſe, niſi eſſet arteriarum & caloris principium. 8°.de vſu partium. 1ª.166.A
Cordis ad calorem & ſpiritum eadem eſt comparatio, quæ fornacis ad ignem.de anat.viuo. Sp.46.D
in Corde innati caloris feruor, antiqua opinio.2°.de decr. 1ª.240.F
in Corde multus calor inſitus.in 6^{m}.de mor.vul.com.4°. 3ª.186.D
Cor innati caloris eſt fons.5°.de lo.af.4ª.28.H/de ana.viu. Sp.45.G
ex Corde animalia ſortiuntur igneam caliditatem.de fœt.for. 1ª.323.F
ſine Corde ſanguineorum animaliũ calor perſimilis caliditati, quæ ſentitur in domibus tempore æſtatis.de fœt.for. 1ª.323.F
à Corde incipit calor vitalis.de anat.viu. Sp.47.B
à Corde effluit calor cõtinuo ad venas, et p venas ad totũ corp° et, inde extra corpus, vt flamma eſt in continuo motu.de vtil.reſp. Sp.62.F
Cordis calor minimus eſt maior omnibus.de vſu pul. 1ª.228.C
Cor frigidiſſimũ multo tñ calidius ẽ cerebro calidiſſimo.ars.me. Iſ.64.E
Cordis caloris cauſa eſt motus.de anat.viu. Sp.56.D
in Cordis ſiniſtro ventriculo ingens calor.de vſu pulſuum.1ª.228.C/ de inequali intemp. 3ª.44.A
Cordis calor eſt diuerſus ab aliarũ partium calore.de vſu pul. 1ª.228.B
Cor cur debet eſſe ſemper calidum.de vſu pul. 1ª.228.B
Corde ſeruato in calore, ſeruatur animal.de vſu pul. 1ª.228.C
Cor prope mortem frigidum eſt præterq̃ in ardẽtibus febribus. in 6^{m}.de mor.vulg.com.4°. 3ª.187.D
Corde refrigerato omnia frigeſcunt.de vſu pulſ. 1ª.228.B
Cordis calor quot modis calidior vel frigidior fiat.de cur.ratio.per ſanguinis miſſionem. 6ª.16.G
Cor ſiccius & calidius iecore.6°.de dec.1ª.266.C/de fœ.for. 1ª.323.F
Cordis qualitas.de compag.memb.ſiue de na.hu. Sp.58.H
Cordis calidi ſigna.ars med. Iſa.64.E
in Corde qui habent plurimum calidum, ſunt vocaliſſimi. in 6^{m}.de mor. vulg.com.4°. 3ª.185.H
Cordis calor excellens ſignum eſt audaciæ.de anat.viu. Sp.53.A
Cordis magnitudo non eſt cauſa audaciȩ.de anat.viu. Sp.53.A
Cor magnum nõ tñ audax habent aĩalia plura.de ana.viuo. Sp.46.H
Cor magnum habent cerui & lepores, tamen ſunt pauidi & timidi plurimum.de anat.viuo. Sp.46.H
Cor magnum habent lepus & ceruus, ſecundum menſuralem ſibi proportionem, cum timidi ſint.de anat.viu. Sp.53.A
Cor paruum habent animalia quȩdam, tamen ſunt audacia, quia illud calidum habent.de anat.viu. Sp.53.A
Cor paruũ non tñ timidum habent animalia plura.de ana.viu. Sp.46.H
Cordis paruitas non eſt timiditas cordis.de ana.viu. Sp.53.A
Cordis parui animalia cur audacia ſint.de anat.viu. Sp.46.H
Cor paruum habet ſerpens, tyrus, et muſtela, tamen ſunt audacia, cum calidum habeant.de anat.viuo. Sp.53.A
bene Cordati qui dicantur ſm Chryſippum.3°.de decre. 1ª.245.B
ſine Corde dicitur timidus.3°.de decre.Hipp. 1ª.243.D
Cor deeſſe timido, & puſillanimi dicunt.3°.de loc.aff. 4ª.16.E
Cordis calor ſuperexcellens ſignum eſt maniæ.de ana.viu. Sp.53.A
Cordis caliditas poteſt obtundere frigiditatem iecoris.ars med. Iſ.65.B
Cordis frigidi indicia.ars med.Iſa.64.F/de marc. 3ª.46.G
Cor humidius, quàm cutis.1°.de temp. 1ª.15.C
Cor humidum quibus fiat.3°.de præſag.ex pulſ. 4ª.119.C
Cordis humidi ſigna.ars med. Iſa.64.G
Cordis humiditas non põt obtundere ſiccitatẽ hepatis.ars me. Iſa.65.B
Cordis ſicci ſigna.ars med. Iſa.64.G
Cordis calidi, & humidi ſigna.ars med. Iſa.64.H
Cordis calidi & ſicci ſigna.ars med. Iſa.64.H
Cordis humidi, & frigidi ſigna.ars med. Iſa.64.H
Cordis frigidi & ſicci ſigna.ars med. Iſa.64.H
Cor habet proprium motum naturalem.2°.de ſan.tuen. 2ª.75.A
Cordis motus eſt primus motuum.de anat.viu. Sp.47.B
Cor cur habet duplicem arteriæ motum.6°.de decr.Hipp. 1ª.266.C
Cordis motus proprius pulſus.6°.de decre.Hipp. 1ª.260.G
Cor origo pulſus.de vſu pul. 1ª.228.F
Cordis pulſatio quid.de anat.viu. Sp.47.A
Cor quando incipit pulſare.de fœt.for. 1ª.323.F
Cor motu perpetuo agitur.6°.de vſu par.148.G/1°.de ſem.1ª.331.C/2°.de ſan.tu.2ª.75.A/6°.de lo.af. 4ª.42.D
Cor quoad motibus pprÿs mouet̃, aĩal perire nequit.de marc. 3ª.46.F
Cor cum arterÿs ſemper pulſat in vita.1°.de cauſ.pul. 4ª.86.H
Cor habet maiorem actionis conſtantiam, quàm alia membra. 6°.de vſu partium. 1ª.150.D
Cor in omni parte ſuam faceret actionem.6°.de loc.aff. 4ª.42.D
in Cordis motu quies exigua.6°.de vſu par. 1ª.150.E
Cor non indiget multo tempore ad requiem.1°.de ſymp.cauſ. 3ª.19.A
Cor deſiſtit moueri, qñ reſpiratione fuerit priuatũ.de fœt.for. 1ª.324.H
Cor non poteſt ceſſare ab actione ſine maxima intemperie.3°.de ſimplic. medica.fac. 5ª.22.B
Cordis officiorum quies, vitȩ finis eſt.de marc. 3ª.46.F
Cordis motus à natura eſt.7°.de vſu par. 1ª.159.G
Cordis motus non eſt voluntarius.7°.de anat.adm. 1ª.55.G
Cordis motus non eſt voluntarius, nec animalis, ſed naturalis.2°.de motu muſculo. 1ª.314.H
Cordis pulſus motus diuerſus à motu voluntario.2°.de decr. 1ª.240.D
Cor motus inuoluntarÿ principium.2°.de decr.Hip. 1ª.240.D
à Corde & arterÿs motus vitales ſunt.de palp.trem.conuul. 3ª.51.D
Cor primo mouetur, vltimo quieſcit.2°.de decr.Hipp. 1ª.240.D
in Corde ars muſicȩ reperitur cur, & quo modo.de ana.viu. Sp.46.H
Cordis pulſus non eſt concentus.6°.de vſu par. 1ª.148.C
Cordis motus vnde.de ana.adm.1ª.96.A/1°.de cau.pul. 4ª.86.H
Cordis motus vbi fiat tanquam in inſtrumento.de anat.viu. Sp.56.D
Cor non indiget cerebro ad ſui motionem, & è contrario.1°.de decr.Hip. & Plat.232.B/2°.237.A/ 1ª.239.C
ex Corde & arterÿs pulſus.8°.de decr.Hip. 1ª.278.B
Corde vacuato, arterÿs repletis, pulſum fieri probat̃.cõp.pul. Sp.65.C
Cordis motui ſeruiunt læues arteriæ.7°.de vſu par. 1ª.159.G
Cor, & arteriæ eandem habẽt pulſandi rõnẽ.de pulſ.ad tir. 4ª.43.B
Cordis motus, & arteriarũ differunt.3°.de præſag.ex pul. 4ª.115.D
Cordis, & arteriarum motus quomodo differant.2°.de ſan.tu. 2ª.75.A
circa Cor, & arterias ſolum fieri pulſum Herophilus inuenit.compendium pulſuum. Sp.65.C
Cordis motus principium eſt virtus motiua.de anat.viu. Sp.56.D
Cordis motus cauſa eſt fortitudo virtutis.de anat.viu. Sp.56.D
Cordis dilatatiui motus quæ cauſa ſit.de ana.viuo. Sp.56.D
Cor fortiter, & frequenter mouetur.de anat.viu. Sp.56.D
Cor cur fortiter moueatur.de ana.viuo. Sp.56.D
Cordis motus frequentis cauſa eſt neceſſitas.de anat.viu. Sp.56.D
Cor non facit pulſum pro alio mẽbro, ſed pro ſe.de mot.man. Sp.68.A
Cordi qđ dat reſpiratio, id dat oĩbus partibus pulſus.de vſu p. 1ª.228.D
Cordis motus creber, et ventorũ qd ſignificet.cõ.4°.aph.65°. Ex.34.E
Cordis motus quo modo poſſit videri.6°.de vſu par. 1ª.150.D
Cor, & Cerebrum mouetur motu dilatationis, & conſtrictionis.de anatomia viuorum. Sp.56.E
Cor viuit cum ſuis dilatationibus, & conſtrictionibus, & quietibus intermedÿs.de anat.viuo. Sp.53.A
Cor dilatari, ac comprimi quid ſit.6°.de vſu par. 1ª.150.E
Cor qd faciat in dilatatione, & cõſtrictione.2°.de præſ.ex pul. 4ª.111.G
à Corde pectus auget̃, & minuitur.in 6^{m}.de mor.vul.cõ.3°. 3ª.174.B
Cordis ventriculi cur nunquã comprimuntur.9°.de vſu par. 1ª.173.E
Cor quo modo contrahatur & diſtendatur cum arterÿs. 4°.de præſag. ex pulſ. 4ª.122.C
Cor quando demittitur, & quando attollitur, an arteria ſubmittatur, & attollatur.7°.de anat.adm. 1ª.97.H
Cordis corpus vnde diſtẽdat̃ & contrahat̃.2°.de præſ.ex pul. 4ª.111.G
Cor ne cremetur quid prohibeat.de anat.viuo. Sp.47.F
propter Cor fit reſpiratio.6°.de vſu par.148.B/2°.de decr. 1ª.237.A
Cor quantum indiget reſpiratione.de vtil.reſp. 1ª.226.B
Cordis calor reſpiratione conſeruatur in quadam moderatione. de inſtrumento odor.1ª.112.E/de vſu pulſ. 1ª.228.C
Cor cui aſſimilatur in reſpiratione.de vtil.reſp. 1ª.224.H
Cor quo modo ſe habeat in reſpiratione.8°.de decr.Hip. 1ª.278.D
Cor comparatur follibus fabrorum.6°.de vſu par.154.A/ 6°.de decret. Hippocratis. 1ª.264.D
Cor comparatur magneti attrahenti ferrum.6°.de vſu par. 1ª.154.A
Cor comparatur flammæ trahenti oleum.6°.de vſu par. 1ª.154.A
Cor ſemper trahit primo quod leuius eſt.3°.de nat.fac. 1ª.307.G

Cor in dilatatione trahit quod repleturum eſt id quod ex eo vacuatum fuit.in Tim.Plat. 1ª.290.D
Cor dilatatum maiore vi attrahit, quàm contractum expellat.6°.de vſu partium. 1ª.154.C
Cor quo modo trahat ad ſe materias.6°.de vſu partium. 1ª.153.H
Corde dilatato trahitur quod probe eſt.de vſu pul. 1ª.228.F
Cor refrigerat inſpiratio.6°.de vſu par. 1ª.148.B
Cordi ad refrigerationẽ nihil eſt familiarius ſpũ.6°.de vſu par. 1ª.154.A
Cor non expoſcit aeris ſubſtantiam, ſed frigiditatem, qua recreetur. an ſang.in art. 1ª.62.A
Cor dupliciter frigeſcit per reſpirationem.8°.de vſu par. 1ª.165.E
in Cor nihil vel parum aeris inſpirati deſcendit.an ſang.in art.1ª.62.A
in Cor aliqua aeris pars attrahit circa diſtẽtionẽ.de vtil.reſp.1ª.226.E
Cordis infrigidatio per aerem attractã propinqua eſt infrigidationi ſtomachi, quæ euenit ei in hora ſuæ repletionis propter motum, & deſcẽſum ciborum.de anat.viuo. Sp.47.H
Cor poteſt extrahere aerem qñ non reſpiramus.de vtil.reſp. 1ª.224.A
à Corde fit aeris tractatio per quã arteriȩ vacuant.de vſu reſ.1ª.224.B
Cor refrigerabis ſi infrigido aere ipſum nudaueris, prætereà ſi frigidam aſperſeris.de vſu pul. 1ª.228.B
ad Cor debet attrahi frigidiſſimus aer à febriente, ſed non debet contingere cutim.10°.meth.me. 7ª.64.E
Cordis ardoris reſpiratio.1°.de diff.reſp. 3ª.59.A
ad Cor piſcium peruenit aer, & non aqua.de vtil.reſp. Sp.63.B
ad Cor, & iecur quæ venæ & arteriæ in fœtu materias traducũt, quaſi radices quædam ſunt.1°.de ſem. 1ª.331.C
à Corde in pulmonem non à pulmone in cor ſpiritus in embrione fertur. 6°.de vſu partium. 1ª.156.A
Corde non indiget fœtus in principio.de fœt.for. 1ª.323.B
Corde & cerebro iecur maior in abortibus triginta dierum. de fœtuum formatione. 1ª.323.A
Cordis functiones quales in fœtu.de fœt.for. 1ª.323.H
à Corde iuuatur cerebrum.de fœt.for. 1ª.324.H
Cor obedit cerebro.3°.de decre.Hip. 1ª.245.A
Cordis reſpirationis organum pulmo.de vtil.reſp. 1ª.226.B
Cordi ſpiritum pulmo parat.6°.de vſu par. 1ª.148.C
Cor ſumit à pulmone ſpiritum.fin.med. Iſ.50.C
Cor trahit ſpiritum ex omni parte pulmonis. 6°. de vſu partium.148.C| E|de vtil.reſp. 1ª.226.E
Cor trahit à pulmone ſpiritũ, ab hepate ſanguinem.de vtil.reſp.Sp.64.E
Cor accipiens ſpiritum à pulmone diſtribuit ad omnes particulas.an omnes particulæ animalis fiant ſimul. 1ª.326.E
Cor vbi diſtenditur, attrahit ex pulmone.de vtil.reſp. 1ª.224.B
ad Cor ꝑ pulmonẽ frigidũ peruenit, nõ ꝑ cutim.10°.meth.me. 7ª.64.E
Cor ſolum in thorace piſces continent.6°.de vſu par. 1ª.148.A
Cor & pulmo cum augeatur in his qui gibbi facti ſunt ex aſthmate ante pubertatẽ, locusq; continẽs minor efficiatur, coſtæ vero non augeant, & ſe flectẽdo propter gibboſitatem thoracẽ faciãt anguſtiorem, et ex anhelitus difficultate breui moriunt.com.6°.aph.46°. Ex.52.A
ad Cor quomodo tranſeat aer.de cau.mor. 3ª.7.E
à Corde reſpirationem fieri dicentes qũo errent.3°.de dec. 1ª.237.B
Cor nõ attrahit, niſi ꝑmittit thorax, ſm Eraſiſtratũ.de vti.reſp.1ª.223.E
ad Cordis ſiniſtrum ventrem inſpiratio per quæ foramina fiat.de vtilitate reſpirat. Sp.64.C
ad Cor accedit ſpiritus per os.de cauſ.reſp. 1ª.226.H
Cor non percipit fructum ex reſpiratione, niſi per aliam arteriam. 7°.de vſu partium. 1ª.158.G
Cor nõ attrahit qñ non reſpiramus, ne det vacuum.de vtil.reſp. 1ª.223.E
Cor à magna arteria trahit, quando non reſpiramus, ſecundum Eraſiſtratum.de vtil.reſp. 1ª.224.A
à Corde quo modo fiat ſpiratio exigua, ſpiratio magna & denſa & celer, & ſpiratio rara.5°.de loc.aff. 4ª.29.F
Cordis conſtrictionis motus quæ ſit cauſa.de anat.viu. Sp.56.D
Cordis conſtrictionis motu quid ſit.de de anat.viu. Sp.56.D
Corde conſtricto expellitur quod probe eſt.de vſu pulſ.228.F | in Timæ. Platonis. 1ª.290.D
Cor vbi contrahitur ſpiritus in arterias mittit.de vtil.reſp. 1ª.224.B
Cor quo modo expellat materias.6°.de vſu par. 1ª.153.H| in 6m.de mor. vulga.com.6°. 3ª.195.D
de Corde exemplum, & de vaſe aere pleno quod velit euacuari. 6°.de vſu partium. 1ª.154.B
à Corde per arterias fit tranſpiratio.4°.de loc.aff. 4ª.27.E
in Corde feruẽs et fuliginoſum emittit expiratio.6°.de vſu pa. 1ª.148.B
in Corde quod fuliginoſum, per quas arterias tranſmittatur. 7°.de vſu partium. 1ª.159.E
à Corde quæ expelluntur, nõ recipiunt amplius.6°.de vſu par. 1ª.152.B
in Corde vaſorum ora non poſſunt ita claudi, vt nihil retro recurrat.3°. de natur.facul. 1ª.307.E
Cor excreationes moderate molitur.de ther.ad Piſo. 5ª.96.H
Cor combureretur, niſi fumi expellerentur calidi.de anat.viu. Sp.45.E
Cordis motus in pulſibus eſt operatio.6°.de decr.Hip. 1ª.260.G
in Corde vires debiles, & robuſtæ cognoſcuntur ex functionibus pulſuum.de cur.rat.per ſang.miſſ. 6ª.17.D
Cordis motum ſequitur motus arteriarum.de anat.viu. Sp.47.A
Cordis & arteriarum motu an calor oriatur, an ſit connatus vt cordi motus.aducr.Lycum. Ex.61.H
à Corde habent motũ arteriȩ.an.ſang.in art.62.F | G | H | 6°.de decre. Hipp.265.D|3°.de na.fac.307.E|1°.de ſem.1ª.335.B|de mul.3ª.77.A| 3°.de præſag.ex pulſ.4ª.115.C|7°.meth.med. 7ª.49.C
à Corde cur plus accipiũt arteriȩ & minꝰ reddũt.de vſu pul. 1ª.228.H
à Corde arteriæ diſtantes quid trahant.3°.de nat.fac. 1ª.307.F
à Corde venæ accipiunt virtutem pulſatilem.1°.de vſu par. 1ª.117.B
Cordis corpus qualitate extranea affectum quem pulſum facit. de præſag.ex pul. 4ª.107.D
Cordis calidi & arteriarũ frigidarũ pulſus q.3°.de præſa.ex p. 4ª.115.C
Cordis frigidæ intemperiei pulſus quales.3°.de præſ.ex pulſ. 4ª.115.F
Cordis corpus præter modum calidum, & materiæ frigidȩ quomodo varientur.3°.de præſag.ex pulſ. 4ª.116.D
non Cor ſolum, ſed & vicina cordi, ſicut materia, pulſus mutant. 3°. de præſag.ex pulſ. 4ª.117.A
Cor cum calidius ſit quàm vicina frigida, qui pulſus fiat.3°.de præſa.ex pulſibus. 4ª.117.B
Cor cũ frigidius & vicina calidiora, qui pulſus.3°.de prȩſ.ex p.4ª.117.B
ex Cordis & arteriarum humiditate, & ſiccitate pulſus mutatio.3°.de præſag.ex pulſ. 4ª.119.B
Cor cũ calefacit pulmo, qualis fiat pulſus.4°.de prȩſ.ex pul. 4ª.119.F
Cordis ob pulmonem refrigerati pulſus.4°.de præſ.ex pul. 4ª.119.G
Cor quia habet duram ſubſtantiam, & habet copiam calidi natiui, copioſe debet nutriri.16°.de vſu par. 1ª.220.G
Cor craſſum, & denſum indiget cibo craſſo.6°.de vſu par. 1ª.155.D
Cordi quo modo detur nutrimentum.6°.de vſu par. 1ª.155.E
Cor, quibus, & quo modo nutriatur. de anato.viuo.46. H| de compag. memb.ſiue de nat.hu. Sp.58.G
Cor cibatur ſpiritu, & ſanguine attracto.de anat.viu. Sp.56.D
in Cordis ſiniſtro ventre calor à quo nutriatur.de vtil.reſp. Sp.63.A
Cordis calorem aer inſpiratus nutrit, ſecundum Hippocratem. de vtilit. reſpira.63.C| Sp.64.B
Cordi ad nutritionem nihil vtilius ſanguine.6°.de vſu par. 1ª.154.A
Cordis calor vitalis nutritur ſanguine pingui, & vnctuoſo. de vtilitate reſpirationis. Sp.62.C
Cor ſumit à iecore ſanguinem.fin.med. Iſ.50.C
Cor attrahit ab inteſtinis ſuccum cibi aliũde, quàm per hepar, id eſt per mediam arteriam.de vtil.reſp. Sp.64.E
Cor eſt valentius, quàm iecur.3°.de nat.fac. 1ª.306.C
Cor nutritur à ſanguine venæ cauæ.6°.de vſu par. 1ª.155.D
Cordi miniſtratur tenuior ſanguinis pars, quem hepar vt vtiliorẽ ob ſui nutrimentum ſeruarat.de compag.memb.ſiue de nat.hu. Sp.59.B
pro Corde iecur non præparat ſanguinem.6°.de decr.Hipp. 1ª.263.A
Cor, & iecur ſemper habent alimentum, niſi in maxima ſanguinis penuria, cur.de marc. 3ª.46.G
Cor in vtriſque ſinibus ſanguine repletum eſt, dum animal viuit. de decretis Hippo.& Plat. 1ª.231.F
in Cordis ſiniſtro ſinu animali mortuo adeſt ſanguis.an ſang.in art.61.B de decre.Hipp.& Plat. 1ª.231.F
Cordis ſiniſtrum ventriculum eſſe ſanguine plenum probat. de decretis Hippocra.& Plat. 1ª.231.H
in Corde exſuperat ſanguis.introd. Iſa.55.B
in Cordis ventriculis gñat ſanguis ſm Ariſtotelẽ.de vtil.reſp.Sp.62.F
Cor eſſe principium ſanguinis, & non hepar, quibus rationibus probet Ariſtoteles.de anat.viu. Sp.50.F
Cor eſt primum principium ſanguinis mediatum.de ana.viu. Sp.50.F
Cor cuius ſanguinis ſit initium.2°.de decre.Hipp.241.F|6°. 1ª.266.D
Cor alicuius ſanguinis initium & cuius concedat Galenus. 6°.de decre. Hippocratis. 1ª.264.C

Cor nõ eſt principiũ ſanguinis totũ corpus alentis.6°.de decre.1ª.264.C
Cor auctor ſanguinis vitalis & arteriarũ ſm Plat.de fœt.for. 1ª.323.G
Cordis ſanguis eſt ſpirituoſus.6°.de decr.Hipp. 1ª.266.D
Cordis ſanguis, flauior eſt ſanguine iecoris.6°.de decre.Hipp. 1ª.266.C
in Cordis dextero ventriculo eſt copioſior ſanguis, quàm in ſiniſtro. 6°. de vſu partium. 1ª.154.H
ex Cordis dextro ſinu trahitur in ſiniſtrum quod tenuiſſimum eſt.3°. de natur.facul. 1ª.307.G
in Cordis dextrum ventriculum ingreditur ſanguis è iecore mediocriter calidus, in ſiniſtrum longe calidior.de fœt.for. 1ª.323.F
Cordis ſanguis qui eſt in dextro ventriculo, non eſt diuerſus à ſanguine iecoris.6°.de decr.Hipp. 1ª.263.C
Cordis vẽtriculi ſiniſtri ſanguis ſemper calidior eſt.6°.de dec. 1ª.263.D
in Cordis ſiniſtro ventriculo gignĩt ſanguis flauus.6°.de dec. 1ª.266.D
Cordis ſiniſtri ventriculi ſanguis, quandoq; tenuior et flauior, quandoq; craſſior, nigriorq́;, calidior vero ſemper.6°.de decre.Hipp. 1ª.263.D
in Corde ſanguis perfectionem conſequitur optimam & digniſſimam. de ana.viuo. Sp.46.B
in Corde fit vltima cibi coctio ſm Ariſtotelẽ.de vti.reſ.62.F/ Sp.64.E
Cor ſanguinem tranſmittit per totum corpus.de ther.ad Piſ. 5ª.96.H
Cor poſt iecur trahit alimentũ in dextrum ſinum, & per venam arterialem ad pulmonem tranſmittit.2°.de nat.fac. 1ª.296.H
à Cordis dextro ventriculo per vnum duntaxat vas pulmonem recipere ſanguinem inter omnes conuenit.5°.de loc.affe. 4ª.30.G
ex Corde ſubminiſtratur ſanguis pulmoni per venam magnam. de nat. huma.com.2°. 7ª.184.A
Cor nutrit pulmonem.6°.de vſu par.150.H/ 1ª.152.C
Cor præparat alimentum pulmoni non ſibi.6°.de vſu par. 1ª.155.E
Cor cerebro miniſtrat ſanguinem, vt ſibi ab hepate pręparatum eſt. de compag.memb.ſiue de nat.hu. Sp.59.B
ex Corde vitalis potentia quando robuſta. in 6^{m}.de morbis vulgarib. commentario.1°. 3ª.154.E
à Corde influentes virtutes alijs communicantur.de anat.viu.Sp.46.B
à Corde eſt origo ſpiritus.de vtil.reſp. Sp.63.D
in Corde & in arterijs gignĩt ſpiritus vitalis.7°.de dec. 1ª.269.D/E
in Corde & arterijs ſpiritus vitalis.12°.meth.med.7ª.77.C/ de virtutibus noſtrum corpus diſp. Sp.60.C
Cordis qui locus minera ſpirituum dicatur.de ana.viu. Sp.52.G
in Cordis ſiniſtro vẽtriculo eſt copioſior ſpiritus.6°.de vſu pa.1ª.154.H
Cordis ſiniſtro ventriculo ſpiritibus euacuato moritur animal. an ſanguis in arterijs. 1ª.61.B
à Corde mutatur ſpiritus in calorem naturalem, & in ſpiritualem vitã. de ſpermate. Sp.37.F
à Corde ſpiritus oriens quorſum tendat.de ſper. Sp.37.F
à Corde per quas vias tranſmittatur ſpiritus ad totum corpus.de compag.memb.ſiue de nat.hu. Sp.58.G
à Corde & vndequaq; tẽdit ſpiritus in arterias.an ſang.in ar. 1ª.62.F
à Corde arteriæ non implentur ſpiritu.an ſang.in art. 1ª.62.D
Cordis miniſteria, quæ.in progn.com.2°. 4ª.198.E
à Corde quę actiones fiant.de virt.noſt.corp.diſp. Sp.60.D
Cordis, renum, vtriuſq; veſicę, venarum, arteriarum, & thoracis opus commune eſt.7°.meth.med. 7ª.49.B
Cordis officium maxime ægrotantibus neceſſariũ.7°.met.me. 7ª.49.C
Cordis actiones non admodum manifeſtæ.1°.de vſu par. 1ª.114.G
Cor actionum vitalium inſtrumentum.de vſu pul. 1ª.227.E
à Corde vox creatur ſecundum aliquos.2°.de decr.Hipp. 1ª.236.D
à Corde oriri vocem dicentium error.2°.de decr.Hipp. 1ª.236.D
à Corde non ſunt vox, & ſpiratio.2°.de dec.Hipp. 1ª.237.A
Cor facit appetentes calidum & frigidum potum.ars med. Iſa.66.D
Cor & pulmo facit minime ſitientes, ac etiam ſitibundos, non modo ſolus ventriculus.ars med. Iſa.66.D
Cor & pulmo facit ſitibundos ac etiam minime ſitientes, non autem ſolus ventriculus.ars med. Iſa.66.D
Cor facillime afficitur.de vſu pul. 1ª.228.C
de Cordis affectibus, & vnde cognoſcantur.5°.de lo.af. 4ª.28.H
Cordis affectus proprij qui ſint.5°.de loc.affe. 4ª.29.B
Cordis affectus vnde oriatur.5°.de loc.af. 4ª.29.C
Cordis patientis ſigna.ars med. Iſa.67.B
Cordis corpus dupliciter alteratur, vel per ſolam intemperiem, vel per humores.de cur.rat.per ſang.miſſ. 6ª.16.G
Corde patiente in caliditate, & frigiditate alia etiam membra patiũtur. de cur.rat.per ſang.miſſ. 6ª.16.G
Cor ſi ſit valde intemperatum vires deficiunt.5°.de loc.affe.32.H/ 4°.de pręſag.ex pul. 4ª.121.G
Cor ſi laboret, aĩal non patitur delirium, nec ſenſus motusue priuationẽ, ſed intermori, & perire ẽt quandoq; conſueuit.3°.de dec. 1ª.245.E
Cordis inflammatio mortifera eſt.in 6^{m}.de mor.vul.com.2°. 3ª.162.H
Corde inflammato quomodo quidam obiere.5°.de lo.aff. 4ª.29.D
Cordis læſio cur maxima.de vtil.reſp. 1ª.226.C
Cor calefacit aëris calor.1°.de dif.feb. 3ª.32.B
circa Cor caliditas p̃ter naturã in morbis æſtuoſis.de vtil.reſp.1ª.224.D
Cor cum non affecit calor præter naturam, nondum febris eſt.1°.de differen.febrium. 3ª.31.E
in Corde eſt febris caliditas.1°.de diff.feb. 3ª.31.D
Cor ſi percipiat caliditatem ventriculi, fit febris.7°.met.med. 7ª.48.F
ex Corde affecto fit febris.de fract.com.2°. 7ª.235.C
à Corde, & à cerebri membranis affectis febres malignæ ſunt. in 3^{m}.de mor.vul.com.2°. 3ª.135.A
ad Cor per partes ſemper peruenit calefactio.3°.de dif.feb. 3ª.32.A
ad Cor tendunt fumi ex putredine.1°.de diff.feb. 3ª.33.H
Cor primum afficitur in hectica.10°.meth.me. 7ª.64.E
Cor in qua hectica lucernæ comparatur.1°.de dif.feb. 3ª.34.E
Cordis humor conſumitur in hectica.1°.de dif.feb. 3ª.34.D
Cor etiam & iecur exiccari aliquando contingit in extenuatis iuuenum corporibus.de marc. 3ª.46.G
Cor cur tabidis ſiccetur.de marc. 3ª.45.D
Cor ſiccum quibus afficiatur.3°.de prẹſag.ex pul. 4ª.119.B
Corde emoriẽte nullus vapor excitatur.in 6^{m}.de mor.vul.cõ.4°.3ª.187.D
Cor, vel iecur ſi quis humidiora efficere valeat, is eadem opera ſenium cohibebit.de marc. 3ª.46.F
Cor debito frigidius, eſt vera tabes.1°.de marc. 3ª.47.B
Corde refrigerato animal cito obit.de vſu pul. 1ª.228.B
circa Cor partes in bulimo refrigerantur.de vtil.reſp. 1ª.224.D
Cor quomodo frigeſcat ex ſtomacho.1°.de ſymp.cau. 3ª.18.G
ad Cor à calcaneo citius peruenit frigiditas, quàm à cerebro ad cor.8°. de vſu partium. 1ª.165.D
in Cor ambiente tunica quandoq; humoris tanta multitudo cumulatur vt ipſum ne attollatur, impedire poſſit.5°.de loc.aff. 4ª.29.D
in Corde exiſtente flaua bile putrente phrenetim fieri ſupponit gratia exempli.2°.de loc.aff. 4ª.13.H
Cor cur afficiatur in apoplexia.5°.de lo.aff. 4ª.29.A
à Corde quæ ſpirandi difficultas oriatur.5°.de loc.aff. 4ª.29.F
Cor quot modis reſpiratione priuatur.de fœt.for. 1ª.324.H
Cor exturbant ira, & terror.6°.de decr.Hip. 1ª.261.G
in Corde angor & pauor.3°.de decr.Hipp. 1ª.245.C
Cordis obſtructio omnium peſſima.2°.de præſ.ex pul. 4ª.110.D
Cordis tunicam ſcirrhoſo tumore affectam habentis Galli caſus.5°.de locis affectis. 4ª.29.D
ad Cordis ventriculos primum peruenire oportet quod à capite defluit, ad aſperas arterias pulmonis ſi permeat ad inferiora. comment.7°. aphoriſmo.30°. Ex.56.B
Cordi cur dat celerrimam, & maximam noxam pulmo. 4°.de præſagitione ex pulſib. 4ª.119.F
Cordis dolor cardialgia dicitur.de ſymp.diff. 3ª.11.F
Cordis dolor quid ſignificet.2°.de decr.Hipp.240.B/C/ 1ª.245.B
Cordis dolores ĩter affect⁹ oris vẽtriculi numerant.5°.de loc.af.4ª.32.H
Cordis dolor cur dicat morſus oris ventriculi.in prog.com.3°. 4ª.210.F
Cordis dolorẽ & morſus cur ſentiũt ieiunantes.2°.de decret. 1ª.240.C
Cor nunquam ſentitur morderi.2.de decr.Hipp. 1ª.240.B
Cordis morſus eſt oris ventriculi paſſio.com.4°.aph.17°. Ex.29.A
Cordis morſus poteſt etiam ſignificare motũ crebrum, & velocem cordis.com.4°.aph.65°. Ex.34.A
Cordis morſus quando notat per ſuperiora debere fieri purgationem.cõmen.4°.aph.17°. Ex.29.A
Cordis perturbatio, quæ.1°.de diff.reſp. 3ª.61.F
Cordis concuſſio quo modo fiat in amante, & duo ſpiritus ab eo exeant. de compag.memb.ſiue de nat.hu. Sp.59.C
ad Cordis tremorem.ſecretorum. Sp.100.G/H
ad Cordis tremorem electarium.de med.exper. Sp.107.A
Cor quo modo à gaudio relaxetur.in 6^{m}.de mor.vul.com.6°. 3ª.190.G
Cor diſſolutum roborant coralli, margaritæ, ſapphyri, hyacinthi, & ſimilia.de anat.viu. Sp.46.E
Cor confortans electarium.de med.exper. Sp.107.B
Cor confortans medicamen.de med.exper. Sp.107.F

Cordis paſſio eſt ſyncope.de vtil.reſp. Sp.63.F
Cordis ſyncope fit in dolore vehementi.de vtil.reſp. Sp.62.G
ex Corde, vel ſtomacho ſyncopes pulſus.de pul.ad tiro. 4ª.45.E
ex Cordis ſyncopa vel ſtomachi, licet vt antea ſuo munere non fungantur manus, tamen non ſunt affectæ.5°.de lo.aff. 4ª.35.C
Cor, & pulmo nõ poſſunt pati abſceſſum neque ſyndeſmi dolorem. 1°.de loc.affect. 4ª.6.C
Cordis & oris ventriculi conſenſus maximus eſt.5°.de loc.aff. 4ª.32.H
ad Cordis dolorem, vel oris ſtomachi.de medicinis facile parabilibus. 173.F/ 7ª.175.E
in Corde adeſt palpitatio.2°.de ſymp.cau. 3ª.20.F
Cordis palpitatio quæ, & quo modo fiat.5°.de loc.aff. 4ª.29.D
Cordis motus in palpitationibus eſt affectio.6°.de decr. 1ª.260.G
Cor quo modo poſſit videri palpitare.6°.de decr.Hipp. 1ª.265.E
Cordis palpitatio in ſanis quandoque euenire viſa eſt, & quo modo ſanetur.5°.de loc.aff. 4ª.29.E
Cordis palpitationem patientis caſus.5°.de lo.aff. 4ª.29.E
Cor cum fortiter cuidam, qui exoluebatur, palpitaret, de repente mortuus eſt.com.2°.aph.41°. Ex.18.B
ob Cordis tunicæ tumorem ſimiæ, quæ quotidie emaciabatur, caſus. 5°. de loc.affect. 4ª.29.D
Cordis affectus qui ſtatim necant.5°.de loc.affec. 4ª.29.C
Cordis vulnus quo modo necet, & quãto tẽpore.5°.de lo.aff. 4ª.29.D
Corde vulnerati non ſunt curandi.in prorrh.com.1°. 4ª.174.B
Corde vulnerato ſemper ſequitur mors.de ſubf.emp.Iſag.32.D/ de vict. rat.in mor.acu.com.2°. 7ª.123.H
Corde ſauciatus cur moriatur.de opt.ſecta. Iſa.20.B
à Corde non extrahuntur tela.4°.de anat.adm. 1ª.79.F
Cor continuo mouetur, ideo non poſſunt in ipſo ſanari diſciſſiones. commen.6°.aph.18°. Ex.48.A
Cor niſi afficiatur mori non poteſt animal.5°.de loc.aff. 4ª.28.H
Corde colliſo, aut vulnerato arteriarum motiones læduntur. 3°.de decretis Hippocra. 1ª.245.D
Cor patitur cum arterijs.de fract.com.2°. 7ª.235.C
Corde deperdito an aliud denuo aut ſimile quidpiam gigni queat.de conſtitutione artis. Iſa.39.G
Corde detecto, & manu apprehenſo non priuatur homo voce aut ſpiratione.2°.de decr.Hipp. 1ª.236.G/H
Corde etiam detecto animal viuit.7°.de anat.adm. 1ª.97.E
Cor totũ nudatur viuenti aĩali.7°.de ana.ad.94.D/de vſu pul. 1ª.228.B
Cor cuiuſdã famuli erat detectũ, & ſanatus eſt.7°.de ana.adm. 1ª.97.F
Corde denudato puer ſalutem conſequutus eſt.de decretis Hippocra. & Platonis. 1ª.231.F
Cor cõpreſſum fuit forfice, tamen animal non amiſit ſenſum vel motum, ſed arteriæ non mouebantur.1°.de decr.Hipp. 1ª.232.B
Cor exemptum animali viuenti.2°.meth.med. 7ª.13.A
Corde erepto victima aufugit.2°.de decr.Hipp. 1ª.236.H
Cor exemptum habet aliquandiu ſuã functionẽ.6°.de decre. 1ª.262.G
Cor ab aĩali extractũ cõtrahit̃ diutius, & dilatat̃.in tim.Pla. 1ª.290.D
Cor pulſat aliquandiu poſt ictum.2°.de decr.Hipp. 1ª.237.A
ad Cordis vitio vexatos.de med.fac.par. 7ª.173.F
in Cordis affectu quæ vena incidenda.13°.meth.med. 7ª.83.B
CORACINE ſphragis.5°.de comp.me.per ge. 5ª.251.C
CORACOIDES proceſſus quid ſit. de oſſibus. 42. G/13°.de vſu partium. 1ª.203.E
CORALLVM lapidem vocat.de incant.adiur. & ſuſ. 7ª.182.C
Corallus quid.de ſimp.med. Sp.83.C
Corallus arbor duriſſima naſcitur in terra molli & lutoſa in mari. de ana.viu.46.A/ Sp.50.F
Coralli roborant cor.de anat.viu. Sp.56.B
Corallus ſanguinem excreantibus mire profuit.de ſimp.med. Sp.83.C
Corallium.7°.de comp.med.ſec.loc. 5ª.183.B/F/H
ex Corallio paſtillus.7°.de comp.med.ſec.lo. 5ª.184.F
de Corallo trochiſci ad ſputum ſanguinis.de med.fac.par. 7ª.165.H
CORIANNON.i.coriandrum.7°.de ſimp.med.fa. 5ª.52.C
Coriandrum quid, & eius vires.de ſimpli.medi. Sp.82.E
Coriandro, vel apio ſimilis eſt batrachiũ herba.de ſimp.med. Sp.81.D
Coriandrum inter obſonia connumeratur.2°.de alim.fac. 2ª.23.F
Coriãdro, allijs, cæpis præparant̃ cibi pro delitijs.de attẽ.vic. 2ª.44.C
Coriandri ſuccus viſcide refrigerat, & ſtringit.de ſim.med. Sp.82.E
Coriandrum adſtringit & reprimit.de rem.par.fac. 7ª.156.D
Coriãdrũ nõ eſt frigidũ contra Dioſcoridem.7°.de ſimp.med.fa. 5ª.52.C
Coriandrum eſt amarum, tenuium partium & terrenarum, humidum, tepidum, adſtringens.7°.de ſimp.me.fa. 5ª.52.C
Coriandrum calfacit, incidit, & attenuat.de atten.vic. 2ª.44.B
Coriandrum viride in quo guſtantem adiuuet.2°.de anti. 5ª.114.C
Coriandri ſuccus cum muliebri lacte oculorum angulis inſtillatus ad vehementes eorum dolores.de cõpo.medi.ſec.loc. 5ª.157.F
Coriãdro ſanantur ructũ acidũ habẽtes.8°.de comp.med.ſec.lo. 5ª.191.G
Coriandrum lumbricos occidit.de ſimplic.medica. Sp.82.E
Coriandrum diſcutit chœradas, & ſtrumas cum eregmo. 7°.de ſimpli. medicamen.facul. 5ª.52.E
Coriandrũ ad ignem ſacrum proprie facit.de ſimplici.medic. Sp.82.E
Coriandrum cum polenta pro eryſipelate.14°.methodi meden. 7ª.87.E
CORIARIAE, & textoriæ reſpondet proportione natura effectrix. ad Thraſy. 2ª.104.B
CORIVM celeriter adducit flora.de dyna. Sp.22.H
Corijs dẽpſandis vtilis eſt vitis albę fructus.6°.de ſimp.me.fa. 5ª.42.F
Coria, & pelles aqua madefacta fiunt laxa, quando oleo & ſeuo delibũtur.in 6m.de morb.vulgarib.commen.3°. 3ª.177.A
Coria vetera ad attritiones calceorum.11°.de ſimp.med.fac. 5ª.80.F
Coriorum veterum cinis vlcerum ambuſta, & intertrigines in feminib. exiſtentes curat.11°.de ſimp.me.fac. 5ª.80.F
CORIVM mali internis vlceribus opitulatur.4°.meth.med. 7ª.28.H
CORNEA oculi tunica vnde dicta.11°.de vſu par. 1ª.178.E
Corneæ tunicę cornu aſſimilatur.de anat.viuo. Sp.48.F
Cornea panniculus oculi.de oculis. 7ª.182.H
Cornea oculi tunica ſubnigra iuxta cõiũctiuã ſita eſt.de ana.p. Sp.43.D
Corneæ tunicæ compoſitio qualis.de anat.viu. Sp.45.C
Cornea habet multos cortices.de ocul. 7ª.187.B
Cornea ſimilis tunicę cæpæ tenuis, ſed & tenuior araneis. 10°.de vſu partium. 1ª.179.G
Cornea muro comparatur.10°.de vſu par. 1ª.179.G
Cornea tenuis eſt alba & pura.8°.de vſu par. 1ª.167.F
Cornea oĩbus extrinſecis expoſita, & vnde.10°.de vſu par. 1ª.180.A
Cornea vnde procedat.de oculis.7ª.183.C/de anat.viuo.48.F/ de anatomia oculorum. Sp.57.C
Corneã multũ diſtare à pupilla ex quo apparet.10°.de vſu par. 1ª.179.D
Cornea cur non attingat humorẽ cryſtallinũ.10°.de vſu par. 1ª.178.G
poſt Corneam ordine ſita eſt vuea.de diff.morb. 3ª.5.H
Cornea oculi vnde nutriatur.10°.de vſu par. 1ª.178.G
Cornea tunica particula quidem eſt non tñ inſtrm.1°.meth.me. 7ª.6.D
Cornee neceſſitas, qualis.de ocul. 7ª.183.C
Cornea ante pupillam quid faciat ad viſionem ſecundum ſuam diſpoſitionem.1°.de ſymp.cau. 3ª.15.C
Cornee accidentia.de ocul. 7ª.186.D
Cornee paſſiones quæ ſint.de ocu. 7ª.187.A
Cornea tunica quõ viſum impedire poteſt.1°.de ſymp.cau. 3ª.14.D
Cornea humidior quem viſum facit.1°.de ſymp.cau. 3ª.15.C
Cornea ſpiſſior, & craſſior quem viſum faciat.1°.de ſymp.cau. 3ª.15.C
Cornee magni morbi viſum impediunt.1°.de ſymp.cau. 3ª.15.D
ſupra Corneã mẽbranę vitia quõ viſum impediãt.1°.de ſym.ca. 3ª.15.E
Corneæ phlegmone quid faciat.1°.de ſymp.cau. 3ª.15.E
Cornea inſenſibili duritie obſeſſa qd ſequatur.1°.de ſymp.cauſ. 3ª.13.E
Cornea rugata viſum tollit.1°.de ſymp.cau. 3ª.15.D
Cornea cur ſit corrugata in ſenibus.10°.de vſu par. 1ª.179.F
Cornea perforata quo modo obeſt viſui.de ocul. 7ª.186.E
Corneæ proprie paſſiones.de ocul. 7ª.187.A
Corneæ paſſio propter aliud.de ocul. 7ª.186.E
Cornea tunica quandoq; vlcus profundum habet.de diff.morb. 3ª.5.H
Cornea exeſa eſt ægritudo in oculo.de diff.mor. 3ª.5.H
Cornea eroditur ab humoribus acribus ad oculos fluentibus. commen. 6°.aphoriſmo 31°. Ex.49.E
Corneæ exulceratio dicitur ex accidenti totius inſtrumenti ægritudo. de differentijs morborum. 3ª.6.A
in Cornea pretenſa pupille vulnus ſi introrſum deſcẽdit magna ex parte cæcum facit.1°.de ſymp.cau. 3ª.15.D
Corneæ ſuppuratio quid faciat.1°.de ſymp.cau. 3ª.15.E
Corneæ paſſiones cur aliquando curabiles, aliqñ non.de ocul. 7ª.187.B
Corniformis tunica lacerata, & extenſa difficulter curatur. 4°.de compo.med.ſec.loc. 5ª.150.B
in Cornea naſcentis collectionis & puſtulæ remedia.de ocul. 7ª.190.H
CORNEARVM cucurbitularum tractus fit ſine igne. de cucurbitulis, & ſcarificatione. 6ª.3.E

Cornua caua trahunt citra calefactionem.13°.meth.med. 7ª.82.D
Cornea pyxis.2°.de comp.med.ſec.lo.139.A/4°. 5ª.153.C
Corneum vas.8°.de comp.med.ſec. loc. 5ª.189.C
CORNELIVS *medicus.9°.de comp.med.ſec.lo.* 5ª.203.C
CORNEOLAE *differentię & proprietates.de incantatione,adiuratione,& ſuſpenſione.* 7ª.182.A
CORNIX *quid.de artic.com.2°.* 7ª.263.A
CORNVS *eſt planta agreſtis.2°.de alimen.facul.* 2ª.21.H
Corni lignum quale & cur ex eo virgę pro cruribus conficiantur. de fractu.commen.3°. 7ª.246.A
Cornea virga in deligatura tibiæ.de fract.com.3°. 7ª.245.E
Corna acerba ſunt.1°.de ſimp.med.fac.8.H/4°.26.F/7°. 5ª.52.G
Corna aliqua dulcedine participantia.4°.de ſimp.med.fa. 5ª.26.H
Corni fructus valenter ventrem adſtringit.7°.de ſimp.med.fa.52.G/9°.64.C/6°.de compo.medicamento.ſec.loc. 5ª.176.F
Corna adſtringunt dyſenteriam.11°.de ſimpli.med.fac. 5ª.81.E
Cornorum decoctum adſtringens fortius pro gargariſmis. 6°.de comp.med.ſec.loc. 5ª.172.G
Cornus fructu paſſim veſcuntur ruſtici.2°.de alim.fac. 2ª.21.H
Corna exiguum habent alimentum.2°.de alim.fac. 2ª.22.B
Corna ſunt praui ſucci.2°.de alimentorum facul. 2ª.22.B
ex Cornis ſtomatica fiunt medicamenta.6°.de comp.me.ſe.lo. 5ª.169.B
CORNVA *cur generantur.14°.de vſu par.* 1ª.208.D
Cornua poſt partum fiunt.an oẽs aĩalis particulę ſimul fiant. 1ª.326.E
Cornua ex qua ſubſtantia.1°.de vſu par. 1ª.115.G
Cornua terrena ſunt.9°.de ſimp.med.fa. 5ª.64.H
Cornu ſiccum eſt.1°.de temp. 1ª.12.G
Cornu poſt pilum eſt ſicciſſimum.1°.de temp. 1ª.18.A
Cornu durum dicitur per exceſſum.4°.de ſim.med.fac. 5ª.32.E
Cornibus cur non indiguit homo.1°.de vſu par. 1ª.113.D
Cornu ſi eſſet in manu hominis ipſe non poſſet vti manu ad conſtruendã domum,murum,vel turrim.1°.de vſu par. 1ª.113.D
ſuper Cornu capitis vena frontis phlebotomatur propter hemicraniam, & vlcera capitis.de anat.viu. Sp.55.A
Cornua ob frigus non naſcũtur bobus Scythiæ.de aer.aq.& lo. 2ª.5.D
Cornu caprinum mundificatiuum,& colatiuum eſt.de ocul. 7ª.189.C
Cornu caprarum vſtum quale,& quo modo lauetur.4°.de comp.medicamen.ſec.loc. 5ª.151.F
Cornua quæ decidunt,& denuo recreſcunt habent cerui muſculi. 11°. de ſimp.medic.facul. 5ª.81.C
Cornua quę decidentia denuo recreſcũt,ſunt ex his quæ familiaria ſunt animalibus.11°.de ſimp.med.facul. 5ª.81.E
CORNV *ceruinum quid.de ſimp.med.* Sp.83.C
Cornu cerui,& capræ non differunt.5°.de comp.med.ſe.lo. 5ª.165.H
Cornua cerui,& capræ ſunt frigida,& ſicca.4°.de compo.medicamentorum ſec.loc. 5ª.151.F
Cornu ceruinum vires habet ſtringentes.de ſimp.med. Sp.83.C
Cornu ceruinum ad omne profluuium facit.de ſimp.med. Sp.83.C
Cornu ceruinum dyſenterias,ſanguinis excretionem, & cœliacos affectus ſanat,aurigini vtile eſt,& collyrijs miſcetur deſiccantibus fluxiones oculorum.11°.de ſimpli.medcamen.fac. 5ª.79.G
Cornua inter oculorum medicinas.de ocul. 7ª.188.G
Cornu ceruinum mundificatiuum & colatiuum eſt.de ocul. 7ª.189.C
ex Cornu cerui collyrium.4°.de comp.med.ſec.lo. 5ª.155.A
Cornua cerui & capræ valent ad cõtrahẽdas mollitie fluidas gingiuas. 11°.de ſimp.me.fac. 5ª.79.G
Cornu cerui dentes vacillantes confirmat.de ther.ad Piſo. 5ª.93.E
Cornua cerui,& capræ ad cãdorẽ dẽtiũ.11°.de ſimp.medic.fac. 5ª.79.G
Cornua deuſta dentes ſplendidos faciunt.9°.de ſimpli.med.fac. 5ª.69.G
Cornu cerui recens nati vſti ad albedinẽ.9°.de comp.me.ſe.lo. 5ª.202.F
Cornu cerui abraſum, & in vino bibitum expurgat in icteris. de cura icteri. Sp.111.B
Cornu ceruinum ſerpentes,& viperas fugat,lumbricos expellit. de ſimplicibus medicamin. Sp.83.C
Cornu ceruinum quomodo vratur.de medic.fac.par. 7ª.170.C
Cornu cerui vſtũ quale,& q̃uo lauetur.8°.de comp.me.ſe.loc. 5ª.151.E
Cornu cerui ſuffitur ad ſtrangulatas ex vtero excitandas. 9°.de comp.medica.ſec.loc. 5ª.205.G
Cornu cerui tenerum vſtum.1°.de compo.med.ſec.loc.131.A/9°.202.C/10°.206.D/4°.de comp.med.per gen. 5ª.242.C
Cornua inſunt tauro quia vtitur ira.3°.de vſu par. 1ª.128.B
Cornu taurini raſura ſanguinem cohibet.de ther.ad Piſo. 5ª.93.E
CORNV *veteris cochleæ.5°.de comp.med.ſe.lo.* 5ª.164.G
per CORNV *cui ſit alligata veſica ſuis tanquam per clyſterem medicamentum immittit in anum.1°.de comp.me.per ge.* 5ª.211.E
Cornu cui applicata ſit porcina veſica modo clyſteris ad imponenda medicamenta in caua vlcera.2°.de comp.med.per ge. 5ª.221.G
CORNIGERA *aĩalia magnas habent vertebras.de ner.diſſ.* 1ª.54.E
Cornigerorũ interior oris mẽbrana cur aſpera.6°.de ana.adm. 1ª.90.E
Cornigerorum ventres cur aſperi.6°.de anat.adm. 1ª.90.E
Cornigera magna ex parte non habent dentes ſuperiores, & cur. 6°.de anatomicis adminiſtra. 1ª.90.E
CORNICVLARIS *ſpatulæ proceſſus qui.de artic.com.1°.* 7ª.251.E
CORNVA *in vulua quæ.de diſſ.vul.* 1ª.108.D
Corniculos duos habent teſticuli mulieris,per quos tranſit ſemen. com. 5°.aphoriſmo.48°. Ex.41.H
Cornua duo matricis vbi ſint & eorum vtilitas.de anat.viu. Sp.51.F
Cornua duo matricis vbi mãmillis colligantur.de anat.viu. Sp.51.F
Cornua matricum cur ſurſum ſpectent.14°.de vſu par. 1ª.208.E
Cornuum vteri figura qualis,& cur talis.14°.de vſu par. 1ª.208.E
in Cornibus matricis quid contineatur.2°.de ſem. 1ª.335.H
Cornuum in vulua neque vſum,neque functionem quidam ignorarunt. de diſſectione vuluæ. 1ª.108.E
CORNVA *vulgus vocat extremitates limacis.de anat.viu.* Sp.48.C
CORNVTAM *frontem ex tauro cõtraxit Alexander.de ſper.* Sp.38.H
ad CORNVTAE *morſum medicina.2°.de antid.* 5ª.118.G
ex CORNV *libra fiebat Romę.1°.de compo.medic.per ge.* 5ª.214.C
Cornibus erat diſtincta libra romana per inciſuras. 6°. de compoſi.medicamen.per gen. 5ª.257.G
Cornibus vtebantur ſignatis pro vncijs menſurandis. 1°.de compoſi.medica.per genera.216.A/ 5ª.250.A
Cornua libralia habebant Romæ,quibus liquida mẽſurabant. 1°.de compo.medica.per gen. 5ª.216.F
Κόρον habere qd ſignificet.de vict.ratio.in mor.acu.com.4°. 7ª.141.E
CORONAE *ramorũ virẽtiũ ob æſtũ adhibẽtur.de cau.proc.* 3ª.96.A
Coronis ex viridi anetho plexis cur antiqui vterent.6°.de ſimp. 5ª.43.C
Coronæ pro capitis dolore.2°.de comp.med.ſec.lo. 5ª.138.B
Corona ex callitricho pro capitis dolore.de remed.par.fac. 7ª.154.B
Corona ex roſis pro capitis dolore.de rem.par.fac. 7ª.154.B
Corona ex roſis refrigerat.3°.de ſimp.med.fa. 5ª.18.E
Coronæ roſaceæ.2°.de comp.med.ſec.loc. 5ª.138.C
Coronæ ex roſis in conuiuijs ob æſtum adhibẽtur.de cauſ.proc. 3ª.96.A
Corona ex ſanguinali pro capitis dolore.de rem.par.fac. 7ª.154.B
Corona ex herba ſanguinali ad capitis dolores ex vini potu. de medicin. fac.parand. 7ª.170.H
Coronam ſpinæ ponit in medicamento matricis.de paſſ.mul. Sp.96.B/C
in CORONARIIS *certaminibus præſtabat eſſe caſtum. 1°. de ſemine.* 1ª.334.A
CORONA *oculi quid ſit,& vbi.de anat.viu.* Sp.48.F
Corona quę pars oculi,& cui copuletur.in progn.com.1°. 4ª.192.F
Corona oculi habet quatuor cortices.de anat.viu. Sp.48.F
Corona & cora pupillæ.de ocul. 7ª.186.B
Coronæ oculi affectus qui.introd. Iſa.58.D
Κορῶναι fœmini generis quid.de fractur.com.3°.249.B/de articu.commentario 2°. 7ª.263.A
Κόρωνα neutri generis quid.de fract.249.B/de artic.com.2°. 7ª.263.A
Coronalis ſutura à gręcis ſtephaniæa dicitur.6°.de ana.adm. 1ª.89.E
Coronalis vbi,& cur ita dicta.de oſſib. 1ª.40.D
Coronali ſutura cranium tenuiſſimũ & rariſſimũ.13°.meth.me. 7ª.85.H
iuxta Coronalem ſuturam ſinciput facile recipit alterationes. 2°.de cõpo.med.ſec.loc. 5ª.132.E
Coronali ſuturæ cur omnes apponunt infuſiones.13°.meth.med. 7ª.85.H
Coronaria ſutura potiſſimum intromittit qualitates, & ſubſtantiam ſuprapoſiti medicamenti.13°.methodi medendi. 7ª.85.G
Coronaria ſutura. in 6m.de morb.vulg.commen.3°. 3ª.169.H
CORONE *in oſſibus quid ſit.de oſſib.* 1ª.40.B
CORONOPODIS *radix cœliacis prodeſt.7°.de ſim.med.fa.* 5ª.52.F
CORPVS *quid.fin.med.Iſa.43.F/de hiſt.philo.* Sp.4.C
Corpis natura ĩ qbus cõſiſtat.ſi qs op.me.Iſ.6.B/ꝙ ani.mo. 1ª.317.F/G
Corporum compoſitionis modus apud diuerſos.de ſub.fac.na. 1ª.230.E
Corpora ex qbus cõſtẽt,variæ opiniones antiquorũ.5°.de dec. 1ª.255.H
Corporis compoſitio ex atomis ſecundum Democritũ.1°.de elem. 1ª.2.F
Corpa ex atomis nõ cõſtare ꝓbat.1°.de elem.2.G/11°.de vſu. 1ª.186.G
Corpus animalis nõ erit vnũ vt atomus Epicuri, nec quid incompactorum

rum Aſclepiadis corpuſculorum.de diff.morb. 3ª.2.E
Corpora vel fiunt ex ſentientibus,& patientibus,vel tranſmutabilibus 1°.de elemen. 1ª.3.G
Corpus nullum eſt purum ſimplex.9°.de ſimp.me.fa. 5ª.66.C
in Corpore nihil ſynceru͂ habent vllæ partes,ſed omnia ab omnibus participantur,non tamen æqualiter.de vſu par. 1ª.154.D
in Corpibus quid ſit ſimplex,& inculpatum.2°.de ſani.tuen. 2ª.69.C
Corpus maxime ſimplex atq; vnum neque intenditur, neque minuitur. de differ.morb. 3ª.2.D
Corpora omnia naſcuntur ex calido,frigido,humido,& ſicco.de nat.hu. com.1°.29.G/de ſub.fac.nat.230.E/8°.de decr.1ª.274.F/1°.de differ. feb.3ª.31.D/de dyna.19.C/de ſper. Sp.39.A
Corpora noſtra vertuntur in terram,& vnu͂ quodque vertitur in aliud. de ſpermate. Sp.40.H
Corpus primum nec generatur,nec interit.de nat.hu.com.1°. 1ª.28.F
Corporea animata ſubſtantia omnis teſte Hippocrate iuncta eſt, & ligata i planetis & ſignis,quatuorq; eleme͂toru͂ nexibus.de ſper. Sp.38.G
Corporis naturam terra generat per operationem Planetarum ſecundu͂ Iſaac.de ſper. Sp.40.E
vt Corporis naturam inuenit Hippocrates,ita animæ naturam inuenire vult Plato.1°.meth.med. 7ª.3.D
Corpora quę naturalia nominentur.9°.de ſimp.med.fac. 5ª.64.H
in Corporibus animaliu͂ triplex co͂poſitio atq; formatio.de dif. 3ª.2.F
Corporum prima ſtructura.de nat.hu.com.1°. 1ª.26.C
Corporis totius co͂poſitio tertia aïaliu͂ co͂poſitio dicitur.de differ. 3ª.2.F
Corpora aïaliu͂ magis,& minus admittunt,et quo mo͂.de dif.mor.3ª.2.E
de Corporis totius habitu.ars med. Iſa.65 E
Corporis habitu͂ o͂ndu͂t muſculi,qui oculis præſentant.ars med. Iſa.65.E
Corporum naturæ,ſeu qualitates nouem ſunt,octo intemperatæ,vna te͂perata.de ſper. Sp.41.B
quæ Corporibus inſint.1°.de vſu par. 1ª.115.D
Corporibus primo inſunt temperamenta.1°.de vſu par. 1ª.115.D
Corporis optima conſtitutio,quæ.de opt.noſtri cor.conſt.38.H/1°.de vſu par.1ª.115.C/1°.de ſan.tu. 2ª.64.G
Corporis optima co͂ſtitutio habet meatus pate͂tes.de bon.& vi.2ª.34.G
Corpus optime conſtitutum,ad actiones recte ſe habet, & difficilius qua͂ alia corpora morbis corripit.de opti.noſt.corp.conſt. 1ª.38.C
Corporis optima conſtitutio quo egeat.ars med. Iſa.68.D
Corpus totum ęqualiter conditum cu͂ partiu͂ ſymmetria poteſt eſſe temperatum.2°.de temp. 1ª.19.F
Corpus temperatum quæ habeat.de opt.noſt.corp.conſt. 1ª.38.E
Corpus temperatiſſimum,quale.de opt.noſt.cor.conſt. 1ª.38.G
Corpora quæ temperata eſſe non poſſunt.2°.de temp. 1ª.19.F
Corpus te͂perate mediu͂,in aliqua re inferius eſt ſingulis corporibus immoderatis,tamen optandum.de opt.noſtr.corp.conſt. 1ª.38.G
Corpus moderatum quę habeat.de opt.noſt.cor.con. 1ª.38.D
Corpus moderatum non facile corripitur à cauſis exterioribus. de opti. noſtri corp.conſt. 1ª.38.C
Corpus moderatum rariſſimum eſt.de opt.noſt.cor.con. 1ª.38.E
Corpus ſpiſſum longiorem vitam habere facit.de hiſt.phil. Sp.12.C
de Corpis qualitate cu͂ loqmur ſemp̄ eſt diſtingue͂du͂.1°.de te͂p. 1ª.12.H
de Corpore calido.ars med. Iſa.65.G
de Corpore frigido.ars med. Iſa.65.G
de Corpore humido.ars med. Iſa.65.G
Corpus viuum humidius eſt & calidius mortuo.2°.de temp. 1ª.15.F
Corpus viuu͂ nunqua͂ habet ἀσφυξίαν.1°.de prę ſag.ex pul. 4ª.106.A
Corpus ſi perpetuo humidum ſeruaretur,homo nunquam moreretur.6°. de ſanitate tuen. 2ª.96.F
de Corpore ſicco.ars med. Iſa.65.G
de Corpore calido,& humido.ars med. Iſa.65.H
de Corpore calido,& ſicco.ars med. Iſa.65.H
Corporis frigidi,& humidi ſigna.ars med. Iſa.66.A
Corporis frigidi & ſicci ſigna.ars med. Iſa.66.A
Corpus perit dempta vna qualitate.de na.hu.com.1°. 1ª.33.A
Corporis humani natura quæ proprie ſit.de ſper. Sp.37.A
Corpus humanum ex quibus conſtet.fin.med. Iſa.43.F
Corpus hominis rationabiliter ex quatuor humoribus conſtat.de dyna. 19.C/de natu.& ord.cuiuſ.cor. Sp.41.D
in Corpore humano quid faciat ſanguis,bilis,atra bilis,& pituita.bre. denot.dog.Hipp. 1ª.231.C
in Corpore generatur bilis.2°.de nat.fac. 1ª.300.G/H
in Corpore humano quid faciat bilis.bre.denot.dog.Hipp. 1ª.231.C
cur per Corpus tendit bilis cum ſanguine.de ana.viuo. Sp.45.F
Corpus totum conſequitur calorem, & ſiccitatem ex dominio bilis. de anatomia viuo. Sp.45.F
Corpus hominis diuinum eſt.13°.de vſu par. 1ª.203.A
Corporis noſtri aliquis Deus conditor fuit.9°.de decr.Hipp. 1ª.285.B
ex Corporis humani fabrica oſtenditur opificis ſapientia, & potentia. de fœt.for. 1ª.325.A/B
Corporis noſtri fabrica non eſt fortuita,neque inartificialis.9°.de decretis Hippocra. 1ª.285.B
Corporis conſtitutionem ſcire melius eſt,quàm mundi fabricam. de fætuum forma. 1ª.325.G
Corpus hominis ex diſſectione innoteſcit.de conſt.ar. Iſa.36.G
Corporum,quæ nec vnà committi,nec diuidi poſſunt,nullam in ſe formatricem,auctricem,nutrice͂,aut in ſumma artificem facultatem habe͂t. 2°.de nat.fac. 1ª.298.H
Corporis noſtri compoſitio triplex.6°.de ſan.tu. 2ª.98.D
in Corpore humano principia,ſunt cerebrum,cor, hepar, teſticuli. ars medicina. Iſa.63.B
Corporis omnes partes non formantur eodem tempore. an omnes animali particulæ ſimul fiant. 1ª.326.D
Corpus totum incipit formari ab acumine cordis.de ana.viu. Sp.46.C
Corpus fœminæ tardius forma͂t qua͂ corpus maris.de anat.viuo. Sp.52.B
in Corporis totius compagine omnia compatiuntur, & conſentiunt. 1°. de vſu partium. 1ª.114.F
Corporis pulchritudo in quo co͂ſiſtat.5°.de decr.Hipp.255.H/ 1ª.256.B
Corpora aliter laudantur ab Hippocrate, aliter à mangone. 1°. de vſu partium. 1ª.115.D
Corporis ſtructuram mendoſam nullus cupit.ad Thraſybu. 2ª.103.B
Corporis magnitudo proprie nominatur quæ longitudine,latitudine, profunditate moderantiam exuperat.com.2°.aph.54°. Ex.19.E
Corporis partes augentur in longum,latum,& profundu͂. 1°.de vſu par. 1ª.115.H/de pulſ.ad tir.4ª.43.D/de nat.hu.com.2°. 7ª.180.B
Corpus magnum propter quid ſit.de opt.noſt.cor.conſt. 1ª.38.G
Corpus paruum propter quid ſit.de opt.noſt.corp.conſt. 1ª.38.G
Corpora duplici occaſione maturius aut ſerius deſiſtunt ab incremento. de opt.noſt.corp.conſt. 1ª.38.H
Corpora mollia facilius creſcunt,quòd in omnem partem facilius intendantur.de ſal.diæ. 2ª.42.D
Corpus iuſtum habent homines.9°.de decr.Hipp. 1ª.284.H
de Corporis partibus primus Ariſtoteles locutus eſt.intro. Iſa.52.G
Corporis ſpecies,& partes quæ dici poſſunt.6°.de decr. 1ª.261.C
Corporis totius diuiſio apud ægyptios qualis.intro. Iſa.52.H
Corporis noſtri partium diſtinctio.ars med. Iſa.63.B
in Corpore pilos adaptat ſibi natura ad quædam iuuamenta. de anatomia viuorum. Sp.53.D
in Corpore humano cur ſint diuerſa inſtrumenta.de ana.viu. Sp.43.F
de Corporis inſtrumentis medicus agere debet.6°.de decr. 1ª.266.G
Corporis communia inſtrumenta,quę.15°.de vſu par. 1ª.214.D
Corporalium inſtrumentorum alia ſunt ſimplicia, alia co͂poſita. de anatomia viuorum. Sp.55.C
Corporum ſimilarium tria genera in animalibus exanguia & ſinu carentia.in 6ᵐ.de mor.vul.com.1°. 3ª.153.A
Corporalia inſtrumenta ſimplicia quæ ſint.de anat.viu. Sp.55.C
Corporis noſtri cutis naſſæ comparatur.in tim.Plat. 1ª.288.F
Corporis totius fundamentum & erectio,& ſuſtentamentum motus,& ſenſus eſt os.de anat.viu. Sp.55.C
in Corpore ſunt duæ maximæ chartilagines,& q̄ ſint.de vtil. Sp.62.H
Corpora chartilaginea cur vbiq; fecit natura.de voc.inſt.diff. 1ª.107.C
Corpus laryngis cur non oſſeum.de voc.inſtr.diff. 1ª.107.B
Corporalia inſtrumenta compoſita,quæ de anat.viu. Sp.55.C
Corporis noſtri moles muſculoru͂ ſubſta͂tia co͂ſtat.de bon.et vi. 2ª.35.G
Corporu͂ alioru͂ ſuſpe͂ſoria ſunt quida͂ panniculi.de ana.vi. Sp.44.C
Corpora glanduloſa ante veſicam quid agant.14°.de vſu par. 1ª.207.F
i Corpe locus nariu͂ tutiſſimus qua͂topere munitus.9°.de vſu p.1ª.172.B
Corpus gubernantes partes tres.5°.de lo.aff. 4ª.28.H
in Corpore quæ ſit habe͂da pars princeps.6°.de vſu par. 1ª.150.B
Corpori vniuerſo quæ ſint principia.2°.de arte cur.ad Glau. 7ª.103.B
Corporis humani imperium habet cerebrum.3°.de dec.Hip. 1ª.245.A
in Corporis noſtri ſupremo loco anima habitat,noſq; à terra vt cu͂ cœlo affinitatem haberemus,attollit.de aſſuet. 2ª.61.F
Corporis partes omnes à cerebro ſenſum habent & motum. de virt. noſtrum corp.diſpen. Sp.60.C

Corporī toti attribuūtur virtus tactibilis, ſed maxime manibus. de compag.memb.ſiue de nat.hu. Sp.58.E
in Corporis totius carne ſit tactus ſm Ariſtotelē.de vtil.reſp: Sp.63.D
de Corpore nihil ſenſibile eſt prẹter venas, & arterias, & pelliculas, & neruos de vtil. Sp.62.G
Corpus à neruis primo accipit motum.12°.de vſu par. 1ª.193.E
Corporis vires omnes ſunt ex tenſione neruorum.de vtil.reſp. Sp.63.D
in Corporis medio cur ſit cor.de anat.viu. Sp.46.G
Corporis membris omnibus cor eſt calidius.de compag.memb. Sp.58.G
Corporis quælibet particula duplici commoditate ſuperet cor, quo minus noxā ex caloris inopia celeriter cōtrahat.de vſu pul. 1ª.228.C
Corporis partes omnes colligantiam habent ad cor per venas, pelliculas, & neruos.de vtil.reſp. Sp.62.G
Corporis totius reſpirationis organa arteriæ.de vtil.reſp. 1ª.226.B
Corpus totum inſpirat, & reſpirat.de vtil.reſp. 1ª.226.B
Corpora aerē vehentia non dilatantur inſpiratione.de inſtr.od. 1ª.111.F
ad Corpus totum per quas vias tranſmittatur ſpiritus à corde. de compag.mem.ſiue de na.hu. Sp.58.G
in Corpore nullo eſt ſola iracundia.6°.de decr.Hipp. 1ª.261.F
in Corpore locus calidiſſimus, qui.14°.de vſu par. 1ª.208.G
Corporis pars ſuperior quo diſſidet cū inferiore.ꝑ animi mo. 1ª.319.C
Corporis partes molles cur non habeant meatus.9°.de vſu par. 1ª.171.E
Corporis partes durẹ cur habeant meatus.9°.de vſu par. 1ª.171.E
Corpus totum poris plenum eſt.1°.de ſan.tuen. 2ª.67.G
in Corpus per quæ foramina ingrediuntur res, & per quæ exeunt. 17°. de vſu partium. 1ª.222.B
in Corpore nihil inuenitur vacuum.3°.de nat.fac. 1ª.303.E
in Corporibus quomodo quidam ponerent vacuū.de vtil.reſp. 1ª.223.E
Corpus nihil habens vacui dicitur aer à Galeno.3°.de diff.pul. 4ª.62.C
Corpus poteſt manere in vacuo vno loco, poteſt & nō manere. de cuiuſque animi pec.not.atq; med. 2ª.59.C
de Corpore in vacuo quid ſenſiſſet architectus.de cuiuſq; animi pec.no. atque med. 2ª.59.F
in Corpore humano nihil ocioſum eſt, neq; īmobile.3°.de vſu p.1ª.135.H
Corporis ſingulæ partes motus continuitate quadā ac ſucceſſione à primo principio aſſidue agunt nullo qui præſit indigentes.14°.de vſu partium. 1ª.205.E
Corporis virtutes.fin.med. Iſa.45.D
Corpus noſtrum diſpenſantes virtutes ex tribus proueniunt partibus. de virt.noſtr.corp.diſpen. Sp.60.B
Corporis facultates propriæ ſunt quatuor.3°.de temp. 1ª.22.B
Corporis vel partis ꝓprietas ex functione accipit.6°.de decr. 1ª.266.B
Corpus & actio differunt.1°.meth.me. 7ª.7.E
Corporeæ materiæ opātio ligata eſt quatuor elemētis.de ſper. Sp.40.D
Corporales actiones pueri prẹcipuas obtinent.6°.de ſani.tuen. 2ª.95.F
Corpus calidius procliuius eſt ad motum.3°.de præſag.ex pul. 4ª.116.E
non Corporis forma, ſed actionibus, & vſibus membrum vnumquodq; iudicat. 1°.de decr.Hipp. 1ª.233.E
Corpus oē abſq; naturali actione deorſum fert.13°.de vſu par. 1ª.203.G
Corpus eſt organum animẹ.1°.de vſu par. 1ª.113.C
Corporis totius animatio quid ſit.de ſper. Sp.37.F
à Corpe naturali ſit āiæ ſubſtātia rōne temperaturæ.ꝑ āi mo. 1ª.318.G
Corporis cōplexionē ſequi animæ virtutē.de incāt.adiur.et ſuſ.7ª.181.F
Corporum quatuor temperamentum, eſſe animæ eſſentiā concludit Galenus.ꝑ animi mor. 1ª.317.G
Corporis ſtructura propria animi moribus.6°.de anat.adm. 89.G|1°.de vſu par.113.C|11°. 1ª.189.D
Corporis partes non impellunt animā, vt ſit timida, ſtrenua, aut ſapiēs. 1°.de vſu par. 1ª.113.E
Corporis temperaturis anima ancillatur.ꝑ animi mo. 1ª.318.B
Corporis tēperatio immutat animẹ functiones. & facit ſeiungere ipſam à corpore.ꝑ animi mo. 1ª.318.B
à Corpore non ſeiungitur āia ſeruata temperatura.de ſub.fa. 1ª.230.F
Corpore læſo ſunt læſæ virtutes.3°.de ſymp.cau. 3ª.28.G
à Corporeis malis afficitur anima.ꝑ animi mo. 1ª.319.A
Corpus cur animam moueat ſecundum Platonem.de ſper. Sp.40.D
à Corpis vitioſo humore lædit anima ſm Platonem.ꝑ āi mor. 1ª.319.A
Corpus in quibus actionibus ab anima moueat.12°.meth.med. 7ª.77.D
Corporis paſſio nulla eſt tam vehemens, quæ affectiones animæ vincat. de par.pil.exer. 2ª.48.G
Corporis motibus ſunt magis obſeruandæ animæ affectiones tum alijs de cauſis, tum ꝙ corpore dignior eſt anima.de par.pil.exer. 2ª.48.G
Corporis temperamentum quibus animoſæ partis motus vehementiores calidius efficerent Aeſculapius multas ſcribi cantilenas mimosq́; ridicularū rerū fieri & quaſdā melodias inſtituit.1°.de ſan.tu.2ª.65.G
Corporis temperies eſt animæ pars mortalis.ꝑ animi mo. 1ª.318.D
Corporis & animæ quæ ſunt communia obeunt in ſenecta.in 6m.de mor. vulg.com.6°. 3ª.190.D
Corpoream eſſe animam quo modo probetur ſecundum Ammonium, Democritum, & alios.de ſper. Sp.37.G
ex Corpore quid eſt anima ſecundum aliquos non per ſe exiſtens aduenit corpori.de mot.man.& obſ. Sp.67.G
Corporeus eſt ſpiritus ſecundum plures.de ſper. Sp.37.G
in Corporibus noſtris perficit̄ omnis operatio animæ, vt melius in actū procedat.de anat.viu. Sp.55.C
Corporea non eſt anima, nec in loco.de ſper. Sp.37.H
ſi Corporis nihil eſt anima, neſcit videre Galenus quomodo in totū poſſit extendi.ꝑ ani.mo. 1ª.317.H
in Corpore humano duæ ſunt animæ, & quẹ ſint.de mot.man. Sp.67.E
Corpori quo modo iungitur anima.de ſper. Sp.37.F
Corporeæ ſubſtantiæ quo modo incorporea copuletur.de ſper. Sp.37.E
à Corpore ſeparatur anima ſine corruptione.de ſperm. Sp.37.H
à Corpore quot modis anima digreditur.de ſub.fac.nat. 1ª.203.F
Corpora generabilia, & corruptibilia duabus tranſmutationibus ſubijciuntur.1°.de elemen. 1ª.7.A
Corpus noſtrū valde obnoxiū eſt mutationibus neq; à cauſis externis tātū, ſed ab internis etiā facile alteratur.com.1°.aph.1°. Ex.2.C
Corpus quibus mutetur.6°.de ſan.tu. 2ª.95.C
Corpus quot modis alteretur.ars med. Iſa.68.B
Corpus noſtrum quatuor materijs alteratur.ad Thraſ. 2ª.107.C
Corpus totum immutant validæ facultates ſibi ſimili facultate. 1°.de ſemine. 1ª.335.A
Corpus qbus moueat̄ & ꝑturbet̄ vehementer.de puero epil. 7ª.179.G
Corporis affectibus inepte à Chryſippo comparātur animẹ perturbationes.5°.de decr.Hipp. 1ª.254.D
Corpori communicat cogitatio.de mot.man.& obſ. Sp.69.D
Corporis natura mouet corpus in conſuetudines malas & mutationes malas.de ſper. Sp.40.E
in Corpore continuo quomodo fiat alteratio qualitatis. 7°. de decretis Hippocratis. 1ª.269.G
Corpus totū mutat̄ digito in aquā calidā poſito.de ther.ad Piſ. 5ª.94.D
Corpus omne vim habens ſentiendi, ſentit, & patitur.1°.de elem. 1ª.3.D
Corpus fit ſenſuale ex particularibus alterationibus.1°.de elem. 1ª.3.D
Corpus afficitur à qualitatibus temporis.de na.hu.com.1°. 1ª.32.D
Corporis natura ſequendo quatuor mutationes in die, mutat corpus ſecundum illas.de ſper. Sp.37.A
Corpora variantur venti variatione.de ther.ad Piſo. 5ª.94.D
Corpus inſectile, fieri nequit vt quicquā patiatur.de diff.morb. 3ª.2.F
Corpus ſi eſſet impatibile & inalterabile, ſemper perduraret. ars medicinalis. Iſa.68.B
Corpora prima impatibilia ſunt, ſecundum aliquos.1°.de elem. 1ª.2.F
Corpus omne nouum, & temporaliter creatum, mortale eſſe dicebant Stoici.de ſperma. Sp.38.A
Corporis differentias mortales oſtendit Porphyrius.de ſper. Sp.37.F
Corpus fruitur nouem voluptatibus per quinq; virtutes animales ſenſitiuas.de compag.memb.ſiue nat.hu. Sp.59.B
Corpus vniuerſum, & priuatim quædam corporis partes, quibus fruantur, tertio loco conſiderandum eſt.2°.de lo.aff. 4ª.13.D
intra Corpus quẹ ſumantur.10°.meth.med. 7ª.64.D
Corpus cur indiget nutrimento.in Tim.Pla. 1ª.287.B
Corpus compoſitum, & non ſimplex eſt nutrimentum corporis & ſpiritus.de anat.viuo. Sp.47.G
Corpus quo modo nutriatur.6°.de vſu parti.1ª.151.D | de cogn.cur.animi morbis. 2ª.54.G
Corpus nutriendi principium eſt in iecore.in Tim.Pla.1ª.287.D|comm. 7°.aphoriſ.18°. Ex.14.A
Corporis omnibus partibus alimentum præparat iecur. de bonit.& vitio ſucco. 2ª.37.A
Corporis totius nutrimentum in ſe continet hepar.de ana.vi. Sp.50.A
Corpus cum eſt inanitum cibum ſumat.ad Thraſ. 2ª.104.D
Corpus exiccatum accipiat potum.ad Thraſ. 2ª.104.D
Corpora ſiccat fames.com.7°.aph.59°. Ex.59.D
Corporis habitu exinanito, niſi ſenſim renutriatur, plurimum excrementorum congeritur.4°.de ſan.tuen. 2ª.88.B

Corpus

Corpus totum in quibus eſt vacuum, maxime experiri licet, qui cibi ſint vniuerſim & velociter nutrientes.com.2°.aph.18°. Ex.14.A
in Corpus cibi pauciſſimi ſunt qui non agant.1°.de alimen.fac. 2ª.8.E
Corporibus noſtris alimentum optimum ex quibus concilietur. de boni. & vitio ſuc. 2ª.36.E
ad Corporis nutrimentum eſt aqua.de ana.viuo. Sp.47.G
Corpus nutriunt lupini.de ſimp.med. Sp.86.C
Corpus debilitari non permittit ouum ſemicoctũ.de ſimp.med. Sp.88.E
Corpis tutamẽtũ eſt raphani radix à ieiuno comeſta.de ſim.me.Sp.89.F
Corpora ſicca ſalita, qualia.3°.de ali.fac. 2ª.33.C
Corpus nutriunt vina pallida, aut flaua, quæ ſunt ſubſtantiæ craſſę. 5°.de ſanitate tuen. 2ª.91.B
Corpori grauetudinẽ infert vinũ nigrũ, & dulce.de ſimp.med. Sp.92.B
Corpus vniuerſum ob nimiam potationem calidius redditur. comm.7°. aphoriſmo.7°. Ex.54.D
Corpora plethorica neq; vinum, neq; balneum abſq; maximo detrimento tolerant.com.7°.aph.46°. Ex.57.G
Corpus plethoricum quid ſit.7°.meth.med. 7ª.48.A
Corporis tumor quid.de mult. 3ª.80.F
Corpori habenti humorem craſſum & frigidum confert vinum tenue.de diſſol.cont. Sp.74.H
Corpus attenuant, & debilitant cibi acuti.de diſſ.cont. Sp.72.F
in Corpore aliquo cibi craſſi velocius digeruntur.de diſ.cont. Sp.73.C
ob Corporis robur vulgus illos putat beatos, qui coquunt difficilia coctu.1°.de ali.fac. 2ª.10.B
in Corpore non bene coquuntur, quæ ſunt male præparata. 4°.de ſanitate tuenda. 2ª.88.B
Corpus ſolidum elixum in aqua qualitates quas habet deponit in aquã, & fit ἄποιον.3°.de ali.fac. 2ª.31.H
Corpus ſolidum cur ſiſtit aluum.1°.de ali.fac. 2ª.7.G
Corporis lenti proprietas.1°.de ali.fac. 2ª.9.F
Corpus nutriunt nutrimento plurimo adhærente ſomni multi poſt cibũ. de diſſolutio.cont. Sp.72.G
Corpora vt ſunt diuerſa, ita victus rõ eſt diuerſa.2°.de ſani.tu. 2ª.69.C
Corpibus iunioribus vtilis victus mollior & humidior.de ſal. 2ª.40.E
Corpus rarum quibus eſt nutriendum & quibus denſum.de diſ.Sp.71.E
in Corpore calido quid efficiant cibaria craſſa.de diſſ.cont. Sp.72.G
Corpus exercentes debent cibos firmiores edere.3°.de ali.fa. 2ª.31.E
Corporis labor naturalis cui eſt debilis, conueniunt cibi ſubtiliantes primi generis.de diſſ.cont. Sp.72.D
Corpus temperatũ cur temperatis alimentis ſeruaĩ.1°.de ali.fa. 2ª.8.E
Corpora temperata quibus indigent cibis in tempore non temperato. de diſſol.cont. Sp.73.G
Corpora quę egrediuntur temperamentum quibus cibis indigent. de diſſolu.continua. Sp.73.G
Corpora quæ longo tempore extenuantur, lente reficere oportet, quæ vero breui, breuiter.com.2°.aph.7°. Ex.11.H
Corpora impura, & ab excremẽtis parum purgata, quo magis nutries, magis lædes.2°.de ſan.tu.2ª.69.G|com.7°.aph.62°. Ex.59.G
Corporis totius vaſa, & viſcera non debent intemperanter repleri. de cucurbitulis, ſcar. 6ª.3.H
per Corporis ſingula membra diſtributi alimenti excremẽta ſunt. 1°.de ſanitate tuenda. 2ª.67.G
Corpora animalium difflari ea quę fit per occulta foramina difflatione omnes conſentiunt.com.1°.aph.15°. Ex.8.D
Corpus ignotas perſpirationes habere neceſſe eſt.in tim.Pla. 1ª.287.B
Corpus omne expirabile eſt & inſpirabile.de vſu pul.1ª.228.G|in 6m.de mor.vul.com.6°. 3ª.195.A|1°.de ſimp.me.fa. 5ª.4.C
Corpus totum ſpirabile intus & foris.de vſu pul. 1ª.228.H
Corpus influens & effluens ex Platone.ꝙ animi mor. 1ª.318.C
in Corpore defluxus quo modo fiant.com.7°.aph.59°. Ex.59.D
Corporis exhalatio quo modo augetur.6°.de ſan.tu. 2ª.98.C
Corpus lædentia, & corrumpentia ſunt genere duplicia: nobiſcum genita & ineuitabilia: & nobiſcum non genita, & quæ declinare poſſis. 1°.de ſani.tuen. 2ª.62.D
Corpus humanum dupliciter conſumitur.1°.de ſan.tuen. 2ª.63.A|1°.de differ.feb. 3ª.31.F
Corpori quæ extrinſecus occurrunt.10°.met.med. 7ª.64.D
Corpus extrinſeca conſumentia quæ ſint.1°.de ſan.tu. 2ª.63.A
Corpus conſumit aer ambiens.1°.de ſani.tu. 2ª.63.B
Corporum ſymmetriam quæ ſanitas eſt, confundit, interturbat, ac corrumpit continens nos aer, ſi immoderatius caleſcat, vel frigeſcat, humeſcat, vel ſicceſcat.in 1m.de mor.vul.com.1°. 3ª.100.H
Corporum primorum ſanitas in quorum ſymmetria conſiſtat. in 1m.de mor.vul.com.1°. 3ª.101.C
Corpus ambiens aer replet thoracem ſm Platonẽ.in Tim.Pla. 1ª.289.F
Corpus diſſimilium partium eſt aer, habens in ſeipſo caliditatis & frigiditatis particulas.de vtil.reſp. Sp.64.A
Corpus quomodo obſtruitur, elice.3°.de ſan.tu. 2ª.77.F
in Corpore noſtro variæ ſpecies excrementorum.1°.de ſan.tu. 2ª.67.F
Corporis excrementa.introd. Iſ.55.B
in Corpore cur proueniat excrementi copia.4°.de ſan.tu. 2ª.88.B
Corpus humanum debet ſeruari excrementis vacuum & apertũ, collige.1°.de ſan.tuen. 2ª.62.H
ex Corporis cute quæ educantur.de cathar. Sp.94.G
Corpus totum per quæ euacuetur.4°.de compo.medi.ſec.lo. 5ª.149.F
Corporis totius excremẽta per ſudores euacuanĩ.de conſt.ar. Iſa.42.B
à Corpis venis oĩbus, & arterijs mittiĩ vrina, et ſudor.de vti.Sp.64.G
in Corpore qualis eſt ſuccus, tale eſt eius ſerũ.4°.de ſan.tu. 2ª.83.G
per Corporis poros quã ob cauſam exeat ſudor.de vtil.reſp. Sp.64.D
Corporis totius ſuccorum nota eſt ſudor.4°.de ſan.tu. 2ª.83.G
Corporis ſuperfluitatem vnam.ſ.fæcem ſiue ſanguinem melancholicum continet ſplen.de anat.viuo. Sp.50.A
ſi Corpus eſt ſiccum, non eſt neceſſe excrementum eſſe ſiccum.2°.de temperamentis. 1ª.21.B
Corpus rarum habentes viri non pauci habent ſemen fœcundiſſimum. cõmen.5°.aph.6°. Ex.44.C
ex Corporis humore omni ſemen deſcendit.de ſpermate. Sp.36.A
à Corpore toto ad teſticulos trahunt nerui, & venę proprię, quas habet ſperma.de ſper. Sp.36.A
Corpus totũ mulieris vt plurimũ eſt ſiſe vteris.cõ.5°.aph.62°. Ex.43.G
Corpora ſuppreſſis menſibus tabeſcunt.de opt.ſecta. Iſa.26.F
Corporis totius ſuperfluitates quo modo euacuantur.ars med. Iſa.71.E 1°.de ſani.tuen. 2ª.58.E
Corpora noſtra euacuantur ſicut balnea.de ſal.diæ. 2ª.41.E
Corpus noſtrũ quo modo ſit ſubiectũ exercitatorie. ad Thraſ. 2ª.106.B
Corporis non vnum eſt bonum.ad Thraſ. 2ª.103.F|H
Corporis humani vnum eſt bonum.ad Thraſ. 2ª.106.C
Corporis vnum eſt primarie bonum, ad quod reliqua omnia referantur. ad Thraſ. 2ª.103.F
Corporis bonum abſolutiſſimũ eſt ꝑfectio actionũ.ad Thraſ. 2ª.103.H
circa Corporis bonum vna ars verſatur.ad Thraſ. 2ª.106.C
Corporis ars quæ ſit apud Platonem.ad Thraſ. 2ª.107.D
circa Corpus vnam eſſe artem concluditur.ad Thraſ. 2ª.103.G
Corporis curandi artis diuiſio.ad Thraſ. 2ª.108.D
cur Corpori tuendo cum vna ars præſideat, vnicum ei nomen proprium inditum non eſt.2°.de ſan.tuen. 2ª.74.A
Corpus artis curantis nullum erat proprium nomen apud Græcos. ad Thraſy. 2ª.108.A
Corpus curans ars vna eſt.ad Thraſ. 2ª.108.G
circa Corpus humanum artes multæ.ad Thraſ. 2ª.103.E
circa Corp⁹ humanũ ſeptẽ artes, quarũ finis eſt ſanitas.ad Th. 2ª.103.A
circa Corpus humanum artes nouẽ, quarum ſeptem laudandę, duæ vitioſæ ſunt.ad Thraſ. 2ª.102.G
Corpus curãs ars in duas principes partes diſtribuiĩ.ad Thra.2ª.108.A
Corporis partes qui mouere nequit, ad vitæ functiones cenſetur inutilis. 3°.de loc.affect. 4ª.21.B
Corpus non fit aptum exercitationibus, vbi non fiunt temporum mutationes fortes.de aere, aq.& lo. 2ª.5.E
Corpus ad exercitationem excitat mutatio.de aere, aq.& lo. 2ª.6.C
circa Corpus humanum ſi vnam artem tranſeamus, ſeptem facimus.ad Thraſybu. 2ª.102.G
Corpus totum fricandum mediocriter linteolo ante exercitationem calfacere oportet.2°.de ſan.tu. 2ª.69.H
Corpus oleo fricandum poſt lintei fricationem ante exercitium. 2°.de ſanitate tuenda. 2ª.69.H
Corporis, & animi medicis exercitijs ſeruatur calor naturalis.1°.de ſanitate tuenda. 2ª.65.F
Corpus totũ mouet exercitatio paruæ pilæ.de par.pil.exer. 2ª.49.A
Corpus cogit exercitatio præparatoria.3°.de ſan.tu. 2ª.81.E
Corpus implent lentæ exercitationes.6°.de ſan.tu. 2ª.96.A
Corpus relaxat exercitatio q̃ apotherapia dr̃.3°.de ſan.tuen. 2ª.81.E
Corpus fatigans exercitatio optima eſt.de par.pil.exer. 2ª.48.G
Corpora proprie caleſcunt ab exercitio.2°.de ſan.tu. 2ª.74.B

Corporis vt ſingulæ partes ſint perfuſæ, calor ob exercitia auctus facit. 2°.de ſan.tuen. 2ª.69.E
Corpora calida, & robuſta ab exercitijs validis, & ſole validiora efficiuntur.4°.de ſimp.med.fac. 7ª.28.A
Corporis pars quando ſit validior & infirmior, quid ſequatur. de natu. hum.com.2°. 7ª.182.H
Corpora validiora quæ dicantur.2°.de comp.me.per ge. 5ª.218.H
Corpus quo modo intelligatur validiſſimum.de na.hu.com.2°. 7ª.182.E
Corpus quodcũq; poteſt habere aliquam partem infirmiſſimam, aliquas vero validiſſimas.de nat.hu.com.2°. 7ª.182.H
Corpus ſiccat exercitatio multa.5°.de ſan.tuen. 2ª.89.G
Corporis exercitium facit continere ſemen.de aere, aq.& lo. 2ª.5.G
Corpus colliquat celer motus augẽdo plurimũ calorẽ.de ſal.di.2ª.41.A
Corpus laxum efficit frictio mollis.6°.de ſani.tu. 2ª.98.C
Corpus eſt vngendum oleo, vbi cutis incaluerit, & meatus laxati ſint. 2°.de ſan.tuen. 2ª.69.H
Corpus nõ valde ſiccũ pungendũ.de vic. ratio.in mor.acu.c.3°.7ª.132.E
Corpora quiete in eodem ſtatu conſeruantur, motu alterantur, & tranſmutantur.com.4°.aph.14°. Ex.28.H
Corpori obeſt ocium.de aſſuet. 2ª.61.E
Corpus noſtrum quomodo ſit ſubiectũ philoſophiæ.ad Thraſ. 2ª.106.B
Corpus hominis materia eſt artis medicę.de part.art.med. Sp.18.C
Corpus noſtrum quo modo ſit ſubiectum medicinę.ad Thraſ. 2ª.106.B
Corpus eſt medicorum materia tanquam id ex quo finis, aut in quo. ad Thraſybulum. 2ª.106.A
Corporis naturã quam totius medicinæ ordinis principiũ ſtatuit, optimę cognoſcendã eſſe præcipit Hippocrates.ſi quis optimus m. Iſa.6.B
Corpori hominis tuendo ars medica dicata eſt.1°.de ſan.tuen. 2ª.62.C
Corporis noſtri optima cura haberi non poteſt in qualibet propoſita vita.2°.de ſan.tu. 2ª.69.C
Corporum notitia eſt neceſſaria ad conſtitutionem artis curatricis. de conſt.ar. Iſa.40.B
Corporum naturam ſi quis ignorabit, morbi curari non poſſunt. 1°. methodi medendi. 7ª.3.F
Corpori totam artem præſidem callebant Hippocrates, Diocles, Praxagoras, Philotimus, atq; Herophilus.ad Thraſ. 2ª.109.E
Corporis affectus q actionẽ gignit, eſt cõſiderãdus.1°.meth.med. 7ª.7.G
Corporis affectus pręcedit actiones, & illas gignit, nec vnum ſine altero eſſe poteſt.1°.meth.med. 7ª.7.G
ſine Corporis naturali aut vitioſo affectu actio aut proba, aut improba eſſe non poteſt.1°.meth.med. 7ª.7.G
Corporum naturales differentię ſciri debent.5°.de ſan.tu. 2ª.88.D
Corpus ſanum ſibi ipſi omnia inuenit proprio naturæ ſuæ impetu directum, maxime ſi in ijs, quæ ad animum pertinent recte ſit educatum. 2°.de ſan.tuen. 2ª.73.G
Corpus nullum offenditur à propria natura.2°.de ſymp.cau. 3ª.22.A
Corpora quæ ſecundum naturam ſe habent ijs ſeruari cuſtodiriq; ſuum habitum decet.1°.de ſan.tuen. 2ª.65.C
Corpus moderate ſanum non debet mutari.ad Thraſ. 2ª.104.E
Corporum ſanorum communis actio conſeruatio.ad Thraſ. 2ª.108.F
Corporis ars conſeruatrix circa quę verſetur.ars med. Iſa.69.C
Corpus temperatum quibus ſeruetur in omnibus.5°.de ſan.tu. 2ª.89.A
ad Corporis ſanitatem cõſeruandã ſyrupus acetoſus.ſecr. Sp.103.D
Corpus vitioſum inſtaurant medicus, & agricola.ad Thraſ. 2ª.104.B
in Corporibus, cauſis, & ſignis vt primis tribus generibus quo modo conſiſtit ſanitatis tuendæ ſtudium, æquę ac medendi methodus. 1°.de ſanitate tuenda. 2ª.58.G
Corpus ſalubre ſimpliciter quid.ars med. Iſa.62.C
Corpus ſalubre ſimpliciter ſemper, quid.ars med. Iſa.62.C
Corpus ſalubre ſimpliciter vt multum.quid ars med. Iſa.62.C
Corpus ſalubre nunc, quid.ars med. Iſa.62.C
Corpus inſalubre ſimpliciter, quid.ars med. Iſa.62.D
Corpus inſalubre ſemper, quid.ars med. Iſa.62.D
Corpus inſalubre vt multum, quid.ars med. Iſa.62.D
Corpus inſalubre nunc, quid.ars med. Iſa.62.D
Corpora neutra ſunt quæ dicunt̃ cadere in ægritudinem.ars m. Iſa.67.D
Corpus ſanum non eſt vnum tantum.ars med. Iſa.68.A
Corpus omne vnde ſit ſanum vel ægrum.de ſper. Sp.40.C
Corporis moles ſolito maior aut minor, aut magis alba, aut magis rubra. vel vt liuidior, aut nigrior, oſtendit futuram ægritudinem.ars medicinalis. Iſa.67.F
Corporis totius habitus ſi habeat multam pituitam albã, aquam intercutem incidit.com.7°.aph.7°. Ex.60.H
in Corpore quomodo mutetur color, & ex quibus.4°.de ſanitate tuenda. 2ª.84.A
Corporum vitioſi ſtatus ſunt genere duplices.6°.de ſan.tuen. 2ª.95.C
Corpus vitioſum à quibus cauſis cito offendatur.de optima noſtri corporis conſt. 1ª.38.D
extra Corpus quæ ſunt, facillime deprehenduntur: quæ vero intra corpus, difficillime.ars med. Iſa.66.G
Corpora ægrotantia quo modo cognoſcuntur.ars med. Iſa.67.A
in Corpore ꝓfundo affectus quo modo noſcant̃.17°.de vſu par. 1ª.222.E
in Corpore toto vbi mutationes & corpus refrigeratur, & rurſus caleſit, aut colorem alium ex alio commutat, longitudo morbi ſignificatur.commentario.7°.aphoriſ.60°. Ex.59.E| præſagium experientia confirmatum. Sp.77.G
Corpora laxiora facilius offenduntur à cunctis cauſis externis.de op.noſtri corp.conſt.1ª.38.F|de aſſuetu. 2ª.61.C
Corpora ſenſibiliora magis ſentiunt dolores.in 6m.de morb.vulgaribus, commen.1°. 3ª.153.E
Corpus molle facile ſequitur ducentem, & ſegnius in ſuam vertitur naturam.de vſu pulſ. 1ª.229.G
Corpus ſi ſit mollius quid conſiderandum.5°.de ſan.tuen. 2ª.89.C
Corpora mollia quo modo fiant.3°.de diff.pulſ. 4ª.62.F
Corpora laxiora ſalubriora ſunt, quo ad excrementa.de opt.noſtri corp. conſt. 1ª.38.F
Corpora denſiora difficilius afficiuntur à cunctis cauſis expertis.de opt. noſtri corp.conſt. 1ª.38.F
Corpora denſiora minus ſalubria, quo ad excrementa.de opt. noſtri corpo.conſt. 1ª.38.F
Corpus ſi ſit durius, quid conſiderandum.5°.de ſan.tuen. 2ª.89.C
Corpora dura quo modo fiant.3°.de diff.pul. 4ª.62.F
Corpora affecta læſiones habent, cauſę illas faciunt, & ſigna indicant. de vic.rat.in mor.acu.com.3°. 7ª.128.D
Corporum ac etiam cauſarum læſorum vocibus vtitur Hippocrates inter ſigna.de vic.rat.in mor.acu.com.3°. 7ª.128.B
cũ Corporis morbo vniuoce morbũ animæ appellari dicit Chryſippus. 5°.de decre.Hipp. 1ª.155.D
Corporis affectus dici poteſt cauſa morbi, vel corpus certo modo affectũ. 1°.methodi medendi. 7ª.6.B
Corporis ſtatus eſt cauſa morbi.1°.meth.me. 7ª.7.F
Corporis varij ſtatus.3°.de ſan.tu. 2ª.80.H
Corporis ſtatus peſſimus qui ſit.6°.de ſan.tuen. 2ª.100.E
Corpora curanda habent magnam differentiam. 4°.de compoſitione medicam.per genera. 5ª.240.G
Corporis ꝑtes, q̃ facilius, et quæ difficilius curent.6°.de ſan.tu. 2ª.98.E
Corporum conſtructiones quæ morbis ſunt obnoxiæ, ex contrarijs temperamentis ſunt.3°.de ali.fac. 2ª.28.F
Corporis morbus, qui ſm Chryſippum.5°.de dec.Hipp. 1ª.255.G
Corporis morbi vniuerſales.intro. Iſa.59.F
Corporum ſimplicium primæ ægritudines duplices ſunt & quę. de differen.morborum. 3ª.2.G
Corporum primorum ægritudo inflammatio eſt, & ex accidenti totius inſtrumenti.de diff.mor. 3ª.5.H
Corporum primorum ægrotationes ex intemperatura fieri primus dixit Hippocrates.8°.de dec.Hipp. 1ª.275.B
Corporibus à naturæ modo egreſſis accidentia quatuor habent differentias.2°.meth.med. 7ª.9.B
Corpus quanto magis recedit à natura, tanto habet maiorem morbum. com.7°.aph.75°. Ex.61.A
Corpus à tẽperie deficiens tribus de cauſis deficit.5°.de ſan.tu. 2ª.89.E
Corporis intemperies indicat remedia, non ſenium aut ętas aliqua. 5°.de ſanitate tuen. 2ª.93.B
Corpus deficiens à moderate ſano debet mutari ſecundum defectum. ad Thraſybulum. 2ª.104.E
Corpus intemperatum per contraria reducitur, & quomodo. 1°.de alim. fac.8.F|1°.de ſani.tuen. 2ª.65.C
in Corpore quomodo ſint agenda contraria.ad Thraſ. 2ª.104.E
Corporis totius vbi temperamentum ſit bilioſius, & venter imbecillus, cibo qui ventrem roboret firmari poſtulat.6°.de ſan.tu. 2ª.98.H
in Corpora quid agat calor.16°.de vſu par. 1ª.220.G
in Corporibus conſiderandum an ſuo, vel aſcititio calore incaleant. 2°. de temperamen. 1ª.20.B
Corpus iuuenis carnoſi caleſit non ex propria poteſtate, ſed ex accidenti ab aqua

ti ab aqua frigida.3°.de temp. 1ª.21.G
Corpus carnoſa pars appellaẽ ab Hippocrate.de frac.com.3°. 7ª.242.H
Corpora noſtra à quibus calefiunt ab externo.2°.de ſan.tuen. 2ª.74.B
Corporis totius inordinata ſupercalefactio fit luna in coniunctione ſolis, Saturno in tetragono.de decub.progn.ex math.ſcien. Sp.13.A
Corpora excalfacere in augmento lunæ, periculoſum eſt. de decub. progno.ex math.ſcien. Sp.16.B
Corpus totum quando calefacere celeriter conſilium eſt, quid agendum. 6°.de ſimp.med.fac. 5ª.47.H
Corpus calefaciens electuarium.de med.exper. Sp.107.B
Corpus calefaciens medicamen.de medicinis expertis. Sp.106.B
in Corporibus ſenum calorem naturalem confortans medicamen.de medicinis expertis. Sp.108.A
Corpus calefit à febre vehementi.ꝙ animi mores. 1ª.317.H
Corporis totius veluti quædam immoderata caliditas eſt febris. de cauſis morborum. 3ª.6.E
in Corpore caliditatem Plato vocauit ignem.in tim.Plat. 1ª.288.C
à Corporis, aut animę motu fit febris.præſag.exper.conf. Sp.77.D
Corpus rarum & ſpiſſum breuiores et longiores efficit febriles acceſſiones.2°.de diff.feb. 3ª.42.A
Corpora febricitantium euacuatione indigere ſignificat in ſomno ſudor multus, ſi cibi plurimi eius cauſa nõ fuerint.ꝓſag.exp.cõfir. Sp.77.G
Corpus idẽ p̃t hr̃e p̃tes refrigerãtes, & calefaciẽtes.1°.de ali.fa. 2.9.C
Corpus an poſſit vnà fieri calidum, & frigidum, humidum, & ſiccum.de cauſ.morb. 3ª.8.A
à Corpore ſolido humor aerq́, facillime accenduntur, non autẽ e contrario.1°.de diff.feb. 3ª.31.B
Corporum ſolidorũ ſubſtantia craſſiſſima eſt.1°.de diff.feb. 3ª.31.B
Corpora ſolida in morbis q̃uo cuſtodienda.12°.meth.med. 7ª.77.B/E
Corpora ſolida habent certam quantitatem.12°.meth.med. 7ª.77.C
Corpus non extenuatur in febriente ex cutis ſpiſſitudine, & humorum craſſitudine.com.2°.aph.28°. Ex.16.F
Corpus quod incendi, & tendi videatur non eſt affectus, ſed ſymptoma. 3°.de ſan.tuen. 2ª.78.F
Corpus exiccatur in morbis diuturnis.7°.meth.med. 7ª.45.H
Corpus nimium gracile, & nimis obeſum non laudat Galenus. 1°.de ſanitate tuenda. 2ª.64.D
Corpus ſi ſit obeſum vel gracilius, qd cõſiderãdũ.5°.de ſan.tu. 2ª.89.C
Corpora quo modo in ſe ipſa ſubſident.de cauſ.mor. 3ª.9.B
Corpus fit gracile, & aridũ à vigilia, & triſtitia.3°.de ſan.tu. 2ª.81.F
Corpus q̃uo intumeſcit, & decũbit aqua calida.2°.de ſani.tu. 2ª.73.C
Corpus aridum, & gracile q̃uo ſanetur.3°.de ſanitate tuen. 2ª.81.F
Corpus ſi ſit ſiccius quid conſiderandum.5°.de ſan.tuen. 2ª.89.D
Corp̃is calori, et ſiccitati ſuccurrit aqua frigida.de bo.et vit.ſu. 2ª.39.C
Corpus roborat aqua frigida.3°.de ſan.tu. 2ª.78.B
Corpus roborat vinum frigidum.de ſal.dię. 2ª.41.C
in Corporis ſiccitate humectanda, & refrigeranda quomodo vir prudens ſe geret.de bon.& vit.ſuc. 2ª.39.B
ad Corporis debilitationem.ſecret. Sp.100.D
Corporis debilitatẽ ſignificat vrina alba et nuda in oĩbus.de dy. Sp.35.D
in Corpora quid agat frigus.16°.de vſu par. 1ª.220.G
Corpus vbi fuerit infrigidatum & rurſus incaluerit, longitudinem morbi ſignificat.præſag.exper.confir. Sp.77.G
Corpora refrigerare luna imminuente, periculoſum. de decub.prognoſt. ex mathe.ſcien. Sp.16.B
Corpus aquoſum & ſubtumidum quo modo durius reddatur. in 6ᵐ.de morb.vulg.com.2°. 3ª.161.A
Corpora humectat humiditas ſine caliditate, & frigiditate notabili. de aſſuetud. 2ª.61.D
Corporibus humidis medicamenta magis humida adhibenda ſunt. 2°.de comp.med.per ge. 5ª.220.D
ad Corpus infrigidatum, & humectatum.ſecret. Sp.98.G
ad Corporis humectationem, & infrigidationem multam electuarium diatrion pipereon.ſecret. Sp.102.E
Corpus molle etiã quam pro natura amplius efficit laſſitudo quæ phlegmones ſenſum præfert.3°.de ſan.tu. 2ª.79.A
in Corpore malus ſanguis vbi ſit.4°.de ſan.tu. 2ª.84.G
in Corpore redundans ſemper ad partes imbecillas deſcendit.1°.de alimen.facultatib. 2ª.10.H
Corporis partes quæ natura fuerint maxime infirmę potiſſimũ vnicuiq; afficiuntur.de bon.& vi.ſuc. 2ª.39.D
Corpora imbecilliora quæ dicanẽ.2°.de comp.med.per gen. 5ª.218.G/H
Corpus poteſt non eſſe plenum licet humores ad aliquam partem fluant & copia humoris in parte aliqua contineaẽ.c.6°.aph.31°. Ex.49.F
Corpora tenuiſſima cumulata, robur acq̃rũt.15°.de vſu par. 1ª.212.A
in Corporis affectibus quæ ſymptomata conſiſtunt.de ſym.diff.3ª.13.A
Corporum corruptelę vnde naſcantur.de ſper. Sp.41.A
Corpora quæ putreſcunt.11°.meth.med. 7ª.68.G
in Corpore ſanies ex aqueo & igneo elemento.8°.de decr. 1ª.275.F
in Corporis omnibus partibus qui fiant morbi.3°.de loc.aff. 4ª.18.D
Corporis pars dolẽs, & in tumores eleuata q̃uo cureẽ.de ſectis. Iſ.16.D
ex Corporis totius affectu cerebrum cõpatitur.3°.de lo.aff. 4ª.18.D
Corporis partes quibus inęqualiter ſe habent, non eſt facile numerare. 6°.de ſan.tuen. 2ª.95.D
à Corporis varijs partibus poteſt oriri profluuium.de ſect. Iſa.18.F
Corpus nigrum fit liene peccante.6°.de loc.affe. 4ª.36.A
Corporis affectiones nigrę ex linguæ coloribus cognoſcuntur.8°.de decr. Hippocra. 1ª.275.H
Corporis color q̃nq; herbis cãdẽtibus aſſimilaẽ.5°.de loc.aff. 4ª.34.B
Corporum cognitio, quæ ex ſignis habetur in agendis eſt prima. introductio. Iſa.62.B
à Corporis partibus ſumenda iudicatio.de ſectis. Iſa.18.C
Corporis extremæ partes ſi frigeſcant, quando malum, & quando non. commen.7°.aph.1°. Ex.54.A
Corporis quædam vitia propter magnitudinem inſanabilia ſunt. de cognoſcendis curandiſq; animi mor. 2ª.53.B
Corporis lãguor efficiẽ à calore, & frigore abũdante.de dyna. Sp.19.D
Corporis languorem mitigat opium.de ſimp.med. Sp.88.B
Corpora flacida confirmat omphacomeli.de dyna. Sp.22.C
Corpus omnibus numeris abſolutum, & decorum, ſimplex, & vnum, eſt regula medicamentorum facultatis inueniẽdę. 3°. de ſimp.medic. facultatib. 5ª.19.F
Corpus admodum exile, facilius: grandius, difficilius alteratur & mutatur ab eo cui admotum eſt.1°.de ſimp.med.fa. 5ª.4.B
Corpus acerbum, terreum eſt ac frigidum, tripliciterq; neceſſario exſoluitur.4°.de ſimpli.med.fac. 5ª.26.E
Corpus refrigeratur à cicuta, & ſanguinis euacuatione. quòd animi mores. 1ª.317.H
Corpus totum breui immutat venenum deleterium in pauca quantitate. 1°.de ſemine. 1ª.335.A
Corpus à deleterio venenatũ curatur per alexipharmaca cõtraria qualitate ſeſe diffundẽte ac totũ corpus immutante.1°.de ſem. 1ª.335.B
Corpus quo modo purgetur, elice.3°.de ſan.tu. 2ª.77.F
Corporis totius curationem præmittendam in morbis omnibus eſt commune præceptum.3°.de locis affectis.4ª.15.D/1°.de compoſi.medicamen.ſec.loc. 5ª.121.E
Corpus vniuerſum debere primo purgari ſi malitia humorum infeſtet, vel ſanguinis miſſione euacuari redundante ſanguine, antequam ad localia partis influxu laborantes remedia veniamus, collige.commen. 6°.aphoriſmo.31°. Ex.49.G
Corpus caputq; totum primo euacuandum, quàm aliquid oculis adhibeatur.4°.de comp.me.ſe.lo. 5ª.149.F
Corpora oportet, vbi quis purgare voluerit, fluida facere: & ſi ſupra, ſiſtere aluum, ſi vero infra, humectare.com.7°.aph.66°. Ex.60.E
Corpus debet eſſe fluxile, & tranſpirabile.8°.meth.med. 7ª.51.E
Corpora propter conſuetudinem euacuationibus non indigent, & cur indigeant.de aſſuet. 2ª.61.H
Corpora ſana non ſunt purganda.de dyna. Sp.20.D
Corpus plenum non eſt euacuandum per patientem locũ.ars me. Iſ.70.F
Corpus totum euacuatur quandoque per vterum, quandoque per renes. 6°.de loc.affect. 4ª.41.D
Corporis ſubſtantia ignorata medicamenta ſciri non poſſunt. 2°.de naturalibus facultatib. 1ª.301.B
Corpus denſum, & durum facile tolerat.de aſſuet. 2ª.61.C
Corporibus duris quæ conueniãt.2°.de comp.med.per ge. 5ª.220.F
in Corpore duro quibus vtẽdũ medicamẽtis.de rem.par.fac. 7ª.154.H
Corpora dura habeant medicamenta valentiora. 7°.de compoſi.medicamen.per gen. 5ª.269.F
Corporibus duris magis ſicca adhibenda.2°.de compoſitione medicamentorum per gen. 5ª.220.D
in Corporibus duris vſus medicamenti ad neruos.3°.de compo.medicamen.per gen. 5ª.233.G
Corporibus denſis aſtringentia potius obſunt, quàm proſint. de optima ſecta. Iſa.29.F

Corporibus mollibus quæ conueniant.2°.de compo.medi.per ge. 220.F/ de rem.par.fac. 7ª.154.H
Corpora mollia medicamenta habeant mitiora.7°.de compoſi.medi. per genera. 5ª.269.F
in Corpore molli vſus medicamenti ad neruos.3°.de compoſitio.medica mentorum per gen. 5ª.233.G
Corporibus fortioribus fortiora medicamenta, debiliora debilioribus ſunt præbenda.6°.de compoſi. medicamen.ſecun.loc. 5ª.176.F
Corpus vt reficiamus, fortibus vtimur catharticis.de dyna. Sp.20.G
Corporis partium, & humorum ratione medicamentorum diuerſitas. de cathartic. Sp.95.A
in Corporis totum halitum quæ medicamenta tenuia digerantur. 4°.de ſanitate tuen. 2ª.86.D
ad Corpus vniuerſum medicamenta.introd. Iſ.58.A/B
Corpus totum promouet elaterium.de ſimp.med. Sp.83.G
Corpus totum hiera purgauit.1°.de comp.med.ſe.lo. 5ª.121.E
Corpus ſuperius & inferius purgat ſcammonia.de cathar. Sp.95.A
Corpora rareſcunt robuſtis concumbentibus.3°.de ſan.tu. 2ª.81.E
Corpus cur maxime diſſoluitur à coitu.1°.de ſem. 1ª.335.D
Corpus primo præparandũ venæ ſectione, vel medicamento, vel vtroq;. 4°.de comp.me.per gen. 5ª.236.C
Corporibꝰ euacuatis cucurbitulę vtiles ſunt.de cucurbit.ſcar. 6ª.3.B/C
in Corpore redundantem materiam minuere vbi volumus, ſcarificatione vtimur.de cucur.ſcar. 6ª.3.F
cui Corporis parti admouenda ſint remedia conueniens eſt & neceſſariũ ſcire.de fœt.for. 1ª.324.B
in Corporibus cauitates, & earum meatus quo modo aboleãtur.de cauſis morborum. 3ª.9.A
Corpori infixa extrahit anagallis.6°.de ſimp.medica.fa. 5ª.42.H
Corpori toto genere inimicum excidere oportet. in 6m.de mor.vulgaribus, com.2°. 3ª.161.B
in Corpore quando os, aut chartilago, aut neruus abſcinditur, nõ augetur.com.7°.aph.28°. Ex.55.H
Corpora neruoſa ac tenuia nõ agglutinantur.15°.de vſu par. 1ª.212.H
Corpus qua vertebra lęſa fiat immobile.8°.de ana.adm. 1ª.183.A
Corpus repente reſolutum functionibus voluntarijs immobile redditur, & ſenſu orbatur.de fœt.for. 1ª.324.B
ad Corpora figuranda vbi quid manu fieri oportet, laqueus. de laqueis. 7ª.306.F
ad Corpora figuranda vbi manu curatio adhibetur, laqueus. de laqueis. 7ª.308.E
*ad Corpora figurãda vbi iuxta anũ curãtur, laqueus.de laqu.*7ª.308.G
ad Corpora mollia muliebria, & puerilia aptatur palæſtricus modus componendi luxata.de machin. 7ª.309.C
CORPVLENTIAM *in homine, vel multam carnem quid faciat.2°.de temperamen.* 1ª.18.F
Corpulenti qui ſint.2°.de temp. 1ª.18.D
Corpulenti & graciles habent contrarias habitudines ex contrarijs ortas.7°.de ſan.tu.2ª.64.E/de pul.ad tir. 4ª.44.A
Corpulentia vel carnis copia quando ſequatur.2°.de temp. 1ª.18.D
Corpulenti, molles, & rubicundi vnde hoc habent.de ſal.diæ. 2ª.40.D
Corpulenti & multum molles & rubicundi quo victu ſint nutriendi. de ſalubri diæta. 2ª.40.D
Corpulenti habent pulſus breues.1°.de prẹſag.ex pul. 4ª.106.B
Corpulentis minus conuenit balneũ.q̃ gracilibus.de ſal.diæ. 2ª.41.A
Corpulentia quo modo curetur.14°.meth.med. 7ª.91.D
Corpulentiam quibus curauerit Galenus.14°.meth.med. 7ª.91.E
Corpulentiam incidentia, quæ.14°.meth.med. 7ª.91.D
pro Corpulentis, & hydropicis flos ſalis aquæ marinæ miſtus, in qua fiat lauatio.14°.meth.med. 7ª.91.E
in Corporis tumore elleborus dandus.de vict.ratione in morbis acutis commen.4°. 7ª.144.E
Corpulentorum cataclyſmata, qualia.de ſal.diæ. 2ª.41.F
Corpulenti quo modo iter facere debent.de ſal.diæ. 2ª.41.A
CORRECTVRVS *aliqua, quid agere debet.de cogn.curandisq́; animi morb.* 2ª.55.G
Corrector Hippocratis non miniſter, qui.3°.de diff.reſp. 3ª.69.G
Correctiua medicina quæ appelletur.ad Thraſ. 2ª.106.E
Correctiua medicina quo modo diuidatur.ad Thraſ. 2ª.106.E
Corrigere circa humanum corpus errores, medici opus.1°.de differentijs febrium. 3ª.32.F
q̃uo Corrigi poſſunt cibi inflatiui.de diff.cont. Sp.74.G
CORRIGIIS *exiccatis cõe eſt conuelli.in prog.com 1°.* 4ª.191.D
CORROBORATIO, *quæ.de conſti.ar.* Iſa.42.F
Corroborat vires motus.de frac.com.2°. 7ª.238.G
non Corrobari eum qui ex ægritudine bene cibatu, eſt affectio potentię noſtrum corpus regentis.com.2°.aph.31°. Ex.16.H
CORRODENS, *acris, & acida eſt atra bilis.c.4°.aph.21°.* Ex.29.D
CORROSIS *gingiuis prodeſt ſuccus centaureæ. de virtute centaureæ.* Sp.93.D
Corroſionem afferunt cauſæ exaſperantes.de cauſ.morb. 3ª.9.C
in Corroſis vlceribus confert ſuccus centaureæ.de vir.cent. Sp.95.F
CORRVGATIO *membranarum oculi affectus.intro.* Iſa.58.D
quæ Corrugant, & roborant ſtomachum.de diſſ.cont. Sp.74.E
pro CORRVMPERE *Hippocrates ſæpe in libro de fracturis & articulis vſus eſt verbo ſphacelare.com.7°.aph.50°.* Ex.58.B
Corrumpere eſt putreſcere.2°.de diff.feb. 3ª.40.A
omne quod Corrumpitur non dicimus putreſcere, ſed quibus id cum fœtore accidit.5°.de ſimp.med.fa. 5ª.36.B
Corrupta fœtidaq; inſpiratio corã ſe detineri non poſſet, ſi numerus inſpirationum, non pulſuum propter paruitatem pulmonis cogeret adæquari.de anat.viu. Sp.48.B
CORRVPTIO *quis motus.1°.de nat.fac.* 1ª.290.H
Corruptio videtur eſſe motus.3°.de diff.pul. 4ª.67.D
Corruptio & alteratio naturæ q̃uo fiat.de inæq.intemp. 3ª.43.G
Corruptio duplex quę fit, & quæ facta eſt.de marc. 3ª.45.B
Corruptioni generationiq; ſubiecta eſt ſubſtantia.de mul. 3ª.77.A
Corruptionis neceſſitas duplex ĩ oĩ genito corpore.1°.de ſan.tu. 2ª.62.G
Corrumpi cur ſit neceſſe nobis.6°.de ſan.tu. 2ª.96.F
Corruptio propter quid fiat.2°.de diff.feb 3ª.37.D/de ſper. Sp.41.A
Corruptibilia corpora duabus tranſmutationibus ſubijciuntur.1°.de elementis. 1ª.7.B
Corruptio multis modis fieri poteſt.5°.de ſim.med.fac. 5ª.36.B
Corruptionem duplicem patitur mediocritas, exuperantiam, & defectum.de diff.morb. 3ª.2.G
Corrumpuntur res quatuor modis.de marco. 3ª.45.C
Corruptio flãmæ quot modis fiat.de palp.tre.conuul.& rig. 3ª.54.E
Corrumpuntur quæ non difflantur.2°.de diff.feb. 3ª.40.B
Corrumpuntur tempore materiæ obſtruentes.2°.de diff.feb. 3ª.42.C
Corrumpuntur res ab immoderatione extrinſeca caloris alieni, aut frigoris abundantia.4°.de ſim.me.fa. 5ª.28.B
Corrumpuntur duplici de cauſa ſtirpes.14°.meth.med. 7ª.93.C
quas Corruptiones à ſiccitate prouenientes marcorem per translationem appellemus.de marc. 3ª.45.C
*Corrupta à ſiccitate, à maraſmo, & tabe arripi dicimus.de mar.*3ª.45.C
Corruptum omne tabefaciens.5°.de comp.med.per ge. 5ª.245.H
Corruptionis in homine duplex cauſa, intrinſeca, & extrinſeca.1°.de ſanitate tuenda. 2ª.63.A
Corrumpit nihil calor proprius.11°.meth.med. 7ª.69.E
Corrumpitur ac perimitur quidque à diſſimilibus, augetur vero ac nutritur à ſimilibus.de inæq.intemp. 3ª.44.C
Corrumpuntur cur cito humores in multitudine, ratione potentiæ.1°.de differen.feb. 3ª.31.H
q̃uo Corrumpitur ſanguis aliqua in parte aceruatus, & quot modis.2°. de differen.feb. 3ª.40.A
Corrumpitur ſanguis ob duplicem cauſam in inguinum tumoribus, & inflammationibus.2°.de diff.feb. 3ª.40.B
Corrumpitur tardius ſanguis pituitoſus.2°.de diff.feb. 3ª.42.B
Corruptio in ſanguinis vomitu.com.7°.aph.74°. Ex.60.H
Curruptus ſanguis eſt alterandus.de cucur.ſcar. 6ª.3.G
Corruptum quod eſt quo modo coquatur, & fiat optimum in aliquibus naturis.1°.de diff.feb. 3ª.31.H
Corrumpuntur humores q̃nq; vt epoto veneno.5°.de loc.aff. 4ª.34.B
Corruptio an fieri poſſit in aĩalibꝰ veluti venenũ.6°.de loc.aff. 4ª.40.B
Corruptionem in venis ſignum eſſe humectati & infrigiditati corporis, collige.ſecretorum. Sp.98.G
ex Corruptione humorum fieri morbos, collige.cõ.1°.aph.17°. Ex.9.D/ *de oculis.* 7ª.185.A
Corruptum eſt auferendum.8°.meth.med. 7ª.59.C
in Corruptela humorum dandum eſt medicamentum. quos purga.opor. quib.med.& quo temp. 5ª.88.B
Corrupti humores debent per purgationem euacuari. commentario. 6°. aphoriſmo.47°. Ex.52.B
Corruptum per quas vias euacuatur.11°.meth.med. 7ª.69.F

ad Corruptoriam

ad Corruptoriam & venenoſam vim habentem materiam. 7°.de compo.med.ſe.loc. 5ª.186.B
ex Corruptione humorum diſpoſitio exigit contemperamentum ciborũ. com.1°.aph.17°. Ex.9.C
Corrumpuntur quidam fructus, vt efficiantur ſicut pernicioſum venenũ in ſtomacho.de diſſ.cont. Sp.75.A
Corrumpit cibos os ventriculi non fundus.5°.de loc.af. 4ª.32.E
Corrumpit primum cibum & ſecundum cibus ſumptus ante quàm primus deſcenderit. de diſſ.cont. Sp.72.A
Corruptibile, & craſſum nutrimentum generant oua cocta in degamine, vel in teſtis, & caſeus.de diſſ.cont. Sp.74.B
Corruptiones ciborum nidoroſæ, ex quibus cibis veniunt. 3°.de ſymptomatum cauſis. 3ª.24.H
Corrupta licet ſint in corpore cibaria q̃uo tamen febrim facere nequeãt in ijs, qui bono ſunt habitu, ſed concoquantur.1°.de dif.ſe. 3ª.31.H
Corruptionem humorũ quandoq;, q̃nq; defectum alimẽti cauſam eſſe vt capilli ex capite defluant, collige.com.5°.aph.11°. Ex.38.D
Corrupta in ventre q̃uo ſtatim expellenda.4°.de ſan.tuen. 2ª.83.A
ad Corruptionem ſtomachi.ſecreto. Sp.98.F
Corruptionem ſtringit ſiligo tritici.de ſimp.med. Sp.90.A
Corruptionem inducentes facultates attrahere poteſt cucurbitula. de cucurbitu.ſcarificatio. 6ª.3.F
Corrupta vbi eſt materia, particulis repletis, cucurbitulę admouendæ cum inciſione.de cucurb.reuul.&c. 6ª.3.C
quę Corrupturæ ſunt fœtus, ijs mammæ extenuantur, ſi vero rurſus duræ fiant, dolor aut mammas, aut coxas, aut oculos, aut genua infeſtabit, & non corrumpent.com.5°.aph.53°. Ex.42.C
ad Corruptelas.de med.fac.parab. 7ª.176.B
ad Corruptã complexionem.ſecret.101.G/de med.exper. Sp.104.A
ad Corruptionẽ cõplexionis electarium gafit.de med.exper. Sp.108.B
Corrruptas humiditates reſoluens medicina.ſecret. Sp.102.A
à Corruptione, abſceſſus oſſis.com.7°.aph.73°. Ex.60.G
Corrupta eſſe nõ debẽt dici quæ marcida ſunt.de frac.com.3°. 7ª.247.G
CORTICES quatuor habet corona oculi.de anat.viu. Sp.48.F
Cortices oẽs ſunt ſicciores ſuis arboribus.6°.de ſimp.medic.fa. 5ª.48.H
Cortices Alburni quid faciant.de dyn. Sp.30.G
Cortex Capparis purgat ſplenem.de cathar. Sp.95.C
Cortex Cedri cum oxymelite vomitum facit.de cathar. Sp.95.C
Cortex Citri q̃n accipitur de eo parũ, confortat ſtomachum: q̃n multum, grauat, & cur.de diſſ.cont. Sp.74.E
Corticis fiſtici decoctio confortat ſtomachum, & mundificat canales pulmonis, & hepatis.de med.exper. Sp.104.D
Cortex mali medici acris eſt, acida aũt pars ĩtima.de attẽ.vic. 2ª.46.A
Cortex radicis Mori amarus eſt.7°.de ſimp.med.fac. 5ª.56.C
Cortex radicum mori lumbricos eijcit.de ſimp.med. Sp.87.H
Cortex virginis Nucis valet ad hæmorroides.de dyna. Sp.28.H
Cortex Pinus, qualis.5°.meth.med. 7ª.36.E
Cortex pinus adſtringens leue.5°.meth.med. 7ª.31.G
Cortex pinus.4°.de comp.me.ſe.lo. 5ª.157.F
Cortex pinus torrefactus.9°.de comp.med.ſec.loc. 5ª.203.D
Cortices Punicorum quando ſeruandi.6°.de comp.me.ſe.lo. 5ª.168.H
Cortices punicorum adſtringunt ſufficienter.6°.de compoſi.medicamen. ſecun.locos. 5ª.168.H
Cortice radicis Rumicis hortẽſis vtitur.5°.de comp.me.ſec.lo.5ª.161.A
Corticibus radicum rumicis agreſtis vtitur.5°.de compoſi.medicamento.ſecun.locos. 5ª.161.C
Cortex Thuris.7°.de comp.med.ſec.lo.184.D/5°.de comp.medicamen. per gen.252.A/7°. 5ª.272.F
CORVO albo ſimile, prouerbium.1°.de nat.fac. 1ª.296.E
CORVSCATIO quid.de hiſt.philo. Sp.7.G
CORVRAE .i.curæ.de artic.com.1°. 7ª.257.B
CORYDALIS herba colicis conuenit.11°.de ſimpli.medicamentorum facultatibus. 5ª.82.C
CORYDOS .i.alauda.11°.de ſimp.med.fac. 5ª.82.B
CORYCO fatigare corpus eſt exercitationis genus.2°.de ſanitate tuenda. 2ª.73.G
Κόρυζας, deſtillationes græci vocant.5°.de ſan.tu. 2ª.92.B
Coryzę quid.3°.de ſymp.cau. 3ª.29.F
Coryzæ faciunt intẽperiẽ in naſo, & cerebro.1°.de ſymp.cau. 3ª.16.A
Coryzę, & catarrhi cauſæ, quę.3°.de ſymp.cau. 3ª.29.E
Coryzæ cauſa eſt iter.de vict.ratione in morbis acu. com.4°.7ª.143.A
Coryza quo mõ dicat̃ coqui.de vic.ra.in mor.acu.com.2°. 7ª.122.H
Coryzas, & catarrhos deſiccat melanthium frictum collo alligatum.6°. de ſimp.med.fac. 5ª.45.H
COS inſula eſt in mari ægeo, quę vnam ſolam habet ciuitatem ex nomine inſulæ.9°.de ſimp.med fac. 5ª.65.C
in Co, Gnido, & Rhodo, & Italia certabant medici, vtri videlicet inuentorum multitudine ſuperarent.1°.meth.med. 7ª.2.F
Contra Coos Eraſiſtratus ſcripſit.8°.de decr.Hipp. 1ª.276.B
COS medica.4°.de comp.med.ſe.lo. 5ª.151.D
COSI confectio.7°.de comp.med.ſec.lo. 5ª.185.G
COSMOS quid ſit.in progn.com.3°. 4ª.207.G
Coſmos eſt taxis.in progn.com.3°. 4ª.207.G
Coſmos mundus, & mundi ordo.in progn.com.3°. 4ª.207.G
COSTAE quæ.introd.Iſa.53.C/de artic.com.3°. 7ª.272.B
Coſtæ à ſpina oriuntur.7°.de anat.adm. 1ª.95.E
Coſtas curuiſſimas habet hõ ex oĩbus aĩalibus.de artic.cõ.3°. 7ª.272.B
Coſtæ non habent figuram ſimplicem.de oſſib. 1ª.42.F
Coſtæ quot ſint.de oſſib. 1ª.42.E
Coſtæ ab vtroque latere duodecim.introd.Iſag.54.G/8°. de anatomicis adminiſt. 1ª.99.C
Coſtę vndecim rarius.8°.de anat.adm. 1ª.99.C
Coſtę tredecim rariſſimæ.8°.de anat.adm. 1ª.99.C
Coſtę habent duplicem ſedem.8°.de anat.adm. 1ª.99.D
Coſtæ non ſunt æqualiter longæ.de oſſib. 1ª.42.F
Coſtæ ſpuriæ propter quid dictæ.5°.de anat.adm. 1ª.86.G
Coſtę nothæ quinque ſunt.de oſſib. 1ª.42.F
Coſtæ mendoſæ chartilagineæ ſunt in brutis paruis, in magnis oſſea chartilago.8°.de anat.adm. 1ª.99.D
ſupra Coſtas nothas cur multa chartilago.7°.de vſu par. 1ª.163.H
Coſtarum oſſa vbi chartilaginea videntur, ſecẽtur linea recta. 7°.de anatom.adminiſt. 1ª.94.G
Coſtæ primæ ſeptem quo modo articulantur.8°.de ana.adm. 1ª.99.D
Coſtæ octauæ articulatio.8°.de anat.adm. 1ª.99.D
Coſtarum quatuor inferiorum articulatio.8°.de anat.adm. 1ª.99.D
Coſta extrema quæ apud Galenum.5°.de ana.adm. 1ª.86.E
ad Coſtas octo fert̃ vena vna ex vtraq; parte.de art.cõ.3°. 7ª.269.A
Coſtas ſuperioris thoracis venæ nutrientes. de venarum arteriarumq́, diſſectione. 1ª.57.D
Coſtas quatuor ſuperiores alit vena ad iugulum.5°.de lo.affe. 4ª.30.H
Coſtæ quatuor ſuperiores nutriuntur à venis ortis à caua antequã in iugulares ſoluatur.de vic.ra.in mor.acu.com.2°. 7ª.117.D
in Coſtis primis quatuor, arteriæ non eodem ſemper modo ſe habent. de venarum, art.diſſ. 1ª.59.B
Coſtas octo inferiores thoracis vena nutriens.16°.de vſu par. 1ª.219.A
Coſtas octo inferiores nutriens parua vena eſt ſine pari.16°.de vſu part. 220.H/in tim.Plat.1ª.287.H/5°.de loc.affec.4ª.30.H/ de vict.rat.in morb.acu.com.2°. 7ª.117.D
Coſtas octo inferiores alens vena quorſum tendat.5°.de lo.aff. 4ª.30.H
Coſtę non creſcunt in latitudinem ſupra ſeptum pueris gibbis.de articu. commentario.3°. 7ª.269.C
Coſtæ cum non augmententur his, qui gibbi facti ſunt ex aſthmate ante pubertatem, pulmo vero vnà cum corde augeatur, quo modo breui ex anhelitus difficultate mori cogantur.com.6°.aph.46°. Ex.52.A
quibus Coſtis alligetur iecur.2°.de loc.aff. 4ª.13.D
Coſtis mendoſis omnibus non coniũgitur iecur per membranas. 5°.de locis affectis. 4ª.33.E
à Coſtis ſummis nothis cur phrenes nõ oriantur.7°.de vſu p. 1ª.163.H
Coſtarum caſſam partem appellat Hippocrates, quę inter oſſa intercedit vbi intercoſtales muſculi ſunt.de artic.com.3°. 7ª.276.E
de inter Coſtalibus muſculis.5°.de anat.adm. 1ª.86.E
inter Coſtas muſculi ſunt vigintiduo.de voce & anhe. Sp.62.B
Coſtarum muſculi conuexi ſunt, & quibus aſſimilentur.2°.de motu muſculorum. 1ª.316.E
Coſtis omnibus muſculus incumbens.1°.de anat.adm. 1ª.64.G
ꝓ inter Coſtalibus muſculis ſpectandum animal macilentum & vetus. 5°.de anat.adm. 1ª.86.F
in Coſtarum muſculorum anatomia exercitatio vnde incipiat.8°.de anatom.admin. 1ª.100.B
inter Coſtalium muſculorum ſectionis modus.8°.de ana.adm. 1ª.101.F
inter Coſtales muſculi primi quo mõ ſecantur.8°.de an.adm.1ª.100.A
inter Coſtalium muſculorum forma.7°.de vſu par. 1ª.163.G
inter Coſtalium muſculorum officium.7°.de vſu par. 1ª.163.G
inter Coſtales muſculi in phrenum ſubſidium.5°.de vſu par. 1ª.147.G

per inter Coſtales muſculos internos fit maxima expiratio. 2°.de motu muſculorum. 1ª.316.C/D
per inter Coſtales muſculos externos fit maxima inſpiratio. 2°.de motu muſculorum. 1ª.316.C/D
inter Coſtalium muſculorum quanta portio reſoluitur, tanta pars naturalis efflationis, & vocis reſoluitur.8°.de ana.adm. 1ª.102.C
Coſtã primã ad clauiculã attrabẽtes muſculi,qui.de muſ.diſ. 1ª.46.D
ad Coſtas brachium rectum extendens muſculus.de muſ.diſ. 1ª.47.G
Coſtas primas ſurſum trahentes fibræ.de muſ.diſ. 1ª.49.E
Coſtam decimam, & vndecimam trahentes fibræ.de muſ.diſ. 1ª.49.E
Coſtam duodecimam detrahens muſculus.de muſ.diſſ. 1ª.49.E
Coſtarum dearticulationes contrahens muſculus.de muſ.diſſ. 1ª.50.A
Coſtarum mediarum muſculi quid agant.1°.de diff.reſp. 3ª.63.A
Coſtarum notharum muſculi in quo animali facilius videnť.8°.de anatomia admini. 1ª.100.A
Coſtarum notharum muſculi natura.8°.de anat.adm. 1ª.100.A
à Coſtis nothis muſculus ad humeri articulationẽ procedens qualis.16° de vſu partium. 1ª.217.F
ſupra Coſtas tendunt quatuor rami vniuſcuiuſq; duorum neruorũ qui diuidunť à duobus neruis ortis à cerebro.de vo.& anhe. Sp.61.H
inter Coſtas ad muſculos non veniunt nerui niſi ex ſola ſpinali medulla. de voce & anhel. Sp.62.B
ad Coſtarum radices nerui,quales.16°.de vſu par. 1ª.216.E
inter Coſtas prope ſpondylos læſis neruis,anhelitus et vox deſtruetur. de voce & anhel. Sp.60.E
in Coſtis quando grauitas percipitur.de cur.rat.per ſang.miſ. 6ª.16.F
Coſtas ſuccingentis membranæ origo.introd. Iſa.53.H
Coſtas ſuccingens membrana vnde dolet.2°.de loc.aff. 4ª.9.A
circa Coſtas ſi ſit dolor ſine pleuritide,fit denſus,et paruus ſpiritus.3°. de diff.reſp. 3ª.70.C
in Coſtas tegentis membranæ inflammationibus indicium firmum ac ſolidum accipitur ex pulſu.2°.de loc.af. 4ª.13.E
Coſtas ſuccingentis membranæ inflammationis & hepatis pulſus diuerſus eſt.2°.de loc.aff. 4ª.13.D
Coſtarum notharum iecoris inflammatio poteſt facere dolorem.2°.de locis affect.13.D/5°. 4ª.34.G
Coſtarum notharum dolor non ſignificat ſtatim pleuritidem, & quando eſt iudicandus pleuriticus.2°.de loc.aff. 4ª.13.D
ſine Coſtarũ dolore tuſſientibus,fiunt abſceſſus quandoque in teſticulũ. in 6m.de mor.vul.com.1°. 3ª.162.H
Coſtarum partibus carnoſis patientibus, quo modo cognoſcatur dolorem lateris fieri.com.6°.aph.5°. Ex.46.H
Coſtas cingens membrana eroſa in pleuritide.5°.de loc.aff. 4ª.29.E
Coſtarũ abſceſſus quibus hieme expectare oportet, ſi æſtas pluuioſa ſit & auſtralis, & ſimilis ſequatur autumnus.de aere,aq.& lo.2ª.4.C
in Coſtarum vitium ex angina mutatio.in 6m.de mor.vulgaribus,commentario.2°. 3ª.162.G
in Coſtali morbo pus colligitur in vna parte.in prog.com.2°. 4ª.204.C
à Coſtis ad os quomodo pus eat.5°.de loc.aff. 4ª.30.G
circa Coſtas abſceſſus boni, & mali.de inæq.intemp. 3ª.43.F
Coſtis quæ ſubtenditur membranæ phlegmone eſt mortalis in corpore calido & ſicco.10°.meth.med. 7ª.63.H
in Coſtarũ doloribus ſcreatio qualis eſſe debet.in pgn.cõ.2°. 4ª.202.A
ex Coſtarum ſola affectione fit ſputum ſanguinis, pulmone nihil patiente.de artic.com.3°. 7ª.275.D
anteq̃ Coſtæ cõpatiantur in pernitioſis pulmonis inflammationibus humor noxius ſtrangulat ægrum.com.7°.aph.11°. Ex.54.G
ad Coſtas ſuccingẽtis membranę labores valet theriaca.de ther. ad Piſo.91.H/de vſu ther.ad Pamph. 5ª.98.F
ad Coſtarum affectiones valens antidotus.2°.de antid. 5ª.111.E
Coſtas exuſtas multi ex Scythis habent.de aere,aq.& loc. 2ª.5.F
Coſtas ſuccingens membrana quo modo cognoſcatur eſſe vulnerata. 1°. de loc.affect. 4ª.2.E
de Coſtarum fractione.de artic.com.3°. 7ª.274.H
in Coſtarum ictu quot diebus fiat curatio.de artic.com.3°. 7ª.275.H
in Coſtarũ contuſione venã ad cubitũ ſecat.de frac.com.2°. 7ª.236.C
in Coſtarum ictu venam ſecat Hippocrates abſque plethora.de articu. commentario.3°. 7ª.275.G
Coſta ob ſphacelum exciſa.5°.de loc.aff. 4ª.29.H
in Coſtis quo loco fracta ſpinali medulla,neq; anhelitus, neq; vox amittatur.de voce & anhe. Sp.60.F
Coſta fracta difficulter ſanatur.intro. Iſa.60.E
Coſta fracta, & interius plicata quo modo ad exteriora reducatur. de dynamidijs. Sp.32.F
ex Coſtis ſæpius tota oſſa eximuntur.de diff.mor. 3ª.4.B
Coſtarum ſideratio.de artic.com.3°. 7ª.275.E
COSTVM quid.de ſimp.med. Sp.82.D
Coſto ſimilis eſt piperis radix.8°.de ſim.med.fac. 5ª.58.B
Coſtus qualis.6°.de comp.med.ſe.lo.170.G/8°. 5ª.190.F
Coſtus medicamentarius eſt & calidus facultate. 8°.de compoſi. medicamen.ſecun.loc. 5ª.197.F
Coſtus nobis admotus videtur calidus.3°.de temp. 3ª.21.H
Coſtus præcipue, & caſia, & cinnamomum, & amomum ſunt aromata ſufficienter calida.com.5°.aph.28°. Ex.40.C
Coſtus aromaticum medicamentum.9°.de comp.med.ſec.lo. 5ª.201.G
Coſtum odoratas reddit compoſitiones.1°.de compo.medi.ſe.lo.5ª.128.C
Coſtus ponitur in theriaca.de ther.ad Piſ. 5ª.92.E
Coſtum omne vires habet acriter ſtringentes, & excalfacientes. de ſimplic.medic. Sp.82.D
Coſtus ſubamarus eſt,valde acris,ac calidus.7°.de ſim.me.fa. 5ª.52.F
Coſti amari fit mentio.ſecret. Sp.97.A
Coſtus necat lumbricos.7°.de ſimp.med.facul. 5ª.52.F
Coſti dulcis fit mentio.ſecret. Sp.102.A
Coſtus indicus.5°.de comp.med.ſec.lo. 5ª.160.E
Coſtus purgat pulmonem, & thoracem.de cathartic. Sp.95.B
Coſtus valet in reſolutis, & iſchiadicis,vrinas,mẽſesq́; prouocat, ad rupta,conuulſa, & laterum dolores facit & ad maculas ex ſole contractas valet.7°.de ſimp.med.fac. 5ª.52.F
Coſtus menſes & vrinas prouocat.5°.de ſimp.med.fac. 5ª.38.A
Coſtum per os prouocat ſudorem.de cathar. Sp.95.D
Coſtus colorem expurgat, & ſudorem mouet.de cura icter. Sp.111.C
Coſtus venerem excitat.7°.de ſimp.med.fa. 5ª.52.F
Coſto vtimur quãdo ex alto in ſuperficiẽ extrahere volumus. 7°.de ſimpli.med.fac. 5ª.52.F
Coſtus generoſe diſcutit.6°.de comp.medi.ſec.loc. 5ª.169.D
COSTINVM oleum rigores tollit.7°.de ſim.med.fac. 5ª.52.F
Coſtinum oleum exulcerat.7°.de ſimp.med.fa. 5ª.52.F
in COTE teruntur medicamenta oculorum. de vic.ra. in mor.acutis commentario.4°. 7ª.152.G
in Cote medica tritum glaucium.3°.de comp.med.ſec.loc. 5ª.141.C
Cote medica collyria teruntur.4°.de comp.med.ſec.loc. 5ª.151.D
Cotis noxiæ ramentum vt mammę non intumeſcant facit.9°.de ſimp.medicamen.fac. 5ª.67.D
Coticula oculariorum.5°.de comp.med.ſec.lo. 5ª.158.G
COTVRNICES volunt vincere.5°.de decre.Hipp. 1ª.256.G
Coturnices veſcuntur elleboro.2°.de alim.fac. 2ª.17.G
Coturnices non purgat veratrum,ſed eſt illis nutrimentum. 1°.de ſimpli. medcamen.fac.2.D/3°. 5ª.23.D
Coturnicum cibus eſt veratrum,homines tamen male corrumpit. de theria.ad Piſo. 5ª.91.A
Coturnicum eſu multi muſculorum diſtentionibus correpti ſunt, quippe quæ veſcantur veratro. in 6m.de morb.vul.com.5°. 3ª.194.E
COTONEVM malum habet bonum ſaporem.de ſubfig.emp. Iſa.33.F
Cotoneum malum in aqua coctum pro iecoris phlegmone. 11°.methodi medendi. 7ª.73.A
Cotoneorum decoctum & iecori & ori ventriculi conuenit. de remedijs paratu facil. 7ª.158.F
Cotonea mala ſunt auſtera.2°.de loc.aff. 4ª.12.E
Cotoneum adſtringit.de opt.ſecta.Iſa.21.H/6°.de comp.med.ſec.loc. 5ª.176.F/4°.meth.med.28.H/ 7ª.83.G
Cotoneorum decoctum adſtringens leue.5°.meth.med. 7ª.31.H
ex Cotoneorum ſucco medicamentũ magis adſtringit, quàm ex malorũ ſucco.6°.de ſan.tu. 2ª.101.B
Cotoneorum malorum acerborum decoctum adſtringens fortius pro gargariſmis.6°.de comp.med.ſe.lo. 5ª.172.G
Cotonea in cibis cõueniũt ſtomachicis.8°.de compo.med.ſe.lo. 5ª.192.B
Cotoneorum malorum cremor ad ſtomachi ardorem cum ſyncope. 8°.de compo.medicam.ſecun.loc. 5ª.191.H
ex Cotonei mali ſucco vinũ ꝓ vẽtriculo imbecillo.7°.meth.me.7ª.43.H
ex Cotoneorum ſucco medicamentum.6°.de comp.me.ſe.loc. 5ª.168.H/8°.metho.med. 7ª.53.E
ex Cotoneorum carne medicamentum.8°.meth.med. 7ª.53.E
Cotoneæ mali radix.8°.de comp.med.ſecun.loc. 5ª.189.E
pro Cotoneo meſpilus.de opt.ſect. Iſa.23.G

Cotoneum &

Cotoneum & meſpilus ſimilia.de opt.ſecta. Iſa.21.G
COTYLE *quid.1°.de motu.muſ.* 1ª.312.C
Cotylæ oſſium concauitates ſunt.de cauſ.mor. 3ª.9.E
Cotyle iſchij caput fœmoris excipit.3°.de vſu par. 1ª.131.A
Cotylæ cur non extrinſecus poſitæ à natura.3°.de vſu par. 1ª.131.B
COTYLA *pro humidorum varietate. de ponderibus & menſuris. 275.G/* 5ª.277.A/C/D
Cotyla quæ menſura.de pond.& menſ.275.E/276.D/G/H/ 5ª.277.E
Cotyla qua nota ſignificetur.de pond.& menſ. 5ª.275.C
Cotylę quarta pars oxybaphum dicitur. de vic.ratio.in morbis acutis, comment.1°. 7ª.112.E
Cotyla.2°.de antidotis. 5ª.117.D
COTYLEDON, *id eſt vmbilicus veneris, humidum, ſubfrigidum, ſub amarum.7°.de ſimp.med.fac.* 5ª.52.F
Cotyledon non facit multum ſuccum.1°.de comp.me.per ge. 5ª.211.H
Cotyledon phlegmonas eryſipelatodeis, & eryſipelata phlegmonode cu rat, ſtomachi ardore æſtuantis admodum vtile epiplaſma eſt, calculos confringit, & vrinam mouet.7°.de ſimp.med.fa. 5ª.52.F
COTYLIDONES *dicuntur meatus illi quibus fœtus alligatur. de ana tom.par.* Sp.43.C
Cotylidones rumpuntur in partu, & exit ſanguis cum aquoſitate.de ana tomia viuo. Sp.52.E
COXAE *quæ.introd.* Iſa.54.E
Coxæ ſimul formantur, poſt diſiunguntur.de ſper. Sp.36.C
Coxæ oſſis materia.de artic.com.3°. 7ª.280.H
Coxæ oſſa vnde ſuſpendantur.intro. Iſa.54.H
in *Coxis oſſa facta ſunt propter motum.11°.de vſu par.* 1ª.191.B
in *Coxa magnum acetabulum.de oſſib.* 1ª.43.C
de *Coxę, et humeri articulo cur ſimul agit Gal.15°.de vſu par.* 1ª.213.C
Coxæ articulus firmior eſt articulo humeri.15°.de vſu par. 1ª.213.C
Coxę ſimiæ articulus eſt propemodũ ſimilis articulo coxæ hominis. 15°. de vſu partium. 1ª.213.D
Coxę articulus mouetur ſine doctrina.6°.de loc.aff. 4ª.42.C
Coxæ articulus quo modo moueatur.15°.de vſu par. 1ª.213.E
Coxæ muſculorum prima differentia triplex.15°.de vſu par. 1ª.213.E
Coxæ articulũ mouẽtes muſculi quot, & quales.15°.de vſu par. 1ª.213.E
Coxam muſculi extendentes, quales.15°.de vſu par. 1ª.213.E
Coxam muſculi flectentes, quales.15°.de vſu par. 1ª.213.E
Coxam muſculi adducentes intro, quales.15°.de vſu par. 1ª.213.E
Coxam muſculi adducentes foras, quales.15°.de vſu par. 1ª.213.E
Coxæ muſculi in ſtantibus, & mouentibus quo modo ſe habeant. 15°. de vſu partium. 1ª.213.F
Coxæ articulum totum ex poſterioribus tegens muſculus, correſpondet muſculo qui eſt in cpomide.15°.de vſu par. 1ª.213.G
Coxas graciliores habẽt gibberoſi circa lũbum, quàm qui circa thoracẽ ita affecti ſunt.de artic.com.3°. 7ª.269.H
in *Coxa in partibus genu anterioribus maximã videmus chordã, ob q̃ per cõpatiendi rõnem põt fieri cõuulſio.com.5°.aph.65°.* Ex.45.A
in *Coxa sũt venæ magnæ quib⁹ læſis vix aĩal viuit.3°.de vſu p.* 1ª.131.B
in *Coxa arteria vulnerata nullo pacto ſeruat aĩal.3°.de vſu p.* 1ª.131.B
Coxis ligatis ſæpius irrationabiles impetus ſanguinis retinemus.de catharticis. Sp.94.H
in *Coxis, & crurib⁹ venę latiores ſunt varices.c.6°.aph.21°.* Ex.48.D
in *Coxam ſi vterus vergens ſuppuratur, neceſſe eſt linamentum fieri. com.5°.aph.47°.* Ex.41.H
Coxæ quo modo lædantur.5°.de ſani.tuen. 2ª.88.H
Coxarum dolores quomodo conueniant cum articulorum doloribus & quomodo differant.intr. Iſa.57.F
Coxarum dolores q̃uo differant cũ podagra & cõueniant.intr. Iſa.57.F
ad *Coxam & lumbos quandoq; veniunt dolores ex crapula & cibis. de vic.ratione in morb.acutis, commentario.4°.* 7ª.145.A
Coxę dolores ex itinere.de vic.ra.in mor.acu.com.4°. 7ª.144.D
Coxas, aut mammas, aut oculos, aut genua dolor infeſtabit & non corrumpent fœtum mulieres, ſi mammę quæ fuerant tenues, fiant duræ. com.5°.aph.53°. Ex.42.C
Coxæ dolorem ſignificat vrina quæ inferius nebuloſa & ſubliuida fuerit, ſuperius autem claritatem habuerit.de dyn. Sp.35.D
Coxæ dolore occultato delirium ſignificat ſublime in vrinis.in 1^{m}.prorr. commen.1°. 4ª.168.G
Coxarum dolorum curatio.intr. Iſa.57.F
cur in *Coxa non vtimur repercutientibus, in pedibus autem, & manibus vtimur.10°.de comp.med.ſe.loc.* 5ª.207.A
in *Coxarũ doloribus quæ vena eſt ſecanda.de nat.hu.com.2°.* 7ª.183.B
à *Coxæ dolore liberat arteria malleoli.de cur.rat.p ſang.miſ.* 6ª.21.F
Coxarum dolores adiuuat capparis cortex.7°.de ſimp.med.fa. 5ª.49.G
ad *Coxæ, & ventris dolorem in mulieribus.de paſſ.mul.* Sp.95.H
ad *Coxarum dolores acopon.7°.de comp.me.per ge.* 5ª.273.C
Coxa exuritur in iſchia.in 6^{m}.de mor.vul.com.2°. 3ª.161.G
in *Coxę exuſtione dolor dolore ſanatur, & quomodo.in 6^{m}.de mor.vul. commen.2°.* 3ª.161.G
ad *Coxarum inflationem duo emplaſtra.de dyn.* Sp.30.A
Coxam infeſtantes humores attrahit ſalſugo piſcium ſalſorum.11°.de ſimpli.medicamen.facul. 5ª.83.G
Coxam pro articulum coxę excidere dictum ab Hippocrate. de articu. com.3°.7ª.281.B/com.6°.aph.59°. Ex.53.G
Coxæ articulus ſi intro exceſſerit crus lõgius eſt.de artic.c.3°. 7ª.276.C
Coxa elapſa non aptata facit bouis inceſſum, & vexatur aliud crus. de artic.com.3°. 7ª.276.E
in *Coxa, & humero non fit ſubluxatio, cur.de artic.com.4°.* 7ª.283.B
Coxę articulus neque à capſula, neque à canali contineri poteſt. de frac. commen.2°. 7ª.239.E
cum COXENDICE *pectus nihil habet commune. in 6^{m}.de mor.vul. comment.4°.* 3ª.180.A
ad *Coxarios.6°.de comp.med.per ge.* 5ª.262.B
Coxioſis prodeſt nepita. de ſimplic.medic. Sp.87.H
de *Coxendicis muſculis.15°.de vſu par.* 1ª.213.C
Coxendicem mouentes muſculi decem.de muſ.diſſ. 1ª.50.F
Coxendicis dearticulationem euidenter vehementerq́ moue͂s muſculus. de muſc.diſſ. 1ª.51.D
Coxendicis dearticulationem primis muſculis mouentibus qui nerui inſerantur.de ner.diſſ. 1ª.55.C
Coxendicum dolor morbus longus.1°.de criſ. 4ª.126.F
Coxendicũ dolores comitant̃ ſenes ad mortẽ.cõ.2°.aph.40°. Ex.18.A
Coxendicum dolor vnde ſit.10°.de comp.med.ſe.loc. 5ª.206.G
à *Coxendicum dolore diuturno quibuſcunq; moleſtatis excidit coxa, ijs crus tabeſcit, & claudicãt, ſi non vrantur.com.2°.aph.60°.* Ex.53.G
Coxendix iuuatur vena poplitis, & malleolorum ſecta.de curan.ra.per ſang.miſſio. 6ª.20.E
Coxendices curauit vna die ex crure facta euacuatione: erat autẽ coxen dix non ex frigore, ſed impletis ſanguine venis quæ ſunt in coxa.de cu ran.rat.per ſang.miſſ. 6ª.20.F
Coxendices ſola purgatione ſanati.de purg.med. 5ª.87.G
ad *Coxẽdicũ dolorẽ nunq̃ vtẽdũ repcutiẽtibus.de rem.par.f.* 7ª.160.C
in *Coxendicum dolore quibus vti debeamus in principio. 10°.de comp. medicam.ſec.loc.* 3ª.207.A
Coxendices in ſcapulas rigentes iuuat Antidotus Mithridatis Eupatoris Diaſcinci nominata.2°.de antid. 5ª.115.C
Coxendicibus ſubueniens Antidotus.2°.de antid. 5ª.116.C/D
Coxendicibus ſtrenuum remedium eſt Calamintha.6°.de ſimpl.medicamen.facul. 5ª.49.C
Coxendice laborantibus datur Chamæciſſos.8°.de ſimp.med.fa 5ª.63.E
Coxendicis doloribus laborantibus exhibetur Chamæpitys. 8°.de ſimp. medicamen.facult. 5ª.63.F
ad *Coxendicum dolores Malagma.7°.de comp.me.per ge.* 5ª.266.H
Coxendicis dolores excalfacit Naſturtium.7°.de ſimp.med.fa. 5ª.50.A
pro *Coxendicum morbo & hemicrania Paſtillus. 2°.de compo.medic. ſecun.loc.* 5ª.140.D
ad *Coxẽdicũ dolorẽ Protæ Peluſiotæ.10°.de comp.med.ſe.lo.* 5ª.207.D
ad *Coxẽdicẽ inueteratã Stercus colũbinũ.10°.de ſimp.me.fa.* 5ª.77.A
Coxendices inueteratos diſſoluens.6°.de compo.medi.per ge. 5ª.263.A
ad *Coxendicum omnem dolorem.7°.de comp.med.ſecun.loc.* 5ª.185.C
ad *Coxendicum dolorem.2°.de cõp.me.per ge.226.C/7°.267.B/272.C/ 5ª.273.B/de rem.par.facil.160.C/168.B/* 7ª.173.C
ad *Coxendicum ſciſſuras.de rem.par.fac.* 7ª.169.B
Coxendicis luxatio inſanabilis.17°.de vſu par. 1ª.222.F
COZVMBRVM *ad quid ſit vtile.de dyna.* Sp.32.D
Cozumbrum quando iuuet in pleuritide.de dyna. Sp.33.E
CRAEPALEN *græci omnes nominant noxã factam à vino, à carenõ pal leſthæ, quod ſignificat caput concuti.com.5°.aph.5°.* Fx.37.G
CRAMBE *.i.braſſica.7°.de ſimp.med.fac.* 5ª.52.F
Crambe agria.7°.de ſimp.med.fa. 5ª.52.H
Crambe thalattia.7°.de ſimp.med.fac. 5ª.52.H
CRANIA *.i.cornus.7°.de ſimp.med.fac.* 5ª.52.G

peri

peri CRANION vnde oriatur.8°.de vſu par. 1ª.169.C

CRANION vnde dicatur.8°.de vſu par. 1ª.169.B

Cranium vbi eſt.de anat.par. Sp.43.D

Cranio non eſt connata meninx craſſa.8°.de vſu par. 1ª.169.C

Craniũ tãgit à dura meninge,ſed nõ adhæreſcit.8°.de vſu par. 1ª.170.B

Cranion cur totum oſſeum.7°.de vſu pur. 1ª.164.A

Cranion ex multis oſſibus componi fuit vtile.9°.de vſu par. 1ª.176.G

Cranium cur cauernoſum.9°.de vſu par. 1ª.171.H

Craniũ tenuiſſimũ,& rariſſimũ ĩ ſutura coronali.13°.meth.med. 7ª.85.H

Cranioni immobile eſt.7°.de vſu par. 1ª.164.A

ſub Cranio eſt pellicula quæ dicit̃ dura mater.de anat.par. Sp.43.D

Cranium inhæret membranis,& propter quid factum ſit.de natura & ord.cuiuſ.corp. Sp.41.H

Cranij os eſt ad tuendum cerebrum ab extrinſeco nocumento. de anatomia viuorum. Sp.55.C

à Cranio non fit cerebrum.8°.de vſu par. 1ª.170.B

per Cranium ab externa parte veniunt venæ in cerebrum. 9°. de vſu partium. 1ª.173.A

Cranij oſſa quando volumus aliquo medicamento pertranſire,quid agendum.11°.meth.med. 7ª.73.E

in Cranio fracto vniuerſaliter inflari venas.de vtil.reſp. Sp.63.H

in Cranij fractura inſtillatur ſanguis columbæ ſuper duram membranã, & etiam ſanguis palumbi.10°.de ſimp.me.fa. 5ª.72.G

in Cranij fractura conuenit roſaceum ſuper meningem,vt columbæ ſanguis.10°.de ſimpli.medi.fac. 5ª.72.H

in Cranij fractura oleo roſaceo nihil melius, ſi ſit optimum roſaceum. 10°.de ſimp.me.fac. 5ª.72.H

Cranium hominis ad ægilopes.de med.fac.par. 7ª.163.C

CRANON vrbs in loco concauo & meridionali.in 1^{m}.de morb.vulgar. commentario 1°. 3ª.103.F

in Cranone mulieris primo curatæ caſus. in 6^{m}.de morbis vulgaribus, commentario.3°. 3ª.171.B

CRAPVLAE ſe daturo quo modo allium optimum eſt.de vi.ra.in mor. acu.commen.4°. 7ª.145.C

Crapulæ ſolutionis non eſt tempus ſtatutum,ſed ſecundum naturam potantis,& vini.com.5°.aph.5°. Ex.37.H

Crapulæ ſunt cauſæ recentes morborum.de nat.hu.com.2°. 7ª.180.F

Crapulæ & deſidiæ nocent podagricis.com.6°.aph.28.° Ex.49.A

ex Crapula,& cibis dolores ad lumbos,& coxam quandoque veniũt. de vic. ratio.in mor.acu.c.4°. 7ª.145.A

ex Crapulis quidam febricitant.1°.de dif.feb. 3ª.31.C

CRESSESCANT quomodo graciles.14°.meth.med. 7ª.91.G

CRASSITVDO quid ſit & quõ fiat.in 6^{m}.de mor.vul.c.3°. 3ª.176.D

Craſſitudinis duæ contrariæ cauſę quo mõ.in progn.com.2°. 4ª.201.F

Craſſitudinem bilis nimia caliditas aſſando, pituitæ vero frigiditas adſtringendo efficit.in progn.com.2°. 4ª.201.F

Craſſitudo iuuẽtę neq; decẽs eſt,neq; liberalis.c.2°.apho.54°. Ex.19.F

Craſſitudo iniurijs,quæ interne ab ipſo corpore proueniunt, eſt obnoxia. 2°.de ſani.tuen. 2ª.75.H

Craſſities ſplenis,& hepatis auget lac ſi comedatur ſolum.de diſſolutio. continua. Sp.74.H

ad Craſſitiem ſuperfluam hominis deponendam.de dyna. Sp.31.B

ad Craſſitiem vberum.de paſſ.mul. Sp.96.D

CRASSITIES membranarum oculi affectus.intro. Iſa.58.D

Craſſities affectus partium interiorum palpebrarum.intro. Iſa.58.D

Craſſities eſt qualitas.11°.meth.med. 7ª.71.D

CRASSITVDO & lentitia,alimenti ſunt vitia. 3°. de ſymptomatum cauſis. 3ª.26.A

Craſſitudo quibus cibis adſit.de diſſ.cont. Sp.75.B

Craſſities cũ lentore non ineſt omni caſeo.de bon.& vi.ſuc. 2ª.35.B

Craſſitie ciborum aſſumptorum,aut multitudine quãdo generatur phlegma in ſtomacho ac reliquo corpore,conueniunt cibi acetoſi.de diſſolu. continua. Sp.72.G

Craſſitiei temperatæ oua quæ.de boni.aquæ. Sp.73.A

Craſſities in vinis facit vt magis nutriant.de bon.& vit.ſuc. 2ª.38.D

Craſſities vini iuuat & obeſt propria ratione.de vic.ra. in mor.acu.commentario.3°. 7ª.125.F

CRASSITVDO humorum alterare poteſt pulſus, non efficere. 1°.de cauſis pulſ. 4ª.86.G

Craſſities & tenacitas humoris facit longius extẽdi coctionem.com.6°. aphoriſmo.49°. Ex.52.E

ob Craſſitudinem,vel multitudinem,vel frigiditatem, vel viſciditatem humorum efficientium febres in longum tempus morbi extenduntur. com.4°.aph.44°. Ex.32.F

Craſſitiem crudorum humorum ſignificant vrinæ conturbatæ, non ſubſidentes.in 3^{m}.de mor.vul.com.1°. 3ª.131.E

à Craſſitie humorum morbi,vt podagrici,arthritici, & melancholici, debent purgari in principio veris.quos pur.op. 5ª.88.C

ex Craſſitudine viſcoſitateq; humorum prouenientibus morbis in pulmone & in thorace.8°.de ſimp.me.fac. 5ª.58.D

Craſſities accommodata ad lapidem generandum.de renum affectuum dignotione & med. 7ª.192.C

Craſſitudinem incidendi vim habet Agaricum.6°.de ſimp.med. 5ª.41.E

Craſſitudinem humorũ incidit Chamædrys.8°.de ſimp.med.fac. 5ª.63.E

Craſſitudo excrementi à quo fiat.1°.de ſan.tu. 2ª.68.D

ob Craſſitudinem puris,aut loci ſuppuratio in corpore exiſtens non innoteſcit.com.6°.aph.41°. Ex.51.A

Craſſitudo cerati.7°.de comp.med.ſec.lo. 5ª.186.H/de rem.par.fac.160 B/162.A/ 7ª.167.B

Craſſitudo cerati ſpiſſioris.8°.de comp.med.ſec.lo. 5ª.192.G

Craſſitudo emplaſtri qualis.3°.de comp.me.per ge. 5ª.229.D

ad Craſſitudinem ſordiũ.1°.de comp.med.per ge.215.G/2°.223.G/224.F 6°.255.B/5ª.262.C/8°.meth.med.53.C/14°.90.B/de remed.para.fac. 158.A/162.A/ 7ª.170.F

ad Craſſitudinem ſtrigmenti.5°.de compo.med.ſec.loc.161.F/ 6°.168.E/ 169.G/172.B/C/7ª.181.G/9°.203.F/ 5ª.105.E

CRASSVM proprie nominatur corpus quod ſecundum latitudinem,ac profunditatem vltra modum eſt auctum.com.2°.aph.54°. Ex.19.E

à Craſſioribus tenuiora ſunt propagata.de fœ.for. 1ª.324.E

Craſſum pro obeſo,& corpulento.1°.de ſan.tuen. 2ª.64.G

Craſſi à prima ætate habent venas & arterias anguſtas, & ob id paucum ſanguinem & ſpiritum habent.com.2°.aph.44°. Ex.18.F

Craſſi aliqui qui ſanguinem habent paucum.in 6^{m}.de morb. vulgaribus commentario.3°. 3ª.176.C

Craſſas venas,latas, plenas, & citrinas habet conceptus in horis bilis.de ſpermate. Sp.37.C

Craſſi cur habent paruum pulſum.1°.de digno.pul. 4ª.74.A

Craſſioribus effectis cutis extenſa apparet. in 6^{m}.de morb.vulgaribus, commentario.3°. 3ª.176.E

Craſſi plurimo pituitoſo ſucco abundat.de ſal.diæ. 2ª.41.F

Craſſiſſimis & duras aluos habentibus pueris cõuulſiones maxime fiũt. com.3°.aph.25°. Ex.25.C

Craſſæ quæcunque præter naturam non concipiunt vtero, ijs omentum os ventriculi comprimit,& priusquàm extenuatæ fuerint non concipiunt.com.5°.aph.46°. Ex.41.G

qui Craſſi admodum ſunt natura citius intereunt quàm graciles. commen.2°.aph.44°. Ex.18.F

qui Craſſi facti ſunt victu delicatiore calorem natiuum minus obnoxiũ extinctioni habent.com.2°.aph.44°. Ex.18.F

Craſſorũ,qui tenues eſſe volunt,victus qualis eẽ dẽat.de ſal.dię.2ª.41.B

Craſſi oculi ſunt conceptus in hora phlegmatis.de ſper. Sp.37.C

Craſſis cruribus quod eſt,ineptum eſt ad pleraſq; exercitationum. 5°.de ſanitate tuenda. 2ª.89.H

Craſſi,qui tenues eſſe volunt, ieiuni exercitationes cunctas ſubire debent.de ſalu.diæ. 2ª.41.B

Craſſiores qui volunt euadere ex tenuibus quid illis agendum eſt. de ſalubri diæta. 2ª.41.D

Craſſum reddit exercitatio cuius motus non ſunt celeres. 5°.de ſanitate tuenda. 2ª.89.F

cur ex Craſſa carne,forti,& dura ſit cor.de anat.viu. Sp.52.F

Craſſa labia cur habẽt melancholici.de mel.ex G.R.& Poſſ. Sp.109.E

Craſſior,& ſpiſſior apud exitum cãnæ eſt pulmo.de ana.viuo. Sp.48.A

Craſſi ſupra modum non ſunt integre euacuandi, nec vena illis ſecanda. 1°.de arte curati.ad Glau. 7ª.98.D

Craſſi mediocriter,& difficile vomentes deorſum ſunt purgandi æſtatẽ vitantes.de cathar. Sp.94.C

Craſſi,lege Pingues.

Craſſum quippiam deſertur in omnibus liquoribus,quos exprimẽdis fructibus cõficiunt,quod tpis ſpatio ſubſidit.1°.de ſimp.med.fac. 5ª.5.D

in Craſſos,ſubtiles,& medios ciborum temperatorum diuiſio. de diſſectione continua. Sp.73.G

Craſſos,viſcoſos,& frigidos hũores gñantes cibi.de pue.epil. 7ª.180.D

Craſſorũ quorũdã ciborũ enũeratio,et cur tales sũt.de diſ.cõt. Sp.72.H

Craſſi ſucci cibi.1°.de compo. medica.ſec.loc. 5ª.128.D

Craſſum,&

Craſſum, & bonum humorem quę generent. de diſ.cont. Sp.74.A
Craſſiorem ſanguinem temperato generat caro pullorum, columbarum, & paruarum auium. de diſ.cont. Sp.73.A
Craſſum ſuccum generat ſuilla caro. 7°.meth.me. 7ª.45.D
Craſſi ſucci ſunt chondrus, oua, & ſimila. de victus ratio. in morb.acut. commentario. 4°. 7ª.146.H
Craſſum, & frigidum humorem generant fungi. de diſ.cont. Sp.74.G
Craſſum eſt lactis nutrimentum. de diſ.cont. Sp.73.F
Craſſum eſt lac quando lactantur animalia. de diſ.cont. Sp.73.H
Craſſum lac incraſſat, ſicut vaccæ. de diſ.cont. Sp.73.F
Craſſos humores generat lens. de pue.epilep. 7ª.180.H
Craſſi humores & praui à lente fiunt. 1°.de ali.fac. 2ª.13.E
Craſſum ſanguinem generant milium, & panicum. de diſ.con. Sp.74.B
Craſſum, & corruptibile nutrimentum generant oua cocta in tegamine, vel in teſtis, & caſeus. de diſ.cont. Sp.74.B
de Craſſa farina panis eſt cibus medius. de diſ.cont. Sp.74.C
Craſſæ, & viſcoſæ carnis piſces nutriunt eum qui digerit illos, nutrimento multo craſſo. de diſ.cont. Sp.73.E
Craſſos generant ſuccos, & difficilis ſunt coctionis radices quæ manduntur. de puero epil. 7ª.180.D
Craſſos humores non generantes radices. de puer.epil. 7ª.180.D/E
Craſſarū ptiū vina auſtera, niſi ſint vetera. 4°.de cōp.me.p ge. 5ª.239.F
Craſſum eſt vinum album ponticum, nocuū, & malū. de diſ.cō. Sp.74.D
Craſſum vinum, nouum, nigrum, ponticum velociter aceſcit in ſtomacho & incenſionem facit. de diſ.cont. Sp.74.F
Craſſum eſt conſiſtentia vinum dulce. de vinis. Sp.76.D
q̃ Craſſum eſt cōſiſtētia vinū dulce, tā ēt tarde meat. de vinis. Sp.76.D
Craſſum vinum album dulce quale ſit in nutriendo. de diſ.cont. Sp.73.F
Craſſum vinum rubrum dulce nutribilius eſt. de diſ.cont. Sp.73.F
Craſſum vinū rubrū aſperū in nutriendo quale ſit. de diſ.cont. Sp.73.F
Craſſum vinum nigrū dulce quale ſit in nutriendo. de diſ.cnnt. Sp.73.F
Craſſum vinū nigrū aſperum quale ſit in nutriendo. de diſ.cont. Sp.73.F
Craſſum vinū, nouum dulce, ponticū tarde deſcendit. de diſ.cō. Sp.74.H
Craſſum vinū nouum tarde digerit̃ pp ſuperfluitatem. de diſ.cō. Sp.73.E
Craſſum reddit ſplenem vinum dulce. de diſ.cont. Sp.74.H
Craſſi cibi, & acerbi tardi ſunt tranſitus. 3°.de ſymp.cau. 3ª.27.D
Craſſi cibi in aliquo corpore velocius digeruntur. de diſ.cont. Sp.73.C
Craſſos cibos in hyeme ſumere melius eſt, & cur. de diſ.con. Sp.72.G
Craſſis cibis cur vtantur Athletæ. 1°.de alim.fac. 2ª.10.B
inter Craſſa, & ſubtilia media cibaria danda ſunt temperato qui non multum mouetur. de diſ.cont. Sp.73.A
inter Craſſum & ſubtile media cibaria ſunt meliora omnibus hoībus, & maxime temperatis, & in tēpore temperato. de diſ.cont. Sp.73.G
Craſſi cibi viſcoſi multum nutriunt ſi coquantur aliter faciunt oppilationem. de diſ.cont. Sp.72.G
Craſſa cibaria in corpore calido quid efficiant. de diſ.cont. Sp.72.G
Craſſi cibi qūo edendi à nō calidis, & q nō mouent̃. de diſ.cont. Sp.72.G
Craſſa cibaria dominante eis ſiccitate, duritie, & viſcoſitate, & ſimplicia, & commiſta quid faciant. de diſ.cont. Sp.72.G
à Craſſis, & ſiccis cibis fit humor melancholicus. 1°.de ali.fa. 2ª.13.E
Craſſum humorem facientia ſunt inutilia ſenibus. 5°.de ſan.tu. 2ª.91.B
Craſſo fumo aſcendente à ſtomacho, aut pede, aut alio membro, fit quandoq; epilepſia. de vtil.reſp. Sp.63.E
Craſſus humor melancholicus quodam modo magis minusue eſt. 13°.methodi medendi. 7ª.80.B
ex Craſſo ſanguine atra bilis. in 1^{m}.prorr.com.1°. 4ª.164.D
Craſſum ſanguinem humore plenum melancholico talem in ſanguine conſiſtentiam habentem, qualis eſt in vinis fæx, hęmorrhoides conſueuerunt euacuare. com.6°.aph.11°. Ex.47.D
Craſſi humores quibus gignant̃, & quibus non. de frac.com.2°. 7ª.235.F
Craſſi humores quomodo cognoſcant̃, & quo modo tenues. in 3^{m}.de mor. vulgaribus, commenta.2°. 3ª.144.G
à Craſſo & viſcoſo humore fit obſtructio meatuū ſubita. 3°.de locis affectis. 4ª.17.G
Craſſi humores infarciuntur inter gibbam & ſimam hepatis partem. de vict.ra.in mor.acu.com.1°. 7ª.111.E
Craſſi & crudi vbi ſunt humores, morbi ſunt peſſimi. in 1^{m}.de morb.vulgaribus, com.3°. 3ª.122.E
Craſſi humores frigidi, & pituitoſi faciunt morbum comitialem. commē. 5°.aphoriſ.7°. Ex.38.A
Craſſi cibi, et glutinoſi ob putredinē cauſæ febriū. 1°.de diff.feb. 3ª.32.A
ex Craſſo humore chronicis febribus cōferens. de med.exper. Sp.105.F
Craſſos & tenaces humores ilei in cauſa eſſe, Galeno non videtur probabile. com.6°.aph.44°. Ex.51.C
Craſſi humores tubercula faciunt. in 6^{m}.de mor.vul.com.2°. 3ª.165.F
Craſſi & glutinoſi ſucci tremorem faciunt. 2°.de ſymp.cau. 3ª.20.E
ex Craſſo & melancholico humore fiunt varices in coxis & cruribus. com.6°.aph.21°. Ex.48.D
Craſſus humor in pupilla quid faciat. 1°.de loc.aff. 4ª.4.A
Craſſa reddi debet materia ob tenuitatem fluēs in oculū. de ſect. Iſ.19.B
Craſſis, lētis, humidis, vel frigidis humoribus, quibus aggrauatur os vētriculi, illis animi defectus contingit. 1°.de arte cur.ad Glau. 7ª.98.F
Craſſi humores in pulmone quo modo cognoſcantur eſſe, quo modo in pulmonis bronchijs. 4°.de loc.aff. 4ª.27.F
Craſſi, & lenti humores non poſſunt exire abſque tuſſi valida. 4°.de locis affectis. 4ª.27.G
ex Craſſis humoribus in inteſtinis colicæ paſſioni valens medicina. de medi.exper.106.G/ Sp.107.E
Craſſa, & viſcoſa quo modo curentur. 5°.de vſu par. 1ª.143.B
Craſſi humores quibus tollātur. 7°.de comp.med.ſec.loc. 5ª.186.D
Craſſo, lentoq; humore indurata poſcunt calida & ſicca medicamenta. 5°.de ſimp.med.fac. 5ª.34.E
Craſſos humores quæ incidunt calefaciunt mediocriter. de curan.ratio. per ſang.miſſ. 6ª.17.E
in Craſſis ſuccis frigidis, & lentis ab ijs, quæ calefaciūt, niſi ēt valenter digerant, liquantur ac in flatum mutantur. 12°.meth.med. 7ª.79.E
Craſſum in humoribus exercitatione ſtatim in ſpiritum vertitur ac funditur. 5°.de ſan.tu.2ª.94.D/12°.meth.med. 7ª.79.E
Craſſos ſuccos quæ attenuare queunt, acria ſunt. de atten.vic. 2ª.43.G
Craſſos & lentos humores incidunt & digerunt acria & amara. 8°.de ſimp.med fac. 5ª.58.D
Craſſi & crudi humores aut per abſceſſum aut per coctionem ſoluuntur. in prognoſt.com.3°. 4ª.209.G
Craſſarū materierū morbi p abſceſſum finiūt. in progn.com.2°. 4ª.201.C
Craſſi humores dum coquuntur, paucam ſuperfluitatem habent terreſtrem, nec plurimam vt ligna. 2°.de diſ.feb. 3ª.41.E
Craſſorum & glutinoſorum humorum vacuationis modus. 14°.methodi medendi. 7ª.87.H
Craſſi humores attenuandi ſunt antequam euacuētur, & quomodo. quos purg.op.quibus me. 5ª.88.D
Craſſi, & lenti humores à ſecantibus, & digerentibus euacuantur, & qualia eſſe debent. 7°.de ſimp.med.fa. 5ª.51.E
Craſſi humoris generationem in corpore timenti conueniunt cibi ſubtiliantes primi generis. de diſſol.cont. Sp.72.D
Craſſi ſucci debent detergi. 4°.de ſan.tuen. 2ª.84.E
Craſſos humores cibi attenuantes. de atten.vict.2ª.44.A/ de diſſolutione continua. Sp.74.G
à Craſſo humore mundificat venas vinum tenue, quando eſt ei acuitas, & inciſio. de diſſ.cont. Sp.74.H
qui Craſſum humorem in venis collegerunt, ijs tenuis ſubſtantiæ vina vtilia ſunt. de vinis. Sp 76.G
Craſſos humores in venis habentes bibant vinum tenuis ſubſtantiæ. de bon.& vitio ſuc.2ª.38.D/de diſ.cont. Sp.74.H
Craſſos & glutinoſos humores docet Hippocrates incidere & extenuare in præparatiōe purgationis. de ſubtilibus incraſſandis nota ipſum nullam mentionem facere. com.2°.aph.9°. Ex.12.C
Craſſos humores non trahit aloe. 8°.de comp.med.ſe.lo. 5ª.188.E
Craſſos, & lentos humores incidit ampelopraſſum. 6°.de ſimpli.medicamen.facultat. 5ª.44.E
ex Craſſo humore dolori iuncturarum ammoniacum prodeſt. de medicinis expertis. Sp.104.C
Craſſatam cutem extenuat calor. com.5°.aph.22°. Ex.39.E
Craſſam cum non admodum ſubſtantiam habucrit calidum, prompte omnia ſubintrat. com.5°.aph.5°. Ex.37.G
Craſſos humores ſcindens decoctio. de med.exper. Sp.107.B
Craſſos, & viſcoſos humores ſoluit ſuccus centaureę cum melicrato. de virt.centau. Sp.94.A
Craſſa & bilioſa ducit centaurei minoris decoctum infuſum. 7°.de ſimp. medica.fac. 5ª.50.H
Craſſa attenuat diacalaminthes. 4°.de ſan.tuen. 2ª.86.F
Craſſos humores ſubtiliat decoctio carnis et ſeminis apij. de medicinis expertis. Sp.104.D
Craſſam obſtructionē apit decoctio radicis iridis. de med.exp. Sp.104.B
Craſſas oppilationes aperit decoctio pæonię. de med.exper. Sp.107.C

Craſſos

Craſſos humores laxat electuarium centaureæ.de med.exper. Sp.107.E
Craſſos humores deſiccat moly.7°.de ſimp.med.fac. 5ª.56.F
Craſſos humores extergit & incidit phaſioli ſemen, cum hoc vt corpora contrahat,& conſtringat.6°.de ſimp.me.fa. 5ª.48.H
ad Craſſas materias atrabilarias medicamenta mediocria.14°.metho di medendi. 7ª.89.H
Craſſum humorem & viſcoſum laxans & ſcindens medicina.de medicinis expertis. Sp.106.G
Craſſis ventoſitatibus valens electuarium.de med.exper. Sp.105.B
Craſſas ventoſitates diſſoluens medicina.de med.exper. Sp.105.A/C
ad Craſſas ventoſitates valẽs electuarium gũmi.de me.exp. Sp.108.D
Craſſam ex phlegmate ventoſitatem in ſtomacho fugans medicina.ſecretorum. Sp.101.F
Craſſus & lẽtus humor cur difficulter expuat̃.4°.de lo.aff. 4ª.27.C
ex Craſſo humore aſthmati valens medicina.de med.exper. Sp.106.G
Craſſum humorẽ in pectore purgãs medicamen.de me.exper. Sp.107.H
Craſſis pectore pulmoneq; excreationibus non mediocriter confert adianthum.6°.de ſimp.me.fac. 5ª.41.E
Craſſorum,lentorumq; humorum excreationibus ex pectore pulmoneq; impendio conferunt amygdalæ amaræ.6°.de ſimp.med.fa. 5ª.42.G
ad Craſſorum,lẽtorũq; humorũ e pectore pulmoneq; expuitiones ꝓmouendas vtile eſt eryſimi ſemẽ in eclegmatis.6°.de ſim.me.f. 5ª.47.F
Craſſum ſputum tenuat mel.de diſſ.cont. Sp.74.G
Craſſum humorem inuentum in ſtomacho incidunt, & expellunt poma acetoſa,& granata acetoſa.de diſſ.cont. Sp.75.C
Craſſam humiditatẽ tenuat,& incidit ſecaniabin.de diſſ.cont. Sp.74.H
Craſſa viſcoſa,& profunda humidas quibus extrahatur.8°.de compoſi. medicamen.ſec.loc. 5ª.189.D
Craſſorum ac melancholicorum humorum lieni inſertorum tranſpoſitionis & euacuationis ratione ſuperueniens lienoſis difficultas inteſtinorum ſoluit diſpoſitionem.com.7°.aph.43°. Ex.51.B
Craſſum humorem flatuoſo ſpiritui aſſociatum quandoque euacuari per venæ ſectionem,collige.com.6°.aph.22°. Ex.48.D
Craſſus ſanguis in quibus ſuperabundat,atq; ideo euacuatione indiget, melius putant ipſum fundere prius, deinde ſecare venam. comment. 6°.apho.46°. Ex.57.G
Craſſum inteſtinum dr̃ manica.de cõpag.memb.ſiue de na.hu. Sp.59.A
Craſſa cur ſint tria inferiora inteſtina.de ana.viu. Sp.50.B
Craſſorum inteſtinorum ordo.4°.de vſu par. 1ª.141.D
Craſſorũ inteſtinorũ principiũ inteſtinũ cœcum.4°.de vſu par. 1ª.141.D
Craſſum inteſtinum & veſica colligũt excremẽta.4°.de vſu pa. 1ª.141.D
Craſſam eſſentiã habẽt quæ odore carent.4°.de ſimp.me.fac. 5ª.31.B
Craſſarũ partiũ,παχυμερῆ græci vocant,ſunt quæ haud facile in tenues partes comminui poſſunt.1°.de ſimp.med.fac. 2.G/4.A/4°.5ª.24.H
Craſſorum omnium nullum,licet facultate calidum ſit,priuſquam ad vnguem cõminuatur,patitur à noſtro corpore,neq; in nos poteſt agere. 1°.de ſimp.medica.fac. 5ª.4.E
Craſſarum partium quæ ſunt,& æqualia in temperatura minus valent, quàm quæ ſubtilium ſunt partium.11°.de ſimp.med.fac. 5ª.80.B
Craſſarum partium ſunt acerba.4°.de ſimp.med.fac. 5ª.25.H
Craſſarũ partiũ eſt adſtringẽs frigiditas.4°.de ſimpli.med.fac. 5ª.25.B
Craſſarũ partiũ frigefaciẽtia multa ſunt.3°.de com.me.per ge. 5ª.228.D
Craſſa,& terreſtria,vel ſubtiliatiua, & aquoſa ſunt conſtringentia. de oculis. 7ª.188.A
Craſſa,& terreſtria ſunt cõſtrictiua & põtica multũ.de ocul. 7ª.188.A
Craſſæ eſſentiæ ſunt calida multa.1°.de ſimp.me.fac. 5ª.6.F
Craſſarum partium eſt niger color.1°.de ſymp.cau. 3ª.17.A
Craſſarũ partiũ nõ facile alterat̃ ſubſtantia.1°.de ineq.intemp. 3ª.43.H
Craſſarum partium quod eſt,minus agit,quàm quod eſt tenuium.1°. de ſymp.cauſ. 3ª.17.A
Craſſa eſſentia plus erodit,quando calorem quendam nacta fuerint.4°. de ſimp.med.fac. 5ª.30.G
Craſſioribus partibus conſtant metalla.2°.de compoſi. medicamen. per gen.219.H/3°. 5ª.232.B
Craſſæ ſubſtantię quæ ſunt relaxantia pus mouent.11°.met.me. 7ª.72.H
Craſſi ſucci ſimplicia impediunt repurgationem.7°.de compoſitio.medicamen.ſec.loc. 5ª.179.A
Craſſæ & terreæ ſubſtantiæ tantum eſt ſolanum,quantum adſtringit.2°. de comp.med.ſec.loc. 5ª.136.C
Craſſiorum partium eſt vnguentum myrtinum,& adſtringit.11°.methodi medendi. 7ª.72.H
Craſſa vox quando fiat.de anat.viu. Sp.53.F
Craſſa vox ex quo fiat,& quo modo.de vo.& anhel. Sp.61.D
Craſſam vocem habent concepti in hora phlegmatis.de ſper. Sp.37.C
Craſſa vrina quandoq; ab Hippocrate dr̃ quæ mediocris eſt,& ſm naturã,hæc enim quodam modo opponitur tenui.cõ.4°.aph.77°. Ex.36.E
Craſſarũ ſubſtãtiarum in vrinis tres differentię.quæſ.in Hipp. Sp.113.E
Craſſa vrina permanens craſſa quid ſignificat.quæſ.in Hipp. Sp.113.E
Craſſa exiſtente vrina ſi minutæ carunculæ tanquam pili adueniunt,à renibus excernuntur.de vri.ſign.ex Hipp. Sp.78.H
in Craſſa exiſtente vrina quibus furfuracea minguntur, eorum veſica ſcabieſcit.de vri.ſign.ex Hipp. Sp.78.H
Craſſioris farinę ſpecie hypoſtaſes quid ſignificent.de vrinæ ſign.ex Hippo.78.F/quæſ.in Hipp. Sp.113.E
quibus Craſſæ vrinę grumoſę,paucæ,non febricitantibus, copia ex his tenuis adueniens prodeſt.de vri.ſign.ex Hipp. Sp.78.G
Craſſa vrina,& rufa cum hypoſtaſi rufa quid ſignificet.quæſ.in Hippocratem. Sp.113.B
Craſſa vrina,aquoſa,atra,maleolens letalis eſt.de vri.ſign. Sp.78.G
Craſſas,& nebuloſas vrinas habentes à principio ſunt purgãdi.de vri. ſign.ex Hipp. Sp.79.A
Craſſus ſanguis obſtruens facit vrinæ difficultatem. commentario.7°. aphoriſ.48°. Ex.58.A
Craſſum humorem obſtruxiſſe meatum vrinę quo modo cognoſcatur.1°. de locis affectis. 4ª.3.B
Craſſioribus ſubtiliora pręcellunt in vlceribus curandis.4°.de compoſi. med.per gen. 5ª.236.G
Craſſis conſtans partibus medicamẽtum nihil iuuat neruos vulneratos. 3°.de comp.med.per gen. 5ª.234.C
Craſſum vas aut vena non facile eroditur.3°.de ſymp.cau. 3ª.27.A
Craſſum vas aut vena difficulter recluditur.3°.de ſymp.cau. 3ª.27.B
ad Craſſas oras obtinentia.6°.de comp.me.per ge. 5ª.256.H
CRATECGONOS *acris fructus milio ſimilis.7°.de ſimp.medicamentorum facul.* 5ª.52.H
CRATER *menſura ad potum.de medi.fac.par.* 7ª.179.A
CRATERAVCHENES *quid ſignificet. in 6ᵐ.de morbis vulgaribus, commentario.1°.* 3ª.154.A
CRATERVS *qua vtebatur antidoto contra venena.2°.de antidotis.* 5ª.114.H
Crateri confectio ſedans dolorem ad tabeſcentes & ſanguinem reiectantes.7°.de comp.me.ſe.lo. 5ª.185.D
CRATEVAS *ſimplicium ſcriptor.1°.de antid.* 5ª.100.B
Crateuę liber eorum quę eradicantur.de virt.cent. Sp.92.H
Crateuas verſatus eſt in medicamentis metallicis. de natura humana. commentario.2°. 7ª.183.E
Crateuæ herbarij meminit.6°.de ſimp.med.fac. 5ª.39.H
CRATIPPI *viri alendis canibus dediti antidotus.2°.de anti.* 5ª.116.G
Cratippi ferula.6°.de comp.med.ſec.lo. 5ª.172.E
CREA *quid.introd.* Iſa.53.E
CREATIONIS *noſtræ auctor eſt natura.9°.de decr.* 1ª.285.C
Creat ſol animam,& cor,& hepar & cerebrum.de compag. membro. ſiue de natu.huma. Sp.59.F
Creari quotidie animas Stoici dicebant.de ſper. Sp.38.A
in Creatione primum eſt cerebrum ſecundum Hippocratem, ſecundum Ariſtotelem cor,ſecundum alios hepar.de anat.viu. Sp.52.A
Creatus cur fuerit naſus.de anat.uiu. Sp.48.H
Creatum cur fuerit hepar.de anat.viu. Sp.50.F
Creati cur fuerint renes.de anat.viu. Sp.51.B
Creata cur fuerit matrix.de ana.viu. Sp.51.D
CREBRO *eueniens quandoq; deſpicit Hippocrates, & id quod raro euenit pronunciat.2°.de decr.* 4ª.156.E
Creber motus,& celer differunt.2°.de dign.pulſ. 4ª.75.D
Crebritas cum duris pulſibus cohæret.1°.de cauſ.pul. 4ª.89.D
Creber rarus,celer,tardus pulſus quid ſint,& vnde accipiantur.1°.de diff.pulſ. 4ª.48.D
Creberrimi pulſus à quibus fiant.1°.de cauſ.pul. 4ª.87.E
Crebriores non ſolum pulſus,ſed actiones omnes fiunt ex defectu.1°. de cauſis pulſ. 4ª.90.A
CREDERE *oportet diſcentem,colligitur.1°.de dieb.decr.* 4ª.147.D
quis Credat alicui de rebus obſcuris,qui euidentibus cõtraria ſtatuat. aduer.emp.med. Iſa.35.D
CREMASTERAS *vocant Græci teſticulos.de natura et ordine cuiuslibet corporis.* Sp.42.B
Cremaſteres,id eſt ſuſpenſores,muſculi qui.de muſc.diſſ. 1ª.50.D

CREMATVS *eſt Romæ liber de catharticis.de cathar.* Sp.94.C
CREMENTVM *puero prohiberi à vehementi frictione,collige.2°.de ſa nitate tuenda.* 2ª.70.A
Cremētū impediri aquæ frigidæ ablutione,collige.2°.de ſan.tu. 2ª.76.B
Crementum impedit augeſcentibus optimis corporibus aquę frigidæ bal neum.3°.de ſan.tu. 2ª.78.B
CREMOR *ptiſſanæ quo modo conficeretur.10°.meth.med.* 7ª.67.A
Cremor ptiſſanæ frigidus eſt,& humidus.10°.met.me. 7ª.67.A
Cremor ptiſſanę cum ſit frigidus & humidus,in febribus conuenientiſſi-mus eſt.8°.meth.med. 7ª.51.A
Cremori ptiſſanæ ſilr cōdita alica frigida & hūida.10°.me.me. 7ª.67.A
Cremor ptiſſanæ non calefacit,& euacuat.1°.meth.me. 7ª.69.G
Cremor ptiſſanæ morſu caret.12°.meth.med. 7ª.80.A
Cremore ptiſſanæ qui vti debet.de vic.rat.in mor.acu.com.1°. 7ª.112.B
Cremor ſolus quibus dandus.de vic.rat.in mor.acu.com.3°. 7ª.133.C
Cremore ptiſſanæ quando vtendum.11°.meth.med. 7ª.70.F
Cremoris ptiſſanę dādi q̄titas.de vic.rat.in mor.acu.com.1°. 7ª.112.E
Cremor ptiſſanæ prohibet ægro pro q̄titate.2°.de digno.pul. 4ª.76.G
Cremor ptiſſanæ anteq̄ detur,debet vena ſecari,purgari, & dolor ſeda-ri,q̄n hæc ſunt faciēda.de vic.ra.in mor,acu.com.1°.112.B| 7ª.113.F
poſt Cremoris concoctionem oxymeli dandum.de vict.rat. in mor.acu. commentario.3°. 7ª.130.F
in Cremorem conuerſio res diuerſa à cōcoctione.3°.de nat.fac. 1ª.303.D
Cremor ptiſſanæ quando pro aqua mulſa.12°.meth.med, 7ª.75.H
Cremor ptiſſanę in ſyncope pro mulſa & alica.12°.meth.med. 3ª.76.A
Cremor ptiſſanę non dandus in ſyncope ex tenuibus humoribus.12°.me-thodi medendi. 7ª.78.A
Cremorem ptiſſanæ dat per horam poſt mulſam.8°.meth.med. 7ª.56.H
Cremore ptiſſanæ quos traxit Gal.ad ſeptimū diē.10°.met.me. 7ª.63.H
Cremor cocti fœnugræci cū pipere p ſedē impoſitus.12°.me.me. 7ª.78.G
CREPIDO *quid.de artic.com.1°.* 7ª.255.B
CREPITVM *ſecundum quoſdam ſignificat eructuatio.in 6ᵐ.de morb. vul.com.2°.* 3ª.166.D
Crepitus deſcēdere,ꝓhibitus interim aſcēdit ad os.3°.de ſym.ca. 3ª.25.H
CRESCENDI *inſtr̄m calor innatus.de na.hum.com.2°.* 1ª.180.B
cur Creſcunt mollia corpora facilius.de ſal.diæ. 2ª.42.D
Creſcens corpus neceſſario calidum eſt.de na.hu.com.2°. 7ª.180.C
Creſcentium pulſus qualis ſit.comp.pulſ. Sp.65.E
Creſcere deſinunt prius fœminæ quàm mares,cur.in 6ᵐ.de mor.vulgar. commentario 2°. 3ª.169.E
Creſcentibus particulares partes p̄nt emēdari in figura.ars me.Iſ.70.C
Creſcat cur maxime priapus.de mot.man.& obj. Sp.69.E
Creſcat quo modo vox.de voce & anhe. Sp.60.H
Creſcentia tenera cur facultatib. ſunt moderata.de atten.vic. 2ª.44.A
Creſcentium caro multū melior,q̄ declinantiū.1°.de ali.fac. 2ª.29.D
CRESCIONIS *ſuccus in cura nephriticæ paſſionis.de dyna.* Sp.33.E
in CRETA *montes aſperi,& vaſti.de artic.com.4°.* 7ª.284.E
Cretenſes calceos vſq; ad tibiam ferunt,cur.de artic.com.4°. 7ª.284.E
Cretenſibus leges dedit Iuppiter.an animal ſit quod in vtero. 1ª.328.E
Creta plures habet herbas.de ther.ad Piſo.89.C|1°.de antid. 5ª.100.D
è Creta Romam ſingulis annis mittebantur vaſa plena herbarum.1°.de antidotis. 5ª.100.D
è Creta nihil adulteratur ex herbis niſi aliq ſucci.1°.de antid. 5ª.100.D
Cretæ ſimplicibus quæ æqualia in Italia & quando naſcatur ſimplicia. 1°.de antidot. 5ª.105.D
Cretenſe aniſum optimum eſt.4°.de ſan.tu. 2ª.85.B
ex Creta potiſſimum affertur Calaminthum & pulegium.4°.de ſanita-te tuenda. 2ª.86.D
in Creta optima ſunt Glycyriza,napi ſemen,ac ſcordium.1°. de antido-tis. 5ª.105.E
in Creta naſcitur Tragion ſolum.8°.de ſimp.me.fa. 5ª.62.F
in Creta vina valde tenuia & aquoſa reperit Galenus. de vict.ratio.in mor.acu.com.3°. 7ª.127.B
Creticum vinum.3°.de comp.med.ſec.lo. 5ª.143.D
CRETICA *terra,qualis.9°.de ſimp.med.fac.* 5ª.66.F
Cretica terra achoribus conuenit.1°.de compo. medica.ſec.loc. 5ª.128.H
Creta eſt multarum artium materia.ad Thraſ. 2ª.106.A
Creta ſutoria ſeu melanteria.5°.de comp.med.per ge. 5ª.248.G
Creta ſutoria.4°.de comp.med.per ge.243.E|5°. 5ª.251.E
Creta lemnia ingreditur theriacam.de ther.ad Piſ. 5ª.92.F
CRETARIVM *aceto maceratum,illitum,& impoſitum lac rarefacit. de med.fac.par.* 7ª.166.A
CRETMON *ſalſum ſubamarum,exiccat,abſtergit.7°.de ſimp. medi-camen.facult.* 5ª.52.H
ad CRIBRVM *quæ ſtultus quidam dicebat.1°.meth.med.* 7ª.8.B
Cribrum medicum.6°.de comp.med.ſec.lo. 5ª.172.C
Cribrentur quo modo herbę ſciendum.3°.de comp.me.per ge. 5ª.234.B
Cribrantur & contunduntur contundenda.de ther.ad Piſo. 5ª.95.F
CRIDRIVM *quid.de ſimp.med.* S4.83.E
Cridrium vires habet acriter relaxantes.de ſimp.med. Sp.83.E
Cridrium ad oculorum claritatem maxime facit.de ſimp.med. Sp.83.E
CRIMNON *quid ſit.7°.de ſimp.me.fac.* 5ª.53.A
Crimnon ex zeia & tritico.1°.de ali.fac. 2ª.12.F
Crimnon plus nutrit,quàm polenta.7°.de ſimp.me.fac. 5ª.53.A
CRIMNA *duo ſignificat.quæſ.in Hipp.* Sp.113.D
Crimnodes hypoſtaſes.i.farinæ craſſiori ſimiles,quid ſignificent. quæſ.in Hippocratem. Sp.113.D
CRINOS *.i.Lilium.7°.de ſimp.med.fac.* 5ª.53.A
Crininum.i.liliaceum oleum,quale.7°.de comp.med.per gen. 5ª.269.E
CRINITAE *quid.de hiſt.philoſ.* Sp.7.F
CRISIS *nomen quid ſignificet.1°.de criſi.125.F|2°.4ª.133.F|de vic.ra. in mor.acu.com.1°.* 7ª.112.H
Criſis ſignificat iudicationem.com.2°.aph.23°. Ex.15.D
Criſis vnde traxit nomen.3°.de criſ.139.C|1°.de dieb.decre. 4ª.145.D
Criſis quid.fin.med. Iſa.50.B
Criſes quæ & quorum ſint morborum.2°.de criſ. 4ª.138.A
Criſis appellatur omnis vehemens mutatio.3°.de die.decr. 4ª.157.G
Criſis eſt ſubita in morbo,vel ad ſanitatem,vel ad mortem mutatio.com men.2°.aph.13°. Ex.12.E
Criſes vocat Hippocrates permutationes,quando repente fiunt in mor-bo,in quibus nonnunquam ſubito integra ſanitas reſtituitur,aut mo-ritur æger:nonnunquam vero magna ſit vel ad ſalutem,vel ad mortē permutatio.com.2°.aph.23°. Ex.15.D
Criſim quid vocet Galenus.1°.de dieb.decr. 4ª.145.E
Criſis etiam de mortuis dicitur.2°.de dieb.decr. 4ª.153.B
Criſis ſit à natura.17°.de vſu par. 1ª.222.G
Criſis non ſit ſine certamine naturæ cum morbo.3°.de criſ. 4ª.142.E
Criſis quæ ſit per excellentiam.3°.de criſ. 4ª.139.B
Criſis optima ſola ſimpliciter criſis eſt.3°.de criſ. 4ª.140.A
Criſis ſimpliciter quę dici poſſit.3°.de criſ.139.B|141.F| 4ª.149.A
Criſis optima,quę.3°.de criſ.139.G| 4ª.141.E
Criſis perfecta,& indeficiens quæ ſit.com.1°.aph.20°. Ex.9.H
Criſis perfecta mala cum ſubito moritur æger vnà cum turbatione, & agitatione,& quibuſdā excretionibus,vel abſceſſibus effatu dignis. 3°.de criſibus. 4ª.141.G
Criſes quando optimę.3°.de criſ. 4ª.141.A
Criſis melior eſt quæ ſit per euacuationem inferiorem, quàm quæ per ab ſceſſum:deinde per quam humor noxius,& redundās,quàm per quā alter euacuatur:tertio loco quæ κατ' ἴξιν.i. recto tramite ſit, quàm quæ non ſit ſecundum proceſſum:quarto quæ facile toleratur, quæ cū coctione ſit,& in die decretorio.com.1°.aph.20°. Ex.9.H
in Criſi nullus obijt cū præceſſerūt ſigna coctionis.3°.de criſ. 4ª.139.D
Criſes plures bene terminantur,nam plures ex ægrotis ſanantur, quàm moriātur,niſi peſtilens conſtitutio ſit.com.2°.aph.13°. Ex.12.E
Criſis quando tuta eſt in ratione lunę.3°.de dieb.decr. 4ª.157.D
Criſis defecta quid.3°.de criſ. 4ª.141.F
Criſes imperfectæ,quæ.3°.de criſ. 4ª.139.B
Criſis intempeſtiuæ ſignum.3°.de criſ. 4ª.143.A
Criſis quo tempore dicenda ſit,poſt turbationem & ſolutionem, an poſt mutationem.1°.de dieb.decr. 4ª.149.A
in Criſi quando debet euacuare medicus,& quando totum naturę per-mittere.com.1°.aph.20°. Ex.9.G
Criſes quo modo plerunq; ſiunt.de ſect. Iſa.19.B
Criſes ſex modis ſiunt.3°.de criſ. 4ª.139.A
Criſis generationis modū non cognouere antiqui.de cauſ.mor. 3ª.8.C
Criſes non hn̄t niſi abuſiue ephemera & hecticę.2°.de criſ. 4ª.138.A
Criſis quando fiat.3°.de criſ. 4ª.141.E
Criſis tempus quando immineat.1°.de dieb.decr. 4ª.150.F
Criſis ſemper ſit in ſtatu.3°.de criſ. 4ª.141.A
Criſis quando expectabit ſtatum.3°.de criſ. 4ª.141.E
ad Criſes cognoſcendas quid prænoſcendum.2°.de criſ. 4ª.138.A
in Criſi conſideranda quid primum notandum.3°.de criſ. 4ª.139.D
de Criſi librum poſt librum de diebus decretorijs legendum eſſe, colli-ge.3°.de dieb.decr.158.F| 4ª.159.A|C

de Criſibus librum quo tempore compoſuerit Galenus.de prȩcognit.ad Poſthu. 4ª.219.E
ſine Criſis præſagio et cognitione ſtatus,ratio victus inſtitui non poteſt. 1°.de dieb.decre. 4ª.150.C
Criſis ſigna,& cauſæ.1°.de criſ. 4ª.131.D
Criſis ſigna non ſemper decretoria.1°.de criſ. 4ª.131.C
Criſes quæ ſymptomata prȩcedant.3°.de criſ. 4ª.139.B
Criticorum accidentium duplex natura.1°.de criſ. 4ª.131.B
Criticum modo eſt aliquod ſignum,modo prauum.1°.de criſ. 4ª.131.B
Criſim quȩ præcedant.3°.de criſ.141.F/1°.de dieb.decr. 4ª.145.D
Criſi futura ſit aliqua nouitas,& quæ.3°.de criſ. 4ª.143.D
Criſi futuræ multa mala præeunt vt videatur ȩger mori.in 6m.de morb. vul.com.1°. 3ª.157.G
ante Criſim nox,cur ſit difficilis.com.2°.aph.13°. Ex.12.E
in Criſi cur grauiter ſe habeant ægri.com.2°.aph.13°. Ex.12.E
Criſes bonas quandoq; operantur vehementiſſimi caſus in morbis acutis.com.7°.aph.5°. Ex.54.C
Criſis ſigna indicatiua.1°.de criſ. 4ª.128.E
in Criſi quid ſignificet pulſus inæqualis.3°.de criſ. 4ª.144.D
in Criſi quid ſignificet pulſus altus & magnus.de criſ. 4ª.144.D
Criſis ſigna ex pulſibus non poſuit Hippocrates,vel quia ignorabat , vel quia non exiſtimabat magni momenti.3°.de criſ. 4ª.144.E
Criſis quo modo præueniat.3°.de dieb.decr. 4ª.158.E
Criſim præuenire malum.3°.de dieb.decr. 4ª.158.E
Criſim cum dolore aliquo venturam oſtendit vrina turbulenta non varia.de dynam. Sp.34.C
in Creticis diebus medicorum diſcordiæ vnde ortum habuere. 2°.de diebus decret. 4ª.152.F
Criticorum dierum ordo per ſeptimanas.2°.de die.decr. 4ª.154.G
Criticos dies æſtate,in iuuenibus,partibus dextris & ſuperioribus impares eſſe inquit Hippocrates.bre.denot.dogm.Hipp. 1ª.231.D
Criſis non fit in principio.3°.de criſ. 4ª.143.D
per Criſim nunq̃ diſcernunt q̃ in principio apparent.1°.de criſ. 4ª.128.E
Criſis primũ indiciũ & principiũ quale,& reliqua.3°.de criſ. 4ª.139.D
Criſis rariſſime fit quarto die.3°.de criſ. 4ª.140.D
per Criſim in quarto die finiunt ſynochi.3°.de criſ. 4ª.140.D
Criſis quartæ diei cur tranſmutatur ad tertium & ad ſecundum. 3°. de criſ. 4ª.140.D
Criſis in quinto.11°.meth.med. 7ª.72.C
Criſis ſextæ diei,qualis.1°.de dieb.decre. 4ª.145.F
Criſis ſextæ diei,qualis.1°.de arte cur .ad Glau. 7ª.100.C
ad Criſim ex paruo naturæ apparatu mouetur ſeptimus dies.1°.de arte cur.ad Glau. 7ª.100.C
Criſis caſus in ſeptimo.1°.de dieb.decre. 4ª.148.F
Criſis octauæ,& nonæ diei comparatio.2°.de dieb.decr. 4ª.154.B
Criſis morborum acutorum,fit in quatuordecim diebus.& cur.commẽ. 2°.aphor.23°. Ex.15.D
Criſis quarto decimo die,vel decimo ſeptimo quando fiet.1°.de diebus decretorijs. 4ª.151.B
Criſes vehemẽtiſſimæ quæ intra quartũ decimũ.2°.de die.dec. 4ª.154.G
Critico die,aut poſt criticũ diem,vrina alba,ſpumoſa , & nebuloſa ſi ſuperuenerit in ſynocha ſolutionẽ ægritudinis oñdit.de dyn. Sp.34.D
p Criſim an dẽat terminari morbus,q̃uo poſſit ſciri.3°.de criſ. 4ª.140.C
Criſis futura quo modo cognoſcitur.3°.de criſ. 4ª.139.G
Criſis modus,& qualis ſit futura.3°.de criſ. 4ª.144.C
Criſim per vomitum vel fluxum ſanguinis ex naribus ſignificat capitis dolor.1°.de arte cur.ad Glau. 7ª.100.D
Criſis quomodo cognoſcatur futura per ſudorẽ.1°.de die.dec.4ª.148.A/ prȩſag.exper.confir. Sp.77.F
Critico die ſi aſpera facta fuerit in ſynocha vrina tenuis,ſtatim ſudorem venturum ſignificat.de dyna. Sp.34.E
Critici ſudores,& fluxus ſanguinis & deiectiones alui,à qua vi fiant.cõmentario.7°.aph.21°. Ex.55.D
Criſi p ſudorẽ inſtante qdã ſomniabat ſe lauare.de dig.ex inſ. 4ª.213.D
Criticus ſudor quid ſignificet.3°.de ſymp.cau. 3ª.28.F
Criticus rigor ſoluit phreneſim ſudoribus.in 1m.prorr.com.1°. 4ª.165.C
Criſis futura p alui excremẽta quo mõ cognoſcat̃.3°.de criſ. 4ª.144.G
Criſis per menſtrua quo modo fieri cognoſcatur.3°.de criſ. 4ª.144.G
Criſis per hæmorrhoidas quo mõ fieri cognoſcatur.de criſ. 4ª.144.G
Criſis p abſceſſum quo modo cognoſcatur futura.3°.de criſ. 4ª.144.G
Criſis bona,& mala quando ſequatur.com.2°.aph.23°. Ex.15.D
Criſis mortalis ſpecies.3°.de criſ. 4ª.143.B
in Criſi quando homo moriturus.1°.de dieb.dec. 4ª.150.G
Critico die vrina ex colore bono in malum ſi conuerſa fuerit, mortem ſignificat.de dyna. Sp.34.C
Critico die vrina viridis immutata mortem ſignificat.de dyna. Sp.34.B
Criſis quãdoq; non adeſt & morbus paulatim finitur.1°.de cri.4ª.133.D
ſine Criſi multi ſubito mortui ſunt,nulli autem ſubito ſanati. 3°. de criſibus. 4ª.142.E
ſine Criſi mortis tres modi,& quales.3°.de criſ. 4ª.142.G
ſine Criſi quo modo præcognoſcatur mors futura.3°.de criſ. 4ª.143.B
ſine Criſi cum morbi ſoluunt̃,ſolutio ſimpliciter dr̃.3°.de criſ. 4ª.141.F
Criſis aliqua etiam in longis morbis.2°.de dieb.decr. 4ª.153.G/H
cur Criſes aut tardent aut non fiant.3°.de criſ. 4ª.140.G
Criſes quibus impediantur.3°.de dieb.dec. 4ª.158.C
Criſim qui errores extrinſeci impediant.1°.de dieb.decr. 4ª.150.A
poſt Criſim cibis reficiendi ſunt paulatim ægri.1°.de die.dec. 4ª.148.A
Criſis,lege Iudicium,Iudicatio,Iudicari.
Κρισιμώτερα quæ ab Hippocrate dicuntur.de vict. ratione in morb. acu. comm.2°. 7ª.118.A
CRISPANS & cogens quædam emplaſtrum . 6°.de compoſitione medicam.per genera. 5ª.261.C
CRISPI quibus fiant capilli.1°.de comp.medica.per gen. 5ª.127.B
Criſpitudinem capillorum à leone tenuit Alexander.de ſper. Sp.38.H
Criſpos,& longos facere pilos & tinctos eſt artis comptoriæ: 1°.de compo.med.ſec.loc. 5ª.126.B
CRISPI liberti catapotium ad tuſſim.7°.de comp.me.ſec.lo. 5ª.182.H
vt Criſpus colica Caſſii.9°.de comp.me.ſe.lo. 5ª.201.H
Criſpi malagma generoſum.7°.de compo.medica.per gen. 5ª.266.H
Criſpi odoriferum ad nomas.5°.de comp.med.per ge. 5ª.253.A
CRISSATVM quid ſit.de artic.com.1°. 7ª.261.B
CRISTA pars animalium marium.2°.de ſem. 1ª.338.G
Criſtã gallorum habere vel ruffa inſomnia quid ſignificent.in 6m.de morbis vul.com.3°. 3ª.117.H
CRITHE, id eſt hordeum.7°.de ſimp.medic.fac. 5ª.53.A
CRITHE quid.fin.med.48.F/introd. Iſa.58.D/F
Crithȩ & poſthiæ abſceſſus [vulgo dicuntur horzaroli.] 4°. de compo. medica.ſecun.lo. 5ª.153.C
ad Crithas.4°.de compoſi.medicamento.ſecun.locos.153.C/5ª.158.D/de remed.para.facil. 7ª.156.H
CRITO vnus ex primis empiricis.de ſubfi.empi. Iſ.31.D
Crito in impatoris ædibus eſt medicatus.1°.de comp.me.ſe.lo. 5ª.127.B
Crito librum fecit de ornatu corporis.1°.de cõp.me.ſec.lo.123.B/126.C/127.B/4°.159.E/5°.160.D/7°. 5ª.272.F
Critonis libri de ornatu capita quid contineant.1°.de comp.medicamento.ſecun.loc. 5ª.127.B
Crito librum fecit de ſimplicibus medicamentis.6°.de compoſi.medica. per genera. 5ª.255.A
Crito librum fecit de medicamẽtis. 1°.de antidoti.5ª.110.A/2°.de comp. med.ſec.loc.139.D/7°.178.B/2°.de compoſitio.medicamentorum per gen.223.E/3°.234.H/6°. 5ª.256.H
Crito de medicamentis egregie pertractauit. 2°.de comp.medicamento. per genera. 5ª.222.B
Crito primus theriacam vocauit.de vſu ther.ad Pamph. 5ª.99.C
Critonis pharmaca ad Achoras.1°.de comp.med.ſec.lo. 5ª.130.D
Critonis ad Alopeciam.1°.de compo.medi.ſe.lo. 5ª.123.B
Critonis ad Aphthas.6°.de comp.med.ſe.lo. 5ª.175.D
Critonis apophlegmatiſmi.2°.de comp.med.ſec.lo. 5ª.139.D
Critonis Arteriacæ.7°.de comp.med.ſec.loc. 5ª.179.H
Critonis ad Columellas.6°.de comp.med.ſe.lo. 5ª.175.A
Critonis ad Cruſtas.6°.de comp.med.ſec.loc. 5ª.172.A
Critonis ad Dentium affectiones.5°.de comp.med.ſe.loc. 5ª.165.D
Critonis Diacodion.7°.de comp.med.ſec.loc. 5ª.180.A
Critonis confectio Gleucini.7°.de comp.medi.per gen. 5ª.272.F
ex Critone medicamentũ ad Hydropẽ.9°.de comp.me.ſec.lo.5ª.200.B
Critonis medicamenta ictericis,naribus apponenda.2°.de comp.medicamento.ſec.loc. 5ª.139.D
Critonis medicamenta Melinà.2°. de compo.me.per ge. 5ª.223.D
Critonis Pſilothra.1°.de comp.med.ſec.lo. 5ª.127.H
Critonis Stomaticum ex muſto.6°.de comp.medicam.ſec.loc. 5ª.170.C
Critonis ſtomatichum ex punicis.6°.de compo.med.ſec.loc. 5ª.170.B
ex Critone ad Varos.5°.de comp.med.ſec. loc. 5ª.160.D
Critonis meminit.6°.de comp.med.ſec.loc.175.C/2°.de compo.medicamen.per gene. 5ª.218.E

Critonis ægroti noui caſus, qui poſtridie perijt quam ægrotare cœperat. in 1ᵐ.de mor.vulgar.commentario 3°. 3ª.124.G
CROCODES roborant aures.6°.de ſan.tu. 2ª.100.B
Κροκιδίζειν, quid.in progn.com.1°. 4ª.194.F
CROCODILII tum caulis, tum ſeminis ſuccus nephriticos adiuuat. 7°.de ſimp.me.fa. 5ª.53.C
Crocodilij ſemen acre, odoratum, calidum & ſiccum eſt. 7°.de ſimpliciū medica.fac. 5ª.53.C
Crocodilij ſemen vrinam, menſesq́ cit.7°.de ſimp.me.fac. 5ª.53.C
Crocodilij radix per nares ſanguinem trahit.7°.de ſimp.me.fac. 5ª.53.C
Crocodilij radix excreationibus pectoris valenter conducit.7°.de ſimp. medicamen.facult. 5ª.53.C
Crocodialidis radix ad cephalæam.2°.de comp.med.ſec.lo. 5ª.137.D
CROCODILI volunt vincere.5°.de decr.Hipp. 1ª.256.G
Crocodili terreſtris ſanguis non acuit viſum, vt fertur. 10°.de ſimp.medicamentorum faculta. 5ª.73.D
Crocodili adeps odoramentis conditus.7°.de comp.me.per ge. 5ª.272.E
Crocodili adeps contra læſiones ab ipſis factas.de ther.ad Piſ.5ª.94..A
Crocodili morſibus confert centaurea.de vir.cent. Sp.93.H
Crocodilorum ſtercus non grauiter olet.10°.de ſimp.med.fac. 5ª.76..A
Crocodilorum ſtercus extergit.5°.de ſimp.med.fac. 5ª.36.F
Crocodilorum terreſtrium ſtercus facit cutem tenſam, & ſplendentem. 10°.de ſimp.med.fac. 5ª.77.D
Crocodilorum terreſtrium ſtercus tollit ephele, muttiliginem, & lichenas.10°.de ſimp.me.fac. 5ª.77.D
Κροκοφαντός. 7°.de comp.med.ſec.lo. 5ª.181.E
Κροκυφάντιος. 7°.de comp.med.ſec.loc. 5ª.181.C
CROCOMAGMA quo mō fiat, & eius vires.de ſimpli.medi. Sp.81.H
Crocomagmatis compoſitio.2°.de antid. 5ª.113.F
ex Crocomagmate illinenda eſt frons in caput dolentibus ex febre in calidis.2°.de compo.medica.ſec.loc. 5ª.137..A
Crocomagmatis loco mittunt crocum propter precij diſtantiam. de ſimplic.medica. Sp.182..A
CROCVS hortenſis, & agreſtis.4°.de comp.me.ſec.lo. 5ª.157.C
Crocus quo modo probatur an bonus.1°.de antid. 5ª.106.B
Crocus optimus, qualis.1°.de antid. 5ª.106.B
Crocus eſt fuluus colore.9°.de comp.me.ſe.loc. 5ª.201.C
Crocus fulget.9°.de compo.medic.ſecun.loc. 5ª.201.C
Crocum cilicium.3°.de compo.medicam.ſec.loc.145.D/7°.178.D/179.C/182.H/183.C/10°.206.F/7°.de comp.med.per ge. 5ª.262..A
Crocum ſiculum.4°.de comp.med.ſe.lo. 5ª.153.H
Crocus, qualis.4°.de comp.med.ſecun.loc.151.C/6°.170.G/7°.179.C/8°.190.F/9°.5ª.201.G/de ocul. 7ª.188.H
Crocus qualis ſit, & qui laudatur.1°.de antid. 5ª.106.B
Crocus calidus eſt in ſecnndo ordine ſiccus in primo.7°.de ſimp.medicamen.facul. 5ª.53.C
Crocum ebullit linteolo illigatum.7°.de comp.me.ſec.lo. 5ª.180.C
Crocum bullit in ſacculo ſtipa contexto.7°.de comp.me.ſe.lo. 5ª.181.C
Crocum omne vires habet leuiter ſtypticantes.de ſimp.med. Sp.81.E
Crocus adſtringit concoquit, & diſcutit.4°.de comp.me.ſe.lo. 5ª.150.H
Crocus adſtringit, concoquit, & putrefactiones corrigit.8°.de compoſi. medic.ſec.loc. 5ª.194.F
Crocus mediocriter adſtringit.7°.de ſim.med.fac.153.C/4°.de compoſi. medica.ſecun.loc.149.H/151.D/5°.159.E/6°.5ª.167.C/5°.methodi meden.31.G/14°. 7ª.92.B
Crocum adſtringens ſiccum.5°.meth.med. 7ª.32.E
Crocus concoquit.7°. de ſimp.medic.facul.53.C/4°.de comp.me.ſe.loc. 149.H/150.C/7°.178.E/G/8°. 5ª.189.B
Crocus maturat.de ocul. 7ª.189.D
Crocus concoquit cum adſtrictione.7°.de comp.me.ſec.lo. 5ª.179..A
Crocus ſecundum plurimos, videtur omnes affectiones ſufficienter concoquere, & dolores leuare.7°.de comp.med.ſe.loc. 5ª.178.F
Crocus in vno præſtantior Thure, in alio inferior. 4°.de compo.medicamen.ſecun.loc. 5ª.151.D
Crocus humorem fluentem prohibet.de ocul. 7ª.189.D
Crocum mitigat omnes dolores commixtum collyricis antidotis. de ſimplic.medic. Sp.81.E
ex Croco, & glaucio collyria in aurium dolore. 3°.de compoſi.medicamen.ſecun.loc. 5ª.141.D
Crocus ponitur in theriaca.de ther.ad Piſo. 5ª.92.E
Crocū odoratas reddit compoſitiones.1°.de comp.med.ſe.lo. 5ª.128.C
ex Croci odore Galenus patiebatur dolorem capitis. 2°.de compoſitio. medic.ſec.loc. 5ª.135.D
Crocus lædit caput.2°.de comp.med.ſec.lo. 5ª.135.D
Crocus mentem perturbat.2°.de comp.me.ſec.lo. 5ª.137.B
Crocus ſtyrax, myrrha, ſuccus papaueris ſi largius bibantur, aut dementant, aut mortem inferunt.5°.de ſimp.med.fa. 5ª.37.C
Crocus in Alexiterias antidotos nō inditur.5°.de ſimp.med.fa. 5ª.37.C
Crocū & myrrhā cur recipit Diamorū.6°.de cōp.med.ſe.lo. 5ª.167.C
Crocus & myrrha adiuuant ſe mutuo in penetrando in profundum. 6°. de comp.med.ſec.loc. 5ª.167.C
Crocum ad oculos valet.de vic.ra.in mor.acu.commen.4°.7ª.152.G/de cathart. Sp.95.B
Crocum ad oculorum dolores.de vic. ratio.in mor.acu.c.4°. 7ª.152.G
Crocus bonus cum lacte inſtillatus in oculorum dolore. 4°.de compoſit. medic.ſecun.loc. 5ª.157.F
Crocus manſuetiſſimus pro ſtomaticis.6°.de comp.med.ſec.lo. 5ª.171.E
Crocus inflammato iecori conuenit.2°.de arte curati.ad Glau.7ª.104.D
Crocus ad vteri, & veſicæ vlcera aptus.9°.de cōp.me.ſec.lo. 5ª.205.D
Crocus paucam decoctionem patitur.de med.fac.parab. 7ª.174.G
Crocus per cocturam amittit vires.6°.de comp.med.ſec.loc. 5ª.168.E
Crocum torrefactum.4°.de comp.med.ſec.loc.152.F/6°. 5ª.174.H
Croci faſciculus pro ſpathula.9°.de comp.med.ſec.lo. 5ª.202.F
Croci fex.5°.de comp.me.per ge. 5ª.252.G
cū Croco eiuſdē fere generis eſt melilotū.4°.de cōp.me.ſec.loc. 5ª.151.D
CROCEVS color quo modo appareat flauus in humorum permiſtione.in progn.com.2°. 4ª.202.E
Crocea eſt caro maxillarum.de anat.viu. Sp.55.H
Crocea eſt vrina laborantibus ex triſtitia, cogitationibus, vigilijs. de dynamidijs. Sp.34.A
Crocea vrina, ſi guttatim ſtillando fuerit egeſta, ventris conſtrictionem malam cum animi turbatione, & anguſtia oñdit.de dyna. Sp.34.B
Crocea vrina, & turbulenta cum nebulis non bonis, aut longinquā ægritudinem, aut mortem futuram dicit.de dyna. Sp.34.B
Crocea vrina, & ſpiſſa in ſynocha laborem, & dolorem, & grauedinem in hac ægritudine, ſiue mortem oſtendit.de dyna. Sp.34.E
CROCINVM nardum.7°.de comp.med.per gen. 5ª.272.D
Croceum Paccianum collyrium, quale.4°.de comp.me.ſec.lo. 5ª.151..A
Croceum pædicon.i.puerile, inſcriptū.4°.de comp.med.ſe.loc. 5ª.155.F
Crocinum vnguentum, quale.1°.de comp.me.ſec.loc. 5ª.129.H
Crocinum vnguentū rarefacit & diſcutit.9°.de cōp.me.ſe.loc. 5ª.197.F
Crocinum ſyriacum.7°.de comp.me.per ge. 5ª.272.E
CROCOSVS Andromachi.5°.de comp.med.per ge. 5ª.251.G
CROMYON, id eſt cæpa.7°.de ſimp.med.fa. 5ª.53.D
CROTAPHITAE muſculi.i.tēporales, qui.de muſ.diſſ. 1ª.44.G
Crotaphitæ.in progn.com.1°. 4ª.191.C
Κρότωναι dicuntur ricini.7°.de ſimpli.med.fac. 5ª.50.F
Crotones.10°.de ſimp.med.fac. 5ª.73.D
CRVCIATV ingenti turbatis ptiſſana nō eſt dāda.de ptiſ. 2ª.47.H
CRVDELIS hominis officium quod.12°.meth.me. 7ª.75.A
CRVDITAS, quę apepſia, dicitur ſymptoma id, cum nulla omnino eſt ciborum alteratio.3°.de ſymp.cau. 3ª.24.F
Cruditas nō ſolū mala concoctio eſt vitiū actionis.de ſymp.diffe. 3ª.11.C
Cruditas in tertia coctione.3°.de ſymp.cau. 3ª.25..A
Cruditas non eſt concoctio tarda.8°.de comp.me.ſec.lo. 5ª.194.B
Cruditas ſola quæ ſit.8°.de comp.me.ſe.loc. 5ª.194.B
Cruditas quo modo fiat in ventriculo.1°.de lo.aff. 4ª.5.B
Cruditatis cauſa eſt fundus ventriculi.5°.de lo.aff. 4ª.33..A
Cruditatis quando ſit.in 1ᵐ.de mor.vul.com.2°. 3ª.112.C
Cruditates quibus fieri poſſunt & curari.8°.de comp.me.ſe.lo. 5ª.191.F
Cruditates ventris profluuia difficiles anhelitus, & anginas, tuſſesq́ neceſſarium eſt fieri his, qui humidiores ſunt ſiue cerebro tantum, ſiue corpore vniuerſo.com.6°.aph.2°. Ex.46.E
Cruditates generant cauſas procatarcticas.de nat.hu.com.2°. 7ª.181.G
Cruditatis cauſæ ſunt coquorū in patinis apparatus.3°.de ali.fa. 2ª.31.D
Cruditatem creat fluxio frigida.6°.de ſanitate tuenda. 2ª.98.F
in Cruditate peior eſt tranſmutatio in peregrinam qualitatem, quàm ſi cibus non mutetur.8°.de comp.med.ſec.loc. 5ª.194.B
Cruditates facit ciborum copia.intr. Iſa.55.C
Cruditas fit ex cibis boni, & mali ſucci.de bon.& vit.ſuc. 2ª.39.D
Cruditas ex malis cibis peior eſt.de bon.& vit.ſucc. 2ª.39.D
Cruditas in vaſis ſanguinis accidit.3°.de ſymp.cau. 3ª.24.H
Cruditatem nullam factam eſſe in animalibus indicant acinus, & ſeſama deiecta, ſecundum Eraſiſtratum.1°.de lo.aff. 4ª.5.B

in Cruditatibus, et billioſis morbis reſidẽtia diuerſa.de mor.tẽ. 3ª.89.F
Cruditatem magnam oſtendunt aquoſæ vrinę: tales enim ſunt albæ perſpicuæ,& præterea flauam bilem totam ad caput rapi, præſertim in phreniticis.com.4°.aph.72°. Ex.35.F
Cruditatis ſigna cum primo morbi principio ſtatim inuadunt,& nõnunquã poſterius apparent,ſicut & mortis ſigna.cõ.1°.aph.12°. Ex.5.H
Cruditatis ſigna diutinum quidem ex neceſſitate morbum ſignificant,ſed quantum in ipſis eſt,neq; moriturum, neq; euaſurum è morbo hominem oſtendunt.com.1°.aph.12°. Ex.6.D
Cruditatis ſignum quæ vrina ſemper eſt.1°.de criſ. 4ª.131.C
Cruditatem ſignificat tenuitas vrinarum.de vict. ratione in morb.acu. comm.4°.7ª.141.A|quæſita in Hipp. Sp.113.E
Cruditatem aut concoctionem eorũ,quæ in ventre coquuntur,per aluum excrementa indicant ex ſua forma,quæ in cerebro per nares, quæ in vrinis per vrinas. in 1^{m}.de morb.vul.com.2°. 3ª.112.A
Cruditatẽ qualia ſputa ſequunt̃.de vic.ra.in mor.acu.com.2°. 7ª.123.B
Cruditas extrema in ſputis & mucco,quando.de tot.morb.tẽp.3ª.88.H
Cruditatem ferre non poteſt à morbo liber, antequàm ſit refectus. ad Thraſybulum. 2ª.102.E
Cruditates potius debent ſtare circa iecur,quàm ire ad principales partes.12°.meth.med. 7ª.76.B
à Cruditate corporis ſtatus.3°.de ſan.tu. 2ª.80.H
Cruditate laborantes ſentiunt nocumentum in parte imbecilla.3°.de ſymptom.cauſ. 3ª.30.D
Cruditates ſi cauerent homines,nunquam morbo corriperentur. de bon. & vitio ſucc. 2ª.35.A
Cruditates vitandæ.de bon.& vi.ſuc. 2ª.34.D
Cruditates quid portendant.de conſt.ar. Iſa.42.F
Cruditas ægritudinum ſignificat.ars med. Iſa.68.A
Cruditatem nullũ ſymptoma neceſſario ſequit̃.3°.de ſymp.cau. 3ª.30.D
Cruditatis magnitudo,ac dr̃ia,& ſenſus facilis,& particularũ robur, & imbecillitas diuerſa gignunt ſymptomata.3°.de ſymp.ca. 3ª.30.C
Cruditas magna & maiora,& plura ſymptomata creat:parua contra, pauciora minoraq́;.3°.de ſymp.cau. 3ª.30.C
Cruditas circa ſtomachũ multos facit affectus.8°.de cõ.me.ſ.l. 5ª.191.F
Cruditas facit morbos.intro. Iſa.55.C
Cruditas,morbi eſt principium.de tot.morb.temp. 3ª.88.E
Cruditates ſũt cãæ recẽtes ac ꝓpiquæ morborũ.de na.hu.c.2°. 7ª.180.F
Cruditas eſt cauſa infinitorum morborum.de bon.& vi.ſuc. 2ª.39.D
Cruditas cur faciat aluum deijcere.de cog.cur.animi morbis. 2ª.54.G
ex Cruditate diarrhœa qbuſdã excitat diariã febrẽ.8°.me.me. 7ª.53.B
Cruditatem morbi,inediã,ciboſq́; tempeſtiue ſumptos quo modo ſequatur vigilia.de vic.ra.in mor.acu.com.2°. 7ª.123.A
ex Cruditate ventriculi capitis dolor.de remed.par.fac. 7ª.153.G
in Cruditatibus eleuari præcordia cibos poſtridie eructantibus, collige.de ſal.diæ. 2ª.43.A
Cruditates multas hñtes hñt turgida ꝑcordia.4°.de ſan.tuen. 2ª.84.H
Cruditates habentes facile in flatus incidunt.4°.de ſan.tuen. 2ª.84.H
poſt Cruditates flatu hypochondriaco laborantes vehementius infeſtãtur.5°.de loc.aff. 4ª.32.H
ex Cruditate principium melancholiæ.de mel.ex Gal.Ruf. Sp.109.B
Cruditate aſſidua cur melancholici laborent.de mel.ex Gal. Sp.109.E
Cruditas vehemens quandoque animi defectum attulit.1°.de arte cura. ad Glauc. 7ª.98.E
cum Cruditate ſyncopen habentium pulſus.12°.meth.med. 7ª.76.B
ex Cruditatibus ſyncopæ quæ contraria.12°.meth.med. 7ª.76.B
Cruditatibus multis laborantes tremunt.2°.de ſymp.cau. 3ª.20.E
Cruditate laborantes quieſcunt ne horreant.2°.de ſymp.cau. 3ª.22.D
Cruditate laborantes pruritu exercentur.2°.de ſymp.cau. 3ª.23.H
ex Cruditatibus recentibus plethora.1°.de arte cur.ad Glau.7ª.98.A
ex Cruditatibus quidam febricitant.1°.de diff.feb. 3ª.31.C
ex Cruditate febris diaria.8°.meth.med. 7ª.53.B
ex Cruditate febris peſſima in bilioſis naturis.8°.meth.me. 7ª.53.B
Cruditatem habentes quare aliqui in febrem incidere, alij non.1°.de differen.febrium. 3ª.31.H
Cruditates cur in pueris.in progn.com.3°. 4ª.210.C
Cruditates multę quos morbos cãnt in pueris.com.3°.aph.26°. Ex.25.F
Cruditas calculos renum gignit.de ren.aff.dig.& med. 7ª.194.D|E
Cruditates,ebrietates,et ociũ faciũt podagrã.c.6°.aph.28°. Ex.49.A
Cruditas oſtendit exercitationem fieri non debere.3°.de ſan.tu. 2ª.81.F
Cruditatem aut corpus plethoricum habentes non ſunt in balneo inungẽdĩ.2°.de ſimp.med.fac. 5ª.15.H
Cruditati balnea obſunt.de marcore. 3ª.48.A
Cruditates qua re indigent.12°.meth.me. 7ª.75.F
Cruditates quo modo ſoluantur.de bon.& vi.ſuc. 2ª.35.A
ad Cruditatem ventriculi.de medic.fac.par. 7ª.172.E
Cruditas moderata ex mora in lecto curatur.8°.de compo.medicamento.ſec.loc. 5ª.191.G
Cruditatibus omnibus maxime remedio eſt dormire per ſe. de vict.rat. in mor.acu.commenta.4°. 7ª.148.E
Cruditatum copiã habẽtibus piper lõgũ eſt dãdũ.4°.de ſan.tu. 2ª.84.H
Cruditas in primis venis quo modo ſit curanda.4°.de ſan.tu. 2ª.87.C
Cruditatum copiam in primis venis habentes,quibus debent nutriri.4° de ſanitate tuen. 2ª.85.G
Cruditati in primis venis datur diatrion pipereon ſimplex. 4°.de ſanitate tuenda. 2ª.87.D
Cruditas in extremis venis quo modo curanda ſit.4°.de ſan.tu. 2ª.87.C
Cruditatibus vnicum remedium aliquid per aluum excernere.1°.de alimentorum facul. 2ª.11.B
à Cruditate morbi nihil ab excretionibus adiuuantur. in 1^{m}. de morb. vulg.com.1°. 3ª.111.D
quando Cruditas adeſt humorũ,& à cauſis morbum facientibus natura grauat̃,impoſ̃e eſt aliquid bñ euacuari.cõ.4°.aph.22°. Ex.29.G
Cruditas ſi adhuc adſit in ſeptimo die,non poteſt morbus vigeſimo die finire.1°.de dieb.decr. 4ª.151.C
Cruditas quo modo prohibet ſanguinis miſſionem. de curand.ratio. per ſang.miſſ. 6ª.17.D
ad Cruditates aſſiduas.8°.de comp.med.ſec. loc. 5ª.193.C
CRVDAE *aquę quę vocentur ab antiquis. in 6^{m}.de morbis vulgaribus commen.4°.* 3ª.182.D
Cruda aqua glacialis quid faciat.3°.de ſan.tu. 2ª.78.D
CRVDVS *humor qualis.10°.de comp.med.ſec.loc.* 5ª.206.H
Crudi humores qui vocentur.2°.de pręſag. ex pulſ. 4ª.109.G
Crudus ſuccus quis proprie ſit.1°.de alim.fac. 2ª.10.C
Crudus ſuccus craſſitie & colore aſſimulatur ei quod ſubſidet ĩ vrinis puri ſimile.1°.de alim.fac. 2ª.10.C
Crudus humor,non pituitoſus.10°.de comp.med.ſec.lo. 5ª.206.H
Crudus humor à Philippo dicitur, qui à Praxagora dicitur vitreus.2°. de diff.feb. 3ª.37.E
Crudos ac craſſos ſuccos gignit placenta in ſartagine cocta ex oleo. 1°.de alimen.facul. 2ª.10.D
Crudus,& incoctus exiſtit caſeus.de vic.rat.in mor.acu.c.4°.7ª.145.D
Crudos cibos & potus reddit vigilia fortis.de vic.rat.in morbis acutis, commentario.2°. 7ª.125.B
Crudis humoribus quando homo impletur.4°.de ſan.tu. 2ª.88.A
Crudis ſuccis corpus implent balnea poſt cibum, ideo fiunt cibo iam concocto.de marc. 3ª.48.E
Crudos humores cur aceruant pueri.in prog.com.2°. 4ª.206.C
Crudi ſenes qui & ſemicani.in progn.com.2°. 4ª.205.G
Crudi humores non pñt nutrire,priuſq̃ ſint cocti.12°.met.me. 7ª.77.F
Crudi humores cum coquuntur,nutriunt.4°.de ſan.tu.84. H|de vict.ratio.in mor.acu.com.2°. 2ª.122.H
Crudorum humorum plenitudo,qualis.de cur.ra.per ſan.miſſ. 6ª.18.F
Crudos humores habentium color.de cur.rat.per ſan.miſſ. 6ª.18.F
Crudos humores habentium pulſus.de cur.ra.per ſang.miſſ. 6ª.18.F
ob Crudorum humorum multitudinem in capite aceruatorum, vel inflammationem,aut ſpiritum flatuoſum,aut ſanguinis multitudinem, aut bilem mordacem,aut intemperantiam dolor capitis contingit.cõmen.6°.aph.10°. Ex.47.D
ex Cruda pituita minime appetentes fiunt homines.de mul. 3ª.81.G
Crudos humores habẽtes cur inediã multũ ferãt.12°.meth.me. 7ª.76.A
Crudi,& incocti humores quibus redundant,illis animi defectus contingit.1°.de arte cur.ad Glau. 7ª.98.F
Crudos ſuccos habent in ſyncope,qui pulſum paruum,& rarum habent. 12°.meth.med. 7ª.76.B
Crudis,& cacochymia plenis rigor atque horror accidit.de palp.trem. conuulſ.& rig. 3ª.55.H
Crudorum humorum copia cum vlceroſa laſſitudine quo modo fiat, & quomodo curetur.4°.de ſan.tu. 2ª.86.B
Crudos humores in primis venis habentes quo modo ſint nutriendi. 4°. de ſanitate tuen. 2ª.84.H
Crudi humoris copia refertis quod vinũ conuenit.de bon.& vi. 2ª.38.E
Crudorum humorum copiam habentes in primis venis nec lauandi ſunt, nec mouendi,nec exercitandi.4°.de ſan.tu. 2ª.84.H

Crudorum

Crudorum humorum copiam in primis venis habentes vomere non debent.4°.de ſan.tuen. 2ª.85.H
Crudos ſuccos multos intus habẽtes,& foris laſſitudinis ſenſus, quo modo ſint curandi.4°.de ſan.tu. 2ª.86.A
Crudi ſi ſint humores an euacuãdũ,& qñ.de cur.ra.per ſan.miſ.6ª.18.F
Cruda egerentibus non eſt medicamentum exhibendum . de vict.rati.in morb.acu.com.4°. 7ª.150.F
Crudi & fixi humores non obediunt pharmacis.1°.de criſ. 4ª.128.G
Cruda quæ ſunt dicenda.de vict.ra.in mor.acu.com.2°. 7ª.122.H
Crudum eſt,quod à particula alterationem non aſſumit iuxta naturam. 8°.de comp.med.ſecun.loc. 5ª.194.B
Cruda excrementa,mucoſa,ac ſanguinolenta antiqui vocabant læuitatẽ inteſtinorum,ſecundum Eraſiſtratum.com.6°.aph.1°. Ex.46.C
Cruda quæ nos vocamus,imputrida antiqui vocare ſolebant. commentario 6°.aph.1°. Ex.46.D
Crudi humores quo modo differant à pure.de nat.hu.com.2°. 7ª.180.D
Crudus ſuccus,poſt cõcoctionẽ à quo dicat̃ pus.de na.hu.c.2°. 7ª.180.C
Crudum extreme in pleuritide eſt nihil expuere, et eſt vt in vrinis aquoſum.1°.de criſ. 4ª.132.D
Cruda deijciebantur in febre ardente ex bilioſis humoribus quo modo. in 3^{m}.de mor.vul.com.2°. 3ª.139.C
Cruda deijciens in febre ardente.in 3^{m}.de mor.vul.com.2°. 3ª.144.C
à Crudo humore quo modo diſtinguatur deiectio graueolens.in progno. commen.2°. 4ª.199.H
Cruda & non concocta in malos abſceſſus deflectunt, & in quos. in 1^{m}. de mor.vul.com.3°. 3ª.124.E
Cruda ad malos abſceſſus conuerſa iudicationis carentiam, vel labores, vel tempora,vel mortes,vel eorundem malorum reditus portendũt. com.4°.aph.22°. Ex.29.G
Crudi ſucci non ſunt reuellendi foras.4°.de ſan.tu. 2ª.85.H
Crudorum humorum copia vbi tanta adſit,vt vires non adſint,non eſt ſecanda vena.de cur.rat.per ſan.miſſ. 6ª.18.C
Crudorum humorum plenitudo,nunquam eſt tanta , vt venę ſectionem prohibere poſſit,vbi morbus eſt magnus & vires ſint validæ.de cur. rat.per ſang.miſſ. 6ª.19.C
in Crudis humoribus aufert ſanguinem,& quo modo . de curan.ra.per ſang.miſſ. 6ª.19.A
Crudi & craſſi humores aut per abſceſſum , aut per coctionẽ ſoluuntur. in progn.com.3°. 4ª.209.G
Crudi ſucci debent concoqui.4°.de ſani.tuen. 2ª.84.D
Crudos,& incoctos humores concoquit Anethum.6°.de ſimpl.medicamen.facultat. 5ª.43.B
Crudos humores digeri non ſinit ſomnus.12°.meth.med. 7ª.75.G
Cruda allia comeſta expurgant in icteris.de cura icteri. Sp.111.B
Crudos,& aquoſos humores purgat coccus cnidius.de dyna. Sp.21.F
Crudos humores in inteſtinis purgantia.de cathar. Sp.95.C
Crudos humores digerens medicamen. de med.exper. Sp.104.F
ad Crudum humorem decoctio.ſecret. Sp.102.E
ad Crudum humorem lapidoſum.ſecret. Sp.100.D
CRVDVS morbus qui.in 1^{m}.prorr.com.1°. 4ª.165.C
Cruda cum eſt materia principium eſt.1°.de criſ. 4ª.128.G
Crudo toto morbo exiſtente aliquando poteſt fieri coctio in parte . in 1^{m}. de mor.vul.com.2°. 3ª.116.F
Crudo in morbo bona iudicatio fieri nequit.in 1^{m}.prorr.com.1°. 4ª.165.C
Crudorum humorum vrinæ quales.de vri.ſign.ex Hipp. Sp.79.D
Crudorũ,& bilioſorũ humorum vrina, qualis.in pgn.cõ.2°. 4ª.200.D
Crudum humorem quo modo ſignificent vrinæ craſſæ , & tenues. in 3^{m}. de mor.vul.com.1°. 3ª.131.E
Crudũ morbũ ſignificat vrina tenuis.in 3^{m}.de mor.vul.com.1°. 3ª.132.F
in Crudis humoribus vrinæ proceſſus.de vrinis. 4ª.125.D
Crudam ægritudinem diuturnam , & non ſine periculo ſignificat vrina tenuis,& rutila.de vri.ſign.ex Hipp. Sp.78.G
Cruda vrina, quæ.de tot.morb.temp.3ª.89.F/de vict.rat.in morb.acut. commen.2°. 7ª.122.H
Cruda & diuturna eſt vrina aquoſa.com.7°.aph.32°. Ex.56.D
Crudæ vrinæ ſunt maxime cõtrariæ ſanorũ vrinis.1°.de criſ. 4ª.126.H
inter Crudum & coctum mediæ vrinæ.1°.de criſ. 4ª.130.E
Crudus humor quo diſcernatur à bona hypoſtaſi.de vrinis. 4ª.125.D
Crudus humor per vtiles hypoſtaſes diſtinguitur ab inęquali ſubſtantia eius.de vrinæ ſigni.ex Hipp. Sp.79.C
Crudi ſucci in quibus ſanis,ẽt in vrinis ſubſideant.1°.de ali.fac. 2ª.10.C
Crudorum humorum craſſitiem, & flatuoſam turbationem ſignificant vrinæ conturbatæ.in 3^{m}.de mor.vul.com.1°. 3ª.131.F
Crudus,& albus humor cum vrina excretus euenit, vt ſubſideat præbeatq́; videndam vtilem hypoſtaſem.de vri.ſign.ex Hipp. Sp.79.C
CRVDI tumores,id eſt duri, & renitentes,mali: molles,boni.com.5°. aphoriſmo.67°. Ex.45.C
CRVDA tubera quæ ſint,ſecundum Hipp.4°.de lo.af. 4ª.24.D
CRVOREM diſtinguit à ſanguine.de vrinis. 4ª.124.B
Cruorem vocat ſanguinem incoctum Galenus.de vrinis. 4ª.124.B
Cruor quando eijcitur à capite,vel ab eius partibus,quid conſiderandũ. 4°.de locis affectis. 4ª.25.H
poſt CRVENTA bilioſa expuuntur.in 6^{m}.de mor.vul.c.3°. 3ª.179.C
Cruentæ deiectiones vnde.in 1^{m}.prorr.com.1°. 4ª.162.B
Cruentæ dyſenteriæ cauſę.quę.5°.de loc.af. 4ª.35.D
Cruoris tenuis ſanies ſimilis carnium ablutioni in iecoris inflammatione.5°.de locis affectis. 4ª.34.G
Cruor ſanioſus primo ex meſenterio affecto excernitur,poſtea craſſius et fœculentus.5°.de lo.aff. 4ª.35.D
Cruoris multi ac vniuerſim fluentis ſubita euacuatio ſignificat venæ ruptionem.4°.de loc.aff. 4ª.28.A
Cruentæ excretiones liuidæ,fœtidę,& bilioſæ, ſi bene excernãtur, ſunt bonæ.com.4°.aph.47°. Ex.32.H
Cruenta deijcientes extra febrem ſpontaneis ægritudinibus affliguntur. de nat.hum.com.2°. 7ª.179.G
Cruenta deijcientes extra febrem quo victu ſint regendi. de natura humana.com.2°. 7ª.179.G
Cruenta excrementa in his vidit Galenus, qui dimiſerant exercitia conſueta.de nat.hu.com.2°. 7ª.179.H
Cruor ſeroſus à carnibus bubulis dum torrentur deſtillans. 3°.de compoſi. medicamen.ſecun.loc. 5ª.143.F
Cruor deſtillans à iecore aſſato.4°.de comp.med.ſe.lo. 5ª.158.D
Cruenta vlcera.5°.meth.med. 7ª.29.G
ad Cruenta vlcera.1°.de comp.med.per ge. 5ª.211.C
ad Cruẽta vulnera.3°.de comp.med.per ge. 234.H/235.B/6°. 5ª.258.F
Cruenta vulnera glutinat Aloe.ꝙ animi mores. 1ª.317.D
ad Cruenta vulnera non adeo magna glutinanda.2°.de compoſitio.medicamentorum per gen. 5ª.220.F
ad Cruenta glutinanda.2°.de comp.med.per ge. 219.G/6°. 5ª.256.D
ad Cruenta recentia.5°.de comp.me.per ge. 5ª.246.G
ad Cruenta.2°.de comp.med.per ge.225.G/5°. 5ª.245.G
ad Cruenta medicamenta extrinſecus.introd. Iſa.58.B
Cruenta medicamenta ex bitumine fiunt.de frac.com.3°. 7ª.242.E
Crucntum medicamentum, quale ſit.de frac.com.3°. 7ª.242.D
Cruenta medicamenta quæ ſint.de artic.com.4°. 7ª.286.A
Cruenta medicamenta mediocriter exiccant.de artic.com.2°. 7ª.268.D
Cruenta medicamenta irrigata.de artic.com.4°. 7ª.286.H
Cruentum medicamentum pro contuſis.de frac.com.3°. 7ª.245.B
CRVRA, & brachia, à græcis Κῶλα .i. membra longa, appellantur. de cucur.ſcar. 6ª.4.D
Crus ſignificat totum à coxa infra.de inæq.intemp. 3ª.43.D
Crura,& brachia ſunt poſteriora ĩ fœtus formatione.1°.de ſem. 1ª.331.E
Crus quandoq; exit ante caput in partu,ſed eſt partus difficilis . 15°. de vſu partium. 1ª.213.A
Crurũ diſſectio q̃uo faciẽda,& vnde incipiẽda.2°.de ana.adm. 1ª.69.F
Cruris anatomiam ꝑꝑ quid prępoſuit Galenus.2°.de ana.adm. 1ª.69.D
Crura hoĩum meliora cruribus cæterorũ aĩaliũ.3°.de vſu par. 1ª.127.G
Crus mulieris, quale.de artic.com.3°. 7ª.277.F
Crus cur non vnum integrum ac ſimplex.3°.de vſu par. 1ª.134.E
Cruris oſſium differentia.de frac.com.3°. 7ª.249.C
Crura cur non ſunt longiora aut breuiora.17°.de vſu par. 1ª.221.H
Crus cur non habet multas articulationes.3°.de vſu par. 1ª.134.E
Crus diuiditur in femur, tibiam,& pedem.de inæq.intemp. 3ª.43.D
Crus eſt maius tibia.2°.de vſu par. 1ª.128.F
in Crure tibia, qualis in manu cubitus.3°.de anato.admin.1ª.74.A/ de frac.commen.2°. 7ª.232.H
in Crure femur eſt, quale in manu brachium.3°.de anat.adm.1ª.74.A/ de frac.com.2°. 7ª.232.H
in Crure pes ẽ, qualis ĩ manu extrema manus.3°.de ana.adm. 1ª.70.A
Cruri pedis pars ſubiecta non habet nomen, ſed componitur ex tribus oſſibus.3°.de vſu par. 1ª.129.G
Cruribus quo modo vtatur ſimia.3°.de vſu par. 1ª.135.E
Cruribus collum æquale quę animalia habeant.8°.de vſu par. 1ª.165.B
Crura longa hñtes aues, cur hñt collum longum.11°.de vſu par. 1ª.185.A

Crura longa, & gracilia cur ſunt exanguibus locuſtis, & apibus, nõ autem multa ſicut reliquis inſectis.3°.de vſu p. 1ª.128.D
Crura anteriora ſimilia ſunt poſterioribus in ceruis, canibus, & equis. 3°.de vſu partium. 1ª.127.F
Crura cur non inſunt piſcibus.11°.de vſu par. 1ª.187.D
Crurum partes externę habent poſitionem minus præcipuam internis. 16°.de vſu par. 1ª.220.H
Crurum arteriæ vnde naſcantur.de decr.Hipp.& Plat. 1ª.233.B
ad Crura arteriæ quomodo incedunt.de ven.art.diſſ. 1ª.59.D
Cruris arteria q̃uo ramificetur, & eat.3°.de anat.adm. 1ª.79.C
in Cruribus venę, & arterię ſe contingunt.9°.de vſu par. 1ª.172.H
in Crura natura proprias mittit venas per ſuperficiem ſine arterijs. 16°.de vſu par. 1ª.221.A
Crurum venarum ſectio.3°.de ana.adm. 1ª.78.H
Crura nutriẽtes venæ vnde oriant̃.de ijs quæ in med.ſi.com.3°.7ª.220.E
Crurum venæ vnde oriantur.de ve.art.diſſ. 1ª.58.E
ad Crura qua via tendunt venæ & arterię.16°.de vſu par. 1ª.218.D
ad Crura quæ ferant̃ vaſa, cur interne ferũtur.16°.de vſu par.1ª.219.F
ad Crura magnæ venæ diuiſio vnde fiant.de ve.art.diſſ. 1ª.58.F
ad Crura magnę venæ diuiſio q̃uo deriuetur.de ven.art.diſſ. 1ª.58.F
Cruris vena intrinſeca in tres partes diuiditur.de ven.art.diſſ. 1ª.58.F
ad Crura delati nerui à dorſi medulla.de artic.com.3°. 7ª.281.F
ad Crura cur non mittantur nerui à cerebro.16°.de vſu par. 1ª.215.E
ad Crura nerui quomodo ferantur.16°.de vſu par. 1ª.218.B
in Cruribus, & manib⁹ eadẽ eſt rõ neruorũ.16°.de vſu par. 1ª.218.A
Cruris & manus nerui quomodo differant.16°.de vſu par. 1ª.218.A
Crurum, & pedum neruorum forma differt à forma neruorum brachiorum, & manuum.de ana.viu. Sp.54.C
Crura hirta cur ſalacitatem ſignificant.2°.de temp. 1ª.19.G
Crura dura & macra non ſignificant corporis ſiccum temperamentum. 2°.de temp. 1ª.20.H
Crura quibus ſunt macra, quando ſicci.2°.temp. 1ª.20.H
Crura quibus ſunt craſſa, quando humidi.2°.de temp. 1ª.20.H
Crura diſperſa ſignificant delirium.in progn.com.1°. 4ª.193.H
Crura cur animalibus tribuit natura.15°.de vſu par. 1ª.213.D
Crura propter quid facta.2°.de mot.muſcu.1ª.315.F/4°. de præſagit. ex pulſibus. 4ª.120.F
Crurum ſcopus ad currendum, & ad firmandum.3°.de vſu par.1ª.131.F
Crurum oſſa & tibiarum, & pedum ſunt ad ſuſtentamentum ſenſus & motus.de anat.viu. Sp.55.C
Crus facit vt moueamur, pes vero vt nõ cadamus.3°.de vſu p. 1ª.129.B
Cruribus per oſſa innitimur.17°.de vſu par. 1ª.222.F
Crurum motus voluntarius.2°.de mot.muſc. 1ª.314.H
Crus inſtrumentum.de nat.hum.com.1°. 1ª.26.C
Crus inter inſtrumenta ſecunda numeratur.de diff.mor. 3ª.3.B
Crus ambulationis inſtrumentum vt conuenit ſapienti animalis. 3°. de vſu partium.128.H/1ª.129.B/de diff.reſp. 3ª.58.G
Crurum actio quę.15°.de vſu par. 1ª.213.F
Cruris vniuerſi actio ambulatio.de conſt.ar.Iſag.36.H/3°.de vſu partium.135.C/17°.222.F/6°.de decre.Hippocra. 1ª.260.A/1°.methodi medendi. 7ª.6.B
Crus dexterum non plus ſiniſtro ambulare cognoſcitur. in 6m.de morb. vul.com.2°. 3ª.169.C
Crus firmum magis laborat ambulante.15°.de vſu par. 1ª.213.F
Crura in hominibus ſunt linea recta.3°.de vſu par. 1ª.128.D
Crura in brutis faciunt angulum rectum.3°.de vſu par. 1ª.128.D
Crurum figurę ſine dolore, quæ.2°.de mot.muſ. 1ª.315.F
Cruris figura paulo minus porrecta eſt ſine dolore.6°.meth.me.7ª.41.C
in Cruribus idẽ eſt quod eſt ſine dolore, et mediũ.2°.de mot.m. 1ª.315.F
Cruris motus agitatio totius.de conſt.ar. Iſ.36.A
Crus quoquo verſus circumagitur.12°.de vſu par. 1ª.194.A
Crurum oſſa à muſculis mouentur.17°.de vſu par. 1ª.221.C
Cruris muſculorum ortus, & quo tendant.15°.de vſu par. 1ª.213.G
Crus mouens muſculus.de mult. 3ª.78.A
Crus à quo muſculo fiat firmum & quomodo.15°.de vſu par. 1ª.213.H
Crurum actionis robur in quibus conſiſtat.3°.de vſu par. 1ª.135.C
Crura curua habentes firmius ſtant.3°.de vſu par. 1ª.131.D
Cruris curuatio quo modo fiat.de conſt.ar. Iſa.36.H
Cruribus non poſſunt pueri propter mollitiem firmiter inniti.comment. 6°.aphoriſ.32°. Ex.49.H
Crus quo muſculo inuertunt pueri in palæſtris cum alteri femori inijciunt.2°.de anat.adm. 1ª.69.G
Crus quibus facile flectatur.2°.de mot.muſ. 1ª.315.F
ad Cruris tenſionem qui muſculi faciant.2°.de ana.adm. 1ª.70.E
Cruris extenſio quo modo fiat.de conſt.ar. Iſ.36.H
Crure toto, & vehementer, & exacte tenſo quãdo indigemus. 3°.de vſu partium. 1ª.135.C
Cruris extrema tenſio fit cum ſtamus.15°.de vſu par. 1ª.213.F
Crura propter quid magis extenſa ſint.2°.de mot.muſ. 1ª.315.F
Crus, & brachiũ extenſa mouẽtia mouẽt.de palp.trem.cõuul. 3ª.52.A
Crus ſi attollatur, quo modo ſe habeant muſculi.15°.de vſu par. 1ª.213.F
Crurũ neruis affectis, ac muſculis tollit̃ ãbulatio.17°.de vſu p. 1ª.222.F
Crura q̃uo exerceantur in paruæ pilæ ludo.de par.pil.exer. 2ª.49.A
Crurum exercitationes, quæ.2°.de ſan.tuen. 2ª.74.H
Crurum medię partes ſi opportunę offenſionibus ſint, quam exercitationem deſiderent.5°.de ſan.tuen. 2ª.90.A
Crurum exercitatio quando maior, & quãdo minor in ludo paruę pilæ. de par.pil.exer. 2ª.49.F
Crurum exercitatio quibus vitanda ſit.5°.de ſan.tuen. 2ª.90.A
Crura gracilia quo modo fiant craſſiora per artẽ.5°.de ſani.tu. 2ª.90.C
Crurum exilium puerum tredecim annorũ pulchrum reddidit Galenus. 5°.de ſanitate tuen. 2ª.90.C
in Cruribus quæ faciãt impedimẽtũ in motibus.1°.de mo.muſ.1ª.308.G
Crura quo modo vitiantur in figura.de cauſ.morb. 3ª.8.F
Crura introrſum, aut extrorſum habẽtes, aut pedum plantas lęuigatas, cur deterius eunt.de diff.mor. 3ª.4.A
in Cruribus bleſum quid ſit.de cauſ.mor. 3ª.8.G
in Crure bleſitas altera propter femoris poſitum.3°.de vſu pa.1ª.131.C
in Cruribus rhæbum quid ſit.de cau.mor. 3ª.8.G
Crus cum tenditur, vel violenter cõuellitur, eſt vitium vnius nerui, qui particulam mouet.1°.de ſymp.cauſ. 3ª.19.D
Cruris claudicatio quo ſignificetur.17°.de vſu par. 1ª.222.F
Crus lõgius eſt, ſi coxæ articulus intro exceſſerit.de ar.cõ.3°. 7ª.276.C
Crura per ambulationem læduntur.5°.de ſan.tuen. 2ª.89.H
à Cruribus febris per motum incipit.de cauſ.procatar. 3ª.98.G
Crura quo modo pulſu priuabis.de vſu pulſ. 1ª.227.D
Crurum dolorem facit erui vſus. in 6m.de morb.vul.com.4°. 3ª.183.C
Crura dolent concepto in bilis horis.de ſpermate. Sp.37.C
Crura cur doleant in lapide renũ.in 6m.de mor.vul.com.1°. 3ª.155.H
Cruris ſtupor oſtendit renem qui patitur, & quo modo fiat.de ren.affec. dign.& med. 7ª.192.H
in Cruribus venæ cur varicoſæ.2°.de elemen. 1ª.9.A
in Cruribus, & teſtibus fit varix.13°.meth.med. 7ª.86.G
in Cruribus, & coxis fiunt varices.com.6°.aph.21°. Ex.48.D
Cruribus quandoq; varices exciduntur.14°.meth.med. 7ª.90.G
in Crure ſi ſit fluxio, vena cubiti ſecanda, vel vomitus prouocandus eſt. in 6m.de morb.vulg.com.2°. 3ª.162.C
Crura ſi tuberculis affecta ſint in febribus, qñ sãguis è narib⁹ pfluet modicus vel multus, qd ſignificet.de vic.ra.in mor.acu.c.4°. 7ª.142.C
in Cruribus ſcirrhus habet quatuor tempora.de tot.mor.temp.3ª.89.C
ad Crurum inflationem emplaſtra duo.de dyna. Sp.30.A
Crurum inflationes ſcalpello incidunt̃, & oleo irrigant̃.de ſec. Iſa.18.C
Crura vinciẽda sũt ſi in manib⁹ phlegmone ẽ orta.13°.meth.me.7ª.83.B
in Crurũ phlegmone quid fugiẽdũ, & qd agẽdũ.13°.meth.me. 7ª.82.A
Crura inflammata debent quieſcere.1°.de diff.reſp. 3ª.58.G
Crure inflammato laxantur manus.de ſectis. Iſ.18.C
in Cruribus ſi ẽ phlegmone, manus vinciendæ ſunt.13°.met.me. 7ª.83.B
Crurum, & brachiorum vincula reuellunt.de cucur.ſcar. 6ª.4.F
Crura ſcarifica manu laborante.13°.meth.med. 7ª.81.B
Crure altero laborante alterum ſcarifica.13°.meth.med. 7ª.81.B
in Cruribus ſcarificatio ad quid ſit vtilis.de cucur.ſcar.3ª.H/ 6ª.4.B
Crura ſcarificata capiti proſunt.de hirud.reuul.cuc.& ſcar.2.F/6ª.3.F
Crurum ſcarificatio à peſtilentia liberat.de cucur.ſcar. 6ª.4.B
Crura ſcarificanda ſunt, vbi ſuppreſſæ ſunt hæmorrhoides . de hirud.reuulſ.& ſcarif.2.F/ 6ª.3.F
Crurum ſcarificatio quibus mulieribus conueniat. de curan. ratione per ſang.miſſ. 6ª.18.F
in Cruribus venis ſectis non parum leuantur inflammationes in vuluis. de præſag.exper.confir. Sp.78.C
Crurum venæ ſectionem petunt membra infra iecur . in 6m.de morb.vulgaribus, com.1°. 3ª.156.A
ex Crure euacuatione facta vno die iſchiadas curauit.erat vero iſchias non ex frigore ſed impletis ſanguine quæ ſunt in coxa venis.de cur.ratio.per ſang.miſſ. 6ª.20.F

Crura picari quibus conducit.5°.de ſan.tuen. 2ª.90.B
à Crure videbatur veluti aqua frigida aſcendere adoleſcenti ad caput. 3°.de locis affectis. 4ª.19.F
Crurum effœminatio,quæ.in 6m.de mor.vul.com.1°. 3ª.157.B
in Crure ſolus pes reſoluit,& quæ ſub genu ſunt.3°.de lo.af. 4ª.20.H
Crus totum interdum reſoluitur.3°.de loc.af. 4ª.20.H
Cruribus reſolutis ob affectum aliquem eam ſpinalis medullæ partẽ quę iuxta lumbos eſt infeſtantem,errant qui remedia cruribus adhibent, non ſpinæ.5°.de loc.aff. 4ª.35.C
Cruris corpus deorſum fertur,virtus attollit,ac ſuſtinet.2°.de ſympto. cauſis. 3ª.20.A
Crura nõ ſecus ac ſi reſoluta ſint iactare,quid ſignificet.de ijs quæ in medicat.ſi.com.1°. 7ª.198.B
Crus lapideum ſibi eſſe quidam ſomniabat,qui paralyticus fiebat.de dignot.ex inſom. 4ª.213.D
Crura reſoluta ſanata ſunt per medicamentum aptatum lumbis . 4°.de locis affectis. 4ª.25.B
ad Crurum mollificationem.ſecret. Sp.100.D
Crurum,& brachiorum vulnerũ differentia.de frac.com.2°. 7ª.238.F
Crurũ vlceribus confert ſectio venarum poſt aures.de ana.vi.Sp.55.A
Crus cum vulnere luxatum,quare non reparatur.de ſubfig. Iſa.33.G
ad Crura defendenda quib9 faſcijs vtant venatores.de faſcijs.Sp.293.G
pro Cruribus fractis inſtrumenta.7°.de vſu partium.1ª.161.G| 6°.methodi medendi. 7ª.41.G|H
in Cruribus fractis cur canali vti nõ debemus.de frac.cõ.2°. 7ª.239.B
in Crure quãtus canalis fieri debet.de ijs quæ in med.ſi.cõ.3°.7ª.216.D
pro Cruribus fractis laquei.6°.meth.med. 7ª.41.H
Crus,& brachium hñt diuerſam deligationẽ.de frac.com.2°. 7ª.239.A
Crure altior quo modo debet eſſe pes.de frac.com.2°. 7ª.238.E
Crura extenſa in qua figura ſine dolore poſſunt diutius teneri. de ijs quæ in med.ſi.com.3°. 7ª.217.D
Crus,ſeu femur ſi comminutum ſit,vbi callus circundatur gloſſocomum admouetur.de machin. 7ª.310.G
Crus non nunquam aufertur.de diff.mor. 3ª.4.G
CRVRA ſuũ,& pedes dant in ſiccis qui ſanant.7°.meth.me. 7ª.46.A
Crus pulicis præſtantius omni ſculptura.17°.de vſu par. 1ª.222.E
CRVRA, pars organorum.de machin. 7ª.309.E
Crura organorum ex materia robuſtior fieri debent.de mach. 7ª.309.D
Crura in organis quæ ſint.de mach. 7ª.309.F
Crura in organis immobilia ſunt.de mach. 7ª.310.F
Crura adiũcta organorũ ex robuſtiore mã fieri debẽt.de mac. 7ª.309.D
Crura adiuncta quid faciant in organis.de mach. 7ª.310.F
Cruribus quæ ſubijcitur capſula,qualis.de frac.com.2°. 7ª.239.D
CRVSTA velut operculum fit corporibus ſanguinem profundentibus. 1°.de ſimp.med.fa. 5ª.5.E
Cruſta ex quibus generetur.5°.meth.med. 7ª.31.C
Cruſtam quæ faciunt,qualia eſſe debent.5°.meth.med. 7ª.31.D
Cruſta fit ab igne,qui ſanguinem ſiſtit.1°.de ſimp.med.fac. 5ª.5.E
Cruſtas efficit calx viua.9°.de ſimp.med.fac. 5ª.71.B
Cruſtas excitat chalcitis cruda.de ther.ad Piſo. 5ª.97.E
Cruſtam non facit,nec ſepticus eſt (vt fertur) ſanguis equi admiſſarij. 10°.de ſimp.med.fac. 5ª.73.D
Cruſta facta quantum particulæ aduſtum eſt, tantum de naturali carne deperditur.5°.meth.med. 7ª.31.C
Cruſtam,quàm ἐσχάραν vocant,ceu ſeptum quoddam vlceribus vaſorum veteres excogitarunt.5°.meth.med. 7ª.30.D
Cruſtoſum vlcus.14°.meth.med. 7ª.90.A
cum Cruſta vlcus quomodo fiat.2°.de arte cur.ad Glau. 7ª.101.C
Cruſtæ vlcerũ cũ ſanguine qñ excernuntur.3°.de ſymp.cau. 3ª.28.B
Cruſte color in vlcere in peſtilentia qualis erat.14°.met.med. 7ª.90.A
Cruſtam facientibus medicamentis qñ vtendum.5°.meth.med. 7ª.31.D
Cruſtam quibus velis inducere,medicamentum Philoxeni. 3°.de comp. med.ſecun.loc. 5ª.148.B
Cruſtam inducens valde generoſum.5°.de compoſitio. medicamentorum per gen.253.G|H| 5ª.254.F
Cruſtas quæ tollunt.6°.de comp.medi.ſec.loc. 5ª.171.H
Cruſtas detrahit ononis.8°.de ſim.med.fac. 5ª.57.D
Cruſtas quæ optime diſrumpant.2°.de arte cur.ad Glau. 7ª.107.B
Cruſta vt cito excidat cephalicum cum mexe adhibitum.2°.de arte cur. ad Glauconem. 7ª.107.B
Cruſtæ quæ citius,& quæ tardius excidant.5°.meth.med. 7ª.31.D
ad Cruſtas excidentes quæ medicamenta conferant, 2°.de arte cura.ad Glauconem. 7ª.107.B
ad Cruſtas citra dolorem educendas.5°.de comp.med.per ge. 5ª.250.B
Cruſtæ non debent cito decidere.de ijs quę in med.ſi.com.2°. 7ª.210.F
Cruſtæ nõ sũt temere remouẽdæ ĩ ſanguinis ꝓfluuio.5°.met.med.7ª.31.D
Cruſta ablata multis ſupprimi ſanguis non potuit.5°.meth.med. 7ª.31.C
Cruſtula,quæ ephelcis vocatur,portendit vlcerationẽ particulæ, à qua excerni videtur.1°.de lo.aff. 4ª.2.F
Cruſtulam.i.ephelcida,quidam expuit tuſſi.5°.meth.med. 7ª.34.F
CRVSTAE oris affectus.introd. Iſa.59.C
de Cruſtis oris.6°.de comp.medi.ſec.loc. 5ª.171.G
Cruſtis in ore non conueniunt adſtringentia.6°.de compoſi. medicamen. ſecun.loc. 5ª.172.B
ad Cruſtas oris paſtillus.6°.de comp.med.ſe.lo. 5ª.172.A
ad Cruſtas oris.6°.de comp.med.ſe.lo.171.D|172.A|8°.5ª.188.G|de re med.par.fac. 7ª.158.A
ad Cruſtas in faucibus puerorum.de reme.fac.par. 7ª.165.D
ad Cruſtas,Archigenis.6°.de comp.med.ſe.loc. 5ª.172.B
ad Cruſtas,Critonis.6°.de comp.med.ſec.lo. 5ª.172.A
ad Cruſtas,Heraclidæ.6°.de comp.med.ſec.lo. 5ª.172.D
ad Cruſtas faciens medicamentum.6°.de comp.med.ſec.lo.5ª.272.C|E
CRVSTATA aĩalia,quę habent tenuem teſtam.3°.de ali.fa. 2ª.32.C
Cruſtata minus ſalſa ſunt,quàm teſtacea.3°.de ali.fa. 2ª.32.D
Cruſtatis animalibus non oriuntur pili.2°.de temp. 1ª.18.G
Cruſtatorum caro ſi cocta ſuccum ſalſum depoſuerit , aluum ſiſtit. 3°.de alimen.facul. 2ª.32.D
Cruſtata cur vitanda ſint his,qui tenuante diæta vti volunt . de attenu. vict.ratione. 2ª.45.E
CRVX marina.de dynam. Sp.24.B
CRYPSORCHIS quid.ſin.med. Iſa.49.D
CRYSTALLVS lapis quid.de ſimp.med. Sp.86.H
Cryſtallus lapis ſtringit,& lac prouocat.de ſimp.med. Sp.86.H
de CRYSTALLINO humore.10°.de vſu par. 1ª.178.B
Cryſtallinum,humorem gracilem appellat.7°.de dec.Hipp. 1ª.270.G
Cryſtallinus humor cur grando glacialis ab Ariſtotele appellatur . de de anat.viu. Sp.48.D
Cryſtallina figura qualis.10°.de vſu part.179.H| 7°.de decr.1ª.270.H| de anat.viuo. Sp.48.D
Cryſtallini humoris natura.9°.de vſu par. 1ª.177.F
Cryſtallinus humor eſt pars ſimilaris.1°.meth.med. 7ª.6.D
Cryſtallinus qualis ſit,& de eius ſitu,& figura rõ.de oculis. 7ª.182.G
Cryſtallinus in medio duorum humorum eſt,& qui ſint, et propter quid in medio illorum ſit.de ocul. 7ª.182.H
Cryſtallinus humor cur in profundo & medio poſitus ſit . de anatomia viuorum. Sp.48.D
Cryſtallinus humor poſt corneam.8°.de vſu par. 1ª.167.F
Cryſtallinus oculi humor eſt poſt albugineum.de ana.par. Sp.43.D
Cryſtallini humoris ſuperfluitas eſt albugineus.de ana.vi. Sp.48.E
poſt Cryſtallinum humorem interius verſus cerebrum poſitus eſt vitreus humor.de anat.viu. Sp.48.D
Cryſtallino in quo deſeruit vitreus humor.de ocul. 7ª.183.A
ad Cryſtallinum humorem ita ſe habet humor vitreus, vt ſtomachus ad hepar.de anat.viu. Sp.48.D
vſq; ad Cryſtallinum humorem ſeptẽ circuli.10°.de vſu par. 1ª.178.D
ante Cryſtallinum de tribus panniculis.de oculis. 7ª.183.B
Cryſtallinus humor à quo accipitur.9°.de vſu par. 1ª.177.F
ad Cryſtallinum humorem à cerebro portio quędam mittitur.8°.de vſu partium. 1ª.167.E
Cryſtallinus humor à quo nutriatur.9°.de vſu par. 1ª.177.F
Cryſtallini cibus qui ſit.de ocul. 7ª.183.A
circa Cryſtallinum humorẽ,qualis in ouis.10°.de vſu par. 1ª.179.C
poſt Cryſtallinum humorem ſpatium eſt plenum aqua & ſpiritu.10°.de vſu partium. 1ª.179.F
Cryſtallini humoris præcipua vtilitas.10°.de vſu par. 1ª.184.C
Cryſtallini humoris officium.7°.de decr.Hipp. 1ª.270.H
Cryſtallinus humor eſt tranſlucens, vt ſit ſuſceptibilis omnium formarũ intra ſe.de anat.viu. Sp.48.D
Cryſtallinus humor ſolus à coloribus alteratur.1°.de ſymp.cau. 3ª.14.B
Cryſtallinus humor principaliſſimum inſtr̃um viſus.de inſtr̃o odoratus. 110.G|8°.de vſu par.1ª.167.A|1°.meth.med.6.D|2°. 7ª.12.G
Cryſtallino humore fit viſus.de ocul. 7ª.182.G|H
in Cryſtallino humore non fit viſus, vt viſum eſt Ariſtoteli,ſed in pelliculis oculi.de vtil.reſp. Sp.63.C

Cryſtallinus humor quā rōnē habet in oculo, hāc habet in auribus audiē di meatus finis, vbi neruo dilatato cōiūgitur. 1°.de ſymp.cau. 3ª.15.F
vt Cryſtallinus humor ſe habet ad viſum, ita interior pars oſſis petroſi ad auditum. de anat.viu. Sp.48.H
Cryſtallinus ex intemperie poteſt laborare. 2°.meth.med. 7ª.12.H
Cryſtallini humoris morbi in octo tēperamentis. 1°.de ſym.cau. 3ª.14.C
Cryſtalloide arefacta erit noxa perſeuerans & eſſentiæ ipſius proprius affectus. 1°.de loc.aff. 4ª.4.A
Cryſtallinus humor poteſt diuidi, & pati ſolutionem vnitatis. 1°.de ſympto.cauſis. 3ª.14.C

CTESIPHONTIS emplaſtrū. 6°.de compo.me.per g. 5ª.261.C
Cteſiphontis Cerine. 6°.de comp.med.per gen. 5ª.262.B

CVBARE humi plus lædit conſiſtentes, quàm iuuenes. commenta. 3°. aphor. 30°. Ex.26.D
Cubare humi numeratur inter cauſas quibus iuuenes corripiuntur morbo comitiali. com.3°.aph.29°. Ex.26.C
Cubare humi numeratur inter cauſas, ob quas iuuenibus accidunt ſanguinis ſpuitiones. com.3°.aph.29°. Ex.26.C
Cubare quo modo æger debet. in progn.com.1°. 4ª.193.C
Cubare ſupinum non bonum. in progn.com.1°. 4ª.193.E
Cubare in ventrem quo modo malum. in progn.com.1°. 4ª.193.H
Cubare ſupine quam noxam faciat pectori. in prog.com.1°. 4ª.194.A
CVBEBARVM drachmę duæ ad aperiendum oppilationes, quæ accidunt in membris interioribus. de med.exper. Sp.106.B
Cubebę fit mentio. ſecret. Sp.102.A
CVBICVLVM quod ſeruat res, quale eſſe debet. 11°.de ſimpli.medicamento.facul. 5ª.79.F
in Cubiculo febricitantium quę ſunt ſternenda. 10°.meth.med. 7ª.64.E
Cubicula calida ad meridiem. 11°.de ſimp.med.fac. 5ª.79.F
Cubilium diſcrimina omnia non ſunt neceſſaria. ad Thra. 2ª.104.D
Cubile præter conſuetudinē aut molle, aut durum, aut quod ſub diuo eſt, laborem facit. de vic.ra.in mor.acu.c.2°. 7ª.124.C
Cubile durum extenuat, quia ſolicitat corpus, comprimit, cōſtringitq́;, itaq; eius in oēm partem incremētū interpellat. de ſal.diæ. 2ª.41.D
in Cubili frigido ſomnum capiat calida natura tempore calido. in 6^{m}.de morb.vulg.com.4°. 3ª.185.E
de CVBITO. de oſſibus. 1ª.42.H
Cubitus quid ſit. intro. Iſa.53.B / 2°.de vſu par. 120.H / 2°.de motu muſc. 1ª.313.F / de frac.com.2°.240.C / de artic.com.4°. 7ª.286.D
Cubitum quid appellarunt nonnulli. de fract.com.2°. 7ª.231.G
Cubitus, os ſolū vocatur apud Hippocratem. de frac.com.2°. 7ª.236.E
Cubitus pars manus. 2°.de vſu par.1ª.120.H / de inæq.intemp. 3ª.43.D
Cubitus in manu qualis in crure tibia. 3°.de anat.adm.1ª.74.A / de frac. commen.2°. 7ª.232.H
Cubitus quot oſſium ſit. de fract.com.1°. 7ª.227.B
Cubiti oſſa inæqualia ſunt. de frac.com.3°. 7ª.249.D
Cubiti os longius eſt q̃ radij. de fract.com.1°. 7ª.224.F
Cubiti particulæ in duas regiones diuiduntur. 1°.de ana.adm. 1ª.65.G
Cubiti quę pars ſit ἀγκών. de frac.com.3°. 7ª.249.E
Cubiti gibber, quē gręci ancona vocāt. 3°.de comp.me.per gen. 5ª.231.E
Cubiti gibbus quid ſit. de frac.com.2°. 7ª.240.C
Cubitum, poſſe ſignificare partem cauam, collige ex verbis Hippocratis cum inquit, In cubito in laterali morbo. com.1°.aph.12°. Ex.6.A
in Cubito os paruum radius dicitur. 2°.de vſu par. 1ª.121.B
Cubito ſubeſt radius. de oſſibus. 1ª.43.A
Cubiti os maius proprie vlna dicitur. 2°.de vſu par. 1ª.121.B
in Cubito vlnæ finis craſſior eſt. 2°.de vſu par. 1ª.125.C
in Cubito cur partes craſſiores. 2°.de vſu par. 1ª.125.B
Cubiti cur habent mollem ſubſtantiam. 1°.de vſu par. 1ª.115.G
de Cubiti ſectione. 1°.de anat.adm. 1ª.65.H
Cubitum ſecandi modus. 1°.de anat.adm. 1ª.65.E
Cubitum ſecandi principium vnde. 1°.de anat.adm. 1ª.65.H
Cubiti ſectio & neruorum. 3°.de anat.adm. 1ª.75.C
in Cubito hn̄t ſimiæ alios muſculos, quā alia aīalia. de muſ.diſſ. 1ª.48.B
Cubiti muſculorum numeratio & ortus, ac finis. de muſc.diſſ. 1ª.48 B
in Cubito muſculi tironibus ſunt quindecim, veteranis decem & ſeptē. de muſc.diſſ. 1ª.48.B
Cubiti & extremę manus muſculi ſunt viginti tres, & quo modo. de vſu partium. 1ª.120.H
Cubiti & extremæ manus muſculorum ſitus. 2°.de vſu par. 1ª.120.H
Cubiti & extremę manus muſculorū vtilitas. 2°.de vſu par. 1ª.120.H
intra Cubitum diſſecandus muſculus primus oīum. de muſ.diſ. 1ª.48.G
intra Cubitum ſunt ſeptem muſculi, quorum officium eſt flectere brachiale, & digitos, & radiū in pronū circūagere. de muſ.diſſ. 1ª.48.F
Cubitum totum occupātes muſculi quomodo ſint octo, vel ſex, vel ſeptē. 1°.de anat.adm. 1ª.66.F
à Cubito medio à foris muſculus. 1°.de anat.adm. 1ª.65.A
inter Cubitum, & radium mediam regionem totam replentes muſculi. de muſ.diſſ. 1ª.48.H
in Cubito muſculus, in quo omnes errarunt. de muſ.diſſ. 1ª.48.C
in Cubiti interna parte, motus magni muſculi. 1°.de mot.muſ. 1ª.309.G
Cubiti rectam extenſionem qui muſculus facit. de muſ.diſſ. 1ª.48.B
Cubiti os extēdit à muſculis, qui in cubito ſunt foris finiētes in ἀγκῶνα. 1°.de motu muſ. 1ª.311.A
Cubiti dearticulationem mouentes muſculi vnde oriantur, ac vbi deſinant. de muſ.diſſ. 1ª.47.H
Cubiti dearticulationem extendentes muſculi, qui. de muſ.diſſ. 1ª.48.A
Cubiti, & fœmoris drię in articulatione. de frac.com.2°. 7ª.240.B
ad Cubitum neruus tenuis defertur. 4°.de loc.aff. 4ª.25.B
ad Cubiti flexum primum neruum abſumi vidit Galenus. 3°.de anatomia adminiſtrationib. 1ª.75.G
Cubiti gibbus, & poples diuerſo mō flectūtur. de frac.cō.2°. 7ª.240.C
ad Cubiti curuaturam nullus neruus. 16°.de vſu par. 1ª.218.C
in Cubito & humero quæ actio fiat. ad Thraſ. 2ª.104.H
in Cubito quibus vena non pulſat, ſunt ſtupidi. ꝙ animi mores. 1ª.320.C
in Cubito quibus vena pulſat, ſunt furioſi & iræ pręcipitis. ꝙ animi mores corporis temperaturam ſequantur. 1ª.320.C
ad Cubitum quæcunq; rupta ex dorſo deſcendunt, venæ ſectio ſoluit. cōmen.6°.aph.22°. Ex.48.D
in Cubiti interno articulo venę plures quæ ſecari ſolent. de vic. ratio.in in mor.acu.com.2°. 7ª.117.C
ex Cubito ſanguinis mittendi tres loci. de cur.rat.p ſang.miſſ. 6ª.20.A
Cubiti vena q̃ in quib⁹ affectibus incidēda. de cur.ra.p ſan.miſ. 6ª.20.A
Cubiti vena ſecta quas partes iuuet. de cur.rat.per ſang.miſſ. 6ª.20.E
Cubiti venæ ſectionem petunt membra ſupra iecur. in 6^{m}.de morb.vul. commen.1°. 3ª.156.A
Cubiti vena ſecanda, vel vomitus prouocandus, ſi fluxio ſit in crura vel pedes. in 6^{m}.de mor.vul.com.2°. 3ª.162.C
Cubiti vena ſecāda eſt capite vitiato. in 6^{m}.de mor.vul.com.2°. 3ª.162.C
à Cubiti venæ ſectione mēſtrua cohibent̄. de cur.rat.p ſan.miſ. 6ª.20.E
Cubiti vena interna ſecāda in iecoris phlegmone. 13°.meth.me. 7ª.82.H
pro Cubiti vena interna quando ea non apparet, media ſecanda in iecoris phlegmone. 13°.meth.med. 7ª.82.H
Cubiti venam mediam ſecato melancholico ſanguine abundante. 3°.de locis affectis. 4ª.18.G
Cubito ſecta arteria qd mali fecerit. de cur.rat.per ſang.miſſ. 6ª.21.D/E
ad Cubiti phlegmonas valent oua tota cruda. 11°.de ſim.me.fa. 5ª.81.E
Cubiti robori ſi phlegmonē hēat, nō ē vt cōſulas. 13°.meth.me. 7ª.84.E
Cubitos tenuiores habentes quo modo ad naturalem habitum reducant̄. 5°.de ſan.tuen. 2ª.90.D
ex Cubiti & femorum parte poſteriore magis incipiunt viris rigores. com.5°.apho.69°. Ex.45.D
Cubiti iuncturarum morbi, qui. introd. Iſ.59.C
Cubitus per ſe lædi poteſt radio inuiolato. de machin. 7ª.320.D
Cubitus quo modo excidat. introd. Iſa.60.G
Cubito, cum in aliquam trium partium excidit, aptiſſimus laqueus. de laqueis. 7ª.306.G
Cubito, femori, humero ſolū aptatur vinculum variū. de faſcijs. 7ª.293.E
ad Cubitum faſcia glomerata. de faſcijs. 7ª.304.H
in Cubito deligatio q̃ fieri debet. de ijs quę in med.fi.com.2°. 7ª.206.C
Cubiti figuratio in deligatione qualis. de frac.com.1°. 7ª.227.E
ſupra Cubitos tunica nō geſtāda. de ijs quæ in med.fi.cō.1°. 7ª.202.G
Cubitus diſtortus in ſuperiorem partem quo modo deligandus. de ijs quæ in med.fi.com.2°. 7ª.213.H
Cubitus diſtortus in inferiorem partem quo modo deligandus. de ijs quæ in medic.fi.com.2°. 7ª.213.H
ad Cubitum continendum laqueus. de laqueis. 7ª.307.A
Cubitus in quot partes erūpat, & q̄uo reſtauretur. de mach. 7ª.312.H
Cubitus elapſus quomodo reſtituatur. de mach. 7ª.320.B
Cubitus luxatus quomodo inſtaurandus. de mach. 7ª.314.E
Cubitus, & radius q̄uo inſtaurentur. intr. Iſa.60.G / de mach. 7ª.313.D
Cubitus quomodo inſtauratur. de frac.com.3°. 7ª.250.B
Cubiti gibbi dimotio & inſtauratio. de art.com.1°. 7ª.262.B

Cubiti iunctura difficilius, q̃ genu inſtauratur. de fract. cõ. 3°. 7ª.250.A
ad Cubitum reſtituendũ ſpatha proprie adhibetur. de machin. 7ª.318.F
pro Cubito reſtituẽdo in quãcunq; partem prolapſo. de mach. 7ª.318.F
Cubito quatuor modis praue ſubijcitur mitella. de frac. com. 1°. 7ª.231.B
Cubitum luxatum reſtituit Galenus. de artic. com. 1°. 7ª.256.B
Cubiti os craſſius vulneratum facilius ſanatur. de frac. com. 1°. 7ª.227.B
Cubitus ſinu laborans qũo ſanatus. de ijs quę in med. fi. com. 2°. 7ª.212.C
Cubiti gibbus, & poples diſſimili mõ implent̃. de frac. com. 2°. 7ª.240.B
Cubiti oſſis fractura. de frac. com. 3°. 7ª.250.E
in Cubiti fractura dies primæ. de frac. com. 1°. 7ª.230.F
Cubiti oſſa quot diebus corroborẽt, & inſtaurent̃. de frac. c. 1°. 7ª.229.H
Cubiti fracturæ quo tempore conſolidentur. de frac. com. 1°. 7ª.230.B
Cubiti oſſa fracta breuiora redduntur. de frac. com. 3°. 7ª.242.F
Cubiti fracturæ victus qualis eſſe debeat. de frac. com. 1°. 7ª.230.E
in Cubiti fractura obſonia. de frac. com. 1°. 7ª.230.F
in Cubiti fractura à vino, & à carne abſtinẽdum. de frac. c. 1°. 7ª.230.G
Cubitus nonnunquam aufertur. de diff. mor. 3ª.4.G
CVBITI pars organorum. de machin. 7ª.309.E
Cubiti organorum ex robuſtiori materia fieri debẽt. de mach. 7ª.309.D
Cubiti ad quem vſum in organis. de mach. 7ª.309.F
Cubiti cum organa mouentur vſui ſunt. de mach. 7ª.310.F
Cubiti in organis locum mutant. de mach. 7ª.310.F
CVBVS. quibus conſtet. 8°. de decr. Hipp. 1ª.274.G
Cubiforme os vbi articulatur. de vſu par. 1ª.130.B
CVCVLVS quid. de ſimp. med. Sp.83.C
Cuculus vires habet ſtringẽtes, & bñ refrigerãtes. de ſim. med. Sp.83.B
CVCVLI piſces habent duram carnem. 3°. de ali. fac. 2ª.31.F
Cuculi piſces ægre concoquuntur, & pariunt ſuccos craſſos & ſalſos. 3°. de alimen. fac. 2ª.31.F
CVCVMER erraticum quid, & eius vires. de ſimp. med. Sp.83.A
Cucumis, qualis. 8°. de ſimpli. med. fa. 5ª.60.E
Cucumeres quidam dulces ex amaris fiunt. 4°. de ſim. med. fac. 5ª.28.G
Cucumeres reponuntur. de bon. & vitio ſuc. 2ª.36.H
Cucumeres ſunt frigidi. de diff. cont. Sp.74.D
Cucumeres ſunt humidi. de diff. cont. Sp.74.D
Cucumis frigidus eſt & humid⁹ in ſcđo ordine. 8°. de ſim. me. fa. 5ª.60.E
Cucumeres minus humidi peponibus. 2°. de ali. fa. 2ª.17.B
Cucumeres non facile corrumpuntur in ventriculo, vt pepones. 2°. de alimen. facul. 2ª.17.B
Cucumer agreſtis ſtomachum non euertit. de dyna. Sp.21.H
Cucumer eſt cibus carẽs ferè nutrimento. de ve. ſe. aduer. Eraſ. 6ª.14.C
Cucumeres ſunt mali ſucci. de bon. & vit. ſuc. 2ª.37.F
Cucumer eſt cibus craſſus. de diff. cont. Sp.73.A
Cucumeres generant ſuccum frigidum. de diff. cont. Sp.74.B
Cucumeres gñant viſcoſos, craſſos, et fridos hũores. de pu. epi. 7ª.180.D
Cucumeres comedentes etiam ſi concoquant, implentur tamen ſuccis frigidis ac mediocriter craſſis. 2°. de alim. fac. 2ª.17.D
Cucumeres ſi non concoquantur in ventriculo, vertuntur in ſuccum letalibus venenis ſimilem. de bon. & vit. ſuc. 2ª.37.F
Cucumeres quando commode ſumi poſſunt. de bon. & vit. ſuc. 2ª.39.B
Cucumeres nullam habent adſtringentẽ qualitatẽ. 2°. de ali. fac. 2ª.18.H
Cucumeres mouent vrinam. 2°. de ali. fac. 2ª.17.B
Cucumeres ſemen ſupprimũt, tñ nõ corrũpũt. 5°. de ſimp. med. fa. 5ª.38.C
Cucumeris caro in oculorũ doloribus. 4°. de comp. med. ſec. loc. 5ª.157.F
Cucumeres maturi minus exiccant, quàm amygdalę et terebinthi ſemẽ. 5°. de ſan. tuen. 2ª.92.C
CVCVMIS agreſtis ſuccus elaterium dr̃. 8°. de ſimp. med. fac. 5ª.60.E
Cucumi agreſtis qua doſi pituitam educat. de dyna. Sp.21.H
Cucumeris agreſtis radix hydropicis vtiliſſima. de dyna. Sp.22.B
Cucumeris agreſtis radix pro dolore capitis ex frigore. de remedijs paratu facilibus. 7ª.153.F
Cucumeris ſylueſtris radix tenuium partium eſt abſque morſu & lapidem in renibus atterit. 3°. de comp. medica. ſec. lo. 5ª.141.C
è Cucumeris agreſtis radicibus oleũ faciebat Galenus pro veteri oleo. 6°. de comp. me. per ge. 5ª.258.A
Cucumeris agreſtis radix ſi oleo admiſta et decocta fuerit, catharticam & thermanticam virtutem oleum habet. de ſimp. med. Sp.88.E
ex Cucumeris agreſtis radice in oleo decocta mitigatorium in durioribus corporibus. 3°. de comp. med. per ge. 5ª.235.A
ex Cucumeris agreſtibus oleum rarefacit. 5°. de ſimp. med. fac. 5ª.35.F
Cucumeris agreſtis radix emollit. 5°. de ſimp. med. fac. 5ª.34.F
Cucumeris ſylueſtris radix multum diſcuſſoria. 1°. de comp. medicamentorum ſecun. loc. 5ª.130.A
Cucumeris ſylueſtris radix ĩ oleo cocta ꝑ ſcirrhis. 14°. met. me. 7ª.88.B
Cucumeris agreſtis radix pro reſolutione tumoris. 2°. de arte curati. ad Glauconem. 7ª.105.F
Cucumeris ſylueſtris radix ad neruos vulneratos. 3°. de compoſi. medic. per genera. 5ª.234.B
Cucumerum quædam ſemina, amara apparent guſtantibus. 4°. de ſimp. medcamen. fac. 5ª.26.E
Cucumeris ſemen mitigatorium eſt. 8°. de comp. med. ſec. loc. 5ª.196.B
Cucumeris ſemen ad ſtomachi ardorem cum ſyncope. 8°. de comp. medicamen. ſec. loc. 5ª.191.H
Cucumeris ſatiui toſti ſemen. 10°. de comp. med. ſec. loc. 5ª.106.D
Cucumeris repurgati ſemen. 10°. de compoſitio. medica. ſec. lo. 5ª.106.D
CVCVRBITA ſylueſtris quid, & eius vires. de ſimp. med. Sp.82.A
Cucurbitæ recenſentur inter olera hortenſia. 2°. de ali. fac. 2ª.16.D
Cucurbita non differt ab oleris mollientibus. de pue. epil. 7ª.180.C
Cucurbita eſt ἄποιος, ideſt expers ſaporis. 2°. de ali. fac. 2ª.16.F
Cucurbita. ſi cui eorum quę vehementem habent facultatem miſceatur, facile ei aſſimilatur. 2°. de alim. fac. 2ª.16.G
Cucurbita quando dicitur πέπειρα. i. matura. 2°. de ali. fac. 2ª.17.A
Cucurbita eſt frigida certe. in 6ᵐ. de mor. vul. c. 5°. 3ª.194.B
Cucurbita humida ẽ et frigida ĩ ſcđo ordine. 7°. de ſimp. me. fac. 5ª.52.A
Cucurbita eſt ex cibarijs frigidis. de diff. cont. Sp.74.D
Cucurbita eſt humida. de diff. cont. Sp.74.D
Cucurbita lenta & humida eſt. 1°. de alim. fac. 2ª.8.C
Cucurbitæ ſunt humidæ, frigidæ, ac pituitoſæ, præſertim ſi crudæ, & nõ elixæ edantur. de atten. vict. rat. 2ª.44.A
Cucurbitæ nullam habent adſtringendi qualitatẽ. 2°. de ali. fa. 2ª.18.H
Cucurbitæ quomodo ſeruantur. de bon. & vit. ſuc. 2ª.36.H
Cucurbitæ caro quomodo in hyemem ſeruetur. 2°. de ali. fac. 2ª.16.D
Cucurbita cruda inſuauis ſtomachumq; lædit, & cõcoctu difficillima eſt. 2°. de alimen. fac. 2ª.16.F
Cucurbitã modi coquendi. 2°. de ali. fac. 2ª.16.F
Cucurbita cur vario modo apparatur. 2°. de alim. fac. 2ª.16.G
Cucurbita quomodo ſit cibus ſuauiſſimus. 2°. de alim. fac. 2ª.16.G
Cucurbita origano gaudet. 2°. de alim. fac. 2ª.16.H
Cucurbita cur cydonijs elixa auſterum ſuccũ facit. 2°. de ali. fa. 2ª.16.H
Cucurbitas duriores cur quidam elixant. de atten. vic. 2ª.44.A
Cucurbita aſſa, frixa, perdit aliquid humiditatis. 2°. de ali. fac. 2ª.16.H
Cucurbita non eſt damnanda. de bon. & vit. ſucc. 2ª.37.F
Cucurbitę, citruli, endiuia, lactucæ facilius digeruntur quàm apium, & carbthum. de diff. cont. Sp.73.D
Cucurbita eſt cibus carẽs ferè nutrimẽto. de ve. ſec. aduer. Eraſ. 6ª.14.C
Cucurbitæ parum nutriunt propter multitudinem humiditatis. de diſſolutione continua. Sp.73.F
Cucurbita præbet alimentum humidum, tenue. 2°. de ali. fac. 2ª.25.C
Cucurbita eſt cibus ſubtilians primi generis. de diff. cont. Sp.72.D
Cucurbita coquitur non ægre in ventriculo, niſi prius corrupta fuerit. 2°. de alim. fac. 2ª.16.G
Cucurbita cur in ventriculo corrumpatur. 2°. de ali. fac. 2ª.16.G
Cucurbita ſi in ventriculo corrumpatur, malum valde ſuccum gignit. de bon. & vit. ſuc. 2ª.37.F
Cucurbita non eſt mali ſucci. de bon. & vit. ſuc. 2ª.39.B
Cucurbitę generant chymum frigidum. de diff. cont. Sp.74.B
Cucurbita paruum præbet alimentum, frigidum, & humidum. 2°. de alimento. facul. 2ª.16.G
Cucurbita & milium cibi frigidi, non autem frigidiſſimi, ſecundum Galenum. in 6ᵐ. de mor. vul. com. 5°. 3ª.194.B
Cucurbitæ generant viſcoſos, craſſos, & frigidos humores. de puero epileptic. 7ª.180.D
Cucurbita facile ſubſidet. 2°. de alim. fac. 2ª.16.G
Cucurbita cur facile deſcendit, & ſubducit ventrẽ. 1°. de ali. fac. 2ª.8.C
Cucurbita lenit ventrem. de diff. cont. Sp.75.A
Cucurbita contra ſitim. 7°. de ſimp. medica. fa. 5ª.52.A
Cucurbitæ debent dari calidis, & ſiccis æſtate. de bo. & vi. ſuc. 2ª.39.B
Cucurbita calidas phlegmonas mediocriter refrigerat. 7°. de ſimp. medicamen. fac. 5ª.52.A
Cucurbitæ in phrenitide, & lethargo. 13°. meth. me. 7ª.85.F
Cucurbita in febre danda. 4°. de ſani. tu. 2ª.87.G
Cucurbita vtilis eſt in febre tertiana. 1°. de arte cur. ad Glau. 7ª.97.C
Cucurbitę in cancro pro cibo. 2°. de arte cu. ad Glau. 7ª.107.E
Cucurbitas apponit collo, & mento. 6°. de comp. med. ſec. loc. 5ª.174.A

Cucurbitæ ſuccus

Cucurbitæ ſuccus refrigerat.1°.de arte cur.ad Clau. 7ª.99.C

Cucurbitæ ramenta vuę immaturæ ſucco admixta pro capite refrigerando.2°.de comp.med.ſec.loc. 5ª.132.G

Cucurbitam capiti imponebant in phreniti.13°.meth.me. 7ª.85.D

Cucurbitę ramentorum ſuccus ad aurium dolores cum phlegmone iunctos vtile eſt.7°.de ſimp.med.fac. 5ª.52.A

Cucurbita circa ſtomachum appoſita eius dolorem eximit. 8°. de compo.medicam.ſecun.loc. 5ª.192.D

Cucurbitas minus exiccare, quàm amygdalas & terebinthi ſemen, collige.5°.de ſan.tu. 2ª.92.C

Cucurbita ſemen ſupprimit, tñ nõ corrũpit.5°.de ſimp.med.fac. 5ª.38.C

Cucurbitæ ſeminibus ſimilia excrementa indicia ſunt vermium latorũ. 1°.de locis affect. 4ª.6.C

ex Cucurbita ſicca vſta medicamẽtũ, valde ſiccat.5°.meth.me.7ª.36.D

Cucurbita ſicca vſta conuenit vlceribus humidis ſimul & citra phlegmonen callo induratis, & maxime vlceribus quæ in pudendorũ præputijs fiunt.6°.de ſimp.med.facul. 5ª.40.H

Cucurbitæ ſylueſtris radix.14°.met.med. 7ª.91.E

Cucurbitæ agreſtis radix pro roſmarino ſumitur, ſi is ad manum non ſit, quia efficaciter euaporat in oleo cocta.4°.de ſan.tuen. 2ª.87.B

Cucurbita pro obſonio in cubiti fractura.de frac.com.1°. 7ª.230.G

CVCVRBITAE cur excogitatæ.4°.met.med. 7ª.29.D

Cucurbitula propter quid inuenta, & quid faciat ad profunda. 13°.methodi meden. 7ª.85.A

Cucurbitulas affigebant miniſtri medicorum. in 6m.de morb.vulgarib. commen.5°. 3ª.188.C

in Cucurbitulis flamma ſtatim extinguitur, ſed caliditas remanet.de vſu pulſuum. 1ª.228.G

Cucurbitæ medicinales cur extinguunt ignem.de vtil.reſp. 1ª.224.F

Cucurbita quo modo obſtruatur flamma.de cauſ.mor. 3ª.7.C

Cucurbita motũ flammæ immodice intra cohibet.de vtil.reſp. 1ª.224.H

Cucurbita pforata nõ põt intra ſe extinguere flãmã.de vſu p. 1ª.224.H

Cucurbitularũ drĩa à materia, et à figura.de cucur.et ſcar.etc.6ª.3.D/E

Cucurbitulæ acutũ os habentes quibus competant.de cucur.ſcar. 6.3.E

Cucurbitulę, quæ commodius affiguntur.de cucur.& ſcar. 6ª.3.E

Cucurbitulæ, quæ capiti vtiliter applicantur.de cucur.& ſcar. 6ª.3.E

Cucurbitulę humiliores ĩ capite magis accõmodant.de cuc.et ſca.6ª.3.E

Cucurbitularum ænearum frequentior erat vſus apud antiquos. de cucurbitulis, ſcarifica. 6ª.3.D

Cucurbitularum ænearum tractus, quemadmodum etiam vitrearũ per ignem fit.de cucur.ſcar. 6ª.3.E

Cucurbitularum cornearum tractus fit ſine igne.de cucur.& ſca.6ª.3.E

Cucurbitulis corneis in capite vtimur.de cucur.& ſcar. 6ª.3.D

Cucurbitulę trahunt citra calefactionem.13°.meth.med. 7ª.82.D

Cucurbitulæ quæ magis attrahunt.de cucur.& ſcar. 6ª.3.E

Cucurbitula maxima facit fortiorẽ attractionẽ.c.5°.aph.50°. Ex.42.B

Cucurbitulæ ſint vitreę in quibus ſanguinis euacuationem conſiderare eſt opus.de cucur.& reuul. 6ª.3.D

Cucurbitulas argenteas, quia vehementius igniuntur, reijcimus.de cucurb.& reuuſ. 6ª.3.D

ante Cucurbitulas oportet prius comediſſe omnino, vel aquam bibiſſe à leui nutrimento, & iam ſubducto.de cucur.ſcar.& c. 6ª.3.C

Cucurbitulæ quibus partibus imponendæ ſunt, eæ partes quomodo ſituandę.de cucur.ſcar. 6ª.3.D

Cucurbitula cui parti apponenda eſt, ea prius rubeſcat & tumeſcat. de cucur.reuul. 6ª.3.C

Cucurbitulæ cum modico igne applicãdæ ſunt.de cucur.ſcar.etc.6ª.3.D

Cucurbitulæ in capite cum multo igne haud ſunt infigendæ, vehementer enim attrahunt, & difficulter auelluntur.de cucur.ſcar. 6ª.3.D

ante Cucurbitulas venter emolliatur.de cucur.ſcar. 6ª.3.C

Cucurbitularum vſus non conuenit in plethora.de cucur.ſcar. 6ª.3.B

Cucurbitulæ ſunt vtiles euacuatis corporibus.de cucur.ſcarifi. 2.E/3.B/ de cur.rat.per ſang.miſſ.6ª.20.G/13.°meth.med. 7ª.85.B

Cucurbitulis non vtimur dum morbi fiunt.de cucur.ſcar. 6ª.3.B

Cucurbitula minime membris laborare incipiẽtibꝰ, ſed ijs quæ cõtinuatahis ſunt, imponẽda, auellẽdi in cõtrariũ cã.13°.meth.med. 7ª.85.A/B

Cucurbitulæ non apponendæ dum materia fluit.de hirud.reuulſ.cucurbitu.& ſcarifi.2.E/ 6ª.3.B

Cucurbitulis vti non debemus in principijs vlla particula phlegmone laborante.de cucur.ſcar.6ª.3.B/13°.meth.med. 7ª.85.A

Cucurbitulis vti non debemus in principio, vbi cerebrũ, & eius mẽbranæ phlegmone laborarunt.de cucu.ſcar.6ª.3.B/11°.met.me. 7ª.73.E

Cucurbitula inſenſa eſt phlegmoni ſuperficiali.de conſt.ar. Iſa.41.E

Cucurbitulis quando vti poſſumus.de cucur.ſcar.2.E/ 6ª.3.B

Cucurbitula vtimur ad locorum contuſionem.fin.med. Iſa.48.H

per Cucurbitulas qñ nõ exit ſanguis, quid agendum.de cuc.ſcar.6ª.3.C

Cucurbitulę replicandæ ſi non ſit ſatis euacuatum.de cucur.ſcar.6ª.3.D

Cucurbitulæ qñ non poſſunt auelli, quid agendum.de cuc.ſcar. 6ª.3.D

Cucurbitulã ponit ẽt ſine ſcarificatione.de cur.rat.p ſang.miſſ. 6ª.20.G

Cucurbitularum ſine inciſione vſus conuenit in mediocri dolore, & in ſimilibus.de cucur.reuul. 6ª.3.C

Cucurbitulæ incidendæ ſunt in particulis repletis, & vbi eſt corrupta materia.de cucur.ſcarifi. 6ª.3.C

Cucurbitulæ actio, quæ.3°.de loc.aff. 4ª.15.D

Cucurbitula reuulſionis cauſa imponenda eſt.de cucur.ſcar. 6ª.3.B

Cucurbitula quæ bona facere poteſt.de hirudinibus, reuulſione, cucurbi. cutis conciſione, ſeu ſcarif.2.F/ 6ª.3.F

Cucurbitula poteſt:
- Capitis materiam vacuare,
- Dolorem ſoluere,
- Phlegmonen minuere,
- Inflationem diſcutere,
- Appetentias reuocare,
- Imbecillum, exolutumq́; ſtomachum roborare,
- Animi defectiones remouere,
- Quæ in profundo ſunt ad ſuperficiem transferre,
- Fluxiones exiccare,
- Sanguinis eruptiones cohibere,
- Menſium circuitus ſuggerere,
- φθοροποιοὺς δυνάμεις.i.facultates corruptionem inducentes attrahere,
- Rigoribus finem imponere,
- Circuitus ſoluere,
- à Cataphora.i.inclinatione in ſomnum, excitare,
- Somnos conciliare,
- Grauitates alleuare.de cucur.ſcarif. 6ª.3.E

Cucurbitula leuat dolores recentes, aut etiam vigentes. de curan.ra.per ſang.miſſ. 6ª.20.G

Cucurbitula admota cum flãma copioſa curatur dolor ex ſpiritu flatuoſo.12°.meth.med. 7ª.79.H

Cucurbitulis vehementibus eſt vtendum, in quibus roborare volumus. de cucur.reuul. 6ª.3.C

Cucurbitula ſuper caput memoriam deperditam inſtaurat, ſecundũ Archigenem.3°.de locis affect. 7ª.15.F

Cucurbitula nõ põt p occaſionẽ aliq̃ adhiberi capiti.3°.de loc.af. 4ª.16.A

Cucurbitulę adhibendę in alopecia.1°.de comp.med.ſe.lo. 5ª.122.H

Cucurbita in occipite ad oculorum fluxiones.13°.meth.med. 7ª.85.B

Cucurbitulæ cur apponantur ſupra occiput, cum ad oculos, & partes anteriores humores fluant.2°.de cõpo.medi.ſec.lo. 5ª.137.H

Cucurbitula occipiti quo modo apponenda.de rem.par.fac. 7ª.156.B

Cucurbitula ad parotidas.3°.de comp.me.ſe.lo. 5ª.146.D

vnà cũ Cucurbitularũ vſu, ſanguine miſſo ex partibus ſm occiput, diuturnæ oculorũ fluxiones ſępius ſanatæ ſunt.cõ.5°.aph.68°. Ex.45.D

Cucurbita ſupra ceruicem appoſita confert ſanguine e naribus profluente.5°.meth.med. 7ª.32.A

Cucurbitulam capiti apponere in ſanguinis profluuio præſentiſſimum eſt remedium.de med.fac.par. 7ª.163.F

Cucurbitulas quæ hypochondrijs affigũtur ſępenumero ſanguinis ad nares impetum reuulſiſſe viſum fuit, & etiam per vterũ immodicas irruptiones.de cucur.ſcar.6ª.4.F/5°.meth.me.30.E/13°. 7ª.85.B

Cucurbitula in dextro hypochondrio appoſita ſupprimitur ſanguis à nare dextera, ſicuti in ſiniſtro a ſiniſtra.de cur.rat.per ſan.miſ.6ª.19.H

per Cucurbitulas retrahitur ſanguis è naribus profluens: ſuper lienem quidem applicita, ſi è ſiniſtra: ſuper iecur vero, ſi è dextra exeat. 1°. de arte cur.ad Glau. 7ª.100.F

in Cucurbitulis ſeruat rectitudinẽ loci patiẽtis.de med.fa.pa.7ª.163.D

Cucurbitula applicatur hepati, & lieni in fluxu ſanguinis narium quo modo.de rem.par.fac. 7ª.55.H

Cucurbitula in pulmonis inflammatione.11°.meth.med. 7ª.73.E

Cucurbitulæ quando apponendæ hepati, & ſpleni. 2°.de arte curati.ad Glauconem. 7ª.102.G

Cucurbitulæ ſpleni apponendæ, vbi ſplenicus morbus perſeuerat. 9°.de compoſi.medi.ſec.loc. 5ª.202.A

Cucurbitulæ contra inflammationes in melancholicis. de mel.ex Galen. Ru.& Poſſ. Sp.110.C

Cucurbita magna circa vmbilicum cum multo igne ſedat dolorem. 2°.de arte curati.ad Glauconem. 7ª.104.G
Cucurbitulæ prope mammas non ponendæ.de cucur.reuulſ. 6ª.3.C
Cucurbitula iuxta mãmas reuulſoriũ eſt p̃ſidiũ.de cucur.ſcarifi. 6ª.4.F
Cucurbitula reuellit ex contrarijs partibus:à mẽſtruis ſuperfluis appoſita proxima mammis:à ſanguine narium,hypochondrijs . de hirudi. reuulſ.cucur.ſcarif. 6ª.2.D
Cucurbitula ſub mammis pro reuellendo ab vtero.5°.methodi medendi. 30.E/13°. 7ª.85.B
Cucurbitulam q̃ maximam ad mãmas appone mulieri, ſi velis menſtrua cohibere.com.5°.aph.50°. Ex.42.A
Cucurbita in pube,& in inguine quãdo menſes trahere volumus.13°.methodi medendi. 7ª.85.B
in Cucurbitulę modum ad ſe trahit ex toto corpore ſanguinem inflammatio admodum vehemens.com.7°.aph.1°. Ex.54.B
Cucurbitula ponenda eſt ſupra locum,vbi hirudo fuerit, vt virus extrahat,vel ſpongijs fouendus.de cucur.ſcarif. 6ª.4.C
vt Cucurbitula,exugit venenum theriaca impoſita loco emorſo a cane rabido.de ther.ad Piſo. 5ª.96.G
vt Cucurbitula,trahunt à toto corpe rubrificãtia.4°.met.me. 7ª.25.E
Cucurbitula q̃ñ iſchiadicis ponẽda.10°.de comp.med.ſec.loc. 5ª.207.B
Cucurbitulæ pro renum lapide.de ren.affect.dign.& med. 7ª.193.H
Cucurbitula non conuenit aridæ diſpoſitioni.3°.de lo.aff. 4ª.15.G
Cucurbitula quidam vſi,vt circa ægrum aliquid facere viderentur. 11°. methodi medendi. 7ª.72.D
per Cucurbitulas fomenta.3°.de comp.medicamen.ſec.loc. 5ª.145.D
p̃ Cucurbitulis & hirudinibus Epithema.10°.de cõ.me.ſe.lo. 5ª.209.B
CVLICES fieri ab eodem opifice,quo homines, non credit Galenus. de fœt.form. 1ª.326.B
Culices non ſecauit Galenus.6°.de anat.adm. 1ª.89.G
Culices cur videantur in ſuffuſis.1°.de ſymp.cau. 3ª.15.A
Culices fugat myricæ ſuccus.de ſimp.med. Sp.87.G
ad Culices necandos.de medic.fac.par. 7ª.174.B
CVLPA, ne mulieris,an viri non concipiat,quo modo cognoſcatur. de paſſ.mul. Sp.96.C
Culpant multi non culpanda.14°.meth.me. 7ª.92.F
Culpati & non ſimplicis,ſimplex & inculpatum in omni genere regula eſt.2°.de ſani.tu. 2ª.69.C
CVLTER ad aperienda oſſa pectoris,qui.7°.de anat.adm. 1ª.94.C
in CVLTVRIS aues degentes ſunt multarum ſuperfluitatum. de diſſolut.cont. Sp.73.E
CVMINVM ſemen odoratum eſt tenuium partium, vrinam ciens. 9°.de comp.med.ſec.loc. 5ª.200.H
Cumini ſemẽ vrinã p̃uocat,& attenuat.9°.de cõp.med.ſec.lo.5ª.201.H
Cumini ſemen conuenit in dięta attenuante.de atten.vic. 2ª.44.E
Cuminum condimentum.1°.de compoſitio.medica.ſec.lo. 5ª.128.E
cum Cumino,vel libyſtico,vel ſinapi,vel melle pro delitijs aliqui miſcẽt oleribus omnibus acetum.de atten.vict. 2ª.44.C
Cuminum miſcetur purgantibus medicamentis.8°.de comp.medicamentorum ſecun.loc. 5ª.190.B
Cuminum æthiopicum cæteris præſtat.4°.de ſan.tuen. 2ª.85.A
Cumini æthiopici meminit.7°.de comp.medi.ſec.loc.186. F/187.A/ 9°. 200.D/ 5ª.202.A/D
Cuminum gręcum.de rem.par.fac. 7ª.168.A
Cuminũ gręcũ ad alui profluuiũ ſupprimẽdũ.de med.fac.par. 7ª.170.B
Cuminum hiſpanum.9°.de comp.medi.ſec.loc. 5ª.202.D
Cuminum flatus ſanat.8°.meth.med.53.F/14°. 7ª.88.F
Cuminum exiccat.3°.de alimen.fac. 2ª.26.D
Cuminum detergit.6°.de comp.me.per ge. 5ª.256.F
Cuminum pro Aniſo.7°.de comp.med.ſec.lo. 5ª.182.B
CVNEOLI, pars organorum.de machin. 7ª.309.E
Cunei,pars organorum.de mach. 7ª.309.E
Cuneus ad quid in organis.de machin. 7ª.310.A
Cunei in quibuſdam organis extrahi poſſunt.de mach. 7ª.310.F
Cuneata,& lunata appendix in organis ĩmobilis eſt.de mach. 7ª.310.F
CVNICVLVS lepori ſimilis.3°.de alim.fac. 2ª.26.C
in CVNIS, in lectulis pendentibus, & nutricum vlnis mouentur infantes.1°.de ſan.tuen. 2ª.65.D
CVNILA atram bilem ducit.de mel.ex Gal.Ruf.& Poſſ. Sp.110.A
CVNNVS quid.de diſſec.vuluæ. 1ª.108.C
Cunnus pars anterior vteri.1°.de ſem. 1ª.329.H
Cunnus quibus locis ſituetur.de diſſ.vuluę. 1ª.108.C
Cunnũ muliebrẽ in fœminis efficit mariũ pudendum.2°.de ſem.1ª.339.D
per Cunnum non exit flatus poſt conceptum.1°.de ſem. 1ª.329.F
CVPIDITAS quid ſecundum Chryſippum.4°.de decretis Hippocratis.248.F/ 1ª.249.G/H
Cupiditas eſt animi ægritudo & perturbatio.de cog.cur animi. 2ª.52.E
Cupiditas vehemens numeratur inter animi affectus vel perturbationes.de cog.cur.animi morb. 2ª.50.G
Cupiditatem ſolam hñt animalia immobilia.5°.de decr.Hipp. 1ª.258.C
Cupiditatibus minime affici videtur,qui plurimum ratione vtitur. 3°.de decre.Hipp. 1ª.245.H
Cupiditatibus ſeruiunt pueri,quaſi beſtię.3°.de decr.Hipp. 1ª.245.G
Cupiditas ĩſana ĩ iuuenibus cur p̃cedat coitũ.14°.de vſu part. 1ª.207.D
Cupiditas & voluptas cur in coitu,& q̃uo fiãt.14°.de vſu p. 1ª.207.D
Cupiditate vindictæ qualis fiat pulſus.2°.de cauſ.pul. 4ª.91.D
ob Cupiditates ĩmenſas diues ſemp erit pauper.de cog.cur.ani. 2ª.55.C
Cupiditates ſuſcitatur febris.præſag.exper.confir. Sp.77.D
Cupit quod quiſq;,id facile eſſe credit.de præco.ad Poſt. 4ª.218.E
CVPRESSI & ilicis taleæ ad quid vtiles.de med.fac.par. 7ª.163.H
Cupreſſi quod genus ſit ſphęritis.1°.de comp.med.ſe.lo. 5ª.124.F
ex Cupreſſo non debẽt fieri lecti,fores,nec vaſa.de ſubfig.emp. Iſ.32.C
Cupreſſus nocet capiti.de ſubfi.emp. Iſa.32.C
Cupreſſi folia exiccant,tñ parum calida ſunt.7°.de ſimp.med. 5ª.53.G
Cupreſſi folia tantam habent caliditatem,quanta poſſit ducere acerbitatem in altum.7°.de ſimp.med.fa. 5ª.53.G
Cupreſſi folia germina,pillulæ recentes,& molles magna vlcera conglutinant in duris corporibus.7°.de ſimp.med.fac. 5ª.53.G
Cupreſſo quidam vtuntur ad eryſipelata.7°.de ſimp.med.fac. 5ª.53.G
vt Cupreſſus cõuenit putredinibus ſabina,maxime vbi rebelliores fuerint & diuturniores.6°.de ſimpli.med.fac. 5ª.45.C
Cupreſſus tantum ſuperat ſabinam in adſtrictione, quantum ab ipſa ſuperatur in acrimonia.6°.de ſimp.med.fac. 5ª.45.B
Cupreſſus enterocelicos iuuat,& ea quidam ad carbunculos, & herpetes vtuntur.7°.de ſimp.med.fac. 5ª.53.G
ex Cupreſſi ſphærulis medicamentum.5°.met.med. 7ª.34.C
Cupreſſi reſina adſtringit.3°.de comp.med.per ge. 5ª.230.D
Cupreſſus viridis.4°.de comp.med.ſe.loc. 5ª.157.F
CVRAE ſi ſint ex lõgo tpe cõſuetæ minus nocẽt.c.2°.aph.5°. Ex.19.B
Curas ĩpedire sõnũ,& inducere vigilias,collige.c.3°.aph.31°.Ex.26.H
Curarum quia plena eſt ſenectus,& quia corpus habent exiccatum ideo ſenibus accidunt vigilię.com.3°.aph.31°. Ex.26.H
ĩ Curis cur nõ recordamur ĩ poſterũ eorũ q̃ egimus.2°.de mo.m. 1ª.315.B
Curę ſunt cãæ recẽtes ac p̃pinquæ morborũ.de nat.hu.com.2°. 7ª.180.F
Curæ ad quartam medicinæ partem pertinent.ad Thraſ. 2ª.108.D
Curę exiccant.de cauſ.mor.3ª.7.H/com.2°.aph.28°. Ex.16.D
Curas habentibus cutis ſpiſſeſcit.de op.ſecta. Iſ.26.B
Cura vires reſoluit.12°.meth.med. 7ª.77.D
Cura auget halitum fuliginoſum.10°.meth.med. 7ª.62.H
Cura immodica accendit febres.1°.de ſan.tuen. 2ª.65.F
Cura ſuſcitatur febris.præſag.exper.confir. Sp.77.D
ex Curis ephemera,qualis.1°.de arte cur.ad Glau. 7ª.95.B
Curis ephemerę hñt pulſus minores.1°.de arte cur.ad Clau. 7ª.95.D
à Curis debent abſtinere calidi.in 6m.de mor.vul.com.4°. 3ª.183.E
Curæ non indigent frictionibus,nec lotionibus.8°.meth.med. 7ª.51.E
CVRARE quid ſit.4°.meth.med. 7ª.24.E
Curatio quid.fin.med. Iſa.46.B
Curatiua ars eſt ceu quędam architectonica,quę præcipit omnibus alijs. ad Thraſ. 2ª.108.H
Curatiua eſt vna pars totius artis.ad Thraſ. 2ª.108.B
Curatrix medicina pars quæ.fin.med. Iſ.48.A
Curatrix quæ pars artis.11°.meth.med. 7ª.68.D
Curatoriæ partis differentiæ.introd. Iſa.52.C
Curatiua pars medicinæ in quot partes diuidat̃.de ſubfig. emp.Iſa.32.A
Curatiua ſcientia minima debet hr̃e particulas.de par.art.med.Sp.18.D
Curatiuã methodũ ignorãtes non poſſunt mederi. de puero epi. 7ª.179.F
Curandi viam inuenit Hippocrates.8°.meth.med. 7ª.58.E
Curationis modũ à rei natura inuenit Hippocrates.11°.met.me. 7ª.72.B
Curatio fit ex re,non ex nominibus.1°.meth.med. 7ª.7.E
Curãdi viã ſe repiſſe q̃ Aſclepias gloriet̃.1°.de comp.me.ſe.lo.5ª.124.A
in Curando,& præſagiendo ſemper Galenus ſe exercuit. in 6m.de mor. vulg.com.2°. 3ª.167.A
Curauit multos per literas Galenus cum in alienis eſſent terris.4°.de locis affectis. 4ª.22.C

Curatiuam methodum perfecte ſcripſit Galenus.de pue.epil. 7ª.179.F
poſt Curandi artem ad Glauconem quos libros promittit ſe ſcripturum Galenus.2º.de arte cur.ad Glau. 7ª.107.G
de Curandi rõne liber prognoſtica præcedit.in progn.cõ.1º. 4ª.190.H
de Curatione & cã paſſionis librũ fecit Diocles.c.6º.apho.1º. Ex.46.C
Curabant gñalem hoĩem,nõ particularẽ methodici.3º.met.me. 7ª.20.F
Curatio p ſe à medicis exercetur.de vic.rat.in mor.acu.cõ.1º. 7ª.108.D
Curare qui medicus optime poterit.in 6m.de mor.vul.com.3º. 3ª.174.G
Curator morborum qui merito dici poſſit.3º.meth.med. 7ª.16.D
Curatio,dici põt curatio,& præcuſtodia.1º.de dif.feb.32.F/ 3ª.33.B
Curatiuę medicinę partis, & præſeruatiuæ contraria officia ſunt.1º.de ſanitate tuen. 2ª.62.C
ex Curatione & præſeruatione miſta proprio nomine non poſſumus explicare.com.2º.aph.22º. Ex.15.C
Curatio eſt ſolum corporis affecti.1º.meth.med. 7ª.7.G
Curatio eſt rei prę́ſentis.4º.meth.med. 7ª.24.B
Curatio ẽ finis artis,nõ p̃notio,vel dignotio.de vic.ra.in.cõ.1º. 7ª.108.E
in Curatione.i.primũ,qđ ẽ vltimũ in reſolõne.11º.metho.med. 7ª.70.D
Curationis totius cõis finis,& ſcop⁹.q.de ijs quę in me.ſi.cõ.1º.7ª.197.G
Curatio nulla exacta ſcribi poteſt.3º.methodi meden. 7ª.18.D
Curatio vt tuta ſit,quid agendum.14º.meth.med. 7ª.90.H
Curatio optima quo modo tripliciter iudicetur.14º.meth.med.7ª.90.H
Curationẽ morborũ q̃uo moliebat̃,et ĩueniebat Gal.3º.de loc.aff.4ª.15.B
Curatio facile inuenitur experientia,cum vnus in corpore eſt affectus.10º.meth.med. 7ª.65.A
ad Curationem neceſſaria.de opt.ſecta. Iſa.25.E
ad Curationem quot conſideranda.de nat.hu.com.2º. 7ª.182.C
Curatio ad quæ intendat.2º.meth.med. 7ª.9.C
ad Curationẽ faciũt dignotio,et p̃notio.de vic.ra.in m.ac.c.1º.7ª.108.D
Curatio dignotionẽ,& prænotionẽ conſequitur.10º.meth.med. 7ª.64.B
ad Curationem quid noſcendum.14º.meth.med. 7ª.92.E
Curare neſcit qui elementa non nouit.7º.meth.med. 7ª.43.D
Curaturus quos eſt medicus,eos ſanos cognoſcere debet. de ijs quæ in medica.ſi.com.1º. 7ª.198.A
Curat melius medicus qui alicuius hominis naturam cognoſcit.de renum affect.digno.& med. 7ª.196.F
Curaturus oculos debet illos cognoſcere ſanos.de ana.oculorum.Sp.57.B
ad Curationis inuentionẽ,& ad loci patientis dignotionem, & ad præcognitionem eorum quæ circa ægrũ futura ſunt confert perdiſcere nõ modo locum dolentem,qualisnam ſit; ſed & magnitudinem doloris in eo quanta ſit.com.6º.aph.5º. Ex.46.G
Curare volens medicus ratione cauſas cognoſcat actionum naturaliũ et affectionũ p̃ter naturam,vt illas ſeruare,has e corpore eijcere poſſit modos item ſecundum quos actio fit,& locos in quibus,& inſtrumenta per quæ.de voc.inſt.diſſ. 1ª.106.B
Curatio non facienda,niſi prius affectus & morbus cognoſcant̃.1º.de alimen.fac.2ª.9.D/3º.de loc.af.4ª.21.C/de vic.rat.in mor.acu. com.1º.108.D/de ijs quę in med.ſi.197.F/de artic.com.1º. 7ª.257.F
ante Curationẽ morborũ,numerus eorũ præſciẽdus.1º.met.med.7ª.5.F
Curationis primo ſcopi inueniendi,poſtea naturam præſidiorum oportet inuenire.de marc. 3ª.47.E
Curandi rõ,ac via vnde ſumẽda.de cõ.ar.Iſa.39.B/3º.de lo.aff. 4ª.15.C
Curationis primæ cõſiliũ vnde accipiat.1º.de cõp.med.per gen.5ª.210.D
Curandi modus non eſt vnus.de nat.hum.com.1º. 1ª.28.G
Curationes tot ſunt,quot morbi.2º.meth.med. 7ª.12.E
Curationis ordo quo modo euariat.7º.meth.med. 7ª.48.G
Curatio à quibus indicetur.1º.de comp.me.ſe.lo. 5ª.121.B
Curationem indicantia duo ſunt.11º.meth.med. 7ª.67.H
Curatiua intentio communiſſima.ars med.Iſa.69.D/6º.met.med.36.G/14º.87.H/88.F/ 7ª.90.F
Curationis primum ſcopum dat morbus.4º.meth.med. 7ª.24.D
Curãdi indicatio nõ eſt à tpe ſumẽda,ſed à morbo.4º.meth.me.7ª.24.H
Curatio quæ adhibenda circa varia tempora.de mor.temp. 3ª.90.A
Curatio à calido,frigido,humido & ſicco.de nat.hum.com.1º. 1ª.28.G
Curatio perfecta non ſequitur ab vnicæ qualitatis indicatione.de renum affect.digno.& med. 7ª.194.F
Curatio ſine materia non fit.introd. Iſa.51.H
Curationis ſcopum omnium affectionum oſtendit ratio. 2º. de compo.medicam.ſecun.loc. 5ª.132.A
Curatio debet̃ affectui,non ſymptomati.in 6m.de mor.vul.c.2º.3ª.161.F
Curationis indicatio ab affectu tantũ incipit.4º.meth.med. 7ª.26.B
Curatio eſt ad affectum lædentem functionem.2º.meth.med. 7ª.9.C
Curare affectum vnde decenter poterimus.1º.de locis affect. 4ª.5.C
Curatio nihil mutatur,etiam ſi actio lę́ſa,& affectus qui actionem lę́dit, morbi vocentur.2º.meth.med. 7ª.12.E
Curationes multas non habet,quod ſimplex eſt & multa non habet. de nat.hum.com.1º. 1ª.28.G
Curatio ſimplex debetur morbo ſimplici,compoſito non ſimplex.4º.methodi meden. 7ª.23.B
Curatio,quando ſunt mixti affectus,q̃uo aggredienda, & quid primo curandum.4º.de ſani.tu.2ª.87.C/7º.meth.me. 7ª.48.F
Curanda ſunt prius quæ magis vrgent,hoc eſt quæ maius periculum afferunt.com.5º.aph.19º. Ex.39.E
Curẽt quæ primo,& q̃uo intelligẽdũ.de ijs quæ in med.ſi.cõ.3º. 7ª.221.E
Curandi facultatem,& partem affectam docent læſarum actionum modi.3º.de locis affect. 4ª.14.E
Curationem variare facit locorum differentia.1º.de loc.aff. 4ª.2.B
Curationẽ propriam oſtendunt inſtrumenta.de voc.inſtr.diſſ. 1ª.106.C
Curanda ſine dolore,acuti ſenſus pars.4º.meth.med. 7ª.28.F
Curatio conueniens à cauſis indicatur.1º.de arte cur.ad Glau. 7ª.99.H
Curandi modum cognoſcit,qui reſpirationis cauſam efficientem deprehendit.de cauſ.reſp. 1ª.226.G
Curæ cãæ extrinſecæ læſionum noſtri corporis.de opt.cor.cõſt. 1ª.38.C
Curationem non indicant cauſæ primitiuæ.4º.meth.med. 7ª.24.A
Curationis indicationem ab externa cauſa ſumi omnino eſt abſurdum. 4º.meth.med. 7ª.24.D
Curatio incipiat à cauſa effectrice ſummouenda,cum eſt in morbo.4º.methodi medendi. 7ª.25.B
Curatio ſola factorum relinquitur,vbi cauſa non adeſt quæ morbum efficiat.com.2º.aph.22º. Ex.15.C
Curatio cauſarum,quæ intemperaturam efficiunt,fit per euacuationem. ars medicinalis. Iſa.69.G
Curatio ẽ varia,ſi idẽ affectus ſit,cãæ vero ſint variæ.de opt.ſe. Iſ.25.B
ad Curationem maxime neceſſaria vis.8º.meth.med.7ª.58.D/ 7ª.68.B
Curatiua vna intentio ab aſſuetudinibus ſumitur.de aſſuetu. 2ª.60.D
Curationẽ,vel pręcognitionem,vel vtrunq; rebus exterioribus plerũq; interrumpi contingit.com.1º.aph.1º. Ex.3.B
Curantur male diuites.11º.meth.med. 7.73.D
Curandi primus,& præcipuus ſcopus in omni ægritudine eſt exacta victus ratio.de remed.par.fac. 7ª.156.B
Curationem totius corporis præmittendam eſſe in morbis omnibus, eſt commune præceptum.3º.de loc.af. 4ª.15.D
Curabiles vix,non ſunt purgandi.de dyna. Sp.20.E
Curatio non fit per ſimile,ſed per contrarium.1º.de ſymp.cau. 3ª.17.F
Curatio facienda per ea quæ contraria ſunt occaſioni morbi.de natu.humana,commen.2º. 7ª.182.C
Curatio p̃ cõtraria cauſis faciẽtibus ſymptomata.de opt.ſec. Iſa.24.C
Curatio fit ex contrario in genere.4º.de ſan.tuen. 2ª.83.A
Curatio in particulari fit ex cuiuſq; in contrario.4º.de ſan.tu. 2ª.83.A
Curari contraria contrarijs ſemper verum.11º.meth.med. 7ª.71.G
Curatio quandoq; per ſimilia quomodo videatur, quæ tamen ſit per contraria.in 6m.de morb.vulgarib.commen.2º. 3ª.161.F
Curatio per qualitates q̃uo facienda.1º.de comp.med.per gen. 5ª.210.C
ad Curandi rationem valet ſcire cui parti applicanda ſint remedia.2º. de locis affectis. 4ª.13.G
Curatio prima,quam nonnulli continentem appellant, eſt eius affectus qui actionem incommodat.2º.met.med. 7ª.12.E/F
Curatio fit per tria.in 1m.de mor.vul.com.2º. 3ª.112.G
Curatio per latitudinem.3º.de comp.med.per ge. 5ª.231.D
Curatio metaſyncritica.2º.de compo.medi.ſec.lo. 5ª.138.A
Curantem per cibos laudare debemus pluſquam illum qui curat per medicinam.de med.exper. Sp.108.G
Curabant medici altariũ per cibos ſacrificiorũ.de med.exper. Sp.108.G
Curantes medicos altarium cum cibis ſacrificiorum laudat.de medicinis expertis. Sp.104.A
Curatio putrefactiua q̃uo ĩcedat.cõtra ea q̃ à Iul.in Hipp.aph.Ex.68.G
Curatiui,mitigãtis,& diagnoſtici p̃ſidij fit mentio.6º.de loc.af. 4ª.36.G
Curationem diligentem exigit morbus acutus.de dyna. Sp.20.A
Curatio ægritudinis ſanguinis q̃uo fiat.de nat.& or.cuiuſ.cor. Sp.41.G
Curatio ægritudinis pituitę q̃uo fiat.de nat.& ord.cuiuſ.corp. Sp.41.G
Curatio ægritudinis bilis q̃uo fiat.de nat.& or.cuiuſ.corp. Sp.41.G
Curatio ægritudinis bilis atræ q̃uo fiat.de na.& or.cuiuſ.corp.Sp.41.G/ de mel.ex Gal.Ruf.& Poſſ. Sp.109.H
Curaĩ difficulter atra bilis ĩueterata.de mel.ex G.R.& Poſ. Sp.109.H

Curatur

Curatur triſtans quando aquam biberit,in qua decocta eſt aſſa.de medicinis expertis. Sp.104.D
Cura præcordioru in melancholicis.de mel.ex Gal.Ruf.& Po. Sp.110.B
Curatio ad ſitim,& dolorem lateris in melancholia.de dyna. Sp.24.E
Curatio faſtidiorum morborum quibus fiat.de par.art.med. Sp.19.A
Curatio doloris vetuſti,& inſanabilis qbus fiat.de par.ar.me. Sp.19.A
Curat hordeolum ſuccus centaureæ.de vir.cen. Sp.93.C
Curatio ſcotomię.de dyna. Sp.23.H
Curatio lethargi.de dyna. Sp.24.F
Curatio phrenitidis.de dyna. Sp.24.D
Curatio epilepſię.de dyna. Sp.24.A
Curatio cuiuſdam,qui trium digitorum ſenſum amiſerat ſeruato motu. 1°.de loc.affect. 4ª.7.B
Curatio ſuffuſionis quibus indiget.de par.art.med. Sp.17.B
Curatio alicuius qui auerſetur eſum boni ſucci,& abſtineat, & ſit nauſeabundus cum comedit,& ſolum comedat acriora & intumeſcit vētriculus flatibus.5°.de vſu par. 1ª.143.A
Curetur quomodo regius morbus ſine febre dextra præcordiorum parte grauata.5°.de loc.aff. 4ª.35.H
ad Curam icteri neceſſaria phlebotomia,& purgatio, ſed purgatio magis.de cura icteri. Sp.110.G
Curatio morbi à ventre.de dyna. Sp.19.H
Curatio paſſionum ventris.de dyna. Sp.26.E
Curationem profluuiorum ventris,variare diuerſas cauſas, collige. de medicinis exper. Sp.103.H
Curat iſchiadem decoctio centaureæ.de med.exper. Sp.104.D
Curat iſchiadem centaurea minor.de med.exper. Sp.106.E
Curatio matricis plenæ humoribus.de paſſ.mul. Sp.96.B
Curatio præfocationis vteri.de paſſ.mul. Sp.95.F
Curatio deſcenſus matricis.de paſſ.mul. Sp.95.F
Curatio ventoſitatis matricis.de paſſ.mul. Sp.96.A
Curatio hydropicæ matricis.de paſſ.mul. Sp.96.A
Curatio cancri matricis.de paſſ.mul. Sp.96.A
Cura doloris vuluæ.de dyna. Sp.35.E
Curatio morbi à veſica.de dyna. Sp.20.A
Cura ad veſicæ dolorem.de dyna. Sp.29.B
Curatio arenalis mictus.de dyna. Sp.28.H
Cura mictus furfuris.de dyna. Sp.29.A
Curat ſtranguriam drachma vna aſari.de med.exper. Sp.106.D
Curatio,ſignū,et affectio,qūo ſe hnt adiuicē ī vlcer.4°.me.me. 7ª.27.A
Curatiōis ſcopus ī abſceſſibus et ī expāſis.de ijs q̄ ī med.fi.c.2°. 7ª.211.D
Curatione diuerſa indigent phlegmonæ diuerſarum partium. de part. art.med. Sp.17.C
Curatio cancroſę cauſæ quibus fiat.de par.art.med. Sp.19.A
nō Curare cancros occultos omnes melius eſt,curati enim cito pereūt, non curati vero longius tempus perdurant.com.6°.aph.38. Ex.50.D
Curare cancros duplex eſt,vnum quidem omnia agere, vt particula patiens,ad ſanitatem perducatur,alterum aūt eam adhibere prouidentiam quę paſſioni congruat,hoc eſt ipſam mollire,ac mitiorem facere, tum præcipue cum adeſt exulceratio.com.6°.aph.38°. Ex.50.E
Curandi non ſunt corde vulnerati.in 1ᵐ.prorr.com.1°. 4ª.174.B
Curatio communis in vulneratis à ſerpentibus,aut ferro venenato.2°.de antidotis. 5ª.120.B
Curatio vulnerum difficilium, & cicatricum craſſarum quibus fiat.de part.art.med. Sp.19.A
Curatio vulneris caui,alti,& limpidi quibꝰ fiat.de par.ar.me. Sp.19.A
in Curatione vlcerum delinquentibus medicis, vlcera q̄nq; longo tempore manere,collige.com.6°.aph.45°. Ex.51.E
ad Curandum vulnera valet agrimonia.de dyna. Sp.35.E
Curantur diuerſo modo neruus,cartilago,caro affecta. de vocalium inſtrumentorum diſſectione. 1ª.106.C
qui Curant tacere debent.de ijs quæ in med.fi.com.1°. 7ª.204.H
Curatio exuſti ab igne & à frigore.de opt.ſecta. Iſ.25.C
ad Curationē difficilē hn̄tia & inueterata.5°.de comp.me.p ge. 5ª.251.B
ad Curationem difficulter recipientia.4°.de comp.med.per ge. 243.H/5ª.253.G/6°. 5ª.261.H
Curatu difficilibus cicatricem inducens.5°.de comp.me.per ge. 5ª.253.G
ad Curata male inſtauranda.2°.de compo.medicamen.per gen. 224.C/226.D/5°. 5ª.250.B
CVRRVS *quatuor,& ſex rotarum.de aere,aq.& loc.* 2ª.5.D
qualē in Curribus circuli per quos aurigæ habenas traijciunt,talē muſculus quidam vtilitatem habet.de muſc.diſſ. 1ª.52.D
Currum axes cur inungantur.13°.de vſu par. 1ª.202.A
Currus collyrium.4°.de comp.med.ſe.loc. 5ª.156.D
CVRSVS *eſt exercitationis genus quoddam.2°.de ſan.tu.* 2ª.73.H
Curſus eſt exercitatio celer.6°.de ſan.tuen. 2ª.97.C
Curſus eſt exercitatio celeris citra robur,& violentiam. 2°.de ſanitate tuenda. 2ª.74.F
Curſum diu cōtinuatū dolichon græci appellant.2°.de ſan.tu. 2ª.74.H
Curſus quo modo fiat.15°.de vſu par. 1ª.213.F
Curſus crurum actio.15°.de vſu par. 1ª.213.F
Curſus eſt crurum exercitatio.2°.de ſan.tu. 2ª.74.H
ad Currendum crurum ſcopus.3°.de vſu par. 1ª.131.F
ad Curſum præparatio.14°.meth.med. 7ª.91.E
Currentium quoq; ſpiritus anhelus & aſthmaticus.in 3ᵐ.de morb.vul. comment.2°. 3ª.136.B
Currentis iuuenis pulſus,qualis.2°.de præſag.ex pul. 4ª.111.D
ex Curſibus pulſus mutatio nō eſt diuturna.1°.de p̄ſ.ex pul. 4ª.104.H
Currentes pleriq; cur ſtare cōfeſtim non poſſunt.4°.de dec. 1ª.249.B
Currētes qūo vtantur vi rationali,& irrationali.4°.de decr. 249.C/E
Curſum cur non laudat Galenus.de par.pil.exer. 2ª.49.D
Curſus quo modo non eſt ſalubris.de par.pil.exer. 2ª.49.D
Curſus quid mali faciat.de par.pil.exer. 2ª.49.D
Curſus velox carnes,& ſuccos detrahit.ī 6ᵐ.de mor.vul.c.3°. 3ª.170.E
ob Curſum capitis dolor cōtingit.de vic.rat.in mor.acu.c.4°. 7ª.150.E
ex Curſu vas ruptum in pulmone.5°.meth.med. 7ª.30.C
Curſus febricitantibus officit.in 6ᵐ.de mor.vul.com.3°. 3ª.177.H
Curſu qui defatigantur,hos oportet luctari.de ſal.dię. 2ª.42.F
Curſibus,& luctationibus nullus ægrum curauit. in 6ᵐ.de morb.vulg. commen.3°. 3ª.170.C
Currere ſe ſiquis ſomniat quid ſignificet.de dign.ex inſom. 4ª.213.D
CVRTORVM *applicatio ſpēs cōpoſitionis chirurgiæ.intro.* Iſa.59.E
CVRVAMEN *quid Hippocrati.de artic.com.3°.* 7ª.274.H
ī Curuatura hepatis,et ſplēis īueniūt venæ,et arterię.de vt.re. Sp.64.h
CVSCVTAE *mundificant ſtomachum.de diſſ.cont.* Sp.74.E
CVSPIS *ſpecilli.de curan.ra.per ſang.miſſ.* 6ª.20.C
ad Cuſpides telorum.5°.de comp.me.per ge. 5ª.249.B
Cuſpis,ſiue hamus.de faſcijs. 7ª.302.E
CVSTODIENDA *eſt ſanitas duobus.de diſſ.cont.* Sp.71.D
Cuſtodiendi ars eſt conſeruatrix.ad Thraſ. 2ª.104.C
de Cuſtodia ſui indicant quę ſunt ſm naturam.3°.meth.me. 7ª.18.B
Cuſtodiam ſui docet virtus.11°.meth.med. 7ª.68.E
Cuſtodiuntur res per ſimilia.3°.meth.med. 7ª.18.B
Cuſtodia ſimilium exhibitionem indicat.11°.meth.med. 7ª.68.E
Cuſtodiantur qūo ſolidæ partes,& qūo carnoſæ.11°.meth.med. 7ª.68.E
CVTIS *ſuperficiem epidermida nominat.cō.4°.apho.77°.* Ex.36.F
Cutis pellicula denſior epidermis dr̄.in 6ᵐ.de mor.vul.com.2°. 3ª.165.F
Cutis cur δέρμα dicatur.2°.de vſu par. 1ª.122.E
Cutis.fin.med.Iſa.44.E/3°.de ali.fac.2ª.132.B/de cauſ.mor. 3ª.8.D
Cutis eſt caro velut in callum durata.5°.de ſimp.med.fac. 5ª.36.D
Cutis conſideratio.17°.de vſu par. 1ª.222.A
Cutis nullum habet opus,ſed eſt genita à natura vſus tantum gratia. de cauſis morborum. 3ª.8.D
Cutis prima pars fœtus.de fœt.for. 1ª.322.F
Cutis ex quo generatur.3°.meth.med. 7ª.19.G
Cutis commune velamentum omnium.3°.de anato.admi.73.E/8°.de vſu partium. 1ª.165.B
Cutis quæ eſt totius corporis indumētum ex duabus laminis conſtat. de anatomia viuorum. Sp.45.B
Cutis laminæ vnde oriantur.de anat.viu. Sp.45.B
Cutis noſtri corporis naſſæ comparatur.in tim.Plat. 1ª.288.F
Cuti reſpondet teſta.3°.de alim.fac. 2ª.32.B
pro Cute teſtā habentia,habēt ſuccū qui ſubducit.3°.de ali.fa. 2ª.26.E
Cutis,pili,vngues cur in extremis partibus ſint genita. in timæum Platonis. 1ª.286.G
Cutis qualis eſſe debet.1°.de ſan.tuen. 2ª.66.G
Cutis quæ natura ſit in corpore temperato.1°.de temp. 1ª.15.B
Cutis eſt temperatiſſima pars in homine.1°.de temp. 1ª.15.G
Cutis hominum media eſt inter frigidū,& calidum.1°.de temp. 1ª.14.G
Cutis non eſt exanguis,neq; abundans ſanguine.1°.de temp. 1ª.15.B
Cutis eſt veluti neruus præditus ſanguine.1°.de temp. 1ª.15.B
Cutis tota continua eſt,& neruoſa.3°.de loc.aff. 4ª.19.G
Cutis nutritur ſanguine pituitoſo.in progn.com.2°. 4ª.198.B
Cutis ſubſtantię muſculoſæ eſt vnita.11°.de vſu par. 1ª.190.C

Cutis cum

Cutis cum labiorũ muſculis cõmixtio mirabilis.9°.de vſu par.1ª.176.D
cum Cute muſculus nuſquã fruſtra coaleſcit.17°.de vſu par. 1ª.222.B
Cutis tertia differentia coaleſcit cum muſculis.11°.de vſu par. 1ª.190.D
Cutis carnoſa vel cuticuloſus muſcul⁹ dici poteſt muſculus ſedis.de muſculorum diſſect. 1ª.50.E
Cutis extrinſeca capitis habet continuam ſubſtantiam per totum caput extenſam.2°.de comp.med.ſec.loc. 5ª.133.G
Cutis capitis pueris, mulieribus, & eunuchis humida eſt.in 6^{m}.de mor. vulg.commen.3°. 3ª.170.A
Cutis tota frontis mouetur quieſcente maxilla.de muſc.diſſ. 1ª.44.F
cum Cutis frõtis conuellitur, quę pars ſit affecta.3°.de lo.aff. 4ª.17.D
Cutis circa frontẽ cur ſit intẽta in acutis morbis.in prog.cõ.1°. 4ª.191.D
Cutis circa frontẽ dura, intẽta, & arida, mala.in progn.com.1°.4ª.191.B
Cuti faciei, & gingiuis qui nerui ſenſum pręſtent.de neru.diſſ. 1ª.53.F
Cutis quid faciat ad oculum.10°.de vſu par. 1ª.180.A
ſub Cute in collo muſculus latus vnde incipiat ac finiat, & eius ſubſtantia.de muſc.diſſ. 1ª.44.D
ſub Cute in collo muſculus latus poteſt dici muſculoſa natura, vel muſculoſa ſubſtantia.de muſ.diſſ. 1ª.44.D
ſub Cute colli muſculus latus buccas mouet.de muſ.diſſ. 1ª.44.D
ſub Cute in collo muſculus latus facile laniatur.de muſc.diſſ. 1ª.44.D
ſub Cute colli muſculus nullum detinet articulum, nec in articulum inſeritur.de muſc.diſſect. 1ª.44.D
ſub Cute colli muſculus latus primo intenditur ijs qui ſpaſmo corripiendi ſunt.de muſc.diſſ. 1ª.44.D
Cutis eſt digitorum pars.de inęq.intemp. 3ª.43.D
Cutis, manus potiſſimum, media extremorum calidi, frigidi, humidi, ſicci.1°.de temp. 1ª.14.G
Cutis manus tẽperatiſſima quę callum nõ contraxit.1°.de tẽp. 1ª.15.A/B
Cutis maxime manus, vbi perfecta eſt tangendi potentia, temperie media eſt.4°.de ſimp.med.fac. 5ª.32.E
Cutis vnde habeat ſenſum.de anat.viu. Sp.45.C
per Cutẽ manus diſperſi nerui dant illi ſenſum.3°.de loc.aff. 4ª.21.D
Cutis ſentit ſolũ, & non habet motũ voluntariũ.15°.de vſu par.1ª.214.H
Cutes aliquæ magis ſentiunt, aliquę minus. 4°. de compoſitio.medicamen.per gen. 5ª.237.E
Cutis ſenſus imbecillitas vel ſubtractio ſemper ſequitur nocumentum nerui deferentis ſenſum ad ipſam.de ana.viu. Sp.45.C
Cutis cancrorum inſenſibilis eſt.3°.de vſu par. 1ª.134.A
Cutis epiphyſes cur in uiris, & mulieribus in finibus pudẽdi. 15°.de vſu partium. 1ª.211.A
Cutis vniuerſa, vterus, veſica, venter, inteſtina ſunt loca conferẽtia euacuationibus.com.1°.aph.21°. Ex.10.A
Cutis pedum, qualis.3°.de vſu par. 1ª.133.B
Cutis pedis neq; mollis, neq; dura.3°.de vſu par. 1ª.133.H
Cutis pedis adhæret exacte omnibus particulis.3°.de vſu par. 1ª.133.H
veluti Cutẽ quid hr̃e partes ĩteriores, collige.cõ.4°.aph.77°. Ex.36.F
ad Cutim cur veniant aliquæ paruę arteriæ.16°.de vſu par. 1ª.219.F
à Cute aliquid ꝑuenit ad ĩteſtina, & vẽtriculũ.3°.de na.fa. 1ª.306.F/G
ad Cutim trahunt arterię externum aerem.3°.de nat.fac. 1ª.307.E
per Cutim non peruenit frigidum ad cor, ſed per pulmonem.10°.methodi medendi. 7ª.64.E
per Cutim exteriorem animalia omnia reſpirare, ſecũdum ꝙ magis vel minus de raritate participãt, ait Eraſiſtratus.6°.de venæ ſect.aduerſus Eraſiſtra. 6ª.8.H
Cutis quando elixatur, ad quam naturã veniat.3°.de alim.fa. 2ª.26.F
Cutis diuerſitates vnde oriantur.de anat.viu. Sp.45.C
Cutis ſpiſſa, rara, aſpera, mollis, vnde ſit.de anat.viu. Sp.45.C
Cutis laxitatis, & denſitatis diſcrimina conſideranda ſunt.de bo.& vitio ſuccorum. 2ª.38.B
Cuticulam mollem ſimilem habent pueri eunuchi, & mulieres.1°.de cõpo.medi.ſec.loc. 5ª.123.B
Cutis rara, & mollis ab extrinſecus imminẽtibus malis facile tentatur. 1°.de ſanitate tuenda. 2ª.66.F
Cutis mollities in poſteriore parte capitis vñ ſequatur.de an.vi.Sp.45.C
Cutis raritas vnde ſit.de venæ ſect.aduer.Eraſ. 6ª.9.H
Cutis rara eſt in viris magis quã in mulieribus.c.5°.aph.69°. Ex.45.A
Cutis raritas euacuat, non inedia.de venæ ſect.aducr.Eraſ. 6ª.9.A
Cutis raritas indicatur ex pilis.com.5°.aph.69°. Ex.45.C
Cutem per ſumma apparentem mollit balneum. de vic.ratione in morb. acutis, commentario.3°. 7ª.132.H
Cutem mollit & extenuat calidum.com.5°.aph.22°. Ex.39.C
Cutis quibus oleis rarefiat.9°.de comp.med.ſec.lo. 5ª.197.E
ob Cutis raritatem ventris denſitas adſtrictioue. in 6^{m}.de morb.vulgaribus, commentario.3°. 3ª.169.G
Cutis laxa eſt gracilibus, & ſenibus.2°.de ſimp.me.fa. 5ª.14.A
Cutis laxa apparet in attenuatis.in 6^{m}.de mor.vul.com.3°. 3ª.176.E
Cutis laxa eſt in macie confectis.in 6^{m}.de morb.vul.com.3°. 3ª.176.E
Cutis laxitas omni extenuationi corporis communis eſt. in 6^{m}.de morb. vul.commen.3°. 3ª.176.E
Cutim laxat extenuatio, poſtea circumtenditur.in 6^{m}.de mor.vulgarib. commentario.3°. 3ª.176.G
Cutis plus iuſto colliquata, panno lacero ſimilis efficitur. 2°.de arte cur. ad Glauco. 7ª.105.G
Cutis laceræ veſtis inſtar qũo fiat.2°.de arte cur.ad Glau. 7ª.106.F
Cutis extenſa apparet in craſſioribus effectis & in ſaginatis. in 6^{m}.de mor.vul.com.3°. 3ª.176.E
Cutis diſtentio proprium inſtaurationis corporis. in 6^{m}.de mor.vulgari. commentario.3°. 3ª.176.E
Cutis circumtendit inſtauratio, poſtea laxat.in 6^{m}.de morb.vulgaribus, commentario 3°. 3ª.177.A
Cutis tenditur in inflammatione.7°.de comp.me.per ge. 5ª.267.G
Cutem extendit ichthyocolla, & ſplendidã facit.de ſimp.med. Sp.85.E
Cutem denſam & ſplendentem facit ſtercus crocodilorum terreſtrium. 10°.de ſimp.me.fa. 5ª.77.D
pro Cute mulierum tendenda, & ſplendida reddenda, ſtercus ſturnorũ comedentium orizam valet. 10°.de ſim.med. 5ª.77.D
Cutem purgat & extenuat, & ſplendidam facit terra Chia. de ſimplici. medicam. Sp.85.A
Cutem detergit cyclamini radix.7°.de ſimp.me.fa. 5ª.53.F
ad Cutem extentam reddendam.de med.fac.par. 7ª.163.H
Cutem ſplendidiorem, quæ alcyonij ſpecies efficiat.11°.de ſimpli.medicamen.facul. 7ª.83.C
Cutis quo modo redditur calida.1°.de comp.med.ſec.loc. 5ª.125.E
Cutis calida & ſicca proportione reſpondet terræ abeunte vere, vel in principio æſtatis.2°.de temp. 1ª.18.H
Cutis eſt frigidior carne.de vic.rat.in mor.acu.com.4°. 7ª.147.C
Cutis eſt ſiccior & denſior carne.3°.meth.med. 7ª.19.H
Cutis in aliquibus animalibus cur ſicca, & terrena.2°.de temp.1ª.21.A
Cutis extima ſuperficies calloſa eſt dura & frigida.1°.de ſimpli.medicamen.facul. 5ª.4.C
Cutis cur imbecillior ſit ꝑtibus hñtibus operationẽ.de cau.morb. 3ª.8.D
Cutis tota plena eſt poris.1°.de ſan.tuen. 2ª.67.G
Cutis in primo ortu ſibi eſt cõtinua, ac tẽporis ſpatio perforatur, ac plurima nanciſcitur ſpiramẽta ritu cribrorũ.1°.de ſimp.med.fa. 5ª.4.C
Cutis cur perforata ſit vt cribellum.de anat.viuo. Sp.45.B
Cutis complectit̃ pilorũ radices vt gingiuæ dẽtes.in tim.Plat. 1ª.286.H
Cutis humida cur non habeat pilos.2°.de temp.1ª.19.A/ in 6^{m}.de morb. vulg.commen.3°. 3ª.170.A
Cutis nimis ſicca non facit pilos.in 6^{m}.de mor.vul.com.3°. 3ª.170.A
Cutis caluorum valde arida eſt.in 6^{m}.de mor.vul.com.3°. 3ª.170.A
Cutis extrinſeca denſa eſt & dura.de tum.præt.natu. 3ª.83.E
Cutis ſub ſole ſiccior, in vmbra humidior.2°.de temp. 1ª.20.B
Cutem duram, & denſam habere tutiſſimum eſt ad ea quę extrinſecus occurrunt.3°.de ſan.tuen. 2ª.78.B
Cutis denſa, & dura ab internis facile tentatur.1°.de ſan.tu. 2ª.66.F
Cutis denſa eſſe, & horrere videtur in laſſitudine quę inuehit ſenſum vlceris.3°.de ſani.tuen. 2ª.79.A
Cutem quæ denſent.2°.de criſ.4ª.138.G/8°.meth.med. 7ª.51.C
Cutis ſpiſſeſcit ruſticis, & curas habentibus.de opt.ſecta. Iſa.26.B
Cutem obdurat frigidum.com.5°.aph.20°. Ex.39.A
Cutaneas partes denſat refrigeratq́, exterius frigus.in 6^{m}.de morb.vulgarib.commen.6°. 3ª.195.H
Cutem duram & denſam facit aqua frigida.3°.de ſan.tu. 2ª.78.B
Cute pre frigore denſata calor in penitioribus corporis partibus creſcit. de aſſuet. 2ª.61.C
Cutem denſant aquæ balneorum aluminoſorum.2°.de criſ. 4ª.138.G
Cutem denſauerant, & febrem fecerant aquæ aluminoſæ. 8°.methodi medendi. 7ª.50.B
Cutis obſtructio quibus ſoleat eſſe moleſta.8°.meth.med. 7ª.54.C
Cute ſtipata ſtatim febricitant calidi & humidi.8°.meth.med. 7ª.54.C
ex Cutis denſitate febris quo modo fiat.1°.de diff.feb. 3ª.31.F
ex Cute denſata ephemera, qualis.2°.de criſ. 4ª.138.H
ex Cute denſata ephemeræ indicia.1°.de diff.feb. 3ª.36.A

ex *Cutis denſitate prouenientes febres chamæmelon diſcutit, & diſſoluit.3°.de ſimp.med.fac.* 5ª.18.H
Cutis denſitas retinet craſſiorum excrementorum tranſitum. 2°.de temperamentis. 1ª.21.A
Cutis denſitas in calidiſſimis temperamentis cogit craſſiora excrementa comburi.2°.de temp. 1ª.21.B
Cute inſolito frigore ſubito ſtipata, & imbecilliore reddita, ac vt onus humorem ad ipſam delatum ſuſtinente, mirum non eſt ſi is ad interna cõuertatur.de natu.fac. 1ª.306.G
Cutis obſtructio induxit abundantiam humorum. in 3ᵐ.de mor.vulgar. commen.3°. 3ª.149.G
Cutis quo modo cognoſcatur primo die occluſa.8°.meth.me. 7ª.52.G
Cutis denſitas quo modo corrigenda.3°.de ſani.tuen. 2ª.82.A
Cutis denſitas ex frigore quo modo corrigenda.3°.de ſan.tu. 2ª.82.A
Cutis denſitati ſanandę oleũ Anethinum conuenit.3°.de ſan.tu. 2ª.81.C
in *Cute & carne humores lentos ac craſſos euaporare facit oleũ ex chamæmelo.4°.de ſan.tu.* 2ª.87.B
Cuti extimæ vitia elicit pynocomon.8°.de ſimp.med.fac. 5ª.59.D
Cutis quibus eſt obſtructa, illis inedia iniungenda. de vict.rat.in morb. acu.comm.1°. 7ª.115.E
Cuti inhærentes ſucci per calida medicamenta curantur. in 6ᵐ.de morb. vulg.com.2°. 3ª.165.G
Cutis dura non ſinit digeri humores craſſos, ſed ſcirrhos facit. in 6ᵐ. de mor.vul.com.3°. 7ª.172.H
Cutis tota ſenſibiliter exaſperat̃, et cur.in 6ᵐ.de mor.vul.c.2°. 3ª.160.H
Cutis rugoſa.in 6ᵐ.de mor.vul.com.3°. 3ª.177.A
Cutis corrugatio concidentis.in 6ᵐ.de mor.vul.com.3°. 3ª.177.E
Cutis facile cognoſcitur, nam oculis ſubijcitur.1°.de loc.aff. 4ª.7.G
ex *Cutis colore cognoſcitur humor.14°.meth.med.* 7ª.93.D
ex *Cute quando iudicandum de toto.2°.de temp.* 1ª.21.A
Cutis nigra non ſignificat totum hominem calidum.2°.de temp. 1ª.20.B
Cutem albã habẽtibus obturati ſunt pori.in 1ᵐ.de mor.vul.c.2°. 3ª.115.E
Cutis decoloratiões nigrę ab hũore melico fiũt.de bo.& vi.ſuc. 2ª.39.D
Cute albida q erãt, qñ moriebantur.in 1ᵐ.de mor.vul.com.2°. 3ª.115.D
Cute candidi quæ medicamẽta requirant.1°.de com.me.per ge. 5ª.212.H
ad *Cutẽ præcipue reponente natura flauam bilem, morbum regium iudicatorie fieri interdum contingit.com.4°.aph.62°.* Ex.34.B
ex *Cutis mutatione non mutantur intrinſeca viſcera.2°.de tẽp.* 1ª.20.B
Cutis quo modo à varijs immutatur.1°.de præſag.ex pulſ. 4ª.105.H
Cutem mutat regio intemperata.intr. Iſa.65.F
Cutis à quibus patiatur.de aſſue. 2ª.61.C
Cutis morbi, qui introd. Iſa.59.D
Cutis paſſio eſt eryſipelas.2°.de arte cur.ad Clau. 7ª.101.C
in *Cute affectum pariunt morbi per eliquationem. in 6ᵐ.de mor.vulg. commen.3°.* 3ª.176.G
ad *Cutem transferri paſſiones ex intimioribus & principalioribus partibus confert.com.6°.aph.37°.* Ex.50.D
ad *Cutem fluxiones quæ veniunt, ſunt ſalubriora quàm quę ſunt in profundo.de vic.ra.in mor.acu.com.4°.* 7ª.138.H
ad *Cutem quo modo non tendunt ſucci.4°.de ſan.tuen.* 2ª.84.A
per *Cutem aut per vrinas cito exit nutrimentũ fructuum, qui ex arboribus colliguntur.2°.de ali.fac.* 2ª.17.D
ex *Cute corporis que educantur.de cathar.* Sp.94.G
Cutis ſordes vnde habent originem.1°.de ſanitate tuen. 2ª.67.H
per *Cutis ſordes excernuntur ſuperflua.de compag.memb.* Sp.59.B
Cutis cum ſit vltima, merito recipit excrementa omnium partiũ. de cauſis morb. 3ª.8.E
Cutis tranſpiratio ſpecies euacuationis.ars med. Iſa.69.E
ex *Cute euacuantur ſudores.com.4°.aph.37°.* Ex.32.B
per *Cutem ſudor euacuatur.com.6°.aph.2°.* Ex.46.E
Cutem, ex qua euacuantur ſudores, frigidam eſſe contingit, cum tamẽ ea quæ ſunt ſub ipſa comburantur.com.4°.aph.37°. Ex.32.C
per *Cutem exire calidum vaporẽ, cum prius anhelitus fuerit frigidus, eſt ſignum mortiferum.in 6ᵐ.de mor.vul.com.4°.* 3ª.187.C
Cutis refrigeratur in febre lypiria & cauſone, & interiora vruntur. cõmen.4°.aph.48°. Ex.33.A
Cute euacuantur membra ſub cute.1°.de ſymp.cauſ. 3ª.17.H
per *Cutẽ euacuat totũ corpus caro viperæ.11°.de ſimp.med.fa.* 5ª.77.G
per *Cutem euacuandi humores non ſunt euacuandi per vomitum vel ꝑ ſeceſſum.in 6ᵐ.de mor.vul.com.2°.* 3ª.165.G
per *Cutim qñ non vacuatur nec pituitoſus humor nec bilioſus. de vict. ra.in mor.acu.com.3°.* 7ª.133.E
per *Cutim vacuatio notabilis ex quibus fiat.8°.meth.med.* 7ª.60.H
in *Cute humor vitioſus quomodo euacuandus.1°.de comp.medicamento.ſecun.loc.* 5ª.121.F
ad *Cutem reuocat humorum malorum abundantiam exercitatio, vlcera & ſcabies generat quibus vicem purgationis humorũ, qui in profundo ſunt corpis, exercitatio ſuppleuerit.com.3°.aph.2°.* Ex.24.C
Cutem vlcerat bilioſus humor.de tum.præter nat. 3ª.84.B
ad *Cutis vitia quæ exanthemata vocant.5°.de comp.me.per g.* 5ª.251.E
Cutis hippopotami phymata digerit.de ther.ad Piſ. 5ª.93.F
ad *Cutem vniuerſam quandoq; atra bilis expellitur, & fit elephas.2°. de arte cur.ad Glauc.* 7ª.107.C
Cutẽ ẽt offendunt inflãmationes podagricæ.com.6°.apho.49°. Ex.52.D
Cutis inflammatæ tenſio ſcarificetur.2°.de arte cur.ad Glau. 7ª.105.C
Cuti ſubſtrata membrana quos dolores facit.2°.de loc.aff. 4ª.11.D
Cutim tantum dolere ſibi inter mouendum quidam fatentur laſſitudine vlceris affecti.3°.de ſan.tu. 2ª.79.A
Cutem non mordicãt quæ à ſumma frigiditate, aut caliditate abſunt. 4°. de ſimpli.medicamen.facult. 5ª.24.F
Cuti vlceratę frigida aqua eſt mordax, non vlceratæ non eſt mordax.cõment.5°.aph.20°. Ex.39.B
Cutim diuellũt facile atq; erodũt quædã ex acribus.de att.vic. 2ª.43.G
Cutis inciſa ob diutinum materiæ curſum ad oculos.de faſcijs. 7ª.295.F
in *Cute acu puncta caſus.6°.meth.med.* 7ª.36.H
Cutis compunctio per aciculas quo modo in alopecia. 1°.de comp.medicamen.ſec.loc. 5ª.122.H
Cutis dicitur collidi.de frac.com.2°. 7ª.240.A
Cutis non concaleſcat præter modum, & quomodo cognoſcatur in applicatione pharmacorũ in alopecia.1°.de comp.med.ſe.loc. 5ª.122.G
Cutis ſæpe palpitat.2°.de ſymp.cau. 3ª.20.F
Cutis non habet pulſationem.2°.de loc.aff. 4ª.9.B
Cutis vniuerſa non partes extremę derelinquitur à ſanguine in forti dolore.com.7°.aph.26°. Ex.55.G
in *Cutis affectibus in pilorum defectu curandis, acria cauenda & ſicca valde.14°.meth.med.* 7ª.93.D
Cutis capitis morbi.intr. Iſa.59.F
Cutis capitis morborum curatio.introd. Iſa.59.G
Cutis capitis medicamenta debent eſſe vehementia. 1°.de compoſi.medicamen.ſec.loc. 5ª.121.H
pro *Cute capitis optimum eſt medicamentum thapſia, cur.1°.de cõpoſitio.med.ſec.loc.* 5ª.122.H
Cuti qñ ſint applicanda medicamenta exiccantia.de conſt.ar. Iſa.42.E
ad *Cutem curandam antequam accedas, purgatio in pilorum defectu primo molienda.14°.meth.med.* 7ª.93.D
Cutim frica vt rubeſcat, vt medicamenta altius deſcendant.14°.methodi medendi. 7ª.93.E
pro *Cutis morbis pharmacum debet eſſe tenuium partium. 1°. de compoſi.medic.ſecun.loc.* 5ª.121.H
Cutis ſummæ affectibus medentur ſales theriaci.de ther.ad Piſ. 5ª.97.E
Cutis vitioſis coloribus ptiſſana cruda illita confert. de vict.rat.in mor. acutis, com.1°. 7ª.111.E
Cutis vlcera à phlegmone tuetur araneorum tela. 11°.de ſimpli.medicamen facul. 5ª.80.F
Cutis quandoq; aufertur.de diff.morb. 3ª.5.A
ad *Cutem auulſam.1°.de comp.med.per gen.* 5ª.217.G
Cutibus laceroſis confert mel elixũ.2°.de arte cur.ad Glau. 7ª.106.G
ꝑ *Cutibus laceroſis quæ melli inũgẽda.2°.de arte cu.ad Glau.* 7ª.106.G
Cutim ſcarificare, & hydropicos perforare inter ſe diſtant. ad Thraſybulum. 2ª.105.A
de *Cutis inciſione.de hirud.reuulſ.cucurb.& ſcar.2.F* 6ª.3.F
Cutis non incidenda in fractis.de fract.com.3°. 7ª.247.D
Cutem mangones cur à carnoſis articulis attollunt. in 6ᵐ.de morb.vulgarib.commen.3°. 3ª.176.D
Cutes quę non poſſunt excoriari.2°.de vſu par. 1ª.122.E
Cutes quæ non poſſunt excoriari propter quid.2°.de vſu par. 1ª.122.E
ad *Cutem eleuandam acutiore ſcalpello vtaris.3°.de ana.adm.* 1ª.74.B
à *Cute non niſi ſcalpello membrana ſeparatur.3°.de ana.adm.* 1ª.74.C
Cutis in axillis & inguinibus quo modo incidenda in ſpeciem folij myrti.13°.meth.med. 7ª.81.D
ad *Cutim ex materia defluẽte, vlcus quo mõ ſanet̃.4°.met.me.* 7ª.24.D
Cute vt tegantur indigent vlcera omnia.de frac.com.3°. 7ª.247.F
Cutem rumpens.6°.de comp.me.per ge. 5ª.261.H
Cutem exulcerat Chelidonium.8°.de ſimp.med.fac. 5ª.63.G

Cutis & cicatrix efficit caro durata.in 6^{m}.de mor.vul.cō.2°. 3ª.161.A
Cutis coitio carnium incrementum aliquando ſignificat. in 6^{m}.de morb. vulgaribus,commentario.3°. 3ª.169.G
Cutis non reſtituitur qualis erat,ſed ſimile cuti.3°.meth.med. 3ª.19.G
CYAMOS *id eſt faba.7°.de ſimp.medicamentorum facultat.* 5ª.53.D
Cyamos(.i.faba)ægyptia quod pondus.de pond.& menſ. 5ª.277.F
CYANOS. *9°.de ſim.med.fac.* 5ª.69.G
Cyanon an à cæruleo & contra.in progn.com.2°. 4ª.201.G
Cyaneo colore gaudet viſiuus ſpiritus,de anat.ocul. Sp.57.E
CYATHVS *quæ menſura ſit.4°.de comp.med.ſecun.loc.160.D/de pon de.& menſ.275.F/276.D/F/H/* 5ª.277.E
Cyathus ꝑ humidorū varietate.de pōd.& mēſ.275.G/ 5ª.277.A/C/D
Cyathus qua nota ſignificetur.de pond.& menſ. 5ª.275.C
Cyathi menſuræ meminit.8°.de ſimp.med.fa.58.E/2°.de antid. 5ª.119.B
Cyathus ſcalpelli paruus.in 6^{m}.de morb.vul.com.2°. 3ª.161.A
ex Cyathis duodecim cereis pro dādo potu ęgris vnum vel duos quid.ā medici excogitarunt.de vic. ratio.in mor.acu.c.3°. 7ª.131.F
Κύβιτος *quid.2°.de motu.muſ.* 1ª.313.H
CYBIVM. *5°.de comp.med.ſe.lo.* 5ª.166.F
CYBOIDES *os quod.de oſſib.* 1ª.43.F
Κυβοειδὲς. *de fract.com.2°.233.B/* 7ª.234.C
CYCEON *commune nomen omnium potionum vinum habentium. in 6^{m}.de mor.vulg. com.6°.* 3ª.196.E/F
Cyceon.in 6^{m}.de mor.vul.com.6°.3ª.195.H/ de vic.ra. in mor.acu.com mentario.2°. 7ª.122.C
CYCLAMINVS *quid. de ſimpli.medic.* Sp.82.C
*Cyclaminus ex contrarijs partib us conſtat.7°.de ſimp.md.fac.*5ª.53.E
Cyclamen purgat pituitam & bilem.de dyna. Sp.21.H
Cyclamini doſis,& quibus miſcetur.de dyna. Sp.21.H
Cyclaminus bilem per ſudorem emittit.7°.de ſimp.med.fa. 5ª.53.E
Cyclaminus aperit.5°.de ſimpli.med.fac. 5ª.35.F
Cyclaminus ventrem purgat.de ſimp.med. Sp.82.D
Cyclamini ſuccus quo modo caput purget & ſuffuſiones diſſipet. de ſimplic.medic. Sp.82.D
Cyclaminus ſicca cum vino potata mentem perturbat.2°.de compo.me dicam.ſecun.loc. 5ª.137.B
Cyclaminis radices præſtantiores folijs.2°.de alim.fa. 2ª.24.A
Cyclamini radix menſes euocat,aurigini prodeſt,cutem detergit, & alo pecias,ephelidas,omniaq́ exanthemata ſiue effloreſcētias curat:ꝑ terea lienem induratum iuuat,& ſicca aſthmaticis exhibetur. 7°.de ſimp.med.fac. 5ª.53.F
Cyclaminus cyſſanthemos.7°.de ſimp.med.fac. 5ª.53.F
Cyclamini cyſſanthemi fructus lienes ſanat, locos eijcit, & aſthmaticis prodeſt.7°.de ſimp.med.fac. 3ª.53.F
Cyclamini ſuccus hæmorrhoidas reſerat,et phymata,ſtrumas, et alias duritias digerētibus commiſcetur,ſuffuſis competit,nares expurgat, & fœtum interimit,ac validum interimēdo conceptui medicamē eſt. 7°.de ſimp.med.fac. 5ª.53.E
Cyclamini ſuccus ad abolēdū colorē è facie icterici.de cura ict. Sp.111.F
CYCLAS *Apollonius.in 3^{m}.de mor.vul.com.2°.* 3ª.137.H
CYCLISCIS *quibus admiſcetur bilis.10°.de ſimp.med.fac.* 5ª.74.F
CYCLISCI *hoc eſt caui exciſorij ſcalpri.6°.meth.med.* 7ª.42.A
Cycliſci ſunt ſuſpecti in fracturis capitis,cur,& quando illis vtendum. 6°.methodi medendi. 7ª.42.B
Cycliſcis vti vult in caluaria fracta vſq; ad meningem oſſibus vehemen ter motis.6°.meth.med. 7ª.42.C
CYCLOPEM *in magna vena vulnerauit Vlyſſes.4°.de vſu p.1ª.139.G*
CYCNARIA *medicamenta ad lippitudines incipientes.intro. Iſa.58.C*
CYDONIA *herba odoratas reddit compoſitiones.1°.de compo.me dic.ſecun.loc.* 5ª.128.C
Cydonia ſunt fructus ad reponendum apti.de atten.vic.rat. 2ª.45.H
Cydoniorū coctorū & ſtruthiomelorū differētia.2°.de ali.fac. 2ª.20.D
Cydonia mire adſtringunt.2°.de alim.fac. 2ª.20.C
Cydonia mouent alium ſenſum in lingua, quàm adſtringentia. 1°.de ſim pli.medcamen.fac. 5ª.8.H
Cydonio minus adſtringit ſquamma æris.3°.de ſimp.me.fac. 5ª.20.D
Cydonia ſtringūt vētrē cū ſtypticitate,& pōticitate.de diſ.cōt. Sp.75.B
*cum Cydonijs cucurbita elixa ſuccum auſterū facit.2°.de ali.f.*2ª.16.H
Cydonia rectificant ſtomachum debilē,& mollem.de diſſ.cōt. Sp.74.D
cum Cydonij mali carne medicamenta quandoque exhibebantur. 3°.de ſimp.med.facul. 5ª.20.C
in Cydonio malo præparetur ſcammonium.1°.de alim.fac. 2ª.9.B
in Cydonio ſcammonium non obeſt ſtomacho.1°.de alim.fac. 2ª.9.B
Cydonijs in oleo per tempus madefactis oleum paregoricum, & ſtypti cum aliquantum inuenitur.de ſimp.med. Sp.88.D
Cydoniorū ſuccus diu ſeruatur cū melle coctus.2°.de ali.fac. 2ª.20.C
*Cydoniorū ſuccus cū melle coctus cur durat.7°.de ſim.med.fac.*5ª.55.H
Cydonia mala.6°.de comp.me.ſe.loc. 5ª.167.E
CYEMA, *id eſt vteri geſtatio,primis duobus mēſibus dicitur fœtus. 1°.de ſymp.cau.* 3ª.18.C
CYETICA, *id eſt genitalia membra,ſubiecta habet matrix. de natura & ord.cuiuſ.corp.* Sp.42.B
CYGNI *collyria,quæ,& vnde dicta.4°.de comp.me.ſec.lo.* 5ª.150.D
Cygnus inſcriptus reginę ad maximos oculorum dolores,& affectiones. 4°.de comp.med.ſec.loc. 5ª.154.G
Cygnus ex terra Samia.4°.de comp.med.ſec.loc. 5ª.154.G
CYLINDRORVM *forma Galeni.10°.de ſimp.med.fac.* 5ª.73.G
Cylindri forma,quæ.de art.com.2°. 7ª.266.A
Κυλλὸν *quid proprie ſignificet.de artic.com.3°.* 7ª.278.B
Κυλλώσις *quid.de artic.com.4°.* 7ª.283.D
Κυλλὸς *menſis.3°.de dieb.decreto.* 4ª.157.E
CYMBALARIS *chartilago,quæ.de ana.viu.* Sp.53.E
CYMINVM *quid.de ſimp.med.* Sp.82.E
Cyminum eſt cibus acutus,incidens,aperiens,de diſſ.cont. Sp.72.F
Cyminum.7°. de ſimp.medic.facultatib. 5ª.53.F
Cyminū calidū cum ſubtili ſubſtantia.2°.de arte cur.ad Glau. 7ª.104.G
Cyminum eſt in tertio ordine calidum.7°.de ſimp.med.fa. 5ª.53.F
Cyminum,caron,aniſum,ligusticum,et petroſelinum ſunt in eodem vſu. 7°.de ſimpli.med.fac. 5ª.53.F
Cyminum vrinam mouet.de cura icter. Sp.111.D
*Cyminum vrinā mouet,& flatum extinguit.7°.de ſimp.med.fa.*5ª.53.F
*Cyminum frictū pro purulentis.dc vic.rat.in mor.acu.com.4°.*7ª.152.F
Cyminum leuiter laxat.de ſimp.med. Sp.82.F
Cyminum ſi bibatur pallorem facit.de ſimplic.medica. Sp.82.F
Cyminum inflationibus,& tortionibus prodeſt, & viſcide dolorem pla cat.de ſimp.med. Sp.82.F
Cyminum quidam addunt ptiſſanæ.de ptiſ. 2ª.47.D
χυμός, *id eſt ſapor, vocatur guſtatoria facultas, ſiue qualitas. 1°.de ſimp.me.fac.* 5ª.8.G
CYNANCHE *ponitur inter morbos,qui vere apparent.5°.de ſani tate tuenda.* 2ª.94.D
Cynanche morbus peracutus.fin.med. Iſa.45.F
Cynanche etiam quæ paracynanche quomodo fiant,& in qua parte, & quomodo debeant appellari.com.4°.aph.34°. Ex.31.D
Cynanche affectus ceruicis.introd. Iſa.59.C
Cynanchon,& ſynanchon an differant.de vic.ratione in morbis acutis, commentario.4°. 7ª.138.E
CYNARA *erat quondam in magna eſtimatione.2°.de ali.fac.* 2ª.23.D
Cynara praui ſucci.2°.de alim.fac. 2ª.23.E
Cynarę ſuccus bilioſum ſuccum gignit.2°.de alim.fac. 2ª.23.E
Cynara ad linguam fluxione laborantem.de med.fac.parab. 7ª.173.E
CYNICI *philoſophi contendunt placita ſua breuem eſſe ad virtutem viam.de cuiuſq; animi pecc.not.atq; med.* 2ª.57.D
CYNOCEPHALVS *inter canem & ſimiam medio modo ſe habet.11°. de vſu partium.* 1ª.184.G
Cynocephali non multam habent diſſimilitudinem oſſium ab hominibus. 1°.de anat.adm. 1ª.63.G/H
Cynocephalus ſumendus in ſimiæ defectu pro anatomia.6°.de anatomi. adminiſt. 1ª.89.E
Cynocephalas ſimias laudat ꝑ anatomia.de mot.man.& obſ. Sp.70.E
CYNOCRAMBE *quid & eius vires.6°.de ſim.me.fa.* 5ª.43.D
CYNOMORVS *quid ſignificet.1°.de comp.med.ſec.lo.* 5ª.125.D
Cynomoros herba dicta eo quòd canes celerrime interimit. 6°.de ſimpl. medic.facul. 5ª.43.D
Cynomorus.1°.de comp.medi.ſec.loc. 5ª.125.E/D
CYNORAISTAE. *10°.de ſimp.me.fac.* 5ª.73.D
Κυνόσβατον *vocant canirubum.2°.de alim.fac.* 2ª.19.B
Cynosbatus,id eſt ſentis canis.7°.de ſimp.med.fac. 5ª.53.F
Cynosbati decoctum adſtringens leue.5°.meth.med. 7ª.31.G
CYNOSORCHIS *.i.teſticulus canis.8°.de ſimp.me.fa.* 5ª.57.F
CYPARISSVS, *id eſt cupreſſus.8°.de ſim.med.fac.* 5ª.53.G
Cypariſſina reſina,qualis.8°.de ſimp.med.fac. 5ª.59.G
Cypariſſias ſpecies tithymalli.8°.de ſimp.med.fac. 5ª.62.E

CYPERVS

CYPERVS quid.de ſimp.med. Sp.82.C
Cyperus miſtā naturā habet ex cōtrarijs.1°.de cōp.me.ſec.loc.5ª.129.E
Cyperus numeratur inter arida adſtringentia moderate. 6°. de compo, med.ſec.loc. 5ª.172.G
Cyperus vires excalfacientes & aliquatenus ſtringentes habet.6°.de ſimp.med. Sp.82.C
Cyperi radix calida & ſicca.7°.de ſimp.med.fac. 5ª.53.G
Cyperi radix vlceribus, quæ præ nimia humiditate cicatricē difficulter admittunt, mirifice prodeſt, vlceri oris conuenit, calculo vexatis cō gruit, vrinam menſesq; prouocat.7°.de ſimp.med.fa. 5ª.53.H
Cyperi radix.13°.meth.med. 7ª.83.G
Cyperus ex adſtringentibus moderatis pro gargariſmis. 6°. de compo. med.ſec.loc. 5ª.172.F
Cyperum ſine morſu exiccat, & parum adſtringit. 6°. de comp. medic. per genera. 5ª.256.F
Cyperus vlcera exiccat.4°.de comp.med.per gen. 5ª.236.G
Cyperus odoratas reddit compoſitiones.1°.de cōp.med.ſec.lo. 5ª.128.C
Cyperus aſiaticus ad vrinæ difficultatē exptū.de me.ſa. par.7ª.179.A
Cyperus vſtus.5°.de comp.med.ſec.loc. 5ª.165.D
CYPHEOS odor capitis dolorem facit.3°.de loc.affe. 4ª.20.G
Cyphi accenſum ad vaporem in deorum honorem.8°.de compoſi. medi. ſecundum loc. 5ª.194.E
Cyphi compoſitio, qualis.2°.de antid. 5ª.111.C
Cypi hieraticum.8°.de comp.med.ſec.loc. 5ª.193.B
Cyphis meminit.8°.de comp.med.ſec.loc. 5ª.194.E
ex Cyphi illinenda eſt frons in caput dolentibus ex febre in frigidis.2°. de comp.med.ſec.loc. 5ª.137.A
Κύφωσις quid de articulis.com.3°. 7ª.268.F
CYPHOIDES Andromachi vnde dicta.8°.de compoſi.medicamento. ſecundum locos. 5ª.194.D
Cyphoides antidotus.8°.de comp.med.ſec.loc. 5ª.194.H
CYPRESSI gummi maturat.de oculis. 7ª.188.E
in CYPRO naſcuntur metalla.9°.de ſimp.med.fa. 5ª.65.B
in Cypro capparis plurima.2°.de alim.fac. 2ª.21.E
in Cyprum, & in cauam ſyriam nauigauit diſcendi gratia Galenus.9°. de ſimp.med.fac. 5ª.65.B
ex Cypro quæ ſimplicia portauerit Galenus.1°.de antid. 5ª.100.B
Cyprij ruſtici pro pane polenta vtuntur.1°.de alim.fac. 2ª.11.H
CYPRVS qualis.6°.de comp.med.ſec.lo. 5ª.176.D
Cypri arboris folia & ſumma germina ſunt facultatis et qualitatis mixtæ.7°.de ſimp.med.fac. 5ª.53.H
Cyprus deſiccat abſque morſu.7°.de ſimp.med.fac. 5ª.53.H
Cypri folia commanſa accommoda ſunt vlceribus in ore aphthodeſi & ipſis aphthis.7°.de ſimp.med.fac. 5ª.53.H
Cypri foliorum decocto ambuſta fouētur, & aduerſus igneas phlegmonas & carbunculos eo vtuntur.7°.de ſimp.med.fac. 5ª.53.H
CYPRINVM oleum, & cyprinum vnguentum quo differant. 4°.de comp.med.per gen. 5ª.239.H
Cyprinum oleū adſtringit cū caliditate.2°.de cōp.med.p gen. 5ª.220.G
Cyprinū oleoſum mitigat medicamēta.2°.de cōp.me.per gen. 5ª.220.D
Cyprino inungitur paſtillus.7°.de comp.med.per gen. 5ª.265.B
Cyprinum oleoſum.2°.de comp.med.per gen. 5ª.220.G
CYPRINVM ceratum, quale.3°.de comp.med.ſec.loc. 5ª.147.B
Cyprinum cerotum fortius eſt amathonis malagmate in ictero. de cura icteri. Sp.111.C
Cyprinum ceratum.3°.de comp.med.ſec.loc. 5ª.146.G
CYPRIVM 6°.de comp.med.per gen. 5ª.261.C
Cyprium toſtum.4°.de comp.med.per gen. 5ª.239.A
Cypria cinerula.3°.de comp.med.ſec.loc. 5ª.145.A
Cypriæ cinerulæ meminit.de remed.fac.par. 7ª.163.E
CYPSELVS adhuc cum generaretur, & ſi bacchiadis non videbatur, terrebantur ſpectro.an animal ſit quod in vtero. 1ª.328.F
CYRENAICA ſecta vnde.de hiſt.philoſo. Sp.2.F
Cyrenaici vt maior copia generetur, ſtirpes irrigant.3°. de compo.med. per genera. 5ª.232.H
Cyrenaicus ſuccus eius qualitatē ſtatim præ ſe fert et ī vrina & in alijs humoribus.1°.de ſem. 1ª.335.A
Cyrenaicus ſuccus tenuiſſimæ ſubſtantiæ calidæ.3°.de compoſi. medica. per genera. 5ª.228.E
Cyrenaicus liquor acris eſt.4°.de comp.med.ſec.loc. 5ª.149.F
Cyrenaicus ſuccus per halitū maxime digerit, calidus, tenuis.8°.de ſimpli.medica.facultatibus. 5ª.57.D
Cyrenaicus ſuccus numeratur inter attrahētia ſponte nata. 5°. de ſimp. med.fac. 5ª.36.E
Cyrenaica lachryma trahit à profundis.6°.meth.med. 7ª.37.E
Cyrenaicus ſuccus diſcutit.6°.de comp.med.ſec.loc. 5ª.169.D
Cyrenæus ſuccus calidus p doloribꝰ.in 6m.de mor.vul.cō.6°.3ª.196.B
Cyrenaicus ſuccus collo ſuſpenſus quo modo columellā phlegmone affectam iuuat.6°.de ſimp.med.fac. 5ª.45.H
ex Cyrenaico ſucco compoſitio.de palp.trem.conuul.& rig. 3ª.55.H
Cyrenaicus ſuccꝰ qn̄ optimus ī quartana.1°.đ arte cur.ad Gla. 7ª.97.G
Cyrenaici ſucci fit mentio.4°.de compoſi. med. ſec.loc.156.F/157.A/5°. 164.C/165.B/7°. 5ª.186.B
p Cyrenaico ſucco medicus.3°.de comp.med.per gen. 5ª.228.E
p Cyrenaico ſucco ſagapenum.3°.de comp.med.per gen. 5ª.228.E
CYRIENVM vinum eſt cōmodum ſenibus.5°.de ſan.tuen. 2ª.91.C
CYRRHVM id eſt fuluum vinum, & auſterum competit fluxionibus ventris.de vinis. Sp.76.F
CYRTI emplaſtrum ad attrahendum.6°.de cōp.med.p gen. 5ª.261.C
CYRTOMA quod genus tumoris.in prognoſt.comp.2°. 4ª.200.A
Κυρτὸς, de fract.com.2°. 7ª.240.G
Κύρτους.i.naſſæ piſcatoriæ exemplum.in tim.Plat. 1ª.288,D
Κύρτωσις quid.de artic.com.3°. 7ª.268.F
CYSSANTHEMOS cyclaminus.7°.de ſimp.med.fac. 5ª.53.F
CITARISTAE cur cordas relaxent.2°.de loc.aff. 4ª.11.A
vt in Cithara chordæ, ita nerui tenduntur.2°.de loc.affe. 4ª.11.A
Cithararum cordarum comparatio ad conuulſionem. de pal. trem. conuul.& rig. 5ª.56.B
CYTINVS quid ſit.6°. de compoſi. med. ſecun. locos. 5ª.168.G/de ſimp.med. Sp.87.C
Cytini qui ſint.4°.de comp.med.ſec.loc. 5ª.157.C
Cytinus eſt flos punicæ domeſticæ.6°.de ſimp.med.fac. 5ª.44.F
Cytini flores granatorum.8°.de ſimp.med.fac. 5ª.59.H
Cytini in fine veris generantur.7°.de comp.med.ſec.loc. 5ª.168.G
Cytinos & balauſtium diſtinguit.7°.de compoſitio.medicamentorum ſecundum locos.183.G/H 5ª.184.G
Cytini mali punici.5°.de comp.med.per gen. 5ª.251.E
Cytini acidorum & acerborum punicorū.6°.de cōp.me.ſec.lo. 5ª.175.G
Cytini numerantur inter acerba.6°.de comp.med.ſec.loc. 5ª.172.G
Cytini auſteri ſunt.4°.de comp.med.per gen. 5ª.241.H
Cytini adſtringunt.9°.de ſimp.med.fac. 5ª.64.C
Cytini vehementius adſtringunt.4°.de comp.me.ſec.loc. 5ª.149.H
Cytinus vehementiſſime ſtypticus eſt, & efficaciſſime ſtringit de ſimp. medicament. Sp.87.C
Cytini ſunt ex adſtringētibus parabilibus.6°.đ cōp.me.ſe.lo. 5ª.169.G
Cytini ſunt ex adſtringentibus medicaminoſis.11°.de ſimp. medicamenrum facultatibus. 5ª.81.E
Cytini inter adſtringentia moderate pro gargariſmis.6°. de compoſitio. me.ſecun.loc. 5ª.172.F
Cytini punicorū internis vlceribus opitulantur.4°.meth.me. 7ª.28.H
Cytinus dyſentericos ſanat, vulnera recentia glutinat. de ſimplicibus medicaminibus. Sp.87.C
Cytinus ſiccus & terreſtris. 4°.de comp.me.per gen. 5ª.237.H
CYTISVS quid ſit.1°.de anti. 5ª.101.E
Cytiſus eſt frutex.5°.meth.me. 7ª.35.A
Cytiſus facit multum mellis, & quale.1°.de anti. 5ª.101.E
Cytiſi copia vbi.1°.de anti. 5ª.101.E
Cytiſus vt malua digerit.7°.de ſimp.me.fac. 5ª.53.H
CYZICENVM medicamentū.4°.de cōp.me.per gen. 5ª.243.F
Cyzicenum vt Aſclepiades.5°.de comp.me.per gen. 5ª.250.D
in Cyzico fit amaracinum & ſtyracinū.2°.de cōp.me.ſec.loc. 5ª.133.F

DACTYLI numerantur inter cibos calidos de diſſolutione continua. Sp.74.C
Dactyli, cibus craſſus, & cur.de diſſolutione continua. Sp.72.H
Dactyli nutriunt eum qui digerit eos nutrimēto multo craſſo.de diſſol.cōt. Sp.73.E
Dactyli humidi qd faciāt.đ diſ.cō.Sp.74.H
Dactyli virides vrinā puocāt vſq; ad ſanguinē.de cura icteri. Sp.111.D
cū Dactylis aut caricis comeſtus opos tithymalli purgat cibos indigeſti biles in inteſtinis, & lumbricos rotundos.de cathar. Sp.95.C

Dactylos dat epilepticis.de pue.epi. 5ª.180.D
Dactylorum caro non attenuat.de atten.vic. 2ª.44.C
DADINVM oleũ minus laurino calidũ.6°.de ſim.me.fa. 5ª.46.H
DAEMON quid ſit.de hiſt.philo. Sp.4.H
Dæmones ſibi immiſſo putant melancholici.de melancholia ex Gale.R. & poſſidonio. Sp.109.C
Dæmonem dualitatẽ exiſtimauit Pythagoras.de hiſt.philo. Sp.4.F
Dæmoniorũ & decanorum herbæ ſacræ.6°.de ſimp.me.fa. 5ª.40.A
ad Dæmones abigendos.de med.fac.pa. 7ª.177.F
DAMARVM ſanguis non habet fibras.ꝙ animi mores. 1ª.319.C
DAMASCENA pruna omnium præſtantiſſima.2°.de ali.fa. 2ª.21.D
Damaſcena pruna ſeruantur.de bon.& vitio ſuc. 2ª.36.H
Damaſcena pruna ſubducendi gratia præmanduntur hydromeliti incocta.de atten.vic. 2ª.45.B
Damaſcena pruna vincuntur ab hiſpanis ad deijciendam aluum.5°.de ſanitate tuenda. 2ª.92.E
Damaſcenis prunis hyeme ſoluẽda ſenũ aluus.5°.de ſan.tuen. 2ª.92.E
DAMASONIVM abſterſiuum eſt.6°.de ſimp.me.fac. 5ª.46.A
Damaſonium lapidem comminuit.de ren.aff.dign.& med. 7ª.194.C
Damaſonium dyſenterias ſanat, aluum ſiſtit, & œdemata mitigat, & in renibus calculos eius decoctum, atque epotum comminuit. 6°.de ſimp.me.fac. 5ª.46.A
Damaſonij figuram præ ſe fert cinnamomum.1°.de anti. 5ª.106.A
in DAMNATIS vita experienda medicamenta. 10°. de ſimplicium medica.facul. 5ª.72.E
DAMOCRATES ſcriptor medicamentorum.3°. de compoſitione me. per gen. 5ª.234.H
Damocrates verſibus ſcripſit oĩa medicamenta.1°.de anti. 5ª.102.C
Damocrates librum fecit inſcriptum Clinicus.10°.de compoſitionẽ medicamen.ſec.loc. 5ª.208.C
Damocrates librum fecit inſcriptum Philiatrus.7°.de compoſitione medicamen.ſec.loc. 5ª.180.D
Damocrates librũ fecit Pythicũ ĩſcriptũ.5°.de cõp.me.ſec.loc.5ª.166.B
Damocrates theriacam fecit.1°.de anti. 5ª.108.A
Damocratis medici præſtantiſſimi compoſitio theriacæ quo differat ab Andromachi compoſitione.de theria.ad Piſ. 5ª.95.B
Damocratis acopa.9°.de comp.me.per gen. 5ª.273.C
Damocratis dentifricium ad dentes faciendos cãdidos & immobiles.5°. de comp.me.ſec.loc. 5ª.166.B
Damocratis diacodion.7°.de comp.me.ſec.loc. 5ª.180.D
Damocratis Dyſrachitis.5°.de comp.me.per gen. 5ª.248.E
Damocratis ex calce viua ad digerendũ.6°.de cõp.me.ꝑ gen. 5ª.263.A
Damocratis diſcuſſoria.6°.de comp.me.per gene. 5ª.262.D
Damocratis diſcuſſoria ex ſale.6°.de comp.me.per gen. 5ª.262.G
Damocratis emplaſtrum album.1°.de comp.me. per ge. 5ª.217.F
Damocratis emplaſtrum ex dictamno.5°.de comp.me.per ge. 5ª.250.F
ex Damocratis libris giluum.6°.de comp.me.per ge. 5ª.262.D
à Damocrate malagmata.8°.de comp.me.ſe.lo.196.D/7°.de compoſi. med.per ge. 5ª.267.C
Damocratis medicamenta.6°.de comp.me.per ge. 5ª.259.F
DAMON muſicus.5°.de dec. Hipp. 1ª.257.H
DaniK fit mentio.ſecretorum. Sp.97.D
DAPHNE arbor.6°.de ſimp.med.fac. 5ª.46.B
DAPHNE herba calida, acris, ſubamara.6°.de ſimp.me.fa. 5ª.46.B
Daphne herba tum vrinas tum mẽſes prolicit.6°.de ſim.me.f. 5ª.46.B
Daphne Alexandrina.6°.de ſimp.me.fac. 5ª.46.B
DAPHNOIDES 6°.de ſimp.med.fac.46.C/7°. 5ª.51.G
DARII ſedans febrem.7°.de comp.me.ſe.lo. 5ª.183.A
Δάρσις excoriatio.3°.de anat.adm. 1ª.74.B
Δάρτος quid.intro. Iſa.54.E
DASYPODIS caput.5°.de comp.med.ſe.lo. 5ª.164.H
Δασύσομος, id eſt denſioris.in 1^{m}.pror.com.1°. 4ª.162.D
DAVCVM quid, & eius vires.de ſimp.med. Sp.83.D
Daucus Creticus.7°.de compoſi.me.ſec.loc.185.G/192.E/9°.200.D/H/202.B/D/G/H.10°. 5ª.206.C/E
Daucus Creticus decorticatus.9°.de comp.med.ſec.lo. 5ª.202.H
Daucum fame homines adacti comedunt.2°.de ali.fac. 2ª.22.B
Daucus multum elixandus.2°.de ali.fac. 2ª.25.B
Dauci radices, quales.de atten.vic.rat. 2ª.45.G
Dauci radices minus nutriunt q̃ rapæ, & arũ.2°.de ali.fac. 2ª.25.B
Dauci ſemen conuenit in diæta attenuante.de atten.vic. 2ª.44.E
Daudi radix.de vict.ra.in mor.acu.com.4°. 7ª.144.E
Daucus ſylueſtris ἄφυσον dr̃.i.ſine flatu.6°.de ſimp.me.fac. 5ª.46.A
Dauci ſylueſtris meminit.7°.de ſimp.me.fa. 5ª.50.C
Daucus venerem prouocat.6°.de ſimp.me.fa. 5ª.46.A
Daucus purgat pulmonem, & præcordia.de cathar. Sp.95.B
Daucũ ad tuſſem veterẽ facit, et oĩa vitia thoracis.de ſim.me. Sp.83.C
Daucus miſcetur purgãtibus medicamẽtis.8°.de cõp.m.ſe.lo.5ª.190.B
Daucũ omne acres, & excalfactorias vires habet.de ſimp.me.Sp.83.E
Daucus vrinam ciet.1°.de arte cur.ad Glau.7ª.99.F/de mel.ex Gal.R. & Poſſid. Sp.110.B
Daucus aromaticon quiddam oſtentat.2°.de ali.fac. 2ª.25.B
Dauci ſemen odoratum eſt, tenuium partium, & vrinam ciens. 9°. de comp.med.ſec.loc. 5ª.201.H
Dauci ſemen calidũ eſt & acre, vrinã ciens.5°.de ſimp.med.fac. 5ª.35.D
Dauci ſemen efficax medicamen vrinæ mouendæ, & menſibus prouocãdis.6°.de ſimp.me.fac. 5ª.46.B
Daucus vrinam, & menſtrua prouocat.de ſimp.me. Sp.83.E
Daucus partum deijcit.de ſimp.med. Sp.83.E
Daucus purgat renes.de cathar. Sp.95.C
Dauci ſemen vehementer calidum.6°.de ſimp.me.fa. 5ª.46.B
Dauci ſemẽ calidũ cũ ſubtili ſubſtãtia.2°.de arte cur.ad Glau. 7ª.104.G
Dauci ſemẽ ſanguinẽ extenuat & ſecernit.5°.de ſimp.me.fac. 5ª.35.D
Dauci ſemen ingreditur theriacam.de theria.ad Piſo. 5ª.92.G
Daucum non dat epilepticis.de pue.epilep. 7ª.180.C
Daucum calefacit.2°.de alim.fac. 2ª.25.B
Daucus caput replet, & inflammat.de pue.epilep. 7ª.180.E
Dauci non generant craſſos humores.de pue.epilep. 7ª.180.E
DAVIT potio ad iliacos.de dynami. Sp.28.D
DEACVMINATA de ijs q̃ in med.fi. cõ.3°. 7ª.214.D
ad DEALBANDVM ſole vtebãtur.1°.de comp.me.per gen. 5ª.214.C
DEALICIS caſus.in.3^{m}.de morb.vulg.com.1°. 3ª.133.E
Dealcis vxoris caſus.in 3^{m}.de morb.vulg.com.3°. 3ª.151.D
in Dealcis horto iacentis caſus citatur.com.7°.apho.31°. Ex.56.C
DEAMBVLATIO quid.in 6^{m}.de.morb.vulg.com.5° 5ª.191.A
Deambulatio febricitãtibus officit.in 6^{m}.de mor.vul.cõ.3°.3ª.177.G/H
DEARTICVLATIO, & abarticulatio. de art.com.2°. 7ª.263.E
Dearticulatio ſeu deluxatio quid.fin.med. Iſa.50.C
Dearticulatio quid ſignificet apud Hippocratem, ſecundum quoſdam. fracturis, com.2°. 7ª.238.C
in Dearticulationib⁹ oĩbus oſſa sũt facta ꝑꝑ motũ.11°.de vſu p. 1ª.191.C
Dearticulationis totius copulas neruos vocat.de frac.cõ.3°. 7ª.249.E
circa Dearticulationẽ ſolã muſculi caput mouẽtes.de muſc.diſ. 1ª.45.G
Dearticulationẽ retrorſum, aut in latera dilatantes muſculi, qui.de muſculorum diſſectione. 1ª.46.B
in Dearticulationes capitis quæ muſculorum coniugationes habentur, vbi de muſcu.diſſ. 1ª.45.G
Dearticulationem cubiti vomentes muſculi vnde oriantur, ac deſinant. de muſcu.diſſec. 1ª.47.H
Dearticulationẽ cubiti qui muſculi extendant.de muſ.diſſec. 1ª.48.A
Dearticulationem ſecundam articulorum flectentes muſculi, & quo modo.de muſc.diſſec. 1ª.49.C
ĩ Dearticulatione humeri paruus muſculus ſitus qualis, vbi naſcatur, ac finiat.de muſc.diſſec. Sp.47.G
Dearticulationem coxendicis euidenter, vehementerq́ʒ mouens mus. de muſcu.diſſect. 1ª.51.D
Dearticulationem coxendicis primis muſculis mouẽtibus qui nerui inſerantur.de ner.diſſ. 1ª.55.C
Dearticulatione iuſta, & æquali ſolus articulus in genu iungitur.de fracturis.commen.3°. 7ª.248.H
Dearticulationem genu mouent nouem muſculi.de muſc.diſ. 1ª.51.C
Dearticulationem genu qui muſculi extendant.de muſc.diſſect. 1ª.51.F
Dearticulationem genu mouentes muſculos, & ſi nouẽ eſſe oſtẽderit, tñ dicit eẽ octo, ne ab antiqs in re minima diſſentiat.de muſ.diſ. 1ª.51.G
Dearticulationẽ totius pedis flectentes muſculi.de muſc.diſſect. 1ª.51.H
Dearticulationem pedis totam mouens muſculus.de muſc.diſſ. 1ª.52.E
Dearticulationis modus quo modo offendit.de diſ.morb. 3ª.5.C
DEBILIS infans vnde fiat.de ſperm. Sp.36.A
Debilis puella vnde.de ſpermate. Sp.38.C
Debilis, rauca, grauis vox adeſt homini qui conceptus ſit in tribus horis ſanguinis.de ſperm. Sp 37.B
Debilia & mollia facit lotio calida.de venæ ſect.aduerſ.Eraſ. 6ª.8.C
Debile caput & neruos non tangit vinum pauciferũ.de vinis. Sp.76.C

Debilia

Debilia æqualiter eſſe duo membra per rarum eſt.in 6^{m}.de morb. vulg. commenta.2°. 3ª.168.D
Debiliores partes cur primæ morbis excrementitijs corripiãtur.de cur. rat.per ſang.miſſ. 6ª.17.H
Debilibus,quibus ſudor multus,calidus,vel frigidus, debet fieri euacuatio per inferiora.com.6°.aph.61°. Ex.59.F
Debili exiſtente ægro ſi rigor incidat febre non deficiente, letale eſt.commen.7°.apho.46°. Ex.32.G
Debili exiſtente corpore in continua febre,ſi labrum,vel oculus, vel naſus, vel ſupercilium peruertatur, aut non videat, aut non audiat, letale.com.4°.aph.49°.33.B/com.7°.aph.66°. Ex.60.F
Debiles ſi fuerint vires ægrotantis, & ea quæ in corpore eſt diſpoſitio, ſit ex corruptione humorum,vel defectu,cur illis parum alimenti & ſæpius afferendum ſit.com.1°.aph.17°. Ex.9.C
Debile corpus habentes ſi aqua frigida lauentur,refrigerantur,atq; offenduntur.com.1°.aph.15°. Ex.8.B
Debilis cui eſt naturalis labor in corpore,huic conueniunt cibi ſubtiliantes.de diſſol.cont. Sp.72.D
Debilis natura confortat electuarium dianthu.de dyn. Sp.26.D
Debiles ex lõga infirmitate curat electuariũ dianthu.de dyn. Sp.26.D
ad Debilia membra ex frigore decoctio aſſari.de med.exp. Sp.107.B
Debilem,& mollem ſtomachum rectificant cibaria ſtyptica. de diſſolutione cont. Sp.74.D
Debilẽ ſtomachũ confortat decoctio maſtiches.de med.exper.Sp.104.D
Debilem ſtomachum confortans electuarium ariſtolochiæ. de medicinis expertis. Sp.108.A
Debile hepar & cor confortans medicina Zenonis Athenienſis.de medicinis expertis. Sp.107.F
Debilis apoplexia quæ dicatur.com.2°.aph.42°. Ex.18.B
Debilia medicamenta non conueniunt ictericis.de cura icteri. Sp.110.H
Debilia medicamenta in alopecia quo modo humectanda. 1°. de compo. medicamen.ſec.loc. 5ª.122.D
Debiles,lege Imbecilles.
DEBILITATE viſus non diſcernunt oculi piſcium intermedios colores.de anat.viu. Sp.49.B
Debilitas corporis ſequit̃ ad dominiũ phlegmatis.de anat.viu. Sp.45.E
Debilitatas plurimum habentes vires ex morbo, balbutient.commentario.6°.aph.32°. Ex.49.H
Debilitatem corporis in omnibus oſtendit vrina alba,& nuda.de dynamidijs. Sp.35.E
Debilitas ſtomachi eſt ſignum infrigiditati,& humectati corporis.ſecretorum. Sp.78.G
q̃ñ Debilitas viſceris accreſcet ita,vt ĩ ſe ipſo continere ſuperfluitates non poſſit,nigræ fient deiectiones.com.4°.aph.21°. Ex.29.E
Debilitas ex virium defectu facile non habet remedium.commenta.6°. aphor.27°. Ex.48.H
ad Debilitatẽ interiorũ mẽbrorũ ex cauſa frigida.d̃ med.ex. Sp.107.B
ad Debilitatẽ mẽbrorũ interiorũ valẽs medicina.d̃ me.exp. Sp.104.G
ad Debilitatem ſtomachi.ſecretorum. Sp.98.D
Debilitati ſtomachi conferens oleum.de dyn. Sp.27.C
Debilitati ſtomachi prodeſt omphacomeli.de dyn. Sp.22.C
cõtra Debilitatẽ hepatis datur decoctio caſith.de med.exper. Sp.106.F
ad Debilitatem hepatis electuarium iridis.de med.exper. Sp.105.E
Debilitati hepatis conferens oleum.de dyn. Sp.27.C
ad Debilitatem hepatis ex frigida cauſa valet rhabarbarum.de medicinis expertis. Sp.106.E
ex Debilitate hepatis fluxui cõferẽs medicina.de med.exp. Sp.104.G
ad Debilitatem virtutis digeſtiuæ confert puluis gariofilorum. de medicinis expertis. Sp.106.E
ad Debilitatẽ neruorũ medicamẽ Amoronis regis.d̃ me.exp.Sp.108.F
ad Debilitatem coitus.ſecretorum. Sp.99.H
ad Debilitationem corporis.ſecretorum. Sp.100.D
ad Debilitatem.ſecretorum. Sp.98.H
Debilitant corpus,& attenuant cibi acuti.de diſſ.cont. Sp.72.F
Debilitat magis ſectio venę pedis q̃ venæ brachij.de ana.viuo. Sp.55.A
Debilitato calore natiuo ex ſanguinis profluuio in febribus quacunq; ex parte,cũ reficiunt̃,alui ijs humectantur.com.4°.aph.27°. Ex.30.C
DECEPTIO in quibus ſit.9°.de decr.Hipp. 1ª.279.H
Deceptio,falſa intelligentia ab Hippocrate dicit̃.9°.de decr. 1ª. 281.C
Deceptio vnde veniat in rebus quæ veniunt in controuerſiam.9°.de decretis Hippocratis. 1ª.286.C
Deceptio vt effugiatur definita locutione vtendũ.3°.meth.med.7ª.22.D
quomodo DECERNANT in morbis primus & ſecundus dies.1°.de diebus decretorijs. 4ª.148.H
Decernant quo modo vigeſimusſeptimus & vigeſimusoctauus.1°. de diebus decretorijs. 4ª.149.C
DECLINATIO in homine eſt à trigeſimo anno ad trigeſimũ quintũ. in prog.com.3°. 4ª.210.D
Declinante ætate abundat nigra bilis ſecundũ Hippocratem.bre.denot. dogm.Hippoc. 1ª.231.B
in Declinantibus ætate fit flatus hypochondriacus cũ venere vtuntur. in 6^{m}.de morb.vulg.com.2°. 3ª.171.G
Declinantem ætatem quartanæ ſequuntur.2°.de diff.feb. 3ª.36.E
in Declinante ætate renum affectus.in 6^{m}.de morb.vul.cõ.1°. 3ª.155.C
DECLINATIO quid ſit.1°.de criſ. 4ª.125.H
Declinatio eſt melius tempus totius circuitus.com.1°.aph.12°. Ex.5.F
in Declinatione omnia accidentia,& morbus ſunt debiliora. commẽtario.2°.aph.3°. Ex.16.H
Declinationem,ſtatum, augmentum, & principium habent quicunque morbi ſalubres.de mob.temp. 3ª.89.D/E
Declinationem,& vigorem habet morbus omnis qui ſoluitur. de morb. temporibus. 3ª.89.E
Declinatio acceſſiõis quo mõ fiat de vict:rat.in mor.acu.cõ.1°. 7ª.115.G
Declinatio febris quando.2°.de dif.morb. 3ª.42.D
Declinationem ſignificat poſtpoſitio.1°.de criſ. 4ª.125.H
Declinationis notæ.2°.de diff.feb.3ª.38.G/1°.de criſ. 4ª.126.C
Declinationis indiciorum exemplum.1°.de criſ. 4ª.126.B
ad Declinationem venientes circuitus,qui.de morb.temp. 3ª.85.G
Declinatio habet lãtum ſpatium.de morb.temp. 3ª.89.D
Declinatio quibuſdã non videtur fieri,vbi repentinæ criſes aduenerint. 3°.de criſ. 4ª.142.E
Declinationem ſenſibilem non habent ſynochæ.de morb.temp. 3ª.86.D
in Declinatione non dari remiſſionem ſm aliquos.de mor.tẽp.3ª.86.G
in Declinationibus præcipuæ pernitioſi ſunt ſomni,ſi noceant. commenta.2°.aph.1°. Ex.11.A
in Declinatione vrinæ fiunt craſſæ.com.4°.aph.69°. Ex.34.H
in Declinatiõe deiectiões nigræ nõ ſunt malæ.cõ.4°.aph.21°. Ex.19.E
Declinationis tempus manifeſtum eſt,ſi quis acute per ſudorem,vel ſanguinis fluorem iudicetur.de morb.temp. 3ª.85.E
in Declinatione colliquefactionis vrina qualis.quæſ.in Hipp. Sp.113.C
Declinatio inflammationis.de tot.morb.temp. 3ª.88.F
in Declinatiõibus ĩflãmationũ q̃ ſumẽda.6°.de cõp.me.ſec.lo.5ª.168.F
ad Declinationes affectionum oculorum malabathrinum. 4°. de compoſi.med.ſec.loc. 5ª.154.E
ad Declinationes oculorum inflammationum philadelphiũ. 4°. de compoſi.med.ſec.loc. 5ª.154.E
Declinatio febris nõ expectãda,ſed doloris magnitudo ĩſpiciẽda ĩ laſſitudine et dolore oculorũ ꝑ ſecãda vena.de cur.rat.ꝑ ſang.miſſ. 6ª.21.C
in Declinatione quid addendum ipſi diamoron.6°.de compoſitio.medicamen.ſec.loc. 5ª.173.A
ĩ Declinationibꝰ pleuritidis et peripneumoniæ tumores euaporãt,ac ſubmittunt̃,ĩ acceſſionũ vero prĩcipijs increſcũt.2°.de dif.feb. 3ª.40.F
ad Declinationẽ vniuerſalẽ nõ pueniũt morituri.3°.de criſ. 4ª.142.E
in Declinatiõe vl̃ali vbi æger morit̃,ex errore eſt.3°.de criſ. 4ª.142.E
in Declinatione particulari cur aliqui moriant̃.3°.de criſ. 4ª.142.E/F
Declinationis particularis mortalis pulſus.3°.de criſ. 4ª.142.F
Declinationis particularis optimæ pulſus qualis.3°.de criſ. 4ª.142.F
in Declinatiõe particulari vena ſecãda.de cur.rat.ꝑ ſang.miſ. 6ª.21.B
in Declinatione tantum victus exhibendus,ſi vires conſtent. de morborum temporibus. 3ª.90.A
in Declinationibus potiſſimum remedia fiunt.de opt.ſecta. Iſa.28.B
in Declinatione primæ acceſſionis balneum facit in febre ex obſtructione.8°.meth.med. 7ª.50.A
in Declinatione lauandi febricitantes.7°.meth.med.7ª.51.G/8°.53.G/10°.65.F/11°. 7ª.73.B
in Declinatione danda aqua frigida.9°.meth.med. 7ª.57.G
DECLIVITATIS meminit.de ijs quæ in med.fi.com.1°. 6ª.203.F
DECIDENTIA in manu quid,& quo modo fiat, & differat a reclinatione.3°.de mot.muſc. 1ª.311.B
nõ Decidere,& contineri idem.de ijs quæ in med.fi.com.2°. 7ª.210.G
Decidere natura melius eſt oſſium fragmenta,q̃ vi medicamentorum ob futuras fiſtulas.de ijs quæ in medic.fiunt,com.2°. 7ª.210.H
Decidere cito non debent linamẽta,& laquei.de ijs quæ in medicatrina fiunt.com.2°. 7ª.210.F

Decidere cito non debent cruſtæ.de ijs quæ in med.fi.com.2°. 7ª.210.F
Decidens excrementũ à flãma cinis & fauilla eſt.3°.de præſ. 4ª.118.H
ad DECEM, & octo horas prorogantur tertianæ non legitimæ. commen.4°.aph.43°. Ex.32.F
Decimus dies non eſt decretorius.in 1^{m}.de mor.vulg.com.3°. 3ª.120.E
Decimo die nullus iudicatus.in 3^{m}.de mor.vul.com.1°. 3ª.128.B
in Duodecimo & decimoſexto neminem vidit iudicatum Galenus.1°.de dicbus decret. 4ª.145.F
Decimus tertius dies qualis.2°.de dieb.decret. 4ª.154.G
Decimusquartus dies qualis.2°.de dieb.decret. 4ª.154.G
Decimoquarto die quando fiet criſis.1°.de dieb.decret. 4ª.151.B
Decimoquarto die vox intercepta quid ſignificet febricitanti. de vict.ra.in morb.acu.com.4°. 7ª.142.F
in Decimoſexto ſi quiſpiam iudicatur.1°.de dieb.decret. 4ª.148.E
Decimũſextũ nunq̃ vidit Galenus iudicantẽ.1°.de die.decre. 4ª.146.G
Decimuſſeptimus dies eſt bonus,et iudicatorius .c.4°.aph.36°.Ex.31.G
Decimoſeptimo die quando fiet criſis.1°.de dieb.decre. 4ª.151.B
Decimusoctauus indicat vigeſimũ primũ.2°.de dieb.decreto. 4ª.152.F
Decem menſes geſtari infantes in vtero matris,collige ex verbis Hippocratis.com.5°.aph.37°. Ex.41.A
Decimo menſe infantes fameſcunt,& incipiunt calcitrare propter defectum alimenti,& frangere membranas,vnde fit initium partus. cõmen.5°.aph.37°. Ex.41.A
DECLARARI debent ex ſeipſis ſcriptores.4°.de dig.p. 4ª.86.B
DECOCTVM facit per conſumptionem tertię partis.4°.de comp.me.ſe.lo.5ª.153.H/de rem.par.fac. 7ª.157.C
Decoctio ad medias.de rem.par.fac. 7ª.157.D/E
poſt Decoctionem crocus inijcitur.3°.de med.fac.par. 7ª.174.D
DECOCTVM Abſinthij aluo,& ventriculo prodeſt.de mel.ex Galenus Ruf.& Poſſ. Sp.110.B
Decoctio abſinthij matricem purgat.de cathart. Sp.95.C
Decoctio abſinthij,& centaureæ minoris aperit obſtructionem minus q̃ decoctio iridis.de med.exper. Sp.104.B
Decoctio Agarici quo modo fiat.de med.exper. Sp.107.C
Decoctio agarici datur contra ægritudines cerebri,& hepatis. de medicinis expertis. Sp.106.F
Decoctio agarici dolorẽ antiquũ capitis ſanat.de medic.exp. Sp.104.D
Decoctio Aſſari ꝓuocat vrinã,& menſtrua fortiter.de med. Sp.104.D
Decoctio Caſith datur contra debilitatem hepatis, & oppilationes. de med.exper. Sp.106.F
Decoctum Caricarum,& furfurum vnũ eſt ex diſcuſſorijs parabilibus. 6°.de comp.med ſec.loc. 5ª.169.G
Decoctio Carui,& ſeminis apij prouocat vrinam, & mẽſtrua fortiter, & ſubtiliat humores craſſos.de med.exper. Sp.104.D
Decoctio Centaureæ curat iſchiadem.de med.exper. Sp.104.D
Decoctum Centaurij minoris prodeſt melancholicis.de melã. ex Galeno Ruf.& Poſſ. Sp.110.B
Decoctio Centaureæ,& rutæ valet contra morſum rutelæ.de medicinis expertis. Sp.106.F
Decoctum cuiuſq; duri quandiu coquitur, ſemper fit ſalſius, & deniq; amarius.3°.de alim.fac. 2ª.31.H
Decoctio Cicerum expurgat ictericos.de cura icteri. Sp.111.B
Decoctio Epithymi data epileptico ab ægyptiaco quodam ex melancholia profuit.de med.exper. Sp.104.C
Decoctio corticis Fiſtici confortat ſtomachũ,& mundificat canales pulmonis,& hepatis.de med.exper. Sp.104.D
Decoctio Fœni græci euacuat ſcybala.de cathar. Sp.95.D
Decoctio Gentianæ datur ad frigiditatem membrorum,& ad fluxũ prouenientem ex ea.de med.exper. Sp.106.F
Decoctio Hyſſopi curat aſthma.de med.exper. Sp.106.F
Decoctio radicis Iridis aꝑit obſtructionẽ craſſã.de medi.exp. Sp.104.B
Decoctio Iuniperi prouocat menſtrua.de med.exper. Sp.106.F
Decoctio radicum Lapathij prouocat menſtrua.de cathar. Sp.95.D
Decoctum Lenticulæ cũ melle pudẽda laxat.11°.de ſimp.med.f.5ª.80.D
Decoctio Lupinorum prouocat menſtrua.de cathar. Sp.95.D
Decoctio Maluæ euacuat ſcybala.de cathar. Sp.95.D
Decoctio Maſtiches cõfortat ſtomachũ debilẽ.de med.exper.Sp.104.D
Decoctio Squinanthi datur ad dolorem mulieris poſt partum.de medicinis expertis. Sp.106.F
Decoctio Thymi purgat cibos indigeſtibiles & lumbricos rotundos. de catharticis. Sp.95.C
Decoctio in declinatione febris quotidianæ.de med.exper. Sp.105.D
Decoctio ad febrem tertianam.ſecretorum. Sp.101.A
Decoctio purgans matrices mulierum,& diſſoluens vẽtoſitates, & mẽſtrua prouocans.de med.exper. Sp.105.D
DECOLLATI qui.4°.de decr.Hipp. 1ª.250.B
Decollatum.id eſt ἀτράχηλον, dupliciter.4°.de decre.Hippo.1ª.250.B
DECOLORES quos vocet.de vic.rat.in mor.acu.com.4°. 7ª.150.H
Decolores purgandi non ſunt.in 1^{m}.progn.com.2°.4ª.174.D/de vict.ra.in morb.acu.com.4°. 7ª.150.E
Decolora quibus cauſis fiunt menſtrua.com.5°.aph.37°. Ex.40.H
DECORE ac recte agere in arte vbi poſſumus, decore ac recte agere debemus.de faſcijs. 7ª.193.C
Decore iniectum intelligit quod elegans eſt.de faſcijs. 7ª.293.E
Decor ſaltem inducendus,quando pars reſtitui non poteſt,vt in mutilationibus.ars med. Iſa.71.C
ad Decorem dentium ſmegma.5°.de comp.med.ſec.lo. 5ª.164.H
DECOSTIS quid ſignifiet.4°.de decr.Hipp. 1ª.250.B
DECRESCENTEM lunam obſeruat de dyn. Sp.25.E
DECREPITI cur non videant.10°.de vſu par. 1ª.179.E
in Decrepitis tabes ſine febre.1°.de diff.feb. 3ª.34.E
DECRETORIOS dies cognoſci iubet Hippocrates.bre. denotat.dog. Hippocra. 1ª.231.D
Decretorios dies nouit Hippocrates.in progn.com.3°. 4ª.206.E
Decretorius dies cõducit ad firmitatẽ iudicationis.in ꝓg.c.3°. 4ª.203.E
ĩ Decretorios dies ĩcidit morbi mutatio.ĩ 3^{m}.de mor.vul.c.1°. 3ª.132.E
de Decretorijs diebus librum quo tempore cõpoſuerit Galenus. de præcogn.ad Poſth. 4ª.219.E
de Decretorijs diebus Galen° ſcripſit ob amicos.3°.đ die.dec.4ª.159.H
de Decretorijs diebus liber ꝓgnoſtica præcedit.in ꝓgn.cõ.1°. 4ª.190.E
de Decretorijs diebus liber ante librum prognoſticorũ ſcriptus.in progno.com.2°.103.E/com.3°.206.D/F/G/. 4ª.210.D
Decretorij dies morborum.in progn.com.3°. 4ª.207.B
Decretorij dies partes.in 1^{m}.de mor.vulg.com.3°. 3ª.120.D
Decretorij dies impares.in 1^{m}.de mor.vulg.com.3°. 3ª.120.D
Decretorij dies ꝑ quaternarios et ſeptenarios.in ꝓgn.c.3°. 4ª.206.F/G
Decretorius minor eſt quartus,& eſt index ſeptimi.2°. de diebus decretorijs. 4ª.154.F
Decretorij non ſunt vigeſimus octauus,& decimus.in 1^{m}.de morb.vulgaribus,com.3°. 3ª.120.E
in Decretoriorum dierum enumeratione Hippocrates ad ſexageſimũ vſque in prognoſticis proceſſit.2°.de dieb.decre. 4ª.156.A
Decretorij quadrageſimus & octuageſimus.in 1^{m}.de morbis vulgaribus.commen.3°. 3ª.123.A
Decretorij ſunt dies ſexageſimus, & octuageſimus.in 1^{m}.de morb. vulgaribus,com.3°. 3ª.123.C
Decretoriorum dierum terminus eſt centeſimus vigeſimus dies, poſtea menſes & anni ſequuntur.2°.de dieb.decre. 4ª.156.D
Decretoriorum dierum natura in diuerſis.2°.de dieb.decr. 4ª.154.F
Decretorijs diebus fiũt deteriores tertianæ naturam referentes febres. in 1^{m}.de mor.vulg.com.2°. 3ª.110.F
Decretorij moderatiores,qui in 1^{m}.de mor.vulg.com.3°. 3ª.120.E
Decretorij validiſſimi,qui.in 1^{m}.de mor.vul.com.3°. 3ª.120.E
Decretoriorũ omniũ fortiſſimus eſt ſeptimus.2°.de die.decr. 4ª.154.F
Decretoriorum dierum ratio ex luna.3°.de die.decr. 4ª.156.H
Decretorios dies à natura fieri negat Aſclepiades.1°.de na.f. 1ª.294.E
Decretoria non indicantia qd faciant.in 1^{m}.de mor.vulg.cõ.3°. 3ª.121.C
Decretoria ſigna ſunt in genere accidentium.in ꝓgn.com.3°. 4ª.212.G
Decretoria accidentia.ars med. Iſa.68.A
Decretoria ſigna non debent ſtatim elucere.in 1^{m}.de morb. vulgaribus, commen.2°. 3ª.115.A
Decretoria ſigna in ſtatibus apparent.1°.de criſ. 4ª.128.D
Decretoria ſigna quandoq; male apparent.1°.de criſ. 4ª.128.D
in Decretorijs expulſionibus qui pulſus.2°.de cau.pulſ. 4ª.94.C
Decretorias excretiones cur promittat altus ſimul & celer in contractione pulſus.4°.de præſag.ex pulſ. 4ª.122.B
DECRETVM quid.fin.med. Iſa.43.E
DECRVS quid ſignificet.4°.de decr.Hipp. 1ª.250.B
DECVBITVS apud Hippocratem cõuenit toti corpori.in 6^{m}.de mor.vulg.com.1°. 3°.160.D
Decubitus principium,quale.1°.de die.decr. 4ª.147.E
Decubitus ſupinus cur faciat extendere priapum.de loc.affe.4ª.42.A
Decubitus pro abſceſſu intelligitur.in 6^{m}.de mor.vulga.cõ.3°.3ª.178.F
Decubitus,id eſt apoſcemata,q vocent.2°.de arte cur.ad Gla.7ª.105.A

Decubitus periculoſi ĩ morbis melãcholicis apoplexiã corporis, vel cõuulſionẽ, vel furorẽ, vel cæcitatẽ ſignificãt.cõ.6°.aph.56°. Ex.53.D
Decumbere in latus melius eſt.2°.de mo.muſ. 1ª.314.D
Decumbunt quidã ægrorum ſtatim, alij non.1°.de dieb.dec. 4ª.147.E
Decumbere & deorſum ferri non idem, & quo modo differant. de palpit.tremore. 3ª.52.A
DECVRTATVM *crus quodnam dicatur eſſe.de articulis commentario.3°.* 7ª.277.F
Decurtati pulſus, qui.2°.de cauſ.pulſ. 4ª.91.H
Decurtati deficientes pulſus, qui.1°.de diff.pul. 4ª.49.D
Decurtati reciproci pulſus, qui.1°.de diff.pul. 4ª.49.D
Decurtati pulſus reciproci qui vocentur.2°.de cau.pul. 4ª.91.H
DECVSSORIVM *inſtrumentum.de artic.com.2°.* 7ª.263.H
DECVTITVR, *id eſt σχᾶται, quid ſignificat de articulis commentario.2°.* 7ª.263.H
DEDVCANTVR *in omne corpus facile quæ vina.12°.methodi medendi.* 7ª.76.H
DEFATIGATI *hñt muſculos qeſcẽtes.2°.de mo.muſc.* 1ª.314.C
DEFECTVS *in membris quid faciat.1°.de vſu par.* 1ª.120.D
Defectio membri qualis ſit.de ocul. 7ª.189.E
Defectus interiorũ partiũ qbus fiat.de ijs quæ in med.ſi.cõ.2°. 7ª.213.E
Defectus in vnoquoque tantum detrahunt de perfecta vtilitate, quantũ ipſi à commenſuratione deficiunt.de conſuet. 2ª.61.G
ex *Defectu prioris actionis crebriores ſunt actiones omnes. 1°. de cauſis pulſ.* 4ª.90.A
Defectus prioris actionis in pulſu reſarcitur motus celeritate.1°.de cauſis pulſ. 4ª.87.E
DEFECTVS *animi, & diſſolutio de vna re dicuntur. 1°. de arte cur. ad Glau.* 7ª.98.E
Defectus animi fit ex pluribus cauſis.1°.de arte cur.ad Glauc. 7ª.98.E
Defectionem animi multiplicem eſſe, collige.cõ.1°.aph.23°. Ex.10.D
Defectus animi eſt bulimus.1°.de arte cur.ad Glau. 7ª.98.E
Defectus aĩ ex vtero quot modis fiat.1°.de arte cur.ad Glau. 7ª.98.E
Defectus animi quos morbos ãncedat.1°.de arte cur.ad Glauc. 7ª.98.F
Defect⁹ animi ex cholera, profluuio alui, & euacuatiõibus magnis, quo modo curetur.1°.de arte cur.ad Glau. 7ª.98.G
Defectui animi ex ſudore balnea nocẽt.1°.de arte cur.ad Gla. 7ª.99.A
Defectus animi ex ore ventriculi quomodo curetur. 1°. de arte cura. ad Glauconem. 7ª.99.B
Defectus aĩ ex multitudine q̃uo curãdus.1°.de arte cur.ad Gla. 7ª.99.B
Defectus animi ex ſiccitate q̃uo curandus.de arte cur.ad Glau. 7ª 99.E
Defectus animi ex inflãmatione, aut febre maligna, quomodo curetur. 1°.de arte cur.ad Glau. 7ª.99.E
Defectus animi ex membri principalis obſtructione quo modo curetur. 1°.de arte cur.ad Glau. 7ª.99.F
Defectus animi ex ruptura abſceſſuum, & ex euacuationibus quomodo curetur.1°.de arte cur.ad Glauc. 7ª.99.F
Defectio animi, exolutio, aut vomitio à tuberculi intus ruptione fit.commen.7ª.aph.8°. Ex.54.D
Defectus animi ex triſtitia, gaudio, timore, ira, terrore, & vulneribus, quo modo curetur.1°.de arte cur.ad Glau. 7ª.99.G
Defectus animi ex dolore inteſtini laxi, & ilei quo modo curandus.1°. de arte cur.ad Glau. 7ª.99.G
Defectus animi ex viriũ imbecillitate quo modo curandus. 1°. de arte cur.ad Glauco. 7ª.99.G
Defectus animi ex purgatione, ex doloribus articulorum, neruorũ, & tendonum quomodo curandus.1°.de arte cur.ad Glau. 7ª.99.G
ad *Defectus imbecillitatem remedia.de theria.ad Piſ.* 5ª.94.D
Defectiones animi remouere poteſt cucurbitula.de cucur.ſcar. 6ª.3.F
vſq; ad Defectionem animi quandoq; euacuandum eſt, & quando.com. 1°.aph.23°. Ex.10.D
ad *Defectionem & tenſionem ſtomachi.de dyna.* Sp.27.H
Defectus corrumpit æquabilem temperaturam.8°.de decr. 1ª.274.E
ad *Defectus ſequitur aliquando ſiccitas, aliquando frigiditas, aliquãdo vtrunq;.com.5°.aph.57°.* Ex.42.H
ex *Defectu nullus morbus, ſm quoſdam.de nat.hu.com.2°.* 7ª.181.H
ex *Defectu fieri morbos in mulieribus, & viris arbitratur Hippocrates.com.5°.aph.57°.* Ex.42.D
Defectus humorum exigit adiectionem ciborum, corruptio vero contẽperamentum.com.1°.aph.17°. Ex.9.C
Defectus ſubſtantiæ in vrinis eſt alij deterior.de vrinis. 4ª.123.H
Defectus lunæ, qui.de hiſt.philoſ. Sp.7.C
Defectum lunæ ſeruat.de dyna. Sp.26.A
Defectus ſolis, qui.de hiſt.philoſ. Sp.7.A
DEFICIENS *nihil expetimus.ad Thraſy.* 2ª.103.B
Deficientium partium non nullæ ex toto abolitæ, non nullæ ex dimidio præciſæ.de diff.morb. 3ª.4.F
Deficiens ſubſtantia quo modo curetur.14°.meth.med. 7ª.92.B
Deficientibus menſibus in mulieribus atrabilarijs quæ vena ſecanda.de mel.ex Gal.Ruf.& Poſſ. Sp.109.H
Deficientes in errando purgandi non ſunt.in 1^{m}. pror. com.2°. 4ª.174.D
Deficientes frequenter non ſunt purgandi.de dyn. Sp.20.F
Deficientes decurtati pulſus, qui.1°.de diff.pulſ. 4ª.49.D
Deficientes reciproci pulſus, qui.1°.de diff.pulſ. 4ª.49.D
Deficientes inæquales pulſus, qui.de diff.pulſ. 4.49.E
in DEFLORATIONE *virginis dilatatur collum matricis, & quæ venæ frangantur.de anat.viu.* Sp.51.E
ad *Defluuium capillorum.de rem.par.fac.* 7ª.154.B
Defluxus quid.fin.med. Iſa.47.D
Defluxus omnes quando boni, & quando non boni, conſiderandum. 1°. de criſibus. 4ª.128.B
Defluxus à corpore quo modo, & à quibus fiat.cõ.7°.aph.59° Ex.59.D
Defluxus à ſuperiori parte tendit deorſum.de frac.com.1°. 7ª.228.A
ex *Defluxionib⁹ ad partes imbecillas fiunt morbi.in 1^{m}.de morbis vulgaribus, com.2°.* 3ª.109.A
Defluxio à capite mox reprimenda eſt.de rem.par.fac. 7ª.157.G
Defluxus ad oculos ſunt à capite.2°.dc diff.feb. 3ª.40.F
ad *Defluxum inexuperabilem.7°.de comp.med.ſec.loc.* 5ª.182.C
DEFORMIS *viri opulenti hiſtoria, qui voluit procreare formoſum puerum.de ther.ad Piſ.* 5ª.94.E
DEFOSSVS *pulſus fit cardiacis.de dyn.* Sp.34.G
DEFRVTI *craſſitudinem repræſentare vnionẽ optimæ æruginis aqua perfuſæ, collige.com.5°.aph.1°.* Ex.37.C
in DEGAMINE *vel in teſtis cocta oua generant nutrimentũ craſſum, & corruptibile.de diff.cont.* Sp.74.B
in DEGLVTIENDO *quis gutturis motus.de mot.man.* Sp.70.A
Deglutientis quo modo fiat motus.3°.de na.fa. 1ª.304.F
Deglutitioni conducentes muſculi.de voc.inſt.diff. 1ª.107.E
ad *Deglutiendum qui ſitus magis commodus.5°.de loc.aff.* 4ª.32.B
Deglutitionis hora inſpiratio detineri non poſſet.de ana.viuo. Sp.48.B
Deglutitioni primæ ſimilis eſt renum à caua vena attractio. 6°. de locis affectis. 4ª.38.A
Deglutire & vomere ſunt contraria, & quo mõ.3°.de nat.fa. 1ª.304.H
Deglurire cur facilius quàm vomere.3°.de nat.fac. 1ª.304.H
DEGRAVATVR *quo modo facultas.de pulſ.ad tiro.* 4ª.44.G
DEIICIVNTVR *quæ tarde, quæ citius.1°.de ali.fac.* 2ª.14.D
Deijciant quæ leuiter.6°.de ſan.tuen. 2ª.97.H
Deijcere faciunt, & diſtribuere detergentia.de vict.rat. in morbis acutis, com.1°. 7ª.111.E
Deiectio quo modo fiat.6°.de loc.aff. 4ª.38.F
Deiectionem excitat acris qualitas.2°.de alim.fac. 2ª.19.A
Deijcere faciunt cibi humidi & glutinoſi.3°.de ſymp.cauſ. 3ª.27.D
Deiectionem quæ olera facilitent.2°.de alim.fac. 2ª.23.C
Deiectionem procurant nitroſa.2°.de alim.fac. 2ª.16.E
Deiectionem prouocat melopeponũ pars intima comeſta, in qua ſunt ſemina.2°.de alim.fac. 2ª.17.B
Deijciat quæ mulſa.12°.meth.med. 7ª.75.H
ꝑ *Deiectione muſtum dulciſſimum bibitur.2°.de alim.fac.* 2ª.18.C
Deijciendi gratia quæ vuæ ſumantur.2°.de alim.fac. 2ª.18.B
Deijciãt quibus cauſis inteſtina.de vic.rat.in mor.acu.cõ.2°. 7ª.120.E
Deiectione, & vomitu inanitur ventriculus.7°.meth.med. 7ª.49.C
Deiectiones alui inferioris fiunt à vi naturali aliena excernẽte. com.7°. aph.21°. Ex.55.D
Deiectiones expellunt abdominis muſculi.3°.de nat.fac. 1ª.303.B/ *6°.de locis affectis.* 4ª.38.F
Deiectio fit muſculis abdominis compreſſis.6°.de loc.af. 4ª.38.F
ad *Deiectionem neceſſarij ſunt muſculi thoracis & abdominis.3°.de ſymp.cauſ.* 3ª.27.D
ad *Deiectionem irritat inteſtina pituita ſi ſalſedinem, atque acrimoniã aliquam ſibi adiunxerit.com.6°.aph.33°.* Ex.50.B
ꝑ *Deiectione abſinthij coma in melicrato, poſt quã vinum exhibeatur. 1°.de arte cur.ad Glauc.* 7ª.99.D
ad *Deiectionem quid faciat oleum, & garum.de vic.rat.in morbis acutis, com.1°.* 7ª.111.G

ad Deiectionem quid facit cerebrum cum oleo & garo conditū. de vic. rat.in mor.acu.com.1°. 7ª.111.G
cur Deijciunt,& euomunt ſæpius pueri,quā ætate florentes.3°. de ſym ptom.cauſ. 3ª.29.B
Deiectiones ætatum ratione quō mutentur.com.2°.aph. 20°. Ex.14.D
Deiectiones ac ſubductiones ſolet Hippocrates nominare per aluū exeū tia.com.7°.aph.64°. Ex.60.A
Deiectione euacuātur inteſtina,et iecinoris caua.7°.meth.me.7ª.49.D
p Deiectiones expurgari aliquando totum corpus,collige. commen.4°. aph.85°. Ex.37.D
Deiectionem paruam ſignificat mictio noctu plurima facta. commē.4°. aph.83°. Ex.37.B
Deiectio fit præ copia ingeſti cibi.in progn.com.2°. 4ª.199.D
ex Deiectionibus indicantur concoctiones.de tot.mor.temp. 3ª.88.G
in Deiectionibus ſtercoris & vrinæ naturæ prouidentia videtur.in 6°. de mor.vulg.com.5°. 3ª.189.D
Deijcitur pallida & flaua bibis etiam ſanis nondum ægris. in 3m.de mor bis vulga.com.2°. 3ª.139.G
Deiectionum multi colores præter naturā ſponte quidē euacuati multarum atque malarum in corpore diſpoſitionum ſunt ſigna , à medicamento autem ducti vim habente plures humorum ſpecies euacuare, nihil abſurdum ſignificant.com.4°.aph.21°. Ex.29.E
quæ Deiectiones exuſtam eſſe omnem natiuam humiditatem à calore febrili demonſtrent.com.7°.aph.6°. Ex.54.D
cū Deiectionibus acribus ventrem inferiorem calidum habentes id ex colliquatione patiuntur.de vic.rat.in mor.acu.cō.4° 7ª.149.B
Deiectio Albicans quæ,& quid ſignificet.in 1m.pror.com.3°. 4ª.183.C
Deiectiones albæ ex quibus fiant.in 1m.pror.com.1°. 4ª.165.A
Deiectiones albicantes ſpumoſæ malæ.in 1m.pror.com.2°. 4ª.171.G
Deiectiones albæ quo modo fiant in morbo regio.ī 1m.pr.cō.1°. 165. A| in progn.com.2°. 4ª.199.E
Deiectio alba phreniticis mala.in 1m.pror.com.1°. 4ª.165.A
Deiectio Aquoſa quid indicat in progn.com.2°. 4ª.199.F
Deiectiones aſſiduæ,cur.3°.de ſym.cauſ. 3ª.27.D
ſi Deiectio atræ bilis ſiue nigræ,quæ ſanguine nigro aſſimilatur , apparuerit iis qui ſunt extreme extenuati,poſtridie moriuntur. commen. 4°.apho.23°. Ex.29.G
Deiectiones Bilioſæ,& ſynceræ quid ſignificent.in 1m.prorrhet.commentario.1°. 4ª.166.C
qb⁹ Deiectiones bilioſæ ſunt in febribus acutis , lac nocet. commen.5°. apho.64°. Ex.44.D
qb⁹ Deiectiones bilioſæ ſuperueniente ſurditate ceſſant,& quibus ſurditas,ſuperuenientibus bilioſis deiectionibus , ceſſat. commentario 4°.apho.28°. Ex.30.D
Deiectio Candida quid indicat.in progn.com.2°. 4ª.199.F
Deiectiones Caprarū vocant σπυράθους.in 1m.prorh.c.2°. 4ª.169.F
Deiectio Celeris vnde.3°.de ſym.cauſ. 3ª.27.C
Deiectio nondum in Chylum mutata ſignificat ventriculum male coquere.de tot.morb.temp. 3ª.88.G
Deiectio Corpulenta eſſe debet morbo eunte ad iudicationem in progno. commen.2°. 4ª.199.D
Deiectionum Corruptionem in aluo quæ ſymptomata ſequantur.de ſym ptom.diff. 3ª.12.E
Deiectio crocea quid indicat in prognoſt.com.2°. 4ª.199.F
Deiectiones Cruentæ vnde ſint.in 1m.pror.com.1°. 4ª.162.B
Deiectio Exigua glutinoſā et cādida quid ſignēt.in pgn.cō.2°. 4ª.199.G
Deiectio Frequens quorum malorum ſit cauſa.in pgn.cō.2°. 4ª.199.C
Deiectiones & Flauas , & ruffas , & nigras in peſtilenti morbo vidit Galenus non magis in iis qui exitio proximi erant , quàm in ſaluandis.com.4°.apho.21°. Ex.29.E
in Deiectionib⁹ Flos ſupnatās qd ſignificet.in 1m.pror.cō.1°. 4ª.166.C
Deiectio Graueolens quo modo diſtinguatur ab humore crudo. in prognoſt.com.2°. 4ª.199.H
Deiectio graueolens quid ſignificet in progn.com.2°. 4ª.199.H
Deiectiones Hepaticæ,quæ.in 1m.pror.com.3°. 4ª.186.D
Deiectionis Humiditas ſymptoma celeris exitus.de ſymp.diff. 3ª.12.E
Deiectionem humidam,multamue,aut contrariam nō neceſſe eſt ſequi, ſi quis male concoxit.3°.de ſymp.cauſ. 3ª.30.B
Deiectio Liuida fit vbi atra bilis modica modice permiſcetur. in progn. commen.2°. 4ª.199.H
Deiectio cur fiat madens.in progn.com.2°. 4ª.199.C
Deiectio Maior quàm pro cibi portione,cur.3°.de ſymp.cau. 3ª.27.D
Deiectio Minor quàm pro cibi portione,cur.2°.de ſymp.cau. 3ª.27.D
Deiectiones Meræ quæ appellantur.in 3°.de mor.vul.cō.2°. 3ª.139.G
Deiectio cum mera dicitur,ſemper eſt praua.in 1m.de mor. vulgaribus, commen.3°. 3ª.121.C
Deiectio mera bilioſa.in 1m.de mor.vul.com.3°. 3ª.124.G
Deiectiones Mordaces quo modo curet clyſter.in 6m.de morbis vulgaribus,commen.2°. 3ª.161.H
Deiectiones Nigræ quales ſint.com.4°.apho.21°. Ex.29.D
Deiectiones nigræ vnde generentur.com.4°.apho.21°. Ex.29.D
Deiectio nigra tingitur ab atra bile ſincera.in progn.cō.2°. 4ª.199.H
Deiectiones nigræ quo mō differāt à bile nigra.cō.4°.aph.21°.Ex.29.D
Deiectiones nigræ,qualis eſt ſanguis niger,ſponte venientes ſiue cum febre,ſiue ſine febre,peſſimæ, & quanto fuerint plures,peius,cum medicamento vero melius , & quanto colores plures non praui.commenta.4°.aph. 21°. Ex.29.D
Deiectiones nigræ in principio, & augmento malæ , in ſtatu & declinatione non ſemper.com.4°.aph.21°. Ex.29.E
Deiectiones nigræ ab initio morbi oſtendunt magnam viſceris læſionēm. com.4°.apho.21°. Ex.29.E
ex Deiectionibus nigris ſanguinem ſi deiecerint in acutis pernitioſum. in 1m.pror.com.3°. 4ª.185.B
Deiectio nigra mortē ſignificat.de vic.rat.in mor.acu.cō.4°. 7ª.41.D
Deiectionis nigræ meminit.in 1m.de mor.vul.com.3°. 3ª.126.H
Deiectio Optima,quæ.in progn.com.2°. 4ª.199.A
Deiectio Optima quid ſignificet.in progn.com.2°. 4ª.199.H
Deiectiones Pingues indicant colliquationem.in 3m.de morbis vulgaribus,com.3°. 3ª.146.E
Deiectiones Puræ bilioſæ,& ſpumoſæ habent graues offenſas.de vic.ra. in mor.acut.com.3°. 7ª.128.C
Deiectionem Puris faciunt ſuppurationum ad inteſtina ruptiones . commen.7°.apho.8°. Ex.54.E
Deiectione Ramenta ex inteſtinis eijciuntur.4°.de loc.aff. 4ª.25.H
Deiectio Rubens mala in omnibus morbis.in 1m.pror.cō.2°. 4ª.161.F
Deiectio vniuerſim Secreta quid ſignificet.in progn.com.2°. 4ª.199.H
Deiectio ſenſim ſecreta quid ſignificet.in progn.com.2°. 4ª.199.H
Deiectio Serior vnde.3°.de ſymp.cauſ. 3ª.27.D
Deiectio in Spiras voluta,quæ.in 1m.pror.com.2°. 4ª.169.F
Deiectio ſpumoſa, quæ.in 1m.pror.com.3°. 4ª.178.C
Deiectiones ſpumoſæ dānandæ.de vic.rat.in morb.acu.cō.3°. 7ª.128.C
Deiectio ſpumans quid indicet.in prog.com.2°. 4ª.199.F
qb⁹ Deiectiones ſi ſtare permiſeris , & nō moueris, veluti ſtrigmenta ſubſiſtunt,quid ſignificent,& qd agēdū.cō.7°.apho.64°. Ex.60.A
Deiectio Subliuens. in 1m.pror. com.3°. 4ª.181.E
Deiectio Subrufa ſit nec graue olens.in progn.com.2°. 4ª.199.E
Deiectiones Superfluæ noxiæ ſunt.in 6m.de mor.vulg.com.2°.3ª.166.F
Deiectio ſupflua vires euertit.de vic.rat.in mor.acu.cō.2°. 7ª.128.E
Deiectio Syncera,quæ.in 1m.pror.com.2°. 4ª.171.C
Deiectiones ſynceræ quæ ſint,& quid portēdāt.c.7°.apho.6°. Ex.54.D
Deiectiones ſynceræ quæ & quid agant.com.7°.apho.23°. Ex.55.E
Deiectiones ſynceræ & faſtidium cibi in morbo diuturno, malum. com. 7°.apho.7°. Ex.54.C
à Deiectione ſyncera difficultas ītestinorū malū.c.7°.aph.13°. Ex.55.E
Deiectiones ſynceræ ſpumoſæ,prauæ.in 1m.pror.com.2°. 4ª.171.C
Deiectiōes Tenues,nigræ,& ſpumoſæ.in 3m.de mor.vul.c.3°. 3ª.133.H
Deiectio Verſicolor quid ſignificet.in progn.com.2°. 4ª.199.H
Deiectio Viridis quid indicat.in progn.com.2°. 4ª.199.F
Deiectiōes quæ cœperūt,et deſierūt peſſimæ.in 1m.pror.com.1°.4ª.161.F
in Deiectionibus cur fiant dolores.in 1m.pror.com.1°. 4ª.166.D
in Deiectionibus alui ſeuū iniectū dolorē mitigat.13°.met.me.7ª.86.A
cū Deiectionibus acribus ventē inferiorē calidū habentes quo potu vti debent.de vict.ra.in mor.acu.com.4°. 7ª.149.B
Deiectio potius adhibenda eſt,quàm ſanguis mittendus viribus deficiētibus.4°.de ſan.tuen. 2ª.83.E
Deiectione vtaris in linguæ vitio.14°.meth.med. 7ª.89.C
ad Deiectiones alui & ſudores vrinas reuelles.de cucur.ſca. 6ª.4.F
Deiectiones,lege Euacuationes.
DEILEON 2°.de comp.me.per gen. 5ª.226.A
Deileontis cephalicum ad diuturna.4°.de cō.me.per gen. 5ª.243.H
ad DEHISCENTES ſuturas vbi dehiſcūt viculū.ā faſc. 7ª.295.B
DELLACRYMATIVA pharmaca quæ.4°. de compoſi. med. ſecun.loc. 5ª.151.H
DELLASSATI qeſcūt ſine cōſilio ēt medm.ā na.hu.com.2°. 7ª.181.H

DELATOS oculos,craſſos,aliquando ſimiles oculis accipitris, habet conceptus in hora phlegmatis.de ſpermate. Sp.37.C
DELECTANTIA quæ ſint.de ocu. 7ª.187.H
Delectatio cauſa communi quo modo fiat.1°.de ſymp.cauſ. 3ª.16.F
Delectatio cõtigit oĩbus sẽſib⁹ nõ tñ pari euidẽtia.1°.đ ſymp.ca.3ª.16.F
quo mõ Delectamur in guſtu,& odoratu.1°.de ſymp.cau. 3ª.17.G
Delectatio & dolor euidentia ſunt in tactu,& guſtu,poſtea in odoratu, poſtea in auditu,vltimo in viſu.1°.de ſymp.cauſ. 3ª.16.F
Delectat aliter frigidum quàm calidum.1°.de ſymp.cau. 3ª.16.G
Delectatio in oculis quantum ad viſum,minus euidenter quàm in ceteris ſenſibus.1°.de ſymp.cau. 3ª.16.F
Delectationem cibi oſtendit vrina pinguis ſine febre ſenibus eueniens ſoluta apoplexia.de dyn. Sp.34.C
pp Delectationẽ aſſumere qd nocuũ nephãdũ eſt.đ cura icteri.Sp.111.A
Delectatiõi ægrorũ attẽdere debet medicus.6°.đ cõp.me.ſe.lo.5ª.168.B
DELENS obliuionem medicina.ſecretorum. Sp.101.F
DELETERIAS facultates phtharticas, & phtoropœas dicere nihil intereſt.5°.de ſimp.med.fac. 5ª.36.H
Deleteria quæ,& quod agũt in debita quantitate.2°.de temp. 1ª.23.E
Deleteria,& purgantia medicamenta quo modo differãt.in 6ᵐ. de morbis vulgaribus,com.6°. 3ª.196.H
Deleteria frigida numerantur.3°.de ſimp.med.fac. 5ª.21.H
Deleteria medicamenta frigida cur citius in calidis naturis vim ſuam exercent.3°.de ſimp.med.fac. 5ª.21.H
Deleteria medicamenta frigida quo modo actuentur à calore noſtro.3°. de ſimp.med.fa. 5ª.21.H
Deleterius eſt fungus,quoniam frigidus,& humidus.7°. de ſimp. medicamen.fa. 5ª.56.C
Deleterium venenum in pauca quantitate breui totum corpus immutat.1°.de ſemine. 1ª.335.A
DELETIVS Epagathus.9°.de comp.med.ſec.loc. 5ª.204.A
ex DELIBERATIONIS, & cogitationis motu fit actio voluntaria. de voce & anhel. Sp.61.H
DELICATI damnandi qui nihil diſcere eorum quę cõmode dicta ſunt, volunt.3°.de nat.fa. 1ª.302.B
Delicatis partibus ſertula confert.de ſimp.med. Sp.90.H
Delicatis locis & neruoſis ꝓprie vtile eſt butyrũ.de ſimp.me. Sp.81.D
DELIGATIO potiſſima in curatione.de fract.com.3°. 7ª.245.B
Deligatio quid faciat.2°.de ſan.tuen. 2ª.72.G
Deligationis duplex vſus.de fract.com 1°. 7ª.227.C
Deligatura cur in oſſe fracto,fieri debet.5°.meth.med. 7ª.40.G
Deligaturæ modus ad omnia fracta.intr. Iſa.60.E
Deligatio diuerſa in fractis et diminutis.de ijs q̃ ĩ me.fi.cõ.3°. 7ª.221.F
Deligationis maxima præcepta.de ijs quæ in med.fi.cõ.2°. 7ª.207.A
Deligatio ſani loci partem occupat.de ijs quę in medicatrina fiunt, commentario.3°. 7ª.214.F
Deligatio ſemper ducenda in contrarium.de ijs quæ in medicatrina fiũt, commentario.2°. 7ª.208.E
Deligationis qualitas.de ijs,quę in medicat.fi.com.2°. 7ª.206.G
Deligatio quo modo fieri debet,quando adeſt vlcus. de fracturis, commentario.3°. 7ª.243.D
Deligatio quo modo incipienda in vlcere.de frac.com.3°. 7ª.243.H
Deligatio quo modo fieri debet in ſinibus, & in expanſis.de ijs quæ in medic.fiunt.com.2°. 7ª.212.C
Deligatio in contrarium facienda in luxatione. de articulis, commentario.4°. 7ª.284.A
Deligationis firmitas in duobus conſiſtit.de artic.com.4°. 7ª.283.G
Deligationis ratio tripliciter immutatur.de frac.com.3°. 7ª.244.D
Deligationis duæ ſpecies.de ijs quæ in med.fi.com.2°. 7ª.205.A
Deligationis bonæ duæ ſpecies.de ijs quæ in med.fi.com.2°. 7ª.206.E
Deligatio aſcia,quæ.de ijs quæ in med.fi.com.2°. 7ª.205.G
Deligatio circularis,quæ.de ijs quæ in me.fi.com.2°. 7ª.205.G
Deligatio legitima,quæ.de articulis.com.1°. 7ª.261.E
Deligatio magis quàm mediocris obeſt.de ijs quæ in medicatrina fiunt, commentario.3°. 7ª.218.B
Deligationis mediocris ſigna.de frac.com.1°. 7ª.229.B
in Deligatione quid diſtributio.de ijs quæ in medicatrina fiunt, commẽtario.2°. 7ª.207.C
Deligatio à duobus principijs quæ ſit.4°.de comp.me.per gen.5ª.238.E/ de ijs quæ in med.fi.com.2°. 7ª.208.F
in Deligatione quid ſit nodus.de ijs quę in med.fi.com.2°. 7ª.207.B
Deligatio oculus vocata,quæ.de ijs quæ in med.fi.com.2°. 7ª.206.D
Deligatio rhombus.de ijs quæ in med.fi.com.2°. 7ª.205.F
Deligatio ſemirhombus.de ijs quę in med.fi.com.2°. 7ª.205.F
Deligatio rotunda,quę.de ijs quę in med.fi.com.2°. 7ª.205.G
Deligatio ſima,quæ.de ijs quæ in med.fi.com.2°. 7ª.205.G
Deligatio eſt ſtabilis aut ob compreſſionem, aut linteorum multitudinẽ. de fracturis,com.2°. 7ª.235.E
Deligatio ſtata,quæ.de ijs quæ in med.fi.com.2°. 7ª.206.A
Deligationis validitas in quibus cõſiſtat.de ijs quæ in medicatrina fiũt, commentario.2°. 7ª.206.F
Deligatio extrinſeca neceſſaria eſt in abdomine vulnerato.5°. methodi medendi. 7ª.39.F
Deligatio quæ fieri poteſt in brachio.de ijs quæ in medicatrina fiunt, cõmentario.2°. 7ª.206.C
Deligatio calcis qualis eſſe debeat.de frac.com.2°. 7ª.234.G
Deligandum quo modo caput.de ijs quæ.in med.fi.com.2°. 7ª.209.E
Deligatio quæ fieri poteſt in capitis lateribus.de ijs quæ in medicatrina fiunt.com.2°. 7ª.206.C
in Deligatione cubiti figuratio,qualis.de frac.com.1°. 7ª.227.E
Deligatio quæ fieri poteſt in fœmore,cubito,& tibia.de ijs quæ in medicatrina fiunt.com.2°. 7ª.206.C
Deligatio partium ſupra genu.de ijs quæ in medicatrina fiunt,commentario.2°. 7ª.209.F
Deligatio partium infra genu.de ijs quæ in medicatrina fiunt, commentario.2°. 7ª.205.F
Deligatio humeri, qualis. de ijs quæ in medicatrina fiunt, commentario.2°. 7ª.209.C
Deligatio inguinis,qualis.de ijs quæ in med.fi.com.2°. 7ª.209.D
Deligatio quę phlegmonen prohibet.5°.meth.med. 7ª.40.H
Deligandi qui ſinus ſint.de ijs quæ in med.fi.com.2°. 7ª.212.B
Deligatio vaſorum ſanguinis.5°.meth.med. 7ª.30.G
Deligatio vulgaris,quæ.de artic.com.3°. 7ª.275.C
Deligatio quæ fieri debet in vertice.de ijs quæ in medicatrina fiunt,commentario.2°. 7ª.206.D
Deligatio quo modo emaciet.de ijs quę in med.fi.com.3°. 7ª.220.B
Deligatio quando reſoluenda.de frac.com.1°. 7ª.229.E
Deligatio quando reſoluenda ob varias cauſas.de fracturis,commentario.1°. 7ª.230.D
Deligatio quando remittenda in fracturis.de frac.com.1°. 7ª.229.D
Deligatio praua multum obeſt.de articulis.com.2°. 7ª.265.B
Deligatio mala quid efficiat.de frac.com.2°. 7ª.235.D
Deligati male calcis malignitas quo modo cognoſcatur.de fracturis,cõmentario.2°. 7ª.235.E
Deligatus bene quomodo cognoſcatur.de frac.com.1°. 7ª.229.B
ex Deligatione facti tumores lanis ſuccidis curantur in vino, & oleo intinctis.de frac.com.2°. 7ª.241.C
in Deligatura oſſis aqua infundenda eſt.5°.meth.med. 7ª.41.D
Deligata quibus ſunt oſſa,cibandi ſunt tenuiſſime.5°.meth.med.7ª.41.E
DELINGIBILES confectiones electæ.7°.de compoſitione medicamẽ. ſecundum locos. 5ª.178.C
DELIQVIVM facit aliquibus offenſio digiti.1°.de ſym.ca. 3ª.18.E
DELIRARE, deſipere,dementem eſſe quid ſignificent.in 3ᵐ. de morbis vulgaribus,com.1°. 3ª.127.G
Delirare verbo in quibus vtatur Hippocrates.3°.de dif.reſp. 3ª.75.A
DELIRIVM quid.de ſymptomatum differentijs.3ª.11.G/2°. de locis affectis. 4ª.13.H
Deliria qui motus ſint & vnde.2°.de ſym.cau. 3ª.24.C
Delirium appellat Hippocrates inſaniam mediocrem.commentario.7°. aphoriſmo.9°. Ex.54.E
Delirium ſignum eſt paruæ dementiæ.in 3ᵐ.de morbis vulgaribus, commentario.3°. 3ª.144.A
Delirium vehemens eſt inſania.in prognoſt.com.1°. 4ª.195.H
Delirij multæ ſpecies ſimul.2°.de diff.reſp. 3ª.64.H
Delirium ex melancholia,& phrenitide mixtũ eſt.in 3ᵐ.de morbis vulgaribus,com.3°. 3ª.151.E
Deliria cum ſilentio.in 3ᵐ.de morb.vulg.com.1°. 3ª.129.A
Deliramenta ferina ab atra bile & ſuperaſſatione bilis. 3°. de locis affectis. 4ª.18.B
Deliri facile fiunt homines leues & turbulenti, contrarij difficulter. in 3ᵐ.de mor.vulg.com.3°. 3ª.151.G
Deliria,& inſanię quo modo fiant.in 3ᵐ. de morbis vulgaribus, commentario.1°. 3ª.131.A
Deliria fiunt ex varijs cauſis.2°.de loc.affe. 4ª.13.G

Deliria ex quibus fiant cauſis.5°.de locis affectis. 4ª.31.F
Delirium à cauſa poteſtate calida fit.2°.de locis effectis. 4ª.14.A
Deliria à quibus fiant.in 6^m.de morbis vulgaribus,com.2°. 3ª.167.F
Deliria oriuntur cerebro affecto.de fracturis.com.2°. 7ª.235.C
Delirium facit cerebri vitium.3°.de decret.Hippo. 1ª.245.E
Deliria accidunt cerebro affecto aut per ſe aut per conſenſum. 17°. de vſu partium. 1ª.222.F
Delirium fit compatiente principio[id eſt cerebro].commentario.7°. aphoriſmo.26°. Ex.49.F
Deliria neceſſario ſequuntur cerebro & meningibus inflammatis.4°. de præſag.ex pulſ. 4ª.120.F
Delirium ſignificat læſum cerebrum.in 1^m.de morbis vulgaribus,commentario.2°. 3ª.115.A
Deliria extrema facit caliditas cerebri. 4°. de preſagitione ex pulſibus. 4ª.120.G
in Delirijs quo modo cognoſcatur cerebrum non eſſe affectum.2°.de locis affectis. 4ª.14.C
Deliria potiſſimũ fiunt læſis muſculis tẽpalibus.11°.de vſu par. 1ª.185.B
Delirium perpetuum in phrenitide.5°.de loc.affe. 4ª.31.G
Deliria quomodo fiant in morbis thoracis.2°.de loc.affe. 4ª.13.F
Delirium promptius fit neruoſis partibus inflammatis, & quo modo. 3°.de locis affectis. 4ª.18.C
Deliria inducit os ventriculi ratione ſocietatis.1°.de ſym.cau. 3ª.18.E
Delirium facit vitium ſtomachi.1°.de ſym.cau. 3ª.18.E
Deliria ex pulmonis affectu.in progn.com.3°. 4ª.205.G
Delirium fit ſepto tranſuerſo affecto.10°.meth.med. 7ª.65.F
Deliria ex ſepto tranſuerſo, qualia.5°.de loc.affe. 4ª.31.F
Delirium ex ſepto tranſuerſo affecto quomodo differat à phrenitide.5°. de locis affectis. 4ª.31.H
Delirijs, & cõuulſionibus ſtatim capiuntur qui ex lõga inedia, vel alui ꝓfluuio, vel fluxu ſanguinis, aut aliqua alia euacuatione facta ĩdigẽt refectione, ſi anteq̃ cibos ſumant, potauerint.c.2°. aph.21°. Ex.14.H
Delirant quo modo ebrij.2°.de diff.reſp. 3ª.67.H
Deliria ex mordicantibus, & calidis ſuccis, vt flaua bilis. 2°. de ſymptomatum cauſis. 3ª.24.C
Deliria, & vigiliæ ſequuntur calidos humores & mordaces. in 3^m.de morb.vulg.com.1°. 3ª.131.A
Delirij futuri periculum eſt, ſi ſucci caput petentes, calidi, acrimoniam obtineant.in 3^m.de morb.vulg.com.1°. 3ª.131.E
Deliria inducunt billioſi, & calidi morbi.2°.de loc.aff. 4ª.14.C
Delirant in impetu febrium multi.in 6^m.de morb.vul.com.3°. 3ª.178.D
Delirant qui facile in æſtuoſis febribus.de vti.raſp. 1ª.226.C
Delirium febrium ardentium peculiare eſt.in 1^m.de morb. vulga. commentario.1°. 3ª.104.E
Deliria per febrium vigores quo modo fiant.3°.de loc.aff. 4°.18.B
Deliria in acutiſſimis febribus vnde.2°.de ſym.cau. 3ª.24.C
Deliria cum febre phrenitides dicuntur.2°.de ſymp.cau. 3ª.24.C
Delirium in febribus prohibet venę ſectionem. præſagium experientia confirmatum. Sp.78.D
Delirium interdum inducunt odores validi.de inſtr.odor. 1ª.112.E
Deliria melancholica ex cauſa frigida.2°.de ſymp.cau. 3ª.24.C
Delirij notæ, quæ.in 1^m.de morb.vulga.com.3°.3ª.121.G/de vict. rat. in mob.acut.com.2°. 7ª.123.D/E
Delirij nota quandoque, quæ.in 1^m.de morb.vulg.com.3°. 3ª.118.A
Delirium in quibus plerunq; conſiſtit.de ſymp.diff. 3ª.11.H
Delirij vehementiæ indicia quædam.2°.de diff.reſp. 3ª.66.H
Delirij magnitudinem furor indicat.2°.de diff.reſp. 3ª.66.G
Delirii ſignum eſt audacia.in 6^m.de morb.vulg.com.1° 3ª.160.D
Delirium, & melancholiæ initium, quæ ſignificent ex ſermone. in 1^m. de morb.vulg.com.3°. 3ª.117.G
Delirium ſignificant oculi obtorti, aut tremorem muſculorum ipſos mouentium in 6^m.de morb.vulg.com.1°. 3ª.159.D/E
Delirium ſignificat lingua turbata quarto die febrienti quædam loquẽs. de vict.rat.in morb.acut.com.4°. 3ª.142.G
Delirium ſignificant crura plurimum diſperſa.in prog.cõ.1°. 4ª.193.H
Delirantis hominis ſpiritus, & nondum delirantis.5°.de loc.aff. 4ª.31.F
Deliri reſpiratio qualis.1°.de diff.reſp.60.A/61.G/ 3ª.65.E
Delirij proprij ſpiritus.2°.de diff.reſp. 3ª.64.E
Deliriorum reſpiratio qualis apud Hippocratem.2°. de difficulate reſpirationis. 3ª.64.H
Delirium ſignificat ſpiritus magnus.4°.de loc.aff. 4ª.27.C
Deliri habent ſpiritum magnum rarum.1°.de diff. reſp. 62. G/in 1^m.de morb.vul.com.3°.121.G/in 6^m.com.2°. 3ª.162.D
ob Deliria inęqualitas reſpirationis.1°.de dif.reſp. 3ª.61.E
Delirium, & dolor quando iungũtur, qualem faciunt reſpirationem.2°. de difficultate reſpirationis. 3ª.65.E
Delirium vehemens in pleuritide, & dolor obſcurus iuxta materiã, vel è contra, quam reſpirationem efficiãt.2°.de difficul.reſpira. 3ª.66.G
Deliri ex ſepto ſpiratio qualis.5°.de loc.aff. 4ª.31.H
Delirij ſignum eſt hypochondriorum palpitatio.in 1^m. de morb. vulgar. commentario.3°. 3ª.121.G
Delirium indicatur ex pulſu iliorum.in prog.com.1°. 4ª.195.H
Delirium comitantur vrinarum ſuſpenſiones. in 3^m. de mor. vulgaribus comment.3°. 3ª.151.B
Delirium ſignificat ſublime in vrinis occultato dolore coxæ.in 1^m. pror. commentario.2°. 4ª.178.G
Delirium ſignificant ſputa rotunda.in 6^m.de morb.vulg.c.3°. 3ª.178.C
Deliria ſigna indicatiua criſis.1°.de criſi. 4ª.128.E
Delirium malum eſt, tamen nõ nunquam bonum iudicium haud ita multo poſt futurum enunciat.com.2°.aph.27°. Ex.16.F
Delirium & difficultas ſpirandi in febre non intermittente, letale eſt.cõmen.4°.aph.50°. Ex.33.C
Delirium ſub mortem.in 3^m.de morb.vulg.com.3°. 3ª.146.C
ex Delirio quidam ægroti iugiter exurgentes, vel iacentes quidem, ſed continuo partem aliquam corporis commouẽtes, aut etiam delira loquentes intra paucos dies extenuantur.cõ.2°.aph.28°. Ex.16.E
Delirium cuiuſdam per xiij.dies quale fuerit.2°.de mo.muſc. 1ª.315.C
in Delirio non ſitientes.in 3^m.de morb.vulg.com.3°. 3ª.144.E
Deliria facientia vlcera, vbi.4°.meth.med. 4ª.28.B
cũ Delirijs, & vigilijs coniunctus ſopor vnde. 4°. de præſagitione ex pulſibus. 4ª.120.G
vbi Delirium ſomnus ſedat, bonum.com.4°.aph.67°. Ex.34.F
Delirium non ſedatur quodam ſomno, ſed excitatur aliquando & generatur.com.4°.aph.67°. Ex.34.E
Delirio ſoluuntur, qui in febribus ardentibus tremores fiunt.comment. 6°.apho.26°. Ex.48.F
in Delirijs vinum prohibetur.1°.de arte curatiua ad Glauc. 7ª.95.A
Delirantibus capiti remedia applicantur.3°.de loc.aff. 4ª.17.B
in Delirio, & vigilijs ex papauerum capitibus perfuſio. 13°. methodi medendi. 7ª.85.E
Delirium ſanat fluor ſanguinis è naſo.de cauſ.procatar. 3ª.95.E
Deliramentum eſt diatritos.2°.de criſi. 4ª.135.A
Deliri purgandi non ſunt in 1^m.pror.com.2°. 4ª.174.B
DELITIOSI *naturaliter homines, quales.de incan.* 7ª.181.H
DELPHINI *inter cetacea numerantur.3°.de alim.fac.* 2°.31.E
Delphini habent pulmonem & plus caloris, quàm reliqui piſces. de vtilitate reſpirationis. Sp.64.C
Delphinus habet multum ſanguinem, & reſpirat in aere miro modo.6°. de vſu partium. 1ª.150.H
Delphinus reſpirat vaporem per branchias.de ana.viu. Sp.48.C
Delphinus ſtertit.de anat.viu. Sp.48.C
Delphini caro ſalſa facit humorẽ melancholicum.3°.de loc.aff. 4ª.18.F
Delphini habent ingratum ſaporem.3°.de alim.facultatibus. 2ª.31.F
DELTOIDIS *muſculus, qui.3°.de anatomicis adminiſtrationibus.1ª. 74.F/de artic.com.1°.* 7ª.252.D
DELVS *temperata.in progn.com.3°.* 4ª.212.H
in Delo fons eſt, in quo abundat aqua æſtate, & non hyeme.de bonitate aquæ. Sp.75.H
in Delo ſunt vera ſigna libri prognoſticorum.in prognoſtica, commentario.3°. 4ª.212.G
DEMANVS *quid ſignificet.4°.de decr.Hipp.* 1ª.250.B
DEMENTIA *varijs nominibus exprimitur. in 3^m. de morb. vulgar. commen.1°.* 3ª.127.C
Dementes & ſoporoſi vnde fiant.in 3^m.de morb.vulg.cõ.3°. 3ª.144.F
ad Dementiam animum agit humiditas, ſecundum Platonem.quòd animi mores. 1ª.318.D
præ Dementia aliqui perſiſtunt in malis conſuetudinibus ſe lædi nõ ſentientes.5°.de ſan.tuen. 2ª.93.H
Dementia ardentium febrium à quo fiat.3°.de loc.affe. 4ª.18.B
ad Dementiam cur trahamur flaua bile in cerebro redundãte, neſciuit Galenus, ſi anima incorporea eſt ſubſtantiá, quæ per ſe eſſe poſſit.ꝙ animi mores. 1ª.318.A
Dementiã phrenitim, paracopẽ, ſiue cardiacã, ſignificat vrina tenuis, ſi dolor capitis, & ſcapularũ, & inſomnia fuerit.de dyn. Sp.34.E

Dementia

Dementia quando bona, & quando non bona, conſiderandũ. 1°.de criſibus. 4ª.128.B
Dementiæ paruæ ſignum delirium.in 3ᵐ.de mor.vul.com.3°. 3ª.144.A
DEMETRIVS Bithynus.4°.de com.me.per ge. 5ª.241.G
Demetrius primarius medicus in theriaca, quo differat ab Andronici compoſitione.de theria.ad Piſo. 5ª.95.B
Demetrio ſemper aſtitit Galenus dum theriacam componeret.1°. de antidotis. 5ª.99.H
DEMISSIO. collapſio, & laxatio particulæ quo modo differant.de difficlutate reſpirationis. 3ª.62.B
Demiſſio pertinet ad irrõnalẽ facultatẽ.4°.de decr.Hipp. 1ª.248.F
DEMOCRITVS apparentia vituperabat.aduerſus empiricos medicos. Iſa.35.C
Democritus atomũ, & vacuum vera putabat.adu.emp.med. Iſa.35.C
Democritus finxit ſenſus aduerſus cogitationem loqui. aduerſus empiricos medicos. Iſa.35.C
Democriti opinio de cõpoſitione corporũ ex atomis.1°.de elemẽt. 1ª.2.E
Democriti ſententiam confutat de conſtitutione rerum. de theriaca ad Piſonem. 5ª.94.C
DEMONSTRATIO. 2°.de decr.Hipp. 1ª.238.E
Demonſtrationum diuiſio.3°.de ſim.med.fac. 5ª.23.D
Demonſtrationum genera.de hiſt.philoſ. Sp.3.E
Demonſtrationum duo genera.1°.de alim.fac. 2ª.7.C
Demonſtrationum differentia vna neceſſaria, altera non neceſſaria eſt. prognoſt.com.2°. 4ª.212.D
Demonſtrationes lineares.8°.de decre.Hippo. 1ª.273.G
Demonſtrationes mathematicæ certæ ſunt. de victus ratione in morbis acutis, com.1°. 7ª.109.H
Demonſtrationis genus, quo probatur nos prouidentia Dei conditos, non eſt idem cum eo quo ſubſtantiam conditoris aut animæ noſtræ indagamus.9°.de decret.Hippo. 1ª.285.C
Demonſtrationis principia, quæ.1°. de ſimplicium medicamentorum facultatibus. 5ª.8.E
Demonſtrationis, & omnium rerum principia, quæ.1°.meth.me. 7ª.5.F
Demonſtrationis principia apud Ariſtotelẽ prius ab Hippocrate fuere prodita.1°.de nat fac. 1ª.291.A
Demonſtrationum principia à ſenſibus.2°.de ſimp.me.fac. 5ª.9.G
Demonſtrationum principia ex ſe noſcuntur. 2°. de ſimplicium medicamentorum facultatibus. 5ª.9.H
Demonſtrationum principia certiora ſunt his quæ demonſtrantur.2°.de ſimp.med.fac. 5ª.9.H
ad Demonſtrationem quæ ſumenda.2°.de temp. 1ª.16.G
Demonſtrationes ex naturalibus rebus ſumendæ.de bo.hab. 1ª.39.E
Demonſtratio habetur à notione euidenti, aut à ſenſu. 1°.de alimentorũ facultatibus. 2ª.7.C
Demonſtratio omnis ab euidentiſſimis incipit. de cuiuſq; animi peccatorum notitia atque medela. 2ª.59.C
Demonſtrationem nulla res incerta natura habet.de ſectis. Iſa.17.A
Demonſtratio ſcientifica nec exemplis, nec inductionibus fieri debet.de ijs quæ in med.fi.com.3°. 7ª.221.E
in Demonſtrationibus non aſſumuntur lemmata vulgaria, & oratoria. 2°.de decr.Hipp. 1ª.234.E
ad Demonſtrationes inductiones nõ ſunt adhibẽdæ.ad Thraſy. 2ª.102.C
Demonſtrator quid ſcire debet.2°.de decre.Hipp. 1ª.235.D
Demonſtrare aliquid volentes debent à rei ſubſtantia exordiri.2°.de ſymptomatum cauſis. 3ª.22.A
Demonſtratiui differentia ab oratorio, exercitatorio, & captioſo.2°.de decretis Hippoc. 1ª.235.B
Demonſtratores differunt à ſophiſtis, oratoribus, & dialecticis.3°.de decretis Hippo. 1ª.241.H
Demonſtratiua theoria diſcenda.de lib.propr. Iſa.13.E
in Demonſtratione exercendus homo.2°.de decre.Hipp. 1ª.234.E
in Demonſtratione philoſophi debent eſſe magis exercitati quàm alij.8°. de decretis Hippoc. 1ª.273.E
Demonſtratiua ſcientia non indiget nimia exercitatione.9°. de decretis Hippocratis. 1ª.280.C
Demonſtrationibus delectantur Ariſtoteles, & Athenæus. 2°. de ſemine. 1ª.337.B
Demonſtratio ex rei natura eſt ſciẽtiæ effectrix.7°.de decret. 1ª.268.B
Demõſtrõnẽ ſcire debet q vult iudicare de ſectis.de ord.lib.ſuo.Iſ.14.G
Demonſtrationẽ ſequentes facile diſcernunt falſa dogmata à veris.5°.de ſanitate tuenda. 2ª.94.C
Demonſtratione non eſt opus ad iudicandum, ſed ſenſu.de natura humana com.2°. 7ª.183.D
Demonſtratione partim, & partim ſenſu, ſoluuntur artium controuerſię.de nat.hu.com.2°. 7ª.183.C
Demonſtrandi artis proprium.7°.de decr.Hipp. 1ª.267.G
Demonſtratione quando vti debemus.9°.de dec.Hipp. 1ª.280.C
Demonſtrationes concluſionum vt ſuppoſitiones accipit.1°.de vſu partium. 1ª.117.B
in Demonſtratiua methodo exercitãdi ſunt medici.7°.met.me. 7ª.44.C
ad Demonſtrationem ſpectantes libri Galeni.de proprijs lib. Iſa.13.E
de Demonſtratione libros poſteriorum Ariſtotelis laudat Galenus. 2°. de decretis Hippo. 1ª.234.E
in Demonſtrationis librum ſecundum Ariſtotelis ſcripſit Galenus. 4°. de differentijs pulſuum. 4ª.69.H
Demonſtratione ne logica, in inueſtigandis ſingulorum morborum remedijs, opus eſſet, an empirica præcepta ſufficerent diu inquiſiuit Galenus.3°.de locis affe. 4ª.15.A
Demonſtratio in quibus remediorum inuentionibus vincat experientiã. 2°.de locis affectis. 4ª.15.B
Demonſtratio probãs neruorũ originẽ in capite.7°.de decre. 1ª.268.H
Demonſtratorem decet ab ijs. quę demonſtrata ſunt non recedere. 2°.de ſemine. 1ª.340.E
Demonſtratio certa de quibus non habetur, non ſunt certe tenenda.de ſubſtantia facultatum naturalium. 1ª.230.E
ſine Demonſtratione primum omnium iudicium certum ſunt communes animi notiones.9°.de decr.Hippo. 1ª.284.B
ſine Demonſtratirne fides non adhibenda, vni præ alijs.1°. de alimento. fac.2ª.7.C/2°.de diff.reſp. 3ª.63.D
Demonſtrationem non habentes ſunt fugiendi.de conſt.ar. Iſ.38.F
Demonſtratiuæ ſcientiæ imperiti facile perſuadentur. 5°. de ſanitate tuenda. 2ª.94.C
Demonſtrationis ignari quantum errent.2°.de diff.reſp. 3ª.64.F
contra Demonſtrõnes qui volunt ratiocinari.7°.de dec. 1ª.268.A
DEMOSTHENES Maſſiliota. 5°. de compoſitione medicamentorum per genera. 5ª.254.D
Demoſthenis Philalethis pulſus definitiones.4°.de diff.pulſ. 4ª.66.G
à Demoſthene libri tres de oculis facti.4°.de diff.pul. 4ª.66.G
DEMVSCVLATVM crus quodnam dicatur eſſe.de articulis.commentario 3°. 7ª.277.F
DENARIVS italicus quãtũ capiat.de ponde.& menſ. 5ª.276.C
Denarium quod Romani appellant, drachma eſt.8°.de compoſitione medica.ſec.loc. 5ª.191.B
Denarij pondo quatuor eſt vncię dimidium.2°.de compoſitione medicamentorum per genera. 5ª.223.D
Denarij ſex ſunt tres vncię.1°.de comp.me.per ge. 5ª.217.F
Denarij octo vnciam faciunt. 2°. de compoſitione medicamentorum per genera.221.A/225.H/6°. 5ª.259.C
Denarij quindecim ſunt tres quartæ.4°.de com.me.per ge. 5ª.250.E
Denarij ſexdecim ſunt vnciæ duę.4°.de comp.me.per ge. 5ª.244.G
Denarij vigintiquatuor ſunt vncię tres.4°.de compoſitione medicamenrum per genera. 5ª.244.G
Denarij ſeptuagintaquinque triatettara dicitur. 4°.de compoſitione medicamentorum per genera. 5ª.243.F
quot Denarijs conſtet mina.5°.de comp.me.per genera. 5ª.247.G
Denarios centum valet mina.5°.de comp.me.per ge. 5ª.252.E
Denarium pondo centum quod minam Philoxenus inſcribit.4°.de compoſi.med.per genera. 5ª.243.F
Denarios centum ſexaginta habet mina.2°.de compoſitione medicamentorum per genera.225.F/3°. 5ª.235.C
Per Denarios omnia medicamenta ſcripſit Andromachus.6°.de compoſitione medicamentorum per gene. 5ª.259.C
Denarij meminit.1°.de comp.per gene.214.B/2°. 5ª.219.G
Δενδρομαλάχη. de rem.par.fac. 7ª.155.B
DENIGRAT ſuccus foliorum eleliſphaci. de ſimplicibus medicaminibus. Sp.84.A
ad Denigrandos capillos.de dyn. Sp.23.F
DENSARE quid ſit.in 6ᵐ.de morb.vulg.com.2°. 3ª.160.E
quę Denſent cutem.2°.de criſibus. 4ª.138.G
Denſitas cutis quo modo fiat.3°.de ſan.tuen. 2ª.81.B
Denſant & cogunt ſuperficiem corporis adſtringentia.6°.de compoſitione medi.ſec.loc. 5ª.167.A
Denſat aer frigidiſſimus.10°.meth.me. 7ª.64.E

Denſat cutaneas

Denſat cutaneas partes frigidum exterius.i 6^{m}.de morbis vulgaribus. comment.6°. 3ª.195.G
Denſat tenues meatus aqua calida.7°.meth.med. 7ª.44.F
Denſat cutem aqua balneorum aluminoſorũ 2°.de criſi.4ª.158.G/7°.methodi medendi. 7ª.50.B
Denſat Ardacha cum magno punctionis calore, & anthemata facit.de ſimplicibus medicaminibus. Sp.80.H
Denſat capparis acerbitate.7°.de ſimp.med.fa. 5ª.49.G
Denſeſcere non poſſunt animalia quomodocunque. de differentijs morborum. 3ª.2.H
Denſatum idem cum conſpiſſato.de nat.hum.com.2°. 7ª.182.A
Denſantibus & refrigerantibus augetur ventris fluxus.1°.de arte curatiua ad Glauconem. 7ª.99.B
DENSITAS naturalis in ſenibus, in pueris præter naturam. de opt. ſecta. Iſa.26.B
Denſitas comitatur frigidos vteros ex neceſſitate, ob quam non poſſunt concipere.com.5°.aph.62°. Ex.43.G
Denſitas & raritas circa ceſſationẽ reſpiratiõis.1°.de dif.reſp.3ª.60.F
Denſitas membranarum oculi affectus.intr. Iſa.58.D
DENSVM quid ſignificet.2°.de ſan.tuen. 2ª.72.F
Denſi nominis duplex vſus.2°.de ſan.tuen. 2ª.72.F
Denſo rarum eſt contrarium.11°.meth.med. 7ª.71.B
Denſum cum raro non habet ſocietatem.11°.de vſu par. 1ª.191.F
Denſum in inſtrumentalibus.2°.de ſan.tuen. 2ª.72.G
Denſum, & leue quod eſt, neceſſario eſt membranoſum. 4°.de vſu partium. 1ª.137.D
Denſior quocunq; alio eſt panniculus cordis.de ana.viuo. Sp.46.E
Denſum & durum corpus facile tolerat quicquid extrinſecus occurrit. de conſuetudine. 2ª.61.D
Denſiora corpora difficilius afficiuntur à cunctis externis cauſis.de op. noſt.corp.conſt. 1ª.38.F
Denſiora corpora minus ſalubria ſunt quo ad excrementa. de optima noſt.corporis conſtitutione. 1ª.38.F
Denſæ partes difficulter euacuantur.ars med. Iſa.70 H
cur Denſæ & duræ partes tardius ſanantur ab inflammatione.com.6°. aphoriſ.49°. Ex.52.E
Denſa corpora quibus ſint nutrienda.de diff.cont. Sp.71.E
Denſa & quæ perſpirare non poſſunt, ſicciore egent alimento.de bon.& vitio ſuccorum. 2ª.38.A
Denſa lingua vnde.in 1^{m}.pror.com.1°. 4ª.162.C
Denſa ne ſint an rara conſideranda ſunt medicamenta. 1°. de ſimplicium medic.facul. 5ª.4.F
Denſitudo æris Cyprij.5°.de comp.med.ſec.loc. 5ª.161.F
Denſus motus qui.2°.de ſymp.cau. 3ª.21.A
Denſa vrina, & pallida melior eſt.de vrinę ſign.ex Hippo. Sp.79.A
Denſum.lege Spiſſum,
DENTARII medici à membro tales dicuntur.ad Thraſy.2ª.105. B/ de partibus artibus medicinæ. Sp.16.F
Dentes quid.fin.med, Iſa.44.D
de Dentium anatomia de anat.viu. Sp.49.D
Dentes quibus oſſibus inſideant.11°.de vſu par. 1ª.192.D
Dentes latent in gingiuis in nuper natis.2°.de ſemine. 1ª.339.E
Dentes ſunt in præſepiolis gingiuarum.11°.de vſu part. 1ª.187.E
Dentes quo modo gingiuis infigantur.de anat.viuo. Sp.49.D
Dentes fixura iunguntur.intr. Iſa.54.G
vt Dentes gingiuæ, ita cutis pilorum radices complectitur. in Timæum Platonis. 1ª.286.H
Dentes cur infanti naſcantur.15°.de vſu par. 1ª.213.C
cur Dentes in pueritia renaſcantur.de an.viu. Sp.44.G
Dentes poſt partum fiunt.an omnes anim.par. 1ª.326.E
Dentes quando oriuntur.de fœt.for. 1ª.323.H
in Dentitione quid faciat infans.de nat.& ord.cuiuſ.corp. Sp.42.D
Dentes prodeuntes ob perforatas gingiuas nihilo minus moleſtant q̃ ſtimulus infixus carni.com.3°.aph.25°. Ex.25.C
Dentes canini cum oriuntur pueris, febres patiuntur & conuulſionem, & alui profluuia.com.3°.aph.25°. Ex.25.C
ad Dentitionem puerorum.5°.de comp.med.ſec.loc. 5ª.164.F
ad Dentes orientes.3°.de med.fac.pa. 7ª.174.F
ad Dentes difficulter naſcentes.5° de comp.med.ſec.loc. 5ª.164.G
Dentientibus quæ commoda.11°.de ſimp.med.fa. 5ª.79.G
Dẽtiẽtibus pueris cõmodũ eſt cerebrũ leporis.11°.de ſim.m.fa.5ª.79.G
ad Dentitionẽ puerorũ valet ouillũ cerebrũ.de theria. ad Piſo. 5ª.93.E
Dẽtiẽtibus gingiuis butyrũ, & mel adhibẽdũ.10°.de ſim.m.fa.5ª.74.D
Dentium nomina.intr. Iſ.54.G
Dentium nomina, & diuiſio.de nat.& ord.cuiuslibet corp. Sp.42.D
Dentium tres ſpecies.de anat.viuo. Sp.49.D
Dentium differentiæ ſm officia.de dif.morb. 3ª.4.H
Dentes τομεῖς, qui, & quot.de oſſib. 1ª.41.E/F
Dentes inciſores ſunt in parte anteriori.11°.de vſu par. 1ª.186.G
Dentes inciſores cur in duplo caninorum.11°.de vſu par. 1ª.187.E
Dentes canini ſunt poſt inciſores.11°.de vſu par. 1ª.186.G
Dentes inciſores quid agunt.de anat.viu. Sp.49.D
Dentes canini, qui.intr.Iſ.54.G/de oſſib. 1ª.45.F/G
Dentes canini, quales, & eorum officium de anat.viu. Sp.49.D
Dentem vnũ caninũ vtraq; parte cur habet hõ.11°.de vſu par. 1ª.187.E
Dẽtes caninos multos hñt lupi, leones, & canes.11°.de vſu par. 1ª.187.E
Dentes maxillares ſunt poſt caninos.11°.de vſu par. 1ª.186.H
Dentes maxillares & molares, idem de oſſib. 1ª.41.F
Dentes molares vnde dicti.de oſſib. 1ª.41.F
Dentes molares quibus vtrinque quinq;, & quibus quatuor.11°. de vſu partium. 1ª.187.E
Dentes molares, qui intr. Iſa.54.G
Dentes maxillares, qui, & quot.de oſſibus. 1ª.41.F
Dentes molares cur alijs plures.11°.de vſu par. 1ª.187.E
Dentes medij molares maximi.11°.de vſu par. 1ª.187.A
Dentes molares quales, & eorum officium.de ana.viuo. Sp.49.D
Dentium maxillarium officium.11°.de vſu par. 1ª.186.H
de Dentium radicibus.11°.de vſu par. 1ª.187.A
Dẽtes maiores, radices plures hñt:cõtra, minores.de ana.viu. Sp.49.D
Dentes vſq; ad caninos ſingulas habent radices, auctore Apollonio.de nat.& ord.cuiuslibet corp. Sp.41.H
Dentes molares habent ternas, & quaternas radices.de natura & ordine cuiuslibet corporis. Sp.41.H
Dentes maxillares ſuperiores habent tres radices, inferiores duas, exceptis aliquibus ſuperioribus qui habent quatuor, & inferioribus, qui habent tres, & qui ſint.de oſſib. 1ª.41.F
Dentium radices aliquæ habent neruos.11°.de vſu par. 1ª.186.E
Dentes quales neruos habeant.16°.de vſu par. 1ª.215.D
Dentium nerui ſunt molles.16°.de vſu par. 1ª.215.B
Dentes debent habere ſenſum exactiorem.16°.de vſu par. 1ª.215.D
Dẽtes oẽs à tertia coniugatiõe neruos ſuſcipiũt.9°.de vſu par. 1ª.176.C
Dentata vtrinque animalia an habeant vnum ventriculum, ſenſus iudicat.de nat.hum.com.2°. 7ª.183.C
Dentes exerti pars animalium marium.2°.de ſemi. 1ª.338.G
Dentium duos tantum ordines, vt inciſiuos & molares, habent animalia quædam.de anat.viuo. Sp.49.E
Dentium multiplicem ordinem habent lupi.de ana.viu. Sp.49.E
Dentiũ multiplicẽ ordinẽ hñt piſces, ſed eiuſdẽ gñis.de ana.vi. Sp.49.E
Dentes ſuperiores magna ex parte cornigera non habent. 6°.de anatomicis adminiſtrationibus. 1ª.90.E
Dentes ſuperiores animal nõ habens habet plures vẽtriculos.6°. de anatomicis adminiſtrationibus. 1ª.90.D
Dentes inferiores tantũ hñt ruminantia animalia.de art.c.1°. 7ª.256.G
ſi Dẽtium ordo peruerſus eſſet, quid ſequeretur.11°.de vſu par.1ª.186. H
Dentibus refertum os, & maximum habent animalia mordentia. 11°.de vſu partium. 1ª.187.F
Dentes multos acutos, & fortes habent fortia animalia.. 11°. de vſu partium. 1ª.187.C
Dentes paucos acutos & os paruum habent animalia, quæ ſolum comedunt.11°.de vſu partium. 1ª.187.F
Dentes ſerratos habentia animalia habent magnas vertebras.de neruorum diſſectione. 1ª.54.E
Dentes ſerratos animalia habentia quale habent caput muſculi temporalis.16°.de vſu par. 1ª.217.B
Dentes ſerratos animalia habentia in diſſectionibus ſequuntur habentia quinque digitos in manu.6°.de anat.adm. 1ª.89.F
Dentibus ſerratis animalia prędita habent quartum locum in diſſectione.6°.de anat.admi. 1ª.90.D
Dentium ſerratorum animalium lien non habet dulce alimentum.de atra bile. 1ª.36.F
Dentes ſuperiores animal habens non ruminat nec habet multos uẽtres. 6°.de anat.admi. 1ª.90.E
Dentes ſupra, & infra hñt animalia carniuora.de art.c.3°. 7ª.256.G
Dentes caprarum & ouium ſunt ſimiles.11°.de vſu par. 1ª.187.C

Dentes ouis & leonis differunt.11°.*de vſu par*. 1ª.187.C
Dentes equini.1°.*de com.med.ſec.loc*. 5ª.123.E
Dẽtes pardaleon & canũ ſunt ſimiles leoninis.11°.*de vſu par*. 1ª.187.C
Dentes hominum idonei ad eſum ſolum.11°.*de vſu par*. 1ª.184.H
Dentes terreni ſunt.9°.*de ſimplicium medic.fac*. 5ª.64.H
Dentes numerandi inter oſſa.de oſſibus. 1ª.41.E
Dentes cur ſoli ex oſſibus habent neruos.16°.*de vſu part*. 1ª.215.A
Dentes oſſa non ſunt.de nat.& ord.cuiuslibet corp. Sp.42.D
Dentium numerus.de anat.viuo. Sp.49.E
Dentes nunquam ſunt in vna parte plures, & in alia pauciores, vel ſurſum plures deorſum pauciores.11°.*de vſu partium*. 1ª.187.E
Dentes quot.de oſſibus. 1ª.41.E
quot Dentes ſint in viris, & mulieribus.de ord.cuiusl.corp. Sp.41.H
Dentes ſunt trigintaduo.introd.Iſa.54.G/11°.*de vſu partium*. 1ª.186.G
Dentes adnati redundant.14°.*methodi medendi*. 7ª.93.B
Dentes creſcunt ferè per omnem ætatem. 5°. *de compoſitio.medicamen. ſecundum locos*. 5ª.162.F
Dentes propter quid creati ſint.de anat.viu. Sp.49.D
Dentium officia.introd. Iſa.54.B
Dentes ad armaturam quibuſdam animalibus dati ſunt, vt apris.de anatomia viuorum. Sp.49.E
Dentes noſtri organa ſunt quodam modo linguæ.de natura & ordine cuiuslibet corp. Sp.42.D
Dentes ſunt organa locutionis.de anat.viuo. Sp.49.B
Dentibus prioribus innitentem linguam ſeq́, ampliantẽ exigit recta pronunciatio vocum incipientium à,tr,com.6°.*aph*.49°. Ex.32.H
Dentes diſcernunt ſapores cum lingua non aliter quàm aliæ oris partes. 16°.*de vſu partium*. 1ª.215.A
in Dentibus cibi amittunt ſpeciem.3°.*de nat.fac*. 1ª.304.A
Dentes non debent repente præter conſuetudinem moueri ad actiones. de vict.rat.in mor.acut.com.2°. 7ª.124.C
Dentium affectionum diuiſio.5°.*de comp.med.ſec.loc*. 5ª.162 D
Dentibus, oſſibus, neruis, cerebro, ſpinali medullæ, frigidum inimicum eſt: calidum vero vtile.com.5°.*aph*.18°. Ex.39.A
Dentium concuſſionis, cõuulſionis, tremoris, palpitationis, rigoris, horroris, ſingultus, tuſſis, ructus, ſternutationis, pandiculationis, & oſcitationis genus commune eſt motus illegitimus, et quo modo hæc in genere differant.2°.*de ſym.cauſ*. 3ª.19.D
Dẽtes patiũtur à nimio & pauco alimẽto.5°.*de com.med.ſe.lo*.5ª.162.F
ad Dentes à capite cur materia tranſmittatur.2°.*de diff.feb*. 3ª.40.H
Dẽtes à capite vitiãtur, & quõ.de natura et ordine cuiusl.cor.Sp.42.D
Dẽtes ſi ex capite ægrotẽt quo modo curãdi.6°.*de ſan.tuen*. 2ª.100.A
in Dentes quibus fluxiones procumbunt, quæ exercitatio vitanda.5°.*de ſanitate tuenda*. 2ª.90.A
ad Dentes præſeruandos.5°.*de compoſi.med.ſec.loc*. 5ª.164.G
Dentium ſmegma quo modo efficacius.11°.*de ſimp.med.fac*. 5ª.81.A
Dentibus ſtridere ex natura cur, & cui diſpoſitioni ſimilis ſit hæc affectio.in prognoſt.com.1°. 4ª.194.C
Dẽtibus ſtridere ex natura, nouit Galenus. in progn. com.3°. 4ª.211.G
Dentium ſtridores quibus eueniant.preſag.exper.confir. Sp.78.E
Dentium fremitus vnde fiat.de victus ratione in morbis acutis. commẽtario 4°. 7ª.137.H
Dentium ſtridor quo modo fiat.in prognoſt.com.1°. 4ª.194.A
Dentium ſtridor malus.in 1ᵐ.*prorrh.comment*.2°. 4ª.170.G
Dentium ſtridor inſaniam ſignificat.in prognoſt.com.1°. 4ª.194.A
ad Dentiũ vitia.de remedijs paratu facilib.7ª.157.C/*de dyna*. Sp.25.D
ad Dentium plura vitia.de remed.par.fac. 7ª.164.C
Dentes extergit pumex.9°.*de ſimpli.med.fac*. 5ª.69.G
Dentes optime abſtergunt ſales theriaci.de theri.ad Piſo. 5ª.97.E
Dentes puros efficit ſmiris.9°.*de ſim.med.fa*. 5ª.68.B
de Dentium albificatione.de remed.par.fac. 7ª.164.C
Dentes & gingiuas candidas efficit ariſtolochia rotunda. 6°.*de ſimplicium medicamen.facul*. 5ª.43.E
ad Dentium cãdorem cornua cerui & capræ. 11°. *de ſimplicium medicamen.facul*. 5ª.79.G
ad Dentes dealbandos.de remed.par.fac.164.C/ 7ª.172.F
Dentes albi & odorati quo ſmegmate fiant.5°.*de compoſi. medicament. ſecundum locos*. 5ª.166.B
ad Dentes denigratos.5°.*de compoſi.med.ſec.loc*. 5ª.163.H
ad Dentes denigratos.de remed.par.fac.157.E/ 7ª.178.H
ad Dentes nigros in ſuperficie.5°.*de comp.med.ſec.loc*. 5ª.165.D
Dẽtes liuidi patiuntur ab inflammatione.5°.*de cõp.me.ſec.loc*.5ª.162.F
Dentes liuidi quibus curentur.5°.*de comp.med.ſec.loc*. 5ª.162.G
Dentes vt bene oleant.de remed.par.fac. 7ª.164.D
ad Dentes colluendos.de remed.par.fac. 7ª.157.E
ad Dentes molares collutio.5°.*de comp.med.ſec.loc*. 5ª.164.B
ad Dentes colluendos poſt lac mel vino miſceatur. 3°. *de alimentorum facultatibus*. 2ª.28.C
in Dente inflammatio.8°.*de comp.med.ſec.loc*. 5ª.162.D
Dentes à putrilagine p̃ſeruant ſales theriaci.de the.ad Piſo. 5ª.97.A/E
Dentes putridi, nigriq́, vt ſplendidi reddantur.3°. *de medicinis facile parandis*. 3ª.173.C
Dentes ſplendidos faciunt cornua deuſta.9°.*de ſimp.med.fac*. 5ª.69.G
Dentes ſplendidi fiunt oſtreis, pumice, & teſta clibani.11°.*de ſimplicium medic.facul*. 5ª.81.A
Dentibus ſplendorem affert ſepiarum teſta.11°.*de ſim.med.fac*. 5ª.81.A
Dentium eroſio oris affectus.intro. Iſa.59.C
Dentium eroſiones facit ſanies à capite.6°.*de ſan.tuen*. 2ª.98.F
Dentes erodi non ſinunt ſales theriaci.de theria.ad Piſo. 5ª.97.E
Dentes eroſi quibus curentur.5°.*de com.med.ſec.loc*. 5ª.162.G
ad Dentes coroſos.5°.*de compoſi. medicam. ſecundum loc*. 165.C/D/4°. *de compoſi.medicamen.per genera*. 5ª. 244.F/*de reme.par.facilib*. 157.F/164.E/ 7ª.173.B
ad Dentium eroſionem & dolorem. 5°. *de compoſitio. medicamento.ſecundum locos*. 5ª.165.B/D
ad Dentes eroſos dolentes.5°.*de comp.med.ſec.loc*. 5ª.164.C
ad Dentes molares corroſos.5°.*de comp.med.ſec.loc*. 5ª.165.E
Dentes exeſi quandoq; auferuntur.de diff.morb. 3ª.4.G
ad Dentium foramina valent tithymalli liquores.8°.*de ſimpli. medicamen.facul*. 5ª.62.D
ad Dentes perforatos cum dolore & ſine. 5°. *de compoſi.medicamento. ſecundum locos*. 5ª.163.D
Dentes perforatos iuuant quæ tenuium ſunt partium, & excalfactoria. 8°.*de ſimpli.med.fa*. 5ª.58.D
ad Dentes perforatos & dolentes cauterium.5°. *de compoſi. medicamẽ. ſecundum locos*. 5ª.163.F
Dens foratus aufertur cum foramine.14°.*meth.med*. 7ª.90.G
Dentes an doleant.5°.*de comp.med.ſec.loc*. 5ª.162.D
Dens dolet, pulſat.5°.*de com.med.ſec.lo*. 5ª.162.D
Dentibus, & gingiuis ſolis affectus accidit qui hæmodia dicitur. 2°. *de locis affectis*. 4ª.9.H
Dentium dolor oris affectus.introd. Iſa.59.C
Dentium dolores pertinent ad tactum.de ſymp.diff. 3ª.11.E
Dentes ſæpe dolent homini concepto in tribus horis ſanguinis. de ſpermate. Sp.37.B
Dentium dolores è pituita.de dynamidijs. Sp.19.G
Dentis dolore minor eſt dolor capitis. 2°. *de compoſitio. medicamento. ſecundum locos*. 5ª.134.H
Dentibus molaribus contingit dolor infixus.2°.*de loc.affect*. 4ª.9.H
Dentes à dolore p̃ſeruãtia.de rem.par.fac.7ª.157.E/*de dyn*. Sp.25.D
in Dentium doloribus quæ naribus infunduntur.5°. *de compoſi.medicamen.ſecundum locos*. 5ª.163.H
pro Dentium dolore quæ in nares inijciantur.de rem.par.fac. 7ª.157.E
in Dentium doloribus maximis.5°.*de comp.med.ſec.loc*. 5ª.163.D
Dentium dolores è veſtigio ſedantia. 5°. *de compoſitio.medicament.ſecundum locos*. 5ª.163.C
in Dentium doloribus cur Aceto acerrimo vtamur.5°.*de compoſit.medicamen.ſec.loc*. 5ª.163.A
ad Dentes dolentes Amurca.5°.*de comp.med.ſec.loc*. 5ª.164.F
in Dentium doloribus Apophlegmatiſmi. 5°. *de compoſit. medicament. ſec.loc*.5ª.163.F/*de rem.par.fac*. 7ª.157.D
Dentium dolorem tollit Aſininus fimus.de ſimp.me. Sp.84.E
Dentium dolores ſanat Aſparagus.6°.*de ſim.me.fac*. 5ª.44.A
Dentes Dolentes iuuat Batrachij radix.6°.*de ſimp.med.fac*. 5ª.44.G
Dentium labores adiuuat Capparis.7°.*de ſimp.med.fac*. 5ª.49.H
Dentium dolores ſedat medicamentum ex Caſtoreo auribus inſtillatum. 12°.*methodi medendi*. 7ª.79.G
Dentium foraminibus inſtillatur Cedrea, & dolores mitigat, & cõſtringit dentes.7°.*de ſimp.med.fac*. 5ª.50.E
Dentium doloribus confert radix Chelidonij maioris. 8°.*de ſimplic.medicam.facul*. 5ª.63.G
Dentium dolores manſa mitigat clematis Daphnoides.7°.*de ſimp. medicamen.facul*. 5ª.51.G
Dens dolens ſanatur Dolore quo mõ.in 6ᵐ.*de mor.vul.cõ*.2°. 3ª.161.G

Dentibus prodeſt Elleborus niger cum aceto colluentibus.6°. de ſimpli. medicamen.facul. 5ª.47.B
in Dentium doloribus colluitur radix Ephemeri.6°. de ſimplic.medicamen.facul. 5ª.47.G
ad Dentium dolorem Fomenta.5°.de compoſi.med.ſec.loc. 5ª.163.F/de rem.par.fac. 7ª.157.D
dicitur Dentium eroſorum dolores iecur Lacertę ſanare. 11°. de ſimplic. medicamen.facul. 5ª.80.A
Dentium dolores quadantenus mitigant Lappæ minoris radix & ſemen cocta cum vino.6°.de ſim.med.fac. 5ª.43.F
Dentiũ dolorẽ mitigat Naſturtij ſuccus auribus infuſus.de dy. Sp.25.D
ad Dentium dolores valet Ononis.8°.de ſimp.me.fac. 5ª.58.D
Dentium perforatorum dolores ſedat Peucedanum.8°.de ſimp.medicamen.facul. 5ª.58.D
ad Dentium dolorem quidam colluunt Phlomi albæ & nigræ radicem. 8°.de ſimp.med.fac. 5ª.63.C
Dentium doloribus adhibetur Platani cortex.8°.de ſimp.me.fa. 5ª.58.G
Dentis doloribus medetur Senecta ſerpentis.11°.de ſim.me.fac. 5ª.80.E
Dentes dolentes iuuat Spina alba. 6°.de ſimp.med.fac. 5ª.41.H
Dentium dolores ſanat Tamarix.7°.de ſimp.med.fac. 5ª.56.D
Dentium dolores ſanat Tithymalli radix.8°.de ſim.me.fac. 5ª.62.D
ad Dentium molarium dolorem.5°.de compoſ.med.ſec.loc. 5ª.165.E/de rem.par.fa. 7ª.164.D
pro Dentibus molaribus emplaſtrum.5°.de comp.med.ſec.lo. 5ª.164.C
ad Dentium dolores, Andromachi.5°.de comp.med.ſec.loc. 5ª.166.F
ad Dentium dolores, Archigenis.5°.de compo.med.ſec.loc. 5ª.163.A
ad Dentium dolores, Ariſtocratis.5°.de comp.med.ſec.loc. 5ª.165.B
ad Dentium affectionem, Critonis.5° de comp.med.ſec.loc. 5ª.165.D
ad Dentiũ dolores, Dioclis.5°.de com.med.ſec.loc. 5ª.165.C
*ad Dentium dolorem.5°.de comp.medic.ſec.loc.*165.H/8°.5ª.191.E/de rem.par.fac.157.C/164.C/G/3°.de med.facul.part.170.C/172.F/7ª.175.D/de dynam.25.E 35.G/ſecre.97.B/de cura.lap. Sp.112.H
Dente exerto cur dolor reſtet.5°.de comp.med.ſec.loc. 5ª.162.E
ad Dentium cruciatus.6°.de comp.med.per genera. 5ª.256.A
ad Dentium frigidas affectiones, & quo modo fiant.5°.de compo.medic. ſecundum locos. 5ª.165.F
Dentes refrigeratos mitigat pyrethron.8°.de ſimp.me.fac. 5ª.59.D
Dentium ſtupor eſt ſymptoma tactus.1°.de ſym.cau. 3ª.16.B
Dentium ſtupor quo modo fiat.6°.de ſimp.med.fac. 5ª.43.A
Dentium ſtuporem quæ faciant.2°.de locis affectis. 4ª.9.H
Dentium ſtuporem faciunt acida, & acerba. de opt.ſecta. Iſa.22.H
*Dentium ſtupor ex omnibus acerbis & acidis. 3°. de alim.fac.*2ª.28.B/C/1°.de ſym.cau. 3ª.28.B
Dentium ſtupor ex lacte acido.3°.de alim.fac. 2ª.28.C
Dentium ſtupor ex moris immaturis.3°.de alim.fac. 2ª.29.C
Dentes torpeſcere quæ pituita faciat.3°.de loc.affect. 4ª.18.H
Dentium ſtupori medetur portulaca.de ſect.16.H/de op.ſect. Iſa.21.E
Dentium ſtuporem ſoluere portulacam obſeruatum eſt ſine cognitione cauſę.de opt.ſect. Iſa.22.E
Dentium ſtuporem ſanat portulaca ſuo lentore morſus experte. 2°. de alim.facul. 2ª.23.C
Dentium ſtuporem ſanat portulaca. 6°. de ſimp. med. fac. 5ª.43.A/de ſimp.medic. Sp.81.A
*ad Dentium ſtuporem.5°.de com.med.ſecundum loco.*5ª.164.F/de rem. par.fac. 7ª.164.E
circa Dentes quibus lentores quidã in febribus naſcuntur, ijs fortes fiũt febres.com.4°.aph.53°. Ex.33.D
ad Dentes debilitatos.5°.de comp.med.ſec.loc. 5ª.164.F
ad Dentes molares commanducationes.5°.de com.me.ſec.lo. 5ª.164.B
Dentes cur quandoque mouentur.5°.de comp.med.ſec.loc. 5ª.162.F
Dentes quo modo eximuntur.intr. Iſa.59.H
Dentes quo modo facile extrahantur.5°.de com.med.ſec.loc. 5ª.163.G
ad Dentes eximendos ſine ferramento, & abſque dolore.de rem.par.facilibus. 7ª.164.F
*Dens vt digitis tollatur.5°.de comp.med.ſecun.locos.*5ª.165.E/de reme. par.fac. 7ª.164.F
*vt Dentes citra dolorem excutiantur.5°.de compoſi.med.ſecun.loc.*5ª.164.D/de rem.par.fac.164.F/de incant. 7ª.182.C
ad Dentem molarẽ ſine dolore tollẽdũ.5°.de cõp.med.ſec.loc. 5ª.165.E
Dens vt ſponte excidat.de remed.par.fac. 7ª.164.E
pro Dentibus prominẽtibus limula ferrea.5°.de cõ.me.ſe.lo. 5ª.164.D
Dentes quo modo limandi.5°.de comp.me.ſec.loc. 5ª.164.D
Dens quando terebello perforandus.5°.de com.med.ſec.loc. 5ª.163.G
Dentes cur fiant mobiles aliqui, & quot de cauſis.5°.de compoſi.medic. ſecundum locos. 5ª.164.D
Dentes qui agitantur reſtringit, & ſtabilit gagates lapis.de ſimp.medicaminibus. Sp.86.G
ad Dentes molares mobiles.5°.de com.med.ſec.lo. 5ª.165.H
ad Dentes mobiles corroborandos.5°. de compoſitio.medica.ſecundum locos.164.F/ 5ª.165.H
Dentes ne vacillent, & fœteant.5°.de comp.med.ſec.lo. 5ª.163.H
Dentes vacillantes confirmat bouis talus.de theria.ad Piſon. 5ª.93.E
Dentes vacillantes confirmat cornu cerui.de theria.ad Piſo. 5ª.93.E
pro Dentibus roborandis lac aſininum. 5°. de compoſitio. medicamen. ſecundum locos. 5ª.164.F
ad Dentes ſe agitantes lentiſcus facit.de ſimp.med. Sp.86.B
ad Dentes motos Pythij.5°.de comp.med.ſec.loc. 5ª.165.C
*ad Dentes motos.5°.de comp.med.ſec.loc.*164.A/165.B/D/7°.5ª.181.H/de remed.par.fac. 7ª.157.F
*ad Dentes motos, & labantes.de rem.par.fac.*164.E/ 7ª.170.C
ad Dentes titubantes & infirmos diaclyſma.de rem.par.fa. 7ª.164.C
ad Dentes concuſſos.5°.de comp.med.ſec.loc. 5ª.165.H
Dentium concuſſio inuita quid.2°.de ſymp.cau. 3ª.19.H
ad Dentes ex ictu motos ſtabiliendos.5°.de com.me.per ge. 5ª.248.C
ad Dentes ex ictu concuſſos.de rem.par.fac. 7ª.164.E
ad Dentes concuſſos, & dolentes.de rem.par.fac. 7ª.164.D
ad Dentes ob ictum decidentes.de med.fac.par. 7ª.170.C
ad Dentes continendos.de dynamidijs. Sp.25.E
*ad Dentes ſauciatos.5°.de comp. med.ſec.loc.*5ª.165.F/de medicinis facil.par. 7ª.172.F
Dentes maxime ſiccitatem requirunt ſine calefactione. 6°. de ſimp.medica.fac. 5ª.44.A
Dentes amittit, ſi quis biberit aquã quæ eſt Suſis.de bo.aquæ. Sp.76.A
Dentis amiſſio eſt oris ægritudo.de diff.morb. 3ª.4.H
Dentibus obeſt lactis aſſiduus vſus.3°.de alim.fac. 2ª.28.B
Dentes quo modo poſt lac ſumptum ſeruentur incolumes. 3°.de alimentorum.facul. 2ª.28.C
Dentes quidam amiſit ex lactis diuturno vſu.5°.de ſan.tuen. 2ª.91.G
Dentes amiſſi vocem lædunt.4°.de loc.affect. 4ª.26.E
ex Dentibus cognoſcitur malas luxatas eſſe aptatas. de articulis.commentario 2°. 7ª.264.E
Dentes male ſe habebant Galeno.2°.de alim.fac. 2ª.22.E
non Dentis ſed gingiuæ dolor à Galeno cognitus.5°. de compoſit. medic. ſec.locos. 5ª.162.D
Dentes quidam famulis confringebant.de cog.cur.animi mor. 2ª.50.H
Dens quo modo frangatur ſine dolore.de rem.par.fac. 7ª.164.G
ad Dentes auriſculapium.5°.de comp.med.ſe.loc. 5ª.165.E
Dentes ſuſpenſi da morſus canis rabidi.de incant. 7ª.182.B
DENS *appellata ab Hippocrate productio, quæ.12°. de vſu partium.* 1ª.194.E
Dentem nominauit Hippocrates totam vertebram ſecundam. de oſſibus. 1ª.41.H
Dens nominata vertebra.4°.de loc.affect. 4ª.23.E
Dens vertebra quare ita dicatur.in 1^{m}.prorrh.com.2°. 4ª.176.D
DENTES *quo in epiglottide.de voce, & anhel.* Sp.61.D
DENS *quid in organis.de machin.* 7ª.309.D
de DENTIFRICIIS *5°.de com.med.ſec.loc.* 5ª.165.F
Dentifricium optimum eſt os ſepiæ ſolũ in mortario læuigatum. de ſimplic.medic. Sp.90.C
Dentifricium Aurelij.5°.de comp.me.ſec.loc. 5ª.166.E
ad Dentifricia facit pumex.de ſimp.med. Sp.88.H
Dentifricium Damocratis ad dentes faciendos cãdidos et immobiles.5°. de com.med.ſec.loc. 3ª.166.B
Dentifricium Timocratis.5°.de com.med.ſec.loc. 5ª.165.H
Dentifricium mirum.de remedijs paratu fac. 7ª.157.F
Dentifricium optimum.5°.de com.med.ſe.loc. 5ª.166.B
DENVDATO *corde puer ſalutem conſecutus eſt. de decre. Hippocratis & Platonis.* 1ª.231.F
in Denudatis oſſibus cum luxatione veratro vtitur. de articulis, commentario 4°. 7ª.285.A
DEORSVM *quo muſculo trahatur labrum ſuperius.de muſculorum diſſectione.* 1ª.44.E
Deorſum quo muſculo trahatur naſus.de muſ.diſſect. 1ª.44.F
Deorſum maxillam trahentes muſculi vbi ſint.de muſc.diſſ. Sp.44.G

Deorſum totam ſcapulam ex inferiori, & priori parte ac in priora ad ſe ipſum trahens muſculus.de muſc.diſſ. 1ª.45.C
Deorſum ferri,& decumbere non idem,& quo modo differunt. de palpit.trem.conuulſ.& rig. 3ª.52.A
Deorſum decumbit frigida materia.in 1^{m}.de mor.vul.com.1°. 3ª.105.A
Deorſum fiat reuulſio, vbi ſucci ad ſuperiora vergũt.de cucur. 6ª.4.G
Deorſum vergentia per ſeceſſum vacuantur.2°.de alim.fac. 2ª.19.E
Deorſum cur feces purgentur.de voc.inſtr.diſſec. 1ª.106.F
Deorſum ſunt purgandi difficile vomentes, & medie craſſi æſtatem vitantes.de cathart. Sp.94.C
Deorſum purgatur humor melancholicus.de cathart. Sp.94.C
DEPASCENS & putridum vlcus ab aliquibus dictum non eſt propria vlceris differentia,ſed paſſio implicita ex vlcere, & putredine. commen.6°.apho.45°. Ex.51.F
Depaſcentia vlcera ſola purgatione ſanata.de purg.me. 5ª.87.G
Depaſcentias ani mitigat ſuccus centaureæ.de vir.cent. Sp.93.E
Depaſcentia vlcera matricis iuuat ſuccus cẽtaureæ.de vir.cẽ.Sp.94.B
ad DEPILATIONEM quæ valeant animalia.11°.de ſimp. medicam. facultatibus. 5ª.82.G
Depilat capita bibentiũ fluuius quidã in ægypto.de bo.aquæ. Sp.76.A
Depilatoria non ſunt neganda à medico.1°.de comp.med.ſe.lo. 5ª.127.G
Depiles cur fiunt qui teſtes amittunt.1°.de ſemi. 1ª.334.B
Depile quo modo corpus reddi poſſit.8°.de ſim.med.fac. 5ª.62.D
DEPLORATI non ſunt curandi,ſed ſolis prognoſticis relinquendi.cõ. 2°.apho.19°. Ex.16.G
DEPONERE quid ſignificet.3°.de decre.Hipp. 1ª.244.G
Deponuntur quæ membra.de iis quæ in medic.fiunt,com.3°. 7ª.217.H
DEPORRIGERE quid ſignificet.de fract.com.1°. 7ª.224.H
DEPREHENSIONES, quæ à græcis κατα λήψεις dicuntur, fiunt à frigiditate cum ſiccitate.com.2°.aph.3°. Ex.11.E
DEPRESSAE facultatis pulſus.de pulſ.ad tiro. 4ª.44.G
DERASI qui intelligantur.1°.de comp.med.per genera. 5ª.214.H
DERIVATIVI vſus quando; non eſt,ſed primitiui, & è contrario,tñ qui inuenit deriuatiuũ,põt vti primitiuo.ĩ 3^{m}.de mor.vul.cõ.2°.3ª.138.F
DERIVARE, id eſt παροχετεύειν, eſt à riuis ad latera diuertere.de cucur.ſcar. 6ª.4.F
Deriuatio,græce parocheteuſis dicitur.de cucur.ſcar. 6ª.4.E
Deriuatio quid ſit.in 6^{m}.de morb.vulg.com.2°. 3ª.161.C
Deriuatio eſt eiuſdem generis cum euacuatione facta per particulã,quæ fluxionem ſuſcipit.de cucur.ſcar. 6ª.4.E
de Deriuatione ex libris Galeni.de cucur.ſcar. 6ª.4.E
Deriuatio per quę loca fiat.5°.meth.me. 7ª.30.E
Deriuatio ad partes ꝓpinquas ſpecies euacuatiõis.ars m.69.E/Iſa.71.E
Deriuationem ad partes propinquas Hippocrates vocat parocheteuſin. 6°.de ſanitate tuenda. 2ª.100.B
Deriuatio fit ad latera.4°.meth.med. 7ª.28.C
Deriuatio per nares facienda eſt fluente gurgulione vel palato, & quibus.de cucur.ſcar. 6ª.4.E
Deriuandum per nares & os,ſi ad aures, vel oculos ſucci fluant,& quibus.de cucurb.ſcar. 6ª.4.E
Deriuatio fit cum id quod ad pulmonem tendit, ad ſtomachum deducit. de cucur.ſcar. 6ª.4.F
Deriuandus eſt ad vteri venas fluor venæ ſedis in mulieribus.de cucur. ſcarificat. 6ª.4.E
DESCENDENTIA tarde cibaria quæ ſint.de diſſ.con. Sp.74.G
ſi Deſcendant tarde ſuperflua ciborum,dari debent cibi lenientes,& pungentes.de diſſol.cont. Sp.75.A
Deſcendere facit cibum de ſtomacho vinum.de diſſol.cont. Sp.72.B
Deſcenſus difficilis qñ eſt ſuperfluitas cibi de ſtomacho & inteſtinis,indigemus his q̃ deſcendere faciunt,& vẽtrẽ mollificẽt.de diſ.Sp.71.F
ad Deſcenſum aquæ in oculum.ſecretorum. Sp.181.D
Deſcenſioni aquæ ad oculum,ſi ſit in principio,quid opem ferat. de medicinis expertis. Sp.107.F
ad Deſcenſum matricis.de dynam. Sp.30.A
Deſcenſus matricis curatio.de paſſ.mul. Sp.95.F
DESCRIPTIO quid.fin.med. Iſa.43.D
Deſcriptio pulmonis.de anat.viuo. Sp.47.G
in DESERTIS, & ſiccis locis paſcua habentia animalia ſunt cibi ſuperfluitates non habentes.de diſſol.cont. Sp.73.E
DESICCANT ſtrenue quæ in ſecundo complete deſiccant.7°.de ſimp. medi.facul. 5ª.54.D
Deſiccantia quarto ordine vrunt.5°.de ſimp.med.fac. 5ª.39.B
Deſiccantia quæ ſunt in magno vſu.8°.de ſimp.med.fac. 5ª.57.H
Deſiccat in tertio Acetum.8°.de ſimp.med.fa. 5ª.57.D
Deſiccant Adſtringentia.5°.de ſimp.med.fa. 5ª.35.D
Deſiccat Androſace.6°.de ſimp.med.fa. 5ª.43.A
Deſiccandi naturam habet Braſſicca.de rem.par.fa. 7ª.153.G
Deſiccat citra morſum Calx elota.8°.de ſimp.med.fac. 5ª.62.C
Deſiccat & calfacit Caſtoreum.10°.de ſimp.med.fac. 5ª.80.B
Deſiccatoriis & glutinatoriis miſcetur Centaurii minoris radix arefacta.7°.de ſimp med.fa. 5ª.50.H
Deſiccat abſque morſu Cyprus.7°.de ſimp.med.fac. 5ª.53.H
Deſiccat innoxie Faba.7°.de ſimp.med.fa. 5ª.53.D
Deſiccat minus quàm hordeũ farina fabacea.7°.de ſim.me.fa. 5ª.53.A
Deſiccandi valenter vim habet Filix impoſita vlceribus. 8°. de ſimpli. medica.facul. 5ª.59.C
Deſiccat fluxiones Galla.7°.de ſim.med.fac. 5ª.51.A
Deſiccat alui fluxus Lagopus.7°.de ſimp.med.fac. 5ª.54.A
in Deſiccatoriũ medicamen inditur Lana vſta.11°.de ſim.me.f. 5ª.81.B
Deſiccat tertia Lappæ ſpecies.1°.de ſim.med.fa. 5ª.43.F
Deſiccat Lentis corpus.8°.de ſimp.med.fac. 5ª.63.B
Deſiccat & adſtringit Macer.7°.de ſimp.med.fa. 5ª.55.A
Deſiccat ſine morſu Maſtiche.8°.de ſimp.med.fac. 5ª.59.F
Deſiccant Metallica omnia,quia terrea ſunt.9°.de ſimp.med.f. 5ª.68.F
Deſiccat craſſos humores Moly.7°.de ſimp.med.fac. 5ª.56.F
Deſiccat multũ Myrtus qa eſt frigida & terrena.7°.de ſim.m.f.5ª.56.E
Deſiccat citra morſum Nympheæ radix.7°.de ſimp.med.fa. 5ª.57.A
Deſiccant & modice refrigerant Pira.6°.de ſimp.med.fa. 5ª.43.D
Deſiccant pilulę Platani 8°.de ſim.med.fac. 5ª.57.D
Deſiccat & eſt tenuium partium Polemoniũ.8°.de ſim.me.fa. 5ª.59.A
Deſiccat plus hordeo Polenta.7°.de ſimp.med.fa. 5ª.53.A
Deſiccat abſque morſu Poterii radix.7°.de ſimp.med.fac. 5ª.56.H
Deſiccantibus & cauſticis medicamentis miſcetur Smiris.9°. de ſimp. med.facul. 5ª.67.C
Deſiccat parũ,abſtergit,& incidit Tamarix.7°.de ſimp.me.fa.5ª.56.D
Deſiccandi ſine morſu vim habet quælibet Terra. 9°. de ſimp. medicamen.facul. 5ª.65.G
Deſiccantem vim habet Vitis alba.6°.de ſim.me.fac. 5ª.42.F
Deſiccat mire Cochlearum caro.11°.de ſimp.med.fac. 5ª.78.F
Deſiccatiua medicina qualis eſſe debet.de oculis. 7ª.190.H
Deſiccantia infernas partes & ſomnũ prouocantia,qualia eſſe debeant. 8°.de ſim.med.fa. 5ª.62.A
Deſiccantia,& calefacientia vehementer quid agant.8°. de ſimp. medicamen.facul. 5ª.62.E
à Deſiccantibus vehementer mouetur ſternutatio. 6°. de ſimp. medicamen.facul. 5ª.44.G
Deſiccantia carnem,quæ.5°.de ſim.med fac. 5ª.35.H
Deſiccantia citra inſignem morſum vlceribus malignis competũt.11°.de ſimp.medic.facul. 5ª.80.G
ſm DESIDERIVM, ſecundum appetitum,& ſecundum voluntatem idem.in prog.com.2°. 4ª.198.E
Deſiderium eſt proprietas ſanguinem cõſequens.de ana.viu. Sp.45.D
Deſiderium eſt actio oris ſtomachi.de mot.man.& obſ. Sp.70.H
Deſideriũ veneris aliqñ ſignificat vrina ſpumoſa ſupius.de dyn. Sp.35.E
Deſiderium coitus ſequitur ad dominium bilis.de anat.viu. Sp.45.F
Deſiderii coitus paucitas ſequit̃ ad dñiũ plegmatis.de ana.vi. Sp.45.E
ſecundum Deſiderium motus partium,quo modo læſus deprehendatur. in prog.com.2°. 4ª.198.E
DESIDIA auget timiditatem.de aere,aq.& loc. 2ª.6.C
ex Deſidia pituitoſus ſanguis.de mult. 3ª.78.H
ex Deſidia humiditas quo modo corrigatur.3°.de ſanit.tuen. 2ª.81.G
Deſidioſis qui fuerunt exercitati qd cõtingat.3°.de ſymp.cau. 3ª.27.H
DESIPIENTES qui ſint.in 1^{m}.prorr.com.1°. 4ª.162.F
Deſipientiæ ſequuntur ad ægritudines primi principii & capitis.de virtutibus noſtrum corp.diſpenſ. Sp.60.B
Deſipientia quo modo fiat.in 3^{m}.de morb.vulg.com.1°. 3ª.127.C
Deſipientię fiunt patiente cerebro, aut per ſe primo,aut per compaſſionem.com.6°.aph.53°. Ex.53.B
Deſipientiæ cognitio vnde ſumatur,& quid ſit. com. 7°.aph.14°.54.H/ aphoriſmo 24°. Ex.55.F
Deſipiẽtiũ cũ comate pulſus,qualis.in 1^{m}.prorr.com.1°. 4ª.168.H
Deſipientiæ proprium & inſeparabile ſignum eſt ſpiritus rarus. in 1^{m}. prorrh.com.1°. 4ª.163.C
Deſipientis proprium ſymptoma eſt magnam & raram facere reſpirationem

tionem

tionem.2°.de diff.reſp. 3ª.63.H
Deſipientiæ quæ cum riſu fiunt ſecuriores, quæ vero cum ſtudio pericu-loſiores.com.6°.aph.53°. Ex.53.B
Deſipientia ferina,quæ.in 1m.prorrh.com.1°. 4ª.166.G
Deſipientiæ feroces vnde.in 1m.prorrh.com.1°. 4ª.166.A
Deſipientię obſcuræ indicium & cauſæ. in 1m.prorrh.com.1°.4ª.168.A
Deſipientiæ temerariæ oīum periculoſiſſimæ ſunt.c.6°.aph.53°. Ex.53.B
Deſipientię furioſæ,ex quo humore fiant.com.6°.aph.53°. Ex.53.B
Deſipientia à ſanguine bilioſo,qualis.in prorr.com.1°. 4ª.188.G
Deſipientia à ſanguine melancholico,qualis.in pror.com.3°. 4ª.184.B
Deſipientia cum comate,qualis.in 1m.prorrh.com.1°. 4ª.168.A
Deſipientię in vigore febris quid ſint.in 1m. prorrh.com.1°. 4ª.161.A
Deſipere indicationis per ſanguinem è naribus ſignum.1°.de arte curatiua ad Glauconem. 7ª.100.D
Deſipientiæ ab externis cauſis,quę.in 1m.prorr.com.1°. 4ª.164.B
Deſipiunt ex multa vini potatione aliqui capite oppleto plurimo ſanguine,& ſpiritu calido.com.7°.aph.7°. Ex.54.D
Deſipientia rigentibus ob multam vini potationem calor.natiuus non accenditur,ſed ob multitudinem extinguitur.c.7°.aph.7°. Ex.54.D
Deſipientia & rigor ex multa potatione,malum.c.7°.aph.7°.Ex.54.D
Deſipiētia à pfluuio ſanguinis nō bonus eſt caſus.c.7°.aph.9°. Ex.54.F
Deſipiētia ex obſtupeſcētia a capitis ictu,malū.c.7°.aph.14°. Ex.54.H
Deſipientia in oſſis præciſione,ſi in vacuum apprehenderit.commen.7°.aphoriſmo.24°. Ex.55.F
Deſipiunt quidam ileoſi,& conuelluntur compatiente neruorum principio ſtomachi paſſioni.com.7°.aph.10°. Ex.54.F
Deſipientia ab ileo,malum.com.7°.aph.10°. Ex.54.F
Deſipientia quandoq; fit ex defectu,quo manuū,ac pedū tremores. comment.7°.aph.9°. Ex.54.E
ſi Deſipientię ex defectu coniuncta ſit conuulſio, omnino ſalus eſt deſperata.com.7°.aph.9°. Ex.54.E
Deſipientiæ debilitatorum peſſimæ.in 1m.prorr.com.1°. 4ª.164.D
Deſipientiæ letales,quæ.in 1m.prorr.com.1°. 4ª.164.B
Deſipientia nulla ſecura eſt.com.6°.aph.53°. Ex.53.E
Deſipiētia q̄dā fuit ſanata,ſed non recordabat.2°.de mo.muſ. 1ª.315.C
Deſipiētes artifices de ſuis artibus cogitāt.in 1m.pror.com.1°. 4ª.167.B
Deſipientia,lege Inſania.
DESPERARE non debet is qui etiam per multos annos aliquid non inuenit.1°.de digno.pulſ. 4ª.70.F
Deſperandū de ægro,q̄n vritur in ambiēte frigido.11°.meth.me.7ª.76.B
in Deſperatis morbis theriaca valet.de vſu ther.ad Pamphi. 5ª.99.A
Deſperata vlcera quid ſignificent.4°.de comp.me.per gen. 5ª.239.D
ad Deſperata vlcera.4°.de comp.med.per ge. 5ª.239.D
ad DESQVAMATA. 1°.de comp.med.per gen. 5ª.212.H
DESTILLATIO quid.intr. Iſ.56.E
Deſtillatio morbus longus intrinſecus.intro. Iſa.56.B
Deſtillationes inter morbos vere apparentes.5°.de ſan.tuen. 2ª.94.D
Deſtillationes deſcendunt humidis temporibus & calidis.in 3m.de morbis vulgaribus.com.3°. 3ª.143.D
Deſtillationis cauſæ.intro. Iſa.56.E
Deſtillationis fons pituita acida & ſalſa.8°.de decr.Hipp. 1ª.276.A
Deſtillationes faciunt pauci motus.1°.de ſan.tuen. 2ª.65.E
Deſtillatio à capite fertur per aſperam arteriam in uentrem ſuperiorē.com.7°.aph.38°. Ex.57.A
à Deſtillationibus uox offenditur.in 3m.de morb.uul.cō.3°. 3ª.141.F
Deſtillationes faciunt raucam uocem.4°.de loc.aff. 4ª.26.C
Deſtillationes q̄nq; conuertuntur ad uentriculū.7°.meth.me. 7ª.48.B
Deſtillationes ex capite ob frigida, quales nix & glacies, offendunt thoracem & pulmonem.com.5°.aph.24°. Ex.39.G
ex Deſtillatione morbo afficitur pulmo.3°.de præſag.ex pulſ. 4ª.116.C
Deſtillantes à capite in pulmonem humores quando putreſcūt, tabem gignunt.in 1m.de morb.uulg.com.1°.3ª.105.F/in 3m.c.3°. 3°.143.E
Deſtillationes capitis quæ primo tuſſim concitant,& raucedinem,neque tandem conſiſtunt, alterum tabis ſpeciem generant. in 1m.de morbis uulg.com.1°. 3ª.105.E
Deſtillatio ſubtilis,quam tuſſim faciat.in 1m.de morb.uul.c.1°. 3ª.105.E
Deſtillationis in pulmonem pulſus.4°.de præſag.ex pulſ. 4ª.119.G
Deſtillationes in uentrem ſuperiorem ſuppurantur intra uiginti dies.com.7°.aph.38°. Ex.57.A
Deſtillatione capiuntur ſenes.2°.de temp. 1ª.16.D
Deſtillationes ſunt morbus ſenum.5°.de ſan.tuen. 2ª.92.B
Deſtillationes cur in ſenibus fiant.com.2°.aph.31°. Ex.26.H
Deſtillationes quomodo fiant ſenibus.com.3°.aph.31°. Ex.26.H
Deſtillationes cito interimentes qua tempeſtate fiant ſenioribus.com.3°.aphoriſmo 12°. Ex.21.E
Deſtillatio frigida in ſenibus non concoquitur.c.3°.aph.12°. Ex.21.H
Deſtillationes ex oculis manantes quo modo dicantur coqui. de uict. ratione.in morb.acut.com.2°. 7ª.122.H
in Deſtillatione quo modo excrementa capitis diſpoſitionem declarent.2°.de loc.affe. 4ª.16.H
Deſtillatio oſtendit temperamentum cerebri.2°.de temp. 1°.20.F
Deſtillationis curatio.intro. Iſag.56.F
Deſtillationem habentibus quibus ſanguis mittendus, & quibus non.5°.methodi medendi. 7ª.35.H
in Deſtillatione ad oculos uenæ ſectio.de rem.par.fac. 7ª.156.C
ad Deſtillationem in oculos.de rem.par.fac. 7ª.156.C/E
ad Deſtillationem calidam oculorum.de rem.par.fac. 7ª.156.C
ex Deſtillante pituita arteriæ laborantis remedia. de medicinis fac.para. 7ª.171.F
ad Deſtillationes arteriæ reſiccandas.7°.de cōp.med.ſe.lo. 7ª.186.A
Deſtillatio à capite in pulmonē tripliciter corrigit.5° meth.med.7ª.35.G
in Deſtillationē h̄nte uētriculo abſinthiū cōuenit.7°.meth.me. 7ª.48.C
Deſtillationes concoquens arteriaca.7°.de comp.med.ſec.loc.5ª.180.A
in Deſtillatione tenui à capite & tuſſi ualet diacodion.7°.de compoſitione medic.ſecund.loc. 5ª.181.A
Deſtillationem febris ſanat.in 6m.de morb.uulg.com.6°. 3ª.197.E
in Deſtillatione tenui non conuenit mel.7°.de com.me.ſe.lo. 5ª.181.A
in Deſtillatione tenui ſapa conuenit.7°.de comp.med.ſec.loc. 5ª.181.A
in Deſtillatione tenui exhibet ſtupefacientia.12°.meth.med. 7ª.75.B
Deſtillatio tenuis exigit ſoporifera.7°.de comp.med.ſec.loc. 5ª.182.D
à Deſtillatiōe ſtuporē dētiū ortū portulaca nō ſanat.de op.ſec. Iſa. 22.H
Deſtillationibus pituitæ prodeſt ſtyrax.8°.de ſimp.med.fac. 5ª.61.E
ad Deſtillationes in arteria.7°.de comp.med.ſec.loc. 5ª.181.C/D
ad Deſtillationem uuluæ ſuffumigium.de dynam. Sp.35.G
ad Deſtillantem uuluam.de dynamid. Sp.25.E
ad Deſtillationem & tuſſim probatum.de med.fac.pa. 7ª.171.E
ad Deſtillationem ex libris Perigenis 7°.de comp.med.ſe.lo. 5ª.182.C
ad Deſtillationes. 7°. de comp.med. ſecund. loc. 181. G/H 182.C/183.D/186.A/8°.191.D/E/9°.5ª.201.A/de remedijs paratu facilibus.165.D/ 7ª.171.E/G/H/
Deſtillatio ſanguinis repentina in acutis quid ſignificet in æſtate & autumno.de uict.rat.in morb.acut.com.4°. 7ª.142.G
Deſtillet quibus de cauſis urina.6°.de loc.affe. 4ª.37.B
Deſtillatio,lege Catarrhus.
Deſtructio uocis quo modo fiat.de uoce & anhel. Sp.60.H
Deſtruunt uocē ampliſſima uocis inſtrumenta.de uo.et anhel.Sp.62.A
DESYPVS animal quod ſit.de rem.par.fac. 7ª.164.C
ad DETENTIONES. 7°.de cōp.med.per gen. 5°.265.B
DETERIVS non poteſt eſſe in perfectiſſimo.de conſt.ar. Iſa.38.H
Deterior cibus ſi appetatur,præbeatur, etiam ſi adſit cibus melior. de diſſolutione continua. Sp.72.D
Deterrima ſunt mala quæ perpetuo uigorem habent.de uri. 4ª.123.H
DETERGENTIA magis minus ue multa ordine enumerat. 7°.methodi medendi. 7ª.52.G/H
Detergentia,& concoquentia.6°.de comp.med.per gen. 5ª.256.F
Detergentia,& calefacientia medicamenta exiccāt,& pus non mouēt.5°.de ſimp.med.fac. 5ª.33.G
Detergunt carnem generantia medicamenta.1°. de compoſitione medicamentorum per genera. 5ª.217.C
Detergit primo medicamentum, poſt carnem glutinat, & producit.2°.de comp.med.per gen. 5ª.227.A
Detergentia quo modo fiant cerati mixtura carnis explentia.6°.de compoſitione medicamentorum per genera. 5ª.260.H
Detergens,& ſiccans modice in primo ordine medicamentum eſt, quod carnem producit.3°.meth.med. 7ª.18.A
Detergentia ſiccantia mundificant ulcera.4°.de cōp.me.p ge. 5ª.237.B
Detergentia leuia ſine morſu.6°.de comp.med.per gen. 5ª.256.F
Detergentia ualde medicamenta.2°.de comp.med.per gen. 5ª.221.G
Detergant uehemēter quæ medicamēta.2°.de cōp.me.per ge. 5ª.221.G
Detergentia quæ febrem accenduntur,& quæ nō.7°.meth.me. 7ª.52.G
Detergentia deijcere faciunt,& diſtribuere.in 1m.de uict.rat. in morb.acut.com.1°. 7ª.111.E
Detergit,& tenuat amarum.11°.meth.med. 7ª.73.G
ad Detergendum cibi optimi,qui.4°.de ſan.tuen. 2ª.84.F

Detergit ac digerit marrubium.7°.de ſim.med.fa. 5ª.62.A
Detergunt mel & aphronitrũ extra applicata.7°.meth.me. 7ª.51.A
Detergit magis mel Hymmetium.7°.meth.med. 7ª.52.H
Detergit mulſa citra morſum.13°.meth.med. 7ª.83.E
Detergit ſine morſu oxymeli.13°.meth.med. 7ª.83.E
Detergit ſine morſu ptiſſana.13°.meth.med. 7ª.83.E
Detergit humores in ventre infarctos ptiſſanæ cremor & aqua mulſa. de vict.rat.in morb.acu.com.1°. 7ª.111.E
Detergit glutinoſa radicula ex oxymelite.7°.meth.med. 7ª.51.B
Detergit maxime ſapo.7°.meth.med. 7ª.52.H
Detergunt trachomatica.14°.meth.me. 7ª.93.F
Detergi qui ægri poſtulant.de vict.ra.in mor.acut.commẽ.3°.7ª.132.A
Detergi pp qd debẽt ægri,& alij.de vic.rat.in morb.acu.c.3°.7ª.132.A
Deterſio quibus fiat.de vict.ra.in mor.acut.com.3°. 7ª.132.A
ꝑ Detergendo ſpongijs vtebantur in balneis.10°.metho.med. 7ª.67.A
DETONSI omnes ad cutem Antonini tempore.in 6m. de morb. vulg. commen.4°. 3ª.181.G
Δετός.i.vinctum tecti.1°.de art.com.3°. 7ª.270.G
DETRACTIO de quibus dicatur.in 6m.de mor.vul.com.3°.3ª.170.C
Detractio omnis,medicinæ eſt calidæ,& humidę.de cathar. Sp.94.E
Detrahi quidam dolentes videntur.2°.de loc.aff. 4ª.12.F
Detrahens brachium ad latera muſculus.de muſ.diſſ. 1ª.47.G
Detrahens duodecimam coſtam muſculus.de muſ.diſſ. 1ª.49.E
DETRITIO ſcroti affectus.fin.med. Iſa.49.D
DEVCALION & Phoroneus primi hoĩes.3°.meth.me. 7ª.20.H
DEVENTRIS quid ſignificet.4°.de decr.Hipp. 1ª.250.B
DEVORATIO quid.fin.med. Iſa.44.F
de Deuorationis & vomitus motu.de mot.man.& obſcu. Sp.68.D
Deuoratio difficilis vnde fit.com.7°.aph.59°. Ex.59.E
Deuoraſſe ſe noxium quippiam putant melancholici. de mel.ex Galeno, Ruf.& Poſſ. Sp.109.C
ſi Deuorare non poſſit, cui à febre habito collum conuertitur, tumore non exiſtente in collo,letale eſt. com. 4°.aph.35°.31.E| commenta.7°. aphoriſmo 59°. Ex.59.E
de DEIS indagare ſpectat ad eos qui contemplatiuam philoſophiam profitentur.9°.de decr.Hip. 1ª.284.C
in Dei cognitionem quo modo deuenerimus.de hiſt.philoſ. Sp.4.G
Deum qui non eſſe cenſuerunt.de hiſt.philoſo. Sp.4.F
Deus quid ſit.de hiſt.philo. Sp.3.G
Dij an ſint corporei vel incorporei contemplari ad moralem non ſpectat.9°.de decr.Hipp. 1ª.284.C
Deus ſunt ſtellę cœleſtes,ſm Anaximandrum.de hiſto.philo. Sp.4.E
Deus eſt ignis arte pręditus,ſm ſtoicos.de hiſt.phil. Sp.4.G
Deus eſt primus,ſecunda natura,tertium fatum,ſm Poſſidonium. de hiſto.philoſo. Sp.5.E
Deus eſt forma cœlo inhærens,ſm Ariſtotelem.de hiſto.philoſo. Sp.4.F
Deus eſt ſpiritus toti mundo infuſus,ſm ſtoicos.de hiſt.phil. Sp.4.G
Deus mens,ſm Democritum.de hiſt.philo. Sp.4.F
Deus mens abſque materia,ſm Socratẽ,& Platonẽ.de hiſt.phil.Sp.4.F
de Dei ſubſtantia quæ dicuntur à Platonẽ,ſunt probabilia,& non excedunt veriſimilitudinem.9°.de decr.Hippo. 1ª.285.C
Deus vnitas ſm Pythagoram.de hiſt.philoſ. Sp.4.F
Deus eſt animal rationale immortale.1°.meth.med. 7ª.4.C
in Dijs ſola rationalis.6°.de decr.Hipp. 1ª.261.F
Dei pauciores ſenſus hñt quã bruta,ſm Democritũ.de hiſt.phi. Sp.9.B
quæ Dei forma ſit exponere neque Plato neque Zeno eſt auſus. de hiſtoria philoſophica. Sp.3.G
Dei figura vt Mercurij figura.in or.ſuaſo. Iſa.2.E
Deus Mercurius,hilaris,ſplẽdidus,& qui cũ eo ſunt.in or.ſuaſo.Iſ.2.E
Deus ſpeciem habet humanam non modo tenuitatem, ſm Epicurum.de hiſt.philoſ. Sp.4.G
Dij non ſunt omnes figurę humanæ.in 3m.de mor.vul.com.2°. 3ª.149.B
Deus amoris deſcribitur.in progn.com.1°. 4ª.190.E
Dei locus vbi ſit.de hiſt.philoſ. Sp.3.G
Deum bonum vocat Plato.ꝙ animi mores. 1ª.321.C
Deus nõ per ſe,ſed ab æterno bonus.ꝙ animi mores. 1ª.321.C
Dei an gaudeant in hominum admiratione conſtitui, non affirmat Hippocrates.de aere,aq.& lo. 2ª.6.A
Deo amici & noti ſunt probi viri.de præco.ad Poſthu. 4ª.214.B
Dei amicus,ſecundo noſcit res.an animal ſit. 1ª.326.H
Deo ſimiles ſunt ſapientes.de cogn.cur.ani mor. 2ª.51.B
Deo dicit imperatores,& eos laudat.de theria.ad Piſo. 5ª.90.C
Deus tm̃ exactam miſturam motuum nouit.3°.de dieb.decr. 4ª.159.F
ad Deum vel naturam pertinet miſcere tota p tota. 1°. de temp.1ª.14.G
Deus ſimilia ſimilibus adiungit.de theria.ad Piſo. 5ª.90.G
Deus author eſt & conditor mundi.9°.de decre.Hippo. 1ª.285.C
Deus eſt prima cauſa efficiens rerũ naturalium.de hiſt.philo. Sp.3.F
ex Deo,& cœlo eſt omne pulchrum ordinatum, & artificioſum.1°.de dieb.decre. 4ª.151.H
Deus ſi quid facit illud facit medijs ſuis filijs.9°.de decr. 1ª.285.C
à Dijs eſt imperium.de theria.ad Piſo. 5ª.90.C
Dei virtute gubernantur ſuperiora.de ſperm. Sp.40.B
Deus cuncta gubernat,et nullius habet curam particularem ſm ſtoicos. de hiſt.philoſ. Sp.3.G
Deus omnes curat.in or.ſuaſo. Iſa.2.G
Deus vel anima fœtum format.de fœt.for. 1ª.325.B
Deus primo nouit an animal ſit quod in vtero eſt.an animal ſit.1ª.326.H
Deus q̃ ſit particula q̃ prius cõſiſtit,nouit.an oẽs anim.par. 1ª.326.D
Dij fabricatores hominum.ꝙ animi mores. 1ª.318.C
Deus aliquis noſtri corporis conditor.9°.de decre.Hippo. 1ª.285.B
Deus in condendo homine fecit quod melius.6°.de vſu par. 1ª.153.F
Deus neque ſuperfluum neque mancum facit.11°.de vſu par. 1ª.184.H
Deus facit quod melius eſt ex his quę poteſt facere,omnia tamen non poteſt facere,ſm Galenum.11°.de vſu partium. 1ª.189.H
Dijs quid impoſſibile.de inſtr.odor. 1ª.112.B
Deus non põt iũgere quæ ſimul eſſe non poſſunt.de inſt.odor. 1ª.112.B
Deus poteſt omnia facere,ſm Moſem.11°.de vſu par. 1ª.189.G
Deus q̃uo ordinauerit inſtrumenta vocis.de voce & anhel. Sp.60.H
cur Deus genuerit cerebrum, & pulmonem frigida membra. de anato, viuorum. Sp.45.D
Deus quæ membra aſſimilauerit cholera nigræ.de anat.viuo. Sp.45.F
Deorum prouidentia Galenus inuenit neruorum curationem. 3°.de compoſitione medi.per gene. 5ª.234.F
à Dei prouidentia pilorum origo.11°.de vſu par. 1ª.190.A
q̃uo Deorum pater omnia lege diſpoſuerit.an animal ſit. 1ª.328.E
Deorum eſt in primis ferre legem.an animal ſit. 1ª.328.E
de Dei prouidentia erga nos.9°.de dec.Hipp. 1ª.284.E
Deum naturaliter amamus.ꝙ animi mores. 1ª.321.C
Dei Mercurij ſequaces,qui in or.ſuaſo. Iſa.2.E
Deorũ magis neglectores ſunt paupes q̃ diuites.đ aere,aqs,et lo.2ª.6.A
Deos aliq̃n deteſtantur pauperes,quòd eis opes non ſuppeditent. de aere,aquis,& locis. 2ª.6.A
Dei dum non reſpondent tacent.de theria.ad Piſo. 5ª.97.H
ad Deos ſępe refertur peſtis.in 1m.de mor.vul.com.1°. 3ª.101.E
Dei medicę artis Apollo & Aeſculapius.in or.ſuaſo. Iſa.2.C
Deorum veluti manus ſunt medicamenta.6°.de com.me.ſec.lo.5ª.173.B
DEVSTIS fiunt inęquales intemperies ſiue materia. de inæquali intemperie. 3ª.43.C
ex Deuſtione quauis externa inæqualis intemperies fit in toto corpore. de inæq.intemp. 3ª.44.D
ex Deuſtione febris.de inæq.intemp. 3ª.44.D|E
in Deuſtionibus ſolis calor extrinſecus ſanguinem opprimit.2°.de different.feb. 3ª.40.A
ad Deuſtiones.3°.de med.fac.par. 7ª.174.D
Δευτερία quid vocetur ab Atticis.2°.de ali.fac. 2ª.18.D
DEXTANS. 5°.de cõp.med.ſec.loc. 5ª.162.A
DEXIPPVS diſcipulus Hippocratis.de victus ratione in morb.acutis, com.1°.113.A|com.3°. 7ª.131.F
Dexippus dat omnes cibos.de ve.ſec.ad Eraſi. 6ª.8.G
in Dexippum, & Apollonium calices cereos retorſit Eraſiſtratus. de vict.ra.in morb.acut.com.4°. 7ª.135.A
DEXTERITAS animi proficiſcitur à bilioſo humore. de natu. humana.com.1°. 1ª.33.B
quæ DEXTRA & quæ ſiniſtra ſit mundi pars, ſecundum diuerſos.de hiſt.philoſo. Sp.6.B
Dextra ſiniſtris æqualia, vbi æqualis vtilitas actionis. 6°. de vſu partium. 1ª.149.A
Dextra non æqualia ſiniſtris vbi aliquid non ad eundem vſum adeſt.6°. de vſu partium. 1ª.149.A
Dextra pars diſſidet cum ſiniſtra eiuſdẽ corporis.ꝙ aĩ mores. 1ª.319.C
Dextræ ptes læuis præpollẽt ſm Hippocratẽ.bre.denot.dog. 1ª.231.C
Dextera pars an calidior ſiniſtra.in 6m.de mor.vul.cõ.2°. 3ª.169.C|F
Dexteram partem eſſe calidiorem probatur per diſſectiones. in 6m. de morb.vulg.com.2°. 3ª.169.F

Dextera pars quomodo ſit calidior ſiniſtra.14°. 1ª.206.G
in Dextris mares, fœminas vero in ſiniſtris magis concipi opinãtur aliqui.com.5°.aphor.38°. Ex.41.B
in Dextro vteri latere mares generantur, ſecundum Hippocratem.bre. denot.dogm.Hippo. 1ª.23.C
in Dextris vteri partibus mares cur.in 6ᵐ. de mor.vul.com. 2°.3ª.169. B/F/de ſpermate. Sp.36.A
in Dextra matricis parte in horis ſanguinis ſi ſit conceptus infans, quid ſequatur.de ſpermate. Sp.38.B
in Dextra parte matricis ſi ſit conceptus puer in horis phlegmatis omnium, quid ſequetur.de ſpermate. Sp.38.C
Dextra mammilla ſi gracileſcat maſculi abortum faciet mulier.de anatomia viuorum. Sp.51.F
in Dextra parte pulmo ſitus eſt.de anatomia par. Sp.42.H
in Dextra parte cur pulmoni aliquid ſit adiectũ.de ana.viuo. Sp.48.A
in Dextro latere cordis quæ ſint.de anat.viuo. Sp.46.E
Dexter venter cordis inferior eſt, & magis verſus hepar diſpoſitus, attrahens ab hepate.de ana.viuo. Sp.56.C
in Dextra parte cordis eſt vena magna.de anat.viuo. Sp.46.F
in Dextra parte cur ſit hepar.de anat.viuo. Sp.50.G
Dextris partibus, & ſuperioribus, æſtate, in iuuenibus impares dies criticos eſſe inquit Hippocrates.bre.denot.dogm.Hippo. 1ª.231.D
Dextræ partis præcordiorum tumor ſignificat iecinoris affectum.1°. de locis affectis. 4ª.6.B
ex Dexteri brachij interiore vena quibus ſanguis ſit detrahendus.præſag.exper.confir. Sp 78.E
ad Dextram reuulſio facienda eſt, ſi ſiniſtrorſum inclinent ſucci. de cucurb.ſcarif. 6ª.4.E
à Dextris & à ſiniſtris ſit auerſio ſecundum latitudinem. commentario 5°.apho.68°. Ex.45.D
Dextrorſum ſi inclinant ſucci, in ſiniſtram fiat reuulſio.de cucurbitu.ſcarificatione. 6ª.4.G

DIABETES *quæ affectio. 6°. de locis affectis.37. F/38.C.1°.de criſi.* 4ª.129.H
Diabetes ita circa veſicam, vt lęuitas inteſtinorum circa aluum. 1°. de criſibus. 4ª.129.H
Diabetes non pertinet ad ventriculum.6°.de lo.aff. 4ª.38.A
Diabetes raro fit, & illã bis tantũ vidit Galenus.6°.de loc.aff. 4ª.37.F
Diabetem incurrere poſſunt ſiti infeſtati.6°.de loc.aff. 4ª.38.B
ad Diabetem.ſecretorum. Sp.102.G
DIABROSIS. *5°.de locis affectis.* 4ª.32.E
DIACARYON *inuentũ Galeni.6°.de comp.med.ſec.loc.* 5ª.167.F
Diacaryon fortius eſt quàm diamoron.6°.de com.med.ſec.loc. 5ª.167.H
Diacaryon diſtinguit in quatuor partes, ſm quatuor tẽpora morborum, & ſm varios homines.6°.de com.med.ſec.loc. 5ª.167.H
Diacaryon quo modo debet variari ſecundum tempora morborum.6°. de comp.med ſec.loc. 5ª.167.H
Diaclyſma, id eſt lauatio, ad vlcera.de rem.par.fac. 7ª.164.C
DIACISSV *compoſitio.de dynamidiis.* Sp.28.G
in DIACODION *papauera non ſunt ſumenda ex humidis & paluſtribus locis.7°.de comp.med.ſec.loc* 5ª.180.H
in Diacodion papauera qualia eſſe debent, ꝙ nec durior a nec molliora. 7°.de comp.med.ſec.loc. 5ª.180.H
in Diacodion papauera quantæ magnitudinis eſſe debent.7°.de compoſi. med.ſecun.loc. 5ª.180.H
in Diacodion quanta eſſe debet coctura.7°.de com.med.ſec.lo. 5ª.180.H
Diacodion ex melle quando melius.7°.de comp.me.ſec.loc. 5ª.181.A
Diacodion ſecundum veteres.7°.de comp.med.ſec.loc. 5ª.180.B
Diacodion Andromachi.7°.de comp.med.ſec.loc.178.C/ 5ª.180.B
Diacodion Critonis.7°.de com.med.ſec.loc. 5ª.180.C
Diacodion Damocratis.7°.de comp.me.ſec.lo. 5ª.180.D
Diacodion Galeni.7°.de comp.med.ſec.loc. 5ª.180.C/G
Diacodion Heræ.7°.de comp.me.ſec.lo. 5ª.180.C
Diacodion Sorani.7°.de comp.med.ſec.loc. 5ª.180.F
Diacodion valet in deſtillatione tenui à capite & tuſſi.7°.de compoſitio. med.ſecundum loc. 5ª.181.A
Diacodion ob ſomnum.7°.de comp.med.ſec.loc. 5ª.181.A
*Diacodion variatio ſm homines & ætates.7°.de com.me.ſe.lo.*5ª.181.A
DIACOLOCYNTHIS *habet variam compoſitionem. quos pur. op. quib.med.& quo temp.* 5ª.89.A
Diacolocynthis tempore Galeni vocabatur hiera. quos pur. op. quib. med.& quo temp. 5ª.89.A
Diacolocynthidos hiera vnde dicta.de rem.par.fac. 7ª.154.G
DIAACONES. *6°.de comp.med.per ge.* 5ª.256.A
DIACROCV *medicamẽtum ad lippitudines incipientes.intr.* Iſa.58.C
Diacrocu repellit.intr. Iſa.58.C
DIACHRYSON *ad petram.de dynamidijs.* Sp.29.B
DIACHRYSV *emplaſtrum oſſium fracturam ſanat, paroticas glandulas, ſpleniticum, callum pedis, & hemicraniam mire curat, apoſtemata, & naſcentias, & carbunculos diſpergit, emproſthotonum, vel cui in capite, vel ceruice, vel ſcapulis nerui contrahuntur, & omnem indignationem vel phren tim infantium ſanat.de dynam.* Sp.32.B
DIACYDONIVM *ad febres acutas omnes.de dyn.* Sp.32.H
Διάδοσις *quid.2°.de nat.fac.* 1ª.299.C
DIAEMATON *antidotus.2°.de antidotis.* 5ª.115.B
DIETA *quid ſit.de vict.rat.in morbis acutis, com.1°.* 7ª.108.G
Diæta, ætas, ſeu aliud naturas quãdoq; reprimit.de ſperm. Sp.37.B
in Diæta attenuante quæ ſemina conueniant.de atten.vict. 2ª.44.E
Diæta, vide Victus.
DIAETEMATA *vocata ſunt artis medicę materia.ad Thra.2ª.106.A*
Diætetica nõ admodum vſi ſunt antiqui Aſclepiadæ.ad Thra. 2ª.107.B
Diætetica non fuit tempore Homeri.ad Thraſy. 2ª.107.B
Διὰ εὐφορβίου *medicamentum.5°.meth.med.* 7ª.37.H
DIAGLAVCIV *repellit.introd.* Iſa.58.C
Diaglauciu medicamentum ad lippitudines incipientes.intr. Iſa.58.C
DIAGNOSTICA *ſigna.de ſubfi.emp.* Iſa.32.D
DIAGRIDIVM *quo modo fiat, & quo tempore.de dyna.* Sp.23.A
Διὰ ἰτεῶν. *de remed.par.fac.* 7ª.155.F
DIALECTICAE *inuentor Socrates.de hiſt.philo.* Sp.2.C
Dialecticę Megarenſium auctor fuit Euclides Megarenſis.de hiſtoria philoſophica. Sp.2.F
à Dialectica reſolutoriam diſtinguit.1°.meth.med. 7ª.4.G
Dialecticam ſcire oportet.de ſectis. Iſa.18.F
Dialecticæ exercitatio iuuenũ eſſe debet.ad eos q de typ.ſcrip. 3ª.92.G
Dialectica cæteras philoſophiæ partes præcedere debet.de hiſto. philoſoph. Sp.2.H
Dialecticam antiquiores primo docebant.de lib.prop. Iſa.13.E
Dialectica prædiſcenda medicis.1°.meth.med. 7ª.2.E
in Dialectica primo circa principia exercitãdũ.2°.de dif.pulſ. 4ª.58.B
Dialecticæ, grammaticæ, & rhetoricæ tantã cognitionẽ habebant quidã medici tẽpore Galeni.quãtã aſinus lyræ.1°.de dieb.decre. 4ª.146.H
Dialectica nulla ars indiget.de ſectis. Iſa.17.B
Dialectici differunt à ſophiſtis, demonſtratoribus, & oratoribus.3°.de decretis Hippocratis. 1ª.241.H
Dialectici periti quales ſint.1°.meth.med. 7ª.3.G
*Dialecticus ſolus habet viã coponẽdi, & diuidẽdi.2°.de dif.pul.*4ª.56.C
ad Dialecticos quid ſpectat.2°.de comp.per ge. 5ª.220.C
Dialectici munus eſt de nõibus diſputare quo.1°.de die.decr. 4ª.146.H
ad Dialecticũ ſpectat nomina imponere rebus.3°.de diff.pul. 4ª.62.E
ad Dialecticum ſpectat quærere an anhelitus ſit actio naturalis. de mot. man.& obſ. Sp.66.H
Dialecticus quid agere debeat.2°.de dif.pulſ. 4ª.56.H
Dialectici in quibus verſantur potiſſimum.de cauſ.procat. 3ª.97.G
Dialecticę, & logicæ quæſtiones quę ſint.2°.de loc.aff. 4ª.14.E
Dialectica lemmata.2°.de decr.Hipp. 1ª.235.C
à Dialecticis differunt lemmata facientia ſcientiã.2°.de dec. 1ª.235.F
*Dialecticas ſuppõnes & definitiones arguũt empirici.de ſectis.*Iſa.17.B
DIALIBANI *collyria.14°.meth.med.* 7ª.93.G
DIALOES *amarum modice purgat.6°.de ſan.tuen.* 2ª.98.A
DIHALON *emplaſtrum acre non debet poni vbi caro augenda. 2°. de comp.per ge.* 5ª.222.A
DIAMORI *confectio.de dynamidiis.* Sp.26.B
Diamoron quo modo fieri debet.6°.de com.med.ſec.lo. 5ª.168.C/F
in Diamoron quo modo coquendus mori ſuccus.6°.de compoſit. medicamen.ſec.loc. 5ª.168.E
Diamoron cur ex melle primo factum.6°.de com.me.ſec.lo. 5ª.167.B
in Diamoron ſuccus cum melle quare miſcendus.6°.de compoſi. medicamen.ſec.loc. 5ª.168.B
in Diamoron mel quantum.6°.de comp.med.ſe.lo. 5ª.168.B
*Diamoron cur crocũ & myrrhã recipit.6°.de comp.me.ſec.lo.*5ª.167.C
*in Diamoron myrrha deducit adſtringẽtia.6°.de cõ.me.ſec.lo.*5ª.167.D
in Diamoron origanum in ſapa.6°.de comp.med.ſec.loc. 5ª.168.F
*in Diamoron cauẽda venenoſa adſtringẽtia.6°.de com.m.ſe.l.*5ª.167.D
Diamoron quando ſit coctum probatio.de dynamidijs. Sp.26.B

Diamoron cum

Diamoron cum melle valet in omni tempore inflammationis.6°.de compoſi.me.ſec.loc. 5ª.167.B
Diamoron minus fortius q̃ diacaryon.6°.de comp.me.ſe.lo. 5ª.167.H
Diamoron ex rubi moris fortius quàm ex alijs.6°.de compoſi. medica. ſecun.locos. 5ª.167.H
Diamoron de rubis vuulam ſubleuat cadentē & humoroſam deſiccat. de dynami. Sp.26.B
Diamoron quo modo conficiatur medij temperamenti.6°. de comp. me. ſecun.loc. 5ª.168.D
Diamoron quo modo vtebatur Galenus in principio.6°. de compo.med. ſecun.loc. 5ª.167.D
Diamoron quo vti debemus in augumēto.6°.de cōp.me.ſe.lo. 5ª.167.D
Diamoron quo modo in ſtatu vti poſſumus.6°.de cōp.me.ſe.lo. 5ª.168.F
Diamoron in declinatione quid addendū.6°.de cōp.me.ſe.lo. 5ª.167.E
Diamoron quando ſapam addit, eſt in declinatione morbus.6°.de comp. me.ſec.loc. 5ª.168.F
Diamoron Andromachi.6°.de comp.med.ſec.lo. 5ª.169.G
Diamoron Heræ.6°.de comp.me.ſec.loc. 5ª.169.G
Diamoron Heræ quo modo confectum.6°.de cōp.me.ſe.lo. 5ª.168.E
Διὰ μόρων.de rem.par.fac. 7ª.157.G
DIANAE *ſigillum habebat terra lemnia.9°.de ſimp.me.fa.* 5ª.65.A
Διάνοια & νοῦς aliquando idem.in 1ᵐ.pror.com.1°. 4ª.165.A
Διάνοια & γνώμη, pro codē à Galeno ſumunt.cō.2°.ap.6°. Ex.11.G
DIANTHV *electuarium ad quid ſit vtile.de dyna.* Sp.26.D
DIANVCVM *ad oris affectus.de rem.par.fac.* 7ª.157.H
Διάνταιον, id eſt perpetuum, quo'nā dicatur de artic.cō.3°. 7ª.271.E
DIAOLIBANVM *antidotum in cephalæa.de dyna.* Sp.23.C
DIAPEDESIS *quid.4°.meth.med.* 7ª.23.B
Diapedeſis.5°.meth.med. 7ª.30.A
Diapedeſis quo modo fiat.5°.meth.med. 7ª.30.B
Diapedeſis ſanguinis quid.3°.de ſymp.cauſ. 3ª.27.B
Diapedeſis, id eſt perſultatio quid.5°.de comp.med.ſec.loc. 5ª.158.F
Diapedeſis refrigerātibus, & adſtringētib° curāda.5°.me.me.7ª.32.A
DIAPENIDION *magnum facit aſthmaticis, arthriticis, ſicce tuſſiētibus, vocem perditam ex calore perfecte reparat, phthiſicis, perip-neumonicis & pleuriticis ſubuenit.de dyna.* Sp.26.D
Diapenidion minus facit ad vulnera quæ intrinſecus ſunt maturāda, putredines purgat. conſtipata pectora mollit.de dyna. Sp.26.D
Diapenidij minoris confectio.de dyna. Sp.26.D
DIAPHANES *exiccat ſine morſu.4°.de cōp.me.per gen.* 5ª.236.F
DIAPHOENICON *emplaſtrum.1°.de arte cur.ad Glau.* 7ª.99.C
DIAPHORESIS. *13°.meth.med.* 7ª.84.E
Diaphoretica.5°.de ſimp.me.fac. 5ª.33.A
Diaphoretica quæ emplaſtra.6°.de comp.me.per gen. 5ª.260.G
Diaphorici ſi fiant tremuli, calefacere hos extremum malum eſt.de pal pit.conuulſ.& rig. 3ª.52.H
DIAPHRAGMA *vnde dicatur.de anat.viuo.* Sp.53.E
Diaphragma quid.de anatom.viu. Sp.53.F
Diaphragma, & præcordia idē.de natura & ord.cuiusl.cor. Sp.42.A
Diaphragma eſt pars pectoris.de mot.man.& obſ. Sp.66.H
Diaphragmatis ortus.5°.de vſu partium. 5ª.147.A
Diaphragmatis locus, & vſus.de anat.par. Sp.43.A
Diaphragmatis vſus.5°.de vſu par.1ª.147.A|de anat.viuo. Sp.53.F
Diaphragma eſt origo reſpirationis, & vocis, & omnium virium corporis.de vtil.reſp. Sp.63.F
Diaphragma diuidit nutritiua mēbra à ſpiritualib°.de ana.vi. Sp.56.F
Diaphragma ſolū ē principale inſtr̄m reſpiratiōis.de vtil.reſp. Sp.64.B
de *Diaphragmatis anatomia.de anat.viuo.* Sp.53.F
Diaphragma differt ab omnibus alijs muſculis figura & actione.13°.de vſu partium. 1ª.201.A
Diaphragma, eſt muſculus rotūdus.5°.de vſu par.147.A|13°.1ª.201.A
Diaphragma quid habeat peculiare præter alios muſculos. 2°. de motu muſculorum. 1ª.316.D
Diaphragma quibus muſculis iuuatur.de anat.viuo. Sp.53.F
ad *Diaphragma veniūt tria paria neruorū. de vo.& anhel.* Sp.62.A
Diaphragmatis neruorū origo thorace elatior ē.8°.de ana.ad. 1ª.101.C
Diaphragmati qui neruus det ſenſum, & motum.de anat.viu. Sp.53.F
Diaphragmatis motus in circulum.de anat.viu. Sp.53.F
Diaphragmatis motus an ſit voluntarius.de vtil.reſp. Sp.63.G
cū *Diaphragmate quo modo moueatur pulmo.de vtil.reſp.* Sp.63.G
Diaphragmatis nerui vnde producuntur.13°.de vſu par. 1ª.202.C
Diaphragma non premit ſplen æque vt hepar & ventriculus.2°.de different reſp. 3ª.67.F
pp *Diaphragma depelluntur ad anum vniuerſa.5°.de vſu par.* 1ª.147.B
ob *Diaphragma affectū tendunt arteriæ.4°.de præſ.ex pul.* 4ª.120.C
Diaphragma prius inflatur, poſtmodū venæ, deinde duplex pellis ſpinalis medullæ, & ipſius cerebri, vltio vero nerui.de vti.reſp. Sp.63.D
Diaphragmatis apoſtemata multimoda naſcuntur ex ſanguinis ſuperfluitate.de ſpermate. Sp.36.G
Diaphragmatis apoſtema fit ex ſuperfluitate pituitæ.de ſper. Sp.36.G
Diaphragmatis apoſtemata generat bilis à ſtomacho.de ſper. Sp.36.H
Diaphragmatis doloribus antiquis mire cōfert ſectio arteriæ manus.de anatomia viuorum. Sp.54.H
Διαπήγματα quæ.de machin. 7ª.309.F
Διαπνοὴ perſpiratio quando fit per totum corpus, quo modo fiat per circumpulſionem.in Tim.Plat. 1ª.289.G
DIAPRASIV *ſiue ſancti Petri electuarij cōfectio.de dyna.* Sp.26.F
DIAPYEMATA. *de tumoribus præter nat.* 3ª.83.E
Diapyeſis affectus palpebræ.introd. Iſa.58.D
Diapyſem.de tum.præt.nat. 3ª.83.E
Διαρθροῦν quid ſignificet.de artic.com.3°. 7ª.279.D|E
DIARODON *collyrium.5°.de ſimp.me.fac.* 5ª.38.E
Diarhodon collyrium.4°.de comp.med.fac. 5ª.155.C
Diarhodō collyriū cōuenit augmēto doloris ophthalmiæ.4 oc. 7ª.181.A
Diarhodon aſperum.de ocu. 7ª.190.C
Diarhodon magnum.4°.de comp.me.ſec.loc. 5ª.155.D|E
Diarhodon inculpabile.4°.de comp.me.ſec.loc. 5ª.155.F
Diarhodon erimoni.de ocu. 7ª.190.C
Diarhodon roborat aures.6°.de ſan.tuen. 2ª.100.B
DIARIAE *febres, quas græci ephemeras vocant, licet cito finiant, nō tamen acuti morbi nominantur.com.2°.apho.19°.* Ex.14.B
Diariæ febres non dicuntur acutæ.3°.de dieb.decre. 4ª.160.D
Diariarum differentiæ plures.10°.meth.me. 7ª.62.A
Diariæ febres ſoluuntur partim primo, partim ſecundo die.1°. de diebus decretorijs. 4ª.148.H
Diariæ nō durant niſi p viginti quatuor horas.10°.meth.me.7ª.61.H
Diaria numquam progredietur vſq; ad tertiū diem, niſi ſit factus error. 9°.meth.med. 7ª.55.H
Diariæ habent vnam acceſſionem, vno die.9°.meth.med. 7ª.55.F
Diariæ quare q̃nq; tranſeūt primā acceſſionem.10°.meth.me. 7ª.61.H
Diaria primo die à reliquis diſcernenda, & tunc non eſt error in victu. 7°.meth.me. 7ª.52.D
Diariarū febrium notæ vbi ſcriptæ ſint à Galeno.7°.meth.me.7ª.52.A
Diariarum pulſus.3°.de præſag.ex pulſ. 4ª.117.H
Diariæ febres quibus promptiſſimæ.8°.meth.me. 7ª.54.C
Diariam poteſt effugere qui liber eſt.5°.de ſan.tuen. 2ª.88.G
Diaria febris ex quibus occaſionibus fiat.4°.de ſan.tuen. 2ª.88.F
Diaria febris ex laboribus.de vict.rat.in mor.acu.com.4°. 7ª.150.G
Diaria eſt ſimplex affectus, q̄n iam abijt cauſa.10°.meth.me. 7ª.61.B
in *Diarijs quibus cauſa abijt.10°.meth.me.* 7ª.61.F
in *Diarijs quando manet cauſa.10°.meth.me.* 7ª.61.F
cū *Diarijs in duobus communicant ſynochæ.11°.meth.me.* 7ª.69.C
Diariæ aliquæ communicant cum hecticis.de marc. 3ª.47.E
Diariarum & hecticarum differentia.8°.meth.me. 7ª.55.E
de *Diaria febre ex cruditate.8°.meth.me.* 7ª.53.B
Diaria febris cruditates quæ ex acido ructu ſunt, nunquam cōſequitur. 8°.methodi.medendi. 7ª.53.G
Diariam facit obſtructio.9°.meth.me. 7ª.58.B
Diaria ex obſtructione an diaria, quia trāſit diem.9°.met.me. 7ª.56.A
Diaria ex obſtructiōe trāſit in putridā, ſi plōgetur.9°.met.me. 7ª.58.B
Diaria cur in putridam tranſeat.10°.met.me. 7ª.61.F
Diaria poteſt tranſire in putridam & hecticam.9°.meth.me. 7ª.55.G
Diariæ quot de cauſis tranſeunt in alias febres.9°.met.me. 7ª.55.F
Diaria febris ī bilioſis trāſit ī acutā, niſi cibet æger.8°.met.me.7ª.54.E
Diariæ quæ fiunt ſine obſtructione.10°.met.me. 7ª.61.G
Diariæ febres ex bubone.1°. de digno. digno.pulſ. 4ª.73.A
Diariarum diuerſitates & curationes.7°.met.me. 7ª.51.G
Diariæ proprie curantur.11°.met.me. 7ª.68.D
Diariæ febres quo modo ſoluuntur.3°.de dieb.decret. 4ª.158.D
in *Diaria vnde indicatio ſumenda.10°.met.me.* 7ª.61.B
in *Diarijs vires faciunt parum.10°.met.me.* 7ª.62.A
in *Diaria febre lauandi prima die.7°.meth.me.* 7ª.52.B
in *Diaria febre ex obſtructione ſæpe lauandum.7°.met.me.* 7ª.53.A
Diaria laborās tpaturæ calīe et ſiccæ, quo mō curādus.7°.me.m.7ª.51.G

in Diaria ex cruditate cum profluuio polenta,& panis ὀξυλιπὴς. 8°. methodi medendi. 7ª.53.D
in Diaria cũ profluuio quo modo paranda polenta.8°.met.me. 7ª.53.D
in Diaria ſiſtẽte fluxu alica præparata vt ptiſſana.8°.met.me. 7ª.53.E
in Diaria quando dandum diatrion pepereon.8°.met.me. 7ª.53.F
Diariæ febris ex bubone curatio.8°.meth.me. 7ª.53.H
Diaria ſolum poſt vigeſimum octauum annum ægrotauit Galenus.5°.de ſanitate tuenda. 2ª.88.G
Diaria febris,lege Febris.
DIARRHOEA quid.fin.med. Iſa.47.E
Diarrhœæ in quo genere ſymptomatum.2°.de ſymp.cauſ. 3ª.21.E
Diarrhœa quibus fiat.3°.de nat.fac. 1ª.303.H.
Diarrhœæ qbuſdã fiũt certis ĩteruallis,et iuuant̃.7°.meth.me.7ª.48.A
Diarrhœa quo modo fiat.3°.de nat.fac. 1ª.303.G
Diarrhœæ prima cauſa.2°.de nat.fac. 1ª.299.G
Diarrhœæ fiunt patiente hepate.de virt.noſtrum corp.diſp. Sp.60.B
Diarrhœæ vrinæ ſymptomata.2°.de ſymp.cau. 3ª.21.E
Diarrhœam pariunt ſucci praui à toto corpore in inferiorem ventriculi partem confluentes.2°.de alim.fac. 2ª.19.E
in Diarrhœa ex cruditate cum adſit in appetentia, quid agendum.8°. methodi medendi. 5ª.53.E
ad Diarrhœam aptum eſt radicis althææ decoctum.6°. de ſimp. medicamen.facul. 5ª.46.F
Diarrhœas ſanat ſemẽ lapathi,oxylapathi,& hippolapathi. 7°. de ſimpli.med.fac. 5ª.54.B
ꝑ Diarrhœa mora immatura.2°.de alim.fac. 2ª.18.H
Diarrhœas & dyſenterias iuuat phyllitis.8°.de ſimp.me.fa. 5ª.63.E
Diarrhœa laborantes iuuant poma cocta cum pane ſumpta. 2°. de alim. faculta. 2ª.19.H
Diarrhœæ diuturnæ medicamentum & edulium datur ex beta & lẽte. 1°.de alim.fac. 2ª.9.D
Diarrhœa laborantes ab hæctica febre capti.2°.de diff.feb. 3ª.35.F
ex Diarrhœa febris diaria ex cruditate.8°.met.me. 7ª.53.B
DIARTHROSIS quid.de oſſibus. 1ª.40.A
Diarthroſeos tres ſpecies.de oſſibus. 1ª.40.A
DIASCINCI antidotus Mithridatis Eupatoris.2°.de ant. 5ª.115.C
DIASMYRNVM 1°.de comp.me.ſec.loc. 5ª.131.B
Diaſmyrnon apolophonion.7°.de comp.me.per gen. 5ª.265.B
Diaſmyrna collyria.14°.meth.me. 7ª.93.G
Diaſmyrnon collyrium.4°.de comp.me.ſec.loc.155.D/5°. 5ª.158.G
Diaſmyrnon glaucidanum medicamentũ.4°.de cõp.me.ſec.loc.5ª.153.F
Diaſmyrnon ex hæmatite.4°.de comp.me.ſec.loc. 5ª.153.G
DIASPERMATON medicamentum.5°.meth.med. 7ª.33.C
Diaſpermaton quale ſit.5°.meth.med. 7ª.35.E/F
DIASTOLE quid.fin.med. Iſa.46.E
Diaſtolæ quę apud empiricos.de vict.rat.in morb.acu.com.1°.7ª.111.A
Diaſtolæ non eſt ceſſatio,& quies.de vſu pul. 1ª.229.E
Diaſtolæ eſt actio.de vſu pulſ. 1ª.229.C
Diaſtolæ an arteriarum actio.de vſu pulſ. 1ª.229.A
Diaſtolę quid agat.4°.de vſu partium. 1ª.140.D
p Diaſtolen ſubſtantia quædam attrahitur.de vſu pulſ. 1ª.228.D
Diaſtolę magna eſt in fortibus.de vſu pulſ. 1ª.229.C
Diaſtolæ parua eſt in debilibus.de vſu pulſ. 1ª.229.C
Diaſtolę dormientium qui ample comederint, remiſſior eſt. de vſu pulſuum. 1ª.229.E
ad DIATASIM de paſſ.mul. Sp.96.D
Διατελέος quid ſignificet.de vict.rat.in morb.acu.com.2°. 7ª.124.F
DIATRION pepereon duplex.8°.meth.me. 7ª.53.F
Diatrion pepereon duplex,ſimplex & cõpoſitũ.4°.de ſan.tu. 2ª.85.B
Diatrion pepereon ſimplicis cõpoſitio qualisnã ſit.4°.de ſan.tu.2ª.85.B
Diatrion pepereon ſecundum ſecretorum. Sp.101.F
Diatrion pepereon electuarium.ſecretorum. Sp.102.E
Diatrion pepereon ex aqua vel vino accipitur.1°.de loc.affect. 4ª.5.F
Diatrion pepereon quibus conuenit.4°.de ſan.tu. 2ª.86.B
Diatrion pepereon confectio ſtomachis cibos non digerentibus ad omnẽ ſtomachi imbecillitatem valet.de dyn. Sp.26.H
Diatrion pepereõ ꝑ vẽtriculi frigiditate.1°.de arte cur.ad Gla. 7ª.99.C
Diatrion pepereõ ꝑ pituita in vẽtriculo.1°.de arte cur.ad Gla.7ª.99.D
Diatrion pepereon excutitur humor in tunicis ventriculi contentus. 1°. de loc.affe. 4ª.5.F
Diatrion pepereon Galeni contra rigores.de trem.palp.conuul. 3ª.55.H
Diatrion pepereon in quartanis.1°.de arte cur.ad Glau. 7ª.97.F
Diatrion pepereon quando dandum in diaria.8°.meth.me. 7ª.53.F
DIATRITON inuenit Theſſalus.4°.meth.me. 7ª.25.H
Diatritos eſt deliramentum.2°.de criſi. 4ª.135.A
Diatritariorum cibandi ratio.10°.meth.me. 7ª.64.A
Diatritarios reprehendit.8°.meth.me. 7ª.53.H
in Diatritarium aliquẽ medicum qui incidunt ſunt infortunati.10°. methodi medendi. 7ª.61.H
Diatritarij febres augent.1°.de arte cur.ad Glau. 7ª.94.G
Δίαυλος quid.16°.de vſu partium. 1ª.214.G
DICEARCHIA Puteolis eſt.1°.de comp.me.per gen. 5ª.214.C
DICENDA non ſunt oĩa vbiq;.in 1m.de mor.vul.com.2°. 3ª.112.D
Dicantur quæ ſæpe ab Hippocrate.de ijs quæ in med.fi.cõ.3°. 7ª.219.E
Dicendorum optimum principium eſt notitia rei quæ inquiritur. in 1m. pror.com.1°. 4ª.163.A
Dicere publice quibus permittitur.1°.meth.me. 7ª.3.A
Dicendi,& exponendi ratio optima.2°.de diff.feb. 3ª.39.H
Dicere ineptus,doctus garrire inquit comicus, quod vitandum eſt. 4°. de dign.pulſ. 4ª.85.A
DICOPHYIA quid fin.med. Iſa.48.B
DICHOTOMI lunæ,qui.3°.de dieb.decre. 4ª.157.C
DICROMA emplaſtra.2°.de comp.me.per gen. 5ª.223.E
DICROTVS pulſus quid ſignificet.2°.de præſ.ex pulſ. 4ª.112.C
Dicrotus pulſus,qui.1°.de diff.pulſ.4ª.50.G/.comp.pulſ. Sp.66.A
Dicrotus pulſus.de pulſ.ad tiro. 4ª.43.G
Dicrotus quidam pulſus vibratus.2°.de præſag.ex pulſ. 4ª.112.D
Dicroti pulſus differentia.1°.de dif.pulſ. 4ª.50.H
DICTAMNVM quid.de ſimp.med. Sp.83.D
Dictamnum habet florem.5°.de comp.med.per gen. 5ª.250.H
Dictamni Cretici fit mentio.7°.de comp.me.ſe.lo.185.H/10°. 206.F/5°. de comp.med.per ge. 5ª.246.H
Dictãni vim ĩbecillã habet pſeudodictãnũ.8°.de ſimp.med.fa.5ª.64.A
Dictamnum tenuium partium eſt.3°.de comp.me.per ge. 5ª.234.B
Dictamnum eſt tenuiori eſſentia q̃ pulegium,in alijs ſimile.6°.de ſimpli. medicam.facul. 5ª.46.C
Dictamnum odoratum ſubtile.3°.de comp.me.per ge. 5ª.234.E
Dictamnum vires habet leuiter ſtringentes.de ſimp.med. Sp.83.D
Dictamnum excalfacit cum amaritudine.de ſimp.me. Sp.83.D
Dictamnum attrahens ſponte natum.5°.de ſimp.med.fa. 5ª.36.E
Dictamnus aperit.de ocu. 7ª.188.E
Dictamnum diſcutit.6°.de comp.me.ſec.loc. 5ª.169.D
Dictamnum purgat veſicam.de cathar. Sp.95.D
Dictamnum vrinas prouocat.3°.de ſimpli.medica.fac.58.A/de ſimpli. medicam. Sp.83.D
Dictamnum matricem purgat.de cathar. Sp.95.C
Dictamnum menſes prouocat.5°.de ſimp.med.fac.5ª.38.A/ de cur.rat. per ſang.miſſ.6ª.20.F/de ſimp.med.83.D/de cathar. Sp.95.D
Dictamnum fœtum mortuum expellit,& odore ſuo viperam & ſerpẽtem occidit.de ſimp.med. Sp.83.D
Dictamnus,quę etiam irrationabilibus ſubuenit,morſum ſerpentum curat.de dyna. Sp.35.F
Dictamni germina ponuntur in theriaca.de theria.ad Piſo. 5ª.92.E
ex Dictamno emplaſtrum.5°.de comp.med.per ge. 5ª.246.G
ex Dictamno emplaſtrum Democratis.5°.de cõp.me.per gen.5ª.250.F
ex Dictamno ſacrum.5°.de comp.me.per gen. 5ª.249.A
Διχάλα quid.intr. Iſa.53.E
Δίκρουν quid nominent.in Tim.Plat. 1ª.288.F
DICTIONIS eſſe eſt in ſignificando.de ſophiſ. Iſa.7.F
Dictionis vitium non eſt non ſignificare.de ſophiſ. Iſa.7.F
Dictiones veteres mutare temerarium eſt.3°.de dif.reſp. 3ª.69.G
Dictiones quæ ſignificant magis vel minus bonum,& magis vel minus malum,quibus vtitur Hippocrates.in progno.com.3°. 4ª.211.E
Dictionis figura eſt ſextus modus ſophiſmatum in dictione. de ſophiſmatis. Iſa.7.B
Dictionis affectio quædam eſſe videtur.de ſymp.dif. 3ª.10.C
DICTA medicorum debent intelligi vt in pluribus,collige.commentario.4°.apho.44°. Ex.32.F
Δικτυοειδὲς πλέγμα quid.9°.de vſu par. 1ª.172.C
Διδύμια quæ.8°.de vſu partium. 1ª.170.F
DIDVCTIO quid.fin.med. Iſa.50.C
DIDYMAEA. 10°.de comp.med.ſec.loc. 5ª.208.A
DIDYMI, id eſt teſticuli,quid.itr.Iſa.53.D/14°.de vſu par. 1ª.209.H
DIES quid ſignificet.1°.de criſi. 4ª.131.H

Dies quid ſit.2°.de criſi.4ª.133.H/9°.meth.med. 7ª.56.A

Dies noctem comprehendit.9°.meth.me.56..A/10°. 7ª.61.G

Dies cum dicitur in medicamentis,in infuſionibus, et ſimilibus,accipiẽda eſt etiam nox.7°.de comp.me.ſe.lo. 5ª.180.G

Dies tẽpus ex die & nocte compoſitũ.ad eos qui de typ.ſcripſ. 3ª.94.E

Diei horæ quot.ad eos qui de typ.ſcripſ. 3ª.94.E

Dies viginti quatuor horarũ ĩteruallũ appellatur.de ſept.par.1ª.341..A

Diei & noctis ſpatium faciunt vigintiquatuor horæ æquinoctiales. de ſeptimeſtri partu. 1ª.341.B

Diem accipit diſtinctum contra noctem.1°.de cõp.me. per gen.5ª.210.D

Dierum diuerſitas in longitudine & breuitate pro locorum diuerſitate. 6°.de ſanitate tuenda. 2ª.97.B

Diebus quot conſtet menſis.in prognoſt.com.3°. 4ª.207.C

Diebus integris nõ numeratur annus & menſis.in pgn.cõ.3°.4ª.207.C

Diebus quot cõſtet annus.3°.de criſi.133.H/in progno.cõ.3°. 4ª.207.C

Dierum trecentorum ſexaginta quinque computatis etiam noctibus annus eſt.7°.de comp.me.ſec.loc. 5ª.180.G

Dies correſpondet anno,nã matutinũ tẽpus veri,meridies æſtati,veſper autũno,nox hiemi ſimilis eſt.in 6m.de mor.vulg.com.1°. 3ª.157.G

Diebus menſibus & annis morbi iudicantur.2°.de dieb.decr. 4ª.155.B

in DIES decretorios incidit morbi mutatio.in 3m.de morbis vulgaribus.commen.1°. 3ª.132.E

Dies decretorios nouit Hippocrates.in prognoſt.com.3°. 4ª.206.F

Dies decretorios cognoſci iubet Hippo.bre.den.dog.Hippo. 1ª.231.D

Dies decretorius cõducit ad firmitatẽ iudicatiõis.in pg.cõ.3°.4ª.203.E

de Diebus decretorijs librum quo tẽpore compoſuerit Galenus.de præcogn.ad Poſth. 4ª.219.E

de Diebus decretorijs Galenus ſcripſit ob amicos.2°.de die.d.4ª.159.C

de Diebus decretorijs liber prognoſtica præcedit.in pgn.cõ. 1°.190.E/com.3°.203.E/206.D/F/G/ 4ª.210.D

de Diebus decretorijs librum debet ſequi liber de criſi.3°.de diebus decretorijs. 4ª.159..A/B

Dies contemplabiles,qui.com.2°.apho.24°. Ex.15.G

Dies quælibet habet propriã naturã.1°.de arte cur.ad Glau. 7ª.100.D

Dicrum numerus omnis nõ eſt aptus ad iudicium, vt experiẽtia docet. com.4°.aph.36°. Ex.31.H

Dies ſecundum acceſſiones ſunt in intermittentibus numerandi.in 1m.de morbis vulgaribus,com.1°.3ª.120.F/com.4°.apho.59°. Ex.33.H

Dies decrerorij morborum. in progno.com.3°. 4ª.207.B

Dies iudicatorij,qui.com.4°.aph.71°. Ex.35.C

de Dierum iudicatoriorum viribus,ac primo quidem de quarti,ſeptimi,& ſexti natura.1°.de dieb.decre. 4ª.146.E

de Dierum iudicatoriorum facultate aduerſus ſophiſtas. 1°. de diebus decretorijs. 4ª.147.H

Dies primus quo modo decernat in morbis.1°.de dieb.decr. 4ª.148.H

Dies ſecundus quo modo decernat in morbis.1°.de dieb.dec. 4ª.148.H

Die tertio,quinto,morbi peracuti vt plurimum terminantur,non quarto.com.4°.apho.61°. Ex.32..A

Dies primus iudicationis eſt quartus.com.4°.aph.36°. Ex.31.H

Dierum iudicantium incrementa & compoſitiones fieri in quaternis docuit Hippocrates,vt nõ mõ quartodecimo,ſed & vigeſimo, & quadrageſimo,& ſexageſimo,& octuageſimo.c.4°.apho.61°. Ex.34.B

Diei ſextæ criſis,qualis.1°.de arte cur.ad Glau. 7ª.100.C

Dies ſextus eſt mali iudicij.com.4°.aph.29°. Ex.30.D

Dies ſeptimus facile ad criſim paratur.1°.de arte cu.ad Glau. 7ª.100.C

ante Diem ſeptimum iudicatorie bilem effundi eſt impoſſibile. commenta.4°.apho.62°. Ex.34.C

ante Diem ſeptimum quibus in febribus regius morbus accidit, malũ. com.4°.apho.62°. Ex.34.B

Dies iudicatorius qñq; affert morbũ regium.cõ.4°.aph.62°. Ex.34.B

Dies nonus quo modo iudicatorius.in progno.com.3°. 4ª.210.H

Dies iudicatorij morborum acutorum & peracutorum ponuntur.commen.4°.apho.59°. Ex.33.H

Dies vigeſimus & non vigeſimus primus eſt iudicatorius apud Hippo. com.7°.apho.38°. Ex.57..A

de Dierum omnium iudicatoriorum,& nõ iudicatoriorum ordine vſq; ad vigeſimum.1°.de dieb.decret.147..A/2°. 4ª.154.F

Diem vigeſimũ cõplẽt res ſeptenarij.in pg.com. 3°.206.F/G/4ª.207.H

Dies decretorij per ſingulas tres ſeptimanas.in prog.com.3°.4ª.206.F

de Dierum iudicatoriorum & non iudicatoriorum ordine qui poſt vigeſimum enumerantur.1°.de dieb.decre. 4ª.149.C

Dies iudicatorij ĩtra quadrageſimũ numerant.c.4°.apho.36°. Ex.31.G

Dies qui poſſunt iudicare morbum per ſudorem,& qui nõ. commen.4°. apho.36°. Ex.31.G

Dies pares et ĩpares cõſiderãdi.de vict.rat.in mor.acu.cõ.1°. 7ª.113..A

p Dies pares vel impares qui morbi iudicantur.in 1m.de morbis vulgaribus,com.3°. 3ª.120.C

Dies decretorij pares.in 1m.de morb.vulg.com.3°. 3ª.120.D

Diebus paribus non fieri perfectam iudicationem,collige commẽta.2°. apho.24°. Ex.15.G

Diebus paribus dolores,& acceſſiones.in 3m.de morbis vulgaribus cõmentario.3°. 3ª.150.F/H

Diebus paribus magna ex parte diuturnos morbos iudicari inquit Hippocrates.bre.denot.dom.Hippo. 1ª.231.D

Diebus paribus afflictus Pythion.in 3m.de mor.vul.com.3°. 3ª.148.G

Dies decretorij impares.in 1m.de morbis.vul.com.3°. 3ª.120.D

Diebus imparibus fiunt morbi acuti,& febres ardentes.in 3m. de morbis vulg.commen.3°. 3ª.144..A

Diebus imparibus acutas ægritudines magna ex parte iudicari inquit Hippo.bre.denot.dogm.Hipp. 1ª.231.D

p Dies impares ſi fiat acceſſio,per impares etiam fit iudicatio.in 6m.de morbis vulg.com.3°. 3ª.171.C

Diebus imparibus ſi morbi habeant acceſſionem,citius iudicantur, qui vero paribus,tardant.com.4°.apho.36°. Ex.31..A

niſi Diebus iudicatorijs febris ceſſauerit,non fit fida iudicatio. commẽtario.4°.aph.61°. Ex.34.B

Diebus imparibus niſi febris reliquerit febricitantem,ſolet recidiuare. com.4°.aph.61°. Ex.34..A

Dies criticos æſtate,in iuuenibus,partibus dextris & ſuperioribus impares eſſe inquit Hipp.bre.den.dogm.Hipp. 1ª.231.D

Dies iudicatorij quo mõ dici pñt cãę ſanitatis.1°.de dieb.decr. 4ª.148.C

Dies iudicatorij quo modo ſigna ſanitatis.1°.de dieb.decre. 4ª.148.C

in Die iudicatorio ſtillatio ſanguinis craſſi & nigri è naribus pernicioſa eſt.in 1m.pror.com.3°. 4ª.186.G

Dierum decretoriorum ratio ex luna.3°.de dieb.decre. 4ª.159.E

p Dies circuitus referuntur ad ſeptimanas & ad lunas. 3°. de diebus decretorijs. 4ª.158.A

in Diebus criticis medicorum diſcordię vnde ortum habuere.2°.de diebus decretorijs. 4ª.152.G

Dies intercidentes, qui.in progno.com.3°. 4ª.206.G

Dierum numerus non attendendus in ſanguinis miſſione.de cur.rat.per ſang.miſſ. 6ª.21..A

ſecundũ Diem & horam ægritudinis cognitio.de ſpermate. Sp.40.B

Dies q timẽdi ĩ mẽſibus cũ quis ægrotauerit,& qui non de dyn.Sp.33.F

à Die quo pepererint,quo pacto in mulieribus iudicationes exiſtant.in progn.com.3°. 4ª.208..A

Dies primi in fractura cubiti qui ſint.de fract.com.1°. 7ª.230.F

Dies mortis quo modo noſcenda.præſag.exper.confir. Sp.77.C

DIEVCHES antiquus ſcriptor anatomiæ.de nat.hu.cõ.2°. 7ª.183.E

Dieuches de medicamentis locutus eſt.6°.de ſimp.me.fa. 5ª.39.H

DIFFERENTIA vnde dicta, & quot,modis res differant.2°.de diff.pulſ. 4ª.58.G/H

Differentiæ nomen quo modo ſumatur diffuſe.2°.de dif.pulſ. 4ª.58.B

Differentiæ nomen quibus poſſit applicari.2°.de dif.pulſ. 4ª.58.G

Differentiæ ab aliquibus genera,ab alijs ſpecies,ab alijs qualitates dicũtur.1°.de dif.pulſ. 4ª.47.B

Differentias vel ſpecies nomines,nihil refert. 4°. de locis af. 4ª. 22. D/de ijs quæ in medic.ſi.com.2°. 7ª.206.F

Differẽtiam genus vel ſpeciem quis dicat,nihil refert.3°.de locis af.4ª. 19.E/9°.de ſimp.me.fa.64.H/6°.de comp.me.ſe.lo. 5ª.168.H

Differentia,genus,& idea idem ſunt.11°.meth.me. 7ª.67.H

Differentia,forma,& ſpecies aliquando pro eodem capiuntur.in 1m. de morbis vulgaribus,com.3°. 3ª.117.G

Differẽtia,ſpecies,modus,& facies,idem.de vic.rati.in morbis acutis, com.4°.141.B/de ijs quæ in med.ſi.com.1°. 7ª.201.E

Differentia ſpecierum differt pro ſubſtantia,à nemine vſurpatur loquendo.1°.meth.med. 7ª.4.B

Differentiæ vniuerſales in particulares diſtinguuntur.in 6m. de morbis vulgaribus,com.3°. 3ª.174.H

Differentiarum quædam ſunt genericæ,quædam ſpecificæ,quædam magis genericæ,& quædam magis ſpecificæ. 2°.de dif.pulſ. 4ª.58.C

Differunt quædam indiuiduo.2°.de dif.pulſ. 4ª.58.H

Differentias rerum,quot,& quales ſint inuenire officium eſt logici.3°. de differ.pulſ. 4ª.62.E

Differentiæ vtiles ab inutilibus ſecernendæ.1°.de diff.feb. 3ª.30.G
in Differentias proprias exactæ genera diuidere eſt difficile.1°.methodi medendi. 7ª.4.D/E
p Differentias ſpecificas aſcenſus fit ad genus ſupremum, & deſcenſus ad infinita.2°.de dif.pulſ. 4ª.56.C
p Differentias medias à generaliſſimo deſcendendum. 9°. de decretis Hippocratis. 1ª.282.A
Differentia omnis generi addita non conducit ad ſpeciem, & quæ ſit quę conducit.1°.meth.me. 7ª.4.C
in Differentibus per magis & minus quo modo procedendum. 10°.de ſimp.med.fac. 5ª.75.A
à Differentijs maxime proprijs & principalibus qui diſcedũt, errant. 1°.de dif.febr. 3ª.30.G
Differẽtia nulla accñtalis põt eſſe firma in ſua ſubſtãtia.de ſper.Sp.37.F
Dr̃ia Aeris eſt calor q deſignatur, & reuertit̃ ſæpius. de ſper. Sp.41.B
Differẽtia æris duplex, aliud ductile, aliud cõflatile.de mach. 7ª.309.E
in Differentias diducitur Affectus nõ in cauſas.9°.meth.me.7°.60.G
Differentiæ propriæ Animalis, quæ.1°.meth.me. 7ª.4.C
Differentiæ animæ firmæ ſunt & immortales, ſecundum Porphyrium. de ſpermate. Sp.37.F
Differentiæ accidentales Aquæ, calor, & frigiditas.de ſperm.Sp.40.F
Differentia aquæ eſt eius humiditas.de ſpermate. Sp.41.B
Differunt aquæ ſecundum colorem, & regionem.de bon.aquæ.Sp 76.E
Differentiæ aquarum ex ventis.de bon.aquæ. Sp.75.G
Differentiæ aquarum ex metallis & herbis.de bon.aquæ. Sp.75.F
Differentiæ quatuor tertij gñis Ciborũ ſubtiliantiũ.de diſſ.cõ. Sp.72.E
Differentia Copulæ, & membranæ.de decre.Hipp.& Plat. 1ª.233.G
Differentiæ Corporis mortales ſunt.de ſpermate. Sp.37.F
Differentiæ Cucurbitularum ex figura.de cucurb.ſcar. 6ª.3.E
Differentia Duodeni, & gulæ.de anatomia viuorum. Sp.49.C
Differentiæ Elementorum, & qualitates.de ſpermate. Sp.40.H
Differentiæ, & diſtantiæ Faſciarum.de faſcijs. 7ª.293.F
Differentia faſciarum è ſtructura.de faſcijs. 7ª.293.G
Differentię faſciarum ex materia.de faſcijs. 7ª.293.F
Differentia faſciarum ex habitu.de faſcijs. 7ª.293.F
Differentia faſciarum ex longitudine.de faſcijs. 7ª.293.F
Differentia faſciarum ex latitudine.de faſcijs. 7ª.293.G
Differentię, & eſſentię, & mores, & modi febrium idem.in 1ᵐ.de morb. vulgari.commen.3°. 3ª.120.A
in Differentijs febrium maxime propriæ ac principales ſumuntur ab earum ſubſtantia 1°.de dif.feb. 3ª.30.F
de Differentijs febrium quo tempore compoſuerit Galenus. de præcognit.ad Poſth. 4ª.219.E
Differentia Hominis, greſſibile bipes.1°.meth.med. 7ª.4.C
Differentia Ignis eſt calor.de ſpermate. Sp.41.B
Differentia Inſpirationis, expirationis, & reſpirationis quomodo differant.in Tim.Plat. 1ª.289.E
Differentię Morborum ſecundum Hippocratem, quæ. bre. denot. dogmat.Hippo. 1ª.231.D
Differentia morborum non eſt morbus.1°.meth.me. 7ª.3.H
Differentia morbi, an morbus aliquis ſit, quo modo cognoſcatur.3°.methodi medendi. 7ª.22.D
Differentiæ morborũ non adducendę pro ſpeciebus.1°.meth.me. 7ª.4.B
à Dr̃ia morborum nõ ſumitur indicatio remediorũ.1°.meth.me.7ª.3.H
Differentiæ Muſculorum mouentium linguam.de muſc.diſſ. 1ª.46.G
Differentia Motus, & actionis.de mot.man.& obſ. Sp.66.G
Differentia Nerui, copulæ, & tẽdonis.de decr.Hipp.& Pla. 1ª.233.E
Differentię medicinalium Organorum in genere de machin. 7ª.309.C
Differentiæ Pulſuum genera dicuntur.2°.de dif.pulſ. 4ª.55.D
Differentias pulſuum dici negabant quidam.2°.de dif.pulſ. 4ª.55.B
Differentia Saltus, ſpaſmi, & tremoris, à pulſu.comp.pulſ. Sp.65.B
Differẽtia Sãguinis naturalis, & nutrimẽtalis, quę.de ana.vi.Sp.53.A
Differentia temperaturæ maris & fœminæ.bre.denot.dogm. 1ª.231.C
Differentia Terræ eſt ſiccitas.de ſpermate. Sp.41.B
Differẽtia teſticulorũ in viris, & mulieribus.de nat.et ord.cu.Sp.42.B
Differentiæ Vinorum in nutritione.de diſſol.cont. Sp.73.F
Differentiam in viris, & mulieribus faciunt ſitus regionum, aeris proprietates, victus ratio.bre.denot. dogm. 1ª.231.C
Differentia Vomituũ à natura & volũtate.đ mot.man. & ob.Sp.68.G
Differentiæ elementorum Vocis.1°.meth.me. 7ª.4.C
Differẽtiæ tres ſubſtantiarũ craſſarũ in Vrinis.quæſita in Hip. Sp.113.E
DIFFICILIS eſt motus priapi.de mot.man.& obſ. Sp.67.D
Difficile ſcitu quid ſit.11°.meth.me. 7ª.69.H
Difficilia ſanatu vulnera calloſa ad ſanitatem perducit lixiuia.de ſimpl. medica. Sp.86.A
ad Difficilia & diuturna.1°.de comp.me.per ge. 5ª.216.H
DIFFICVLTATES magnas faciunt definitiones à fine. ad Thraſybulum. 2ª.102.F
ad Difficultatẽ auditus confert ſuccus centaureæ.de virt.cẽt.Sp.93.C
Difficultas inteſtinorum morbus ex bile.contra Iulianum. Ex.67.G
Difficultatem ſpiritus quot partes poſſint facere.de opt.ſecta. Iſa.22.F
in Difficultate ſpirationis ſecantur iugulares.de anat.viuo. Sp.55.A
DIFFINITIO quid ſit.9°.de decre.Hippo.1ª.282.A/ de hiſtoria philoſophica. Sp.3.D
Diffinitio quæ eſt διοϱισμὸς quid.fin.med. Iſa.43.D
Diffinitio totum ſignificat.an animal ſit. 1ª.326.H
Diffinitionis duplex genus, ſubſtãtialis, & notionalis.ars me.Iſ.62.A/ 4°.de dif.pulſ.4ª.64.H/de hiſt.philoſo. Sp.3.D
Diffinitio eſſentialis ex quibus conſtet.4°.de dif.pulſ. 4ª.65.E
Diffinitio ſubſtãtialis pcedit ex his quę ſunt de eẽntia.ars med. Iſ.62.A
Diffinitio dicens eſſentiam nihil debet de præcipuis & proprijs omittere.4°.de dif.pulſ. 4ª.64.G
Diffinitio rerum quæ poſitæ ſunt in generatione recipit cauſam efficientem.4°.de dif.pulſ. 4ª.67.H
Diffinitiones eſſentiales quid agere debent.4°.de dif.pulſ. 4ª.67.H
Diffinitiones eſſentiales non ſunt proferendæ tironibus, & quibus ſint proferendæ, & quales.4°.de dif.pulſ. 4ª.66.A
Diffinitio optima capit omnia artis capita.ars med. Iſa.62.A
Diffinitio notionalis.4°.de dif.pulſ. 4ª.64.H
Diffinitio notionalis procedit ex accidentibus.ars med. Iſa.62.A
Diffinitio quadruplex.4°.de dif.pulſ. 4ª.64.H
Diffinitiones à fine magnas faciunt difficultates.ad Thraſ. 2ª.102.F
ante Diffinitionẽ aperienda eſt homonymia.2°.de dif.pulſ. 4ª.53.F/G
Diffinitio nihil debet hr̃e ſupflui vel diminuti.4°.de dif.pulſ. 4ª.67.G
Diffinitioni quæ neceſſaria.4°.de dif.pulſ. 4ª.69.G
in Diffinitione genus primo exprimendum.4°.de dif.pulſ. 4ª.67.D
Diffinitio à quo genere exordienda.4°.de dif.pulſ. 4ª.67.D
in Diffinitione ponẽdum genus quale ſit, & an propinquum. 4°.de differ.pulſ. 4ª.67.D
Diffiniantur quo modo illa quæ dum fiunt ſunt.4°.de dif.pulſ. 4ª.69.C
Diffinitio quæ declarat quid non ſit.1°.meth.me. 7ª.7.B
de Diffinitione Platonis libri Sophiſta & Ciuilis.4°.de dif. 4ª.67.D
Diffinitiones cur vtiles.fin.me. Iſa.43.B
Diffinitiones ſunt rerum non nominum.2°.de dif.pulſ. 4ª.54.A
Diffinitiones melius docent nominibus.2°.de dif.pulſ. 4ª.57.E
Diffinitiones non ſunt omnium.2°.de dif.pulſ. 4ª.53.F
Diffinitiones ſuperfluæ ſunt vbi res ſunt notæ.4°.de dif.pulſ. 4ª.64.G
Diffinitiones tot ſunt, quot res.2°.de dif.pulſ. 4ª.54.A
Diffinire oĩa ptinet ad ſophiſticã diſciplinã.4°.de dif.pulſ. 4ª.69.G
abſq; diffinitione ne olus quidem emerent quidam ſophiſtæ. 2°.de differ.pulſ. 4ª.53.E
in Diffinitione non laborant empirici.4°.de dif.pulſ. 4ª.66.B
Diffinitiones dialecticas arguunt empirici.de ſectis. Iſa.17.B
Diffinitio, animal pedeſtre bipes, qualis.1°.de dif.pulſ. 4ª.48.A
Diffinitio vocis, quæ.de voce & anhel. Sp.61.H
Diffinitio & ordo philoſophiæ.de hiſt.philoſ. Sp.2.H
Diffinitio ſectæ methodicorum.de ſectis. Iſa.17.D
DIFFLATIO quid.8°.de decretis Hipp.1ª.278.C/in 6ᵐ.de morb.vul. commen.5°. 3ª.190.B
Difflatum quid vocet Galenus.de ſymp.dif. 3ª.13.B
Difflatio, inſpiratio, expiratio fit ſemper viuente animali.in timæum Platonis. 1ª.289.C
Difflantur ſemper dupliciter animalium corpora, & quo modo.1°.de differentijs febrium. 3ª.31.F
Difflatio quibus fiat, quando, cur magis minusq;.in 6ᵐ.de morb.vulga. commen.4°. 3ª.185.D
Difflatio propter quid.in 6ᵐ.de morb.vulg.cõ.5°.188.E/6°. 3ª.195.E
Difflatio fit vt fuliginoſa excrementa euacuentur.in 6ᵐ.de mor.vulga. commen.6°. 3ª.195.F
Difflatio ratione perceptibilis, etiam quibuſdam difflatio ſeu perſpiratio ſenſui ignota dicitur, & ſemper eſt in hominibus. in 6ᵐ. de morb. vulg.com.4°. 3ª.185.D
Difflantur corpora animalium occulte.com.1°.aph.15°. Ex.8.D
Difflatio inſenſibilis.quæ.com.2°.aph.28°. Ex.16.F

ad Diſflanda recte valentium corpora prodeſt vinum. in 6^{m}. de morbis vulg.com.4°. 3ª.185.C
Diſflatione & perſpiratione indigent albi, & ſeroſi humores.de fractu. commen.1°. 7ª.229.G
qui Diſflantur male, ac humores habent vitiatos, hi facile febribus corripiuntur.1°.de diff.feb. 3ª.31.H
non Diſflatus bene humor, putreſcit.1° de diff.feb. 3ª.32.A
DIFFVSIO ptinct ad irrõnalē facultatē.4°.de decr.Hipp. 1ª.248.F
DIGERENTIS actio poteſt ad digerendum ſine occurſu prouenire.de anat.viuorum. Sp.45.B
nõ Digerit ſtomachus, vt nutriat oĩa mēbra.d̄ mot.ma.et oſ. Sp.68.A
cur Digerãt aliqui carnes bouinas, & nõ pullinas.de diff.cõt.Sp.72.C
Digerunt calidi fortius cibos frigidos.de diff.cont. Sp.73.B
Digerunt humidi cibos ſiccos.de diff.cont. Sp.73.C
Digerunt ſicci cibos humidos.de diff.cont. Sp.73.C
Digerunt minus frigidi.in 1^{m}.de morb.vulg.com.2°. 3ª.115.E
Digerunt minus mulieres.in 1^{m}.de morb.vulg.com.2°. 3ª.115.E
Digerunt ſomni multi poſt cibum.de diff. cont. Sp.72.G
non Digeritur cibus natans in ſtomacho.de diff.cont. Sp.71.H
Digerunt veloci⁹ rarã hñtia ſubſtantiã q̃ hñtia ſpiſſã. de diſ.cõ. Sp.73.C
Digeritur velocius caro omnis animalis quod eſt in augmento, & cremento, quàm eius quod inueteratum eſt.de diſſo.cont. Sp.73.C
Digeritur velocius caro, cuius paſcua ſunt ĩ locis ſiccis, quàm cuius paſcua ſunt in locis humidis.de diſſol.cont. Sp.73.C
Digerantur qui cibi velocius.de diſſol.cont. Sp.73.C
Digeritur velocius quod eſt ex animalibus humidis maius, antequam dureſcat, quàm minus.de diſſol.cont. Sp.73.C
Digerit velocius ex aĩalibus ſiccis paruũ q̃ magnũ.de diff.cõt. Sp.73.C
Digeruntur velocius carnes auiũ quã quadrupedũ.de diſſo.cõt.Sp.73.C
Digeruntur velocius axillæ pullorũ anſerũ & omniũ auiũ pinguiũ, & iuuenum, q̃ axillæ macrarum, & antiquarum.de diff.cont. Sp.73.C
Digeritur velocius anniculus ex pecude, quã agnus.de diff.cõt.Sp.73.C
Digeruntur velocius hœdi anniculi, & agni, quàm caro antiquorum & quàm capra.de diſſol.cont. Sp.73.C
Digeritur velocius caro vituli, quam caro bouis.de diff.cont. Sp.73.C
Digeruntur velocius in aliquo corpore cibi craſſi.de diſſo.cont. Sp.73.C
Digeritur velocius quod leuiter, & facile maſticatur, quàm quod difficulter.de diſſol.cont. Sp.73.D
Digeruntur facilius lactucæ, endiuia, citruli, cucurbitæ, quàm apium & carbthum.de diff.cont. Sp.73.D
Digeruntur velocius nuces quàm auellanæ.de diſſol.cont. Sp.73.D
Digeruntur velocius oua non dura, quam dura, de diff.cont. Sp.73.D
Digeruntur tarde oua dura.de diſſol.cont. Sp.73.D
Digerantur tarde quæ aues.de diff.cont. Sp.73.D
Digerens cibum medicina.ſecretorum. Sp.101.F
DIGERI & repercuti debent phlegmonæ incipientes, potiſſimum in neruoſis partibus.9°.de ſimp.me.fa. 5ª.67.A
Digerendi.i.concoquendi, humores craſſi, antequam euacuentur. quos pur.ob.quib.me.& quo temp. 5ª.88.D
Digerentibus & ſecantibus craſſi & lenti humores euacuantur, & qualia eſſe debeant.7°.de ſimp.med.fac. 5ª.51.E
Digerunt & incidunt craſſos & lentos humores acria & amara. 8°. de ſimp.me.fac. 5ª.58.D
ad Digerendos & exhalandos ſuccos corporis qui propenſi. 9°. methodi medendi. 7ª.57.H
Digeritur et diſſipat puerorũ ſuba facillime oĩum.9°.met.me. 7ª.60.H
Digerendi tempus eſt latum.7°.meth.me. 7ª.45.C
Digerẽdi p halitũ vim hñt acria tenuis eẽntiæ.4°.de ſim.me.f.5ª.29.H
Digerant quæ oẽs affectus qui digeri debent.8°.de ſimp.me. fa. 5ª.58.A
Digerẽtia virtute diſcuſſoria præpollent.6°.de cõp.me.p gen.5ª.260.H
Digerunt calefacientia.14°.meth.me. 7ª.92.G
ſi Digerant ſubſtantiæ contactæ quippiam calefacientia, continuo illam ſiccant, niſi quid natura fuerit humidum vt oleum & aqua. 11°. de ſimp.med.fac. 5ª.80.B
Digerẽtia p halitũ qualia eẽ debent.de vict.rat.in acut.c.4°. 7ª.140.H
Digerentia per halitum calida, & ſicca ſunt.14°.meth.me. 7ª.89.A
Digeri in halitũ nullum corpus põt citra calorẽ.9°.meth.me. 7ª.60.H
Digerentia molliendo quæ ſint. 14°.met.me. 7ª.87.H
cũ Digerentibus adſtringentia habentia medicamenta qualia, & quæ ſine.6°.de comp.me.per ge. 5ª.258.C
Digeruntur quæ celerrime.9°.meth.me. 7ª.58.A
Digerẽtia, et repcutiẽtia optime medicamẽta q̃.9°.de ſim.me.f.5ª.67.G
Digerit & repellit acetum.14°.meth.me. 7ª.88.G
Digerunt & emolliunt quo modo adipes & pinguedines diuerſorum animalium.7°.de comp.me.per ge. 5ª.264.A
Digerit vehemẽtius adeps bubulus ſuillo.1°.de cõp.me.per ge. 5ª.216.F
Digerendi vim habet Agaricum.6°.de ſimp.me.fac. 5ª.41.D
in Digerentibus concertat ammoniacum, & inter emollientia principatum obtinet.6°.de comp.me.per gen. 5ª.258.B
Digerit Androſace.6°.de ſimp.me.fac. 5ª.43.A
Digerit Anethum.6°.de ſimp.me.fac. 5ª.43.B
Digerit minus anethum viride q̃ anethũ ſiccũ.6°.de ſim.me.fa. 5ª.43.B
Digerit Aniſum.6°.de ſimp.me.fac. 5ª.43.C
Digerendi vim habet Anthemis.6°.de ſimp.me.fac. 5ª.43.C
Digerentis admodũ facultatis eſt Apocynum.6°.de ſim.me.fa.5ª.43.D
Digerens aqua ſponte nata in Lesbo eſt.14°.meth.me. 7ª.91.E
Digerentium aquarum balneum.14°.meth.me. 7ª.89.A
Digerit Beta.9°.de ſimp.me.fac. 5ª.62.A
Digerit Calx elota aqua marina.8°.de ſimp.me.fac. 5ª.62.C
Digerens valde & exiccans calx.4°.de comp.me.per gen. 5ª.240.C
Digerit Capparis acrimonia.7°.de ſimp.me.fac. 5ª.49.G
Digerentibus pharmacis commiſcẽtur Chamæleontis radix.9°. de ſimpli.me.fac. 5ª.63.F
Digerunt & exiccant Citri folia.7°.de ſimp.me.fac. 5ª.56.B
Digerit per halitũ maxime ſuccus Cyrenaicus.9°.de ſimp.me.f.5ª.57.E
Digerit vt malua Cythiſus.7°.de ſimp.me.fac. 5ª.53.H
Digerit Lolium, eruum, cicer, & ochri calfaciendo ſimul & reſiccando. 5°.de ſimp.me.fac. 5ª.34.A
Digerit Farina Fœnugræci excalfaciendo.5°.de ſimp.me.fac. 5ª.34.A
Digerit hordeacea farina & fabacea euaporando & detergendo.5°. de ſimp.med.fac. 5ª.34.A
Digerit farina panici, lupinorum, & milij reſiccando. 5°. de ſimplicium medicamen.facul. 5ª.34.A
Digerendi & attrahendi ea quę in aluo ſunt, vim habet Fermentum.8°. de ſimp.me.fac. 5ª.59.D
Digerit Fermentum.6° de ſimp.me.fac. 5ª.48.A
Digerit, attrahit, & ſiccat Gladiolus.9°.de ſimp.me.fac. 5ª.57.B
Digerens perſpiratu Helleſpontia.6°.de comp.me.per gen. 5ª.259.E
Digerit Lampſane.7°.de ſimp.me.fac. 5ª.54.A
Digerit tertia Lappæ ſpecies.6°.de ſimp.me.fac. 5ª.43.G
Digerit cæteris potentius adeps Leonum.11°.de ſimp.me.fac. 5ª.79.B
Digerit Leontopetalon in tertio ordine.7°.de ſimp.me.fac. 5ª.54.C
Digerunt, & emolliunt Libanotides.7°.de ſimp.me.fac. 5ª.54.D
Digerit Lixiuium.14°.meth.me. 7ª.88.G
Digerit ac detergit Marrubium.8°.de ſimp.me.fac. 5ª.62.A
Digerit & emollit Maſtiche ægyptia.7°.de cõp.me.per gen. 5ª.264.B
Digerit & concoquit Melilatus.7°.de ſimp.me.fac. 5ª.55.D
Digerens eſt Mercurialis.7°.de ſimp.me.fac. 5ª.54.G
Digerit Moly craſſos humores.7°.de comp.me.per ge. 5ª.56.E
Digeſtionem faciunt Mora.de ſimp.me. Sp.87.G
Digerentia Olea.1°.de comp.me.per ge. 5ª.211.E
Digerit fortius in medicamenao oleũ.7°.cõp.me.per gen. 5ª.264.G
Digerit citra morſum & emollit oleum liliorum.7°.de ſim.me.f.5ª.53.B
Digerit oleum calidum.5°.meth.me. 7ª.37.D
Digerit & rarefacit Onobrychis.4°.de ſimp.me.fa. 5ª.57.C
ad Digerendum viſcoſos, & craſſos humores Oxycratum aquoſum.de vict.rat.in morb.acut.com.2°. 7ª.117.A
Digerit & calefacit Peucedani radix.9°.de ſimp.me.fa. 5ª.58.D
Digerẽdi vim hñt folia Phlomi albæ et nigræ.8°.de ſimp.me.fa. 5ª.62.C
Digerit & attrahit Phorbium.8°.de ſimp.me.fac. 5ª.63.D
Digerit Piper album.1°.de comp.me.per gen. 5ª.214.B
Digerẽs et ſiccus ĩ ſcđo, frigidus ĩ primo Rhãnus.8°.d̄ ſim.me.f.5ª.59.E
Digerendi vis ineſt Raphano.8°.de ſimp.me.fac. 5ª.59.E
Digerit & extrahit Sal ammoniacum.2°.de cõp.me.per gen. 5ª.221.A
Digerit & contrahit Salſa qualitas.11°.de ſimp.me.fa. 5ª.83.D
Digerit Sion.8°.de ſimp.me.fac. 5ª.63.F
Digerunt per halitum tumores, Sordes palæſtritarum cum ſudore. 10°. de ſimp.me.fac. 5ª.75.C
Digerunt ſordes & ſudor.9°.de ſimp.me.fac. 5ª.60.A
Digerunt multum cum ſudore ſordes palæſtritarum, ſine ſudore plus repercutiunt, minus digerunt.10°.de ſimp.me.fac. 5ª.57.C
Digerit maxime ſtercus.10°.de ſimp.me.fac. 5ª.75.H
Digerit magis Terebinthina q̃ maſtiche, cur.9°.de ſimp.me.fa. 5ª.59.F
Digerit & emollit Thus.7°.de comp.me.per gen. 5ª.264.B

Digerunt Vigiliæ.12°.meth.med. 7ª.75.G
Digerit per halitum vigilia,& ſiccat,nec coquit quę in imo.de vict.rat. in morb.acut.com.2°. 7ª.125.B
Digerere humores crudos non ſinit ſomnus.12°.meth.me. 7ª.75.G
Digerit Xanthium.8°.de ſimp.me.fac. 5ª.57.A
Digerit,ſiccat,attrahit Xiris.8°.de ſimp.me.fa. 5ª.57.B
Digeritur valde,& exhalat aqua calefacta.9°.meth.me. 7ª.60.H
Digerunt ægre p halitū frigidæ & ſiccæ naturæ.9°.meth.me. 7ª.60.H
Digerentia medicamenta cur cōpoſita.7°.de cōp.me.per gen. 5ª.263.D
Digerētia non debēt applicari pleno corpore,cur.13°.meth.me. 7ª.86.C
Digerēdū fluxiōe cōſiſtēte et corpe vacuo.1°.de cōp.me.p.ge. 5ª.212.D
Digerendum quando in phlegmone.13°.meth.me. 7ª.82.C
ad Digerentia tranſeundum,vbi phlegmones feruor eſt mitigatus.13°. meth.meden. 7ª.81.C
Digerentibus medicamentis plethora curatur.13°.meth.me. 7ª.81.H
Digerentia medicamenta.14°.meth.me. 7ª.91.E
Digerit magis cataplaſma ex pane q̃ ex tritico.8°.de ſim.me.fa.5ª.59.D
Digerens vapore quibus iam pus eſt.6°.de comp.me.per gen. 5ª.259.G
Digerendum quomodo pus in oculis.14°.meth.me. 7ª.93.G
Digerētia quæ ſint in puncturis neruorū.3°.de cōp.me.per ge. 5ª.235.A
Digerentia quo modo fiant cerati mixtura carnis explētia.6°.de comp. medicamen.per ge. 5ª.260.H
Digerunt quæ inflationem.de ren.aff.dign.& med. 7ª.194.B
Digerunt trahentia.4°.de comp.me.per gen. 5ª.235.H
Digerunt,& ex alto violenter extrahunt calida valde cum humiditate coniuncta,vt thapſia.6°.de ſimp.med.fac. 5ª.48.C
Digerentia ex alto humiditates,cum acrimonia id efficiunt.4°.de comp. med.per gen. 5ª.235.H
ad Digerendum,Antipatri.6°.de comp.me.per gen. 5ª.261.E
ad Digerendum,Attalicum.1°.de comp.med.per gen. 5ª.216.H
ad Digerendum,Candida.6°.de comp.me.per ge. 5ª.261.A
Digerens aliud.6°.de comp.med.per gen. 5ª.261.E
ad Digerēdū Damocratis ex calce viua.7°.de cōp.me.p gen. 5ª.263.A
ad Digerendum emplaſtrum.6°.de comp.me.per ge. 5ª.261.D
ad Digerendum& extrahēdum empl'n.6°.de cōp.me.p gen.5ª.260.H
Digerens & repellens emplaſtrum.2°.de comp.me.per gen. 5ª.221.A
ad Digerendum melinum emplaſtrum.6°.de cōp.me.per ge. 5ª.262.D
Digerens emplaſtrum ex ſale.6°.de comp.me.per ge. 5ª.258.D
ad Digerendum vt Scribonius.6°.de comp.me.per gen. 5ª.261.E
ad Digerendum è ſtruthio.6°.de comp.me.per gen. 5ª.261.E
ad Digerendum Xenocratis.6°.de comp.med.per gen. 5ª.261.E
Digerentia & reprimentia carbunculos.14°.meth.me. 7ª.90.B
Digerens & curans duritias in mām̄is.1°.de comp.me.per ge. 5ª.217.B
ad Digerendum Meliceridas.6°.de comp.med.per ge. 5ª.261.F
ñ Digerit nec putreſcit ſteatoma,ſed ſola māu curat.14°. me.m.7ª.90.E
DIGESTIVA virtus ē in oī pticula corporis.cō.1°.aph.22°. Ex.10.C
Digeſtiuæ virtuti debet cibus adæquari.de diſſ.cont. Sp.71.H
Digeſtiuam excitans medicamentum ſecretorum. Sp.101.G
Digeſtiuæ virtutis debilitati confert puluis gariophyllorum.de med.ex per. Sp.106.E
DIGESTIO, quid.fin.med. Iſa.44.F
Digeſtio eſt actio naturę.intr. Iſa.55.B
Digeſtiones tres eſſe colligi poteſt ex his Galeni verbis,Ob hoc igitur & coctiones,& ſanguificationes,& nutritiones hiſce tēporib° ſunt meliores.cō.1°.aph.15°.8.B/& cū dicit eodem aph. 8. F/Cum ipſo vero & coctio ciborum debilitabitur & boni ſanguinis gñatio, & partiū aīalis enutritio,& ſuperfluitatum vacuatio.cō.2°.aph.7°.Ex.13.A
Digeſtio bona ciborum in ventre fieri non poteſt,neq; ſanguificatio in hepate,ſi partes corporis ſint tenues.com.2°.ap.35°. Ex.17.E
in Digōne ſcđa venas cōcurrere cū hepate,collige.c.1°.aph.15°.Ex.8.F
Digeſtione elaboramus cibum aſſumptum virtute proueniente ex hepate de virtutibus noſtrum corpus diſpenſantibus. Sp.60.B
Digōnis principiū qūo ſit principium hepar,& cor.de anat.vi.Sp.56.H
Digeſtionis inſtrumenta in pueris,etſi admodum valida non ſint, tamen operi ſuo ſufficiunt.3°.de ſymp.cauſ. 3ª.29.A
Digeſtio in partes qūo fiat,ſm Epicurum.1°.de nat.fac. 1ª.294.D
p Digeſtionem fit res modica ex multo nutrimento in omni nutritione. de vtil.reſp. Sp.62.E
Digeſtibilior eſt cibus qui ſapit abominabili.de diſſ.cont. Sp.73.D
Digōnis velocis cibariorū q modi,et primus modus.de diſ.cōt. Sp.73.B
Digeſtionis velocis cibariorum ſecundus modus.de diſſ.cont. Sp.73.B
Digōnis velocis de ſe ſunt cibaria ſubtilia & media.de diſ.cōt. Sp.73.B
Digōnis velocis eſt caro gallinæ,duragi,& ſtarnę.de diſ.cont. Sp.73.C
Digōnis durę & tardę cibi ſunt p̄ponēdi i fundo ſtōi.de diſ.con. Sp.71.H
q̃ Digerantur tardæ,& quæ cauſæ.de diſſ.cont Sp.73.D
Digeſtionis tardę ſunt pulli anſerum.de diſſ.cont. Sp.73.D
Digeſtionem lactis factam eſſe ex ructu & ventriculi mole licet conijcere.7°.meth.med. 7ª.45.B
Digeſtio vini epoti quibus celeriter perficiatur.3°.de nat.fac. 1ª.308.E
Digeſtibilius eſt vinum dulce aſpero.de diſſ.cont. Sp.73.D
Digōnē adiuuat modicū bonę aq̃ ſi vino pmiſcueris.de bo.aquæ.Sp.75.F
ad Digeſtionē in corpore quæ vina conueniant.12°.meth.me. 7ª.76.E
añ Digōnem ſi cibus de ſtō deſcēdat quid agendum.de diſ.cont.Sp.75.B
Digōni et expulſioni inepta ſunt corpora dura.3°.de ſym.cauſ. 3ª.29.D
Digeſtio quibus lædatur.de ſal.diæta. 2ª.42.G
in Digeſtione quæ ſymptomata.de ſymp.diff. 3ª.12.A
Digōnis impedimētum in obſtructione ē ſymptoma.de ſym. diſ.3ª.13.A
Digeſtio quo modo minuitur.6°.de ſan.tuen. 2ª.98.C
Digō in corpus diminuta ſymptoma celeris exitus.de ſymp.diff.3ª.12.E
Digeſtio ſenibus qualis.3°.de ſymp.cauſ. 3ª.29.C
Digeſtio vitiata in ſenibus.2°.de temp. 1ª.16.D
Digeſtionem Zingiber proprie facit.de ſimp.me. Sp.90.E
Digeſtionis malitiam.ſecretorum. Sp.98.D/F
Digeſtionem confortans compoſitio.ſecretorum. Sp.102.A
Digeſtionem adiuuans medicina Aſtoronis.de med.exper. Sp.104.A
DIGESTIO, ideſt humorum præparatio,quomodo poſſit cito turgente materia fieri.com.1°.aph.24°. Ex.10.G
Digō ſemper debet expectari in longis morbis.cō.1°.apho.24°.Ex.10.F
Digeſtio qūo fiat præſertim in humore craſſo.com.2°.apho.9°. Ex.12.B
Digeſtio fit tum ab euaporātibus ac detergentibus , tum reſiccantibus, tum excalfacientibus, ſil' et reſiccātibus.5°.d ſim. me.fa. 5ª.34.A
Digeſtio quo modo fiat magis & minus.8°.de ſim.me.fa. 5ª.61.E
Digeſtio quibus fiat.5°. de ſimp.me fac. 5ª.34.A
Digeſtioni valde vtile eſt libyſticum.de ſimp.me. Sp.85.H
ad Digeſtionem facientes vires iuniperum habet.de ſimp.me. Sp.85.E
Digeſtionis ſigna nunquam in principio ſtati,ſed terminantur in augmēto.com.1°.aph.12°. Ex.5.D
Digeſtus niſi fuerit plurimum ſanguis non poteſt venulas meningū ſubintrare.de vtil.reſp. Sp.63.A
Digeſtio in igne quid vocetur.de vtil.reſp. Sp.64.A
Digeſtio,vide Coctio,& concoctio.
DIGITI manus partes.de inæq.intem. 3ª.43.D
Digitus inter ſecunda inſtrumenta ponitur.de diff.mor. 3ª.3.B
Digitorum partes quot,& quæ.de inæquali intemp. 3ª.43.D
Digitorum optima conſtructio,qualis.1°.de vſu par. 1ª.115.B
Digitorū & manus ſtructurā conſiderare debebant philoſophi, qui cœlū & mundū vniuerſum contemplari voluerunt.de fœt.for. 1ª.325.C
Digitorum inæqualitatis vtilitas.1°.de vſu par. 1ª.120.C/D
Digitus medius cur longiſſimus.1°.de vſu par. 3ª.120.D
Digiti cur neq; longiores neq; breuiores.17°.de vſu par. 1ª.221.H
Digitorum numeri vtilitas.1°.de vſu par. 1ª.120.C
Digitus auricularis ē veluti opculū aliorū digitorū.1°.de vſ.p. 1ª.120.C
Digitus ſalutatorius.de rem.par.fac. 7ª.166.C
in Digito aliquo qūo faciēda ſectio cū diligētia.1°.de anat.adm. 1ª.66.C
vt Digiti ad manum,ita ſe habent hepatis additamenta ad ſtomachum. de anat.viu. Sp.50.G
Digitorum oſſa internodia dicuntur.1°.de anat.adm. 1ª.66.B
Digiti cur oſſei.1°.de vſu par.114.C/ 1ª.115.H
in Digitis oſſa ſunt facta propter motum.11°.de vſu par. 1ª.191.C
Digiti tremerent,ſi oſſa deeſſent.1°.de vſu part. 1ª.116.A
Digitorum manus oſſa viginti ſeptem.de fract.com.2°. 7ª.233.A
in Digitis cur oſſa multa,& non vnum.1°.de vſu par. 1ª.116.A
Digitorum oſſa cur dura,denſa,& ſine medulla.1°.de vſu par. 1ª.117.A
in Digitis oſſiculum ſeſamoeides.de oſſibus. 1ª.43.G
Digitorum oſſa quot.de oſſibus. 1ª.43.C
in Digito tria oſſa.2°.de vſu partium. 1ª.123.D
Digitorum oſſa neque plura , neque pauciora tribus eſſe debuere. 1°.de de vſu partium. 1ª.116.E
à Digitorū tribus oſſibus ſex figurarū drīæ fiunt.1°.de vſu par.1ª.116.B
Digitorū oſſiū figura cur talis & tanta eſſe debet.1°.de vſu par.1ª.116.F
Digitorum oſſa cur rotunda.1°.de vſu par. 1ª.116.F
Digitorū oſſa cur ī lateribus et ītus nō ſint cōuexa.1°.de vſu p. 1ª.116.F
Digitorum oſſium labia cur non æqualia.1°.de vſu par. 1ª.117.A
Digitorum oſſa inferiora cur maiora ſupioribus.1°.de vſu par. 1ª.116.E

Digiti cur carnoſi.1°.de vſu partium. 1ª.114.C
Digitorum carnis ſitus.1°.de vſu partium. 1ª.114.D
Digitorum caro cur intrinſeca.1°.de vſu partium. 1ª.114.D
Digitorum lateribus cur caro aliqua adnata eſt.1°.de vſu par. 1ª.118.E
Digitorum ſummitas cur ex carne & vngue.1°.de vſu par. 1ª.114.D
Digitorũ ſummitates mediæ inter mollia & dura.1°.de vſu par.1ª.114.C
Digitorum vnguis ſitus.1°.de vſu par. 1ª.114.D
Digitorum vnguis cur extrinſeca.1°.de vſu par. 1ª.114.D
in Digitis cur caro ſupra extremas oſſiũ partes.1°.de vſu par. 1ª.116.C
in Digitorum articulis caro cur pauca.1°.de vſu par. 1ª.116.C
extra Digitos caro cur nulla.1°.de vſu par. 1ª.116.C
in Digitos cur membranarum ſubſtantia.1°.de vſu par. 1ª.117.D
Digiti quibus moueantur.1°.de vſu par. 1ª.117.C
de Digitorum tendonibus.1°.de vſu par. 1ª.117.E
Digitorum tendones quo modo locati.1°.de vſu par. 1ª.118.A
de Digitos mouentibus tendonibus.1°.de vſu par. 1ª.118.B/C
in Digitorum lateribus cur tendones.1°.de vſu par. 1ª.118.E
in Digitis cur tendones interni duplices.1°.de vſu par. 1ª.117.F
ad Digitorũ lateralẽ partẽ tẽdones vnde oriãtur.1°.d vſu par. 1ª.118.E
ad Digitos tendonum euntium vtilitas.1°.de vſu par. 1ª.117.C
iter Digitorũ ſciſſionẽ et vlnã ordines tres medij.2°. de vſu p.1ª.124.D
Digitus vnus omnibus oppoſitus,cur.1°.de vſu par. 1ª.114.B
in Digitis præcipua manus actiõ.3°.de vſu partium. 1ª.131.G
Digitorum debet eſſe commoderata magnitudo ad operis perfectionẽ. 1°.de vſu par. 1ª.114.E
Digiti manuum ſunt in maiori vſu,& frequentiori,& vehementiori, q̃ pedum.3°.de vſu par. 1ª.131.G
Digitis duobus ſummis indice & pollice minima comprehendimus, maiora iiſdem digitis,ſed non extremis,maiora adhuc tribus digitis,adhuc maiora quatuor,poſtea quinque,poſtea tota manu, poſtea ſi maiora adhuc ſint,vtraq; manu.1°.de vſu par. 1ª.114.B
Digiti debẽt plm diſtare in apprehẽſiõe magnę molis.1°.d vſ.p. 1ª.118.H
Digiti habent quatuor motus,propterea & quatuor tendones.1°.de vſu par.117.D/3°. 1ª.131.G
in Digitis motus duplex ad latera.1°.de vſu par. 1ª.119.B
Digitorum & manus motus conſideratio.de fœt.for. 1ª.325.C
in Digitis vtriuſq; manus ſunt articuli triginta,quorum vnuſquiſq; in quatuor locis tendonũ implantationes habet.1°.de vſu par. 1ª.119.G
Digitorum articulatio eſt miraculum.1°.de vſu par. 1ª.116.G
Digitorum articuli vt ianuarum cardines eminẽtiam cauitati imponũt. 1°.de vſu par. 1ª.116.G
Digitorum articulationes,quales.1°.de vſu par. 1ª.116.H
Digitorum articuli quibus tendonibus extendunt.1°.de vſu.pa.1ª.118.C
Digitorum articuli quibus tendonibus flectuntur.1°.de vſu pa. 1ª.118.C
Digiti cuiuſq; ſm articulum qui muſculi flectant.de muſc.diſſ. 1ª.52.G
Digitum magnum antichira,quaſi promanum dicas,ideſt pollicem,appellant.de muſ.diſſ. 1ª.49.B
Digitus manus magn⁹ totius functiõis fundamẽtũ.4°.d ana.ad.1ª.79.F
Digitus manus magnus in ſimia mutilus.4°.de ana.adm. 1ª.79.F
Digitus magnus qd habeat peculiare ſupra alios.1°.de ana.ad. 1ª.66.B
in Digito magno tendo intrinſecus.1°.de vſu par. 1ª.117.H
in Digito magno nõnunq̃ duo ſoli muſculi apparẽt.de muſ.diſ. 1ª.49.D
Digiti magni motus vnde.2°. de vſu par. 1ª.121.C
Digiti magni primus articulus euidẽtẽ habet motũ.d muſ.diſ.1ª.49.D
Digiti primum articulum qui muſculi flectant.de muſ.diſſ. 1ª.49.C
Digitum magnum mouens muſculus.de muſ.diſſ. 1ª.48.E
Digitũ magnũ qui muſculi extẽdãt in neutrã partẽ. de muſ.diſ. 1ª.48.D
apud Digitũ magnũ exortus muſcli brachiale mouẽtis.d muſ.d.1ª.48.H
Digitum magnum ab indice longiſſime abducens muſculus vbi oriatur, & finiat.de muſc.diſ. 1ª.49.B
Digitos paruos manus in obliquum mouens muſculus vnus.1°. de anat. admin. 1ª.65.A/B
Digitum paruum extrorſum diducens muſculus.de muſ.diſſ. 1ª.52.E
apud Digitũ puũ exortus muſculi brachiale mouẽtis.d muſ.di. 1ª.48.H
Digitis paruos ab alijs abducens muſculus & qui alios tres adducit.de muſculorum diſſectione. 1ª.48.C
Digitũ medium,pollicem,indicem mouẽtes muſculi.de muſ.diſ. 1ª.48.E
in Digitis motus ad latera quomodo fiat.2°.de vſu par. 1ª.127.B
ad Digitos manus ad latera mouendos magis laudat Galenus ponere duos muſculos.1°.de anat.adm. 1ª.65.C
Digitorum muſculi duo quandoq; vnum eſſe videntur,adeo inter ſe coaliti ſunt.de muſ.diſſ. 1ª.49.D
Digiti extẽduntur in apprehenſione magnę molis q̃uo de vſu pa.1ª.118.F
Digitos quatuor præter pollicẽ extendens muſculus.de muſ.diſ.1ª.48.C
Digitos quatuor manus extẽdẽs muſcul⁹ vnus ẽ.1°.d ana.ad.1ª.65.A/B
Digitos duos exiguos extendens muſculus.de muſ.diſſ. 1ª.48.D
Digitos extendens muſculus.de muſc.diſ. 1ª.52.D/E
ad Digiti extenſionem ſufficit vnus tendo.2°.de vſu par. 1ª.121.D
Digitorum extenſio à tendonibus exterioribus.1°.de vſu par. 1ª.117.D
Digitos ſingulos qui muſculi obliquo motu moueant.de muſ.diſ. 1ª.52.G
Digitos ad obliquum ducentes muſculi.2°.de vſu par. 1ª.121.G
Digito vnicuiq; obliquũ motũ ſuppeditantes muſculi.d muſ.diſ. 1ª.52.H
Digitos obliq̃ itrorsũ,ſursũq̨ mouẽtes muſculi qnq; de muſ.di. 1ª.49.A
in Digitũ vnũquenq; tendones producẽs muſculus.de muſ.diſ. 1ª.48.C
Digitos et brachiale flectẽr quorũ muſculorũ ſit officiũ d mu di.1ª.48.F
Digiti man⁹ q̃uo flectant & extẽdant à muſcl'is.1°.de mo. mu.1ª.309.G
Digiti manus à quibus tendonibus flectantur.1°.de mo.muſ. 1ª.311.A
Digitorum flexio à tendonibus interioribus.1°.de vſu par. 1ª.117.D
ad Digiti flexionem non ſufficit vnus tendo.2°.de vſu par. 1ª.121.D
Digitos duos poſt magnũ ad obliquũ flectẽtes muſcl'i.2°.d vſu p.1ª.121.G
Digitos quinq; flectens muſculus.de muſ.diſ. 1ª.48.G
Digitos extrĩſecos lõgiſſime ab alijs abducẽtes muſculi.d muſ.d.1ª.52.H
Digiti articulum medium qui muſculi flectant.de muſ.diſ. 1ª.52.H
in Digitis motus medij non habent numerum.1°.de vſu par. 1ª.116.B
Digitos mouẽtes tẽdones ab antiqs vocati sũt nerui.1°.de vſu p. 1ª.117.C
ad Digitos manus nerui vnde proueniant.1°.de loc.aff. 4ª.7.B
ad Digitos paruos manus nerui vnde.16°.de vſu par. 1ª.218.A
ad Digitos numerus ĩplãtationũ cẽtũ & viginti.1°.de vſu pa. 1ª.119.G
ad Digitos magnos manus nerui vnde.16°.de vſu par. 1ª.218.A
in Digitorum motu nauigantium exemplum.1°.de vſu par. 1ª.119.C
DIGITI cur in pedibus.3°.de vſu par. 1ª.129.H
Digiti pedum ex quot oſſibus.de oſſibus. 1ª.43.G
Digitorum pedis oſſa quatuordecim ſunt.de fract.com.2°. 7ª.233.A
Digiti pedum ſimiæ cur diducti.15°.de vſu par. 1ª.213.D
Digiti cur minores in pedibus q̃ in manu.3°.de vſu par. 1ª.129.H
ad Digitum paruum pedis cur videtur ſpectare calcanei oſſis pars anterior.3°.de vſu par. 1ª.130.A
in Digito quolibet pedum ſunt quatuor motus.3°.de vſu par. 1ª.131.G
Digitus pedis q̃uo mouetur per vim trãſmiſſam.an.ſang.in art.1ª.62.H
Digiti & pes totus à quibus moueantur muſculis.de muſ.diſ. 1ª.51.H
Digiti pedum à quibus tendonibus moueantur.3°.de vſu par. 1ª.131.G
Digiti pedũ quibus motibus à tendonibus moueant.3°.de vſu p.1ª.131.G
Digitorum pedũ tẽdones multo minores q̃ manuũ.3°.de vſu par.1ª.131.H
Digitos pedum mouentes muſculi.3°.de vſu par. 1ª.132.A
Digitos in pede qui muſculi mouent obliquo motu.de muſ.diſ. 1ª.52.G
Digitũ paruum,& indicẽ pedis qui muſculus flectat.de muſ.diſ.1ª.52.C
Digitos mediocriter flectentes muſculi.de muſ.diſſ. 1ª.52.H
à Digiti parui vena ſecta curatur lien.de cur.ra.p ſang.miſſ. 6ª.19.G
Digito facta compreſſio ſanguinem ſiſtit.5°.meth.me. 7ª.30.G
Digitorum morbi,qui.intr. Iſa.59.C
ad Digitorum affectus.6°.de comp.med.per ge. 5ª.256.D
Digiti ac vngues liuidi ſignificant mortem.in progn.com.2°. 4ª.198.F
Digitorum officium quo modo lęditur.2°.de loc.aff. 4ª.14.F
Digiti manus cur torpidi ex caſu.2°.de locis aff. 4ª.14.F
Digitus in frigore ingenti in frigidam poſitus facit horrorem.3°. de ſimpli.med.fac. 5ª.20.H
vt Digitos,calcanea,& omnino extrema,hyeme exulcerat frigidum, horum quoq; remedium eſt calidum.com.5°.aph.22°. Ex.39.E
Digiti pedis affectionẽ cerebrũ ſentit per neruum in pg.cõ.1°. 4ª.194.F
Digitorum pedis vlcera ſanat vrina humana.10°.de ſim.me.fa. 5ª.75.E
Digitos frigore mortificatos habentes currebant in plano,ſed non in decliui.2°.de vſu par. 1ª.129.C
Digito in aquam calidam poſito totum corpus aliquando mutatur. de the.ad Piſo. 5ª.94.D
Digitos incuruantes & extendentes tendones dolores patiuntur. 2°. de locis affectis. 4ª.11.A
ad Digitorum tendonum phlegmonas valet ouum totum crudum cum roſaceo.11°.de ſimp.med.fac. 5ª.81.E
ad Digitorum rhagadias.2°.de comp.med.per gen. 5ª.223.D
Digiti manus lęduntur ex dorſi ictu.3°.de anat.adm. 1ª.73.G
Digitis non influit vis ſentiendi ſpina lęſa.2°.de loc.aff. 4ª.14.F
Digitorũ exiguorũ manus curatio circa dorſum.3°.de anat.ad. 1ª.73.F
Digitos quinq; aĩalia hñtia ſumẽda p anatomia.6°.de ana.adm.1ª.89.F
Digiti ſexti in manu cauſa.de cauſ.morb. 3ª.9.D

Digitus ſextus redundat.14°.meth.med. 7ª.93.B
Digitus ſextus eſt ex genere ſecundum naturam.de diff.morb. 3ª.4.F
Digitus ſextus præter naturam.14°.meth.med. 7ª.91.B
Digiti ſi præter naturam coaluerint ad quam ægritudinis differentiã referendum.de differ.morb. 3ª.5.D
Digiti quibus ſimul iunguntur.1°.de vſu par. 1ª.118.E
Digiti pars exigua acu puncta quid facit.2°.de diff.feb. 3ª.41.A
Digiti offenſio aliquibus facit deliquium.1°.de ſymp.cau. 3ª.18.E
in *Digito morſi caſus.1°.de comp.me.per ge.* 5ª.214.E
Digitum colligantis & incidentis ob ictum veneноſi animalis, caſus.3°.de locis affectis. 4ª.19.G/H
Digitorum trium ſenſus amiſſus ſeruato motu, caſus, & curatio, conſidera.1°.de loc.aff. 4ª.7.B
Digitorum minimorum ſiniſtræ manus ſenſum amiſerat Pauſanias.3°.de locis affectis. 4ª.21.C
Digito magno pedis dolens, mortuus ſecunda die.2°.de diff.reſp. 3ª.66.C
Digito magno perdito quæ actiones perduntur.1°.de vſu par. 1ª.120.C
Digito indice perdito quæ actiones perduntur.1°.de vſu par. 1ª.120.C
Digito medio perdito quæ actiones perduntur.1°.de vſu par. 1ª.120.C
Digito anulari perdito quæ actiones perduntur.1°.de vſu par. 1ª.120.C
Digito auriculari pdito quæ actiones perduntur.1°.de vſu par. 1ª.120.C
Digitorum internodijs exciſis quid agendum.14°.meth.me. 7ª.92.B
in *Digito contuſo quæ exiuit membrana fecit dubitare Galenũ & alios quid eſſet.2°.de comp.me.per ge.* 5ª.229.C
de *Digitorum luxationibus, & quot ſint.de artic.com.4°.* 7ª.292.D
Digiti dimotio & reſtauratio.de art.com.2°. 7ª.262.E
ad *Digitum magnum alligandum, vinculum ſecundum antiquos, quos Galenus reprehendit.de faſcijs.* 7ª.306.C
Digiti articulus in quatuordecim diebus ſanał.de art.cõ.4°. 7ª.292.C
in *Digiti medij primo articulo dextræ manus luxati pueri caſus.3°.de comp.med.per gen.* 5ª.229.A
in *Digito luxati pueri caſus.3°.de comp.me.per ge.* 5ª.229.C
Digitus quandoq, aufertur.de diff.morb. 3ª.4.G
Digito medicamẽtũ aceto irrorare quid ſit.7°.de cõp.me.ſe.lo. 5ª.186.B
Digitis tribus quanto capi poſſit, remedia.de med.fac.pa. 7ª.171.G
in *Digitalis magnitudinis fruſta diuiſio.7°.de cõp.me.ſec.lo.* 5ª.181.G
Διγλωττος, homo duarum linguarum.2°.de diff.pul. 4ª.56.H
DIGNITATES *quæ ſint.de vict.rat.in mor.ac.cõ.2°.* 7ª.119.B
Dignitas partis conſiderandæ.7°.met.me. 7ª.49.C
DIGNOTIO *quid ſit apud Hippocratem, & quo modo fiat.de ijs quæ in med.fiunt, com.1°.* 7ª.198.H
Dignotio ad curationẽ facit.de vict.ra.in morb.acu.com.1°. 7ª.108.D
Dignotio eſt propter curationem.de vic.ra.in mor.acu.cõ.1°. 7ª.108.D
Dignotionem & prænotionẽ conſequitur curatio.10°.met.me. 7ª.64.H
Διηχημένα.2°.de diff.pulſ. 4ª.54.D
DILABILEM *carnem habentibus in euacuatione parcendum.præſag.exper.conf.* Sp.77.H
DILASSATORVM *pulſus.1°.de arte cur.ad Glauc.* 7ª.95.D
DILATARE *quid ſit.in 6^{m}.de morb.vulg.com.2°.* 3ª.160.E
Dilatantia vias vrinarias.de ren.aff.dign.& med. 7ª.193.H
Dilatatio vaſorum vrinæ quo cognoſcatur.de ren.affe.dign. 7ª.192.G
Dilatat aqua temperata.7°.meth.me. 7ª.44.F
Dilatat oleum ſabinum.7°.meth.med. 7ª.51.D
Dilatari maxime, & conſtringi proprium eſt neruoſorum non carnoſorum.de vict.rat.in morb.acut.com.3°. 7ª.131.A
Dilatatio muſculoſa vocatur muſculus latus in collo.de diſ.muſ. 1ª.44.E
Dilatatiõis et cõſtrictiõis motu mouet cerebrũ et cor.d ana.vi. Sp.56.E
Dilatatio, & conſtrictio humoris albuginei qñ fiat.de ana.viu. Sp.48.F
Dilatantes & cõſtringẽtes lacerti duo in folijs naſi.d ana.vi. Sp.49.A
Dilatatio et cõſtrictio laryngis qbus muſculis fiat.de vo.iſt.diſ. 1ª.107.E
Dilatantes linguam muſculi, qui.de anat.viuo. Sp.49.C
qñ *Dilatatur cor plana eſt intrinſecus figura cordis.de ana.vi.* Sp.56.C
Dilatatiui motus cordis quæ cauſa ſit.de ana.viuo. Sp.56.D
in *Dilatatione cor trahit quod repleturum eſt id quod ex eo vacuatum fuit.in Tim.Plat.* 1ª.290.D
Dilatał, et cõtrahił diutius cor ab ãiali extractũ.in tim.Plat. 1ª.290.C
Dilatetur, & conſtringatur quo modo pulmo.5°.de loc.aff. 4ª.31.C
Dilatatio anhelitus in retentione menſtruorum.ſecretorum. Sp.99.B
Dilatando, & conſtringendo mouetur inferius orificium ſtomachi, horis tamen determinatis.de anat.viu. Sp.56.E
Dilatatio thoracis quibus fiat.de mot.man.& obſ. Sp.67.A
Dilatãt thoracẽ ſeptũ trãſuerſum vnà cũ muſculis.de muſ.diſſ. 1ª.49.F
Dilatans thoracem dilatatione magna muſculus qualis, & vnde oriał, ac vbi deſinat.de muſ.diſſ. 1ª.47.A
Dilatans thoracem muſculus.de muſc.diſſ.46.H/ 1ª.49.E
Dilatantes thoracem fibræ quæ, & earũ exortus.de muſ.diſſ. 1ª.49.D
ad Dilatationẽ et cõſtrictionẽ thoracis mouet pulmo.d ana.vi. Sp.47.H
Dilatatur, & conſtringitur vterus.de anat.viuo. Sp.56.E
Dilatatur collum matricis in defloratione virginis.de ana.viu. Sp.51.E
Dilatatur collum matricis in partu vt concauitas.de anat.viu. Sp.51.E
poſt Dilatationẽ tãtã matrix breui redit ĩ priſtinũ ſtatũ.d an.vi. Sp.52.E
Dilatatus muſculus ĩ pede verſus magni digiti ptes magis, retrorſumq, & extrorſum leniter pedem inuertens.de muſ.diſſ. 1ª.52.B
DILIGENTIA *exquiſita in ſermone, quæ.de frac.com.2°.* 7ª.240.D
Diligentię filiorũ principũ à rectoribus eſt formido.de pcog. 4ª.219.D
DILVTVM *quo modo fiat.2°.de alim.fac.* 2ª.18.C
Dilutum fit valentius cũ vinaceis aſſeruatum fuerit ad ver aut ad æſtatem.2°.de alim.fac. 2ª.18.D
Dilutum ſecundum.2°.de alim.fac. 2ª.18.C
Dilutum & non dilutum idem medicamentum varia facit.2°.de comp.medica.per gen. 5ª.225.C
Diluta temperatura.4°.de comp.me.ſec.loc. 5ª.155.C
DIMENSIONES *corporis tres ſunt.de pul.ad tiro.* 4ª.43.D
Dimenſiones tres habent arteriæ vt alia corpora.de diff.pulſ. 4ª.47.C
Dimenſione vna diſtenſa aliæ minuuntur.1°.de nat.fac. 1ª.292.B
DIMIDIVM *facti qui bene cœpit habet.5°.meth.me.* 7ª.42.E
ad *Dimidium ebullit.5°.comp.me.ſe.lo.163.D/7°.* 5ª.178.H
ad *Dimidiũ coctio.5°.de cõp.me.ſe.lo.163.D/7°.181.G/9°.* 5ª.203.F
DIMINVTIO *quid.1°.de nat.fac.* 1ª.290.H
Diminutio vocis vnde fiat.de voce, & anhel. Sp.60.H
Diminutio partium à quibus cauſis fiat.de cau.morb. 3ª.9.D
in *Diminutis et fractis diuerſa deligatio.d ijs q̃ ĩ med.fi.cõ.3°.* 7ª.221.F
Diminuta purgatio quo mõ ſit adiuuãda.præſag.exper.confir. Sp.78.D
DIMOTIO *quid in oſſibus.de fract.com.3°.* 7ª.248.E
Dimotio omnis eſt euacuatio.14°.meth.me. 7ª.89.A
Δῖνος, ideſt vertigo.de vict.rat.in morbis acutis, com.4°. 7ª.139.D
DINOTATIO *eſt de præſentibus.in prognoſt.com.1°.* 4ª.190.H
DIOBOLARES *paſtilli.7°.de comp.med.ſec.loc.* 5ª.185.B
DIOCLES *Caryſtius, princeps ſectæ rõnalis poſt Hipp.int.* Iſa.51.D
Diocles auctor gymnaſticæ legitimæ.ad Thra. 2ª.108.A
Diocles medicus grauiſſimus.8°.de decr.Hippo. 1ª.276.B
Diocles artem corpori præſidem totam callebat.ad Thra. 2ª.108.A
Diocles medebatur humanitate.9°.de decr.Hipp. 1ª.281.H
Dioclis meminit.de artic.com.4°. 7ª.288.H
Diocles primus poſteritati reliqt libros anatomicos.2°.d an.ad. 1ª.68.F
Diocles antiquus ſcriptor anatomiæ.2°.de nat.hum. 7ª.183.E
Diocles librũ fecit de mulierũ morbis.in 6^{m}.de mor.vul.c.2°. 3ª.169.E
Diocles librum fecit de ſeptimanis.com.2°.aph.34°. Ex.17.C
Diocles vtitur calido, frigido, humido, ſicco, alijs veluti agentibus, alijs veluti patientibus.2°.de nat.fac. 1ª.299.G
Diocles de medicamentis locutus eſt.6°.de ſimp.me.fac. 5ª.39.H
ſm *Dioclem alica eſt ptiſſana triticea.1°.de alim.fa.* 2ª.10.H
apud *Dioclem Dolichi ſunt phaſeoli.1°.de alim.fa.* 2ª.15.B
ſm *Dioclẽ reſpir° ẽ ĩnati caloris vẽtilatio, ac refrigeratio.d vti.* 1ª.223.C
Diocles voluit ſudorem non eſſe naturalem.de ſymp.diff. 3ª.13.H
Diocles ignorauit vaſorũ ſẽialiũ coniũctionẽ in muliere.de diſſ. 1ª.109.C
Dioclis ad dentium dolores.5°.de comp.me.ſec.loc. 5ª.165.C
Dioclis Chalcedonei medicamentum.7°.de compo.me.ſec.loc. 5ª.184.F
DIOCLEVM *collyrium.4°.de comp.me.ſec.loc.* 5ª.154.F
DIOCLEVS *tholus quo modo fiat.de faſcijs.* 7ª.295.F
DIODORVS *grammaticus.de venæ ſect.aduer.Eraſ.* 6ª.14.G
Diodori malagma.10°.de comp.med.ſec.loc. 5ª.209.D
Diodori medicamentum.9°.de comp.me.ſec.loc. 5ª.199.C
Diodori medicamentum.5°.de comp.med.per ge. 5ª.254.E
DIOGENES *Babylonius ſcripſit de anima.2°.de dec.Hippo.* 1ª.237.B
ex *Diogene Babylonio, vox vnde emittitur.2°.de decr.Hipp.* 1ª.237.C
DIOGENES *cynicus vir alioqui continentiſſimus, quomodo libidini indulſit.6°.de loc.affe.* 4ª.39.H
Diogenes de natura ſcripſit, ſed ad Galeni manus non peruenit liber.in 6^{m}.de morb.vul.com.2°. 3ª.169.E
Diogenes cynicus motũ negãtes quo modo deludebat.d cau.pc. 3ª.97.G
Diogenes animæ præcipuam partem in cordis arterijs ponit vna cũ ſpiritu qui ad pulmonem deſcendit.de hiſt.philo. Sp.9.F
vt *Diogenes medicamentum.9°.de comp.med.ſec.loc.* 5ª.205.B

DIOMEDES *vir ſtrenuus.de cogn.cur.ani.mor.* 2ª.51.F
DION *menſis Macedonum.in* 1^{m}*.de mor.vul.com.*1°. 3ª.102.C/D
DIONYSIAS *ſpecies androſæmi.*6°*.de ſimp.med.fac.* 5ª.43.A
DIONYSISCI *quid.fin.med.* Iſa.49.A
DIONYSIA *dicta emplaſtra.*6°*.de comp.med.per ge.* 5ª.262.C
DIONYSIVS *methodicæ ſectæ auctor.introd.* Iſa.51.D
*Dionyſius Samius.*4°*.de comp.med.per genera.* 5ª.244.A
Dionyſius quos in obſcuris ſeruauerat, in domo ſplẽdidiſſima obcęcabat. 10°*.de vſu part.* 1ª.178.H
DIONYSIVS *obſtrictus Corinthi.in or.ſuaſo.* Iſa.2.F
DIOPHANTHVS *chirurgus.*5°*.de comp.med.per gene.* 5ª.249.B
*Diophantis aphra emplaſtrum.*2°*.de comp.med.per gene.* 5ª.222.E
*vt Diophantus Lycius colica, quam admiratus eſt Ariſton.*9°*.de comp. med.ſec.loc.* 5ª.202.C
DIORISMI *qui.de vict.ra.in mor.acut.com.*1°. 7ª.111.A
DIOSPHYRA *exiguum habent alimentũ.*2°*.de alimen.fac.* 2ª.22.B
DIOSCORIDIS *Anazarbei meminit.aduerſus Lycum.* Ex.63.G
*Dioſcorides ſcriptor ſimplicium.*1°*.de antidotis.* 5ª.100.B
Dioſcorides, Philiſtion, & Euriphon, de ſubſtitutis medicinis ſcripſere. de ſubſti.med. 5ª.84.H
*Dioſcoridẽ probat in medica materia ſcribenda.*1°*.de antidotis.*5ª.105.F
*Dioſcorides laudatur à Galeno.*6°*.de ſimp.med.fac.*39.G/4°*.de comp. medicamen.per gen.* 5ª.236.C
*Dioſcorides veriſſime ſcripſit vbi optĩa ſit medicamª.*1°*.đ ant.* 5ª.100.C
*Dioſcorides verſatus ẽ ĩ medicamẽtis metallicis.de na.hu.c.*2°.7ª.183.E
*Dioſcorides haud ꝓbe callẽs linguã Græcã.*11°*.de ſimp.med.fa.* 5ª.79.D
*Dioſcorides, ꝙ indeterminate loquatur de ſimplicibus reſpectu morborum.*7°*.de ſimp.medicam.facul.* 5ª.52.C
Dioſcoridi non fidendum, cum medicamentis indefinitis non ſit fidẽdum. 3°*.de comp.med.ſec.loc.* 5ª.142.C
*Dioſcorides exacte non diſcriminat diſpoſitiones, quibus conueniunt ſimplicia.*8°*.de ſimp.med.fa.* 5ª.58.H
*Dioſcorides de ſimplicibus egit ſecundum genus, & non exquiſite.*2°*.de compo.med.per genera.* 5ª.195.F
non vt Dioſcorides, ſed vt Galenus ſcripſit, cognoſcenda ſunt ſimplicia. 2°*.de compo.medicam.per gen.* 5ª.218.F
*Dioſcoridem in butyro taxat Galenus.*10°*.de ſimp.med.fac.* 5ª.74.C
*Dioſcoridem taxat in cinere.*8°*.de ſim.med.fac.* 5ª.62.C
*Dioſcoridem damnat in lachene Galenus.*7°*.de ſimp.med.fac.* 5ª.54.B
*Dioſcoridem reprehendit in prunis Damaſcenis & in coriandro.*7°*. de ſimp.med.fac.*51.H/ 5ª.52.C
*contra Dioſcoridem Galenus in reſinis.*3°*.de cõp.me.per gene.*5ª.230.D
*Dioſcoridis error.*5°*.de ſimp.med.fac.* 5ª.35.G
*Dioſcorides & empiricus & indefinitus.*1°*.de com.med.ſe.lo.* 5ª.129.C
*Dioſcorides pro acri adſtrictorium dixit.*11°*.de ſimp.med.fac.* 5ª.79.D
*Dioſcorides Tharſcus tradidit Areo Aſclepiadeo pharmacum.*5°*.de cõpoſi.medic.per gen.* 5ª.254.E
*Dioſcoridis epuloticum ad chironia.*4°*.de com.med.per gene.* 5ª.239.D
*ſm Dioſcoridem gleucini confectio.*7°*.de comp.medi.per gene.*5ª.272.G
*Dioſcoride hypogloſſis.*7°*.de compo.med.ſec.loc.* 5ª.181.D
*Dioſcoridis medicamentum.*7°*.de comp.med.per gen.* 5ª.265.B
*Dioſcori antidotus hepatica.*8°*.de comp.med.ſec.loc.* 5ª.195.A
DIOSCORIDIS *æditio librorum epidimiorum Hippocratis. in* 3^{m}*.de morbis vulgaribus, com.*1°. 3ª.133.C
Dioſcorides ſcripturas veteres ꝑuertit.in 6^{m}*.de mor.vul.cõ.*1°.3ª.152.D
DIOSCVROS *quid.fin.med.* Iſa.48.H
DIOSPOLITICI *medicamẽti cõpõ dupl', & q̃.*4°*.de ſan.tu.*2ª.85.A
*Dioſpoliticon medicamentum ponitur in cremore ptiſſana & in alijs.*4°*. de ſanitate tuenda.* 2ª.85.A
*Dioſpoliticon medicamentum aptum frigido ventriculo aut temperato, ſed ad frigus propenſiori.*6°*.de ſanitate tuenda.* 2ª.99.D
*Dioſpoliticon purgat pituitã in vẽtrẽ defluẽtem.*6°*.de ſa.tuen.* 2ª.99.D
*Dioſpoliticon pro pituita in ventriculo.*1°*.de arte cur.ad Glau.*7ª.99.D
*Dioſpoliticon optimum ad flatus.*4°*.de ſan.tuen.* 2ª.85.B
*Dioſpoliticum in quartanis.*1°*.de arte cur.ad Gla.* 7ª.97.F
*Dioſpoliticon medicamẽtũ q̃uo aluũ deijcere faciat.*4°*.de ſa.tu.*2ª.86.D
*Dioſpoliticon leuiter deijcit.*6°*.de ſanitate tuenda.* 2ª.97.H
DIOTAS *Iatraliptes.*7°*.de comp.med.ſec.loc.* 5ª.186.B
DIPHRIGES*, quid.de ſimp.med.* Sp.83.D
*Diphrigem, ex Cypro Galenus aſportauit.*1°*.de antidotis.* 5ª.100.C
*Diphriges qualis.*9°*.de ſimp.med.fac.*5ª.69.A/4°*.de compo.medica. per genera.* 5ª.236.E
*Diphriges adſtringens noxium deuoratum.*13°*.meth.med.* 7ª.85.C
Diphriges in modum niuis refrigerat.de ſimp.med. Sp.83.D
Diphriges viſcidiſſime ſtringere poteſt.de ſimp.med. Sp.83.D
*Diphriges medicamentum mite.*4°*.de com.med.per genera.* 5ª.238.G
*Diphriges exiccat plus pice.*4°*.de comp.me.per ge.* 4ª.240.H
*Diphriges cõbuſtum cicatricẽ inducit ꝑ accñs.*5°*.de ſim.me.fa.* 5ª.36.D
*Diphriges poſt cadmiam repertus ad putreſcentia oris vlcera valet, ad anginam, ad columellam præſectam, & in vlceribus omnibus pudendorum atq; ani.*9°*.de ſimp.med.fac.* 5ª.69.A
*Diphriges vlcerum rebellium eſt optimum medicamentum.*9°*.de ſimp. med.fac.*69.A/2°*.de com.me.per genera.* 5ª.220.H
*Diphriges ad oris vlcera valet.*5°*.meth.me.* 7ª.34.H
*Diphriges vt argenti ſpuma lauatur.*1°*.de comp.med.per gene.* 5ª.213.E
*Diphriges pro alumine ſciſſili.*4°*.de comp.med.per gen.* 5ª.237.E
DIPLOE. 5°*.meth.med.* 7ª.42.A
DIPSACOS *quæ affectio.*6°*.de locis affectis.* 4ª.37.F
*Dipſacon raro vidit Galenus.*6°*.de locis affectis.* 4ª.37.F
*in Dipſacon incurrere poſſunt ſiti infeſtati.*6°*.de loc.affe.* 4ª.37.B
DIPSACI *radix in ſicci ſecundo.*6°*.de ſimp.med.fac.* 5ª.46.C
DIPSAE *viperæ ſpecies.*1°*.de ſymptom.cauſis.* 3ª.18.D
*Dipſades cur dictæ viperę.*11°*.de ſimp.med.fac.* 5ª.78.B
contra Dipſadas valet theriaca.de theria.ad Piſo. 5ª.91.E
*Directũ duobus dicitur modis.de ijs quæ in medic.fiunt, cõ.*1°. 7ª.202.E
*ꝑ Directũ fieri debere euacuationẽ q̃uo intelligẽdũ.*3°*.de criſ.* 4ª.139.E
*ſecundum Directum ſanguis fluere debet.*3°*.de criſi.* 4ª.144.F
*Dirigenda ſunt diſtorta.de ijs quæ in med.fiunt, cum.*2°. 7ª.213.F
pro DISCENTIVM *natura anni diſciplinę multi ac pauci redduntur.de præcogn.ad Poſthu.* 4ª.220.B
Diſcendi facilitas oſtendit cerebri ſubſtantiam facile formarum ſuſceptiuam.ars med. Iſa.63.E
Diſcendi difficultas oſtendit cerebri ſubſtantiam non facile formarum ſuſceptiuam.ars med. Iſa.63.E
*ad Diſcendum hebetes aliud quid agant.*3°*.de diff.reſp.* 3ª.70.G
Diſcere linguam vnam ornatiſſima melius eſt q̃ ſexcentas deprauatas. 2°*.de differ.pulſ.* 4ª.54.H
*Diſcendæ ſunt vel minimæ artis medicæ partes.de part.ar.me.*Sp.16.G
*Diſcere à viua voce & libro non idem.*6°*.de com.me.ſe.lo.* 5ª.166.G
*Diſcere indiget tempore.*3°*.de diff.reſp.* 3ª.69.C
*Diſcentium animi quo modo probentur.com.*1°*.aph.*1°. Ex.2.D
*cum Diſcere volente & ſciente vno potius agendum, q̃ cum mille oppoſitis.*1°*.de dign.pul.* 4ª.70.G
Diſcentes ſero pugnantia dicunt.in 3^{m}*.de morb.vul.com.*1°. 3ª.130.D
*Diſcere erubeſcunt nutriti in mala ſcientia.*7°*.meth.med.* 7ª.52.B
*Diſcentes non ſentimus aliquẽ motũ in corde.*2°*.de decre.Hip.*1ª.239.G
*Diſcentem credere oportet.*1°*.de dieb.decr.* 4ª.147.D
*ad Diſcer̃ volẽtes et cõtradicẽtes q̃d dicer̃ ſolebat Ga.*3°*.de cri.*4ª.142.B
DISCEPTATORIAE *ſciẽtię multę.*2°*.de dec.Hipp.* 1ª.240.A
*Diſceptatorię ſcientiæ, quæ.*2°*.de decre.Hipp.* 1ª.240.A
DISSERENDI *ratio acuit animum.de cuiuſq; ani.pec.no.* 2ª.56.F/G
DISCERNENS *morbos medicæ rei pars in quibus exercenda. de ijs quæ in med.fiunt, com.*1°. 7ª.198.H
*Diſcernendum prius, poſtea curãdũ.de ijs quæ in med.fi.cõ.*1°.7ª.197.G
Diſcernit humores natura poſt coctiones & ſuperfluitates expellit.commentario 1°*.aphor.*22°. Ex.10.C
DISCERPTIO.*i.τίλμα, quid ſit.de ijs quæ in me.fi.c.*1°. 7ª.219.C
DISCIPLINE *ſunt rerũ recordationes.de ther.ad Piſo.* 5ª.89.H
*Diſciplina fit breuiſſimo tempore.*1°*.de dieb.decre.* 4ª.147.C
Diſciplinæ anni multi ac pauci redduntur pro diſcentium natura. de præcogn.ad Poſth. 4ª.220.B
*Diſciplinas didiciſſe à pueritia & eſſe ingenioſum præſtat ad artes addiſcendas.*2°*.de comp.med.ſec.loc.* 5ª.134.H
*Diſciplinæ ordo, qui.*4°*.de anat.admi.* 1ª.79.G
*Diſciplina omnis vnde initium habere debet.*4°*.de diff.pulſ.* 4ª.68.A
Diſciplinas quid ſequitur, qualis ſit.de conſuet. 2ª.61.F
Diſciplinę pariunt virtutem, & abolent vitia. ꝙ animi mores. 1ª.321.B
Diſciplinarũ pulcherrima cur negligũtur.de præco.ad Poſth. 4ª.213.G
Diſciplinas ſcimus quando illis vtimur.de ther.ad Piſo. 5ª.90.A
Diſciplina experimentalis, quę.de ſubfi.emp. Iſa.31.E
*Diſciplina mixta in cõponẽdis medicamẽtis.*2°*.de cõ.me.per g.*5ª.218.D
propter Diſciplinas & meditationem orta ephemera, quo cognoſcitur. 2°*.de criſi.* 4ª.138.E
DISCIPVLI *qui volũt exerceri q̃uo debeant.*1°*.de ſimp.fac.* 5ª.9.C

Diſcipulis probanda ſunt quæ dicuntur à præceptoribus.de cuiuſq; animi pec.not.atq; med. 2ª.57.B
Diſcipulus Herophilus Praxagoram redarguit prǽceptorem. de palpe. trem.conuulſ.& rig. 3ª.51.C
DISCISSVM, *& diuiſum q̃uo differant.com.6°.apho.19°.* Ex.48.B
Diſciſſa verbum quid apud Hippo.ſignificet.com.6°.aph.18°. Ex.47.H
q̃n Diſciſſum fuerit os, vel chartilago, vel neruus, vel maxilla tenuis, vel præputiũ,neq; augetur,neq; coaleſcit.cõ.7°.apho.20°. Ex.55.H
DISCOLORATIONES *fiunt patiente hepate.de virt.noſtrum corp. diſp.* Sp.60.B
ad Diſcoloratas poſt partum.de med.fac.parab. 7ª.169.A
DISCRETIONES *in quaq; arte proprium à communi ſecernere conantur.3°.methodi medendi.* 7ª.18.D
Diſcretione elaboramus cibum aſſumptum virtute proueniente ex hepate.de virt.noſtrum.corp.diſpen. Sp.60.B
DISCRIMEN, *eſt ventriculum tantum.de faſcijs.293.H/* 7ª.295.F
DISCRIMINATIO *quid ſit in tibia.de fract.com.2°.* 7ª.236.F
*Diſcriminationes neruoſæ ſunt in corde.de decre.Hipp.& Pla.*1ª.233.E
DISCVMBENTES *quam formam habeant corporis.2°.de motu muſculorum.* 1ª.314.D
DISCVNEATIO *quid.de fract.com.3°.* 7ª.247.B
DISCVRSVS *eſt de re imaginabili.de hiſt.philo.* Sp.9.B
DISCVM *iactandi locus in vrbe.2°.de ſanit.tuen.* 2ª.69.E
Diſci iactus eſt exercitatio.2°.de ſanitate tuenda. 2ª.73.G
Diſcum mittere eſt vehemens exercitatio.2°.de ſanita.tuenda. 2ª.74.G
per Diſcos exercitia quid mali fecerint.de par.pi.exer. 2ª.49.G
DISCVSSORII, *& colliquatiui morbi,qui.in 6ᵐ.de morbis vulgaribus,commen.3°.* 3ª.176.E
*Diſcuſſoria omnia ſunt facultate calida.1°.de comp.me.ſec.loc.*5ª.221.F
*Diſcuſſoria virtute præpollent digerẽtia.6°.de cõp.me.per ge.*5ª.260.H
Diſcuſſorijs ſolis aut ſolis repercuſſorijs raro indiget affectio. 6°.de compoſi.medic.ſec.loc. 5ª.173.C
Diſcuſſorij non recte ſine diſcrimine iunguntur adſtringentia acerba repellentia.6°.de comp.med.ſec.loc. 5ª.176.A
Diſcuſſoria parabilia moderata.6°.de comp.med.ſec.loc. 5ª.169.F
Diſcuſſoria parabilia fortiora.6°.de compoſi.med.ſec.loc. 5ª.169.G
Diſcuſſoria parabilia fortiſſima.6°.de compo.med.ſec.loc. 5ª.169.G
*Diſcuſſoria & calida nõ adhibẽda eryſipelati.6°.de cõ.m.ſe.l.*5ª.176.H
Diſcuſſoria pauperum.6°.de comp.med.ſec.loc. 5ª.169.D
Diſcuſſoria & rarefacientia olea.9°.de comp.med.ſec.loc. 5ª.197.E
Diſcuſſoria medicamenta.6°.de com.med.ſec.loc. 5ª.168.F
Diſcuſſoria Damocratis.6°.de comp.med.per gen. 5ª.262.D
Diſcuſſorijs vtimur ad indurata.6°.de comp.med.ſec.lo. 5ª.175.G
Diſcuſſorijs q̃n vti debemus in achoribus.1°.de cõp.me.ſec.lo. 5ª.130.B
Diſcutiuntur facile humores vitioſi mollibus corporibus.1°.de compoſi.med.ſec.loc. 5ª.121.F
DISCVTIVNTVR *quæ materiæ cito, & quæ tarde. in 1ᵐ. de morbis vulgaribus,com.1°.* 3ª.104.G
Diſcutere inflationes poteſt cucurbitula.de cucur.ſcar. 6ª.3.F
Diſcutientia medicamenta.intr. Iſa.58.A
Diſcutiunt calida,& quæ ſit. 3°.de comp.med.ſec.loc. 5ª.147.F
Diſcutientia calfacientia.1°.de comp.med.ſec.lo. 5ª.130.A
*Diſcutiũt trahentia,& diſcutiẽtia trahũt.6°.de cõp.me.ſe.lo.*5ª.260.H
Diſcutientia quæ exigue adſtringunt.5°.de compo.med.ſec.loc. 5ª.159.B
Diſcutientia generoſe.6°.de comp.med.ſec.loc. 5ª.169.D
*Diſcutit,incidit,& repercutit acetũ.1°.de compo.med.ſec.loc.*5ª.128.H
ad Diſcutiendum melior argenti ſpuma quàm molybdęna.1°.de compoſ.med.per genera. 5ª.213.G
*Diſcuſſoria multum cucumeris radix.1°.de compo.med.ſec.lo.*5ª.130.A
Diſcuti inflationes cucurbitula.de hirud.reuul.cucur.& ſcar. 6ª.2.F
Diſcutit multum lolium.1°.de comp.med.ſec.loc. 5ª.376.A
Diſcutit citra adſtrictionem,& reſiccat humores myrrha. 4°. de comp.med.ſecundum locos. 5ª.151.D
Diſcutit oleum dulciſſimum & magis inueteratum & ſicyonium.2°. de compo.med.ſec.lo. 5ª.137.D
D iſcutit plantago.de rem.par.fac. 7ª.155.E
Diſcutit ſal cum pauca adſtrictione.6°.de comp.med.ſec.loc. 5ª.173.E
*Diſcutit maxime verbenaca recta viridis.2°.de com.med.ſe.lo.*5ª.137.D
*Diſcutiens medicamentum citra morſum.1°.de com.med.ſe.lo.*5ª.130.A
Diſcutiens ſine morſu medicamentũ.1°.de comp.med.per ge. 5ª.216.G
ad Diſcutiendum bronchocelen.6°.de comp.med.per ge. 5ª.261.B
Diſcutiens callos.5°.de compoſi.med.per ge. 5ª.248.C
Diſcutiens duritias.6°.de compo.med.per genera. 5ª.262.H
Diſcutientia liuidas & duras partes non ſanant eryſipelata.6°.de com.med.ſecundum locos. 5ª.176.H
Diſcutiens meliceridas.6°.de compo.med.per genera. 5ª.261.D
ad Diſcutiendum pus.6°.de comp.med.per genera. 5ª.261.D
ad Diſcutiendum ſtrumas.6°.de com.med.per genera. 5ª.261.B
Diſcutientia Aſclepiadis.6°.de comp.med.per gen. 5ª.262.A
DISDIAPASON. *4°.methodi medendi.* 7ª.24.C
DISIVNCTIVIS *coniunctionibus quomodo ſit vtendum, collige.de ſymp.diff.* 3ª.10.F
*Diſiũctiua cõiunctio nõ ſubdiſiũctiua ĩ q̃bus ĩtelligẽda ẽ.de mult.*3ª.78.C
in DISLOCATIONIBVS *cum vlcere veratro vtitur. de articu. comment.4°.* 7ª.285.A
*ĩ Dislocatiõibus cũ vlcer̃ cur valet beta et tuſſilago.d̃ ar.c.4°.*7ª.285.E
in Dislocationibus cũ vlcere,ſi hibernũ tempus ſit, lanæ ſordidę ex oleo & vino tepido imponẽdæ,ac deſup irrigãdũ.de art.c.4°. 7ª.285.F
Dislocatam vuulam curat ſuccus centaureæ.de vir.cen. Sp.93.D
DISPENSATIONIS *& generationis principium non eſt idem. de fœt.for.* 1ª.325.A
DISPEPSIA *quid.de ſymp.diff.* 3ª.12.D
DISPERSO *atq; diſtracto cõtrariũ eſt q̃d aſtrictũ eſt,& in ſeipſum cõtractũ, & ſimul totũ,græce ἀθρoόν nõiatur.cõ.7°.apho.35°.*Ex.56.F
Diſperſi morbi,qui.in 1ᵐ.de mor.vulg.com.1°. 3ª.101.F
Diſperſi morbi,quando fiant.in 1ᵐ.de morb.vul.com.1°. 3ª.103.B
DISPLICENT *qui ſibi, ſunt extra cœtum eorum, qui ſunt ſecundum naturam.8°.methodi medendi.* 7ª.54.H
DYSPNOEAE *ex ſtomachi vitijs duplici ratione proueniunt & earũ cauſæ.1°.de ſymp.cauſ.* 3ª.18.F
quo DISPONATVR *ſperma in vtero.de cõpag.mem.* Sp.59.E
DISPOSITIO *optima idem cum conſtitutione,habitudine,habitu,& natura optimis.de op.noſt.corp.conſt.* 1ª.37.H
Diſpõnes corporũ diſſimiles ac multiformes ſunt.1°.de diff.feb. 3ª.32.E
Diſpoſitiones conſentientes corporum læduntur facile, renitentes difficulter.1°.de diff.feb. 3ª.32.D
DISPOSITIO *præter naturã eſt nomẽ antiquũ.de dif.mor.* 3ª.2.C
Diſpoſitio eadem quo modo dicitur ægra & neutra ars med. Iſa.67.G
à Diſpoſitionibus & cauſis exercitatio quo mõ.2°.de loc.aff. 4ª.8.D
Diſpoſitionem docent ſymptomata.1°.de loc.affect. 4ª.6.A/B
Diſpoſitionũ notitia accipitur à præſidijs intellectis.1°.de lo.aff. 4ª.5.G
Diſpoſitionis indicium eſt ſtupor non loci affecti.2°.de lo.affe. 4ª.8.D
Diſpoſitio quædam permanens quædã adhuc fiens.1°.de lo.affe. 4ª.4.A
Diſpoſitione permanente permanet affectio cauſa efficiente quieſcente. 3°.de locis affectis. 4ª.17.B
Diſpoſitionem permanentem nondum habet pars lęſa per conſenſum.2°. de locis affectis. 4ª.14.D
Diſpoſitio præter naturam remanet in corporibus in morbis intermittentibus,à qua ſecundum circuitus aliæ febres & ægritudines generantur.com.4°.apho.63°. Ex.34.C
Diſpoſitio propria,quæ.1°.de loc.aff. 4ª.3.F
q̃n Diſpoſitio aliqua ſimilis inflãmationi,aut eryſipelati,aut duro tumori,aut cancro poſſit contingere.com.5°.aph.57°. Ex.43.E
Diſpoſitio circa ventrem ſiue frigus, ſiue aliqua inæqualis intemperies circa ipſum fuerit,ſiue flatuoſus ventus,ſiue acritudo quædam mordax,in longum extendi non poteſt, ſi omnia circa ægrum opportune fiant.com.7°.apho.22°. Ex.55.E
Diſpoſitio ſcirrhoſa ſine febre euenit.2°.de loc.aff. 4ª.12.H
Diſpõnes raro euenientes negligũt expimẽtatores.2°.de loc.aff. 4ª.15.B
Diſpoſitio mala in membro contracta facit vlcera inſanabilia. commentario 6°.apho.45°. Ex.51.E
DISPVTATIO *logica & ſophiſtica,quæ.9°.me.me.* 7ª.58.C/D
Diſputatio logica non medica.1°.de loc.aff. 4ª.3.C
Diſputandum non eſt contra eos, qui in principijs ſtatim falluntur. 1°.de natur.facul. 1ª.295.A
Diſputare cũ adoleſcente eſt infra dignitatẽ ſenioris.de ve.ſec. 6ª.10.A
Diſputant contumelijs ſophiſtæ.2°.de diff.pul. 4ª.53.D
Diſputationes friuolæ quibus vtebantur medici tempore Galeni. 4°. de anato.admini. 1ª.79.H
Diſputatio de natura rerũ parũ cõfert vitæ hũanæ.de hiſt.philo. Sp.2.B
in Diſputationibus omnes ſua adſtruunt, & aliena reprehendunt. de libris prop. Iſa.13.E
qui in Diſpututionibus fatigati ſunt,prõpte ad omnia annuunt, in proœmio.commen.7°. Ex.53.H

in Diſpu-

in Diſputatione quando nullus finis.2°.met.med. 7ª.12.A
cur DIRVMPVNTVR iterum q̃nq; cicatrices.cõ.6°.ap.45°.Ex.51.F
Diſruptio in oſſe.de conſt.ar. Iſa.37.D
DISSECTIO quæ dicitur.de cauſ.morb. 3ª.9.F
ex Diſſectione corpus hominis innoteſcit.de con.ar. Iſa.36.G
Diſſecandi ratio, vt videatur in fœtu, per quam viam vrina exeat.15°.de vſu partium. 1ª.212.D
per Diſſectiones probatur partem dexteram eſſe calidiorem ſiniſtra. in 6ᵐ.de morbis vulgaribus, com.2°. 3ª.169.F
in Diſſectionibus viſendis diu verſari oportet.1°.de anat.adm.1ª.64.G
Diſſectionem partium calleat neceſſe eſt, qui vult plethoram cognoſcere. de mult. 3ª.78.C
Diſſectionem qui medici expectare noluerunt, ſed ex conſequutione ita eſſe arbitrati ſunt, errauerunt.de decre. Hippo.& Plat. 1ª.234.A
Diſſecari propter quid non poteſt animal longo tempore mortuum.1°.de anato.admini. 1ª.65.E
Diſſecuit capram grauidam & viuentem Galenus.in 6ᵐ.de morbis vulgaribus, commen.5°. 3ª.189.E
Diſſecuit Pelops linguam bubulam, Galenus ſimiæ.de muſc.diſ.1ª.46.E
de Diſſectione muſculorum qui ſcripſerint.de muſ.diſſ. 1ª.44.B
de Diſſectione muſculorum accuratius egit Marinus, quàm aliȷ.de muſculorum diſſectione. 1ª.44.B
de Diſſectionibus muſculorũ Lyci liber cur ꝓlixius.de muſ.diſ. 1ª.44.C
Diſſecuiſſe optime muſculos creditus eſt Lycus.de muſ.diſſ. 1ª.44.D
Diſſectio muſculorum Pelopis, & Lyci, & Aeliani in pretio iure habita eſt.de muſc.diſſ. 1ª.44.B
de Diſſectione muſculorum cur ſcripſerit Galenus.de muſc.diſſ.1ª.44.C
in de Diſſectione muſculorum libro Galenus ea ſola quæ apparent, traditurus eſt.de muſc.diſſ. 1ª.44.C
de Diſſectione muſculorum nemo ſcripſit, qui non ſit reprehendendus. de muſ.diſſ. 1ª.44.B
Diſſecandus muſculus intra cubitũ primus omniũ.de muſc.diſſ.1ª.48.G
Diſſectio muſculorum laryngis, qualis.de voc.inſtr.diſſ. 1ª.106.H
Diſſectionem muſculorum in ſimia exercet.de muſc.diſſ. 1ª.44.D
in DISSENTIENTIBVS, & conſentientibus indicationibus, quo modo victus ratio ordinanda.8°.meth.med. 7ª.55.A
Diſſenſio ignorantiæ ſignum.contra Iul. Ex.68.C
DISSIDENTIA quæ ſint.de his quæ in med.fi.com.3°. 7ª.219.G
Diſſidentia compagũ capitis in ſuturis contingit. de his quæ in medicatrina fiunt, com.3°. 7ª.222.F
DISSIMILARES res q̃uo eſſe dicantur.1°.de loc.affe. 4ª.4.D
Diſſimilares partes quæ ſint.7°.methodi medendi. 7ª.44.H
in Diſſimilaribus functionum cauſæ, quę.1°.de ſani.tuenda. 2ª.64.D
Diſſimilia ſimilia, proprium commune, idem diuerſum, conſiderare, eſt vnum & idem.9°.de decre.Hippo. 1ª.281.H
Diſſimile ſibi erit quod inæquale eſt.de faſcijs. 7ª.293.E
Diſſimilia non poſſunt inter ſe mutari, niſi factis prius multis intermedijs mutationibus.3°.de nat.fac. 1ª.308.C
ex Diſſimilibus quo modo ſimilitudo fiat vna.in 6ᵐ.de morbis vulgaribus, comment.3°. 3ª.174.G/H
Diſſimilia diſgregat calor.de vtil.reſp. Sp.64.A
ex Diſſimilibus & ſimilibus dignoſcere Hippocrates & Plato inuenere.9°.de decretis Hippocratis. 1ª.283.H
à Diſſimilibus quicq̃d perimitur ac corrumpitur.de inæq.intẽp. 3ª.44.C
Diſſimilia iuuant, nocent ſimilia, præterquàm in temperatis, commentario 3°.aphoriſ.3°. Ex.20.E
Diſſimilia ſunt danda quando temperaturam permutare voluerimus. ars med. Iſa.68.G
Diſſimilia, & ſimilia primo in medicina inſpicienda.de ijs quæ in medicatrina fiunt, com.1°. 7ª.197.F
Diſſimilitudo & ſimilitudo enunciatorum inexercitatis errorem exhibent.9°.de decret.Hippo. 1ª.286.C
Diſſimilitudo filiorum parentibus vnde.de hiſt.philoſ. Sp.9.H
Diſſimilitudo vinorum vnde.de hiſt.philoſ. Sp.12.A
DISSIPATVR & digeritur puerorum natura facillime omnium. 9°. methodi medendi. 7ª.60.H
DISSOLVVNT, ac attenuãt cibi ſalſi, & qui ſint.de diſ.cõti.Sp.72.F
Diſſoluit humores corporis calor naturalis.de vict. rat. in morbis acutis, commen.4°. 7ª.140.A
Diſſoluit humiditatem, & concoquit natura.com.4°.aph.57°. Ex.33.F
Diſſoluit corpus ſomnus fortis.de vic.rat.in mor.acu.com.2°.7ª.125.B
Diſſoluit humores calor febrilis.com.6°.apho.40°. Ex.51.A
Diſſoluit corpora auſter.in 1ᵐ.de mor.vulg.com.2°. 3ª.114.A
veluti Diſſolutum in ſeipſo hominem apparere faciunt auſtri. commentario 3°.aphoriſmo 5°. Ex.20.C
Diſſolutiua & aperitiua medicina eſt acuta, & quo modo valeat in oculis.de ocul. 7ª.189.B
Diſſolutiua medicina quid agat in oculis.de ocul. 7ª.189.B
Diſſolutiuum, & maturatiuum medicamentũ in oculo.de ocu. 7ª.190.C
quæ Diſſoluant, & euacuent.1°.de arte cur.ad Glauc. 7ª.100.A
Diſſoluens humores medicamen.de med.exper. Sp.106.B
q̃d Diſſoluat ſanguinẽ congelatũ in ſtõ, & ĩ veſica.de cur.lap. Sp.112.H
Diſſoluens cito naturã & ventoſitatẽ medicamen.de me.exp.Sp.105.A
Diſſoluens & laxans inflationem, & prouocans vrinam medicamen. de med.exper. Sp.105.E
Diſſoluens ventoſitates medicamen.de med.exper.105.F/G/Sp.106.A
Diſſoluens ventoſitates medicina Azariconis.de med.exper. Sp.105.F
Diſſoluẽs vẽtoſitates craſſas medicina Catilinæ.de med.exp. Sp.105.A
Diſſoluens craſſas ventoſitates medicina Socionis.de me.exp. Sp.105.C
Diſſoluens ventoſitates decoctio.de med.exper. Sp.105.D
Diſſoluens ventoſitatem electarium. de med.exper. Sp.105.F
Diſſoluens ventoſitates electarium aſſæ fœtidę.de med.exper.Sp.108.D
Diſſoluit ventoſitatem electarium laccæ magnũ.de med.ex. Sp.107.A
Diſſoluens ventoſitates electarium roſarum.de med.exper. Sp.108.E
Diſſoluentes ventoſitatem ſpecies.de diſſ.cont. Sp.74.G
Diſſoluens emplaſtrum.6°.de comp.med.per genera. 5ª.261.C
eius quod DISSOLVITVR locum ſupplet cibus & potus. de diſſolutione continua. Sp.71.C
Diſſolutos vel ꝓpter euacuationẽ aliquã ſenſibilẽ, vel laborẽ ſuperfluũ, vel inediã cognoſcit nutriri ex pulſus vehemẽti magnitudine, in motibus aũt volũtarijs robur nutritis adiectũ.cõ.2°.apho.18°. Ex.13.G
Diſſoluitur quo modo facultas.de pulſ.ad tiro. 4ª.44.F
Diſſolutæ facultatis à penuria pulſus.4°.de pulſ.ad tiro. 4ª.44.G
Diſſoluitur quibus corpus, illis elleborus dandus.dę victus ra.in morbis acutis, com.4°. 7ª.144.G
Diſſolutio, & de ectus aĩ de vna re dñr.1°.de arte cur.ad Gla. 7ª.98.F
Diſſolutionem antecedit defectus animi.1°.de artte cur.ad Gla.7ª.98.F
Diſſolutio ex humoribus mordicantibus, os ventriculi quo modo curanda.1°.de arte cur.ad Glauc. 7ª.99.C
Diſſolui hoĩem veriſimile eſt, ſi aliqua euacuatio rigorẽ ſubſequatur, quę nullam faciat intermiſſionem febre non deficiente, ægro iam debili, et quia vis imbecillis non poteſt rigoris agitationem ferre, & quia ab euacuatione diſſoluitur.com.4°.aph.46°. Ex.32.H
Diſſolutiones ex magnis euacuationibus curat vinum aqua temperatũ. 1°.de arte cur.ad Glau. 7ª.98.H
ex Diſſolutione ægri periere ex euacuatione in calidis conſtitutionibus. 1°.de arte cur.ad Glauc. 7ª.98.C
Diſſolutiões veniũt ex dolorũ vehemẽtia.1°.de arte cur.ad Gl. 7ª.98.G
Diſſolutum cor quæ roborent.de anato.viuo. Sp.46.E
ad Diſſolutos.10°.de comp.med.ſec.loc. 5ª.208.B
DISTANTIAE quot.de ijs quę in med.fi.com.1°. 7ª.203.A
quæ Diſtant plurimum.8°.de comp.med.ſec.loc. 5ª.193.G
Diſtantiæ & differentiæ faſciarum.de faſcijs. 7ª.293.E
Diſtantia lunæ à terra.de hiſt.philo. Sp.7.D
Diſtantia ſolis à terra.de hiſt.philo. Sp.7.D
DISTANTES in vrinis quid ſignificet.com.7°.aph.33°. Ex.56.D
Diſtãtes vrinæ ſignificant turbationẽ in corpe.cõ.7°.aph.33°. Ex.56.D
DISTEMPERANTIAE latitudo.2°.de temp. 1.18.E/F
Diſtemperantię inæqualis, quæ.de cau.mor. 3ª.8.A
quæ DISTENDVNTVR, replentur.4°.de diff.pulſ. 4ª.64.G
Diſtenduntur arteriæ à robore.1°.de cauſ.pulſ. 4ª.88.A
Diſtenditur lingua in longitudinem non tamen in omnem dimenſionem. de mot.man.& obſc. Sp.68.B
Diſtendi quæ debent partes.de ijs quæ in med.fi.com.3°. 7ª.218.A
Diſtendens ęqualiter laqueus.de laqueis. 7ª.307.H
Diſtendere vbi inæqualiter oportet, laqueus.de laqueis. 7ª.307.C
Diſtenſio quid faciat.introd. Iſa.60.D
Diſtenſis locis impoſitum haſeg cito emollit.de ſimp.med. Sp.85.C
DISTENTIO vnde habeat nomen.com.4°.aph.57°. Ex.33.F
Diſtentio quid fin.med. Iſa.50.D
Diſtentio, græce tetanos, neruorũ conuulſio eſt.cõ.4°.aph.57°. Ex.33.F
Diſtentionem, & contractionem non patiuntur carnoſa, & pinguia mẽbra.in 6ᵐ.de morb.vul.com.1°. 3ª.153.B
Diſtẽtio numeratᷓ iter morbos acutos ſine febre.c.5°.aph.30°. Ex.40.A.

Diſtentio neruorum numeratur inter morbos peracutos.com.1°. aphor. 12°.5.D|com.5°.aph.6°. Ex.37.H
Diſtentio æqualiter ante & retro tendit, ideo non videntur partes conuulſę in ipſa.com.4°.aph.57°. Ex.33.F
Diſtenſio neruorum ſequens ſolam intemperiem eſt ægritudo ſecundum aliquos.de diff.morb. 3ª.3.F
Diſtentio à plenitudine.de opt.ſecta. Iſa.23.B
Diſtentiones fiunt à frigidis immodicis.commen.5°.aph.17°. Ex.38.H
Diſtentio neruorum ſequens inflammationem accidens inflammationis eſt ſenundum quoſdam.de diff.morb. 3ª.3.F
Diſtẽtio aut cõuulſio ab æſtibus fortibus,malũ.c.7°.apho.13°. Ex.54.H
Diſtentiones difficillimæ,quæ.com.7°.apho.13°. Ex.54.H
Diſtẽtio cur fiat in mulieribus ex vtero.in 6ᵐ.de mor.vul.c.1°.3ª.153.B
Diſtentiones non tolerat natura longo tẽpore.com.5°.apho.6°. Ex.37.H
à Diſtentione quicunq; corripiuntur, in quatuor diebus pereunt, ſi vero hos effugerint, ſanantur.com.5°.aph.6°. Ex.37.H
in Diſtentione neruorum capiti pſidia adhibenda.3°.de loc.aff. 4ª.17.B
in Diſtentione neruorum multum ſanguinis mittendum non eſt, cũ opus eſt ſanguinis miſſione.de arte cur.ad Glauc. 7ª.98.B
Diſtentiones mitigat calor.com.5°.apho.22°. Ex.39.C
Diſtentio neruorũ febre ſuperueniẽte ſoluitur.cõ.4°.aph.57°. Ex.33.F
quæ Diſtentio aqua frigida ſanetur, & quõ.com.1°.apho.21°. Ex.39.C
ad Diſtenſiones.8°.de comp.med.ſec.loc. 5ª.193.A
ad Diſtentiones præcordiorum.7°.de comp.med.ſec.loc. 5ª.185.A
DISTENTIO *membranarum oculi affectus.intr.* Iſa.58.D
Diſtentio oculorum quibus ſanetur.13°.meth.med. 7ª.86.C
Diſtentio in capite quid ſignificet.2°.de compo.med.ſec.loc. 5ª.135.H
DISTENTIO *humeri affectus.intro.* Iſa.59.C
DISTENTIO *pulſus quid.2°.de preſag.ex pul.* 4ª.109.F
in Diſtentione pulſus intro trahitur.1°.de cauſ.pul. 4ª.95.A
de Diſtentionis pulſuum differentiis.1°.de præſag.ex pul. 4ª.108.H
Diſtẽtio Princeps par pulſus ad pſagiẽdũ valet.2°.de dig.pulſ. 4ª.75.A
de Diſtentionis quantitate dignoſcenda.3°.de dign.pulſ. 4ª.80.E
Diſtẽtiõis & cõtractiõis ps ĩ pulſu q̃ta nõ ſentiat.1°.de dig.pul. 4ª.74.E
Diſtentionis pulſus dimenſionis non ſemper tantæ ſunt, quantę apparẽt. 1°.de præſag.ex pulſ. 4ª.106.A
Diſtentionis primę partes non ſentiuntur.1°.de diff.pulſ. 4ª.48.E
Diſtentionis principium in pulſu non ſentitur.1°.de dig.pulſ. 4ª.74.H
Diſtentio q̃uo percipiatur in pulſu conuulſiuo.1°.de dig.pul. 4ª.71.G
Diſtentio quorum dicatur magna & parua.2°.de dig.pulſ. 4ª.79.B
Diſtentio in pulſu à tactu ſentitur.1°.de dign.pulſ. 4ª.71.G
in Diſtentione arterię quid tactus patiatur.4°.de dign.pulſ. 4ª.84.E
DISTICHIA *quid.fin.med.* Iſa.48.F
Diſtichia coronæ affectus.intr. Iſa.58.D
DISTINCTIO *ætatum, & anni partium quadrifariam, ſecundum Hippocratem.bre.denot.dogm.Hipp.* 1ª.231.B
Diſtinctio organorum in regalia & ſeruilia.de anat.viuo. Sp.45.B
Diſtinctiones laudat Herophilus.3°.de comp.med.ſec.loc. 5ª.141.G
Diſtinctio ĩ potẽtia & ĩ actu, põt colligi.c.7°.aph.11°.54.G|18°. Ex.55.C
Diſtinctionem per ſeipſum & cum alio, collige.c 7°.apho.6°. Ex.54.D
Diſtinctio ĩ prĩo & p ſeipſum, ẽt p cõpatiẽdi rõne.c.6°.aph.53°. Ex.53.B
Diſtinctione hac, quòd aliquid proprie hoc ſignificat, abuſiue illud, vtitur Galenus.com.4°.aph.76°. Ex.36.E
Diſtinctio per proprie et improprie, poteſt colligi.1°.de diff.pulſ.4ª.47. A|cõ.6°.aph.2°.39.B|aph.21°.48.D|aph.26°.48.G|aph.39°.50.H| aph.67°.45.C|com.7°.aph.15°.55.A|aph.25°. Ex.55.G
Diſtõ ĩ pprie & ſimpľr dictũ & cũ addito, colligit.c.4°.ap.31°. Ex.30.G
Diſtõne, q̃ vtũt recẽtiores, late & ſtricte, vtit Ga.c.2°.ap 46°. Ex.18.G
Diſtinguenda eſt homonymia.1°.de dieb.decr. 4ª.146.H
non Diſtinguunt quandoq; nomina alijs addita, vt quando dicitur ſpina dorſi.com.7°.apho.29°. Ex.56.A
Diſtinguentes acriter & viſcide vires habet ſinapis.de ſim.m. Sp.90.G
DISTORTIO, *& tortio quo modo differant, & quid ſignificent.de ijs quę in med.fi.com.3°.* 7ª.219.G
Diſtortio ĩ latus appellat obſtipitas, & obliquatio.de art.c.3°. 7ª.272.F
Diſtortiones quomodo fiant.de ijs quæ in med.fi.com.2°. 7ª.213.F
Diſtortum membrum quando ſit.de fract.com.1°. 7ª.226.H
Diſtortus in ſupiorẽ partẽ cubitus.de ijs quæ in med.fi.cõ.2°. 7ª.213.H
Diſtortus cubitus in inferiorẽ partẽ.de ijs quę ĩ med.fi.cõ.2°. 7ª.213.G
Diſtorta dirigenda ſunt.de ijs quæ in med.fi.com.2°. 7ª.213.F
Diſtorti diſtortos generant.de aere, aq.& loc. 2ª.4.H
ad Diſtortas corporis partes.10°.de comp.med.ſec.loc. 5ª.207.G
DISTRACTO, *diſperſo, cõtrarium eſt quod adſtrictum eſt, & in ſeipſum cõtractũ, ſil' totũ, græce ἀθρόον noĩatur.cõ.7°.apho.35°.* Ex.56.F
quomodo Diſtrahatur à flatibus natura.de vrinis. 4ª.123.H
DISTRIBVTIO *quid ſit.in tim.Plat.* 1ª.289.E
de Diſtributione alimenti Aſclepiadis opinio.1°.de nat.fac. 1ª.293.H
Diſtributio fit minor à virtute diſtributiua ſi parum bibamus.com.4°. aphoriſmo 83°. Ex.37.B
ad Diſtributionem acetum in alica ponitur.7°.meth.med. 7ª.51.B
non Diſtribuitur faciliter aqua dura & frigida, quando ſubexierit vix à ventre ad ieiunum.de bon.aquæ. Sp.75.G
Diſtributioni noxiæ ſunt vuę acidæ & auſteræ.2°.de ali.fac. 2ª.18.B
Diſtribuer̃ faciũt, & deijcer̃ detergẽtia.q vi.ra.in mor.ac.c.1°. 7ª.111.E
Diſtributionis impedimentum comitatur obſtructionem iecinoris.de bo. & vitio ſuc. 2ª.34.F
Diſtributio neruorum ſextæ coniugationis à cerebro orientium.de muſculornm diſſectione. 1ª.54.B
DISTRIBVTIO *quid in deligatione.de ijs q̃ in med.fi.c.2°.* 7ª.207.C
DISTRICHIASIS *quid.intr.* Iſ.58.G
DIVELLI *quidam dolentes videntur.2°.de loc.aff.* 4ª.12.F
DIVERGERE *quid ſignificat.de art.com.3°.* 7ª.279.D
quàm Diuergere communius eſt iactari.de art.com.2°. 7ª.279.E
DIVERSIO *affectus communis toti palpebræ.intr.* Iſ.58.D
DIVERSIO. *i.ἐκτρεψις quid.de ijs quæ in med.fi.com.1°.* 7ª.203.F
Diuerſio.i.περίῤῥεψις quid ſit.de ijs quæ in med.fi.com.3°. 7ª.214.G
Diuerſio ad contraria fit ſm longitudinem quidem ſupræ & infra, ſm latitudinem vero hinc & inde, hoc eſt à dextris, & à ſiniſtris, ſm altitudinem vero ante, & retro.com.5°.aph.68°. Ex.45.D
Diuertendum ab eodem latere.de rem.par.fac. 7ª.160.F
cum Diuerſione euacuant, com.5°.aph.68°. Ex.45.D
DIVERSITAS *ciborũ, & naturarũ ſcienda eſt.de diſſ.cont.* Sp.71.D
Diuerſi quo modo ſint cibi.de diſſ.cont. Sp.71.D
Diuerſitas ciborũ tpatorũ ĩ craſſum, ſubtile, et mediũ.de diſ.cõ. Sp.73.G
Diuerſitas quorundam ciborum coctorum.de diſſ.cont. Sp.72.E
Diuerſarum aquarum ſapores.de bon.aquę. Sp.75.E
Diuerſitas bonarum & malarum carnium.de diſſ.cont. Sp.74.B
Diuerſitas inſtr̃orum in humano corpore vnde.de anat.par. Sp.43.F
Diuerſa cur ſint organa in homine.de anat.viuo. Sp.47.B
Diuerſitas membrorum ſimplicium.de anat.viuo. Sp.55.G
Diuerſæ ſpecies carnis.de anat.viu. Sp.55.G
Diuerſitas carnis ſecundum colores.de anat.viuo. Sp.55.G
Diuerſitas foraminum à carne ſeparata eſt.de ana.viu. Sp.44.G
Diuerſitates cutis vnde ſint.de anat.viu. Sp.45.C
Diuerſitas colli matricis.de anat.viuo. Sp.51.F
Diuerſi ſunt muſculi pedum natura, & numero ab illis qui ſunt in manibus.de muſ.diſ. Sp.52.F
Diuerſitas oſſium.de anat.viuo. Sp.55.C
Diuerſitas priapi.de anat.viuo. Sp.51.F
Diuerſitas panniculorum, quæ.de anat.viuo. Sp.55.F
Diuerſitas membrorum penes villos.de anat.viuo. Sp.55.H
Diuerſitates plurimæ villorum fortium.de anat.viuo. Sp.46.D
Diuerſitas terrarum, & q̃d ex ipſis hoĩes ſunt diuerſi.de ſper. Sp.40.D
Diuerſæ cãæ pfluuiorũ vẽtris variãt curationẽ.de med.exper. Sp.103.H
Diuerſitas medicamẽtorũ rõne hũorũ & ptiũ corpis.de cathar. Sp.95.A
Diuerſos humores laxans medicamen.de med.exper. Sp.106.A|G
Diuerſos humores laxat electuariũ centaureæ.de med.exper. Sp.107.G
Diuerſos humores laxat electuarium iridis.de med.exper. Sp.105.E
Diuerſitas rationis vinciendi.de faſcijs. 7ª.293.H
Diuerſæ partes quo modo vinciendæ.de faſcijs. 7ª.294.A
Diuerſitates multæ vinculorum.de faſcijs. 7ª.293.H
Diuerſitates vinculorum, & diuerſa nomina.de faſcijs. 7ª.295.A
DIVINANDI *Dei, Apollo, & Aeſculapius.in or.ſuaſo.* Iſa.2.C
Diuinatio an ſit.de hiſt.philoſ. Sp.10.C
Diuinatio quid.fin.med. Iſa.46.A
Diuinatio eſt futurorum.de opt.ſecta. Iſa.23.A
Diuinatione, & aſtrologia tm̃ vtuntur diuites, quantum ad prouidendũ faciat quorum hæredes eſſe debeant.de præco.ad Poſth. 4ª.214.C
Diuinatione vtebantur antiqui.de præco.ad Poſthu. 4ª.214.C
Diuinationẽ medici quidam præſagia putabãt.de cauſ.procatar. 3ª.95.E
Diuinandi cauſam medicis quandoq; dat fortuna.5°.de loc.aff. 4ª.35.B
Diuinatrix ars quid faciat ad rem medicam.de conſt.ar. Iſa.41.F
Diuinatrice arte potius, quam ſcia prænoſcendi, viſus eſt quibuſdam futuræ acceſſionis inſultum coniectura aſſequi Galenus.2°.de differentijs

tijs febrium.3ª.38.B/10°.de ſimp.medica.fac. 5ª.73.E
DIVINAE iuſtitię proprium.11°.de vſu par. 1ª.184.H
Diuinum in morbis quid ſit ſm Galenũ.in prog.com.1°. 4ª.190.D/E/F
DIVISIONIS multa ſignificata.9°.de decre.Hippo. 1ª.286.D
Diuiſionis nomen de quo proprie dicitur, & de quo per translationem. 9°.de decretis Hippocratis. 1ª.286.D
Diuiſio quid.de hiſt.philoſ. Sp.3.D
Diuiſio qbuſdã philoſophis pinde eſt ac reſolutio.9°.de decre. 1ª.286.D
Diuiſionum via à Platone.9°. de arte cur.ad Glauc. 1ª.94.E
Diuiſiua methodus quæ,apud Platonem.9°.de decre.Hipp. 1ª.281.H
Diuidendi ars à Platone in Philebo,in Sophiſta,& in Politico traditur. 1°.methodi medendi. 7ª.4.D
Diuidendi & componendi ars neceſſaria.9°.de decr.Hipp. 1ª.282.A
Diuidendi methodus neceſſaria eſt. 3°. de difficul.reſp. 3ª. 69. H/1°.methodi medendi. 7ª.4.D
Diuidere neſcientes medici cõparãtur malis coquis.2°.met.me. 7ª.13.B
ob. Diuidendi prauitatem medicorum errata contingunt. 1°. de arte cu. ad Glaucouem. 7ª.94.E
de Diuiſionibus librum fecit Eraſiſtratus.de ve.ſec.ad Eraſ. 6ª.10.A
Diuiſionum partes.de hiſt.philoſ. Sp.3.D
Diuiſio alicuius partis vſq; ad vniuerſale.de part.art.med. Sp.18.C
Diuidere in minima & paruos exceſſus obſeruare,ſpectat ad prudentem virum.2°.de dif.pulſ. 4ª.57.F
Diuidendi,& cõponẽdi viã hẽt ſolus dialecticus.2°.de dif.pulſ. 4ª.56.C
in Diuidẽdo,& cõponẽdo qũo exerceri debemus.9°.de decre.1ª.282.A
ꝑ Diuiſionẽ inueniuntur quatuor opiniones de elemẽtis.1°.de ele. 1ª.3.C
ad Diuidẽdũ qduis ab ipſa rei eſſentia nobis inchoãdũ.1°.me.me. 7ª.4.E
Diuiſio prænotionis ſm Hippocratem.bre.den.dogm.Hipp. 1ª.231.D
Diuiſio terræ.de hiſt.phil. Sp.8.C
Diuiſio virtutis motiuæ.de anat.viuo. Sp.44.F
Diuiſio membrorum in ſimplicia,& compoſita.de ana.viuo. Sp.43.F
Diuiſio carnis per villos.de anat.viuo. Sp.55.H
Diuiſio cerebri.de ana.viuo. Sp.53.G
Diuiſio cerebri ſm latitudinem.de anat.viuo. Sp.53.H
Diuiſio ſecundi muſculi capitis.de muſc.diſſ. 1ª.45.D
Diuiſio generis muſculorum,quod colli,ac capitis eſt commune in muſculos octo.de muſc.diſſ. 1ª.45.F
Diuiditur in multas partes tertia neruorũ cõiugatio.de muſ.diß.1ª.53.E
Diuiſiones pulmonis tanquam digiti.de ana.viu. Sp.48.A
Diuiſionis pulmonis in duas partes vtilitas.de anat.viuo. Sp.48.A.
Diuiſio in fruſta digitalis magnitudinis.7°.de cõp.med.ſec.loc. 5ª.181.G
Diuiſio quintus modus ſophiſmatum in dictione.de ſophiſ. Iſ.7.B
ex Diuidentium genere eſt ſecretio.1°.de ſymp.cau. 3ª.16.H
Diuiſio excretionis & vrinæ in factam à natura & a voluntate.de motibus manifeſtis & obſcuris. Sp.68.G
Diuiſio chirurgiæ actio.intro. Iſa.59.E
Diuiſionis chirurgię ſpecies.intr. Iſa.59.E
Diuiſio ſimplex nõ eſt fiſtula,vel ſinus.2°.de ar.cur.ad Glauc.7ª.106.B
Diuiſio vaſorum quibus claudatur.5°.meth.med. 7ª.31.E
Diuiſionem omnem à phlegmone prȩſeruans.6°.de compoſi. medica.per genera.258.G/ 5ª.260.C
ad Diuiſiones notatu dignas & maxime capitis.2°.de compo.medi.per genera. 5ª.228.E
ad Diuiſa cum contuſione.2°.de compoſi.medicamen.per genera. 225.E/ 3°.235.D/5°. 5ª.249.A
Diuiſum,& diſciſſum quomodo differant.com.6°.aph.19°. Ex.48.B
DIVITES principum mores imitantur, vel imitari videri volunt.1°. de antido. 5ª.101.F
Diuites tempore Galeni interdiu dormiebant, noctu vigilabunt in progno.commen.2°. 4ª.198.H
à Diuitibus ditãtur hiſtriones & aurigæ.de præco.ad Poſth. 4ª.214.B
Diuites ſæpius ſacrificant q̃ pauperes.de aere,aquis,& locis. 2ª.6.A
à Diuitibus tãti fiũt docti,quãtũ ipſis indigẽt.de p̃co.ad Poſth.4ª.214.B
Diuites ignari quibus comparandi.in or.ſuaſo. Iſa.3.A
Diuites,& principes,cauſȩ malorum.de præco.ad Poſthu. 4ª.214.B
Diuitum menſas ſequuntur mendaces.de co.cur.ani.mor. 2ª.50.H
Diuites ſunt magis pleni,quàm pauperes.11°.meth.med. 7ª.72.B
Diuites Scythæ hñt plures morbos q̃ paupes.de aere,aq.& lo. 2ª.6.A
Diuites quã paupes cur ſæpe peius curẽtur.11°.meth.med.72.C/7ª.73.D
Diuites quanti faciant medicos.de præcog.ad Poſthu. 4ª.214.C
Diuites coquo præferunt medicum.de præcog.ad Poſth. 4ª.214.C
Diuites non obediunt medicis,pauperes autem obediunt,[oppoſitum noſtro tempore]3°.de comp.med.per genera. 5ª.231.A
Diuites mulieres abhorrent à medicamentis ſtomaticis.6°.de compoſit. med.ſecun.loc. 5ª.171.E
Diuites ſanguinis miſſionem non admittunt.11°.meth.med. 7ª.72.B
pro Diuitibus medicamẽta aliter parãda.6°.de cõp.me.ſec.lo. 5ª.171.G
Diuitum medicamenta debent eſſe cara,& odorata,quæ multã conſtẽt pecunia.3°.de comp.med.per genera. 5ª.234.D
Diuitis hiſtoria,qui medicamenta volebat cara.3°.de compo. medicam. per genera. 5ª.234.D
pro Diuitibus et pauperibus parare debet materiam ſcribens de re medica.6°.de comp.med.ſec.lo. 5ª.168.B
DIVITIAE,forma,& nobilitas raro in eodem reperiuntur. in oratione ſuaſoria. Iſa.3.H
Diuitiæ poſtponẽdæ ſunt ſanitati corporis & aĩ.2°.de ali.fac. 2ª.18.F
Diuitiæ facile auferri poſſunt.de cog.cur.animi morb. 2ª.55.E
Diuitijs præſtare non virtutis, ſed fortunȩ eſt opus. de cogn. cur. animi morbis. 2ª.55.C
Diuitiæ nonnunq̃ ſceleribus redundant.de cog.cur.animi morb. 2ª.55.E
Diuitijs præponenda ætas ſine triſtitia.de cog.cur. animi morb. 2ª.55.E
Diuitijs qui plus tribuit quàm arti, hic finem artis non ſequitur. ſi quis opt.med. Iſa.6.E
DIVRETICA medicamẽta ſunt q̃ vrinã ꝓuocãt.de dynam. Sp.18.G
Diureticas vires habet Anethum.de ſimp.med. Sp.81.B
Diureticas vires habet Aniſum.de ſimp. med. Sp.80.E
Diureticum certum eſt Apium.de ſimp.med. Sp.80.D
Diureticas vires habet Aſparagus.de ſimp.med. Sp.80.G
Diureticum fructum habet Chamædaphne.de ſimp.med. Sp.85.F
Diureticas vires habent Chamepityos ſpecies oẽs.de ſimp.me. Sp.85.F
Diureticas valde vires Erbum habet.de ſimp.med. Sp.85.B
Diureticas vires habet Eruca.de ſimp.med. Sp.83.H
Diureticam radicem habet Erythrodanum.de ſimp.med. Sp.84.B
Diureticum valde eſt Eupatorium.de ſimp.med. Sp.80.D
Diureticas vires habet Iuniperum.de ſimp.med. Sp.85.E
Diuretica eſt Lathyris.de ſimp.med. Sp.86.E
Diureticam radicem habet Lonchitis.de ſim.med. Sp.86.D
Diureticas vires habet Paſtinaca.de ſimp.med. Sp.89.C
Diureticas vires habet Phu.de ſimp.med. Sp.84.E
Diureticum eſt Pulegium.de ſimp.med. Sp.88.H
Diureticas vires habet Scolopendria.de ſim.med. Sp.91.C
Diureticas vires habet Scopa regia.de ſim.med. Sp.91.C
Diureticas vires Scordion habet.de ſimp.med. Sp.90.H
Diureticum eſt Seſeli.de ſimp.med. Sp.90.D
Diureticas vires habet Siſarium. de ſimp.med. Sp.91.C
Diureticum eſt Siſimbrium.de ſimp.med. Sp.91.B
Diureticas vires habet Vetonica.de ſimp.med. Sp.92.A
Diureticum eſt Vinum album.de ſimp.med. Sp.92.B
in DIVTVRNITATES deflectunt cruda, & incocta.in 1^{m}.de morb. vulg.com.3°. 3ª.124.E
DIVTVRNI morbi,qui.fin.med. Iſa.45.F
Diuturnus morbus qui proprie.3°.de dieb.decr. 4ª.160.C
Diuturnos morbos ait Hippocrates à phlegmate & atra bile fieri, idq; in ſenibus,& hyeme.bre.deno.dogm.Hippo. 1ª.231.D
Diuturnus,et non tutus morbus quando ab vrina ſignificatur.de vrinæ ſignificatione ex Hippocrate. Sp.78.F
Diuturnæ,crudæ,& tenues vrinæ quibus minguntur, hos, ſi alia ſigna tanq̃ euaſuris affuerunt, abſceſſum ad ſepti tranſuerſi regiones infernas expectare oportet.de vri.ſigni.ex.Hip. Sp.78.G
Diuturnam ægritudinem crudam, & non ſine periculo ſignificat vrina tenuis,& rutila.de vri.ſig. ex Hip. Sp.78.G
in Diutinis morbis facies Hippocratica non eſt admodum exitioſum. in prognoſt.com 1°. 4ª.191.E
Diuturnos morbos diebus paribus magna ex parte iudicari inquit Hippocrates.bre.deno.dogm.Hipp. 1ª.231.D
Diuturnis,& induratis vitijs neruorũ prodeſt oleũ.de ſim.me.Sp.88.D
ad Diuturna.1°.de compoſitione medic.per genera.216.H/4°.243.F/5°. 250.D/7°. 5ª.274.E
ad Diuturna cephalicum Deileontis.4°.de comp.med.per ge. 5ª.243.H
ad Diuturna omnia.6°.de comp.med.per genera. 5ª.256.A
ad Diuturnos morbos.6°.de comp.med.per genera. 5ª.263.B
ad Diuturnum omne malum.7°.de comp.med.per genera. 5ª.270.F
ad Diutnrnos affectus valde generoſum. 7°. de compo.med.per genera. 270.E/271.F/G/ 5ª.272.D

ad Diuturna & maligna.5°.de comp.med.per ge. 5ª.248.C
in DIVVLSIONE *voluptas quæ.1°.de ſymp.cau.* 3ª.17.A
Diuulſæ particulæ & totius inſtrumenti, ægritudo eſt cum ligamentum vel arteria diuellitur.de morb.diff. 3ª.5.D
non DOCERE *& ſcribere multa, quid ſit.7°. metodi med.* 7ª.52.A
Docendi genus optimum in omni arte quod.fin.med. Iſa.43.B
Docendi rectus modus quo modo fiat.6°.de decret.Hip. 1ª.264.B
ad Docendum tantum faciunt nomina.1°.de diff.pulſ. 4ª.46.F/G/H
Docent nihil obſcurę enunciationes.in 1m.prorrh.com.1°. 4ª.165.D
Docentes non ſentimus aliquem motũ in corde.2°.de dec.Hip. 1ª.239.G
Doceri quidam nolunt.de morb.temp. 3ª.86.C
Doceret cum nimis vehementer grammaticus quidam, morbo comitiali corripiebatur.5°.de locis aff. 4ª.32.F
DOCTRINA *ex vl'alibus fit.de vict.ra.in morb.acu.cõ.4°.* 7ª.142.H
Doctrinæ principium aliud, & aliud rei naturæ principium facere, ſtultum eſt.6°.de decre.Hipp. 1ª.264.B
Doctrinę principiũ debet cõuenire cũ rei natura.6°.de dec. 1ª.264.B
Doctrina quæ fit ſecundum rei naturam habet cum re ipſa principium. 6°.de decretis Hippocratis. 1ª.264.B
Doctrina ſcientifica eſt à re, non a nomine.14°.meth.me. 7ª.89.D
ſine Doctrina ſuas faciũt actiões partes corporis.6°.de lo.af. 4ª.42.A
Doctrinæ optimum genus cenſet Fauorinus, quo præparamur in vtrãq; partem.de opt.docen.gen. Iſa.30.B
Doctrina optima, quæ viua voce traditur.1°.de alim.fac. 2ª.9.E
Doctrina per elementa cur cęteris vtilior.2°.de ſanit.tuen. 2ª.72.E
Doctrina per methodum quid efficiat.6°.de ſanitate tuenda. 2ª.98.D
Doctrina ex reſolõne digna & pfecta in ordine docẽdi.ars med. Iſ.61.H
Doctrinã à notione finis nullus ſcripſit ante Galenũ.ars med. Iſa.61.H
Doctrina definitiua breuis et facile memoria cõmẽdatur.ars m. Iſ.61.H
Doctrina ſmone expreſſa principiũ eſt experiẽtię.de pulſ.ad ti. 4ª.45.C
à Doctrina prohibent aliquos negocia.3°.de diff.reſp. 3ª.69.G
ſine Doctrina eſt linguæ motus.6°.de loc.af. 4ª.42.C
ſine Doctrina mouetur coxæ articulus.6°.de locis af. 4ª.42.B
Doctus garrire, ineptus dicere inquit comicus.3°.de diff.pulſ.60. E/4°. de dign.pulſ. 4ª.85.A
Docti tãti fiũt à diuitibus, quãti ipſis indigẽt.de pcog.ad Poſt. 4ª.214.B
DODECADACTYLON *eſt vocabulum Herophili. 6°. de locis affectis.* 4ª.37.G
DOGMA *quid.fin.med.* Iſa.43.E
Dogmaticus qui nominandus.3°.meth.med. 7ª.16.D
Dogmaticorum hoſtes ſunt empirici.2°.de dieb.decret. 4ª.154.F
Dogmaticorum & empiricorum differentia.de ſubf.emp. Iſa.32.G
Dogmaticorũ quodnam opus eſt.in 6m. de morb.vulg.com.3°. 3ª.177.D
Dogmatici à naturæ inſpectione incipiunt.introd. Iſag.50.H
Dogmatici qui fuere.de hiſt.philoſ. Sp.3.B
Dogmaticus fuit Hippocrates.com.1°.apho.1°. Ex.2.D
Dogmatici parũ idonea contra empiricos dicunt.2°.de loc.aff. 4ª.14.H
cõtra Dogmaticos empiricorũ argumẽtũ.2°.de com.me.p gene. 5ª.218.E
Dogmata ſequentes quidam patriam prius prodendam ducunt, quã proprium dogma.de cauſ.procatarct. 3ª.98.B
non Dolent inſenſibiles partes.12°.meth.med. 7ª.78.C
Dolet vehementer qui ad ignem acceſſerit, vt fere comburi videatur, calefacta parte nihil adhuc patiente.3°.de locis af. 4ª.14.D
Doleat cur magis ſinciput ex vteri affectu.in 6m.de morbis vulgaribus, commentario.1°. 3ª.152.H
Dolere facit caput vinum citrinum antiquum.de diſſol.cont. Sp.74.F
Dolere nõ facit caput vinũ paucã ſuſtinens aquã.de diſſo.cont. Sp.74.F
Dolere non facit caput vinum album.de diſſol.cont. Sp.74.F
Dolentibus caput vrina liuida augmentũ ſignificat.de dynam. Sp.34.G
Dolentibus caput vrina exiſtente rufa, ſi ſanguis de naribus fluxerit, huius doloris fiet ſolutio.de dynamidijs. Sp.34.G
quando Doleat homo.8°.de decre.Hippo. 1ª.275.C
Dolent ſæpe ore, dentibus, gutture, capite homines concepti in tribus horis ſanguinis.de ſpermate. Sp.37.B
Dolẽt cõcepto in horis bilis genua, crura, pedes, et oſſa.de ſper. Sp.37.C
Dolẽs puella in renibus et matrice vnde naturaliter ſit.de ſper. Sp.38.G
Dolent in propria actione partes inflammatæ.5°.de loc.aff. 4ª.32.B
ad Dolentes partes materia tendit.2°.de dif.feb.3ª.41.A/1°. de ſimplic. medica.facul. 5ª.6.D
Dolentia trahunt ad ſe humores.de ren.af.dign.& med. 7ª.193.G
Dolentes mediocriter, refugiunt præſidia & medicamenta. quo modo morbum ſimul. Iſa.61.E
Dolentibus oculis quæ agenda.in 6m.de mor.vul.com.6°. 3ª.196.D
Dolentibus articulis raphanus prodeſt.de ſim.med. Sp.89.G
Dolẽtes phlegmone aures mitigat ſuccus centaureæ.de vir.cen. Sp.93.C
Dolens pars dura renitens in tumorem eleuata quo modo fiat, & curetur.de ſect. Iſa.16.D
Dolentem partem non putreſcentem oleo calente perfunde in contuſionibus neruorum.3°.de comp.med.per gen. 5ª.229.A
Dolentis quadragenarij ob mordentes ſuccos in tunicis inteſtinorum impactos, caſus.12°.meth.med. 7ª.78.G
Dolentis ſitibundi caſus.12°.meth.med. 7ª.79.A
DOLIACHAE *ſuccus ad quid vtilis.de dynamid.* Sp.30.G
DOLICHON *vocãt Græci curſum cõtinuatũ.2°.de ſan.tuen.* 2ª.74.H
DOLICHI *in quo genere ſint.1°.de alim.facul.* 2ª.15.B
Dolichorum figura in Caria.1°.de alimen.fac. 2ª.15.C
Dolichi videntur eſſe ciceroulæ & phaſeli ex dictis Hippocratis in libro de diæta.1°.de alimen.fac. 2ª.15.B
Dolichi apud Dioclem ſunt phaſeli.1°.de alim.fac. 2ª.15.B
Dolichi meliores cicerculis.de bon.& vitio ſuc. 2ª.37.D
Dolichi deteriores faba, piſo, & lentibus.de bon.& vitio ſuc. 2ª.37.D
Dolichi deteriores fabis.de atten.vic. 2ª.45.A
Dolichi minus ſuaues quàm piſa.1°.de alim.fac. 2ª.15.B
cum Dolichis Dioclis eandem facultatem habent phaſeoli, & ſiliquæ. 1°.de alim.fac. 2ª.15.B
in Dolichis quid ſit fructus.2°.de alim.fac. 2ª.16.C
Dolichi habent ſiliquas.1°.dc alim.fac. 2ª.15.A
Dolichi totus fructus ſimpliciter ſiliqua.1°.de alim.fac. 2ª.15.A
Dolichi fructus cum ſiliqua eſtur dum vireſcit.2°.de alim.fac. 2ª.15.C
Dolichi flatu carent.1°.de alim.fac. 2ª.15.B
Dolichi ob humiditatem non reponuntur, quia corrumpuntur.1°.de alimentorum.facult. 2ª.15.C
Dolichi quo modo ſeruentur.1°.de alim.fac. 2ª.15.C
Dolichos quo modo exptus eſt Galeni pater.de bon. & vit.ſuc. 2ª.36.G
DOLIA *ſolo corio, & cuneis obſtructa, vinum ita diu non ſeruant.in 6m.de morbis vulgaribus, com.4°.* 3ª.183.A
Dolia picata, & gypſata, vina ſyncera diutius ſeruant.in 6m.de morbis vulgaribus, com. 4°. 3ª.183.A
Dolia muſto inflata rumpuntur tenſionis violentia.de mult. 3ª.79.D
Dolia, & vtres rumpuntur in muſtis ob ſpiritus copiam. in 1m. de morbis vulgaribus, com.1°. 3ª.104.G
Dolij meminit.1°.de nat.fac. 1ª.296.E
DOLOR *quid.2°.de locis affectis.* 4ª.8.G
Dolorum nomina apud Archigenem.2°.de loc.aff. 4ª.9.H
Dolores non habent nomen in omnibus membris.de ſymp.diff. 3ª.11.F
Dolor ſignificatur nomine πόνου.i.laboris.com.4°.apho.32°. Ex.30.H
Dolor eſt labor proprie dictus.de vic.rat.in mor.acu.com.2°. 7ª.123.F
Dolor, accipitur quandoq; pro diſpoſitione faciente dolorem. commẽtario 2°.aphoriſ.6°. Ex.11.G
Dolor eſt ſymptoma.3°.meth.med. 7ª.22.E
Dolor numeratur inter caſus.com.2°.apho.30°. Ex.16.H
Dolores & caſus omnes quando boni, & quando non boni conſiderandum.1°.de criſi. 4ª.128.B
Dolor accidẽs in differentibus locis diſtinguit partes male affectas.comment.4°.apho.75°. Ex.36.B
à Doloribus affectiones diſtinguit.3°.de compo.med.ſec.loc. 5ª.143.D
Dolor exigit ſenſum.1°.de elem. 1ª.3.A
Dolor eſt res euidens ſenſui.1°.de elemen. 1ª.3.G
Doloris fons & radix eſt ſenſus.1°.de elem. 1ª.3.H
Dolor contingit omnibus ſenſibus, non tamen pari euidentia.1°. de ſymptom.cauſ. 3ª.16.F
Dolores maximi contingunt ſenſui tactus.de ſympt.dif. 3ª.11.E
Dolor, & delectatio euidentia ſunt, in tactu & guſtu, poſtea in odoratu, poſtea in auditu.1°.de ſympt.cauſ. 2ª.16.F
Dolor eſt in partibus ſenſibilibus.12°.meth.med. 7ª.78.C
Dolores magis ſentiunt corpora ſenſibiliora. in 6m. de morbis vulgaribus, commentario 1°. 3ª.153.E
Dolorem nunquam ſentiret homo, ſi vnum eſſet.de conſt.art. Iſa.38.B
Dolores cur magis ſentiantur nocte, quã interdiu.de mot.man. Sp.69.F
Dolorum diuerſitates.3°.de loc.aff. 4ª.19.E
Dolorum differentiæ multæ.quo modo morb.ſim. Iſ.61.F
Dolorum ſenſus diuerſi.2°.de locis aff. 4ª.12.E/F
Dolorum differentiæ penes multitudinem, aut craſſitudinem, aut motum

aut

aut potentiam rei facientis dolorem.2°.de locis affectis. 4ª.9.E
*Doloris ſpecies pungitiuus,tendens,torpidus,grauis,ſtipulans,feriens, continuus,intermiſſus,æqualis,inæqualis.com.6°.aph.5°.Ex.*47.A
Dolorem quo modo faciant quaſſantia,tendentia,pungentia,& diuidentia.1°.de ſymp.cauſ. 3ª.16.G
Dolor dulcis dici non poteſt.2°.de loc.aff. 4ª.10.A
Dolor fixus,qui.2°.de locis affectis. 4ª.11.A
Dolores vt palus fixus.2°.de locis affectis. 4ª.9.E
Dolor fixus quibus contingat partibus.2°.de locis affectis. 4ª.11.B
Dolores fixi in aliqua parte ob quid.de cur.rat.per ſang.miſſ. 6ª.16.F
Dolorificus ſenſus,grauis,& triſtis,idem.1° de ſympt.cau. 3ª.16.H
Dolor grauis,qui ab Hippocrate nominetur.com.6°.aph.5°. Ex.46.H
Dolores graues quid ſignificent.2°.de comp.med.ſec.loc. 5ª.137.C
Dolores griphomeni,qui.in 1m.progn.com.3°. 4ª.180.B
Dolor holcimos,id eſt tractorius,hoc nomen nõ eſt in vſu apud Græcos. 2°.de locis affectis. 4ª.12.A
Dolor lacerans,qui.2°.de locis affectis. 2ª.12.A
Dolor laxus nullus,& qui ſit.2°.de locis affectis. 4ª.11.E
Dolores laxi,id eſt ſine phlegmone & tenſione. in 6m. de morbis vulgaribus,comment.3°. 3ª.178.A
Dolores magni tactus quo modo fiant.1°.de ſympt.cauſ. 3ª.16.G
de Doloribus non propriè,ſed de acribus humoribus dicitur morderi.de vict.ra.in morbis acutis.com.4°. 7ª.144.F
Dolor mordax ex quo fiat.2°.de locis affectis. 4ª.9.G
Dolor cum mordacitate quid ſignificet.2°.de com.med.ſe.lo. 5ª.137.C
Dolores noti.2°.de locis affectis. 4ª.12.G
Dolor aliquis præ ſe fert ſpeciem ponderis.com.6°.apho.5°. Ex.47.A
Dolor ex mole & grauitate quo modo curetur.12°.meth.med. 7ª.79.C
Dolores profundi,qui.2°.de locis affectis. 4ª.11.A
Dolorem quendam ſignificat pulſus.2°.de locis affectis. 4ª.8.H
Dolor pulſatilis qui appellandus.de mult. 3ª.79.A
Dolor pulſatiuus.2°.de locis affectis. 4ª.9.A
Dolor pulſatiuus eſt in inflammatione.2°.de locis affectis. 4ª.9.H
Dolor pulſatorius ingentiũ inflãmationũ accñs.2°.de loc.affe. 4ª.10.E
Dolores cum pulſu quid ſignificent.2°.de comp.med.ſec.loc. 2ª.137.C
Dolores quidam fiunt ac ſi patiens acu pungatur.2°.de loc.aff. 4ª.12.E
Dolor punctorius qualis.2°.de locis af. 4ª.9.G
Dolor punctorius,& qui,& vnde ſit.2°.de loc.aff. 4ª.11.H
Dolor ſtupidus non eſt ſpecies doloris.2°.de locis af. 4ª.8.E
Dolor tenſionis,qui.2°.de locis af. 4ª.9.C
Dolores cum tenſione quid ſignificent.2°.de com.med.ſec.loc. 5ª.137.C
Dolores tenſiui à nimijs exercitationibus.2°.de locis aff. 4ª.11.D
Dolor extenſiuus in quibus partibus.2°.de locis aff. 4ª.9.B
Dolores qdã fiunt ac ſi patiẽs cerebro pforet.2°.de lo.af.9.E| 4ª.12.E
Dolor turgidus,qui.2°.de loc.af. 4ª.19.E
Dolores Vlceroſi,qui.2°.de loc.aff. 4ª.11.F
Dolores vlceroſi à nimijs exercitationibus.2°.de locis aff. 4ª.11.D
Dolorum complicatorum diuerſitas.2°.de comp.med ſec.loc. 5ª.137.C
Dolorum proprietas omnino dici non poteſt.2°.de locis aff. 4ª.12.F
Dolorum ſingulorum ſpecies conſcribere nemo poteſt,niſi ipſemet paſſus fuerit.2°.de locis af. 4ª.10.B
Doloris ſmo vanus niſi ex his quæ cognoſcũt ęgri.2°.de lo.aff. 4ª.12.F
Dolor quo modo,& quando,& quibus fiat.2°.de ſympt.cauſ. 3ª.22.A
Dolor quando fit.de ineq.intemp. 3ª.43.G
Dolor vbi fiat,& quo modo.de vict.rat.in mor.acut.com.2°. 7ª.116.B
Dolor cauſa communi quo modo fiat.1°.de ſympt.cauſ. 3ª.16.F
Dolores ſecundum Hippocratem quomodo fiant. 1°. de ſymp.cau.16. G| de trem.palp.conuulſ.& rig. 3ª.54.E
Doloris carentia ſana corpora hñt.in 1m.de mor.vul.com.2°. 3ª.112.C
Dolores et acceſſiones diebus paribus.ĩ 3m.de mor.vul.c.2°. 3ª.150.F|H
Dolor quibus fiat.13°.methodi medendi. 7ª.81.H
Dolor vbi ſit,quid conſiderandum.12°.meth.med. 7ª.78.F
*Dolor ex duobus cognoſcitur ſpẽ,& vehemẽtia.cõ.6°.aph.5°.Ex.*47.A
Doloris magnitudo quo modo cognoſcatur.quo modo.morb. Iſa.61.F
Doloris vehementia in quo conſiſtat.com.6°.aph.5°. Ex.47.A
Dolor ex quantitate,& qualitate fit.de nat.hum.com.1°. 1ª.30 E
Dolor ex quantitate,& qualitate iudicatur.com.6°.aph.5°. Ex.46.G
Doloris magnitudo quo modo curanda, & à quibus augeatur dolor.commentario 6°.aph.5°. Ex.46.H
Dolor tãto leuior,quãto quis leuius ipſum fert.quo modo morb. Iſ.61.E
Dolor qui pulſum variet.de pulſ.ad tir. 4ª.44.H
Doloris pulſus,qui.de pulſ.ad tiro,44.H|4°.de cau.pulſ. 4ª.100.A
Dolorum in parte prædita ſenſu pulſus.de pulſ.ad tir. 4ª.45.B
Dolores qualem faciant reſpirationem.2°.de dif.reſp. 3ª.65.E
ex Doloribus inęqualitas reſpirationis.1°.de diff.reſp. 3ª.61.E
Dolorum propria reſpiratio parua & denſa.de diff.reſp. 3ª.62,G
Dolor & delirium quando iunguntur, qualem faciunt reſpirationem. 2°.de diff.reſp. 3ª.65.E
Dolor in organis quam reſpirationem faciat.1°.de diff.reſp. 3ª.61.G
Dolor cum ardore in aliquo reſpiratorio organo exiſtens, quam reſpirationem efficiat.1°.de diff.reſp. 3ª.59.A
Dolor in aliquo organo reſpiratorio exiſtens, quam reſpirationem ipſe per ſe faciat.1°.de diff.reſp. 3ª.59.A
Dolorem cum periculo nunciat vrina alba, & turbulenta, & non compoſita in ſynocha.de dynamidijs. Sp.34.F
Dolor quibus cauſis fiat.in 1m.de morbis vulgar. com.1°.3ª.104. H/12°. methodi medendi.78.D|de ocul. 7ª.189.H
ad Doloris cauſas inueniendas methodo procedit.12°.met.me. 7ª.78.C
Doloris cauſas plures,collige.com.7°.aph.21°. Ex.55.E
Doloris ſex cauſæ.de ocu. 7ª.189.H
Doloris cauſæ.4°.de locis aff. 4ª.27.D
Dolores quæ faciant.de vict.rat.in morb.acu.com.2°. 7ª.124.A
Dolorem faciunt res præter naturam.de palp.trem.conuulſ. 3ª.54.D
Dolorum cauſa generalis ſolutio continuitatis & intemperies.3°.de com. poſi.medic.ſecundum loc. 5ª.141.G
Doloris primæ duæ ſpecies,alteratio & ſolutio continui. 2°. de locis affectis. 4ª.9.C|D
Dolores aut ab extenſione partium,aut à calido et frigido.de natura humana,comment.1°. 1ª.28.H
Dolor fit à calore, & à frigiditate vehementi, & à ſolutione continui. 12°.methodi medendi. 7ª.78.E
Dolor exigit alterationem.1°.de elem. 1ª.3.A
Dolor à ſubita alteratione.ars med. Iſa.77.C
Dolor fit a vehementi alteratione.7°.de decret. 1ª.271.H
Dolor ſentitur cum mutantur corpora ad non naturalem habitum, & cum redeunt ad naturalem.12°.met.med. 7ª.78.D
Dolorem non facit alteratio quę ſenſim fit,ſed quæ violenter.12°. methodi medendi. 7ª.78.D
Dolorem faciens tranſmutatio,duplex.de vict.rat.in morbis acutis,commentario 2°. 7ª.116.B
Dolor fit ob malam qualitatem.7°.de decre.Hippo.1ª.271.H|de fracturis,commentario.3°. 7ª.246.E
Dolor ex ſectione,& mala qualitate.de conſt.art. Iſa.38.A
Dolor ab intemperie.de cur.rat.per ſang.miſſi. 6ª.16.F
Doloris cauſa temperies inæqualis. 2°. de ſymp. cau.22.A|de inæqu.in temp.3ª.44.F|2°.de locis af. 4ª.9.C
ſine Dolore eſt æqualis intemperies.2°.de ſymp.cauſ. 3ª.22.A
Dolor à calido,frigido,humido,& ſicco.de nat.hum.com.1°. 1ª.28.H
Dolorem facit intemperies frigida, & calida. in 1m.de morbis vulgaribus,commen.1°. 3ª.104.H
Dolorem quo modo faciat frigidum.1°.de ſympt.cau. 3ª.16.G
Dolorem quo modo habeat rigor.de palp.trem.cõuulſ.& rig. 3ª.54.G
Dolores antiqui,frigidi:noui,calidi. in 6m. de mor.vulg.cõ.1°.3ª.156.D| comment.2°.aph.20°. Ex.11.G
Dolor qui eſt ex frigida aqua,aere, & niue, ſtatim abit his remotis.2°. de locis affectis. 4ª.14.D|E
Dolore,& frigore conſtricta membra vinum reſumit,& reficit.de ſimplic.medica. Sp.92.B
Dolori ex frigore interno oleo ſuccurritur cali do ingeſto,anetho etiam addito.2°.de ſimp.med.facul. 5ª.12.C
Dolor inſuppurabilis fit à frigido.com.5°.aph.20°. Ex.39.A
ad Dolores frigidos.de med.exper.105.G|de curat.lap. Sp.112.F
Dolorem frigidum auferens electuarium.de med.exper. Sp.107.D
ſine Dolore multi affectus frigidi ſunt,vbi ęqualiter particulas occuparint.2°.de ſymp.cauſ. 3ª.22.A
Dolor ex qualitate calida,& frigida.de nat.huma.com.1°. 1ª.30.E
Dolor excitatur à calidiſſimis.ars med. Iſa.70.G
Dolorem non faciunt calidũ mediocre & humidum.ars med. Iſa.70.G
Dolor ex qualitate quibus curetur.13°.meth.med. 7ª.82.D
Dolores ex intemperie cum mordicatione quibus ſanentur.2°.de ſimpli. medica.facul. 5ª.12.D
Dolor ex ſiccitate an curabilis.12°.met.med. 7ª.80.B
Dolor phrenitidis ex ſiccitate,lætalis.12°.met.med. 7ª.80.B
Doloris ex ſiccitate curatio.12°.meth.med. 7ª.80.B

Dolor à ſolutione continui ars med.Iſ.67.C/de frac.com.3°. 7ª.246.E
Dolorē oēm eſſe ſolōnem cōtinui cur dici poſſit.de frac.cō.3°. 7ª.246.E
Dolores ex intemperantia,& cacochymia diſtinguendi. 2°. de ſimplic. medicamen.facult. 5ª.12.C
Dolorem quomodo faciat repletio.in 6^{m}.de morb.vulg.cō.6°. 3ª.196.F
Dolores à plenitudine, quales.3°.de locis affectis. 4ª.20.F
Dolor ex vno humore.de nat.hum.com.1°. 1ª.30.E
Dolor ex nimio humore quo modo curetur.de ocu. 7ª.189.H
Dolor non eſt vehemens in craſſis & glutinoſis ſuccis,modo ſoli ſint.12°. methodi medendi. 7ª.79.C
Dolores grauiſſimi ex graſſis, & glutinoſis ſuccis cum ſpiritu halituoſo. 12°.methodi medendi. 7ª.79.C
Dolor ex craſſis & glutinoſis humoribus quomodo curandus. 12°. methodi medendi. 7ª.79.C
Dolor ab humoribus frigidis craſſis quomodo curetur.de ocu. 7ª.190.A
Dolores facit vitreus humor.1°.de locis affectis. 4ª.4.B
Dolores quos faciat vitreus humor.in 1^{m}.prorrh.com.1°. 4ª.168.E
Dolores vehementiſſimos parit humor vitreus.12°.meth.med. 7ª.80.A
Doloris ſpeciem eandem non faciunt humor mordax & humor plurimus.2°.de locis affectis. 4ª.9.D
in Doloribus quo mō humores calidi cognoſcātur.3°.de lo.aff. 4ª.20.F
quos Dolores faciunt humores tenues, & acres, & quo modo faciunt conuulſionem.12°.methodi medendi. 7ª.80.A
Dolor ex bilioſo excremento mordax.3°.de locis affectis. 4ª.20.F
Dolor ex humore mordente quo modo curetur.12°.meth.med. 7ª.79.C
Dolores maligni à venenis.in 6^{m}.de morb.vulg.com.6°. 3ª.196.G
Dolor ex punctura & morſu aīalis qūo curetur.13°.meth.med. 7ª.82.C
Dolor à rebus tangentibus.2°.de locis affectis. 4ª.9.C
Dolores ac febres accidunt magis dum pus conficitur, quàm iam confecto.com.2°.aph.47°. Ex.18.H
Dolor à motu.2°.de locis affectis. 4ª.9.C
Dolor in quibus diſpoſitionibus comitatur vehementes motus. 4°.de locis affectis. 4ª.27.C
de Doloribus ex itinere.de vict.rat.in morb.acut.com.4°. 7ª.144.H
Dolores conſuetos irritat alliū.de vict.ra.in mor.acu.com.4°. 7ª.145.C
Dolores maximi quo modo fiant inter dormiendum cont orquendo ſubito partes.in 3^{m}.de morbis vulgaribus,com.3°. 3ª.149.F
Dolorem quo modo faciat acris humor.1°.de ſympt.cauſ. 3ª.16.G
Dolor ex humoribus calidis quo modo curetur.de ocul. 7ª.190.A
Dolorem parit vehemētem ſanguis, quibus in locis vniuerſim eſt collectus.2°.de arte curat.ad Glauc.com.2°. 7ª.100.H
Dolor ex ſanguinis abundantia quo mō ſanetur.12°.meth.med. 7ª.79.B
in Dolore ex ſanguinis abūdātia ſanguis mittēdus.12°.met.me. 7ª.79.B
Dolore acuto exiſtente, cur plus ſanguinis euacuandum. de vict. rat. in morbis acutis,com.4°. 7ª.143.G
Dolorē maximum qn̄ excitat flatus.2°.de arte cur.ad Glauc. 7ª.104.F
Dolores quo modo ex flatu fiant.2°.de comp.med.ſecun.loc. 5ª.135.G/ *com.4°.aphoriſ.11°.* Ex.28.D
Dolor acerbiſſimus ex flatu concluſo.de mult. 3ª.79.D
in Dolore ex flatu & humore, oleo in quo ruta cocta ſit, vtitur pro clyſteri Galenus.12°.meth.med. 7ª.80.A
Dolor ex flatuoſo ſpū quo mō curetur.12°.met.me.79.B/13°. 7ª.82.B
Dolor ex ſpiritu flatuoſo cucurbitula curatur cum flamma copioſa. 12°. methodi medendi. 7ª.79.H
Dolor ex flatu qbus clyſteribus curetur.de arte cur.ad Glau. 7ª.104.G
Dolor ex ventoſitate craſſa quo modo curetur.de ocu. 7ª.189.H
Dolores ab infarctu aut craſſitie crudorum ſpirituum curat ariſtolochia rotunda.6°.de ſimp.med.fac. 5ª.43.E
Dolorem inferrent ficus, niſi cito deſcenderent.2°.de alim.fac. 2ª.17.D
Dolor facit ſymptomata ſimilia timori 2°.de ſymp.cau. 3ª.23.E
Dolores qui mentis perturbationē ſignant.in 1^{m}.prorrh.cō.1°. 4ª.168.D
Dolore animi ex librorum amiſſione qui mortuus.2°.de compoſit. med. per genera. 5ª.218.B
Dolorē q affectus faciāt.4°.de loc.af.4ª.27.D/com.2°.aph.6°. Ex.11.G
Dolorem afferentes morbos in vlcerum genere conſtitui, probabile eſt. de fracturis, commentario.3°. 7ª.246.E
Dolor in febribus.de inæq.intemp. 3ª.44.B
Dolor vnde fiat in febribus, & à quo.2°.de ſymp.cauſ. 3ª.22.A
Dolore caret hectica.de inæq.intemp. 3ª.44.B
ſine Dolore cur ſint febres hecticæ.2°.de ſymp.cauſ. 3ª.22.A
Dolorem, laborem, grauedinem, ſiue mortem in ſynocha ſignificat vrina crocea, & ſpiſſa.de dynamidijs. Sp.34.E
Dolorem concitant & exaſperant metallica & acetum.3°.de compoſit. medic.per genera. 5ª.232.G
Dolor auget halitus fuliginoſus.10°.meth.med. 7ª.62.H
Doloris cuiuſcunq; quid commune.in prog.com.2°. 4ª.206.A
quo modo Dolore affligamur, vbi nihil triſte nobis extrinſecus appropinquat.12°.meth.med. 7ª.78.E
Dolor eſt ſicut inimicus, & non ſedandus ſolum, ſed auferendus.de cura lap. Sp.111.G
Dolor quid mali faciat.1°.de comp.med.per genera. 5ª.212.D
Dolor amouet à coitu.de aere.aq.& loc. 2ª.6.A
Dolor facit contrahi vires ad ſe.in prognoſt.com.2°. 4ª.198.H
Dolor vires exoluit.in prognoſt.com.1°. 4ª.196.D/12°. methodi meden. 74.G/de vict.ra.in mor.acutis,com.3°. 7ª.130.E
ex Doloribus longis, & vehementibus vis vitalis proſternitur. 4°.de præſag.ex pulſ. 4ª.121.G
Doloris cauſa contriſtat vim expultricem.13°.meth.med. 7ª.80.G
ex Dolorum vehementia veniunt diſſolutiones. 1°. de arte curatiua ad Glauconem. 7ª.98.G
Dolor vnius partis facit animi deliquium & perfrigerationem. 2°. de ſymptomat.cauſ. 3ª.23.F
in Dolore vehementi quo modo mori contingat.5°.de loc.aff. 4ª.29.B
cùm Dolore moriuntur quibus aphoniæ ex dolore. in 1^{m}. prorrheticorum, commentario.2°. 4ª.72.D
Dolore præcedente fit ſanguinis eiectio per eroſionē.5°.de lo.af. 4ª.32.E
Dolores ſigna indicatiua criſis.1°.de criſi. 4ª.128.E
Dolor eſt ſignū abſceſſus futuri aliqua ī parte.cō.4°.apho.32°. Ex.30.H
Dolor ſi fuerit in aliqua parte ante morbum, hic morbus firmatur. commentario 4°.aph.33°. Ex.31.A
ex Dolore in cognitionem venimus ad quas partes natura expellat ſuperfluitates.com.5° aph.53°. Ex.42.H
Dolor excitatur quandoq; natura ſanguinem & ſpiritum ad partem aliquam tranſmittente.com.5°.aph.53°. Ex.42.D
Dolor ſanguinem ad ſe trahit, & facit inflammationē ſine plenitudine. de cur.ra.per ſang.miſſ. 6ª.17.G
Dolor omnis mouet fluctiones.ars med.Iſa.78.G/ de vict.rat.in morbis acutis,com.4°. 7ª.138.A
Dolor & caliditas fluxionum ſunt cauſæ.2°.de diffe.febr.3ª. 41.B/13°. methodi medendi. 7ª.81.C
Dolor perficitur fluxione decumbente.com.4°.aph.32°. Ex.30.H
Dolor ſuper omnia incitat ſanguinis profluuium & phlegmonen.5°.methodi medendi. 7ª.31.A
Dolor phlegmones cauſa.13°.methodi medendi. 7ª.80.G
ex Dolore oriuntur inflammationes.de frac.com.3°. 7ª.244.H
cur Dolor in definitione inflammationis ponatur.de tum.præt. 3ª.84.A
Dolor cur in parte inflammata.1°.de diff.reſp. 3ª.58.F
Dolorem quo modo faciat phlegmone.1°.de ſymp.cauſ. 3ª.16.H
Dolor omnis ſi inueteret & præcipue ex colliſione & compreſſione, eſt cauſa inflammationis.de fracturis, commentario 1°. 7ª.227.H
Dolor duplex percipitur dilatatis arterijs in muſculo inflāmato, & quo modo.2°.de loc.affect. 4ª.8.H
cū Dolore ſenſibilis motus arteriarū in inflāmationibus.de tu.3ª. 84.A
Dolorem infert arteriarum dilatatio in muſculis intercoſtalibus inflammatis.2°.de locis affectis. 4ª.9.A
Dolorifica diſpoſitio triſtem affert ſenſum laborantibus ex motu arteriarum.commē.7°.aph.21°. Ex.55.D
cū Dolore ſi inflāmatio adſit, quid agēdū.de arte cur.ad Glau. 7ª.104.G
Dolor vehemens inflammatis partibus duobus modis ſentitur, & quo modo.2°.de locis affectis. 4ª.8.G
Dolor membranarum hęmodiæ, id eſt ſtuporis dentium, non habet aliquid ſimile.2°.de locis affectis. 4ª.9.H
Dolorum quo genere afficiantur membranę.2°.de criſi. 4ª.137.E
Dolor mēbranarū pūctiōi ſilis, & quo mō.de cur.ra.p ſang.miſ. 6ª.21.F
Dolorem pungitiuum habet mēbranoſa ſubſtantia.de cōſt.art. Iſ.40.D
Dolores membranæ non ſunt inæquales.2°.de loc.aff. 4ª.11.B
Dolores in latitudinem membranis accidunt.2°.de loc.aff. 4ª.11.B
Doloris diuerſitatem facit membrana os pertingens & non pertingens. 2°.de locis affectis. 4ª.11.C
Dolores quos faciant membranæ ſupra cutim, & quos membranæ in media carne.2°.de locis affectis. 4ª.11.C
Dolores membranarum ad oſſa pertingentium.2°.de loc.aff. 4ª.11.D
in Dolore omni à calida & ſpirituoſa ſubſtantia facto, & maxime in mēbranis, arterię capitis ſecanda.de cur.ra.per ſang.miſſ. 6ª.21.F

Dolor extremarum

Dolor extremarum partium fomentis ex aqua tollitur. in 6^{m}. de morb. vulga.com.6°. 3ª.196.A
Dolor circa vnguium radicem.1°.de inæq.intemp. 3ª.44.F
Dolor fit cum calefiunt manus frigidæ.12°.meth.me. 7ª.78.D
Dolor calefaciētium manus frigidas maxime in vnguium radice.2°.de locis affectis. 4ª.9.D
Dolores arteriarum & venarum, qui.2°.de loc.aff. 4ª.11.E
Dolores maxime fiunt in neruoſis partibus.com.5°.apho.66°. Ex.45.C
Dolores diſtendentes in neruis.2°.de loc.aff. 4ª.10.H
Doloribus nimijs contracta vitia neruorum caſtorium elimat de ſimplicibus medicaminibus. Sp.81.H
ad Dolorem omnem in neruis vtero & coxendicibus.7°.de comp.medicamen.ſec.loc. 5ª.185.C
ad Dolorem vel duritiès neruorum facit cucumer erraticus.de ſimplicibus medicaminibus. Sp.83.A
ad Dolores neruorū & muſculorum.5°.de cōp.med.per gen. 5ª.258.G
ex Dolore neruorum defectus animi quo modo curandus.1°. de arte curatiua ad Glau. 7ª.99.G
ex Dolore tendonum defectus animi quo modo curandus.1°. de arte curatiua ad Glauco. 7ª.99.G
Dolorificas muſculorum diſpōnes enumerat.5°.de lo.aff. 4ª.29.F/G
Dolores oſſium, oſtocopi græce dicti.2°.de loc.aff. 4ª.11.E
Dolor Capitis paruus non eſt ægritudo.de conſt.art. Iſa.42.D
Dolor capitis quicunq; ſit, longe minor quàm coli, aut auris, aut oculi, aut dentis dolor.2°.de comp.me.ſec.loc. 5ª.134.H
Dolor turgidus in hemicranea & cephalæa.2°.de loc.aff. 4ª.10.E
Dolor capitis ob varias cōtigit cās.de vic.rat.ī mor.ac.c.4°. 7ª.150.E
Dolores capitis qui cibi faciant.de diſ.cont. Sp.74.F
Dolorem capitis faciunt odores calidi.3°.de loc.aff. 4ª.20 F
Dolor capitis quo modo aquæ potu qn̄q; inducatur.de vinis. Sp.76.C
Dolores capitis generat fumoſitas bilis à ſtomacho aſcendens in caput. de ſpermate. Sp.36.H
Dolores in ſupficie capitis qd ſignificent. 2°. de cōp.me.ſec.loc, 5ª.137.C
Dolores profundi capitis quid ſignificēt.2°.de cōp.me.ſec.loc. 5ª.137.C
Dolores capitis qui cum febre.2°.de comp.me.ſec.loc. 5ª.137.C
Dolor capitis quādo iam adeſſe aut mox affuturum ſignificetur.quæſita in Hippocratem. Sp.113.B
in Dolore capitis ex plaga quæ intentio pro curatione. 2°. de compoſi. med.ſec.loc. 5ª.133.G
ī Dolore capitis vinū euitandū.1°.de arte cura.ad Gla.95.F/ 7ª.99.A
Dolorem capitis multoties ſedat vinum pauciferum propter eos qui fiūt in ventre humores.de vinis. Sp.76.C
Dolori capitis qui fit propter multam aduſtionē ſolis, vel vini meri potationem quomodo proſit ſuccus centaureę.de vir.cent. Sp.93.B
Dolores capitis mediocres quid auferat.pręſag.exper.conf. Sp.78.C
ad Dolorem capitis decoctio agarici.de med.exper. Sp.104.C
Dolorem capitis ſedat menta de ſimp.me. Sp.87.D
Dolorem capitis pſyllium ſedat.de ſimp.me. Sp.89.A
Dolores capitis vetuſtiores diſſoluimus ſectionibus ſcarificationum pręſag.exper.confir. Sp.78.C
Dolores capitis moderatos tollit ſcarificatio crurum. de cucurbitulis, ſcarificatione. 6ª.4.B
Dolori capitis confert ſectio venę frontis.de ana.viuo. Sp.55. A
Dolori capitis confert ſectio venarum quæ ſunt in angulis oculorum lachrymalibus & temporum.de anat.viu. Sp.55.A
in Dolore capitis quidam ſenex medicus quinquagenarius venam incidit.12°.meth.me. 7ª.74.H
ad Dolorem capitis chronicum theriaca.de med.exper. Sp.106.H
ad Dolorem capitis.ſecretorum.97.C/de medic.exper.107. F/ de cura lapidis. Sp.112.B/C
Dolor in membranis capitis quo lunæ aſpectu fiat. de decub. progno.ex math.ſcientia. Sp.12.G
Dolor ī dura cerebri mēbrana qūo fiat.de ijs q̄ ī med.ſi.cō.3°. 7ª.222.F
Dolores intra caluariam cur ad oculorum vſq; radices procedāt. 2°. de comp.me.ſec.loc. 5ª.137.C
Dolor in fronte conceptis in bilis horis.de ſperm. Sp.37.C
ad Dolorem frontis.ſecretorum. Sp.102.F
Dolor quo modo in viſu.1°.de ſymp.cauſ. 3ª.17.B
quantum ad viſum Dolor in Oculis minus euidēter quàm in cęteris ſenſibus.1°.de ſymp.cau. 3ª.16.F
Dolorem quot modis patiantur oculi, & qūo curetur.de ocu.7ª.190.A
Dolor in oculo quando magnus.de ocu. 7ª.187.B
Dolores oculorū quibus fieri pn̄t, & qūo tolluntur.13°.met.me.7ª.86.B
in Dolore oculorū febris declinatio non expectanda, pro ſecāda vena, ſed doloris magnitudo inſpicienda.de cur.ra.per ſan.miſſ. 6ª.21.C
Dolor oculorum quomodo vini potione ſanatur.de ocu. 7ª.190.B
Dolor circa oculos quibus tollatur.4°.de comp.me.ſec.loc. 5ª.151.H
in Doloribus oculorum quę vena ſecanda.præſag.exper.conf. Sp.78.B
Dolores oculorum mitigat ſuccus centaureæ.de vir.cen. Sp.93.C
Doloribus oculorum prodeſt lenticula.de ſimp.me. Sp.86.B
ad Dolores oculorum.4°.de compoſitione medicamentorum ſecundum locos.153.D/E/F/G/H/ 5ª.154.C/D
Dolorem oculorum ſedans collyrium.4°.de comp.me.ſec.loc. 5ª.154.F
ad Dolores oculorum.ſecretorum. Sp.97.D
Dolores oculorū grauiſſimos qbus Galenus ſanauit.3°.met.me. 7ª.17.D
Dolor ex ſeroſis & ſanioſis humoribus in auribus. 3°. de compoſitione medicamen.ſec.loc. 5ª.140.F
Dolor Aurium à pituita.de dyna. 19.G
Dolorem auricularum mitigat opium.de ſimp.med. Sp.88.B
ad Dolorem auris.ſecretorum. Sp.97.B/H
Doloribus Gingiuarū cōfert ſectio venarū labiorū.de ana.viuo.Sp.55.B
Doloris Dentium è pituita.de dyn. Sp.19.G
Dolori dentium quid ſuccurrat.de dyn. Sp.25.D
qūo Dolore ſanetur dens dolens.in 6^{m}.de morb.vul.com.2°. 3ª.161.G
Dolorem dentium tollit aſininus fimus.de ſimp.med. Sp.83.E
Dolorē dentiū mitigat naſturtij ſuccus auribus infuſus.de dyn.Sp.25.D
ad Dolorem dentium.de dyn.25.D/35.G/ſecr.97.B/de cur lap.Sp.112.H
cū Dolore pauco Aſperę arterię vlcera.4°.de loc.af. 4ª.28.B
Dolores Septo ſuperiores indigent prius ſanguinis miſſione, q̄ euacuatione.de vict.rat.in morb.acu.com.4°. 7ª.137.B
in Dolore Ventris ſuperioris, oleū ſimplex datur bibendū, vel ex aqua temperatum, vt vomitus fiat.in 6^{m}.de morb.vul.com.6°. 3ª.196.D
Dolor non ita grauiter vexat Thoracem ob motus velocitatem, ſicut ob dilatationis magnitudinem.1°.de diſ.reſp. 3ª.58.H
Dolores thoracis, & pulmonis, quales.4°.de loc.aff. 4ª.25.H
Dolor circa thoracem & pulmonem, qui nō deſerit adhibitis præſidijs, quid ſignificet.in progn.com.2°. 4ª.203.D
ad Dolores thoracis pręcordiorum & ſtomachi.7°. de compoſitione medica.per gen. 5ª.266.G
ad Dolores omnes pectoris inueteratos.2°.de anti. 5ª.113.D
Doloribus ventris vexantur concepti in bilis horis.de ſper. Sp.37.C
Dolores maxime infert ſtomacho ſcammonium.de dyn. Sp.20.H
Dolor in ventriculo augetur febri 8°.meth.me. 7ª.53.B
Dolorem ſtomachi multum in fœmina ſignificat vrina aſterica. de dynamidijs. Sp.35.D
in Doloribus magnis ſolet ad ventriculum fluere bilioſa ſuperfluitas. com.6°.aph.50°. Ex.52.F
à Dolore diuturno ventris ſuppuratio.com.7°.aph.22°. Ex.55.E
in Dolore forti ventris, partium extremarum frigiditas, malū, & quibus cauſis fiat.com.7°.aph.26°. Ex.55.G
ad Dolorem ventris, & renum propter frigidos humores chamęmelū puluerizatam, & malaxatam cum melle.de med.exper. Sp.106.D
ad Dolorē ſtomachi maſtichāda dabat Achaaſos.de me.exp.Sp.106.D
in Dolore ventriculi odoratum aliquod & adſtringens ſuperponimus poſt vomitum.in 6^{m}.de mor.vul.com.6°. 3ª.196.D
ad Dolorē ſtōachi ex frigiditate facit triphera magna.đ dyn. Sp.26.D
ad Dolorem ſtomachi.ſecretorum.98.E/ Sp.99.G
ad Dolorem ſtomahi ſcliroſmon faciens.de dyn. Sp.28.D
ad Dolorem ſtomachi & rugitum.de dyn. Sp.26.H
ad Dolorem ſtomachi, & ventris remedium.de dyn. Sp.26.H
ad Dolorē, & concuſſionē ſtomachi cū vētris.dolore.de dyn. Sp.27.A
ad Dolorem ſtomachi & renum.ſecretorum. Sp.99.E
ad Dolorem ventris.de dyn. Sp.27.G
Dolor Galeni in ventre vbi fuerit, & qualis.2°.de loc.af. 4ª.9.D
Dolores laterum alij à pleuritide.5°.de loc.aff. 4ª.31.D
Dolor lateris pungitiuus, & pulſus aſperitas cum tenſione, pleuritim indicat.de ſubfi.empi. Iſa.32.E
Dolores qui ſunt in lateribus, & pectoribus, atq; alijs partibus, an multum differant perdiſcendum.com.6°.aph.5°. Ex.46.G
Dolor lateris vt eſt varius, ita variat curationē.c.6°.aph.5°. Ex.46.G
Dolor rarus in lateribus qūo progignatur.in 1^{m}.pror.com.1°. 4ª.166.D
Dolores laterum ἄπτυσοι, qui.in 1^{m}.de mor.vul.com.1°. 3ª.105.A
Dolorem laterum, & aliquando renum in maſculis ſiue fœminis oſtēdit vrina alba ſine febribus.de dyn. Sp.35.D

Doloris lateris, & ſitis in melancholia curatio.de dyn. Sp.24.E
Dolores circa latera recentes tollit ſcarificatio crurũ.de cu.ſca. 6ª.4.B
Doloris duorum laterum meminit.ſecretorum. Sp.100.G
ad Dolorem duorum laterum.ſecretorum.98 F/ Sp.99.H
à Dolore lateris miniſtrum Dei liberauit, arteria in ſumma manu inciſa.de cur.ra.per ſan.miſſ. 6ª.21.F
Doloris qđ genus patiatur pars in pleuritide affecta.2°.de cri. 4ª.137.C
Dolor cur in pleuritide.de conſt.artis. Iſa.40.D
Dolor punctorius eſt in laterali morbo.2°.de loc.aff. 4°.9.H
Dolor in pleuritide cur ſit pungitiuus.de conſt.art. Iſa.40.D
Dolor in pleuritide cur quandoque ad hypocondrium, quandoq; ad clauiculam.de conſt.artis. Iſa.40.F
Dolor in notharum coſtarum loco non ſignificat ſtatim pleuritidem, & quando eſt iudicandus pleuriticus.2°.de loc.af. 4ª.13.D
Dolores ad hypochondria ſine voce qui ſudore nõ ſoluuntur, mali. in 1m. pror.com.2°. 4ª.176.H
Doloris lateralis diſtinctiones.aduerſus Lycum. Ex.62.G
Dolor lateris ex eius inflammatione interdũ continuus, interdũ per interualla, & tunc delirium indicat.in pror.com.1°. 4ª.166.D
Dolor lateris vnde ortũ habet.de vict.rat.in morb.acu.cõ.2°. 7ª.116.C
Dolor q̃uo augeť in pleuritide.de vict.rat.in morb.acut.cõ.2°. 7ª.116.C
ſi Dolor circa coſtas ſine pleuritide ſit, dẽſus & paruus ſit ſpiritus.3°. de difficultate reſpirationis. 3ª.71.C
in Dolore fomenta ex ſale calefacto, & lini ſemine crudo.2°. de arte curatiua ad Glauco. 7ª.104.G
Dolores leues ex fomẽto ex milio ſananť.2°.đ ar.cu.ad Glau. 7ª.104.G
Dolorem non ſedans ſcreatio, mala.in progn.com.2°. 4ª.203.B
Doloris lateris ſedatio p miſſionẽ ſanguinis; vel p medicamentũ in pleuritidẽ non eſt curatio ſymptomatis, ſed morbi.12°.meth.me. 7ª.74.G
Dolor nõ ſentiť in peripneumonia, ſed grauitas ſola.đ vti.reſp. Sp.63.G
Dolor pulſatorius non poteſt contingere in peripneumonia, & laterali morbo.2°.de loc.affe. 4ª.9.A
Dolores pulmonis plures numerantur.4°.de loc.aff. 4ª.27.E
Doloris pulmonis meminit.ſecretorum. Sp.100.G
ſine Dolore pulmonis vlcera.4°.de loc.affe. 4ª.28.B
Dolores lumborum cur fiant in deiectionibus biliosis. in 1m. pror. commenta.1°. 4ª.166.D
Dolores ex crapula & cibis, ad lumbos & coxam quandoque veniunt. de vict.rat.in morb.acut.com.4°. 7ª.144.H
Dolores circa lumbos exitiales, qui.in prog.com.2°. 4ª.205.H
ad Dolorem lumborum.de dyn.28.D/de paſſ.mul. Sp.96.A
Dolores ſi ad partes internas delabantur, facile perferuntur in progn. commen.3°. 4ª.182.E
Dolores ſupra ſeptum tranſuerſum purgatione indigere per ſuperiora ſignificat, quicunq; vero inferiora moleſtant, per inferiora. com.4°. aphoriſmo.18°. Ex.29.B
à Dolore inter iecur & ſeptum liberat arteria inter indicẽ & pollicem ſecta.de cur.ra.per ſan.miſſ. 6ª.21.F
Dolor ſi ĩ vẽtre inferiori, iacẽdũ.đ victus rat.ĩ mor.ac.cõ.4°. 7ª.151.D
Dolor iecoris, renum, & veſicæ quibus neglectis fiat.de dyna. Sp.19.H
Dolor ĩ hepate quo lunæ aſpectu fiat.de dec.pg.ex math.ſcien. Sp.12.G
Dolor hepatis, lienis, & renum grauis.2°.de loc.affe. 4ª.12.C
Dolor grauis & acutus hepatis q̃uo cognoſcať.cõ.6°.aph.5°. Ex.46.H
Dolor hepatis quæ ſecũ trahat in conſenſum.2°.de loc.aff. 4ª.12.C
ex Dolore loci deprehenditur obſtructio iecoris, & lienis. quæſita in Hippocratem. Sp.113.C
ad Dolorem hepatis epithema.de dyna. Sp.26.D
Dolori hepatis ex calore confert triaſandali.de dyn. Sp.26.E
Doloribus antiquis hepatis, & diaphragmatis admirabile iuuamẽtum eſt ſectio arteriæ manus.de anat.viu. Sp.54.H
Dolori antiquo hepatis confert ſectio arteriarum poſt aures. de anatomia viuorum. Sp.55.B
Doloribus hepatis cõfert ſaluatellæ ſectio in dextra.de ana.vi. Sp.54.H
ad Dolorem hepatis & ſtomachi.ſecretorum. Sp.97.B
ad Dolorem hepatis, & ſplenis.ſecretorum.98.F/ Sp.100.H
Doloroſum minime eſt viſcus Splen.2°.de diff.reſp. 3ª.67.F
Doloribus ſplenis cõfert ſectio ſaluatellæ in ſiniſtra.de ana. vi. Sp.54.H
Dolores cur debent ſentiri ab inteſtinis.5°.de vſu par. 1ª.145.E
Dolor inteſtinorum quo modo fiat.1°.de loc.aff. 4ª.4.B
Dolores inteſtinorum concitat bilis.de dyn. Sp.19.D
Dolores fortes circa viſcera & conuulſiones in febribus acutis, malum. com.4°.aph.66°. Ex.34.E
in Dolore viſcerũ nihil eſt aptius phlebotomia.de cura icteri. Sp.110.G
Dolor factus à frigido humore intercluſo inter tunicas inteſtinorũ. 12°. methodi med. 7ª.79.D
Dolorẽ mitigat ſeuũ iniectũ ĩ deiectionibus alui.13°.meth.me. 7ª.86.A
ex Dolore inteſtini laxi defectus animi quo modo curandus. 1°. de arte curatiua ad Glauco. 7ª.99.G
Dolor craſſi inteſtini qualis.2°.de loc.aff. 4ª.9.E
Dolores craſſorum inteſtinorum clyſteribus ſanantur. 2°. de arte curatiua ad Glau. 7ª.104.H
Dolores mitiores fiunt in inteſtinis tenuibus.2°.de loc.aff. 4ª.9.G
Dolores tenuium inteſtinorum cito à philonio ſanantur.2°.de arte curatiua ad Glauco. 7ª.104.H
Dolores inteſtinorum omnium vocantur colici, etiam ſi non ſint in colo. 6°.de locis affectis. 4ª.36.H
Dolores colici, qui.2°.de loc.aff. 4ª.9.E
Dolor coli ſæpe per duos dies continuos vexauit.2°.de ſym.cau. 3ª.23.F
Dolor coli talis, vt homo ſe interfecerit.2°.de comp.me.ſe.lo. 5ª.134.H
ob Dolorem aliqui ſe necarunt.de ſymp.diff. 3ª.11.E
in Dolore coli & lapidis, calida.2°.de loc.aff. 4ª.9.F
in Dolore coli quæ per ſedem imponenda.12°.meth.me. 7ª.78.G
Dolorem coli ruta ſedat.de ſimp.med. Sp.89.D
in Dolore quo, vtatur Galenus oleo rutaceo.2°.de loc.aff. 4ª.9.D
ad Dolorem colicum proprie facit ſeſeli.de ſimp.med. Sp.90.D
ad Dolores colicos.de rem.par.fac.166.H/ 7ª.167.H
quibus Dolore ilium accedente hypochondria ſuſpenſa, murmurantia, ijs alui humectantur, niſi flatus erũpant, aut vrinæ proueniat copia. de vrinæ ſignificatione ex Hippo. Sp.78.H
ad Dolorem ilij potio probata.de dyn. Sp.28.B/C/D
ad Dolorem ilij fomentum.de dyn. Sp.28.D
ad Dolorem ilij remedium.de dyna. Sp.28.C
ex Dolore ilei defectus animi q̃uo curãdus.1°.de ar.cu.ad Gla. 7ª.99.G
in Dolore inteſtinali deceptus Galenus, qui putauit eſſe dolorem renalem.2°.de locis aff. 4ª.9.E
ad Dolorem Brachiorum.de cura lap. Sp.112.B
Dolorẽ Scapularũ in maſculis ſignificat vrina aſterica.de dyn. Sp.35.D
Dolore Humerorum qui tenentur, vino iuuantur & oleo, ſi calidum ex vnguento ponatur.de ſimp.med. Sp.92.B
ad Dolorem Dorſi emplaſtrum.de cura lap. Sp.112.G
Dolor grauis in Renẽ primus Hippocrates dixit.2°.de loc.aff. 4ª.9.B
Dolores cur grauiſſimi in renibus.de ren.aff.dign.& med. 7ª.191.H
Dolor grauis & acutus renum quo modo cognoſcatur. commẽtario.6°. aphoriſmo.5°. Ex.46.H
Dolores renum q̃uo fiant.in 6m.de morb.vulg.com.1°. 3ª.155.D
Dolor renũ contingit conceptis in horis melancholiæ.de ſper. Sp.37.D
Dolor in renibus fit ex ſuperfluo bilis.de ſper. Sp.36.H
Dolorem renum, & indignationem in ſynocha ſignificat vrina colore alba conſtitutione tenuis cum nebulis non bonis.de dyna. Sp.34.C
Dolorem renum, genu, coxæ, ſtomachi, oſtendit vrina clara ſuperius, inferius nebuloſa, & ſubliuida.de dyn. Sp.35.D
Dolorem renum inferius, capitis grauitatem ſuperius, aurium & nariũ obturationem ſignificat vrina ſuperius ſubnigra & plena, quæ inferius claritatem habuerit.de dyn. Sp.35.D
Dolorem renum & veſicæ, & capitis aliquantum ſignificat vrina alba & pinguedinoſa vel iumentina.de dynam. Sp.35.E
Doloris duorum renum meminit.ſecretorum. Sp.100.H
in Dolore renum lotiones, quales.de ren.aff.dign.& med. 7ª.193.D
in Dolore renum cataplaſma.de ren.aff.dign.& med. 7ª.194.B
in Dolore renum olea.de ren.aff.dign.& med. 7ª.193.H
in Dolore renum quando ſtupefacientibus vti debemus. de ren. affect. dign.& med. 7ª.194.B
ad Dolorem renum clyſter.de dyna. Sp.27.G
ad Dolorem renum.de dynamidijs.28.B/ſecretorum. Sp.97.B
ex Dolore inguinum ſi febris ſit excitata, qui pulſus, & vrina.de dynamidijs. Sp.34.A
Dolores ſi prægnanti fiant, aborſum facit.com.7°.aph.23°. Ex.55.H
ad Dolores & menſium retentionem.ſecretorum. Sp.102.H
Dolor vehemens in ore matricis, qui, niſi cito occurratur, exulcerat.de paſſ.mul. Sp.95.F
Doloris matricis meminit.ſecretorum. Sp.100.H
ad Dolorem matricis electarium folij. de med. exper. Sp.107.H
Dolori matricis cõfert electariũ Ariſtolochiæ.de med.exp. Sp.108.A
ad Dolorem matricis.de paſſ.mul.95.H/de med.exper. Sp.108.A

ad Dolorem matricis cum dormiunt cum viro.de paſſ.mul. Sp.95.H
ad Dolorem matricis propter abſtinentiam viri.de paſſ.mul. Sp.96.G
ad Dolores omnes matricis poſt partum.de dyn. Sp.29.H
ad Dolorẽ mulieris poſt partũ dat̃ ďcoctio ſqnãthi.de me.ex. Sp.106.F
Dolorem vuluæ, & matricis, & febrem ſignificat vrina mulieris iumẽtorum ſimilis.de dyn. Sp.35.E
Doloris vuluæ cura.de dyna. Sp.35.E
Doloribus tumoribus vuluæ butyrũ ꝑprie vtile.de ſimp.me. Sp.81.D
ad Dolores pectinis vti veſpa incidentes.de paſſ.mul. Sp.95.G
ad Dolorem pectinis dorſi, et ventris, & frontis.de paſſ.mul. Sp.95.H
Dolores intenſiſſimi in veſicæ collo ob lapides.de ren.aff.dig. 7ª.193.B
Dolores veſicæ meminit.ſecretorum. Sp.100.H
Dolor ſi ad perinæum ac epigaſtrium incidat, ſi ſanguinem meiat & grumos ſtranguriaq́; affligatur, ſignificat circa veſicam eſſe ægritudinẽ.de vrinæ ſignifi.ex Hipp. Sp.78.H
Dolorem veſicæ & renum mitigant radices glycyrhizæ.de ſimplicium.medicamen. Sp.84.G
ad Dolorem veſice.de dyn.29.B/ſecretorum. Sp.99.H
Dolores potiſſimũ timẽdi ĩ lapide, & ipſis obuiandũ.de cu.lap. Sp.111.G
Dolor lapidis & dolor coli difficulter diſtinguunt̃, & habent præſidia communia.2°.de loc.aff. 4ª.9.F
in Dolore lapidis vehementi quid agendum.de cura lap. Sp.112.C
in Dolore lapidis & coli, calida.2°.de loc.aff. 4ª.9.F
in Dolore lapidis confert aqua ciceris.de cura lap. Sp.111.H
Dolorem lapidis per ſyrupos aufert.de cura lap. Sp.111.H
ad Dolorem lapidis.de cura lap. Sp.112.B
Dolorem pudendorum ſedat omnium maxime pompholyx.9°.de comp.med.ſec.loc. 5ª.205.D
ad Dolorem Teſticulorum.ſecretorum. Sp.100.B
Dolor in Veretro ex bilis ſuperfluo.de ſpermate. Sp.36.H
ad Dolorem Ani.ſecretorum. Sp.99.G
in Dolore Sciæ & podagræ magnopere iuuat ſectio iſchiadicæ.de anatomia viuorum. Sp.54.H
in Dolore Genuũ cur oculi lachrymantur.de na.et ord.cui.c. Sp.42.D
ad Dolorem genuum remedium.de dyn. Sp.30.B
ad Dolorem coxæ, & ventris in mulieribus.de paſſ.mul. Sp.95.H
Dolore dolor ſanat in coxæ exuſtiõe.in 6^{m}.de mor.vul.com.2°. 3ª.161.G
Dolorem dolor ſoluit.in 6^{m}.de morb.vul.com.2°. 3ª.161.D
Doloribus duobus ſimul non eundem locum infeſtantibus, vehementior alterum obſcurat.com.2°.aph.46°. Ex.18.G
Dolores duo in eodem loco alter alterũ auget.cõ.2°.apho.46°. Ex.18.H
Dolores Articulorum fiunt luna in cõiunctione ſolis, ſaturno in tetragono.de decub.prog.ex math.ſcientia. Sp.13.A
Dolore podagrico, arthritico, aut alio non moleſtabitur, qui vſus fuerit puluere cirico.de dyn. Sp.30.B
ex Dolore articulorum defectus animi quo modo curandus.1°.de arte cur.ad Glauco. 7ª.99.G
ad Dolores articulorum.7°.de comp.me.per gen. 5ª.265.B
ad Dolorem arthriticum.de dyn. Sp.31.D
Doloribus podagricis, colicis, & id genus alijs ægrotare turpe eſt virũ optima natura præditum.5°.de ſan.tuen. 2ª.88.H
ꝑ Dolore podagræ.de dyn. Sp.30.B
Dolori iũcturarũ ex humore craſſo ammoniacũ ꝑfuit.de med. Sp.104.C
ad Dolores iuncturarum ex phlegmate viſcoſo quo deſtruitur motus, medicamen Amoronis regis.de med.exper. Sp.108.E
ad Dolorem iuncturarum.ſecretorum.100.C/101.E/F/ Sp.102.H
ad Dolorẽ iũcturarũ valẽs electariũ gummi.de med.exper. Sp.108.D
Dolores artuum diſcutiunt varices.in 6^{m}.de mor.vul.com.6°.3ª.197.F
Dolor quando ceſſat.de inæqu.intemp. 3ª.43.F
Dolores occultari repente, malum.in 1^{m}.pror.com.3°. 4ª.188.H
Dolor nõ debet remedijs valẽtibus vno die ſanari.12°.met.me. 7ª.75.F
cõtra Dolorem quidã qui pugnarunt, periere.12°.meth.med. 7ª.75.A
Doloribus leuibus & ſæuis præſidia ſuccurrentia.in 6^{m}.de morb.vulgaribus, com.6°. 3ª.195.H
cõtra Dolores duplex eſt ratio medicorum.12°.meth.me. 7ª.74.H
Dolorum medicina non nunquã ſtirpium humores.in 6^{m}.de morbis vulgaribus, com.6°. 3ª.196.D
Doloris mitigatiua qualia.de ocu. 7ª.188.F
Dolores mitigantia concoquunt, & ſuppurare faciunt.3°.de cõpo.medicamen.ſecun.loc. 5ª.146.E
Dolorem mitigans debet vires cuſtodire.12°.meth.me. 7ª.75.A
Dolores auferunt amara ſecundum Homerum.1°.de antidotis. 5ª.102.B
Dolores debent prius ſedari quàm detur ptiſſanæ cremor.de vict.ratio.in mor.acutis, com.1°. 7ª.112.B
Dolores ſedantium ſcopus.7°.de comp.med.ſec.loc. 5ª.179.E
Dolores ſedantur calefacientibus.13°.meth.me.7ª.82.F/commentario.5°.aph.22°. Ex.39.C
Dolor vbi eſt, totum membrum calefaciendum & humectãdum eſt.13°.methodi medendi. 7ª.81.A
ꝑ Doloribus olea calida.in 6^{m}.de mor.vul.com.6°. 3ª.196.B
Dolor à pulſatili inflammatione & mordaci acredine non ſanatur calidis.3°.de com.me.ſec.loc. 5ª.141.C
Dolorem leuant anodyna auxilia.in 6^{m}.de mor.vulg.com.2°. 3ª.161.G
Dolorem lenit lentor.13°.meth.med. 7ª.86.A
Dolorem lenit lentum ſine morſu calefaciens.13°.meth.me. 7ª.86.A
in Doloribus quando facienda eſt euacuatio.in 3^{m}.de morbis vulgarib.commenta.3°. 3ª.149.F
in Dolore dat lac aſinæ.de vic.rat.in morb.acu.com.4°. 7ª.148.F
Doloris curatio et ſedatio qũ ſimul fiunt.3°.de cõp.me.ſe.loc. 5ª.142.A
Doloris ſedandi iniecta medicamenta alia excalfaciendo, alia humorem mordacẽ euacuãdo, alia miſcendo inijciunt̃.2°.de ſim.me.fa. 5ª.12.C
Doloris ſedandi vim habentia.11°.de ſimp.me.fa.82.H/ 5ª.83.A
Doloroſas omnes affectiones iuuant adeps anſerinus & gallinaceus.3°.de comp.me.ſec.loc. 5ª.141.H
ad Dolores quo modo valent adeps gallinaceus & anſerinus.3°.de cõpoſi.med.ſec.loc. 5ª.142.A
Dolorem ſedat anethum.6°.ſimp.med.fac. 5ª.43.B
Dolorem ſedant chalbanum & adeps tenuium partium.3°.de compoſi.med.per genera. 5ª.232.G
Dolores ſedat & mitigat chamæmalon.3°.de ſimp.med.fac. 5ª.18.G
Dolorem acutum patiẽtibus chamæmeli decoctum propinabat Aſtorõ.de med.exper. Sp.104.A
Dolores leuat crocus.7°.de comp.med.ſe.lo. 5ª.179.E
Dolores omnes mitigat collyrijs & antidotis commiſtum crocũ.de ſimplic.medicam. Sp.81.E
Dolores leuat myrrha.7°.de comp.ſec.loc. 5ª.179.F
Doloris ſedandi cauſa oleum datur bibendũ.2°.de ſimp.me.fa. 5ª.12.A
Dolorem ſedans paſtillus.9°.de comp.med.ſec.lo. 5ª.204.B/E
ad Dolorem arcendum, parygrum medicamentum.1°.de comp.medi.ſecun.loc. 5ª.129.A
Dolorẽ magis ſedat ſapa q̃ vinũ dulce.3°.de comp.me.ſec.loc. 5ª.140.G
Dolores fixi diutini terra ægyptia ſanant̃.9°.ſimp.med.fa. 5ª.65.G
Dolorem mitigat thus.1°.de comp.med.per ge.214.B/2° 5ª.219.F
Dolorẽ leuantia mollia putrefaciunt.3°.de cõp.me.per gen. 5ª.232.G
pro Doloribus ſoluendis raro vtimur refrigeratione.in 6^{m}.de morbis vulg.com.6°. 3.196.B
Dolorem ſoluit ſtupor moderatus.in 6^{m}.de mor.vulg.cõ.2°. 3ª.161.B
Dolorem ſoluit ſtupor mediocris.5°.de comp.med.per ge. 5ª.255.C
Dolorem ſoluit aqua frigida, torporem inducendo, & hebetando ſenſus.com.5°.aph.25°. Ex.39.H
Dolor ex phlegmone non ſolo frigido leuatur.quo modo morb. Iſa.61.E
Dolorem compeſcit mandragora.de ſimp.med. Sp.87.C
ad Dolores vehementiſſimos mandragoræ ſuccus.4°.de comp.medica.ſecundum locos. 5ª.150.H
Dolorem compeſcit hyoſcyamus.de ſimp.med. Sp.52.D
Dolorem aufert, non prodeſt affectionibus papaueris ſuccus.2°.de compoſi.med.ſec.loc. 5ª.138.F
Dolores mitigant papauer & altercum.6°.de cõp.med.ꝑgen. 5ª.255.C
Dolorem quo modo dici poſſint ſanare opium & opiata.3°.de compoſi.med.ſec.loc. 5ª.141.E
in Doloribus quid faciant opiata & frigida.3°.meth.med. 7ª.17.D
Dolor in quo vti debemus ſtupefacientibus.12°.meth.med. 7ª.79.C
in Doloribus vehementiſſimis exhibet ſtupefacientia.12°.methodi medendi. 7ª.75.B
in Doloribus philonio quando vti debemus.2°.de arte curat.ad Glauconem. 7ª.104.H
ad Dolores minuendos.4°.de comp.med.per gen. 5ª.245.H
ad Dolorem ſedandũ.8°.de comp.med.ſec.loc.191.E/9°.201.A/1°.de comp.med.per.gen. 5ª.211.F
Dolorẽ ſedãs pharmacũ.7°.de comp.me.ſec.loc.5ª.182.C/ 7ª.184.H
Dolorem ſedans potio.7°.de comp.med.ſec.loc. 5ª.185.B
Dolorem leuans pharmacum.7°.de comp.med.ſec.loc. 5ª.182.B
Dolorem ſedans antidotus.10°.de comp.med.ſec.loc. 5ª.206.F
Dolorẽ ſedans Antonij Muſæ cõpoſitio.7°.de cõp.me.ſec.loc. 5ª.181.H

ad Dolores ſtatim ſoluendos colica.9°.de comp.med.ſec.loc. 5ª.202.G
Dolorem ſedans colica.9°.de comp.med.ſec.loc. 5ª.202.H
Dolorem ſedans colica, qua vſus eſt Caſſius. 9°. de compoſi. medicam. ſecundum locos. 5ª.202.G
Dolorem ſedans colica Lucij.9°.de comp.med.ſec.loc. 5ª.202.G
Dolorem ſedans confectio.7°.de comp.med.ſec.loc. 5°.185.B
Dolores aufert decoctio aſſari.de med.exper. Sp.107.B
Dolores ſedans electarium centaureæ.de med.exper. Sp.107.G
ad Dolorem ſedandum Iſidori.5°.de comp.med.per gen. 5ª.259.A
Dolorem ſedans Lycomedis.7°.de compoſi.med.ſec.loc. 5ª.185.A
ad Dolorem ſummouendum malagma apud Aſclepiadem.7°.de compoſitio.med.per gen. 5ª.267.A
à Doloribus liberans malagma.11°.de comp.med.ſec.loc. 5ª.209.D
Dolorem ſedans aliud Marcellini.7°.de comp.med.ſec.loc. 5ª.184.H
Dolorem ſedans Nicoſtrati malagma.7°.de cõp.med.per ge. 5ª.267.A
Dolorem ſedans ſtomaticum.6°.de comp.med.ſec.loc. 5ª.170.H
Dolorem ſedans Xenocratis.6°.de comp.med.per gen. 5ª.261.F
Dolorem ſedantes confectiones.7°.de comp.med.ſec.loc. 5ª.184.G
Dolorem ſedans aliud ex ſeminibus.7°.de comp.med.ſec.loc. 5ª.184.H
Dolorem mitigans ex vino dulci,roſaceo,& cera emplaſtrum. 2°. de arte cura.ad Glau. 7ª.101.G
ad Dolorem ſanandum,Tractum.de dyn. Sp.31.F
Dolorem ſedans.7°.de comp.me.ſec.loc. 5ª.185.A
ad Dolores ſummos.9°.de comp.med.ſec.loc.5ª.202.F|5°.de compoſi. med.per gen. 5ª.251.H
ad Dolorem fortem ex frigida cauſa.de med.exper. Sp.104.H
Dolorem fortem auferẽs decoctio chamæmeli.de med.exper. Sp.107.D
ad Dolorẽ fortẽ valẽs medicina Gereonis græci.de med.exp.Sp.105.H
ad Dolores fortes valẽs medicamen.de med.exp.106.C|H| Sp.107.A
Dolorem fortem ſedans electarium.de med.exper. Sp.107.A
ad Dolores fortes electarium ſquinanthi.de med.exper. Sp.107.H
ad Dolorem membrorũ interiorum electarium.de me.exp. Sp.106.G
ad Dolores internos theriaca Euclidis Palatiani.2°.de antid. 5ª.116.B
ad Dolorem ex oppilatione valens medicamẽ.de med.exper.Sp.105.H
ad Dolorẽ omnẽ.2°.de comp.med.per ge.222.F|7°. 5ª.273.A
Doloris in omnibus membris meminit.ſecretorum. Sp.100.H
ad Dolorem qualemcunq; vnguentum.de dy. Sp.30.B
ad Dolores chronicos electariũ dictũ Euadens.de me.exper. Sp.108.E
ad Dolores omnes diuturnos.10°.de ſimp.med.ſec.loc. 5ª.207.D
ad Dolores omnes diuturnos.7°.de comp.med.per ge. 5ª.266.H
Dolores oẽs vetuſti,& inſanabiles metaſyncreticis et malacticis rebus curant,aut paregoricis mitigant,aut igne perurunt.de dy. Sp.19.A
Dolorem vacuantia quæ.13°.meth.med. 7ª.82.D
Dolorem ſoluere poteſt cucurbitula.de cucur.ſcar.2.F| 6ª.3.F
in Dolore mediocri,& ſimilibus conuenit vſus cucurbitularum ſine inciſione.de cucurb.& ſcar. 6ª.3.C
Dolorem ſedat cucurbitula magna,ſi ponatur ſupra vmbilicum cũ multo igne.de arte cur.ad Glau. 7ª.104.H
Dolor ſoluitur ſecta vena,& euacuatione.de vic.rat.in morbis acutis. commen.1°. 7ª.114.A
Dolores maximi ſanantur euacuatione vſque ad animi defectum. com. 1°.aph.23°. Ex.10.E
in Doloribus maximis ducere ſanguinem vſque ad animi defectum eſt præſidium quo nullum maius.præſag.exper.confir. Sp.77.H
Dolorem vetuſtum ſanat vena inter pollicem,& indicem ſecta.præſag. exper.confir. Sp.78.C
Dolore mitigato ſanguis detrahendus eſt.præſag.exp.confir. Sp.77.H
Dolor non ſentitur vena aperta.5°.de locis affectis. 4ª.32.D
Dolores omnes ſimpliciter non ſanãtur per euacuationem. commen.4°. aphoriſ.17°. Ex.29.B
Dolores ſoluti abſq; indicatione inutiles.in 1^{m}.pror.com.3°. 4ª.188.H
Dolor ex apoſtematibus quo modo curetur.de ocu. 7ª.190.A
cũ Dolore pulſantem abſceſſum quando aperimus, & pus emittimus, non eſt curatio ſymptomatis,ſed morbi.12°.meth.me. 7ª.74.G
Dolor,ſuppuratio,& febris in tumore cum abſunt,pars putreſcit,vt cogamur quandoq; ſolidã præcidere.in 3^{m}.de morb.vul.cõ.1°.3ª.132.D
ꝓ Dolore viola ad vulnera ſananda.de dyn. Sp.35.E
à Dolore vindicans & conglutinans medicamentum.5°. de comp.med. per genera. 5ª.249.H
Dolor vbi euitari poſſit,q̃ maxime iocũde agere cõuenit.đ faſ. 7ª.293.C
ſine Dolore curanda pars acuti ſenſus.4°.meth.med. 7ª.28.F
Dolore maxime vacant quæ paululum ad pronum declinant. de ijs quæ in med.fiunt,com.3°. 7ª.217.C
Dolorificæ figuræ in articulis,quæ.1°.de vſu par. 1ª.119.A
à Dolore aliena eſt membrorũ rectiſſima figura.5°.meth.me. 7ª.41.B
ſine Dolore eſt cruris figura paulominus porrecta.5°.met.me. 7ª.41.C
Dolor non debet creari ſub ligatura oſſis.5°.meth.med. 7ª.41.D
Dolores fiunt dum incidimur ſtatim,non poſt inciſionem. 1°. de ſymptoma.cauſ. 3ª.16.G
Dolor ꝗ primo leniendus,deinde vlcus curandum.4°.de compoſi.med. per gen. 5ª.244.C
Dolor ſi cum contuſione,quid agendum.5°.med.me. 7ª.38.G
Dolorem quibus afferant rupturæ.in 3^{m}.de morb.vulg.cõ.3°. 3ª.149.F
Doloroſa vlcera vbi.4°.meth.med. 4ª.28.B
Dolor,lege Tormina.
DOMESTICIS agreſtia ſunt antiquiora.in Tim.Plat. 1ª.286.H
Domeſtica in omnibus ſunt eſui aptiora agreſtibus.6°. de ſimplic.medicam.facul. 5ª.46.A
Domeſticorum animalium alimentum,quale.3°.de alim.fa. 2ª.27.F
Domeſticis ſylueſtres carnes meliores ſunt.de cura icteri. Sp.111.D
Domeſticis valentiora ſunt agreſtia.8°.de ſimp.me.fa. 5ª.61.A
Domeſticis efficaciora ſylueſtria.7°.de ſimp.me.fa. 5ª.52.H
Domeſtica animalia quo differant ab agreſtibus. 3°. de alic.fa. 2ª.27.E
Domeſticorũ animaliũ carnes edẽdæ potius aſſæ.de cura icte. Sp.111.D
Domeſtica quæ nunc effecta ſunt ſemina, ſtirpes, arbores, prius fuere agreſtia.in Tim.Plat. 1ª.286.H
Domeſticum lapathium iuuat ictericos.de cura icteri. Sp.111.B
DOMINARI in qua ſignificatione vtatur Hippocrates. in 1^{m}. de morbis vulgaribus,com.1°. 3ª.103.E
Dominium phlegmatis in poſteriore capitis parte.de anat.viu.Sp.45.E
Dominium ſanguinis vbi ſit.de anat.viuo. Sp.45.D
DOMINICA oratione vtitur in colligendo carduum.quare collige Galeni non eſſe librum de dynamidijs.de dyna. Sp.28.B
DOMITIO Nigrino compoſitum.7°.de comp.med. per gen. 5ª.270.H
DOMOS non habent Nomades,ſed habitant in curribus.de aere, aqs, & locis. 2ª.5.D
Domus ortus vnde.6°.de decr.Hipp. 1ª.264.B
Domus ligneæ ex arundinibus.de aere,aq. & loc. 2ª.4.H
Domus cito cadendi cauſæ aſſignantur viridia ligna.de cauſ.pc.3ª.96.E
Domus agreſtes Pergamenæ,quales.1°.de anti. 5ª.101.A
Domorum ædificatio eſt exercitium & opus.2°.de ſan.tu. 2ª.73.G
in Domo quid primo initiatur.an omnes animalis par. 1ª.326.D
in Domibus recens calce obſitis cur ſuffocamur.de vti.reſp. 1ª.225.D
Domos nuper calce illitas incolẽtes,q̃uo moriant.7°.de vſu pa.1ª.159.B
ad Domũ gubernãdã quæſtiones quæ nihil faciũt.9.de decr. 1ª.284.C
Domus in qua debet fieri exercitatio,qualis.2°.de ſan.tu. 2ª.73.C
Domus in qua fiat anatomia qualis eſſe debet.8°.de ana.adm. 1ª.100.H
Domus ſubterraneæ quæ quærendæ.10°.meth.me. 7ª.64.D
Domus aer incluſus,qualis.1°.de ſan.tuen. 2ª.67.B
Domus ſplendidiſſima qua Dyonifius obcæcabat eos quos in obſcuris ſeruauerat.19°.de vſu par. 1ª.178.H
Domus combuſtio ſine igne media æſtate ex ſtercore columbino. 2°.de temperamentis. 1ª.22.D
Domus bilis fel,& eius iuuamentum.de anat.viuorum. Sp.45.F
Domus cordis eſt venter ſuperior.de anat.viuo. Sp.47.C
DORCADES cõueniũt ſtomachicis.8°.de cõp.me.ſec.loc. 5ª.192.C
DORCADIZON pulſus,qui.comp.pulſ. Sp.66.B
DORICA nomina multa neſciuit Galenus.ad Thraſ. 2ª.107.A
Dorium canere.5°.de decr.Hippo. 1ª.257.H
DORMIRE non poſſumus in aere lucido, niſi tectis oculis.de inſtrumento odor. 1ª.112.B
Dormimus ſm mediam figuram corporis.2°.de motu muſc. 1ª.314.C
Dormientes non poſſunt habere figuram extremam manus, & cur.2°. de motu muſc. 1ª.314.C
Dormit grauiter conceptus in hora phlegmatis.de ſpermate. Sp.37.C
cur Dormimus profunde & non profunde.1°.de ſymp.cauſ. 3ª.18.H
Dormientes profunde ſtertunt.com.6°.aph.51°. Ex.52.H
Dormientes in bronchum,ſtertunt.de art.com.3°. 7ª.269.E
Dormientium operationes non ſunt omnes naturales, & quæ animalis. 2°.de motu muſ. 1ª.314.G
Dormientes faciunt voluntarias actiones.2°.de motu muſ. 1ª.314.G
in Dormiente motus volũtarius eſt reſpiratio.2°.de motu muſ.1ª.314.B
Dormientes ſpirant,quamuis nihil aliud agunt à conſilio.3°. de locis affectis. 4ª.20.B

Dormiens reſpirat vi animali.an animal ſit. 1ª.327.H
Dormientes non habent oẽs muſculos otioſos.2°.de mo.muſ. 1ª.314.C
Dormientes non ſunt ſenſus expertes omnino,ſed difficulter ſentiunt.2°. de motu muſc. 1ª.314.F
in Dormiente,& vigilante ſenſus diuerſitas.de anat.viuo. Sp.45.H
Dormientium anima non abſolute quieſcit.2°.de motu.muſ. 1ª.314.F
Dormientis partes intrinſecæ calidiores, extrinſecæ frigidiores. in 6^{m}. de morb.vul.com.4°.183.D/com.5°. 3ª.193.H
Dormientibus efficacius fiunt cõcoctiones.in 6^{m}.de morbis vulgaribus commen.4°. 3ª.183.D
Dormire per ſe cruditatibus omnibus maximo remedio eſt.de vict.rat. in morb.acu.com.4°. 7ª.148.E
inter Dormiendum & edendum plus humorum colligitur. 2°. de præſag.ex pulſ. 4ª.109.F
Dormiunt maiorem partem temporis pueri.com.3°.aph. 24°.Ex.25.A
cur Dormientes pueri in pauores & imaginationes terribiles incidant. ,com.3°.aph.24°. Ex.25.B
Dormientes male,ſeruandi diu vigiles, vt poſtea ſuauiter dormiant.in 6^{m}.de morb.vulga.com.4°. 3ª.184.A
inter Dormiendum quo modo dolores maximi fiant contorquendo partes.in 3^{m}.de morbis vulg.com.3°. 3ª.149.E
cur Dormiunt aliqui hiantes ore,& apertis oculis. commentario. 6°. aphoriſmo.52°. Ex.53.A
Dormientem hiare damnat Hippocrates.2°.de motu muſc. 1ª.314.D
Dormire hiantem eſt exitioſum.in progn.com.1°. 4ª.193.G/H
Dormientium pulſus quo modo differat à pulſu vigilantium. 3°. de cauſis pulſ. 4ª.97.H
Dormientes cur debent eſſe tecti.in 6^{m}.de morb.vulg.com.4°. 3ª.183.F
Dormiẽdo,cur quãdoq; excernitur,& mingitur.de mot.man. Sp.68.G
in Dormientibus ſi qd albi cõmiſſis palpebris ſubinſpicitur,neq; ex alui profluuio,aut medicamenti potione iſtud contingat,malum eſt, & letale valde.com.6°.aph.52°. Ex.53.A
ſup Dormire admodum ſitientibus qui noctu bibere appetunt, bonum. com.5°.aph.27°. Ex.40.A
cũ Dormit cum viro mulier,ſi dolorem matricis patiatur,quid fieri debeat.de paſſ.mul. Sp.95.H
nõ Dormiet interdiu,cui dolet caput ex vaporibus. de remedijs paratu facilibus. 7ª.153.F
Dormienti ſimilis fit homo compreſſis quibuſdam venis colli, ſecundum Ariſtotelem.de vtil.reſp. Sp.63.F
Dormientibus ſimiles,agentes aliquid,& non conſiderantes.1°.de difficultate reſpirationis. 3ª.60.A
inter Dormiendum qui moriuntur. 2°. de præſag.expul. 4ª.111.A
Dormitiua potentia cur ex potẽtijs medicinarũ oculi.de ocu. 7ª.189.A
DOROTHEI antidotus ad omniũ reptilium ictus.2°.de an. 5ª.118.D
Dorothei remedia contra viperas.2°.de antidotis. 5ª.118.A
DORSVM pars ſpinæ.intr.Iſag.53.E/de oſſibus.41.G/ 12°. de vſu partium. 1ª.196.G
in Dorſo vertebræ quo modo dicantur.in 6^{m}.de morbis vulgaribus,cõmentario.2°. 3ª.171.E
Dorſi vertebræ quot,& quales.de oſſibus. 1ª.42.B
in Dorſo ſpondyli duodecim.12°.de vſu par. 1ª.196.G
in Dorſi primis quatuor vertebris Oeſophagus extenditur. 6°. de vſu partium. 1ª.149.D
in Dorſo arteria magna eſt,& vena magna.de anat.parua. Sp.43.B
ꝑ Dorſum à corde protenditur arteria,quæ coniungitur meſenterio, et non tranſit per hepar.de vtil.reſp. Sp.64.E
à Dorſo procedenti arteriæ cuidam continuatur meſaraicum. de vtilitate reſp. Sp.64.G
ſecundum Dorſum arteria quando ſentiatur.de pulſ.ad tiro.43.C/1°.de digno.pulſ. 4ª.73.G
Dorſales muſculi.4°.de anat.adm. 1ª.81.F
ad Dorſales muſculos arteriæ.16°.de vſu par. 1ª.219.D
Dorſales vocauit Plato venas maximas.in Tim.Plat. 1ª.287.G
Dorſi neruorum primi,ſecundi,tertij,quarti, quinti paris egreſſio vbi. de anatom.viuo. Sp.53.H
Dorſi neruorũ,ſexti,ſeptimi,octaui paris egreſſio vbi ꝺ an.v. Sp.54.A
in Dorſo ſuſpenduntur renes per panniculum.de anat.viu. Sp.55.F
ꝑ Dorſum ad caput ex lũbis rigores mulieribus.c.5°.ap.69°. Ex.45.D
Dorſi partes ſunt paratiores ad ſuſcipiendum & ſentiendum frigiditatẽ com.5°.aph.69°. Ex.45.D
ex Dorſo horrores frequentes qd.ſignent.in 1^{m}.pror com.2°. 4ª.175.A
Dorſi dolor ex itinere.de vict.rat.in morbis acutis,com.4°. 7ª.144.H
Dorſi dolores ex humore illuc deſcendente fiunt,ſed præſertim craſſo ſpiritu aſſociato.com.6°.aph.22°. Ex.48.D
in Dorſi doloribus quæ vena eſt ſecanda.de nat.hum.com.2°. 7ª.183.B
Dorſi dolor per quã partem curetur.com.6°.aph.22°. Ex.48.D
Dorſi dolorẽ mulcet balneũ.de vict.rat.in morbis acu.com.3°.7ª.132.H
ad Dorſi dolorem emplaſtrum.de cura lap. Sp.112.G
ad Dorſi dolorem.de paſſ.mul. Sp.95.B
Dorſum extentum habentibus medicamentum non eſt exhibendum. de vict.rat.in morb.acut.com.4°. 7ª.150.F
Dorſo inclinato exercitatio qbus fieri non debet.5°.de ſan.tu. 2ª.90.A
à Dorſi parte eſt gibboſitas pulmonis.de anat.viuo. Sp.48.A
in Dorſo neruis exiguis interceptis laqueo vox perit.8°.de anatomicis adminiſtr. 1ª.100.F
ex Dorſi ictu digiti manus læduntur.3°.de anat.adm. 1ª.73.G
Dorſo quæcunque rupta ad cubitum deſcendunt,venæ ſectio ſoluit. commen.6°.aph.22°. Ex.48.D
ex Dorſi vlceribus quo modo tumoribus de repente euaneſcentibus fiant conuulſiones,cur,& quando com.5°.aph.65°. Ex.44.H
ad Dorſi vlcera.5°.de comp.med.per gen. 5ª.250.G
DORSI medulla quo nomine vocatur.5°.de loc.aff. 4ª.31.E
cur Dorſalem medullam Plato vocat genitalem.in Tim.Plat.1ª.287.G
Dorſi medulla quid.fin.med.Iſa.43.H.5°.de loc.aff. 4ª.31.E
Dorſi medullę exortus in occipitio.in 6^{m}.de morb.vul.com.1°. 3ª.154.C
Dorſi medulla vnde.in 6^{m}.de mor.vul.com.1°. 3ª.154.C
Dorſi medulla eiuſdem ſubſtantiæ cum cerebro.de fœt.form. 1ª.324.D
Dorſi medulla à cerebro videtur procreata.de fœt.form. 1ª.324.H
Dorſi medulla à cerebro,ſecundum Pelopem.6°.de decr.Hip. 1ª.262.F
Dorſi medulla eſt progerminatio quædam ſubſtãtiæ cerebri. 7°.de decretis Hippocratis. 1ª.272.G
Dorſi medullam tanquã truncũ producit cerebrum.1°.de ſem. 1ª.331.D
Dorſi medulla habet à cerebro facultatem.7°.de decre.Hipp. 1ª.272.H
in Dorſi medullæ exortu vulnerati boues habent ſanguinem in aliquo ventriculo.1°.de decre.Hipp.& Pla. 1ª.231.G
è Dorſi medulla ſexaginta nerui.7°.de decre.Hipp. 1ª.272.G
à Dorſi medulla oriuntur nerui thoracem mouentes.de fœtuum formatione. 1ª.324.H
à Dorſi medulla oriuntur nerui, qui ad muſculos pectoris perueniunt. de præcogn.ad Poſth. 4ª.216.D
à Dorſali medulla ſemen ad maris pudendum deſcendere arbitratur, Hippocrates.in Timęum Plat. 1ª.287.H
Dorſi medulla affecta quid ſequatur.in 1^{m}.pror.com.2°. 4ª.169.H
Dorſi medulla præciſa quid ſequatur.de fœt.form. 1ª.324.D
Dorſi medulla læſa in prima vertebra reddit ĩmobile corpus totum. 2°. de decr.Hippo. 1ª.237.A
ad Dorſum deligandum,vinculum.de faſcijs.301.E/ 7ª.302.B
ad Dorſum,aut latera,ſeu thoracẽ vinciẽdũ,vinculũ.de faſc. 7ª.301.G
DORYCNIVM quid,& eius vires.de ſimp.med. Sp.83.E
Dorycnij ſemen quaſi amatorium deſcribunt.de ſimp.med. Sp.83.E
Dorycnium totum venenoſum eſt.de ſimp.med. Sp.83.E
Dorycnion ſoporiferum.6°.de ſimp.med.fac. 5ª.48.C
Dorycnion edentibus quid auxilietur.2°.de anti. 5ª.114.C
DORYLẼ vltimum oppidum Phrygiæ Aſiaticæ. 1°. de alimentorum facultatibus. 2ª.12.E
Doſis non poteſt peruerti in medicamentis verſibus ſcriptis.1°. de antidotis. 5ª.108.A
Doſis araci magnitudo.7°.de comp.med.ſec.loc.183.A/ 5ª.185.D
Doſis ciceris magnitudo.7°.cõp.med.ſec.loc.182.C/183.A/185.G/186.F/8°.189.B/F/9°.204.B/10°.5ª.206.E/de medicam.faculta.parab.171.H/ 7ª.179.D
Doſis cochlearij menſura.7°.de comp.med.ſe.lo.178.E/181.G/7ª.187.A
Doſis erui magnitudo.7°.de compoſi.medica.ſec.loc.5ª.182.A/ de rem.par.fac.154.D/ 7ª.165.B
Doſis fabæ magnitudo.7°.de compoſi.medic.ſecun.loc.182.H/183.B/D/185.D/186.G/H/9°.203.C/5°.de comp. med. per gen.5ª. 248.D/12°. methodi medendi.79.F/de remedijs par.facil.158.C/G/159.H/171.E/de incant. 7ª.182.B
Doſis fabæ ægyptiæ magnitudo. 7°. de compoſitione medicamentorum ſecundum locos. 5ª.178.E
Doſis faba ægyptia.7°.de comp.med.ſec.loc.181.D/182.E/G/183.G/185.A/B/D/186.B/H/8°.195.H.9°. 5ª.202.C/G/H
Doſis faba græca.de rem.par.fac. 7ª.166.H

Doſis faba græca.7°.de comp.med.ſec.loc. 5ª.182.E
Doſis ad fabæ græcæ magnitudinem.7°.de compoſitione medicamentorum ſecun.loc. 5ª.179.F
Doſis faba græca.8°.de comp.me.ſec.loc.194.H/9°. 5ª.198.E
Doſis lupinum.9°.de comp.me.ſec.loc. 5ª.200.G
pro Doſi myſtrum.8°.de comp.med.ſec.lo. 5ª.189.E
Doſis myſtrum.7°.de comp.me.ſec.loc. 5ª.182.A
Doſis nux.5°.de comp.me.per ge. 5ª.253.A
Doſis nux auellana.8°.de comp.med.ſec.loc.195.H/197.G/1°. de comp. med.per ge. 5ª.215.F
pro Doſi nucis ponticæ magnitudo.7°.de compoſitio.medic. ſecun. loc. 178.D/181.E/F/182.D/H/183.G/H/185.G/186.A/B/193. A/C/D/H/9° 202.D/F/G/10°. 5ª.206.A/D/F
Doſis nux regia parua.9°.de comp.med.ſec.loc. 5ª.201.H
Doſis oboli duo.7°.de comp.med.ſec.loc. 5ª.182.G
Doſis Allij.de dynami. Sp.21.H
Doſis Ammoniaci.de dynami. Sp.22.B
Doſis Bdellij.de dynami. Sp.22.A
Doſis Chamæleę.de dynami. Sp.22.B
Doſis Chamæpityos.de dynami. Sp.22.A
Doſis Cucumeris agreſtis.de dynami. Sp.21.H
Doſis Cyclaminis.de dynami. Sp.21.H
Doſis Elaterij.de dyna. Sp.21.F
Doſis Ellebori nigri.de dyna. Sp.21.A
Doſis Euphorbij.de dyna. Sp.22.B
Doſis Gallæ.de dyna. Sp.22.A
Doſis Gari.de dyna. Sp.22.G
Doſis Hieræ moderata vſq; ad drachmas tres.8.đ cõp.m.ſe.lo.5ª.191.B
Doſis Iſionis.de dyna. Sp.21.F
Doſis Lathyridis.de dyna. Sp.21.G
Doſis Oliuæ radicis.de dynami. Sp.22.A
Doſis Peplij quanta.de dyna. Sp.21.A
Doſis Sambuci.de dynami. Sp.22.C
Doſis Scammonij quanta. de dyna. Sp.21.A
Doſis Squammæ æris.de dynami. Sp.22.A
Doſis Styracis.de dyna. Sp.21.H
Doſis Tithymalli.dc dyna. Sp.21.E
Doſis Thymi.de dyna. Sp.21.H
DOTHIEN affectus in quacunq; parte corporis.intr. Iſa.59.D
de Dothienibus.5°.de comp.med.ſec.loc. 5ª.160.D
Dothien.2°.meth.med. 7ª.9.F
DRACHMA & holca idem.de ponderibus & menſuris. 5ª.275.C
Drachma eſt quod Romani denarium appellant.8°. de compoſi. medica. ſecun.loc. 5ª.191.B
Drachma quæ in vſu ſit. 8°.de compoſitione medicamentorum ſecundũ locos. 5ª.191.B
Drachma quantum capiat. de pond. & menſ.5°. 265.E/276.A/C/F/G
Drachma quo modo notetur.de pond.& menſ.275.C/H/ 5ª.277.F
Drachma dimidia,eſt chema.3°.de comp.me.ſec.lo. 5ª.147.H
Drachmæ dimidium ſunt oboli tres.6°.de comp.me.ſec.loc. 5ª.171.C
Drachma dimidia quomodo notetur.de pon.menſ.275.C/H/ 5ª.277.F
Drachmas octo continet vncia.4°.de comp.med.ſec.loc.152.B/ 6°. 170. A/9°.198.H/1°.de comp.med.per gen. 5ª.217.F
Drachmæ argenteæ octo aut ſeptem cum dimidia faciunt vnciam. 8°.de comp.med.ſec.loc. 5ª.191.A
Drachmas.xij.facit ſequuncia.4°.de comp.med.ſec.loc. 5ª.152.B
Drachmas.xxxij.æquat tertia pars librę.4°.de ſan.tuen. 2ª.86.H
Drachmæ centum pro libra.1°.de comp.med.per gen. 5ª.216.H
Drachmæ.clx.mina.2°.de comp.med.per gen. 5ª.225.G
Drachma Aegyptiaca.de ponde.& menſ. 5ª.276.E
Drachmales paſtilli.7°.de comp.med.ſec.loc. 5ª.185.B
DRACO filius Hippocratis.de nat.hum.com.2°. 7ª.181.E
DRACO habet proprietatem in ſigno tauri & magnitudine & ſenſu. de ſpermate. Sp.38.H
Draconi aduerſatur ſulfur.9°. de ſimp.me.fac. 5ª.69.C
DRACONES piſces habent carnem duram.3°.de ali.fa. 2ª.31.F
Dracones piſces ægre conficiuntur,& pariunt ſuccos craſſos & ſalſos. 3°.de alim.fac. 2ª.31.E
Draconis marini venenum trahens.5°.de comp.me.per ge. 5ª.246.E
Draco marinus ſuum ictum ſanat.11°.de ſimp.me.fac. 5ª.82.G
Draconis morſum ſanat trigla.11°.de ſimp.me.fac. 5ª.82.G
ad Draconis morſus.3°.de comp.med.per ge.235.B/5°. 5ª.248.H
DRACONIS ſanguis ad fluxum ſanguinis narium.de dyn. Sp.25.B
DRACO vocatus laqueus quo modo conficiatur.de laqu. 7ª.307.E
DRACONES ad quid in organis.de machin. 7ª.310.B
DRACONTIA quæ ſint.intr. Iſa.60.D
Dracontiaſis cutis affectus.intr. Iſa.59.D
Dracontiorum curatio.intr. Iſa.60.D
Dracunculus eſt vlcus,quod à parte propinqua ad ipſum nerui dilationem habet,dictus quod neruus mouendo corpore in vlcus recedat, in eoq; occultetur.fin.med. Iſa.49.E
DRACONTII radices præſtantiores folijs.2°.de ali.fac. 2ª.24.D
Dracontij radix bis & ter coquitur.2°.de ali.fac. 2ª.24.G
Dracontij radix vehementer craſſos & lẽtos humores à pectore trahit. 2°.de alim.fac. 2ª.24.G
Dracontij radix fortiter reſoluit.2°.de arte cur.ad Glau. 7ª.105.F
Dracontij radix medicamentoſum quid habet.2°.de ali.fac. 2ª.24.G
Dracontio quomodo conſeruatur caſeus.6°.de ſimp.med.fac. 5ª.46.D
Dracunculus calefactorius.6°.de ſimp.med.fac. 5ª.48.C
Dracunculi radix viſcera omnia expurgat, & optimum remedium eſt contumacium vlcerum,& vitiliginem expurgat cũ aceto.6°. de ſimpli.med.fac. 5ª.46.D
Dracunculi radix tenuium partium eſt,& lapidẽ atterit in renibus.3°. de comp.med.fac. 5ª.141.E
Dracontij radices purgant veſicam.de cathar. Sp.95.D
Dracunculi radix qũo ſeruanda & vlceribus medetur.5°.de comp.me. per genera. 5ª.246.G
Dracunculus vlcera exiccat.4°.de comp.med.per gen. 5ª.236.G
Dracunculi folia vlceribus vulneribusq; recẽs inflictis accõmoda ſunt. 6°.de ſimp.med.fac. 5ª.46.D
ex Dracunculi radice medicamentum idem valet cum iſidæ ęgyptia in neruis.3°.de comp.me.per ge. 5ª.229.D
Dracunculi ſuccus vitia oculorum expurgat.6°.de ſimplicium medicamentorum facul. 5ª.46.D
Dracunculi fructus cancros & polypodas eliquare creditus eſt.6°.de ſimplicium me.fac. 5ª.46.D
Dracũculi radix ad neruos vulneratos.3°.de cõp.me.per gen. 5ª.234.B
Dracunculi ſuccus acerrimus, & amariſſimus. de bon. & vitio ſuccorum. 2ª.35.F
ex Dracunculo oleum mitigatorium in duris corporibus.3°.de compo. med.per gen. 5ª.235.A
DRAGANTVM faciens chitran alijs præſtat.de ſimp.med. Sp.71.G
DRIMEA medicamenta ſunt acria, quæ nequitiam humorum vel morborum extinguunt.de dyna. Sp.18.H
DROMAEDAE vxoris nuper enixæ caſus.in 1ᵐ.de morb. vulga. commenta.3°. 3ª.125.B
DROPAX vnguentum pro gracilibus.6°.de ſan.tuen. 2ª.98.B
DROPACITA medicamenta. de ijs quæ in medicatrina fiunt, commenta.3°. 7ª.220.D
DRVPPAE oliuæ.6°.de ſimp.med.fac. 5ª.46.G
DRYS, quercus ſeu robur.6°.de ſimp.med.fac. 5ª.46.D
DRYINVS ſerpens,qualis,& vnde dictus.de ther.ad Piſ. 5ª.92.H
Dryini aquatilis morſibus confert centaurea.de virt.centau. Sp.93.H
contra Dryinum valet theriaca.de theria.ad Piſo. 5ª.91.C
DRYOPTERIS quid,& eius vires.de ſimp.med. Sp.83.D
Dryopteris filicula.6°.de ſimp.med.fac. 5ª.46.D
Dryopteris minimum ſi ſumatur,lædit.3°.de ſimp.me.fa. 5ª.39.C
Dryopteris genere non quantitate obeſt.5°.de ſimp.me.fa. 5ª.39.C
Dryopteris ſepticum medicamentum.5°.de ſimp.me.fa. 5ª.36.B
Dryopteris pilis glabram cutem efficit.6°.de ſimp.me.fa. 5ª.46.D
Δρυπιτεῖς oliuæ drupæ.6°.de ſimp.me.fac. 5ª.46.F
DVALITATEM dæmonem exiſtimauit Pythagoras.de hiſtoria philoſophica. Sp.4.F
DVBITATIO creari ſolet in exercitatis.2°.de decr. 1ª.238.D
Dubitationibus oblectatur clara bñs ſuſpecta.2°.de mot.muſ. 1ª.315.A
Dubitatio Pyrrhonea.1°.de dieb.decre. 4ª.146.A
Dubitatio Soritica.1°.de dieb.decre.146.B/2°. 4ª.156.D
Dubitatur an muſculus circa baſim oculi ſit vnus,vel duplex, vel triplex.de muſ.diſſ. 1ª.44.F
de Dubijs prompte pronuncians temerarius.2°.de mo.muſ. 1ª.315.D
ĩ Dubio colicæ,et lapidis electuariũ Azariconis.đ med.exp. Sp.106.H
DVCENDI ſunt humores eò,quò repunt per loca opportuna com. 1°.aph.21°.10.A/com.6°.aph.22°. Ex.48.E

DVCENDA *materia illuc quo vergit. in 1^{m}. de morbis vulgaribus. commentario.2°.* 3ª.112.B
DVCIBVS *exercituum & primatibus conuenit theriaca. de ther. ad Piſonem.* 5ª.91.C
DVCTILI *ære facilius rumpitur conſlatile.de machin.* 7ª.309.E
DVLCEDO *vna ex qualitatibus.ſi.med.* Iſa.50.B
Dulcedo qualitas guſtus.de nat.hum.com.1°. 1ª.28.H
Dulcedinis ſenſionem euidentiſſimam habet lingua.de vict. rat. in mor. acut.com.3°. 7ª.127.G
Dulcedo ex calore.4°.de ſimp.med.fac. 5ª.25.G
Dulcedo quo modo fiat in fructibus.4°.de ſimp.med.fac. 5ª.26.F
Dulcedo prouenit dupliciter à calore moderato proprio, & adſcititio. 4°.de ſimplicium medic.fac. 5ª.27.B
Dulcedo deprehenditur in ſiræo & melle.4°.de ſimp.med.fac. 5ª.25.C
Dulcedines faciunt differre in partibus diſſimilaribus.3°.de ſimplicium medicamentorum fac. 5ª.20.G
Dulcedo in cibis quid faciat.de diſſ.cont. Sp.75.A
Dulcedo communis eorum quæ nutriunt.4°.de ſimp.me.fa. 5ª.28.E
ad Dulcedinem & rubedinem declinans vinum eſt magis nutritiuum. de diſſolutione continua. Sp.73.F
Dulcedo pauca ſi eſt in vino leui boni odoris, bonum generat humorem inter craſſum & tenuem.de diſſ.cont. Sp.73.H
Dulcedo ꝓpria rōne iuuat & obeſt.đ vict.rat.in mor.acu.c.3°. 7ª.125.F
Dulcedo coitus in qua parte potiſſimum fiat in viris & mulieribus. de compag.memb.ſiue de nat.hum. Sp.59.D
Dulcedine victi aliq ꝑſiſtūt in malis cōſuetudinibus.5°.đ ſa.tu. 2ª.93.H
DVLCESCANT *quomodo fructus pontici.de ocul.* 7ª.188.B
Dulceſcant qui fructus poſt ponticitatem.de ocu. 7ª.188.B
Dulceſcunt primo fructus ex calore, poſt amareſcunt.de ocu. 7ª.188.C
DVLCIARIVS *piſtor quo modo ex pulte liba, placentas, cruſtulas, & bellaria conficiat.1°.de ſemine.* 1ª.330.B
DVLCE, *melleum,idem.1°.de ſimp.med.fac.* 5ª.8.H
Dulce quid.1°.de ſimp.med.fac. 5ª.8.E
Dulce fit ex miſcella calidi,frigidi,humidi & ſicci.1°.de ali.fac. 2ª.9.G
Dulce,et auſterū vident̃ extrema.đ vict.rat.ī mor.acu.c.3°. 7ª.125.D
Dulces qualitates ſunt qualitates guſtus non medicamentorum fac.5°. de ſimp.med.fac. 5ª.38.H
Dulcis qualitas moderate eſt calida.6°.de ſimp.med.fac. 5ª.42.G
Dulce omne calidum temperatum eſt.4°.de ſimp.me.fa. 5ª.26.G
Dulce non poteſt eſſe vehementer calidum.4°.de ſimp.me.fa. 5ª.27.F
Dulcia admodum,ſunt calida.4°.de ſimp.me.fac. 5ª.26.D
Dulce calidum,ſed nondum vrens.5°.de ſimp.me.fac. 5ª.39.G
Dulce magis,magis,calidum.4°.de ſimp.medica. faculta. 5ª.27.A/de cathar. Sp.94.E
Dulce minus,minus calidum.4°.de ſimp.me.fac. 5ª.27.A
Dulce calidius eſt auſtero.4°.de ſimp.me.fa. 5ª.27.C
Dulcia quo modo probabant quidam calida.3°. de ſimplicium medicamentorum facultatibus. 5ª.17.G
Dulce ſuperaſſatum fit calidum ſiccum,perinde vt calx & cinis. 4°.de ſimpl.med.fac. 5ª.30.A
*Dulcia modice aliqua ſunt frigida.4°.de ſimp.med.fac.*5ª.26.D/ de catharticis. Sp.95.B
Dulcia & acerba ſimul ſunt craſſioris eſſentiæ & temperaturę frigidę. 4°.de ſimp.me.fac. 5ª.28.E
*Dulcia & acida ſimul ſunt tenuiora et frigida.4°.đ ſimp.me.fa.*5ª.28.F
Dulci calidius eſt amarum.4°.de ſimplicium medica. faculta. 5ª.27.C/ de oculis. 7ª.188.C
Dulce calidum eſt & humidum plus minusue.4°.de ſimplicium medicamentorum fac. 5ª.30.A
Dulce & vnguinoſum ſignificat pingue.in 6^{m}.de morb. vulgaribus. cōmentario.5°. 3ª.191.G
de Dulci dicitur pingue,vt de melle & ſiræo.in 6^{m}.de morb. vul.commentario.6°. 3ª.195.G
Dulce quo modo improprie accipiatur de fract.com.3°. 7ª.248.E
Dulcia calore adſcititio ſunt quæ ab igne præparantur. 4°. de ſimplici. med.facul. 5ª.27.B
*Dulcia quæ ſint.4°.de ſimp.me.fac.*5ª.27.B/de ocu. 7ª.187.H
Dulces quidem ſunt Aquæ fluentes verſus ſeptentrionem, in frigiditate autem excedunt.de bon.aquæ. Sp.75.E
Dulcior erit aqua & frigidior ſi flauerit boreas.de bon.aquæ. Sp.75.G
Dulcis minus eſt aqua flante Auſtro,ſed magis calida q̃ flante borea.de bon.aquæ. Sp.75.G
Dulcis aquæ balneorum multi effectus.3°.de ſan.tuen. 2ª.78.A
Dulcia Ceraſia magis quæ inteſtinis ſunt ſubducunt,ſed minus grata ſtomacho ſunt auſteris.7°.de ſimp.med.fac. 5ª.50.H
Dulces Cibi,ſapidi,ſubtiles abſtergunt,& qui ſint.de diſ.cont. Sp.72.E
Dulces cibi omnes ſunt mali hepati,& renibus.de diſſ.cont. Sp.74.H
Dulces cibi & craſſi ſucci quos morbos faciant.de bonitate & vitio ſuccorum. 2ª.36.E
Dulcis Dolor dici non poteſt.2°.de loc.affe. 4ª.10.A
Dulces Fructus qui ex amaris fiant.4°.de ſimp.me.fac. 5ª.28.F
Dulces & ꝓpīqui ſapido ſunt fructus à terra ſublimes.đ ocu. 7ª.188.A
Dulces & manſucti Homines vnde.de ſperm. Sp.40.D
Dulce Mel fit proprio calore.4°.de ſimp.me.fa. 5ª.27.B
Dulce fit Muſtum proprio calore & adſcititio. 4°. de ſimplicium medi. facultatibus. 5ª.27.B
Dulce Oleum mundificat.de diſſ.cont. Sp.74.G
Dulces Paſſulę numerantur inter cibos calidos.de diſſ.cont. Sp.74.C
Dulces Paſſulæ leniunt ventrem.de diſſ.cont. Sp.75.A
Dulcis Pituita,non eſt frigida exquiſite.2°.de diſſ.feb. 3ª.37.F
Dulcis amarus pulſus.3°.de diſſ.pulſ. 4ª.62.H
Dulcis Radix.i.glycyrrhiza,& eius vires.6°.de ſimplicium medicamētorum fac. 5ª.45.F
Dulce minus melle eſt Sacchar.7°.de ſimp.me.fac. 5ª.55.E
Dulcis eſt Sanguis humidus feruens.de natura & ordine cuiuslibet corporis. Sp.41.D
Dulciſſimum ſanguinis trahit infans in vtero,& ſimul etiam lactis parte aliqua fruitur.com.5°.aph.37°. Ex.21.A
Dulces Sapores vocat Galenus,quos alij aqueos vocant.4°. de ſimp.medicamentorum fac. 5ª.25.C
Dulcis ſapor qualis ſit,& vnde oriatur.de ocul. 7ª.188.A
Dulcis ſapor vnde fiat.de vict.rat.in morb.acu.com.3°. 7ª.125.H
Dulces ſapores tertij ſunt in ordine calidorum deſcendendo.4°. de ſimp. medica.fac. 5ª.29.F
Dulcis ſaporis terminus eſt nutrire.4°.de ſimp.me.fac. 5ª.29.F
Dulcis ſapor ſumme,nutrit.4°.de ſimp.me.fac. 5ª.28.F
Dulcis Succus à Praxagora & Philotimo,qui.1°.de ſymp.cau. 3ª.17.E
Dulcis ſuccus acri aduerſatur.de victus ratione in morbis acutis, commentario.3°. 7ª.130.B
Dulcis ſuccus à calore temperato prouenit. 9°. de ſimplicium medicamentorum fac. 5ª.68.C
Dulcis ſuccus,cum eſt ſine acrimonia & craſſitie,celerius diſtribuitur. 2°.de alim.fac. 2ª.19.G
Dulcis ſuccus quando eſt cum acrimonia et craſſitie,citius deijcitur.2°. de alim.fac. 2ª.19.G
Dulcis ſuccus nutrit.2°.de alim.fac. 2ª.20.G
Dulcis terra dicitur,vbi aqua melior et potabilior fit.đ bo.aq. Sp.75.E
Dulcis,& pinguis terra aquam bonam facit.de bon.aquæ. Sp.76.B
Dulce & auſterum vinum Albates.4°.de ſimp.me.fac. 5ª.26.F
Dulce eſt vinum Creticum.1°.de dign.pul. 4ª.70.H
Dulce vinum Falernum cognouit Galenus,cum primū Romæ guſtaſſet, ex ijs quæ audierat.1°.de digno.pul. 4ª.70.H
Dulce vinum in Lydia Seſaminum.1°.de dign.pul. 4ª.70.H
Dulce eſt vinum Theræum non acerbum.3°.de diſſ.pul. 4ª.53.G
Dulcis vini vires.9°.de decre.Hipp. 1ª.283.E
Dulce vinum neq; ſubtile,neque lucidum.de vinis. Sp.76.D
Dulce vinum,& calidum eſt cibus calidus.de diſſ.cont. Sp.74.C
Dulce vinum antiquum citrinū eſt cibus calidus.de diſſ. cont. Sp.74.C
Dulce vinum craſſumq; conſiſtentià calefacit.de vinis. Sp.76.D
Dulce vinum digeſtibilius eſt aſpero.de diſſol.cont. Sp.73.D
Dulce vinum,ponticum,craſſum,nouum,tarde deſcendit. de diſſolutione continua. Sp.74.H
*Dulce vinum craſſum album quale in nutriendo.de diſſol.cont.*Sp.73.F
Dulce vinum nigrum craſſum quale in nutriendo.de diſſ. con. Sp.73.F
Dulce vinum craſſum,rubrū magis eſt nutritiuum.de diſſ.cōt. Sp.73.F
Dulcia vina quo magis deficiunt à vehementi caliditate, eo minus capitis grauedinem mentiſq; læſionem faciunt.de vinis. Sp.76.E
Dulcia vina lædunt iecur,& ſplenem.de vinis. Sp.76.E
Dulce vinum generat oppilationem in hepate, & lapidem in renibus & craſſum reddit ſplenem.de diſſ.cont. Sp.74.H
Dulcia vina inteſtinis inferioribus non nocent,propter quod tardant in hypochondrio quouſq; digerantur & tenuentur.de vinis. Sp.76.E
Dulce vinum quando non inflat.de diſſol.cont. Sp.74.G
Dulce vinum lenit ventrem.de diſſol.cont. Sp.75.E

Dulcia vina neque coeducunt ſecum, neque coeuacuant cholericos hũmores.de vrinis. Sp.76.E
Dulce vinum purgatis tuto exhibetur.de præſag.exp.confir. Sp.78.D
Dulcia vina ad vrinas non cito veniunt.de vinis. Sp.76.E
Dulcia vina cholericis non ſunt idonea.de vinis. Sp.76.E
Dulcia vina omnia materia ſunt flauæ choleræ.de vinis. Sp.76.E
Dulcia vina febrietibus non cõpetũt eo ꝙ ſunt craſſa.đ vinis. Sp.76.E
Dulce vinum craſſum obſtruit,& obſtructionẽ pficit.de vinis. Sp.76.E
Dulces Vuæ numerantur inter cibos calidos.de diſſ.cont. Sp.74.C
Dulces vuę quid agant.2°.de ali.fac. 2ª.18.B
Dulcis actiones.5°.de ſimp.me.fac. 5ª.39.A
Dulcis operationes.de ocu. 7ª.188.B
Dulcia gratiſſima guſtui et cõuenietia naturæ.1°.đ ſymp.cau.3ª.17.D/E
Dulcia quid agant in lingua.1°.de ſimp.me.fa. 5ª.9.A
Dulcis voluptatẽ habet guttur.de vic.rat.in morb.acu.cõ.3°. 7ª.127.G
Dulce in ſe habet lingua.1°.de ſymp.cauſa. 3ª.17.D
Dulce quod in lingua pituitæ ſpecies.1°.de ſymp.cau. 3ª.17.D
ex Dulcium genere eſt quicquid nutrit.4°.de ſimp.me.fa. 5ª.26.H
Dulce plus aut minus eſt quicquid nutrit.4°.de ſimp.me.fa. 5ª.28.E
Dulce edendum calidum prope temperiem.4°.de ſimp.me.fac.5ª.26.H
Dulce nihil eſt moleſtum.2°.de loc.aff. 4ª.11.G
Dulcia aliqui auerſantur.4°.de ſan.tuen. 2ª.86.F
Dulci delectantur viſcera,& venter,& id raptim eliciunt. de uic.rat. in morb.acut.com.3°. 7ª.127.F
Dulcibus omnibus lien & iecur intumeſcunt.13°.meth.me. 7ª.83.E
Dulce fundit,læuigat,& mollit.4°.de ſimp.me.fa. 5ª.26.H
Dulcia quo modo mundificant,& lauant.de ocu. 7ª.188.C
Dulcia mordicationem protinus mitigant.2°.de ſimplicium medicamẽ. facultatibus. 5ª.12.G
Dulcia quæ tollunt mordicationem.2°.de ſimp.me.fa. 5ª.12.G
Dulcia,cum vehementer incaluerint,aut diu in ventriculo morata fuerint,vertuntur in bilem.in 6^{m}.de mor.vul.com.5°. 3ª.191.G
Dulcia & pinguia ſupra modum calefacta in amaram bilem vertũtur. 1°.de criſi. 4ª.130.A
Dulcia omnia in bilem facile mutantur.2°.de natur.faculta. 1ª.300.H/ de vic.rat.in morb.acu.com.3°. 7ª.126.C
Dulce quando delectat,& quando in bilem conuertitur. de vict.rat. in morb.acut.com.3°. 7ª.127.G
Dulcia ſunt prohibenda calido iecori.de diſſ.cont. Sp.71.F
Dulcia apparent amara ictericis.de cura icteri. Sp.111.A
magis Dulce q̃ amarũ qñ videatur abſinthiũ.de cura icteri. Sp.111.A
Dulce calidum,& ſiccum dandum,ſi ægritudo fuerit culpa phlegmatis. de dynamidijs. Sp.19.F
Dulcia humida & calida da laboranti ex cholera nigra.de dy. Sp.19.F
Dulcia humida, & frigida ſunt danda, ſi culpa choleræ rubræ fuerit æger.de dyna. Sp.19.F
Dulcia,& boni ſaporis cur miſceantur medicinis.de me.exp.Sp.108.G
DVO fiunt ex vnico coitu.an animal ſit. 1ª.327.D
extra DVODECIM horas tertianam exquiſitam ſuas acceſſiones ꝓtendere nunquã inuenies.com.4°.aph.43°. Ex.33.H
Duodecimũ nunq̃ vidit iudicantem Galenus.1°.de dieb.decr. 4ª.146.G
Duodecumanæ duodecim qualis typus à quibuſdam dicatur. ad eos qui de typ.ſcripſ. 3ª.91.H
DVODENVM inteſtinum vnde dictum ſit.de comp.memb. Sp.59.A
Duodenum dicitur quia cõtinet duodecim digitos.de anat.viu. Sp.50.C
Duodenum inteſtinum eſt ſub portonario.de anat.par. Sp.43.A
Duodenum inteſtinum ſiue portonariũ primũ eſt.de anat.viuo. Sp.50.B
Duodenum cur rectum & extenſum eſt.de ana.viuo. Sp.50.C
in Duodeno neruus eſt ſecundum latitudinem.de anat.viu. Sp.50.C
Duodeni & gulæ differentia.de anat.viu. Sp.49.C
Dupla videretur res vna,niſi nerui oculi iungerent.de ocu. Sp.184.D
Duplæ cur res appareant oculis.4°.de locis affectis. 4ª.22.A/de oculis. 7ª.186.B
DVPLEX charcheſius quo mõ ex ſimplici fiat.de laqueis. 7ª.308.A
Duplex charcheſius q̃uo implicetur circũponendo.de laqueis. 7ª.308.B
Duplex charcheſius quo modo implicetur.de laqueis. 7ª.307.H
Duplex cochlea quæ.de machin. 7ª.310.D
Duplex faſcia glomerata in vtranque partem ductam à ſuperiore parte deorſum.de faſcijs. 7ª.303.D
Duplex oculus à ſuperiori parte ductus.de faſcijs. 7ª.297.E
Duplex oculus in vtranque partem ductus à ſuperiori parte deorſum. de faſcijs.7ª.297.F/Aliter ibidem.
Duplex oculus ex eodem ductus. de faſc. 7ª.297.G/Idem ab inferiori parte,H/idem in vtranque partem ductus,ibidem.
Duplex ſpica ab aliquibus quadriga dicitur.de faſc. 7ª.301.D
Duplex rhombus.de faſcijs. 7ª.302.F
Duplex vinculum ad ceruicem.de faſcijs. 7ª.302.D
in Duplici vaſe,hoc eſt in diplomate,bullire.7°.de compoſi. medicam. ſecundum locos. 5ª.180.A
DVPLICATIONIS motum in lingua qui muſculi faciant. de anato. viuo. Sp.49.D
cur Duplicata eſt interior veſicæ tunica.de ana.viu. Sp.51.D
Duplicia oſſium ligamenta quæ.de vtil.reſp. Sp.62.G
Dupliciter nominare quas res Græcorum conſuetudo ſit. commentario 4°.apho.59°. Ex.34.A
DVPONDIVM quantum capiat.de pond.& menſ. 7ª.276.D
DVRAGI eſt velocis digeſtionis.de diſſ.cont. Sp.73.C
Duragi ſunt boni chymi,& ſubtilis. Sp.73.H
DVRATVM quod eſt,quia natiuum humorem non retinet, id ſiccum potius quàm durum appellatur.5°.de ſimp.me.fa. 5ª.34.G
cur Duret aliquis abſque ſpiratione.de vtil.reſp. Sp.64.B
DVRISSIMVM non poteſt vno impetu fieri molliſſimum. 1°.de natur. faculta. 1ª.292.D
Duriſſima arbor corallus naſcitur in terra molli & lutoſa in mari ſecũdum Ariſtotelem.de ana.viuo. Sp.46.A
DVRITIES conſequitur mixtionem ex qualitatibus. 1°.de vſu partium. 1ª.115.D
Durum ſenſu cognoſcimus.4°.de vſu pul. 4ª.83.D
Durities tactus qualitas.de natura humana.com.1°.1ª.28.H/de ſymptomatum differentijs. 1ª.13.D
Duritiei & mollitiei arbiter tactus.2°.de dif.pul. 4ª.63.D
Durities opponitur mollitiei.3°.de ſan.tuen. 2ª.79.C
propter Duritiem eſt os.1°.de vſu par. 1ª.115.E
Durities requiritur ad motum.9°.de vſu par. 1ª.174.F
Durities aliquid facit ad percipiendam pulſus contractionem. 1°. de digno.pul. 4ª.73.B
Durities vnde arterijs.1°.de.dif.feb. 3ª.34.D
Durities non frigoris,ſed ſiccitatis ratione euenit.in 6^{m}.de morbis vulgaribus,com.5°. 3ª.193.F
Duritia inſeparabilis eſt à ſicco corpore,non tamen eius propria. 2°. de temperamentis. 1ª.17.F
cũ Duritie refrigeratio,malum.in 1^{m}.pror.com.2°. 4ª.175.B
Durities ex confluxu humorum naſcitur,& curatur eiſdem euacuatis. 7°.de comp.me.per gen. 5ª.267.G
Durities & inflammatio quo modo diſtinguantur.7°.de compoſi. medicamen.per gen. 5ª.263.F
Durities affectus in quacunque parte corporis.introd. Iſa.59.C
Durities quid in oculo.de ocu. 7ª.186.G
Durities affectus partium interiorum palpebrarum.introd. Iſa.58.D
Durities inſenſibilis corneæ morbus.1°.de ſymp.cau. 3ª.15.E
Durities ſenſu carentes quibus fiant.1°.de ſymp.cau. 3ª.14.G
Duritia coniunctiuæ morbus.de ocu. 7ª.186.F
Durities ſenſu carentes,ſunt morbi inſtrumentalium partiũ. 1°. de ſymptoma.cau. 3ª.14.G
Durities,œdema,& inflatio,non ſunt affectiones certæ in ſolidis animatis partibus.in 3^{m}.de morb.vulg.com.1°. 3ª.129.D
Durities cum liuore ſignificat inflammationẽ.de fract.cõ.2°. 7ª.236.C
Duritiei & inflammationi cõe accidens.7°.de cõp.me.per ge. 5ª.263.F
Durities phlegmonodes habet duplicem ſcopum.7°.de compoſi.medica. per genera. 5ª.263.F
in Duritierum reſolutionibus ꝙ ſemper miſcenda mollientia.2°. de arte cura.ad Glau. 7ª.105.F
Duritiem relaxat Aſparagus.de ſimp.me. Sp.80.G
Duritiem emollit Aſphodelus.de ſimp.me. Sp.81.B
Durities neruorum emollit Bdelium.de ſimp.me. Sp.81.C
Durities,& parotidas,& feruores ſoluunt Caricæ ſicut iris. de ſimplicium medic. Sp.84.C
Durities,& vulnerum rheumatiſmum emendant caricę. de ſimplicium medica. Sp.84.C
Durities remollit & laxat omnis Cera.de ſimp.me. Sp.82.B
Durities veteres remollit fimus omnis.de ſimp.me. Sp.84.E
Durities,& tumores ſoluit Git.de ſimp.me. Sp.84.F
Durities diſſoluit Gladiolus.de ſimp.me. Sp.84.H
Duritiem mollit,& relaxat Ibiſcus.de ſimp.me. Sp.85.E

Durities & ſcrophas emollit Lenticula.de ſimp.med. Sp.86.B
Durities mollit,& relaxat Medulla omnis.de ſimp.me. Sp.87.D
Durities mollit Opopanax.de ſimp.med. Sp.88.C
ad Duritiem omnẽ Sampſuchus valde idonea eſt.de ſimp.me. Sp.90.G
Durities mollit Sepum.de ſimp.med. Sp.90.B
Durities lenit Styrax & mollit.de ſimp.med. Sp.90.E
Durities remollire poteſt Viſcus.de ſimp.med. Sp.91.H
Duritias diffundens.5°.de comp.med.per ge. 247.A
Duritias diſcutiens.6°.de cõ.me.per ge. 5ª.262.H
ad Duritias calloſas.6°.de comp.med.per ge. 5ª.255.B
Duritias canceroſas tollens.5°.de comp.med.per ge. 5ª.250.B
ad Duritiem glandularum.de dyna. Sp.26.A
ad Duritias humerorum.de me.fac.par. 7ª.174.D
ad Duritiem iecinoris.6°.de comp.med.per ge. 5ª.256.A
Duritias præſertim in mãmillis digerẽs.5°.de com.med.per g.5ª.247.E
Duritias diſcutiens,& præſertim mammillas obſidentes.5°. de compo. med.per gen. 5ª.249.H
Duritiem mammillarum ſoluit erbum.de ſim.me. Sp.85.B
Duritias præſertim in mammis diſcutiens cyzicenum.5°.de compoſitio. medica.per genera. 5ª.250.B
Durities in mãmis curans. & digerens.1°.de comp.med.p ge. 5ª.217.B
ad Duritias maxime in mãmis emolliẽdas.3°.de com.me.p ge. 5ª.235.B
ad Duritias in mammis.5°.de compo.med.per gen.248.H/6°. 5ª.262. A/de paſſ.mul. Sp.96.D
ad Duritias muſculorum.6°.de com.med.per ge. 5ª.262.D
Duritiei neruorum facit cucumer erraticus.de ſimp.med. Sp.83.A
Durities neruorum lilium emollit.de ſimp.med. Sp.86.D
ad Durities nodoſas.6°.de compo.med.per ge. 5ª.260.B
Durities in parotidibus q̃uo curanda.3°.de compoſi.med.ſe.lo.5ª.146.F
Duritiam præcordiis.tollens.6°.de comp.me.per ge. 5ª.263.B
Durities quæ ſit in ſcirrho.7°.de comp.med.per ge. 5ª.267.G
in Duritie lienis aceto vtaris.11°.meth.med. 7ª.73.D
ad Duritiem ſplenis,& hepatis emplaſtrum.ſecretorum. Sp.99.E
ad Duritiem ſplenis.de dynamidiis.26.G/ſecreto.99.E/ de me. exper. 105.D/de cura lapidis. Sp.112.H
ad Duritiem ſplenis electarium capparis.de med.exper. Sp.108.B
Duritiei ſplenis valens medicamen Amaloz.de me.exper. Sp.106.B
ad Duritiam trimeſtrem.1°.de com.med.per ge. 5ª.214.G
ad Duritias veteratas & contumaces.7°.de cõp.me.per gen. 5ª.265.C
Durities in tumoribus mala.com.5°.apho.67°. Ex.45.C
de Duritie in ventre quædam conquerebatur.ſecretorum. Sp.100.H
Durities vbi in vlcere ſit,quo oleo vtendum.4°. de compoſi.medicamẽ. per genera. 5ª.236.A
Durities ac denſitas corporis vteri eſt cauſa ſterilitatis.cõmentario.5°. aphoriſmo 59°. Ex.43.C
Duritiebus vteri aptiſſimum eſt oleũ liliorũ.7°.de ſimp.me.fac. 5ª.53.B
ad Duritiem vuluæ.1°.de com.med.per ge. 5ª.214.H
quo modo Durities præter naturã differat à compreſſione vteri propter fœtum.com.5°.aph.54°. Ex.42.F
ad Duritias.10°.de comp.med.ſe.lo.209.B/4°.de compo.medi. per genera.241.B/5°.246.H/6°. 5ª.261.B
ad Duritiem omnem.8°.de compoſi.med.ſec.loc.193.A/2°.de compoſi. med.per gene.225.F/3°.235.D/6°.256.H/262.A/7°.5ª.265.A/B/ de med.exper.105.D/de cura lap. Sp.112.H
ad Duritiem omnem malagma.9°.de comp.me.ſe.lo. 5ª.200.C
Durities diſſoluens malagma.9°.de comp.med.ſec.lo. 5ª.200.C
ad Duritiem omnem emolliendam.10°. de comp.me.ſec.loc. 209.C/4°. de comp.med.per.ge. 5ª.243.D
Duritias emolliens.7°.de comp.me.per ge. 5ª.266.G
ad Duritiem omnem diſſoluendam.10°.de com.me.ſec.loc. 5ª.208.A
DVRVM quid ſignificet.2°.de ſan.tuen. 2ª.72.E/F
Durum quo modo vſurpetur.4°.de dign.pul. 4ª.83.C
Durum tribus modis dicitur.5°.de ſimp.med.fac. 5ª.32.E
Durum ab Hippocrate dicitur crudum.com.5°.apho.67°. Ex.45.C
Durum contrarium molli.12°.de vſu par.1ª.192.H/ in 6m.de mor.vulg. com.1°.3ª.160.B/com.5°.apho.67°. Ex.45.C
Durum cum laxo non habet ſocietatem.11°.de vſu par. 1ª.191.F
Durum aduerſum iis quæ tenſa ſunt.3°.de ſa.tuen. 2ª.76.H
de Duro & molli Ariſtoteles Platõe elimatius egit.3°.de dif.p.4ª.63.E
à Duro quo modo differt validum.3°.de diff.pul. 4ª.63.D
Durum non accommodatum ad ſenſum.12°.de vſu par. 1ª.193.A
Dura quæ dicantur.4°.de dign.pul. 4ª.83.D/E
Dura quæ ſint.3°.de diff.pulſ. 4ª.63.D
Dura ſunt quibus caro noſtra cedit.5°.de ſim.me.facul. 5ª.32.F
Dura per exceſſum quæ ſint.5°.de ſimp.me.fac. 5ª.32.E
Durum abſolute terra.5°.de ſimp.me.fac. 5ª.32.E
Dura habent plurimum terræ.9°.de ſimp.me.facul. 5ª.64.G
Dura & viſcoſa ſunt craſſarum partium.1°.de ſimp.me.fac. 5ª.4.E
Durum eſt & tactu lędit lignum omne ſm Hipp.de machin. 7ª.319.E
Durum cum frigore neceſſario non eſt ſiccum.2°.de tempe. 1ª.17.G
Durum ſiccum eſt in calore mediocri.2°.de temp. 1ª.17.G
ex Duro molle non enaſcitur.12°.de vſu par. 1ª.193.B
Durum ex molli non enaſcitur.12°.de vſu par. 1ª.193.B
Duro molle iungi non debet.de ana.viuo. Sp.43.G
Durum admodum cur frangatur.3°.de ſymp.cau. 3ª.27.A
Durum non debet eſſe quod colliditur.de cau.morb. 3ª.9.G
Duri proprium.4°.de dig.pul. 4ª.83.F
Dura mediocriter extenta ad interiora reflectuntur vt in calamis,vimi nibus.& virgis patet.com.6°.apho.46°. Ex.51.E
Dura & oſſea nequeunt circumplicari.1°.de vſu par. 1ª.114.C
Durum quod ita eſt,vt nec difficile ad flectendum ſit,& firmiter innita tur,id & trahere valenter quicquid voluerit poteſt,& violenter tru dere & fortiter tenere.3°.de ſym.cau. 3ª.28.H
Durum ſiccumq́, quod eſt,nihil in ſe ingredi ſinit priuſq̃ ipſum ex aliqua parte diuiſum ſit ac veluti exulceratum.3°.de ſym.cau. 3ª.29.A
Durum difficulter recluditur.3°.de ſym.cau. 3ª.27.A
Durum non facile eroditur.3°.de ſym.cau. 3ª.27.A
Durum in ſimilaribus.2°.de ſan.tuen. 2ª.72.G
Duræ partes cur multæ in animalibus.de marc. 3ª.46.C
Duræ corporis partes non ſunt humidæ.2°.de temp. 1ª.17.G
Dura Mater dicitur pellicula quæ eſt ſub cranio.de anat.par. Sp.43.D
Duræ matris nomina.9°.de ana.admi. 1ª.103.H
ſub Dura matre eſt pia mater.de anat.par. Sp.43.D
ad Duram matrem tendens inflammatio non eſt abſque periculo.2°. de compo.med.ſec.loc. 5ª.133.H
Durius Cerebrum cur ſit in parte poſteriori.de anat.viu. Sp.53.H
Duros Oculos habent quædam animalia.de ana.viuo. Sp.48.C
Dura eſt valde albugo in piſcibus.de vtil.reſp. Sp.63.D
Dura caro quæ proprie appellanda eſt.2°.de ſan.tuen. 2ª.71.A
ex Duris cur ſit confectum Cor.de ana.viuo. Sp.46.D
Dura cur ſit caro cordis.de anat.viuo.46.D/52.F/ Sp.55.G
Durum cur ſit creatum Os.de anat.viuo. Sp.43.G
Durum pedis veſtigium qui muſculus faciat.de muſ.diſſ. 1ª.52.A
Duræ partes corporis cur habent meatus.9°.de vſu par. 1ª.171.E
Durum ſumme ſtupidum eſt & inſenſibile.3°.de vſu par. 1ª.134.A
Duræ, & tardæ digeſtionis cibi ſunt præponendi in fundo ſtomachi. de diſſol.cont. Sp.71.H
Dura tarde digeruntur.de diſſ.cont. Sp.73.D
Dura ſicca tarde deſcendunt.1°.de ali.fac. 2ª.14.D
Dura corpora inepta ſunt expulſioni, & digeſtioni. 3°. de ſymptomatum cauſis. 3ª.29.D
Dura generant humorem crudum.3°.de ali.fa. 2ª.27.A
Dura & terreſtria cur plus dent alimenti.1°.de ali.fac. 2ª.14.D
Duræ aquæ quę.3°.de diff.pul. 4ª.63.F
Dura aqua,& frigida,qualis.de bon.aquę. Sp.75.G
Dura aqua quibus obſit.de bon.aquæ. Sp.75.G
Duræ naturæ eſt lupinus.de diſſ.cont. Sp.73.B
non Dura oua omnia bene parata, & cocta bonum generant humorem inter tenuem.& craſſum.de diſſ.cont. Sp.73.H
Dura oua,elixa,aut aſſa cibus craſſus,& cur.de diſſ.cont. Sp.73.D
Dura oua elixa,& aſſa,& frixa tarde deſcendunt.de diſſ.con.Sp.74.H
Dura oua tarde digeruntur.de diſſ.cont. Sp.73.D
Duris ouis velocius digeruntur non dura.de diſſ.cont. Sp.73.D
non Duri piſces nec multæ viſcoſitatis generant bonum humorem inter tenuem,& craſſum.de diſſ.cont. Sp.73.H
non Durę carnis piſces,nec multæ viſcoſitatis ſunt temperati.de bonitate aquæ. Sp.73.D
Duri,& viſcoſi piſces ſunt craſſi.de diſſ.cont. Sp.72.H
Duri piſces,quibus dominatur viſcoſitas, generant phlegma.de diſſolutione continua. Sp.74.B
Durum vinum quo modo per metaphoram.3°.de diſſ.pul. Sp.63.F
Durum quo modo dicatur vinum.3°.de præſag.ex pul. 4ª.117.F
Durum abiiciendum in herbis.4°.de ſan.tuen. 2ª.86.D
Duriora abiicienda ex his quæ macerant.7°.de com.me.ſe.lo.5ª.180.H

Dura & lapidoſa quo modo lauanda.2°.de ſim. med.fac. 5ª.13.A
Duriora etiam per plures dies maceranda.7°. de compoſi.medicamentorum ſecundum locos. 5ª.180.H
Durum de animo.3°. de diff.pul. 4ª.63.F
Durum inſtitutum.3°.de diff.pul. 4ª.63.F
Durus iudex,qui.3°.de diff.pul. 4ª.63.F
Dura lex,quæ.3°.de diff.pul. 4ª.63.F
Durus ventus.3°.de diff.pul. 4ª.63.F
Durum ſtudium.3°.de diff.pul. 4ª.63.F
Dura vita.3°.de diff.pul. 4ª.63.F
Dura nox,quæ.3°.de diff.pul. 4ª.63.F
Dura quæ facta ſunt à frigore & ſiccitate, quibus curanda.5°.de ſimpl. medicamen.facul. 5ª.32.H
à Duro alteratio pathema à Platone dicitur.de ſymp.diff. 3ª.10.A
Duri homines vbi.de aere,aq.& loc. 2ª.6.E
Dura corpora habent Aegyptum & Arabiam incolentes.3°.de compo. med.per genera. 5ª.235.F
Durus homo,qui.3°.de diff.pul. 4ª.63.F
Dura ne an mollia ſint corpora conſiderare debet medicus qui curat.9°. de ſimp.med.facul. 5ª.66.B
Dura corpora quo modo fiant.3°.de diff.pul. 4ª.62.F
Durum quot modis fiat.5°.de ſim.me.facul. 5ª.32.F
Durius quo modo reddatur corpus tumidum,& aquoſum.in 6m.de morbis vulgaribus,commen.2°. 3ª.161.A
Durius corpus quæ cauſæ efficiant.5°.de ſan.tuen. 2ª.89.C
Durum habitum facit ſuccus affectus.5°.de ſan tuen. 2ª.89.C
Durum corpus & gracile fit,vbi ſiccum pollet,altera contrarietate modum ſeruante.2°.de temp. 1ª.18.F
Duri,& aridi qui.6°.de comp.med.ſec.loc. 5ª.176.F
Duri cuius ſint temperamenti.de ſal.diæta. 2ª.40.E
Durum ſiccum habet habitum valentiorem quàm mollius & humidius. de vſu pulſ. 1ª.229.G
Durum & denſum corpus facilè tolerat quicquid extrinſecus occurrit. de conſuetudine. 2ª.61.D
Duri debent ferè ſemper vti victu humidiori.de ſal.diæta. 2ª.40.E
Dura corpora quo mõ ſanari dñt p artẽ.7°.de cõp.me.per ge. 5ª.263.D
Duris corporibus quæ conueniant.2°.de com. medicamentorum per genera.220.F/3°. 5ª.235.A
in Duris corporibus vſus medicamẽti.3°.de com.med.per gen.5ª.233.G
Duris corporibus magis ſicca exhibẽda.2°.de cõ.me.per gen. 5ª.220.F
Dura corpora feruñt vehementia medicamenta,nõ autem mollia. 9°.de ſimp.medi.facul. 5ª.66.C
Duri indigent medicamentis fortioribus.2°. de compoſi. medicamentorum per genera.227.B/7°. 5ª.269.G
Durorum potiſſimum corporum vulnera maxima ſanantur à folijs & germinibus corni.7°.de ſimp.med.fac. 5ª.52.G
in Duro corpore quibus vtendum.de rem.par.fac. 7ª.154.H
pro Duris punica acida,pro mollibus auſtera.3°.de compoſitione medicamen.ſecun.locos. 5ª.148.E
Duræ partes difficulter euacuantur.ars med. Iſa.70.H
Duræ,& denſę partes quare tardius ſanant.c.6°.apho.49°. Ex.52.E
Dura nõ agglutinant neq; coaleſcunt,aut vix.3°.de ſym.cau. 3ª.29.A
Dura ſiccaq; non poſſunt concreſcere.3°.meth.med. 7ª.19.A
Dura quoniam ſunt æs,ferrum,aurum,& lapis non coaleſcunt, neq; agglutinantur.3°.de ſymp.cau. 3ª.29.A
Duras carnes glutinantia.2°.de comp.med.per ge. 5ª.227.B
Dura quæ facta ſunt ab atra bile,cancroſa ſunt omnia,& ab emollientibus exaſperantur.5°.de ſimp.med.fac. 5ª.34.E
Dura arcenda à phlegmone.13°.meth.med. 7ª.81.C
Durum à ſiccitate quo modo curetur.5°.de ſimp.med fac. 5ª.32.G
Durum à congelatione quo modo curetur.5°.de ſim.med.fac. 5ª.32.G
Durum à repletione quo modo curetur.5°.de ſimp.med.fac. 5ª.32.G
Dura à craſſo lentoq; humore calida poſcunt & ſicca medicamenta.5°. de ſimp.med.fac. 5ª.34.E
Dura emollit chamæmelon.3°.de ſimp.med.fac. 5ª.18.D
Dura emolliens medicamentum,quale.5°.de ſimp.me.fa. 5ª.33.E
ad Dura omnia apoſtemata.de cura lap. Sp.112.H
ad Duras mammas.7°.de comp.med.per ge. 5ª.268.F
ad Duros muſculos.7°.de comp.med.per ge. 5ª.268.F
Durum ſplenem curans medicamen.de med.exper. Sp.104.D
ad Duros tumores & inflammationes in melancholicis. de mel. ex Gal. Ruff.& Poſſ. Sp.110.C

Δυνάμεισ φθοροποιοῦς,id eſt facultates corruptionem inducentes,at trahere poteſt cucurbitula.de cucurb.ſcar. 6ª.3.F
DIONYSIACVM quid ſit.1°.de compo.med.ſec.loc. 5ª.125.D
DYSAESTHESIA, ſenſus difficultas.de ſymp.diff. 3ª.11.C
Δυσκοιτεῖν. de vict.ra.in mor.acu.com.2°. 7ª.120.A
DYSCRASIA & eucraſia ſenſu iudicatur.1°.de ſa.tuen. 2ª.64.B
Δυσηλκὴς homo,qui dicatur.de vict.ra.in mor.acu.com.2°. 7ª.124.E
Δυσεντερία vnde habeat nomen.2°.meth.med. 7ª.9.D
Dyſenteria ſymptoma.2°.de ſymp.cau. 3ª.21.E
Dyſenteriæ nomen quot modis accipiatur.de art.com.4°. 7ª.287.H
Dyſenteria.ſin.med.47.F/introd. Iſa.57.D
Dyſenteria proprie,quæ.6°.de loc.aff. 4ª.36.D
Dyſenteria proprie eſt vlcus inteſtinorũ,quæ non repente,& affatim fit. 6°.de locis affectis. 4ª.36.D
Dyſenteria morbus longus intrinſecus.intro. Iſ.56.B
Dyſenteriarum differentiæ.de nat.hu.com.1°. 1ª.32.B
Dyſenteria duplex eſt.in 3m.de morbis vulgaribus,com.3°. 3ª.146.E/ 2°.de locis affectis. 4ª.49.G
Dyſenteriæ quatuor ſpecies numerantur.3°.de ſym.cau. 3ª.28.B
Dyſenteria putat ab ignaris hepatica imbecillitas.5°.de lo.af. 4ª.34.F
Dyſenteria vitio hepatis quo modo differat à proprie dicta dyſenteria. 6°.de loc.affe. 4ª.36.D/E
Dyſenteria quando ſit,& quando non.1°.de loc.aff. 4ª.4.B
Dyſenteria vexantur concepti in bilis horis.de ſpermate. Sp.37.C
Dyſenteriæ cauſa.introd. Iſa.57.D
Dyſenteriæ cruentæ cauſæ quæ.5°.de loc.aff. 4ª.35.D
Dyſenteriæ ſanguineę quibus.3°.de ſym.cau. 7ª.27.H
Dyſenteriis cruentis correpti ſunt,qui laborantes ad deſidiã venere. de natura humana com.2°. 7ª.180.C
Dyſenteriæ quo modo fiant.in 1m.de mor.vulg.com.2°.111.C/ 3ª.114.F
Dyſenteriæ quo modo fiant,docuit Hippocrates. de venæ ſect. ad Eraſiſtratum. 6ª.7.D
Dyſenteriam facit humor mordax,& vlcerat inteſtina,& eo remoto ad huc remanet affectus.1°.de loc.aff. 4ª.4.C
Dyſenteriæ ex defluxione ad inteſtina.in 1m. de morbis vulgaribus, commentario 2°. 3ª.109.A
Dyſenteriæ cur vere & eſtate.de nat.hu.com.1°. 1ª.32.A
Dyſenteria,id eſt difficultas inteſtinorum, quo modo ſequitur læuitatem inteſtinorum.com.6°.apho.1°. Ex.46.A
Dyſenterias multoties æſtate faciũt aquæ paludoſę.de bo.aq. Sp.75.D
Dyſenteria gignitur ex aqua per plumbeũ canalem deriuata. 7°.de compoſi.med.ſecun.loc. 5ª.180.H
Dyſenteria totum corpus plerunque euacuat, vt hæmorroides & menſes.2°.de loc.aff. 4ª.9.G
in Dyſenteriam via eſt decliuis,ideo cito excernitur. de natura humana commentario.2°. 7ª.180.D
in Dyſenteriis euacuatur cum malo bonum.3°.de ſymp.cau. 3ª.26.G
ex Dyſenteria euacuationes ſiccitatem efficiũt.1°.de dif.feb. 3ª.34.D
Dyſenteria quæ ceſſat, quid faciat.de vict. ratio.in morbis acutis,commentario 4°. 7ª.144.C
Dyſenteria habet notas perfectas.12°.meth.med. 7ª.79.A
Dyſenteriam qui dolores præcedant.2°.de loc.aff. 4ª.9.G
Dyſenterię excrementa q̃ dicantur.in 1m.de mor.vul.cõ.3°. 3ª.124.H
Dyſenteriam eſſe in magnis inteſtinus ſignificat inteſtini tunica eiecta lata & craſſa.1°.de loc.aff. 4ª.2.D
in Dyſenteria exeſa prima inteſtinorum tunica multi ſuperuixere.4°.de vſu partium. 1ª.141.B
Dyſenteria ex malignis vlceribus.3°.de ſymp.cau. 3ª.27.E
ex Dyſenteria læuitas inteſtinorum.intr. Iſa.57.E
Dyſenteria quædam ab atra bile.3°.de ſymp.cau. 3ª.28.B
Dyſenteria ſi ab atra bile cœperit,lætalis.5°.de vſu partium. 1ª.145.E
Dyſenteria laborantes ab hectica febre capti.2°.de diff.feb. 3ª.35.F
ad Dyſenteriæ curationem multũ facit cognoſcere locum in quo vlcus. 6°.de locis affectis. 4ª.36.E
Dyſenteriam ſedem habet cognitu facilem.6°.de loc.aff. 4ª.36.D
in Dyſenteria vrina rubra prædicit mortem futuram.de dyna. Sp.35.D
Dyſenteriæ curatio.introd. Iſa.57.D
Dyſenteria quibus curetur.12°.meth.med. 7ª.74.G/H
in Dyſenteria victus tenuiſſimus adhibendus.de artic.cõ.4°. 7ª.288.E
in Dyſenterijs ſi curamus roſionem,eſt curatio ſymptomatis.12°. metho di medendi. 7ª.74.H
ad Dyſenterias conueniunt medicamenta,quæ cum eo quod refrigerant vna

vnà adſtringunt.6°.de ſimp.med.fac. 5ª.43.G
pro Dyſenteria quæ adſtringentia.11°.de ſimp.med.fac. 5ª.81.E
in Dyſenterijs debent accipi adſtringentia, quæ non habent amaritudinem, vel acorem.de ſubfi.empi. Iſa.33.F
ad Dyſenteriam aptum eſt radicis Althææ decoctum. 6°.de ſimp.medicamen.facul. 5ª.46.B
ad Dyſenteriã vſi ſunt oẽs medici Balauſtio.6°.de ſimp.me.fa. 5ª.44.F
in Dyſenteria Cæpas comedendas cum pane dabat quidam.12°. methodi medendi. 7ª.75.A
ad Dyſenteriam ſanguis Caprarum toſtus.10°.de ſim.med.fac. 5ª.73.B
ad Dyſenterias optimũ remediũ eſt Cauda eqna.6°.de ſim.m.f. 5ª.48.F
Dyſentericis confert ſuccus Centaureæ.de virt.centau. Sp.94.A
Dyſenterias ſanant Ciſthi flores cũ vino poti.7°.de ſimp.me.fa. 5ª.51.D
Dyſenterijs cum vino pota prodeſt Clematis daphnoides.7°.de ſimplic. medicamen.fac. 5ª.51.G
Dyſenteriam ſanat Cornu ceruinum.10°.de ſim.med.fac. 5ª.79.B
contra Dyſenteriam qũo valeant Cochleæ.11°.de ſimp.med.fac. 5ª.81.G
Dyſenterias ſanat Damaſonium.6°.de ſimp.med.fac. 5ª.46.A
ad Dyſenteriam quo modo Faba valet.de vict.ratione in morbis acutis, commentario.4°. 7ª.152.G
Dyſenterijs remedio ſunt Hederę folia.de ſimp.med. Sp.84.A
Dyſenterias curat Idęa radix.6°.de ſimp.med.fac. 5ª.48.E
Dyſenterias ſanat ſemen Lapathi, oxylapathi, & hippola pathi.7°.de ſimp.med.fac. 5ª.54.B
ad Dyſenterias valet Lentiſcus.8°.de ſimp.me.fac. 5ª.61.H
Dyſenterijs accommodantur Lothi lignorum aſſulæ deraſæ. 7°.de ſimpl. medic.facul. 5ª.55.A
Dyſentericis adhibetur Lycium.7°.de ſim.med.fac. 5ª.54.H
Dyſenterias ſanat Lyſimachios pota.7°.de ſimp.med.fac. 5ª.54.H
pro Dyſenteria Mora immatura.2°.de ali.fac. 2ª.18.H
ad Dyſenterias accommodus eſt mori fructus.7°.de ſim.me.fa. 5ª.56.C
in Dyſenteria Muria per clyſterem.12°.meth.med. 7ª.75.A
Dyſentericos iuuat Nymphеæ radix & ſemen. 8°.de ſim.me.f.5ª.57.A
ad Dyſenteriam valet Ouum, ſi illi adiungatur aliquid, quod ad dyſenteriam valet.11°.de ſimp.me.fac. 5ª.81.E
Dyſenterias iuuat Phyllitis.8°.de ſimp.med.fac. 5ª.63.E
in Dyſenteria putreſcentia vlcera colluit, & deſiccat ſalſugo piſciũ ſalſorum.11°.de ſimp.med.fac. 5ª.83.G
ad Dyſenteriam exhibetur radix Polemonij.8°.de ſim.me.fac.5ª.59.A
Dyſenteriam ſiſtit Polygonon.8°.de ſimp.med.fac. 5ª.58.H
Dyſenteria laborantes iuuant Poma cocta cum pane ſumpta.2°.de alimen.facul. 2ª.19.H
ad Dyſenterias commoda eſt membrana quæ eſt ſub cortice Roboris & ſub glande eius.6°.de ſimp.med.fac. 5ª.46.E
ad Dyſenteriam quo modo Rubia valet. de vict. ratio. in morb.acutis, commentario.4°. 7ª.152.G
ad Dyſenterias idonea remedia ſunt Rubi flos & fructus. 6°.de ſimpli. medicamen.facul. 5ª.44.G
ad Dyſenterias congruit Sideritis achilleis.8°.de ſimp.me.fa. 5ª.60.D
ad Dyſenteriam quo modo caninũ Stercus 1°.de ſim.med.fac. 5ª.75.E
ad Dyſenterias vtiliſſima eſt Theriaca.de ther.ad Piſo. 5ª.96.B
ad Dyſenteriam pillulæ probatæ.de dyna. Sp.28.A
ad Dyſenteriam, Andromachi.9°.de comp.med.ſe.lo. 5ª.203.A
ad Dyſenterias. 10°.de ſim.me.f.5ª.73.G|de dyn. 27.H| Sp.28.A|C
ad Dyſenteriam, & lienteriam probatum remedium.de dyna.Sp.28.A
ad Dyſenteriam diuturnam.de rem.par.fac. 7ª.160.A
de DYSENTERICIS 9°.de comp.med.ſec.lo. 5ª.202.H
Dyſenterici veri qui.9°.de comp.med.ſec.loc. 5ª.202.H
Dyſenterici quibus neglectis fiant.de dyna. Sp.19.H
Dyſentericorum pulſus.de dyna. Sp.35.A
Dyſenterici non ſunt purgandi.de dyna. Sp.20.F
in Dyſentericorum deiectionibus, vbi vehementer rodunt, quę valeant. 12°.methodi medendi. 7ª.74.G
Dyſentericis valet Adeps caprinus.11°.de ſimp.med.fa. 5ª.78.H
Dyſentericis et teneſmis cur potius imponatur adeps caprinus, quã ſuillus.10°.de ſim.med.fac. 5ª.78.H
Dyſentericis magnum facit adiutorium Cnicum.de ſimp.med. Sp.83.B
Dyſentericos ſanat Cytinus.de ſimp.med. Sp.78.C
ad Dyſentericos & cœliacos Coagulũ equinũ.10°.de ſim.me.f. 5ª.74.E
Dyſentericis facit Eleliſphacos.de ſimp.med. Sp.84.A
Dyſentericis facit Erythrodanum.de ſimp.med. Sp.84.B
Dyſentericis prodeſt Faba.7°.de ſimp.med.fa. 5ª.53.D
Dyſentericis inijcitur Garum.11°.de ſimp.med. 5ª.83.G
Dyſentericis Gnaphalium exhibent ex quopiam vinorum auſterorum. 6°.de ſimp.med.fac. 5ª.46.A
Dyſentericis profluuium ſtatuit Gypſum.de ſimp.med. Sp.84.H
Dyſentericos adiuuat vaccini Lactis potus.de theria.ad Piſo. 5ª.93.E
ad Dyſentericos affectus admodum efficax remedium eſt Ladanum.7°. de ſimp.med.fac. 3ª.51.D
Dyſentericis exhibetur Lemonij fructus.7°.de ſimp.med.fac. 5ª.54.B
Dyſentericis cibus accommodus Lens.1°.de alim.fac. 2ª.13.E
Dyſentericis prodeſt Lentiſcus.de ſimp.med. Sp.86.B
Dyſentericis facultatibus admiſcet Macer.7°.de ſim.med.fac. 5ª.55.A
Dyſentericis Myrta remedium eſt.de ſimp.med. Sp.87.E
Dyſentericis ꝓdeſt Ouũ in aceto coctũ perdurũ.de ſimp.me. Sp.88.E
Dyſentericis vtiliter editur Portulaca.6°.de ſimp.med.fac. 5ª.43.B
Dyſentericos remediat Pſyllium.de ſim.med. Sp.89.A
Dyſentericis confert Rha.8°.de ſimp.med.fac. 5ª.59.E
Dyſentericis vtile Scliroſmou.de dyn. Sp.28.D
Dyſentericos iuuat Spina alba.6°.de ſimp.med.fac. 5ª.41.H
Dyſentericis inijcitur Stœbe.8°.de ſimp.med.fac. 5ª.61.D
Dyſentericis fortiter prodeſt Terra ſamia.de ſimp.med. Sp.84.H
Dyſentericis valet cortex Thuris.7°.de ſimp.fac. 5ª.54.D
Dyſentericis dantur Vina auſtera.6°.de ſimp.med.fac. 5ª.46.A
Dyſentericis facit botrus Vuæ immaturæ.de ſimp.med. Sp.92.B
Dyſentericis antidotum vtile.de dynam. Sp.27.G
ad Dyſentericos catapotia.9°.de comp.med.ſe.loc. 5ª.204.B
ad Dyſentericos epithemata.9°.de compo.med.ſec.loc. 5ª.204.D
ad Dyſentericos infuſa.9°.de comp.me.ſec.loc. 5ª.203.E
Dyſentericus paſtillus.intro.Iſa.57.D|de com.me.ſec.loc. 5ª.204.A
ad Dyſentericos paſtillus Berítij.9°.de comp med.ſec.loc. 5ª.203.B
ad Dyſentericos & hæmoptoicos puluis.de dyna. Sp.25.B
Dyſentericis conueniens ſtomaticum.6°.de com.med.ſec.loc. 5ª.170.H
ad Dyſentericos Aſclepiadæ.9°.de comp.me.ſec.loc. 5ª.204.A
ad Dyſentericos Clidion.9°.de comp.med.ſec.loc. 5ª.203.B
ad Dyſentericos Flauij Pyctæ, id eſt pugilis.9°.de cõ.me.ſe.lo.5ª.203.D
ad Dyſentericos ex ſcriptis Lucij.9°.de comp.med.ſe.loc. 5ª.203.D
ad Dyſentericos Dhamyræ.9°.de com.me.ſec.lo. 5ª.203.H
ad Dyſentericos Valentis.9°.de comp.med.ſec.lo. 5ª.203.C
ad Dyſentericos non febrientes.9°.de com.med.ſec.loc. 5ª.204.C|D
ad Dyſentericos.7°.de compoſi.medic.ſec.loc.180.A|182. G 184.A|E|F|185.B|D|186.A|8°.189.E|191.C|E|192.H|203.A|B|C| 9°. 204.B| 5°.de compoſitio. medicamen.per.gene. 5ª.254.B| de rem.par. facul. 158.H| 7ª.159.G.H
ad Dyſentericos inueteratos.9°.de comp.med.ſec.lo. 5ª.204.C|D
Dyſenterici ſanati vno die.12°.meth.med. 7ª.75.A
DYSEPVLOTA vlcera, id eſt ad cicatricem vix veniẽtia, quæ vocentur.1°.de compo.med.per ge. 5ª.217.B
Dyſepulota, quæ propriæ.4°.de com.med.per gen. 5ª.233.G
Dyſepulota quæ medicamenta.1°.de comp.me.per ge. 5ª.211.C
ad Dyſepulota.2° de comp.me.per ge.224.E| 5ª.245.C
DYSCINESIA, id eſt difficultas motus.de ſymp.diff. 3ª.11.B
Δυσπάθεια quid.1°.de vſu par. 1ª.117.A
Δύσπνοια vnde dicta.2°.meth.med. 7ª.9.D
Δύσπνοια quid ſignificet.1°.de diff.reſp. 3ª.56.B
Dyſpnœa reſpirationis ſymptoma.de ſymp.diff. 3ª.11.G
Dyſpnœam quo modo faciat angina.4°.de lo.aff. 4ª.27.A
Dyſpnœas facit os vẽtriculi ratione ſocietatis.1°.de ſymp.cauſ. 3ª.17.G
Dyſpnœæ ex pulmone vel thorace affecto quos habẽt pulſus.4°.de præſag.ex pulſ.119.H| 4ª.120.A|B
Dyſpnœæ conuenit centaurium maius.7°.de ſimp.me.fac. 5ª.50.G
ad Dyſpnœam.7°.de comp.med.ſec.loc.182.G|186.H| 5ª.187.A
DYSPNOICI quid.fin.med. Iſa.47.E
Dyſpnoicis conuenit epithymum.de dyn. Sp.21.B
ad Dyſpnoicos Antonij Muſę.7°.de comp.med.ſec.loc. 5ª.186.E
ad Dyſpnoicos Chariclis.7°.de compo.med.ſec.loc. 5ª.186.E
de Dyſpnœa ab Hippocrate ſcriptum.4°.de loc.affect. 4ª.27.B
ad Dyſpnoicos.7°.de comp.med.ſec.lo.185.E|9°. 5ª.202.D
DYSRACHITIS Damocratis.5°.de comp.me.per gene. 5ª.248.E
Dyſrachitis medicamentum.5°.de compo.med.per ge. 5ª.248.E
Δυσθάνατοι quid ſignificet.in 1^{m}.prorrh.com.2°. 4ª.172.D
DYSVRIA. fin.med. Iſa.44.B
Dyſuriæ cauſa.introd. Iſa.57.A
in Dyſuria confert ſuccus centaureę.de virt.cent. Sp.94.A

E T, H, antiqui eodem charactere notabant. in 6m. de morbis vulgarib.com.3°. 3ª.169.F
EADEM genere poſſunt eſſe contrariſſima.aduerſus Lycum. Ex.63.E
Eadem non ſunt ſæpius repetenda. 2°. de decretis Hippocratis. 1ª.236.G
cur Eadem bis & ter quandoq; repetantur. com.5°.apho.64°. Ex.44.H
Eadem de eiſdem ſemper aſſerebat Galenus.ad Thraſ. 2ª.101.F
Ἑαυτὸν τιμορούμενος. de arti.com.2°. 7ª.258.H
EBEA ſeu oliuæ lachryma,quid ſit, & eius vires.de ſimpl. medicamen. Sp.83.F
EBENVM quid.de ſimp.med. Sp.83.F
Ebenus calfacit, extergit, & eſt tenuiũ partiũ.6°.de ſim.me.f. 5ª.46.F
Ebenum vires habet acres, & aliquatenus ſtypticas.de ſim.m. Sp.83.F
Ebeni ſcobes collyrijs miſcentur & ad vulnera polyhæma.de ſimp. medicamen. Sp.83.F
Ebenus ad oculos valet.de vic.ra.in mor.acu.commen.4°. 7ª.151.G
Ebenus tritus cum aqua in ſuccum ſoluitur.6°.de ſim.me.fac. 5ª.46.F
EBINVS monachus.ſecretorum. Sp.97.E
EBISCVS quã vim habeat, & qualis.6°.de ſimp.med.facul. 5ª.46.E
EBRIVS quo modo fieri quis poſſit ex vno ſolo vini cyatho.3°. de medic.fac.par. 7ª.174.E
Ebrietatis ſigna, ſupinũ iacere, hiare, & ſtertere.2°.de mo.m. 1ª.314.D
Ebriorum vrina, qualis.10°.de ſimp.med.fac. 5ª.74.G
Ebrij habent muſculos quieſcentes.2°.de motu muſ. 1ª.314.C
in Ebrietatibus muſculis grauatis, & ratione, aliquid inuite emittitur. 2°.de motu muſcu. 1ª.314.F
Ebrietate agimus quædam, quorum non recordamur.2°.de motu muſculorum. 1ª.315.B
in Ebrietatibus cur in poſterum non recordamur eorum quę egimus. 2°.de motu muſ. 1ª.315.B
Ebrietate qui morbi fiant.de cauſ.mor. 3ª.7.D
Ebriorum cerebrum perfunditur multa humiditate, qua aggrauantur. com.6°.apho.32°. Ex.49.H
Ebrij incidunt in podagram.com.6°.apho.28°. Ex.49.A
Ebrij cum ebrij coeunt.11°.de vſu par. 1ª.188.B
Ebriorum ſcmen eſt vitioſum.11°.dc vſu par. 1ª.188.B
Ebrietates quod nocumentum faciant fœtui.11°.de vſu par. 1ª.188.B
cur Ebrij quandoque balbutiant.commen.6°.aph.32°. Ex.49.H
Ebrietas cauſa extrinſeca doloris capitis.2°.de com.me.ſe.loc.5ª.131.H
Ebrij quo modo delirant.2°.de diff. reſp. 3ª.67.H
Ebrijs quod accidit, idem accidit quandoque & ęgritudinibus incipientibus.de comate. 3ª.50.H
Ebrietatibus quidam febricitant.1°.de diff.feb. 3ª.31.B
Ebrius ſi qs repẽte obmutuerit, cõuulſus morit̃.cõ.5°.apho.5°. Ex.37.G
Ebrietati folia braſſicæ naturaliter reſiſtũt.2°.de com.m.ſe.loc.5ª.133.D
ab Ebrietate præſeruat amethyſta.2°.de com.me.ſec.lo. 5ª.138.B
Ebrietati myrta aduerſatur.de ſimp.med. Sp.87.E
Ebrietas non ſoluitur eodem tempore in omnibus, ſed ſecundum naturã potatoris, & vini.com.5°.aph.5°. Ex.37.G
Ebriabantur eunuchi tempore Galeni.com.6°.apho.28°. Ex.49.A
Ebrietatem quidam heri dimiſerunt, & de his agere audent, quę excitatiſſimi non ſine timore tractant.ad Thraſy. 2ª.107.G
Ebrietas quo modo cauenda.3°.de med fac.paran. 7ª.174.E
EBVLLITIO quid ſit.1°.de ſimp.mea.fac. 5ª.8.G
Ebullitionem facit fermentum in paſta.de anat.viuo. Sp.51.H
Ebullitione remouentur aquæ vitia.de diff.cont. Sp.75.D
Ebullire facit Soranus ſimplicia linteolo illigata in confectione ex capitibus papaueris.7°.de compo.med.ſec.loc. 5ª.180.G
Ebullire ad dimidiũ q̃ debeãt in Arteriaca.7°.de com.me.ſe.l.5ª.178.H
Ebullitio tenuium humorum, qualis.2°.de diff.feb. 3ª.40.D
Ebullitio innatę caliditatis eſt paſſio cordis.de virtutibus noſtrum corpus diſpenſantibus. Sp.60.D
EBVLVS, ſambucus, quid, & eorum vires.de ſimp.med. Sp.84.B
Ebuli radix hydropicos, & inanit, & purgat.de ſimp.me. Sp.84.B
Ebuli folia ventris ſunt purgatiua.de ſimp.med. Sp.84.B
Ebulus ſiccus, conglutinatiuus, & digerens.6°.de ſimp.me.f. 5ª.42.A
ECBYRSOSIS oſſium affectus.intro.Iſ.59.D
Ἐκ βυρσώματα. de articulis, commentario 4°. 7ª.287.B
ECCATHARTICA. 5°.de ſimp.med.fac. 5ª.35.A
ECCOPE quid.fin.med. Iſ.48 C
Eccope fractura in capite.fin.med. Iſa.48.C
Ἐκκοπρωτικὰ. 6°.de ſimp.med.fac. 5ª.42.C
ECCHYMOSIS quid dicat ab Hipp.in 6m.de mor.vul.c.2°. 3ª.161.D
Ecchymoma quid ſit ſecũdum Hippocratẽ.5°.de cõp.me.ſec.lo. 5ª.158.E
Ecchymoſis eſt cum ſanguis effuſus eſt in ſpatia quæ vaſis circumiacent. com.6°.apho.20°. Ex.48.C
in Ecchymoſi impoſſibile eſt ſanguinem remanere ſanguinem.commentario 6°.apho.20°. Ex.48.C
Ἐκχύμωσις q̃uo ab inflãmatione differat.cõ.6°.apho.20°. Ex.48.C
Ἐκχύμοσις fit in contuſione, & ruptione.4°.meth.med. 7ª.23.B
Ecchymoſis quid indicet.4°.meth.med. 7ª.29.C
Ecchymomatum remedia.4°.meth.med. 7ª.29.C
Ecchymomata non debent diu adſtringi.1°.de com.me.per ge. 5ª.211.G
Ecchymoſeis digerit ptarmice.8°.de ſimp.med.fac. 5ª.59.C
Ecchymomatum medicamenta ſero quàm aqua diluere pręſtat.10°. de ſimp.med.fac. 5ª.73.G
ad Ecchymomata quæ digerendo conferant.7°.de ſim.med.fac. 5ª.75.G
ECHECOLLON quid ſm gręcos.2°.de com.me.per gene. 5ª.219.B
ECHINVS quam vim habeat.11°.de ſim.med.fac. 5ª.81.G
ECHINI herbæ fructus acerbus repellit, & exiccat.6°. de ſimpl.medica.facul. 5ª.47.G
Echini herbę fructus ad oculorum & aurium fluxiones. 6°. de ſimplic. medicamen.facul. 5ª.47.G
ECHINI marini quo modo edantur.3°.de ali.fac. 2ª.32.E
Echini marini ſubducunt ventrem.de atten.vic. 2ª.45.B
ECHO quo modo fiat.de hiſt.philoſ. Sp.9.G
ECHII ſemen.8°.de comp.me.ſec.loc. 5ª.195.H
ECLECTA medicamenta.7°.de comp.med.ſec.loc. 5ª.177.A
Eclectas id eſt delingibiles confectiones.7°.de com.med.ſe.lo. 5ª.178.C
ECLEGMA Amaranti ad ſanguinis reiectationem. 7°. de compoſitio. med.ſecundum locos. 5ª.184.D
Eclegma Fauſtianum.7°.de com.phar.ſec.loc. 5ª.180.A
Eclegma hepaticum Paulini.8°.de compo.med.ſec.loc. 5ª.195.F
Eclegma peripneumoniæ.de vict.ra.in mor.acu.com.4°. 7ª.144.C
Eclegma ad tuſſim.de rem.par.fac. 7ª.158.D
ECLIPSIVM veræ prædictiones.de lib.pror. Iſa.13.F
Eclipſis facile ſpeculo diſcernitur.de hiſt.philo. Sp.7.A
Ἐκπεπωληγμένον quid.de fracturis.com.3°. 7ª.247.D
Ἐκφραξις. 11°.meth.med. 7ª.71.D
ECPHRACTICA, id eſt deobſtruentia, quæ dicantur.4°.de compoſi. med.ſec.loc. 5ª.150.A
Ecphractica.5°.de ſimp.med.fac. 5ª.35.A
Ἔκφυσις quid.5°.de vſu partium.1ª.142.E/de vic.ra.in morbis acutis, commentario 2°. 7ª.120.G
Ἔκφυσις prima in ordine inteſtinorum.5°.de vſu par. 5ª.142.E
Ἐκπλεθρίζειν quid.2°.dc ſan.tuend. 2ª.74.F
ECPLEXIS quid.fin.med.Iſa.50.D/12°.meth.med. 7ª.77.D
ECPIESMA quid.fin.med. Iſa.48.C
Ecpieſma fractura in capite.fin.med.48.C/intro. Iſa.59.F
Ecpieſma fractura caluarię.intro. Iſa.59.C
ECRYTHMVS pulſus qui ſit.1°.de diff.pulſ. 4ª.48.H
ECTASIS melancholica, quæ.in 1m.prorrh.com.1°. 4ª.165.C
Ecſtaſi coma contrarium eſt.in 1m.prorrh.com.3°. 4ª.79.D
in Ecſtaſim ſi deſinunt aphoniæ in febre, pernicioſum.in 1m. prorrhetico. commentario 2°. 4ª.172.B
Ecſtaſis cum ſilentio.in 1m.prorrh.com.2°. 4ª.172.B
Ἐκστάσεως meminit.in 1m.prorrh.com.2°. 4ª.169.C
Ἐκστατικαὶ facultates, id eſt quæ vim habent animum alienandi.5°. de ſimp.med.fac. 5ª.32.G
ECTROPION quid.fin.med.48.G/intro. Iſa.58.G
Ectropion oculi affectus & generum.fin.med. Iſa.48.F
Ἐκθύματα, & ἔκθυσις vnde dicta.in 3m.dc mor.vul.com.3°.3ª.145.A
Ἐχέκολλα. de ijs quæ in med.fi.com.2°. 7ª.210.G
EDACES homines, qui in 6m. de morbis vulgaribus, commentario.4°. 3ª.185.H
Edaces placentis, & edulijs lætantur.de cog.cur animi mor. 2ª.53.D
ob EDACITATEM nihil in omnium conſpectu auidius deuorandum. de cogn.cur. animi mor. 2ª.53.D
Edere, & bibere neceſſaria ſunt animanti.1°.de ſan.tuen. 2ª.62.H
Edendi finis, qui.3°.de nat.fac. 1ª.307.A

Edendum quo tempore. 4°.de vſu partium. 1ª.136.F
Edendi quo modo ſint cibi craſſi à non calidis, & qui non mouentur.de diſſolutione continua. Sp.72.G
Edentes nutrimẽta mali ſucci prurituu exercent.2°.de ſym.cau. 3ª.23.H
Edendum quandoq; in morbis,& plene,collige.de art.cõ.3°. 7ª.275.C
inter Edendum,& dormiendum plus humorum quibus colligitur, & p vigilias minus.1°.de præſag.ex pul. 4ª.109.F
Edẽtes,& bibẽtes neceſſario faciũt excremẽta.1°.de ſan.tuen. 2ª.62.H
Edentis ſupra conſuctum affectus.6°.de locis.aff. 4ª.38.B
Edit q multũ hyeme,vere ſuffocat.de venæ ſect.aduer.Eraſ. 6ª.292.B
Edat parum habens lapidem.de cura lap. Sp.112.B
Edibilium nullum vehementer calefactum durare imputre poteſt.3°.de ſympto.cauſ. 3ª.25.D
Edi quæ ab aliquo animali non poſſunt.4°.de ſimp.med.fac. 5ª.30.C
Ἐδέσματα. de vict.rat.in morb.acut.com.4°. 7ª.145.C
EDIFICATORIA ars acuit nimiũ.de cu.ani.pec.no. 2ª.56.G
Edificator quæ non nouit.ad Thraſy. 2ª.108.G
Edificatori ſimilis luctator.ad Thraſy. 2ª.108.G
EDITVS ruber eſt,ſi ſperma conceptum à muliere fuerit in tribus horis ſanguinis.de ſpermate. Sp.37.B
Ἕδρα. de fracturis.com.2°. 7ª.233.D
EDVCATIO quæ.de conſt.ar. Iſa.42.F
Educacio quid ſit.quod animi mores. 1ª.321.B
Educatio vitia abolet.quòd animi mores. 1ª.321.A
Educatio parit virtutem.quòd animi mores. 1ª.321.B
quæ EDVCANTVR ex cute corporis.de cathar. Sp.94.G
quę Educantur de ſtomacho.de cathar. Sp.94.G
quæ Educuntur ex hepate.de cathart. Sp.94.G
quæ Educantur ex ſplene.de cathart. Sp.94.G
Educunt ex iteſtinis maioribus ſcybala,et lũbrici lati.de cath. Sp.94.G
Educuntur aſcarides ex extremo inteſtino.de cathart. Sp.94.G
quę Educantur ex renibus.de cathar. Sp.94.G
Educitur vrina ex veſica.de cathar. Sp.94.G
Educuntur ex matrice ſanguinis ichores.de cathar. Sp.94.G
Educentia à particularibus membris localia medicamenta eſſe certum eſt.de catharticis. Sp.94.H
Educere perfecte,& ſuauiter.de dynamidiis. Sp.20.G
Educentia lachrymas ex oculis cenotica oculorum.de cathar. Sp.95.B
ad Educendam bilem flauam.ſecretorum. Sp.99.D
Educentia atram bilem quæ. de cathart. 94. G/ſecretorum. 99. D/de mel.ex Gal.Ruff.& Poſſ. Sp.110.A
Educũt atrã bilẽ epithymũ & elleborus calida,& ſicca.de cat. Sp.94.G
ad Educendã melancholiã medicamenta.de mel.ex.Gal.Ruf. Sp.109.G
Educentia pituitam,quæ.de cathart. Sp.94.G
ad Educendum humorem viſcoſum.de med.exper. Sp.105.E
Educentia ſanguinem,quæ.de cathar. Sp.94.G
Educenda quantitas ſanguinis in ſcarificatione quæ fit mulieribus quę non purgantur.de cucur.ſcar. 6ª.4.A
Eductiõe ſanguinis ſi quis indigeat in melãcholia,iubet Poſſidonius primo venã ſecare,poſtea euacuare.de mel.ex Gal.R.& Poſ. Sp.109.H
Eductiõi quæ ex pulmone fit,idoneũ eſt vinũ pauciferũ.de vin. Sp.76.C
Educentia lapidem renum,& veſicæ.de cathar. Sp.95.D
Eductioni affectus aliqui obſtant.4°.de ſan.tuen. 2ª.83.A
de EDVLIIS non poteſt fieri regula communis, ſed de aliquibus. 3°. de alimentorum facul. 2ª.28.D
Edulia media quæ ſint.3°.de ali.fac. 2ª.33.D
Edulium Hiſpanum diu durans.2°.de alim.fac. 2ª.20.D
Eduliũ quod recens fertur ex Hiſpania Romam.2°.de ali.fac. 2ª.20.D
Edulium ex carne læuigata cum melle.2°.de alim.fac. 2ª.20.D
Eduliorum vires ante experientiam quo modo cognoſcantur.1°. de alimentorum facul. 2ª.11.H
Edulia madefacta vel cocta oſtendunt quãtum tumoris habeant. de bo. & vitio ſuc. 2ª.36.G
Edulia adeo erant aucta tempore Galeni, vt nihil addi poſſe videretur. com.6°.apho.28°. Ex.49.A
ex Edulijs multis fit perturbatio. de victus ratione in morbis acutis, commentario 1°. 7ª.111.G
Edulia quæ cõpetãt pueris,& quæ vigentibus.3°.de ſym.cauſ. 3ª.29.C
EFFASCINATIONES medicamenta ridicula.10°.de ſimp.med.fac. 5ª.72.D
EFFECTIVVM quid.6°.de decre.Hippo. 1ª.260.F
Effectiuum quot modis diuidatur.ars med. Iſa.62.B
Effectiuum quot modis ſubdiuidatur.ars med. Iſa.62.B
Effectricem cauſam, febrem, & putredinem inter ſe conferre difficile eſt.11°.meth.medendi. 7ª.70.A
Effectrices qualitates frigidum & calidum.2°.de ſem. 1ª.339.A
Effectiuæ artes,& actiuę quo differant.ad Thraſy. 2ª.105.H
Effectricium artium duplex officium.ad Thraſ. 2ª.106.D
inter Effectrices medica ars reponitur.ad Thra. 2ª.106.D
Effectrices ſcientiæ ſumptiones in ſingulis rebus.2°.de decr. 1ª.240.A
EFFECTVVM & cauſarũ cognitio cur neceſſaria.intr. Iſa.52.A
de EFFICACIA & qualitate errantium planetarum ſeptem climatum.de ſpermate. Sp.40.B
Efficax & factrix cauſa idem.de mult. 3ª.77.B
EFFICIENS cauſa prima naturaliũ rerum deus. de hiſtoria philoſophica. Sp.3.F
Efficiens,& finis cauſæ principaliſſimæ.de cauſ.procathar. 3ª.95.F
Efficiens,& materia ſemper neceſſaria.de cauſ.procathar. 3ª.95.G
Efficiẽtis cauſæ opus augetẽ,eius aucta ſubſtãtia.c.6°.apho.5°. Ex.46.H
Efficiens cauſa adipis,quæ.de anat.viuo. Sp.55.G
Efficiens cauſa carnis,quæ.de anat.viuo. Sp.55.G
EFFLATIO quid ſit.8°.de anat. adminiſtra.101. B/2°.de motu muſculorum. 1ª.316.C
Efflatio à quibus fit muſculis.2°.de mot.muſ. 1ª.316.C
Efflatio quomodo differt ab expiratione.7°.de vſu par. 1ª.157.H
Efflationi contraria eſt vehemens inſpiratio.2°.de mo.muſ. 1ª.316.C
Efflatio quando eſt.2°.de mo.muſ. 1ª.316.C
Efflationis gratia,muſculi magni in epigaſtrio.4°.de vſu par. 1ª.137.F
Efflatio propria materia vocis.7°.de vſu par. 1ª.157.H
Efflationis naturalis tãta pars perit, quanta portio muſculorum intercoſtalium reſoluitur.8°.de ana.adm. 1ª.102.C
de EFFLORATIONIBVS, & qd ſint.de me.fac.par. 7ª.161.G
Effloreſcentias oẽs curat cyclaminis radix.7°.de ſimp.med.fa. 5ª.53.F
ſi EFFLVERET nihil è noſtro corpore,cibo non indigeremus.de vict. rat.in morb.acu.com.1°. 7ª.115.E
Effluuia cohibet ſomnus.de vict.rat.in mor.acu.com.2°. 7ª.125.C
per Effluxionem abſceſſus.de morb.vul.cõ.2°.111.F/cõ.3°. 3ª.124.E
EFFOEMINATIO quid ſit.de ijs,quæ in med.fi.com.3°. 7ª.214.G
Effœminatio,id eſt debilitas.com.6°.aph.16°. Ex.38.G
Effœminationem carnium facit calidũ.com.5°.apho.16°. Ex.38.G
Effœminationẽ facit ocium.de ijs quæ in med.fi.com.3°. 7ª.219.B
EFFVNDIT humores corporis calor naturalis. de victus ratione in morb.acut.com.4°. 7ª.140.A
EFFVLGESCENTIAE quæ.in 6ᵐ.de morb.vul.com 1°. 3ª.154.G
EFFVSIO quæ ſit ſm Hippocratẽ.5°.de comp.med.ſec.loc. 5ª.158.F
ad Effuſionem ſanguinis matricis.de paſſ.mul. Sp.96.A
Effuſa & rigores ad ſcirrhum pertinent,& ſenibus contingunt.de tum. præter naturam. 3ª.84.C
de EGERENDI & vomendi motu.de mot.man. & obſcuris. Sp.68.G
Egerere qñ naturale eſt,& non volũtariũ.de mot man.& obſ. Sp.69.C
Egerentem videns prouocatur ad hoc.de mot.man.& obſc. Sp.69.D
Egerendi voluntas inanis his qui malos ſuccos ob annonam ederant. de bon.& vit.ſuc. 2ª.33.H
ad Egerentes ſine voluntate.de dyna. Sp.27.H
EGESTAS, copia,qualitas mala humores occupant.de mul. 3ª.79.C
per EGESTIONES expelluntur ſuperflua.de compagine membrorũ, ſiue de natura humana. Sp.59.B
Egeſtionis gratia,muſculi magni in epigaſtrio.4°.de vſu par. 1ª.137.F
Egeſtionẽ nullus potuit ẽt p dies paucos retinere.2°.de mo.muſ. 1ª.315.E
Egeſtio qũo vrgeat nos operari ſm ipſam.2°.de mo.muſ. 1ª.315.E
in Egeſtione cur thorax reſtringatur.2°.de mo.muſ. 1ª.316.B
Egeſtio cur non fit frequenter,& ſubito.4°.de vſu par. 1ª.14.D
in EGILOPE quo adhibeantur ferramenta candentia.intr. Iſa.59.F
EGRESSIO primi paris neruorũ dorſi vbi ſit.de ana.viuo. Sp.53.H
Egreſſio ſecundi paris neruorum dorſi,vbi.de ana.viuo. Sp.53.H
Egreſſio tertij paris neruorum dorſi,vbi.de anato.viuo. Sp.53.H
Egreſſio quarti paris neruorum dorſi,vbi.de anato.viu. Sp.54.A
Egreſſio quinti paris neruorum dorſi,vbi de anato.viu. Sp.54.A
Egreſſio ſexti,ſeptimi,& octaui paris neruorum dorſi vbi ſit. de anatomia viuorum. Sp.54.A
Egreſſio primi paris neruorum pectoris,vbi.de anat.viu. Sp.54.B
Egreſſio ſecundi paris neruorum pectoris,vbi.de anat.viu. Sp.54.B

in EGYPTUM Perſica arbor translata non mutat formã, ſed acquirit bonum alimentum. 2°. de ſemi. 1ª.336.F
ab Εἰκὸς dicitur εἰκότερον. in 6m. de morb. vulg com. 2°. 3ª.138.G
EIICERE quid ſignificet. 3°. de decretis Hippocratis, & Plat. 1ª.244.G
Eiectionibus ſanguinis auxiliatur ſymphytum petræum. 8°. de ſimpliciũ medicamentorum facultatibus. 5ª.61.F
Εἰλεός vnde habet nomen. 2°. meth. med. 7ª.9.D
ab EISDEM cur aliq iuuent, aliqui lædãtur. 5°. de ſan. tuen. 2ª.93.D
EISELCYSMVS quid. fin. med. Iſa.50.D
de Ἐγὼ voce. 3°. de decre. Hippo. 1ª.244.H
ſuper Ἐγὼ voce etymologia chryſippi. 2°. de decre. Hippo. 1ª.234.F
Ἐγὼ quid ſignificet. 2°. de decre. Hippo. 1ª.234.F
Ἐγὼ manuum nutu dicimus. 2°. de decre. Hippo. 1ª.234.F
Ἐγὼ quo modo pronuncietur. 2°. de deçre. Hipp. 1ª.234.F
ELABI & trahi ſunt verba vetera ad extra motum ſignificantia. de trem. palp. conuulſ. & rig. 3ª.54.H
ELÆÆ floruit Xenophanes. de hiſt. philoſo. Sp.2.G
Elæa quid. 6°. de ſimp. med. fac. 5ª.46.F
Elæon. 6°. de ſimp. med. facul. 5ª.46.F
Ἐλαιώδες, pinguedo in vrinis mortẽ ſignificat. de morb. tem. 3ª.89.G
ELAPHOBOSCVS calfacit, & exiccat in ſecundo. 6°. de ſimpl. medicamentorum facultatibus. 5ª.47.B
ELATERIVM quid & eius vires. de ſimp. med. Sp.83.G
Elaterium dicitur cucumeris agreſtis ſuccus. 8°. de ſim. me. fac. 5ª.60.E
Elaterium quo modo fiat de dynamid. Sp.23.A
Elaterium quibus adulteretur. de ſimp. med. Sp.83.G
Elaterium quale eligendum. de dynamid. Sp.21.F
Elaterium multi poſſunt guſtare, & intueri, tamen eius vtilitates ignorant. 1° de elem. 1ª.5.H
Elaterium, quale. 8°. de ſimp. me. fac. 5ª.60.E
Elaterium in ſecundo ordine calidum. 8°. de ſimp. me. fac. 5ª.60.E
Elaterium menſes cict, fœtum interimit, ad angina laborantes valet, regio morbo affectis bonum eſt, & capitis dolores ſanat. 8°. de ſimplicium medicamentorum facultatibus. 5ª.60.E
Elaterium purgat pituitam, & bilem. de dynamid. Sp.21.F
Elaterij doſis & cui miſcendum. de dynamid. Sp.21.F
Elaterium totum corpus promouet, ventrem, & viſcera depurgat, & vomitum ſuſcitat. de ſimp. med. Sp.83.G
Elateriũ venenũ eſſe dicitur ſi ſupra modũ ſumatur. de ſim. me. Sp.83.G
Elaterium purgat nares. de cathart. Sp.95.B
Elaterium q̃uo infundendũ in nares. 2°. de cõp. med. ſec. loc. 5ª.139.E
Elaterium medicamentum, quo vtebantur Cnidij in non acutis. de victus rat. in morb. acut. com. 1°. 7ª.108.F
ex Elaterio cataplaſma Antonij muſæ. 9°. de compoſitione medicamentorum ſecundum locos. 5ª.200.E
ELATE germen tenerum palmæ, quale. 8°. de ſimp. me. fac. 5ª.63.C
ELATINE parum refrigerat & adſtringit. 6°. de ſimplicium medicamentorum facultatibus. 5ª.47.B
ELATIO pertinet ad irrationalẽ facultatem. 4°. de decre. 1ª.248.F
Elati quo modo tractandi. de hiſt. philoſ. Sp.3.A
ELCORODANI cor. de medic. facile parab. 7ª.167.B
Ἐλκυστική, ἑλκτική, & ἐπισπαστική δύναμις idem. 5°. de ſimpliciũ medicamentorum facultatibus. 5ª.36.F
ELECTIO opus animæ. 2°. de loc. affect. 4ª.13.F
Electionis actiones, quæ. de trem. pal. conuulſ. & rig. 3ª.51.D
abſq; Electione agunt facultates naturales. de voc. inſtr. 1ª.106.C
ELECTRVM fricatum trahit paleas. de cathart. Sp.94.H
Electrum. i. ſuccinum, frangit lapidẽ renũ, & veſicæ. cathart. Sp.95.D
ELECTARIVM Agarici. de med. exper. Sp.108.C
Electarium Aridonis. de med. exper. Sp.107.A
Electarium Ariſtolochiæ. de med. exper. Sp.105.F
Electarium Ariſtolochiæ. de med. exper. Sp.107.H
Electarium Aſſæ fœtidę. de med. exper. Sp.108.D
Electarium Aſſiſtri. de med. exper. Sp.107.B
Electarium Capillorum veneris. de med. exper. Sp.107.H
Electarium Capparis. de med. exper. Sp.108.B
Electarium Centaureæ. de med. exper. Sp.107.G
Electarium Colocynthidis. de med. exper. Sp.107.G
Electarium Dianthu contra cardiacos facit, phthiſicos, hepaticos confortat, illos qui ſunt debiles natura, & ex longa infirmitate curat. de dynamidijs. Sp.26.D
Electarij Diaphraſii confectio. de dynamid. Sp.26.F
Electarium diapraſiu valet ad cauſas pectoris, ad febres ex his natas, ad tuſſim maxime. de dynami. Sp.26.F
Electarium Ellebori. de med. exper. Sp.108.C
Electarium dictum Euadens. de med. exper. Sp.108.E
Electarium Folij. de med. exper. Sp.107.H
Electarium Gaſit. de med. exper. Sp.108.A
Electarium Gummi. de med. exper. Sp.108.D
Electarium Iridis. de med. exper. Sp.105.E
Electarium Laccæ. de med. exper. Sp.107.A
Electarium Laccæ magnum. de med. exper. Sp.107.A
Electarium Luti. de med. exper. Sp.108.D
Electarium Olibani. de med. exper. Sp.108.A
Electarium Rhu barbari. de med. exper. Sp.105.E
Electarium rhu barbari. de med. exper. Sp.108.A
Electarium Roſarum. de med. exper. Sp.108.E
Electarium Scolopendriæ. de med. exper. Sp.108.C
Electarium Scillæ. de med. exper. Sp.108.B
Electarium Spicę. de med. exper. Sp.107.F
Electarium Squinanthi. de med. exper. Sp.107.H
Electarium Turbith. de med. exper. Sp.108.C
Electarium Zacharonis. de med. exper. Sp.106.H
Electarium ad capitis & ſtomachi dolorem. de dynamidijs. Sp.23.C
Electarium, ad abolendũ colorẽ à facie icterici. de cura icteri. Sp.111.F
Electarium bonum ad laxandum. de dynamidijs. Sp.27.F
Electarium ad vitium pulmonis, ad rheuma deſcendens à capite ad thoracem, & qui ſanguinem expuunt, ad raucedinem vocis, & qui male ructant ab ardore ſtomachi, & ſynanchen quæ in faucem rumpit, & ſtranguriam quæ ex phlegmate fit. de dynamid. Sp.26.C
Electarium quartanarijs & quotidianarijs cõferens. de dyna. Sp.32.D
Electarium ad Scorpionis morſum. de med. exper. Sp.106.G
Electarium ad ſtomachum quod aſthmaticis peculiariter prodeſt. de dynamidijs. Sp.27.C
Electarium diſſoluens ventoſitatem. de med. exper. Sp.105.F
Electarium ad vocem clarificandam. de dynamidijs. Sp.26.B
Electarium ad vomitum prouocandum. de dynamidijs. Sp.27.B
ELEGANTIA, & celeritas faciunt vt artifices ſint alijs præſtantiores. de faſcijs. 7ª.293.C
Elegãtiæ, & mũdiciei, nõ ſolũ vtilitati ſtudeat medicus. de faſ. 7ª.293.C
Eleganter agere quid ſit. de faſcijs. 7ª.293.C
Eleganter inijciendũ eſt vinculũ, vt oculos delectet. de faſ. 7ª.294.B
ELLISPHACOS quid. 6°. de ſimp. med. facul. 5ª.47.D| de ſimplic. medicaminibus. Sp.84.A
Eleliſphacos acriter ſtringit, ad dyſentericos facit, denigrat, vrinã prouocat. de ſimp. med. Sp.84.A
ELEMENTI vocabulum quid ſignificet. de nat. hu. com. 1°. 1ª.53.F
Elementum quid. fin. med. Iſa.43.G| 8°. de decret. Hippoc. 1ª.174.B
Elementum, res breuiſſima, res indiuiſibilis, idem. 8°. de decre. 1ª.274.C
Elementum ad aliquid dicitur. 8°. de decre. Hippocra. 1ª.274.B D
Elementum eſt minima pars elementati. 1°. de elemen. 1ª.2.B
Elementum non eſt minima particula quæ videtur. 1°. de elemen. 1ª.2.C
Elementorum verorum ſenſus non eſt iudex. 1°. de elemen. 1ª.2.B
Elementa inſenſibilia quærit Hippocrates. 1°. de elemen. 1ª.2.C
Elementa inſenſibilia neceſſaria ſunt ad ſanitatem faciendam. 1°. de elementis. 1ª.2.C
Elementa vim ſenſualem non habent. 1°. de elemen. 1ª.3.C
Elementa ſenſilia haud quaquam ſunt ſyncera natura. de ptiſſ. 2ª.47.A
Elementum primum, & ſimplex ſunt idem. 3°. meth. med. 7ª.22.E
Elementa prima ſimpliciſſima. 1°. de elemen. 1ª.5.F
Elementa prima ac ſimplicia corpora appellantur. de diff. mor. 3ª.3.C
Elementa ſimplices partes, in quibus ſanitas. 5°. de decretis Hippocratis & Plato. 1ª.255.C
Elementi & principij differentia. 1°. de elemen. 1ª.6.G
Elementum quo modo differat à principio. de nat. huma. com. 1°. 1ª.28.B| de hiſtoria philoſoph. Sp.4.B
Elementum cur ſit elementum. 1°. de elemen. 1ª.4.G
Elementorum tractationem ſequitur tractatio de temperamẽtis. de cur. rat. per ſang. miſſ. 6ª.16.D
de Elementis ſpeculatio medico inutilis. 8°. de decre. Hipp. 1ª.274.B
Elementa omnium rerum primo conſideranda. 2°. de nat. fac. 1ª.299.A
Elementorum primorum niſi fuerit animaduerſio, ægritudines partium ſimilarium nunquam poſſunt curari. de diff. morb. 3ª.3.H

Elementa qui

Elementa qui non nouit, curare neſcit.7°.meth.medendi. 7ª.43.D
Elementa naturæ rerũ primus Hippocrates inuenit.1°.de elemen. 1ª.8.B
Elementa naturæ rerũ primus Hippocrates ſufficienter demonſtrauit. 1°.de element. 1ª.8.B
de Elementis primus omniũ Hippocrates definiuit.8°.de decre. 1ª.275.B
Elementum intelligit Hippocrates quandoque nominans qualitatem.1°. de elementis. 1ª.7.D
Elementa & per qualitates vocantur & per nomina. de natura huma. commentario 1°. 1ª.29.G
Elementa, vel per ſua nomina nomines, vel per qualitates, nihil refert. 1°.de ſanitate tuenda. 2ª.62.E
Elementa cur Hippocrates ſuis nominibus non vocauit. 8°. de decretis Hippocratis. 1ª.274.G
de Elementis cur non inſcripſerit ſuum librum Hippocrates, ſed de natura humana.1°.de elemen. 1ª.8.B
de Elementis cur inſcribatur liber Galeni.1°.de elemen. 1ª.8.C
Elementorum differentiæ, & qualitates.de ſpermate. Sp.40.H
Elementorum qualitates quatuor vocat agentes Galenus.10°.de ſimpli. medica.facul. 5ª.71.H
Elementa vnde dicunt ſuas naturas et qualitates.de ſpermate.Sp.38.H
Elementorum primę qualitates.quæ.3°.de ſimp.med.fac. 5ª.17.D
Elementa quo modo abſolute, & per exuperantiam dicãtur.2°.de ſimplic.med.fac. 5ª.17.G
Elementum eſſe è qua qualitate cognoſcitur.1°.de elem. 1ª.7.G
Elementa vocat Galenus calidum, frigidum, humidum, ſiccum.5°.de decretis Hippocratis. 1ª.255.C
de Elementis opiniones quatuor ꝑ diuiſionẽ inueniuntur.1°.de ele.1ª.3.C
Elementa ex materia & qualitatibus conſtituuntur.1°.de elemẽ. 1ª.7.E
Elementa ſunt atomi ſecundum aliquos.17°.de vſu partium. 1ª.221.E
Elementa ex Aſclepiade.introd. Iſa.52.F
Elementa ex Athenęo.intro. Iſa.52.F
de Elementis quid ſentiat Empedocles.de nat.huma.com.1°. 1ª.28.C
Elementa quę ſint ſecundum Eraſiſtratum.intro. Iſa.52.F
de Elemento Meliſſi opinio.de nat.hum.com.1°. 1ª.28.A
Elementa prima, quæ.1°.de elemen. 1ª.7.E
Elementa prima in compoſitione humidum, & ſiccum.de mar. 3ª.46.C
Elementa proxima, quæ.1°.de elem.6.D| 1ª.7.E.G
Elementa communia, quæ.1°.de ele.6.D|7.G|de na.hu.com.1°. 1ª.29.G
Elementa corporum, quæ.1°.de diff.feb. 3ª.31.D
Elementa quatuor.de diff.feb.morb. 3ª.2.F
Elementa quatuor in diuerſas ſpecies diuidi non poſſunt.de natu.huma. commentario 1°. 1ª.26.B
Elementum non eſſe vnum probatur.1°.de elemen. 1ª.2.D
Elementum non eſt vnum ſecundum formam, neque ſecundum potentiã. 1°.de elemen. 1ª.2.D
Elementum non eſt vnum argumento Hippocratis.1°.de elemen. 1ª.3.C
Elementum vnum ſolum ponentes deſtruunt ſcientiam naturalem, & medicinalem.1°.de elemen. 1ª.5.A
Elementa ſunt duo tantum, calidum, & frigidum.de vtil.reſp. Sp.64.B
Elementa non ſunt aqua, & aer.de vtil.reſp. Sp.64.A
Elementum non eſt aer.de vtil.reſp. Sp.64.A
Elementa nutriuntur ex ſe.de nat.hum.com.1°. 1ª.32.H
Elementa mũdi habent nutrimentũ mutuo ex ſe.de na.hu.cõ.1°.1ª.33.A
Elementa reguntur planetis, & ſignis.de ſpermate. Sp.40.B
in Elementorum nexibus quatuor in ſignis & planetis iuncta, & ligata eſt omnis ſubſtãtia corporea animata teſte Hippocr.de ſper.Sp.38.G
Elementa omnium corporum quatuor.8°.de decre.Hippo. 1ª.274. C|de dynamidijs. Sp.19.C
ex Elementis primis conſtant ſimplicia.de diff.mor. 3ª.2.F
ex Elementis eiſdem omnia conſtant, & in eadẽ reſoluunt.intr.Iſa.52.E
Elementa quatuor ortorum & occidentium. de conſt.ar.Iſa.38.F|8°.de decret.Hipp.274.C|in tim.Plat. 1ª.287.B
Elementorum concurſu corpora conſtant.8°.de decre.Hipp. 1ª.274.F
ex Elementis eſt omnis ſubſtantia corporea animata.de ſperm.Sp.39.A
Elementum id in generationis principio coniectum eſſe oportuit, quod maxime exiccaret.1°. de ſanitate tuenda. 2ª.62.F
Elementorum varia eſt in ſingulis ſymmetria, ſi varia fiunt opera.1°.de ſanitate tuenda. 2ª.63.F
ex Elementis cõpoſitiones, ſyncrimata appellantur.de diff.mor. 3ª.3.C
ex Elementis animalia generantur interuenientibus multis mutationibus.8°.de decre.Hippo. 1ª.275.A
Elementa ſemper addunt, & auferunt cum modo.1°.de elemen. 1ª.7.A
Elementum vnum ſi aliud ſuperet vehementer, non fit generatio.1°.de elementis. 1ª.8.C
Elementum proprium animalium ſanguineorum.1°.de elemen. 1ª.8.E
Elementum aereum quo modo in homine.8°.de decre.Hipp. 1ª.275.D
Elementum aereum deprehenditur in homine reſpirationibus, & pulſibus 8°.de decretis Hippo. 1ª.275.H
Elementa humanæ naturę ſed non propria.de nat.hum.cõ.1°. 1ª.29.G
Elemẽtis quatuor ligata eſt opatio materiæ corporeæ.de ſper. Sp.40.H
Elementa ſubiectum habent commune.de ſubf.empi. Iſa.38.F
Elementis omnibus materiam communem eſſe omnium putat Galenus. 1°.de elemen. 1ª.4.F
ex Elementorum quatuor temperaturis corpora cõpoſita ſunt. de ſubſt. fac.nat. 1ª.230.E
Elementa an ingrediantur corpora ſolis qualitatibus, vel etiam ſubſtantijs corporeis, nõ eſt neceſſarium cognitu.de ſubſt.fac.nat. 1ª.230.E
Elementa remanent integra ſecundum aliquos.de ſper. Sp.140.E
Elementa tota miſcentur, & inuicem agunt.de cur.ratione. per ſanguinis miſſ. 6ª.16.C
Elementa inuicem tranſmutantur.1°.de elemen. 1ª.7.G
Elementa ſimul agere & pati ſm qualitates Hippocrates primus determinauit.1°.de elemen. 1ª.5.F
Elementa mutantur in ſe inuicem accidentaliter.de ſper. Sp.40.H
Elementorum mutatio qualiter fiat.de ſper. Sp.40.H
Elementa tria ex ſe mutuo fiunt, terra immutabilis manet. de hiſtoria philoſophica. Sp.5.C
Elementis alijs terra ob pondus non miſcetur.de ſperma. Sp.40.G
Elementa ꝙ non coniungantur.17°.de vſu par. 1ª.221.E
ex Elementis quatuor fit temperatura proba, & intẽperies.1°. de pręſag.ex pulſ. 4 .107.E
Elemẽta tẽperari primus Hippocrates docuit.de nat.hu.c.1°. ª.29.F
ex Elementis temperatura dicitur natura.cõ.2°.aph.34°. Ex.17.C
Elementis ſynceris mundi vtimur.1°.de elemen. 1ª.6.A
Elementum purum potius mente comprehenditur q̃ inueniat.de natura humana.com.1°. 1ª.32.H
Elementa impaſſibilia ſtatuentes, quot ægritudines ponant. de differentijs morborum. 3ª.2.F
Elementorum & humorum oratio cõis.8°.de decre.Hippo. 1ª.275.E
Elementa impaſſibilia non poſſunt per tota alterari.de dif.morb. 3ª.2.F
ex Elemẽto aqueo & igneo ſanies in corpore fieri.8°.de dec. 1ª.275.F
Elementum humidum in humoribus præualet.2°.de diff.feb. 3ª.41.E
Elementum calidum ciborũ mutationẽ efficit.3°.de ſymp.cauſ. 3ª.25.A
Elementa non nutriunt.4°.de ſimp.med.fac. 5ª.28.F
Elementa nullam guſtui qualitatem offerũt.4°.de ſim.med.fac. 5ª.28.F
Elemẽta ſimplicia non aſſumuntur vel tanquã cibi vel tanq̃ medicinę.1°. de elemen. 1ª.7.C
Elementum ſumimus, qñ indigemus qualitate ſumma.1°.de elem.1ª.7.B
Elementum miſtum ſumimus, quando indigemus qualitate mediocri.1°. de elementis. 1ª.7.B
Elementum vnum ſi deſtrueretur, animal periret.1°.de elem. 1ª.7.A
Elemento vno pereunte, omnia pereunt.de nat.hum.com.1°. 1ª.32.G
Elementa non poſſunt in alia diſſolui.1°.de elem. 1ª.2.C
de Elementari neruo Eraſiſtrati.2°.de nat.fac. 1ª.298.E
ELEMENTA cur literę dictę.8°.de decre.Hippo. 1ª.282.E
Elementa literarum xxiiij.8°.de decre.Hippo. 1ª.274.C
Elementa vocis quot ſint.1°.meth.med. 7ª.4.B
Elementa vocis in quę diſtinguantur.8°.de decre.Hipp. 1ª.274.C
Elementorum vocis differentiæ.1°.meth.med. 7ª.4.D
Elementa vocis quomodo ſe habent.8°.de decr.Hippo. 1ª.274.H
Elementa artis, quæ manifeſta ſunt, Hippocrati placent. breu.denotat. dogma.Hippo. 1ª.231.A
Elementum quando eſt medicina.1°.de elemen. 1ª.7.C
per Elementa, doctrina cur cæteris vtilior.2°.de ſani.tuen. 2ª.72.E
ex Elementis methodi maxime propriũ, quod.2°.de ſan.tuen. 2ª.72.E
ELEMI. de dynamid. Sp.28.E
ELENIVM quid.6°.de ſimp.med.fac. 5ª.47.B
Elenij radix mundificat.de ocul. 7ª.188.E
ELEPHANTI diſſectio.7°.de ana.adm. 1ª.96.E
Elephantum incidit Galenus.17°.de vſu par. 1ª.221.C
Elephanti proboſcis ad quid vtilis.17°.de vſu par. 1ª.221.C
Elephas proboſcide accipit numiſma.17°.de vſu par. 1ª.221.D
Elephas reſpirat per proboſcidem.17°.de vſu par. 1ª.221.D
Elephantorum cutis inſenſibilis.3°.de vſu par. 1ª.134.A

ex Elephanti corde magnum os.7°.de anat.admi. 1ª.96.F
Elephantus habet veſicam in iecore.6°.de anato.admi. 1ª.92.D
Elephanti inteſtinum latiſſimum.6°.de anato.admi. 1ª.92.F
Elephanti ſimilis eſt arabius lapis.9°.de ſimp.me.fac. 5ª.68.B
Elephanti hiſtoria.7°.de anato.admi. 1ª.96.F
Elephantum ſatyriſmus vnde.de tum.præ.nat. 3ª.84.E
ELEPHAS vnde habeat nomen.2°.meth.med. 7ª.9.E
Elephantiaſis.2°.meth.med. 7ª.9.E
Elephas quid.ſin.med. Iſa.47.H
Elephas qui morbus ſit, & quo modo differat ab ophiaſi, alopecia,ptiloſi,myrmecia,leuce, vitiligine, ſphacelo,ſcabie,& lepra.14°.medi medendi. 7ª.92.C
Elephantia morbus longus extrinſecus.intro. Iſ.56.B
Elephantiaſis morbus euidens.de diff.morb. 3ª.3.D
Elephas in corporis omnibus partibus.3°.de loc.aff. 4ª.18.C
in Elephantiaſi membra omnia habent eandem temperaturam.de mel. ex Gal.Ruff.& Poſſ. Sp.109.B
Elephas in parte eſt inęqualis intemperies cum fluxione. de inæqua. intemp. 3ª.43.B
Elephantiaſis typum non habet.de typ. 3ª.90.D
Elephantiaſis contagioſus morbus.de ſubſi.emp. Iſa.33.H
Elephantiaſis vnde.3°.de ſymp.cauſ. 3ª.26.C
Elephantiaſes fiunt patiente hepate.de virt.noſt.corp.diſp. Sp.60.B
Elephas ex qua fiat materia.2°.de criſi.4ª.138.C/10°.de ſimplicium medicamen.facul. 5ª.178.E
Elephas,ſcabies,& lepra melācholiæ affectio.de tum.prę.na. 3ª.84.E
Elephas melancholicus affectus.3°.de alim.fac.25.G/comment.7°.aphoriſmo.40°. Ex.57.B
Elephas notat humorē melācholicū peccare.com.4°.apho.2°. Ex.27.F
Elephas a materia melācholica ēt ſine febre q̄uo fiat.de atra bi. 1ª.35.B
in Elephantiaſi,& leucis vitioſa nutritio cernit.3°.de ſymp.ca. 3ª.25.C
Elephantes ſubrubri quomodo fiant.de atra bile. 1ª.35.C
Elephantiaſis indicia.de cau.mor. 3ª.8.H
Elephas figuram naturalem immutat.de cau.mor. 3ª.8.H
in Elephantia vitioſus ſuccus ſua ſpē totius corporis colorem alterat.de ſympt.diff.13.B/3°.de ſympt.cauſ. 3ª.30.A
in Elephantiaſi q̄uo mutetur color diſputatio.de ſymp.diff. 3ª.12.H
Elephantis caro vnde dicta.3°.de ſymp.cauſ. 3ª.26.D
Elephantiaſis ſymptomata quæ.de ſymp.diff. 3ª.12.H
Elephantiaſi laborantibus naſus reſimatur,labra fiunt craſſa, & aures extenuantur.de cau.mor. 3ª.8.H
Elephantiaſis pulſus, qualis. de pulſibus ad tirones. 46. E/3°.de cauſis pulſuum. 4ª.103.F
Elephantis morbus in Alexandria peculiaris. 2°. de arte curatiua ad Glauconem. 7ª.107.D
Elephas non fit in Germania, in Myſia, in Scythia. 2°. de arte curatiua ad Glauconem. 7ª.107.E
in Elephāta nō incidūt lactis potatores.2°.de ar.cur.ad Glau. 7ª.107.E
in Elephantiaſim incurrūt, qui largius lēte vtuntur.1°.de ali.fa.2ª.13.C
Elephas contingit ſenioribus.in progn.com.3°. 4ª.210.D
Elephantiaſis curatio.intr.Iſa.57.G/2°.de art.cur.ad Glau. 7ª.107.E
in Elephante ante purgationem ſanguis mittendus. 2°. de arte curatiua ad Glauconem. 7ª.107.E
in Elephantiaſi mire prodeſt ſectio iſchiadicæ.de anato.viuo. Sp.54.H
Elephantiaſim incipientē q̄uo ſanauerit Galenus.quos purg.op. 5ª.88.C
Elephantem inchoantem ſanauit Galenus per venæ ſectionem.comm.6°. aphoriſmo 47°. Ex.52.C
Elephantiaſim ſanandi ordo.de ſubſi.emp. Iſa.34.B
ad Elephantiaſis principium.5°.de comp.med.ſec lo. 5ª.160.E
Elephanti proſunt medicamēta trahentia atrā bilē.de atra bil. 1ª.36.B
in Elephantiaſi debēt purgari humores nigri.quos pur.opor. 5ª.88.C
Elephantiaſis purgatur medicamento educente atram bilem. quos purgare oporteat. 5ª.88.F
Elephantioſis phlegmagoga danda.de dyn. Sp.21.D
Elephantes ſola purgatione ſanati.de purg.med. 5ª.87.G
Elephas mollitione indiget.in 6m.de morb.vul.com.2°. 3ª.161.A
Elephanto detentis quæ à fortuna viſa ſunt conferre. contra ea quæ à Iuliano in Hippo.apho. Ex.66.E
Elephanticorum remedium præſentaneum.intr. Iſa.57.G
Elephanticorum optimum remedium eſt calamintha. 7°. de ſimplicium medicamentorum facul. 5ª.49.D
Elephanticis vtilis eſt elleborus niger.de dyna. Sp.21.A
Elephantioſis datur lapis armenus.de dyna. Sp.21.C
Elephanticis ſuccurrit theriaca.de ther.ad Piſo. 5ª.96.B
Elephantiaſim habens ſanatus eſt vino in quo vipera mortua.de ſubfig. empirica. Iſa.33.H
Elephantiaſi laborantium caſus tres.de ſubfig.empi. Iſa.34.A
Elephantiaſi laborās comedit carnes viperarum, quartus caſus.de ſubſ. empiricos. Iſa.34.G
Elephantiaſi laborantis quintus caſus.de ſubſi.empi. Iſa.34.B
Elephanto laborantis caſus, qui caſu ſanatus eſt. 11°. de ſimplicium medieamto.facul.77.H/alius.H/alius. 5ª.78.A
Elephātiaſis curatio, in eſu viperarū.2°.de ar.cura.ad Glauc. 7ª.107.F
Elephantiaſi affecto habitaculū in pago cōſtitutū.de ſubſi.emp. Iſa.33.H
ex Elephantiaſi ad lepram mutatio.de ſubſi.empi. Iſa.34.A
Elephas in lepram mutatus.10°.de ſimp.me.fa. 5ª.78.A
Elephantiaſis an male habuerit laſſitudine laborantem percontandum eſt.4°.de ſan.tuen. 2ª.83.B
ELEVARI, & ſurſum ferri non idem, & quo modo differant.de trem. palp.conuulſ.& rig. 3ª.52.C
Eleuatio ſequitur ad dominum bilis.de ana.viuo. Sp.45.F
Eleuationem albam, & læuem & æqualem habens vrina deterior eſt. de vrinæ ſig.ex Hippo. Sp.79.B
Eleuat calor.in 1m.de mor.vul.com.1°. 3ª.104.D
Eleuando linguam eleuatur mandibula inferior. de motibus manifeſtis & obſcuris. Sp.68.B
Eleuatur quo modo nodus gutturis.de mot.man.& obſc. Sp.70.G
Eleuatio nodi gutturis eſt ineuitabile accidens tranſitus per æſophagū. de mot.man.& obſcu. Sp.70.F
Eleuatum cur ſit cor.de anat.viuo. Sp.46.C
Eleuati pulſus magis in humili, quàm in ſuperbo.de anat.viu. Sp.47.A
ELICIVNTVR ex vno multa.c.5°.apho.62°. Ex.44.H
ELIGENDVS eſt ligādi locus qui maxime in rē erit.de faſ. 7ª.294.C
ELIGMATIS pro pectore miſcetur enula.6°. de ſimplicium medicamentorum facul. 5ª.47.B
in Eligmata ponitur eryſimum pro expuendis craſſis & lentis humoribus.6°.de ſimp.med.fac. 5ª.47.F
Elij aſparagi quales.de atten.vict. 2ª.44.D
ELIQVANTVR quæ concoquuntur.de opt.ſecta. Iſa.20.C
ad Eliquandum patella.7°.de compo.me.per ge. 5ª.272.B
Eliquata quæ ſolum poſſunt tranſire per anguſta.in 6m.de morb. vulga. commentario 3°. 3ª.173.D
Eliquationem non indicant iumentorū lotio ſimiles vrinæ.in 6m.de mor. vulga.commen.5°. 3ª.192.B
per Eliquationem morbi inſenſibiliter fiunt.in 6m. de morbis vulgaribus, commen.3°. 3ª.176.H
Eliquans adenes, & membranas inſitas.5°.de com.me.per ge. 5ª.248.C
ELISIO quid ſignificet apud Hippocratem.de frac.cō.2°. 7ª.240.B
ELIXATIO pręparat alimētū ori.de bon.& vit.ſuc. 2ª.37.A
Elixata quare ſpumam faciunt.cō.2°.aph.43°. Ex.18.D
Elixum amittit propriam qualitatem.3°.de ali.fac. 2ª.31.H
Elixa res dat qualitatem & facultatem ſui iuris.1°.de ali.fa. 2ª.7.H
Elixans recipit qualitatem elixati.3°.de ali.fac. 2ª.31.H
Elixata conſiderandum an qualitatis vehementiam deponant. 2°.de alimentorum facul. 2ª.24.H
Elixa quale nutrimentum dant.3°.de ali.fac. 2ª.26.C
Elixare bis quid.3°.de ali.fac. 2ª.26.A
Elixa in aqua dulci dant alimentum humidius.3°.de ali.facul. 2ª.29.D
Elixatio prauarum aquarum quanta eſſe debet.in 6m.de morbis vulga. commentario 4°. 3ª.183.F
Elixa carne ſiccior eſt aſſa.11°.de ſimp.med.fac. 5ª.78.E
Elixę potius quàm aſſæ ſunt edendæ ſylueſtrium animalium carnes.de cura icteri. Sp.111.D
Elixa oua, qualia.de diff.cont. Sp.72.H
Elixa oua dura tarde deſcendunt.de diß.cont. Sp.74.H
Elixos piſces dat febrientibus, aſſos non febrientibus. de victus ratione in mor.acu.com.4°. 7ª.149.B
Ellebori figuram præ ſe fert cinnamomum.1°.de antidot. 5ª.106.A
Elleborus niger Italiæ quando æqualis illi quod in Creta naſcitur. 1°.de antidotis. 5ª.105.D
Elleborum multi poſſunt guſtare & intueri, tamen eius vtilitates ignorant.1°.de elem. 1ª.5.H
Elleborus frigidam, & terreſtrē habet ſubſtantiā.de cathar. Sp.94.G
Elleborus calidus eſt, & ſiccus, & atrā bilē educit.de cathar. Sp.94.E

Elleborus tenui

Elleborus tenui & calida natura conſiſtit.de cathar. Sp.94.E
Elleborus eſt calidus & ſiccus in tertio ordine.6°.de ſim.me.f. 5ª.47.C
Elleborus extergit,calefacit.6°.de ſimp.me.fa. 5ª.47.C
Elleborus albus purgat per vomitum.de cathar.94.G| Sp.95.C
Elleborus albus cur ſurſum purget.2°.de ſimp.me.fac. 5ª.11.B
Elleborus albus educit phlegma.de cathar. Sp.94.F
Elleborus albus purgat nares.de cathar. Sp.95.B
Elleborus albus dandus in quartana,primo radicibus mixtus, poſtea per ſe.de arte cur.ad Glau. 7ª.97.G
Elleborus niger ſi in fiſtula callo indurata infundatur,duobus tribus ve diebus callum detrahit,& dentibus prodeſt ſi cum aceto colluãtur. 6°.de ſimp.me.fac. 5ª.47.C
Elleborus niger purgat per ſeceſſum.de cathart. Sp.94.G
Elleborus niger cur deorſum purget.2°.de ſimp.me.fa. 5ª.11.B
Elleborus ſubducit ventrem, quia medicamentoſus.1°.de ali.fa. 2ª.8.D
Elleborus niger purgat bilem,& bilem atram.de dyna. Sp.21.A
Elleborus niger educit atram bilem.de cathar. Sp.94.G
Elleborum dare oportet quibus à capite fluxio eſt.de vict.rat. in morb. acutis,com.4° 7ª.144.G
Elleborus niger quibus detur febricitantibus.de dyna. Sp.21.A
Elleborus niger purgat ſplenem.de cathar. Sp.95.C
Elleborus niger vtiliſſimus viſceribus & matricis paſſionibus. de dynamidijs. Sp.21.A
Elleborus niger purgat matricem.de cathar. Sp.95.C
Elleborus niger educit corruptiua ſanguinis.de dyna. Sp.21.A
Ellebori nigri doſis.de dyn. Sp.21.A
Ellebori radices quõ dentur,& quænam miſcenda illi.de dyn. Sp.21.A
Elleborum qui dederit,præparet materiam,& quo modo. quos purgare oportet. 5ª.88.D
Ellebori ſumendi preparatio.quos pur.opor. 5ª.88.D
Elleborus quibus miſcendus.quos pur.opor. 5ª.88.E
Elleborus niger fit fortior ſcammonio addito.de dyna. Sp.21.A
Elleborũ habens,non ſcammonium ex colochynthide paratũ medicamẽtum conuenit in pleuritide.de vict.rat.in mor.acu.com.2°. 7ª.118.C
Elleborus & peplium ſimul comparantur,& qualia.de victus ratione in morb.acut.com.2°. 7ª.118.B
Elleborus niger & piper in pleuritide.de victus ratione in morbis acutis,com.4°. 7.144.C
Elleborus quibus non dandus.de vict.rat.in morb.acu.c.4°. 7ª.144.G
Elleborus vterq; lapidem frangit.de ocul. 7ª.188.F
Ellebori electarium.de me.exper. Sp.108.C
Ἐλλινύειν quid.de vict.rat.in morb.acut.com.2°. 7ª.124.G
ELLOBA apud Theophraſtum ſiliquata.2°.de alim.fa. 2ª.16.C
ELODES eſt genus febris.com.7°.aph.43°. Ex.57.D
ELOQVENTIAE magnæ quando erunt.de ſperma. Sp.38.F
ELOTA ſint metalla omnia,vt ſiccẽt ſine morſu.6°.meth.me. 7ª.38.C
ELVENTIA quæ.in 6ᵐ.de morb.vulg.com.6°. 3ª.196.C
Eluta nardus.1°.de anti. 5ª.106.E
ELVXATIO articulorum affectus intr. Iſa.59.E
ELXINE. 6°.de ſimp.me.fac. 5ª.47.C
Elxine abſtergit,& conſtringit cum aliqua humiditate. 6°. de ſimpliciũ medicamen.fac. 5ª.47.C
Elxine phlegmonas omnes in initio & augmento ſanat, & incipientibus phygethlis cataplaſmatis ritu illinitur,& ad aurium phlegmonoſos dolores ſuccus eius mediocriter prodeſt.6°.de ſimplicium medicamentorum fac. 5ª.47.C
Elxines ſuccum gargarizandum nõ nulli exhibent ad pariſthmia. 6°.de ſimpli.me.fac. 5ª.47.C
ELYCHNIVM cito ignem accipit.3°.de temp. 1ª.22.F
Elychnia mollia.13°.meth.me. 7ª.81.G
Elychnia Tarſenſia.13°.meth.me. 7ª.81.G
Elychnium Tarſicum quale.14°.meth.me. 7ª.87.G
Elychnium pro ſpongia noua.14°.meth.me. 7ª.87.G
Elychnium vtilius q̃ ſpongia pro fomento.14°.meth.me. 7ª.87.G
ELYMVS. 6°.de ſimp.med.fac. 5ª.47.C
ELYTROIDEM quid appellant græci.de cauſ.mor. 3ª.9.E
Elytrois tunica.2°.de ſem. 1ª.339.D
EMACIABATVR quotidie ſimia ob tumorem in tunica cordis.5°.de loc.aff. 4ª.29.D
Emaciata corpora quo modo reficiant mangones.in 6ᵐ. de morb. vulg. commen.3°. 3ª.176.D
Emaciata mẽbra quõ Galenus ſanauit de ijs quę in med.fi.3°. 7ª.220.C
Emaciet quomodo deligatio.de ijs quæ in med.fiunt,com.3°. 7ª.220.B
Ἐμβολὴ quid.de fruct. com.1°. 7ª.221.A
de EMBRYO. de compag.memb.ſiue de nat.hum. Sp.59.D
in Embryone quo modo ſperma,& per quot dies terminatur. de natura humana. Sp.59.D
in Embryone de ętate planetarum.de natu.huma. Sp.59.F
Embryones imperfecti quo modo generentur.de compag.memb. ſiue de natu.humana. Sp.59.G
Embryon quando in ventre.1°.de ſymp.cau. 3ª.18.C
in Embryone ſpiritus non à pulmone in cor, ſed à corde in pulmonem ferri ſecundum aliquos.6°.de vſu par. 1ª.156.A
Embryum vnde accipit alimentum.fin.med. Iſa.49.F
Embryum alitur per vmbilicum,non per os.fin.med. Iſa.49.F
Embrya prodeunt in lucem figuris quatuor.fin.med. Iſa.49.H
Embryum an animal ſit.fin.med. Iſa.49.F
ad Embryum extrahendum datur galbanum.de med.exper. Sp.106.E
ad Embryum extrahendum medicamen.de med.exper. Sp.106.G
EMERCVM lutum.7°.de comp.me.ſec.loc. 5ª.178.H
Ἐμετικοὶ,id eſt vomentes.7°.de ſimp.med.fac. 5ª.53.D
EMICRANIA quæ.5°.de ſan.tuen. 2ª.90.A
EMINENTIA quid.9°.de vſu par. 1ª.171.F
Eminens & longus cur ſit naſus.de anat.viu. Sp.49.A
ad Eminentiam omnem oculorum.4°.de cõp.me.ſec.loc. 5ª.152.H
ad Eminentias pellicularum oculorum.4°.de cõp.me.ſec.lo. 5ª.154.A
ad Eminentias ficoſas oculorum.4°.de comp.me.ſec.loc. 5ª.152.G
ad Eminentias ficoſas.5°.de comp.me.ſec.loc. 5ª.162.C
ad Eminentias faciei.5°.de comp.me.ſec.loc. 5ª.160.E
ad Eminentias ani.9°.de comp.me.ſec.loc. 5ª.203.C
ad Eminentias internas in ſede.de fac.par. 7ª.170.B
ad Eminentias intus & foris in ano.3°.de fac.par. 7ª.170.B
ſine Eminentijs cur debeant eſſe faſciæ.de faſcijs. 7ª.293.G
EMINVS viſa quo modo ſint.3°.de dign.pul. 4ª.80.B
ad EMITTENDVM humorem,vinculum.de faſcijs. 7ª.295.B
EMMOTON quid appelletur à græcis.2°.de compoſitione medicamentorum per ge. 5ª.220.D
Ἔμμοτοι.de artic.com.3°. 7ª.275.B
Emmoti ſcopi,qui.1°.de comp.me.per gene. 5ª.220.D
Emmoton ſyſtaſis quid ſit.2°.de comp.me.per gene. 5ª.221.H
Emmota quæ dicantur.13°.meth.me. 7ª.81.D
ad Emmotorum vſum quo modo emplaſtica poſſint reduci. 2°. de arte curatiua ad Glauco. 7ª.106.A
Emmota medicamenta fugimus in oſſibus capitis denudatis, quoniam linamentis inunctis offeruntur.5°.de comp.me.per ge. 5ª.262.F
Emmotorum vis quõ diſſoluatur.2°.de arte cur.ad Glau. 7ª.105.A
EMOLLIATVR venter ante cucurbitulas.de cucu.ſca. 6ª.3.C
EMOLITIO quid ſit.5°.de ſimp.me.fac. 5ª.32.F
Emollitio immoderata exoluit robur virium.de renum affectuum dignotione & medela. 7ª.193.G
Emollientia,& indurantia contraria ſunt.5°.de ſimp.me.fa. 5ª.38.H
Emolliens medicamentum,quale.5°.de ſimp.me.fac. 5ª.32.H
Emollientia qualia ſunt et iam eſſe debeant in qualitate. 5°.de ſimpliciũ medica.facul. 5ª.34.F
Emollientia ſunt calida,& humida.5°.de ſimp.me.fa. 5ª.32.D
Emollientia ſecundi & tertij ordinis excalfacientium,primi exiccantiũ eſſe collige.5°.de ſimp.med.fac. 5ª.34.E
Emollientius medicamentum vocatur pingue à recentibus,quod & humidum eſt.7°. de comp.me.per gene. 5ª.264.C
Emollientia medicamenta.7°.de comp.me.per gen. 5ª.268.A
Emollientia quo differant à pus mouentibus.5°.de ſimp.me.fac. 5ª.3.F
Emollientia quid agant.8°.de comp.me.ſec.loc. 5ª.196.A
Emollientia non debent accipere ſal.5°.de ſimp.me.fac. 5ª.34.F
Emolliunt recentia magis inueteratis.5°.de ſimp.fac. 5ª.34.F
quõ Emolliant,& digerant adipes,& pinguedines diuerſorum animalium.7°.de comp.me.per gen. 5ª.273.F
Emollit fortius in medicamẽto adeps.7°.de comp.me.per gen. 5ª.264.G
Emolliunt imbecilliſſime adeps ſuillus,& cera. 6°. de compoſitione medicamentorum per gen. 5ª.273.F
Emollit,& concoquit magis oleo adeps ſuillus.11°.de ſimplicium medicamentorum fac. 5ª.78.H
Emollit ora vlcerum indurata adeps vitulinus.4°.de compoſitione medicamentorum per gen. 5ª.240.A

Emollientia medicamenta primi ordinis.7°.de cõp.me.per ge.5ª.264.D
iter Emollientia principatum obtinet ammoniacum, & in digerẽtibus concertat.6°.de comp.me.per gen. 5ª.258.B
Emollit valentiſſime gutta ammoniaci.7°.de cõp.me.per ge. 5ª.264.A
Emollit gutta ammoniaci.2°.de comp.me.per gen. 5ª.222.C
Emolliunt exuſtos, & incenſos balnea.de ijs quæ me.ſi.cõ.3°. 7ª.215.H
Emollit Edelium durities neruorum.de ſimp.me. Sp.81.C
Emollit mediocriter cera.5°.de comp.me.per ge. 5ª.247.H
Emolliens quibus imbecillius cerelæum.7°.de cõp.me.per ge.5ª.264.E
Emollientibus pharmacis commiſcetur Chamæleontis radix.8°.de ſimpli.medi.fac. 5ª.63.F
Emollit fœnugræci ſemen probe coctum.7°.de compoſitione medicamentorum per gen. 5ª.264.B
Emolliendi vim habet Hypogloſſon.8°.de ſimp.me.fac. 5ª.63.A
Emollit cito Haſeg, impoſitum locis turgẽtibus, & diſtenſis.de ſimplicibus medicaminibus. Sp.85.C
Emolliunt & digerunt libanotides.7°.de ſimp.me.fac. 5ª.54.E
Emollit vteros radix Liliorum.7°.de ſimp.me.fac. 5ª.53.B
Emollit minus Malua agreſtis q̃ hortenſis.7°.de ſimp.me.fa. 5ª.55.B
Emollit, & adſtringit Maſtiche.7°.de ſimp.me.fac. 5ª.55.C
Emollit & digerit ægyptia maſtiche.7°.de comp.me.per gene.5ª.264.B
in Emolliendo Medullarũ differentiæ.7°.de cõp.me.per gen. 5ª.264.A
Emollit, fundit, & calfacit Myrrha Beotia.8°.de ſimp.me.fac. 5ª.61.B
Emollit & humectat Oleum verum.2°.de ſimp.me.fa. 5ª.13.G
Emollit & laſſitudinem aufert frictio ex oleo magis q̃ ſicca. 2°. de ſimp.medica.fac. 5ª.13.H
Emollit oleum.8°.de ſimp.me.fac. 5ª.60.A
Emollientia olea.4°.de comp.me.per ge. 5ª.241.H
Emollit & digerit liliorum oleum.7°.de ſimp.me.fa. 5ª.53.B
Emolliũt oleum ricininum, & gutta ammoniaci.6°.de compoſitione medicamentorum per ge. 5ª.258.A
in Emolliendo Reſinarum differentiæ.7°.de cõp.me.per gen. 5ª.264.B
Emolliens & emplaſticum Seſamum.8°.de ſimp.me.fa. 5ª.60.H
Emollit & digerit Thus.7°.de comp.med.per ge. 5ª.264.B
in Emolliendo chalbani, & opopanacis differentiæ.7°.de compoſitione medicamentorum per ge. 5ª.264.C
Emolliens optime.5°.de comp.me.per ge. 5ª.248.H
Emolliens maximum & extremum.7°.de comp.me.per ge. 5ª.264.A
Emolliens, calefaciens, & remittens confectio.7°.de compoſitione medicamentorum per gen. 5ª.272.G
Emolliens calloſa.6°.de comp.me.per ge. 5ª.258.D
Emolliens duritias.7°.de comp.me.per ge. 5ª.266.G
Emolliens omnẽ duritiem malagma.10°.de comp.me.ſec.loc. 5ª.209.C
Emollientia ſcirrhum quæ ſint.5°.de ſimp.me.fa. 5ª.33.F
Emolliens peſſus.1°.de comp.me.per gene. 5ª.215.G
EMORTVA mẽbra vbi incidenda.2°.de arte cur.ad Glau. 7ª.106.H
EMOSCHASVM. de med.fac.par. 7ª.177.H
Ἐμπακτικὸν dicitur emplaſticum.5°.de ſimp.me.fac. 5ª.35.A
EMPEDOCLES quid ſentiat de elementis.de nat.hu.com.1°. 1ª.28.C
Empedoclis opinio de ſeminum miſcella, & dulcedine coitus. 2°. de ſemine. 1ª.337.F
Empedocles humanitate medebatur.9°.de decr.Hippo. 1ª.281.H
EMPETRON bilem & pituitam educit.6°.de ſimplicium medicamẽtorum faculta. 5ª.47.D
cũ EMPHASI ſignificare.de vic.ra.in mor.acu.com.3°. 7ª.127.F
Ἐμπύρευμα quid.4°.de ſimp.me.fa.27.B/8°.62.C/9°. 5ª.64.E
Ἔμπειρος.i.expertus de ſubfi.emp. Iſa.31.G
Empirici vnde dicti.de ſectis. Iſa.16.A
Empirici dicuntur ab experientia.com.1°.apho.1°. Ex.3.A
Empiricus qui nominandus.3°.met.me. 7ª.16.D
Empirici nolebant ipſorum ſtudiũ vocare artem.adu.emp.me. Iſa.35.E
Empirici quomodo partẽ artis duplicẽ faciant.de part.art.me.Sp.16.F
Empirica vna ex tribus ſectis medicorum.intr. Iſa.51.A
Empirica ſecta, quæ fin.med. Iſa.43.E
Epirica ſecta quid comprehendat.de ſectis. Iſa.16.A
Empiricæ ſectæ diſciplinam ſub compendio clariſſime colligit. de ſubfi.empirica. Iſa.31.D
Empirica ſecta quibus inſtituatur.de opt.ſecta. Iſa.24.E
Empirica quibus cognoſcatur.intr. Iſa.51.A
Empirici primi, qui.de ſubfi.emp. Iſa.31.C
Empirica prima ſecta.fin.med. Iſa.43.E
Empirici veteres.in 6m.de morb.vulg.com.3°. 3ª.177.D
Empiricæ ſectæ princeps.intr. Iſa.51.D
Empiricus Apollonius.in 6m.de morb.vulg.com.2°. 3ª.137.H
Empiricorum quodnam opus eſt.in 6m.de morb.vulg.com.3°. 3ª.177.D
Empirici, quales.adu.emp.med. Iſa.35.D
Empirici hoſtes dogmaticorum.2°.de die.decr. 4ª.154.F
in Empiricos parum idonea dicunt dogmatici.3°.de loc.af. 4ª.14.H
Empiricorum argumentum contra dogmaticos.2°.de compoſitione medicamentorum per ge. 5ª.218.E
Empirici primi expoſitores aphoriſmorum Herophilus, Bacchius, Heraclides, Zeuxis.com.7°.apho.64°. Ex.60.D
Empirici vita.de ſubfi.emp. Iſa.34.D
Empirici de omnibus abditis dicunt ſe dubitare.6°.de dec. 1ª.263.H
ſm Empiricos quæ apparent, & quæ noſcantur.1°.meth.me. 7ª.5.C
Empirici vnde incipiunt.intr. Iſa.50.H
Empirici nolunt poſſe cognoſci facultatis eſſentiam.1°.de ſimplicium medicamentorum fac. 5ª.2.D
Empirici potiſſimum illa accipiunt quæ ſæpe profuere.de ſect. Iſa.16.B
Empirico obſeruationem memoriæ indicat concurſus accidentium. de ſectis. Iſa.16.F
Empirici cur hiſtoria vtantur.de opt.ſecta. Iſa.22.H
Empirici quid intelligant per iudicium.com.1°.apho.1°. Ex.2.H
Empirici per concurſus faciunt doctrinã.2°.de cõp.me.ſec.lo. 5ª.134.C
Empirici appellant cõcurſus, quæ à naturalibus dicuntur diſpoſitiones. com.6°.aph.31°. Ex.49.D
Empiricorum ſyndrome quid ſit.2°.meth.me. 7ª.11.C
Empiricorum concurſus vnde.5°.de ſan.tu. 2ª.93.B
Empiricorũ ſyndromæ in pauciſſimis inueniuntur.5°.de ſan.tu. 2ª.93.E
Empiricorum nugatoria periptoſis & incidentia.1°. de compoſi. medic. per genera. 5ª.210.H
Empiricorũ ſyndromẽ reprehẽdit.de vic.ra.ĩ mor.acu.cõ.2°. 7ª.121.F
in Empiricos, qui ex ſingularibus experientiam fieri volebant, Galeni argumentum.aduer.emp.med. Iſa.35.E
Empiricos reprehendit Galenus.de theria ad Piſo. 5ª.90.C
Empiricos lapidibus comparat.aduer.emp.med. Iſa.35.D
Empiricos probat Galenus.3°.de loc.aff. 4ª.14.H
Empiricorum more loquitur Galenus per totum librum de ſubfiguratione empirica.de ſubfi.emp. Iſa.31.D
Empirici quorum non poſſint recordari, nec ſcribere.adu.emp. Iſa.31.D
cũ Empirica logica inuentio non eſt confundenda. 2°. meth.me.7ª.13.E
Empirici dialecticas ſuppoſitiones ac definitiones reprehendunt. de ſectis. Iſa.7.B
Empirici non laborant de definitione.4°.de diff.pulſ. 4.66.B
ab Empiricis plethora quomodo intelligatur.de mul. 3ª.79.H
Empirici quid faciant in medendo.8°.de comp.me.ſec.loc. 5ª.187.G
Empiricus quid dicat de medicamentis.2°.de ſimp.me.fa. 5ª.11.F
Empirici ab indicatione nihil inueniunt.de ſubfi.emp. Iſa.31.D
Empirici artem medicã totam expientiæ inniti putant.de ſubfi.Iſa.31.D
Empirici negligunt naturarum rationem.de theria.ad Piſo. 5ª.90.E
Empirici vtunt eadẽ medela in affectibus, qua rõnales de ſect. Iſa.16.F
Empiricis obſeruatio vtilium ab ijſdem naſcitur, à quibus & indicatio rationalibus.de ſectis. Iſa.16.E
Empirici diſſentiũt à rõnalibus in mõ ĩueniẽdi medelas.de ſec. Iſa.16.F
Empirici quæ ſunt ratione inuenta conantur deſtruere.1°. de alimentorũ facultatibus. 2ª.7.D
ab Empiricis quo mõ differãt rõnales.9°.de cõp.med.ſec.loc. 5ª.188.E
Empiricinũ vñ referũt inuẽta medicamẽta.1°.de cõ.me.ꝑ ge. 5ª.209.A
Empirici plurima compoſitorum medicaminum caſu inuẽta eſſe putãt. 3°.de comp.me.per gen. 5ª.230.G
Empirici cur in compoſitionibus ſolum miſcent genere ſimilia.3°. de cõ.me.per genera. 5ª.230.H
Empirici trahunt medicamentum ab alio ad aliud.3°.meth.me. 7ª.17.C
Empirici vadunt ex tranſitione à ſimili.2°.de comp.me.ſe.lo. 5ª.134.A
Empirici quo modo applicabant remedia morbis, quos ante nõ viderãt. de ſectis. Iſa.16.C
Empirici quo modo applicabant remedia morbis, quos nouerant quidẽ, ſed in eos his locis ortos incidebant, vbi non erat materia medicamẽtorum quæ experimento eſſent obſeruata.de ſectis. Iſa.16.C
Ἐμπλαστικώτερον quid ſignificet.5°.meth.me.31.B/14°. 7ª.90.B
Emplaſticum dicitur ἐμφρακτικόν.5°.de ſimp.me. fa. 5ª.35.A
Emplaſticam dici illinendi vim. 5°.de ſimp.me.fac. 5ª.34.F
Emplaſtica quorundam conſtitutio, & quæ illam habeant. 5°. de ſimpli.med.facul. 5ª.34.D

Emplaſticum medicamentum quid ſit.5°.de ſimp.me.fa. 5ª.34.F
Emplaſtō medicamentum meatus obducit.1°.de cōp.me.ſe.lo. 5ª.127.G
Emplaſtica,id eſt meatus obducentia & obturantia, quæ dicantur.4°. de comp.me.ſec.loc. 5ª.150.A
Emplaſtica quæ vocentur ſimplicia.1°.de comp.me.ſec.loc. 5ª.129.G
Emplaſtica,& peptica,id eſt concoquentia,ſunt medicamēta parum calefacientia,& adſtringentia.7°.de ſimp.me.fac. 5ª.53.D
Emplaſticum eſſe dicitur medicamentum pus mouens.5°.de ſimp. medi. facultatibus. 5ª.38.G
Emplaſtica,& extergentia contraria ſunt.5°.de ſimp.me.fa. 5ª.38.H
Emplaſticorum duplex natura.4°.de ſimp.me.fa. 5ª.25.D
Emplaſtica quæ ſint.in 6m.de mor.vul.com.2°.3ª.165.G/H/4°.de ſimp. me.fa.5ª.25.D/5°.meth.me.30.D/ 7ª.31.F
Emplaſtica ſunt quæ ſunt glutinoſa.4°.de ſimp.me.fa. 5ª.25.D
Emplaſticam ſubſtantiam facit tenacitas in medicamentis. 9°. de ſimp. med.facul. 5ª.66.B
Emplaſticum medicamentum debet eſſe terrenæ conſiſtentiæ, & viſcoſum.5°.de ſimp.me.fa. 5ª.35.A
Emplaſticam vim habet refrigeratoriam & repercuſſoriam puluis.8°. de ſimp.me.fac. 5ª.60.A
Emplaſtica faciunt ſuccos craſſos,& lentos.5°.de ſimp.me.fa. 5ª.35.C
Emplaſtica à ſordē nutrientibus non differunt.de ſimp.me.fac. 5ª.35.A
Emplaſticum medicamentum debet vacare mordacitate. 5°. de ſimpli. medicam.facul. 5ª.34.H
Emplaſtica aliqua natura aquea.4°.de ſimp.me.fa. 5ª.25.D
īter Emplaſtica numerant mlta q̄ exacte elota sūt.4°.đ ſim.me. 5ª.25.D
Emplaſtica quædam habent aliquid aeris.4°.de ſim.me.fac. 5ª.25.D
Emplaſtō medicamētū qbus effici nō poſſit.1°.de cōp.me.p gen. 5ª.210.F
Emplaſticis quo modo miſceť ceratū.2°.de arte cur.ad Glau. 7ª.106.A
Emplaſtica rarefaciunt.in 6m.de morb.vulg.com.2°. 3ª.161.A
Emplaſticum optimum ex Bitumine,& aceto.5°.meth.me. 7ª.32.H
Emplaſtica ſunt Cera & oleum.6°.de comp.me.per gen. 5ª.255.D
Emplaſtica & refrigeratoria eſt Ceruſſa.9°.de ſimp.me.fa. 5ª.71.G
Emplaſticam vim habent Cibi & potus aliqui.5°.meth.me. 7ª.31.F
Emplaſticum ex Chalcitide.2°.de arte cur.ad Glau. 7ª.101.H
Emplaſticus eſt Chondrus.9°.de ſimp.me.fa. 5ª.63.H
Emplaſticus eſt Conus.7°.de ſimp.me.fac. 5ª.54.A
Emplaſtica ſunt Farina triticea,& amylum.1°.de ſimp.me.fa. 5ª.8.D
Emplaſticæ facultatis eſt Gypſum.9°.de ſimp.me.fa. 5ª.68.H
Emplaſticus eſt Lupinus.6°.de ſimp.me.fac. 5ª.48.C
Emplaſticam vim habet Myagros.7°.de ſimp.me.fac. 5ª.56.C
Emplaſticam vim habent Pinguedines nondum vllam nactæ acrimoniā. 4°.de ſimp.me.fac. 5ª.25.E
Emplaſtica non eſt Reſina,& qualis.6°.de comp.me.per gen. 5ª.255.D
Emplaſtica & amara eſt Sarcocolla.8°.de ſimp.me.fac. 5ª.60.B
Emplaſticum,& emolliens Seſamum.8°.de ſimp.me.fa. 5ª.60.H
Emplaſticum eſt magis Thus,quàm manna.5°.meth.me. 7ª.31.A
Emplaſtica eſt Tragacantha.8°.de ſimp.me.fac. 5ª.62.E
Emplaſtica quo modo ad vſum emmotorum poſſint reduci.de arte curatiua ad Glau. 7ª.106.A
Emplaſticis medicamentis in quibus vtimur.in 6m.de morbis vulgari. commenta.2°. 3ª.165.H
Emplaſticis, & adſtringentibus ſiſtendus eſt ſanguis ab hirundinibus tractus,non frigidis.de cucur.ſcar. 6ª.4.D
Emplaſticis potius ſanguis ſiſtendus,quàm cruſtam facientibus.5°.methodi medendi. 7ª.39.H
Emplaſtica pro ſanguine ſiſtendo.5°.meth.me. 7ª.30.G
Emplaſticum anodynū ad oculorum dolorē.cō.6°.apho.31°. Ex.49.A
Emplaſticum pro inflammatione inueterata.14°.meth.me. 7ª.88.H
Emplaſtico curati pueri in brachio puncti qui perijt caſus. 3°. de comp. med.per genera. 5ª.231.F
EMPLASTRA *vnde dicuntur.5°.de comp.me.per gen.* 5ª.251.B
Emplaſtra malagmata poſſunt appellari.7°.de cōp.me.p gen. 5ª.265.A
Emplaſtri confectio qūo fiat.1°.de comp.me.per gen. 5ª.210.H
Emplaſtrum quo modo fiat.3°.de comp.me.per gen.233.B/4°. 5ª.238.H
Emplaſtrū conficiendi modus.1°.de comp.me.per ge.215.G/2°. 5ª.224.E
p Emplaſtri forma quæ ponantur.5°.de comp.me.per gen. 5ª.246.B
Emplaſtrorum confectio quo modo paranda.1°.de cōp.me.p ge. 5ª.217.B
ad Emplaſtrum quid conueniat.5°.de compoſitione medicamen. per genera.246.B/6°. 5ª.260.H
Emplaſtrum vt fiat quæ miſcenda.4°. de comp.me.per gen. 5ª.239.G
ad Emplaſtra materiæ aptæ ſunt pinguia, & cera.7°. de compoſitione medicamentorum per genera. 5ª.255.D
p Emplaſtri figura inducenda ceram iubet miſceri.3°.de compoſio. me. per genera. 5ª.232.G
in Emplaſtris,& acopis,& malagmatibus mittitur cera de ſimplicib. medicam. Sp.82.B
ad Emplaſtropœiam vtilis eſt tum ceratum tum Reſina. 6°. de compo. me.per genera. 5ª.258.B
in Emplaſtris quæ reſinæ debent poni.1°.de compo. me.per ge. 5ª.213.H
in Emplaſtris calidis pro materia ponitur cera,non ob virtutis efficaciam.6°.de comp.me.per gen. 5ª.258.A
in Emplaſtris quare ponitur oleum.5°.de comp.me.per gene. 5ª.255.C
in Emplaſtris plus olei hyeme ponendum q̄ æſtate.2°.de compoſi.med. per genera. 5ª.223.G
Emplaſtris miſcetur Caliſiua.de ſimp.me. Sp.82.E
ad Emplaſtrum conficiendum Ceruſſa conuenit.5°.de compoſi.medicamentorum per gen. 5ª.247.D
in Emplaſtris pro colore ponitur ceruſſa.6°.de compoſi.medicamentorum per genera. 5ª.257.H
in Emplaſtro quo modo ponenda ceruſſa, quando eſt cum argenti ſpuma.1°.de comp.me.per gen. 5ª.215.G
Emplaſtris immittitur Ladanum.de ſimp.me. Sp.86.D
Emplaſtris immittitur Peucedanum.de ſimp.me. Sp.89.B
Emplaſtra quo ordine recipiant ſimplicia.1°.de cōp.me.p.g. 5ª.217.E/G
Emplaſtra cum fiunt,vnguine manus inquinandæ ſunt. 5°. de comp. me. per ge.250.D/7°. 5ª.267.C
Emplaſtri coctura quanta eſſe debet.2°.de comp.me.per gene. 5ª.222.F
Emplaſtra dura damnat.13°.meth.me. 7ª.81.D
Emplaſtra ſpiſſantur,vt non inquinent.2°.de comp.me.per ge. 5ª.226.E
Emplaſtri ſpiſſitudo vnde ſumatur.7°.de comp.me.per ge. 5ª.264.G
Emplaſtri craſſitudo qualis.3°.de comp.me.per ge.229.D/ 5ª.230.C
Emplaſtri ſpecies quibus induat medicamen quoddam.4°. de comp.me. per genera. 5ª.240.H
Emplaſtri ſpiſſitudo.1°.de comp.me.per.ge.212.F/7° 5ª.268.E
Emplaſtri liquidi ſpiſſitudo.9°.de comp.me.ſec.loc. 5ª.199.B
Emplaſtra quæ plus ſiccent.2°.de comp.med. per ge. 5ª.223.G
ab Emplaſtris quo differant cerata ſubhumida, & quæ ſint.1°.de compoſi.med.per gen. 5ª.217.F
Emplaſtroſum medicamen.3°.de comp.med.per gen. 5ª.233.F
in Emplaſtri modum medicamenta ad vlcera maligna. 4°. de compoſi. medica.per genera. 5ª.237.D
Emplaſtra colore ſimilia eſſe debent.2°.de comp.me.per gene. 5ª.218.C
in Emplaſtris qūo varientur colores.2°.de comp.me.per gene. 5ª.222.B
Emplaſtra quæ adhærent ſine faſcijs.6°.de comp.me.per gene. 5ª.259.G
Emplaſtrorum auctores quid egere.1°.de comp.me.per genera. 5ª.210.F
Emplaſtrorum diuerſitas.7°.de comp.me.per gen. 5ª.269.E
Emplaſtris de quibus agat.2°.de comp.me.per ge. 5ª.218.C
Emplaſtrum Aceſis,id eſt medela.1°.de comp.me.gen. 5ª.216.F
Emplaſtrum de Adipibus.ſecretorum. Sp.103.A
Emplaſtra Alba quibus fiant.1°.de comp.me.per ge. 5ª.217.C
Emplaſtra alba quibus conſtent.1°.de comp.me.per ge. 5ª.218.C
Emplaſtra alba ex argenti ſpuma & ceruſſa.1°.de compoſitione medicamentorum per ge. 5ª.213.G
Emplaſtrum album ex pipere.1°.de comp.me.per ge. 5ª.214.B
Emplaſtrum album ad achoras.1°.de comp.me.ſec.loc. 5ª.130.G
Emplaſtra alba ad lichenas.5°.de comp.me.ſec.loc. 5ª.162.A
Emplaſtri albi attalici ſecundum Andromachum compoſitio.1°. de compo.me.per gen. 5ª.214.F
Emplaſtrum album Damocratis.1°.de comp.me.per ge. 5ª.217.F
Emplaſtrum Andræ.4°.de comp.me.per ge. 5ª.243.A
Emplaſtra Andromachi.6°.de comp.me.per gen. 5ª.256.H
Emplaſtrum Andromachi ad vlcera maligna.4°.de comp.medicamentorum per genera. 5ª.238.C
Emplaſtrum ad Anginam.ſecretorum. Sp.102.A
Emplaſtrum Anicetum.1°.de comp.me.ſec.loc. 5ª.130.H
Emplaſtrū ex Aqua calida,oleo,& triticea farina, fluxionibus aduerſatur.de arte cur.ad Glau. 7ª.181.G
Emplaſtrū ex Argēti ſpuma & hydrelæo.1°.de cōp.me.p gen. 5ª.212.G
Emplaſtrum eſt argenti ſpuma,& oleo.1°.de comp.me.per ge. 5ª.213.A
Emplaſtrū ex argenti ſpuma & œnelæo.1°.de comp.me.per ge. 5ª.213.C
Emplaſtrum ex duabus Ariſtolocijs.5°.de comp.me.per gene. 5ª.250.F
Emplaſtrum Athena,id eſt Minerua,appellatum.2°. de compoſi. medi. per genera. 5ª.221.C

Emplaſtrum Aurei coloris Menœti.2°.de comp.me.per ge. 5ª.223.A
Emplaſtrum Aanitæ.5°.de comp.me.per ge. 5ª.247.D
Emplaſtrum Barbaræ ad quid valeat.de dyna. Sp.35.F
Emplaſtrum Barbarum.4°.de comp.me.ſec.loc. 5ª.157.G
Emplaſtra ex Bitumine Barbara dicunt.2°.de comp.me.p gen.5ª.227.G
Emplaſtrum Bithinum.9°.de comp.me.ſec.loc. 5ª.220.C
ad Emplaſtra Candida valet cera tyrrhenica & pontica.1°.de compo. me.per genera. 5ª.217.D
p Emplaſtro candido oleum,quale.1°.de comp.me.per gen. 5ª.215.A
Emplaſtrum candidum Heræ.1°.de comp.me.per ge. 5ª.215.F
Emplaſtrũ cãdidum quod magnum dr.2°.de comp.me.per ge.5ª.224.D
Emplaſtrum ad morſum Canis rabidi.2°.de anti. 5ª.117.A
Emplaſtrum contra canem rabidum.2°.de anti. 5ª.119.G
Emplaſtra ad fracturas Capitis.2°.de comp.me.per ge. 5ª.225.D
Emplaſtrum capitale.5°.de comp.me.ſec.loc. 5ª.160.B
Emplaſtrum cephalicum Aſclepiadeum.3°.de comp.me.ſe.lo. 5ª.146.B
Emplaſtrum Chalcidei.5°.de comp.me.per ge. 5ª.249.A
Emplaſtrum ex Chalcitide Galeni.1°.de comp.me.per ge. 5ª.210.H
Emplaſtri Diachryſu vires & compoſitio.de dy. Sp.32.B
Emplaſtra dichroma.2°.de comp.me.per ge. 5ª.223.C/E
Emplaſtrum ex Dictamno,5°.de comp.me.per ge. 5ª.246.G
Emplaſtrum ex Dictamno Damocratis.5°.de comp.me.per ge. 5ª.250.F
Emplaſtrum acre Dibalon non debet poni vbi caro augmentanda. 1°. de comp.me.per ge. 5ª.222.A
in Emplaſtro Digerente ponitur pyrites lapis.9°.de ſim.me.fa.5ª. 67.F
Emplaſtrum digerens ex ſale.6°.de comp.me.per ge. 5ª.258.C
Emplaſtrum ſalſum ad digerendum, & ad extrahendum.6°.de compo. me.per genera. 5ª.261.A
Emplaſtrum ad Duritiem ſplenis & hepatis.ſecretorum. Sp.99.E
Emplaſtrum Hecaton drachmon.2°.de comp.me.per ge. 5ª.220.H
Emplaſtrum Epigoni.2°.comp.med.per ge. 5ª.221.A
Emplaſtra Epipaſta,quæ.2°.de comp.me.per ge. 5ª.223.H
Emplaſtra Egiſpaſtica, & diaphoretica,quæ.6°.de compo.medicamen. per genera. 5ª.260.G
Emplaſtrum Epuloticoteron.2°.de comp.me.per ge. 5ª.223.H
Emplaſtra epulotica,quæ.2°.de comp.me.per gene. 5ª.223.H
Emplaſtrum Euphranoris.2°.de comp.me.per gene. 5ª.223.H
Emplaſtrum Exiccans.6°.de ſimp.me.fac. 5ª.48.H
Emplaſtrum ad Febrem in plagis.de dyn. Sp.35.F
Emplaſtrum ad Ficum qui apparet.de dyn. Sp.28.H
Emplaſtrum Euchrum ad lichenas.5°.de comp.me.ſec.loc. 5ª.162.A
Emplaſtrum Galeni pro neruis vulneratis ex Euphorbio, cera, reſina, fricta pice.6°.meth.me. 7ª.37.F
Emplaſtri Galeni cõpoſitio ad neruos vulneratos.6°.meth.me. 7ª.37.G
Emplaſtra galli.2°.de comp.me.per ge. 5ª.227.D
Emplaſtra Gilua.2°.de comp.me.per ge. 5ª.223.E
Emplaſtra gilua quo modo cõponantur.2°.de cõp.me.per ge. 5ª.223.F
Emplaſtrum Glutinatoriũ vocatũ.πρεῦγρων 8°.de ana.ad. 1ª.103.C
Emplaſtra glutinantia.2°.de com.me.per ge. 5ª.226.H
Emplaſtrum quomodo fiat glutinantius.1°.de comp.me.per ge. 5ª.215.D
Emplaſtrum ad Guttam.de dyn. Sp.31.D
Emplaſtrũ hepheſtias ad cicatricẽ inducẽdã.9°.de ſimp.me.fa.5ª.70.G
Emplaſtrum Heræ.2°.de comp.me.per ge.223..A/6°. 5ª.256.G
Emplaſtrum ex herbis.4°.de compoſi.medica.per genera. 244. A/6°. 255.A/ 5ª.257.A
Emplaſtrum Humidum ad Nomas.6°.de comp.me.per ge. 5ª.257.B
Emplaſtrum Hyginij boni coloris.2°.de comp.me.per ge. 5ª.225.A
Emplaſtra quæ inflammatis proſunt.8°.de comp.me.ſec.loc. 5ª.187.D
Emplaſtra ad inflãmatiões rubras corneæ oculi.de rem.par.f. 7ª.156.B
Emplaſtrũ ad inflationẽ,quæ fit in cruribus & in coxis.d dy. Sp.30.A
Emplaſtrum aliud ad inflationem, quæ fit in cruribus & coxis cum rubore & calore.de dyn. Sp.30.A
Emplaſtrum Inuictum appellatum.2°.de compoſitione medicamentorũ per gen.227.D/6°. 5ª.256.C
Emplaſtrum Iſis.2°. de comp.me.per gen. 5ª.221.G
Emplaſtrum cephalicum Iſis.2°.de comp.me.per ge. 5ª.226.A
Emplaſtrum pro Lapide renum.de ren.affect.dig.& med. 7ª.144.A
Emplaſtrum Leneadi diapepereon.de dyn. Sp.25.C
Emplaſtra Lichenica quo conficiantur,elice.5°.de compoſi.medicamen, ſecundum locos. 5ª.161.D
Emplaſtra ad lichenas citra exulcerationem.5°. de compoſitione medicamentorum ſec.loc. 5ª.161.D
Emplaſtrum de Limonibus.de rem.par.fac. 7ª.155.F
Emplaſtrum Liparon.1°.de comp.me.per ge. 5ª.217.H
Emplaſtrum Lite dictum.2°.de comp.me.per ge. 5ª.221.D
Emplaſtrum vt ſit lite,quid requirat.2°.de comp.me.per gen. 5ª.221.D
Emplaſtrum Machareonis.2°.de comp.me.per ge. 5ª.221.G
Emplaſtrum ex Meliloto.8°.de comp.me.ſec.loc. 5ª.93.D
Emplaſtra Melina Andromachi.2°.de comp.me.per ge. 5ª.222.C
Emplaſtrum melinum ad digerendum.6°.de comp.me.per ge. 5ª.262.D
Emplaſtrum melinum Leuci.1°.de comp.me.ſec.loc. 5ª.130.H
Emplaſtrum mellis,pro neruis detectis.8°.meth.me. 7ª.38.C
Emplaſtrum melinum Baſſionis.1°.de comp.me.ſec.loc. 5ª.130.H
Emplaſtrum Menelai ad canem rabidum.2°.de anti. 5ª.117.B
Emplaſtrum Meſianum dictum.6°.de comp.me.per ge. 5ª.256.C
Emplaſtrum Mnaſeæ.3°.de comp.me.ſec.loc. 5ª.147.E
Emplaſtrum Mnaſei in ſecundo mollientium ordine. 7°. de compoſi.medicam.per genera. 5ª.264.F
Emplaſtra quæ maxime Mollientia,& quæ non.7°.de compoſi. medicamen.per genera. 5ª.265.A
Emplaſtrum Molochinum.2°.de comp.me.per gen. 5ª.220.H
Emplaſtrum Moſchionis.2°.de comp.me.per ge. 5ª.224.F
Emplaſtrum pro Neruis detectis.3°.de comp.me.per ge. 5ª.229.D
Emplaſtrum Nigrum attrahens.6°.de comp.me.per ge. 5ª.271.E
Emplaſtrum Ocularium.de rem.par.fac. 7ª.156.E
Emplaſtrum Oleoſum.2°.de comp.me.per ge. 5ª.221.G
Emplaſtrum Panphilion dictum.2°.de comp.me.per ge. 5ª.224.D
Emplaſtrum Pancratiaſtarum,ſiue athletarum.5°. de comp. medicam. ſecun.locos. 5ª.162.A
Emplaſtrum Phœnicinum vnde dictum,& quale.1°. de comp. medica. per genera. 5ª.210.H
Emplaſtrũ ad Plagam ſanandam.de dyn. Sp.32.A
Emplaſtrum Platyſma à latitudine.4°.de comp.me.per ge. 5ª.237.G
Emplaſtrum ex Ptiſſana.3°.de comp.me.ſec.loc. 5ª.147.E
Emplaſtra cum Rho ſinientia.1°.de comp.me.per ge. 5ª.213.E
Emplaſtrum habens vim Roborandi.1°.de arte cur.ad Glau. 7ª.99.C
Emplaſtrum ex Salicibus,5°.de comp.me.per gen. 5ª.248.G
Emplaſtra Sanguinaria.2°.de comp.me.per gen. 5ª.226.H
Emplaſtrum Serapionis.6°.de comp.me.per gen. 5ª.256.H
Emplaſtrum ex Succis.3°.de comp.me.ſec.loc. 5ª.147.E
Emplaſtra Synulotica,quæ.2°.de com.me.per ge. 5ª.223.H
Emplaſtrum Telamonis.2°.de comp.me.per ge. 5ª.224.E
Emplaſtrum Thebæi ad achoras.1°.de comp.me.ſec.lo. 5ª.130.H
Emplaſtrum Tonſoris appellatum.9°.de comp.me.ſec.loc. 5ª.200.C
Emplaſtrum Tyrium.6°.de comp.me.per gen. 5ª.259.F
Emplaſtrum Venatorum.5°.de comp.me.per ge. 5ª.248.H
Emplaſtrum Viride Andromachi.2°.de comp.me.per gen. 5ª.219.B
Emplaſtrum viride.4°.de comp.me.ſec.lo.157.G/ 5ª.161.G
Emplaſtra viridia lichenica.5°.de comp.me.ſec.loc. 5ª.161.H
Emplaſtrum viride quid ſit vocatũ lite.2°.de cõp.me.per ge. 5ª.220.E
Emplaſtra Vulneraria.2°.de comp.me.per ge. 5ª.226.H
Emplaſtrum ad omnes ægritudines.ſecretorum. Sp.102.B
Emplaſtra diſcĩdẽda,vt pus exire poſſit.2°.đ arte cur.ad Gla.7ª.106.D
Emplaſtrum in quodam caſu ſuper impoſitum,locum abſceſſus celerius aperuiſſe,quàm ſi fuiſſet facta inciſio.de theria.ad Piſo. 5ª.90.D
Emplaſtrum apponendum in principio,& quam vim habeat.2°.de arte cur.ad Glauco. 7ª.101.F
Emplaſtra quid faciant.5°.de comp.me.ſec.loc. 5ª.161.D
Emplaſtrum quo modo dolorem magis mitiget.1°. de compoſi. medicamen.per genera. 5ª.211.E
Emplaſtrum quo modo efficacius.1°.dc comp.me.per ge. 5ª.211.E
Ἐμπλαττόμενα,quæ.8°.meth.med. 7ª.51.A
EMPROSTHOTONVS quid.ſin.med.47.Aſintro. Iſa.56.A
Emproſthotono perpetua omniũ corporis partium conuulſio.3°.de locis affectis. 4ª.17.F
Emproſthotonos videtur totius corporis conuulſio de ſymp.dif. 3ª.11.F
Emproſthotonos,id eſt tentio ad anteriora,quomodo fiat. comment. 4°. aphoriſ.57°. 7ª.33.F
Emproſthotonus morbus acutus.introd. Iſa.55.E
Emproſthotonos ſymptoma eſt ægri,non cauſæ,non loci, non facultatis. de opt.ſecta. Iſa.24.B
Emproſthotonicorum pulſus.de dyna. Sp.35.D
in Emproſthotono capiti præſidia adhibenda.3°.de loc.af. 4ª.17.B
Emproſthotonum ſanat emplaſtrum diachryſu.de dyn. Sp.32.C

EMPYISCIN *quid ſignificet.de tum.præter naturam.* 3ª.83.E
EMPYEMATA *quid ſignificet.2°.meth.me.* 7ª.9.E
Empyemata quæ dicantur.de tum.pręt.nat. 3ª.83.E
Empyemata ſuſcitat aqua dura,& frigida.de bon.aquæ. Sp.75.G
Ἐμπυοι,*id eſt purulenti.5°.de ſimp.med.fa.* 5ª.32.C
Empyi,qui.de tum.præ.nat.3ª.83.E/de cauſ.pul. 4ª.101.A
in Empyis pus per pulmonem tranſit.5°.meth.me. 7ª.32.F
Empyis quæ danda.13°.meth.me. 7ª.84.H
Empyicos iuuat ſuccus centaureæ.de virt.cent. Sp.94.A
EMVNDANTES *vlcera cibi.4°.meth.me.* 7ª.28.H
Emundat ſuper omnia mel.4°.meth.med. 7ª.28.H
ENAEMA *medicamenta.11°.de ſimp.me.fac.5ª.83.G/de arti.com.3°.* 7ª.286.A
Enæma barbara medicamenti genus.5°.meth.med. 7ª.32.H
Ἔναιμα *ſanguis.5°.meth.med.* 7ª.20.G
in Enæmatibus quæ incoquenda abſque contuſione. de renum affectuũ dignot.& met. 7ª.194.B
Enæmon.4°.de comp.me.per ge.5ª.244.B/de fract.com.3°. 7ª.242.D
Enæmon ſanguinariũ medicamentum.7°.de comp.me.per ge. 5ª.228.C
ENAEOREMA *quodnã optimũ.in 1^{m}.pror.com.2°.* 4ª.168.G
ENARTHROSIS *quid.de oſſibus.* 1ª.40.A
ENCANTHIS *quid.fin.med.48.F/intr.Iſa.58.G/de tum.præter naturam.3ª.84.H/4°.de comp.me.ſec.loc.* 5ª.151.H
Encanthis affectus angulorum oculi.intro. Iſa.58.D
Encanthida vocant augmentum angulorum in oculis.de dif.mor. 3ª.5.C
Encanthis oculorum vlceratio.fin.med. Iſa.48.D
Encanthis.in 6^{m}.de mor.vul.com.2°. 3ª.166.C
Encanthides.14°.meth.med. 7ª.90.G
Encanthida qui patiuntur ſupra omnes.intro. Iſa.58.G
Encanthides quibus ſanentur.4°.de comp.me.ſec.loc. 5ª.151.H
Encanthides oculorum morbus manu indiget.intro. Iſa.59.C
Encanthides præciduntur.intro. Iſa.59.G
Encanthides lino vel hamulo attrahuntur.intro. Iſa.59.G
ENCATHISMA, *quaſi inſeſſio.5°.de comp.me.per ge.* 5ª.252.H
ENCERIDES *quæ.2°.de comp.me.per ge.* 5ª.220.H
ENCEPHALON *habet nomen à ſitu.8°.de vſu par.* 1ª.166.C
ENCEPHALOS *8°.de ſimp.med.fac.* 5ª.63.C
Ἐγχείμπτειν *quid.de artic.com.3°.* 7ª.281.E
ENCHYMA *multitudo q̃,& quid ſit in omnibus rebus.d̃ mul.* 3ª.77.B
ad Ἔγχυμα,*id eſt infuſionem,plenitudo.de mul.* 3ª.78.D
Ἔγχυτοι *quid.de rem.par.fac.* 7ª.156.A
Endixis.7°.meth.med. 7ª.58.D
Ἔνδημοι *morbi qui.in 1^{m}.de mor.vulg.com.1°.3ª.101.F/de vict.rat.in morb.acu.com.1°.* 7ª.109.B
Ἔνδημοι *morbi publici.in 1^{m}.de mor.vulg.com.1°.* 3ª.101.E
Endimi morbi ſunt rari.de vict.rat.in mor.acu.com.1°. 7ª.109.B
ENDIVIA *eſt frigida.de diſ.cont.* Sp.74.D
Endiuia eſt de cibarijs medijs.de diſſ.cont. Sp.74.C
Endiuia,lactucæ,citruli,cucurbitæ facilius digeruntur quàm apium & carbthum.de diſſ.cont. Sp.73.D
ENCERIDES *quæ.3°.de comp.me.per ge.233.F/4°.* 5ª.239.C
Encerides.7°.de comp.me.per ge. 5ª.265.H
Ἔνιοι *qui ſint apud græcos.de ijs quę in med.fi.com.2°.* 7ª.208.B
Ἐλλώνιος *brachijs figura angulosa ſine dolore. 6°. methodi me--dendi.* 7.41.B
Ἐλλώνιον*.de ijs quæ in med.fi.com.3°.* 7ª.217.B
ENGYSOMA *quid.fin.med.Iſa.48.C/6°.meth.me.* 7ª.42.D
Engyſoma fractura in capite.fin.med. Iſa.48.C
Engyſoma fractura caluariæ.intro. Iſa.59.C/F
in ENIXIS *quo modo ſint vuluæ.de diſ.vul.* 1ª.109.B
Enixarum purgationibus immoderatis fit defectus animi.1°.d̃ arte cur. ad Glauconem. 7ª.98.E
in Enixis cur fecit lac natura.14°.de vſu par. 1ª.205.A
ENNEAPHARMACOS *compoſitio dicta.9°.de compo.med. ſecundum locos.* 5ª.204.H
Enneapharmacos antidotus Heraclidis contra viperæ morſum.2°.de antidotis. 5ª.118.D
ENRHYTHMVS *pulſus qui ſit.1°.de dif.pulſ.* 4ª.48.G
ENSES *arma promptiora ad incidendum quàm cornua.8°. de vſu partium.* 1ª.113.D
Enſis contundendo alteratur.3°.de ſimp.me.fac. 5ª.17.D
ENSTACTON,*i.inſtillatitium collyrium.4°.de cõp.me.ſe.lo.* 5ª.156.F
Ἐντελεχείας *meminit.de hiſt.philoſo.* Sp.4.B
ENTEROCELEN *quid vocant Græci.de dif.mor.* 3ª.5.C
Enterocele affectus ſcroti.intro. Iſa.59.D
Enterocele tumor ſcroti.fin.med. Iſa.49.C
Enterocele quo modo fiat.fin.med. Iſa.49.C
Enteroceles cauſæ.fin.med. Iſa.49.C
Enterocele quid faciat.de cauſ.morb. 3ª.9.F
Enteroceliorum curatio.intro. Iſa.60.C
Enterecelas glutinat cauda equina.6°.de ſimp.me.fac. 5ª.48.F
Enterocelicos iuuat cupreſſus.7°.de ſimp.med.fac. 5ª.53.G
Enterocelis imponitur ſymphytum petreum.8°.de ſimp.me. 5ª.61.G
ENTEROEPIPLOCELE *quid.fin.med.* Iſa.49.D
Enteroepiplocele tumor ſcroti.fin.med. Iſa.49.C
Enteroepiplocele.de tum.præ.na. 3ª.84.G
ENTEROMPHALI *qui.intr.* Iſa.60.A
ENTHVSIASMVS *quid.fin.med.* Iſa.50.D
ENTISSIMVS *eſt fructus bulbi erratici.de ſimp.me.* Sp.81.E
ENVLA *campana qualis.6°.de ſimp.me.fac.* 5ª.47.B
Enula elegmatis miſcet̃ ꝓ pectore expurgãdo.6°.de ſim.me.fa. 5ª.47.B
Enula rubrificat partes infrigidatas.6°.de ſimp.me.fa. 5ª.47.B
Enula iſchiadas articulorum quorundam præ humiditate luxationes rubrificat.6°.de ſimp.me.fac. 5ª.47.D
ENVMERATORVM *ordinem non ſequitur ordo in rebus tractandis. de fract.com.1°.* 7ª.223.G
ENVNTIATIONES *obſcuræ nihil docent.in pror.com.1°.* 4ª.165.D
Ἔωλαι *carnes,quæ.in 1^{m}.pror.com.3°.* 4ª.182.D
EORVM *quæ ſunt circa corpus hominis, alia ſunt ſm naturam, alia præter naturam.de part.artis medicæ.* Sp.18.D
EPACMASTICAE *ſynochæ ſpẽs.2°.d̃ dif.fe.* 3ª.36.F
Epacmaſtica febris.in 6^{m}.de morb.vulg.com.1°. 3ª.160.A
vt EPAGATHVS *Delecius infuſum.9°.de cõp.me.ſec.lo.* 5ª.204.A
Ἐπαναδίπλωσις *inſultum reditus græci vocant de typ.* 3ª.90.G
EPANGYLOTVS *laqueus(ita.n.appellatur, quoniam ſinus ſuper ſinum inijcitur,)qua via inſeri poſſit.de laqueis.* 7ª.308.D
Ἐπανιόντα *morbi.in 1^{m}.pror.com.3°.* 4ª.178.G
EPANTISMATA *in vrinis,et æruginoſa.in 1^{m}.pror.cõ.2°.* 4ª.172.H
Ἐπαφαίρεσις*.de curan.rat.per ſang.miſſ.* 6ª.15.H
EPARMATA *ſunt tumores præter naturam poſt aures.in 6^{m}.de mor. vul.com.4°.* 3ª.179.D
EPEVS *ignauiſſimus ad oĩa,ſed ſtrenuus pugil.ad Traſy.* 2ª.107.C
Ἐφεδρον*.de fract.com.2°.* 7ª.232.E
EPHELCIS *quid ſit.5°.meth.med.* 7ª.34.F
Ephelcides.3°.de ſymp.cauſ. 3ª.28.B
Ephelcides.5°.meth.med. 7ª.35.B
Ephelcis,quæ eſt cruſtula,oſtendit vlcerationem particulæ à qua excernitur.1°.de loc.aff. 4ª.2.E
EPHELIS *faciei affectus.intr.* Iſa.59.C
Ephelim,& vitiliginẽ expurgat Alyſſon.6°.de ſimp.me.fa. 5ª.42.D
Ephelim expurgant Amygdalæ amare.6°.de ſimp.me.fac. 5ª.42.G
ad Ephelim cõueniunt reliquiæ vnde expreſſus eſt ſuccus Balani myrepſicæ.6°.de ſimp.me.fac. 5ª.44.D
Ephelidas ſanat braſſicæ ſemen.7°.de ſimp.med.fac. 5ª.52.G
ad Ἐφήλεις,*id eſt ad maculas ex ſole contractas,valet Coſtus.7°. de ſimp.me.fac.* 5ª.52.F
Ephelẽ tollit Crocodilorũ terreſtriũ ſtercus.10°.de ſimp.me.f. 5ª.77.D
Ephelidas curat Cyclaminis radix.7°.de ſimp.me.fac. 5ª.53.F
Ἐφῆλιν *tollit Faba.1°.de ali.fac.* 2ª.13.H
Ἐφῆλιν *abſtergit Pepon.2°.de ali.fac.* 2ª.16.H
ad Ephelin valet Sepiarum teſta.11°.de ſimp.med.fac. 5ª.81.A
Epheles extergunt vitis agreſtis racemi.6°.de ſimp.me.fac. 5ª.42.F
ad Ephelidas.de medic.fac.parab. 7ª.163.G
EPHEMERAE *& hecticæ quæ gñа febrium.2°.de criſi.* 4ª.137.A
Ephemeræ quæ & q̃uo generentur.2°.de criſi. 4ª.138.E
Ephemerarum febrium cauſæ.1°.de diff.feb.3ª.31.B/1°.de arte cura.ad Glauconem. 7ª.94.G
in Ephemeris calor,qui febris dicitur,vnde.1°.de dif.feb. 3ª.31.A
Ephemeræ non ex humoribus.1°.de diff.feb. 3ª.32.G
Ephemerã facit auctor libri de ſpermate ex pituita [ex quo textus eſt mẽdoſus ẽ nec dẽt legi ephemera ſed ãphemerina].de ſp. Sp.39.H
ab Ephemeris putridas differre q̃uo cognoſcat̃.1°.de dif.feb. 3ª.33.D

ab Ephemeris febris diſtincta non habet vnũ nomẽ.1°.de dif.fe. 3ª.33.E
Ephemera q̃uo ad hecticam tranſcendat.2°.de dif.feb. 3ª.35.E
Ephemerę febres ñ sũt acutę,& ſi cito terminent.c.2°.ap.19°. Ex.14.B
in Ephemeram febrem incidunt qui humiditatem contraxerint ex fructibus,& oleribus,& volunt exerceri.4°.de ſan.tu. 2ª.81..A
de Ephemerarum cognitione nullus ante Galenum exquiſite tractauit. 1°.de art.cur.ad Glau. 7ª.94.G
Ephemera ab affectibus animę.2°.de criſi. 4ª.138.F
Ephemera ex triſtitia quo modo cognoſcatur.2°.de criſi. 4ª.138.F
Ephemera ex triſtitia quẽ habet calorẽ.1°.de ar.cur.ad Gla. 7ª.95.B.
Ephemera ex ira quo modo fiat.1°.de dif.feb. 3ª.32.G
Ephemera ex ira quomodo cognoſcatur.2°.de criſ. 4ª.138.F
Ephemera ex ira,qualis.2°.de criſi. 4ª.138.G
Ephemera ex furore,qualis.1°.de arte cura.ad Glau. 7ª.95.B
Ephemera ex curis.1°.de arte cur.ad Glau. 7ª.95.B
Ephemera ex ſtudio qualis.1°.de arte cur.ad Glau. 7ª.95.C.
Ephemera propter diſciplinas,& meditationem quomodo cognoſcatur. 2°.de criſi. 4ª.138.F
Ephemera ex vigilijs,qualis.1°.de arte cur.ad Glau. 7ª.95.C
Ephemera pp nimias vigilias q̃uo cognoſcatur.2°.de criſi. 4ª.123.F
Ephemera ex laſſitudine,qualis.2°.de criſi.4ª.138.G/1°. de arte cur..ad Glauconem. 7ª.95.C
Ephemerę quę tactu cognoſcuntur.1°.de arte cur.ad Glau. 7ª.95.D.
Ephemerę ex labore quo modo.3°.de dif.feb. 1ª.32.G
Ephemerę ex laboribus tactu cognoſcunt.1°.de art.cu.ad Gla. 7ª.95.D
Ephemerę ex cõbuſtiõibus tactu cognoſcũt.1°.đ ar.cu.ad Gla. 7ª.95.D
Ephemerę ex ſole quomodo fiant.1°.de dif.feb. 3ª.32.G
Ephemerę ex calore ſolis indicia.2°.de dif.feb. 3ª.36..A
Ephemerę ex adſtrictione quo modo fiant.1°.de dif.feb. 3ª.32.G
Ephemera ex denſata cute,qualis.2°.de criſi. 4ª.138.G
Ephemerę ex cute denſata indicia.2°.de diff.feb. 3ª.36..A
Ephemera ex obſtructione,qualis.1°.de art.cur.ad Gla. 7ª.95.D
Ephemerę ex ĩguinũ tumore q̃.1°.de di.fe.3ª.33.C/2°.de cri. 4ª.138.C/H
Ephemerę proprium ſignum ex vrina.1°.de dif.feb. 3ª.33.D
Ephemerarũ vrina.1°.de dif.fe.3ª.34..A/1°.de ar.cur.ad Gla. 7ª.95..A
in Ephemeris vrinę ruffę.1°.de arte cur.ad Glau. 7ª.95.B
in Ephemeris vrina & pulſus,qualis.de dyn. Sp.33.H
Ephemerę pulſus,qualis.1°.de differen.feb.3ª.33.D/1°.de arte cura. ad Glauconem. 7ª.94.H
ĩ Ephemera ſola,pulſus ad naturalẽ reuertit.1°.đ ar.cu.ad Gl. 7ª.95..A
poſt Ephemeram ſi reſtat animi affectus pulſus,conſiderandus eſt.1°.đ arte cur.ad Glau. 7ª.95.E
Ephemerę ex curis habent pulſus minores.1°.de ar.cu.ad Gla. 7ª.95.D
Ephemerę ex mœroribus hñt pulſus mĩores.1°.đ ar.cu.ad Gla. 7ª.95.D
Ephemerę ex immodicis exercitijs habent pulſus minores.1°. de arte curatiua ad Glau. 7ª.95.D
in Ephemeris quando pulſus durus.1°.de diff.feb. 3ª.34.C
Ephemerę non habent ſubitas mutationes, ideo non habent criſim niſi abuſiue.2°.de criſi. 4ª.138..A
Ephemerę ſoluuntur facillime.1°.de arte cur.ad Glau. 7ª.94.G
Ephemerarum cura in promptu eſt.1°.de arte cur.ad Gla. 7ª.94.G
Ephemerę ex contrarijs curandę.1°.de art.cur. ad Glau. 7ª.95.F
Ephemera ex affectu animę q̃uo curanda.1°.de ar.cu.ad Glau. 7ª.95.F
in Ephemera vinum dandum.1°. de arte cu.ad Glau. 7ª.95.B
Ephemera ex ira,cogitatione,mœſtitia,vigilijs,vinum dãdum. 1°. de arte curatiua ad Glau. 7ª.95.F
Ephemera ex vigilijs q̃uo curanda.1°.de arte cur.ad Glau. 7ª.95.F
Ephemera ex inguinum inflãmatione,ex labore,ex obſtructione quomodo curatur balneo,& oleo.1°.de art.cur.ad Glau. 7ª.95.E
Ephemera ex obſtructione q̃uo curanda.1°.de arte cu.ad Gla. 7ª.95.E
ad Ephemeram febrem pręſidium.de dyna. Sp.33.B
Ephemera febris,lege Diaria,& Febris ephemera.
EPHEMERVM vel colchicum quid,et eius vires.de ſim.med. Sp.83.B
Ephemeri radix dicitur vicem fungi ſtrangulantis facere,& ferro pręciſos ſanare linita.de ſimp.med. Sp.83.B
Ephemeron aſſumentibus quid auxilietur.2°.de anti. 5ª.114.C
EPHEMERVM non letale quale ſit.6°.de ſimp.med.fac. 5ª.47.G
Ephemeri radix in dentium doloribus colluitur, & phymatũ augmẽto,& ſtatui folia congruunt.6°.de ſimp.me.fac. 5ª.47.G
Ἐφιδρώσεως nomen,quid ſignificet.1m.pror.com.2°. 4ª.169.H
EPHIALTES quędã epilepſia q̃ fit in ſomno.de vti.reſp. Sp.63.F
Ephialtes longo tpe pdurãs ĩ epilepſiã conuertit.de vtil.reſp. Sp.63.F
Ἐφίσανται quid ſignificet.in 1m.pror.com.3°. 4ª.179.E
Ἐφθότις.de vict.rat.in mor.acu.com 2°. 7ª.125.B
EPIALAE febres dependent à corde.de vir.no.cor.di. Sp.60.B
EPIBOSCON. de med.fac.par. 7ª.168.G
EPICAVMA quid.fin.med.48.D/intr. Iſa.58.H
Epicauma affectus iridis oculi.intro. Iſa.58.D
Epicauma vlceratio oculorum.fin.med. Iſa.48.D
ad Epicaumata,id eſt inuſtiones oculorũ.4°.de comp.me.ſe.lo. 5ª.154.G
Ἐπικεράννυντα quid ſignificet.2°.de ſimp.me.fac. 5ª.12.D
Ἐπικεραστικά.2°.de ſimp.med.fa. 5ª.12.D
Epicerastica ſuccus ptiſſanæ,chondrus,panis,& lac.2°. de ſimplicium medicamentorum fac. 5ª.12.F
EPICHIREMATA rhetorica.4°.de dign.pul. 4ª.85.H
per Epicraſin ſanatio.12°.meth.me. 7ª.79.C
EPICRATIS vxoris caſus.in 1m.de mor.vul.com.3°. 3ª.122.F
EPICRISIS adiudicatio.de opt.ſecta.20.F/ Iſa.21.F
EPICRVSIS. 14°.meth.med. 7ª.91.G
EPICVRVS opinatur mundum non eſſe vnum,ſed infinitos. de cuiuſque animi peccatorum notitia atque medela. 2ª.6..A
Epicuri,& Aſclepiadis differentia in conſequentibus ſua principia.1°. de naturalibus fac. 1ª.294.H
Epicuri ſñiam confutat de compoſitione rerũ.de theria.ad Piſ. 5ª.94.C
Epicuri viride multa promittens.5°.de comp.me.per ge. 5ª.249.D
Epicurus damnabat venerea.ars med. Iſa.68.E
ab EPIDAVRO auctore malagma.7°.de cõp.me.per ge. 5ª.267..A
EPIDEMICORVM librorum inſcriptio.3°.de dif.reſp. 3ª.66.B
Ἐπιδήμοι libri vnde dicantur.in 6m.de mor.vul.com.1°. 3ª.152.E
in Epidemijs quid agat Hippocrates.2°.de dieb.decr. 4ª.153.H
Epidemiorum,& aphoriſmorum libri differentia.in prog.c.3°. 4ª.212.B
Epidemici libri ſcripti ante aphoriſmos & prognoſticos.2°. de diebus decretorijs. 4ª.154.C
Epidemiorum editio Dioſcoridis.in 3m.de mor.vul.com.1°. 3ª.133.C
Epidemiorũ librũ cõtaminauerũt medici.ĩ 6m.đ mor.vul.c.2°. 3ª.139.C
Epidemiorũ liber Ptolemæi Euergetis.ĩ 3m.de mor.vul.c.2°. 3ª.136.F
Epidemiorũ libro notas inſcripſit Ptolemæus Euergetes.in 1m.de morbis vulg.com.2°. 3ª.136.F
Epidemici libri quot,& qui Hippocratis.2°.de dif.reſp. 3ª.66..A
Epidemici libri qui Hippocratis,& qui non.2°.de die.decre. 4ª.153.C
Epidemiorũ primus & ſecundus probi.ĩ 3m.de mor.vul.c.2°. 3ª.134.G
Epidemiorum liber primus & tertius ſunt Hippocratis. in 1m. progn. commentario.3°. 4ª.178.C
Epidemiorũ primus & tertius ĩter ſe cõnexi.3°.de dif.reſp. 3ª.69.D
in Epidemiorum libro ſunt lectionum mille modi.in 6m. de morb. vulg. commenta.2°. 3ª.169.D
in Epidemiorum primo qui numerati ſunt,omnes ferè mortui ſunt.2°. de diebus decretorijs. 4ª.152.H
in Epidemiorum ſecundo,& ſexto interiecta ſunt quędam,vt etiam ad finem aphoriſmorum.in 3m.de mor.vul.com.1°. 3ª.134.G
Epidemiorũ quartus ſilis alijs locutiõe.ĩ 6m.de mor.vul.cõ.1°. 3ª.152.E
Epidemiorũ quintus,& ſeptimus ſpurij,ſextus Theſſali filij Hippocratis.in 6m.de mor.vul.com.1°. 3ª.152.E
Epidemiorum ſextus liber potius eſt commentarius, q̃ volumen iuſtum. in 6m.de morb.vulg.com.2°. 3ª.154.F
Epidemiorum ſexti libri ſententiæ ſcriptæ an fuerint ante ſecundum dubium eſt.in 6m.de morb.vul.com.2°. 3ª.162.F
Epidemiorum ſexti libri ſtilus diuerſus ab eo qui in primo, & tertio libro.in 6m.de morb.vul.com.1°. 3ª.152.D
Epidemiorũ ſexti libri ſententiæ varie ſcriptæ fuerunt. in 6m.đ morbis vulga.com.1°. 3ª.157.B
Epidemiorum ſextus liber non fuit ſcriptus, vt diuulgaretur. in 6m.de morb.vul.com.2°. 3ª.169..A
Epidemiorũ commentarius ſextus non fuit ſcriptus,vt emitteretur,ſed eſt apparatus pro libro.in 6m.de mor.vul.com.3°. 3ª.170.F
Epidemiorum librum ſextum fecit Hippocrates,non vt ederetur, ſed ad reminiſcentiam.in 6m.de mor.vul.com.4°. 3ª.184.E
Epidemiorũ ſextũ ĩterp̃tes corrupere.ĩ 6m.de mor.vul.com.1°. 3ª.152.C
Epidemiorũ ſexti ĩterpretes.ĩ 6m.de mor.vul.c.1°.152.C/cõ.2°. 3ª.165.C
Epidemiorũ ſexti interpres Hercules Erythreus.in 6m.de morb.vulga. commentario.5°. 3ª.193..A
Epidemiorum ſexti libri interpres locupletiſſimus Zeuxis.ĩ 6m. de mor. vulg.com.1°. 3ª.161.C
Epidemiorũ librũ cõmẽtatus ẽ Zeuxis.ĩ 1m.de mor.vul.cõ.2°. 3ª.136.H

in Epidemicos libros quæ conſcripſit Galenus. in 3^{m}. de morbis vulga. commenta.1°. 3ª.134.G
in Epidemiorum libris commentaria ſcripſit propter amicos Galenus. in 3^{m}.de morb.vul.com.1°.133.E/in 6^{m}.com.3°. 3ª.170.D
in Epidemiorum ſecundum librum ſcripſit Galenus quæ non extant.in 3^{m}.de morb.vul.com.2°.134.H/in 6^{m}.com.2°.3ª.162. D/ 4°. de locis affectis. 4ª.23.G
Epidemos qui morbus.in 1^{m}.de mor.vulg.com.1°.3ª.101.E/F/de victus rat.in mor.acu.com.1°. 7ª.109.B
Epidemici morbi ſignum.de na.hu.com.2°. 7ª.182.B
Epidemicus morbus quando nullus.in 1^{m}.de morb.vul.com.1°.3ª.103.B
EPIDERMIS. 3°.meth.me.18.H/14°. 7ª.87.C
Epidermis cutis pellicula denſior.in 6^{m}.de mor.vul.com.2°. 3ª.165.F
EPIDESIS. 5°.meth.med. 7ª.30.F
Ε᾽πίδεσμος.de ijs,quæ in med.fiunt,com.3°. 7ª.214.F
Ε᾽πίδοσις.quid ſit.de mor.temp. 3ª.85.F
Epididymis quid ſit.14°.de vſu pa.209.G/1°.de ſemi. 1ª.333.C
Ε᾽πιείκεια,de fract.com.3°. 7ª.246.D
Ε᾽πιεικῶς.de arti.com.1°.254.F/com.3°. 7ª.281.B
Ε᾽πίκαιρον.de vict.rat.in mor.acut.com.2°. 7ª.124.E
EPIGASTRIVM quid ſit.3°.de ſan.tuen.2ª.77.E/6°.meth.me.7ª.39. B/com.7°.aph.56°. Ex.58.G
ad Epigaſtrium.i.abdomen, attinẽtes partes q̃.cõ.2°. aph.35°.Ex.17.E
Epigaſtrion totum ex muſculis.7°.de vſu par. 1ª.164.A
Epigaſtrij muſculi cur octo.5°.de vſu par. 1ª.146.F
Epigaſtrij octo muſculi, quales.1°.de vſu par. 1ª.146.E
Epigaſtrij muſculorum poſitio cur talis.5°.de vſu par. 1ª.146.F
Epigaſtrij muſculi intro compelluntur.2°.de mo.muſ. 1ª.316.F
Epigaſtrij muſculi quid agant.5°.de vſu par. 1ª.146.E
Epigaſtrij muſculorum officium.5°.de vſu par. 1ª.147.D
Epigaſtrij muſculi ſunt inſtrumenta animæ.2°.de mo.muſ. 1ª.316.A
in Epigaſtrio muſculi magni gratia efflationis,vocis,egeſtionis,& mictus.1°.de vſu par. 1ª.137.F
ad Epigaſtrij muſculos à magna arteria venas eẽ.16°.đ vſu p. 1ª.219.D
Epigaſtrij muſculi quomodo agant.2°.de mo.mu. 1ª.316.A
Epigaſtrij muſculi q̃uo ſe habeant in vacuis.2°.de mo.muſ. 1ª.316.F
Epigaſtrij muſculi q̃uo ſe habeant in ventre repleto, in hydropibus & prægnantibus.2°.de mo.muſ. 1ª.316.F
ad Epigaſtrium,ac perinæum ſi dolor incidat, ſi ſanguinem meiat & grumos,ſtranguriaq́ affligatur,ſignificat circa veſicam ægritudinẽ eſſe.de vrinæ ſign.ex Hipp. Sp.78.H
EPIGENNEMA quid ſit.de ſymp.dif. 3ª.10.H
EPIGENES optimus paruæ pilæ luſor.de par.pi.exer. 2ª.48.F
Ε᾽πιγλωττίς quid intr. Iſa.54.A
Epiglottis eſt prima canna vocis.de anat.viu. Sp.49.E
Epiglottis ex quibus componatur.de voce & anhel. Sp.60.F
Epiglottis duas habet iuncturas.de voce & anhel. Sp.60.F
in Epiglottide duo dentes,& duo foramina.de vo.& anhel. Sp.61.D
Epiglottidis cooperculum quod,& vbi ſit.de uo.& anhel. Sp.61.B
Epiglottidis muſculorũ radices neruus ĩgrediẽs.de vo.& anh. Sp.61.H
Epiglottidis officium,ſubſtantia,& forma.7°.de vſu par. 1ª.162.H
Epiglottidis figura nobis inſpirantibus.7°.de vſu par. 1ª.163.A
Epiglottidis figura nobis tranſglutientibus.7°.de vſu par. 1ª.163.A
Epiglottidis quantitas.11°.de vſu par. 1ª.188.G
Epiglottidis vſus.de anat.parua. Sp.42.H
Epiglottis maxime proprium vocis inſtrumentum.1°.de loc.af. 4ª.6.B
Epiglottis,lingua,arteria trachea ſunt neceſſaria voci & orationi.de voce & anhel. Sp.61.C
ad Epiglottidis ampliationem quid ſequatur.de vo. & anhe. Sp.60.H
ad Epiglottidis cõſtrictionem quid ſequatur.de vo.& anhel. Sp.60.H
Epiglottis q̃n inchordat̃ ita q̃ cõſtringat̃,fit vox, & q̃n conſtringitur inchordantur muſculi ex quibus pendet.de vo.& anhel. Sp.60.G
in Epiglottide dũ eſt vox à q̃bus muſculis fiat.de vo.& anhe. Sp.60.G
Epiglottis eſt ſonora acutæ vocis cum ſit chartilaginoſa ſicca.de voce et anhelitu. Sp.61.F
Epiglottalis chartilago quæ.de anat.viu. Sp.55.D
Epiglottidis coopertorium aperitur in vociferatione,clauditur in anhelitus retentione.de voce & anhel. Sp.61.C
Epiglottidis coopertorium perfecte clauditur quãdo aliquid comeditur. de voce & anhel. Sp.61.C
ĩ Epiglottide cur gñet̃ humor viſcoſus pituitoſus.đ vo.et anhe. Sp.61.D
Epiglottis q̃n humeſcit accidit raucedo.de vo.& anhel. Sp.61.F
ab Epiglottidis vitio vox vitiata.1°.de loc.aff. Sp.2.D
Epiglottida vel lingulam fuiſſe affectam oſtendit tunicam viſcoſam & craſſam tuſſiendo emittens.1°.de loc.aff. 4ª.2.D
Epiglottidis apoſtema eſt angina.de voce & anhel. Sp.61.H
Epiglottis coquitur cum lingua.3ª. de ali.fa. 2ª.26.G
EPIGLOTTIS oris affectus.intr. Iſa.59.C
EPIGOME cinctusmenon.de anat.parua. Sp.43.B
EPIGONATIS quid.1°.de comp.me.per ge. 5ª.212.B
EPIGONI emplaſtrum.2°.de comp.me.per ge. 5ª.221.A
Epigoni emplaſticum quo modo ad vſum emmottorum poſſit reduci.2°. de arte cur.ad Glau. 7ª.106.A
Epigoni Iſis.5°.de comp.me.per ge. 5ª.248.B
Ε᾽πιγουνατίς.de fracturis.com.2°. 7ª.240.D
Ε᾽πιλαμβάνοντα quid ſignificet.in 1^{m}.pror.com.3°. 4ª.182.H
EPILEPSIAM vocant morbum comitialem.de diff.mor. 3ª.3.E
Epilepſia quid.de ſymp.dif.3ª.11.F/3°.de loc.aff. 4ª.20.B
Epilepſia eſt magnus morbus.de puer.epilep. 7ª.179.F
Epilepſia naturas immutat.de puer.epilep. 7ª.179.F
Epilepſia habet magnitudinem periculi ex anhelitus nocumento. 3°. de locis affectis. 4ª.20.B
Epilepſiæ ſunt ægritudines capitis.de virt.noſt.cor.diſp. Sp.60.B
Epilepſiam eſſe ſomnum quendã dicit Ariſtoteles.de vtil.reſp. Sp.63.F
in Epilepſia ſenſus,& intellectus,& memoria perduntur.de compag. memb.ſiue de natura hu. Sp.58.E
in Epilepſia imaginantur quidam de vtil.reſp. Sp.63.E
Epilepſia cõuulſio totius corpis.đ ſym.dif.11.F/2°.đ ſymp.cau. 3ª.19.C
in Epilepſiis tale conuulſio eſt, quale in ſentiendi functione vigilia.1°.de ſymp.cauſ. 3ª.19.C
Epilepticæ conuulſiones cur fiant.3°.de loc.affe. 4ª.15.H
in Epilepſiis vehemẽtibus cur ſemen emittat̃.14°.de vſu pa. 1ª.208.A
in Epilepſia quando non eſt concuſſio.3°.de loc.af. 4ª.20.B
in Epilepſiam conuertitur Ephialtes longo tempore perdurans. de vtilitate reſp. Sp.63.F
Epilepſia quædam eſt ephialtes quæ fit in ſomno.de vtil.reſp. Sp.63.F
Epilepſia cur ſubito fiat.2°.de ſymp.cauſ. 3ª.24.C
Epilepſiæ propter quid fiant,& vnde ſint.1°.de ſymp. cauſ. 3ª. 19. C/de vict.rat.in mor.acu.com.4°. 7ª.137.F
Epilepſiæ vnde,& ex quo.2°.de ſymp.cau. 3ª.24.C
Epilepſia non neceſſario ſequit̃ male concoquentẽ.3°.de ſymp. 3ª.30.B
Epilepſia ex oppilatione.de vtil.reſp. Sp.63.E
Epilepſia fit ex humore non tanto, neque adeo ſpiſſo vt apoplexia, & quandoque ex ſolo fumo craſſo aſcendente à ſtomacho, aut pede, aut aliquo membro alio.de vtil.reſp. Sp.63.E
Epilepſia ex tribus humoribus naſcitur.de dyn. Sp.24.A
Epilepſia quando ex pituita.de dyn. Sp.24.A
Epilepſia ab atra bile.de ſper. Sp.38.C
Epilepſia quando fit à bile.de dyna. Sp.24.A
Epilepſiam faciens humor in parte aliqua corporis comparari poteſt venenis pernicioſarum ferarum.3°.de loc.aff. 4ª.19.F
Epilepſia ſtomacho inanito fit.de venæ ſect.aduerſ.Eraſ. 6ª.14.F
Epilepſia qui vexantur propter ſtomachi vitium.de venæ ſect. 6ª.14.F
Epilepſia à quo humore fiat,oſtendit vrina.de dyn. Sp.24.A
Epilepſiam fieri ex tali humoris genere,quando ex vrinis probatur.de dynamidijs. Sp.24.A
in Epilepſia vrina rubra mortẽ prædicit futuram.de dyn. Sp.35.D
ab Epilepſia defendit ſmaragdus.de inc.adiur.& ſuſp. 7ª.182.A
Epilepſiæ curatio.de dyn.24.A/de med.exper. Sp.106.E
in Epilepſia cum quis cadit quid agendum.de cura lap. Sp.112.G
ex Epilepſia loquelæ amiſſæ quid ſuccurat.de dyn. Sp.24.A
Epilepſias paruas ſanat victus attenuans.de atten.vict. 2ª.43.B
Epilepſias inueteratas non mediocriter iuuat victus attenuans.de attenuante victus rat. 2ª.43.G
in Epilepſia cõueniunt cappares,& piſces ſalſi.de pue.epil. 7ª.180.E
in Epilepſia qui cibi cauendi.de puero epil. 7ª.180.H
in Epilepſia cur dimittendum ſinapi.de puero epil. 7ª.180.E
in Epilepſia vitanda vina odorata de atten.vic. 2ª.46.D
Epilepſia infeſtante vtemur catharticis.de dyn. Sp.20.E
in Epilepſia vere quid agendum.de puer.epil. 7ª.179.H
in Epilepſia valet abſinthium.de pucro epil. 7ª.181.A
Epilepſiam ſanant oſſa hominum.11°.de ſimp.me.fa. 5ª.80.E
Epilepſiæ ſanguinem agnorum conuenire negat Galenus.10°. de ſimpli. medica.facul. 5ª.73.C

in Epilepſia oxymeli conuenit.de puer epilep. 7ª.180.E
in Epilepſia acetum ſcilliticum.de puero epi. 7ª.180.E
Epilepſia med° ex ſcilla in quadragita diebus ſanat.d pue.ep. 7ª.180.H
Epilepſiam qui lapides ſuſpenſi ſanēt.de incant.adiur.& ſuſp. 7ª.182.B
ad Epilepſiam decoctio.de med.exper. Sp.107.C
cōtra Epilepſiam valens medicamen.de med.exp.105.H| Sp.106.H
ad Epilepſiam expertiſſimum.de med.exper. Sp.104.C
ad Epilepſiam puerorum.de incan.adiur.& ſuſp. 7ª.182.C
ad Epilepſiam.de ocul.7ª.188.C|ſecretorum.102.G| de med. exp.107. C|de cura lap. Sp.112.G
Epilepſia,lege Comitialis morbus.
EPILEPTICA puella naturaliter vnde.de ſper. Sp.38.B
Epilepticæ quare fiat ſpuma.com.2º.apho.43º. Ex.18.D
Epilepticorum pulſus,qui. compendium pulſuum. Sp.65.H
Epilepſia in mutatione ætatum ſanatur,ſi victus ratio conſentiat.in 6ᵐ. de morbis vul.com.5º. 3ª.193.B
Epileptici quo modo curandi.de venæ ſect.aduerſ.Eraſ. 6ª.14.E
Epileptici victus ratio.de puer.epi. 7ª.179.G
Epilepticorum prandium.de puer.epi. 7ª.180.F
Epilepticorum cibi proprij & contrarij.de puer.epi. 7ª.180.D
Epilepticis quæ olera conueniat.de puer.epi. 7ª.180.C
Epilepticis qui fructus,conueniat.de puer.epi. 7ª.180.C
Epilepticis niſi raro dāda nō ſunt pira,& poma.de pue.epil. 7ª.180.C
Epilepticis dat dactylos.de puer.epil. 7ª.180.D
Epilepticis conuenit alica,& piſum.de puer.epi. 7ª.180.H
in Epilepſia conueniunt ptiſſana & lens.de puer.epi. 7ª.180.H
Epilepticorum carnes quæ ſint.de puer.epil. 7ª.180.G
in Epilepſia carnium condimentum.de puer.epi. 7ª.180.G
Epilepticis qui piſces conueniant.de puer.epi. 7ª.170.H
Epilepticis cōuenit torpedo ſola ex chartilagineis.de pue.epi.7ª.180.H
Epilepticis qui cibi non conueniunt.de puer.epi. 7ª.180.D
Epileptici à quibus cibis debent abſtinere.de pue.epi. 7ª.180.D
Epilepticis non dat daucum.de pue.epil. 7ª.180.E
Epilepticis malæ conchæ omnes.de pue.epil. 7ª.180.G
Epilepticis non conueniunt legumina.de pue.epi. 7ª.180.H
Epileptici vitēt aues paluſtres,et carnes quadrupedū.de pu.e.7ª.180.G
Epilepticorum exercitia in qualitate qualia.de pue.epi. 7ª.180.A
Epileptici non ſunt balneis euacuandi.de venæ.ſec.aduer.8.E| 6ª.14.H
Epilepticus quibus iuuetur.de med.exper. Sp.104.D
Epilepticos iuuant incidentia.9º.de ſimp.med.fac. 5ª.73.C
Epilepticus bibat oxymeli.de pue.epi. 7ª.180.F
Epilepticis prodeſt aphroſelinum.de ſimp.med. Sp.80.D
Epilepticis educimus,atram bilem.de dyn. Sp.21.B
Epileptico ex melāchołia data decoctio epithymi.de med.ex. Sp.104.C
Epilepticis valens medicamentum.de me.exper. Sp.104.C
Epilepticum puerum quo modo Galenus curauit.de pue.epil. 7ª.180.F
Epileptici pueri caſus.6º.de ſimp.med.fac. 5ª.45.F|H
Epileptici ex ieiunio caſus.de venæ ſect.aduerſ.Eraſ. 6ª.14.G
EPILOGISMVS quid.fin.med.Iſa.43.F|in progn.com.1º.191.E|4ª.193.G|1º.de ſimp.me.fa.4.E|1º.de comp.me.p gen. 5ª.210.A
Epilogiſmus ad quæ vtilis ex empiricorum ſententia.de ſectis.Iſa.17.B
Epilogiſtica ratio facillima.in prog. com.1º. 4ª.191.B
Epilogica cā,nō analogiſtica,de vic.ra.in mor.ac.com.4º. 7ª.140.D
EPIMEDIVM fere temperatum aqueum. 6º. de ſimpli. medicamen. facul. 5ª.47.D
Epimedium potum ſterilitatem facit.6º.de ſimp.me.fa. 5ª.47.D
Epimedium vberibus illitum ea recte ſeruare poteſt.6º. de ſimplic.medicam.facul. 5ª.47.D
EPIMELIS ſtomacho ingratus capitis dolorem facit. 6º. de ſimplic. med.facul. 5ª.47.D
EPIMENIDES profundiſſime dormiebat. 2º. de motu muſculorum. 307.H| 1ª.314.F
EPIMORIOS numerus.1º.de dif.pulſ. 4ª.48.G
EPINYCTIS vnde dicta.2º.meth.me. 7ª.9.G
Epinyctides.myrmeciæ,acrochordones,pſydraces,ſunt affectiones omnibus notæ.de tum.præter naturam. 3ª.84.F
Epinyctides affectus totius corporis.intro. Iſa.59.D
Epinyctides an male habuerint laborantem laſſitudine percontandum eſt. 4º.de ſan.tuen. 2ª.83.C
Epinyctidas ſanat braſſica.7º.de ſimp.med.fac. 5ª.52.G
Epinyctidas iuuans.6º.de comp.me.per gen. 5ª.256.H
ad Epinyctidas pharmacum accommodatum. 1º. de compoſi.medica. per genera.217.A|2º.224.E|5º. 5ª.251.F
EPIPASTA emplaſtra quæ.2º.de comp.me.per ge. 5ª.223.H
Ἐπιφάνειαν ſumma corporis appellant.3º.de ſan.tu. 2ª.80.C
Ἐπιφαινόμενα de vict.rat.in mor.acu.com.2º. 7ª.123.E
EPIPHOOMPHALON quid.fin.med. Iſa.49.B
Ἐπιφόρους quas grauidas intelligant aliqui . in 1ᵐ. prorrheticorum. commentario.3º. 4ª.180.G
EPIPHORA quid intro. Iſa.58.E
Epiphora affectus totum oculum exercens.introd. Iſa.58.D
Epiphoræ à pituita.de dyna. Sp.19.G
ad Epiphoras oculorum.2º.de comp.me.per gene.. 5ª.224.E
ad Epiphoras oculorum magnas,ad maximas, & ad intenſas. 4º. de comp.med.ſec.loc.152.D|153.A|B| 5ª.154.C
ad Epiphoras collyria.4º.de comp.me.ſec.loc.145.F|G| 5ª.155.F|H
ad Epiphoras articulorum.6º.de comp.me.per gene. 5ª.256.H
EPIPHYSES quid.11º.de vſu par. 1ª.191.C
Epiphyſis vermiformus qualis,& cur.8º.de vſu par. 1ª.170.F
EPIPIGMA quid,& ad quid in organis.de machin. 7ª.310.A
Epipigma vt ferant,καλάθιον,& σκιβάλιον communiter parata ſunt. de machinamentis. 7ª.310.A
EPIPLASMA quid.3º.de comp.med.per gen. 5ª.228.C
EPIPLOCELE quid.fin.med.Iſa.49.D|de dif.mor.5.C|de tumoribus præter naturam. 3ª.84.F
Epiplocele affectus ſcroti.introd. Iſa.59.D
Epiplocele tumor ſcroti fin.med.49.C|intro. Iſa.60.B
Epiplocele quid faciat.de cauſ.morb. 3ª.9.E
Epiplocelicorum curatio.introd. Iſa.60.C
Epiploon,epiplum,& omentum,idem.6º.de anat.adm. 1ª.91.D
Epiploi ſectio.6º.de anat.admin. 1ª.91.D
Epiploum.de natura.& ord.cuiuslib.cor. Sp.42.B
in Epiploo venæ nutriunt inteſtina & partes propinquas.5º. de vſu partium. 1ª.142.E
Epiploocomiſtæ,qui.6º.de anat.adm. 1ª.91.D
EPIPOMA quid,& ad quid in organis.de mach. 7ª.310.A
EPISARCIDIVM de vict.rat.in morb.acut.com.4º. 7ª.148.G
Ἐπισημασία. de morb.temp. 3ª.86.H
Ἐπίσιον quod.introd. Iſa.53.D
EPISPASTICA emplaſtra quæ.6º.de de cōp.me.pge. 5ª.260.H
Ἐπισπαστική,ἑλκτική & ἑλκυστικὴ δύναμις idem. 5º. de ſimplicium medicamen.facul. 5ª.36.F
Epiſpaſtice virtus quæ.de cathar. Sp.94.D
Epiſpaſton quid ſit.4º.de comp.med.per gen. 5ª.238.H
Epiſpaſticon quid.2º.de comp.me.per gen. 5ª.222.C
EPISTOLARVM libros vndecim ſcripſit Archigenes . 3º . de locis affectis. 4ª.15.F
Epiſtolam ſcripſit ad Neronem Theſſalus.1º.meth.med. 7ª.2.G
Ἐπιχέσεις quid ſignificet.in 1ᵐ.pror.com.3º. 4ª.182.H
EPITHEMATA, id eſt impoſitiones,quæ vim habent ciendi vrinam, & in vapores ſoluendi humores.com.7º.aph.55º. Ex.58.H
Epithemata valentiora ſunt ceratis.7º.meth.me. 7ª.44.A
Epithematum meminit.13º.meth.me. 7ª.83.H
Epithemata citra aquam.5º.de comp.med.ſec.loc. 5ª.163.F
Epithema ex palmulis pinguibus infrigidans, & quo modo fit.10º.methodi.medendi. 7ª.65.A
Epithema ad omnes acutas febres.de dyna. Sp.32.G
Epithema aliud ad omnes acutas febres.de dyna. Sp.32.G
Epithema vt ſudor febris exeat.de dyna. Sp.32.E
Epithema ad hydropicos.de med.fac.parab. 7ª.167.D
Epithema ad præcordia in febre ſynocha.de dyna. Sp.33.D
Epithema ad duritias.10º.de comp.me.ſec.loc. 5ª.209.A
Epithema ad tumorem, vel dolorem, vel inflammationem hepatis. de dynamidijs. Sp.26.D
Epithema ſplenicum.de rem.par.fac. 7ª.159.F
Epithema ad lienoſos.de med.fac.par. 7ª.167.B
EPITHYMVM quid,& eius vires.de ſimp.med. Sp.84.A
Epithymum multi poſſunt guſtare & intueri,tamen eius vtilitates ignorant.1º.de elemen. 1ª.5.H
Epithymum frigidam,& terreſtrem habet ſubſtantiā.de cath.Sp.94.F
Epithymum tenui,& calida natura conſiſtit.de cathar. Sp.94.E
Epithymum eſt calidū,& ſiccū,& atram bilē educit.de cath. Sp.94.F
Epithymū calidū eſt et ſiccū in tertio ordine.6º.de ſimp.me.fa. 5ª.47.D
Epithymus quando dandus & quibus miſcendus.de dyn. Sp.21.B

Epithymus quibus conueniat affectibus.de dynamidijs. Sp.21.B

Epithymum ventrem temperat, vomitum facit.de ſimp.med.Sp.84.A

Epithymum datur his quibus præcordia ab inflatione vexantur,& hepaticis & qui ſuſpirium patiuntur.de ſimp.med. Sp.84.A

Epithymum bilem atram educit.de theria.ad Piſo.5ª.90.G/de dynamidijs.21.B/de ſimp.med.84.A/de cathart. Sp.94.F

Epithymum cur atram bilem ducat.2°.de ſimp.med.fac. 5ª.11.B

Epithymum purgat ſplenem.de cathart. Sp.95.C

Epithymum pro melancholicis.de mel.ex Gal.Ruff.& Poſſ. Sp.109.H

Epithymum pro phlegmone cauæ partis iecoris.13°.meth.me.7ª.84.A

Epithymi decoctio data epileptico ex melãcholia.de med.ex. Sp.104.C

ex Epithymo & cnico compoſitum confert quibus ciborum corruptio non deſcendit.6°.de ſanitate tuenda. 2ª.97.H

EPITIDEVMATA, hoc eſt ſtudia.ad Thraſy. 2ª.108.D

Ἐποχὴ quid.de hiſt.philoſo. Sp.2.E

Epoche,id eſt ſuſpenſa ſententia.de opt.docendi genere. Iſa.30.B

Ἐπῳδὸς quid ſit.17°.de vſu partium. 1ª.222.H

Epodi in calce ſcribuntur.in 1m.prorrh.com.2°. 4ª.178.B

Epodis in incantationibus vtebantur.17°.de vſu partium. 1ª.222.G

EPOMIDA muſculum quem appellet.de muſc.diſſ.1ª.47.B/de articulis.com.1°.252.C/ 7ª.257.H

in Epomidæ muſculo correſpondet muſculus tegens articulum cruris ex poſterioribus.15°.de vſu partium. 1ª.213.F

ad Epomida muſculi totum brachium eleuant.16°.de vſu par. 1ª.217.G

Epomis luxata quo modo.9°.de decret.Hip. 1ª.281.C

Ἐπτάστερον 3°.de dieb.decret. 4ª.159.H

EPVLIS oris affectus.introd. Iſa.159.C

Epulis,id eſt ſupercreſcẽs caro in gingiuis.5°.de com.me.ſe.lo. 5ª.164.H

Epulides,& parulides,& thymi quid.de tum.præt.nat. 3ª.84.H

Epulidarum curatio.introd. Iſa.59.H

ad Epulidas confert ſuccus centaureæ.de virt.cent. Sp.93.D

EPVLOTICAE facultates.5°.de ſimp.medic.facul.32.C/ 5ª.36.C

Epulotica medicamenta, id eſt quæ cicatricem inducunt, qualia. 9°.de ſimp.medic.facul. 5ª.69.D

Epulotica quæ ſint.5°.de ſimp.med.facul. 5ª.36.D

Epulotica quid faciant.5°.de ſimp.med.fac.36.D/2°.de compoſi. medic. per genera. 5ª.224.A

Epulotica adſtringunt.2°.de compo.med.per genera. 5ª.224.A

Epuloticum medicamentum optimum.4°.de com.me.per ge. 5ª.240.E

Epulotica medicamenta.5°.meth.med.36.D 13°. 7ª.81.F

Epulotica Andromachi.2°.de compo.med.per genera. 5ª.224.F

Epulotica candida Andromachi.2°.de compo.med.per gene. 5ª.224.H

Epulotica Aſclepiadis.2°.de com.med.per gene. 5ª.221.A

Epulotica emplaſtra,quæ.2°.de comp.med.per gen. 5ª.223.H

Epuloticoteron emplaſtrum.2°.de comp.med.per genera. 5ª.223.H

EQVAE à natura hominis non longe alienæ in foetu. de foet.for. 1ª.322.E

Equa recipit aſini ſperma.3°.de vſu partium. 1ª.127.F

Equa cur non recipit hominis ſperma.3°.de vſu partium. 1ª.127.F

ab Equa fit mulus.2°.de ſemi. 1ª.336.F

Equarum lac,quale.3°.de alim.fac. 2ª.27.F

EQVAPION cit vrinas.2°.de alim.facul. 2ª.23.E

Equapion inter obſonia numeratur.2°.de alim.facul. 2ª.23.F

Equapion inſuaue.2°.de alim.facul. 2ª.23.F

Equapion homines fame adacti comedunt.2°.de alim.facul. 2ª.22.B

Equapion coctum manditur.2°.de alim.fac. 2ª.23.F

EQVVS affectio quid.in 1m.prorrh.com.2°. 4ª.170.F

Equus oculorum affectus.in prognoſt.com.1°. 4ª.194.C

Equus ſpecies eſt & genus animalis.2°.de ſem. 1ª.339.H

Equus animal velox,ſuperbum,& generoſum.1°.de vſu par. 1ª.113.C

Equus leone velocior.1°.de vſu partium. 1ª.113.C

Equi habent tantum inciſiuos dentes & molares.de dynam. Sp.49.E

Equus vngulis & iuba ornatus.1°.de vſu partium. 1ª.113.C

Equus quia vtitur ira,habet vngulam ſolidam.3°.de vſu par. 1ª.128.B

Equus quandoque vtitur ira.3°.de vſu partium. 1ª.128.B

Equinus pullus calcitrat nondum ſolidis vngulis.de foet.for. 1ª.325.E

Equus medius in pronitate.3°.de vſu partium. 1ª.128.F

Equorum muſculus temporalis,qualis.11°.de vſu partium. 1ª.184.F

Equorum gena inferior maxima.11°.de vſu partium. 1ª.185.A

de Equi temperie ſi quęratur,quid reſpondendum.1°.de temp. 1ª.13.D

Equi bonitas in quibus conſiſtat.1°.de temp. 1ª.13.D

Equorum ſtercore odorato quidam intelligebant quomodo alimenta concocta vt cognoſcerent bonam habitudinem.7°.meth.med. 7ª.45.A

Equi currentes cur faciant ſpumam.com.2°.aph.43°. Ex.18.C

Equi bellicoſi cur habent aures breues.11°.de vſu par. 1ª.189.A

Equi ſemper vertunt aures ad ſonum.11°.de vſu partium. 1ª.189.A

Equos parere homini,vim autẽ rationis expertem,qua iraſcitur,illi non obedire,ac rationi turpe.de cogn.cur.an. 2ª.52.H

Equi quo modo habeant ſcientiam.5°.de decre.Hippo. 1ª.257.D

Equus eruditus ad multas res vtilis.de cogn.cur.animi mor. 2ª.54.C

Equos ſimul quatuor habenis coercere eſt exercitatio impenſæ robuſta, non tamen celeris.2°.de ſani.tuen. 2ª.74.C

Equus ſeſſorem trahit,poſtea trahitur.5°.de decre.Hippo. 1ª.258.B

Equo comparatur ira.3°.de decre.Hipp. 1ª.242.F

ad Equos,& aurigam animæ comparatio.in tim.Pla. 1ª.287.C

Equorum cibi.2°.de alim.fac. 2ª.17.B

Equi edunt ſine noxa typham.1°.de alim.fac. 2ª.13.B

Equi typham dabat Hector.1°.de alim.fac. 2ª.13.B

Equi non edunt ſine noxa triticum.1°.de alim.fac. 2ª.13.B

Equis admiſſarijs datur cicer.1°.de alim.fac. 2ª.14.B

ex Equis & aſinis generatur mixtũ animal.de nat.hum.com.1°.1ª.29.D

Equi effrenati affectio & operatio.6°.de decre.Hipp. 1ª.261.A

ad Equorum ſcabiem.3°.de med.fac.par. 7ª.173.B

Equorum medici quibus ſcalpris vtantur.7°.de ana.admi. 1ª.93.E

Equorum caro,qualis.3°.de alim.fac. 2ª.26.A

Equorum eſus relinquendus hominibus aſininis.de atten.vic. 2ª.45.E

Equorum lichenes comitiales curant.11°.de ſimp.med.fac. 5ª.80.F

Equorum lichenas ad cuiuſuis feræ morſum adhiberi quidam conſulũt. 10°.de ſimp.med.fac. 5ª.80.F

Equini lactis potus.de aere,aq.& loc. 2ª.5.D

Equini dentes.1°.de compo.med.ſec.loc. 5ª.123.C

Equinum coagulum ad dyſentericos & coeliacos conferre ſecundum aliquos.10°.de ſimp.med.fac. 5ª.74.E

Equi iecur.de medic.fac.parab. 7ª.166.F

Equi ſylueſtris aut aſini lien pro ſplenicis bonus.9°. de comp.medicamẽtorum ſecundum locos. 5ª.198.G

Equi admiſſarii ſanguis non facit cruſtam,nec ſepticus eſt,vt quidam dicunt.4°.de ſimp.med.fac. 5ª.73.D

Ex Equis quomodo veſpę & apes.an animal ſit. 1ª.328.B

Ex Equi calcitratu ſpirantis difficulter caſus.4°.de lo.aff. 4ª.25.B

Equitatio vitæ ratio.3°.de ſympt.cauſ. 3ª.25.B

Equitatio eſt exercitium & opus.2°.de ſan.tuen. 2ª.73.G

Equitationes ſunt exercitationes magnæ. in 6m. de morbis vulgaribus, commentario.1°. 3ª.156.A

Equitatio facienda.1°.de ſan.tuen. 2ª.68.H

Equitans quid agat,& quomodo exerceatur.2°.de ſan.tuen. 2ª.75.C

Equitantes ſunt laſſi continuo. 2ª.5.F

in Equitante laborant viſus & collum.2°.de ſani.tuen. 2ª.75.C

Equitantibus viſcera agitantur.2°.de ſan.tuen. 2ª.75.C

Equitatus magni quid mali fecerint.de par.pi.exer. 2ª.49.G

Equitatio continua reddit homines impotentiores ad coitum. 2ª.5.F

Equitatio facit dolores diuturnos.5.H/ 2ª.6.A

Equitatio nimia facit claudos. 2ª.5.H

Equitationes tentandæ in longis ictericijs.de cura icteri. Sp.111.E

ERASINI caſus.in 1m. de morbis vulgaribus, comment.3°. 3ª.124.F

ERASISTRATVS Sicyonius.10°.de comp.me.ſec.loc. 5ª.209.A

Eraſiſtratus Chius ductor ſectæ rationalis.intro. Iſa.51.D

Eraſiſtratus tempore Theophraſti fuit.an ſang.in art.na.con. 1ª.62.D

Eraſiſtratus Hippocrati par ſm aliquos.de ue.ſect.ad Eraſ. 6ª.6.C

Eraſiſtratus Hippocratis libros cantabat per ciuitates amore medicinę.de cathart. Sp.94.C

Eraſiſtratus contra Hippocratem.de atra bile.1ª.36.A/de victus rat.in morb.acut.com.2°. 7ª.131.F

Eraſiſtratus contra Coos ſcripſit.8°.de decr.Hip. 1ª.276.B

Eraſiſtratus curioſius in re medica.de venæ ſect.aduer.Eraſ. 6ª.5.B

Eraſiſtratus obſcurus ex induſtria.5°.de loc.affe. 4ª.30.B

Eraſiſtratus gaudet loquacitate.de venæ ſect.aduer.Eraſ. 6ª.12.F

Eraſiſtratus medicus contentioſus.1°.met.med. 7ª.3.H

ad Eraſiſtratum ſtatuarij comparatio.5°.meth.med. 7ª.36.C

Eraſiſtratus in Apollonium, & Dexippum calices cereos retorſit. de vict.rat.in morb.acut.com.4°. 7ª.135.A

Eraſiſtrati libri enumerantur.de venæ ſect.aduerſ.Eraſ. 6ª.9.G

Eraſiſtratus librũ fecit de alui curatione.de ve.ſect.adu.Eraſ. 6ª.12.A

Eraſiſtratus reſtituit anatomen amiſſam.8°.de decre. 1ª.273.B
Eraſiſtratus deceptus in via à thorace ad os.5°.de lo.aff. 4ª.30.A
Ereſiſtrati opinio partibus quæ ſunt ſupra renes, q̃ accipiant paucum ſanguinem, antiquitus fuit recepta, poſtea cognita falſa. 1°. de naturalib.facul. 1ª.296.C
Eraſiſtratus ſcripſit de conſuetudinibus.de conſ. 2ª.60.D
Eraſiſtratus librũ fecit de diuiſionibus.de ve.ſect.aduer.Eraſ. 6ª.9.H
Eraſiſtratus iam ſenex fecit librum ſectionum.cõ.6°.apho.50°.Ex.52.G
Eraſiſtratus librũ fecit de febribus & vulneribus.de ve.ſect. 6ª.8.B
Eraſiſtratus ſcripſit de febribus. de diff.pulſ.4ª.69.E| de cur. rat. per ſang.miſſ.6ª.16.A|2°.metho.meden.11.C|de vict.rat.in morb.acut. comment.1ª.109.F| 7ª.113.A
Eraſiſtratus legitimæ gymnaſticæ auctor.ad Thraſy. 2ª.108.A
Eraſiſtratus fecit librum de paralyſi.de conſu. 2ª.60.D
Eraſiſtratus librum fecit de reſolutione.in 1ᵐ.pror.com.2°. 4ª.175.F
Eraſiſtratus librum fecit de ſalutaribus.de venæ ſect.ad Eraſ. 6ª.8.E
Eraſiſtrati liber de eductione ſanguinis. de lib. pro. Iſa. 11. B|8°.de locis affectis. 4ª.30.A
Eraſiſtratus nolebat ſanguinem extrahi.4°.de ſan.tuen. 2ª.87.E
Eraſiſtratus librum fecit de ſanguinis reiectione.de venæ ſect. 6ª.8.A
Eraſiſtratus librum fecit de reiectione ſanguinis,& de febribus.de venæ ſect.aduerſ.Eraſ. 6ª.9.G
Eraſiſtratus librum fecit de ſanitate tuenda.ad Thraſ. 2ª.108.A
Eraſiſtratus librum fecit de ventriculo, quem reprehendit Galenus.comment.6°.apho.1°. Ex.46.B
Eraſiſtratus vitali ſpũ plenum eſſe ſpũs ſinũ aſſerit.de de.Hip. 1ª.232.A
Eraſiſtratus dicebat per circulũ fieri expirationẽ,& receptionem aeris per inſenſibiles meatus, Plato dicebat per duos ſemicirculos. in timæum Platonis. 1ª.209.A
ſm Eraſiſtratũ reſpiratio eſt grã expletiõis arteriarũ.de vti.re. 1ª.223.C
ſm Eraſiſtratũ Suffocatio quomodo conſequatur.de vtil.reſp. 1ª.223.E
ſm Eraſiſtratũ Cor nõ attrahit niſi permittat thorax.de vti.re. 1ª.223.E
ſm Eraſiſtratum Cor à magna arteria trahi quando non reſpiramus. de vtilitate reſpirationis. 1ª.223.F
ſm Eraſiſtratũ quo modo ſuffocatur animal.de vtil.reſp. 1ª.223.G
ſm Eraſiſtratum ſanguinis multitudo eſt præcipua cauſa morborum.de venæ ſect.aduerſ.Eraſ. 6ª.9.H
ſm Eraſiſtratum partes quæ affectæ.6°.de lo.aff. 4ª.36.C
ſm Eraſiſtratum quid ſit phlegmone.7°.meth.me. 7ª.43.E
Eraſiſtrati errores de tractu vrinæ.1°.de nat.fac. 1ª.295.G
Eraſiſtratus experientia reperit vniuerſam euacuationem in hydrope febres & mortem cauſare.com.6°.apho.27°. Ex.48.H
Eraſiſtratus menſiũ excretionem purgationẽ dixit.de atra bile.1ª.36.H
Eraſiſtratus euertit totum caput de purgantibus medicamentis.de purgantium medicamentorum. 5ª.86.C
Eraſiſtratus quo curauit ſe ruri. 6°.de comp.med.ſec.loc. 5ª.67.E
Eraſiſtrati diſcipulorum pulſus definitio.4°.de diff.pulſ. 4ª.69.D
Eraſiſtratei pro venæ ſectione quid agebant.de venæ ſect. 6ª.9.D
ERBVM quid & eius vires.de ſimp.med. Sp.85.B
Erbum habet vires acres,& diureticas valde, caput grauat, ventrem ſoluit,per vrinam ſanguinem educit,& boues ſagmat ſi decoctum detur.de ſimp.med. Sp.85.B
Erba albiora vẽtrẽ vtiliter laxãt,vrinã mouẽt,colores malos emendãt, vulnera purgãt & implẽt, lentigines vel maculas tollunt, duritiem mammillarum ſoluunt,carbunculos malignos ſanant, contra canis et viperæ morſum imponitur. vrinam mouent,tortionibus proſunt,pruritum prohibent.de ſimp.med. Sp.85.B
EREBINTHVS. 6°.de ſimp.med.fac. 5ª.47.E
ERECTA organa quæ ſint.de machin. 7ª.309.D
ERECTIONIS totius aĩalis vltima radix eſt cor.de ana.vi. Sp.47.B
Erectio priapi voluntaria eſt.de mot.man.& obſ. Sp.67.H
Erectionis priapi cauſæ.de mot.man.& obſ. Sp.67.H
Erectionem priapi qui muſculi faciant.de anat.vi. Sp.52.E
Erectio priapi in amantibus quo fiat.de compag.memb. Sp.59.C
ab Erectione hirudinũ q̃titas excretionis cõſpicit.de cucur.ſca. 6ª.4.E
Erecti manca quid ſit.de art.com.3°.279.F| 7ª.280.G
in EREO Arcadiæ aquã ſi quis biberit moritur.de bon.aquę.Sp.76.A
ERETRIA terra quid,& eius vires.de ſimp.med. Sp.85.A
Eretriẽſis terra qualis,& q̃ debeat ſæpe lauari.9°.de ſim.m.f.5ª.66.F
Eretria terra valde ſtringentes vires habet.de ſimp.med. Sp.85.A
Eretria terra odoratas reddit cõpoſitiones.1°.de cõ.me.ſec.loc.5ª.128.C
ERGASTRIA nomen pagi.9°.de ſimp.me.fac. 5ª.70.E
ERGATA pars organorum.de machin. 7ª.309.F
per Ergatam attractis funibus ad deducendas naues machinamentum. de machin. 7ª.316.C
ERGO quomodo ſumitur.de comate. 3ª.50.F
ERICE quid,& eius vires.de ſimp.med. Sp.84.C
Erices fructus mediocriter adſtringit.4°.de comp.med.ſec.lo.5ª.149.H
Erice digerit per halitum.6°.de ſimp.me.fa. 5ª.47.E
Erices fructus ſiſtit oculorum fluorem.introd. Iſa.58.C
Erices fructus meminit.4°.de comp.med.ſec loc. 5ª.154.A
ERIFICIVM quid,& eius vires.de ſimp.med. Sp.83.H
Erificiũ,aconitũ,thapſiã ꝑprio guſtu ꝓbare deuita.de ſim.me. Sp.83.H
Erigatur quomodo priapus.de mot.man.& obſ. Sp.67.G
Erigentes arteriam in longitudinem muſculi.de voc.inſtr.diſſ. 1ª.107.E
ERIGERONTIS fit mentio.de rem.par.fac. 7ª.159.E
ERINACEI terreſtris deſiccata caro quos ſanet morbos.11°.de ſimpl. medic.facul. 5ª.78.F
Erinacei terreſtris deſiccata caro prodeſt conuulſionem patientibus, nephriticis, & iis qui laborant aqua intercutem, quam anaſarca vocant.11°.de ſimp.med.fac. 5ª.78.F
Erinaceus combuſtus qualis.10°.de ſimp.med.fac. 5ª.81.G
Erinacei terreſtris pellis vnà cum capite ipſius toſta, & in puluerem tuſa ad quid valeat.de rem.par.fac. 7ª.154.H
ERINEVS id eſt Caprificus.8°.de ſimp.med.fac. 5ª.61.F
ERINGION exiguum habet alimentum.2°.de alim.fac. 2ª.22.C
Eringion eſt praui ſucci.2°.de alim.facul. 2ª.22.C
ERISIMVM quid.1°.de alim.fac. 2ª.15.D
Eriſimi ſubſtantia & vſus.1°.de alim.facul. 2ª.15.D
Eriſimum calidum.1°.de alim.facul. 2ª.15.D
Eriſimi ſemen igneum eſt.6°.de ſimp.med.facul. 5ª.47.F
Eriſimum ſitim excitat.1°.de alimen.fac. 2ª.15.D
Eriſimum ponitur in ecligmatibus pro expuendis lentis & craſſis humoribus.6°.de ſimp.med.facul. 5ª.47.F
Eriſimum parotidas induratas,durities antiquas vberum,& teſticulorum iuuat,& occultis prodeſt cancris.6°.de ſimp.med.fac. 5ª.47.F
ERITIVS terreſtris conuenit ictérico.de cura icteri. Sp.111.D
Eʼ ϱωκτα quid.de iis quæ in med.fi.com.3°. 7ª.222.C
*de ERODENTIBVS pharmacis.4°.de com.me.ſe.loc. 5ª.149.G
Erodentia ab vrentibus quo differant.1°.de comp.med.ſec.loc. 5ª.127.F
Erodens aridum.5°.de comp.med.per genera. 5ª.253.B
Erodens Melitonis.5°.de com.med.per genera. 5ª.253.B
EROSIO dicitur.ἀνάβρωσις.4°.meth.med. 7ª.23.B
Eroſio eſt morbus partium ſimilarium.de ſympt.diff. 3ª.13.E
Eroſio vnde proueniat.12°.meth.med. 7ª.78.F
Eroſio fit à ſucco vitioſo intrinſece,à medicamento,vel ab igne extrinſece.4°.methodi medendi. 7ª.23.B
Eroſio quibus fiat modis.3°.de ſympt.cauſ. 3ª.27.A
Eroſio venæ quo modo fiat in pulmone.4°.de locis affectis. 4ª.28.B
p Eroſionẽ ſanguinis eiectio fit dolore pręcedẽte.5°.de lo.aff. 4ª.32.E
per Eroſionẽ quandoq; erũpit ſanguis.de cur.rat.per ſan.miſ. 6ª.20.H
per Eroſionem interimentia medicamenta ſunt ſimilia ferro & lapidi ignito.4°.de ſimp.med.fac. 5ª.30.B
per Eroſionem interimũt chalcitis,myſi,ſori,arſenicum, hydrargyros, lithargyros.4°.de ſimp.med.fac. 5ª.30.B
Erodendo interimit cantharis.10°.de ſimp.med.fac. 5ª.73.H
Erodendo interimit lepus marinus 10°.de ſimp.med.fac. 5ª.73.H
Eroſio in capite quid ſignificet.2°.de comp.med.ſec.loc. 5ª.135.H
Eroſionẽ tollit ſimplicibus cõbuſtis & lotis.3°.de cõ.me.per g.5ª.236.D
ad Eroſos angulos oculorum.4°.de comp.med.ſec.lo. 5ª.156.D
ERPYLVS. 6°.de ſimp.med.facul. 5ª.47.E
ERRABVNDAE febres,quæ.fin.med. Iſa.46.E
Errantes quæ febres.in 1ᵐ.de morb.vulg.com.3°. 3ª.120.F
Erraticę quę vocentur ab ignaris.2°.de criſi. 4ª.137.B
Erraticas ſequitur quartana 1°.de arte cur.ad Glauco. 7ª.95.H
Erraticum omne & inordinatũ ex materia.2°.de dieb.decre. 4ª.151.H
ERRANDVM potius lingua quàm vita.de ord.lib.ſu. Iſa.15.F
Errare nunquam eſt ſupra captum hominis.in prog.com.3°. 4ª.212.H
Errat minime artifex.in prognoſt.com.3°. 4ª.212.H
Errare facit non eſſe exercitatum.2°.de diff.pulſ. 4ª.57.C
Errant minus qui non aggrediuntur quæ non norunt, quàm qui illa tractant quæ nunquam didicerunt.de venæ ſect.aduerſ.Eraſ. 6ª.13.A
Errant qui ex vna particula volunt de toto corpore pronunciare.2°.de temperamentis. 1ª.20.F

quo modo Errauerit Ariſtoteles ponendo cor principium neruorum.de decretis Hippo.& Pla.233.H| 1ª.234.A
Errare in quibus muſculis fecit anatomia ſimiarũ.de mot.mu. Sp.70.E
Errarint in quo muſculo cubiti omnes.de muſ.diſſ. 1ª.48.C
Errantes antiqui Galeno viam aperuere.4°.de dign.pulſ. 4ª.85.E
Errauerunt medici qui diſſectionem expectare noluerunt, ſed ex conſequutione ita eſſe arbitrati ſunt.de decret.Hippo.& Plat. 1ª.334.A
Errorum cauſa ignorantia morborum.de morb.temp. 3ª.86.C
in Errando deficientes non ſunt purgandi.in 1m.pror.com.2°. 4ª.174.D
ERRHINON, id eſt medicamentum in nares fuſum, purgando capiti idoneum, eſt hederę ſuccus.7°.de ſimp.med.facul. 5ª.51.F
Errhina ſunt narium medicamenta.5°.de ſimp.med.fac. 5ª.37.D
Errhinum quod naribus attrahitur.9°.de compo.med.ſec.lo. 5ª.198.A
Errhina, quę.2°.de compo.med.ſec.loc. 5ª.139.A
Errhinum Nicerati.9°.de comp.med.ſec.loc. 5ª.198.A
ERRIPSIS quid ſit.de palp.trem.conuulſ.& rig. 3ª.52.A
ERRORES quid ſint.4°.de decre.Hipp. 1ª.249.A
Errores parui in principio fiunt magni in fine.1°.de temp. 1ª.12.E
Errores noſtros qui detergit amicus maximus.de cogn.cur.ani. 2ª.52.F
Errores noſtros quæ cæcitas facit, vt non cognoſcamus.de cogn. cur.animi morbis. 2ª.53.G
in Erroribus cognoſcẽdis amor facit nos cæcos.de cog.cur.an. 2ª.53.G
Errores quo in libris cõmittuntur.de iis quę in med.ſi.com.2°. 7ª.210.E
Errores ex ſimilitudinibus fiunt.9°.de decre.Hippo. 1ª.279.H
Errores corriguntur cauſa intellecta.2°.de na.fa. 1ª.301.A
Error eſt dicere muſculos in oculo eſſe ſolũ quinque.de muſ.diſ. 1ª.44.G
Error ſecundæ coctionis quo mõ cõtingat ob ſplenẽ.de ana.viu.Sp.51.A
Error grauior eſt qui fit prope vigorem, quàm qui fit in principio.de vic. ra.in mor.acu.com.2°. 7ª.122.C
Errores infra modũ nõ lædũt, ſed ſupra.1°.de comp.me.ſec.loc. 5ª.122.C
ERVANGINA frigida & ſicca in primo.8°.de ſim.me.fa. 5ª.57.E
Eruangina necat eruum.1°.de ali.fac. 2ª 15.H
ERVCA quid & eius vires.de ſimp.me. Sp.83.H
Eruca omnibus eſt nota.de ſimpl.med. Sp.83.H
Eruca habet caulem inutilem poſt ſemen effuſum.2°.de ali.fa. 2ª.24.B
Erucæ, fœniculi, & anethi differentiæ, cum ſint ſicca & humida.5°.de ſimplicium medi.fac. 5ª.37.G
Eruca manifeſtiſſime calfacit.2°.de ali.fac. 2ª.23.G
Eruca obſonium ſponte proueniens.2°.de ali.fac. 5ª.25.D
Eruca tam cibus quàm medicamentum calidum.3°. de temp. 1ª.24.B
Eruca cibus ſimul et medicamẽtũ multi ſeminis.5°.de ſim.me.f. 5ª.38.C
Eruca generat ſemen.2°.de ali.fac. 2ª.23.G
Erucã ſine lactucæ foliis comedere non eſt facile.2°.de ali.fac. 2ª.23.G
Eruca eſt cibus acutus, incidens, aperiens.de diſſ.cont. Sp.72.E
Eruca attenuat.de atten.vic. 2ª.43.H
Eruca acris.de atten.vict. 2ª.43.H
Eruca diureticas vires habet.de ſimp.med. Sp.83.H
Eruca coitum excitat.2°.de ali.fac. 2ª.23.G
Eruca coitum per ſuam virtutẽ ad venas portitat.de ſimp.me.Sp.83.H
Eruca cur venerem ſtimulet.6°.de ſimp.med.fac. 5ª.41.A
Eruca lac purgat & multiplicat.5°.de ſimp.med.fac. 5ª.37.G
Eruca capiti dolorem infert.2°.de alim.fac. 2ª.23.G
Erucę ſemen in quo loco reponatur inter calida quæ valẽt ad alopecias. 1°.de compo.med.ſec.loc. 5ª.122.D
Erucæ ſemen detergit & concoquit.6°.de comp.med.per gen. 5ª.256.F
Eruca pro thapſia.1°.de compo.med.ſec.loc. 5ª.122.E
ERVCTATIO quo modo dicatur corroborare os ventriculi. in 6m.de morb.vulg.com.1°. 3ª.166.D
Eructatio ſignificat tuſſim, ſternutationem, ſingultum, crepitum, & ſpiritus difflationes.in 6m.de morbis vulg.com.2°. 3ª.166.D
Eructatio acida læuitatem inteſtinorum ſanat.in 6m.de morbis vulgari. comment.6°. 3ª.197.E
Eructanti cibos poſtridie quo modo præcordia eleuantur in cruditatibus.de ſal.diæ. 2ª.43.B
ad Eructantes cibos quid conferat.8°.de comp.med.ſec.loc. 5ª.191.G
ad Eructationem acetoſam.ſecretorum.98.F| Sp.100.F
ERVDITIS ſolum veritas ineſt.de hiſt.philoſo. Sp.3.E
Eruditi vincunt iram ratione, ineruditi uincuntur ab ira.3°. de decretis Hippocratis. 1ª.243.B
ERVENS & attrahens melinum.2°.de comp.med.per ge. 5ª.222.E
ERVIALA, cicerula, phaſeli, ſunt vnum genus habens plura nomina. 1°.de alim.fac. 2ª.15.B
Eruilia eſt mediũ edulij inter omnes qualitates.1°.de alim.fa. 2ª.14.F
Eruilia quidã pro obſonio vtebatur, vt eſſet ſanus.1°.de ali.fac. 2ª.14.F
Eruilia deterior fabis.de atten.vict. 2ª.45.A
Eruilia copioſius nutrit quàm fœnum grecum.1°.de alim.fac. 2ª.14.F
Eruialas comedendi motus.1°.de alimen.fac. 2ª.14.F
Eruiala quo modo mandatur, & eius vſus.1°.de alim.facul. 2ª.14.F
Eruiala quo modo ſubducatur venter.1°.de alimen.facul. 2ª.14.F
ERVMPERE verbum eſt vetus, ad extra motũ ſignificans.de palpeb. trem.conuulſ.& rig. 5ª.54.H
ERVPTIO vnde dicatur.in 6m.de morb.vulg.com.1°. 3ª.158.B
Eruptiones ſanguinis cohibere poteſt cucurbitula.de cucur.ſca. 6ª.3.F
ad Eruptiones ſanguinis ex vtero idoneus eſt lentiſcus.8°. de ſimplici. medic.facul. 5ª.61.H
Eruptione & ſuppuratione facta iis quibus in vrinario meatu tubercula fiunt, ſoluitur dolor.com.7°.apho.57°. Ex.59.B
ad Eruptiones in capite quæ valeant.1°.de comp.med.ſec.loc. 5ª.121.E
ad Eruptiones vlceroſas circa caput exiſtẽtes quid cõferat, & à quibus etiam abſtinendum.1°.de comp.med.ſec.loc. 5ª.129.B
ad Eruptiones oẽs vehemẽs medicamẽtũ.1°.de comp.me.ſe.lo. 5ª.130.D
ERVVM habet ſiliquas.1°.de alim.fac. 2ª.15.A
Eruum necat eruangina.1°.de alim.fac. 2ª.15.H
Eruum ex ſeminibus frumentariis ſubtiliſſimum, & calidum parum.3°. de comp.med.per genera. 5ª.228.F
Eruum eſt in primo ordine calidum, in ſecundo ſiccum.8°.de ſimpli. medicamen.facul. 5ª.57.E
Eruorum colores.1°.de alimen.fac. 2ª.15.D
Eruum non candidum amarum.1°.de antidotis. 5ª.104.E
Eruum candidum.2°.de antido. 5ª.18.H
Eruum amarum.3°.de alim.facul. 2ª.32.A
Erui ruffi meminit.5°.de comp.med.per gen. 5ª.253.E
Erui ruffeſcentis meminit.de rem.par.fac. 7ª.158.E
Eruum inſuauiſſimum eſt & praui ſucci.1°.de alim.fac. 2ª.15.C
Eruo veſcuntur boues non homines.1°.de alim.fac. 2ª.15.C
Eruum potius boum quàm hominum alimentum.de atten.vict. 2ª.45.B
Eruum quo modo comedatur.1°.de alim.facul. 2ª.15.C
Eruum quid faciat.de vict.rat.in morbis acutis, com.2°. 7ª.116.G
Eruum articulos diſſoluit.2°.de comp.med.ſec.loc. 5ª.137.B
Erui vſus facit dolorem crurum.in 6m.de morbis vul.com.4°. 3ª.183.B
Eruum vitandum in capitis doloribus à ſtomacho & ab aliis.2°.de compoſi.medic.ſec.loc. 5ª.137.B
Eruum acre.de vict.rat.in morb.acut.com.1°. 7ª.111.E
Eruum deſiccat.1°.de alim facul. 2ª.15.D
Eruum adſtringit parum.6°.de compo.med ſec.loc 5ª.171.H
Eruum expurgat craſſos humores thoracis ac pulmonis.1°.de alimentorum facultatibus. 2ª.15.D
Eruum in paſtillis theriacæ ponitur.de theria.ad Piſo. 5ª.92.D
ex Eruo medicamentum pro his quæ in thorace continẽtur.de attenuante vict. 2ª.45.B
ex Eruo & aceto fomentum.de victus ratio.in mor.acu.cõ.2°. 7ª.116.G
ERVI farina.6°.meth.me. 7ª.38.G
Eruum extergit, incidit, obſtructiones expedit, & ſanguinem per vrinas euocat.8°.de ſimp.med.fac. 5ª.57.E
Erui farina moderatiſſime detergit.8°.meth.med. 7ª.52.H
Erui farina, potiſſimũ ſi amara ſit, præter hoc ꝙ extergit, nõ nihil quoq; meatus purgare valet.5°.de ſimp.med.fac. 5ª.35.B
Erui farina cephalica.6°.meth.med. 7ª.42.B
Erui farina excalfacit & exiccat.5°.de ſimp.med.fac. 5ª.33.H
Eruina farina exiccat & quomodo.5°.de ſimp.med.fac. 5ª.33.H
Erui farina valde exiccat.6°.de ſimp.med.fac. 5ª.44.E
Erui farina ſarcotica eſt.3°.meth.med. 7ª.16.G
Erui farina carnem explet.2°.de comp.med.per genera. 5ª.220.B
Erui farina vlceri cauo conuenit.2°.de compo.med.per genera. 5ª.118.G
Eruum poteſt cutis & vulnerum ſordes auferre.5°.de ſimplicium medicamen.facul. 5ª.35.B
Erui farina cum lixiuio cocta leuat à putrefactione in neruo vulnerato. 6°.methodi medendi. 7ª.37.F
Eruorum farina vſus eſt Galenus in neruorum vulneribus.3°.de compo. medic.per genera. 5ª.229.H
Erui farina non mouet pus.5°.de ſimp.med.fac. 5ª.33.H
ad ERVI magnitudinem doſis.7°.de com.med.ſec.loc.5ª. 182. A|C|183. D|de pond.& menſ.5ª.276.F|de rem.par.fa.154.D| 7ª.171.E
ad Erui magnitudinẽ grandinẽ quẽdã expuiſſe.4°.de loc.aff. 4ª.28.D

ERVOSAE hypoſtaſes quid ſignificant. queſ.in Hippo. Sp.113.D
Erui & hordei ſpeciem referentia in vrinis vnde.in 6ᵐ.de morbis vulgaribus,commentario 5°. 3ª.192.A
Ἐρυγμὸς quid.1°.de alimen.facul. 2ª.14.B
ERYNGIVM quibus ſtomachicis crudum conuenit. 8°. de compoſitio. med.ſecundum locos. 5ª.192.C
Eryngium vrinam ciet.8°.de com.med.ſec.loc. 5ª.196.B
Eryngij radix vrinam mouet.de cura icteri. Sp.111.D
ERYSIPELAS vnde habuit nomen.2°.methodi medendi. 7ª.9.E
Eryſipelas quid ſin.med. Iſa.48.B/H
Eryſipelas quid,& quale.2°.de arte cur.ad Glau. 7ª.101.B
Eryſipelas quid ſit,de ijs quæ in med.ſi.com.3°. 7ª.215.D
Eryſipelas morbus euidens.de diff.morb. 3ª.3.D
Eryſipelas an morbus,vel cauſa morbi.1°.methodi medendi. 7ª.7.C
Eryſipelata ab aliquibus ſymptomata dicuntur.12°.meth.med.7ª.74.F
Ἐρυσιπέλατος meminit.de purg.medi. 5ª.87.G
Eryſipelas affectus totius corporis.intro. Iſa.59.D
Eryſipelas cutis paſſio.2°.de arte cur.ad Glau. 7ª.101.E
Eryſipelas eſt in ſuperficie.14°.meth.med. 7ª.87.B
Eryſipelas morbus eſt inæquali intemperie.de inæq.intemp. 3ª.44.H
Eryſipelas in parte eſt inæqualis intemperies cum influxione. de inæqu. intempe. 3ª.43.B
Eryſipelas morbus inſtrumentalis.3°.de ſymp.cauſ. 3ª.24.G
Eryſipelas eſt calidus affectus.2°. de alim.facul. 22.G/de bon.& vitio ſucc.2ª.39.D/de palp.trem.3ª.54.C/1°.de ſimp.med.facul. 5ª.5.H
Eryſipelas flammans morbus.de vict.ra.in mor.acu.com.4°. 7ª.137.B
Eryſipelas eſt inflammatio.2°. de arte cur.ad Glauco. 7ª. 100.H/comment.5°.apho.43°. Ex.41.E
Eryſipelas duplex.14°.meth.med. 7ª.87.C
Eryſipelas inflammatorium quid.1°.de diff.fe.32. A/de tum.præter naturam.3ª.83.B/C/2°.de compo.med.ſec.loc.5ª.135.H/14°.methodi medendi.87.C/2°.de arte cur.ad Glauc. 7ª.101.B
Eryſipelatis & phlegmones propria,et differētiæ.14°.met.me. 7ª.87.A
Eryſipelas eſt bilioſa fluxio.2°.de ſimp.med.fac. 2ª.15.B
Eryſip elas eactum,quale.7°.de ſimp.med.fac. 5ª.52.E
Eryſipelas & inflāmatio quo modo ſint in capitis doloribus. 2°. de compo.med.ſecundum locos. 5ª.135.H
Eriſipelacea inflammatio.2°.de compo.med.ſec.loc. 5ª.135.H
Eryſipelas phlegmonodes,& à contrario,qñ ſit.7°. de ſim.m.f.5ª.52.E
Eryſipelatoſa phlegmone, quæ.14°. meth.med.87.C/2°.de arte curati. ad Glauconem. 7ª.101.C
Eryſipelatodes caliditas à quibus.1°.de diff.feb. 3ª.32.A
Eryſipelatis particeps inflammatio.2°.de loc.aff. 4ª.13.A
Eryſipelatoſus calor.3°.de præſag.ex pulſ. 4ª.116.G
Eryſipelatodes tumoris ſpecies.de bon.& vitio.ſuc. 2ª.34.A
Eryſipelas & herpes quid ſint,& quo differant.de tum.præt. 3ª.83.B
Eryſipelatibus & herpetibus ex flaua bile reſpondent cancri,& phagedenę.2°.de diff.feb. 3ª.37.D
Eryſipelas œdematodes.7°.de ſimp.med.fac. 5ª.52.E
Eryſipelas œdematoſum,quod.14°.meth.med. 7ª.87.E
Eryſipelas ſcirrhodes.de ſimp.med.fac. 5ª.52.E
Eryſipelas ſcirrhoſum,quod.14°.meth.med. 7ª.87.E
Eryſipelas,inflammatio,ſcirrhus,œdema à quo fiant humore. de tum. præter naturam. 3ª.83.B
Eryſipelata vnde.de bon.& vitio.ſuc. 2ª.39.D
Eryſipelas à quo humore.2°.de criſi.4ª.138.C/14°.meth.med. 7ª.87.A
Eryſipelas generat ſanguis calidior,& ſubtilior.de ocu. 7ª.189.E
Eryſipelas facit bilis flaua.de atra bile.1ª.35.E/de diff.mor. 3ª.5.F/commentario 1°.apho.2°. Ex.3.D
Eryſipelas ſignificat bilem peccare.com.4°.apho.2°. Ex.27.E
in Eryſipelate naturalis color mutatur.de ſympt.diff. 3ª.13.B
Eryſipelatis color flauus eſt non ruber.14°.meth.med. 7ª.87.A
Eryſipelas exquiſitū eſt inflāmatū & flauū.7°.de ſimp.me.fac. 5ª.52.D
Eryſipelata ex vitioſis ſuccis naſcuntur.3°.de ſymp.cauſ. 3ª.25.B
in Eryſipelata incidebant qui cibos mali ſucci ob annonam ederant.3°.de bon.& vitio ſuc. 2ª.33.G
Eryſipelas ab excrementis putridis.9°.de vſu partium. 1ª.171.D
Eryſipelas quo fiat.de cur.rat.p ſan.m.6ª.17.A/14°.met.me. 7ª.87.C
in Eryſipelatis pars cōtinua primū calore aſſumitur.de cau.mor.3ª.6.F
qñ Eryſipelas, aut inflāmatio aliqua fortis in corporis parte pfundiori euenerit,totus ex toto corpe ſanguis ad locū trahit patiētē,atq; adeo vrūtur,pfunda,cutis autē refrigeratur.com.4°.apho.48°. Ex.33.B
Eryſipelas facit dolorē.4°.de lo.af.4ª.47.C/cō.6°.apho.40°.Ex.50.H
in Eryſipelate arteriarū pulſus ſentit cū dolore.2°. de loc.affe. 4ª.8.G
Eryſipelata quando fiant.3°.de ſymp.cau. 3ª.26.B
Eryſipelas fit vere decumbente humore ad partem imbecillam, qui cū hieme lateret,diffuſus eſt à veris calore.com.1°.apho.15°. Ex.8.G
Eryſipelata in plethora cur fiant.2°.de diff.feb. 3ª.41.G
Eryſipelas excitatur de induſtria.intro. Iſa.61.B
Erypelas in oſſis exutione.com.7°.apho.19°. Ex.55.C
Eryſipelas ab exterioribus verti ad interiora,non eſt bonū:ab interioribus autem ad exteriora,bonum.com.6°.aph.25°. Ex.48.F
ab Eryſipelate putredo aut ſuppuratio.com.7°.apho.2°. Ex.55.D
ex Eryſipelate ſcirrhi.7°.de comp.med.per genera. 5ª.267.H
ex Eryſipelate vel inflammatione ſcirrhum facit inſcitia medicorū. 7°. de comp.med.per gene. 5ª.267.H
Eryſipelata non nunquam vlcera comitantur.de diff.morb. 5ª.5.F
Eryſipelata quę excrementa faciant.5°.de loc.affect. 4ª.35.E
Eryſipelata calefaciunt corpus.de cauſ.morb. 3ª.6.F
Eryſipelata faciunt febrem.de cauſ.morb. 3ª.6.F
Eryſipelati vbi ſuperuenit febris,fit alter morbus.de diff.mor. 3ª.4.D
Eryſipelas an male habuerit laſſitudine laborantem percontandum eſt. 4°.de ſanitate tuenda. 2ª.83.B
Eryſipelas quo modo curetur.7°.de ſimp.med.fac. 5ª.52.D
Eryſipelatis curatio per tempora.1°.de comp.med.per gene. 5ª.212.A
in Eryſipelate non ſecabimus venam,ſed medicamentum cholagogū dabimus.14°.meth.med.87.D/2°.de arte cur.ad Glauc. 7ª.102.A
in Eryſipelate dandum medicamentum purgans choleram,poſt phlebotomia facienda,ſi opus eſt.de ocul. 7ª.189.G
Eryſipelate laborantibus damus cholagoga.de dynamidijs. Sp.20.G
Eryſipelatis medicamenta idonea.intro.Iſa.58.A de ocul. 7ª.189.G
Eryſipelata curātia curāt capitis dolorē.2°.de cō.me.ſe.loc.5ª.132.G/H
Eryſipelatis dolor ob caliditatem quo modo curetur. in 6ᵐ. de morbis vulgaribus,comment.6°. 3ª.196.B
in Eryſipelate vincit vacuationis indicationem, refrigerationis indicatio.13°.methodi medendi. 7ª.82.E
Eryſipelatis medicamenta frigidiſſima imponenda.1°.de compoſi.medi. per genera. 5ª.211.H
Eryſipelas non exulceratum iuuat frigus,exulceratum lędit. commentario 5°.aphoriſ.23°. Ex.39.F
Eryſipelas verum aqua frigida ſanandum.9°.meth.med. 7ª.57.F
Eryſipelas aqua ſimplici perfuſum nihil ſentit incommodi.1°. de ſimpli. medic.facul. 5ª.3.A
Eryſipelata vera non iuuantur à calidis.10°.de ſimp.med.facul.5ª.75.E
Eryſipelas non eſt ſemper refrigerandum, & quanto tempore. 7°. de ſimpl.med.facul. 5ª.52.D
Eryſipelas quando infrigidandum, & quando non.2°.de arte curat.ad Glauconem. 7ª.102.A
Eryſipelas non refrigerandum immodice.3°.de ſimp.me.fac. 5ª.21.B
Eryſipelata nō vehementer infrigidanda, nec aſtringenda.2°.de art.cu. ad Glauconem. 7ª.103.H
Eryſipelas amplius refrigerādū,ǭ phlegmone.14°.meth.med. 7ª.87.D
in Eryſipelate quātū refrigerandū.13°.meth.med.82.C/14°. 7ª.87.D
Eryſipelatoſi affectus quomodo refrigerandi.de marc. 3ª.48.A
pro Eryſipelate coriandrum cum polenta.14°.meth.med. 7ª.87.E
Eryſipelas nō curatur pane & coriandro.7°.de ſimp.med.fac. 5ª.52.D
in Eryſipelate quando ſuperponendum cataplaſma ex hordei farina. 14°.meth.med. 7ª.87.E
Eryſipelati ex vlcere conuenit cataplaſma ex hordeacea farina. 2°. de arte cur.ad Glauc. 7ª.102.A
Eryſipelati conuenit ceratum humidum.1°.de ſimp.med.fa. 5ª.7.G
pro Eryſipelate ceratum roſaceum,& calx.14°.meth.med. 7ª.87.E
ad Eryſipelata valet infrigidans Galeni.10°.meth.med. 7ª.65.A
Eryſipelatis ob frigus indurati caſus.2°.de arte cur.ad Glau.7ª.104.A
Eryſipelas factum liuidum à refrigerātibus nō eſt amplius eryſipelas. 1°.de comp.med.per gene. 5ª.212.A
Eryſipelas non eſt qñ ceſſat inflammatio.7°.de ſimp.med.fac. 5ª.52.D
Eryſipelas denigratū quo modo curādū.1°.de com.me.per ge. 5ª.112.A
Eryſipelas cum inflammatione quo modo curandum. 2°. de arte curat. ad Glauconem. 7ª.102.A
ad Eryſipelata phlegmonode quo medicamento vtatur Galenus.1°.de comp.med.per genera. 5ª.211.G
Eryſipelati quando imponenda aqua calida,aqua marina,muria,acetū, oxalme.14°.meth.med. 7ª.87.E

Eryſipelata iuuat

Eryſipelata iuuat radix Anchuſæ onocleæ cũ polenta illita.6°.de ſimpl. medicamen.facul. 5ª.41.D
ad Eryſipelata mediocria competit Auricula muris. 6°. de ſimp. med. facultatibus. 5ª.42.D
Eryſipelata ſanat Braſſica.7°.de ſimp.med.fac. 5ª.52.G
ad Eryſipelas valet ſuccus Centaureæ.de virt.cent. Sp.93.E
Eryſipelatodeis phlegmonas curat Cotyledon.7°.de ſim.me. fa.5ª.52.F
Eryſipelata phlegmonode curat cotyledon.7°.de ſimp.med.fac. 5ª.52.F
ad Eryſipelata quidam vſi ſunt Cupreſſo.7°.de ſimp.med.fac. 5ª.53.G
ad Eryſipelata valet Glaucium.14°.meth.med. 7ª.87.G
ad Eryſipelata leuia idonea eſt Lactuca.6°.de ſimp.med.fac. 5ª.48.E
Eryſipelata iuuat Polygonon.8°.de ſimp.med.fac. 5ª.68.H
Eryſipelata ſanat Rhamnus.8°.de ſimp.med.fac. 5ª.59.E
ad Eryſipelata accommodatur Semperuiuũ.6°.de ſimp.me.fa. 5ª.41.F
Eryſipelata ſanat ſubſidens craſſum in vrina.10°.de ſimp.me.f. 5ª.75.E
Eryſipelata non ſanant diſcutientia liuidas & duras partes.6°.de com. med.ſec.locos. 5ª.176.H
in Eryſipelate non danda calida & diſcuſſoria. 7°. de compoſit.medica. ſecundum locos. 5ª.176.H
Eryſipelati balnea obſunt.de marc. 3ª.48.A
Eryſipelati nocet lac.com.5°.apho.64°. Ex.44.F
Eryſipelas auget oleum.2°.de ſimp.med.fac. 5ª.15.B
Eryſipelatis oleum commodum.1°.de comp.med.per ge. 5ª.211.G
Eryſipelas patientibus dari non debere vinum, collige.8°. de comp.me. ſecundum locos. 5ª.194.F
ab Eryſipelatoſo affectu hectica oritur, & maraſmus, & quando.de marcore. 3ª.47.H
Eryſipelatoſa affectio in ſolo ventriculo non facit febrem hecticam, & quare.de marc. 3ª.47.H
Eryſipelas pulmonis quibus indicijs deprehendat.4°.de lo.af. 4ª.27.H
Eryſipelatis iecoris notæ.5°.de locis affect. 4ª.33.D
Eryſipelati ſimilis diſpoſitio in vtero poteſt eſſe cauſa paucitatis menſtruorum.com.5°.aph.57°. Ex.43.A
Eryſipelas ſi ſit in vtero mulieris grauidæ, letale eſt.commen. 5°. aphoriſmo 43°. Ex.41.E
Eryſipelata vteri non iuuat ſternutatio.com.5°.apho.35°. Ex.40.F
Eryſipelas facit aborſum.com.5°.apho.45°. Ex.41.G
Eryſipelas in veſica eſt cauſa ſtillicidij vrinæ.cõ.3°.apho.16°. Ex.23.D
ad Eryſipelata ex Agathocle.5°.de comp.med.per genera. 5ª.252.A
ad Eryſipelata medicamentum quo vtitur Galenus. 5°.de compoſi.medicam.per gene. 5ª.252.D
ad Eryſipelata bonus paſtillus.5°.de comp.med.per genera. 5ª.252.D
ad Eryſipelata alius.5°.de comp.med.per genera. 5ª.252.D
ad Eryſipelata.8°.de com.med.ſec.loc.193. A/5°. de comp. medic. per gen.248.G/251.F/5ª.252.E/3°.de med.fac.par. 7ª.172.A
ERYTHRAICVM. ſatyrium.de ſimp.med. Sp.91.C
ERYTHRIACA philoſophia à quo cognomen habuit. de hiſtoria philoſophica. Sp.2.F
ERYTHRODANVM. 6°.de ſimp.med.fac. 5ª.47.F
Erythrodanum quid, & eius vires.de ſimp.med. Sp.84.B
Erythrodani radix ad quid valeat.de cura icteri. Sp.111.B
Erythrodanum diureticam habet radicem.de ſimpli.medi. Sp.84.B
Erythrodanum lachrymam oculorum ſtringit.de ſimp.med. Sp.84.B
Erythrodanum ad dyſentericos facit.de ſimp.med. Sp.84.B
ERYTHROS adſpergitur cibis.11°.de ſimp.med.fac. 5ª.81.E
Ἐρυθροειδὴς quid.introd. Iſa.54.E
Erythroidis inflammatæ pulſus.4°.de præſag.ex pulſ. 4ª.121.E
Eσχαρα. 1°.de ſimplicium medicamentorum facultatibus. 5ª.5.F
Ἔσχαρα.5°.meth.med. 7ª.30.D
Eſcharæ nomine æſtus appellatur.com.7°.apho.13°. Ex.54.H
Eſcharam quæ faciant.5°.meth.med. 7ª.30.D
Eſcharæ ab acribus fiunt.de atten.vic. 2ª.43.G
Eſcharas efficiũt, ſory, chalcitis & miſy.9°.de ſim.me.f. 70.D/5ª.71.E
Eſcharam facientia medicamenta trahunt.13°.meth.med. 7ª.82.D
ad Eſcharas pariſthmiorum confert ſuccus centaureæ. de virtu. centaureæ. Sp.93.D
Eſcharoſum vlcus eſt anthrax, ideſt carbo.com.6°.aph.45°. Ex.51.F
ESCHILI libri quantum pignorati.in 3^{m}.de morbis vulgaribus, commentario 2°. 3ª.137.A
ESCVMINATA herba.de dynamidijs. Sp.31.B
ESDRA antidotus in cephalæ.de dynamidijs. Sp.23.C
ESOTERICVM quid.3°.de decre.Hippo. 1ª.243.F
ESSE, potius quã videri doctos qui voluerint paucos admodum fuiſſe tempore Galeni.2°.meth.med. 7ª.12.D
de Eſſentia dici poteſt quid ſit res.ad Thraſy. 2ª.101.F
Eſſentiam ſuam quędam habent in motu.2°.meth.med. 7ª.10.B
Eſſentiam ſuam quædam habent in conſtantia.2°.meth.med. 7ª.10.B
Eſſentia partis cuiuſque debet ex anatome cognoſci.1°.de loc.aff. 4ª.3.E
Eſſentia oculi quæ.1°.de decre.Hipp.& Plat. 1ª.233.E
Eſſentia rei primo requiritur quàm qualitas.3°.de dign.pulſ. 4ª.81.H
Eſſentiæ proprietatem obtinent res admiſcentes.1°.de lo.aff. 4ª.2.F
Eſſentiæ, modi, mores, & differentiæ febriũ idẽ. in 1^{m}.de morb.vulgar. comment.3°. 3ª.120.A
Eſſentię proprietas eſt indicium partis affectæ.6°.de loc.aff. 4ª.39.B
in Eßentia propria noſcenda omnis affectionis prouidentia conſiſtit.5°. de ſan.tuen. 2ª.92.H
Eſſentiæ an aliquid excernatur, & per quem meatum vacuentur excrementa affectę partis conſiderandum.2°.de loc.aff. 4ª.13.D
Eſſentialis definitio.4°.de diff.pulſ. 4ª.64.G
ESTREATICVM petroſelinum.1°.de antid. 5ª.106.H
non ESVRIRE finis eorum quę poſſidentur. de cogn. cur. animi morbis. 2ª.54.F
ob Eſuritionẽ pulſus durus in ephemeris cõtingit.1°.de dif.feb. 3ª.34.C
ad Eſum dentes hominum ſolum idonei.11°.de vſu par. 1ª.184.H
de Eſu ſomnium quid ſignificet.de præſag.ex inſom. 4ª.213.D
Ἑτερογενὲς ſubſtantiæ.7°.de ſimp.med.fac. 5ª.54.G
Ἑτερόῤῥοπεῖς quid.de vict.rat.in morb.acut.com.4°. 7ª.141.D
ETESIAE quæ.de hiſt.philoſo. Sp.8.B
Eteſiæ, & prodromi differunt.in 6^{m}.de mor.vulg.com.3°. 3ª.141.D
Eteſiæ quando regnent.in 1^{m}.de morb.vulg.com.1°. 3ª.103.B
Eteſiæ circa canem ſpirant.in 1^{m}.de morb.vul. 3ª.108.E
Eteſiæ quando inflare incipiunt, & quando impediuntur, multa mala. com.3°.apho.11°. Ex.21.C
Eteſiæ auferunt morboſum ſtatum.in 3^{m}.de morb.vulg.cõ.3°. 3ª.147.C
Eteſiæ paucæ.paruæ.in 1^{m}.de mor.vul.com.1°. 3ª.104.A
Eteſiæ perpetuo æſtate ſpirarunt. in 1^{m}.de morb.vulga.cõ.1°. 3ª.107.G
Eteſiarum fit mentio.de cauſ.procatar. 3ª.96.A
ETHICARVM & diariarum differentia.9°.meth.med. 7ª.56.F
Ethicas febres facit inedia.10°.meth.med. 7ª.63.E
Ethicam febrem incipientem nouit Galenus cum putrida. 10°. methodi medendi. 7ª.64.F
Ethicæ in habitu calorem habent.8°.meth.med. 7ª.55.E
Ethici caliditas, qualis.1°.de diff.feb. 3ª.34.G
Ethici non tendebant ad tabem in peſtilentia tempore Galeni.2°.de differ.feb. 3ª.36.A
Ethicę, & maraſmi in quibus fiant viſceribus.10°.meth.me. 7ª.64.F
Ethici tabidi pulſus.1°.de diff.feb. 3ª.34.G
ad Ethicam ſenectutis.ſecretorum. Sp.109.H
ETHMOIDE oſſa, id eſt cola dicta, olfactum auferunt quo modo.3°. de locis affectis. 4ª.21.D
ETNOS quid ſit.de bon.& vit.ſuc. 2ª.36.F
Ἔτνος quid ſit.de atten.vic. 2ª.44.F
Ἔτνος cibus ex faba liquidus.1°.de ali.fac. 2ª.13.G
Etnos fabaccum etiam ſi per triduum coxeris, eſt flatuoſum.de vic.ra. in morb.acut.com.1°. 7ª.112.A
Etnos ex lente.de vict.rat.in morb.acut.com.4°. 7ª.149.B
Etnos ex panico & milio debet recipere pinguia & habentia in ſe lentorem.de bo.& vit.ſuc. 2ª.36.F
ETYMOLOGIA probabat Chryſippus argumenta. 2°. de decretis Hippocratis. 1ª.234.D
Etymologia non poteſt probare.2°.de decre.Hipp. 1ª.234.E
Etymologia quid parum probat.2°.de decre.Hippo. 1ª.234.E
Etymologia vtentes Galenus reprehendit.2°.de decre. 1ª.234.E
ab Etymologia argumenta propinqua ſunt captioſis. 2°. de decretis Hippocratis. 1ª.235.H
EVACVATIONEM oẽm ſolet Hippocrates ab euentu nominare vaſorum inanitionem.com.1°.apho.2°. Ex.3.C
Euacuatio de quibus dicatur.in 6^{m}.de morb.vul.com.3°. 3ª.170.C
Euacuatio eſt contraria plenitudini, & non alicui morbo. de optima ſecta. Iſa.25.F
Euacuatio eſt indicatio febris in humoribus accenſæ.ars med. Iſa.79.E
Euacuari eſt quaſi genus ad purgandum.com.1°.apho.2°. Ex.3.C
Euacuatio & purgatio qũo differant.in 1^{m}.prorr.com.3°. 4ª.182.A/ commen.2°.

commen.2°.apho.17°. Ex.13.D

Euacuationis artem Hippocraticam promittit declarare Galenus.de venæ ſect.aduerſ.Eraſ. 6ª.7.A

Euacuationes quæ, & vnde, & quare.com.4°.apho.2°. Ex.27.D

Euacuationis ſpecies.ars med. Iſa.69.E

Euacuare quo modo.de conſt.ar. Iſa.42.E

Euacuantur materiæ quot modis & per quas vias.in 6ᵐ.de morb.vul. com.2°.3ª.160.G/1°.de arte cur.ad Glauco. 7ª.98.D

Euacuationes propriæ vnde aſſumuntur.ars med. Iſa.71.E

Euacuationes communes, quæ.ars med. Iſ.71.E

Euacuationes omnes quomodo fiant.com.4°.aph.2°. Ex.27.D

Euacuationes oẽs p quas fiãt ptes.de vic.ra.in mor.ac.cõ.4°. 7ª.144.G

Euacuatio quorum fiat, & per quæ loca.com.1°.apho.21°. Ex.10.A

Euacuatio fit p venæ ſectionẽ, & p medicamẽtũ.c.6°.aph.47°.Ex.52.B

per quæ Euacuetur totum corpus.in 6ᵐ.de morb.vulg.cõ. 2°. 3ª.166.F/ de comp.med.ſec.loc. 5ª.149.F

Euacuatio totius corporis ęqualiter per quæ fiat, & à quibus non æqualiter.com.4°.apho.2°. Ex.27.D

Euacuatio exquiſita omniũ humorum æqualiter fit per venæ ſectionem, com.2°.apho.17°. Ex.13.E

Euacuat à toto vena quælibet.de venæ ſect.aduer.Eraſ. 6ª.12.D

de Euacuatione ſanguinis librũ fecit Eraſiſtratus.5°.de lo.aff. 4ª.30.A

Euacuat q̃nq; totũ corpus p vterũ, q̃nq; per renes.6°.de lo.af. 4ª.41.D

Euacuationẽ prohibet vteri cõtorſio de venæ ſect.aduer.Eraſ. 6ª.6.G

Euacuatio menſtrua non ſinit mulieres eſſe podagricas. commentar.6°. aphoriſmo 29°. Ex.49.E

Euacuationis ſpecies eſt foetura.de venæ ſect.aduer.Eraſ. 6ª.6.H

Euacuatio quando inæqualis, & quando æqualis. de vict.rat.in morb. acu.commen.2°. 7ª 158.B

Euacuatio inæqualis, quæ.quos.purg.opor. 5ª.89.C

Euacuationem eſſe æqualem, vbi morbus per totum corpus animalis extenditur, collige.com.4°.apho.37°. Ex.32.B

Euacuatio naturalis, ſtercoris, vrinæ, & genituræ.in 6ᵐ.de morb.vul. commen.3°. 3ª.173.H

Euacuatio p pharmaca purgatoria qualis ſit.com.4°.apho.2°.Ex.27.D

Euacuatiua q̃nq; medicina partis alicuius.cõ.4°.apho.2°. Ex.27.D

q̃uo Euacuent medicamẽta tardius, & citius diuerſos humores.de vic. rat.in morb.acut.com.2°. 7ª.118.A

Euacuatio per ſputum fit in morbo laterali.com.5°.apho.8°. Ex.38.B

cur Euacuationi per hæmorrhoidas non eſt aſſueſaciendum.commẽ.4°. aphoriſmo 25°. Ex.30.B

Euacuatio per balnea parũ euacuat, & quantũ.cõ.3°.aph.15°. Ex.22.G

Euacuatio fit à calore etiam extrinſeco.com.5°.apho.22°. Ex.39.E

Euacuatio inſenſibilis.1°.de ſan.tuen. 2ª.68.H

Euacuatio inſenſibilis, ſemper fit.in prog.com.1°. 4ª.191.F

q̃ñ Euacuantur corpora per ſenſui occulta foramina, ad hoc deueniunt vt egeant alimento.com.1°.apho.15°. Ex.8.D

Euacuatio, primum ſymptoma oris ventriculi inter ea, quæ ad cibum potumq́; proritant.1°.de ſymp.cauſ. 3ª.18.A

Euacuatorum appetentia naturalis ſecundum ſymptoma oris ventriculi pro fame inducenda.1°.de ſympt.cauſ. 3ª.18.A

Euacuatio in ſuperficie eſt defectus cauſa.de venę ſect.adu.Er. 6ª.9.A

Euacuat raritas cutis non inedia.de venæ.ſect.aduer.Eraſ. 6ª.9.A

Euacuent quomodo inedię.de venę ſect.aduer.Eraſ. 6ª.9.B

Euacuat per accidens abſtinentia cibi.14°.meth.med. 7ª.83.A B

Euacuatio læuiſſima, inedia.de venæ ſect.aduerſ.Eraſ. 6ª.8.C

neq; Euacuat, neq; nutrit inedia.de venæ ſect.aduer.Eraſ. 6ª.8.H

non Euacuare inediam ſolam, & cum alijs iunctã plus obeſſe, q̃ prodeſſe.de venæ.ſect.aduer.Eraſ. 6ª.9.B

quomodo Euacuat vinum.com.6°.aph.31°. Ex.49.F

non Euacuat humores aqua frigida.11°.meth.med. 7ª.70.H

ex Euacuatione ex longa inedia famem nõ tollit vini potio, immo ſi quis ex tali cauſa euacuatus bibat ante cibum, ſtatim incidit in conuulſionem aut deliria.com.2°.apho.21°. Ex.14.H

Euacuandum eſt quandoque ſcalpello.i.ſmilio.de cucur.ſcar. 6ª.4.A

Euacuatione ex crure facta curauit iſchiadas.erat iſchias non ex frigore, ſed ex repletione.de curan.rat.per ſang.miſſ. 6ª.20.F

Euacuandum quandoque eſt hirudinibus.de cucur.ſcar. 6ª.4.A

Euacuatis corporibus cucurbitulæ ſunt vtiles.de cucur.ſcar. 6ª.3.B

Euacuatũ ſi nõ ſit ſatis, cucurbitulæ ſunt replicãdæ.de cucu.ſca. 6ª.3.D

Euacuari poteſt hepar per ventoſam.de cura icteri. Sp.110.H

Euacuari non poteſt ſplen per ventoſam.de cura icteri. Sp.111.A

Euacuatio ſolet ſequi rigorem.com.4°.apho.46°. Ex.32.H

Euacuatio ſi non ſequatur rigorem, notat virium imbecillitatem, ſi ſequitur, debilitat vires.com.4°.apho.41°. Ex,32.H

Euacuationum omnes ſpecies quibus faciendę.quos purg.opor. 5ª.88.F

pro Euacuatione faciẽda quę cõſiderãda.2°.de ar.cur.ad Gla. 7ª.101.F

Euacuatio quando facienda eſt. quæ conſideranda.in 6ᵐ.de morb.vulg. commen.2°. 3ª.166.E

ad Euacuationes dignoſcendas conferentia.com.4°.apho.2°. Ex.27.G

Euacuationis intentio vnde ſumenda ſm aliquos.de multit.3ª.76.D/cõment.4°.apho.2°. Ex.27.G

Euacuationis indicatio à morbi magnitudine, & vi accipitur. 4°.methodi medendi. 7ª.28.E

Euacuare quando oporteat, & quæ debent præcedere euacuationem, et qui ſint apti vt euacuentur.com.1°.apho.24°. Ex.10.F

Euacuationem duo antecedere debent.commen. 4°. aphoriſ.22°.29.G/ aphoriſmo 23°. Ex.29.H

añ Euacuationem non eſt rarefaciendum corpus.11°.meth.me. 7ª.69.G

añ Euacuationem læduntur pleuritici, ſi acceperint vinum, mulſam, aut oxymeli.de vict.ra.in mor.acu.com.1°. 3ª.114.B

Euacuatio pręſeruatiua quæ vocetur.de conſuetud. 2ª.62.A

Euacuari debent qui futuri ſunt ægri, tamen nondum ſunt, vt pręſeruentur.com.6°.apho.47°. Ex.52.B

Euacuauit multos Galenus vere, aliquos vere & autumno, quos præſeruauit à morbis, cũ tñ alijs annis ęgrotarẽt.c.6°.apho.47°. Ex.52.C

Euacuatione opus eſt in vtraque plenitudine.de curandi ratione per ſanguinis miſſionem. 6ª.16.H

Euacuandi ſunt qui poſt morbum non appetunt. com. 2°.aphor.8°.11.H/ aphoriſmo 12°. Ex.12.D

Euacuatione indigere corpus ſignificat, ſi cui cibum non accipienti ſudor multus ex ſomno fiat.com.4°.apho. 41°. Ex.32. D/pręſagium experientia confirmatum. Sp.77.G

Euacuatio quibus neceſſaria laſſitudinem habentibus.de curandi ratione per ſanguinis miſſionem. 6ª.17.C

Euacuatione indiget, ſi quis à morbo cibum aſſumens non corroboratur. com.2°.apho.8°.11.H/com.7°.aph.63°. Ex.59.H

Euacuare ſuperfluas humiditates ſemper neceſſarium eſt. comment.7°. aphoriſmo 61°. Ex.59.F

Euacuandæ partes alimenti quæ ſint.com.3°.aph.15°. Ex.22.H

Euacuandus ſemper humor noxius & non alius, & q̃uo cognoſcatur an noxius fuerit euacuatus, & non alius.com.1°.apho.2°. Ex.3.D

Euacuationes humorum infeſtantium duntaxat fieri debent.commẽ.6°. aphoriſmo 47°. Ex.52.B

Euacuandus eſt humor quando adeſt, alioqui ſi noxiũ humorem nõ reperiãt medicamẽta, ſanguinẽ colliquãt & carnem.quos pur.op.5ª.88.B

Euacuandum eſſe poſtq̃ venam ſecueris iubet Poſſidonius in melãcholia, vbi indigeas ſanguinis eductione.de mel.ex G.R.& Poſſ.Sp. 109.H

Euacuandum eſſe per vrinam vel per ſeceſſum notat vrina magis bilioſa.de vrinæ ſignificatione ex Hippo. Sp.79.D

Euacuationis viæ.7°.meth.med. 7ª.49.C

in Euacuando, partis natura, & humoris inclinatio conſideranda eſt. c.1°.aph.21°.10.A/cõ.4°.apho.2°.29.D/cõ.6°.apho.22°. Ex.48.E

Euacuationes facere oportet ſecundum humorum infeſtãtium inclinationes, & neq; ſupra ſeptum tranſuerſum dolores per ſubducentia medicamẽta euacuare, neque infra conſiſtentes per vomitiones.com.4°. aphoriſmo 18°. Ex.29.B

ad Euacuationes multum facit ſitus.7°.meth.med. 7ª.49.D

Euacuandum humorem, & locum per quę euacuari debeat, docet morbi conditio.quos purg.opor. 5ª.88.F

Euacuationis modum quonam modo acceſſiones oſtendant.quos purg. opor. 5ª.88.F

Euacuandi modum dat locus affectus.13°.meth.med. 7ª.82.A

Euacuatio per quas vias bona, & per quas mala.c.1°.ap.21°.Ex.10.A

Euacuandum à quibus partibus ſit, & a quibus nõ.7°.met.me.7ª.49.B

Euacuare plene à quibus partibus licet.7°.meth.med. 7ª.49.B

Euacuare plene nõ licet ex ventriculo, & iecinore.7°.met.me. 7ª.49.B

Euacuandi non ſunt humores per vomitum, aut per ſeceſſum, quãdo ſunt euacuandi per cutim.in 6ᵐ.de morb.vulg.com.2°. 3ª.165.G

in Euacuando naturam imitari debemus.com.4°.apho.2°. Ex.27.C

Euacuat per quæ loca natura.com.2°.apho.15°. Ex.12.F

Euacuatio quando permittenda tota naturæ, & quando non.commentario.1°.apho.20°. Ex.19.G

Euacuationem natura abſoluente nos ſiſtere debemus & quando medicus debeat

cus debeat euacuare, & quando non. quos purg. opor. 5ª.89.A
Euacuari per multa loca poteſt ſanguis. com. 4°. aph. 2°. Ex.27.D
Euacuatio per nares eſt innocua. com. 1°. apho. 21°. Ex.10.A
Euacuatio per ſuperius eſt contraria ei quæ eſt per inferius. commentario. 4°. apho. 9°. Ex.28.C
Euacuatio per inferiora quo modo fiat. in 6m. de morbis vulgaribus, cõmentario 2°. 3ª.166.F
Euacuetur per quas vias corruptum. 11°. meth. med. 7ª.69.F
Euacuatio aut per ipſam partem patientem, aut retrocedẽtem ſuperfluitatem. ars med. Iſa.70.F
Euacuatio per eundem locum quo modo. ars med. Iſa.70.F
Euacuatio quæ eſt ſignum bonũ & quæ malũ. cõ. 4°. apho. 2°. Ex.27.G
Euacuationis bonæ & malæ indicia. com. 4°. apho. 2°. Ex.28.C
Euacuatio debet ſequi coctionem & diſcretionem, ſi bonum dedit iudicium. com. 4°. aph. 22°. Ex.22.G
Euacuatio quæ fit in principio, non eſt naturæ ratione. commentario 4°. aphoriſmo 22°. Ex.29.G
Euacuari non contingit bene, quando humores ſunt crudi. commentario. 4°. aphoriſmo. 22°. Ex.22.G
Euacuatio eſt bona, concocta materia. com. 4°. apho. 22°. Ex.29.G
Euacuandum non eſt ante coctionem, niſi materia turget. commenta. 1°. apho. 22°. Ex.10.B
ante Euacuationem digerẽdi ſunt humores craſſi. quos purg. op. 5ª.88.D
Euacuare ante coctionem quid mali faciat. in 6m. de morb. vulg. com. 1°. 3ª.156.B/quos purg. opor. 5ª.88.D
Euacuandum an ſit, et quando, ſi humores ſint crudi. de curan. ratio. per ſang. miſſionem. 6ª.18.E
Euacuatio cauenda eſt in acutis, præſertim quando ignoramus ægrotantis naturam. quos purg. opor. 5ª.89.A
Euacuandum die prima in peracutis, ſi materia turget. commẽtario 4°. aphoriſmo. 10°. Ex.28.C
Euacuandũ ante quartũ diem in comate. in 1m. prorrh. com. 1°. 4ª.164.E
Euacuãdi q ſint humores in morbi principio. cõ. 1°. apho. 22°. Ex.10.B
Euacuãdi in principio morbi, tenues & aquoſi humores, multa facta coctione. quos purg. opor. 5ª.88.F
Euacuatio ſcopus eſt humoris collecti in loco. 1°. de com. me. ſ. l. 5ª.121.F
Euacuandus quo modo ſit humor in cute. 1°. de com. me. ſec. lo. 5ª.121.F
Euacuetur per quæ caput. 3°. de com. me. ſec. loc. 5ª.149.F
in Euacuãdo qđ eſt in partibus penitioribus, qd agẽdũ. ars me. Iſa.70.G
Euacuanda quo modo ſint quæ ventris tunicis inhærent. de ijs quæ in medic. fiunt, com. 3°. 7ª.221.B
in Euacuatione tũ quæ à medico fit tũ quæ à natura, vt qualitatẽ pro humoris moleſtantis ratione vacuati, ita quantitatem multitudine moleſtantis humoris reſpondere oportet. com. 1°. apho. 23°. Ex.10.C
Euacuationis qualitas in quo conſiſtat. com. 1°. apho. 2°. Ex.3.C
Euacuationis humorum ſua qualitate infeſtantium exemplum. commentario 1°. apho. 2°. Ex.3.D
Euacuationis quantitatis intentio. com. 1°. apho. 3°. Ex.3.B
Euacuationis quantitas quæ ſit, & in quo conſiſtit. cõ. 1°. aph. 3°. Ex.3.E
Euacuare quouſq; oporteat ægrum. 1°. apho. 3°. Ex.3.E
Euacuationis quantitas virtutem, & humorem reſpicit. commenta. 1°. aphoriſmo 3°. Ex.3.E
Euacuationis menſura ſingulorum hominum neutiquam preſcribi poteſt. de preſag. exper. confir. Sp.78.A
Euacuatio per pharmaca non debet fieri ſæpe, nec bis, nec ſemel in mẽſe. com. 4°. aph. 15°. Ex.22.G
Euacuatio per pharmaca quæ ſæpe fit, trahit corpora in malam conſuetudinem. com. 4°. apho. 15°. Ex.22.G
Euacuationibus quibus non videntur indigere corpora propter conſuetudinem. de conſue. 2ª.61.H
ex Euacuatione in calidis conſtitutionibus quidam periere ex animi defectu, & ex diſſolutione. 1°. de ar. cur. ad Glauconem. 7ª.98.C
Euacuati in frigidis conſtitutionibus, nimium refrigerati, non poſſunt tolerare. 1°. de arte cur. ad Glauco. 7ª.98.C
Euacuandum non eſt in locis ſupra modum calidis, & frigidis. 1°. de arte cura. ad Glauconem. 7ª.98.C
Euacuandum non eſt ſi loca calida, & tempus conſentiat, quòd ſi vnũ ſolum ſit tale, parum euacuandum. 1°. de arte cur. ad Glauco. 7ª.98.C
in Euacuatione conſideranda facilitas ferendi ægrotantis. 1°. de arte curat. ad Glauconem. 7ª.98.C
ab Euacuationibus plenis offenduntur calidi & ſicci. 1°. de arte curat. ad Glauconem. 7ª.98.D
ad Euacuationes & ad alia non parui momẽti eſt conſuetudo. quos purg opor. 5ª.88.E/de arte cur. ad Glauco. 7ª.98.D
Euacuatio quibus facienda eſt ratione habitus corporis. 1°. de arte curatiua ad Glauconem. 7ª.98.D
Euacuandi non ſunt craſſi, & macilẽti. 1°. de arte cur. ad Glau. 7ª.98.D
Euacuandi quo modo temperantes & intemperantes. de curandi ratione per ſang. miſſionem. 6ª.18.E
Euacuationibus non iuuantur intemperantes vinoſi & gulæ dediti. de cur. rat. per ſang. miſſ. 6ª.17.F
Euacuatio debet fieri per directum, & quo modo hoc intelligendum. 3°. de criſi. 4ª.139.E
in Euacuationis ſucceſſione prius it tenuiſſimum & leuiſſimum, q̃ grauius & craſſius. 3°. de nat. fac. 1ª.307.F
in Euacuationibus quæ fiunt per inſtrumenta, leue præcedit, & graue ſequitur. 7°. de vſu par. 1ª.159.F
Euacua primo ſubtilia, poſt euacua parum, deinde mediocriter, deinde fortius. de med. exper. Sp.108.H
Euacuationes ita magnę fieri debent, vt morbi ſunt magni. de cucurbitulis & ſcarificatione. 6ª.3.H
Euacuatione multa opus eſt, vbi excrementa multa ſunt. 2°. de cauſis pulſuum. 4ª.95.B
Euacuare plurimum atq; repente periculoſum eſt. com. 2°. aphoriſ. 51°. Ex.19.C/de vict. rat. in morb. acut. com. 1°. 7ª.112.E
Euacuatio niſi paulatim fiat, vires proſternit. in 6m. de morbis vulgaribus, com. 3°. 3ª.70.G
Euacuatio & repletio præter modum, noxia. in 6m. de morb. vulgarib. commen. 3°. 3ª.170.H
Euacuatio modum excedens, peſſima. de venæ ſect. adu. eraſ. 6ª.7.H
Euacuationes extremę, periculoſæ. com. 1° aph. 3°. Ex.5.E
Euacuatio ſupra modum conuulſionem facit. com. 5°. aph. 1°. 37. D/com. 7°. aphoriſmo. 25°. Ex.55.G
Euacuationis omnis immodicæ defectus animi cõmunis eſt caſus, cõuulſio vero & ſi non communis exiſtit, ad plurima tamen ex ipſis conſequitur. com. 5°. apho. 56. Ex.42.H
ex Euacuatione nimia & repletione ſemper fit conuulſio. 8°. de compo. med. ſec. loc. 5ª.190.E
ex Euacuatione conuulſio letalis eſt. commen. 4°. aph. 57°. 33. F/com. 7°. aphoriſmo 25°. Ex.55.G
ex Euacuatione nimia an fiat ſingultus. 8°. de com. me. ſec. loc. 5ª.190.E
Euacuatio nimia parit in cute affectũ. in 6m. de mor. vul. cõ. 3°. 3ª.176.H
quæ Euacuationes plurimas operationes impediant. commentario 6°. aphoriſmo 47°. Ex.15.B
Euacuationes fortes morbos efficiunt. com. 2°. apho. 22°. Ex.15.B
ob Euacuationẽ fit imbecillitas. de vict. ra. in mor. ac. cõ. 2°. 7ª.123.G
Euacuationes quæ vires imbecillitant, quales ſint. de vict. rat. in morbis acutis. com. 2°. 7ª.123.H
Euacuatus humor qui ſitim faciat, & qui non. cõ. 4°. aph. 19°. Ex.29.C
ab Euacuatione non poſſe fieri morbum aliqui exiſtimarunt, qui reprehenduntur. com. 2°. aph. 22°. Ex.15.B
Euacuationes diuturnæ quæ vel ex ventris profluuio, vel inteſtinorum læuitate, aut dyſenteria, aut diuturnis vomitibus, aut tali alia cauſa proueniunt, ſiccitatem faciunt. 1°. de diff. feb. 2ª.34.D
ex Euacuatione ſemper ſequitur attenuatio, non tamen ſemper laxatio. de ijs, quæ in me. fiunt, com. 3°. 7ª.215.G
Euacuationes extenuant corpora. com. 2°. apho. 28°. Ex.16.D
Euacuata quæ intenta relaxentur. de ijs. quæ in med. fi. com. 3°. 7ª.215.G
Euacuationes vſq; ad animi defectum intelliguntur tam in emiſſione ſanguinis, quàm in exhibendo pharmacum vt magis conuenit. com. 1°. aphoriſmo 22°. Ex.10.E
Euacuatiões vſq; ad animi defectũ ꝓſunt multũ. c. 1°. aph. 23°. Ex.10.E
Euacuatio vſque ad animi defectũ quòd quandoque fieri debet, & quando. com. 1°. apho. 23. Ex.10.D
ex Euacuationibus magnis, animi defectus quo modo curetur. de arte curatiua ad Glauconem. 98.H/ 7ª.99.F
ex Euacuationibus magnis, diſſolutiones curat vinum aqua temperatũ. 1°. de arte cur. ad Glauc. 7ª.98.H
ex Euacuatione & ꝓfluuio ſanguinis ſuffocatio. 1°. de die. dec. 4ª.146.F
ex Euacuatione quando moritur homo, quo modo humores euacuantur. 2°. de elementis. 1ª.9.F
Euacuato vno penitus humore, homo moritur. 2°. de elemen. 1ª.9.F
ex Euacuatione qui periere. 9°. meth. med. 7ª.59.A
in quibus Euacuatur cum malo bonum. 3°. de ſymp. cau. 3ª.26.G

Euacuetur ſi bonus humor quid ſequitur.com.1°.apho.23°. Ex.10.D
ſi Euacuentur ſani,cur exoluantur.com.2°.apho.23°. Ex.17.F
Euacuatio quomodo ſiſtatur.preſag.exper.confir. Sp.78.C
in Euacuatione qñ aliquid relinquitur quid agendum.ars me. Iſa.70.G
Euacuatio in quibus morbis fiat cum errore prius ſanguinis miſſione.de vict.ratio.in morb.acu.com.4°. 7ª.137.B
Euacuatione non indiget febris cum ventris profluuio,aliter obeſt.de arte cura.ad Glauco. 7ª.98.B
Euacuantia & non calefacientia quæ accipienda pro febre. 11°.methodi medendi. 7ª.69.G
Euacuationes quę toto genere ſunt pręter naturam, tempeſtiue factæ nõ ſunt præter naturam.de ſymp.diff. 3ª.13.G
Euacuationes quando tempeſtiue fiant.de ſymp.diff. 3ª.13.G
Euacuatio immodica oſtendit futuram ægritudinem.ars med. Iſa.67.F
Euacuatio diminuta oſtendit futuram ægritudinem.ars med. Iſa.67.F
Euacuato corpore Aſclepiades pro remedio extentionum dabat vinũ. com.7°.apho.46°. Ex.57.H
poſt Euacuationem debet dari cremor. de victus ratio. in mor. acutis, commenta.1°. 7ª.113.F
Euacuatio contraria eſt multitudini,& non alicui morbo,vt phlegmonę aut febri.de opt.ſecta. Iſa.25.F
Euacuatio non ſanat morbum ex repletione,ipſa amplius non exiſtente. commen.2°.apho.22°. Ex.15.A
Euacuationem immodicam ſanat immodica repletio.ars med. Iſa.70.D
Euacuari & aggregari vt ſpiritus nihil poteſt. de trem. palp. conuulſ. & rig. 3ª.52.D
Euacuatione qui affectus liberentur non eſt cuiuis medico promptum cognoſcere.contra Iulianum. Ex.71.F
Euacuationis ratione ſolum quandoque aliqua prodeſſe,collige.com.6°. aphoriſmo.16°. Ex 47.G
Euacuatione ſanguinis curatur ſpaſmus & hydrops. de venæ ſect.aduerſ.Eraſ. 6ª.7.B
Euacuationem aliquam in cauſa eſſe poſſe,vt æger quieſcat,collige.commentario 2°.apho.27°. Ex.16.B
ab Euacuatiõe corrigũtur cibi ſupflui recẽter aſſumpti.ars me. Iſ.70.D
ab Euacuatiõe corrigunt̃ potus ſupflui recẽter aßumpti.ars me. Iſ.70.D
Euacuatio ſuperflui iuuat.com.4°.apho.2°. Ex.27.G
Euacuatione dolor ſoluitur.de vict.ra.in morb.acu.com.1°. 7ª.114.A
Euacuatur copioſius in quartana,quàm in pituitoſa febre. 2°. de differẽtijs febrium. 3ª.37.C
Euacuantia,& diſſoluentia.1°.de arte cur.ad Glau. 7ª.100.A
Euacuantes debemus etiam diuertere.com.5°.aph.68°. Ex.45.D
de Euacuatione indicant tumores omnes.14°.meth.med. 7ª.87.C
non Euacuationis,ſed reuulſionis gratia venæ nos quandoq; ſectionẽ facere.in 1m.prorrh.com.3°. 4ª.186.F
pro Euacuatione quæ conſideranda in inflammatione.2°.de arte curati. ad Glauconem. 7ª.101.F
ante Euacuationem in inflammationis principio adſtringentia & refrigerantia.de ſectis. Iſa.18.D
ab Euacuotione principium curationis in phlegmone.de curan.ratio.per ſang.miſſ. 6ª.18.A
Euacuatur & reuellitur inflammatio incipiẽs inueterata ex affectis partibus vel vicinis.de curan.rat.per ſang.miſſ. 6ª.20.H
Euacuatio fieri non debet in fluxionibus , ſed corporis roboratio.de curan.rat.per ſang.miſſ. 6ª.18.A
Euacuatio facta per particulam quę fluxionem ſuſcipit,eſt eiuſdem generis cum deriuatione.de cucur.ſcar. 6ª.4.E
Euacuandę quo modo fluxiones omnes.5°.meth.med. 7ª.30.E
Euacuandum,aut per vicina trahendum fluxione conſiſtente.4°. methodi medendi. 7ª.28.C
Euacuanda aut per partem,aut per vicina fluxio incipiens.4°. methodi medendi. 7ª.28.E
Euacuandum ſemper primo eſt corpus.1°.de com.med.ſec.loc. 5ª.128.D
Euacuandum primo caput corpusq́, ante, quàm aliquid oculis adhibeamus.4°.de comp.med.ſec.lo. 5ª.149.E
Euacuatio totius corporis primum debet præcedere in curatione inflammationis oculorum.com.6°.apho.31°. Ex.49.D
Euacuatio totius debet præcedere.2°.de comp.med.ſec.loc. 5ª.137.C
Euacuari ſtatĩ debet pars ĩflãmata.de vict.rat.ĩ mor.ac.cõ.2°. 7ª.117.G
Euacuanda non eſt phlegmone in principio.de dynamidijs. Sp.20.D
ante Euacuationem obſunt fomẽta calida.in 6m. de morbis vulgaribus, commentario 2°. 3ª.165.G
ante Euacuationem non debent applicari acria medicamenta, aliter faciunt fluxionẽ,& inflãmationẽ.de curan.rat.per ſang.miſ. 6ª.20.D
Euacuatio cur debet præcedere applicationes attrahentium.8°.methodi medendi. 7ª.52.F
Euacuatio & reuulſio fiat in principijs.de cur.ra.per ſang.miſ. 6ª.20.F
Euacuandum in proceſſu à partibus propinquis. de curan. ratione per ſangui.miſſ. 6ª.20.G
poſt Euacuationem in inflammatione laxantia.de ſectis. Iſa.18.D
ab Euacuatione principium curationis in podagra,iſchia,& arthritide. 10°.de comp.me ſecun.loc. 5ª.207.A
Euacuatio per patientem locum quando fieri debet.ars med. Iſa.70.G
Euacuatio per patientem locum quibus indigeat.ars med. Iſa.70.A
Euacuare & partes euacuatas roborare quibus conueniat.7°.de ſimp. med.facul. 5ª.50.F
Euacuatorum robur fit adſtringentibus.7°.de ſim med.fac. 5ª.50.G
Euacuatione indigemus in ſcirrho.5°.de ſimp.med.fac. 5ª.33.E
Euacuare & non prohibere ne iterum fiat , eſt error medicorum.de præcogn.ad Poſthu. 4ª.217.G
ad Euacuandos humores quid prodeſt.8°.de com.med.ſec.loc. 5ª.191.C
Euacuat acrimonia cum dulcedine.7°.de ſimp.med.fac. 5ª.50.F
Euacuantia omnia ſunt calida.1°.de comp.med.ſec.loc. 5ª.121.H
Euacuat rhu ſiccum cum melle.3°.de ſim.me.facul. 5ª.20.A
Euacuatia ſcybalorum.de cathart. Sp.95.D
Euacuatio,lege Purgatio, Purgari, Medicatio, Medicari.
EVADENS *dictum electarium.de med.exper.* Sp.108.E
EVANESCENTIA *ſine ratione praua in.1m. prorrhetici. commentario 3°.* 4ª.179.B
EVAPHION *medicamentũ à lenitudine.9°.de cõp.med.ſe.l.* 5ª.205.C
EVAPORANTES *vires habet laurus.de ſimp.med.* Sp.85.H
Euaporantes vires habet maſtix.de ſimp.med. Sp.87.D
Euaporantes vires habet origanum.de ſimp.med. Sp.88.F
Euaporãte aliquo vti nõ debemus ante euacuationẽ.13°.me.me. 7ª.86.C
Euaporante aqua vinum ſuſpenſum ad ignẽ in vtribus indureſcit in modum ſalis.de vtil.reſp. Sp.64.F
ad Euaporationis ignis reſtaurationem ignitur aer influens per poros cineris.de vtil.reſp. Sp.64.A
Euaporatione maior eſt attractio in parte calida.de vict.ra.in mor.acutis,commentario 2°. 7ª.116.C
Euaporatione ignearum partium ex aere fit aqua.de vir.noſt. Sp.60.B
EVASORIVS *morbus,qui ſin.med.* Iſa.45.C
EVBERBERIS, id eſt coſti.ſecretorum. Sp.102.H
in EVBOEAE *chalcide locus maris ſtrictus. in 6m.de morbis vulgaribus,commen.3°.* 3ª.140.H
EVBVLI *fuſcum.6°.de com.med.per genera.* 5ª.259.C
EVCLIDIS *ſciẽtia qualis.de cuiuſq; ani.pec.not.atq; med.* 2ª.56.C
Euclides in libro elementorum.ad eos,qui de typ.ſcripſ. 3ª.94.G
Euclidis propoſitio.de cuiuſque animi pec.not.atque med. 2ª.56.C
de Euclidis theoremate.8°.de decre.Hip. 1ª.273.E
Euclidis Palatiani theriaca ad dolores internos.2°.de anti. 5ª.116.B
EVCRATON *quando ſit.1°.de tem.* 1ª.14.E
Eucraſia quid ſignificet.2°.meth.med. 7ª.12.F
Eucraſia,& diſcraſia ſenſu iudicantur.1°.de ſa.tuen. 2ª.64.B
Eucraſia duplex,& quo modo ſubdiuidatur.1°.de ſan.tuen. 2ª.64.D
Ἐυχεῤσία *quid.17°.de vſu partium.* 1ª.221.C
EVCHROVM *medicamentum.4°.de comp.med.ſec.loc.* 5ª.153.G
Euchrun emplaſtrum ad lichenas.5°.de comp.med.ſec.loc. 5ª.162.A
EVCHYMA *bonum ſuccũ habentia appellãtur.6°.de ſa.tuen.* 2ª.97.H
Ἐύχυμα *dicuntur quæ boni ſunt ſucci.2°.de ſim.med.facul.* 5ª.12.G
Euchyma quæ ſint.2°.de ſimp.med.fac. 5ª.12.G
Euchymiæ melius eſt vinũ odoriferũ,niſi pcutiat caput.de vri. Sp.76.G
EVDEMVS qua ætate viguit.com.6°.aphor.1°. Ex.46.C
Eudemus inſtaurauit anatomen amiſſam.8°.de decre.Hipp. 1ª.273.B
Eudemus verſatus eſt in anatomia.de nat.hum.com.2°. 7ª.183.D
Eudemus & Herophilus poſt Hippocratẽ de neruorũ anatomia ſcripſere.3°.de locis affectis. 4ª.21.C
Eudemi ſenioris paſtillus.9°.de comp.me.ſec.loc. 5ª.203.B
Eudemi caſus.de præcogn.ad Poſthu. 4ª.214.C
Eudemus habuit tres quartanas.in 1m.de mor.vulg.com.3°. 3ª.120.F
Eudemus philoſophus billioſus,tamen bilem non euomebat. 2°.de temperamentis. 1ª.20.G
Eudemus philoſophus bilem flauam deyciebat.de vict.ra.in morbis acutis,commentario 2°. 7ª.120.D

Εὐδιαπνευστοὺς quos vocant Græci.6°.de ſani.tuen. 2ª.97.C
EVECTICE, id eſt boni habitus ſeruatrix.ad Thraſy. 2ª.106.E
Euectica pars medicinæ pars ſalubris eſt de ſubfig. empi. Iſago. 32. A| ad Thraſy.2ª.106.E|de part.artis med.16.D| Sp.17.E
Euectice magis parua caſtigat.ad Thraſy. 2ª.106.E
Εὐεληκὴς.de vict.rat.in morbis acutis,com.2°. 7ª.124.E
EVELLERE floccos & feſtucas quid.in 1^{m}.pror.com.1°. 4ª.167.A
EVENI ad ſtōi ſubuerſiões doloresq́;.8°.de comp.me.ſec.loc. 5ª.192.G
ab EVENTIS vinculorum nomen.de faſcijs. 7ª.293.H
EVERGETIS Ptolemæi liber epidemiorum.in 3^{m}. de morbis vulgaribus,commen.2°. 3ª.136.F
EVERTI oſtendit omnem quæ eſt ad id quod præter naturam euerſionem rectitudinis vertebrarum.com.4°.aph.35°. Ex.31.F
EVGENII pharmacum.7°.de comp.me.ſe.lo. 5ª.87.A
EVIDENTIA quo euidentia ſint.de cu.animi pec.not. 2ª.59.D
Euidentes res ſenſui aliæ p ſe ĩnoteſcũt,aliæ nõ p ſe.de opt.ſecta. Iſ.19.G
Euidentes cauſæ quæ.introd. Iſa.52.B
Euidentibus ſtandum vbi cauſa non reperitur.2°.de mot.muſ. 1ª.314.H
Euidentiſſimum etiam,ſecundum Carneadem non eſt credendum.de optimo docendi genere. Iſa.30.E
Euidentia negare idem, quod fateri non videri.de trem.pal.con. 3ª.55.C
Euidentibus fidem abrogans ſenſus eſt expers.de mot.muſ. 1ª.314.H
aduerſus Euidẽtia pugnare eſt maxĩa vituperatio.aduer.emp. Iſ.35.C
Euidentibus contraria ſtatuenti quis credat de rebus obſcuris. aduerſus emp.med. Iſa.35.D
Euidentẽ hẽt motũ primus articulus magni digiti 1°.de muſ.di.1ª.49.D
Euidenter vehementerq́; coxendicis dearticulationem mouens muſculus.de muſ.diſſect. 1ª.51.D
EVIRATOS qñ ſe fateant̃ eſſe Scythæ.de aere,aquis, & lo. 2ª.5.H
EVISCERATI qui.3°.de decre.Hippo. 1ª.243.F|H
Εὐήθεις.de vict.ra.in mor.ac.cõ.2°.122.D|de fract.com.3°. 7ª.248.E
Εὐήθες.de vict.rat.in morbis acutis,com.2°. 7ª.124.E
Εὐηθέστατα.de fract.com.3°. 7ª.248.E
Εὐηθέστεραι quid ſignificet.in 1^{m}.pror.com.3°. 4ª.175.F
EVNOMVS Aſclepiades. 5°.de comp.me.per ge. 5ª.253.H
vt Eunomus confectum.5°.de comp.me.per gen. 5ª.254.A
Eunomus.5°.de comp.me.per ge. 5ª.254.A
EVNVCHI plurimi Scythæ. de aere,aquis,& locis. 2ª.5.G
Eunuchos ſectio teſticolorũ ſiles facit fœminis.c.6°.aph.28°. Ex.48.H
Eunuchi hũidi sũt.9°.de ſimp.me.f.5ª.69.F|cõ.6°.aph.28°. Ex.48.G
Eunuchi molles.4°.de comp.me.per gen. 5ª.236.F
Eunuchi humidi & molles.6°.de comp.me.ſe.lo. 5ª.176.F
Eunuchi & mulieres habent ſimilem pueris cuticulam mollem.1°.de cõpo.med.ſec.loc. 5ª.123.B
Eunuchis capitis cutis humida.in 6^{m}.de morb.vul.com.3°. 3ª.170.A
Eunuchi caſus in polypo,qui nihil poterat ferre,& roſis ſanatus eſt.3°. de comp.me.ſe.lo. 5ª.148.F
in Eunuchis vehemens refrigeratio non eſt inducenda.2°.de comp.medic.ſecundum locos. 5ª.132.E
Eunuchi neq; podagrã patiunt̃,neq; calui fiũt.c.6°.aph.28°. Ex.48.H
Eunuchi tempore Hippocratis non patiebantur podagram propter vitæ moderantiam,ſed nunc propter ocium immodicum, & victum intẽperatum patiuntur.com.6°.aph.28°. Ex.49.A
Eunuchos vidit podagra laborantes Galenus.cõ.6°.aph.30°. Ex.49.C
p Eunuchis vtimur metallicis elotis.4°.de cõp.me.per ge. 5ª.236.B
Eunuchis cadmia confert.9°.de ſimp.me.fac. 5ª.69.F
Eunuchis qñ ſatis ẽ butyrã in parotidibus.3°.de cõp.me.ſe.lo.5ª.146.H
ad Eunuchos emplaſtrum commodũ.2°.de cõp.me.per ge. 5ª.223.A
EVOCANTIA ex alto pharmaca.1°.de cõp.me.ſe.lo. 5ª.124.E
Ἔνοχον quid ſignificet.de artic.com.3°. 7ª.268.D
EVOMERE quædam quid ſit.3°.de decr.Hipp. 1ª.244.G
Euomunt & implentur in canina appetentia.6°.de loc.aff. 4ª.37.H
Euomantur quæ biles.in 6^{m}.de morb.vulg.com.4°. 3ª.180.B
Euomebat flauã bilẽ Paulus rhetor.de vict. ra.ĩ mor.ac.c.2°.7ª.120.D
ex Euomentibus ſtercus nulli ſanantur.6°.de loc.aff. 4ª.37.A
Euomatur ſtercus in quibus doloribus.6°.de loc.aff. 4ª.37.A
EVPATORIVM quid ſit.de ſimp.med. Sp.80.D
Eupatorium incidit & extergit citra caliditatem manifeſtam.6°.de ſimplic.med.fac. 5ª.47.F
Eupatoriũ obſtructiones iecoris expurgat. 6°.de ſimp.me.fa. 5ª.47.F
Eupatorium diureticum valde.de ſimp.med. Sp.80.D
Eupatorium contra venena.de ſimp.med. Sp.80.D
Eupatorium exponit pro ſaluia agreſti.de dyna. Sp.28.E
Eupatorium dictum pentaphyllum.5°.de comp.me.ſe.lo. 5ª.163.B
Eupatoria herba iecur male affectum plerunq; valde confirmauit.de theria.ad Piſonem. 5ª.91.A
vt Eupatoriũ iecori,ita lieni ſcolopẽdriũ cõuenit.13°.met.me. 7ª.84.F
EVPATORIS diaſcinci nominata antidotus Mithridatis. 2°. de antidotis. 5ª.115.C
Eupatorios theriaca.6°.de comp.me.per ge. 5ª.259.B
EVPHORBIVM quid ſit.9°.de comp.med.ſec.loc.5ª.201.D|de ſimp.medicam. Sp.83.F
Euphorbiũ quid ſit videt̃ ignorare Gal.3°.de comp.me.per ge. 5ª.228.E
Euphorbiũ in occiduis naſcit̃ regionibus.3°.de cõp.me.per ge. 5ª.228.E
de Euphorbio libellus Iubæ Regi Mauruſiorum inſcriptus.de cõp. medicam.ſecun.locos. 5ª.201.D
Euphorbium quo modo colore cognoſcit̃.3°. de cõp.me.per ge. 5ª.233.A
Euphorbij color qualis eſſe debet.3°.de comp.me.per ge. 5ª.230.B
Euphorbium Athlanticum.7°.de comp.me.per ge. 5ª.274.G
Euphorbij vis qũo cognoſcatur.3°.de comp.me.per ge. 5ª.233.A
Euphorbium quale ſit.de ocul. 7ª.188.G
Euphorbium quale guſtu.3°.de comp.me.per ge. 5ª.233.A
Euphorbium calidum.3°.de tempe. 1ª.21.G
Euphorbij liquor calidus ẽ,et tenuiũ partiũ.3°.de cõ.me.p ge. 5ª.228.D
Euphorbiũ acre ẽ.9°.de ſimp.me.f.64.C|4°.de cõp.me.ſec.lo.5ª.149.F
Euphorbiũ ẽ acutiſſimũ,& nimis igneum,& bilioſum.de dy. Sp.22.B
Euphorbium cauſticum eſt.6°.de ſimp.me.fac. 5ª.47.G
Euphorbium fortiter calfacit.1°.de comp.me.ſe.lo. 5ª.122.B
Euphorbium caducum habet calorem.3°.de comp.me.per gen.5ª.230.B
Euphorbium vetus,& recẽs qũo differant.3°.de cõp.me.p ge.5ª.233.A
Euphorbium antiquum & nouum,quale.3°.de cõp.me.per ge. 5ª.230.B
Euphorbij ætas.1°.de cõp.me.ſe.lo.122.B|3°.de cõp.me.per ge.5ª.230.B
Euphorbium trahit à profundo ſine morſu.6°.meth.me. 7ª.37.D
Euphorbium educit phlegma.de cathar. Sp.94.F
Euphorbium pituitam maxime aquoſam educit.de dyn. Sp.22.B
Euphorbio miſcenda.de dyna. Sp.22.B
Euphorbium temperauit Galenus.1°.de ſimp.me.fa. 5ª.7.G
Euphorbium hydropicis maxime datur & colicis omnibus qui frigidi ſunt.de ſimp.med. Sp.83.F
Euphorbium purgat nares.de cathar. Sp.95.B
Euphorbij doſis.de dyna. Sp.22.B
Euphorbium ventres cholericos turbat,& ſitim grauem facit de ſimpl. medicamentis. Sp.83.F
Euphorbiũ aduerſat̃ ouiũ vẽtribus,et quare.9°.d̃ cõp.me.ſ.l. 5ª.201.D
Euphorbio offendit̃ ſanguinis reiectatio.7°.de cõp.me.ſe.lo. 5ª.183.A
Euphorbium oculis conuenit.de ocul. 7ª.188.G
Euphorbium maturatiuum eſt.de ocul. 7ª.189.C
Euphorbium quo loco reponatur inter calida quæ valent ad alopecias. de comp.me.ſec.loc. 5ª.122.D
Euphorbium calidiſſimum ex ijs,quæ ad alopecias valent. 1°. de comp. medicam.ſecun.loc. 5ª.122.D
Euphorbium pro doloribus.in 6^{m}.de mor.vul.com.6°. 3ª.196.B
Euphorbium ſubito ſanat à dolore capitis frigido,& quomodo.2°.de cõpoſi.med.ſec.loc. 5ª.140.D
Euphorbium pro capitis dolore ex frigore.de rem.par.fac. 7ª.153.F
Euphorbium cum oleo,& cera pro genu patiente ex frigore & dolente. 3°.de compo.me.per ge. 5ª.229.B
Euphorbij cum oleo mixtio qualis.1°.de comp.me.ſe.lo. 5ª.122.B
Euphorbiũ qua quãtitate ceræ miſcendũ.3°.de cõp.me.per gen.5ª.230.B
Euphorbiũ palpitationis remediũ.de trem.palp.conuulſ.& rig.3ª.52.G
Euphorbium conuenit paralyſi.6°.de ſa.tu. 2ª.99.F
Euphorbio ſanant̃ neruus,& tẽdo puncti.3°.de cõp.me.per.ge.5ª.233.B
Euphorbium ad neruos detectos.3°.de comp.me.per ge. 5ª.229.D
Euphorbium in vulnere neruorum. 3°.de comp.me per ge. 5ª.230.A
ex Euphorbio,cera,reſina fricta,pice emplaſtrum Galeni pro neruis vulneratis.6°.meth.med. 7ª.37.F
ex Euphorbio medicamentum.3°.de comp.med.per gen.5ª.233.A|6°. methodi medendi. 7ª.37.H
ex Euphorbio acopon barbaricum.7°.de comp.me.per ge. 5ª.272.B
ex Euphorbio in medicamentis compoſitis regula. 1°. de compoſitione medica.ſec.loc. 5ª.122.C
EVPHRANOSIS emplaſtrum.2°.de comp.me.per ge. 5ª.224.C
EVPOLIDIS ſecũdus Autolicus.de vic.ra.in mor.ac.cõ.1°.7ª.108.G
Εὐπορίας quid. de ijs,quæ in med.ſi.com.2°. 7ª.205.C

EVRYPHON antiquus ſcriptor anatomiæ.de na.hu.c.2°. 7ª.183.F
Euryphonti ſunt attributæ Cnidiæ ſententiæ. in 1m. de morbis vulgaribus,commenta.1°. 3ª.159.F
Euryphon,Dioſcorides,& Philiſtion,de ſubſtitutis medicinis ſcripſere. de ſubſti.medi. 5ª.84.B
Euryphon de medicamentis locutus eſt.6°.de ſimp.med.fac. 5ª.39.H
Euryphon lac muliebre celebrauit.de bon.& vit.ſucc. 2ª.36.A
EVRIPIDIS libri quanti pignerati.in 3m.de morbis vulgaribus, cõmentario.2°. 3ª.137.A
EVRIPVS in quamlibet partem fluit.4°.de decr.Hipp. 1ª.250.G
EVROPAE, & Aſiæ terminus,qui.de aere,aq.& lo. 2ª.4.E
Europæ & Aſiæ differentia ex terræ naſcentibus & hominibus.de aere,aquis,& locis. 2ª.4.E
Europa minus præſtans Aſia ad hominum naturas, & ad illa quæ fert terra.ꝙ animi mores. 1ª.319.H
Europæi quales.ꝙ animi mores. 1ª.319.H
Europæi cur magis diſtincti forma Aſianis.de aere,aquis,& lo.2ª.6.B
in Europa apud Mæotin Scythæ.de aere,aq.& loc. 2ª.5.C
Europæi magis magnanimi Aſianis. de aere, aq.& loc. 2ª.6.C
in Europæis feritas,itegritas,audacia à natura.de ae.aq.et lo. 2ª.6.B
Europæi magis bellicoſi aſianis.ꝙ ãi mo.319.H/de aere,aq.et lo.2ª.6.C
Europæis cur timidiores Aſiani.de aere,aq.& lo. 2ª.5.A
EVRVS ventus ab ortu.5°.meth.me. 7ª.34.G
EVRYTHMVS pulſus qui ſit.1°.de differ.pul.4ª. 48. G/compendium pulſuum. Sp.65.H
EVRYANACTIS filiæ caſus.in 3m.de mor.vulg.com.2°. 3ª.135.F
Εὔσαρκοι qui dicantur.1°.de ſa.tu. 2ª.64.E
Euſarcos.i.hõ quadratus,medius eſt in hoĩum gñe.1°.de tempe. 1ª.12.H
EVSCHEMO ſpadoni inſcripta colica.9°.de compoſitione medicamẽtorum ſecun.loc. 5ª.202.H
EVSTOMACHA quæ.de dyn. Sp.18.G
Euſtomachicum eſt aloe ſupra omnia.de dyn. Sp.20.H
Euſtomacha ariſtolochia rotunda.de dyn. Sp.21.G
Euſtomachis dandum ſcammonium.de dyn. Sp.20.H
EVSTREPHES .i.bene retorta,tunica teſticulorum.de natu. & ord. cuiuslibet.corp. Sp.24.B
EVTHYPOROS. 6°.meth.med. 7ª.41.H
Εὔτονον,ideſt valens.2°.de ſan.tu. 2ª.74.C
Εὔτρεπτοι.de vict.rat.in morb.acut.com.2°. 7ª.122.D
EVTROPHIA nutritio & refectio.3°.de ſa.tu. 2ª.80.B

EXACERBARI cũ faſtidio, malũ. in 1m. pror.cõ.2°. 4ª.175.A
Exacerbatio per circuitum quo modo fiat in auribus, oculis,& pedib. de diff.feb. 3ª.41.H
EXACTE tale qũo intelligendum ſit.4°.de ſimp.me.fa. 5ª.31.B
EXANGVE omne frigidum eſt.com.5°.aph.40°. Ex.41.D
Exangue omne frigidius habente ſanguinem.2°.de temp. 1ª.17.H
Exãguia aĩalia cur hñt multas tibias & paruas.3°.đ vſu par. 1ª.128.C
Exangue nullum animal calidum.de fœt.for. 1ª.323.F
Exanguia animalia,frigida,imbecilla,pigra.3°.de vſu par. 1ª.128.B
Exanguia timidiora ſanguineis.ꝙ animi mor. 1ª.319.A
Exanguibus non eſt medicamentum ex bibendo. de victus ratione in morbis acutis,com.4°. 7ª.149.E
Exangues partes albæ non ita facile creantur.de fœt.for. 1ª.322.F
Exanguia corpora ſimilaria.in 6m.de mor.vul.com.1°. 3ª.153.A
Exanguia membra,quæ.2°.de nat.fa. 1ª.297.E
Exanguia,alba,& foraminibus carentia ſunt neruus,copula, tendo.de decretis Hipp.& Plat. 1ª.233.G
de EXANTHEMATIBVS. 5°.de comp.med.ſec.loc. 5ª.160.A
Exanthemata,quæ.5°.meth.med. 7ª.35.B
cũ Exanthematibus ſi fuerit laſſitudo, facile cognoſcitur humor peccans.4°.de ſanitate tuenda. 2ª.83.F
Exanthematibus ſi quis laboret,vtimur catharcticis.de dyna.Sp.20.E
Exanthemata extergit balanus myrepſica.6°.de ſimp.me.fac.5ª.44.E
Exanthemata omnia curat cyclaminis radix.7°.de ſimp.me.fa. 5ª.53.F
Exanthemata iuuat lupinus.6°.de ſimp.me.fa. 5ª.48.D
ad Exanthemata.5°.de comp.med.per ge. 5ª.251.E
Exanthemata genarum.de rem.par.fac. 7ª.157.C
Ἐξάρθρημα vnde habeat nomen.2°.meth.me. 7ª.9.E
EXARTICVLATIO quid.fin.med. Iſa.50.C
Exarticulatio idem quod luxatio.de fract.com.1°. 7ª.223.E
Exarticulatio inſtrumentariorum ægritudo.de diff.mor. 3ª.5.G
Exarticulati,qui.de art.com.1°. 7ª.257.G
ad Exarticulata quæ conferant.8°.de comp.me.ſe.lo. 5ª.193.A
EXASPERENTVR q̃ ſenſibiliter.in 6m.de mor.vul.cõ.2°. 3ª.160.H
Exaſperant,quæ.de vict.rat.in morb.acut.com.1°. 7ª.111.E
Exaſperant & dolorem concitant metallica & acetum. 3°. de compoſi. med.per genera. 5ª.232.G
Exaſperatæ partes leniuntur,& quo modo.ars med. Iſa.70.E
Exaſperata lenit dulcis radix dicta glycyriza. 6°. de compoſi. medicamen.ſecun.locos. 5ª.69.H
Exaſperata mitigant glycyrizæ ſuccus & tragacantha.7°. de compoſi. med.ſecun.loc. 5ª.178.G
Exaſperationibus circa ſuperficiẽ vtilis elleborus niger.đ dy. Sp.21.A
EXCALFACERE corpora in augmento lunæ periculoſum.de decub.progn.ex math.ſcientia. Sp.15.H
Excalfacti habent pulſum & reſpirationem celeriorem, frequentiorem & maiorem.de vſu pul. 1ª.227.F
Excalfacere poteſt Bdelium in inſtanti.de ſimp.med. Sp.81.C
Excalfaciens eſt & acris Calamus aromaticus.de ſimp.med. Sp.82.G
Excalfactorium,& acre eſt Cinnamum.de ſimp.me. Sp.83.A
Excalfactorias & acres vires habet oẽ Daucum.de ſimp.me. Sp.83.E
Excalfacit Dictamum cum amaritudine.de ſimp.med. Sp.83.D
Excalfacit & attenuat Ferulæ ſemen.8°.de ſimp.med.fa. 5ª.56.H
Excalfactorias vires habet Gentiana.de ſimp.med. Sp.84.H
Excalfacit viſcide Iris.de ſimp.med.85.D/ Sp.92.C
Excalfacit leniter iris.de ſimp.med.85.D/ Sp.92.C
Excalfactorias vires habet Iuniperum.de ſimp.me. Sp.85.E
Excalfactorias vires habet Ladanum.de ſimp.med. Sp.86.D
Excalfacit Laſer magnis vexationibus.de ſimp.med. Sp.85.G
Excalfactorium eſt Libyſticum.de ſimp.med. Sp.85.H
Excalfactoria eſt omnis Myrrha.de ſimp.med. Sp.87.B
Excalfacit viſcide Naſcaphtum.de ſimp.me. Sp.88.A
Excalfactorijs in antidotis ponitur naſcaphtum.de ſimp.med.Sp.88.A
Excalfactoria guſtu ſunt folia Nepitæ.de ſimp.med. Sp.87.H
Excalfacientes acriter vires Ocimum habet.de ſimp.me. Sp.88.E
Excalfactorias vires habet Oleum.de ſimp.me. Sp.88.D
Excalfactorias vehementer vires habet Oliuæ lachryma. de ſimplicibus medicaminibus. Sp.83.F
Excalfacit viſcide Opobalſamum.de ſimp.me. Sp.88.C
Excalfactorias vires habet Origanum.de ſimp.me. Sp.88.F
Excalfactorias vires habet Paſtinaca.de ſimp.me. Sp.89.B
Excalfacit ad guſtum Peucedanum.de ſimp.me. Sp.89.B
Excalfactorias vires habet Phu.de ſimp.me. Sp.84.E
Excalfacit Piper omne.de ſimp.me. Sp.88.F
Excalfacit vehementer Pyrethrum.de ſimp.me. Sp.88.H
Excalfactoria eſt Sampſucus.de ſimp.med. Sp.90.G
Excalfactorias vires habet Sauina.de ſimp.me. Sp.85.C
Excalfacit & expurgat viſcera Scordion.8°.de ſimp.me.fa. 5ª.60.H
Excalfacientes vires habet Scilla.de ſimp.me. Sp.90.H
Excalfacit viroſe,& acriter Silphij radix.de ſimp.me. Sp.90.D
Excalfactorium eſt Siſymbrium.de ſimp.me. Sp.91.B
Excalfactorium eſt Sium.de ſimp.me. Sp.91.D
Excalfacit leniter Thus.de ſimp.med. Sp.91.D
Excalfactorias vires Thymus habet.de ſimp.me. Sp.91.G
Excalfacit Veratrum.de ſimp.me. Sp.91.H
Excalfacit & incidit Volucrum maius.8°.de ſimp.me.fa. 5ª.58.B
Excalfactoria & quæ tenuium ſunt partium dentes perforatos iuuant. 8°.de ſimp.me.fac. 5ª.58.D
EXCANDESCENTIA animi ægritudo. de cognoſ. curandſq; animi morbis. 2ª.52.E
in Excandeſcentia quæ contingant.2°.de decr.Hipp. 1ª.239.G
EXCAVATIO in ſpina lordoſis dicta.4°.de loc.aff. 4ª.23.H
p Excauationem nemo fit paralyticus.4°.de loc.aff. 4ª.24.A
EXCEDERE nihil debet in aliqua particula.3°.de ſymp.cau. 3ª.29.D
EXCEPTIONES membrorum conſiderandæ.in 6m. de morbis vulgaribus,com.2°. 3ª.165.D
Exceptio ex liene in iecore periculoſa,è contrario,non.in 6m. de morbis vulgaribus,com.2°. 3ª.165.E
EXCEREBRATI qui.3°.de decr.Hipp. 1ª.243.H
EXCERNERE cur ſumus coacti.1°.de ſa.tu. 2ª.67.E
Excernuntur ſuperuacua quibus cauſis.3°.de ſymp.cau. 3ª.27.H
Excernat quid per pulſus vis vitalis.4°.de præſag.ex pul. 4ª.122.B
Excernit vis vitalis.4°.de præſag.ex pul. 4ª.122.B

in quibus

in quibus Excernit *natura aliquid violentius eò transmittit ſanguinē & ſputum, quibus duobus veluti inſtrumentis natura vtens ea quæ infeſtant per vim expellit.com.5°.apho.53°.* Ex.42.D
Excernendi inſtrumenta cur.1°.de ſan.tuen. 2ª.62.H
Excernere non eſt officium inteſtinorum, neq; eſt à voluntate, & qualc. 6°.de loc.aff. 4ª.38.E
ad Excernendum *concurrunt inſtrumenta voluntaria & naturæ.2°.de motu muſcu.* 1ª.316.A
in Excernendo *qui muſculi magis agant.2°.de motu muſcu.* 1ª.316.A
Excernere volentes ne teneant larynga apertum nec trahant ſpiritum. 5°.de vſu partium. 1ª.147.C
Excernuntur varia in noſtro corpore.1°.de ſa.tu. 2ª.67.F
Excernit ventriculus quandoq; ante coctiones.2°.de die.decr. 4ª.158.E
Excernit q̄ñ vētriculus in naturali habitu exñs.3°.de die.dec. 4ª.158.E
Excernere fæces.de venæ ſect.aduerſ.Eraſi. 6ª.7.C
Excernendi cupiditas naturalis in coitu oſtendit debere excerni.6°.de locis affectis. 4ª.39.H
cur Excernitur *quandoq; dormiendo.de mot.man.& obſc.* Sp.68.G
ad Excernendum *humor ſtimulat.1°.de alim.fa.* 2ª.7.G
ad Excernendū *excitat acris & nitroſa qualitas.2°.de ali.fa.* 2ª.23.C
cur Excernere *non poſſumus ſpirāte aquilone.cō.3°.aph.5°.* Ex.20.D
Excernuntur quę immodice, ſunt ſymptomata cōi noīe.2°.me.me. 7ª.9.H
quod Excernitur *non eſt affectus.2°.meth.me.* 7ª.9.H
Excerni non poſſunt praua à virtute imbecilla, neq; diſcerni neq; concoqui.com.4°.aph.23°. Ex.19.H
Excernere bū, ēt ſi mala ſint excremēta bonum.cō.7°.ap.65°. Ex.60.E
Excernere tempeſtiue naturæ officium.6°.de loc.aff. 4ª.41.G
Excernere aliquid in cruditatibus vnicū remediū.1°.de alim.fa. 2ª.11.B
Excernētes īuite pueri, muſclō circa ſedē affecto, caſus.1°.d lo.a. 4ª.7.H
Excernentis ſenis inuite caſus.1°.de loc.aff. 4ª.7.H
EXCESSVS *diſpoſitionū, quæ nō ſunt natura, ſunt præter naturā, & læſio actionis eſt earum terminus.de tumor.præt.nat.* 3ª.82.G
Exceſſus in membris quid faciat.2°.de vſu par. 1ª.120.D
Exceſſus corrumpit temperaturam.8°.de decr.Hipp. 1ª.274.E
Exceſſus paruos obſeruare & diuidere in minima ſpectat ad prudentē virum.2°.de diff.pul. 4ª.57.F
ab Exceſſibus *cauendum ne quid nimis.de cauſ.procat.* 3ª.99.H
Exceſſus omnis fugiendus, ſed cur potiſſimum caloris & humoris capitis.1°.de ſan.tuen. 2ª.66.F
Exceſſus vires diſſoluunt.de conſue. 2ª.61.G
Exceſsū ī raritate ac dēſitate cutis nō obtinuiſſe, bonū.1°.d ſa.t. 2ª.66.F
Exceſſus omnis contrario exceſſu emendatur.5°.de ſan.tu. 2ª.89.B
Exceſſus cū corrigit̄ ne fiat error, quid agēdū.5°.de ſa.tu. 2ª.89.B
EXCIDANTVR *quæ in affectibus.14°.met.me.* 7ª.90.F
Excidere inimicū corpori toto gñe.in 6m.de mor.vul.cō.2°. 3ª.161.B
Excidantur quibus partes à corpore.6°.de comp.me.per ge. 5ª.255.D
EXCIDENTIAE *quid ſint.de iis quæ in med.ſi.com.3°* 7ª.219.G
EXCISIO *ſpecies diuiſionis chirurgiæ.intro.* Iſa.59.E
Exciſio eſt manifeſta.4°.meth.me. 7ª.23.B
Exciſio in quibus locis fiat.introd. Iſa.59.E
Excidenda quæ.14°.meth.me. 7ª.90.G
Excidēda mēbra tertio aut quarto poſt die.d iis q̄ ī me.fi.c.1°. 7ª.201.A
Exciſoria caua ſcalpra.6°.meth.me. 7ª.42.A
Excitans virtutes naturales medicamentum & præcipue digeſtiuam. ſecretorum. Sp.101.G
quid Excitet *appetitum.ſecretorum.* Sp.101.F
Excitare à cataphora, id eſt inclinatione in ſomnum, poteſt cucurbitula. de cucurb.ſcar. 6ª.3.F
Excitationes turbulētę in ſomno qd ſignificent.ī 1m.pror.cō.3°. 4ª.182.B
ab EXCLAMATIONE *vehementi vox lædit̄.4°.de loc.aff.* 4ª.26.C
Exclamatio facit affectum ſimilem inflāmationi.4°.de loc.aff. 4ª.26.C
EXCOGITATIO *opus eſt à capite per ſe dependens.de virt.noſtrū corp.diſpen.* Sp.60.C
EXCOLANS *emplaſtrum.6°.de comp.me.per ge.* 5ª.256.D
Excolando conglutinans.6°.de comp.me.per ge. 5ª.256.H
EXCORIARIA *vocatur rhus.8°.de ſimp.me.fac.* 5ª.59.H
EXCORIATIO *quid.3°.de anat.adm.* 1ª.76.B
Excoriatio δ'άρσις.3°.de anat.adm. 1ª.74.B
Excoriāda, & ſecāda ſimia debet in aqua ſuffocari de muſ.diſ. 1ª.44.D
Excoriare ſimiam cuilibet non eſt concedendum, ne muſculos laceret. de muſcu.diſſ. 1ª.44.D
Excoriantes male aīal ignorarūt muſculum latū.de muſc.diſſ. 1ª.44.E
ob Excoriationem *malam qui muſculus amittitur.de muſ.diſſ.1°.* 1ª.47.D
Excoriatorium Proteus dictum.5°.de comp.me.ſec.loc. 5ª.162.B
EXCORS *rem intelligit actam.in orat.ſuaſo.* Iſa.3.F
EXCREARE *facientia eandem proportionem habent ciborum & medicamentorum.5°.de ſimp.med.fac.* 5ª.38.C
Excreantibus pinguia phlegmagoga damus.de dyna. Sp.21.C
Excreantibus ſanguinem mire proficit corallus.de ſimp.me. Sp.83.C
Excreantibus ſanguinem myrta remedium eſt.de ſimp.me. Sp.87.E
Excreantibus ſanguinem vtiliter datur ſuccus plantaginis.de ſimpli. medicaminibus. Sp.89.A
Excreationibus pectoris valenter conducit radix crocodilii.7°.de ſimpli.med.fac. 5ª.53.C
Excreationibus ex pectore & pulmone, idonea eſt faba.7°.de ſimp.medicamen.facul. 5ª.53.D
Excreationibus pectoris cōducit phaſiolus.6°.de ſimp.me.fa. 5ª.48.H
Excreationibus ex pectore pulmoneq; craſſorū lentorumq; humorū impendio conferunt amygdalæ amaræ.5°.de ſimp.me.fa. 5ª.42.G
Excreatu facilia facit pulegium craſſa & lenta quæ ſunt in thorace, & in pulmone.6°.de ſimp.me.fa. 5ª.45.F
Excreatur quandoq; aliquid ligulæ.4°.de loc.aff. 4ª.28.B
EXCREMENTVM *quid.5°.de ſani.tuen.* 2ª.95.B
Excrementa vnum ex ſex rebus non naturalibus.ars med. Iſa.68.C
Excrementa ſunt neceſſaria.1°.de ſa.tu. 2ª.62.H
Excrementa neceſſario faciunt edentes & bibentes.1°.de ſa.tu. 2ª.62.H
Excrementa parit victus ratio humida.6°.de ſa.tu. 2ª.96.G
Excrementorum quantitas correſpondet quantitati ſuccorum, qui accipiuntur.2°.de cauſ.pulſ. 4ª.95.B
Excrementum paucum habent cibi pauci.3°.de ſymp.cau. 3ª.27.D
Excrementitia quæ dicantur.3°.de alim.fa. 2ª.33.B
Excrementoſæ ſunt oēs volucres & aues clauſæ.8°.met.me. 7ª.51.B
Excrementoſa omnia tum lacuſtria, tum paluſtria.8°.met.me. 7ª.51.B
Excrementa quæ faciant panis ex panico, panis ex hordeo, & panis ex tritico.in 1m.pror.com.3°. 4ª.182.G
Excrementa fumoſa à quibus cibis fiant.3°.de ſymp.cau. 3ª.24.H
Excrementa acida à quibus cibis fiant.3°.de ſymp.cau. 3ª.24.H
Excrementitiam & flatuoſam habentia humiditatem ad venerem incitant.8°.de ſimp.me.fac. 5ª.60.B
Excrementorū differentia.ars med.Iſa.57.C/2°.de ſymp.cau. 3ª.22.D
Excrementum duplex in toto corpore.3°.meth.me. 7ª.17.H
Excrementorū duplex genus fumoſum, vaporoſum, aquoſum, limoſum. 9°.de vſu partium. 1ª.171.D
Excrementa fuliginoſa vt euacuentur, diſflatio cauſa eſt in animalis corpore.in 6m.de mor.vul.com.6°. 3ª.195.F
Excrementa fuliginoſa per quam viam mittuntur ad pulmonem.6°.de vſu partium. 1ª.154.D
Excrementum faciens pilos, quale.2°.de temp. 1ª.21.B
Excrementa per totum corpus vnde ſint.1°.de ſa.tu. 2ª.67.G
Excrementum primum vnde exeat.1°.de ſa.tu. 2ª.67.F
Excrementorū ſecretio quo mō fiat ſm Epicurū.1°.de na.fa. 1ª.294.D
in Excrementorum *ſeparatione ſymptoma.de ſympt.diff.* 3ª.12.A
Excrementum in venis & arteriis colligitur ſicut ſerum in lacte concreto.1°.de ſanitate tuenda. 2ª.67.G
Excrementa trifariam diuiduntur.3°.de loc.affe. 4ª.15.C
Excrementa in venarū cōcoctione ſunt amara bilis, atra, & ſeroſitas. 3°.de ſymp.cauſis. 3ª.26.A
pp Excrementa *ad coctionem requiruntur commoda inſtrumenta.4°. de vſu partium.* 1ª.36.B
ꝑ Excrementis *varia inſtrā, & quod eorū officiū.1°.de ſa.tu.* 2ª.67.F
Excrementum pituitoſum in ventriculo gñatur.5°.de vſu par. 1ª.143.F
Excremētis quorū venter redūdat ptiſſana nō danda.de ptiſſa. 2ª.47.H
Excrementum bilioſum veſica quæ iecinori ſubeſt, expurgat.3°.de ſymptom.cauſ. 3ª.26.B
Excrementum purgant meatus à veſica profecti.4°.de vſu pa. 1ª.138.H
Excrementum bilioſum copioſius melancholico, & tenuiſſimum.5°.de vſu partium. 1ª.144.D
Excrementū melancholicū lienis expurgat.3°.de ſymp.cau. 3ª.26.B
Excremētū melāncholicū pauciſſimū, et craſſiſſimū.5°.de vſ.p. 1ª.144.D
Excremētū melicum in liene mittit ad vētriculū.5°.de vſu pa. 1ª.143.G
Excrementum aquoſum copioſiſſimum.5°.de vſu par. 1ª.144.D
Excrementum ſeroſum medium inter tenuiſſimum & craſſiſſimum.5°. de vſu partium. 1ª.144.E
ad Excremēta *ſuſcipiēda adenes apti cur.de cur.ra.p ſan.miſ.6ª.* 17.H

Excrementũ creãt oẽs ꝑticulæ quæ nutriuntur.1°.de nat.fa. 1ª.296.E
Excrementum duplex in carnis generatione.3°.meth.me. 7ª.17.G
Excrementa ſunt in carnibus.2°.de ſymp.cau. 3ª.22.E
Excrementa cur in carne.3°.de ſymp.cau. 3ª.26.G
ab Excrementis carnis diuerſitas.3°.de ſymp.cau. 3ª.26.G
Excrementa cum ſanguine quid faciant.3°.de ſymp.cau. 3ª.26.C
Excrementum vni membro eſt alteri nutrimentum.1°.de ſemi. 1ª.335.E
Excrementis vtitur natura & in animalibus ad quaſdam partes augẽdas & nutriendas.2°.de alim.fa. 2ª.24.E
Excrementorũ qualitates fiunt à calore innato.2°.de nat.fa. 1ª.298.A
Excrementa plurima vnde.3°.de ſymp.cau. 3ª.26.G
Excrementi copia cur proueniat in corpore.4°.de ſa.tu. 2ª.88.C
Excrementorum plurimum congerit̃, habitu corporis exinanito, niſi renutriatur.4°.de ſan.tu. 2ª.88.C
Excrementorũ copia vnde cognoſcatur.4°.de pręſa.ex pulſ. 4ª.122.E
Excrementi multitudo quid faciat.3°.de ſymp.cau. 3ª.26.B
Excrementum exiguum ſignificatur ſi noctu multum mingatur. de vri. ſign.ex Hippocrate. Sp.78.H
Excrementa affectæ partis per quem meatum euacuẽtur, & an aliquid eſſentiæ ſecernatur, quarto loco conſiderandũ.2°.de lo.aff. 4ª.13.D
Excrementorum ſpecies ſigñat partem affectam.1°.de loc.aff. 4ª.6.B
in Excrementis propriæ notæ deprehenduntur.1°.de loc.aff. 4ª.6.B
Excrementa partium inflammatarum cur exeant per aſperam arteriã. 2°.de locis.affectis. 4ª.13.B
ab Excrementis ſuperioribus quando cognoſcatur fluere pus, & ab inferioribus.6°.de loc.aff. 4ª.35.B
quæ Excremẽta faciat eryſipelata & ĩflãmationes.5°.de lo.af. 4ª.35.E
Excrementa per nares quæ indicant.in 1^{m}.de mor.vul.cõ.2°. 3ª.112.A
Excrementorum humidiorum defectus quo modo oſtendit futuram ęgritudinem.ars med. Iſa.67.E
Excrementorum humidiorum ſuperabundantia quo modo oſtendit futuram ægritudinem.ars med. Iſa.67.E
Excrementorum varietas in colore oſtendit futuram ægritudinem. ars medicinalis. Iſa.67.E
Excrementorum varietas in conſiſtentia oſtendit futuram ægritudinẽ. ars medicinalis. Iſa.67.E
Excrementa quare citius exeant.com.2°.aph.20°. Ex.14.D
Excrementum per ſingulas animalis partes quibus de cauſis remoret̃. 1°.de ſanitate tuenda. 2ª.68.C
Excremẽti mora in vẽtre vel in ĩteſtinis vnde fiat.1°.de ſa.tu. 2ª.68.A
Excrementa retardantur ab inuolucris quæ ſunt in inteſtinis. 4°.de vſu partium. 1ª.139.B
Excrementa alui cur non excernantur.1°.de ſa.tu. 2ª.68.B
Excrementorũ retentio à quibus muſculis fiat.2°.de mot.muſ. 1ª.316.B
Excrementa retenta in exercitatione quid mali facere poſſint. 2°. de ſanitate tuenda. 2ª.69.H
Excrementa totius corporis retenta ſecundum varias cauſas quo modo expellantur.1°.de ſa.tu. 2ª.68.E
Excrementis niſi excitentur membra, vi expultrice non vtuntur. 1°. de locis affectis. 4ª.2.H
Excrementorum deiectio quo modo fiat, & per quæ inſtrumenta.in 6^{m}. de mor.vulg.com.5°. 3ª.189.D
Excremẽta quo modo exprimunt̃ ab inteſtinis.4°. de vſu par. 1ª.137.G
Excrementis hr̃e ſe ſm naturã quo modo intelligatur de criſ. 4ª.129.D
Excrementa, ſuper naturalibus viribus ventriculi indicant, & quãdo. 1°.de criſibus. 4ª.129.C
Excremẽta in corpore ſi diu permaneãt, putreſcũt.3°.de na.f. 1ª.236.A
Excrementa in inteſtinis collecta quid agant.3°.de ſymp.cau. 3ª.28.E
Excrementa alui quid ſignificẽt, & q̃uo eẽ debeãt.1°.de cri. 4ª.129.A
Excrementa alui inferioris ſemper iudicationes ſignificant, non tamen ſemper bonas.com.4°.aph.71°. Ex.35.D
Excrementa febrem ardentem non manifeſtant.in 6^{m}. de morb. vulga. commenta.3°. 3ª.143.H
ꝑ Excrementa alui q̃uo cognoſcat̃ criſis futura.3°.de criſi. 4ª.144.G
Excrementa alui quando apparent in principio, ægritudines non finiũt. 1°. de criſi. 4ª.128.E
Excrementa alui ſi in diebus iudicatorijs incipiunt optime apparent, & qui ſint hi dies.com.4°.aph.36°. Ex.31.G
Excrementa per aluum deiecta quæ indicant.in 1^{m}.de morbis vulgaribus, com.2°. 3ª.112.A
Excrementa ani quorum ſint notæ & quare parum admodum indicent de affectibus vicinarum partium.6°.de loc.aff. 4ª.41.E
Excrementa indicant coctionem ſanis & ægris.in 6^{m}. de morbis vulgaribus, commen.2°. 3ª.112.A
Excrementa ſanorum bile infecta.5°.de vſu par. 1ª.143.G
Excrementa bile carentia quid ſignificẽt.in 1^{m}.pror.com.3°. 4ª.179.D
in Excremẽtorũ muſculis nulla futura eſt coctio.5°.de vſu pa. 1ª.146.B
Excremẽtorũ coctio q̃ ſit dicẽda.de vict.ra.in mor.acu.cõ.2°. 7ª.122.G
Excrementum perfectũ & perfecte coctũ, quale.1°.de criſi. 4ª.129.D
Excrementum alui optimum eſt, quod eſt molle conſiſtens, & hora excretum, qua ſolet cum ſanitas adeſt.com.1°.aph.12°. Ex.6.E
Excrementum coctum quid exigat.1°.de criſi. 4ª.129.A
Excrementa an incocta, vel mediocriter cocta affectę partis quinto loco conſiderandum.2°.de loc.aff. 4ª.13.D
pp Excremẽtum vitioſum coctio ĩpeditur.3°.de ſymp.cau. 3ª.24.H
Excrementum incoctum, quale.1°.de criſi. 4ª.129.D
Excrementorum ſpecies plura docet.de conſt.art. Iſa.41.A/B
Excrementũ quod fert̃ in ſublime, quale.3°.de p̃ſag.expul. 4ª.118.H
Excrementum quod decidit, quale.3°.de præſag.expulſ. 4ª.118.H
Excrementa quo modo capitis diſpoſitionem declarant in deſtillatione & grauedine.3°.de loc.aff. 4ª.16.H
Excremẽtorũ ꝓprietas cõſiderãda ĩ morbo regio.5°.de loc.aff. 4ª.35.E
Excremẽtorũ mutationes q̃ bonæ et quæ malæ.cõ.2°.aph.14°. Ex.12.F
Excrementorum vitia, quæ.3°.de ſymp.cau. 3ª.26.A
ex Excrementis vitioſis inæqualitas.2°.de ſymp.cau. 3ª.23.B
Excremẽtorũ ſymptomata à quo morbo pẽdeant.de ſymp.diff. 3ª.13.D
Excremẽta q̃ Chyloſitate diſtinguunt̃.de vi.ra.ĩ mor.ac.c.4°. 7ª.136.E
Excrementum chyloſum abradit inteſtina.de victus ratione in morbis acutis, com.2°. 7ª.130.C
Excrementa ſeminibus Cucurbitæ ſimilia, indicium vermium latorum. 1°.de locis.affectis. 4ª.6.C
Excrementa ventris Combuſta ignitionem iecinoris indicare. in 3^{m}. de mor.vul.com.1°. 3ª.131.B
Excrementa non habentia delictum.ars med. Iſa.68.E
Excremẽta Dyſenteriæ quæ dicantur.in 1^{m}.de mor.vul.cõ.3°. 3ª.125.A
Excrementa Flatibus plena quo modo noſcantur.2°.de loc.aff. 4ª.9.F
Excrementa Fulua, lætalia.in 3^{m}.de mor.vulg.com.3°. 3ª.147.H
Excremẽta hñtia Graminis colorem.in 3^{m}.de mor.vul.cõ.3°. 3ª.148.F
Excrementa Hepatica ab alijs diſtincta.5°.de loc.aff. 4ª.34.E
Excrementa peſſima cur quandoq; deijciunt Hepatici cum ſanantur.5°. de locis affectis. 4ª.35.E
Excrementa humida ſenium notæ.de marc. 3ª.46.E
Excrementum liuidum quid ſignificet.1°.de criſi. 4ª.129.E
Excrementa mera quæ.in 6^{m}.de mor.vul.com.1°. 3ª.106.D
Excrementum Mordax dupliciter incitatur.4°.de ſa.tu. 2ª.82.H
Excremẽta mordacia faciũt vlceroſam laſſitudinẽ.4°.de ſa.tu. 2ª.82.H
Excrementorum Nigrorum diuerſitas in peſtilentia tempore Galeni. de atra bile. 1ª.35.A
Excrementa Peſtis tp̃e Galeni.in 3^{m}.de mor.vul.com.3°. 3ª.147.H
Excrementorum ordo hic erat in peſtilenti quodam morbo, vt prius apparerent flaua & ruffa colore colliquamenta, quæ vero mox apparebant, nigra eſſent vt ſanguinis fex.com.4°.aph.21°. Ex.29.E
ob Excremẽta alui multi periere in peſte.in 3^{m}.de morbis vulgaribus. commenta.3°. 3ª.145.D
Excrementum pingue quid ſignificet.1°.de criſi. 4ª.129.E
Excrementa ſi pinguia, ſignificant adipis colliquationem.commenta.7°. aphoriſmo.35°. Ex.56.E
Excrementum Rufum quid ſignificet.1°.de criſi. 4ª.129.D
Excrementa Sanguinolenta, mucoſa, cruda, multa, bilioſa, quid ſignificent apud antiquos.com.6°.aph.1°. Ex.46.C
Excrementa Scybala vnde dicta.de vic.ra.in mor.acu.cõ.4°. 7ª.136.D
Excremẽtũ Siccũ eẽ neceſſe nõ eſt, ſi corpus ſiccũ eſt.2°.de tẽpe. 1ª.21.C
Excrementũ Spumoſum quid ſit, & q̃d ſignificet.1°.de criſi. 4ª.129.C
Excrementa ſpumoſa vnde ſint, & quo modo varijs modis fieri poſſint, commen.7°.apho.30°. Ex.56.A
quibus Excrementa ſpumoſa ſunt in alui profluuijs, his pituita à capite defluit.com.7°.aph.30°. Ex.56.A
Excremẽta ſpyrathode vnde dicta.de vic.ra.in mor.ac.cõ.4°. 7ª.136.D
Excrementum Stridens quid ſit, & quid ſignificet.1°.de criſi. 4ª.129.C
Excrementa cholerica quandoq; aliquid veluti Strigmentum oſtendũt. com.7°.aph.64°. Ex.60.B
Excrementum Tenuius quid ſit.3°.meth.me. 7ª.17.H
Excrementa tenuia, & acria faciũt vlceroſum laſſitudinis affectum.3°. de ſanitate tuenda. 2ª.78.G

Excrementa tenuia in ventrem defluunt, & faciunt vomitum, & alui profluuium in anime defectu.de arti.com.1°. 7ª.264.H
Excrementũ cur defertur in ventrẽ ſuperne.3°.de ſymp.cauſ. 3ª.27.H
Excrementa Torrida longum ſignificant morbum.in 3^{m}.de mor. vulga. commen.1°. 3ª.131.B
Excrementum Viride quid ſignificet.1°.de criſi. 4ª.129.E
Excrementum Viſcoſum quid ſignificet.1°.de criſi. 4ª.129.E
Excrementa ὑδατόχολα.in 3^{m}.de mor.vul.com.3°. 3ª.148.F
Excrementi portio ĩ lęſo ĩteſtino et colo q̃ñ ſeruet.1°.de creſi. 4ª.129.C
Excrementa non detinenda, quia aliter ſurſum recurrunt.de vict.rat.in mor.acu.com.2°. 7ª.130.D
Excrementorum prӕter voluntatem exitus in timore & gaudio. 2°.de ſymp.cau. 3ª.23.E
Excremẽtorũ p̃ter voluntatẽ emiſſorũ caſus multi.1°.de loc.aff. 4ª.7.H
Excrementa quidam retinere non poterat in quo ſedes & veſica erant infrigidata.4°.de loc.aff. 4ª.25.C
Excrementa retinere non potentis caſus alter.4°.de loc.aff. 4ª.25.C
Excrementa iumentorum & columbarum ſole calefacta exurebant. 1°.de diffe.fe. 3ª.33.A
Excremẽta colligunt à veſica, et ab ĩteſtino craſſo.4°.de vſ.p. 1ª.141.D
Excrementum humidum tenue, quod fuit vehiculum tranſmittendi nutrimenti vnde expurgetur.1°.de ſa.tu. 2ª.67.G
Excrementa ſeroſa quid agant.3°.de ſymp.cau. 3ª.26.C
Excrementum ſeroſum renes expurgant.3°.de ſymp.cau. 3ª.26.B
Excrementa vaſorum per vrinas.de ſubfi.emp. Iſa.42.B
Excrementa ſua quandoq; tolerant, quandoq; non, veſica & ventriculus.3°.de ſymp cau. 3ª.28.G
ſm Excrementorũ p̃portionẽ vrina excernit.3°.de ſymp.cau. 3ª.28.C
Excremẽta veſicӕ, aut alui qualia fuerint & ex carnibus, & ſicubi alibi à natura corpus exierit, ſi parum, paucus eſt morbus, ſi multum, multus, ſi valde multum, letale eſt.com.7°.aph.75°. Ex.60.H
Excrementa colis quid portendant.6°.de loc.aff. 4ª.41.E
Excrementa veſicӕ quid portendant.6°.de loc.aff. 4ª.41.E
ab Excremẽtis acribus ſtranguria.in 3^{m}.de mor.vul.com.1°. 3ª.128.D
Excrementa totius corporis per ſudores.de conſt.art.me. Iſa.42.B
Excremento quod euacuatur odorem coloremq́; ſimilem habẽt ſudores. 3°.de ſymp.cau. 3ª.28.F
Excrementis quieſcentibus minus dolent.2°.de ſymp.cau. 3ª.22.D
Excremẽta trãſeuntia p̃ carnes quid efficiant.2°.de ſymp.cau. 3ª.22.E
Excremẽtis motis fiũt horror, rigor, & febris.2°.de ſymp.cau.3°.22.D
Excrementa frigida tenuia horrorem & rigorem faciunt non febrẽ.4°. de ſanitate tuen. 2ª.82.H
Excrementa ſubcalida & putrida horrorem rigorem & febrem faciũt. 4°.de ſanitate tu. 2ª.82.H
Excrementis mordentibus fiunt horror & rigor, & quo modo differãt. 2°.de ſymp.cau. 3ª.22.D
Excrementum oẽ nõ recipit alterationẽ à natura.4°.de ſa.tuẽ. 2ª.82.H
Excrementorũ acritudine parũper aperitur os venӕ, quã vocant hęmorrhoida [ex hoc loco elici poſſet aloen non apire hęmorrhoidas, ſed eſſe humores acres qui exeunt.] com.6°.aph.47°. Ex.52.C
Excremẽtis vacuũ ſeruari debet corpus humanum.1°.đ ſa.tu. 2ª.62.H
Excremẽta ĩ primis venis, điectorijs expurgãda.de ſubſ.emp. Iſa.42.E
Excrementa non fiunt in ſymmetria. de op.noſt.cor.conſt. 1ª.38.D
Excrementa lӕdunt q̃titate & qualitate.de op.noſt.cor.conſt. 1ª.38.D
Excrementa vbi multa, eũone multa opus eſt.2°.de cau.pul. 4ª.95.B
Excrementorum vacuatio duplex, & qualis.6°.de loc.affe. 4ª.41.G
Excremẽta melius eſt per anum quàm per ſtomachum tranſmittere.5°. de vſu partium. 1ª.147.A
Excrementa alui per inferna.de ſubſi.emp. Iſa.42.B
Excrementa quieta calefaciunt, attenuant, & excitant ad motum Sol, balneum, exercitatio, & ira.2°.de ſymp.cauſ. 3ª.22.D
Excrementa expellit exercitatio.2°.de ſa.tu. 2ª.69.G
Excrementorum vacuatio oĩ febri vtiliſſima eſt.10°.meth.me. 7ª.65.H
Excrementa permittendum vt deſcendant, & quieſcendum in febre, & lateris dolore.de vict.rat.in mor.acut.com.4°. 7ª.139.D
Excremẽta nõ hñt quotidiana, et q̃rtana laborãtes.2°.de dif.fe. 3ª.36.D
ab Excrementis parum purgata corpora quo magis nutries, magis lӕdes.2°.de ſa.tu. 2ª.69.G
Excrementitijs morbis cur partes debiliores primӕ corripiantur. de curan.rat.per ſang.miſſ. 6ª.17.G
Excremẽtũ expurgãtiũ p̃ticularũ ĩbecillitas vñ.3°.de ſym.ca.3ª.26.A
Excrementa ob robur expultricis, qualia.5°.de loc.affe. 4ª.35.D
EXCRESCENTIAS quӕ mediocriter exterant.11°.de ſimpli.medicamentorum facultatibus. 5ª.81.A
Excreſcentiӕ naturales natura conſiderandӕ.ars med. Iſa.67.C
ad Excreſcentias valet erinaceus combuſtus.11°.de ſim.me.f. 5ª.81.G
Excreſcẽtias reprimit hӕmatites.9°.de ſimp.me.fa. 5ª.68.C
Excreſcentias emolliendi, & liquandi vim obtinet laſerpitium. 8°. de ſimp.med.fac. 5ª.60.F
Excreſcentiӕ carnium quare colliquantur minore cruciatu.4°.de ſimp. med.fac. 5ª.30.G
Excreſcẽtias carnium mordicãt nitri ſpuma, aphronitrum, & nitrum. 4°.de ſimp.med.fac. 5ª.30.G
ad Excreſcẽtias.4°.de comp.me.per ge.242.D/6°. 5ª.255.F
ad Excreſcentem carnem.3°.de comp.me.ſec.loc. 5ª.148.B
ad Excreſcẽtiã oẽm carnis reprimendã.5°.de cõp.me.p̃ gen. 5ª.251.B/F
ad Excreſcentem carnem oculorum ex libris Philoxeni remedium.4°. de comp.med.ſec.loc. 5ª.152.D
ad Excreſcentias in mento ficoſas.de rem.par.fac. 7ª.157.B
Excreſcentiã oẽm reprimens emplaſtrũ.4°.de cõp.me.p̃ ge. 5ª.243.A
ad Excreſcentiam omnem.5°.de comp.me.per ge. 5ª.254.F
EXCRETIO quid.ſi.med. Iſa.44.A
Excretio apud Hippocratem ſm aliquos ſignificat euacuationem à toto corpore.com.2°.aph.18°. Ex.14.A
Excretio, & ſubductio quomodo differant.com.2°.apho.18°. Ex.14.B
Excretionum tria ſunt genera, per os, per aluum inferiorem, per vrinã. com.4°.aph.47°. Ex.32.H
Excretio, vrina, diuiduntur in facta à natura, & à voluntate. de mot. man.& obſc. Sp.68.G
Excretio cur aſſidua.de mult. 3ª.76.G
Excretio non fit niſi ratio iuſſerit.4°.de vſu par. 1ª.141.E
Excretionum communes cauſӕ ſunt excrementorum mordicatio, aut aggrauatio.com.6°.aph.1°. Ex.45.H
Excretio à calido prouocatur.in 6^{m}.de mor.vul.com.5°. 3ª.193.D
Excretione cibum aſſumptum elaboramus virtute proueniente ex hepate.de vir. noſt.cor.diſpen. Sp.60.B
Excretionem vna excitat mordicatio.3°.de ſimp.me.fac. 5ª.23.D
Excretio paratur acribus, retinetur lentis.com.2°.aph.18°. Ex.13.F
Excretio humorum craſſorum fit per agitationem rigoris in febre quartana.com.5°.aph.70°. Ex.45.E
Excretiones naturales, quӕ.de ſymp.diff. 3ª.13.G
Excretiones moderate molitur cor.de ther.ad Piſ. 5ª.96.E
ad Excretionem humorum natura feſtinat turgente materia. in 6^{m}.de mor.vul.com.11°. 3ª.166.F
Excretio inuoluntaria dupliciter.in 1^{m}.pror.com.2°. 4ª.175.C
Excretio inuoluntaria vnde.3°.de ſymp.cau. 3ª.27.E
Excretio intẽpeſtiua inordinata, & aſſidua vñ.3°.de ſymp.cau. 3ª.27.E
Excretio pauca in ӕgris mala.in 1^{m}.pror.com.2°. 4ª.175.C
Excretionem euidentem requirunt vel abſceſſum morbi ſubitӕ ſolutionis.1°.de dieb.dec. 4ª.147.B
p̃ Excretionẽ iudicantur acuti morbi.in prog.com.3°. 4ª.205.B
p̃ Excretionem iudicantur morbi calidi.in progn.com.3°. 4ª.109.G
p̃ Excretionẽ finiunt morbi tenuiũ materiarũ.in p̃g.cõ.2°. 4ª.201.C
p̃ Excretiones iudicari conſueuerunt febre vrentes.1°.de arte curatiua ad Glauconem. 7ª.100.C
ad Excretionẽ paratiſſimi sũt hũores tenues calidi.ĩ p̃g.c.3°. 4ª.209.F
p̃ Excretionẽ euacuantur calidi humores.in prog.com.3°. 4ª.210.E
per Excretiones non ſolent iudicari morbi diuturniores.commenta.4°. aphoriſ.36°. Ex.31.H
ab Excretionibus morbi à cruditate nihil iuuãtur.in 1^{m}.de morbis vulgar.commen.2°. 3ª.111.D
Excretio oĩs legitima fit poſt coctionẽ.4°.de prӕſag.expul. 4ª.122.E
Excretiones decretorias quare altus ſimul, & celer in contractione pulſus promittat.4°.de prӕſag.ex pulſ. 4ª.122.B
Excretio carnium loturӕ ſimilis.3°.de ſymp.cauſ. 3ª.28.A
Excretio à liene qualis.6°.de loc.aff. 5ª.36.B
Excretiones liuidӕ.cruẽtӕ, fœtidӕ, & bilioſӕ ſi bene exeunt ſiue p̃ alui excretionẽ, vel per os, vel per vrinã, bonӕ.c.4°.aph.47°. Ex.32.H
Excretiones ĩ febribus nõ intermittẽtibus liuidӕ, ſanguineӕ, bilioſӕ, & fœtidӕ oẽs malӕ, cũ vero bñ excernunt bonũ eſt, & per veſicam, & vbi aliq̃d ſecedẽs ſteterit nõ purgatũ, malũ.c.4°.aph.65°. Ex.60.E
Excretiones περιχεοι quӕ ſint in 1^{m}. pror.com.2°. 4ª.172.A
Excretio ſanguinolenta in quadruplici dr̃ia.3°.de ſymp.cau. 3ª.28.B
cũ Excretione ſanguinis pus exiguum, cũr.3°.de ſymp.cau. 3ª.28.B

Excretio ſolutior, quæ in prog.com.2°. 4ª.205.B
Excretio ſyncerior, quæ.in prog.com.2°. 4ª.205.B
in Excretionem velocem per aluum incurrere poſſunt ſiti infeſtati.6°. de locis affectis. 4ª.38.B
Excretio ſine recordatione, mala.in 1m.pror.com.1°. 4ª.167.C
Excretiões peſſimæ q̃, & q in illis pulſus.4°.de p̃ſag.ex pulſ. 4ª.122.E
Excrctiones malæ ſunt ſigna prauarũ diſpõnũ.c.4°.aph.47°. Ex.32.H
Excretiones prauas comparat vlceribus putridis quibus cõtinue fluũt liquores ſanioſi.com.4°.aph.47°. Ex.32.H
Excretiones omnes prauæ cum bene exeunt ad bonum terminantur.cõmenta.4°.aph.47°. Ex.32.H
Excretiões ſi ſint eorũ quæ iuuant, nõ eſt bonũ.c.4°.aph.47°. Ex.32.H
in Excretione ſi aliquid eorum quæ iuuant, & ſunt animali conuenientia, exeat, non eſt bonum.com.4°.aph.47°. Ex.33.H
Excretio corpus exiccat.ars med. Iſa.68.G
Excretionis bonæ indicia maxima ſunt coctio, & bona tolerantia, cum ipſis vero & morbi ſpecies, & poſt ipſam tempus anni, regio, ætas, natura ægrotantis.com.4°.aph.47°. Ex.33.A
ab Excretionibus ſumitur ſanguinis mittendi indicatio.de cur.rat.per ſang.miſſ. 6ª.18.D
Excretiones cur aliq̃n euitantur, aliq̃n non.5°.de loc.aff. 4ª.35.E
Excretiones immoderatæ vrinarum fiunt patiente hepate. de virt.noſt. corp.diſp. Sp.60.B
Excretionis q̃titas ab hirudinũ erectione cõſpicitur.de cucu.ſca.6ª.4.E
Excreti lapidis calloſi.6°.de loc.aff. 4ª.36.F
in Excretoriorum meatuum finibus cuſtodes ſunt muſculi præualidi. 2°.de motu muſculorum. 1ª.314.F
Excretiua potentia vna eſt ex potentijs omnium partium corporis. commen.6°.aph.55°. Ex.53.D
Excretiua quædam virtus ineſt arterijs, quæ excernit ſudores criticos, profluuia ſanguinis, deiectiões alui iferioris.c.7°.aph.21°. Ex.55.D
Excretoria vis operatur, cũ moleſtũ quid adſit.13°.meth.me. 7ª.80.G
Excretoria vis quo modo excitetur.2°.de diff.fe. 3ª.41.F
Excretoria vis q̃uo per retentricẽ excitetur.3°.de ſymp.cau. 3ª.26.G
Excretiuæ virtutis motus immodicus nimiũ laxat.de cau.mor. 3ª.9.B
Excretrix vis habet duo ſymptomata.de ſymp.diff. 3ª.12.A
EXCVSAT *ſe coactum ab amicis ſcripſiſſe contra antiquos Galenus, ſed mentitur.4°.de diff.pulſ.* 4ª.64.C
EXECTI *& ambuſti rigent.in 6m.de mor.vul.com.3°.* 3ª.174.D
EXEDENTES *ſunt acres ſapores.4°.de ſimp.me.fa.* 5ª.29.G
Exedentia vlcera ſunt cacoethe.4°.meth.me. 7ª.28.C
Exedentia vlcera, quas phagedænas vocant, ſubiectam carnem corrũpunt.com.6°.aph.45°. Ex.51.F
Exedens ſine morſu aridum.5°.de comp.med.per ge. 5ª.252.E
Exedens aridum.5°.de comp.med.per ge. 5ª.252.H
Εὐ ἕξει.*8°.methodi.medendi.* 7ª.49.G
EXEMPLA *argumenta remotiora.2°.de decr.Hipp.* 1ª.235.C
Exemplum deſpicitur à Galeno.2°.de ſimp.med.fac. 5ª.10.E
Exemplum pertinet ad rhetores.2°.de ſimp.med.fac. 5ª.10.E
Exempla qualia eſſe debent.com.6°.aph.25°. Ex.48.F
Exempla à generalibus ad particularia.7°.meth.me. 7ª.45.G
Exempla ſtupidos animos excitant.2°.meth.me. 7ª.10.G
in Exemplis exercitandum.8°.meth.me. 7ª.56.E
Exẽplo pticulari cõis ſmo declarat̃.de vic.ra.ĩ mor.acu.c.1°. 7ª.109.G
Exẽplis ſingularibus pbãda medicina.in 1m.de mor.vul.cõ.1°. 3ª.101.G
Exempla quædam ſermonum vniuerſalium ab Hippocrate ponuntur. com.6°.aph.25°.& 26°. Ex.48.F
p Exemplum vnum videtur aliquando Hippocrates de ſimilibus oĩbus pronunciare.com.5°.aph.33°. Ex.40.E
ex Exẽplis duobus vlia facit Hippo.in 3m.de mor.vul.cõ.1°. 3ª.128.G
Exemplum de acu pungente carnem.1°.de elem. 1ª.2.G
Exemplũ aquæ feruentis in algentẽ poſitione.3°.de ſimp.me.fa. 5ª.17.F
Exemplum de vno qui numerabat omnes aſinos præter ſuum, cui inſidebat.6°.de vſu par. 1ª.156.B
Exemplum de vno, qui quærebat aureos quos altera manu geſtabat.6°. de vſu partium. 1ª.156.B
Exemplo Athletarum vtitur Hippocrates in docendo quantitatem euacuationis.com.1°.apho.3°. Ex.3.F
Exemplum de iuuenum & puerorum caloribus.2°.de temp. 1ª.17.B
Exemplum q cor ſit calidiſſimum.2°.de temp. 1ª.17.H
Exẽplũ de miſcella cõtrariorũ extremorũ cal'i et frĩdi.1°.de tẽp. 1ª.14.F
Exemplum digitorum complicatorum.1°.de elem. 1ª.3.A
Exemplum in domo.1°.de elem. 1ª.3.D
Exemplum geminorum ſimilium.3°.de comp.me.per ge. 5ª.228.G
Exẽplum curationis ſm humorum exuberantiam.cõ.1°.aph.2°. Ex.3.D
Exemplum naſſæ piſcatoriæ κυρτούς *vẽ.in tim.Plat.* 1ª.288.D
Exemplum, q non ſit mirum ſuccum papaueris calidum exhibitum fieri frigidum, & refrigerare corpus.3°.de temp. 1ª.23.G
Exemplum de ſymptomatibus in pleuritide.de conſt.ar. Iſa.40.F
Exemplum de porcello nuper nato.2°.de temp. 1ª.16.B
Exemplum puerorũ miſſorum ad diuerſa loca.3°.de dign.pul. 4ª.79.G
Ἐξεχεβρόγχοι.*de art.commenta.3°.* 7ª.269.E
p EXERCEω, *meditor.in 1m.de mor.vul.com.2°.* 3ª.112.E
EXERCITATORIA *medicæ artis pars.de pt.art.med.* Sp.17.F
ad Exercitatoriam, an ad rem medicam ſpectet ars tuendæ ſanitatis. ad Thraſybulum. 2ª.101.G
Exercitatoriæ diffinitio per finem.ad Thraſ. 2ª.102.A
Exercitatoriæ q̃uo ſubiectum noſtrum corpus.ad Traſ. 2ª.106.H
Exercitatio, & exercitatum.de ſubfig.empi. Iſa.31.C
Exercitatio.de ſubfi.emp. Iſa.31.G
Exercitatus.de ſubfi.emp. Iſa.31.G
Exercitationis vocabulo quæ conueniant.5°.de ſa.tu. 2ª.94.A
Exercitium magis commune q̃ gymnaſium.de ſal.diæta. 2ª.39.A
Exercitatio, motus, & labor, an idem.2°.de ſa.tu. 2ª.69.E
Exercitatio qui motus ſit.1°.de ſani.tu. 2ª.68.H
Exercitatio eſt vehementior motus.2°.de ſani.tu. 2ª.69.E
Exercitium eſt vehemens motus.com.2°.aph.16°. Ex.12.H
Exercens ſe quid ſciat de motibus.2°.de ſa.tu. 2ª.75.D
Exercitatio vnde proprie.2°.de ſa.tu. 2ª.69.E
Exercitatio communiter.2°.de ſan.tu. 2ª.69.E
Exercitationis totam materiam belliſſime docuit Theon Alexandrinus. 3°.de ſanitate tuenda. 2ª.77.H
de Exercitatione diuerſæ ſententiæ.5°.de ſa.tu. 2ª.93.G
Exercitationum nomina.5°.de ſa.tu. 2ª.90.A
Exercitationum natura & vtilitas.in 6m.de mor.vul.com.6°. 3ª.195.C
Exercitium eſt proprim bene valentium.ad Thraſy. 2ª.107.A
Exercitationes omnes homines deſiderant.5°.de ſa.tu. 2ª.94.A
Exercitatio, τριβὴ, *ars, experientia in quo conſiſtant ſecundum Platonem.aduer.emp.med.* Iſa.35.E
Exercitationi p̃futurus pædotriba eſſe debet.de par.pi.exer. 2ª.49.F
Exercitationi qui tm̃ præeſt gymnaſtes dicitur.2°.de ſa.tu. 2ª.73.H
Exercitator qualis eſſe debet.2°.de ſa.tu. 2ª.73.D
Exercitari debet homo per methodos.1°.de ſymp.cau. 3ª.15.E
ad Exercitatiões ptinẽtia qui callet, gymnaſtes dr̃.1°.de ſa.tu. 2ª.68.G
inter Exercitationem ipſam ſpiritus cohibitionem interponunt optimi gymnaſtæ.3°.de ſa.tu. 2ª.77.E
Exercitiorum genera.in 6m.de mor.vulg.com.3°. 3ª.170.C
Exercitationum genera, quæ.2°.de ſa.tu.73.G/74.C/ 2ª.75.G
Exercitationum triplex genus, aut à nobis, aut ab alijs, aut à medicamẽto.1°.de ſan.tu. 2ª.65.D
Exercitationes quæ ſint ſolæ.2°.de ſa.tu. 2ª.73.G
Exercitationes & opera, quæ.2°.de ſan.tu. 2ª.73.G
Exercitij genus conueniens athletis.3°.de ſa.tu. 2ª.80.F
Exercitatio qbus fieri nõ dẽt ĩclinato capite et dorſo.5°.d ſa.t. 2ª.90.A
Exercitatio caput implens quibus vitanda.5°.de ſa.tu. 2ª.90.A
Exercitationis genus ſuſpenſe agitari.de bon.& vic.ſuc. 2ª.35.A
Exercitationes brachiorum ac manuum, quæ.2°.de ſa.tu. 2ª.74.H
Exercitatione ſuperiorũ & ĩferiorũ q̃ ptes iuuãtur.5°.de ſa.tu. 2ª.90.B
Exercitatiõe ſupiori iuuant̃ veſicæ et renũ partes.5°.de ſan.tu. 2ª.90.B
Exercitationes crurum, quæ.2°.de ſa.tu. 2ª.74.H
Exercitatio crurum quibus vitanda.5°.de ſa.tu. 2ª.90.A
Exercitatio mediarũ partiũ crurũ et brachiorũ q̃.5°.de ſan.tu. 2ª.90.A
Exercitatione inferiori iuuantur thoracis partes.5°.de ſa.tu. 2ª.90.H
Exercitationes lumborum, quæ.2°. de ſan.tu. 2ª.74.H
Exercitatio tranſuerſarum partium ſpinæ, quæ.2°.de ſa.tu. 2ª.74.H
Exercitationes pulmonis & thoracis, quæ.2°.de ſa.tu. 2ª.74.H
Exercitatio muſculorum, neruorum, & tendonum, fit per ſe ex motibus voluntarijs.2°.de ſa.tu. 2ª.75.A
Exercitatio arteriarum, venarum, oſſium, carnis, & ligamentorum per accidens fiunt à motibus voluntarijs.2°.de ſa.tu. 2ª.75.A
Exercitatio paruæ pilæ omnes alias excedit.de par.pi.exer. 2ª.48.F
Exercitatio paruæ pilæ mouet totum corpus.de par.pi.exer. 2ª.49.A
Exercitatio paruæ pilæ tutiſſima.de par.pi.exer. 2ª.49.G
Excrtitia p diſcos et p flexiões qd mali fecerit.de par.pi.exe. 2ª.49.G

Exercitationes

Exercitationis modi circa affectos locos tres.2°.de loc.aff. 4ª.8.C
Exercitatio præcipua.1°.de ſa.tu. 2ª.69.G
Exercitatio optĩa q̃ corpus fatigat,et aĩam delectat.d p.pi.ex. 2ª.48.G
Exercitationem qui agant perfecte.2°.de ſa.tu. 2ª.73.E
Exercitatio acuta quæ,& quid agat.5°.de ſa.tu. 2ª.89.G
Exercitationes acutæ conſenſu omnium gymnaſtarum extenuant.2°.de ſanitate tuenda. 2ª.96.A
Exercitationis poſtrema pars dicitur apotherapia.3°.de ſa.tu. 2ª.75.F
Exercitatio apotherapia,quæ.3°.de ſa.tu. 2ª.81.G
Exercitatio apotherapia,qualis .3°.de ſa.tu. 2ª.79.B
Exercitatio apotherapia corpus relaxat.3°.de ſa.tu. 2ª.81.E
Exercitatio apotherapia idonea poſt vigilias & triſtitias.3°.de ſanitate tuenda. 2ª.81.F
Exercitatione apotherapia qui vti debent.6°.de ſa.tu. 2ª.97.G
Exercitatio aſſidua & interpolata.2°.de ſa.tu. 2ª.74.G
Exercitationes quæ fiant celeritate præter robur.2°.de ſa.tu. 2ª.75.F
Exercitationes imbecillæ,quæ.in 6m.de mor.vul.com.4°. 3ª.184.C
Exercitationes lentæ corpus implent.6°.de ſa.tu. 2ª.96.A
Exercitationes magnæ quæ ſint.in 6m.de mor.vul.com.1°. 3ª.156.A
Exercitatio multa & mediocris quid agant.5°.de ſa.tu. 2ª.89.G
Exercitium quoddam nominant præparationem Theon & Trypho.ad Thraſybulum. 2ª.109.E
Exercitationis præparatoriæ continui & vehementes motus ſunt proprij.3°.de ſani.tuen. 2ª.77.E
Exercitatione præparatoria qui vti volunt à quibus cauere debent. 3°. de ſanitate tuenda. 2ª.81.D
Exercitatio præparatoria raritati ſola medetur.3°.de ſa.tu. 2ª.81.E
Exercitatio præparatoria debet ſequi poſt venerẽ.3°.de ſa.tu. 2ª.81.F
Exercitatio præparatoria corpus cogit.3°.de ſa.tu. 2ª.81.E
Exercitationes robuſtæ,quæ.2°.de ſa.tu. 2ª.74.C
Exercitatio celeris citra violentiam,quæ.2°.de ſa.tu. 2ª.75.F
Exercitationes robuſtæ,quæ.in 6m.de mor.vul.com.4°. 3ª.184.C
Exercitatio robuſta valenſq́; eſt fodere.2°.de ſa.tu. 2ª.74.C
Exercitatio impenſe robuſta non tamen celeris eſt,coercere quatuor ſimul equos habenis.2°.de ſa.tu. 2ª.74.C
Exercitatio tarda pinguefacit.in 6m.de mor.vulg.com.3°. 3ª.170 E
Exercitatio vehemens quæ ſit.2°.de ſa.tuen. 2ª.75.G
Exercitium omnium vehementiſſimum,quale.de par.pi.exer. 2ª.49.F
Exercitia vehementia caput replent.de puero epil. 7ª.180.A
Exercitatio velox carnes & ſuecos detrahit.in 6m.de morbis vulgari. commenta.3°. 3ª.170.E
Exercitatio violẽta cũ celeritate vehemẽs dicitur.2°.de ſa.tu. 2ª.74.C
Exercitatio violenta ſine velocitate valens appellatur à Galeno. 2°. de ſanitate tuenda. 2ª.74.C
Exercitatio eſt neceſſaria.9°.de decr.Hipp. 1ª.284.D
ad Exercitationem corpus & animum excitat mutatio temporum fortis.de aere,aq.& locis. 2ª.5.E
cũ Exercitijs naturæ noſtræ ſocietas.1°.de ſa.tu. 2ª.65.D
ad Exercitia infantes naturaliter ſunt propenſi.1°.de ſa.tu. 2ª.65.D
ad Exercitationem inepti.5°.de ſa.tu. 2ª.89.H
Exercitatio q̃ta fieri debet,& qualis.de ren.aff.dign.et med.7ª.196.A
Exercitationum qualitas,quę.2°.de ſa.tu. 2ª.74.A
Exercitia oſtenduntur à viribus.de ſal.diæta. 2ª.39.A
Exercitationis qualitas ab extrinſecis.2°.de ſa.tu. 2ª.74.A
Exercitationis locus qualis eſſe debet.de ren.aff.dign.et med. 7ª.196.B
Exercitationis locus q̃uo p̃parãdus hyeme & ęſtate.2°.de ſa.t. 2ª.73.C
Exercitationis domus qualis eſſe debet.2°.de ſa.tu. 2ª.73.C
Exercitãtes ſe quid agere debeant hyeme & æſtate.de ſal.diæ. 2ª.42.E
ad Exercitium quando prodire debent temperati.2°.de ſa.tu. 2ª.73.F
Exercitatio quando fieri debet.2°.de ſa.tu. 2ª.69.G
Exercitatio mediocris adhibenda temperato.2°.de ſan.tu. 2ª.75.G
Exercitium moderatum mirum in modum facit ad ſanitatem. de bon.et vitio ſuccorum. 2ª.35.A
Exercitatio bilioſorum.5°.de ſan.tu. 2ª.94.C
Exercitationes humidorum.5°.de ſa.tu. 2ª.94.C
Exercitatio q̃n fieri debet,cognoſcit̃ ex color̃ vrię. 2°. de ſa.tu. 2ª.69 G
Exercitium quod commendandum.de par.pi.exer. 2ª.49.D
ante Exercitationem quid agendum.2°.de ſa.tu. 2ª.69.H
añ Exercitationẽ frictio p̃paratoria qd agere dẽt.2°.de ſa.tu. 2ª.70.A
añ Exercitationem corpus fricandum linteolo.2°.de ſa.tu. 2ª.69.H
Exercitatio fiat poſt frictionem,& quouſq;.2°.de ſa.tu. 2ª.76.A
Exercitij loco habentur frictiones in imbecillis.de puero epil. 7ª.180.B
Exercitium nullum perpetuo die,ſed ante cibum.2°.de ſa.tu. 2ª.73.H
Exercitatio debet antecedere cibos.de par.pi.exer. 2ª.48.F
Exercitatio nõ ẽ tuta,niſi prius ſit corpus inanitũ.3°.de ſa.tu. 2ª.94.D
Exercitatio ante cibum maximum commodum affert bonæ valetudini. de bon.& vitio ſuccorum. 2ª.35.A
Exercitia quomodo incipienda ſunt.de puero epi. 7ª.180.B
Exercitationis duplex propoſitum.3°.de ſa.tu. 2ª.75.F
Exercitatio ſalubris eſt.in 6m.de mor.vul.com.4°. 3ª.185.G
Exercitatoriam vocat Plato non ſalubrem.ad Thra. 2ª.107.D
Exercitationes,quod ad ipſas attinet,ſunt ſaluberrimę. commenta. 3°. aphoriſmo.20°. Ex.24.B
Exercitatio quando ſalubris,quando non.ars med. Iſa.68.C
Exercitatio ẽ magna portio artis tuẽdę ſanitatis.4°.de ſa.tu. 2ª.82.D
Exercitatio cõfert ad ſanitatẽ,q̃uis nõnulli negarint.1°.de ſa.tu.2ª.65.E
Exercitator & medicus circa ſanitatem, non habet commune nomen. ad Thraſybulum. 2ª.107.D
Exercitatio quæ commoda facit.de ren.affect.dig.& med. 7ª.196.A
Exercitatio tria commoda facit,& quæ ſequuntur ex ipſis.2°. de ſanitate tuenda.69.F| 2ª.73.H
Exercitium mediocre facit perflari corpus.ars med. Iſa.68.E
Exercitio ſarcitur tranſpirandi defectus.2°.de ſa.tu. 2ª.72.H
Exercitatio omnis calorem auget.2°.de ſa.tu. 2ª.74.B
in Exercitatione calor natiuus ĩternus augetur.2°.de ſa.tu. 2ª.74.B
Exercitijs augent athletæ calorem natiuum.com.1°.aph.15°. Ex.8.B
Exercitio proprie corpora noſtra caleſcunt.2°.de ſa.tu. 2ª.74.B
Exercitium auget robur.de conſu. 2ª.61.E
Exercitia valida,& ſol,corpora calida & robuſta, validiora efficiunt. 4°.de ſimp.me.fa. 5ª.29.A
Exercitatæ partes fiunt robuſtiores,atq; iccirco labores conſuetos facilius ferunt.com.2°.aph.49°. Ex.19.A
p Exercitationum varios modos q̃uo exercetur & firmatur partium robur.2°.de ſa.tu. 2ª.74.D
Exercitium facit duros neruos.de art.com.3°. 7ª.277.E
Exercitatus imbecillis ſuperat fortẽ inexercitatũ.9°.de decr. 1ª.280.C
Exercitatio facit animali bonum ſuccum.3°.de ali.fa. 2ª.30.C
Exercitatorum bonum habitũ quem vocet Hip.com.1°.apho.3°. Ex.3.F
Exercitatorum carnem,& non exercitatorum comparat caſeo coagulato,& non coagulato.de art.com.3°. 7ª.277.E
Exercitio mediocri ſi vtatur homo & bene concoxerit,corpus vacat ſuperfluitatibus.com.6°.aph.28°. Ex.49.A
Exercitatio exiguos meatus expurgat, & excrementa expellit. 2°. de ſanitate tuenda. 2ª.69.G
Exercitia poſſunt purgare ſuperfluitates ſingulis diebus collectas.com. 3°.aphoriſmo.15°. Ex.22.G
Exercitij nõ velocis caro oĩs ẽ multarũ ſupfluitatũ.de diſ.con. Sp.73.E
Exercentes ſe à craſſis & glutinoſis ſuccis non læduntur. de bo. & vit. ſuccis. 2ª.35.A
Exercentes ſe laboribus cur minus lędantur à prauis cibis.1°.de alimẽ. facultati. 2ª.10.B
Exercitatione podagram impediri,collige.cõ.2°.aph.28°. Ex.48.H
Exercitatione plethora curatur.13°.met.me. 7ª.81.G
Exerceri debẽt q hñt lapidẽ ĩ renibus.in 6m.de mor.vul.cõ.1°. 3ª.155.H
Exercitia calculoſorum.de ren.aff.dig.& med. 7ª.194.E
Exercitia quandoq; purgant humores,qui ſunt in profundo corporis.cõmen.3°.aph.20°. Ex.24.C
ob Exercitationem & victum exiccantem,ob ętatem ad ſicciorem naturam tranſmutatam,adiunctis idoneis medicinis ceſſat morbus comitialis.5°.aph.7°. Ex.38.A
Exercitia ſunt apta natura exiccare.com.4°.aph.13°. Ex.28.F
Exercitia euacuant.com.4°.aph.2°. Ex.27.D
Exercitia ĩ quo ordine numerent̃ inter euones.cõ.2°.aph.17°. Ex.13.E
Exercitijs comparat naturæ opera in vere.cõ.3°.aph.20°. Ex.24.C
Exercitatio ſupra conſuetudinem moleſtia afficit.de cau.mor. 3ª.6.H
Exercitatio quomodo præter naturam ſit.de pulſ.ad tiro. 4ª.44.D
Exercitiũ niſi fẽceris,quid ſequat̃.in 3m.de mor.vulg.com.3°. 3ª.144.G
Exercitio non vtentes fontis aquã bibant ſumma æſtate, cũ vehementi calore vrgent̃,& niuis vſum vitent.de bon.& vi.ſuc. 2ª.39.D
Exercitatis,qui fiunt deſidioſi,quid contingat.3°.de ſym.cau. 3ª.27.H
Exercitia conſueta dimiſſa quos morbos faciunt.1°.de diſ.fe. 3ª.31 C
ob Exercitij dimiſſionem ægrotantes.5°.de ſa.tu. 2ª.93.E
in Exercitatione educatus,deinde ad ocium ſe conuertens,incidit in dyſenteriam cruentam.5°.de loc.aff. 4ª.35.D

in Exercitatione excrementa retenta quid mali facere poſſunt. 2°. de ſanitate tuenda. 2ª.69.H
Exercere corpus noli, ſi vas in thorace ne rumpatur timeas. de ve. ſect. aduerſ. Eraſiſtratum. 6ª.8.F
Exercitatio calefacit, attenuat, & excitat ad motum excremẽta. 2°. de ſymp. cau. 3ª.22.D
Exercitatio trahit foras humores. 4°. de ſan. tuen. 2ª.85.H / commen. 3°. aphoriſmo. 20°. Ex.24.C
ob Exercitium impurgatis vlcera erũpunt. cõ. 3°. aph. 20°. Ex.24.C
Exercitia ſi hoĩem plenum pituita, vel bile flaua, aut atra, aut ſanguine inuenerint, ipſi apoplexiã, vel epilepſiã, vel ruptionẽ vaſis in pulmone, quæ cauſat morbos inſanabiles, inferunt. c. 3°. apho. 20°. Ex.24.B
Exercitatis natura rerum ſuggerit quid agendum. 14°. me. me. 7ª.92.H
Exercitatio validam alterationem concitat. 1°. de cau. pul. 4ª.87.H
Exercitationum ſignum ſudor. in 6ᵐ. de mor. vulg. com. 3°. 3ª.171.A
Exercitiorum mediocrium ſudores, quales. 3°. de ſymp. cau. 3ª.28.F
Exercitatio probatur ex anhelitu. 2°. de ſan. tu. 2ª.69.E
pro Exercitationibus pulſuum mutatio. 3°. de cau. pul. 4ª.98.E
Exercitantium pulſus quales. de pulſ. ad tiro. 44.D / 3°. de diff. pul. 61.F / 1°. de cau. pul. 4ª.87.H
Exercitatorum reſpiratio. 1°. de diff. reſp. 5ª.58.D
Exercentibus ſe ictericis, dum ſublimior ſpiritus adhuc eſt, quid exhibẽdum. 9°. de comp. med. ſe. lo. 5ª.198.C
Exercitia quæ ſpũm acutum reddunt. 9°. de comp. me. ſe. lo. 5ª.199.C
Exercitia q̃ ſpũm acutũ reddũt ſpleniticis. 9°. de cõp. me. ſe. lo. 5ª.199.F
ob Exercitia qũo fiant anhelitus crebri. com. 3°. aph. 26°. Ex.25.E
Exercitati habent pulſum & reſpirationem celeriorem, frequentiorem, & maiorem. de vſu pul. 1ª.227.F
in Exercitationibus cur amplius & vehementer reſpiramus. de vtilitate reſpirationis. 1ª.225.E
Exercitia ſimul cũ inedia ſanis nõ ſunt p̃cipiẽda. c. 2°. aph. 16°. Ex.12.H
Exercitantes quibus veſci debent. de ren. aff. dig. & med. 7ª.195.B
Exercitatis ſomnus altior. 1°. de ſymp. cauſ. 3ª.19.A
Exercitiũ debet eẽ cõmenſuratũ. de cõſu. 61.E / 2°. de ſa. tu. 2ª.73.H
Exercitium nullum immodicum. de par. pilæ ex. 2ª.49.D
Exercitium quam mediocritatem habere debet. ars med. Iſa.68.E
Exercitij modus. ars med. Iſa.68.F
Exercitatio quando inhibenda. 2°. de ſan. tu. 2ª.76.A
in Exercitationibus potiſſimũ muſculi patiuntur. 3°. de ſa. tu. 2ª.80.C
Exercitatio minuit, carnium, adipis, & ſuccorum abundantiam. in 6ᵐ. de mor. vul. com. 3°. 3ª.170.C
Exercitium quando colliquat membra. de puero epil. 7ª.180.A
Exercitatio immodica impedit incrementum. 1°. de ſa. tu. 2ª.67.C
Exercitatio immodica laſſitudinem facit. de cau. mor. 3ª.6.E
ex Exercitatione immodica laſſitudo eſt ſanorum ſymptoma. 4°. de ſanitate tuenda. 2ª.82.E
præter Exercitationem laſſitudo eſt ſymptoma ægritudinem nuncians. 4°. de ſanitate tuenda. 2ª.82.E
ex Exercitio immodico effluit aliquid boni. 3°. de ſymp. cau. 3ª.28.F
Exercitans ſe, ſi oleribus, & ſucco ptiſſanæ vtatur, cito corpus ſuum labefactabit. 1°. de alim. fac. 2ª.10.B
Exercitatio membra exiccat. quos pur. op. 5ª.88.A
Exercitatis ĩmodice fiũt ĩæquales intẽpies ſine mã. de ĩæq. intẽp. 3ª.43.C
Exercitationibus, & pluſculis laboribus calore adaucto inæqualis intẽperies oriri ſolet in toto corpore. de inæqu. intemp. 3ª.44.D
ob Exercitatiões fit dolor capitis. de vic. ra. in mor. acu. c. 4°. 7ª.149.E
Exercitationibus nimijs fiunt dolores vlceroſi & tenſiui. 2°. de locis affectis. 4ª.11.D
Exercitatis rigor & horror accidũt. de trem. palp. cõuul. & rig. 3ª.55.F
Exercitatio vehemẽs cã cur bilis ĩ vẽtriculũ meet. 2°. de decr. 1ª.240.C
Exercitationes intẽpeſtiue inducũt cãs abditas. de na. hu. c. 2°. 7ª.181.G
Exercitatio à cibo non eadem quæ ieiune fit. 2°. de dign. pul. 4ª.77.C
Exercitantes ſe repleti quid incurrant. 6°. de ſa. tu. 2ª.97.H
Exercitatio ante coctionem quid faciat. 2°. de ſa. tu. 2ª.69.G
Exercitatio ante coctionem facit, vt cibi crudi deſcendant ad omnes partes. 2°. de ſan. tuenda. 2ª.69.G
Exercitationẽ fieri non debere cruditas oſtendit. 3°. de ſa. tu. 2ª.81.F
Exercitandi non ſunt in primis venis crudorum humorum copiam habẽtes. 4°. de ſan. tu. 2ª.84.G
ob Exercitationem à cibo viſcera obſtrui. de ſal. diæta. 2ª.41.B
Exercitatis à cibo viſcerũ dolores incidunt potiſſimum in iecore. de ſal. diæta. 2ª.43.C
in Exercitatione cur potius obſtruantur q̃ expurgentur meatus quandoq; graui athletæ. 3°. de ſan. tu. 2ª.77.C
Exercendum non eſt, neq; balneo vtendum, vbi ſunt humores multi. 13°. methodi medendi. 7ª.82.B
Exercentis ſe cuiuſdã caſus, qui in febrẽ incidit. de cauſ. p̃catar. 3ª.98.B
Exercitijs immodicis ephemerę habent minores pulſus. 1°. de arte cura. ad Glauconem. 7ª.95.D
Exercitãtes ſe, ſi alui p̃fluuio corripiant̃, qd agẽdum. de ſal. diæ. 2ª.42.E
Exercitati illico cibos accipe nõ debẽt. in 6ᵐ. de mor. vul. cõ. 3°. 3ª.170.E
poſt Exercitium magnum cur datur minus nutrimenti & cur non. 3°. de ſanitate tuenda. 2ª.80.C
ſm Exercitiorũ diuerſitatẽ victus rõ eſſe debet. 1°. de ſan. tuẽ. 2ª.67.D
ab Exercitatione ſtatim aqua bibẽda poſt vinum. de ſal. diæta. 2ª.41.C
in Exercitijs quomodo paranda eſt aqua. de bon. aquæ. Sp.76.B
Exercitationibus quibus conueniat aquæ calidæ ſolium, & quibus non. 3°. de ſanitate tuenda. 2ª.80.F
poſt Exercitationẽ cur calida potio dãda et nõ frĩda. de ſal. diæ. 2ª.41.C
poſt Exercitationem potio frigida offendit ventrem, iecur, & neruos. de ſal. diæta. 2ª.41.C
ab Exercitatione lotio frigida qñ conueniat. 2°. de ſan. tu. 2ª.70.A
ab Exercitatione non ſtatim lauandum. 2°. de ſan. tu. 2ª.75.A
poſt Exercitium etiam fit frictio. 2°. de ſan. tu. 2ª.72.C
Exercitium indicat morbos. com. 1°. aph. 12°. Ex.5.E
Exercitijs ſi qui ſint dediti in his catharcticis vtimur. de dy. Sp.20.F
poſt Exercitia aliqua conſueta ſanguis è vena detrahendus. præſag. ex per. confir. Sp.77.H
EXERCITATIONIS per totam vitam indiget homo, vt in probum virum euadat. de cogn. cur. animi morbis. 2ª.51.E
Exercitatio diuerſa diuerſo modo habet animam. 1°. de ſa. tu. 2ª.65.F
Exercitationis praua cõſuetudine corrũpũt aĩ mores. 1°. de ſa. t. 2ª.65.F
Exercitatum non eſſe facit errare. 5°. de diff. pul. 4ª.57.C
Exercitatio conſiſtit in particularibus. 9°. meth. me. 7ª.58.C
ſine Exercitatione in ſingularibus methodus vniuerſalis non poteſt facere bonum artificem. 9°. de decr. Hipp. 1ª.280.B
Exercitari in quibus debemus. in 1ᵐ. de mor. vul. com. 3°. 3ª.120.G
Exercitatio in pueritia quantum valeat. 2°. de anat. adm. 1ª.68.F
Exercitatio iuuenum eſſe debet geometria, arithmetica, logica & dialectica. ad eos qui de typ. ſcripſ. 3ª.92.G
Exercitij cauſa iuuenes prauis vijs non debent inſiſtere. ad eos, qui de typ. ſcripſ. 3ª.92.G
Exercitati debemus eſſe in artibus. 9°. de decr. Hipp. 1ª.284.E
Exercitari debet medicus continue in arte. 3°. meth. me. 7ª.20.G
q̃ Exercitatio in re medica ſit neceſſaria. 2°. de cõp. me. per ge. 5ª.218.B
Exerceri debet medicus circa particularia. 4°. de loc. aff. 4ª.21.A
Exercitio frequenti firmantur artis op̃a. 6°. de cõp. me. per ge. 5ª.257.C
Exercitatio circa opera ad quæ iuuet. 3°. de criſi. 4ª.142.D
in Exercitatione artis quid primo agendum. 2°. de loc. aff. 4ª.13.C
Exercitatio qũo moliẽda p̃ locis affectis inueniẽdis. 2°. de lo. af. 4ª.13.C
non Exercens & addiſcens, qualis. 1°. de die. decr. 4ª.149.E
Exercitatio de locis affectis duplex. 4°. de loc. aff. 4ª.27.E
Exercitatio à loco quo modo. 2°. de loc. aff. 4ª.8.C
Exercitatio à diſpoſitionibus & cauſis qũo. 2°. de loc. affe. 4ª.8.C
Exercitatio ab accidentibus quo modo. 2°. de loc. aff. 4ª.8.C
Exercitatorium experimentum. de ſectis. Iſa.16.C
Exercitandi ſunt medici ĩ methodo demõſtratiua. 7°. meth. me. 7ª.44.C
Exercitandum in exemplis. 9°. meth. me. 7ª.56.E
Exerceri oportet in ſimplicibus. 4°. meth. me. 7ª.24.C
Exercitatus debet eẽ tactus pro pulſu noſcẽdo. 2°. de dign. pul. 4ª.75.C
Exercitatum tactum exigit pulſus formicans. 2°. de dign. pul. 4ª.75.C
ad Exercẽdũ tactũ multo tẽpore indigemus. 1°. de dign. pul. 4ª.70.D
Exercitatio in ratione deligandi in quibus fieri debet. de ijs, quæ in medi. commen. 1°. 7ª.197.E
EXERCITVS adminiſtratio vnde repetenda. 6°. de decr. 1ª.264.B
Exercituũ ducibus et primatib⁹ cõuenit theriaca. de the. ad Piſ. 5ª.91.C
EXESIO ab acrimonia humorũ exulcerationem inteſtinorũ facit, quã difficultatẽ iteſtinorum ſæpe ſanauit Gale. c. 4°. aph. 24°. Ex.30.A
Exeſio inteſtinorum à flaua bile, vel ab atra fit. cõ. 7°. aph. 23°. Ex.55.E
Exeſis vlceribus creſcit caro. com. 6°. aph. 19°. Ex.48.B
in EXEVNDO naturalis ordo eſt vt præcedat caput, & ſequantur cætera membra. de ana. viu. Sp.52.D
ad EXFLORATIONES valet ſucc⁹ cẽtaureæ. d̃ vir. cẽ. Sp.93.E
EXHALATIO quid. 3°. de decr. Hipp. 1ª.240.G

Exhalatio corporis quomodo augetur.6°.de ſan.tuen. 2ª.98.C
ad Exhalandos,& digerendos ſuccos corporis qui natura propenſi.9°. methodi medendi. 7ª.57.H
Exhalant,& digeruntur promptius naturæ calidæ & humidæ. 9°. methodi medendi. 7ª.60.H
Exhalat valde & digeritur aqua calefacta.9°.meth.med. 7ª.60.H
Exhauriũt materiam cucurbitulæ.de hirud.reuulſ.cucur.et ſca.6ª.2.F
EXHIPOTICON quid.2°.de compo.med.per gene. 5ª.222.C
EXICCARE,calefacere,refrigerare, & humectare corpus humanum quæ debent,non ſunt conſideranda an pinguia,vel lenta, vel leuia.1°.de ſimp.med.fac. 5ª.2.E
Exiccantium natura & diuiſio.8°.de compo.med.ſec.loc. 5ª.188.A
Exiccantium ordo.5°.meth.med. 7ª.36.E
Exiccantia per gradus.6°.meth.med. 7ª.38.G
Exiccantia valentiora modice ſiccantibus,quæ.3°.meth.med. 7ª.20.A
Exiccant & refrigerant acerba.7°.meth.med. 7ª.46.H
Exiccat ſine moleſtia Adeps anſerinus.2°.de comp.me.ſec.loc.5ª.134.F
Exiccant plus iuſto, & roborant os ventriculi adſtringentia. de victus ra.in morbis acutis, com.1°. 7ª.111.F
Exiccant & abſtergunt vehementer Aeris ſquamma & ærugo. 4°. de comp.med.per genera. 5ª.241.H
Exiccare qui volunt per aquę calidæ perfuſionem,ſunt excuſandi. 1°. de ſimp.med.fac. 5ª.3.G
Exiccant attenuatoria,& repulſoria.5°.de cõp.med.per ge. 5ª.247.C
Exiccandi vim habet Bilis vt muria & mare.4°.de cauſ.pulſ. 4ª.103.F
Exiccat valde Buccina.1°.de comp.med.per ge. 5ª.216.E
Exiccant nimium Calefacientia.7°.meth.med. 7ª.46.F
Exiccat caliditas nimia.de mel.ex G.R.& Poſſ. Sp.109.F
Exiccet quomodo abſq; mordicatione Calx.9°. de ſimp.med.fa. 5ª.71.B
Exiccat citra mordicationem Centaurium amarum adſtringens. 7°. de ſimp.med.fac. 5ª.50.G
Exiccat & abſtergit Crethmon ſubſalſum & ſubamarum. 1°. de ſimpli. medicamentorum facultatibus. 5ª.52.H
Exiccant ac digerunt Citri folia.7°.de ſimp.med.fa. 5ª.56.B
Exiccare fluxiones poteſt Cucurbitula.de cucur.ſcar. 6ª.3.F
Exiccant Cupreſſi folia,tñ parũ calida ſunt.7°.de ſimp.med.fac.5ª.53.G
Exiccat ſine morſu & parum adſtringit Cyperum.6°.de compo. medic. per genera. 5ª.256.F
Exiccant ſine morſu Diaphanes & lapis ſpecularis. 4°.de compoſi.medicam.per genera. 5ª.236.F
Exiccat membra Exercitatio.quos purg.opor. 5ª. 88. D/commenta.4°. aphoriſmo 13°. Ex.28.G
Exiccat Faba.7°.de ſimp.med.fac. 5ª.53.D
Exiccat fames corpora ex accidenti.com.7°.apho.59°. Ex.59.D
Exiccat & facit durius Frigus.in 6ᵐ.de morbis vulg.com.5°. 3ª.193.F
Exiccat Fuligo.7°.de ſimp.med.fac. 5ª.53.A
Exiccat & refrigerat in primo Hordeum.6°.de ſimp.med.fac. 5ª.53.A
Exiccandi vim habent Humores mordaces.com.5°.apho.1°. Ex.37.E
Exiccat & adſtringit Ladanum, quoniam fluentes capillos cohibet.7°. de ſimpli.medic.facul. 5ª.55.A
Exiccant Lapides omnes.9°.de ſimp.med.fac. 5ª.68.D
Exiccat in tertio ordine Leontopetalon.7°.de ſimp.med.fac. 5ª.54.C
Exiccat in tertio Leucacanthon.7°.de ſimp.med.fac. 5ª.54.C
Exiccat & refrigerat Lini ſemẽ.de vic.rat.in mor.ac.cõ.4°. 7ª.149.D
Exiccat & concoquit Lotus domeſtica temperata in medio.7°.de ſimplicium medicamen.fac. 5ª.54.H
Exiccant magis Metallica medicamenta, & habent ſubtiliores partes cum multum ebullierint.2°.de arte cur.ad Glauc. 7ª.106.A
Exiccãs ẽ abſq; mordicatiõe Ocimoides ſemẽ.8°.de ſim.me.fa.5ª.64.A
Exiccant Odores.4°.de locis affectis. 4ª.28.D
Exiccat magis Oleum vetus.1°.de comp.med.ſec.loc. 5ª.213.A
Exiccat & adſtringit Oloſtium.8°.de ſimp.med.fa. 5ª.57.C
Exiccat citra morſum Palmæ radix.8°.de ſimp.med.fac. 5ª.63.D
Exiccant Panes cineritij & piſces aſſi.de victus ratio.in morbis acutis, commentario 4°. 7ª.149.B
Exiccat ſine morſu Paronychia,& eſt tenuium partium.8°. de ſimplic. medicamen.facul. 5ª.57.H
Exiccant quæ plus Pice.4°.de comp.med.per genera. 5ª.240.H
Exiccat & conſtringit linguam Ponticum.de ocu. 7ª.188.B
Exiccare & conſtringere eſt frigiditatis actio.de ocul. 7ª.188.B
Exiccant & calefaciunt Reſinæ omnes.2°.de cõp.me.per gene. 5ª.219.E
Exiccant & abſtergunt Salſa amara.7°.de ſim.me.fac. 5ª.52.H
Exiccat Sinapis loca ſanguine manantia.de ſimp.med. Sp.90.G
Exiccat mediocriter Solanum.2°.de arte cur.ad Glauco. 7ª.102.B
Exiccat Sparganium.8°.de ſimp.med.fac. 5ª.61.C
Exiccat Terra ſimplex.9°.de ſimp.med.fac. 5ª.65.G
Exiccat citra morſum terra ſimplex.9°.de ſimp.med.fac. 5ª.66.C
Exiccat omne corpus Venus.in 6ᵐ.de morb.vulg.com.5°. 3ª.193.E
Exiccat & calefacit venus.8°.meth.med. 7ª.54.D
Exiccat ſemper Vigilia, non tamen calefacit, vel refrigerat. in 6ᵐ.de morbis vulgaribus,com.4°. 3ª.184.A
Exiccat vt vigilia cõcubitus quo mõ.in 6ᵐ.de mor.vul.cõ.5°. 3ª.192.F
Exiccat Vinum merum.3°.de præſag.ex pulſ. 4ª.119.C
Exiccantia medicamenta.2°.de ſimp.med.fac. 5ª.16.E
Exiccatorium medicamentum ex Salice.6°.de ſimp.med.fac. 5ª.48.H
Exiccans medicamentum habens ſubſtantiam humidam. 2°.de arte cur. ad Glauconem. 7ª.106.E
pro Exiccando pulmone hedychroum medicamẽtum vtile intra nares. 4°.de locis affectis. 4ª.28.D
Exiccans ſine morſu.1°.de comp.med.per genera. 5ª.213.B
Exiccantia ſine morſu.de artic.com.2°. 7ª.268.A
Exiccantia & calefacientia medicamenta.2°.de ſimp.med.fac.5ª.16.D
Exiccantia & calefacientia medicamenta.8°.meth.med. 7ª.54.D
Exiccantibus & calefacientibus vtendum eſt in fine omnium morborũ ex ſuccis vitioſis.14°.meth.med. 7ª.89.C
Exiccantia ſunt humidarũ paſſionum remedia.cõ.7°.aph.59°. Ex.59.D
Exiccari debẽt carnoſæ partes inflãmatæ.2°.de ar.cur.ad Gla.7ª.102.E
qua Exiccatione indigent venoſæ partes inflammatæ. 2°. de arte cura. ad Glauconem. 7ª.102.E
Exiccatæ venæ trahunt à partibus propinquis. de vict.rat.in morbis acutis,commentario 4°. 7ª.134.C
Exiccandæ ſunt magis partes arterioſæ vulneratæ. 2°. de arte cur.ad Glauconem. 7ª.102.E
Exiccandæ adhuc magis neruoſæ partes.2°.de ar.cur.ad Gla. 7ª.102.E
Exiccare ſine mordicatiõe intẽtio eſt neruo nudato.6°.met.me. 7ª.38.B
Exiccandæ multum chartilaginoſæ, & oſſeę partes.2°.de arte curat.ad Glauconem. 7ª.102.E
Exiccari deſiderat omne vlcus medicamento non mordicante.2°.de arte cur.ad Glauconem. 7ª.102.D
Exiccare debemus in vulneribus,& quãtum.com.6°.aph.45°.Ex.51.G
Exiccantibus medicinis, & calefacientibus vti debemus in vlceribus neruoſis.commen.5°.apho.66°. Ex.45.C
Exiccantia citra morſum vlcera inueterata ad cicatricem perducunt. 6°.de ſimp.med.fac. 5ª.48.C
Exiccantibus citra morſum curantur vlcera maligna.4°. de compo.medicam.per genera. 5ª.237.D
Exiccante & expurgante medicamento indiget vlcus cauum.3°.methodi medendi. 7ª.17.H
Exiccantia,& abſtergentia medicamenta,ac vlcera pura reddentia.de fracturis,commentario 3°. 7ª.242.D
Exiccantia vlcera.4°.de compo.med.per genera. 5ª.236.G
pro Exiccandis vlceribus vitrum vſtum.4°.de cõp.me.p ge.5ª.236.G
Exiccant mediocriter cruenta medicamenta.de artic.com.2°.7ª.268.D
Exiccantia obducunt cicatricem.ars med. Iſa.70.B
Exicccari qui debent ſine morſu illis optimum fomentum eſt milium. 7°. de ſimp.med.facul. 5ª.50.D
Exiccare æſtiuo tempore timebat Galenus corpus frigidæ & humidæ tẽperaturæ.de præcogn.ad Poſthu. 4ª.117.G
Exiccante victu vſus digitos cœpit non poſſe mouere,& nõ ſentire. 6°. de ſanitate tuenda. 2ª.99.F
Exiccantium,& calefacientium medicaminum immodicus vſus,faciliter tertianas affert.2°.de diff.feb. 3ª.36.D
Exiccatoria colliquant corpora.5°.de ſimp.med.fac. 5ª.36.A
Exiccatur corpus in morbis diuturnis.7°.meth.med. 7ª.45.H
Exiccata videntur veluti ſalita.de diff.morb. 3ª.3.G
Exiccati à medicis caſus.7°.meth.med. 7ª.44.B
Exiccatum medici curarunt medicamentis conuenientibus paralyſi, & indeterius progreſſus eſt. 6°. de ſanitate tuenda. 2ª.99.F
Exiccatum quid expetat.5° de ſimp.me.fac. 5ª.32.G
Exiccatis corporibus remediũ aqua & oleũ.2°.de ſimp.me.fac.5ª.16.C
Exiccato corpi cibus peculiaris.de vic.ra.in mor.acu.com.2°. 7ª.120.C
Exiccatum corpus potum accipiat.ad Thraſy. 2ª.104.E
Exiccatis,vt ferè in maraſmum deuenerit,non debet abſinthium accipere neq; adſtringentia.7°.methodi medendi. 7ª.44.H

ab Exiccatione conuulſio inſanabilis eſt.com.5°.apho.1°. Ex.37.E
Exiccari ad ſolem aliqua.5°.de comp.med.ſec.loc. 5ª.166.A
Exiccari in vmbra pillulas quaſdã,& ad qd.3°.de cõ.me.ſe.l. 5ª.149.A
Exiccare in vmbra.9°.de comp.med.ſec.loc. 5ª.198.H
EXILIRE verbum eſt vetus, ad extra motum ſignificans.de palpitatione,tremore,conuulſione,& rigore. 3ª.54.H
EXILITATIS, & gracilitatis membrorum cauſa eſt ocium.de artic. commentario 3°. 7ª.277.E
Exiles,qui.14°.meth.med. 7ª.91.C
Exile corpus facilius alteratur.1°.de ſimp.med.fac. 5ª.4.B
EXINANITIONE pulſus fit durus in ephemeris.1°.de differentijs febrium. 3ª.34.C
Ἕξις quid ſit.de vict.rat.in morb.acu.commen.2°. 7ª.120.G
Ἐξίσανται non ſignificare fortem deſipientiam, collige.in 1m.prorrhe. commentario 3°. 4ª.179.D
non EXISTENS inueniri non poteſt.4°.de dign.pulſ. 4ª.84.H
EXISTIMATIO opus animæ.2°.de loc.aff. 4ª.13.F
EXITIALIS morbus,qui fin.med. Iſa.45.C
Exitioſus admodum,modus loquendi Hippocratis quid ſignificet.in prognoſtica,commentario 2°. 4ª.203.F
Exitioſiſſimus,modus loquendi apud Hippocratẽ quid ſignificet.in prognoſt.commen.2°. 4ª.203.F
ad EXITVM præparans humores in principijs ægritudinum frigidarum medicamen.de med.exper. Sp.108.E
Exitum phlegmatis è corpore alleuians medicamentum.ſecre.Sp.101.H
ad Exitum vrinæ lentum.de cura lap. Sp.112.E
Exitui ani confert ſuccus centaureæ.de virt cent. Sp.93.E
ad Exitum cur commoueatur infans.de anat.viuo. Sp.52.D
ſi Exiuerit matrix quid fieri oporteat.de paſſ.mul. Sp.96.A
EXOLVIT robur corporis vinum dilutum.de vict.rat. in morb.acut. commentario 2°. 7ª.120.C
Exoluit vires dolor.in progn.com.1°. 4ª.196.E
Exoluit vires dolor.& extrema reddit frigida.de victus ratio. in morbis acutis,commentario 2°. 7ª.130.E
EXOLVTIO vehemẽs oſtẽdit futurã ægritudinẽ.ars med. Iſa.67.F
Exolutio fit ex immoderata excretione, non retentione. in 1m.prorrhe. commentario 3°. 4ª.185.D
Exolutio fit ſi ſani euacuentur.com.2°.apho.36°. Ex.17.F
Exolutio à tuberculi intus ruptione fit.com.7°.apho.8°. Ex.54.D
Exolutio in aqua inter cutem,ex aquæ immodica euacuatione quo modo curetur.1°.de arte cur.ad Glauco. 7ª.99.F
Exolutio & animi defectus fit per vitalis ſpiritus excretionem.commẽta.7°.apho.8°. Ex.54.E
cũ Exolutiõe pnicioſæ ſunt catochæ & aphoniæ.in 1m.pr.c.3°.4ª.179.A
Exolutione de repente facta cur moriantur,& quo modo.commentario 2°.apho.41°. Ex.18.A
cur Exolutio quibuſdã veniat,& nõ moriant.cõ.2°.aph.41°. Ex.18.A
Exolutiõis ſigna,ſupinum iacere,hiare,& ſtertere.2°.de mot. 1ª.314.D
Exolutio quibus curetur.8°.de comp.med.ſec.loc. 5ª.191.H
Exolutio ex nimia frigiditate quo modo curanda. 1°. de arte curatiu.ad Glauconem. 7ª.99.D
Exolutiones ex calore quo mõ curentur.1°.de arte cur.ad Gla. 7ª.99.D
cum Exolutione aut animi deliquio ijs qui ſtomacho exuruntur remedium.8°.de compo.med.ſec.loc. 5ª.191.H
Exoluti ſtomacho quæ appetant.4°.de ſimp.med.fac. 5ª.26.H
Exolutum,et imbecillum ſtomachum roborare poteſt cucurbitula.de cucurb.ſcar. 6ª.3.F
Exoluti non ſunt purgandi.in 1m.prorrh.com.2°. 4ª.174.E
EXOMPHALOS quid.fin.med. Iſa.49.B
Exomphalos,& bubonocele quid.de tum.præter natu. 3ª.84.G
Exomphali qui.introd. Iſa.60.A
Exomphalorum differentia triplex.intro. Iſa.60.A
EXORDIA de communibus tractare, collige. de ijs, quæ in medicat. fiunt,commen.1°. 7ª.200.B
EXORNATORIA eſt pars medicinæ,& quo modo differat à comptoria.1°.de comp.med.ſec.loc. 5ª.126.B
Exornatoriæ ſcopus.1°.de compo.med.ſecundum locos. 5ª.126.B
EXOSTOSES quid.de tum.3ª.84.F/14°.meth.med. 7ª.93.B
EXPANSA quæ ab Hippocrate vocantur.de ijs, quę in medicatrina fiunt.com.2°. 7ª.213.A
Expanſa quæ ſint.de ijs quæ in med fi.com.2°. 7ª.211.C
Expanſis ſcopus curationis.de ijs quæ in med.fi.com.2°. 7ª.211.C
in Expanſis quõ fieri debet deligatio.de ijs quæ in me.com.2°. 7ª.213.C
EXPECTARE, timere,ſperare,verba ſunt prænotionis.3°. de difficultate reſpir. 3ª.73.E
EXPEDITIO quid.de ijs quæ in med.fi.com.2°. 7ª.205.C
Expedita lingua quibus reddatur.de ſimp.med. Sp.25.D
EXPELLENDI vis quo modo ſe habeat.6°.de ſan.tuen. 2ª.99.E
Expellere quod peſſimum eſt conatur natura,quod vero optimum aſſimilare.2°.de diff.feb. 3ª.37.D
Expellat per quas vias natura.de præcog.ad Poſth. 4ª.215.D
Expellens,quod eſt præter naturam facultas, adeſt in omni particula. 2°.de ſymp.cauſ. 3ª.21.C
Expellunt & attrahunt ſingula membra.de victus ra.in morbis acutis, commentario 4°. 7ª.134.E
Expellant ſuperflua quo modo particulæ.2°.de ſymp.cauſ. 3ª.22.G
Expellentes villi qui.de anat.viuo. Sp.43.H
Expellunt villi latitudinales.de anat.viuo. Sp.55.H
Expellit & attrahit humores ac ſpũm actio pulmõis.5°.de l.af. 4ª.30.F
Expellit inflationem & ventrem tenuat acetum cum melle miſtum.de diſſol.cont. Sp.74.G
Expellens ventoſitatem medicina.de med.exper. Sp.104.D
Expellens fæces per vrinas medicamen.de med.exper. Sp.105.G
Expelluntur cito mordentia,& quo modo.2°.de ſymp.cauſ. 3ª.22.G
EXPENSIS computandis & ædibus extruendis quantum conducit arithmetica & geometria,tm̃ illis vtuntur diuites.de præc. 4ª.214.B
EXPERGISCIMVR naturaliter quando.3°.de cauſ.pulſ. 4ª.98.B
qui Expergiſcuntur,pulſus quales habeant.de pulſ.ad tiro. 4ª.44.C
Expergiſcentium pulſus,quales.3°.de cauſ.pulſ. 4ª.98.B
EXPERIENTIA quid.de ſectis.16.B/ de optima ſecta.21.H/ de ſubſ. empir. Iſa.31.F
Expertus,qui.de ſubſ.emp. Iſa.31.G
Experimenti genus triplex,caſu,cõſulto,& imitatione.de ſect.Iſa.16.B
Experientia & ratio inſtrumenta ſunt data nobis ad artes inueniendas, & quomodo.8°.de comp.med.ſec.loc. 5ª.187.C
Experimentum & ratio,duo inſtrumenta inueniendi quę ſpectant ad artem.in progn.com.3°. 4ª.208.D
Experientia & ratio,duo inſtrumenta inuentionis.1°.meth.med. 7ª.4.F
Experientiam & rationem duo organa habent quæ in quæſtionẽ veniũt. de curan.ratio.per ſang.miſſ.6ª.16.B/3°.meth.med. 7ª.16.G
Experientia & rõne oĩa inuenienda,ſed diſtincte.3°.meth.med.7ª.16.D
Expĩentia,& ſpeculatio quid poſſint in artibus.8°.de cõ.m.ſ.l.5ª.193.F
Experientia & ratio vt duo crura in arte.8°.de com.me.ſe.lo.5ª.193.F
Experimentum eſt inſtrumentum remediorum.com.1°.apho.1°.Ex.2.H
Experientia inſtrumentum ad inuentionem quorundam proloquiorum. 1°.de elemen. 1ª.2.H
Experientia fit ſine ordine & arte.1°.meth.med 7ª.4.H
Experientia τριβική,id eſt trita,quæ.de ſubſ.emp. Iſa.31.E
Expĩẽtia normæ vice hñda eorũ q̃ excogitaueris.6°.de ſan.tu.2ª.100.G
Experientia certiſſima iudicatrix.1°.de ſimp.med.fac. 5ª.9.C
Experientia iudicantis artis diſſidentia oritur ex diſtincta, et indiſtincta rerum cognitione.de vict.rat.in morb.acut.com.1°. 7ª.110.C
Experientia,τριβή,id eſt exercitatio, ars, in quo conſiſtant ſecundum Platonem.aduer.emp.med. Sp.35.E
Experientia periculoſa,niſi tractetur recte.2°.de dign.pul. 4ª.77.B
Experientia debet fieri cum limitationibus.2°.de ali.fac. 2ª.24.E
Experimentum quo modo periculoſum.com.1°.apho.1°. Ex.2.H
Experimentorum notitiam ſolam ſatis eſſe aliqui volunt in re medica. de ſectis. Iſa.15.H
Experimentis plurimis tota ars conflatur.de ſubſ.emp. Iſa.31.F
Experientia quomodo habeatur.de hiſt.philoſ. Sp.9.B
Experientiam peperit memoria.de ſubſ.emp. Iſa.32.D
Expĩentiæ principiũ eſt ſmone expreſſa doctrina.de pulſ.ad tir.4ª.45.C
Experimenta ſingula ex multis experiẽtijs conficiuntur.de ſubſ. Iſ.31.F
Experientiam ex ſingularibus fieri volebant empirici,aduerſus quos argumentatur Galenus.aduer.emp.med. Iſa.35.E
Experimento vno vel altero fit iudicium de vniuerſali. 11°. de ſimplic. medicam.facul. 5ª.81.D
Experientia concurſus.de ijs,quæ in med.fi.com.1°. 7ª.198.F
Experientia particularis ſm Menodotum,quę de ſubſ emp. Iſa.31.E
Experientia non indigemus ad particulares actiones inuenta vniuerſali, ſed ad confirmationem.10°.de ſimp.med.fa. 5ª.72.A
Experimentorum notitiam ſolam ſatis eſſe volunt empirici in arte medica.de ſectis. Iſa.15.H

Experientiæ totam

Experientiæ totam artē medicā inniti putant empirici.de ſubſ. Iſa.31.D
Experientiæ non rōni credendū ſm empiricos.1°.de nat.fac. 1ª.294.B
*Expiētia ſola edocti quid faciāt in medēdo.8°.de com.me.ſe.lo.*5ª.187.G
Experientia quomodo comparetur imitatione.de ſubſ.emp. Iſa.31.E
Experimentalis diſciplina, quæ.de ſubſ.emp. Iſa.31.E
Experientia aliqua inuenta præcepta, ratione multa. in 1^{m}. de morbis vulgaribus, commentario 1°. 3ª.101.G
ab Experientia ſeiuncta eſt indicatio.2°.meth.med. 7ª.13.E
Experientia magis quàm ratione aliqua vidit Hippocrates. commentario 6°.apho.31°. Ex.49.C
Experimentum Hippocratis in vtero.de art.com.3°. 7ª.274.D
ad Experientiam & obſeruationem omnia refert Lycus quæ de temporibus & ætatibus ſcribit Hippocrates, ſed fallitur.in præfatione cōmentarij tertij. Ex.19.F
Experiētia peritiā acqſiuit Galenus.in 6^{m}.de mor.vul.com.3°. 7ª.171.C
*Expiētia quo Galenus inuenit medicamēta.4°.de cōp.me p ge.*5ª.239.H
Experientias aliorū ſequebatur Galenus.1°.de cō.med.ſec.loc. 5ª.131.D
Experimēto lōgo iuncta ſunt catharctica ſm aliquos.de cath. Sp.94.H
Experientia an logica demonſtratione indigeret Galenus cogitauit in remedijs inueſtigandis cuiuſq; morbi.3°.de loc.aff. 4ª.15.A
Experientiam vincit demonſtratio in quibuſdam inuentionibus remediorum.3°.de loc.af. 4ª.15.B
Expertis medicinis & vſitatis à bonis phyſicis & expertis vtaris.de medic.exper. Sp.108.H
à non Expertis medicinis caue.de med.exper. Sp.108.H
*Expertus quod non es, pro vtili ſcribendū nō eſt.6°.de ſani.tu.*2ª.100.H
Experiētia nō inuētis remedijs curati sūt qdā morbi.3°.de lo.af. 4ª.15.B
Experientia probanda medicamenta.5°.de ſan.tuen. 2ª.92.F
in Experientia conſiſtit ratio probandi medicamentorum qualitates.3°. de ſimp.med.fac. 5ª.18.B
ſine Experientia nemo cognoſcit vim medicamenti.4°.de compoſi.medicam.per genera. 5ª.240.D
Experientiam quid dimittunt, quid agant.1°.de ſimp.med.fac. 5ª.9.C
per Experientiam, nō methodo inuenta eſt facultas quæ ex tota ſubſtātia agit.6°.de ſimp.med.facul. 5ª.42.C
ab Experientia auſpicandum.1°.de ſimp.me.fa. 5ª.6.G
Experiētia quo mō ſumenda eſt de ſimplicibus.2°.de ſim.me.fa. 5ª.11.H
Experientia inuento medicamento præſtat medicamentū ratione inuentum.6°.de compo.med.ſec.loc. 5ª.166.G
Experientia ſola cognoſcuntur facultates à proprietate ſubſtantiæ. 9°. de ſimp.med.facul. 5ª.67.A
Experientia falli non poteſt.4°.de ſim.med.fac. 5ª.31.D
Experientiam adiuuant guſtus & odor.4°.de ſimp.med.fac. 5ª.31.D
Experimentum probādi an res ſit calida vel frigida.3°.de temp. 1ª.24.G
Experientia duorum hominum temperatorum qui ſe contingant. 2°. de ſimplic.med.facul. 5ª.15.G
Experientia iudicantur quæ agunt à proprietate ſubſtantiæ.1°.de comp. med.per genera. 5ª.216.A
p Experientiā inuenta contraria tota ſubſtantia.13°.meth.me. 7ª.82.C
*Experienda medicamenta in damnatis vita.9°.de ſimp.med.fa.*5ª.72.E
Experimenta quibus facta ſunt, homines ſui corporis curam committere.de ſubſ.emp. Iſa.34.F
Expertus ſiquis fuerit ſex vel ſeptē hōies aliqua medicina purgatos, dicere certe nō poterit q oēs poſt hac hōies ex neceſſitate purgabuntur. com.3°.aph.11°.Ex.21.E/7°.de comp.med.per ge. 5ª.264.F
in Experiundis medicamentis quid faciat differentiam.7°.de compoſi. medicam.per genera. 5ª.264.F
*Experientia medicamenta cōponūtur.2°.de comp.med.per ge.*5ª.218.H
Experiri quandoq; debemus morbum cuius generis ſit fomentis, vel aliqua re, [hoc etiam debet fieri quādo dubitamus de pleureſi an ſit ex flatu.] com.6°.apho.31°. Ex.49.G
Experiri quomodo debeat medicus propinaturus alicui vomitorium medicamentum an ſit facilis ad vomendum.com.4°.apho.38°. Ex.28.F
per Experientiam vel indicationem humido aliquo inuento quod putrefacere neq; irritare partem patientem ſit aptum, quando vti debeamus in cancro.com.6°.apho.38°. Ex.50.E
Experta medicina, nocet vbi non conuenit.de med.exper. Sp.103.H
Experientia ſola non debemus vti.9°.de decre.Hippo. 1ª.283.B
Experientia nuda citra methodum ditior rationalis indicatio.3°. de compoſi.med.per genera. 5ª.229.G
Experientia & ratio ſunt iungenda.2°.meth.med. 7ª.13.C
Experimentatoribus non credēdū abſq; ſcientia.de med.exp. Sp.103.H
Experientiam cum ratione ſequi debemus.com.2°.apho.17°. Ex.13.D
Experientia ſequitur rationem.6°.meth.med. 7ª.37.E
ad Experientiam quid magni faciat ratio.2°.meth.med. 7ª.13.B
Experientia rationi quandoq; adſtipulatur.com.6°.apho.45°. Ex.51.F
Experientia ſenſuum iudicamus quæ ratio non poteſt inuenire. de theriaca ad Piſonem. Sp.90.E
Experientia index rerum euidenter apparentium, non ratio. in 6^{m}. de morbis vulgaribus, com.3°. 3ª.174.F
Experientiæ plurium habendæ.1°.de comp.med.ſec.loc. 5ª.122.F
Experientia oſtendit quid iuuet & quid proſit.9°.de decret. 1ª.283.A
*an Expientiā eduliorū vires quo mō cognoſcātur.1°.de alim.fac.*2ª.11.H
*Experiētiæ diuturnæ credēdū in ciborū facultatibus.1°.de ali.fa.*2ª.7.E
Experientia, alimentorum facultas inuenta eſt.1°.de ali.fac. 2ª.7.E
Experientia cibi iudicantur.de victus ra.in mor.acu.com.4°. 7ª.145.C
Experientia quomodo inueniatur cibi modus.2°.de ſan.tuen. 2ª.73.E
Experimēto comprobata ſtabiliora ſunt.5°.de comp.me.ſe.loc. 5ª.159.F
quod Experientia comprobat, ſine cauſa nouiſſe ſufficit aliquando.commentario 2°.apho.24°. Ex.15.H
Experientia comprobatum excitat medicos ad imitandum opera naturæ.commen.5°. aph.28°.& 32°. Ex.40.D
per Experientiam comprobatis vti debemus.com.1°.apho.1°. Ex.2.H
per Experientiam inuenta & naturali efficacia prædita quando exhibenda.9°.de comp.med.ſec.loc. 5ª.205.F
Experientia dat fidem inuenti.5°.de ſan.tuen. 2ª.93.G
Experimentum exercitatorium.de ſectis. Iſa.16.C
per Experientiam pulſus quo mō cognoſcatur.2°.de dig.pulſ. 4ª.77.B
Experimentum pro pulſu ſentiendo.1°.de dign.pulſ. 4ª.73.H
Experimentum ſanguinem in cerebro non contineri. de decretis Hippocratis & Plat. 1ª.231.F
Experientia reperit Eraſiſtratus vniuerſam euacuationem in hydrope, febres, & mortem cauſare.com.6°.apho.27°. Ex.48.H
Experientia facile inuenitur affectus curatio.10°.meth.med. 7ª.65.D
Experientia quid difficulter inueniatur.10°.meth.med. 7ª.65.D
Experientia oſtendit materiæ facultatem, qua agere debemus.2°. de cōpoſi.med.ſecundum locos. 5ª.132.E
Experientia docet non omnem numerum dierum eſſe ad iudicandum idoneum.com.4°.apho.36°. Ex.31.H
Experientia teſtatur ſextum diem malum.com.4°.apho.29°. Ex.30.E
Experientia comprobatum eſt longum fore morbum, ſi paroxyſmi fiant eadem hora.com.4°.apho.13°. Ex.30.F
Experimentum Irini romani.de med.exper. Sp.104.F
Experimentatores non poſſunt habere rationem eorum quæ raro fiunt. 5°.de locis affectis. 4ª.35.E
Experimentatores quid dicant.1°.de diff.feb. 3ª.31.C
Experimentarius quid agat, & quo modo tarde cognoſcat. de ijs quæ in medicatrina fiunt.com.1°. 7ª.198.F
*Experimentatores negligūt diſpōnes raro euenientes.3°.de lo.af.*4ª.15.B
Experimentatores quos morbos ſciant curare.3°.de loc.af. 4ª.15.B
Experimentatoris Aſtoronis medicina.de med.exper. Sp.104.A
EXPETITIO *quid.4°.de decre.Hippo.* 1ª.248.F
Expetitio orexis dicitur à Græcis.4°.de decre.Hipp. 1ª.249.G
EXPIRABILE *& inſpirabile omne corpus.in 6^{m}. de morbis vulgaribus, commen.6°.* 3ª.195.A
Expirabile & inſpirabile eſt corpus totum.1°.de ſimp.me.fa. 5ª.4.C
EXPIRARE *ſuffocationis medela.de vtil.reſp.* 1ª.224.A
Expirare frigidum eſt pernicioſum.in 1^{m}.pror.com.1°. 4ª.162.A
EXPIRATIO *quid.2°.de decre.Hipp.* 1ª.136.C
Expiratio eſt motus reſpirationis, quo ſpiritus fertur ad exteriora. com. 4°.apho.68°. Ex.34.G
Expiratio quo modo differt ab efflatione.7°.de vſu partium. 1ª.157.H
Expirationis & inſpirationis diuerſitates.1°.de diff.reſp. 3ª.60.G
Expiratio, inſpiratio, reſpiratio, quo differant.in tim.Plat. 1ª.289.E
Expirationi contraria inſpiratio.2°.de mot.muſ. 1ª.316.C
Expiratio, inſpiratio, difflatio fit ſemp viuēte aīali.in tim.Pla. 1ª.289.C
Expiratio, & inſpiratio quando.1°.de diff.reſp. 3ª.57.D
Expiratio, & inſpiratio cui actioni pulſus cōparētur.1°.de diff. 3ª.57.H
Expiratio, & inſpiratio quo modo fiant.de voc.inſtru.diſſ. 107. F/2°.de mot muſ.1ª.316.E/4°.de loc.affect. 4ª.26.D
*Expirationem & receptionē aeris per inſenſibiles meatus Eraſiſtratus dicebat fieri p circulum, Plato p duos ſemicirculos.in tim.*1ª.290.A
Expiratio, & inſpiratio fiunt ignorato lacerto à quo fit. de mot.man & obſcu. Sp.69.E

Expirationem

Expirationem qui muſculi faciant.de cau.reſpi. 1ª.227.A
Expirationis nullus muſculus eſt opifex.2°.de mot.muſ. 1ª.316.C
Expirationem qui muſculi faciant.4°.de locis affectis. 4ª.26.E
Expiratio maxima fit per internos intercoſtales muſculos. 2°. de motu muſculo. 1ª.316.C
Expiratio conſtricto pectore non fit.de præcog.ad Poſth. 4ª.216.D
Expiratio propter quid.8°.de decre.Hippo. 1ª.278.E
Expirationis vtilitates.de vtil.reſp. 1ª.225.A
*quod Expiratur eſt vapor,& eſt par aeri inſpirato.de vtil.re.*1ª.226.E
Expirando ſuperflua expellimus.8°.de vſu partium. 1ª.168.F
per Expirationem vacuatur ſanguinis fuligo.de vtil.reſp. 1ª.225.A
*Expiratio qd feruẽs & fuliginoſũ in corde emittit.6°.de vſu p.*1ª.148.B
*Expiratio & inſpiratio pp quid longa eſſe debet.de anato.viuo.*Sp.48.B
Expirationes,exufflationes citra ſtrepitũ,exufflationes cũ ſtrepitu,vox & loquela,qũo ſe habeant circa læſionem.4°.de loc.affec. 4ª.26.D
*Expiratio velociſſima,& dẽſiſſima vñ,& cõtraria.1°.de dif.re.*3ª.58.D
Expiratio magna violenta,quæ.2°.de decre.Hipp. 1ª.236.F
Expiratio lenis parua,quæ.2°.de decre.Hippo. 1ª.236.F
Expirandi quatuor difficultates compoſitæ.1°.de diff.reſp. 3ª.60.F
Expirationis difficultates vnde.1°.de diff.reſp. 3ª.58.B
Expirant & inſpirant poſt prandium difficulter habentes ſtomachum rotundum.de anat.viuo. Sp.49.G
Expiratio febricitantium,qualis.1°.de diff.reſp. 3ª.59.G
Expirantium putridum conſuetudo non ſecura.1°.de diff.feb. 3ª.31.C
EXPLANANDI *ratio.de fract.com.1°.* 7ª.223.C
*Explanationem quamcunq; velint qui audiunt in congreſſibus poſſumus afferre,at in libro id facere nõ licet.in 6m.de mor.vul.cõ.3°.*3ª.171.G
EXPONENDI, *& dicendi ratio optima.2°.de diff.feb.* 3ª.39.H
Expoſitio quid ſit.2°.de diff.reſp. 3ª.62.G
*Expoſitionis ſcopus quid ſit.de vict.rat.in morb.acu.com.1°.*7ª.109.A
in Expoſitoribus diſſentientibus qd agẽdũ.de iys q̃ in mc.c.3°. 7ª.216.C
Expoſitoris ratio.de fract.com.1°. 7ª.223.B
EXPOSITORES *quid agere debeant in ſuis commentariys. in progn. commen.1°.* 4ª.190.G
Expoſitorum & interpretum bonorum opus.3°.de diff.reſp. 3ª.69.G
Expoſitionis proprium opus eſt obſcura interpretari, & demonſtrare ita eſſe.in præfatione tertiy commentariy. Ex.19.F
Expoſitores qui verbis loquuntur poſſunt multum differre vt lubet,ſed id facere non licet in libro.in 6m.de morb.vulg.com.3°. 3ª.171.G
Expoſitores & longi & breues non dãnandi.de fract.com.1°. 7ª.223.H
Expoſitores longos damnat.de iys,quæ in med.fi.com.3°. 7ª.216.C
Expoſitor,& interpres damnandus,qui nec vera dicit,nec conſentanea cum auctore.in 3m.de morb.vulg.com.3°. 3ª.129.D
Expoſitorum comparatio ad cauſidicos.in 1m.pror.com.2°. 4ª.177.A
*Expoſitores ſexti libri epidemiorũ.in 6m.de mor.vulg.com.2°.*3ª.165.D
EXPRESSIO *tendit & ſurſum & deorſum.de fract.cõ.2°.* 7ª.228.A
Expreſſio fit ſportulis.7°.de comp.med.per gene. 5ª.273.A
Expreſſorium emplaſtrum.6°.de comp.med.per gen. 5ª.261.G
Exprimit cor aperte quod in ſe ipſo continet in contractione. in timæum Platonis. 1ª.290.D
EXPVLSORIA *vis dicta ab opere.3°.de nat.fac.* 1ª.302.H
*Expultrix actio naturalis.de na.hu.cõ.2°.182.F/de ana.viuo.*Sp.44.H
Expulſiuæ virtutis cauſæ,quæ.com.2°.apho.20°. Ex.14.C
Expultrix vis breuis.3°.de ſymp.cauſ. 3ª.29.B
Expultrice imbecillior omnibus retentiua vis.3°.de ſymp.cau. 3ª.29.B
Expultrix,& retentrix vis qũo ſe habent.5°.de locis aff. 4ª.33.E
*Expulſoria cedit retẽtrici,& è cõtra,qñ ẽ opus.3°.de nat.fac.*1ª.302.H
Expultrix vis eſt in omni parte.3°.de dieb.decr.4ª.158. C/commenta.1°. aphoriſmo 26°. Ex.10.C
Expultrix alienorum & attractrix propriorum vis eſt in carne. in 6m. de morb.vul.com.6°. 3ª.195.F
Expulſiua virtus ſtomachi naturalis eſt,non voluntaria.de motibus manifeſtis,& obſcuris. Sp.68.G
Expultricem vim habent inteſtina 1°.de criſi. 4ª.129.C
Expulſionem adiuuant octo lacerti mirach.de anat.viu. Sp.50.E
Expultrices facultates in villis tranſuerſis.4°.de vſu par. 1ª.141.B
Expulſiuam facultatem ſibi vendicant nerui obliqui.de compag.memb: ſiue de natura humana. Sp.59.A
Expulſio & tractus fiunt per eandem viam in diuerſis temporibus.3°.de nat.facult. 1ª.306.A
Expultrix & retentrix fortiores in vigentibus quàm in pueris. 3°. de ſympt.cauſ. 3ª.29.B
Expulſiua virtus fit fortior propter ſiccitatẽ.cõ.2°.apho.20°. Ex.14.E
Expulſiua virtute exñte forti debilis ẽ retẽtiua.c.2°.aph.20°. Ex.14.E
Expultricis facultatis validi motus,qui.2°.de ſymp.cau. 3ª.23.G
ob Expultricis robur excrementa qualia.5°.de loc.aff. 4ª.35.B
ob Expultricis facultatis mediocres motus.2°.de ſymp.cauſ. 3ª.23.G
*Expultricis facultatis minus mediocres motus.2°.de ſymp.cauſ.*3ª.23.G
Expultricis officium quod.5°.de loc.aff. 4ª.35.B
Expultrice vi non vtuntur membra niſi cum excrementis excitantur. 1°.de locis aff. 4ª.2.H
Expultrix quæ expellat.2°.de ſymp.cauſ. 3ª.22.G
Expultrix vis expellit alienum.de cur.rat.per ſang.miſſ. 6ª.17.G
ab Expultrice quomodo trudatur fœtus.3°.de nat.fac. 1ª.203.A
Expulſio quomodo fiat in veſica.3°.de nat.fa. 1ª.306.A
Expultrix quæ non expellat.2°.de ſymp.cauſ. 3ª.22.G
Expultrix ſenum vis,qualis.3°.de ſymp.cauſ. 3ª.29.C
Expultrix imbecilla carnem facit humidiorẽ,& excrementoſam.3°. de ſympt.cauſ. 3ª.26.G
Expultricis virtutis & retentricis ſymptomata,& morbi ſimul miſcentur.3°.de ſym.cauſ. 3ª.25.E
Expultricis facultatis vitioſus motus.de ſymp.diff. 3ª.12.H
Expultricem vim contriſtat doloris cauſa.13°.meth.med. 7ª.80.G
Expultrice vi quomodo fiat phlegmone.13°.meth.med. 7ª.80.G
*Expulſioni & digõni dura corpora inepta ſunt.3°.de ſymp.cau.*3ª.29.D
Expulſio ante tempus quibus fiat.3°.de ſymp.cauſ. 3ª.27.C
ad Expulſiones humor mordax nos incitans ſi retineatur propter negotia,quid mali agat.6°.de ſan.tuen. 2ª.99.E
in Expulſionibus decretoriys qui pulſus.2°.de cau.pulſ. 4ª.94.C
EXPVERE *quid ſignificet.3°.de decre.Hipp.* 1ª.244.G
Expuere pro purgare vtitur Hippocrates.com.5°.apho.8°. Ex.38.B
Expuitio quid ſit.1°.de criſi. 4ª.126.H
Expuatur propter quid aliquid.2°.de loc.aff. 4ª.13.A
Expuitur nihil ſine tuſſi ex ſpiritalibus.4°.de loc.aff. 4ª.25.H
Expuat parum cur tuſſis vehemens.4°.de loc.aff. 4ª.27.G
ĩ Expuitiõibus via ẽ accliuis,iõ tarde excernit.d̃ na.hu.cõ.2°. 7ª.180.D
Expuantur quæ ſputa facile.4°.de loc.aff. 4ª.27.G
Expuantur difficulter cur humor lentus craſſus,& humor tenuis.4°.de locis aff. 4ª.27.G
Expuũtur ſtatim cocti humores.de vict.rat.in mor.acu.cõ.3°. 7ª.133 D
Expuere nihil in pleuritide eſt vt in vrinis crudum;quod nominamus aquoſum.1°.de criſi. 4ª.132.D
Expui quæ debent,non ſolum ſunt incidenda & calfacienda, ſed etiam moderate humectanda.de atten.vict. 2ª.46.D
Expuitionibus ex thorace auxiliantur acria tenuis eſſentiæ. 4°.de ſimplicium medicamentorum facultatibus. 5ª.29.H
Expuere faciunt confecta ex melle.7°.de compo.med.ſec.loc. 5ª.181.A
Expuitionibus ex pulmone in pleuriticis & peripneumonicis affectibus confert butyrum.10°.de ſimp.med.fac. 5ª.74.D
*Expuitioni vtile eſt dulce vinum in acutis paſſionibus. de vinis.*Sp.76.E
ad Expuitiones thoracis,& pulmonis medicamentum.de victus rat.in morbis acutis,com.4°. 7ª.143.D
Expuere craſſos humores facit melicratum.de victus ra.in morb. acut: comment.3°. 7ª.126.B
Expuere viſcoſos humores facit oxymeli.de victus ratione in morbis acutis,com.3°. 7ª.126.B
Expuere facit ptiſſana.de vict.rat.in morb.acu.com.3°. 7ª.126.B
*Expuunt aquã mulſam iniectã vulnerati in thorace.5°.de lo.af.*4ª.31.A
his quæ Expuuntur ramenta qñ miſcentur.4°.de lo.aff. 4ª.25.H
Expuitur qñq; tunica bronchi,arteriæ,& venæ.4°.de loc.aff. 4ª.25.G
Expuitur quandoq; pars pulmonis.4°.de lo.af. 4ª.28.B
Expuatur,quot modis ſanguis.4°.de loc.aff. 4ª.28.A
Expuitione ſimplici ſanguis ex ore expellitur.4°.de loc.aff. 4ª.25.F
Expuentis ſanguinem floridum caſus.5°.meth.med. 7ª.35.A
*Expuẽtis ſanguinẽ inter tuſſiendũ frequẽter caſus.4°.de loc.aff.*4ª.25.F
*Expuentis ſanguinem quid maxime facere debent.5°.meth.med.*7ª.35.F
*ad Expuitiões ſãguinis cõpetit armenica terra.9°.de ſim.m.fa.*5ª.66.F
ad Expuitiones ſanguinis valet aſter ſamius,& terra lemnia.9°.de ſimplicium medicamentorum facultatibus. 5ª.65.H
Expuitioni ſanguinis competit hæmatites.9°.de ſimp.med.fac. 5ª.68.C
*ad Expuitiones ſanguinis idoneus eſt lentiſcus.8°.de ſim.med.f.*5ª.61.H
ad Expuitiones ſanguinis cõmoda eſt membrana,quæ eſt ſub cortice roboris,& ſub membrana eius.6°.de ſimp.med.fa. 5ª.48.E
EXPVRGARE *quid ſit.de vict.rat.in morb.acut.com.4°.* 7ª.137.A

Expurgatio quarũ rerũ,& p q̃ loca fiat à natura.cõ.1°.aph.15°. Ex.8.E
Expurgat viſcera chamepitys.8°.de ſimp.med.fac. 5ª.63.F
Expurgat & cõtẽperat lac aſininũ.de vic.ra.in mor.ac.c.4°.7ª.149.D
ad Expurgãdũ melicratũ melius eſt vino.2°.de ar.cu.ad Gla.7ª.106.D
Expurgat viſcide peucedanum.de ſimp.med. Sp.89.B
Expurgat & excalfacit viſcera ſcordion.8°.de ſimp.med.fac. 5ª.60.H
Expurgatio materiæ in tertiana integra eſt.2°.de diff.feb. 3ª.37.C
Expurgatio materiæ integra non eſt in pituitoſa.2°.de diff.feb. 3ª.37.C
Expurgamenta ictericorum quibus fieri poſſint.de cura icteri. Sp.111.B
quæ Expurgent colorem.de cura icteri. Sp.111.C
Expurgante,& exiccante medicamento indiget vlcus cauum.3°.metho di medendi. 7ª.17.G
Expurganda quę vlcera,& quæ implenda.5°.meth.med. 7ª.32.E
vt Expurgentur melius ſinus,puluinaria ipſis apponẽda.2°. de arte cu ratiua ad Glauconem. 7ª.106.C
EXTA quę ſint.2°.de antid. 5ª.111.E
ad Exta vlcus habentia valet cyphi antidotus.2°.de antid. 5ª.111.E
Extale inteſtinum extenſum vel longaon ſextũ eſt.de anat.viu. Sp.50.B
EXTASIS quid.fin.med. Iſa.50.D
Exſtaſis nõ neceſſario ſequitur male concoquentẽ.3°.de ſym.ca. 3ª.30.C
in Extaſi infeſtante vtimur catharcticis.de dynam. Sp.20.F
EXTENSIO quid ſignificet.in 6^{m}.de morb.vulg.com.5°. 3ª.192.B
Extenſio quid ſit.in 6^{m}.de morb.vulg.com.3°. 3ª.177.A
Extenſio non eſt actio muſculorũ,ſed affectus.de voc.inſt.diff. 1ª.107.D
Extentum eſſe & extendi non idem.de ar.com.4°. 7ª.287.A
Extendunt ſe in latum oculum ingredientes nerui & circuunt vitreum humorem.de ner.diff. 1ª.53.D
Extenſio à quibus muſculis fiat.2°.de mo.muſ. 1ª.213.H
Extenſio fit à muſculis qui foris ſunt.1°.de mo.muſc. 1ª.310.D
Extenduntur muſculi cum mouetur corpus, & minus tum molliuntur tum relaxantur.de vict.rat.in mor.acut.com.2°. 7ª.132.C
Extenſio perfecta nõ diuiditur in magis & minus.1°.de vſu pa.1ª.116.B
Extendens rectum ad coſtas brachium muſculus.de muſ.diff. 1ª.47.G
Extendentes dearticulationem cubiti muſculi.de muſc.diff. 1ª.48.A
Extenſionem cubiti rectam qui muſculus faciat.de muſ.diff. 1ª.48.B
Extenſio brachialis à quibus muſculis fiat.de muſ.diff. 1ª.48.C
Extendens brachiale muſculus.de muſc.diff. 1ª.48.D
ad Extenſionem digiti vnus tendo ſufficit.2°.de vſu par. 1ª.121.C
Extendens quatuor digitos præter pollicẽ muſculus.de muſ.diff.1ª.48.C
Extendentes magnum digitum in neutram partem muſculi.de muſculorum diſſectione. 1ª.48.D
Extendens digitos duos exiguos muſculus.de muſ.diff. 1ª.48.D
Extendatur & incuruetur quo modo ſpina.de muſc.diff. 1ª.49.G
Extendentes genu dearticulationem muſculi.de muſ.diff. 1ª.51.F
Extendens exacte femur in poſteriora muſculus.de muſ.diff. 1ª.50.H
Extendens totum femur muſculus.de muſ.diff. 1ª.51.A
Extendentes ſumme quamcũq; partẽ dolemus.1°.de mo.muſ. 1ª.112.H
Extendit cutem ichthyocolla.de ſim.med. Sp.85.E
Extendẽs ad exteriora oblique leniterq́; magni digiti internodium muſculus.de muſ.diff. 1ª.52.B
Extendens digitos muſculus.de muſc.diff. 1ª.52.D/E
Extenſa crura põt diutius teneri.de ijs quæ in med.fi.com.3°. 3ª.217.D
Extenſum cur ſit duodenum.de anat.viuo. Sp.50.C
Extenſiones præter voluntatem quo modo.2°.de ſymp.cauſ. 3ª.22.G
Extenduntur nerui propter inflammationes, duros tumores, ſiccitates, & frigiditates immodicas.com.4°.apho.49°. Ex.33.C
Extenſio vilior quæ ſit.de fract.com.1°. 7ª.227.C
Extenſionem nimiam tolerant pueri.de ijs quæ in med.fi.c.3°. 7ª.218.B
ad Extendendum membra laqueus.de laqueis. 7ª.306.F
Extendendi æqualiter vim habens laqueus.de laqueis. 7ª.307.G
Extendendi æqualiter vim habens laqueus.de laqueis. 7ª.307.H
Extendi vbi inæqualiter debẽt aliqua laqueus idoneus.de laq.7ª.307.A
Extendendi inæqualiter facultatẽ habens laqueus.de laqueis. 7ª.307.F
Extenſio membranarum oculi affectus.introd. Iſa.58.D
EXTENVATIO quot modis fiat.in 6^{m}.de morb.vulg. 3ª.176.E
Extenuatio duplex eſt,quæ breui fit humorum & ſpirituum euacuatione,& quæ longo tempore ſolidorum colliquefactione. commentario. 2°.aphoriſmo.7°. Ex.11.H
Extenuationes à varijs cauſis.de articulis,com.1°. 7ª.257.B
Extenuatio ex quibus fiat,& qũo,& per quæ.c.2°.aphor.28°.Ex.16.E
Extenuatio laxat cutim,poſtea circumtenditur.in 6^{m}.de morbis vulgaribus,commentario 3°. 3ª.176.H
Extenuantia & incidentia lapides frangunt, & lichenas puerorum ſanant.7°.de ſimp.med.fac. 5ª.51.H
Extenuantia educunt contenta in pectore.ars med. Iſ.70.D
Extenuantia educunt contenta in pulmone.ars med. Iſa.70.D
in Extenuantibus ſcopus,qui.5°.de ſimp.med.fac. 5ª.38.D
Extenuare quo modo probentur aliqua.6°.de ſimp.med.fac. 5ª.45.F
Extenuantia.14°.methodi medendi. 7ª.91.D
Extenuatoriæ,condenſatoriæ,frigidæ,& calidæ temperantiæ eſt aloe.de cathar. Sp.94.E
Extenuandi vim habent amari ſapores.4°.de ſimp.med.fac. 5ª.29.G
Extenuat ſoluitq́; dolorem articulorum ſine vlcere aqua frigida plurima large affuſa.com.5°.apho.25°. Ex.39.G
Extenuat calidum.com.5°.apho.22°. Ex.39.C
Extenuat,incidit & diſſoluit humores calor febrilis. commentario 6°. aphoriſmo 40°. Ex.51.A
Extenuat,calefacit.atq; reſoluit febris ſpiritum flatuoſum, & pituitoſos humores.com.6°.aph.5°. Ex.52.H
Extenuans,incidens,calidus,& ſiccus in tertio origanus.7°.de ſimplic. medic.facul. 5ª.57.E
Extenuat potenter ſal ex viperis.14°.meth.med. 7ª.91.D
Extenuat cutim terra chia.de ſimp.med. Sp.85.A
Extenuans victus.1°.de ſanitate tuenda. 2ª.68.E
Extenuantes & acres cibi morboſi.1°.de diff.feb. 3ª.32.A
Extenuans pingues homines medicamen.de med.exper. Sp.104.H
non Extenuatur tempore frigido qui præ plenitudine laborat febre parua.comment.2°.apho.28°. Ex.16.C
Extenuatio præter naturã ſignũ imbecillitatis.com.2°.ap.28°. Ex.16.C
Extenuatio totius corporis cum febre parua ob pulmonis vlcera inſanabilia,eſt phthiſis.commen.7°.apho.16°. Ex.55.A
Extenuati eſt ſubbilioſum.in 6^{m}.de mor.vulg.com.3°. 3ª.177.C
Extenuationi corporis communis cutis laxitas.in 6^{m}. de morbis vulgaribus,comment.3°. 3ª.176.E
Extenuatis cutis laxa apparet.in 6^{m}.de morb.vul.com.3°. 3ª.176.F
Extenuati quo modo reficiendi.14°.meth.med. 7ª.91.F
quæ Extenuantur corpora longo tempore, lente reficere oportet. quæ vero breui,breuiter.com.2°.apho.7°. Ex.11.H
Extenuatis balneum poſt cibum conuenit.14°.meth.med. 7ª.91.G
in Extenuatis picatione vtendum.6°.de ſanitate tuenda. 2ª.100.C
Extenuatis non eſt extrahendus ſanguis.2°.de elemen. 1ª.9.C
Extenuati ſunt purgandi.2°.de elemen. 1ª.9.C
ſi Extenuatis ex morbis acutis aut diuturnis, vel ex vulneribus, ſiue quouis alio modo,nigra bilis,ſiue vti ſanguis niger deſubter exierit, poſtridie moriuntur.com.4°.apho.23°. Ex.29.G
EXTERENDI vim quandam habet mulſa.de victus ratio. in morbis acutis,com.3°. 7ª.127.E
de EXTERGENTIBVS & repurgantibus.4°.de compoſitione med. ſecundum locos. 5ª.149.G
Extergentia & repurgantia non differunt.5°.de ſimp.med.fac. 5ª.35.A
Extergentia pilos attenuant.1°.de comp.med.ſec.loc. 5ª.128.B
Extergentia & emplaſtica contraria.5°.de ſimp.med.fa. 5ª.38.H
Extergentia quæ ſint.5°.de ſimp.med.facul. 5ª.35.A
Extergentia & repurgantia,quæ.1°.de comp.med.ſec.lo. 5ª.129.E
Extergentia abſq; acrimonia.7°.de compo.med.ſecundum loc.5ª.177.F/ 6°.methodi medendi. 7ª.42.B
Extergunt parum quæ.6°.de compo.med.ſec.loc. 5ª.171.H
Extergentia & glutinãtia cõſequit ſiccitas.6°.de ſimp.me.fa.5ª.45.A
in Extergẽtibus ſubſtãtijs eſt amaritudo.6°.de ſimp.med.fac.5ª.45.A
Extergit amarum.4°.de comp.med.ſecundum locos. 5ª.151.F
Extergunt & ſecant amara cum manifeſta caliditate.10°. de compoſit. medic.ſecundum locos. 5ª.205.H
Extergit & nihil adſtringit aqua mulſa.6°.de com.me.ſec.lo. 5ª.174.E
Extergit beta.5°.de ſimp.med.fac. 5ª.62.B
Extergit quo mõ abſq; mordicatione cadmia.9°.de ſim.me.fa. 5ª.69.F
Extergit eruum.8°.de ſimp.med.fac. 5ª.57.E
Extergit decoctum fœni græci.4°.de comp.med.ſec.lo. 5ª.150.D
Extergit multum mel.7°.de ſimp.med.fac. 5ª.53.B
Extergens humiditas eſt ſerum.10°.de ſimp.med.fac. 5ª.73.E
Extergit & ventrem ſubducit ſerum.10°.de ſimp.med.fac. 5ª.73.H
Extergit & abluit per clyſteres ſerum.10°.de ſimp.med.fa. 5ª.73.H
Extergit ſerum.4°.de comp.med.ſec.loc. 5ª.150.D
Extergit parum thus,& quale ſit.4°.de comp.med.ſec.loc. 5ª.151.C
EXTERIOR & poſterior idem ſunt.de artic.com.3°. 7ª.271.H

Exteriora quæ ſint reſpectu ægrorum.com.1°.apho.1°. Ex.3.B
Exteriora ſunt habitationes idoneæ, vel turbarum plenæ, vel turba vacantes, pręterea quæ nunciantur, & aguntur, quæq; iram atq; triſtitiam, aut aliquem alium affectum ægrotanti infligunt, ad hæc illa quę nocte ſomnum abrumpunt.com.1°.apho.1°. Ex.3.B
Exteriora proprie.2°.de dieb.decre. 4ª.158.F
ad *Exteriora virtutes, inſcriptũ librũ ſcripſit Andromachus.1°. de cõpoſi.med.per genera.215.C/3°.235.D/5°.251.H/* 5ª.252.E
Exteriorũ librũ fecit Aſclepiades.2°.de comp.med.ſec.lo.138.H/3°.143.F/148.B/149.A/ 4°.152.C/5°.160.B/164.A/8°.192. F/9°.199. C/200.A/205.A/10°.207.E/208.D/2°.de compoſi.medic.per genera.225.D 226.A/4°.232.G/249.H/251.B/253.C/7°. 5ª.269.G
ad *Exteriora fiat reuulſio, vbi introrſum vergunt ſucci. de cucurbitulis, ſcarificatione.* 6ª.4.G
ſi *Exteriora in febribus non intermittentibus frigent, & interiora vrãtur & febris habeat, lætale.com.7°.apho.69°.* Ex.60.F
ab *Exterioribus verti ad interiora eryſipelas & quodcũq; aliud, nõ ẽ bonũ: ab interioribus aũt ad exteriora, bonũ.cõ.6°.ap.25°.* Ex.48.F
in *Exterioribus membris vena pulſatilis ſuppoſita eſt, quieta ſuperpoſita de anat.viuo.* Sp.56.E
Exterior panniculus ſtomachi componitur ex filis latitudinalibus.de anatomia viuorum. Sp.49.H
Exterius ſtomachus eſt minus neruoſus quã interius.de an.v. Sp.49.H
in *Exteriore tunica veſicæ magis viget attractiua.de ana.viu.* Sp.51.D
Exterior tunica veſicæ ex quibus conſtat.de anato.viuo. Sp.51.D
ad *Exteriora inuertẽs genu articulationẽ muſculus.de muſ.diſſ.* 1ª.51.A
ad *Exteriora tibiam oblique inuertens muſculus, & ſimul flectens.de muſcul.diſſect.* 1ª.51.E
ad *Exteriora extendens oblique & leniter magni digiti internodium muſculus.de muſc.diſſ.* 1ª.52.B
ad *Exteriorem regionem caput femoris trahens muſculus.de muſculorum diſſectione.* 1ª.51.A
ad *Exteriora tibiam flectens muſculus.de muſc.diſſ.* 1ª.51.E
ad *Exteriora ſenſim inclinantem tibiam qui muſculus facit. de muſculorum diſſect.* 1ª.52.F
EXTERNI *cur non ita facile vina noſcant quæ cito bibantur ab expreſſione.de bon.& vitio ſuc.* 2ª.38.F
Externum motum minime habent plantæ.in tim.Plato. 1ª.287.E
ab *Externo quibus calefiant corpora noſtra.2°.de ſan.tuen.* 2ª.74.A
de *Externis medicamentis librum fecit Andromachus. 10°.de compo. medicamen.ſecundum locos.* 5ª.207.B
Externorũ librũ fecit Andromachus.2°.de comp.med.per ge. 5ª.219.C
EXTERSORIAM *& calfactoriam vim habet mel.7°. de compoſitio. medicamen.ſecundum locos.* 5ª.178.G
Exterſorum mel.7°.de comp.med.ſec.loc. 5ª.179.C
EXTINGVENTIA *acuitatem choleræ conueniunt ſtomacho, in quo generatur cholera velociter multa.de diſſ.cont.* Sp.71.E
Extinguitur dupliciter calor vitalis.de vtil.reſp. Sp.62.D
Extinguit maior flamma minorem, quo modo.de vtil.reſp. Sp.62.D
EXTIRPANTIA *pilos & capillos.1°.de compo.med.ſec.loc.* 5ª.129.E
Extirpantia capillos ſunt periculoſi vſus.1°. de compoſit.medicamento. ſecundum locos. 5ª.129.E
EXTRA *quid ſignificet.de artic.com.1°.* 7ª.258.G
EXTRANEVM *duplex, qualitate & quãtitate.2°.de diff.fe.* 3ª.41.F
EXTRACTORIVM *hæmorrhoidum Magni Tarſenſis. 9°. de compo. medica.ſec.loc.* 5ª.205.B
Extrahatur quo modo ſuccus centaureæ.de virt.cent. Sp.93.A
quando *Extrahitur vena temporis.de anat.viuo.* Sp.55.B
vt *Extrahatur virus à loco vbi hirudo fuerit, cucurbitula applicanda, aut ſpongijs locus fouendus eſt.de cucur.ſcar.* 6ª.4.C
Extrahit ſpicula phorbium.8°.de ſimp.med.fac. 5ª.63.D
Extrahit & digerit ſal ammoniacũ.2°.de com.med.per gene. 5ª.221.B
ad *Extrahendum aquam cadentem in aurem.ſecretorum.* Sp.97.H
ad *Extrahendum ſpinam de gutture.ſecretorum.* Sp.97.H
ad *Extrahendum lapidem medicamentum.de cura lap.* Sp.112.B
Extrahendi in extimam cutim quæ in alto ſunt corpore vim habẽtia.11°. de ſimp.med.fac. 5ª.82.H
Extrahunt ex alto violenter & digerunt calida valde cum humiditate coniuncta.6°.de ſimp.med.fac. 5ª.48.C
Extrahere quando ex alto in ſuperficiem volumus, coſto vtimur. 7°.de ſimp.med.fac. 5ª.52.F
Extrahit quæ in profundo ſunt, fermentũ.6°.de ſimp.med.fac. 5ª.48.A
Extrahens humorem contentum.6°.de compo.med.per gen. 5ª.262.A
ad *Extrahendum embryum galbanum.de med.exper.* Sp.106.E
ad *Extrahendum embryum medicamen.de med.exper.* Sp.106.G
Extrahentia quo modo fiant cerati mixtura carnis explentia.6°.de compoſi.med.per genera. 3ª.260.H
Extrahens emplaſtrum.6°.de comp.med.per genera. 5ª.256.D
ad *Extrahendum emplaſtrum. 6°.de compo.med.per gen.* 5ª.281.A/F
ad *Extrahendũ Sarceuthitæ.6°.de comp.med.per genera.* 5ª.261.B
vbi *Extrahendo impellimus, vtimur ſpatha Fabri atque Andreæ.de machinamentis.* 7ª.309.G
EXTREMA *quo modo ſtatum morbi appellet Hippocrates.1°. de diebus decretorijs.* 4ª.151.A
Extremum generalius initio.de ijs quæ in med.fiunt.com.2°. 7ª.207.H
Extremis notis media facile noſcuntur.2°.de alim.facul. 2ª.20.G
Extrema non tranſeunt in extrema ſine medio.1°.de nat.fac. 1ª.292.D
Extrema Græci cola vocant.ad Thraſy. 2ª.105.H
in *Extremis partibus cur pili, vngues, cutis ſint genita. in timæum Platonis.* 1ª.280.G
ex *Extremo inteſtino educuntur aſcarides.de cathar.* Sp.94.H
Extremæ partes membrorum cur inflãmentur.de frac.cõ.1°. 7ª.228.G
ad *Extrema caliditas meat in febribus vrentibus.de vict.ra.in morbis acutis, commentario 4°.* 7ª.136.B
Extrema quot cauſis frigeſcere poſſint.com.7°.apho.26°. Ex.55.G
Extremis partibus frigidum mordax.4°.de ſimp.med.fac. 5ª.24.C
Extremorum refrigeratio quibus eueniat.præſ.exper. confir. Sp.78.E
Extrema reddit frigida dolor.de vict.ra.in morb.acu.com.2°. 7ª.130.E
Extremæ corporis partes quibus plurimum refrigeratæ in principijs febrium, illis animi defectus incidit.1°.de arte cur.ad Glau. 7ª.98.F
Extrema cur frigeant in rigoribus.2°.de ſymp.cau. 3ª.23.F
Extremas partes infrigidat inteſtinorum abraſio. de victus rat.in morbis acutis, comment.2°. 7ª.130.C
Extrema frigere quid ſignificet.de vict.rat.in mor.acu.cõ.4°. 7ª.140.G
Extrema frigida ſubliuida.in 1^{m}*.de mor.vulg.com.3°.* 3ª.124.F
Extremitates frigidæ & liuidę.in 3^{m}*.de mor.vulg.commẽ.2°.* 3ª.135.H/137.E/F/ 3ª.139.F
Extrema liuida.in 1^{m}*.de mor.vulgaribus, com.3°.* 3ª.121.B
Extrema frigida & liuida cur in acutis.in 3^{m}*.de mor.vul.c.2°.* 3ª.136.D
Extremarum partium frigus in morbis acutis, malum, & cur.commentario 7°.apho.1°. 7ª.54.A
Extrema frigeſcere vnde ſit.de vict.rat.in mor.acu.com.4°. 7ª.123.B
Extrema cur refrigerantur in morbo maligno. de victus.ratio.in morb. acutis, commen.4°. 7ª.136.C
Extremorũ frigiditas vnde oriatur.de vict.ra.in mor.a.c.4°. 7ª.138.A
Extrema cur frigeſcant in acuta febre.1°.de mor.vulg.com.2°. 3ª.115.A
Extrema liuida cur in acutis.1°.de mor.vul.com.2°. 3ª.115.B
Extremarum partium frigiditas in forti labore ventris, malum.commẽtario 7°.aphoriſ.26°. Ex.55.G
Extrema frigida, exitiale ſignum.in 1^{m}*.de morb.vulg.com.3°.* 3ª.118.B
Extremitates frigidæ, & liuidæ lætales in acuto morbo.in 3^{m}*. de morbis vulgaribus, com.2°.* 3ª.137.F
Extrema frigida, & intima calida, malum.in prog.com.2°. 4ª.198.C
Extrema fricato, ventriculi ore male affecto. 1°.de arte curat.ad Glauconem. 7ª.99.C
Extrema manuum, & pedum in aqua mittẽda quando non vis illum amplius purgari quem purgas.de dynamid. Sp.21.F
Extrema conſtringenda pro ſanguine è naribus fluente. de rem. paratu facilibus. 7ª.155.H
Extremarum partium dolorum fomenta ex aqua.in 6^{m}*. de morbis vulgaribus, comment.6°.* 3ª.196.A
EXTRINGIT *ſinapis loca ſanguine manantia.de ſimp.me.* Sp.90.G
EXTRINSECA *potius ſcienda, q̃ intrinſeca.3°.de anat.admi.* 1ª.73.H
quod ab *Extrinſeca cauſa contingit ſemper oportet medicum diſtinguere, & ſeparare ab eo quod morborum ratione fit, vt præcognitiones faciat diligentiores.commen.3°.apho.5°.* Ex.20.C
Extrinſeca quomodo cauitates anguſtent.de cauſ.mor. 3ª.9.B
Extrinſecos digitos qui muſculi longiſſime ab alijs aducant. de muſculorum diſſectione. 1ª.52.H
Extrinſecus quę corpori occurrunt.10°.meth.med. 7ª.64.D
Extrinſecum cui non facit paſſiones, à natura propria id patitur.1°. de element. 1ª.4.A
Extrinſecus occurrentia non pertinent ad artificem ſanitatis tuendæ.1°. de ſanitate tuenda. 2ª.65.A

Extrinſeca ægro qualia eſſe debent.in 6ᵐ.de mor.vul.com.2°.3ª.169.A
Extrinſeca quæ faciunt errorem in criſi.1°.de dieb.decret. 4ª.150.A
Extrinſecus vbi virulenta facultas inciderit, ſcarificatione vtimur.de cucurb.ſcariſi. 6ª.3.F
Extrinſeci motus, qui.2°.de ſanitate tuen. 2ª.75.B
ex Extrinſecis motibus eſt frictio.2°.de ſanit.tuen. 2ª.75.C
ab Extrinſeco conquaſſata caro magis læditur ab intrinſeco. de anatomia viuorum. Sp.54.E
in Extrinſecis omnibus mitigat, & replet ſuccus centaureæ.de virtute centaureæ. Sp.94.A
Extrinſeca vulnera per medicamenta intrinſeca & per potiones magis ſanari, collige.com.6°.apho.18°. Ex.48.B
de Extrinſecis medicamentis librum fecit Andromachus. 6°. de compo.med.per ge. 5ª.257.D
Extrinſeco aliquo detegitur affectio morboſa nondum detecta.de victus ra.in morb.acu.com.4°. 7ª.149.G
EXTRORSVM ſimul, & ſurſum caput femoris trahens muſculus. de muſc.diſſ. 1ª.51.B
Extrorſum tibiam vertens muſculus.de muſc.diſſ. 1ª.51.E
Extrorſum, & retrorſum pedem abducentes muſculi.de muſ.diſ.1ª.52.B
Extrorſum, & retrorſum leniter pedem inuertens muſculus. de muſculorum diſſect. 1ª.52.B
Extrorſum paruum digitum diducens muſculus.de muſ.diſſ. 1ª.52.E
Extrorſum vbi vergũt ſucci, ad interiora fiat reuulſio.de cuc.ſc.6ª.4.G
ad EXTVBERANTIA omnem carnis oculorum. 4°. de compoſitione med.ſec.loc. 5ª.152.G
ad Extuberantiam omnem in oculis, et membranarum oculorum. 4°. de comp.med.ſec.loc. 5ª.156.C/D
ſupra Extuberationes oſſium ferulæ non imponendæ.de ijs, quæ in medic.fiunt, com.3°. 7ª.215.C
ad Extuberantia Scribonij Largi.3°.de comp.med.ſec.loc. 5ª.148.B
EXVCTIO quid ſit.de ijs quæ in med.fi.com.3°. 7ª.219.C
Exuctio per os, aut etiam per ſtipulam ex aure aquam extrahit.3°.de cõpoſitione medicamentorum ſecundum locos. 5ª.145.F
EXVFFLARE aucti caloris propriũ indiciũ.4°.de loc.aff. 4ª.27.A
Exufflatio quid, & quæ.2°.de decr.Hip. 1ª.236.C
Exufflatio quomodo fiat.4°.de loc.aff. 4ª.26.D
Exufflationem qui muſculi faciant.4°.de loc.aff. 4ª.26.C
Exufflatio cum violentia fit.de præco.ad Poſthu. 4ª.216.D
Exufflationes citra ſtrepitum, exufflationes cum ſtrepitu, expirationes, vox, & loquela qũo ſe habeant circa læſionẽ.4°.de loc.aff. 4ª.26.D
Exufflatio & vox quando omnino lædetur læſa ſpinali medulla. de voce & anhelitu. Sp.61.H
EXVLCERATIO affectus iridis oculi.introd. Iſa.58.D
Exulcerantia & acria folia habet clematis. de ſimp. med. Sp.83.B
Exulcerare ſolet phrygius lapis. de ſimp.med. Sp.86.H
Exulcerationum quæ in ſumma parte hærent, cauſa eſt humor acris & tenuis. com.4°.aph.12°. Ex.28.F
Exulcerandi interiora vim habent acres ſapores craſſę eſſentiæ terreæ. 4°.de ſimp.med.fac. 5ª.29.H
ab Exulceratione aliqua ſummas partes inteſtinorum occupante fieri poteſt læuitas inteſtinorum.com.4°.aph.12°. Ex.28.E
ad Exulcerationes factas in inteſtino infuſum commodum.9°.de comp. medicamentorum ſecundum locos. 5°.203.E
Exulcerata mẽbra triplr̃ naturæ modũ egrediuntur. de dif.mor. 3ª.5.E
Exulceratæ partes permeante materia aliqua dolorẽ ſentiunt. commen. 6°.aphoriſmo 1°. Ex.45.H
Exulcerata ab atra bile ſunt incurabilia. de atra bile. 1ª.35.F
Exulcerata à flaua bile difficilia curatu. de atra bile. 1ª.35.F
Exulceratio renum & veſicæ quam vrinam faciat. de vri.ſignificatione ex Hippocrate. Sp.78.H
Exulcerat vehemens dolor in ore matricis, niſi cito occurratur. de paſſ. mulierum. Sp.95.F
Exulcerationes vteri non iuuat ſternutatio. com.5°.apho.35°. Ex.40.F
ad Exulceratas partes ne quid influat, quid agendum. 1°.de compoſitione meditamentorum per genera. 5ª.213.A
in Exulceratis oleo roſaceo vti licet. 2°.de ſimp.me.fac. 5ª.10.A
Exulcerationes igne factas, cicatrice includunt hederæ folia in vino decocta. 7°.de ſimp.med.fac. 5ª.51.F
Exulceratio. lege Vlcus.
per EXVPERANTIAM dictum dicitur dupliciter. 3°.de ſimpli.medicamentorum facultatibus. 5ª.17.F
EXVRGERE frequenter facit abortum. com.7°.aph.27°. Ex.55.H
Exurebantur ſole calefacta iumentorum & columbarum excrementa. 1°.de differen.feb. 3ª.33.A
EXVSTIO facit morbum. com.2°.aph.17. Ex.13.C
Exuſtio quæ vocetur. de cau.morb. 3ª.6.F
Exuſtione fit partium diminutio. de cau.morb. 3ª.9.D
Exuſtiones ſiccis temperamentis vitandæ. 6°.de ſan.tuen. 2ª.96.C
Exuſtionis ab igne curatio. de opti.ſecta. Iſa.25.C
Exuſtos, & incenſos emolliũt balnea. de ijs quæ in me.fi.cõ.3°. 7ª.215.H
ad Exuſtiones per hyemem. 3°.de med.fac.par.174.F/ 7ª.175.F

FABA inter cerealia ſemina numeratur. de victus ratione in morbis acutis, comment.1°. 7ª.111.B
Faba deteriores ochri & dolichi. de bonitate & vitio ſuccorum. 2ª.37.D
Fabis præſtantiora ſunt piſa in omnibus. de atten.vict. 2ª.45.A
Fabis deteriores ſunt eruilia, dolichi, & phaſeoli. de atten.vic. 2ª.45.A
in Fabis quid ſit fructus. 2°.de alimen.fac. 2ª.16.C
Faba prima qualitate propè caret, poſtea fit dulcis. 4°.de ſimpliciũ medicamentorum facultatibus. 5ª.28.G
Faba habet ſiliquas. 1°.de alimen.fac. 2ª.15.A
Fabarum viridium ſiliqua non eſt eſculenta. 2°.de alimen.fac. 2ª.16.C
Fabæ Aegyptiæ natura. 1°.de alimen.fac. 2ª.14.A
Fabæ ęgyptia refrigerat mediocriter. de victus ratione in morbis acutis, comment.4°. 7ª.149.D
Fabæ ſubſtantia, qualis. 1°.de alimen.fac. 2ª.13.H
Fabæ propria ſubſtantia flatuoſa. de vic.rat.in morb.acu.c.1°.7ª.112.A
Faba & ciceres potiſſimum inter legumina ventoſa numerantur. de puero epilep. 7ª.180.H
Faba integra eſt magis flatulenta. 1°.de alimen.fac. 2ª.13.H
Faba flatulenta eſt, etiam ſi diu coquatur, & quouis modo parata. 1°.de alimen.fac.2°.13.H/ 7°.de ſimp.med.fac. 5ª.53.A
Fabaceum & ſi per triduum coxeris, eſt flatuoſum.de victus ratione in morbis acutis, commen.1°. 7ª.12.A
Faba plus alit, quàm hordeum. 7°.de ſimp.med.fac. 5ª.53.A
Fabas quomodo expertus eſt Galeni pater. de bon.& vit.ſucc.2ª.36.G
Fabarum nutrimentum, quale. de diſſ.cont. Sp.73.G
Fabæ grana generant bonũ chymum, & craſſum.de diſſ.cont. Sp.74.A
Fabæ etiam ſi quotidie ſumantur, boni ſucci generationem non impedirent, niſi inflationes parerent. de bon.& vit.ſucc. 2ª.37.D
Fabæ recentes quid faciant. 1°.de alimen.fac. 2ª.13.H
Fabæ humidæ cur parum nutriunt. de diſſ.cont. Sp.73.G
Fabę virides ſunt multarum ſuperfluitatum. de diſſ.cont. Sp.73.E
Fabæ frixæ quid faciant. 1°.de alimen.facul. 2ª.13.H
Fabæ inflant ventrem. de diſſ.cont. Sp.74.F
Fabę magis inflant louis hortenſibus. de atten.vic. 2ª.45.B
Fabæ concoctu difficiles ſunt & flatulentæ. de atten.vic. 2ª.45.A/ 7°. de ſimp.med.fac. 5ª.53.D
Faba cum cæpis eſt minus flatuoſa. 1°.de alimen.facul. 2ª.14.A
Faba ventrem cito permeat. 1°.de.alimen.fac. 2ª.13.H
Fabæ tardæ digeruntur propter multitudinem inflationis. de diſſolutione continua. Sp.73.D
Fabarum medulla tarde deſcendit. de diſſ.cont. Sp.74.H
ex Faba cibus liquidus ἔτνος. 1°.de alimen.fac. 2ª.13.G
ex Fabis parari alicam, & ptiſſanam, collige. 2°.apho.18. Ex.13.H
Fabæ generant carnem ſublaxam, & ſubinanem. 2°.de alim.fa.2ª.17.E
ex Faba & ptiſſana quæ caro generatur. 1°.de alimen.fac. 2ª.13.G
Faba cum ptiſſana gladiatores plurimum vtuntur.1°.de ali.fac. 2ª.13.G
Faba cũ ſuilla carne ab aliqbus coquit̃ & comedit̃.1°.de ali.fa. 2ª.14.A
Faba ruri cũ ouilla & caprina coquit̃ et comedit̃. 1°.de ali.fac.2ª.14.A
Faba eſt cibus multi ſeminis. 5°.de ſimp.med.fac. 5ª.38.C
Fabam eſſe cibum craſſum, collige. commen.4°.aph.76°. Ex.36.C
Fabæ nutriunt illos qui digerunt eas nutrimento multo craſſo. de diſſolutione continua. Sp.73.E
Fabæ aſſæ cibus craſſus, & cur. de diſſ.cont. Sp.73.G
Faba facit renũ paſſionẽ, quæ dicitur capillitiũ.c.4°.aph.76°. Ex.36.C
Faba freſa, qualis.7°.de compo.medic.ſecundum locos. 5ª.179.A
Faba eſt multo vſui in varijs medicamentis.7°.de ſimp.med.fa.5ª.53.A
Fabacea farina, qualis. 3°.methodi medendi. 7ª.18.A

Faba vario modo præparata ad ſugillata.5°.de com.me ſe.l.5ª.159.C/D
Faba tollit ἐφῆλιν.1°.de alim.fac. 2ª.13.H
Fabarum farina moderatiſſime detergit.8°.meth.med. 7ª.52.H
Faba freſa elixa extergit ſine acrimonia.7°.de com.me.ſe.loc.5ª.177.F
Fabæ habent qualitatem & vim abſtergendi vt hordeum.de bon. & vitio ſuccorum. 2ª.37.D
Fabæ minus quam hordeum tergent.de atten.vic. 2ª.45.A
Faba detergit vt ptiſſana.1°.de alim.fac. 2ª.13.H
Faba poteſt cutis,& vulnerum ſordes auferre.5°.de ſim.me.fac.5ª.35.B
Fabarum farina ad detergendas maculas in balneo.1°.de al.fa.2ª.13.H
à Fabarum farina faciei lentes tolluntur.1°.de ali.fac. 2ª.13.H
Fabæ mundificant.de ocul.7ª.188.F/de diſſ.cont. Sp.74.G
Fabacea farina tantum extergit,non etiam meatus farctu liberat.5°.de ſimp.med.fac. 5ª.35.B
ex Fabacea farina cataplaſma.6°.meth.med. 7ª.38.G
vt Fabacea puls ſedimen in vrinis.de mult. 3ª.81.F
Fabæ nigræ molitæ lomentum.10°.de compo.med.ſec.loc. 5ª.209.B
Fabacea farina tenuiſſima toſta in medicamenta ad tuſſim.7°.de compo.med.ſec.loc. 5ª.182.B
Faba dyſentericis,cœliacis,& vomentibus exhibita eſt.7°.de ſimpliciũ medicamentorum facultatibus. 5ª.53.D
Faba valet ad dyſenteriam.de vict.rat.in mor.acu.com.4°. 7ª.152.F
Fabacea farina non mouet pus.5°.de ſimp.med.fac. 5ª.33.H
Faba exiccat,& refrigerat.7°.de ſimp.med.fac. 5ª.53.D
Fabacea farina exiccat,& quo modo.5°.de ſimp.med.facul. 5ª.33.H
Faba deſiccat innoxie.7°.de ſimp.me.fac. 5ª.53.D
Faba minus ſiccat quam milium.5°.de ſan.tuen. 2ª.92.C
Fabacea farina minus deſiccat,q̃ hordeum.7°.de ſimp.me.fac.5ª.53.A
Fabacea farina carnem producit.3°.meth.med. 7ª.18.A
Fabarum farina vſus eſt Galenus in neruorum vulneribus.3°.de comp.med.per genera 5ª.229.H
Fabæ farina ad neruorum tum contuſiones, tum vulnerationes imponitur,cum oxymelite phlegmoni ex ictu cum polenta, & teſtium, ac vberum aptum eſt cataplaſma.7°.de ſimp.med.fac. 5ª.53.E
Fabarum farina p farina orobi vel lobij.2°.de arte cu.ad Gla.7ª.107.A
Faba quomodo ab aure extrahatur.3°.de compo.med.ſec.loc. 5ª.145.G
FABAE lupinæ meminit.de dynami. Sp.25.H
FABA doſis.7°.de comp.med.ſec.lo.182.H/183.D/185.D 5ª.186.H/12°.methodi medendi.79.F/de remed.par.fac.158.C/G/159.H/de incant.adiur.& ſuſp. 7ª.182.B
Fabæ magnitudinis paſtilli.de med.fac.par. 7ª.173.D
FABA ægyptia cuius ſit quantitas.de pond.& menſ. 5ª.277.F
Fabæ ægyptiæ magnitudo pro doſi.7°.de compoſi.med.ſecun.loc.178.E/181.D/182.E/H/183.G/185.A/D/186.A/H/8°.195.G/9°.202.C/G/H/ 5ª.203.D
Faba ęgyptia viridis.3°.de comp.med.ſe.loc. 5ª.143.E
FABAE græcæ menſura.de vſu theria.ad Pamph.98.H/7°.de compoſit.med.ſec.loc.179.F/182.F/183.A/D/8°.194.H/9°.5ª.198.E/de reme.par.fac. 7ª.166.H
ad Fabæ græcæ magnitudinem theriaca exhibita.5°.meth.me.7ª.35.D
FABAE Arcadiæ ſuis.9°.de compo.med.ſec.loc. 5ª.201.B
FABRI ſunt in ſecunda ſede apud Mercurium.in oratione ſua. Iſa.2.F
Fabri,& ſutores,& tinctores tempore Galeni cur exercebant medicinam.1°.meth.med. 7ª.2.E
Fabri tum materiarij,tum ferrarij ignorant vires motuum, quos exercent.2°.de ſa.tuen. 2ª.75.E
Fabrorum aqua.de med.fac.par. 7ª.174.F
FABRI organum.de mach. 7ª.317.A
in Fabri organo ſedile quid.de machin. 7ª.317.A
de Fabri organi motu.de machin. 7ª.318.A
per Fabri inſtrumẽtum quo modo reſtituatur caput humeri, vbi in alã prolapſum ſit.de mach. 7ª.318.A
Fabri atque Andreæ ſpatha vtemur vbi extrahendo impellimus.de machin. 7ª.309.G
Fabricant alij,alij fabricatis recte vtuntur.de fœt.for. 1ª.324.A
FABVLAE Terci,qui linguam Philomelę abſcidit, allegoria.de vocalium inſtr.diſſ. 1ª.106.E
Fabuloſa animalia quæ ſint.in tim.Plat. 1ª.287.D
ad Fabuloſa aĩalia aĩę ſimilitudinẽ reduxit Plato.in ti.Plat. 1ª.287.D
FABVLLAE præparatũ malagma.9°.de compo.med.ſec.loc.5ª.199.D
Fabulla lybica.10°.de comp.med.ſec.loc. 5ª.207.E
Fabullæ pharmacum.10°.de comp.med.ſec.loc. 5ª.207.E
ex FACIBVS exit fuligo.8°.de decre.Hipp. 1ª.275.H
FACIES, differentia,modus, & ſpecies idem ſunt.de vict.ra in morb.acut.com.4°. 7ª.141.B
Facies,quæ.introd. Iſa.25.H
Facies poſterius formatur, & quando.de fœt.for. 1ª.323.G
à Facie conuenienter remota eſt matrix.14°.de vſu par. 1ª.204.E
Faciei fere totius cutis cur non poteſt excoriari.2°.de vſu par.1ª.122.E
Faciei,& capitis connexus in oſſibus iugalibus.intro. Iſa.54.G
Faciei oſſa duodecim.introd. Iſa.54.G
Faciei oſſa cur duriſſima.11°.de vſu par. 1ª.192.A
Faciei partes mouentur ſine oſſe.1°.de mo.muſ. 1ª.309.E
Faciem eſſe frigidam colligitur.2°.de ſymp.cauſ. 3ª.20.G
Facies ſi eſſet piloſa in naſo, & malis, ſylueſtris eſſet.11°.de vſu partium. 1ª.189.D
Faciem longam longæ maxillę ſequuntur.1°.de ana.admi. 1ª.63.E
ſi Facies eſt rotunda,maxillæq; paruæ,parui etiam ſunt ipſarum muſculi.1°.de anat.admi. 1ª.63.E
de Faciei & capitis muſculis.4°.de anat.admi. 1ª.79.G
Faciei muſculorum principium tertia neruorum coniugatio 11°.de vſu partium. 1ª.186.D
Faciei muſculi quomodo mouentur, & nullum habent tendonem.1°.de mot.muſ. 1ª.309.F
circa Faciem & aures venæ.de ven.art.diſſ. 1ª.57.H
Faciei arteriæ.16°.de vſu par. 1ª.220.C
Faciei quælibet pars habet neruos.9°.de vſu par. 1ª.176.B
Faciei nerui à cerebro.3°.de loc.aff. 4ª.21.A
Faciei cutis à tertia neruorum coniugatione.9°.de vſu par. 1ª.176.C
Faciei,cuti,gingiuis qui nerui ſenſum pręſtent.de ner.diſſ. 1ª.53.F
ſub Facie partes habent neruos à ſpina.16°.de vſu par. 1ª.215.E
ſub Facie partes quę habeant neruos à cerebro.16°.de vſu par.1ª.215.E
ſub Facie partium nerui quales.16°.de vſu par. 1ª.217.A
Facies rubra eſt homini edito, ſi conceptum ſperma fuerit à muliere in tribus horis ſanguinis.de ſper. Sp.37.B
Faciei morbi,qui.introd. Iſa.59.C
Faciei affectus qui,& quo modo.4°.de loc.aff. 4ª.23.C
ad Faciei vitia.de dynamid. Sp.25.E
à Facie icterici color quibus abolendus.de cura icteri. Sp.111.F
Faciei,& oculorum claritati melius habetur mel atticum alio melle.de ſimp.med. Sp.87.A
Faciem ſplendidam reddens.de reme.par.fac. 7ª.163.H
ad Faciem clarificandam.de dynam. Sp.25.H
ad Faciem dealbandam.de med.fac.par. 7ª.174.B
vt Facies tota ſit candida.de dyna. Sp.25.G
Facies vt albeſcat,& molleſcat.de dynam. Sp.25.H
ad Faciem albam.de remed.par.fac. 7ª.163.H
Faciei maculas tollit narciſſi bulbus.de ſimp.med. Sp.87.H
ad Faciem à ſole maculatam.de reme.par.fac. 7ª.164.A
ad Faciem impetiginoſam,& rubram.de dynam. Sp.25.E
ad Faciem rubicundam faciendam.de med.fac.par. 7ª.164.A
Faciei lentes à fabarum farina tolluntur.1°.de ali.fac. 2ª.13.H
in Facie lentes abſtergit pepon.2°.de alim.fac. 2ª.16.H
ad Faciei lenticulas.de med.fac.par. 7ª.174.E
ad Faciei rugas tollendas.de dyna. Sp.25.G
ad Faciei varos.de reme.par.fac. 7ª.157.B
ad Faciem exuſtam ſanandam.de remed.par.fac. 7ª.164.A
ad Faciei pruritum.5°.de comp.med.ſec.loc. 5ª.160.E
Facies bona bonũ eſt in malis ingẽtibus.ĩ 6ᵐ.de mor.vul.c.2°.3ª.166.F
Facies mala,malũ eſt in paruis malis.in 6ᵐ.de morb.vul.c.2°.3ª.166.F
Faciei Hippocraticæ exteriores cauſæ.in prog.com.1°. 4ª.191.G
Faciei Hippocratis ex inſomnia qũo cognoſcatur.in prog.c.1°.4ª.191.H
Facies Hippocratis non eſt in pituitoſo mortuo, neque in plethorico.in prog.commen.1°. 4ª.191.F
Facies Hippocratica nec in ſenio,nec in diutinis morbis, nec in terra frigida,nec in hyeme,nec in conditione frigida eſt admodum exitioſa.in progn.commen.1°. 4ª.191.E
Facies Hippocratica quot modis poterit fieri,& non erit malum.in prognoſt.com.1°. 4ª.191.E
Facies Hippocratica cur fiat primis diebus.in prog.com.1°. 4ª.191.E
Facies coloratior quid ſignificet.in prog.com.2°. 4ª.170.G
Facies florida cum animi mœrore,mala.in 1ᵐ.prorrh.com.2°.4ª.170.G
Facies flammans cum ſudore,mala.in 1ᵐ.prorrhe.com.2°. 4ª.173.G
Faciei rubores quibus eueniant.præſag.exper.conf. Sp.78.E

Faciei rubedo in longo morbo futurum abſceſſum ſignificat.in 6m. de morb.vulg.com.2°. 3ª.163.F
Faciei colore rubro ſignificatur ſanguis à naribus,& abſceſſus poſt aures:in prog.com.2°. 4ª.171.A
Facies intumeſcit tibiam inflantibus,& maximam & acutiſſimam vocem emittentibus.3°.de ſan.tuen. 2ª.77.C
Facies & manus videntur inflari iratis.3°.de dec.Hipp. 1ª.241.E
Facies inflatur,& rubeſcit ira.3°.de dec.Hipp. 1ª.241.F
in Facie,& ſi ſanguis non nunquam exuberet nigrioribus natura, non tamen euidenter apparet.in 6m.de mor.vulg.com.2°. 3ª.163.F
Facies affecta in capite noxam notat.3°.de loc.aff. 4ª.21.B
de Faciei partibus,quæ itrinſecus afficiuntur,vbi agit Galenus.4°.de locis affectis. 4ª.21.F
Faciei morbus eſt canis.2°.de diff.pul. 4ª.53.H
Facies quomodo reſolutione infeſtetur.3°.de loc.aff. 4ª.21.A
in Facie,& ſpiratione non reſolutus,qui tamen alias partes reſolutas habebat.3°.de loc.affe. 4ª.21.B
in Faciei partibus qñ amittitur ſenſus,et motus.4°.de loc.af. 4ª.22.H
Faies quando eſt cõuulſa,vnde ſit affectio.3°.de loc.aff. 4ª.17.D
Faciei partes quo modo fiant obliquæ.4°.de loc.aff. 4ª.23.D
ad Faciei torturam,inclinationem,& ſpaſmum.ſecretorum. Sp.102.D
in Facie eminentiarum remedia.5°.de comp.me.ſe.lo. 5ª.160.E
Faciei fractura quo modo ſanatur.intro. Iſa.60.D
FACILLIMA magnã inter ſe habent drĩam.9°.de decr. 1ª.279.F
à Facillimis incipiendum.9°.de dec.Hipp.279.F| 1ª.280.A
Facillima vtiliſſima ſunt.9°.de decr.Hipp. 1ª.279.F
Facile eſſe credit quod cupit quiſq;.de præcogn.ad Poſth. 4ª.218.E
Facilius eſt inuenire aliquid non animaduerſum in iam factis,q̃ omnia à principio inculpate facere.10°.de vſu pa. 1ª.178.F
Facilitas tolerandi teſtimoniũ eſt recti iudicij.cõ.4°.apho.2°. Ex.27.G
ꝑ FACERE motus explicatur,ſenſus per affici.1°.de lo.af. 4ª.7.D
Facere pertinet ad medendum.in 1m.de morb.vul.com.2°. 3ª.112.A
Faciendum quomodo in œdemate.14°.meth.med. 7ª.87.F
in omnibus quæ Faciũt,& fiunt qd contingat.cõ.2°.aph.28°. Ex.16.E
Facti dimidium habet qui bene cepit.6°.meth.med. 7ª.42.E
FACTORVM memoria quid faciat.5°.de ſan.tu. 2ª.89.B
FACTRIX & efficax cauſa idem.de multitudine. 3ª.77.B
FACVLTAS quid ſignificet.1°.de cauſ.pulſ. 4ª.87.A
Facultas qd ſignificet,& cõtra quæ diſtinguat.1°.de ſimp.me.f. 5ª.3.H
Facultas quid ſit.de multitudine.3ª.77.B|1°.de ſimp.med.fac. 5ª.2.C
Facultas actu quid.1°.de ſimp.me.fac. 5ª.2.C
Facultas in futuro quid.1°. de ſimp.me.fa. 5ª.2.C
Facultas,& anima idem eſt.9°.meth.me. 7ª.58.H
Facultas & potentia idem.9°.de decr.Hipp. 1ª.286.C
Facultates effectus eſſe totius in quouis corpore ſubſtantiæ.3°.de temperamentis. 1ª.22.B
Facultates aliquæ alijs mobiliores.in 6m.de mor.vul.cõ.5°. 3ª.188.D
Facultas principalis eſt ſpritus.de hiſt.philo. Sp.3.D
Facultatis eſſentia.1°.de præſag.ex pulſ. 4ª.107.D
Facultas quælibet eſt in relatione.1°.de natur.facul.1ª.291.D|de multitudine. 7ª.77.C
de Facultatibus primus Hippocrates recte dixit,poſt eum Ariſtoteles recte interpretatus eſt.2°.de nat.fac. 1ª.297.H
de Facultatibus vnũ librũ fecit Heras.1°.de cõp.me.per ge. 5ª.216.E
Facultas quæ plãtas,& animalia fingit,nũquã ſiſtit.de fœ.fo.1ª.324.F
Facultas fingens plantas & animalia omnes partes ſimul fingit.de fœtuum form. 1ª.324.F
Facultas ſeminis procreatrix quid.de hiſt.philoſo. Sp.9.H
Facultatibus animæ idoneũ corpus ꝑparat natura.2°.de ſem. 1ª.337.C
Facultates proprie corporis quatuor.3°.de temp. 1ª.22.B
Facultates quæ nos gubernant conſiderandæ ſunt.3°.de decr. 1ª.241.B
Facultates quæ nos regunt,vnde inueniantur.de fœt.for. 1ª.324.C
Facultates oẽs q vult ſcire,debet ſcire oĩa organa.1°.de na.fa. 1ª.292.F
Facultas quælibet exigit inſtrumenta.1°.de cauſ.pul. 4ª.87.B
Facultas,vſus,& inſtrumenta.3°.de præſag.ex pulſ. 4ª.118.A
Facultates quatuor ſunt in ſingulis organis.3°.de na.fac. 1ª.305.G
Facultatum doctrinæ principium quod.1°.de nat.fac. 1ª.292.F
de Facultatibus exterioribus librum fecit Andromachus.3°. de cõp.medicam.per ge. 5ª.235.D
Facultates itrinſecæ obtinẽt vim cauſæ,et artificis.đ voc.inſt. 1ª.106.C
Facultatum intrinſecarũ aliæ naturales,aliæ animales exiſtunt. de voc.inſtru.diſſect. 1ª.106.C
de Facultatibus naturalibus librum qui non legit,fruſtra de victu acutorum legit.de vict.rat.in morb.acu.com.1°. 7ª.111.H
de Facultatibus naturalibus ſermo communis.5°.de loc.aff. 4ª.35.B
Facultates naturales agunt abſquæ electione.de voc.inſtr.diſſ. 1ª.106.C
Facultas arteriarũ,neruorũ,et venarũ eſt diuerſa.de multi. 3ª.77.A
Facultates naturales habẽt mẽbranæ,qm̃ nutriunt.2°.met.me. 7ª.12.G
inter Facultates naturales attractio ẽ maxime ꝑcipua.in tim.1ª.290.C
Facultates in nobis habemus,quæ veſci,bibere,& reſpirare doceãt.1°.de ſanitate tuenda. 2ª.62.G
Facultates docent opera.1°.de nat.fa. 1ª.291.D
Facultas indicat cibi qualitatẽ et quãtitatẽ.đ opt.ſecta.28.H|Iſ.29.A
Facultates quatuor habet pars quælibet.8°.de cõp.me.ſe.lo. 5ª.194.A
Facultates quatuor pro munere nutriendi.2°.de ſymp.cau. 3ª.19.F
Facultas nutriens quid agat.in 6m.de mor.vul.com.5°. 3ª.188.B
Facultas quæ expellit quod eſt præter naturam, adeſt omni particulæ.2°.de ſymp.cau. 3ª.21.D
Facultatis facientis humores,Iecur fons eſt, & veluti focus ardens.in prognoſt.com.2°. 4ª.201.E
Facultas naturalis incrementum facit.in 6m.de morbis vulgaribus,cõmentario.2°. 3ª.169.E
à Facultate naturali fit indicatio.4°.de præſag.ex pulſ. 4ª.122.D
Facultates animarũ Plato vocat animarũ ſpecies.in tim.plat. 1ª.287.D
Facultates animæ tres vt dicantur Galeno nõ placet, ſed tria principia. in tim.Plat. 1ª.287.D
Facultates humanæ animæ tres,rationalis, iraſcibilis, concupiſcibilis, ſubſtantia vna.in tim.Plat. 1ª.287.C
Facultates in nobis tres ad artes conſtituendas.de ijs quæ in medicatrina fiunt,com.1°. 7ª.199.H
Facultas animalis nõ oĩs à volũtate ꝑficiſcit.de voc.inſt.diſſ. 1ª.106.C
Facultatis proprius motus qũo inueniẽdus eſt.1°.de mot.muſ. 1ª.310.H
Facultas animalis niſi adiuuaret muſculum nunquam perfecte flecteretur.1°.de motu muſc. 1ª.311.H
à Facultate animali fit vox.de voc.inſtr.diſſ. 1ª.106.D
Facultas vocis artifex quid.de hiſt.philo. Sp.9.H
Facultas vitalis vocatur vis animoſa.9°.meth.me. 7ª.58.H
Facultas animoſa vocatur vis vitalis.9°.meth.me. 7ª.58.H
Facultas vitalis vnde cognoſcatur.4°.de præſag.ex pulſ. 4ª.121.G
Facultas vitalis quid indicet.de vict.rat.in mor.acut.com.1°. 7ª.115.C
Facultate voluntaria & vitali potior eſt ad febres vis concoctrix.10°.methodi medendi. 7ª.70.A
Facultatis differentiæ,robur,& imbecillitas.1°.de cau.pulſ. 4ª.87.B
Facultatis,& caliditatis creſcentis pulſus.1°.de cauſ.pul. 4ª.88.H
Facultatis robur vnde accipiatur.de theria.ad Piſo. 5ª.90.E
ex Facultate robuſta,& calore deficiẽte pulſus.1°.de cau.p. 4ª.89.A
Facultatis validæ peculiaris ẽ celeritas pulſus.3°.de cau.pul. 4ª.99.C
Facultatis maioris pulſus,qualis.1°.de cau.pulſ. 4ª.90.E
Facultas valens eſt cauſa continens pulſus vehementis.1°. de cauſis pulſuum. 4ª.88.C
Facultas infirma eſt cã continẽs pulſus languidi.1°.de cau.pul. 4ª.88.C
Facultatis debilitas ẽ intemperies.|1°.de præſag.ex pulſ. 4ª.107.E
Facultatis imbecillitas vnde accipiatur.de theria.ad Piſo. 5ª.90.E
Facultatis imbecillitatem ſignificat partium grauitas. in prognoſtica, commenta.2°. 4ª.198.F
Facultatis imbecillæ pulſus,qualis.1°.de præſag.ex pulſ. 4ª.107.C
Facultati imbecillæ peculiaris eſt crebritas pulſus.|3°.de cauſ. 4ª.99.C
Facultas ĩbecilla cũ arteria dura quales faciat pulſus.1°.đ ca. 4ª.89.H
Facultas ĩbecilla cũ arteria molli quales faciat pulſ.1°.de cau. 4ª.89.H
Facultatis infirmæ & vſus maioris pulſus.1°.de cau.pul. 4ª.90.E
Facultatis ſubſtantiæ noxæ,quæ.3°.de ſymp.cau. 3ª.24.F
ob Facultatis offenſionem aliæ atq; aliæ pulſuum inæqualitates oriuntur.2°.de cauſ.pul. 4ª.91.H
Facultas quomodo diſſoluatur. de pulſ.ad tiro. 4ª.44.F
Facultas quomodo degrauatur.de pulſ.ad tiro. 4ª.44.G
Facultas onerata,& facultas ĩbecilla qũo differãt.3°.de cau. 4ª.99.B
Facultas imbecilla,& facultas onerata qũo differãt.3°.de cau. 4ª.99.B
Facultatis fatiſcentis pulſus.de pulſ.ad tiro. 4ª.44.G
Facultatis depreſſæ pulſus.de pulſ.ad tiro. 4ª.44.G
Facultatis diſſolutæ à penuria pulſus.de pul.ad tiro. 4ª.44.G
Facultatis concitatæ pulſus qualis.4°.de cau.pul. 4ª.103.H
Facultatis ruentis pulſus qualis.4°.de cauſ.pul. 4ª.103.H
FACVLTATES ſimplicium non ignorandæ.3°.de compoſi. medicam. per genera. 5ª.230.B

Facultates ex ſubſtantiæ temperatura.2°.de ſem. 1ª.337.C

Facultates ſimplicium, quæ primæ, quæ ſecundæ, & quę tertiæ.6°. de comp.med.per ge. 5ª.258.B

Facultates ſecũdas et tertias q̃rit, & numerat.5°.de ſim.me.f. 5ª.32.A

Facultates ſecundæ ac tertiæ quæ ſint.5°.de ſimp.me.fa. 5ª.32.A

Facultates ſecundæ quæ ſint.3°.de comp.me.ſec.loc. 5ª.141.G

Facultates medias habentia pharmaca cur excogitata.6°. de compoſitio.me.ſec.loc. 5ª.168.A

Facultatis eſſentiam nolunt poſſe cognoſci ſceptici & empirici.1°.de ſimpli.med.fac. 5ª.2.D

Facultatis experimentum vnde ſumendum.1°.de ſimp.me.fa. 5ª.2.D

Facultas medicamenti colligenda eſt euidenter ex apparentibus, et vnde.1°.de ſimp.me.fa. 5ª.3.G

Facultas quomodo ab externis ſumenda.1°.de ſimp.me.fa. 5ª.3.H

ex Facultatibus diſſidentibus compoſitum aſcititiam quandam naturã ſortitur ab extremis alienam de ptiſſana. 2ª.47.F

Facultates rerum qui quærunt, non conſiderant accidentia, vt colores, & odores.2°.de ſimp.me.fa. 5ª.16.E

Facultate vniuerſali cognita in particulares vſus facile deuenim⁹. 11°. de ſimp.me.fa. 5ª.81.D

Facultate quadam trahunt ſiccum ſibi conuenientem medicamenta natiua.de theria.ad Piſo. 5ª.90.G

Facultates à proprietate ſubſtantię ſola experientia cognoſcuntur. 9°. de ſimp.med.fac. 5ª.67.A

Facultates contrarias multa habent.2°.de alim.fac. 2ª.19.A

Facultates contrarię vnde indicantur.5°.de ſimp.me.fa. 5ª.38.H

Facultates validę ſibi ſiſi qualitate totũ corp⁹ ĩmutãt.1°.de ſe. 1ª.335.A

Facultates corruptionem inducẽtes attrahere poteſt cucurbitula.de cucur.ſcarif. 6ª.3.F

Facultas virulenta vbi extrinſecus inciderit, ſcarificatione vtimur. de cucurb.ſcar. 6ª.3.F

ad Facultates quatuor cibi ĩ quaq; parte pertinet ſeruari plenitudine. de multitudine. 3ª.77.E

Facultas contentrix à Stoicis orta.de multitudine. 3ª.77.C

in Facultate contentrice cõtinẽs, & contentũ de multitudine. 3ª.77.C

ad Facultatem pertinet rumpi vas plenitudine.de mul. 3ª.77.E

cuius Facultatis opera ſint oſcitatio, ſternutatio, tuſſis, pandiculatio, & ſingultus.2°.de ſymp.cauſ. 3ª.19.F

Facultatis & morbi ſimul opera ſunt torpentium motus & tremor.2°. de ſymp.cauſ. 3ª.19.F

F*ÆCVLA quid.de ſimp.med.* Sp.84.D

Fęcula adurit.introd. Iſa.58.B

Fęcula cauſticis miſcetur.de ſimp.med. Sp.84.D

Fęculę meminit.1°.de comp.me.ſe.lo. 5ª.131.A

FAEX *in vinis craſſioribus ſolet ſubſidere.cõ.4°.aph.21°.* Ex.29.D

Fęx eſt craſſum vini.1°.de ſimp.me.fa. 5ª.5.D

Fęx aceti non eſt caloris expers.1°.de ſimp.me.fa. 5ª.5.D

Fęx vini vnum ex fortiſſimis medicamentis ad achoras.1°.de compoſi. med.ſec.loc. 5ª.129.D

Fęx vini Italici.7°.de comp.me.per ge. 5ª.270.G/H

Fęx vini Rhodij.1°.de comp.me.ſe.lo. 5ª.128.F

Fęx vſta & non vſta quo modo differant.3°.de nat.fac. 1ª.301.H

Fęx non vſta frigida eſt & ſicca.3°.de nat.fa. 1ª.301.H

Fęx non vſta valet vt terra figularis.3°.de nat.fac. 1ª.301.H

Fęx vſta medicamentum eſt maxime acre.1°.de cõp.me.ſe.lo. 5ª.131.A

Fęx vſta vrit carnem, liquat, & corrumpit.3°.de nat.fac. 1ª.301.H

Fęx vini vſta.10°.de comp.me.ſec.loc.207.D/208.B/7°.de comp. med. per genera. 5ª.267.B

FAEX *croci.5°.de comp.me.per ge.* 5ª.252.G

Fęx vnguenti irini repurgãs, & extergẽs.1°.de cõ.me.ſe.lo. 5ª.129.H

Fęx vnguenti malabathrini.7°.de comp.me.ſe.lo. 5ª.178.D

FAECI *vini recte aſſimilatur niger ſanguis.14°.meth.me.* 7ª.89.D

Fęx ſanguinis inferius reſidẽs melãcholia appellat̃.đ ana.viu. Sp.50.H

vt Fęx ſanguinis eſt atra bilis.com.4°.apho.21°. Ex.29.D

Fęcem ſiue ſanguinem melancholicũ cõtinet ſplen.de ana.vi. Sp.50.A

Fęcem ſanguinis ſplen ad ſe trahit.5°.de loc.aff. 4ª.35.F

Fęcibus vini ſimilis humor hepaticis q̃n deijciatur.6°.đ lo.aff. 4ª.36.E

Fęcem humorum ex corpore mũdificãs medicamẽtum.ſecret. Sp.101.G

Fęces expellens per vrinam medicamen.de med.exper. Sp.105.G

vt Fęx vini humor in quibuſdam apoſtematibus inuentus.14°. methodi medendi. 7ª.90.E

Fęci ſimilia quandoq; vñr in abſceſſibus.2°.de arte cur.ad Gl. 7ª.105.B

FAECES *retinet longaon quatuor lacertis.de anat.viu.* Sp.50.E

Fęces excernere quid.de venæ ſect.aduerſ.Eraſ. 6ª.7.C

Fęces cur deorſum purgantur.de voc.inſtr.diſſ. 1ª.106.F

Fęcum effluxus inuoluntarius quid, & cuius potentiæ vitiũ. 2°.de ſymptomatum cauſis. 3ª.19.G

Fęcum retentio quid, & cuius potentiæ vitiũ.2°.de ſymp.ca. 3ª.20.B

Fęces obdurantes cauſæ, quæ.in 6ᵐ.de mor.vul.com.5°. 3ª.193.D

F*AGVS, & ilex roboris genera.6°.de ſimp.me.fa.* 5ª.46.E

Fagus eſt planta agreſtis.2°.de alimen.fac. 2ª.21.H

Fagus arbor frigidiſſima, & ſicciſſima.4°.de ſimp.me.fa. 5ª.26.F

Fagus eſt acerbus.8°.de ſimp.me.fac. 5ª.62.C

Fagi fructus ſemper acerbi ſunt.4°.de ſimp.me.fa. 5ª.26.F

Fagus vehementius adſtringit robore.6°.de ſimp.med.fa. 5ª.46.E

F*ALERNVM vinum celebratſſimum.de atten.vic.* 2ª.46.D

Falernum vinum ſuper omnia alia vina.12°.meth.me. 7ª.76.E

Falernorum vinorum differentia.12°.meth.me. 7ª.76.E

Falernum vinum duplex.de theria.ad Piſo.95.F/1°.de anti. 5ª.101.C

Falernum vinum, quale.de bon.& vitio.ſuc.38.C/ 4°. de ſanitate tuenda.2°.85.G/2°.de arte cur.ad Glau. 7ª.102.C

Falernum dulce & flauum.6°.meth.me. 7ª.38.E

Falernum vinum flauum, tenue. de atten.vic. 2ª.44.G

Falernum dulce cognouit Galenus cum primum guſtaſſet Romæ, ex ijs quæ audierat.1°.de dign.pulſ. 4ª.70.H

Falerni dulcis ſpecies eſt vinũ Hippodamantiũ.12°.meth.me. 7ª.76.H

Falernum vinum auſterum.2°.de comp.me.ſe.lo. 5ª.140.A

Falernum vinum eſt probatiſſimi ſucci.de bon.& vitio ſucc. 2ª.38.D

Falernum vinum valde calefacit.7°.meth.me. 7ª.44.B

Falernum pluribus annis durat bonum.de vinis. Sp.76.G

Falernum deſcriptum ſecundum ætates in fidelijs.1°.de anti. 5ª.101.G

Falernum viginti annorum.1°.de anti. 5ª.101.G

Falerno conficitur theriaca.de theria.ad Piſo. 5ª.92.G

Falernum omnibus anteſtat in antidotis.1°.de anti. 5ª.101.C

Falernum quod eligendum pro theriaca.1°.de anti. 5ª.101.C/G

Falerno ſi careas quale vinũ eſſe debeat ad theriacã.1°.de ant. 5ª.101.H

Falernum vetus non debet ingredi theriacam.1°.de anti. 5ª.101.C

ĩ Falerni ſpeciẽ multa vina à vini magiſtris cõcinant̃.1°.đ ant. 5ª.106.H

Falerno comparatur vinum Tmolites.5°.de ſan.tuen. 2ª.90.H

cũ Falerno contendit vinũ Surentinũ præſtantia.1°.de ant. 5ª.100.H

Falernum eſt dandum phlegmaticis, & frigidis complexione, vel frigidum aceruãtibus humorem, vel ocioſe viuentibus, vel exiſtentibus in hieme, vel conſtitutione frigida, & humida. Sp.76.H

ex Falerno vino ſumendum far ſeni.5°.de ſan.tuen. 2ª.92.D

Falernum Fauſtianum optimum ſeni, qui à balneo vti vino dulci velit. 5°.de ſan.tuen. 2ª.91.C

Falernum vinũ cũ ſynope ex crudis humoribus.12°.met.me. 7ª.76.E

Falernum vinum non eſt idoneum bilioſis vel natura, vel alia cauſa.de bo.& vitio ſucc.2ª.38.E/de vinis. Sp.76.G

Falernum non eſt dandum eis qui ſolis æſtu aut via incaluere. Sp.76.G

Falernum pingue.2°.de anti. 5ª.111.H

Falernum vinum.2°.de anti.112.C/3°.de cõp.me.ſec.loc. 5ª.148.G

Falerni vini fit mentio.2°.de anti.117.A/120.F/2°.de comp. me.ſec.loc. 140.C/4°.155.E/H/157.B/7°. 5ª.179.F

FALLERE *qui ſe ſe non vult, nec ab alio falli, quo modo agere debeat. 1°.de temperamentis.* 1ª.13.E

Fallere qui vult alios, & non falli quid agere debet.9°.de dec. 1ª.279.B

FALSVM *differt ab eo quod ſenſu caret.2°.de dec.Hipp.* 1ª.238.C

Falſum eſſe & ridiculum eſſe differunt.8°.de dec.Hipp. 1ª.278.E

Falſum omne non eſt deridendum.8°.de dec.Hipp. 1ª.278.E

ex Falſis verum non contingit inueniri.3°.de criſi. 4ª.142.C

Falſa quibus dicenda in morbis.in 6ᵐ.de mor.vul.com.2°. 3ª.167.F

FAMA *quibus ſit impedimento.7°.met.me.* 7ª.43.B

FAMESCERE *quid dicamus.com.2°.aph.16°.* Ex.12.G

FAMES *multipliciter accipitur à Galeno.cõ.2°.aph.21°.* Ex.14.H

cũ Fame totidẽ ſpecies habet appetitus potus.1°.de ſymp.cau. 3ª.18.A

Fames quid ſit.1°.de ſymp.cauſ. 3ª.18.D

Fames multiplici de cauſa fit.com.2°.aph.21°. Ex.14.H

Fames naturalis quo modo fiat.1°.de ſymp.cau. 3ª.18.A

ꝑ Famem inducenda oris ventriculi quinque ſymptomata.1°. de ſymptomatum cauſis. 3ª.18.A

ad Famem facit non parum frigiditas.1°.de ſymp.cauſ. 3ª.18.B

contra Famem cur facit caliditas.1°.de ſymp.cauſ. 3ª.18.B

Famem non poſſunt tolerare pueri, præſertim qui inter ipſos ſunt viuidiores

diores.commenta.2°.apho.65°. Ex.6.G
Famelici faciunt ex acida pituita redundante.de mul. 3ª.82.F
Fame qui premantur.de mul. 3ª.81.G
Fame qui poſſunt cruciari.8°.meth.me. 7ª.54.F
Fame & ſiti affligendum eſt animal incidendum aut ſcarificandum.de mot.man.& obſ. Sp.70.D
Famem tolerandi facilitas in ſenibus eſt in non appetendo,& nihil inde mali ſuſtinendo.com.1°.aph.13°. Ex.6.G
Famem adhibere conuenit carnes humidas habentibus. commentario. 7°.aphoriſmo.60°. Ex.59.C
Fame quo modo mediocritas conſideranda ex venarum anguſtia & laxitate.2°.de temp. 1ª.18.C
Fames iniungenda non eſt bilioſis.2°.de comp.me.ſe.loc. 5ª.136.C
vbi Fames,laborandum non eſt.de victus ratione in morbis acutis,cõmen.2°.7ª.124.G/com.2°.aph.16°. Ex.12.G
in Fame diutina quid contingat.3°.de ſa.tu. 2ª.80.D
Fames longi temporis ſiccitatem facit.1°.de diff.feb. 3ª.34.D
Fames exiccat corpora.cõ.2°.aph.16°.12. G/cõ.7°.aph.60°. Ex.59.C
Fames facit conuulſionem ex ſiccitate.3°.de loc.aff. 4ª.17.F
Fame qui gracileſcunt.8°.meth.me. 7ª.54.F
Fame pereuntes accedunt ad veram tabem.de marc. 3ª.46.H
Famem qui biduo patientes febricitabant.10°.meth.me. 7ª.62.H
à Fame fieri febrem ratione probatur.10°.meth.me. 7ª.72.H
Fame,labore,& ſiti mutatur vrina.10°.de ſimp.me.fa. 5ª.74.G
Famem magnam remittere eandemq; proſtratam excitare poteſt theriaca.de theria.ad Piſo. 5ª.98.F
propter Famem non decet vehementer inſatiabiliterq; impleri. de cogn.cur.animi morbis. 2ª.53.C
Fame vexatis vinum non conuenit.de bon.& vit.ſuc. 2ª.38.E
Fames vehemens eſt in morbis longis , in quibus æger eſt euaſurus. cõ. 7°.aphoriſmo.6°. Ex.54.D
Fames in quibus capitis doloribus cõuenit.2°.de cõp.me.ſe.lo. 5ª.135.D
FAMES *morbus qualis ſit.com.2°.aph.21°.* Ex.14.H
Fames ingens,id eſt bulimos,quæ.fin.med. Iſa.47.D
Fames canina quæ,& quomodo.1°.de ſymp.cauſ. 3ª.18.B
Fames canina quæ,& quo humore fiat.1°.de ſymp.cauſ. 3ª.18.B
Fames canina vnde pcedat,& q̃uo ſanetur.com.2°.aph.21°. Ex.14.H
Famis caninę pulſus quales.4°.de cau.pul. 4ª.103.C
citra Famem quomodo comedatur auena.1°.de alimen.fa. 2ª.13.C
in Fame extrema fiunt panes ex auena.1°. de alim.fac. 2ª.13.C
in Fame ob malos cibos quæ contingant.1°.de diff.feb. 3ª.31.G
Fames,lege Inedia.
FAMILIARIA *aſſimilantur.3°.de ſimp.me.fa.* 5ª.17.H
Familiaritates rerum oriuntur à totius ſubſtantiæ proprietate. 3°. de ſimp.med.fac. 5ª.17.H
Familiaria & cognata ſine dolore retinentur.5°.de vſu par. 1ª.145.G
Familiaria ſiue cibaria,ſiue medicamenta ſumi debent in intrinſecis vlceribus.4°.meth.me. 7ª.28.H
FAMVLIS *quidã confringebant dentes.de cog.cur.ani.mor.* 2ª.51.H
FAR, *quod Zeam vocant.9°.de comp.me.ſe.lo.* 5ª.200.A
Far Cluſinum.7°.de comp.me.ſe.lo. 5ª.185.E
Far quo modo coquatur.de art.com.2°. 7ª.266.G
Far præparatur vt ptiſſana cum paulo aceti,prẹſertim ſi adſit cruditas vel in venis,vel in toto corpore.4°.de ſan.tu. 2ª.84.E
Farri acetum,& porrum addenda.4°.de ſan.tu. 2ª.84.F
Far eſt boni ſucci.4°.de ſan.tuen. 2ª.84.F
Far cum mulſo eſt boni ſucci.5°.de ſa.tu. 2ª.90.G
Far cum mulſo non facile putreſcit.5°.de ſan.tuen. 2ª.90.G
Far cum melle,& aceto quando ſumendũ ſeni.5°.de ſan.tu. 2ª.92.D
Far in imbecillum ventriculum demiſſum ab eo non ſuperatur.3°.de tẽperamentis. 1ª.23.G
à Farris multo eſu cauere debet ſenex.5°.de ſan.tuen. 2ª.91.D
FARFIMA, *id eſt ſtercus columbinum.de ocul.* 7ª.190.E
FARINAE *pars craſſior quæ vocetur.in prog.com.2°.* 4ª.200.E
Farina trita lenta apparet ob liquoris admixti craſſitiem. 1°. de alimentorum facultatibus. 2ª.12.B
ex Farina non ſeparata à furfure panes medij.1°.de alimen.fac. 2ª.9.G
Farina pura calida eſt & humida.5°.de ſimp.me.fa. 5ª.34.B
Farina multi furfuris generat atram bilem.de diſſol.cont. Sp.75.A
de Farina craſſa panis eſt cibus medius.de diſſ.cont. Sp.75.B
Farina elixata,victus .Alexandrinorũ.2°.de arte cu.ad Gla. 7ª.107.E
ex Farina & aqua potio datur ſuibus.3°.de nat.fac. 1ª.303.D
Farinæ quę non moueant pus.5°.de ſimp.med.fac. 5ª.33.H
Farinę quæ exiccant,& quomodo.5°.de ſimp.me.fa. 5ª.33.H
Farinis quibus vſus eſt Galenus in neruorum vulneribus.3°.de compo.med.per ge. 5ª.229.H
ex Farina,oleo,& aqua cataplaſma concoquens. 2°. de arte curati.ad Glauconem. 7ª.105.C
ex Farina,oleo,& aqua,cataplaſma pro inflammatione ad pus ducendum.2°.de arte cura. ad Glau. 7ª.102.A
Farina Alba in linimento.de marc. 3ª.48.B
Farina Alicæ.5°.de comp.me.ſec.loc. 5ª.161.C
Farina Antiqua generat atram bilem.de diſſ.cont. Sp.75.A
Farina Ciceris excalfacit & exiccat.5°.de ſimp.me.fa. 5ª.34.A
Farina Erui,qualis.3°.meth.me. 7ª.18.A
Farina erui moderatiſſime detergit.8°.met.me. 7ª.52.H
Farina erui excalfacit,& exiccat.5°.de ſimp.me.fa. 5ª.34.A
Farina erui valde exiccat.6°.de ſimp.me.fa. 5ª.44.E
Farina erui carnem explet.2°.de comp.me.per ge. 5ª.220.B
Farina erui ſarcotica eſt.3°.meth.me.16.G/ 7ª.18.A
Farina erui vlceri cauo conuenit.2°.de comp.me.per ge. 5ª.218.G
Farina erui cephalica eſt.6°.meth.me. 7ª.42.B
Farina erui leuat à putrefactione ĩ neruo vulnerato.6°.met.m. 7ª.37.F
Farinę erui meminit.6°.meth.me. 7ª.38.G
Farina Fabacea,qualis.3°.meth.me. 7ª.18.A
Farina fabacea euaporat & extergit.5°.de ſimp.me.fa. 5ª.34.A
Farina fabarum moderatiſſime detergit.8°.meth.me. 7ª.52.H
Farina fabacea tantum extergit,non etiam meatus farctu liberat. 5°.de ſimp.med.fac. 5ª.35.B
Farina fabarũ ad detergendas maculas in balneo.1°.de alim.f. 2ª.13.H
Farina fabarum faciei lentes tolluntur.1°.de alim.fa. 2ª.13.H
ex Farina fabacea cataplaſma. 6°.met.me. 7ª.38.G
Farina fabacea carnem producit.3°.meth.me. 7ª.18.A
Farina fabacea tenuiſſima.7°.de comp.me.ſec.loc. 5ª.182.B
Farina fabarũ p farina orobi vel lolij.2°.de arte cur.ad Gla. 7ª.107.A
Farina Fœni græci excalfacit.5°.de ſimp.me.fa. 5ª.34.A
Farina de Germano id eſt ligine.de dyn. Sp.31.E
Farina Hordeacea qualis.3°.meth.me. 7ª.18.A
Farina hordeacea euaporat,& extergit.5°.de ſimp.me.fa. 5ª.34.A
Farina hordei moderatiſſime detergit.8°.meth.me. 7ª.52.H
Farina hordeacea tantum extergit,non etiam meatus farctu liberat.5°. de ſimp.me.fa. 5ª.35.B
Farina hordei fouetur.3°.de comp.me.per ge. 5ª.229.A
Farina hordei in emplaſtro apponenda eſt in principio inflammationũ. 2°.de arte cur.ad Glau. 7ª.101.F
Farina hordei non triticea,& mel pro phlegmone coquenda. 13°. meth. medendi. 7ª.81.C
ex Farina hordeacea cataplaſma eryſipelati ex vlcere conuenit. 2°.de arte cur.ad Glauco. 7ª.102.A
Farina hordeacea herpeti exedẽti cõuenit.2°.d̄ ar.cu.ad Gla. 7ª.102.C
p Farinam hordei phlegmones curatio dolorem lenire ſtudentis eſt , nõ medentis.4°. met.me. 7ª.27.E
ex Farina hordeacea,& hydrẹleo cataplaſma ad cruſtas excidentes. 2°.de arte cur.ad Glau. 7ª.107.B
Farina hordeacea plurimum reſoluit.2°.de arte cura.ad Glau. 7ª.105.E
Farina hordeacea quando adeſt pus.2°.de arte cur.ad Glau. 7ª.101.H
ex Farina hordei cataplaſma ad mouendũ pus.4°.meth.me. 7ª.27.D
ex Farina hordei,aqua,& oleo cataplaſma ad cito pus mouẽdum. 4°. methodi medendi. 7ª.27.D
Farina hordei cruda & aqua in his qui citiſſime ſuppurari debẽt. 3°. de comp.me.ſec.loc. 5ª.147.D
Farina hordeacea ſuppurationẽ phibet.2°.d̄ arte cur.ad Glau. 7ª.105.C
Farina hordeacea carnem producit.3°.meth.me. 7ª.18.A
Farina hordeacea cum lixiuio leuat à putrefactione in neruo vulnerato.6°.meth.med. 7ª.37.F
Farina Hornotina,quæ.de arti.com.2°. 7ª.266.F
Farina Lolij excalfacit,& exiccat.5°.de ſimp.me.fa. 5ª.34.A
Farina lolij valde exiccat.6°.de ſimp.me.fa. 5ª.44.E
pro Farina lolij farina fabarum.2°.de arte cur.ad Gla. 7ª.107.A
Farina Lota,quæ.de arti.com.2°. 7ª.276.G
Farina Lupinorum reſiccat.5°.de ſimp.med.fac. 5ª.34.A
Farina lupinorum lumbricos expellit.de ſimp.med. Sp.86.C
ex Farina Macerata cataplaſma.de arti.com.2°. 7ª.267.H
Farina ex Milio non lenta.1°.de alim.fa. 2ª.12.A

Farina milij reſiccat.5°.de ſimp.med.fac. 5ª.34.A
Farina Ochri excalfacit & exiccat.5°.de ſimp.me.fa. 5ª.34.A
ex *Farina Orobi & oxymelite cataplaſma.2°.de arte cura. ad Glauconem.* 7ª.102.D
cum *Farina orobi,vel lolij oxymel ad putreſcentia valet.2°.de arte curat.ad Glauconem.* 7ª.106.H
Farina orobi cum melle cruſtas optime diſrumpit.2°. de arte curati. ad Glauconem. 7ª.107.B
p *Farina orobi farina fabarum.2°.de arte cur.ad Glau.* 7ª.107.A
Farina Panici reſiccat.5°.de ſimp.me.fa. 5ª.34.A
Farina Polentæ.4°.de comp.me.ſe.lo.153.E|9°. 5ª.204.A
Farinæ polentæ flos.4°.de comp.me.ſe.lo. 5ª.157.D
Farinę de Sigale.de dyna. Sp.31.G
Farina ex Tithimalli lacte.de reme.par.fac. 7ª.164.G
Farina Tritici quot indigeat,ſi bonum nutrimẽtum facere debeat.1°.de alimen.fac. 2ª.11.B
Farinæ copia triticum probatur.de bon.& vitio ſucc. 2ª.36.G
Farinę multum facit triticum præſtantius.de bon.& vitio ſuc. 2ª.36.G
Farinę minus facit triticum deterius.de bon.& vit.ſucc. 2ª.36.G
Farina triticea chondrus ſiccior.5°.de ſimp.me.fa. 5ª.34.D
Farina triticea eſt emplaſtica.de ſimp.me.fa. 5ª.8.H
Farina triticea fluxionibus aduerſatur,& emplaſtrum ex illa.2°. de arte cur.ad Glauco. 7ª.101.G
Farinę triticeę cataplaſma,quale.5°.de ſimp.me.fa.32.C| 5ª.34.A
ex *Farina triticea cataplaſmata emplaſticam conſtitutionem habent. 5°.de ſimp.me.fa.* 5ª.34.B
ex *Farina triticea,vel hordeacea,cataplaſma.13°.meth.me.* 7ª.81.B
Farina triticea cum aqua maturat.de ocul. 7ª.188.E
Farina triticea plurimum ſuppurat.2°.de arte cur.ad Gla. 7ª.105.E
Farina triticea multum ſuppurat.2°.de arte cur.ad Gla. 7ª.105.G
ex *Farina triticea,& oleo,& aqua cataplaſma citius ad ſuppurationẽ perducit,quàm quod ex pane.2°.de arte cur.ad Gla.* 7ª.105.C
Farina triticea cum caricarum decocto & oleo mire ſuppuratoria eſt. 3°.de comp.me.ſe.lo. 5ª.146.F
ex *Farina triticea cataplaſmata quo modo moueant pus.5°. de ſimpli. medic.facul.* 5ª.33.B
Farina triticea cum oleo putrefacit.6°.meth.met. 7ª.37.F
FARINAE *ſimilis hypoſtaſis quid ſignificet.de vrinis.* 4ª.124.F
Farina hordei ſimilis ſubſidẽtia in vrina qd ſignat.1°.de criſ. 4ª.130.D
Farinę craſſiori ſimile ſubſidens in 1^{m}*.de mor.vul.com.3°.* 3ª.121.F
Farinæ craſſioris ſpecie hypoſtaſes quid ſignificent. de vrinę ſignificatione ex Hippocrate.78.F|quæſ.in Hipp. Sp.113.D
vt *Farina ſedimentũ craſſum quid ſignificet.in pro.cõ.2°.* 4ª.200.E
veluti *Farina craſſior quibuſcunque febricitãtibus in vrinis fiunt ſedimina,longam fore ęgritudinem ſignificat.cõ.7°.aph.31°.* Ex.56.C
Farinę parti craſſiori ſi ſimilia quædam in vrinis appareãt, lætales ſunt de tot.morb.temp. 3ª.89.G
FARINGES *vocat glandulas.de anat.parua.* Sp.42.H
FASCIAE *dicũtur ſubligamina ab Hippocrate.de ijs, quæ in med. fiunt,commen.3°.* 7ª.214.E
Faſciarum diſtantię,& differentię de faſcijs. 7ª.293.F
Faſcię ſunt diuerſę pro pueris,& pro iuuenibus.de ijs, quę in med. fiũt, commenta.2°. 7ª.210.C
Faſciarum differentia ex longitudine.de faſcijs. 7ª.293.F
Faſciarum longitudo.de fract.com.1°. 7ª.228.H
Faſcia pro oſſibus fractis deligandis debet eſſe lõga.6°.me.m. 7ª.40.H
Faſciarum differentia ex latitudine.de faſcijs. 7ª.293.G
Faſcię non ſint admodum latæ.de fract.com.1°. 7ª.229.A
Faſcia quibus oſſibus fractis deligandis lata,& quibus anguſta circũponi debeat.6°.meth.me. 7ª.40.G
Faſcia quando ſtricta eſſe debet in fractis oſſibus.6°.met.me. 7ª.40.H
Faſciarum differentia ex ſtructura.de faſcijs. 7ª.293.G
Faſciarũ lõgitudo,et latitudo quãta.de ijs quę ĩ med.fi.cõ.3°. 7ª.214.F
Faſciarum differentia ex habitu.de faſcijs. 7ª.293.F
Faſciarum ex materia differentię.de faſcijs. 7ª.293.F
Faſcię ex quibus eſſe debent.4°.de comp.me.per ge. 5ª.237.A
Faſcia ſi ex linteo fiat,quo modo linteũ frãgi debeat đ faſcijs. 7ª.293.H
Faſcię in lõgitudinẽ lintei factę victũ firmius tenẽt.đ faſcijs. 7ª.293.H
Faſciæ quales eſſe debent.de ijs quæ in med.fi.com.2°. 7ª.209.H
Faſcię quales debent eſſe ſecundum Hippocratem.de faſcijs. 7ª.293.G
Faſcię debent eſſe mundę,& cur.de faſcijs. 7ª.293.G
Faſcię ſui coloris eſſe debent & cur.de faſcijs. 7ª.293.G
Faſcię cur debeant eſſe tenues.de faſcijs. 7ª.293.G
Faſcię cur molles eſſe debeant.de faſcijs. 7ª.293.G
Faſcię leues eſſe debent,ne onere infeſtent.de faſcijs. 7ª.293.G
Faſcię cur debeant eſſe ſine ſuturis inæqualibus.de faſcijs. 7ª.293.G
Faſcię cur debeant eſſe ſine eminentijs.de faſcijs. 7ª.293.G
Faſcię plica ęqualis,& inęqualis.de ijs quę in med.fi.cõ.2°. 7ª.205.E
in *Faſcijs quæ cauenda.de ijs,quæ in me.fi.com.2°.* 7ª.211.F
in *Faſcijs quid ſignificet caput.de ijs,quæ in med.fi.com.2°.* 7ª.210.C
à *Faſciarum capite altero incipit vinculum aliud, aliud ab vtroque.de faſcijs.* 7ª.293.H
Faſcijs abundent vincientes.de faſcijs. 7ª.293.G
Faſciationum differentiæ.de fract.com.3°. 7ª.244.F
Faſcijs quomodo vti debes in deligando.4°.de cõp.me.per ge. 5ª.236.H
Faſcę quo modo debeant imponi.de fract.com.1°. 7ª.227.H
Faſcijs quomodo deuinciendum ſit.de faſcijs. 7ª.294.B
Faſcijs duobus ad ligandum vtitur Hipp.de fract.com.1°. 7ª.228.C
Faſcijs duabus vti conſueuit Galenus.de fract.com.1°. 7ª.228.H
in *Faſciando cõpreſſio vehemens quid faciat.de frac.com.1°.* 7ª.229.E
Faſciant infantes in Aegypto.de aere,aq.& loc. 2ª.5.F
Faſcijs cur ligandus infantulus.1°.de ſanitate tuenda. 2ª.65.A
in *Faſcijs cur pueri detineantur.2°.de motu muſ.* 1ª.315.F
Faſciæ non ſinunt fieri lata corpora.de aere,aq.& loc. 2ª.5.F
in *Faſcijs poteſt committi error.de cauſ.mor.* 3ª.8.F
ob *Faſcias mulieres gibbæ ante aut retro.de cauſ.mor.* 3ª.8.G
Faſcia poteſt prohibere inflammationem.introd. Iſa.60.F
Faſciarum circumactus in frictione cur fiat.3°.de ſan.tuen. 2ª.77.D
Faſciarum circumiectio circa ventrem, vel dorſum, vel lumbos in frictione.3°.de ſan.tuen. 2ª.77.D
Faſciatio Aſcia dicta, vnde dicta.de fract.com.3°. 7ª.244.F
Faſcię Cancri dictæ ſiue in quatuor partes ſcindantur, ſiue in ſex, ſiue in octo.de faſcijs. 7ª.293.F
Faſcia quę facit Cincinnorum imaginem.de faſcijs. 7ª.295.E
Faſciola quæ dicitur Cingulum.de faſcijs. 7ª.303.C
Faſciæ Glomeratæ quæ ſint.de faſcijs. 7ª.293.F
ex *Faſcia glomerata auris.de faſcijs.* 7ª.298.F|G
Faſcia glomerata duplex in vtrãque partem ducta à ſuperiori parte deorſum.de faſcijs. 7ª.303.D
Faſcijs glomeratis fracta vulnera vinciuntur.de faſcijs. 7ª.293.F
ex *Faſcia Lata triũ capitũ opculũ vocat σκεπάστρα.đ faſc.* 7ª.294.H
Faſcię Sciſſę ſunt quæ ex vno linteo extremis partibus, vel alibi ſciſſo conficiuntur.de faſcijs. 7ª.293.F
Faſcia quæ inuenit Zonæ nomen.de faſcijs. 7ª.304.D
Faſciæ quibus plerunque vulnera obligamus.de faſcijs. 7ª.293.G
Faſcia ad obuoluendum vniuerſum caput.de faſcijs. 7ª.294.H
Faſciæ ad capitis vulnera.de faſcijs. 7ª.293.F
ex *Faſcia glomerata longa ad frontem,& regionem quæ inter ſupercilia eſt.de faſcijs.* 7ª.300.A
ex *Faſcijs tribus ad malas iunctura.de faſcijs.* 7ª.299.H
ex *Faſciolis binis naſus. de faſcijs.* 7ª.298.E
ex *Faſciolis tribus accipiter ad naſum.de faſcijs.* 7ª.298.F
ex *Faſciolis binis accipiter ad naſum.de faſcijs.* 7ª.298.F
ex *Faſciolis duabus funda ad naſum.de faſcijs.* 7ª.298.C
ex *Faſciolis tribus funda ad naſum.de faſcijs.* 7ª.298.C
Faſcia glomerata ad naſum. de faſcijs. 7ª.298.G
*Faſcia glomerata ad labrum ſuperius.de faſcijs.*7ª.300.D| *eadem à medio orſa.*E
*Faſcia glomerata labrum inferius.de faſcijs.*7ª.300.C|*eadẽ in vtranq; partem ducta.*C|*alia*|D.
Faſcia glomerata ad cubitum.de faſcijs. 7ª.304.H
Faſcia aſſuta ad mammam.de faſcijs. 7ª.303.C
Faſciæ aſſutæ,quæ.de faſcijs. 7ª.293.F
Faſcia glomerata ad mammam.de faſcijs. 7ª.303.B
Faſciæ qbus vtũtur venatores ad crura defendẽda.de faſcijs. 7ª.293.G
Faſcijs duabus quo modo malagmata applicanda.9°.de compo.medica. ſecundum locos. 5ª.199.F
FASCICVLVS *quantus duobus digitis apprehendi poteſt.7°.de cõp. med.ſecun.loc.* 5ª.187.A
Faſciculus manipularis.9°.de comp.me.ſe.lo. 5ª.203.A
Faſciculus.de med.fac.par. 7ª.171.G
FASEOLI *ſunt humidi.de diſſol.cont.* Sp.74.E
Faſeoli cibus craſſus,& cur.de diſſol.cont. Sp.72.H
Faſeoli inflant ventrem.de diſſol.cont. Sp.74.F

Faſeoli

Faſeoli tarde deſcendunt.de diſſol.cont. Sp.74.H
Faſeoli tarde digeruntur propter multitudinem inflationis.de diſſolutione continua. Sp.37.D
Faſeoli nutriunt eum qui digerit illos nutrimento multo craſſo. de diſſolutione continua. Sp.73.E
FASTIDIVM *numeratur inter caſus.com.2°.aph.30°.* Ex.16.H
Faſtidium patitur ſtomachus,ſi oppilationem patiuntur inteſtina, venæ meſaraicæ,hepar,& id genus.de anat.viu. Sp.49.G
Faſtidiũ in vẽtriculo notat cholerã peccare.cõ.4°.aph.2°. Ex.27.E
Faſtidium fit læſo ore ventriculi in mulieribus grauidis. commenta.5°. aphoriſmo.61°. Ex.43.E
cũ Faſtidium patiuntur mulieres menſtruis ſuppreſſis,tunc ſe concepiſſe conijciunt.com.5°.apho.61°. Ex.43.E
Faſtidiũ ſæpe in febribus ardentibus.in 3^{m}.de mor.vul.cõ.3°. 3ª.143.G
cũ Faſtidio exacerbari,malum.in 1^{m}.pror.com.2°. 4ª.175.A
Faſtidium cibi in morbo diuturno,& deiectiones ſyncere,malum.commenta.7°.apho.6°. Ex.54.C
Faſtidia morborum horecticis rebus curantur.de dyna. Sp.19.A
Faſtidioſis danda phlegmagoga.de dyna. Sp.21.C
Faſtidium tollit hydropoton.de dyna. Sp.32.D
Faſtidio ſtomachi prodeſt omphacomeli.de dyna. Sp.22.C
Faſtidium tollit mel ſolum.de ſimp.me.fac. Sp.87.B
Faſtidium auertit ſal.de ſimp.me.fa. Sp.90.A
FASTIDIOSVM *quid importet.in 3^{m}.de mor.vul.cõ.2°.* 3ª.139.C
Faſtidioſi à bile,id eſt appetitu carentes.in 1^{m}.de morbis vulgaribus,cõmentario.3°. 3ª.123.B
Faſtidioſi qui vocati.in 1^{m}.de mor.vul.com.1°. 3ª.107.H
Faſtidioſi dupliciter.in 1^{m}.pror.com.2°. 4ª.175.B
Faſtidioſæ mulieris caſus.in 1^{m}.de mor.vul.com.1°.125.B| 3ª.126.H
FATVM *quid,& an res fiant fato.de hiſt.philo.* Sp.5.D
FATVITAS *quid.in 1^{m}.pror.com.2°.* 4ª.177.D
Fatuitas ſymptoma cerebri refrigerati.4°.de præſ.ex pulſ. 4ª.120.G
Fatuitas ex refrigeratione.2°.de ſympt.cau. 3ª.24.B
Fatuitatem quæ medicamẽta frigida faciant.2°.de ſymp.cau. 3ª.24.B
Fatuitas ex morbo regio,mala.in 1^{m}.pror.com.1°. 4ª.167.F
Fatuum aiunt cerebrum non habere.2°.de loc.aff. 4ª.16.E
FAVCES *quæ.introd.Iſa.54.C|4°.de locis affectis.24.E| in progn. commentario.3°.* 4ª.209.A
Faucium venis ſtrictiores ſunt venæ gutturis. de vict. rat. in morbis acu.commen.4°. 7ª.138.F
de Faucium muſculis.de muſc. diſſ. 1ª.46.F
Faucium miniſterium eſt neceſſarium ad vitam.7°.meth. me. 7ª.49.B
Fauces inſtrumentum vocis.in 1^{m}.de mor.vul.com.2°. 3ª.115.F
Fauces non ſunt inſtrumentum odoratus.de inſtr.odor. 1ª.111.A
Fauces in recipiendo ſpiritu dilatantur.de vſu pul. 1ª.228.F
p Fauces cibi,& potus deſcendunt.2°.de ſemine. 1ª.340.C
Fauces irrigantur à glandulis.2°.de ſemine. 1ª.340.D
Fauces cur humectantur à glandulis.2°.de ſem. 1ª.340.D
in Faucibus quæ pituitoſum quendam humorẽ generant,glandulæ magno ſunt vſui. 14°.met. me. 7ª.90.C
p Fauces purgant pectus & pulmones.7°.met.med.49.D|11°.7ª.73.F
ex Faucibus ſanguis expellitur ſcreatu.4°.de loc.aff. 4ª.25.F
è Faucibus ſanguis ſeroſus quandoque excernitur.in prognoſtica, commentario.2°. 4ª.203.B
Fauces lædunt à materia deſcẽdẽte à cerebro.cõ.6°.aph.2°. Ex.46.E
ad Fauces à capite cur materia tranſmittatur.2°.de diff.feb. 3ª.40.H
ad Fauces traducuntur fluxiones oculorum.in 6^{m}.de morbis vulgaribus,commenta.2°. 3ª.166.B
Fauces plerunque ſenſibiliter exaſperantur, & cur. in 6^{m}.de morbis vulgaribus,com.2°. 3ª.160.H
Faucium aſperitates gignunt tuſſim.de diff.morb.4.E|2°. de ſymptomatum cauſis. 3ª.21.G
ob Fauces vox vitiatur.4°. de loc.aff. 4ª.26.C
in Faucibus & ore partes exiſtentes ſi ex defluxione à capite ægrotẽt, quomodo curandæ.6°.de ſanitate tuenda. 2ª.100.A
ad Faucium rheumatiſmum ſuffumigium. de dyna. Sp.35.G
cur Fauces læduntur ab aquilone.com.3°.aph.5°. Ex.20.D
in Faucibus fit relaxatio.de mul. 3ª.77.G
Faucium & oris partes ne remolleſcãt,facit acetum ſcillinum. de med. fac.par. 7ª.178.C
Faucibus exiccatis extrinſecus mel illinitur.de ſimp.med. Sp.87.A
in Faucibus ſtrangulatio repente à febre habito,letale.commenta. 7°. aphoriſmo.60°. Ex.59.D
Faucium rubor vnde.in 1^{m}.de mor.vulg.com.1°. 3ª.106.E
Faucium dolor vnde.in 1^{m}.de mor.vulg.com.1°. 3ª.106.E
Fauces dolere quando pernicioſum.in 1^{m}.pror.com.2°. 4ª.175.H
ad Faucium tumores.2°.de comp.me.per ge. 5ª.225.E
ad Fauces tumẽtes remedium.de dyna. Sp.25.E
Faucium inflammatio vnde.in 1^{m}.de mor.vul.com.1°. 3ª.106.E
ex Faucium phlegmone aliquid foras effluit.13°.met.me. 7ª.84.H
Faucium inflammationes quid auferat.de præſag. exper.conf. Sp.78.C
Faucium inflammationes vetuſtiores diſſoluũt ſectiones ſcarificationũ. præſag.exper.confir. Sp.78.C
Faucium phlegmonem vacuant venæ ſub lingua ſine medicamento.de vict.rat.in mor.acu.com.4°. 7ª.138.G
ex Faucium inflammatione cor reſpiratione priuat.de fœt.fo.1ª.324.H
in Faucium phlegmone,euitanda quæ per os pituitam euocant.13°.methodi medendi. 7ª.83.A
ad Faucium inflammationes.de remed.par.fac. 7ª.157.G
ad Fauces gargarizatus.4°.met.me. 7ª.29.A
Faucibus proſunt caricæ.de ſimp.med. Sp.84.C
ad Fauces euidenter facit folia,flos,& mora rubi.de ſimp.m.Sp.89.E
ad Fauciũ apoſtemata vipera ſuſpẽſa,de incãt.adiur.& ſuſp. 7ª.182.B
Fauces exulceratæ cũ febre quid ſignificẽt in prog.com.3°. 4ª.209.A
ad Faucium vulnera alba vel nigra remedium.de dyna. Sp.26.B
ad Faucium cruſtas in pueris.de reme.par.fac. 7ª.156.D
ex Faucium acutis morbis phrenitici.in 1^{m}.pror.com.1°. 4ª.164.F
FAVFEL. *ſecretorum.* Sp.98.H
FAVILLA *corpus tenue.4°.de ſimp.med.fac.* 5ª.30.B
Fauilla guſtantibus amara videtur.4°.de ſimp.me.fa. 5ª.30.B
Fauilla à nullo animali edi poteſt.4°.de ſimp.me.fa. 5ª.30.C
Fauilloſa,fumoſa,& fuliginoſa recrementa in caliditatis gñe oĩa terrea & veluti ſemicocta cũ innato calore ſunt.1°.de diff.reſp. 3ª.62.A
FAVONII *meminit in 1^{m}.de mor.vul.com.2°.* 3ª.107.H
ex FAVIS *maceratis mella.de fract.com.3°.* 7ª.248.D
Fauus nõ debet eſſe vitioſus pro apomeli cõficiẽdo.4°.d ſan.tu. 2ª.85.G
è Fauis confectum acetum mulſum laudatur ab Hippocrate de vſu theria.ad Pamph. 5ª.98.H
ex Fauis oxymeli.de puero epilep. 7ª.181.A
FAVVS *futurarum diſtentio.introd.* Iſa.59.C
de FAVIS, *& quid ſint.de med.fac.par.* 7ª.161.G
Fauus morbus cutis capitis quid & quo modo fiat.1°.de compoſi.med. ſecundum locos. 5ª.128.G
Faui ſunt toto genere præter naturam.de diff.mor. 3ª.4.F
Faui fiunt ex commixtis humoribus.de cauſ.morb. 3ª.8.C
Faui.in 6^{m}.de mor.vulg.com.2°.161.A|com.4°.3ª.183.F|de reme.par. fac.7ª.154.C|de virt.cent. Sp.93.G
Fauos ſanat Paronychia.8°.de ſimp.med.fac. 5ª.57.H
ad Fauos.5°.de compoſi.medicam.per genera.5ª.251.B|de remed.para tu facilibus. 7ª.154.D
ad Fauos quibus iuncta eſt vlceratio doloſa.de rem.par.fac. 7ª.154.D
FAVSTIANVM *eclegma.7°.de comp.me.ſe.lo.* 5ª.180.A
Fauſtianum infuſum.9°.de comp.me.ſe.lo. 5ª.203.F
Fauſtianum vinum falernum.de theria.ad Piſo. 5ª.95.G
Fauſtianum vinum ſpecies falerni.1°.de antidotis. 5ª.101.C
Fauſtianum vinum,quale.de bo.& vitio ſuc. 2ª.38.C
Fauſtianum vinum dulce eſt moderate.de vinis. Sp.76.F
Fauſtianum vinum pauciferum.de vinis. Sp.76.D
Fauſtianum falernum optimũ ſeni,qui à balneo vti vino dulci velit.5°. de ſanitate tuenda. 2ª.91.C
FAX *comburitur etiam deſcendendo.de vtil.reſp.* 1ª.224.G
FEBRIS *omnibus in propatulo eſt.1°.de diebus decretorijs.* 4ª.147.F
Febrẽ nomine æſtus quidam intellexerunt.com.7°.aph.13°. Ex.54.H
pro Febre ignis dicitur.in 1^{m}.de mor.vul.com.2°.121.E| 3ª.133.F
Febris,quæ πυρετὸς *dicitur,* ἀπὸ τοῦ πυρὸς*,id eſt ab igne, fuit nominata.de fract.com.3°.* 7ª.243.D
pro Febre vehementiſſima vti nomine ignis mos eſt Hippocratis.in 1^{m}. de morb.vulg.commen.3°.3ª.121.H|de vict.rat.in morbis acutis,cõmentario.1°. 7ª.111.C
cum Febris ab Hippocrate dicitur,ſignificatur magna febris. commẽtario.4°.aph.34°. Ex.31.B
Febris diffinitio iuniorum.introd. Iſa.55.D
Febris deffinitionem collige.2°.meth.me. 7ª.15.D

Febris quid.fin.med.46.C/introd.Iſa.55.D/de biſt.philo. Sp.12.A
ex Febris intemperie morbus.de totius mor.temp. 3ª.88.D
Febris morbus in intemperie.8°.meth.me. 7ª.49.G
Febres omnes duplicem habere inæqualem intemperiem.1°. de inæquali intemperie. 3ª.44.G
à Febre calor & mediocritas corrupta eſt.2°.de nat.fac. 1ª.300.D
Febrium eſſentia non eſt in motu arteriarum,vt quidam putarũt. in 6^{m}. de mor.vulg.com.1°. 3ª.158.F
Febris eſſentia eſt caliditas.in 6^{m}.de mor.vul.com.1°. 3ª.158.F
Febris ſubſtantia in calore præter naturam conſiſtit.1°.de diffe. febriũ. 3ª.30.G/de fract.com.3°. 7ª.243.D
Febris quo modo fiat.de curan.rat.per ſang.miſſ. 6ª.17.A
Febris caliditas eſt in corde.1°.de diff.fe. 3ª.31.D
Febris nondum eſt calor præter naturam,niſi cor vnà calefiat. 1°.de differentijs febrium. 3ª.31.E
Febris oritur ex corde affecto.de fract.com.2°. 7ª.235.C
Febris eſt ſi calor in totum corpus extendatur.de cauſ.mor. 3ª.6.E
Febris eſt veluti quædam totius corporis immoderata caliditas de cauſis morborum. 3ª.6.E
in Febre calor eſt naturalis auctus.8°.meth.me. 7ª.49.G
Febris eſt calor auctus adeo,vt eius occaſione corpus laboret. 2°. methodi medendi. 7ª.15.D
in Febre calor naturalis vertitur in igneum.de victus ratione in mor. acutis,com.1°. 7ª.111.C
Febris accenditur ob innati caloris maxime conuerſionem ad igneam naturam.com.1°.aph.14°. Ex.7.H
Febrilis calor,qualis.de vict.rat.in mor.acut.com.2°. 7ª.119.F
à Febrili calore diſtinctus ē calor naturalis,cõſidera.1°.đ criſ.4ª.132.H
Febrilem calorem eſſe alterum à naturali, collige ex verbis Oſtendens in animalis corpore humorum multitudinem ſuperabundare tantam habentium frigiditatem,vt neque à calore natiuo, neque à febri calefiant.com.4°.aph.37°. Ex.32.C
Febrilis caliditatis differentiæ.in 6^{m}.de mor.vul.com.1°. 3ª.158.F
Febrilis caloris multitudo conſiſtit ĩ multitudine defluxus.2°.de differẽtijs febrium. 3ª.40.C
FEBRIS eſt morbus calidus & ſiccus.1°.de temp. 1ª.11.C
Febrem,ratione qua febris,eſſe calidam & ſiccam potes colligere. cõ. 1°.aphoriſmo.24°. Ex.10.F
Febris eſt paſſio calida,& ſicca.eſt enim conuerſio natiuę caliditatis ad igneam.com.1°.apho.16°. Ex.8.H
in Febris portione ſunt ſiccitas,& caliditas.7°.meth.me. 7ª.47.C
Febris,quæ.de diff.mor. 3ª.3.D
Febris eſt vna ex cauſis quæ perducit ad mortem.c.1°.aph.35°. Ex.31.G
Febris eſt affectus per ſe,ex veterum ſententia.introd. Iſa.55.D
Febris nulla apud antiquos dicitur hepatica,lienoſa,pulmonia, lateralis.com.7°.aph.42°. Ex.57.D
Febris ſi conſequatur iecinoris inflammationem aut lateris alijſue partis,pleuritim,vel peripneumoniam,vel hepatitim nominant morbũ non febrilem.in 1^{m}.de mor.vul.com.3°. 3ª.118.H
per Febriles morbos intelligit Hippocrates quando febres ipſæ ſunt paſſio,non caſus alicuius partis.com.4°.aph.66°. Ex.34.F
FEBRIS quo modo accidens dicatur,& quo modo ęgritudo ſecundum antiquos.de diff.mor. 3ª.3.F
Febris quandoq; eſt morbus,quandoq; caſus partis alicuius. com. 4°. aph.66°.34.F/aph.73°. Ex.35.H
Febres inflammationum ſunt ſymptomata.1°.de arte cur. ad Glauconẽ. 7ª.55.F/com.6°.aph.44°. Ex.51.D
Febres ex inflammationibus fiunt.14°.meth.me.86. H/ 2°. de arte cur. ad Glauconem. 7ª.100.G
Febrem quando facit inflammatio.2°.de diff.fe. 3ª.41.C
Febrẽ faciũt inflãmatę partes rõne putredinis.1°.de diffe.fe. 3ª.32.A
cur Febres fiant in generatione puris.com.2°.aph.47°. Ex.18.H
Febris ſequitur inflammationem cuiuslibet mẽbri principalis. com.6°. aphoriſ.50°. Ex.52.F
Febres ſunt diuerſę ex inflammationibus diuerſorum membrorum.2°. de criſi. 4ª.136.A
Febrem facientes inflammationes,ex repletione vt plurimum fiunt. de venę ſect.aduerſ.Eraſ. 6ª.12.F
Febres ob inflãmationem ſunt in gñe putridarũ.10°.meth.me. 7ª.64.C
Febris qñ ſit,et qñ nõ ſit lęſis prĩcipalibus actionib9.3°.đ lo.a. 4ª.17.A
Febris capitis nõ permittit ęgrũ quieſcere neq; dormire.de dy.Sp.23.C
Febres à cerebro,à membranis cerebri,à pulmone, & à corde, malæ. in 3^{m}.de mor.vul.com.2°. 3ª.135.A
Febres & bilis vomitum neceſſe eſt ſuperuenire quibuſcunq; præciditur cerebrum.com.6°.aph.50°. Ex.52.F
Febris,& deliria neceſſario ſequuntur,cerebro, & menyngibus inflãmatis.8°.de præſa.ex pul. 4ª.120.G
Febre ſolũ differũt phreneſis,et ĩſania.ĩ 3^{m}.de mor.vul.c.3°. 3ª.144.F
Febris phrenitica.in 6^{m}.de mor.vul.com.1°. 3ª.159.D
Febris phreniticorum,qualis.in 6^{m}.de mor.vulg.com.1°. 3ª.159.E
Febres lethargicę vñ ſint,et ex quot cauſis fiãt.c.3°.apho.30°. Ex.26.E
Febres deprehenſorum cataphora,& lethargicorũ, quales. 11°. de ſimplicium med.fac. 5ª.80.C
Febres magis fiunt lęſis muſculis tẽporalibus,q̃ alijs muſculis lęſis. 11°. de vſu partium. 1ª.185.B
Febris ſequeret̃ vulnerata arteria tenuiſſima acu,ſi arteria eſſet ſolius ſpiritus inſtrumentum.an ſang.in art.nat con. 1ª.60.H
Febres à præcordijs malæ.in 3^{m}.de mor.vul.com.2°.134.H/ 3ª.135.A
Febres ex hypochõdriorũ doloribus malignę.ĩ 1^{m}.pr.c.2°. 4ª.172.D
Febris cur oriatur in inflammatione membranæ ſubcingentis. 2°.de locis affectis. 4ª.13.B
Febris vehemens quando in phrenitide,& cur.5°.de loc.aff. 4ª.29.G
Febres diuerſas habẽt pleuritides.de vict.rat.ĩ mor.ac.c.2°. 7ª.119.F
Febrem non faciunt ſcirrhus & œdema in ſubcingẽte membrana. de cõſti.art. Iſa.40.D
Febris non fit propter ſcirrhum, vel propter œdema. de victus rat.in morb.acut.com.3°. 7ª.128.A
Febris fit ſi calorem ventriculi cor percipiat.7°.meth.me. 7ª.47.F
Febris fit abdominis,& thoracis muſculis inflammatis.4°. de præſag. ex pulſ. 4ª.121.D
Febrem ſępe attulit hepatis,aut ſplenis affectus.2°.de diff.fe. 3ª.37.D
ſine Febre obſtructio,& ſcirrhoſa diſpõ iecoris.2°.de lo.aff. 4ª.12.H
Febrem facit iecoris inflammatio.2°.de loc.aff. 4ª.12.H
Febris in iecore facta quo modo cognoſcatur.in 1^{m}. de morbis vulgaribus.com.1°. 3ª.131.B
Febres ſequunt̃ vteri magnas inflãmationes.in 1^{m}.pror.cõ.3°. 4ª.183.F
Febres calidiſſimę fiunt vtero phlegmone correpto.in 6^{m}. de mor. vulg. commen.5°. 3ª.191.H
Febrem faciunt menſtrua ſuppreſſa, & caput grauant. in 6^{m}. de mor. vulg.com.1°. 3ª.153.D
Febricitant vlceratæ particulæ ex cauſtico.2°.de ſymp.cau. 3ª.22.F
Febrem qui tumores faciant.de cau.mor. 3ª.6.F
Febres quę fiant in calcis ſideratione.de fract.com.2°. 7ª.235.C
Febres cum puſtulis,quæ.in 6^{m}.de mor.vul.com.1°. 3ª.159.D
Febris cur in puſtulis cancroſis.14°.meth.me. 7ª.90.A
Febrem quomodo faciunt carbunculi.1°.de diff.fe. 3ª.32.A
in Febre cum phlegmone indicatio.11°.meth.me. 7ª.69.D
FEBRES quæ ſint morbi,& non ſymptomata. 1°. de arte curatiua ad Glauconem. 7ª.95.G
in Febribus platonis errores.8°.de decr.Hipp. 1ª.277.B
de Febribus librũ fecit Eraſiſtratus.4°.de dif.pul.4ª.69.E/đ venæ ſe. adu.Eraſi.6.A/8.B/9.G/12.E/de cur.rat.per ſang.6ª.16.A/2°.met. me.11.C/de vict.rat.in mor.acu.com.1°.109.E/ 7ª.113.A
Febrium modi,mores,differentiæ,& eſſentię idem. in 1^{m}. de mor.vulg. commenta.3°. 3ª.120.A
de Febrium differentijs librum quo tempore compoſuerit Galenus.de pręcognitione. 4ª.219.E
in de Febrium differentia libris exercitatio ad quid ſit vtilis collige.8°. meth.me. 7ª.52.E
ꝙ de Febrium differentijs liber præcedit librum de typis,collige. 2°.de differentijs fe. 3ª.39.F
de Febrium differentijs liber quid tractet,& quid liber de typis.2°.de differentijs fe. 3ª.39.F
Febrium diuerſitas.in 1^{m}.de mor.vul.com.2°. 3ª.109.F
Febres differunt ſuis proprijs differentijs.de nat.hu.com.2°. 7ª.181.C
Febrium differentię,quę.in 1^{m}.de mor.vulgari.commẽ.3°. 118. C/in 6^{m}. commen.1°. 3ª.158.E
Febrium ſpecies.de nat.hu.c.2°.7ª.180.H/aduerſus Lycũ. Ex.62.A
Febrium ſpecies dicit Hippocrates.in 1^{m}.de mor.vulg.cõ.3°. 3ª.145.H
Febrium diuiſio,& ſubdiuiſio.2°.de criſi. 4ª.135.H
Febrium variæ diuiſiones.in 6^{m}.de mor.vul.com.1°. 3ª.160.A
Febrium pręcipuę differẽtię à ſubſtãtia ſumunt̃.1°.de dif.fe. 3ª.30.F
Febrium non proprię differentię ab accidenti.1°.de diff.fe. 3ª.30.F
Febris differentię euidentes,quæ.1°.de diff.fe. 3ª.30.G

Febris

Febris differentiæ ſumptæ à materia, in qua calor præter naturam accẽditur magis propriæ ſimt.1°.de diff.fe. 3ª.30.H
de Febris materia Athenæi opinio.1°.de diff.fe. 3ª.32.F
Febris differentia ab aerea ſubſtantia accenſa.1°.de diff.fe. 3ª.30.H
Febrium ordo ſm elementi calidi qualitatẽ.de nat.hu.cõ.2°. 7ª.181.D
Febrem magnam, paruam, mediocrem nominãt antiqui medici.com.6°. aphoriſmo.3°. Ex.47.A
Febris magna & parua quo modo dicatur.1°.de diff.fe. 3ª.30.H
Febris magna vel parua ex vſu dicitur.nam non ita proprie qualitas in qualitate dicitur.3°.de comp.me.per ge. 5ª.228.H
Febris ratione partium differentiæ.2°.de diff.fe. 3ª.42.E
Febriculoſarum partium proprium.2°.de diff.fe. 3ª.42.E
Febrium tres primæ differentiæ.de marc. 3ª.47.E
ex Febrium tribus generibus, quo modo proponat putridas. in 6^{m}.de morb.vulg.com.1°. 3ª.131.A
Febrium tria prima genera, et quæ ex humoribus.2°.de criſi. 4ª.137.A
Febrium tria genera.1°.de differentijs febrium. 31.A/3°. dc præſag.ex pulſ. 4ª.117.H
Febris exempla in lebete vel aqua.1°.de diff.fe. 3ª.30.H
Febris exempla in folle fabrili.1°.de diff.fe. 3ª.31.A
Febris nocturna, & diurna, quæ.in 1^{m}.de morb.vul.com.3°. 3ª.119.F
Febris hyemalis, quæ.de vict.rat.in morb.acut.com.4°. 7ª.141.G
Febrium differentias ponebant antiqui hepialon, & lipyriam, eloden, & typhoden, peſtilentem, & ardorem.cõ.7°.aph.42°. Ex.57.D
Febris adſtricta, quæ.fin.med. Iſa.46.D
Febris alba cur dici non poſſit.3°.de præſag.ex pulſ. 4ª.117.F
Febres ἀσώδεις quas vocet.de victus rõne ĩ mor.acu.c.4°. 7ª.140.H
Febres aſpectu terribiles, quæ.in 6^{m}.de mor.vul.com.1°. 3ª.159.A
Febris fluxuoſa, quæ. fin.med. Iſa.46.C
Febris icteriodis, quæ.fin.med. Iſa.46.D
Febris ignaua, quæ.fin.med. Iſa.46.D
Febris Pemphingodes, quæ.fin.med. Iſa.46.C
Febres ſalſæ, quæ.in 6^{m}.de mor.vul.com.1°. 3ª.159.E
Febres ſalſuginoſæ, quæ.in.6^{m}.de mor.vulg.com.1°. 3ª.159.A
Febres ſingultuoſæ.de fruct.com.3°. 7ª.248.A
Febris ſingultuoſæ curatio.de vict.rat.in mor.acu.com.4°. 7ª.143.C
in Febre ſingultuoſa acetum formidãdum.de victus ratione in morbis acutis, com.4°. 7ª.143.E
in quibus Febribus ægri pũgi, et morderi videãt.aduer.Ly.Ex.62.A
Febres ſimpliciſſimæ, quæ ſint.in prog.com.3°. 4ª.207.A
Febres ſimpliciſſimæ quot diebus finiant.in progn.com.3°. 4ª.206.H
Febris ſimplex ſimplicem ſeruat modum.2°.de diff.fe. 3ª.36.H
à Febre non incipit dierum numeratio in puerperis. in prognoſtica.cõmenta.3°. 4ª.208.A
Febribus qui facile corripiuntur.1°.de diff.fe. 3ª.31.H
ad Febres opportuniſſimi ſunt calidi & ſicci.8°.meth.me. 7ª.54.E
ad Febrẽ proni ſunt ſecundo loco calidi & humidi.8°.met.me. 7ª.54.E
Febricitant calidi & humidi ſtatim ſtipata cute.8°.met.me. 7ª.54.C
ad Febrem proni ſunt tertio loco calidi & temperati in paſſiuis. 8°.methodi medendi. 7ª.54.E
ad Febrem proni ſunt quarto loco ſicci & temperati in actiuis. 8°.methodi medendi. 7ª.54.E
ad Febrem proni ſunt quinto loco temperati.8°.meth.me. 7ª.54.E
in Febres incidunt difficulter ſecũdo loco humidi.8°.met.me. 7ª.54.E
in Febres incidunt difficulter tertio loco frigidi.8°.met.me. 7ª.54.E
in Febres incidunt difficulter frigidi & humidi.8°.met.me. 7ª.54.E
in Febrem difficulter incidunt quarto loco frigidi & ſicci. 8°. methodi medendi. 7ª.54.E
Febres cur fiant pueris, qui iam dentire incipiunt.commẽtario.3°. aphoriſmo.25°. Ex.25.C
Febrium variæ cauſæ.1°.de differentijs febrium.3ª.31.B/C/ 11°. methodi. medendi. 7ª.71.C
ne Febrium quidem ſemina concipiunt aliqui.de cau.pcatar. 3ª.97.F
Febres quot de cauſis accendantur.præſag.exper.confir. Sp.77.D
Febris quo modo fiat ob acceſſum alterius caloris.præſagium experientia confirmatum. Sp.77.E
Febrem quæ extrinſeca accendunt.1°.de ſan.tu. 2ª.65.F
Febres, & morbos facit aeris ambientis tẽperãtia.2°.de cri. 4ª.134.D
Febrem faciunt aeris calidioris tẽperaturæ, quòd animi mores.1ª.318.E
Febres plurimas affert æſtas naturalis.2°.de criſi. 4ª.134.D
Febres pueris & mulieribus æſtáte quando fiunt. de aere, aquis, & locis. 2ª.4.C
Febris in ſole quo modo fiat.de cau.mor. 3ª.6.G
Febres ex deuſtione.de inæqu.temp. 3ª.44.E
Febris ex æſtu à capite incipit.de cauſ.procatar. 3ª.98.G
Febres faciunt nimij motus.1°.de ſa.tu. 2ª.65.F
Febris ob motum fit dupliciter.præſag.exper.confir. Sp.77.D
Febris à cruribus per motum.de cauſ.procatar. 3ª.98.G
in Febrem qui incidit exercentis ſe caſus.de cauſ.procatar. 3ª.98.B
in Febrem quo modo incidant laborantes, vigilantes, cogitantes, & medicamina acuta accipientes.1°.de diff.fe. 3ª.31.G
Febris quando fit à laſſitudine. de cau.morb. 3ª.6.H
Febrem quando non facit laſſitudo.de cauſ.mor. 3ª.6.H
Febris & laſſitudo non ſunt idem.3°.de ſa.tu. 2ª.80.B
Febricitãt aliqui ex laboribus, ira, triſtitia, ſolis ardoribus, frigoribus vigilijs, cruditatibus, ebrietatibus, & capulis. 1°. de differentijs febrium. 3ª.31.B
Febris fit à motu animæ & corporis.præſag.exper.conf. Sp.77.E
Febris ex triſtitia quo modo fiat.1°.de diff.fe. 3ª.31.F
Febrem accendit ira.de cau.mor. 3ª.6.F
Febris ex ira quo modo fiat.1°.de diff.fe. 3ª.31.E
Febrem poteſt accẽdere ſola meatuũ conſtipatio.8°.met.me. 7ª.50.A
Febris à conſtipatione meatuum in quibus fiat.8°.met.me. 7ª.50.A
Febris quando ſequatur ex obſtructione.de cau.mor. 3ª.7.G
Febris ex cutis denſitate quo modo.1°.de differ.feb. 3ª.31. F/G/præſag. exper.confir. Sp.77.E
Febrem fecerant, & cutem denſauerant aluminoſæ aquæ.8°. methodi medendi. 7ª.50.B
Febrem ex obſtructione meatuum habentis caſus, & curatio.8°.methodi medendi. 7ª.50.B
Febrem citra putredinem qñ non facit obſtructio.9°.meth.me. 7ª.56.C
Febrem generant intus collecta fuliginoſa.de cauſ.mor. 3ª.6.G
Febris ex fuliginoſo halitu.10°.met.me. 7ª.62.H
Febris cum aſtrictione alui fit luna in coniunctione ſolis, ſaturno in tetragono.de dccub.prog.ex math.ſcientia. Sp.12.G
Febris cauſa promptiſſima eſt inedia.10°.met.me. 7ª.63.D
Febrem afferunt præter alia mala longæ inediæ ijs qui calorem habent ad igneam naturam propenſiorem.com.2°.aph.22°. Ex.15.C
Febres vehementes facientẽ inediã dãnat Galenus.8°.met.me. 7ª.50.E
Febrem in ſanis biliofis facit inedia.8°.met.me. 7ª.50.F
Febricitabant famem biduo patientes.10°.met.me. 7ª.62.H
Febrem fieri à fame ratione probatur.10°.met.me. 7ª.62.H
Febrem faciunt cibi acres.de cau.mor. 3ª.6.G
Febrem vinum accendit.8°.met.me. 7ª.52.G
Febris potu vini veteris & acris.de cau.mor. 3ª.6.G
Febres infert vinum fuluum dulce.de bon.& vitio ſucc. 2ª.38.E
Febre correpti ex cœna caſus.8°.met.me. 7ª.54.A
Febris ex cruditate cum oris ventriculi offenſione, qualis. 12°. methodi medendi. 7ª.75.E
Febris ex cruditate peſſima in bilioſis natis.8°.met.me. 7ª.53.B
in Febrem quare aliqui incidere cruditatem habentes, aliqui non. 1°. de differentijs febrium. 3ª.31.H
Febris nõ neceſſario ſequiĩ malc concoquentẽ.3°.de ſymp.cau. 3ª.30.A
Febres afferunt repletio, cibi vitiati, & medicamina, & æſtas circa canis ortum.1°.de diff.fe. 3ª.31.C
Febris quandoq; fit à plethora.6°.de vſu par. 1ª.155.B
Febris ſub cane ex ira, potu aquæ frigidæ extĩcta.10°.met.me. 7ª.63.F
Febrium cauſæ medicamina acria.de cau.mor. 3ª.6.G
Febrem quæ detergentia accendunt.8°.met.me. 7ª.52.F
Febrem faciunt excremẽta ſubcalida & putrida.4°.de ſan.tu. 2ª.82.H
Febrem accẽdentia ſpectant ad curatiuam tractationem.4°. de ſanitate tuenda. 2ª.82.H
de FEBRIBVS cognoſcendis.de nat.& ord.cuiuſ.corp. Sp.41.E
Febris ſignificatio quid. de mor.temp. 3ª.86.H
de Febrium ſignificatione librũ fecit Archigenes.8°.met.me. 7ª.52.A
de Febriũ dignotione libros decẽ fecit Archigenes.2°.de cri. 4ª.136.B
de Febris ſignis librum fecit Archigenes.3°.de diff.pul. 4ª.64.A
de Febrium notis & typis Archigenes ſcripſit.2°.de criſ. 4ª.136.D
Febris primo die cognoſcenda an acuta, vel longa, vel intermittens, vel continua.1°.de arte cur.ad Glau. 7ª.95.G
in Febribus diſtinguendis mira Galeni præſtantia.1°.de diff.fe. 3ª.33.E
Febres cognouit Galenus prima die.1°.de diff.fe. 3ª.35.H
Febriũ oĩa gña prima viſitatione cognouit Galenus.2°.de criſ. 4ª.133.G
Febres quibus diebus iudicantur.com.2°.aph.24°. Ex.15.G

Febris quibus indicijs cognoſcatur nõ poſſe ad tertium diem terminari. 1°.*de arte cur.ad Glau.* 7ª.96.D

*Febris cuius nõ poteſt ſciri terminus primis diebus.*1°.*de criſ.*4ª.131.H

*Febris quæ prima ſeptimana dijudicatur.*2°.*de criſ.* 4ª.135.G

Febrem qui proprijs ſignis noſcit, quid agat.ad eos qui de typis ſcripſerunt. 3ª.92.G

Febrium tutiſſima notitia vnde ſumatur.in 6^{m}.*de morbis vulgarib. cõmentario.*1°. 3ª.157.A

Febrium ſecunda notitia vnde.in 6^{m}.*de mor.vul.com.*1°. 3ª.157.A

*Febres quibus rebus,& quot indicentur.com.*1°.*aph.*12°. Ex.5.A

Febris nuntij qui.præſag.exper.confir. Sp.77.E

Febris futuræ ſigna.præſag.exper.confir. Sp.77.E

*in Febre quandoque ſentitur inæqualitas.*2°.*de ſymp.cauſ.* 3ª.22.A

*ante Febrem inæqualitas, qualis.*2°.*de ſymp.cauſ.* 3ª.22.B

*Febrem præcedentem inæqualitatem qui non ſenſerint, fortunati.*2°. *de ſympto.cau.* 3ª.22.A

in Febribus quõ fiant oſcitationes.præſag.exper.confir. Sp.77.E

ante Febrem cur ſit hiatus.præſag.exper.confir. Sp.77.E

in Febribus cur ſopor ſit quandoque, poſt vigilia ſubſequitur. in 3^{m}.*de morb.vulg.com.*3°. 7ª.137.B

*Febris quando incipit comparatur igni paruo, cui multa materia ſuperponitur.*3°.*de præſag.ex pulſ.* 4ª.118.H

*Febricitantium maxima ſigna ex pulſibus,& vrinis.*1°.*de arte curatiua ad Glauconem.* 7ª.94.H

Febres tactu deprehenduntur, vt ſapores guſtatu.in 6^{m}.*de mor. vulgaribus,com.*1°. 3ª.159.E

Febris pulſus eſt iudex.de dyna. Sp.34.A

*Febres quõ per pulſus cognoſcantur.*3°.*de præſag.ex pul.* 4ª.117.A

Febris à pulſu cognitio, quæ.præſag.exper.confir. Sp.77.E

Febris nota à pulſu, quæ.de marc. 3ª.46.H

*Febribus omnibus commune in pulſu.*1°.*de arte cur.ad Glau.* 7ª.96.B

*Febris quælibet habet celeritatẽ in pulſu.*3°.*de præſag.ex pul.* 4ª.115.E

Febris initium quo modo cognoſcatur ex pulſu prima die. 3°. *de præſag. ex pulſu.* 4ª.118.C

*in Febrium magnarum cum frigore inuadentium initijs qui pulſus.*2°. *de præſag.ex pul.* 4ª.114.A

*in Febribus vrinæ maxime ſpectandæ.*3°.*de criſi.* 4ª.139.D

*in Febribus quare vrinæ attendendæ.*1°.*de criſi.* 4ª.128.C

*Febres ſunt paſſiones venoſi generis & arteriarum, ideo vrinæ in febribus conſiderandæ.*1°.*de criſi.* 4ª.128.C

*de Febre ſignificat vrina, ſed non de muſculorum morbis. de vict. rat. in mor.acut.com.*4°. 7ª.144.F

in Febre purulentæ vrinæ meminit.de cauſ.procatar. 3ª.98.C

*in Febribus quibuſdam ſedimina ſimilia orobis conſpiciuntur. com.*4°. *aphoriſmo.*76°. Ex.36.E

Febrem, dolorem vuluæ & matricis ſignificat vrina iumentorum ſimilis in muliere.de dyna. Sp.35.E

in Febribus vrina roſea & obſcura phrenitim ſignificat.de dy. Sp.35.E

Febris fiet repetitio ſi vrina tenuis poſt criſim ſe mutauerit. de dynamidijs. Sp.34.E

*in Febribus laſſitudinarijs quibuſdã quarta die incipit fieri vrina multa craſſa & alba.com.*4°.*aph.*74°. Ex.35.H

in Febribus ſemper malus eſt color liuidus.in 6^{m}.*de morbis vulgaribus, commen.*1°. 3ª.159.G

in Febribus familiares ſunt color ruber & pallidus.in 6^{m}. *de morbis vulgaribus,com.*1°. 3ª.159.G

Febres valde rubentes maximam caliditatem indicant.in 6^{m}. *de morb. vulga.com.*1°. 3ª.159.G

*cur in Febrium principio non ſit dormiendum, ſed in augmenti vltima parte,& ſtatu.com.*2°.*aph.*1°. Ex.2.B

*Febris habens cauſam,& cuius cauſa deſiit.*8°.*met.me.* 7ª.49.G

FEBRES *Diariæ ab Hippocrate vocantur quæcunque ſui ratione vna die durant.com.*4°.*aph.*55°. Ex.33.E

*Febres Diariæ ſoluuntur, partim primo, partim ſecũdo die.*1°. *de diebus decretoijs.* 4ª.149.A

*Febrium quæ genera ſint ephemeræ,& hecticæ.*2°.*de criſi.* 4ª.137.A

*Febres Diariæ non dicuntur acutæ.*3°.*de die.decre.* 4ª. 160. D/*com.*2°. *aphoriſmo.*19°. Ex.14.B

*Febris Diaria ex quibus.*5°.*de ſan.tu.* 2ª.88.F

*Febrium ephemerarum cauſæ.*1°.*de diff.feb.* 3ª.31.B

*Febris Diaria ex laboribus.de vict.rat.in mor.acut.com.*4°. 7ª.150.H

*Febris diaria quo modo cognoſcatur effecta ex pauca obſtructione.*8°. *methodi medendi.* 7ª.52.E

*Febris ex obſtructione ſola nunquam tranſiuit in putridam, ſanguine miſſo.*9°.*meth.me.* 7ª.57.B

*de Febre diaria ex cruditate.*8°.*met.me.* 7ª.53.B

*Febris diaria ex diarrhœa ex cruditate.*8°.*meth.me.* 7ª.53.B

Febris diaria cruditates quæ ex acido ructu ſunt, nũquam conſequitur. 8°.*meth.med.* 3ª.53.H

*in Febrem ephemeram incidunt, qui humiditatem contraxerint ex fructibus & oleribus,& volunt exerceri.*3°.*de ſa.tu.* 2ª.81.G

*Febres diariæ ex bubone.*1°.*de dig.pul.* 4ª.73.A

*Febris ex inguinum inflãmatione, qualis.*1°.*de arte cur.ad Gla.*7ª.95.D

*Febres ex bubonibus leues.*2°.*de cau.pul.* 4ª.91.B

*Febrium diariarum notæ vbi ſcriptæ.*8°.*met.me.* 7ª.52.A

*Febrium diariarum pulſus.*3°.*de præſag.ex pul.* 7ª.117.H

*Febrium ex inguinum inflãmatione pulſus.*1°.*de ar.cur.ad Gl.* 7ª.95.D

*Febrium lenium ex bubonibus pulſus, quales.*2°.*de cau.pul.* 4ª.91.B

*in Febre ex inguinum dolore, q̃ pulſus,& quæ vrina.de dyna.*Sp.34.A

in Febribus ephemeris ſola nubecula indicat ſolutionẽ.d̃ vrin. 4ª.125.C

*Febres omnes malæ, ex inguinum tumoribus præter diarias. com.*4°. *aphoriſmo.*55°. Ex.33.E

*Febrium ex aduſtione pulſus quales, quales ex frigore.*2°. *de cauſis pulſuum.* 4ª.91.B

Febris bonæ ſignum eſt ægroti tolerandi facilitas. 1°. *de arte curati. ad Glauconem.* 7ª.95.A

*Febris diaria niſi cibetur, in bilioſis trãſit in acutã.*8°.*met.me.* 7ª.54.E

*in Febre diaria cur vinum melius, quàm aqua.*8°.*met.me.* 7ª.51.G

*Febris diaria ex obſtructione quo modo curanda, vt prçcaueamus ne in putridam tranſeat.*8°.*meth.med.* 7ª.52.D

Febris ephemeræ in putridum conuerſæ ſigna.de diff.fe. 3ª.34.B

*Febris quæ à balneis vtilitatem habet.com.*7°.*aph.*42°. Ex.57.C

*in Febre diaria ex obſtructione ſæpe lauandum.*8°.*met.me.* 7ª.53.A

*Febris ex itinere iuuatur balneo.*2°.*de motu muſc.* 1ª.315.C

*Febres q̃ fiũt ob laſſitudines vel exuſtiones, vel refrigerationes, vel oĩno ob cutis anguſtationes ſanant balnea.com.*7°.*aph.*42°. Ex.57.D

*propter Febrem balnea ſunt cõmoda podagricis,& arthriticis.*11°.*methodi medendi.* 7ª.74.A

*in Febre prima inclinante ducendi ſunt ad balneum qui ex ſtipatione febricitant.*8°.*meth.med.* 7ª.51.E

in Febres ex conſtipatione lotio ex aqua temperata conuenit. 8°.*meth. medendi.* 7ª.50.A

in Febre ex obſtructione ex calida in frigidam mergit. 8°.*meth. medendi.* 7ª.50.B

Febri ex conſtipatione contraria eſt lotio ex aqua frigida, et aluminoſa. 8°.*meth.med.* 7ª.50.A

*in Febre quacunque feceris balneũ tria cõſidera.*11°.*meth.me.*7ª.73.H

*in Febre diaria lauandi prima die.*8°.*met.me.* 7ª.52.B

*in Febre diaria lauatio in remiſſione febris fieri debet.*8°. *methodi medendi.* 7ª.53.B

in Febre lauit in inclinatione primæ acceſſionis. 4°. *methodi medendi.* 25.G/8°. 7ª.53.G

*Febrium ex inguinum inflammatione curatio per balnea.*1°.*de arte cur. ad Glauconem.* 7ª.95.E

*quibus Febribus correpti non debent ſini in aere balnei.*1°. *de arte cu. ad Glauconem.* 7ª.95.E

*in Febribus lauabat.*10°.*meth.me.* 7ª.62.G

Febrem quam curent balnea.de marc. 3ª.47.F

*poſt Febrem lauabantur,& vngebantur ciues, nõ agreſtes.*10°. *methodi medendi.* 7ª.61.H

*Febrienti quæ balnea fieri non debent.*10°.*met.me.* 7ª.69.H

Febre ſubito leuatus balneo lauatus.de cauſ.procatar. 3ª.95.E

ad Febres ephemeras.de dyna. Sp.33.B

*Febres diſtinctæ ab ephemeris non habent vnum nomen commune.*1°.*de dif.feb.* 3ª.33.E

FEBREM *omnem ex putredine fieri, dogma quoddam antiquum aſſeuerat.*1°.*de diff.fe.* 3ª.32.F

Febris quo modo fiat ex putredine.præſag.exper.conf. Sp.77.E

*Febres putridæ,& vnde dictæ.*1°.*de arte cur.ad Glau.* 7ª.95.G

*Febris ex putredine vnde.*1°.*de diff.fe.*31.H/ 3ª.32.A

*Febrium putridarum differentiæ.*11°.*met.me.* 7ª.69.C

*Febrium putridarum ſex differentiæ.*2°.*de diff.fe.* 3ª.39.F

Febrium cauſæ cibi craſſi & glutinoſi ob putredinem. 1°. *de differentijs febrium.* 3ª.32.A

Febris

Febris ex corruptis cibis quandoque fit.in 6m.de morbis vulgaribus,cõmentario 5°. 3ª.193.H
Febres ab excrementis putridis.9°.de vſu par. 1ª.171.D
Febris quando maxime fiat,& putredo.2°.de diff.fe. 3ª.43.D
Febrium putridarum caliditas,qualis.1°.de diff.feb. 3ª.33.H
ad Febrium putridarum generationem non ſufficit,ſi ſolum bilis augeatur.2°.de diff.feb. 3ª.36.C
in Febribus vniuerſis quacũque ex cauſa originem traxerint,calor extrinſecus ſanguinem opprimit.2°.de diff.feb. 3ª.40.A
in Febribus quo modo ſanguis calefiat.de ineq.intem. 3ª.44.A
FEBRES in ſanguine putrefacto an contingant. 2°. de differentijs febrium. 3ª.40.A
Febris accenditur ſi ſanguis corrumpitur ac putreſcit. 2°. de differentijs febrium. 3ª.42.B
Febres pro varietate humorum in quos conuertitur ſanguis,differunt ſola bonitate vel malitia.2°.de diff.feb. 3ª.40.C
Febris ex ſanguine.in 6m.de morb.vulg.com.1°. 3ª.159.G
Febres ex ſanguine ſimpliciores, quàm ex alijs humoribus.2°.de differẽtijs febrium. 3ª.40.B
Febris calor ex tranſmutatione ſanguinis eſt mitior,& ſimplicior.2°.de diff.feb. 3ª.40.C
in Febre ſanguinis calor vaporoſus ac minus moleſtus.2°. de differentijs febrium. 3ª.40.C
Febris ex ſanguine caliditas eſt vt caliditas balnei.2°.de dif.fe.3ª.40.C
Febres ſanguinis,vt tertianæ.2°.de diff.feb. 3ª.40.B
Febris non datur ex ſanguinis putredine.2°.de criſi. 4ª.138.D
Febres liuidæ ſignificant ſanguinem deficere. in 6m. de morbis vulgaribus,com.1°. 3ª.159.H
Febres liuidæ cur mortiferæ.in 6m.de morb.vulg.com.1°. 3ª.159.H
Febris ex varijs humoribus quõ.in 1m.de mor.vul.com.2°. 3ª.110.F
Febris ex quo fiat humore,caloris qualitas idicat.2°.de diff.fe.3ª.40.C
Febrem facientis humoris indicium maximum eſt caliditatis qualitas. 2°.de diff.febrium. 3ª.40.C
Febres oſtendunt humores abundantes.8°.de decre.Hippo. 1ª.276.E
in Febre ex putredine cõſiderãdorũ methodus.11°.meth.me. 7ª.69.C
Febrem,putredinem, & effectricem cauſam inter ſe conferre difficile eſt.10°.meth.med. 7ª.69.H
Febrium putridarum indicia.1°.de diff.feb. 3ª.33.F
Febrium putridarũ propriũ inſeparabile quid.1°.de diff.feb. 3ª.33.H
Febrium putridarum pulſus. 1°. de differentijs febrium. 3ª. 33. H| 3°.de preſag.ex pulſ. 4ª.117.H
in Febre ex obſtructione quando non eſt in pulſu putredinis ſenſus, nec etiam in vrinis.8°.meth.med. 7ª.52.E
Febrium putridarum vrinę.1°.de diff.feb. 3ª.34.A
in Febribus putridis tot ſunt formæ eorum quæ in vrinis apparẽt, quot ſunt putredinis differentiæ in abſceſſibus.1°.de diff.feb. 3ª.33.C
in Febribus putridis indicatio agendorum à tribus ſumitur.10°.methodi medendi. 7ª.61.E
pro Febre putrida curanda indicationes duæ, vna à febre,alia à putredine.11°.methodi medendi. 7ª.70.D
Febris in humoribus accenſæ indicatio eſt euacuatio & alteratio.ars medicinalis. Iſa.69.E
in Febre putrida exemplum medicationum.11°.meth.med. 7ª.68.G
Febris putrida balneis quando ſanatur.de marc. 3ª.47.E
Febrium putridarum ſi cui hectica implexa ſit, balneæ à coctione proſunt.de marc. 3ª.47.E
in Febre putrida Galenus nõ vtitur balneo,neque relaxãtibus,niſi poſt purgationem.11°.met.med. 7ª.73.D
FEBRIVM alia intermittens,alia non intermittens.intro.Iſa. 55. D|in 6m.de morb.vul.com.1°. 3ª.160.A
Febres quæ interponant aliquid quietis,quæ non.2°.de diff.feb.3ª.42.A
in Febre quid ſit intermiſſio.1°.de criſi. 4ª.125.H
in Febribus remitti quid ſit.in 1m.de mor.vul.com.2°. 3ª.110.F
Febres intermittẽtes,& nõ intermittẽtes q̃ ſint.c.4°.apho.37°. Ex.32.B
Febres intermittentes,quæ.in 1m.de morb.vulga.com.1°.3ª.106.C|3°.de criſibus. 4ª.140.B
Febres intermittentes quæ vocentur,& quis motus ſit humoris qui illas efficit.2°.de diff.feb. 3ª.36.D
Febres intermittentes ſiunt ex materia extra venas.2°.de cri.4ª.138.B
Febres intermittẽtes ſunt tres numero.in 3m.de mor.vul.c.3°. 3ª.145.G
Febrium intermittentium triplex differentia,tertiana,quartana,et quotidiana.2°.de diff.feb. 3ª.36.F
Febris intermittentis ſex ſpecies.introd. Iſa.55.D
Febres intermittentes reuertuntur,quia relicta eſt in corpore diſpoſitio, licet febris abſit.com.4°.apho.63°. Ex.34.C
Febris focus quid.de marc. 3ª.47.F
in Febre cuius humorũ quorſum mittatur.3°.de pre.ex pul. 4ª.108.H
Febrium intermittentium cauſa difficilior inuentu eſt, quàm ſynocharũ, 2°.de diff.feb. 3ª.40.E
Febres intermittentes quibus cognoſcant̃.1°.de arte cur.ad Gl.7ª.95.G
in Febribus intermittentibus non ſunt numerandi dies ſecundum acceſſiones.in 1m.de morbis vulg.com.3°. 3ª.120.F
de Febris acceſſionis hora erat ſolẽnis interrogatio.8°.met.m. 7ª.50.D
in Febribus intermittentibus debent numerari dies afflictionis nõ alij. in progn.com.3°. 4ª.207.F
Febrium tempora quot.fin.med. Iſa.45.F
Febris inceſſus per tempora quomodo.3°.de præſag.ex pulſ. 4ª.118.H
quibus in Febribus ſimul tria tempora ſint.de morb.temp. 3ª.87.B
Febrium intermittentium aliud principium.2°.de diff.feb. 3ª.42.C
Febris principium quando.2°.de diff.fe. 3ª.42.D
in Febris principio quid conſiderandum.11°.meth.med. 7ª.74.D
Febrium augmentum quando.2°.de diff.feb. 3ª.42.D
Febris quibus creſcat.8°.meth.med. 7ª.53.B
Febres anticipantes quæ.1°.de criſ. 4ª.125.H
Febrium conſiſtentia quando.2°.de diff.feb. 3ª.42.D
in Febris vigore quid notandum.11°.meth.med. 7ª.74.C
in Febris vigore ſuperuenientes deſipientiæ quomodo appellẽtur.in 1m. prorrh.com.1°. 4ª.161.A
in Febre quid ſit declinatio.1°.de criſi. 4ª.125.H
Febris declinatio quando.2°.de diff.feb. 3ª.42.D
Febres tardantes,quę.1°.de criſi. 4ª.126.A
Febris motum tardiorem habentis in primis diebus in morbo ſalubri caſus.3°.de criſibus. 4ª.140.H
Febres ſubintrantes.de morb.temp. 3ª.87.D
Febris cur intenſior & remiſſior.de inæq.intemp. 3ª.44.D
Febres intermittentes quæ breues,& quæ non.cõ.1°.apho.12°. Ex.5.C
in Febribus interuallum optimum.de morb.temp. 3ª.85.H
Febres intermittentes non ſunt periculoſæ.com.4°.apho.43°. Ex.32.F
Febres intermittentes nullæ letales.in 1m.de morb.vul.com.3°. 3ª.119.C
Febres mites,quę.1°.de criſ. 4ª.131.G
in Febre debili in primis diebus vrina.1°.de criſi. 4ª.131.H
in Febribus intermittentibus quando balnei tempus.11°.methodi medendi. 7ª.74.B
Febres itermittẽtes lõgas ſoluit antidot°.Aelij Galli.2°.de an. 5ª.110.H
Febres per interualla inuadentes ſoluit antidotus Mitridatis Eupatoris diaſcinci nominata.2°.de antido. 5ª.115.C
Febrem continuam nunquam nominauit σύνοχον Hippocrates.de natura hum.com.2°. 7ª.181.D
Febres continuæ quæ.in 1m. de morbis vulgaribus, commentario 1°. 3ª. 106.C|2°.de criſibus. 4ª.135.G
Febris continua,& intermittens dupliciter apud antiquos.in 1m.de morbis vulgaribus,com.3°. 3ª.118.B
Febris continua quo modo fiat,& à quo humore.de natura humana.cõmentario 2°. 7ª.180.H
Febres continuæ ex ignis abundantia.de nat.hum.com.2°. 7ª.181.B
Febres continuæ ſiunt ex materia in venis.2°.de criſi. 4ª.138.B
Febris quæ continuat,habet putredinem cauſam.10°.met.med.7ª.61.D
Febrium continuarum cũ interpolatis differentiæ.2°.de criſ. 4ª.135.E
cp in Febribus continuis vna dies poteſt,hoc in intermittentibus acceſſio.commen.4°.apho.59°. Ex.33.H
Febris continua quæ,& eius differẽtiæ.in 1m.de mor.vul.c.3°. 3ª.119.F
Febrium continuarum differentia.de morb.temp.87.A| in 6m.de morbis vulgaribus,com.1°. 3ª.160.A
Febres continuæ habent ſolum quinque partes.de mor.tem. 3ª.87.A
Febres continentes morbus acutus.fin.med. Iſa.45.F
Febris continua propriũ acutorũ.1°.de dieb.decre. 4ª.155.D
Febres continuæ ſunt in acutis.de vict ra.in morb.acu.com.1°. 7ª.111.B
Febres continuæ ſiunt in morbis acutis.com.5°.apho.30°. Ex.40.C
Febres continuæ,& interficientes,ſunt febres acutorum morborum.de vict.ratio.in morbis acutis,com.1°. 7ª.108.H
in Febre continua ſunt acutiſſimi morbi.in 1m.de morbis vulgaribus,cõmentario.3°. 3ª.118.F
Febres continuæ cur graues febres.in 1m.de mor.vulg.com.3°. 3ª.118.H
Febres continuæ,& ardentes,& tertianæ plurimæ, & quartanæ ſiunt æſtate.

ẽſtate.com.3°.apho.21°. Ex.24.G

Febres cõtinuæ quo lunæ aſpectu fiãt.de decub.ꝑgn.ex mat.ſci.Sp.12.G

Febres continuæ quæ longæ, & quæ non.com.1°.apho.12°. Ex.5.C

Febrium continuarum indicia.1°.de arte curat.ad Glauconem. 7ª.96.D

Febris non intermittens,non poteſt habere partes frigidas exteriores,et interiores calidas.com.4°.apho.48°. Ex.33.B

in Febribus nõ intermittentibus ſi partes exteriores frigidæ,interiores vruntur,& ſitim habeat,letale eſt.com.4°.apho.48°. Ex.33.A

in Febribus non intermittentibus ſi exteriora frigẽt,& interiora vrantur,& febris habeat,letale.com.7°.apho.68°. Ex.60.F

in Febre non intermittente rigor cur letalis.2°.de ſymp.cauſ. 3ª.23.C

in Febribus continuis poſſe rigorem paruum fieri,collige.1°.de arte curat.ad Glauconem. 7ª.95.H

Febrium continuarum vi ſanguinis excitatarum vrinæ. quæſita in Hippocratem. Sp.113.B

Febres continuæ acutæ habent ſuum iudicium quartumdecimum. commentario.4°.apho.59°. Ex.33.H

Febres quæcunq; non intermittentes tertia die fortiores fiunt, magis periculoſę:quocunque autem modo intermiſerint periculum abeſſe ſignificatur.com.4°.apho.43°. Ex.32.E

in Febribus continuis excretiones prauæ bene exeuntes ad bonũ terminantur.com.4°.apho.47°. Ex.32.H

in Febribus nõ intermittentibus excretiones liuidæ,ſanguineæ, bilioſæ, fœtidæ,omnes,male:cũ vero bñ excernunt bonũ ẽ,et ꝑ vẽtrẽ & ꝑ veſicã vbi aliqd ſecedẽs ſteterit nõ purgatũ,malũ.c.7°.ap.65°.Ex.60.e

in Febre nõ ĩtermittẽte ſi labrũ,vel palpebra,vel ſupciliũ,vel ocul⁹ vel naſus puertat,vel nõ videat,vel nõ audiat,iã debili exiſtente corpore:qcqd horũ euenerit,mors proxima eſt.com.4°.apho.49°.Ex.33.B

in Febre non intermittente ſi labrum aut naſus,aut oculus aut ſupercilium peruertitur,ſi non videat,ſi non audiat,& iam debilis ſit: quicquid horum fuerit,mors prope eſt,com.7°.apho.69°. Ex.60.F

Febres magnæ quandoque ſecuræ.3°.de criſ. 4ª.140.B

Febre non intermittente,vbi difficultas ſpirandi, & delirium acciderit, letale.com.4°.apho.50°. Ex.33.C

Febrium continuarum curatio.1°.de arte cur.ad Glauconem. 7ª.97.H

Febrium continuarum victus.1°.de arte curatiua ad Glaconẽ. 7ª.97.H

Febris cõtinẽtis maximum remedium venæ ſectio.9°.met.me. 7ª.56.G

in Febribus continentibus & omnibus alijs,quas putreſcens humor cõcitat,ſaluberrimum eſt venam incidere.11°.metho.medendi.7ª.72.D

in Febre continua cur vena ſecanda.1°.de arte curat.ad Glau.7ª.97.H

Febris ſi ſit continua,tempus accommodatius venæ ſectionis eſt matutinum prẽſag.exper.conf. Sp.78.D

in Febribus continentibus danda aqua frigida.11°.met.me. 7ª.69.B/H

in Febribus continuis æſtuoſis aqua frigida potanda.1°.de arte cura. ad Glauconem. 7ª.98.A

Febrium cum accidentibus curandi ratio.1°.de arte cu.ad Gl. 7ª.98.A

FEBRIS peracuta poteſt iudicari,tertio, quarto,& quinto.commentario.4°.apho.19°. Ex.34.A

Febres peracutæ terminus eſt ſeptimus dies.com.4°.apho.59°.Ex.33.H

in FEBRIBVS acutis loquitur in prognoſtico. in 3^{m}. de morb. vulgaribus,commenta.1°. 3ª.128.B

Febris acuta,quę in 6^{m}.de morb.vulg.com.2°. 3ª.164.D

Febres acutæ & non acutæ,vnde.com.4°.apho.37°. Ex.32.B

Febris acuta comes putredinis humorũ.in 3^{m}.de mor.vul.c.1°.3ª.127.D

Febris acuta vnde generatur.2°.de criſi. 4ª.137.A

Febres vehementiſſimæ ex quibus fiant materiebus.de vict.rat.in mor. acutis,com.4°. 7ª.134.F

Febris acuta paſſio ex bile.de ſpermate. Sp.38.A

in Febribus acutiſſimis cur bilioſa.de artic.com.2°. 7ª.264.H

Febres acutæ & diuturnæ bilioſis.de aere,aq.& loc. 2ª.4.C

Febres vt plurimum in mor.acu.ſunt continuæ.c.2°.apho.19°. Ex.14.B

Febres morborum acutorum magna ex parte continuæ ſunt. comment. 7°.apho.1°. Ex.54.A

ſine Febre acuti morbi.in prognoſt.com.1°. 4ª.195.A

Febres acutę qua tempeſtate plurimum fiant, & ex qua materia.commentario 5°.apho.11°.21.C/14°. Ex.22.D

Febres acutæ fiunt,ſed nõ multæ in ſiccitatibus.com.3°.ap.7°. Ex.20.F

Febres acutas facit iracundia.6°.de ſanitate tuenda. 2ª.96.E

Febres acutæ non accidunt ſenibus,& ſi accidunt,commoriuntur.comment.1°.apho.14°. Ex.7.H

Febrem acutam habet pleuritis.4°.de cauſ.pulſ. 4ª.100.G

Febrem acutã habent omnes peripneumonici.4°.de cauſ.pulſ. 4ª.101.H

Febris acuta cum difficultate anhelitus,cum tuſſi,& ſputo colorato,cõmunis eſt pleuritidi,& peripneumoniæ.de ſubfigura.emp. Iſa.32.E

Febrem acceſſuram ſignificat frigiditas pedum. de vict.ratio in morbis acutis,com.4°. 7ª.139.F

in Febribus cur pedes frigeſcãt.de vict.rat.in mor.acut.c.4°.7ª.139.F

in Febre acuta cur frigeſcant extrema.in 1^{m}.de morbis vulgaribus,commentario 2°. 3ª.115.A

in Febribus acutis extrema cur liuida.in 1^{m}.de morb.vul.c.2°.3ª.115.B

in Febriũ principijs,quibus extremæ corporis partes refrigeratæ ſunt, animi defectus incidit.1°.de arte curatiua ad Glauconem. 7ª.98.F

Febris acuta nũq̃ ẽ in primo inſultu in sũmo vigore.1°.de criſ. 4ª.132.B

in Febribus non circuitus ſolum acceſſio,ſed modus & forma magis cõſideranda.1°.de diff.feb. 3ª.35.H

Febris duodecim horis terminantes.in 1^{m}.de mor.vulg.cõ.3°. 3ª.119.A

Febricitantis quindecim horas caſus.2°.de diff.feb. 3ª.39.H

Febris intermittentes,cuius acceſſio ad decẽ & octo horas prorogatur, eſt quidẽ ſine ꝑiculo,ſed tanto lõgior,quãto eius acceſſio mitior extiterit,quàm tertianæ exquiſitę.com.4°.apho.43°. Ex.32.F

Febres extenduntur vſque ad quadraginta horas quãdoq; vel amplius. 2°.de differentijs febrium. 3ª.39.G

Febres acutæ,quę denuo ad tempus reuertuntur, ex ſuccorum variorũ commiſtione fiunt.de bon.& vitio ſuc. 2ª.39.D

Febris acuta,& tremor à manibus primo die cœpit.in 3^{m}. de morb.vulgaribus,commen.1°. 3ª.127.C

Febriũ acutarñ exitialiũ,& ſyncopaliũ pulſus.de pulſ.ad tir. 4ª.44.G

Febriũ ſyncopaliũ,acutarũ,& exitialiũ pulſus.de pulſ.ad tiro.4ª.44.G

in Febribus acutis cur ſanguis è naribus effluat. de vict. rat. in morbis acutis,commen.4°. 7ª.135.D

Febribus acutiſſimis vnde fiat dolor,& à quo.2°.de ſym.cau. 3ª.22.A

in Febribus acutiſſimis deliria vnde.2°.de ſymp.cau. 3ª.24.C

Febres in acutis paſſionibus ſi luctuoſa ſuſpiria, malum. commenta.6°. aphoriſ.54°. Ex.53.B

Febres magnę quas ætates magis extenuant.com.2°.aph.28°. Ex.16.D

in Febribus quæ cauſa extenuationis.com.2°.apho.28°. Ex.16.D

Febris acuta eſt cauſa pernicioſa, quia eſt prompta diſſoluere corpora. commen.4°.apho.37°. Ex.32.C

in Febribus acutis colliquatiuis vires labuntur.12°.met.med. 7ª.77.C

Febres acutæ interficiunt aliquando ſine inflammatione fœtus. commenrio.5°.apho.30°. Ex.40.D

Febres acutas in tertianã cõuerti certo ſcias,ſi vrina turbulenta & tardius reſidens fuerit, maxime ſi ſanitas interaneorũ adſit,& permultos dies perſeuerauerit.de dynamidijs. Sp.34.C

in Febre acuta frigidi ſudores eſt ſignum pernicioſum, quia humorum multitudinem eſſe frigidiſſimam oſtendit.cõmẽ.4°.apho.37°.Ex.32.C

in Febre acuta ſudores frigidi,mortales:in mitiori autem longitudinem morbi ſignificant.com.4°.apho.37°. Ex.32.B

cum Febre acuta ſudores frigidi mortẽ ſignificãt.præſag.exꝑ.Sp.77.F

cum Febris ſit calidiſſima,cur quandoque fiat ſudor frigidus.commẽtario 4°.apho.37°. Ex.32.B

Febriunt ęgri vehementius magna ex parte quanto propius iudicationẽ accedunt.com.4°.apho.71°. Ex.35.C

in Febrium impetu delirant multi.in 6^{m}.de morb.vulg.cõ.3°.3ª.178.H

à Febris abundante calore delirium fit.2°.de loc.aff. 4ª.14.B

in Febre nugarum cauſa.in 3^{m}.de morb.vulg.com.1°. 3ª.127.C

à Febre vehementi vehementer calefit corpus.quòd an.morb.1ª.317.H

Febres vehementes veluti ignis neruos exiccantes,eos extendunt atque conuellunt.com.4°.apho.66°. Ex.34.E

in Febribus acutis conuulſiones, & circa viſcera dolores fortes,malũ. commen.4°.apho.66°. Ex.34.E

Febris magna indiget inſpiratione abundanti.c.4°.apho.34°. Ex.31.B

Febrium & morborum reſpiratio.1°.de diff.feb. 3ª.58.E

in Febribus acutis ſitientes ob quid poſtea non ſitiumt. in 1^{m}. de morbis vulgaribus,com.2°. 3ª.115.B

Febris acuta,cũ qua adſint plenitudinis ſigna,qũo curetur.de ſe.Iſ.16.E

in Febre acuta Petronæ vict.rõ.de vic ra.in mor.acu.cõ.1°. 7ª.110.H

in Febribus acutis vua non guſtãda.in 3^{m}.de mor.vul.com.1°. 3ª.135.F

in Febre cum ſyncope ex ſuccis tenuibus oua dat ante quartum diem, & poſt quartum dat carnem.12°.meth.med. 7ª.77.A

in Febre acuta quid ſomnum conciliet.de dynamidijs. Sp.32.G

in Febre acutiſſima ſanguis ad animi deliquium mittendus.de curan.ratione.per ſang.miſſ. 6ª.19.A

in Febre acuta nõ eſt ſecãda vena in regione vel valde frigida,vel valde

calida.de

calida.de ſectis. Iſa.16.E
in Febre acuta non eſt ſecanda vena in anni tempore vel multum calido, vel multum frigido.de ſectis. Iſa.16.E
Febribus acutis aliquoties facit aqua frigida.de ſimp.med. Sp.92.B
ad Febres acutas omnes, epithemata duo.de dynamidijs. Sp.32.G
ad Febres acutas omnes valet Rhodoſacchara.de dynam. Sp.32.H
ad Febres acutas omnes valet Diacydonium.de dynamid. Sp.32.H
ad Febrem acutam.de med.par.fac. 7ª.172.D
ad Febres acutas omnes antidotum.de dynamid. Sp.32.G
à Febre acuta liberati caſus, ſeptimo die multa flaua bile ad cutẽ tranſmiſſa.5°.de locis affectis. 4ª.35.G
de FEBRE ſynocha, diffuſe.2°.de diff.feb. 3ª.42.G/H
Febres ſynochi quæ apud medicos tempore Galeni.in 1^{m}. de morbis vulgaribus, com.3°. 3ª.118.D
Febres ſynochi quæ ſint.9°.meth.med. 7ª.56.A
Febris ſynochæ diſtinctio.in 6^{m}.de morbis vulgaribus com.1°.3ª.160.A
Febris epacmaſtica.in 6^{m}.de morb.vul.com.1°. 3ª.160.A
Febris paracmaſtica.in 6^{m}.de morb.vulg.com.1°. 3ª.160.A
Febris homotona.in 6^{m}.de morb.vulg.com.1°. 3ª.160.A
ad Febrem homotonam.de dynamidijs. Sp.33.C
Febris ſynochus habet longum ſtatum.3°.dc criſi. 4ª.140.C
Febrium ſynocharum vrinæ quales.de vrinis. 4ª.126.F
Febris quæ ſit ſynochus, & quomodo curanda.11°.meth.med. 7ª.68.G
Febris ſynochus quibus diebus ſeruetur.9°.meth.med. 7ª.56.B
Febrium ſynocharum duo maxima præſidia ſunt venæ ſectio, & potio frigidæ.9°.meth med. 7ª.57.H
in Fcbre ſynocha epithema ad præcordia.de dynamidijs. Sp.33.C
in Febre ſynocha vnctio præcordiorum.de dynamidijs. Sp.33.C
ad Fcbrem ſynocham remedium.de dynamidijs. Sp.33.C
FEBRES quæ malignæ.in 1^{m}.prorrh.com.2°. 4ª.174.H
Febres cacoethes acutæ.3°.de cauſ.pul. 4ª.99.D
Febres maleficæ quę ſint.in progn.com.3°. 4ª.207.A
Fcbres laborioſę quæ.in 6^{m}.de morb.vulg.com.4°. 3ª.179.F
Febres malignas accendunt ſucci praui corrupti.2°.de alim.fa.2ª.17.D
Febrium malignarum proprium.in 1^{m}.de morb.vulg.com.2°. 3ª.110.F
Febre cacoethe oppreſſam facultatem ſequuntur pulſus formicantes.3°. de cauſ.pulſ. 4ª.99.D
Febrium cacoethũ ſymptoma ſudor.in 1^{m}.de mor.vul.com.1°. 3ª.106.C
Febres ſunt periculoſæ, quæ ex inflammatione aliqua vel maligna humorum putredine fiunt.com.4°.apho.43°. Ex.32.F
Febres deterrimæ quot diebus necent.in progn.com.3°. 4ª.206.H
in Febribus grauibus, & implacidis quando curatio debet eſſe diligẽs. de vict.rat.in morbis acutis, commen.4°. 7ª.140.F
ex Febre maligna animi defectus quo modo curetur.1°.de arte curat.ad Glauconem. 7ª.99.E
Febrem facit peſtilens aer.1°.de diff.feb. 3ª.31.B
Febris peſtilens, quæ.fin.med. Iſa.46.D
Febris qualis in peſtilentia à Thucydide deſcripta.in 6^{m}.de mor.vulgaribus, com.1°. 3ª.159.D
Febris peſtilentis calor, differt ab aliarum calore per excellentiam putredinis.in 6^{m}.de morbis vulg.com.1°. 3ª.159.F
Febris peſtilentis meminit.in 6^{m}.de morbis vulgaribus, commẽtario 1°. 159.F/ 7ª.160.A
à Febribus peſtiferis ac putridis interierunt, qui fame coacti malos cibos comederunt.1°.de diff.feb. 3ª.31.G
Febris peſtilens putridum calorem habet.in 6^{m}.de morbis vulgaribus, commcn.1°. 3ª.159.D
Febris peſtilentis proprium ſymptoma eſt colliquatio. in 3^{m}. de morbis vulgaribus, com.3°. 3ª.145.D
Febres peſtilẽtes nõ ſunt calore vehemẽtes.9°.de ſim. med. fa.5ª.66.H
Febres debiles & paruę nonnunquam periculoſæ.3°.de criſi. 4ª.140.B
Febris peſſima quæ negligit̃ à medicis imperitis.5°.de loc.aff. 4ª.34.E
in Febribus peſtilentibus quæ fiat colliquatio.8°.de compoſitione medicamen.ſecundum locos. 5ª.194.C
FEBRIS tertiana, quæ.fin.med. Iſa.46.D
Febris tertiana intermittens.introd. Iſa.55.D
Febris tertiana ex intermittentibus, breuiſſima, & mitiſſima. 1°.de arte curat.ad Glauconem. 7ª.96.E
Febrium deterrima tertiana.de morb.temp. 3ª.86.D
Febres tertianæ morbus acutus.fin.med. Iſa.45.F
Febris tertiana ex genere ardentium.8°.de decre.Hipp. 1ª.277.C
Febris tertiana, & febris ardens quo modo conueniant, & quomodo differant.com.4°.apho.19°. Ex.33.G
Febris tertiana vnde oriatur.de natura humana.com.2°. 2ª.80.H
Febres tertianę ex aquæ abundantia.de natura hum.com.2°. 7ª.181.B
Febrium omnium bilioſæ maxime, & calidæ tertianę. 2°. de ſymptomatum cauſis. 3ª.22.E
Febres tertianę ex bile flaua.8°.de decre.Hippocrat. 1ª.277.B/in 6^{m}.de morb.vulg.com.1°. 3ª.159.G
Febrium maxima pars fit à bile.de natura humana, com.2°. 7ª.180.H
Febres, omnes non fiunt ex bile.com.7°.aphor.42°. Ex.57.C
Febrem non faciunt bilis & atra bilis, ſi non putreſcant.2°.de differentijs febrium. 3ª.37.D
Febris à flaua bile indicia.2°.de diff.feb. 3ª.36.H
Febris ſi nõ ex bile habeat, multa aqua calida capiti ſuperfuſa ſoluitur. commentario 7°.aphor.42°. Ex.57.C
Febres tertianæ, ardentes, bilioſiſſimæ fiunt iuuenibus. commentario 3°. aphoriſmo.29°. Ex.26.C
Febres tertianę maxima ex parte æſtate, quartanæ autumno, quotidianæ hyeme fiunt.com.1°.apho.12°. Ex.5.E
Febrium tertianarum differentia.in 1^{m}.de morb.vulg.com.3°.3ª.119.A
Febris tertiana ab Hippocrate dicitur cxquiſita, quandoque ſimplici vocabulo tertiana.commen.4°.apho.59°. Ex.34.A
Febris tertiana exquiſita q̃ ſit, & ex quo humore.c.4°.ap.59°.Ex.33.G
Febris bilioſę tempus durationis.2°.de diff.feb. 3ª.36.H
Fcbris tertianæ exquiſitæ tempus quietis eſt maius, quàm acceſſionis, commentario.4°.apho.19°. Ex.33.H
Febris tertiana exquiſita quot horis perduret.1°.de arte curat. ad Glauconem. 7ª.96.H
in Febribus tertianis exquiſitis, quia minori duodenis horis tempore acceſſio circunſcripta eſt, non modo ſunt ſine periculo, ac etiam cito iudicantur.com.4°.apho.43°. Ex.32.F
Febris tertiana exquiſita nunquam protendit ſuam acceſſionẽ vltra duodecim horas.com.4°.apho.59°. Ex.33.H
Febres tertianas, quartanas, & quotidianas prima viſitatione cognouit Galenus, & quomodo quiſque eas cognoſcere poſſit. commentario.1°.aphoriſmo.12°. Ex.5.D
Febris tertianæ indicia.1°.de arte curat.ad Glau. 7ª.95.H
Febriũ tertianarũ ſyncerarũ pulſus, quales.2°.de cauſ.pulſ. 4ª.91.B
Febris intermiſſionis pulſus in tertiana qualis.2°.de diff.feb. 3ª.36.H
in Febribus tertianis ſola nubecula indicat ſolutionẽ.de vrin. 4ª.125.C
qui Febriunt acute, rigent omnes.de trem.palp.conuulſ.& rig. 3ª.55.C
Febrẽ rigori neceſſario ſupuenire dixerũt antiq.de inæq.intẽp. 3ª.44.G
Febris ſemper ſuccedit rigori, quo modo vetus hic ſermo ſit verus.2°.de ſyptom.cauſ. 3ª.23.A
Febris vehementer cum rigore. 2°.de ſymp.cauſ. 3ª.22.F
Febris & rigor à diuerſis fiunt cauſis.2°.de diff.feb. 3ª.37.G
Febres quales quos ſequantur rigores.2°.de ſymp.cauſ. 3ª.23.B
Febris cũ rigore qualis, et à quo humore.in 1^{m}.de mor.vul.c.3°.3ª.119.B
in quibus Febribus quotidie rigores fiunt, cur quotidie febres ſoluantur. commen.4°.apho.63°. Ex.34.C
cur in Febribus cum rigore raro fiunt abſceſſus.in 6^{m}.de morbis vulgaribus, com.1°. 3ª.157.A
per Febrium rigores quo modo fiant deliria.3°.de locis affect. 4ª.18.A
Febre non deficiente ſi rigor incidat ægro iam debili, lætale eſt.commentario.4°.apho.46°. Ex.32.G
Febris aduocantes rigores ex refrigeratione fiunt.commen. 5°. aph.17°. 38.H/apho.20°. Ex.39.A
cum Febre rigor inflãmationis ſuppurãtis indiciũ.1°.de loc.aff. 4ª.6.D
Febre carens rigor non fuit antiquitus.de inæq.temp. 3ª.44.G
ſine Febre rigor contingere poteſt.2°.de diff.feb. 3ª.37.E
Febrẽ carentem rigore vidit Galenus & alij.de inæq.intemp. 3ª.44.G
Febre carens rigor raro contingit.de inæq.intem. 3ª.44.G
in Febrem carentem rigore qui homines incidant, & propter quid.de inęq.intemp. 3ª.44.G
Febrẽ nõ ſequẽs rigor ex quo humore.in 1^{m}.de mor.vul.cõ.3°. 3ª.122.G
Febris tertiana cito terminatur.com.1°.apho.12°. Ex.5.C
Febrium tertianarum circuitus cum quotidianis comparatus quãtus ſit. de morb.temp. 3ª.87.H
Febris tertiana exquiſita, non tranſit ſeptimum circuitum.1°.de arte curat.ad Glauconem. 7ª.96.F
Febris tertiana exquiſita ſeptenis circuitibus, quod longiſſimum eſt, iudicatur.commentario 4°.apho.19°. Ex.33.G
Febris tertiana ſæpius in tertiodecimo die indicat̃, non expectato quartodecimo.

todecimo.com.4°.apho.59°. Ex.33.H
Febris tertiana exquiſita tertia acceſſione, quarta & quinta poteſt iudicari, non expectante nam ſeptimũ circuitũ.cõ.4°.aph.59°. Ex.54.A
ſecundum Febrem breuiorem vigor maior.2°.de diff.feb. 3ª.36.H
in Febre tertiana bilis defertur carnibus totius corporis.in 1^{m}*. de mor. vulgaribus, commen.2°.* 3ª.109.H
in Febre tertiana tempus ad cibum exhibendum ex acceſſionis & intermiſſionis ſpacio cognoſcitur.2°.de diff.feb. 3ª.39.H
Febris de genere tertianarum alia.de morb.temp. 3ª.85.H
Febres quæ tertianæ naturã referãt.in 1^{m}*.de mor.vul.com.2°.* 3ª.110.C
Febres tertianarũ naturã hñtes, q̃.in 6^{m}*.de mor.vul.com.2°.* 3ª.164.A
Febris in modum tertianæ ex pituita & bile miſta.in 1^{m}*. de morbis vulgaribus, commen.2°.* 3ª.110.E
Febres tertianæ naturam referentes fiunt decretorijs diebus deteriores. in 1^{m}*.de mor.vulg.com.2°.* 3ª.110.F
Febrium tertianarum pulſus, & vrina.de dynamidijs. Sp.34.F
Febris tertianæ, quartanæ & quotidianę pulſuum cõparatio. Sp.34.F
in Febre bilioſa morbus regius cum rigore ante ſeptimum diem morbũ ſoluit.de vict.rat.in morbis acutis, com.4°. 7ª.144.D
Febre tertiana ſingulis æſtatibus laborans, quo modo ſaluatus à Galeno commen.6°.apho.47°. Ex.52.D
Febre tertiana quendam prę ſeruauit Galenus, qui ſingula ęſtate ea vexabatur.com.6°.apho.47°. Ex.52.D
Febres tertianæ, & ardentes, in quibus flaua bilis eſt, ſudore ſanantur quandoque.com.7°.apho.42°. Ex.57.D
Febris acceſſionem prævenire ſolens vomitus tollitur à theriaca. de vſu theria.ad Piſo. 5ª.98.F
Febris exquiſite tertiana ſoluitur cum ſudore vel per vomitum, aut per aluum inferiorem flaua bile euacuata, vel omnibus iſtis pariter factis.com.4°.apho.59°. Ex.33.H
in Febre tertiana qui cibi dãdi, & quãtũ.1°.de ar.cu.ad Glau. 7ª.97.C
in Febre tertiana, abſtinendum à melle, ſinapi, ſalitis, acribus, & vinis vetuſtis.1°.de arte cur.ad Glau. 7ª.97.D
in Febre tertiana non dandum vinum, niſi poſt coctionem. 1°.de ar.cur. ad Glauconem. 7ª.97.C
Febribus tertianis ſi qs corripiaĩ huic dam° cholagoga.de dy. Sp.20.F
Febres quæ ex humoribus bilioſis, & cutis dẽſitate proueniũt, chamæmelon diſcutit & diſſoluit.3°.de ſimp.med.fac. 5ª.18.H
in Febre tertiana oleum in aqua infundendum, in quo ægri quantum poſſunt innatent.1°.de arte cur.ad Glau. 7ª.97.C
Febris tertiana nõ exquiſita per ſex mẽſes.1°.de ar.cur.ad Gl. 7ª.96.F
Febris tertianæ nothæ curatio.1°.de arte cur.ad Glauc. 7ª.97.D
ad Febrem tertianam.de remed.par.fac.161.D| 7ª.172.H
ad Febrem tertianam decoctio.ſecretorum. Sp.101.A
ad Febrem tertianam facit hydropoton.de dynamidijs. Sp.32.D
ad Febrem tertianam trochiſci.ſecretorum. Sp.98.E
ad Febres tertianas cum typo remedium.de dynamidijs. Sp.32.F
ad Febres tertianas acutas.dc dynamid. Sp.32.F
ad Febres duplices tertianas remedium.de dynamid. Sp.32.F
Febres tres ſimul etiam ſunt bilioſa, pituitoſa, & ab atra bile.2°. de differentijs morborum. 3ª.39.F
FEBRIS *hemitritæa quæ.fin.med.* Iſa.46.D
in Febribus intermittentibus non eſt ſemitertiana numeranda.in 1^{m}*. de morbis vulg.com.3°.* 3ª.119.D
Febris ſemitertiana modo continua, modo intermittens.intro. Iſa.55.D
cum Febribus aliis ſemitertianæ iunguntur.de morb.temp. 3ª.87.E
Febres ſemitertianæ ſunt mediæ inter cauſodes, & typodes quo ad acutiem.com.2°.apho.12°. Ex.5.C
Febris ſemitertiana.in 6^{m}*.de morb.vul.com.1°.* 3ª.160.A
Febres ſemitertianæ quomodo iudicentur.3°.de criſi. 4ª.139.F
Febres ſemitertianę ex quotidiana continua & tertiana intermittente. 2°.de differentijs febrium. 3ª.38.E
Febres τριταιοφυεῖς *quas vocent.de morb.temp.* 3ª.87.G
FEBRIVM *quędam exacte ſiccæ, vt ardores, quædam ſumme humidę, vt* τυφώδεις *vel* ἐλώδεις*.aduer.Lycum.* Ex.62.A
Febres quæ ab incendio cauſi appellatur. 2°. de diff.feb. 3ª.36. D|commentario.4°.aph.48°. Ex.33.B
Febris ardens exquiſite, quæ.2°.de criſ. 4ª.135.F
Febris arida.5°.de locis affectis. 4ª.31.G
Febris ardens putrida eſt.1°.de diff.feb. 3ª.34.A
Febres ardentes morbus acutus.fin.med.45.F|introd. Iſa.55.E
Febris ardens eſt ſynochus.2°.de criſi. 4ª.135.G
Febris ardens.in 6^{m}*.de morb.vul.com.1°.* 3ª.160.A
Febris ardens pernicioſa eſt.de inæq.intemp. 3ª.44.G
Febres ardentes longæ ſiccitatem faciunt.1°.de diff.feb. 3ª.34.D
Febres ardentes, & quæ ex laboribus & combuſtionibus fiũt.1°.de arte cur.ad Glauconem. 7ª.95.D
in Febribus vrentibus caliditas ad extrema meat.de vict. rat. in mor. acutis, commentario.4°. 7ª.136.B
Febres cauſones, & tertianę ſunt calidiſſimę.cõ.4°.apho.48°. Ex.33.B
cũ Febribus adurẽtibus cõmunis tertianę gñatio.2°.de criſ. 4ª.134.E
Febris ardens, & tertiana quo modo differant, & conueniant. in 1^{m}*.de morb.vul.com.2°.* 3ª.109.H
Febrem ardentem, & phrenitidem idem facit humor. in 1^{m}*. de morbis vulgaribus, commen.2°.* 3ª.114.G
Febres ardentes à qua cauſa fiant, & vbi, & quo modo tremorem faciunt.com.6°.apho.26°. Ex.48.F
Febres ardentiſſimæ & acutiſſimæ ex bile.8°.de decre.Hipp. 1ª.277.C
Febris ardens à flaua bile, quæ & pallida dicitur.1°.de morbis vulgaribus.commen.1°. 3ª.104.E
Febris ardens & tertiana notant choleram peccare, quartana atram bilem, quotidiana pituitam.com.4°.apho.2°. Ex.27.E
Febris cauſus copiam ſignificat bilis.quæſ.in Hippo. Sp.113.C
Febris ardens ex humoribus bilioſis.in 3^{m}*.de mor.vul.com.2°.* 3ª.139.C
in Febrem ardentem inciderũt bilioſi.in 1^{m}*.de mor.vul.cõ.2°.* 3ª.109.E
in Febres ardentes non multũ incidũt pituitoſi.de aere, aq.& lo. 2ª.2.F
in Febre ardente ſuperaſſatur atra bilis.3°.de loc.affect. 4ª.18.A
Febris ardens ob cerebri inflammationẽ.in 1^{m}*.prorr.com.1°.* 4ª.166.A
Febres ardentes facit inedia, & poſtea hecticas.10°.meth.med. 7ª.63.F
Febres ardentiſſimæ ex inedia.8°.meth.med. 7ª.52.D
in Febribus adurẽtibus nõ peruenitur ad infebriã.2°.de criſ. 4ª.134.E
Febris ardens qũo fiat, & qñ.de vict.rat.in morb.acu.cõ.4°. 7ª.134.C
Febris ardens fit quando æſtiuo tempore venæ exiccatæ trahunt humores bilioſos & acutos.com.4°.apho.58°. Ex.33.G
Febres ardentes ſolent vigere in ortu canis.in 1^{m}*.de morbis vulgaribus, commentario.2°.* 3ª.109.A
Febrium ardentium duarũ, quarum altera ęſtate, altera hyeme affligit, magis periculoſam eſſe quæ hyeme affligit, collige.commentario.1°. aphoriſ.14°. Ex.7.H
Febris ardens in quibus fiat ſedibus.in 1^{m}*.de morb.vulg.com.1°.104. F| commentario 2°.* 3ª.114.G
Febris ardens ex materia in iecore, & ventre. in 3^{m}*.de morb.vulgaribus, commentario 3°.* 3ª.143.F
Febris ardẽs in venis iecoris, & vẽtris.in 1^{m}*.de mor.vul.c.2°.* 3ª.109.H
à Febre ardẽte, peruſto ſanguine qui eſt in venis, ex venis furfurea quædam feruntur, quæ cum vrinis exeunt.com.4°.apho.77°. Ex.36.F
Febres ardentes, iecore, ventriculo, & pulmone affectis fiunt. 5°.de locis affectis. 4ª.33.E
Febres ardentes & morbi acuti diebus imparibus fiunt.in 3^{m}*.de morbis vulga.com.3°.* 3ª.144.A
Febres ardentes germanæ.in 1^{m}*.de mor.vul.com.2°.* 3ª.109.G|H
Febris ardens moderata.in 1^{m}*.de mor.vulg.com.2°.* 3ª.109.G
Febris ardens habet breuis temporis principium.1°.de criſi. 4ª.126.E
Febri ardenti quod ſequitur.de mult. 3ª.79.G
Febres ardentes tactu cognoſcuntur.1°.de arte cu.ad Glau. 7ª.95.D
Febris ardentis proprium.in 3^{m}*.de morb.vulg.com.3°.* 3ª.144.F
in Febribus quomodo habeatur ſpiritus.de vtil.reſp. 1ª.226.B
Febrium ardentium ſpiritus quales.4°.de loc.affect.24.H| 4ª.27.B
Febrium vrentium pulſus, & reſpiratio.de vſu pulſ. 1ª.227.F
in Febribus æſtuoſis cur amplius & frequentius reſpiramus. de vtilitate reſpirat. 1ª.225.E
Febres ardentes habẽt pulſum crebrũ.2°.de præſag.ex pulſ. 4ª.111.B
Febre ardenti tempora pulſant.4°.de diff.pulſ. 4ª.64.C
in Febribus ardentibus tubercula poſt aures non accidebant. in 1^{m}*.de morbis vulg.com.1°.* 3ª.104.G
in Febribus æſtuoſis, quæ cauſi nominantur, mingitur vrina tenuis, & alba.quæſ.in Hippo. Sp.113.C
Febrium ardentium ſymptoma quoddam. in 1^{m}*.de morb.vulgaribus, cõmentario 2°.* 3ª.113.A
cum Febre incendente, & maligna, ſimul inuadit animi defectus.1°. de arte cu.ad Glauconem. 7ª.98.F
Febrium ardentium familiare eſt ſanguinis profluuium. in 1^{m}*.de morbis vulgaribus, com.2°.* 3ª.115.C
in Febribus ardentibus cur ſanguis è naribus.in 1^{m}*.de morbis vulgaribus,*

bus,commentario 1°.104.C/com.2°.109.G/ 3ª.113.A/B
Febres ardentes lenes habent ſanguinis profluuium.in 3m. de morb.vulgaribus,commentario 3°. 3ª.144.A
Febres ardentes nec profluuium ſanguinis Aquilo facit.in 1m.de morbis vulgaribus,comment.1°. 3ª.104.E
Febrium ardentium iudicatio per ſanguinis eruptionem. in 1m.de morb. vulgaribus,commen.1°. 3ª.104.F
in Febribus ardentibus & mitibus non eſt ſanguinis profluuium.in 1m. de morbis vulgaribus,commen.1°. 3ª.104.G
Febrium ardentium pernicioſarum ſymptomata.in 1m. de morbis vulgaribus,commen.2°. 3ª.115.A
in Febribus ardentibus nares ſudare pernicioſum. in 1m.de morbis vulgaribus,com.2°. 3ª.115.C
in Febribus ardentibus ſudare in principio exitioſum ſymptoma. in 1m. de morb.vulg.com.2°. 3ª.115.A
Febris ardens cum refrigeratione eſt ſymptoma prauum. in 1m. prorrh. commentario 2°. 4ª.175.E
in Febribus ardentibus frigus extremorum ſignum pernicioſiſſimum. in 1m.de morbis vulgaribus,com.2°. 3ª.115.A
in Febre ardente timor quid ſignificet.in 1m.de mor.vul.cõ.2°.3ª.115.A
Febris ardens cum ſyncope.12°.meth.med. 3ª.76.E
Febris ardentis proprium eſt ſitis,& ardor.in 1m.de morb. vulgaribus, commen.2°. 3ª.115.A
Febrium ardentium proprium & inſigne, ſitire & calor ardens. in 3m. de morbis vulgaribus,com.3°. 3ª.143.G
in Febribus quibus ſitis fiat.1°.de arte curat.ad Glauc. 7ª.96.C
in Febribus ardentibus loqui non poſſunt,niſi larynx ſit perfuſus.7°.de vſu partium. 1ª.161.C
Febrem ardentem lingua nigricans portendit.1°.de loc.aff. 4ª.6.D
in Febribus ardentibus lingua tarda ad motus.11°.de vſu par.1ª.188.A
Febre ardente ſitis cur abſit lingua exuſta.in 1m.de morbis vulgaribus, commen.1°. 3ª.131.B
in Febribus ardentibus quæ tuſſes ſitim extinguunt. in 6m. de morbis vulgaribus,commen.2°. 3ª.164.E
in Febribus ardentibus quibus plurimum ſiccæ tuſſes leuiter irritantes fiunt,non multum ſiti infeſtantur.com.4°.apho.54°. Ex.33.E
in Febre ardente qui ſiti caruit.in 1m.de morb.vulga.com.3°. 3ª.122.E
in Febre ardente non admodum ſitibundus.in 3m.de morbis vulgaribus, commentario 1°. 3ª.130.H
in Febribus non ſitientes, & non appetentes propter quid. in 3m. de morbis vulgaribus,com.1°. 3ª.133.A
Febris ardens ſine ſiti cur praua.in 1m.de morbis vulg.com.1°.3ª.106.E
in Febribus ardentibus cur fiant voces clangoſę.7°.de vſu p. 1ª.158.F
Febre ardenti deprehenſi frigidam potionem inſatiabili auiditate exhauriunt.de cogn.cur animi morbis. 2ª.53.C
in Febre ardentiſſima quando aqua frigida danda.10°.me.me.7ª.70.A
Febris ardens aqua frigida ſanatur.9°.meth.med. 7ª.61.G
Febres ardentes ſequitur vomitus virulentus.in 3m. de morbis vulgaribus,com.3°. 3ª.149.D
Febrium ardentium peculiare eſt delirare.in 1m.de morbis vulgaribus, commentario 1°. 3ª.104.E
ex Febribus ardentibus fiunt deliria.5°.de loc.affe. 4ª.31.F
in Febribus æſtuoſis,qui facile delirant.de vtil.reſp. 1ª.226.C
Febrium ardentium dementia à quo fiat.3°.de loc.affe. 4ª.18.B
Febris ardentis per accidens, phrenitidis per ſe affectus eſt ſopor. in 3m. de morbis vulgaribus,com.3°. 3ª.145.F
in Febrium ardentium vigore vigilant,& delirant,in inclinatione dormiunt & ſapiunt ægri.2°.de loc.affectis. 4ª.14.B
qui in Febribus ardentibus tremores fiunt,delirio ſoluuntur. commentario 6°.apho.26°. Ex.48.F
Febres ardentes à tremore ſolui improprie dictum eſt. commentario 6°. aphoriſ.26°. Ex.48.G
in Febribus ardentibus vigiliæ & angor ſemper exitioſum ſymptoma. in 1m.de morb.vulg.com.2°. 3ª.115.A
in Febrium ardentium inclinatione cum dormiunt & ſapiunt.indicium eſt deliria non eſſe in capite.2°.de loc.affe. 4ª.14.B
in Febribus ardentibus ſopor raro,faſtidium ſæpe.in 3m.de morbis vulgaribus,commentario 3°. 3ª.143.G
à Febre arida & ęſtuante fit cõuulſio ex ſiccitate.3°.de loc.aff.4ª.17.F
in Febribus ardẽtibus conuulſio ex inanitione.2°.de ſymp.cau.3ª.20.C
ad Febres ardentes quæ ſequuntur conuulſiones, ſunt lętales. commen. 4°.apho.57°. Ex.33.G
à Febre conuulſio lætalis.de opt.ſecta. Iſa.22.D
ex Febre conuulſi cum vomitu bilioſo.5°.de loc.affect. 4ª.32.G
ex Febribus ardentibus hectica quo modo.1°.de diff.fe. 3ª.35.E
Febris ardens non cognoſcitur ab excrementis.in 3m. de morbis vulgaribus,commen.3°. 3ª.143.H
in Febre ardente cruda deiiciens.in 3m.de morb.vulg.com.3°.3ª.144.C
Febribus ardẽtibus cur ptiſſana accommodatiſſima.de ptiſſana.2ª.47.F
Febres ardentes lenes.in 1m.de mor.vulg.commen.2°. 3ª.113.G
Febris ardens lenis non exquiſita.in 1m.de mor.vul.commẽ.1°.3ª.104.F
Febres ardentes extra periculũ quædam.de præſag.ex pulſ. 4ª.111.B
Febres ardentes non malignæ.in 3m.de mor.vulg.commen.3°. 3ª.144.A
in Febribus ardentibus qui ſanantur.in 1m.de mor.vul.cõ.2°. 3ª.115.H
Febribus ardentibus demptis cor prope mortem eſt frigidum. in 6m. de mor.vulg.commen.4°. 3ª.187.D
Febris ardens quo modo abeat.2°.de ſympt.cauſ. 3ª.22.F
Febris ardens quo modo ſanetur.3°.de criſ. 4ª.139.E
Febres vrentes per excretiones iudicari conſueuerunt.1°. de arte curat. ad Glauconem. 7ª.100.C
Febris ardens ſoluitur expurgata bile,ex aqua fit.commẽtario 4°. aphoriſmo.58°. Ex.33.G
in Febribus ardentibus rigor iudicat.in 1m.de mor.vul.cõ.2°. 3ª.115.A
in Febribus ardentibus quando rigores faciunt bonum iudiciũ, et quando non.comment.4°.aphor.29°. Ex.30.D
à Febre ardente habito,rigore ſuperueniente, ſolutio.commentario.4°. aphoriſ.58°. Ex.33.G
Febre ardente cur liberat rigor.2°.de ſympt.cauſ. 3ª.22.E
Febrẽ ardentẽ nõ ſanat rigor propter frigus.2°.de ſym.cau. 3ª.22.F
in Febre ardente horror raro.in 3m.de mor.vul.commen.2°. 3ª.143.G
Febres ardentes ſanantur per euacuationem vſque ad animi defectum. commentario 1°.apho.23°. Ex.10.E
ad Febrem ardentem.de med.fac.par. 7ª.173.H
ad Febrem Cauſum.& quomodo cognoſcatur.de dynamidijs. Sp.33.D
Febris aduſtæ trochiſci.ſecretorum. Sp.98.E
Febrem ardentem ſemel habuit Galenus.de trem.pal.conuul.& rigore. 3ª.56.A/4°.de loc.aff. 4ª.22.E
ad Febrem aduſtam.ſecretorum. Sp.98.E
Febris ardentis caſus Sileni.in 1m.de mor.vul.com.3°. 3ª.121.E
FEBRES typhodes,ideſt ſuccedentes, ſunt longiores. commentario 1°. aphoriſ.12°. Ex.5.C
Febris typhodes morbus continuus.fin.med. Iſa.45.F
Febres incedentes acutæ.com.1°.apho.12°. Ex.5.C
Febris ſuccenſa.in 6m.de mor.vul.com.1°. 3ª.160.A
FEBRIS quod genus epiala.2°.de diff.fe. 3ª.37.E
Febris epiala.in 6m.de mor.vulg.com.1°. 3ª.160.A
in Febre epiala incaleſcit frigeſcitq; corpus.3°.de ſimp. me.fa. 5ª.21 A
Febres aliæ,& epialæ ſunt ægritudines dependentes à corde. de virtut. noſtrum corpus diſpen. Sp.60.B
FEBRIS lipyria,quæ.fin.med. Iſa.46.C
Febres lipyriæ quales.1°.de inæq.intem. 3ª.44.G
in Febre lipiria incaleſcit frigeſcitq; corpus.3°.de ſimp.me.fac.5ª.21.A
Febris lipyria inter maligniſſimas numerat.com.4°.aph.48°. Ex.33.B
præter Febrẽ lipyriã & cauſonem pernicioſum,nulla febris alia corpus vrit cute refrigerata.com.4°.aphoriſ.48°. Ex.33.B
in Febribus lypyrijs quo modo arteriarum partes ſunt frigidiores. 3°. de præſag.ex pulſ. 4ª.115.D
Febris lipyria.in prognoſt.com.2°. 4ª.198.D
FEBRES humidę quæ,febres ſiccæ quæ.aduerſus Lycum. Ex.62.A
Febris paluſtris.in 6m.de mor.vulg.com.1°. 3ª.160.A
Febris cauſam humidam febris concomitatur.2°.de ſymp.cauſ.3ª.23.A
Febres longæ,quæ.2°.de criſi. 4ª.135.G
Febrium prorogationis triplex cauſa.in progn.com.3°. 4ª.209.F
Febres longę fiunt propter multitudinem humorum, vel craſſitiem,vel frigiditatem,vel viſciditatem.com.4°.aphor.44°. Ex.32.F
Febres diuturnas patiuntur puberes.com.3°.aphoriſ.27°. Ex.25.G
Febres lõge fiunt in tpibus pluuioſis.c.3°.ap.11°.21.B/aph.16°. Ex.22.H
Febrium longarum commune oculi concaui.in progn.cõ.2°. 4ª.204.D
Febrẽ lõgã oſtendit vrina tenuis.de vict.rat.in mor.acu.c.4°. 7ª.140.F
Febres diuturnæ quo modo iudicentur.3°.de criſi. 4ª.139.F
Febres molliores ſolent per abſceſſus iudicari.1°.de arte curat. ad Glauconem. 7ª.100.C
Febribus laſſitudinarijs hoc ineſt,vt cito fiant abſceſſus,non expectantibus,vt aliæ,tempus prolixius.com.4°.apho.74°. Ex.36.A

in Febribus

in Febribus longis multitudo materiæ plus ad inferiora decumbit. commentario 4°.apho.74°. Ex.36.A
quibus Febres longæ ijs tubercula, vel labores in articulis fiunt. commẽtario 4°.apho.44°. Ex.32.F
quibus Febres longæ, ijs vel tubercula, vel ad articulos dolores decumbunt.com.7°.apho.61°. Ex.59.G
in Febribus quando expectandus abſceſſus ad articulos. in prognoſtic. commentario.3°. 4ª.209.F
Febribus prolixis affligentibus catharticis vtimur.de dyn. Sp.20.E
ad Febres chronicas quæ fiunt ex humore craſſo medicamen.de medic. expertis. Sp.105.F
ad Febres chronicas valens decoctio ſquinãthi.de me.exper. Sp.107.B
in Febribus chronicis typum remouet electuariũ Ariſtolochiæ.de medic.expertis. Sp.105.E
Febribus antiquis valens electuarium.de med.exper. Sp.105.F
ad Febrem chronicam electuariũ.de med.exp.107.D/G/ Sp.108.B/D
ad Febres antiquas.7°.de compoſi.medica.ſec.loc.5ª.186.B/ de medic. expertis.104.A/ Sp.107.G
FEBRIS debet intelligi ſaltem quarto die cuius ſit generis. ad eos, qui de typ.ſcripſ. 3ª.92.B
Febris quælibet cognoſcitur quarto die.1°.de ar.cu.ad Glau. 7ª.95.G
Febris genus qui ignorat quarto die, ignauus eſt medicus. ad eos, qui de typ.ſcripſ. 3ª.92.B
Febris quartana quid.intro. Iſa.55.G
Febris quartana, quæ.fin med. Iſa.46.D
Febris quartana intermittens.introd. Iſa.55.D
Febres quartanæ.in 1m.de morb.vulg.com.2°. 3ª.110.A
Febris quartana exquiſita quę, & quæ ſpuria. 1°. de arte curatiua ad Glauconem. 7ª.96.H
Febris quartana exquiſita longa.1°.de arte cur.ad Glauco. 7ª.96.H
Febris quartana longiſſima.com.1°.apho.12°. Ex.5.C
Febris quartana longior, ſed nõ periculoſa.1°.de ar.cu.ad Gla. 7ª.96.E
Febris quartana, tertiana, quotidiana à quibus humoribus fiãt.com.1°. aphor.2°. Ex.3.D
Febres quartanæ ab humore melancholico fiunt de bo.& vit.ſuc.2ª.39.D/de nat.hum.com.2°.7ª.180.H/1°.apho.2°. Ex.3.D
Febris quartana melancholicus affectus.3°.de ali.fac. 2ª.25.G
Febris gelida.in 6m.de mor.vul.com.1°. 3ª.160.A
Febres quartanæ ex terrę abundantia.de nat.hu.com.2°. 7ª.181.B
Febre quartana quo tempore, & qua ætate capiamur.de nat.hum. commenta.2°. 7ª.181.A
Febres quartanæ & erraticæ cur fiant autũno.c.3°.aph.22°. Ex.24.E
Febris quartana contingit ſenioribus.in prorrh.com.3°. 4ª.210.C
Febris quartanę cauſa.introd. Iſa.55.G
Febris quartanæ indicia.1°.de arte cur.ad Glau. 7ª.95.H
Febris quartanæ rigor, qualis.1°.de ar.cu.ad Glau. 7ª.95.H
in Febribus fit aliquando horror.in 1m.de mor.vul.com.1°. 3ª.106.B
Febris principium cum horrore, obſtruit.10°.meth.med. 7ª.61.G
Febris cum horrore à quo humore.in 1m.de morb.vul.com.3°. 3ª.119.H
Febris horrida, quæ fin.med. Iſa.46.D
Febres horrificæ, quales.in 1m.de mor.vulg.com.1°. 3ª.106.B
Febres quæ bis & ter hñt horrorẽ.in 1m.de mor.vul.com.3°. 3ª.119.A
Febre cum horrore correptus eſt quidam ſæpe dolens in renum parte. 6°.de locis affectis. 4ª.39.A
in Febrem cum horrore incidit quidam dolens circa veſicam. 6°.de locis affectis. 4ª.39.A
Febrem facere, & augere poteſt horror.11°.meth.med. 7ª.73.H
Febris quartanæ vrinæ, quales.de vrinis.4ª.223.B/de dyna. Sp.34.F
Febris quartanæ pulſus.de dynam. Sp.34.F
à Febre quartana capti, nõ admodũ capiunt cõuulſionibus, ſi vero prius capiant & quartana ſuperuenerit, liberantur.c.5°.ap.70°. Ex.45.E
Febris quartanæ curatio.introd. Iſa.55.G/ 1°. de arte curatiua ad Glauconem. 7ª.97.F
in Febre quartana male dat anſeres & anates.de dyna. Sp.33.A
Febris quartanæ auxilium.introd. Iſa.56.G
Febres quartanæ quomodo iudicentur.3°.de criſ. 4ª.139.F
in Febribus tum quartanis, tum tertianis obſeruauit Galenus iudicationes ad numerum circuituum non dierũ.com.4°.apho.59°. Ex.33.H
in Febrem quartanam abſceſſus.in 1m.de mor.vul.com.2°. 3ª.110.A
Febribus quartanis infeſtantibus catharticis vtimur.de dyn. Sp.20.E
in Febre quartana nullum forte medicamentum in principio adhibendum.1°.de arte cur.ad Glauco. 7ª.97.F
ad Febrem quartanã pulchre cõuenit theriaca.de ther.ad Piſ.5ª.96.D
Febribus quartanis qũo theriaca adhibenda.de ther.ad Piſon. 5ª.96.E
ad Febrem quartanam trochiſci.ſecretorum. Sp.101.A
ad Febrem quartanam maxime facit hydropoton.de dyna. Sp.32.D
ad Febrem quartanam cum typo remedium.de dyna. Sp.33.A
ad Febrem quartanam.ſecretorum. Sp.98.F
ad Febrem quartanam duplicem remedium.de dyna. Sp.33.A
in Febre horrida caſus.2°.de criſ. 4ª.136.G
FEBRIS quintana intermittens.introd. Iſa.55.D
Febrem quintanam non vidit Galenus.1°.de diff.feb. 3ª.33.A
FEBRIS ſeptimana intermittens.introd. Iſa.55.D
FEBRIS quæ de nono in nonũ diẽ apprehẽdit ĩtermittẽs.intro. Iſa.55.D
FEBRIS ordo quando vere euariat.2°.de diff.feb. 3ª.42.G
Febrem variat victus ratio.2°.de diff.feb. 3ª.42.F
Febres errabundæ, quæ.fin.med.Iſag.46.E/in 1m.de morb. vulgaribus. comment.3°. 3ª.120.F
Febres inordinatæ quomodo fiant.in prog.com.3°. 4ª.219.B
Febres errantes à quibus humoribus.in 1m.de mor.vulg.cõ.3°. 3ª.123.C
Febres erraticæ qũo fiant, & cauſę.2°.de diff.feb. 3ª.42.F/G
Febrium inordinatarum typi, quales.de typ. 3ª.91.B
Febres typorum expertes, quales.de typ. 3ª.91.B
Febrium errantium vrinæ, quales.in 1m.de morb.vul.com.3°. 3ª.123.C
Febres inconſtantes ſinendæ donec conſtent.de vict.rat. in morb.acutis. comment.4°. 7ª.141.B
FERRIVM duarum tempora quando conueniunt, fit febris confuſa.2°. de diff.feb. 3ª.37.H
Febris confuſa fit, quando duarum febrium tempora conueniunt.2°.de different.feb. 3ª.37.H
Febris cõpoſita dupliciter, & quo modo diuidatur.2°.de criſ. 4ª.135.H
Febrium complicatio quo modo.2°.de criſ. 4ª.136.A
Febrium intermittentium cum continuis miſtio difficilior cognitu. 2°. de criſ. 4ª.136.G/H
Febres complicatas, & quę ſingularum ſit natura, ignorantibus quid cõtingat.2°.de diff.feb. 3ª.38.B
ex Febribus complicatis quæ citius, vel tardius finẽ habitura ſit, ex quibus ſit coniectandnm.2°.de diff.feb. 3ª.38.A
in Febrium complicatione adoleſcentis caſus.2°.de criſ. 4ª.137.B
in Febrium complicatione mulierculæ caſus.2°.de criſ. 4ª.136.G
FEBRIS ſtabilis.3°.de præſag.ex pulſ. 4ª.116.C
FEBRES μεθημερινοὶ, καθημερινοὶ, & ἀμφιμερινοὶ, quæ. in 1m. de morb.vulg.com.3°. 3ª.118.D
Febris quotidiana, quæ.fin.med. Iſa.46.D
Febris quotidianę circuitus exemplo deſcribitur.1°.de diff.feb. 3ª.33.A
Febres in animi deliquio ex cruditatibus fiunt quotidie verſus veſperũ. 12°.methodi medendi. 7ª.77.G
Febris amphemerina natura longa.1°.de criſ.4ª.132. C/ commentar.1°. aphoriſmo.12°. Ex.5.D
Febris quotidiana exquiſita longa.1°.de arte cur.ad Glauco. 7ª.96.H
Febris quotidiana intermittens longior eſt, & non ſine periculo. 1°. de arte curatiua ad Glauco. 7ª.96.E
Febris quotidiana exquiſita quæ, & quæ ſpuria.1°. de arte curatiua ad Glauconem. 7ª.96.H
Febres quotidianę ex aeris abundantia.de nat.huma.com.2°. 7ª.181.B
Febris quotidiana qũo fiat, & à quo humore.de nat.hu.c.2°. 7ª.180.H
Febrem quotidianam faciens humor, qualis.2°.de diff.feb. 3ª.37.A
Febris exquiſita ex pituita quomodo.2°.de diff.feb. 3ª.37.A
Febres quotidianæ ex phlegmate.de decre.Hippo. 1ª.277.B
Febris ex pituita ſalſa, qualis.2°.de diff.feb. 3ª.37.F
Febres quales faciat pituita acida, & vitrea.2°.de diff.feb. 3ª.37.F
Febrem quomodo faciat pituita dulcis.2°.de diff.feb. 3ª.37.G
Febrem non facit pituita niſi putreſcat.2°.de diff.feb. 3ª.37.D
Febris pituitoſæ calor, qualis.2°.de diff.feb. 3ª.37.B
in Febribus pituitoſis fumoſa eſt caliditatis ſubſtantia.de victus rat.in morb.acut.com.4°. 7ª.136.B
Febris pituitoſæ cur calor inæqualis.2°.de diff.feb. 3ª.40.D
in Febre pituitoſa qualis intermiſſio percipitur.2°.de diff.feb. 3ª.37.B
Febris ex miſtione pituitæ, & bilis, qualis.2°.de diff.feb. 3ª.37.G
Febris ex complicatione pituitæ & bilis quatuor differentiæ. 2°.de differentijs febrium. 3ª.37.H
Febres quotidianæ in quibus fiant.2°.de diff.feb.3ª.36. D/1°.de arte curatiua ad Glauconem. 7ª.96.C
Febres magis fiunt pituitoſis.com.3°.apho.11°. Ex.21.D

Febris

Febris quotidianæ intermittentis indicia.1°.de arte cu.ad Gla. 7ª. 96. D
Febris quotidianæ pulſus, & vrina.de dynam. Sp.34.F
Febres quotidianæ pulſum vndoſum hñt.2°.de p̃ſag.ex pul. 4ª.112.G
Febrium quotidianarum vrinæ.1°.de arte cur. ad Glau. 7ª.96.D
Febris quotidianæ rigor, qualis.1°.de arte cur.ad Glau. 7ª.95.H
ad Febrium tremores & frigora tollenda valet theriaca.de vſu theria. ad Pamph. 5ª.98.F
in Febribus tremorem auferens medicamen.de med.exper. Sp.106.B
Febres quotidianæ quo modo iudicentur.3°.de criſ. 4ª.139.F
Febres ex pituita per abſceſſus magis, q̃ per excretiones ſoluuntur.de victus rat.in mor.acut.com. 4°. 7ª.136.C
Febres pituitoſę quo modo ſanentur.3°.de criſ. 4ª.139.E
Febribus quotidianis infeſtantibus vtimur catharticis.de dyn. Sp.20.E
in Febris quotidianæ declinatione decoctio.de med.exper. Sp.105.D
ad Febrem quotidianam facit hydropoton.de dynam. Sp.32.D
ad Febrem quotidianam trochiſci.ſecretorum. Sp.100.H
contra Febres phlegmaticas, & melancholicas valens medicamentũ. de med.exper. Sp.105.A
ad Febrem quotidianam. de remed.par.fac. 7ª. 161. D/*de dyn.* 32. D/ *ſecretorum.* Sp.99.F
ad Febres phlegmaticas valens medicamen.de med.exper. Sp.106.C
FEBRIS *hectica quæ vocetur.de inæqu.intemp.* 3ª.44.B
Febres hecticæ vnde dicuntur.1°.de diff.fe. 3ª.33.E
Febris tabida in affectibus præter naturam.de marc. 3ª.46.H
Febris ſchetica, quæ.8°.meth.med. 7ª.49.G
Febris hectica, quæ.8°.meth.med. 7ª.49.G
Febris tabida, qualis.1°.de diff. fe. 3ª.34.F
Febris hectica iam facta eſt.8°.meth.med. 7ª.49.G
Febris hectica nulla magna.3°.de præſag.ex pulſ. 4ª.116.F
Febre hectica qui afficiantur.3°.de ſym. cau. 3ª.25.D
Febre carens tabes in decrepitis.1°.de diff.fe. 3ª.34.E
Febrium hecticarum ortus.1°.de diff.fe. 3ª.34.D
Febres hecticas facit inedia.10°.meth.med. 7ª.63.E
Febrium hecticarum ſigna propria.3°.de præſag.ex pulſ. 4ª.115.E
Febris hectica quo pulſu deprehendatur.3°.de pręſag.ex pul. 4ª.113.A
Febris hecticæ pulſus. 2°.de præſag. ex pulſ. 113. A/3°. 115.E/4ª.117.H
Febres hecticas magna ex parte comitatur pulſus durus.1°. de differentijs febrium. 3ª.34.C
Febrem hecticam incipientem nouit Galenus cum putrida.10°.methodi medendi. 7ª.63.F
Febres omnes ſentiuntur præter hæcticam.de inæq.intemp. 3ª.44.D
Febres hecticę cur ſine dolore.2°.de ſym.cau. 3ª.22.A
Febribus hecticis vis vitalis proſternit.4°.de præſag.ex pul. 4ª.121.G
Febris ſqualida quomodo curetur.de marc. 3ª.47.F
Febribus hecticis æſtuantes adiuuat portulaca impoſita hypochondrijs. 6°.de ſimp.med.fac. 5ª.43.A
Febris hectica quando balneis ſanatur.de marc. 3ª.47.E
quibus Febribus tabidis cõueniãt balnea, quibus nõ. de marc. 3ª.48.A
Febris maraſmodes quo ordine conſumat.10°.meth.med. 7ª.67.D
cum Febre parua extenuatio totius corporis ob pulmonis vlcera inſanabilia; eſt phthiſis.com.7°.aph.16°. Ex.55.A
FEBRES *maraſmodes omnes ſunt colliquatiuæ, & quo modo differunt à colliquatiuis.10°.meth.med.* 7ª.67.E
Febribus conſumpti quibus comparandi.de marc. 3ª.46.A
Febre correpti iuuenis, qui ob multa ſicciſſimus erat, caſus.10°. methodi medendi. 7ª.62.C
Febris colliquatiua.de vict.rat.in mor. acut.com.4°. 7ª.139.H
Febris liquefactiua, & quæ ad tabem perducit, qualis.de victus rat. in mor.acut.com.3°. 7ª.128.B
Febris colliquantis ſignum.com.7°.aph.35°. Ex.56.F
in Febre colliquatiua videntur colliquationes deſcendere per aluũ. 10°. methodi medendi. 7ª.67.F
in Febribus liquefactiuis & ad tabem perducentibus biliosa quæ ſubducantur.de vict.rat.in mor.acut.com.3°. 7ª.128.A
Febres colliquantes quomodo curentur.10°.meth.med. 7ª.67.F
Febri liquefactiuæ confert aqua frigida.de victus ratione in mor.acutis, com.3°. 7ª.128.A
Febribus colliquatiuis inimiciſſima mulſa.10°.meth.med.67.F/de vict. rat.in mor.acut.com.3°. 7ª.128.A
Febre parua exiſtente, tempeſtate frigida, ægro ex plenitudine laborante, cõtingit nõ collabi corpus neq; extenuari.c.2°.aph.28°. Ex.16.C
FEBRIS *recidiua quando expectanda. in prog. commen.3°.* 4ª. 209.E
Febres reuerſurę quales.in 6^{m}*.de mor.vul.com.2°.* 3ª.164.A
ĩ Febris recidiuã qui ſæpe incidit Boethi filij caſus.de pręcog. 4ª.216.H
ſi neq; Febris, neq; horror mulieri ſuperueniat, ceſſantibus purgationibus, & faſtidia incidant, iudica ipſam in vtero habere.commen.5°. aphoriſmo 61°. Ex.43.D
Febres cur frequenter in grauidis reuertantur.cõ.5°.aph.55°. Ex.42.G
à Febribus quæcunque vtero gerentes corripiuntur, & fortiter calefiunt ſine occaſione manifeſta, difficulter pariunt, & cum periculo, aut abortum facientes periclitantur.com.5°.aph.55°. Ex.42.G
Febris in prægnante fœtum interficit.com.5°.aph.30°. Ex.40.D
Febres vehementes, fluxus alui, fluxus ſanguinis faciunt aborſum.com. 5°.aph.45°. Ex.41.G
Febrem auget ſurgere frequenter in profluuijs.8°.meth.med. 7ª.53.B
in Febribus, & color conſiderandus, & habitus.1°.de arte curatiua ad Glauconem. 7ª.96.G
in Febris principio ſudor.in 1^{m}*.de mor.vulg.com.3°.* 3ª.121.B
Febri aduentante, ſudor, nec deficiente febri, malum.longum nanq; morbum & humiditatis ſignificat copiam.pręſag.exper.conf. Sp.77.G
Febres qua tempeſtate habeant multos ſudores.c.3°. aph.6°. Ex.20.E
Febrẽ debere ſolui per ſudorẽ q̃uo cognoſcat.præſag.exp. cõf. Sp.77.E
Febres cum ſudore, & ſine ſudore q̃n fiant. in prog. com.3°. 4ª.212.B
in Febribus proprij ſunt ſudores.3°.de criſ. 4ª.139.E/F
Febris ſudor vt exeat epithema.de dyn. Sp.32.E
Febris initio, ex viſceris phlegmone ſomnus intẽpeſtiuus. in 6^{m}*. de mor. vulga.com.4°.* 3ª.184.B
ſine Febre ſi ſanguis vomatur: ſalutare, ſi cum febre malum. curare vero acerbis & refrigerantibus.com.7°.aph.37°. Ex.56.H
qui Febre vacant ſanguinem vomentes, non habent inflãmationem in loco, ex quo emittitur ſanguis.com.7°.aph.37°. Ex.57.A
in Febribus crura tuberculis affecta quando ſanguis è naribus profluet. de vic.rat.in mor.ac.com.4°. 7ª.142.C
in Febribus manuũ motiones quid ſignificent.in progn.cõ.1°. 4ª.194.E
quibus in Febribus circa dentes lentores fiunt, ijs febres fiunt fortiores, & cur.com.4°.aph.53°. Ex.33.D
cum Febre cibi faſtidia in longis difficultatibus inteſtinorum, peſſimum. com.6°.aph.3°. Ex.46.F
in Febribus ſpiritus offendens malum conuulſionem enim ſignificat, cõ. 4°.aph.68°. Ex.34.G
in Febribus ex ſomnis timores, vel conuulſiones, malum.comment. 4°. aphoriſmo 67°. Ex.34.F
quicunq; in Febribus vel in alijs morbis ex volũtate illachymãt, nihil abſurdũ, qui vero nõ ex voluntate, abſurdius.c.4°. aph.52°. Ex.33.D
in Febre aphoniæ q̃ deſinũt in ecſtaſin, pniciosũ.ĩ 1^{m}*.pr.c. 2°.* 4ª.172.C
in Febribus quibus aures obſurduerunt, ſanguis ex naribus fluens, aut aluus turbata ſoluit morbum.c.4°.aph.60°. Ex.34.A
Febrium indicationes quibus ſint diebus.in prog.c.3°. 4ª.206.D
Febres iudicant diebus paribus, quas enumerat.c.4°.aph.61°. Ex.34.B
in Febribus ſi quinta die quid terrificũ fuerit, quid ſignificet. de victus rat.in mor.acut.com.4°. 7ª.141.H
quibus in Febribus morbus regius ante diem ſeptimum accidit, malum. com.4°.aph.62°. Ex.34.B
ſiquis Febrẽ non habens abſtineat à cibo, & cordis morſum ſeu vertiginem patitur, & oris amaritudinem ſentit, purgatione indigere per ſuperiora ſignificat.com.4°.aph.17°. Ex.29.A
ĩ Febribus à p̃ricipio vertigines, capitis pulſus, et vrina tenuis cũ adſunt expecta febrẽ vſq; ad iudicationẽ.de vic.ra.ĩ mo.ac.c.4°. 7ª. 139.H
Febres vſq; ad iudicationẽ expecta, cũ à p̃ricipio vertigines, capitis pulſus, & vrina tenuis adſunt.de vic.rat.in mor.acu.cõ.4°. 7ª.139. H
Febrium vertigines quibus à principio ſunt, & pulſatus capitis, & vrina tenuis, eis expectanda eſt ad criſes febris acumine augeri.de vrinæ ſignificatione ex Hipp. Sp.78.H
in Febribus ſuppurationes q̃uo.in 1^{m}*.de mor.vul.c. 1°.* 3ª.104.H
Febris, & dolor, & ſuppuratio cum abſunt in tumore, pars putreſcit, vt cogamur q̃nque ſolidã p̃cipere. in 1^{m}*.de mor.vul.c.1°.* 3ª.132.D
in Febribus dolor.de inæqu.intemp. 3ª.44.B
in Febribus dolores ſine voce, qui ſudore non ſoluuntur, mali. in 1^{m}*. prorrh.com.2°.* 4ª.176.G
ex Febre quibuſcunque tubercula diutina, aut in articulos dolores decumbunt, ij cibo pleniore vtuntur.com.7°.aph.61°. Ex.59.G
in Febribus magna ex partte ex vrinis ab initio tenuibus fit ad craſſiora conuerſio, tẽdente iã morbo ad ſolutionẽ.cõ. 4°. aph.69°. Ex.34.H
à Febre hẽri, vl̃ moleſtari q̃uo apud antiquos dr̃.c.7°.aph.42°. Ex.57.D

ſi à Febre

ſi à Febre habito collum peruertitur, & vix poteſt deuorare, ſine vllo tumore, letale eſt. commenta. 4°. aphoriſ. 34°. 31. B/E/commenta. 7°. aphoriſmo 60°. Ex. 59. D/E
Febres & mortem affert multa ac ſubita euacuatio, ſm Eraſiſtratum. com. 6°. apho. 27°. Ex. 48. H
Febrem aut mortem inducit corpus obſtructum habens fumea excremẽta. de cau. mor. 3ª. 7. G
FEBRILIS calor quæ aptus eſt natura ſanare. commenta. 6°. aphoriſmo. 40°. Ex. 51. A
Febrilis calor ad temperaturę ęqualitatem perducit. commentario. 6°. aphoriſmo. 40°. Ex. 51. A
Febrili calore quædam euadunt bona bonis mixta alimentis. contra ea quæ à Iul. in Hippo. apho. dicta ſunt. Ex. 70. F
Febrilis calor incidit, extenuat, diſſoluit, commen. 6°. aphor. 40°. 51. A/ aphoriſmo 51°. Ex. 52. H
Febris calefacit, extenuat, & diſſoluit ſpiritum flatuoſum, & pituitoſos humores. com. 6°. apho. 6°. Ex. 52. H
Febrilis calor concoquit humorem. com. 5°. apho. 70°. Ex. 75. E
Febrilis calor multũ ſanguinis digerit. de cur. rat. per ſan. miſ. 6ª. 19. F
à Febrili calore natiuam humiditatem exuſtam eſſe quibus deiectionibus ſignificetur. com. 7°. aph. 46°. Ex. 54. D
Febris pro obeſitate ſananda eſt apta. 14°. meth. me. 7ª. 91. F
Febris morbis, qui à frigiditate fiunt, confert. cõ. 6°. apho. 44°. Ex. 51. D
Febris poſt grauedines & raucitates, illas concoquit. in 6m. de morbis vulg. com. 3°. 3ª. 171. E
Febris ſoluit conuulſionem. de opt. ſecta. Iſa. 22. D
Febri ſuperueniente liberatur, qui à conuulſione, aut diſtentione neruorum tenetur. com. 4°. aph. 57°. Ex. 33. F
Febres ſuperuenientes conuulſioni ex repletione diſſoluunt humiditatem ſuperfluam, calfaciuntq́; frigiditatem. com. 4°. aph. 57°. Ex. 33. G
Febris ſuperueniens conuulſioni, ipſam ſanat. com. 5°. aph. 5°. Ex. 37. G
Febrẽ ſuperuenientẽ apoplexiæ cõferre, collige. c. 6°. aph. 51°. Ex. 52. H
Febris ſuperueniens ijs ſoluit dolorem, quicunq; hepar circũdolent. comment. 7°. aph. 52°. Ex. 58. E
Febris vel remiſſa vel ſoluta bonum ſignũ eſt earũ quæ ſunt in ileo paſſionum: ſuperueniens autem febris, vel aucta neq; ſignum bonum eſt, neque cauſa bona. com. 6°. aph. 44°. Ex. 51. D
niſi Febre ſuperueniente ſatis vrina fluxerit, in ſeptem diebus pereunt, quibus ex ſtillicidio vrinæ ileos ſuperuenerit. c. 6°. aph. 44°. Ex. 51. C
niſi Febris apprehenderit, in ſeptem diebus pereunt, quicunq; ſani dolore capitis repente capiuntur, & ſtatim muti fiunt; & ſtertunt. commentario 6°. aph. 51°. Ex. 52. G
Febrilis calor ſcãmonij operationẽ plerunq; impedit. de dyn. Sp. 20. H
in FEBRIBVS quę conſideranda. 1°. de arte cu. ad Gl. 7ª. 96. H
in Febre quę agenda ſunt. in 6m. de mor. vul. com. 3°. 3ª. 178. A
à Febre indicatio quo modo fit maior cæteris. 8°. meth. me. 7ª. 55. B
à Febre indicationes duæ. 11°. meth. med. 7ª. 70. D
Febrium prima indicatio. 8°. meth. med. 7ª. 49. H
in Febre indicatio ſecunda. 8°. meth. me. 7ª. 49. H
à Febre indicatio habet duplicem magnitudinem. 8°. meth. me. 7ª. 55. D
de Febre & cauſa quid primo ſanandum. 10°. meth. med. 7ª. 61. D
Febrẽ & cauſam extinguens remediũ, optimũ eſt. 10°. met. me. 7ª. 61. D
Febri quando primo intendendũ, ſecundo cauſæ. 10°. meth. med. 7ª. 61. E
Febris quæ eſt in fieri, quo modo curetur. 8°. meth. med. 7ª. 49. H
Febris quæ partim facta, partim futura eſt, quo modo curanda. 8°. methodi medendi. 7ª. 49. H
Febris põt eſſe præſens cauſa abſente, & q̃uo curet̃. 8°. met. m. 7ª. 49. H
in Febre quæ fit, cauſa remota, febris remouetur. 8°. meth. me. 7ª. 51. D
pro Febre auferenda extrinſeca, & intrinſeca. 10°. meth. me. 7ª. 64. H
Febris vt febris quæ remedia poſtulet. 9°. meth. me. 59. H/11°. 7ª. 70. E
Febri quid eſt contrarium. 11°. meth. med. 7ª. 71. E
Febri non eſt contraria euacuatio. de opt. ſecta. Iſa. 25. G
in Febre aer non debet calidior eſſe quã conueniat. in 6m. de morbis vulgaribus, com. 3°. 3ª. 178. E
Febris quæ refrigerant humectantq́;, deſiderat. 8°. metho. med. 7ª. 55. B/ com. 1°. aph. 16°. 9. A/aph. 24°. Ex. 10. F
Febris ex ſiccitate ſine putredine, ſanatur frigidis & humidis. 10°. methodi medendi. 7ª. 64. D
Febris exigit victus rationem frigidam & humidã. 8°. met. me. 7ª. 54. G
in Febribus ſitis extinguenda. in 6m. de mor. vul. com. 3°. 3ª. 178. A
Febris naturæ aduerſiſſima eſt aqua. de victus ratione in morbis acutis. commentario 1°. 7ª. 114. G
Febres ilico extinguit aqua tempeſtiue data. de vict. rat. in morbis acutis, commentario 1°. 7ª. 114. G
in Febre quando danda aqua frigida, & quanta quãtitate. de vict. rat. in mor. acu. com. 1°. 7ª. 114. G
Febris copulata hydropi quo mõ debeat ſanari. cõ. 1°. aph. 16°. Ex. 9. A
in Febre non danda aqua chalybeata. de remed. par. fac. 7ª. 159. F
in Febribus quo modo noxia aqua mulſa. 11°. meth. me. 7ª. 70. F
Febri cum ſyncope conuenit mulſa cum hyſſopo. 12°. meth. med. 7ª. 75. G
in Febribus ptiſſana melior mulſa. de vict. rat. ĩ mor. acu. cõ. 1°. 7ª. 111. F
in Febribus ptiſſanæ cremor, cum frigidus & humidus ſit, conuenientiſſimus eſt. 8°. meth. med. 7ª. 51. A
in Febribus quid faciant nutrire, & non nutrire. 11°. met. med. 7ª. 71. G
nõ pp Febrem, ſed propter virtutẽ cibi dantur. 11°. meth. med. 7ª. 71. G
in Febre tempora cibandi. de vict. rat. in mor. acu. com. 4°. 7ª. 149. D
in Febribus quando cibus dandus. 11°. meth. med. 7ª. 74. C
in Febre non cibandi ægri, ſed in inclinatione. 10°. meth. med. 7ª. 63. C
Febris diatritos augetur. de arte cur. ad Glau. 7ª. 94. G
Febre ex caliditate & ſiccitate correpti calidi & ſicci poſſunt in principio acceſſionis cibari. 10°. meth. med. 7ª. 62. G
in Febrium principio qui debent cibari. 10°. meth. med. 7ª. 63. H
Febricitare & ſi quidã incipiãt, cibus qbus dãdus. 10°. met. me. 7ª. 63. G
Febris ſi debet finire nono die, cibum dat. 11°. meth. me. 7ª. 74. C
Febris quo tpe ſorbitiones dãdæ. de vic. rat. in morb. acu. cõ. 4°. 7ª. 139. E
in Febre frigẽtibus pedibus nihil dandum. de vict. ratio. in mor. acutis, commentario 4°. 7ª. 139. F
in Febre omni cõcoctioni ciborum proſpiciendũ. 11°. meth. me. 7ª. 72. F
in Febribus deterior eſt cibi coctio. 2°. de nat. fac. 1ª. 300. D
Febres intendit concoctio praua. 11°. meth. med. 7ª. 72. F
Febrilis caloris vis ĩmodica lædit actionẽ vẽtriculi. 2°. de na. f. 1ª. 300. D
ad Febres potior eſt vis concoctrix, quàm facultas voluntaria & vitalis. 10°. meth. med. 7ª. 70. A
in Febre ex obſtructione cibi. 8°. meth. med. 7ª. 50. B
Febrem ſoluunt aquæ potus & mala granata. de ſubfi. emp. Iſa. 31. E
Febris magnitudo, qualis eſt in continentibus, prohibet vinum, lauacrũ, & vnctiones rarefacientes. 10. meth. med. 7ª. 69. H
in Febre incẽdente vinum prohibet. 1°. de arte cur. ad Glauc. 7ª. 99. A
in Febre non datur vinum. de reme. par. fac. 7ª. 167. G
Febris vbi adeſt nõ dat medicamẽtũ ex vino. 8°. de cõ. m. ſe. loc. 5ª. 195. G
Febrilem calorem quem faciat vinũ dulce. de vict. rat. in morbis acutis, commentario 3°. 7ª. 126. F
niſi Febricitent qui refici debent, vinum illis dandũ. 7°. met. me. 7ª. 45. E
in Febre mediocri vinum dat. 10°. meth. me. 7ª. 70. B
Febris mediocris quibus ſanetur. 10°. meth. med. 7ª. 70. B
in Febribus ex vino non dat medicamenta, tamen dat in moderatis. bene nota. 9°. de comp. me. ſect. loc. 5ª. 197. G
Febribus idonea vina, quæ. de vict. rat. in mor. ac. com. 3°. 7ª. 127. A
cõtra Febrem eſt vinũ fuluũ. de vic. rat. in morb. acu. com. 3°. 7ª. 126. F
in Febre ſuillas carnes aſſatas exhibebat Petronas. de op. ſect. Iſ. 23. A
Febris ex conſtipatione quo modo curetur. 8°. meth. med. 7ª. 50. A
in Febre ex obſtructione piſces dat & ius albũ. 8°. meth. med. 7ª. 50. B
in Febre ex obſtructione diuerſos cibos dat per aliquod interuallum. 8°. methodi medendi. 7ª. 50. B
in Febre ex laſſitudine phlegmonoſa quæ danda pro cibo. 4°. de ſanitate tuenda. 2ª. 87. G
in Febre ex laſſitudine phlegmonoſa ſi ægrotus petat carnẽ, dato piſces ſaxatiles, & oniſcos in albo iure. 4°. de ſa. tuen. 2ª. 87. G
in Febribus ſecurum acetum mulſum. 9°. de cõp. me. ſe. loc. 5ª. 197. G
in Febre ex ſtipatione infundit roſaceum ſuper caput in declinatione. 8°. methodi medendi. 7ª. 51. E/F
ad Febres oleum frigidiſſimum. de dyn. Sp. 32. H
Febri conuenit ceratum humidum ſi hypochondrijs ſuperponatur. 1°. de ſimp. med. fa. 5ª. 3. C
Febris peculiare remedium. de vic. ra. in mor. acu. com. 1°. 7ª. 111. C
ex Febre dolor capitis q̃uo curandus. 1°. de arte cur. ad Gla. 7ª. 100. B
per Febres quibus aluus perpetuo liquida eſt, quid agendum. de vict. ra. in mor. acu. com. 4°. 7ª. 139. G
in Febre & lateris dolore excrementa ſunt permittenda deſcendere, et quieſcendum. de vict. rat. in mor. acu. com. 4°. 7ª. 139. D
in Febribus aluus liquida cum mentem turbat, quid agendum. de victus ratio. in mor. acu. com. 4°. 7ª. 139. H
FEBRE qui æſtate corripitur, vnde ſecanda vena in vere. de curan. rat. per ſan. miſ. 6ª. 20. G

in Febre ex obſtructione cur vena ſecanda,etiam ſi nõ adſint ſigna ple nitudinis.8°.meth.me. 7ª.52.F
in Febre oĩ nõ cõuenit venæ ſectio in principio.de ve.ſe.ad.Er 6ª.12.H
in Febre venæ ſectio in declinatione eſt facienda.de cur. ratio. per ſanguinis miſſ. 6ª.21.B
Febres omnes venæ ſectione indigere in principio quidam Galeni tempore putabant.de venæ ſect.aduerſ.Eraſ. 6ª.12.H
in Febribus delirium & acceſſio prohibent venæ ſectionem. præſag.ex per.confir. Sp.78.D
Febres quibus mitigentur.de dyna. Sp.18.H
Febres quas ſanet chamæmelum.3°.de ſimp.me.fac. 5ª.18.H
ſine Febre thoracis longi affectus quo modo fœno græco curentur. 1°. de alimen.fac. 2ª.14.F
Febres quæ citra viſceris alicuius inflammationem infeſtant, diſcutit et emollit chamæmelon.3°.de ſimp.me.fac. 5ª.18.H
in Febre non datur centaurium minus.de remed.par.fa. 7ª.167.A
p Febre accipiẽda quæ euacuẽt & nõ calefaciũt.10°.met.me.7ª.69.G
Febris non exigit medicamentum purgans,cur tamen in febre exhibeatur,cum ſint calida.quos purg.op.quib.med.& quo temp. 5ª.88.G
Febri confert pharmacũ,& ſi calidum, ratione euacuationis humoris noxij,& infeſtantis,com.1°.apho.24°. Ex.10.G
Febrem quo modo tollat theriaca,de vſu theria.ad Piſo. 5ª.98.G
Febres cum inflammatione,& vlcere non poſſunt curari. commen. 7°. aphor.37°. Ex.57.A
ad Febres ſine intermiſſione valẽs antidotus Arpuli.2°.d ant.5ª.116.F
ad Febres per circuitum repetentes.7°.de compoſi.me.ſec.loc.182.G/186.B/9°. 5ª.202.F
ad Febrium circuitus valens antidotus Arpuli.2°.de anti. 5ª.116.F
ad Febres ex cauſis pectoris natas valet diapraſiũ.de dy. Sp.26.F
cũ Febre coli dolor quo modo curandus.12°.meth.me. 7ª.79.F
Febres ſedans confectio.7°.de comp.me.ſec.loc. 5ª.182.E
ad Febrem ſedandam.7°.de comp.me.ſec.loc. 5ª.182.F
ad Febres omnes cataplaſma.de dyna. Sp.33.F
ad Febres compoſitas medicamen.de med.exper. Sp.104.F
ad Febres cõpoſitas,& chronicas exptũ medicamẽ.d me.ex.Sp.104.F
ad Febrem potio probata. de dyna. Sp.32.D
ad Febrium finiendam.de med.fac.par.172.A/ 7ª.178.G
ad Febrem tollendam remedium.de dyna. Sp.32.D
ad Febres medicina.de med.exper. Sp.104.B
ad Febrem,Pamphili pharmacopolæ confectio bona.7°.de comp.med. ſecundum loc. 5ª.183.A
FEBRIRE quibus impoſſibile.1°.de diff.feb. 3ª.31.H
FEBRIENTES qui dicantur.in 1ᵐ.de mor.vul.com.3°. 3ª.118.H
Febricitantes non dicebantur apud antiquos qui ob inflammationem alicuius partis in febrem inciderant.com.4°.aph.73°. Ex.75.H
Febrientes qui ſint.in 1ᵐ.pror.com.2°. 4ª.178.F
Febricitantes ex frigiditate,quales.1°.de diff.feb. 3ª.36.A
qñ Febricitent,regio morbo & atra bile affecti. 2°.de diff.feb.3ª.37.D
vbi Febricitauit manifeſte eſt principium morbi,non vbi capite doluit æger.1°.de dieb.decre. 4ª.147.F
Febricitantium ſignum ſecundum varia tempora.intro. Iſa.55.D
Febricitantium ſigna quædam.1°.de arte cur.ad Glau. 7ª.94.H
Febricitantium expiratio qualis.1°.de diff.reſp. 3ª.59.F
Febrientis Commodi Caſus.de præcognitione. 4ª.219.B
Febrientis decima hora diei caſus.1°.de dieb.decre. 4ª.147.H
Febricitantiũ duorum in diuerſis regionibus caſus.8°.met.me. 7ª.55.A
in Febricitantibus præſagium.de med.fac.par. 7ª.172.D
Febricitantibus ob inflammationis magnitudinem vel hepatis, vel ventriculi,animi defectus accidit.1°.de arte cur.ad Glau. 7ª.98.F
Febricitans corpus calidum & ſiccum non poteſt eſſe viribus valentibus,& ſi phlegmonem habet,morietur.10°.meth.me. 7ª.63.H
Febricitãtibus ſi à ſudoribus fuerit initium,boni,& tertiani,& quintani,& ſeptimani,& nonani,& vndecimani,et quartidecimani,& vigeſimi ſeptimani,& trigeſimi quartani.præſ.exper.conf. Sp.77.C
Febricitantium corpora euacuatione indigere ſignificat ſudor in ſomno, vbi cibi plurimi cauſa non fuerit.præſag.exper.conf. Sp.77.G
Febricitanti ſudor ſuperueniens,febre non deficiente,malum, prorogatur n morbus,& multã ſignat humiditatẽ.cõ.4°.aph.56°. Ex.33.F
Febrientes & imbecilles cur cogantur mouere omnes muſculos thoracis.com.2°.apho.42°. Ex.18.C
Febrienti lingua turbata quarto die ſignificat delirium. de vict. rat. in morbis acutis,com.4°. 7ª.142.G
Febricitanti quid ſignificet vox intercepta decimo quarto die.de victus rat.in mor.acut.com.4°. 7ª.142.F
Febricitantes inedia & labore quas habent vrinas.1°.de criſ.4ª.130.C
Febrientibus quibuſcunq; in vrinis fiunt ſedimenta veluti farina craſſior,longam ægritudinem ſignificat.com.7°.apho.31°. Ex.56.C
nõ Febricitantibus quibus vrinæ,craſſæ,grumoſæ,paucæ,copia ex his tenuis adueniens prodeſt.de vrinæ ſign.ex Hipp. Sp.78.G
Febricitantes ex ocio & repletione cum multa vrina ſubſidentia ſanantur.1°.de criſi. 4ª.130.C
Febricitantium pulſus ſm tempora febris,qui.de comp.pulſ. Sp.65.F
Febricitantiũ nõ omnino leuiter,permanere corpus,& nihil minuĩ, vel ẽt plus q̃ rõ poſtulat colliqueſcere,malũ.hoc enim morbi lõgitudinẽ, hoc vero imbecillitatem ſignificat.com.6°.aph.28°. Ex.16.C
Febricitantes permanent,& non contabeſcunt ex cutis ſpiſſitudine, & craſſitudine humorum,com.2°.apho.28°. Ex.16.F
Febricitantem niſi diebus imparibus febris reliquerit,ſolet recidiuare. com.4°.aph.61°. Ex.34.A
Febricitantium diuerſa curatio.de opt.ſecta. Iſa.23.A
Febricitantium domus qualis debeat eſſe.9°.meth.me. 7ª.60.A
Febricitantibus quibus domus præparetur.9°.meth.me. 7ª.60.A
Febrientes qui debent in obſcuro manere.de vict.rat.in morbis acutis, commentario.4°. 7ª.140.G
Febrientes qui debent in lecto valde molli manere.de vict.rat.in morb. acutis,commen.4°. 7ª.140.H
Febrienti primo quies iniungenda.in 6ᵐ.de mor.vul.com.3°. 3ª.178.B
Febricitantes non debent ambulare.2°.de mot.muſc. 1ª.315.C
Febricitans plethoricus quibus curandus & non curandus.13°.methodi medendi. 7ª.82.A
Febrientis cum capitis dolore caſus & curatio.de cau.procat. 3ª.95.D
Febricitanti ſi quis cibum dederit, vt ſano robur,ſic laboranti morbus. com.7°.apho.61°. Ex.59.G
Febricitantes omnes quo modo nutriendi.11°.meth.me. 7ª.72.A
Febricitantes à principio ad finem qua hora ſunt cibandi.11°.methodi medendi. 7ª.69.B
Febricitantes non debent cibari in febre,neque parum ante. commentario.1°.apho.11°. Ex.5.A
Febricitantibus quibus nec in declinatione citra noxã cibus dari põt,et quibus omni tpe ac præſertim in declinatione.10°.meth.me. 7ª.63.G
Febricitãtes ſæpius poſt primam acceſſionem intrepide cibabat ecu poſt febri carituros.4°.meth.me. 7ª.25.H
Febricitantium cibi frigidi,& humidi.8°.meth.me. 7ª.51.A
Febricitantium cibus quantum frigidus,& humidus eſſe debet.8°.methodi medendi. 7ª.54.H
ad Febricitãtiũ arbitriũ frigida à quibuſdã dabať.d opt.ſecta.Iſ.23.A
Febricitantes refrigerant,& reparant ptiſſanæ de ordeo,ſi oleum roſaceum admiſceas.de ſimp.me. Sp.90.A
Febrientibus an dandum vinum.9°.de dec.Hipp. 1ª.283.F
Febrientibus vinum non exhibetur.7°.de ſimp.me.fa.50.G/ 9°.5ª. 66. H/de remed.par.fac. 7ª.159.E/F/H
Febrientibus carnem,& vinum dabat Petronas.de vict. rat. in morb. acutis,com.1°. 7ª.105.E
Febrientibus vina conuenientia.de vict.rat.in mor.acu.cõ.3°.7ª.127.B
nõ Febrientibus dat vinũ nigrũ.de vict.rat.in mor.ac.cõ.4°. 7ª.149.B
Febricitantibus impericuloſius alijs vinis datur vinum pauciferum.de vinis. Sp.76.C
in Febricitãtibus diaria febre vinũ cõcedit,& quale.8°.me.m.7ª.51.G
qui Febrientes debent bibere vinum quantum poſſunt.1°.de arte cura. ad Glauconem. 7ª.95.E
Febrientibus quibuſdam vinum qua menſura ſit bibendum. 1°. de arte cura.ad Glauco. 7ª.95.E
Febriẽtibus non cõpetũt vina dulcia,eo ꝙ ſunt craſſa.de vinis. Sp.76.E
Febrientibus non dat mulſam.de remed.par.fac. 7ª.159.E/F
Febrientibus mel fit ſuccus amariſſimus.4°.de ſimp.me.fa. 5ª.29.B
Febricitantes ex obſtructione quibus nutriendi.8°.meth.me. 7ª.50.H
Febrientibus dat piſces elixos,non febriẽtibus aſſos.de vict.rat.in morbis acutis,com.4°. 7ª.149.B
Febricitantibus omnibus,viribus valentibus,ſanguis mittendus.11°.methodi medendi. 7ª.71.H
in Febricitantibus virogem ceſſantem acceſſionis aduertere oportet in detractione ſanguinis.præſag.exper.conf. Sp.77.H
Febriculoſo quæ inimica.in 6ᵐ.de mor.vulg.com.3°. 3ª.177.G
Febricitantes lædunt medicamentaria,& calida facultate.9°.de comp. medicam.

med.ſecundum locos. 5ª.197.F
Febrientibus nõ eſt dandũ ſcãmoniũ,ſed nõ febriẽtibus. de dy. Sp.20.H
Febricitantibus quibus detur niger Elleborus.de dyn. Sp.21.A
Febricitantibus dari poteſt aloes lota, vbi febris ſit valde debilis. 8°.de comp.me.ſec.loc. 5ª.188.D
Febriẽtibus dat in aqua medicamẽta.7°.de cõp.me.ſe.lo. 5ª.182.E/F/H
Febrientibus dat medicamentum ex aqua,non ex vino.7°.de comp.me. ſe.lo.184.G/185.B/F/187.A/8°.195.E/196.B/9°.197.H/199. G/202. H/203.C/D/204.C/D/ 5ª.206.B
Febricitantes prius,deinde furentes aliter euacuantur, quàm furentes prius,deinde febricitantes.de opt.ſecta. Iſa.22.D
Febricitantes ex obſtipatione in febre prima inclinante ducendi ſunt in balneum.8°.meth.me. 7ª.51.E
p Febricitantibus ex obſtipatione oleum tepidum.8°.meth.me.7ª.51.E
Febricitantes ex vſtione lauandi.8°.meth.me. 7ª.51.F
Febricitantes in declinatione lauandi.8°.meth.me. 7ª.51.F
cur Febricitent niſi lauentur aliqui.5°.de ſani.tuen. 2ª.93.F
Febricitãti ex obſtipatione qñ balneum non cõuenit.8°. met.me. 7ª.51.F
Febrientes clàm iuuans antidotus.2°.de anti. 5ª.111.F
ad Febrientes.7°.de comp.me.ſec.loc. 5ª.185.B
FEBRIFVGIA græce lexipyreta antidota.2°.de anti. 5ª.113.H
Febrifuga.de dynamidijs. Sp.31.D
FEBRVARIVS menſis ſecundus à ſolſtitio hyemali. [vide quomodo ſolſtitium erat in fine Decembris.bene conſidera,quoniam cum Chriſtus natus eſt vigeſimoquinto die decembris. erat ſolſtitium.] in 1^{m}. de morbis vulg.com.1°. 3ª.102.D
Februarius viginti octo dierum.in 1^{m}.de morb.vul.com.1°. 3ª.102.D
Februarium menſem ſeruat in attenuando corpus.de dyn. Sp.30.D
FEL quid ſit.3°.de nat.fac.1ª.301.H/de ſimp.me. Sp.84.E
Fel quale ſit.de ocul.7ª.189.A/de anat.viu. Sp.45.F
in Felle & nitro deprehenditur amaritas.4°.de ſimp.me.fa. 5ª.25.D
de Fellis veſicæ,& ſplenis anatomia.de anat.viu. Sp.50.H
Fellis veſica tres habet meatus,& qui.de ana.viu. Sp.50.H
Fellis meatus ſectio.6°.de anat.adm. 1ª.93.B
Fellis ciſtis,quæ.de anat.parua. Sp.42.H
Fellis veſica quo modo ſe habet.3°.de nat.fac. 1ª.303.F
Fellis veſicæ ſitus.de natura & ordine cuiuslibet corpus.42.A/de anatomia viuorum. Sp.50.H
Fellis veſica quibus componatur.de anat.viu. Sp.51.A
Fellis veſica cur parua.5°.de vſu par. 1ª.144.D/E
Fellis veſica vñ habet venas,neruos,& arterias.5°.de vſu p.1ª.145.A
Fellis veſicæ neruus vbi.5°.de vſu par. 1ª.145.C
Fellis veſicæ neruus quantus.5°.de vſu par. 1ª.145.C
Fellis veſica quid trahat.2°.de nat.fac. 1ª.301.H
Fellis veſica trahit ſuccũ ſibi familiarẽ puriſſimũ.5°.ð vſu. 1ª.144.G/H
Fellis meatus gratia ſeparandæ bilis ſunt facti.4°.de vſu par. 1ª.138.F
Fellis veſica bilem ad ſe trahit.5°.de loc.affe. 4ª.35.F
Fel ſedes propria choleræ rubræ.de ſpermate. Sp.36.H
Fel domus bilis,& eius iuuamenta.de anato.viu. Sp.45.F
Fellis veſica in iecore recipit leue,et flauũ ſupfluũ.4°.de vſu p.1ª.136.B
à Fellis veſica attrahitur illud iecoris excrementum, quod flori vini aſſimilatur.1°.de ſani.tuen. 2ª.67.F
p Fellis veſicam purgantur bilioſi humores.de atra bile. 1ª.37.A
Fellis veſica nihil patitur à bile.5°.de vſu par. 1ª.145.G
Fellis veſica expurgat ſanguinem.6°.de decr.Hipp. 1ª.263.C
in Fellis veſica cur paruus ſenſus.5°.de vſu par. 1ª.145.F
Fellis veſica excrementum non ita ſentit.3°.de nat.fa. 1ª.306.A
Fellis veſica per eandem viã euacuat & implet.3°.de nat.fa. 1ª.306.B
Fellis veſica quid faciat ad coctionem.de ana.viu. Sp.50.A
Fellis virtute hepar vertit phlegma in ſanguinem.de ſper. Sp.36.B
Fel mittitur in primam inteſtini tenuis partem.1°.de ſan.tu. 2ª.67.F
in Fellis veſica ſanguis non põt generari.4°.de vſu par. 1ª.138.D
Fellis veſicã aliqua animalia nõ habẽt, tñ habẽt fel.4°.ð vſu p.1ª.138.E
Fellis veſica quo ĩdicio deprehẽdat eẽ valde plena.5°.ð loc.af. 4ª.35.H
Fellis veſicæ ſymptomata.5°.de loc.aff. 4ª.35.F
Fellis veſica,lien,et renes,qño male purgant.3°.de ſymp.cauſ. 3ª.26.B
ex Fellis veſicæ ĩbecillitate ſanguis ĩpurꝰ nõ nũquã fit.5°.ð l.af.4ª.35.F
ad Fel confuſum per totos artus theriaca valet.de ther.ad Piſo.5ª.91.F
Fel nigrũ purgat per hæmorrhoidas.in 6^{m}.de mor.vul.cõ.5°. 3ª.192.H
Fel calidorum, & ſiccorum animalium vnum ex fortiſſimis medicamẽtis ad achoras.1°.de comp.me.ſe.lo. 5ª.129.D
Fel oẽ,oẽm ſordẽ de corpore abluit,& abſtergit.de ſimp.me. Sp.84.E
Fel oculis conuenit.de ocul. 7ª.188.G
Fel eximit caligines,& cicatrices oculorum.de ſimp.me. Sp.84.E
Fellium genera quæ iuuant ſuffuſiones.intro. Iſa.58.C
Fel quod & quæ bilis ad oculos recipiatur.10°.de ſimp.me.fa. 5ª.74.F
Fel recipientia medicamenta oculorum admixtum habent tum mel, tũ fœniculi ſuccum, tũ opobalſamum.10°.de ſimp.me.fa. 5ª.74.H
Fel animalium laudatorum ad oculos.10°.de ſimp.me.fa. 5ª.47.H
Fel quos dolores auget,quos iuuet.de comp.me.ſec.loc. 5ª.141.H
Fel calidiſſimũ omniũ quæ ſunt in animali.10°.de ſimp.me.fa. 5°.74.E
Fel calidum ſecundum animalia.10°.de ſimp.me.fa. 5ª.74.E
Fel quando imbecillum,quando validum.10°.de ſimp.me.fa. 5ª.75.F
Fel Aquilæ.4°.de comp.me ſec.loc. 5ª.153.A
Fel Capræ ſupra ouillũ poſt vrſorũ & boũ.10°.de ſimp.me.fa. 5ª.74.H
Fel Capræ ad noctylopas.de remed.par.fac. 7ª.156.H
Fel Gallinarum & perdicum probatius in re medica alijs.10°. de ſimp. medicam.fac. 5ª.75.A
Fel Hirci agreſtis pro luſcioſis.10°.de ſimp.me.fa. 5ª.74.H
Fel Hirci ad pilos palpebris innatos oculum infeſtantes.de remedijs paratu facilibus. 7ª.156.G
Fel Hyenæ viſum acuit.de theria.ad Piſo. 5ª.93.F
Fel hyenæ iuuat ſuffuſiones.introd. Iſa.58.C
Fel hyenæ ad pilos palpebris ĩnatos oculũ ĩfeſtãtes.ð re.pa.fa.7ª.156.G
Fel hyenæ.4°.de comp.me.ſec.loc. 5ª.156.F
Fel Miluiorum & aquilæ,quale.10°.de ſimp.me.fa. 5ª.75.A
Fel Ouium acrius ſuillo.10°.de ſimp.me.fa. 5ª.74.H
Fel Perdicis.4°.de comp.me.ſec. loc. 5ª.156.F
Fel perdicis ſylueſtris.4°.de comp.me.ſec.loc. 5ª.153.A
Fel Scari.4°.de comp.me.ſec.loc. 5ª.156.F
Fel Suis omnium moderatiſſimum.1°.de comp.me.ſec.loc. 5ª.129.D
Fel ſuis imbecillum.10°.de ſimp.me.fa. 5ª.74.H
Fel ſuillum in medicamenta ad alopecias confecta.1°.de compoſi. med. ſecun.loc. 5ª.124.G
Fel ſuis quæ non peperit.3°.de comp.me.ſec. loc. 5ª.143.F
Fel ſuis caſtrati.3°.de comp.me.ſec.loc. 5ª.143.D
Fel Taurorũ calidius quàm caſtratorũ boũ.10°.de ſimp.me.fa. 5ª.74.F
Fel taurinum lumbricos infantibus necat.de dyn. Sp.27.F
Fel taurinum aperit.5°.de ſimp.me.fa. 5ª.35.F
Fel tauri incidit.de ocul. 7ª.188.F
Felle taurino aperiunt hæmorrhoides.10°.de ſimp.me.fa. 5ª.74.G
Fel taurinum ad viſus obſcuritatem.de reme.par.fa. 7ª.156.H
Fel taurinum ſiccum.5°.de comp.me.per ge. 5ª.249.D
Fel Thynni.de med.fac.par. 7ª.161.E
Fellis Venenatorum animalium minimum ſi ſumatur,lædit.5°. de ſimp. medicam.fac. 5ª.37.C
Fel venenatorum animalium genere non quantitate obeſt. 5°. de ſimpli. medicam.fac. 5ª.37.C
Fel Volatilium acrius, quàm quadrupedum.10°.de ſim.me.fa. 5ª.75.A
Fel Vrſinum ad viſus obſcuritatem.de reme.par.fa. 7ª.156.H
ex Felle vrſino antidotus.8°.de comp.me.ſec.lo. 5ª.195.H
Fel Vulturis ad viſus obſcuritatem.de reme.par.fac. 7ª.156.H
FELLICVLI. de dynamidijs. Sp.30.H
FELVZAHARAGI. ſecretorum. Sp.99.B
FEMVR quid ſit,collige.1°.de comp.me.per genera. 5ª.212.B
Femur cruris pars.de inæq.intemp. 3ª.43.C
Femora quæ.introd. Iſa.53.E
Femur in crure,quale brachium in manu.3°.de anat.adm. 1ª.74.A
Femur eſt in crure,vt brachium in manu.de fract.com.2°. 7ª.232.H
Femur os ſolum appellat Hippo.de fract.com.2°. 7ª.236.E
in Femore os vnum vt in brachio.3°.de vſu par. 1ª.131.A
Femoris os quod,& quale.de oſſib. 1ª.43.D
Femur cur maximum os corporis.3°.de vſu par. 1ª.131.A
Femur cur maius tibia.3°.de vſu par. 1ª.134.C
ad Femur tibiã habere ſymmetriã qño probet.3°.de vſu par. 1ª.134.D
Femoris figura.3°.de vſu par. 1ª.131.B/C
in Femore figura idonea ad ſedendũ, & ſcribendũ.3°.de vſu.p.1ª.131.D
Femur cũ ſpina facit angulũ rectũ dum ſedemus.3°.de vſu par. 1ª.128.E
Femur quo modo ingrediatur in genu.de fract.com.2°. 7ª.240.C
Femur quibus rectum,hi ſunt blæſi ad genu.3°.de vſu par. 1ª.131.B
ſi Femur vno tenore foras abſcederet vſq; ad genu,alter blæſitatis modus ſequeretur.3°.de vſu par. 1ª.131.C
Femur cur cauum.11°.de vſu par. 1ª.191.D
in Femur cur inſeruntur vaſa tenuia.13°.de vſu par. 1ª.202.B

Femoris

Femoris,& cubiti differentiæ in dearticulatione:de fra.c.2°. 7ª.240.C
Femur quoquo verſus circumagitur.12°.de vſu par. 1ª.194.A
in Femore cur nouem muſculi.3°.de vſu par. 1ª.135.A
Femoris muſculi cur prius ſecãdi q̃ tibiæ et coxæ.2°.de ana.ad.1ª.69.F
in Femoris exteriori parte muſculus latus non multum conſiderãdus, cur.2°.de anat.adm. 1ª.69.C
Femoris muſculi,quales.3°.de vſu par. 1ª.135.A
Femoris muſculorum differentiæ.15°.de vſu par. 1ª.213.H
Femoris muſculorum ortus.3°.de vſu par. 1ª.135.A
Femoris muſculorum vſus.3°.de vſu par. 1ª.135.A
Femur retrorſum magis abducens muſculus ad alterum ſimul femur leniter adducens.de muſc.diſſ. 1ª.50.H
Femur exacte extẽdẽs ĩ poſteriora trahẽs muſculus.de muſ.diſ. 1ª.50.H
Femur totum extendens muſculus, & ad exteriorem regionem caput ipſius trahens.de muſc.diſſ. 1ª.51.A
Femur quo muſculo trahatur ſurſum, & quo ad alios muſculos.15°.de vſu partium. 1ª.213.E
Femoris caput ſurſum ſimul,& extrorſum trahẽs muſculus.de muſculorum diſſectione. 1ª.51.B
Femoris caput ſurſum tollens muſculus,& vnà ad interiora inuertens. de muſculorum diſſectione. 1ª.51.B
Femur qui muſculus flectat.15°.de vſu par. 1ª.214.A
Femoris caput circumagentes muſculi.de muſc.diſſ. 1ª.51.B
Femur in orbem ducentes muſculi,quales.15°.de vſu par. 1ª.213.E
Femur duo muſculi circumagunt circa iſchiũ.15°.de vſu par. 1ª.214.B
Femur introrſum,& retrorſum adducẽs muſculus.de muſ.diſſ.1ª.50.F
Femur totum introrſum adducens muſculus.dc muſc.diſſ. 1ª.51.C
intro Femur adducentes muſculi qui,et quales.15°.de vſu par.1ª.214.A
Femur ĩtrorſum et parũper retrorſum agẽs muſculus.ð muſ.diſ.1ª.51.F
Femur totum introrſum magis inuertens muſculus.de muſ.diſſ.1ª.50.G
Femur quot,& qualibus motibus moueatur à fibris quinti muſculi femoris.15°.de vſu par. 1ª.213.H
Femoris nerui qui.3°.de anat.adm. 1ª.78.B
à Femoribus non incipiunt rigores viris.com.5°.apho.69°. Ex.45.D
ad Femorum attritus ex itinere.1°.de comp.me.per gen. 5ª.212.E
ad Femorum intertrigines vtilis medela eſt lithargyrus.9°.de ſimplicium medicam.fa. 5ª.70.A
ad Femur iandiu induratum.1°.de comp.me.per ge. 5ª.213.D
Femur qua parte obſtupidum.de fra.com.3°. 7ª.240.G
Femur ſideratum.de arti.com.3°. 7ª.279.B
Femori vulnus illatum per longitudinem vel in ſuperiori parte, vel in inferiori,alte deſcendit.3°.meth.med. 7ª.22.B
in Femore vulneris caſus.3°.de comp.me.per gen. 5ª.231.B
ad Femur vulneratum,& vbi partes adiunctæ abſcedant iunctura.de faſcijs. 7ª.305.F
quibus Femore vulnerato proximæ partes diducuntur, iunctura aſcia dicta quo modo inijci debet.de faſcijs. 7ª.305.G
in Femore deligatio quæ fieri debet.de ijs,q̃ in med.fi.cõ.2°. 7ª.206.C
Femoris deligatio qualis eſſe debeat.de fact.com.2°. 7ª.238.G
Femori,humero,cubito ſolũ aptatur vinculũ varium.de faſ. 7ª.293.E
in Femore ſinus quo modo ſanatus.de ijs quæ in med.fi.c.2°. 7ª.212.C
ad Femorum ſciſſuras.de med.fac.par. 7ª.169.B
Femoris os fractum quo modo curetur.de fract.com.2°. 7ª.240.D
Femur,ſeu crus ſi comminutum ſit vbi callus circundatur, gloſſocomũ admouetur.de machin. 7ª.310.G
Femur quadraginta diebus corroboratur.de frac.cam.2°. 7ª.240.F
Femoris os extra non euadit.de fract.com.3°. 7ª.248.A
Femur raro excidit,ſæpe brachium.de artic.com.1°. 7ª.252.A
Femoris caput pueris excidit poſterius.de art.com.3°. 7ª.279.H
Femur quando excidit,ſanari non poteſt.introd. Iſa.60.H
Femoris copula ſi rupta,facile os decidit.de arti.com.4°. 7ª.288.F
Femoris caput ſi extra crux exeat,cur breuius apparet,ſi intus,cur lõgius.3°.de arti.com.3°. 7ª.278.F
Femoris caput ſi in anteriorem partem deferatur,quid ſequatur.de articu.commen.3°. 7ª.281.G
de Femoris luxatione,& quot fiat modis.de artic.com.3°. 7ª.276.C
Femur in quot partes ꝓrũpat,et quo mõ reſtituat̃.de machin. 7ª.314.H
Femur in quot partes promouetur.de machin. 7ª.321.C
Femur in quot partes prolabi poſſit.de fract.com.3°. 7ª.249.G
Femoris ad coxam repoſitio.de artic.com.4°. 7ª.288.E
Femur prolapſum q̃uo reſtituat̃ cũ crus extẽſum.de machin. 7ª.321.C
Femur ĩ poſteriorẽ partẽ ꝓlapſum quo mõ reſtituẽdũ.ð mach. 7ª.321.G
Femoris in poſteriorẽ partem luxati repoſitio.de arti.com.4°.7ª.291.B
Femur in ĩteriorẽ partẽ prolapſum quo mõ reſtituat̃.de mach. 7ª.321.D
Femoris in anteriorẽ partem luxati repoſitio. de arti.com.4°.7ª.291.C
in Femoris repoſitiõe ĩ vẽtrẽ collocari vult ægrũ.de art.c.4°. 7ª.291.B
Femur repoſitum eſſe quomodo cognoſcatur.de mach. 7ª.321.G
Femora tauri vſta ſanguinẽ cohibent & aluũ.de ther.ad Piſ. 5ª.93.E
FERÆ nomine per excellentiam præcipue intelligitur leo. ꝙ animi mores. 1ª.317.E
Ferarum caro magis ſiccat quàm cicurum.5°.de ſan.tuen. 2ª.92.D
Feras magnas non parit Scythia.de aere,aq.& loc. 2ª.5.D
Feræ in Scythia non naſcuntur magnæ.ſed quales poſſibile eſt ſub terra ipſa contegi.de aere,aq.& loc. 2ª.5.E
Feræ quæ latibula habitant hyeme,cur nõ comedant.de venæ ſect.adu. Eraſiſtratum. 6ª.9.A
Ferarum venena ꝙ animi mores. 1ª.318.B
Ferarum pernicioſarum venenis comparari poteſt humor in parte corporis epilepſiam faciens.3°.de loc.aff. 4ª.19.F
Feras necans ſuffitu.5°.de comp.me.per ge. 5ª.246.H
ad Feras venenoſas valet ſuccus centaureæ.de virt.cent. Sp.93.H
Ferarum ictus ſanare dicitur terra lemnia.9°.de ſimp.med.fa.5ª.64.E
Ferarum morſu ſanguis fit bilis.5°.de loc.aff. 4ª.34.A
Ferarum noxiarum morſus ineuitabiles.de theria.ad Piſ. 5ª.91.C
ad Feræ cuiuſuis morſum lichenas adhiberi conſulunt.11°. de ſimpliciũ medicam.fac. 5ª.80.F
à Feris morſos adiuuans antidotus.2°.de anti. 5ª.111.H
ad Ferarum morſus.6°.de comp.me.per ge.256.D| 5ª.258.G
ad Ferarum ictus.5°.de comp.me.per ge.246.H| 5ª.247.F
ad Ferarum ictus & morſus.5°.de comp.me.per gen. 5ª.248.C
FERINVM quid ſignificet.in 6m.de morbis vulgaribus, comment.1°. 157.E|com.2°. 3ª.164.F
Ferinos mores,& agreſtes qui habeant.quòd animi mores. 1ª.320.A
FERITATE magis quàm manſuetudine participantes homines, vbi. de aere,aq.& loc. 2ª.6.E
Feritas quibus à natura congenita.de aere,aq.& loc. 2ª.6.D
Feritas à natura in Europæis.de aere,aq.& loc. 2ª.6.B
Feritatẽ inducũt frequẽtes mentis ꝑculſiones.de aere,aq.& loc.2ª.6.B
FERCVLORVM multitudine gaudent ventri ſtudentes. de cogn. cur. animi morbis. 2ª.53.D
FERIATIS inæquales intemperies fiunt ſine materia. de inæquali intemperie. 3ª.43.C
FERMENTATIO quid.1°.de ſimp.me.fac. 5ª.8.D
Fermentatio quo modo fiat.in 1m.pror.com.2°. 4ª.174.G
Fermentum quid faciat,& quale ſit.3°.de comp.me.per ge. 5ª.230.F
Fermẽtũ quãto vetuſtius,tãto præſtãtius.3°.de cõp.me.ꝑ ge. 5ª.230.F
Fermententur quo modo panes.de conſue. 2ª.60.H
Fermenti modus in pane,qui.1°.de ali.fac. 2ª.10.F
de Fermento in pane quo modo iudicet guſtus.1°.de ali.fac. 2ª.10.G
Fermentum in paſta facit ebullitionem.de anat.viu. Sp.51.H
Fermento multo qui panes indigeant.1°.de ali.fac. 2ª.10.A
Fermentatione longa qui panes indigeant.1°.de ali.fac. 2ª.10.A
Fermentum parum ſufficit panibus furfuraceis.1°.de ali.fac. 2ª.9.F
Fermentum mediocriter calidum.6°.de ſim.me.fac. 5ª.48.A
Fermenti eſſentia attrahens ex putrefactione.5°.de ſimp.me.fa.5ª.36.E
Fermentum attrahit.de ocul. 7ª.188.F
Fermentum quæ in profundo ſunt,extrahit,& digerit.6°. de ſimp. me. fac.48.A|8°. 5ª.59.D
Fermentum quibus miſceri poteſt ad neruorum vulnera. 3°. de compo. med.per genera. 5ª.229.G|H
Fermentum ſuper neruorum vulnus.3°.de comp.me.per ge. 5ª.229.G
ex Fermento,& oſtreis medicamentum pro humore ſuppurato. 2°.de arte cur.ad Glau. 7ª.105.G
ꝑ Fermentum(pro vt alij codices habent,adipem)in veru aſſatum fomentum.3°.de comp.me.ſec.loc. 5ª.145.E
ex Fermento pharmacum ſuppurat.3°.de comp.me.ſec.loc. 5ª.146.F
ad Fermenti maſſæ modum 5°.de comp.me.ſec.loc. 5ª.165.F
Fermẽtatum,aut nimis digeſtum ex pane,craſſus cibus,& cur.de diſſ. continua. Sp.72.H
Fermentati frumenti panis loti pluribus lotionibus medulla eſt cibus ſubtilians.de diſſol.cont. Sp.72.G
Fermentans terram atra bilis.com.4°.aph.21°. Ex.29.D
Fermentatio quid ſit in atra bile.14°.meth.med. 7ª.89.E
Fermentoſa,& acida atra bilis.14°.meth.med. 7ª.89.E

FEROX qui reſpondet modeſte, in quem morbum incidat: in 1^{m}. prorrheticorum.com.2°. 4ª.170.C
Ferox reſponſio in homine modeſto, malũ. in 1^{m}.pro.cõ.2°. 4ª.170.C
Ferox oculus, & clauſus quid ſignificet. in 1^{m}.pror.cõ.2°. 4ª.174.B
FERRARIAM factitans exercetur & operatur.2°.de ſa.tu. 2ª.73.G
FERRAMENTA ad ſecandas venas fabricantes, ſunt inter miniſtros ignobiliores rei medicæ. in 6^{m}.de morb.vul.com.5°. 3ª.188.D
Ferramenta multa habeant chirurgi.de fract.com.3°. 7ª.247.A
Ferramenta pro aduſtione, qualia.de artic.com.1°. 7ª.258.B
FERRVM lapis, æs ſuperioris eſt q̃ ſtirpiũ gñis.1°.de temp. 1ª.13.D
Ferrum corpus terrenum craſſum.4°.de ſimp.me.fac. 5ª.30.B
Ferrum habet ſubſtantiam ſtabilem & conſtantem ob ſiccitatem & frigiditatem.9°.meth.me. 7ª.60.H
quia Ferrum valde ſiccum eſt, ex eo non eleuantur vapores. commen. 1°.apho.14°. Ex.7.F
Ferrum durum corpus eſt.3°.de diff.pul. 4ª.63.D
Ferrum Indum fragile.1°.de vſu par. 1ª.115.G
Ferrum Noricum optimum.8°.de anat.adm. 1ª.101.G
Ferrum, æs, aurũ, & lapis, niſi prius excalfiant ac liquentur, non coaleſcunt, neque agglutinantur.3°.de ſymp.cauſ. 3ª.29.A
Ferrum flammis emollitum quouis modo producitur, & flexũ ſicuti volumus, varijs hominum vſibus inſeruit.de theria.ad Piſ. 5ª.97.D
Ferrum & lapis ignita calce. & cinere ſunt craſſiora, multoq́; magis q̃ fauilla, ad hæc quoque & calidiora.4°.de ſimp.me.fac. 5ª.30.B
Ferro ignito ea medicamenta ſunt ſimilia, quæ per eroſionem interimũt. 4°.de ſimp.me.fac. 5ª.30.B
Ferrum ignitum ventrem exulcerat & exurit.4°.de ſimp. medicamentorum facultatibus. 5ª.30.B
Ferrũ pro calculis ponebat Galenus in lacte pro dyſenteria. 10°. de ſimpli.me.fac. 5ª.76.A
Ferri igniti fruſta remouent lactis aquoſitatem.de diſ.cont. Sp.75.B
Ferrum ad ſe trahit lapis Herculeus.de cathar. Sp.94.H
Ferrũ aliter à magnete trahit, aliter aer ĩ folles.3°.de nat.fac. 1ª.307.G
Ferrum quo modo à magnete trahatur.de theria.ad Piſo. 5ª.90.G
Ferrum quo modo præſeruetur à rubigine.de machin. 7ª.309.E
Ferrum acutiſſimum incidens tota die molliſſimam ceram, etiam obtunditur.3°.de tempe. 1ª.23.H
Ferrum acutiſſimum hebetatur incidens molliſſimam carnem.3°.de ſymptomatum cauſis. 3ª.26.F
ex Ferro vulnerante vlcerum differentiæ.3°.meth.me. 7ª.22.B
Ferro præciſos dicit ſanare linita radix ephemeri.de ſimp.med. Sp.83.B
Ferro venenato aut à ſerpẽtibus vulneratorum communis curatio.2°. de antidotis. 5ª.120.B
Ferrum oculis conuenit de ocul. 7ª.188.G
FERRI ſcoria, qualis.9°.de ſimp.me.fac. 5ª.71.A
Ferri ſcoria.5°.meth.med. 7ª.34.B
Ferri ſcoria valet ad aures quæ longo iam tempore pure fluxerunt. 9°. de ſimp.me.fa. 5ª.71.A
Ferri ſtomoma (vel potius ſquama) vlcera vix ſanabilia curat.2°.de cõpoſi.me.per ge. 5ª.220.B
Ferri ſquama qualis.9°.de ſimp.me.fac. 5ª.69.H
Ferri ſquama adſtringit.9°.de ſimp.me fac. 5ª.69.H
Ferri ſquama lota.4°.de comp.me.ſec.loc. 5ª.153.C
Ferri ſquama ad vlcera maligna.4°.dc comp.me.per ge. 5ª.236.F
FERREA an ænea potius debeãt eſſe inſtrumenta.de mach. 7ª.309.D
Ferrea vel ærea quæ organa eſſe debent.de machin. 7ª.309.D
Ferrea ſpatha.1°.de comp.me.per ge. 5ª.216.D
FERVGO qualis ſit.de ocul. 7ª.189.B
Ferugo oculis conuenit.de ocu. 7ª.188.G
Ferugo contra aſperitatem palpebrarum valet de ocu. 7ª.189.C
FERVENTIS aquę lauatio ζεσολουσία.3°.de ſa.tu. 2ª.80.B
Feruens aqua cogit clauditq́; cutim.3°.de ſa.tu. 2ª.80.E
Feruens nihil ingerendum.de ren.aff.dig.& med. 7ª.194.D
FERVOR quid ſit in atra bile.14°.meth.me. 7ª.89.E
Feruens eſt ſanguis.de natura & ord.cuiuslibet corp. Sp.41.D
veluti Feruor quidam potentiæ iraſcibilis, quæ in corde eſt, ira eſt.1°. de differen.feb. 3ª.31.E
Feruores ſeu exuſtiões sũt cãæ ꝓpĩque morborũ.d̃ na.hu.c.2°. 7ª.180.F
ob Feruorem nimium ſolis fit pulſus durus in ephemeris.1°.de differẽtijs febrium. 3ª.34.C
Feruoribus prodeſt aqua lupinorum.de ſimp.med. Sp.86.C
Feruores ſoluunt caricæ ſicut iris.de ſimp.med. Sp.84.C
Feruores nutriunt ficus nimium comeſtæ.de ſimp.me. Sp.84.C
FERVLAE ſemen excalfacit & attenuat.8°. de ſimplicium medicamẽtorum facul. 5ª.56.H
Ferularum eſu quidam mortui.de bo.& vitio ſuc. 3ª.34.A
Ferulæ medulla ſanguinem ſpuentibus & cœliacis conuenit. 8°.de ſimpli.med.fac. 5ª.56.H
Ferula Cratippi.6°.de comp.me.ſec.loc. 5ª.172.E
Ferulæ quid ſint & quales eẽ dñt.de ijs, quæ in med.fi.com.3°. 7ª.215.B
Ferulæ poſt tertiũ diem firmandæ.de ijs quæ in med.fi.com.3°. 7ª.218.F
Ferulis qñ vti debemus in fractura cũ vlcere.de frac.com.3°.7ª.243.G
Ferulis non vteris in contuſione.de arti.com.4°. 7ª.292.E
Ferulæ non imponendæ ſupra oſſium extuberationes.de ijs, quæ in medicatrina fiunt, com.3°. 7ª.215.C
Ferulæ in oſſium ligatura quando ponendæ.6°.meth.me. 7ª.41.D
Ferulam non patitur calx.de fract.com.2°. 7ª.240.B
ad Ferulas quæ fracturis accõmodant, laqueus.de laqueis.7ª.307.A
FESTIS diebus quidam vitioſum accumulant ex vitioſo victu. 6°. de ſanitate tuenda. 2ª.98.A
FESTVCAE quomodo trahantur à ſuccino, ſecundum Epicurum.1°. de nat.fac. 1ª.294.D
cũ Feſtucis quo modo ſumendi herbarum flores ad diacalamenthi confectionem.4°.de ſa.tu. 2ª.86.D
Feſtucas euellere quid ſignificet. in 1^{m}.pror.com.1°.4ª.167.A/in 1^{m}. de morb.vulg.com.3°. 3ª.118.A
Feſtucæ cur euelluntur in acutis. in progn.com.1°. 4ª.193.E
FIBRA numeratur inter prima elementa noſtri corporis. 1°.de elemen. 1ª.7.E
Fibrarum natura terrena.ꝙ animi mor. 1ª.319.D
Fibrarum & muſculorum cognitio quid faciat ad chirurgum. 1°.de anato.adminiſt. 1ª.64.D
Fibrarum ſitus noſcendus.8°.de anat.adm. 1ª.101.E
Fibræ euidentius viſunt in ſenibus, & nuꝑ natis.4°.de ana. ad.1ª.80.D
Fibras comparat lacti in fiſcellis.5°.de ana.adm. 1ª.86.G
ꝑ Fibrarũ poſitura habent motus in inſtrumẽtis.3°.de na.fa. 1ª.304.F
Fibris rectis inſtrumenta attrahunt.14°.de vſu par. 1ª.209.F
Fibræ in directum porrectæ trahunt.3°.de na.fac. 1ª.304.E
Fibris tranſuerſis inſtrumenta excernunt.14°.de vſu par. 1ª.209.F
Fibris rectis tranſuerſisq́; inſtrumenta retinent.14°.de vſu.p.1ª.209.F
Fibræ tranſuerſæ circulo contrahunt.3°.de nat.fac. 1ª.304.E
Fibræ tranſuerſæ conſtringunt.3°.de nat.fac. 1ª.304.F
Fibrarum vtrunq; genus rectarum & tranſuerſarum habent inſtrumẽta habentia vnam tunicam.3°.de na.fac. 1ª.305.E
Fibrarum tertium genus inuenitur in inſtrumentis habentibus duas tunicas.3°.de nat.fac. 1ª.305.E
Fibroſas, membranoſas, & carnoſas particulas habent partes ſimplices.10°.meth.med. 7ª.67.D
ex Fibris, membranisq́; fiunt arteriæ & venæ.de inæq.intem.3ª.43.D
Fibrę ex quibus tunicę arteriæ, quæ.3°.de na.fac. 1ª.305.F
Fibræ multæ ſunt in venæ tunica.10°.meth.me. 7ª.67.D
Fibræ tunicarum arteriæ, quales.de par.art.med. Sp.16.H
Fibras efficit neruus in vnoquoque muſculo.de decr.Hipp. 1ª.234.B
ex Fibris quo modo fiant nerui.1°.de motu.muſc. 1ª.309.C/D
Fibræ obliquę neruo obliquo inſeruntur.16°.de vſu par. 1ª.217.C
Fibræ ſunt proprium corpus muſculi.de fract.com.1°. 7ª.226.D
Fibræ vt plurimum ſecundum longitudinem porrectæ inſunt omnibus muſculis.12°.de vſu par. 1ª.195.E
Fibrę neruorum ligamentorum in medio muſculi ob tenuitatem nõ videntur.de bon.& vitio ſuc. 2ª.35.G
ex Fibrarum inciſione muſculi priuant motu.8°.de anat.adm.1ª.101.E
Fibræ non inciduntur.de part.art.med. Sp.16.H
Fibræ thoracẽ dilatãtes, quæ, & earũ exortus.de muſc.diſſ. 1ª.49.D
Fibræ thoracem contrahentes vbi ſitæ.de muſc.diſſ. 1ª.49.E
Fibræ oppoſitæ fibris thoracem contrahentibus.dc muſ.diſſ. 1ª.49.E
Fibræ, quæ primas coſtas ſurſum trahunt.de muſ.diſſ. 1ª.49.E
Fibræ ventriculi, inteſtinorum, veſicarum, cordis, à ſemine oriuntur.1°. de ſemine. 1ª.332.C
Fibræ ventris, quales.3°.de na.fac. 1ª.304.F
Fibrarum diuerſum genus in ventre, inteſtinis, veſicis, vuluis, & corde.1°.de ſemine. 1ª.332.C
Fibrarum omne genus cur habent ventriculi.5°.de vſu par. 1ª.146.A
Fibrarum contrariæ diſpoſitiones cur inſunt tunicis ventriculi. 3°.de naturalibus facultatibus. 1ª.304.F

Fibræ

Fibrę quę decimã,& vndecimam trahũt coſtam.de muſ.diſſ. 1ª.49.E
Fibrarum cordis natura.2°.de temp. 1ª.17.H
Fibræ cordis differunt ab alijs.6°.de vſu par. 1ª.150.D
Fibrę in corde multæ ſolidæ & longæ.de bon.& vitio ſuc. 2ª.35.F
Fibrarum omne genus in corde.6°.de vſu par. 1ª.150.D
Fibræ pulmonis in oĩ animãte æquales numero.7°.đ ana.adm. 1ª.97.A
Fibræ quintæ pulmonis locus.7°.de anat.adm. 1ª.97.B
Fibrę pulmonis meminit.5°.de loc.aff. 4ª.31.C
Fibrę iecoris non pares numero in omnibus.6°.de anat.adm. 1ª.92.D
Fibre in ſanguine ſunt terræ opificium.quòd animi mor. 1ª.319.C
Fibra hepatis abſciſſa etiã ſanatus eſt patiens.cõ.6°.aph.18°.Ex.48.A
Fibrę ex quibus inteſtina conſtant,quæ.3°.de nat.fac. 1ª.305.F
Fibrę ſimplices cur in inteſtinis.5°.de vſu par. 1ª.146.A
Fibræ circulares ſunt in ſingulis inteſtinis.3°.de na.fac. 1ª.304.F
Fibræ quinti muſculi femoris.quot & quales motus in femore faciant. 15°.de vſu partium. 1ª.213.H
Fibræ nõ ſiccant,nec liquãtur,vt carnes faciũt.10°.meth.med. 7ª.67.E
FIBRIAE quæ ſint.de ijs,quæ in med.ſi.com.3°. 7ª.214.H
FIBVLA os minus in tibia.3°.de vſu par. 1ª.131.A
Fibula paruum os tibiæ,& eius vtilitas.3°.de vſu par. 1ª.134.A
Fibulę conſtructio differt à cõſtructione radij.3°.de vſu par. 1ª.134.E
Fibulę & tibię cur nõ ẽ dearticulatus calcaneus.3°.de vſu pa. 1ª.130.G
FLBVLAE vtiles ad vnionem.ars med. Iſa.69.G
Fibulis conſtringuntur vlceris labia.2°.de comp.me.ſec.lo. 5ª.133.G
Fibulis in quibus vlceribus vtendum.3°.meth.med. 7ª.22.G
Fibulę ad conſtringenda capitis vulnera.2°.de compoſitione medicamẽtorum ſecundum locos. 5ª.138.E
Fibularum quando vſus.de arte cur.ad Glau. 7ª.106.B
FIBVLAE pars organorum.de machin. 7ª.309.E
Fibulę ad quid in organis.de machin.309.G| 7ª.310.B
FICATA ex caricarum eſu ſunt ſuauiſſima propter quid.de victus ratione in morb.acu.com.3°. 7ª.127.H
FICEDVLA carnem laudatiſſimam habet autumno. de vict. ratio.in morb.acut.com.4°. 7ª.147.B
de FICOSIS tumoribus qui ſint,& quo modo fiant.5°.de comp.med. ſecundum locos. 5ª.160.C
Ficoſus tumor in mento quo mõ differat à varo.de re.par.fac. 7ª.157.B
ad Ficoſos tumores capitis & menti.5°.de comp.me.ſec.loc. 5ª.162.B
ad Ficoſas minentias oculorum collyrium.4°.de compoſitione medicamentorum ſec.loc. 5ª.156.H
ad Ficoſa oculorum.4°.de comp.me.ſe.lo. 5ª.156.A
ad Ficoſas palpebras.4°.de comp.me.ſec.loc. 5ª.156.G
ad Ficoſas menti papularum eruptiones.5°.de compoſitione medicamẽtorum ſecun.locos. 5ª.160.F
ad Ficoſas in mento excreſcentias.de remed.par.fac. 7ª.157.B
ad Ficoſas eminentias.4°.de comp.me.ſe.lo.152.G|5°. 5ª.162.C
FICTILE menſuræ nomen.7°.de comp.me.per ge. 5ª.272.F
Fictilibus lagenis aqua coquenda eſt de bon.aquæ. Sp.76.A
Fictile ad medicamentum ſeruandum.5°.de comp.me.ſec.loc. 5ª.163.B
Fictile vas.4°.de comp.med.ſec.loc. 5ª.152.G
in Fictilibus habetur reſina.4°.de ſan.tu. 2ª.87.C
FICTIO vocum à quo fiat.de mot.man & obſ. Sp.69.D
FICTOR lutum ac ceram nondum liquidam, ſed mediocriter duram formandam ſumit.2°.de ſem. 1ª.339.B
FICVLNEVS cinis qualis.8°.de ſimp.me.fac. 5ª.62.C
Ficulneo cinere nunquam ad ſanguinem ſupprimẽdum vti debemus.8°. de ſimp.med.fa. 5ª.62.C
Ficulneæ lac.de dyna. Sp.21.E
FICVS quid & eius vires.de ſimp.med. Sp.84.C
Ficus quam terram deſideret.9°.de ſimp.me.fac. 5ª.64.F
Ficus temperata quo modo.1°.de temp. 1ª.13.D
Ficus arbor valde calida.8°.de ſimp.med.fac. 5ª.61.F
Ficus magis ſicca homine.1°.de temp. 1ª.13.C
Ficus habet multum caloris.de nat.hu.com.1°. 1ª.30.A
Ficus habet etiam ignem & aerem.de na.hu.com.1°. 1ª.30.B
Ficus bonitas in quo conſiſtat.1°.de tem. 1ª.13.D
Ficus arbor vlcerat,ora vaſorum reſerat,& verrucas, quas myrmecias vocant.eijcit.8°.de ſimp.me.fac. 5ª.61.F
Ficus arbor purgat.8°.de ſimp.me.fac. 5ª.61.F
Fici lignum aqua leuius.1°.de nat.hu.com.1°. 1ª.30.B
Ficu ſatiua valentior eſt caprificus.8°.de ſimp.med.fac. 5ª.61.F
Ficus caprifici,qualis.8°.de ſimp.me.fac. 5ª.61.F
FICI fructus ſunt ipſæ ficus. 2°. de ali.fac. 2ª.16.C
Ficus & vuæ obtinent principatum inter fructus autumnales.2°.de alimentorum fac. 2ª.17.G
Ficus præferunt multi medici omnibus fructibus autumnalibus. 2°.de alimentorum fac. 2ª.22.D
Ficus minus lædunt fructibus autumnalibus.2°.de ali.fa. 2ª.17.E
Ficus in quarto loco ſunt inter fructus minus noxios, qui non reponuntur de atten.vic. 2ª.45.H
Ficus ſunt praui ſucci,ſed minus alijs.2°.de ali.fa. 2ª.17.E
Ficus hñt minimũ praui ſucci oĩum fugaciũ fructuũ.2°.đ ali.fa. 2ª.17.G
Ficubus cum ſale tenuato,aceto,& garo præparatis veſcuntur vulgo. 2°.de ali.fac. 2ª.17.F
Ficus inter fructus horæos minus noxij, tamen moderate ſumendi.de bo.& vitio ſuccorum. 2ª.34.D
Ficus ſunt præſtantiores horæis fructibus in opera. de bonita. & vitio ſuccorum. 2ª.37.E
Ficuum tegumentum propter quid.2°.de ali.fac. 2ª.17.H
Ficuum tegumentum exiguam in ventriculo mutationem recipit. 2°. de alimentorum fac. 2ª.17.H
ex Ficubus quæ gignitur caro non firma,nec denſa, ſed laxa & humida.2°.de alimen.fac. 2ª.17.G
Ficus cuius facultatis ſint.3°.de comp.me.ſec.loc. 5ª.147.A
Ficus immaturus,qualis.de atten.vic. 2ª.46.C
Ficus maturus,qualis.de atten.vic. 2ª.46.C
Ficus maturæ immaturis meliores.2°.de ali.fac. 2ª.17.E
Ficus nulla ſui parte habet acerbam qualitatem.8°.de ſimplicium medicamentorum facul. 5ª.62.C
ꝙ Ficus nutriant,argumentum.2°.de ali.fac. 2ª.17.G
Ficus dant alimentum.2°.de ali.fac. 2ª.17.E
Ficus maturæ humidæ & ſiccæ ſunt cibaria media.de diſ.cont. Sp.75.C
Ficus eſt inter ea quę plurimũ & minus nutriunt.de diſ.cont. Sp.73.G
Ficus multum nutriunt.de diſ.cont. Sp.73.E
Ficus magis alunt,quàm vuæ.2°.de ali.fa. 2ª.17.G
Ficus magis nutriunt oĩbus fructibus fugacibus.2°.de ali.fac. 2ª.17.G
Ficus maturæ innoxium alimentum præbent.2°.de ali.fac. 2ª.17.G
Ficus maturæ nihil ferè lædunt.2°.de ali.fac. 2ª.17.E
Ficus generant carnem ſublaxam & ſubinanem.2°.de ali.fac. 2ª.17.E
Ficus maturæ ferè ſunt innoxiæ.de bon.& vitio ſuc. 2ª.37.E
Ficubus affluenter veſci poſſumus.2°.de ali.fac. 2ª.20.F
Ficus maturæ ſi hæſerint,non ledunt vt vuæ.2°.de ali.fac. 2ª.17.G
Ficus eſt cibus acutus,incidens,aperiens.de diſſ.cont. Sp.72.E
Ficus cum thymo & alijs ante cibum,quando.2°.de ali.fa. 2ª.17.F
cũ Ficubus nuces phlegma incidunt, & ſtomachum mundificant.de diſſolutione cont. Sp.74.E
Ficus humidæ.2°.de ali.fac.2ª.17.D|de diſſ.cont. Sp.74.D
Ficus frigidæ.4°.de ſimp.me.fac. 5ª.26.D
Ficus virides generant flatum.2°.de ali.fac. 2ª.20.H
Ficus humide generant inflationem.de diſſ.cont. Sp.74.F
Ficus recentes nutrimento ferè carent.de ve.ſect.adu.Eraſi. 6ª.14.C
Ficuum flatus non diu manent.2°.de ali.fac. 2ª.17.E
Ficubus quæ bona inſunt.2°.de ali.fac. 2ª.17.E
Ficus prompte ventrem permeant.2°.de ali.fac. 2ª.17.E
Ficus inferrent dolorem,niſi cito deſcenderent.2°.de ali.fac. 2ª.17.E
Ficus tarde digeruntur. de diſſ.cont. Sp.73.E
Ficus aluum ſubducũt.8°. de ſimp.me.fa.5ª.61.F|de diſſ.cont.Sp.75.B
Fici maturi ſenibus eligendi.5°.de ſa.tuen. 2ª.92.D
ex Ficis ſoluenda ſenum aluus.5°.de ſan.tuen. 2ª.92.E
Ficus abſtergunt.2°.de alim.fac. 2ª.17.E
Ficus dari debẽt frigidi æſtate calidis & ſiccis.de bo.& vi.ſuc.2ª.39.B
Ficus humidę,& ſiccę mũdificãt et abſtergũt renes.de diſ.cõ. Sp.74.G
Ficuum eſus confert nephriticis.2°.de ali.fac. 2ª.17.E
Ficus conueniunt epilepticis.de puero epil. 7ª.180.D|F
Ficus boni ſunt ꝑ cibo ad furfures capitis.1°.de cõp.me.ſec.loc.5ª.128.E
Ficus nimium comeſtæ ſtomachum comburunt, ventrem deponunt, feruores nutriunt, ſudorem prouocant, ſitim prohibent. de ſimplic. medicament. Sp.84.C
Ficus cum aliquo craſſi ſucci ſumptæ non mediocriter obſunt. 2°. de alimentorum fac. 2ª.17.F
Ficus obſunt inflammationi iecoris & lienis.2°.de ali.fac. 2ª.17.F
Ficus obſtructionibus iecoris & lienis aut ſcirrho obſeſſis proſunt. 2°. de alimentorum fac. 2ª.17.F
FICVBVS quo modo proportionantur caricæ. 2°. de alimentorum

facultatibus.18.D| 2ª.20.H
Ficus,quas caricas vocant,poſſunt conſeruari.de puero epi. 7ª.180.D
Ficus aridæ & recentis differentia.3°.de comp.me.ſec.lo. 5ª.147.A
Ficuum aridarum differentiæ.8°.de ſimp.me.fac. 5ª.61.E
Ficus aridæ calidæ in primo ordine completo.8°.de ſimplicium medicamentorum fac. 5ª.61.E
Ficus ſiccæ non inflant,humidæ inflant.de diſſ.cont. Sp.74.G
Ficus ſiccæ ſunt cibi ſapidi, dulces, ſubtiles,abſtergentes. de diſſolutione continua. Sp.72.E
Ficus ſiccæ generant ſuperfluitates putridas.de diſſ.cont. Sp.74.B
Ficus ſiccæ generant pediculos.de diſſ.cont. Sp.74.B
Ficuũ ſiccarũ decoctũ aliqbus vocat̃ ſireon.i.ſapa.de attẽ.vic. 2ª.46.C
Ficus ſiccatus poteſt eſſe vſui.2°.de ali.fac. 2ª.20.D
Ficuum ſiccarum decoctum aſſimilatur melli prauo melli,& quale ſit. de atten.vic. 2ª.46.C
Fici ſuccus lana ſuſceptus pro ſanguine ſupprimendo. de victus ratione in morbis acutis.com.4°. 7ª.152.F
Fici ſemen κελχραμὶς.2°.de alim.fac. 2ª.16.C
Ficuum ſemẽ non concoquitur,vt nec vuæ ſemen.2°.de ali.fa. 2ª.17.H
Ficis ſemina eximit.8°.de comp.me.ſec.loc. 5ª.197.B
Ficuum domeſticarum ſemen lapidem renum frangit. de ren. aff. dign. & med. 7ª.196.C
Ficu matura & recenti lac tithymalli excipit.de dyn. Sp.21.E
Ficuum cinis.5°.de comp.me.per ge. 5ª.253.B
ex Ficu fit lixiuium.3°.de comp.me.per ge. 5ª.228.F
ex Ficu & Cnico compoſitum leuiter deijcit.6°.de ſan.tuen. 2ª.97.H
FICVS oris affectus.introd. Iſa.59.C
Ficus,qui.in 1^{m}.de morb.vulg.com.3°. 3ª.144.G
ad Ficum,qui apparet emplaſtrum.de dyn. Sp.28.H
ad Ficum,qui ſanguinat remedium.de dyn. Sp.28.H
ad Ficus in ſede.de med.fac.par. 7ª.170.B
ad Ficus remedium.de dyna.28.H| Sp.35.G
ad Ficum deſtruendum.de dyna. Sp.35.H
FIDES quo modo habeatur.9°.de decr.Hipp. 1ª.279.E
Fides vni præ alijs non adhibenda ſine demõſtrõne.1°.de ali.fa. 2ª.7.C
Fides habetur à notione euidenti & à ſenſu.1°.de ali.fac. 2ª.7.C
Fides de rebus quo modo creſcat.2°.de ſimpli.me.fa. 5ª.16.E
Fides artium aliter ſe habet quàm inuentionum.3°.de criſ. 4ª.142.C
Fides in iudicio à die ſpectat̃ ſeu obſignatur.1°.de die.decr. 4ª.147.H
FIGVLARIS terra frigida & ſicca.3°.de na.fac. 1ª.301.H
Figulinæ terræ & metallorum cõparatio.9°.de ſimp.me.fa. 5ª.68.E
Figulina vaſa in quibus aliqua debent coqui,cur debent eſſe bene cocta. 4°.de ſani.tuen. 2ª.85.A
Figulinum vas.4°.de comp.me.ſec.loc. 5ª.152.G
Figulina teſta.5°.de comp.me.ſec.loc. 5ª.166.F
FIGVRAE hyperbolicæ,quæ.in prog.com.1°. 4ª.193.E
Figura,quæ hyperbaton dicitur,vſum fuiſſe Hippocratem, collige.commen.3°.aph.3°. Ex.20.B
Figura pleonaſmo vtitur Hippocrates,ſecũdum Galenum. commen.4°. aphoriſmo.48°. Ex.33.B
FIGVRA quid & earum diſtinctio.de hiſt.philo. Sp.4.C
Figura mundi,quæ.de hiſt.philo. Sp.5.G
Figura ſtellarum,quæ.de hiſt.philo. Sp.6.D
Figura ſolis,quæ.de hiſt.philo. Sp.6.H
Figura terræ,quæ.de hiſt.philo. Sp.8.C
Figuræ geniture conſideranda.de decub.prog.ex math.ſcien. Sp.12.G
Figura hominis qñ incipiat,& quo modo.de ſper. Sp.36.C
Figuras hominum conſiderare debet medicus.de ſper. Sp.39.F
Figuræ varietas mẽbrorũ formã conſtituit.7°.de decr.Hipp. 1ª.272.B
Figura exterior notat compoſitionem interiorem.6°.de anatomicis adminiſtrationibus. 1ª.89.G
Figura pueri nati in Leone.de ſper. Sp.38.G
Figuræ fœtuum vnde ſumantur.de ſper. Sp.37.B
Figuram à matre plus habet infans,ſi matris ſperma ſuperabundet. de ſpermate. Sp.38.E
Figuram à patre plus habet infans, ſi patris ſperma ſuperabundet. de ſpermate. Sp.38.E
Figuram ab auo retinet puer quando habet principium in horis ſanguinis,ſicut auus eius.de ſper. Sp.38.F
Figuram aui cur fœtus contineat.de ſper. Sp.38.F
Figura Alexandri ab aſtris.de ſper. Sp.38.G
Figura fortunæ.in oratione ſuaſoria ad bon.art. Iſa.2.D
Figura cur videtur in ſpeculo & in oculo.de ocul. 7ª.185.A
Figuratio concinna capitis ſemper bonum ſignum.ars.med. Iſa.63.C
Figura anteriorum ventriculorum cerebri.de neru.diſſ. 1ª.53.C
Figura cryſtallini humoris,qualis.de anat.viu. Sp.48.D
Figura aurium,quæ.de anat.viu. Sp.48.G
Figura propria linguæ,quæ.de anat.viu. Sp.49.C
Figuram anuli imitans chartilago,quæ.de voc.inſtr.diſſ. 1ª.106.G
Figura cordis,qualis.de compag.memb.ſiue.de na.hu. Sp.58.G
Figura cordis qualis,& cur.de anat.viu. Sp.52.F
Figura cordis cur ſit acuminata.de anat.viu. Sp.46.C
Figura prima eſt figura cordis.de anat.viu. Sp.47.B
Figura cordis eſt prima figura.de anat.viu. Sp.47.B
Figura quæ egregie cõiungit punctũ cũ ſuperficie.de anato.viu.Sp.52.F
Figura renum.de anat.viu. Sp.51.D
Figura ſplenis,quæ.de anat.viu. Sp.51.A
Figuram inuerſam,& protenſam extra habet hominis inſtrumentum. de anat.viuo. Sp.51.D
Figuram inuerſam, & protenſam intus habet fœminæ inſtrumentum. de anatomia viuorum. Sp.51.D
in Figuras varias iactatio.9°.meth.me. 7ª.56.G
Figura membrorum qualis eſſe debet.de fract.com.3°. 7ª.245.D
Figura rectiſſima membrorũ eſt à dolore aliena.6°.meth.me. 7ª.41.B
Figura rotunda comparata ad vix patiendum.1°.de vſu par. 1ª.115.H
Figuram mediam diutiſſime ſeruamus.1°.de motu muſ. 1ª.312.H
Figuram mediam aliqñ mutare deſideramus.1°.de motu muſ. 1ª.312.H
ĩ Figuris extremis appetimus celerẽ mutationẽ. 1°.đ mo.muſ. 1ª.312.H
Figuræ quæ contrariæ in brachio.de fract.com.1°. 7ª.226.C
Figura angularis quæ,ſm Hippocratem.de fract.com.1°. 7ª.226.C
Figura brachij anguloſa,ἐγγώνιος dicta, eſt ſine dolore, & naturalis eſt membro.6°.meth.med. 7ª.41.B
Figura cruris paulo minus porrecta eſt ſine dolore, & naturalis membro.6°.meth.med. 7ª.41.B
Figuram euariant artus effracti male alligati.de cau.mor. 3ª.8.H
Figurarum exceſſus cur afferunt dolorem.1°.de mot.muſ. 1ª.312.H
Figura omnis moleſta eſt ſumme imbecillibus.1°.de mo.muſ. 1ª.313.A
ſm Figuram morbi cauſæ,quæ.de ocul. 7ª.185.G
Figura incommoda in quo genere ægrotationis.de dif.morb. 3ª.3.A
Figuræ naturalis mutationes.3°.de ſymp.cau. 3ª.30.E
Figuræ naturalis varietas cur fiat,& quot modis.de cau.mor. 3ª.8.F
Figura naturalis ex accidẽti qbus mutet̃,et quo mõ.de cau.mor.3ª.8.H
Figura deprauatur ob repletionem vel inanitionem.de cau.mor.3ª.8.H
Figuram naturalem inuertere poſſunt motus ante tempus & citatiores de cauſis morborum. 3ª.8.F
Figuram euariant inflammationes,duri tumores, & cicatrices induratæ.de cau.mor. 3ª.9.A
Figuram naturalem immutant elephas & tabes.de cau.mor. 3ª.8.H
ad Figuræ variationẽ pertinebit ægritudo,qñ fibra cuiuſpiã viſceris excider it ob vehementiores caſus aut afflictationes.de cau.mor.3ª.9.E
Figuram propriã habent morbi, qua cognoſcantur.2°.de criſ.4ª.137.D
à Figura,& poſitu indicatio.4°.meth.me.28.F|29.B| 7ª.49.C
ex Figura ſumitur tertia indicatio in ventriculo affecto.7°. methodi medendi. 7ª.48.H
in Figura errores qui corrigi poſſunt.ars med. Iſa.69.B
à Figura & materia,cucurbitularum differentiæ.de cucur.ſca.6ª.3.D
ex Figura differentiæ cucurbitularum.de cucur.ſca. 6ª.3.E
ad Figurãdũ corp̃a,vbi qd manu fieri oportet,laqueus.de laq.7ª.306.F
ad Figuranda corpora, vbi manu curatio adhibetur, laqueus.de laqueis. 7ª.308.E
ad Figurãda corpora,vbi iuxta anũ curant̃,laq̃us.de laqueis. 7ª.308.G
Figura lunata ab vna pte ſima,ab altera gibba ẽ aſcia.de faſ. 7ª.295.B
Figuræ ſunt in organis.2°.meth.me. 7ª.13.D
Figura ſcamni qualis.de machin. 7ª.311.E
FILATIM excerptum linamentum.4°.de compoſitione medicamẽtorum per ge. 5ª.242.E
Filatim excerpti panniculi.4°.de comp.me.per ge. 5ª.242.F
Filatim concerpti panniculi.4°.de comp.me.per ge. 5ª.244.E
FILICVLA dulcis,acris,amara.6°.de ſimplicium medicamentorum facultatibus. 5ª.46.D
Filicula habet vim ſepticam.6°.de ſimp.med.fac. 5ª.46.D
Filiculæ pilis glabram cutem efficit.6°.de ſimp.me.fac. 5ª.46.D
Filicula pro iecoris phlegmone.13°.meth.me. 7ª.84.A
FILIVS ſuſcipere nõ curãt exercẽtes ſe in olympijs.1°.de ſe. 1ª.334.A

Filij habent ſimilitudinem cum parentibus.de fœt.for. 1^{a}.326.B
Filij q̃nq; ſimiles ꝑgenitoribus nõ ſolis parẽtibus de the.adPiſ. 5^{a}.94.E
Filij vnde ſimiles parentibus.de hiſt.philo. Sp.10.G
Filij cur diſſimiles parentibus.de hiſt.philo. Sp.10.H
Filios non recte regunt Germani.1°.de ſan.tuen. 2^{a}.66.E
Filijs principum, diligentia rectorum formido potius eſt. de præcognitione. 4^{a}.219.D
Filios Hippocratis, Comici ob immodicum calorem ſtultitiæ mordent. quòd animi mores. 1^{a}.318.F
FILIX *quid.de ſimp.med.* Sp.84.D
Filix vires habet acres, & relaxantes.de ſimp.med. Sp.84.D
Filix ventrem mollit, tineas, & lũbricos expellit.de ſimp.me. Sp.84.D
Filix, quoniam amara, latum lumbricum necat.8°.de ſimplicium medicamentorum facul. 5^{a}.59.C
Filix pro iecore qualis ſit.8°.de comp.me.ſec.loc. 5^{a}.195.B/C
ex Filice hypogloſſis Andromachi.7°.de compoſitione medicamentorum ſecundum locos. 5^{a}.181.F
ex FILIS *quibuſdam longitudinalibus, & quibuſdam tranſuerſis cõponitur interior panniculus ſtomachi.de anat.viu.* Sp.49.G
ex Filis latitudinalibus componitur exterior panniculus ſtomachi.de anatomia viuorum. Sp.49.H
Filum quale eſſe debet in ſuitione vlcerum.6°.meth.me. 7^{a}.39.F
Filum aureum.de arti.com.2°. 7^{a}.265.B
FIMBRIAE, *quæ de art.com.2°.* 7^{a}.265.G
Fimbrijs affulciendum, non comprimendum.de ijs, quæ in med.fiunt, cõmentario.3°. 7^{a}.215.D
ex FIMO *aer coinquinatus vitioſus.1°.de ſan.tuen.* 2^{a}.67.B
Fimi vis.de ſimp.med. Sp.84.E
Fimi quo modo attrahant.5°.de ſimp.me.fac. 5^{a}.36.F
Fimus omnis tumorem efficaciſſime lenit, & veteres durities remollit. de ſimp.medica. Sp.84.E
Fimi aſinini vis.de ſimp.med. Sp.84.E
Fimus aſininus dentium dolorem tollit.de ſimp.me. Sp.84.E
Fimi canini vis.de ſimp.med. Sp.84.E
Fimus caninus tumores, et vulnera delicate mũdat.de ſim.me. Sp.84.E
Fimus albus canis.de remed.par.fac. 7^{a}.158.A
FINIS *quid fin.med.* Iſa.43.F
Finis & bonum idem.ad Thraſy. 2^{a}.103.E
ad Finem quid ſignificet apud Hippocratem.2°.de diff.reſp. 3^{a}.65.C
Finẽ reſpõdẽt oẽs interrogati, cuius gratia res fiãt.de cau.pro. 3^{a}.96.D
Finis, & efficiens cauſæ principaliſſimæ.de cau.procatar. 3^{a}.96.F
à Fine diffinitiones magnas difficultates faciunt.ad Thraſy. 2^{a}.102.F
Fine quandoque carent, quæ fiunt à caſu.de cauſ.procatar. 3^{a}.96.G
Finis eſt vnus in omni re, & qui.ad Thraſ. 2^{a}.103.E
Finis, qui.5°.de decre.Hippo. 1^{a}.257.G
Finis communis eſt cuſtodia vitæ.9°.meth.med. 7^{a}.59.A
Fine vitæ nihil magis ſpectandum.in oratione ſuaſoria. Iſa.3.F
Finis quo modo differt à ſcopo.intro. Iſa.51.G
Finis & propoſitum quo modo differant ad Thraſy. 2^{a}.103.E
Finis eſt propoſiti conſecutio.ad Thraſy. 2^{a}.103.E
Einis ijs quæ præ ſe ſemper præſtantior.2°.de ſan.tuen. 2^{a}.71.F
Finem quælibet ars appetit.ad Thraſy. 2^{a}.103.E
à Finis notione conſtitutio omnis artis.de conſtitu.art. Iſago.36.D/ad Thraſy. 2^{a}.106.B
Finis notio eſt principium conſtituendarum artium, quę methodo aliqua traduntur.1°.meth.me. 7^{a}.7.C
à Finis notione artis cõſtitutionẽ demonſtrauit Gal.de cõſt.ar. Iſ.42.G
Finis artis conſtituit prima præcepta artis, & dijudicat. ad Thraſybulum. 2^{a}.106.B
per Finem iudicantur artes ad Thraſy. 2^{a}.106.A/B
ad Finem properare, ab eoq; artes iudicare præcipit ratio. ad Thraſybulum. 2^{a}.106.B
Finis aliquarum artium eſt in ſola natura rerum, quas conſiderant, ſpectanda.de conſt.ar. Iſa.36.D
Finis philoſophiæ, ſm Ariſtippum, voluptas.de hiſt.philoſ. Sp.2.H
Finis effectrix cur vna ars in vna materia, & altera conſeruatrix non reperiatur.ad Thra. 2^{a}.104.B
Finis medicinæ qui, ſecundum diuerſos.1°.meth.me. 7^{a}.7.C
Finis medicinæ ſecundum empiricos.de ſubfig.emp. Iſa.34.C
Finis medicinæ eſt parare ſanitatem.de ſectis. Iſa.15.H
Finis vnus medicinæ, conſecutio ſanitatis.de ſectis. Iſa.20.E/*de ijs, quæ in med.fiunt.com.1°.* 7^{a}.197.F
Finem artis expetere ille non poteſt, qui plus tribuit diuitijs, quàm arti. ſi quis opt.med. Iſa.6.E
Finales partes rei medicæ.de part.art.med. Sp.17.G
Finis medici aduenit in ipſis hominum corporibus.2°.de criſ. 4^{a}.136.H
Finis artis ꝑ ſe conſideratͣ ab artifice.de ijs, q̃ in me.fiũt.cõ.1°. 7^{a}.197.F
Finis artis eſt curatio, non dignotio, vel prænotio. de vict. rat. in morb. acut.cum.1°. 7^{a}.108.D
Finis communis totius curationis.de ijs, quæ in med.fi.cõ.1°. 7^{a}.197.G
Finis aurium qui.de anat.viu. Sp.48.G
Finem rigoribus imponere poteſt cucurbitulà.de cucur.ſcar. 6^{a}.3.F
in Fine omnium morborum ex ſuccis vitioſis, calefacientibus & exiccantibus eſt vtendum.14°.meth.me. 7^{a}.89.C
FINITIONIS *multæ deſcriptiones.fin.med.* Iſa.43.C
FIVNT *omnia pro vita.5°.meth.me.* 7^{a}.59.G
Fieri quid oporteat ſcire nõ magnum, ſed quibus rationibus id efficias. 6°.meth.med. 7^{a}.37.A
Fiẽs adhuc eſt quædã diſpoſitio, quædã permanẽs.1°.de loc.aff. 4^{a}.4.A
Fiunt adhuc quidam affectus.1°.de locis affectis. 4^{a}.4.G
in Fieri quæ habeant eſſe.2°.meth.me. 7^{a}.10.A
in Fieri habent eſſe actiones, & alterationes.2°.meth.me. 7^{a}.10.B
in Fieri qui ſunt morbi, quomodo curentur.13°.meth.me. 7^{a}.80.E
FIRMATA *magnam vim demolientem expoſcunt, quæ longo tempore, & per fortiora ac plura auxilia comparatur. commentar.4°. aphoriſmo.3°.* Ex.30.F
Firmationis inſtrumentum per.3°.de vſu par. 1^{a}.129.B
Firmatione & motu perficitur ambulatio.3°.de vſu par. 1^{a}.129.B
ad Firmationem calcaneũ os principaliſſimũ.3°.de vſu par. 1^{a}.130.E
ob FIRMITATIS *etiam ſecuritatem facta ſunt crura.3°. de vſu partium.* 1^{a}.131.E
Firmitatem & robur dant adſtringentia.2°.de compoſitione medicamẽtorum ſecun.loc. 5^{a}.139.H
FIRMVM *difficulter recluditur.3°.de ſymp.cau.* 3^{a}.27.A
Firmius tenent vinctũ faſciæ in lintei longitudinẽ facte.de fa. 7^{a}.293.H
in FISCELLAE *ſpeciem Geranis.de faſcijs.* 7^{a}.302.A
in Fiſcellæ ſpẽm Geranis in priori parte ſe oſtẽdẽs.de faſcijs. 7^{a}.302.D
FISSILIS *meminit.5°.de comp.me.per ge.* 5^{a}.251.C
FISSVRAE *ſedis affectus.introd.* Iſa.59.D
ad Fiſſuras & rimas ſedis.1°.de comp.me.ſe.lo. 5^{a}.130.C
FISSVS *lapis.5°.de comp.me.per gen.* 5^{a}.254.A
FISTICI *eſt cibus dulcis, ſapidus, ſubtilis, abſtergens.de diſſolutione continua.* Sp.72.E
Fiſtici confortant hepar, & aperiunt oppilationem eius. de diſſolutione continua. Sp.74.H
Fiſtici corticis decoctio confortat ſtomachum, & mũdificat canales pulmonis hepatis.de med.exper. Sp.104.D
FISTVLAE *lapideæ per quas aquæ tyburtinæ deſcendunt. in 6ᵐ.de morb.vulg.com.4°.* 3^{a}.182.E
Fiſtula aliquis perite vtitur, alter clyſterio.ad Thraſy. 2^{a}.105.E
in Fiſtula vrinaria quibus tubercula naſcuntur, ijs ſuppuratione facta & eruptione, ſolutio.com.4°.apho.82°. Ex.37.A
Fiſtulis plenam pellem facit trachea arteria, quæ recipiunt aerem & non ſanguinem.de vtil.reſp. Sp.64.C
FISTVLA *quid.fin.med.* Iſa.49.A/*de tum.præter nat.* 3^{a}.83.G
Fiſtula quid ſit, & eius curatio.2°.de arte cur.ad Glau. 7^{a}.105.H
Fiſtulæ ſunt abſceſſus.in 6ᵐ.de mor.vul.com.3°. 3^{a}.178.E
Fiſtula non eſt diuiſio ſimplex.3°.de arte cur.ad Gla. 7^{a}.106.B
Fiſtularum differentiæ duæ.fin.med. Iſa.49.A
Fiſtula ex qua materia fiat.2°.de arte curat.ad Gla. 7^{a}.105.H
Fiſtula quo modo fiat.de ocul. 7^{a}.185.H
ob Fiſtulas futuras melius eſt vt natura decidãt oſſium feſtucæ, quàm vi medicamentorum.de ijs, quæ in med.fi.com.2°. 7^{a}.210.H
in Fiſtulam pilum ſuillum ponebant dignoſcendi cauſa vſq; quo procederet.1°.de comp.me.per ge. 5^{a}.213.B
in Fiſtulã q̃uo medicamẽta inijciat.2°.de arte cur.ad Gla. 7^{a}.105.H
in Fiſtulæ profundũ debet vis peruenire.2°.de arte cu.ad Gla. 7^{a}.106.B
Fiſtulæ lixiuia calida clyſterizantur.de ſimp.me. Sp.85.H
Fiſtulæ anguſti foraminis q̃uo curatæ.2°.de arte cur.ad Gla. 7^{a}.106.E
Fiſtulis gingiuarũ confert ſectio venarũ labiorũ.de anat.viu. Sp.55.A
Fiſtula in oculo totum oculum exercet.introd. Iſa.58.D
ad Fiſtulas oculorum.de med.fac.par. 7^{a}.170.D
ad Fiſtulas angulorum oculi.de med.fac.par. 7^{a}.176.C
Fiſtulæ poſt aures in puero caſus.1°.de comp.me.per ge. 5^{a}.213.B

Fiſtulæ affectus ſummæ partis pedis.introd. Iſa.59.D
Fiſtula armenia terra ſanantur.9°.de ſimp.me.fa. 5ª.66.G
Fiſtulas ſanat vel conſolidat emplaſtrum Barbaræ.de dyna. Sp.35.F
ad Fiſtulas valet ſtratiores.8°.de ſimp.me.fac. 5ª.61.D
Fiſtulam ſtringens remedium.de dyna. Sp.27.B
ad Fiſtulas iungendas.4°.de comp.me.per ge. 5ª.245.C
p Fiſtulis,& laceroſis cutibus quæ iungenda melli. 2°. de arte cur.ad Glauconem. 7ª.106.G
ad Fiſtulas adſtringendas,exiccandas,& prorſus claudendas. 2°.de comp.me.per ge. 5ª.223.G
ad Fiſtulam claudendam remedium.de dyna. Sp.31.B
ad Fiſtuloſas cauitates carne implendas valet teſta oſtrearum combuſta.11°.de ſimp.me.fac. 5ª.80.H
Fiſtulæ profunda pars an bene conglutinata,indicia.2°. de arte cura.ad Glauconem. 7ª.106.D
Fiſtularum callos tollit ſpondylion.8°.de ſimp.med.fac. 5ª.61.G
Fiſtularum callos eximunt tithymalli.8°.de ſimp.me.fa. 5ª.62.E
Fiſtulis callum exterens.5°.de comp.me.per ge. 5ª.251.D
ad Fiſtulas quæ nondũ callum durũ habent.1°.de cõp.me.p ge.5ª.213.B
ad Fiſtularum callos.5°.de comp.me.ſec.loc. 5ª.160.G
ad Fiſtulas calloſas iam exiccatas.4°.de comp.me.per gen. 5ª.245.C
ad Fiſtulas omnes recentes.5°.de comp.per ge. 5ª.246.E
ad Fiſtulas.2°.de compoſi.medica.per gene.225.D/226. C/227. E/4°. 243.D/5°.245.H/247. D/248.E/G/249. D/251. B/252.E/6°. 255.F/259.B/ 5ª.261..A/G
Fiſtulas iuuans.6°.de comp.me.per ge. 5ª.262..A/B
ad Fiſtulam probatum remedium.de dyna. Sp.30.H
ad Fiſtulam remedia.de dyna. Sp.31.A
ad Fiſtulas tollendas.de dyna. Sp.31.B
FISTVLARI quid ſit.in progn.com.2°. 4ª.204.H
FITARABEGI. ſecretorum. Sp.102.F
FIXVRA ſpecies coarticulationis in capite.introd. Iſa.54.F
FLACCIDA corpora confirmat omphacomeli. de dynamidijs. Sp.22.C
Flaccidas laxaſq́ partes denſant ſales theriaci.de vſu theria. 5ª.97.E
ad Flaccidas carnes,& humectas.5°.de comp.me.per ge. 5ª.248.G
FLAMMA,pruna,ignis genera.4°.de ſimp.me.fac. 5ª.24.F
Flãma nec pruna quare aqua nõ efficiat.4°.de ſimp.me.fa. 5ª.24.G
Flamma ſufflaua.2°.de ſimp.me.fa. 5ª.9.G
Flammæ generatio vnde.de vtil.reſp. 1ª.224.G
Flamma omnis indiget aere.de vtil.reſp. 1ª.225.F
Flamma nutritur non tantum à pingui,ſed etiam ab aere vicino.de vtilitate reſpirationis. Sp.62.D
Flãma maior indiget ampliori aere,minor pauciore.de vti.re. 1ª.225.F
vt Flamma ab oleo nutritur calor naturalis.de vtil.reſp. Sp.62.C
Flammæ quot modis augeantur.de vtil.reſp. 1ª.224.F
Flammę proportionatus eſſe debet ventus,ſi illam augere debet.de cauſis morborum. 3ª.7.D
in Flamma ventilata quo modo fiat caliditas.de cauſ.morb. 3ª.6.D
Flamma fit aer accenſus.4°.de ſimp.me.fac. 5ª.24.G
Flamma ad incrementum quo motu egeat.de cauſ.morb. 3ª.7.D
Flammæ conſeruantur commoderatione.de vtil.reſp. 1ª.224.H
Flamma frigido aere moderate indiget.de vtil.reſp. 1ª.224.H
Flamma an eadem ſit ſemper.de vti.reſp. Sp.62.E
vt Flamma eſt in continuo motu,ita calor à corde ad venas continuo fluit.de vtil.reſp. Sp.62.F
Flammas duplici motu moueri probat.de vtil.reſp. 1ª.224.F/G/H
Flammæ motus ſurſum à quo.de vtil.reſp. 1ª.224.F
Flammæ cur contrahuntur.de vtil.reſp. 1ª.224.G
Flamma cur habet velociſſimam corruptionem.de vtil.reſp. 1ª.224.G
Flamma quo modo corrumpatur.de vtil reſp. 1ª.224.H
Flammæ quot modis extinguantur.de vtilitate reſp.1ª. 224.F/de trem. palp.conuulſ.& rig. 3ª.54.E
Flammæ imbecilles ſole extinguuntur.4°.de ſimp.me.fac. 5ª.27.H
Flamma quo modo marceſcat ob aliam flammam.de cauſ.mor. 3ª.7.C
Flamma maior quo modo minorem extinguat.de vtil.reſp. Sp.62.D
Flamma lucernæ quo modo ferè extinguitur.de cau.morb. 3ª.7.C
Flamma quo modo extinguatur ab aere.de cauſ.morb. 3ª.7.C
Flammam extingunt frigus intenſum,& calidum intenſum.de vtilitate reſpirationis. 1ª.224.H
Flamma lucernæ tollitur ſuffocando.de vtil.reſp. 1ª.224.H
Flamma quo modo obſtruitur.de cauſ.morb. 3ª.7.C
Flamma ſtatim extinguitur in cucurbitulis, ſed calor remanet diu. de vſu pulſuum. 1ª.228.B
Flammæ ante ſuffuſionem apparent.de ocul. 7ª.187.C
Flamma quando non eſt ſed fumus.1°.de diff.reſp. 3ª.62..A
Flamma quandoq́ prodeſt,quandoq; obeſt.3°.de temp. 1ª.23.B
Flamma aggrauant ligna viridia.de cauſ.morb. 3ª.6.E
ad Flammam ignis acerrimi coquit medicamentum.6°.de comp. med. ſecundum locos. 5ª.263.B
nõ Flamma,ſed igne liquefaciendum.5°.de comp.me.per gen.5ª.247.E
FLAMMA & vſtio thoracis quo lunæ aſpectu fiat. de decub. progn.ex mathematica ſcientia. Sp.12.G
Flammam in ſtomacho habentibus quid conferat.de me.exp.Sp.104.H
FLAMMANS facies ſine rigore cum ſudore, mala.in 1m.prorrhet.commentario.2°. 4ª.173.G
Flammea & ardentia,igneiq́ affectus omnes ſunt calore vincente. de palpit.trem.conuulſ.& rig. 3ª.54.D
Flammantes morbi,qui.de vict.rat.in morb.acut.com.4°. 7ª.137.B
Flãmãs morbus q̃ apud antiquos.de vict.ratio.ĩ mor.ac.c.4°. 7ª.137.B
FLAMMOSA eſt caro pulmonis.de anat.viu. Sp.55.H
FLANTE borea dulcior erit aqua,& frigidior.de bon.aq.Sp.75.G
Flante Auſtro aqua minus dulcis erit, ſed calida magis. de bonitate aquæ. Sp.75.G
FLATVLENTIAE cuius ſymptoma.de ſymp.diff. 3ª.10.E
Flatulẽtũ ſpiritũ expellit dioſpoliticõ medicamẽtũ.6°.de ſa.tu. 2ª.99.D
ex Flatulento ſpiritu dolor quo modo curetur.13°.meth.med. 7ª.82.B
Flatulenti ſanguinis meminit.de mult. 3ª.81..A
Flatulẽti cibi miſceant̃ cũ calidis & attenuãtib9.1°.de alim.f. 2ª.14..A
Flatulenta eſt faba.7°.de ſimp.med.fac.5ª.53.D/de vict.ra.in mor.acu. commentario.1°. 7ª.112..A
FLATVOSA eſt cæpa.7°.de ſimp.med.fac. 5ª.53.D
Flatuoſum lini ſemen & humidum habens recrementum.7°.de ſimplic. medica.fac. 5ª.54.G
Flatuoſa cur vina dulcia.de vict.rat.in morb.acut.com.3°. 7ª.125.G
Flatuoſa valde,coquuntur à robuſto vẽtriculo.4°.de vſu par.1ª.137.H
Flatuoſam & excrementitiam habẽtia humiditatem venerem excitãt. 8°.de ſimp me.fa.57.F/ 5ª.60.B
q̃uo Flatuoſa humiditas pãdiculationes & oſcitationes faciat.com.7°. aphoriſ.56°.&.57°. Ex.59..A
Flatuoſus ſpiritus qualis ſit,& cui comparatus.2°.de arte curatiua ad Glauconem. 7ª.104.E
Flatuoſus ſpiritus à qua materia oriatur.in 1m.pror.com.1°. 4ª.168.F
Flatuoſi ſpiritus cum flatibus conueniunt.in 1m.de morbis vulgaribus, commenta.3°. 3ª.118.C
ex Flatuoſo ſpiritu humor,qualis.2°.de arte cur.ad Gla. 7ª.104.E
ob Flatuoſum ſpiritum qui non habet exitum,ſed in inteſtinorum inuolucris eſt interceptus,& propter morſum vehementem fiunt tormina.com.4°.apho.11°. Ex.28.D
Flatuoſi ſpiritus in ĩcarnoſis partibus,quo modo curentur, & quibus. 2°.de arte cur.ad Glau. 7ª.104.H
Flatuoſi,& crudi ſpiritus copia facit dolorem.4°.de loc.aff. 4ª.27.D
ex Flatuoſo ſpiritu dolor.12°.meth.me. 7ª.79.B
ex Flatuoſo ſpiritu dolor curatur cucurbitula cum flãma copioſa. 12°. methodi medendi. 7ª.79.H
Flatuoſi fiunt qui à morbis immodice ſe ſatiant.3°.de ſymp.cau.3ª.25.B
Flatuoſis non eſt medicamentum exhibẽdum.de victus ratione in mor. acut.com.4°. 7ª.150.F
ad Flatuoſos.7°.de comp.me.per ge. 5ª.266.E
Flatuoſa quæ offendunt,q̃uo extra mittantur.2°.de ſymp.cau. 3ª.22.H
Flatuoſæ,& caliginoſæ materiæ meminit.in 1m.de morbis vulgaribus. commen.1°. 3ª.104.G
Flatuoſa & hypochondriaca quando vocatur melancholia. 3°. de locis affectis. 4ª.19.D
Flatuoſiores quando fiunt tumores.13°.meth.me. 7ª.80.G
FLATVS ſeu exufflatio quo modo fiat.1°.de loc.affe. 4ª.6.E
Flatus ſeu exufflatio eſt materia vocis.1°.de locis affe. 4ª.6.E
cũ Flatibus conueniunt flatuoſi ſpiritus.in 1m. de morbis vulgaribus, commen.3°. 3ª.188.C
Flatus generatio vnde.3°.de ſymp.cau. 3ª.27.E
Flatum non facit calor fortis,ſed diminutus.3°.de ſympto.cau.3ª.27.E/14°.meth.me.89..A/de vict.rat.in mor.acu.com.4°. 7ª.140..A
Flatu impleri à naturali calore imbecillo fit.in 6m. de morbis vulgaribus.commen.3°. 3ª.172..A

in Flatus

in Flatus deducuntur frigidi, craſſi, & lenti humores à calefacientibus. 12°.methodi medendi. 7ª.79.E
Flatus ventoſus generatur ex humoribus viſcoſis & craſſis per moderatam caliditatem.9°.de com.me.ſe.loc. 5ª.205.E
Flatus, vel fluctuationes, vel nauſeæ ſubſequũtur cibos qui diſplicent. com.2°.apho.38°. Ex.17.G
Flatus quibus locis colligatur.14°.meth.med. 7ª.88.E
Flatus eſſe in diuerſis locis.3°.de ſympt.cau. 3ª.27.F
Flatus quando fiant.3°.de ſymp.cau. 3ª.25.D
Flatus ad tibias comparatio.3°.de ſympt.cau. 3ª.27.F
Flatum parit allium.de vict.ra.in mor.acu.com.4°. 7ª.145.C
Flatum minus generant cæpæ, quę ſunt tẽperatura ſicciore.7°.de ſimplicium medi.fac. 5ª.53.D
Flatum parit caſeus.de vict.ra.in mor.acu.com.4°. 7ª.145.D
Flatibus ventrem implent fabæ.2°.de ali.fac. 2ª.17.E
Flatus facit triticum elixum.1°.de alim.fac. 2ª.11.B
Flatus vini dulcis difficile reſoluit.de vic.rat.in mor.acu.c.3°.7ª.125.G
Flatus vinorũ tenuium qualis ſit.de vic.ra.in mor.ac.com.3°.7ª.125.G
Flatibus implet muſtũ, niſi velociter pertranſeat.2°.de ali.fac. 2ª.17.F
in Flatus facile incidunt cruditates habentes.4°.de ſa.tuen. 2ª.84.H
Flatus hypochondriacus affectus.3°.de loc.aff. 4ª.18.F
Flatus hypochondriacus contingit in declinantibus ętate, cum venere vtuntur.in 6ᵐ.de mor.vulg.com.3°. 3ª.171.G
Flatus hypochondriaci cauſa.3°.de loc.aff.18.G/ 4ª.19.D
Flatus hypocondriacus quo mõ fiat, & q̃ illũ ſequũt.3°.de lo.af.4ª.18.C
Flatus hypochondriaci cognitio vnde ſummatur.de melancholia ex Galeno, Ruſo, & Poſſidonio. Sp.109.G
Flatus hypochondriaci ſigna.de mel.ex G.R.& Poſſ. Sp.109.C
Flatus hypochondriaci ſymptomata.3°.de loc.affe.18.H/5°. 4ª.32.H
Flatum hypochondriacum habentes cur melancholici.2°.de ſymptomatum cauſis. 3ª.24.D
Flatus hypochondriaci ſymptomata, & an in cerebro.3°. de locis affectis. 4ª.19.D
in Flatu hypochondriaco cruditates.5°.de lo.aff. 4ª.32.H
in Flatu hypochondriaco videtur inflammatio.3°.de lo.aff. 4ª.19.B
ex Flatu hypochondriaco ſplenici.5°.de lo.aff. 4ª.32.H
in Flatu hypochondriaco ſanies vitioſa ex ſplene in ventriculum. 5°. de locis affectis. 4ª.32.H
Flatus hypochondriaci curatio.3°.de loc.aff. 4ª.19.D
Flatum hypochondriacum iuuant cibi frigidi.3°.de lo.aff. 4ª.18.H
ad Flatum ventris valet acetum ſcillinum.de med.fac.par. 7ª.178.C
Flatus ventris diſcutit vitex ſuper omnia.6°.de ſimp.med.fac.5ª.41.A
ad Flatibus turbatum ventrem theriaca valet.de the.ad Piſo. 5ª.91.F
Flatus in latis inteſtinis bombos faciunt.3°.de ſymp.cau. 3ª.27.F
ob Flatus inteſtinorum.3°.de ſymp.cau. 3ª.27.F
Flatus inutilis per ructus & inferiora exit.4°.de vſu par. 1ª.138.A
Flatus plures oſtendunt futuram ægritudinem.ars med. Iſa.67.F
Flatus pauciores oſtendunt futuram ægritudinem.ars med. Iſa.67.F
Flatus ſilens & ſonorus.3°.de ſymp.cau. 3ª.27.F
ob Flatus ieiuni ſonitus.3°.de ſymp.cau. 3ª.27.F
Flatus ſine ſonitu optimus.in prog.com.2°. 4ª.200.A
Flatus non exit per cunnum.1°.de ſem. 1ª.329.F
Flatus ſi male oleant quid agendum.de vi.ra.in mor.a.cõ.4°. 7ª.139.D
Flatus quoque cognoſcuntur in vrina.de vri.ſign.ex.Hipp. Sp.79.B
Flatus non poteſt eſſe cum vrina tenui.de vrinis. 4ª.124.G
Flatus variat ſitum contentorum in vrina.de vrinis. 4ª.124.B
propter Flatus vrina ſuſpenditur.de vrinis. 4ª.123.H
Flatuum lationes per venas quibus eueniant.præſag.exp.cõſi. Sp.78.E
à Flatibus diſtrahitur natura quo modo.de vrinis. 4ª.123.H
ex Flatu dolor acerbiſſimus.de mult. 3ª.79.D
Flatus ventoſus ex corpore aliquando fertur in caput.2°.de compo.medic.ſec.locos. 5ª.135.G
ex Flatu ventoſo quo modo fiant dolores.5°.de compoſitione medicamẽtorum ſecundum locos. 5ª.135.H
Flatus ventoſus tranſitum non habens dolorem excitat.3°. de compoſitione med.ſec.locos. 5ª.140.E
Flatus qñ dolorem maximum excitant.2°.de arte cu.ad Gla. 7ª.104.F
cum Flatu ventoſo calor doloroſus quando abundat, quid agendum.2°. de compo.me.ſe.loc. 5ª.136.C
ex Flatu dolor q̃bus clyſteribus curet̃.2°.de ar.cu.ad Glauco. 7ª.104.G
ex Flatu & humore dolorem curat Galenus oleo, in quo ruta percocta ſit pro clyſteri.12°.meth.med. 7ª.80.A
ex Flatu q̃uo ruptum ſtamneum vas, in quo theriaca.de mult. 3ª.79.D
Flatus quæ ſanent.8°.meth.med. 7ª.53.F
Flatum diſcutit, & ſitim non facit Allium.12°.meth.med. 7ª.79.E
Flatum maxime diſcutit allium oĩum eduliorũ.12°.meth.med. 7ª.79.E
Flatus ventris reprimit Aniſum.6°.de ſimp.med.fa. 5ª.43.C
Flatus diſcutit Apium.8°.de ſimp.me.fac. 5ª.60.B
Flatuum crudorum diſcurſus perſanare apparet Bdellium arabicum.6°. de ſimp.med.fac. 5ª.44.H
Flatus extinguit Caron.7°.de ſimp.med.fac. 5ª.30.A
Flatum extinguit Cyminum.7°.de ſimp.med.fac. 5ª.53.F
Flatus diſcutit Cucurbitula applicita.14°.meth.med. 7ª.88.F
Flatus extinguunt Lybiſtici radix & ſemen.7°.de ſimp.med.fa.5ª.54.F
Flatus vel maxime extinguit Nigella.7°.de ſimp.med.fa. 5ª.55.D
Flatũ diſcutit Oxymeli parũ acre.de vic.ra.in mor.acu.cõ.3°. 7ª.130.B
Flatus educit Peplium.de dyna. Sp.20.H
Flatus extinguit Petroſelinon.8°.de ſimp.me.fac. 5ª.58.C
Flatus extinguit Ruta.8°.de ſimp.med.fac. 5ª.58.D
Flatum diſcutientia Semina.de ren.aff.dig.& med. 7ª.194.A
Flatus ventris diſcutit Vitex.6°.de ſimp.med.fac. 5ª.40.H
ad Flatus valens antidotus.2°.de antido. 5ª.111.H
Flatus niſi erumpant, aut vrinæ proueniat copia, quibus hypochondria ſuſpenſa murmurantia, ilium dolore accidente, ijs alui humectantur. de vrinæ ſignificatione ex Hippo. Sp.78.H
ex Flatu apoſtema quo modo curetur.de ocul. 7ª.189.H
Flatus, Lege Spiritus ventris.
FLAVIVS Boethus quanto amore proſequebatur anatomiam.1°. de anat.admi. 1ª.63.B
FLAVIVS Clemens.7°.de com.me.per ge. 5ª.271.D
FLAVII pyctæ.i.pugilis, ad dyſentericos.9°. de compoſitione medicamentorum ſecundum locos. 5ª.203.D
FLAVVM ξανθὸν, fuluum κιῤῥὸν, pro eodem.5°.de ſa.tuen. 2ª.91.A
Flauo, & pallido colori, contrarij colores liuidi & nigri.14°. methodi medendi. 7ª.87.E
Flauum colorem eſſe fuluo intenſiorem, collige.de victus ratione in morbis acutis, com.3°. 7ª.126.E
in Flauum poſt fuluum fit tranſitus ab albo. de victus ratione in morbis acutis, com.3°. 7ª.126.E
inter Flauum & album medium pallidum.5°.de ſan.tuen. 2ª.91.A
Flauum ex pallido ὠχρόξανθον dicunt.4°.de ſan.tuen.83.G/5°.2ª.91.A
Flaui ſunt colore finitimi ruſis.de ſal.diæta. 2ª.40.E
Flauo eſt albius ruſum.1°.de criſ. 4ª.129.D
Flauus color quantum à rubro in albiorem ſecedit, tantum flauus à pallido.de vict.ra.in mor.acut.commen.2°. 7ª.119.E
Flauum fit rubrum vna ſimplici alteratione.1°.de na.fac. 1ª.292.D
FLAVOS capillos hẽt cõceptus in horis phlegmatis.de ſperm. Sp.37.C
Flaui capilli quo modo reddantur.1°.de compo.med.ſec.loc. 5ª.127.B
FLAVA fiunt vina tempore.de vinis. Sp.76.G
Flaua omnino fieri non poſſunt alba vina.5°.de ſan.tuen. 2ª.91.B
Flauus color in vinis calidiſſimus.5°.de ſan.tuen. 2ª.91.A
ex Flauis, & fuluis vinis quædã ſunt dulcia vt hippodamãtiũ, & Fauſtianũ Falernum, quædã omnino dulcedine carent.de vinis. Sp.76.F
Flaua vina rutila ſunt mediocriter dulcia.de bon.& vitio ſuc. 2ª.38.D
Flaua vina pinguis ſubſtantiæ ſanguinem augent, & corpus nutriunt. 5°.de ſani.tuen. 2ª.91.B
Flauum vinum ſubſtantia tenue vrinas mouet.5°.de ſani.tuen. 2ª.91.A
Flauæ bili materia ſunt omnia vina dulcia.de vinis. Sp.76.E
Flaui incidunt in melancholiam.3°.de loc.aff. 4ª.18.E
Flauiores planè cernuntur homines ſi bilis meracior ſuperauerit. 4°.de ſanitate tuenda. 2ª.84.A
Flauius ſolito corpus effectum bilioſum ſuccum abundare indicat. 4°.de ſanitate tuenda. 2ª.84.B
Flauus tumor ſignificat bilem.14°.meth.med. 7ª.89.D
FLAVA aliquando eſt bilis amara, & quomodo.1°.de criſ. 4ª.129.D
Flaua bilis & pallida differunt.3°. de locis affectis. 4ª.18.A/de fract. commentario 2°. 7ª.236.C
Flauus humor pallido craſſior.de atra bile. 1ª.34.E
inter Flauam & pallidam bilem differentiam non facit. 2°. de compoſitione medi.ſec.loc. 1ª.135.D
Flaua bilis quomodo pallida videatur.de atra bile. 1ª.34.E
ex Flaua bile circa os ventriculi ſyncope quo modo curanda. 12°. methodi medendi. 7ª.76.D
Flaua bilis veloci motu delata ſupra membra ſentiẽtia facit rigores. cõ. 4°.aphoriſmo

4°.aphoriſmo 58°. Ex.33.G
Flauam bilem vnà cũ ſanguine in venis redũdantem, & ebullientem habet febris ardens, tertiana vero eandem bilem habet per totũ corpus delatam, ac motam. com.4°.apho.59°. Ex.33.G
Flauæ bilis impermiſta aquoſæ humiditati. com.7°.apho.29°. Ex.55.E
Flauę bilis morbi debent purgari in principio ęſtatis. quos purg. op. quibus med. & quo temp. 5^{a}.88.C
Flauam bilem purgat hiera ex ſcãmonio. 1°.de comp.me.ſe.loc. 5^{a}.121.E
Flaua bilis ſuperaſſata facit inſanias furioſas. c.6°.apho.53°. Ex.53.B
FLAVIOR ſanguis, qualis. 1°.de criſ. 4^{a}.130.B
Flauus ſanguis ſiue rubeus, ſiue ſpumoſus, ſiue niger, ſiue aquoſus, ſiue craſſus ſupra exiens, malus. cõ.4°.apho.25°. Ex.30.A
FLAVVM aut pallidũ eſt ſputum, ſi bilis abũdat. 5°.de loc.aff. 4^{a}.29.H
Flaua ſputa in morbo laterali fiunt ab humoribus bilioſis. comment. 6°. aphoriſmo.33° Ex.50.A
Flauum pallidumue bilioſum excrementum euomitum, à iecore prouenit. 2°.de tempe. 1^{a}.20.D
à FLAVO colore factæ alterationes dicuntur pathema & paſſio viſus. de ſymp.diff. 3^{a}.10.C
FLAVA quæ ſint medicamenta. 2°.de comp.me.per ge. 5^{a}.221.E
Flauus color quo modo fiat chalcitidi. 1°.de antido. 5^{a}.107.H
Flaua qua vtitur Andromachus. 5°.de compo.me.per ge. 5^{a}.252.F
ad FLECTENDVM ſi difficile non ſit, & firmiter innitatur quod durum eſt, id & trahere valenter, quicquid voluerit, poteſt, & violenter tendere, & fortiter tenere. 3°.de ſympt.cau. 3^{a}.28.H
Flectentes penitus quamcunq; partẽ dolemus. 1°.de mo.muſ. 1^{a}.312.H
Flectentes caput cum ceruice muſculi, qui. de muſ.diſſ. 1^{a}.45.H
Flectere brachiale, & digitos quorum muſculorum ſit officium. de muſculorum diſſectione. 1^{a}.48.F
Flectens ceruicem in priora obliqua muſculus, qui. de muſ.diſ. 1^{a}.46.H
Flectens muſculus brachiale cum inclinatione ad ſupinum qui, & qui cum inclinatione in pronum. de muſ.diſſ. 1^{a}.48.G
Flectens quinq; digitos muſculus. de muſc.diſ. 1^{a}.48.G
Flectat à quo tẽdone primus, & tertius articulus. de muſ.diſſ. 1^{a}.48.H
Flectens in pronum brachiale apud magnum digitum muſculus. de muſculorum diſſectione. 1^{a}.49.A
Flectentes muſculi primum digiti articulum, qui. de muſ.diſ. 1^{a}.49.C
Flectẽtes muſculi ſecũdã articulorũ dearticulationẽ. de muſ.diſ. 1^{a}.49.C
Flectentes ſpinã muſculi vbi oriantˉ ac deſinãt. de muſ.diſſ. 1^{a}.49.G
Flectens & ſimul introrſum magis totum femur inuertens. de muſculorum diſſectione. 1^{a}.50.G
Flectens muſculus tibiam ad interiora ſimul, et ſurſum ipſam altam quo modo attollit. de muſ.diſſ. 1^{a}.51.D
Flectens tibiam muſculus & ſimul ad exteriora inuertens. de muſculorum diſſectione. 1^{a}.51.E
Flectens tibiam ad exteriora muſculus. de muſ.diſſ. 1^{a}.51.E
ad Flectendam tibiam natus muſculus. de muſ.diſſ. 1^{a}.51.H
Flectentes totius pedis dearticulationẽ muſculi. de muſ.diſſ. 1^{a}.51.H
Flectẽs paruũ digitũ, & indicẽ pedis muſculus, qui. de muſ.diſſ. 1^{a}.52.C
Flectens magnum digitum pedis muſculus. de muſ.diſſ. 1^{a}.52.D
Flectentes ſecundum articulum vniuſcuiuſq; digiti muſculi. de muſculorum diſſectione. 1^{a}.52.G
Flectentes medium digiti articulum muſculi, qui. de muſ.diſſ. 1^{a}.52.H
Flectentes digitos mediocriter muſculi. de muſ.diſſ. 1^{a}.52.H
Flectentes cum nulla in latus inclinatione muſculi. de muſ.diſſ. 1^{a}.52.H
Flectẽtes muſculos cum modica in latus inclinatione. de muſ.di. 1^{a}.52.H
FLERE cur non poſſunt aliqui, cum velint. 4°.de decr. 1^{a}.253.G
Flent cur aliqui cum nolint. 4°.de decre.Hippo. 1^{a}.253.G
Flentes cur reſpirationem refractam habent. cõ.6°.apho.54°. Ex.53.C
Fletus accidit per melancholiam. de anat.viuo. Sp.45.F
Fletus accendunt febres. 1°.de ſan.tuen. 2^{a}.65.F
FLEXIO à quibus muſculis fiat. 2°.de motu muſ. 1^{a}.313.H
Flexio fit à muſculis qui ſunt intus. 1°.de motu muſ. 1^{a}.310.D
Flexiones brutorũ diuerſæ à flexionibus hoĩum. 3°.de vſu par. 1^{a}.128.E
Flexio perfecta non diuidiˉ in magis & minus. 1°.de vſu par. 1^{a}.116.B
in Flexionibus extremis multo magis laboramus, quàm in extenſionibus. 2°.de motu muſ. 1^{a}.315.F
ad Flexionem extremam multi deducere crus non poſſumus ſine manuum opera. 2°.de mo.muſ. 1^{a}.315.F
ad Flexionem digiti non ſufficit vnus tendo. 2°.de vſu par. 1^{a}.121.D
per Flexiones exercitia quid mali fecerint. de par.pil.exerc. 2^{a}.49.G
FLEXIBILIS quo mõ fiat lingua. de cõpa.mẽb. ſiue de na.hu. Sp.58.E
Flexuoſi cur ſint nerui. de anat.viuo. Sp.53.G
Flexuoſe incedunt venæ duæ temporum. de ana.viuo. Sp.55.A
FLEXVRA media totius ceruicis, in latera efficitur. de muſculorum diſſectione. 1^{a}.47.A
FLOCCOS euellere quid ſignificet. in 1^{m}.pror.com.1°. 4^{a}.167.A
Flocculi lanæ ponuntur ante os, vt deprehendatur an ſpirent præfocatæ. 6°.de loc.aff. 4^{a}.39.E
FLORA quo modo fiat. de dyn. Sp.22.H
Flora corium adducit. de dyna. Sp.22.H
FLORENTIBVS ætate mel fit ſuccus amariſſimus. de ſimplicium medic.facul. 5^{a}.29.A
in Florẽtibus ætate cur lapides generẽtur. de re.af.di. & me. 7^{a}.192.E
cur Florentibus ætate ſæpius pueri vomunt & deijciunt. 3°. de ſymptomatum cauſis. 3^{a}.29.C
Florentium animalium caro media. 3°.de ali.fac. 2^{a}.29.D
FLORIDVM corpus quale. in 6^{m}.de mor.vul.com.3°. 3^{a}.171.A
Florida facies cum animi moerore, mala. in 1^{m}.prorr.com.2°. 4^{a}.170.G
Floridus color cũ apparuerit, mẽbra ſunt emollita. 2°.de ſa.tu. 2^{a}.76.A
Floridum. de vict.ra.in mor.acu.com.4°. 7^{a}.143.F
FLORIDA. 5°.de comp.me.per ge. 5^{a}.252.G
Florida Magni. 5°.de comp.me.per ge.252.G/6°. 5^{a}.254.D
FLORI collyrium in Antonia Druſi matre. 4°. de compoſitione medicamentorum ſecun.loc. 5^{a}.155.E
FLOS roſarum pro folijs roſarum. 4°.de compoſitione medicamentorum ſecundum locos. 5^{a}.155.D
Flores labruſcæ. de ſimp.med. Sp.85.E
Flores herbarum quo modo ſumendi cum feſtucis ad diacalamenti confectionem. 4°.de ſan.tuen. 2^{a}.86.D
Flores non coquebat Galenus, ſed macerabat pro acopis medicamentis conficiendis. 4°.de ſan.tuen. 2^{a}.87.A
FLOS farinæ polentæ. 4°.de comp.med.ſec.loc. 5^{a}.157.D
FLOS vini quid. 4°.de ſimp.med.fac. 5^{a}.24.H
FLOS ſupernatãs in deiectionib⁹ qd ſignificet. in 1^{m}.pr.c.1°. 4^{a}.166.D
FLOS ęris qualis. 9°.de ſimp.me.fac.71.F/4°.de comp.med.ſec.locos. 5^{a}.151.E/de ocul. 7^{a}.188.H
Flos ęris oculis conuenit. de ocul. 7^{a}.188.G
Flos æris contra aſperitatem palpebrarum valet. de ocul. 7^{a}.189.C
ex Flore æris facta collyria extergunt, auferuntq; ſuperciliorum magnas aſperitates. 9°.de ſimp.med.fac. 5^{a}.71.F
Flos ęris extergit & repurgat. 4°.de comp.med.ſec.loc. 5^{a}.149.G
Flos æris putrefactiuum. de ocul. 7^{a}.189.C
FLOS ſalis. 3°.de comp.me.ſe.lo.143.D/7°.de cõ.me.per ge. 5^{a}.272.A
FLOS aſter. de ſimp.med. Sp.84.H
FLOS aſię petrę erodit. 4°.de comp.med.ſec.loc. 5^{a}.149.G
Flos lapidis aſii. 4°. de compoſi.med.ſecundum locos.152. H/157. B/5°. 161.E/6°. 5^{a}.168.F
FLOSCVLOS & feſtucas vellere in ægris quid ſignificet. in 1^{m}. prorrhe.de morb.vulg.com.3°. 3^{a}.118.A
FLVCTVANTIS humoris ſonitus eſt ſymptoma ventris imbecilli. 3°.de naturalibus facultatibus. 1^{a}.303.B
Fluctuatio ſæpe auditur in thorace. 4°.de loc.aff. 4^{a}.27.G
Fluctuationes fiunt ſi cibi non placeant. com.2°.apho.58°. Ex.17.G
Fluctuationes cum ſonitu clydonas vocant græci. de ſymp.diff. 3^{a}.10.E
Fluctuationes cum ſonitu cuius ſymptoma. de ſymp.diff. 3^{a}.10.E
Fluctuationes cum ſonitu quando fiant. 3°.de ſymp.cau. 3^{a}.25.D
FLVENTES aquæ verſus orientem ſunt optimæ, & quales. de bon. aquæ. Sp.75.D
Fluentes aquæ verſus occidentem, quales. de bon.aquæ. Sp.75.E
Fluentes aquæ verſus auſtrum, quales. de bon.aquæ. Sp.75.E
Fluentes aquæ verſus ſeptentrionẽ dulces quidem ſunt, in frigiditate aũt excedunt. de bon.aquæ. Sp.75.E
Fluentis ad loca materiæ diuerſitas. de ocul. 7^{a}.189.E
Fluentem humorem quæ prohibent. de ocul. 7^{a}.189.C
Fluentibus adhuc humoribus quis ſcopus in curatione arthriticarum affectionum. 10°.de compo.med.ſec.loc. 5^{a}.208.G
Fluentes humores retrahuntur. 2°.de arte cur.ad Glau. 7^{a}.102.F
Fluente materia ad aliquam partem, ab illa reuellendum longiſſime. 13°. meth.med. 7^{a}.83.A
Fluentes ad vlcus ſucci quomodo diuertendi. 4°.meth.med. 7^{a}.23.F
Fluentes ſucci ad oculos vel aures deriuandi per nares, & os, & quibus. de cucur.ſcar. 6^{a}.4.E
Fluente gurgulione, vel palato, per nares deriuatio facienda, & quibus. de

Fluente gurgulione, vel palato, per nares deriuatio facienda, & quibus. de cucur. ſcar. 6ª.4.E
Fluens ſanguis ab hirudinibus digito ſiſtitur. de cucur ſcar. 6ª.4.E
Fluentibus capillis myrta aduerſatur. de ſimp. med. Sp.87.E
Fluentibus locis myrta prodeſt. de ſimp. med. Sp.87.E
ad Fluentia. 5º. de comp. med. per ge. 246.H| 5ª.248.E
FLVIDA *corpora facere oportet, vbi quis purgare voluerit. commen. 2º. apho. 9º. 12.B|com. 7º. apho. 66º.* Ex.60.E
Fluida corpora quomodo fiant apud Galenum antequam purgentur. com. 6º. aphoriſmo 9º. Ex.12.B
Fluidos debere eſſe humores quo modo intelligendum. quos purg. opor. quib. med. & quo temp. 5ª.88.H
ad Fluidas affectiones. 7º. de comp. med. ſec. lo. 5ª.184.F
Fluitantis humoris vbi eſt ſonitus, ibi imperfecta eſt concoctio. 3º. de naturalibus facultatibus. 1ª.303.C
FLVMINVM *origo fit à montibus. de vtil. reſp.* Sp.63.H
Flumina cur maiora ſuo initio. 6º. de decre. Hippo. 1ª.262.C
ob Flumen vicinum aer nebuloſus vitioſus eſt. 1º. de ſan. tuen. 2ª.67.B
extra Flumina degentes aues commodæ ſeni. 5º. de ſan. tuen. 2ª.91.D
FLVIT *ſubſtantia dupliciter. 1º. de elem.* 1ª.7.B
FLVORES *diuturni oculorum morbus manu indiget. introd.* Iſa.59.G
Fluores exedentes oculorum morbus manu indiget. introd. Iſa.59.G
in Fluoribus alui fiūt pulſus vermiculātes. 2º. de pſag. ex pulſ. 4ª.113.A
Fluores magnos alui ſequunt pulſus vermiculātes. 3º. de cau. p. 4ª.99.D
Fluorem in partibus flaccidis illabētem reprimunt ſales theriaci. de theria. ad Piſonem. 5ª.97.E
ad Fluores internos. 9º. de comp. med. ſec. loc. 5ª.203.E
Fluor venæ ſedis i mulieribus deriuād' ad vteri venas. de cu. ſca. 6ª.4.F
in Fluore muliebri fiūt pulſus vermiculātes. 2º. de præſ. ex pul. 4ª.113.A
Fluori obnoxia repurgans. 5º. de comp. med. per ge. 5ª.247.B
FLVVIORVM *aer vitandus. 12º. meth. med.* 7ª.77.E
Fluuiis paucis comparanda eſt bonitas aquæ Nili. de bo. aquæ. Sp.75.E
Fluuiorum omnium ſtagnantiſſimus Phaſis. de aere, aq. & lo. 2ª.4.H
Fluuius Sybaris facit viros ingeneratiuos. de bo. aquæ. Sp.76.A
Fluuius quidam in ægypto depilat capita bibentium. de bo. aq. Sp.76.A
Fluuiales lapides igniti remouent aquoſitatē lactis. de diff. cont. Sp.75.B
FLVXIBILES *aquæ ſalubriores ſunt. de bon. aquæ.* Sp.75.D
Fluxibiles debent fieri meatus, quibus ſuperflua expurgantur. 11º. met. medendi. 7ª.73.F
Fluxibilitati ſtomachi valens medicamen. de med. exper. Sp.108.B
Fluxibilitas per ſedem quibus fiat. 11º. meth. med. 7ª.73.F
Fluxile & tranſpirabile debet eſſe corpus. 8º. meth. med. 7ª.51.E
Fluxile poteſt concreſcere vt adeps. 2º. de temp. 1ª.17.G
Fluxile ſi ſit & humidum, & nulli innitens quod molle eſt, id nec trahendi ſibi nec tenendi, nec repellendi vim habet. 3º. de ſym. cau. 3ª.28.H
FLVXIO *pilorum quid. fin. med.* Iſa.48.C
Fluxio pilorum affectus. fin. med. Iſa.48.B
Fluxio differentię ſecundum humores. in prog. com. 2º 4ª.203.G
Fluxiones ſanguineæ, & fluxiones pituitoſæ moleſtiores. in prognoſt. comment. 2º. 4ª.202.D
cum Fluxione morbi qui. de inæq. intemp. 43.B| 3ª.44.H
Fluxionis morbos faciunt pauci motus. 1º. de ſan. tuen. 2ª.65.F
Fluxionis duplex occaſio. 2º. de diff. feb. 3ª.40.H
Fluxionum cauſæ ex laborātibus partibus originem trahētes duæ ſunt, caliditas, & dolor. 2º. de diff. feb. 3ª.41.B
Fluxionis cauſa, dolor, & calor. 13º. meth. med. 7ª.81.C
Fluxiones mouet omnis dolor. ars med. Iſa.70.G
Fluxionum vitijs ſunt obnoxij calidi & humidi. 5º. de ſanitate tuenda. 94.D|6º. 2ª.96.F
Fluxionum morbis ſubiectum frigidum & humidum temperamentū. 6º. de ſan. tuen. 2ª.96.H
à Fluxione quę incaleſcunt partes. de inæq. intemp. 3ª.43.E
ad Fluxiones recipiendas in aptitudine ordo membrorum. de cur. ratio. per ſang. miſſ. 6ª.18.A
ad Fluxiōes recipiēdas apta liē & cerebrū. de cur. ra. p ſan. mi. 6ª.18.A
ad Fluxiones recipiendas promptiſſimus pulmo. de curandi ratione per ſanguinis miſſionem. 6ª.18.A
Fluxionibus propter quid corporis particulæ laborent. 1º. de comp. me. per genera. 5ª.212.D
Fluxiones cur fiunt in partibus imbecillioribus. de cau. mor. 3ª.8.E
Fluxio vt plurimum ex imbecillitate, quæ eſt ex intemperie frigida. 1º. de com. me. per genera. 5ª.212.D
Fluxiones vigiliarum cauſa. 7º. de comp. med. ſec. loc. 5ª.180.D
Fluxio vbi eſt, ibi non eſt vnica intemperies. de inæqu. intemp. 3ª.43.D
Fluxio ad mēbra decūbens quos faciat morbos. in prog. cō. 2º. 4ª.202.D
Fluxio quando maturetur. in 1m. de morb. vulg. com. 2º. 3ª.108.D
Fluxio tenuis quorſum procedat. de vict. ra. in mor. acu. cō. 4º. 7ª.138.F
Fluxio craſſa qūo procedat. de vict. rat. in mor. acu. com. 4º. 7ª.138.F
Fluxio calida in muſculum quid faciat. de inæq. intemp. 3ª.43.E
Fluxionum à capite differentia. de vict. rat. in morb. acu. cō. 4º. 7ª.138.F
Fluxiones acres oculorum rariores. 13º. meth. med. 7ª.86.D
Fluxio ex capite ad oculos quomodo curanda. 7º. meth. med. 7ª.47.H
ad Fluxiones oculorum curatio. 4º. de comp. med. ſec. loc. 5ª.157.C
in Fluxionibus oculorum venæ ſectio. 4º. de comp. med. ſe. loc. 5ª.157.C
in Fluxionibus oculorum clyſteres & medicamenta fortia. 4º. de comp. med. ſec. loc. 5ª.157.C
Fluxiōes oculorū ad fauces traducunt. in 6m. de mor. vul. c. 2º. 3ª.166.B
à Fluxione inceſſabili oculos ex longo tempore infectos cum quidam haberet, quo præſidio ſanatus ſit. de cucur. & ſcar. 6ª.4.A
in Fluxionibus caput firmandum. 6º. de ſan. tuen. 2ª.98.F
Fluxionem a capite ſiſtens medicamentum. de med. fac. par. 7ª.171.F
Fluxionem oculorum cohibentia. 4º. de comp. med. ſec. loc. 5ª.153.E
Fluxiones oculorum cohibentia agglutinatoria. 4º. de compoſitione medicamen. ſec. loc. 5ª.153.F
in Fluxionibus acribus oculorū non debemus vti thapſia, & ſinapi. 13º. methodi medendi. 7ª.86.D
ad Fluxiones oculorū & aliorum corporis membrorū valet antidotus Aelij Galli. 2º. de comp. med. per ge. 5ª.110.H
Fluxiones oculorum ſiſtens. 5º. de compoſi. med. per ge. 5ª.246.E|H
ad Fluxionem ad oculos calidam. 4º. de comp. med. ſec. loc. 5ª.157.D
in Fluxionibus acribus ad oculos qbus vti debemus. 13º. me. me. 7ª.86.D
ad Fluxiones tenues & acres oculorū. 4º. de com. med. ſec. loc. 5ª.149.E
ad Fluxionem multam oculorum. 4º. de comp. med. ſec. loc. 5ª.153.D|F
Fluxiones diutinæ oculorum quomodo curandæ. 13º. meth. med. 7ª.86.D
ad Fluxiones antiquas oculorum. 4º. de comp. me. ſec. loc. 5ª.155.D|G
ad Fluxiones oculorū. 4º. de comp. med. ſec. lo. 154.F|157.F|7º. 5ª.185.A
Fluxiones ad oculos deferētia vaſa qūq; incidēda. 13º. met. me. 7ª.86.D
Fluxione carnes lippitudo. in 1m. de morb. vul. com. 2º. 5ª.108.C
Fluxio ſanguinis à naribus ab ætate. in prog. com. 3º. 4ª.208.G
ad Fluxiones internas tonſillarū & vuæ. 7º. de com. med. ſe. lo. 5ª.183.G
Fluxiones quibus circa collum & caput procūbunt, non conuenit exercitatio caput implens. 5º. de ſan. tuen. 2ª.90.A
Fluxio capitis in vētriculū, & in aſperā arteriā. 3º. de ſym. cau. 3ª.29.F
Fluxio acris à capite decidens in gulam, βρόγχον, & larynga, has partes facit ineptas ad vocem. vr. 6º. de ſan. tuen. 2ª.98.E
Fluxionum aſperitates quo modo leniantur. 13º. meth. med. 7ª.86.B
ad Fluxionem gutturis. de med. fac. par. 7ª.179.C
Fluxio ſi in ventrem & gulā feratur, quid agat. 6º. de ſa. tuen. 2ª.98.F
Fluxio frigida in ventrem quid agat. 6º. de ſa. tuen. 2ª.98.F
Fluxio in ventriculum corrupta quid faciat. 6º. de ſan. tuen. 2ª.98.F
Fluxione quando tentatur vētriculus ex totius corporis redūdantia. 7º. meth. med. 7ª.48.B
Fluxio quæ fit ab alio membro in ventriculum, quo modo curanda. 7º. methodi medendi. 7ª.48.A
in Fluxionibus ad ventriculum vinum ſit calidum, & tenue. 1º. de arte cur. ad Glauc. 7ª.99.A
in Fluxionibus ventris balnea aptiſſima. 1º. de arte cu. ad Gla. 7ª.99.A
Fluxio in pulmonem quibus cognoſcatur. 4º. de lo. aff. 4ª.27.F
Fluxionum omnium in pulmonem communis eſt pulſus inæqualitas. 4º. de præſag. ex pulſ. 4ª.119.H
ad Fluxionum omnium ſimpliciter ſpecies. quæ circa thoracem conſiſtunt. 7º. de comp. med. ſec. lo. 5ª.180.D
in Fluxionibus a capite ad pectus quo medicamento vtendum. 4º. de ſanitate tuenda. 2ª.85.B
Fluxio à capite, lege Catarrhi.
ad Fluxionem pectoris. de med. fac. par. 7ª.171.H
Fluxioni capitis in thoracem prodeſt armenica terra. 9º. de ſimplicium medic. facul. 5ª.66.G
ad Fluxiones in thoracem. 7º. de comp. med. ſe. lo. 5ª.179.D
ad Fluxiones thoracis. 7º. de comp. med. ſec. loc. 182.H| 5ª.185.F
ex Fluxione iecoris inflammatio. 2º. de diff. feb. 3ª.40.H
Fluxiones alui ex defluxionibus ad partes imbecillas. in 1m. de mo. vul. comment. 2º. 3ª.109.A
Fluxiones conſiſtentes in ventre, & inteſtinis, & etiam in capite & thorace deſiccat

race deſiccat ſpica nardi.8°.de ſimp.med.fac. 5ª.56.G
Fluxiones ventris ſiſtit pæoniæ radix.6°.de ſimp.med.fac. 5ª.45.G
*Fluxiones vẽtris deſiccat ouũ coctũ cũ aceto.*11°.*de ſim.me.fa.* 5ª 81.E
ad Fluxus ventris diuturnos cõmoda eſt membrana, quæ eſt ſub cortice roboris & ſub glande eius.6°.de ſimp.med.fac. 5ª.46.E
ad Fluxiones ſtomachi.7°.de comp.med.ſec.loc. 5ª.185.A
Fluxio muliebris cur.3°.de ſymp.cau. 3ª.29.G
*Fluxis iam humoribus ſcopus in curatione arthriticarũ affectionum eſt, vt iam illapſos diſcutiamus.*10°.*de comp.med.ſec.loc.* 5ª.208.H
*Fluxionẽ repellẽtibus nõ vtimur in iſchiade.*10°.*de cõ.me.ſ.l.*5ª.207.A.
Fluxio ſi in pedes et crura decumbit ſanguis mittendus ex cubiti venis, ad vel vomitus prouocandos.in 6ᵐ.de mor.vulg.com.2°. 5ª.162.B
Fluxiones omnes incipientes, quę aut in inguina, aut in pedes, decumbunt, vtilis eſt ſuccus ex plumbo & liquore refrigeratorio.9°.de ſimplicium med.facul. 5ª.70.F
Fluxio ad vlcera quibus compeſcenda.4°.meth.med. 7ª.23.G
Fluxiones omnes quo modo curentur.7°.meth.med. 7ª.48.A
Fluxionibus conueniunt medicamenta quæ cum eo quod refrigerãt vnà adſtringunt.6°.de ſimp.med.fac. 5ª.43.G
*Fluxiones vehemẽtes reuulſiõe cohibent.de hir.re.cuc.& ſcari.*6ª.2.D
Fluxio ex acri clyſteri vomitu auertit.de hiru.re.cuc.& ſcari. 6ª.2.D
Fluxiõis motus ſemp ad cõtrariũ trahẽdus.2°.de ar.cu.ad Gl. 7ª.101.F
Fluxiones quæ retro inclinant in priora reuellendæ, quę in priora in poſteriorem regionem abducendæ ſunt.de cucur.ſcari. 6ª.4.G
Fluxio incipiens ad contraria trahenda.4°.meth.med. 7ª.28.E
Fluxiones omnes tũ ad cõtraria reuocabis, tum per vicina deriuabis.5°. methodi medendi. 7ª.30.E
Fluxio vbi iam fixa eſt euacuanda aut per partem affectam, aut per maxime vicinam.4°.meth.med. 7ª.28.E
Fluxione conſiſtente & corpore vacuo digerendum. 1°.*de compoſitione. medicamen.per genera.* 5ª.212.D
Fluxio vbi conſtiterit, ſcarificatione vtimur.de cucur.ſca. 6ª.3.F
Fluxione procedente ſemper reuellendum.4°.meth.med. 7ª.28.C
in Fluxionibus corporis roboratio fieri debet non euacuatio. de curan. rat.per ſang.miſſ. 6ª.18.A.
Fluxionibus quæ aduerſentur.2°.de arte cur.ad Glauc. 7ª.101.G
Fluxiones oẽs Amaratum pota deſiccat.6°.de ſimp.med.fac. 5ª.42.D
Fluxiones repellit Andrachne.6°.de ſimp.med.fac. 5ª.43.A
ad Fluxiones valent Aquę aluminoſæ, quales in Italia Albulæ. 1°. *de ſimplic.medic.facul.* 5ª.3.E
ad Fluxiones eſt vtilis Aſpalathos.6°.de ſimp.med.fac. 5ª.44.A
ad Fluxiones medicamẽ ex Chalcitide oleo roſaceo diſſolutum valet.2°. de arte cur.ad Glauc. 7ª.101.H
Fluxiones profundas partes infeſtantes trãsfert & ſiccat Cucurbitula. de hirud.reuulſ.cucur.& ſcar. 6ª.2.E
Fluxiones exiccare poteſt cucurbitula.de cucur.ſcar. 6ª.3.F
Fluxionum affectibus ſtrenue reſiſtit Galla.7°.de ſimp.med.fac. 5ª.51.B
Fluxiones deſiccat, & repercutit galla.7°.de ſimp.med.fac. 5ª.51.B
ad Fluxionum omnes affectus efficax remedium eſt Hypociſtis.7°. de ſimp.med.fac. 5ª.51.D
*ad Fluxiones acres & mordaces vtiliſſimũ eſt Lac purum.*10°. *de ſimplicium medic.facul.* 5ª.75.E
ad Fluxiones Lana munda, vino acerbo madefacta valet. 2°.*de arte curatiua ad Glauconem.* 7ª.101.H
Fluxiones cohibet Medion.7°.de ſimp.med.fac. 5ª.55.F
Fluxionum oẽs affectus cohibet Oxyacanthus.8°.de ſimplicium medicamentorum facultatibus. 5ª.57.D
Fluxionis affectibus prodeſt radix Phlomi albæ & nigræ. 8°.*de ſimpl. medic.facul.* 5ª.63.C
Fluxiones repercutit Polygonon.8°.de ſimp.med.fac. 5ª.58.H
ad Fluxionum affectus conuenit Tragion.8°.de ſimp.me.fac. 5ª.62.E
Fluxiones ſiſtens ex libris Galli.7°.de comp.med.ſec.lo. 5ª.183.G
ad Fluxiones ſiſtendas.7°.de comp.med.ſec.loc. 5ª.183.G
*Fluxionem omnem reſiccans paſtillus.7°.de comp.med.ſec.loc.*5ª.185.G
Fluxiones reſiccans.7°.de comp.med.ſec.loc. 5ª.185.A
ad Fluxiones.7°.de compo.med.ſec.lo. 5ª.183.B/C
*ad Fluxionem omnem.9°.de comp.med.ſec.loc.*203.E/10°.206.C/1°. *de comp.med.per ge.*5ª.212.B/*de med.fac.par.* 7ª.170.G
ad Fluxum intercipiendum.de med.exper. Sp.108.A
FLVXVOSA *febris, quæ.fin.med.* Iſa.46.D
Fluxæ ſunt ad miraculũ vſque forma corporum muliebrium apud Scytas.de aere, aq.& lo. 2ª.5.E
contra Fluxum fluuij natans nũquam mouebitur, & ſemper mouebitur. 1°.*de motu muſc.* 1ª.311.E
FLVXVS *quid ſecundum methodicos.de opt.ſecta.* Iſa.26.D
Fluxus & colliquatio difficulter diſtinguuntur ſecundum methodicos.de optima ſecta. Iſa.26.E
*in Fluxu & clauſu morbus conſiſtit ſm Theſſalum.*1°.*met.med.* 7ª.3.H
Fluxum facere quid ſit.in 6ᵐ.de morb.vulg.com.5°. 3ª.193.H
Fluxus quo modo conſiderandus.introd. Iſa.57.D
Fluxus quomodo curandus.introd. Iſa.57.D
Fluxus particularum ad alias qũo curandus.7°.meth.med. 7ª.47.H
*in Fluxus principio ſemper repercutiendum.*1°.*de compoſitione medicamentorum per genera.* 5ª.212.D
Fluxus quo modo prohibetur.7°.meth.med. 7ª.48.B
FLVXVS *oculorum affectus.fin.med.* Iſa.48.D
Fluxus in oculo quid.fin.med. Iſa.48.D
ad Fluxum oculorum largum.4°.de comp.med.ſec.loc. 5ª.153.F
ad Fluxus tenuis oculorum illationẽ.4°.de com.med.ſec.loc. 5ª.154.A
*ad Fluxum oculorum omnis generis.4°.de compo.med.ſec.loc.*5ª.154.F
ad Fluxum acrem, & vberem oculorũ.4°.de comp.med.ſe.lo. 5ª.155.E
ad Fluxum vberem & tenuem oculorũ.4°.de comp.med.ſe.lo. 5ª.155.C
ad Fluxum tenuẽ & multũ oculorum.4°.de com.med.ſec.loc. 5ª.155.G
Fluxus lippientium quàm promptiſſime cohibens. 6°. de comp.medica. per genera. 5ª.259.G
in Fluxu à cerebro ad ventriculũ curatio incipiat à cerebro, ſi nihil impediat.7°.meth.med. 7ª.48.H
in FLVXIBVS *ventris qui lapides igniti extinguantur in lacte.*10°. *de ſimp.med.fac.* 5ª.73.G
*Fluxus ſignificat etiam profluuiũ capillorum.com.7°.aph.*16°.*Ex.*55.A
*Fluxus & phthiſis à puris ſputo, cum vero ſputum retinetur, moriũtur. com.7°.apho.*16°. *Ex.*55.A
*ad Fluxum ex debilitate hepatis valẽs medicamẽ.de med.ex.Sp.*104.G
Fluxus ventris fit à materia quę tranſit à pectore ad ventriculum. comment.6°.apho.2°. Ex.46.E
Fluxus ventris cur fiant, & quot modis.com.3°.apho.30°. Ex.26.E
Fluxus ventris fiant cur pueris qui iam cœpere dentire. commentario 3°.aphoriſ.25°. Ex.25.C
*Fluxus alui fit tempore pluuioſo.com.3°.apho.*11°. Ex.21.B
Fluxus ventris fiunt ęſtate.com.3°.apho.21°. Ex.24.C
ad Fluxum ventris facit lentiſcus.de ſimp.med. Sp.86.B
cur ex Fluxu alui, & medicamẽtorũ purgantiũ potionibus aliquid albi commiſſis palpebris ſubinſpicitur.com.6°.apho.52°. Ex.53.A
Fluxu tentatam aluum ſiſtit aſtragalos.6°.de ſimp.med.fac. 5ª.44.A
Fluxui obnoxijs paſſionibus in ventre prodeſt caudæ equinæ ſuccus. 6°. de ſimp.med.fac. 5ª.48.E
Fluxus alui curat idęa radix.6°.de ſimp.med.fac. 5ª.48.E
Fluxus alui deſiccat lagopus.7°.de ſimp.med.facul. 5ª.54.A
Fluxum ventris myrta emendat.de ſimp.med. Sp.87.E
Fluxus ventris & ſtomachi reſiccat Parnaſſi gramen. 6°.de ſimp.medicamen.facul. 5ª.41.C
*ad Fluxũ ventris ſanguis caprarũ toſtus.*10°.*de ſimp.med.fac.* 5ª.73.B
ad Fluxum ventris immoderatum.ſecretorum. Sp.100.H
ad Fluxum ventris.ſecretorum. Sp.99.F
Fluxus alui, & ſanguinis faciunt aborſum.com.5°.aph.45°. Ex.41.G
Fluxus alui lippitudinem ſanat.com.4°.apho.2°. Ex.27.H
*Fluxus ventris augetur denſantibus, & refrigerantibus.*1°. *de arte car. ad Glauconem.* 7ª.99.B
ad Fluxum ventris valens medicamentum.de med.exper. Sp.104.G
Fluxus vẽtris, lege Profluuiũ alui. & Alui ꝓfluiũ, & Ventris fluxus.
FLVXVS *muliebris, quid.fin.med.* Iſa.48.B
Fluxus rufus, qui.med. Iſa.48.B
Fluxus ruber, qui.fin.med. Iſa.48.B
Fluxus niger, qui.fin.med. Iſa.48.B
Fluxus albus, quid.fin.med. Iſa.48.B
Fluxum muliebre iuuant aſter ſamius, & terra lemnia.9°.de ſimp. medicamen.facul. 5ª.64.H
Fluxu aliquo per longum tempus moleſtatis mulieribus dantur hydragoga.de dynamidijs. Sp.22.A
*Fluxus muliebris purgatione ſanatus.*11°.*de ſimp.med.fac.* 5ª.87.G
*ad Fluxum muliebrem.7°.de compoſi.med.ſec.loc.*182.G/183.B/G/185.A/9°.5ª.203.E/*de dynamidijs.* Sp.25.B
Fluxus critici ex qua vi fiant.com.7°.aph.21°. Ex.55.D
FLVXVM *ſanguinis imminere ſignificat vrina nigra, tenuis, cum auriũ obtuſione,*

obtuſione, & inſomnia.de dynamidijs. Sp.34.B
ex Fluxu ſanguinis ſuperfluo color mutatus.ſecretorum. Sp.98.G
Fluxus ſanguinis extenuat.com.2°.apho.28°. Ex.16.E
ex Fluxu ſanguinis, vel alui profluuio, vel ex lõga iedia, aut aliqua alia facta euacuatione famẽ non ſanat vini potus.cõ.2°.ap.21°. Ex.14.H
Fluxum ſanguinis reſtringit gypſum.de ſimp.med. Sp.84.H
Fluxum ſanguinis prohibet acetum adſtringens.1°.de ſim.me.fa. 5ª.5.E
Fluxum ſanguinis narium ſiſtit centaurea cum aceto permiſta.de virtute centaureæ. Sp.93.C
in Fluxu ſanguinis balnea obſunt.1°.de arte cur.ad Glauc. 7ª.99.A
in Fluxu ſanguinis vinum, quale.1°.de arte curat.ad Glau. 7ª.99.A
ad Fluxum ſanguinis narium.de dynamidijs.25.B/ſecretorum. Sp.98.B
in Fluxu ſanguinis cauteria candentia.1°.de ſimp.med.facult. 5ª.5.E
ad Fluxum ſanguinis.7°.de comp.med.ſec.loc. 5ª.183.G
Fluxus ſanguinis, lege, Profluuium ſanguinis, & Sanguinis fluxus.
FLVXVS vrinę ad ſudorem reuocatur & deiectionem alui. de hiru. reuulſ.cucurb.& ſcarif. 6ª.2.D
Fluxum reſtringentia.de remed.par.fac. 7ª.156.F
Fluxus vehemẽtes à frigidis nõ reſtinguuntur.cõ.7°.apho.31°. Ex.49.C
ad Fluxum ſtringendum vel nauſcam remedium.de dynam. Sp 27.H
Fluxum chronicum intercipiens electarium.de med.exper. Sp.107.H
ad Fluxum prouenientem ex cauſa frigiditatis membrorum.de medicinis expertis. Sp.104.G
ad Fluxum prouenientem ex frigiditate membrorum datur decoctio gẽtianæ.de med.exper. Sp.106.F
ad Fluxum antiquum, qui contingit ex frigiditate membrorum.de medicinis expertis. Sp.106.D
ad Fluxum chronicum medicamen bonum.de med.exper. Sp.105.G
Fluxum oẽm reſiccantia emplaſtra.1°.de comp.med.ſec.loc. 5ª.130.H
ad Fluxu vexatos, & cibũ nõ retinẽtes.6°.de cõp.me.per ge. 5ª.256.A
ad Fluxum omnem.7°.de compo.med.ſec.loc. 5ª.185.A
FOCA inflat ventrem.de diſſolutione continua. Sp.74.F
FOCACIOLA. de dynamidijs. Sp.30.G
Foco incenditur nitrum.de incant.adiur.& ſuſp. 7ª.182.D
FODERE humum eſt exercitatio magna. in 6^{m}. de morbis vulgaribus, commentario.1°. 3ª.156.A
Fodientibus preſto adſunt laſſitudines, niſi apotherapia deuitentur.3°. de ſanitate tuenda. 2ª.76.F
FOECVNDAE mulieres & viri vnde, & quæ ſemper, & quæ quandoq;.com.5°.aph.62°. Ex.43.H
Fęcunditas in viris.com.5°.apho.63°. Ex.44.C
Fœcundum ſemen eſt calidum & humidum.com.5°.apho.63°. Ex.44.C
Fœcundi non ſunt, qui non cupidi cum fœminis commiſceri. de aere, aq. & locis. 2ª.5.F
Fœcundæ prius mulieri, ſi ſterilis facta eſt, quid fieri debeat.de paſſionibus mul. Sp.96.C
FOELICES quos vocat Galenus.1°.de diff.reſp. 3ª.61.A
Fœlicitas humana in cõtemplatione finis.de cuiuſq; animi pec. 2ª.57.H
ad Fœlicitatem quæ ducant.de cuiuſq; animi pec.not.atq; med. 2ª.57.B
Fœliciter multa medico præſentantur.5°.de locis affectis. 4ª.34.G
FOEMINAE cognoſcuntur diſtinctę à maribus.2°.de ſem. 1ª.338.G
Fœmina in quo ſimilis maribus.9°.de decre.Hippo. 1ª.281.A
an Fœmina diſſidet à mare.quòd animi mores. 1ª.319.C
Foeminæ in quo diſſimiles viris.8°.de decre.Hippo. 1ª.281.A
Fœminæ & maris differentia.2°.de ſemi. 1ª.338.G
Fœmina vnde procreatur.2°.de ſem.1ª.338.H/de hiſt.philo. Sp.10.E
Fœmina & mas fiunt ex vtrorumque principiorum temperatura.2°.de ſemine. 1ª.339.H
Fœmina quo modo fiat.2°.de ſem. 1ª.339.H
Fœmina cur concipiatur & generetur.com.5°.apho.42°. Ex.41.E
Fœmina cur fiat, cauſa ẽ ex ſemine viri & à mr̃e.14°.đ vſu p. 1ª.206.E
Fœmina quando generatur ex parte ſeminis.fin.med.Iſa.49.G/de ſpermate. Sp.36.E
Fœmina ex quo ſemine fiat ſecundum Stratonicum.2°.de ſem. 1ª.338.H
Fœmina procreatur in humidiore & frigidiore fœtus temperatura. 2°. de ſemine. 1ª.339.H
Fœmina vbi generetur.de compag.memb.ſiue de nat.hum. Sp.59.D
Fœminæ in ſiniſtro vteri latere generantur, ſecundum Hippocratẽ.bre. denot.dogm.Hip. 1ª.231.C
Fœminæ in ſiniſtris magis, mares in dextris concipiuntur.commenta.5°. aphoriſmo 48. Ex.41.H
Fœmina in ſiniſtris fit.de ſperma.36.E/de natura & ordi. Sp.42.D
Fœmina in ſiniſtra matricis continetur.de nat.& ord.cuiusl. Sp.42.D
Fœmina cur in ſiniſtris.14°.de vſu par. 206. G/in 6^{m}. de morbis vulgaribus, commentario 2°. 3ª.169.B
Fœmina quandoque viſa in dextra parte.2°.de ſem. 1ª.339.B
Fœmina in dextra parte quandoque & mas in ſiniſtra, ſed raro.6°.de locis affectis. 4ª.41.E
Fœminas qui gignunt.2°.de ſem. 1ª.339.C
Fœminam vt generet mulier.de remed.par.fac. 7ª.168.E
Fœmina an mas ſit foetus.de paſſ.mul. Sp.96.C
Fœmina naſci quando præcognoſcatur.fin.med. Iſa.49.G
Fœminæ & maris notæ in vtero.de remed.par.fac. 7ª.168.F
Fœmina apparet, calidior, & ſiccior in vtero quam vir ſtatim inter initia.2°.de ſem. 1ª.339.A
Fœmina concepta eſt, ſi prægnans male colorata, & è contrario, mas. commentario 5°.aphoriſmo 42°. Ex.41.D
Fœmina tardius fingit in vtero.2°.de ſem.1ª.339.B/de an.vi. Sp.52.B
Fœmina in quadraginta diebus formatur.de ſpermate. Sp.36.C
Fœmina mare humidior.11°.de ſimp.med.fac. 5ª 79.B
Fœmina humidior & frigidior.2°.de ſem. 1ª.338.C
Fœmina mare frigidior. 7°.de vſu partium. 1ª.164. F/ commentario. 5°. aphoriſ.42°.41.E/aphoriſ.48°. Ex.42.A
Fœminę multæ euadunt ſimiles patri. 2°.de ſem. 1ª.338.H
Fœmina ſæpe aſſimilatur patri.2°.de ſem. 1ª.338.H
Fœmina eſt natura frigidior & ĩbecillior viro.cõ.5°.apho.69°. Ex.45.D
Fœminarum adipe ſemper eſt calidior adeps marium, & non caſtratorũ, eorum qui ſunt caſtrati.11°.de ſimp.med.fac. 5ª.79.H
Fœminę cur viris pinguiores.2°.de temp. 1ª.18.D
Fœmina mare imperfectior.14°.de vſu partium. 1ª.205.E
Foemina cur mare imperfectior.14°.de vſu partium. 1ª.206.E
Foemina in motu imperfectior.14°.de vſu partium. 1ª.206.C
Foemina cur citius mas mouetur.in 6^{m}.de mor.vulg.com.2°. 3ª.169.D
Fœmina debilior eſt maſculo.com.5°.apho.16°. Ex.38.G
Fœmina quia imbecillius animal eſt, abundat multis excrementis.2°.de ſemine. 1ª.339.H
Fœmina quandoque eſt mare robuſtior, & magis mouetur in vtero mare.com.5°.aphoriſ.42°. Ex.41.E
Fœminę fortes quo modo fiant.de ſpermate. Sp.36.E
Fœminæ ſimile eſt caſtratum aĩal.10°.de ſim.me.fa.74.F/11°. 5ª.79.A
Fœminæ fiunt ſimiles eunuchi propter abſciſſionem teſticulorum. commentario.6°.apho.28°. Ex.48.H
Fœminæ, & eunuchi caluitium non patiuntur propter temperaturæ humiditatem.com.6°.apho.28°. Ex.48.H
Fœmina in circuitu cõmiſſuras habet, cui galea ſuperpoſita eſt quã græci cranium appellant.de nat.& ord.cuiuslibet corp. Sp.41.G
Fœmina à partu celerius augetur, cur.in 6^{m}.de mor.vul.c.2°. 3ª.169.E
Foemina citius concreſcit mas.in 6^{m}.de morb.vulg.com.2°. 3ª.169.D
Fœminæ cur prius deſinunt creſcere, quàm homines.in 6^{m}.de mor. vulgaribus, commen.2°. 3ª.169.E
Fœminæ in eruptione menſtruorum mutationes maximas.faciunt.commentario 3°.aphor.28°. Ex.25.H
ex Fœminarum menſtruis Hippocrates coniecturabat ſuperabundantem humorem.com.4°.aph.2°. Ex.27.F
in Fœmina & mare eadẽ neruorũ origo in genitalibus.2°.de ſe.1ª.339.E
Foeminę & maris differentia in genitalibus.2°.de ſem. 1ª.339.E
Foeminã habere intus genitalia, & nõ extra, nõ mirũ.2°.de ſe. 1ª.339.E
Fœminæ quid habent cõmodi ex genitalibus, quæ in exteriorem partem nequiuerunt emergere.2°.de ſem. 1ª.339.G
Foemina habet omnes partes, quas mas, licet aliquæ ſint maiores, aliæ minores.14°.de vſu partium. 1ª.208.E
Foeminarum & virorum differentia in veſica.5°.de vſu par. 1ª.145.B
in Foemina ſunt tot partes, quot in viro, ſed in foemina ſunt intus, in viro extra.14°.de vſu partium. 1ª.205.F
Foeminis & maribus eadem membra genitalia, differunt ſitu & magnitudine.2°.de ſemine. 1ª.339.D
Foeminarũ & virorũ genitalia vñ habeãt nutritiones.2°.de ſe.1ª.339.D
Fœminarũ partes pudẽdæ qbus vaſis nutriũtur.14°.de vſu p. 1ª.209.B
Fœmina habet pudendum.vt vir.14°.de vſu partium. 1ª.205.F
Fœminæ inſtrumẽtũ habet figurã inuerſam, & ꝓtẽſam.de an.vi. Sp.51.D
Fœminarum vulua biformis.2°.de ſem. 1ª.339.C
Foemina eſt foemina propter teſtes.1°.de ſem. 1ª.335.B
Foeminarũ teſticuli loco opportuniſſimo ſunt locati.14°.de vſ. 1ª.208.G
Foeminarum teſtes cur parui & vnde iuncti.14°.de vſu.par. 1ª.208.F

Foeminæ, &

Fœminæ, & maris teſtium diuerſitas.de ana.viuo. Sp.51.F
Fœmina exciſis teſtibus mari caſtrato fit ſimilis.1°.de ſemi. 1ª.335.B
in Fœminis caſtrãdis cur maius periculũ, q̃ in maribus.1°.de ſe.1ª.333.H
Fœmina niſi hẽret ſemẽ, & teſtes, nõ appeteret coitũ.2°.de ſem.1ª.338.B
in Fœmina teſtes intrinſeci.14°.de vſu partium. 1ª.205.F
Fœminarum teſtes imperfectiores.14°.de vſu par. 1ª.207.G
Fœmina ex proprijs teſticulis per vtrunq; corniculum in coitu ſemen effundit.com.4°.aph.48°. Ex.41.H
Fœmina an ſemen afferat.de hiſt.philoſo. Sp.10.D
Fœmina an depromat ſemen vt mas.fin.med. Iſa.49.E
a Fœmina non emitti ſemen quidam putarunt.2°.de ſem. 1ª.337.A
à Fœmina qdã emitti ſemẽ putarũt, ſed infœcũdũ.2°.de ſemi. 1ª.337.A
in Fœminarum teſtibus ſemen & humor in glanduloſis virorum partibus ſunt ſimillima, & cur.14°.de vſu partium. 1ª.208.C
in Fœmina humor qui effunditur, qualis.14°.de vſu par. 1ª.208.C
in Fœminis et viris humiditas q̃dã exiẽs delectat.14°.de vſu p.1ª.208.C
Fœminæ oẽs habent ſemen in meatibus ſeminalibus.2°.de ſem.1ª.336.C
Fœminæ vas ſpermaticum, quale.14°.de vſu par. 1ª.207.H
in Fœmina vaſa ſpermatica cur minora, q̃ in mare.14°.d vſu p.1ª.208.E
Fœmineum ſemen minoris quãtitatis, quàm maris.1°.de ſem. 1ª.332.A
Fœminę ſemen imperfectum.14°.de vſu par. 1ª.207.H
Fœmina tenet ſemen in ſeipſa.14°.de vſu par. 1ª.207.H
in Fœmina cur ſemen conſeruatur.2°.de ſemine. 1ª.338.B
Fœminæ ſemen ad quid vtile.14°.de vſu partium. 1ª.208.A
Fœminæ ſemen confert ad generationem.14°.de vſu par. 1ª.206.D/E
Fœminei ſeminis vſus in fœtu.2°.de ſem. 1ª.338.C
Fœmininum ſemen maſculo confert.14°.de vſu par. 1ª.209.H
Fœminæ ſemen nutrimentum ſeminis viri.2°.de ſem. 1ª.338.C
Fœminæ ſperma nutrimentum eſt ſpermatis viri.de ſpermate. Sp.37.A
Fœmina nõ gignit ſolo ſemine in ſe ipſa emiſſo.14°.de vſu par. 1ª.206.C
ad Fœminæ generationẽ requiritur ſemẽ maris.14°.de vſu p. 1ª.206.C
Fœminæ, & maris ſemen mixta requiruntur ad generationem.14°.de vſu partium. 1ª.206.C
in Fœminis prægnantibus futuris an reſtet ſemen.1°.de ſem. 1ª.328.H
ex Fœminæ, & maris genitura fit fœtus.2°.de ſem. 1ª.336.A
Fœminę & maris in ſemine idem motus.14°.de vſu par. 1ª.206.C
cur Fœmina ſola non generat.2°.de ſem. 1ª.338.A
ex Fœmina ſola aut mare ſine coitu nihil poteſt generari.de natura humana, com.1°. 1ª.29.C
Fœminas & mares ſcire coniungere ad generandum non eſt ars mediocris.de natura humana.com.1°. 1ª.29.E
Fœmina ſi debet concipere maris ſemẽ debet manere ĩ matricibus.14°.de vſu partium. 1ª.208.B
in Fœmina ſanguis & ſpiritus in vtero per quæ coquantur, & vbi ſint.14°.de vſu par. 1ª.207.G
Fœminę ſemine nutritur ſemen viri, tanquam re familiari magis quam ſit ſanguis.14°.de vſu partium. 1ª.208.B
ex Fœminæ ſemine fit tunica αλλαντοειδὴς. 14°. de vſu par.1ª.208.B
ex Fœmineo ſemine tunica inteſtinalis.2°.de ſem. 1ª.338.F
ex Fœmineo ſemine orta membrana inteſtinalis.2°.de ſem. 1ª.338.C
Fœminę, & mares vnde infœcundi.de hiſt.philo. Sp.10.H
cum Fœminis commiſceri non cupientes non ſunt fœcundi.de aere, aquis & locis. 2ª.5.G
[F]œmina an mas ſit ſterilis qũo cognoſcendum.de med.fac.par.7ª.175.B
Fœminæ os matricis conſtringitur ante horã partus.de ana.vi. Sp.51.D
Fœminæ lac marem nutrientes.de dynamidijs. Sp.24.G
in Fœminis cur raro lapides generentur.de ren.aff.dig.& m. 7ª.192.F
de Fœminarum formanda ſpecioſitate librum fecit Cleopatra.de incant. adiur.& ſuſp. 7ª.181.H
ad Fœminarum regiarum imperium, atq; adeo ipſorum regũt (cum his negare non liceat) exornatoriæ medicinæ parti adiungimus comptoriam.1°.de comp.med.ſec.loc. 5ª.126.B
Fœminis regijs nihil negandum.1°.de comp.med.ſec.loc. 5ª.126.B
Fœminæ tempore Galeni delitioſæ.1°.de compo.med.ſec.loc. 5ª.127.B
Fœminarum ornatus non recte tanto ſtudio appetuntur. de cognoſcẽdis curandisq; animi morbis. 2ª.54.H
Fœminam eſſe eſt amentis ſignum.in oratione ſua.ad bon.art. Iſa 2.D
Fœminæ multis viris meliores ad multa opera.9°.de decre. 1ª.280.H
Fœmellæ officium quod.3°.de cauſ.pulſ. 4ª.95.F
Fœmina apta medicinæ.9°.de decre.Hipp. 1ª.280.H
Fœmina apta muſicę.9°.de decre.Hip. 1ª.280.H
Foeminæ quæ ſagittas iaculantur, & cum hoſtibus congrediuntur dum virgines ſunt.de aere, aqu.& loc. 2ª.5.C
Foemina validior eſt mas in omni gñe animalis.3°.de cau.pulſ.4ª.91.G
Foemina & mas ſi ęgrotẽt, qũo mutãda præſidia.de med.f.p.7ª.174.D
Foeminarum vrina, qualis.de vrinæ ſign.ex Hipp. Sp.79.A
in Foeminis non eſt inducenda vehemens refrigeratio in capitis dolore à cauſa calida.2°.de comp.med.ſec.loc. 5ª.132.E
Foeminam refert par numerus, marem refert impar, ex quorundam opinione.3°.de dieb.decre. 4ª.158.H
FOENVM terreſtre.4°.de ſimp.med.fac. 5ª.28.G
ad Foenum naturaliter veniunt ſubiugalia.de conſuetud. 2ª.61.A
Foenũ cibus familiaris equis & aſinis.2°.de alim.facul. 2ª.17.B
FOENVM GRAECVM quid ſit, & eius vires.de ſim.me. Sp.84.G
Foenum græcum leuem habet inuerſionẽ, vt bouis cornu videatur ſimile.7°.de ſimp.med.facul. 5ª.55.G
Foenũ græcũ inter cerealia ſemina.de vict.rat.in mor.acu.c.1°.7ª.111.B
Foenũ græcum in primo ordine calidũ eſt.3°.de ſimp.med.fac. 5ª.19.G
Foenum græcum oleo calidius.3°.de ſimp.med.fac. 5ª.19.D
Foenum græcum calidum eſt in ſecũdo ordine, ſiccũ in primo. 8°. de ſimplicium medic.facul. 5ª.62.D
Foenum græcum acre. de vict.rat.in mor.acut.com.1°.111.D/de remed. paratu facilibus. 7ª.156.A
Foenum græcum manifeſte calefacit.1°.de alim.fac. 2ª.14.D
Foenum græcum primo comedebatur.2°.de alim.fac. 2ª.20.A
Foenum græcum quomodo mandatur.1°.de alim.facul. 2ª.14.E
Foenũ gręcũ, medicamẽtũ non cibus.de vic.ra.in mor.ac.cõ.1°. 7ª.111.B
Foeni gręci vſus cur cauendus.de atten.vic. 2ª.45.B
Foenum græcum eſt cibus calidus.de diſſol.cont. Sp.74.D
Foenum græcum non eſt boni ſucci, ſi quis eo liberalius vtatur.de bo.& vitio ſuc. 2ª.37.D
Foenum græcum eſt mali chymi, cur.de diſſol.cont. Sp.75.B
Foenum græcum ferit caput.1°.de alim.facul. 2ª.14.E
Foenum græcum facit dolere caput.de diſſol.cont. Sp.74.F
Foenum gręcum eſt malum ſtomacho, cur.de diſſol.cont. Sp.74.F
Foenum græcum ſubuertit ſtomachum.1°.de alim.fac. 2ª.14.E
Foenum græcũ inter cibos qui prius accipiebãtur 2°.de ali.fac. 2ª.18.G
Foeno græco quidam pro obſonio vtebatur, vt eſset ſanus. 1°.de alimentorum facultatibus. 2ª.14.F
Foenum græcũ flatulentũ & ad coquẽdũ difficile.de atten.vic. 2ª.45.B
Foenum gręcum viſcoſum & humidum.de ocul. 7ª.189.C
Foenum græcum vires habet leniter relaxantes, ad omnem rigorem, & tumorem idonee facit.de ſimp.med. Sp.84.G
Foenum græcum leue.7°.de compo.med.per ge. 5ª.266.B
Foenũ græcũ iuuat oculos inflãmatos.intro.Iſa.58.C/de ocul. 7ª.188.G
Foenum græcum quale ad oculos.4°.de com.med ſec.lo. 5ª.149.F
Foenum græcum decoctum, in phlegmone oculorum optimũ, & quo modo fiat.13°.meth.med. 7ª.86.C
Foeni græci cremor quo modo fiat.de remed.par.fac. 7ª.156.B
Foeni græci ſuccus cum ſanguine columbino ad ophtalmias oculorũ. 1°. de ſimp.med.fac. 5ª.72.H
Foeno græco quando vti debes in phlegmone.11°.meth.med. 7ª.73.C
Foenum gręcum mitigat dolorem.1°.de alim.fac. 2ª.14.E
Foenum græci cocti ſuccus concoquit.4°.de comp.med.ſec.lo. 5ª.149.H
Foenum græcum maturat.de ocul. 7ª.189.D
Foenum græcum repurgans & extergens.1°.de com.me.ſe.lo.5ª.129.H
Foenum græcum abſtergit.1°.de alim.fac. 2ª.14.E
Foeni græci decoctum extergit.4°.de comp.med.ſec.loc. 5ª.150.D
Foenum græcum mundificat.de diſſol.cont. Sp.74.G
Foeno græco quo modo curentur longi affectus thoracis ſine febre.1°. de alim.facul. 2ª.14.E
Foeni græci decoctum liquor acrimoniæ expers.4°.de compoſi. medica. ſecund.loc. 5ª.151.C
Foeni græci decoctum lenitiuum.4°.de comp.med.ſec. 5ª.150.G
Foenum græcum cum melle lenit ventrem.diſſol.cont. Sp.75.A
Foeno græco educũtur humores praui in inteſtinis.1°.de ali.fa. 2ª.14.E
Foeni græci cremor cum pipere per ſedem impoſitus in coli dolore.12°. methodi medendi. 7ª.79.E
Foenum gręcum quo modo ſumatur ad aluum prouocandum. 1°. de alimentorum facul. 2ª.14.E
Foeni græci decoctio ſcybala euacuat de cathart. Sp.95.D
Foeni gręci decoctum ad ſicca liquãda.7°.de comp.me.per ge. 5ª.264.C
Foenum græcum coctum emollit.6°.de comp.med.per gene. 5ª.264.B
Foenum græcum mollitum.5°.de comp.med.ſec.loc. 5ª.161.C

Foenum græcum lotum.7°.de comp.me.ſec.loc. 5ª.186.E
Foeni græci farina excalfacit.5°.de ſimp.med.fac. 5ª.34.A
Foeni gręci farina exiccat & quo modo.5°.de ſimp.med.facul. 5ª.33.H
Foeni græci farina non mouet pus.5°.de ſimp.med.fac. 5ª.33.H
FOENICVLVM *quid, & eius vires.de ſimp.me.* Sp.84.C
Foeniculus quandoq; ſua ſponte naſcitur.2°.de ali.fac. 2ª.23.H
Foeniculũ, quale.8°.de com.me.ſe.lo.5ª.195.F/de med.fa.par.7ª.175.H
Foeniculũ calidũ in tertio ordine, ſiccũ in primo.7°.de ſim.m.fa. 5ª.55.C
Foeniculi, erucæ, & anethi differentiæ, cum ſunt ſicca, & humida 5°.de ſimp.med.fac. 5ª.37.G
Foeniculum reponunt, componentes ipſum vt pyrethrũ & terebinthum. 2°.de alimen.fac. 2ª.23.H
Foeniculus inter obſonia connumeratur.2°.de alim.fac. 2ª.23.F/H
Foeniculum condimentum.1°.de comp.me.ſec.loc. 5ª.128.E
Foeniculus eſt cibus acutus, incidens, & aperiens.de diſſ.cont. Sp.72.F
Foeniculum comedunt homines fame adacti.2°.de ali.fa. 2ª.22.B
Foeniculus calefacit, incidit, & attenuat.de atten.vic. 2ª.44.B
Foeniculum calefacit, & remollit leniter.de ſimp.med. Sp.84.C
Foeniculum maxime idoneum eſt ad vitia oculorũ.de ſim.med. Sp.84.C
Foeniculi ſuccus conuenit oculo inflammato.de opt.ſecta. Iſ.21.D
Foeniculum ſuffuſis auxiliatur.7°.de ſimp.med.fac. 5ª.55.C
Foeniculi ſemen calidum & acre vrinam ciens.5°.de ſim.me.f. 5ª.35.D
Foeniculum vim habet ciendi vrinam.1°.de ar.cur.ad Glau. 7ª.99.F
Foeniculus vrinam mouet.de cura icteri. Sp.111.D
Foeniculum menſes, & vrinas ciet.7°.de ſimp.me.fac. 5ª.55.A
Foeniculum lac purgat & multiplicat.5°.de ſimp.me.fac. 5ª.37.F
Foeniculi ſemen reuocat lac in mammillis.de cathar. Sp 95.B
Foeniculum lac procreat, igitur non multum exiccat.7°. de ſimplicium medicamen.fac. 5ª.55.C
Foeniculi ſemen purgat, renes.de cathar. Sp.95.C
Foeniculi ſemen frangit lapidem renum, & veſicæ.de cath. Sp.95.C
Foeniculi ſemen ſanguinẽ extenuat, & ſecernit.5°.de ſim.me.fa. 5ª.35.D
Foeniculum quàm albiſſimum.de remed.par.fac. 7ª.164.C
Foenicnlum aut cuminum pro aniſo.7°.de comp.med.ſec.loc. 5ª.182.B
FOETIDA *aſſa contra morſum ſcorpionis.de med.exper.* Sp.106.D
Foetidæ aſſæ electarium.de med.exper. Sp.108.D
FOETIDA *inſpiratio coram ſe detineri nõ poſſet.de anato.vi.* Sp.48.B
FOETIDVM *& humidum os iuuat ſuccus centaureæ. de virtute centaureæ.* Sp.93.C
Foetidos ructus facit raphanus.de ſim.med. Sp.89.G
FOETIDIS *auribus confert ſuccus centaureæ.de vir.cent.* Sp.93.C
FOETIDVM *impenſe ſputum in peripneumonia, & pleuritide laborantibus, letale eſt.de tot.morb.temp.* 3ª.89.G
Foetida ſemper exitioſa.in 3^{m}.de mor.vul.com.2°. 3ª.140.H
FOETIDAE *deiectiones niſi bene excernantur, malæ commenta.7°. aphoriſ.65°.* Ex.60.E
Foetidę deiectiones bene exeuntes in bonum terminantur.commentario 4°.apho.47°. Ex.32.H
Foetidane an odorata offerantur multum intereſſe ad appetentiã & concoctionem.de ſubfig.emp. Iſa.32.B
ad FOETORES *narium confert ſuccus centaureæ.de vir.cen.* Sp.93.C
Foetoris narium remedium.de dyn. Sp.25.C
FOETORES, *aurium, & narium, & alarum in quo ſymptomatum genere ſint.de ſymp.diff.* 3ª.13.B
ex FOETORE *oris ex ſanguine fit.de dyn.* Sp.19.D
Foetori oris prodeſt lentiſcus.de ſimp.med. Sp.86.B
Foetori oris confert ſectio venæ, quę eſt inter mentum, & labium inferius.de anato.viuo. Sp.55.B
ad Foetorem oris.5°.de compo.me.ſe.loc.5ª.165.C/de dyn. Sp.25.C
ad Foetorem ſpiritus.7°.de compo.med.ſe.lo. 5ª.181.D
Foetoris in ructu ſymptoma quando adeſt.de ſymp.diff. 3ª.13.C
Foetor excrementorũ notat malã concoctionẽ.cõ.3°.apho.26°. Ex.25.F
FOETVRA *eſt ſpecies euacuationis.de venę ſect.ad Eraſ.* 6ª.6.H
Foetura recens ſimilis lacti recenter coagulato.2°.de ſem. 1ª.339.B
FOETVS *ad generis propagationem creati.11°.de ſimp.me.fa.* 5ª.81.C
Foetus fit ex viri & foemine genitura.2°.de ſem. 1ª.336.A
Foetus fit ex commixtione vtrorumq; ſeminum. 2°.de ſem.1ª.337.H/de anatomia viuorum. Sp.43.C
Foetus ex genitura, & ſanguine.introd. Iſa.52.E
Foetus fit ex ſanguine participe aliorũ humorũ.de natu.hu.c.1°. 1ª.31.D
Foetus prima figura ex ſanguine participe aliorum humorum. de natura humana, commen.1°. 1ª.33.A
de Foetuum formatione ſcire, & vtile, & neceſſarium medicis & philoſophis.de foet.for. 1ª.324.A
de Foetuum formatione cur aberrent, & inter ſe diſſentiant philoſophi. de foetuum formatione. 1ª.322.C
de Foetuum formatione Hippocrates primus omnium vera conſcripſit. de foetuum formatione. 1ª.322.C
Foetus quanto tempore formetur.de hiſt.philoſ. Sp.11.E
Foetum format deus vel anima.de foet.for. 1ª.325.A
Foetum format ſecundum Platonicos anima quæ per totum mundum diffuſa eſt.de foet.for. 1ª.326.B
Foetus formatio actio naturæ.introd. Iſa.55.B
in Foetu primarium opus naturę.15°.de vſu par. 1ª.211.C
Foetus formatio quo modo fiat.de foet.for. 1ª.322.G
Foetus quo modo in vtero formetur.1°.de ſan.tuen. 2ª.62.E
Foetus fabrica in quatuor tempora diuiditur.1°.de ſem. 1ª.331.E
in Foetu vſus foeminei ſeminis.2°.de ſem. 3ª.338.C
Foetus formationis non eſt vnus præfinitus terminus.de foet.f. 1ª.322.C
in Foetibus & infantibus quæ fiant in nouem menſibus.de natura, & ordine cuiuslibet corp. Sp.42.D
Foetus triginta duobus diebus formatus.de foet.for. 1ª.322.C
de Foetu ſollicita natura nouẽ mẽſibus qd agat.2°.de ſymp.cau. 3ª.21.C
Foetus ante ſecundum menſem dicitur cyema.1°.de ſym.cau. 3ª.18.C
Foetus quando appellatur infans ab Hippocrate.1°.de ſem. 1ª.331.F
Foetus formationis comparatio ad architectum.5°.de vſu par. 1ª.212.E
ad Foetum matrix vtiliſſima.14°.de vſu par. 1ª.204.E
Foetus in vulua oritur.de diſſe.vul. 1ª.109.D
Foetui inhærent loci poſt conceptum.1°.de ſem. 1ª.329.F
Foetus quo modo formetur poſt conceptum.de ana.vi. Sp.52.A
Foetus ſitus ſm plicaturas naturales, qualis ſit.de ana.viuo. Sp.52.D
Foetus quo modo & p quæ matrici coniungatur.15°.de vſu p. 1ª.211.B
Foetus alligatur meatibus qui dicunt cotylidones.de anat.par. Sp.43 D
Foetus quo modo alligetur.de anat.viuo. sp.52.A
in Foetus conceptione cõparatur matrix ad ſtipitẽ.de anat.viu. Sp.51.E
Foetuum connexus ad vteros eandem habet proportionẽ, quam fructus connexus ad plantas.com.4°.apho.1°. Ex.27.A
Foetus reſpondent fructibus proportione.11°.de ſimp.mc.fa. 5ª.81.C
Foetus trimeſtris & quadrimeſtris reſiſtit iniurijs.in 1^{m}.de morbis vulgaribus, commen.1°. 3ª.126.F
in Fœtu arteriarum, & venarũ chorij vuluæ inhærẽtia id eſt, quod plantis in inferiori parte radicatio.1°.de ſem. 1ª.331.F
Foetus vaſa parua, vt radices extremę arborum.15°.de vſu pa. 1ª.211.C
in Foetibus cur prima naturæ inſtrã celeriter formant.1°.de ſe. 1ª.333.B
Foetus totius corporis venæ ſunt tanquam trunci.1°.de ſem. 1ª.331.C
Foetus vaſa parua in duo magna coaleſcũt ad vmbilicum ſita.15°.de vſu partium. 1ª.211.C
in Foetus vmbilico quatuor vaſa, duę venæ & duæ arteriæ. 15°.de vſu partium. 1ª.211.F
in Foetus vmbilico cur vena, & arteriæ duæ per longum ſpatium.15°.de vſu partium. 1ª.211.F
in Foetu venæ ab vmbilico vnde.6°.de decre.Hippo. 1ª.265.B
in Foetu duæ venæ.15°.de vſu par. 1ª.211.C
in Foetu venæ ad iecur feruntur.15°.de vſu par. 1ª.211.D
Foetus vena cur in ſima hepatis inſeritur & non in gibba. 15°. de vſu partium. 1ª.211.F
Foetus indiget magis eo vſu, quẽ pſtãt venæ, q̃ alio.15°.de vſu p. 1ª.212.F
in Foetu duæ arteriæ.15°.de vſu par. 1ª.211.C
in Foetu arteria quo modo incedat.6°.de dec.Hippo. 1ª.265.B
in Foetu arteria cur non eat ad ſiniſtrum cordis ventriculum.15°.de vſu partium. 1ª.211.D
de Foetus panniculorum anatomia.de anato.viuo. Sp.52.B
Foetum inuoluentes membranæ in vulua oriũtur.de diſſe.vul. 1ª.109.D
Foetum inuoluentes membrane, quę.de diſſec.vul. 1ª.105.D
Foetus in vtero inuoluitur tribus pelliculis.de ana.viuo. Sp.52.C
Foetus cur tribus panniculis inuoluatur.de ana.viuo. Sp.52.C
in Foetus pelliculis cur aqua colligatur.de ana.viuo. Sp.52.C
Foetum continens membrana amnium dicitur.de foet.for. 1ª.322.F
verſus Foetum pellicula prima tenuiſſima eſt, & dicitur camiſia pueri, vel profundatio ſudoris.de ana.viuo. Sp.52.C
in Foetu pellicula eſt vt in ouis.de ana.viuo. Sp.52.B
Foetum membrana circumdans fit primis diebus.1°.de ſe. 1ª.330.B
in Foetus membranis humores quo modo diuerſi.15°.de vſu par. 1ª.211.G
in Foetus membranis humorum poſituræ.15°.de vſu par. 1ª.211.H

Fœtus nõ eſt leuior matre, quia innatat humori qui eſt intra amiculum, ſed eſt ſibi leuior.15°.de vſu par. 1ª.211.H
Fœtus membranæ tenues, vt aranearum telæ.15°.de vſu par. 1ª.212..A
Fœtus membranas cur natura non fecit craſſas & duras, ſed tenues. 15°.de vſu partium. 1ª.212.B
Fœtus vaſis omnibus membrana inhærens quę.15°.de vſu par. 1ª.211.B
pro Fœtu mẽbranæ quatuor ſimul incumbunt.15°.de vſu par. 1ª.112.B
Fœtus omnes particulę an fiant ſimul.an oẽs particulæ aĩalis. 1ª.326.D
Fœtus propria pars prima omnium cutis.de fœt.for. 1ª.322.F
in Fœtibus trium principiorum progerminationes ſunt qualis truncus in plantis.1°.de ſemine. 1ª.331.F
in Fœtu iecur quantum.15°.de vſu par. 1ª.212.E
in Fœtibus duæ portæ iecoris.de fœt.for. 1ª.323.D
in Fœtu cerebrum & cor quanta.15°.de vſu par. 1ª.212.E
in Fœtu, iecoris, cordis, & cerebri functiões, quales.de fœt.for.1ª.323.H
Fœtus non indiget cerebro.de fœt.for. 1ª.323.G
in Fœtu hepati arteriarum vſus exiguus.15°.de vſu par. 1ª.212.F
Fœtus non indiget arterijs, pulſu, corde in principio.de fœt.for. 1ª.323.B
in Fœtu hepati neruorum vſus nullus.15°.de vſu par. 1ª.212.F
Fœtus habet facultatũ ipsũ gubernantium origines in ſe.de dec.1ª.265.B
Fœtus nutritur, & augetur in vtero.1°.de nat.fa. 1ª.291.H
Fœtus quo modo nutriatur in vtero.de hiſt.philoſo. Sp.11.B
Fœtus vnde nutriatur̃ in vtero.de anato.parua. Sp.43.C
Fœtus quo modo nutriatur, & quibus vijs.14°.de vſu par. 1ª.207 B
Fœtus per quas vias nutritur.an animal ſit. 1ª.327.F
Fœtus vmbilicus vmbilico matris continuatur.de ſpermate. Sp.36.E
Fœtus ligatur in vmbilico, & per eundem nutritur.de ſper. Sp.36.E
Fœtus alimentum vnde, & à quo.de fœt.for. 1ª.322.F
Fœtus ex materia in venis matris nutritur.2°.de ſem. 1ª.338.E
Fœtus alitur menſtruo ſanguine à toto corpore fluente ad vterum. commen.5°.apho.60°. Ex.43.D
ad Fœtum cur tendit ſanguis optimus in prægnante, & non ad mãmas. 1°.de ſanitate tuenda. 2ª.66.B
Fœtus trahit ad ſe ſanguinẽ meliorẽ.in 3ᵐ.de mor.vul.cõ.3°. 3ª.148.D
Fœtus vnde trahat ſanguinem & ſpiritum.1°.de ſem. 1ª.331.B
ad Fœtum per quas partes tendit ſanguis.introd. Iſa.54.E
Fœtus per quæ vaſa trahit ſanguinẽ & ſpiritum.15°.de vſu par.1ª.211.G
Fœtus nutritur bono & malo ſucco.1°.de ſymp.cau. 3ª.18.C
Fœtus q̃n vitioſo nutrit̃ ſanguine, & q̃n non.1°.de ſymp.cau. 3ª.18.D
Fœtus quando per os poteſt nutriri, fit partus.15°.de vſu par. 1ª.213..A
Fœtus propter quid ſm aliquos ore ali non poteſt.an aĩal ſit. 1ª.328.C
Fœtus mori in vtero cum non recipit cibum per os.an aĩal ſit. 1ª.327.G
ex Fœtus toto nutrimento eſt meconiũ cũ excremẽtũ ſit.an aĩal.1ª.328.C
Fœtus excernit vrinam & ſtercus.1°.de ſe. 1ª.331.H
Fœtus vbi excrementa reponat.1°.de ſymp.cau. 3ª.18.D
Fœtus per quas vias excernit.an animal ſit. 1ª.327.F
Fœtus quomodo ſudat.1°.de ſem. 1ª.331.H
Fœtus ſudorem membrana accipiens.15°.de vſu par. 1ª.211.B
in Fœtu vbi vrina colligatur.de ana.viuo. Sp.52.C
in Fœtu mẽbrana tenuior quæ veluti lotiũ colligit.15°.de vſu pa.1ª.211.B
Fœtus lotiũ p quod vas trãſit in tunicã inteſtinalẽ.15°.de vſu p.1ª.211.F
in Fœtu tunica inteſtinalis, quæ.15°.de vſu par. 1ª.211.F
Fœtus nõ p pudẽdum, ſed p vmbilicũ lotiũ reddit.15°.de vſu p. 1ª.211.G
Fœtus poſt partum cur lotiũ emittit, per collum veſicæ, ſed in vtero eſt ad vmbilicum.15°.de vſu par. 1ª.212.C
in Fœtu diſſecandi ratio, vt videatur per quam partem vrina exeat.15°. de vſu partium. 1ª.212.D
Fœtui augmentum præſtat augendi vis.an animal ſit. 1ª.327.F
Fœtum auget alimentum à prægnantis venis.2°.de ſemine. 1ª.338.G
Fœtus dum augetur, nutrimentum trahit, ex venis ſanguinem, ex arterijs ſpiritum & ſanguinem tenuem.1°.de ſemine. 1ª.330.H
Fœtus quo magis creſcit calidum innatum, fit minus quod eſt ſanguis ſemenq́;.aduerſ.Lycum. Ex.65.B
Fœtus an ſit animal in vtero.de hiſt.philoſ. Sp.10.H
Foetus primo eſt corpus vegetabile vt planta.1°.de ſem. 1ª.331.G
Foetus primo habet principium vegetabile.1°.de ſem. 1ª.331.H
Foetus habet primo vnam animam vt planta.de.foet.for. 1ª.323.B
Foetus non eſt frigidus vt planta.1°.de ſemine. 1ª.331.H
Foetus quando dicatur eſſe animal.de foet.for. 1ª.323.F
Foetus non ſolum eſt animal, ſed & humanæ naturæ vim habet. an animal ſit. 1ª.328.D
in Foetum ſenſuum diſtributio.an animal ſit. 1ª.327.F
Foetus guſtat in vtero.an animal ſit. 1ª.327.G
Foetus reſpirat in vtero.an animal ſit. 1ª.327.G
Foetus non vtitur functione voluntaria.de foet.for. 1ª.323.G
Foetus in vtero non vtitur motu voluntario.15°.de vſu par. 1ª.212.C
Foetũ nõ oportet videre, audire, guſtare, & olfacere.de foet.fo.1ª.323.G
Foetus motionis non eſt vnus prefinitus terminus.de foet.for. 1ª.322.C
Foetus abſolutionis nõ eſt vnus præfinitus terminus.de foet.f.1ª.322.C
in Foet⁹ calidiore & ſicciore tẽperatura p̃creat̃ mas.2°.de ſe.1ª.339.H
in Foetus frigidiore & humidiore temperatura procreatur foemina.2°. de ſemine. 1ª.339.H
an Foetus ſit mas, vel foemina.de paſſ.mul. Sp.96.C
Foetus calidior & ſiccior cur habeat teſtes extra, & membrum prominens.2°.de ſemine. 1ª.339.C
Foetus frigidior & humidior cur habeat intus teſtes, & vuluam, & pudendum retractum.2°.de ſemine. 1ª.339.C
Foetus exit matricem ſine diſcrimine.15°.de vſu par. 1ª.213..A
Foetus caput quando in collo matricis.15°.de vſu par. 1ª.213..A
Foetus quibus tangat vuluam.de foet.for. 1ª.322.E
Foetus conuertitur octauo menſe, & decimo in lucẽ editur.in 6ᵐ.de mo. vulgaribus, commen.1°. 3ª.153..A
Foetus p̃ficitur pleriſq; mulieribus nouẽ menſibus.3°.de na.f.1ª.302.G
Foetus egreſſus in lucem non eſt vnus præfinitus terminus. de foetuum formatione. 1ª.322.C
Foetus ducentorum & quinq; dierum non viuit.de ſep.par. 1ª.341.D
Foetus ſeptimeſtris quo tempore perfectus.de ſept.par. 1ª.341.E
Foetus ſeptimeſtris editionis primus terminus, eſt tempus dimidij anni. de ſeptimeſtri partu. 1ª.340.H
Foetus cur commoueatur ad exitum.de anat.viuo. Sp.52.D
ad Foetum edendum vtitur actione expultricis facultatis vterus.2°.de ſymptomatum cauſis. 3ª.21.B
Foetus quo modo trudatur ab expultrice, & quibus adiuuatur.3°.de naturalibus facultatibus. 1ª.303..A
Foetum expellunt muſculi abdominis.3°.de na.fa. 1ª.303.B
Foetus non eſt motus ab vtero, ſed à ſeipſo.in 6ᵐ.de morbis vulgaribus. commentario.1°. 3ª.153.G
Foetus, & grauidæ mulieris vigor facit ad bonum partum.commẽtario 5°.aphoriſmo.55°. Ex.42.H
in Foetu edendo quantũ aperiatur collũ vteri.2°.de ſymp.cau. 3ª.21.B
Foetu viuente vteri os conniuet.3°.de nat.fac. 1ª.303..A
Foetu mortuo vteri os aperitur.3°.de na.fac. 1ª.303..A
Foetum q̃uo eijciant tunicæ vteri extenſæ.2°.de ſymp.cauſ. 3ª.21.C
Foetuum figuræ vnde ſumantur.de ſper. Sp.37.B
Foetus ſemp̃ erit ſimilis matri, ſi ſimilitudo à mẽſtruo.2°.de ſe.1ª.336.H
Foetus ſemp̃ erit ſilis p̃ri, ſi formatio fit a ſemĩe maris.2°.de ſe. 1ª.336.H
Foetus aliq̃ cur partĩ mari, partĩ foeminæ aſſimilantur.2°.de ſe.1ª.338.F
Foetus cur ſimilis patri.de ſpermate. Sp.37..A
Foetus cur quandoque matri ſimilis.2°.de ſemine. 1ª.337.F
Foetus cur matri ſimilis.de ſpermate. Sp.37..A
Foetus cur non ſunt quandoq; ſimiles parentibus.de ſper. Sp.37..A
Foetus quandoq; ſimiles progenitoribus ſunt, non ſolis parẽtibus.de theriaca ad Piſonem. 5ª.94.E
Foetus contineat figuram aui.de ſper. Sp.38.F
Foetus tales faciunt ſemina iacta habentia vitioſam qualitatẽ vel quantitatem.an animal ſit. 1ª.328.C
Foetus cur praue affecti quandoq; ſint parentibus ſanis.de ſp. Sp.37..A
Foetus nocumenta.11°.de vſu par. 1ª.188.B
Foetum eſſe ſanum impoſſibile eſt, ſi mulieri vtero gerenti purgationes eant.com.5°.apho.60°. Ex.43.D
Foetum imbecille ſignificat, ſi mulieri vtero gerenti lac multum è venis effluxerit, ſi vero mammę ſolidæ fuerint, foetum ſignificant ſaniorẽ. com.5°.apho.52°. Ex.42.B
Foetum corrumpi, ſignificat ſi mammæ tenues appareant. commentario 5°.aphoriſmo 52°. Ex.42.C
Foetus quando, & quo modo corrumpi poteſt ex mammillarum extenuatione.com.5°.apho.53°. Ex.42.C
Foetus quare propter inediam corrumpitur.commentario.5°.apho.37°. 40.H/aph.52°. Ex.42.C
an Foetus poſſit aliquando viuere vtero inflammationem patiente, dignum eſt inquiſitione.com.5°.aph.43°. Ex.41.F
vt Foetus retineatur.de remed.par.fac. 7ª.168.G
vt Foetum contineat mulier, neq; abortiat remedium.de dy. Sp.29.H
Foetum euellunt incidentia, & calfacientia vehementer.6°.de ſimpliciũ medicament.

medicamentorum faculta. 5^a.48.E
Fœtum euocat centaurij minoris ſuccus.7°.de ſimp.me.fa. 5^a.50.H
ad Fœtum eijciendum valet conyza.7°.de ſimp.me.fa. 5^a.52.B
Fœtum elicit lupini decoctum cum myrrha & melle impoſitum. 6°.de ſimp.me.fa. 5^a.48.D
Fœtum viuentem educit ſabina.6°.de ſimp.me.fa. 5^a.45.C
Fœtum euellit Thymum.6°.de ſimp.me.fa. 5^a.48.E
Fœtum educens ſine periculo confectio.2°.de anti. 5^a.115.D
Fœtus retentos eijciẽs antidotus Tyrãnis appellata.2°.de anti.5^a.116.D
Fœtum necant amara ſubtilium partium, quando ſunt calida. 8°. de ſimplic.med.fac. 5^a.60.E
Fœtum & lumbricos necant amara.8°.de ſimp.me.fa. 5^a.61.A
Fœtum viuentem interimit cedrea, & mortuum eijcit.7°. de ſimp. medicamen.facul. 5^a.50.E
Fœtum interimit ſuccus cyclaminis.de ſimp.me.fa. 5^a.53.E
Fœtum interimit elaterium.8°.de ſimp.me.fa. 5^a.60.E
Fœtus necare creditur onoſma.8°.de ſimp.me.fa. 5^a.57.C
Fœtum & lumbricos tum necat, tum eijcit myrrha.8°.de ſimp. medicamento.faculta. 5^a.61.A
Fœtum necat Thalſpi.8°.de ſimp.me.fa. 5^a.48.D
ad Fœtum necandum citra noxam, vllamq; ſuſpicionis notam.de reme. paratu facilibus. 7^a.169.A
Fœtum mortuum expellit dictamnus.de ſimp.me. Sp.83.D
Fœtus emortuos lac caninũ eijcere eſt falſum.10°.de ſimp.m.f.5^a.74.A
Fœtum mortuum educit ſabina.6°.de ſimp.me.fa. 5^a.45.C
Fœtus mortuos eijcere creditur theriaca.de vſu ther. ad Pam. 5^a.98.G
Fœtum mortuum, aut non ritu naturali exeuntem eijciens. de remedijs paratu facilibus. 7^a.168.H
Fœtus trimeſtris, aut quadrimeſtris vt eijciatur medicamẽ diſcriminis expers.de remed.par.fac. 7^a.169.A
Fœtus ſine dolore eijcit antidotus Aellij Galli.2°.de anti. 5^a.110.H
ad Fœtus eijciẽdos antidotus ĩ Orbanũ Indũ relata.2°.de anti.5^a.110.E
Fœtus corruptus qua vi eijciatur.2°.de ſymp.cau. 3^a.21.C
Fœtum mortuum eijcit cedrea, & viuentem interimit.7°.de ſimp.medicamento.faculta. 5^a.50.E
Fœtum mortuum euellit, & viuentem interimit centaurium maius.7°. de ſimp.medi.facul. 5^a.50.F
à Fœtu corrupto quæ relinquuntur educens confectio.7°.de comp.medicamen.ſecun.locos. 5^a.185.H
Fœtus emortuos educit antidotus Mithridatis Eupatoris Diaſcinci nominata.2°.de anti. 5^a.115.C
ad Fœtum mortuum extrahendum.de me.fa.par. 7^a.168.E
ad Fœtum in vtero mortuum.de med.fac.par. 7^a.177.E
Fœtus capræ ſtatim æditus ambulauit.in.6^m.de mor.vul.c.5°.3^a.189.E
Fœtus viperæ quo modo matrem perimãt.de theria.ad Piſo. 5^a.93.C/D
FOLIATVM apud Romanos.7°.de comp.me.per ge. 5^a.271.F
Foliatũ & ſpicatũ vnguẽta apud Romanos.3°.de cõp.me. p ge.5^a.234.F
Foliata & ſpicata præcioſa mulierum vnguenta. 3°. de compo.medica. ſecundum locos. 5^a.141.A
Foliata vnguenta Romæ à diuitibus mulieribus fiebant. 6°. de ſanitate tuenda. 2^a.100.C
Foliatum vnguentum fœminarum diuitũ.1°.de cõp.me.ſe.lo. 5^a.125.F
Foliato vnguento ſolum diuites vti poſſunt.6°.de ſa.tu. 2^a.99.A
Foliata vnguenta precioſa.4°.de loc.aff. 4^a.28.D
Foliatum vngentum nardino præſtantius.6°.de ſa.tu. 2^a.99.A
Foliati primi meminit.7°.de comp.me.per ge. 5^a.271.G
Foliatum vnguentum quas habeat vires.6°.de ſan.tuẽ. 2^a.98.A
Foliatum vngentum calidum.2°.de comp.me.ſe.lo. 5^a.133.A
Foliatum vnguentum valet in defluuio capillorum.1°. de compoſi.medica.ſecundum locos. 5^a.125.F
Foliatum apud Romanos aurium dolores à frigiditate inductos iuuat.3°. de comp.med.ſec.loc. 5^a.140.F
FOLIVM quid, & eius vires.de ſimp.med. Sp.84.D
Folia malabathri inter aromata.7°.met.me. 7^a.44.A
Folium malabathri quale.4°.de comp.med.ſec.loc. 5^a.151.G
Foliũ malabathri pro oris putore.in 6^m.de mor.vul.com.4°. 3^a.182.A
Foliũ phibet humorẽ fluentem, puſtulas, & vulnera.de ocul. 7^a.189.C
Folium maturat.de ocul. 7^a.189.C
Folij electarium.de med.exper. Sp.107.H
FOLII tegentis fructus comparatio ad pulmonem reſpectu cordis, de anatomia viuorum. Sp.48.B
Folia quæ debent ſterni ad refrigerandum.de reme.par.fa. 7^a.155.E
Folia habent diuerſas facultates à radicibus, caulibus, ſeminibus, & fructibus.1°.de alim.fac. 2^a.7.E
Folia ad diacalaminthes medicamẽti cõfectionẽ ſumẽda potiſſimũ ſubtiliſſima, viridiſſima, & quæ ĩ sũmis herbis nata.4°.de ſa.tu. 2^a.86.D
ex Folijs oleum dicitur oleum abuſiue.3°.de ſani.tuenda. 2^a.79.B
p Folijs roſarum flos roſarum.4°.de comp.me.ſec.loc. 5^a.155.D
FOLIO ſeu ſquamæ ſimilis ſubſidentia in vrina quid ſignificet. 1°. de criſi. 4^a.130.D
Folioſæ hypoſtaſes quid ſignificet.quæſ.in Hipp. Sp.113.D
Folioſæ hypoſtaſes in vrinis quibus ſint peiores.de vrinæ ſign. Sp.78.G
Foliorum ſimilia in vrinis à veſica veniunt.in 6^m.de morbis vulgarib. commentario.5° 3^a.192.A
Foliorum ſimilia ſunt ea quæ videntur in vrinis, cum veſica reſoluitur, & eroditur.com.4°.aph.76°. Ex.36.C
in FOLIIS naſi ſunt lacerti duo, qui dilatant, & conſtringunt. de anatom.viuo. Sp.49.B
FOLLICVLI cordis tres.de ana.viuo. Sp.52.G
FOLLE fatigare corpus eſt exercitatio.2°.de ſan.tu. 2^a.73.G
Follis exercitium exercet ſupernas partes.6°.de ſan.tu. 2^a.100.F
Folles fabrorum diſtenti attrahunt exteriorem aerem per fiſtulas annexas.8°.de decret.Hipp. 1^a.278.A
in Folle fabrili febris exempla.1°.de diff.feb. 3^a.31.A
Follibus fabri ferrarij pulmo comparatᷓ.de na.& ord.cuiuſ. Sp.42.A
p FOMENTA calefactio.in 6^m.de morb.vul.com.6°. 3^a.196.A
Fomẽta debẽt fieri ante cibũ, vel lõge poſt cibũ.de rem.pa.fa. 7^a.157.D
in Fomẽtis quæ incoquẽda abſq; cõtuſione.de ren.affec.dig. 7^a.194.B
Fomenta per arundinem quo modo.3°.de comp.me.ſe.lo. 5^a.145.D
Fomentum facit per calamum.de reme.par.fac. 7^a.155.D
Fomentũ ex abſinthio in aqua decocto.3°.de cõp.me.ſe.lo. 5^a.146.A
Fomentum ex aqua, & aceto pro pituitoſa materia reſoluenda.14°.methodi medendi. 7^a.87.F
Fomentum ex aqua calida.de remed.par.fac. 7^a.153.H
Fomentum aquæ calidæ pus mouet.4°.met.med. 7^a.27.D
Fomenta calida quæ ſint.de victus ratio.in morbis acut.cõ.2°.7^a.116.D
Fomentorum calidorũ dĩia.de vict.rat.in mor.acu.com.2°. 7^a.116.D
Fomenta calida quid faciant.de vict.rat.in morb.acu.com.2°. 7^a.116.C
Fomenta calida trahunt foras humores.4°.de ſa.tu. 2^a.86.A
Fomẽta calida ante euacuationẽ obſunt.in 6^m.d mor.vul.c.2°. 3^a.165.G
Fomenta calida cur obſint frigidis, & ſiccis.7°.met.me. 7^a.47.B
Fomenta per cucurbitulas quo modo.3°.de cõp.me.ſe.lo. 5^a.145.D
Fomentum ex eruo & aceto.de vict.rat.in mor.acut.com.2°. 7^a.116.H
p Fomento vtilius elychnion, quàm ſpongia.14°.met.me. 7^a.87.G
Fomentum ex fumi receptione.5°.de comp.me.ſe.lo. 5^a.163.G
Fomentum per fermentum, vel (vt alij codices habent) adipem, in veru aſſatum.3°.de comp.me.ſe.lo. 5^a.145.E
Fomentum ex furfure.de vict.rat.in morb.acut.com.2°. 7^a.116.H
Fomentum ex hordeo, & aceto.de vic.rat.in mor.acu.cõ.2°. 7^a.116.H
Fomenta humida inflammationibus à bile conueniunt. de vict. rat. in morbis acutis, com.2°. 7^a.116.E
Fomentando locos lana mollis, vel linteum ſupponendum.de vict. ra.in mor.acu.com.2°. 7^a.116.G
Fomentum lineo veſtiendũ cur.de vict.rat.in mor.acu.com.2°.7^a.116.G
Fomenta ex milio cur cæteris meliora ad capitis dolores.2°.de compoſi. medi.ſecun.locos. 5^a.137.F
Fomentum ex milio & furfure.de med.fac.par. 7^a.165.H
Fomentum per ollam.3°.de comp.me.ſe.lo. 5^a.145.C/E
p Fomento panniculi.5°.de comp.me.ſe.lo. 5^a.163.F
p Fomento panni ſordidi.de remed.par.fac. 7^a.157.D
ex Fomẽto ex milio dolores leues ſanant.2°.de ar.cur.ad Gla. 7^a.104.G
Fomenta ſicca quæ & vbi præponuntur humidis.3°. de compoſi. medi. ſecundum locos. 5^a.142.E
Fomentum ſiccum ex milio in coli dolore.12°.met.me. 7^a.79.F
Fomenta ſicca inflammationibus à tenui, & aquoſo ſanguine conueniũt. de vict.rat.in mor.acu.com.2°. 7^a.116.E
Fomentum ex ſale & milio.5°.de comp.me.ſe.lo. 5^a.163.F
Fomentũ ex ſale, & milio, quale.de vict.ra.in morb.acu.c.2°. 7^a.117.B
Fomenta ex ſalibus.2°.de comp.me.ſec.loc. 5^a.137.F
Fomenta ex ſale calefacto, & lini ſemine crudo in doloribus. 2°. de arte curat.ad Glauco. 7^a.104.G
Fomenta ſale ob grauitatem ſunt moleſta præſertim capiti admota. 2°. de comp.me.ſe.lo. 5^a.137.F
Fomentum ex ſpongia.de vict.rat.in mor.acu.com.2°. 7^a.116.G

pro Fomento ſpongia noua vtitur.14°.met.me. 7ª.88.F
pro Fomento ſpongia ſit noua,& ſi non noua, quid agendum. 2°. de arte cura.ad Glauconem. 7ª.103.F
Fomenta per ſpongias quo modo.3°.de comp.me.ſe.lo. 5ª.145.D
Fomenta per ſpongias ex aqua calida.2°.de comp.me.ſe.lo. 5ª.133.G
Fomenta per ſpongias calida imbutas & expreſſas.2°.de comp.medic. ſecun.locos. 5ª.132.C
Fomento ex ſpongia,& aqua dulci mitiga phlegmonen, quando irritata eſt.13°.meth.med. 7ª.81.D
Fomenta ex ſtipula fiebant,& per arundinem.3°.de compoſi.medicam. ſecundum locos. 5ª.145.B
Fomenta ex vnguentis ad aurium dolorem ex inflammatione.3°. de cõpoſi.med.ſec.loc. 5ª.141.A
Fomenta per vtriculos.de vict.rat.in morb.acu.com.4°. 7ª.144.E
Fomenta adhibenda ſunt in alopecia.1°.de comp.me.ſe.lo. 5ª.122.H
Fomẽta ante purgationẽ capiti applicat Galenus.4°.de loc.af. 4ª.22.E
Fomento vti debemus experientiæ gratia in doloribus oculorum, commentario.6°.aph.31°. Ex.49.F
Fomẽtis oculorũ dolores grauiſſimos ſanauit Gale.3°.me.me. 7ª.17.D
Fomenta quæ adhibenda oculis per ſpongiam mollem non per ſacculum & cataplaſmata.in 6m.de mor.vul.com.6°. 3ª.196.A
Fomẽta ex aq̃ dulci modice cal'a q̃n oculis adhibẽda.13°.me.m. 7ª.86.C
cur Fomentum,ex aqua calida confert dolentibus oculis. commenta. 6°.aphoriſmo.3°. Ex.49.F
Fomenta per ſpongiam in ophtalmia qualia eſſe debent.4°.de com.med. ſecundum locos. 5ª.150.H
Fomenta ad aurium dolorem.3°.de comp.me.ſe.lo. 5ª.145.D
Fomentatio in aures frequẽs fieri debet.in 6m.de mor.vul.c.5°.3ª.191.D
Fomenta ad dentium dolorem.5°.de comp.me.ſe.lo. 5ª.163.F
Fomenta ad dolores dentium.de remed.par.fac. 7ª.157.D
Fomenta ad dentium dolorem an debeant fieri ante cibum,an poſt cibũ. 5°.de comp.med.ſe.lo. 5ª.163.G
Fomenta pro præcordijs in melancholicis.de mel.ex Gal.Ruf. Sp.110.B
Fomentis calidis vtendum in principio pleuritidis experiundi gratia. 9°.de decr.Hippo. 1ª.282.G
Fomentum ad ilium dolorem,ad lapides proijciendos,& vrinam prouocandam.de dyna. Sp.28.D
Fomenta dolorum partium extremarum ex aqua.in 6m.de morbis vulgaribus,com.6°. 3ª.196.A
Fomentis tentandum eſt reſoluere in principio in pleuritide.de victus ratio.in mor.acu.com.2°. 7ª.116.B
Fomenta pro renum lapide.de ren.affect.dign.& med. 7ª.193.H
Fomentum pro lapide renum.de ren.affect.dig.& med. 7ª.194.A
Fomenta ad vuluam dupliciter agunt.5°.de ſimp.me.fac. 5ª.37.E
Fomentationibus vteri commodo eſt ariſtolochia longa.6°. de ſimp.medicam.facul. 5ª.43.E
Fomentum ad ſugillata quo modo fiat.5°.de comp.me.ſe.lo. 5ª.159.D
poſt Fomentum peniculus ex nardino vnguento imbutus ventriculo eſt incingendus.8°.met.me. 7ª.53.C
Fomentum ſecuriſſimum eſt afferens vtilitatem tanquam cauſa,& tanq̃ ſignum.com.6°.aph.31°. Ex.49.G
Fomentum dolorem mollit,ſed alteram fluxionem aduocat.commẽ. 6°. aphoriſmo.31°. Ex.49.F
Fomenta maturant.in 1m.de mor.vul.com.2°. 3ª.112.A
Fomentis medicinalibus indigentibus ptiſſana nõ dãda.de ptiſ.2ª.47.H
Fomẽto magis ĩprimit fuſio aquæ.de vict.rat.in mor.ac.c.4°. 7ª.144.E
FOMITES, græce hypocaumata,alimenta nominauit Hippocrates.cõmen.1°.aph.14°. Ex.7.H
FONTANA aqua qualis in frigiditate & caliditate. 10°. methodi medendi. 7ª.67.C
FONTES meliores,& aquæ puriores ſunt in ſummitatibus. de bonitate aquæ. Sp.75.F
Fontes verſus orientẽ fluẽtes ſunt optimi,& quales.de bon.aq.Sp.75.D
Fontes verſus occidentem fluentes,quales.de bon.aquæ. Sp.75.D
Fontes multi frigidi Romæ.2°.de comp.me.ſe.lo. 5ª.132.F
Fontium elegantia Romæ.in 6m.de mor.vul.com.4°. 3ª.182.E
Fontes ſuperficiales permutantur in horas.de bon.aquæ. Sp.75.H
Fontes profundi cur hyeme calidiſſimi,æſtate frigidiſſimi ſint.de bonitate aquæ. Sp.75.H
cur in Fontibus quibuſdam hyeme diſparet aqua,æſtate abundat.de bonitate aquæ. Sp.75.H
Fons in Delo abũdat aqua in æſtate,& non hyeme.de bon.aq. Sp.75.H
Fontis aquam bibant ſe non exercentes, cum æſtate vehementi calore vrgentur.de bon.& vitio ſucc. 2ª.39.D
Fontes ſiue hauritoria ſub radice linguæ.de ana.viuo. Sp.49.C
vt Fontem ignis habet caliditatem in ſanguine,& venis animal omne. in tim.Plat. 1ª.289.H
FORAMINA per quæ ingrediuntur res in corpus,& per quæ exeunt.17°.de vſu par. 1ª.222.B
Foramen nullum in corpore eſt ſuperuacuum.17°.de vſu par. 1ª.222.B
Foraminalis tunica oculi,quæ.de ana.ocul. Sp.57.E
Foramen auris incipit ab oſſe petroſo.de anat.viu. Sp.48.G
Foramen eſt ad ipſam aurem in comparatione pupillę ad oculum.de anatomia viuorum. Sp.48.H
Foramina duo ſunt in radice naſi exeuntia ad angulos lachrymales oculorum.de ana.viu. Sp.49.A
Foramen triangulare habentia duo naſi oſſa.de ana.viuo. Sp.49.A
Foramina narium ſunt duo,latum quidem ad os,p̄ meatus vero tenuiores,ad cerebrum.com.7°.aph.51°. Ex.58.D
Foramen per quod intrat odor,& exit mucilago.de ana.viu. Sp.49.A
Foraminum naſi vſus.de ana.viu. Sp.49.B
Foraminum naſi vtilitas.de compag.memb.ſiue de na.hum. Sp.58.D
quæ Foramina naſi ſtricta vel oppilata,imperfecte & confuſe formãt voces.de ana.viu. Sp.49.A
Foramina duo in ore,quæ.de ana.viuo. Sp.49.B
cũ Foramine dens aufertur.14°.met.me. 7ª.90.G
Foramina duo in epiglottide.de voce & anhel. Sp.61.C
Foramina per quæ ſit inſpiratio ad ſiniſtrum ventrem cordis.de vtilitate reſpirationis. Sp.64.C
Foramen cæcum vbi,& cur ita dictum.de ner.diſſ. 1ª.53.G
Foramen cæcum non eſt cæcum.9°.de vſu par. 1ª.174.E
Foramen cæcum cur.9°.de vſu par. 1ª.175.F
Foramen vnum cur habeat monoculum inteſtinum.de ana.vi. Sp.50.D
Foramina tanta cur ſint in membris quibuſdam,ſicut in oſſibus. de anatomia viuorum. Sp.44.G
Foramina tria in matricis ceruice.de nat.& ord.cuiuslib.cor.Sp.42.B
Foraminibus carentia alba exanguia ſunt neruus,copula, tendo.de decretis Hippo.& Plat. 1ª.233.G
Foraminum diuerſitas à carne ſeparata eſt.de ana.viu. Sp.44.G
Foraminum anguſtia facit febrem.com.6°.aph.42°. Ex.57.D
ſm Foramen morbi cauſæ,quæ.de ocul. 7ª.185.G
in Foraminis largitate morbi cauſa,quæ.de ocu. 7ª.185.G
FORES ex quibus lignis non debeant fieri.de ſubfig.emp. Iſa.32.B
FORFICES pars organorum.de machin. 7ª.309.E
Forfices ad quid in organis. de machin. 7ª.310.F
Forfices fabricantes ſunt inter miniſtros ignobiliores rei medicæ.in 6m. de mor.vulg.com.5°. 3ª.188.D
Forfice cui compreſſum fuit cor, tamen non amiſit ſenſum vel motum, ſed arteriæ non mouebantur.de decr.Hipp.& Pla. 1ª.232.B
FORMA,natura,ſpẽs,et genus p̄ eodẽ.ad eos q̄ de typis ſcripſ. 3ª.93.C
Forma,ſpẽs,differentia idem eſt.in 1m.de mor.vul.com.3°. 3ª.117.G
Forma quæ εἶδος & quæ μορφὴ differunt.ꝙ animi mores. 1ª.317.G
Forma quid.de hiſt. philo. Sp.4.C
Formam Dei nemo auſus dicere.de hiſt.philo. Sp.3.G
Forma cælo inhærens Deus.de hiſt.philo. Sp.4.F
Forma,& conſtitutio mundi.de hiſt.philo. Sp.4.D
Formam ſecundum Galenum eſſe complexionem collige, cum inquit in elementorum commoderatione naturam conſiſtere. com.2°. aph.51°. & cum inquit naturam eſſe temperaturam humidi, ſicci, calidi, & & frigidi.com.3°.aph.2°. Ex.20.A
Forma ad quid vtilis.in oratione ſuaſoria. Iſa.3.F
Forma,nobilitate, & diuitijs non ſunt contemnenda artium ſtudia. in oratione ſuaſoria. Iſa.3.H
Forma ſeminis vbi recipiatur.de cõpag.memb.ſiue natu.hu. Sp.59.C
Forma habetur ex ſeminis motione.2°.de ſem. 1ª.339.H
Forma corporis natura dicitur.com.2°. aph.34°. 7ª.17.D
nõ Forma corporis,ſed actionibus,& vſibus membrum vnumquodque iudicatur.de decretis Hipp.& Pla. 1ª.233.E
Formam corporis cur ſolus viſus ſentiat.de ocul. 7ª.185.A
Formam corporis accidentaliter q̃uo ſentiat tactus.de ocul. 7ª.185.A
Formam alarum habent orificia vaſorum ſpermatis.de compag.memb. ſiue de natura humana. Sp.59.D
Forma neruorum pedum,& crurum differt à forma neruorum brachiorum & manuum.de anato.viuo. Sp.54.D

Forma cordis qualis, & cur talis ſit.de ana.viuo. Sp.56.C
Forma cordis rugoſa eſt intrinſecus quando conſtringitur, plana quãdo dilatatur.de anat.viu. Sp.56.C
Forma ſpeciei prouenit ex mare.2°.de ſemine. 1ª.337.D
Formæ hoĩum ſequuntur regionis naturam.ꝙ animi mor. 1ª.320.A
Formæ hoĩum vbi plurimũ inter ſe differẽtes.de aere,aq.& loc. 2ª.6.D
Formæ hominum vbi compares.de aere,aq.& loc. 2ª.6.E
Formarũ naturã variantia tpa ſunt diuerſa.de aere,aq.& lo. 2ª.4.G
Forma non refrangitur in ſpeculo.7°.de decr.Hipp. 1ª.272.B
circa Formas ĩdiuiduas artificũ opa.in 1m.de mor.vul.c.3°. 3ª.120.H
pp Formam artium ſtudia non contemnenda.in ora.ſuaſ. Iſa.3.G
ſm FORMAM *morbi quinque modis ſunt.de ocul.* 7ª.185.F
Forma ægritudinis quo mõ primis diebus noſcenda.2°.de criſ. 4ª.138.D
Forma & modus multo magis in febribus conſideranda, quàm circuitus acceſſio.1°.de diff.feb. 3ª.35.H
Forma medicamenti non conſideranda.2°.de ſimp.me.fac. 5ª.10.B
FORMALEM *ſubſtantiam ãiam dixit Ariſt.ꝙ animi mor.* 1ª.318.E
Formalia ſunt ignis & aer.in timæum Plat. 1ª.287.B
FORMANDI *infantiũ in vtero modus.de nat.& ord.cu.* Sp.42.C
ad Formãdũ oculũ faciũt muſculi circa baſim oculi.d muſ.diſ. 1ª.44.E
ad Formandam vocem quid requiratur.de voce & anhel. Sp.60.F
Formantis officium eſt reddere fœtum ſimilem vel diſſimilem vni ex parentibus.2°.de ſem. 1ª.336.F
FORMARE *eſt eius quod primo fuit.2°.de nat.fa.* 1ª.298.H
Formari incipit corpus totum ab acumine cordis.de ana.viu. Sp.46.D
Formaт̃ mas ĩ triginta diebus, fœmina in quadraginta.de ſper. Sp.36.C
Formantur prius humeri.de ſpermate. Sp.36.C
Formatur celerius quod ſiccius eſt.2°.de ſem. 1ª.339.B
FORMATAE *quo modo ſint nares.de compag.memb.* Sp.58.C
Formatæ ptes abſolutæ incipiũt ſua officia exercere.de fœt.f. 1ª.324.G
FORMATIONIS *vocis primum inſtrumentum eſt canna pulmonis. de anato.viuo.* Sp.53.D
in Formatione vocis peccat lingua acuta, & obtuſa.de an.vi. Sp.49.C
Formatione & alteratione conſtat generatio.1°.de nat.fa. 1ª.291.E
Formatio triplex in corporibus animalium.de diff.morb. 3ª.2.F
Formatio ſi fit à ſemine, & ſemen à mare, fœtus ſemper erit ſimilis patri.2°.de ſemine. 1ª.336.H
Formatio fœtus quanto fiat tempore.de hiſt.philo. Sp.11.E
Formationis tempus in tres partes diuiditur.de ana.viu. Sp.52.B
Formatio infantis quot diebus fiat.de nat.& ord.cuiusl.cor. Sp.42.C
in Formatione embryi quid faciant ſingulatim ſeptem planetæ. de compagine membrorum. Sp.59.F
Formatio duplici circuli quando.de cõpag.mẽb.ſiue.de nat.hu. Sp.59.F
poſt Formationem quando tempus motus.de ana.viu. Sp.52.B
in Formatione quo modo poſſunt nutrices obeſſe infantibus ipſos alligãtes.de cauſis morborum. 3ª.8.G
in FORMATIONE *duntaxat contingit paſſio.de diff.mor.* 3ª.2.E
in Formatione eſt prima ægritudo in inſtrumentis.de diff.mor. 3ª.2.H
in Formatione ægritudines ſecundi generis ſunt in numero, & quo modo.de cauſ.morb. 3ª.9.C
in Formatione quo modo fiat morbus.de cauſ.morb. 3ª.8.F
in Formatione quæ ægritudines.de diff.morb. 3ª.4.E
Formationes errores.ars med. Iſa.69.A
ad Formationis genus reducuntur concauitatum ægritudines. de differentijs morborum. 3ª.4.D
à Formatione indicatio quo modo ſit.2°.de arte cur.ad Gla. 7ª.102.E
à Formatione ſimul & ſitu inuenitur remedium.ars med. Iſa.69.G
à Formatione & ſitu maxime deſumitur ſanatio partis inflãmatæ.de conſtitutione artis. Iſa.41.D
FORMATRIX *vis neceſſaria præter quatuor qualitates. 2°. de temperamentis.* 1ª.20.G
de Formatrice vi, quid ſciat Galenus.de fœt.for. 1ª.326.B
Formatrix vis in vtero trahit optimum ſanguinẽ.de atra bile. 1ª.36.H
Formatrix virtus effingit partes ſm animi mores.2°.de temp. 1ª.20.F
Formatrix vis quomodo appareat.2°.de nat.fac. 1ª.297.F
FORMICAS *non ſecuit Galenus.6°.de anat.admi.* 1ª.89.G
Formicas nunquam diſſecuit Galenus, neque vnquam voluit diſſecare. 6°.de decr.Hippo. 1ª.263.F
Formicæ habentes millæ alas.ſecretorum. Sp.100.A
Formica ſicca.1°.de temp. 1ª.12.F
Formicæ non mouentur celeriter.2°.de dign.pulſ. 4ª.75.D
Formicæ prudentiores, & non habent ſanguinem.ꝙ animi mo. 1ª.319.D
Formica magna quo modo dicatur.2°.de dign.pulſ. 4ª.76.E
Formica magna & mons paruus ad aliquid. in 1m. de morbis vulgaribus, commenta.1°. 3ª.104.A
Formicæ obeunt oleo madefactæ.2°.de ſimp.me.fa. 5ª.14.E
de FORMICANTE *pulſu.1°.de diff.pulſ.* 4ª.52.B
Formicans pulſus qui, & vnde ſit.de pulſ.ad tir. 4ª.44.G
Formicans pulſus quibus conſtet ſm Archigenem.2°.de dign. 4ª.75.D
Formicans pulſus qualis.2°.de dign.pulſ. 4ª.75.H
Formicans pulſus exigit tactum exercitatum.2°.de digno.pul. 4ª.75.C
Formicans pulſus.1°.de diff.pul. 4ª.52.B
Formicantes pulſus quæ ſequantur.3°.de cauſ.pul. 4ª.99.D
Formicantes pulſus quando prodibunt ex balneis calidis. 3°. de cauſis pulſuum. 4ª.98.G
Formicantis pueri pulſus reſpectu pulſus iuuenis valentis differentia. 2°.de digno. pulſuum. 4ª.75.H
Formicans genus ſaporis.de compag.memb.ſiue de nat.hum. Sp.58.D
ad Formicinas verrucas.de med.fac.par. 7ª.170.G
FOMIDANT *amiciſſimos melancholici. de mel. ex Galc. Ruf. & Poſſidonio.* Sp.109.C
Formido eſt rectorũ diligentia in filijs principũ.de præcogn. 4ª.219.D
Formidoloſæ tenebræ.de mel.ex Gal.Ruf.& Poſſ. Sp.109.C
FORMAT *animal calor uaturalis.com.1°.aph.15°.* Ex.8.D
FORMOSOS *pueros facit ſanguis.de dyna.* Sp.19.F
Formoſum qui voluit pcrcare deformis, hiſtoria.đ ther.ad Piſ. 5ª.94.E
Formoſi & rudes deſpiciendi.in oratione ſuaſ. Iſa.3.F
in FORNACIBVS *multi ſumptus fiunt.9°.de ſimp.me.fa.* 5ª.66.D
Fornacum foraminibus clauſis quo modo flamma obſtruitur. de cauſis morborum. 3ª.7.C
vt Fornax ad ignem comparatur, ita cor ad calorem, & ſpiritum.de anatomia viuorum. Sp.46.D
FORNICES *aptiorcs alijs figuris ad pondera ſuſtinenda. 8°.de vſu partium.* 1ª.169.G
Fornici comparat ſpinam Galenus.12°.de vſu par. 1ª.197.G
Fornix oſſeus magnus quo modo in pube.14°.de vſu par. 1ª.209.A
FORTE *contrarium imbecillo.12°.de vſu par.* 1ª.192.H
Fortia ãĩalia habẽt multos dẽtes acutos et fortes.11°.de vſu pa. 1ª.187.C
Fortia animalia habent vngues ſimiles & diſſimiles ab vnguibus non fortium.11°.de vſu par. 1ª.187.D
Fortia animalia habent vngues acutos, magnos, fortes, & rotundos.11°. de vſu partium. 1ª.187.F
Fortia & calida animalia habent lienem nigrũ.6°.de ana.adm. 1ª.92.G
Fortius eſt & calidius uir ſperma muliebri.de ſpermate. Sp.36.B
Fortes Fœminæ quo modo fiant.de ſpermate. Sp.36.E
Fortibus atque iuuenibus non conſuetis qui conſueti ſolitos labores ferre, & ſi fuerint imbecilles & ſenes, facilius ferunt.commentario.2°. aphoriſmo.49°. Ex.19.A
Fortibus quid accidat, ſi aqua frigida lauentur.com.1°.aph.15°. Ex.8.B
Fortioribus corporibus fortiora medicamenta, debilioribus debiliora ſunt præbenda.6°.de comp.me.ſec.loc. 5ª.176.F
ſi Fortes ſint viri, noxijs humoribus euacuatis, ceſſant morbi. commẽtario.2°.aph.25°. Ex.16.A
Fortis motus & frequẽs ẽ cauſa fortitudinis caloris.de an.vi. Sp.56.D
Fortius quanto eſt vinum, tanto eſt terreſtrius.de vtil.reſp. Sp.64.E
Fortius quanto eſt vinum, tanto eſt ponderoſius.de vtil.reſp. Sp.65.F
in Forti angina minuuntur venæ iugulares.de anat.viu. Sp.55.A
Fortis dolor motus.2°.de locis affectis. 4ª.12.G
ad FORTIORA *procedendum, & inchoandum à leuioribus. de oculis.* 7ª.189.G
Fortiſſima tantum pharmaca debent haberi parata cum per mixturam aliàs aliter parabilem pharmacorum vehementia exolui poſſit.3°. de comp.me.ſec.loc. 5ª.141.F
ad Fortia medicamenta in alopecia ceratum liquidum additur.1°. de comp.med.ſec.loc. 5ª.122.D
Fortibus in alopecia pharmacis q debet vti, incipiat à mollioribus, & addat quæ eorum vim exoluunt.1°.de comp.me.ſe.lo. 5ª.122.F
Fortium ad alopeciam pharmacorum vim exoluentia.1°.de compoſitio. med.ſec.loc. 5ª.122.F
Fortibus pharmacis indiget pulmo.7°.de comp.med.ſe.lo. 5ª.178.E
Fortiter & frequenter mouentur cor.de ana.viu. Sp.56.D
Fortiter cur moueatur cor.de ana.viuo. Sp.56.D
FORTITVDO *quid.fin.med.* Iſa.45.D
Fortitudo quid, ſecundum Ariſtonem.7°.de decr.Hip. 1ª.268.D

Fortitudo virtutis eſt cauſa motus cordis.de ana.viu. Sp.56.E
Fortitudinis caloris cordis cauſa eſt fortis motus, & frequens. de anatomia viuorum. Sp.56.D
FORTVITA, *quæ.de ſubſ.emp.* Iſa.31.D
Fortuita quæ apud empiricos.de ſect. Iſa.16.B
Fortuito & caſu quod fit contrarium eſt ei, quod prouidentia & arte fit 11°.de vſu par. 1ª.186.E
FORTVNAE *figura.in oratione ſuaſoria.* Iſa.2.D
Fortuna quid ſit.de hiſt.philo. Sp.5.F
Fortuna, & caſus quomodo differant.de hiſt.philo. Sp.5.F
Fortuna vel caſus contraria prouidentiæ.in progn.com.1°. 4ª.189.G
Fortunæ ne te committas.in oratione ſuaſ. Iſa.2.D
Fortunæ ſequaces, qui.in oratione ſuaſ. Iſa.2.E
Fortunam qui ſequuntur, etiam non aſſequuntur.in orat.ſuaſ. Iſa.2.F
Fortuna agit mediante materia.11°.met.me. 7ª.68.A
Fortuna raro ſuum finem aſſequitur.9°.de decr.Hipp. 1ª.285.B
Fortunæ opera quæ.11°.de vſu par. 1ª.186.E
Fortuna quo modo det bona.in oratione ſuaſ. Iſa.2.D
Fortuna multa obtulit commoda arti medicæ.de ſubfig.emp. Iſa.34.B
Fortuna quo modo ſit cauſa ſanitatis.11°.met.me. 7ª.68.A
Fortuna quæ adminiſtrat in medicamẽtis.de venę ſect.adu.Eraſ. 6ª.7.G
Fortuna dat anſam quandoq; medicis diuinandi.5°.de loc.aff. 4ª.35.B
à Fortuna partim medª.ſuſcipiunt empirici.de theria.ad Piſ. 5ª.90.E
Fortuna viam præbebat Galeno.5°.de loc.aff. 4ª.35.B
Fortuna bona ſequebatur Galenum.de præcognitione. 4ª.219.B
FORTVNATVS *qui habetur.1°.de ſan.tuen.* 2ª.64.H
Fortunatus ſenex.de mult. 3ª.77.G
Fortunati qui inæqualitatem ante febrem non ſenſerint. 2°. de ſymptomatum cauſis. 3ª.22.A
FORIS *turbulenta vrina, & tenuis qd ſignificet.quęſ.in Hip.* Sp.113.B
FORVM *mendacium.in 3^{m}.de mor.vul.com.2°.137.C/* 3ª.140.B
Forum aſtutorum Athenis.in 3^{m}.de mor.vul.com.2°.137.E/ 3ª.140.C
FOSSAE *organorum pars.de machin.* 7ª.309.E
FOSSIO *eſt exercitatio & opus.2°.de ſan.tuen.* 2ª.73.G
Foſſio eſt vehemens exercitatio.2°.de ſan.tuen. 2ª.74.C
Foſſio eſt valens & robuſta exercitatio.2°.de ſan.tuen. 2ª.74.C
FOSSORVM *naturalis habitus, qui.ad Thraſy.* 2ª.102.H
Foſſores robuſti melius coquunt azymos panes, quàm athletæ. 1°.de alimen.faculta. 2ª.10.A
Foſſores à quibus panibus lædantur.1°.de alim.fac. 2ª.10.A
Foſſorum & meſſorum medicamentum.3°.de comp.me.ſe.lo. 5ª.147.C
FOTIO *quibus facienda.9°.de decr.Hipp.* 1ª.282.F
Fotus vel ex aceto, vel orobo, vel ſale, quales. de vict. ra.in mor. acu. commenta.2°. 7ª.116.F
Fotus hapſo lanæ ex oleo mitigat.de remed.par.fac. 7ª.154.A
Fotus calidus febricitantibus officit.in 6^{m}.de mor.vul.cõ.3°. 3ª.177.H
FOVEA *quædam & meatus appellatur medius cordis venter.de anatomia viuorum.* Sp.56.C
Fouea cordis ob quid.de ana.viu. Sp.46.E
FOVEOLA *in oculo quid.fin.med.* Iſa.48.D
Foueola vlceratio oculorum.fin.med. Iſa.48.D
ad Foueas veteres ſeu dehiſcentia vulnera.5°. de compo. medicamen. per genera. 5ª.246.E
FOVENDVS *eſt prius locus, antequam cataplaſma applicetur. de remedijs paratu facil.* 7ª.156.D
Fouendæ ſunt partes ſpongijs quouſq; coloris euadant phœnicei, & ita deinceps ſcarificandæ.de cucurb.ſcarif. 6ª.3.C
Fouendus eſt ſpongijs locus, vbi hirudo fuerit, aut cucurbitula affigenda.vt virus extrahat.de cucurb.ſcarif. 6ª.4.C
Fouenda eſt ac recalfacienda pars ab hirudinibus tracta quia refrigeraſcit.de cucurb.ſcarif. 6ª.4.D

FRACTIO *quid.ars med.* Iſa.69.H
Fractio dicitur continuitatis ſolutio.de diff.mor. 3ª.5.D
Fractio eſt in oſſe.de cauſ.morb. 3ª.9.F
Fractionis cauſæ quatuor.de fracturis, com.2°. 7ª.233.D
Fractiones aliquorum receptaculorum ſunt cauſa tuſſis.in 6^{m}.de morb. vulgarib.com.3°. 5ª.174.C
Fractio cauſat dolorem.com.2°.aph. 6°. Ex.11.G
de Fractione coſtarum.de art.com.2°. 7ª.237.D
Fractionis prima intentio eſt coalitus partium.ars med. Iſa.69.H
Fractionis ſecunda intentio eſt alligatio.ars med. Iſa.69.H
Fractio inſanabilis ſecundum primam intentionem.ars med. Iſa.69.B
Fractio ſanabilis quo ad ſecundam intentionem.ars med. Iſa.69.H
Fractio qñ non fuerit recte confirmata, quid agendũ.ars med. Iſa.70.C
de FRACTVRIS *liber Hippocratis exactum opus.in 6^{m}. de morbis vulgaribus, com.2°.* 3ª.169.B
de Fracturis librum pręcedit librum de ijs qui in medicatrina fiunt. de ijs, quæ in med.fi.com.3°. 7ª.219.F
de Fracturis librum ſequitur liber de articulis.ð art.com.2°. 7ª.251.B
Fractura cum vulnere, & ſine vulnere oſſium affectus.introd. Iſa.59.D
Fractura in oſſe.de conſt.art.Iſa.37.D/6°.met.me.36.G/ 7ª.40.B
Fractura in oſſe, & cartilagine.de art.com.2°. 7ª.267.F
Fractura quæ ſit.de ocul. 7ª.190.A
Fracturarum oſſium differentiæ quinque.introd. Iſa.59.D
Fractura per rectitudinem.introd. Iſa.59.D
Fractura per tranſuerſum.introd. Iſa.59.D
Fractura in modum raphani.introd. Iſa.59.E
Fractum in modum nucis.introd. Iſa.59.E
Fractura in ſpeciem farinæ.introd.Iſa.59.E/de frac.com.1°. 7ª.230.H
Fracturæ engeiſomata, quæ ſint.6°.met.me. 7ª.42.D
Fracturæ καμαρώσεις, quæ ſint.6°.met.me. 7ª.42.D
Fractura caulatim facta, quæ.de ijs, quæ in med.fi.com.3°.219. G/de arti.commen.2°. 7ª.265.B
Fracturæ ſimplex modus, qui.de frac.com.1°. 7ª.230.H
in Fracturis oſſa nigreſcunt.introd. Iſa.59.E
in Fracturæ primis diebus cur fiat pruritus maior, deinde minor. de fract.commenta.1°. 7ª.230.B
de Fractis caluariæ.6°.meth.me. 7ª.42.A
Fracturæ capitis ſine foratione, quæ.6°.de compoſitione medicamentorum per genera. 5ª.255.G
Fracturarum in capite differentiæ.fin.med. Iſa.48.C
Fracturæ capitum faciunt vomitum bilioſum, nauſeã, & ſtomachi morſum.3°.de loc.aff. 4ª.18.C
in Facturis capitis vſq; ad membranas non peruenientes, quo vtemur. 6°.de comp.me.per ge. 5ª.255.G
in Fractura ſimplici ad cerebri membranas ſcalpelli, quales.6°.methodi medendi. 7ª.42.B
in Fracturis capitis terebella ſunt ſuſpecta cur, & quãdo illis vtendũ. 6°.meth.med. 7ª.42.B
in Fracturis capitis cycliſci ſuſpecti cur, & quando illis vtendum. 6°. meth.med. 7ª.42.B
de Fracturis caluariæ ad ſecundam vſq; laminã.6°.met.me. 7ª.42.A
Fracturæ capitis quomodo curandæ.3°.met.me.16.E/6°. 7ª.42.F
ad Fracturas capitis emplaſtra.5°.de comp.me.per ge. 5ª.225.C
ad Fracturas Pithionis emplaſtrum.5°.de comp.med.per ge.225.D/H 226.B/C/6°. 5ª.255.F
in Fracturis capitis demergit medicamenta in vinum.2°. de compoſit. medicamen.per ge. 5ª.225.H
Fracturas narium iuuat centaureæ ſuccus.de virt.cent. Sp.93.C
in Fractura brachij quo modo debet appendi manus, quando homo deambulat.de frac.com.1°. 7ª.231.A
Fractura oſſis cubiti.de frac.com.3°. 7ª.250.E
in Fractura cubiti qui ſint dies primi.de frac.com.1°. 7ª.230.F
Fracturæ cubiti quo tempore conſolidentur.de fract.com.1°. 7ª.230.B
Fracturam cubito habentis victus.de fracturis, com.1°. 7ª.230.E
in Fractura cubiti à vino, & à carne abſtinẽdũ.de fract.c.1°. 7ª.230.G
in Fractura cubiti obſonia.de fracturis, com.1°. 7ª.230.G
Fracturæ venulæ à renibus ſignificatur quibus ſponte ſanguis mingentibus exit.de vri.ſign.ex Hipp. Sp.78.H
in Fractorum crurium inſtrumentis trochilia.6°.met.me. 7ª.41.H
Fracturæ caulatim factæ quo mõ ligãdæ.de ijs, q̃ ĩ me.fi.c.2°. 7ª.208.G
Fracturæ oſſis quæ Cauledon.i.per tranſuerſum fit curatio. 6°. methodi medendi. 7ª.40.E
Fracturarum curatio.introd. Iſa.60.C
Fracturarum longarum oſſium curatio.6°.met.me. 7ª.41.G
in Fracturis oſſium cũ vlcere medicamẽta ſiccãtia.6°.met.m. 7ª.41.G
in Fracturis vtitur vino auſtero.de fra.com.3°. 7ª.244.E
in Fracturis aquæ calidæ vſus.de ijs, quæ in med.fi.com.3°. 7ª.215.E
Fracturæ cum reſoluuntur, aqua calida perfundũtur.de ijs, quæ in med. fiunt commen.3°. 7ª.215.F
ſi Fracturæ aqua in qua lentiſci folia ſint decocta, frequenter fomentẽtur, celerius aiunt conſolidari.de ſimp.med. Sp.86.B
Fracturis vtiliter myrta imponitur de ſimp.med. Sp.87.E

Fracturas que topho ſiue calido inducto opus habent, profundunt quidā decocto radicis vlmi.8º.de ſimp.med.fac. 5ª.59.C
Fractura cum vulnere quo modo curanda.intro. Iſa.60.F
ad *Fracturas qbus carnis quoq; vuln° acceſſit, vīculū.đ faſ.* 7ª.305.D
in *Fracturis quando remittenda deligatio.de frac.com.1º.* 7ª.228.G
Fractura cum vlcere, qñ ferula vti debemus.de frac.com.3º. 7ª.243.G
ad *Fracturam quæ non poſſit glutinari.de reme.par.fac.* 7ª.154.A
ad *Fracturas artuum cum vulnere, & ſine vulnere.2º.de comp.medicamentorum per gen.* 5ª.226.D
ad *Fracturas artuum.6º.de comp.me.per ge.258.F/7º.* 5ª.267.C
ad *Fracturas cum vulnere.2º.de comp.med.per gene.225.F/235.C/5º.248.C/6º.* 5ª.256.D
ad *Fracturas Moſchionis pharmacum.2º.de cōp.me.per ge.* 5ª.225.E
ad *Fracturas conueniens.2º.de comp.me.per gen.* 5ª.226.D
ad *Fracturas.1º.de comp.me.per gen.211.F/2º.* 5ª.227.E
*Fracturas habentibus comparātur medici complures.de mult.3ª.*79.F
in FRACTA *parte ſunt albi & ſeroſi humores.de fracturis, commentario.1º.* 7ª.229.G
Fracta vbi fuerit pars aliqua, ſanguis detrahitur abſq; ſyndrome plethorica.de vict.rat.in morb.acut.com.4º. 7ª.136.H
Fractum membrum primo die extendendum.de frac.com.3º. 7ª.246.D
in *Fracto & luxato membro non prius luxatio an fractio ſit reparanda.de machin.* 7ª.314.D
in *Fractis cutis non incidenda.de fract.com.3º.* 7ª.247.E
Fracta vulnera vinciuntur faſcijs glomeratis.de faſcijs. 7ª.293.F
in *Fracto cranio videntur inflari venæ.de vtil.reſp.* Sp.63.G
ĩ *Fracta caluaria vſq; ad meningē vti vult cycliſcis.6º.me.m.* 7ª.42.C
Fracta cum ſunt oſſa caluariæ cur conſtringantur, & auferantur.6º.methodi medendi. 7ª.43.G
Fracti oſſis ſincipitis caſus.6º.met.me. 7ª.42.F
de *Fractis naribus.de art.com.2º.* 7ª.266.C
ad *Fracti menti compoſitionem laqueus.de laqueis.* 7ª.308.D
Fractum os brachij circa appendicem.de frac.com.3º. 7ª.250.E
ad *Fracti ſimul & prolapſi humeri reſtitutionem.de machin.* 7ª.314.C
Fractum vbi eſt iugulum, vinculum.de faſcijs. 7ª.300.G
Fracta ſpinali medulla in coſtis non admittitur anhelitus, neque vox.de voce & anhel. Sp.60.F
ꝓ *Fractis cruribus inſtrumenta.6º.met.me.* 7ª.41.G
ꝓ *Fractis cruribus laquei.6º.meth.med.* 7ª.41.H
Fractum os femoris quo modo curetur.de fracturis.c.3º. 7ª.240.D
Fracta oſſa tibiæ, & cubiti breuiora redduntur.de fra.cō.3º. 7ª.242.F
Fracti oſſis curatio, & curationis intentio.6º.met.me. 7ª.40.D
Fractorum oſſium curatio.de fract.com.3º. 7ª.242.B
in *Fracto oſſe indicationes duæ.6º.meth.med.* 7ª.41.B
in *Fracto oſſe qñq; vena ſecāda, & purgandum.6º.met.me.* 7ª.41.E
in *Fracto oſſe ex quo generetur callus.de frac.com.1º.* 7ª.230.B
in *Fracto oſſe cur deligatura fieri debet.6º.met.me.* 7ª.40.G
in *Fractis oſſibus quando faſcia debet eſſe vel lata, vel ſtricta.6º.methodi medendi.* 7ª.40.H
in *Fracto oſſe deligatura vnde debet incipere.6º.met.me.* 7ª.40.H
in *Fractis et diminutis diuerſa deligatio.de ijs, q̃ i med.fi.c.3º.* 7ª.221.F
Fracti oſſis ad medullam ipſam caſus.6º.met.me. 7ª.42.E
Fractis oſſibus quo modo nerui curentur.1º.de ſymp.cau. 3ª.16.C
ad *Fracta oſſa.de med.fac.par.* 7ª.177.E
ad *Fractos articulos.3º.de comp.me.per ge.* 5ª.235.C
FRAGILIA *ſunt tenuium partium.1º.de ſimp.med.fac.* 5ª.4.A
FRAGIFOLIA. *de dynamidijs.* Sp.31.G
FRANCIGENA *terra.de dynamidijs.* Sp.30.H
FRANGATVR *cur admodū durum, & molle.3º.de ſym.cau.* 3ª.27.B
Frangant quæ lapidem.de ocul. 7ª.188.E
Frangunt lapidē gñatum in renibus cicera nigra.de diſſo.cont. Sp.74.G
Frangens lapidem electarium.de med.exper. Sp.106.G
Frangens lapidē medicamentū.ſecretorū.101.G/dē med.exp. Sp.107.G
ad *Frangendum lapidem in veſica.de cura.lap.* Sp.112.E
Frāgi quo debeat linteū, ſi ex linteo faſcia fieri debeat.de faſ. 7ª.293.H
FRATRARE *pro eſſe affinem.de fract. commenta.3º.246.F/ de art.commenta.3º.* 7ª.272.A
Fratratio.de art.com.3º. 7ª.280.F
FRATRES *maxime cognati.de fract.com.3º.* 7ª.246.F
FRAXINEA *quæ in organis fieri debeant.de machin.* 7ª.309.D
ad FREMITVS. *de med.fac.par.* 7ª.171.D
FREMIVM *luteum florem habens.10º.de comp.me.ſec.lo.* 5ª.206.E
FRENDERE *quid ſignificet.de art.com.1º.* 7ª.256.G
FREQVENTIAE *motus cordis eſt cā neceſſitas.de ana.vi.* Sp.56.E
Frequenter & fortiter mouetur cor.de anato.viuo. Sp.56.D
Frequēs et fortis mot° cordis ē cā fortitudinis caloris.đ ana.vi. S.56.D
Frequētes ſunt quidā morbi, et quidā raro cōtingūt.3º.de loc.af. 4ª.15.B
FRIABILITAS *tactus qualitas.de nat.hu.com.1º.* 1ª.28.H
Friabilitas in quibus inueniatur.de bon.& vit.ſucc. 2ª.38.B
Friabilitas, & mollities oſtendūt carnem bonam.de atten.vic. 2ª.45.D
FRIABILE *quid ſignificet.3º.de alim.fac.* 2ª.30.F
Friabile opponitur lento.de bon.& vit.ſucc. 2ª.38.B
Friabilis quo modo ſit caro.de atten.vic. 2ª.45.G
Friabile.11º.meth.med. 7ª.71.D
FRICATVM *electrum trahit lapis herculeus.de cathar.* Sp.94.H
FRICANDI *locus in vrbe gymnaſion appellaŧ.2º.de ſan.tu.* 2ª.69.E
Fricandus non eſt qui bene ſe habet.3º.de ſan.tu. 2ª.81.H
Fricandus prius qui frigida eſt vſurus.3º.de ſa.tu. 2ª.82.A
Fricandus eſt laſſitudinem ſentiens.3º.de ſan.tu. 2ª.82.A
Fricandæ partes cur tendendæ.3º.de ſan.tu. 2ª.77.A
Fricandum corpus linteolo ante exercitationem.2º.de ſan.tu. 2ª.69.H
Fricandū cur cū celeritate, & à pluribus manibus.3º.de ſa.tu. 2ª.76.H
Fricandū corpus oleo poſt frictionem linteo factā.2º.de ſan.tu. 2ª.69.H
Fricantur qui cā augēdæ carnis, qñ frictio finienda.2º.de ſa.tu. 2ª.73.C
Fricari à ſomno omnes non deſiderant.5º.de ſan.tu. 2ª.89.F
FRICATIO *ex pice.de præcognitione.* 4ª.217.G
Fricatio ex reſina.de præcognitione. 4ª.217.G
Fricatio ex melle.de præcognitione. 4ª.217.G
Fricatio quanta fieri debet.de reme.par.fac. 7ª.154.H
Fricatio extremorum ore vētriculi male affecto.1º. de arte curatiua ad Glauconem. 7ª.99.C
FRICTA *reſina.3º.de comp.me.per ge.230.C/D/5º.* 5ª.245.G
FRICTIO *eſt ex genere faciendorum.1º.de ſan.tu.* 2ª.68.H
Frictiones ſunt ex genere eorum quæ faciunt.2º.de ſan.tu. 2ª.71.E
Frictio eſt ex motibus extrinſecis.2º.de ſan.tu. 2ª.75.C
Frictiones, modus euacuandi.1º.de arte cur.ad Glau. 7ª.98.D
Frictiones ſunt euacuationes totius corporis.com.2º.aph.17º. Ex.13.E
Frictio qualis.14º.meth.me. 7ª.91.E
de *Frictione quidam damnauit Hippocratem, qui tamē omniū primus de ea tractauit.ad Thraſy.* 2ª.109.C
de *Frictione rectius ſenſiſſe creditus eſt Theon gymnaſtes, quàm Hippocrates.2º.de ſan.tu.* 2ª.70.F
de *Frictione quidam putabant aliquem neſcire loqui, niſi opere exercuerit.ad Thraſy.* 2ª.109.D
Frictionum differentiæ & affectus.5º.de ſan.tu. 2ª.90.F
Frictionum ſex differentiæ.2º.de ſan.tu. 2ª.70.D
Frictionum nouem differentiæ.2º.de ſan.tu. 2ª.71.H
Frictionum non vere differentiæ, quæ.2º.de ſan.tu. 2ª.70.E
Frictionum differentias cur multi plures ſtatuere.2º.de ſan.tu. 2ª.70.F
in *Frictionibus quæ inſint contrarietates.2º.de ſan.tu.* 2ª.71.E
Frictionum ordo.12º.met.me. 7ª.75.G
Frictio recuratoria, quæ.2º.de ſan.tu. 2ª.72.H
Frictio veſpertina quibus vtilis.3º.de ſan.tu. 2ª.82.B
in *Frictione quid ſit obliquum.2º.de ſan.tu.* 2ª.70.B
in *Frictione quid ſit ſubrectum.2º.de ſan.tu.* 2ª.70.B
Frictiones rotundæ, quales.5º.de ſan.tu. 2ª.90.D
Frictio tranſuerſa vocatur etiam rotunda 2º.de ſan.tu. 2ª.70.D
in *Frictione quid ſit tranſuerſum.2º.de ſan.tu.* 2ª.70.B
Frictio tranſuerſa quid boni agat.2º.de ſan.tu. 2ª.70.D
in *Frictione quid ſubtranſuerſum.2º.de ſan.tu.* 2ª.70.B
Frictio dura & mollis quibus fiat.2º.de ſan.tu. 2ª.70.E
Frictio dura quid faciat.2º.de ſan.tu. 2ª.70.D
Frictio dura & facit corpus durius.2º.de ſan.tu. 2ª.72.C
Frictio quæ facit carnem duram.2º.de ſan.tu. 2ª.71.H
Frictio dura reddit corpora denſiora ſimul, & duriora.3º.de ſanitate tuenda. 2ª.76.H
Frictiones duræ quibus fugiendæ.3º.de ſan.tu. 2ª.76.H
Frictio mollis quid faciat.2º.de ſan.tu. 2ª.70.D
Frictio mollis efficit corpus laxum.6º.de ſan.tu. 2ª.98.C
Frictio mollis facit corpus molle.2º.de ſan.tu. 2ª.72.C
Frictio quæ mollit.2º.de ſan.tu.70.F/ 2ª.71.H
Frictionibus mollibus ex oleo poſt paruæ pilæ luſum vtebantur.de par.pil.exer. 2ª.49.E
Frictio mollis ex oleo impenſe calidis conuenit.6º.de ſan.tu. 2ª.96.A

in Frictione quando adhibendum oleum.3°.de ſan.tu. 2ª.76.H
in Frictione vtitur oleo dulci egelido.3°.de ſan.tu. 2ª.79.C
Frictio olei dulcis quando ſecura .3°.de ſan.tu. 2ª.82.B
Frictio ex oleo æqualis,ſicca inæqualis.2°.de ſimplicium medicamentorum facultatibus. 5ª.14.H
Frictio ex oleo magis,quàm ſicca laſſitudinem aufert, & emollit. 2°.de ſimpl.med.fac. 5ª.13.H
in Frictionibus cur adhibenda pinguedo & copioſe . 3° . de ſanitate tuenda. 2ª.77.A
Frictio pinguiter,& molliter facta.8°.met.me. 7ª.51.E
Frictionis cum pinguedine ſcopi,qui.5°.de ſan.tu. 2ª.89.F
Frictio pinguis & modica his qui ſicceſcũt,cõuenit.7°.met.me.7ª.45.B
Frictio cum oleo ad ictcrum.de cura icteri. Sp.111.B
in Frictione quæ vlceroſæ laſſitudini adhibetur , quæ olea non competant.3°.de ſan.tu. 2ª.79.A
Frictio multa eſt euacuatio.14°.met.me. 7ª.89.A
Frictio multa extenuat.2°.de ſan.tu. 2ª.70.D
Frictio multa facit corpus gracilius.2°.de ſan.tu. 2ª.72.C
Frictionibus multis plenitudo exhaurit̃.de cur.rat.ꝑ ſang.miſſ.6ª.18.E
Frictio multa non eſt ægris iniungenda vnà cum cibi abſtinentia.com. 2°.aphoriſmo.16°. Ex.12.H
nec Frictionibus,nec lauationibus multis indigent iræ,triſtitię,vigilię, & curæ.8°.meth.med. 7ª.51.E
Frictio pauca quid faciat.2°.de ſan.tu. 2ª.71.F
Frictiõibus paucis pueri humidi ct tenelli molleſcũt.2°.de ſa.tu.2ª.73.C
Frictione vehementi fit calefactio membrorũ.2°.de diff.feb. 3ª.41.A
Frictio vehemens in puero prohibet incrementũ.2°.de ſan.tu. 2ª.70.A
Frictio quo modo euadat mediocris.3°.de ſan.tu. 2ª.77.A
Frictio mediocris adhibenda temperato.2°.de ſan.tu. 2ª.75.H
Frictio mediocris quid faciat.2°.de ſan.tu. 2ª.71.F
Frictio mediocris facit corpus craſſius.2°.de ſan.tu. 2ª.72.C
Frictionis mediocris opus euidens,quale.2°.de ſan.tu. 2ª.71.G
Frictionis mediocris opus oſcurum,quale.2°.de ſan.tu. 2ª.71.G
Frictio mediocris auget carnem.2°.de ſan.tu. 2ª.70.D
Frictio modica maturat.in 1^{m}.de morb.vul.com.2°. 3ª.112.A
Frictiones ſiccæ,quæ.5°.de ſan.tu. 2ª.90.B
Frictionis mediæ indicia.2°.de ſan.tu. 2ª.73.C
Frictio gracilibus quanta eſſe debet.7°.met.me. 7ª.45.C
Frictionem crebram,& exiguam exigunt vires imbecilles. 5°. de ſanitate tuenda. 2ª.90.E
Frictionem raram & multã exigunt vires validæ.5°.de ſan.tu.2ª.90.E
Frictio frequens prodeſt ſanguinem ſpuentibus ex repletione. de venæ ſectione aduerſus Eraſiſtratæos. 6ª.14.F
Frictio frequens prodeſt epilepticis ex repletione.de venæ ſectione aduerſus Eraſiſtratæos. 6ª.14.F
de Frictione matutina,& veſpertina.3°.de ſan.tu. 2ª.81.H
Frictio præparatoria,quæ.2°.de ſan.tu. 2ª.72.H
Frictio ꝑparatoria ad exercitationẽ qualis eẽ dẽat.2°.de ſa.t. 2ª.70.A
Frictionis præparatoriæ meta,quæ.2°.de ſan.tu. 2ª.73.D
Frictionum inſtrumenta,quæ.2°.de ſan.tu. 2ª.70.E
Frictiones faciebant cum ſindone.de puero epil. 7ª.180.B
ꝓ Frictionibus lintea,qualia.12°.met.me. 7ª.75.F
Frictionibus ante lauationem frigidam lintea duriora accipiantur.3°. de ſanitate tuenda. 2ª.78.C
Frictiones in humidis ex aſpero ſindone.de præcognitione. 4ª.217.H
Frictio cum manica.3°.de ſan.tu. 2ª.82.A
Frictiones in qua domo faciendæ.12°.met.me. 7ª.75.G
Frictio quomodo fieri debet.2°.de ſan.tu.2ª.70.A| 12°. met. me. 76.F| de puero epileptico. 7ª.180.B
Frictio quomodo probe facienda.de arti.com.1°. 7ª.257.C
Frictio cur vndequaq; fieri debet.2°.de ſan.tu. 2ª.70.D
Frictio per faſciam circumiectam q̃uo fiat.2°.de ſan.tu. 2ª.75.C
Frictio quandoq; fit inferne ſurſum.5°.de ſan.tu. 2ª.90.D
Frictio debet fieri,q̃n ingenti frigori occurrendũ.3°.de ſan.tu. 2ª.81.H
Frictio quantum fieri debet.12°.met.me. 7ª.75.F
Fricatio quanta q̃n caro nutrienda.de ijs,quæ in med.fi.cõ.3°. 7ª.218.E
Frictio fiat quoad membra molliantur.2°.de ſan.tu. 2ª.75.H
Frica cutim,quoad rubeſcat , vt medicamenta altius deſcendant. 14°. methodi medendi. 7ª.93.E
in Frictione rubor floridus diffunditur per cutim totam.2°. de ſanitate tuenda. 2ª.69.H
ex Frictiõibus pulſus mutatio nõ ẽ diuturna.1°.đ ꝑſa.ex pul. 4ª.104.H
poſt Frictionẽ fiat exercitatio,& vſq; ad quantũ.2°.de ſa.tu.2ª.76.A
Frictio etiam poſt exercitium.2°.de ſan.tu. 2ª.72.C
poſt Frictionem laxitas q̃uo corrigenda.3°.de ſan.tu. 2ª.82.A
Frictionum vtilitates,quæ.2°.dc ſan.tu. 2ª.72.H
Frictionis omnis commune calefacere.2°.de ſan.tu. 2ª.71.G
Frictio trahit fcras humorcs.4°.de ſan.tu. 2ª.85.H
Frictio poteſt ſanguinem exhaurire.dc venæ ſect.adu.Eraſ. 6ª.8.A
Frictio reuocat ad contrarium.5°.met.me. 7ª.30.F
Frictio vitale robur excitat,& calfacit.5°.de ſan.tu. 2ª.89.F
Frictio ad membrum roborandum qualis eſſe debet.de ijs,quæ in medi. fiunt,com.3°. 7ª.220.B
Frictiones loco exercitij habentur imbecillibus.de puero epil. 7ª.180.B
Frictione diſtribuitur nutrimentum,& nutritio fit promptior. 5°.de ſanitate tuenda. 2ª.89.F
Frictiones vehicula materiæ.ars med. Iſa.71.F
per Frictioncm vel lotionem ſentiunt voluptatem laſſitudine laborantes.1°.de ſymptomatum cauſis. 3ª.17.E
Frictionc curatur plethora.13°.met.me. 7ª.81.D
Frictione ſanatur plethora abſq; ſanguinis miſſione.de vic. rat. in mor. acu.com.4°. 7ª.136.H
Frictio ſola quæ excrementa educere non poteſt.3°.de ſan.tu. 2ª.79.C
Frictio quibus conuenit,& quando.12°.met.me. 7ª.75.F
Frictiõibus nõ penitꝰ arcẽdi quartanarij.1°.de arte cur.ad Gla.7ª.97.F
Frictio capitis piſcis ex corio,quale eſt ſquatinæ,ad alopecias , quouſq; cruentæ reddantur.1°.de comp. me.ſec.lo. 5ª.123.H
Fricandum non eſt caput primo,ſed poſterius.de puero epil. 7ª.180.B
Frictionum errores. 2°.de ſa.tu. 2ª.72.H
in Frictione curandum ne corpus refrigeretur.de puero epil. 7ª.180.B
ad Frictionũ quos errores ſit melius declinare.2°.de ſan.tu. 2ª.72.H
in Frictionibus à qualitate verſus quam oberrare melius ſit. 2°.de ſanitate tuenda. 2ª.73.A
in Frictionibus à quantitate verſus quam oberrare melius ſit.2°.de ſanitate tuenda. 2ª.73.A
Frictionibus inaſſueti in dolores incidunt,ſi plus æquo perfricti fuerint de venæ ſectione aduerſus Eraſiſtratæos. 6ª.14.F
Frictiones non conueniunt infirmis partibus, dum ſunt infirmæ. 5°. de ſanitate tuenda. 2ª.90.B
Frictio partibus infirmis quando fieri debet his qui per periodum ęgrotant.5°.de ſan.tu. 2ª.90.B
Frictiones infirmis partibus conueniunt,quando non laborant,& quæ. 5°.de ſanita.tuen. 2ª.90.B
Frictio eſt apta ſeni exercitatio.5°.de ſan.tu. 2ª.90.F
ꝓ Frictione refrictio.de art.com.1°. 7ª.257.D
Frictio facta anteq̃ lac ſit coctum,quid agat.1°.de ſan.tu. 2ª.66.C
FRIGEFACERE q̃n volumus,quid agendum.1°.de elem. 1ª.7.B
Frigefacientia craſſarum partium.3°.de comp.me.per gen. 5ª.228.D
Frigefacit & humectat debiliter blitum.2°.de compoſitione medicamẽtorum ſecun.loc. 5ª.134.G
Frigefacit & humectat ptiſſanæ cremor,ideoq; in febribus eſt conueniẽtiſſimus.8°.met.me. 7ª.51.A
Frigefacit poſt calefactionem coitus imbecilles homines.in 6^{m}. de morbis vulga.com.5°. 5ª.192.F
Frigefacit in ventre contenta coitus.in 6^{m}.de mor.vul.cõ.5°. 3ª.193.F
FRIGEFACTIO & calefactio ſi abſint,ſiccum & humidum contingunt corpus ſine violentia.1°.de ſymp.cau. 3ª.16.G
Frigefactio cõſueta magis tolerat̃ inconſueta.com.2°.aph.50°. Ex.19.B
inter Frigefactionẽ,& rigorẽ horror medius.2°.de diff.feb. 3ª.39.B
Fregefactio ſenſum difficilem inuehit.de diff.morb. 3ª.4.D
Frigefactio humorum facit ægritudinem.com.2°.aph.17°. Ex.13.C
Frigefactio immodica eſt cauſa diminutionis partiũ.đ cauſ.mor. 3ª.9.D
FRIGEFACTORVM ex itinere pulſus.1°. de præſagitione ex pulſibus. 4ª.107.F
Frigefacti ſtomachici & cardiaci non admodum rigent,trem.palp.conuulſ.& rig. 3ª.53.D
Frigefactum corpus,vbi rurſus incaluerit,morbi longitudinem ſignificat.præſag.exper.conf. Sp.77.G
Frigefactos nõ abſq; tpe,& viribus calefacit ignis.de cau.mor.3ª.6.H
Frigefieri,horrere,& rigere non idem in valetudinarijs.de trem. palp. conuulſ.& rig. 3ª.53.G
Frigentibus pedibus in febre nihil dandum.de victus ratione in morbis acutis,com.4°. 7ª.139.F
FRIGERANTES, alias ,ſui partes , alias calefacientes idem corpus habere

pus habere poteſt.1°.de alimen.fac. 2ª.9.C
Frigerationis gratia reſpiratio fit.de vtil.reſp. 1ª.224.D
p Frigerati cur non lædantur tecti pallijs.de vtil.reſp. 1ª.225.C
Frigerata extrema quid ſignificent.de vict.ra.in mor.ac.c.2°.7ª.140.G
FRIGESCERE à ſudore, & poſtea recaleſcere, malum. in 1^{m}. pror. commenta.2°. 4ª.173.G
Frigeſcunt primo quæ partes.in 1^{m}.pror.com.2°. 4ª.170.A
Frigeſcant cur pedes in febribus.de vict.rat.in mor.acu.c.4°.7ª.139.F
Frigeſcant cur extrema in acuta febre.in 1^{m}.de mor.vul.cõ.2°.3ª.115.B/ de vict.rat.in mor.acut.com.2°. 7ª.123.B
Frigeſcit aqua calida in puteum demiſſa.in 6^{m}. de morbis vulgaribus, commenta.4°. 3ª.182.G
Frigeſcunt balneo ſole calefacti.de marc. 3ª.47.F
ſi Frigeſcant aliqui, & rurſus calefiant, longitudinem morbi ſignificat. com.7°.aph.60°. Ex.59.F
in FRIGIDANDVM tm̃ eſt, quantũ in calido peccat.ars me. Iſa.71.B
Frigidando quæ lædant non omnibus nota.1°.de ſan.tu. 2ª.63.B
Frigiditas, caliditas, humiditas, & ſiccitas, qualitates primæ.3°.de ſimp.med.fac. 5ª.17.C
Frigiditas efficaciſſima qualitatũ poſt caliditatem.de conſt.art. Iſa.38.E
Frigiditas alterat totam rem.de conſt.art. Iſa.38.E
Frigiditatis, et caliditatis pticulas habet ĩ ſe ipſo aer.d̄ vtil.reſ. S.63.H
Frigiditas, & calor ſunt differentiæ accidentales aquæ.de ſper.Sp.41.B
in Frigiditate, et caliditate qualis ſit fontana aqua.10°.me.m.7ª.67.C
in Frigiditate excedunt aquæ ſeptentrionem verſus fluentes, attamen dulces ſunt.de bon.aquæ. Sp.75.E
in Frigiditate caliditate conſimiliter ſe habentes aquæ omnibus horis, peſſimæ ſunt.de bon.aquæ. Sp.75.H
Frigiditas non parum facit ad famem.de ſymp.cau. 3ª.18.B
Frigiditatis hora eſt hora conuenientior ad cibum accipiendum.de diſſolutione continua. Sp.72.A
Frigiditas vehemens dominatur lacti acetoſo.de diſſ.cont. Sp.73.B
Frigiditas acida tenuium eſt partium.4°.de ſimp.med.fac. 5ª.25.B
Frigiditas adſtringens craſſarum eſt partium.4°.de ſimplicium medicamentorum faculta. 5ª.25.B
Frigiditatem nimiam habentia tarde digeruntur.de diſſ.cont. Sp.73.D
Frigiditatis aliquid habent lanæ ſuccidæ.de fract.com.3°. 7ª.245.C
Frigiditatis cauſa quo modo ſit laxatio.de cau.mor. 3ª.7.G
Frigiditatis actio eſt conſtringere & exiccare.de ocul. 7ª.188.B
ob Frigiditatem & ſiccitatem ſubſtantia eſt conſtãs & ſtabilis. 9°. methodi medendi. 7ª.61.D
ob Frigiditatẽ intenta q̃uo laxant̃.de ijs, quæ in med.ſi.cõ.3°. 7ª.215.H
Frigiditas partium celerrime fit ex defectu nutrimenti.7°. methodi medendi. 7ª.46.F
Frigiditas ſequitur q̃nq; ad defectum.com.5°.aph.57°. Ex.42.H
Frigiditates ſuccedunt ſiccitatibus ſolidarum partium, ſi perdurent.7°. methodi medendi. 7ª.46.F
pp Frigiditatẽ, & caliditatẽ q̃uo fit ſpuma.in 1^{m}.pror.cõ.1°. 4ª.166.D
Frigiditas nimis abundat in ſenibus.1°.de ſan.tuen. 2ª.64.D
Frigiditas eſt ſecunda ægritudo.de diff.morb. 3ª.2.H
Frigiditatis magna mutatio morbos facit.com.3°.aph.1°. Ex.19.G
Frigiditas facit morbos longos.com.2°.aph.39°. Ex.17.H
Frigiditas, & ſiccitas non facile p halitũ digerunt̃.adu.Lycũ. Ex.65.D
cur Frigiditas ſyncera halitum non facit.3°.de ſymp.cau. 3ª.27.E
Frigiditate fit adſtrictio.9°.de ſimp.med.fac. 5ª.66.C
Frigiditas & humiditas aeris, trãſpirationẽ phibet.9°.me.m.7ª.58.A
Frigiditas facit febrem.com.7°.aph.42°. Ex.57.D
ex Frigiditate febricitantes, quales.1°.de diff.feb. 3ª.36.A
Frigiditatẽ ſentiũt exeuntes ex tepidioribus balneis.d̄ cau.pc.3ª.96.B
Frigiditate vincente affectus.de trem.palp.conuul.& rig. 3ª.54.D
Frigiditate abundante & caliditate, quo modo reſpiratio ſe habet. 1°.de diff.reſp. 3ª.58.C
à Frigiditate p̃rio, ab hũiditate ſecũdo, ſomnus fit.3°.de lo.aff. 4ª.16.F
Frigiditas cũ humore intẽſa ſoporẽ ſtuporẽq; facit.3°.de lo.aff. 4ª.16.F
Frigiditas primo, humiditas ſcd̃o ignauiã aĩ ĩducit.3°.de lo.aff.4ª.16.F
Frigiditas ſine humore nocet memoriæ & ſtultitiam inducit.3°.de locis affectis. 4ª.16.H
Frigiditas ſine materia.2°.de ſimp.med.fac. 5ª.14.H
Frigiditas ſubita dolore afficit.de trem.palp.conuul.& rig. 3ª.54.E
à Frigiditate vehementi fit dolor.12°.met.me. 7ª.78.E
à Frigiditate, & caliditate fiunt vehementiſſimi dolores capitis. 2°. de comp.me.ſec.loc. 5ª.131.H
Frigiditas eſt cauſa procatarctica doloris capitis. 2°. de comp. medica. ſecundum locos. 5ª.131.H
Frigiditas facit ĩperfectas coctiones, & ructus.c.6°.aph.1°.Ex.46.A
Frigiditas facit hũiliores puſtulas atq; tubercula.c.6°.ap.9°.Ex.47.C
Frigiditas eſt cauſa, quòd neruoſa corpora ſunt difficilia ad diſflandum, & cauſa ſingultus.com.6°.aph.13°. Ex.47.E
Frigiditas in viris eſt cauſa ſterilitatis.de aere, aquis, & locis. 2ª.5.F/ com.5°.aph.63°. Ex.44.D
Frigiditas eſt cauſa fœminæ, & cur leua pars frigidior ſit. commen. 5°. aphoriſmo.48°. Ex.41.H
Frigiditas vteri facit paucas purgationes.com.5°.aph.62°. Ex.43.F
ex Frigiditate immoderata fit aĩ defectus.de arte cur.ad Gla.7ª.98.G
Frigiditas vehemens vitalis principij facit carẽtiam anhelitus. cõ.4°. aphoriſmo.34°. Ex.31.B
Frigiditas cur in principijs febrium.de trem.palp.cõuul.& rig.3ª.55.F
Frigiditas partium extremarum quot de cauſis fiat.de vict.rat.in mor. acut.com.4°.7ª.138.A/com.7°.aph.26°. Ex.55.G
Frigiditas pedum ſignificat febrem acceſſuram.de vict.rat. in mor acutis, com.4°. 7ª.139.F
Frigiditas quæ ſit rigor.de trem.palp.conuul.& rig. 3ª.54.D
cur Frigiditatem ſuſcipiunt facile, & ſentiunt dorſi partes. commẽ.5°. aphoriſmo.69°. Ex.45.D
Frigiditas citius peruenit à calcaneo ad cor, quàm à cerebro ad cor.8°. de vſu partium. 1ª.165.D
Frigiditas extrema facit hydropem.2°.de nat.fac. 1ª.295.F
ex Frigiditate maraſmus, qui.de marc. 3ª.45.C
Frigiditatẽ q̃nq; ſignificat atrũ, q̃nq; caliditatẽ.quęſita in Hip.Sp.113.E
Frigiditatem corporis & debilitatem in omnibus ſignificat vrina alba & nuda.de dyna. Sp.35.A
Frigiditatem aliq̃n ſignificat vrina ſpumoſa ſuperius.de dy. Sp.35.E
Frigiditas, & ſiccitas ventriculi q̃uo curentur.7°.met.me. 7ª.46.F
Frigiditatem in ventriculo qui ſentiunt, quomodo curandi.1°. de arte curatiua ad Glauconem. 7ª.99.C
ad Frigiditatem ſtomachi.de med.exper. Sp.107.F
q̃n ob Frigiditatẽ viſceris pauca bilis generatur.c.2° aph.2°. Ex.14.F
Frigiditati hepatis valens medicamen.de med.exper.105.G/ Sp.106.F
ad Frigiditatẽ mẽbrorũ datur decoctio gẽtianæ.de med.exp.Sp.106.E
Frigiditatis membrorum cauſa prouenienti fluxui conferens medicamẽtum.de med.exper. Sp.104.G
ex Frigiditate mẽbrorũ cõtingẽti fluxui antiquo de me.exp. Sp.106.D
ex Frigiditate nimia exolutio quo modo curetur. 1°. de arte curatiua ad Glauconem. 7ª.99.D
ad Frigiditatem, & febrem potio probata.de dy. Sp.32.D
Frigiditas eſt magno vſui calori.de trem.palp.conuul.& rig. 3ª.54.C
ad Frigiditatem declinare, & calefactionis multiplicationẽ cauere debet medicus.ſecretorum. Sp.97.B
Frigiditatẽ vehementẽ q̃n ĩducere veremur, oleũ chamæmelinũ pximũ roſaceo valet.2°.de comp.med.ſec.loc. 5ª.132.E
Frigiditas vitãda in dolore capitis frigido.2°.de cõp.me.ſe.lo. 3ª.132.C
Frigiditati proſunt calida & humida moderate.1°.de vſu par. 1ª.116.D
Frigiditati intenſæ nihil magis prodeſt, quàm balneum aquæ calidæ. 1°. de vſu partium. 1ª.116.E
Frigiditatem ſanat vini potio.com.7°.aph.49°. Ex.58.A
Frigiditatibus quæ vnguenta conueniant.3°.de ſan.tu. 2ª.81.B
FRIGIDVM, & calidum vocabula balneatorum non medicorum ſecundum Empiricos.2°.meth.me. 7ª.12.B
Frigidum quot modis dicatur.3°.de ſimp.me.fa.17.A/ 5ª.18.D
Frigidi duo ſignificata. 1°.de temp. 1ª.12.G
Frigidum nomen ab eſſentia & à qualitatibus.1°.de ſa.tu. 2ª.62.E
Frigidum, & calidum qualitates effectrices.2°.de ſem. 1ª.339.A
Frigidum qualitas effectrix.de cur.rat.per ſang.miſſionem. 6ª.16.C
Frigidũ, et calidũ actiua ab aliquibus dicunt̃.1°.de natu.fac. 1ª.291.C
Frigidum, & calidum cur dicantur actiua.7°.met.me. 7ª.44.C
Frigidum ſecundo loco actiuum.2°.de nat.fac. 1ª.297.H
Frigidum, calidum, humidum ſiccum agunt & patiuntur inter ſe. 2°. de naturalibus faculta. 1ª.297.H
Frigidum & calidum elementa ſpiritus.5°.de decr.Hipp. 1ª.255.G
Frigidum & calidum non poſſunt eſſe in eodem.1°.de temp. 1ª.10.G
Frigidi & calidi media ſunt tepidũ, & temperatum.1°.met.me. 7ª.7.C
Frigidi iudicium vnde ſumatur.3°.de temp. 1ª.24.F
Frigidum iudicatur à tactu.2°.de temp. 1ª.18.B
Frigidum potentia intelligitur non imaginatione.ars.med. Iſa.69.D

Frigidum poteſtate, quale.3°.de temp. 1ª.25.B
Frigidum energia, vel actu quo modo.3°.de temp. 1ª.21.E
Frigidum actu, tactu diſcerni poteſt.2°.de temp. 1ª.16.H
Frigidum corpus actu, ſenſu iudicatur.2°.de temp. 1ª.17.C
Frigidi corporis iudex eſt ſolus tactus.2°.de temp. 1ª.17.F
Frigidum eſt pathema, & paſſio tactus.de ſymp.diff. 3ª.10.C
à Frigido eſſe atrum quo modo cognoſcatur.quæſ.in Hipp. Sp.113.E
Frigidum & calidum ſunt tantum elementa.de vtil.reſp. Sp.63.H
Frigidum in elementis eſt ſyncerum, in reliquis rebus in medio.1°. de tẽperamentis. 1ª.14.A
FRIGIDVS eſt aer, ſed admixtione ignei elementi fit temperatus ex Stoicis.ꝙ animi mores. 1ª.318.E
Frigidus à quibus dicatᷣ aer, à quibus calidus.2°.de ſimp.me.f.5ª.14 C
Frigidus aer vbi lucernam, & ignem extinguit.de cauſ.mor. 3ª.7.C
Frigidus aer laxationem, aut aſtrictionẽ facere põt.de cau.mor. 3ª.8.G
Frigidus aer inſpiratus quid faciat.in 6^{m}.de mor.vul.com.2°.3ª.164.G
Frigido exiſtente aere, cur quæ ſunt in ventre, fiunt duriora. in 6^{m}. de morb.vul.com.5°. 3ª.193.D
à Frigido calidum in profundum corporis fugit.in 6^{m}.de mor. vulgari. commenta.5°. 3ª.193.D
FRIGIDIORES ætates, regiones, naturæ, anni tempora ſunt pituitoſæ.2°.de nat.fac. 1ª.300.D
Frigidi efficiuntur ſenes.com.2°.aph.20°. Ex.14.E
Frigidi & ſicci ſenes.3°.de ſymp.cau. 3ª.29.D
Frigidi & humidi quo modo poſſint dici ſenes, cum non ſint. 6°. de ſanitate tuenda. 2ª.96.D
Frigidum, & humidũ corpus in ætate prouecta non inuenias.3°. de ſymptomatum cauſ. 3ª.29.C
Frigidis ætatibus dantur phlegmagoga.de dy. Sp.21.C
propter Frigidum, calidum, humidum, & ſiccum vnumquodque tale. 1°.methodi medendi. 7ª.6.E
de Frigido, calido, humido, & ſicco, quo modo medici tractent & philoſophi.3°.de ſimp.me.fac. 5ª.17.E
Frigidum, humidum, calidum, ſiccum cauſas ponit Hippocrates. in 1^{m}. de morbis vul.com.1°. 3ª.129.C
Frigidum, & calidum, & humidum, & ſiccum primus Hippocrates inuenit.1°.meth.me. 7ª.3.E
Frigido, ſicco, calido, humido alijs veluti agentibus, alijs veluti patientibus omnia quæ in corpore animalis ſunt, gubernari qui dicant.2°.de naturalibus facultatibus. 1ª.299.H
FRIGIDO, ſicco, calido, humido, conſtant animalium corpora, non tamen æqualiter.1°.de temp. 1ª.10.B
Frigida, & calida quo modo dicantur animalia, et in animata.de victus rat.in morb.acut.com.1°. 7ª.113.E
Frigida animalia habent parum ſanguinis.6°.de vſu par. 1ª.150.H
Frigidum omne eſt exangue.com.5°.aph.40°. Ex.41.D
Frigidiora animalia ſunt exanguia.2°.de nat.fa. 1ª.300.C
Frigidiora, & humidiora animalia habent lienem albicãtem. 6°.de anatom.admin. 1ª.92.G
Frigidiorem, & humidiorem naturam animalia nacta habent lienẽ nõ admodum nigrum.de atra bile. 1ª.36.A
Frigidum, & ſiccum animal in decremento facit temperies ſicca. 6°.de ſanitate tuenda. 2ª.95.E
Frigida animalia iacent hyeme veluti mortua.2°.de loc.aff. 4ª.14.A
Frigidioris naturæ cum ſint aues, paruum habent pulmonem. de anatomia viuorum. Sp.47.F
Frigidæ naturæ ſunt hirudines.de cucurb.ſcarif. 6ª.4.D
Frigidæ ſunt uiperæ.2°.de locis affectis. 4ª.14.B
Frigiditatem in ſummo nullum animal habet.1°.de temp. 1ª.10.C
Frigidiora membra facilius cedunt cauſis refrigerãtibus. de natura humana, commen.2°. 7ª.182.H
Frigida eſt adenum natura.com.5°.aph.40°. Ex.41.D
Frigida, & ſicca ſunt oſſa.de anatomia viuorum. Sp.44.E
Frigidũ & humidum eſt cerebrum, & cur frigidũ.de ana.viu. Sp.53.G
Frigidum & humidum cur ſit cerebrum. de compag. membrorum ſiue de natura humana. Sp.58.A
Frigida & ſicca eſt cerebri menynx.de compagine membrorum, ſiue de natura humana. Sp.58.A
Frigidum & ſiccum os auris ſupponitur.de compag.membr. Sp.58.B
Frigidi & humidi ſunt tres humores oculorum.de compa.mẽb.Sp.58.B
Frigidæ & ſiccæ ſunt tunicæ narium de compag.memb. Sp.58.C
Frigidus & ſiccus eſt œſophagus.de compag.memb. Sp.58.G
Frigidum ponit cor Ariſtoteles.de anat.viu. Sp.56.A
Frigidus & humidus eſt pulmo ex accidenti.de ana.uiu. Sp.52.G
Frigido continentur viſcera vnde ſpiramus.de dy. Sp.19.D
Frigidus, & ſiccus eſt ſplen.de ana.viu. Sp.50.A
Frigida inferiora, & calida ſuperiora habent lienem decliuem habẽtes. in 6^{m}.de morb.vul.com.2°. 3ª.167.G
FRIGIDAE aquæ æſtate, hyeme calidæ, optimæ ſunt . de bonitate aquæ. Sp.75.G/H
Frigidæ aquæ hyeme, æſtate calidæ, malæ.de bon.aquæ. Sp.75.D
Frigidiſſimi cur æſtate ſint fontes profundi, hyeme calidiſſimi. de bonitate aquæ. Sp.75.H
Frigidior, & dulcior erit aqua flante borea.de bon.aquæ. Sp.75.G
Frigida, & dura aqua, qualis.de bonitate aquæ. Sp.75.G
Frigidior quo modo fiat aqua primo decocta.7°.meth.me. 7ª.44.D
Frigidam aquam niue; præparabant Romæ.7°.met.me. 7ª.44.B
Frigida aqua vt frigida raro ẽ vtilis.de ijs, quæ in me.fi.c.3°. 7ª.221.D
Frigida aqua infridat animata & inanimata.3°.de temp. 1ª.24.H
Frigida aqua laxationem aut aſtrictionẽ facere põt.de cau.mor. 3ª.8.G
Frigidæ potio naturaliter conuenit calido.de ſalubri diæta. 2ª.43.B
Frigidæ potio, & venæ ſectio duo maxima præſidia febrium ſynocharũ. 9°.methodi med. 7ª.57.B
Frigidæ potio quibus conueniat.6°.de ſan.tuen. 2ª.96.E
Frigidum potum qui ſumere debet.1°.de arte cur.ad Glau. 7ª.99.A
FRIGIDA quando exhibenda.9°.meth.med. 7ª.57.E
Frigida aqua danda in febribus continentibus. 10°.meth.me. 7ª.69.B
Frigida aqua quando danda in febre, & quanta quãtitate.de victus rat. in mor.acu.com.1°. 7ª.114.G
Frigida aqua in declinatione danda.9°.meth.me. 7ª.57.F
Frigida aqua datur ſi coctionis adſint indicia.9°. met.me. 7ª.57.G
Frigidæ potio ſolum fit vbi euidentes notæ concoctionis cernuntur. 9°. methodi medendi. 7ª.57.H
Frigida in principio hecticæ.de marc. 3ª.47.F
Frigida aqua in hectica cum putrida.10°.met.me. 7ª.63.F
Frigida ad arbitriũ febricitãtis à quibuſdã dabatur.de op.ſe. Iſa.23.A
Frigida qui vſurus eſt, prius fricetur.3°.de ſa.tu. 2ª.82.A
Frigida potio quid agat.de ſal.diæta. 2ª.43.B
Frigidæ potio quæ proſit, & quæ obſit.3°.de temp. 1ª.23.B
Frigida aqua in calido & humido ventriculo conuenit. 7°. methodi medendi. 7ª.47.F
ex Frigida aqua ſanata ventriculi imbecillitas.7°.met.me. 7ª.44.B
Frigida nõ lædunt, qui corpus nõ hñt attenuatũ.7°.met.me. 7ª.47.F
Frigida potione pueri non prohibendi.1°.de ſa.tu. 2ª.66.H
Frigida agoniſtice præbenda quid ſit.de marc. 3ª.48.A
Frigida multos Deo fauente ſanauit.de conſuetu. 2ª.60.F
Frigidæ aquæ potu extincta febris ſub cane ex ira.10°.met.me. 7ª.63.F
à Frigida aqua quando abſtinendum.10°.met.me. 7ª.64.C
Frigidum potum qui cauere debent.1°.de arte cur.ad Gla. 7ª.99.A
Frigida cui non danda.de conſue. 2ª.60.E
Frigidæ aquæ potio quibus minus tuta.9°.met.me.57.F/G/ 7ª.70.C
Frigida in acutis morbis quibus non ſit danda.de conſue. 2ª.60.E
Frigida aqua in inflammatione non datur.de victus rat.in morbis acutis commenta.1°. 7ª.114.H
Frigidæ aquæ incommoda, qñ intempeſtiue datur.9°.met.me. 7ª.57.E
ex Frigidæ aquæ potu transglutiendi difficultas.7°.met.me. 7ª.47.D
Frigidam potantes cur ſingultiant quandoq;.de conſue. 2ª.60.F
Frigida aqua multa epota qd in quodã viro fecerit.7°.mc.me. 7ª.47.D
Frigidam potionem inſatiabili auiditate exhauriunt febre ardẽte deprehenſi.de cog.cur.animi morbis. 2ª.53.C
Frigidam bibendi cur poteſtatem fecerit febricitanti, duplex reſponſio. 1°.methodi medendi. 7ª.4.F
Frigidi potus iſolens appetitus oñdit futurã ęgritudinẽ.ars med.Iſ.67.F
FRIGIDAM ſi aſperſeris cordi nudato, refrigerabis. de vſu pulſuum. 1ª.228.B
Frigida aqua ſanandum eryſipelas verum.9°.met.me. 7ª.57.F
Frigidior aqua frigus latenter inſinuat corpori infirmo. 7°. methodi medendi. 7ª.44.F
Frigida aqua non poteſt penetrare in cutem denſam. commentario.5°. aphoriſmo.20°. Ex.39.B
Frigida aqua quo modo mardax dici poteſt.com.5°.aph.20°. Ex.39.B
Frigidæ aquæ perfuſio quid faciat.com.5°.aph.21°. Ex.39.C
Frigida aqua quo modo calefacit.2°.de arte cur.ad Glau. 7ª.103.D
Frigida aqua per ſe non calefacit.3°.de temp. 1ª.24.H

*Frigida calefacit quandoq; per accidens.de conſt.ar.Iſa.*40. *B/de vtilitate reſpirationis.* 1ª.224.F
*Frigida aqua cur per accidens calefaciat.*3°.*de temp.* 1ª.25.A
*Frigida aqua quòd non calefaciat.*3°.*de temp.* 1ª.24.H
*Frigidæ aquæ perfuſio quam conuulſionem & quibus conditionibus ſanet.com.*5°.*apho.*21°. Ex.39.C
*Frigidæ aquæ perfuſio aut extinguit natiuum calorem, aut colligit, & quo modo.commen.*5°.*apho.*21°. Ex.39.C
*Frigida aqua claudit & cogit cutim.*3°.*de ſan.tuen.* 2ª.80.E
*Frigida lauatio corpus roborat, & cutem denſam & duram facit.*3°.*de ſanitate tuenda.* 2ª.78.B
*ad Frigidã lauationẽ quo modo eat temperatus.*3°.*de ſan.tuen.* 2ª.78.B
*Frigida lauatione qua ætate debemus vti.*3°.*de ſan.tu.* 2ª.78.C
*Frigida lauatione quo tẽpore & die debemus vti.*3°.*de ſa tu.* 2ª.78.C
*Frigida lotio ab exercitando quando competat.*2°.*de ſa.tu.* 2ª.70.A
ante Frigidam lauationem pro frictionibus lintea duriora accipiantur. 3°.*de ſan.tuen.* 2ª.78.C
*Frigida aqua qui vult vti, quo modo debet pparari.*3°.*de ſa.tu.* 2ª.78.C
*Frigidam aquam ingreſſurus oleo perfricandus.*3°.*de ſa.tuen.* 2ª.78.C
*Frigidam aquam ingreſſus oleo perfricandus.*3°.*de ſa.tu.* 2ª.78.D
*in Frigida aqua quantum immorandum.*3°.*de ſa.tuen.* 2ª.78.D
*à Frigidæ aquæ lauatione quid fiat.*3°.*de ſan.tu.* 2ª.78.D
*ex Frigida lauatione qui magno fruitur commodo.*6°.*de ſa.tu.* 2ª.98.C
Frigida lauatio multos male affecit, qui male ea vſi ſunt. 3°. *de ſanitate tuenda.* 2ª.78.B
*ex Frigida lauatione quo modo fiat horror.*3°.*de ſan.tu.* 2ª.78.D
in Frigida aqua natans quo modo læditur.de cauſ.mor. 3ª.7.D
*Frigida aqua impedit incrementum.*2°.*de ſan.tu.*76.*B/*3°. 2ª.78.B
*Frigida aqua lauari quo modo non lædat.*3°.*de ſan.tuen.* 2ª.78.C
*à Frigida lauatione cibus quantus.*3°.*de ſan.tuen.* 2ª.78.D
*in Frigidã ex calida mergit in febre ex obſtructiõe.*8°.*met.me.* 7ª.50.B
in Frigidam aquam quando ponendus ſemel totus æger hectica laborãs 10°.*methodi medendi.* 7ª.66.H
FRIGIDI *cibi.in* 6^{m}.*de morb.vulg.com.*5°. 3ª.194.B
*Frigidiores cibi ſunt magis pituitoſi.*2°.*de nat.fac.* 1ª.300.D
Frigida multum, calidorum ciborum miſtura corrigi debent. 4°.*de ſimplic.medicamen.facul.* 5ª.29.H
*Frigidus ſuccus vitioſus qũo faciat appetentiã.*1°.*de ſymp.cauſ.* 3ª.18.B
Frigidum chymum generant pira, & poma, ſi matura comedãtur, cucumeres, citruli, aqua bathecæ, cucurbitæ.de diſſol.cont. Sp.75.B
Frigidi cibi quibus præbendi.de diſſol.cont. Sp.74.D
Frigidis nutriuntur corpora frigida.ars med. Iſa.68.G
Frigidis nutriendi calidi.in 6^{m}.*de morb.vulg.com.*4°. 3ª.183.E
Frigidos cibos calidi fortius digerunt.de diſſol.cont. Sp.73.B
Frigidũ cibũ accipientes appetũt.in 6^{m}.*de morb.vulg.com.*4°. 3ª.185.B
*Frigidi cibi iuuant flatum hypochondriacum.*3°.*de loc.affe.* 4ª.18.H
*Frigidis & humidis cibis æſtate vtendum.*1°.*de alim.fac.* 2ª.13.F
*Frigidi & humidi cibi.*10°.*methodi medendi.* 7ª.67.A
Frigidi qui erant, deinde ſunt calefacti, dolent.de inæq.intemp. 3ª.44.E
*Frigida conſideranda an corpus nutrire poſſint.*3°.*de temp.* 1ª.23.C
FRIGIDIOR *mare fœmina eſt.com.*5°.*apho.*45°. Ex.41.E
FRIGIDI *humores cur fiant.de cur.rat.per ſang.miſſ.* 6ª.16.G
Frigida eſt atra bilis.de nat.& ord.cuiuslibet corp. Sp.41.D
Frigidum eſt phlegma.de nat.& ord.cuiuslibet corp. Sp.41.D
*Frigidus atq; humidus humor reducitur ad pituitã.*2°.*de dif.fe.*3ª.37.E
Frigidum & humidum, & ſi ſit craſſum, pituita eſt, & ex pituitæ genere.de cauſ.morb. 3ª.8.C
Frigidiſſimus humor pituita hyeme abũdat frigidiſſima tẽpeſtate.in 1^{m}. *de morbis vulgaribus, com.*1°. 3ª.100.H
Frigidus, & humidus humor pituita hyeme gignitur. in 1^{m}. *de morbis vulgaribus, commen.*1°. 3ª.104.B
*Frigidũ, & aquoſum ſanguinem hñt aĩalia timida.de vtil.reſp.*Sp.64.D
Frigidi humores quo modo cognoſcantur.de reme.par.fac. 7ª.160.C
*Frigiditas humorum facit morbos longos.com.*4°.*apho.*44°. Ex.32.G
*in Frigidis craſſis & lentis ſuccis à calore valde metuendum.*12°.*methodi medendi.* 7ª.79.C
Frigidi craſſi & pituitoſi humores faciunt morbum comitialem. commẽtario 5°.*apho.*7°. Ex.38.A
*Frigidus humor in capite quid faciat.*13°.*meth.med.* 7ª.85.E
Frigidi ſucci quo modo deprehẽdantur habere aliquam caliditatem. 4°. *de ſimp.medic.facul.* 5ª.25.B
*Frigidũ modice in humorib° ſtatim ĩ ſpũm vertitur.*5°.*de ſa.tu.* 2ª.94.D
Frigidi, craſſi, & lenti humores à calefacientibus in flatus deducantur. 12°.*methodi medendi.* 7ª.79.E
Frigida materia decumbit deorſum. in 1^{m}. *de morbis vulgaribus, commentario* 1°. 3ª.105.A
Frigidi humoris gratia ſi vrina ĩpediat̃, qd cõferat.de cur.lap. Sp.112.F
*Frigidi humores per abſceſſum euacuantur.in progn.com.*3°. 4ª.210.E
Frigidum, & craſſum humorem in corpore habẽti confert vinum tenue.de diſſol.cont. Sp.74.H
Frigidum humorem habentibus in venis conueniunt vina calida, & antiqua.de vinis. Sp.76.G
Frigidum aceruantibus humorem dandum Falernum, Tmolites, Ariuſium, Lesbium.de vinis. Sp.76.G
ob Frigidos humores dolorem ventris & renum curat chamæmelũ puluerizatum & malaxatum cum melle.de med.exper. Sp.106.E
cur FRIGIDVM *vnum admiſtum ſit multis calidis medicamentis, quo modo inueniatur.*1°.*de ſimp.med.fac.* 5ª.6.H
*Frigidũ medicamentũ quodnã dicatur.*4°.*de cõ.me.per ge.* 5ª.240.F
*Frigidum quo modo cognoſcatur in medicamento.*3°.*de temp.* 1ª.25.C
*Frigida medicamẽta ſtuporẽ & ſoporẽ inducunt.*2°.*de loc.aff.* 4ª.14.A
*Frĩda medicamẽta q̃ faciãt obliuionẽ et fatuitatẽ.*2°.*de ſym.ca.*3ª.24.B
*Frigidius quo modo reddatur oleum roſaceum in regione calida, in qua & fontium frigidorum & niuis penuria eſt.*2°.*de compoſitione medicamen.ſecundum locos.* 5ª.132.F
*Frigidum medicamen quandoq; non alterat affectum calidum, ſed auget.*3°.*de temperamentis.* 1ª.24.G
*Frigidiſſima medicamenta non imponenda eryſipelatis.*1°.*de compo. medicam.per genera.* 5ª.212.A
*Frigidum exuperans eſt morbus.*1°.*de temp.* 1ª.11.B
*Frigidum multum exuperans eſt mors.*1°.*de temper.* 1ª.11.B
FRIGIDVS *morbus octo modis fit.de ocul.* 7ª.185.F
Frigidi ægroti quo lunæ aſpectu fiãt.de decu.pg.ex mathe.ſcia. Sp.12.G
*Frigidi affectus qui ſine dolore.*2°.*de ſymp.cauſ.* 3ª.22.A
Frigidarum ægritudinum cauſæ, quæ.de cauſ.morb. 3ª.7.B
Frigida ægritudo quo modo ex contactu frigidi.de cauſ.mor. 3ª.7 D
*Frigidorũ propinquitas cauſa ẽ morborũ frigidorũ.de cau.morb.*3ª.7.C
Frigidæ particulæ frigidis, calidæ calidis facile corripiuntur. de compo. med.ſecundum loc. 5ª.126.H
Frigidæ naturæ propter frigida ægrotant, propter calida ſanantur. commentario 3°.*aphoriſ.*3°. Ex.20.B
*Frigidæ affectiones quæ neceſſario ſint.*8°.*de com.me.ſec.loc.* 5ª.196.A
ex Frigidis humoribus ortum habentes morbi multi enumerantur.commentario 2°.*apho.*39°. Ex.18.A
*Frigidi morbi à pituita.*2°.*de nat.fac.* 1ª.300.D
Frigidi morbi à frigidis epotis, & voratis.de cauſ.morb. 3ª.7.D
Frigidos morbos qũo faciat vinũ, & ſi ſit calidum.de cauſ.mor. 3ª.7.D
*Frigidi, & pituitoſi morbi quę ſymptomata faciãt.*3°.*de loc.aff.*4ª.16.G
*in Frigidos morbos incurrunt frigidiores natura.*5°.*de ſan.tuẽ.* 2ª.93.G
Frigidæ affectiones tarde ad vigorem accedunt.in 1^{m}.*prorrhetico. commentario* 1°. 4ª.164.E
Frigidum omne eſt difficulter ſolubile, & vix coctionem admittit. commentario 7°.*apho.*34°. Ex.56.E
Frigidus morbus qñq; facit mẽbra decidere mortua.de diff.mor. 3ª.3.E
*Frigida intemperies dum nihil abſumit humoris, incremento quodã modo confert.*6°.*de ſanitate tuenda.* 2ª.95.E
*Frigida intẽperies efficacior ſicca & humida.*6°.*de ſanit.tuen.* 2ª.96.D
ad Frigidum conuerſiones tabidis infeſtiſſimę.in 3^{m}.*de morbis vulgaribus, commenta.*3°. 3ª.146.B
*Frigida intẽperies torpidas animalis partes efficit.*3°.*de lo.aff.* 4ª.19.F
*Frigida intemperies plurimum caput vitiat.*13°.*meth.me.* 7ª.86.D
*ex quibus Frigidis arboribus & fruticibus ſucci, ad caput calidius pręter naturam petantur.*2°.*de comp.med.ſec.loc.* 5ª.132.H
*Frigida affundebatur poſt calidæ perfuſionem ad capitis furfures.*1°. *de comp.med.ſec.loc.* 5ª.128.E
Frigidis cerebri, & neruorum paſſionibus conferens medicamen.de medicinis expertis. Sp.104.E
*à Frigida intemperie memoria deperdita, vel grauiter læſa fuit.*3°.*de locis affectis.* 4ª.16.E
*Frigida intemperatura facit famem caninam.com.*5°.*aph.*21°. Ex.15.A
*ſi Frigidiorem habuerit temperaturam os ventriculi, plura appetimus. com.*2°.*apho.*20°. Ex.14.E
*Frigidum ſequitur appetentia.*1°.*de loc.aff.* 4ª.5.E
Frigidis humoribus quibus aggrauatur os ventriculi, animi defectus illis accidit.

lis accidit.1°.de arte curatiua ad Glauconem. 7ª.98.F
*Frigidę affectionis vētriculi ſignum.8°.de compo.med.ſec.loc.*5ª.189.D
Frigidus redditus eſt ventriculus ablata pinguedine ſupra vētriculum. de vtil.reſpira. Sp.63.A
Frigida intemperies quo modo curetur.13°.meth.med. 7ª.82.B
Frigida,& humida intemperies ventriculi quo modo curatur.7°.methodi medendi. 7ª.47.G
Frigida,& humida intemperies ſtomachi non debet curari ſolis adſtringentibus.8°.de compo.med.ſec.loc. 5ª.188.A
*Frigida & ſicca intēperies oīum peſſima in cōpoſitis.7°.me.m.*7ª.47.H
*Frigiditatē cū ſiccitate eſſe non poſſe nōnulli putabant.1°.de tēp.*1ª.10.D
*Frigidi parum,& ſicci ventriculi victus ratio.7°.meth.medē.*7ª.46.G
*Frigidus & ſiccus venter q̄n nardino inungendus.7°.met.me.*7ª.46.G
*Frigidos & ſiccos ventres perungit opobalſamo. 7°.met.med.*7ª.46.H
*Frigidi & ſicci ventriculi multū, quo modo curādi.7°.me.me.*7ª.46.H
*pro Frigidis multū & ſiccis ventriculis vnguētū.7°.me.me.*7ª.47.A
*in Frigidis & ſiccis vētriculis vinū antiquū eligēdū.7°.m.m.*7ª.47.A
Frigidus & ſiccus venter q̄uo pice illinendus.7°.methodi med. 7ª.47.B
Frigidū ſuccū in ventre hn̄tes ſunt ſegnes ad motū.2°.de ſa.tuē. 2ª.73.D
Frigidus ſuccus in toto corporis habitu facit ſegnes ad motum.2°.de ſanitate tuenda. 2ª.73.E
*ad Frigidos affectus ſtomachi.8°.de compo.med.ſec. locos.*5ª.189.D/*de med.exper.*104.E/ Sp.105.H
Frigidos ventres habentibus datur euphorbiū.de dynamidijs. Sp.22.B
Frigidam intemperiem iecoris quæ comitantur.5°.de loc.affec. 4ª.34.E
Frigidum hepar minus attrahit.commentario 2°.aphoriſ.20°. Ex.14.G
*Frigidi q̄n ſunt hepar,et ſtomachus qui cibi ſumēdi.de diſſo.cōt.*Sp.71.F
ex Frigida cā debilitati hepatis valet rhabarbarū.de me.ex. Sp.106.E
Frigidiorem ſi ſtatim ab initio habuerit aluus temperaturā, quid ſequatur.commentario 2°.aphoriſmo.20°. Ex.14.E
Frigida intēperatura facit vrinæ ſtillicidiū.com.7°.apho.48°. Ex.57.H
Frigidus affectus ex retentione hæmorrhoidum,vel mēſium quando curatur ſanguinis miſſione.de venæ ſect.aduerſ.Eraſ. 6ª.7.B
Frigida,& calida intemperies primam facultatem ſibi vendicant.3°.de locis affectis. 4ª.16.F
*Frigido,& humido retentiua vis imbecillis eſt.3°.de ſymp.cau.*3ª.29.D
in Frigida & humida intemperie partis alicuius quæ adhibeat Galenus. 2°.de comp.med.ſec.locos. 5ª.138.A
à Frigido dolor,& curatio.de nat.hum.com.1°. 1ª.28.G/H
Frigidi ſunt dolores magni antiqui.in 6^m*.de mor.vulg.cō.1°.* 3ª.156.D
Frigida reddit extrema dolor.de vict.rat.in morb.ac.com.3°. 7ª.130.E
*Frigida debent afferri remedia in capitis doloribus,vbi calidior & bilioſior humorum multitudo fuerit:tepida,vbi frigidior, & crudior extiterit.2°.de compoſitione medicamentorum ſecundum locos.*5ª.137.D
*ex Frigida cauſa dolori forti quid conferat. de med. expert.*Sp.104.H
Frigidum dolorem auferens electarium.de medicamē.exper. Sp.107.D
*contra Frigidos dolores valens medicamen.de medicinis exper.*105. G/*de cura lap.* Sp.112.F
*Frigida, & ſicca intemperantia peſſima.5°. de ſanitate tuenda.*2ª.95.D
Frigida extrema.in 1^m*.de morb.vulgaribus,commentario 3°.* 3ª.121.B
Frigida liuida extrema.in 3^m*.de morb.vulgarib.commenta.2°.*3ª.137.E
Frigida & liuida cur fiant extrema.in 3^m*.de mor.vul.com.2°.* 3ª.137.F
Frigida extrema & ſubliuida.in 1^m*.de morb.vul.commen.3°.* 3ª.124.F
*Frigidi cū ſunt pedes, quæ ſequūtur.de vict.ra.in mor.ac.c.4°.*7ª.139.F
Frigida extrema exitiale ſignum. in 1^m*.de mor.vulgar.com.3°.*3ª.122.E
Frigida extrema intima calida malum. in prognoſt. com. 2°. 4ª.198. C/ *com.4°.aphoriſmo.48°.*33.A/*commen.7°.apho.68°.* Ex.60.F
in Frigido ambiente quando vritur æger, de illo deſperandum.11°. methodi medendi. 7ª.70.B
Frigidum exſpirare pernicioſum.in 1^m*.prorrh.com.1°.* 4ª.162.A
in Frigidos, & humidos morbos facile incidunt natura frigidi & humidi,contrarij ægrius.in 1^m*.de morb.vulgarib.commenta.1°.* 3ª.103.F
Frigidi, & humidi febre laborātes quo victu vtētur.8°.me.m. 7ª.54.F
*Frigidi,& humidi ſint cibi febricitantiū.8°.meth.me.*51. A/7ª.54.G/H
Frigidus,& humidus ſit hecticorum cibus.10°.methodi med. 7ª.67.A
Frigidis & humidis ſanatur febris ex ſiccitate ſine putredine.10°. methodi medendi. 7ª.64.D
Frigidæ,& humidæ cōplexioni valens medicina. de med.exp. Sp.105.C
quibus Frigidis herbis conſternebant pauimenta. 1°. de arte curat.ad Glauconem. 7ª.99.B
*Frigidus,ac ſiccus victus quartanam generat.2°.de differē.feb.*3ª.36.E
Frigidis aurium paſſionibus quid valeat.de cura lap. Sp.112.F
ex Frigida cauſa anhelofis quid opem ferat.quæſita in Hipp. Sp.113.A
Frigidæ ægritudinis renum ſignum.commentario 7°.apho.34°. Ex.56.E
Frigida in renum lapide quandoq; danda, quandoq; euitanda.de re. affect.dig.& med. 7ª.194.C
Frigida non danda in vena renū ſiſtēda.de ren.aff.dig.& me. 7ª.192.H
quęcunq; Frigidos & ſpiſſos vteros habent,non concipiunt. commentario 5°.aphor.62°. Ex.43.E
ad Frigidam matricem.de paſſ.mul. Sp.95.G
contra Frigidas iuncturarum infirmitates valens medicamen.de medicinis expertis. Sp.105.F
Frigidæ cauſæ podagram quid diſſoluat.ſecretorum. Sp.101.F
Frigida membra confortans medicamen.de med.exper. Sp.104.E
ex Frigida cauſa membrorum interiorum debilitati quid valeat.de medicinis expertis. Sp.107.A
Frigidis ægritudinibus danda phlegmagoga.de dyna. Sp.21.C
Frigido tumore tumentibus danda phlegmagoga.de dynami. Sp.21.C
*in Frigido affectu ſanguis nō mittēdus.de venæ ſec.aduer.Eraſ.*6ª.6.F
in Frigidarum ægritudinum principijs humores ſubtilians,& præparans ad exitum.de me.exper. Sp.108.E
ad Frigidas infirmitates dantur drachmæ tres zingiberis, & calefacit.de medicinis expertis. Sp.106.E
ad Frigidas paſſiones valens electarium.de med.exper. Sp.108.C
Frigidior eſt nix aqua gelida.de marc. 3ª.48.B

FRIGIDI *Planetæ,& ſigna.*

Frigidus eſt,& ſiccus Saturnus.de cōpag.mēb.ſiue de nat.hu. Sp.59.F
Frigida & humida eſt Venus.de cōpag.mēb. ſiue de natu.hu. Sp.59.G
Frigidus,calidus,humidus,& ſiccus æque eſt Mercurius.de compagine membrorum,ſiue de natura humana. Sp.59.G
Frigida & humida eſt Luna replens axungias. de compagine membro. ſiue de natura humana. Sp.59.G
*Frigidus eſt Scorpio in ſecūdo gradu,humidus in primo.de ſper.*Sp.38.H
Frigidi ſunt Piſces in primo gradu,humidi in ſecundo.de ſper. Sp.38.H
Frigidus eſt Taurus in tertio gradu,ſiccus in ſecundo.de ſper. Sp.38.H
Frigidus eſt Capricornus in ſecūdo gradu,ſiccus in tertio.de ſp. Sp.38.H
Frigida eſt Virgo in ſecundo gradu,ſicca in tertio.de ſpermate. Sp.38.H
Frigidi & ſicci ſunt Capricornus,Taurus,Virgo.de ſpermate. Sp.38.H
Frigidi ſunt Cancer,Scorpio,Piſcis.de ſpermate. Sp.38.H
FRIGIDA *& humida cur ſit qualitas guſtabilis. de compagine membrorum,ſiue de natura humana.* Sp.58.D

FRIGIDA *regio.*

*Frigiditas maior in quibus ſit partibus,& ꝓpter quid.de ſper.*Sp.39.D
Frigida eſt Scythia.in progno.com.3°. 4ª.212.H
Frigida & ſicca terra in quarto gradu,eſt ſub potentia Saturni.de ſpermate. Sp.40.C
Frigida, & humida terra in primo gradu Lunæ ſubiecta eſt. de ſpermate. Sp.40.C
Figida loca quales homines gignant.2°.de ſa.tuen. 2ª.73.B
in Frigido loco,in calido,viro, puero, ſeni, mulieri,æſtate,hyeme,non æque conueniunt capilli.11°.de vſu partium. 1ª.189.F
in Frigido cubili ſomnum capiant calidæ naturæ calido tempore.in 6^m*. de morb.vulg.com.4°.* 3ª.185.A
*in Frigida regione nō eſt ſecāda vena etiā in febre acuta.de ſe.Iſa.*16.E
in Frigidis,aut calidis ſupra modum locis,nō eſt ſanguis mittēdus,neq; euacuandum.1°.de arte cur.ad Glauco. 7ª.98.C
in Frigidis atq; humidis locis quotidianæ febres maxime fiunt.2°.de differentijs febrium. 3ª.36.D
in Frigida terra & frigida conditione facies Hippocratica non eſt exitioſa.in prognoſt.comment.1°. 4ª.191.E
ex Frigidi,calidi,humidi,& ſicci miſcella fiunt ſapores.1°.de alimentorum facultatibus. 2ª.9.A
FRIGIDVM, *& terrenum eſſe probatur acerbum. 4°. de ſimplicium medicamen.facul.* 4ª.25.G
*Frigidum eſt quod tantum eſt acidum.4°.de ſimp.med.faculta.*5ª.25.A
Frigida omnia acida.4°.de ſimp.med.fac. 5ª.26.D
Frigidus ſuccus eſt aciditas manifeſta,cum ſentitur ſine acrimonia. 4°. de ſimp.med.fac. 5ª.25.B
*à Frigido vincente perficitur adſtrictio.4°.de ſimp.med.facul.*5ª.27.C
Frigidum eſt omne adſtringens.4°.de ſimp.med.fac. 5ª.26.D
ex Frigidis,& adſtringentibus fit euacuatio.13°.meth.med. 7ª.82.C
Frigidis,& adſtringentibus potius quam digerentibus vtendum eſt ad phlegmonas incipientes.13°.meth.med. 7ª.82.C
*ad Frigidum tendunt amara aliqua.3°.de comp.me.per gene.*5ª.228.F

Frigida quæ amara ſint.4°.de ſimp.med.fac. 5ª.26.D
Frigida ſunt, dulcia mediocriter.de cathar. Sp.95.B
FRIGIDA *ſimplicia medicamenta.*
Frigidum primi ordinis, quid.5°.de ſimp.med.fac. 5ª.39.B
Frigida & calida quę vocet in primo ordine.2°.de ſimp.me.fac. 5ª.16.F
Frigidum ſecundi ordinis, quid.5°.de ſimp.med.fac. 5ª.39.B
Frigidum tertij ordinis, quid.5°.de ſimp.med.fac. 5ª.39.B
Frigidum quarti ordinis, quid.5°.de ſimp.med.fac. 5ª.39.B
Frigidiſſima quæ in quarto ordine.3°.de ſimp.med.fac. 5ª.19.G
Frigida quæ ſint, & calida vere.1°.de ſimp.med.fac. 5ª.2.E
Frigida certe, quæ.in 6^{m}.de morb.vul.com.5°. 3ª.194.D
Frigida quæ ab omnibus iudicentur.3°.de ſimp.med.fac. 5ª.17.H
Frigidum non eſt omne album.1°.de ſimp.med.fac. 5ª.2.E
Frigida ſunt alba aliqua.1°.de ſimp.med.fac. 5ª.2.E
Frigida alba quæ.1°.de ſimp.med.fac. 5ª.2.E
Frigida ſint an calida, non ſunt quęrenda medicamenta, ſed calefacientia nos, & infrigidantia.2°.de ſimp.med.fac. 5ª.10.D
Frigidum tenue q̃uo comparatur calido craſſo.1°.de ſimp.me.fa. 5ª.6.C
Frigida multa tenuis eſſentiæ.1°.de ſimp.med.fac. 5ª.6.F
Frigidum plurimum, tenuium partium, & parum calidum Acetum.1°. de comp.med.ſec.loc. 5ª.128.H
Frigidum ſubtile & aereũ facit acidã qualitatẽ.4°.de ſim.me.f. 5ª.26.F
Frigidius eſt acetum, quàm calidius.1°.de ſimp.med.fac. 5ª.5.F
Frigidum & ſiccum acetum.1°.de ſimp.med.facul. 5ª.6.F
Frigidum aceti tenue.1°.de ſimp.med.fac. 5ª.5.D
Frigidum acetum q̃uo probetur eſſe.1°.de ſimp.med.fac.5.F| 5ª.6.A
Frigida in ſecundo & ſicca eſt Alga.8°.de ſimp.med.fac. 5ª.63.D
Frigidæ, & calidæ temperantiæ, condenſatoriæ, & extenuatoriæ eſt Aloe.de cathar. Sp.94.E
Frigidius & ſiccius tritico Amylum.8°.de ſimp.med.fac. 5ª.59.D
Frigida ſemper Aqua potabilis.1°.de ſimp.med.fa. 5ª.3.A
Frigidiſſimæ & ſicciſſimæ Arbores.4°.de ſimpli.med.facul. 5ª.26.F
Frigidus eſt Aſter ſamius.1°.de ſimp.med.fac. 5ª.2.E
Frigidus, & viſcoſus eſt Atriplicis ſuccus.2°.de ſimp.med.fa. 5ª.14.D
Frigidum & ſiccum eſt in ſecundo ordine Cichorium.8°.de ſimpl. medicamen.facultatibus. 5ª.60.C
Frigida eſt extreme Cicuta.7°.de ſimp.med.fac. 5ª.53.H
Frigidum & ſiccum in tertio ordine eſt Citri ſemen.7°.de ſimpli.medicamen.facultatibus. 5ª.56.A
Frigida & pituitoſa eſt citri caro.7°.de ſimp.med.fac. 5ª.56.A
Frigidus eſt & humidus in ſecundo ordine Cucumis.8°.de ſimp.medica. facultatibus. 5ª.60.E
Frigidam, & terreſtrem habent ſubſtantiam Elleborus, & epitymum. de catharcticis. Sp.94.F
Frigida & ſicca in primo ordine Eruangina.8°.de ſimp.med.fa. 5ª.57.F
Frigidi Fructus numerantur.4°.de ſimp.med.fac. 5ª.26.D
Frigidi fructus quo modo cognoſcantur habere aliquam caliditatem.4°. de ſimpl.med.facul. 5ª.25.B
Frigidus & humidus eſt Fungus, vnde proxime accedit ad facultatem deleteriam.7°.de ſimp.med.facul. 5ª.56.C
Frigidum & craſſum humorem generant fungi.de diſſol.con. Sp.74.A
Frigidarum Herbarum ſuccis cum indiges, miſce acetum & aquam.1°. de comp.med.per gen. 5ª.211.H
Frigidus in tertio ordine & ſiccus in primo eſt Hyacinthus. 8°.de ſimp. medic.faculta. 5ª.62.H
Frigidus in tertio ordine Hyoſcyamus floris candidi.8°.de ſimp.medica. facultatibus. 5ª.63.A
Frigidum in tertio ordine Hypecoon.8°.de ſimp.med.fa. 5ª.63.A
Frigida, & humida in ſecundo ordine eſt Lenticula paluſtris.8°. de ſimplic.med.facul. 5ª.63.B
Frigida, & humida, Mala fructus.7°.de ſimp.med.facul. 5ª.55.H
Frigidum & humidum quodam modo in ſecundo ordine malum armenicum.7°.de ſimp.med.facul. 5ª.56.A
Frigida in tertio ordine eſt Mãdragora.7°.de ſimp.med.fac. 5ª.55.C
Frigida terrena & multum deſiccat Myrtus.7°.de ſim.me.fa. 5ª.56.E
Frigidum quarto ordine eſt Papauer.7°.de ſimp.med.fac. 5ª.55.G
Frigidum & humidum eſt Perſicum.7°.de ſimp.med.fac. 5ª.56.A
Frigida aquoſæ ſubſtantiæ eſt Portulaca.2°.de com.me.ſec.loc. 5ª.136.C
Frigidũ minus Portulaca eſt Polygonon.2°.de com.med.ſec.lo. 5ª.136.C
Frigidus & humidus eſt Platanus parum recedens à mediocritate.8°. de ſimpli.med.facul. 5ª.58.G
Frigidum & humidum eſt Plumbum.9°.de ſimp.med.fac. 5ª.70.E
Frigidam humiditatem recrementitiam habet omnia Poma. 7°.de ſimplic.medic.facul. 5ª.55.H
Frigidum eſt in ſecundo et temperatum in paſſiuis Pſyllium. 8°. de ſimplic.medic.faculta. 5ª.64.A
Frigidus in primo, ſiccus & digerens in ſecundo ordine eſt Rhamnus.8°. de ſimp.medicam.facul. 5ª.59.E
Frigida in ſecundo, ſicca in tertio ordine eſt Rhus. 8°. de ſimp.medicament.facultatibus. 5ª.59.H
Frigidæ in primo ordine ſunt Roſæ, quæ eſt tepida caliditas.6°. de ſimp. medicamen.faculta. 5ª.44.C
Frigidum in tertio ordine eſt Solanum hypnoticum.8°. de ſimp.medicamen.faculta. 5ª.62.G
Frigidum in ſecundo ordine eſt, & ſiccum in tertio ſolanum manicum. 8°.de ſimplic.med.facul. 5ª.62.G
Frigida & humida Stratiotes.8°.de ſimp.med.fac. 5ª.61.D
Frigidũ, & ſiccũ extreme corpus eſt Terra.9°.de ſimp.me.fa. 5ª.64.G
Frigidus parum & ſiccus multum eſt Tribolus.8°.de ſim.m.fa. 5ª.62.F
Frigida ſunt vina acerba & auſtera.3°.de comp.med.ſec.loc. 5ª.147.A
Frigida moderate Viticis folia.2°.de comp.med.ſec.loc. 5ª.136.F
Frigida interimentia nos non ſunt acida.4°.de ſim.med.fac. 5ª.28.C
FRIGIDVS *ſudor.in 1^{m}.de morb.vulg.com.3°.* 3ª.121.B
Frigidi ſudores ſunt peiores calidis.com.4°.aph.42°. Ex.32.E
Frigidus ſudor, & multus quid ſignificet.com.7°.apho.61°. Ex.59.F
Frigidi ſudores cum acuta quidem febre mortem, cum mitiori autẽ longitudinem morbi ſignificant.com.4°.apho.37°. Ex.32.B
in FRIGIDO *tempore anni non eſt ſecanda vena, etiam in febre acuta.de ſectis.* Iſa.16.E
Frigidus, & ſiccus eſt autumnus.bre.denot.dogm.Hipp. 1ª.231.B
Frigidum, & ſiccum in autumno dominatur, licet inæqualis ſit.in 1^{m}.de morbis vulgaribus, com.1°. 3ª.101.C
Frigidus & ſiccus vnde ſit autumnus.de ſpermate. Sp.39.A
Frigidus & ſiccus ſtatus. ac etiam ex parte inæqualis. in 1^{m}. de morbis vulgaribus, commentario 2°. 3ª.113.E
Frigido, & humido vere oculi laborãt.in 1^{m}.de mor.vul.c.2°. 3ª.108.G
Frigidus, & humidus ſtatus non fit niſi hyeme.10°.meth.med. 7ª.63.E
Frigida, & humida eſt hyems. bre.deno.dogm. Hipp.1ª.231.C|in 1^{m}.de morbis vulgaribus, com.1°. 3ª.101.C
Frigida & humida vnde ſit hyems.de ſpermate. Sp.39.A
Frigido humido & aquilonio exiſtente anno, quid ſecutum eſt. in 1^{m}.de morbis vulgaribus, com.2°. 3ª.108.B
Frigida, & humida tempora, regiones & conſtitutiones adſtringunt, difflare corpora, & extenuari non ſinunt.com.2°.aph.28°. Ex.16.C
in omni Frigidiori atq; humidiori temporum ſtatu maximæ quotidianæ febres fiunt.2°.de diff.feb. 3ª.36.D
Frigidi, & humidi magnopere ſtatus maxime lędunt corpora intemperata humiditate & algore.in 1^{m}.de mor.vul.com.2°. 3ª.108.F
Frigida, & humida conſtitutione dandum Falernum, Tmolites, Ariuſium, Lesbium.de vinis. Sp.76.G
in Frigidis conſtitutionibus euacuati nimium refrigerati non poſſunt tolerare.1°.de arte cur.ad Glauconem. 7ª.98.C
qui FRIGIDIORE, *quiq; calidiore ſunt temperamento, habent hi ſuã vtriq; communem naturam.de pulſibus ad tirones.* 4ª.44.A
Frigidi temperamenti tres differentiæ.6°.de ſan.tuen. 2ª.96.H
Frigidum temperamentum notat albus color.in 3^{m}. de morbis vulgaribus, commentario 3°. 3ª.146.D
Frigidiores ſunt qui habent venas arctiores.2°.de tempe. 1ª.18.C
Frigidius temperamentum ſignificat pulſus tardior. 1°. de præſagitione ex pulſ. 4ª.108.D
Frigidi ſunt alba pituita abundantes.in 6^{m}.de morb.vul.c.3°. 3ª.146.D
Frigidum & pituitoſum qui motus faciant.1°.de ſan.tuen. 2ª.65.F
Frigidus & ſiccus ab initio, non eſt melancholicus, ſed pituitoſus ab excrementis.2°.de temp. 1ª.21.C
Frigidi non habent pilos, vel habent paucos.11°.de vſu par. 1ª.190.B
in Frigidis reſpiratio minor & rarior.de vtil.reſp. 1ª.225.G
Frigidiores natura, ſunt magis pigri.2°.de ſan.tuen. 2ª.73.F
Frigidi natura, & habentes frigidos humores, ſunt pigriſſimi.2°. de ſanitate tuenda. 2ª.73.E
Frigidis naturis cõgruunt frigidę ægritudines.c.2°.apho.34°. Ex.17.C
Frigidi & humidi difficulter incidunt in febres.8°.meth.med. 7ª.54.E
Frigidi tertio loco difficulter in febres incidunt.8°.meth.med. 7ª.54.E
Frigidi & ſicci quarto loco difficulter in febrẽ incidũt.8°.m.m. 7ª.54.E
in Frigido corporis tẽperamẽto ſynochus nõ fit.9°.meth.med. 7ª.56.D

Frigidę

Frigidæ & ſiccæ naturæ ægre p halitũ digerũtur.9°.met.med. 7ª.60.H
Frigidi minus digerunt.in 1^{m}*.de morb.vulg.com.2°.* 3ª.115.E
Frigidi,humidi,et ſicci in temperatura modice ſe habentes quo modo cu rentur 6°.de ſa.tuen. 2ª.96.H
Frigidis mel ſalubre.1°.de alim.fac.8.F/ 2ª.32.H
in Frigidis affectibus idoneum mel.de marc. 3ª.48.D
Frigidiſſimis dandum vinum calidiſſimum.5°.de ſa.tuen. 2ª.94.E
Frigidis cõplone dãdũ Falernũ,Tmolites,Ariuſiũ,Lesbiũ.đ.vi. Sp.76.G
Frigidis habitudinibus danda phlegmagoga.de dynam. Sp.21.C
Frigidas intemperies frigida & humida lædunt. 8°. de compoſitione me dicamentorum ſecundum locos. 5ª.195.C
Frigidus & ſiccus à principio,qualis fuit.2°.de temp. 1ª.21.C
Frigidus et ſiccus ex habitus mutatione,melãcholicus.2°.de tẽ. 1ª.21.C
Frigidum & ſiccum temperamẽtũ ſeni ſimillimum.5°.de ſa.tu. 2ª.94.D
Frigidi & ſicci celeriter ſeneſcunt.5°.de ſan.tuen. 2ª.94.D
Frigidi,& ſicci tarde ad temperiem veniunt.8°.meth.med. 7ª.54.F
Frigidi & ſicci quo modo curentur.6°.de ſan.tuen. 2ª.56.G/H
Frigidis & ſiccis naturis cur vinum conuenit.5°.de ſani.tuen. 2ª.94.E
Frigidis,& ſiccis venus aduerſiſſima.6°.de ſa.tuen. 2ª.96.H
Frigidis & ſiccis cur obſint valde calida fomenta.7°.met.me. 7ª.47.B
Frigida & ſicca corpora agglutinantur,& coaleſcunt.3°. de ſymptoma tum cauſis. 3ª.29.A
Frigidum & humidum temperamentum aduerſiſſimum calido & ſicco. 5°.de ſanitate tuenda. 2ª.94.C
Frigidæ, & humidæ naturæ ad æſtatem optime afficiuntur, ad hyemem peſſime.com.3°.apho.2° Ex.20.A
Frigidi,& humidi natura facilius cedunt morbis & externis circunſtan tijs,quos frigidus & humidus ſtatus parit,contrarij ægrius. in 1^{m}*.de morbis vulg.com.1°.* 3ª.103.F
Frigidi,& humidi quibus regantur.5°.de ſan.tuen. 2ª.94.C
Frigidæ & humidæ temperaturæ corpus ita exiccabat atq; calefacie- bat,vt non liqueſceret.de præcognitione. 4ª.217.G
Frigidis non eſt ſanguis mittendus, ſed vide modos quibus euacuantur. de curan.rat.per ſang.miſſ. 6ª.17.D
Frigidi moriuntur ſyncopa correpti.1°.de præſag.ex pulſ. 4ª.107.H
Frigidis & aquilonijs ventis ſpirantibus quando caput plurimum lædi- tur.in 1^{m}*.de mor.vulg.com.2°.* 3ª.113.F
FRIGIDVM *quid faciat.in* 1^{m}*.prorrh.com.1°.* 4ª.166.C/*5°.de ſimplic. medic.facul.* 5ª.39.A
Frigidi proprium.1°.de ſimp.med.fac.6.D/4°. 5ª.24.F
Frigidum delectat aliter quàm calidum.1°.de ſymp.cau. 3ª.16.G
Frigidũ & calidũ faciunt diuerſitatẽ in motibus.4°.de vſu p. 1ª.206.C
Frigido immixtum parũ calidi non immutat illud.1°.de ſan.tu. 2ª.64.B
Frigido calidum in quo præſtet.1°.de ſan.tuen. 2ª.62.F
Frigidum frigefacit.1°.de temp. 1ª.10.D
Frigus intenſum extinguit flammam.de vti.reſp. 1ª.224.H
Frigidum nihil prompte comburitur.4°.de vſu par. 1ª.137.D
Frigiditas caleſit à caliditate febris.com.4°.aph.57°. Ex.33.G
Frigidum paratum eſt vt frigidius fiat.de cau.morb. 3ª.7.A
Frigidum quid agat tangens.4°.de ſimp.med.fac. 5ª.24.C
Frigida iniecta corpori quid agant.in 6^{m}*.de mor.vulg.cõ.6°.* 3ª.195.H
Frigida debent comminui à noſtro calore.3°.de ſimp.me.fac. 5ª.22.D
Frigida vt in nos agant à calore noſtro ſunt alteranda, & comminuẽda. 3°.de ſimp.med.fac. 5ª.22.E
Frigida niſi in pollinem ſint redacta, non frigefaciunt.1°. de ſimplicium medicamentorum facultatibus. 5ª.4.F
Frigidum alterat totum per totum.1°.de elemen. 1ª.7.H
ex Frigido alteratio valde curatur.7°.meth.med. 7ª.44.C
Frigidum nihil putrefacit.1°.de temp. 1ª.12.B
in Frigidis non breui fit putrefactio.8°.de comp.med.ſec.loc. 5ª.194.A
Frigida,& craſſioris eſſentiæ nullum humorem poſſunt introducere 3°. de ſimplicium medicamentorum facultatibus. 5ª.21.G
Frigido cogitur,& adſtringit.in 6^{m}*.de mor.vul.com.2°.* 3ª.160.F
Frigidum exterius denſat,refrigeratq; cutaneas partes.in 6^{m}*. de morb. vulg.com.5°.* 3ª.195.G
Frigidis cum denſantur corpora,in ſeipſa ſubſident.de cau.mor. 3ª.9.B
Frigida mediocriter repercutiunt.1°.de comp.med.per gen. 5ª.213.A
Frigida dupliciter euacuant,& quõ.5°.de ſimp.med.fa. 5ª.33.A
Frigidum quid mali faciat.in 6^{m}*.de morb.vul.com.3°.* 3ª.172.E
Frigidorum vſus immoderatus quid faciat .de marc. 3ª.47.D
Frigidum coctioni aduerſatur.de vic.ra.in mor.acut.com.3°. 7ª.130.A
Frigida cauſa,ocium facit pigritiem & ſomnum.2°.de lo.aff. 4ª.14.B
Frigidum quas paſſiones faciat.cõ.5°.aph.17°.38.H/aph.20°. Ex.39.B
ex Frigido & calido fiunt horror & rigor.4°.de ſan.tu. 2ª.86.A
Frigida excrementa tenuia faciunt rigorem & horrorem,non tamen fe- brem.4°.de ſanitate tuenda. 2ª.82.H
in Frigidam poſitus digitus facit horrorẽ.3°.de ſimp.med.fac. 5ª.20.H
Frigidis qñq; curatur tremor.de trem.palpita.conuulſ.& rig. 3ª.52.H
Frigidus ſimpliciter non eſt rigor.de trem.palp.conuul.& rig. 3ª.53.D
Frigidum neruis contrarium.3°.de comp.med.per gene. 5ª.229.F
à Frigido contagia fiunt in neruis.in 6^{m}*.de morb.vul.com.3°.* 3ª.172.F
à Frigidis læduntur nerui frigidi.de vic.ra.in mor.acu.cõ.3°. 7ª.130.H
Frigida conuulſionem ſemper prouocant.de fract.com.3°. 7ª.247.H
Frigiditates immodicę faciunt extenſiones neruorum.commen.4°.apho riſmo 49°. Ex.33.C
Frigidum conuulſionem facere natura aptum, tamen ſanat aliquando. commen.5°.apho.22°. Ex.39.D
Frigida quomodo ſpaſmum inducit.de conſuetud. 2ª.60.E
ob Frigidi vim venarum diſruptio.in 6^{m}*.de mor.vul.com.3°.* 3ª.172.H
Frigida ſunt omnia reſoluta,ſtupida,male ſentientia, quæ ſenſum amiſe- rint.de trem.palp.conuulſ.& rig. 3ª.53.D
Frigidum quo modo faciat dolorem.1°.de ſym.cau. 3ª.16.G
à Frigida re ſtupor fit in quibus partibus.2°.de loc.aff. 4ª.8.D/E
Frigidum quibus membris ſit inimicum.com.1°.apho.18°. Ex.39.A
Frigiditas lædit inſtrumenta reſpirationis.com.3°.apho.23°. Ex.24.H
Frigidum quę perimat,& quibus partibus inimicum ſit. commenta. 5°. aphoriſmo 22°. Ex.39.D
Frigidum facit exuſtiones in calcaneis, in digitis, & oſſibus extremis, quæ calido ſanantur.com.5°.aph.22°. Ex.39.E
Frigiditas facile aſcendit per anum,per veſicam,& vterum in ventrẽ. com.5°.apho.22°. Ex.39.F
Frigida tenuium partium mordicant, præſertim ſi inæquabilem habent intemperiem.4°.de ſimp.med.fac. 5ª.24.G
Frigida quæ non ſunt mordacia.4°.de ſim.med.fac. 5ª.24.E
à quo Frigido cutis non mordicetur.4°.de ſimp.me.fa. 5ª.24.F
Frigida craſſarũ partium non mordicãt.4°.de ſimp.med.fa. 5ª.24.G
Frigida tenuium partium magis penetrant & mordicant.4°.de ſimpli. med.fac. 5ª.24.F
Frigidum quibus partibus mordax.4°.de ſimp.med.fac. 5ª.24.C
Frigida mordacia vlceribus.1°.de ſimp.med.fac. 5ª.6.D
Frigidum mordax ex vlceribus.com.5°.aph.23°. Ex.39.F
Frigida nimis fugienda in vlceribus.3°.meth.med. 7ª.21.C
Frigidis non contingendum vulnus.6°.meth.med. 7ª.38.D
Frigida qualis nix & glacies pectori inimica, tuſſes mouent,& ſangui- nem,& deſtillationes.com.5°.apho.24°. Ex.39.G
Frigidiſſima quæ oculis mire obſunt.3°.meth.med. 7ª.17.D
Frigido in quibus vti debeamus.com.5°.apho.23°. Ex.39.F
Frigida curare vomitum ſanguinis.com.7°.apho.37°. Ex.57.A
Frigida perinęo & lumbis adhibenda pro coitu remouendo. 6°. de lo- cis aff. 4ª.42.F
Frigidis non eſt ſiſtendus ſanguis ab hirudinibus tractus, quando nimis fluit,ſed adſtringentibus,& emplaſticis.de cucur.ſcar. 6ª.4.D
Frigida ſicca & amara ſunt danda, ſi culpa ſanguinis fuerit ægritudo. de dynamidijs. Sp.19.F
Frigida, humida, & dulcia ſunt danda, ſi culpa choleræ rubræ fuerit ęgritudo.de dynamidijs. Sp.19.F
Frigidum,calidum,ſalſum nõ dant,vt aliquid aluum aut vrinã moueat. 1°.de alimen.facult. 2ª.7.D
Frigida & opiata quid faciant in doloribus.3°.metho.med. 7ª.17.D
Frigidum curatur calido.de nat.hum.com.1°. 1ª.28.H
Frigidæ cauſæ aereæ remedium eſt calefactio.2°.de ſymp.cauſ. 3ª.23.B
in Frigido quantum peccat,tantum calefaciendum.ars med. Iſa.71.B
Frigidæ cur partes vel calidæ fiant.de cur.rat.per ſang.miſſ. 6ª.16.G
Frigidum excrementũ vel expellitur,vel alteratur.4°.de ſa.t. 2ª.82.H
Frigida facta ſunt calefacienda his demptis quibus ſanguis fluit aut flu- xurus eſt.com.6°.aph.19°. Ex.39.A
Frigida caliditate indigent propter quid.3°.de ſimp.med.fac. 5ª.21.H
Frigidiſſima materia non poteſt à febrili calore, nec naturali calefieri. commentario.4°.apho.37°. Ex.32.C
Frigidum & calidum an fieri poſſit corpus.de cauſ.morb. 3ª.8.B
Frigida & humida ſanarentur ſuffitu aromatum, niſi caput grauarent. commentario 5°.aphoriſmo 28°. Ex.40.C
Frigoris triplex cauſa.5°.de ſimp.med.fac. 5ª.32.H
propter Frigus Scythæ fului.de aere,aq.& loc. 2ª.5.E

Frigus & ſerenitatem facit Boreas.3°.de ſymp.cauſ. 3ª.27.F
Frigora magna ante Autumnum.in 1^{m}.de morb.vulg.com.2°. 3ª.107.F
Frigus hyemis à ſole quo modo procedat.de natu.hum.com.1°. 1ª.32.D
in Frigore cur latent animalia.3°.de loc.aff. 4ª.16.F
Frigus & calor ſi eodem die ſit,morbos autumnales expectare oportet. commentario 3°.apho.4°. Ex.20.C
Frigus & calor quo modo ſimul ab extrinſeco.de inæq.intemp.3ª.44.F
Frigus & calor qualem faciant reſpirationem.2°.de diff.reſp. 3ª.65.E
ex Frigore naturalis caloris quibus notis diſtinguitur reſpirationis difficultas.1°.de difficultate reſpirationis. 3ª.59.A
in Frigore ſanguinis copia non eſt educenda,cur.præſag.exp.Sp.78.A
Frigoris aliquid participat calor naturalis.de trem.pal.conuul.3ª.54.C
Frigoris vi fit aciditas.4°.de ſimp.med.fac. 5ª.27.D
à Frigore ructus acidi.3°.de ſymp.cauſ. 3ª.25.D
Frigore cur fiant lachrymæ & mucus.4°.de ſimp.med.fac. 5ª.24.D
propter Frigus albedo fit fulua.de aere,aq.& loc 2ª.5.F
Frigus retardat pubertatem [hoc & in alijs ætatibus intelligas.] commentario 3°.apho.26°. Ex.25.D
Frigus latenter inſinuat infirmo corpori aqua frigidior.7°.methodi medendi. 7ª.44.F
Frigore quæ patiantur rara & mollia.4°.de ſimp.med.fac. 5ª.24.D
Frigore laborantes calidiores natura partes quomodo calfaciendæ.7°. methodi medendi. 7ª.49.A
Frigore alieno corrumpuntur res.4°.de ſim.med.fac. 5ª.28.B
Frigus & calor abundans corporis languorem, facit, vel malum generat odorem.de dynamidijs. Sp.19.D
Frigus ſentire,& friguiſſe non idem.de trem.palp.conuulſ. 3ª.53.D
Friguiſſe & frigus ſentire non idẽ.de trem.palp.conuulſ.& rig.3ª.53.D
Frigus cauſa antegreſſa.introd. Iſa.52.B
ob Frigus palpitationes.2°.de ſymp.cauſ. 3ª.20.H
Frigus quid agat in corpora.16°.de vſu partium. 1ª.220.F
Frigus ſeu perfrigeratio parit morbos.de nat.hum.com.2°. 7ª.182.B
ob Frigus immodicum moriuntur multi.de cauſ.procatar. 3ª.98.A
Frigus facit caput leuiſſimum.in 1^{m}.de morb.vulg.com.1°. 3ª.104.B
Frigore conglaſcit aqua.quòd animi mores. 1ª.319.D
Frigore concretũ,vt glacies,eſt durũ,non tñ ſiccũ.2°.de tempe. 1ª.17.G
cum Frigore durum neceſſario non eſt ſiccum.2°.de tempera. 1ª.17.G
Frigus adſtringit.de opt.ſecta. Iſa.25.C
Frigus denſat.3°.de ſan.tu.2ª.81.B/in 1^{m}.de morb.vul.com.1°.3ª.104.D
ex Frigore cutis denſitas quo modo corrigenda.3°.de ſa.tuen.2ª.82.A
Frigus exiccat,& facit durius.in 6^{m}.de morb.vulg.com.5°. 3ª.193.F
nõ Frigoris,ſed duritiei rõe ſiccitas fit.ĩ 6^{m}.de mor.vul.cõ.5°. 3ª.193.F
ob Frigus ſolum fit ſopor.in 3^{m}.de morb.vulg.com.1°. 3ª.131.H
ex Frigore appetentia.2°.de temp. 1ª.16.E
Frigus nulli functioni eſt vſui.3°.de ſymp.cauſ. 3ª.29.E
ob Frigus aliqua ægre mouentur.2°.de ſanit.tuen. 2ª.72.F
Frigore fit torpor.1°.de ſymp.cauſ.3ª.16.B/13°.meth.med. 7ª.85.E
Frigus cũ humiditate vel ſiccitate facit torporẽ.3°.de ſym.cau.3ª.29.D
Frigus qui paſſi ſunt,ignaui & pigri ad motũ ſunt.2°.de ſa.tuen.2ª.73.E
Frigore vehementi fit letargus.3°.de locis affectis. 4ª.20.B
Frigore,& ſiccitate quę induruere, quibus curanda. 5°. de ſimplicium medicamen.facul. 5ª.33.A
Frigore fit conuulſio ſine febre.in progn.com.3°. 4ª.211.C
ex Frigore conuulſionum ſpecies.de diff.morbis. 3ª.3.E
ex Frigore ſanguis niger.3°.de ſymp.cauſ. 3ª.28.A
Frigus facit liuidum,& nigrum calorem.de mel.ex Gal.Ruff.Sp.109.F
Frigora ſuccedentia morbis calidis pernicioſora.in 1^{m}. de morbis vulgaribus,commentario 1°. 3ª.132.A
Frigore laborant pulmo & thorax.in 1^{m}.de mor.vulg.com.1°.3ª.104.B
Frigus in muſculis thoracis, vel etiam in neruis facit duritiem quandã, & motum ſimilem conuulſioni.com.6°.apho.54°. Ex.53.C
ex Frigore tuſſis ortæ cum ſputo ſanguinis caſus.5°.meth.med. 7ª.35.E
Frigus in vẽtre hñtibus quod medicamentũ dandũ.4°.de ſan.tu. 2ª.85.B
Frigore afficitur iecur.5°.de locis affectis. 4ª.33.F
Frigore afficitur muſculus ani.1°.de locis affectis. 4ª.7.H
Frigore quo modo afficiatur muſculus ani.1°.de locis affectis. 4ª.7.G
Frigore ſeu perfrigerationes ſunt cauſæ propinquæ morborum. de natura humana.com.2°. 7ª.180.F
Frigus in qua parte corporis ſit,morbus ibi ſignificatur.com.4°.aphor. 39°.Ex.32.C/præſag.exper.confir. Sp.77.F
Frigoris mutationes & coloris vbi in toto corpore ſint,longitudinẽ morbi ſignificant.com.4°.apho.40°. Ex.32.D
Frigus,& calor ſoluunt vnitatem.de inæq.intemp. 3ª.44.C
ex Frigoribus febris diaria.5°.de ſanitate tuenda. 2ª.88.F
in Frigore valido iter agentes membra amiſere.de diff.mor. 3ª.3.E
è Frigore mortui pedes.2°.de locis affectis. 4ª.8.E
Frigore Digitos emortuos habentes currebant in plano,ſed non in decliui.3°.de vſu partium. 1ª.129.B
Frigore aliqui periere.de inæqu.intemp.44.E de cauſ.procat. 3ª.56.C
Frigus,& æſtus effugiuntur ab animalibus.de cauſ.procatar. 3ª.96.B
Frigus quo modo euitent pleraq; animalia.de venę ſect.adu.Era.6ª.7.C
Frigus & calorem ob ſanguinem bonum facile ferimus.de dyn.Sp.19.D
Frigus ferre nõ põt à morbo liber anteq̃ ſit refectus.ad Thraſ. 2ª.102.D
contra Frigus facit vrtica.de ſimp.med. Sp.92.A
Frigus ex pulmonibus conceptum ſedat vrtica.de ſimp.medi. Sp.92.A
Frigus magis nocet veſicæ quàm alijs membris.com.3°.aph.5°.Ex.20.E
Frigore cum frigefactum fuerit corpus,ſtatim arteriarum,neruorum,et muſculorum motus ceſſant.8°.de decre.Hipp. 1ª.277.E
FRIGORE vehementi, atque violento fit tremor. de trem.palp.conuulſ.& rig. 3ª.52.H
à Frigore non fit tremor,& à quo fiat.de palp.trem.conuulſ. 3ª.52.G
cum Frigoris ſenſu rigor.de trem.palp.conuulſ.& rig. 3ª.54.D
Frigus,horror,rigor, quò differant.com.2°.aphor.1°. Ex.11.A
Frigus cum dolore rigor eſt.de trem.palp.conuulſ.& rig. 3ª.53.G
cum Frigore ſenſibili incipiunt rigores oẽs.com.5°.apho.69°.Ex.45.D
Frigus quartanarum,quale.2°.de criſi. 4ª.134.F
Frigora ſoluit in quotidiana vrina alba ſi longo tempore perſeuerauerit. de dynamidijs. Sp.34.F
Frigus principium.de tot.morb.temp. 3ª.88.D
ſi Frigus per totam acceſſionem perduret,malum.in 1^{m}.de morbis vulgaribus,commentario 3°. 3ª.118.B
Frigus principij & remiſſionis multum differunt.in 1^{m}. de morbis vulgaribus,commentario 3°. 3ª.118.B
Frigora in acceſſione diſcutit thlaſpi.de ſimp.med. Sp.91.G
Frigus partiũ extremarũ in morbis acutis,malũ.c.7°.aph.1°. Ex.54.A
Frigus narium,aurium,pedum,manuum,quando malum, & quãdo nõ. commen.7°.apho.1°. Ex.54.A
ex Frigore febrium pulſus,quales.2°.de cauſ.pulſ. 4ª.91.B
ex Frigore pulſus,quales.de marc. 3ª.46.H
Frigus quos faciat pulſus.1°.de cauſ.pulſ. 4ª.88.F
ad Frigora febriũ tollẽda valet theriaca.de vſu ther.ad Pãph. 5ª.98.F
Frigori ingenti quando occurrendum, frictio & vnctio fieri debent.3°. de ſanitate tuenda. 2ª.81.H
Frigoribus vehementer reſiſtit Zeia.1°.de alim.fac. 2ª.12.D
ad Frigore affectas particulas linimentũ.3°.de cõ.me.per g. 5ª.229.B
Frigus arcens non calefacit.2°.de ſimp.med.fac. 5ª.15.G
ex Frigore membris debilibus quid opem ferat.de med.exp. Sp.107.B
Frigore,& dolore conſtricta membra vinum reſumit,& reficit.de ſimplic.medic. Sp.92.A
ad Frigus ſtomachi,& eius corruptionem.ſecretorum. Sp.98.F
ad Frigus in renibus ſecretorum. Sp.101.E
ad Frigus.7°.de comp.med.per genera.5ª.273.D/ſecretorũ. Sp.96.H
Frigoris nocumentum expellens compoſitio.ſecretorum. Sp.101.H
ex Frigore quo modo fiat calor.de cauſ.mor. 3ª.6.G
Frigus ſupra modum vitandum in vlceribus.3°.meth.med. 7ª.21.C
à Frigore lædentibus beſtijs morſos iuuat agaricum. 6°. de ſimplicium medicamentorum facultatibus. 5ª.41.E
ꝑ FRIXVM eſt,ſiccum.de diſſol.cont. Sp.74.D
Frixa in ſartagine ſunt ſicciora.3°.de alimen.fac. 2ª.29.D
Frixa omnia flatum quidem deponunt, ſed difficilius coquuntur, magis ventrem ſiſtunt,& alimentũ præbent craſſum.1°.de ali.fac. 2ª.14.B
Frixa cicera ſunt optima ictericis.de cura icteri. Sp.111.D
Frixa oua eſt cibus craſſus,& cur.de diff.cont. Sp.72.G
Frixa oua tarde deſcendunt.de diſſ.cont. Sp.74.H
FRONDEANT quæ ſemper arbores,& cur.de hiſt.philo.Sp.11.H
Frondes cur hieme decidant.de hiſt.philoſ. Sp.11.H
FRONS quæ.introd. Iſa.52.H
Frons par faciei.ꝑ animi mores. 1ª.319.F
Frontis cutis cur non poteſt excoriari.2°.de vſu par. 1ª.22.E
Frons tota muſculoſa eſt,& tenuis.de muſ.diſſ. 1ª.44.F
Frontis cutis quo loco muſculoſæ ſubæ vnita eſt.11°.de vſu par. 1ª.190.C
Frontis cutis cur laxa.11°.de vſu par. 1ª.190.D
circa Frontem cutis dura,intenta,& arida quid ſignificet.in prognoſt. commentario 1°. 4ª.191.B

circa Frontem cutis cur intenta in acutis.in prog. com.1°. 4ª.191.D
Frons cur non habet pilos.11°.de vſu par. 1ª.189.E
Frontis phyſionomia.quod animi mores. 1ª.319.F
Frons magna ſegnes indicat.quod animi mores. 1ª.319.F
Frons parua mobiles indicat.quòd animi mores. 1ª.319.F
Frons lata ineſt mente moueri idoneis.quòd animi mores. 1ª.319.F
Frons rotunda iracundos indicat.quòd animi mores. 1ª.319.F
Frontem cornutam ex tauro contraxit Alexãder.de ſpermate.Sp.38.G
Frontis vnum os.introd. Iſa.54.F
ad Frontem à vertice ſutura.9°.de vſu par. 1ª.173.E
in Frontis oſſe ſutura obſcura eſt.11°.de vſu par. 1ª.192.A
Frontis cutis vnde habet neruos.9°.de vſu par. 1ª.176.D
Frons tota vnde accipiat neruos.9°.de vſu par. 1ª.176.D
à Frontis muſculis nullus naſcitur tendo.1°.de mo.muſ. 1ª.309.F
Frontis cutis moueri debet.11°.de vſu par. 1ª.190.C
Frontis cutis mouetur ſine oſſe.1°.de mo.muſ. 1ª.309.E
Frontis cutis habet motus voluntario.9°.de vſu par. 1ª.176.D
Frontis cutis cur ſola habet motũ voluntariũ.11°.de vſu par. 1ª.189.E
Frontis cutis tota mouetur quieſcente maxilla.de muſ.diſſ. 1ª.44.F
Frõtis cutis cõuellitur,& tunc quæ pars ſit affecta.3°.de lo.af. 4ª.17.D
Frontis palpitatio vnde.2°.de ſymp.cau. 3ª.20.F
in Fronte dolor fit conceptis in bilis horis.de ſperma. Sp.37.C
ad Frontis dolorem.de paſſ.mul.95.H|ſecretorum. Sp.102.F
ſuper Frontem ponendum vnguentum.de ocul. 7ª.190.D
Frontis vena qeta eſt,quæ inter duo exiſtit ſupcilia.de anat.vi.Sp.54.H
Frontis venæ ſectio.6°.de comp.med.ſe.loc. 5ª.174.A
in Fronte cur ſectiones trãſuerſæ & nõ rectæ.4°.de anat.adm.1ª.79.G
Frontis venæ ſectio cui conueniat.de anat.viuo. Sp.55.A
Frontis venam ſecat in ſanguinis profluuio.de remed.par.fac. 7ª.163.F
Frontis vena quos dolores capitis leuat.de cur.rat.p ſang.miſſ.6ª.20.G
in Fronte recta vena inciſa dolenti partem capitis poſteriorem prodeſt. com.5°.apho.68°. Ex.45.C
Frontis venæ ſectio cõfert grauitati capitis, ꝓprie illi quæ eſt in poſteriori parte,grauitati oculorum,& dolori capitis.de anat.viu. Sp.55.A
in Frõte tumor capitis ſi perit,perit & coronalis.9°.de vſu.p.1ª.177.A
ad Frontẽ,& partes quæ iuxta ſunt,linteũ ſciſſum de faſcijs.7ª.294.E
Frontem ambit vinculum μετωπιαῖον de faſcijs. 7ª.295.A
inter Frontem,& verticem, ac proximas partes deuinciens vinculum de faſcijs. 7ª.296.A|G|H
ad Frontem,& regionem quæ inter ſupercilia eſt Longa ex faſcia glomerata.de faſcijs. 7ª.300.A
Frons dicitur prima pars teſtudinis.de mach. 7ª.317.A
FRONTINVS iſchiadicus.10°.de comp.med.ſe.loc. 5ª.207.D
FRVCTVS ad gñis ꝓpagationẽ creati.11°.de ſimp.med.fac. 5ª.81.C
Fructus ex quatuor elementis.1°.de elem.7.F|de nat.hum.c.1°. 1ª.30.B
Fructus omnes ex quatuor elementis.da nat.hum.com.1°. 1ª.30.B
Fructus differt à ſemine.2°.de alim.fac. 2ª.16.C
Fructus viuunt propter ſemina de marc. 3ª.45.C
quàm Fructuum annexus ad plantas proportionem habent,eandẽ habent ad vteros fœtuum connexus.com.4°.apho.1°. Ex.27.A
Fructibus reſpondent proportione fœtus.11°.de ſimp.med.fac. 5ª.81.C
Fructus in prima gñatione debilioribus capulis continẽtur, & ideo facile decidunt, qñ vehementior ventus ipſos concuſſerit, poſt hac aucti, difficilem hñt à plantis diſſolutionem, ſicuti rurſus cũ perfecti ſunt, ſponte ſua ſine vi extrinſeca decidunt.com.4°.apho.1°. Ex.27.A
Fructum ne amittat arbor.de med.fac.par. 7ª.175.D
Fructus domeſticos facit tranſplantatio.de aere,aq.& loc. 2ª.4.E
Fructuum partes terrenæ,quæ.9°.de ſimp.med.fac. 5ª.64.H
Fructus propè omnes in principio acerbi.4°.de ſimp.med.fac. 5ª.27.F
Fructus acerbi ſemper.4°.de ſimp.med.fac. 5ª.26.F
Fructus acerbi ſunt,& dulces nuper nati.4°.de ſimp.med.fac. 5ª.25.F
Fructus qui poſt acerbitatem fiunt dulces.4°.de ſimp.med.fac. 5ª.25.F
Fructus pontici in principio,qui poſt dulceſcunt.de ocul. 7ª.188.B
Fructus pontici quo modo dulceſcant,quõ pontici reſtent,quõ fiant acetoſi,& quomodo vnctuoſi.de ocul. 7ª.188.B
Fructus acerbi cur varias acquirũt qualitates.4°.de ſim.m.fa.5ª.26.F
Fructus dulces ſunt maturi, nuper nati acerbi & ſicci. 4°. de ſimpliciũ medicamentorum facultatibus. 5ª.25.F
Fructus dulces ex amaris qui fiant.4°.de ſimp.med.fac. 5ª.28.F
Fructus qui conditi dulces fiunt.4°.de ſimp.med.fac. 5ª.25.F
Fructus à terra ſublimes ſunt dulces & ꝓpinqui ſapido.de ocu.7ª.188.A
Fructus immaturi quid faciant.1°.de ali.fac. 2ª.13.H
Fructus omnes virides pleni ſunt ſemicoctæ humiditatis. 7°. de ſimplicium medicamentorum facultatibus. 5ª.50.C
Fructus auſteri.12°.methodi medendi. 7ª.78.G
Fructus adſtringentes.7°.methodi medendi. 7ª.44.C
Fructuum maturatio quomodo fiat.de ocul. 7ª.188.B
Fructibus maturatio à ſolari calore ꝓuenit.4°.de ſimp.med.fa.5ª.27.D
Fructus omnes maturi immaturis meliores.2°.de alim.fac. 2ª.17.D|E
Fructus ante maturationem quos gignant humores.de diſſ.cõt. Sp.73.A
Fructus qui poſſint conſeruari.de bonit. & vitio ſuccorum. 2ª.36.H|de puero epileptico. 7ª.180.D
Fructus quibus domibus ſeruandi.3°.de comp.med.per ge. 5ª.228.G
à Fructibus poſtquam fuerint collecti & repoſiti,primo defluit qcquid eſt aquoſum ac tenue,poſt etiam aliquid humidi naturalis. 1°. de alimentorum facultatibus. 2ª.11.F
Fructus eo quia non difflantur,putreſcere ſolent.2°.de diff.fe. 3ª.40.B
Fructus qui non poſſint conſeruari.de bon.& vit.ſuc. 2ª.36.H
Fructus qui non poſſint ſiccari.de bon.& vit.ſuc. 2ª.36.H
Fructus apti ad reponendum ſunt mandendi.de atten.vic. 2ª.45.H
Fructus,herbæ,plantę,ſunt cibi omnium animalium.1°.de elem. 1ª.7.F
Fructibus nutriuntur animalia.2°.de ſem. 1ª.338.E
Fructus arborum quibus homines veſcuntur humidi, tenue humidum corpori alimentum prębent.2°.de ali.fac. 2ª.17.D
Fructus arborũ plurimi ſunt cibi ĩbecilli.ĩ 6ᵐ.de mor.vul.c.5°.3ª.192.e
ex Fructibus qui intumeſcunt, ac veterem ſiccitatem,ac duritiem cito deponunt,& molliores & humidiores reddũtur, ſunt præſtantiores. de bonitate & vitio ſuccorum. 2ª.36.F
ex Fructibus qui non tument,& priſtinam duritiem retinent, ſunt deteriores.de bon.& vit.ſuc. 2ª.36.F
Fructus prius quàm comedantur,experiendi & quo modo. de bonitate & vitio ſuccorum. 2ª.36.G
in Fructibus conſiderandum an ad maturitatem venerint, vel non.de bon.& vitio ſuccorum. 2ª.37.E
de Fructibus iudicium facit coctura.de bon.& vit.ſuc. 2ª.36.G
Fructus probandi ſtudioſus erat Galeni pater.de bo.& vit.ſuc.2ª.36.G
Fructus ferè omnes arborum ſunt mali ſucci.de bon.& vit ſuc.2ª.37.E
Fructuum qui prętantiſſimi in eodem genere.de bo.& vi.ſuc. 2ª.36.H
Fructuum qui peſſimi in eodem genere.de bon.& vit.ſuc. 2ª.36.H
Fructus qui ventrem molliunt,ſunt minus noxij.de atten.vic. 2ª.45.H
Fructus tarde permeantes mali.de atten.vic. 2ª.45.H
Fructus pontici ac duri omnes praui.de atten.vic. 2ª.45.H
Fructuum oſſa deglutita cur facile excreta.3°.de nat.fac. 1ª.303.C
Fructus oleoſi edendo ſunt & dulces.4°.de ſim.med.fac. 5ª.26.G
Fructus amari edi non poſſunt.4°.de ſimp.med.fac. 5ª.26.G
Fructus nutriunt quidem,ſed parum.8°.meth.med. 7ª.50.H
Fructuũ nutrimentũ cito exit ꝑ cutẽ,& ꝑ vrinas.2°.de ali.fa. 2ª.17.D
Fructus arborum conſiſtentia ſolidi habent ſuccum craſſum, aut lentũ, aut adſtringentem.2°.de alim.fac. 2ª.17.D
Fructus arborum conſiſtentes copioſius nutriũt.2°.de alim.fac.2ª.17.D
Fructus horæi quare dicuntur.2°.de alim.facul. 2ª.16.D
Fructus horæi,quales,2°.de alim.fac. 2ª.16.D
Fructus fugaces in opora à Galeno eſi ſunt.de bon.& vitio ſuc. 2ª.34.C
Fructus horæi oẽs flatulenti,præſertim ĩmaturi.2°.de alim.fac.2ª.16.E
Fructus omnes horæi praui ſucci.2°.de alim.fac. 2ª.16.E
Fructus horæi cum moderatione guſtandi.de bon.& vitio ſuc. 2ª.34.C
Fructus horæi vitioſum humorem gignunt.de bon.& vitio ſuc. 2ª.37.E
Fructus oporæ Galenum decimo nono ſuæ ætatis anno induxere in morbũ acutũ,vt ei venam ſecare opus fuerit.de bon.& vit.ſuc. 2ª.34.D
à Fructibus horęis cœpit abſtinere Galenus præterquàm ab vuis & ficubus.de bon.& vitio ſucc. 2ª.34.D
Fructus horæi celeriter ſubducuntur præſertim qui habent ſuccum tenuem.2°.de alim.fac. 2ª.16.E
Fructuum oporariorum ſapores.4°.de ſimp.med.fac. 5ª.26.D
Fructus horæi ſemper humidi,nõ ſemper frigidi.2°. de alim.fac. 2ª.16.E
Fructus horæi non ſunt adeo frigidi,vt ſi ſumantur calidi, infrigident vẽtriculum.2°.de alim.fac. 2ª.16.E
Fructus horæi ſi corrumpantur, fiunt ſimiles venenis lætalibus.de boni. & vitio ſuccorum. 2ª.37.E
Fructus qui corrũpuntur vti venenum in ſtomacho.de diſ.cõt.Sp.74.H
Fructus horęi humectant & infrigidant.2°.de alim.fac. 2ª.16.E
Fructibus horæis vtiliter vtitur,qui æſtu vehementior, & longiore itinere ſe confecerit.2°.de alim.fac. 2ª.16.E
Fructus horæi debent refrigerari,quando comeduntur pro calido iecore,aut

re,aut ventriculo.2°.de alimen.fac. 2ª.16.E
Fruct⁹ dari debēt æſtate refrigerati ſiccis et calis.de bo.et vi.ſu.2ª.39.B
inter Fructus autumnales ficus, & vuæ obtinent principatum. 2°. de alimentorum facultatibus. 2ª.17.G
Fructus autumnales magis iuuant ſtomachum ipſis melopeponibus. 2°. de alimentorum facultatibus. 2ª.17.B
Fructus autumnales exigue nutriunt.2°.de ali.fac. 2ª.17.E
Fructus autumnales & fugaces ſunt praui ſucci.2°.de alim.fac.2ª.17.E
Fructus qui minus noxij.de atten.vic. 2ª.44.A
Fructus non apti ad victum attenuantem,qui.de atten.vic. 2ª.45.H
Fructibus autumnalibus minus lædunt ficus.2°.de ali.fac. 2ª.17.E
Fructus tenuis eſſentiæ et frigidos faciunt boreales conſtitutiones.4°.de ſimp.med.fac. 5ª.28.C
Fructus frigidi numerantur.4°.de ſimp.med.fac. 5ª.26.D
Fructus palmæ eſt frigidus.de diſſol.cont. Sp.74.D
Fructus frigidi quo modo cognoſcantur habere aliquam caliditatem.4°. de ſimp.med.fac. 5ª.25.B
Fructus pleriq; humidi ſine vlla ſiccitate.de atten.vic. 2ª.45.G
Fructus lentiſci parum nutrit,cur.de diſſol.cont. Sp.73.F
Fructus omnes inſalubres vbi.de aere,aq.& locis. 2ª.4.H
Fructus agreſtium plantarum mali.de bon.& vitio ſuc. 2ª.37.F
à Fructibus abſtinendum eſſe,collige.de puero epileptico. 7ª.180.F
Fructus boni nutrimenti qui.de diſſ.cont. Sp.73.A
qui Fructibus æſtiuo tempore abundanter replentur malorum humorū multitudinem generant.com.3°.apho.9°. Ex.20.H
ex Fructibus qui humiditatem contraxerit & volunt exerceri incidūt in febrem ephemeram.3°.de ſa.tuen. 2ª.81.G
Fructus quo modo in olla coqui debent.de rem.par.fac. 7ª.153.E
Fructus qui comedendi ante cibum.de diſ.cont. Sp.74.H
Fructus quandoq; ægris dandi.in 6m.de morbis vulg.com.4°. 3ª.180.F
Fructus qui facile coquuntur,dandi pro cibo in tertiana.1°.de arte cura tiua ad Glauconem. 7ª.97.D
Fructus qui conueniunt epilepticis.de puero epilep. 7ª.180.C
Fructus,piſces,contra epilepſiam.de dynamidijs. Sp.24.A
Fructus ventoſi cuitandi in ictericis,& qui edendi.de cura ict. Sp.111.D
Fructus habent diuerſas facultates à radicibus,caulibus,ſeminibus,& fructibus.1°.de ali.fac. 2ª.7.E
Fructus ſpinæ albæ ſtringunt ventrem cum ſtypticitate, & ponticitate, de diſſol.cont. Sp.75.B
Fructus cum virgultis,qui theriacā ingrediantur.1°.de antido.5ª.107.D
ex Fructibus confectio.8°.de comp.med.ſec.loc. 5ª.189.E
ex Fructibus oleum dicitur oleum abuſiue.3°.de ſan.tuen. 2ª.79.B
de Fructibus ſyrupus.ſecretorum. Sp.98.D
Fructus facti è cera ſimillimi.de ijs,quę in med.ſi.com.1°. 7ª.199.B
FRVGVM differentiæ per ſuam ſubſtantiam.1°.de ali.fac. 2ª.13.A
Fruges calidas & frigidas eſſe quo cognoſcamus.1°.de alim.fac.2ª.13.B
Frugum maxime apta eſt ptiſſana ad detergendū.4°.de ſan.tu. 2ª.84.F
ex FRVMENTACEORVM genere cibi probati ſucci . de bonita.& vitio ſuccorum. 2ª.34.E
Frumentaceis præferenda ptiſſana in acutis. de vic. rat. in morbis acutis,commentario 1°. 7ª.110.H
ex Frumentaceis ſeminibus panis cibus familiaris homini.2°.de alimentorum facultatibus. 2ª.17.B
FRVMENTARIA ſemina tenuium partium, & calida parum. 3°. de compoſit.med.per ge. 5ª.228.F
Frumentaria guſtamēta quæ ſint.de vic.rat.in morb.ac.com.1°.7ª.111.B
Frumentarij ſeu piſtores quo dicātur panes coquere.de conſue.2ª.60.H
FRVMENTA quæ ſint.de atten.vic. 2ª.44.F
Frumenta,fruges,& hordea quo modo mala.1°.de diff.feb. 3ª.31.G
Frumenti medulla tarde deſcendit.de diſſol.cont. Sp.74.H
Frumentum ſit calidius & tenuius vetuſtate.11°.de ſim.me.fa. 5ª.79.C
Frumentum antiquum generat atram bilem.de diſſol.cont. Sp.75.A
Frumētū ſemiputre comedētibus qd euenerit.de nat.hu.cō.2°. 7ª.182.C
Frumēti panis generat chymum bonū,& craſſum.de diſſ.cōt.Sp.74.A
Frumenti mundi panis factus arte ſua,qui comeditur in die ſuo, generat bonum humorem inter tenuem & craſſum.de diſſol.con. Sp.73.H
ex Frumento quæcunq; accipiuntur,præter panem bene paratum ex arte,quid faciant.de diſſ.cont. Sp.74.H
Frumenti panis eſt cibus calidus.de diſſ.cont. Sp.74.D
Frumenti panis fermentati & loti medulla eſt cibus ſubtilians.de diſſolutione continua. Sp.72.G
Frumentum coctum eſt cibus calidus.de diſſol.cont. Sp.74.D
Frumētū coctū pp eius viſcoſitatē tarde digeritur.de diſſ.cont. Sp.73.D
Frumentum trahit aquam à fictili.3°.de nat.fac. 1ª.308.A
Frumenti farina cum caricarum decocto & oleo mire ſuppuratoria eſt. 3°.de comp.med.ſe.loc. 5ª.146.F
Frumenti farina cum aqua maturat.de ocul. 7ª.188.E
FRVTICES ſylueſtres qui.de alim.fac. 2ª.21.H
Frutices quo mō & quo tpe cōſiderandi.3°.de com.me.per ge.5ª.228.G
Frutices teneri pariunt malos ſuccos.de bon.& vitio ſuc. 2ª.33.G
Fruticoſæ plantæ,quæ.2°.de alim.fac. 2ª.24.B
in Fruticoſis plantis aſparagus.2°.de alim.facult. 2ª.24.B
Fruticum & arborum germina aſparagis olerum reſpondent. 2°.de alimentorum facultatibus. 2ª.24.B
Fruticum & arborum germina quodam modo ſunt inter ſe ſimilia.2°.de alimentorum facultatibus. 2ª.24.B
FVCA piſcis ſaxatilis.3°.de alimentorum facultatibus.30. G/de atten.vic.rat. 2ª.45.D
Fucæ inter piſces qui cæteris facilius conficiuntur.3°.de ali.fac.2ª.31.A
Fuca inter ſaxatiles obtinet tertiū locū ſuauitatis.3°.de ali.fac.2ª.30.H
Fucæ molles carne.3°.de alim.fac. 2ª.31.A
FVCATAS mulieres Phryna lauare iuſſit.in oratione ſuaſ. Iſa.4.E
FVGACES fructus in opora à Galeno eſi ſunt. de bonitate & vitio ſuccorum. 3ª.34.C
Fugaces fructus ſunt praui ſucci.2°.de ali.fac. 2ª.17.E
Fugaces fructus oēs minus nutriūt vuis & ficubus.2°.de ali.fa. 2ª.17.G
Fugaces fructus hūt plus praui ſucci,q̄ vuæ et ficus.2°.de ali.fa.2ª.17.G
FVGITIVI ſerui quo mō deprehēdantur.1°.de dign.pulſa. 4ª.70.H
Fugitiuorū ſeruorū crura adurebāt,& lacerabāt.6°.de decr. 1ª.267.D
FVLCIMEN quid ſignificet.de arti.com.2°. 7ª.271.A
Fulcimentum quid ſignificet.de ijs quę in med.ſiunt.com.3°. 7ª.222.C
Fulcimenta,& ſtabilimenta quo modo differunt.de ijs quæ in medicatrina ſiunt,commen.3°. 7ª.222.E
Fulcimina quæ ſint.de ijs,quæ in med.ſi.com.3°. 7ª.218.F
FVLICAE ſanguis.de med.fac.parab. 7ª.179.C
FVLGENTEM habet nigredinem atra bilis . commentario 4°. aphoriſmo 23°. Ex.29.H
Fulgidus color aerem mutat in inſtanti.de ocul. 7ª.185.C
FVLGOR ſolis ſenſificus.7°.de decre.Hipp. 1ª.272.E
FVLIGINOSVS aer,qui.aduerſus Lycum. Ex.62.E
Fuliginoſus vapor ex humorum aduſtione.de vſu pulſ. 1ª.229.D
Fuliginoſus halitus quibus augetur.10°.meth.med. 7ª.62.H
Fuliginoſa & fumoſa,& fauilloſa recrementa in caliditatis gñe oīa terrea,& veluti ſemicocta cū innato calore ſunt.1°.de diſſ.reſ. 3ª.62.A
cur Fuliginoſam ciborum ſuperfluitatem naturę operationem ſubterfugiat.com.3°.apho.15°. Ex.22.H
Fuliginoſa lingua.in 3m.de mor.vulg.com.3°. 3ª.150.H
Fuliginoſum quod eſt in corde per quas arterias trāſmittatur.7°.de vſu partium. 1ª.159.E
Fuliginoſa excrementa quid faciant.de cauſ.morb. 3ª.7.F
Fuliginoſo vapore detento inæqualis intemperies oriri poteſt. de inæqu. intemperie. 3ª.44.D
ex Fuliginoſo halitu febris.10°.meth.med. 7ª.62.H
Fuliginoſa excrementa intus collecta febrē generāt.de cau.mor. 3ª.6.G
Fuliginoſa excrementa per quam viam mittuntur ad pulmonem. 6°.de vſu partium. 1ª.154.D
FVLIGO quę à multis dicitur ασβολη.in 1m.prorrh.com.2°. 4ª.171.F
Fuligo ex quibus exit.8°.de decre.Hipp. 1ª.275.H
Fuligo editur ex materijs immodice aſſis vſtisq;.8°.meth.med. 7ª.53.G
Fuligo pro aduſta materia,varia.7°.de ſimp.med.fac. 5ª.54.E
Fuligo cedri,qualis.7°.de ſimp.med.fac. 5ª.54.F
Fuligo furnorum.5°.de comp.med.ſec.loc. 5ª.159.D
Fuligo myrrhæ,qualis.7°.de ſimp.med.fac. 5ª.54.F
Fuligo picis liquidæ,qualis.7°.de ſimp.med.fac. 5ª.54.F
Fuligo ſtyracis,qualis.7°.de ſimp.med.fac. 5ª.54.F
Fuligo terebinthinæ,qualis.7°.de ſimp.med.fac. 5ª.54.F
Fuligo thuris ad quæ valet.7°.de ſimp.med.fac. 5ª.54.F
Fuligo exiccat.7°.de ſimp.med.fac. 3ª.54.E
Fuligo acrior vſurpatur ad vocata ptila,& eroſos oculorū angulos.7°. de ſimp.med.facul. 5ª.54.F
ad Fuliginem in aere fumi atra bilis cōparatio.in prog.cō.3°.4ª.210.F
Fuligini quiddam ſimile quando generatur.8°.de decre. 1ª.275.H
FVLMEN quid.de hiſt.philoſ. Sp.7.G
Fulmina quando erumpunt.in 6m.de mor.vul.com.4°. 3ª.184.H

Fulminis expulſio, quæ cognita ſit. in 6^{m}.de mor.vul.com.4°. 3ª.184.H
à FVLMINE κεραύνιος dictum vinculum.de faſciis. 7ª.302.C
ad FVLLONEM nemo portat vellus, Archeſilai dictum.2°.de dign. pulſuum.58.B| 4ª.60.G
Fullones cur putaminis nucis ſucco vtuntur.7°.de ſimp.med.fa. 5ª.50.B
FVLVVS color poteſt vocari igneus pallens.12°.metho.med. 7ª.76.F
Fuluo intẽſiorem eſſe flauũ, collige.de vic.ra.in mor.ac.cõ.3°.7ª.126.E
Fuluum, id eſt κιῤῥὸν, quale.5°.de ſan.tuen. 2ª.91.A
Fulua fit albedo propter frigus.de aere, aq.& loc. 2ª.5.F
Fului Scythæ propter frigus.de aere, aq.& loc. 2ª.5.F
in Fuluum primo, poſt in flauum fit tranſitus ab albo.de vict.ra.in morbis acutis, commentario 3°. 7ª.126.E
Fului capilli quo modo reddantur.1°.de comp.med.ſec.loc. 5ª.127.B
Fuluum pulegij ſemen.4°.de comp.med.ſec.loc. 5ª.157.G
Fulua fiunt ætate vina auſtera alba.12°.meth.med. 7ª.76.F
Fuluum, & tenue in vrina quid ſignificet.quæſita in Hipp. Sp.113.A
Fulua excrementa letalia.in 3^{m}.de morb.vul.com.3°. 3ª.147.H
FVMANTIBVS lignis medicamentũ ne coquas: nigredinem enim fumus conciliat.1°.de compo.med.per genera. 5ª.212.G
FVMIDVS aer, qui.aduerſus Lycum. Ex.64.D
Fumidus vapor in quo nunquam ſentiatur.8°.meth.med. 7ª.53.G
Fumida excrementa quid faciant.de cauſ.mor. 3ª.7.F
FVMIGATIONES à ſtomacho.de dynamidijs. Sp.20.G
FVMOSITAS calida eſt ſuba ignis amoto calore.de ſper. Sp.41.B
FVMOSI ſeu nidoroſi ructus ab alijs emittuntur, ab alijs acidi.1°. de locis affectis. 4ª.5.F
in Fumoſam ſeu nidorulentam qualitatem cibi corrumpũtur in bilioſis. 8°.methodi medendi. 7ª.53.B
Fumoſum ſeu nidoroſum ructum quis ſenſit vt ab ouis frictis. 1°. de locis affectis. 4ª.5.C
Fumoſus ſeu nidoroſus ructus ſignificat igneum calorem in ventriculo. 1°.de locis affectis. 4ª.5.D
Fumoſus ſeu nidoroſus ructus vnde proueniat.1°.de loc.affect. 4ª.5.D
Fumoſæ ciborum corruptiones ex quibus cibis.3°.de ſym.cau.3ª.24.H
Fumoſa excrementa à quibus cibis.3°.de ſymp.cauſ. 3ª.24.H
quæ velut Fumoſa, fuliginoſa, et fauilloſa recrementa appellamus in caliditatis genere, omnia terrea, & veluti ſemicocta cum innato calore ſunt.1°.de diff.reſp. 3ª.62.A
Fũoſas mutatiões facit vẽter ſub morbis caliorib⁹.3°.de ſym.c.3ª.24.H
ad Fumoſum, ſeu nidoroſum & acidum ructum ciborum conuerſio ad cauſas & affectus ventriculi referenda eſt.1°.de locis affect. 4ª.5.F
Fumoſa caliditas quàm reſpirationem facit.1°.de diff.reſp. 3ª.62.A
FVMVS, & fuligo quo modo differant.aduerſus Lycum. Ex.62.E
Fumus editur ex materijs ſemiuſtis.8°.meth.med. 7ª.53.G
ſine Fumo eſt ignis ex prunis.11°.de ſimp.med.fac. 5ª.81.E
Fumus quando eſt & non flamma.1°.de diff.reſp. 3ª.62.A
Fumũ non edentibus lignis qñ vti debemus.7°.de cõ.me.ſe.lo.5ª.179.C
per Fumum cur aliqui videre videantur.1°.de ſymp.cauſ. 3ª.15.A
Fumus, & vapor in aere aſcendens quid faciat.de ſpermate. Sp.39.D
ob Fumũ cõtingunt aſperitates oculorũ & gutturis de cau.mor.3ª.9.C
Fumi in inſomnio ſignificãt atram bilem.de præſag.ex inſom. 4ª.213.C
FVMI atræ bilis ad fuliginẽ in aere cõparatio.in progn.cõ.3°.4ª.210.F
Fumo craſſo aſcendente à ſtomacho, aut pede, aut aliquo membro alio fit quandoq; epilepſia.de vtil.reſp. Sp.63.E
Fumum ſtomachi quando caput recipit, fit ſectio venarum poſt aures.de anatomia viuorum. Sp.55.A
Fumi ex putredine, quæ aut in viſceribus, aut in magnis vaſis eſt, tendũt ad cor.1°.de diff.feb. 3ª.32.H
in Fumũ ſeu in nidorem vertuntur cibi à caliditate.1°.de loc.af.4ª.5.D
in Fumum ſeu in nidorem vertentibus cibum dãdus panis & chõdrus. 1°.de locis affectis. 4ª.5.E
FVMI nulla eſt vtilitas in medicamentis.7°.de cõ.me.ſe.lo.5ª.179.C
Fumus accipitur per calamum.de remed.par.fac. 7ª.165.E
Fumus per infundibulum in os acceptus.de dynamidijs. Sp.35.H
FVMVS terræ vnde dictus.7°.de ſimp.med.fac. 5ª.49.F
Fumus terræ vrinã bilioſam et multam prouocat, ſanat iecinoris obſtructiones, & oculorũ aciẽ ſuccus eius acuit.7°.de ſim.me.fa. 5ª.49.G
Fumo terræ quo modo ſtomachus roboretur.7°.de ſimp.me.fa. 5ª.49.G
Fumus terræ qñ comeditur cũ aceto, mũdificat ſtõm.de diſ.cõt.Sp.74.E
Fumus terræ quo modo ſubducit aluum.7°.de ſimp.med.fac. 5ª.49.G
FVNCTIONVM quot ſunt differentiæ, totidem ſunt temperamentorum diuerſitates.1°.de ſanitate tuenda. 2ª.63.E
Functiones ſuas maiori vi obeunt vires, vbi impendeat neceſſitas.4°.de cauſis pulſuum. 4ª.99.G
Functionibus omnibus ex propinquis membris non eſſe originem.2°.de decretis Hippocratis. 1ª.237.B
Functionũ cauſæ in ſimilaribus, et diſſimilaribus, q̃.1°.de ſa.tu.2ª.64.D
Functio habetur ex propria ſpecie ſubſtantiæ.6°.de decre. 1ª.266.B
Functionum arbitrariarũ inſtrumenta muſculi. in 1^{m}.prorrhetico. commentario 1°. 4ª.163.B
ex Functionibus arbitrarijs cognoſcuntur vires debiles, vel robuſtæ in neruis & horũ principio cerebro.de cur.rat.per ſang.miſ. 6ª.17.D
Functionem ſimilem in omni parte quæ habeant.6°.de dec. 1ª.266.A|B
per Functiones ſanitas diſcernitur.1°.de ſan.tuenda. 2ª.63.C
ex Fũctione accipitur corꝑis vel partis ꝓprietas.6°.de decr.1ª.266.B
ex Functionibus inſtrumenta iudicantur eadem vel diuerſa.2°.de decretis Hippocratis. 1ª.240.E
Functioni omni contraria humiditas præter nutritionem, et auctionem. 3°.de ſymp.cauſ. 3ª.29.E
Functioni nulli frigus eſt vſui.3°.de ſymp.cauſ. 3ª.29.E
ad Functiones vitæ inutilis eſt, qui corporis partes mouere nequit.3°.de locis affectis. 4ª.21.B
Functio nõ impedita partiũ primũ eſt quo indigem⁹.14°.me.me. 7ª.91.A
Functionum imbecillitas nõ eſt ſtatim nota morbi, niſi aliquid addatur. 1°.de ſanitate tuenda. 2ª.63.H
Functionis vitium ſymptoma eſt morbi.1°.meth.med. 7ª.7.H
Functiones vitiatæ eſt vnum ex his quæ corporibus à natura egreſſis accidunt.2°.methodi medendi. 7ª.9.B
Functio læſa, vel affectus lędens, eſt morbus.2°.metho.med. 7ª.9.B
Functionis qui eſt cauſa effectrix affectus primo inueniendus.2°.methodi medendi. 7ª.12.F
FVNDA quo modo facienda.de faſciis. 7ª.298.H
Funda ſciſſa in partes quatuor ad occipitium.de faſcijs. 7ª.300.E
Funda humerum complectens quæ idem præſtat atq; geranis.de faſcijs. 7ª.301.B|eadem aliter C|aliter, ibidem.
Funda ad naſum ex quatuor capitibus.de faſcijs. 7ª.298.B
Funda ad naſum ex tribus faſciolis.de faſcijs. 7ª.298.C
Funda ad naſum ex duabus faſciolis.de faſcijs. 7ª.298.C
Funda ad labrum inferius ſciſſa in partes quatuor.de faſcijs.7ª.300.A| eadem ad labrum ſuperius.B
Fundamenta ædificijs firma iaci debent.11°.meth.med. 7ª.71.E
propter Fundamentum eſt os ſpinę.de anat.viu. Sp.55.C
Fundamentum cordis quod.de anatomia viuorum. Sp.46.C
FVNDIT humores Auſter.in 1^{m}.de morb.vulg.com.2°. 3ª.114.A
Fundit calfacit, & emollit myrrha.8°.de ſimp.med.fac. 5ª.61.A
FVNDVS vẽtriculi male affectus cruditatibus cã.5°.de lo.af.4ª.33.A
in Fundo ventriculi fit coctio.5°.de loc.affec. 4ª.33.A
in Fundo ſtomachi ſunt præponendi cibi duræ & tardæ digeſtionis. de diſſolutione continua. Sp.71.H
Fundus ventriculi non prohibet appetentiam.5°.de loc.aff. 4ª.32.E
Fundus ventriculi cibos non corrumpit.5°.de locis affectis. 4ª.32.E
Fundi ventriculi ſymptomata longe minora, quàm oris ventriculi.5° de locis affectis. 4ª.33.A
Fundo veſicæ deſtinatur vrina.de compag.memb. Sp.59.B
FVNGI amanitæ ſecundi poſt boletos.2°.de alim.facul. 2ª.25.C
Fungi cum ſiccari nequeant vitium in ſe habere maximum indicant . de bon.& vitio ſuccorum. 2ª.36.H
Fungi nulla qualitate inſigni ſunt prędit.2°.de alimen.facul. 2ª.25.C
Fungi belle elixi ad cibos inſipidos accedunt.2°.de alim.fac. 2ª.25.C
Fungi varie condiuntur.2°.de alim.fac. 2ª.25.C
Fungi ſunt praui ſucci.2°.de alim.facul. 2ª.25.C
Fungi quos ſuccos creant.in 6^{m}.de mor.vul.com.6°. 3ª.196.H
Fungi habent alimentum pituitoſum frigidum.2°.de alim.facul. 2ª.25.C
Fungi generant humorem craſſum & frigidum.de diſſol.cont.Sp.74.A
Fungi cibus craſſus, & cur.de diſſol.cont. Sp.72.G|H
Fungi mutantur in ſuccum pituitoſum, frigidum, craſſum.2°. de alimentorum facultatibus. 2ª.25.C
Fungi ſunt ſucco frigidiſſimo, glutinoſiſſimo, & craſſo. de bon.& vitio ſuccorum. 2ª.35.F
Fungi ſunt peſſimi cibi.de puero epileptico. 7ª.180.D
Fungi peſſimi in victu attenuante.de atten.vict. 2ª.45.G
Fungi in epilepſia fugiendi.de puero epilep. 7ª.180.H
Fungus frigidus, & humidus, vnde proxime accedit ad facultatem deleteriam.7°.de ſimp.med.fac. 7ª.56.C

Fungorum nonnulli

Fungorũ nõ nulli genere non quãtitate obſunt.5°.de ſimp.me.fa. 5ª.37.C
Fungorũ non nullorũ minimũ ſi ſumatur, lædit.5°.de ſimp.me.f. 5ª.37.C
Fungi quas ægritudines faciant.de bon.& vitio ſucc. 2ª.35.F
Fungi os ventris ſtomachumue afficiunt.1°.de ſymp.cau. 3ª.18.G
Fungis qui vſus eſt adoleſcens in alopeciam incurrẽs ſola purgatione ex hiera ex colocinthide curatus.1°.de comp.me.ſe.lo. 5ª.121.G
Fungi qui interficiant.7°.de ſimp.me.fa. 5ª.56.C
ex Fungorum vſu multi interiere.2°.de alim.fa. 2ª.25.C
Fungorum eſu quidam mortui.de bon.& vitio ſucc. 2ª.34.A
à Fungorum eſu alij mortui, alij proxime ad mortem acceſſerunt, ſtrangulationis periculo, vel alui fluoribus, aut cholera laborantes.de bo.& vitio ſuc. 2ª.36.F
Fungos malos aſſumentibus quid auxilietur.2°.de anti. 5ª.114.C
ex Fungis ſtrangulationi quid opem ferat.ſecretorum. Sp.102.C
ad Fungos ſuffocantes valet aphronitrum.9°.de ſimp.me.fa. 5ª.70.A
Fungos malos compeſcit raphanus.de ſimp.me. Sp.89.F
à Fungis qui ſuffocantur, illis ſtercus gallinaceum prodeſt.10°.de ſimpli.med.fa. 5ª.77.A
ex Fungis deuoratis ſtrãgulationis remedia.de rem.par.fa. 7ª.160.H
Fungi ſtrangulatoris vicem facere dicitur radix ephemeri. de ſimplic. medicam. Sp.83.B
FVNGI quæ excreſcentiæ.in 3°.de mor.vul.com.3°. 3ª.144.H
Fungi fiunt menynge cerebrum cuſtodiente affecta in capite fracto.1°. de locis affectis. 4ª.2.F
FVNICVLO alligandæ partes viui animalis, vt cognoſcatur quænam actio lædatur.1°.de anat.admi. 1ª.64.F
p Funiculos mouebant idola, etiã tẽpore Galeni.3°.de vſu par.1ª.135.D
Funæ arrepto ſi quis ſublimis ex ea pendeat, validum & robuſtum laborem exercet.2°.de ſan.tu. 2ª.74.D
Funibus naſſularum comparat venas & arterias.in tim.Pla.1ª.288.G
FVNIS brachij quæ vena ſit.de anat.viuo. Sp.54.A
Funis brachij vna eſt ex quinq; venis quæ ſecantur in brachio.de anatomia viuorum. Sp.54.H
Funis brachij in quibus affectibus ſecatur.de anat.viu. Sp.54.H
FVRCVLAE oſſis iuuamentum.de ana.viuo. Sp.43.G
Furculæ vena quando ſecanda.de anat.viu. Sp.55.D
Furculæ venæ ſectio fit ĩ mordicationibus oris ſtomachi.đ an.vi. S.55.B
FVRENTES prius, deinde febricitantes, aliter curantur quàm febricitantes prius, deinde furentes.de opt.ſecta. Iſa.22.D
FVRFVR minus calidus farina, & magis deſiccat.5°. de ſimplicium medic.fac. 5ª.34.B
ex Furfure non ſeparato à farina panes medij.1°.de alim.fac. 2ª.9.G
Furfuracei panes πιτυρίαι.1°.de alim.fac. 2ª.9.F
Furfuraceis panibus parum fermenti ſufficit.1°.de alim.fac. 2ª.9.F
Furfuracei panes poſtulãt breuiorẽ aſſationẽ.1°.de alim.fac. 2ª.9.G
Furfuraceus panis qualis ſit.14°.met.me. 7ª.90.H
Furfuraceis panibus reſpondent panes ex hordeo laxo, leuiq;.1°.de alimentorum fac. 2ª.11.G
Furfuracei panes quid agant.1°.de alim.fac. 2ª.9.F
Furfuris multi farina generat atram bilem.de diſſol.cont. Sp.75.A
Furfuraceus panis ſanguinem melãcholicum gignit.3°.đ lo.aff. 4ª.18.F
Furfuris multi panis lenit ventrem.de diſſol.cont. Sp.75.A
Furfuracei panes cito excernuntur.1°.de alim.fac. 2ª.9.F
ex Furfure confecta cur cito deijciantur.1°.de alim.fac. 2ª.12.A
ex Furfure cur magna copia ſtercoris.1°.alim.fac. 2ª.12.A
Furfur hordei remouet viſcoſitatem piſcium.de diſſol.cont. Sp.73.H
ex Furfure fomentum.de vict.rat.in morbis acutis, com.2°. 7ª.116.H
ex Furfure & milio fomentum.de med.fac.par. 7ª.165.H
Furfur detergit.1°.de alim.fac.9.F| 2ª.12.A
Furfur mundificat.de diſſol.cont. Sp.74.G
Furfurũ decoctum diſcuſſoriũ parabile.6°.de comp.med.ſe.lo.5ª.169.G
FVRFVRES quo modo fiant in vrinis, & ex qua materia, & propter quid, & ex quibus membris.com.4°.aph.77°. Ex.36.F
Furfures mingentis ſigna.de dyna. Sp.29.A
Furfurea hypoſtaſis quid ſignificet.de vrinis.124.E|1°.de criſ.130.D| in prognoſt.com.2°.4ª.200.G|de natu.huma.com.2°.7ª.180.H|quæ ſita in Hippo. Sp.113.D
Furfures ſupernatantes albam nebulam habens vrina cholerico colore, aut longam ægritudinem, aut mortem ſignificat.de dy. Sp.34.C
Furfuris mictus curatio.de dyn. Sp.29.A
ad Furfuris mictum antidotus.de dyn. Sp.29.A
FVRFVRATIONEM quid vocent medici.1°. de compoſitio. medica. ſecundum locos. 5ª.128.D
Furfures vnde fiant.in 6m.de morb.vulg.com.3°. 3ª.172.D
Furfurationum capitis remedia.1°.de comp.me.ſe.lo. 5ª.128.D
Furfures quid tollat.de dyna. Sp.23.D
ad Furfures capitis valet ſuccus centaureæ cum aceto. de virtute centaureæ. Sp.93.B
Furfuribus capitis myrta aduerſatur.de ſimp.med. Sp.87.E
Furfures curat vrina humana.10°.de ſimp.me.fac. 5ª.75.D
Furfur repurgans & extergens.1°.de comp.me.ſe.lo. 5ª.129.H
ad Furfures ſmegma.1°.de comp.me.ſe.lo. 5ª.131.A
ad Furfures Archigenis remedia.1°.de comp.me.ſe.lo. 5ª.128.E
ad Furfures capitis.de remed.par.fac. 7ª.154.C
ad Furfures.1°.de comp.me.ſe.lo. 5ª.131.C
ad Furfures.de med.fac.par. 7ª.161.F
FVRIOSAE inſaniæ quomodo fiunt.com.6°.aph.53°. Ex.53.B
Furioſi non ſunt à medico inuiſendi.2°.de diff.reſp. 3ª.68.B
Furioſi quo modo cognoſcantur ex motu arteriæ.6°.de decr. 1ª.266.E
Furioſi ſunt & præcipites, quorũ vena in cubito vehementiſſime pulſat. quòd animi mores. 1ª.320.C
Furioſis vinum non eſt exhibendum.1°.de arte cur.ad Glau. 7ª.95.F
Furioſis atram bilem educimus.de dyn. Sp.21.B
FVRNORVM fuligo.5°.de comp.me.ſe.lo. 5ª.159.D
Furni panis in exterioribus eſt craſſus, & cur.de diſſol.cont. Sp.72.H
Furnaceus panis non confectus diligenter eſt cibus craſſi ſucci. de bon. & vitio ſuccorum. 2ª.34.E
FVROR, & delirium differunt.2°.de diff.reſp. 3ª.64.B
Furoris incrementum eſt alienatio mentis. com.7°.aph.5°. Ex.54.C
Furor omnis rationi inimicus.de cogn.cur.animi morbis. 2ª.52.D
Furor ſub pectore.3°.de decr.Hipp. 1ª.242.C
Furores ex quo humore fiant.com.6°.aph.56°. Ex.53.E
Furor ſequitur ad dominium bilis.de anat.viu. Sp.45.F
Furor fit ex ſanguine feruenti.com.5°.aph.40°. Ex.41.D
Furor nunq̃ fit ex pituita.com.6°.aph.56°. Ex.53.E
Furores quibus fiant.in 6m.de mor.vul.com.2°. 3ª.167.F
Furores fiunt vere.com.3°.aph.20°. Ex.24.A
Furores in autumno quo modo fiãt, & vnde com.3°.aph.22°. Ex.24.G
Furorem ſignificat quibuſcunq; mulieribus ſanguis ad mammas colligitur, quod nunquam vidit Galenus.com.5°.aph.40°. Ex.41.C
Furore eſſe exagitatũ quid ſignificet.in 3m.de mor.vul.cõ.1°. 3ª.127.C
in Furoribus apparet animã lædi à malis corporeis.qđ aĩ mo. 1ª.319.A
in Furore non ſunt conſiderandæ dextræ vel ſiniſtræ partes cerebri. in 6m.de morb.vulg.com.2°. 3ª.162.H
ex Furore ephemera, qualis.1°.de arte cur.ad Gla. 7ª.95.B
à Furore difficultas inteſtinorum, vel aqua inter cutem, vel mẽtis alienatio, bonum.com.7°.aph.5°. Ex.54.C
Furoris ſolutionẽ ſubſecutã eſſe ex vehemẽti motu cauſarũ efficientium furorem ratiocinãdo perpendit Galenus.com.7°.aph.5°. Ex.54.C
Furorem curarunt varices.in 6m.de mor.vul.com.2°. 3ª.162.H
FVRVNCVLVS quid ſit.de tum.præter naturam. 3ª.84.F
de Furunculis.5°.de comp.me.ſe.lo. 5ª.160.D
Furunculi validiorem digeſtionem per halitum expoſcunt.7°.de ſimpli. medic.fac. 5ª.55.D
Furunculis conueniunt acria.de atten.vict. 2ª.43.G
Furunculis bonum eſt remedium maſtiche.7°.de ſimp.med.fac. 5ª.55.C
Furunculos diſcutiunt Pycnocomi folia, fructus, & radix.8°.de ſimpli. medic.fac. 5ª.59.D
Furunculos concoquit triticum manſum, non tamen aqua pinſum.3°.de natu.facul. 1ª.304.A
Furunculi tritico maſticato ſanantur.10°.de ſimp.me.fa. 5ª.75.G
Furunculi puerorum pane maſticato ſanantur, non tritico.1°. de ſimpli. medic.faculta. 5ª.75.F
ad Furunculos duros ſtercus ouillum.10°.de ſimp.me.fa. 5ª.76.H
Furunculos ſanans.5°.de comp.me.per ge. 5ª.249.H
Furunculos diſcutiens.6°.de comp.me.per ge. 5ª.259.G
ad Furunculos.de comp.me.per ge. 5ª.246.G
ad Furunculos ſoluendos.6°.de comp.me.per ge. 5ª.255.A
FVSANEI morbi qui.fin.med. Iſa.45.H
FVSCVS color, qui.14°.meth.med. 7ª.89.D
poſt Fuſcum giluus color.2°.de comp.me.per ge. 5ª.221.F
Fuſcos colores cur ſubinde intuentur pictores, quando in albis corijs depingunt.10°.de vſu par. 1ª.178.H
Fuſci colores recreant oculos.10°.de vſu par. 1ª.178.H

Fuſci cur ſint melancholici.de mel.ex Gal.Ruf.& Poſ. Sp.109.D
Fuſcum quo modo fiat.1°.de ſymp.cau. 3ª.17.B
FVSCA Andromachi.6°.de comp.me.per ge.257.E/ 5ª.258.G/H
Fuſcum Eubuli.6°.de comp.me.per ge. 5ª.259.C
Fuſcum aliud.6°.de comp.me.per ge. 5ª.259.D
Fuſcum Litæ.6°.de comp.me.per ge. 5ª.259.A
Fuſcum Minerua.6°.de comp.me.per ge. 5ª.258.H
Fuſcum Nygmaticum.3°.de comp.me.per ge.235.E/6°. 5ª.258.H
Fuſcum Olympionici medicamentum.4°.de comp.me.ſe.lo. 5ª.154.C
Fuſcum medicamentum.5°.de comp.me.per ge. 5ª.153.B
Fuſci vnguenti compoſitio, qualis.de dyna. Sp.31.H
FVSIO aquæ magis imprimit q̃ fomentum. de vict. ratione in morbis acu.commen.4°. 7ª.144.E
Fuſos minime dolores quid vocet Archigenes.2°.de loc.aff. 4ª.11.B
FVTVRORVM non eſt hiſtoria.de opt.ſecta. Iſa.23.A
Futuræ rei eſt prouidentia.4°.meth.med. 7ª.24.B
de Futuris, præſentibus, & præteritis eſt præſcientia & prognoſticatio.de præſag.ex pul. 4ª.104.D
Futura, præterita, & præſentia quo modo præſagienda.in 1^{m}.de morbis vulg.com.2°. 3ª.12.E
Futurorum prænotio quo modo.17°.de vſu par. 1ª.222.F
ad Futura præſciēda qui peritiſſimus.4°.de præſag.ex pul. 4ª.121.H
Futura debet præſcire & prædicere qui remedio magno vult vti.10°. methodi medendi. 7ª.64.B
Futura ex quibus præſcienda.4°.de præſag.ex pul. 4ª.121.F
Futura prædicuntur de ſtillis quæ per imbres cadunt.in 6^{m}. de morbis vulgar.commen.1°. 3ª.159.C

GABIANVM vinum in Italia quale.5°.de ſan.tuen. 2ª.90.H
Gabianum vinū aquoſum facile in acidam, & amarā permutat qualitatē.de vi. Sp.77.A
GAFIT ſucci fit mentio. de me. exper. Sp.104.E/H
Gafit electarium.de me.exper. Sp.108.B
GAGATES lapis qd.de ſim.me. Sp.86.G
Gagates, qualis.9°.de ſimp.med.fac. 5ª.67.H
Gagates lapis numeratur inter nigra medicamenta.2°.de comp.medicamento.per genera. 5ª.221.E
Gagates lapis dentes qui agitātur reſtringere, & ſtabilire poteſt. de ſimplic.medic. Sp.86.G
Gagates lapis.9°.de comp.med.ſec.loc. 5ª.199.D
GALA, id eſt lac.10°.de ſimp.me.fac. 5ª.73.E
GALATAE ſicut frigidæ regionis ſunt incolæ, ita in vniuerſum ſunt pingues.2°.de ſimp.med.fac. 5ª.14.E
GALACTITES lapis quid.de ſimp.med. Sp.86.H
Galactites vnde, & qualis.9°.de ſimp.med.fac. 5ª.68.C
Galactites lapis leniter ſtringit, ad lachrymam oculorum facit.de ſimplic.medic. Sp.86.H
GALBANVM quid, & eius vires.de ſimp.med. Sp.84.F
Galbanum, quale.4°.de comp.me.ſec.loc. 5ª.151.D
Galbanum in tertio ordine calidum eſt, in ſecundo ſiccum.8°.de ſimplic. medicamen.facul. 5ª.63.E
Galbanum concoquit.introd. Iſa.58.B
Galbanum emollit.5°.de ſimp.med.fac. 5ª.34.F
Galbanum mollitiuum eſt, & in quo gradu ſit.de ocul. 7ª.188.D
Galbanum emollit ſcirrhum.5°.de ſimp.med.fac. 5ª.33.G
Galbanum oculis conuenit.de ocul. 7ª.188.G
Galbanum datur ad prouocandum vrinam, & ad extrahendū embryū. de medicinis exper. Sp.106.F
Galbanum ingreditur theriacam.de theria.ad Piſo. 5ª.92.G
Galbanum, & nucleus pineus ex melle attico pro eclegmate peripneumoniæ.de vict.rat.in mor.acu.com.4°. 7ª.144.C
Galbanum, vide Chalbanum.
GALEA, quam græci cranium appellant, cui ſuperpoſita ſit. de natura & ordine cuiuslibet corp. Sp.41.G
Galea vbi eſt, ſubiacent tempora.de na.& ordi.cuiu.cor. Sp.41.A
GALEA plumbea pro remedio in melancholicis.de mel.ex Gal. Ruf.et Poſſidonio. Sp.109.C
GALEA vbi caput pluribus locis vulneratū ſit.de faſc. 7ª.297.B
Galea aliter ad eoſdem.de faſcijs. 7ª.297.B
Galea Perigenis gladiatoria.de faſcijs. 7ª.297.A
GALENVS ſeipſum nominat nulla facta Claudij mentione. in 6^{m}. de morbis vulga.com.1°. 3ª.152.G
Galenus educatus fuit apud Græcos.2°.de diff.pul. 4ª.53.D
Galeni regio temperata eſt.2°.de temp. 1ª.20.A
Galeni patria probe temperata.2°.de ſan.tuen. 2ª.73.C
Galeni Ciuitas quadraginta milliū hominū.de cogn.cur.aĩ mo. 2ª.55.B
Galenus poſt quos medicinæ ſcriptores natus.2°.de die.decr. 4ª.154.E
Galeni pater fuit doctiſſimus mathematicus.de bo.& vi.ſuc. 2ª.34.C
Galeni pater callebat Geometriam, Arithmeticam, Architecturam, et Aſtronomiam.de cogn.cur.animi morbis. 2ª.54.D
Galeni pater rei ruſticæ ſtudioſius fuit.de bo.& vitio ſuc. 2ª.34.C
Galeni pater quo ordine filium docebat.de lib.prop. Iſa.13.H
Galenus patrem habuit pædagogum & doctorem græcum.2°.de differētijs pulſuum. 4ª.55.A
Galenus à patre didicit vſq; ad quintumdecimum ætatis ſuæ annū Grămaticam, Logicam, & Arithmeticam.de ord.lib.ſuorum. Iſa.15.D
Galeni patris documenta ad Galenū filiū.de cog.cur.ani.mor. 2ª.54.D
Galeni patris mores probatiſſimi.de cog.cur.animi morbis. 2ª.54.C
Galeni pater iuſtus, modeſtus, ac bonus.de bo.& vitio & ſuc. 2ª.34.C
Galeni pater liberalis fuit.8°.meth.med. 7ª.52.C
Galeni matris mores improbiſſimi.de cog.cur.animi mor. 2ª.54.C
cū Galeni pater obijt, Galenus annum ætatis ſuæ vigeſimum agebat. de bo.& vitio ſucc. 2ª.34.C
Galenus puer cur ſemper ſanus.de bo.& vitio ſucc. 2ª.34.C
Galenus quæ obſeruauit in pueritia.de bo.& vitio ſucc. 2ª.34.C
Galenus linguas omnes græcas nouit.2°.de diff.pul. 4ª.54.H
Galenus exquiſite ſciuit nomina Attica & Ionica.ad Thraſ. 2ª.107.A
Galenus promittit ſe ſcripturum de Ionicis nominibus. 2°. de differentijs pulſuum. 4ª.59.A
Galenus ꝑfecte neſciuit nomina Dorica & Aeolica.ad Thra. 2ª.107.A
Galenum nouiſſe linguā latinā colligi videtur.1°.de diff.reſp. 3ª.57.C
Galenus ab adoleſcentia ſeipſum ſemper aſſueuit ab inconſulto, & præcipiti ſenſu cauere.đ cuiuſq; animi pec.2ª.59.D/3°.de lo.af. 4ª.15.A
Galenus adoleſcens ardentius, quàm æquales ſtudijs incumbebat. de boni.& vitio ſucc. 2ª.34.C
Galenus adoleſcens deſpexit multos præceptores. de cuiuſque ani. pec. not.atque medela. 2ª.57.C
Galenus Romæ erat tempore Marci Aurelij Antonini. de præcognitione ad Poſth. 4ª.217.H
Galeni tempore obijt Antoninus.ad eos qui de typ.ſcrip. 3ª.91.H
Galeni tempore regnabat poſt Antoninum Seuerus, qui ſeipſum mutato nomine Antoninum vocauit.ad eos qui de typ.ſcrip. 3ª.91.H
Galeni temporis mores.1°.meth.med. 7ª.2.D
Galeni tempore artium bonarum contemptores.3°.meth.med. 7ª.17.E
Galeni conſortium multi fugiebant, quia diſciplinas fugiebant.10°. de vſu partium. 1ª.184.B
Galenum quo modo indocti diuexarent à varijs diſciplinarum nominibus eum ſubdole appellantes.2°.de diff.pul. 4ª.55.B
Galenum quare odio habuere medici.de purgan.med.fac. 5ª.87.G
Galeni tpe nemo veritatis inquiſitioni deditus erat.1°.meth.me. 7ª.2.C
Galeni tempore quærebatur pecunia, ciuilis potentia, & voluptas.1°. methodi medendi. 7ª.2.C
Galeni tempore inſanus putabatur, qui ſapientiæ ſtudium quærebat.1°. methodi medendi. 7ª.2.C
Galeni tempore philoſophi & medici nomina ignorabant, & diſtinguere neſciebant.1°.meth.me. 7ª.6.B
Galeni tempore nullus dicebatur ſtereometra, vt geometra. ad Thraſybulum. 2ª.109.D
Galenus exercitatus erat in diſciplinis facientibus ſcientiam.2°. de decretis Hippocratis. 1ª.238.D
Galenus decimoquarto anno ætatis ſuæ, philoſophiæ operā dare cœpit. de cogn.cur.animi mor. 2ª.54.D
Galenus ab adoleſcentia philoſophiæ ſtudio vacauit.9°.me.me. 7ª.56.E
Galeni præceptores in philoſophia, qui.de cog.cur.animi mo. 2ª.54.D
Galenus cur didicit naturalem ſcientiam.3°.de criſ. 4ª.142.C
Galenus decimoſeptimo anno in ſomnis admonitus medicinā aggreſſus eſt.de ord.lib.ſuor. Iſa.15.E
Galeni pater per ſomnium admonitus fuit, vt illi iniungeret medicinā addiſcere.de præcogn.ad Poſth. 4ª.214.F
Galenus medicinæ operam dedit inſomnio patris.9°.meth.me. 7ª.56.E
Galeni ſomnium.de anato.viu. Sp.54.H

Galenus credidit inſomnijs.14°.meth.med. 7ª.89.C
Galenus quo modo tractet artem medicam.de theria.ad Piſo. 5ª.93.H
Galenus à pueritia didicit notas vtriuſq; hūoris atri.đ atra.bi. 1ª.34.H
Galenus ſemper ſtudet inuenire cauſas.de ther.ad Piſ. 5ª.93.H
Galenus in tota vita ſua ſtuduit demonſtrandi ſcientiam tenere. contra ea quæ à Iuliano in Hipp. Ex.68.F
Galeni demonſtrationes vnde originē habeant.de ther.ad Piſ. 5ª.93.H
Galenus aſsēſū temerariū ſemp ſuſtinuit ac refugit.3°.de lo.af. 4ª.15.A
Galenus qua via vſus ē vt euaderet ſapiens.de cog.cur.aī mor. 2ª.53.F
Galenus integer vitæ,& in arte peritus.de præco.ad Poſth. 4ª.215.A
Galenus nunq̄ ſeruum verberauit.de cog.cur.animi morbis. 2ª.51.H
Galenus Romæ præceptores habuit.de vſu theria.ad Pamph. 5ª.98.H
Galeni præceptores.de ord.lib.ſuorum. Iſa.15.C
Galeni præceptor Numiſianus.1°.de anat.adm. 1ª.63.D
Galeni præceptor Pelops.de muſc.diſſ.46. E/1°. de anat. adm.1ª.63.D/ 11°.de ſimp.me.fa.5ª.82.A/com.6°.aph.18°. Ex.48.A
Galeni præceptores Satyrus & Pelops.in 1^{m}*.pror.com.1°.* 4ª.163.F
Galeni præceptor Satyrus.1°.de anat.ad.1ª.63.D/de antid. 5ª.106.C
Galenus quo tempore ſtuderet ſub Satyro.de anat.adm. 1ª.64.A
Galeni præceptor Stratonicus.de atra bile. 1ª.35.D
Galeni præceptor Lucius.2°.de comp.me.per ge. 5ª.225.F
Galenus natura ſe tardum nominat, [tamē puto oppoſitum] .2°.de differentijs pulſuum. 4ª.53.G
Galenus adoleſcens præceptorem interrogauit.de mul. 3ª.80.B
Galenus in quibus caſibus præceptorem arguit.de mult. 3ª.80.B
Galenus nullā ſectā ſequebāt,et oēs optime callebat.3°.đ lo.af. 4ª.15.A
Galenus in omni ſectarum ſcientia ſe nemini poſt habendū re ipſa oſtendit.3°.de loc.aff. 4ª.15.A
Galenus nullam ſequutus eſt ſectam de lib.prop.Iſa.11.E/de cog.cur.animi morbis. 2ª.54.E
Galeni ſtudium quo modo fuerit.in 1^{m}*.de mor.vul.com.3°.* 3ª.121.A
Galenus ſtudioſus,& vehemens veritatis amator.5°.de ſimp.me.fa.9. G/7°.de comp.med.per ge. 5ª.264.F
Galenus verax veritatis amatoribus ſcribit.3°.de locis affectis.15.A/ 2°.de criſi. 4ª.134.B
Galenus mentiendi cauſam non habet.3°.de loc.aff. 4ª.15.A
Galenus nihil ad gratiam nec ad odium loqui ſolet.5°.met.me. 7ª.33.C
Galenus incredulus,& deriſor vocatus.de cuiuſ.ani.pec.not. 2ª.59.E
à Galeno deridēt aſſeclæ Moſis & Chriſti.3°.de diff.pul. 4ª.60.E
Galenus quos habuit odio.de cuiuſq; animi pec.not.atq;.med. 2ª.57.C
Galenus odio habuit artē ſophiſticā.in 6^{m}*.de mor.vul.cō.2°.* 3ª.167.A
Galenus damnat eos qui aggrediuntur philoſophiam,& medicinam ante grammaticam.de lib.prop. Iſa.10.G
Galenus quid dicere ſolebat ad contradicentes, & diſcere volentes.3°. de criſi. 4ª.142.B
Galenus diues & in ſua patria honoratus.de cogn.cur.aī mor. 2ª.54.F
Galenus dicit ſe nō eſſe diuitē.de cuiuſ.animi pec.not.atq; me. 2ª.60.A
Galenus valentior athletis ad Thra. 2ª.109.C
Galenus ſingulis annis vel alternis vſq; ad vigeſimūoctauū annum aliquo morbo laborabat.de bon.& vitio ſuc. 2ª.34.D
Galenus ætate xix.annorum ſanus.de bon.& vit.ſuc. 2ª.34.C
Galenus quo tempore cœpit abſtinere à fructibus horæis. præterquàm ab vuis & ficubus.de bon.& vitio ſuc. 2ª.34.D
Galenus quot regiones peragrauerit,collige.de vict.rat.in morbis acutis,commen.3°. 7ª.127.B
Galenus gratia diſcendi in Cyprum nauigauit & in cauam Syriam. 9°. de ſimp.med.fac. 5ª.65.B
Galenus totam Lyciam nauigauit.9°.de ſimp.med.fac. 5ª.68.A
Galenus fuit in Campania.6°.de ſa.tu. 2ª.99.F
Galenus anno trigeſimo tertio ætatis ſuæ Romam iuit.de articulis, cōmentario.1°. 7ª.256.A
Galenus Romā bis profectus eſt,primo naui,poſtea pedeſter.9°. de ſimpli.med.fac. 5ª.65.B
Galenus trigeſimo ſeptimo ætatis ſuæ anno Roma regreſſus in patriam. de lib.prop. Iſa.11.D
Galenus ab Alexandria in patriam annum agens vigeſimum octauum redijt.de comp.me.per ge. 5ª.231.B
Galeno vigeſimum nonū ætatis ſuæ annū attingenti à ſuæ ciuitatis pontifice tradita eſt curatio gladiatorum.3°.de cōp.me.per gen. 1ª.231.B
GALENO *placet vt non tres facultates animæ dicantur, nec tres animæ,ſed tria principia.in tim.Plat.* 1ª.287.D
ſm Galenum cor eſt calidū,& ſiccū.de anat.viuo.46.D/ Sp.56.B
cōtra Galenū q̄ cor ſit principiū ſenſus & motus.de ana.viu. Sp.45.H
cōtra Galenum iecur non facere ſanguinem.de ana.viu. Sp.46.B
Galenus ſenſit hepar eſſe principiū nutricationis.de ana.viuo. Sp.45.H
ſm Galenū vtriuſque ſperma coaguli eſt materia,ſed virile fortius,muliebre debilius.de ana.viu. Sp.55.H
Galenus inquit Hippocratem vocare leuem hypoſtaſim eam quæ eſt continua in indiuulſa.de vri.ſing.ex.Hipp. Sp.79.B
GALENI *oīa audire,& intelligere eſt oībus cōe.2°.de criſi.* 4ª.133.G
Galenus cur libros ſcripſerit.in 3^{m}*.de morbis vulgari. com. 2°. 134.E/ 3ª.136.G/7°.met.me.* 7ª.43.B
Galenus capita librorū ſolū ī ſuā vtilitatē ſcribebat.7°.met.m. 7ª.43.C
Galenus cōmētarios ſibi fecit ſenectuti obliuioſæ.3°.de dif.p. 4ª.60.H
Galenus ſcribebat amicis rogantibus.in 6^{m}*.de mor.vul.cō.1°.* 3ª.152.D
Galenus ſemper refert quæ vidit.de tot.morb.temp. 3ª.89.A
Galenus non audet dicere aut ſcribere ea, quæ minime præſtat. contra Iulianum. Ex.69.H
Galenus alios ſemper iuuare cupiebat.1°.met.me. 7ª.2.C
Galenus vigil,& inſeruiens amicis.5°.de ſan.tu. 2ª.88.F
Galenus excuſat ſe coactum ab amicis ſcripſiſſe contra antiquos. 4°.de differentijs pulſuum. 4ª.64.B
à Galeno omnia in omnibus libris dicta ſunt.de victus rat.in mor.acu. commentario.1°. 7ª.115.B
Galeni omnia ſunt examinata,& probata.5°.met.me. 7ª.35.H
Galenus ſi aliqua minima p̃terijt,hoc data opa fecit.11°.đ vſu p. 1ª.191.B
Galenus ſequitur dogmata Hippocratis quæ veriſſima ſunt. de vic. rat. in mor.acu.com.1°. 7ª.115.B
Galenus æmulatus eſt Hippocratem optimum magiſtrum, et in quibus. de theria.ad Piſonem. 5ª.91.A
Galeni doctrina.2°.de comp.med.per ge. 5ª.220.C
ante Galenum nullus Hippocratem intellexit.7°.met.me. 7ª.43.C
Galenus reprehendit Hippocratem de medicamento in pleuritide. de victus.rat.in mor.acut.com.2°. 7ª.118.H
Galeno aperuerunt viam antiqui errantes.4°.de dig.pul. 4ª.85.D/E
Galenus quæ ſcripſerit ſolus.8°.met.me. 7ª.52.A
Galeni cōmentaria qualia.in 1^{m}*.de mor.vul.cō.2°.107.F/* 3ª.135.F
Galeni diligentia.in 1^{m}*.de mor.vul.com.2°.* 3ª.112.F
Galenus ſcripſit ī ſm ſecundorū analyticorum.4°.de diff.pul. 4ª.65.A
Galenus ſcripſit in ſecundum librum de demonſtratione Ariſtotelis.4°. de differentijs pulſuum. 4ª.69.H
Galeni liber magis iuuatiuus cæteris,quinam ſit.ſecretorum. Sp.96.H
Galenus quos libros compoſuit,dum nihil proprio marte inueniſſet. 8°. de anat.admini. 1ª.99.H
Galenus puer ſcripſit commentaria.de lib.prop. Iſa.13.H
Galenus quo tēpore multos libros ſcripſit.de p̄cog.ad Poſth. 4ª.218.C
Galenus multum compoſuerat trigeſimo quarto anno ætatis. de libris proprijs. Iſa.11.C
Galeni librorum quidam ordo.1°.de comp.me.per ge.5ª.210. D/2°. methodi medendi. 7ª.13.A
Galenus citat librum ſuum de ordine ſuarum commētationum. com.3°. aphoriſmo.30°. Ex.26.F
Galeni argumentū in empiricos,qui ex ſingularibus experientiam fieri volebant.adu.emp.med. Iſa.35.E
Galenus rebus nō verbis expugnabat methodicos. de præcognitione ad Poſthumum. 4ª.219.D
Galenus multas diſſectiones fecit,tamen nunquā meminit hominis. 1°. de anat.admi. 1ª.63.D
Galenus nō diſſecuit hoīes,ſed bruta, & potiſſimum ſimias, quæ vero vidit de hoībus,illa viuis vel in morbis,vel in mortuis putrefactis. de venarum arteriarumq; diſſectione. 1ª.57.G
Galenus cur elegerit anatomiam facere in ſimia.de muſ.diſſ. 1ª.46.F
Galenus ſectionum multos libros fecit.1°.de ana.adm. 1ª.63.C
Galenus q̄ egit ī anatome ab alijs nō dicta.3°.de cōp.me.p ge. 5ª.232.A
Galenus ſimiæ linguā diſſecuit, Pelops bubulā.de muſ.diſſ. 1ª.46.E
Galenus arterias diſſecuit īſomnio monitus.de cu.rat.p ſan.miſ. 6ª.21.E
Galeni obſeruatio in vena dextri teſtis.de ven.art.diſſ. 1ª.58.C
Galenus cur ſcripſerit de muſculorū diſſectione.de muſc.diſſ. 1ª.44.C
Galenus ea ſola quæ apparent,in libro de muſculorum diſſectione traditurus eſt.de muſ.diſſ. 1ª.44.C
Galenus ponit tibiæ priores muſculos ſeptem,qui tres ſunt ſm antiquos. de muſ.diſſe. 1ª.52.C
à Galeno etiam diu ignorati muſculi.de muſ.diſſ. 1ª.49.C
Galenus ne videat ab antiquis ī re minima diſſentire, quos muſculos ge-

nu dearticulationem mouentes nouē eſſe oſtenderat, eoſdem octo eſſe dicit.de muſ.diſſ. 1ª.51.G
Galenus inquirit actionē muſculorū laryngis.de voc.inſtr. diſ.1ª.107.D
Galeni inuentum neruus buccam mouens.de neru.diſſ. 1ª.53.G
Galenus inuentor lati muſculi.4°.de anat.adm. 1ª.81.B
Galenus in qua re hæſitauit aliquando circa abdominis carunculam.5°. de ana.admi. 1ª.87.G
Galeni inuētum eſt, ꝓ vtriuſq; fibris ſectis in oībus muſculis intercoſtalibus, vox efflatioq; aboleatur.8°.de anat.adm. 1ª.100.D
ante Galenū nullus cognouit anatomen in neruis.1°.de loc.aff. 4ª.7.E
Galenus primus locutus ē de vſu aſtitū glādulosorū.2°.đ ſem. 1ª.340.F
Galenus propter quid ſcripſerit de vſu partiū.1°.de vſu par. 1ª.115.A
Galeni benignitas apparet, qui ſuos de vſu partium libros fecit, & ſi ab ignaris ac non initiatis ſit carpendus.12°.de vſu par. 1ª.194.D
Galenus Deum benefaciendo imitans ſcribere inſtituit libros de vſu partiū, etiā ſi ſexcentas calumnias expectet.12°.de vſu par. 1ª.194.D
Galenus fecit commentaria in librum epidemiorum rogatus. in 6m.de mor.vul.com.2°. 3ª.170.D
Galenus in ꝑm epidemiorū librū cōmētaria fecit.4°.de loc.aff. 4ª.23.G
Galenus quid palpitationem eſſe pronunciet.de trem.palp.conuulſio.& rigore. 3ª.52.D
Galenus perfecit tractationem de membris paſſis.ars med. Iſa.67.D
Galenus librum de locis affectis in ſenectute fecit.3°.de loc.aff. 4ª.15.C
Galenus ſenex fecit librum de locis affectis, tamen non intelligebat Archigenem.2°.de loc.aff. 4ª.12.H
Galenus quo tempore compoſuerit librum de differentijs febriū, de dicbus decretorijs, & de criſibus.de præcog.ad Poſth. 4ª.219.E
Galenus cognouit oīa febriū gñā prima viſitatiōe.2°.de criſi. 4ª.133.D
Galeni mira præſtātia ī diſtinguendis febribus.1°.de diff.feb. 3ª.33.D
Galenus plerunq; affectum primo die cognouit.8°.met.me. 7ª.52.D
Galenus primo die nouit quartanam, tertianam, & quotidianam. de criſibus. 4ª.133.E
Galenus hecticā febrē īcipiētē cū putrida nouit.10°.met.me. 7ª.63.D
Galenus nunq̄ habuit quartanam.de trem.palp.cōuul.& rig. 3ª.56.A
Galenus ex laſſitudine febricitauit, nō ex alio affectu.5°.đ ſa.tu.2ª.88.F
Galenus non erat ſatis ſaluber, nec liber.5°.de ſan.tuen. 2ª.88.F
Galenus multos morbos habuit in pueritia, & ephebia, & adoleſcentia. 5°.de ſan.tuen. 2ª.88.F
Galenus iuuenis quater tertiana laborauit.đ tre.pal.cō.et rig. 3ª.56.A
Galenus ſibi ac alijs oxyrhodinum adhibebat, cum æſtu nimio affligeretur.3°.de ſimp.med.fac. 5ª.18.F
Galenus ſemel habuit febrem ardentem.de tre. palp. conuul. & rig.3ª.56.A|de loc.aff. 4ª.22.E
Galenus vertigine affectus.3°.de loc.aff. 4ª.15.G
Galenus habuit ſtomachum faſtidientem, & mæſtitia eſt affectus. 2°.de locis affectis. 4ª.12.G
Galenus ſingultiebat ex pipere, & vino.8°.de cōp.me.ſec.lo. 5ª.190.E
cur Galeno contingebat ſingultus ex pipere.3°.de loc.aff. 4ª.20.A
Galenus paſſus eſt dolorem in ventre.2°.de loc.aff. 4ª.9.D
Galenus poſt vigeſimumoctauum annum non ægrotauit niſi diaria.5°.de ſanitate tuenda. 2ª.88.F
Galenus anno ſuæ ætatis trigeſimoquinto in palęſtra habuit luxationem ſummi humeri.de art.com.1°. 7ª.260.C
Galenus ꝑꝑ amicos ſcripſit đ diebus decretorijs.3°.de die dec. 4ª.159.H
Galenus primus reddidit rationem cur vigeſimus dies ſit iudicatorius. in progn.com.3°. 4ª.207.C
Galenus ſemper ſe exercuit in præſagiendo, & in curando.in 6m.de morbis vul.commen.2°. 3ª.167.A
Galenus de quibus præſagiſſe ſe iactat.3°.de diff.pul. 4ª.60.G
Galenus gloriatur de prædictione.in 1m.de mor.vul.com.3°. 3ª.120.F
Galenus quantum ſibi arrogat.3°.de loc.aff. 4ª.15.A
Galeni laus.de præcog.ad Poſth. 4ª.215.D
Galenus iactat ſe.2°.de dign.pul.75.C|4ª.78.B|8°.met.me. 7ª.52.C
Galenus iactator, ſed verus.3°.de diff.reſp. 3ª.70.G
Galeni prognoſticum verax.de præcog.ad Poſth. 4ª.118.D
Galenus exiſtimatus vates.in progn.com.3°. 4ª.211.G
Galenus diuinatrice arte, non medicinæ ſcientia prædicere exiſtimatus. de diff.feb.3ª.38.B|10°.de ſimp.me.fa. 5ª.73.E
Galeni vaticinium.de præcog.ad Poſth. 4ª.217.A|B
Galenus nouit pueلli plorantis deſiderium.1°.de ſan.tu. 2ª.66.A
Galenus ſtridere dentibus ex natura aliquos nouit.in prog.c.3°.4ª.211.G
Galenus ſeipſum laudat, qui vel ex ſolo colore cognouerit locum in viſceribus affectum.5°.de loc.aff. 4ª.34.C
Galenus cum Athenæo ſentit in motu pulſus.4°.de diff.pul. 4ª.69.B
Galenus fuit incertus per multos annos de arteriæ contractione, & de alijs.1°.de digno.pul. 4ª.70.E
Galeno viam præbebat fortuna ad præſagij laudem conſequēdam.5°. de locis affectis. 4ª.34.H
Galenum ſequebatur bona fortuna.de præcog.ad Poſth. 4ª.219.B
ad Galenum miſit Boethus quadringentos aureos propter vxorem ſanatam.de præcog.ad Poſth. 4ª.217.H
Galenus apothecā habebat in qua ꝑcioſa ſeruabat.1°.de anti. 5ª.106.A
Galenus accerſitus à medicis de medicamentis iudicauit. 6°. de compo. med.ſecundum locos. 5ª.173.B
Galenus de quibus periculum non fecerit.10°.de ſimp.me.fa. 5ª.72.D
Galenus cur ſcribat medicamenta quæ apud medicos expertos inuenit. 1°.de comp.me.ſe.lo. 5ª.124.A
Galenus quæ pharmaca recepit ab amicis, & præceptoribus inuenit.1°. de comp.me.ſe.loc. 5ª.124.F
Galenus ſequebatur experientias aliorum. 1°. de ſimplicium medicamētorum ſecundum locos. 5ª.131.D
Galenus in ſeipſo expertus tibias vltro thapſia inflammatas, aceto magis quā re vlla alia mitigari, ac refrigerari.1°.de ſimp.me.fa. 5ª.5.G
ex Galeni libris, de deriuatione.de cucur.ſcar. 6ª.4.E
ex Galeni libris de reuulſione.de cucu.ſcar. 6ª.4.F
Galenus conqueritur ſe ſcripſiſſe humidi ſtilo librum de venæ ſectione aduerſus Eraſiſtratæos. 6ª.10.A
Galenus acuto morbo correptus venam incidere eſt coactus.de bonitate & vitio ſuccorum. 2ª.34.C
Galenus nihil tractauit, cuius methodū nō didicerit.ad Thraſ. 2ª.101.F
Galenus quo modo curationem morborū inueniebat.3°.de lo.af.4ª.15.C
Galenus ſanauit hydropem medicamento hydragogo. contra ea quæ à Iuliano in Hipp. Ex.69.H
Galenus ictericos cholagogo ſanauit medicamēto cōtra Iulian.Ex.69.H
Galenus excogitauit per ſe de oculorum doloribus ſanandis.7°.methodi medendi. 7ª.17.E
Galenus inuētor curationis ſauciatorum neruorum.6°. de compoſitione medica.ſecun.loc. 5ª.167.G
Galenus vigeſimo octauo anno neruorum curationem excogitauit.3°.de comp.me.per ge. 5ª.231.C
Galenus primus auſus immutare neruorum curationis modum. 3°.de cōpoſi.me.per ge. 5ª.229.A
Galenus contra Theſſalum conuicijs agit.1°.met.me. 7ª.2.F
Galens multos per literas curauit.4°.de loc.aff. 4ª.22.C
Galenus habebat literas ex Iberia, Celtica, Aſia & Thracia. 4°.de locis affectis. 4ª.22.C
Galenus nullum phthiſicum ſeruauit.4°.de loc.aff. 4ª.28.C
à Galeno conſilium petebant medici de admirabilibus & abſurdis. de fracturis.com.3°. 7ª.255.H
Galenus non recordatur cuiuſdam loci Hippocratis in Aphoriſmis.1°. de diff.feb.32.E| 3ª.33.G
Galeni non eſt liber de dynamidijs, quia adducit Iſaac.de dyn. Sp.21.A
Galenus ſandalos nō cognouit, neq; camphoram, neque caſſiam, ideo collige librum de dynamidijs non eſſe Galeni.de dy. Sp.23.D
Galeni non eſt liber de dynamidijs nam in eo fit mentio ſandalorum rubrorum & alborum, galangæ, & ſaccari, & multorum ſimplicium, quæ Galenus non nouit.de dyn. Sp.26.D
Galeni non eſt liber de dynamidijs.nam fit mentio de oratione dominica in colligendo carduum.de dyn. Sp.28.D
Galeni ſyrupi ſimpliciter mentionem facit.de dy. Sp.26.E
Galenus fecit librum de motibus obſcuris.de muſ.diſſ. 1ª.44.F
Galeni libri Romæ combuſti ob incendium.1°. de anat. adm. 1ª.63.C|1°. de comp.me.per ge. 5ª.209.G
Galeni tempore multi libri periere igne & terremotu Romæ. 1°. de nat. hum.com.1°. 1ª.27.F
qd Galenus ex ſe didicit, & nō à ꝑceptore.3°.de cōp.me.ꝑ gen.5ª.231.D
Galenus omnia per ſe ipſum inueſtigauit.7°.met.me. 7ª.43.H
Galenus ſimul cum patre experiebatur.de bon.& vit.ſuc. 2ª.36.G
Galenus peritiā experientia acquiſiuit.in 6m.de mor.vul.c.3°. 3ª.171.C
Galenus multa inuenit.7°.de ana.adm. 1ª.96.G
Galenus inuentor huius nominis vnitatis ſolutio.de cau.mor. 3ª.9.F
Galenus primus nominauit glutinoſum.11°.meth.me. 7ª.71.D
Galenus prius īuenit teſtiū naturā totū corpus alterar̄.2°.de ſ.1ª.340.F
à Galeno quæ angina raro, ab Hipp.ſæpe viſa ſit.4°.de loc.aff. 4ª.23.G

Galenus numquam

Galenus nunquam vidit furorem in muliere, cui ſanguis in mammis appareat.com.5°.apho.40°. Ex.41.C
Galeni barbarum ad vulnera maxima.2°.de comp.me.per gé.5ª.227.G
Galeni barbarum ad vulnera minorá.2°.de cōp.me.per ge. 5ª.227.G
Galeni catapotia ad ſoluendum ventrem.de dyn. Sp.27.F
Galeni Diacodion.7°.de comp.med.ſe.lo. 5ª.180.C/G
Galenus nullo doctore vſus pharmacum ex ſucco nucum viridium præparauit.6°.de comp.me.ſe.lo. 5ª.167.F
Galeni emplaſtrum ex chalcitide.1°.de comp.me.per ge. 5ª.210.H
Galeni paſtillus ex charta vſta.3°.de comp.me.ſe.lo. 5ª.141.F
Galeni pillulæ ad purgandas multas materias.5°.meth.me. 7ª.35.G
Galenus ſemper aſtitit Demetrio dum theriacam componeret.1°.de antidotis. 5ª.99.H
Galenus Cæſari theriacam confecit.1°.de anti. 5ª.101.G
Galeni iudicium in compoſitionibus magnis.3°.de compoſitione medicamentorum ſec.lo. 5ª.142.F
à Galeno, & præceptoribus, & amicis probata.2°.de compoſi.medicamen.ſecun.loc. 5ª.139.C
Galeni ad aphthas ſordidas.6°.de comp.me.ſe.lo. 5ª.176.G
Galeni ad aurium dolores.3°.de comp.me.ſe.lo. 5ª.141.D
Galeni medicamentum ad appetentiā deiectam.2°.de ali.fa. 2ª.20.D
Galeni probatiſſima in oxenis & polypis.5°.de compoſitione medicam.ſecundum locos. 5ª.148.D/E
Galeni inuētū pro habētibus nocturnā pollutionē.6°.đ ſe.tu. 2ª.100.H
Galeno ſine ratione non credendum.in 6ᵐ.de mor.vul.c.4°. 3ª.185.A
Galenus nullam calumniam ſubijt.3°.de loc.aff. 4ª.15.C
Galenus ſemper eadem de eiſdem aſſerebat.ad Thraſy. 2ª.101.F
Galenus mutauit ſententiam pro melioribus.1°.de anti. 5ª.104.C
Galenus quandoq; curauit.2°.de præſag.ex pulſ.4ª.112.E/3°.de comp.med.per ge. 5ª.230.H
Galenus in quo caſu reprehenditur.2°.de diff.reſp. 3ª.64.B
Galenus ſæpe repetit.11°.meth.me. 7ª.71.B
Galenus loquacitatis inſtructiſſimus.4°.de diff.pul. 4ª.69.G
Galenus fuit de induſtria loquax.2°.de diff.reſp. 3ª.68.E
Galenus perpetuam breuitatem profitetur.3°.de differen.pul. 4ª.63.B/de art.com.2°. 7ª.262.H
Galenus periculū fecit in q̄onibus improuiſis. 4°.de diff.pul. 4ª.69.G
GALERITA alauda colicos adiuuat.11°.de ſimp.me.fa. 5ª.82.C
de Galerita alauda fabula, vnde galerum habuerit.11°.de ſimplicium medicamentorum facul. 5ª.82.C
GALEXIA in pretio erat apud Romanos.3°.de ali.fa. 2ª.31.F
Galexia ex genere muſtellorum.3°.de ali.fac. 2ª.31.F
Galexia non eſt in græco mari.3°.de ali.fa. 2ª.31.F
Galexia habet carnem mollem.3°.de alim.fac. 2ª.31.F
GALFAGVELVT tarde digeritur.de diff.cont. Sp.73.D
Γαλιάγκωνες.de arti.com.1°.259.G/com.3°. 7ª.278.E
GALLA quid & eius vires.de ſimp.med. Sp.84.F
Gallæ quales.4°.de comp.med.ſec.loc.151.E/6°.170.E/H/5ª.173.E/de oculis. 7ª.188.G
Gallarum ordo.6°.de comp.me.ſec.loc. 5ª.170.G
Galla pro medicamento potius quàm pro cibo eſt in vſu.4°.de ſimplicium med.fac. 5ª.26.H
Galla acerba eſt.6°.de comp.med.ſec.loc. 5ª.172.G
Galla ſumme acerba.4°.de ſimp.me.fa. 5ª.26.H
Galla auſtera.4°.de comp.me.per gen. 5ª.240.H
Galla eſſentiæ terrenæ, & frigidæ.7°.de ſimp.med.fac. 5ª.51.B
Galla ſicca, & terreſtris.4°.de comp.me.per ge. 5ª.237.H
Galla calida eſt in ſecundo ordine, ſicca in tertio.7°.de ſim.me.f. 5ª.51.B
Galla deſiccat, & repercutit fluxiones, conſtringit, contrahitq; partes laxas, ac languidas, omnibus fluxionum affectibus ſtrenue reſiſtit.7°.de ſimp.med.fac. 5ª.51.B
Galla internis vlceribus opitulatur.4°.met.me. 7ª.28.H
in Galla, & Rhu deprehenditur adſtrictio.4°.de ſimp.me.fa. 5ª.25.D
in Galla aſtrictio conſideranda.4°.de ſimp.me.fa. 5ª.26.A
Galla adſtringit.9°.de ſim.me.fa.64.C/5°.de cōp.med.per ge.5ª.247.C
Galla vehementer adſtringit.6°.de comp.med.ſec.loc.5ª.173.E/de ſimplic.med. Sp.84.F
Galla adſtringens ſummum.3°.de ſimp.med.facul.21.E/4°.de compoſi.med.per gene. 5ª.239.E
Gallā immaturā adſtringēs vehemēs iudicat Galenus.5°.me.m. 7ª.31.G
Gallam Clarum eſt ſemper adijciendam, quæ omphacitis.i.immatura vocatur.4°.de comp.me.per ge. 5ª.239.E
Galla exiccat.2°.de ſimp.med.fac. 5ª.16.C
Galla immatura modice ſiccat.2°.meth.med. 7ª.30.A
Galla deſiccat, & indurat.5°.de ſimp.me.fac. 5ª.36.C
Galla magis flaua minus ſicca.7°.de ſimp.fa. 5ª.51.C
Galla flaua.9°.de comp.med.ſec.loc. 5ª.205.C
Gallæ ignem non expertæ magis ſiccāt, & ſunt partium tenuiorum.6°.de ſimp.med.fac. 5ª.51.B
Galla cocta non inſtrenuum eſt cataplaſma phlegmonarum, & procidētiarum ſedis.7°.de ſimp.med.fa. 5ª.51.B
Gallarum decoctum numeratur inter adſtringentia fortiſſima pro gargariſmis.6°.de comp.me.ſec.loc. 5ª.172.G
Galla diuerſum effectum habet ab alijs adſtringentibus.3°.de ſimp.me.facultatibus. 5ª.20.D
Galla dyſenteriam adſtringit.11°.de ſimp.me.fac. 5ª.81.E
Gallæ q̄uo parentur ad ſanguinē ſiſtendum.7°.de ſimp.me.fa. 5ª.51.B
Gallæ combuſtæ ſanguinem reprimunt.7°.de ſimp.me.fa. 5ª.51.B
Gallæ toſtæ.9°.de comp.med.ſec.loc. 5ª.203.D
Galla oculis conuenit.de ocu. 7ª.188.G
GALLAE omphacitidis ſimilis tamarix.7°.de ſimp.me.fa. 5ª.56.D
Galla omphacia acerba eſt.2°.de loc.affe.4ª.12.D/7°.de ſimplicium medic.faculta. 5ª.51.B
Galla omphacitis inter adſtringentia parabilia numeratur.6°.de cōpo.med.ſecun.loc. 5ª.169.F
Galla omphacitis adſtringit, & dicitur auſtera, & acerba.4°.de compoſi.med.per ge. 5ª.246.B
Galla omphacitis adſtringit vehementer.5°.de ſimp.med.fac. 5ª.39.B
Gallæ omphacitides vehemētius adſtringūt.4°.đ cōp.me.ſe.l.5ª.149.H
Galla omphacitis ſiccat euidēter.4°.de comp.me.per ge. 5ª.240.H
Galla omphacitis exiccat in tertio ordine, & non vrit.5°.de ſimplicium medic.facul. 5ª.39.B
Galla omphacitis vlcera exiccat.4°.de comp.me.per ge. 5ª.236.G
Galla omphacitis in vlceribus repellēs.2°.de cōp.me.per ge. 5ª.220.B
Gallæ omphacitides non perforatæ.9°.de cōp.me.ſe.lo. 5ª.204.B
Gallæ nigrū.5°.de cōp.me.ſe.lo.5ª.163.F/de rem.par.fac. 7ª.157.D
Gallæ grana quadraginta ſi excoriata comeduntur, pituitam purgant.de dynamidijs. Sp.22.A
Galla deficiente, tamarice vtaris.7°.de ſimp.me.fa. 5ª.56.D
GALLICVS ſapo.de remed.par.fac.7ª.160.H/de dy. Sp.28.H
GALLINAE ſunt volucres laudabiles.de renum affectuum dignotione atq; medela. 7ª.195.F
Gallinę ſine maribus oua pariunt.14°.de vſu par. 1ª.206.D
Gallinarum oua quibus præſtantiora.3°.de ali.fac. 2ª.29.G
Gallinarum tantum ouis cur vtamur.11°.de ſimp.me.fa. 5ª.81.D
Gallinarū oua cibus medius īter ſubtile, & craſſum.de diſ.cō.Sp.73.A
Gallinarum montanarum eſus non vitandus.de atten.vic. 2ª.45.F
Gallinæ non mandendæ homini qui ocioſe viuit.de atten.vic. 2ª.45.F
Gallinæ caro minus ſuauis phaſianorum carne.3°.de ali.fa. 2ª.29.C
Gallinæ aliarumq; volucrium caro concoctu facilior, q̄ greſſilium.3°.de alimento.facul. 2ª.29.C
Gallinæ caro eſt velocis digeſtionis.de diſſ.cont. Sp.73.C
Gallinæ ſimilis eſt in coctione & nutrimento phaſianorum caro.3°.de alimen.facul. 2ª.29.C
Gallinæ caro generat bonum humorem inter craſſum, & tenuem.de diſſolutione continua. Sp.73.H
Gallinæ ſiccis accommodæ ſunt.6°.de ſa.tu. 2ª.99.G
Gallinæ ventriculus præſtantiſſimus eſt.de bon.& vit.ſucc. 2ª.37.B
Gallinæ ventris tunica pro ſtomachicis.11°.de ſimp.me.fa. 5ª.80.A
in Gallinarum ventre pelliculæ ad ſiſtendam exuberantiam vrinationis.de reme.fac.par. 7ª.168.D
Gallinæ cerebrum.de med.par.fac. 7ª.169.F
Gallinarum alæ ad coquendum, & nutriendum accommodæ ſunt.3°.de alimentorum facul. 2ª.29.F
Gallinæ alæ conueniunt ex balneis redeunti.de bon.& vit.ſucc.2ª.39.C
Gallinarum alis vti poſſumus ad victū attenuātē.de atten.vic. 2ª.45.F
Gallinarum teſtes, & viſcera non conueniunt in victu attenuante.de atten.vict. 2ª.45.F
Gallinarum ius adſtringit.11°.de ſimp.med fac. 5ª.82.C
Gallinæ ius auxiliatur illis qui aconitū aſſumpſerint.2°.de ant.5ª.114.B
Gallinæ ius pingue adiuuat illos, qui coriandrum viride guſtarunt.2°.de antidotis. 5ª.114.C
Gallinarum ſanguis non eſt inferior ſanguine ſuū.3°.de ali.fa. 2ª.29.H
Gallinarū ſangis multo peior eſt ſanguine leporino.3°.đ ali.fa. 2ª.30.A

Gallinarum ſanguine quidam veſcuntur.3°.de ali.fac. 2ª.29.H
Gallinę ſanguinem ad hæmorrhagiam non meningum non probat Galenus.10°.de ſim.med fac. 5ª.73.B
Gallinarum adeps in medio eſt anſerini,& ſuilli.11°. de ſimplicium medicamentorum faculta. 5ª.79.A
Gallinarum agreſtium adeps ex tenuium partium.3°. de compoſi. medicamentorum per ge. 5ª.232.H
Gallinæ adeps.2°.de arte cu.ad Glau. 7ª.104.G
Gallinarũ adeps quæ indurata ſunt,iuuat.5°.de ſimp.me fa. 5ª.34.E
Gallinarum adipe valentior eſt anſerinus.5°.de ſimp.me.fa. 5ª.34.E
Gallinarum,& perdicum fel probatius in re medica alijs.11°. de ſimpli. medicamento.faculta. 5ª.75.A
Gallinarum concluſarum ſtercus minus efficax non concluſarum.10°. de ſimp.med.fac. 5ª.77.B
Gallinæ citrinum ſtercus.de remed.par.fac. 7ª.163.E
Gallinarum interanea aſſa.9°.de comp.me.ſe.lo. 5ª.202.D
Gallinam rufam eligit.3°.de remed.fac.par. 7ª.176.C
GALLINACEOS pituita tentatos ſanant allia & cæpe. 2°. methodi medendi. 7ª.12.D
ex Gallinaceorum genere fœminæ & mares neq; craſſi neq; tenuis ſucci ſunt.de bon.& vit.ſuc. 2ª.34.H
Gallinacei ſiccis accommodi.6°.de ſa.tu. 2ª.99.G
Gallinaceorũ renes p̃ſertim altiliũ,ſunt boni ſucci.đ bo.et vi ſu. 2ª.35.F
Gallinaceorũ iecur p̃ſertim altiliũ,ſunt boni ſucci.đ bo.et vi.ſuc.2ª.35.F
Gallinaceorum annoſorum iuſcula,qualia.de atten.vict. 2ª.45.B
Gallinaceorum altilium teſtes ſunt ſuauiſſimi 3°.de ali.fa. 2ª.27.A
Gallinaceorũ lacte altorũ alæ et teſtes ĩ ſiccitatibus.7°.met.m. 7ª.45.D
Gallinaceorum teſtes præſertim altilium,ſunt boni ſucci.de bonitate & vitio ſuccorum. 2ª.35.F
Gallinacei vtiles calidis & ſiccis.8°.meth.me. 7ª.51.B
Gallinaceus adeps,qualis.7°.de comp.me.per ge. 5ª.263.F
Gallinaceus adeps in quo ordine ſit inter acopa.7°.de compoſitione medicamen.per ge. 5ª.269.F
Gallinaceorum adeps familiariſſimus phlegmonis.5°. de ſimplicium medicamentorum fac. 5ª.34.B
Gallinaceus adeps doloroſas omnes affectiones iuuat.5°. de comp.med. ſecundum locos. 5ª.141.H
Gallinaceus adeps q̃uo doloribus valet.3°.de comp.me.ſe.lo. 5ª.141.H
Gallinaceus adeps laxat.7°.de comp.me.per ge. 5ª.264.E
p Gallinaceo,& anſerino adipe ſuillus.2°.de arte cur.ad Gla.7ª.105.F
p Gallinaceo adipe ſuillus.1°.de comp.me.per ge. 3ª.215.A
Gallinaceus adeps pro anſerino.1°.de comp.me.per ge. 5ª.215.A
Gallinacei pinguedo calidior & ſiccior eſt q̃ ſuum, & tenuior & minimum terreſtris.4°.de ſimp.me.fac. 5ª.25.E
Gallinacea pinguedo pro anſeris pinguedine.8°.meth.med. 7ª.53.F
p Gallinacea pinguedine pinguedo caprina.8°.met.me. 7ª.53.F
Gallinacea pinguedo pro anſeris pinguedine.12°.me.me. 7ª.79.F
Gallinaceum ſeuum pro anſerino,& econtra.14°.meth.me. 7ª.88.C
Gallinaceus fimus à colũbino recedit ad frigidius.5°.de ſimplicium medicamentorum fac. 5ª.36.C
GALLIVM lac coagulat.6°.de ſimp.me.fa. 5ª.45.D
Gallij flos competere videtur profluuijs ſanguinis. 6°. de ſimp. medica. facultatibus. 5ª.45.D
Gallij flos combuſtis mederi videtur.6°.de ſimp.me.fa. 5ª.45.D
GALLI quot nominibus vocentur.1°.de anti. 5ª.107.B
Gallorum cutis,qualis.2°.de temp. 1ª.20.A
Galli populi cãdidi ſunt & molles.de cur.rat.per ſang.miſſio. 6ª.19.F
Galli candidi ſunt.1°.de ſa.tu. 2ª.64.A
Gallorũ candos eſt affectus ſecundum naturam.1°.de ſa.tu. 2ª.64.A
Gallorum temperamentum,quale.in 3ᵐ.de mor.vul.com.3°. 3ª.146.F
Gallos,vel Thracas,vel deniq; qui frigidã regionẽ incolũt, ſi quis veſci allijs vetuerit,non leuiter ijs hoĩbus nocuerit.13°.met.me. 7ª.79.F
apud Gallos ne per ſomnium quidem inuenies hominem temperatum. 2°.de ſanitate tuenda. 2ª.73.C
Galli ſunt pingues.2°.de ſimp.med.fac. 5ª.14.E
Galli,& Scythæ, alijq; barbari vt pueri ac ineruditi habent rationem quæ ab ira vincitur.3°.de decr.Hipp. 1ª.242.F
Galli iracundi,audaces,& conſilij præcipitis.2°.de temp. 1ª.20.A
GALLI ſunt volucres laudabiles.de ren.aff.dig.& med. 7ª.195.F
GALLI gallinacei habent oſſium conſiſtentiam laxam,cauam,& leuẽ. 11°.de vſu partium. 1ª.191.E
ſine Galli ſemine oua non ſunt comparanda ſemini muliebri ſine virili. 14°.de vſu partium. 1ª.206.D
Gallus,cuius cor habebat duos apices.7°.de anatomic.adm. 1ª.96.H
Galli gallinacei caſus ex tumore ſcirrhoſo in tunica cordis.5°. de locis affectis. 4ª.29.D
Galli gallinacei volunt vincere vt aliæ animantes innumeræ pro ſola victoria contendentes.5°.de decr.Hipp. 1ª.256.G
Gallos excipit à cibis ictericorũ, niſi moderate carnoſi fuerint.de cura icteri. Sp.111.D
Galli gallinacei reliquorumq́; volucrium caro concoctu facilior q̃ quadrupedum.3°.de alim.fac. 2ª.29.C
Gallorum veterum caro adſtringit.3°.de ſimp.me.fac. 5ª.20.B
Gallorum vetulorum carnes adſtringunt.de theria.ad Piſo. 5ª.90.H
Gallorum veterum ius educit.3°.de ſimp.me.fa. 5ª.20.B
Gallorũ ius ſubducit,gallinarũ vero adſtringit.11°.de ſim.m.fa.5ª.82.C
Gallorum vetulorum ius aluum mouet.de ther.ad Piſ.5ª.90.H|de diſſolutione continua. Sp.75.A
Gallorum lacte altorum teſtes in ſyncope ex ſuccis tenuibus. 12°. methodi medendi. 7ª.78.A
Gallorum criſtæ & palearia nec probandæ nec improbandæ. 3°. de aliment.facul. 2ª.29.F
de Gallorum criſtis,vel ruffis inſomnium quid ſignificet.in 1ᵐ. de morbis vulg.com.3°. 3ª.117.H
Gallorum teſticuli languentibus dari conſueuerunt.de victus ratione in morbis acutis,com.1°. 7ª.113.C
Gallorum teſticuli dandi in tertiana.1°.de arte cur.ad Gla. 7ª.97.D
Gallorum teſtes quando optimi.3°.de alim.fac. 2ª.29.F
Gallorũ adeps in medio eſt anſerini & ſuilli. 11°.de ſim. me.fa.5ª.79.A
Gallorum adipe valentior eſt anſerinus.5°.de ſimp.me.fac. 5ª.34.E
Gallorum agreſtium adipem tenuiorum partium eſſe quàm domeſticorum,collige.3°.de comp.me.per ge. 5ª.232.G
Galli ſeuum tenuiũ partium,& altius deſcendit.14°.met.me. 7ª.93.E
Galli veteris pinna commoda ad verrucas.14°.met.me. 7ª.93.A
Galli ſanguinem ad hæmorrhagiam meningum nõ probat Galenus.10°. de ſimp.med.fac. 5ª.73.B
Galli fel ad oculos.10°.de ſimp.med.fac. 5ª.74.F
GALLI viride.2°.de comp.me.per ge. 5ª.219.C
in Gallis expertus eſt theriacam Galenus.de theria.ad Piſo.5ª.90.A
ex Galli libris antidotus.8°.de comp.med.ſec.loc. 5ª.194.H
Galli Marci Aſclepiadei pharmacum.8°.de comp.me.ſe.lo. 5ª.192.G
Galli aridum.5°.de comp.me.per ge. 5ª.252.F
Galli aromatica optime ad omnia facit.2°.de anti. 5ª.115.H
Galli arteriaca.7°.de comp.me.ſe.lo. 5ª.179.D
ex Galli libris fluxiones ſiſtens.7°.de comp.me.ſe.lo. 5ª.183.G
Galli ſtomachica.8°.de comp.me.ſe.lo. 5ª.189.B
Galli Aelij theriaca,quam dedit Cæſari.2°.de anti. 5ª.116.A
Galli alia theriaca.2°.de antidotis. 5ª.116.A
Galli emplaſtra.2°.de comp.me.per ge. 5ª.227.D
Galli pinguis compoſitio.9°.de comp.me.ſe.lo. 5ª.204.H
GALSAMACH pelliculæ quædam vuluæ ſubiectæ.de ana. vi.Sp.49.E
GAMES compoſitio.de med.exper. Sp.106.H
GAMMARI habent tenuem teſtam.3°.de alim.fac. 2ª.32.C
Gammari non habent palpebras.de inſtr.odor. 1ª.112.B
Gammari ſunt humidi carne,& ſicci cute.2°.de temp. 1ª.21.A
Gammari conueniunt ſtomachicis.8°.de comp.me.ſe.lo. 5ª.192.C
GANGLIVM quid.fin.med. Iſa.48.H
Gangliorum tumor diuerſus ab alijs.ad Thraſ. 2ª.105.A
Ganglia fiunt in neruis à frigido.in 6ᵐ.de mor.vul.com.3°. 3ª.172.F
Ganglia ex humoribus fiunt commixtis.de cauſ.mor. 3ª.8.B
in Ganglijs inutile deponit natura,& in alijs huiuſmodi poſſionibus.de cauſis morborum. 3ª.9.D
Ganglio ſimilis quædam ſubſtantia neruis vnita,vnde videntur craſſiores.16°.de vſu partium. 1ª.216.F
Gangliorum curatio.introd. Iſa.59.H
Ganglio alligata ipſum diſſipat plumbi bractea.9°. de ſimp. medicamẽ. facultatibus. 5ª.70.F
Ganglia diſcutiens.5°.de comp.med.per gen. 5ª.250.B
ad Ganglia.6°.de comp.me.per ge. 5ª.262.B
GANGRAENA vnde nomen habuit.2°.met.me. 7ª.9.E
Gangrænam quid proprie medici vocent.com.7°.aph.50°. Ex.58.B
Gangræna,& carbũculus quid,& ante vlcus bullæ,cur. de tumoribus præter naturam. 3ª.83.H
Gangræna quid. fin. med. Iſa. 49. D|de tum. præter nat. 3ª. 84. D|2°. de locis

de locis affectis.4ª.10.D/2°. de arte cur. ad Glauconem. 106. H/de artic.commen.3°. 7ª.284.H
Gangræna quid ſit in venis.de fract.com.2°. 7ª.235.D
Gangræna eſt morbus ex inæquali intemperie.de inæq.intemp. 3ª.43.B
Gãgræna ĩ parte eſt inæqualis ĩtẽperies cũ fluxione.de inæq.in. 3ª.43.B
Gangræna vnde oriatur.in 6^{m}.de mor.vulg.com.2°. 3ª.165.H
Gangrænæ ex vitioſis ſuccis naſcuntur.3°.de ſympt.cau. 3ª.25.B
Gangrænæ ex mixtis humoribus fiunt.de cau.mor. 3ª.8.B
in Gangrænam, vel in putredinem terminatur inflammatio.de tot.mor bi temporibus. 3ª.89.H
Gangræna poſt magnas inflammationes.de tum.præt.nat. 3ª.83.H
in Gangrænis naturalis color mutatur.de ſymp.diff. 3ª.13.B
Gangræna affectus partium exteriorum palpebrarum.introd. Iſa.58.D
Gangræna in oculo totum oculum exercet.introd. Iſa.58.D
Gangrænæ curatio.2°.de arte cur.ad Glau. 7ª.106.H
in Gangræna vſus centaureæ prodeſt.de virt.cent. Sp.93.F
Gangrænas iuuat lupinus.6°.de ſimp.me.fa. 5ª.48.C
Gangrænas ſanat oleum ex nucibus.7°.de ſimp.me.fa. 5ª.49.B
ad Gangrænas ſal.2°.de arte cur.ad Glau. 7ª.107.A
in Gangrænis ſcarificatio.2°.de arte cur.ad Glau. 7ª.106.H
Gãgrænas non patiens latius ſerpere.5°.de comp.me.per gen.5ª.246.E
ad Gangrænas.5°.de comp.me.per ge.247.D/6°. 5ª.257.A
GANGRAENICVM pharmacum.4°.de comp.me.per gen. 5ª.243.D
GANGRAENOSA vlcera.1°.de arte cur.ad Glau. 7ª.98.G
Gangrænode vlcera iuuant tithymalli.8°.de ſimp.me.fa. 5ª.62.D
γαργαρεών quaſi plectrum.7°.de vſu par. 1ª.157.H
Gargareon quid.fin.med.Iſa.44.D/6°.de comp.me.ſe.lo. 5ª.172.E
ad Gargareona, & gingiuas à capite cur materia tranſmittatur.2°.de differentijs febrium. 3ª.40.H
quo GARGARISMATE vtendum in angina. de præcognitione ad Poſthumum. 4ª.219.C
pro Gargariſmis adſtringentia moderata quæ, quę fortiora, & quæ for tiſſima.6°.de comp.me.ſe.loc. 5ª.172.F
GARGARIZATVS ad fauces, & pariſthmia.4°. methodi medendi. 7ª.29.A
GARIOPHYLLVM qd valet in medicamentis.de med.exp.Sp.104.B
Gariophyllorum puluis datur ad debilitatem virtutis digeſtiuæ.de medicinis expertis. Sp.106.F
GARIOPHYLLATVM ad catharrum quõ fiat.de dyna. Sp.22.D
GARRIRE doctus, verũ ineptus dicere, dixit comicus. 3°. de differẽ. pulſ.60.E/4°.de dignoſ.pul. 4ª.85.A
GARRVLI fiunt cum garrulis diſputantes, dictum vetus philoſophorum.3°.de dec.Hipp. 1ª.244.B
GARVS dulcis.1°.de alim.fac. 2ª.9.C
Garum recipientia qualia ſint.2°.de alim.fac. 2ª.26.C
Garo ſimilis eſt ſalſugo piſcium ſalſorum.11°.de ſimp.me.fa. 5ª.83.G
Garum calidum & ſiccum multum.11°.de ſimp.me.fa. 5ª.83.G
Garum hiſpanum.3°.de comp.me.ſe.lo. 5ª.142.F
Garum acidum.5°.de comp.me.ſe.lo. 5ª.163.B
Garum facit ad delectationem.de vict.rat.in morb.acut.cõ.1°. 7ª.111.H
ex Garo quĩ cibi præſumuntur.2°.de alim.fa. 2ª.18.G
cũ Garo ficis ante cibum vulgo veſcuntur.2°.de alim.fa. 2ª.17.F
cũ Garo coctum ouum, eſt compoſitum ex partibus facultate diuerſis. de vict.rat.in morbis acutis, com.1°. 7ª.111.H
cũ Garo & oleo quĩ cibi poſt ſumuntur.2°.de alim.fa. 2ª.18.G
cũ Garo, & oleo coctum cerebrum, quale.de victus ratione in morbis acutis, commen.1°. 7ª.111.G
Garum ex ſe ſoluit.2°.de alim.fac. 2ª.20.B
ex Garo & oleo ante cibum aſſumptis oleribus ſoluitur ſenum aluus. 5°.de ſanit.tuen. 2ª.93.E
cũ Garo & oleo olera deijcere faciunt aluum.6°.de ſan.tu. 2ª.97.F
Garo & oleo olera deijcere faciunt.6°.de ſan.tu. 2ª.99.D
cũ Garo & oleo maluæ ſubducũt vẽtriculũ.2°.de alimen.fac. 2ª.20.B
Garum ad vlcera putreſcentia valet, dyſentericis & iſchiadicis inijcit. 11°.de ſimp.med.fac. 5ª.83.G
Garum catharticum quomodo fiat.de dyn. Sp.22.G
Garũ catharticũ melancholicũ humorẽ maxime educit.de dy. Sp.22.G
Gari doſis.de dyna. Sp.22.G
Garum nigrum quod Romani Sociorum appellant.3°. de comp. medica. ſecundum locos. 5ª.144.A
Gari Ioachi martyropolitæ confectio.3°.de med.fac.par. 7ª.175.B
GASTROCNEMIA, id eſt tibiæ venter. de muſc. diff. 1ª.51. F/ de ijs quæ in med.ſi.com.2°. 7ª.209.E
GASTRORAPHIAE vocantur abdominis ſeu vẽtris ſuturæ. de muſc. diſſect. 1ª.50.C
GAVDERE ac moleſtari eadem re ſimulq́, eandem rem & appetere & abhorrere idem vnum ſimplex & incompoſitum non poteſt. 5°.de decre.Hipp. 1ª.259.E
Gaudet ſpiritus viſiuus colore cyaneo.de ana.viuo. Sp.57.E
GAVDIVM eſt proprietas ſanguinẽ conſequens.de ana.viu. Sp.45.E
ad Gaudium pertinentium rerum omnium naturæ affinis eſt Iuppiter. de ſpermate. Sp.40.C
Gaudium quõ cor relaxet.in 6^{m}.de mor.vul.com.5°. 3ª.190.G
Gaudium facit animi deliquium.2°.de ſymp.cau. 3ª.23.E
ex Gaudio animi defectus quõ curetur.1°.de arte cur.ad Gla. 7ª.99.G
in Gaudio, & timore excrementorum præter voluntatem exitus.2°. de ſymp.cau. 3ª.23.B
Gaudium quandoq; interimit.12°.meth.me. 7ª.77.D
Gaudio ingenti aliquĩ mortui vt ex timore.2°.de ſymp.cau. 3ª.23.E
Γαυσός cum acuto accentu dicendum ſit, an γαῦσος cum circunflexo, in dubio eſt.de fract.com.3°. 7ª.240.G
GAZIRICVM præſuccũ ictericis cõuenit.de cura icteri. Sp.111.C
GELIDA aqua nix frigidior.de marc. 3ª.48.B
GELIDA febris.in 6^{m}.de morb.vul.com.1°. 3ª.160.A
GEMELLI ita ſimiles vt non cognoſcantur.9°.de decr.Hip. 1ª.286.C
Gemelli bene à domeſticis cognoſcuntur, ſed non ab alijs.de cuiuſq; animi peccatorum notitia atq; medela. 2ª.56.F
Gemellorum ſimiliũ comparatio ad medicamenta.1°.de anti. 5ª.105.B
Gemelli quid ſint in cerebro.9°.de anat.admi. 1ª.105.F
Gemelli vocantur teſtes honeſtius.9°.de ana.adm. 1ª.105.F
GEMENTES quomodo reſpirent.com.6°.aph.54°. Ex.53.C
GEMINATVM cerebrum.de ana.viu. Sp.48.A
an Geminetur hepar in homine, dubium eſt.de ana.viu. Sp.48.A
Geminatus pulmo cur.de ana.viu. Sp.48.A
GEMINI quando fiunt.fin.med. Iſa.49.G
Gemini, & trigemini quomodo fiant, & cur.de hiſt.philo. Sp.10.G
GEMINI calidum eſt ſignum in ſecundo gradu, humidum in primo. de ſpermate. Sp.38.H
Gemini, libra, aquarius ſunt occidentales, aerei, calidi, & humidi. de ſpermate. Sp.38.H
GEMIPARAE mulieris caſus.in 3^{m}.de mor.vul.com.3°. 3ª.151.C
GEMITVS ex thorace non ex corde.3°.de decr.Hipp. 1ª.246.F
GENAE quæ.introd. Iſa.53.B
Genam minorẽ q̃ homo habeat, nullũ aĩal habet.10°.de vſu pa.1ª.184.H
Genã maiorẽ aſino, aut equo nullũ animal habet.10°.de vſu pa.1ª.148.H
Gena inferior quibus animalibus maxima, & quibus minima. 11°. de vſu partium. 1ª.185.A
Gena inferior quibus animalibus media.11°.de vſu par. 1ª.185.A
Genam vtranq; quĩ muſculus moueat, inuenit author libri de motibus manifeſtis & obſcuris.de mot.man.& obſ. Sp.67.C
Genæ à lato muſculo mouentur.4°.de loc.aff. 4ª.23.D
Genam muſculorum mouentium magnitudo.11°.de vſu par. 1ª.186.D
Genam retrahentium muſculorum actio conſeruatur, dum dormiunt nõ aperto ore.2°.dẽ mot.muſc. 1ª.314.E
Genarum pili cur in nobis.11°.de vſu par. 1ª.189.D
Genæ ſi rubent indicationis eſt ſignũ.1°.de arte cur.ad Glauc.7ª.100.D
Genæ cur rubent in purulentis.in prog.com.2°. 4ª.204.E
p̃ Genas expurgatur oculus.1°.de ſani.tu. 2ª.68.D
Genæ quomodo læduntur ſine mandibula.4°.de loc.aff. 4ª.24.C
Genæ occluſæ quibus aperiuntur.5°.de ſimp.me.fa. 5ª.35.G
Genarum affectus quĩ.fin.med. Iſa.48.E
ad Genarum exanthemata.de remedijs paratu facilibus. 7ª.157.D
ad Genarum papulas.de remed.par.fac. 7ª.157.D
Genas proprietate ſiccat minium.de ſimp.med. Sp.81.C
Genæ particula tenuis diſciſſa non augetur, nec coaleſcit. commenta.2°. aphoriſmo.19°. Ex.48.B
Γενειὰς vinculum ſub mento circumagitur.de faſcijs. 7ª.295.A
GENERABILIS ſubſtantia mutatur in qualitatibus ſecre. Sp.96.F
Generabilis ſubſtantia mutatur quatuor qualitatibus.de motibus manifeſtis & obſcuris. Sp.67.G
Generabilia corpora duabus trãſmutationib° ſubijciunt.1°.de ele.1ª.7.A
Generalia artis ſcienda.6°.de comp.me.per ge. 5ª.257.C
in Generalioribus ſpecialia cõtineni.d vic.rat.in mo.ac.c.2°. 7ª.124.G
Generalẽ hominẽ nõ particularẽ curabãt methodici.3°.met.m. 7ª.20.F

GENERANTVR *oīa ex quatuor elementis.in tim.Plat.* 1ª.287.B
Generantur proprie animalia,non morbi.de morb.temp. 3ª.85.C
quo modo Generentur embriones imperfecti.de compagine membrorū ſiue de natura humana. Sp.59.H
Generat terra corporis naturam.de ſpermate. Sp.40.E
Generent quæ mulieres,& qui viri,& qui ſemper,& qui quandoq;.cō men.5°.aph.62°. Ex.44.E
Generantur mares in dextro vteri latere, fœminæ in ſiniſtra, ſecundum Hippocratem.bre.denot.dogm.Hipp. 1ª.231.C
Generatur pulſus cum animali,& moritur cum eo.cōpen.pul. Sp.65.C
Generant & alterant pulſum variantes cauſæ,& quæ ſint.1°. de cauſis pulſuum. 4ª.86.G
Generātes cibi bonos humores inter tenues,et craſſos.đ diſ.cō. Sp.73.H
quæ Generant humorem bonum,& craſſum.de diſſol.cont. Sp.74.E
non Generant ſanguinem purum,mundum,& clarum cibi non temperati.de diſſol.cont. Sp.74.A
Generant ſanguinē craſſum miliū,& panicum.de diſſol.conti. Sp.74.B
Generata ex ſanguine renaſcuntur.de ana.viu. Sp.44.F
Generant phlegma piſces duri quibus dominatur viſcoſitas. de diſſolutione continua. Sp.74.H
Generant chymum frigidū pira,& poma,ſi matura comedantur, cucumeres etiam,citruli,aqua bathecæ,cucurbitæ.de diſſ.cont. Sp.74.C
Generant fungi humorem craſſum,& frigidum.de diſſol.cont. Sp.74.B
Generātes facile atrā bilē,qui hoīes.de mel.ex G.R.et Poſſ. Sp.109.G
Generantes atram bilem cibi,qui.de diſſ.cont. Sp.74.B
Generant melancholiam piſces ſaliti,& antiqui.de diſſ.cont. Sp.74.B
Generant melancholiam caules.de diſſ.cont. Sp.74.C
Generant atram bilem lentes.de diſſ.cont. Sp.74.B
Generant craſſum nutrimentum & corruptibile oua cocta in degamine, vel in teſtis.de diſſol.cont. Sp.74.B
Generat lac oppilationem in iecore,& lapidem in renibus. de diſſolutione continua. Sp.75.B
Generantiū ciborū malos humores,tres ſpecies.de diſſ.cont. Sp.74.A
Generant malos humores olera omnia.de diſſ.cont. Sp.74.C
Generant ſuperfluitates putridas ficus ſiccæ.de diſſ.cont. Sp.74.B
Generant pediculos ſiccæ ficus.de diſſ.cont. Sp.74.C
quando Generatur in ſtomacho & in reliquo corpore phlegma ex craſſitie ciborum aſſumptorum aut ex multitudine eorum, conueniunt cibi acetoſi.de diſſ.cont. Sp.72.G
ſi Generatur cholera in ſtomacho velociter, multa conueniunt quæ extinguunt acuitatem choleræ,aut quod prætermittantur res generantes ipſam.de diſſ.cont. Sp.71.F
ſi Generatur phlegma in ſtomacho oportet ipſum lauare, & abſtergere.de mot.man.& obſ. Sp.71.F
cur Generet̄ i epiglottide hūor viſcoſus pituitoſus.đ vo.et an. Sp.60.H
Generat̄ humiditas in duabus glādulis colli.de voce & anhel. Sp.61.C
Generatur lapis in renibus nociturus ex continuo vſu ciborum acutorum.de diſſolu.conti. Sp.72.F
GENERATIO *cur ita dicta.1°.de nat.fac.* 1ª.292.B
Generatio quid.1°.de nat.fac. 1ª.291.E
de Generatione ſecundum antiquos.1°.de nat.fac. 1ª.292.H
Generatio vna ex actionibus,q̄ operibus reſpōdēt.1°.de nat.fa. 1ª.291.E
Generatio ē pricipiū naturæ operū,& quaſi caput.1°.đ na.fa. 1ª.292.C
Generatio qui motus ſit.1°.de nat.fac. 1ª.290.H
Generatio eſt via de impfecto ad perfectū.an oēs anim.partiū. 1ª.326.D
Generatio abſolute eſt via in ſubſtantiam.2°.met.me. 7ª.10.B
Generationis,& auctionis differentia.2°.de nat.fac. 1ª.297.G
Generationi,& corruptioni ſubiecta ſubſtantia,quæ.de mul. 3ª.77.A
in Generatione poſitæ res ſi diffiniantur per cauſam efficientem,ea diffinitio optima eſt.4°.de differentijs pulſuum. 4ª.67.H
Generatio non fit ex vno.1°.de elemen.8.C/de nat.hu.com.1°. 1ª.29.E
Gn̄atio nō ſit ſi vnū elementū ſuperet alterū vehemēter.1°.de ele. 1ª.8.C
in Generatione id elementum primo dandum,quod maxime exiccat.1°. de ſanitate tuenda. 2ª.62.E
in Generatione quantum ignis miſcetur.1°.de ſa.tu. 2ª.62.E
Generationē tollit qui dicit vnū eſſe vniuerſum.de nat.hu.cō.1°. 1ª.29.B
Generationem negantes reprehenduntur.de nat.hum.com.1°. 1ª.29.B
in Generatione ſubſtantia alteratur.1°.de nat.fa. 1ª.291.E
Generatio cōſtat ex alteratione,& formatione.1°.de nat.fac. 1ª.291.E
in Generatione quæ primo generantur.1°.de nat.fa. 1ª.291.F
Generatio etiām dicitur in accidentibus.2°.met.me. 7ª.10.A
Generatio nihil ſimile habet ei quod digeritur.1°.de ſem. 1ª.332.H
Generationis,& diſpēſationis principiū nō eſt idē.de fœt.for. 1ª.325.A
Generationis principia ꝓ materia quæ ſint.de cur.rat.p ſan.m. 6ª.16.C
Generationis materia proxima in animalibus,quæ.1°.de elem. 1ª.8.F
Generatio fœcunda cur à natura facta.14°.de vſu par. 1ª.205.A
Generationis principia vnde ſint.de ana. viu. Sp.47.D
ad Generationē duo ſufficiunt ſi ſunt cognata, & in eſſentia coniuncta. de nat.hum.com.1°. 1ª.29.D
Generatio non fit niſi ex familiaribus.de nat.hum.com.1°. 1ª.29.E
Generatio fit ex menſtruo, & principio agitatorio quod à mare fit.1°. de ſemine. 1ª.330.D
ad Generationem duo animalia reqri melius eſt.15°.de vſu pa. 1ª.210.C
Generatio noſtra ex humido eſt.com.1°.aph.14°. Ex.7.F
in Generatione ſentiuntur mutationes æſtatis,hyemis,pluuiæ, et ſiccitatis,quæ mutationes apud Europæos ſunt magis q̄ apud Aſianos, & cu.de aere,aquis,& locis. 2ª.6.B
in Generationis inſtrumentis inſtrumentum mulieris comparatur ad virum vt cera ad ſigillum.de anatom.viu. Sp.51.E
Generatiōis īſtrumētorū actio nō fit à volūtate.đ mo.ma.et ob. Sp.68.F
Generationis noſtræ primordia ſanguis & ſemē.1°.de ſa.tu. 2ª.62.E
in Generatione quo modo ſe habet maris ſemē.2°.de nat.fa. 1ª.297.E
ad Generationem eodem modo mouetur ſemen viri, & mulieris.14°. de vſu partium. 1ª.206.C
ad Generationem nihil facit glandularum humor qui aliquando in coitu effunditur à muliere.14°.de vſu par. 1ª.208.C
Generatio maris,& fœminæ vbi fiat.de cōp.mē.ſiue de na.hu. Sp.59.D
Generationis diuerſitas in parentibus,& i filijs notat̄.de ſper. Sp.38.A
Generatio animalis,diſpenſatio à tribus principijs conſiſtit.de virt. noſtrum.corp.diſpen. Sp.60.C
Generatio cordis,cerebri,hepatis,ex quibus ſit.de ana.viu. Sp.51.H
ad Generationem cordis intendit ſpiritus vitalis.de ana.viuo. Sp.51.H
Generatio ſpiritus in qua parte cordis fiat. de ana.viu. Sp.52.G
ad Generationē hepatis intendit ſpiritus naturalis.de ana.vi. Sp.51.H
ad Generationē hepatis intēdit ſpiritus animalis.de ana.viu. Sp.52.A
Generatio ſanguinis eſt actio hepatis.de vir.noſt.corp.diſpēſ. Sp.60.D
Generatio muſculorum laryngis,quæ.de voc.inſtr.diſſ. 1ª.106.H
Generationis vocis initium vbi.de voce & anhel. Sp.61.D
ad Generationem animalium per putredinem non ſatis eſt putredo, ſed etiam indigemus plurimo calore.com.3°.aph.26°. Ex.25.F
Generationem humoris craſſi in corpore timenti conueniunt cibi ſubtiliantes.de diſſol.cont. Sp.72.D
Generationem oppilationis in hepate,aut ſplene timenti conueniunt cibi ſubtiliantes.de diſſol.con. Sp.72.D
Generationem phlegmatis in renibus,aut in pectore,aut in cerebro,aut in iuncturis timenti cōueniunt cibi ſubtiliantes.de diſſ.cont. Sp.72.D
Generationis lapidis cauſæ.de cura lap. Sp.112.C
Generationem lapidis prohibentia.de cura lap. Sp.112.B
GENEROSIORES, *& degeneres facit temporum mutatio. de aere, aquis,& loc.* 2ª.5.B
Generoſi minus indignantur.5°.de decr.Hipp. 1ª.259.H
GENESIAE *Cleopatræ libri.de paſſ.mul.* Sp.95.G
Γενεθλιακοὶ *qui vocentur.de vict.rat.in morb.acut.com.1°.* 7ª.110.A
GENISTA *trahit.8°.de ſimp.med.fac.* 5ª.61.C
GENITALIA, *& thorax habent conſortium.in 3m. de mor. vulgari. commenta.3°.* 3ª.148.E
Genitalia membra intra abdominis membranam deſcribuntur,& quaſi delineantur primo,poſtea foras emergunt.2°.de ſem. 1ª.239.E
in Genitalibus differentia maris,& fœminæ,quæ.2°.de ſem. 1ª.339.E
Genitalia eadem ſunt in maribus,& fœminis,ſed differunt ſitu,& magnitudine.2°.de ſem. 1ª.339.D
Genitalia in fœminis eſſe intus,et nō extra,nō mirū.2°.de ſem. 1ª.339.G
ꝗ Genitalia intus habeant fœminæ,quid commodi humano generi afferant.2°.de ſemine. 1ª.339.G
Genitalium virorum,& mulierū nutritiones vnde.2°.de ſem. 1ª.339.D
in Genitalibus partibus ſunt parui nerui,ſed non circa pudēdum, quia ibi magni.14°.de vſu par. 1ª.209.D
in Genitalibus eadem eſt neruorum origo in mare, & fœmina. 2°. de ſemine. 1ª.339.E
ad Genitalia breui veniūt venæ,et arteriæ,et vn̄.14°.đ vſu p. 1ª.209.C
ad Genitalia duo nerui conuenienter veniūt.14°.de vſu par. 1ª.209.C
ad Genitales partes quare quandoq; ſanguis mittatur. commentario. 5°.aphoriſ.53°. Ex.42.D
Genitalium putredines quid ſint,et vn̄ oriantur.c.3°.aph.21°. Ex.24.D

ad vim

ad vim Genitalium,& veteres affectus.3°.de med.fac.par. 7ª.173.H
Genitalis meatus dicitur varicoſus aſſiſtens.1°.de ſem. 1ª.333.E
Genitalis meatus vbi ſit.1°.de ſe. 1ª.333.E
de Genitalis virgæ anatomia.de ana.viuo. Sp.52.E
Genitales partes cur extenduntur in coitu.14°.de vſu par. 1ª.208.A
Genitale ſemen.14°.meth.me. 7ª.90.C
Genitale ſemen ad quid ſit vtile.bre.deno.dogm.Hipp. 1ª.231.C
Genitale virus quid.in progn.com.1°. 4ª.197.B
Genitalia ſtatim ab initio cognoſcũt actiões ꝓprias.6°.de lo.af.4ª.42.D
Genitalem cur vocet Plato dorſalem medullam.in tim.Plat. 1ª.287.H
GENITORIS qualitatem trahit infans.de ſper. Sp.37.A
Vide Pater.
GENITVM quod eſt,immortale fieri non poteſt.1°.de ſan.tuẽ.2ª.67.E
Genitum interire non habet rationem.de marc. 3ª.45.G
Genitum omne cur intereat.6°.de ſan.tuen. 2ª.96.F
Genitorum nuper puerorum pulſus,qui compend.pulſ. Sp.65.E
Genita cur ſint in extremis partibus cutis pilis vngues.ĩ ti.Pl.1ª.286.G
Geniti ex quibus ſint vngues.in tim.Plat. 1ª.286.H
GENITVRAE figura conſideranda eſt.de decub. progn. ex mathematica ſcientia. Sp.12.G
GENITVRA quid ſignificet.de diſſect.vul. 1ª.108.C
Genitura quid ſit apud Hippocratem.1°.de ſe. 1ª.331.E
Genituram γόνον appellare ſolet Xenocrates.10°.de ſim.me.fa. 5ª.72.C
Genitura differt à ſemine.fin.med. Iſa.49.E
Genituræ origo ex ſeminis ſubſtantia.1°.de ſa.tuen. 2ª.62.E
ex Genitura vtraque viri & fœminæ,fit fœtus.2°.de ſemine. 1ª.336.A
de Genituræ temperamento eadem ſunt dicenda,quæ de temperamento vteri.de na.hu.com.1°. 1ª.29.E
Genitura humidior familiaris eſt vtero ſicciori, ſiccior humidiori,frigidior calidiori,calidior frigidiori.de nat.hum. 1ª.29.E
ſi Genitura in ſpiritum difflatur,cur vterus non multum intumeſcit.1°. de ſemine. 1ª.329.F
à Genitura 1ª.ad adoleſcẽtiã caro humidiſſima eſt.6°.de ſa.tu.2ª.96.D
Genituræ,ſtercoris,vrinæ euacuatio naturalis eſt.in 6ᵐ. de morbis.vulgaribus,commen.3°. 3ª.173.E
Genitura quibus abundat naturaliter,ijs venus innocua eſt.6°.de ſanitate tuenda. 2ª.96.H
Genituræ profluuium quod.fin.med. Iſa.47.G
Genituræ ꝓfluuiũ cohibet lactuca.6°.de ſimp.me.fac. 5ª.48.E
Genituram exiccat Canabis ſemen ſi pluſculum edatur. 7°. de ſimpliciũ medicamen.facul. 5ª.49.G
ex Genitura,& ſanguine fœtus.intro. Iſa.52.E
Genitura quæ per ſex dies in locis fuit,qualis.de fœt.for. 1ª.322.C
Genituræ ſimile eſt ſublimamentum.in prog.com.2°. 4ª.201.D
Geniturę ſimilis ſuſpenſio in vrinis.in 3ᵐ.de mor.vul.com.3°. 3ª.135.C
Genituræ ſimiles ſuſpenſiones rotũdæ.in 1ᵐ.de mor.vul.c.3°. 3ª.121.A
GENIVS in homine qualis.5°.de decre.Hipp. 1ª.257.F
in GENTIS alicuius,aut ciuitatis adminiſtratione explicanda,prima eſt origo repetenda 6°.de decre.Hippo. 1ª.264.B
GENTIANA quid.de ſimp.med. Sp.84.G
Gentiana naſcens in Italia,quando æqualis illi,quæ naſcitur in Creta.1°. de antidotis. 5ª.105.D
Gentiana acres,excalfactorias,& relaxantes vires habet, partũ expellit,ſerpẽtẽ oẽm fugat,aducrſus venenoſa ꝓdeſt.de ſim.me. Sp.84.G
Gentiana medicamentaria & calida facultate prædita eſt. 9°. de comp. med.ſecundum locos. 5ª.197.F
Gentiana eſt multum amara.6°.de ſimp.me.fac. 5ª.45.E
Gentiana eſt amarior abſinthio.de cura icteri. Sp.111.A
Gentiana incidit.14°.meth.med. 7ª.91.D
Gẽtiana multũ extenuat,purgat,abſtergit.6°.de ſimp.med.fac. 5ª.45.E
Gentiana purgat gibbam hepatis partem.de cathar. Sp.95.C
Gentiana digerit.14°.meth.med. 7ª.91.D
Gentianæ radix ad neruos vulneratos.3°.de comp.me.per ge. 5ª.234.B
Gentianæ decoctio datur ad frigiditatem membrorum,& ad fluxum ex ea.de med.exper. Sp.106.F
GENV quid ſignificet apud antiquos.de frac.com.2°. 7ª.240.C
Genua,quæ.introd. Iſa.53.E
in Genibus oſſa ſunt facta propter motum.11°.de vſu par. 1ª.191.C
Genu quo femur ingrediatur.de frac.com.2°. 7ª.240.C
Genu cur habet mollem ſubſtantiam.1°.de vſu par. 1ª.115.G
ſupra Genu rotula,quid ſit.3°.de vſu par. 1ª.134.F
upra Genu rotula,cur.3°.de vſu par. 1ª.134.F
à Genu rotula euulſa cuidam puero.3°.dc vſu par. 1ª.134.G
in Genu ligamenta validiſſima,quæ.3°.de vſu par. 1ª.134.H
in Genu articulo quatuor regiones.3°.de vſu par. 1ª.134.H
in Genu articulo regiones magis periculoſæ quę, & quæ minus. 3°. de vſu partium. 1ª.134.H
Genu articulatio qbus flectat̃,& qbus extẽdat̃.3°.de vſu par. 1ª.135.C
Genu dearticulatio quo modo ſe habeat.3°.de vſu par. 1ª.134.F
Genu dearticulationem mouent muſculi nouem.de muſ.diſ. 1ª.51.C
Genu dearticulationẽ mouẽtcs muſculos,et ſi nouẽ eſſe oſtẽderit, tñ dicit eſſe octo,ne ab antiquis in re minima diſſentiat.de muſ.diſſ. 1ª.51.G
Genu dearticulationem qui muſculus extendat.de muſ.diſſ. 1ª.51.F
Genu articulationẽ q muſculus ad exteriora inuertat.de muſ.diſ.1ª.51.A
ad Genu vſque muſculus tenſus.15°.dc vſu par. 1ª.214.B
ad Genu nullus neruus.16°.de vſu par. 1ª.218.C
Genu non confert abſinthium.14°.meth.med. 7ª.88.D
dc Genuum,& tibiarum paſſionibus.de dyn. Sp.30.A
Genu morbi,qui introd. Iſa.59.D
Genuum grauitas indicat per inferiora debere purgari. commenta. 4°. aphoriſmo 20°. Ex.29.C
in Genuum grauitate elleborus eſt dandus.de victus ratione in morbis acutis,com.4°. 7ª.144.G
de Genu,quod rigore facile afficiebatur caſus.3°.de compoſitione medicamentorum per ge. 5ª.229.B
pro Genu patiente à frigore & dolente euphorbium cum oleo, & cera. 3°.de comp.med.pcr ge. 5ª.229.B
Genuũ articuli & manuũ ob quid intumeſcant.c.6°.apho.30°.Ex.49.C
Genu dolorem ſignificat vrina ſuperius clara,inferius nebuloſa,& ſubliuida.de dyna. Sp.35.D
ad Genu tumorem.de dyna. Sp.30.B
ad Genuum tumores diuturnos.9°.de ſimp.me.fac. 5ª.68.A
ad Genuũ tumorem inueteratum ſtercus caprinum valet.10°.de ſimpl. med.facul. 5ª.76.E
Genu inflammatione laborans relaxatur.de ſectis. Iſa.17.D
ad Genuum debilitatem.3°.de med.fac.par. 7ª.176.D
Genua dolent concepto in bilis horis.de ſper. Sp.37.C
Genuum dolores fiunt orobos comedentibus:c.3°.apho.16°. Ex.23.B
aut Genua,aut oculos,aut coxas,aut mammas dolor infeſtabit,& non corrumpent fœtum mulieres,ſi mãmæ quæ ipſis extenuatę fuerant, rurſus duræ fiant.com.5°.apho.53°. Ex.42.C
in Genuũ dolore cur oculi lachrymãtur.de na.& or.cu.cor. Sp.42.D
Genuum ſocietas cum oculis.de na.& ord.cuiuslibet cor. Sp.42.D
ad Genuum dolorem.3°.de med.fac.par.7ª.177.G/de dyna. Sp.30.B
in Genu tres venæ ſunt,& qñ deberent ſecari.c.6°.apho.36°. Ex.50.D
ad Genu fluxus per venæ ſectionem è brachio curatur.2°.methodi medendi. 7ª.101.F
ad Genuum fluctiones diſcutiendas.3°.de med.fac.par. 7ª.173.H
in Genu humores & abſceſſus extrahens. 6°. de compoſitione medicamentorum per genera. 5ª.261.G
ad Genu contorſionem.2°.de comp.me.per ge. 5ª 226.D
de Genu luxatione & repoſitione.de art.com.4°. 7ª.292.D
Genu in quot modos erumpat.de machin. 7ª.315.B
Genu in quot partes prolabatur.de machin. 7ª.321.H
in Genu ſunt benigniores oſſium prolapſiones & dimotiones q̃ in cubiti articulo.de frac.com.3°. 7ª.248.E
in Genu articulus ſolus iuſta, & æquali dcarticulatione iungitur. de fract.com.3°. 7ª.248.H
Genuum oſſa facile reducuntur.de fract.com.3°. 7ª.249.F
ꝙ Genu difficilius reſtauratur cubiti iunctura.de fra.com.3°.7ª.250.A
Genu quando exciderit,ſanatur difficulter.introd. Iſa.60.H
Genu prolapſi curatio.de machi.315.B/ 7ª.321.H
Genu ſuperiorũ partiũ deligatio.de ijs,quæ in med.fi.cõ.2°. 7ª.209.F
Genu inferiorum partium deligatio.de ijs,quæ in medicatrina fiunt, cõmentario.2°. 7ª.209.F
Genua quadrupedum ſunt cibi ſuperfluitates non habentes. de diſſolutione continua. Sp.73.E
GENVS,ſpecies,differentiæ,quando idem ſignificent.6°. de compoſitio. mee.ſecun.loc. 5ª.169.A
Genus,differẽtiã,& ſpeciẽ idẽ appellare,nihil refert.9°.de ſim.me.fac. 5ª.64.H/11°.meth.med. 7ª.67.H
Genus,ſpẽs,forma,& natura pro eodẽ.ad eos qui de typ.ſcrip. 3ª.93.B
Generis nomine dicitur ſpecies.ꝙ animi mores. 1ª.317.E
Generis nomen ſeruantes ſpecies.de comate. 3ª.56.C

Genera in differentias diuidere difficile eſt.1°.meth.me. 7ª.4.E
Generis nomine antiqui quandoque vtuntur in æquiuocis.de vict.rat.in morb.acut.com.4°. 7ª.135.G
Generis eiuſdẽ res per oppoſita mẽbra partiuntur.ad Thraſ. 2ª.108.C
Generibus multis commune eſt ad aliquid.2°.de dif.pulſ. 4ª.55.F
in Generibus,& ſpeciebus vniuerſalibus poſitę ſunt artes,non in particularibus.2°.de diff.pulſ. 4ª.57.B
Genere,ſpecie,& numero idem dicitur.2°.meth.me.14.C/. 7ª.15.A
Genere ſilia quę ẽt ſpecie ſimilia dici poſſunt.4°.de anato.admi. 1ª.81.A
Genus primo exprimendum in diffinitione.4°.de diff.pulſ. 4ª.67.C
Genus quod in diffinitione ponendum, quale ſit & an propinquum. 4°. de diff.pulſ. 4ª.67.D
à quo Genere exordienda ſit diffinitio.8°.de diff.pul. 4ª.67.D
Genericæ quædam ſunt differentiæ,quædam ſpecificæ,quædam magis genericæ,& quędam magis ſpecificæ.2°.de diff.pulſ. 4ª.58.C
à Generaliſſimo per medias differentias deſcendendum.9°.de decretis Hippocratis. 1ª.282.A
Genus triplex Bonorum.in oratione ſuaſoria. Iſa.4.E
Genera tria Ciborum ſubtiliantium,quæ.de diff.cont. Sp.72.E
Genus primum ciborum ſubtiliantium.de diff.cont. Sp.72.E
Genus ſcd̃m ciborũ ſubtiliantiũ,& eius enarratio.de diff.cont. Sp.72.E
Genus tertium ciborum ſubtiliantium quod & in quatuor ſecatur differentias.de diff.cont. Sp.72.E
Genus triplex Experimenti apud Empiricos.de ſectis. Iſa.16.B
ſm Genus Medicamentorum librum fecit Archigenes. 9°. de cõp.me. ſec.loc.198.A/199.G/10°.206.G/ 5ª.208.G
per Genera medicamentorum libri duo quando conflagrati.1°. de compoſi.med.per ge. 5ª.209.G
Genera tria medicamentorũ catharticorũ,& quę.de cathar. Sp.49.D
Genera omnia & ſpecies morborum ſcienda.ſi quis opt.med. Iſa.6.F
Genera duo morborum.ſecretorum. Sp.96.G
Genus,ſpeciem,vel differentiam morbi comitialis ſi quis dicat nihil refert.3°.de locis affectis. 4ª.19.E
Genera duo muſculorum in ſumma manu.de muſcu.diff. 1ª.49.A
Genera quatuor muſculorum in pede,& quæ.de muſc.diff. 1ª.52.G
Genera quæ in pulſibus,& quod vocantur genera,etiam ſi ſint differentiæ.2°.de diff.pulſ. 4ª.55.C
Genera,ſpecies,qualitates,& differentiæ pulſuũ idẽ ſunt.1°.de differentijs pulſuum. 4ª.47.B
Genera,& differentias pulſuum dici negabant quidam. 2°. de differentijs pulſuum. 4ª.55.B
Genus proximum in pulſibus,quibuſdam videtur eſſe motus.4°.de differentijs pulſuum. 4ª.67.D
Genera pulſuum ſm quietem,ſecundum totum robur,ſecundum corpus arterię,quę.compend.pulſ. Sp.65.H
Genera tria rerum præter naturam.de conſt.ar. Iſa.42.C
Generis nobilitas non eſt inter bona propria.in oratione ſuaſ. Iſa.3.B
Genus oſtentantes qui proprijs bonis carent.in oratione ſuaſ. Iſa.3.C
pp Generis nobilitatẽ artiũ ſtudia nõ contẽnẽda.in orat.ſuaſ. Iſa.3.G
ad Generis inſtaurationem partes,quæ.14°.de vſu par. 1ª.204.C
propter Generis ſalutem ac conſeruationem maxima voluptas in coitu & in cibis.14°.de vſu par. 1ª.204.D
GEODES dictus lapis pupillas expurgat.9°.de ſim.me.fa. 5ª.67.D
GEOMETRAE dicuntur non ſolum qui circa plana,ſed etiam circa ſolida verſantur.ad Thraſ. 2ª.109.D
Geometrę inter rationales numerant̃.de cuiuſq; aĩ pec.no. 2ª.60.A
Geometræ occupant primam ſedem apud deum Mercurium. in oratione ſuaſoria. Iſa.2.F
GEOMETRIAE exercentes artem.de cog.cur.q; an.mo. 2ª.54.D
Geometriæ ſcientia qualis.de cuiuſq; animi pec.not.atq; med. 2ª.56.G
Geometria eſt ars nobilis.in oratione ſuaſoria. Ex.5.G
Geometria acuit animum.de cuiuſq; animi pec.not.atq; med. 2ª.56.G
Geometria principalis ars.de cogn.cur.animi morbis. 2ª.54.D
Geometria præcedit Aſtronomiam.ſi quis opt.med. Iſa.6.B
in Geometria eſt methodus certa.de cuiuſq; animi pec.not. 2ª.57.B
Geometria quo modo incedat in ſuis theorematibus.de curan. ratio per ſanguinis miſſionem. 6ª.16.C
Geometrica theoremata.de curan.rat.per ſang.miſſ. 6ª.16.C
Geometria non aufertur,etiam ſi linea ſemper ſit in corpore.2°.de differentijs pulſuum. 4ª.57.B
Geometriam antiquiores primo docebant.de lib.prop. Iſa.13.F
Geometria exercitatio iuuenum eſſe debet.ad eos qd typ.ſcrip. 3ª.92.G
Geometria,& arithmetica tm̃ vtuntur diuites,quãtũ extruẽdis ædibus & cõputandis expenſis conducit.de præcog.ad Poſthu. 4ª.214.B
Geometria diſcenda eſt ante medicinam.1°.meth.me. 7ª.2.E
Geometria multum confert ad medicinam.ſi quis opt.med. Iſa.6.B
in Geometria Poſſidonius verſatus eſt ab ineunte ætate.4°.de decretis. Hippocratis. 1ª.250.F
GERANIS vinculum appellat̃ à gruis ſilitudine.de faſc. 7ª.301.A
Geranis in ſpeciem fiſcellæ.de faſcijs. 7ª.302.A
Geranis in ſpeciẽ fiſcellæ in priori parte ſe oſtendẽs.de faſ. 7ª.302.H
Geranium vinculum eſt varium.de faſcijs. 7ª.293.E
Γερανίδαι vinculũ admouit Hipp.ad fractũ iugulum.de faſ. 7ª.293.E
GEREONIS medicinæ.de med.exper. Sp.105.H
GERMANOS, flauos nõnulli vocant,ſed ſunt ruffi.de ſal.diæ. 2ª.40.E
Germani ſunt humidi temperamento,non tamen frigidi.in 3m. de morbis vulgaribus,com.3°. 3ª.146.F
Germani iracũdi ſunt,audaces,& cõſilij præcipitis.2°.de tẽp. 1ª.20.A
Germani barbari,vrſis,apris,leonibus cõparant̃.1°.de ſa.tuen. 2ª.66.E
Germanorum cutis qualis.2°.de temp. 1ª.20.A
Germani non recte filios regunt.1°.de ſan.tuen. 2ª.66.E
Germani infantulum nuper natũ ad flumẽ portant.1°.de ſa.tu. 2ª.66.E
in GERMANICO bello nihil didicerunt medici. 3°. de compoſi.med. per genera. 5ª.231.F
GERMINA arborum quæ ſint.2°.de alim.fac. 2ª.24.C
Germina arborũ,& fruticũ inter ſe ſunt ſimilia.2°.de alim.fac.2ª.24.B
Germina arborum ſunt lignoſiora.2°.de ali.fac. 2ª.24.B
Germina fruticũ,& arborũ,olerũ aſparagis rñdent.2°.de al.fa.2ª.24.B
Germina nouella mãdũtur qñq; ob neceſſitatẽ.2°.de alimen.fac.2ª.22.B
Germina non mandunt præſtantiores cibos habentes,niſi vrgente fame. 2°.de alim.fac. 2ª.24.C
Germina morborum cocta manduntur.2°.de alim.fac. 2ª.24.C
Germina arborum pariunt malos ſuccos.de bo.& vitio ſuc. 2ª.33.G
Germina qualia eſſe debent.1°.de antid. 5ª.107.D
ex Germinibus oleum dicitur oleum abuſiue.3°.de ſan.tuen. 2ª.79.B
Germen ſinapis vrinam mouet.de cura icteri. Sp.111.D
Germina ſtruthij vrinam mouent.de cura icteri. Sp.111.D
GERMINA adnaſcuntur auribus,naribus,pudendo, & ſedi. de ſymptoma.cauſis. 3ª.28.D
GYROCUMICA ars.de part.art.med. Sp.16.D
Gerocomica,et reſumptiua medicæ artis partes.de par.art.me.Sp.17.D
Gerocomice quæ pars medicinæ.5°.de ſan.tu. 2ª.90.E
Geroc omica pars ſalubris medicinæ.de ſub.emp. Iſa.32.A
GESTABILE quid ſignificet.de art.com.3°. 7ª.270.F
Geſtari,deambulare,& luctari differunt.ad Thra. 2ª.105.A
Geſtatum debet eſſe minus geſtante.12°.de vſu par. 1ª.197.B
ex GESTV ægrorum animi mores produntur quo modo.in 1m.de mor. vulg.com.3°. 3ª.117.H
GETAE ſerui.1°.meth.me. 7ª.2.E
GIBBEROSITAS quid.de articul. commen.3°. 7ª.273.E
ad GIBBERVM vergens angulare in articulo,media eſt figura doloris expers.2°.de mo.muſ. 1ª.315.G
Gibber infra ſeptum morbos renum, & veſicæ facit, & abſceſſus circa ilia & inguina.de arti.com.3°. 7ª.269.G
GIBBOSITAS quid ſit.de art.com.3°. 7ª.268.F
Gibboſitas concomitat̃ ſenes ad mortẽ.com.2°.apho.40°. Ex.18.A
Gibboſitas pulmonis eſt à parte dorſi.de ana.viuo. Sp.48.A
GIBBI qui appellantur ab Hippocrate.com.6°.apho.40°. Ex.51.G
Gibbi efficiuntur ſeneſcentes proceri.com.2°.apho.54°. Ex.19.F
Gibbi circa lumbos habent coxas graciliores.de art.com.3°. 7ª.269.H
Gibbi circa lumbos tarde faciunt barbã & pubẽ.de ar.cõ.3°.7ª.269.H
Gibbi ſupra lumbos ſunt infæcundiores quàm qui ſupra. 7ª.269.H
Gibbi pueri cur non creſcant in ſpina.de art.com.3°. 7ª.269.B
Gibbis pueris ſupra ſeptum non creſcunt coſtæ in latitudinem. de articulis,commen.3°. 7ª.269.C
Gibbi breuioris vitæ ſunt.de arti.com.3°. 7ª.269.H
qui Gibbi ex aſthmate aut tuſſi fiunt,ante pubertatem moriuntur. commentario 6°.apho.46°. Ex.51.G
Gibbi quo modo aliqui fiant tentis intra vertebrarum partibus nõ ſolum recuruationes,& obliquationes.com.4°.apho.35°. Ex.31.F
à GIBBO ventriculi vena ad lienis concauũ.6°.de anat.admi.1ª.91.D
Gibbi iecoris ſectio.6°.de anat.admi. 1ª.93.B
in Gibba hebatis parte ſolæ inueniuntur venæ.de vtil.reſp. Sp.64.G

in Gibba hepatis parte ſanguis fit ex ſucco cocto à meſaraicis. de compag.memb.ſiue de na.hu. Sp.59.A
Gibba hepatis pars quomodo recipiat materias à capite, & ad cauam tranſmittat.com.7°.aph.3°. Ex.56.B
ex Gibba hepatis parte humores educēdi ſunt p vrinas.ð cat. Sp.94.g
Gibbam hepatis partem purgantia,quæ.de cathar. Sp.95.C
in Gibbo ſplenis nec vena eſt,nec arteria.de vti.reſp. Sp.64.G
Gibboſa pars quo modo curetur.de conſt.ar. Iſa.39.D
Gibba ſpina ex ictu quo modo reſtituatur.de machinamen. 7ª.314.H
Gibbus quo modo contingat.4°.de loc.aff. 4ª.24.A
GIGARTA ſiue acinorum vuæ nuclei.6°.de ſimp.med.fa. 5ª.45.E
Gignuntur quæ.2°.de natu.fac. 1ª.297.H
vnde Gignantur vrinæ oleagineæ.quæſ.in Hipp. Sp.113.C
GILVVS color poſt fuſcum.2°.de comp.med.per ge. 5ª.221.F
Gilua emplaſtra.2°.de comp.me.per ge. 5ª.223.F
Giluum ex libris Damocratis.6°.de com.me.per ge. 5ª.262.D
Giluum Haliei.5°.de com.med.per gene. 5ª.248.H
Giluum Haliei quo mō conficeret Galenus.5°.de cō.me.per g. 5ª.248.H
GINGIBER quomodo probetur.4°.de ſa.tuen. 2ª.85.C
Gingiber facile perforari ſolet.4°.de ſa.tuen. 2ª.85.C
Gingiber acris eſt.9°.de ſimp.med.fac. 5ª.64.C
Gingiber quibus conueniat.4°.de ſan.tuen. 2ª.84.F
Vide Zingiber.
GINGIDIPS nomen impoſitum à ruſticis.de atten.vic. 2ª.44.B
Gingidij maximus prouentus in Syria.2°.de alim.fac. 2ª.23.E
Gingidium ſiccum eſt in ſecundo ordinc, calidum in primo.6°.de ſimpli.med.facul. 5ª.45.E
Gingidium medicamentum eſt.2°.de alim.fac. 2ª.23.H
Gingidium amarorem habet.2°.de alim.facul. 2ª.23.H
Gingidium ſtomacho amicum.6°.de ſimp.med.fac. 5ª.45.E
Gingidium ſtomachum iuuat.2°.de alim.fac. 2ª.23.G
Gingidium crudum conuenit ſtomachicis.8°.de comp.me.ſe.lo.5ª.192.C
Gingidium comedunt homines fame adacti.2°.de alim.facul. 2ª.22.B
Gingidium manditur vt ſcandix.2°.de alimen.fac. 2ª.23.G
Gingidium eſt vitioſiſſimi ſucci.de bon.& vitio ſuc. 2ª.37.G
Gingidium non fert magnam ebullitionem.2°.de ali.facul. 2ª.23.G
Gingidium cū aceto collapſam appetentiam excitat. 2°. de alimentorum facultatibus. 2ª.23.G
Gingidium adſtringit.2°.de alim.fac. 2ª.23.H
GINGIVIS, cuti faciei qui muſculi ſenſum præſtent.de ner.diſ.1ª.53.F
Gingiuæ quæ ſint, & quo modo roborentur.5°.de compoſit.medicamentorum ſecundum locos. 5ª.162.G
vt Gingiuæ dentes,ita cutis pilorū radices cōplectūt.in ti.Pla. 1ª.286.H
Gingiuis pſtāt qualitas guſtabilis.de cōpa.mem.ſiue de na.hu. Sp.58.D
in Gingiuis nuper natorum latent dentes.2°.de ſem. 1ª.339.E
in Gingiuarum præſepiolis ſunt dentes.11°.de vſu par. 1ª.187.B
Gingiuis quo modo dentes infigantur.de ana.viuo. Sp.49.D
ad Gingiuas præſeruandas.5°.de comp.med.ſec.loc. 5ª.164.H
Gingiuas, & dentes candidos efficit ariſtolochia rotunda. 6°. de ſimpli.medic.facul. 5ª.43.E
ad Gingiuas corroborandas.5°.de comp.med ſec.loc. 5ª.164.A
Gingiuarum carnem inſtaurans.3°.de med.fac.par. 7ª.172.G
cur ad Gingiuas, & ad Gargareona materia à capite trāſmittatur.2°.de differentijs febrium. 3ª.40.H
quibus in Gingiuas fluxiones procumbunt, quæ exercitatio vitanda.5°de ſanitate tuenda. 2ª.90.A
Gingiuis quo modo nocet lac.3°.de ali.fac. 2ª.28.C
de Gingiuarum morbis.de reme.par.fac. 7ª.164.G
ad Gingiuarum affectiones.5°.de comp.me.ſe.loc. 5ª.165.D
Gingiuarum prurigo vnde fiat pueris, qui dentire cœperunt.commentario 3°.apho.25°. Ex.25.C
ad Gingiuas pueri.de med.fac.par. 7ª.174.F
Gingiuæ cum ex capite ægrotant, qūo curādæ.6°.de ſan.tuen.2ª.100.A
in Gingiuis epulis,id eſt caro ſupercreſcens.5°.de compoſi.medicamen.ſecundum locos. 5ª.164.G
Gingiuas tumētes īpoſitū lētiſcū emēdat & ſanat.de ſimp.med.Sp.85.B
ad Gingiuas tumidas & carnis excreſcētiā.de reme.par.fa.7ª.164.G
ad Gingiuarum inflammationem.de remed.par.fac. 7ª.164.H
Gingiuis, & dentibus ſolis accidit affectus ille qui hæmodia dicitur.2°.de locis affectis. 4ª.9.H
in Gingiua eſt dolor,non in dente.5°.de comp.med.ſe.loc. 5ª.162.D
Gingiuarum doloribus,apoſtematibus,laxitati,vlceribus,fiſtulis,ſciſſuris confert labiorum venæ ſectio.de anato.viuo. Sp.55.B
à Gingiuis ex inflammatione dolentes.5°.de com.me.ſe.loc. 5ª.162.H
ad Gingiuas colluendas.de remed.par.fac. 7ª.157.D
ad Gingiuarum dolores, Ariſtocratis.5°.de comp.med.ſec.loc.5ª.165.B
ad Gingiuarum dolores.5°.de comp.me.ſe.lo.164.G/ 5ª.165.D
ad Giugiuas humore p̃gnantes.6°.de cō.med.ſec.lo.172.C/7°. 5ª.181.H
ad Gingiuarum fluxionem.5°.de compoſi.med.ſe.loc. 5ª.164.G
Gingiuas laxas, & mollitie fluidas curātibus additur ſmiris.9°.de ſimplic.med.facul. 5ª.67.C
ad Gingiuas laxas.5°.de comp.med.ſec.loc. 5ª.166.B
ad Gingiuas madore laxas.5°.de comp.me.ſec.loc. 5ª.165.B
ad Gingiuas madore laxatas,putreſcenteſq́; ac cruentatas.5°.de com.medi.ſecun.loc. 5ª.165.H
ad Gingiuas mollitie fluidas contrahendas valent cornua cerui & capræ.11°.de ſimp.med.fac. 5ª.79.G
Gingiuarum laxitatem, & mollitiem deſiccans ſmegma.11°.de ſimpliciū medicamen.facul. 5ª.81.A
Gingiuis contrahendis ſmegma.5°.de comp.med.ſe.loc. 5ª.165.C
ad Gingiuas comprimendas.5°.de comp.med.ſe.loc. 5ª.164.A
Gingiuas madentes reſiccans.5°.de comp.med.per ge. 5ª.251.C
ad Gingiuarum nomas.5°.de comp.med.per gen. 5ª.251.B
Gingiuæ ſanguineæ ſunt edito homini,ſi in tribus horis ſanguinis conceptum ſit ſperma à muliere.de ſpermate. Sp.37.B
ad Gingiuas cruētatas.5°. de cōp.me.ſe.lo.163.E/166.C/6°. 5ª.172.D
ad Gingiuas vlceratas.5°.de comp.med.ſe.loc. 5ª.165.D
ad Gingiuas ſanguinolentas.de reme.far.par. 7ª.164.E
Gingiuis diu ſanguinolentis, & tumidis, & phlegmone laborantibus, & vlceratis, & corroſis prodeſt ſuccus centaureæ.de vir.cent.Sp.93.C
ad Gingiuas corroſas.de remed.par.fac.7ª.164.G/ 7ª.170.C
ad Gingiuas denigratas, & putridas.de remed.par.fac. 7ª.164.H
Gingiuarum putredo oris affectus.introd. Iſa.59.C
ad Gingiuas humidas, & ſubcorruptas.5°.de compoſitione medicamentorum ſecun.loc. 5ª.165.C
ad Gingiuas fœtentes.6°.de comp.med.ſec.loc. 5ª.172.C
ad Gingiuarum abſceſſus.6°.de comp.med.ſec.loc. 5ª.172.D
GINGLYMON quid ſit.de oſſ. 1ª.40.B
GIBRVS quid, quale, & propter quid. de anat.viuo. Sp.49.H
Girbus & ſiphac panniculi hepatis.de anat.par. Sp.43.B
Girbus groſſus panniculus hapatis.de ana.parua. Sp.43.B
Γηροκομικὴν appellat partem, quæ de ſenibus curandis agit.5°. de ſanitate tuenda. 2ª.89.A
GIT quid ſit.de ſimp.med. Sp.84.F
Git, relaxat, calfacit, menſtrua et vrinam prouocat, lumbricos expellit, tumores & durities ſoluit.de ſimp.med. Sp.84.F
Git.de dynamidijs. Sp.27.H
GIZI caſia.1°.de antid. 5ª.106.E
GLABRAM pilis cutem efficit filicula. 6°.de ſimpli.med.fac. 5ª.46.D
Glabris occluſi ſunt pori.in 1^{m}.de mor.vul.com.2°. 3ª.115.E
Glabrum cur ſit corpus tabidis.in 3^{m}.de mor.vul.com.3°. 3ª.146.D
Glabri quando moriebantur.in 1^{m}.de mor.vul.com.2°. 3ª.111.D
circum Glabra vlcera maligna ſunt.com.6°.apho.14°. Ex.46.G
GLACIALIS humor vnde dictus.7°.de decre.Hipp. 1ª.270.G
Glacialis humor dicitur ab Ariſtotele humor cryſtallinus. de anatomia viuorum. Sp.48.D
Glacialis humoris in oculo ſubſtantia vt eximia,ita nulli alij parti ne minimum quidem ſimilis.6°.de decre.Hipp. 1ª.266.B
Glacialis grandinis, & humorum ſuorum quod iuuamentum in tunicis cerebrorum.de anat.viuo. Sp.44.C
Glacialis aqua quid agat.3°.de ſa.tuen. 2ª.78.D
Glaciant̄ q̄ facile,nō ſunt frigidiora.1°.de ſimp.med.fac. 5ª.5.A
Glaciantur quæ ſimiliter glacie,duriora fiunt,ſi fuerint ſubſtantiæ craſſioris.1°.de ſimp.me.fac. 5ª.5.A
GLACIES fit ex aqua per expreſſionem acris.de vti.reſp. Sp.63.G
Glaciem vnde didicimus eſſe frigidam.1°.de ſimp.me.fac. 5ª.7.C
à Glacie venti procedentes,frigidi ſunt.de aere,aq.& loc. 2ª.5.E
Glacie aquam reſolutam bibunt Scythæ.de aere,aq.& loc. 2ª.5.E
Glacies facit ſaliuam expuere.8°.de comp.me.ſe.loc. 5ª.192.B
vt Glacies, & nix frigida pectori inimica,tuſſes mouent, & ſanguinem & deſtillationes.com.5°.apho.24°. Ex.39.G
de Glacie & grādine īsōniū qd ſignificet.ī 1^{m}.de mor.vul.c.3°. 3ª.117.b
Glaciei inſomnium ſignificat pituitam.de præſag.ex inſom. 4ª.213.C

Glaciem ſecare

Glaciem ſecare prouerbium.4°.de dign.pulſ. 4ª.85.E
GLADIATORVM *cibus faba cum ptiſſana.1°.de alim.fac.* 2ª.13.G
Gladiatorum curationi prefectus fuit Galenus à ſuæ ciuitatis pontifice. 3°.de comp.me.per ge. 5ª.231.B
Gladiatores in patella vulnerati male curati.3°. de compoſi.medicamen torum per genera. 5ª.228.C
Gladiatoribus decoris gratia dat̃ vinculũ qđ dr̃ auricula.de fa.7ª.297.C
Gladiatoria galea Perigenis.de faſcijs. 7ª.297.A
GLADIOLVS *ad venerca percitat, menſtrua prouocat, ſurculos,& ſpinas de corpore extrahit,durities diſſoluit.de ſimp.med.* Sp.84.H
Gladiolus attrahit,digerit,ſiccat.8°.de ſimp.me.fac. 5ª.57.B
Gladiolus vlcera exiccat.4°.de comp.med.per ge. 5ª.326.G
GLADIVS *qui optimus.1°.de vſu par.* 1ª.115.G
Gladius vel ceram ſecando hebetatur.3°.de ſimp.med.fac. 5ª.22.A
in Gladij percuſſionibus quid fieri debet.de virt.cent. Sp.93.G
GLANDVLOSA *corpora quæ ſint.14°.metho.med.* 7ª.90.D
Glãdulosa corpora ante veſicam quid agant.14°.de vſu par. 1ª.207.E
de Glãduloſorũ aſtitũ vſu primus Gale.locutus eſt.2°.de ſem. 1ª.340.F
Glanduloſæ cur ſint mammillæ,& teſticuli.de vtil.reſp. Sp.63.A
Glanduloſos meatus pudendi virilis παραστάτας *Herophilus appellauit.14°.de vſu partium.* 1ª.208.C
*in Glãduloſis pudẽdorũ partibus humor qd agat.14°.de vſu p.*1ª.208.B
in Glandoſis virorum partibus humor, & ſemen in teſtibus mulierum ſunt ſimillima,& cur.14°.de vſu par. 1ª.208.B
GLANDVLARVM *anatomia quarto loco conſideranda.1°.de anatom. adminiſt.* 1ª.64.B
Glandulæ quales ſint.7°.de vſu par. 1ª.163.C
Glandulæ habent ſolidam naturam.de arti.com.1°. 7ª.252.D
Glandulæ ſunt ſpecies carnium.de ana.viuo. Sp.44.D
Glaudulæ ſunt ſubſtantia ſimiles linguę, alię plus, aliæ minus.3°.de alimentornm facul. 2ª.26.H
Glandulę ſubſtantia ita recedunt à lingua,vt lingua à carne.3°. de alimẽ torum facultatibus. 2ª.26.H
Glandulæ ſunt de genere pinguedinis.de vtil.reſp. Sp.62.H
*Glandula exanguis,eſt tamẽ ex ſanguine facta.2°.de natu.fac.*1ª.297.E
in Glandulis omnibus eſt alba,& mollis caro.de anat.viuo. Sp.44.D
Glandularum natura duplex eſt.16°.de vſu par. 1ª.214.H
Glandularum altera ſpecies ſentit ſolum,& non habet motum voluntarium.16°.de vſu par. 1ª.214.H
Glandulæ cur non habeant neruos.16°.de vſu par. 1ª.214.H
Glandulę omnes ſunt inſenſibiles.de vtil.reſp. Sp.62.H
quæ Glandulæ neruos habeant.16°.de vſu par. 1ª.214.H
Glandulæ vnde accipiunt neruos.9°.de vſu par. 1ª.176.C
*Glãdulæ cur nõ habeãt motũ volũtariũ neq; ſenſũ.16°.de vſ.p.*1ª.214.H
Glandulæ quid agant.7°.de vſu par. 1ª.163.C
Glandularum iuuamentum.de ana.viuo.44.C/de vtil.reſp. Sp.62.H
*Glandulæ quæ non ſunt in magno vſu in ãalibus.14°.meth.me.*7ª.90.C
Glandularum quarum magnus eſt vſus.14°.meth.me. 7ª.90.C
*Glandularum officium in multis corporis partibus.3°.de al.fa.*2ª.26.H
Glandularum duplex vſus,& qui.2°.de ſem. 1ª.340.D
Glandulæ quomodo agant.in 6m.de mor.vul.com.2°. 3ª.166.E
Glandula ibi implet,vbi vas à natura diuiditur,vt tũ venæ ab oſſibus diuidanĩ,tũ glandulis fultę ſecurius ſtabiliantur.6°.de vſu p. 1ª.149.C
Glandulæ implent vaſorum diuiſiones.8°.de vſu par. 1ª.165.B
Glandulæ quandoque factæ ſunt ad recipiendũ venas tranſeũtes ab vno in aliud,ſicut meſaraicas euntes ab hepate ad ſtomachũ & inteſtina. de anato.viuo. Sp.44.D
Glandulæ veluti fulcimentum arteriarum.16°.de vſu par. 1ª.220.A
*Glandula molliſſima inſtar ſtrati arteriæ ſubiecta.16°.de vſu p.*1ª.218.G
Glandulæ in quibus inſeruntur venæ & arteriæ.2°.de ſem. 1ª.340.D
Glandulæ recipiunt ſuperflua.13°.meth.me. 7ª.80.B
Glandulę pinealis ſuppoſitæ cerebro iuuamẽtũ.de ana.viuo. Sp.44.D
cur Glandulæ duæ ſint in vtroq; oculo.10°.de vſu par. 1ª.181.H
Glandulę aliquæ ad pariſthmia,& larynga.3°.de alim.fac. 2ª.26.H
Glandulæ ad larynga,& pharynga.3°.de alim.fac. 2ª.26.H
Glandulę ad pariſthmia & larnyga magnæ.3°.de ali.fa. 2ª.26.H
Glandulæ cur in larynge.11°.de vſu par. 1ª.188.A
Glandulas vocat pharynges.de anat.parua. Sp.42.H
Glandulæ vuluæ vnde ortæ.de nat.& ord.cuiusl.corp. Sp.41.H
Glandula quæ à medicis vocatur mina.de anat.viu. Sp.54.E
Glandulę cur in radice linguæ.10°.de vſu par. 1ª.181.H
Glandulas duas cur habeat lingua.de voce,& anhelitu. Sp.61.C
Glandulæ linguę ſimiles ſunt glandibus mãmarũ.3°.de ali.fac. 2ª.26.H
Glandulæ in lingua officium.de vtil reſp. Sp.63.A
Glandularum quædam poſita eſt in radice linguæ, quę hauritorium ſaliuæ dicitur,quædam in locis iuncturalibus,ſimiliter humiditatis collectiua,vt ſub axillis,& in inguinibus.de anato.viuo. Sp.55.H
Glandulæ linguæ ad ſaliuam generandam.3°.de alim.fac. 2ª.26.H
ex Glãdulis quę ad radicẽ linguæ ſunt,ſaliua fertur.2°.de ſem. 1ª.340.C
Glandulæ cur mittant ſaliuam in os.2°.de ſem. 1ª.340.D
à Glandulis cur fauces humectantur.2°.de ſe. 1ª.340.D
Glandulę quæ loca irrigent.2°.de ſemine. 1ª.340.E
ex Glandulis quibuſdam deſcendit lenta humiditas ſaliuę ſimilis.2°. de ſemine. 1ª.340.C
Glandulæ quales circa generationẽ humorũ.de bo.& vitio ſuc. 2ª.35.H
Glandulę quæ lentum humorem gignunt habent diuerſam ſubſtantiam. 2°.de ſemine. 1ª.340.D
Glandulas duas habet collum,in quibus generatur humiditas.de voce, & anhelitu. Sp.61.C
Glandulæ mãmarũ ſi lac cõtinẽt, vbera dicunt.de bo.& vi.ſuc. 2ª.35.H
Glandulæ mammillares ad quid factæ.3°.de ali.fac. 2ª.26.H
Glandulæ mammillares non ſuo ſemper funguntur munere.3°.de alimẽtorum facul. 2ª.26.H
Glandularum mammillarum differentia,quæ habent lac,& non habẽt. 3°.de alim.fac. 2ª.26.H
Glandulæ lac habentes,& non habentes, quorum animalium ſumendæ. de bon.& vit ſucc. 2ª.36.A
Glandulæ mammillares dulces.3°.de ali.fac. 2ª.26.H
Glandulæ mammarum ſunt craſſi ſucci.de bo.& vitio ſuc. 2ª.36.A
Glandulæ ſunt ſuaues guſtu & friabiles.3°.de alim.fac. 2ª.26.H
Glandulæ ſuillæ lactæ plenæ à guloſis maxime expetuntur.3°. de alimentorum facultatibus. 2ª.26.H
Glandulę alunt ferè vt caro.3°.de alim.fac. 2ª.27.A
in Glandulas deſinunt vaſa mediani meſenterij.2°.de ſem. 1ª.340.D
Glandulæ in meſenterio.3°.de ali.fac. 2ª.26.H
Glandulæ in meſenterio cur.4°.de vſu p.141.H/2°.de ſem. 1ª.340.D/ *de vtilitate reſpirationis.* Sp.63.A
*inter Glandulas renes numerantur.3°.de alim.fac.*2ª.27.A/*de vtilitate reſpirationis.* Sp.63.A
Glandulæ inguinum, & alarum cur intumeſcant propter vlcus manus, aut pedis.13°.meth.med. 7ª.81.A
de Glanduloſis aſſiſtentibus.2°.de ſem. 1ª.340.A
Glanduloſi aſtites non ſunt inſtrumẽta ſeminaria.2°.de ſem. 1ª.340.B
Glandulę colli veſicæ de natura teſtium ſunt.3°.de ali.fac. 2ª.27.A
ex Glandularum genere ſunt teſtes.3°.de ali.fac. 2ª.27.A
Glandula,caro,os,chartilago non poſſunt eſſe vtiles ad confectionẽ pudendi.15°.de vſu par. 1ª.210.D
Glandulę magnæ cur in inguinibus.16°.de vſu par. 1ª.219.F
Glandulæ cur in pudendo.14°.de vſu par. 1ª.208.C
Glãdulæ cõſpicuæ maioresq; ĩ marium penibus,cur.2°.de ſem. 1ª.340.E
Glandula quæ vocatur thymus eſt maxima in nuper natis animalibus, increſcentibus vero minuitur.3°.de ali.fac. 2ª.26.H
in Glandulis phlegmone quo modo curetur.13°meth.med. 7ª.83.C
Glandulę quando ſunt diſtentę phlegmone, aut aliqua alia pars, debet corpus euacuari,& locus ſcarificari.13°.meth.med. 7ª.81.B
in Glandularum,vel artuum phlegmone cibus.13°.meth.med. 7ª.83.D
ad Glandularum inflammationes.7°.de comp.med.ſec.loc. 5ª.181.G
Glandulæ quo modo incidendæ.de dyna. Sp.32.B
Glandulas ſanat emplaſtrum diachryſu.de dyn. Sp.32.B
ad Glandulas præſidium.de dyn. Sp.26.A
Glandulæ induratæ eximuntur.de diff.mor. 3ª.4.G
ad Glandulas duras præſidium.de dyn. Sp.26.A
ad Glandulas diſſipandas.de reme.par.fac. 7ª.165.C
GLANDES *robuſtæ quo mõ fiant dulces.4°.de ſimp.me.facul.* 5ª.26.E
inter Glandes,quernas,acylos,& caſtaneas in ipſis particulatim arboribus nõ magnũ fructus diſcrimen recipit.de bon.& vi.ſuc. 2ª.36.D
Glandium omniũ præſtantiſſima eſt Caſtanea.2°.de ali.fac. 2ª.22.A
Glãdes ilignæ duræ ſunt acerbæ, & inſuaues.de bo.& vitio ſuc. 2ª.36.C
Glandes ilignæ cur vitandæ.de bon.& vitio ſuc. 2ª.36.G
Glãs iligna exiguũ dat alimẽtũ,& eſt praui ſuc.2°.de ali.fac. 2ª.22.A
Glandes prius fuere pabulum ſuibus.2°.de ali.fac. 2ª.22.A
Glandibus ſolis viuebant antiqui ante reperta cerealia, Arcades vero etiam poſtea.2°.de alim.fac. 2ª.22.A
Glandibus ruſtici paſſim veſcuntur.2°.de ali.fac. 2ª.21.H

Glandibus ve-

Glandibus veſcebantur pro frumentaceis edulijs in penuria.2°. de alimẽ torum facultatibus. 2ª.21.H
G landium prouentus magnus fuit in fame quadam,& quo modo ruſtici ipſas ſeruarunt.2°.de alimen.facul. 2ª.21.H
Glandes nutriunt eum,qui digerit illas,nutrimento multo,craſſo.de diſſolutione continua. Sp.73.E
Glandes,cibus craſſus,cur.de diſſol.cont. Sp.72.G
Glandes copioſe nutriunt.2°.de alimen.facul. 2ª.22.A
Glandes nutriunt,vt frumentacea multa.2°.de alim.facul. 2ª.22.A
Glandes faciunt alimentum tranſitus tardi ac craſſi ſucci.2°.de alimentorum facultatibus. 2ª.22.A
Glandes difficulter coquuntur.2°.de alim.facul.2ª.22.A| de diſſolutione continua. Sp.73.D
Glandes tarde deſcendunt.de diſſ.cont. Sp.74.H
Glandium coquendarum varij modi.2°.de ali.facul. 2ª.22.A
Glandium decoctum numeratur inter adſtringentia fortiora pro gargariſmis.6°.de comp.med.ſec.loc. 5ª.172.G
Glãdes ſupant caſtaneas in adſtringẽdi poteſtate.de bo.& vi.ſu.2ª.36.c
ſub Glande quæ eſt membrana valde adſtringit.6°.de ſimplicium medicamentorum facultatibus. 5ª.46.E
Glandes ſtringunt ventrem cum ſtypticitate,& ponticitate.de diſſolutione continua. Sp.75.B
Glandes inter teſtacea quæ conueniunt ſtomachicis.8°.de compo.medic. ſecundum locos. 5ª.192.C
Glandes quercinæ vitandæ in capitis doloribus a ſtomacho, & ab alijs. 2°.de comp.me.ſec.loc. 5ª.137.B
GLANS vnguentaria.6°.de ſimp.med.fac. 5ª.44.D
GLANS ægyptia.5°.de comp.med.ſec.loc. 5ª.159.C
GLANS quæ.intro. Iſa.53.D
Glandis caro alba eſt.de anat.viuo. Sp.55.H
in Glandibus & tonſillis qui ſuffocabatur,qua re curatus.6°.de comp. medic.ſec.loc. 5ª.167.F
ad Glandes oſchei ꝑpter quid tranſit ſpermatis pars.dc an.vi. Sp.55.H
Glandium græcc thymus dicitur.de ven.art.q; diſſ. 1ª.56.C
GLANDE vel clyſtere qñ cibus educendus.8°.met.med. 7ª.53.F
per Glandem aluum ſoluit ſtomachi diſtentione. 8°. de compoſitione medicamentorum ſucun.loc. 5ª.152.D
Glans ex ſtercore murium.10°.de ſimp.med.fac. 5ª.77.D
GLAVCEDO quid ſit.10°.de vſu par. 1ª.179.G
Glaucedines fiunt ſenibus propter immodicam inſtrumentorum ſiccitatem,& quia ſpeciem habent ſuffuſionis.com.3°.apho.31°. Ex.26.H
ad Glaucedinem oculorum.4°.de comp.med.ſec.loc. 5ª.153.A
GLAVCIAS interpres ſexti libri epidemiorum. in 6ᵐ. de morbis vulgar.com.1°. 5ª.152.C
GLAVCIDANVM medicamentum diaſmyrnum. 4°. de compoſitione medic.ſec.loc. 5ª.153.G
GLAVCIVM quid.de ſimp.med. Sp.84.E
Glaucij qualitas.6°.de ſimp.med.fac. 5ª.45.E
Glaucium frigidum vt aqua fontana.6°.de ſimp.med.fac. 5ª.45.E
Glaucium refrigerat multum.6°.de ſimp.med.fac. 5ª.45.E
Glaucium quo modo fiat.3°.de comp.med.ſec.loc. 5ª.141.C
Glaucium quo modo paretur pro auribus.6°.de ſan.tuen. 2ª.100.B
Glaucium in cote medica tritum.3°.de comp.med.ſec.loc. 5ª.141.C
Glaucium quale,& quo modo lauetur.4°.de comp.me.ſec.loc. 5ª.151.F
Glaucium ad quid valet.14°.meth.med. 7ª.87.G
Glaucium maturat.de ocul. 7ª.189.C
Glaucium ſolum eryſipelata curare poteſt.6°.de ſimp.med.fac. 5ª.45.E
Glaucium medicamentum ad œdema.14°.meth.med. 7ª.87.G
Glaucium non ſanat ſcirrhos.14°.meth.med. 7ª.87.G
Glaucium numeratur inter adſtringentia parabilia. 6°. de compoſitione medic.ſec.loc. 5ª.169.G
in Glaucio adſtrictio conſideranda eſt.4°.de ſimp.med.fac. 5ª.26.A
è Glaucio medicamẽta mediocriter adſtringũt.14°.met.med. 7ª.92.B
Glauciũ impet⁹ lippitudinis,& lachrymas ſtringit.de ſim.me.Sp.84.E
Glauciũ prohibet humorẽ fluẽtẽ,puſtulas,et vulnera.de ocul. 7ª.189.C
ex Glaucio collyria in aurium dolore.3°.de comp.med.ſe.lo. 5ª.141.C
GLAVCII vinculum,cui magis fidendum, quàm vinculo ad caluariã. de faſcijs. 7ª.295.H
Glaucij vinculum valde iunctum.de faſcijs. 7ª.297.A
Glaucij ſpica vnde dicta.de faſcijs. 7ª.300.G
GLAVCOMA quid.fin.med. Iſa.48.D
Glaucoma oculorum vlceratio.fin.med. Iſa.48.D
Glaucoma quo modo differt à ſuffuſione.fin.med. Iſa.48.G
GLAVCONIS philoſophi de Galeno admiratio ſuper medici caſu ex iecoris inflammatione laborantis.5°.de loc.aff. 4ª.34.F
GLAVCOSIS quid introd. Iſa.59.A
Glaucoſis affectus pupillæ.introd. Iſa.58.D
GLAVCVRIS. de remed.par.fac. 7ª.158.E
GLAVCI oculi frigidi,& à ceſiis differunt ex diametro. in 3ᵐ.de mor. vulg.com.3°. 3ª.146.F
ad Glaucos oculos.4°.de comp.me.ſec.loc. 5ª.153.B
GLAVCI numerantur inter teſtacea, quæ conueniunt ſtomachicis. 8°. de comp.med.ſec.loc. 5ª.192.C
Glauci piſces habent carnem duram.3°.de alim.fac. 2ª.31.E
GLAVX herba calida,& humida.6°.de ſimp.med.fac. 5ª.45.F
GLENE quid ſit.de oſſi. 1ª.40.B
Glenois ſinus.de oſſibus. 1ª.41.H
GLEVCINI confectio iuxta Andromachum.7°. de compoſitione medicamentorum per genera. 5ª.272.E
Gleucini confectio Critonis.7°.de comp.med.per ge. 5ª.272.E
Gleucini confectio ſecundum Dioſcoridem. 7°. de compoſitione medicamentorum per genera. 5ª.272.G
Gleucini confectio vt Heras.7°.de comp.med.per ge. 5ª.272.G
Gleucino vnguento Sabina maxime inditur.6°.de ſimp.med.fa. 5ª.45.C
Gleucinum quale ſit.7°.de comp.med.per ge. 5ª.272.F
Gleucinum vnguentum optimum.3°.de ſan.tuen. 2ª.81.C
Gleucinum vnguentum acopum.3°.de ſan.tuen. 2ª.81.C
Gleucinum vnguentum rarefacit,& diſcutit.9°.de compoſitione medicament.ſec.locos. 5ª.197.F
GLEVCOS. i.muſtum,flatuoſum eſt,& quale.de vinis. Sp.76.G
GLICHON. i.pulegium.6°.de ſimp.med.fac. 5ª.45.F
GLIRES in Italia manduntur.2°.de alim.fac. 2ª.26.C
GLYTVS 7°.de comp.med.per gen. 5ª.272.C
GLOEOS. i.ſtringmenta balneorum, modice emolliendi vim obtinet. 6°.de ſimp.med.fac. 5ª.45.F
GLOMERATAE faſciæ quæ ſint.de faſcijs. 7ª.293.F
Glomeratis faſcijs fracta membra vinciuntur.de faſcijs. 7ª.293.F
Glomerata faſcia ad mammam.de faſcijs. 7ª.303.D
Glomerata faſcia ad mammam duplex in vtrãq; partem ducta à ſuperiori parte deorſum.de faſcijs. 7ª.303.D
Glomerata faſcia ad cubitum.de faſcijs. 7ª.304.H
Glomerata funda ad naſum.de faſcijs. 7ª.298.H
ex Glomerata faſcia auris.de faſciis.7ª.299.F|aliter ibidem.
Glomerata faſcia ad labrũ inferius.de faſcijs.7ª.300.C|eadẽ in vtranq; partem ducta ibidem.alia.D.
Glomerata faſcia ad librũ ſupius. de faſ.7ª.300. D|eadem à medio orſa.
GLORIAE appetitus eſt animi affectus.de cog.cur.animi mor.2ª.53.G
Gloria operibus non verbis comparanda eſt.de ſub.emp. Iſa.34.E
Gloria poſtponenda eſt ſanitati corporis & animi.2°.de alim.fa.2ª.18.F
propter Gloriam artium ſtudia non contemnenda.in oratio.ſuaſ.Iſ.3.G
Gloriam q̃uo debet cupe medicus.de ijs,quæ in med.fin.cõ.2°. 7ª.205.D
Gloriæ cupiditas ableganda.de vict.ra.in morb.acu.com.1°. 7ª.110.G
ob Gloriam ſectas facientes,odio digni ſunt.de bon.vit.ſuc. 2ª.34.B
Gloriæ curam habent ſophiſtæ,non veritatis.10°.de vſu par. 1ª.181.A
GLOSSA communis in pluribus aphoriſmis Hippocratis.commen.6°. aphoriſmo 16°. Ex.47.G
GLOSSOCOMON quid.7°.de vſu par. 1ª.161.H
Gloſſocomum machinamentum quale, & quo modo compoſitum.de machin. 7ª.310.G
Gloſſocomon.6°.meth.med.42.G|H|de fract.com.2°. 7ª.239.D
Gloſſocomũ Nymphodori q̃d ſit,& q̃uo conficiatur.de machin. 7ª.315.D
Gloſſocomi cuiuſdam auctor Ariſtion.de machin. 7ª.315.E
GLVTEN quomodo fiat.7°.de ſimp.med.fac. 5ª.52.A
Glutine præparant libros.7°.de ſim.med.fa. 5ª.52.A
Gluten emplaſticum concoquens.7°.de ſimp.med.fac. 5ª.52.A
Gluten fabrile perlucidum.5°.de comp.med.ſec.loc. 5ª.160.G
Glutinum fabrile.3°.de comp.med.ſec.loc.146.B|5°.5ª.160.G|de reme. par.facul. 7ª.157.B
GLVTINANDO auro idoneum eſt huſtolix.de ſimp.med. Sp.85.D
GLVTINATORIA, & cicatricem inducentia quo modo differant.3°. meth.med. 7ª.19.B
Glutinatorium quale eſſe debet.3°.meth.med. 7ª.19.D
Glutinantia ſiccitas conſequitur.6°.de ſimp.med.fac. 5ª.45.A
Glutinãtia ſicciora carne implentibus.2°.de comp.me.per ge. 5ª.227.A

Glutinantia ſolum ſint ſicca.2°.de comp.med.per ge. 5ª.227.A
Glutinantia vulnera ſunt multum ſicca.7°.de ſimp.med.fac. 5ª.56.D
in Glutinandis ſubſtantijs eſt adſtrictio.6°.de ſimp.med.fac. 5ª.45.A
Glutinare quæ adſtringentia non poſſunt.1°.de ſimp.med.fac. 5ª.8.H
Glutinantium finis qui.2°.de comp.med.per ge. 5ª.227.A
Glutinantibus viribus eſt calamus aromaticus.de ſimp.med. Sp.82.G
Glutinans eſt ipſa Caro.4°.meth.med. 7ª.23.D
Glutinatorijs,& deſiccatorijs miſcetur Centaurij minoris radix areſacta.7°.de ſimp.med.fac. 5ª.50.G
Glutinat Coagulum.de ſimp.med. Sp.83.D
Glutinat Cytinus recentia vulnera.dc ſimp.med. Sp.87.C
Glutinat & purgat vulnera Lenticula.de ſimp.med. Sp.86.B
Glutinat vulnera Myriophyllon.7°.de ſimp.med.facul.5ª.56.D/de ſimplic.medic. Sp.87.G
Glutinare poteſt vulnera capitum Myrrha.8°.de ſimp.med.fa.5ª.61.A
Glutinat vlcera maxima Narciſſi radix.8°.de ſimp.med.fac. 5ª.56.H
Glutinat vulnera Periſtereon.de ſimp.med. Sp.89.C
Glutinandis vulneribus conuenit Pix arida.8°.de ſimp.med.fa.5ª.58.E
Glutinatoria vlcerum folia Piceę & tedæ.8°.de ſimp.med.fac. 5ª.58.F
Glutinatorium eſt vulnerum cruentorum Polygonon. 8°. de ſimplicium medic.facul. 5ª.58.H
Glutinat vlcera magna Polium.8°.de ſimp.med.fac. 5ª.59.A
Glutinat vlcera Polycnemon.8°.de ſimp.med.fac. 5ª.59.A
Glutinat vulnera Rhu.de ſimp.med. Sp.89.E
Glutinare vlcera valet Sarcocolla.8°.de ſimp.med.fac. 5ª.60.B
Glutinare vlcera poteſt Stratiotes.8°.de ſimp.med.fac. 5ª.61.D
Glutinat & ſtringit viſcide Symphytum.de ſimp.med. Sp.90.E
ad Glutinandum,Vinum quale.2°.de arte cur.ad Glauc. 7ª.106.C
ad Glutinandum,vinum mulſum melius eſt melicrato.2°.de arte cu. ad Glauconem. 7ª.106.C
Glutinantia imbecilles carnes.2°.de comp.med.per ge. 5ª.227.B
Glutinantia duras carnes.2°.de comp.med.per ge. 5ª.227.C
Glutinatoria in corporibus admodum ſiccis,quæ habeant vulnus aut ſinum.6°.de ſimp.med.fac. 5ª.42.E
ad Glutinandos ſinus quę valeant.2°.de arte cur.ad Glauco. 7ª.106.G
Glutinans ſinus.1°.de comp.med.per gc. 5ª.217.A
ad Glutinandam carnem.3°.de me.fac.par. 7ª.173.B
ad Glutinanda vlcera.1°.de compo.med.per ge. 5ª.210.H
ad Glutinanda maiora vulnera.2°.de compo.me.per ge. 5ª.219.G
Glutinata vulnera maxima ſine phlegmone.5°.meth.med. 7ª.36.B
Glutinans citra inflammationem.2°.de compo.me.per ge. 5ª.227.E
ad Glutinanda cruenta.2°.de comp.me.per ge.219.G/6°. 5ª.256.D
Glutinantius vulnerum cruentorum quo modo fiet emplaſtrum.2°.de cõpo.med.per gene. 5ª.223.F
Glutinans Cyzicenum.5°.de compo.med.per ge. 5ª.250.B
Glutinantia emplaſtra.2°.de comp.med.per gene. 5ª.226.H
Glutinatorium emplaſtrũ vocatum ϖάρυγρον.8°.de anat.ad. 1ª.103.E
Glutinantius quo modo fiat emplaſtrum.1°. de compoſitione medicamẽ. per genera. 5ª.215.D
Glinantius medicamentum quo modo fiat.1°.de compoſitione medicamẽtorum per genera. 5ª.212.G
Glutinatorium.5°.de comp.me.per ge. 5ª.247.A
ad Glutinationẽ partiũ,quas vulnus deduxit,vinculũ.de faſ.7ª.295.B
Glutinationem quę prohibent.4°.meth.med. 7ª.23.C
Glutinandis quid noceat acetum.1°.de ſim.med.fac. 5ª.8.G
GLVTINOSI nomen primus Galenus nominauit. 11°. methodi medendi. 7ª.71.D
Glutinoſi oppoſitum quid.11°.meth.med. 7ª.71.D
Glutinoſa quæ ſunt,& emplaſtica ſunt.4°.de ſimp.med.facul. 5ª.25.D
Glutinoſa dant plus alimenti.1°.de alim.fac. 2ª.14.D
Glutinoſum ſuccum generat caro ſuilla.7°.meth.me. 7ª.45.D
Glutinoſi cibi celeris ſunt tranſitus.3°.de ſym.cau. 3ª.27.D
Glutinoſos & craſſos cibos edentes ſunt magis obnoxij morbis.1°. de differentijs febrium. 3ª.32.A
Glutinoſi & craſſi cibi ob putredinẽ cauſę febriũ.1°.de diff.feb.3ª.32.A
Glutinoſi & craſſi ſucci tremorem faciunt.2°.de ſymp.cauſ. 3ª.20.E
Glutinoſi cibi prohibendi ſunt in laſſitudine vlceroſa, & phlegmonode. 3°.de ſanitate tuenda. 2ª.79.G
Glutinoſi cibi dandi in laſſitudine tenſiua.3°.de ſan.tuen. 2ª.79.G
Glutinoſi ſucci debent detergi.4°.de ſan.tuen. 2ª.84.E
Glutinoſa detergit radicula ex oxymelite.8°.meth.med. 7ª.51.B
Glutinoſorũ,& craſſorũ humorũ euacuãdi modi.14°.meth.me.7ª.87.H
Glutinoſa cur per tuſſim non poſſunt expelli.2°.de ſymp.cauſ. 3ª.21.F
ad Glutinoſum reiectantes.7°.de comp.med.ſec.loc. 5ª.185 D
Glutinoſa,candida,& exigua deiectio quid ſignificet. in prognoſt. commentario 2°. 4ª.199.G
Γλουτίον quid.8°.de vſu par. 1ª.170.F
Glutiorum magnitudo.8°.de vſu par. 1ª.171.A
Gluton quid.de oſſibus. 1ª.43.D
GLYCEA quæ.de dynamid. Sp.18.G
Glycea.4°.de comp.mcd.per ge. 5ª.239.A
GLYCELAEVM prodeſt fractis.introd. Iſa.60.F
Γλυκύπικρος. 3°.de ſimp.med.fac. 5ª.21.A
GLYCYRIZA quid.de ſimp.med. Sp.84.G
Glycyriza ponitur in theriaca.de theria.ad Piſonem. 5ª.92.E
Glycyriza optima eſt in Creta.1°.de antid. 5ª.105.E
Glycyriza familiaris eſt humanæ tẽperaturæ.6°.de ſim.me.fa. 5ª.45.F
Glycyriza pontica.7°.de comp.med.ſec.loc. 5ª.181.G
Glycyriza exaſperata lenit. 6°. de compoſitione medi. ſecundum locos. 169.H/7°. 5ª.181.E
Glycyriza aſperitates lenire poteſt, non modo in arteria, verum etiã in veſica ſcabra.6°.de ſimp.med.fac. 5ª.45.F
Glycyrizę radices ſitim ſedant,renum & veſicæ dolorẽ mitigãt:ꝓuocãt enim vrinã & mẽſtrua,& oẽm tumorẽ placãt.de ſim.med.Sp.84.G
Glycyrizæ radix ſicca pterygiorum,ſeu vnguium oculorum idoneum remedium illita eſt.6°.de ſimp.med.fac. 5ª.45.G
Glycyrizæ medullam eijcit.7°.de comp.med.ſec.loc. 5ª.179.E
Glycyrizæ ſuccus pro ipſa radice ex Creta aſportabatur.7°.de compoſi. medic.ſecundum loc. 5ª.181.A
Glycyrizæ ſuccus tempore dureſcit.6°.de com.med.ſec.loc. 5ª.172.H
Glycyrizæ ſuccus ſiti conuenit.6°.de ſimp.med.fac. 5ª.45.G
Glycyrizæ ſuccus parum adſtringit.6°.de ſimp.med.fac. 5ª.45.F
Glycyrizę ſuccus exaſperata mitigat.7°.de comp.med.ſec.loc.5ª.178.G
GLYCISCIDA. 6°.dc ſimp.med.fac. 5ª.45.G
Γλυκύχυμα dicuntur quæ ſunt dulcis ſucci.2°.de ſimp.me.fa. 5ª.12.G
GNAPHALIVM vnde dictum.6°.de ſimpli.me.facul. 5ª.45.H
Γνάθον, mala,& bucca quid ſignificent.de art.com.2°. 7ª.262.G
GNOMONICA tractatio,de cuiuſq; aĩ pecc.not.atq; me. 2ª.58.B
GOBIO littoralis piſcis paruus.3°.de alimentorum.facultatibus. 2ª.30.H
Gobio qui in arenoſis littoribus, & ſaxoſis promontorijs viuit, optimus eſt.3°.de alim.fac. 2ª.30.H
Gobio qui in oſtijs fluminũ aut ſtagnis,aut ſtagnis maritimis,non bonus. 2°.de alimen.fac. 2ª.31.A
Gobio deterrimus,qui.3°.de alimen.fac. 2ª.31.A
Gobiones molles,qui.3°.de alimen.fac. 2ª.31.A
Gobionum caro durior ſaxatilium, & mollior mullorum carne. 3°. de alim.fac. 2ª.31.A
Gobiones non habent carnem mollem vt ſaxatiles.3°.de ali.fac. 2ª.31.C
Gobio facilius nutrit,quàm alij piſces.3°.de ali.fac. 2ª.31.A
Gobiones non ſemper optimi.3°.de ali.fac. 2ª.31.C
GOBII piſces ſaxatiles.de ren.aff.dig.& med. 7ª.195.F
Gobij viuunt aqua ſalſa,& dulci.de bon.& vit.ſuc. 2ª.37.H
Gobiorum maritimorum caro quo differt à degentibus in aquis vitiatis. de bon.& vitio ſuccorum. 2ª.37.H
Gobij neq; craſſi,neque tenuis ſucci ſunt.de bon.& vit.ſuc. 2ª.34.H
GOMPHOSIS quid ſit.de oſſibus. 1ª.40.B
Gomphos quid ſit.de ocul. 7ª.187.D
GONFITAE. de dynamidijs. Sp.30.D
GONGILIS, id eſt rapum.6°.de comp.med.fac. 5ª.46.A
GONIALGIAE affectus genu.introd. Iſa.59.D
Γωνίωσις in pulſu.2°.de præſag. 4ª.114.A
GONE vocatur ſemen.6°.de loc.aff. 4ª.41.G
Γόνος. i.genitura.10°.de ſimp.med.fac. 5ª.72.C
GONORRHOEA vnde dicatur.6°.de loc.affe. 4ª.41.F
Gonorrhœa quid ſit.fin.med.Iſa.47.G/6°.de loc.aff. 4ª.41.F
Gonorrhœa cuius affectio.6°.de loc.aff. 4ª.42.A
GonorrhϾ duæ differentię.2°.de ſymp.cau. 3ª.19.H
in Gonorrhœa cur vaſa ſpermatica afficiũtur.14°.de vſu par.1ª.208.A
Gonorrhœa cum tenſione pudendi,cur.3°.de ſym.cauſ. 3ª.29.H
GonorrhϾ cauſæ.3°.de ſymp.cauſ. 3ª.29.H
GORTYNE in Creta.de cogn.cur.animi mor. 2ª.51.H
GORTYNIATES Tryphon.9°.de compoſi.med.ſe.lo. 5ª.199.B/E

GOSIPPIO *vtitur Galenus cũ alias vtaĩ lana.6°.me.me.* 7ª.38.F
ſi GRACILESCIT *dextra mãmilla, maſculi abortũ faciet.de anatomia viuorum.* Sp.51.G
GRACILIVM *omnium natura communis eſt, itidem & corpulentorum.de pulſ.ad tir.* 4ª.44.A
Glacies, & corpulenti habent contrarias habitudines ex contrarijs ortas.1°.de ſan.tuen. 2ª.64.E
Gracilia differunt ab obeſis.3°.de alim.fac. 2ª.29.F
Graciliores, qui.6°.de ſan.tuen.96.A/ 2ª.99.F
Graciles cuius ſint temperamenti.de ſal.diæta. 2ª.40.D
Graciles vt plurimum ſunt bilioſi.com.4°.apho.6°. Ex.28.A
Graciles ſicci natura ſunt.de art.com.1°. 7ª.256.E
Gracilem, & muſculoſum comparat cani.10°.meth.med. 7ª.62.C
Graciles homines vbi naſcantur.de aere, aq.& loc. 2ª.6.E
Graciles natura quo modo cognoſcantur à gracilibus occaſione. 2°. de temperam. 1ª.18.C
Gracilibus natura aſſimilis eſt gracilis factus ex quadrato.3°.de cauſis pulſuum. 4ª.58.D
Graciles cur aliquũ fiant.in 6m.de morbis vulg.com.4°. 3ª.186.F
Gracile corpus ex quibus.2°.de temperamen.1ª.18.B/2°.de ſanita. tuenda.70.F/6°. 2ª.98.B
Gracile fit corpus à vigilijs, & triſtitia.3°.de ſani.tuen. 2ª.81.F
qui Gracileſcunt *fame.8°.meth.med.* 7ª.54.F
in Gracilitate *deficiens nutritio cernitur.3°.de ſymp.cau.* 3ª.25.B
Gracilitatis & exilitatis mẽbrorũ cauſe eſt ociũ.de ar.com.3°. 7ª.277.E
Gracilis habitus cum venarum laxitate.2°.de temp. 1ª.18.C
Graciliſſimi aliqui ſanguine abundant.in 6m.de mor.vul.cõ.3°. 3ª.176.B
Graciles tardius pueniũt ad mortẽ quàm craſſi.c.2°.apho.40°. Ex.18.F
Graciles habentes venas paruas, ſi incidantur, adeps excidit.2°.de temperamentis. 1ª.18.D
Gracilitas quid faciat in pulſu.2°.de præſag. 4ª.113.F
Graciliũ pulſus natura.de pulſ.ad tiro.44.A/3°.de cauſ.pulſ. 4ª.96.C
Graciles habent pulſus longos.1°.de præſag.ex pulſ. 4ª.106.B
Graciles habent pulſum inſignẽ, & vehemẽtẽ.1°.de dign.pulſ. 4ª.74.B
Gracilium cum iraſcuntur pulſus, qui.2°.de cauſ.pulſ. 4ª.94.F
Gracilis pulſus qui fiat quadratus.3°.de cauſ.pulſ. 4ª.98.D
Gracilis factus ex quadrato aſſimilis eſt gracilibus natura.3°.de cauſis pulſuum. 4ª.98.D
Gracile nimis corpus non probat Galenus.1°.de ſan.tuen. 2ª.64.E
Gracilitas externis iniurijs obnoxia.2°.de ſan.tuen.2ª.75.H/ comment. 2°.apho.44°. Ex.18.F
in Gracilibus *non fit ſynochus.9°.meth.med.* 7ª.56.C
Gracilitas carnis facit continere ſemen.de aere, aq.& loc. 2ª.5.G
Graciles quo modo iter agere debent.de ſal.diæta. 2ª.40.H
Gracilibus plus conuenit balneũ, quàm corpulentis.de ſal.diæ. 2ª.41.A
Graciles, & facile vomentes ſurſum purgare conuenit vitantes hyemẽ. de cathart. Sp.49.C
Graciles quo modo vomere debent.de ſal.diæta. 2ª.41.G
Graciles nimis, non ſunt purgandi.de dynamidijs. Sp.20.F
Graciles ſunt imbecilles æſtate calida & ſicca.10°.metho.med. 7ª.66.C
Gracilius ſi ſit corpus quid conſiderandum.5°.de ſan.tuen. 2ª.89.C
Gracile corpus quo modo ſanatur.3°.de ſan.tuen. 2ª.81.G
Graciles partes quo modo craſſeſcant.14°.meth.me. 7ª.91.G
Graciles debẽt ferè ſemper vti victu humidiori.de ſal.diæta. 2ª.40.D
in Gracilibus, *qui debent refici, habitus non reſtituitur, niſi ſit plus qđ apponitur, quàm quod euacuatur.2°.de nat.fac.* 1ª.299.B
Graciles natura quo modo à mangonibus curẽtur.14°.met.me. 7ª.91.G
pro Gracilitate *pix toto corpore illinitur.6°.de ſani.tuen.* 2ª.98.B
pro Gracilitate *nullum eſt remedium quod, pici æquari poſſit.6°. de ſanitate tuenda.* 2ª.98.B
Graciliũ alia remedia præter picem pro delicatis.6°.de ſa.tuen. 2ª.98.B
Gracilibus quod vnguentum ſuccurrit.6°.de ſan.tuen. 2ª.98.B
pro Gracilibus *vnguentum dropax.6°.de ſan.tuen.* 2ª.98.B
Graciles multi redditi pingues.2°.de temp. 1ª.18.B
ex Gracilibus *obeſi redditi.6°.de ſan.tuen.* 2ª.98.B
Gracili corpori quæ inimiciſſima.6°.de ſan.tuen. 2ª.99.F
Graciles quo modo fiant ex obeſis.6°.de ſan.tuen. 2ª.98.B
GRACILIA *cur ſint tria ſuperiora inteſtina.de anato.viuo.* Sp.50.B
Gracilis & tenuis vox vnde fiant, & quo modo differant.in 1m.de mor. vulg.commen.2°. 3ª.115.F
Gracilis vox vnde fiat.de anat.viuo. Sp.53.E
Gracili voce qui erãt, qñ moriebantur.in 1m.de mor.vul.cõ.2°. 3ª.115.D
GRACVLI *ad ſaliendum ſunt appoſiti.3°.de alimen.fac.* 2ª.33.C
GRADVS *qualitatum vnde ſumendi.1°.de compoſi. medicamentorum per genera.* 5ª.210.E
Gradus qualitatum verbis exprimi non poſſunt.1°.de antid. 5ª.100.F
GRAECA *Sigia.de dynamidijs.* Sp.31.H
GRAECANICI *menſes quibus perficiantur.de ſep.par.* 1ª.341.A
iuxta Græcanicos *mẽſes in minore tempore quã dimidio anno oriri ſeptimeſtris infans poſſet.de ſep.par.* 1ª.341.D
GRAECIA *tota alebat paucos homines.de par.art.med.* Sp.16.F
in Græcia *raro manna cadit.3°.de alim.fac.* 2ª.32.F
in Græcia *quæ vina calidiora.5°.de ſa.tuen.* 2ª.90.H
GRAECI *meliores barbaris.2°.de decre.Hipp.* 1ª.235.A
Græci vincunt iram ratione.3°.de decre.Hippo. 1ª.243.B
Græci bellicoſiſſimi, qui.de aere, aq.& loc. 2ª.5.B
Græcorum regula in nominibus.de morb.temp. 3ª.86.B
Græci ſemper clariſſimis nominibus res interpretantur, quod tamen nõ videmus Ariſtotelem facere.2°.de diff.pulſ. 4ª.53.D
Græci antiqui non ſeruãt nominũ proprietates.de fra.com.2°. 7ª.240.C
Græcorum, & Italorum vinorum comparatio.5°.de ſan.tuen. 2ª.90.H
Græce ſcribens reliqua omnia non debet interponere latinam vocem vnã ſolam.1°.de antidotis. 5ª.104.A
GRAMINIS *Parnaſſi vis.qualis.6°.de ſimp.med.fac.* 5ª.41.C
Gramen terreſtre.4°.de ſimp.med.fac. 5ª.28.G
Gramen parum frigidum, & medium in paſſiuis qualitatibus.6°. de ſimplic.med.fac. 5ª.41.C
Graminis radix frigida eſt & ſicca modice. 6°. de ſimp. medicamentorum facul. 5ª.41.B/C
Graminis herba primo exceſſu refrigerat, in humiditate vero, & ſiccitate moderata eſt.6°.de ſimp.med.fac. 5ª.41.C
Graminis radix parum mordax eſt & tenuium partium. 6°.de ſimplic. medic.facul. 5ª.41.B
cur Graminis *radix ſanat vlcera cruenta.6°.de ſimp.med.fac.* 5ª.41.C
Graminis ſemen, quale.6°.de ſimp.med.fac. 5ª.41.B
Gramen eſculentam habet radicẽ, vbi mollis fuerit, dulcis quidẽ inſtar aquæ, ſed acre quiddam exiguũ & ſubacerbum obtinẽtẽ. 6°. de ſimplic.medic.facul. 5ª.41.C
Gramen aqueum eſt guſtantibus.6°.de ſimp.med.fac. 5ª.41.C
Graminis ſapor dulcis eſt.4°.de ſimp.med.fac. 5ª.25.D
Gramen dulce eſt prius quàm aruerit.4°.de ſimp.med.fac. 5ª.28.G
Gramen edunt canes, quando purgari volunt.de ſimp.med. Sp.81.C
Gramen potatum vrinam prouocat.de ſimp.med. Sp.81.C
Gramen lapides frangit.6°.de ſimp.med.fac. 5ª.41.C
Graminis decoctio purgat renes.de cathar. Sp.95.C
Graminis colorem habentia excrementa.in 3m.de morbis vulgaribus, cõmentario 31°. 1ª.148.F
GRAMMA *quo modo figuretur.7°.de com.med.per ge.* 5ª.275.C
GRAMMARIORVM *quatuor ponderis fit mentio. de medica. facult. parab.* 7ª.167.C
GRAMMATICA *ars nobilis.in oratione ſuaſoria.* Iſa.5.G
Grammaticæ, dialecticæ, & rhetoricæ tantam cognitionem habebãt nõ nulli medici tẽpore Galeni, quantã aſinus lyræ.de dic.dec. 4ª.146.H
Grammatica ars quibus præficitur.9°.de decre.Hipp. 1ª.282.E
Grammaticam didicit à patre Galenus.de ord.lib.ſuo. Iſa.15.D
ad Grammaticas *ſyllabas comparatio pulſus.compendiũ pul.* Sp.65.E
GRAMMATICI *inter rationales numerantur. de cuiuſque animi pe. not.atque med.* 2ª.60.A
Grammatici proximam ſedem occupant apud deum Mercurium. in oratione ſuaſória. Iſa.2.F
Grammaticus qui ſit.9°.de decre.Hipp. 1ª.282.C
ad Grammaticum *quæ ſpectent.ad Thraſy.* 2ª.107.A
Grammatici munus diſputare de noĩbus quõ.1°.de dieb.decre. 4ª.146.H
Grãmaticus ſimul arithmeticus et philoſophus ſi fuerit idem hõ, poterit quiſpiã vnius artis has oẽs particulas exiſtimare.ad Thra. 2ª.105.E
Grãmatici pueri caſus, q ob vinũ incidit in vigilias.2°.de l.af. 4ª.14.A
Grammatici caſus ex morbo comitiali.5°.de loc.aff. 4ª.32.F
GRANATA *pontica ſunt frigida.de diff.cont.* Sp.74.D
Granata primo ſunt pontica, deinde dulceſcunt.de ocul. 7ª.188.B
Granati mali ſapores.8°.de ſimp.med.fac. 5ª.59.H
Granatum malum adſtringens.8°.de ſimp.med.fac. 5ª.59.G
Granata acetoſa ſi inueniunt in ſtomacho humorem malum & craſſum, incidunt, & expellunt, & leniunt ventrem, ſi inueniunt mũdũ, ſtringunt ventrem.

gunt ventrem.de diſſ.cont. Sp.75.B
Granatorũ acetoſorũ aquæ incidunt,& attenuant.de diſſ.cont. Sp.72.F
cur Granata parum nutriunt.de diſſ.cont. Sp.73.F
Granatorum flores ſunt cytrini.8°.de ſimp.me.fac. 5ª.59.H
Granatorum putamina ſunt ſidia.8°.de ſimp.me.fac. 5ª.59.H
Granati mali cortex habet diuerſum affectum ab alijs adſtringentibus. 3°.de ſim.me.fac. 5ª.20.D
Granati coloris vinum eſt boni nutrimenti.de diſſ.cont. Sp.73.B
Granata amara.de dyna. Sp.26.E
GRANA *bona logarice.de med.fac.par.* 7ª.176.H
Grana fabę generant chymum bonũ,& craſſum.de diſſ.cont. Sp.74.A
Granũ cnidiũ purgat, acre eſt,& adurens.7°. de ſimp.med.fac. 5ª.51.G
ex Grano cnidio oleum ſoluit ventrem.6°.de ſimp.me.fac. 5ª.47.A
Granum Cnidium purgatum.10°.de comp.med.ſe.loc. 3ª.207.H
Grana myrti ſtringunt ventrem cum ſtypticitate,& ponticitate.de diſſolutione continua. Sp.75.B
Grana pini cibus craſſus,& cur.de diſſ.cont. Sp.72.H
Granum tinctorium.7°.de ſimp.me.fac. 5ª.51.H
GRANVM *menſura.2°.de antidotis.* 5ª.120.D
GRANDO *quid.de hiſto.philoſ.* Sp.7.H
Grando fit pluuia congelata.de vtil.reſp. Sp.62.E
de Grandine & glacie inſomnium quid ſignificet.in 1^{m}*.de morbis vulgaribus,commen.3°.* 3ª.117.H
Grando in ſomnio ſignificat pituitã.de præſag.ex inſom.ſum. 4ª.213.C
Grando erui magnitudine per ſputum eiecta in longa tuſſi,cur. 4°. de locis affectis. 4ª.28.D
GRANDO *glacialis appellatur ab Ariſtole humor cryſtallinus.de anatomia viuorum.* Sp.48.D
Grandinis glacialis & humorum ſuorum quod iuuamentũ in tunicis cerebrorum.de anatomia viuo. Sp.44.B
GRANDO *quid ſit.de ocul.* 7ª.186.H
Grando palpebræ ſuperioris morbus.de ocul. 7ª.186.H
GRAPHIOIDE *os quod.de oſſib.* 1ª.40.H
Graphoιdes proceſſus,qui.de muſc.diſſ. 1ª.46.D
GRAPHIS *ſeu leucographis lapis in Aegypto.9°.de ſimpli.medicamẽtorum facul.* 5ª.68.E
ad GRATIAM *nihil nec ad odiũ loq ſolet Gale.5°.meth.med.* 7ª.33.E
GRATA *ægris concedenda quo modo intelligendum. in* 6^{m}*. de morbis vulga.com.4°.* 3ª.180.F
Grata melius coquuntur,& nutriunt.in 6^{m}*.de mor.vul.cõ.4°.* 3ª.180.F
GRAVANS *multum dicimus.de mult.* 3ª.79.E
Grauatur prompte pars inferna.de curan.rati.per ſang.miſſ. 6ª.17.H
Grauat caput erbum.de ſimp.med. Sp.85.B
Grauatorum & punctorum duorum hominum caſus.de mult. 3ª.79.E
GRAVEDO *quid.introd.Iſa.56.E|in progn.com.2°.* 4ª.202.G
Grauedo morbus longus intrinſecus.introd. Iſa.56.B
Grauedinis cauſa.introd. Iſa.56.E
Grauedinem capitis faciunt vina vehementer calida.de vinis. Sp.76.D
Grauedinibus occupat qui biberit aquã pluuialẽ.de bon.aquæ. Sp.75.F
Grauedines qua tempeſtate fiunt.com.3°.apho.14°. Ex.22.C
Grauedines fiunt hyeme quando æſtas fuerit ſicca, & autumnus pluuioſus.com.3°.apho.13°. Ex.21.H
Grauedines cur fiant vere,cum ſit morbus hyemis.cõmentario 3°. aphoriſmo 20°. Ex.24.A
Grauedines quando bonæ,& quando non.in prog.com.2°. 4ª.202.G
Grauedinem capitis tanto minus faciunt vina dulcia,quantum deficiunt à vehementi caliditate.de vinis. Sp.76.D
Grauedinem,laborem,dolorem,aut mortem in ſynocha ſignificat vrina crocea,& ſpiſſa.de dyna. Sp.34.D
in Grauedinibus cur voces raucæ.7°.de vſu par. 1ª.158.F
Grauedines ſequitur ſternutamentum.in progn.com.2°. 4ª.202.H
in Grauedine quo modo excrementa capitis diſpoſitionẽ declarant. 3°. de locis affectis. 4ª.16.H
Grauedines, & raucedines in valde ſenibus coctionem non admittunt. com.2°.apho.40°. Ex.17.H
Grauedinis curatio.introd. Iſa.56.E
poſt Grauedines & raucitates febris illa firmius concoquit.in 6^{m}*. de mor.vulg.com.3°.* 3ª.171.E
GRAVEOLENS *omne non eſt calidum.2°.de ſimp.med.facul.* 5ª.10.C
Graueolentia vnde.3°.de ſymp.cauſ. 3ª.30.A
ad Graueolentiam,et beneolentiam reducuntur omnes ſapores. 4°. de ſimp.medic.facul. 5ª.31.A
Graueolentia ſtomachum ſubuertunt.8°.de comp.med.ſec.loc. 5ª.190.B
Graueolentiæ in ſymptomatum genere.de ſymp.diff. 3ª.13.B
Graueolentia eſt putredinis indicium.in progn.com.1°. 4ª.197.B
Graueolentia neceſſario ſequitur corruptelam excrementorum, mordicatio & inflatio non item.de ſymp.diff. 3ª.12.E
ad Graueolentiam oris.5°.de comp.me.ſe.lo. 5ª.166.B
Graueolentiam alarum,& totius corporis ſanat ſcolymos.8°.de ſimpli. medic.facul. 5ª.60.H
quas GRAVIDAS *intelligat Hippocrates, cum inquit* ἐπιφόρους*.in* 1^{m}*.prorrh.com.3°.* 4ª.180.G
Grauidum eſt animal omne ſemen continens.1°.de ſem. 1ª.329.A
à Grauidis maxime appetuntur acida, acerba,acria,terra cimolia,teſtæ,& extincti carbones.1°.de ſymp.cau. 3ª.18.C
Grauidæ lac exiguum eſt & prauum.1°.de ſa.tuen. 2ª.66.B
Grauidæ ſanguis deterior eſt.1°.de ſa.tuen. 2ª.66.B
ſi Grauida ſupergreſſa fuerit amphisbænam,abortum facit.de theriaca ad Piſonem. 5ª.93.G
Grauidę aborſus vt afferatur, ridiculum eſt docere. 10°. de ſimplicium medicamen.facul. 5ª.72.D
Grauidam,ne deinceps concipiat,ridiculum eſt docere.10°. de ſimpliciũ medicamen.facul. 5ª.72.D
Grauida quando interit neceſſario.fin.med. Iſa.49.F
Grauida,lege Prægnans.
GRAVITER *olens vrina quid ſignificet.queſ.in Hipp.* Sp.113.D
Grauiter olẽs vrina puris eſt particeps.de vrinę ſign.ex Hipp. Sp.79.C
Grauitatem ſeruare debet medicus, vt habeatur tanquam Deus.in 6^{m}*. de mor.vul.com.4°.* 3ª.180.G
Grauitas accidit per melancholiam.de ana.viu. Sp.45.F
GRAVITATE *non ſunt quęrendę qualitates rerum. 3°. de ſimplicium med.facul.* 5ª.17.C
Grauitate terreſtri,& ſpirituali aere admiſta ſuperiorem purgant ventrem,& inferiorem.de cathar. Sp.94.F
Grauitatis cuiuſdã ſenſum pcipiũt qdã dolẽtes.2°.de lo.aff. 4ª.12.F
Grauitas partiũ ſignificat ĩbecillitatẽ facultatis.in prog.c.2°. 4ª.198.F
Grauitas oſtendit futuram ægritudinem.ars med. Iſa.67.F
Grauitas eſt ſignum perſpicaciſſimum multitudinis.de multi. 3ª.77.H
Grauitatem antecedere plenitudini, & grauitatem ſequi plenitudinem differunt.de mult. 3ª.77.H
Grauitatem ſequi plenitudinem, & grauitatem antecedere plenitudinẽ differunt.de mult. 3ª.77.H
Grauitas quomodo cognoſcitur.3°.de diff.pulſ. 4ª.60.E
à Grauitate cognoſcimus ſanguinẽ eſſe cauſam morbi.de opt.ſe. Iſ.22.F
Grauitas quãdoque in mouẽtibus,qñq; in quieſcẽtibus.de mul. 3ª.78.B
Grauitas in motu ſequitur ad dñium phlegmatis.de anat.viu. Sp.45.E
Grauitatem qui ſentiunt,tñ ſani ſunt.de cur.ra.p ſang.miſſ. 6ª.16.E
Grauitas vnde paralyticis.de mult. 3ª.77.H
Grauitatem capitis ſuperius,obturationemq; auriũ,& narium, inferius vero renum dolorem ſignificat vrina ſuperius ſubnigra & plena,inferius claritatem habens.de dyna. Sp.35.D
Grauitatem capitis in fœmina oſtendit vrina aſterica.de dyna. Sp.35.D
Grauitati capitis,quæ eſt in poſteriore parte, confert ſectio venæ frõtis. de anato.viuo. Sp.55.A
Grauitati oculorum confert ſectio venæ frontis.de ana.viu. Sp.55.A
Grauitati linguæ confert ſectio venarum ſub lingua.de ana.viu. Sp.55.B
Grauitas in pleuritide quo modo fiat. de victus ratione in morbis acutis,commentario 2°. 7ª.117.C
Grauitatis ſenſus circa pulmonem & ſiniſtrum latus fit luna in coniunctione ſolis,ſaturno in tetragono.de decub.pg.ex math.ſciẽ. Sp.13.A
Grauitas ſola ſentit in peripneumonia,& nõ dolor.de vti.reſp. Sp.63.G
Grauitatem ex tumoribus præter naturam vnde ſentiant hepar,renes, & pulmo.2°.de loc.af. 4ª.9.B
Grauitas vuluæ ob pituitam.de dyn. Sp.19.G
Grauitates alleuiare poteſt cucurbitula.de cucur.ſcar. 6ª.3.F
Grauitate aliqua corporis pmanente catharticis vtimur.de dy. Sp.20.e
ex Grauitate,& mole dolor quo modo ſanetur.12°.meth.med. 7ª.79.C
GRAVES *quid faciat.quòd animi mores.* 1ª.320.D
Graue ſequitur,& leue præcedit in euacuationibus quę fiũt per inſtrumenta attractoria in corpore.7°.de vſu par. 1ª.159.F
Grauia habent terream ſubſtantiam.9°.de ſimp.me.fac. 5ª.66.C
Grauia per inferiores meatus excernuntur.9°.de vſu par. 1ª.171.D
Grauis Ambulatio eſt concepto in phlegmatis hora.de dy. Sp.37.C
Grauis Auditus remedium.de dyn. Sp.25.B

Grauis Aqua quæ dicatur.com.5°.aph.26°. Ex.35.H
Grauis dolor eſt ſpecies doloris.com.6°.aph.5°. Ex.46.H
Graues dolores quid ſignificent.2°.de comp.me.ſe.lo. 5ª.127.C
Grauis,triſtis,& dolorificus ſenſus idem.1°.de ſymp.cau. 3ª.16.H
Grauem marcorem facit mandragora.de ſimp.med. Sp.87.C
Graues Palpebras habet cõceptus in hora phlegmatis.de ſper. Sp.37.C
Grauem Pulſum ſpiſſum & ſordidũ habet homotonus.de dy. Sp.34.C
Grauiſſimus Sermo quibus.de aere,aq.& loc. 2ª.5.A
Grauia ſupercilia ſunt edito homini,ſi ſperma conceptum ſit à muliere in tribus horis ſanguinis.de ſpermate. Sp.37.B
Graues,& plenæ ſunt Venæ temporum edito homini,ſi ſperma cõceptũ ſit à muliere in tribus horis ſanguinis.de ſpermata. Sp.37.B
Grauis vox cur fiat.de voce & anhel. Sp.61.D
Grauis vox eſt edito homini,ſi conceptum fuerit ſperma à muliere in tribus ſanguinis horis.de ſpermate. Sp.37.B
Grauis vox adeſt conceptis in hora phlegmatis.de ſpermate. Sp.37.C
Grauiſſima vox vnde prouenit.de aere,aq.& loc. 2ª.5.A
GRAVITER *dormit conceptus in hora phlegmatis.de ſper.* Sp.37.C
GRESSIBILIA *ſunt multo humidiora volucribus.14°.de vſu partium.* 1ª.206.D
Greſſilium teſtes coctu difficiles.3°.de alim.fac. 2ª.27.A
in Greſſilibus aliqbus vbi ſcindatᷓ vena caua.6°.de dec.Hipp. 1ª.263.F
Greſſibile bipes differentia hominis.1°.meth.med. 7ª.4.C
ΓΡΙΦΟΝ *quid.in 1^{m}.pror.com.3°.* 4ª.180.B
GRIPHOMELI *dolores,qui.in 1^{m}.pror.com.3°.* 4ª.180.B
GRONGI *in arboribus,qui.in 6^{m}.de mor.vul.com.3°.* 3ª.172.G
GROSSERIVM. *de dynamidijs.* Sp.28.H
GROSSI *quales.8°.de ſimp.medic.fac.* 5ª.61.F
Groſſi acre ſunt.8°.de ſimp.med.fac. 5ª.57.B
Groſſi cocti duros tumores diſcutiunt,crudi myrmecias,& Thymos eijciunt.8°.de ſimp.med.facul. 5ª.57.B
GRVMI *ceræ modo.4°.de comp.me.fa.* 5ª.239.C
Grumo ſimilia in abſceſſibus inueniuntur.de tum.præter nat. 3ª.83.G
Grumi quo modo efficiantur.1°.de loc.aff. 4ª.3.B
in Grumos tranſit quandoq; ſanguis ex venis in aliquã cauitatẽ exiẽs. com.6°.aph.20°. Ex.48.C
Grumos ſi quis minxerit veſicam male ſe habere ſignificant.commẽ.7°. aphoriſmo.39°. Ex.57.A
Grumi in vrina ſignificant inſtrumentorum vrinæ deſeruientium laborem,vel veſicæ vlcus.com.4°.aph.80°. Ex.37.H
Grumos,& ſanguinem ſi meiat,ſtranguriaq; affligatur dolorq́; ad perineum,ac epigaſtrium incidat,ſignificat circa veſicã eſſe ægritudinẽ. de vrinæ ſign.ex Hipp. Sp.78.H
Grumi in veſica vel in inteſtinis quid faciant.6°.de loc.affe. 4ª.39.A
Grumus ſanguinis vrinam ſupprimit.6°.de loc.aff. 4ª.39.A
Grumi quo modo cognoſcantᷓ vrinã ſupprimere.6°.de lo.af. 4ª.39.A
Grumũ adeſſe in veſica quo argumẽto deprehẽdatᷓ.6°.de lo.af. 4ª.39.A
Grumi in veſicæ meatu ſymptomata.6°.de loc.aff. 4ª.39.A
ex Grumis in veſica omnes ferè moriuntur.6°.de loc.aff. 4ª.39.A
Grumos ſanguinis liquare,ac ſoluere creditur amaranthum.6^{m}.de ſimplicium med.fa. 5ª.42.E
ad Grumos valet oxymeli.6°.de loc.affect. 4ª.39.A
quibus GRVMOSAE *vrinæ craſſæ,paucæ,copia,ex his tenuis adueniens prodeſt.de vrinæ ſign.ex Hipp.* Sp.78.G
Grumoſa conſiſtentia in intermedijs muſculorum nata per halitum digerit pyrites lapis.9°.de ſimp.me.fac 5ª.67.F
GRVES *euitant frigus.de venæ ſect.aduer.Eraſ.* 6ª.7.D
Grues cur habẽt roſtrũ magnũ & collũ lõgius.11°.de vſu par. 1ª.187.D
Grues cur clangorem edunt.7°.de vſu par. 1ª.158.F
inter Grues & anſeres turdorum caro media.3°.de alim.fa. 2ª.29.E
Gruum caro tota fibroſa & dura.3°.de alim.fa. 2ª.29.E
Gruum caro mortificatur & maceratur antequam comedatur.3°.de alimentorum facul. 2ª.29.E
Gruis cerebrum.8°.de comp.me.ſe.loc. 5ª.204.G
Gruis capitis petræ.de dynami. Sp.30.G
Gubernantur inferiora à ſuperioribus.de ſpermate. Sp.40.A
Gubernantur ſuperiora virtute Dei.de ſpermate. Sp.40.B
Gubernantur elementa à ſignis & planetis.de ſpermate. Sp.40.B
Gubernare ex libro prouerbium.3°.de comp.me.per ge. 5ª.231.F
GVBERNATORES *ac iudices munus ſuum obituros à vino penitus abſtinere iubebat lex Chartaginienſiũ.quòd animi mo.* 1ª.320.H
Gubernatores his quæ tractant non ſibi vtilitates comparant.9°.de decretis Hippocratis. 1ª.281.G
Gubernatori nauis medicus comparatur.in progn.com.1°. 4ª.189.D
Gubernatoria ars coniecturalis.introd. Iſa.51.F
GVLA *quid.de anat.viu.* Sp.49.F
Gula quæ pars ſit ſecundum antiquos.5°.de loc.aff. 4ª.32.A
Gulæ,& duodeni differentia.de anat.viu. Sp.50.C
Gulã eſſe viã quæ tranſit ad ſtomachum,collige.cõ.2°.aph.17°. Ex.13.B
de Gulæ anatomia.de anat.viu. Sp.49.F
Gulæ & tunicarum diſſectio.3°.de nat.fa. 1ª.305.B
Gula quot panniculis cõponatur,& quibus villis.de anat.viu. Sp.49.F
Gula habet magis de villis longitudinalibus & latitudinalibus,quàm de alijs.de anat.viu. Sp.56.A
Gulæ duæ ſunt tunicæ.5°.de locis aff. 4ª.32.A
Gulæ tunica interna cur habeat rectas fibras externas tranſuerſas.3°. de natura.fac. 1ª.304.H
Gulæ,ventriculo,linguæ,palato,& toti ori tunica cõmunis eſt.in prog. commenta.3°. 4ª.210.G
Gula minus neruoſa eſt,quàm os ſtomachi.de anat.viuo. Sp.49.F
Gula ſentit.5°.de locis affectis. 4ª.32.C
Gula ſpinæ incumbit.5°.de locis aff. 4ª.32.D
ãn Gulæ os ſunt duæ amygdalæ quaſi duę auriculæ.de ana.viu. Sp.49.F
Gula vſq; ad quartum ſpondylum pectoris tendit.de ana.viu. Sp.49.F
p Gula cataplaſma ſpinæ dorſi ſuperponitur.13°.meth.me. 7ª.84.G
Gula coniungitur pulmoni.de natura & ordine cuiuſl.cor. Sp.42.A
Gulam irrigant glandulę.2°.de ſemine. 1ª.340.E
Gulæ duplex vſus & qui.5°.de loc.aff. 4ª.32.A
Gula,os,venter,alimenti & humidi & ſicci principium eſt.2°.de decr. Hippocratis. 1ª.240.F
p Gulam trahit venter veluti manus.3°.de nat.fac. 1ª.305.A
Gula & collo ſuo vtitur vterus tanq̃ manu.1°.de ſem. 1ª.329.H
Gula impletur ſpiritu,qui cum cibis deglutitur.3°.de na.fa. 1ª.305.B
in Gulam recipitur oris excrementum.6°.de ſa.tu. 2ª.98.E
de Gulæ paſſionibus.de dyn. Sp.25.G
Gula patitur ex humiditate cerebri.com.6°.aph.2°. Ex.46.E
Gulę imbecillitas quo modo cognoſcatur.5°.de loc.aff. 4ª.32.C
Gulæ imbecillitas ſine tumore.5°.de loc.aff. 4ª.32.C
Gulę imbecillitas cum tumore vnde.5°.de loc.aff. 4ª.32.C
Gulæ anguſtia quomodo cognoſcatur.5°.de loc.aff. 4ª.32.C
Gula plena ſingultum facit.com.7°.aph.3°. Ex.54.B
è Gula,& ventriculo feruntur quæ vomimus.cõ.7°.ap.37°. Ex.56.H
ex Gula,& ventriculo ramenta vomitu eijciuntᷓ.4°.de loc.aff. 4ª.25.F
à Gula ſanguis eijcitur vomitione.4°.de loc.aff. 4ª.25.F
Gulæ partes quomodo ſe habent in vomitu.3°.de na.fa. 1ª.304.G
Gulam vellicant acria,& ſalſa.5°.de loc.aff. 4ª.32.D
Gulam adſtringunt acida,& acerba.5°.de loc.aff. 4ª.32.D
ad Gulæ dolorem.7°.de comp.me.ſe.lo. 5ª.180.D
in Gula aperta vena non ſentitur dolor.5°.de loc.aff. 4ª.32.D
Gulæ tumor cum inflammatione vnde.5°.de loc.aff. 4ª.32.D
Gula inflammata quo modo vocem vitiat.4°.de loc.aff. 4ª.26.D
Gulæ præiacentium muſculorum inflammatio,facit peruerti collum,vt vix poſſit deuorare,com.4°.aph.35°. Ex.31.F
Gula & eius muſculi habent quãdam ſocietatem per neruos & ligamẽta ſpinalem medullam,& membranas ipſis adiacentes & oſſa vertebrarum,quæ extrinſecus adiacent.com.4°.aph.35°. Ex.31.F
Gulæ inflammatio mortifera eſt.in 6^{m}.de mor.vulg.com.2°. 3ª.162.H
in Gula abſceſſus incoctus qũo eſſe deprehendatᷓ.5°.de loc.aff. 4ª.32.D
de Gulæ abſceſſu caſus.5°.de loc.aff. 4ª.32.D
ex Gulæ abſceſſu periere multi.5°.de loc.aff. 4ª.32.D
ex Gula affecta angina qualis.5°.de loc.aff. 4ª.32.B
in Gula an ſit vlcus experimentũ ex aceto,et ſinapi.5°.met.m. 7ª.34.F
Gulæ vel ventriculi vlcerationem oſtendit ephelcis,ſi vomitione excernatur.1°.de loc.aff. 4ª.2.F
Gula vlcerata quo modo curanda.4°.meth me. 4ª.28.G
in Gula qñ eſt vlcus,quæ admiſcẽda medicamẽtis.4°.me.m. 7ª.29.A
GVLAE *qui deditus eſt,non eſt induſtrius.ſi quis opt.med.* Iſa.6.F
Gulæ dediti nõ iuuantᷓ euacuationibus.de cur.rat.per ſan.miſſ. 6ª.17.F
Guloſi habent iecur magnum,& multifidum.6°.de anat.adm. 1ª.92.D
Guloſis animalibus venter in os rapitur.3°.de nat.fa. 1ª.304.H
GVMMAE *ceratæ per aures expelluntur.de comp.memb.ſiue de natura humana.* Sp.59.B
Gummi liquor acrimoniæ expers.4°.de comp.me.ſe.lo. 5ª.149.H
Gummi quale ſit.7°.de ſimplic.medicamen.fac.52.B|7°.de compoſitio.

medicamento.ſecundum locos. 5ª.184.B
Gummi Album.5°.de comp.me.ſe.lo. 5ª.160.E
Gummi Arabicum quale ſit.de ocul. 7ª.188.G
Gummi arabicum viſcoſum & humidum eſt.de ocul. 7ª.189.B
Gummi arborum emplaſticum.7°.de ſimp.me.fa. 5ª.52.B
Gummi de Babylonia meminit.de dyna. Sp.28.B
Gummi Ceraſorum, quale.7°.de ſimp.med.fa. 5ª.50.H
Gummi Cypreſſi maturat.de ocul. 7ª.188.E
Gummi Hederæ.de dynamidijs. Sp.25.F
Gummi Saraceni.de dynamidijs. Sp.27.B
Gummi Thebaicum.4°.de comp.me.ſe.lo.156..A/7ª.181.D/ 5ª184.C
Gummi aſperitatibus medetur.7°.de ſimp.me.fa. 5ª.52.B
Gummi theriacam ingreditur.de theriaca ad Piſo. 5ª.92.F
Gummi quomodo adminiſtretur.1°.de antidotis. 5ª.107.E
Gummi oculis conuenit.de ocul. 7ª.188.G
Gũmi admiſcẽdũ medicamẽtis qñ vlcus eſt in gula.4°.me.me. 7ª.29..A
Gummi in principijs inflammationum arteriæ leuiſſimum.6°. de comp. medica.ſecun.locos. 5ª.177.H
Gummi prunorum lapides confringit.7°.de ſimp.me.fa. 5ª.51.G
Gummi nigra pars.de remed.par.fa. 7ª.165.G
Cummi electarium.de med.exper. Sp.108.D
GVRGVLIO quid ſit.6°.de comp.med.ſec.loc. 5ª.172.E
Gurgulionis officia.introd. Iſa.54..A
Gurgulionis capiti præſtatur qualitas guſtabilis.de compag.memb.ſiue de natura humana. Sp.58.D
de Gurgulionis vitijs curandis.de med.par.fa. 7ª.165.E
è Gurgulione ſanguis eijcitur ſcreatu.4°.de loc.aff. 4ª.25.F
à Gurgulione ſanguis quãdoq; tuſſiendo expellit.4°.de lo.aff. 4ª.25.F
Gurgulione, vel palato fluente per nares deriuatio facienda, & quibus. de cucurb.ſcarif. 6ª.4.E
ad Gurguliones inflãmatas Archigenis.6°.de cõp.me.ſe.loc.5ª.173.D
Gurgulio retractus.in 3ᵐ.de mor.vul.com.2°. 3ª.135.E
Gurgulio quando ſecundus.in progn.com.3°. 4ª.209.E
Gurgulionis interitus exemplum.de diff.mor. 3ª.4.H
GVSTABILIVM qualitatũ ꝓpria hẽbus noĩa.2°.de lo.aff. 4ª.12.E
Guſtabilem qualitatem quare præ omnibus lingua ſentiat.de cõp. mẽb. ſiue de natura humana. Sp.58.D
Guſtabilis qualitas cur ſit frigida & humida.de compag.memb.ſiue de natura humana. Sp.58.D
Guſtabilis qualitas quibus partibus præſtatur. de compag.memb. ſiue de natura humana. Sp.58.D
Guſtabilis differentiæ quot ſint.1°.de ſimp.me.fa. 5ª.8.G
cũ Guſtabilibus habẽt proportionẽ odorabilia.1°.de ſymp.cau. 3ª.17.E
in Guſtabilibus qualitatibus laborantes ipſi ſymptomata conijciant.de ſymptoma.differen. 3ª.13.C
GVSTANDI facultas.1°.de ſimp.med.fa. 5ª.8.G
Guſtãdi facultas ſæpius læditur, quàm tãgẽdi.4°.de loc.aff. 4ª.22.G
Guſtandi inſtrumentum, quale.de inſtr.odor. 1ª.110.F
ſm Guſtandi qualitatem nominatur vinum dulce, auſterum, & acre. de vict.rat.in.morb.acut.com.3°. 7ª.125.G
Guſtando indicat quæ intus habet lingua affecta, imputatq; ſenſibilibus. 1°.de ſympt.cauſ. 3ª.15ª.H
Guſtandi ſymptomatum morbi vbi conſiſtant.1°.de ſymp.cau. 3ª.15.G
Guſtare non potens, idem quod faſtidioſus cibi.in 1ᵐ.de morbis vulgari. commenta.1°. 3ª.133.B
Guſtare relinquimus per odoratũ ſentiẽtes.4°.de ſimp.me.fa. 5ª.30.H
Guſtare confuſe viſui & auditui vitioſo comparatur.1°. de ſymptomatum cauſis. 3ª.15.G
Guſtare vitioſe quomodo comparetur oculis cum aliorum ſenſuum vitijs.1°.de ſymp.cau. 3ª.15.G
Guſtat, & tangit idem neruus in lingua.4°.de loc.aff. 4ª.22.G/H
GVSTATORII nerui vbi.9°.de vſu par. 1ª.173.E
Guſtatoria neruorum coniugatio quæ.de ner.diſſ. 1ª.53.F
GVSTATVS ſecundo adiungitur, cum natura incedit à plantis ad animal.2°.de ſem. 1ª.339.G
Guſtatus inſtrumentum lingua.de inſtr.odor. 1ª.110.E
in GVSTATRICE facultate ſymptoma in arquatis amarorem ſenſibilibus imputare.1°.de ſymp.cau. 3ª.15.H
GVSTVS quid ſignificat.de inſtr.odor. 1ª.110.B
Guſtus quid.fin.med.Iſa.45.G/de hiſt.philo. Sp.9.H
Guſtus qualis ſenſus ſit.de ocul. 7ª.184.F
Guſtui ſenſus propie modum ſimilis eſt odori ſenſus.4°.de ſimp. medicam.facultatibus. 5ª.30.H
Guſtus & odoratus in odore ſuauiſſimo, vt roſæ, diſſentiũt. 4°. de ſimp. medic.facul. 5ª.31.C
cum Guſtu cognati generis eſt odoratus.1°.de ſymp.cau. 3ª.17.C
Guſtus humidus naturæ ſenſus eſt.1°.de ſymp.cau. 3ª.17.C
Guſtum dant nerui molles.introd. Iſa.54..A
Guſtum, & tactum dant nerui linguæ à tertia coniugatione. 4°. de locis affectis. 4ª.22.G
Guſtus fit in pelliculis.de vtil.reſp. Sp.63.D
Guſtus quo modo fiat.de hiſt.philo. Sp.9.F
Guſtus inſtrumentum cur ex humidiori corporis ſubſtantia. de inſtrumento odoratus. 1ª.110.E
Guſtus inſtrumentum humidum.7°.de decr.Hipp. 1ª.271.F
Guſtus ſenſoria, quæ.1°.de ſimp.me.fa. 5ª.9..A
Guſtus proprium ſenſibile ſuccus.7°.de decr.Hipp. 1ª.271..A
Guſtus qualitates, quæ.de na.hu.com.1°. 1ª.28.H
in Guſtu delectatio, & dolor euidentia, deinde in odoratu, poſtea in auditu.1°.de ſymptomatum cauſis. 3ª.16.F
Guſtus quid primo ſentiat, & quid ſecundo, de ocul. 7ª.185..A
Cuſtus primo ſapores cognoſcit, deinde id quod ſapores in ſe habet. vt viſus primo colorem, deinde coloratum corpus.7°.de decr. 1ª.271.G
in Guſtu & odoratu quo modo delectamur.1°.de ſymp.cau. 3ª.17.E
in Guſtu gratiſſima dulcia & pinguia.1°.de ſymp.cau. 3ª.17.D
Guſtui dulcia ſunt cognata.1°.de ſymp.cau. 3ª.17.F
ꝑ Guſtũ ꝓtermittere qd iuuatiuũ, ingeneroſum eſt.de cu.ict. Sp.111..A
Guſtum, & odoratum mouent acria, vt allia, & cæpe. 4°. de ſimpliciũ medicamen.facul. 5ª.30.H
Guſtum, & odoratum mouet acetum.4°.de ſimp.med.fac. 5ª.30.H
Guſtu differunt aquæ.de aere, aq.& loc. 2ª.3.C
ad Guſtum aquoſa nullam habent inſignem facultatem.2°. de alimentorum facultatibus. 2ª.25.B
Guſtus indiget exacto iudicio.4°.de loc.aff. 4ª.22.G
Guſtu cognoſcimus fruges eſſe calidas, & frigidas.1°.de ali.fa.2ª.13..A
Guſtus docet diſcernere cibos attenuantes.de atten.vict. 2ª.43.G
Guſtu, & olfactu experiendi piſces.de bon.& vitio ſucc. 2ª.37.H
Guſtus qũo indicet de fermento, & ſale in pane.1°.de ali.fa. 2ª.10.F
ex Guſtu quale ſit oleum poteſt deprehendi.3°.de ſa.tu. 2ª.79.B
Guſtu primo probãdæ plantæ, deinde comedẽdæ.2°.de ali.fa. 2ª.24.E
Guſtu indicat de ſimplicibus.9°.de ſimp.med.fa.64.D/ 5ª.66.C
ex Guſtu inuenit facultatem ſimplicium.9°.de ſimp.me.fa. 5ª.68.D
ex Guſtu probat lapides.9°.de ſimp.me.fa. 5ª.68.D
ex Guſtu probat qualitates medicamẽtorũ.6°.de ſimp.me.fa. 5ª.49.C
ex Guſtu vſum medicamẽtorũ cognoſcimus.6°.de cõp.m.ſe.l. 5ª.165.F
Guſtu quæ medicamenta cognoſcamus.de ther.ad Piſo. 5ª.90.E
Guſtus, & odor docent quæ ſint aromata.2°.de alim.fac. 2ª.19.B
ex Guſtu temperiem quærit Galenus.6°.de ſimp.me.fa. 5ª.40.C
ex Guſtu non poteſt dari iudicium de rerum qualitatibus. 4°. de ſimp. medi.facul. 5ª.31.B/D
Guſtus adſtringentia iudicat.8°.meth.me. 7ª.51..A
in Guſtu, & tactu acerbum.3°.de diff.mor. 4ª.62.H
ex Guſtu quomodo inuenienda vim incidendi, & attenuandi habentia. de attenuante victus rat. 2ª.44.B
Guſtus caſtorei videtur humanæ naturæ aduerſiſſimus.11°. de ſimp.medicamen.fac. 5ª.80.C
Guſtu proprio probare de vita aconitum, thapſiam, erificium. de ſimpl. medicamentis. Sp.83.H
Guſtu, & olfactu ſimplex excellens eſt validius.1°.de anti. 5ª.100.E
Guſtus, & odor adiuuant experientiam.4°.de ſimp.me.fac. 5ª.31.D
ex Guſtu ſigna futura ægritudinis.ars.med. Iſa.67.G
Guſtus à quibus lædatur.1°.de ſymp.cau. 5ª.16.H
Guſtus quoq; , vt alij ſenſus, dolet à maximis ſenſibilibus de ſymptomatum differentijs. 3ª.11.E
Guſtus ſymptomata nihil ſentire, & non legitime ſentire.1°. de ſymptomatum cau. 3ª.15.G
Guſtus inſtrumentum quo modo diuellatur quatenus tactus, & quatenus guſtus.1°.de ſymp.cau. 3ª.16.H
Guſtũ & tactũ ſeruat lingua, tñ ſit paralytica.4°.de loc.aff. 4ª.22.G
Guſtus inſtrumẽtũ laborãs reficit theriaca.de theria.ad Piſo. 5ª.96..A
GVTT.AE cauantis lapidem exempla.1°.de loc.aff. 4ª.4.E
à Guttula lapis lõgo tẽpore ictus cauitatẽ cõtraxit.3°.đ ſym.ca.3ª.26.F
Guttæ excauantis lapidem ad humores crudos comparatio. commẽ.2°. aphoriſmo.52°. Ex.19.D

GVTTA ex reumate ſicco naſcitur homini concepto in bilis horis. de ſpermate. Sp.37.C
ad Guttam vnguenta.de dynami. Sp.31.D
ad Guttam emplaſtrum.de dyn. Sp.31.D
ad Guttam probatiſſimum experimentum.de dy. Sp.35.H
GVTTA Ammoniaci idem poteſt quod propolis.7°. de compoſi. med. per genera. 5ª.264.B
Gutta ammoniaci emollit.6°.de comp.me.per ge. 5ª.258.A
Gutta ammoniaci valentiſſime emollit.7°.de cõp.me.per ge. 5ª.264.C
Gutta ammoniaci purgata.7°.de comp.me.per ge. 5ª.271.E
Gutta ammoniaci liquatur aqua,aceto,& vino. 3°. de compoſi. medic. per genera. 5ª.233.F
ex Gutta ammoniaci,& oleo ricino medicamentum,quale.6°.de compoſi.me.per ge. 5ª.258.A
GVTTA prima ſaponarij eſt miſtra ſaponis.de dyn. Sp.23.A
GVTTVR λάρυγγα vocant.3°.de ſan.tuen. 2ª.77.B
Guttur eſt velut caput aſperæ arteriæ.com.4°.aph.34°. Ex.31.B
Guttur facit ventriculi interna tunica.de victus rat. in morbis acutis, commentario.3°. 7ª.127.G
Gutturis compoſitio.7°.de vſu par.1ª.157.C|de anat.viu. Sp.53.D
Guttur tribus chartilaginibus conſtat,quæ à multis mouetur muſculis. 2°.de dec.Hipp. 1ª.236.D
Guttur cur ex chartilaginibus.intro. Iſa.54.C
Gutturis anuli cur ſint intus concaui.de anat.viu. Sp.53.D
Guttur cooperitur à lingula in deglutiendo.intro. Iſa.54.C
à Guttur ambiente oſſe muſculus exortus qđ faciat.de muſ.diſ.1ª.45.C
in Gutture oſſiculum.de oſſ. 1ª.43.G
de Gutturis proprijs muſculis,qui ſunt duo,vnde oriantur,& finiant. de muſc.diſſ. 1ª.46.B
Gutturis muſculorum conſideratio.7°.de vſu par. 1ª.160.C
Guttur qui muſculi claudunt.de muſc.diſſ. 1ª.46.C
Gutturis capiti incumbens os quõ vocatur.de muſc.diſſ. 1ª.46.D
Gutturis muſculus q̃ mouetur dũ vox edit vbi ſit.de muſ.diſſ. 1ª.46.G
ob Gutturis muſculos qui obmuteſcunt.4°.de loc.aff. 4ª.26.B
Gutturis venę anguſtæ.de vict.rat.in mor.acut.com.4°. 7ª.138.F
Gutturis venæ ſtrictiores q̃ fauciũ.ã vict.rat.ĩ mor.acu.c.4°. 7ª.138.F
Guttur cum ore,naribus,& pulmone principium ſpiritus.2°.de decretis Hippocratis. 1ª.240.F
Guttur quo modo ſpiritum non recipiat. 3°.de loc.aff. 4ª.14.F
Guttur primũ ac propriũ vocis inſtrumentũ.2°.de decr.Hipp. 1ª.236.C
Guttur proprium vocis inſtrumentum.2°.de decr.Hipp. 1ª.236.F
à Gutture quo modo procedit vox.2°.de decr.Hipp. 1ª.237.D
de Gutturis motu in deglutiendo.de mot.man.& obſc. Sp.69.H
an Gutturis nodus tres habeat partes,& quæ ſint.de motibus manifeſtis & obſcuris. Sp.70.B
an in Gutturis nodi motu ſit inſtrumentum quod agat.de motibus manifeſtis & obſcuris. Sp.70.B
Gutturis nodus quomodo eleuetur.de mot.man.& obſc. Sp.70.H
Gutturis nodi attractio,& retentio vnde ſit.de mot.man. Sp.70.F
in Gutture voluptatem faciunt maximam dulcia.de vict.rat.in morb. acut.com.3°. 7ª.127.G
Guttur habet voluptatẽ dulcedinis.de vict.ra.in mor.ac.c.3°. 7ª.127.G
Gutturis nerui recurrentes,qui.1°.de loc.aff. 4ª.6.H
ꝑ Guttur cum tuſſi expurgantur contenta in cauitatibus pectoris. ars medicinalis. Iſa.71.E
Gutturis reiectiones ſanguinis ſanans antidotus.2°.de anti. 5ª.113.C
Guttur occluſum quibus aperiatur.5°.de ſimp.me.fa. 5ª.35.G
Guttur hominis concepti in horis bilis ſemper amarum eſt, & ſiccum. de ſpermate. Sp.37.C
Guttur ſæpe dolet edito homini,ſi conceptum ſperma ſit à muliere in tribus horis ſanguinis.de ſpermate. Sp.37.B
Guttur patitur ab humiditate cerebri.com.6°.aph.2°. Ex.46.E
ad Guttur fluxio acris quid faciat.6°.de ſan.tuen. 2°.98.E
ad Gutturis fluxionem.de med.fac.par. 7ª.179.C
Guttur quo modo contrahatur,quando quis non poteſt deuorare. com. 7°.aphoriſ.60°. Ex.59.E
in Gutturis angina quæ vena ſecãda.de curã.rat.ꝑ ſang.miſ. 6ª.20.G
Gutturis inflãmatio facit anguſtiã anhelitus.cõ.4°.aph.34°. Ex.31.B
Gutturis inflãmatio mortifera eſt.in 6^{m}.de mor.vul.cõ.2°. 3ª.162.H
ad Gutturis phlegmonas ſtercus caninum.10°.de ſimp.me.f. 5ª.76.A
Gutturi ſoli ineſt repente ſtrangulari.com.4°.aph.34°. Ex.31.C
Guttur ſi ingrediuntur cibus & potus,ſtrangulationes, & tuſſes excitantur.intro. Iſa.54.C
Gutturis ſiccitas & humiditas quo modo ſtrangulationem cauſent. cõmen.4°.aph.34°. Ex.31.E
Gutturis aſperitates ex quibus cauſis proueniant.de cau.mor. 3ª.9.C
ob Gutturis aſperitatem tuſſientibus conuenit bugloſſum coctum in melicrato.6°.de ſimp.med.fac. 5ª.45.B
Gutturis ſupremũ quibus exaſperatũ eſt aut ex vociferatione, aut ex humorũ acrimonia,ijs conuenit ouum.11°.de ſimp.me.fa. 5ª.81.F
ad Gutturis aſperitudines.7°.de comp.me.ſe.lo. 5ª.179.F
ad Gutturis affectus valent hirundines vſtæ.11°.de ſimp.me.f. 5ª.82.B
ad Gutturis tumores.3°.de comp.me.per ge. 5ª.235.C
Gutture perforato aer exufflat.an.ſang.in art.nat.cont. 1ª.60.E
Guttur voce ablata ſpiritum adhuc habet.1°.de loc.aff. 4ª.6.G
de Gutture quo modo ſpina extrahatur.ſecret. Sp.97.H
ex Gutture quõ diſcutienda oſſa deuorata.de remed.par.fac. 7ª.165.D
ex Gutture quõ hirudines eijci poſſint.de remed.par fac. 7ª.165.D
GVTTVROSI qui ſint,& quõ fiant.de arti.com.3° 7ª.269.E
GYMNASIVM quid ſignificet.2°.de ſanitate tuen. 2ª.69.E
Gymnaſium minus commune quàm exercitium.de ſal.diæta. 2ª.40.A
Gymnaſiis qui præeſt,gymnaſtes dicendus.2°.de ſan.tuen. 2ª.74.H
Gymnaſia quæ faciunt ſpiritum acutum ſpleniticis.1°.de comp. medica. ſecun.locos. 5ª.199.F
GYMNASTAE nomen non extabat apud Homerum ad Thraſybulum. 2ª.107.B
Gymnaſtam non appellat Plato,ſed pedotribã.ad Thra. 2ª.107.B
Gymnaſtes dicitur qui gymnaſiis præeſt.2°.de ſan.tuen. 2ª.74.H
Gymnaſtæ miniſter pedotriba.2°.de ſan.tuen. 2ª.75.F
Gymnaſta à palæſtrita longe differt.ad Thraſ. 2ª.108.F
Gymnaſtes dicitur qui tantum ad exercitationes pertinentia callet.1°. de ſanitate tuenda. 2ª.68.G
Gymnaſtarum,& medicorum differentiæ.3°.de ſan.tuen. 2ª.76.D
Gymnaſtes quid ſciat.de motibus.2°.de ſan.tuen. 2ª.75.D
Gymnaſtes quos motus ignoret,& quid ſciat.2°.de ſan.tuen. 2ª.75.E
Gymnaſtarum ars quando cœpit.ad Thraſ. 2ª.107.B
Gymnaſtarum omnium conſenſu exercitationes acutæ extenuant. 6°.de ſanitate tuenda. 7ª.96.A
Gymnaſtæ optimi interponunt ſpiritus cohibitionem inter ipſam exercitationem.3°.de ſan.tuen. 2ª.77.E
Gymnaſtes ignarus ꝓpriæ cuiuſq; artis materiæ.2°.de ſan.tu. 2ª.75.G
Gymnaſtæ & palæſtritæ calidi ob vitæ inſtitutum.in 1^{m}.de morb. vulg. commen.1°. 3ª.105.A
Gymnaſtis quod bonum eſt ad ſanitatẽ,luctatoria adipiſcitur. ad Thraſybulum. 2ª.109.B
GYMNASTICA habet nomen à materia.ad Thra. 2ª.108.F
Gymnaſticæ nomen non reperitur frequenter apud Platonem.ad Thraſybulum. 2ª.107.B
Gymnaſtica,quæ.ad Thraſ. 2ª.108.E
Gymnaſticæ eſt ſanorum.ad Thra. 2ª.108.A
Gymnaſtica medicæ artis pars.de part.artis med. Sp.17.D
Gymnaſtica quæ medicinæ pars.ad Tra. 2ª.109.B
Gymnaſtica pars eſt ars corporis.ad Thra.107.D| 2ª.108.A
Gymnaſticæ legitimi auctores,qui.ad Thra. 2ª.107.H
Gymnaſticæ legitimæ verus auctor Hippocrates.ad Thra. 2ª.108.E
Gymnaſticæ finis.ad Thra.102.G| 2ª.107.F
Gymnaſtica quid faciat circa ſanitatem.ad Thra. 2ª.107.G
de Gymnaſticis.de ſal.diæta. 2ª.42.F
de Gymnaſticis librũ fecit Theon Gymnaſtes.2°.de ſan.tuen. 2ª.70.F
Gymnaſticæ miniſter pædotriba.ad Thra. 2ª.109.A
ad Gymnaſticũ an ad medicũ ꝑtineat pars ſalubris.ad Thra. 2ª.106.G
Gymnaſticorum ſanguis qui.de atra bile. 1ª.35.C
Gymnaſticorum collum in tumorem eleuatũ.4°.de anat.adm. 1ª.82.F
in Gymnaſticis muſculi carnoſi.5°.de anat.adm. 1ª.85.A
in Gymnaſticis muſculus apparens.1°.de anat.adm. 1ª.68.A
cõtra Gymnaſtas ſui temporis Galenus inuehitur.ad Thra. 2ª.109.C
γυμνόκριθον hordeum crudum. 1°.de alim. fac. 2ª.11.A
GYNECOMASTHON quid.fin.med. Iſa.49.B
ΓΥΟΝ, hoc eſt corpus. in 6^{m}.de mor.vul.com.4°. 3ª.187.B
GYPSATA dolia vina ſyncera diutius ſeruant.in 6^{m}.de mor.vul. commen.4°. 3ª.183.A
GYPSVM quid.de ſimp.med. Sp.84.H
Gypſum eſt facultatis emplaſticæ.9°.de ſimp.me.fa. 5ª.68.H

ex Gypſo emplaſtica pro ſanguine ſiſtendo.5°.meth.me. 7ª.30.G
Gypſum ad ſanguinis eruptionem accõmodatur, & ad ophtalmias vtile eſt.9°.de ſimp.me.fac. 5ª.69.A
Gypſum pro ſanguine è naribus.de remedijs par.fac. 7ª.155.H
Gypſum ſanguinis fluxum reſtringit dyſentericis, & cœliacis omne profluuium ſtatuit.de ſimp.me. Sp.84.H
Gypſum os ventris ſtomachumue afficit.1°.de ſymp.cauſ. 3ª.18.D
Gypſum deuorantibus quid dandum.2°.de anti. 5ª.114.D
Gypſi vſus quo modo ad ophtalmias.9°.de ſimp.me.fa. 5ª.69.A
Gypſum combuſtum, quale.9°.de ſimp.med.fac. 5ª.69.A
Gypſum vſtum repercuſſorium eſt.9°.de ſimp.me.fa. 5ª.69.A
Gypſum torrefactum.3°.de comp.med.ſec.loc.149.B/5°. de comp.med. per genera. 5ª.252.F
Gypſo vel pice obturãda vaſa vinaria, ne vinũ aceſcat.đ vinis.S.77.A

HABENA nomen vinculi, ab euẽtu nomen trahit.de faſcijs. 7ª.293.H
HABITATIO temperatiſſima quæ ſit.commen.3°.apho.14°. Ex.22.F
Habitatio temperatiſſima in medio mundi.cõmen.3°.apho.14°. Ex.22.F
Habitationem animalium metalla nocua ſunt de bon.aquæ. Sp.75.F
HABITVALES intemperaturæ nominantur quæ ipſo corporis habitu læſo fiunt, com.4°.aph.12°. Ex.28.E
HABITVDO quid.de art.com.1°. 7ª.256.D
Habitudo in euacuatione conſideranda eſt, non tantum annorum numerus.præſa.exper.confir. Sp.78.A
Habitudo bona quæ.de bona hab. 1ª.39.C
Habitudo bona eſt optima ſanitas.de bona hab. 1ª.39.C
Habitudinem bonam non poſſunt efficere medicamenta attenuantia. de bon.& vitio ſucc. 2ª.39.A
Habitudinẽ bonã equorũ vt cognoſcerẽt quidã, eorũ ſtercora odorabantur, vt ſcirent quomodo alimenta concoxerint.7°.meth.me.7ª.45.A
Habitudo mala quæ.de bona hab. 1ª.39.B
Habitudinibus aſcititijs pulſus, qui.3°.de cau.pulſ. 4ª.98.D
Habitudinibus frigidis danda phlemagoga.de dyn. Sp.21.C
HABITVS quid ſignificet.de bona hab.1ª.39.B/ de vict. ratio. in mor. acut.com.2°. 7ª.124.A
Habitus quid ſignificet apud Hippocratem.com.6°.apho.16°.Ex.47.G
Habitum, non ſignificare de difficili mobilem, collige. commentario. 4°. aphoriſmo.28°. Ex.30.B
Habitus qđ ſignificet in chirurgia.de ijs, quæ in me.ſi.com.3°. 7ª.217.H
Habitus dicitur natura.fin.med. Iſa.44.F
Habitus quid ſit.ad Thraſ.2ª.103.C/G/2°.meth.me. 7ª.10.A
Habitus bonus qui ſit.fin.med.Iſa.45.C/de ſal.diæta. 2ª.42.H
Habitus optimus idem cũ conſtitutione, diſpoſitione, habitudine, & natura optimis.de opt.noſtri corp.conſt. 1ª.37.G
Habitus bonus ſalubris eſt affectio.ad Thra. 2ª.103.G
Habitus bonus, & habitus ad aliquid.ad Thra. 2ª.103.C
Habitus bonus quo modo differt à ſanitate. finit. medicæ.Iſa. 45.C/ad Thraſy. 2ª.103.C
ſecundum Habitum ſanitas, quæ.ad Thra. 2ª.102.E
Habitus bonus ſanitatis, bonus habitus ſimpliciter dici non debet. ad Thraſy. 2ª.103.H
Habitus bonus duplex eſt, naturalis, & athleticus.ad Thra. 2ª.102.C
Habitus ſimpliciter bonus, qui.de bona ha.1ª. 39.B/c.1°.aph.3°.Ex.3.F
Habitus bonus quibus comparetur.ad Thra. 2ª.103.H
Habitus naturalis foſſornm, remigantium, & meſſorum, qui. ad Thraſybulum. 2ª.102.H
Habitus bonus exercitatorum, qui.com.1°.apho.3°. Ex.3.F
Habitus bonus quid ſecundum Chryſippum.5°.de decr.Hipp. 1ª.255.B
Habitus bonus qui laudandus, & qui vituperãdus.ad Thra. 2ª.107.C
Habitus nimis bonus, cur periculoſus.commen.1°. aphor. 3°. Ex.3.F/de ſal.diæta. 2ª.42.H
Habitus boni corporis proprium.de mul. 3ª.79.F
Habitus bonus facit actiones firmiores.ad Thra. 2ª.102.E
Habitus bonus quibus ſeruatur.ad Thra. 2ª.107.C
Habitus bonus in quibus non ſit.de ſal.diæta. 2ª.42.H
Habitus boni plenitudinem ſenes non poſſunt ſuſcipere. 2°. de locis affectis. 4ª.11.F
Habitus non reſtituitur in gracilibus, qui debẽt refici, niſi ſit plus quod apponitur, quàm quod euacuatur.2°.de nat.fac. 1ª.299.C
Habitu corporis exinanito, niſi ſenſim renutriatur, plurimum excrementorum in eo congeritur.4°.de ſan.tuen. 2ª.88.C
Habitus naturalis habet latitudinem.1°.de ſa.tu. 2ª.64.E
Habitus naturalis non poteſt ſtare cum magna ſiccitate. commenta.6°. aphoriſmo.32°. Ex.49.H
ab Habitu naturali vt facile vel ægre recedant, multum inter ſe differunt animalia.de cau.mor. 3ª.6.H
in Habitu corporis virorum, & mulierum differentia.3°. de cauſis pulſuum. 4ª.95.G
Habitum durum facit ſiccus affectus.5°.de ſa.tu. 2ª.89.D
Habitus ſiccitas quid indicet.5°.de ſa.tu. 2ª.89.D
Habitus rari, & hirſuti, quales.de ſal.diæta. 2ª.43.A
in Habitu raro corporis non fit ſynochus.9°.meth.me. 7ª.56.D
Habitus corporis pro vena ſecanda eſt conſiderandus.de victus. rat.in mor.acu.com.3°. 7ª.157.G
Habitus diuerſi diuerſa exigunt.6°.de comp.me.per ge. 5ª.255.E
ꝓ Habitu victus ratio immutanda eſt.de ſal.diæta. 2ª.40.H
Habitus calidus calidos morbos petit, frigidus frigidos, humidus humidos, ſiccus ſiccos.com.2°.aph.34°. Ex.17.C
Habitus rari habent rara ſymptomata.6°.de loc.aff. 4ª.39.D
Habitum lædunt ſtupefacientia.12°.meth.me. 7ª.75.B
Habitus potius eſt lædendus, quàm moriendum.12°.meth.me. 7ª.75.B
Habitu adeo improſpero quidam ab ortu ſunt, vt Aeſculapius nõ poſſit illos ducere ad annum ſexageſimum.1°.de ſa.tu. 2ª.67.E
ꝑꝑ Habitum malum ſi totum corpus grauetur, ſanguis tranſit ad venas vteri, & fit fluxus menſtruorum.com.5°.aph.57°. Ex.43.A
in Habitũ malũ de lapſorũ remedium.7°.de comp.me.ſe.lo. 5ª.186.A
Habitui corporis prauo theriaca optimum eſt remedium.de theriaca ad Piſonem. 5ª.96.C
Habitũ bonũ corporis promittit theriaca.de vſu ther.ad Pãph. 5ª.98.C
Habitum corporis vniuerſum firmiorem facit theriaca.de vſu theriacæ ad Pamphilianum. 5ª.98.G
ad Habitum corruptum.8°.de comp.me.ſec.loc. 5ª.196.H
HAELVRORVM ſalitorũ caro, qualis.11°.đ ſimp.me.fac. 5ª.78.F
HAEMA, id eſt ſanguis, eiusq; qualitates. 10°. de ſimplic. medicamen. facultatibus. 5ª.72.F
Hęma periſteras, id eſt ſanguis columbę.10°.de ſimp.me.fa. 5ª.72.H
ad HAEMALORAS. 4°.de compoſitione med.ſec.loc. 5ª.157.G/ de rem.par.fa. 7ª.156.F
HAEMATITES lapis, qui.de ſimp.med. Sp.86.E
Hęmatites, vnde, & qualis.9°.de ſimp.med.fac. 5ª.68.C
Hęmatites qualis ſit.de ocul. 7ª.188.H
Hęmatites lapis eſt adſtringens leue.5°.meth.me. 7ª.31.G
Hęmatites lapis viſcide ſtringit.de ſimp.me. Sp.86.F
Hęmatites lapis obſtruit.de ocul. 7ª.187.H
Hęmatitis lapidis natura probatur per cotẽ.4°. de compoſitione medicamen.ſec.loc. 5ª.151.D
Hęmatites oculis conuenit.de ocul. 7ª.188.G
Hęmatites lapis ad oculos, qualis.4°.de comp.me.ſe.lo. 5ª.151.D
Hęmatites quo modo ocularibus facultatibus adhibendus. 9°. de ſimp. med.facul. 5ª.68.C
Hęmatites valet ad ſupercilia exaſperata, ſanguinis expuitioni competit, omnibusq; vlceribus, & excreſcentia reprimit. 9°. de ſimpliciũ medica.fac. 5ª.68.C
Hęmatites lapis vlcera oculorum per ſe cicatrice includit.9°.de ſimpli. med.facul. 5ª.68.C
Hęmatitem lapidem ad vlcera oculorum expertus eſt Galenus. 9°.de ſimp.med.fa. 5ª.68.C
Hęmatites lapis vlceribus humentibus conuenit.9°.de compo. medica. ſecun.locos. 5ª.205.D
Hęmatites lapis vſtus, & lotus.4°.de comp.me.ſe.lo. 5ª.156.A
ex Hęmatite lapide medicamẽta.4°.de comp.me.ſe.lo.152.E/ 5ª.156.A
Hęmatiti vim ſimilem habet magnes.9°.de ſimp.me.fa. 5ª.68.B
HAEMIONITIS aſplenum, & ſcolopendria dicitur. 9°. de compoſit. med.ſecun.loc. 5ª.198.E/H
Hęmionitis eſt amara.6°.de ſimp.me.fa. 5ª.48.B
Hęmionitis cũ aceto pota lienoſis remedio eſt.6°.de ſim.me.fa. 5ª.48.B
HAEMODIA ſolis dentibus, & gingiuis accidit.2°.de lo.af. 4ª.9.F
Hęmodia dentium offenſa, quæ ab immaturis fit.de ſimp.me. Sp.81.A
Hęmodię, id eſt ſtuporis dentium, nõ habet aliquid ſimile dolor mẽbranarum.

narum.2°.de locis affectis. 4ª.11.B
Hęmodia tactricis virtutis eſt ſymptoma.1°.de ſymp.cau. 3ª.16.B
HAEMOPTOICA quę.8°.de ſimp.me.fa. 5ª.61.H
Hęmoptoica medicamenta cur recipiant ſchini florem.8°.de ſimplicium medicamen.facul. 5ª.61.H
Hęmoptoicis cur dentur ſomnifera,& ſtupefacientia infeſtiſſima. 7°.de comp.med.ſec.loc. 5ª.183.F
Hęmoptoicis exhibetur lemonij fructus.7°.de ſimp.me.fa. 5ª.54.B
Hęmoptoicis ꝓdeſt lẽtiſcus cũ aqua frigida vel poſca.đ ſim.m. Sp.86.B
Hęmoptoicis q̃uo prodeſt ſanguis hœdorũ.10°.de ſimp.me.fa. 5ª.73.C
Hęmoptoicis valet thuris cortex.7°.de ſimp.me.fa. 5ª.54.E
ad Hęmoptoicos ex libris Apollonij.7°.de comp.me.ſe.lo. 5ª.183.C
ad Hęmoptoicos Aſclepiadæ.7°.de comp me.ſe.lo. 5ª.185.C
ad Hęmoptoicos,Carterij Robuſtij.7°.de comp.me.ſe lo. 5ª.184.A
ad Hęmoptoicos,Charixenis.7°.de comp.me.ſe lo. 5ª.184.C
Hęmoptoicus paſtillus.7°.de comp.me.ſe.lo. 5ª.184.D/E
ad Hęmoptoicos Magni Philadelphi.7°.de comp.me.ſe.lo. 5ª.184.A
ad Hęmoptoicos.7°.de cõp.med.ſec.loc.181.E/F/G/182.C/183.B/H/184 A/D/E/F/G/185.B/G/186.A/8°.191.E/ 9°.5ª.203.A / C/D/de dynamidijs.25.B/ Sp.27.B
HAEMORRHAGIA quid.fin.med. Iſa.50.A
Hęmorrhagia quomodo differt ab hęmorrhoide.fin.med. Iſa.50.A
in Hęmorrhagijs cur fiant cõuulſiones.in 1^{m}.pror.com.3°. 4ª.186.E
Hęmorrhagia ſanauit delirium.de cau.procatar. 3ª.95.E
ad Hęmorrhagiam meningum non probat Galenus ſanguinem galli,& gallinæ.10°.de ſimp.me.fa. 5ª.73.B
Hęmorrhagicæ ſunt phlegmonę hepatis & hypocõdriorum.in 1^{m}. pror. commentario.3°. 4ª.186.D
Hęmorrhagicæ non ſunt phlegmonæ cum palpitatione. in 1^{m}. pror.commentario.3°. 4ª.186.D
de HAEMORRHOIDIBVS. 9°.de comp.me.ſe.lo. 5ª.205.B
Hęmorrhois quid.fin.med.44.C/ Iſa.50.A
Hęmorrhois ex toto genere pręter naturam de ſymp.diff. 3ª.13.G
Hęmorrhoides inter morbos ponuntur,qui vere apparent.6°.de ſanitate tuenda. 2ª.94.D
Hęmorrhoides vnde ſint,& quo modo,& quòd ſit propria paſſio. conſiſtentium.com.3°.aph.30°. Ex.26.F
Hęmorrhoidum differentię quinq;.fin.med. Iſa.49.C
Hęmorrhoides cæcæ,ſedis affectus.intro. Iſa.59.D
Hęmorrhoida in ſingulari dicit Galenus,quaſi vna ſit tantum. commẽtario.6°.aph.47°. Ex.52.C
Hęmorrhoidas habet vterus.de theria.ad Piſo. 5ª.96.B
Hęmorrhoides q̃uo fiant docuit Hipp.de venæ ſectione. 6ª.7.E
ab Hęmorrhoidibus dolor ĩducit̃ q manifeſte appet.1°.de lo.af. 4ª.6.D
Hęmorrhoides qui patiuntur quibus morbis capiantur, & quibus non. in.6^{m}.de mor.vul.com.3°. 3ª.178.D
per Hęmorrhoides hepatis materia fęculenta vitioſa purgatur.com. 6°.aphoriſmorum.12°. Ex.47.E
Hęmorrhoidum ſanguis,qui.de atra bile. 1ª.35.C
ab Hęmorrhoidali ſanguine quo modo differat ſanguis per inteſtina.de artic.com.4°. 7ª.288.A
in Hęmorrhoidas deſcẽdit atra bilis.2°.de arte cur.ad Gla. 7ª.107.D
Hęmorrhoides ſolent euacuare ſanguinem craſſum plenum melancholico humore.com.6°.aph.11°. Ex.47.D
Hęmorrhoides euacuant melancholiam.com.6°.aph.47°. Ex.52.C
Hęmorrhoides ab humore melancholico.de bon.& vitio ſucc. 2ª.39.D
Hęmorrhoides ſunt maximũ remedium melancholiæ,adeo vt quandoq; futuram prohibeant.com.4°.aph.25°. Ex.30.B
Hęmorrhoides ſuperuenientes atra bile vexatos & renum paſſionibus, bonum.com.6°.aph.11°. Ex.47.D
Hęmorroides inſanientibus ſuperuenientes inſaniam ſoluunt, com.6°. aphoriſmo.21°. Ex.48.D
Hęmorrhoides ſunt melãcholiæ remediũ.in 6^{m}.de mor.vul.cõ.3°.178.E com.5°.3ª.192.H/de venæ ſect.aduerſ.Eraſ. 6ª.7.E
Hęmorrhois ſanat atram bilem, & lienem duratum. in 6^{m}. de morbis vul.commen.6°. 3ª.197.E
ꝑ Hęmorrhoidas ſanguis exiens ſeruat hominẽ ſanum.de venę ſeſtione aduerſus Eraſ. 6ª.7.B
Hęmorrhoides an excuſent à venæ ſectione.9°.meth.me. 7ª.57.H
ꝑ Hęmorrhoidas euacuatiõi nõ ẽ aſſuefaciẽdũ.c.4°.aph.25°. Ex.30.B
ꝑ Hęmorrhoidas criſis q̃n futura q̃uo cognoſcat̃.3°.đ.criſ. 4ª.144.G
ꝑ Hęmorrhoidas ſanguinem futurum ſignificant lumborum dolores. in 1^{m}.pror.com.3°. 4ª.185.C
in Hęmorrhoidibus quędam eminentiæ recto inteſtino eſſe ſolent. de diſſec.vul. 1ª.109.G
Hæmorrhoides q̃uo curandæ.in 6^{m}.de mor.vul.com.3°. 3ª.178.E
Hęmorrhoides qua vena proritentur & qua cõbibeantur.de curã.rati. pro ſang.miſſ. 6ª.20.H
Hęmorrhoides quibus retinentur,illis vere vena ſecanda eſt. de curan. rati.pro ſang.miſſ. 6ª.16.H
Hęmorrhoidibus ſuppreſſis ſanguinem auferto. de curandi ratione per ſanguinis miſſ. 6ª.18.F
Hęmorrhoidum orificia aperit ſectio ſaphenæ de ana.viu. Sp.54.H
Hęmorrhoidibus ſupreſſis, crura ſcarificanda. de hirudini. reuulſione, 2.F/de cucurb.ſcar. 6ª.3.F
Hęmorrhoides prouocantur ex acritudine humorum, qui euacuantur. [ex quo poteſt dici non eſſe virtutem aloes vt multi exiſtimant.]cõ. 6°.apho.47°. Ex.52.C
Hęmorrhoidas aperit cæpa.7°.de ſimp.me.fa. 5ª.53.D
Hęmorrhoidas reſerat ſuccus cyclaminis.7°.de ſimp.me.fa. 5ª.53.E
ꝑ Hęmorrhoidas purgat quandoq; natura fel nigrum.in 6^{m}. de morb. vul.com.5°. 3ª.192.H
Hęmorrhoides aperiuntur felle taurino.10°.de ſimp.me.fa. 5ª.74.G
in Hęmorrhoidibus origanum ſemper conuenit.de victus rat.in morb. acut.com.4°. 7ª.152.F
Hęmorrhoidas ſedis,et vteri aperit theriaca.đ theria.ad Piſo. 5ª.96.B
Hęmorrhoidibus aſſueti quo modo tractandi in euacuatione. de conſuetudine. 2ª.61.H
Hęmorrhoides profluentes nimium, quæ mala progignant. de curandi rati.per ſang.miſſ. 6ª.20.H
ob Hęmorroidum nimium fluxum fit animi defectus. 1°. de arte curatiua ad Glauco. 7ª.98.E
in Hęmorrhoidum euacuationibus fiunt pulſus vermiculantes. 2°. de præſag.expul. 4ª.113.A
Hęmorrhoides q̃uo ſiſtantur.1°.de arte cur.ad Glau. 7ª.98.G
ab Hęmorrhoidibus diuturnis ſanato ſi vna non ſeruatur, periculũ eſt aquã intercutem vel tabẽ aduenire.com.6°.aph.12°. Ex.47.D
Hęmorrhois vna ſemper ſeruanda.de vict.ra.in mor.ac.c.4°. 7ª.152.F
ex Hęmorrhoidibus diuturnis ſuppreſſis, vel immodica profuſione ad extremã frigiditatem ducẽtibus,fit hydrops.2°.de na.fa. 1ª.299.F
ꝑꝑ Hęmorrhoidum immodicam vacuationem, & inſolitam ſuppreſſionem fit aqua inter cutem.3°.de præſag.ex pul. 4ª.121.E
Hæmorrhoidibus prodeſt Hieracites lapis ſuſpenſus, & Galenus fecit experimentum.9°.de ſimp.med.fa. 5ª.67.E
ex Hęmorrhoidibus profluentem ſanguinem ſiſtit lapis Indicus. 9°.de ſimp.med.fac. 5ª.67.E
Hęmorrhoidum nimia purgatione tumidi,luto ſanantur ęgyptio. 9°.de ſimp.med.fac. 5ª.65.G
ꝑ Hęmorrhoidas ſanguini fluenti remedium.de dyn. Sp.28.E
Hęmorrhoides periculoſæ ſi in totum ſupprimantur, vel multum euacuent.com.4°.aph.25°. Ex.30.B
ob Hæmorrhoidum clauſas euacuationes facti morbi.de venæ ſectione aduerſus Eraſ. 6ª.7.E
Hæmorrhois reſtricta facit melancholiam.3°.de loc.aff. 4ª.18.E
Hæmorrhoidibus reſectis periculum eſt ne corripiantur melancholia, & quid agendum de atra bile. 1ª.35.D
ex Hæmorrhoidum ſublatione melancholici.de atra bile. 1ª.33.E
ad Hæmorrhoidas cobibendas.5°.de comp.me.per ge. 5ª.250.B
ad Hæmorrhoidas phlegmone tẽtatas.5°.de cõp.me.per ge. 5ª.247.B
ad Hæmorrhoidas vnguentum.de dy. Sp.28.G
Hæmorrhoidas tabefaciẽs,& cõſumens.5°.de cõp.me.ꝑ ge. 5ª.245.H
Hæmorrhoidas cæcas diſſoluit marrubiaſtrũ.de ſimp.me. Sp.87.F
ad Hæmorrhoidas intrinſecas,& extrinſecas.de dy. Sp.28.G
ad Hęmorrhoidas.3°.de comp.med.ſec.loc.148.B/5°.de comp. me.per ge.252.F/H/253.C/5ª.254.E/de med.fac.par.7ª.175.F/de dy.28.E/F/ G/ſecretorum.97.B/ Sp.103.A
ad Hęmorrhoidas in ore matricis.de paſſ.mul. Sp.96.B
ad Hæmorrhoidas quæ interius ſunt in inteſtinis.de dy. Sp.28.E
Hæmorrhoidum per chirurgiam curatio.de vict.rat.in mor.acu. commentario.4°. 7ª.152.F
Hæmorrhoidum abſciſſio quo modo.intr. Iſa.60.C
Hæmorrhoidum extractorium Magni Tarſenſis.9°. de compo. medica. ſecundum locos. 5ª.205.B
HAEMORRHVS qualis ſerpens.de theria.ad Piſo. 5ª.92.H

Hæmorrhi morſum multa accidentia comitant̃.de opt.ſecta. Iſa.22.G
contra Hæmorrhum valet theriaca.de ther.ad Piſo. 5ª.71.E
HAEREDES *inſtituunt̃ p leges q nondũ nati ſunt.an animal.* 3ª.328.E
quorum Hæredes eſſe debeant vt præuideant diuites, vtuntur aſtrologia,& diuinatione.de præcog.ad Poſth. 4ª.214.C
Hæreditates in duodecim partes diuidunt Romani.de cuiuſq; animi. pec cat.not.& med. 2ª.58.D
HAERESIS *methodica omnia artis bona deſtruit.2°.de arte curatiua ad Glauconem.* 7ª.103.C
HAERETICI *in arte medica.de cathar.* Sp.94.H
H*ALAE* *à græcis dicuntur ſalinæ.9°.de ſimp.med.fac.* 5ª.68.G
HALICA *facit craſſum ſanguinem cum bono ſucco.in 6^{m}. de mor. vul. commenta.3°.* 3ª.175.C
Vide Alica.
HALICACABVS *vrinæ ciendæ idoneus, ad iecur, veſicam, & renes valet.8°.de ſimp.me.fa.* 5ª.62.G
HALIEI *acopon viride.7°.de comp.me.per ge.* 5ª.271.H
Haliei confectum.7°.de comp.me.per ge. 5ª.271.C
Haliei aliud.7°.de comp.me.per ge. 5ª.271.D
Haliei giluum q̃uo conficeret Galenus.5°.de comp.me.per ge. 5ª.248.H
Haliei giluum.3°.de comp.me.per ge.235.B/5°. 5ª.248.H
Haliei ad vetera,& quæ cicatricem ægre ducunt.5°.de comp.medicam. per genera. 5ª.247.E
HALITVOSA *quæ ſint excrementa.8°.meth.med.* 7ª.51.A
Halituoſorum ſpirituum generatio vnde.3°.de ſymp.cau. 3ª.27.F
Halituoſus ſpiritus fit à craſſis glutinoſis.12°.meth.me. 7ª.79.D
cum Halituoſo ſpiritu dolores grauiſſimi ex craſſis, & glutinoſis humoribus.12°.meth.me. 7ª.79.C
Halituoſi ſpiritus cur exire non poſſint.12°.meth.me. 7ª.79.D
Halituoſior eſt calor puerorum,florentium vero ſiccior. 3°. de ſymptomatum cauſis. 3ª.29.C
HALITVS *ſenſus odoratus.1°.de ſymp.cau.* 3ª.17.C
Halitus eſt leuiſſimum & tenuiſſimum in corpore humano poſt ſpiritũ, tertio ſanguis.3°.de nat.fac. 1ª.307.F
Halitus tanto eſt aere craſſior, quanto aer eſt craſſior ſplendore.1°. de ſympt.cau. 3ª.17.C
Halitum non facit frigiditas ſyncera,& cur.3°.de ſymp.cau. 3ª.27.E
p Halitũ ægre digerunt̃ frigidæ,& ſiccæ naturæ.9°.met.me. 7ª.60.H
in Halitũ aptũ eſt redigi humidum, & calidum.9°.meth.me. 7ª.60.H
p Halitũ digeri nullũ corpus poteſt citra calorẽ.9°.met.me. 7ª.60.H
Halitus naturaliter feruntur in ſublime.1°.de na.fa. 1ª.293.D
Halituum differentiæ ſequuntur temperamenta ſolidorum corporum. de ſymp.diffe. 3ª.13.C
Halitum bilioſum facit inedia.10°.met.me. 7ª.62.H
Halitus fuliginoſus quibus augetur.10°.meth.me. 7ª.62.H
ex Halitu fuliginoſo febris.10°.met.me. 7ª.62.H
ad Halitus feruidos.de rem.par.fac. 7ª.159.A
Halitus qd faciat in pleuritide.de vic.rat.in mor.acu.c.2°. 7ª.116.G
Halitus in ſe graueolẽtes aliq̃n ſentit odoratus.1°.de ſymp.cau. 3ª.17.E
Halitus in ſummo beneolentes quo modo non ſentit odoratus in ſe. 1°.de ſympt.cau. 3ª.17.E
Halitus ex ſtagnis,paludibus,& fluuio vitãdus.12°.met.me. 7ª.77.E
quorũ Halitus aerẽ vicinum inficiat.in 3^{m}.de mor.vul.com.1°. 3ª.133.F
per Halitum digerentia qualia eſſe debeant.de victus ratione in morb. acut.com.4°. 7ª.140.H
per Halitum digerunt humorẽ medicamenta mouentia pus. 5°. de ſim. medic.fac. 5ª.33.B
per Halitum educit diacalaminte.4°.de ſa.tu. 2ª.86.F
p Halitũ maxime digerit ſuccus Cyrenaicus.8°.de ſimp.me.f. 5ª.57.D
HALLVCINATIONES *quando bonæ,& quando non bonæ, conſiderandum.1°.dc criſi.* 4ª.128.D
Hallucinatum vnum ſequuti ſunt omnes.de dign.ex pul. 4ª.78.H
HALME, *id eſt ſalſugo.11°.de ſimp.med.fac.* 5ª.83.H
HALOSACHNE *quid & eius vires.de ſimp.me.* Sp.81.C
Haloſachne,id eſt ſpuma ſalis.11°.de ſimp.med.fac. 5ª.83.E
HALOSANTHOS, *id eſt ſalis flos.11°.de ſimp.me.fa.* 5ª.83.E
HALTERES *quid ſint in exercitijs.4°.de cõp.me.per ge.* 5ª.237.D
H*AMIAE* *molles carne.3°.de alim.fac.* 2ª.31.A
Hamiæ habent carnem duram.3°.de ali.fa. 2ª.31.F
Hamiæ piſces qui cæteris facilius conficiuntur.3°.de alim. 2ª.31.F
HAMMODYTAE *morſibus confert centaurea.de vir.cent.* Sp.93.H
HAMO *piſccs ars captãs inter acqſitiuas numerat̃.ad Thr.* 2ª.106.D
HAMI *inſtrumenta chirurgica.de ijs quæ in med.fi.c.1°.* 7ª.200.H
Hamo vtendum ad capiendos tendines.1°.de ana.adm. 1ª.65.H
Hamulus qualis eſſe debeat.8°.de ana.adm. 1ª.100.E
Hamis,ſpinis,ac rubis ſophiſmata cõparat Galenus.đ cau.pc. 3ª.95.H
Hamus ſiue cuſpis.de faſcijs. 7ª.302.E
H*APLA* *medicamenta à græcis dicta.de cathar.* Sp.95.A
HAPSVS *lanæ.7°.meth.me.43.H/13°.* 7ª.81.B
Hapſus.de med.fac.par. 7ª.167.E
HARMANA *dicitur ruta ſylueſtris lingua vernacula Syriorum.9°.de comp.me.ſe.lo.* 5ª.200.A
HARMATIVM, *id eſt currus,collyrium.de compoſitione medicamẽ. ſecundum locos.* 5ª.156.D
HARMOLA *dicitur ruta ſylueſtris.7°.de ſimp.med.fa.* 5ª.56.F
HARMONIA *oſſium quid.de oſſ.* 1ª.40.C
Harmonia omnium oſſium contingit conceptis in horis melancholiæ. de ſpermate. Sp.37.D
Harmonia trium ventriculorum capitis de ſpermate. Sp.37.G
HARMONIAE *& cantus,orationis,& dictionis affectio quædam eẽ videtur.de ſymp.cau.* 3ª.10.D
HARMONIA *dictum medicamentum.7°.de comp.me.ſe.lo.* 5ª.182.C
HARPALI *attrahens.6°.de comp.med.per ge.* 5ª.261.D
HARPOCRAS. *9°.de comp.me.ſe.lo.203.F/4°.de comp.med.per ge. 242.D/5°.* 5ª.252.E
Harpocratium medicamentum.4°.de comp.me.ſe.lo. 5ª.154.D
Harpocratis aridum.5°.de comp.me.per gen. 5ª.252.H
vt Harpocras malagma.7°.de comp.med.per ge. 5ª.266.B
Harpocratis ſtomaticũ ex Hirundinibus.6°.de cõp.me.ſe.lo. 5ª.171.A
HARVSPICINAM *tantum improbat Plato.de hiſt.philo.* Sp.10.C
H*ASEG* *quid.de ſimp.med.* Sp.85.C
Haſeg ſiccat,& refrigerat,turgentibus & diſtenſis locis impoſitum cito emollit.de ſimp.med. Sp.85.C
H*AVRIRE* *ſæpe aquam,illam reddit bonam.de bon.aquę.* Sp.75.D
HAVRITORIA, *ſiue fontes ſub radice linguæ.dc ana.vi.* Sp.49.C
Hauritorium ſaliuæ quæ glandula dicatur.de anat.viu. Sp.55.H
HEBETATVM *tandem eſt ferrum acutiſſimum vel moliſſimam incidens carnem.3°.de ſymp.cau.* 3ª.26.F
HEBETIORIBVS *non eſt legendus liber de ſymptomatũ cauſis, niſi poſt lectos libros de potentijs naturalibus.2°.de ſymp.cau.* 3ª.21.A
Hebetioris ſenſus pars ĩdiget valẽtioribus remedijs.4°.met.m. 7ª.28.F
HEBETVDO *quid.intro.* Iſa.59.B
Hebetudo viſus ex quibus.1°.de ſymp.cau. 3ª.15.C
Hcbetudo oculorum quo modo fiat.in 1^{m}.pror.com.2°. 4ª.170.E
Hebetudines viſus adiuuãt caules chamæſyces.8°.de ſim.mc.f. 5ª.65.G
Hebetudinem oculorũ ſedare poteſt theriaca.de ther.ad Piſo. 5ª.95.H
HEC*ATONDRACHMON* *Emplaſtrum. 2°. de compoſitione medica.per gen.* 5ª.220.H
de HECTICA. *7°.meth.med.* 7ª.64.A
Hecticæ febres vnde dicuntur.1°.de diff.feb. 3ª.33.E
Hectica febris quæ vocetur.de inæqu.intemp. 3ª.44.B
Hectica febris,quæ.8°.meth.med. 7ª.49.G
Hectica excepta omnes febres ſunt intẽperies inæquales per totum corpus.de inæqu.intemp. 3ª.43.B
Hectica temperatura,quæ.in 6^{m}.de mor.uul.com.6°. 3ª.196.F
Hectica laborant tabidi.in 1^{m}.de mor.vul.com.3°. 3ª.120.A
Hectica ſola ſine tabe,quando.1°.de diff.feb. 3ª.34.G
Hecticæ,& ſynochæ differentiæ.1°.de diff.feb. 3ª.35.C
Hecticam ſynocho comparat in continuatione.1°.de diff.feb. 3ª.35.C
Hecticæ,& ephemeræ quæ febrium genera.2°.de criſi. 4ª.137.A
cum Hecticis communicant aliquæ diariæ.de marc. 3ª.47.E
in Hecticam poteſt tranſire diaria.9°.meth.med. 7ª.55.G
in Hecticam quo modo ephemera tranſcendat.1°.de diff.fe. 3ª.35.E
Hectica diſpoſitio tenaciter hæret.3°.de loc.aff. 4ª.14.G
Hectica febris iam facta eſt.8°.meth.me. 7ª.49.G
Hecticæ febris ortus.1°.de diff.feb. 3ª.34.D
Hectica à principio rariſſime fit.3°.de preſag.ex pulſ. 4ª.118.E
Hectica ex inedia fit.8°.meth.med. 7ª.49.F
Hecticæ ad tabem medicorum inſcitia.1°.de diff.feb. 3ª.34.E
in Hecticam qui tranſit ex diaria.1°.met.me. 7ª.64.A
Hecticæ non paucæ ab initio peſtilentes.3°.de præſa.ex pulſ. 4ª.116.H
Hecticas,& maraſmodes febres q̃ faciãt viſcera.10°.met.me. 7ª.64.F
Hectica fit quandoq; ex varijs membris.10°.meth.me. 7ª.64.F

Hecticam facit quandoque pulmo.10°.meth.med. 7ª.64.F
*Hectica,& maraſmus ab eryſipelatoſo affectu oriunt.de mar.*3ª.47.H
Hectica ex inflammatione nobilium partium.1°.de diff.feb. 3ª.35.F
Hectica affectio phrenitidis.in 1^{m}*.pror.com.1°.* 4ª.168.C
*Hecticæ ſequunt iflãmationẽ ventriculi,& iecoris.1°.de diff.fe.*3ª.35.F
Hectica febre quo modo interdum aliqui laborent ex ventriculi nimia caliditate.3°.de ſymp.cau. 3ª.25.D
Hecticam facit colon inteſtinum inflammatum.1°.de diff.feb. 3ª.35.F
Hectica ex febribus ardentibus quo modo.1°.de diff.fe. 5ª.35.E
in Hecticis ex caliditate & ſiccitate,ſolidarũ partium affectus candẽti ferro eſt ſimilis.1°.meth.med. 7ª.66.D
Hecticæ ſine ſiccitate.1°.de diff.fe. 5ª.35.C
Hectica nullum habet tempus.de marc. 3ª.48.C
Hectica habet quatuor tempora.1°.de diff.fe. 3ª.37.D
Hecticæ febres quæ facile curantur.1°.de diff.fe. 3ª.34.E
Hectica,in qua primo afficitur cor.10°.meth.me. 7ª.64.F
in Hectica conſumitur humor in corde.de diff.fe. 3ª.34.D
Hectica primo incipit à corde,et per ipſum alijs membris aduenit.1°.de differentijs febrium. 3ª.34.F
in Hectica principium quod & in alijs morbis.1°.de diff.fe. 3ª.34.G
in Hectica tabidaq́ febre cor comparatur lucernæ fomiti plurimũ exuſto.1°.de diff.fe. 3ª.34.E
Hectica quando videatur creſcere.de mar. 3ª.48.C
Hæctica febris nulla magna.3°.de præſag.expulſ. 4ª.116.F
Hectica excepta omnes febres ſentiuntur.de inæq.tem. 3ª.44.D
Hectica caret dolore.de inæq.intemp. 3ª.44.B
Hecticæ febres cur ſine dolore.2°.de ſymp.cau. 3ª.22.A
Hecticæ non faciunt ſubitas mutationes,ideo non habẽt criſim, niſi abuſiue.2°.de criſi. 4ª.138.A
Hecticæ tertia dies eſt indicium.1°.de diff.fe. 3ª.35.E
Hecticarum febrium ſigna propria.3°.de præſag.ex pul. 4ª.115.E
Hectici quem habeant calorem.in progn.com.2°. 4ª.204.D
Hectici calor vt calx.in progn.com.2°. 4ª.204.D
Hecticæ incipientis indicia.1°.de diff.fe. 3ª.35.A
Hectici poſt cibum quid patiantur.1°.de diff.fe. 3ª.35.B
Hecticis cibo refectis contingit quod in calce, & lapidibus calefactis, cum aqua aſperguntur.1°.de diff.fe. 3ª.35.D
Hectici cum bibunt,aut edunt,accendunt.in progn.cõ.2°. 4ª.204.D
Hectici poſt cibum magis calent.1°.de diff.fe. 3ª.35.B
Hectici poſt cibum incaleſcunt.1°.de diff.fe. 3ª.35.D
Hectici poſt cibum quantum temporis affligantur.1°.de diff.fe. 3ª.35.C
Hecticarum commune,& proprium.1°.de diff.fe. 3ª.35.C
Hectica quædam marcida.3°.de præſag ex pulſ. 4ª.119.C
Hecticæ tabidæ coniunctæ proprium.1°.de diff.fe. 3ª.35.C
Hecticæ à tabidis febribus differunt.1°.de diff.fe. 3ª.34.E
qui Hectici in tabidam ingrediuntur.1°.de diff.fe. 3ª.35.E
Hecticæ in tabẽ adductæ indicia facile cognoſcunt.1°.de diff.fe. 3ª.34.F
Hectica ſola,id eſt ſine altera febre putrida,facile cognoſcitur.1°.de differentijs febrium. 3ª.35.A
Hectica cum putrida difficulter cognoſcitur.1°. de diff.fe. 3ª.35.A
Hecticarum indicium maxime ex arterijs.1°. de diff.fe. 3ª.35.F
Hectica febris quo pulſu deprehendatur.3°.de præſa.ex pul. 4ª.115.A
Hecticus pulſus vnde dicatur.4°.de cau.pul. 4ª.101.E
Hectici pulſus.1°.de diff.fe.3ª.35.E/de pulſ.ad tiro.45.D/4°.de cau.pul. 101.A/D/2°.de præſa.ex pul.113.A/115.E/117.H/ 4ª.118.E
Hecticas febres magna ex parte comitatur pulſus durus.1°.de differentijs febrium. 3ª.34.C
Hecticis durities pulſus vnde.1°.de diff.fe. 3ª.35.E
Hecticis debilitas pulſus vnde.1°.de diff.fe. 3ª.35.E
Hectica media multas habet latitudines.1°.de diff.fe. 3ª.34.H
ex Hecticis febribus omnis vis vitalis proſternitur. 3°. de præſagitione ex pulſibus. 4ª.121.G
Hecticæ proprie curantur.11°. meth.me. 7ª.68.D
Hectica poſt principium difficile curatur.1°.de diff.fe. 3ª.34.G
Hecticæ cum incipiunt,vix,abſolutæ vero,non amplius poſſunt ſanari. in 1^{m}*.pror.com.1°.* 4ª.168.C
Hectica quæ facile ſanatur.1°.de diff.fe. 3ª.34.H
in Hectica cor primo accenditur.de marc. 3ª.47.F
Hectici refrigerandi ſunt omni ratione.10°.meth.me. 7ª.67.E
Hecticorum cibus frigidus, & humidus.10°.meth.me. 7ª.67.A
in Hecticam tranſeuntium cibus.10°.meth.med. 7ª.64.B
Hecticis quomodo dat lac aſininum.10°.meth.me. 7ª.67.E
in Hectica cauendum à melle,& mulſa.10°.meth. me. 7ª.67.B
quibus Hecticis aqua gelida præbenda ſit.de marc. 3ª.47.E
in Hecticæ principio frigida.de marc. 3ª.47.F
Hecticis non danda aqua frigida.9°.meth.me. 7ª.57.F
Hecticis quomodo obſit aqua gelida.de marc. 3ª.47.E
Hecticæ ſi cui implexa fuerit putridarum febrium, balnea à coctione ꝓſunt.de marc. 3ª.47.C
Hecticis quæ putridã cõiunctã hñt,balneũ ꝓhibet.10°.met.m. 7ª.66.G
Hectica febris balneis ſanatur.de marc. 3ª.47.E
Hectici balneo delectantur.3°.de præſag.ex pulſ. 4ª.116.F
Hectici qui non ſunt maraſinati quo lauandi.10°.meth.me. 7ª.67.C
Hecticæ,maraſmo,& omnibus febribus conueniunt balnea.10°.metho di medendi. 7ª.65.C
in Hecticis cur balnea frigida recuſamus.10°.met.me. 7ª.66.B
Hecticus in frigidam aquam ponatur.10°.met.me. 7ª.66.H
Hectici ad balneum accedentes,niſi in frigidum dimittantur, nihil iuuãtur.10°.met.me. 7ª.66.D
in Hectica quomodo lauandi ægri.10°.met.me. 7ª.66.G
Hecticus balneandus, quo modo ſit tractandus,& quo modo exuẽdus. 10°.met.me. 7ª.66.G
Hecticus oleo tepido perfundatur.10°.meth.me. 7ª.66.G
Hectici caput non perfundendum aqua.10°.met.me. 7ª.66.H
in Hecticis febribus æſtuantes adiuuat portulaca totis hypochondrijs impoſita.6°.de ſimp.me.fa. 3ª.43.H
Hectica quæ difficulter ſanatur.1°.de diff.fe. 3ª.34.H
Hecticæ quæ curari non poſſunt.1°.de diff.fe. 3ª.34.E
ad Hecticam febrem.de med.fac.par. 7ª.179.C
Hectica,vide Ethica.
Hecticus ſpiritus,qui tertius ponitur ab aliquibus poſt animalem & naturalem.intro. Iſa.55.B
HECTOR *dabat typham ſuis equis.1°.de alim.fa.* 2ª.13.B
HECVBA *viſione perterrita.an animal ſit.* 1ª.328.F
HEDERÆ *frutex in colle Tabiano.5°.meth.me.* 7ª.35.A
Hedera in conuiuijs.de cau.procatar. 3ª.46.A
Hedera ex contrarijs compoſita facultatibus.7°.de ſimp.me.fa. 5ª.51.E
Hederæ diuerſitas,& vires.de ſimp.me. Sp.84.A
Hedera eſt acerba.8°.de ſimp.med.fa. 5ª.62.C
Hedera terranea.de dyna. Sp.28.D
Hedera terreſtris ad ſananda vlcera de ſperm. Sp.35.E
Hederæ albæ meminit.9°.de comp.me.ſec.loc.198.E/G/ 5ª.199.H
Hederæ albæ grana tria ad quid cõferãt.9°.de cõp.me.ſe.lo. 5ª.198.G
Hedera nigra.9°.de comp.me.ſe.lo. 5ª.198.E
Hederæ rufæ corymbos laudat ĩ difficultate vrine.de me.ſ.p. 7ª.168.C
Hedera viridis,qualis.7°.de ſimp.med.fa. 5ª.51.F
Hederæ viridis folia in vino decocta vltera maligna ad ſanitatem reducunt,& igne factas vlcerationes cicatrice includunt, in aceto vero cocta lienoſis proſunt.7°.de ſimp.med.fac. 5ª.51.F
Hederæ folijs viridibus in vino decoctis vlcera grandia glutinantur.7°. de ſimp.med.fac. 5ª.51.F
Hederæ folia dyſenterijs remedio ſunt.de ſimp.med. Sp.84.A
Hederæ folia ad combuſta,& vulnera canceroſa faciũt. de ſimplicibus medicaminibus. Sp.84.H
Hedera ſicca qualis.7°.de ſimp.med.fac. 5ª.51.F
Hederæ flores ad ambuſta.7°.de ſimp.med.fac. 5ª.51.F
ex Hederæ corymbis parata,repellũt.1°.de arte cur.ad Gl. 7ª.100.A
ex Hederę cacuminibus apparatum repellit in capitis doloribus.2°.de comp.med.ſec.loc. 5ª.137.D
Hederæ ſuccus capiti purgando idoneus eſt & vetuſtas aurium fluxiones vlceraq́ vetera tum in auribus,tum in naribus ſanat.7°. de ſim. med.facul. 5ª.51.F
*Hederæ lachryma lẽdes iterimit,& pilis nudat.7°.de ſim.me.f.*5ª.51.F
Hederæ lachryma.5°.de comp.me.ſec.loc. 5ª.164.C
Hederæ gummi.de dynami. Sp.25.F
HEDRAEON *ſedentium dicitur ſomnus. 4°. in 6ᵐ. de mor. vulgari. commenta.4°.* 3ª.183.H
HEDYCHROVM *quidam putauit eſſe herbam.1°.de anti.* 5ª.104.E
Hedychroum redolet.3°.de comp.med.ſec.loc. 5ª.148.G
Hedychroũ odoratas reddit cõpoſitiones.1°.de cõp.me.ſe.lo. 5ª.128.C
Hedychroi medicamenti compoſitio.de vſu theria.ad Pamph. 5ª.99.B
Hedychroi compoſitio quo modo fiat.de theria.ad Piſo. 5ª.95.C
Hedychroi compoſitionis differentiæ.1°.de anti. 5ª.104.H
Hedychroon valet ad formam,& decorem.intro. Iſa.58.C

Hedychroum medicamentum interdiu naribus iugiter adhibitum vtile pro exiccando pulmone.3°.de loc.aff. 4ª.28.D
Hedychroi magmatis compoſitio.1°.de anti. 5ª.104.F
Hedychroum magma ponitur in theriaca.de theria.ad Piſo. 5ª.92.D
HEDYOSMOS *dicitur à veteribus mintha odorata. 6°. de compoſi. med.ſec.loc.* 5ª.168.F
Hedyoſmus,id eſt menta.6°.de ſimp.med.fac. 5ª.48.A
Hedyoſmi fit mentio.6°.de comp.me.ſec.loc. 5ª.169.G
HEDYSARVM *quid.6°.de ſimp.med.fac.* 5ª.48.B
Hedyſari meminit.7°.de cõp.me.p.g.5ª.272.H/de me.fa.par. 7ª.173.D
HELGYLOPAS, id eſt fiſtulas angulorum oculi de medicinis facile parab. 7ª.176.C
Vide Aegylops.
ad HELCYDRIA. 1°.de comp.me.ſec.loc. 5ª.131.F
HELCYSMA *dicitur argenti ſcoria.9°.de ſimp.me.fac.* 5ª.71.A
HELCTICE *virtus græce quid.de cathart.* Sp.94.D
HELENIVM *quid.de ſimp.med.* Sp.83.H
Helenion multi poſſunt guſtare,& intueri,tamẽ eius vtilitates ignorãt. 1°.de elem. 1ª.5.H
Helenium,quale.8°.de comp.ſec.loc. 5ª.195.E
Helenium medicamentarium eſt,& calidum facultate.9°. de compoſi. med.ſec.loc. 5ª.197.F
Helenion acre eſt.5°.de comp.med.per ge. 5ª.246.A
ab Helenio experimẽtũ ſumẽdũ de acredine.4°.de ſimp.m.fa. 5ª,27.C
Helenij folia impoſita renibus doxioſos emundãt.de ſimp.me. Sp.83.H
Helenium tuſſientibus & ruptis prodeſt,vrinam & mẽſtrua prouocat, & partum expellit.de ſimp.med. Sp.83.H
Heleniũ cuſpidibus impoſitum eſt venenum.de theria.ad Piſo. 5ª.93.H
Helenion numeratur inter herbas quibus vlcera maligna curari debẽt. 5°.de compoſi.med.per gen. 5ª.246.A
Helenium demendum à medicamento.4°.de ſa.tu. 2ª.85.B
HELENVS. *2°.de comp.med.per gen.* 5ª.225.D
HELIODORVS *Athenienſis venenorum compoſitiones ſcripſit. 2°. de antido.* 5ª.114.F
Heliodorus.5°.de comp.med.per ge. 5ª.253.G
HELIOTROPII *herbæ ſuccus purgat bilẽ flauã.de cath.* Sp.94.F
HELIOSCOPVS *Tithymallus.8°.de ſimp.med.fac.* 5ª.62.E
HELITIS *ſquama oẽs ſuperat in deſiccãdo.9°.de ſimp.me.f.* 5ª.69.H
HELCALIMBAT, *id eſt terebinthina.ſecretorum.* Sp.100.H
HELLEBORVM *dicentes antiqui abſolute album intelligunt com. 5°. aphoriſ.1°.* Ex.37.C
Helleborus niger dicitur cum additione niger.com.5°.aph.1°. Ex.37.C
Helleboro veſcuntur coturnices.2°.de alim.fac. 2ª.17.C
Helleborũ ſumpturi p̃paratio.quos pur.op.qb.me.et quo.temp. 5ª.88.D
Helleborum ſi dederis præpares materiam potiſſimũ, et quo modo.quos purg.opor.quib.med.& quo temp. 5ª.88.D
Helleborũ ſumpturus q̃uo ſit diſponendus.com.4°.aph.13°. Ex.28.F
Helleborũ ſi quis biberit q̃uo debeat ſe regere.c.4°.aph.14°. Ex.28.G
Helleborus q̃uo magis,& minus ſoluet.com.4°.aph.15°. Ex.28.H
Helleborus ſanis periculoſus eſt,quia conuulſionem facit,comment.4°. aphoriſ.16°. Ex.28.H
Helleborus duplicem facit conuulſionem,& quæ ſanabilis, & quæ non com.5°.apho.1°. Ex.37.D
ex Helleboro conuulſio letalis eſt.com.5°.aph.1°. Ex.37.C
Helleboro purgatæ filiæ Prœti à Melampode.de atrab. 1ª.36.E
Helleborus anticyricos appellatur ſeſamoides.8°.de ſimplicium medicamentorum facultatibus. 5ª.60.D
vt Helleborus purgat ſeſamoides.8°.de ſimp.med.fac. 5ª.60.D
Vide Elleborus.
HELLESPONTIA *Myſia.5°.de ſan.tuen.* 2ª.90.H
HELLESPONTIA *vt Andromachus. 6°. de compoſitione medica. per genera.* 5ª.259.E
Helleſpontia perſpiratu digerens,phlegmonem propulſans. 6°. de compoſi.me.per gen. 5ª.259.E
in HELLESPONTI *parallelo veris initium. in* 1^{m}*. de morb. vulga. commen.1°.* 3ª.102.A
HELMINTHES *inter morbos numeratur, qui prius non erant. 14°. meth.med.* 7ª.92.D
Helminthes morbus qui non fuit.14°.meth.med. 7ª.93.C
Helminthes tota ſubſtãtia preter naturã ſunt.14°.meth.me. 7ª.93.H
Helminthes lumbrici qui ab inteſtinis ad ventrẽ vſq; aſcẽdunt,vires imbecillas faciunt.de vict.rat.in mor.acut.com.2°. 7ª.124.B
Helminthem latum mirabiliter ab inteſtinis educit theriaca. de theria. ad Piſo. 5ª.96.A
HEMERALOPS affectus pupillæ intro. Iſa.58.D
HEMEROCALLES *leuiter digerit adſtringitq́,.6°.de ſimp.medicamẽto.faculta.* 5ª.48.B
Hemerocalles prodeſt igni ambuſtis.6°.de ſimp.med.fac. 5ª.48.B
HEMICRANIA, *cephalæa, & cephalalgia differunt. in* 6^{m}*. de mor. vulg.com.1°.* 3ª.154.A
Hemicrania q̃uo fiat,& curetur,& vbi ſit.2°.de cõp.me.ſe.l. 5ª.139.G
Hemicrania dolor turgidus.2°.de loc.aff. 4ª.10.E
cur Hemicraniæ dolores quotidie, & tertio quoque die infeſtent.2°.de differen.feb. 3ª.40.C
Hemicraniæ ſigna letalia.de dyna. Sp.23.G
Hemicraniam qui curat,quid conſiderare debet.2°.de comp.me. ſecundum locos. 5ª.139.H
Hemicraniam etiam curant medicamenta,quæ veterẽ dolorem capitis curant.2°.de comp.me.ſec.loc. 5ª.140.A
in Hemicraniæ medicamentis adſtringentia addere debemus. 2°. de comp.me.ſec.loc. 5ª.139.H
Hemicraniæ præſidia.de dyna. Sp.23.G
p Hemicrania quæ in aures inſtillanda.2°.de cõp.me.ſec.loc. 5ª.140.D
Hemicranium mire curat emplaſtrum diachryſu.de dyna. Sp.32.B
pro Hemicrania,& coxendicum morbo paſtillus. 2°. de compoſitione med.ſec.loc. 5ª.140.D
Hemicraniæ pillulæ vtiles.de dyna. Sp.23.G
Hemicrania laborãti vitãda ſunt vina odorata.de atten.vic. 2ª.46.D
Hemicrania vino meraciori q̃nq; ſanat̃.in 6^{m}*.de mor.vul.c.5°.* 3ª.196.E
Hemicraniæ cõfert ſectio venæ ſuper cornu capitis.de anat.vi. Sp.55.A
Hemicraniæ confert ſectio venæ temporum,& quæ ſunt in angulis oculorum lachrymalibus.de anat.viu. Sp.55.A
ad Hemicraniam.de med.fac.par.170.G/H/ 7ª.172.B
ad Hemicraniã inueteratã ſtercus colũbinũ.10°.de ſim.me.f. 5ª.77.A
ad Hemicranias inueteratas.2°.de comp.med.ſec.loc. 5ª.140.C
HEMICRANICI *qui,quo modo ſint, & eorum differentiæ. 3°. de locis affectis.* 4ª.20.E/F
ad Hemicranicos dolores.2°.de comp.me.ſec.loc. 5ª.140.A/B
HEMICRANIA *pharmaca.2°.de comp.me.ſec.loc.* 5ª.139.H
HEMIECTVM. *de pond.& menſ.* 5ª.275.G
Hemiectum,id eſt ſemiſextum.de pond.& menſ. 5ª.277.E
HEMINA *eſt vocabulum græcum,non Romanum. 6°. de compoſitione medica.per ge.* 5ª.257.G
Heminarum differentiæ multæ.6°.de comp.me.per ge. 5ª.257.G
Hemina quantum capiat.4°.de comp.me.per ge. 5ª.244.C
Hemina Romana.1°.de comp.med.per ge. 5ª.215.D
Hemina vncijs nouem romanis valet. 1°. de compoſitione medicamen. per genera.216.F/6°. 5ª.257.G
Heminæ Italicæ.4°.de ſan.tuen. 2ª.86.H
Hemina vnciarum ſexdecim.1°.de cõp.me.per ge.215.E/6°. 5ª.257.G
Hemina Attica quænam ſit.1°.de comp.me.per ge. 5ª.215.D
Hemina attica quantum continet.5°.de comp.me.per ge. 5ª.250.A
Hemina quomodo figuratur.de pond. & menſ. 5ª.275.C
Hemina.1°.de comp.med.ſec.loc.129.H/2ª.132.B/3ª.143.G/de põderib. & menſ.275.G/ 5ª.277.C/D/E
Hemina vnciæ nouem metallicorum.5°.de comp.me.per ge. 5ª.248.B
Hemina duodecim vnciarum.5°.de comp.me.per ge. 5ª.248.B
Heminæ quatuor vrinæ ſimul emiſſæ quarto die poſt à vulnere veſicæ. 1°.de loc.affe. 4ª.2.E
Heminæ ſex,quæ valent libras quinq;.2°.de cõp.med.per ge. 5ª.227.H
Heminæ viginti.4°.de ſan.tuen. 2ª.86.H
HEMIOLII *menſura quæ ſit.4°.de comp.me.ſec.loc.* 5ª.152.B
HEMIONIVM *ad quid valeat.de cura icteri.* Sp.111.B
HEMITRITAEVS *vnde dicatur.2°.de diff.fe.* 3ª.38.E
Hemitritæa febris,quæ.fin.med. Iſa.46.D
Hemitritæa morbus continuus.fin.med. Iſa.45.F
Hemitritæi differentiæ.2°.de diff.fe. 3ª.39.A
Hemitritæi complicatio,qualis.2ª.de criſ. 4ª.136.E
Hemitritæi febris quatuor differentiæ.2°.de diff.fe. 3ª.37.H
Hemitritæus neq; ex vtraque continua, neq; ex vtraq; intermittente fit.2°.de diff.fe. 5ª.39.E
Hemitritæus habet omnia quæ tertiana.de typ. 3ª.90.G
Hemitritæus exquiſitus.2°.de diff.fe.38.D/ 3ª.39.A/B
ſi Hemitritææ aut ſuccenſiuæ febris incidant caſus, in humoribus accẽ

di febrem

di febrem indicant.1°.de diff.feb. 3ª.34.A
ad Hemitritæos antidotum Baſilij.de ſpermate. Sp.33.F
ad Hemitritæos caſus.2°.de cri. 4ª.136.F
HEPAR appellatur nomine viſceris.com.4°.apho.64°. Ex.34.D
Hepar ſiniſtrum eſt lien, ſecundum Ariſtotelem.de vtil.reſp. Sp.64.G
Hepar inter partes inſtrumentales numeratur.de diff.mor. 3ª.2.F
Hepar primum eſt in ceratione.de ana.viuo. Sp.51.H
Hepar, cor, cerebrum, & animam creat ſol.de compagine membrorum ſiue de natura humana. Sp.59.G
ad Hepatis generationem intendit ſpiritus naturalis. de anatomia viuorum. Sp.51.H
Hepar ex quibus generetur.de ana.viuo. Sp.51.H
Hepar quantæ ſit magnitudinis in fœtu.15°.de vſu par. 1ª.212.E
Hepati in fœtu arteriarum vſus exiguus.15°.de vſu par. 1ª.212.F
Hepati neruorum vſus in fœtu nullus.15°.de vſu par. 1ª.212.F
de HEPATIS anatomia.de anato.viuo. Sp.50.F
Hepar an geminetur in homine dubium eſt.de ana.viuo. Sp.48.A
Hepar in piſcibus duplex vnde.de ana.viuo. Sp.48.A
Hepatis forma quæ, & qui ſitus.de ana.viuo. Sp.50.G
Hepar vbi poſitum ſit.de anat.parua. Sp.43.A
Hepar cur in dextera parte.de anat.viuo. Sp.50.G
Hepatis plura ſunt additamenta, quæ comparantur ſtomacho vt digiti ad manum.de ana.viuo. Sp.50.G
Hepar lobis vt digitis ambit ventriculum.7°.de vſu par. 1ª.159.H
Hepar cur ambit ventriculum.4°.de vſu par. 1ª.137.C
ſuper Hepar cur ſit ſtomachus, & ad quid.de ana.viuo. Sp.47.D
Hepar diſponitur ex figura ventriculi.4°.de vſu par. 1ª.137.C
vt ad Hepar ſtomachus, ita vitreus humor ſe habet ad cryſtallinum.de anatomia viuorum. Sp.48.D
Hepar verſus diſpoſitus eſt dexter cordis venter attrahens ab eo.de anatomia viuorum. Sp.56.C
Hepar, & venter non premunt diaphragma.2°.de diff.reſp. 3ª.67.F
Hepatis membrana exterior veluti cutis quædã.4°.de vſu par.1ª.138.F
Hepatis panniculi duo.de anato.parua. Sp.43.A
Hepatis panniculus eſt ſenſificans.de anat.viuo. Sp.55.F
Hepar componitur ex venis.de ana.viuo. Sp.50.F
Hepatis fibræ nõ ſunt tot in oĩbus animalibus.4°.de vſu par. 1ª.137.C
in Hepate cur fibræ.4°.de vſu par. 1ª.137.C
Hepar carnoſum eſt.de ana.viuo. Sp.50.F
Hepatis caro purpurea eſt.de ana.viuo.44.C/ Sp.55.H
Hepatis caro videtur ſanguis craſſus.4°.de vſu par. 1ª.138.E
Hepatis caro mediocris eſt in mollitie, & duritie.de ana.viuo. Sp.55.H
Hepatis caro eſt calidior adenibus mammarum.commentario.5°.aphoriſmo 40°. Ex.41.D
in Hepate cur nõ eſt facta vna cauitas, vt in corde, ſed ſunt anguſti tranſitus.4°.de vſu par. 1ª.139.A
Hepar propter quid genitum ſit.de ana.viuo. Sp.50.F
Hepar pars neceſſaria ad viuendum.14°.de vſu par. 1ª.204.C
Hepar, cerebrum, pulmo, ſtomachus, ſunt prima mẽbra poſt cor.de anatomia viuorum. Sp.47.B
Hepar, cor, cerebrum, ſtomachus, ſunt membra quatuor principalia, ſecundum aliquos.de ana.viuo. Sp.56.A
Hepar vnum principium in noſtro corpore.ars med. Iſa.63.B
Hepar vnum principium virtutũ vniuerſi corporis.2°.de arte curatiua ad Glauconem. 2ª.103.B
Hepar exigitur propter ſanguinem.de ana.viuo. Sp.47.C
Hepate, & corde eget cerebrum ad conſeruandam ſubſtantiam ſuã. de motib.man.& obſc. Sp.66.G
in Hepate eſt anima concupiſcibilis.3°.de decre.Hippo. 1ª.246.C
ab Hepate dependentia, quę.ars med. Iſa.63.B
ex Hepate prouenit virtus ſecundum quam nutrimur, & augemur, et cibum appetimus, & aſſumptum elaboramus concoctione, & digeſtione, & ſanguificatione, & appoſitione, & proſphyſi, & diſcretione, & excretione.de virt.noſt.corp.diſpenſ. Sp.60.B
Hepar eſt principium nutricationis ſm Galenum.de ana.viuo. Sp.45.H
Hepar continet in ſe materiam, & nutrimentũ totius corporis. de anatomia viuorum. Sp.49.H
Hepar quo mõ ſit principiũ digeſtionis, & ẽt cor.de anat.viuo.Sp.56.H
Hepar venarum principium.1°.de vſu partium.117.B/138.F/6°.152.D/15°.212.E/16°. 1ª.214.D
Hepatis caro principium venarum.4°.de vſu par. 1ª.138.H
Hepar virtutem largitur venis.ars med. Iſa.71.A
ab Hepate venæ accipiunt virtutẽ vegetalem.1°.de vſu par. 1ª.117.B
ab Hepate venas nõ naſci, ſed à corde, ꝓbatio.de an.vi.46.A/Sp.56.F
in Hepate ſunt multæ venæ & amplæ.ars med. Iſa.70.H
ex Hepate venæ maximæ.16°.de vſu par. 1ª.220.H
in Hepate venæ ſunt omnium tenuiſſimæ.4°.de vſu par. 1ª.139.B
in Hepate ſuperius oritur vena caua.4°.de vſu par. 1ª.142.B
in Hepate inferius oritur vena portæ.5°.de vſu par. 1ª.142.B
ab Hepatis portis venarum omnis diſtributio in inteſtina ſimul cum arterijs fit.16°.de vſu par. 1ª.220.H
Hepatis venarum terminus.ars med. Iſa.70.H
in Hepate non ſunt ſimul vena, & arteria.de vti.reſp. Sp.64.H
in Hepatæ venæ & arteriæ ſe contingunt.9°.de vſu par. 1ª.172.H
in Hepatis gibbo ſolæ inueniuntur venæ.de vti.reſp. Sp.64.H
in Hepatis ſimo venæ ſurſum ferunt alimentum ex particulis, quę ad ventriculum attinent.4°.de vſu par. 1ª.138.G
in Hepatis gibbo venæ ſumunt alimentum.4°.de vſu par. 1ª.138.H
ab Hepatis vena, & etiam ab arteria ſunt meatus quidam ad renes. de vtilitate reſpirationis. Sp.64.G
ad Hepatis venam non omnino tranſmitti ſuccum cibi, immo etiam partim ad arteriam.de vti.reſp. Sp.64.G
Hepar dat ſecundam purgationem nutrimento.4°.de vſu par. 1ª.136.A
Hepar mouet̃ ad motũ reſpiratoriorũ organorũ.1°.de diff.reſp. 3ª.59.H
Hepar habet propriam actionem naturalem.2°.de ſa.tuen. 2ª.75.A
ab HEPATIS caua ad gibbam cibi mutant qualitatem.13°.methodi medendi. 7ª.83.E
ad Hepatis coctionẽ exemplum de vino muſto.4°.de vſu par.1ª.136.A
Hepar conuertit alimentum in ſanguinem.com.6°.apho.16°. Ex.47.G
Hepar eſt principiũ ſanguinis ſm Galenũ, & cur.de anat.viuo. Sp.50.F
in Hepate ſanguinis poteſtas.de ſper. Sp.36.G
Hepar ſedes propria ſanguinis.de ſper. Sp.36.H
Hepar primum ſanguinis generãdi inſtrumentũ.4°.de vſu par. 1ª.138.D
Hepar eſt immediatum ſanguinis principium.de ana.viuo. Sp.50.G
Hepatis caro primũ inſtr̃m generãdi sãguinẽ.4°.de vſu p. 1ª.138.E/F/H
Hepatis caro mutat ſanguinem.7°.de vſu par. 1ª.159.A
ab Hepatis carne chylus alteratus debet fieri ruber, ſi illi debet aſſimilari.4°.de vſu par. 1ª.138.E
Hepar rubrificat ſanguinem.de ana.viuo. Sp.44.C
in Hepatis gibba parte ſanguis fit ex ſucco decocto à meſaraicis.de compag.memb. Sp.59.A
Hepar vertit phlegma in ſanguinẽ virtute fellis, & qũo.de ſper. Sp.36.B
in Hepate ſanguificatio iuuatur à craſſitudine partium ad vmbilicum, & imum ventrem attinentium.com.2°.apho.35°. Ex.17.E
in Hepate ſanguis qui perficitur, præparatur in venis meſaraicis. 4°. de vſu partium. 1ª.136.A
in Hepate eſt chymus, & mittitur ad nutriendum animal. 4°. de vſu partium. 1ª.136.A
Hepar nõ facit ſanguinẽ pp oĩa mẽbra.de motib.mani.& obſ. Sp.68.A
ab Hepatis cauo ſanguis aſcendit ad gibbum.4°.de vſu par. 1ª.136.B
in Hepate ſemen fit calidum, & humidum.de ſper. Sp.36.H
Hepar vnde alatur.com.2°.aph.18°. Ex.14.A
ad Hepar non ſolum venę ducunt nutrimentum, ſed etiam præparant. 4°.de vſu partium. 1ª.135.H
Hepar trahit ſuccum cibi ab inteſtinis.de vti.reſp. Sp.64.D
Hepar nutritur à venis ſolis tenuiſſimis, atque rariſſimis.6°.de vſu partium. 1ª.155.C
Hepar nutritur craſſo, & limoſo alimento.6°.de vſu par. 1ª.151.D
Hepar ſibi ſeruat ſanguinem vtiliorem ad nutrimentum. Sp.59.B
Hepar primo ſurſum recipit alimentum.5°.de vſu par. 1ª.142.G
Hepar habet ſanguinem pro humore.com.5°.apho.39°. Ex.41.C
ad Hepar & renes dirigitur materia à corde, quæ his vitam defert.de anatomia viuorum. Sp.51.C
ab Hepate cor trahit ſanguinem.de vti.reſp. Sp.64.D
Hepar ſanguinem tenuiorem cordi miniſtrat.de compag.membr.ſiue de natura humana. Sp.59.B
Hepatis vicinitas facit vteri dexteram partem calidiorem commentario 5°.aphor.48°. Ex.41.H
in Hepate nulla eſt arteria, ſm Ariſtotelẽ.de vtil.reſp. Sp.64.E/H
in Hepatis curuatura inueniunt̃ tã arteriæ q̃ venæ.de vt.reſp.Sp.64.H
Hepar vnde accipiat arteriam.16°.de vſu par. 1ª.219.A
in Hepate cur arteria.4°.de vſu par. 1ª.138.F
Hepati mittuntur nerui à ſexta coniugatione.16°.de vſu par. 1ª.215.H
in Hepate cur neruus.4°.de vſu partium. 1ª.138.F

Hepati cur neruus ſyncerus.16°.de vſu par. 1ª.216.E
ſub Hepatis partibus nerui non ſynceri.16°.de vſu par. 1ª.216.E
ad Hepar cur fuit neceſſe neruos accedere.16°.de vſu par. 1ª.215.E
Hepati ineſt neruorum genus molle.16°.de vſu par. 1ª.215.A
in Hepate cur minimus neruus.5°.de vſu par. 1ª.145.F
Hepati melius fuit habere minimos neruos.7°.de vſu par. 1ª.159.H
Hepar cur habet aliquos paruos neruos.6°.de vſu par. 1ª.155.G
Hepar cur habet paucos neruos.14°.de vſu par. 1ª.209.D
in Hepate nerui q̃uo in membrana diſpergantur.2°. de loc.aff. 4ª.9.B
in Hepate non eſt pulſatio,quia nõ habet neruum diſperſum per totum. 2°.de locis affectis. 4ª.9.B
Hepar habet ſenſum in ſuperficie.de anato.viuo. Sp.44.C
Hepar cur paruo ſenſu indiget.5°.de vſu par. 1ª.145.F
Hepar inſenſibile eſt,& quæ in ipſo ſint ſenſibilia.de vti.reſp. Sp.62.H
ab Hepate meſaraicas euntes ad ſtomachũ, & inteſtina recipiunt glandulæ quædam.de anat.viu. Sp.44.D
ſub Hepate,& ſplene ſunt hypochondria.de anat.parua. Sp.43.B
HEPATIS parui indicia colligi poſſunt.ars med. Iſa.66.H
Hepatis calidi ſigna.ars med. Iſa.65.A
Hepatis caliditatẽ poteſt obtũdere cordis frigiditas.ars med. Iſa.65.B
Hepatis frigidi ſigna.ars med. Iſa.65.A
Hepar frigidus obſtat caliditati cordis.ars med. Iſa.64.E
Hepatis frigiditatẽ poteſt obtundere cordis caliditas.ars me. Iſa.65.B
Hepatis ſicci ſigna.ars med. Iſa.65.B
Hepar aliquando obſtat humiditati cordis.ars med. Iſa.64.G
Hepatis ſiccitatẽ,cordis humiditas non poteſt obtũdere.ars me.Iſ.65.B
Hepatis humidi ſigna.ars med. Iſa.65.B
Hepar aliquando obſtat ſiccitati cordis.ars med. Iſa.64.G
Hepatis ſicci,& calidi ſigna.ars med. Iſa.65.B
Hepatis calidi,humidiq; indicia.ars med. Iſa.65.B
Hepatis humidi frigidiq; indicia.ars med. Iſa.65.C
Hepatis frigidi,& ſicci indicia.ars med. Iſa.65.C
HEPATIS patientis ægritudines quæ ſint.de virtutibus noſtrum corpus diſpenſantbus. Sp.60.B
Hepatis,& ſplenis affectus ſæpe febrẽ attulit.2°.de diff.feb. 3ª.37.D
in Hepate ſedẽ habẽtes cauſi,quales.de vic.ra.in mor.ac.c.3°. 7ª.136.D
Hepatis affectio nominatur nõ febris.in 1ᵐ.de mor.vulga.c.3°. 3ª.118.H
inter Hepatis gibbam partem & ſimam infarciuntur humores craſſi,de vict.rat.in mor.acu.com.1°. 7ª.111.E
in Hepate malignus,vel acris humor non manet.5°.de vſu par.1ª.145.F
in Hepatis gibbis venæ tunica patiente, quot ibi erunt ægritudines. de differentiis morborum. 3ª.4.C
in Hepatis meatibus quando ſola obſtructio.de diff.mor. 3ª.4.D
de Hepatis obſtructione caſus ars med. Iſ.69.B
Hepati mali ſunt omnes cibi dulces.de diff.cont. Sp.74.H
Hepar obſtruit caſeus multus.de diff.cont. Sp.74.H
in Hepate oppilationem generat.de diff.cont. Sp.75.B
Hepatis craſſitiẽ auget lac ſi comedatur ſolum.de diff.cont. Sp.74.H
Hepatis obſtructiones pariũt palmæ immaturæ.2°.de alim.fac.2ª.20.H
Hepar celerrime obſtruit palmæ ſuccus dulcis.2°.de alim.fa. 2ª.20.H
in Hepate obſtructionem facit vinum dulce.de diff.cont. Sp.74.H
Hepati q̃n obeſt vinũ dulce.de vic.ra.in mor.acu.commen.3°.7ª.125.H
Hepati patienti nocuum eſt dulce vinum,et maxime quando phlegmone laborat.de vinis. Sp.76.D
Hepati calido dulcia prohibenda.de diff.cont. Sp.71.F
Hepatis & ſplenis obſtructio deprehenduntur ex loci dolore. quæſita in Hippocratem. Sp.113.C
ob Hepatis,aut renum oppilationem tenuis vrina mingitur. quæſita in Hippocratem. Sp.113.C
Hepatis oppilationẽ timẽti cõueniũt cibi ſubtiliãtes. de diſ.cõt.Sp.72.D
Hepar obſtructum aperit beta.2°.de ali.fac. 2ª.22.H
Hepati benigna erit Aqua bona ſi modicam vino miſcueris. de bonitate aquæ. Sp.75.F
Hepatis oppilatiões apiunt Amygdalæ ꝑprie amaræ.de diſ.cõ.Sp.74.H
Hepatis oppilationem aperiunt Fiſtici.de diſſolutione continua.74.H/de med.exper. Sp.104.D
Hepatis oppilationem aperit Lac cum origano,mentaſtro ſyluestri, pipere.de diſſ.cont. Sp.74.H
cõtra Hepatis oppilationẽ drachmæ duæ Laccæ.de me.exper. Sp.106.E
in Hepatis viis humores infarctos purgãt Piſtachia.2°.de ali.fa.2ª.21.C
Hepatis oppilationes aperit Sicla.de diſſ.cont. Sp.74.G
Hepatis oppilationem aperit Secaniabin.de diſſ.cont. Sp.74.H
in Hepatis apertione valens medicina.de med.exper. Sp.106.G
ad Hepatis fluxum medicamentum.de me.exper. Sp.104.G
Hepatis vitio quo modo fiat dyſenteria.6°.de loc.aff. 4ª.36.D
HEPATIS patientis ſigna.ars med. Iſa.67.B
Hepatis affectus notæ.1°.de loc.aff. 4ª.6.C
Hepatis vitium vrinam rubram & obſcuram habet.de ſper. Sp.35.E
Hepate læſo læditur lien.2°.de ali.fac. 2ª.20.H
ob Hepatis immodicam frigiditatem ad ſatis magnam perueniente alimẽti diſtributione imbecillitatem ſunt excrementa humidiora.commentario 1°.apho.20°. Ex.14.G
Hepar & ſtomachus q̃n ſunt frigidi,qui cibi ſumendi.de diſſ.cõ. Sp.71.F
ad Hepatis debilitatẽ ex frigida cauſa rhabarbarũ.de me.ex.Sp.106.E
Hepatis debilitati conferens oleum.de dyna. Sp.27.C
ad Hepatis debilitatem datur decoctio agarici.de med.ex. Sp.106.F
contra Hepatis debilitatem & oppilationem datur decoctio caſit.de medicinis expertis. Sp.106.F
contra Hepatis debilitatẽ valet electarium iridis.de me.exp.Sp.105.E
ex Hepatis debilitate fluxui quid conferat.de me.exper. Sp.104.G
Hepar roborant piſtacia.2°.de ali.fac. 2ª.21.C
Hepar confortant fiſtici.de diſſ.cont. Sp.74.H
Hepar debile confortans medicamen.de me.ex.107.F/ Sp.108.A
in Hepatis confortatione quid ſit optimum.de med.exper. Sp.105.F
Hepar valde cõfortãs medicamentũ.de me.ex.104.G/105.C/ Sp.107.G
Hepar confortans electarium.de me.ex.107.B/ Sp.108.A/C
Hepar confortat electarium rhabarbari.de med.exper. Sp.105.F
Hepate non potente ad ſe trahere alimentum,& conuertere ſanguinem, fit fluxus alui.com.6°.apho.16°. Ex.47.G
Hepatis frigiditati valens medicamen.de med.ex.105.H/ Sp.106.F
in Hepate aut renibus ſanguine craſſo exuſto ſedimina in vrinis fiunt ſimilia orobis.com.4°.apho.76°. Ex.36.E
in Hepate & ventriculo quæ ſunt corrupta in ſanis & tempore coquũtur.1°.de diff.feb. 3ª.31.H
Hepati,& ſimæ eius parti danda cathartica.de cath. Sp.94.G
Hepatis ſimam partem purgantia,quæ.de cathar. Sp 95.C
Hepatis gibbam partem purgantia,quæ.de cathar. Sp.95.C
Hepar purgat Iuniperi fructus.2°.de ali.fac. 2ª.19.C
ex Hepate quæ educantur.de cathart. Sp 94.G
per Hepar ſanguis purgatur.de ſper. Sp.37.G
Hepar à quatuor inſtrumentis purgatur.5°.de vſu par. 1ª.145.F
Hepatis ſuperfluitates per quos meatus euacuantur.ars med. Iſa.71.E
ad Hepar vt ſe hẽt veſica,ita monoculũ ad ſtomachũ.de an.vi. Sp.50.F
in Hepate veſica fellis ſita,recipit leue & flauum excrementum.4°.de vſu partium. 1ª.136.B
ex Hepate ad inteſtinũ vadit bilis.de vic.ra.in mor.acu.c.2°.7ª.120.G
Hepar expurgatur à ſplene.com.4°.apho.21°. Ex.29.D
ab Hepate ad ſplenẽ quo mõ ꝓcedat melãcholia.de anat.par. Sp.43.B
Hepar niſi expurgetur,viſcera debilitãtur.c.4°.aph.21°. Ex.29.D
ab Hepate fluentes ichores faciunt faſtidiũ cibi.c.6°.apho.3°. Ex.46.F
Hepatis gibba & caua pars quo modo recipiãt materias à capite, & quo modo ad inteſtina mittantur.com.7°.apho.30°. Ex.56.B
per Hepar partes aliquæ purgantur.5°.de loc.aff. 4ª.35.D
Hepar per quas vias euacuet commode.com.1°.apho.21°. Ex.10.A
Hepatis euacuatio ad quæ loca,mala.com.1°.apho.21°. Ex.10.A
Hepatis oppilationibus valens electarium.de me.exper. Sp.107.B
ad Hepatis obſtructionem.de rem.par.fac. 7ª.159.D
Hepatis vigor non eſt reſoluendus madefacientibus, & relaxantibus. ars medicinalis. Iſa.71.A
ĩ Hepatis curatiõe aliqua adſtringẽtia apponẽda ſunt.ars me.Iſa.71.A
Hepati tumenti non conducunt vuę paſſæ.de atten.vic. 2ª.46.A
HEPAR nõ multũ,dolet,quia minimis participat neruis.in 1ᵐ. prorrh. commen.2°. 4ª.175.C
Hepatis dolor quo lunæ aſpectu fiat.de decub.prog. Sp.12.G
Hepar tripliciter dolet,& quo modo cognoſcitur differentia cauſarum. com.7°.apho.35°. Ex.58.E
Hepatis dolor grauis eſt.2°.de loc.aff. 4ª.12.C
Hepar vnde ſentiat grauitatem ex tumoribus præter naturam. 2°. de locis affectis. 4ª.9.B
quibus Hepar grauatur iis conuenit epithymum. de dyna. Sp.21.B
Hepatis dolor quæ ſecum trahat in conſenſum.2°.de loc.aff. 4ª.12.C
Hepar compatitur per magnam paſſionem ſtomachi, & pectoris.commen.6°.apho.16°. Ex.47.G
Hepar quo modo ad ſtomachũ compatitur.com.1°.apho.17°. Ex.55.B

Hepate fortiter patiente compatitur ſtomachus, & fit ſingultus, & tuſſis.com.6°.apho.16°. Ex.47.F
Hepate aut ſplene dolentes difficulter reſpirant.1°.de diff.reſp. 3ª.59.H
ſi circa Hepatis gibbam partem ſit dolor, paruus, & denſus fit ſpiritus. 3°.de diff.reſp. 3ª.71.C
Hepatis & ſplenis infernæ partes ſi cum dolore & tumore ſint, denſum ac paruum efficiunt ſpiritum.3°.de diff.reſp. 3ª.71.C
quibus Hepar circundolet, his febris ſuperueniens ſoluit dolorem.commen.1°.apho.52°. Ex.58.E
Hepatis inflammationis dolor qualis, & in qua parte fiat vehemens. cōmen.6°.apho.5°. Ex.46.H
Hepatis dolori ex calore confert triaſandali.de dyn. Sp.26.E
ad Hepatis tumorem, vel dolorem, vel inflammationem epithema.de dynamidijs. Sp.26.D
Hepatis doloribus confert ſectio venæ ſaluatellæ in dextra.de anatomia viuorum. Sp.54.G
Hepatis doloribus antiquis mirabile eſt iuuamentum ſectio arteriæ manus.de anat.viuo. Sp.54.H
in Hepatis dolore antiquo ſecantur arteriæ poſt aures. de anatomia viuorum. Sp.55.B
ex Hepate doloris capitis curatio.2°.de compo.med.ſec.loc. 5ª.136.H
ad Hepatis dolores.7°.de cōp.med.ſe.loc.5ª.182.G/ſec.98.F/Sp.100.H
ad Hepatis, & ſtomachi dolorem.ſecretorum. Sp.97.B
HEPATIS, *& hypochondriorum phlegmonæ ſunt hæmorrhagicæ. in 1^m.prorrh.com.3°.* 4ª.186.D
in Hepatis inflammationibus reſpiratio, qualis.de vtil.reſp. 1ª.225.G
ad Hepar inflāmatū ſequit̄ reſpiratio difficilis.2°.de diff.reſp. 3ª.65.H
Hepar inflammatum ſingultum facit.com.5°.apho.58°. Ex.43.C
in Hepatis inflammatione ſingultus, malum.com.7°.apho.17°. Ex.55.B
in Hepatis inflammationibus aluus profluens, malum.in 1^m.prorrhe. commentario 2°. 4ª.177.C
ob Hepatis inflāmationē fit animi defectus.1°.de ar.cu.ad Gl. 7ª.98.F
Hepatis inflammationes quomodo finiant.3°.de criſ. 4ª.139.E
Hepatis inflammatio facit morbum regium.com.6°.apho.42°. Ex.51.A
pro Hepate inflammato ceratum.8°.de comp.me.ſe.lo. 5ª.187.D
ad Hepatis inflammationes.8°.de comp.med.ſe.loc. 5ª.193.B
ad Hepatis phlegmonas antiquas.8°.de comp.me.ſe.loc. 5ª.196.F
ad Hepar, & præcordia, & inteſtina.8°.de comp.med.ſe.loc. 5ª.196.D
ad quas Hepatis diſpoſitiones ſequatur morbus regius. commentario 4°.aphoriſmo 64°. Ex.34.D
ob Hepatis durum tumorem, inflammationē, & obſtructionem fit morbus regius.com.4°.apho.62°. Ex.34.B
Hepar durum facit morbum regium longo tempore, inflammatum vero & obſtructum, breui.com.4°.apho.62°. Ex.34.B
Hepar ſi fit durum laborantibus morbo regio, malum, & cur.commētario 6°.apho.42°. Ex.51.A
ad Hepatis duritiem emplaſtrum.ſecretorum. Sp.99.E
ad Hepatis induratas affectiones.8°.de comp.med.ſec.loc. 5ª.195.G
Hepatis, coli, et ſplenis tumores quam reſpirationē faciant.1°.de difficultate reſpirationis. 3ª.59.C
Hepar rodere quid ſignificet poetis.3°.de decre.Hippo. 1ª.246.C
Hepar aptiſſimū eſt generare veſicas aqua plenas in exterioribus membranis.com.7°.apho.55°. Ex.58.H
Hepar quibus aqua plenum in omentum eruperit, his venter aqua repletur, & obeunt.com.7°.apho.55°. Ex.58.H
Hepar compatitur in aqua inter cutem.com.6°.apho.43°. Ex.51.C
Hepar fit durū, ſi retineant̄ hæmorrhoides.com.6°.apho.12°. Ex.47.D
Hepatis materia feculenta vitioſa per hęmorrhoides purgata.commentario 6°.apho.12°. Ex.47.E
Hepatis calor natiuus extinguitur hæmorrhoidibus recluſis, vt multa ligna flāmis ſuperingeſta ſuffocant ignem.cō.6°.apho.12°. Ex.47.D
ſi Hepar poſſit propellere multitudinē ad venas pulmonis, vaſe aliquo diſrupto, fit tabes.com.6°.apho.12°. Ex.47.E
in Hepate ſi fit apoſtema, quid fieri debeat.ſecretorum. Sp.99.C
ad Hepatis apoſtema.ſecretorum. Sp.99.D
Hepatis putredo incocta qūo cognoſcitur.com.7°.apho.46°. Ex.57.G
HEPATIS *ægritudinibus oībus cōferens medicamētū.ſecre.* Sp.101.G
Hepatis morbos ſanat antidotus Athanaſia Mitridatis. 2°. de antidotis. 5ª.114.H
ad Hepar valet antidotus Archiuij.2°.de antid. 5ª.115.H
ad Hepatis affectus longos.8°.de compo.med.ſec.loc. 5ª.196.H
ab Hepate ad ventrem quando trahendum.ars med. Iſ.71.A
ab Hepate ad vrinam quando trahendum.ars med. Iſa.71.A
Hepar poteſt euacuari per ventoſam.de cura icteri. Sp.110.H
Hepati qn̄ apponendæ cucurbitulæ.2°.de arte cur.ad Glau. 7ª.102.F
ſupra Hepar partibus affectis è manibus ſanguinem mitti: in inferioribus autem venas quæ in poplite vel talo ſunt, ſecare iubet Hippocrates.com.6°.apho.36°. Ex.50.H
ſupra Hepar quandoque venę ſecantur.de anato.viu. Sp.55.B
Hepatis ſubſtantia nihil patiente, quibus in tunica eſt pus, ſaluantur omnes: quibus vero corruptio pertingit vſq; ad carnem, non abſq; ratione moriuntur.com.7°.apho.46°. Ex.57.F
Hepate diſciſſo letale eſt.com.6° apho.18°. Ex.47.H
Hepar habet vulnera plurimo manantia ſanguine, ideo prius moriuntur qui ita ſunt vulnerati, quàm vulnera agglutinari poſſint. commentario 6°.apho.18°. Ex.48.A
Hepatis fibra abſciſſa ēt ſanatus eſt patiens.com.6°.apho.18°. Ex.48.A
HEPATA *pullorū, & anſerū ſunt temperata.de diff.cont.* Sp.73.A
HEPATA *omnium animaliū tarde digeruntur.de diff.cont.* Sp.75.A
Hepata pullorum anſerum ſunt velocis digeſtionis.de diſ.cont. Sp.73.C
Hepata generant bonum chymum, & craſſum.de diff.cont. Sp.74.A
Hepata, cibus craſſus, & cur.de diff.cont. Sp.72.G
HEPAR *lupi aridum.6°.de comp.med.ſec.loc.* 5ª.172.B
Hepar lupi ad hepaticas affectiones.6°.de comp.med.ſec.lo. 5ª.172.B
Hepar lupinum hepaticis valet.11°.de ſimp.me.fac. 80. A/8°.de comp.med.ſec.loc. 5ª.195.F
Hepatidibus affici conſuetis ſanguinem mittēdum perſuaſit Galenus. de curan.rati.per ſang.miſſ. 6ª.18.E
Hepar vulpis pro ſplenicis.9°.de comp.med.ſe.lo. 5ª.199.H
HEPATICI *qui dicerentur ab antiquis.com.4°.aphoriſ.73°.* Ex.35.H
Hepatici qui dicantur.5°.de loc. affec.34.F/2°.de compoſitione medica. ſecundum locos. 5ª.135.C
Hepatica affectio, quæ.8°.de comp.med.ſe.loc. 5ª.194.C
Hepatica affectio cœliacæ, & ſtomachicæ comparatur.8°.de compoſitione medic.ſec.loc. 5ª.194.D
Hepatica affectio in quo conſiſtat.8°.de comp.med.ſec.loc. 5ª.193.F
Hepaticę affectiones plurimæ à ſanguine, & quale initium habent.8°.de comp.med.ſec.loc. 5ª.194.B
Hepaticorum ſigna.de dyna. Sp.27.D
Hepaticorum ſigna letalia.de dyn. Sp.27.D
Hepaticorum vrina.de ſpermate. Sp.35.A
Hepaticæ deiectiones, quæ.in 1^m.prorrh.com.3°. 4ª.187.D
Hepatica excrementa ab alijs diſtincta ſunt.5°.de loc.aff. 4ª.34.E
Hepatici quid in initio excernant.6°.de loc.aff. 4ª.37.F
Hepaticis tenuia exeunt.in 1^m.prorrh.com.2°. 4ª.175.B
Hepaticū profluuiū ab ignaris putat̄ dyſenteria.5°.de loc.aff. 4ª.34.F
Hepatici profluuij, & dyſenteriæ differentia.6°.de loc.aff. 4ª.36.F
Hepatici, cur cum ſanantur, quandoque excrementa peſſima deijciunt. 5°.de locis affectis. 4ª.35.D
in Hepaticis cur ſanguis excernatur.8°.de comp.med.ſe.loc. 5ª.194.C
Hepatici nigrū ſanguinē quandoque excernunt.14°.meth.med. 7ª.89.D
Hepaticis proprie affectionibus vinum dulce obeſt. de victus ratione in mor.acu.com.3°. 7ª.126.A
Hepaticis damus cholagoga.de dyna. Sp.20.E
Hepaticis datur epithymum.de ſimp.med. Sp.83.H
Hepaticis prodeſt hepar lupinum. 6°. de compoſitione medicamento. ſec.loc.172.B/8°. 5ª.195.F
Hepaticis prodeſt panax ex vino & melle. de victus ratione in morbis acutis, commen.4°. 7ª.144.C
Hepaticis ſiue iecorarijs morbis prodeſt Chryſocome.8°. de ſimplicium medicamen.facul. 5ª.65.H
Hepaticos affectus adiuuat radix papaueris cornuti. 7°. de ſimplicium medicamentorum facul. 5ª.55.G
Hepatici intemperiem ſanauit philonium ſemel exhibitum.8°.de comp. med.ſec.loc. 5ª.194.G
Hepaticos curat theriaca.de ther.ad Piſo. 5ª.96.A
Hepaticum cataplaſma.8°.de comp.me.ſec.loc. 5ª.196.C
pro Hepaticis catapotium.8°.de com.med.ſec.loc. 5ª.195.D
Hepaticis prodeſt electarium dianthu.de dyn. Sp.26.D
ad Hepaticos malagma.8°.de comp.med.ſec.loc. 196.C/ 7°.de compo. med.per genera. 5ª.266.E
Hepaticos affectus aquoſus curans.6°.de compo.med.per ge. 5ª.263.A
ad Hepaticos.7°.de compoſitio.medicamento.ſec.locos.181.F/185.B/D/ 187. A/8°.190. H/193. A/ B/ C/ 194.E/H/195.A/ 9°.197.H/198.F/ 202.F/203 C/

202.F/203.C/10°.206.B/2°.de comp.medicamẽ.per gene.227.F/5°.
249.B/7°. 5ª.265.B
HEPATICA cur dicta medicamenta.5°.de ſimp.med.facul. 5ª.38.E
Hepatica quæ nuncupentur.5°.de loc.aff. 4ª.34.D
Hepatice ſimplicium facultates.5°.de ſimp.med.fac. 5ª.32.B
Hepaticis facultatibus miſcetur palmæ tegumentum.8°. de ſimplicium medicamen.facult. 5ª.63.C
Hepatica medicamenta non debent eſſe vehementer refrigerantia.8°.de compo.med.ſe.loc. 5ª.194.G
Hepatica Antonij Muſæ.8°.de compoſi.med.ſec.loc. 5ª.195.B
Hepatica antidotus athanaſia.8°.de comp.med.ſec.loc. 5ª.194.H
Hepatica antidotus à Nearcho laudata.8°.de comp.me.ſe.lo.5ª.195.A
Hepatica Dioſcori antidotus.8°.de compo.me.ſe.loc. 5ª.195.A
Hepaticum eclegma Paulini cito iuuans.8°.de com.me.ſec.loc.5ª.195.F
Hepaticis epithematis commiſcetur hypociſtis.7°.de ſimplicium medicamentorum facultatibus. 5ª.51.D
Hepaticus paſtillus.8°.de cõ.me.ſe.lo.5ª.195.D/de re.par.fa. 7ª.159.D
Hepaticum pharmacum ex cocleis.8°.de compoſi.med.ſec.loc.5ª.195.F
Hepatici potio.8°.de compo.med.ſec.loc. 5ª.196.A
HEPHESTIAS vrbs eſt in Lemno.9°.de ſimp.me.fac. 5ª.65.C
HEPHESTIAS emplaſtrum ad cicatricem inducendam.9°.de ſimplicium med.facul. 5ª.70.G
HEPIALVS quid ſit.de inæq.intemp. 3ª.44.G
Hepiala anaſarca,& febris præter hecticam ſunt intemperies inæquales per totum corpus.de inæq.intemp. 3ª.43.B
Hepiala febris.in 6ᵐ.de morb.vulg.com.1°. 3ª.160.A
Hepialon eſt genus febris.com.7°.apho.42°. Ex.57.D
Hepiala quod genus febris.2°.de diff.feb. 3ª.37.E
Hepialæ febres quid faciant.3°.de ſimp.me.fac. 5ª.21.A
Hepialæ quales.de inæq.intemp. 3ª.44.F
Hepialæ minutæ,quę.de inæq.intemp. 3ª.44.G
ſi Hepialæ,& lypirię incidant caſus indicium eſt in humoribus febrem accendi.1°.de diff.feb. 3ª.34.A
Hepiala ex quo fiat humore.2°.de diff.feb. 3ª.37.G
HEPSEMA, hoc eſt decoctum,inquit Galenus nominare græcos in ſua Aſia ſiræum.in 6ᵐ.de mor.vul.com.6°. 3ª.195.G
Hepſema quale,& quomodo fiat.de vic.ra.in mor.ac.com.3°. 7ª.125.G
Hepſema recipientia qualia ſunt.3°.de alim.fac. 2ª.26.C
HERACLEA herba.4°.de comp.med.ſec.loc. 5ª.156.F
HERACLIANVS nouus ſcriptor Anatomiæ.de natura humana,commentario 2°. 7ª.183.F
HERACLIDES, & Zeuſis omnia opera Hippocratis cõmentati ſunt. de ijs,quæ in med.ſi.com.1°. 7ª.197.F
Heraclides Erythreus interpres ſexti Epidemiorum. in 6ᵐ. de morbis vulgaribus,com.1°. 3ª.152.C
Heraclides,Herophilus,ac Zeuxis empirici interpretes aphoriſmorum. com.7°.apho.65°. Ex.60.D
Heraclides fuit vulgaris medicus.2°.de comp.med.ſec.loc. 5ª.134.H
Heraclides vir fide dignus,ſi quis alter.4°.de com.me.per ge.5ª.241.C
Heraclides ad vtilitatem ſcripſit.in 3ᵐ.de mor.vulg.com.2°. 3ª.138.A
Heraclides ſcripſit ad Antiochidem.6°.de compo.medi.ſec.loc.172.D/174.G/5°.de comp.med.per ge. 5ª.249.H/
Heraclidis liber ad Aſtydamantem.2°.de antido.117.G/H/4°.de comp. medic.per genera. 5ª.241.C
Heraclidis Tarentini pulſus deſcriptio.4°.de pulſ.diff. 4ª.66.B
Heraclidis Erynthrei pulſus diffinitio.4°.de pulſ.diff. 4ª.68.A
Heraclides librum fecit apnum dictum.6°.de loc.aff. 4ª.39.E
Heraclides librum fecit de ſerpentibus.2°.de antido. 5ª.118.D
Heraclides Tarentinus ſcripſit de ſimplicibus.1°.de antid. 5ª.100.B
Heraclides Tarentinus legendus in herbaria re.5°.de ſim.me.f.5ª.39.H
Heraclides,& Mantias primi cognitionem medicamentorum tradidere.2°.de compo.me.per ge. 5ª.222.A
Heraclides Tarẽtinus vnus ex primis compoſitoribus pharmacorum.2°. de compo.med.per ge. 5ª.218.D
Heraclides Tarentinus medicamentorum ſcriptor. 3°. de compoſitione medic.per gene. 5ª.234.H
ex Heraclidis ſcriptis medicamentum.5°.de comp.me.per ge. 5ª.251.D
Heraclidis antidotus.2°.de antid. 5ª.117.H
Heraclidæ Tarentini catapotia.10°.de comp.me.ſe.loc. 5ª.206.E
Heraclidæ arteriaca.7°.de comp.me.ſe.loc. 5ª.179.G
Heraclidis enneapharmacos antidotus contra viperæ morſum. 2°. de antidotis. 5ª.118.D
Heraclidis lite iceſion,quę.5°.de compo.med.per genera. 5ª.250.A
Heraclidis Tarentini Iceſium nigrum.5°.de comp.me.per ge.5ª.249.H
ex Heraclidis libris medicamentum.5°.de comp.me.per ge. 5ª.254.E
Heraclidis melinum.2°.de compoſitione medicamento.per ge. 5ª.222.F
Heraclidæ pſilothrum.1°.de compoſitio.medicamen.ſecun.lo. 5ª.127.H
Heraclidæ ad cruſtas.6°.de compo.medic.ſec.loc. 5ª.172.D
Heraclides.6°.de comp.med.ſec.loc.175.C/5°.de compoſit.medicamen. per genera. 5ª.254.C
HERACLEIA magnes.9°.de ſimp.med.fac. 5ª.68.B
ſm HERACLITVM ſplendor ſiccus animus ſapientiſſimus. quòd animi mores. 1ª.318.G
HERAS cappadox.2°.de comp.med.per ge. 5ª.218.D
Heras cappadox medicamentorum ſcriptor.3°.de compoſitione medicamentorum per genera. 5ª.234.H
Heras de medicamentis egregie pertractauit.2°.de compoſitione medicamentorum per genera. 5ª.222.A
Herã probat in medicamẽtis q̃ adducit.2°.de cõp.med.per ge.5ª.218.E
Heras librũ fecit de medicamẽtis.2°.de cõp.me.ſe.lo.140.A/5°.168.D/7°.178.B/7°.de comp.me.per ge.265.C/ 5ª.272.G
Heras librum fecit Nartheca,id eſt prõptuariũ medicamentorũ,inſcriptum.1°.de compo.me.per ge.214.G/5°.245.F/ 5ª.247.E
Heras librum vnum de facultatibus conſcripſit.1°. de compoſitione medicamentorum per genera. 5ª.216.E
Heras de catagmaticis,& cephalicis.2°.de comp.me.per ge. 5ª.226.B
Heras.6°.de comp.med.ſec.loc.175.C/9°.203.G/1°.de compoſitione medic.per genera. 5ª.214.C
Heræ acopa.7°.de comp.me.per ge. 5ª.273.A
Heræ compoſitio auricularis ad omnem dolorem auris.3°.de compoſit. med.ſecun.loc. 5ª.141.E
Herę barbarum.2°.de comp.med.per ge. 5ª.227.E
Heræ Beſaſa.6°.de compo.med.ſec.loc. 5ª.170.H
Heræ Cyzicenum.5°.de comp.med.per ge. 5ª.250.B
Heræ Diacodion.7°.de comp.me.ſec.loc. 5ª.180.C
Herę Diamorum.6°.de comp.med.ſec.loc. 5ª.169.G
Heræ Diamorum quomodo confectum.5°.de comp.me.ſec.loc.5ª.168.D
Heræ emplaſtrum.2°.de comp.me.per ge. 5ª.223.A
Heræ emplaſtra.4°.de compoſi.med.per gen. 5ª.256.G
Heræ emplaſtrum candidum.1°.de comp.me.per ge. 5ª.215.F
vt Heras Gleucini confectio.7°.de comp.med.per ge. 5ª.272.G
ab Hera Cappadoce acceptũ malagma.7°.de com.me.per ge.5ª.267.B
Heræ Panacea.5°.de comp.med.per ge. 5ª.245.H
ab Hera Cappadoce medicamentũ.10°.de comp.med.ſec.loc.5ª.207.D
Heræ ad Aegilopas.5°.de comp.me.ſec.loc. 5ª.159.H
Heræ medicamenta ad Alopeciam.1°.de comp.me.ſe.loc. 5ª.122.H
Heræ pharmacũ pro alopecia puerorũ.1°.de comp.med.ſec.lo.5ª.123.A
Heræ cõpoſitio ad profluuiũ capillorũ.1°.de comp.med.ſec.loc.5ª.125.G
Heræ Cappadocis antidotus ad Canes rabidos.2°.de anti.116.H/5ª.117.B
Heræ ad capitis dolorem.2°.de comp.med.ſe.loc. 5ª.140.A
Heræ ad columellam luxatam.6°.de comp.med.ſe.loc. 5ª.174.F
Heræ ad ſugillata.5°.de comp.med.ſe.loc. 5ª.159.H
HERBAE ex quatuor elementis.1°.de elem. 1ª.7.E
Herbarum ſcriptores.Hipp.ling.explan. Ex.71.D
de Herbis,& plantis quantum locutus eſt Galenus.10°.de ſimplicium medicamentorum facul. 5ª.72.A
de Herbis per alphabetum ſcripſit Pãphilus.6°.de ſim.me.fa.5ª.39.G
Herbarum varia nomina ſcribere ſuperuacuum eſt.6°.de ſimplicium medicamentorum facultatibus. 5ª.39.G
de Herbis quo modo locutus eſt Aſclepiades in Tanitro.6°.de ſimplic. medicamentorum facul. 5ª.39.H
Herbæ,& ſtirpes tranſportatæ alterantur.3°.de ſym.cau. 3ª.26.E
Herbæ omnium animalium cibi.1°.de elem.7.E/2°.de ſem. 1ª.338.E
ad Herbas naturaliter veniunt ſubiugalia.de conſue. 2ª.61.A
Herbæ non pinguefaciunt primo vere,ſed procedente tẽpore animalia, quæ craſſas herbas edunt.3°.de alim.fac. 2ª.26.B
Herbam breuem depaſcuntur pecudes.de art.com.1°. 7ª.256.F
Herba breuis melior ac ſolidior quam alta.de art.com.1°. 7ª.256.G
Herbã breuẽ cur nõ poſſunt boues depaſcere.de artic.com.1°. 7ª.256.F
Herbis nutriri non poſſumus vt bruta.1°.de na.fac. 1ª.292.D/E
ex Herbis nutrimentũ diuerſum eſt ab his quæ ex carne,& oſſibus.6°. de ſan.tuend. 2ª.96.C
ad Herbas dum naſcuntur ægritudinis recentis comparatio in cognitione.in 1ᵐ.prorrh.com.1°. 4ª.160.H

Herbarum abun-

Herbarum abundantiſſima eſt Creta.de theria. ad Piſonem.89.G/1°.de antidotis. 5ª.100.H
Herbarum vaſa plena portantur ſingulis annis è Creta Romam. 1°. *de antidotis.* 5ª.100.D
Herbæ nullæ adulterantur è Creta,niſi aliqui ſucci.1°.de antid. 5ª.100.D
Herbæ,quas Romæ inuenit Galenus.1°.de antid. 5ª.102.B
Herbæ in colle Tabiano.5°.meth.med. 7ª.35.A
Herbæ in terra humida creſcunt altiſſime.11°.de vſu par. 1ª.190.A
Herbæ in terra petroſa paruæ ac duræ.11°.de vſu par. 1ª.190.A
Herbæ campeſtres generoſiores.1°.de antid. 5ª.107.B
Herbarum probatio docetur.1°.de antid. 5ª.100.E
Herbæ quo modo,& quo tempore conſiderandæ.3°.de compoſitione medic.per genera. 5ª.228.D
Herbis qui præſtigiaturam inuexerit.6°.de ſimp.me.fa. 5ª.39.H
Herbę Acres.13°.meth.med. 7ª.84.H
Herbarum acrium vſus qualis.6°.de comp.me.per ge. 5ª.255.C
Herbæ inanimatæ à Platone dicuntur.de ſubſt.fac.nat. 1ª.230.B
Herba Aeti,id eſt aquilæ.6°.de ſimp.med.fac. 5ª.40.B
Herbę Amaræ ſine adſtrictione,vel acres ad neruos vulneratos valent. 3°.*de comp.med.per genera.* 5ª.234.B/C
Herba Eſcuminata.de dyna. Sp.31.A
Herba Fœtidiſſima.4°.de ſimp.me.fa.. 5ª.29.E
Herbę Frigidæ.1°.de comp.me.per ge. 5ª.212.H
Herbæ infrigidantes inflammationes.6°.de comp.med.ſec.loc. 5ª.176.F
Herbæ frigidę quibus cõſternebãt pauimẽta.1°.de ar.cu.ad Gl. 7ª.99.B
Herbis frigidis cùm indiges,miſce acetum, & aquam.1°.de compoſitione medic.per gene. 5ª.211.H
Herbę Heliotropij ſuccus purgat bilem flauam.de cathar. Sp.94.F
Herba Lanaria.1°.de comp.med.ſec.loc. 5ª.128.B
Herbæ ex ſiccis locis Maritimis.6°.de compo.med.per ge. 5ª.255.B
Herbarum maritimarum vſus qualis.6°.de comp.me.per gen. 5ª.255.C
Herbæ Maurę.de dyna.25.H/26.A/ Sp.27.H
Herba Mercurialis educit ſanguinem.de cathar. Sp.94.G
Herba mercurialis purgat cibos indigeſtibiles, & lumbricos rotundos. de cathart. Sp.95.C
Herba Occaſionis.de dyna. Sp.23.C
Herbis Pallore candenti infectis quandoque aſſimilatur corpus.5°.de locis affectis. 4ª.34.B
Herbæ quæ in Riuis naſcuntur.de bon.aquæ. Sp.75.E
Herba Sacra acetoſula.de cura icteri. Sp.111.A
Herbæ ſacræ horoſcoporũ triginta ſex in libello Mercurij Aegyptij.6°. de ſimp.med.fac. 5ª.40.B
Herba ſacra.6°.de compoſitione medicamentorum ſec.loc. 5ª.176.D/*de med.fac.par.* 7ª.167.H
Herbæ ſacræ dæmoniorum decanorum.6°.de ſimp.med fac. 5ª.40.A
Herba Sanctæ mariæ.de dyna. Sp.26.E
Herba Scorpiaca.2°.de antid. 5ª.117.E
Herbæ Tenuium partium valent ad neruos vulneratos.3°. de compoſitio.med.per genera. 5ª.234.B
Herbæ tenuium partium,quæ.3°.de comp.me.per ge. 5ª.234.B
Herba Vrceolaris.de med.fac.par. 7ª.172.D
ex Herbis & metallis aquarum differentia.de bon.aquæ. Sp.75.E
Herbæ quæ habent vires ferè æquales.6°.de comp.me.ſec.loc. 5ª.168.F
de HERBA *colligenda,ſiniſtra manu,ante ſolis ortum, ſuperſtitio.9°. de comp.me.ſec.loc.loc.* 5ª.198.G
Herbæ quo tempore colligendæ pro theriaca.1°.de antid. 5ª.102.B
in Herbis lignoſum,& durum abijciendum.4°.de ſan.tuen. 2ª.86.D
Herba ſicca accipitur ſi non habeatur recens.1°.de compoſitione medic. per genera. 5ª.211.F
Herbæ ſiccantur abſque ſole.5°.de comp.med.ſec.loc. 5ª.165.G
Herbæ cur non debeant multum vri.5°.de comp.med.ſec.loc. 5ª.165.G
Herbas ſiccas cognoſcunt vnguentarij nõ virides.1°.de antido. 5ª.102.B
Herbæ quo modo contundantur, cribrentur, & lęuigentur,ſciendũ eſt. 3°.*de comp.med.per ge.* 5ª.234.B
de Herbis medicamentum.3°.de comp.me.per ge. 5ª.234.B
ex Herbis oleum dicitur oleum abuſiuc.3°.de ſa.tuen. 2ª.79.B
Herbæ ob quas cauſas corrumpantur.1°.de comp.me.ſec.loc. 5ª.121.E
in HERBARIA *re quæ legenda.6°.de ſimp.me.fa.* 5ª.39.H
HERBARII *medici dicuntur à materia.ad Thra.* 2ª.105.B
Herbarij miniſtri medicorum.in 6^{m}.de mor.vul.com.5°. 3ª.188.E
Herbarij inter miniſtros ignobiliores rei medicæ numerantur. in 6^{m}. de mor.vulg.com.5°. 3ª.188.D
contra Herbarios.3°.de comp.med.per ge. 5ª.128.G
HERBIVORORVM *animalium alia habent vngues ſolidas,alia biſidas.3°.de vſu par.* 1ª.128.B
Herbiuora aĩalia non ſunt ita fortia ſicut carniuora.3°.de vſ.p. 1ª.128.B
HERCVLEVS *lapis trahit ad ſe ferrum.de cathar.* Sp.94.H
HERCVLEVS *cur dictus morbus comitialis.in 6^{m}.de morb. vulgari. commentario.6°.* 3ª.197.D
HERCVLEM *procreans Alcmena terrorem aduerſarijs incutiebat. an animal ſit.* 1ª.328.F
Hercules vir potens.de cog.animi mor. 2ª.51.F
HERCVLES *Erythreus ſexti Epidemiorum interpres. in 6^{m}. de mor. vulg.com.5°.* 3ª.193.A
HERCVLIS *nodi ratio.de laqueis.* 7ª.307.G
HERCVLES *cognomento medicamentum.5°.de compoſitione medica. per genera.* 5ª.254.F
HERIGERON *frigidum eſt & digerens.6°.de ſimp.med.fac.* 5ª.48.C
HERYNGIVM *temperatum in actiuis qualitatibus,et parum ſiccum. 6°.de ſimp.med.fac.* 5ª.48.C
HERMAPHRODITVS *quid.fin.med.* Iſa.49.D
de Hermaphroditis meminit.com.1°.apho.44°. Ex.57.F
HERMONIS *ſacri ſcribæ medicamentum.5°. de compoſitione medica. per genera.* 5ª.246.F
HERMOCRATIS *caſus.in 3^{m}.de morb.vul.com.1°.* 3ª.130.H
HERNIA *quo modo vocetur.6°.de anat.admi.* 1ª.91.D
Hernia quo modo fiat.5°.de anat.admi. 1ª.87.C
Herniæ.de tum.præter naturam. 3ª.84.G
circa Herniam actio diuerſa ab alijs.ad Thraſy. 2ª.104.H
in Hernię curatione ad membranam abdominis adſtringendã læqueus. de laqueis. 7ª.307.G
Herniæ diſſectores,perforatores & calculi detractores communi nomine medici dicuntur.ad Thraſy. 2ª.105.B
in HERNIOSIS *aliquid peritonæi aufert.14°.met.me.* 7ª.90.G
Hernioſos curat ciricus puluis.de dyna. Sp.30.B
HERODOTVS *quas ſectas prauas,et quas bonas reputet.1°. de ſimpli.med.fac.* 5ª.7.A
Herodotus quæſtionibus ſe implicat.1°.de ſimp.med.fac. 5ª.6.G
Herodotus librum fecit inſcriptum medicus.in 6^{m}.de morbis vulgarib. commen.2°. 3ª.168.H
ex Herodoto de cucurbitulis.de cucur.ſcar. 6ª.3.E
Herodotus celebrauit lac muliebre.de bo.& vi.ſuc. 2ª.36.A
vt Herodotus lite ex ſalicibus.5°.de compo.med.per ge. 5ª.248.G
HEROES *qui ſint.de hiſt.philoſ.* Sp.4.H
HEROPHILIVS *fuit Zeno.4°.de pulſ.diff.* 4ª.67.E
HEROPHILVS *Dialecticus.1°.meth.med.* 7ª.4.F
Herophilus laudat diſtinctiones.3°.de comp.med.ſec.loc. 5ª.141.G
Herophilus contentioſus.1°.meth.med. 7ª.3.H
HEROPHILVS *Chalcedonius auctor ſectæ rationalis. introductio ſeu medicus.* Iſa.51.D
Herophilus auctor legitimę gymnaſticæ.ad Thraſy. 2ª.108,A
Herophilus diſcipulus Praxagorę.4°.de pulſ. 4ª.66.D
Herophilus ex medicis grauiſſimis.8°.de dec.Hipp. 1ª.276.B
Herophilus medicus peritus.de diſſec.vul. 1ª.108.H
Herophilus artem corpori præſidem totam callebat.ad Thra. 2ª.109.B
Herophilus multa ſcripſit de medicamentorum vſu.5°. de ſimplicium medic.facul. 5ª.39.H
Herophilus verſatus eſt in anatomia de nat.hu.com.2°. 7ª.183.D
Herophilus inſtaurauit anatomen amiſſam.8°.de decre.Hippo. 1ª.273.C
Herophilus anatomicus perfectus.de diſſ.vul. 1ª.108.H
Herophilus,& Eudemus primi poſt Hippocratem de neruorum anatomia ſcripſere.3°.de loc.aff. 4ª.21.C
ſecundum Herophilum teſtes non multum faciunt ad ſeminis generationem.1°.de ſem. 1ª.333.E
Herophilus ignorauit vaſorum ſeminalium coniunctionem in muliere. de diſſec.vul. 1ª.109.C
Herophilus imperfecte,& qñque falsò locutus eſt.1°.de vſu p. 1ª.115.A
Herophili vocabulum eſt dodccadactylon.6°.de loc.aff. 4ª.37.G
Herophilus de pulſuum rythmis abunde tractauit.2°.de præſag.ex pulſibus. 4ª.110.B
Herophilus de pulſibus ſcripſit.2°.de pulſ.diff. 4ª.55.E
ſm Herophilum quid ſit pulſus.4°.de pulſ.diff. 4ª.65.H
contra Herophilum librum fecit Heraclides de pulſibus.4°.de pulſuum differentijs. 4ª.66.F

Herophili ad

Herophili ad ſanguinis eductionem.7°.de comp.me.ſec.loc. 5ª.183.H
vt Herophilus medicamentum.9°.de compo.med.ſec.loc. 5ª.204.F
HEROPHONTIS caſus.in 1m.de mor.vul.com.3°. 3ª.122.A
HEROPYTI abderitæ caſus.in 3m.de mor.vulg.com.3°. 3ª.150.D
HERPES à ſymptomate dicitur.2°.meth.med. 7ª.9.F
Herpes,chironia,telephia nomina ſunt vlcerum ſuperuacua.de tum.pręter naturam. 3ª.84.E
Herpes quid.finitiones medicę.Iſa.48.H/2°.de art.cu.ad Gla.7ª.101.A
Herpes affectus totius corporis.introd. Iſa.59.D
Herpes in parte eſt inęqualis intēperies.de inæq.intem.43.B/ 3ª.44.H
Herpetes affectus caliditate vincente.de palp. 3ª.54.D
Herpetes calidi.de bonita.& vitio ſuc.2ª.39.D/1°.de ſimplicium medicamentorum fac. 5ª.5 H
Herpetes ſunt morbi flāmantes.de vict.rat.in mor.ac.com.3°. 7ª.137.B
Herpes eſt inflammatio.2°.de arte cur.ad Glau. 7ª.100.H
Herpes,& eryſipelas quid ſint, & quo modo differant. de tumoribus præter naturam. 3ª.84.B
Herpetis,& phagedænæ differentia.2°.meth.me. 7ª.9.F
Herpetis natura & cancri quo modo media ad naturā carbũculi. de differentijs morborum. 3ª.5.F
Herpetes vnde.de bonitate & vitio ſuccorum.2ª.39.D/4°.methodi medendi. 7ª.28.C
Herpetes ex mixtis humoribus.de bo.& vitio ſuc. 2ª.39.D
Herpes ab excrementis putridis.9°.de vſu par. 1ª.171.D
Herpes à quo humore.2°.de criſ. 4ª.138.C
Herpetibus,& eryſipelatibus ex flaua bile reſpondent cancri, & phagedænæ.2°.de diff.reſp. 3ª.37.D
Herpetes in plethora cur fiant.2°.de diff.ſeb. 3ª.40.G
Herpetes,id eſt repentes,aliquid loci circunſtantis occupant. commentario 6°.apho.45°. Ex.51.F
Herpetes calefaciunt partes in quibus putret.de cau.mor. 3ª.6.F
Herpetes faciũt febrem,ſi totũ cōcalefaciant corpus.de cau.mor.3ª.6.F
Herpeti vbi adiungitur febris,fit alter morbus.de diff.mor. 3ª.4.D
Herpes quo modo fiat,& curetur,& quo modo differat ab eryſipelate. 14°.meth.med. 7ª.92.D
Herpes fit ex humore tenuiſſimo.14°.meth.med. 7ª.92.D
Herpes æſthiomenos vnde oriatur.de tum.pręter na. 3ª.84.B
Herpes miliaris quid & vnde.de tum.pręter na. 3ª.84.B
Herpes miliaris,qui.2°.de ar.cu.ad Glauco. 7ª.101.B
Herpes an male habuerit laſſitudine laborantem,percontandũ eſt.4°.de ſanitate tuenda. 2ª.83.C
Herpetis curatio.14°.mct.med.92.E/2°.de ar.cu.ad Glau. 7ª.102.B
Herpetes depaſcentes cuius naturæ.2°.de præſag.ex pulſ. 4ª.109.G
Herpetes erodentes ex cacochymia.3°.de temp. 1ª.23.A
Herpes exedens,qui.2°.de arte cur.ad Gla. 7ª.101.A
Herpetibus depaſcētibus ſimilis color.3°.de præſag.ex pul. 4ª.116.G
in Herpete exedente quæ adhibenda.2°.de ar.cu.ad Glau. 7ª.102.B
Herpetibus exedētibus,ſedi,pudendis,vtero,veſicæ calidũ amicum & iudicans,frigidũ inimicum & perimens.com.5°.apho.22°. Ex.39.D
in Herpete exedente quæ vitanda.2°.de arte cur.ad Glau. 7ª.102.B
in Herpete exedente ſemper viua non conuenit. 2°. de arte curatiua ad Glauconem. 7ª.102.D
Herpetes ſuperficiarij quo modo curētur.2°.de ar.cu.ad Gla. 7ª.102.D
Herpes miliarius quo modo curetur.14°.meth.med. 7ª.92.G
Herpetem in malleolo habentis mulieris caſus.14°.meth.med. 7ª.92.F
Herpetis medicamenta idonea extrinſecus.intro. Iſa.58.A
Herpetes ſanat Braſſica.7°.de ſimp.med.fac. 5ª.52.G
ad Herpetem valet Centaurea.de virt.cent. Sp.93.E
ad Herpetes Ceratum ex aceto.1°.de ſimp.me.fac. 5ª.8.G
Herpetibus conuenit Ceratum humidum.1°.de ſimp.me.fac. 5ª.3.C
ad Herpetas quidam vtuntur Cupreſſo.7°.de ſimp.med.fac. 5ª.53.G
ad Herpetas valet Lycium.7°.de ſimp.med.fac. 5ª.54.G
ad Herpetas Oleum frumenti.de dyn. Sp.30.D
Herpetes ſanat Orchis ſerapias.8°.de ſimp.me.fac. 5ª.57.F
Herpetum remedium eſt Polygonon.8°.de ſim.med.fac. 5ª.58.G
Herpetes ſanat Rhamnus.8°.de ſimp.me.fac. 5ª.59.E
ad Herpetes accommodatur Semperuiuum.6°.de ſim.med.fac. 5ª.41.F
ad Herpetas Arei.5°.de compo.med.per ge. 5ª.251.E
ad Herpetas Tiberij Cæſaris.5°.de comp.med.per ge. 5ª.252.D
ad Herpetas. 2°. de compoſitione medicamentorum per genera. 225.B/244.F/5°.249.E/ 5ª.252.D/E
HESIODVS qualem viam virtutis cecinit.de cuiuſq; animi peccat. notitia atque medela. 2ª.58.H
HETEROCRANIA quid.fin.me.47.D/intro. Iſa.56.C
Heterocrania paſſio in qua fiat tunica.de anato.ocul. Sp.57.C
Heterocraniæ curatio.introd. Iſa.56.C
ad Heterocraniam medicamenta cephalica.introd. Iſa.58.C
HEXAGIVM. 5°.de cōp.me.ſe.lo.5ª.165.H/de re.par.fa.7ª.158.D
HEXAMETER tonus.1°.meth.med. 7ª.3.C
HEXIS. de part.art.med. Sp.19.A
Hexis qui affectus.8°.meth.med. 7ª.51.H
HEXAEDROS quibus conſtet.8°.de decre.Hippo. 1ª.274.G
HIARE quid.de frac.com.3°. 7ª.247.D
Hiantes vt aliqui dormiant. commentario. 6°. aphoriſ.52°. Ex.53.A
Hiare dormientium damnat Hippocrates.2°.de motu muſc. 1ª.314.D
Hiantem dormire exitioſum.in progn com.1°. 4ª.193.H
Hiare ſignũ exolutionis,ebrietatis,& ignauię.2°.de mo.muſ. 1ª.314.D
Hiando caſum maxillæ habuit Placinus diues.de art.com.2°. 7ª.363.G
HIATVLAE, buccinæ,pinæ,oſtreæ,patellæ,media inter perfectum animal,& plantam.de fœt.for. 1ª.323.F
Hiatulæ habent carnem duram.3°.de alim.fac. 2ª.32.B
Hiatulæ ſale aut garo condiri ſolent.3°.de alimen.fac. 2ª.32.C
Hiatularum meminit.3°.de nat.fac. 1ª.304.H
HIATVS eſt nuntius febris.præſag.exper.confir. Sp.77.E
Hiatus cur ante febrem.præſag.exper.confir. Sp.77.E
ad HIBERNI ortus ſolis dextram habitantes vſque ad Mæotidem paludem quales ſunt.de aere,aquis,& locis. 2ª.4.F
HIERA Acuta.2°.de comp.med.ſec.lo. 5ª.137.D
Hiera Antipatri ad ſtomachicos.8°.de comp.med.ſe.lo. 5ª.189.A
Hiera Apollonij.8°.de comp.med.ſec.loc. 5ª.189.A
Hiera Aromatica.3°.de comp.med.ſec.loc. 5ª.142.F
Hieræ Rufi,Archigenis,Iuſti quantitas.de melancholia ex Galeno, Rufo,& Poſſidonio. Sp.110.A
Hiera Lamponiæ Peluſiotæ.8°.de comp.me.ſec.loc. 5ª.188.F
Hiera Magna.ſecretorum. Sp.101.F
Hiera Rufi,vel Archigenis,aut Iuſti.de med.ex G.R.& Poſ.Sp.110.A
Hiera Rufi & ſcabioſis & leproſis vtiliſſima eſt.de dyn. Sp.30.D
Hiera Themiſonis antidotus.8°.de compo.med.ſec.loc. 5ª.190.H
Hiera Themiſonis quomodo fiat.de mel.ex Gal.Ru.& Poſſ. Sp.110.A
HIERA proprie dicitur hiera ex colocynthide.8°.de compoſitione medica.ſec.loc. 5ª.188.D
Hiera vocabatur tempore Galeni Diacolocynthis. quos purg.opor.qui.med.& quo temp. 5ª.89.A
Hiera diacolocynthidos vnde dicta.de rem.par.fac. 7ª.154.G
Hiera ex colocynthide purgat à capite pituitam.1°.de compoſitione medica.ſec.loc. 5ª.121.F
Hiera ex colocynthide non ſolum pituitam,ſed & alios purgat humores. 1°.de comp.me.ſe.loc. 5ª.121.F
Hiera ex colocynthide,quę habet elleborũ,& non ſcammonium,in pleuritide.de vict.rat.in mor.acu.com.2°. 7ª.118.C
Hieræ ex colocynthide quantitas exhibenda & frequentia.1°.de comp.med.ſec.loc. 5ª.121.G
Hiera ex colocynthide purgatus qui fungos comederat. 1°.de compoſit.med.ſec.loc. 5ª.121.G
Hiera ex colocynthide.8°.de comp.med.ſec.lo. 5ª.188.D
HIERA dialoes.5°.de ſan.tuen. 2ª.92.E
Hiera ex aloe dupliciter dicitur.8°.de comp.med.ſec.lo. 5ª.188.D
in Hiera an aloes lota,an nō lota requirat.8°.de cō.me.ſec.lo.5ª.188.D
Hieræ ex aloe doſis.7°.de comp.med.ſec.lo. 5ª.178.D
HIERAS quæ pharmaca vocarent medici Romæ ante Galenum. 8°.de compo.med.ſec.loc. 5ª.188.D
Hiera picra amara.5°.de ſan.tuen. 2ª.92.E
Hieræ picrę compoſitio,& quibus valeat.2°.de cōp.me.ſec.lo. 5ª.135.D
Hiera picra duplex,& qualis.7°.meth.med. 7ª.48.C
Hiera picra quo modo magis durabit.7°.met.med. 7ª.48.D
Hiera quibus veræ dari debet.8°.de com.me.ſec.loc. 5ª.191.D
Hiera picra antidotum in cephalæa.de dyn. Sp.23.C
Hiera ſola pituitam purgat.1°.de comp.med.ſec.loc. 5ª.121.F
Hiera picra valet in ventriculi affectu.3°.de lo.aff. 4ª.22.C
Hiera picra excutitur humor in tunicis ventriculi contentus.1°.de locis affectis. 4ª.5.F
Hiera ad ſtomachicos.8°.de comp.me.ſec.loc. 5ª.188.B
Hiera picra pro his,qui habent tumores in tunicis inteſtinorum immerſos.12°.

ſos.12°.methodi meden. 7ª.78.G
Hiera ſimplex menſes prouocat.de cur.ra.per ſang.miſſ. 6ª.20.F
Hiera corpus totum purgauit.1°.de comp.me.ſec.loc. 5ª.121.E
Hieræ amaræ quantitas.de mel.ex Gal.Ruff.& Poſſ. Sp.110.A
Hieræ ſimplicis quantitas quæ dari debet.2°.de com.med.ſe.lo.5ª.135.E
Hieræ picræ doſis integra.7°.meth.med. 7ª.48.C
Hieræ doſis moderata drachmæ tres.8°.de compoſitione medicamentorum ſecundum locos. 5ª.191.B
Hiera pro melancholicis.de mel.ex Gal.Ruff.& Poſſ. Sp.110.A
Hiera ex veratro nigro atram bilem purgat.1°.de cõ.me.ſe.loc.5ª.121.E
Hiera fortiſſima ictericis medetur.de dyna. Sp.26.F
Hiera ex ſcãmonio flauam bilem purgat.1°.de comp.med.ſe.lo.5ª.121.E
Hiera non danda in inflammationum declinatione. 8°. de compoſitione medic.ſec.loc. 5ª.191.B
poſt Hieram picram accepit theriacam Antoninus, et quid ſecutũ ſit. de præcog.ad Poſth. 4ª.218.H
HIERACIS Thebani paſtilli gilui.5°.de comp.med.per ge. 5ª.251.F
HIERACITES lapis ſuſpenſus hæmorrhoidibus prodeſt, & Galenus fecit experimentum.9°.de ſimp.med.fac. 5ª.67.E
HIERACIVM collyrium.4°.de comp.me.ſec.loc. 5ª.156.F
circa HIERAPOLIN aer peſtilens.1°.de ſa.tuen. 2ª.67.A
HIERATICVM cyphi.8°.de comp.me.ſe.loc. 5ª.193.B
Hieraticum malagma.8°.de comp.med.ſe.loc. 5ª.193.B
de HIEROGLYPHIS locutus eſt rex Nechepſos. 9°. de ſimplicium medic.facul. 5ª.67.D
HILARIS color quo mõ p totũ corpus inducatur.de dyn. Sp.25.H
Hilarem viſum facit ſarcocolla.de ſimp.me. Sp.89.G
HILARIS vocatur theriaca.de theria.ad Piſo. 5ª.91.D
HILARITATIS, & lętitiæ cauſa eſſe creditur bugloſsum vinis iniectum.6°.de ſimp.med.fa. 5ª.45.B
HINNVLI coagulum.7°.de compo.med.ſe.loc. 5ª.184.F
Hinnus fit ab aſina.2°.de ſemi. 1ª.336.G
HIPPARCVS librum fecit de menſtruo tempore lunæ. 3°.de diebus decretorijs. 4ª.157.D
Hipparchi intercalandi ratio.in 1m.de mor.vul.com.1°. 3ª.102.E
Hipparchi Hygieni medicamentum.10°.de comp.me.ſec.lo. 5ª.208.G
HIPPOCAMPVS qualis.11°.de ſim.med.fac. 5ª.82.D
HIPPOCRATES fuit Aſclepias.1°.meth.med. 7ª.2.G
Hippocrates Cous princeps ſectæ rationalis.intro. Iſa.51.D
Hippocratis patria temperatiſſima.2°.de ſan tuen. 2ª.73.C
Hippocrates fuit dogmaticus.commen.1°.apho.1°. Ex.2.D
Hippocrates poſt Homerum.6°.de decre.Hippo. 1ª.267.D
Hippocraes ingenio maxime philoſophico.8°.meth.med. 7ª.52.C
Hippocrates probus.de ſubſ.emp. Iſa.33.D
Hippocrates vir verax.1°.de dieb.decre. 4ª.146.B
Hippocrates laudandus.2°.de ſem. 1ª.336.A
Hippocratis laus.fin.med.Iſa.43.C/ de atra bile.36. C/ꝙ animi mor.1ª. 319.G/2°.de diff.reſp.63.G/de mor.temp. 90. A/ in 3m.de mor.vulgaribus,commen.1°. 3ª.132.E
Hippocratis gloria.de ſubſ.emp. Iſa.35.D
Hippocrates vetuſtiſſimus medicus.in prog.com.1°. 4ª.195.B
Hippocratem vocat auctorem antiquum.1°.de criſ. 4ª.127.B
Hippocratem ſenem vocat.3°. de diff.reſp.69. G/3ª.74. G/ 11°.methodi medendi. 7ª.71.C
Hippocratem vocat veterem magiſtrum.aduerſus Lycum. Ex.61.F
Hippocrates magnus.in 1m.prorrh.com.2°. 4ª.171.G
Hippocrates omnium philoſophorum,& medicorum primus.1°. de naturalibus facultatibus. 1ª.293.G
Hippocrates medicorum princeps.3°.de decre.Hippo. 1ª.244.B
Hippocrates omnes præcelluit.intro. Iſa.50.H
Hippocrates medicorum diligentiſſimus.1°.de dieb.dec. 4ª.147.F
Hippocratis diligentiam admiratur Galenus.4°.meth.med. 7ª.27.H
Hippocrates peritiſſimus.2°.de dieb.decre. 4ª.151.F
Hippocrates vir nobiliſſimus.in progn.com.1°. 4ª.193.D
Hippocrates artifex.2°.de diff.reſp. 3ª.66.A
Hippocrates omniũ bonorum inuentor.de præcog.ad Poſt. 4ª.213.H/1°. de arte cu.ad Glau. 7ª.94.C
Hippocrates medicinæ artis omnium bonorum auctor. de venæ ſectione aduerſus Eraſ. 6ª.5.D
Hippocrates auctor & dux bonarũ diſciplinarum.3°.de criſ. 4ª.143.E
Hippocratem optimum magiſtrum Galenus æmulatus eſt. de theria. ad Piſonem. 5ª.91.A
Hippocrates artẽ corpori pręſidẽ totam callebat.ad Thraſy. 2ª.109.E
Hippocrates verus legitimæ gymnaſticæ auctor. ad Thraſy. 2ª.108.E
Hippocrates maxime admirandus.in progn.com.3°.4ª.206.F/ de ther. ad Piſo.94.D/ 5ª.96.G
Hippocratem cur multi admirantur, & illum non ſequuntur. ſi quis opt.med. Iſa.6.C
Hippocrates diuinus.2°.de cauſ.pul.93.H 1°.de dieb.decret. 4ª.145.F/ de venę ſect.aduer.Eraſ. 6ª.7.E
Hippocrates cur commendetur à Galeno.quòd animi mor. 1ª.320.D
Hippocrates humanitate medebatur, non autem gloriæ aut lucri cauſa. 9°.de decre.Hippo. 1ª.281.H
Hippocratis filij,qui.in 1m.prorrh.com.2°. 4ª.171.H
Hippocratis filius Theſſalus.de ijs.quæ in med.fi.com.1°. 7ª.200.E
Hippocratis Comici filios ob immodicum calorem ſtultitiæ mordent.qđ animi mor. 1ª.318.F
Hippocratis diſcipuli, Dexippus, & Apollonius. de victus ratione in mor.acu.com.1°.113.A/3°. 7ª.131.F
Hippocratis tpe quo mõ hoĩes ſe habebant.2°.de dieb.decre. 4ª.154.F
Hippocratis tempore legitimi medici exercitati in operibus manuũ.de artic.com.1°. 7ª.256.B
Hippocrates primus multa adinuenit.com.7°.apho.26°. Ex.55.G
Hippocrates prim⁹ de formatiõe fœtuũ vera ſcripſit.de fœ.for. 1ª.322.C
Hippocratis inuenta.5°.meth.med. 7ª.30.D
Hippocrates quæ primus nouit.2°.de dieb.decre. 4ª.151.H
Hippocrates quæ inuenit,& de quibus primo egit.1°.meth.med. 7ª.3.E
ab Hippocrate primo propoſita quęſtio. de victus ratione in mor.acut. commen.1°. 7ª.109.H
Hippocrates inuentor rectæ viæ.2°.meth.med. 7ª.12.G
Hippocrates methodi auctor.5°.meth.med. 7ª.33.D
Hippocrates ſummis capitibus methodum indicat.5°.de ſa.tuẽ. 2ª.88.G
Hippocrates in oĩbus ſcopũ docuit.de vict.ra.in morb.ac.cõ.1°. 7ª.115.B
Hippocrates primus naturę opera nouit.1°.de na.fac. 1ª.293.G
Hippocrates primus naturæ elementa inuenit.1°.de elem. 1ª.8.B
Hippocrates primus omnium de elementis,& nutrimentis egit.8°.de decretis Hippocratis. 1ª.275.B
Hippocrates prim⁹ ſufficiẽter rerũ elemẽta demõſtrauit.1°.de ele.1ª.8.B
Hippocrates cur non inſcripſerit ſuum librum de elementis,ſed de natura humana.1°.de elemen. 1ª.8.B
Hippocratem de natura hoĩs nõ dãnarũt philoſophi.1°.met.me. 7ª.3.A
Hippocratis rationum de natura interpres Ariſtoteles.2°.de na.facult. 1ª.298.A/1°.meth.me. 7ª.3.E
Hippocrates quærit elementa inſenſibilia.1°.de elemen. 1ª.2.C
Hippocrates primus calidum,frigidum,ſiccum,& humidum inuenit.1°. methodi meden. 7ª.3.E
Hippocrates vſus eſt calido,frigido,humido,ſicco,alijs veluti agentibus, alijs veluti patientibus.2°.de natu.fac. 1ª.299.G
Hippocrates primus determinauit elementa ſimul agere & pati.1°.de elementis. 1ª.5.F
Hippocratis argumentum contra atomos Democriti et aliorum antiquorum.1°.de elemen. 1ª.2.F
Hippocratis argumentũ,ꝙ vnũ non ſit elementum.1°.de elemen. 1ª.3.H
Hippocrates cur contradixerit antiquis.1°.de elem. 1ª.4.F
Hippocrates & Plato primi omnium de anima recte ſenſerunt.5°. de decretis Hippocratis. 1ª.258.D
vt Hippocrates inuenit naturam corporis,ita animæ naturam inuenire vult Plato.1°.meth.med. 7ª.3.D
Hippocrates & Plato ponunt tria principia.6°.de decre.Hip. 1ª.260.E
Hippocratis placita nunquam deſerit Plato. contra Iul. Ex.69.D
Hippocrates habet diuerſam familiã à Platonica.3°.de vſu par.1ª.133.C
Hippocratis dogmata recta & vera.1°.de na.fa. 1ª.293.B
Hippocratis dogmata veriſſima, quę Galenus ſequitur. de vict. ratione in morb.acu.com.1°. 1ª.115.B
Hippocrates,& Plato exempla dedere ad artes,& vitæ actiones.9°.de decre.Hippo. 1ª.280.C
Hippocrates,& Plato inuentores ſimilium & diſſimilium, aſcenſus,& deſcenſus ab vniuerſali & generaliſſimo ad ſingulare. 9°. de decret. Hippocratis. 1ª.283.H
Hippocrates optime tractauit de ſĩli,& diſſimili.9°.de de.Hip.1ª.281.F
Hippocrates primus docuit elementa miſceri.de na.hu.com.1°. 1ª.29.F
Hippocrates quo modo de miſtione egerit.1°.meth.med. 7ª.3.E
Hippocrati placent artis elementa quæ manifeſta ſunt. breuis denotatio dogmatum Hippocratis. 1ª.231.A

Hippocrates inſtaurauit anatomen amiſſam.8°.de decr.Hipp. 1ª.273.B
Hippocrates primus oĩum dixit in renẽ dolor grauis.2°.de l.aff. 4ª.9.B
Hippocrates prognoſticãdi artẽ tradidit.de præc.ad Poſth. 4ª.213.H
Hippocrates primus inuẽtor indicatiõis a morbo.4°.meth.me.7ª.28.D
Hippocrates auctor legitimæ gymnaſticæ.ad Thraſ. 2ª.108.A
ſm Hippocratẽ oẽ lignũ durum eſt & tactu lædit.de machi. 7ª.319.E
Hippocrates ætates & anni partes quadrifariam diſtinguit.breuis deno tatio dogmatum Hippocratis. 1ª.231.B
apud Hippocratem quæ ſint ſolida.bre.denot.dogm.Hipp. 1ª.231.B
Hippocrates vbi de ſolidorũ natura diſſeruerit.breuis denotatio dogmatum Hippocratis. 1ª.231.B
Hippocrates, ſolidorum compactionis & formationis probabiles ſequutus rationes caput originem facit.bre.deno.dog.Hippo. 1ª.231.B
Hippocrates vbi diſſerucrit de ſpiritu, & humidis.breuis dcnotatio dogmatum Hippocratis. 1ª.231.B
ſm Hippocratem humores quot ſint.bre.de.dog.Hipp. 1ª.231.B
ſm Hippocratem ſangis, pituita, bilis flaua, bilis atra, qualia ſint.breuis deno.dog.Hipp. 1ª.231.B
ſm Hippocratem quatuor humores quibus ætatibus, & anni temporibus abundent.brc.deno.dog.Hipp. 1ª.231.B
Hippocratem omnes philoſophi æmulati ſunt de humoribus.8°.de decretis Hippocratis. 1ª.276.B
Hippocrates ſemper vult tempus anni, regionem, ætatem eſſe ſpectãdã. 8°.de decre.Hipp. 1ª.276.F
Hippocrates ſcripſit prima rudimenta ſtatuum temporis.in 1m. de morbis vulg.com.1°. 3ª.103.E
Hippocrates ſenſit omnem ſubſtantiam corpoream, animatam iunctam eſſe & ligatam in planetis, & ſignis, & quatuor elementorum nexibus.de ſpermate. Sp.38.G
ſecundum Hippocratem reſpiratio eſt nutritio & refrigeratio.de vtilitate reſpirationis. 1ª.223.C
cum Hippocrate idem ſentiret Plato, ſi poneret attractionem & nõ circum pulſionem.in Tim.Plat. 1ª.290.C
Hippocrates arbitratur à dorſali medulla ſemen ad maris pudendum deſcendere.in Tim.Pla. 1ª.287.H
ſm Hippocratem mares in dextro vteri latere, fœmine in ſiniſtro generantur.bre.denot.dogm.Hipp. 1ª.231.C
Hippocrates accuratius egit de hominis generatione vt ſpectat ad medicum quàm Plato.8°.de decre.Hippo. 1ª.275.D
Hippocrates primus omnium vera ſcripſit. de fœtuum formatione. de fœt.form. 1ª.322.C
Hippocrates primus recte dixit de facultatibus, de morborum generatione, de remediorum inuentione.2°.de nat.fa. 1ª.298.A
Hippocrates quomodo tradiderit de morbis.3°.mcth.med. 7ª.19.E
ſecundum Hippocratem cauſa morborum, quæ. breuis denotatio dogmatum Hippocratis. 1ª.231.D
Hippocrates docet regionales ęgritudines in libro de aqua, aere, & locis.in 1m.de mor.vulg.com.1°. 3ª.100.G
ſecundum Hiopocratem vſus remediorum, qui.breuis denotatio dogmatum Hippocratis. 1ª.231.D
ſecundum Hippocratem morborum differentiæ, quę. breuis denotatio dogmatum Hippocratis. 1ª.231.D
ſecundum Hippocratem dextræ partes læuis, ſuperiores inferioribus præſtant.bre.denot.Hipp. 1ª.231.C
ſm Hippocratem acuti morbi fiunt vt plurimum à bile & ſanguine, ætate vigente, æſtiuo aut uerno tpe.brc.den.dogm.Hip. 1ª.231.D
ſm Hippocratem diuturni morbi fiunt à phlegmate, & atra bile, in ſenibus, & hieme.bre.deno.dog.Hipp. 1ª.231.D
ſecundum Hippocratem morbi medij à mixtis cauſis proueniunt.breuis denotatio dog.Hipp. 1ª.231.D
ſecunnum Hippocratem pręnotio, & prædictio ſunt neceſſaria ad artem medicam.bre.deno.dogm.Hipp. 1ª.231.D
Hippocrates de agnoſcendo, & præſagiendo plurima ſcripſit.5°.de ſanitate tuenda. 2ª.93.C
ſm Hippocratẽ prænotionis diuiſio.bre.deno.dog.Hipp. 1ª.231.D
Hippocrates decretorios dies cognoſci iubet. breuis denotatio dogmatũ Hippocratis. 1ª.231.D
Hippocrates nouit dies decretorios.in prog.com.3°. 4ª.206.F
Hippocrates inquit acutas ægritudines magna ex parte diebus imparibus, diuturnas paribus iudicari.bre.deno.dogma.Hipp. 1ª.231.D
Hippocrates inquit æſtate in iuuenibus, partibus dextris, & ſuperioribus criticos dies impares eſſe.bre.deno.dogma.Hippo. 1ª.231.D
Hippocrates ſciẽtiã pulſuũ nõ attigit.de præcog.ad Poſth. 4ª.219.E
Hippocrates de pulſibus nihil dixit.1°.de pulſ.diff. 4ª.47.A
Hippocrates primus pulſum nominauit.1°.de diff.pulſ. 4ª.47.A
Hippocrates primus arteriarum motum pulſum appellauit. quod animi mores. 1ª.320.C
Hippocrates ſigna criſis ex pulſibus non poſuit, vel quia ignorabat, vel quia non magni putabat eſſe momenti.3°.de criſi. 4ª.144.E
Hippocrates pręcipit locos primario affectos inueſtigandos eſſe, & quid vtilitatis inde habeatur.bre.denot.dog. Hipp. 1ª.231.D
Hippocrates viam mcdendi inuenit.9°.meth.med. 7ª.58.E
Hippocrates quomodo inuenit medendi viam.9°.meth.med. 7ª.58.F
Hippocrates à natura rei inuenit curationem 11°.meth.med. 7ª.72.B
Hippocrates probat per contraria.in progn.com.2°. 4ª.202.C
Hippocratis conſuetudo ex contrarijs iudicare contraria. in prognoſt. commen.2°. 4ª.199.B
Hippocrates ex oppoſitis iudicat.in prognoſt.com.2°. 4ª.199.E
Hippocrates quo mõ calidis naturæ quietẽ ĩponit.5°.de ſa.tu. 2ª.94.A
Hippocrates quo modo peſtem curauerit.de theria.ad Piſo. 5ª.96.G
ab Hippocrate ſunt tradita medicamenta in tractatibus curatiuis.5°.de ſimpli.med.fac. 5ª.39.H
Hippocrates non ſcribit omnia vt hiſtoricus.2°.de diff.reſp. 3ª.65.F
Hippocratis libri quo modo fuerunt ſcripti. in 6m. de morbis vulgaribus, commen.2°. 3ª.162.F
Hippocratis ſcripta qualia.in progn.com.2°. 4ª.203.E
Hippocratis libri perfecti.in 6m.de mor.vul.com.2°. 3ª.169.B
Hippocratis ſunt libri pręnotionum, aphoriſmorum, de aquis locisq́, ac aere, de victu in morbis acutis.3°.de diff.reſp. 3ª.69.E
Hippocratis aphoriſmi primi omniũ librorũ Hippocratis ſecundum aliquos legendi ſunt.com.1°.apho.1°. Ex.2.F
Hippocratis liber dc natura humana fuit ſimul poſitus cum libro Polybij de victus ratione ſalubrium.de nat.hu.com.2°. 7ª.181.D
Hippocratis prognoſtica & aphoriſmi ſunt ex legitimis ipſius libris. in 1m.prorrh.com.2°. 4ª.169.D
Hippocrates quid agat in prognoſticis, in aphoriſmis, & epidemijs.2°. de dieb.decre. 4ª.154.A
Hippocratis prognoſtica relegenda.1°.de dieb.decre. 4ª.149.F
Hippocrates qũo intelligendus eſt in prognoſticis.1°.de cri. 4ª.129.E
qui Hippocrates ſcripſit de ratione victus in morbis acutis. de rat. vic. in morb.acut.com.1°. 7ª.111.C
Hippocrates de acutis omnibus ægritudinibus ſe acturum promittit. de vic.rat.in mor.acũ.com.2°.122.B.3°. 7ª.134.B
Hippocratis varia de phrenitide dicta.de comate. 3ª.50.C
Hippocrates obſcure locutus eſt de ptiſſana.de ptiſſa. 2ª.46.H
Hippocrates egit de vino vt medicamento, non vt alimento in libro de ratione victus.3°.de ali.fac. 2ª.33.A
Hippocratis quinam ſint libri epidemici.2°.de diff.reſpi.3ª.66.A/2°.de diebus decretorijs. 4ª.153.C
Hippocratis an ſit liber quintus epidemion.2°.de dieb.decr. 4ª.153.C
Hippocratis inſtitutum in libro de morbis vulgaribus quodnam fuerit. 1°.de mor.vul.com.6°. 3ª.100.G
Hippocratis librũ quẽdã eſſe legitimũ negat Galenus.de marc.3ª.46.A
Hippocrati adſcriptus liber de mor.in 6m.de mor.vul.com.1°. 3ª.159.H
Hippocratis nõ eſt liber prorrheticus.in 1m.prorrh. commen. 1°. 162.E/165.G/3°. 4ª.180.H
Hippocratis non eſt liber de prædictionibus.de præc.ad Poſth. 4ª.215.E
ab Hippocrate de dyſpnœa ſcriptum.3°.de loc.aff. 4ª.27.B
Hippocratis eſt liber de ſacro morbo.in prognoſt.com.1°. 4ª.190.D
Hippocrates ſcribit illa quæ pertinent ad affectionem.2°. de difficultate reſpirationis. 3ª.65.F
Hippocrates egit de venæ ſectione.de venæ ſect.aduer.Eraſ. 6ª.5.D
Hippocrates venam cauam cur Iecorariam appellat.8°.de decretis Hippocratis. 1ª.273.H
poſt Hippocratem Eudemus & Herophilus primi de neruorum anatomia ſcripſerunt.3°.de loc.aff. 4ª.21.C
Hippocrates de medicamentis exacte artẽ fecit.de the.ad Piſo.5ª.91.A
Hippocrates cur non ſcripſit contra negantes attractionẽ medicamentorum, quæ humores attrahunt.de purgan.med. 5ª.86.C
cuius Hippocratis ſit liber de medicatrina.de frac.com.10°. 7ª.223.F
ante Hippocratis omnes libros liber de ijs, quæ in medicatrina fiunt legendus eſt.de ijs, quę in med.fi.com.1°. 7ª.197.F
Hippocrates cur erubuerit dislocationes vertebrarum curare. de artic. commentario 3°. 7ª.270.D

Hippocratis Phyſicam

Hippocratis Phyſicam adducit auctor libri de ſpermate, quam Hippocrates nunquam ſcripſit. de ſpermate. Sp.40.D
Hippocratis librum de alimentis adducit. 1°. de compo. medicamentorũ per genera. 5ª.216.H
Hippocrates primo retractauit malefacta, poſtea docuit quid agendũ. de arti. com. 3°. 7ª.270.D
Hippocratis libros edidit Artemidorus Capito. de nat. hu. cõ. 1°. 1ª.27.D
Hippocratis librorum infelicitas. in 3ᵐ. de morb. vul. com. 1°. 3ª.130.F
Hippocratis libri qui non habentur. de artic. com. 3°. 7ª.271.F
ad Hippocratem intelligendũ, quid agendum. de fra. com. 3°. 7ª.245.G
Hippocratis quædam opera quo diſcenda. 1°. de dieb. decr. 4ª.149.E
Hippocratis dicta exquiſita ſunt. com. 7°. aph. 63°. Ex.59.H
Hippocratis laus ex re, & ſcribendi modo. commẽ. 7°. apho. 63°. 59.H/ aphoriſmo. 64°. Ex.60.B
Hippocratis laus, qui multa bene & breui docet. 1°. de vſu par. 1ª.115.B
Hippocrates græci ſermonis peritus. in 3ᵐ. de mor. vul. cõ. 3°. 3ª.143.D
Hippocrates vtitur lingua attica quandoq;. de fract. com. 1°. 7ª.223.E
Hippocratis ſermo cur breuis. 2°. de elem. 1ª.9.D
Hippocrates cur obſcurus. 9°. met. me. 7ª.58.E
ab Hippocrate quæ ſæpe dicantur. de ijs, quæ in med. ſi. cõ. 3°. 7ª.219.E
Hippocratis mos. in 1ᵐ. de morb. vulg. com. 1°. 3ª.100.G
Hippocrates non vtitur præfationibus. in progn. com. 1°. 4ª.189.C
Hippocratis mos ĩ priuatis ſermõibus. in 6ᵐ. de mor. vul. c. 2°. 3ª.167.B
Hippocrates ponit quædam veluti exempla ſermonum vniuerſalium. com. 6°. aph. 25°. Ex.48.F
Hippocratis mos eſt de particulari loqui, & intelligere vniuerſale. de articulis, com. 3°. 7ª.277.D
Hippocrates omittit quæ ſequuntur neceſſario. in pgn. com. 1°. 4ª.195.C
Hippocrates cum dicit vnum ſimilis naturæ, negligit reliqua quæ habẽt vim eiuſdem ſermonis. 1°. de elem. 1ª.3.G
Hippocrates quandoque deſpicit quod crebro euenit, & id quod raro euenit pronunciat. 2°. de dieb. decr. 4ª.156.E
Hippocrates frequenter in ſummam colligit. in 1ᵐ. de morbis vulgaribus, commen. 1°. 3ª.107.D
Hippocratẽ nõ vti ſemp ꝓprijs loquẽdi modis. de arti. com. 1°. 7ª.256.D
Hippocrates fruſtra non ſcripſit. 3°. de dieb. decr. 4ª.160.B
Hippocrates nihil fruſtra dixit. 8°. de vſu par. 1ª.168.C
Hippocratis dictio tanquam dei vox. 1°. de vſu par. 1ª.115.A
Hippocratis ſyllabæ nedum dictiones ſignificant. de comate. 3ª.50.H
Hippocratis verba qui ſcripſit Hip. ling. expl. Ex.71.C
Hippocratica nomina quæ ſit explanaturus. Hip. ling. expl. Ex.73.C
Hippocrates aliqua nomina fecit, aliquibus vſus eſt obſoletis Hippocr. ling. expl. Ex.71.F
Hippocratis vſitatiſſimus vſus in nominibus. 6°. met. me. 7ª.40.C
Hippocrates partialia ad vnum nomen & caput ſemper reducit. 2°. de diff. reſp. 3ª.66.B
Hippocrates in qua ſignificatione vtatur dominari. in 1ᵐ. de mor. vulg. commentario. 1°. 3ª.103.E
Hippocrates nunquam nominauit febrem continuam σύνοχον, de natura humana. com. 2°. 7ª.181.D
Hippocrates nunquam dixit ὄυρημα, ſed ὄυρα. de nat. hu. c. 2°. 7ª.181.D
Hippocrates boni & mali nominibus quo vtatur. 1°. de criſ. 4ª.130.G
Hippocratis modus loquendi in bonis & malis, optimis, peſſimis. 1°. de criſibus. 4ª.131.E
ab Hippocrate, & ab antiquis qui muſculi manſorij vocentur. de muſculorum diſſectione. 1ª.44.H
Hippocrates vocat leuem hypoſtaſim eã quæ eſt continua & indiuiſa. de vri. ſign. ex Hipp. Sp.79.B
Hippocratis libros amore medicinæ cãtabat Eraſiſtratus per ciuitates. de cathart. Sp.94.B
Hippocratis interpretes. de ordine libr. ſuorum. Iſa.15.C
Hippocrati par Eraſiſtratus ſecundum aliquos. de venæ ſectione aduerſus Eraſiſtratum. 6ª.6.C
Hippocratis omnia opera commentati ſunt Heraclides & Zeuſis. de ijs, quæ in med. ſi. com. 1°. 7ª.197.F
Hippocratem multi interpretati ſunt commentario. 4°. apho. 71°. 35.C/ commen. 7°. apho. 64°. Ex.60.D
Hippocratis medicatrinam commentati ſunt Bacchius, & Aſclepias. de ijs, quæ in med. ſi. com. 1°. 7ª.197.F
Hippocratẽ q vult ĩterpretari debet ĩ illo exerceri. 2°. met. me. 7ª.26.H
Hippocratis artis imperitos quoſdam vocat interpretes. commenta. 4°. aphoriſ. 71°. Ex.35.C
Hippocratem nullus intellexit ante Galenum. 7°. met. me. 7ª.43.C
Hippocratis præcepta q̃ videntur pugnare. 5°. de ſan. tuen. 2ª.93.H
Hippocratis opera quibus indigeant. 7°. met. me. 7ª.43.C
in Hippocratis libris multa prætermiſſa ſunt. de ijs, quæ in medi. ſiunt. commentario. 1°. 7ª.199.E
Hippocrates primus inuentor ideo non mirum, ſi multa prætermittit. de vict. rat. in morb. acut. com. 2°. 7ª.121.H
Hippocrates in quibus defecit. 9°. met. me. 7ª.58.E
Hippocrates imperfecte, & obſcure, tamen nihil perperam ſcripſit. 1°. de vſu partium. 1ª.115.A
Hippocrates laudat corpora aliter, q̃ magno. 1°. de vſu par. 1ª.115.D
Hippocrates vtitur ſolœco figura in dictione. in 1ᵐ. pr. cõ. 1°. 4ª.162.E
Hippocrates vtitur ſolœciſmo. de ijs, quæ in med. ſi. com. 2°. 7ª.210.E
Hippocrati contra dicitur. in 1ᵐ. de morb. vul. com. 1°. 3ª.104.G
Hippocratem aliquis de frictione damnauit. ad Thra. 2ª.109.C
Hippocrates minus recte ſentire viſus eſt de frictione, quã Theon gymnaſtes. 2°. de ſan. tuen. 2ª.70.F
contra Hippocratem Eraſiſtratus. de victus ratione in morbis acutis, commentario. 3°. 7ª.131.F
Hippocratem reprehendit Galenus de medicamento in pleuritide. de vict. rat. in morb. acu. com. 2°. 7ª.118.B
Hippocrates cõſueuit, erroribus magnis prætermiſſis, minores culpare. de vict. rat. in morb. acu. com. 2°. 7ª.118.H
Hippocratem excuſat Galenus. 6°. de ſimp. me. fac. 5ª.40.E
Hippocratis correctorem non miniſtrum quendam Hippocratis librorũ deſcriptorem appellat Galenus. 3°. de diff. reſp. 3ª.69.G
Hippocrates inuentor faſciãdi. 4°. de comp. me. per ge. 5ª.238.F
ſm Hippocratem quales debeant eſſe faſciæ. de faſcijs. 7ª.293.G
Hippocrates non damnauit vincula varia. de faſcijs. 7ª.293.D
Hippocratis rhombus vinculi genus. de faſcijs. 7ª.295.B
Hippocratis vinculum adducens. de faſcijs. 7ª.299.E
Hippocratis Geranium vinculum. de faſcijs. 7ª.301.A
Hippocratis ſcãnũ ad articulos reponẽdos p ſe ſatis ẽ. de mach. 7ª.310.G
Hippocraticæ faciei exteriores cauſæ. in progn. com. 5°. 4ª.191.G
Hippocratica facies cur fiat primis diebus. in progn. com. 5°. 4ª.191.F
Hippocratica facies quot modis poterit fieri, & non erit malum. in prognoſt. commenta. 5°. 4ª.191.F/G
Hippocratis facies non eſt in pituitoſo mortuo, neq; in plethorico. in prognoſt. commen. 1°. 4ª.191.F
HIPPOLAPATHVM quale. 7°. de ſimp. me. fac. 5ª.54.B
Hippolapathum dyſenterias, diarrhœas, ſiue profluuia ſanat. 7°. de ſimplicium med. fac. 5ª.54.B
HIPPOMARATHRVM. 5°. de ſimp. med. fac. 5ª.55.C
Hippomarathrum aliud quale ſit. 7°. de ſimp. me. fa. 5ª.55.D
Hippomarathrum vẽtrem ſiſtit, calculos frangit, auriginoſos ſanat, mẽſes & vrinas mouet. 7°. de ſimp. me. fac. 5ª.55.D
Hippomarathri ſemẽ vrinã mouet. de mel. ex Gal. Ru. & Poſ. Sp.110.A
HIPPOPHAES non trahit pituitam, ſecundum Aſclepiadem, ſed illã facit. 1°. de nat. fac. 1ª.294.B
HIPPOSELINON quale. 8°. de ſimp. me. fac 5ª.60.B
Hippoſelinum agreſte. 8°. de ſimp. med. fac. 5ª.61.B
HIPPOTERIVM. 4°. de comp. me. per gen. 5ª.242.A
HIPPVRIS, idest cauda equina. 6°. de ſim. me. fac. 5ª.48.F
HIRCIRE q̃ pueris aduenit. in 6ᵐ. de morb. vulg. com. 3°. 3ª.175.F
HIRCIS ſimiles ſunt calidi & humidi. 8°. met. me. 7ª.54.B
Hircinus odor, qualis. 1°. de anti. 5ª.105.C
Hircorum carnes quidam cum delectatione edunt, quidã etiam non poſſunt odorem ſentire. de conſue. 2°.61.A
Hirci non vndequaq; laudabilis ſunt alimenti. de atten. vic. 2ª.45.E
Hirci caro mala eſt. de diſſol. cont. Sp.74.A
Hirci maxime non caſtrati caro, mala. de diſſol. cont. Sp.74.B
Hirci ſylueſtris caro, mala. de diſſol. cont. Sp.74.A
Hircorum caro deterrima. 3°. de alim. fac. 2ª.26.A
Hirci caro difficulter coquit. 1°. de ali. fa. 2ª.10.A/de diff. cont. Sp.73 D
Hirci carnes generant ſanguinẽ craſſum & nigrũ. de atra bile. 1ª.35.A
Hirci caro craſſus cibus, & cur. de diſſol. cont. Sp.72.H
Hirci caro facit melancholiam. 3°. de loc. affe. 4ª.18.F
Hircorum caro in quibus oſit. de atten. vic. 2ª.45.E
Hirci iecur idem poteſt quod caprinum. 11°. de ſimp. me. fac. 5ª.79.H
Hircorum teſtes inſuaues, concoctu difficiles, & mali ſucci. 3°. de alimẽtorum facultatibus. 2ª.27.B
Hircorum medulla acris. 11°. de ſimp. me. fac. 5ª.79.E

Hircinus adeps qualis.3°.de compoſi.med.per gen.233.H/7°.5ª.263.F/ 2°.de arte cura.ad Glauco. 7ª.104.A
Hirci,& tauri adeps acrimoniam multam,& igneam habet. 4°.de ſimplic.medic.facul. 5ª.25.E
Hircinus adeps valentior eſt adipe caprarũ.5°.de ſimp.me.fac. 5ª.34.E
Hircorum adipe minus calidus eſt caprarum adeps.11°. de ſimplium medicamentorum facul. 5ª.79.B
Hirci adeps morſibus,id eſt humoribus mordicantibus ſiue mordicationibus,ſuccurrit.2°.de ſimp.me.fac. 5ª.12.C
Hirci ſeuum molliendo digerit.14°.met.me. 7ª.87.H
Hirci ſeuum valet in dyſentericorum deiectionibus, vbi vehenter rodunt.12°.met.me. 7ª.74.H
Hirci ſanguis purgat renes.de cathar. Sp.95.C
Hirci ſanguis valet à proprietate ad renum calculos.de renum affectuũ dignotione atque medela. 7ª.194.H
Hircorum ſanguis frangit lapidem renũ,& veſicæ.de cathar. Sp.95.D
Hircino ſanguine miſceri lemniã putabat Galenus.9°. de ſimplicium medicamentorum faculta. 5ª.65.B
Hirci agreſtis fel pro luſcioſis.10°.de ſimp.me.fac. 5ª.74.H
*Hirci fel ad pilos palpebris ĩnatos oculũ ĩfeſtãtes.de re.par.fa.*7ª.156.G
Hirci lotium.de med.fac.par. 7ª.167.D
Hirci barbæ ſordes.1°.de comp.med.ſec.loc. 5ª.125.G
HIRSVTI *homines vbi.de aere,aquis,& locis.* 2ª.6.E
Hirſuti habitus,quales.de ſalubri diæta. 2ª.43.A
Hirſuti habent carnem rariorem.de ſalubri diæta. 2ª.43.A
Hirſuti,macri,nigri & latas habentes venas aptiſſimi ſunt vt melãcholici humores in ipſis cumulentur.3°.de loc.affe. 4ª.18.E
HIRVDINES *naturæ frigidæ ſunt.de cucur.ſcar.* 6ª.4.D
de Hirudinibus ex Antylli libris.de cucur.ſcar. 6ª.4.B
de Hirudinibus ex menemacho.de cucur.ſcar. 6ª.4.D
Hirudinibus quandoq; euacuandum eſt.de cucur.ſcar. 6ª.4.A
Hirudines pro cucurbitulis.de hirud. reuul. cucurb.& ſcarif. 6ª.2.D
Hirudines quo modo abijciant virus.de cucur.ſcar. 6ª.4.B
Hirudines nuper captæ per dies ſeruandæ,& ſanguis eis pro nutrimẽto dandus,ita enim earũ virulentia exprimetur.de cucur.ſcar. 6ª.4.B
Hirudines diu includendæ.de cucur.ſcar. 6ª.4.B
Hirudines q̃uo purgandæ.de hirud.reuulſ.cucurb.& ſcarif. 6ª.2.C
Hirudines alendæ pauco ſanguine,vt virulentum abijciant.de hirud.reuulſ.cucurb.& ſcarif. 6ª.2.C
Hirudinum mucor ſpongia abſtergendus eſt.de cucurb.ſcar. 6ª.4.C
Hirudines miteſcunt.de hirud.reuulſ.cucurb.& ſcarif. 6ª.2.C
Hirudines mites carnem apprehendunt. de cucur.ſcar. 6ª.4.B
Hirudines nonnunquam,niſi miteſcant in apprehendenda carne,peregrine ſeſe gerunt.de cucur.ſcar. 6ª.4.B
Hirudines per arctum calamum applicandæ.de cucur.ſcar. 6ª.4.D
Hirudo quando applicanda eſt,quo modo pars diſponenda. de hirud.reuulſ.2.C/de cucur.& ſcar. 6ª.4.C
Hirudo quando applicanda,pars oleo tepido ſuperinfundenda eſt.de hirud.reuulſ.cucurb.& ſcarif. 6ª.2.C
Hirudines vbi omnes inhæſerint,oleum tepidũ particulæ, ne refrigeſcat infundemus.de cucur.ſcar. 6ª.4.C
Hirudines vbi applicandæ, loci ſuperficietenus ſcarificandi ſunt,quia vbi ſanguinẽ guſtauerint illũ auidius trahunt.de cucur.ſcar. 6ª.4.E
Hirudines locis affectis applicantur,vel propinquis non pinguibus.de cucurb.ſcarif. 6ª.4.D
ab Hirudinum erectione conſpicitur excretionis quantitas.de cucurbitulis,ſcarificatione. 6ª.4.E
Hirudines quando manibus aut pedibus ſunt admouendæ,quid agendũ. de cucurbitulis,ſcarificatione. 6ª.4.C
*Hirudinũ applicãdarum numerus vnde ſumẽdus.de cucur.ſcar.*6ª.4.D
Hirudines relinquunt in loco venenum,& quo modo exhauriendum.de hirud.reuulſ.cucurb.& ſcarif. 6ª.2.C
Hirudo vbi fuerit,ſupra eum locum cucurbitula ponenda eſt, vt virus abducat,vel ſpongijs fouendus eſt.de cucur.ſcar. 6ª.4.C
Hirudines multum trahunt.de hirud.reuulſ.cucurb.& ſcar. 6ª.2.C
Hirudines quem ſanguinem trahãt.de hirudinibus,reuulſione. 2. D/*.de cucurb.ſcarif.* 6ª.4.D
Hirudinum vſus in quibus.de cucur.ſcar. 6ª.4.D
Hirudo quando admouetur.fin.med. Iſa.49.A
Hirudinum appetentiam oleum ſubuertit.de cucur.ſcar. 6ª.4.D
ex Hirudinibus ſanguis non debet quantum libet effluere permitti. de hirud.reuulſ.cucur.& ſcarif. 6ª.2.D
ex Hirudinibus cum nimis effluat ſanguis quo modo prohibendum.de hirud.reuulſ.cucurb.& ſcarif. 6ª.2.C
ne Hirudo amplius trahat,q̃uo prohibendum.de cucur.ſcar. 6ª.4.C
Hirudines q̃n remouendæ ſunt de hirud.reuulſ.2.D/de cuc.ſca. 6ª.4.D
Hirudines admotæ quo modo auferendæ.de hirud.reuulſ.2.C/ de cucurbitulis,ſcarificatione. 6ª.4.E
in Hirudinibus quibus ſanguis ſiſtendus.de cucur.ſcar. 6ª.4.C
ob Hirudines ſanguis fluens digito ſiſtitur.de cucur.ſcar. 6ª.4.E
ab Hirudinibus tractus ſanguis non eſt frigidis ſiſtẽdus, q̃n nimis fluit ſed adſtringentibus,& emplaſticis.de cucur.ſcar. 6ª.4.D
ab Hirudinibus tracta pars refrigeratur,ideo fouenda & recalfacienda eſt.de cucur.ſcar. 6ª.4.D
Hirudinum caudæ incidendæ,quando opus eſt iterum eiſdem nos vti. de cucurbitulis,ſcarificatione. 6ª.4.C
Hirudinem deglutientium remedia.2°.de antid. 5ª.114.E
Hirudines eijciuntur cimicibus epotis, vt etiã allio quo ſemper vſus eſt Galenus,non autem cimicibus.11°.de ſimp.me.fac. 5ª.82.E
ad Hirudines ex gutture eijciendas.de reme.par.fac. 7ª.159.A
ad Hirudines deuoratas.de me.par.fac. 7ª.174.C
ad Hirudines.de med.fac.par. 7ª.179.A
ꝑ Hirudinibus epithema.10°.de comp.me ſe.lo. 5ª.209.B
HIRVNDINIS *cerebrum ad ſuffuſiones.de ther.ad Piſo.* 5ª.92.E
Hirundinum excrementum,quale.6°.de comp.me.ſe.lo. 5ª.170.F
*ex Hirũdinibus ſtomaticum Aſclepiadis.6°.de cõp.me.ſe.lo.*5ª.171.A
*ex Hirundinibus ſtomaticũ Harpocratis.6°.de cõp.me.ſe.lo.*5ª.171.A
Hirundines ne, an ipſorum nidum ingrediatur compoſitionem Beſaſæ. 6°.de comp.me.ſec.loc. 5ª.170.F
in Hirundinũ pullorũ nidis lapilli reperiunt.de med.fac.par. 7ª.171.E
in Hirundinum pullorũ ventre lapis.de incant.adiur.& ſuſp. 7ª.181.B
Hirundinum ſylueſtrium nidus qualis.6°.de comp.me.ſe.lo. 5ª.174.H
Hirundines quo modo vrantur.6°.de comp.me.ſe.lo. 5ª.171.A
Hirundines vſtæ valent ad gutturis,& columellę affectus.11°.de ſimplicium medicamentorum fac. 5ª.82.B
Hirundines vſtæ ad ſynanchen.11°.de ſimp.me.fac. 5ª.82.B
Hirundinum vſtarum cinis cuius vſus.de reme.fac.par. 7ª.158.A
ex HISPANIA *quod edulium recens Romam fertur.2°. de alimentorum facultatibus.* 2ª.20.D
Hiſpanum edulium diu durans.2°.de alim.fac. 2ª.20.D
HISPANVM *oleum adſtringit.8°.met.me.51.D/13°.* 7ª.83.G
Hiſpanum oleum ad fluxiones acres oculorum.13°.met.me. 7ª.86.D
Hiſpanum oleum non valet in frictione.3°.de ſani.tuen. 2ª.79.A
HISPANICA *pruna ſunt in ſecundo loco.2°.de ſani.tu.* 2ª.21.D
Hiſpana pruna ad aluum deijciendam excedunt damaſcena.5°.de ſanitate tuenda. 2ª.92.E
HISTORIA *quid.de ſectis.16.B/de opt.ſecta.23.A/ de ſubfi. empirica.31.G/* Iſa.32.H
Hiſtoria eſt præſentium,& præteritorum.de opt.ſecta. Iſa.23.A
Hiſtoria non eſt futurorum.de opt.ſecta. Iſa.23.A
Hiſtoria ex quibus conficitur.de opt.ſecta. Iſa.22.H
Hiſtoriæ an vera ſit duplex iudicium.de ſubf.emp. Iſa.33.A
Hiſtoria medico neceſſaria eſt.in 3m.de morb.vulg.com.2°. 3ª.136.G/H
Hiſtoria laudatur à Galeno.de ſubf.emp. Iſa.32.H
Hiſtoriam cur obſeruarent empirici. de opt.ſecta. Iſa.22.H
HISTORIA *belli geſti à duce carthaginenſi ſine exercitu contra Romanos.de theria.ad Piſonem.* 5ª.91.C
Hiſtoria viri deformis,qui voluit formoſum procreare.de theria. ad Piſonem. 5ª.94.E
Hiſtoria eorum quos caupo carne humana pro ſuilla cibauerat.10°. de ſimp.med.fac. 5ª.72.G
Hiſtoria de ĩuẽtione organi qđ dr̃ Nilei Plinthium.de machin. 7ª.311.B
Hiſtoria podagrici.1°.de ſimp.me.fac. 5ª.7.B
Hiſtoria de herba ſanguinem trahente,& homine,qui multos necarat. de purgan.med. 5ª.87.D
Hiſtoria eius qui ſtercus humanum dabat pro medicamento.10°. de ſimpli.medicamen.fac. 5ª.76.B
Hiſtoria de meſſoribus,& leproſo qui vinũ ex vipera bibit, & ſanatus eſt.11°.de ſimp.me.fac. 5ª.77.H
Hiſtoria de ſcorto,quæ leproſum ſanauit vino ex vipera imprudens.11°. de ſimp.med.fac. 5ª.77.H
Hiſtoria,vide Caſus.
vt HISTORICVS *omnia non ſcribit Hippocrates.2°.de difficultate reſpirationis.* 3ª.65.F

HISTRICVM

HISTORICVM oleum adſtringit.13°.met. me. 7ª.83.G
HISTRIONES à diuitibus ditantur.de præco.ad Poſth. 4ª.214.B
HOCH.i.mora Celſi.ſecret. Sp.102.G
HOEDVM aluit ſine matre Galenus.6°.de loc.aff. 4ª.42.A
Hœdi natura feruntur ad lac.6°.de loc.aff. 4ª.42.A
Hœdi ruminant.6°.de loc.aff. 4ª.42.B
Hœdos diſſecuit Galenus ꝑ inſtr̃is vocis.de præcog.ad Poſth. 4ª.216.B
Hœdi nuper nati habent arterias meſenterio propinquas lacte plenas. an ſang.in art. 1ª.61.D
Hœdi habent duplicem ventriculum.6°.de loc.aff. 4ª.42.B
Hœdi natura ſicciores.de bon.& vit.ſuc. 2ª.35.H
Hœdi præſtantiores capris.3°.de alim.fac. 2ª.25.H
Hœdi poſt ſues montanos optimi ſunt.8°.met.me. 7ª.51.C
Hœdina caro eſt in magno vſu.2°.de alim.fac. 2ª.16.B
Hœdi innoxij.de atten.vic. 2ª.45.E
Hœdina caro,qualis.de ren.aff.dig.& med. 7ª.195.F
Hœdina caro ſecundo loco à ſuilla præſtantiſſima inter animalia pedeſtria.de bon.& vit.ſuc. 2ª.37.C
Hœdi anniculi caro humida eſt & viſcoſa.de diff.cont. Sp.73.A
Hœdi anniculi caput generat humorem bonum,inter tenuẽ & craſſum. de diff.cont. Sp.73.H
Hœdi anniculi & agni velocius digeruntur,quàm caro antiquorum,& capra.de diff.cont. Sp.73.C
Hœdorum carnes faciunt craſſum ſanguinem cum bono ſucco. in 6^{m}.de morb.vulg.com.3°. 3ª.175.C
Hœdina caro non incommoda ſeni.5°.de ſan.tu. 2ª.91.D
Hœdorum carnes epilepticis conueniunt.de puero epil. 7ª.180.G
Hœdorum adeps minus calidus,q̃ caprarum.11°.de ſim.me.fa. 5ª.79.B
Hœdorum ſanguis quo modo proſit hæmoptoicis. 10°. de ſimplicium medicamento.facul. 5ª.73.C
HOLCIMOS, id eſt dolor tractorius, non eſt in vſu apud Græcos. 2°.de loc.affe. 4ª.12.B
Holcimo ſignificatur viſcidum.2°.de loc.aff. 4ª.12.B
Holcima eſt paſta tritici, quæ tractiua eſt.2°.de loc.affe. 4ª.12.B
de HOLERIBVS librum edidit Diocles.de art.com.4°. 7ª.286.G
Holera cibus quo vulgus vtitur hyeme.de na.hu.com.1°. 1ª.32.F
HOMERVS,poeta ꝑ excellentiam dicitur.1°. de dieb.decr. 4ª.149.B
Homerus ante Hippocratem,& Platonem.6°.de decr.Hipp. 1ª.267.D
apud Homerum medici laus.ad Thraſy. 2ª.107.A
Homeri tempore non fuit diætetica.ad Thra. 2ª.107.B
apud Homerum non extabat gymnaſtæ nomen.ad Thra. 2ª.107.B
Homeromaſtix Zoilus.1°.met.me. 7ª.3.G
Homerum vituperat Galenus.de comate. 3ª.50.B
HOMO dicentes quid intelligamus.1°.de dieb.decr. 4ª.149.B
Homo quid.fin med. Iſa.43.F
Homo ſpecies eſt,& genus animalis.2°.de ſem. 1ª.339.H
Homines primi Deucalion,& Phoroneus.2°.met.me. 7ª.20.H
Hominis laus.an animal ſit. 1ª.328.D
Homines cur fortunati.3°.de decr.Hipp. 1ª.247.F
Homo ſapientiſſimus animalium.1°.de vſu par. 1ª.113.E
Homo animal ſapiens,& diuinum.1°.de vſu par. 1ª.113.D
Hominum præſtantia vnde.in oratio.ſuaſ. Iſa.2.F
Homini propria quæ inſunt ſoli ſpẽi,& non oĩ.2°.de diffic.reſpir. 3ª.4.E
in Homine eſt anima vt in planta,vt in dijs,vt in brutis.9°.de decretis Hippocratis. 1ª.283.H
Homines habent rationem.5°.de decr.Hipp. 1ª.257.D/E
Hominis proprium rationale.in oratione ſuaſ. Iſa.2.C
Homo ratione omne animal excedit.in ora.ſuaſoria. Iſa.2.B
Homo habet hanc excellentiam,vt ratione vtatur.de cognoſcendis, curandiſq; animi morbis. 2ª.52.E
Homo propter quid rationale animal.in oratione ſuaſ. Iſa.2.C
Homo nuper natus poteſtate rationalis eſt.3°.de temp. 1ª.21.F
Homo deo poteſtate ſimilis.an animal ſit. 1ª.328.D
Homo cum dijs communicat ratione.in oratione ſuaſ. Iſa.2.D
Homo participat cum dijs & cum brutis.in oratione ſuaſ. Iſa.4.A
Homo oẽs artes ẽt diuinas aſſequitur ingenio.in oratione ſuaſ. Iſa.2.C
Homo prudens,qui.de cog.cur.animi morbis. 2ª.52.E
Hoĩ cõueniẽtiores actiões rõcinari,et loqui.d̃ mot.man.& obſ. Sp.67.F
Hominis vox proprie locutio eſt.de hiſt.philo. Sp.9.G
Homo animal politicum ac manſuetum.11°.de vſu par. 1ª.191.H
in Homine genius,qualis.5°.de decr.Hipp. 1ª.257.F
Homo quo modo animalibus brutis ſimilis efficitur.de cognoſcendis curandiſq; animi morbis. 2ª.52.H
Homo q̃uo in omni re vinceretur ab aliquo aĩante.in orõne ſuaſ. Iſa.5.D
HOMINIS particularis g̃natio & prima.8°.de decr.Hip. 1ª.275.C
in Homine ſecunda generatio,quæ.8°.de decr.Hipp. 1ª.275.F/G
de Hominis generatione accuratius Hippocrates q̃ Plato egit, vt ſpectat ad medicum.8°.de decr.Hipp. 1ª.275.D
de Hominis natura Hippocratem non damnarunt philoſophi.1°. methodi medendi. 7ª.3.A
Hominis principium eſt ex ſanguine & ſpermate.ſecretorum. Sp.96.G
in Homine quid faciat ſanguis,& ſperma.ſecretorum. Sp.96.G
Homo animal immortale eſſe non poteſt ex ſanguine menſtruo & ſpermate conflatum.3°.de vſu par. 1ª.133.D
Homo conſtat ex ſanguine vteri,ſm̃ Ariſtotelem.ꝙ animi mor.1ª.119.C
Homo ex quibus conſtet.intro. Iſa.52.E
ꝙ Homo non conſtet ex atomis aut ex corpuſculis incompactis.de differentijs morborum. 3ª.2.E
Homo ex quibus primis elementis conſtet.1°.de elemen. 1ª.7.E
in Homine quo modo elementum aereum.8°.de decr.Hipp. 1ª.275.D
in Homine elementum aereum deprehenditur in pulſibus, & reſpirationibus.8°.de decr.Hipp. 1ª.275.D
Hominem eſſe ſolam terram aliquos poſuiſſe inquit Hippocrates. de natura humana,com.1°. 1ª.31.A
Homo præter elementa quatuor humoribus conſtat.intro. Iſa.52.E
in Homine quocunq; tempore,quacunque ætate ſunt quatuor humores 1°.de nat.hu.com.1°. 1ª.31.D
Hominis corpus ex quatuor humoribus conſtat.de natura & ordine cuiuslibet corporis. Sp.41.D
Hominis corpus rõnabilr̃ ex quatuor cõſtat humorib.de dyn. Sp.19.E
Homo quo modo ex quatuor conſtet humoribus.de ſper. Sp.37.A
Homo eget omnibus humoribus.2°.de elem. 1ª.9.D/E
Hominem aliqui ex tribus compoſitis conſtituunt.intro. Iſa.52.E
Homo,& animalia conſtant ſolidis,humidis,& ſpiritibus.bræuis denotatio dogmatum Hippocratis. 1ª.231.A
Homo ſtatim ortus ſcit vti munijs virium.15°.de vſu par. 1ª.213.B
Homo fit ſemper valentior vſq; in vigorem ætatis.1°.de ſan.tu. 2ª.62.F
Homini nato,& peccanti venia danda eſt.4°.de decr.Hipp. 1ª.249.F
Homo infans incedit manibus & pedibus,vt ſimia,vbi iam increuit,ſolis pedibus incedit.15°.de vſu par. 1ª.213.D
ꝑ HOMINIS & domus edificio exemplum.de diff.morb. 3ª.2.E
Hominis corpus diuinum.13°.de vſu par. 1ª.203.A
Homo eſt planta cœleſtis non terrena.de conſue. 2ª.61.F
Homo tanquam paruus mundus.an animal ſit. 1ª.326.H
Homo pars eſt magni mundi.an animal ſit. 1ª.326.H
Hominum fabricatores dij.ꝙ animi mores. 1ª.318.C
in Homine condendo deus fecit quod melius eſt.6°.de vſu par. 1ª.153.F
Homo aĩal ꝑfectiſſimũ,& muliere perfectior.14°.de vſu par. 1ª.205.H
Homo eſt perfectior muliere propter calorẽ.14°.de vſu par. 1ª.205.H
Hominis corpus ex diſſectione innoteſcit.de conſt.ar. Iſa.36.G
Hominem nunquam diſſecuiſſe Galenum collige,etſi multas diſſectiones fecerit.1°.de anatomicis adminiſtrationibus. 1ª.63.F
Hominis ſectionem fecit Galenus.6°.de vſu par. 1ª.149.B
Hominis anatomiam docet Galenus.6°.de vſu par. 1ª.150.H
Hominũ anatomen diſces ex ſimijs.3°.de comp.me.per ge. 5ª.231.F
ꝑ Hominibus vtitur ſimijs in anatome.de art.com.3°. 7ª.268.F
Homini in omnibus ſimilis ſimia, quare & oſſa ſunt ſimilia. 1°. de anatomicis adminiſtrationibus. 1ª.63.E
Homini ſimilis eſt ſimia extrinſece,ſuis autem intrinſece. de anatomia parua. Sp.42.G
Hominis ridicula imitatio ſimia.15°.de vſu par. 1ª.213.D
Hominis,& ſimiarum differentia.1°.de ana.adm. 1ª.63.H
Homini animalia proximiora ſex.4°.de anat.adm. 1ª.80.G
Homo hẽt mẽbrorũ naturã ſimilẽ cani.ĩ 6^{m}.de mor.vul.c.4°. 3ª.180.D
Hominis partes,quæ.de palp. 3ª.52.B
Hominis propriæ,& minimę particulę partes ſimiles.1°.de elem.1ª.8.F
in Homine cur ſint organa diuerſa.de ana.viu. Sp.47.B
Hominis differentia,greſſibile bipes.1°.met.me. 7ª.4.C
Hominem definit per pedeſtre bipes.2°.met.med. 7ª.13.G
Homini quæ non inſunt vt homo.1°.de dieb.decre. 4ª.149.B
Homini cur melius fuit eſſe bipedem.3°.de vſu par. 1ª.128.D
Homo ſolus bipes,& erectus,quia manus habet.3°.de vſu pa. 1ª.127.E
Homo ſolus ſtat rectus.3°.de vſu par.128.F/13°. 1ª.203.A

Hominem erectum ſtare, vt ad cœlum prompte aſpiciat, non eſt verum. 3°.de vſu partium. 1ª.128.F
Homo ſolus ſedet.3°.de vſu par. 1ª.128.F
Homini ſoli ineſt ſedere in iſchia.3°.de vſu par. 1ª.127.H
in Homine quo modo fiat ſeſſio.3°.de vſu par. 1ª.128.E
Homo ſolus recte incedit.3°.de vſu par. 1ª.128.D
Homo ſolus recte ad amuſſim incedit.4°.de anat.adm. 1ª.79.E
Homo habet corpus armis nudum.1°.de vſu par. 1ª.113.G
Homo non eſt nudus neq; inermis.1°.de vſu par. 1ª.113.D
Homo cur non indigeat cornibus.1°.de vſu par. 1ª.113.D
Homo cur non indiget vngula.1°.de vſu par. 1ª.113.D
Homo ſolus omnium animalium manus habuit.3°.de vſu par. 1ª.127.E
Homo conuenienter habet manus.1°.de vſu par. 1ª.113.H
Homo cur oĩbus aĩalibus dominetur pp manum.1°.de vſu par. 1ª.113.E
Homo domat oĩa aĩalia ratione, & manibus.11°.de vſu par. 1ª.184.H
Homo ſolus recte manibus vtitur.13°.de vſu par. 1ª.203.A
Homo omnia facit manibus.1°.de vſu par. 1ª.113.E
Homo p pelle, corioue duro thoracẽ habet ferreum.1°.de vſu p. 1ª.113.D
Homo ſi haberet cornu in manu, non poſſet vti manu ad conſtruendum murum & domum.1°.de vſu par. 1ª.113.D
Hominum manus quo modo vertatur commode.3°.de vſu par. 1ª.128.E
Homo habet oſſa caua ac laxa.11°.de vſu par. 1ª.191.E
Homo breuiſſimam maxillam habet pro corporis ratione. 4°. de anatomicis adminiſtrationibus. 1ª.80.G
Homo cur non habet fortẽ maxillã, & collũ vt leo.11°.de vſu p. 1ª.191.H
Homines habent muſculos temporales minimos, & minimum neruoſos. 10°.de vſu partium. 1ª.184.F
in Hominib⁹, & ſimijs tpalis muſculus exigu⁹ ẽ.16°.đ vſu p. 1ª.217.A
in Hominibus, & ſimijs aurium ſubſtantia ferè immobilis. 16°. de vſu partium. 1ª.217.A
Hominis odoratus nõ diſcernit inter odores medios.de ana.vi. Sp.49.B
Homini ſimillima eſt ſimia in collo.de neru.diſſ. 1ª.54.E
ab Homine non multum diuerſam naturam habentia animalia habent in collo ſeptem vertebras.de neru.diſſ. 1ª.54.G
Hominum coſtæ curuiſſimæ ſupra alia aĩalia.de artic.com.3°. 7ª.272.C
Homo pectus habet latiſſimum oĩum aĩalium.de arti.com.3°. 7ª.272.C
Hominibus cur pectus latum, brutis anguſtum.13°.de vſu pa. 1ª.202.G
Homo habet quinque vertebras in lumbo.de arti.com.3°. 7ª.273.B
Homo habet ventrem anguſtiſſimum omnium animalium à poſteriore in anteriorem partem.de arti.com.3°. 7ª.273.D
in Hominibus ventriculi fundum latius orificio.4°.de vſu p. 1ª.136.H
Homo cur non habuit quatuor crura vt cẽtauri.3°.de vſu par. 1ª.127.F
in Hominibus crura, & ſpina ſunt linea recta.3°.de vſu par. 1ª.128.D
Homo cur nõ habuit pedes duros, et rotũdos vt eq.3°.de vſu p. 1ª.128.H
in Homine alijsq; omnibus animalibus quæ adſint, vt nullum animalis genus pereat.14°.de vſu par. 1ª.204.D
Hominis pudendum cur longum, & tale.14°.de vſu par. 1ª.206.B
Hominis inſtrumentum habet figuram inuerſam, & protenſam extra. de anatomia viuorum. Sp.51.E
Homo ex homine in coitibus gignitur.in 6m.de mor.vul.cõ.3°. 3ª.171.H
Hominis figura quando incipiat, & quo modo.de ſpermate. Sp.36.B
Homo quo tempore perfectus ſit.de hiſt.philo. Sp.11.F
Hominis ſperma cur non recipitur ab equa.3°. de vſu par. 1ª.127.F
Homines ſi coeant cum equa, ſperma non perficitur in matrice.3°.de vſu partium. 1ª.127.F
de HOMINIS tẽperie ſi quærat̃, quid reſpondendũ.1°.de tẽp. 1ª.13.D
Homo temperatiſſimus omnium corporum.1°.de temp.14.H| 1ª.15.G
Homo in genere animalium medius temperie.1°.de temp. 1ª.12.H
Homini ſoli conuenit temperata natura.de ſpermate. Sp.41.A
Homo tpatiſſimus, et medi⁹ quas notas habere debet.1°. đ tẽp. 1ª.14.H
Homo temperatus, pro menſura, & regula accipitur. 5°. de ſimplicium medicamen.facul. 5ª.32.E
Homo in prima ætate calidiſſimus, in extrema frigidiſſimus eſt.8°.de decretis Hippocratis. 1ª.277.F
Homo vnus habet medium ſecundum ætatem, vitæ conſtitutionem, conditionem, & regionem.3°.de alim.fac. 2ª.33.D
Homo calidior altero.de conſt.ar. Iſa.38.G
Homo idẽ quo mõ ſit calid⁹, frigid⁹, humidus, et ſiccus.1°.de tẽp. 1ª.13.C
Hominis caro media.de conſt.ar. Iſa.38.G
Homini ſimilem temperaturam habent porci domeſtici caſtrati. 10°. de ſimp.med.fac. 5ª.75.D
Homo humidior canis ſiccior eſt inter animalia.1°.de temp. 1ª.12.E
Homini conuenientia.1°.de temp. 1ª.14.H
Homines diuerſi diuerſis rõnibus perſuadentur.9°.de decr. 1ª.282.B
Homo habet animam artibus deſtitutam.1°.de vſu par. 1ª.113.G
Hominibus paranda ſunt quæ cum poſſeſſore in naufragio enatẽt. in oratione ſuaſoria. Iſa.2.H
Homo ſi primo non perfecerit, deterreri non debet, quoniam tempore pficiet.de cog.cur.animi morbis. 2ª.55.H
Hominis vnius vita rem vnam non inuenit. de cuiuſq; animi peccatorũ notitia atque medela. 2ª.58.F
Homo debet eſſe natus ad veritatem.de cuiuſq; ani.pec.not. 2ª.56.H
Homines omnes omnium rerum veritatem cognoſcere debent. de cuiuſque animi pecc.not.atq; med. 2ª.58.H
Homines à nobis odio haberi q vera loquunt̃.de cog.cur.aĩ mor. 2ª.51.B
Homo debet eſſe inſtitutus liberali educatione.de cuiuſq; animi peccatorum notitia atq; medela. 2ª.56.B
Homines diuerſi in diuerſis numeris & harmonijs educandi ad varias perturbationes animi compeſcendas.5°.de decr.Hipp. 1ª.257.H
Homines putant ſe eſſe ſine peccato, vel in paucis rebus rectam rationẽ offendere.de cogn.cur.animi morbis. 2ª.50.D
ſupra Hominis captum eſt nunquam errare.in prog.com.3°. 4ª.213.H
Homo exercendus in rerum ſimilitudinibus diſcernendis. 9°. de decretis Hippocratis. 1ª.280.B
Homines debent eſſe docti antequam libros legant.1°.de alim.fa. 2ª.9.E
HOMINES nutriuntur animalibus.8°.de decr.Hipp. 1ª.275.A
Hominẽ non nutriunt carnes oẽs animaliũ.11°.de ſimp.me.fa. 5ª.77.G
Homini cibus familiaris, qui.2°.de alim.fac. 2ª.17.C
Homini lac alimentum.15°.de vſu par. 1ª.213.B
Hominibus ſuum caro conuenit.de bon.& vitio ſucc. 2ª.37.C
Homo calidæ temperiei quibus nutriendus.de diſſol.cont. Sp.72.B
Homo, q abũdat cholera citrina, qbus ſit nutriẽdus.de diſ.cõt. Sp.72.B
Homines faciunt fructus agreſtes domeſticos.de aere, aq.& loc. 2ª.4.E
HOMINVM corpora augentur creſcente luna. de dy. Sp.20.C
Hominis ſani vrina, qualis.de dyn. Sp.19.G
Homo videt alium mingentem, aut egerentem, aut pandiculationes agẽtem, & ad hoc prouocatur.de mot.man.& obſ. Sp.69.D
Homines pingues extenuans medicamentum.de med.exper. Sp.104.H
Hominibus debilibus, & fortibus quid accidat, ſi aqua frigida lauentur.com.1°.aph.15°. Ex.8.C
HOMINVM naturæ ſunt numeroſæ.5°.de ſan.tuen. 2ª.88.D
Homines cur diuerſi.1°.de alim.fac. 2ª.8.F
Homines ſunt diuerſi ex diuerſitate terrarum.de ſpermate. Sp.40.D
Homines vbi æqualiſſimi.de aere, aq.& loc. 2ª.5.A
Homines aliqui habent naturam ſimilem montanis, ſiluoſis, ac aſperis locis.de aere, aq.& locis. 2ª.4.G
Homines dulces & manſueti vnde.de ſpermate. Sp.40.D
Homines magni forma vbi.de aere, aq.& loc. 2ª.6.D
Homines aſiatici pulchri, quales.de aere, aq.& loc. 2ª.4.E
Homines parui cur, & vbi.de aere, aq.& loc. 2ª.6.D
Hominum formæ ac mores, regionis naturæ ſunt compares.de aere, aq. & locis. 2ª.6.E
Hominis mentem ſemper excitant mutationes.de aere, aq.& lo. 2ª.5.D
Homines ſub poteſtate regum, quales de aere, aq.& loc. 2ª.5.B
Homines pauci ſunt in regionibus Aſiæ, quæ ſubeſt regibus, inerteſq; ad bellum quare.de aere, aq.& locis. 2ª.5.B
Homines liquidioris ſanguinis ſunt timidi & boni ſenſus, eo quod molles carne.de vtil. reſp. Sp.64.G
Homines bellicoſos quæ terra faciat.de ſpermate. Sp.40.D
Homo durus qui.3°.de pulſ.diff. 3ª.63.F
Homo acerbus quo modo.3°.de pulſ.diff. 4ª.63.G
Homines diſtinguuntur ab Hippocrate in vinum & aquam bibentes.de natura humana.com.2°. 7°.182.B
Homines Hippocratis tẽpora quõ ſe habebãt.2°.de die.decr. 4ª.154.F
Hominum ſtudia diuerſa.de bon.& vitio ſucc. 2ª.39.A
Homines qui officia obeunt muliebria.de aere, aq.& loc. 2ª.5.G
Hominum maxima pars negocijs implicita eſt.2°.de ſan.tuen. 2ª.69.C
HOMO cur procurare debet ſanitatem.6°.de ſan.tu. 2ª.95.B
Homini nihil tanti eſſe debet, vt ſanitas.de ſal.diæta. 2ª.43.D
Hominis corpus materia eſt medicæ artis.de part.art.med. Sp.18.C
Homo quibus medicis ſe committere debet.ĩ oratione ſuaſoria. Iſa.4.C
Hoĩes curã ſui corpis cõmittũt, qbus facta ſũt expimẽta.đ ſubf. Iſ.34.F
Hominis natura debet ſciri ſecundum rationales.de ſectis. Iſa.16.D
Hominum communem naturam, et propriã medicus cognoſcere debet. 1°.de

1º.de arte cur.ad Glau. 7ª.94.C
Hominum natura propria,& communis. in 1m. de morbis vulgaribus, commentario.3º. 3ª.117.B
Hominũ propria natura ſcribi non põt.1º.de arte curat.ad Gla.7ª.94.C
Homines qui cito à nobis cognoſcuntur.1º.de anat.adm. 1ª.63.H
Hoĩs natura an cõcordet tp̃is mutationi,cõſiderãdũ eſt.de ſper.Sp.39.F
Hominum ętates,figuras,colores,terram, vſum,paſſiones terræ,in qua ſunt geniti,conſiderare debet medicus.de ſpermate. Sp.39.F
Hominẽ gñalem non particularẽ curabãt methodici.3º.me.me.7ª.20.F
Homo non doleret,ſi vnum eſſet.de conſt.ar. Iſa.38.B
Homo ſi eſſet ex vno elemento,nihil pateretur.de na.hu.cõ.1º. 1ª.28.F
Homo ſi eſſet vnum & doleret, oporteret vnum eſſe medicationis modum.1º.de elementis. 1ª.3.H
Homo ſi eſſet impatibilis vt adamas,non indigeret re medica. 1º.de ſanitate tuenda. 2ª.63.A
Homo quando dolet,& quando valet.8º.de decr.Hipp. 1ª.275.C
Homines nunquam morbo corriperentur ſi cauerent cruditates,& poſt cibum vehementer non exercerentur.de bon.& vitio ſucc. 2ª.35.A
HOMO quando impletur crudis humoribus.4º.de ſan.tu. 2ª.88.A
Homines bene & male ſe habent ſecundum lunæ,& planetarum ſtationes.3º.de dieb.decretorijs. 4ª.157.H
Homo mutatur ſecundum planetas.de ſpermate. Sp.37.D
Hominis os ſanguine incenditur & fætet.de dyn. Sp.19.E
Homines male corrumpit veratrum, cibus tamẽ eſt coturnicum.de theriaca ad Piſonem. 5ª.91.A
Hominem purgat veratrum.1º.de ſimp.me.fa. 5ª.2.D
Hominem refrigerat cicuta.1º.de ſimp.me.fa. 5ª.2.D
Homo fit inſenſibilis,& ſimilis dormienti compreſſis quibuſdam venis colli.de vtilitate reſpirationis. Sp.63.F/H
Homo ſi videat ſerpẽtẽ ſubito,fit pallidus.de mot.man.&obſ.Sp.69.D
Hominem necat viperæ ſaliua.de inæq.intemp. 3ª.44.C
Hominis ſaliua viperam necat.de inæq.intemp. 3ª.44.C
Hominis iciuni ſputo ſcorpio aſperſus interit.de bo.& vit.ſuc. 2ª.34.B
Hominem ægrotare quando ſit periculum.de conſt.ar. Iſa.42.C
Homini conueniunt calida,& humida temperate.de ocul. 7ª.188.C
Homo non habet facultatem miſcendi per tota calidum, frigidum,humidum,ſiccum.1º.de temper. 1ª.14.F
Homines multum differunt,ideo idem medicamentum omnibus non cõuenit.3º.de compoſi.med.per ge. 5ª.232.D
Homini cuiq; ſeorſum proprium conuenit medicamentum ad mouendũ ſuum pus,iuxta ſuam cuiuſq; temperaturæ proprietatem. 5º. de ſim. medicamen.facul. 5ª.33.D
ad Hominem temperatum referenda ſunt medicamenta. 9º. de ſimpli. medicamen.facul. 5ª.69.F
Homines omnes non eadem requirunt.5º.de ſan.tu. 2ª.94.B
Hominum ſingulorum definienda euacuationis menſura neutiquam præſcribi poteſt.præſag.exper.conſ. Sp.78.A
Hõ cõfeſtim ſanatus eductis ſex libris ſanguinis.præſag.exp. Sp.78.A
Homines digni vt bibant ſtercus caprinum.10º.de ſimp.me.fa. 5ª.76.F
Homo cui oſſa reponuntur,ligandus eſt.de machin. 7ª.312.B
Homo hominem morſu non necat.de inæq.intemp. 3ª.44.C
Hominum morſus quo modo ſit noxius qñq;.1º.de comp.me. 5ª.214.E
ad Hominum morſus.2º.de comp.med.per genera.227.E/3º. 235. B/5º. 246.E/H/247.F/248.H/6º. 5ª.256.D
Homo penitus vno humore euacuato moritur.2º.de elem. 1ª.9.F
Homo moritur vbi vnus humor deeſt.de nat.hum.com.1º.31.E/8º.de decretis Hippocratis. 1ª.276.C
Homine mortuo humores ſeparãtur, & ad propriam redeunt naturam ſecundum aliquos.de ſpermate. Sp.40.E
Homo mortuus anodynon quomodo.5º.de ſimp.med.fac. 5ª.37.B
HOMINES immortales qui volebat reddere,ſi eos à pueritia rexiſſet. de marc. 3ª.45.F
Hõ nunq̃ moreretur,ſi corpus ſeruaretur humidũ.6º.de ſa.tu. 2ª.96.F
ad Hominem comparatio ponderis.de cur.rat.per ſang.miſſ. 6ª.16.E
HOMIOMERES partes,quæ.1º.meth.med. 7ª.6.D
HOMONYMIA aperienda eſt ante diffinitionem.2º. de pulſuum differentijs. 4ª.53.F
Homonymia facit obſcuritatem.de ſymp.diff. 3ª.10.E
Homonymia facit cauillationes.1º.met.med. 7ª.6.B
Homonymω̃s dicitur tremor & rigor. 1º.de ſymp.cau. 3ª.19.D
HOMOTONAE ſynochæ ſpecies.2º.de diff.feb. 3ª.36.F
Homotonas facit humoris ĩ caua vena putrefactio.2º.de dif.fe.3ª.42.G
Homotona febre correpti pulſum habẽt grauem, ſpiſſum, & ſordidum. de ſpermate. Sp.34.C
ad Homotonam febrem.de ſpermate. Sp.33.C
ad HONESTATEM ex rõnali trahimur.5º.đ dec.Hip. 1ª.256.H
Honeſtas exigit brachiũ tectũ.de ijs quæ in med.fi.com.1º. 7ª.202.H
HONESTVS qui vult fieri,quid agere debet.de cog.curã. 2ª.50.F
Honeſtus eſſe non poteſt inſatiabilitatem in animo habens. de cogn. cur. animi morbis. 2ª.55.F
Honeſtus pulſus à phlegmate fit.de dyna. Sp.19.F
HONORVM inſatiabilitas quomodo vitanda. de cognoſcendis curandisq; animi morbis. 2ª.55.D
Honor poſtponendus eſt ſanitati corporis, & animi. 2º. de alimentorũ facultatibus. 2ª.18.F
in Honoribus ſpernendis quo modo exercendũ.de cog.cur.an. 2ª.55.D
HOPLOMACHICVS motus ſpecies exercitationis. 2º. de ſanitate tuenda. 2ª.75.G
Hoplomachicus armorum meditationus motus.2º.de ſa.tuen. 2ª.75.D
HORA quod tempus ſit.2º.de alim.fac. 2ª.16.D
in Horæ medio oritur canicula.2º.de alim.fac. 2ª.16.D
Horarum equinoctialium meminit Galenus.2º.de differentijs febrium. 3ª.36.H/7º.meth.med.45.B/5º. 7ª.52.H
Horæ æquinoctialis viginti quatuor faciunt ſpatium diei, & noctis. de ſeptim.par. 1ª.341.B
Horæ æquinoctialis æquales ſunt.de ſeptim.par. 1ª.341.B
Horæ æqnoctiales mediæ ĩter maxĩas,et minimas.đ ſepti.par. 1ª.341.B
Horæ in clepſydra,& quo mõ.de cuiuſq; aĩ pcc.not.atq; me. 2ª.58.E
Horæ diei quot.ad eos,qui de typ.ſcripſ. 3ª.94.E
HORAE humorum per quæ determinentur.de ſpermate. Sp.38.C
Horæ ſanguinis,pituitæ,bilis atræ,bilis,quæ.de ſpermate. Sp.38.B
Horæ quibus infans efficiatur ſanguineus,bilioſus,pituitoſus,atrabilaris.de ſpermate. Sp.38.A
in horis melancholiæ concepti pueri natura.de ſpermate. Sp.37.C
in Horis choleræ nigræ ſi ſit cõcepta puella,qd ſequat̃.de ſper. Sp.38.C
in Horis choleræ nigræ ſi cõcepti ſunt parẽtes, & infans in ſiniſtra parte,quid eueniat.de ſpermate. Sp.38.C
in Horis choleræ nigræ ſi ſit cõceptus puer,pater in horis choleræ multæ,& mater in horis ſanguinis,quid eueniat.de ſpermate. Sp.38.D
Horis atræ bilis ſi fuerit conceptio infantis, & parentum, quid ſequatur.de ſpermate. Sp.38.E
in Horis bilis concepti pueri natura.de ſpermate. Sp.37.A
in Horis choleræ rubræ ſi cõceptus ſit,ĩfans qd eueniat.đ ſper. Sp.38.B
in Horis bilis ſi ſit conceptio oĩum,quid ſequatur.de ſpermate.Sp.38.E
in Horis phlegmatis concepti pueri natura.de ſper. Sp.37.C
in Horis phlegmatis ſi ſint cõcepti parentes,puella in horis ſanguinis, quid ſequatur.de ſpermate. Sp.38.C
Horæ quibus ſanguis dominatur.de na.& ord.cuiuſl.corp. Sp.41.D
in Horis ſanguinis concepti pueri natura.de ſpermate. Sp.37.B
in Horis tribus ſanguinis cõceptũ ſperma quid efficiat.de ſper.Sp.37.B
in Horis ſanguinis ſi ſit conceptio infantis,patris in horis phlegmatis, matris in horis choleræ nigræ,quid eueniat.de ſpermate. Sp.38.D
in Horis ſanguinis,vel phlegmatis ſi ſit conceptus puer,parentes in horis bilis,quid ſequatur.de ſpermate. Sp.38.E
in Horis ſanguinis ſi ſit conceptio infantis & parẽtum, quid ſequatur. de ſpermate. Sp.38.E
in Horis ſanguinis ſi pater ſemẽ fuderit,quid ſequetur.de ſper.Sp.38.F
Hora ſanguinis infantis ſi concepti ſunt pater & auus, infans vel puer, quid ſequatur.de ſpermate. Sp.38.E
ab Horis ſanguinis quando puer habet principium ſicut auus eius, tũc retinet ab eo figuram.de ſpermate. Sp.38.F
Horæ quibus ægritudo acuitur conſiderandæ.de ſpermate. Sp.39.H
in Horis ſanguinis ſynocha quæ acuitur, qualis ſit.de ſper. Sp.39.H
in Horis ſanguinis quartana ſi acuitur,qualis.de ſper. Sp.39.H
Horis choleræ rubræ quotidiana ſi acuitur, cito vertitur in tertianam. de ſpermate. Sp.39.H
Horis choleræ rubræ ſi acuitur ſynocha, non eſt propria ſynocha. de ſpermate. Sp.39.H
Horis bilis ſi acuitur tertiana,vera tertiana eſt & propria, in illã enim aliquando mutabitur febrem.de ſpermate. Sp.40.A
Horis choleræ rubræ ſi acuitur tertiana phlegmatica,minus eſt periculoſa.de ſpermate. Sp.40.A
ſm HORAM, & diem ægritudinis cognitio.de ſper. Sp.40.B
Horarum octo circuitus.ad eos qui de typ.ſcripſ. 3ª.93.C

Horæ duodenæ ſunt ſpatium tertianarum legitimarum.commẽtario.4°. aphoriſmo.43°. Ex.32.F
Horis duodenis ſi acceſſiones tantum permaneant,morbus cito iudicatur.com.4°.aph.43°. Ex.32.F
Horæ duodecim numerus omnium vtiliſſimus.de cuiuſque animi peccatorum notitia,atque medela. 2ª.58.D
Horæ decem & octo ſpatium tertianarum non legitimarum. commen. 4°.aphoriſmo.43°. Ex.32.F
Hora oĩ qñ oportet,detrahi poteſt ſanguis.p̃ſag.experiẽ.conf. Sp.77.G
in Hora ſua ſunt ſumendi cibi.de diſſ.cont. Sp.71.H
Hora frigiditatis eſt hora conuenientior ad cibum accipiendum.de diſſolutione continua. Sp.72.A
in Hora caliditatis non eſt accipiendus cibus.de diſſ.cont. Sp.72.B
Hora cibi conſueta ſi mutetur,quid contingat.de diſſ.cont. Sp.72.C
Horarum duarũ ſpatio ius deſcendit à ventriculo.de cura lap. Sp.112.G
Hora deglutitionis inſpiratio detineri non poſſet.de anat.viu. Sp.48.B
Horis determinatis mouetur dilatando, & conſtringendo inferius orificium ſtomachi.de ana.viu. Sp.56.E
Horarum diuerſitas pro rebus exercendis.6°.de ſan.tuen. 2ª.97.B
Horis nouem dormire ſatis eſt.6°.de ſan.tuen. 2ª.97.C
Hora mortis quo modo noſcenda.præſag.exper.confir. Sp.77.C
HORAEA aqua,quæ.in 6^{m}.de morb.vulg.com.4°. 3ª.184.E
Horæum tempus quæ pars anni.in 6^{m}.de morb.vulg.com.4°.3ª.184.F/ de art.com.2°. 7ª.266.F
Horæi fructus quare dicuntur.2°.de alim.fac. 2ª.16.D
Horæi fructus cum modo ratione guſtandi.de bon.& vit.ſuc. 2ª.34.C
Horæi fructus quales.2°.de alim.fac. 2ª.16.D
Horæos fructus in opora edit Galenus.de bon.& vit.ſuc. 2ª.34.C
ab Horæis fructibus qñ abſtinere cœpit Galenus præterq̃ ab vuis, & ficubus.de bon.& vit.ſuc. 2ª.34.D
Horæi fructus humorem vitioſum gignunt.de bon.& vit.ſuc. 2ª.37.E
Horæi fructus ſi corrumpantur,fiunt ſimiles venenis letalibus.de bon. & vitio ſuccorum. 2ª.37.E
Horæum collyrium.4°.de comp.med.ſec.loc. 5ª.155.F
de HORDEOLO. de med.fac.par. 7ª.163.B
Hordeolum quid.fin.med. Iſa.48.F
Hordeolum oculorum curat ſuccus centaureæ.de virt.centau. Sp.93.B
ad Hordeolos Antonij Muſæ.4°.de comp.me.ſe.lo. 5ª.153.C
ad Hordeolos.4°.de comp.me.ſec.loc.. 5ª.158.D
HORDEVM quo mõ appelleť.de vic.rat.in morb.acu.cõ.1°. 7ª.111.A
Hordeum quod.de atten.vict. 2ª.44.F
p̃ Hordeo terra humida eſſe debet.9°.de ſimp.med.fac. 5ª.64.F
in Hordeum terra facile tranſit.4°.de ſimp.med.fac. 5ª.28.D
Hordeum habet æſtiuam, & anniuerſariam generationẽ. 2°.de alimentorum facultatibus. 2ª.16.D
Hordeum reperitur quod duarum & trium ordinum ſpicas gignit.de hiſto.philo. Sp.10.G
inter Hordeum,& triticum media eſt Zeia.6°.de ſimp.me.fa.5ª.47.G
Hordei,& tritici mediam naturam poſſidet olyra.8°.de ſimplicium medicamentorum faculta. 5ª.57.C
in Hordeo paucum lolium reperitur.1°.de alim.fac. 2ª.15.G
in Hordeo frequens reperitur ægilops.1°.de alim.fac. 2ª.15.G
ex Hordeo ægilops.1°.de alim.fac. 2ª.15.G
Hordei color albus.1°.de alim.fac. 2ª.13.B
Hordeum album.de atten.vic. 2ª.45.A
Hordeum nudum in Cappadocia.1°.de alim.fac. 2ª.13.A
Hordeum mundum prouenit in Cappadocia.de atten.vic. 2ª.45.A
Hordeum,triticum, fabæ, cicer, & huiuſmodi primo qualitate carent, poſtea maturata ac ſiccata dulceſcunt.4°.de ſimp.med.fac. 5ª.28.G
Hordei ſapor dulcis eſt.4°.de ſimp.me.fac. 5ª.25.D
Hordeum non habet eandẽ facultatem cũ tritico.1°.de alim.fa. 2ª.10.C
Hordeum quando reponitur,non mutatur in contrariam naturam. 2°. de alimentorum faculta. 2ª.16.D
Hordeum in ſicco ſeruandum.1°.de alim.fac. 2ª.11.F
Hordeo frumẽta,& fruges quo mõ bona & mala.1°,de diffe.fe. 3ª.31.G
Hordeum quod ſit optimum probatur.de bon.& vit.ſuc. 2ª.37.C
Hordeum quo modo probetur an ſit bonum.de ptiſſa. 2ª.47.C
Hordeum laudatiſſimum.1°.de alim.fac. 2ª.11.F
Hordei laus.de atten.vict. 2ª.45.C
Hordeum optimum,quale.de ptiſſa.2ª.47.C/de vict.rat.in morbis acutis,commen.1°. 7ª.113.D
Hordei ætas qualis eſſe debet.de ptiſſa. 2ª.47.C
Hordeum vetus corrugatur.de ptiſſa. 2ª.47.C
Hordeum qualia habet indicia vetuſtatis.de ptiſſa. 2ª.47.C
Hordeum eſt in vſu frequenti.1°.de alim. fac. 2ª.11.C
Hordeum cibus familiaris equis,& aſinis.2°.de alim.fac. 2ª.17.B
ad Hordeum naturaliter veniunt ſubiugalia.de conſue. 2ª.61.A
Hordeum ſanis & ægris dandum.1°.de alim.fac. 2ª.9.A
Hordeo quo modo vti debemus.de atten.vic. 2ª.44.H
Hordeum quot modis edamus.de atten.vic. 2ª.44.G
ex Hordeo panes conficiuntur.de atten.vic. 2ª.44.G
Hordeacei panes friabiles non habent lentorẽ vt olyrini & typhini.1°. de alimentorum facultatibus. 2ª.11.F
Hordeacei panes præbent exiguum alimentum.1°.de alim.fac. 2ª.11.F/ de diſſol.cont. Sp.73.F
Hordeacei panes ex bono hordeo minus nutriunt triticeis. 1°.de alimentorum facultatibus. 2ª.11.G
ex Hordeo laxo,ac leui panes furfuraceis rñdẽt.1°.de alim.fa. 2ª.11.G
Hordeo plus alit faba.7°.de ſimp.med.fac. 5ª.53.A
Hordeum videtur durũ,ſed elixum eſt molle.de bon.& vit.ſuc.2ª.36.F
Hordei farina cum lacte elixatur.de atten.vic. 2ª.44.G
Hordeum cum vino dulci aut ſapa coquitur.de atten.vic. 2ª.44.G
Hordeum coctum vino dulci,quale.de atten.vic. 2ª.45.A
Hordeum coctum frigidum,& humidum.1°.de alim.fac. 2ª.9.A
Hordeum inflat.de diſſ.cont. Sp.74.F
Hordeum generat humorem tenuem,& aliquo modo deterſorium.1°.de alimentorum facultatibus. 2ª.11.D
Hordeum q̃uo craſſum ſuccum gignit vt alica.de atten.vic. 2ª.44.H
Hordeacei panes per aluum citiſſime ſubducuntur.1°.de ali.fac. 2ª.11.G
ex Hordeo panis quæ excrementa faciat.in 1^{m}.pror.cõ.3°. 4ª.182.G
Hordei ſauic ſtringit ventrem cum ſiccitate.de diſſ.cont. Sp.75.B
Hordeum facile tranſit in carnem.4°.de ſimp.me.fac. 5ª.28.D
Hordeum eſt multo vſui in varijs medicamentis.7°.de ſimplicium medicamentorum facultatibus. 5ª.53.A
Hordeũ integrũ ſumi debet pro ptiſſana conficienda.de ptiſſa. 2ª.47.C
Hordeum quidam conterunt ad ptiſſanã cõficiendam.de ptiſſa. 2ª.47.C
Hordeacea ptiſſana,cocta ptiſſana,& ptiſſana idem ſignificat.de victus rat.in morb.acut.com.1°. 7ª.113.B
Hordeum non eſt vorandum ſecundum aliquos in acutis, ſm alios cremor dandus.de vic.rat.in mor.acu.com.1°. 7ª.109.D
Hordei cremor pro obſonio in cubiti fractura.de fra.com.1°. 7ª.230.G
Hordei partes,quales.de ptiſſa. 2ª.47.B
Hordei membranæ,quales.de ptiſſa. 2ª.47.C
Hordeum cortice emundandum.de atten.vict. 2ª.45.A
Hordeacea farina,qualis.2°.meth.med. 7ª.18.B
Hordei furfur remouet viſcoſitatem piſcium.de diſſ.cont. Sp.73.H
Hordei aquæ mentio fit.de vict.rat.in morb.acut.com.4°. 7ª.143.E
Hordei aqua eſt cibus ſapidus dulcis,ſubtilis, abſtergẽs.de diſſolutione continua. Sp.72.E
Hordei aquæ materia colligitur.de vict.rat.in mor.acu.cõ.3°. 7ª.131.H
ex Hordeo Zythum.de vict.ra.in morb.acu.com.4°. 7ª.143.H
Hordeum eſt humidum.de diſſ.continua. Sp.74.D
Hordeũ humectat & ſiccat pro mõ præparationis.1°.de ali.fa. 2ª.11.D
Hordeum eſt frigidum.de diſſ.cont. Sp.74.D
Hordeum frigidum certe.in 6^{m}.de morb.vulg.com.5°. 3ª.194.B
Hordeum nequaq̃ calfacit.3°.de comp.med.per ge. 5ª.228.F
Hordeum quocunq; modo coctum refrigerat.1°.de ali.fa. 2ª.10.C
Hordeum refrigerat & exiccat.de ptiſſa. 2ª.47.B
Hordeũ refrigerat,& exiccat in p̃rio ordine.7°.de ſimp.me.fa.5ª.53.A
Hordeo minus deſiccat farina fabacea.7°.de ſimp.me.fac. 5ª.53.A
Hordeo plus deſiccat polenta.7°.de ſimp.med.fac. 5ª.53.A
ex Hordeo polenta.de vict.rat.in mor.acu.com.4°. 7ª.149.D
ex Hordeo polenta laudatiſſima.1°.de alim.fac. 2ª.11.G
ex Hordeo habẽte ariſtã polenta nõ admodũ ſicca.1°.de ali.fa. 2ª.11.G
ex Hordeo polenta q̃uo valeat ad tormina ſine febre.de victus ratio.in morb.acut.com.4°. 7ª.149.D
ex Hordeo frixo polenta exiccat.1°.de alim.fac. 2ª.11.D
ex Hordeo frixo polenta.de atten.vic. 2ª.44.G
Hordeum ſiccandi terminus,qui.1°.de alim.fac. 2ª.11.F
Hordeo quando vti debemus.1°.de alim.fac. 2ª.11.F
Hordeum habet vim abſtergendi.de bon.& vit.ſuc. 2ª.37.C
HORDEI farina moderatiſſime detergit.8°.met.me. 7ª.52.H
Hordei farina tantum extergit,non etiam meatus farctu liberat. 5°.de ſimp.med.fac. 5ª.35.B

Hordeum

Hordeum habet quid deterſiui & inflationis.de ptiſſa. 2ª.47.B
Hordeum mundificat.de diſſ.cont. Sp.74.G
Hordeum magis tergit q̃ faba.de atten.vic. 2ª.45.A
Hordeũ poteſt cutis & vulnerũ ſordes auferre.5°.de ſim.me.fa. 5ª.35.B
Hordei farina exiccat & quo modo.5°.de ſimp.me.fa. 5ª.33.H
Hordei farina euaporat & detergit.5°.de ſimp.me.fac. 5ª.34.A
Hordei farina plurimum reſoluit.de arte cur.ad Glau. 7ª.105.E
Hordei farina non mouet pus.5°.de ſimp.me.fa. 5ª.33.H
Hordei farina ſuppurationẽ prohibet.2°.de arte cur.ad Gla. 7ª.105.C
Hordei farina quando adeſt pus.2°.de arte cur.ad Glau. 7ª.101.H
ex Hordei farina cataplaſmata.1°.de alim.fac. 2ª.9.A
ex Hordei vel tritici farina cataplaſma.13°.met.me. 7ª.81.B
ex Hordei farina cataplaſma ad mouendum pus ſupra omnia. 2°. methodi medendi. 7ª.27.D
ex Hordei farina aqua & oleo cataplaſma ad pus cito mouendum.2°. methodi medendi. 7ª.27.D
Hordei farina & aqua in his qui citiſſime ſuppurari debent. 3°. de cõp. medica.ſecun.locos. 5ª.147.C/D
Hordei farina ingreditur emplaſtrum apponendum in principio inflammationum.2°.de arte cur.ad Glau. 7ª.101.F
Hordei farina non triticea cum melle pro phlegmone coquendo. 13°.methodi medendi. 7ª.81.C
ex Hordei farina non debet curari phlegmone.4°.meth.me. 7ª.27.E
ex Hordei farina cataplaſma eryſipelati ſuperponendum. 14°. methodi medendi. 7ª.87.E
Hordeacea farina in herpete exedente conuenit.2°. de arte curatiua ad Glauconem. 7ª.102.C
ex Hordeacea farina, & hydrelæo cataplaſma ad cruſtas excidentes. 2°.de arte cur.ad Glauco. 7ª.107.B
ex Hordei farina, & lixiuio ſtillatitio cataplaſmate fouetur pars putreſcens in contuſionibus neruorum.3°.de comp.me.per ge. 5ª.229.A
Hordeacea farina cum aqua lixina liberauit à putrefactione neruũ vulneratum.6°.met.me. 7ª.37.F
Hordeacea farina carnem producit.2°.met.me. 7ª.18.A
Hordei, et hyſſopi decoctiõis calefactio ad pctiã oculorũ.d oc.7ª.190.D
Hordeum numeratur inter fortiſſima medicamenta ad Achoras. 1°.de comp.me.ſec.loc. 5ª.129.D
Hordeum contundebat hyeme ruri Galenus exercitij gratia.2°.de ſanitate tuenda. 2ª.73.H
Hordeum ligat in charta vt comburatur.5°.de cõp.me.ſe.lo. 5ª.165.D
Hordeum vſtum.5°.de comp.med.ſec.loc.165.D/2°.de comp. medicam. per ge.224.G/5°. 5ª.249.E
Hordeum combuſtum per ſe chironia ſanat inſperſum.5°. de comp. medicamentorum per gene. 5ª.249.E
ex Hordeo, et eruo ĩ aceto fomẽta.de vic.ra.ĩ mor.acu.cõ.2°.7ª.116.H
Hordei, aut erui ſpeciem referentia in vrinis vnde.in 6^{m}.de morbis vulgaribus, commen.5°. 3ª.192.A
HORIZON ciuitatis Lucæ, ſuper cuius aerem vincit caliditas & humiditas.ſecretorum. Sp.98.H
HORNOTINVM triticum quod.de art.com.2°. 7ª.266.F
Hornotinum triticum vnde.de art.com.2°. 7ª.267.B
Hornotina farina quæ. de art.com.2°. 7ª.266.F
HOROLOGIA vnde excogitata, & conſtructa ſit. de curan. rat. per ſanguinis miſſionem. 6ª.16.C
Horologiorum deſcriptiones architectonica cõplectitur. de cuiuſq; animi pecc.not.atq; med. 2ª.57.B
Horologia ſolaria, qualia.de cuiuſ.animi pecc.not.atq; med. 2ª.58.C
Horologia ſolaria aqua ꝓbantur.de cuiuſq; ai̇ pecc.not.atq; me.2ª.58.C
Horologium ex aqua q̃uo fiat, & ꝓbetur.de cuiuſq; ai̇ pecc.not. 2ª.58.C
Horologiorum & clepſydrarum meminit.de lib.pro. Iſa.13.F
HOROSCOPORVM ſacræ herbæ.6°.de ſimp.me.fa. 5ª.40.B
HORRERE, rigere, & frigeſieri non eſt idem in valetudinarijs.de palpitatione. 3ª.53.F
Horreſcũt pleni malis ſuccis, cũ caleſiũt.ĩ 6^{m}.de mor.vul.c.3°. 3ª.175.G
qui Horreſcant in balneo.10°.meth.med. 7ª.65.G
Horreant cur aliqui in balneo ſe lauantes.10°.meth.med. 7ª.65.E
Horrent particulæ vlceratæ ex cauſtico.2°.de ſymp.cau. 3ª.22.E
ne Horreant cruditate laborantes, quieſcũt.2°.de ſymp.cauſ. 3ª.22.D
Horruere qui balneum & ſolem ingreſſi ſunt cum cruditate. 2°.de ſymptomatum cauſis. 3ª.22.D
Horrentes prohibendi ſunt ab omni motu.2°.de ſymp.cauſ. 3ª.22.D
HORRIDA acceſſio, quæ.2°.de criſ. 4ª.136.G
Horrida febris, quæ.fin.med.Iſag.46.D/2°.de diff.feb. 3ª.39.A
Horrificæ febres, quales.in 1^{m}.de morb.vulg.com.1°. 3ª.106.B
de Horrida febre caſus.2°.de criſ. 4ª.136.E
Horridum mare à poeta dicitur.in 6^{m}.de mor.vul.com.3°. 3ª.177.B
Horridos fieri homines in aquilonijs conſtitutionibus clarum eſt conſentanee videlicet aeris ambientis temperaturæ.cõ.3°.aph.5°. Ex.21.E
HORROR quid ſit.4°.de ſan.tuen.2ª.82. G/in 6^{m}. de morb. vulgari. commenta.3°. 3ª.177.B
Horroris conuulſionis, tremoris, palpitationis, rigoris, ſingultus, tuſſis ructus, ſternutationis, pandiculationis, oſcitationis, triſmu. i. dentiũ cõcuſſionis, genus commune eſt motus illegitimus, & quo modo hæc in genere differant.2°.de ſymp.cauſ. 3ª.19.E
Horror expultricis virtutis, minus mediocris motus, q̃ pandiculatio et oſcitatio.2°.de ſymp.cau. 3ª.23.G
Horror, rigor, frigus, differre, collige.com.2°.aph.1°. Ex.11.B
Horror medius eſt inter rigorem, & refrigerationem.2°. de differentijs febrium.38.E/ 3ª.39.C
Horror minor quàm rigor.2°.de ſymp.cau. 3ª.22.D/E
Horror habet rigores pauciſſimos.in 1^{m}.de mor.vul.com.2°. 3ª.110.E
Horror auctus dicitur rigor.de mult. 3ª.79.E
Horroris ad rigorem ordo.2°.de ſymp.cau. 3ª.23.B
Horroris affectus rigorem facit cõcutientem, quando eſt vehementior. 2°.de ſymp.cauſis. 3ª.22.D
Horror quando in rigorem tranſeat.2°.de ſymp.cau. 3ª.23.H
Horror fit in ai̇o ex his q̃ audiuntur vel videntur.4°.de ſa.tu. 2ª.86.A
Horror, & rigor à ſpectaculis horridis, & à narratione horrenda.de palpitatione. 3ª.55.F
Horroris cauſa, quæ.10°.met.me. 7ª.65.E
Horror fit ex calido, & frigido.4°.de ſan.tuen. 2ª.86.B
Horrorem facit frigus & calor mordax.2°.de ſymp.cau. 3ª.22.E
Horror quo modo fiat ex aqua frigida.3°.de ſan.tuen. 2ª.78.D
Horrorẽ facit digitus in frigidã poſitus.3°.de ſimp.me.fa. 5ª.20.H
Horrorem facit aer frigidus ſubito adhibitus.2°.de ſymp.cau. 3ª.23.A
Horrorem facit aer frigidus itineris.2°.de ſymp.cau. 3ª.23.A
Horrorem faciunt excrementa frigida tenuia.4°.de ſan.tu. 2ª.82.H
Horror oritur in laſſitudine vlceroſa.3°.de ſan.tu. 2ª.78.G
Horror quo modo fiat.10°.met.me. 7ª.63.A
Horror quo modo fit neceſſario.10°.met.me. 7ª.62.H
Horror cur fiat.in 3^{m}.de morb.vulg.com.3°. 3ª.146.C
Horror fit motis excrementis.2°.de ſymp.cau. 3ª.22.D
Horror prauis humoribus ꝑ cutẽ currẽtibus fit.c.7°.aph.56°. Ex.59.B
Horror intro fert humores.4°.de ſan.tuen. 2ª.86.A
Horrorem faciunt balnea præcalida.2°.de ſymp.cau. 3ª.23.A
Horrorem generans ſuccus, qualis.2°.de ſymp.cau. 3ª.23.H
Horrores faciunt mordens halitus & ſuccus.10°.met.me. 7ª.62.H
Horrorem incutit humor acris.15°.de vſu par. 1ª.211.H
Horror ex mordicatione.de mult.3ª.79.E/10°.met.me. 7ª.65.G
Horrorem etiam facit cauſa calida.4°.de ſan.tuen. 2ª.82.G
Horrores faciunt aqua feruens, & ſcintillæ ignis in ſanum infuſæ. 2°. de ſymptomatum cauſis. 3ª.22.E
Horrorẽ faciunt ſubcalida & putrida excremẽta.4°.de ſa.tu. 2ª.82.H
Horror ex mordentibus fit excrementis, & quo modo differat à rigore. 2°.de ſympt.cau. 3ª.22.D
Horror quibus accidat.de palp. 3ª.55.F
Horrores frequẽtes ex dorſo quid ſignificẽt.in 1^{m}.pror.c.2°. 4ª.175.A
Horror eſt nuncius febris.præſag.exper.confi. Sp.77.E
Horror poteſt facere febrem, & augere.11°.met.me. 7ª.73.H
Horror dupliciter fit in febribus.in 1^{m}.de mor.vul.com.1°. 3ª.106.B
cũ Horrore veniens febris à bilioſo, et pituitoſo humore proficiſcitur. in 1^{m}.de morb.vulg.com.3°. 3ª.119.B
Horrorem maxime habent tertianæ febres præ alijs, cur.2°.de ſymptomatum cauſis. 3ª.22.E
cũ Horrore primum, poſtea cum rigore eſt tertianæ principium. de tu. præter naturam. 3ª.85.G
cũ Horrore ſemitertiana, et quo mõ.in 1^{m}.de mor.vul.cõ.2°. 3ª.110.A
Horror raro inuadit in ardente febre.in 3^{m}.de mor.vul.cõ.3°. 3ª.143.G
Horrorẽ bis, & ter quæ febres habeãt.in 1^{m}.de mor.vul.c.3°. 3ª.119.A
cũ Horrore febris principium obſtruit.10°.met.me. 7ª.61.G
Horror cũ febre inflãmationis ſuppurantis indiciũ.1°.de lo.aff. 4ª.6.D
Horrores qui implacidi dicantur.in 1^{m}.pror.com.2°. 4ª.175.A
in Horroris principio cibauit Galenus.10°.met.me. 7ª.63.B
Horrores in acceſſione diſcutit thlaſpi.de ſimp.me. Sp.91.G

cū Horrore febres ſudorē faciunt.in 1^{m}.de mor.vul.com.1°. 3ª.106.H
Horror à ſudore non bonum.com.7°.aph.4°. Ex.54.C
Horror ſanatur vino.com.7°.aph.56°. Ex.59.A
HORTENSIBVS agreſtia acriora ſunt,& ſicciora.6°.de ſimpli.medicamento.faculta. 5ª.42.E
Hortenſis cepa vrinam mouet.de cura icteri. Sp.111.D
Hortenſes lobi ſunt craſſi ſucci,& pituitoſi.de atten.vic. 2ª.45.B
Hortenſes lobi cibo adaptantur.de atten.vic. 2ª.45.B
Hortenſes lobi minus inflant fabis.de attenuan.vict. 2ª.45.B
ī Hortis cloacas,et latrinas repurgabāt.ī 3^{m}.de mor.vul.c.1°. 3ª.133.F
ꝑ Horti poſticum prouerbium.2°.de nat.fac. 1ª.298.G
HORVS Mendeſius venenorū cōpoſitiones ſcripſit.2°.de anti.5ª.114.F
HOSMATVM. ſecretorum. Sp.100.G
HOSPITES qui carnes humanas pro carnibus ſuum vendidere.10°.de ſimp.me.fa. 5ª.72.G
HOSTIA vrbs ad portum.de art.com.1°. 7ª.256.A
HVMANITAS eſt quędā in pluribus hoībus ſilitudo.de opt.ſec. Iſa.27.B
Humanitas prohibet fieri anatomen.de nat.& ord.cuiuſ.cor. Sp.41.E
HVMANAE figuræ omnes non ſunt Dij.in 3^{m}.de morbis vulgaribus, commentario.3°. 3ª.149.B
Humanam ſpeciem Deus habet.de hiſt.philo. Sp.4.G
Humani corporis natura quæ proprie dicatur.de ſpermate. Sp.37.A
de Humana natura quā liber.de ſal.diæta. 2ª.39.G
Humana natura immortalitatem participat.de conſue. 2ª.61.F
Humana natura cur cunctis agilior.de ſperm. Sp.37.D
Humana generatio ex quatuor humoribus.de natu.hu.com.1°. 1ª.30.C
in Humano corpore quid faciat ſanguis,atra bilis,pituita.bre.denota.dogmatum Hippo. 1ª.231.C
in Humano corpore quid faciat bilis.bre.denot.dogm.Hipp. 1ª.231.C
Humanum corpus à cauſis externis, & internis facile alteratur. cō.1°.aphoriſmo.1°. Ex.2.C
Humani corporis vnum bonum.ad Thraſy. 2ª.105.C
Humana complexio qualis ſit.de ocul. 7ª.187.H
ab Humana temperatura longius recedit braſſica agreſtis.7°.de ſimp.medicamen.faculta. 5ª.52.H
Humanis carnibus ſimiles ſunt carnes ſuū.10°.de ſimp.me.fa. 5ª.72.F
Humanas carnes qui hoſpites,& coqui vendidere pro carnibus ſuum.10°.de ſimp.me.fac. 5ª.72.G
Humanæ carnis ius ſuauiſſimum eſt.10°.de ſimp.me.fa. 5ª.75.G
ꝓ Humano ſanguine accipiendus ſanguis ſuillus.10°.de ſimplicium medicamentorum facul. 5ª.72.G
in Humano corpore duæ animæ.de mot.man.& obſ. Sp.67.D
Humanæ animæ ſubſtātiæ vna eſt,facultates tres,rationalis, iraſcibilis concupiſcibilis.in tim.Plat. 1ª.287.C
Humanæ vitæ parū cōfert diſputatio de natura rerū.de hiſt.phil.Sp.2.C
Humanæ vitæ conferunt moralia.de hiſt.philo. Sp.2.C
Humana ſtudia,quæ.2°.de pulſ.diff. 4ª.56.B
Humanum ſtercus cur habeat plures differentias alijs.10°.de ſimpliciū medicamen.faculta. 5ª.76.F
Humanus fimus à columbino vincitur magis gallinaceo.5°. de ſimpli.medicamentorum facul. 5ª.36.E
HVMECTANDI, & refrigerandi materiæ ſex.10°.methodi medendi. 7ª.64.D.
ad Humectandum & perfrigerandum cur ſolo aceto non vtimur.10°.methodi medendi. 7ª.65.A.
Humectandum,& calefaciendum totum membrum,vbi adeſt dolor,& quo modo.13°.met.me. 7ª.81.A.
Humectando quæ noceant non oībus nota.1°.de ſan.tu. 2ª.63.B
Humectando quoq; agunt medicamenta,ſicut calefaciendo, frigefaciendo,& exiccando.de nat.hu.com.1°. 1ª.28.H.
Humectantes cibi odoriferi.3°.de loc.aff. 4ª.16.F
Humectantia,& refrigerantia deſiderat febris.8°.met.med. 7ª.55.B.
Humectans nullum vlceribus conuenit.1°.de comp.me.per ge.5ª.213.A
Humectantia vulnera quomodo ſiccat lixiuia.de ſimp.med. Sp.85.H
HVMECTATIONES numerantur inter ſpecies euacuationis.1°.de ar.cur.ad Glauco. 7ª.98.D.
Humectatio carnis ad quantum fieri debet.4°.met.me. 7ª.23.D
ad Humectationem.ſecret. Sp.102.F
ad Humectationem corporis.ſecret. Sp.102.E
Humectatiui cibi,qui.com.4°.aph.13°. Ex.28.G
Humectiora & valde mollia abijcienda ex his, quæ macerari debent.7°.de compoſi.medi.ſecundum locos. 5ª.180.H
HVMECTARE, calefacere,refrigerare,exiccare,quæ debent corpus humanum,nō ſunt quærenda an ſint pinguia, vel lenta, vel leuia.1°.de ſimp.med.fac. 5ª.2.E
Humectant efficaciſſime tenuia quæ habent parum adſtrictionis.3°.de ſimpli.med.fac. 5ª.21.G
Humectent & calfaciant,quæ.5°.de ſani.tuen. 2ª.89.E
Humectat aqua.2°.de ſimp.med.fac. 5ª.16.F
Humectant maxime oīum aqua,& oleū.4°.de cōp.me.per ge.5ª.237.D
Humectat ſemper,& refrigerat aqua.1°.de cōp.me.per gen. 5ª.212.H
Humectat ſemper aqua,non ſemper calfacit.1°.de ſimp.me.ꝑ ge. 5ª.3.E
Humectat,& ſecat aqua mulſa,vt ptiſſana,non tamen roborat.de vict.rat.in morb.acu.com.1°. 3ª.113.C
Humectat nullo modo aqua partes ſolidas.com.4°.aph.13°. Ex.28.G
Humectāt & calefaciūt cito balnea.de ren.aff.dign.& med. 7ª.194.B
Humectat,& frigefacit debiliter blitū.2°.de cōp.me.ſe.lo. 5ª.134.G
Humectent qui cibi,et qui nō.quos purg.op.qb.med.et quo tēp.5ª.88.D
Humectat & emollit oleum verum.2°.de ſimp.me.fa. 5ª.13.G
Humectat oleum,& facit ſordium.6°.de comp.me.ſec.loc. 5ª.176.G
Humectat oleum roſaceum.9°.de ſimp.me.fa. 5ª.65.H
Humectat,& calfacit hoīes pinguedo oīs.11°.de ſimp.me.fa. 5ª.79.A
Humectat largius pinguedo ſuum,ſed non æquæ calfacit, vt oleum.11°.de ſimp.med.fac. 5ª.79.B
Humectat corpora quies.quos purg.op.quib.med.& quo tēp. 5ª.88.D
Humectat ſomnus.de vict.rat.in mor.acu.com.2°. 7ª.125.B
Humectat ſemper ſomnus,non tamen calefacit,vel refrigerat.in 6^{m}.de morb.vulg.com.4°. 3ª.184.A
Humectat os,& ſitim extinguit lauatio.in 6^{m}.de morbis vulgarib.commentario.5°. 3ª.195.B
Humectat,& ſupinat os ventriculi chondri ſorbitio.de victus ratio.in morbis acut.com.1°. 7ª.111.F
Humectat ventrem & lenit refrigeratio intrinſeca.in 6^{m}.de morb.vulgaribus,comen.5°. 3ª.193.C
cur Humectatur aluus eorum,qui propter fluxum ſanguinis nūq̄ ſunt debilitati,quando reficiuntur.com.4°.aph.27°. Ex.30.C
Humectantur alui ijs quibus hypochōdria ſublata murmurantia, ilium dolore accedente,niſi flatus erumpant, vel vrinę proueniat copia.de vrinæ ſign.ex Hipp. Sp.78.G
HVMECTATO eo quod eſt in capite inani, aut calefacto cerebro, fit ſternutatio.com.6°.apho.52°. Ex.58.C
ad Humectas diſpoſitiones.5°.de comp.me.per gen. 5ª.248.E
ad Humectas affectiones valde diu durātes.7°.de cōp.m.ſe.l.5ª.182.D
ad Humectatum,& infrigidatum corpus.ſecretorum. Sp.98.G
HVMERARIA vena quæ.de ven.art.diſſ.57.E|3°.de ana.ad. 1ª.76.B
Humeraria vena vnde.de ven.art.diſſec.56.H| 1ª.57.E|F
Humeraria vena in cubiti articulo diuiditur in tres ramos.3°.de anatomicis adminiſtrationibus. 1ª.76.B
Humeralis vena quando ſecanda.4°.de ſanitate tuenda.2ª.86.F|de curan.rat.per ſang.miſſ. 6ª.20.A
Humeraria vena qn̄ ſecanda,quæ accipienda.3°.de anat.adm. 1ª.77.C
Humerales venæ ſecandæ ſunt,vbi ſuperiores pectore partes laborant.de curan.rat.per ſang.miſſ. 6ª.20.E
Humeralis vena eiuſdem lateris ſecanda eſt in oculorum doloribus.de curan.rat.per ſang.miſſ. 6ª.20.A
HVMERVS quid ſignificet apud antiquos.de frac.com.2°. 7ª.240.D
Humerus quid ſit.de articulis,com.1°. 7ª.252.C
Humeri,qui.introd. Iſa.53.B
Humeri prius formantur.de ſpermate. Sp.36.C
in Humero quadrupedū,& hominū differētia.13°.de vſu par.1ª.202.G
in Humeris ſimia cur ridicula hoīs imitatio.13°.de vſu par. 1ª.202.H
Humerus ſummus,qui.introd. Iſa.53.B
Humeri ſummitas cur plurimū diſtet à pectore.13°.de vſu pa. 1ª.202.G
ab Humeris manus incipiunt.introd. Iſa.53.B
Humeri os maximum eſt.de oſſibus. 1ª.42.G
Humeri os quod.de oſſib. 1ª.42.H
Humeri os cui alligetur.de oſſibus. 1ª.42.H
in Humeris oſſa ſunt facta propter motum.11°.de vſu par. 1ª.191.C
in Humerorum extremitatibus cur poſitæ ſint chartilagines.de anatomia viuorum. Sp.55.D
Humeri ſuperiorem partem occupantem muſculum vocāt ἐπωμίδα.1°.de anatomia admi. 1ª.67.H
Humeri articulus,qualis.2°.de vſu partium. 1ª.126.H

Humeri dearticulationes, quales.2°.de vſu partium. 1ª.126.H
ad Humeri articulationem muſculus à nothis coſtis procedens. 16°.de vſu partium. 1ª.217.F
Humeri articuli differentia ab articulo Iſchij.12°. de vſu partium.194.A/16°. 1ª.218.B
Humeri articulus infirmior eſt articulo coxę.15°.de vſu par. 1ª.213.C
de Humeri, & coxę articulo cur ſimul egit Gale.15°.de vſu p. 1ª.213.C
Humeri articulus ꝑ articulo, q eſt in humero.de arti.com.2°. 7ª.262.D
Humeri articulus rotūdiſſimus & laxiſſimus.12°.de vſu par.1ª.194.A
in Humeri dearticulatione paruus muſculus ſitus qualis, vbi naſcatur, ac finiat.de muſcul.diſſect. 1ª.47.G
in Humero actio.ad Thraſ. 2ª.104.H
Humerus quo modo lædatur.5°.de ſanita.tuen. 2ª.89.H
Humerorum morbi qui.introd. Iſa.59.C
Humerorum humiditas facit impotentiam emittendi arcum.de aere, aquis, & locis. 2ª.5.F
ab Humeris humiditatem ſoluit vſtio.de aere, aq.& loc. 2ª.5.F
Humeri vſti quibus.de aere, aquis, & locis. 2ª.5.F
in Humeris qui dolore tenentur vino iuuantur, ſi calidum ex vnguento ponatur.de ſimp.med. Sp.92.B
ad Humeri dolorem.5°.de comp.me.per genera. 5ª.246.H
ad Humerorum duritias.de med.fac.par. 7ª.174.D
Humerus breuior pueris quo fiat.in 6m.de morb.vul.com.1°. 3ª.158.A
Humerum ſummum habentes auulſum quo modo ſe habent.9°.de decretis Hippocratis. 1ª.281.F
Humeri auulſi caſus.de ijs quæ in med.fi.com.1°. 7ª.198.D
Humeri articulus facile luxatur.12°.de vſu partium. 1ª.194.A
Humeri articulus facilius omnibus excidit.de artic.com.1°. 7ª.252.A
Humeri ſummi luxationem Galenus habuit in palæſtra anno ætatis ſuæ trigeſimo quinto.de artic.com.1°. 7ª.260.D
Humerū habētibus exarticulatū quid cōtingat.de artic.cō.1°. 7ª.259.G
in Humero, & coxa non fit ſubluxatio, cur.de arti.com.4°. 7ª.282.B
Humeri inſtauratio.introd. Iſa.60.G
Humeri qui frequenter exeunt quo mō curandi.de artic.cō.1°.7ª.258.A
Humeri deligatio qualis.de ijs quæ in med.fi.com.2°. 7ª.209.C
Humerus vbi excidit, vinculum.de faſcijs. 7ª.300.G
Humero, femori, cubito ſolū aptatur vinculū variū.de faſcijs. Sp.293.E
Humerum complectens funda, quæ idem præſtat atq; geranis.de faſcijs. 7ª.301.B/eadem aliter.C/aliter ibidem.
Humeri repoſitio tertia.de art.com.1°. 7ª.253.D
Humeri repoſitio optima.de artic.com.1°. 7ª.255.A
Humeri repoſitio altera.de artic.com.1°. 7ª.253.H
Humeri repoſitio alia.de artic.commen.1°. 7ª.254.C
Humeri repoſitio alia.de artic.com.1°. 7ª.254.F
Humeri repoſitio per ſcalam.de artic.com.1°. 7ª.254.H
ad Humerum in alam prolapſum reſtituendum ſcala.de mach.7ª.311.F
Humeri caput in alā prolapſum quo mō reſtituatur.de machi. 7ª.312.A
Humeri caput in ſuū locum reducendi diuerſa ratio eſt.de mac. 7ª.312.C
Humeri caput ſi in priorem vel poſteriorem partem exciderit quo modo reponatur.de machinamentis. 7ª.312.F
ad Humeri caput reſtituendum in ſcala plana, quando in alam excidit. de machinamentis. 7ª.313.H
ad Humeri caput in priorem, vel poſteriorem partem exciſum repoſitio.de machinamentis. 7ª.314.B
ad Humeri fracti ſimul, & prolapſi reſtitutionem.de machin.7ª.314.C
ad Humeri caput ſuo loco motum.de machin. 7ª.316.A
ad Humeri caput reſtituendum per inſtrumentum Fabri, quando in alā prolapſum ſit.de machinamentis. 7ª.318.A
Humeri in priorem, aut poſteriorem partem prolapſi reſtitutio. de machinamentis. 7ª.318.D
Humeri capitis in alam prolapſi per Hippocratis ſcamnum repoſitio.de machinamentis. 7ª.319.D
de Humero luxato, comminutoq;.de machin. 7ª.320.A
HVMIDITAS, ſiccitas, caliditas, frigiditas, ſunt qualitates primæ. 3°.de ſimp.med.fac. 5ª.17.H
Humiditas eſt actiua qualitas.3°.meth.med. 7ª.18.H
Humiditas efficaciſſima qualitatū poſt calidū & frigidū.de conſ.Iſ.38.A
Humiditas alterat totam rem.de conſt.ar. Iſa.38.E
Humiditas ſine caliditate, et frigiditate humectat corpa.de cōſ.2ª.61.D
Humiditas in aqua eſt eius differentia.de ſpermate. Sp.41.B
Humiditas aquæ eſt idem quod eius frigiditas.de ſpermate. Sp.41.B
Humiditas aeris ſubſtantia.de ſpermate. Sp.41.A
Humiditas ſubſtantia terræ.de ſpermate. Sp.41.B
Humiditas gñat in duabus glādulis colli.de vir.noſt.corp.diſſ.Sp.61.C
Humiditas aeris ambientis cordas implet.com.6°.apho.39°. Ex.50.G
Humiditas ambientis aeris non ſinit exiccari ſuperflua corporis . commentario 3°.apho.11°. Ex.21 D
in Humiditatibus paucus vapor emanat à corpore noſtro, in ſiccitatibus multus.in 1m.de mor.vulg.com.1°. 3ª.103.C
Humiditas in omni animalis parte, vt ros quidam.7°.met.me.7ª.44.D
Humiditas eſt diſperſa per corpus cerebri.3°.de loc.affect. 4ª.16.G
Humiditate multa indiget calor naturalis.3°.de cauſ.pulſ. 4ª.98.C
Humiditas, & caliditas habentur ſtatim in primo animantis ortu. 1°. de temperamentis. 1ª.10.G
Humiditatē cū caliditate eſſe nō poſſe nōnulli putābāt.1°.de tēp.1ª.10.D
Humiditatem in ſummo nullum animal habet.1°.de temp. 1ª.10.C
HVMIDITAS contraria eſt omni functioni præter nutritionem, & auctionem.3°.de ſymp.cauſ. 3ª.29.E
Humiditate fit nutritio.3°.de ſymp.cauſ. 3ª.29.E
Humiditas eſt cibi vehiculū nō cibus.de vi.ra.in mor.ac.c.3°. 7ª.128.F
Humiditatem frigidam recrementitiam habent omnia poma.7°. de ſimplic.med.fac. 5ª.55.H
Humiditatem multam habentes cibi parū nutriunt.de diſſ.cont.Sp.73.F
Humiditas in cauſa eſt cur corpora facile protendātur.de natura humana, commen.1°. 1ª.38.D
Humiditatis indicium nō eſt ſimpliciter magnitudo.de optima noſtri corporis conſtitutione. 1ª.38.H
ab Humiditate fiunt pili.7°.de ſimp.med.fac. 5ª.51.E
Humiditas, & frigiditas aeris tranſpirationem prohibent. 9°. methodi medendi. 7ª.58.A
Humiditas immodica, & præter naturalis eſt tertia ſimilarium partiū ægritudo.de different.morb. 3ª.2.H
Humiditatis magnę mutationes morbos faciunt.cō.3°.aph.1°. Ex.19.H
Humiditas facit imbecillē virtutē retentiuā.com.2°.aph.20°. Ex.14.E
Humiditas præter naturam ſecūdo, frigiditas autem primo ignauiā animi inducit.3°.de locis affectis. 4ª.16.F
Humiditas cauſa balbutiei, & cur.com.6°.aph.20°. Ex.49.H
Humiditas cauſa eſt cur pueri pedibus vacillent, & lingua. commenta. 6°.aphoriſmo 32°. Ex.49.H
ob Humiditatem corporis, & naturalis potentiæ imbecillitatem citiſſime alterantur diſpoſitiones puerorum.com.3°.apho.27°. Ex.25.H
Humiditates cur aceruant ſenes.in 3m.de mor.vulg.com.3°. 3ª.142.D
Humiditas eſt cauſa ne eunuchi, & mulieres calueſcant.[ex hoc collige ſiccitatem eſſe cauſam caluicij.]com.6°.apho.28°. Ex.48.H
ob Humiditatem mulieres ſteriles.de aere, aquis, & locis. 2ª.5.G
Humiditas cauſa eſt cur ſemē non contineatur.de aere, aq.& lo. 2ª.5.G
Hūiditas q̄dā exiēs in fœminis & viris delectat.14°.de vſu.p. 1ª.208.B
Humiditatem excrementitiam, & flatuoſam habentia excitant venerē. 8°.de ſimp.med.fac. 5ª.57.F
Humiditatem flatuoſam, & excrementitiam habentia ad venerem excitant.8°.de ſimp.med.fac. 5ª.60.H
Humiditatē recrementitiā habet ocimum.8°.de ſimp.med.fac.5ª.64.A
quibus Humiditate multa ꝑfunditur cerebrū.cō.6°.aph.32°.Ex.49.H
cū Humiditate vel ſiccitate frigus torporē facit.3°.de ſym.ca.3ª.29.D
Humiditas abundans vel ſola longos profundosq; ſomnos facit.3°.de locis affectis. 4ª.16.F
ob Humiditatē ſomnus ꝓfundus.de vic.ra.in mor.acu.cō.3°. 7ª.134.G
Humiditati miſta fortis refrigeratio facit lethargicas paſſiones. commētario.2°.apho.3°. Ex.11.E
Humiditas agit animum ad demētiā, ſm Platonē.ꝙ animi mor.1ª.318.D
Humiditas multa ſignificat longum morbum.com.4°.aph.56°.Ex.33.F
Humiditas quo modo viſui nocet.de ocul. 7ª.186.E
Humiditas nimia nocet palpebris.10°.de vſu partium. 1ª.181.H
Humiditates viſui deſeruientes, quæ.de anat.viuo. Sp.44.E
Humiditas albuginea.de ana.viuo. Sp.44.E
Humiditas non facit dolorem capitis niſi copia.1°.de compoſi. medicamentorum ſec.locos. 5ª.131.H
Humiditas deſcendens in aſperam arteriam, quo modo deſcendat.7°.de vſu partium. 1ª.163.C
Humiditatis pauxillum per aſperā arteriam delatum non nocet, pulmoni, ſed multum.com.2°.apho.17°. Ex.13.B
Humiditas claram vocem prohibet.7°.de comp.med.ſec.loc. 5ª.178.A
ab Humiditate fit vox rauca.in 3m.de morb.vul.com.3°. 3ª.143.E
ab Humiditate vox grauiſſime vitiata.3°.de loc.aff. 4ª.26.C
Humiditas poteſt

Humiditas poteſt cauſare ſtrangulationem ſine dolore. commētario 4°. aphoriſmo.34°. Ex.31.E
Humiditas multa facit conuulſionem ſanabilē.com.1°.aph.5°.Ex.37.D
Humiditate flatuoſa vel ſpiritu vaporoſo quo modo fiant oſcitationes, et pandiculationes.com.7°.apho.56°. Ex.59.A
Humiditas aquea retundit omnes ſapores.4°.de ſimp.med.fac.5ª.26.E
Humiditas, & caliditas facile p halitū digerūtur.adu.Lycū. Ex.65.D
Humiditas extinguit aromatum qualitatem.com.5°.aph.62°.Ex.44.B
Humiditas diſſoluitur à febrili calore.com.4°.apho.57°. Ex.33.G
Humiditas natiua à calore febrili cōſumitur.com.7°.aph.6°. Ex.54.D
Humiditatem inducit quotidiana.1°.de arte cur.ad Glauc. 7ª.94.D
Humiditas qualitate acris, & facultate ſiccatoria corpus incendit. de vict.ra.in morbis acutis,com.3°. 7ª.134.D
ex Humiditate & ſeroſa non gignitur callus, ſed ex craſſa, & quali.6°. methodi medendi. 7ª.41.E
Humiditate, & ſiccitate non poſſunt ventriculi adeo intemperantes eſſe, vt actionem amittant ſine prolixo tpis ſpatio.3°.de ſym.cauſ.3ª.25.D
Humiditatem ventriculi nimiam debet hydrops præceſſiſſe. 2°. de ſymptomatum cauſis. 3ª.25.D
Humiditates roridæ ſuperuenientes, in animæ affectibus animi defectum inducunt.1°.de arte cu.ad Glau. 7ª.98.F
Humiditatem qui ex fructibus & oleribus contraxerint, & volūt exerceri, incidunt in febrem ephemeram.3°.de ſan.tuen. 2ª.81.G
Humiditas impedit partes vniendas.ars med. Iſa.69.H
Humiditatē ſignificat ſomniū imbrium.de præſ.ex inſom.ſum. 4ª.213.C
Humiditatis copiā ſignificat ſudor aduentante febri, nec deficiente.præſag.exper.confir. Sp.77.G
Humiditas quo modo corrigenda.3°.de ſa.tuen. 2ª.81.G
ob Humiditatem intenta quo modo laxantur.de ijs, quæ in medicatrina fiunt, commenta.3°. 7ª.215.G
pro Humiditate nimia dantur carnes auium montanarum, & piſces ſaxatiles.de præcog.ad Poſth. 4ª.217.H
Humiditates ex vini potione quo modo ſanentur.3°.de ſan.tuen. 2ª.81.G
Humiditas poſt vini potum quo modo corrigēda.3°.de ſa.tuen.2ª.82.A
Humiditas ex deſidia quomodo corrigatur.3°.de ſan.tuen. 2ª.81.G
Humiditates corruptas quid reſoluat ſecretorum. Sp.101.H
Humiditates ſuperfluas corporis neceſſe eſt euacuare. commentario 3°. aphoriſmo 15°. Ex.22.G
Humiditas craſſa, viſcoſa, profunda quibus extrahatur. 8°.de compoſi. med.ſec.locos. 5ª.189.D
Humiditas lenta ac pinguis læuigat.de cauſ.mor. 3ª.9.C
Humiditates ex alto abſorbens malagma.9°.de com.me.ſe.lo.5ª.200.B
Humiditatē craßam tenuat, & incidit ſecaniabin.de diſſ.cont.Sp.74.H
ad Humiditatem ſtomachi.de med.exper.107.E/ Sp.108.A
Humiditates ex pectore, & pulmone ad ſpuendum adiuuant amygdalę propriæ amaræ.de diſſ.cont. Sp.74.H
Humiditatem ex pulmone vt aliquis ſpuat, adiuuat vinum ſubtile, aquoſum.de diſſ.cont. Sp.74.H
Humiditatem per vrinam educit mel.8°.de comp.med.ſec.loc.5ª.195.C
Humiditas aquoſa mixta humoribus facit deiectiones non ſinceras.commentario 7°.apho.6°.54.D apho.23°. Ex.55.E
Humiditatem eam nominat πλάδον, quæ ſupra id quod ſecūdum naturā eſt innaſcitur partibus.de vict.rat.in morb.acu.com.3°. 7ª.130.C
Humiditatem ſuperfluam πλάδον vocare ſolet.in 1m.de morbis vulgaribus,com.2°. 3ª.109.C
ad Humiditatem nimiam partis affectæ.5°.de cōp.me.per ge. 5ª.253.H
ad Humiditatem, & ſordes in vlcere quæ conueniant. 2°. de compoſit. med.per genera. 5ª.220.C
HVMIDVM, nomen à qualitatibus.1°.de ſan.tuen. 2ª.62.E
Humidum quot modis dicatur.3°.de ſimp.med.fac. 5ª.17.A
Humidi duo ſignificata.1°.de temperamentis. 1ª.12.E
Humidum energia vel actu quo modo.3°.de temperamentis. 1ª.21.E
Humidum actu, tactu diſcerni poteſt.2°.de temp. 1ª.16.H
Humidi corporis iudices ſunt tactus, viſus, & ratio.2°.de temp.17.F/ 1ª.18.B/de ſympt.cauſ. 3ª.10.D
Humidi iudicium vnde ſumatur.3°.de temp. 1ª.25.D
Humida eſſe aliqua probātur, quando repoſita facile perforantur, & nō facile mordicent.8°.de ſimp.med.fac. 5ª.58.B
Humidum ſm apparentiam non eſt humidum.2°.de natu.fac. 1ª.301.C
Humidū, ſiccū, calidū, & frigidū inuenit Hippocra.1°.meth.med.7ª.3.E
Humidum calidum, et frigidum ſiccum cauſas ponit Hippocrates.in 3m. morbis vulgaribus, commentario 1°. 3ª.129.C
de Humido, ſicco, calido, & frigido tractant medici & philoſophi.3°.de ſimp.med.fac. 5ª.17.E
Humidum alterat totum per totum.1°.de elemen. 1ª.7.H
Humidum, & ſiccum paſſiua ab aliquibus dicūtur.1°.de na.fa. 1ª.291.C
Humida, & ſicca cur paſſiua dicantur.7°.meth.med. 7ª.44.C
Humidum, ſiccum, calidum, frigidum agunt, & patiuntur inter ſe. 2°.de natural.facult. 1ª.297.H
Humido, ſicco, calido, frigido multi vtuntur alijs veluti agentibus, aliis veluti patientibus.2°.de nat.fac. 1ª.299.G
propter Humidum, ſiccum, calidum, & frigidum vnumquodq; eſt tale. 1°.methodi medendi. 7ª.6.E
Humidum, & ſiccum prima elementa in compoſitione.de mar.3ª.46.C
Humidum in elementis eſt ſincerum, in reliquis rebus in medio.1°.de tēperamentis. 1ª.14.A
Humidum in quo præpolleat ſicco.1°.de ſan tuen. 2ª.62.E
Humido contraria flamma.de palp. 3ª.54.F
HVMIDIS ſolidis, & ſpiritibus conſtant animalia, & homo.bre.deno. dogm.Hipp. 1ª.231.A
de Humidis vbi diſſeruerit Hippocrates.bre.deno.dog.Hipp. 1ª.231.B
in Humido, & calido conſiſtit vita.de anat.viu. Sp.50.F
Humido ſemper inheret calor radicalis.de marcore. 3ª.45.H
Humido radicali aſſimilantur duo vaſa, in quorum vnum defluat alteratus humor.ad Thraſ. 2ª.104.F
Humidæ ſeruandæ animalis particulæ.6°.de ſan.tuen. 2ª.96.F
Humidum inſitum ſi dilabitur, tantundem humoris potum exhibens irrigato.ad Thraſ. 2ª.104.E
Humidiores partes in aīalibus prius aſſumūtur.cō.7°.aph.6°. Ex.59.D
Humidū corpus ſi ſeruaretur, hō nunq̄ moreretur.6°.de ſa.tuē.2ª.96.F
Humidius ſi quis efficere poſſit cor, vel iecur, licet tardare ſenij properationem.de mar. 3ª.46.F
Humida frigore denſata apparent ſicca.3°.de temperamentis. 1ª.23.D
Humidum ſi mutatur efficitur ſiccum.1°.de temp. 1ª.10.F
Humidum & ſiccum non poſſunt eſſe in eodem.1°.de tempe. 1ª.10.G
Humidum ſimul & ſiccum an poſſit fieri corpus.de cauſ.morb. 3ª.8.A
Humidum, & ſiccum contingunt corpus ſine violentia, cum abſunt calefactio, & frigefactio.1°.de ſymp.cauſ. 3ª.16.G
Humida modico iuncta calori, id habent ex propria natura, cum tamen calori iuncta copioſo ſint ſicca.3°.de temp. 1ª.23.D
Humidus modice, & temperatus aer balnei quo modo fiet.10°. methodi medendi. 7ª.66.H
Humidę quæ.ſin.med. Iſa.43.G
Humido, frigido, calido, ſicco conſtant animalium corpora, non tamen æqualiter.1°.de temp. 1ª.10.B
Humidum eſt omne animal.4°.de ſimp.med.fac. 5ª.30.C
Humida naturaliter animalia, quæ.8°.meth.med. 7ª.51.B
Humidiorem, & frigidiorem naturam animalia nacta habent lienem nō admodum nigrum.de atra bile. 1ª.36.A
Humidiora, & frigidiora animalia habent lienem albicantem.6°.de anatomicis admini. 1ª.92.G
ex Humidis animalibus, quod eſt maius velocius digeritur antequam durescat, quàm minus.de diſſol.cont. Sp.73.G
Humidum & frigidum eſt cerebrum.de anat.viuo. Sp.53.G
Humidum & frigidum cur ſit cerebrum.de compag.memb. Sp.58.B
Humidum, & molle cur ſit cerebrum.de anat.viuo. Sp.53.G
Humidius, & mollius cur ſit cerebrū ī anteriori parte.de an.vi. Sp.53.H
Humidi, & tenues ſunt duo canales in memoria.de cōpag.mēb.Sp.58.B
ab Humido quomodo fiat ſomnus.3°.de loc.aff. 4ª.16.G
Humidius nutrimētū facit ſomnū vehemētiorē.1°.de ſym.cau. 3ª.19.A
Humidi, & frigidi ſunt tres humores oculorum.de cōpag.mem. Sp.58.B
Humida & calida eſt audibilis qualitas.de compag.memb. Sp.58.B
Humida, & calida eſt medulla.de anato.viuo. Sp.44.E
Humidum inſtrumentum guſtatus.7°.de decre.Hipp. 1ª.271.B
Humidæ naturę ſenſus eſt guſtus.1°.de ſymp.cauſ. 3ª.17.G
Humida admodum natura eſt lingua.com.6°.apho.32°. Ex.50.A
Humida & frigida cur ſit qualitas guſtabilis.de cōpag.memb. Sp.58.D
Humida & carnoſa eſt canna in radice, propterea non eſt ſonora.de virtutibus noſtrum corpus diſpenſantibus. Sp.61.F
Humidus, & frigidus eſt pulmo ex accidenti.de anat.viuo. Sp.52.H
Humidum præualet in partibus mollioribus cute.1°.de tempe. 1ª.14.G
Humida eſt cutis capitis in pueris, mulieribus, & eunuchis. in 6m. de morbis vulgaribus, com.2°. 3ª.170.A
Humida nimis cutis nō facit bilos.in 6m.de mor.vul.com.3°. 3ª.170.A

ex Humida

ex Humida ſubſtantia genituræ origo.1°.de ſanitate tuenda. 2ª.62.F
Humidos valde vteros habentes non concipiunt, extinguitur enim in eis genitura.com.5°.apho.62°. Ex.43.E
Humidę non habent purgationes lunares, vt eſt neceſſe.de aere, aquis, et locis. 2ª.5.G
Humidiores humores, et tenuiores in cauſa ſunt vt menſtrua conſuetum terminum anticipent.com.5°.apho.36°. Ex.40.H
Humidiora membra facilius cedunt cauſis humidioribus.de natura humana, commentario 1°. 1ª.36.D
in Humidioribus & frigidioribus inſtrumentis retentiua vis imbecillis eſt.3°.de ſymp.cau. 3ª.29.D
Humidis, & ſiccis nutrimentis nutritur natura.an animal ſit. 1ª.227.D
HVMIDVS cibus eſt cauſa præcedens pulſus mollis. 1°. de præſagitione ex pulſibus. 4ª.109.D
Humida conſiſtentia corrumpuntur, & habent exiguum alimentum.2°. de alimentorum facultatibus. 2ª.16.E
Humida immodice cur non ſalienda.3°.de alimen.fac. 2ª.33.C
Humidi cibi quibus conueniunt, & qui ſint.de diſſol.cont. Sp.74.D
Humida victus ratio excrementa, & ſuccorum abundantiam parit.6°. de ſanitate tuenda. 2ª.96.F
Humidiora cur minus dant alimenti.1°.de alim.fac. 2ª.14.D
Humidum alimentum, præcipue cum fuerit natura calidum, facilius nutrit.commentario 2°.apho.11°. Ex.12.D
Humidi cibi celeris ſunt tranſitus.3°.de ſymp.cauſ. 3ª.27.D
Humida lubrica celeriter deſcendunt.1°.de alimentorum fac. 2ª.14.D
Humidam victus rationem qui expetant.6°.de ſa.tuen. 2ª.96.D
Humidi, & frigidi cibi, qui.10°.meth.med. 7ª.67.A
Humidus, & viſcoſus cibus eſt caro hædi anniculi, caput & caro agni, & pecudum.de diſſol.cont. Sp.73.A
Humidis, & frigidis cibis æſtate vtendum.1°.de alimen.fac. 2ª.13.F
Humidi, & frigidi ſunt cibi febricitantium.8°.meth.me.49.H| 7ª.54.G
Humidus, & frigidus quantum eſſe debet cibus febricitantium. 8°. methodi medendi. 7ª.54.G
Humidus & frigidus ſit hecticorum cibus.10°.meth.med. 7ª.67.A
Humidus, & frigidus ptiſſanæ cremor in febribus conuenientiſſimus eſt.8°.methodi medendi. 7ª.51.A
Humidum nutrimentum ſiccitati medetur.3°.de ſan.tuen. 2ª.80.A
Humidum humectat.1°.de temp. 1ª.10.D
Humida frigida, & dulcia ſunt dāda, ſi ob choleram rubram fuerit ægritudo. de dynamidijs. Sp.19.F
Humida dulcia, & calida da ægro ob choleram nigram.de dyn.Sp.19.G
Humidos cibos ſicci digerunt.de diſſol.cont. Sp.73.C
Humida Deiectio ad quid ſequitur, ſecundum antiquos. commētario 6°. aphoriſmo.1° Ex.46.C
Humida promptius, quàm ſolida per aluum deijciuntur, pręſertim ſi qd habent nitroſi.2°.de alimen.fac. 2ª.16.E
Humida Excrementa, quæ.8°.meth.med. 7ª.51.A
Humida excrementa ſenium notæ.de marc. 3ª.46.E
Humidiorem tumidioremq́; & excrementoſam carnem facit expultrix imbecilla.3°.de ſymp.cauſ. 3ª.26.G
Humidum elementum in humoribus præualet.2°.de diff.feb. 3ª.41.E
Humidi cum ſint humores ſiue ſucci, quo modo vnus eſt alio humidior. de natura humana.commen.1°. 1ª.30.G
Humidus, & frigidus humor ad pituitam reducitur.2°.de dif.fe.3ª.37.e
Humidum eſt phlegma.de nat.& ord.cuiusl.corp. Sp.41.D
Humidum & frigidum, quāuis ſit, craſſum, eſt pituita, & ex pituitæ genere.de cauſis morborum. 3ª.8.C
Humida generant humorem pituitoſum.3°.de alim.fac. 2ª.27.A
Humidus, & frigidus humor pituita gignitur hyeme. in 1ᵐ. de morbis vulgaribus, commen.1°. 3ª.104.C
Humidus eſt ſanguis.de nat.& ord.cuiuslibet corp. Sp.41.D
Humidus & calidus eſt ſanguis.bre.denot.dogm.Hipp. 1ª.231.B
in Humido ignis diuini partem præſefert ſanguis ruber iam factus, & purus.4°.de vſu partium. 1ª.136.B
Humidum Medicamentū quidnā dicatur.4°.de cōp.med.ꝑ ge.5ª.240.F
Humida, & calida medicamēta quo mō dicātur.5°.de ſim.m.fa. 5ª.33.B
Humida tenuia & tepida poſſunt penetrare.3°.de ſimp.med.fa. 5ª.21.F
Humida & calida pus mouent.5°.de ſimp. 5ª.34.B
Humidam ſubſtantiam habens, & exiccans medicamentum. 2°. de arte curat.ad Glauconem. 7ª.105.G
Humidum exuperans, morbus.1°.de temp. 1ª.11.B
Humidus morbus, qui.5°.de ſan.tuen. 2ª.89.D
Humidus affectus & mollis quomodo differant.5°.de ſan.tuen.2ª.89.D
Humidæ ægritudines ex quibus cauſis fiant.de cauſ.morb. 3ª.7.H
de Humido etiam, vt de cæteris qualitatibus, dici poſſet ꝙ modice exuperans intemperiei, ampliter, ægritudinis, plurimum vero mortis cauſa ſit.1°.de temperamentis. 1ª.11.B
Humidæ ęgritudines ſine materia, quæ.de diff.morb. 3ª.3.G
Humida intēperies ſine materia quo mō appareat.de diffe.morb.3ª.3.G
Humida intemperies plurimum caput vitiat.13°.meth.med. 7ª.86.D
ex Humido alteratio cur difficulter curatur.7°.meth.med. 7ª.44.C
Humidis auribus confert ſuccus centaureæ.de vir.cent. Sp.93.C
Humidum & fœtidum os iuuat ſuccus centaureæ.de virt.cent.Sp.93.C
Humida ventriculi intēperies facile curatᷓ, & quo mō.7°.m.m.7ª.47.G
Humidum quibus fiat cor.3°.de præſag.ex pulſ. 4ª.119.C
Humida aluus vnde ſit.commen.2°.apho.2°. Ex.14.D
Humida, & ſicca intēperies ſecundam facultatem ſibi vendicant, quod ad vigilias ſaporesq́; per morbos pertinet.3°.de loc.aff. 4ª.16.F
Humida, & calida intemperies quo modo curanda.7°.met.me.7ª.47.F
in Humida & frigida intemperie quæ adhibeat Galenus. 2°.de compo. med.ſecundum locos. 5ª.138.A
ab Humido fit dolor.de natura huma.com.1°. 1ª.28.G
Humidum mediocre non facit dolorem.ars med. Iſ.70.G
ab Humido nulli fiunt capitis dolores.de remed.par.fac. 7ª.153.E
Humida lenta leniunt.ars med. Iſa.70.E
Humido & ſicco tenduntur chordę.2°.de loc.affect. 4ª.11.A
Humidum eſt cauſa febrium longarum.com.3°.apho.11°. Ex.21.D
Humidæ febres quæ.aduerſus Lycum. Ex.62.A
Humida materia fit putredo.in 3ᵐ.de morb.vulg.com.2°. 3ª.141.A
Humidi aliquid deſcendit in aſperam arteriam nobis tranſglutientibus. 6°.de vſu partium. 1ª.154.H
Humidum putreſcens in noſtris corporibus quædam veluti materia eſt patiens à vi caloris.com.3°.apho.11°. Ex.21.D
Humidus ſi ſit morbus, & particula ſit ſicca, qd agēdū.3°.m.m.7ª.21.F
in Humidis & frigidis diſpoſitionibus omnibus totum corpus poßet ſuffiri per vterum, niſi timeremus illam quæ fit ex ſuffitu, capitis grauitatem, pręſertim in febribus.com.5°.apho.28°. Ex.40.C
Humidis, & frigidis ſanatur febris ſiccitatis putredinis. 10°. methodi medendi. 7ª.64.D
Humida, & calida moderate ꝓſunt frigiditati & æſtui.1°.de vſu par. (1ª.116.E
Humida, & calida tēperate homini cōueniūt.de ocul.7ª.188.C
Humida, & calida vacuant contenta in partibus phlegmone affectis, et non ipſas exiccant partes, ſed potius humectant.2°.de tēp. 1ª.21.D
Humidum vlcus indiget ſicco.2°.methodi medendi. 7ª.18.B
Humida ſiccitate corrigi debent.4°.de ſimp.med fac. 5ª.28.H
in Humidioribus vlcera minus ſiccentur.3°.meth.med. 7ª.18.B
Humidum vlcus quibus lauandum.4°.meth.med. 7ª.23.E
Humida intemperies carnis quomodo curetur.4°.meth.med. 7ª.23.E
ad Humidas, & flaccidas carnes.5°.de comp.med.per gen. 5ª.248.G
Humidas carnes habentibus famem adhiberi conuenit. fames enim corpora exiccat.com.7°.apho.59°. Ex.59.C
Humidis, & mollibus debet curari ſcirrhus, non ſolum calidis. 14°. methodi medendi. 7ª.87.H
Humidum aliquod remedium in cancris inuenire debemus, quod non putrefaciat.com.6°.apho.38°. Ex.50.E
Humida quę offendunt, quo modo extra mittātur in tuſſi.2°. de ſymptomatum cauſis. 3ª.22.H
Humidæ cauſæ rigoris quæ & febrē facit ſanatio eſt euacuatio, & quandoq; concoctio.2°.de ſympt.cauſ. 3ª.23.A
HVMIDIOR mare eſt fœmina.11°.de ſimp.med.fac. 5ª.79.A
Humidi homines vbi.de aere, aq.& loc. 2ª.6.E
Humidum corpus qūo fiat.quos purg.opor.quib.& quo tem. 5ª.88.D
Humidiſſima eſt omnium puerorum ſubſtantia.9°.meth.med. 7ª.60.H
Humidi natura ſunt obeſi.de artic.com.1°. 7ª.256.E
Humidi quando ſint, quibus crura ſunt craſſa.2°.de temp. 1ª.20.H
ab Hūido corpe īſepabilis ē mollities, ſi calor ſit tepidus.2°.đ tē.1ª.18.B
Humida corpora ſunt mollia, & laxa.com.3°.apho.12°. Ex.21.F
Humidi molles.4°.de compoſi.med.per genera. 5ª.236.F
Humidius & mollius corpus habet habitum debiliorem, quàm durum ſiccumq́;.de vſu pulſuum. 1ª.229.F
Humidū ſi ſit, & fluxibile, & nulli innitēs quod molle eſt, id nec trahēdi ſimiliter nec tenēdi, nec repellendi vim habet.3°.de ſym.cau.3ª.28.H
Humidum temperamētum ab omnibus laudatum.6°.de ſa.tu. 2ª.96.G
Humidi maxime ſunt maxime longeui.6°.de ſan.tuen. 2ª.96.G

Humidi in robore ſunt magis ſani alijs & valentiores vſque ad ſenium. 6°.de ſanitate tuenda. 2ª.96.G
Humidis & macilentis minor inflammatio ſuperuenit, q̃ ſiccis & carne oppletis.de artic.comment.1°. 7ª.256.G
Humidum tẽperamentũ in principio deterius eſt.6°.de ſa.tu. 2ª.96.G
Humidis corporibus magis accidit putredo.com.3°.apho.11°. Ex.21.C
q̃bus Hũidiores natura mares, & genitura humidior minus ĩtegra ſanitate fruunt̃, quibus vero cõtraria ſalubrius degũt.c.6°.ap.2°.Ex.46.E
qui Humidum natura ventrem habent morbo laterali, atq; alijs morborum generibus minime corripiuntur.com.6°.aph.33°. Ex.50.B
Humidæ naturæ propter humida ęgrotant, propter ſicca ſanantur.commentario 2°.apho.3°. Ex.20.B
Humidis cur fiant difficultates inteſtinorum.com.3°.apho.11°. Ex.21.C
Humidis mel ſalubre.1°.de alim.facul. 2ª.9.H
Humidis naturis cõgruũt humidæ ęgritudines.c.2°.apho.34°. Ex.17.C
Humidi ſecundo loco difficulter in febres incidunt.8°.meth.me.7ª.54.E
Humidi debẽt humidis foueri, & etiã febrientes.cõ.1°.aph.16°.Ex.8.H
Humidis corporibus magis humida exhibenda.2°. de compoſi.medicamento.per genera. 5ª.220.D
Humidi poſtulant humida nutrimenta.3°.de ſymp.cauſ. 3ª.29.C
Humida humidis apta.6°.de ſani.tuen. 2ª.96.C
Humida citius aſſimilantur humidis.6°.de ſan.tuen. 2ª.96.C
Humidi digerunt cibos ſiccos.de diſſol.cont. Sp.73.C
Humida natura non indiget ſicco.2°.meth.med. 7ª.18.B
Humida nimiũ corpora euacuatione curantur.de nat.hu.cõ.1°. 1ª.28.H
in Humidis frictiones ex aſpero ſindone.de præcog.ad Poſth. 4ª.217.H
in Humida natura quid faciant miſy, & chalcitis.3°.met.me. 7ª.20.C
Humidi natura hoĩs pleuritici caſus.de vi.ra.in mor.ac.cõ.1°.7ª.115.A
HVMIDI, & calidi apti ad digerendos cibos.9°.meth.me. 7ª.58.A
Humida & calida corpora optime nutriuntur.3°.de ſym.cau. 3ª.28.H
Humidiſſimum calidiſſimumq; corpus celerrime alterat proprium nutrimentum & aſſimilat.3°.de ſymp.cauſ. 3ª.28.H
Humidiſſimũ põt alterationẽ facere, ſi calidũ ſit.3°.de ſym.cau.3ª.28.H
in Humidis & mollibus rebus coctio puerorum eſt vt ingentiũ, in duris deterior.3°.de ſymp.cauſis. 3ª.29.C
Humidiſſimum calidiſſimumq; quod eſt, prompte quod alteratum eſt in ſe recipit.3°.de ſymp.cauſ. 3ª.29.A
Humidum, & calidum qui habent corpus, concoquunt, apponunt, agglutinant, nutriuntur.3°.de ſymptomatum cauſis. 3ª.29.A
Humida conglutinantur, & coaleſcunt.3°.de ſymp.cauſ. 3ª.29.A
Humidiora naturalia inſtrumenta magis idonea ſunt ad nutritionem.3°. de ſymp.cauſ. 1ª.29.D
Humidę, & calidæ naturæ ſunt raræ, & habent ſemen fœcundum. commentario 5°.aphoriſmo 63°. Ex.44.C
Humidis, & calidis venus innoxia eſt.6°.de ſan.tuen. 2ª.96.H
Humidæ, & calidæ naturæ promptius digerunt, & exhalant.9°.methodi medendi. 7ª.60.H
Humida & calida quàm celerrime in ambientem diſſipantur, & quo modo.9°.methodi medendi. 7ª.60.H
Humida & calida temperies vt puerorum facile abſumitur. de curan. rat.per ſang.miſſ. 6ª.19.F
Humidi & calidi maxime omnium putredini ſunt obnoxij.8°.methodi medendi. 7ª.54.B
Humida & calida promptiſſime putreſcunt, niſi diffilentur.1°.de differentijs febrium. 3ª.31.H
Humida, & calida non manent imputreſcibilia.8°.meth.med. 7ª.57.D
in Humidis corporibus naſcuntur vermes & putrilago.4°.de ſimplic. medicam.facul. 5ª.30.C
Humidi, & calidi fluxionũ vitij ſunt obnoxij.5°.de ſan.tuen. 2ª.94.D
Humidorũ, & calidorũ ſudores & vrinæ fœtent.8°.meth.med. 7ª.54.B
Humidi & calidi ſunt ſimiles hircis.8°.meth.med. 7ª.54.B
Humidi & calidi febricitant ſtatim cute ſtipata.8°.meth.med.7ª.54.C
Humidi, & calidi qua victus ratione regendi.in 1^{m}. de morbis vulgaribus, commentario 2°. 3ª.108.G
Humida & calida ventriculi intemperies quomodo curatur.7°.methodi medendi. 7ª.47.G
in Humido, et calido vẽtriculo cõuenit aqua frigida.7°.me.m.7ª.47.F
Humidi & calidi quo modo balneum requirunt.8°.meth.med. 7ª.54.C
HVMIDVM, & frigidum temperamentum aduerſiſſimum calido & ſicco.5°.de ſanitate tuenda. 2ª.94.C
Humidum & frigidum corpus non eſt in ætate prouecta. 3°. de ſymptomatum cauſis. 3ª.29.C
Humidæ, & frigidę naturæ ad æſtatem melius, ad hyemem peius ſe habent.com.3°.apho.2°. Ex.20.A
Humidi, & frigidi natura facilius cedunt morbis frigidis, et humidis, cõtrarij ægrius.in 1^{m}.de morbis vulg.com.1°. 3ª.103.F
Humidum, & frigidum temperamentum fluxionibus obnoxium eſt.6°. de ſanitate tuenda. 2ª.96.H
Humidi, & frigidi difficulter in febres incidunt.8°.meth.med. 7ª.54.E
Humidæ, & frigidæ tp̃aturæ corpus muliebre timebat Galenus in æſtate exiccare, ne ægrotæ corpus liqueſceret.de præc.ad Poſth. 4ª.217.G
Hũmidi, & frigidi quo modo curentur.6°.de ſan.tuen. 2ª.96.H
Humidi, & frigidi quibus regantur.5°.de ſan.tuen. 2ª.94.C
in Humido, & ſicco temperati & frigidi quo modo curentur. 6°.de ſanitate tuenda. 2ª.96.H
Humidi, & frigidi non debent curari ſolis adſtringentibus.8°.de compo. medicament.ſecundum locos. 5ª.188.A
Humidi, & frigidi quo victũ vtentur.8°.met.med. 7ª.54.F
Humidis, & frigidis vinum modicum calidum dandum.in 1^{m}.de morbis vulgaribus, commen.2°. 3ª.108.F
Humidę, et frigidæ cõplexioni valẽs medicamẽtũ.de med.exp. Sp.105.C
Humida, & calida eſt omnis detractio medicinæ.de cathar. Sp.94.D
HVMIDVS pulſus, & plenus à ſanguine fit.de dynam. Sp.19.F
ex Humidi, calidi, frigidi, et ſicci miſcella fiunt dulce, amarum, ſalſum, acerbum, auſterum, & acre.1°.de alim.fac. 2ª.9.A
Humidus magis acidus ſapor.4°.de ſimp.med.fac. 5ª.25.G
HVMIDA ſimplicia medicamenta.
Humidum primi ordinis, quid.5°.de ſimp.med.fac. 5ª.39.B
Humidum ſecundi ordinis, quid.5°.de ſimp.med.fac. 5ª.39.B
Humidum tertij ordinis, quid.5°.de ſimp.med.fac. 5ª.39.B
Humidum quarti ordinis, quid.5°.de ſimp.med.fac. 5ª.39.B
Humidum actu eſt Acetum.1°.de ſimp.med.fac. 5ª.9.C
Humidiſſimum omnium eſt Aqua.1°.de ſimp.med.fac. 5ª.8.E
Humida eſt aqua potabilis.1°.de ſimp.med.fac. 5ª.3.D
Humidus & frigidus in ſecundo Cucumis.8°.de ſimp.med.fac. 5ª.60.E
Humidi Dactyli quid faciant.de diſſol.cont. Sp.74.H
Humidæ Fabæ parum nutriunt, cur.de diſſol.con. Sp.73.G
Humidæ & ſiccæ Ficus maturæ ſunt cibaria media.de diſ.cõt. Sp.74.B
Humidæ, et ſiccæ ficus mũdificãt, & abſtergũt renes.de diſ.cõ.Sp.74.G
Humidæ ficus inflant.de diſſo.cont. Sp.74.G
Humidæ ficus generant inflationem.de diſſ.cont. Sp.74.F
Humidus, & frigidus multum eſt fungus, vnde deleterius.7°. de ſimplicium medica.fac. 5ª.56.C
Humida, & frigida in ſecundo ordine eſt Lenticula paluſtris.8°. de ſimplicium medica.facul. 5ª.63.B
Humida, & frigida Mala.7°.de ſimp.med.fac. 7ª.55.H
Humidum & frigidum in ſecundo ordine eſt malum armenicum.7°.de ſimp.med.fac. 5ª.56.A
Humidę Nuces eſt cibus humidus.de diſſol.cont. Sp.74.D
Humidæ nuces leniunt ventrem.de diſſol.cont. Sp.75.A
Humidum, & modice frigidum eſt Oleum recens.1°. de compoſi.medicamentorum per genera. 5ª.212.H
Humidum, & frigidum Perſicum.7°.de ſimpli.med.fac. 5ª.56.A
Humida, & frigida eſt Platanus.8°.de ſimp.med.fac. 5ª.58.G
Humidum, & frigidum eſt Plumbum.8°.de ſimp.med.fac. 5ª.70.E
Humidum eſt, & calidum Polygalon.8°.de ſim.med.fac. 5ª.58.H
Humida Pruna leniunt ventrem.de diſſ.cont. Sp.75.A
Humidus minus, calidus, & humano ſimilis temperie eſt ſanguis ſuum. 10°.de ſimp.med.fac. 5ª.72.F
Humida, & frigida eſt Stratiotes.8°.de ſimp.med.fac. 5ª.61.D
Humidus, & calidus eſt Teſticulus canis.8°.de ſimp.med.fac. 5ª.57.F
Humidum, & calidum eſt Triphyllum.8°.de ſimp.med.fac. 5ª.60.B
HVMIDA ſigna & planetæ.
Humidi ſunt Cancer, Scorpio, Piſces.de ſpermate. Sp.38.H
Humidus eſt Scorpio in primo gradu, frigidus in ſecũdo.de ſper.Sp.38.H
Humidi in ſecundo gradu ſunt Piſces, frigidi in primo.de ſper. Sp.38.H
Humidi ſunt Gemini in primo gradu, calidi in ſecundo.de ſper. Sp.38.H
Humida eſt Libra in ſecundo gradu, calida in primo.de ſper. Sp.38.H
Humid° eſt Aquarius in ſecũdo gradu, calidus in primo.de ſper.Sp.38.H
Humidi, & ſicci ſunt Gemini, Libra, Aquarius.de ſper. Sp.38.H
Humidus & calidus eſt Iuppiter.de compag.memb. Sp.59.F
Humida & frigida eſt Venus.de compag.memb. Sp.59.G
Humidus, ſiccus, calidus, frigidus æque eſt Mercurius.de compag.membro.ſiue de natura humana. Sp.59.G

Humida, & frigida eſt Luna.de compag.memb. Sp.59.G
HVMIDIS *quæ tempeſtas ſit optima.com.3°.apho.14°.* Ex.22.C
Humida tempora generant humores pituitoſos, & morbos longos.commentario 3°.aphoriſmo 7°. Ex.20.F
Humidiora imbribus reddũtur animalium corpora.in 1^{m}*.de morbis vulgaribus,commen.1°.* 3ª.104.B
Humida tempora generant febres longas, alui profluuia, putredines, morbos comitiales,apoplexias, & anginas.com.3°.ap.16°. Ex.22.H
Humidis temporibus deſtillationes deſcendunt.in 3^{m}*.de morbis vulgaribus,commentario 3°.* 3ª.143.E/H
Humido frigido & Aquilonio exiſtente anno, quid ſecutum ſit.in 1^{m}*. de morb.vulg.comment.2°.* 3ª.108.B
Humidi & frigidi ſtatus maxime lędunt corpora humida & frigida. in 1^{m}*.de morbis vulgaribus,com.2°.* 3ª.108.F
Humido & frigido vere oculi laborãt.in 1^{m}*.de mor.vul.cõ.2°.* 3ª.108.G
*Humida & frigida eſt hiems.bre.denot.dogma.Hippo.*1ª.231.C/*in* 1^{m}*.de morbis vulgaribus,commentario 1°.* 3ª.110.H
Humidus, & frigidus ſtatus non fit niſi hyeme.10°.meth.med. 7ª.63.E
Humida vnde ſit hyems, & frigida.de ſpermate. Sp.39.A
Humidæ, & frigidæ naturæ hyeme bñ ſe habẽt.c.2°.apho.2°. Ex.20.A
*Humidum & calidum eſt ver.bre.denota.dogm.Hippocra.*1ª.231.B/*de ſpermate.* Sp.40.E
Humidum & calidum vnde ſit ver.de ſperma. Sp.39.A
Humidi & calidi ſtatus temperamenta humida & calida offendunt.in 1^{m}*.de morbis vulgaribus,com.2°.* 3ª.108.F
Humidum & calidum temperamentum ſolet eſſe in peſtilenti tempore. 1°.de temperamentis. 1ª.11.H
Humida corpora in peſtilentia exiccanda.1°.de diff.feb. 3ª.32.E
Humidum & calidum cum tempus eſt,ne veſtes putreſcant, quatiãtur. in 3^{m}*.de morb.vulg.commen.3°.* 3ª.141.A
Humida tempora.lege Pluuioſa tempora, Tempora pluuioſa.
HVMIDA *& calida terra in primo gradu Mercurio ſubiecta eſt. de ſpermate.* Sp.40.C
Humida terra in primo gradu, frigida in ſecundo,habens aliquantulum temperamenti calidi,Veneri ſubiacet.de ſpermate. Sp.40.C
Humida, & frigida terra ĩ primo gradu Lunæ cõuenit. de ſper. Sp.40.C
Humida terra in primo gradu calida in ſecundo eſt ſub Martis ditione. de ſpermate. Sp.40.C
in Humidis locis paſcua efficiunt carnem tardioris coctionis,quàm paſcua in locis ſiccis.de diſſol.cont. Sp.73.C
Humidæ & frigidæ regiones, & conſtitutiones,anni tẽpora magis aſtringunt, & difflare corpora atque extenuari non ſinunt. commentario 21°.aphoriſmo 28°. Ex.16.D
in Humida terra herbæ creſcunt altiſſime.11°.de vſu par. 1ª.190.A
in Humida & lacuſtri terra non naſcuntur herbæ.2°.de temp. 1ª.18.H
Humidiores, & laxiores partes in homine, quæ. 9°. de ſimp. medicamentorum facultatibus. 5ª.65.H
HVMIDIORES *cucurbitulæ in capite magis accommodantur. de cucurb.ſcarif.* 6ª.3.E
HVMOR *quid.de anatom.viuo.* Sp.55.G
Humorum ſubſtãtia media eſt inter ſpiritus, & ſolidas corporis partes. 1°.de differen.feb. 3ª.31.B
Humor pro humiditate.2°.de temp. 1ª.21.D
in Humoribus prævalet humidum elementum.2°.de diff.feb. 3ª.41.E
de Humoribus librum prius expoſuit Galenus,q̃ librum de victus ratione.de vic.rat.in morbis acutis,com.1°. 7ª.123.E
de Humoribus omnes philoſophi æmulati ſunt Hippocratem. 8°. de decretis Hippocratis. 1ª.276.B
in Humoribus Platonis errores.8°.de decre.Hipp. 1ª.277.A
Humorum naturæ.fin.med. Iſa.44.B
Humores comparat vino dulci nuper expreſſo.2°.de nat.fac. 1ª.301.G
de HVMORVM *generatione.2°.de nat.fac.* 1ª.301.F
Humores ex quibus fiant.3°.de ſimp.med.fac. 5ª.17.D
Humores ex cibis, & potibus gignuntur.1°.de elemen. 1ª.7.E
Humores qui gignãtur à fructibus añ maturationẽ.de diſſ.cõt. Sp.73.A
Humorum cauſas tractare non ſpectat ad medicam artem. 8°. de decretis Hippocratis. 1ª.275.H
HVMORVM *vtilitates.fin.med.* Iſa.44.B
Humores quatuor in animali ſanguineo.10°.de ſimp.me.fa. 5ª.74.E
*ex Humoribus quatuor conſtat generatio humana. de natura humana. com.1°.*1ª.30.C/*de nat. & ordine cuiuslib.corp.* Sp.41.D
ex Humoribus quatuor quo modo conſtet homo.de ſper. Sp.37.A
Humoribus quatuor conſtat rationabiliter hoĩs corpus.de dyn. Sp.19.E
Humores quatuor ſemper habet hõ.2°.de ele.9.E/de atra bile. 1ª.36.B
Humoribus omnibus eget homo.2°.de elemen. 1ª.9.D/E
Humores quatuor ſunt in homine quocunq; tempore, & quacũq; ætate. de natura humana.com.1°. 1ª.31.D
Humores oẽs in hoĩbus ineſſe exiſtimat Hipp.cõtra Iulianum. Ex.70.B
Humorem vnum tantum eſſe.ſ.ſanguinem,collige ex Galeno,vbi inquit, qualiſcũq; fuerit sãguis q excernẽt,ſiue ſit rube⁹,ſiue ſpumoſus,ſiue flauus,ſiue niger,ſiue aquoſus,ſiue craſſus.cõ.4°.aph.25°. Ex.30.A
Humor, & ſanguis pro eodem.de mult.78.E/ 3ª.79.H
Humores omnes in vaſis incluſos ſignificat ſanguis.in 6^{m}*.de morbis vulgaribus,commentario 4°.* 3ª.187.C
Humores omnes quando æque abundant,dicitur in ipſis ſanguis abundare.de curan.rat.per ſang.miſſ. 6ª.17.F
Humores an mixti ſanguini quo modo noſcendum.de mult. 3ª.82.B
Humores diuerſos euomi oſtendit potio quater in anno data. 8°.de decretis Hippocratis. 1ª.276.F
Humores quid faciãt in humano corpe.de incant.adiu. & ſuſp. 7ª.181.G
ex Humoribus partes ſimilares.1°.de elemen. 1ª.7.E
ex Humoribus quatuor fiunt oſſa, & ex grauiori ſanguinis natura.de ſpermate. Sp.36.C
HVMORVM *differentia,quæ.de nat.hum.com.1°.* 1ª.30.G
Humores diſtincti.de nat.hum.com.1°. 1ª.31.A
Humores omnes diſtincti ſunt forma.8°.de decr.Hipp. 1ª.276.B
Humores neq; lentos eſſe oportet,neq; craſſos,neq; aquoſos,neq; plurimos,neq; vehementer calidos,ac frigidos,neq; mordaces,neq; putredini obnoxios,neq; veneni naturæ affines.ars med. Iſa.71.D
Humorũ differentię quot ſint in ſanguificatione.4°.de ſan.tu. 2ª.84.B
Humores facientis facultatis fons eſt iecur, & veluti focus ardens.in progno.commen.2°. 4ª.201.E
Humorum qualitates.de dynam. Sp.19.E
Humorum variationes in coloribus.8°.de decre.Hipp. 1ª.276.B
Humorum vapor & inſpiratio eſt materia ſpiritus vitalis.de virtutibus noſtrum corp.diſpenſ. Sp.60.C
HVMORVM *loca.de dynam.* Sp.19.E
Humores ſunt in omnibus partibus.de dynam. Sp.19.F
Humore proprio quælibet pars nutritur.de atra bile. 1ª.36.F
Humorum propriæ ſedes,propriaq; domicilia.de ſperm. Sp.36.H
Humores quam partem dominentur.de dynam. Sp.19.F
Humores continentur in partibus ſolidis.de nat.huma.com.1°. 1ª.30.C
Humores gñantur in oĩ parte aut ad vſam aliarũ partium,aut ad generis propagationẽ,aut ad cõceptus nutritionẽ.cõ.5°.apho.39°. Ex.41.B
Humores quo mõ per partes trãſeant.de cur.rat.per ſang.miſſ. 6ª.17.G
Humores in ventriculo tribus modis degunt.fin.med. Iſa.44.C
Humores in arterijs negat eſſe Praxagoras.4°.de dign.pulſ. 4ª.84.H
Humoribus attractis ex venis ad mẽbra ſolida puenit.2°.de ele. 1ª.9.H
Humorum in venis contentorum ſerum eſt vrina.in 3^{m}*. de morbis vulg. commentario 1°.* 3ª.131.D
Humor quid in vrina.de vrinis. 4ª.122.H
Humores cum ſpiritu qñq; tranſeunt ad veſicam.c.4°.aph.73°. Ex.35.G
Humor in glanduloſis virorum partibus, & ſemen in teſtibus mulierum ſunt ſimillima, & cur.14°.de vſu par. 1ª.208.B
Humor ĩ glãduloſis pudẽdorũ partibus qd agat.14°.de vſu p. 1ª.208.B
Humor qui effunditur in muliere,qualis, & quod non faciat ad generationem.14°.de vſu par. 1ª.208.B
Humor qui excitat Venerem,qualis ſit.14°.de vſu par. 1ª.208.B
Humor qui genitura eſt, cur nunquam aberrat in tot motibus.de fœtuũ formatione. 1ª.325.B
ex Humore omni corporis ſemen deſcendit.de ſper. Sp.36.A
HVMORVM *differentiæ ſecundum ætates.8°.de decre.* 1ª.276.G
Humores quatuor diſtinguuntur per quatuor ætates.de nat.. & ordi. cuiuslibet corp. Sp.41.E
quibus Humoribus abundant diuerſæ ætates. bre. denot.dogm.Hippo. 1ª.231.B/*de dynam.* Sp.19.E
Humor in infantibus abundat.1°.de ſan.tuen. 2ª.64.D
propter Humorem ſomnolenta eſt pueritia.3°.de loc.aff. 4ª.16.F
HVMORES *quibus temporibus vigeant.de natu.hum.com.1°.*33.C/*8°. de decre.Hipp.*1ª.276.D/*in* 1^{m}*.de morb.vul.com.1°.* 3ª.103.B
Humores ſuis temporibus creſcunt.de dynam. Sp.19.E
Humor quid faciat in hyemis conuerſione.de dynam. Sp.20.C
quis Humor creſcat in veris conuerſione.de dynam. Sp.20.C
Humorum temperatiſſimus vere in bene temperata conſtitutione abundat.in

dat.in 1^{m}.de morbis vulgaribus,commen.1°. 3ª.100.H

quis Humor creſcat in autumni conuerſione.de dynam. Sp.20.C

quis Humor creſcat in æſtatis conuerſione.de dynam. Sp.20.C

ad HVMORES quō ſe habet regio.8°.de decre.Hipp. 1ª.276.G

HVMORVM horę per quæ determinentur.de ſper. Sp.38.C

Humores qui die noctuq; dominentur.de dynam. Sp.19.E

HVMORES faciunt mores.de dynam. Sp.19.E

Humoribus actiones animæ variari poſſunt.3°.de loc.aff. 4ª.19.C

Humorum naturam cur bruta non imitentur. [quod tamen eſt falſum. nam & bruta ſuam habent temperiem.]de ſperma. Sp.37.D

HVMORVM pulſus quales.de dynam. Sp.19.F

Humores per quas partes habent reſpirationem.de dynam. Sp.19.E

Humorū proprie reſpirationes.de nat.& ord.cuiuslibet corp. Sp.41.E

Humores occupant egeſtas,copia,& qualitas mala.de mult. 3ª.79.C

Humor efficitur ſiccus tempore.1°.de temp. 1ª.10.G

Humores quibus augeantur.ars med. Iſa.71.D

Humores quo modo præualeant.8°.de decre.Hip. 1ª.276.F

HVMORVM abundantia alterare poteſt pulſus, non efficere.1°.de cauſis pulſuum. 4ª.86.G

Humor ſuperfluus duplicem habet ſpeciem in craſſitie, & tenuitate.in 3^{m}.de morb.vulg.com.1°. 3ª.127.H

Humorum abundantiam induxit cutis obſtructio.in 3^{m}.de morbis vulgaribus,commenta.3°. 3ª.149.G

ex Humorum redundantia intemperaturæ plures. 8°. de compoſitione medicamentorum ſecundum locos. 5ª.188.A

Humor ſuperfluus eſt ille qui cauſat morbum, & non tantum debilitas membri.com.6°.apho.28°. Ex.49.A

Humor plurimus non facit eandem doloris ſpeciem, quàm facit humor mordax.2°.de loc.aff. 4ª.9.D

Humorum abundantia in capite faciunt dolorem capitis.commenta.4°. aphoriſmo.70°. Ex.35.B

ex Humore nimio dolor quomodo curetur de ocul. 7ª.189.H

Humorum copia quæ facit cardialgiam.in 1^{m}.prorrh.com.3°. 4ª.185.C

Humorum multitudo,& craſſities rūpit venas.c.4°.aph.78°.Ex.36.G

Humores ſuperabundantes quo modo ex coloribus cognoſcantur. commen.1°.apho.2°. Ex.3.D

vt Humorum in corpore malorum ſuperfluitatis ſymptomata excernūtur quandoq; ſudor & vrina,interdum expurgante natura.in 3^{m}. de morb.vul.com.3°. 3ª.144.D

Humorum affluentiam in laborantibus ſignificat vrinarum bonus color.in 3^{m}.de morb.vulg.com.3°. 3ª.150.A

Humorum multitudo ſignificatur per ſudores tam calidos, q̃ frigidos. com.4°.aphor.42°. Ex.32.E

Humores aucti proportione inter ſe ſeruata indigent miſſione ſanguinis. com.2°.apho.8°.Ex.12.A/de ren.aff.dig.& med. 7ª.193.E

Humores in multitudine ratione potentiæ cur cito corrumpantur 1°.de differentiis febrium. 3ª.31.H

Humorem exuperantem in venis contentum quandoque natura ad cutē expellit per modum criſeos.com.6°.apho.42°. Ex.51.B

Humoribus abundantibus cathartica damus.de dynam. Sp.20.F

in Humorum multa copia purgationes ſunt vtiles corporibus. in 6^{m}.de morb.vulg.com.2°. 3ª.167.E

Humores vbi multi,neque exercendum, neq; balneo vtendum.13°.methodi medendi. 7ª.82.B

Humorū copiam trahunt à cibo balnea.in 1^{m}.de mor.vul.c.3°. 3ª.122.G

Humorem Acidum valde frigidum eſſe,collige.c.4°.aph.12°. Ex.28.E

Humores Acres debent ab ægrorum cibis remoueri,& quando.commētario 2°.apho.18°. Ex.13.H

Humorem medium inter flauum, & pallidum acritudine infectum quidam euomuit.3°.de loc.aff. 4ª.28.C

Humorū acredo quo mō cognoſcitur.in 1^{m}.de mor.vulg.cō.3°. 3ª.125.B

Humorū acredo pulſus alterare pōt,nō efficere.1°.de cauſ.pulſ.4ª.86.G

Humor acris,ac tenuis exulceratione cauſat.cō.4°.apho.12°. Ex.28.E

Humores acres in oculis erodunt corneam.com.6°.apho.31°. Ex.49.E

Humorum acritudo abradit in ſumma parte inteſtina.commentario 4°. aphoriſmo 24°. Ex.29.H

Humorum acritudine ventriculi atq; inteſtinorū abraſa ſuperficie quă faciat læuitatem inteſtinorum.com.6°.apho.1°. Ex.46.A

Humor ſtimulat ad excernendum.1°.de ali.fac. 2ª.7.G

Humorum acritudo exaſperat.de cauſ.mor. 3ª.9.C

Humorum acrimonia quo modo curanda.introd. Iſa 55.E

Humores Acuti generant morbos.ars med. Iſa.71.D

Humores acutos, & biliofos exiccatos venæ tempore æſtatis ad ſe trahunt,qui faciunt febres ardentes.com.4°.apho.58°. Ex.33.G

Humores Aduſtos non habent ſenes.3°.de cauſ.pulſ. 4ª.96.F

ex Humorum aduſtione fuliginoſus vapor.de vſu pulſ. 1ª.229.D

Humor Albus eſt pituita.de atra bile. 1ª.34.E

Humores albi & ſeroſi ſunt in fracta parte.de fract.com.1°. 7ª.229.G

Humores albi & ſeroſi indigent difflatione,& perſpiratione.de fracturis,commentario 1°. 7ª.229.G

Humor amarus,flauus,vel pallidus.de atra bile. 1ª.34.E

Humore amaro abundant iuuenes.in prognoſt.com.3°. 4ª.210.C

Humore Aquoſo,& tenui ſanguis plenus eſt.4°.de vſu par. 1ª.136.C

Humor aquoſus eſt vehiculum nutrimenti.4°.de vſu par. 1ª.136.C

Humor aquoſus & tenuis in vapores breui dirigitur. 7°. de vſu partium. 1ª.161.C

pro Humore aqueo in corpore aſarū & apium ebullita in aqua. de præcognitione ad Poſthumum. 4ª.217.H

Humores aquoſos & pituitā educit Cocc° Cnidius.de the.ad Piſ.5ª.90.F

Humores aquoſos & pituitam educit æris ſquama.de dynam. Sp.22.A

Humores aquoſos laxans electarium.de med.exper. Sp.107.G

HVMOR bilioſus & bilis quid ſignificent.de tum.præt.nat. 3ª.84.A

Humores bilioſi ex aluo prodeuntes ſanant morbum regium. commentario 4°.aphoriſ.62°. Ex.34.C

Humor bilioſus ſi in ventre fuerit, ab aqua pura, & frigida corrumpitur.de bon.aquæ. Sp.75.G

Humores bilioſos neque coeducit ſecum vinum dulce, neque coeuacuat. de vinis. Sp.76.D

Humoris boni,cibi qui.de diſſol.cont. Sp.73.G

Humores bonos inter tenues & craſſos qui cibi generent. de diſſolutione continua. Sp.73.H

Humorem bonum,& craſſum generantia,quæ.de diſſol.cont. Sp.73.H

Humor bonus & nobis amicus eſt ſanguis.com.5°.apho.64°. Ex.44.G

Humores boni iuuant animę facultates.quòd animi mores. 1ª.321.B

Humor bonus ſi euacuetur,quid ſequitur.com.1°.apho.23°. Ex.10.D

Humores omnes optimos reddit vinum.com.7°.apho.56°. Ex.59.B

Humores Calidi,& frigidi cur fiant.de curan.rat.per ſang.miſ.6ª.16.G

Humor calidiſſimus flaua bilis in calidiſſima hora abundat.in 1^{m}.de morbis vulgaribus,commentario 1°.100.H/ 3ª.104.C

Humores calidos, & mordaces ſequuntur deliria, & vigiliæ. in 3^{m}.de morbis vulgaribus,com.1°. 3ª.131.A

cum ab Humore calido fit inflammatio pulmonis,quæ multos vapores tranſmittit ad caput,cerebrum implet vaporibus,& facit phrenitidē.commentario 7°.apho.12°. Ex.54.G

Humores calidi quo modo cognoſcantur.de remed.par.fac. 7ª.160.D

Humores calidi quo mō in doloribus cognoſcātur.3°.de loc.aff.4ª.20.F

Humores calidi tenues ſunt paratiſſimi ad excretionem. in prognoſt. cōmentario 3°. 4ª.209.F

Humores calidi per excretionē euacuantur.in progno.com.3°.4ª.210.E

Humoribus Concoctis natura euacuat.quos purg.opor. 5ª.89.A

Humores ſemicoctos perficiunt quies,& ſomnus.4°.de ſan.tuē.2ª.83.E

Humores Craſſi,& corpus ſpiſſum cōtrariū.cō.2°.apho.28°. Ex.16.F

Humores craſſos,viſcoſos,& frigidos gnātes cibi.de pue.epi.7ª.180.D

Humores craſſos quę radices non generant.de puero epilep. 7ª.180.E

Humorem craſſum,& frigidū generant fungi.de diſſol.cont. Sp.74.B

Humores craſſi quibus gignātur,& quibus non.de fract.cō.2°.7ª.235.F

Humorem craſſum facientia inutilia ſenibus.5°.de ſan.tuen. 2ª.91.B

Humorem craſſum facientibus ſi ſenex vtatur obſtruuntur renes,lien, & iecur.5°.de ſanitate tuenda. 2ª.91.C

Humor craſſus melancholicus quodam modo magis minuſue eſt.13°.methodi medendi. 7ª.80.H

Humores quo modo cognoſcantur eſſe craſſi,vel tenues.in 3^{m}. de morbis vulgaribus,commentario 3°. 3ª.144.G

Hūorū craſſitudo alterare pōt pulſus nō efficere.1°.de ca.pul. 4ª.86.G

Humores craſſi, & crudi vbi ſunt, morbi ſunt peſſimi.in 1^{m}. de morbis vulgaribus,commen.3°. 3ª.122.E

Humores craſſi, & tenues tubercula faciunt.in 6^{m}. de morbis vulgaribus,commen.2°. 3ª.165.F

Humor craſſus,& glutinoſus quando in tumorem attollitur. de natura humana,commen.2°. 7ª.182.H

Humores craſſi defluentes interdū ſoli ſed magna ex parte craſſo ac flatuoſo ſpiritu aſſociati,faciūt dolores dorſi.cō.6°.apho.22°. Ex.48.D

ab Humore craſſo & viſcoſo fit obſtructio meatuum ſubita. 3°.de locis affectis. 4ª.17.G

ex Humore plu-

ex Humore plurimo,& craſſo fit apoplexia.de vtil.reſp. Sp.63.E
ex Humore non tanto neq; tam ſpiſſo,vt in apoplexia contingit, fit epilepſia.de vtilitate reſpirationis. Sp.63.E
Humorum craſſorum multitudo facit abſceſſum ad articulos.commentario 4°.apho.74°. Ex.35.H
ex Humore craſſo dolori iũcturarũ quid profuit.de me.exp. Sp.104.C
Humores craſſi retinent menſtrua.com.5°.apho.36°. Ex.40.G
Humores craſſi,& lenti dupliciter ſanantur per excretionem, & coctionem.com.5°.apho.70°. Ex.45.E
Humores craſſi vel crudi vel coquuntur,vel in ſanguinẽ vertuntur, vel in putredinem labuntur.de bon.& vitio ſucc. 2ª.34.F
Humores glutinoſos & craſſos gignentia ſi in ventriculo coquantur, & in iecore ſanguinem faciant,maxime ad nutriendum efficacia ſunt.de bon.& vitio ſuccorum. 2ª.34.H
Humores craſſos habenti quid conferat.de med.exper. Sp.104.D
in Humoribus craſſum concretum,& modice frigidum, ſtatim in ſpiritum vertitur.5°.de ſanitate tuenda. 2ª.94.D
Humores craſſos incidunt calidi mediocriter tum cibi tum potus.de cur.rat.per ſang.miſſ. 6ª.17.E
Humor digeritur per calidum.1°.de temp. 1ª.10.G
Humor à calido ſuperabundante digeritur.1°.de temper. 1ª.10.D
Humores craſſos incidentes,& attenuantes cibi.de diſſ.cont. Sp.74.G
Humoris craſſi generationem in corpore timenti conueniunt cibi ſubtiliantes.de diſſol.cont. Sp.72.D
Humorem craſſum & malum in ſtomacho inuentum incidunt poma, & granata acetoſa.de diſſol.cont. Sp.75.B
Humorem craſſum et frigidum in corpore habenti confert vinum tenue.de diſſol.cont. Sp.74.H
ab Humore craſſo venas mundificat vinum tenue.de diſſ.cõt. Sp.74.G
Humorem deducendo mel aperit.de ſimp.med. Sp.87.A
Humores incidit moderate vinum pauciferum.de vinis. Sp.76.D
Humores humectat vinum pauciferum.de vinis. Sp.76.D
Humores incidit,extenuat,diſſoluit, & trahit ad æqualitatem calor febrilis.com.6°.apho.40°. Ex.51.A
Humores craſſos quæ medicinæ extenuent:com.5°.apho.36°. Ex.40.G
Humores ſubtilians medicamentum.de med.exper. Sp.104.G
Humores ſubtilians,& præparans ad exitum in principijs ægritudinum frigidarum.de medicinis expertis. Sp.108.E
Humores craſſos ſcindens medicina.de med.exper. Sp.196.G
Humores craſſos ſcindens decoctio.de med.exper. Sp.107.C
Humores craſſos ſubtiliat decoctio carui, & ſeminis apij. de medicinis expertis. Sp.104.D
Humorem craſſum & viſcoſum laxans medicina.de me.exp. Sp.106.G
Humores craſſos,& diuerſos laxans electarium.de med.exp. Sp.107.F
Humores craſſos,& viſcoſos ſoluit ſuccus centaureæ cum melicrato. de virtute centaureæ. Sp.94.A
Humores tantum craſſos docet purgare Galenus, & nihil meminit ſubtilium.com.2°.apho.9°. Ex.12.C
ex Humore craſſo febribus chronicis valens medicamen. de medicinis expertis. Sp.105.G
Humores craſſi paucam ſuperfluitatem habent.2°.de diff.feb. 3ª.41.E
Humor craſſus ſi cã eſt aſthmatis medicamẽ valẽs.de me.exp. Sp.106.g
Humores craſſi qñ ſunt in pulmonis bronchijs.3°.de loc.affe. 4ª.27.F
Humores craſſi in pulmone eẽ,qũo cognoſcãtur.3°.de loc.affe. 4ª.27.F
Humores craſſos quæ medicamenta per pulmonem trahant.de victus ratione in morbis acutis,com.3°. 7ª.126.A
Humorem craſſum in pectore purgãs medicamen.de me.exp. Sp.107.H
ex Humoribus craſſis in inteſtinis colicæ paſſioni medicamen valens.de medicinis expertis. Sp.106.G
ex Humore craſſo colicę quid opem ferat.de med.exper. Sp.107.F
Humor craſſus fecibus vini ſimilis quando excernitur in vlceribus inteſtinorum.6°.de locis affectis. 4ª.36.E
Humores Crudi qui vocentur.de præſag.ex pulſ. 4ª.109.G
Humor crudus pituitæ genus.de mult. 3ª.81.F
Humor crudus non pituitoſus.10°.de comp.med.ſec.loc. 5ª.206.H
Humor crudus à Philippo dicitur humor vitreus.2°.de dif.feb. 3ª.37.E
Humor crudus qui proprie ſit.1°.de alim.fac. 2ª.10.G
Humor crudus,qualis.10°.de comp.med.ſec.loc. 5ª.206.H
Humorum crudorum copia cum vlceroſa laſſitudine quo modo fiat, & quo modo curetur.4°.de ſan.tuen. 2ª.86.B
Humorum crudorum plenitudo,qualis.de cur.rat.per ſan.miſſ. 6ª.18.F
Humoribus crudis quando homo impletur.4°.de ſan.tuen. 2ª.88.A
Humores crudos habentium color.de cur.rat.per ſang.miſſ. 6ª.18.F
Humores crudos habentium pulſus.de cur.rat.per ſang.miſſ. 6ª.18.F
Humorum crudorum,& bilioſorum vrina.in progn.cõ.2°. 4ª.200.D
Humorum crudorum vrinæ quales.de vrinæ,ſign.Hipp. Sp.79.D
Humorem crudum ſignificant vrinæ craſſæ, & tenues.in 3^{m}. de morbis vulgaribus,commen.1°. 3ª.131.E
Humor crudus quo mõ dignoſcatur ab hypoſtaſi bona.de vri. 4ª.125.D
Humor crudus per vtiles hypoſtaſes diſtinguitur ab inæquali ſubſtantia eius quod ſubſidet.de vrinæ ſign.ex Hipp. Sp.79.C
Humor crudus,et albus cũ vrina excretus euenit vt ſubſidat præbeatq́; videndam vtilem hypoſtaſim.de vrinæ ſig.ex Hipp. Sp.79.C
in Humoribus crudis vrinæ proceſſus.de vrinis. 4ª.125.D
Humores crudos in primis venis habentes quo modo nutriendi.4°. de ſanitate tuenda. 2ª.84.H
Humores crudos, & multos in primis venis habentes oxymelite,ptiſſana,& mulſa cibandi.4°.de ſan.tuen. 2ª.84.H
Humores crudos in primis venis habentes non debent vomere.4°.de ſanitate tuenda. 2ª.85.H
Humores crudi,& craſſi,aut per abſceſſum, aut per coctionem ſoluuntur.in prognoſt.commen.3°. 4ª.209.G
Humores ſemicrudos vinum concoquit.4°.de ſan.tuen. 2ª.83.E
Humores ſi ſint crudi an eũandi,& qñ.de curan.rat.p.ſan.miſ. 6ª.18.E
Humoribus exiſtentibus crudis non poteſt fieri bona euacuatio, è contra exiſtentibus coctis.commen.4°.apho.22°. Ex.29.G
Humores crudi & fixi non obediunt pharmacis.1°.de criſi. 4ª.128.G
quibus Humorum crudorum ineſt copia,quo modo Galenus mittat ſanguinem de curan rat.per ſang.miſſ. 6ª.19.A
Humorum crudorum plenitudo nunquam eſt tanta, vt venæ ſectionem prohibere poſſit.de cur.rat.per ſang.miſſ. 6ª.19.D
Humores crudos purgantia,quæ.de cathar. Sp.95.C
Humores magis crudos, & aquoſos purgat coccus cnidius. de dynamidijs. Sp.21.F
ex Humore crudo quo modo diſtinguatur deiectio graueolens. in prognoſtica,commentario 2°. 4ª.199.H
ad Humorem crudum.ſecretorum. Sp.102.E
ad Humorem crudum lapidoſum.ſecretorum. Sp.100.D
Humoribus deficientibus quo modo æger cibandus. commentario 1°. aphoriſmo.17°. Ex.9.C
HVMOR Flauus pallido craſſior.de atra bile. 1ª.34.E
Humoris Fluctuantis ſonitus eſt ſymptoma imbecillis ventris. 3°.de naturalibus facultatibus. 1ª.303.B
Humoris fluitantis ſonitus imperfectam concoctionem facit.3°. de naturalibus facultatibus. 1ª.303.B
Humor Fluens quo modo inhibeatur.de ſectis. Iſa.16.D
Humores fluentes retrahuntur.2°.de arte cur.ad Glau. 7ª.102.F
ex Humorum influxu morbi ſemper debent repelli,partem refrigerando,& adſtringendo.1°.de compo.med.ſec.loc. 5ª.121.F
Humores Fœminarũ ex menſtruis deprehẽdũtur.c.4°.aph.2°. Ex.27.F
Humores qui faciunt dolores,& tardos mẽſes.c.5°.apho.36°. Ex.40.H
Humoribus plenæ matricis ſigna,& curatio.de paſſ.mul. Sp.96.B
Humores ſiue ſucci corporis cum ſint humidi,quo modo differunt ſiccitate.de natura humana,commen.1°. 1ª.30.G
Humor Frigidus,& humidus ad pituitã reducit.2°.de diff.feb. 3ª.37.E
Humor frigidiſſimus pituita hyeme frigidiſſima tempeſtate abundat.in 1^{m}.de morb.vulg.commen.1°.100.H/ 3ª.104.B
Humoris phlegmatici purgatoria eſt lacterida.de cathar. Sp.95.B
Humorum frigiditas,vel craſſitudo,vel multitudo facit longas febres. commenta.4°.aphoriſ.44°. Ex.32.F
Humor frigidus in capite quid faciat.13°.meth.med. 7ª.85.E
Humorem aceruantibus frigidum dandum eſt vinum Falernum,Tmolitanum,Ariuſium,Lesbium.de vinis. Sp.76.G
ob Humores frigidos dolorem ventris & renum, curat chamæmelum pulueriʒatum & malaxatum cum melle.de med.exper. Sp.106.D
Humoris frigidi gratia ſi vrina ĩpediat̃,qd cõferat.de cura lap. Sp.112.F
Humores frigidi per abſceſſum euacuãtur.in progn.com.3°. 4ª.210.E
Humor Glutinoſus & ſpumeus quorum ſit membrorum. commentario 5°.aphoriſmo 39°. Ex.41.C
Humorem carnoſæ parti inhærentem,vel craſſum,vel pituitoſum educere laborioſiſſimum.contra Iulianum. Ex.69.E
Humor Lentus vnde fiat.13°.meth.med. 7ª.80.H
Humores lenti,ac craſſi anguſtiam faciunt.de cauſ.morb. 3ª.9.A
Humorũ lẽtor pulſus alterare põt,non efficere.1°.de cauſ.pulſ. 4ª.86.G

Humores lenti,& craſſi paralyſim pariunt.de atra bile. 1ª.35.H
Humor lentus craſſus cur difficulter expuatur.3°.de loc.aff. 4ª.27.G
Humores lenti,ac craſſi exire non poſſunt abſq; tuſſi valida. 3°. de locis affectis. 4ª.27.G
Humores lenti,craſſi,& frigidi à calefacientibus inflatus deducuntur. 12°.methodi medendi. 7ª.79.D
Humores Malos generantium ciborũ tres ſpecies.de diſſ.cõt. Sp.74.A
Humores malos generant olera omnia.de diſſol.cont. Sp.74.B
Humoribus malis plenum animal, & non obſtructum ſanum eſt vt tũc. 1°.de differentijs febrium. 3ª.31.G
ad *Humores vitioſos ſequuntur ſymptomata quæ cerebrum, & oculos afficiunt.5°.de locis affectis.* 4ª.32.H
ex *Humoris vitio in cerebro fit dementia.13°.meth.med.* 7ª.85.E
Humores mali fluentes ab hepate faciunt faſtidium cibi. commentario 6°.aphoriſmo 3°. Ex.46.F
Humores praui lædunt animi functiones.quòd animi mores. 1ª.321.B
Humoribus prauis q̃uo quis poterit vacare.com.6°.aph.28°. Ex.49.A
Humores praui vlcera erodunt,& quo modo cognoſcantur.commentario 6°.aphoriſmo 4°. Ex.46.G
Humores mali per quas vias mittantur à natura.c.2°.aph.15°. Ex.12.F
Humores mali propter exercitium tendunt ad cutem. commentario.3°. aphoriſmo 20°. Ex.24.C
Humorum malitia redundante purgatione vtimur, redũdante ſanguine euacuamus per venæ ſectionem.com.6°.apho.31°. Ex.49.G
ab *Humorum malitia ſanguinis copiam diſtinguere non eſt difficile.commentario 6°.aphoriſmo 31°.* Ex.49.G
Humores vitioſi in toto corpore poſſunt retinere menſtrua, & facere faſtidium cibi.com.5°.apho.61°. Ex.43.E
Humorum vitioſorum fluxus facit vlcera inſanabilia.commentario 6°. aphoriſmo.45°. Ex.51.E
Humoribus prauis q̃uo quis poſſit euacuari.cõ.6°.apho.28°. Ex.49.A
Humores praui in ĩteſtinis fœno græco ſubducũtur.1°.de ali.fac. 2ª.14.E
Humorum malorum reliquiæ ſolent cauſare recidiuas in febres.commẽtario 2°.aphoriſmo 12°. Ex.12.D
Humores malignos accipit lupinus cum aceto in modum cataplaſmatis impoſitus.de ſimplic.med. Sp.86.C
Humore prauiſſimo excreto corpus lædi, vt ſincera atra bile quæ ſemp letaliter excernitur.de atra bile. 1ª.34.H
Humores vitioſi facile diſcutiuntur in mollibus corporibus.1°. de compoſit.medic.ſecundum locos. 1ª.123.B
qui *Humores vitiatos habẽt ac male difflãtur, febribus facile corripiũtur.1°.de diff.feb.* 3ª.31.H
Humores vitioſos habentes quo modo curandi.6°.de ſan.tuen. 2ª.97.E
Humorum vitium quibus curetur.13°.methodi medendi. 7ª.81.H
Humores ſi ſint vitioſi ſunt purgandi.6°.de ſan.tuen. 2ª.100.E
Humoribus vitioſis pleni quæ medicamenta requirant.1°.de compoſitio. med.per genera. 5ª.212.H
vt *Humor ſit maxime vitiatus,ac vaſorum vis non omnino imbecillis, fieri poteſt.1°.de differentijs febrium.* 3ª.33.C
ad *Humores vitioſos.8°.de comp.med.ſec.loc.* 5ª.195.B
HVMOR *Melancholicus eſt fex ſanguinis.com.4°.apho.11°.* Ex.36.F
Humoris melancholici quatuor differentiæ.fin.med. Iſa.44.C
Humor melancholicus quando non eſt atra bilis.de mul. 3ª.81.H
Humor atrabilaris autumno abundat peruſtis æſtate duobus ſuccis,ſanguine,& pallida ſeu flaua bile.in 1m.de morb.vulg.com.1°. 3ª.100.H
Humor melancholicus de ſplene educitur.de cathar. Sp.94.G
Humor melancholicus deorſum purgatur.de cathar. Sp.94.C
Humorẽ melãcholicũ maxime educit garũ catharcticũ.de dy. Sp.22.H
Humorum Mordacium differentiæ.de mult. 3ª.79.E
Humores ſi vehementius mordeant, veluti cæpa,mordaces ſunt. de multitudine. 3ª.79.E
Hũores ſi modice mordeãt, veluti ſcilla,pruriginoſi sũt.de mult. 3ª.79.E
Humor mordax & amarus eſt pallida & flaua bilis.2°.de comp.medicam.ſec.locos. 5ª.135.D
Humores mordaces habent vim exiccandi.com.5°.aph.1°. Ex.37.E
Humores mordaces ſunt illi q turbãt vẽtriculi.c.4°.aph.17°. Ex.29.A
Humor mordax non facit eandem doloris ſpeciem, quã facit humor plurimus.2°.de loc.affect. 4ª.9.D
Humor mordax incitans nos ad expulſionem ſi retineatur propter negocia, quid mali agat.6°.de ſanitate tuenda. 2ª.99.E
Humor mordax dyſenteriam facit, & vlcerat inteſtina, & eo remoto non remouetur affectus.1°.de locis affectis. 4ª.4.C

HVMOR *niger quo modo fiat in progno.com.2°.* 4ª.202.E
Humores Nubiloſos facit aer nubilus.in 1m.de mor.vul.cõ.1°. 3ª.104.C
Humores Oculorum.de anatomia parua. Sp.43.D
Humores tres habet oculus.de anat.ocul. Sp.57.B
Humores oculorum propter quid ſint.de ocul. 7ª.182.G
Humores oculorum tres frigidi,& humidi.de comp.memb. Sp.58.B
Humor primus oculi eſt aqua luciдiſſima,in qua vis viſibilis eſt.de compag.membro. Sp.58.C
Humor ſecundus oculi eſt vt tenue oui album. Sp.58.C
Humor tertius oculi eſt vt vitrum, & habet non nihil citrini coloris.de compag.memb. Sp.58.C
Humorum et glacialis grandinis in tunicis cerebrorum iuuamentum.de anatomia viuorum. Sp.44.C
Humor cryſtallinus ab Ariſt.dicitur grãdo glacialis.de an.vi. Sp.48.D
Humor cryſtallini figura, qualis.de anat.viuo. Sp.48.D
Humor cryſtallinus cur in ꝓfundo & medio poſitus.de an.vi. Sp.48.D
Humor cryſtallinus eſt pars ſimilaris.1°.meth.med. 7ª.6.D
Humor cryſtallinus viſionis primũ inſtrumentum.1°.meth.med. 7ª.6.D
Humor cryſtallinus vt ſe habet ad viſum, ita interior pars oſſis petroſi ad auditum.de ana.viuo. Sp.48.G
ad *Humorem cryſtallinum ita ſe habet vitreus humor, vt ſtomachus ad hepar.de anatomia viuo.* Sp.48.D
Humor vitreus eſt poſt cryſtallinũ, & vñ, & quare.de ana.vi. Sp.48.D
Humor vitreus eſt pars ſimilaris.1°.meth.med. 7ª.6.D
Humor vitreus ſe habet ad cryſtallinum in comparatione ſtomachi ad hepar.de ana.viuo. Sp.48.D
Humorem vitreum qui nerui circuunt.de neruorum diſſ. 1ª.53.D
Humor albugineus eſt ſuperfluitas cryſtallini.de ana.viu. Sp.48.D
Humor albugineus cur liquidus.de ana.viuo. Sp.48.E
Humoris albuginei ſitus, & propter quid.de anat.viuo. Sp.48.E
Humor albugineus vbi,et q̃n dilatat, & cõſtringit.de ana.vi. Sp.48.F
Humore albugineo læſo læditur viſus.de ana.viu. Sp.48.E
Humor paucus & tenuis diſtillãs facit tuſſim ſiccã.c.4°.a.54°. Ex.33.E
Humor exiguus maxima facit ſymptomata.6°.de loc.affect. 4ª.40.A
Humores Peccantes in quali,etiam in quanto videri peccare, collige ex Galeno cum exponit verbum /qualia/ apud Hippocratem ſignificare abũdantiã humorũ ſua qualitate infeſtantiũ.cõ.4°.apho.2°. Ex.27.E
Humores qui infeſtare poſſunt.4°.de ſan.tuen. 2ª.83.F
Humorem moleſtantem vbi educimus,catharcticis fortibus vtimur.de dynamidijs. Sp.20.G
Humores infeſtãtes ſunt illi q debẽt euacuari.cõ.4°.aph.18°. Ex.29.B
Humores infeſtantes totius corporis primo euacuari debẽt in doloribus oculorum.com.6°.apho.31°. Ex.49.D
Humor noxius ſemper, & ſolus euacuandus, & quo modo cognoſcatur. commen.1°.apho.2°. Ex.3.C
Humores q̃uo cognoſcãtur.de vict.rat.in mor.acu.com.2°. 7ª.116.E/H
Humores oẽs q̃uo per ſua ſigna cognoſcantur.com.4°.apho.2°. Ex 27.F
ad *Humores peccantes cognoſcendos multum facit victus ratio præcedens.14°.methodi medendi.* 7ª.93.D
ad *Humorum qualitates cognoſcendas conducunt inſomnia.de præſag. ex inſom.ſum.* 4ª.213.E
Humores ex colore cognoſcuntur.com.1°.apho.2°. Ex.3.D
Humores formis vrinæ correſpõdẽt.in 6m.de morb.vul.cõ.5°. 3ª.192.A
Humores peccantes ſi ingurgitauerint, quo modo cognoſcendi.commentario 1°.apho.2°. Ex.3.D
Humor alienus à natura in loco calido conſtitutus, facillime putreſcit. commen.2°.apho.12°. Ex.12.E
Humoris Pituitoſi in throace indicia.3°.de loc.affe. 4ª.27.G
Humor pituitoſus propter magnum calorem exiccatus,facit lẽtores circa dentes.commen.4°.apho.37°. Ex.33.D
Humores Putreſcunt ſępe in toto corpore, & ſæpe in ſolis vaſis. commentario 4°.apho.37°. Ex.32.D
Humorum putredinis commune eſt vt illas partes,in quas impingit, corrumpat.in 3m.de morb.vulg.com.3°. 3ª.142.E
Humores corrumpuntur vt epoto veneno.5°.de loc.affe. 4ª.34.B
Humores fieri venenoſos malum.de bon.& vitio ſuc. 2ª.34.B
Humorum putredinis comes acuta febris.in 3m. de morbis vulgaribus, commentario 1°. 3ª.127.D
Hũorũ maligna putredo facit febres periculoſas.c.4°.ap.43°. Ex.32.F
Humorum putredo in vaſis, qualis.1°.de diff.feb. 3ª.33.B
Humores corrupti ex colore cognoſcuntur.1°.de compo.medicamen.ſecundum locos. 5ª.121.E

Humores corruptos habentibus quid dandum.com.1°.aph.17°.Ex.9.C
in Humorum corruptela dandum eſt medicamentum. quos purg. opor. quibus med.& quo temp. 5ª.88.B
Humores putridi in cinerem vertuntur.2°.de diff.ſeb. 3ª.41.D
Humor Rubiginoſus quo modo fiat.in progn.com.2°. 4ª.202.E
Humor æruginoſus.12°.meth.me. 7ª.80.A
Humor æruginoſus quid ſignificet.in 1^{m}.pror.com.1°. 4ª.164.E
p Humore æruginoſo euomendo Galenus aquam tepidam dedit.12°. methodi medendi. 7ª.80.A
in Humore omni eſt Seroſus,ac tenuis liquor qui differt,vt humores faciunt.in 6^{m}.de mor.vul.com.2°. 3ª.167.F
Humor ſeroſus quo modo cognoſcitur abundare in corpore. in 3^{m}.de mor.vulg.com.3°. 3ª.144.D
Humoris ſeroſi in thorace indicia.3°.de loc.aff. 4ª.27.G
Humores ſeroſos ſanguinis exugens epithema.10°. de compoſi. medica. ſecundum locos. 5ª.209.B
Humor Spumoſus ex capite ad ventriculum quandoque facit excremẽta ſpumoſa.com.7°.aph.30°. Ex.56.A
Humorẽ Tenuẽ oculi cõparat ouorũ cãdido.in prog.com.3°. 4ª.194.E
Humores tenues & corpus rarum ſunt cauſa extenuationis. com. 2°. aphoriſmo.28°. Ex.16.F
Humorum tenuium ebullitio qualis.2°.de diff.ſeb. 3ª.40.D
Humores tenues acres quos dolores faciant,& quòd faciant conuulſionem.12°.met.me. 7ª.80.A
Humores tenues,& aquoſi in principio morbi euacuandi,nulla facta coctione.quos purg.opor.quib.med.& quo temp. 5ª.88.F
Humoribus tenuibus exiſtentibus non eſt expectanda coctio,ſed in principio euacuandum.de dyn. Sp.20.D
Humores tenues faciũt magis,et minus purgare.3°.đ ſimp.m.f.5ª.23.H
Humores tenues, & aquei cur per tuſſes non exeunt. in 6^{m}. de morbis vulg.com.3°. 3ª.174.C
Humores tenues cur non expurgent per pulmonem.de victus ratione in morb.acut.com.3°. 7ª.126.A
Humor tenuis cur difficulter expuatur. 3°.de loc.aff. 4ª.27.G
HVMORVM ſuperabundantium motus eſt materiæ turgentis motus. 1°.de criſibus. 4ª.128.G
Humores turgẽtes ſunt in principio purgãdi.com.4°.aph.1°. Ex.27.B
Humores turgidi ſunt paratiſſimi ad exitum, et properant ad euacuationem.in 6^{m}.de mor.vul.com.2°. 3ª.162.B
Humores quot modis de loco ad locum tendant.in 6^{m}.de morbis vulga. commentario.3°. 3ª.178.G
Humores raro turgent.com.1°.aph.22°. Ex.10.C
in Humorũ motu quid cauẽdũ,et qd diſcriminis ĩmineat.đ dy. Sp.20.D
Humoris collecti in loco ſcopus eſt euacuatio.1°.de compoſi. medicamẽ. ſecundos locos. 5ª.121.F
Humores firmati in aliqua parte nõ ſunt mouẽdi.c.4°.aph.1°. Ex.26.B
Humores firmi in vno loco nõ debent euacuari niſi concocti.quos purg. opor.quibus med.& quo temp. 5ª.88.H
Humores fixi in aliquo membro non purgandi, antequam maturentur. de dynamidijs. Sp.20.D
Humores conſiſtentes deriuantur.2°.de arte cur.ad Glau. 7ª.102.F
HVMOR Viſcoſus pituitoſus cur in epiglottide generetur. de virtutibus noſtrum corp.diſpen. Sp.61.C
Humor viſcoſus & vnctuoſus requirit multum tempus ad reſolutionẽ. 7°.de vſu partium. 1ª.161.C
Humores viſcoſi quibus indigeant vt educantur. de vict. rat. in morb. acut. commentario.3°. 7ª.126.A
Humores viſcoſos laxans.de med.exper.104.F/105.G/H/ Sp.108.B
Humor Vitreus qui ſecundum Philotimum.1°.de alim.fac. 2ª.12.A
Humor vitreus qui à Praxagora.2°.de dif.ſeb.37.E/ de inæq. intempe. 3ª.44.F/2°.de loc.aff.9.D/.1°.de præſagium ex pulſ. 4ª.107.F
Humor vitreus à Praxagora qui, & quos faciat dolores. in 1^{m}. pror. commenta.1°. 4ª.168.F
Humor vitreus dolorem vehementem parit.12°.met.me. 7ª.80.A
ex Humore vitreo rigor.de inæq.intemp. 3ª.44.F
Humor vitreus frigidiſſimus omnium humorum. in 1^{m}. pror. commentario.1°. 4ª.168.F
Humor vitreus frigidiſſimus cur.ita dictus.2°.de loc.aff. 4ª.9.D
HVMORES quos coaceruet ruri manens æſtiuo tempore.in 1^{m}.de mor. vulg.commen.3°. 3ª.118.F
Humores quos coaceruet in vrbe manens lauansq́; ſe.in 1^{m}.de mor. vul. commentario.3°. 3ª.118.F
Humorũ plus colligiť edendo & dormiendo.2°.de præſ.ex p. 4ª.109.F
Humorũ minus colligiť p vigilias & inedias.2°.de præſ.ex. 4ª.109.F
Humores in aerem ambientem diſſipantur.2°.de diff.ſeb. 3ª.41.E
Humores & calor naturalis totus in principijs acceſſionum in profundum corporis vergunt.com.2°.aph.1°. Ex.11.B
HVMORES quatuor morborum cauſæ.8°.de decr.Hipp. 1ª.275.H
Humores quatuor ſunt auctores ſanitatis & morborum. in 3^{m}. de mor. vulg.com.1°. 3ª.129.C
ex Humoribus qui morbi naſcantur.com.6°.aph.47°. Ex.52.C
Humores qui cauſent varios morbos.com.1°.aph.2°. Ex.3.D
Humorales morbi ĩ omnibus quidem fiunt per robur atq; infirmitatẽ excretiuarum facultatum de natura humana.com.2°. 7ª.182.G
Humor qui facit laſſitudinem conſiderandus an cum ſanguine,an cũ crudis humoribus,an per ſe conſiſtat.4°.de ſan.tuen. 2ª.83.E
Humores laſſitudinẽ faciẽtes q̃uo deprehẽdatur.4°.de ſan.tu. 2ª.83.E
Humor non bene difflatus putreſcit.1°.de diff.ſeb. 3ª.31.H
ex Humoribus varijs quo modo febris excitetur.in 1^{m}.de morbis vul. commenta.2°. 3ª.110.F
Humor vnuſquiſq; accẽſus habet ſuum calorẽ.aduer.Lycum. Ex.65.H
Humorum nullam interueniente putredine qui incidant in febres.1°. de differentijs febrium. 3ª.32.G
ab Humoribus ſpũs facillime accẽdunť,nõ è cõtrario.1°.đ dif.f. 3ª.31.A
Humores facillime à corpore ſolido accenduntur, non è contrario. 1°.de differentijs febrium. 3ª.31.B
Humor febres tertianas efficiẽs qui,& vnde ſit.2°.de diff.ſe. 3ª.36.D
ex Humoribus alijs febres,& ex ſanguine ſolum differunt bonitate,et malitia.2°.de differentijs febrium. 3ª.40.C
Humoris in caua vena putrefactio facit febres homotonas, acmaſticas & paracmaſticas.2°.de diff.ſeb. 3ª.42.G
Humor cordis in hectica febre conſumitur.1°.de diff.ſeb. 3ª.34.A
ab Humoribus peſtilentia.de bon.& vitio ſucc. 2ª.33.F
vbi Humores nimij expurgantur,ſolent ſequi tuſſes.in 1^{m}.de mor. vul. commenta.2°. 3ª.111.A
Humor qui in ſuffuſionibus coagulatur.de anat.ocul. Sp.57.F
Humores in caput efferri quo modo cognoſcatur. in 6^{m}. de morbis vulgaribus.commen.5°. 3ª.190.F
Humores recipere aptas venas multas habet lingua.in 6^{m}.de mor.vulga.commenta.1°. 3ª.191.G
Humores non æque natura apta ſunt ſuſcipere membrana ſubcingens coſtas,& pulmo com.6°.aph.33°. Ex.50.A
Humor faciens pleuritim vbi colligatur.de anat.parua. Sp.43.A
Humores qui in carne,& toto corpore congeſſere, debent vti acopo ex abiete.4°.de ſan.tuen. 2ª.86.G
HVMORES quibus modis foras ferantur.4°.de ſan.tuen. 2ª.85.H
Humores quibus modis intro ferantur.4°.de ſan.tu. 2ª.86.A
Humores q ſunt intus,attenuãdi et coquẽdi ſunt.4°.de ſa.tu. 2ª.86.A
Humores q foris ſunt.leuiter educẽdi p halitũ ſunt.4°.đ ſa.tu. 2ª.86.A
in Humorũ alteratione fit cõcoctio.in 1^{m}.de mor.vul.com.2°. 3ª.112.C
Humores ex quibus alterantur.ars med. Iſa.71.E
Humores trãſmutãtur pharmacis,quæ venena dicũtur.ars me. Iſ.71.E
Humores alterãtur ijs quę venenis ferarũ aduerſantur.ars me.Iſa.71.E
Humorẽ vacuare à particula, & particulam ſiccã reddere non eſt idẽ. 2°.de elementis. 1ª.21.D
Humores qui per ſectionem venæ, & qui per medicamentum educi debent.com.6°.aph.47°. Ex.52.B
Humorum prolixam diſpoſitionẽ vt remoueamus, catharticis vtimur. de dynamidijs. Sp.20.E
Humorum ratione medicamentorum diuerſitas.de cathar. Sp.95.A
Humores proprios euacuant medicamenta.8°.de decr.Hipp. 1ª.276.C
Humorem aliquem peculiarem attrahit omne medicamentum purgatorium.2°.de elem.9.D/de atrab.1ª.36.B/cõ.1°.aph.22°. Ex.10.C
Humorem proprium appetit attrahere purgatorium pharmacum vel flauam bilem, vel atrã, vel pituitam, vel aquoſam ſuperfluitatem. commenta.2°.aph.37°. Ex.17.G
Humoribus, quos purgant, familiaria ſunt medicamẽta.3°. de ſimpliciũ medic.facul. 5ª.23.D
Humorem ſibi proprium primo trahere medicamenta, deinde alios, ſuperfluæ purgationes oſtendunt.2°.de elementis. 1ª.9.E
Humores quo modo trahant medicamenta.de purgan.med. 5ª.86.H
Humores q̃uo per ordinẽ euacuãtur à med°.3°.de ſimp.med.fa. 5ª.23.G
Humorũ ordo exeũtiũ p vim medicamentorũ.1°.de na.hu.cõ.1°. 1ª.31.E
Humores quo ordĩe euacuanť qñ hõ moriť ex euacuatiõe.2°. đ el.1ª.9.F

Humores in ſuperpurgationibus cur educuntur, tamen non ſunt medicamenti proprij. 3°. de ſimp. med. fac. 5ª.23.H
Humor quilibet penitus euacuatus intemperantiam ſequitur. 3°. de ſimplic. med. fac. 5ª.23.H
Humore vno penitus euacuato homo moritur. 2°. de elemen. 1ª.9.F
Humor vnus vbi deeſt, homo moritur. de natura humana. com. 1°.31.E/ 8°. de decretis Hipp. 1ª.276.C
ex Humore ſolo purgato nullus mortuus in ſuperfluis purgationibus. 1°. de elementis. 1ª.4.D
Humore vno deficiente deſunt omnia. 7°. de decr. Hipp. 1ª.276.F
Humor totus perire non poteſt. contra Iulianum. Ex.70.B
Humores homine mortuo ſeparantur, & ad propriam naturam redeũt ſecundum aliquos. de ſpermate. Sp.40.F
Humores in terrã redire mortuo hõie inqt Ariſtoteles. de ſper. Sp.40.F
Humorem attrahit acredo. de dynamidijs. Sp.20.E
Humores qui quo tempore ſint purgandi. com. 6°. aph. 47°. Ex.52.B
Humores qui euacuandi in morbi principio, & qui non. commenta. 1°. aphoriſmo. 22°. Ex.10.B
Humores educendi præualente morbo. de dynamidijs Sp.20.D
Humores euacuandi per cutim, non ſunt euacuãdi per vomitum & per ſeceſſum. in 6^{m}. de mor. vul. com. 2°. 3ª.165.G
Humor in cute quo modo euacuandus. 1°. de comp. me. ſec. loc. 5ª.121.F
Humores omnes educuntur de ſtomacho. de cathar. Sp.94.G
Humores ex ſima parte hepatis per ventrem educendi ſunt ex parte autem gibba per vrinas. de cathar. Sp.94.G
Humores morbum facientes ſi non ſint purgati, cauſant abſceſſum, vbi eſt labor. com. 4°. aph. 2°. Ex.30.H
Humores quo modo debent eſſe fluxui parati ante purgationem. com. 1°. aphoriſmo. 24°. Ex.10.G
Humores fluidos eſſe debere, quo modo intelligendum. quos purg. op. qb. med. & quo temp. 5ª.88.H
Humorum inclinatio conſideranda. quos purg. op. quib. med. 5ª.88.G
Humorum motus pertinet ad euacuationem. com. 1°. aph. 21°. Ex.10.A
Humores debent euacuari per loca, ad quæ repunt opportuna. com. 6°. aphoriſmo. 22°. Ex.48.D
quis Humor euacuatus ſitim faciat. com. 4°. aph. 19°. Ex.29.C
Humor qlibet ſyncerus p̃ter ſanguinẽ, ẽ malus. ĩ p̃gn. cõ. 2°. 4ª.202.E
Humore pluſculo exolutas partes roborat hypociſthis. 7°. de ſimpliciũ medic. facul. 5ª.51.D
Humores purgandi in ictero. de cura icteri. Sp.111.F
Humorũ fecẽ ex corpore mundificans medicamentum. ſecret. Sp.101.G
Humores diuerſos laxans medicamen. de med. exper. Sp.106.B/G
Humores diuerſos laxat electarium iridis. de med. exper. Sp.105.E
Humores diſſoluẽs et liquefaciẽs eos medicamẽ. de me. exper. Sp.106.C
Humores omnes diſſoluit vrtica. de ſimp. med. Sp.92.A
ad Humores ægre eductiles. 7°. de comp. me. ſe. lo. 5ª.185.G
ad Humorem emittendum, vinculum. de faſcijs. 7ª.295.E
Humores à partibus robuſtioribus tranſmittuntur ad partes imbecilliores. de natura hum. com. 2°. 7ª.182.H
Humores ſemper deferuntur in partem ægram. 11°. met. me. 7ª.74.B
Humor poteſt irrepere in præcipuam partem, & in non præcipuam. de conſtitutione artis. Iſa.41.G
Humor ad articulos acceſſurus poteſt per vrinam mitti commento. 4°. aphoriſmo. 74°. Ex.35.H
Humores, & maxime in articulamentis extrahens, ſine inciſione. 6°. de comp. me. per gen. 5ª.261.G
Humores euocans aliud. 6°. de comp. me. per gen. 5ª.261.G
Humorem contentum extrahens. 6°. de comp. me. per ge. 5ª.262.A
Humor vnus raro purus in abſceſſibus. de diff. mor. 3ª.5.G
ex Humoribus ſinceris qui abſceſſus fiant. de cauſ. mor. 3ª.8.C
ex Humoribus mixtis quæ fiant. de bon. & vitio ſucc. 2ª.39.D
ex Humoribus commixtis quæ fiant. de cauſ. morb. 3ª.8.C
ab Humore ſi fieret palpitatio, non tam cito ſolueretur. 2°. de ſymptomatum cauſ. 3ª.20.G
ex Humore, & flatu dolorem curat Galenus oleo in quo ruta cocta ſit pro clyſteri vtens. 12°. met. me. 7ª.80.A
HVMORVM ſapores qui in terra cõtinẽtur. de na. hu. cõ. 1°. 1ª.31.G
Humoris tantundem potum exhibens irrigato, ſi humidum inſitum dilabitur. ad Thraſ. 2ª.104.E
Humore conſpergentes miniſtri medicorũ. in 6^{m}. de morbis vulgarib. commentario. 5°. 3ª.188.E
HVMOROSAM vuluã deſiccat diamoron de rubis. de dyn. Sp.26.B
HVMI cubare eſt cauſa fluxus ſanguinis in iuuenibus. commenta. 3°. aphoriſmo. 29°. Ex.26.C
Humi cubare plus nocet cõſiſtẽtibus, q̃ iuuenib⁹. c. 3°. ap. 30°. Ex.26.D
HVSTOLEX quid. de ſimp. me. Sp.85.C
Huſtolex eſt chryſocolla. de ſimp. med. Sp.85.C
Huſtolex ad aurum glutinandum idoneum eſt. de ſim. me. Sp.85.D
Huſtolex vires habet viſcide ſtringentes valde. de ſimp. me. Sp.85.D
HYACINTHVS quid. d̃ ſimplicibus medicaminibus. Sp.92.E
Hyacinthus ſiccus eſt in primo ordine, & frigidus in tertio. 8°. de ſimp. medic. fac. 5ª.6.H
Hyacinthus ſtyptica eſt valde. de ſimp. med. Sp.92.E
Hyacinthus ſeruat pueros impuberes. 8°. de ſimp. med. fac. 5ª.62.H
Hyacithus regio morbo laborantibus exhibet̃. 8°. de ſimp. m. f. 5ª.62.H
HYACINTHI roborant cor diſſolutum. de ana. viuo. Sp.46.D
Hyacinthis ad tẽperãtiã cor diſtẽperatũ reducit̃. de ana. viu. Sp.56.A
HYBRESTI acuti roſtri antidotus. 2°. de antid. 5ª.118.E
HYDATIS quid. fin. med. Iſa.48.G
Hydatides papulæ, quæ. 5°. de loc. aff. 4ª.29.D
Hydatides affectus partium exteriorum palpebrarum. introd. Iſa.58.D
Hydatides quo modo curandæ. 14°. met. me. 7ª.93.F
Hydatides oculorum morbus manu indiget. introd. Iſa.59.G
Hydatides ſingulatim tolluntur. introd. Iſa.59.G
HYDERICI ex vitioſo ſucco quibus color mutatur, in elephanticis ſplenicis, alijsq́; 3°. de ſymp. cauſ. 3ª.30.A
Hydericis conuenit cochlearum caro. 11°. de ſimp. me. fa. 5ª.78.F
Hydericis prodeſt medicamẽ recipiens cantharidas. 3°. de temp. 1ª.23.C
HYDNON, id eſt tuber terræ. 8°. de ſimp. me. fac. 5ª.62.H
HYDRELAEON quid. 2°. de anti. 5ª.114.B
Hydrelæum quo modo fiat. de dynamidijs. Sp.23.B
Hydrelæum oleum. 2°. de ſimp. med. fac. 5ª.16.C
ex Hydrelæo infuſiones ad capitis dolorem ex febre. 1°. de arte curat. ad Glauconem. 7ª.100.B
Hydrelæum prodeſt fractis. introd. Iſa.60.F
Hydrelæũ p̃ vomitu. 1°. de arte cur. ad Gla. 99.C/de rem. p. f. 7ª.160.H
ex Hydrelæo, & panæ decocto, cataplaſma ad cruſtas excidentes. 2°. de arte cur. ad Glauco. 7ª.107.B
ex Hydrelæo, & argẽti ſpuma emplaſtrũ. 1°. de cõp. m. p̃ ge. 5ª.212.H
HYDRAGOGA medicamenta, quæ. de atra bile. 1ª.36.B/ de dynam. 22.A/de catharticis. Sp.95.A
Hydragoga dantur mulieribus moleſtatis per lõgum tempus ab aliquo fluxu, & rheumatizantibus. de dyna. Sp.22.A
HYDRARGYRVS præparatur, non naſcitur ſponte. 9°. de ſimplicium medic. fac. 5ª.71.B
Hydrargyros per eroſionem interimit. 4°. de ſimp. me. fac. 5ª.30.B
Hydrargyrum non eſt expertus Galenus an interimat, ſi deuoretur. 9°. de ſimp. me. fac. 5ª.71.B
HYDRENTEROCELE quid. fin. med. Iſa.49.D
Hydrenterocele ſcroti. fin. med. Iſa.49.C
Hydrenterocele tumor ſcroti compoſitus. introd. Iſa.60.B
HYDROCELE quid. fin. med. Iſa.49.D/de tum. præt. nat. 3ª.85.G
Hydrocele tumor ſcroti. fin. med. 49.C/introd. Iſa.60.B
Hydrocele laborantium curatio. intr. Iſa.60.B/14°. met. me. 7ª.90.G
Hydroceles humor indicat de ablatione. 14°. met. me. 7ª.90.F
ad Hydrocelas quidam vtuntur bdellio ſaliua matutina ſubigentes. 6°. de ſimp. med. fac. 5ª.44.H
HYDROCEPHALON quid. fin. med. Iſa.49.A
Hydrocephalon ſuturarum diſtentio. intro. Iſa.59.C
Hydrocephali quatuor ſpecies. introd. Iſa.59.F
Hydrocephali curatio. introd. Iſa.59.G
Hydrocephalum incurabile, quod. introd. Iſa.59.G
HYDROCOPIARVM deſcriptiones architectonica complectitur. de cuiuſq; animi pec. not. atq; med. 2ª.57.B
HYDROMELI quo modo conficiatur. de dy. 22.D/ Sp.23.C
Hydromeli quo tempore faciendum. de dyna. Sp.22.D
Hydromeli habet ſaporẽ vini vetuſti, & guſtus indicat. de dy. Sp.22.E
Hydromeli, & acetum purgat aures. de cathar. Sp.95.B
HYDROMPHALOM quid. fin. med. Iſa.49.B
Hydromphali qui introd. Iſa.60.A
HYDROPHOBOS quid. fin. med. Iſa.47.D
Hydrophobos (aquæ timor dicitur). 9°. met. me. 7ª.58.H
Hydrophobos cuidã contigit poſt annum. in 1^{m}. pror. com. 2°. 4ª.171.E

de HYDROPE. 9°.de comp.med.ſec.loc. 5ª.200.A
de Hydrope ignorantia Eraſiſtrati.2°.de nat.fac. 1ª.299.F
Hydrops eſt aquoſus tumor.de oculis. 7ª.189.E
Hydrops quo modo,& quot eius ſpecies.de tum.præt.nat. 3ª.84.G
Hydropis tres ſpecies introd. Iſa.56.G
Hydropum duæ ſpecies,& quo modo curētur.de vict.rat.in morb.acu. commentario.4°. 7ª.148.G
Hydrops aſcites.fin.med. Iſa.47.F
Hydrops aſcites vocatus quando fiat.3°.de ſymp.cau. 3ª.26.C
Hydrops leucophlegmatias dictus quādo fiat.3°.de ſymp.cau. 3ª.26.C
Hydrops anaſarca quid.fin.med. Iſa.47.G
HYPOSARCIDION ſpecies hydropis.introd. Iſa.56.G
Hydrops tympanias quid.fin.med. Iſa.47.G
Hydrops ſicca ab Hippocrate dicit tympanias.c.4°.aph.11°. Ex.28.D
in Hydropa tympaniam,& in lienteriam quod cruditatis ſymptoma finiatur.3°.de ſymp.cau. 3ª.25.C
Hydrops ſubita quo modo.3°.de ſymp.cauſ. 3ª.28.F
Hydrops matellæ quæ affectio.6°.de locis affectis. 4ª.37.F
Hydrops matellæ raro fit,illā tñ bis vidit Galenus.6°.de lo.af. 4ª.37.F
Hydrops quo modo lethargo comparetur.3°.de ſymp.cauſ. 3ª.29.D
Hydrops longus morbus.com.1°.aph.12°. Ex.5.D
Hydropis cauſa.introd. Iſa.56.H
Hydrops ex quibus fiat cauſis.2°.de nat.fac. 1ª.299.F
Hydropis generandi prima cauſa.2°.de nat.fac. 1ª.299.G
Hydropes vniuerſi fiunt patiente hepate.de vir.noſt.cor.diſp. Sp.60.B
Hydrops ſequitur neceſſario ad ſcirrhum iecinoris.3°. de præſagitione ex pulſibus. 4ª.121.E
Hydrops non ſequit neceſſario ad ſcirrhum lienis.3°.de pſa.ex.4ª.121.E
Hydropem facit extrema frigiditas.2°.de nat.fac. 1ª.299.F
Hydropem quo modo faciat aqua frigida.6°.de loc.aff. 4ª.36.C
ad Hydropē deſinūt aliqñ aquæ paludoſæ hyeme.de bon.aque.Sp.75.E
Hydrops humiditatem ventriculi nimiam debet præceſſiſſe.3°. de ſymptomatum cauſis. 3ª.25.D
ī Hydropē terminat ſanguificæ virtutis ībecillitas.3°.d ſym.ca. 3ª.25.C
Hydropes à carne bubala.3°.de alim.fac. 2ª.25.H
Hydrops cur fiat autumno.com.3°.aph.22°. Ex.24.E
Hydropes quibus accidunt.in 6m.de mor.vulg.com.3°. 3ª.178.D
in Hydropem tranſeunt icterici.de cura icteri. Sp.111.C
Hydropis inceptio.ſecretorum. Sp.100.H
Hydropes quædam colorem mutant.de ſympt.diff. 3ª.13.B
Hydropum qualis caro.3°.de ſymp.cauſ. 3ª.26.G
Hydropum caro qualis.2°.de arte cur.ad Glau. 7ª.107.G
in Hydropibus quō ſe habēt epigaſtrij muſculi.2°.de mot.muſ.1ª.316.F
in Hydrope vrina rubra futuram mortem prædicit.de ſperm. Sp.35.D
Hydropis curatio. intro.Iſa.56.H/14°.met.me. 7ª.90.G
Hydrops,& ſputum ſanguinis quo modo curentur, quia ſunt contrarij morbi.com.1°.aph.16°. Ex.9.A
ī Hydrope dat vinū fulvū antiquū.de vic.rat.in mor.ac.c.4°. 7ª.149.B
in Hydrope dat panes calidos ex oleo vel pinguedine. de victus ratio. in morb.acut.com.4°. 7ª.152.E
Hydropi poculum.de vict.rat.in morb.acat.com.4°. 7ª.152.E
Hydropi potio conueniens.de vict.rat.in morb.acut.com.4°. 7ª.152.G
ꝓ Hydrope Itrium.de vict.rat.in mor.acut.com.4°. 7ª.152.G
ī Hydrope an carnes ſuillæ dandæ.de vict.ra.in mor.ac.c.4°. 7ª.149.B
Hydropis humor indicat de ſui ablatione.14°.meth.med. 7ª.90.F
in Hydrope quo in loco ſit aqua.5°.de loc.affe. 4ª.33.H
Hydrops fit in ſpatio inter inteſtina,& peritonæū.1°.de na.f. 1ª.293.D
Hydropē medicamēto hydragogo ſanauit Galenus.cōtra.Iul.Ex.69.H
Hydropis aquā nō educit medicamētū flauæ bilis.de purg.me. 5ª.86.G
ꝓ Hydrope catapotia.de vict.rat.in mor.acut.com.4°. 7ª.152.G
ad Hydropem pillulæ.ſecretorum. Sp.101.B
ꝓ Hydrope tithymalli ſeptem guttæ in ſingulas caricas.de vict. rat.in mor.acu.com.4°. 7ª.152.G
in Hydrope educens cataplaſma.9°.de comp.me.ſec.loc. 5ª.200.F
Hydrops ſanguinis euacuatione curatur.de venæ ſect.ad Eraſ. 6ª.7.B
quæ Hydrops ſanguinis miſſione curari poſſit.de vict.rat.in morb.acu. commenta.4°. 7ª.149.A
Hydrops quando eſt ex retentione hæmorroidum vel mēſium, eget ſanguinis miſſione.de venæ.ſect.aduerſ.Eraſ. 6ª.7.B
in Hydrope ſecatur vena in ventre ſuper iecur.de ana.viu. Sp.55.B
in Hydrope ſanguis non mittendus.de venæ ſect.adu.Eraſ. 6ª.6.F
Hydropi ſanguinem detrahere potius obeſt,q̄ pſit.de atra bile. 1ª.37.E
Hydropem ſanat bubulum ſtercus.de theria.ad Piſon. 5ª.92.F
in Hydrope ſtercus bouis armentariæ.9°.de comp.me.ſe.lo.5ª.200.E
in Hydrope ſtercus caprinum.8°.de comp.me.ſec.loc. 5ª.200.F
cōtra Hydropem valet theriaca.de theria.ad Pyſo. 5ª.91.G
ad Hydropas incipientes.7°.de comp.med.ſec.loc. 5ª.179.F
ad Hydropem ſecretorum.97.B/ Sp.99.C
Hydropi valens medicina.de med.exper. Sp.105.A/B
Hydrops,vide Aqua intercus.
HYDROPICAE matricis ſigna,& curatio.de paſ.mul. Sp.96.A
Hydropicorum aqua vbi congregetur.com.7°.aph.53°. Ex.58.H
Hydropicorum pulſus qualis in omni ſpecie.de pulſ.ad tir. 4ª.46.D
Hydropicorum tumor diuerſus ab alijs.ad Thraſ. 2ª.105.A
Hydropicorum vrina qualis.de ſpermate. Sp.35.B
Hydropici quomodo curentur.intro. Iſa.60.A
Hydropicis quæ à fortuna viſa ſunt conferre.contra Iulia. Ex.66.E
Hydropico damus cathartica.de dyna. Ex.20.E
Hydropicis pſunt medª.trahētia aquas.d atra b.1ª.36.B/d dy.Sp.22.A
Hydropicis proſunt Caricæ.de ſimp.med. Sp.84.C
Hydropicos iuuat ſuccus Centaureæ.de virt.cent. Sp.94.A
Hydropicis prodeſt Chamædrys.de ſimp.me. Sp.82.H
Hydropicos ſiccat chamæleo.de ſimp.me. Sp.82.F
Hydropicis vtiliſſima eſt agreſtis Cucumeris radix.de dyn. Sp.22.B
Hydropicos inanit,& purgat Ebuli radix.de ſimp.me. Sp.84.C
Hydropicis maxime datur Euphorbium.de ſimp. me. Sp.83.E
ꝓ Hydropicis,& corpulentis Flos ſalis aquæ marinæ miſtus.14°.methodi medendi. 7ª.91.E
Hydropicis in potu datur lapis Magnes.de ſimp.me. Sp.86.G
Hydropicis prodeſt Raphanus.de ſimp.me. Sp.89.F
Hydropicis datur Scilla.de ſimp.me. Sp.90.H
ad Hydropicos decoctio.de med.exper. Sp.107.D
Hydropicis prodeſt electarium iridis.de med.exper. Sp.105.D
Hydropicis valens electarium.de med.exper. Sp.108.A/D
ad Hydropicos emplaſtrum.9°.de comp.me.ſec.lo. 5ª.200.C
ad Hydropicos epithema.9°.de comp.med.ſec.loc.5ª.200.A/de med.fac.par. 7ª.167.D
ad Hydropicos malagma.9°.de comp.me.ſec.loc.199.D/ 5ª.200.C/E
Hydropicis benefaciens.6°.de comp.me.per gen. 5ª.261.G
Hydropicis valens medicamē.de med.exp.105.D/H/106.F/ Sp.108.A
ad Hydropicos ex Andromacho.9°.de comp.me ſec.loc. 5ª.200.E
ad Hydropicos,Cleophanti.9°.de comp.me.ſec.loc. 5ª.200.E
ad Hydropicos incipientes.2°.de cōp.me.per ge.225.E/3°. 5ª.235.C
ad Hydropicos inueteratos.7°.de comp.med.ſec.loc. 5ª.186.B
Hydropicis anaſarcam patientibus.de dyna. Sp.21.C
ad Hydropicos.8°.de comp.me.ſe.loc. 190. H/193.C/195. E/G/196.H/ 9°.198.F/199.A/C/E/200.E/10°.206.B/207.E/F/2°. de comp.med. per gene.226.E/F/5°.5ª.247.F/.de re.pa.fa.159.C/ 7ª.174.D
Hydropicorum vaporarium doliare,quo euacuātur citius & amplius q̄ in balneis.de vtil.reſp. 1ª.225.C
ꝓ Hydropicis inſtrumentum euacuatorium.de vtil.reſp. 1ª.225.C
Hydropicos pforare,& cutē ſcarificare diſtāt inter ſe.ad Th.2ª.105.A
Hydropicorum tali ſcarificandi.8°.de comp.med.ſec.loc. 5ª.200.H
Hydropicorum duo caſus.contra Iulianum. Ex.70.C
HYDROPIPERI vnde dictum.8°.de ſimp.med.fac. 5ª.62.H
Hydropiperi ſugillata & tumores induratos digerit.8°. de ſimplicium medic.facul. 5ª.62.H
HYDROPOTON ad febrem quotidianam,tertianā,ſed maxime quartanam,& ad omnes acceſſiones,& anguſtias,ſomnum facit, faſtidiū tollit,ſudorem prouocat.de dyna. Sp.32.C
HYDRORODINON quid.de rem.par.fac. 7ª.160.H
HYDRI morſibus confert centaurea.de virt.centau. Sp.93.H
cōtra Hydrum valet theriaca.de ther.ad Piſo. 5ª.91.E
HYELINOS, id eſt vitreus humor oculi.de ocul. 7ª.182.G
HYEMS & æſtas quomodo fiant.de hiſt.philoſ. Sp.8.C
Hyemis principium quando.in 1m.de morb.vulg.com.1°. 3ª.102.A
Hyemis principium vergiliarum occaſus.in 1m.de mor. vul. cō. 3°.103. B/com.3°.aph.14°. Ex.22.F
Hyemem & alia tempora poſſe diuidi in multas partes,collige.com.3°. aphoriſmo.23°. Ex.24.H
Hyemis diuiſio.in 1m.de mor.vulg.com.1°. 3ª.107.G
Hyemis,& æſtatis diuiſio.in 1m.de morb.vulg.com.1°. 3ª.102.B
Hyemis tres partes,& quæ.in 1m.de morb.vulg.com.1°. 3ª.102.B
Hyemis conuerſio quando,& quid faciat humor tunc,& quibus vti debemus.

bemus.de dynamidijs. Sp.20.C
Hyems quot dies habeat.de dyna. Sp.20.C
Hyems ferè perpetua Scythis.de aere,aquis,& locis. 5ª.5.E
Hyemis ad æſtatem proportionem habet principium menſis cum plenilunio.3º.de diebus decretorijs. 4ª.158.B
Hyems eſt frigida,& humida.1º.de temp.1ª.11.C/in 1^{m}.de morb. vulga. commentario.1º. 3ª.110.H
Hyemis humidiſſima,& frigidiſſima.2º.de criſib. 4ª.134.D
Hyems cuius comparatione eſt frigida,& humida.1º.de tem. 1ª.11.F
niſi Hyeme non ſit ſtatus humidus,& frigidus.10º.meth.me. 7ª.63.E
Hyems cur humida & frigida.de nat.hu.32.D/de ſperm. Sp.39.A
Hyemis frigus quo modo à ſole procedat.de na.hu.com.1º. 1ª.32.D
HYEME ſi calida aqua,æſtate frigida eſt vna cognitio bonarum,& malarum aquarum.de bon.aquæ. Sp.75.H
Hyeme frigidæ aquæ,æſtate calidæ,malæ.de bon.aquæ. Sp.75.D
Hyeme cur ꝑfundi fõtes calidiſſimi ſint, ęſtate frigidiſſimi.đ bo.S.75.H
Hyeme calidæ aquæ,æſtate frigidæ,optimæ ſunt.de bon.aqu. Sp.75.G
Hyeme in aliquibus fontibus cur aqua diſparet, æſtate abundat. de bonitate aquæ. Sp.75.H
Hyeme non abundant aqua fons in Delo,& putei in Pitho,ſed in æſtate. de bonitate aquæ. Sp.75.H
Hyemales aquæ optimæ ſunt.de bonitate aquæ. Sp.75.F
HYEMS naturalis qualis eſſe debet, & quòd ſemper debemus intelligere in regionibus temperatis.com.1º.aph.13º. Ex.22.B
Hyems naturalis eſt frigida,& humida.com.3º.aph.13º. Ex.22.B
Hyems humida.com.1º.aph.2º. Ex.3.D
Hyeme ſm naturã debẽt eẽ vẽti magni.ĩ 1^{m}.de mor.vul.cõ.1º.3ª.103.H
qñ Hyems mediocritatem ſeruauerit, bene omnia tempore hiberno in corpore animalis adminiſtrantur.com.1º.aph.15º. Ex.8.E
Hyemes fortes in Europa,cur.de aere,aq.& loc. 2ª.6.B
Hyemis mutatiões ſentiunt̃ in ſemine et gñatiõe.de aere,aq.et.l. 2ª.6.B
Hyems aſpera dolorem facit.de nat.hu.com.1º. 1ª.28.H
Hyems ſi inueniat aliquem temperatum,non conſeruat ipſum in ſua tẽperie.comp,3º.aph.20º. Ex.24.B
Hyems pituitã gñat,etiã in corpe temperato.cõ.3º.apho.20º. Ex.24.B
Hyeme qui humor abundet.de nat.hu.com.1º. 1ª.31.H
Hyeme abundat pituita ſm Hippocratẽ.bre.denot.dogm.Hippo.231.B/8º.de decr.Hipp.1ª.276.D/com.1º.aph.2º. Ex.3.D
Hyeme pituita abundat frigidiſſimus humor in frigidiſſima tempeſtate. in 1^{m}.de morb.vulg.com.1º. 3ª.104.B
Hyeme calor naturalis eſt vehemẽtior,igitur non deberet gignere pituitam,cur ergo gignatur.de nat.hu.com.1º. 1ª.32.E/F
Hyemis tempore vtimur phlegmagogis.de dyna. Sp.21.C
Hyeme quãdoq; abundat flaua bilis,licet raro.cõ.4º.aph.4º.Ex.27.H
HYEMS qbus ætatibus et naturis quadret magis.c.3º.a.18º. Ex.23.G
Hyems eſt optima conſiſtentibus.com.3º.aph.18º. Ex.23.H
Hyeme,et æſtate naturæ calidæ,& hũidæ bñ ſe hñt.c.3º.a.2º.Ex.20.A
Hyeme bene ſe habẽt naturæ calidæ & ſiccæ.com.3º.apho.2º.Ex.20.B
Hyems pulſus alterare poteſt,non efficere.1º.de cauſ.pulſ. 4ª.86.G
Hyeme animalia latent veluti mortua.2º.de loc.aff. 4ª.14.B
Hyeme viperæ tractatę non mordent.2º.de loc.aff. 4ª.14.B
HYEME veſtes mundæ ſunt induendæ.de ſal.dięta. 2ª.41.A
Hyeme,æſtate,in loco calido in loco frigido,viro,puero,ſeni,mulieri nõ æque conueniunt capilli.11º.de vſu par. 1ª.189.F
Hyeme plus appetimus quàm æſtate.com.1º.aph.15º. Ex.8.D
Hyeme ventriculi calidiſſimi ſunt calore naturali,corporis autem partes è contrario.de nat.hu.com.1º. 1ª,32.E
Hyeme cur frigeſcit venter in aliquibus.de nat.hu.com.1º. 1ª.32.E
Hyeme iecur non perfecte cõcoquit ob frigus.de nat.hu.cõ.1º. 1ª.32.F
Hyeme vẽæ totius corpis refrigeratæ nõ ꝑbe coquũt.đ n.h.c.1º. 1ª.32.F
HYEME qũo edendum & bibendum,& quid.de ſal.diæta. 2ª.39.H
in Hyeme quomodo cibandum.de diſ.cont. Sp.71.G
Hyemis cibi qui vulgo ſunt in vſu.de nat.hum.com.1º. 1ª.32.F
Hyemis cibi pituitoſiores.de nat.hu.com.1º. 1ª.32.F
Hyeme vtendum cibis ſiccis & melancholicis.1º.de alim.fac. 2ª.13.F
Hyeme cur ſumi debeant cibi craſſi.de diſſo.cont. Sp.72.G
Hyeme dari poſſunt multi cibi.com.1º.aph.18º. Ex.9.E
Hyemis cibus quantus.de ren.aff.dig.& med. 7ª.195.B
Hyemis potus quantus & qualis.de ren.aff.dig.& med. 7ª.195.B
Hyeme dandum Falernum, Tmolitanum, Auriuſium, & Lesbium vinum.de dynamidijs. Sp.76.G
Hyeme ĩ ocio degẽtes et multũ bibẽtes multũ mĩgũt.1º.đ na.f. 1ª.296.D
Hyemem totam cum quidam magnopere repletus ſine exercitijs degeret,quo modo vere ſuffocatus fuerit.de venæ.ſect.adu.Eraſ. 6ª.9.F
Hyeme calfacere,& ſiccare corpora oportet.de ſal.diæta. 2ª.39.H
HYEME quid agere debent exercitantes ſe.de ſal.diæta. 2ª.42.E
Hyeme qũo præparãdus locus in quo ſit exercitatio.de ſan.tu. 2ª.73.C
Hyeme qd agebat ruri Galenus exercitij gratia.2º.de ſan.tu. 2ª.73.H
Hyeme paucis lauacris vtendum.de ſal.diæta. 2ª.41.A
Hyems qualis ſequatur,ſi æſtas pluuioſa ſit ſpirante auſtro, & autumnus eodem modo.de aere,aq.& loc. 2ª.4.C
Hyems inſalubris eſt,ſi æſtas & autumnus ſint pluuioſi. commenta.3º. aphoriſmo.13º. Ex.22.A
Hyems .Aquilonia.in 1^{m}.de morb.vulg.com.2º. 3ª.170.H
Hyeme aquilo magnus,& longus.in 1^{m}.de mor.vul.com.1º. 3ª.103.H
Hyems ſicca, & aquilonia,vel pluuioſum,& auſtrale, quos morbos generet.com.1º.aph.11º. Ex.20.H
ſi Hyems ſit borealis & ſicca,ver auſtrinum, quæ contingant in æſtate.de aere,aquis,& locis. 2ª.4.A
Hyems auſtrina.in 1^{m}.de mor.vulg.com.1º. 3ª.103.H
HYEME qui morbi.de natura humana.com.1º.1ª.31. H/ commenta. 3º. aphoriſmo.23º. Ex.24.G
Hyeme morbi pituitoſi.8º.de decr.Hipp. 1ª.276.E
in Hyeme maxime febres quotidianæ fiunt.2º.de diff.feb. 3ª.36.D
Hyeme fiunt dolores capitis,tuſſes,raucedines,grauedines, & tabes,ſi æſtas aqlonia fuerit,& autũnus pluuioſus.cõ.3º.aph.13º. Ex.21.H
Hyeme tuſſiunt homines.8º.de decr. 1ª.276.E
Hyeme paludoſæ aquæ rupturas,pleureſes,tuſſes faciunt, cõuertuntur ad ſplenẽ,& aliquando deſinunt ad hydropẽ.de bon.aquæ. Sp.75.D
Hyeme calcanea,digiti,& omnia extrema frigido exulcerantur, calore ſanantur.com.5º.aph.22º. Ex.39.E
Hyeme partes extremas frigidas eſſe,nõ malũ.c.7º.aph.1º. Ex.54.A
in Hyeme Hippocratica facies nõ eſt exitioſa.in prog.cõ.1º. 4ª.191.E
Hyeme potius accidunt abſceſſus,tardius deſinunt, & minus retrocedunt.in prognoſt.com.3º. 4ª.210.D
Hyeme diuturnos vt plurimum fieri morbos inquit Hippocrates.breuis denotatio dogmatum Hippocratis. 1ª.231.D
Hyeme ſi quis in victu delinquat,quo modo vere incidit morbos diuturnos.com.6º.aph.55º. Ex.53.D
Hyems facit tarditatem in morbis.com.1º.aph.12º. Ex.5.E
Hyeme morbi longiſſimi & cur.com.2º.aph.25º. Ex.16.A
Hyeme neq; morbi ſoluunt̃ manẽtibus ijs q eos efficiũt humoribus,neq; ægroti moriunt̃ viribus interim ſufficiẽtibus.c.2º.apho.25º.Ex.16.B
Hyems nullam plenitudinem in parte aliqua corporis diſſoluit. com.1º. aphoriſmo.13º Ex.22.C
Hyeme terminant̃ morbi qui æſtate augẽtur.de nat.hu.com.1º. 1ª.33.D
Hyems ſoluit morbos æſtiuos.in 3^{m}.de mor.vul.com.3º.147.B/3ª.151.H
Hyeme q emerſerit morbi,æſtate ꝓfligãt̃.ĩ 3^{m}.de m.vul.cõ.3º. 3ª.147.C
Hyemales morbi prorſus æſtate diſcuti, mendacium apparet. in 3^{m}. de morb.vulg.com.3º. 3ª.147.D
Hyeme ſm Dioclẽ febris ardẽs põt facile ſanari.c.2º.aph.34º. Ex.17.D
Hyeme qũo debẽt gubernari ægri,et qũo cibãdi ſũt.c.1º.a.17º. Ex.9.D
Hyeme ĩferiores ꝑtes purgãdæ,æſtate ſupiores.cõ.4º.aph.4º. Ex.27.G
Hyems cauenda eſt in vomitu.com.4º.aph.6º. Ex.28.A
Hyemem vitandes graciles,& facile vomentes purgare conuenit.de catharticis. Sp.94.C
Hyeme ſupra purgari,quorum alui inteſtinorum læuitate laborant, malum.com.4º.aph.12º. Ex.28.E
Hyeme cũ pituita ĩ vẽtre gñat̃,vomitibus expurgãda.de ſal.d. 2ª.41.H
Hyeme calidæ ſint potiones.12º.met.me. 7ª.76.B
Hyeme calidum,æſtate frigidum oxymeli quibus præbendum. de vict. rat.in mor.acu.com.1º.114.F/de puero epilep. 7ª.180.E
Hyeme quæ ventrem ſoluant.5º.de ſan.tuen. 2º.92.E
Hyeme quibus venter ſtringitur.5º.de ſan.tu. 2ª.92.G
Hyemale tempus alia expetit medicamẽta.1º.de cõp.me.ſe.lo. 5ª.125.F
Hyeme,& æſtate,medicamenta vario modo applicanda ſunt.2º. de arte cur.ad Glau. 7ª.101.G
Hyeme medª.đbẽt eẽ molliora,æſtate duriora.7ª.đ cõ.m.ꝑ ge.5ª.268.G
HYENAE adeps tenuium partium.3º.de comp.me.per ge. 5ª.233.H
Hyenæ adeps in quo ordine ſit inter acopa.7º.de cõp.m.ꝑ gen. 5ª.269.F
Hyenæ adeps quo loco reponatur inter calida, quæ valent alopecijs.1º. de comp.me.ſec.loc. 5ª.122.D
ꝓ Hyenæ adipe anſerinus.1º.de comp. me.ſe.lo. 5ª.122.D
Hyenarum bile inferius eſt fel taurorum.10º.de ſimp.me.fa. 5ª.74.H

Hyenarum bilis inferior eſt bile Callionymi, ſcorpij marini, & marinæ teſtudinis.10°.de ſimp.med.fac. 5ª.74.H
Hyenæ fel ad oculos.10°.de ſimp.me.fac. 5ª.74.F/H
Hyenę fel viſum acuit.de theria.ad Piſo. 5ª.93.F
Hyenæ fel iuuat ſuffuſiones.intro. Iſa.58.C
Hyenæ fel ad pilos palpebris inatos oculũ infeſtãtes.ď re.pa.f. 7ª.156.G
HYGIDION collyrium.4°.de comp.me.ſec.loc. 5ª.154.D
HYGIENI Hipparchi medicamentũ.10°.de cõp.me.ſe.lo. 5ª.208.G
Hygieni melinum.1°.de comp.me.ſec.loc. 5ª.130.H
Hygijni emplaſtrum boni coloris ad multa.2°. de compoſitione medicamen.per genera. 5ª.223.B
HYGRA ſtypteria.9°.de ſimp.me.fac. 5ª.71.A
HYGROCIRSOCELE quid ſin.med. Iſa.44.D
HYMETTION mel,quale,vbi.de theria.ad Piſo. 5ª.95.G
Hymettium mel maxime detergit.8°.met.me. 7ª.52.H
HYMNI maiores laudibus,Dei vero opera vtriſq; maiora. 7°. de vſu partium. 1ª.162.F
HYOEIS os.16°.de vſu partium. 1ª.215.F
Hyoeides os à literæ Υ ſimilitudine appellatum.de muſ.diſſ. 1ª.46.A
Hyoeides os ſiue hypſiloeides,quod & non nulli lambodoeides nominãt. de muſculorum diſſectione. 1ª.46.D
Hyoeides os & pharyngethron idem.de voc inſtr.diſſ. 1ª.107.B
Hyoeides os qui muſculi ligant maxillæ inferiori, & eorum proceſſus. de muſculorum diſſectione. 1ª.46.D
Hyoeides os q muſculi ſurſum ad maxillã retrahũt.ď muſc.diſſ. 1ª.46.F
HYOSCYAMVS ex Creta Romam apportat.1°.de.c.m.p.gen.5ª.211.F
Hyoſcyami differentiæ,quales.8°.de ſimp.me.fac. 5ª.63.A
Hyoſcyamus venenum.eſt.de opt.ſecta. Iſa.21.F
Hyoſcyamus venenoſus eſt,& fugiendus.8°.de ſimp.med.fac.5ª.63.A
Hyoſcyamus non eſt acidus.4°.de ſimp.med.fac. 5ª.28.C
Hyoſcyami ſemen frigidum.3°.de ſimp.me.fac. 5ª.21.H
Hyoſcyami ſuccus odore cum homine pugnat,nẽpe humanæ naturæ contrarius.4°.de ſimp.me.fac. 5ª.29.E
Hyoſcyami ſuccus,modice ſumptus prodeſt. de victus ratione in morbis acutis,com.2°. 7ª.118.D
Hyoſcyamus frigidus natura,frigidos parit morbos.de cau.m. 3ª.7.D
Hyoſcyamus frigidiſſimus eſt in quarto gradu.3°.de ſimp.m.fa.5ª.19.G
Hyoſcyamus floris candidi frigidus eſt in tertio.8°.de ſim.m.f.5ª.63.A
Hyoſcyami vires,quæ.de ſimp.med. Sp.92.D
Hyoſcyamus vires habet refrigerantes,& ſtringentes,& marcorẽ facit,in antidotis,& collyrijs mittitur,omnẽ dolorẽ compeſcit, interſicit ſi bibatur,& eſt venenoſum.de ſimp.med. Sp.92.D
Hyoſcyamus oculis mire obeſt.3°.met.me. 7ª.17.E
Hyoſcyamus mortificat corpora 8°.de comp.me.ſe.lo. 5ª.190.G
ad Hyoſcyamum valet theriaca.de theria.ad Piſo. 5ª.91.E
Hyoſcyamus quibus conueniat,& quibus non. 7°. de ſimp. medicamẽ. facultatibus. 5ª.185.A
Hyoſcyami ſemen ad quæ.8°.de comp.me.ſe.lo. 5ª.189.F
Hyoſcyami ſemen dat per os.7°.de comp.me ſe.lo. 5ª.184.C
Hyoſcyami toſti meminit.9°.de comp.me.ſe.lo.203.D/ 5ª.206.C
HYOSCYAMINVM oleum.6°.de ſimp.med.fac. 5ª.46.H
Hyoſcyaminum oleũ emollit,& refrigerat.6°.de ſimp.me.fa. 5ª.46.H
HYPECOON frigidũ eſt in tertio ordine.8°.de ſimp.me.f. 5ª.63.A
HYPERBATON figurã colligẽ dũ inquit Galenus, Inordinato quodã interpretandi gñe mihi videtur vſus Hipp.cõ.3°.aph.3°. Ex.20.B
HYPERBATOS laqueus (id nomen traxit ex eo quod ſupra feratur) quo modo adhibeatur.de laqueis. 7ª.308.H
HYPERBERETAEVS menſis apud græcos,qui Romæ September.4°. de ſanitate tuenda. 2ª.86.G
HYPERBOLICAE figuræ quæ.in prognoſt.com.1°. 4ª.193.E
HYPERCRISIS quid.in prognoſt.com.3°. 4ª.207.H
HYPERICVM quid.de ſimp.med. Sp.92.E
Hypericũ Italiæ qñ æquale illi,qđ in Creta naſcit.1°.de ant. 5ª.105.D
Hypericum Romæ inuenit Galenus.1°.de anti. 5ª.102.B
Hypericum calidum eſt,& ſiccum.8°.de ſimp.med.fac. 5ª.63.A
Hypericum acriter ſtringit,iſchiadicos emendat,vrinam prouocat,ventrem ſtringit,combuſta ſanat.de ſimp.med. Sp.92.E
Hypericum ad quid valeat.de cura icteri. Sp.111.B
Hypericum menſes,& vrinas prouocat, & ad cicatricem ducit.8°.de de ſimp.med.fac. 5ª.63.A
Hypericum ambuſta ad cicatricem ducit,mollia nimis,humidaq; & putredinoſa vlcerum ſanat, & iſchiadicis bibendum exhibetur. 8°. de ſimp.medica.facul. 5ª.63.A
Hypericum theriacam ingreditur.de theria.ad Piſo. 5ª.92.F
HYPEZOCOTA. 13°.meth.med. 7ª.85.D
HYPNOTICA quæ.de dynamid. Sp.18.G
Hypnoticum ſolanum quale.8°.de ſimp.me.fac. 5ª.62.G
Hypnoticũ ſolanũ frigidũ eſt in tertio ordine.8°.de ſimp.me.fa. 5ª.62.G
HYPOCHEOMENOVS ſuffuſos vocant.6°.de ſan.tuen. 2ª.98.H
HYPOCONDRIA quæ & quare introd. Iſa.53.C
Hypochondria loca ſunt ſub ſplene, & hepate.de anat.parua. Sp.43.B
Hypochondrium ſingulari numero,quid ſignificet.in 3m.de morb. vulg. commentario.1°. 3ª.131.B
Hypochondrium ſimpliciter ſignificat dextrum.in 3m.de morbis vulga. commentario.1°. 3ª.131.B
Hypochondriorum dexteræ parti cibi craſſi & lenti ſucci nihil faciunt grauitatis aut tenſionis.de bon.& vitio ſucc. 2ª.35.A
Hypochondria (id eſt ilia) optimum eſt abſque dolore eſſe & mollia, & æqualia.com.2°.aph.35°. Ex.17.E
Hypochondriorum partes,& quæ in ipſis ſint multæ partes.in 1m. pror. commentario.2°. 4ª.172.D
Hypochondria tenuia ſunt mala, & tanquam ſignum, & tanquam cauſa.com.2°.aph.35°. Ex.17.E
Hypochondria trahunt intus,qbus vox acuit.ĩ 1m.pror.c.2°. 4ª.170.C
Hypochondrij grauitas non eſt ægritudo.de conſt.ar. Iſa.42.D
Hypochondriorum inflammationes ſiunt luna in coniunctione ſolis ſaturno in tetragono.de decub.progn.ex.math.ſcient. Sp.13.A
Hypocondriorum, & hepatis phlegmonæ ſunt hæmorrhagicæ. in 1m. pror.com.3°. 4ª.186.D
Hypochondria inflammatione obſeſſa non ſpirituũ interclusione, ſanguinis miſſione prius indigent, q̃ euacuatione.de vict.rat. in morbis acutis,commen.3°. 7ª.137.B
Hypochondriorum caliditatem non remouentes ſudores,non boni.in 1m. pror.commen.1°. 4ª.164.B
in Hypochondriorum inflammationibus roſa conueniret,niſi adſtringeret.3°.de ſimp.me.fac. 5ª.18.H
ad Hypochondria ardentia magis cõuenit omphacium,quàm acetum. 4°.de ſimp.med.fac. 5ª.27.F
Hypochondriorum ardore laborantes,debent ſine violẽtia mitigari.4°. de ſimp.med.fac. 5ª.27.F
Hypochondrijs ignitis quæ non obſint.de cura icteri. Sp.111.A
Hypochondrij,ceruicis,& lumborũ dolores habet caput dolens.in 1m. pror.com.1°. 4ª.161.H
ex Hypochondriorum doloribus febres malignæ ſunt.in 1m.pror. commentario.2°. 4ª.172.D
ad Hypochondria dolores in febribus cum aphonia ſudore ſi ſoluuntur maligni.in 1m.pror.com.2°. 4ª.176.G/H
qbus Hypochõdria ſublata,murmurãtia,iliũ dolore accedẽte,ijs alui humectãt niſi flatus erũpãt,vel vrinæ pueniat copia ď vri.ſig.Sp.78.G
Hypochondria tenſa illinenda ſunt lini ſemine, aqua, & oleo tepidis.de victus rat.in mor.acut.com.3°. 7ª.140.H
Hypochondria extenta habentibus non eſt medicamentum exhibendũ. de vict.rat.in mor.acu.com.4°. 7ª.150.D
ad Hypochõdriorũ.i.pcordiorũ diſtẽtiones.7°.de cõp.m.ſe.lo.5ª.185.H
Hypochondrijs lac non conuenit.3°.de alim.fac. 2ª.28.B
Hypochondrijs valet butyrum.10°.de ſimp.med.fac. 5ª.74.D
Hypochondrijs gratiſſimum chamæmelum.3°.de ſimp.me.fa. 5ª.18.H
Hypochondrijs gratum lini ſemen.3°.de ſimp.me.fac. 5ª.18.H
in Hypochondrijs oleo roſaceo vti licet.2°.de ſimp.me.fac. 5ª.10.A
Hypochondria cataplaſmanda in ictero.de cura icteri. Sp.110.H
Hypochondria quod cerotum vel malagma applicandum in icteris. de cura icteri. Sp.111.C
in Hypochõdrijs œdema cur facile ſuppuratur.in pgn.cõ.1°. 4ª.196.F
Hypochondrijs quæ affiguntur cucurbitulæ ſepenumero ſanguinis ad nares impetum potenter reuulſiſſe conſpexiſtis & immodicas per vterum irruptiones.de cucur.ſcarif. 6ª.4.G
HYPOCONDRIACVS flatuoſusq; morbus.3°.de lo.af. 4ª.18.G
Hypochõdriacus flatus quo fiat, & quæ illũ ſequãtur.3°.ď l.af. 4ª.18.C
Hypochondriaci flatus cauſa.3°.de loc.affect. 4ª.18.H
Hypochondriacus flatus à qua cauſa.3°.de loc.aff. 4ª.19.D
Hypochõdriaci flatus cognitio vnde ſumatur.de mel.ex Gal.Sp.109.G
Hypochondriaci flatus ſigna.de mel.ex Gal.Ruf.& Poſſ. Sp.109.C
in Hypochondriaco flatu cruditates.5°.de loc.aff. 4ª.32.H
Hypochondriaci flatus ſymptomata.3°.de loc.aff. 4ª.18.H

Hypochõdriaci flatus ſymptomata, an in cerebro. 3°. de loc. aff. 4ª.19.D
Hypochondriaci flatus ſymptomata ſunt atræ bilis ſymptomata. 5°. de locis affectis. 4ª.32.H
Hypochõdriaca, et flatuoſa q̃uo vocat̃ melancholia. 3°. de lo. af. 4ª.19.D
Hypochondriacus flatus quo modo facit melancholiam. de mel. ex Gal. Ruſo, & Poſſidonio. Sp.109.B
Hypochõdriacũ flatũ habẽtes cur melãcholici. 2°. de ſymp. ca. 3ª.24.D
in Hypochõdriaco flatu videt̃ in vẽtriculo ĩflãmatio. 3°. đ l. af. 4ª.19.B
ex Hypochondriaco flatu ſplenici. 5°. de loc. aff. 4ª.32.H
ex Hypochondriaco flatu ſanies vitioſa ex ſplene in ventriculum. 5°. de locis affectis. 4ª.32.H
Hypochondriaci flatus curatio. 3°. de loc. aff. 4ª.19.D
Hypochõdriacũ flatũ iuuãt cibi frigidi, ſm Dioclẽ. 3°. de lo. aff. 4ª.18.H
Hypochondriacis conuenit epithymum. de dyna. Sp.21.B
HYPOCHYMA eſt morbus oculi vt inſtrᵐ. eſt. 2°. met. me. 7ª.12.H
Hypochyma quo modo curetur. 14°. meth. med. 7ª.93.F
Hypochyma quid de ſe indicet. 13°. met. me. 7ª.90.F
in Hypochymatis vitium transferendum. 14°. met. me. 7ª.90.H
Hypochyma pungitur circa irim ex minori angulo. introd. Iſa.59.G
Hypochyma. 14°. meth. med. 7ª.90.F
HYPOCHYSIS quid ſignificet. 3°. met. me. 7ª.17.E
HYPOCYSTIS quid. de ſimp. med. Sp.92.E
Hypocyſtidis ſuccus tempore dureſcit. 6°. de ſimp. me. ſec. loc. 5ª.172.H
Hypocyſtis qualis, & q̃uo lauetur. 4°. de comp. me. ſe. lo. 5ª.151.F
Hypocyſtis in principio tertij ordinis calida eſt. 5°. de ſim. me. f. 5ª.39.C
Hypocyſtis acerba eſt. 2°. de loc. aff. 4ª.12.D
Hypocyſtis adſtringit. 9°. de ſimp. me. fac. 5ª.64.C
in Hypocyſtide adſtrictio cõſiderãda. 4°. de ſimp. med. fac. 5ª.26.A
Hypocyſtis mediocriter adſtringit. 4°. de comp. me. ſe. lo. 5ª.149.H
Hypocyſtis inter arida moderate adſtringentia numeratur. de compoſi. med. ſecundum locos. 5ª.172.G
Hypocyſtidis decoctum adſtringens moderatum pro gargariſmis. 6°. de comp. me. ſec. loc. 5ª.172.F
Hypocyſtis vnũ ex adſtringẽtib⁹ medicaminoſis. 11°. de ſim. m. f. 5ª.81.E
Hypocyſtidẽ adſtringẽs vehemẽs iudicat Galenus. 5°. met. me. 7ª.31.G
Hypocyſtis ſtringit vehementiſſime ventris profluuium, & ſanguinis abundantiam reprimit. de ſimp. med. Sp.92.E
Hypocyſtis ſiſtit ſanguinem. introd. Iſa.56.F
Hypocyſtis ad ſanguinis reiectionem efficax remedium eſt. 6°. de ſimp. medic. fac. 5ª.51.D
Hypocyſtis opitulatur internis vlceribus. 14°. met. me. 7ª.28.H
Hypocyſtis efficax remedium eſt ad fluxionum omnes affectus. 6°. de ſimp. med. fac. 5ª.51.D
Hypocyſtis efficax remedium eſt ad profluuia muliebria, cœliacos, dyſentericoſq́; affectus, & ſtomachicis epithematis, hepaticiſq́; commiſcetur. 7°. de ſimp. med. fac. 5ª.51.D
Hypocyſtis oculis conuenit. de ocul. 7ª.188.D
Hypocyſtidis ſuccus contra aſperitatẽ palpebrarum. de ocul. 7ª.189.C
Hypocyſtis roborat ptes pluſculo hũore exolutas. 7°. đ ſim. m. f. 5ª.51.D
ex Hypocyſtide medᵐ ad refrigᵐ et firmãdũ vẽtricᵐ. 8°. me. m. 7ª.53.D
Hypocyſtis theriacam ingreditur. de theria. ad Piſo. 5ª.92.F
Hypocyſtis cur theriacam ingreditur. 7°. de ſimp. me. fac. 5ª.51.D
ad Hypocyſtida accedit lentiſcus. 8°. de ſimp. me. fa. 5ª.61.H
in HYPOGASTRIO cur mammæ in pluribus animalibus. 7°. de vſu partium. 1ª.164.F
ad Hypogaſtrium quòd nõ debeat eſſe pudendũ. 15°. de vſu. pa. 1ª.210.C
HYPOGLOSSVM vnde dictum. 8°. de ſimp. med. fac. 5ª.63.A
Hypogloſſi radix et ſuccus emolliẽdi vim poſſidẽt. 8°. đ ſim. m. f. 5ª.63.B
HYPOGLOTTIDES confectiones. 7°. de comp. me. ſe. lo. 5ª.179.F
Hypogloſſis medicamentum. 7°. de comp. me. ſe. lo. 5ª.181.D
Hypoglottides medicamenta quæ. 7°. de comp. med. ſec. loc. 5ª.177.F
Hypogloſſis ex filice, Andromachi. 7°. de comp. med. ſec. lo. 5ª.181.F
Hypogloſſis Dioſcoridæ. 7°. de comp. med. ſec. loc. 5ª.181.D
Hypogloſſis Scribonij Largi. 7°. de comp. med. ſec. loc. 5ª.181.E
HYPOLAPORON, & leparon quid ſigcñt. 3°. de diff. reſp. 3ª.75.D
HYPOPHORA. 6°. de comp. med. per ge. 5ª.255.F
HYPOPYON quid. intro. Iſa.59.A
Hypopyon quid ſit, & quo modo curetur. 5°. de cõp. me. ſe. lo. 5ª.158.F
Hypopyon affectus iridis oculorum. introd. Iſa.58.D
Hypopya morbus eſt toto genere præter naturã de diff. morb. 3ª.4.F
Hypopya quomodo curentur. 14°. meth. med. 7ª.93.F
Hypopya q̃uo ſanaret ocularius medicus tpe Gal̃s. 14°. met. me. 7ª.93.F
ad Hypopya valet lac. 10°. de ſimp. med. fac. 5ª.73.H
ad Hypopya, id eſt liuidates oculorum, valet ſuccus centaureæ. de virtute centaureæ. Sp.93.D
ad Hypopya, id eſt liuorem ſub oculo. de med. fac. par. 7ª.162.H
HYPOSPADIAE qui. introd. Iſa.60.A
Hypoſpadiarum curatio. introd. Iſa.60.A
HYPOSPATHISMVS ſpecies diuiſionis chirurgiæ. intro. Iſa.59.E
Hypoſpathiſmus quot diuiſionibus fit. intro. Iſa.59.G
Hypoſpathiſmus ſiſtit fluorem. intro. Iſa.59.G
Hypoſpathiſmo in quibus locis vtendum. intro. Iſa.59.E
HYPOSPHAGMA quid. fin. med. 48.H / introd. Iſa.58.D
Hypoſpagma affectus albi oculorum. intro. Iſa.58.D
ad Hypoſphagmata in oculis ſanguis colũbæ. 10°. de ſimp. m. f. 5ª.72.H
ad Hypoſphagmata valet lac. 10°. de ſimp. me. fac. 5ª.73.H
ad Hypoſphagmata ſerum valet. 10°. de ſimp. me. fac. 5ª.73.G
ad Hypoſphagmata oculorum collyria per gradus deſcribuntur. 10°. de ſimp. med. fac. 5ª.72.H
ad Hypoſphagmata. 4°. de compoſi. medic. ſec. loc. 5ª.157.G / de remed. par. fac. 7ª.156.F
HYPOSPIDIAS quid. fin. med. Iſa.49.E
abſq; HYPOSTASI aquæ, et petroſæ plus alijs, q̃. de bo. aq̃. Sp.75.E
Hypoſtaſim ſi non habet aqua, ſed pura ſit & non læſa ſm colorẽ, ſecũda eſt bonarũ & malarum aquarum cognitio. de bon. aquæ. Sp.75.H
HYPOSTASES in vrinis. de vict. rat. in mor. acu. com. 4°. 7ª.144.B
Hypoſtaſis partes tres. de vrinæ ſignificatione ex Hipp. Sp.79.B
Hypoſtaſim habentes vrinæ, poſtea non habentes quid ſignificent. de vrinæ ſignificatione ex Hipp. Sp.79.C
Hypoſtaſis alba non omnis bona, cur. de vrinis. 4ª.125.C
Hypoſtaſis alba ſi fuerit, & vrinæ color bilioſus, erit bilis cum pituita. de vrinæ ſignifi. ex. Hipp. Sp.79.D
ꝑ Hypoſtaſi alba pus q̃nq; accipitur ab ignaris. de vrinis. 4ª.125.C
Hypoſtaſis quæ fallit homines. de vrinæ ſign. ex Hipp. Sp.79.C
Hypoſtaſis alta eſt cruda. de vrinis. 4ª.125.C
Hypoſtaſi atra, vrina male olente in morbo acuto, mortale. quæſita in Hippocratem. Sp.113.E
Hypoſtaſis ſi atra ſit, maius eſt malum, quàm ſi nebula, aut ſublatio eſſent atræ. quæſita in Hippocratem. Sp.113.E
qbus Hypoſtaſes bilioſæ, ſupernæ autem tenuitates celerẽ ægritudinẽ ſignificant. de vrinæ ſignificatione ex Hipp. Sp.78.H
Hypoſtaſes crimnodes quid ſignificent. quæſ. in Hipp. Sp.113.D
Hypoſtaſis crimnodes. i. ſimilis farinæ, qd ſignificet. de vrinis. 4ª.124.F
Hypoſtaſes craſſioris farinæ ſpẽ qd ſignificet. đ vri. ſig. ex Hip. Sp.78.F
Hypoſtaſis vrinæ infantium craſſa eſt. de vri. ſig. ex Hip. Sp.79.B
ꝑ Hypoſtaſes vtiles diſtinguitur humor crudus ab inæquali ſubſtantia eius quod ſubſidet. de vri. ſign. ex Hipp. Sp.79.C
ab Hypoſtaſi bona q̃uo dignoſcatur humor crudus. de vrinis. 4ª.125.D
Hypoſtaſim vtilem videndam præbet plerunque humor crudus & albus cum vrina excretus ſubſidens. de vri. ſign. ex Hippo. Sp.79.C
Hypoſtaſis cruenta fruſtuloſa quid ſignificet. de vrinis. 4ª.124.F
Hypoſtaſes eruoſæ quid ſignificent. quæſ. in Hipp. Sp.113.C
Hypoſtaſes folioſæ quid ſignificent. quæſ. in Hipp. Sp.113.D
Hypoſtaſes folioſæ quibus ſint peiores. de vrinæ ſign. ex Hip. Sp.78.G
Hypoſtaſes furfuraceæ quid ſignificent. quæſ. in Hipp. Sp.113.D
Hypoſtaſim leuem inquit Galenus vocat Hippocrates continuam, & indiuulſam. de vri. ſign. ex Hipp. Sp.79.B
Hypoſtaſes malæ, quæ. de vrinis. 4ª.125.A
Hypoſtaſim maiorem habent vrinæ mulierum, quàm virorum. de vrinę ſignificatione ex Hippocrate. Sp.79.A
Hypoſtaſis oroboides quid ſignificet. de vrinis. 4ª.124.D
Hypoſtaſis perfecta quid ſignificet. de vrinis. 4ª.124.B
Hypoſtaſis petaloides quid ſignificet. de vrinis. 4ª.124.E
Hypoſtaſis pinguis, & accumulata quid ſignificet. de vrinæ ſignificatione ex Hippocrate. Sp.78.H
Hypoſtaſis pity roides, id eſt furfurea, qd ſignificet. de vrinis. 4ª.124.F
Hypoſtaſis plana quid ſignificet. de vrinis. 4ª.125.B
Hypoſtaſis ſi fuerit rufa, color vrinæ albicans, mitte ſanguinem, ſin imbecillis ſit, medicamen adhibe, aut accommodatum exhibe cibum. de vrinæ ſignificatione ex Hippocrate. Sp.79.D
cũ Hypoſtaſi rufa vrina craſſa et rufa qd ſignificet. quæſ. ĩ Hip. Sp.113.B
Hypoſtaſes ſimiles ſandarachæ quid ſignificent. de vrinis. 4ª.124.F
Hypoſtaſes tenues, et albæ admodũ malæ. de vrinæ ſig. ex Hip. Sp.78.G
Hypoſtaſis, lege Reſidentia, Sedimen, ſublimamentum, Nubes.

HYPOTHETICA *problema.de marc.* 3ª.46.E
Hypothetica non accipit verum.2°.de ſimp.me.fac. 5ª.13.C
HYPSILOEIDES *os,quod & hyoeides, & lambdoeides nominant. de muſ.diſſ.* 1ª.46.D
HISSOPVM quid.de ſimp.med. Sp.92.D
Hyſſopum calidum eſt & ſiccum in tertio ordine.8°.de ſimp.medicam. facultatibus. 5ª.63.B
Hyſſopus herba acris.13°.met.me. 7ª.84.H
Hyſſopus vires habet acres, & excalfactorias tuſſientibus & ſuſpirioſis prodeſt,lumbricos expellit.de ſimp.med. Sp.92.D
Hyſſopum cilicium.5°.de comp.med.ſec.loc. 5ª.159.F/G
Hyſſopum creticum.8°. de comp.me.ſec.loc. 5ª.191.E
Hyſſopus inter obſonia connumeratur.2°.de alim.fac. 2ª.23.F
cũ Hyſſopo ficus ante cibum quando.2°.de alim.fac. 2ª.17.F
Hyſſopus incidit.de cur.rat.per ſang.miſſ. 6ª.19.A
Hyſſopus habet vim ſubtiliandi.com.1°.aph.24°. Ex.10.G
Hyſſopus purgat caput.de cathar. Sp.95.B
Hyſſopus purgat nares.de cathar. Sp.95.B
Hyſſopus detergit.8°.meth.me. 7ª.52.G
Hyſſopi decoctio curat aſthma.de med.exper. Sp.106.F
cũ Hyſſopo mulſa febri cum ſyncope conuenit.12°.meth.me. 7ª.75.G
cũ Hyſſopo aqua mulſa vſq; ad ſeptimũ in ſyncope.12°.me.m. 7ª.76.A
Hyſſopus ex aqua mulſa datur in pleuritide.5°.de loc.aff. 4ª.34.G
Hyſſopũ atticũ in ceratis miſce ĩ iecoris phlegmone.13°.me.m. 7ª.83.H
Hyſſopus in phlegmone iecoris in declinatione.13°.met.me. 7ª.84.A
Hyſſopus pro reſolutione tumoris.2°.de arte cur.ad Gla. 7ª.105.E
Hyſſopo decocto in aqua mulſa,ipſa diſcuſſorium eſt parabile moderatũ. 6°.de comp.med.ſec.loc. 5ª.169.G
Hyſſopum aqua mulſa infundens, & concoquens bibendum propina in tertiana notha.1°.de arte cur.ad Glau. 7ª.97.E
Hyſſopus in melicrato ebullitus pro potu in animi defectu ex multitudine.1°.de arte cur.ad Glauc. 7ª.99.B
Hyſſopus in melicrato ebullitus, pro ventriculo, in quo pituita frigida ſit aceruata.1°.de arte cur.ad Gla. 7ª.99.D
ex Hyſſopo oxymel pro animi defectu ex obſtructione membri principalis.1°.de arte cur.ad Glauc. 7ª.99.F
Hyſſopum in mulſo conuenit quibus crudi ſucci copia eſt, & foris ſenſus laſſitudinis.4°.de ſan.tuen. 2ª.85.B
Hyſſopi,et ordei decoctiõis calefactio ad petiã oculorũ.đ ocu. 7ª.190.D
cũ Hyſſopo & naſturtio epota quarta ſpecies anchuſæ oxybaphi menſura ad latos lumbricos eſt idonea.6°.de ſimp.med.fac. 5ª.41.D
Hyſſopum pro origano.6°.de comp.me.ſec.loc. 5ª.168.F
HYSTERIALGIA, *id eſt vteri dolor.2ª.met.me.* 7ª.9.E
Hyſtericæ,quæ.6°.de loc.aff.39.D/in 1^{m}.pror.com.3°. 4ª.183.F
Hyſterica ſymptomata pertinent ad vterum tanquam ad radicem. 6°. de locis affectis. 4ª.40.C
Hyſtericis moleſtari quid ſignificet.com.5°.aph.35°. Ex.40.F
HYSTIMBRA. *ſecretorum.* Sp.98.F
Hyſtimbra.ſecretorum. Sp.98.G

H & , E, *antiqui eodem charactere notabant.in 6^{m}. de morbis vulgari. commentario.3°.* 3ª.178.G
IACERE quomodo debeãt beneualentes. in prog.commentario.1°. 4ª.193.D
Iacentes q ſe cõtinere nõ poſſunt, grauiter lãguẽt.de vic.ra.in mor.ac.cõ.4°. 7ª.140.G
Iacere non poſſe viuẽtis modo,ſed tanq̃ mortuum, & inanimatum corpus deorſum ferri, peſſimum.de palp. 3ª.52.A
IACTATOR *eſt Galenus,ſed verus.3°.de diff.reſp.* 3ª.70.F
Iactat ſe Galenus ꝙ prædixerit futura.2°.de dig.pulſ. 4ª.78.B
Iactari communius q̃ diuergere.de art.com.3°. 7ª.279.E
Iactatio in varias figuras qñ ab ægris fiat.9°.met.me. 7ª.56.G
Iactare manus, & crura quid ſignificet.de ijs,quæ in medicatri. fiũt cõmentario.1°. 7ª.198.B
in IACVLIS *eximendis opus eſt noſcere partium vtilitatem.17°.de vſu partium.* 1ª.222.G
IAMENVM olus eſt humidum.de diſſ.con. Sp.74.D
Iamenum olus eſt de cibarijs medijs.de diſſ.cont. Sp.74.C
Iamenum olus cur eſt malum ſtomacho.de diſſ.cont. Sp.74.E
IANITORES matricis ſunt teſticuli.de ana.viu. Sp.51.G
IANITRIX *ſeu porta iecoris quorſum tendat.6°.de decr.* 1ª.263.G
IANVAE *bifores.de art.com.1°.* 7ª.255.F
IANVARIVS *primus triginta dierum tenuius quoq;. in 1^{m}. de morb. vulga.com.1°.* 3ª.102.D
IARRI ſpicæ meminit.de ocul. 7ª.191.D
IASONIS, & Medeæ amor,qualis.3°.de decr.Hipp. 1ª.244.H
IASPIS *viridis,qualis.9°.de ſimp.med.fac.* 5ª.67.D
ex Iaſpide torquem collo ſupendit Galenus ita, vt lapides contingerẽt os ventriculi.9°.de ſimp.med.fac. 5ª.67.D
IATRALIPTES Diotas Antonij Muſæ Panacea vſus eſt. 7°. de comp. med.ſec.loc. 5ª.186.B
IATRICEN, *medicinam vocat vniuerſa Græcia.ad Thra.* 2ª.107.B
ex IBERIA *plurimæ Palamides afferuntur. 3°. de alimentorum facul.* 2ª.31.G
ex Iberia per literas Galenus pleroſq; ſanauit.4°.de loc.aff. 4ª.22.C
IBERICVM *oleum non valet in frictione.3°.de ſan.tuen.* 2ª.79.A
Iberica pruna ſeruantur, & quicunq; fructus exiccantur,priusq̃ putreſcant.de bon.& vit.ſuc. 2ª.36.H
Iberica pruna ſubducendi gratia præmanduntur hydromelite incocta. de atten.vic. 2ª.45.B
ex IBERIDE *iſchiadicorũ cura.10°.de comp.me.ſec.lo.* 5ª.208.C
ex Iberide iſchiadicorum cura à Damocrate conſcripta.10°. de comp. medic.ſec.loc. 5ª.208.C
Iberide vice ſinapiſmi & thapſiæ vſus eſt Damocrates. 10°. de compo. medic.ſec.loc. 5ª.208.G
IBISCVS quid.de ſimp.med. Sp.85.E
Ibiſcus lenit duritiẽ, & rigorẽ mollit, & relaxat.de ſimp.med. Sp.85.E
ICESIVM *nigrum medicamen,multiplicis vtilitatis 5°.de comp.med.ſec. loc.* 5ª.247.A
Iceſii medicamẽtũ ad oẽ vulnus recens.5°.de cõp.me.per ge. 5ª.247.F
Iceſium nigrum Andromachi,quod.5°.de comp.me.per ge. 5ª.249.F
Iceſium lite Heraclidis,quale.5°.de comp.me.per ge. 5ª.250.A
ICHNEVMONES *beſtiæ volũt vincere.5°.de decr.Hipp.* 5ª.256.G
ICHOR *quid ſit.in 6^{m}.de morb.vul.cõ.1°.3ª.167.E/de vic.rat. in morbis acutis,com.4°.* 7ª.134.E
Ichor eſt in omnibus humoribus.8°.de decr.Hippo.1ª.276. B/in 6^{m}.de morb.vulg.com.1°. 3ª.167.F
Ichor in vlceribus quid, & quid agat.3°.met.me. 7ª.17.H
Ichores ſanguinis educuntur ex matrice.de cathar. Sp.94.G
Ichores acres ſunt ſanies.1°.de comp.me.ſec.loc. 5ª.128.F
Ichores nutrire non poſſunt.de vict.rat.in mor.acut.com.2°. 7ª.122.G
ICHOROIDES *ſanguis qui ſit appellandus ſm Hippocratẽ. in 6^{m}.de morb.vulg.com.1°.* 3ª.167.E
ICHTHYOCOLLA *q̃uo cõficiat,et eius vires.de ſimp.med.* Sp.85.E
Ichthyocolla pontica.2°.de comp.me.per ge. 5ª.226.C
Ichthyocolla ſtringit.de ſimp.med. Sp.85.E
Ichthyocolla cutem extendit, & ſplendidam facit.de ſimp.me. Sp.85.E
Ichthyocolla ad maligna vlcera valet.4°.de comp.me.per ge. 5ª.236.F
ICODOTI compoſitio qualis, & ad quæ valeat.9°.de comp.medic. ſecundum locos. 5ª.204.H
ICOSAEDROS *quid, & quibus conſtet.8°.de dec.Hipp.* 1ª.274.G
ICTERVS affectus albi oculorum.introd. Iſa.58.D
Icteros regius morbus.de ſymp.diff. 3ª.12.A
Ictericia vnde ſit, & quo modo fiat.in 3^{m}.de morb.vul.com.1°. 3ª.131.F
Icterici cur ita affecti.5°.de vſu par. 1ª.143.G
Ictericia ab eadem cauſa,à qua cholera prouenit.de opt.ſecta. Iſa.25.C
Ictericia paſſio ex bile.de ſperma. Sp.38.B
Icterici quo modo fiant.9°.de comp.me ſec.loc. 5ª.197.E
Icterici fiunt patiente hepate.de virt.noſtrum corp.diſpenſ. Sp.60.B
Icterici qui ſint.9°.de comp.me.ſec.loc. 5ª.197.F
Ictericia quibus amoueatur.in 1^{m}.de mor.vul.com.1°. 3ª.133.C
Icterici tranſeunt in hydropem, & maciem.de cura icteri. Sp.111.E
Ictericis amara apparent dulcia.de cura icteri. Sp.111.A
Ictericorum vrina qualis.de dyna. Sp.35.B
Ictericorũ pulſus qualis.đ pulſi.ad tiro.46.D/4°.đ ca.pul. 4ª.104.A
Ictericorum cibi, & pulmenta.de cura icteri. Sp.111.C
Ictericis conuenit ericius terreſtris.de cura icteri. Sp.111.D
Ictericis confert ius cicerum.de cura icte. Sp.111.D
Ictericis fructus ventoſi euitãdi, & qui edendi.de cura icteri. Sp.111.D
Ictericis ꝑ quid mala ſint repletio, & indigẽtia.de cura icteri. Sp.111.E
ad Icteri curam phlebotomia, & purgatio neceſſariæ ſunt. de cura icteri. Sp.110.G

in Ictericia quando debeat phlebotomia.de cura icteri. Sp.110.G
ad Icteri curam quando bilis peccat purgatio eſt magis neceſſaria.de cura icteri. Sp.110.H
Icterico damus cathartica.de dyna. Sp.20.E
in Icteri qui humores purgandi.de cura.icteri. Sp.111.F
Ictericis damus chologoga.de dyna. Sp.20.G
in Ictericia medicamentum educens bilem, multam bilem euacuat. de nat.huma.com,1°. 1ª.31.C
Ictericos chologogo medicamẽto ſanauit Galenus.cõtra Iulia.Ex.69.G
Ictericos ſi detur medicamentum pituitã vel aquam ducens, quid agat. 1°.de nat.fac. 1ª.294.A
in Ictero quæ pharmaca danda.de cura icteri. Sp.111.A
Ictericorum medicamentum purgatorium.de cura icteri. Sp.110.H
Ictericis non conueniunt medicamenta debilia.de cura icteri. Sp.110.H
Ictericis prodeſt calamintha.7°.de ſim.med.fac. 5ª.49.E
Icterici citrini, & nigri bibant chelidoniȩ ſuccũ.de ſimp.med. Sp.82.B
Ictericos optime purgat colocynthis.de dyn. Sp.21.E
Ictericis diuturnis vtilis eſt elleborus niger.de dy. Sp.21.A
Ictericis medetur hiera fortiſſima.de dyna. Sp.26.F
Ictericis medetur Theodoricon anacardinum.de dyna. Sp.26.F
ad Ictericos potio accommodata.9°.de comp.med.ſec.loc. 5ª.197.H
Ictericorum potio,de cura icteri. Sp.111.A/B
Ictericos multos vna purgatione curauit Galenus, poſt curatum, qui in iecinore erat, affectum.1°.de nat.fac. 1ª.294.A
Ictericis medicamenta Critonis naribus apponenda.2°.de compoſitione medic.ſec.loc. 5ª.139.E
ad Ictericos confectio commoda.10°.de comp.med.ſec.loc. 5ª.206.B
qbus Ictericis conueniat vomitus.de cura icteri. Sp.110.H
in Ictero hypochondria cataplaſmanda.de cura icteri. Sp.110.H
Icterici hypochondrio quod cerotum, vel malagma applicandum. de cura icteri. Sp.111.C
in Ictero cerotum cyprinum fortius eſt Amathonis malagmate. de cura icteri. Sp.111.C
in Ictero cerotum ad ſplenem.de cura icteri. Sp.111.A
in Ictericia mouere vrinam, bonum.de cura icteri. Sp.110.H
Icterici qui balneo dulci vtantur.9°.de comp.me.ſec.loc. 5ª.197.E
ad Icterum frictio cum oleo.de cura icteri. Sp.111.B
in Ictero ventoſas neq; laudat, neq; vituperat. đ cura icteri. Sp.110.H
Ictericorum expurgamenta quibus fieri poſſit.de cura icteri. Sp.111.B
in Ictero q̃ colorẽ expurgẽt, & ſudores moueãt.de cura icteri. Sp.111.C
Ictericorum colorem potenter emendat triaſandali.de dyn. Sp.26.E
in Ictericia color in facie quibus abolendus.de cura icteri. Sp.111.F
in Ictericia quando confert coitus.de cura icteri. Sp.111.E
in Ictericia longa quid agendum.de cura icteri. Sp.111.E
ad Ictericos pharmacum vt Apollonius conſueuit, ac q̃uo illo vtendũ. 9°.de comp.me.ſe.lo. 5ª.197.G
ad Ictericos quid conferat.7°.de comp.me.ſe.lo. 5ª.181.F
ad Ictericos pharmaca quæ conferunt.8°.de comp.med.ſecũ.loc.194.H/195.B/9°. 5ª.197.G/H
ad Ictericos.de dynam.26.E/ſecretorum. Sp.102.E
ad Ictericiam cauſæ calidæ.ſecretorum. Sp.101.C
ad Ictericiam citrinam.ſecretorum. Sp.99.D
ad Ictericiam nigram.ſecretorum. Sp.99.D
ad Ictericiam ſparſam.ſecretorum. Sp.101.C
cum Ictericia tuſſi quid conferat.ſecretorum. Sp.99.E
Ictericia, vide Arquatus, & Morbus regius.
ICTERIODES febris, quæ.ſin.med. Iſa.46.D
ICTVS in pulſu quid.de pulſ.ad tiro.43.E/1°.de pulſ.dif. 4ª.48.D
Ictum an percuſſum dicas nihil refert.4°.de diff.pulſ. 4ª.67.B
Ictus violẽtus cur in multis pulſibus, et in qbus.4°.đ dig.pul. 4ª.82.H
Ictus robur in pulſu in quo conſiſtat.3°.de diff.pulſ. 4ª.60.A
Ictus reniſus non craſſitiem ſubſtantiæ ſignificat, ſed robur vitalis contentionis.4°.de dign.pulſ. 4ª.85.G
Ictus in pulſu q̃uo cognoſcatur.4°.de dign.pulſ. 4ª.82.H
Ictus in pulſũ à tactu ſentitur.1°.de dig.pulſ. 4ª.71.D
ex ICTV capitis dolor q̃uo curandus.de reme.par.fac. 7ª.153.H
in Ictu capitis obſtupeſcẽtia & deſipiẽtia malũ.c.7°.ap.14°. Ex.54.H
Ictus facit mictum ſanguinis.com.4°.aph.78°. Ex.36.G
Ictu quomodo afficiatur muſculus ani.1°.de loc.aff. 4ª.7.G
ex Ictu gibba ſpina quomodo reſtituatur.de machin. 7ª.314.H
ad ICTVM calami radicis calami combuſtæ cinerem ſuperimponito. de med.fac.par. 7ª.174.C
ad Ictus quadrupedum quid faciat.5°.de comp.me.per gen. 5ª.248.H
Ictum ſuum ſanantia animalia.11°.de ſimp.med.fac. 5ª.82.G
ad Ictus apum remedium.de med.fac.par. 7ª.174.D
Ictu phalangij totum corpus afficitur.6°.de loc.aff. 4ª.40.A
Ictus ſcorpionis maxima facit ſymptomata. 6°.de loc. aff. 4ª.40.A
ad Ictus ferarum quid valeat.5°.de comp.me.per ge. 5ª.248.G
ad Ictus venenoſarũ ferarũ ſanandos qd bonũ.de med.fac.p. 7ª.170.H
ad Ictus virulentos malagma optimũ.5°.de cõp.me.per ge. 5ª.249.B
ad Ictus marinorum quid valde conferat.5°.de cõp.me.p.ge. 5ª.247.E
ad Ictus ſæuorum piſcium bonũ quid.5°.de cõp.me.per ge. 5ª.248.H
ad Ictus reptilium omniũ emplaſtrum conferens.2°.de anti. 5ª.117.B
IDAEA radix eſt acerba valde. 6°. de ſimpli. medicam. facul. 5ª.48.E
Ideæa radix ſanguinis profluuia, alui fluxus, dyſenterias, profluuium mulierum curat.6°.de ſimp.med.fac. 5ª.48.E
IDEA, genus, & differentia idem ſunt.11°.met.me. 7ª.67.H
Ideæ rerum ſunt ſpecierum non indiuiduorum.2°.met.me. 7ª.14.A
Ideas ſolus Plato introduxit.de hiſt.philo. Sp.3.H
Ideas reprehendit Galenus.de fœt.form. 1ª.325.H
Ἠδελφισμένα, id eſt germana.de vict.rat.in mor.acu.c.2°. 7ª.121.A
Ἠδελφίσαι, quid apud Hippocratem.de frac.com.3°. 7ª.246.F
IDEM dicitur numero, ſpecie, & genere.2°.meth.med. 7ª.14.C
Idem vt incipiat, ac perficiat aliquid, fieri non poteſt.de na.fa. 1ª.302.B
Idem non poteſt facere, vel pati ſimul contraria.5°.de decr. 1ª.258.G
cur Idem bis dicat Hippocrates, neſcit Galenus conijcere, neq; cur idẽ bis exponant interpretes, vel de eadem re contrariam priori expoſitionem afferant.com.7°.aph.53°. Ex.58.F
Idem bis, terq; relatum quid faciat.5°.de comp.me.per ge. 5ª.247.F
IDIOSYNCRASIA græce dicitur à vulgo medicorum laborantis natura.3°.meth.med. 7ª.20.H
Idioſyncraſia, id eſt corporum proprietas.3°.met.me. 7ª.17.C
IDIOTAE qui vocentur.de ſal.diæta. 2ª.39.G
Idiotæ qui ſint.in 1m.pror.com.3°. 4ª.184.D
Idiota quinam abiectior et vilior, ſiue magis ſpernẽdus, & quare.in 1m.pror.com.2°. 4ª.169.D
Idiota quem putabit eſſe febris quotidianæ periodum.ad eos qui de typ.ſcripſ. 3ª.91.G
Idiotæ quoſnam medicos non cognoſcant.de arte cur.ad Glau. 7ª.109.B
Idiotarum iudicium in quibus eſt incorruptũ.1°.de ſimp.me.fa. 5ª.5.F
Idiotæ quo modo medicamentum quodlibet generoſum fieri dicãt.1°.de comp.me per genera. 5ª.215.B
Idiotæ pharmacum.9°.de comp.med.ſec.loc. 5ª.199.A
vt IDIVS Infuſum ad quid iuuet.9°.de comp.me.ſec.lo 5ª.203.F
IDOLA mouebantur etiam tempore Galeni per quoſdam funiculos. 7°.de vſu partium. 1ª.135.D
IDOLA cur pueris apparent à ſomno.de ſymp.cauſ. 3ª.15.A
Idola cur vident plurimum bibentes.de ſymp.cauſ. 3ª.15.A
Idola cur videantur in ſuffuſis.de ſymp.cauſ. 3ª.15.A
Ἡδουσίτε meminit.in Hippocratis lign.explan. Ex.71.E
IECINOROSI qui finitiones medicæ. Iſa.47.E
ad Iecinoroſos antidotus conferens.2°.de anti. 5ª.116.C
ad Iecinoroſos remedium.de med.fac.par. 7ª.175.G
IECORARII qui affectus proprie.2°.de locis aff. 4ª.13.D
IECORARIAM venam Hippocrates cauã vocat.de fœt.f. 1ª.323.E
Iecoraria cur dicitur ab Hippocrate vena caua.8°.de decr. 1ª.273.H
cũ Iecoraria vena generatur cor.de fœt.form. 1ª.323.B
Iecoraria vena quorſum erat.6°.de decr.Hipp. 1ª.268.H
Iecoraria vena comparatur trunco.de ven.ar.diſ. 1ª.55.G
IECORARII piſces molles carne.3°.de alim.fac. 2ª.31.A
Iecorarij piſces ſunt in medio duræ carnis, et mollis.3°.de ali.f. 2ª.31.A
Iecorarij piſces numerantur inter illos, qui cæteris facilius conficiunt. 3°.de alim fac. 2ª.31.A
IECVR viſcus vocatur.3°.de nat.fac. 1ª.304.B
Iecur, & cor viſcera ſunt.1°.de marcore. 3ª.46.G
Iecur, cerebrũ, cor deſideranda medico, & quare.de tot.mor. 3ª.89.H
Iecinoris corpus quod.3°.de nat.fac. 1ª.307.C
Iecur iudicauit Galenus eſſe primum quod formaretur, poſtea cor.1°.de fœtuum formatione. 1ª.223.B
Iecur eſſe primum.membrum quod generatur progreſſus probans. de fœtuum formatione. 1ª.323.C
Iecur quaſi quoddam fundamentum.de fœt.form. 1ª.323.A

Iecore

Iecore poſterius cor factum eſſe credendum eſt.de fœt.for. 1ª.323.G
Iecur & cor nõ ſunt primo genita,quia indigẽt ſanguine, qui per venas à vulua trahitur.de fœt.for. 1ª.324.F
Iecur vbi,& quo modo naſcatur.de fœt.for. 1ª.323.D
Iecur cur vuluæ vicinius.de fœt.for. 1ª.323.G
Iecur ex ſanguine craſſo fit.1°.de ſe. 1ª.331.C
Iecur celerrime fit.de fœt.for. 1ª.322.F
Iecur ſexta die habuiſſe aliquã formã iudicat Galenus.de fœ.f. 1ª.323.B
Iecur cerebro,& corde in abortibus triginta dierum longe maius.de fœtuum forma. 1ª.323.A
Iecur quantum in fœtu.15°.de vſu par. 1ª.212.E
Iecur,cor,cerebrum,in abortibus triginta dierum iuxta ſe locata cernũtur.de fœtuum form. 1ª.323.A
Iecur,cor,& cerebrũ in prin° videntur ſimul iuncta.1°.de ſe. 1ª.331.D
Iecoris duæ portæ in fœtibus de fœ.for. 1ª.323.D
ad Iecur venæ feruntur in fœtu.15°.de vſu par. 1ª.211.D
Iecoris venę tanquam radices ſunt.1°.de ſe. 1ª.331.C
in Iecoris ſima,& non in gibba parte cur vena in fœtu inſeritur.15°. de vſu partium. 1ª.211.F
ad Iecur vena per vmbilicũ tendens,cui aſſimiletur.de fœ.fo. 1ª.324.F
Iecori in fœtu arteriarum vſus exiguus.16°.de vſu par. 1ª.212.F
Iecori neruorum vſus in fœtu nullus.16°.de vſu par. 1ª.212.F
Iecoris functiones quales in fœtu.de fœt.for. 1ª.323.H
Iecur in quo iuuet cerebrum,& cor.de fœt.for. 1ª.324.H
IECORIS ſectio.6°.de anat.admi. 1ª.92.D
Iecoris gibbæ partis ſectio.6°.de anat.adm. 1ª.93.B
Iecoris diſſectionis perfectio.6°.de anat.adm. 1ª.92.H
Iecur in omni aĩali diſſecto à Galeno ſemp viſum.6°.de decre. 1ª.263.F
Iecur poteſt videri extractum ab animali.4°.de ana.ad. 1ª.81.H
Iecoris natura conſideranda eſt inteſtinis exẽptis.6°.de ana.ad. 1ª.92.B
Iecur cur prima die ſecaret Galenus.5°.de ana.admi. 1ª.87.A
Iecur quale ſit.3°.de ali.fac. 2ª.27.D
Iecur ſubſtantia venoſum eſt,& calidum.ac ſanguine affluens,ventriculumq; adiuuat in concoctione.fin.med. Iſa.43.H
in Iecore eſt multus calor inſitus.in 6ᵐ.de mor.vul.com.4°. 3ª.186.D
Iecore quanto ſit calidius cor.de fœt.for. 1ª.323.F
Iecoris membrana exterior veluti cutis quædam.4°.de vſu pa. 1ª.138.F
Iecur inſtrumentum,& ꝙ eius prima natura compoſita ex ſimilaribus, ſicut & cæterorum huiuſmodi inſtrumentorum.2°.de temp. 1ª.26.C
Iecur ſanguinis ſubſtantiæ ſimile.de fœt.for. 1ª.322.F
Iecur eſt multo minus durum cute.1°.de temp. 1ª.15.D
Iecoris ſubſtantia ad venarum naturam ne prope quidem accedit.de fœtuum formatione. 1ª.324.E
cum Iecore eundẽ colorẽ habet cor,& quo mõ.6°.de decre. 1ª.266.C
Iecur cur rubicundius & mollius corde.6°.de decr.Hipp. 1ª.266.C
Iecinoris caro quo modo vocetur.10°.meth.med. 7ª.67.D
Iecoris caro quam habet naturam.2°.de temp. 1ª.17.H
Iecinoris caro propria cuius ſit generis.1°.de na.fac. 2ª.251.G
Iecoris caro,qualis.2°.de arte cur.ad Glau. 7ª.102.F
de Iecoris poſitione,& qbus inhæreat,& inaſcat.4°.de vſu p. 1ª.139.E
Iecinoris caro quo modo humida,& calida.2°.de temp. 1ª.17.H
Iecur eſt humidius corde.6°.de decre.Hipp. 1ª.266.C
Iecoris caro videtur ſanguis craſſus.4°.de vſu par. 1ª.138.E
Iecoris caro ſanguis conſpiſſatus.6°.de decr.Hipp. 1ª.265.H
Iecur vbi ſit poſitum.2°.de lo.aff. 4ª.33.C
Iecur cur in dextra parte.4°.de vſu par. 1ª.136.G
Iecur cur ſuperius ſplene.4°.de vſu par. 1ª.136.G
Iecur qñq; in ſiniſtra parte in multis brutis.6°.de ana.admi. 1ª.92.F
Iecur in lepore plurimũ ſiniſtrę partis occupat, vt Herophilus ſcripſit. 6°.de ana.admi. 1ª.92.F
Iecur eſt medium ſuperiorum,& infernorum partium.in 6ᵐ.de morbis vulg.com.1°. 3ª.162.G
Iecur,vt eſt in medio,iuuatur exercitatione ſuperiorum, & inferiorum partium.5°.de ſa.tuen. 2ª.90.B
Iecur medium eſt inter abdomen,& ſeptum.3°.de ſa.tuen. 2ª.77.B
cur Iecur ambit ventriculum.4°.de vſu par. 1ª.137.C
Iecur lobis,vt digitis,ambit ventriculum.7°.de vſu par. 1ª.159.H
Iecur cur fibris velut digitis cõplectatᷓ ventriculũ.4°.de vſu p. 1ª.137.C
Iecoris fibræ non pares numero in omnibus.6°.de ana.admi. 1ª.92.D
Iecoris fibræ nõ ſunt totidẽ in omnibus aĩalibus.4°.de vſu par. 1ª.137.C
Iecur diſponitur ex figura ventriculi.4°.de vſu par. 1ª.137.C
Iecur per magnas venas copulatur,& lieni,& vẽtriculo,& inteſtinis in progn.com.2°. 4ª.197.G
Iecur quo modo cordi copuletur.4°.de vſu par. 1ª.139.F
Iecur non coniungitur omnibus coſtis mendoſis.5°.de lo.aff. 4ª.33.E
Iecur quibus coſtis alligetur.2°.de loc.aff. 4ª.13.D
Iecur quando tactu ſentiri poteſt,& quando non.5°.de loc.aff. 4ª.33.D
Iecur habentia,habent lienem,& veſicam fellis vel receptaculum,quia veſica non eſt in omnibus.6°.de anato.admi. 1ª.92.D
in Iecore habet veſicam elephantus.6°.de ana.admi. 1ª.92.D
Iecur magnũ,& multifidũ habẽt guloſi,& timidi.de ana.admi. 1ª.92.D
Iecur meatus amplos habet.5°.de ſimp.me.fac. 5ª.35.B
Iecur cur amplum à natura factum ſit.de ren.aff.dig.& med. 7ª.195.D
in Iecore quot cauitates.8°.de comp.me.ſe.lo. 5ª.193.H
in Iecore cur non eſt facta vna cauitas vt in corde,ſed ſunt anguſti trãſitus.4°.de vſu partium. 1ª.139.A
Iecoris calidi ſigna.ars med. Iſa.65.A
Iecoris frigidi ſigna.ars med. Iſa.65.A
Iecoris ſicci ſigna.ars med. Iſa.65.B
Iecoris obſtat humiditati cordis.ars med. 7ª.64.G
Iecoris humidi ſigna.ars.med. Iſa.65.B
ſi Iecur,& cor nemo ſeipſis humidiora efficere põt, ſed tpis ꝓceſſu neceſſario ſicciora euadũt nõ ipſa ſola viſcera,ſed arteriæ ẽt & venæ,ſeniũ certe vitari nõ põt,at eius celeritas retardari.de marc. 3ª.46.F
Iecur obſtat ſiccitati cordis.ars med. Iſa.64.H
Iecoris ſicci,& calidi ſigna.ars med. Iſa.65.B
Iecoris humidi,& calidi ſigna.ars med. Iſa.65.C
Iecoris humidi,& frigidi ſigna.ars med. Iſa.65.C
Iecoris frigidi,& ſicci ſigna.ars med. Iſa.65.C
Iecur neceſſarium eſt omni animanti.6°.de ana.adm. 1ª.90.C
Iecur eſt pars neceſſaria ad viuendum.14°.de vſu par. 1ª.204.C
Iecur pars propria ad vitam.fin.med. Iſa.45.E
Iecinoris officium quale ſit ob vitam.7°.met.med. 7ª.49.C
Iecoris vſus qualis.11°.meth.med. 7ª.72.E
à Iecore pariter regitur corpus.fin.med. Iſa.50.B
à Iecore dependentia,quæ.ars med. Iſa.63.B
Iecur,cor,& cerebrum ſunt tria principia, & quarũ operationũ principia.in 1ᵐ.prorrh.com.3°. 4ª.169.F
in Iecore quod principium ſit.6°.de decr.Hipp. 1ª.266.G
à IECORE cur incipienda venarũ anatome.6°.de decr. 1ª.264.A
Iecur eſt venarũ principiũ.4°.de vſu p.138.F/5°.152.D/15°. 1ª.212.E
Iecur venarum radicatio.6°.de decretis Hippo. 1ª.266.G
Iecur venis ſuppeditat virtutẽ.ars med.Iſa.71.A/7°.met.me. 7ª.49.C
Iecur eſt venarum facultatis veluti fons.de mult. 3ª.77.A
Iecur principium,& finis venarum.6°.de decr.Hipp. 1ª.265.F
Iecur principiũ facultatis ꝗ eſt in venis.de vi.ra.in mo.a.c.2°. 7ª.123.H
Iecur multo magis venarum principium,quàm cor arteriarum. 6°. de decretis Hippocratis. 1ª.265.C
Iecur eſſe principium venarum,& concupiſcibilis facultatis, prima demonſtratio.8°.de decre.Hipp. 1ª.273.G
Iecur eſſe principium venarum et nutritionis,demonſtratio ſecunda. 8°. de decretis Hippocratis. 1ª.273.G
Iecur eſſe principium venarum et nutritionis,demonſtratio tertia.8°.de decretis Hippocratis. 1ª.273.H
à Iecore,vel corde arteriarum,& venarum corpora non videntur germinaſſe.de fœt.forma. 1ª.324.G
in Iecore venæ ſunt omnium tenuiſſimæ.4°.de vſu par. 1ª.139.B
in Iecore ſunt venæ non minus amplitudine,quàm numero excedentes. ars medicina. Iſa.70.H
ex Iecore venæ maxime.16°.de vſu par. 1ª.220.H
Iecinoris venæ tunicam habent tenuiorem quàm in toto animante.6°.de anatomicis adminiſtrationibus. 1ª.92.H
in Iecore ſuperius oritur vena caua.5°.de vſu par. 1ª.42.D
Iecur cauam venam mittit in totum corpus.1°.de ſem. 1ª.331.D
in Iecore inferius oritur vena portæ.4°.de vſu par. 1ª.142.B
Iecinoris portæ,quæ.6°.de ana.admi. 1ª.92.H
Iecoris porta quorſum tendat.6°.de decretis Hipp. 1ª.263.F
ad Iecoris portas venæ facile inueniuntur.6°.de ana.adm. 1ª.92.B
à Iecoris portis diſtributio venarũ in inteſtina.16°.de vſu.p. 1ª.220.H
in Iecoris ſima parte venæ iunguntur.15°.de vſu par. 1ª.211.D
Iecoris ſimę partis venę quales.5°.de lo.aff. 4ª.33.G
à Iecoris parte caua oriuntur ſeptem venæ ad ventrem pertinentes. de venarum & art.diſſ. 1ª.55.G
in Iecoris gibba parte venæ vnde incipiant.5°.de lo.aff. 4ª.33.G

in Iecoris

in Iecoris gibbo venæ ſumunt alimentum.4°.de vſu par. 1ª.138.H
in Iecur à ventriculo venæ pertinentes.2°.de decre.Hipp. 1ª.240.E
Iecur ex meſenterio venas excipit ad concauam ipſius partem pertinentes.6°.de anatom.admi. 1ª.92.H
inter Iecur,& ventrẽ venæ habẽt duplex miniſteriũ.de na.f.1ª.306.C
Iecoris venarum terminus.ars med. Iſa.70.H
è Iecore vena exoriens origo eſt omnibus,quæ circa ſecundas inueniũtur.6°.de decr.Hipp. 1ª.265.A
in IECORE venæ,& arteriæ ſe contingunt.9°.de vſu par. 1ª.172.H
in Iecore cur arteriæ.4°.de vſu par. 1ª.139.D
Iecur vnde accipiat arteriam.16°.de vſu par. 1ª.219.A
Iecoris arteriæ cur paruæ.4°.de vſu par. 1ª.140.D
in Iecore arteriarum ſitus conueniens.4°.de vſu par. 1ª.139.C
ad Iecoris portas arteriæ facile non inueniuntur.6°.de an.ad. 1ª.92.B
ad IECVR, lienem,renes,ventrem,viſcera,perueniunt nerui à cerebro partim à prima,partim à tertia,partim à ſexta coniugatione. de neruorum diſſectione. 1ª.54.D
Iecori mittuntur nerui à ſexta coniugatione.16°.de vſu par. 1ª.215.H
ad Iecur cur fuit neceſſe neruos accedere.16°.de vſu par. 1ª.215.A
in Iecore cur neruus,& arteria.4°.de vſu par. 1ª.138.F
Iecori ineſt neruorum genus molle.16°.de vſu par. 1ª.215.A
Iecoris neruus vbi.5°.de vſu par. 1ª.145.C
Iecoris neruus quantus.5°.de vſu par. 1ª.145.C
Iecur habet perexiguos neruos.in 6m.de mor.vulg.com.1°. 3ª.155.D
Iecur habet aliquos paruos neruos.4°.de vſu par.139.C/5°. 1ª.156.G
Iecoris neruus cur minimus.4°.de vſu par. 1ª.139.C
Iecur cur habet paucos neruos.5°.de vſu par. 1ª.209.D
in Iecore cur minimus neruus.5°.de vſu par. 1ª.145.F
Iecori melius fuit habere neruos minimos.7°.de vſu par. 1ª.159.H
Iecori cur neruus ſyncerus datus.16°.de vſu par. 1ª.216.E
Iecur cur ſenſu paruo indiget.5°.de vſu par. 1ª.145.F
Iecur,& pulmo quo modo ſentiant.de mult. 3ª.77.G
circa Iecoris gibbam partem caro non ſentit,& quare.de mul.3ª.77.G
in Iecoris gibba parenchyma caro.de mult. 3ª.77.G
IECVR habet quatuor facultates.3°.de nat.fa.1ª.305.C/in 3m. de mor. vulg.com.1°. 3ª.133.C
Iecoris quatuor actiones.8°.de comp.me.ſe.lo. 5ª.194.A
Iecoris actiones quę ſint.de virt.noſtrum corp.diſpenſ. Sp.60.D
Iecur habet actionem propriam naturalẽm.2°.de ſa.tuen. 2ª.75.A
Iecoris vis quo modo cognoſcatur.in progn.com.2°. 4ª.200.C
Iecoris facultas plantæ ſimilis.6°.de decre.Hipp. 1ª.261.H
Iecur per meſenterias trahit cibum, vt arbor à radicibus. 6°. de locis affectis. 4ª.37.G
Iecur trahit à ventriculo,& ab inteſtinis per meſaraicas.6°. de decretis Hippocratis. 1ª.266.A
Iecori præparantur cibi in ventriculo.6°.de anatom.admi. 1ª. 90. C/de bon.& vitio ſuc. 2ª.37.A
Iecori alimentum percoquit ventriculus.de fœt.for. 1ª.324.H
propter Iecur venter non immutat cibum.6°.de decre.Hipp. 1ª.265.H
ad Iecur quo modo cibus à ventriculo afferatur.de conſt.ar. Iſa.41.D
in Iecur ex ventriculo,& iecinore in totũ corpus cibi deductio eſt opus naturale.3°.de ſymp.cauſ. 3ª.26.A
Iecur primo ſurſum alimentum recipit.4°.de vſu par. 1ª.142.G
in Iecore venæ à ventre trahunt.3°.de na.fac. 1ª.306.B
à Iecore in ventrem trahunt venæ in inedia.3°.de na.fa. 1ª.306.B
ad iecur non ſolum venæ ducunt nutrimentum, ſed & præparant. 4°. de vſu partium. 1ª.136.A
in Iecore ſanguis qui perficitur præparatur in venis meſeraicis. 4°. de vſu partium. 1ª.135.H
Iecur nutritur craſſo,& limoſo alimento.6°.de vſu par. 1ª.151.D
Iecur à venis nutrit̃ ſolis tenuiſſimis atq; rariſſimis.6°.de vſu p.1ª.155.C
Iecur,& cor ſemper habent alimentum niſi in maxima ſanguinis penuria,cur.de marc. 3ª.46.G
Iecoris vis alteratiua,quæ.8°.de comp.me.fac. 5ª.194.A
Iecur quo nutriatur,& quæ eius alimenta.4°.de vſu par. 1ª.140.C
Iecur inſtrumentum concoquendi.2°.de tem. 1ª.22.A
in Iecore,& ventriculo à qua vi fiat coctio.in prog.com.1°. 4ª.197.B
Iecur hyeme non perfecte concoquit ob frigus.de na.hu.cõ.1°. 1ª.32.F
Iecoris facultas principaliſſima,quæ.8°.de comp.me.ſec.lo. 5ª.194.A
Iecur veluti fons ardens facultatis facientis humores. in prognoſtica, commentario 2°. 4ª.201.E
Iecur deſeruit nutritioni.4°.de præſag.ex pulſ. 4ª.119.F
Iecur altricis facultatis initium.6°.de decretis Hippocratis. 1ª. 262.H/ 5°.de locis affectis. 4ª.28.H
in Iecore nõ refert dicere natura an aĩa nutritoria.4°.de vſu p.1ª.193.d
per Iecur quo modo eat cibus.5°.de loc.aff. 4ª.33.G
Iecur venis meſeraicis vtitur vti manibus.5°.de loc.aff. 4ª.35.C
Iecoris officium quod.in prog.com.1°.197.F/ 4ª.198.E
in Iecore principium eſt ſanguinis,& venarum,nutriendiq́; corpus, ac familiarem ſubſtantiam agnoſcendi.in tim.Plat. 1ª.287.D
in Iecore dñatur bilis,& ſanguis.de na.& ord.cuiusl.corp. Sp.41.D
Iecur primum ſanguinis generandi inſtrumentũ.4°.de vſu p. 1ª.138.D
Iecoris caro eſt inſtrumentũ generandi ſanguinẽ.4°.de vſu p. 1ª.138.E
Iecoris caro conueniens ad generationẽ ſanguinis.6°. de decretis Hippocratis.265.H/ 1ª.266.C
Iecoris caro cã eſt,vt cibus mutetur in ſanguinẽ.7°.de vſu par.1ª.159.A
in Iecore & ventriculo quæ mutationes fiant in prog.c.1°. 4ª.197.B
in Iecore,& venis ſanguis coquitur.in 6m.de mor.vul.cõ.5°. 3ª.188.B
in Iecinore ſanguis perficitur.introd. Iſa.54.D
ad Iecoris coctionẽ exemplum de vino muſto.4°.de vſu par. 1ª.136.A
Iecur,& ſplen cõſiderãda qñ de coctione ſermo fit.1°.de lo.aff. 4ª 5.E
in Iecore non coquuntur cibi male cocti in ventriculo. in 6m. de morbis vulga.com.4°. 3ª.186.D
à Iecoris carne chylus alteratus debet fieri ruber,ſi illi debet aſſimilari. 4°.de vſu partium. 1ª.139.F
Iecoris proprium eſt generare ſanguinem.5°.de lo.aff. 4ª.34.D
in Iecore prima ſanguinis generatio plurima.fin.med. Iſa.44.A
Iecur eſt principium alentis ſanguinis.6°.de decre.Hip. 1ª.264.C
in Iecore ſanguis calidus.de fœt.for. 1ª.333.F
à Iecoris ſanguine non diſſimilis eſt ſanguis qui eſt in corde. 6°. de decretis Hippocratis. 1ª.263.C
Iecoris ſanguine cordis ſanguis eſt flauior.6°.de decr.Hippo. 1ª.266.D
Iecoris ſanguis non eſt ſpumoſus.6°.de decr.Hipp. 1ª.266.D
à Iecoris cauo aſcendit ſanguis ad gibbum.4°.de vſu par. 1ª.136.C
è Iecinore in ventriculum pertinentes venæ ſecundum principium ſunt alimenti.2°.de decre.Hippo. 1ª.240.F
Iecur dat ſecundam purgationem nutrimento.4°.de vſu par. 1ª.136.A
Iecur tertium principium alimenti.2°.de decre.Hipp. 1ª.240.F
in Iecore chymus apparatur ad nutriẽdũ aĩal.4°.de vſu part. 1ª.136.B
à Iecinore quę nutriantur.6°.de decre.Hippo. 1ª.263.B
Iecur p̃parat alimẽtũ oĩbus corporis partibus.de bon.& vi.ſuc. 2ª.35.F
à Iecore cibus alteratus in totũ corpus tẽdit.6°.de anato.ad. 1ª.90.C
Iecur alterat cibum in ſanguinẽ,& mittit ad cor.an oẽs ani.p. 1ª.326.E
Iecur dat ſanguinem cordi.fin.med. Iſa.50.C
Iecur non præparat ſanguinem pro corde.6°.de decr.Hipp. 1ª.263.A
Iecur non ſanguificat propter membra.6°.de decr.Hippo. 1ª.265.H
Iecur ſanguinẽ non facere,cõtra Galenum probatur.de an.vi. Sp.46.B
in Iecore,& venis eſt ſpiritus naturalis,ſi eſt.12°.metho.med. 7ª.77.C
ex Iecore nutrimentũ venit in inteſtina,& vẽtrẽ.3°.de na.fa.1ª.306.e
Iecur ſi in alia quapiam parte poneretur, nihilo minus ſuam obtineret actionem.6°.de locis affectis. 4ª.42.D
Iecur debet officium ſuum in morbis facere.11°.meth.med. 7ª.72.E
Iecur ſi vitio careat,vinum dulce aſſumat qui refici debet.de boni.& vitio ſuccorum. 2ª.38.D
Iecur quid habeat ab aere,& cibis,& potibus.10°.met.me. 7ª.65.F
Iecur attollitur in retentione ſpiritus.3°.de ſa.tuen. 2ª.77.B
IECVR eſt vnum ex viſceribus,in quibus animæ facultas. 4°. de decretis Hippocratis. 1ª.248.D
in Iecore eſt vna ſpecies animæ.quòd animi mores. 1ª.317.F
in Iecore eſt anima vegetatiua.9°.meth.med. 7ª.58.H
in Iecore exiſtens anima vegetatiua,appetitrix,naturalis,& altrix vocari poteſt.9°.meth.med. 7ª.58.H
Iecur principium vegetatricis,& naturalis animæ eſt. in 3m. de morbis vulg.com.1°. 3ª.133.C
in Iecore naturalis potẽtia,& qñ robuſta.ĩ 6m.de mo.vu.c.1°.3ª.154.E
Iecur viſcus eſt tertium,in quo vis animę concupiſcibilis continetur. 3°. de decretis Hippocratis. 1ª.243.H
Iecur,cor,& cerebrum viſcera quæ continent facultatem, ſubſtantiãq́; animæ.6°.de decre.Hipp. 1ª.261.H
Iecur eſt ſedes virtutis concupiſcibilis.in tim.Plat.1ª.287. C/3°. de locis affectis. 4ª.16.E
in Iecore quæ eſt anima concupiſcibilis, dicitur altrix, & naturalis ab Ariſtotele.quòd animi mores. 1ª.318.E
in Iecinore eſt cupiendi vis ſm peripateticos.2°.de decr. 1ª.235.F

in Iecore

in Iecore iraſcibilis anima.3°.de decre.Hipp.246.C/9°. 1ª.285.E
Iecur Tityo ab aquila eroſum non poetæ modo, verũ et pictores, ac ſculptores fingunt.3°.de lo.aff. 4ª.16..A
in Iecore quæ eſt anima moritur cum corpore.ꝙ ani.mor. 1ª.317.F
in IECORE vt quod ſuperfluum erat purgari poſſet, inſtrumenta accommodata natura effecta ſunt ſecũda rõne.6°.de ana.admi.1ª.90.C
Iecoris ſuperfluitates per quos meatus euacuantur.ars med. Iſa.71.E
Iecur à quatuor inſtrumentis purgatur.6°.de vſu par. 1ª.145.F
ob Iecur duæ veſicæ factę.de fœt.for. 1ª.324.H
in Iecore veſica fellis ſita recipit leuem, & flauũ.4°.de vſu p. 1ª.136.B
in Iecinore flaua bilis exuperat.introd. Iſa.54.D
Iecur bilem à ſanguine ſegregat.de theria.ad Piſ. 5ª.96..A
ex Iecore bilis in inteſtina defluens cur regurgitat in ventriculum quibuſdam.1°.de ali.fac. 2ª.7.G
in Iecinore quod craſſius eſt, lien trahit.3°.de na.fac. 1ª.307.D
Iecur purgari à liene creditum eſt.de atra bile. 1ª.36 A
Iecinoris concaua expurgant̃ ꝑ inteſtinũ rectũ.11°.meth.med. 7ª.73.F
in Iecoris ſimo materia per inteſtina vacuatur.de conſt.ar. Iſa.41.D
à Iecinore aliquid tendit in ventriculum.3°.de nat.fac. 1ª.307.D
in Iecoris gibbo materia per vrinã vacuatur.de conſt.ar.Iſa.41.D/11°.meth.med.73.F/13°.83.H/2°.de arte cu.ad Glau. 7ª.102.H
Iecoris gibba per renes purganda.13°.meth.me. 7ª.84.F/H
Iecur quandoque purgant vrinę prauæ.5°.de lo.aff. 4ª.55.E
Iecore, aut renibus languentibus quandoq; pus cum vrina excernitur, & ſubſidendo fallit minus acutum artificem.de vrinæ ſign.Sp.79.C
à Iecore veniunt erui & hordei ſpeciẽ referentes vrinæ. in 6m.de mor.vulg.com.5°. 3ª.192..A
à Iecore ad vrinam quando liceat trahere humores cum medicamẽtis euacuantibas.ars med. Iſa.71..A
à Iecore ad ventrem quando liceat trahere humores cum medicamẽtis euacuantibus.ars med. 7ª.71..A
Iecinoris gibba, ſi multos habet ſuccos prauos, per ſeceſſum euacuatur, paucos, per vrinam.7°.met.med. 7ª.49.D
Iecinoris caua pars deiectione euacuatur.7°.meth.med. 7ª.49.D
Iecinoris cauum per aluum purgatur.13°.meth.med.83.H/84. F/H/2°.de arte cu.ad Glau. 7ª.102.H
ex Iecore linoſus humor deſcendit.2°.de ſe. 1ª.340.C
è Iecore quando deſcendit bilis ad ventrem, euomitur flaua, magiſq; id eis accidit qui perfecte concoxerunt.2°.de temp. 1ª.20.E
in Iecore malignus vel acris humor non manet.5°.de vſu par. 1ª.145.F
Iecinoris excrementum aliud vt flos in vino, aliud vt fex.1°.de ſanitate tuenda. 2ª.67.F
Iecinoris fex attrahitur à liene.1°.de ſa.tuen. 2ª.67.F
Iecinoris flos attrahitur à veſica fellis.1°.de ſan.tuen. 2ª.67.F
Iecur per aluũ, & per vomitũ expurgari poteſt.7°.meth.med.7ª.49.D
Iecur quo modo faciat aliquid ad portionem vomitionis, et per quã viã.3°.de ſymp.cauſ. 3ª.27.H
IECVR, & omnia alia membra calida, ventriculum autem frigidum habentes morbis obnoxij.3°.de ali.fac. 2ª.28.F
Iecinoris morbi quotupliciter fiant.5°.de lo.aff. 4ª.33.B
Iecoris affectus qui eſſe poſſit.8°.de comp.me.ſe.lo. 5ª.193.G
Iecinoris affectus morbus longus intrinſecus.introd. Iſa.56.B
Iecur quando frigore afficitur.5°.de loc.aff. 4ª.33.F
Iecoris frigidam intemperiem quæ comitantur.5°.de lo.aff. 4ª.34.E
Iecoris frigida intemperies quid agat. 5°. de locis affect. 4ª.34.D/5°.de compo.med.ſec.loc. 5ª.194.C
Iecoris frigidas affectiones quo modo iuuent cichorea, & ſeris.8°. de cõpoſi.med.ſec.loc. 5ª.195.C
Iecoris humida intemperies quid agat.5°.de lo.aff. 4ª.34.D
Iecoris humidæ affectiones quid faciant.8°.de cõp.me.ſec.loc. 5ª.195.H
Iecoris calidam imtemperiem quæ comitantur.5°.de loc.aff. 4ª.34.F
Iecoris calida intemperies quid agat.5°.de loc.aff. 4ª.34.D
Iecoris calida intemperies facit colliquationes. 8°. de compoſit.medica. ſecundum locos. 5ª.194.C
Iecoris ſicca intemperies quid agat.5°.de lo.aff. 4ª.34.D
IECVR imbecillius eſt corde.3°.de nat.fac. 1ª.306.C
Iecur eſt valentius quàm inteſtina & venter.3°.de na.fa. 1ª.306.D
Iecur & ventriculus quandoque valentiora ſunt, quandoque imbecilliora inuicem comparata.3°.de na.fa. 1ª.306.D
in Iecinore laſſitudo poteſt eſſe.de curan.rat.per ſang.miſſ. 6ª.16.F
de Iecinoris imbecillitate ſine inflammatione.5°.de lo.aff. 4ª.34.C
Iecoris imbecillitatis affectiones cur ſint octo.8°.de compoſi.medicamẽtorum ſecundum locos. 5ª.193.H
Iecur quibus partibus refrigeratur.5°.de loc.aff. 4ª.33.F
ex Iecore male affecto in partes inferiores, imbecilliores morbi incidũt.de ſanitate tuenda. 2ª.100.C
in Iecinoris, et ſplenis imbecillitatem quid efficiat vitioſus ſuccus.3°. de ſymptomatum cau. 3ª.30..A
Iecoris imbecillitas quid faciat.3°.de ſymp.cauſ. 3ª.27.H
Iecoris imbecillitas quo modo cognoſcatur.5°.de lo.aff. 4ª.34.G
Iecoris imbecillis ſignum.5°.de loc aff. 4ª.34.E
Iecore debilitato paulatim homo in alimento læditur, & colore. 6°.de decretis Hippocratis. 1ª.261.G
Iecur quũ non põt attrahere, quid ſequatur.8°.de cõ.me.ſe.lo. 5ª.194.B
Iecoris attractrice vitiata, quid ſequatur.5°.de loc.aff. 4ª.35.B
Iecori quæ qualitates conueniant.7°.de ſimp.med.fac. 5ª.56.G
Iecur roboratur adſtringentibus.6°.de ſimp.me.fac. 5ª.47.G
in Iecoris curatione ſemper aliqua adſtringentia apponenda. ars med. Iſa.71..A/11°.metho.med. 7ª.73.D
Iecur & ventriculus cur adſtringentia præ cæteris expetant.11°.methodi medendi. 7ª.72.E
in Iecore ſolui robur eſt periculoſum.11°.meth.med. 7ª.73.B
Iecoris vigor non eſt reſoluendus madefacientibus, & relaxantibus.ars medicina. Iſa.71..A
Iecori præbent robur cichorea, & ſeris.8°.de cõp.med.ſec.loc. 5ª.195.B
Iecur qua parte cichorea, & ſeri iuuetur.8°.de cõp.me.ſe.loc. 5ª.195.C
Iecoris imbecillitatibus conuenit maſtiche.8°.de ſimp.med.fac. 5ª.59.F
Iecur roborant piſtacia.2°.de ali.fac. 2ª.21.C
Iecur inualidum habentibus confert medicamentum ex malorum ſucco. 6°.de ſanitate tuenda. 2ª.101.B
Iecoris ſima pars quo modo cognoſcatur robuſta.de conſt.ar. Iſa.41.D
in Iecore quandoq; ſpiritus halituoſus continetur, & quid tunc ſentiatur.5°.de locis affectis. 4ª.33.C
IECVR affici quo modo cognoſcatur, oẽs notæ enumerantur. 5°. de locis affectis. 4ª.33.D
Iecoris affecti ſigna efficaciſſima.5°.de lo.aff. 4ª.34.D
Iecoris affecti aliud ſignum.5°.de loc.aff. 4ª.34.E
Iecoris patientis ſigna.ars med. Iſa.67.B
Iecinoris ſymptomata quæ.in 3m.de mor.vul.com.2°. 3ª.135.B
ex Iecore affectus cognoſcitur colorum vitijs.3°.de loc.aff. 4ª.16.E
Iecore vitiato color linguæ, & totius corporis alteratur. 2°. de locis affectis. 4ª.13.E
Iecore vitiato vitiatur ſanguificatio.5°.de locis affectis. 4ª.33.F
Iecore, ventriculo. & pulmone affectis febres ardentes magna ex parte adueniunt.5°.de loc.affe. 4ª.33.D
Iecur affectum qui pulſus ſequuntur.4°.de præſag.ex pulſ. 4ª.120.B
ex Iecinoris, vel thoracis tumore pulſus mollis nunquam fit, cur.4°.de præſag.ex pulſ. 4ª.120.B
Iecinoris affectum ſignificat tumor dextræ partis præcordiorum. 1°. de locis affectis. 4ª.6.B
in Iecoris affectu clauiculæ dolor.de mul. 3ª.77.G
Iecinoris affecti accidens quid exiſtimetur.2°.de lo.aff. 4ª.9.G
Iecinore afflicto alui deiectiones vnà cum acceſſionibus quos inuadunt. 11°.methodi medendi. 7ª.74.D
cũ Iecore communia habet ſymptomata lien.6°.de locis affe. 4ª.36..A
Iecore leſo læditur lien.2°.de alim.fac. 2ª.20.H
in Iecur ex liene periculoſa exceptio & morborum tranſumptio, è contrario non.in 6m.de mor.vul.com.1°. 3ª.165.E
Iecur idem patitur quando ventriculus æſtuat.2°.de ali.fa. 2ª.19.C
Iecur, & ventriculus non patiuntur apud ſe aliqua cocta morari. 3°. de ſymptomatum cauſis. 3ª.28..A
circa Iecur potius ſtare debent cruditates, quàm ire ad principales partes.12°.meth.med. 7ª.76.C
in Iecore q̃ ſunt, ꝑ quietẽ cõcoquũtur.in 6m.de mor.vul.c.5°.3ª.194..A
Iecoris vitio quo mõ pereat appetitus.in 3m.de mor.vulg.cõ.1°.3ª.133.C
Iecoris ſymptoma humidæ ventris deiectioni aſſimile quæ ad exactam quidem perducta ſit coctionem, non tamen digeſtionem conſequuta. 3°.de.ſympto.cau. 3ª.28..A
Iecinoris morbi ſicci qui vocentur.2°.de arte cu.ad Glau. 7ª.112.F
Iecinoris morbi dum aut nihil excernitur, aut durũ exit ſunt, morbi ſicci.de ptiſſana. 2ª.48..A
IECINORIS obſtructio qui morbus.de ſymp.diff. 3ª.13.D
in Iecinore potiſſimum obſtructio naſcitur ob eius conſtitutionẽ, actionemq;, & quare.de conſt.ar. Iſa.41.D

in Iecoris

in Iecoris meatibus quando obſtructio ſola.de diff.mor. 3ª.4.D
Iecoris quibus vitijs tētenť balneo poſt cibū vtētes.6°.de ſa.tu. 2ª.96.A
Iecur quibus facile obſtruitur.3°.de ali.fac. 2ª.28.B
Iecur obſtruunt cibi craſſi ſucci.de bo.& vit.ſuc. 2ª.35.F
Iecur obſtruitur facile ſenibus,ſi craſſum humorē facientibus vtantur. 5°.de ſanitate tuenda. 2ª.91.B
Iecoris obſtructiones pariunt cibi dulces.de bon.& vi.ſuc. 2ª.36.E
*Iecur qbus facile obſtruitur,vſum alicæ vitare dn̄t.1°.de ali.fa.*2ª.10.H
Iecur obſtruunt alica,& ſuilla caro.de bon.& vi.ſuc. 2ª.34.F
in Iecore grauitatem,vel dolorem facit alicæ,& ſuillæ carnis vſus vberior.de bon.& vit.ſucc. 2ª.34.G
in Iecinore affectis,& quando meatus ſunt anguſti,obeſt chondrus.2°. de arte cu.ad Glau. 7ª.111.E
Iecur obſtruit caſeus.3°.de alim.fac. 2ª.28.B
Iecoris meatus obſtruit itria ex ſimilagine.1°.de ali.fac. 2ª.11.F
Iecur obſtruit lac caſeoſum.3°.de ali.fac. 2ª.28.A
Iecur obſtruit lac elixum.3°.de ali.fac. 2ª.28.B
Iecoris meatus obſtruit placenta ex lacte, & caſeo.de bonita.& vitio ſuccorum. 2ª.35.D
in Iecore qui panis obſtructiones faciat.5°.de ſa.tuen. 2ª.91.E
Iecoris obſtructiones gignit lens mixta ſapæ.1°.de ali.fac. 2ª.13.F
Iecoris obſtructiones pariūt palmæ immaturæ.2°.de nat.fac. 2ª.20.H
Iecur celerrime obſtruit palmæ ſuccus dulcis.2°.de ali.fac. 2ª.20.H
in Iecore obſtructionem pariunt edulia ex triticea farina & lacte.1°.de alim.facul. 2ª.10.G
in Iecinore arctos alimenti tranſitus habentibus obſtructiones creant lauacra.de ſal.diæta. 2ª.41.B
Iecinoris obſtructiones faciunt pauci motus.1°.de ſa.tuen. 2ª.65.F
Iecur offendit potio frigida poſt exercitationem.de ſal.diæ. 2ª.41.C
Iecoris obſtructio non facit febrem.2°.de loc.aff. 4ª.12.H
in Iecoris cauo venæ obſtructæ quē morbū faciāt.2°.met.me. 7ª.12.H
*Iecoris venarum intemperies quem morbū facit.2°.meth.med.*7ª.12.H
Iecur quibus indicijs cognoſcatur eſſe obſtructū.5°.de ſa.tuen. 5ª.91.G
Iecoris obſtructionem quæ vrina ſignificet.de vri. 4ª.123.B
Iecoris obſtructio concoctum cibum in diuerſas corporis partes diſtribui prohibet.de bon.& vi.ſuc. 2ª.34.F
Iecoris obſtructionis curatio.de conſt.ar. Iſ.41.D
Iecoris obſtructio,& inflammatio quando coniunguntur, quibus curandæ.9°.de comp.me.ſe.loc. 5ª.197.F
Iecur curandum quibus indigeat.8°.de comp.med.ſec.loc. 5ª.194.H
Iecur obſtructum quibus iuuetur.6°.de ſa.tuen. 2ª.97.H
Iecoris obſtructiones quæ adiuuent.5°.de ſimp.med.fac. 5ª.35.B
in Iecinore obſtructiones abſtergunt & expurgant amara. 7°. de ſimp. med.facul. 5ª.49.E
Iecur,ac lienem obſtructione liberant amara.8°.de ſimp.me.fa. 5ª.59.B
Iecur expurgat amaritas.6°.de ſimp.me.fac. 5ª.47.E
Iecur,& renes expurgant acria & ſubamara.6°.de ſim.m.fa. 5ª.45.G
Iecur infarctu liberat Aſparagus.6°.de ſimp.me.fac. 5ª.44.A
Iecur obſtructū aperit Beta.2°.de ali.fa. 2ª.22.H
Iecur expurgat Betonica.7°.de ſimp.me.fac. 5ª.51.C
Iecoris obſtructionibus proſunt Caricæ & ficus.2°.de ali.fac. 2ª.17.F
Iecinoris obſtructiones optime expedit Centaurij minoris ſuccus. 7°. de ſimp.med.facul. 5ª.50.H
Iecur obſtructione liberat Chamæciſſos.8°.de ſimp.fac. 5ª.63.C
Iecur obſtructionibus bonū eſt remedium Chamæpitys.8°.de ſimplicium med.facul. 5ª.63.F
Iecur expurgat Cicerum genus arobiæum appellatum. 6°. de ſimpliciū medicamen.fac. 5ª.47.E
*Iecoris obſtructiones expurgat Eupatoriū.6°.de ſimp.med.fac.*5ª.47.G
pro Iecore expurgando Filix conuenit prædominantem habens amaram qualitatem.8°.de comp.me.ſe.lo. 5ª.195.D
Iecinoris obſtructiones ſanat Fumus terræ.7°.de ſimp.me.fac. 5ª.49.G
Iecur expurgat Iuniperi fructus.2°.de ali.fac. 2ª.19.C
Iecori prodeſt Laurus.6°.de ſimp.me.fac. 5ª.46.B
Iecur expurgat Lupinus.6°.de ſimp.me.fac. 5ª.48.D
Iecur ac lienē obſtructione liberat Marrubiū.8°.de ſim.me.fac. 5ª.59.B
Iecinoris obſtructiones adiuuat Oſiris.8°.de ſimp.me.fac. 5ª.57.G
Iecur expurgat Phaſiolum.6°.de ſimp.me.fac. 5ª.48.H
Iecoris obſtructione liberat Piſtacium.8°.de ſimpl.med.fac. 5ª.58.F
in Iecoris vijs humores infarctos purgāt piſtacia.2°.de ali.fac. 2ª.21.C
Iecur obſtructum expurgat Pæoniæ radix.6°.de ſimpl.me.fac. 5ª.45.G
Iecur expurgat Rubiæ radix.6°.de ſimp.me.fac. 5ª.47.F
Iecori Vua paſſa familiaris.8°.de comp.med.ſe.loc. 5ª.194.H
pro Iecoris obſtructione quæ dantur cum oxymelitue ſini debent.6°.de ſanitate tuenda. 2ª.96.B
Iecur deobſtruentia conducunt coctionis tarditati,& quæ ſint.6°. de ſanitate tuenda. 2ª.97.H
de Iecoris obſtructione caſus.ars med. 2ª.69.C
Iecoris meatus apertos habere conuenit ſanis,& ægris.2°. de alimentorum facultatibus. 2ª.17.F
ad Iecur quibus it fluxio quo mō curandi.de venæ ſec.ad.Era. 6ª.14.E
Iecur intumeſcit dulcibus omnibus.13°.meth.med. 7ª.83.E
Iecur,& ſplen à dulcibus vinis læduntur.de vinis. Sp.76.E
IECINORIS *tumor videtur habentibus gracile abdomen.5°.de locis affectis.* 4ª.33.E
Iecinoris tumori quid proprium 5°.de lo aff. 4ª.33.F
in Iecori vicinis partibus tumor quandoque adeſt,& quo modo cognoſcatur.3°.de loc.aff. 4ª.13.E
Iecur quibus indicijs cognoſcatur intumuiſſe flatu.5°.de ſa.tuē. 4ª.91.G
in Iecore & thorace cur nunquàm œdema pituitoſum naſcatur. 4°. de præſag.ex pulſ. 4ª.120.B
Iecinoris ſubſtantia ſcirrhis opportuna.11°.meth.med. 7ª.84.C
Iecore rarior eſt lienis ſubſtantia,& ſcirrhos ſæpius patitur. 11°. methodi medendi. 7ª.84.C
in Iecoris cauis partibus fieri poteſt tumor quidam ſcirrhoſus.de totius morbi temporibus. 3ª.89.C
Iecur affectum ſcirrho quid.fin.med. 7ª.47.E
Iecur fit ſcirrhoſum in morbis longis.in prog.com.1°. 4ª.197.G
Iecinoris ſcirrhoſi affectus vnde.de bo.& vi.ſuc. 2ª.39.D
Iecoris dura diſpoſitio non facit febrem.2°.de loc.aff. 4ª.12.H
Iecinoris ſcirrhus facile deprehenditur.5°.de loc.aff. 4ª.33.F
Iecoris ſcirrhus quo modo deprehenditur.de tot.morb.temp. 3ª.89.D
Iecinore ſuo munere probe non fungente,ſine tumoribus præter naturā varij colores accidunt in vniuerſo corpore 5°.de lo.aff. 4ª.34.B
Iecoris ſcirrhus an poſſit ſanari.2°.de arte cur.ad Glau. 7ª.104.D
Iecinoris ſcirrhū ſequitur aqua intercutem.5°.de lo.aff.33.F/4°.de præſag.ex pulſ.4ª.121.E/2°.de arte cur.ad Glau. 7ª.104.D
Iecoris ſcirrhus victu attenuante ſanatus.de atten.vict. 2ª.43.G
Iecur indureſcens liquant reliquiæ balani myrepſicæ,vnde expreſſus eſt ſuccus carnis eius.6°.de ſim.me.fac. 5ª.44.D
Iecur,& lienem indurata,& obſtructa ſanat viticis ſemen.6°. de ſimp. medi.facul. 5ª.42.B
*Iecinoris duritiē hn̄tibus pdeſt theriaca.de vſu the.ad Pamph.*5ª.98.H
ad Iecoris duritias quid bonum de med.fac.par. 7ª.178.D
Iecoris laxitas quo modo curanda.8°.de comp.me.ſe.lo. 5ª.195.H
ad Iecinoris duritiem quid valeat.6°.de comp.me.per ge. 5ª.256.A
à Iecore an ſemper morbus regius.5°.de lo.aff. 4ª.34.A
à Iecore aqua intercutem,qualis.in prog.c.1°. 4ª.197.G
IECORIS *phlegmone exiſtimatur ab ignaris phlegmone muſculorum, præcordiorū,& ita relaxantibus ab ijs curat̄.11°.meth.med.*7ª.72.F
*Iecoris inflāmationes quales in gibba,et in ſima parte.5°.de l.a.*4ª.33.C
Iecinoris ſimę partis inflammationes.5°.de lo.aff. 4ª.33.E
Iecoris cōuexi inflammatio periculoſior eſt inflāmatione concaui.in 6^{m}. de mor.vulg.com.1°. 3ª.162.H
Iecinore gibbi phlegmone facit tuſſim.2°.de ſymp.cau. 3ª.21.H
Iecore inferioribus partibus inflammatis pauciſſimi pereunt. in 6^{m}. de mor.vulg.com.1°. 3ª.162.H
Iecoris cauo phlegmone obſeſſo afficiuntur meſeraicæ venæ phlegmone & ipſæ protinus.13°.meth.med. 7ª.83.F
Iecoris inflammationes vehementiſſimę.5°.de loc.aff. 4ª.33.E
Iecoris,& ſplenis inflammationes vnde.2°.de diff.feb. 3ª.40.H
Iecoris inflammatio ex fluxione.2°.de diff.feb. 3ª.40.H
Iecoris inflammatio quid faciat.de pulſ.ad tir. 4ª.45.B
Iecoris inflammatio quo modo cognoſcatur.5°.de loc.aff. 4ª.34.G
Iecoris inflammationis indicia.5°.de lo.aff. 4ª.34.F
in Iecoris inflammationibus à pulſu habetur indicium firmum,& ſolidum.2°.de loc.aff. 4ª.13.E
in Iecoris inflammatione pulſus diuerſus.2°.de lo.aff. 4ª.13.E
Iecoris inflammati pulſus,qualis.de pulſ.ad tiro. 4ª.45.A
in Iecoris inflammationibus reſpiratio qualis.de vti.reſp. 1ª.225.G
Iecoris calorem ſignificant excrementa torrida.in 3^{m}.de morbis vulga. commenta.1°. 3ª.131.B
Iecoris inflammatio facit febrem.2°.de loc.aff. 4ª.12.H
ex Iecore male affecto tertiana fit.1°.de arte cu.ad Glau. 7ª.95.H

in Iecore,& ventre ob materiam fit febris ardens.in 3^{m}*.de morbis vulgaribus,com.*3°. 3^{a}.141.G
in Iecoris,& ventris venis ardens fit febris.in 1^{m}*.de morbis vulgari. com.*2°. 3^{a}.109.H
circa Iecinoris partes ſimas fit ardens febris.in 1^{m}*.de morbis vulgari. commen.*1°. 3^{a}.104.F
*Iecoris,& ventriculi inflammationem hectice ſequuntur.*1°*. de differentijs febrium.* 3^{a}.35.F
in Iecore facta febris quo modo cognoſcatur.in 3^{m}*. de morbis vulgari. commen.*1°. 3^{a}.131.B
Iecoris inflãmatio poteſt facere dolorem in loco notharum coſtarum. 2°. *de locis affectis.* 4^{a}.13.D
*Iecoris inflammatio facit dolorẽ in coſtis nothis.*5°*.de lo.aff.* 4^{a}.34.G
in Iecoris magna inflammatione & ſcirrho iugulum deorſum trahitur. 5°*.de loc.aff.* 4^{a}.34.H
*in Iecoris inflammatione cur dolor in iugulo.*2°*.de loc.aff.* 4^{a}.11.D
in Iecoris inflammatione ſanies cruoris tenuis ſimilis ablutioni carniũ. 5°*.de loc.aff.* 4^{a}.34.G
*ex Iecoris inflammatione medici caſus.*5°*.de loc.aff.* 4^{a}.34.F
*in Iecoris phlegmõe caſus Theagẽis philoſophi cynici.*13°*.m.m.* 7^{a}.83.F
Iecoris phlegmone laborãtem medicum quo modo curauit Galenus. 11°. *methodi medendi.* 7^{a}.73.A
*Iecoris ſuperaſſantis ſanguinem ſigna.*5°*.de lòc.aff.* 4^{a}.34.E
*Iecinoris phlegmone eſt cum periculo mortis.*10°*.meth.med.* 7^{a}.63.H
*Iecinoris inflãmationes ſi in pus vertunt,cõſumũt corpus.intr.Iſa.*56.G
*in Iecoris phlegmone vna ſalus eſt viriũ robur.*10°*.meth.me.* 7^{a}.63.H
*Iecoris phlegmone quomodo curetur.*13°*.meth.me.* 7^{a}.82.H
*in Iecinoris phlegmone remedia,quæ.*11°*.meth.med.* 7^{a}.73.A
*in Iecinoris phlegmone quid agendum.*13°*.meth.me.* 7^{a}.83.C/D
*in Iecoris gibbæ phlegmone quę adhibenda.*13°*.meth.med.* 7^{a}.83.H
*in Iecoris phlegmone victus qui inſtituendus.*13°*.meth.med.* 7^{a}.83.D
*Iecoris inflammatio non exigit cibos.*10°*.meth.me.* 7^{a}.63.H
*Iecoris inflammationi mulſa non eſt vtilis,& quare.*11°*.me.me.* 7^{a}.73.F
*pro Iecore calido fructus debent refrigerari,quando comeduntur.*1°*.de alim.facul.* 2^{a}.16.E
*Iecori inflammato obſunt cibi,& potus dulces.*2°*.de alim.fac.* 2^{a}.17.F
*Iecori inflammato nocent caricæ & ficus.*2°*.de alim.fac.* 2^{a}.17.F
*Iecore affecto quæ vena ſecanda.*13°*.meth.med.* 7^{a}.83.B
*in Iecoris phlegmone vena interna cubiti ſecanda.*13°*.me.me.* 7^{a}.82.H/ 2°*.de arte cur.ad Glau.* 7^{a}.102.G
ſupra Iecur membra petunt venæ cubiti ſectionem.in 6^{m}*.de mor.vulg. commen.*1°. 3^{a}.156.A
infra Iecur membra petunt venæ crurum ſectionem.in 6^{m}*.de mor.vul. commen.*1°. 3^{a}.156.A
*in Iecoris phlegmone ſi vacuatio conueniat,quæ conſideranda.*13°*. methodi medendi.* 7^{a}.82.H
*Iecur quando euacuandum,timendum eſt,nc quid virtuti officias.*7°*.methodi medendi.* 7^{a}.49.B
*ex Iecore non licet euacuare vtcunq;,ſed cum cautione,& quare.*7°*. methodi medendi.* 7^{a}.49.B
in Iecoris gibba quando eſt inflammatio,per quas partes ſit purgãdũ. quos purg.op.quib.med. 5^{a}.88.F
in Iecoris ſima quando eſt inflammatio,per quas partes ſit purgandũ. quos purg.quib.med. 5^{a}.88.F
*ex Iecore ſanguinis fluxum retrahunt cucurbitulæ dextris pręcordijs ſuppoſitæ.*1°*.de arte cur.ad Glau.* 7^{a}.100.F
*in Iecoris caui phlegmone quibus euacuandum.*13°*.met.me.* 7^{a}.84.A
*Iecoris inflammatio indurata quibus curetur.*8°*. de compoſitio. medicamentorum faculta.* 5^{a}.187.E
*Iecur inflammatum non debet curari ſolis laxatorijs,ſed & adſtringentibus.*8°*.de comp.me.ſe.loc.* 5^{a}.187.C
*in Iecinoris phlegmone nõ conueniunt adſtringentia,quia bilis meatum arctant.*13°*.meth.med.* 7^{a}.83.E
Iecoris inflammatio eget adſtringentibus non ſolis relaxantibus . de remedijs paratu facilibus. 7^{a}.158.F
*ꝙ Iecur mediocriter adſtringi debeat.*13°*.meth.me.* 7^{a}.83.F
*in Iecoris phlegmone qñ adſtringentia inaugenda.*11°*.met.me.* 7^{a}.73.A
Iecori quæ adſtringentia conueniant.de re. par.fa. 7^{a}.158.F
*in Iecoris phlegmonie abſinthij coma conuenit,& quo modo.*13°*.meth. medendi.*83.G/14°. 7^{a}.88.D
*ad Iecoris inflãmationes abſinthium põticum bonũ.*11°*.me.me.* 7^{a}.72.F
*Iecur cũ laborat abſinthium ex oleo adhibebimus.*11°*.met.me.* 7^{a}.72.F
*Iecori vt abſinthium,ita lieni capparis cõuenit.*11°*.metho.me.* 7^{a}.84.F
*Iecori quale eupatoriũ,tale lieni ſcolopendriũ.*11°*.meth.med.* 7^{a}.84.F
*pro Iecoris phlegmone filicula cum quibus,& quo modo detur.*13°*. methodi medendi.* 7^{a}.84.A
*Iecoris inflammationibus cõpetit maſtiche.*7°*.de ſimp.med.fac.* 5^{a}.55.C
*Iecori conuenit ſpica nardi.*7°*.de ſimp.me.fac.* 5^{a}.56.G
*Iecoris phlegmonis prodeſt ſchini flos.*8°*.de ſimp.me.fa.* 5^{a}.61.H
*ad Iecur valet ſolanum halicacabum.*8°*.de ſimp.me.fac.* 5^{a}.62.G
pro Iecoris phlcgmone veratri nigri cortex in ptiſſana coctus cõuenit. 11°*.methodi medendi.* 7^{a}.84.A
*in Iecoris cauæ partis phlegmone clyſter ex mulſa & ſale conuenit.*11°*. methodi medendi.* 7^{a}.84.A
*in Iecoris phlegmone quæ extrinſecus applicãda.*11°*.me.med.* 7^{a}.84.D
in Iecoris phlegmones declinatione quæ miſcenda quãdo ſcirrhoſa. 11°*. methodi medendi.* 7^{a}.84.A
*Iecori inflãmato q̃ apponẽda cũ mollibus.*2°*.de ar.cu.ad Gla.* 7^{a}.104.D
*Iecur nõ fert fortia medicamẽta vt ſplẽ.*2°*.dc ar.cu.ad Glau.* 7^{a}.104.D
*pro Iecore cataplaſma in phlegmone conuenit.*13°*.meth.med.* 7^{a}.83.G
*in Iecoris phlegmõe hyſſopũ atticũ miſce in ceratis.*13°*.me.me.* 7^{a}.83.H
*Iecoris inflãmationibus facile applicant̃ remedia.*3°*.de loc.aff.* 4^{a}.16.B
*Iecori quando remedia aptanda,& qñ meſenterio.*5°*.de lo.aff.* 4^{a}.35.C
*Iecoris medicamenta qũo debeant parari.*5°*.de ſimp.med.fac.* 5^{a}.35.B
*Iecori qũo humida ſint applicanda.*8°*.de comp.me.ſec.loc.* 5^{a}.196.A
*Iecori,& medicamenti tractrici potentiæ idem os diuerſis temporibus ſeruit.*3°*.de na.fac.* 1^{a}.306.C
*Iecoris eryſipelatis notæ,quæ.*5°*.de loc.aff.* 4^{a}.33.E
*in Iecore qũo ſit morbus ex plenitudine.*5°*.de lo.aff.* 4^{a}.33.H
in Iecore affecto & repleto tentis & craſſis humoribus quid faciendũ. ars med. Iſa.70.H
*Iecinoris affectibus diuturnis vis vitalis proſternitur.*4°*. de pręſagitione ex pulſ.* 4^{a}.121.G
in Iecore grauitatis ſenſus fit.de mult. 3^{a}.77.F
IECORIS *dolor quibus neglectis fiat.de dyn.* Sp.20.A
*Iecoris dolores non neceſſario ſequuntur male concoquentem.*3°*. de ſymptomatum cauſis.* 3^{a}.30.C
ĩ Iecinoris dolores ĩcidũt à cibo exercitati & balneati.đ ſal.diæ. 2^{a}.43.C
in Iecoris parte illa, qua ſepto tranſuerſo committitur , ſi fuerit dolor, aufertur,ſi emittatur ſanguis ex arteria inter indicẽ,& pollicẽ dextræ manus ſita.de curandi rat.per ſang.miſſ. 6^{a}.21.E
*Iecinoris dolores ſanguinis miſſione prius indigct,q̃ euacuatione. de vic. rat.in mor.acu.com.*4°. 7^{a}.137.B
Iecore dolẽte vena cubiti ſecãda.de cur.ra.per ſang.miſ. 6^{a}.20.A
*Iecoris dolorẽ ſentiẽtes qua victus rõne vti debẽt.*6°*.de ſa.tuẽ.* 2^{a}.96.B
*in Iecoris dolore abſinthij coma danda in aliquo liquore.*6°*. de ſanitate tuenda.* 2^{a}.96.B
*pro Iecoris dolore compoſitio vtilis.*6°*.de ſa.tuen.* 2^{a}.96.B
*pro Iecoris dolorc diacalaminthe.*6°*.de ſa.tuen.* 2^{a}.96.B
*ad Iecoris dolorem Philonis antidotus.*9°*.de com med.ſe.lo.* 5^{a}.201.A
*in Iecinore adeſt palpitatio.*2°*.de ſymp.cau.* 3^{a}.20.F
ad Iecur medicamenta quædam proprie inſcribuntur.introd. Iſa.57.H
*ad Iecoris morbos antidotus vtilis.*2°*.de antid.* 5^{a}.120.E
*Iecoris morbo vexatos iuuat antidotus zopyria.*2°*.de antido.* 5^{a}.115.B
*ad Iecoris affectus longos Damocratis malagma.*8°*.de compoſitio.medicamentorum ſec.loc.* 5^{a}.196.H
ad Iecur,& ſtomachum.de med.fac.par. 7^{a}.175.E
ad Iecinoris vitia quid conferat.de med.fac.par. 7^{a}.166.E
ad Iecoris vitia remedia expientia cõfirmata.de me.fac.par. 7^{a}.173.D
Iecòri commodum medicamentum.de med.fac.par. 7^{a}.173.D
*Iecore affecto tardiſſime fit mors.de vic.ra.in mor.acu.cõ.*2°. 7^{a}.123.H
*ex Iecoris affectu quomodo mori contingit.*5°*.de lo.aff.* 4^{a}.29.B
*Iecoris,& cerebri temperie deperdita non oportet cordis ſimul actionẽ perire.*5°*.de loc.aff.* 4^{a}.28.H
*ex Iecore non excindimus tela.*4°*.de ánat.admi.* 1^{a}.79.F
*ad Iecoris vlcus malum valet cyphi antidotus.*2°*.de antid.* 5^{a}.111.E
*ſi Iecur nudatum collidamus,aut laqueo venas ſtringamus,quid ſequatur.*6°*.de decre.Hipp.* 1^{a}.261.G
*ſi Iecur diſciſſum ſit,letale eſt.com.*6°*.apho.*18°. Ex.47.H
Iecore deperdito an aliud gignatur.de conſt.ar. Iſa.39.G
IECVR *animalis mactandi* συκωτὸν *dicitur, quòd ex multarũ ficuũ ſiccarum eſu præparatum fuerit.*3°*.de alim.fac.* 2^{a}.27.D
Iecur eſt craſſi ſucci.de bon.& vit.ſuc. 2^{a}.35.F
Iecur non eſt mali ſucci.de bon.& vit.ſuc. 2^{a}.35.F

Iecur lactentium

Iecur lactentium boni ſucci.de bon.& vit.ſucc. 2ª.35.F

Iecur gallinaceorũ,& pſertim altiliũ,eſt bo.ſuc.de bo.& vi.ſuc.2ª.35.F

IECVR canis rabidi valet ad morſos à cane rabido. 11°. de ſimplicium medicamentorum facul. 5ª.79.H

Iecore caprino ad nyctalopas quo modo aliqui vtantur.11°. de ſimpliciũ medic.fac. 5ª.79.H

Iecur caprinum comitiali morbo obnoxios arguit, conuulſionemq́; illis accerſit.11°.de ſimp.me.fac. 3ª.79.H

Iecur hircinum idem poteſt quod caprinũ.11°.de ſimp.me.fac. 5ª.79.H

Iecur equi in quo caſu conueniat, & quo modo exhibendum.de medica. fac.par. 7ª.166.E

Iecur lacertæ dolores eroſorum dentium ſanat.11°.de ſimplicium medicamentorum facultatibus. 5ª.80.A

Iecur lupi in quo caſu conuenit, & quo modo exhibendum. de medica. fac.par. 7ª.166.E

Iecur lupinum in hepaticum medicamentum ſe poſuiſſe quidem dicit Galenus,tamen non laudat.11°.de ſimp.me.fac. 5ª.80.A

Iecur muſtelæ.de reme.par.fac. 7ª.162.B

IEIVNANS quid patiatur.com.4°.aph.17°. Ex.29.A

Ieiunantes ſaliuam habent ſalſam,plus ieiunantes amaram.4°.de ſimp. medicamentorum facul. 5ª.20.A

Ieiunantes habent os amarum,& vrinam bilioſam,& venter illis mordetur.2°.de nat.fac. 1ª.300.G

Ieiunantes multũ,fiunt habitu bilioſi.4°.de ſimp.med.fac. 5ª.29.A

Ieiunantes cur cordis dolorẽ ſentiunt,&q; morſus.2°.de decre. 1ª.240.C

Ieiunanti non debet iniungi labor.com.2°.apho.16°. Ex.12.G

Ieiunant aliqui vno die in menſe.de ſal.diæta. 2ª.42.B

IEIVNIVM contra capitis dolorem & crapulam. de victus ratione in morbis acutis.com.4°. 4ª.145.B

Ieiunia ſunt bona.de ſperma. Sp.40.D

ex Ieiunio caſus epileptici.de venæ ſec.aduer.Eraſ. 6ª.14.G

Ieiuna experientia non eadem quæ à cibo.2°.de dig.pulſ. 4ª.77.C

in Ieiunijs longis optimus ſanguis venit ad nutriendum ventriculum de atra bile. 1ª.36.G

Ieiunis videntur phantaſmata ſomniorũ.in 1^{m}.prorrh.com.1°. 4ª.163.G

ex Ieiunis hominibus coniectura fit viperas detentas eſſe venenoſiores.de vſu ther.ad Pamphi. 5ª.99.B

Ieiunum vomere bilem melius eſt.de dyna. Sp.19.H

ſi Ieiunus potauerit multum merum,incidit in podagram.commen.6°. aphoriſmo 28°. Ex.49.A

Ieiunis dandũ eſt medicamentũ ex ſucco malorũ.6°.de ſa.tuen. 2ª.101.B

in Ieiuno corpore exercitatio facta vacuat.4°.de ſal.diæta. 2ª.41.B

IEIVNVM cur ita dictũ.4°.de vſu par.1ª.142.E|de ana.viuo.Sp.50.C

Ieiunum inteſtinum vbi ſit.de anat.parua. Sp.43.A

Ieiunum ſecundum inteſtinum.5°.de vſu par. 1ª.142.E

Ieiunum quale.6°.de anat.admi. 1ª.92.F

Ieiunum cur ſit vacuum.de anat.viuo. Sp.50.C

Ieiunum inteſtinum prẹſertim eſt lubricũ.com.6°.apho.1°. Ex.46.C

in Ieiuno venæ,& arteriæ ſe contingunt.9°.de vſu par. 1ª.172.H

Ieiuni officiũ.introd.Iſa.54.B|de cõp.memb.ſiue de na.hu. Sp.59.A

Ieiunum vas nutrimenti.introd. Iſa.54.B

in Ieiunum cibi tranſmiſſio à ventriculo non eſt opus naturæ. 6°. de locis affectis. 4ª.38.F

in Ieiuno non fit ſanguis.introd. Iſa.54.D

Ieiuni ſonitus ob flatus.3°.de ſymp.cau. 3ª.27.F

ad Ieiunum quando dura aqua & frigida vix à ventre ſubexierit, non diſtribuitur faciliter,neque ſputum reducit.de bo.aquæ. Sp.75.G

Ieiuni morbi ſicci,qui.2°.de arte cur.ad Glau. 7ª.112.F

Ieiunum affligit fluxio corrupta.6°.de ſa.tuen. 2ª.98.F

ad Ieiunũ inteſtinũ facta ex acri & putredinoſa pituita exulceratione, in quibus factus ſit teneſmus.in 3^{m}.de morb.vul.com.3°. 3ª.146.H

Ieiuni inteſtini cauſa maxime iecur imbecillitatur.5°.de loc.aff. 4ª.33.F

Ieiunũ inteſtinũ q̃nto loco cauſũ facit.đ vic.ra.in mor.ac.c.4°.7ª.134.E

in Ieiuno ſedẽ h̃ntes cauſi quales.de vic.ra.in morb.ac.cõ.4°. 7ª.135.F

in Ieiuno inteſtino fit q̃nq; hectica.10°.meth.med. 7ª.64.F

Ieiunum inteſtinum inſanabile eſt.6°.meth.med. 7ª.39.G

ex Ieiuno inteſtino an poſſibile ſit aliquid per nauſeam deferri.7°. de cõpoſitione medicam.ſec.loc. 5ª.184.B

Ἱερεῖα quid ſignificat.2°.de arte cur.ad Glau. 7ª.110.A

Ἱερὸν eſt os paruæ ſpinæ.12°.de vſu par. 1ª.196.G

Ἱεροσκοπία quid ſignificat.2°.de arte cur.ad Glau. 7ª.110.A

Ἱεροσκόποι quid ſignificat.2°.de arte cu.ad Glau. 7ª.110.A

IGNARVS naturæ boni,quis. 7°. de decretis Hippocratis. 1ª.268.E

Ignari ſecuri in timidis,timidi in ſecuris.2°.de ana.admi. 1ª.69.B

Ignari habent rationẽ,quæ facile ab ira vincitur.3°.dc decret.1ª.242.F

Ignaro quid dicendum atq; illi, qui cum nullam ſui curam habeat, non modo artis,ſed & rationis omnis expers videtur.in or.ſuaſ.Iſa.3.A

Ignari fugiendi,qui non habent demonſtrationes vel logicam.de conſtitutione artis. Iſa.38.F

Ignari etiam verum dicunt.de hiſt.philo. Sp.3.E

ad IGNAVIAM animi inducendam frigiditas primum, humiditas ſecundum locum obtinet.3°.de loc.aff. 4ª.16.F

Ignauiam inducunt pituitoſi & frigidi morbi.3°.de loc.aff. 4ª.16.F

Ignauiæ ſigna,ſupinũ iacere,hiare,& ſtertere.2°.de mot.muſ.1ª.314.E

IGNAVORVM reſpiratio,qualis.1°.de diff.reſp. 3ª.61.B

Ignaua febris,quæ.fin.med. Iſa.46.D

IGNESCIT ex motu ſpiritus noſter.de palp. 3ª.54.H

IGNEA,& ſubtilia ſunt acuta.de ocul. 7ª.188.A

Ignearum partium euaporatione ex aere fit aqua.de vti.reſp.Sp.64.A

Igneum eſt inſtrumentum inſpiciendi.7°.de decre.Hipp. 1ª.271.H

Igneus pallens vocari poteſt fuluus color.12°.meth.med. 7ª.76.F

Igneus calor eſt febris eſſentia.de frac.com.3°. 7ª.243.D

Ignei omnes affectus fiunt caliditate vincente.de palp. 3ª.54.C

Igneum totum corpus quibus ſignis noſcatur.in 3^{m}.de morbis vulgarib. commen.1°. 3ª.131.H

ad Igneas phlegmonas cypri foliorum decocto quidam vtuntur.7°. de ſimp.med.fac. 5ª.53.H

Ignea vrina his eſt,qui laborant ex triſtitia,vigilijs, & cogitationibus. de dynam. Sp.34.A

Ignea vrina tertianam ſignificat.de dynam. Sp.35.E

IGNITVR aer influens per poros cineris ad reſtaurationem euaporationis ignis.de vtil.reſp.63.H| Sp.64.A

Igniuntur vehementius cucurbitulæ argenteæ,propterea reijciuntur.de cucurbi.ſcari. 6ª.3.D

IGNIS arte præditus Deus eſt.de hiſt.philo. Sp.4.G

Ignem eſſe animam dicere non licet.ꝙ animi mores. 1ª.318.E

Ignis nomen ab eſſentia.1°.de ſa.tuen. 2ª.62.E

Ignis genera multa ex Platone.7°.de decre.Hipp. 1ª.271.C

Ignem elementum eſſe dicentes cui innituntur.1°.de elem. 1ª.4.E

Ignis quo modo dictus ſit ſolum elementum.de na.hu.com.1°. 1ª.28.A

inter Ignem,& terram,cur aer & aqua media ſecundum Platonem.de vſu partium. 1ª.169.A

Ignem,& aerem continere, aquam, & terram contineri dicunt Stoici. de mult. 3ª.77.C

Ignis à nullo contineri poteſt.in tim.Plato. 1ª.288.B

Ignis,& aer ſunt formalia.in Tim.Plat. 1ª.287.B

Ignis habet partem aereæ eſſentiæ.de na.hu.com.1°. 1ª.33.A

Ignis,& aer in quibus ſint.de mult. 3ª.77.C

Ignis,& Sol actu calida.3°.de temp. 1ª.22.A

Ignis caliditas,qualis.1°.de ſim.med.fac. 5ª.4.B

Ignis eſt calidus in ſummo.1°.de temp. 1ª.10.C

Ignem vnde dicimus calidum.1°.de ſimp.med.fac. 5ª.7.C

in Igne calor eius eſt differentia virtutis ipſius,quo calore amoto attrahit ſiccitatem,& remanet quẹdam fumoſitas calida quẹ eſt ſubſtantia.de ſpermate. Sp.41.B

Ignis ſiccus ſimpl'r ac abſolute & nõ cõparatus alteri.1°.de tẽpe.1ª.12.F

Igni aqua aduerſiſſima.1°.de ſimp.me.fac. 5ª.4.H

Ignis minutiſſimis conſtat partibus.in tim.Pla. 1ª.288.B

Ignis an conſtet ex pyramitis partibus.8°.de decre.Hip. 1ª.274.G

Ignis partes pyramitæ.8°.de decre.Hipp. 1ª.274.G

Ignis omnis non eſt tenuis,nec omne tenue eſt ignis. 1°. de ſimplicium medicamentorum facul. 5ª.6.C

Ignis qui tenuis,qui non.1°.de ſimp.me.fac. 5ª.6.C

vt Ignis ſubtile eſt acetum.1°.de ſimp.me.fac. 5ª.5.H

Ignis fit aer ipſe per digeſtionem.de vti.reſp. Sp.64.A

in Igne quid ſit digeſtio.de vtil.reſp. Sp.64.A

Ignis multus non fit ex multo aere.de vtil.reſp. Sp.62.E

ad Ignis conſeruationem neceſſarius eſt aer,non,vt quidã putant, propter refrigerationem,ſed nutrimenti cauſa.de vtil.reſp. Sp.63.H

Ignis nutrimentum eſt aer.de vti.reſp. Sp.63.H

Ignem ab aere nutriri probatur.de vti.reſp. Sp.62.G

Ignis nutrimentum nullatenus eſt aqua,ſed aer.de vti.reſp. Sp.64.C

Ignis quomodo fiat alia elementa.1°.de elem. 1ª.4.E

Ignis pro fomento humiditatem expoſtulat.de nat.hu.com.1°. 1ª.33.A
Ignis poteſt mutari in aerem.3°.de temp. 1ª.23.E
vt Ignis,æque mobilis non eſt aer.de vtil.reſp. Sp.62.G
Ignis habet alium motum q̃ſurſum.de vtil.reſp. 1ª.224.G
Ignis non reperitur ſyncerus.1°.de ele. 1ª.5.D
Igne quot fiant bona.de the.ad Piſo. 5ª.97.D
Ignem maxime inter elementa eſſe cauſam vitæ exiſtimarunt nobiliſſimi philoſophorum.com.1°.apho.14°. Ex.7.H
Ignis & aer elementa ſpiritus.5°.de decre.Hipp. 1ª.255.G
Igne vtitur natura ad fabricam membrorum,præſertim eorū quæ ſinus habent & ventriculos,& quare.2°.de ſe. 1ª.339.F
Ignis quantus in generatione miſcetur.1°.de ſa.tuen. 2ª.62.E
Ignis qui ſit in corpore animali qūo cognoſcatur.1°.de ele. 1ª.5.E
Ignem vocat calorem naturalem.1°.de ſa.tuen. 2ª.62.F
vt Ignis fontem,caliditatem in ſanguine,& venis habet animal omne. in timęum Platonis. 1ª.289.H
Igne priuatum nihil viſibile.7°.de decre.Hipp. 1ª.271.H
Igni qui admouetur ſemper calefit.2°.de ſa.tuen. 2ª.71.A
Igne fit calefactio membrorum.2°.de diff.feb. 3ª.41.A
Igne cum fouemur,noſtra corpora calefiunt.1°.de ſan.tuen. 2ª.74.B
Ignis frigefactos non calefacit ſine tempore.de cau.mor. 3ª.6.H
Ignis minimus non agit.3°.de ſimp.med.fac. 5ª.23.B
ab Igne qui calefit,ignem recipit.1°.de ele. 1ª.6.H
Ignis penetrat per omnia.8°.de decr.Hippo. 1ª.277.G
Ignem cito accipientia quæ.3°.de temp. 1ª.22.E
ad Ignem accedens vt cōburi videatur citra tamen combuſtionē dolet parte calefacta nihil adhuc patiente.3°.de loc.aff. 4ª.14.D
ab Igne fit eroſio extrinſecus.4°.meth.med. 7ª.23.B
Ignis omnia diſſoluit.de mult. 3ª.77.E
Ignis maxime exiccat.1°.de ſan.tuen. 2ª.62.E
ad Ignem ſuſpenſum vinum in vtribus indureſcit in modum ſalis euapo rante aqua in quadam regione.de vti.reſp. Sp.64.F
ad Ignis euaporationis reſtaurationem ignitur aer influens per cineris poros.de vti.reſp. Sp 63.A/H
Ignis ingreditur poros metallorum non aer.de vtil.reſp. Sp.64.A
Igne ex paleis ad aurum fabrefaciendū vtunt̃.aduerſus Lycū.Ex.64.B
Igne aurum iudicatur.de theria.ad Piſo. 5ª.97.D
ad Ignem comparatio calami.1°.de ſimp.me.fac. 5ª.4.B
Igne quæ facile accenduntur,& tenuia ſunt,ac cōtinua,à noſtro calore, æque ab igne facile alterantur.1°.de ſimpli.med.fac. 5ª.4.G
Ignis ex ligno generatur,& alitur.6°.de decre.Hipp. 1ª.264.G
Ignis factus ex lignis vitiatis multum nocet.c.2°.aph.41°. Ex.18.A
Ignis quot modis à lignis læditur.de cu.ra.per ſang.miſſ. 6ª.16.G
Ignis qui ex prunis conſtat modicus eſt,& fumi expers. 11°.de ſimpliciū medicamentorum facultatibus. 5ª.81.E
Ignis flammæ,calor naturalis cōparari non poteſt.de mar. 3ª.45.H
vt ad Ignem fornax comparatur, ita cor ad ſpiritum, & calorem.de anatomia viuorum. Sp.46.D
vt Ignis lignorum materia,ita calor alimento nutritur. in 6^{m}.de morbis vulg.com.5°. 3ª.194.A
Ignis quibus occaſionibus extinguitur.de cau.mor. 3ª.7.B
Ignis quo modo ob ligna extinguatur.de victus ratione in morb. acutis, commen.4°. 7ª.149.A
Ignis lignorū multitudine ſuperiecta extinguitur.c.7°.aph.7°. 7ª.54.D
Ignis lignis multis & paucis extinguitur,& quare.de cau.mor. 3ª.7.C
Igni ſi iniiciatur oleū,ſtrepitus,& cōcuſſio oritur.de palp. 3ª.54.F
Ignem extinguit aer præter modū frigidus,veluti hyberno tēpore iuxta Hiſtrum.de cau.mor. 3ª.7.B
Ignem extinguunt omnia caua anguſta, quæ perſpirare non poſſunt.de vtilitate reſpirationis. 1ª.224.F
Igne quando vtendum.5°.meth.med. 7ª.31.D
Igne,ſtalticis,catharticis,& acerrimis rebus curatur cācroſa cauſa. de dynamidijs. Sp.19.A
Ignis neruis inimicus.de art.com.1°. 7ª.259.A
per Ignem fit tractus cucurbitularum ænearum,& vitrearum. de cucurbitulis,ſcarificatione. 6ª.3.E
cū Igne modico ſunt applicandæ cucurbitulæ.de cucur.ſcar. 6ª.3.D
cū Igne multo haud ſunt affigēdæ cucurbitulæ ī capite,vehemēter enim attrahunt,difficulterq́ auelluntur.de cucur.ſca. 6ª.3.D
Ignis exit per poros ventoſæ.de vti.reſp. Sp.64.D
ſine Igne fit tractus cucurbitularū cornearū.de cucur.ſca. 6ª.3.E
Ignis cur extinguitur à cucurbita medicinali.de vtil.reſp. 1ª.224.F
Ignis in clibano ſit moderatus in coquendo panē.1°.de alim.fac. 2ª.9.H
Ignis moderatus quid agat in panem in coctura.1°.de ali.fac. 2ª.9.H
Ignis ardens quid obſit pani in coctura.1°.de ali.fac. 2ª.9.H
ex Igne nimio dupliciter fit panis prauus.1°.de ali.fac. 2ª.9.H
Ignis imbecillus quid agat pani in coctura.1°.de ali.fac. 2ª.9.H
ad Ignem ſplendidum quę coquenda, & quouſque. 5°. de compoſitione medicam.ſec.loc. 5ª.162.B
Igne nō flāma liquefieri iubet medicamētū.5°.de cōp.me.ꝑ ge. 5ª.247.E
ad Ignis acerrimi flammam coquit medicamentum.6°.de compoſitione medicamen.per genera. 5ª.263.B
Ignis adſtringit.de opt.ſecta. Iſa.25.C
Igne ferrum molleſcit.de ther.ad Piſo. 5ª.97.D
ab Igne exuſti curatio.de opt.ſecta. Iſa.25.C
Igne ambuſta vlcera iuuat attramentum ſcriptorium. 9°.de ſimplicium medic.facul. 5ª.70.B
Igne combuſtis quid conferat.6°.de comp.me.per ge. 5ª.259.F
Igne cōbuſto in loco vt oriant̃ capilli qd faciēdū.de me.fac.par.7ª.161.E
vt Ignis vrentia medicamenta.2°.de arte cur.ad Glau. 7ª.102.D
Ignis ī ſilice aut calce ē ignis nō tñ actu,qa nō vrit.an aīal ſit. 1ª.327.D
Ignē nō expta medicamēta multa ſunt acerrima.de the.ad Piſ. 5ª.97.D
Ignis multa reddit meliora.de theria.ad Piſo. 5ª.97.D
Ignis accēſus in ſtercore colūbarū ob putrefactionē.de cau.mor. 3ª.6.E
Igni paruo cum multa materia ſuperponitur comparatur febris quando incipit.3°.de præſag.ex pulſ. 4ª.118.H
IGNIS quid notet.in 3^{m}.de mor.vul.c.1°. 3ª.131.A
Ignis nomine pro febre vtitur Hippocrates.in 1^{m}.de morb.vulg.com.1°. 121.E/in 3^{m}.cō.1°.133.F/cō.2°.3ª.139.E/de fract.com.3°. 7ª.243.D
Ignis,id eſt vehemens febris,exponitur à Galeno.in 1^{m}.de morbis vulg. commen.3°. 3ª.123.B
Ignis dicitur febris magna.2°.de arte cur.ad Glau. 7ª.111.C
Ignis pro febre vehementiſſima ponitur ab Hippocrate ſæpe.in 1^{m}.de morb.vulg.com.3°. 3ª.121.H
Ignem vocauit Plato caliditatem in corpore.in tim.Pla. 1ª.288.C
Igni q correptus.in 1^{m}.de mor.vulg.cō.3°.124.E/in 3^{m}.cō.1°. 3ª.133.F
Igni correptus Hermocrates.in 3^{m}.de mor.vul.com.1°. 3ª.130.H
Ignis vxorem Oecetai ex abortiōe ad quintū menſem facta corripuit, et quid ſequutum fuerit.in 3^{m}.de mor.vul.com.2°. 3ª.139.E
Ignis,id eſt febris,ex laſſitudinibus,quem corripuerit. in 3^{m}. de morbis vulg.com.2°. 3ª.137.E
Ignis errans quem corripuit.in 1^{m}.de morb.vulg.com.3°. 3ª.123.A
IGNIS ſacer quid.fin.med. Iſa.48.H
Ignis ſacer in angina,qui.in progn.com.3°. 4ª.209.C
Ignis ſacer à qua materia fiat.in 3^{m}.de morb.vul.com.3°. 3ª.141.F
Ignis ſacer fit à materia caliginoſa cum bile.in 1^{m}. de morbis vulgarib. commen.1°. 3ª.104.G
Ignis ſacer morbus flauæ bilis.de decr.Hip. 1ª.275.E
Igni correſpondet flaua bilis.8°.de decre. 1ª.275.D
Ignem ſacrum generat ſanguis calidiſſimus.de ocul. 7ª.189.E
ad Ignem ſacrum proprie facit coriandrum.de ſim.med. Sp.82.E
Ignem ſacrum myrta curat.de ſimp.med. Sp.87.F
Ignem ſacrum curant folia myrtæ.de ſimp.med. Sp.87.F
Igni ſacro illinitur terra cimolia.de ſimp.me. Sp.85.B
ad Ignem ſacrum quod remedium efficacius.de purg.med.fac. 5ª.87.G
ad Ignem ſacrum.de dyn. Sp.30.D
ad Ignem ſacrum vel calorem membrorum.de dyn. Sp.30.E
Ignis ſacer,vide Eryſipelas.
IGNITA aqua quo modo fiat.de dyn. Sp.23.B
Igniti lapides fluuiales remouēt aquoſitatē lactis.de diſ.cont. Sp.75.B
Igniti ferri fruſta remouent aquoſitatem lactis.de diſſ.cont. Sp.75.B
Ignitum nimis eſt euphorbium.de dyna. Sp.22.B
Ignitis hypochondrijs quæ non obſint.de cura icteri. Sp.111.A
IGNOBILIS cum nobili collatio.in or.ſuaſ. Iſa.3.C
ob IGNOMINIAM animi perturbatio.de co.cur.an.mor. 2ª.50.E
IGNORANTES quidam quo modo videant,ſe videre negant. aduer. emp.med. Iſa.35.C
Ignorante patiente lac anabulę dandum.de dyn. Sp.27.F
IGNORANTIA vnum ſolum vitium,ſm Galenum.7°.de decretis Hippocratis. 1ª.268.E
Ignorātia vitiū indelebile,potiſſimū cū ſuperbia.11°.meth.med.7ª.84.B
Ignorantium duplex genus.1°.de diff.feb. 3ª.31.C
inter Ignorantiam omnifariam,& notitiam exactam media eſt coniectura artificioſa.1°.de loc.aff. 4ª.3.D

Ignorantię ſignum ex diſſenſione ſumitur.contra Iulianum. Ex.68.C
Ignorantiam oſtendunt medicorum controuerſiæ.2°.de arte curatiua ad Glauconem. 7ª.109.H
Ignorantiā inueteratam multorum cum penitus euellere cupimus, quid euitandum.ad Thraſ. 2ª.103.D
Ignorantiam ſuam faſſus eſt auctor libri de motibus manifeſtis et obſcuris.de mot.man.& obſc. Sp.67.B
pp *Ignorantiam multa prætererierunt philoſophi & medici.3°.de locis affectis.* 4ª.19.D
Ignorantia ducuntur male cognoſcentes & agentes.7°.de decretis Hippocratis. 1.268.E
per Ignorantiam quod fit,ignoſcendum.5°.de decre.Hipp. 1ª.259.D
Ignorantia cum rigore mala.in 1^{m}.prorrh.com.2°. 4ª.173.F
Ignorantia quod ſymptoma ſit.in 1^{m}.prorrh.com.2°. 4ª.177.E
IGNORARE *eſt deſipere.5°.de decre.Hippo.* 1ª.256.C
Ignoramus aliqua,quia exigua ſunt.de cog.cur.animi mor. 2ª.53.G
Ignorarunt antiqui motum labrorum in priora.de muſc.diſſ. 1ª.44.F
Ignorarunt antiqui muſculum latum male excoriantes animal.de muſculorum diſſectione. 1ª.44.E
Ignorati muſculi etiam diu à Galeno.de muſc.diſſ. 1ª.49.C
IGNOTVM *quod eſt,nullo ſigno iudicatur.de ſectis.* Iſa.17.C
Ignota non aggredientes minus errant,q̃ qui illa tractant quæ nunquam didicerunt.de venæ ſect.aduer.Eraſ. 6ª.13.A
Ignotas perſpiratiões habere corpus neceſſe eſt.in tim.Pla. 1ª.287.B
ILEON *vnde dictum.de anat.viuo.* Sp.50.D
Ileon inteſtinum eſt tertium.de anatomia viuorum. Sp.50.B
Ileon cur multum inuolutum.de ana.viuo. Sp.50.D
ILEOS, *& colica idem.ſecretorum.* Sp.102.G
Ileus quid.fin.med. Iſa.47.C
Ilei,ideſt voluuli,quid ſint,& quo mō fiant.c.3°.apho.22°. Ex.24.G
Ileos eſt inteſtinorū inflāmatio.in 3^{m}.de mor.vul.com.2°. 3ª.338.H
Ileos quo modo fiat.com.7°.apho.10°. Ex.54.F
Ileos quo modo quandoque gignitur.3°.de ſymp.cauſ. 3ª.25.H
Ilei ſigna quæ.in 3^{m}.de mor.vul.com.2°. 3ª.139.A
Ileorum proprium inſeparabile nihil deſcendere ad inferiora.com.7°.aphoriſmo 10°. Ex.54.F
in Ileo nihil exit inferius,neque ſi quis acerrimo vtatur clyſtere.cō.6°.aphoriſmo 44°. Ex.51.C
Ileos qui periculoſior.in 3^{m}.de mor.vul.com.2°. 3ª.139.A
Ileos dicitur cum ſtercus euomitur.6°.de loc.aff. 4ª.37.A
Ileis letalibus ſtercus per vomitum emittitur.3°.de ſymp.cau. 3ª.25.G
Ileū patientes non ſemper habēt vomitum,ſed quādoque exitiales ſunt.com.7°.apho.10°. Ex.54.F
in Ileo vomitus ſtercoris fiunt in his qui exitialiter ſe habent.commen.6°.apho.44°. Ex.51.C
ab Ileo vomitus,ſingultus,deſipientia, vel conuulſio, malum.com.7°.aphoriſmo 10°. Ex.54.F
in Ileo neruorum principium compatientes à ſtomacho facit deſipiētiā & conuulſionem.commen.7°.apho.10°. Ex.54.F
in Ileo cur ſtercus euomatur.3°.de nat.fac. 1ª.306.F
in Ileis cur ſtercus emittatur.3°.de ſympt.cau. 3ª.25.G
Ilei dolor à qua fiat cauſa.6°.de loc.aff. 4ª.37.A
Ilei dolor ſequitur ad morſus.com.6°.apho.40°. Ex.50.H
ex Ilei affectu animus deficit.1°.de arte cur.ad Glau. 7ª.98.G
ex Ilei dolore,animi defectus quo modo curandus.1°.de arte curatiua ad Glauconem. 7ª.99.G
ILEX *planta agreſtis.2°.de ali.fac.* 2ª.21.H
Ilex,& fagus roboris genera.6°.de ſimp.med.fac. 5ª.46.E
Ilex arbor frigidiſſima,& ſicciſſima.4°.de ſimpliciū medicamentorum facultatibus. 5ª.26.F
Ilex eſt acerba.8°.de ſimp.me.fac. 5ª.62.C
Ilex vehemētius adſtringit robore.6°.de ſimp.med.fac. 5ª.46.E
Ilicis,arbuti,ſmilacis,phagi virgultorum tenerorum decoctum inter adſtringentia fortiora ponitur,quę gargarizantur.6°.de compoſit.medicamen.ſecun.loc. 5ª.172.G
Ilicis radix cocta quid efficiat.1°.de com.me.ſec.loc. 5ª.127.A
ILIA *qui locus ſit,& cur ita dicatur.de artic.com.3°.* 7ª.276.H
Ilia quid ſint.de fract.com.2°. 7ª.240.H
Ilia qualia eſſe debent.in prog.com.1°. 4ª.195.E
Ilia ſi ſint craſſa,& ad purgationes & ad vomitum,bonum eſt & cauſa & ſignum,ſi tenuia,malum.com.2°.apho.35°. Ex.17.E
ad Ilia extenditur tumor grauidæ.com.6°.apho.44°. Ex.51.D
Ilia ſi quis cohibendo anhelitu implere velit,oleo perfundi,& apotherapia vti debebit.3°.de ſan.tuen. 2ª.76.A
Ilia murmurantia qūo intelligantur.com.4°.apho.73°. Ex.35.G
Ilia ſuſpenſa quot modis fiant.com.4°.apho.73°. Ex.35.F
Ilijs ſuſpenſis murmurantibus nocet lac.c.5°.aph.54°. Ex.44.D
Iliorum ſuſpenſorum,murmurantium,inflatorum,flatuoſorum differentia.com.5°.apho.64°. Ex.44.E
quibus Ilia ſuſpenſa murmurantia,lūborū dolore ſuperueniente,ijs aluū humectantur, niſi flatus erūpant, aut vrinæ multitudo proueniat, hæc vero in febribus.com.4°.aph.73°. Ex.35.F
Ilijs murmurantibus, ac ſuſpenſis prodeſſe ſerum in quo ſit poſitum ſal & mel.com.5°.apho.64°. Ex.44.F
Ilijs inflatis & flatuoſis nocet lac.com.5°.aph.54°. Ex.44.F
Ilia attollit lac dum digeritur.com.5°.apho.64°. Ex.44.E
Ilia extenſa fiunt ad inſtar vtris.com.4°.aph.73°. Ex.35.G
in Ilijs pulſus quid ſignificet.in prog.com.1°. 4ª.195.G
in Ilium pulſu cur fiat delirium.in prog.com.1°. 4ª.195.H
in Ilijs œdema quid ſignificet.in prog.com.1°. 4ª.196.A
circa Ilia abſceſſus facit gibber ſupra ſeptum.de arti.cō.2°. 7ª.266.G
Ilij ex frigiditate remedium.de dynam. Sp.26.H
Ilium dextrū ſi obduruerit in febribus,regius morbus ſuperueniens quocunq; tempore,malum.com.4°.aph.64°. Ex.34.D
Iliorum dolor quo modo ſanetur.in prog.com.2°. 4ª.200.A
Ilia quibus dolent,quid proſit.de incant.adiur.& ſuſp. 7ª.182.A
ad Ilia ſi lateris dolor pertingat, indiget purgatione.commentario 6°.aphoriſmo 5°. Ex.46.G
Ilium dolore accedente,quibus hypochondria ſublata murmurantia, ijs alui humectātur,niſi flatus erumpant,aut vrinæ proueniat copia.de vrinæ ſignificatione ex Hipp. Sp.78.H
contra Ilium & vitia renum remedia.de dyna. Sp.28.B
ad Ilij dolorem ſorbitiuum.de dyn. Sp.28.C
ad Ilij dolorem potio probata.de dyn. Sp.28.C/D
ad Ilij dolorem fomentum.de dyna. Sp.28.D
ad Ilij dolorem remedia duo.de dyn. Sp.283.C
ILIACA *paſſio vbi.de ana.par.* Sp.43.A
Ilia crum pulſus.de dyna. Sp.35.B
Iliacis antidotum vtile.de dyna. Sp.27 G
ad Iliacos potio Dauid.de dyna. Sp.28.D
ILICEA *pyxis,eſt vas,& cuius ſit vſus.4°.de cō.me.ſe.lo.* 5ª.152.H
Ilignex glādes duræ,acerbę,& inſuaues.de bon.& vit.ſuc. 2ª.36.C
Ilignex glandes cur vitandæ.de bo.& vit.ſuc. 2ª.36.C
Ilignea glans exiguum dat alimentum.2°.de ali.fac. 2ª.22.B
Ilignea glans eſt praui ſucci.2°.de ali.fac. 2ª.22.B
Ilignea quæ in organis fieri debeant.de mach. 7ª.309.D
ILIOSIS *theriaca prodeſt.de ther.ad Piſo.* 5ª.96.B
ILIVM *oſſa quæ.de oſſ.* 1ª.43.C
Ilium oſſa in quem ſinum ingrediantur.de oſſi. 1ª.42.D
ad Ilia venæ de ſingulis vertebris mittuntur,ſecundum eas venas quę ad teſtes deferuntur.de ven.ar.diſ. 1ª.58.D
in Ilium extrema parte panus excitatur in aliquibus mulieribus, & qua de cauſa.6°.de loc.aff. 4ª.41.C
ΙΛΛΑΙΝΕΙΝ, *κατιλλαίνειν, & κατιλλαίνουσαι quæ verba.in 3^{m}.de mor.vul.com.3°.* 3ª.143.A
ILLECEBRAE *ſucci libra dimidia cum quibus ſumenda ad ægilopas.4°.de comp.med.ſec.loc.* 5ª.160.B
ILLIDENTIA *omnibus ſunt nota.1°.de ſa.tu.* 2ª.63.B
ad ILLINENDVM *pluma vtitur Galenus.de rem.par.fac.* 7ª.158.B
Illinenda quo modo in loco debeant poni.4°.de loc.aff. 4ª.25.A
Illinendi vis emplaſtica dicta quibus neceſſe ſit ineſſe.5°.de ſimpliciū medicamentorum fac. 5ª.34.F
ILLISIO *quid.de cauſ.morb.* 3ª.9.G
ILLITIO *pennis fit.11°.de compoſitione medicamentorum ſecundum locos.* 5ª.209.B
Illitiones quæ faciant ad aphthas.6°.de comp.me.ſec.loc. 5ª.176.C
Illitio iuxta palatū pro capite purgādo.2°.de cōp.me.ſec.loc. 5ª.139.D
Illitiones ſtomaticæ Aſclepiadæ.6°.de cōp.med.ſec.loc. 5ª.171.D
Illitiones quidā recuſant.5°.de cōp.med.ſec.loc. 5ª.161.D
ἼΛΛΟΣ *& ἰλλότερον raro apud Græcos veteres inueniuntur.in 3^{m}.de mor.vulg.com.3°.* 3ª.143.B
Ἴλλωσις *palpebræ euerſio alicubi nominatur ab Hippocrate.10°.de vſu partium.* 1ª.181.D

ILLOTIO

ILLOTIO *conſueta magis toleratur inconſueta. commenta. 2°.aphoriſmo.50°.* Ex.19.B
ILLVC *illic quid ſignificent, & ꝙ Chryſippus altero pro altero vſus fuerit.2°.de decr.Hipp.* 1ª.238.B
in ILLYRICO *iris optima eſt.1°.de anti.* 5ª.105.D
ILLYRIS *concoctorum eſt, & attenuatorium pharmacum. 9°.de comp.med.ſec.loc.* 5ª.202.A/D
Illyris.6°.de compoſitione medicamentorum ſecundũ locos.171.D/10°.209.C/4°.de compoſitione medicamentorum per ge.243. F/5°. 247. B/249.C/250.D/E/7°. 5ª.269.H
IMAGINATVR *quidam in epilepſia, & etiam in ſyncope quæ eſt paſſio cordis.de vtil.reſp.* Sp.63.F
IMAGINATIVA *pars animæ recordatur.2°.de mot.muſ.* 1ª.315.B
Imaginatrix pars eſt eius animalis actionis, quæ à rectrice procedit.de ſymp.diffe. 3ª.11.D
Imaginatricis offenſæ quot.de ſymp.diff. 3ª.11.H
IMAGINATIO *quid ſignificet.in* 1^{m}*.de mor.vulg.com.3°.* 3ª.118.A
Imaginatio, imaginarium, imaginabile, imago, quo modo differant. de hiſt. philoſ. Sp.9.C
Imaginatio, rerum cogitatio, conſeruatio voluntatis ſunt tria genera actionis.de voce,& anhel. Sp.61.H
Imaginatio à viſu mouetur.8°.de vſu par. 1ª.167.E
Imaginationum & ſenſuum veritas.de hiſt.philo. Sp.9.A
Imaginationem non habent bruta.de hiſt.philo. Sp.9.C
ſm Imaginationem quid ſit.ars med. Iſa.69.D
IMAGINES *terribiles fiunt per ſomnum pueris, & quibus os ventriculi multis, & vitioſis humoribus mordetur.c.3°.aph.24°.* Ex.25.B
Imagines ſomnis implexas abigit theriaca.de ther.ad Piſ. 5ª.96.A
Imagines ſpeculorum quo modo fiant.de hiſt philoſ. Sp.9.D
IMBECILLITAS quot fiat modis.đ vic.ra.ĩ mor.ac.c.2°. 7ª.123.F
Imbecillitatem quæ faciunt.1°.de præſag.ex pulſ. 4ª.109.C
Imbecillitas fit ob vaſorũ inanitionẽ.de vic.ra.ĩ mor.acu.c.2°. 7ª.123.F
Imbecillitas viriũ fit ob inanitionẽ.de vic.ra.in mor.acu.c.2°. 7ª.123.G
Imbecillitas fit ob euacuationem.de vic.rat.in mor.acu.c.2°. 7ª.123.G
Imbecillitat per accidens inedia.de vic.ra.in mor.acu.com.3°. 7ª.128.F
Imbecillitatem virium ex inedia qui non cognoſcunt medici, ridendi.de vict.rat.in mor.acu.com.2°. 7ª.124.A
Imbecillitas fit ob laborem.de vic.ra.in mor.acu.com.2°. 7ª.123.G
ob Imbecillitatem virium quæ ſpiratio omnibus agentibus muſculis efficiatur, & qũo differat à magna.4°.de lo.aff. 4ª.27.B
Imbecillitas potentiæ quæ mouet thoracem, facit carentiam anhelitus. com.4°.aph.34°. Ex.31.B
Imbecillitas virium in conualeſcentibus, & repletio cibi facit tubercula, & in articulis labores.com.4°.aph.45°. Ex.32.G
Imbecillitas virium eſt cauſa extenuationis.cõ.2°.aph.28°. Ex.16.E
Imbecillitas potẽtiæ lõgiores facit acceſſiones.2°.de diff.feb. 3ª.42.A
Imbecillitas viriũ eſt cauſa pauci ſudoris.c.4°.aph.41°. Ex.32.E
ex Imbecillitate virtutis in carne, ſudoris incidit tum retentio, tum ex pulſio.3°.de ſymp.cau. 3ª.28.G
ob Imbecillitatẽ viriũ ſopor prouenit.in 3^{m}*.de mor.vul.cõ.1°.* 3ª.131.H
ex Imbecillitate ſoporem quinam pulſus diſtinguãt ab eo, qui ob humiditatem & algorem fit.in 3^{m}*.de mor.vulg.com.1°.* 3ª.131.H
Imbecillitas facultatis cum arteria dura, quales faciat pulſus. 1°. đ cauſis pulſuum. 4ª.89.H
Imbecillitas facultatis cũ arteria molli, quales faciat pulſus.1°. de cauſis pulſuum. 4ª.89.H
Imbecillitatẽ facultatis ſignat partiũ grauitas.in progn.c.2°. 4ª.198.F
Imbecillitates facultatis animalis comitantur magnam Cerebri intemperiem.4°.de præſag.ex pulſ. 4ª.121.G
Imbecillitas virium penitus obſeruanda eſt in venæ ſectione. præſagiũ exper.conf. Sp.78.D
Imbecillitas vult cibari ſæpe, & paulatim.de victus ratione in morbis acutis, com.2°. 7ª.121.G
Imbecillitates ĩ aĩo et relaxationẽ quãdã pſeferre malos oẽs cũ pturbationibus ſuccũbũt, recte à Chryſippo dictum eſt.4°.de decr. 1ª.252.C
Imbecillitas virium, lege Virium imbecillitas.
Imbecillitates vocantur à multis exigui membrorum à naturali temperamento receſſus.de diff.mor. 3ª.3.G
Imbecillitas particularum, & robur earundem, & ſenſus facilis, & cruditatis magnitudo, & differentia diuerſa gignũt ſymptomata. 3°. de ſymptomatum cauſis. 3ª.30.C
ob Imbecillitatem vnius particulæ omnes thoracis partes dilatãtur. 4°.de locis affectis. 4ª.25.A
Imbecillitas propria ratione iuuat & obeſt. de victus ratione in morbis acu.com.3°. 7ª.125.F
Imbecillitatis ſignum.com.2°.aph.28°. Ex.16.E
Imbecillitas facit vt facilius affectio à sẽſu dignoſcaĩ.4°.đ l.af. 4ª.25.E
ob Imbecillitatẽ ꝙ partes laborẽt, argumẽtũ.6°.de ſa.tu. 2ª.100.C
Imbecillitas particularũ quæ excrementa expurgant, vnde.3°.de ſymptomatum cauſis. 3ª.26.A
Imbecillitas ptis nõ ẽ ſufficiẽs cauſare paſſionẽ.c.6°.ap.28°. Ex.49.A
Imbecillitas ſenſus cutis, vnde.de ana.vi. Sp.45.C
ex Imbecillitate dolor capitis qũo curandus.1°.de arte.cura. 7ª.100.A
Imbecillitas ſine tumore in gula qũo cognoſcaĩ.5°.de loc.aff. 4ª.32.C
ad Imbecillitatem ſtomachi valet diatrion pipereon.de dyn. Sp.26.H
ex Imbecillitate ſepti tranſuerſi athletæ Secundi nominati caſus. 4°. de locis affectis. 4ª.25.A
Imbecillitas inſtrumentorum ventris, vnde.3°.de ſymp.cau. 3ª.27.D
Imbecillitas iecoris quo modo cognoſcatur.5°.de loc.aff. 4ª.35.G
Imbecillitas vaſorũ vrinæ qũo cognoſcaĩ.de ren.aff.dign. 7ª.192.G
Imbecillitatem roborare quid ſit.2°.met.me. 7ª.11.D
IMBECILLVM *contrarium forti.12°.de vſu par.* 1ª.192.H
Imbecillum quid ſit.de ſymp.diff. 3ª.12.C
Imbecilla, & onerata facultas qũo differant.3°.de cau.pulſ. 4ª.99.B
Imbecilla pars quo mõ læditur ab extrinſecis.6°.de ſa.tu. 2ª.100.D
Imbecilles fiũt vires ex motibus vehemẽtibus.c.4°.aph.32°. Ex.30.H
Imbecilla membra reddit quies.de ijs, quæ in med.fi.com.3°. 7ª.220.C
Imbecilles vires habentiũ oculi.in 6^{m}*.de mor.vul.com.4°.* 3ª.187.B
Imbecillis valde natura eſt extreme extenuati.c.4°.aph.23°. Ex.29.H
Imbecillis cur teſtes laxi.1°.de ſemi. 1ª.334.E
Imbecilli, q ſæpe ægrotãt, ſeruanĩ facile ĩ morbis, ꝙ.ſ.ex his nemo, cũ à qualibet lædaĩ vel minima cã, expectet cãm magnã.de pſa. 3ª.110.F
Imbecillas vires hñtes vinũ vinoſũ debẽt euitare.7°.met.me. 7ª.45.E
Imbecillas vires hñtibꝰ cõuenit vinũ aquoſũ auſterũ.7°.me.m. 7ª.45.E
ad Imbecilla corpora balnea cur inuenta.10°.met.me. 7ª.66.C
Imbecillibus concũbentibus vires imbecillitantur.3°.de ſa.tu. 2ª.81.D
Imbecilles primo calefacit coitus, poſtea frigefacit.in 6^{m}*. de mor. vulg. commenta.5°.* 3ª.192.G
Imbecilla pars quæ ſit.11°.met.me. 7ª.74.A
Imbecilla membra multum, & prauum excrementum colligunt. in 6^{m}*. de mor.vul.com.1°.* 3ª.154.F
Imbecillitas fert ad locũ affectũ ſupfluitates.c.4°.aph.32°. Ex.30.H
ad Imbecilliores partes mittunt partes valentiores ſuperflua. 13°. methodi medendi. 7ª.80.H
ad Imbecilliſſimã pticulã ſp trãſmittũt aliæ ptes.2°.de dif.fe. 3ª.40.G
Imbecillũ, exolutũq; ſtomachũ roborare põt cucurbitula.đ cu.ſc.6ª. 3.F
Imbecillibus piſces molles accommodati.3°.de ali.fac. 1ª.31.E
Imbecillum ad multam vitam & ad ſanam ducere eſt admirandũ. 5°.de ſanitate tuenda. 2ª.88.H
Imbecilliores quo modo vomere debent.de ſal.diæ. 2ª.41.G
Imbecillibus frictiones ſunt loco exercitij.de puero epi. 7ª.180.B
Imbecilli non ſunt purgandi.in 1^{m}*.pror.com.2°.* 4ª.174.E
Imbecillis mitiora medicamenta adhibenda.6°.met.me. 7ª.38.E
cur Imbecillis natura nõ fert medicª.tpe æſtatis.c.4°.aph.5°. Ex.28.A
ad Imbecillos, & nauſeantes quid agendum.de med.fac.par. 7ª.166.C
Imbecillus etiam dolor ſoluit virtutem.de cura lap. Sp.111.G
IMBRES *faciunt regiones irriguas.de aere, aq.& lo.* 2ª.2.B
ab Imbribus, niuibus, ac glacie venti frigidi ab vrſis procedentes perpetui ſunt in Scythia.de aere, aquis, & lo. 2ª.5.E
Imbribus hũidiora reddũĩ aĩaliũ corpa.ĩ 1^{m}*.đ mor.vul.c.1°.* 3ª.104.B
Imbribus ſe exponere eſt cauſa morbi comitialis in iuuenibus. commẽ. 3°.aph.29°. Ex.26.C
Imbribus ſiccitates ſunt ſalubriores, & minus mortiferæ.commẽta. 3°. aphoriſmo.15°. Ex.22.G
Imbres ſomniare quid ſignificet.in 1^{m}*.de mor.vul.com.3°* 3ª.117.H
Imbres ſomnians ſignificat humiditatem ſibi ineſſe. de præſag.ex inſom.ſum. 4ª.213.C
Imbres, lege Pluuias.
IMBVTI *praua doctrina duobus ĩdigẽt tpibus, alterũ in quo prauas opiniones dediſcat, alterũ in quo melioribus ſe exerceat.* 7ª.43.H
IMIKETAYNIOΣ *Apollonij iunioris.de faſc.* 7ª.302.G
IMITARI *opera naturæ debet medicus.de voc.inſt.diſſ.1ª.106. B/cõ. 4°.aph.2°.Ex.27.C/.de diſſ.cont.* Sp.72.C

IMITATIO *genus experminenti. de ſectis.* Iſa.16.B
Imitatione quo modo comparetur experientia.de ſubſ.emp. Iſa.31.D
Imitatio in vnoquoque morbo quæ ſit.c.4°.aph.2°. Ex.27.C
IMMANITAS *notat atrã bilem peccare.c.4°.aph.2°.* Ex.27.F
Immanitas quibus à natura.de aere,aquis,& lo. 2ª.4.H
IMMINVI, *& immunitio,augere,& augmẽtum quid ſignificat apud Hippocratem.2°.de diff.reſp.* 3ª.64.H
Imminuente luna corpora refrigerarę piculoſum.de decu.pgn. Sp.16.B
IMMOBILIA *aĩalia hñt ſolam cupiditatem.5°.de decr.Hipp.* 1ª.258.C
Immobilis eſt pulmo per ſe.de ana.viu. Sp.48.A
Immobilia,& inſenſibilia ſunt ſecundum ſe ipſa pulmo, & arteria aſpe ra.de vti.reſp. Sp.63.G
Immobile corp⁹ qua vertebra lęſa fiat corpus.8°.đ ana.admi. 1ª.102.H
Immobiles partes in organis,quæ.de machin. 7ª.310.F
Immobilitas,motus prauus,& motus naturalis,ita differunt vt ſanitas,mors,& morbus.2°.de præſag.ex pulſ. 4ª.110.G
Immobilitas eſt motus compoſitus ex duobus motibus.de palp. 3ª.51.G
Immobilitas eſt vitium actionum.de ſymp.diff. 3ª.11.C
Immobilitas primũ ſymptoma motiuarũ actionũ.de ſymp.dif. 3ª.11.G
Immobilitas in animi functionibus.3°.de ſymp.cau. 3ª.24.F
Immobilitas brachij fit à vi animali.2°.de ſymp.cau. 3ª.20.A
Immobilitas putrefacit veſtes.in 3°.de mor.vul.com.3°. 3ª.141.A
IMMODERATVM *duplex genere.1°.de diff.reſp.* 3ª.56.G
Immoderatum præter naturam quod.1°. de diff.reſp. 3ª.56.G
Immoderata mutanda.de ſal.diæ. 2ª.40.A
Immoderatæ excretiones vrinarum fiunt patiente hepate. Sp.60.B
ad Immoderatum vomitum,et fluxum ventris.ſecretorum. Sp.101.A
IMMODICVM *ducẽs ad alterationẽ duplex.4°.de ſimp.m.f.* 5ª.29.B
IMMORANS *quid ſit.de ijs.quæ in med.fi.com.3°.* 7ª.216.H
IMMORTALES *ac firmæ ſunt animæ differentiæ.de ſper.* Sp.37.F
Immortale fieri non poteſt quod genitum eſt.1°.de ſan.tu. 2ª.67.E
Immortales homines qui volebat reddere,ſi à pueritia ſibi regendi traderentur.de marc. 3ª.45.F
Immortalitatis particeps humana natura.de conſue. 2ª.61.F
IMMVNDITIA *vaſculorũ qd ſignet.ĩ 6m.de mo.vul.c.3°.* 3ª.169.H
IMMVNDAM *matricẽ mũdificat ſuccus cẽtaureæ.de vir.cẽ.* Sp.94.B
IMPACTA *materia quo curetur.2°.de comp.me.ſec.loc.* 5ª.136.B
IMPAR *nũs marẽ refert,par vero fœminã.3°.de die decr.* 4ª.158.H
Impar numerus maxime ſeruandus in morbis acutis.de victus ratione in mor.acu.com.4°. 7ª.141.C
in Impari numero potius quã pari ſigna multa fiunt.de victus ratione in mor.acu.com.4°. 7ª.141.D
ꝑ Imparẽ numerũ ẽt antiq medicamẽta dabãt.11°.de ſim.m.fa. 5ª.82.B
Impares dies,& pares qñ cõſiderãdi.2°.de arte cur.ad Gla. 7ª.112.H
Impares dies criticos eſſe,æſtate,in iuuenibus,partibus dextris, & ſuperioribus,inquit Hippocrates.bre.denot.dogm.Hip. 1ª.231.D
in Imparibus diebus morbi acceſſionem habentes citius iudicãtur, qui vero paribus,tardant.c.4°.aph.36°. Ex.32.A
Imparibus diebus acutas ægritudines magna ex parte iudicari inquit Hippocrates.bre.denot.dogm.Hip. 1ª.231.D
in Imparibus diebus niſi febres reliquerint,ſolent febricitantes recidiuare.com.4°.aph.61°. Ex.34.A
ad IMPEDIMENTVM *vrinæ gratia humoris frigidi. de cura lapidis.* Sp.112.F
Impedita vox animalis ex medulla ſpinali.de mot.man.& obſ. Sp.67.C
vbi IMPELLIMVS *extrahẽdo,vtimur ſpatha Fabri atque Andreę, de machinamentis.* 7ª.309.G
IMPERATORES *laudat,& Deos dicit.de ther.ad Piſ.* 5ª.90.C
Imperator ad quid conſtitutus.an animal ſit. 1ª.327.G
Imperatoris optimi munus quod.de par.pi.ex. 2ª.49.D
Imperator exercitus,& cuſtos,& fur egregius eſſe debet.de paruæ pilæ exercitio. 2ª.49.D
Imperator quæ agere non debet.ad Thra. 2ª.108.G
Impator põt alia ſcire extra artẽ regiã.ĩ 6m.đ mor.vul.cõ.5°. 1ª.188.D
Imperatoria ars eſt conſeruatrix.ad Thraſ. 2ª.104.C
Imperatores cur creati.ad Thraſ. 2ª.104.C
in IMPERFECTIS *animalibus membra conſimilia officialibus perfectorum.de ana.viu.* Sp.45.G
Imperfecti embryones quomodo generentur.de comp.memb. Sp.59.B
Imperfectæ,& confuſæ voces cur fiant.de ana.viu. Sp.49.B
Imperfecta ſunt organa tractoria.de machin. 7ª.311.E
IMPERITI *cauillatoribus ſunt meliores.de pur.me.fa.* 5ª.87.F
IMPERIVM *à dijs adepti ſunt Impatores.de ther. ad Piſo.* 5ª.90.C
de IMPETIGINOSIS *tumoribus, & ex quibus humoribus generẽtur.5°.de comp.me.ſe.lo.* 5ª.160.C
Impetiginoſæ,& rubræ faciei præſidium.de dyna. Sp.25.E
IMPETIGO *quid.fin.med.* Iſa.48.A
Impetigo ſimplex affectus cutis.intro. Iſa.59.D
Impetigo agreſtis affectus cutis.intro. Iſa.59.D
ex Impetigine quæ incipit ſcabies & lepra, nõdum appellatur ſcabies, neque lepra.1°.de comp.me.ſe.lo. 5ª.121.G
Impetiginis duæ ſpecies.intro. Iſa.57.G
Impetigines cur fiant vere.com.3°.aph.20°. Ex.24.B
in Impetiginem incidebant qui malos ſuccos ob annonam ederant. dę bon.& vit.ſuccorum. 2ª.33.G
Impetigini caricæ vtiles ſunt.de ſimp.med. Sp.84.C
Impetigines delet ſuccus centaureæ.de virt.cent. Sp.93.F
Impetiginibus vtilis elleborus niger.de dyna. Sp.21.A
Impetigini agreſti medentur ſales theriaci.de theria.ad Piſ. 5ª.97.E
ad Impetiginem vnguentum.de dyna. Sp.25.F
ad Impetiginem & pruritum vnguentum.ſecre. Sp.97.G
ad Impetigines menti quid conferat.de re.par.fac. 7ª.157.B
ad Impetigines faciei et colli quid cõferat.1°.de cõp.me.ſe.lo. 5ª.126.A
ad Impetigines quid agendum eſt.med.fac.par. 7ª.179.B
ad Impetigines ſcabras quid agendum.de rem.par.fac. 7ª.157.C
ad Impetiginẽ agreſtem quid conferat.6°.comp.me.per gen. 5ª.256.E
ad Impetigines feras quid conferat.de med.fac.par. 7ª.179.B
ad Impetigines diuturnas.de reme.par.fac. 7ª.157.B
ad Impetigines commodum pharmacum.1°.de cõp.me.ſe.lo. 5ª.131.E
ad Impetigines expertum remed.de med.fac.par. 7ª.174.A
ad Impetigines bonum quid.de med.fac.par. 7ª.175.D
ad Impetiginem remedium.de dyn. Sp.25.F
IMPETVS *quid ſignificet.in progn.com.3°.* 4°.207.B
ab Impetu motus ſenſibiles fiunt in animalium corporibus, cum ſana ſunt.de palp. 3ª.51.D
Impetus animi affectus & perturbatio.de co.cu.animi mor. 2ª.50.G
Impetus iræ fiunt Marte cum Luna.de decub.progn. Sp.12.H
Impetum inſpirationis alæ naſi inſequuntur.de muſc.diſſ. 1ª.14.F
Impetus lippitudinis Glaucium ſtringit.de ſimp.med. Sp.84.F
Impetus ſanguinis irrationabiles ſæpius ligatis coxis retinemus.de catharticis. Sp.94.H
Impetum ſanguinis ad nares potenter reuellunt cucurbitulæ, quæ hypochondrijs affiguntur.de cucur.ſcar. 6ª.4.G
Impetus morborum duobus remedijs pellitur.de dyna. Sp.20.B
IMPLACIDITAS *quarto die,in quo fuerit.in 1m.de morbis vulgaribus,com.3°.* 3ª.124.F
Implacidi quomodo fiant.de vic.ra.in mor.acu.com.3°. 7ª.128.D
Implacida mulier in quo caſu. in 1m.de mor. vul.com.3°. 3ª.125.B
IMPLENTVR *corpora à quo.5°.de ſimp.me.fac.* 5ª.32.H
Implenda quæ vlcera,& quæ expurganda.5°.met.me. 7ª.33.F
Implentia medicamenta extrinſecus,quæ.intro. Iſa.58.A
Implet vulnera erbum.de ſimp.med. Sp.85.B
Implẽs caua aridũ cephalicũ medicam quale.5°.de cõ.me.ꝑ ge. 5ª.253.D
Implẽs vulnera cyzicenũ emplaſtrũ quale.5°.de cõp.me.ꝑ ge. 5ª.250.B
IMPLETIO *eſt vnũ caput conuulſionis.2°.de ſymp.cau.* 3ª.19.H
IMPLICATVS, *& cõplicatus idẽ.ad eos qui de typ.ſcrip.* 3ª.93.E
Implicati affectus,qui.in 3m.de mor.vulg.com.2°. 3ª.135.D
IMPONENDA *eſt cucurbitula reuulſionis cã.de cucur.ſcari.* 6ª.3.B
Imponere finem rigoribus poteſt cucurbitula.de cucur.ſcar. 6ª.3.F
contra IMPORTVNITATES *ſophiſticas qui ſcripti libri à Galeno. 1°.de diff.pulſ.* 4ª.47.C
ab IMPOSITORIBVS *diſcenda nomina.ad Thraſy.* 2ª.107.A
Impoſitores primi nominum in quibus ſint laudandi,& in quibus vituperandi.com.6°.aph.1°. Ex.45.H
IMPREGNATIO *actio naturæ.intro.* Iſa.55.B
Imprægnatio non fit ſꝑ ſemine emiſſo.de nat.& ord.cuiuſ.cor. Sp.42.C
IMPRIMIT *magis quàm fomentum aquæ fuſio. de victus ratione in morb.acut.com.4°.* 7ª.144.E
IMPROBAE *ſunt vrinæ albæ perſpicuæ,præſertim phreniticis apparẽtes.de vri.ſign.ex Hipp.* Sp.78.H
in IMPROPRIE *& proprie diſtinctio.1°.de pulſ.diff.* 4ª.43.A
IMPRVDENS *ſine cerebro dicitur.3°.de decr.Hipp.* 1ª.243.H
Imprudentes,qui.3°.de decr.Hipp. 1ª.243.H
Imprudens multi apud Abderitas nati.ꝙ animi mores. 1ª.321.H

Imprudentes pauci Athenis.ꝙ animi mor. 1ª.321.H
IMPVBERES *ſeruant pueri hyacintho.8°.de ſimp.me.fac.* 5ª.62.H
Impuberes q̃uo ſeruant teſticuli puerorũ.1°.de cõp.me.ſe.lo. 5ª.127.E
IMPVLSABILITATES *dependent à corde.de vir.not.* Sp.60.B
IMPVLSIO *qualis.4°.de decr.Hipp.* 1ª.148.G
ſi IMPVRGATVS *laboraueris, vlcera erumpent. commentario.3°. aphoriſmo.20°.* Ex.24.C
ab IMPVTRESCIBILIBVS *quo modo recedat caliditas.1°.de differentijs febrium.* 3ª.32.H
IMPVTRIDVM *apud antiquos ſig̃nat incoctũ.c.6°.aph.1°.* Ex.46.D
IN *præpoſitio.4°.de decr.Hipp.* 1ª.250.D
INÆQVALE *quod eſt, diſſimile erit ſibi.de faſc.* 7ª.293.E
Inæqualia deteriora æqualibus.in progn.com.2°. 4ª.200.F
Inæqualis tẽperatura facit difficultatẽ vrinæ.cõ.7°.aph.48. Ex.57.H
ab Inæquali ſubſtantia eius quod ſubſidet diſtinguitur crudus humor ꝑ vtiles hypoſtaſes.de vri.ſing.ex Hipp. Sp.79.C
Inæqualis cõpoſitio quæ calculũ & tophos gignit.6°.de ſa.tu. 2ª.99.F
ſine Inæqualibus ſuturis cur debeant eſſe faſciæ.de faſc. 7ª.293.G
INAEQVALITAS *quo modo fiat.10°.met.me.* 7ª.63.A
de Inæqualitatis vnius pulſus differentijs.1°.de diff.pulſ. 4ª.48.H
de Inæqualitatibus & æqualitatibus pulſus.1°.de diff.pulſ. 4ª.48.H
Inęqualitas et ęqualitas ĩ pulſu quot fiãt modis.1°.de diff.pul. 4ª.48.H
Inæqualitatis pulſus motus tres differentiæ.1°.de.diff.pulſ. 4ª.49.G
Inæqualitatum inæqualium vna in parte pulſuum differentiæ.1°.de differentijs pulſuum. 4ª.49.G
Inæqualium in vna parte pulſuum differentiæ.1°.de diff.pulſ. 4ª.49.G
Inæquales pulſus diuerſarũ ꝑtiũ ĩ vna diſtentione.1°.de diff.pul. 4ª.51.B
Inæqualitas corporis arteria, quæ.1°.de diff.pulſ. 4ª.51.F
Inæqualitas in pulſu à ſede arteriæ.1°.de diff.pulſ. 4ª.51.G
de Inæqualitate à materia ĩfuſa ĩ arteriæ cauitatẽ.1°.đ diff.pul. 4ª.51.F
Inæqualitas in diuerſis arteriæ partibus, qualis.1°.de diff.pulſ. 4ª.51.E
Inæqualitas collectiua in pulſu, quæ.2°.de cau.pulſ. 4ª.91.B
Inæqualitatis collectiuæ differentia in pulſu.1°.de diff.pulſ. 4ª.48.H
Inæqualitatis collectiuæ differentia in pulſu.1°.de diff.pulſ. 4ª.51.A
Inæqualitatis omne genus in pulſu, cur.4°.de loc.aff. 4ª.28.E
Inæqualitatis vitalis cõtẽtionis ĩ pulſu differẽtia.1°.de diff.pulſ. 4ª.51.F
Inæqualitatis motus videtur ſenſus, nõ motus.2°.de ſymp.cau. 3ª.23.G
Inæqualitas nõ ſeq̃t neceſſario male cõcoquẽtẽ.3°.de ſym.cau. 3ª.30.C
ab Inæqualitate mot⁹ q fiũt expultricis facultatis q̃dẽ sũt, ſed adhuc minus mediocres q̃ q ĩ horrore, aut pãdiculatiõe.2°.đ ſym.cau. 3ª.23.G
Inæqualitas quandoque ſentitur ante febrem.2°.de ſym.cau. 3ª.22.A
Inæqualitatẽ añ febrẽ qui nõ ſenſerint fortunati.2°.đ ſym.cau. 3ª.22.B
Inæqualitas ante febrem qualis.2°.de ſymp.cau. 3ª.22.A
Inæqualitas ex vitioſis excrementis.2°.de ſymp.cau. 3ª.23.B
Inæqualitatis tempus quando.de morb.temp. 3ª.86.E
Inæqualitatis tẽpus poteſt dici & augumentum de mor.temp. 3ª.86.E
Inæqualitatis tempus quod in tertiana.de morb.temp. 3ª.86.A
Inæqualitas quandoq; melior æqualitate, et quãdo.de vrinis. 4ª.123.H
INAMBVLATIO *aliquibus impenſe calidis ſatisfacit, qui exercitari prorſus non deſiderant.6°.de ſan.tuen.* 2ª.96.A
INANIMATA *ſub ſubſtantia ſunt tanq̃ ſub gñe.1°.de temp.* 1ª.13.F
Inanimata quo modo ægrotent.de conſt.ar. Iſa.38.H
INANE *debet eſſe corpus, ſi debeat eẽ nã leue.1°.de ſim.me.fa.* 5ª.4.G
INANIT *aluum ſerũ lactis.de mel.ex Gal.Ruf.& Poſſ.* Sp.110.A
INANITIO *duplex.1°.de ſan.tuen.* 2ª.68.H
Inanitio quæ nutritioni ex aduerſo opponitur.1°.de ſan.tuen. 2ª.68.H
ob Inanitionẽ fit ĩbecillitas viriũ.de vic.ra.in mor.acu.c.2°. 7ª.123.G
Inanitio ſingultum & conuulſionem facit.com.6°.aph.39°. Ex.50.G
Inanitio conuulſionem inſanabilem facit.com.5°.aph.1°. Ex.37.D
ob Inanitionẽ ſingultus ĩcurabilis.de vic.ra.ĩ mor.acu.c.4°. 7ª.143.C
Inanitione deprauatur figura.de cau.mor. 3ª.8.H
INANITIO *vaſorũ quid apud Hippocratem.com.1°.apho.2°.* Ex.3.C
Inanitiões fortes vaſorũ fieri nõ dñt.de vi.ra.ĩ mor.acu.cõ.2°. 7ª.120.H
ob Inanitionẽ vaſorũ imbecillitas.de vic.rat.ĩ mor.acu.c.2°. 7ª.123.F
INANITVM *repleri denuo deſiderat.de ve.ſec.aduer.* 6ª.9.A
INAPPETENTIBVS *cerebrũ non eſt dandum.2°.de ali.fa.* 2ª.27.B
INAPPETENTIA *quid.1°.de ſym.cau.* 3ª.17.H
Inappetẽtiã nõ neceſſe ẽ ſequi, ſi quis male cõcoxit.3°.đ ſym.ca. 3ª.30.B
Inappetentias os ventriculi habet per ſe ipſum.1°.de ſymp.cau. 3ª.17.H
Inappetentia potus quæ.1°.de ſymp.cau. 3ª.18.D
Inappetẽtia q̃n ſig̃net ĩdigẽtiã purgatiõis ꝑ ſupiora.c.4°.17°. Ex.29.A
ad Inappetẽtiã ĩ diarrhœa ex cruditate quid agẽdũ.8°.met.me. 7ª.53.E
Inaquoſum, ſqualidum, ſiccum idem eſt.com.3°.aph.14°. Ex.22.D
INCALESCVNT *aures oleo, & caſtoreo.12°.meth.me.* 7ª.79.G
de INCANTATIONE. *de incant.adiur.& ſuſp.* 7ª.181.F
Incantatio quid ſit.de incant.adiur.& ſuſp. 7ª.181.F
Incantatio pro ſcorpione necando.10°.de ſimp.med.fac. 5ª.75.G
Incantatio.6°.de ſimp.me.fac. 5ª.45.H
Incantationibus vtebantur epodes.17°.de vſu.par. 1ª.222.G
Incantationibus non credit Galenus.5°.de ſimp.med.fac. 5ª.39.F
in INCARNANTIBVS *medicamentis cur ponatur ærugo cum erodat.1°.de comp.me.per ge.* 5ª.210.B
Incarnans medicamentum fit ex cerato, & ęrugine, tamẽ vtrunque per ſe eſt contrarium.6°.de comp.med.ſec.loc. 5ª.176.H
de INCENDIO *inſomnia quid ſig̃nent.ĩ 1m.de mor.vul.c.3°.* 3ª.117.H
Incendij ſomnium ſignificat bilem.de præſa.ex inſom.ſum. 4ª.213.C
INCENDI *corpus nõ eſt affectus, ſed ſymptoma.3°.de ſa.tu.* 2ª.78.F
Incendit corpus humiditas aeris facultate ſiccatoria.de victus ratione in mor.acu.com.4°. 7ª.134.D
Incenditur corpus, ſi ſiticuloſus biberit vinum habẽs aquam marinam. de vict.rat.in mor.acu.com.4°. 7ª.134.D
INCENSIONES *nimiæ quo lunę aſpectu fiant.de decub.* Sp.12.G
Incenſionem in ſtomacho facit batheca.de diſſ.cont. Sp.74.F
Incenſionem in ſtomacho faciunt medullæ, & vinum nouum, nigrum, craſſum, ponticum.de diſſ.cont. Sp.74.F
INCENSA *terra eſt ſal.de vti.reſp.* Sp.64.F
ex Incenſis calamis quo modo fiat ſal.de vti.reſp. Sp.64.F
Incenſos, & exuſtos emolliunt.balnea.de ijs, q̃ in med.fi.cõ.3°. 7ª.215.H
INCESSVS *eſt crurum.1°.met.me.* 7ª.6.C
INCIDENTIA *corpulentiam, quæ.14ª.met.me.* 7ª.91.D
Incidẽdi vim hñtia q̃uo ĩueniant guſtu et olfactu.de attẽ.vic. 2ª.44.A
Incidentia qualia ſint.de ocu. 7ª.187.H
Incidere quæ debent, qualia eſſe oportet.4°.de ſimp.me.fac. 5ª.29.G
Incidentia quæ calorem non habent.5°.de ſimp.me.fa. 5ª.35.E
Incidentia minus calida.5°.de ſimp.me.fac. 5ª.35.E
Incidendi vim habent acria tenuis eſſentiæ.4°.de ſimp.med.fa. 5ª.29.G
Incidendi craſſitudinẽ vim habet agaricum.6°.de ſimp.me.fac. 5ª.41.E
Incidendi vim habent amari ſapores.4°.de ſimp.me.fac. 5ª.29.G
Incidentes cibi & attenuantes humores craſſos.de diſſ.cont. Sp.74.G
Incidunt cibi acuti, & aperiunt, & qui ſint.de diſſ.cont. Sp.72.E
Incidẽtes pituitã cibi mũdificãt ſtomachũ, et qui ſint.đ diſ.cõt. Sp.74.E
Incidens eſt febrilis calor.com.6°.aph.40°. Ex.51.A
Incidentia medicamenta, quæ.de cur.rat.per ſang.miſſ. 6ª.19.A
Incidens valide medicamentum, ad pus è thorace educẽdum valet.13°. methodi medendi. 7ª.85.E
Incidentia iuuant epilepticos.10°.de ſimp.me.fa. 5ª.73.C
Incidentia, & extenuantia lapides frangunt, & lichenas ſanant.7°.de ſimpli.med.facul. 5ª.51.H
Incidentia calculis proſunt.7°.de ſimp.med.fac. 5ª.53.H
ad Incidentem dolorem matricis vti veſpa.de paſſ.mul. Sp.95.G
Incidendum animal & ſcarificandum, fame & ſiti eſt affligendum.de mot.man.& obſc. Sp.70.D
Incidenti ſi quid appareat aliter, quàm à Galeno ſcriptum ſit, id rarum. 1°.de anatomicis admini. 1ª.68.D
Incidentis operatio, inciſi affectio eſt.6°.de decr.Hipp. 1ª.260.F
INCIDENDA *q̃uo ſint membra emortua.2°.de arte cur.* 7ª.107.A
Incidenda quo modo ſint vlcera habẽtia labra decolorata, & dura.4°. methodi medendi. 7ª.23.F
Incidenda quando phlegmone.13°.met.me. 7ª.81.D
Incidenda quo modo cutis in axillis & inguinibus in ſpeciem folij myrti.13°.met.me. 7ª.81.E
Incidendæ ſunt cucurbitulæ in particulis repletis, & vbi eſt corrupta materia.de cucur.& ſcar. 6ª.3.B
Incidendæ ſunt caudæ hirudinum, quando opus eſt iterum eiſdem nos vti.de cucur.ſcar. 6ª.4.C
Incidit diſcutit, & reprimit Acetum.1°.de comp.me.ſec.loc. 5ª.128.H
Incidit, Amaritudo & acrimonia.7°.de ſimp.med.fac. 5ª.49.G
Incidũt humores craſſos Calida mediocriter.đ cu.ra.ꝑ ſan.miſ. 6ª.17.E
Incidit craſſitudinẽ humorum Chamædrys.8°.de ſimp.med.fac. 5ª.63.E
Incidunt, & attenuant Cibi acetoſi.de diſſol.cont. Sp.72.F
Incidit Eruum.8°.de ſimp.med.fac. 5ª.57.E
Incidit et extergit Eupatoriũ citra caliditatẽ.6°.de ſim.me.fa. 5ª.47.G
Incidit Origanus.8°.de ſimp.med.fac. 5ª.57.E

Incidit & tenuat humiditatẽ craſsã Secaniabin.de diſſ.cont. Sp.74.H
Incidit,abſtergit,parũq; ẽſiccat tamarix myrice.7º.de ſi.me.f. 5ª.56.D
Incidit humores moderate Vinum pauciferum.de vinis. Sp.76.C
Incidit & excalfacit vehemẽter volucrũ maius.8º.de ſim.m.f. 5ª.58.B
Inciderit & incidat multum differunt.com.4º.aph.46º. Ex.32.G
INCIDERE *in anatomia vile exiſtimauit Galenus.1º.de anatomicis adminiſtrationibus.* 1ª.64.F
Incidere promptiſſimum eſt,medicamentis ſanare eſt pulchrius.4º.methodi medendi. 7ª.25.C
Incidi debet pars putrida.13º.met.me. 7ª.81.E
quando Inciditur arteria temporis.de ana.viu. Sp.55.B
INCISIO *quæ ſit.de ocul.* 7ª.189.H
Inciſionem facit mel in copia.de diſſ.cont. Sp.74.F
Inciſio dicitur cum ab aliquo acuto occurſante & abſcindente fit.de cauſis morborum. 3ª.9.G
ante Inciſionem ægri animus conſulendus,nunquid.ſ.inciſionẽ pati velit,vel potius abſq; inciſione lõgiori tpe curari.4º.met.me. 7ª.23.G
Inciſio dũ fit,ſtatim dolores fiũt,nõ poſt inciſionẽ.de ſymp.cau. 3ª.16.G
Inciſiones qũo faciendæ ꝑm diuerſa membra.de cucur.ſcar. 6ª.3.G
Inciſio in oculo quando fieri debet,fiat circa muſculorum craſſitiem. de anatomia viuorum. Sp.57.H
Inciſio labiorum vlceris quanta ſit facienda.4º.meth.me. 7ª.23.G
Inciſio per quam viam fieri debet in inguine.13º.met.me. 7ª.81.E
ſine Inciſione vſus cucurbitularum conuenit in mediocri dolore, & ſimilibus.de cucurb.& ſcar. 6ª.3.C
Inciſiones in ſcarificatione inter ſeſe ſint æquales, & quæ inter eas ſunt interualla inter ſe æqualia ſint.de cucur.ſcar. 6ª.3.G
Inciſione facta quid agendum.13º.met.me. 7ª.81.E
INCISIVA *qualia ſint,& quæ.de ocul.* 7ª.188.F
INCISIVOS *dentes, & molares tantum habent animalia quædam. de anatomia viuorum.* Sp.49.E
Inciſores dentes quid agant.de anat.viu. Sp.49.D
INCISORIVM *eſt tabula,ſupra quam fit.inciſio.* 1ª.102.A
INCISI *affectio,incidentis operatio.6º.de decr.Hipp.* 1ª.260.F
Inciſa vulua raucedinem facit.de ana.viu. Sp.49.E
Inciſus ſi fuerit neruus,particula ſtatim priuatur motu,& ſenſu.de neruorum diſſectione. 1ª.53.B
Inciſa phlegmone quid agendum.13º.met.me. 7ª.81.D
Inciſos articulos iungit emplaſtrum barbarum.de dyna. Sp.35.F
ad Inciſa parua apoſtemata valet ſuccº cẽtaureę.de vir.cẽt. Sp.93.H
INCLINATIONIS *in quacũq; parte datͣ cibus.de mor.tẽp.* 3ª.86.H
in Inclinante ætate quibus contingat inflari ventrem, cum venere vtũtur.in 6ᵐ.de mor.vul.com.3º. 3ª.171.G
Inclinante morbo quacunque hora diei vena ſecanda. de curandi ratione per ſang.miſſ. 6ª.21.B
Inclinãtẽ tibiã ad exteriora ſenſim q muſculus faciat.đ muſ.diſ. 1ª.52.F
INCLINATIO *mundi de hiſt.philo.* Sp.6.B
Inclinatio terræ.de hiſt.philo. Sp.8.F
ad Inclinationem faciei.ſecretorum. Sp.103.D
Inclinatio humorũ cõſiderãda.quos pur.op.qb.me.et quo tẽp. 5ª.88.G
in INCLINATIONE *lotium & aluus quando fluunt. quos purgare op.quibus med.& quo temp.* 5ª.88.G
Inclinatio quando in pleuritide.1º.de criſi. 4ª.132.D
in Inclinatione cibandi ſunt ægri,non in febre.10º.meth.med. 7ª.63.C
in Inclinatione quibus vti debemus.6º.de comp.me.ſe.lo. 5ª.167.C
ab Inclinatione in ſomnũ excitare põt cucurbitula.de cucu.ſcar. 6ª.3.F
INCLVDENDAE *diu ſunt hirudines.de cucur.ſcar.* 6ª.4.B
INCOCTIO *quid.de conſt.ar.* Iſa.40.C
Incoctio morborũ cauſa,& ſi morbũ non faciat.de conſt.art. Iſa.40.C
Incoctio numeratur inter cauſas procatarcticas.intro. Iſa.52.B
Incoctio ob quas cauſas fiat.3º.de ſymp.cau. 3ª.24.H
Incoctio quo modo curanda.introd. Iſa.55.E
INCOCTVM, *& coctum vnum nomine & genere,ſed plura per magis & minus.1º.de criſi.* 4ª.129.F
Incoctum edulium eſt caſeus.de vic.rat.in mor.acu.com.4º. 7ª.145.D
Incoctum excrementum,quale.1º.de criſi. 4ª.129.D
Incocta ad malos abſceſſus cõuerſa ſignant iudicij carẽtiã labores,vel lõgitudinẽ,mortes,vel eorũdẽ malorũ reditus.c.4º.aph.22º. Ex.30.D
Incoctus morbus qũo cognoſcatͣ ex vrina.in 1ᵐ.pror.c.3º. 4ª.188.C
INCOLAE *frigidorũ locorũ ſunt molles.4º.de comp.me.ꝑ ge.* 5ª.236.F
INCOMMODERATIONVM, *& commoderationum diſtinctio. de conſt.artis.* Iſa.39.C
INCOMMODA *pluuialis aquæ.de bon.aquæ.* Sp.75.F
Incommoda coitus.de cura icteri. Sp.111.E
INCONSIDERATVM *differt à falſo.2º.de decr.Hipp.* 1ª.238.C
INCONSTANS *annus quid ſit.c.3º.aph.8º.* Ex.20.G
Inconſtans annus facit recidiuas,& mortes.c.3º.aph.8º. Ex.20.G
INCONSTANTIA *in moribus ſequitur ad bilis dominium.de anatomia viuorum.* Sp.45.F
INCONSVETA *ſunt mala.in progn.com.2º.* 4ª.198.H
INCONTINENS *quando homo.4º.de decr.Hipp.* 1ª.249.C
Incontinentes cõſtõnes quæ,ex Chriſippo.4º.de decr.Hipp. 1ª.250.D
Incontinens lingua quid.c.7º.aph.40º. Ex.57.B
Incõtinẽs repẽte facta lĩgua tale ẽ melãcholicũ.c.7º.aph.40º. Ex.57.B
INCONTINENTIA *linguæ non antecedit melancholiam. com.7º. aphoriſmo.40º.* Ex.57.B
ꝑꝑ Incontinentiam qui ſuppurantur,illis elleborus non dandus.de vic.rat.in mor.acut.com.4º. 7ª.144.G
ad Incontinentiam vrinæ.de cura lap. Sp.112.F
INCORPOREA *natura totam ſubſtãtiã penetrat.de ſper.* Sp.40.F
Incorporea ſubſtãtia qũo ſubſtãtiæ corporeæ copuletͣ.de ſper. Sp.37.E
Incorpea ſubſtãtia nõ nutritͣ à corpore,nec è cõtrario.de ſper. Sp.40.G
Incorporeus pulſus,qui.compen.pulſ. Sp.65.G
INCORRIGIBILIVM *comparatio.3º. de diff.pul.* 4ª.60.H
INCRASSATIVA *qualia ſint.de ocu.* 7ª.188.F
Incraſſandi facultas in quibus ſit.5º.de ſimp.med.fac. 5ª.37.F
in Incraſſantibus ſcopus qui.5º.de ſimp.med.fac. 5ª.38.C
Incraſſantiũ natura nõ ſolũ ẽ ĩ refrigerãtibus.5º.de ſimp.me.fa. 5ª.38.D
Incraſſat lac craſſum,ſicut vaccæ.de diſſ.cont. Sp.73.F
INCREDIBILE *videtur quod caret oſtenſione.in 6ᵐ.de morb. vulg. commentario.4º.* 3ª.185.A
INCREMENTVM *facit naturalis facultas.in 6ᵐ. de morbis vulga. commenta.1º.* 3ª.169.E
Incrementum non poteſt eſſe niſi in humido.de ſal.diæ. 2ª.40.F
Incrementum quo modo fiat.de hiſt.philo. Sp.12.A
Incrementum differt ab alteratione.de tu.præ.na. 3ª.82.H
Incrementum rerum non variat colorem.de tu.præ.na. 3ª.82.H
Incrementum quouſque perſeuerat.de opt.noſt.corp.conſt. 1ª.38.H
ab Incremento maturius aut ſerius deſiſtũt corpora duplici occaſione. de opt.noſt.corp.conſt. 1ª.38.H
ad Incrementum cito perueniens,cito ſeneſcit.6º.de ſa.tu. 2ª.96.E
Incrementum impedit exercitatio immodica.1º.de ſan.tuen. 2ª.67.C
INCREMENTVM, *augmentum,& aſcenſus idem. de morborum tẽporibus.83.E/* 3ª.85.F
Incrementum ſignificat anticipatio multa.1º.de criſi. 4ª.125.H
Incrementum acceſſionis qũo fiat.2º.de arte cur.ad Gla. 7ª.115.G
Incrementũ non indicat de exiguo cibo exhibẽdo.de op.ſecta. Iſa.28.G
Incrementũ carniũ ſignat cutis coitio.in 6ᵐ.de mor.vul.c.3º. 3ª.169.G
INCRESCENTES *morbi qui intelliguntur. in 6ᵐ. de morb. vulgari. commentario.5º.* 3ª.193.A
ſupra INCVDEM *malleus quid faciat.1º.de diff.pulſ.* 4ª.51.A
INCVRABILIS *pars à corpe demẽda.6º.de cõp.me.per ge.* 5ª.255.D
INCVRVETVR *& extendatur quomodo ſpina.de muſ.diſſ.* 1ª.49.G
INDEMONSTRABILIA *quæ ſint.1º.met.me.* 7ª.5.D
INDEX *digitus,qui.intro.* Iſa.53.C
Index debebat multũ diſtare à pollice,& quare.1º.de vſu par. 1ª.117.G
de Indicis motu,& tendonibus.1º.de vſu par. 1ª.117.G
Indicẽ,pollicẽ,& mediũ vnus muſculus mouet.1º.de ana.adm. 1ª.65.C
Indicẽ,pollicẽ,& mediũ digitũ mouentes muſculi. de muſ.diſſ. 1ª.48.E
Indici magnum digitum adducens muſculus. de muſc.diſſ. 1ª.49.B
ab Indice magnũ digitũ lõgiſſime abducẽs muſcu.de muſ.diſſ. 1ª.49.B
Indicẽ pedis,& digitũ paruũ qui muſculus flectat.de muſ.diſ. 1ª.52.C
inter Indicem,& pollicem vena ſecta vetuſtum ſanat dolorem præſag.exper.conſ. Sp.78.C
inter Indicem,& pollicem arteria ſecatur.de anat.viu. Sp.54.H
Indice perdito quæ actiones perdantur.1º.de vſu par. 1ª.120.C
Indices dies,qui.in 3ᵐ.de mor.vul.com.1º. 3ª.132.E
INDEX *ſeptenorũ eſt quartus.2º.đ die.dec.4ª.154.F/c.2º.* Ex.15.G
Index ſeptimi eſt quartus ſua natura.1º.de dieb.decr. 4ª.149.G
INDICANS *ſua natura,ſemper indicabit.9º.met.me.* 7ª.59.D
Indicantia cum alijs,quæ.11º.met.me. 7ª.84.D
Indicantia ſui ablationem,quæ.3º.met.me.16.C/14º. 7ª.90.F
INDICATIO *quid ſignificet.2º.met.me.* 7ª.13.E
Indicationes primæ artium ab omnibus ſciuntur.6º.met.me. 7ª.37.A

Indicationes chi-

Indicationes chirurgicæ aliquid commune, & aliquid proprium habẽt. 14°.meth.med. 7ª.90.F
ꝑ Indicationem ſit medendi methodus.2°.met.me. 7ª.13.E
Indicatio quid agendum ſit,inuenit.3°.met.me. 7ª.16.C
Indicatio quæ,& vnde ſumatur.11°.met.me. 7ª.69.D
Indicatio eſt id totũ,qđ eſt ab experiẽtia ſeiunctum.2°.met.me. 7ª.13.E
Indicationem ſuã curatiuã habet quilibet affectus.9°.met.me.7ª.61.A
Indicatio communis omnium morborum,quæ.11°.met.me. 7ª.67.H
Indicatio communis curandi,quæ.14°.met.me.87.H| 7ª.93.D
Indicationes medicatoriæ quot,& vnde ſumantur.9°.met.me.7ª.59.G
Indicantia curationem duo ſunt.11°.met.me. 7ª.67.H
Indicationes agendorum in omni curatione generatim in tribus ad ſummum conſiſtunt,& in quibus.14°.met.me. 7ª.90.H
Indicatio vna generalis,quæ.9°.met.me. 7ª.60.C
Indicatio vnde ſumitur in artibus effectiuis.de conſt.artis. Iſa.39.E
Indicationes remediorum vnde ſumantur.5°.met.me. 7ª.29.H
Indicationes remediorũ à quibus etiã ſumuntur.11°.met.me. 7ª.68.B
Indicatio non ſumitur à non permanente.4°.met.me. 7ª.24.A
Indicatio præſidiorum vnde ſumeretur ab antiquis.2°.met.me. 7ª.11.C
Indicationes eius quod iã inſtat,quæ.1°.de arte cur.ad Glau. 7ª.100.C
Indicatio quandoq; ſumitur ab eo quod urget.3°.met.me. 7ª.21.H
Indicatio ab Actionum vtilitate partium vel omnium, vel paucarum, vel vnius ſolius ſumitur.7°.met. me. 7ª.49.B
Indicatio etiam ſumitur ab Aere ambiente.11°.met.me. 7ª.67.H
Indicatio cur ſumatur ab ambiente.9°.met.me. 7ª.60.D
Indicatio ab Aetate,quæ.9°.met.me. 7ª.61.G
Indicatio ſumenda ab ætate.de ſectis. Iſa.16.E
Indicatio pſidiorũ ab Affectu ſit p cõtraria.4°.de cõ.m.p ge. 5ª.240.G
Indicat auxilia affectio.2°.de comp.me.ſe.lo. 5ª.134.A
Indicatio prima ſumitur ex affectibus.3°.met.me. 7ª.16.C
Indicatio prima, & præcipua, quæ ab affectu ægrotantis ſumitur.9°. methodi medendi. 7ª.58.D
Indicat non parum locus affectus.4°.met.me. 7ª.29.B
Indicationes medendi ꝑ numero affectuũ ſumunt.4°.met.me. 7ª.29.C
Indicatio à cã quæ adhuc manet quid cõe habet.11°.met.me. 7ª.69.D
nõ Indicant curationem cauſæ primitiuæ.4°.met.me. 7ª.24.A
Indicatio cauſa efficiente ſummota rationem habet diuerſam ab ea, quæ cauſa adhuc manente,ſumitur.11°.met.me. 7ª.69.D
Indicationem curationis ab externa cauſa ſumi omni modo eſt abſurdũ. 4°.meth.med. 7ª.24.E
Indicatio cibandi vnde ſumatur.10°.met.me. 7ª.63.H
Indicatio à Conſuetudine ſemper eſt ſimilium,quoad ægrotent homines. 8°.meth.med. 7ª.55.B
Indicationes quomodo ſumantur à Contrarijs.8°.met.me. 7ª.55.C
Indicatio in Febre cum phlegmone quid afferat conſiderandum.11°.methodi medendi. 7ª.69.D
Indicatio à febre quomodo fit maior.8°.met.me. 7ª.55.D
Indicatio à febre habet duplicem magnitudinem.8°.met.me. 7ª.55.D
Indicationes duæ à febre.11°.met.me. 7ª.70.D
Indicatio vnde ſumenda in diaria febre.10°.met.me. 7ª.61.C
Indicationes duæ pro curanda febre,vna à febre, alia à putredine. 11°. methodi medendi. 7ª.70.D
Indicatio à figura,qualis.7°.met.me. 7ª.49.C
Indicatio à figura & poſitu.4°.met.me.28.G| 7ª.29.B
Indicatio à formatione quomodo fit.2°.de arte cur.ad Glau. 7ª.102.E
Indicatio ex Inſtrumentarijs quæ ſit.13°.met.me. 7ª.82.E
Indicatiõis à Morbo primus iuẽtor Hippocrates.4°.met.me. 7ª.28.D
Indicatio à morbo non ſatis.de ſectis. Iſa.16.D
Indicatio à morbi affectu,quæ.11°.met.me. 7ª.69.A
Indicationis principium ſumitur à morbo,& ab alijs rebus.4°. methodi medendi. 7ª.24.A
Indicatio ſumitur à morbo.12°.met.me. 7ª.74.G
Indicatio à morbis eſt ſolum principium,vnde medẽdi ratio promouet. 3°.methodi medendi. 7ª.16.D
Indicatio remediorum non ſumitur à differentia morborum, ſubſtantia ipſa prætermiſſa.1°.met.me. 7ª.3.H
Indicatio ſumitur à Natura.3°.met.me. 7ª.16.C
Indicatio præſidiorum à tota natura, & à partibus fit per ſimilia. 4°. de comp.me.per ge. 5ª.240.C
Indicationes ſumere à rerum natura,proprium eſt medici methodo vtẽtis.6°.meth.me. 7ª.37.F
Indicationes ſolum tres ex ipſa rei ſubſtantia.9°.met.me. 7ª.59.H
Indicationes ex his,quæ ſecundum naturam.11°.met.me. 7ª.71.E
Indicationes ſumuntur à ſeptem rebus, quæ ſunt præter naturam. 11°. methodi medendi. 7ª.71.E
Indicatio ſumenda à Partibus corporis.de ſectis. Iſa.16.E
Indicatio curatiua ſumpta à parte.5°.met.me. 7ª.31.F
Indicatio à partibus,quæ.13°.met.me. 7ª.85.G
Indicatio ab internis partibus vnde ſumatur.4°.met.me. 7ª.28.G
Indicationes duæ à Perſpiratione impedita.11°.met.me. 7ª.70.D
Indicatio ſumpta à Phlegmone,quæ.11°.met.me. 7ª.84.D
Indicatio à Putredine qd cõſiderandum proponat.11°.met.me. 7ª.69.D
ad Indicationẽ vnicæ Qualitatis non ſequitur curatio perfecta. de ren. aff.dig.& med. 7ª.194.G
Indicatio à sẽtiẽdi acrimonia vel hebetudie accipit.7°.me.m. 7ª.49.A
Indicatio ab hebetudine & acuitate ſenſus non ſpernenda. 7°. methodi medendi. 7ª.49.D
Indicatio ex Similaribus quæ ſit.13°.met.me. 7ª.82.E
Indicatio inuenit remedium à Situ loci.ars med. Iſa.69.G
Indicatio à ſitu quo modo fit.7°.met.me. 7ª.49.D
Indicatio ex poſitu,qualis.2°.de arte cur.ad Glau. 7ª.102.F
Indicatio à Societate,quæ.13°.met.me. 7ª.84.F
Indicatio à Temperamento partis laborãtis hr̃.7°.met.me. 7ª.49.A
Indicatio à Temperatura,quæ.2°.de arte cur.ad Glau. 7ª.102.E
Indicationes menſuræ contrarietatis,ſunt temperies laborãtis, & morbus.11°.methodi med. 7ª.67.H
Indicatio curãdi nõ ẽ ſumẽda à Tpe,ſed a morbo.4°.met.me. 7ª.24.H
Indicatio nulla eſt à tempore.4°.met.me. 7ª.27.E
Indicatio à Viribus in morbis omnibus adhibenda.8°.met.me. 7ª.55.E
Indicatio à viribus,qualis.11°.met.me. 7ª.69.A
Indicationes à vi laborantis.de ſectis. Iſa.16.D
Indicatio à virtute quænam ſit.2°.de arte cur.ad Glau. 7ª.103.B
Indicationem curatiuam præbet virtus.11°.met.me. 7ª.68.B
Indicatio prima à virtute ſumitur.11°.met.me. 7ª.68.D
Indicationes plures debet ſequi victus ratio.8°.met.me. 7ª.55.C
in Indicationibus conſentientibus,& diſſentientibus quo modo victus ratio ordinanda.8°.met.me. 7ª.55.A
Indicatiões qñ ſunt cõtrariæ quid agẽdũ.9°.meth.me.59.C|11°. 7ª.68.F
Indicatio prima,humorum eſt euacuatio.14°.met.me. 7ª.88.A
Indicatio vacuationis vincit refrigerationis indicationem in phlegmone.13°.meth.med. 7ª.82.E
Indicatio refrigerationis vincit indicationem vacuationis in eryſipelate.13°.met.med. 7ª.82.E
Indicatio prima in ventriculo affecto à temperie loci laborantis.7°.methodi medendi. 7ª.48.H
Indicatio ſecunda in ventriculo affecto ex actione communi ſumitur.7°. methodi medendi. 7ª.48.H
Indicatio tertia in ventriculo affecto ex figura ſumitur. 7°. methodi medendi. 7ª.49.A
Indicatio quarta in ventriculo affecto ex poſitura capitur. 7°. methodi medendi. 7ª.49.A
Indicationes quatuor ſunt ĩ tumoribus.2°.de arte cur.ad Gla. 7ª.102.E
Indicet quid ecchymoſis.4°.met.me. 7ª.29.C
Indicationes plures in ruptis ſunt.4°.met.me. 7ª.29.B
Indicationes in oſſe fracto duæ.6°.met.me. 7ª.41.B
INDICATIVA medicinæ pars in quot partes diuidatur. de ſubfiguratione empirica. Iſa.32.A
Indicatiuum quot modis diuidatur.ars med. Iſa.62.B
Indicatiuum quot modis ſubdiuidatur.ars med. Iſa.62.B
Iudicatiuum ſignum quod.fin.med. Iſa.46.B
INDICIORVM obſeruatio neceſſaria eſt ad curationẽ.intro. Iſa.51.H
Indicium & ſignum quo modo accipiantur.in progn.com.3°. 4ª.212.C
Indicium de quibus non dicatur,de quibus tamẽ dicatur ſignum. in progno.commentario.3°. 4ª.212.F
Indicia & ſigna ſimul,quæ.in progn.com.3°. 4ª.212.F
Indicium certum,& ſignum qũo differunt.in prog.com.3°. 4ª.212.C
Indicia bona,quæ in progn.com.2°. 4ª.203.E
Indicia praua,quæ.in progn.com.2°. 4ª.203.E
Indicia à viribus vnde ſumantur.in progn.com.3°. 4ª.209.G
Indicia ab ætate vnde ſumantur.in progn.com.3°. 4ª.209.H
Indicia oĩa bona ſunt neceſſaria ad cõualeſcẽtiã.ĩ pg.com.2°. 4ª.203.H
Indicium vnum malum ſatis eſt ad mortem.in progn.com.2°.4ª.203.H
Indiciũ malũ à multis bonis vincit,& è cõtrario.ĩ pgn.cõ.3°. 4ª.211.D
Indicia morbi à ventre.de dyna. Sp.19.H

INDICVS *calamus calefacit in puluerem redactus.* 1°. *de ſimplicium medicamen.facul.* 5ª.4.E
*Indicum ferrum,fragile.*1°.*de vſu par.* 1ª.115.G
*Indicus lapis ſuſpenſus profluentem ex hæmorrhoidibus ſanguinem ſiſtit.*9°.*de ſimp.med.fac.* 5ª.67.E
INDIGENTIA, *& repletio propter quid ictericis mala de cura icteri.* Sp.111.E
INDIGNATVR *minus aliquis, quo generoſior.* 5°. *de decretis Hippocratis.* 1ª.259.H
INDIGESTIBILES *ſunt lupini.de ſimp.med.* Sp.86.C
Indigeſtibiles cibos quid purget.de cathart. Sp.95.C
INDIGESTIO *accidit comedenti batheca.de diff.cont.* Sp.74.C
Indigeſtionis vrina eſt iudex.de dyna. Sp.34.A
Indigeſtionem,aut mortem nunciat in pleuriticis vrina tenuis habẽs veluti limum liuidum.de dyna. Sp.34.H
Indigeſti ſibi de ſtomacho educuntur.de catha. Sp.94.G
INDIGNATIONEM *renũ ſignificat vrina phlegmatica ſi apparuerit,ſicut ſol in limpidis coloribus.de dyna.* Sp.34.G
Indignationem omnem vel phrenitim infantium ſanat emplaſtrum diachryſu.de dyna. Sp.32.C
Indignationem,& dolorem renum ſignificat vrina colore alba conſtitutione tenuis,cum nebulis non bonis.de dyna. Sp.34.C
INDIGNI *qui ſint.de præco.ad Poſthu.* 4ª.218.C
nõ INDIVIDVORVM *ſed ſpecierũ ſunt ideæ.*2°.*met.me.* 7ª.14.A
*Indiuiduo differunt quædam.*2°.*de dif.pulſ.* 4ª.58.H
INDIVISIBILIS, *& breuiſſima res dicitur, cum diuiſionem in plures formas amplius non admittit.*8°.*de decr.Hipp.* 1ª.274.C
INDIVVLSAM, *& continuam hypoſtaſim inquit Galenus leuem vocari ab Hippocrate.de vri.ſig.ex Hipp.* Sp.79.B
INDOCTIS, *& vulgo quid contingat.*2°. *de pulſ.diff.* 4ª.56.H
INDOLENTIAM *ſana corpora habent.in* 1^{m}. *de morbis vulgaribus. commentario.*1°. 3ª.112.C
*ad Indolentiam ducendus infans.*1°.*de ſan.tuen.* 1ª.65.A
*Indolentia medicamenta,quæ.*2°.*de arte cur.ad Glau.* 7ª.104.H
INDVCTIONES *argumenta remotiora ſunt.* 2°. *de decretis Hippocratis.* 1ª.235.C
Inductiones non ſunt adhibendæ ad demõſtrationes.ad Thraſ. 2ª.102.C
*Inductio,quæ vehementer perſuadeat.*2°.*de ſimp.med.fac.* 5ª.10.F
*Inductionibus fieri nõ dẽt demõſtratio.de ijs,q̃ in me.ſi.cõ.*3°. 7ª.221.E
*Inductio deſpicitur à Galeno.*2°.*de ſimp.med.fac.* 5ª.10.E
INDVRENT *quæ carnem.*5°.*de ſimp.med.fac.* 5ª.36.C
Indureſcit in modum ſalis vinum ſuſpenſum ad ignem in vtribus,euaporante aqua.de vtil.reſp. Sp.64.F
*Indurantia,& extergentia contraria ſunt.*5°.*de ſimp.med.fac.* 5ª.38.H
*Indurãtia medicamẽta sũt frigida,& humida.*5°.*de ſimp.me.f.*5ª.34.G
*Indurata ab atra bile cancroſa ſunt omnia,& ab emollientibus exaſperantur.*5°.*de ſimp.med.fa.* 5ª.34.E
Induratiua qualia eſſe oportet, & quæ ſint.de ocul. 7ª.188.D
Indurantur corpora dupliciter.in 1^{m}.*pror.com.*2°. 4ª.175.B
INDVRATA *ſecundum varias cauſas quo modo curentur.*5°.*de ſimplicium med.fac.* 5ª.34.E
*ad Indurata vtimur diſcuſſorijs.*6°.*de comp. med.ſec.loc.* 5ª.171.G
Indurata à craſſo lentoq; humore calida poſcunt & ſicca medicamenta. 5°.*de ſimp.me.fac.* 5ª.34.E
*Induratas partes digerit vitex.*6°.*de ſimp.me.fac.* 5ª.41.B
Induratis,& diuturnis vitijs neruorũ oleũ ꝓdeſt.de ſimp.me. Sp.88.D
*Indurata emolliens medicamentum,quale.*5°.*de ſimp.med.fac.* 5ª.33.E
*ad Indurata ĩ inflammatione quæ dãda.*6°.*de comp.me.ſe.lo.* 5ª.167.C
*Indurata,& ſcirrhoſa corpora emollit medulla.*11°. *de ſimplicium medicamentorum facul.* 5ª.79.E
ad Induratos & ægre ſolubiles affectus quæ valeant. 11°.*de ſimpliciũ medicamentorum facul.* 5ª.79.C
*Indurata iuuat adeps caprinus,& gallinarũ.*5°.*de ſimp.me.fa.* 5ª.34.E
INDVSTRIVS *non eſt qui deditus eſt gulæ & veneri. ſi quis optimus medicus.* Iſa.6.F
INDORVM *linguæ ſi ſit vocabulum,ab ipſis Indis res diſcenda eſt ad Thraſybulum.* 2ª.106.H
INDA *charta.ſecretorum.* Sp.98.B
INDVM *Tharſei chirurgi medicamentum cuius ſit vſus.*4°. *de comp. medi.per gene.* 5ª.243.F
INEBRIAT *vinum citrinum antiquum.de diff.cont.* Sp.47.F
*Inebriet cur minus vinum dulce.de vic.rat.in mor.acu.cõ.*3°. 7ª.126.B
INEDIA *eſt priuatio.de venæ.ſec.aduer.Eraſ.* 6ª.8.H
Inediam quidam patiuntur,quidam non 8°.*met.me.* 7ª.52.D
*Inedia longa cur ferri poſſit,& non poſſit.*2°.*de temp.* 1ª.18.C
*Inedia quibus ætatibus conueniat.com.*1°.*aph.*13°. Ex.6.G
*Inediam tolerandi facilitas in ſenibus in non appetendo, & nihil inde mali ſuſtinendo.com.*1°.*aph.*13°. Ex.6.G
*Inediã facilius ferũt pituitoſi,q̃ bilioſi.ď vi.ra.ĩ mor.ac.c.*2°. 7ª.120.E
*Inediam cur facilius bilioſis ferunt pituitoſi.de vict. ratione in morbis acutis,com.*2°. 7ª.120.F
*Inediã cur multũ ferãt crudos humores habẽtes.*12°.*met.me.* 7ª.76.A
*Inedia iniũgẽda quibus cutis obſtructa eſt.*2°.*de ar.cu.ad Gla.* 7ª.115.E
Inedia ſtatim vtimur,quando corpus fuerit plethoricũ vel cacochymũ. 6°.*de comp.med.ſec. loc.* 5ª.166.H
Inediæ moderatæ,ſunt vnus euacuandi modus. 1°. *de arte curatiua ad Glauconem.* 7ª.98.D
*Inedia ex accidenti euacuat.com.*4°.*aph.*2°. Ex.27.D
Inedia euacuat,ſed longo tempore.de venæ ſec.aduerſ.Eraſ. 6ª.6.C
Inedia qualis euacuatio,et ꝙ carnes eliquet.ď ve.ſec.aduer.Era. 6ª.6.B
Inedia neque nutrit,neque euacuat.de venæ ſec.aduer.Eraſ. 6ª.8.H
Inediæ quo modo euacuent.de venæ ſect.aduerſ.Eraſ. 6ª.9.A
Inedia non euacuat,ſed raritas cutis.de venæ ſec.aduerſ.Eraſ. 6ª.8.H
Inedia quas noxas faciat.de venæ ſec.aduer.Eraſ. 6ª.6.B
Inediæ quid mali faciant.de venæ ſec.aduerſ.Eraſ. 6ª.10.E
*Inedia per accidens imbecillitat.de vict.ra.in mor.acu.c.*3°. 7ª.128.F
*ex Inedia virium imbecillitatem qui non cognoſcunt medici,ridendi.de vic.rat.in morb.acu.com.*2°. 7ª.124.A
Inedia caput mire replet.de venæ ſect.aduеſ.Eraſ. 6ª.14.H
Inedia poteſt ſanguinem exhaurire.de venæ ſec.aduer.Eraſ. 6ª.8.A
Inedia non eſt imponenda vena ſecta.de venæ ſec.aduerſ.Eraſ. 6ª.11.A
*Inedia extenuat.com.*2°.*aph.*28°. Ex.16.D
*Inedia ſæpe fœtum perimit.com.*5°.*aph.*37°. Ex.40.H
*Inedia fœtus corrumpuntur.com.*5°.*aph.*53°. Ex.42.D
Inedia pereuntes non tanto egent cibo,quanto qui iugulantur ſpiritu.de marc. 3ª.46.H
*in Inedia quibus impleatur ventriculus.*3°.*de na.fac.* 1ª.306.D
Inedia preſſis ſanies à toto corpore defluit in ventriculum. de bonitate & vitio ſuccorum. 2ª.38.H
*in Inedia vẽtriculus à q̃bus accipiat nutrimẽtũ.*3°.*de nat.fa.* 1ª.306.D
in Inedijs longis per vnam ſolam venam lien, & ventriculus trahunt humorem.de atra bile. 1ª.36.G
*in Inedia trahunt venæ in ventrem à iecore.*3°.*de nat.fac.* 1ª.306.B
*Inedia calidis & ſiccis aduerſiſſima eſt.*10°.*met.me.* 7ª.63.D
*Inedia facit halitum bilioſum.*10°.*meth.me.* 7ª.62.H
*in Inedia calor naturalis in igneum tranſit in bilioſis. de victus ratio. in mor.acu.com.*2°. 7ª.119.H
*in Inedia bilis redditur amarior.de vict.ra.in mor.acu.c.*2°. 7ª.120.F
*Inediam damnat Galenus,quia facit vehementes febres, & alia incõmoda.*8°.*met.me.* 7ª.50.E
*Inedia febris cauſa paratiſſima.*10°.*met.me.* 7ª.63.D
*Inedia in ſanis facit febrem.*8°.*met.me.* 7ª.51.F
*Inedia facit febres ardentes,& poſtea hecticas.*10°.*met.me.* 7ª.63.F
*ex Inedia febres ardentiſſimæ fiunt.*8°.*met.me.* 7ª.52.D
*ex Inedia fit hectica,maraſmus,et animi defectus.*8°.*met.me.* 7ª.50.F
Inediæ faciunt marcorem.de marc. 3ª.45.C
*ex Inedia,et labore febricitãtes,quas hñt vrinas.*1°.*ď criſi.* 4ª.130.C
*Inediam cum ſuſtineret grammaticus quidam, morbo comitiali corripiebatur.*5°.*de loc.aff.* 4ª.32.F
*Inedia integra quibus conueniat morbis.com.*1°.*aph.*4°. Ex.4.B
de Inediæ vſu librum ſcripſit Praxagoras.de venæ ſec.aduer. 6ª.8.C
Inediã ĩdicere ĩter primas medicinæ actiões numerari.ad Thr. 2ª.108.F
*Inedia in principijs morborum non eſt iniungenda. de victus ratione in morb.acut.com.*2°. 7ª.118.H
*Inediam vſque ad tertium diem ſeruari iubebant quidam medici tempore Galeni,vt tertiæ diei noctẽ obſeruarent.*8°.*met.me.* 7ª.50.C
per Inedias,& vigilias minus humorum colligitur. 2°. *de præſagitione ex pulſibus.* 4ª.109.F
Inedia facit ad coctionem.in 6^{m}.*de mor.vul.com.*3°. 3ª.175.C
*Inedia non facit concoctionis debilitatem.*8°.*de cõp.me.ſe.lo.* 5ª.187.H
*Inediæ quantum ad coctionem valent,tantum, vel amplius officiunt viribus.*1°.*de arte cur.ad Glau.* 7ª.97.D
*Inediæ ex faſtidio in longis difficultatibus inteſtinorum,malum. commẽtariq.*6°.*aph.*3°. Ex.46.F

ex Inedia laborantium cura.intro. Iſa.55.E
Inedia curatur plethora.13°.met.me. 7ª.81.H
Inedia,lege Fames.
INEPTVS ad aliqd dr̃ q difficulter agit.9°.de decr.Hippo. 1ª.280.G
Ineptus dicere doctus garrire dixit comicus.4°.de dig.pul. 4ª.85.A
INERS puella naturaliter vnde.de ſperma. Sp.38.B
INEVITABILE accidens tranſitus per œſophagum eſt eleuatio nodi gutturis.de mot.man.& obſ. Sp.70.F
INEXERCITATIO facit errare.2°.de diff.pulſ. 4ª.57.C
INFANS quando ab Hippocrate vocetur.1°.de ſeni. 1ª.331.F
Infans quid ſit apud Hippocratem ex Galeno.in 3m. de morbis vulgaribus,commen.2°. 3ª.139.B
Infantes qui ſecundum Zeuxidẽ.in 6m.de mor.vulg.com.1°. 3ª.154.H
Informis infans quid ſignificet.1°.de comp.me.ſeo.loc. 5ª.125.D
Infantis informis adeps.1°.de comp.med.ſec.loc. 5ª.125.B
Infans paruus qui intelligatur.in 3m.de mor.vul.com.2°. 3ª.139.F
de Infantis natura liber vel Hippocratis vel Polybi.de fœt.fo.1ª.322.C
Infantiū formandi in vtero modus.de nat.& ord.cuiuſ.corp. Sp.42.D
Infantis formatio quot diebus fiat.de nat.& ord.cuiuſ.corp. Sp.42.C
Infantes qui quadrageſimo die formantur, nono vel decimo menſe impingente naſcuntur.de nat.& ord.cuiuslibet corp. Sp.42.C
Infantis poſitio in vtero.de nat.& ord.cuiusl.corp. Sp.42.D
Infans vtriuſq; ſexus quo modo fiat.de dyna. Sp.36.E
Infans maſculus in dextra matricis continetur,fœmina in ſiniſtra.de natura,& ord.cuiuslibet.corp. Sp.42.D
Infans quod pelliculis in vtero circundetur.15°.de vſu par. 1ª.211.B
Infante in vtero exiſtente quid fiat à natura.15°.de vſu par. 1ª.211.B
in Infantibus & fœtibus quæ fiant in nouem menſibus.de natura,& ord.cuiuslibet .corp. Sp.42.D
Infantis formatio & progreſſus.de theria.ad Piſo. 5ª.94.E
cur Infans ſeptimo menſe viuere poſſit.de compag.memb. Sp.59.G
Infans ſeptimeſtris poſſet oriri in minori tempore,q̃ in dimidio anni.de ſeptim.par. 1ª.341.D
Infans cur non ſuperuiuit octauo mẽſe.de compagine membrorum, ſiue de natura humana. Sp.59.G
Infans quando mouetur in vtero.de dyna. Sp.36.D
Infans calcitrat,& rumpit mẽbranas,quando in octauo, vel nono menſe non habet cibum conuenientem.com.5°.aph.37°. Ex.41.A
Infans quando molem corporis maiorem habet, plus cibi requirit. cõ. 5°.aphoriſmo.37°. Ex.41.A
Infans in vtero ꝑ per os nutriatur argumentum.an animal ſit. 1ª.327.E
Infans menſtruo nutritur.de dyna. Sp.36.D
Infantis quantitas vnde fiat. de dyna. Sp.36.D
Infans ſi ſperma abundet matris plus figurã habet à matre, ſi ſperma patris ſuperabundet plus habet à patre.de ſperm. Sp.38.E
Infans fit ſimilis matri ob nutrimentum.2°.de ſem. 1ª.336.F
Infans licet mas naſcatur,matri tñ q̃ ſimillimus fit.2°.de ſem. 1ª.338.H
Infans trahit qualitatem quando ex lacte matris.de ſperm. Sp.37.A
Infans trahit qualitatem genitoris.de ſperm. Sp.37.A
Infans cum non eſt ſimilis parentibus,quare ſit.de ſperm. Sp.38.G
Infantem eiecit prægnans ſolo tonitruo,& ſpectaculo horribili viſo.de theria.ad Piſo. 5ª.94.D
Infans debilis vnde fiat.de dyna. Sp.36.E
Infans quibus oris efficiatur ſanguineus,bilioſus, pituitoſus, atrabilaris.de ſperma. Sp.38.A
Infanti cõcepto in horis choleræ rubræ quid cõtingat.de ſper. Sp.38.A
INFANTVLVM nuper natum temperatum regendi ordo.1°.de ſanitate tuenda. 2ª.64.H
Infantes debent ſeruari mundi.1°.de ſan.tuen. 2ª.66.A
Infantibus debent adhiberi balnea ex aquis dulcibus ſalubribus. 1°. de ſanitate tuenda. 2ª.65.B
Infans quotidie lauandus,& fricandus,& qñ.1°.de ſan.tu. 2ª.66.C
Infantulus cur ſale inſpergẽdus,& faſcijs ligãdus.1°.de ſa.tu. 2ª.65.A
Infantis corpus oleo liniendum.1°.de ſan.tuen. 2ª.66.C
Infans ad indolentiam,& tolerantiam ducendus.1°.de ſan.tu. 2ª.65.A
Infantulum nuper natum ad flumen portant Germani, & quare.1°. de ſanitate tuenda. 2ª.66.F
Infantes myrti ſiccorum foliorum inſperſione indigentes non ſunt temperati.1°.de ſan. tuen. 2ª.65.A
Infantium corpora mollia & fluxibilia ſunt.de cau.mor. 3ª.8.G
in Infantibus caput manibus conſtrictum fit lõgum in macrocephalis. de aere,aquis & locis. 2ª.4.G
Infantium oſſa nutrices obtorquent.de artic.com.3°. 7ª.283.E
Infantes plorantes & dolentes vt leniantur, vel papilla ori indita, vel motu mediocri in cunis,vel vocis modulatione opus eſt.1°.de ſanitate tuenda. 2ª.65.D
Infantes quando plorant,videntur inſpirare inſpiratione interrupta.cõmen.6°.aph.54°. Ex.53.C
Infantulis ſomnus tribus conciliatur.1°.de ſan.tuen. 2ª.65.D
Infantes naturaliter ad muſicam & exercitia ſunt propenſi. 1°. de ſanitate tuenda. 2ª.65.D
Infantes tripliciter à nutricibus mouentur.1°.de ſa. tuen. 2ª.65.D
Infantes quo motu non debent moueri.1°.de ſan.tuen. 2ª.65.D
Infantium doloris tria remedia.1°.de ſan.tuen. 2ª.65.D
Infantibus cibus qui primo dari debet,qualis.1°.de ſan.tu. 2ª.66.C
Infantiū ætas cæteris ætatib⁹ tẽperamẽto humidior.1°.đ ſa.tu. 2ª.65.B
Infans nuper natus ĩ ſummo humidus vt alga maris.2°.de tẽp.1ª.16.A
Infantes nuper nati habent ſubſtantiam calidam aquoſam plurimam.cõuen.1°.aph.14°. Ex.7.F
in Infantibus abundat humor.1°.de ſan.tuen. 2ª.64.D
Infantium victus ratio debet eſſe humida.1°.de ſan.tuen. 2ª.65.B
Infantium alimentum lac.1°.de ſan.tuen. 2ª.65.B
Infans ſolo lacte alendus,quoad primores dentes emiſerit.1°.de ſanitate tuenda. 2ª.66.C
Infanti vis datur attrahendi lac,cum ortus eſt.5°.de vſu par. 1ª.213.B
Infantes quo modo ſugunt lac.8°.de decr.Hipp. 1ª.278.A
Infans qũo ſugat lac à natura edoctus.15°.de vſu par. 1ª.213.B
Infantes quo modo labiorum admotione è bombylijs anguſtiſſimi oris vaſculis humorem,qui in ipſis eſt,attrahant.de decr.Hipp. 1ª.278.A
Infans ob lac vlceribus captus.2°.de alim.fac. 2ª.28.A
Infantibus alimentum non ſentientibus pharmacum nutricibus præbendum.7°.de comp.med.ſec.loc. 5ª.185.F
Infanti medicamentum datur nutrici, & ad quid. 7°. de compoſitione medica.ſec.loc. 5ª.185.F
Infantes in actionibus naturalibus magis vigent,quàm alij.1°.de ſanitate tuenda. 2.64.D
Infantes inepti ad actionem voluntariam.1°.de ſan.tuen. 2ª.64.D
Infantes habent neruoſum genus imbecillū.in progn.com.3°. 4ª.211.C
Infanti cur dentes naſcantur.15°.de vſu par. 1ª.213.C
Infans in dentitione quid faciat.de nat.& or.cuiuſ.corp. Sp.42.D
Infans homo incedit pedibus & manibus vt ſimia, cum creuerit ſolis pedibus.15°.de vſu partium. 1ª.213.D
Infantes quarto,& quinto anno quo motu debent moueri.1°.de ſanitate tuenda. 2ª.65.E
Infantes ſeptennes quo motu debent moueri.1°.de ſan.tuen. 2ª.65.E
Infantes in ſecundo ſeptennio calidi ſunt vt erant, ſed non æque humidi. 1°.de ſanitate tuenda. 2ª.67.C
in Infante vno & eodem iudicium optimum ſumi poteſt ad cognoſcendum calidum quod in ætatibus.2°.de temp. 1ª.17.A
Infantes quo modo circa mores tractandi.1°.de ſan.tuen. 2ª.65.E
Infantes habent omnes affectus.5°.de decr.Hipp. 1ª.256.G
Infantes ſtatim iracũdi,tamẽ nõ habẽt rationẽ.5°.đ dec.Hipp. 1ª.260.B
Infantes volũt vincere et ſuperiores alijs eſſe.5°.de decr.Hip. 1ª.256.G
Infantes qũo tractandi,ne in cõuulſionẽ incidãt.de ſal.diæta. 2ª.42.C
Infantes quo modo tractandi vt creſcant, & fiant melioris coloris. de ſal.diæta. 3ª.42.C
Infantibus quale vinum bibendum.de ſal.diæta. 2ª.42.D
Infantes cur debent bibere vinum dilutum.de ſal.dieta. 2ª.42.D
Infantis pulſus qualis.3°.de cau.pulſ. 4ª.96.D
Infantium craſſa eſt hypoſtaſis.de vri.ſign.ex Hipp. Sp.79.B
in Infantibus peſſima eſt vrina aquoſa.de vrinæ ſignificatione ex Hippocrate.78.G/queſ.in Hipp. Sp.113.F
Infantibus magis, quàm iuuenibus accidit vt ob lapidem in veſica mingere non poſſint, pruriginem patientes in ano de dyna. Sp.28.H
ad Infantiū procidentẽ ſedẽ quid agendum.de med.fac.par. 7ª.174.E
Infantibus cuncta ſanguinolentiſſima.aduerſus Lycum Ex.65.C
Infantium indignationem omnem & phrenitim ſanat emplaſtrum diachryſu.de dyna. Sp.32.C
INFARCTA in meatibus quo modo curanda.2°. de compoſi. medicamen.ſecun.locos. 5ª.136.A
Infarctus viſcerum expurgandi vim habet agaricum. 6°. de ſimpliciū med.fac. 5ª.41.E
Infarcta organa obſtructione liberat ampelopraſſum.6°. de ſimp. medi. facultatibus. 5ª.42.E

ab Infarctu dolores natos curat ariſtolochia rotunda. 6°. de ſimpliciū medicam.facul. 5ª.43.F
INFERIORA à ſupioribus ordinem capiunt.3°.de die dec. 4ª.156.H
Inferiora ſuperioribus gubernantur.de ſperm. Sp.40.B
Inferiora quæ dicantur, & quæ ſuperiora.in 6^{m}.de morbis vulgaribus, commentario.1°. 3ª.162.G
Inferiores partes quæ dicant̃, & quæ ſuperiores.3°.de dig.pul. 4ª.81.A
Inferius & ſuperius ſunt relatiua.in 6^{m}.de morb.vul.cō.1°. 3ª.162.G
Inferius & ſuperius in genere vbi.2°.de diff.pulſ. 4ª.55.F
Inferioribus partibus ſuperiores præpollent, ſecundum Hippocratem. breui denot.dogm.Hipp. 1ª.231.C
p̄ Inferiora quæ excernantur, & quæ per ſuperiora.quos purg. op. qb. & quo temp. 5ª.88.E
Inferiores purgatiōes ſunt cōtrariæ ſupioribus.cō.4°.aph.9°. Ex.28.C
Inferiora diuertunt à ſuperioribus.com.5°.aph.68°. Ex.45.D
ad Inferiora vbi vergūt ſucci, fiat reuulſio ſurſum.de cuc.ſcar. 6ª.4.G
Inferiores partes laborātes, p̄ clyſteres purgātur.13°.met.me. 7ª.84.G
ad Inferiorem, & ad ſuperiorem ventrem inclinationes per vrinas, ac ſudores reuellendæ ſunt.de cucur.ſcar. 6ª.4.F
p̄ Inferiora debent purgari difficulter vomentes, & bene carnoſi, cauē tes æſtatem.com.4°.aph.7°. Ex.28.B
p̄ Inferiora debent purgari tabidi.com.4°.aph.8°. Ex.28.B
p̄ Inferiora parotidas citra ſuppurationem fuiſſe curatas rariſſimum eſt.in 1^{m}.de morb.vulg.com.2°. 3ª.116.F
Inferius, & ſuperius corpus purgat ſcammonia, & caput & phlegma cum cholera.de cathart. Sp.95.A
Inferiora frigida, & ſuperiora calida habent lienem decliuem habētes. in 6^{m}.de morb.vulg.com.1°. 3ª.167.H
INFERIORIS maxillæ oſſe immoto, quo modo buccæ vnà cum labijs ad latera abducantur.de neruorum diſſectione. 1ª.54.G
Inferior mādibula cleuat̃ eleuādo linguā.de mot.man.& obſc.Sp.68.C
Inferiorem maxillam mouent quatuor coniugationes muſculorum, & vbi ſunt.de muſc.diſ. 1ª.44.G
Inferiorem maxillā qui muſculi mouent ſurſum.de muſc.diſſ. 1ª.44.G
Inferiori maxillæ qui muſculi ligāt os hyoides, & eorum proceſſus. de muſc.diſſ. 1ª.46.D
Inferiores octo coſtas nutriens parua vena eſt vena ſine pari. in Timæū Platonis. 1ª.287.H
Inferius orificium ſtomachi, dilatando & conſtringendo mouetur, horis tamen determinatis.de ana.viu. Sp.56.E
Inferiorē & mediū vētrē intelligit p̄ duas naſſulas.in tim.Pl. 1ª.288.E
Inferior venter deſeruit nutrimento.de ana.viu. Sp.47.C
Inferiores venæ quæ ſint.com.6°.aph.36°. Ex.50.D
in Inferioribus partibus quo modo ramificetur vena concaua.de anatomia viuorum. Sp.54.F
Inferiora inteſtina tria.cur craſſa.de ana.viu. Sp.50.B
INFERNARVM partium dolores facile perferuntur.in 1^{m}. pror. commentario.3°. 4ª.182.E
Inferne ſurſum ferunt̃ venæ arteriæ, et pharynx.8°.de vſu pa.1ª.165.A
INFESTANTIA quibus inſtrumentis natura expellat. commen. 5°. aphoriſmo.53°. Ex.42.D
INFIDA ſigna in morbis, quæ.com.2°.aph.27°. Ex.16.C
INFINITVM non poteſt obſeruari de opt.ſecta. Iſa.22.B
INFIRMITAS quid.fin.med. Iſa.45.D
Infirmitas & robur eluceſcunt in oculis, & quo modo.in 6^{m}. de morb. vulga.com.4°. 3ª.187.A
ob Infirmitatē viriū oēs thoracis partes dilatātur.4°.de l.af. 4ª.25.A
Infirmitas valetudinis non videtur differre ab infirma valetudine. 2°. methodi medendi. 7ª.10.D
Infirmitates quibuſdam eſſe ſubſtantiales, alijs accidentales ſciendum. de ſpermate. Sp.39.G
INFIRMA pars prompte grauatur.de cur.ra.per ſan.miſ. 6ª.17.G
INFIXA corpori trahit anagallis.6°.de ſimp.me.fac. 5ª.42.H
ad Infixa educenda malagma, & compoſitio admiranda.10°. de comp. medic.ſec.loc. 5ª.207.G
ad Infixos paxillos.5°.de comp.me.per ge. 5ª.246.E
INFLAMMENTVR cur partes extremæ membrorum.de fract.commentario.1°. 7ª.228.G
Inflammātur iterū qūq; cicatrices, & quare.cō.6°.apho.45°. Ex.51.F
Inflammantia, & caput replentia, quæ.de puero epil. 7ª.180.E
INFLAMMATIO quid antiquitus ſignificabat.2°.de criſibus.4ª.137.A|2°.de arte cur.ad Glau. 7ª.100.G
Inflammationis nomen antiqui omnes magis inflamminibus, etiam ſi ſine vllo ſunt tumore, adaptabant.com.5°.aph.65°. Ex.44.H
Inflammatio quo modo ab Hippocrate vocetur.in prognoſt. com.1°. 4ª.196.A|de ijs, quæ in med.ſi.com.3°. 7ª.219.D
Inflammari quid nunc ſignificet.in 1^{m}.progn.com.1°. 4ª.195.F
Inflammina quæ ſint ſecundum Hippocratem.cō.5°.aph.23°. Ex.39.F
Inflāmatio ſecundum Eraſiſtratū quid.de venæ ſec.aduer.Eraſ. 6ª.5.H
Inflammatio quid ſecundum methodicos.de ſectis. Iſa.18.H
de Inflammatione methodicos temere pronunciaſſe.de ſectis. Iſa.18.G
Inflammatio quid ſit.2°.de difficult.reſp.65.H|de tumoribus præter naturam.3ª.82.G|in progn.com.1°. 4ª.194.H
Inflammationes ſecundum iuniores temporis Galeni, ſunt tumores cum dolore.com.4°.aph.34°. Ex.31.C
Inflammationem proprio nomine dictam diſtinguit ab eryſipelate. commen.5°.aph.43°. Ex.41.E
Inflammatio, & tumor præter naturam differunt aliquo pacto. com.5°. aphoriſmo.51°. Ex.42.B
Inflammationes ſunt morbi euidentes.de diff.mor. 3ª.3.D
Inflammatio eſt calidus affectus.2°.de loc.aff. 4ª.13.B
Inflammatio affectus totius corporis.intro. Iſa.59.C
Inflammatio adſtricta eſt affectio.de ſectis. Iſa.17.H
Inflammatio eſt primorum corporum ægritudo.de diff.mor. 3ª.5.H
Inflāmatio eſt è numero compoſitarū ægritudinū.de diff.mor. 3ª.6.A
in Inflāmationis definitione cur ponatur dolor.de tu.præ.na.3ª.84.A
Inflammationes quæ ſint.2°.de arte cur.ad Glau. 7ª.100.G
Inflammatio, & durities quo modo diſtinguantur.7°.de compo. medic. per genera. 5ª.263.F
Inflammatio quæ proprie ſit.in progn.com.1°.4ª.195.G|1°. de arte cur. ad Glau.100.F|H|de fract.com.3°. 7ª.243.C
Inflammatio quo modo fiat, & quid ſit.10°.met.me. 7ª.64.C
Inflammationum differentiæ.2°.de arte cur.ad Glau. 7ª.100.H
Inflammationes multæ numerantur.2°.de arte cur.ad Glau. 7ª.101.C
Inflammatio humida, quæ.2°.de arte cur.ad Glau. 7ª.100.H
Inflammatio ſicca, quæ.2°.de arte cur.ad Glauc. 7ª.100.H
Inflammationes miſtæ, quæ.de ſectis. Iſa.18.G
Inflammationis eryſipelas quid.2°.de arte cur.ad Glau. 7ª.101.B
Inflammatio eryſipelatis, quæ.de tum.pręter naturā. 3ª.84.B|2°.de arte cur.ad Glau. 7ª.101.B
Inflammatio eryſipelaris, eryſipelas, œdema, ſcirrhus à quo fiant humore.de tum.præter naturam. 3ª.84.B|C
Inflammatio eryſipelacea ex quibus fiat humoribus.2°.de comp. med. ſecund.loc. 5ª.135.H
Inflammationes magna ex parte aliquid eryſipelatis vel laxi vel duri tumoris natura complectuntur.de diff.morb. 3ª.5.G
Inflammatio particeps eryſipelatis.2°.de loc.aff. 4ª.13.A
Inflammatio ſcirrhoſa quid.de tum. præter naturam. 3ª.84.B
Inflammatorius ſcirrhus quid.de tum.præter naturam. 3ª.84.B
ab Inflammationibus quo modo diſtinguantur œdemata, & quæ ſint. 14°.meth.med. 7ª.88.E
Inflāmationes cōtinētur ſub nomine œdematis.c.5°.aph.65°. Ex.44.H
Inflammatorium œdema.de tum.præter naturam. 3ª.84.B
Inflammatio œdemoſa quid.de tum.præter naturam. 3ª.84.B
Inflammationes ſine ictu ac contuſione vnde.2°.de diff.feb. 3ª.41.C
Inflammatio cum duritie, & nigritie, non eſt inflammatio.2°.de arte curatiua ad Glau. 7ª.102.A
Inflammatio habet aliquam diſpoſitionem quæ eſt ſibi ſimilis, tamen nō eſt inflammatio.com.5°.aph.57°. Ex.43.A
Inflammationi ſimilem affectū facit exclamatio.4°.de loc.aff. 4ª.26.C
Inflammationis ſenſum habens laſſitudo vnde ortum habeat. commentario.2°.aph.5°. Ex.11.G
Inflammatio quandoq; non eſt primo, neq; per ſe, ſed tantum ex accidēti.de diff.morb. 3ª.5.H
Inflammatio poteſt repente fieri.com.4°.aph.62°. Ex.34.B
Inflammationis principium inquirit.de tot.morb.temp. 3ª.88.E
Inflammatio cum incipit ſemper creſcit, vnde non videtur habere principium.de morb.temp. 3ª.85.D
Inflammationis augmentum quale.de tot.morb.temp. 3ª.88.F
Inflammatio quo modo creſcat.de morb.temp. 3ª.85.D
in Inflammatione, puris generatio eſt terminus vigoris. de totius morbi temporibus. 3ª.89.G
Inflammationis ſtatus quando.de tot.morb.temp. 3ª.88.F
Inflammationis declinatio quando.de tot.morb.temp. 3ª.88.F

Inflammatio ob

Inflammatio ob quid fiat.de tot.morb.temp.3ª.88.E/2°. de arte curatiua ad Glauconem. 7ª.101.E
Inflammationes & ignei omnes affectus fiunt caliditate vincente.de palpitatione. 3ª.54.C
INFLAMMATIONES ex quibus fiant. 6°. de compoſitione medicamentorum ſec.loc. 5ª.166.H
Inflammationis cauſa eſt omnis dolor.de frac.com.1°. 7ª.227.H
Inflammationes ex dolore oriuntur.de frac.com.3°. 7ª.244.H
Inflammationes facit fluxio ad membra.in progn.com.2°. 4ª.202.D
Inflammatio nulla diuturna ad quam nihil influat. 1°. de compoſitione medic.per genera. 5ª.211.A
Inflammationes, eryſipelata, & herpetes cur in plethora patiãtur partes debiliores.2°.de diff.feb. 3ª.40.G
Inflammatio aut ab extenſione partium, aut à calido, & frigido.de natura huma.com.1°. 1ª.28.H
Inflammatio quælibet fit ex aliquo humore.com.6°.aph.33°. Ex.50.A
Inflammatio fit à ſanguine.de diff.morb.3ª.35.F/2°.de criſ. 4ª.138.C
Inflammationes ab excrementis putridis fiunt, quando collecta computreſcunt.9°.de vſu par. 1ª.171.D
Inflammationum aliæ ex ſanguine, aliæ ex flaua bile. 6°. de compoſitio. medic.ſecun.loc. 5ª.176.E
Inflammatio ad quos ſequatur affectus.2°.de arte cu.ad Glau.7ª.101.A
cur Inflammationes dolentibus partibus adueniant, & quo modo.commen.5°.aph.53°. Ex.42.E
Inflammatio quando ſuperueniat.de iis, quæ in med.fiunt.c.2°.7ª.213.B
Inflammatio fit poſt hyemem propter plenitudinem hyemis.commentario 1°.apho.14°. Ex.8.G
Inflammatio minor ſuperuenit humidis, & macilentis, quàm ſiccis, & carne oppletis.de art.com.1°. 7ª.256.G
in Inflammatione tenditur cutis.7°.de compo.med.per gen. 5ª.267.G
INFLAMMATIONEM ſignificant liuida cum duritie.de fractu.commenta.2°. 7ª.236.D
Inflammatio facit rubram & duram cutim.de frac.com.2°. 7ª.235.G
Inflammationis exemplum à coriis & loris ſumptum.de ſec. Iſa.18.H
Inflammatio quandoque rubicunda, quandoque flaua. 6°. de compoſit. med.ſec.loc. 5ª.176.E
in Inflãmatione venæ inſenſibiles apparẽt.de tum.præter natu.3ª.83.C
in Inflammatione eſſe ſanguinem probat.de tum.præ.na. 3ª.83.B
Inflammatio in parte profunda corporis trahit illuc ſanguinem, ideo interiora calent, & exteriora frigent.com.4°.aph.38°. Ex.33.B
Inflammationis calor ad ſe trahit per modum cucurbitulæ ſanguinem. commenta.1°.aph.7°. Ex.54.A
in Inflammationibus ſanguis non poteſt remanere ſanguis.commẽ. 6°. aphor.20°. Ex.48.C
in Inflammationibus ob duplicem cauſam ſanguis corrumpitur. 2°. de differentiis febrium. 3ª.40.B
in Inflammationibus ſanguis diſpergitur ad cauitates muſculorum. cõmen.6°.apho.2°. Ex.48.C
in Inflãmatiõibus cur alteratiões multiformes fiãt de inæq.int.3ª.43.G
Inflammationes figuram euariant.de cau.mor. 3ª.8.H
Inflammatio membri affert triſtem ſenſum laborantibus ex motu arteriarum.com.7°.aph.21°. Ex.55.D
Inflammatio facit dolorem.4°. de loc.affect. 4ª.27. C/commentario 2°. aphoriſmo 6°. Ex.11.G
vt Inflammatio, ita & flatus ventoſus dolorẽ facit.3°.de com. medic. ſecundum locos. 5ª.140.F
Inflammatio facit capitis dolorem.com.6°.apho.10°. Ex.47.D
Inflammatio facit dolorem in viſceribus.com.4°.aph.66°. Ex.34.E
Inflammationes calefaciunt corpus.de cau.mor. 3ª.6.F
in Inflammationibus pars vicina caliditatem aſſumit.de cau.mor.3.6.F
in Inflammationibus materiæ putreſcunt.2°.de diff.feb. 3ª.41.C
in Inflammatione cur fiat putrefactio.2°.de criſ. 4ª.138.B
Inflammationes ingentes ſequitur ſuppuratio.2°.de lo.aff. 4ª.9.A
Inflãmationis ſuppurãtis indicium horror cũ febre.1°.de loc.aff.4ª.6.D
ex Inflammatione quid primo exit, & quid poſtea.5°.de lo.aff.4ª.35.D
Inflammationes quę excrementa faciant.5°.de loc.aff. 4ª.35.D
Inflammationes omnes quæ non teguntur operculo denſiore, habent pus quod exit.com.1°.aph.12°. Ex.6.C
in Inflammationibus cum vlceribus ſanies aquoſa tenuis effluit loco circum cruento apparente.de tum.præt.nat. 3ª.83.A
Inflammationes faciunt febrem.de cau.morb.3ª.6.F/2°.de arte curatiua ad Glauconem. 7ª.100.G
Inflammationes quæ febres faciant ex repletione. de venæ ſectione aduerſus Eraſiſtratæos. 6ª.12.F
Inflammatio quando febrem facit.2°.de diff.feb. 3ª.41.C
ex Inflammationibus febres, ſunt veluti accidentia quędam partium phlegmone laborantium.1°.de arte curatiua ad Glauconem.7ª.95.F/com.6°.apho.44°. Ex.51.D
ob Inflammationem febres factæ ſunt in genere putridarum. 10°. methodi medendi. 7ª.64.C
ex Inflammationibus diuerſorum membrorum diuerſæ ſunt febres. 2°. de criſibus. 4ª.136.A
Inflammatio aliqua facit febres periculoſas.com.4°.aph.43°.Ex.32.F
in Inflammatione mẽbranæ febris vnde oriatur.2°.de loc.aff. 4ª.13.B
Inflammationũ omniũ cum febre pulſus, quales.de pulſ.ad tir. 4ª.45.B
Inflammationis diuerſarũ partiũ pulſus.4°.de præſa.ex pul. 4ª.121.C
Inflammationis pulſus qualis.de pulſi.ad tiro.45. A/2°. de cauſis pulſuum.91.F/ 4ª.100.B
Inflammatio durum facit pulſum.1°.de diff.feb. 3ª.34.B
ex Inflammatione marceſcentium pulſus.de pulſ.ad tiro. 4ª.45.E
Inflammationes attingentes partes neruoſas conuulſionem faciunt.commen.5°.apho.2°. Ex.37.E
Inflammatio facit extenſiones neruorum.c.4°.apho.49°. Ex.33.C
in Inflãmatione fit q̃nque cõuulſio.de cogn.cur.animi mor. 2ª.51.H
Inflammationem ſequens diſtenſio quid ſit.de diff.mor. 3ª.3.F
Inflammatio facit morbum regium q̃uo.com.4°.apho.64°. Ex.34.C
Inflammatio vſque ad oſſa q̃nq; peruenit.de tum.præ.na. 3ª.83.D
Inflãmatio fit corrupto oſſe in parte penitiore.c.6°.aph.45°. Ex.51.G
Inflammatio vbi apparet in vlcere, quid agendum. 4°. de compoſitione med.per genera. 5ª.237.A
Inflammationis doloris ſpiritus quid.in prog.com.1°. 4ª.194.H
Inflammationis ingentis notæ.2°.de arte cu.ad Glau. 7ª.113.H
in Inflammationibus motus arteriarum fit ſenſibilis cum dolore. de tumor.præter natu. 3ª.82.A
in Inflammatione pulſus arteriarum ſentitur.2°.de loc.aff. 4ª.8.G
in Inflammatione intenduntur arteriæ & venæ.2°.de loc.aff. 4ª.10.G
Inflammatio magna habet pulſum.de tum.præter naturam.3ª.84.A/in prog.com.1°. 4ª.195.G
Inflammationem ſignificat dolor.in 1^{m}.de mor.vul.com.2°. 3ª.113.B
in Inflammatione adeſt dolor pulſatiuus.2°.de loc.aff. 4ª.9.H
Inflammationum ingentium accidens eſt dolor pulſatorius. 2°. de locis affectis. 4ª.10.G
Inflammationem ſignificat dolor capitis cum pulſu.1°.de arte curati.ad Glauconem. 7ª.99.H
ob Inflammationis magnitudinem fit inſenſibilitas quædam. commentario 7°.aphor.50°. Ex.58.B
poſt Inflammationes magnas gangræna.de tum.præt.nat. 3ª.83.H
Inflãmatio in putredinẽ vel in gãgrẽnã deſinit.de tot.mor.tem.3ª.89.G
ex Inflammatione, & eryſipelate ſcirrhum facit inſcitia medicorum. 7°.de comp.med.per ge. 5ª.267.H
Inflammatio ſæpius fit.2°.de arte cur.ad Glau. 7ª.100.G
INFLAMMATIO periculoſa, quæ.in 3^{m}.de morbis vulgaribus, commenta.2°. 3ª.137.G
Inflammationes quæ mortiferæ.in 6^{m}.de mor.vul.com.1°. 3ª.162.H
Inflãmatio cũ vlcere, & febre non põt.ſanari.c.7°.apho.37°. Ex.57.A
cum INFLAMMATIONE vulnerum curatio. de venæ ſectione aduerſus Eraſ. 6ª.6.A
Inflammatio quę fit in omni parte corporis ex plaga. 2°. de compoſitio. medic.ſec.loc. 5ª.133.G
Inflammatio totius corporis non poteſt ſpatium effatu dignum implere. com.4°.apho.34°. Ex.31.D
Inflammatio & eryſipelas quo modo ſint in capitis doloribus. 2°.de cõpoſit. med.ſec.loc. 5ª.135.H
in Inflãmationibus capitis, & cerebri, & membranarum, principio cucurbitulæ non apponendæ.de hiru.reuul.cucur.& ſcarifica. 6ª.2.E/11°.meth.med. 7ª.73.E
Inflammatio circa cerebrum qua re indiget.11°.meth.med. 7ª.73.E
Inflammatio quando tendit ad duram matrem non eſt abſq; periculo.2°. de comp.med.ſec.loc. 5ª.133.H
Inflammatio oculi totum oculum exercet.introd. Iſa.58.D
Inflammatio oculi cum fluore.de ſectis. Iſa.17.D
Inflammatio oculorum quid efficiat.in prog.com.2°. 4ª.203.A
Inflammatio circa oculũ qbus tollaĩ.4°.de comp.me.ſe.loc. 5ª.151.A
Inflãmationi oculi ſucc⁹ fœniculi, & lac muliebre cõuenit.de o.ſ.Iſ.21.D

Inflammationes in-

Inflammationes induratæ tunicarum oculorum quid petant.4°.de compo.med.ſec.locos. 5ª.151.B
in Inflammatione indurata oculorum vena anguli oculorum ſecanda. de cur.rat.per ſang.miſſ. 6ª.20.G
ad Inflammationes oculorũ quæ cõferant.8°.de com.me.ſe.lo.5ª.188.G
Inflammatio narium quid efficiat.in prog.com.2°. 4ª.203.A
ad Inflammationes aurium quod commodum.de re.par.fac. 7ª.155.B
Inflammationi vuæ adhibetur fructus ſpinæ ægyptiæ & alumen ſciſſile. de ſectis. Iſa.18.C
Inflammatio oris quid efficiat.in prog.com.2°. 4ª.203.A
in Inflammationibus oris quibus vtendum in ſtatu.6°.de compoſitione medic.ſec.loc. 5ª.174.G
ad Inflammationes oris.6°.de comp.med.ſec.loc. 5ª.169.C
ad Inflammationem oris quid faciendum.de rem.par.fac. 7ª.157.G
ad Inflammationẽ columellæ quid agendũ.de rem.par.fac.7ª.157.G/H
Inflammatio faucium quæ.in 1ᵐ.de mor.vul.com.1°. 3ª.106.C
Inflammationes faucium quid auferat.præſag.exper.conf. Sp.78.C
Inflammationes faucium vetuſtiores diſſoluimus ſectionibus ſcarificationum.præſag.exper.conf. Sp.78.C
ad Inflammationem faucium quid agendum.de re.par.fac. 7ª.157.G
ad Inflammationes tonſillarum quodnam pharmacum accommodatũ, & quo modo vtendum.8°.de comp.me.ſec.loc. 5ª.191.E
ad Inflammationem tonſillarum.de re.par.fac. 7ª.157.H
ad Inflammationes tonſillarum pharmacum conueniens quo modo illo vtendum.7°.de comp.med.ſec.loc. 5ª.181.G
ad inflammationes tonſillarum,& vuæ.6°.de comp.me.ſe.lo 5ª.171.E
ad Inflammationes glandularum.7°.de comp.med.ſec.loc. 5ª.181.G
in Inflammatione gutturis & arteriæ quę vena ſecanda.de curan.rat. per ſang.miſſ. 6ª.20.G
Inflammatio gulæ, & muſculorum ipſius facit peruerti collum, vt vix poſſit deuorare febriens,& moritur.com.4°.apho.35°. Ex.31.E
Inflammatio faciens euerſionem colli non eſt omnino letalis.commẽ. 4°. aphoriſ.35°. Ex.31.G
Inflãmationes in ligamentis, & neruis trahunt vertebras ad intra, ita vt hoĩes fiant gibbi ad vna partem, vel ad duas.c.4°.aph.35°.Ex.31.F
ad Inflãmationẽ in vertebris q̃n ſequit̃ conuulſio.4°.de lo.aff.4ª.24.C
Inflammatio quæ ſit angina.4°.de lo.aff. 4ª.26.C
in Inflammationibus oris muſtum quo modo principio,augmẽto,& ſtatu bonum.6°.de comp.med.ſe.loc. 5ª.169.B
Inflammatio aſperæ arteriæ difficultatem ſpirandi facit,ſed non ſtrangulationem,cur.c.4°.aph.34°. Ex.31.D
in Inflammationem arteriæ principijs,leuiſſima quæ ſint.7°. de compo. med.ſec.loc. 5ª.177.H
in Inflammatione conſiſtente aſperæ arteriæ quid agendum.7°.de compoſi.med.ſec.loc. 5ª.177.G
in Inflammationibus arteriæ abſtinendum à vino. 7°. de compoſitione medi.ſec.loc. 5ª.177.H
Inflammationes hypochondriorum fiunt luna in coniunctione ſolis,ſaturno in tetragono.de decub.progn.ex math.ſcientia. Sp.13.A
Inflammatio in præcordijs q̃uo curetur.2°.de comp.me.ſec.loc.5ª.135.G
Inflammationes omnes in præcordijs calidæ,atq; acutæ fluxu ſanguinis iudicantur.3°.de criſi. 4ª.139.E
abſq; Inflammatione quibus dolor circa hypochondrion fit,febris ſuperueniens morbum ſoluit.c.6°.apho.40°. Ex.50.H
Inflammationibus hypocondriorum roſa conueniret, niſi adſtringeret. 3°.de ſimp.med.fac. 5ª.18.H
in Inflammatione in thorace & pulmone thorax vehementer dilatatur.4°.de locis affe. 4ª.27.A
Inflammatio membranę quę ſubcingẽs nominatur,eſt lateralis morbus. com.6°.apho.33°. Ex.50.A
Inflammatio inter coſtas ob clauſas euacuationes hæmorrhoidarũ fit. de venæ ſect.aduer.Eraſ. 6ª.7.E
Inflãmatio pulmonis quibus indicijs deprehẽdat̃.4°.de loc.af. 4ª.27.H
Inflãmatione pulmonis laborãs q̃uo deprehẽdatur.2°.de lo.af.4ª.13.A
Inflãmatio pulmonis,aut totius viſceris,aut aſperæ arteriæ,vel gutturis,aut faucium facit anguſtiam anhelitus.cõ.1°.aph.34°. Ex.31.D
ad Inflammationem pulmonis ſequitur orthopnœa.2°.de lo.aff.4ª.13.A
Inflammatio pulmonis quid faciat.de pulſ.ad tir. 4ª.45.B
Inflammatio pulmonis habet breue tempus.4°.de criſi. 4ª.126.F
in Inflammatione pulmonis cur in principio interdicatur cibus. de optima ſecta. Iſa.28.G
in Inflammatione pulmonis cucurbitula apponenda, ſi prius ſit euacuatus æger,& quare.11°.meth.me. 7ª.73.E
in Inflammationibus laterum ac pulmonis in acceſſionũ quidẽ principijs tumores increſcunt,in declinationibus autem euaporant ac ſubmittuntur.2°.de diff.feb. 3ª.40.F
in Inflammatione pulmonis remedia.de med.fac.par. 7ª.168.B
Inflammatio ſepti tranſuerſi quid faciat.de pulſ.ad tir. 4ª.45.B
Inflãmatio vr̃ in vẽtriculo in flatu hypochõdriaco.3°.de lo.aff. 4ª.19.B
Inflammatio oris ventriculi quid faciat.de pulſ.ad tiro. 4ª.45.B
Inflammatio ventriculi quid faciat.de pulſ.ad tir. 4ª.45.B
Inflammatio ventriculũ infeſtans indicatur cauſa cur cibi nõ coquãtur. de diff.morb. 3ª.4.G
Inflãmatio ventriculi,& iecoris nõ exigit cibos.10°.meth.me.7ª.63.H
in Inflammatione ventriculi,iecoris, & lienis mulſa non eſt vtilis, & quare.11°.metho.med. 7ª.73.F
ad Inflammationes ſtomachi Eueni confert.8°.de cõ.me.ſe.lo.5ª.192.G
Inflammationibus ſtomachi,ventris,inteſtinorum,& iecoris,competit maſtiche.7°.de ſimp.med.fac. 5ª.55.C
Inflammationes iecoris quales in gibba & in ſima parte. 5°. de locis. affectis. 4ª.33.C
Inflãmationes ſimæ partis iecinoris quid efficiant.5°.de loc.aff. 4ª.33.E
Inflammationes iecoris vehementiſſimæ,quæ.5°.de lo.aff. 4ª.33.E
Inflammationes iecoris,& ſplenis vnde.2°.de dif.feb. 3ª.40.H
Inflammatio iecoris ex fluxione.2°.de diff.feb. 3ª.40.H
Inflamationis iecoris indicia.5°.de lo.aff. 4ª.34.F
Inflammatio iecoris q̃uo cognoſcatur.5°.de lo.aff. 4ª.34.G
in Inflammatione iecoris ſanies cruoris tenuis ſimilis ablutioni carniũ. 5°.de locis affectis. 4ª.34.G
Inflammatio iecoris quid faciat.de pulſ.ad tiro. 4ª.45.B
Inflãmatio iecoris facit dolorẽ in coſtis nothis.5°.de lo.aff. 4ª.34.G
Inflammatio iecoris poteſt facere dolorem in loco notharum coſtarum. 2°.de locis affectis. 4ª.13.D
in Inflammatione magna iecoris & in ſcirrho iugulum deorſum trahitur.5°.de loc.aff. 4ª.34.H
in Inflãmatione iecoris cur dolor in iugulo fiat.2°.de loc.aff. 4ª.11.D
Inflammatio iecoris facit febrem.2°.de loc.aff. 4ª.12.H
in Inflammationibus iecoris à pulſu habetur indicium firmum & ſolidum.2°.de loc.aff. 4ª.13.E
in Inflammatione iecoris pulſus diuerſus.2°.de loc.aff. 4ª.13.D
in Inflamatione membranæ coſtas ſubcingentis pulſus diuerſus. 2°.de locis affectis. 4ª.13.D
ob Inflammationis magnitudinem, aut hepatis,aut ventriculi,aut ſtomachi,febricitantes in animi defectum incidunt. 1°. de arte curatiua ad Glauconem. 7ª.98.E/F
Inflammatio hepatis facit morbũ regiũ.c.4°.aph.62°. Ex.34.B
Inflammationes iecinoris & lienis ſi in pus vertuntur,cõſumũt corpus. introductio. Iſa.56.G
ex Inflammatione iecoris Glauconis medici caſus.5°.de loc.af.4ª.34.F
Inflãmationibus iecoris facile applicãtur remedia.3°.de lo.aff. 4ª.16.B
ad Inflammationem hepatis epithema.de dyn. Sp.26.D
Inflammationibus iecoris,& ventriculi abſinthium ponticum confert. 11°.meth.medendi. 7ª.72.F
Inflammatio iecoris & ſtomachi indurata quibus curetur. 8°. de comp. medic.ſec.locos. 5ª.187.F
Inflammationem iecoris,& ventriculi hecticæ ſequuntur.1°.de differentijs febrium. 3ª.35.F
ab Inflammationes hepatis.8°.de comp.me.ſec.loc. 5ª.193.B
Inflammatio lienis facile tactu ſentitur.6°.de loc.aff. 4ª.36.A
Inflammationes lienis,& hepatis q̃uo iudicentur.3°.de criſi. 4ª.139.F
ad Inflammationes recentes ſplenis epithemata, & emplaſtra Aſclepiadis.9°.de comp.med.ſe.loc. 5ª.198.H
Inflammatio vmbilici vnde fiat.de anat.par. Sp.43.C
Inflammatio in inteſtinis duas facit ægritudines.de diff.mor. 3ª.4.D
Inflammatio inteſtinorum eſt ileos.in 3ᵐ.de mor.vul.com.2°. 3ª.139.A
vel Inflammatio effatu digna, vel putredo aliqua eſt circa vlcera, ſi vnà cum inappetentia febris aduenat difficultati inteſtinorum.c.6°. aphoriſ.3°. Ex.46.G
Inflammationes crurum ſcalpello inciduntur & oleo irrigantur,nõ autem oculorum.de ſectis. Iſa.18.C
Inflammationes circa viſcera creſcunt,ſi dormiant ægri in principio acceſſionum.com.2°.aph.1°. Ex.11.B
Inflammatione viſcerum,vel duro tumore pulſus fit durus in ephemeris.1°.de diff.feb. 3ª.34.D

Inflammatio ma-

Inflammatio magna in viſceribus facit frigiditatem partium extremarum.com.7°.aph.26°. Ex.55.G
Inflammationes viſcerum faciunt tumores inguinum periculoſos.cõ.4°. aphoriſ.55°. Ex.33.E
Inflammatio meſenterij q̃uo cognoſcitur.5°.de loc.aff. 4ª.33.C
ex Inflammationũ genere eſt inguinum tumor bubon dictus.1°. de differentijs febrium. 3ª.32.G
ex Inflammatione inguinum ephemera,qualis.2°.de criſi. 4ª.138.G
Inflammatio veſicæ quo modo noſcatur, & quamobrẽ difficilis ſit affectio.in progn.com.3°. 4ª.206.A
Inflammatio facit difficultatem vrinæ.com.7°.aph.48°. Ex.58.A
Inflammatio facit difficultatem vrinæ,quæ ſanatur phlebotomia.cõ.6°. aphoriſ.36°. Ex.50.D
*Inflammatio cauſa ſtillicidij vrinæ quandoq;.com.3°.apho.16°.*Ex.23.D
Inflammatio in vtero quando fiat.ſin.med. Iſa.48.A
Inflammatio comprimit os vteri.com.5°.aph.51°. Ex.42.D
Inflammatione vteri exiſtente an fœtus poſſit viuere,dignum eſt inquiſitione.com.5°.aph.43°. Ex.41.F
Inflãmationes magnas,vteri,febres ſequũtur.in 1^{m}.pror.c.3°. 4ª.185.G
*Inflammationes vteri ſternutatione nõ iuuantur.c.5°.aph.35°.*Ex.40.F
ad Inflammationes vteri diutinas,& recentes.7°.de compoſitione me. per genera. 5ª.268.A
Inflammationes in vuluis ſectarum in cruribus venarum adiumento nõ parum leuantur.præſag.exper.conf. Sp.78.C
Inflammatione laborans genu relaxatur.de ſectis. Iſa.17.D
Inflammationibus podagricorum medentur ſcorpius, & inteſtinum terræ.theriaca ad Piſo. 5ª.93.F
Inflammatio renum quid faciat.de pulſ.ad tiro. 4ª.45.B
ad Inflammationes podicis quæ cõducãt.8°.de cõ.med.ſe.loc. 5ª.188.G
poſt Inflammationum declinationẽ malagma impoſitum in exarticulatis & luxatis.8°.de comp.med.ſec.loc. 5ª.193.A
INFLAMMATIONEM *patientibus dari non debet vinum.8°.de com. med.ſe.loc.* 5ª.194.F
*in Inflammationibus prohibetur vinũ.1°.de arte cur.ad Glau.*7ª.98.H
Inflammationi balnea obſunt.de marc. 3ª.48.A
Inflammationibus acetũ eſt contrariũ.2°.de cõp.med.ſec.loc. 5ª.134.B
Inflammationi lac nocet.com.5°.aph.64°. Ex.44.F
Inflammatione obſeſſis nocent condita cum melle.1°.de ali.fa. 2ª.10.F
Inflammatio diuerſimode curatur,ſm diuerſas partes.de ſectis. Iſ.18.C
in Inflammationibus principium curationis debet bene agi. 2°. de arte curatiua ad Glauc. 7ª.101.E
*in Inflammationibus qui ſcopus ad agendũ.6°.de cõp.me.ſ.l.*5ª.166.H
Inflammatio habet ſimplicẽ ſcopum.7°.de com.med.per ge. 5ª.263.G
in Inflammatione ſcopus primus ab affectione ſumptus.6°.de cõp.medicam.ſec.loc. 5ª.167.A
in Inflammatione ſcopus ſecundus à particula quę curatur.6°.de cõp. med.ſec.locos. 5ª.167.A
Inflammationibus quæ adhibenda ſecundum quatuor tempora.3°. de ſimp.med.facul. 5ª.19.G
Inflammationis per tẽpora curatio.1°.de comp.med.per gen. 5ª.212.D
in Inflammationibus qd agẽdũ p tẽpora diuerſa.3°.de ſim.m.f. 5ª.21.E
*Inflammatio incipiẽs,& creſcẽs qbus indigeat.1°.de cõ.me.p g.*5ª.211.A
Inflammationi q̃ cõueniũt in principio.7°.de cõp.me.per ge. 5ª.267.G
Inflammationis influxus in principio reprimendus. 6°. de compoſitione medic.ſecundum locos. 5ª.166.H
in Inflammationũ principijs vis repulſoria debet eſſe maior.1°.de com. med.per genera. 5ª.211.D
Inflãmatio incipiens reuellitur,euacuatur inueterata ex affectis partibus,vel vicinis.de cur.ra.per ſang.miſſ. 6ª.20.G
in Inflammationibus incipientibus mori ſucco ſolo vſus eſt Galenus,melius eſt enim eo ſic vti ſolo,quàm cum melle cocto incipientibus inflammationibus.6°.de comp.med.ſec.loc. 5ª.167.B
ad Inflammationes omni tempore valet diamorum cum melle.6°.de cõ poſi.med.ſec.loc. 5ª.167.B
Inflammina colore rubra,& ſubcruenta à frigore iuuantur, & à frigida aqua.com.5°.apho.23°. Ex.39.G
Inflammationes infrigidantes herbę.6°.de comp.me.ſec.loc. 5ª.176.F
Inflammationes non vehementer infrigidandæ,nec adſtringendæ. 2°. de arte cur.ad Glauco. 7ª.103.H
in Inflammatione aqua frigida nõ datur.2°.de arte cu.ad Gl. 7ª.114.H
Inflammationes refrigeratæ neque ſtatim,neq; ſemper ad priſtinam redeunt conſtitutionem.de tum.præter naturam. 3ª.82.H
Inflammatio refrigerata in quod tranſeat.de tum.præter na. 3ª.83.C
cur Inflammationes in principio morborum non ſunt medicamento ſoluendæ.com.4°.aph.1°. Ex.27.B
in Inflammationis principio quod emplaſtrum apponendum, & quàm vim habeat.2°.de arte cur.ad Glau. 7ª.101.F
in Inflammationum extrinſecarum principijs roſaceum conuenit.3°.de ſimp.med.fac. 5ª.19.A
Inflammationibus incipientibus conuenit roſatum cum aceto.2°.de cõp. med.ſec.loc. 5ª.134.C
in Inflammationum principio & augmento roſa eſt medela.3°.de ſimp. medic.facul. 5ª.21.E
in Inflammationum augmentis roſaceum optimũ remedium.3°. de ſim. medic.facul. 5ª.21.E
*in Inflammationũ augmẽtis quibus vtẽdũ.1°.de cõ.me.per ge.*5ª.211.D
in Inflãmationũ vigore mitigatoria adhibẽda.6°.de cõ.me.ſ.lo. 5ª.175.B
*in Inflammationũ ſtatu quibus vtẽdũ.1°.de comp.med.per gen.*5ª.211.D
Inflammato quibus cõcoquatur in ſtatu.6°.de cõp.me.ſec.loc. 5ª.168.F
in Inflammationũ ſtatu oleũ,optimũ.3°.de ſimp.med.fac. 5ª.21.E
in Inflãmationibus quæ ſumenda in declinationibus.6°. de comp.med. ſec.loc.168.F/1°.de comp.med.per ge. 5ª.211.D
Inflammatio quot modis ſoluitur.de morb.temp. 3ª.85.D
in Inflammatione q̃ cõſiderãda,pro eũone.2°.de ar.cu.ad Gl. 7ª.101.F
in Inflammationũ declinatione hiera nõ dãda.8°.de cõ.me.ſ.l. 5ª.191.B
in Inflammationbus dolentibus quibus vti oportet.7°. de comp.medi. per genera. 5ª.268.A
Inflammationẽ ſedãtia medicamenta refert.de frac.com.3°. 7ª.247.E
Inflammationũ medicamẽta qualia eſſe dñt.7°.de cõ.me.p g. 5ª.268.A
Inflammatio quo maxime tempore lenienda.de frac.com.3°. 7ª.246.G
Inflammatione mitigata ſanguis eſt detrahẽdus.p̃ſa.expe.cõſ. Sp.77.H
Inflammationes ſanguinis miſſione prius indigent,quàm euacuatione.de vict.rat.in morb.acu.com.4°. 7ª.137.B
*Inflammatus cũ multitudine,venæ ſectione ſanat̃.c.7°.a.48°.*Ex.58.A
Inflãmatiões ſanãt̃ p euacuationẽ vſq; ad aĩ d̃fectũ.c.1°.a.23°. Ex.10.E
in Inflãmationibus maximis nullum maius præſidium quã ducere ſanguinem vſq; ad animi defectum.præſag.exper.conf. Sp.77.H
Inflãmatio citius p venæ ſectionẽ q̃ p mediã curat̃.de ve.ſe.adu. 6ª.6.B
in Inflãmatione ſcarificatio qñ conueniat.de tum.præter natu. 3ª.83.C
ſupra Inflãmationem ſpongiam in aqua frigida & aceto modico intinctam ponere,bonum.2°.de arte cu.ad Glauc. 7ª.101.G
Inflammationibus à bile cõueniunt fomenta humida. de victus ratione in morb.acut.com.2°. 7ª.116.E
Inflammationibus à tenui, & aquoſo ſanguine fomẽta ſicca conueniũt. de vict.ra.in mor.acut.com.2°. 7ª.116.E
cum Inflammatio adeſt,cataplaſma ex lente ſuperponendũ.2°. de arte cur.ad Glauconem. 7ª.101.H
Inflãmationibus impoſita lens per modum cataplaſmatis repellit per vim adſtrictoriam.in 6^{m}.de mor.vul.com.5°. 3ª.194.C
pro Inflammatione ad pus ducendum,cataplaſma commodum ex farina,& aqua.2°.de arte cur.ad Glauc. 7ª.102.A
ad Inflammationes magis conuenit ceratum liquidum, quàm humidũ. de fract.com.1°. 7ª.227.B
ad Inflammationes emplaſtrum bonum.de remed.par.fac. 7ª.156.B
Inflammationibus medetur adeps anſerinus.de ther.ad Piſ. 5ª.93.F
*in Inflãmationibus diuerſis,qb⁹ vtẽdũ p̃ſidijs.8°.de cõ.me.ſe.l.*5ª.191.e
Inflammationem poteſt prohibere faſcia.introd. Iſa.60.F
Inflammationem arcens quid.5°.de comp.med.per ge. 5ª.249.A
ad Inflãmationẽ arcendã bonũ quid.4°.de comp.me.per gen. 5ª.241.H
ab Inflammatione pulſatili dolor non ſanatur calidis.2°.de comp.med. ſecun.locos. 5ª.141.C
Inflãmationes moderatæ non pulſatiles quibus curentur 2°.de compoſi. meidc.ſec.loc. 5ª.141.C
*ad Inflammationes feruidas quid faciendũ.de reme.par.fac.*7ª.160.E
*ad Inflammationes laxas qd ĩponẽdũ vt emplaſtrũ.de re.p.f.*7ª.160.E
Inflammationes induratæ quæ recipiant,& quæ non induratæ.2°. de cõ poſi.med.ſec.loc. 5ª.134.C
*ad Inflammationes induratas quæ danda.6°.de cõp.me.ſe.lo.*5ª.167.C
ad Inflammationes induratas quid faciendum,cum præterierit vigor. 6°.de comp.med.ſec.loc. 5ª.168.E
ad Inflammationes inneteratas facit Panacea Antonij Muſæ.7°.de cõ poſi.med.ſec.loc. 5ª.186.B
ad Inflãmationes citra debilitatẽ inueteratas.8°.de cõ.m.ſ.l. 5ª.193.B
contra Inflammationes in melancholicis cucurbitulæ.de melãcholia ex

Galeno

Galeno, Ruffo, & Poſſidonio. Sp.110.C
ad Inflammationes & tumores duros in melancholicis.de mel.ex Gal. Rufo, & Poſſidonio. Sp.110.C
ad Inflammationes à venę icifore factas remediũ.de me.p.f. 7ª.174.D
ad Inflammationes malagma bonũ.10°.de comp.me.ſec.loc. 5ª.208.A
ad Inflammationes quid agendum.de reme.par.fac. 7ª.159.G
ad Inflammationes.6°.de comp.med.ſec.loc. 5ª.172.E
INFLAMMATA membra tripliciter naturæ modum egrediuntur.de diff.mor. 3ª.5.F
Inflammata atq; vlcerata membra quo modo quatuor ægritudines patiantur.de diff.morb. 3ª.5.F
Inflammatę partes quo modo afficiantur.2°.de loc.aff. 4ª.10.G
Inflammata diſtenduntur.de frac.com.2°. 7ª.234.E
Inflammatorium eryſipelas quid.de tum.præter nat. 3ª.84.B
Inflãmatũ eryſipelas ex quibus humoribus.2°.de cõ.me.ſe.lo.5ª.135.H
Inflammatæ partes dolent in propria actione.5°.de loc.aff. 4ª.32.B
in Inflammata parte dolor cur.1°.de diff.reſp. 3ª.58.G
in Inflammatis partibus eſt pulſus.4°.de diff.pulſ. 4ª.64.C
Inflammatarum partium pulſus. 1°. de diff.reſpirationis.3ª.58.F/ 4°.de cauſ.pulſ. 4ª.100.C
in Inflammatis partibus non videtur ſpiritus, vt in alijs tumoribus.de tum.præter naturam. 3ª.82.H
Inflammatæ partes febrem faciunt.1°.de diff.feb. 3ª.32.B
Inflãmato quocũq; mẽbro principali fit febris.cõ.6°.apho.50°.Ex.52.F
Inflãmato cerebro & menyngibus, ſequuntur febris & deliria neceſſario.4°.de præſag.ex pulſ. 4ª.120.G
Inflammatis muſculis abdominis & thoracis, febris fit. 4°. de præſagitione ex pulſibus. 4ª.121.D
Inflãmatis vlnis vel tibijs, cõuulſio fit.4°.de præſag.ex pulſ. 4ª.121.D
Inflãmata membrana ſubcingente, quid ſequatur.2°.de loc.aff.4ª.13.A
Inflammato corde quo modo quidam obiere.5°.de loc.aff. 4ª.29.D
Inflammatus quibus eſt venter, aut os, et ſtomachus ipſius, aut pellicula aliqua, aut muſculus circa præcordia, aut ſeptũ tranſuerſum, his par uus & denſus fit ſpiritus.2°.de diff.reſp. 3ª.65.H
Inflammato pulmone quid ſequatur.in prog.com.2°. 4ª.203.A
ad Inflammatum hepar, & ſplenem, & peritonæum ſequitur reſpiratio difficilis.2°.de diff.reſp. 3ª.65.H
Inflammatum inteſtinum aliquod gracile difficilem inducit ſpirationem. 2°.de diff.reſp. 3ª.65.H
Inflammatæ partis curatio ex poſitu ac formatione ſumitur, & quare. de conſtitutione artis. Iſa.41.D
Inflammata quæ exigant.5°.de comp.med.ſec.loc. 5ª.162.H
Inſtammata quibus indigeant.10°.de comp.med.ſec.loc. 5ª.205.H
Inflammatum integram quietem deſyderat.1°.de diff.reſp. 3ª.58.G
Inflammata cur debent quieſcere.1°.de diff.reſp. 3ª.58.G
Inflammata vlcera oculorum quid petant, quando ſunt recentia. 4°.de comp.med.ſe.loc. 5ª.151.B
Inflammatis oculis adſtringentia adhibemus.de ſectis. Iſa.18.C
Inflãmatorũ circa arteriã aſperã victus.7°.de cõp.me.ſe.lo. 5ª.177.H
Inflammatarum partium excrementa cur exeant per aſperã arteriam. 2°.de locis affectis. 4ª.13.B
Inflammatis non debet dari vinum.1°.de arte cur.ad Glauc. 7ª.95.E
Inflammato crure laxantur manus, non autem oculis, non vua, non auribus.de ſectis. Iſa.18.C
Inflãmata pars ſtatim debet euacuari.de vi.ra.in mor.a.c.2°. 7ª.117.G
Inflãmata ſi purgẽtur q̃ incurrãt.de vic.ra.in mor.acu.cõ.4°. 7ª.137.E
Inflammatæ carnoſę partes exiccari dñt.1°.de arte cu.ad Gla. 7ª.102.E
Inflammatæ venoſæ partes, non indigent multa exiccatione. 2°.de arte cur.ad Glauconem. 7ª.102.E
Inflãmatę parti qd faciat impoſitũ chamæmelũ.3°.de ſim.me.fa.5ª.21.B
Inflammatis partibus efficaciſſimũ eſt remedium polygonon. 8°. de ſim. med.facul. 5ª.58.H
Inflãmatæ parti quid faciat ſolani ſuccus.3°.de ſimp.med.fac. 5ª.21.B
Inflammata ab acribus exacerbantur.6°.de comp.med.ſe.lo. 5ª.179.G
ad Inflãmata barbarũ emplaſtrũ, bonũ.2°.de cõp.med.p̃ge. 5ª.227.G
INFLARI videntur venæ fracto cranio.de vtil.reſp. Sp.63.H
Inflantur omnes venæ in conatu.de vtil.reſp. Sp.63.H
Inflatur prius diaphragma, poſt modũ venæ, deinde duplex pellis ſpinalis medullæ et ipſius cerebri.vltimo vero nerui.de vt.reſ.Sp.63.D/E
Inflantes ſpiritus ſunt cauſa tenſionis nerui.de vtil.reſp. Sp.63.D
quæ Inflant plurimum, & nutriunt.1°.de comp.med.ſec.lo. 5ª.124.A
Inflantes ventrem cibi, qui.de diſſ.cont. Sp.74.F
INFLATIO quid.fin.med. Iſa.47.C
Inflatio & tumor idem apud antiquos.com.4°.aph.34°. Ex.31.C
Inflationes (gręce ædemata) nominat Hippocrates omnes tumores præter naturam.com.5°.aph.65°. Ex.44.H
Inflationẽ dicebãt oẽ incremẽtũ p̃ter naturã.cõ.4°.apho.34°. Ex.31.C
Inflatio, tumor, & durities non ſunt affectiones certæ in ſolidis animalis partibus.in 3^{m}.de mor.vul.com.1°. 3ª.129.D
Inflatio eſt affectus totius corporis.intro. Iſa.59.C
Inflatio duplex eſt.de vict.ra.in morb.acut.com.4°. 7ª.137.C
Inflationes quæ ſint.14°.meth.med. 7ª.88.E
ex Inflationũ genere eſt priapiſmus.14°.meth.med. 7ª.88.H
Inflatio vnde.3°.de ſymp.cau. 3ª.27.F
Inflationẽ cõcitat bilis, qua corpus extẽdit vt rũpi videat.d dy.Sp.19.D
Inflationẽ facit ſanguis in vẽtre & inteſtinis.3°.de cõ.m.ſe.l.5ª.149.A
Inflationes proritant cibi dulces.de bon.& vitio ſucco. 2ª.36.E
Inflationes facit muſtum.de bon.& vitio ſuccorum. 2ª.38.F
Inflationes facit rapa.de ſimp.med. Sp.89.F
Inflationem raphanus operatur.de ſimp.med. Sp.89.F
Inflationes excipiunt complexum imbecillum retentricis facultatis. de ſymptomatum differentijs. 3ª.12.E
in Inflatiõibus apparet eſſe in hoĩe elemẽtũ aereũ.8°.de de.Hi.1ª.275.D
Inflationem ſedantia, quæ.14°.meth.med. 7ª.89.F
Inflationem quæ digerant.de ren.aff.dig.& med. 7ª.194.B
Inflationem expellit, & ventrem tenuat Acetum miſtum cum melle.de diſſolutione continua. Sp.74.G
Inflationum ſedat Ami.de ſimp.med. Sp.80.H
Inflationes, & tortiones vẽtris ſedat Cardamomũ.de ſimp.me.Sp.82.F
Inflationes diſcutit Cucurbitula.de hiru.reuul.cu.& ſca.2.F/ 6ª.3.F
Inflationibus, & tortionibus prodeſt Cyminum.de ſimp.med. Sp.82.E
Inflationes diſſipat Meu.de ſimp.med. Sp.87.F
ad Inflationes Oxyporium.de mel.ex Gal.& Ruff.& Poſſ. Sp.110.E
ad Inflationes Sium facit.de ſimp.med. Sp.91.D
ad Inflationes cõpetit Ruta.8°.de ſim.m.f.5ª.58.D/de diſ.cõt. Sp.74.G
Inflationem ſiccat Rhu.de ſimp.med. Sp.89.E
Inflatio in artubus quo modo curetur.14°.meth.med. 7ª.89.F
Inflatio in muſculis ſub cute q̃uo curetur.14°.meth.med. 7ª.89.F
ad Inflationes muſculorũ ſapa, & olei parũ cõuenit.14°.me.m.7ª.88.F
Inflatio oculi totum oculum exercet.intro. Iſa.58.D
Inflationes colli petroſelinum remediat.de ſimp.med. Sp.89.C
ad Inflationem vberum.de paſſ.mul. Sp.96.D
Inflatio ventriculi quo modo curetur.14°.meth.med. 7ª.89.F
Inflationes ventriculi ſedat theriaca.de vſu ther.ad Piſo. 5ª.98.F
Inflationes ſtomachi petroſelinum remediat.de ſimp.med. Sp.89.C
ad Inflationes ventriculi.2°.de antid.5ª.116.D/de m.f.par. 7ª.172.E/F
Inflatione præcordiorũ vexatis epithymũ dabis.de ſimp.med.Sp.84.A
ad Inflationes ventris antidotus faciens.2°.de antid. 5ª.116.D
ad Inflationes ventris quid bonum.de med.fac.par. 7ª.173.A
Inflatio viſcerum quo modo curetur.14°.met.med. 7ª.89.F
ad Inflationem matricis.de paſſ.mul. Sp.95.H
Inflationibus prolixis matricis, & coli cõuenit pepliũ.de dyn. Sp.21.A
ad Inflationẽ q̃ fit in cruribus, & coxis emplaſtrũ.de dynam.Sp.30.A
ad Inflationem crurum, & coxarũ quæ fit cũ rubore, & calore emplaſtrum.de dynam. Sp.30.A
ad Inflationes in coxendicibus bonum quid.de med.fac.par. 7ª.169.B
Inflationes diſcutiens antidotus.2°.de antid. 5ª.116.C
Inflationem diſſoluens medicamen.de med.exper. Sp.105.E
ad Inflatiões qd cõmodũ ex Andromacho.9°.de cõp.me.ſ.l. 5ª.200.E
ad Inflationẽ, Lucij Tarſenſis potio cõferens.9°.de cõp.med. 5ª.203.E
ad Inflationem omnẽ confectio accommodata, panchreſtus dicta.7°.de comp.med.ſec.loc. 5ª.185.H
pro Inflatione inueterata emplaſticũ cõueniẽs.14°.meth.med.7ª.88.H
ad Inflationes.1°.de cõp.me.ſe.lo.5ª.219.C/de me.fac.par. 7ª.167.E
INFLATIVI cibi quo modo poſſint corrigi.de diſſ.cont. Sp.74.G
Inflatiuæ minus ſunt vuæ maturæ.de diſſ.cont. Sp.74.G
INFLATA, & rotũda facies magis deberet apparere in triſtitia, quàm in ira, ſi p̃ cõpreſſionẽ cordis dilataret arteria.de ana.viu. Sp.47.A
Inflata frigida ſunt omnia.de palp. 3ª.53.E
Inflatos, & tormina ſanat talus ſuis.11°.de ſimp.med.fac. 5ª.80.E
ad Inflata.9°.de comp.med.ſec.lo. 5ª.198.F
Inflatũ habẽtibus vẽtrẽ ructus mouendi in 6^{m}.de mor.v.c.1°.3ª.166.D
Inflatis non eſt medicamentum exhibendum. de victus ratione in morbis acutis, com.4°. 7ª.150.F

Inflatis ſtomacho quæ conueniant.8º.de comp.med.ſec.loc. 5ª.192.D
ad Inflatos.7º.de compo.med.ſec.loc.184.E/185.C/8º.188.G/5ª.190.D/ de med.fac.par. 7ª.168.A
INFLEXIONES præter voluntatem q̃uo.2º.de ſymp.cau. 3ª.22.G
INFLEXVM eſſe & inflecti non idem.de artic.com.4º. 7ª.287.A
INFLVIT à corde ad cætera mẽbra virtus vitalis.de ana.vi. Sp.50.F
Influit per neruũ omnis ſenſus,& motus influens.de an.vi. Sp.48.A
Influens materia q̃uo curetur.2º.de compo.med.ſec.loc. 5ª.136.A
ex INFLVXV humorũ in afflictionibus oĩbus cõmunis ſcopus eſt repellere partẽ refrigerando ac adſtringendo.1º.de cõ.me.ſe.l.5ª.121.F
Influxus vehemẽtiſſimi ſuccorũ reuulſorijs cohibẽtur.de cuc.ſca.6ª.4.f
contra Influxus omnes congruit tribolus.8º.de ſim.med.fac. 5ª.62.F
INFOECVNDITATIS duplex cauſa.fin.med. Iſa.49.F
Infœcunditas mariũ & fœminarũ vnde proueniat.de hiſt.phi.Sp.10.H
Infœcundi,lege Steriles.
INFORTVNATI ſunt qui in medicum aliquem incidunt diatritariũ. 10º.metho.med. 7ª.61.H
in INFORTVNIIS quę propter peccata eueniunt,ſeipſum corrigere oportet.de cogn.cur.ani.mor. 2ª.50.C
INFRA quid ſignificet.de ijs quæ in med.fi.com.3º. 7ª.222.D
INFRIGIDANTIA nos,& calefacientia quærenda ſunt, non calida & frigida abſolute.2º.de ſimp.med.fac. 5ª.10.D
Infrigidantia medicamenta ſuſpecta habuit Galenus in doloribus oculorum.com.6º.aph.31º. Ex.49.E
Infrigidantia ſenſum torpeſcere faciunt.com.6º.apho.31º. Ex.50.E
Infrigidãtia vehemẽtes fluxiones non ſiſtunt.com.6º.aph.31º. Ex.45.E
Infrigidãtia nõ vincũtur à nr̃o corpe,ſed illud vincunt.3º.de tẽp.1ª.23.B
Infrigidantia extrinſecus,quæ.10º.meth.med. 7ª.65.A
Infrigidantes inflammationes herbæ.6º.de comp.med.ſec.loc.5ª.176.F
Infrigidãs Galeni ad quæ valeat,& eius cõpoſitio.10º.me.me. 7ª.65.A
in Infrigidante ponit acetum Galenus.10º.meth.med. 7ª.65.A
Infrigidante quo modo debemus vti,& quod non debet euſq; ſuper corpus manere,dum incaleſcat.10º.meth.med. 7ª.65.A
Infrigidantia frigida apponantur.10º.meth.med. 7ª.65.A
Infrigidãs epithema ex palmulis pinguibus,q̃uo fit.10º.met.me.7ª.65.A
INFRIGIDATVR vniuerſum corpus in vteri ſuffocatione.6º.de locis affectis. 4ª.39.F
Infrigidatur venter repletus.de anat.viuo. Sp.47.G
Infrigidat extremas partes inteſtinorum abraſio.de victus rat.in mor.acutis,commen.3º. 7ª.130.C
Infrigidare eſt magis periculoſum,q̃ calefacere.7º.meth.med. 7ª.44.D
Infrigidari magis dñt partes frigidiores calefactæ.7º.met.me. 7ª.49.A
Infrigidentur q̃uo medicamenta.1º.de comp.med.per ge. 5ª.211.H
Infrigidet quo modo aqua.1º.de ſimp.med.fac. 5ª.2.E
Infrigidat ſtrenue acetũ,et quouis ꝑmeat expedite.1º.de ſim.m.f.5ª.7.F
Infrigidat ſuccus hordei immaturi.de ſimp.med. Sp.90.A
Infrigidare debet melinum.7º.meth.med. 7ª.47.G
Infrigidat oleum crudum.7º.meth.med. 7ª.47.G
Infrigidat ſenſibiliter vinũ album auſterũ iuuenile.de vinis. Sp.76.H
Infrigidat vinum roſatum.de ſimp.med. Sp.92.C
INFRIGIDATIONE ſanatur thapſiæ.affectio.introd. Iſa.61.E
Infrigidationes,cordis ſunt paſſiones.de vir.noſt.corp.diſp. Sp.60.B
Infrigidationibus omnibus inteſtinorum idoneas vires habet anethum.de ſimplicibus medic. Sp.81.B
ad Infrigidationem multam corporis.ſecretorum. Sp.102.E
INFRIGIDATI nerui recurrẽtes nõ lædunt.4º.de loc.af. 4ª.26.C
Infrigidatæ partes calidiores dñt magis calefieri.7º.meth.me. 7ª.49.A
ad Infrigidatum corpus,& humectatum.ſecretorum. Sp.98.G
Infrigidati cuiuſdam ex pluuia caſus.4º.de loc.aff. 4ª.25.D
Infrigidatus quidam circa ſedem & veſicam, excrementa retinere non poterat.4º.de loc.aff. 4ª.25.C
INFVNDIBVLVM quid.9º.de vſu par. 1ª.172.A
INFVNDVNTVR quędam apoplecticis.de mo.ma.& obſ. Sp.70.F
INFVSILIA ad aures ſecundum locum obtinẽt poſt collutiones.3º.de comp.med.ſec.loc. 5ª.144.H
ex INFVSIONE arteriæ pulſus differentia excogitanda.4º.de dignotione pulſuum. 4ª.84.G
Infuſio per diem & noctem,quorum fiat pro compoſitione malagmatis cuiuſdam.8º.de comp.med.ſec.loc. 5ª.196.F
ad Infuſionem remedium.de dynam. Sp.26.E
IAFVSVS in aqua cum nardo ſuccus abſinthij quibus conueniat.de cura icteri. Sp.111.A
Infuſa in aqua mellis pruna ſicca leniũt ventrẽ.de diſſ.cont. Sp.75.B
Infuſum Fauſtianũ quale,& ad quid iuuet.9º.de com.me.ſe.l.5ª.203.F
Infuſa ad dyſentericos bona.9º.de comp.med.ſec.loc. 5ª.204.E
INGENEROSVM eſt prætermittere quid iuuatiuũ propter guſtũ.de cura icteri. Sp.111.A
INGENERATIVOS viros facit Sybaris fluuius.de bo.aq. Sp.76.A
INGENIARE eſt opus cordis ꝓm ſe.de vir.noſt.cor.diſp. Sp.60.D
INGENIOSI qui.3º.de decr.Hip. 1ª.243.H
Ingenioſos pueros efficit cholera rubra.de dynam. Sp.19.E
Ingenioſum eſſe,et à pueritia diſciplinas didiciſſe multum præſtat ad artes addiſcendas.2º.de comp.med.ſec.lo. 5ª.134.H
INGENIVM ſubtilem cerebri ſubſtantiã indicat.ars med. Iſa.63.E
Ingenio homo omnes artes etiã diuinas aſſequitur.in or.ſuaſ. Ex.2.C
Ingenio præditus inexercitatus peior inepto exercitato.9º.de decretis Hippocratis. 1ª.280.C
INGREDIENTES oculum nerui in latum ſe extendunt & circuunt vitreum humorem.de neru.diſſ. 1ª.53.D
INGRESSIO crurum operatio q̃uo.6º.de decr.Hipp. 1ª.261.A
INGVINVM glandulæ.de anat.viuo. Sp.55.H
in Inguinibus cur glandulæ magnæ.16º.de vſu par. 1ª.219.F
Inguina habẽt adenes,q̃ ſuſcipiũt ſupfluitates.cõ.4º.aph.31º. Ex.30.H
Inguinum morbi qui.introd. Iſa.59.D
Inguina hñt plura tubercula,qa ẽt adenes plures.c.3º.ap.26º. Ex.25.G
in Inguina fluxionibus vtilis eſt plũbi ſuccus.9º.de ſim.me.fa. 5ª.70.F
circa Inguina abſceſſus facit gibber ſupra ſeptũ.de ar.cõ.2º. 7ª.266.G
Inguinum,& alarum glandulæ cur intumeſcunt, propter vlcus manus, aut pedis.13º.meth.med. 7ª.81.A
Inguinum tumor bubon à græcis dictus,eſt ex genere inflammationum.1º.de differentijs febrium. 3ª.32.G
Inguinis inflammatio ex bono ſanguine fit.2º.de criſ. 4ª.138.C
in Inguinum tumoribus,& inflammationibus ob duplicem cauſam ſanguis corrumpitur.2º.de diff.feb. 3ª.40.B
Inguinum tumores ſi non fiunt ex cauſa manifeſta,ſunt mali.commẽ.4º.aphoriſ.55º. Ex.33.E
Inguinũ tumores ex cauſa manifeſta,nõ malũ.cõ.4º.apho.55º. Ex.33.E
ex Inguinũ tumoribus febres oẽs male,ꝑter diarias.c.4º.a.55º.Ex.33.e
ex Inguinũ inflãmatione ephemeræ fiũt febres aliq̃.2º.de criſi.4ª.138.C
ex Inguinũ inflãmatione febris qualis.1º.de arte cur.ad Glauc.7ª.95.D
ex Inguinum tumoribus ephemeræ,quę.1º.de diff.feb. 3ª.32.G
ex Inguinum inflammatione ephemera,qualis.2º.de criſi. 4ª.138.H
ex Inguinum tumoribus febres quo modo differunt ab his, quæ ex putredine.1º.de diff.feb. 3ª.32.H
ex Inguinũ inflãmatione febriũ pulſus,qualis.1º.de arte cur. 7ª.95.D
ex Inguinum inflammatione,febrium curatio per balnea fit.1º.de arte cur.ad Glauconem. 7ª.95.E
ex Inguinum inflammatione ephemera quo modo curetur balneo, & oleo.1º.de arte cur.ad Glauc. 7ª.95.E
Inguẽ cruda phlegmone afflictũ q̃uo curat̃.1º.de cõp.me.per g. 5ª.212.B
ad Inguinũ inflãmationes quid cõferat.1º.de cõp.med.per ge. 5ª.211.C
in Inguinibus in ſpeciẽ folij myrti quo modo cutis eſt incidenda.13º.methodi medendi. 7ª.81.E
Inguinũ dolore ſi febris excitet̃ qui pulſus,& q̃ vrina.de dyn.Sp.34.A
in Inguine cucurbitã,quando menſes prouocare volumus,figimus.13º.methodi medendi. 7ª.85.B
Inguina ſanguinẽ effundentia difficulter compeſcimus.fin.med.Iſa.50.A
Inguinis deligatio qualis.de ijs,quæ in med.fi.com.2º. 7ª.209.D
ad Inguen alligandum,vinculum.de faſcijs. 7ª.303.E
ad Inguen vtrunq;,vinculum.de faſcijs.303.F/ 7ª.304.B
ad Inguen alterum vinculum.de faſcijs.303.G/ 7ª.304.B
pro Inguine cancrum vinculum.de faſcijs. 7ª.304.B
ad Inguen vinciendum,vinculum.de faſcijs. 7ª.304.B
ad Inguen tuendum iunctura.de faſcijs. 7ª.304.C
INGVRGITANT ſe plus nimio,cum data eſt facultas,quibus palam aliquid quod appetunt,prohibetur.de puer.epil. 7ª.180.F
INHÆRENTIA quid in vrina.de vrinis. 4ª.122.H
INIICIENDVM quo modo ſit vinculum.de faſcijs. 7ª.294.B
INIMICVM q̃uo dicat̃ ꝑ trãslationẽ.in 6m.de mor.vul.c.3º. 3ª.177.G
INION occiput à gręcis appellatur.2º.de comp.me.ſec.loc. 5ª.132.E
INITIO generalius eſt extremum,& terminus.de ijs,quæ in medica.fiunt.com.2º. 7ª.207.H
Initium à propiſſima materia faciendum eſt.de par.art.med. Sp.18.B
Initium generationis vocis vbi.de vo.& anhel. Sp.61.D

Initia acceſſionum

Initia acceſſionum quæ eſſe indicent.3°.de præſag.ex pulſ. 4ª.118.G
Initium acceſſionis qui pulſus indicat.3°.de præſag.ex pulſ. 4ª.118.G
Initiũ,& icremẽtũ nõ indicãt de cibo exiguo exhibẽdo.de op.ſe.Iſ.28.B
circa Initia in augmẽto,& in ſtatu mors fit.3°.de criſi. 4ª.141.E
INIQVVS iudex qui ſit.2°.meth.med. 7ª.11.G
INIVCVNDA ſtomachum ſubuertunt.6°.de cõp.me.ſe.lo. 5ª.168.C
ab INIVRIIS rotũdum eſt remotiſſimum.11°.de vſu par. 1ª.189.B
INNATAE caliditatis principiũ eſt in corde.in Tim.Pla. 1ª.287.D
Innatæ caliditatis ebullitio ẽ paſſio cordis.de vir.noſ.cor.diſp. Sp.60.D
ab Innatis rebus de locis affectis habeĩ cõiectura.1°.de loc.aff. 4ª.4.G
INNOXIA nullam habent inſignẽ qualitatẽ.2°.de alim.fac. 2ª.25.B
INNVENTES pulſus,qui.de pulſi.ad tiro. 4ª.45.D
Innuentes pulſus in quo ſint genere.1°.de diff.pulſ. 4ª.51.E
ex INOPIA, & mœſtitia ægrotantis caſus.in prog.c.1°. 4ª.191.H
INORDINATIO ordinata.de typ. 3ª.91.A
Inordinatum & erraticum omne ex materia quæ hic verſatur prouenit.2°.de dieb.decre. 4ª.151.H
Inordinatarum febrium typi quales.de typis. 3ª.91.A
Inordinata totius corporis ſupercalefactio luna in coniunctione ſolis,ſaturno in tetragono.de decub.progn. Sp.13.A
INQVIETATIO qũo fiat.de victus ratio.in morb.acut. com.2°. 123.B/3°. 7ª.128.D
Inquietatio qñ affectũ ſequitur.de vic.ra.in mor.acu.cõ.4°. 7ª.140.G
Inquietationes in quibus.de vict.ra.in morb.acu.com.2°. 7ª.122.F
Inquietatio quid ſignificat.in prog.com.1°. 4ª.193.G
Inquietatio ſemper mala.in 1^{m}.prorr.com.2°. 4ª.173.C
ad INQVIETVDINEM. ſecretorum.100.G/ Sp.101.E
INQVINATVM quid ſignificet.in 6^{m}.de mor.vul.com.1°. 3ª.169.E
INQVIRENDA de re aliqua quæ ſint.1°.de diff.reſp. 5ª.57.F
Inquirendi aliqua ratio tutiſſima.7°.de ana.admi. 1ª.96.G
INQVISITIONIS duplex principium.de conſt.artis. Iſ.36.H
INSALVBRIA dicunt de cauſa,de corpe,de ſigno.ars m.Iſ.62.A
Inſalubre ſimpliciter corpus quid.ars med. Iſa.62.A
Inſalubre nunc corpus quid.ars med. Iſa.62.A
Inſalubre vt multum,quid.ars med. Iſa.62.A
Inſalubre ſemper,quid.ars med. Iſa.62.A
Inſalubria ſigna,quæ.ars med.62.F/ Iſa.68.A
Inſalubria ſimpliciter quo modo diſtinguantur.ars med. Iſa.62.H
Inſalubria parum quo modo diſtinguantur.ars med. Iſa.62.H
INSANABILIS eſt marcor.1°.de dieb.decr. 4ª.146.F
Inſanabilium omnium ſcopus,qui.6°.de comp.med.per ge. 5ª.255.D
INSANIA quid.fin.med. Iſa.47.D
Inſania morbus longus intrinſecus.introd. Iſa.56.B
Inſaniæ quæ ſint.in 1^{m}.de morb.vul.com.2°. 3ª.113.D
Inſaniẹ et melãcholiæ multas ſpecies hñt.de mel.ex.Gal.Ruf.Sp.109.C
Inſania mediocris,deliriũ dicĩ ab Hippocrate.cõ.7°.apho.9°. Ex.54.E
Inſania eſt vehemens delirium.in progn.com.1°. 4ª.195.H
Inſania vna eſt q̃ proprie melãcholia appellaĩ.c.6°.aph.21°. Ex.48.D
Inſaniæ maniodes ſunt vehementes.in 1^{m}.prorrh.com.1°. 4ª.161.A
Inſania,et phreneſis ſolum febre differunt.in 3^{m}.de morbis vulgaribus, commentario 3°. 3ª.144.F
Inſania eſt ſine febre.2°.de ſymp.cau. 3ª.24.C
Inſaniæ & deliria vnde fiant.in 3^{m}.de morb.vulg.com.1°. 3ª.131.D
Inſaniæ in vigore febres quid ſint.in 1^{m}.prorrh.com.1°. 4ª.161.A
ab Inſania nihil differt iraſcentis impetus.de cog.cur.aĩ mor. 2ª.52.C
ad Inſaniã excitãdã facit caliditas.in 6^{m}.de mor.vulg.cõ.3°. 3ª.178.D
Inſania facta ob clauſas euacuationes hæmorrhoidum.de venæ ſectione aduerſus Eraſiſt. 6ª.8.B
Inſania cur,& qũo,& qñ fiat ex vlceribus.com.5°.aph.65°. Ex.44.H
Inſania fit,ſi tumores de repente euaneſcunt.c.6°.apho.65°. Ex.44.H
Inſaniã ſignificat viſus qui crebro mouetur.in progn.com.1°. 4ª.195.H
cũ Inſania exiſtens affectio peſſima eſt.in 1^{m}.prorrh.com.2°. 4ª.174.H
Inſania,lege Deſipientia.
in INSANIENTIBVS abſq; febre,capitis cura habenda.de fœtuum formatione. 1ª.324.C
in Inſanientibus cum febre,capitis cura habenda.de fœt.for. 1ª.324.C
Inſaniẽtes ſi varices,vł hæmorrhoides fiãt,ſanant.c.6°.a.21°. Ex.48.D
Inſanientes ſola purgatione ſanati.de purg.med.fac. 5ª.87.G
Inſanire quid ſignificet.in 3^{m}.de morb.vul.com.1°. 1ª.127.C
Inſanire quid ſit.in 1^{m}.prorrh.com.1°. 4ª.162.H
Inſaniunt vehementer mulieres,ſi alba à partu cum febre retineantur. in 1^{m}.prorrh.com.2°. 4ª.175.D
Inſaniũ minime qbus humores in vlcerib⁹ apparẽt.c.6°.a.65°.Ex.44.H
INSANVS putabatur qui ſapientiæ ſtudium quærebat tempore Galeni.1°.meth.med. 7ª.2.C
cũ Inſanis inſanire cogimur,prouerbium.1°.de nat.fac. 1ª.295.C
Inſani in tenebricoſo loco contineri debent.de opt.ſecta. Iſa.25.A
INSATIABILITAS peſſimum aĩ vitiũ.de co.cu.animi mor. 2ª.54.B
Inſatiabilitas quod vitium ſit.de cog. cur.animi mor. 2ª.54.G
Inſatiabilitas ciborum,quæ.de cog.cur.animi mor. 2ª.54.G
Inſatiabilitas eunuchorũ in ipſis facit podagras.c.6°.ap.28°. Ex.49.B
Inſatiabilitas mœroris,& triſtitiæ cauſa.de cog.cur.aĩ morb. 2ª.55.B
Inſatiabilitatem in animo habens non pteſt honeſtus & probus euadere.de cog.cur.animi mor. 2ª.55.D
Inſatiabilitatem qui toto animo non odit, mille mortibus dignus eſt.de cog.cur.animi morb. 2ª.55.F
Inſatiabilitatem debent fugere adoleſcentes, qui ſe ſaluos eſſe velint.de cogn.cur.animi morb. 2ª.55.F
INSCITIA alligantium multos lædit.de faſcijs. 7ª.293.D
INSCRIPTIO libri de aere,locis,& aquis, qualis eſſe debeat.de lib. propr. Iſa.13.C
INSECTILE corpus fieri nequit,vt quidquam patiatur. de differentijs morborum. 3ª.2.F
Inſectilia non dant ſemẽ,ſed tantũ vim informantẽ.1°.de ſem. 1ª.329.E
INSECTA q̃dã fœminina in corpus maris articulũ inſerũt,& implentur,vim tantum recipientia in formantem.1°.de ſem. 1ª.329.E
INSENSIBILIS perſpiratio fit quotidie.2°.de ſym.cau. 3ª.22.G
per Inſenſibiles meatus,aeris receptionem & expirationẽ dicebat Eraſiſtratus fieri per circulum, Plato vero per duos ſemicirculos.in Tim. Platonis. 1ª.290.A
Inſenſibilia membra quæ ſint.de vtil.reſp. Sp.62.G
Inſenſibilia ſunt pinguedines,medullæ,cerebrum,caro pulmonis. de vtilitate reſpirationis. Sp.62.H
Inſenſibiles ſunt glandulæ omnes.de vtil.reſp. Sp.62.H
Inſenſibilia & immobilia ſunt ſecundum ſeipſa pulmo, & arteria aſpera.de vtil.reſp. Sp.63.G
Inſenſibilis pulmo eſt in ſe.de ana.viuo. Sp.48.A
Inſenſibilia ſunt hepar,& ſplen, & quẹ in ipſis inſenſibilia.de vtilitatẹ reſpirationis. Sp.62.H
Inſenſibiles partes non dolent.12°.meth.med. 7ª.78.C
Inſenſibilis fit homo, & dormienti ſimilis, compreſſis quibuſdam venis colli.de vtil.reſp. Sp.63.F
INSENSIBILITAS eſt noxa ſenſus.de ſymp.diff. 3ª.11.C
Inſenſibilitas eſt vitium actionum.de ſymp.diff. 3ª 11.C
Inſenſibilitas in animi functionibus.3°.de ſymp.cauſ. 3ª.24.F
Inſenſibilitatis cur ab aliqbus ægritudines vocẽtur.de diff.mor. 3ª.3.E
Inſenſibilitas q̃dã fit ob inflãmatiõis magnitudinẽ.c.7°.ap.50°.Ex.58.B
INSENSILES ægroti quo lunæ aſpectu fiant.de decub.prog. ex math. ſcientia. Sp.12.G
INSERITVR in os ventriculi plurima portio orientium à capite neruorum.de neru.diſſ. 1ª.54.C
INSERTIONES ſeptẽ pñt dici ſeptẽ tunicẹ.1°.de vſu par. 1ª.178.C
Inſertio muſculi à prima vertebra.de muſc.diſſ. 1ª.45.B
Inſertio muſculi exorti ab oſſe guttur ambiẽte.de muſc.diſſ. 1ª.45.C
INSESSIO quid ſit.de fract.com.2°. 7ª.240.A
Inſeſſio iuuãs hæmorrhoidas,qualis.5°.de cõp.med.per ge. 5ª.252.H
INSIDENS, & ſubſidens qũo differãt.cõ.7°.apho.35°. Ex.56.G
INSIGNIVM pharmachorum locupletiſſimus theſaurus,Menecratis liber inſcriptus.2°.de comp.med.per gen. 5ª.222.A
INSIPIDA aquea ſunt ſubfrigida.2°.de alim.fac. 2ª.25.B
Inſipida nullam habent inſignem qualitatem.2°.de alim.fac. 2ª.25.B
Inſipida quæ ſint.de ocul. 7ª.187.H
Inſipida non nutriunt.4°.de ſimp.med.fac. 5ª.28.F
INSIPIENTES perinde ſunt ac infantes,& beſtiæ. 1ª.258.H
INSOLATO ſitienti,& anheloſo quid exhibendum.9°.de compoſitio. med.ſec.loc. 5ª.198.B
INSOLENTER qui agant.5°.de decre.Hip. 1ª.260.D
INSOMNIAM patiẽtibus mulieribus ex melãcholia de matrice triphera magna ſomnum ſuauiter præſtat.de dyn. Sp.26.E
Inſomnia ob quas fiant cauſas.in prog.com.1°. 4ª.191.G
Inſomniam,& ſitim faciunt bilioſa.in 1^{m}.de mor.vul.com.3°. 3ª.123.B
Inſomniã cur nõ habeãt tremulẽti & repleti.in 1^{m}.pror.c.1°. 4ª.163.G
Inſomnijs carent comata,cur.in 1^{m}.prorr.com.1°. 4ª.163.G
Inſomnia qũo in facie cognoſcatur.in prog.com.1°. 4ª.192.A

in Inſomnia pulſus qualis.in progn.com.1°. 4ª.192.A
Inſomnia peſſima quę,& quid ſignificēt.in progn.com.2°. 4ª.199.A
INSOMNIETAS ſub quarta parte medicinæ continetur. ad Thraſybulum. 2ª.108.D
ad Inſomnietatem.ſecretorum. Sp.97.D
INSOMNIA quomodo fiant.de mult. 3ª.81.G
Inſomnia quo modo fiant & an ſint.de hiſt.philoſ. Sp.10.C
Inſomnia à non nullis contemnebantur.1°.de nat.fac. 1ª.293.A
Inſomnia ab Ioue oſtenduntur.2°.de arte cur.ad Glau. 7ª.110.B
ob Inſomnium Pericles Olympius nondum natus terruit Græcos.an animal ſit. 1ª.328.F
Inſomnio patris Galenus medicinæ operam dedit.9°.meth.me. 7ª.56.E
Inſomnijs credidit Galenus.14°.meth.med. 7ª.89.C
ab Inſomnio monitus arterias diſſecuit Galenus. de curandi ratione p ſanguinis miſſionem. 6ª.21.E
Inſomnia præſagia faciunt.in 1m.de morb.vulg.com.3°. 3ª.117.H
Inſomnia debent conſiderari ſecundum tempora acceſſionum. in 1m. de morb.vulg.com.3°. 3ª.117.H
Inſomnia conſiderāda an ſint à cibo ac tali ſtatim, aut ſine cibo.in 1m.de morbis vulg.com.3°. 3ª.118.A
Inſomnia de incēdio quid ſignificēt.in 1m.de morb.vulg.cō.3°. 3ª.117.H
Inſomnium de imbre quid ſignificet.in 1m.de morb.vul.com.3°.3ª.117.H
Inſomnium de niue,glacie,& grandine quid ſignificet.in 1m.de mor.vul. commen.3°. 3ª.117.H
Inſomnium quo videmur conſpergi niue,qd ſignificet. in 1m. de mor.vul. commen.3°. 3ª.118.A
Inſomnia de fœtore quid ſignificent.in 1m.de mor.vul.com.3°. 3ª.117.H
Inſomnia de criſtis gallorum aut ruffis quid ſignificēt.in 1m.de mor.vulgaribus,commen.3°. 3ª.117.H
Inſomnia de caliginoſis qd ſignificēt.in 1m.de mor.vul.com.3°. 3ª.117.H
ex Inſomnijs medicamenta empiricis ſumūtur.de ther.ad Piſ. 5ª.90.E
INSPECTVRIO quid ſignificet.de art.com.1°. 7ª.251.H
INSPICIENTES ophthalmiam cur incidant in ophthalmiam.de motibus manifeſtis & obſcuris. Sp.69.D
Inſpiciendi inſtrumentum igneum eſt.7°.de dec.Hip. 1ª.271.H
Inſpiciēdum cum nobis eſt puſillū aliquod corpus accurate directo,quid faciant muſculi circa baſim oculi.de muſc.diſſ. 1ª.44.F
INSPIRABILE, & expirabile eſt corpus omne.in 6m.de morb.vulg. com.6°.3ª.195.A/1°.de ſimp.med.fac. 5ª.4.C
INSPIRAMVS magis calefacti.de vtil.reſp. 1ª.224.A
Inſpiramus minus refrigerati.de vtil.reſp. 1ª.224.A
Inſpirant,& expirant difficulter poſt prandium, qui rotundum ſtomachum habent.de anat.viu. Sp.49.G
ex Inſpirando partim,partim ex eo,quod reticularis plexus ſuppeditat, irrigatur atq; alitur animalis ſpiritus.12°.meth.med. 7ª.77.B
Inſpirando ſentimus odorem.8°.de vſu par. 1ª.168.F
Inſpirando ſolum ſuffocatur homo.de vtil.reſp. 1ª.223.H
INSPIRATIO quid.2°.de decre.Hipp. 1ª.236.G
de Inſpiratione male ſenſiſſe vř Plato,et quare.8°.de de.Hip.1ª.278.D
Inſpiratio,expiratio,diſflatio,fit ſemp viuēte aīali.in Tim.Pl.1ª.289.C
Inſpiratio,expiratio,& reſpiratio qūo differant.in Tim.Pla. 1ª.289.E
Inſpiratio,& expiratio reſpirationis partes.1°.de diff.reſp. 3ª.56.H
Inſpirationis & expirationis diuerſitates.1°.de diff.reſp. 3ª.60.F
Inſpiratio contraria eſt expirationi.de mo.muſ. 1ª.316.C
Inſpiratio,& expiratio qūo fiant.de voc.inſtr.diſſ. 1ª.107.F
Inſpiratio,& reſpiratio quomodo fiant.de vtil.reſp. Sp.63.H
Inſpiratio & expiratio fiūt ignorato lacerto à quo ſit.de mo.m.Sp.69.E
Inſpirationem qui muſculi faciant.de cau.reſpi. 1ª.227.A
Inſpiratio dilatato pectore non fit.de præcog.ad Poſthu. 4ª.216.D
in Inſpirationibus ſcapulæ attolluntur.2°.de decr.Hip. 1ª.236.F
Inſpiratio,& expiratio qñ,& qūo fiant.1°.de diff.reſp. 3ª.57.D
Inſpiratio,& expiratio cui actiōi pulſus cōparent.1°.de diff.re. 3ª.57.H
Inſpirō nō adequat pulſui,aliter multæ pirēt opationes.de a v.Sp.48.B
Inſpiratio eſt attractio.in 6m.de morb.vulg.com.5°. 3ª.194.B
Inſpiratio ē motus quo ſpiritus ferī ad interiora.c.4°.aph.68°.Ex.34.G
Inſpirationem magnā facit thoracis raritas.4°.de loc.aff. 4ª.27.B
Inſpiratio maxima fit per externos intercoſtales muſculos. 2°. de motu muſculorum. 1ª.316.C
Inſpiratio magna,& parua quomodo iudicetur.1°.de diff.reſp. 3ª.60.D
Inſpirōne abūdanti egēt q̃ habēt magnā febrē.cō.4°.apho.34°. Ex.31.B
Inſpirationē paucā habent ſtrangulati.com.4°.apho.34°. Ex.31.B
Inſpiratio parua,& velox an fiat.1°.de diff.reſp. 3ª.62.A
Inſpiratio parua & tarda quibus fiat.1°.de diff.reſp. 3ª.61.H
Inſpiratio magna & velox vnde.1°.de diff.reſp. 3ª.61.H
Inſpiratio magna & tarda quibus fiat.1°.de diff.reſp. 3ª.61.H
Inſpiratio velociſſima,& denſiſſima vnd.1°.de diff.reſp. 3ª.58.C
Inſpiratio compoſita,quæ.1°.de diff.reſp. 3ª.60.H
Inſpiratio propter quid longa eſſe debet.de ana.viu. Sp.48.B
Inſpiratio lenis nō coacta,quæ.2°.de decretis Hip. 1ª.236.E
Inſpiratio violenta,quę.2°.de decr.Hipp. 1ª.236.F
Inſpiratio vehemens non habet nomen.2°.de mot.muſ. 1ª.316.C
Inſpiratio vehemens contraria eſt efflationi.2°.de mot.muſ. 1ª.316.C
Inſpiratione vehementi qui indigeant.2°.de motu muſc. 1ª.316.C
Inſpiratio ardentis febris,qualis.4°.de loc.aff. 4ª.27.B
Inſpiratio propter quid.8°.de decre.Hipp. 1ª.278.E
ex Inſpiratione,& per anhelitum, & per totum corpus duplex vtilitas.in 6m.de morb.vul.com.6°. 3ª.195.C
Inſpirō aeris ad ſiniſtrū vētrē cordis p q̄ foramina fiat.de vt.r.Sp.64.C
Inſpiratus aer refrigerat.de vtil.reſp. Sp.63.C
Inſpiratio refrigerat cor.6°.de vſu par. 1ª.148.B
Inſpirō,et vapor humorū eſt mā ſpūs vitalis.de vir.noſ.cor.diſ.Sp.60.C
Inſpiratio in cerebrum neceſſaria ad vitam.8°.de vſu par. 1ª.168.C
Inſpirationē etiā fieri p poros carnis probatur.de vtil.reſp. Sp.63.B
Inſpirationis quatuor difficultates compoſitæ.1°.de diff.reſp. 3ª.60.F
Inſpirōnē conuulſoriā qnā facere cogātur,& quare.1°.de dif.re.3ª.62.A
Inſpirationis impetū alæ naſi inſequuntur.de muſ.diſſ. 1ª.44.F
in Inſpiratione cur pinnæ nariū contrahunt.4°.de loc.aff. 4ª.26.H
Inſpiratio magna,magna cauſa ſuffocationis.de vtil.reſp. 1ª.224.A
Inſpiratio coram ſe fœtida & corrupta quo caſu detineri non poſſet.de anatomia viuorum. Sp.48.B
INSPISSAT nutrimentum calor.de vtil.reſp. Sp.64.B
INSTAVRANS pars ad quos pertinet.ars me. Iſa.71.F
Inſtaurationis verus modus,& ꝙ.in 6m.de mor.vulg.com.3°.3ª.176.D
Inſtaurationis propriū,cutis diſtentio.in 6m.de mor.vulg.c.3°.3ª.176.E
INSTILLARE ex alto ſupra caput, plurimum imprimit.13°.methodi medendi. 7ª.85.H
Inſtillare aliquid in arteriam.de opt.ſecta. Iſa.22.F
INSTITVTVM vitę notat humorē peccantem.c.4°.aph.2°. Ex.27.C
Inſtitutum durum qūo ex metaphora dictum.3°.de diff.pulſ. 4ª.63.F
INSTRVMENTALIVM vnaquæq; pars ex quibuſdam ſimplicibus eſt conſtituta.de diff.morb. 3ª.2.F
Inſtrumentalium partim compoſitio ſecunda eſt.de diff.mor. 3ª.2.F
ad Inſtrumētale membrū omne veniūt duæ venæ.de ana.viu. Sp.44.B
Inſtrumentalium,& ſimilariū ſymptomata.3°.de ſymp.cau. 3ª.25.B
Inſtrumentales morbi arctant vias.3°.de ſymp.cauſ. 3ª.26.A
Inſtrumentalis morbus eſt obſtructio.11°.meth.med. 7ª.70.C
INSTRVMENTARIAE partes quæ.8°.de decre.Hip. 1ª.275.C
in Inſtrumētarijs mēbris natura iuſta.& quare.9°.de de.Hi.1ª.285.A
Inſtrumētaria pars hēt particulas, quarū vna eſt cauſa propriæ actionis aliæ gratia huius conſtitutæ ſunt.de op.noſt.cor.conſt. 1ª.38.C
in Inſtrumētarijs corporibus actiones ſecūdæ.đ cu.ra.p ſan.miſ.6ª.16.E
Inſtrumentalium partium ſanitas in quo.1°.de ſan.tuen. 62. B/ 2ª. 63.C
Inſtrumentariarū partium cauſæ ſalubres.ars med. Iſa.69.A
Inſtrumentariæ partes qūo detrimentū patiuntur.de diff.mor. 3ª.3.H
in Inſtrumētarijs,& ſimilaribus ſunt diuerſi morbi.2°.met.me.7ª.12.G
de Inſtrumentarijs morbis.de cauſ.mor. 3ª.8.F
Inſtrumētariarū ptiū ppriæ paſſiones ſunt auulſiones.de dif.mor.3ª.5.D
Inſtrumentariarum ægritudo,exarticulatio.de diff.morb. 3ª.5.H
ex Inſtrumentarijs indicatio quæ ſit.13°.meth.med. 7ª.82.E
INSTRVMENTVM quid ſit.1°.meth.med. 7ª.6.C
Inſtrumētis,artificibus,materia,omnia fiūt.de voc.inſt.diſſ. 1ª.106.E
Inſtrumēta per quæ actio fit cognoſcere debet medicus,qui ratione curaturus eſt.de voc.inſt.diſſ. 1ª.106.B
Inſtrumēti functionē ſcire nihil facit ad medēdū.2°.de na.fac. 1ª.301.B
Inſtrti actio niſi ſciat,particulæ vſus īueniri nō pōt.5°.de vſu p.1ª.143.F
Inſtrumentum,vſus,& facultas conſideranda ad pulſus mutantes cauſas inueniendas.3°.de præſag.ex pulſ. 4ª.118.A
Inſtrumenta propriam oſtendunt curationē.de voc.inſtr.diff. 1ª.106.C
Inſtrumenta diuerſa in humano corpore cur ſint.de anat.viu. Sp.43.F
Inſtrumētorū corpaliū alia ſunt ſimplicia,alia cōpoſita.đ.an.vi.Sp.55.C
Inſtrumenta ſimplicia corporalia,quæ.de ana.viuo. Sp.55.C
Inſtrumenta corporalia compoſita,quæ.de ana.viuo. Sp.55.C
Inſtrumenta prima,quę.de diff.morb. 3ª.3.B
Inſtrumenta prima vnde ſana,& morbida.de diff.morb. 3ª.3.A

Inſtrumētū primū & vniuerſale oīum ſenſuū ē cor.de vti.reſp. Sp.62.F
Inſtrumenta aliqua videntur prima, & ſecunda.de diff.mor. 3ª.3.B
Inſtrumenta ſecunda, & quæ.de diff.morb. 3ª.3.B
Inſtrumentum eſt cauſa, & quare.de ſymp.diff. 3ª.10.F
Inſtrumentum eſt cauſa.de cauſ.procatar. 3ª.96.E
Inſtrumenta omnia ſenſuum, continētur pelliculis.de vtil.reſp. Sp.63.C
Inſtrumenta exigit facultas quælibet.1°.de cauſ.pulſ. 4ª.87.B
Inſtrumētorū qđlibet hēt īter ſe cōtrarias facultates.đ vſu p. 1ª.229.D
Inſtrumentorum finis in animalibus.de diff.morb. 3ª.4.A
Inſtrumentorum functiones, quæ.3°.de nat.fac. 1ª.307.A
Inſtrumentorū particulę vſum præſtāt ſimilaribus.2°.me.med. 7ª.13.D
Inſtrumētorū geminorū ī vnaquaq; parte vtilitas.8°.de vſu p.1ª.169.D
ab Inſtrumētis, & à viribus operatiōes fiūt, et īpediūtur.đ pal 3ª.53.C
Inſtrumenta iudicātur eadem vel diuerſa ex functionibus, & vſibus.2°. de decretis Hippocratis. 1ª.241.E
in Inſtrumētis ſingulis tēperies eſt cauſa actionis.2°.de n.fa. 1ª.301.A
Inſtrorū gnationis actio nō fit à volūtate tm̄.de mo.ma.& obſ. Sp.68.F
p Inſtrā pauca melius ē multa agerē, q̄ p mlta pauca.11°.đ vſ.p. 1ª.172.D
Inſtrumentum vnum duabus actionibus ſeruit.7°.de vſu par. 1ª.158.A
Inſtrā multa cur q̄nq; facit natura pp vnā actionē.12°.đ vſu p.1ª.195.G
quę Inſtrumenta ad agibilia potiora.3°.de ſym.cau. 3ª.29.C
Inſtrumēta motura aīalis mēbra debēt eſſe robuſta.de de.Hip.1ª.234.A
Inſtrumēta mollia īfantiū nō poſſunt ſuſtinere tactū, neq; lactis qualitatē p̄ſertim ſi lac habeat partē ſeroſam multā.c.3°.aph.24°.Ex.25.A
Inſtrumētorū motus diuerſi sūt p fibrarū poſitura.3°.de na.fa.1ª.304.F
Inſtrumenta fibris rectis attrahuntur.14°.de vſu par. 1ª.209.F
Inſtrumenta fibris tranſuerſis excernunt.14°.de vſu par. 1ª.209.F
Inſtrumēta fibris rectis & trāſuerſis retinent.14°.de vſu par.1ª.209.F
Inſtrumenta habentia vnā tunicam vtrūq; genus fibrarum habēt, rectarum ſcilicet & tranſuerſarum.3°.de nat.fac. 1ª.305.E
in Inſtrumētis habentibus duas tunicas inuenitur tertium fibrarū genus.3°.de nat.fac. 1ª.305.F
Inſtrumētū nō ē cornea tunica, particula tñ ē, et pars.1°.me.me. 7ª.6.D
Inſtrumenta ſenſus quo modo ſentiant.1°.de ſymp.cau. 3.18.H
Inſtrumenta vocis quo modo à Deo ordinata ſint.de vo.& an.Sp.60.H
Inſtrumētū primū formationis vocis eſt cāna pulmonis.de a.vi.Sp.53.D
an Inſtrumētū ſit in motu nodi gutturis, qđ agat.de mot.man. Sp.70.B
Inſtrumenta vocis ampliſſima vocē deſtruunt.de vo.& anhel.Sp.62.A
in Inſtrumētis ſpiritalibus quando calor & anguſtia cōueniūt, quæ ſymptomata contingant, & quę ſpiratio.4°.de loc.aff. 4ª.26.H
Inſtrumētorū ſpiritualiū anguſtia q̄uo dep̄hēdat.4°.de lo.af. 4ª.26.H
Inſtrumenta naturalia & aīalia differunt, & q̄uo.1°.de loc.aff. 4ª.8.A
Inſtrumenta animalia indigent arterijs & venis ad eſſentiam ipſorū ſeruandam, & quare.1°.de loc.aff. 4ª.8.B
Inſtrumento vnicuique niſi ſit tributa quædam facultas naturalis, aīalia non poterunt durare.2°.de nat.fac. 1ª.297.C
Inſtrumēta naturalia habent facultatē perficiēdi ſuā actionē, vt magnes lapis facultatem habet trahendi ferrum.1°.de loc.aff. 4ª.8.A
Inſtrumēta naturalia humidiora magis idonea ad nutritionē.3°.de ſymptomatum cauſis. 3ª.29.D
Inſtrumētorū q̄ nutritionis gratia cōſtituta, officia.1°.de na.f. 1ª.292.E
Inſtrumētorum alimēti peritiā habere cupiens, in qua re debet eſſe exercitatus.5°.de vſu par. 1ª.143.F
Inſtrumētum ad quod ſpectat motus pectoris, medici eſt quęrere. de mo. manifeſtis & obſcuris. Sp.66.H
Inſtrumētū principale reſpiratiōis ē diaphragma.de vtil.reſp. Sp.64.B
ob Inſtrumentorum affectus reſpiratio, qualis.1°. de diff.reſp. 3ª.59.C
Inſtrumenta quo modo faciant pulſus inæquales.2°.de cauſ.pul.4ª.91.F
Inſtrumenta omnia ſub ſepto veſtiuntur aliqua tunica habente initium à peritonæo.4°.de vſu par. 1ª.141.C
Inſtrumētorū bina receptacula in auibus fortibus.4°.de vſu pa.1ª.141.E
Inſtrumentorum ventris imbecillitas, vnde.3°.de ſymp.cauſ. 3ª.27.D
Inſtrumentum hominis habet figuram inuerſam, & protenſam extra.de anatomia viuorum. Sp.51.E
in Inſtrumētis generationis comparatio inſtrumēti mulieris ad virum, qualis comparatio ceræ ad ſigillum.de ana.viu. Sp.51.D
Inſtrumenti mulieris ad virum in inſtrumentis generationis comparatio eſt qualis ceræ ad ſigillum.de ana.viuo. Sp.51.E
Inſtrumētū fœminę hēt figurā īuerſam et ptēſam intus.de an.vi.Sp.51.E
Inſtrumēta naturæ ad expellēda infeſtātia.com.5°.apho.53°. Ex.42.D
Inſtrā multa, gratia expurgādæ materiæ natura fecit.de cau.mo.3ª.8.E
Inſtrumenta non ſufficiunt materia redundante.de cauſ.mor. 3ª.8.E
in Inſtrumentorum amplis capacitatibus quæ continētur, expultrix nō expellit.2°.de ſym.cau. 3ª.22.G
Inſtrumentorum foramina exilia q̄uo purgentur.3°.de ſan.tu. 2ª.77.B
Inſtrumentū vnumquodq; quale eſſe debeat, ſi recte ſuum opus perfecturum eſt.de diff.mor. 3ª.2.H
Inſtrumenta omnia trahunt, & expellunt.3°.de nat.fa. 1ª.305.E
Inſtrumētorū lōgitudo q̄uo breuiet in attrahēdo.3°.de nat.fac.1ª.304.G
Inſtrumentorum imbecillitates à quibus fiant.de diff.morb. 3ª.3.H
Inſtrumēta maxime paſſibilia ſunt in hominibus liquidioris ſanguinis, et carne mollibus.de vtil.reſp. Sp.64.F
Inſtrumētorū noxæ ſunt palpitatio, cōuulſio, & reſolutio.de pal.3ª.53.C
Inſtrumentorum attritio quid, et vnde.in 6m.de mor.vul.c.3°.3ª.170.B
in Inſtrumentis morbi, qui.de diff.morb. 3ª.4.A
Inſtrumenti morbi proprij qui, & qui ex accidenti.de diff.mor. 3ª.6.A
Inſtrumento toti ex accidēti attribuuntur morbi ſimilarium partium.de differentijs morborum. 3ª.6.A
Inſtrumentorum compoſitorum ægritudines.de diff.mor. 3ª.2.H
in Inſtrumētis ægritudo in quatuor generibus cōſiſtit.de dif.mor.3ª.3.A
in Inſtrumentis prima ægritudo eſt in formatione.de diff.mor. 3ª.3.A
Inſtrumenta, cū præter naturam ſunt leuia vel aſpera, cauſæ ſunt ægritudinum, quæ in formatione.de cau.morb. 3ª.9.C
Inſtrumentariæ naturæ ſigna.ars med. Iſa.66.F
Inſtrumētorū ſecūda ægritudo ad numerū pertinet.de diff.morb. 3ª.3.A
Inſtrumētorū tertia ægritudo in magnitudine cōſiſtit.de diff.mor. 3ª.3.A
Inſtrumentorum quarta ægritudo in quo conſiſtit.de diff.mor. 3ª.3.A
Inſtrumentorum ſigna quę faciunt ſitum.ars med. Iſ.66.C
Inſtrumentorum ſecundorum ægritudines eędem ſunt quæ & primorū. de diff.morb. 3ª.3.B
Inſtrumēta quæ habēt decē & octo ſymptomata.de ſymp.diff. 3ª.12.B
in Inſtrumentis compoſitis, et in ſimplicibus fit continuitatis ſolutio. de differentijs morborum. 3ª.5.E
Inſtrumēti totius, & diuulſę particulæ ægritudo, quæ.de diff.mor.3ª.5.D
Inſtrumētis, & ſimilaribus cōmunis vnitatis ſolutio.2°.me.me. 7ª.13.D
Inſtrumenti totius, et particulę diuulſæ morbus, qui.de diff.mor. 3ª.5.D
Inſtrumento lęſo, actio, quæ illo vtitur, læditur.1°.de loc.aff. 4ª.3.H
ab Inſtrumento læſæ actionis incipiendum, deinde quærendum quis noxæ ſit modus.1°.de loc.aff. 4ª.4.A
in Inſtrumentis nulla exiſtente noxa, actio quandoq; perit ex materię defectu.1°.de loc.aff. 4ª.6.E
Inſtrumenti totius exarticulatio eſt, quando artus luxātur ſimulq; inflāmantur.de diff.mor. 3ª.5.H
Inſtrumēta inuentionis duo ſunt, ratio, & experientia.1°. meth. medendi.7ª.4.F/com 1°.apho.1°. Ex.2.H
Inſtrumenta ab arte fiūt ex naturæ iudicio.de opt.doc.gene. Iſa.30.H
INSTRVMENTA quæ adiuuant in re medica. in 6m.de morb.vulga. commen.4°. 3ª.188.A
Inſtrumēta chirurgica, quæ intelligit Hippocrates. de ijs, quæ in medic. fiunt.com.1°. 7ª.200.H
Inſtrumenta praua habere turpe eſt medico.de fract.com.3°. 7ª.246.C
Inſtrumenta diſcipulis ſunt oſtendenda.de art.com.4°. 7ª.290.A
Inſtrumentorum differentiæ, quæ.de art.com.1°. 7ª.258.B
Inſtrumenta anatomica quædam, & eorū vſus.9°.de ana.adm.1ª.101.G
Inſtrumenta pro capitis anatomia.9°.de anat.admi. 1ª.104.B
Inſtrumentorum nomina quæ ex ligno denſiori conficiuntur. 6°.de anatomicis adminiſtrationibus. 1ª.92.H
Inſtrumentorum tenuium nomina.6°.de ana.adm. 1ª.93.D
Inſtrumenta ex ligno denſiori.6°.de ana.adm. 1ª.92.H
Inſtrumenta quæ ſint aſini, aſelli, & ſucculæ.de frac.com.3°. 7ª.247.B
Inſtrumenta exciſoria.6°.meth.med. 7ª.42.A
de Inſtrumentis cauis exciſorijs, ſcalpris dictis, & quo modo græce vocentur.6°.meth.med. 7ª.42.A
Inſtrumentum pyulcum quod dicatur.2°.de arte cur.ad Glau.7ª.105.H
de Inſtrumēto Solene dicto, vbi diſputauerit Hippocrates.in 3m.de mo. vulg.com.2°. 3ª.138.E
Inſtrumentum tuba dictum.9°.de anat.adm. 1ª.104.E
pro Inſtrumentis fractorum oſſium trochilia.6°.meth.med. 7ª.41.H
Inſtrumenta pro cruribus fractis.6°.meth.med. 7ª.41.G
Inſtrumentum per vnicum axem.6°.meth.med. 7ª.41.G
Inſtrumentum pro vertebris aptandis.de ar.com.3°. 7ª.273.F
INSVAVIA ventriculum reſupinant, ſubuertunt, & vomitum ciunt. 3°.de alim.fac. 2ª.19.E
Inſuauia medicamenta quid faciant.1°.de comp.med.per gene. 5ª.210.F

INSVESCERE vſui alieno à ratione,malũ eſt.11°.me.me. 7ª.72.F
INSVETA magis moleſtant conſuetis.com.2°.aph.5°. Ex.19.A
ad Inſueta debemus permutare corpus.com.2°.aph.50°. Ex.19.A
INSVFFLET in os per arundinem Aſclepiades quid, & qua de cauſa.6°.de comp.med.ſec.loc. 5ª.174.G
Inſufflatio per arũdinem quorum fiat pro narium polypis. 3°. de comp. med.ſec.loc. 5ª.148.C
Inſufflatio ĩ nares quorũ fiat,et qua de cauſa.3°.de cõp.m.ſ.l. 5ª.149.A
INSVLAE in mari ægeo,quæ vnam ſolam habent ciuitatem ex nomine inſulæ,ſunt Samus,Chius,Cos,Andrus, & Tenus. 9°. de ſimpliciũ medic.faculta. 5ª.65.C
INSVLTVS millies ſine indicijs principij fiunt.de mor.temp. 3ª.87.B
Inſultus ſanguinis fiunt Marte cum luna. de decubitus prognoſtica ex mathematica ſcientia. Sp.12.H
INSVPERABILE emplaſtrum quare ſic dictum.6°. de compoſitione medica.per gene. 3ª.256.D
INTEGRITAS quid.fin.med. Iſa.45.C
Integritas virtus eſt corporis.fin.med. Iſa.45.C
Integritas animi proficiſcitur ab atra bile.de nat.hu.com.1°. 1ª.33.B
Integritas à natura in Europæis.de aere,aq.& lo. 2ª.6.C
INTEGRITAS ſextum tempus in febribus.de morb.temp. 3ª.86.B
ad Integritatem qui circuitus veniant.de morb.temp. 3ª.85.F
Integrum,& totum idem.1°.met.me. 7ª.6.A
INTELLECTIONE qui non credit,explodendus eſt. 9°. de decretis Hippocratis. 1ª.279.E
INTELLECTVS & mens communiter dicitur ratio, & cogitatio.de ijs,quæ in med.ſi.com.1°. 7ª.199.B
Intellectus eſt opus depẽdẽs à capite p ſe.de vir.noſt.cor.diſp. Sp.60.C
Intellectus nõ fit à cerebri varietate,ſed à tẽperie.8°.de vſu p.1ª.170.C
Intellꝰus ñ fit à mltis ſpiritibꝰ aĩalibus,ſed à q̃litate.8°.đ vſu.p.1ª.170.D
Intellectus eſt ſeparabilis à corpore.2°.de ſemi. 1ª.329.D
Intellectũ nõ habẽt vires aĩalis,quæ ſunt in oĩbus partibus, ſed opifex, partes aũt reguntur potentijs naturalibus.cõ.5°.aph.39°. Ex.41.B
Intellũ ĩ ipſo aliqd cẽ qđ prius nõ fuit ĩ ſenſu,collige.đ hiſto.phi. Sp.9.C
Intellectum perſpicacem reddunt vigilia, & cogitatio non rudis magis q̃ ſomnus.ad Traſy. 2ª.107.H
Intellectus tarditas indicat cerebri ſubſtãtiã craſſam.ars med.Iſa.63.E
Intellectus amiſſio ſtultitia eſt.3°.de loc.aff. 4ª.16.H
Intellectus quibus perijt quæ obſeruanda.3°.de loc.aff. 4ª.16.H
Intellectus,ſenſus,et memoria pdũtur ĩ epilepſia.de cõpag.mẽb.S.58.E
INTELLIGENTES, qui.3°.de decr.Hipp. 1ª.243.H
Intelligẽtia falſa dr̃ ab Hippocrate deceptio.9°.de decr.Hipp. 2ª.281.C
Intelligẽtię tarditas ñ neceſſario ſeq̃t male cõcoq̃ntẽ.3°.đ ſym.c.3ª.30.B
Intelligere & audire quæ dicuntur omnibus cõ.2°.decriſ. 4ª.133.G
nõ Intelligunt quidam niſi quæ vident.de fract.com.3°. 7ª.247.A
q̃ nõ Intelliguntur prima vice,ſæpius relegãtur.de art.c.3°. 7ª.276.D
ad Intelligendum,& agendum quare homines fiant tardiores.in 6^{m}.de morbis vulg.com.4°. 3ª.186.F
INTEMPERAMENTVM intra ſanitatem quale eſſe debet. 2°.de temperamentis. 1ª.18.F
Intemperans qui.4°.de decr.Hipp. 1ª.249.E
Intemperantes quomodo euacuandi.de cur.rat.per ſang.miſſ. 6ª.17.F
Intẽperantes nõ iuuant euacuationibus.de cur.rat.p ſang.miſ. 6ª.17.F
Intemperans qui.de decr.Hipp. 1ª.268.E
INTEMPERANTIAE plures ſpecies,& cuiuſq; earum diuerſa curatio.2°.met.me. 7ª.12.B
Intemperantiæ octo in qualibet particula.3°.de loc.aff. 4ª.15.E
Intemperans victus eſt cauſa podagræ.com.6°.aph.28° Ex.49.B
Intẽperãtias ſolũ quatuor eſſe,cur aliqui poſuere.6°.de ſa.tu. 2ª.95.E
Intemperantiam peſſimam habentia,quæ.6°.de ſan.tu. 2ª.95.D
Intemperantia frigida,& ſicca peſſima.6°.de ſan.tu. 2ª.95.D
Intemperantiæ ſunt in ſimilaribus.2°.meth.me. 7ª.13.D
Intẽperãtiã ſequiẽ humor penitus euacuatus.3°.de ſimp.me.f. 5ª.23.H
INTEMPERATVRAE deteriores octo.de conſt.ar. Iſa.38.H
Intemperaturæ octo,quæ.com.3°.aph.16°. Ex.23.C
Intemperaturæ ſunt octo,quatuor ſimplices,& quatuor compoſitæ.cõmen.5°.aph.62°. Ex.43.F
Intemperaturæ ſimplices,& nõ ſimplices,quæ.cõ.3°.aph.16°. Ex.23.C
Intẽperaturæ plures ex redũdãtia humorũ.8°.de cõp.me.ſe.l.5ª.188.A
Intemperaturæ q̃nq; fiunt habituales.com.4°.aph.12°. Ex.28.E
Intemperantia facit capitis dolorem.com.6°.aph.10°. Ex.47.D
Intemperatura ſola eſt cauſa vigiliæ.com.2°.aph.3°. Ex.11.E
Intẽperatura inæqualis circa ventrẽ fieri non poteſt vt in longum extẽdatur,ſi oĩa circa ægrum opportunà fiant.cõ.7°.aph.22°. Ex.55.E
Intemperatura veſicæ facit eius imbecillitatẽ com.5°.aph.58°.Ex.43.B
Intẽperaturæ vehementes lædũt operationes.cõ.2°.aph.22°. Ex.15.A
Intẽperaturæ quæ lædũt opatiões ſunt morbus.c.5°.aph.57°. Ex.42.H
Intemperaturam calidam patientibus,dari non debet vinum.8°. de cõpoſi.med.ſec.loc. 5ª.194.F
INTEMPERATVS eſt calor acquiſititius.3°.de cau.pul. 4ª.97.C
Intemperaturæ naturæ corporum octo.de ſperm. Sp.41.A
Intemperatus habet vtranq; oppoſitionẽ vitioſam.1°.de temp. 1ª.14.D
Intemperatis qualis aer conuenit.1°.de ſan.tu. 2ª.67.B
Intemperatum facilius ad propriam naturam redit, q̃ ad optimum temperamentum.5°.de ſan.tu. 2ª.93.D
Intemperatæ naturæ corriguntur contrarijs,& ſeruantur ſimilibus.5°. de ſan.tuenda. 2ª.93.D
INTEMPERIES aeris cognoſcenda,& quare.in 1^{m}.de mor.vulgaribus,com.1°. 3ª.100.G
Intemperies omnis morbus eſt.de ſymp.diff. 3ª.13.D
Intemperies eſt generalis affectio.8°.de comp.med.ſec.loc. 5ª.193.H
Intemperies eſt debilitas facultatis.1°.de præſag.ex pulſ. 4ª.107.E
Intemperies virtutem faciunt imbecillem.3°.de ſymp.cau. 3ª.26.A
Intemperies eſt primorum morborum cauſa,quia temperies eſt corrupta.2°.de nat.fac. 1ª.300.F
Intemperies qua læditur actio,eſt morbus.2°.de nat.fac. 1ª.301.A
ex Intemperie quatuor qualitatum fit morbus primo ĩ ſimilaribus.2°. methodi medendi. 7ª.12.F
Intẽperies eſt ĩ ſimilaribus,et ſimplicibus partibus.9°.met.m. 7ª.61.B
Intẽperiem,& partiũ diuiſionẽ facere morbos in ſimilaribus ac ſimplicibꝰ particulis quo ad ſenſum,verũ putat Galenꝰ.de cau.mor.3ª.6.C
Intemperies ſimplices,quæ.de inæq.intemp. 3ª.43.C
Intemperies quælibet ſola non poteſt diu durare.6°.de ſan.tu. 2ª.95.E
Intemperies ſola non poteſt ſuffocare.4°.de præſag.ex pulſ. 4ª.120.A
Intemperies compoſitæ,quæ.de inæqu.temp. 3ª.43.E
Intemperies tres in vnaquaq; contrarietate.3°.de loc.aff. 4ª.16.H
Intemperies quatuor compoſitas nouere antiqui.1°.de temp. 1ª.14.B
Intemperies octo.8°.de comp.me.ſec.loc. 5ª.187.H
Intemperies ſunt infinitæ.3°.de ſimp.med.fac. 5ª.19.F
Intẽpies æqualis ẽ veluti acquiſititia q̃dã ĩ natura.2°.đ ſym.ca.3ª.22.A
Intemperies æqualis ſine dolore.2°.de ſymp.cau. 3ª.22.A
de Intemperie inæquali libri intentio.de inæq.intemp. 3ª.43.C
de Intẽperie inæquali liber añ librũ de medicamẽtis legi debet, poſt librũ vero đ medicamẽtis methodꝰ medẽdi ſeq dẽt.đ ięq. ĩtẽ.3ª.44.H
Intemperies inæqualis quot fiat modis.de inæq.intemp. 3ª.43.B
Intemperies vnde proueniat.2°.de ſymp.cau. 3ª.22.A
Intemperies quibus fiat.13°.meth.med. 7ª.81.H
Intemperies fit ex quatuor elementis.1°.de præſag.ex pulſ. 4ª.107.E
Intemperiem quomodo faciat aer ambiens.1°.de ſan.tu. 2ª.68.B
Intemperiem faciunt aqua,& inunctio.1°.de ſan.tu. 2ª.68.B
Intemperies inæqualis ſine materia q̃uo fiat.de inæq.intemp. 3ª.43.B
Intemperies inæqualis ab extrinſecis q̃uo fiat.de inæq.intemp. 3ª.43.C
quæ Intemperies maxime inæqualis.de inæq.intemp. 3ª.44.A
Intemperies inæqualis in parte quando.de inæq.intemp. 3ª.43.B
Intẽpies ĩæqualis in toto aĩalis corpe q̃n cõtingat.de inęq.intẽp.3ª.43.B
cũ Intemperie totius q̃n,& quando cum intemperie partis, ſunt prauæ corporis conſtitutiones.in 6^{m}.de morb.vul.com.4° 3ª.186.G
Intemperies inæqualis per totum corpus ſunt anaſarca, hepiala, & febres præter hecticam.de inæq.intemp. 3ª.43.B
Intemperies inæqualis à quibus fiat.de inæq.intemp. 3ª.44.D
de Intemperie frigida.2°.de temp. 1ª.18.G
de Intemperie calida,& ſicca.2°.de temp. 1ª.18.G
Intemperies paruæ ſimilarium partium paruam noxam actioni afferũt. de ſymp.cau. 3ª.15.B
Intemperies magnæ ſimilarium partium noxam actioni magnam afferunt.de ſymp.cau. 3ª.15.B
Intemperies corporis ſequitur mentis læſio. in 1^{m}.pro.cõ.1°. 4ª.168.D
in Intemperie præter qualitates q̃nq; quoddã,veluti Bos, intemperatũ in corporibus diſpergitur.2°.de ſymp.cau. 3ª.22.A
Intemperies magnæ oẽs virtutem deijciunt.3°.de ſymp.cau. 3ª.25.C
Intẽperies oĩs immodica operationẽ exoluit.cõ.2°.aph.20°. Ex.14.F
ab Intẽpie ĩgẽti cordis vis vitalis pſternit.4°.de pſag.ex pul. 4ª.121.G
Intemperies inſignis eſt morbus.com.4°.aph.39°. Ex.32.G
ex Intemperie inæquali morbi fiunt.de inæq.intemp. 3ª.44.H

ab Intemperie fieri poſſunt lethargus, phrenitis, mania, melancholia, ſtultitia, memoria amiſſa.3°.de loc.aff. 4ª.20.B
Intemperies in quibus partibus cerebri eſſe pñt.3°.de loc.aff. 4ª.16.H
ex Intemperie põt laborare cryſtallinus humor.2°.met.me. 7ª.12.H
Intemperies inæqualis cauſa doloris.de inæqu.intemp. 3ª.44.F
Intẽperies calĩa, & frigida dolorẽ facit.in 1m.de mor.vul.c.1°.3ª.104.H
ex Intemperie fit dolor.in 1m.de morb.vulg.com.1°. 3ª.104.H
Intẽperies inæqualis facit dolorẽ, & quantũ.2°.de ſym.cau. 3ª.22.A
in Intẽperiebus arteriarũ motus nõ faciũt dolorẽ.2°.de loc.af. 4ª.8.H
Intemperies facit dolorem iliacum.com.6°.aph.40°. Ex.51.A
ab Intemperie inæquali rigor fit quandodoq;.de inæq.intemp.3ª.44.D
Intemperiem duplicẽ inæqualẽ hñt oẽs febres.de inæq.intẽp. 3ª.44.G
in Intemperie morbus eſt, febris.de tot.morb.temp. 3ª.88.D
Intemperiem ſequens diſtenſio quid ſit.de diff.morb. 3ª.3.F
ex Intemperie ſola æquali & non æquali quo modo cognoſcatur affectus pulmonis.4°.de loc.affe. 4ª.27.H
Intemperies põt eſſe cã læuitatis inteſtinorum.cõ.3°.aph.30°. Ex.26.F
Intemperies vteri vnde.3°.de ſympt.cauſ. 3ª.29.F
ad Intemperiem inueniẽdã qui medicus requirat.3°.de loc.af. 4ª.17.F
Intemperies intra ſanitatis terminos corrigendæ.1°.de ſan.tu. 2ª.64.G
INTEMPERIEM corrigere non eſt poſtrema ſanitatem tuentis pars. aduerſus Lycum. Ex.62.B
Intẽperies ſimplex ſimplici qualitate curat.2°.đ ar.cu.ad Gl. 7ª.103.D
Intemperies curatur ſuo contrario.ars med. Iſa.70.C
Intẽperiei cãæ primo occutrẽdũ, poſtea ipſi intẽpiei.5°.met.m. 7ª.29.G
Intemperies frigidas lædũt, quæ frigidã humiditatẽ abſq; adſtrictione, aut amaritudine poſſident.8°.de comp.med.ſec.loc. 5ª.195.C
Intemperies calida, & frigida efficacior eſt ſicca, & humida.6°. de ſanitate tuenda. 2ª.96.D
Intemperies calida temperata in humido & ſicco quo modo ſeruetur, et quomodo mutetur.6°.de ſan.tu. 2ª.95.H
Intemperies frigida quo modo curetur.13°.met.me. 7ª.82.B
Intemperies ex calore quo modo curanda.13°.met.me. 7ª.82.C
Intẽperies ſicciores, humidiores reddẽdæ, & è cõtra.1°.de ſa.t.2ª.64.G
Intẽperies calidiores, frigidiores reddẽdę, et è cõtra.1°.đ ſa.tu.2ª.64.G
in Intemperie frigida, & humida quæ Galenus adhibeat. 2°. de comp. medicam.ſecun.loc. 5ª.138.A
in Intẽperie calĩa, & ſicca q̃ Galenus adhibeat.2°.de cõ.m.ſ.l. 5ª.138.A
Intemperie calida, & ſicca citra vitiatos humores afflictis infeſtiſſima aloes.8°.de comp. med.ſec.loc. 5ª.188.D
in Intemperie quando optimum vinum.8°.de comp.me.ſe.lo. 5ª.195.F
Intemperies balneorum.aduerſus Lycum. Ex.62.B
INTENDI, cõfugere, retũdi, & reſilire verba veterũ.3°.đ pal.3ª.54.H
Intenditur primo latus muſculus ſub colli cute ijs qui ſpaſmo corripiendi ſunt.de muſc.diſſect. 1ª.44.D
Intendi commune accidens tumorum eſt.2°.de loc.aff. 4ª.10.G
Intendere vbi æqualiter conſilium eſt, laqueus.de laqueis. 7ª.307.H
INTENTIO animi in vniuerſa arte adhibẽda eſt.de faſcijs. 7ª.293.C
ꝑ Intẽtionẽ primã volũtarię sũt actiões pedũ.de mot.m.et obſ. S.69.A
in Intẽtione ſecũda actiões volũtariæ, quæ.de mot.ma.& obſ.S.69.A
Intentiones in morbis expellendis, quales.1°.de diff.feb. 3ª.32.F
Intentio cõmunis ex morbo aſſumitur.2°.de arte cura.ad Gl. 7ª.103.D
Intẽtio vl̃is in oĩ morbo ẽ humor ſupabũdans.cõ.4°.aph.2°. Ex.27.E
Intentiones ſi ſint contrariæ, quid agendum.11°.met.me. 7ª.84.E
Intentio ducta à viribus maxima.in progn.com.2°. 4ª.203.G
Intentiones ſanationis in menſibus retentis, duę.c.5°.aph.36°.Ex.40.G
Intentiones duæ in ſpaſmo curando.com.4°.aph.57°. Ex.33.G
Intẽtiones curãdi vlceris quædã neq; idiotis ignotæ.6°.met.m.7ª.36.G
Intentiones exhibendi medicamentũ ꝑpe finẽ.cõ.4°.aph.2°. Ex.27.G
Intẽtio ĩ creatiõe palpebrarũ et pilorũ ſupciliorũ, q̃.de ana.vi. Sp.45.C
Intentio ſpermatis maſculi eſt informare ad ſimilitudinem eius, à quo ſperma ſeparatum eſt.de anat.viu. Sp.44.F
Intentio ſpermatis mulieris eſt recipere formam ſecundum ſimilitudinẽ eius, à quo ſeminatum eſt.de ana.viu. Sp.44.G
INTENTA ex repletione, quæ euacuata relaxantur.de ijs, quæ in medicatrina fiunt, com.3°. 7ª.215.G
Intenta ob caliditatem, frigiditatem, humiditatem, vel ſiccitatem quo modo laxantur.de ijs, quæ in medic.fiunt.com.3°. 7ª.215.G
INTERCALARES cur menſes facti.in 1m.de mor.vul.c.1°. 3ª.102.E
Intercalandi ratio ab Hipparcho.in 1m.de mor.vul.com.1°. 3ª.102.E
INTERCIDENTES dies qui.in prognoſt.com.3°. 4ª.206.G
Intercidens, pulſus qui.de compend.pulſ. Sp.66.A
INTERCOSTALES muſculi thoracis ſunt vigintiduo. de muſculorũ diſſectione. 1ª.49.D
in Intercoſtali vnoquoq; eſt vna arteria. de decr. Hipp. 1ª.232.E
Intercoſtalium muſculorum duo genera, & quæ.5°.de loc.aff. 4ª.29.G
Intercoſtalibus muſculis inflammatis arteriarum dilatatio dolorem.infert.2°.de loc.aff. 4ª.9.A
INTERFICIT hyoſcyamus, ſi bibatur.de ſimp.med. Sp.92.D
Interficere ſe pulchrũ eẽ quidã exiſtimãt.de mel.ex Gal.Ruf. Sp.109.E
INTERFOEMINEVM quid ſit.de fract.com.2°. 7ª.237.D
INTERMISSIO facit morbos ſine periculo.c.4°.aph.43°. Ex.32.F
Intermiſſio quid ſit in febre.1°.de criſi. 4ª.125.H
Intermiſſionis febris pulſus in tertiana, qualis.2°.de diff.pulſ. 3ª.36.H
Intermiſſio percipitur in pituitoſa febre.2°. de diff.feb. 3ª.37.B
INTERMITTENTES morbi, qui. fin.med. Iſa.45.F
in Intermittentiũ febriũ cauſa ẽ difficilis inuentu.2°.de dif.fe. 3ª.40.E
in Intermittentibus febribus debent numerari dies efflictionis, nõ alij. in prognoſt.com.3°. 4ª.207.E
Intermittentium febrium cum continuis miſtio difficilior cognitu, 2°.de criſibus. 4ª.135.F
Intermittentium morborum tempora ſex.de morb.temp. 3ª.85.H
Intermittẽtes febres q̃, et vñ ſit humor q illas efficit.2°.đ dif.fe. 3ª.36.E
Intermittentium febrium triplex differentia tertiana, quartana, & quotidiana.2°.de diff.feb.36.E| in 1m.de morb.vul.com.3°. 3ª.118.D
Intermittens quartana exquiſita, quæ.2°.de diff.feb. 3ª.37.B
Intermittẽs exquiſita pituitoſa quo modo incipiat.2°.de dif.fe. 3ª.37.A
INTERMITTERE quid ſignificet.com.4°.aph.43°. Ex.32.E
Intermittere quid ſit.de morb.temp. 3ª.86.D
Intermittere dupliciter fit.in 1m.de mor.vul.com.3°. 3ª.118.D
Intermittens dolor notus eſt.2°.de loc.aff. 4ª.12.G
INTERDVM perpetuo opponit.de vic.ra.in mor.acu.c. 4°.7ª.134.H
INTEREVNT potius purulenti ex pulmonia maiores natu, q̃ minores.in progn.com.2°. 4ª.205.G
Interire genitũ quodcũq; nõ habet conſequutionẽ eã, q̃ ſciam efficit, nec neceſſariũ, ſed quæ vſq; ad id quod ꝓbabile eſt ꝓcedit.đ mar.3ª.45.F
INTERIMVNT gaudium, & timor.12°.met.me. 7ª.77.D
INTERIOR & anterior pars idem ſunt.de artic.com.3°. 7ª.271.H
ad Interiora ſimul tibiam flectens muſculus, & ſurſum ipſam altam quoquo modo attollens.de muſ.diſſect. 1ª.51.D
ad Interiora inuertens caput muſculi, & vnà ſurſum tollens muſculus de muſcul.diſſect. 1ª.51.E
in Interioribus membris vena quieta ſuppoſita eſt, pulſatilis ſuperpoſita.de anatomia viuorum. Sp.56.D
ex Interiore vena brachij đxteri sãguis đtrahẽdus ẽ.de p̃ſ.ex.Sp.78.E
Interior panniculus ſtomachi ex quibuſdam filis longitudinalibus, & quibuſdam tranſuerſis componitur.de ana.viuo. Sp.49.H
Interius cur ſit magis neruoſus ſtomachꝰ q̃ extarius.đ ana.vi. S.49.H
Interior veſicæ tunica quibus texatur.de ana.viu. Sp.51.D
Interior veſicæ tunica duplicata propter quid.de ana.viu. Sp.51.D
Interiorum viſcerum mulierum, & virorum compago & lineatio vna. de natura, & ordine cuiuslibet corporis. Sp.42.B
ſi Interiora vrantur, & exteriora frigeant continua cum ſiti, letale.cõmentario.4°.aph.48°.33.A| com.7°.aph.68°. Ex.60.F
ab Interioribus ad exteriora moueri vlcera bonum, è contrario malũ. com.6°.aph.25°. Ex.48.F
ad Interiora fiat reuulſio, vbi extrorsũ vergũt ſucci.de cuc.ſca. 6ª.4.G
Interiorũ ꝑtiũ defectus quibus fiat.de ijs, quæ in med.fi.cõ.2°. 7ª.213.D
Interioribus omnibus mel leniendo medetur.de ſimp.med. Sp.87.B
Interioribus partibus vt potio dat lauri lixiuiũ.de ſimp.med. Sp.85.H
ad Interiorũ mẽbrorũ đbilitatẽ valẽs medicamẽtũ.de me.ex.Sp.104.G
ad Interiorũ membrorũ debilitatẽ ex cã frigida.de med.exp. Sp.107.B
in Interiorũ mẽbrorũ cõfortatiõe q͂d ſit optimũ.de med.exp. Sp.105.F
Interiora membra confortans medicamẽtum. de med.exper. Sp.104.G
Interiorum membrorum oppilationes aperiunt drachmæ duæ cubebarum.de medicinis expert. Sp.106.E
ad Interiorum mẽbrorũ dolorẽ electarium.de med.exper. Sp.106.H
ad Interiorũ mẽbrorũ dolorẽ valens medicina.de med.exp. Sp.106.G
ad Interiores abſceſſus ſine dolore diſcutiendos emplaſtrum commodũ. 2°.de comp.me.per ge. 5ª.222.F
ad Interiora oĩa malagma Antipatri bonũ.7°.de cõ.me.ꝑ ge.5ª.266.G
Interiorũ medicamẽtorũ librũ fecit Aſclepiades.3°.đ cõ.m.ꝑ.5ª.234.H
INTERIORA tarde digeruntur.de diſſol.cont. Sp.73.D
Interiora tarde deſcendunt.de diff.cont. Sp.74.H

Interiora oĩum aĩaliũ ſunt multarũ ſuperfluitatum.de diff.cõt. Sp.73.E
Interiora generant bonum chymum,& craſſum.de diff.cont. Sp.74.A
Interiora nutriũt eũ q digerit ea nutrimẽto mlto craſſo.đ diſ.c. Sp.73.E
INTERITVS, & ortus an ſint.de hiſt.philo. Sp.5.D
Interitus neceſſitas ſecundum naturam.de marc. 3ª.45.G
in Interitus deflectũt cruda et ĩcõcocta.ĩ 1^{m}.de mor.vul.c.3°. 3ª.124.E
INTERNODIIS digitorũ exciſis,quid agendũ.14°.met.me. 7ª.92.B
INTERNAE cauſæ,quæ.introductio. Iſa.52.B
Interna vena quando ſecanda.4°.de ſan.tuen. 2ª.87.F
ad Internas partes tibiam trahens muſculus.de muſc.diſſ. 1ª.51.F
ab Internis partibus vnde ſumatur indicatio.4°.met.me. 7ª.28.G
ad Internos dolores Euclidis Palatiani theriaca.2°.de anti. 5ª.116.B
ad Internos dolores omnes quid conferat.2°.de anti. 5ª.120.D
ad Internas & malas omnes affectiones corporis valet antidotus Mithridatis.8°.de comp.med.ſec.loc. 5ª.193.B
ad Internas affectiones antidotus multum efficax.2°.de anti. 5ª.118.F
ad Internas affectiones pharmacum accommodatum aromaticum inſcritis.2°.de anti.110.G| 5ª.115.C|D
ad Internas affectiones citra tuſſim antidotus accommodata. 8°. de cõpoſitione medi.ſec.loc. 5ª.195.H
ad Internas affectiones per circuitum repetentes compoſitio accommodata.7°.de comp.med.ſec.loc. 5ª.182.G
Internos abſceſſus probe repurgans confectio.7°.de compoſitione medicamen.ſecun.locos. 5ª.182.F
ad Internos abſceſſus.7°.de comp.me.ſec.loc.182.H| 5ª.183.C
ad Internas affectiões bonũ quid.8°.de cõp.me.ſec.lo.190.D| 5ª.193.B
ad Internos affectus quæ conferant. 7°.de comp.med.ſecũ.loc.184.H| 185.A|B|D| 5ª.186.A
ad Internorum affectiones.9°.de comp.me.ſec.loc. 5ª.202.G
ad Interna omnia vitia.9°.de comp.me.ſec.loc. 5ª.203.E
de Internis affectionibus librum fecit Andromachus.7°. de comp.medi.ſe.lo.182.D|8°. 5ª.194.D
Internorum librum fecit Aſclepiades. 7°.de comp.med.ſec.loc.186.D| 8°.189.C|9°. 5ª.197.H
INTERPOLLATARVM & continuarum febrium differentiæ. 2°.de criſibus. 4ª.135.E
in Interpollatis non conſideramus numerum dierum, ſed circuitum. commentario.4°.aphoriſmo.59°. Ex.33.H
Interpollatus.vide Intermittens.
INTERPRETES debent demonſtrare quæ dicunt.in 3^{m}. de morbis vulg.commentario.1°. 3ª.130.A
Interpretum,& expoſitorum bonorum opus.3°.de diff.reſp. 3ª.69.G
Interp̃s dẽt adÿcere verba gr̃a pſpicuitatis.2°.de ar.cur.ad Gl.7ª.112.C
Interpretis praui enarratio.in 3^{m}.de mor.vul.com.1°. 3ª.128.E
Interpres & expoſitor damnandus, qui nec vera dicit, nec cõſentanea cum auctore.in 3^{m}.de mor.vul.com.1°. 3ª.129.D
Interp̃tes ſexti epidemiorũ qd cõmiſerit.ĩ 6^{m}.de mor.vul.c.1°. 3ª.152.C
Interpretes corrupere ſextum epidemiorum librum.in 6^{m}.de morb.vulgaribus,com.1°. 3ª.152.C
INTERPRETARI quid ꝑprie ſit.in 1^{m}.de mor.vul.com.2°. 3ª.113.C
INTERPRETATIO vnum ex principÿs medicinæ.intro. Iſa.50.H
ob Interpretationis malum modum datur ſophiſtis modus inueniendi ſolutiones.com.7°.aph.64°. Ex.60.C
Interpretatio.lege Expoſitio.
de INTERROGATIONIBVS quibus medici ægrum interrogant, meminit Hippocrates.in 6^{m}.de morb.vulg.com.1°. 3ª.168.F
INTERSEPTVM quod.intro. Iſa.53.A
ad Interſeptum remedia.de med.fac.par. 7ª.167.H
INTERSTITIVM primum in febribus quid ſit.2°.de criſ. 4ª.137.B
INTERTRIGINIBVS & alÿs vlceribus ſi illinat̃ balauſtium, celerrime illa cicatricem contrahunt.6°.de ſimp.med.fac. 5ª.44.F
Intertrigines belliſſime ſanat piceæ cortex.8°.de ſimp.med.fac. 5ª.58.F
ad Intertrigines femorum vtilis medela eſt lithargyrus. 9°. de ſimp. medicam.fac. 5ª.70.A
Intertriginibus emplaſtrum conferens.1°.de comp.me.ſe.lo. 5ª.130.F|G
ad Intertrigines valet lycium.7°.de ſimp.me.fa. 5ª.54.G
ad Intertrigines remedium accõmodatum.5°.de cõp.me.ſe.lo.5ª.162.B
Intertrigines curatu difficiles.de fract.com.3°. 7ª.245.D
Intertrigines in feminibus exiſtentes curat coriorum veterum cinis.11°. de ſimp.me.fac. 5ª.80.F
Intertrigines à calciamentis ſanat pulmo agninus, & porcinus.11°.de ſimp.me.fac. 5ª.79.H
ad Intertrigines.de med.fac.par. 7ª.177.G
ad Intertrimenta pedum,& manuum.de med.fac.par. 7ª.176.B
ad Intertrimẽta pedum compoſitio optima.de med.fac.par. 7ª.178.A
INTERVALLVM quid ſit.de morb.temp. 3ª.86.D
Interualla ſunt quatuor in febribus.in 6^{m}.de mor.vulg.cõ.1°. 3ª.164.C
Interuallum optimum in febribus quod.de morb.temp. 3ª.85.H
Interuallum in pulſu quid.de pulſ.ad tiro. 4ª.43.E
Interuallum in pulſu quid ſit.1°.de diff.pulſ. 4ª.48.D
Interuallum breue quid ſignificet.1°.de cauſ.pulſ. 4ª.87.F
Interuallum longum quid ſignificet.1°.de cauſ.pulſ. 4ª.87.F
Interualla quæ ſunt inter inciſiones in ſcarificatione ſint inter ſeſe æqualia.de cucur.ſcar. 6ª.3.G
Interuallum rhombale quid.de art.com.2°. 7ª.266.D
INTESTINALIS tunica quæ in fœtu.15°.de vſu par. 1ª.211.G
Inteſtinalis membranæ ortus.1°.de ſemi. 1ª.331.B
Inteſtinalis membrana ex fœminino ſemine orta.2°.de ſem. 1ª.338.C
Inteſtinalis tunica ex ſolo fœminino ſemine.2°.de ſem. 1ª.338.F
Inteſtinalis membrana vbi coniuncta.2°.de ſem. 1ª.335.H
Inteſtinalis membrana ad quid facta.15°.de vſu par. 1ª.211.G
Inteſtinalis membrana è quo facta,et cur talis figuræ.1°.đ ſem.1ª.331.H
Inteſtinalis tunica quæ.15°.de vſu par. 1ª.211.G
in Inteſtinali dolore deceptus Galenus,qui putauit eſſe dolorem renalem.2°.de loc.aff. 4ª.9.D
INTESTINVM ſimpliciter prolatum quid ſignificet. in 6^{m}. de morbis vulga.com.4°. 3ª.179.G
Inteſtinum tenue ſm aliquos non prius dicitur inteſtinum q̃ in orbes anfractusq; conuoluatur.6°.de anat.adm. 1ª.93.B
Inteſtinorum ſubſtantiã ſignificat ẽt ventris nomen.1°.de ali.fa. 2ª.8.D
Inteſtinum rectum quomodo gignatur.de fœt.for. 1ª.322.H
Inteſtina videntur diſtingui à viſceribus.1°.de diff.feb. 3ª.34.G
Inteſtina quomodo generantur.de fœt.for. 1ª.322.H
Inteſtina vnde procreantur.de fœt.for. 1ª.323.D
de INTESTINORVM anatomia. de ana.viu. Sp.50.A
Inteſtinorum anatomia quando ſpectanda.1°.de ana.adm. 1ª.64.B
Inteſtinorum ſectio quomodo facienda. 6°.de ana.adm. 2ª.92.A
Inteſtina dicuntur eſſe in profundo corporis.cõ.3°.aph.22°. Ex.24.G
Inteſtina vt ſunt in medio iuuantur exercitatione ſuperiorum & inferiorum.5°.de ſan.tuen. 2ª.90.B
Inteſtina omnia lactibus alligãtur.in 6^{m}.de mor.vul.com.4°. 3ª.179.G
Inteſtinum elephanto eſt latiſſimum.6°.de ana.adm. 1ª.92.F
Inteſtinum ſuis eſt in multos conuolutum orbes, & longiſſimum. 6°.de anato.admin. 1ª.92.F
Inteſtinorum inuolucra quamplurima in plurimis animalibus fuere.4°. de vſu partium. 1ª.140.F
ad Inteſtina oĩa cur omentum extenſum eſt.4°.de vſu par. 1ª.137.E
ĩter Inteſtinorum tunicas & peritonæum plurimum aquæ colligitur in ipſis hydropibus.1°.de nat.fac. 1ª.293.D
Inteſtina ſemper ſunt applicita ÿs,quæ continent.de nat.fac. 1ª.303.E
Inteſtina poſſunt videri extra animal.4°.de ana.adm. 1ª.81.H
Inteſtina omnia in diſſectione ab animali demantur relicto meſenterio. 6°.de anat.adm. 1ª.91.H
Inteſtinis exemptis quæ ſint conſideranda.6°.de ana.adm. 1ª.92.B
Inteſtini cuiuſq; anfractus pars magis gibba acutiore ſcalpello mediocriter eſt incidenda,& quare.6°.de ana.adm. 1ª.92.A
Inteſtina cur prima die ſecaret Galenus.5°.de ana.adm. 1ª.87.A
Inteſtinorum natura,quæ.6°.de anat.adm. 1ª.92.F
Inteſtina cõpoſita ex arteria,vena,& neruo.6°.de ana.adm. 1ª.92.A
Inteſtinis omnibus ineſt neruorum genus molle.16°.de vſu par.1ª.215.D
Inteſtinis diſtribuuntur nerui à cerebro.16°.de vſu par. 1ª.215.E
Inteſtinis ſuggeruntur nerui à ſpinali medulla,& à cerebro. 16°. de vſu partium. 1ª.215.E
Inteſtina duriori ſubſtantia conſtant q̃ caro.de bon.& vit.ſuc. 2ª.37.B
Inteſtina neruoſa ſunt,alia ad excipiendum excrementum,ad excernendum alia nata.fin.med. Iſa.44.A
Inteſtina tenuia nõ parũ ꝑticipãt carnoſæ ſubæ.c.6°.aph.18°. Ex.48.A
Inteſtina quam habent carnem.2°.de temp. 1ª.18.A
Inteſtinorũ ſubſtãtia nõ multũ à vẽtriculo diuerſa. de vſu par. 1ª.140.F
Inteſtina quam habent caliditatem.2°.de temp. 1ª.18.A
Inteſtinorum duæ tunicæ.6°.de anat.ad.1ª.93.C|12°.met.me. 7ª.79.D| de anato.viuorum. Sp.56.A
Inteſtinis cur tunicæ binæ datæ.4°.de vſu partium. 1ª.141.B|5°.146.B| 14°. 1ª.209.E

Inteſtinorum tunicæ quomodo habent villos.5°.de vſu par. 1ª.145.H
Inteſtinorum duæ tunicæ habent villos tranſuerſos, quia eorum officium eſt ſolum propellere.4°.de vſu par. 1ª.137.A
Inteſtina habent ſuillos tranſuerſos ſolum & rotundos, quia indigent ſolum expulſione.4°.de vſu par. 1ª.141.B
Inteſtina habent magis de villis latitudinalibus.de ana.viu. Sp.56.A
in Inteſtinis aliquibus cur villi recti.4°.de vſu par. 1ª.141.C
Inteſtina ex quibus conſtent fibris.3°. de nat.fac. 1ª.305.F
Inteſtina quas habent fibras.2°.de temp. 1ª.18.A
in Inteſtinis diuerſum eſt fibrarum genus.2°.dc ſemine. 1ª.332.C
Inteſtinis inſunt plereq; fibræ circulares. 6°.dc ana.adm. 1ª.92.D
Inteſtinis ſingulis ſunt fibræ circulares.3°.de nat.fac. 1ª.304.G
Inteſtina cur ſimplices fibras habent.5°.de vſu par. 1ª.146..A
Inteſtinorum principium ſtomachus.intro. Iſa.57.C
Inteſtinũ ĩhærẽs fundo vẽtriculi nõ ẽ pars vẽtriculi.4°.đ vſ.p.1ª.137.A
Inteſtinis & ventriculo quæ communia.6°.de loc.aff. 4ª.36.D
Inteſtinorum principium.6°.de ana.adm. 1ª.92.F
in Inteſtinorum omni reuolutione eſt vnus neruus, vna vena, vna arteria.5°.de vſu par. 1ª.145.E
Inteſtinis oĩb⁹ arteria diſtribuit̃, & à q̃bus locis.16°.de vſu p.1ª.219.A
in Inteſtinorum omnes flexus à quibus locis neceſſe fuerit arteriam venam & neruum diſpertiri.16°.de vſu par. 1ª.219.A
Inteſtina cur plura ſint & inuoluta.de ana.viu. Sp.50.A
Inteſtinorũ circunuolutiones ꝑ quid tot.4°.de vſu par. 1ª.140.G
in Inteſtinis facta sũt ĩuolucra q̃ retardẽt excremẽta.4°.đ vſ.p.1ª.139 B
in Inteſtino, & colo excrementi portio ſeruatur.1°.de criſi. 4ª.129.C
Inteſtinorum inuolucrum vtilitas.de vſu pulſ. 1ª.228.A
Inteſtinorum inuolucrum alia cauſa.4°.de vſu par. 1ª.140.H
in Inteſtinorũ ẽt trãſitu coquitur alimentum.4°.de vſu par. 1ª.140.E
Inteſtina deſcruiunt nutritrioni.4°.de præſag.ex pulſ. 4ª.119.F
Inteſtinorum anfractus cã digeſtionis in inteſtinis.de fœt.for. 1ª.324.H
Inteſtina non concoquunt.5°.de vſu par. 1ª.146.B
Inteſtinorum meatus manifeſti.de diff.morb. 3ª.4.C
in Inteſtinis quot cauitates.8°.de comp.me.ſec.loc. 5ª.193.H
Inteſtinũ vnũ aĩalia hñtia ſꝑ cibo adhærẽt vt arbores.4°.đ v.p.1ª.141.A
Inteſtina neceſſaria omni animanti.6°.de ana.adm. 1ª.90.B
Inteſtina ſunt inſtrumenta naturæ.2°.de mo.muſ. 1ª.316.A
Inteſtina propter quid conſtructa.5°.de vſu par. 1ª.140.F
Inteſtinorum ordo poſt ventriculum.5°.de vſu par.1ª.142.E/ 6°. de loc. aff.4ª.36.H/7°.met.me. 7ª.49.D
Inteſtina ſex numero ſunt, duodenum ſiue portenarium, ieiunum, inuolutum ſiue ileon, cæcum ſiue orbum aut monoculum, colon, extale, vel extenſum, ſiue longaon.de ana.viu. Sp.50.B
Inteſtinum primum omnium quod ventriculo coniunctum eſt, & cur vacuum.5°.de vſu par. 1ª.142.E
Inteſtinũ primũ vẽtriculo cõiunctum, qđ, & vbi.5°.de vſu par.1ª.142.E
Inteſtinum ſecundum, quale.5°.de vſu par. 1ª.142.E
Inteſtinum tenue tertium in ordine.5°.de vſu par. 1ª.142.E
Inteſtinum cæcum quartum in ordine.5°.de vſu par. 1ª.142..E
Inteſtinum colon quintum in ordine.5°.de vſu par. 1ª.142.E
Inteſtinum rectum ſextum in ordine.5°.de vſu par. 1ª.142.E
Inteſtinum ieiunum ob nullam ſui vtilitatem eſt vacuum, ſed ea cõſequitur, quæ alicuius gratia.5°.de vſu par. 1ª.142.F
Inteſtinum ieiunum cur habeat tot inuolucra.intro. Iſa.54.D
Inteſtina ſuperiora tria gracilia.de ana.viu. Sp.50.B
Inteſtina tenuia ſuperiora mouentur ad motum reſpiratoriorum organorum.1°.de diff.reſp. 3ª.59.H
Inteſtina tenuia habent naturam ſtomachi.cõ.6°.aph.18°. Ex.48..A
Inteſtinum tenue, quale.6°.dc ana.adm. 1ª.92.F
Inteſtiorũ tenuiũ tunicę rara tenuiq; eẽntia cõſtãt.6°.de loc.af.4ª.36.H
Inteſtina tenuia ad quid conſtituta.4°.de vſu par. 1ª.141.C
Inteſtini tenuioris officium.introd. Iſa.54.B
Inteſtina tenuia vaſa nutrimenti.intro. Iſa.54.B
Inteſtina inferiora tria cur craſſa de ana.viu. Sp.50.B
Inteſtina craſſa ad quid effecta.4°.de vſu par. 1ª.141.D
Inteſtina craſſa nutrimẽti organa apud medicos.5°.de vſu par.1ª.146.D
Inteſtinorum craſſorum ordo, qui.4°.de vſu par. 1ª.141.D
Inteſtinum cæcum principium craſſi inteſtini.4°.de vſu par. 1ª.141.D
Inteſtinum craſſum dicitur manica, & quæ ſit eius vtilitas. de compag.memb.ſiue de nat.hum. Sp.59.A
Inteſtinum craſſum & veſica colligũt excremẽta.4°.de vſu p. 1ª.141.D.
Inteſtini craſſi & tenuis partes mediæ inter abdomen & ſeptum.3°. de ſanitate tuenda. 2ª.77.B
Inteſtinũ duodenũ vnde dictũ ſit.de cõpag.mẽb.ſiue de na.hu.Sp.59.A
Inteſtinũ monomacũ vnde ſit dictũ.de cõpa.mẽb.ſiue đ na.hu.Sp.59.A
Inteſtinum cæcum poſt inteſtinum tenuius.6°.de ana.viu. 1ª.92.F
Inteſtinum cæcum vnũ in pedeſtribus, & vbi ſitũ.4°.de vſu p. 1ª.141.E
Inteſtinum cæcum duplex aliquibus auibus propter actionis robur.4°. de vſu partium. 1ª.141.D
Inteſtinum cęcum ad infernas partes extenditur.6°.de loc.aff.4ª.36.H
Inteſtinum cæcum propter quid effectum.4°.de vſu par. 1ª.141.D
Inteſtinum monomacũ coquit.de cõpag.mẽb.ſiue de nat.hu. Sp.59..A
Inteſtinum rectum cyſaron dicitur.an animal ſit. 1ª.328.C
Inteſtinum rectum, cur dicatur.1°.de ſan.tu. 2ª.67.F
Inteſtinum rectum quod.de diff.vul. 1ª.108.C
Inteſtini recti ſitus, qui.14°.de vſu par. 1ª.209.A
Inteſtinum rectum cui innitatur.de diff.vul. 1ª.108.B
Inteſtinum rectũ cur poſt veſicã conſtitutum.14°.de vſu par. 1ª.209.E
Inteſtinũ rectũ ĩ extremo ad ſedẽ vſq; porrectũ ẽ.6°.de ana.ad. 1ª.92.F
Inteſtino recto cognata eſt matrix.com.7°.aph.27°. Ex.55.H
Inteſtinum rectum cur habeat villos rectos.4°.de vſu par. 1ª.141.C
in Inteſtino recto qui muſculi ſunt.1°.de ſan.tu. 2ª.67.F
Inteſtini recti os habet muſculos in orbem.4°.de vſu par. 1ª.141.E
Inteſtinum rectum recipit excrementum graue.6°.de ana.adm.1ª.90.C
ꝑ Inteſtinum rectũ concaua iecinoris expurgantur.11°.me.me. 7ª.73.F
Inteſtino recto quid accidat in hæmorrhoidibus.de diff.vul. 1ª.109.G
Inteſtino cæco proportionatur colon.4°.de vſu par. 1ª.141.D
Inteſtinum craſſius colon dicitur.6°.de ſan.tu. 2ª.98.F
Inteſtino lõgo laxo q̃uo renes iungãtur.in 1m.de mor.vul.cõ.1°. 3ª.155.D
Inteſtinum craſſius affligit fluxio corrupta.6°.de ſan.tu. 2ª.98.F
Inteſtini ieiuni officium, quale ſit.de cõpag.mẽb.ſiue đ nat.hu.Sp.59..A
Inteſtinum præſertim ieiunum eſt lubricum.com.6°.aph.1°. Ex.46.C
Inteſtina irrigantur à glandulis.2°.de ſem. 1ª.340.C
Inteſtinis q̃d cõe ct muſcul', et vẽtri, vuluæ, et veſicę.7°.đ an.ad.1ª.95.G
Inteſtinis proprium.7°.de ana.adm. 1ª.95.B
in Inteſtino tenui fiat ſtercus. 3°. de nat. fac. 1ª.306..A
in Inteſtinis tenuibus fit ſtercus.3°.de nat.fac. 1ª.304.C
INTESTINORVM officium non pendet ab electione, neque eſt à voluntate, & quale ſit.6°. de loc. aff. 1ª.38.E
Inteſtinorũ et ſtomachi virt⁹, naturalis ẽ.de mot. man.et obſc. Sp.69.C
Inteſtinũ rectũ naturali vtit̃ facultate, muſculus aũt qui extremã illius partem ambit, ea q̃ aĩalis, & voluntaria dicit̃.6°.de loc.af. 4ª.38.F
Inteſtina mouent̃ motu naturali non volũtario.10°.de vſu par. 1ª.180.G
Inteſtina cur debẽt ſentire dolores & mordicatiões.5°.de vſu p.1ª.145.E
Inteſtinorũ propriũ corpus ẽ ſenſibile elementũ.1°.de nat.fac. 1ª.291.G
Inteſtinorũ ſenſus eſt obtuſus.in 6m.de mor.vul.com.5°. 3ª.193.F
Inteſtina ſentiũt ſolũ, & nõ hñt motũ voluntariũ.16°.de vſu p. 1ª.214.H
Inteſtina non indigent facultate attractrice.4°.de vſu par. 1ª.137.B
Inteſtina non trahunt à ventriculo.6°.de loc.aff. 4ª.37.G
Inteſtina non trahunt, ſed contrahuntur.3°.de nat.fac. 1ª.304.G
Inteſtina excernunt exprimendo, vt manus exprimit aliquid.2°.de ſymptoma.cau. 3ª.21.E
Inteſtina habent vim expultricem.1°.de criſ. 4ª.129.C
Inteſtina & veſica ita actiones naturales lædere poſſunt, vt muſculi affecti actiones à voluntate.1°.de loc.aff. 4ª.8.A
Inteſtina habent comprehenſionem.3°.de ſymp.cau. 3ª.25.G
Inteſtina habent virtutem conſtrictoriam & virtutem contentricem, [beneq; hoc conſidera.] in 6m.de morb.vul.com.5°. 3ª.193.F
in Inteſtinis eẽ vim retẽtricẽ colligit̃ ex dictis Ga.6°.de lo.af.4ª.37..A
Inteſtina habent vim circunſtringentem, & exprimentem.de vic. ra.in mor.acut.com.3°. 7ª.130.C
ab Inteſtinis q̃uo exprimuntur excrementa.4°.de vſu par. 1ª.137.G
Inteſtina protrudunt cibos extra.3°.de ſymp.cau. 3ª.27.C
ꝑ Inteſtina exeunt cibus, & potus.6°.de loc.affe. 4ª.37.G
Inteſtina eijciunt acrem humorẽ irritantem.5°.de vſu par. 1ª.145.F
Inteſtina et ſi expellãt, nihil tñ elabitur clauſo ano.5°.de vſu p.1ª.146.F
Inteſtina alterius auxilio nõ ĩdigẽt ꝑ ſua functiõe.de fœt.for. 1ª.324.G
ad Inteſtinum, quod græci ἐκφυσιο vocant, ex hepate bilis in quibus deferatur.de vict.rat.in mor.acu.com.2°. 7ª.120.G
in Inteſtinũ q̃uo ingrediatur meatus veſicæ bilis.5°.de vſu p. 1ª.146.C
in Inteſtina bilis ex iecore cur regurgitat ĩ vẽtriculũ.1°.đ ali.f. 2ª.7.G
in Inteſtini mediocris primam partem mittitur fel.1°.de ſa.tu. 2ª.67.F
ad Inteſtina aliquid peruenit ex cutę.3°.de nat.fac. 1ª.306.F
ad Inteſtina ſingula cur multæ venæ.4°.de vſu par. 1ª.137.B

in Inteſtina,

in Inteſtiã, venarũ oĩs diſtributio fit ſil'cũ arterijs.16°.ď vſ.pa.1ª.220.H
ad Inteſtina et lactes, venæ et arteriȩ, q̃.ĩ 6m.ď mor.vul.c.4°.3ª.180.E
in Inteſtino tenui venæ, & arteriæ ſe cõtingũt.9°.de vſu par. 1ª.172.H
Inteſtina habent nutrimentum craſſum graue.3°.de nat.fac. 1ª.307.F
in Inteſtinis nutrimentum plurimum in venas rapitur, parum in arterias, & quo tempore.3°.de nat.fac. 1ª.307.B
Inteſtina ſibi mutuo diſpartiũt vſq; ad poſtrema ſuccum, quem ſibi mittit ventriculus.1°.de vſu par. 1ª.213.C
ad Inteſtina ꝑtingẽtes venæ multũ cibi ſumũt.4°.de vſu par. 1ª.141.A
ad Inteſtina vẽtriculus naturaliter mittit ſupfluũ.15°.ď vſu p. 1ª.213.C
in Inteſtina reliquiæ ex ventriculo deſcendunt.2°.de ſem. 1ª.340.C
ad Inteſtina pertingentia orificia arteriarum parum cibi ſumunt.4°.de vſu partium. 1ª.141.A
ab Inteſtinis cur arteriæ non trahunt.3°.de nat.fac. 1ª.307.F
Inteſtina venæ nutrientes in meſenterio, quæ non trahunt ad hepar.4°. de vſu partium. 1ª.141.F
Inteſtina & ptes ꝓpinq̃ nutriunt̃ à venis ĩ epiploo.4°.de vſu p. 1ª.141.F
Inteſtina nutriuntur in ipſa concoctione, & etiam trahũt ab hepate. 4°. de vſu partium. 1ª.141.F
in Inteſtinorum ſenſibiles amplitudines fit relaxatio oſculorum venarum, ſæpe ſine transfuſione.de mult. 3ª.78.G
ab Inteſtinis trahit hepar ſuccum.de vtil.reſp. Sp.64.D
ab Inteſtinis trahit iecur ꝑ meſaicas vẽas alimoniã.6°.ď de.1ª.266.A
Inteſtinorum venæ habent vim mutandi ſuccum in ſanguinem, anteq̃ veniat ad hepar.4°.de vſu par. 1ª.138.F
Inteſtinorũ venæ ferunt vtile ad nutriẽdũ iecur.4°.de vſu par. 1ª.135.H
ad Inteſtina, & ſtomachum meſeraicas ab hepate euntes recipiunt glãdulæ quædam.de anat.viu. Sp.44.D
Inteſtina minus valentia q̃ iecur.3°.de nat.fac. 1ª.306.C
Inteſtinorum vniuerſorum cã iecur imbecillitatur.5°.de loc.aff. 4ª.33.F
Inteſtini ieiuni cauſa maxime iecur imbecillitatur.5°.de loc.aff.4ª.33.F
ꝑ Inteſtina præcordijs affectis malagma conueniens à Damocrate conſcriptum.8°.de comp. med.ſec.loc. 5ª.196.D
Inteſtina ſunt loca conferentia euacuationi.com.1°.aph.21°. Ex.10.A
Inteſtina deiectione euacuantur.7°.met.me. 7ª.49.D
Inteſtina euacuãt excernẽdo cãm q̃ moleſtat.de nat.hu.cõ.2°. 7ª.182.H
de Inteſtinis, & ſtomacho qñ ſupfluitas cibi eſt difficilis deſcẽſus, ĩdigemus his q̃ deſcẽdere faciũt, & ventrẽ mollificẽt de diſſ.cõt. Sp.71.F
in Inteſtinis excrementa collecta quid faciant.3°.de ſymp.cau.3ª.28.E
INTESTINORVM morbi ſicci qui vocentur. 2°. de arte curatiua ad Glauconem. 7ª.112.F
Inteſtinorum ſunt morbi ſicci, dum aut nihil excernitur, aut durum.de ptiſſa. 2ª.48.A
Inteſtinorum excrementa non excludentur, ſi abdominis muſculi ocientur.3°.de ſan.tu. 2ª.77.B
in Inteſtinis quid faciant grumi.6°.de loc.aff. 4ª.38.H
Inteſtinorũ vitiũ ſequẽs excremẽti morã cur accidat.1°.ď ſa.t. 2ª.68.A
Inteſtina omnia cur vacua non fiunt à bile.de ana.viu. Sp.50.C
ꝑ Inteſtina aquam ire, malum.de bon.aquæ. Sp.76.A
Inteſtina ꝑ quas partes expurgant̃.2°.de arte cur.ad Glau. 7ª.102.H
Inteſtina per rectum inteſtinum expurgantur.11°.met.me. 7ª.73.F
ꝑ Inteſtina thorax purgatur quandoq;.6°.de loc.aff. 4ª.39.C
ꝑ Inteſtina purgantur lien, & iecoris caua.13°.met.me. 7ª.84.H
Inteſtina tenuia purgantia, quæ.de cathart. Sp.95.C
Inteſtina q̃bus cãis prõpte deijciãt.de vic.ra.in mor.acu.c.2°.7ª.120.E
in Inteſtinis humores praui fœno græco ſubducunt̃.1°.de ali.fa.2ª.14.E
in Inteſtinis lumbrici gignuntur.1°.de loc.aff. 4ª.6.C
ex Inteſtĩs maioribus ſcybala, et lũbrici lati educunt̃.de cath. Sp.94.G
ex Inteſtino extremo educuntur aſcarides.de cathar. Sp.94.G
Inteſtina mouent̃ ab acribus ſuppoſitorijs, & clyſterijs.de dy. Sp.20.F
in Inteſtinis quæ ſunt, magis ſubducũt dulcia, ſed minus ſunt grata ſtomacho.7°.de ſimp.me.fac.. 5ª.50.H
Inteſtina mundificant cibi ſalſi.de diſſ.cont. Sp.72.F
ex Inteſtino ieiuno an poſſibile ſit aliquid per nauſeam deferri.7°.de cõpoſi.med.ſec.loc. 5ª.184.B
Inteſtinorum ſonitus vnde.3°.de ſymp.cau. 3ª.27.F
Inteſtinorum tenuium ſonitus ob flatus.3°.de ſymp.cau. 3ª.27.F
ꝑ Inteſtinum vacuum, & prorſus anguſtum ſpiritus delatus, acutum & tenue ſonat.3°.de ſymp.cau. 3ª.27.F
Inteſtina laborant ob flatus.8°.de decr.Hipp. 1ª.274.E
in Inteſtinis latis flatus bombos faciunt.3°.de ſymp.cau. 3ª.27.G
Inteſtina non patiuntur ex compreſſione qñ veſica eſt plena, neq; quãdo vterus mulieris prægnantis ſit plenus.com.6°.aph.44°. Ex.51.D
Inteſtina tenuia poſſunt premi à tumore vteri mulieris prægnantis. cõ. 6°.apho.44°. Ex.51.D
Inteſtinũ rectũ ſolũ põt p̃mi à tumore veſicæ.c.6°.apho.44°. Ex.51.D
INTESTINORVM intemperies vñ accipiatur.1°.de ſan.tu.2ª.68.A
Inteſtinum laxius patitur frigidas diſpões, cõ.2°.aph.40°. Ex.18.A
Inteſtinis frigidum mordax.4°.de ſimp.me.fac. 5ª.24.C
ad Inteſtinorum infrigidationes omnes, idoneas vires habet anethum. de ſimp.med. Sp.81.B
Inteſtio ſi ſola adſit obſtructio, vna tm̃ erit ȩgritudo.de diſ.mor. 3ª.4.D
in INTESTINIS ĩflãmatio duas facit ægritudies.de diſ.mor.3ª.4.D
in Inteſtinorũ phlegmone nõ eẽ purgãdũ ꝑ aluũ.13°.meth.me. 7ª.83.A
ex Inteſtinorum phlegmone exit aliquid.13°.met.me. 7ª.84.H
Inteſtinorum inflammatio eſt ileos.in 3m.de mor.vul.com.2°. 3ª.139.A
in Inteſtinis tenuibus fit ileum.com.6°.aph.44°. Ex.51.D
Inteſtinum aliquod gracile inflammatum difficilem inducit ſpirationem 2°.de diff.reſp. 3ª.65.H
ad Inteſtini recti tumores phlegmonodes quid bonum. 1°. de compoſiti. med.per genera. 5ª.211.E
ĩ Inteſtinis, et vẽtre ſanguis facit ĩflationẽ.3°.de cõp.me.ſe.l. 5ª.149.A
circa Inteſtinum aliquod ſanguis non indiget calidis tenuium partium. 7°.de comp.me.ſec.loc. 5ª.183.F
Inteſtinum ieiunum quinto loco cauſum facit. de vict. rat.in mor.acut. commentario.4°. 7ª.134.E
Inteſtinorũ inflãmationibus cõpetit maſtiche.7°.de cõp.me.fac.5ª.55.C
in Inteſtinis adeſt palpitatio.2°.de ſymp.cau. 3ª.20.F
Inteſtinorũ motus p̃ter naturã, ſymptoma eſt.2°.de ſymp.cau. 3ª.20.F
in Inteſtinis affectus ſimilis diabete.6°.de loc.aff. 4ª.38.B
Inteſtinũ inflatũ q̃uo mitigãdũ, ex aqua cal'a ĩ ſpõgia.6°.me.m. 7ª.39.D
INTESTINI plenioris, & iecinoris dolores non neceſſario ſequuntur male concoquentem.3°.de ſymp.cauſ. 3ª.30.C
Inteſtinorum dolor quomodo fiat.1°.de loc.aff. 4ª.4.F
Inteſtinorum dolores bilis.de dynam. Sp.19.D
Inteſtinorum tenuium dolores mitiores.2°.de loc.aff. 4ª.9.G
Inteſtinorum gracilium dolor intenſius cur fiat.6°.de loc.aff. 4ª.36.H
Inteſtinorum tenuium dolores à quibus ꝓueniãt.6°.de loc.aff. 4ª.36.H
Inteſtina ſublimiora hñt vehemẽtiſſimos dolores.6°.de loc.af.4ª.37.A
Inteſtini craſſi dolor, qui.2°.de loc.affe. 4ª.9.E
inter Inteſtinorum tunicas ex contento humore frigido dolor fit.12°. methodi medendi. 7ª.79.D
in Inteſtinorum tunicis impacti ſucci mordentes faciebant dolorem in ſene quadragenario.12°.met.me. 7.78.G
in Inteſtinis noxam ex ſcammonia habentis quadragenarij caſus.12°. methodi medendi. 7ª.78.H
in Inteſtinorum tunicis humores immerſos habentibus conuenit hiera picra.12°.met.me. 7ª.78.G
ad Inteſtinos omnes dolores remedium.de med.fac.par. 7ª.168.A
Inteſtinorum tenuium dolores, à Philonio ſanantur.2°.de arte curatiua ad Glauconem. 7ª.104.H
ad Inteſtinorum, & coli dolores ius album cõferre ex Galeno elicitur. 12°.methodi medendi. 7ª.78.H
in Inteſtinis ſi craſſi humores colicam generant medicamentum iuuãt. de med.exper. Sp.106.G
Inteſtinorum dolores ſedat theriaca, de vſu ther.ad Piſo. 5ª.98.F
ex Inteſtini laxi dolore, animi defectus quo modo curandus.1°. de arte cur.ad Glauconem. 7ª.99.G
Inteſtinorum tormina incidebant qui malos ſuccos ob annonam ederãt. de bon.& vitio ſuccorum. 2ª.33.G
Inteſtinorum torminibus laborãtes cœliacos iuuat antidotus zopyria. 2°.de antidotis. 5ª.115.B
ad Inteſtinorum tormina valet theriaca.de theria.ad Piſo. 5ª.91.F
ad Inteſtinorum tormina quid conferat.de med.fac.par. 7ª.167.E
INTESTINORVM difficultates cur fiant mulieribus & viris humidis, qñ hyems fit aqlonia, & ver auſtrinũ.cõ.3°.apho.11°. Ex.21.C
Inteſtiorũ difficultate hoĩes vere et ȩſtate laborãt.8°.ď dec. 1ª.276.B/E
Inteſtinorum difficultates vnde fiant, & quo.cõ.3°.aph.16°. Ex.23.D
Inteſtinorum difficultas quomodo fiat.com.6°.aph.3°. Ex.46.F
Inteſtina in inteſtinorum difficultate quam diſpoſitionem habeant.commen.7°.aph.27°. Ex.55.H
Inteſtinorum difficultates fiunt à pituita à capite ad ventrem defluente. com.3°.aph.12°. Ex.21.F
ad Inteſtinorum inuolucra quo modo tendit materia, quæ à capite de-

ſcendit.commen.7°.apho.30°. Ex.56.B
Inteſtina à qua pituita mordentur ita, vt prouocentur ad deiectionem. com.6°.aph.33°. Ex.50.B
Inteſtinorum difficultates fiunt potiſſimum à ſalſa pituita. comment. 3°. aphoriſmo.12°. Ex.21.G
Inteſtinorum difficultas à ſincera deiectione.cō.7°.aph.71°. Ex.60.G
Inteſtinorū difficultas à deiectiōe ſincera,malū.c.7°.aph.23°. Ex.56.E
Inteſtina exulcerantur,abraduntur,eroduntur,& computreſcūt à trā-ſitu ſinceræ bilis,ſiue flauæ,ſiue atræ.5°.de vſu par. 1ª.145.E
Inteſtinis aduerſiſſima eſt vtraq; bilis.5°.de vſu par. 1ª.146.E
Inteſtinorum difficultas ab alui profluuio.com.7°.aph.71°. Ex.60.G
Inteſtina vlcerantur ob colocynthim.de dyna. Sp.21.D
Inteſtina à quibus humoribus & qūo exedātur.cō.7°.aph.23°.Ex.55.E
Inteſtina vlcerat humor mordax,et eo remoto non remouetur affectus. 1°.de locis affectis. 4ª.4.C
ad Inteſtini recti mordicationes valet adeps caprinus. 11°. de ſimpliciū medicamentorum facultatibus. 5ª.78.H
ad Inteſtinum fluens ſanguis malū,licet minus quàm ſit per ſuperius. com.4°.aph.25°. Ex.3.A
in Inteſtinis conſiſtentes fluxiones deſiccat ſpicanardi.8°. de ſimpliciū medicamentorum facultatibus. 5ª.56.G
ad Inteſtiorū rheumatiſmū malagma bonū.7°.de cōp.me.p g. 5ª.266.E
Inteſtina quomodo paulatim abradantur.com.7°.aph.7°. Ex.60.G
Inteſtina quomodo per ordinem vlcerentur.com.7°.aph.71°. Ex.60.G
Inteſtinorum difficultates primo corpora pinguia excerni faciunt. com. 4°.aphoriſmo.26°. Ex.30.C
in Inteſtinorum difficultatibus ſecundo loco ramenta quædam inteſtinorum excernuntur,ablata ipſorum ſuperficie interiore,quæ membranoſa exiſtit & denſa.com.4°.aph.26°. Ex.30.C
ex Inteſtinis ramenta deiectione eijciuntur.4°.de loc.af. 4ª.25.H
in Inteſtinorum difficultate ſubſtantia inteſtini abraditur tertio loco. com.4°.aph.26°. Ex.30.C
Inteſtinorum prima tunica exeſa in dyſenteria multi ſuperuixere, & quare.4°.de vſu partium. 1ª.141.B
Inteſtini tunica eiecta lata & craſſa,ſignificat dyſenteriā eſſe in magnis inteſtinis.1°.de loc.affe. 4ª.2.D
ab Inteſtinis q̄ excernūtur pticulæ ſe cōtrahūt.2°.de ſymp.cau.3ª.21.E
Inteſtina abradit oxymeli.de victus ratione in mor.acu.c.3°. 7ª.130.C
Inteſtina abradit chyloſum excrementum,quod cum oxymeli deſcēdit. de vic.ra.in mor.acu.com.3°. 7ª.139.C
Inteſtinorū abraſio ĩutilis in acutis.de vi.ra.ĩ mor.acu.cō.3°. 7ª.130.C
Inteſtinorum abraſio vires frangit, & extremas partes infrigidat. de vic.rat.in morb.acut.com.3°. 7ª.130.C
Inteſtinum vlceratum quomodo cognoſcatur.1°.de loc.af. 4ª.6.A
Inteſtinū vulneratū ſignificat ſtercus exiēs p vuln⁹.1°.de loc.af. 4ª.2.E
Inteſtina tenuia an craſſa patiantur,qūo cognoſcēdū.1°.đ lo.af. 4ª.6.A
Inteſtina tenuia affecta ſtercus per os faciunt emitti.in 3m.de morb. vulgaribus,com.2°. 3ª.139.A
Inteſtinū ſi p vuln⁹ exeat,ſignificat pitoneū eē diſciſſū.1°.đ lo.af.4ª.2.F
Inteſtinum aliquod vlceratum oſtendit ephelcis cum alui excrementis deiecta.1°.de loc.affe. 4ª.2.F
in Inteſtini colo ſi fuerit affectus,qūo cognoſcatur.2°.de loc.af. 4ª.9.F
in Inteſtins exn̄tium nihil pōt p vomitū euari.cō.4°.apho.12°.Ex.28.F
Inteſtinorum motus ad ſuperiora,qui.3°.de ſymp.cau. 3ª.25.H
Inteſtinum ſi perforatum ſit,quid agendum.6m.met.me. 7ª.39.G
Inteſtina craſſa facile ſanātur,tenuia difficulter.6°.met.me. 7ª.39.G
Inteſtinum ieiunum inſanabile eſt.6°.met.med. 7ª.39.G
Inteſtina tenuia diſciſſa,letale.com.6°.aph.18°. Ex.47.H
Inteſtina tenuia vulnerata in ſumma parte ſæpius agglutinantur. com. 6°.aphoriſmo.18°. Ex.48.A
Inteſtinorū tenuiū vulnera ſanauit cauda equina.6°.đ ſim.m.f. 5ª.48.F
Inteſtina gracilia ſi diſcindātur,nō coaleſcūt.cō.6°.aph.24°. Ex.48.E
Inteſtina tenuia non poſſunt conſolidari.3°.met.me. 7ª.16.E
Inteſtina diſciſſa tota vſq; ad ſuam cauitatem rariſſime ſanantur. com. 6°.aphoriſmo.18°. Ex.48.A
Inteſtina vlcerata quo modo curanda.9°.de ſimp.med.fac. 5ª.65.H
ĩ Inteſtĩs tenuibus vlcera qūo curāda,et p quas ptes.4°.me.m.7ª.28.G
in Inteſtinis craſſis qūo deprehēdatur eſſe vlcus.6°.de loc.af. 4ª.36.E
in Inteſtinis ſupioribus qūo deprehēdatur eē vlcus.6°.đ lo.af.4ª.36.E
ĩ Inteſtinis inferioribus qūo dephendat̄ eſſe vlcus.6°.de lo.af. 4ª.36.E
Inteſtina ſuperiora læſa,medicamentis iuuantur.6°.de loc.aff. 4ª.36.E
Inteſtina inferiora læſa,clyſteribus iuuantur.6°.de loc.aff. 4ª.36.E
Inteſtinorum inferiorum diſpō ſanatur clyſteri.1°.de loc.aff. 4ª.5.H
Inteſtini recti vlcus teneſmos dicitur.6°.de loc.affe. 4ª.36.F
in Inteſtinis craſſis vlcera quomodo curanda.4°.met.me. 7ª.28.G
Inteſtinorū vlcera qūo p os,& per anum curētur.5°.met.me. 7ª.34.D
Inteſtina magis p potionē q̄ p alia ſanari debēt.cō.6°.aph.18°. Ex.48.B
in Inteſtina quomodo inijciantur medicamenta.5°.met.me 7ª.33.F
p Inteſtino recto curando per cornu recti foraminis, cui ſit alligata veſica ſuis,quid immittatur in anū.1°.de comp.me.per gen. 5ª.211.E
ĩ Inteſtinū rectū qūo ĩponēda medicamēta.1°.de cōp.me.per g. 5ª.211.E
in Inteſtinum rectum medicamenta ponit veſica, cui ſit iuncta fiſtula. 5°.methodi medendi. 7ª.33.F
Inteſtinorum particulæ quando exeunt.3°.de ſymp.cau. 3ª.28.C
Inteſtinorum difficultas quod differat tantum per magis, & minus,vt q inteſtina ſint magis vel minus exeſa,& non habent ſpeciem ſub ſe collige.com.4°.aph.24°. Ex.29.H
Inteſtinorum difficultas qn̄ eſt completa.com.4°.aph.26°. Ex.30.C
ad Inteſtinum ieiunum facta exulceratione,in quibus factus ſit teneſmus.in 3m. de morb.vulg.com.3°. 3ª.146.H
Inteſtinū rectū tētionē patiĩ,& qūo,& qd ſit.cō.7°.aph.27°. Ex.55.H
in Inteſtinis facit qn̄q; teneſmon ſecaniabin.de diff.cont. Sp.75.B
ob Inteſtinorum difficultatem,ac læuitatem,fit defectus animi.1°.de arte cur.ad Glauconem. 7ª.98.E
ex Inteſtini craſſioris affectu,aı̄us deficit.1°.de ar. cur. ad Gl.7ª.98.G
Inteſtinorum difficultates,& læuitates qua ætate contingant.cōmen.3°. aphoriſmo.30°. Ex.26.D
Inteſtinorum difficultates fiunt autumno.com.3°.aph.22°. Ex.24.E
Inteſtinorum difficultate correpti,lienoſi.com.7°.aph.72°. Ex.60.G
Inteſtinorum difficultate ſuperueniente,lienoſo ſi aqua inter cutem, aut inteſtinorum læuitas aduenerit moriunt̄.cō.6°.aph.43°. Ex.51.B
Inteſtinorū difficultas qn̄q;,& qn̄ ſanat lienoſos.c.6°.aph.43°. Ex.51.B
Inteſtinorum difficultas quæ ſanabilis,& quæ non,& quomodo fiat, et quæ letalis.com.4°.aph.24°. Ex.30.A
in Inteſtinorum difficultate ſi veluti carunculæ exeant,letale eſt. com. 4°.aphoriſmo.26°. Ex.30.C
Inteſtinorum difficultas,vel aqua inter cutem,vel mentis alienatio à furore bonum.com.7°.aph.5°. Ex.54.C
Inteſtinorū excoriatiōibus pdeſt theriaca.đ vſu ther.ad Pāphi.5ª.98 H
Inteſtinorum difficultas.lege Alui fluxus.
INTESTINORVM læuitas vnde ſortita eſt nomen, & quod nomen conuenientius fuiſſet.com.6°.aph.1°. Ex.45.G
Inteſtinorum læuitas quid.com.6°.aph.1°. Ex.45.G
Inteſtinorū læuitas quid ſit,& cur fiat autūno.c.3°.aph.22°. Ex.24.F
Inteſtinorū læuitas quid,& ex quibus cauſis fit.c.4°.aph.12°.Ex.28.E
ĩ Inteſtinorū leuitate facultatis retētricis priuatio.de ſymp.dif.3ª.12.D
Inteſtinorum læuitas,difficultas,tentio,apud Eraſiſtratū, deinde alios antiquos qn̄o,& ex qua cauſa fiant.com.6°.apho.1°. Ex.46.C
Inteſtiorū læuitates quot modis,et p quot fieri pn̄t.c.3°.a.30°. Ex.26.F
Inteſtinorum læuitas ex quibus cauſis fiat.com.6°.aph.1°. Ex.45.H
vt Inteſtinorum læuitus circa aluum,ita circa veſicam diabetes. 1°.de criſibus. 4ª.129.H
Inteſtinorum & renum læuitatis differentia. 6°.de loc.af. 4ª.38.A
Inteſtinorum læuitas ſubito fieri non poteſt.6°.de loc.aff. 4ª.37.H
Inteſtinorū læuitas ex ſola ĩteſtinorū læſione fit.c.6°.apho.43°. Ex.51.B
Inteſtinorum imbecillitas facit inteſtinorum læuitatem, & quomodo cognoſcatur quando fit ab alijs cauſis.com. 6°.aph.1°. Ex.45.H
Inteſtina magis roborat vinum auſterum q̄ aqua.6°.met.me. 7ª.39.D
Inteſtĩs vinū meracius magis cōuēit.de vi.ra.ĩ mor.acu.c.3°.7ª.127.A
Inteſtinis ĩferiorib⁹ q̄ flatuoſa vina nō ſint nocua,et cur.de vi. Sp.76.F
Inteſtina corroborantur à lente bis cocta.de alim.fac. 2ª.13.C
Inteſtinorum læuitas ex dyſenteria.intro. Iſa.57.E
Inteſtinorum læuitas ſuperuenit ab inteſtinorum difficultate. com. 7°. aphoriſmo.72°. Ex.60.G
Inteſtini partem imam humidam reddit oxymeli parum acre, & facit ramenta.de vict.rat.in morb.acu.com.3°. 7ª.130.C
Inteſtinorū leuitas,et difficultas morbi ex bile.cōtrà Iulianū.Ex.67.G
Inteſtina plena humoribus maxime pituita faciunt læuitatem inteſtinorum.com.6°.aph.1°. Ex.46.A
Inteſtiorū læuitate diuturnæ euones ſiccitatē faciūt.1°.de dif.fe.3ª.34.D
Inteſtinorum longa difficultate ſuperueniente,ſi lienoſis aqua inter cutē ſuperuenit,aut ĩteſtinorū læuitas,pereūt.cō.7°.aph.72°. Ex.60.G
Inteſtinorum læuitate,id eſt lienterie,laborantes, hectica correpti ſunt 1°.de diff.feb. 3ª.35.F

in Inteſtinorum longis leuitatibus ſi ructus acidus fiat, qui prius non fuerit, bonum:com.6°.aph.1°. Ex.40.G
Inteſtinorum læuitate laborantes hiberno tempore purgare, malum.cō men.4°.aph.12°. Ex.28.A
ad Inteſtinorum læuorem.de med.fac.par. 7ª.167.F
Inteſtinorum læuitas.lege Leuitas inteſtinorum.
INTESTINA vnde fiant aſpera.de cau.morb. 3ª.9.C
Inteſtinorum aſperitatibus medetur ouum.11°.de ſimp.me.fac. 5ª.81.F
ad Inteſtinorum ſciſſuram, quæ bona.de med.fac.par. 7ª.168.A
Inteſtinorum ſuppurationes ruptæ faciunt puris deiectionem com.7°. aphoriſmo.8°. Ex.54.E
INTESTINVM qua de cauſa procidat muſculo vulnerato.6°.methodi medendi. 7ª.39.B
Inteſtĩa mouẽt ſuis ſedibus, cũ diſſecto omẽto ꝺciderit.ꝺ ca.mor. 3ª.9.E
Inteſtinum quod in ſcrotum iam decidit, in ſuum locũ reponi deſiderat. 3°.met.med. 7ª.16.C
Inteſtinorũ quæ ꝓciderũt collocatio, ſpẽs cōpōnis chirurgiæ.ĩtr. Iſ.59.E
Inteſtini recti collocatio ſpẽs compoſitionis chirurgiæ.intro. Iſa.59.E
Inteſtina ẽt ſi exeant, intro mittũtur ſine læſione.c.6°.aph.58°. Ex.53.F
Inteſtinum cæcum ſolum, quia ſolutum facile deſcẽdit in ſcrotum.in 6ᵐ. de morb.vul.com.4°. 3ª.179.G
Inteſtinum in ſcroto quomodo curandum.ars med. Iſa.71.C
in Inteſtinis ſi vas magnum præruptum, adſtringentibus vtendum, & quibus.5°.meth.med. 7ª.31.G
in Inteſtinis ſi vas paruum ſit præruptum, quibus adſtringẽtibus vtẽdum.5°.methodi medendi. 7ª.31.G
Inteſtinorum cuiuis laboranti non ſunt admouenda adſtringẽtia.11°.methodi medendi. 7ª.73.B
ad Inteſtinorum affectiones antidotus.2°.de antid. 5ª.120.E
Inteſtina confortans medicamentum.de med.exper. Sp.104.G
ad Inteſtinorum vlcera vtiliſſima eſt theriaca.de ther.ad Piſo.5ª.96.B
INTESTINA carnibus contuſis, & ſimilagine implebant. de fract. commentario.3°. 7ª.245.H
Inteſtina ſi coquantur qualem ſuccum generant.3°.de alim.fac. 2ª.27.E
Inteſtina ſunt cibaria media.de diſſ.cont. Sp.74.C
Inteſtina tarde digeruntur.de diſſ.cont. Sp.73.D
Inteſtina parum nutriunt, cur.de diſſ.cont. Sp.73.F
Inteſtina cibus craſſus, & cur.de diſſ. cont. Sp.72.H
INTESTINO bello ægrotant ciuitates, cum ſeditiones in illis fuerint. 5°.de decr.Hipp. 1ª.255.C
INTESTINVM terræ, animalculum.3°.de comp.med.ſe.lo.5ª.145.A
Inteſtina terræ lumbrici.11°.de ſimp.med.fac. 5ª.82.D
Inteſtinum terræ calculos veſicæ conterit.de ther.ad Piſo. 5ª.93.F
Inteſtinum terræ regio morbo laborantẽ liberat.de ther.ad Piſ. 5ª.93.F
Inteſtinũ terræ podadricorũ ĩflãmatiōibꝰ medet̃.de ther.ad Piſ. 5ª.93.F
INTIMA calida, extrema frigida, malum.in prog.com.2°. 4ª.198.C
INTORQVENDA q̃uo ſit vena & arteria.5°.meth.med. 7ª.30.G
INTRANEORVM calorem vſitatum extirpat triaſandali. de dynamidijs. Sp.26.E
INTRINSECARVM facultatum aliæ naturales, aliæ animales. de vocalium inſtr.diſſ. 1ª.106.C
Intrĩſecæ facultates obtinẽt vim cãæ, et artificis.ꝺ vo.ĩſtr.diſ. 1ª.106.C
Intrinſeca membra ſeruientia, quæ.de ana.viu. Sp.45.D
Intrinſecus rugoſa eſt forma cordis, quando conſtringitur, plana, quando dilatatur.de ana.viu. Sp.56.C
ab Intrinſeco oſſe propter duritiem magis læditur caro conquaſſata ab extrinſeco.de ana.viu. Sp.55.D
Intrinſeca pro febre auferenda quæ.10°.met.me. 7ª.64.D
Intrinſecis vulneribus non poſſunt applicari medicamenta, ſicut extrinſecis.com.6°.aph.18°. Ex.48.B
in Intrinſecis vlceribus, quæ ſumi non debent.4°.met.me. 7ª.28.H
INTRORSVM oblique, ſurſumq; digitos mouentes muſculi quinq;.de muſc.diſſ. 1ª.49.A
Introrſum, & retrorſum femur adducẽs muſculus.de muſc.diſſ.1ª.50.F
Introrſum non nihil tibiam mouens muſculus.de muſ.diſſ. 1ª.50.F
Introrſum magis totum femur inuertens muſculus.de muſ.diſſ. 1ª.50.G
Introrſum adducens totum femur muſculus.de muſ.diſſ. 1ª.51.C
Introrſum tibiã ĩuertẽs muſculus, ĩ rectũ illã attollẽdo.ꝺ muſ.di.1ª.51.D
Introrſum ſimul, & parumper retrorſum femur agens muſculus.de muſculorum diſſectione. 1ª.51.F
Introrſum ſi vergãt ſucci, ad exteriora fiat reuulſio.de cucur.ſc.6ª.4.C
INTVBVS crudus conuenit ſtomachicis.8°.de cōp.me.fac. 5ª.192.C
INTVENTVR qui inconniuenter. 4°. de præſag.ex pulſ. 4ª.120.H
INTVITVM proprium placuit empiricis non cognitionem modo, ſed & experientiam appellare.de ſubfi.empi. Iſa.31.F
INTVMESCENTIA quid proprie ſit.de fract.com.3°. 7ª.243.C
Intumeſcentes purgandi non ſunt.in pror.com.2°. 4ª.174.D
Intumeſcere non perimit Narciſſi bulbus.de ſimp.med.fac. Sp.87.H
Intumeſcere non patitur laxata emplaſtrum barbarum.de dyn.Sp.35.F
INTVS relinqui duplr̃ accipitur.in 6ᵐ.de mor.vul.com.1°. 3ª.164.A
Intus q̃uo cognoſcatur factã eſſe ſuppurationẽ.cō.7°.aph.8°. Ex.54.D
INTYBI an ſit ſeres dubitat Galenus.2°.de alim.fac. 2ª.22.G
Intybi habent ſimilem facultatem cum lactucis.2°.de alim.fac.2ª.22.G
Intybi ſunt minus ſuaues lactucis.2°.de alim.fac. 2ª.22.G
Intybi ſuccus infrigidat.10°.met.me. 7ª.65.A
Intybum refrigerat.14°.met.me. 7ª.87.E
INVENIENDA ſunt aliqua remedia per indicationem, vel per experientiam.com.6°.aph.38°. Ex.50.E
Inuenienda oĩa rõne, & experientia, ſed diſtincte.3°.met.me. 7ª.16.D
INVENIRE quod quæritur docet logica.1°. met.me. 7ª.4.F
Inuenire methodo quid ſit.1°.met.me. 7ª.4.H
Inueniuntur multa quotidie, quæ apud antiquos non erant inuenta.14°. methodi medendi. 7ª.92.H
Inueniri non contingit verum ex falſis.3°.de criſ. 4ª.142.C
Inueniri non poteſt quod nuſquam exiſtit.4°.de digno.pulſ. 4ª.84.H
Inuenire qui non poteſt aliquid etiam per multos annos; nō debet animũ deſpondere.1°.de digno.pulſ. 4ª.70.G
Inueniunt̃ quæſita cũ vſura, & q̃uo paulatim.1°.de dig.pulſ. 4ª.70.G
Inueniuntur res, non primo.6°.de comp.me.per ge. 5ª.255.H
Inueniuntur quæ ꝑ rõnem, q̃uo inueniant̃.de cu.ra.ꝑ ſang.miſſ. 6ª.16.D
Inuenit ductor libri de motibus manifeſtis & obſcuris muſculum qui vtranq; mouet genam.de mot.man.& obſ. Sp.67.C
INVENTIO vnum ex principijs medicinæ.intro. Iſa.50.H
Inuentio artium non conſideranda, ſm aliquos.3°.de loc.affe. 4ª.14.H
Inuentio empirica, & logica nō ſimul cōfundenda.2°.met.me. 7ª.13.E
de Inuẽtione logica docet in libro methodi Galenus. 2°.me.me. 7ª.13.B
ad Inuentionem auxiliorum quæ conferant.8°.met.me. 7ª.56.D
Inuentionis duo inſtrã, ratio, & expientia.1°.met.me.4.F/3°. 7ª.16.G
Inuentionis principia, quæ.1°.de ſimp. me.fac. 5ª.8.E
Inuentionis principium ſunt ſenſui nota.de op.ſecta. Iſa.20.B
Inuentio fit longo tempore.1°.de dieb.decre. 4ª.147.C
Inuentio quæ fit per rationem quomodo fiat.1°.met.me. 7ª.5.A
Inuentio affectuũ, eſt cognitio præſentiũ.4°.de præſag.ex pulſ. 4ª.121.F
Inuentio cauſarum affectus, eſt cognitio præteritorum. 4°. de præſagitione ex pulſibus. 4ª.121.F
de Inuentione Nilei Plinthij hiſtoria.de machin. 7ª.311.B
INVENTOR primus philoſophiæ apud Iones Thales Mileſius. de hiſtoria philoſophica. Sp.2.D
Inuentor moralis philoſophiæ Socrates.de hiſt.philo. Sp.2.C
Inuentor Dialecticæ Socrates.de hiſt. phil. Sp.2.C
Inuentor quorum fuerit Hippocrates, & ꝙ non mirum ſi multa prætermittit.de vict.rat.in mor.acu.com.2°. 7ª.121.H
INVENTAE q̃uo ſint ſpẽs laſſitudinis.de mot.ma.& obſc. Sp.67.C
Inuenti fidem dat experientia.5°.de ſan.tu. 2ª.93.G
Inuẽtis neceſſe ẽ aliqd addere ꝑꝑ ſmōis falſitatẽ.c.7°.ap.64°.Ex.60.D
INVERTENS totum femur introrſum magis muſculus. de muſculorum diſſectione. 1ª.50.G
Inuertẽs genu articulationẽ ad exteriora muſculus.de muſ.diſſ.1ª.51.A
Inuertẽs pedẽ leniter extrorſũ, & retrorſũ muſculus.de muſ.di.1ª.52.B
Inuertens tibiam introrſum in rectum illam attollendo, muſculus.de muſculorum diſſectione. 1ª.51.D
Inuertens tibiam ad exteriora oblique, & ſimul illã flectens muſculus. de muſculorum diſſectione. 1ª.51.E
Inuertens ad interiora caput muſculi, & vnà ſurſum tollens muſculus. de muſculorum diſſectione. 1ª.51.B
INVETERATA vnde ſint.4°.met.me. 7ª.28.C
in Inueteratis affectionibus conuenit ſanguinis detractio. 2°. de comp. med.ſec.loc. 5ª.137.H
Inueterata atra bilis difficulter curat̃.ꝺ mel.ex Gal.R.et.P. Sp.109.H
ad Inueterata, & quæ difficilem curationem habent quid bonum. 5°.de comp.med.per ge. 5ª.251.B
ad Inueterata et calloſa cōmodum.4°.de comp.me.per.gen. 5ª.242.B
ad Inueteratas oculorũ affectiōes qd vtile.4°.de cōp.me.ſe.l. 5ª.152.H
ad Inueteratas affectiones catapotium accommodatum. 7°. de cōpoſi-

tione medicamentorum ſecundum locos. 5ª.182.C
ad Inueteratas affectiões malagmata.9°.đ cō.me.ſ.l.199.E/5ª.200.B
ad Inueteratos affectus malagma bonum.10°.de compoſi.ſecundum lo los.207.F/. 5ª.208.B
ad Inueteratos affectus myracopon bonū.7°.de cōp.me.p ge. 5ª.271.G
INVICTVM emplaſtrum quod, & quare ita vocatum. 6°. de compo. medic.per gene. 5ª.256.D
Inuictum appellatum emplaſtrū quale.2°.de cōp.me.per.gen.5ª.227.D
INVIDIA quid, & eius remedia.de cog.cur.animi mor. 2ª.53.G
Inuidia animi affectus, & perturbatio.de cog.cur.ani.mor. 2ª.50.G
Inuidiæ æuitandæ, & quare.ars med. Iſa.68.E
Inuidia omnium vitiorum fœdiſſima.de cog.cur.animi mor. 2ª.53.G
INVIDI ſunt qui aut veterum monumenta ſupprimunt, aut demoliuntur.de nat.hu.com.1°. 1ª.28.F
INVIGILANTES phlegma facit.de dyna. Sp.19.E
INVICSATIO quid ſit.de ocul. 7ª.186.H
INVOCALE dupliciter dicitur, & quid ſecundum vtrunq; modum ſignificet.4°.de dec.Hippocratis. 1ª.250.B
INVOLVTA cur ſint inteſtina.de ana.viu. Sp.50.A
Inuolutum ſiue ileon inteſtinum tertium eſt.de ana.viuo. Sp.50.B
Inuolutum multum cur ſit ileon inteſtinum.de ana.viuo. Sp.50.D
INVNCTILES liquidæ compoſitiones.4°.de compoſi. medica. ſecundum locos. 5ª.151.B
INVNCTIO quid faciat poſt lauationes.7°.met.me. 7ª.45.B
Inunctio adhibetur in declinatione morbi.de op.ſecta. Iſa.27.G
Inunctio facit intemperiem.1°.de ſan.tuen. 2ª.68.B
INVSTIO q̃uo fiat in ventre.de vict.rat.in mor.ac.cō.4°. 7ª.149.B
ad Inuſtiones epicaumata à græcis dictas, compoſitiones commode.4°. de comp.me.ſec.loc. 154.G/5ª.155.B/D/F/H
INVSTVM vlceratio quædam oculorum.fin.med. Iſa.48.D
INVTILE in quibus abijcitur.de cau.mor. 3ª.9.D
IOANNIS filij Ligorij medici potio ad paralyſim. de dynamidijs. Sp.31.C
IOCIS ſemper ſeria immiſcebat Socrates.1°.de vſu par. 1ª.115.D
IOLLAS ſcriptor ſimplicium.1°.de antidotis. 5ª.100.B
IONTHOS, id eſt varus interpretatur à Galeno.2°.met. me. 9. F/ de remed.par.fac. 7ª.157.B
ad Ionthos conueniunt balani myrepſicæ recrementa. 6°. de ſimpliciū medicamentorum facultatibus. 5ª.44.D
IONICVM genus philoſophorum.de hiſt.philo. Sp.2.F
Ionica nomina exquiſite ſciuit Galenus.ad Thra. 2ª.107.A
de Ionicis noībus ꝑmittit ſe ſcripturum Galenus.2°.de diff.p.4ª.59.A
IOS ærugo quid efficiat.9°.de ſimp.me.fac. 5ª.69.D
Ios.i.viola, in quibus conueniat.6°.de ſimp.med.fac. 5ª.48.F
ΗΠΑΤΙΚΟΣ iecinorarius interpretatur à Galeno. de fracturis, com.2°. 7ª.240.G
ſicū IPHICLO comparemur, pedibus parum valemus.1°.de ſanitate tuenda. 2ª.63.H
IPOTERIVM inſcriptū malagma.9°.de cōp.med.ſe.lo. 5ª.200.B
Ipoterium aliud.9°.de comp. med.ſec.loc. 5ª.200.B
IRA quid ſit.de dec.Hipp.4°.248.E/5°.258.C/6°.260.F/267.B/7°.1ª.268.H/de cauſ.morb.3ª.6.F/2°.de cauſ. pul. 4ª.91.C/de virt.noſtrum corp.diſpen. Sp.60.D
Ira quid ſecundum Platonem. de palp. 3ª.54.B
Ira eſt ægritudo animi.de cog.cur.animi mor. 2ª.50.G
Ira animi affectus, & perturbatio.de cog.cur.animi mor. 2ª.50.H
Ira non eſt auctus calor, ſed veluti feruor caloris in corde. 2°. de ſanitate tuenda. 2ª.74.B
Iræ viſcus debet eſſe calidiſſimum.6°.de decr.Hipp. 1ª.266.G
Ira eſt in pectore.3°.de decr.Hipp.242.B/ 1ª.246.C
Iræ motus qui.2°.de ſymptomatum cauſis. 3ª.23.D
Ira eſt veluti feruor quidam, ac vehemens motus potentię iraſcibilis in ipſo corpore cordis ſita.1°.de diff.feb. 3ª.31.E
ꝙ Ira ſit inati caloris feruor ī corde ātiqua opinio ē.3°.de dec. 1ª.241.F
Iræ vindictæ appetentia eſt quid acceſſorium, non eius eſſentia.2°.de ſanitate tuenda. 2ª.74.B
Ira cor exturbat.6°.de decr.Hipp. 1ª.261.G
Iræ, & pulſus, arteriarum, & innatæ caliditatis principium eſt in corde.in timæum Plat. 1ª.287.D
Ira à corde naturaliter procedit.de ſpermate. Sp.37.B
Iræ motus in corde.5°.de decr.Hipp. 1ª.254.B
Iræ impetus quo caſu fiunt.de decub.progn.ex math.ſcien. Sp.12.H
Iram à luna tenuit Alexander.de ſpermate. Sp.38.H
Ira quandoq; vtuntur equus, & taurus.3°.de vſu par. 1ª.128.B
Iram comparat equo Galenus.3°.de decr.Hipp. 1ª.242.F
Ira, temeritas, atq; immanitas iuncta mentis delirio notant atram bilē peccare.com.4°.aph.2°. Ex.27.F
ad Iram præcipites facit vinum.1°.de ſan.tu. 2ª.66.H
in Ira quæ contingant.2°.de decr.Hipp. 1ª.239.G
in Ira facies inflatur & rubeſcit, & alia quę ad ipſam ſequuntur.3°.de decretis Hippocratis. 1ª.241.F
in Ira minus inflata & rotunda faciæ, quàm in ira deberet, apparere ſi per compreſſionē cordis dilataretur arteria.de ana.viu. Sp.47.A
in Ira cur in poſterum non recordamur eorum quæ egimus.2°.de motu muſculorum. 1ª.315.B
Ira cur rationem trahit.3°.de decretis Hipp. 1ª.242.E
Ira eſt potentior conſilio.3°.de decr.Hipp. 1ª.243.A
ab Ira quorum rationes facile vincantur.3°.de decr. Hippo. 1ª.242.F
Ira vincit barbaros, & ineruditos.3°.de decret.Hipp. 1ª.243.B
Iræ ſeruiunt pueri quaſi beſtiæ.3°.de decr.Hipp. 1ª.245.G
Iræ æuitandæ, quia alterant, & à naturali ſtatu corpus auertūt ars medicinalis. Iſa.68.E
Iram non poſſe mitigare, cum equi ad parendum idonei reddantur, quòd turpe admodum eſt.de cognoſcendis cur.animi morbis. 2ª.52.G
Ira minimum affici videtur, qui ratione plurimum vtitur.3°.de decretis Hippocratis. 1ª.245.H
Irę quid faciant fœtui.11°.de vſu par. 1ª.188.B
Ira facit aborſum.commenta.4°.aph.53°. Ex.52.D
Iram quid faciat.4°.de decretis Hippocratis. 1ª.252.D
Ira quid faciat ex Homero.3°.de decre.Hipp. 1ª.242.A
Ira excitat calorem innatum.3°.de diff.reſp. 3ª.75.B
Ira generat bilem.in 6m.de morbis vulg.com.1°. 3ª.157.A
ab Ira cum ſanguis immoderatus feruet, fieri poteſt inæqualis intemperies in toto corpore.de inæq.intemp. 3ª.44.D
Ira auget halitum fuliginoſum.10°.met.me. 7ª.62.H
Ira parit morbos.de nat.hum.com.2°. 7ª.182.B
Ira accendit febres.1°.de ſanitate tuenda.2ª.65.G/de cauſ.morb.3ª.6.B
ex Ira quidam febricitant.1°.de diff.feb. 3ª.31.F
ex Ira febris quo modo fiat.1°.de diff.feb. 3ª.31.B
ex Ira ephemeræ quo modo fiant.1°.de diff.feb. 3ª.32.G
ob Iram ephemera facta quo modo cognoſcitur.2°.de criſib. 4ª.138.F
ex Ira ephemera qualis.2°.de criſi. 4ª.138.G
ob Iram cauſus factus.de vict.rat.in morb.acu.com.4°. 7ª.134.F
ex Ira febris orta ſub cane, extincta fuit aqua frigida à Galeno exhibita.10°.methodi medendi. 7ª.63.F
ab Ira ſiccitas inducta quo modo corrigatur.3°. de ſan.tu. 2ª.81.G
Ira validam exercitationem concitat.1°.de cauſ.pulſ. 4ª.87.H
Ira vires reſoluit.12°.met.me. 7ª.77.D
ex Ira animi defectus quo modo curetur.1°.de arte cu.ad Gl. 7ª.99.G
ab Ira nemo interijt.2°.de ſymp.cauſ. 3ª.23.E
Ira quando euitanda, & qñ nō.in 6m.de morb.vulg.com.5°. 3ª.190.G
Ira conuenit calculoſis quandoq;.de ren.aff.dign.& med. 7ª.194.F
ab Ira prorſus liberari ſimul ac quis velit, non continuo quis poteſt, cōprimere autem illius perturbationis intemperantiam atq; inſolentiā poteſt.de cogn.cur.animi morbis. 2ª.51.G
in Ira deprimenda quando quis profecerit.de cog.cur aīmor. 2ª.53.E
Ira poteſt à ratione cohiberi.3°.de decr.Hipp. 1ª.242.F
Ira à quibus vincatur ratione.3°.de decr.Hipp. 1ª.243.B
Iram vicit Vlyſſes.3°.de deer.Hipp. 1ª.242.G
Ira ſub quarta parte medicinæ continetur.ad Thra. 2ª.108.D
Iræ pulſus qualis, de pulſ.ad tiron.44.H/3°. de differ. pulſ. 61. F/1°.de cauſ.pulſ.87.H/2°.94.C/4°. 4ª.99.F
ob Iram magnus pulſus quo modo.1°.de præſ.ex pul. 4ª.104.H
Iram reprimentis pulſus.1°.de præſ.ex pulſ. 4ª.105.A
ad Iram pulſus motus comparatio, quæ.6°.de decr.Hipp. 1ª.260.H
Ira ex animi affectibus excrementa quieta calefacit, attenuat, & excitat.2°.de ſymptomatum cauſis. 3ª.22.D
Iræ nō indigēt frictionibus, & lauationibus multis.8°.met.me. 7ª.52.E
IRACVNDIA vbi ſit, & quo modo gignatur.in 6m.de morbis vulgaribus, commenta.5°. 3ª.190.B
Iracundia in pueris reperitur, ſicut & in beſtijs, quanquam minimum rationis habent.5°.de decr.Hipp. 1ª.260.B
ad Irarundiam hominem facilem eſſe ex motu arteriæ vehementi conijcitur.quòd animi mores. 1ª.320.C

Iracundia bilioſas naturas maxime accendit, et febres acutas facit. 6°. de ſanitate tuenda. 2ª.96.E
Iracundiam à ratione differre per ſe notum. 5°. de decr. Hipp. 1ª.260.D
Iracundia & ratio ſe habent vt eques & equus, & canis & venator. 3°. de decretis Hippocratis. 1ª.242.F
Iracundiæ & rationis certamen. 3°. de decre. Hipp. 1ª.242.G
Iracundia data à natura, vt rationi opituletur. 5°. de decre. 1ª.260.A
Iracundia quando opitulatur rationi. 5°. de decr. Hipp. 1ª.260.A
Iracundia ſola in nullo eſt corpore. 6°. de decre. Hipp. 1ª.261.F
ꝙ Iracundia in corde probatur. 3°. de decre. Hipp. 1ª.242.A
Iracūdiæ ſemp ſuccūbebant Hector, & Achilles. 3°. de decre. 1ª.242.F
Iracundię dominabantur Vlyſſes, Polydamas, & Neſtor. 3°. de decretis Hippocratis. 1ª.242.F
in Iracūdia cauenda opus eſt ſe exercere. de cogn. cur. ani. mo. 2ª.52.B
Iracundia accendit febres. 1°. de ſan. tuen. 2ª.65.G
Iracunde facere Plato quid dixerit. 5°. de decre. Hip. 1ª.260.D
Iracunda pars animæ eſt cordis temperatio. ꝙ animi mor. 1ª.318.D
IRACVNDIORES q ſint, & cur. in 6m. de mor. vul. cō. 4°. 3ª.186.F
Iracundi cōtrarij iratis & quo modo. in 3m. de mor. vul. cō. 2°. 3ª.115.G
Iracundi quales. de cognoſ. cur. animi morbis. 2ª.52.C | in 1m. de morbis vulgaribus, com. 2°. 3ª.115.G
Iracundus eſt naturaliter ſanguineus, tamen iram deponit à corde procedentem aliqua occaſione ſuperueniente. de ſpermate. Sp 37.B
Iracundi efficimur ob calidam temperaturam. ꝙ animi mor. 1ª.321.G
Iracundi qūo cognoſcantur ex motu arteriæ. 6°. de decre. 1ª.266.E
Iracundi puſillanimes. in 1m. de morbis vulg. com. 2°. 3ª.115.G
Iracundi animoſiſſimi Leoni aſſimilantur. 3°. de decre. Hipp. 1ª.243.C
Iracundi quando moriebantur. in 1m de morb. vulg. com. 2°. 3ª.115.D
IRASCENTIS impetus nihil ab inſania & etiam à furore differt. de cogn. cur. animi morbis. 2ª.52.C
Iraſcentium ſignum quod. in 1m. prorrh. com. 3°. 4ª.184.D
Iraſcentium quanta animi deformitas in membris habendum in memoria. de cogn. cur. animi morbis. 2ª.52.F
non Iraſcentium quantus decor. de cogn. cur. animi mor. 2ª.52.F
de IRASCIBILI parte quid ſentiant Ariſtoteles & Poſſidonius. 5°. de decretis Hippocratis. 1ª.259.F
Iraſcibilis anima an pars diſtincta ab alijs. 5°. de decre. Hipp. 1ª.259.E
Iraſcibilis, concupiſcibilis, & rationalis, tres animæ facultates. in Timæum Platonis. 1ª.287.C
Iraſcibilis, rationalis, & concupiſcibilis partes diuerſæ ſecundum Platonem. 5°. de decre. Hipp. 1ª.259.G
Iraſcibilis pars animę irrationalis. 2°. de decre. Hipp. 1ª.239.G
Iraſcibilē, & cōcupiſcibilem habēt aīalia irrōnalia. 5°. de decr. 1ª.258.C
Iraſcibilis animę pars in corde. 2°. de decre. Hippo. 1ª.239.G | 3°. de locis affectis. 4ª.16.E
Iraſcibilis principium eſſe cor, demonſtratio. 8°. de decr. Hipp. 1ª.273.F
Iraſcibilis vis collocata eſt in iecore. 9°. de decre. Hipp. 1ª.285.E
Iraſcibilis anima in iecore, 3°. de decretis Hippocratis. 1ª.246.C
in Iraſcibilem partem quandoq; maxime imperat ratio, ſed hoc eſt rariſſimum. 3°. de decre. Hipp. 1ª.243.B
Iraſcibilis facultas rationali aduerſus concupiſcibilem in corpore habitantem opitulatur. in timęum Plat. 1ª.287.C
Iraſcibilis nunq̃ adiuuat concupiſcibilem. 5°. de decre. Hipp. 1ª.259.G
Iraſcibilis an ſit mortalis vel immortalis non confert medicinæ, neque morali. 9°. de decret. Hipp. 1ª.285.E
Iraſcibilis animæ affectus, & opera. 3°. de decre. Hipp. 1ª.245.E
ex Iraſcibili trahimur ad victoriam. 5°. de decre. Hipp. 1ª.256.H
IRASCIMVR virtute proueniente à corde. de vir. noſt. corp. Sp.60.B
Iraſcendi vis in corde ſm peripateticos. 2°. de decre. Hipp. 1ª.235.F
Iraſcit ſibi nemo, ꝙ à libidine deſiſtere ꝓpoſuerit. 5°. de decre. 1ª.259.G
Iraſceretur cum grammaticus quidam, morbo comitiali corripiebatur. 5°. de locis affectis. 4ª.35.F
IRATIS contrarij iracundi. in 1m. de morb. vulg. com. 2°. 3ª.115.G
Irati facies, qualis. de cogn. cur. animi mor. 2ª.51.G
Irati oculi, efferati. de cogn. cur. animi morbis. 2ª.51.G
Irati magnanimi. in 1m. de morb. vulg. com. 2°. 3ª.115.G
Iratorum reſpiratio, qualis. 3°. de diff. reſp. 3ª.73.B
Iratorum pulſus, qui. 2°. de ſymp. cauſ. 3ª.23.D
Iratorum pulſus altus. 2°. de cauſ. pulſ. 3ª.94.C
Iratorum & corporum gracilium pulſus. 2°. de cauſ. pulſ. 3ª.94.F
Iratus dum es, noli iubere vt aliquis aliū puniat. de cog. cur. an. 2ª.52.C
HΡΕΜΙ΄Α quid. 1°. de pulſ. diff. 4ª.48.C

IRINGIVM manditur vt cibus, dum oritur, & adoleſcit. de atten. vict. rat. 2ª.44.A
Iringium habet magnam incidendi facultatē. de attē. vict. ra. 2ª.44.A
IRINI romani experimentum. de med. exper. Sp.104.F
IRINVM vnguentum fit in Perga. 2°. de comp. med. ſec. lo. 5ª.135.F
Irino vnguento vtebantur antiqui. 3°. de ſimp. med. fac. 5ª.18.F
Irinum vnguentum, optimū in quibus affectibus. 3°. de ſan. tuen. 2ª.81.C
Irinum vnguentum aperit. 5°. de ſimp. med. fac. 5ª.35.F
Irinū vnguentū rarefacit, & diſcutit. 9°. de com. med. ſec. loc. 5ª.197.F
cum Irino oleo vinum prouocat ſudorem. de catharticis. Sp.95.D
Irinum oleum qn̄ conueniat in fomento. de remed. par. fac. 7ª.153.H
Irinum oleum pro capitis dolore ex frigore. de rem. par. fac. 7ª.153.F
Irinum vnguentum conuenit frigiditatibus. 3°. de ſanita. tuen. 2ª.81.C
Irino vnguento vti oportet poſt balneum. 8°. meth. med. 7ª.51.F
Irino illita pyxis lignea cuius ſit vſus. 5°. de com. med. per gen. 5ª.250.E
Irini vnguēti fex repurgans, & extergēs. 1°. de cō. med. ſec. lo. 5ª.129.H
Irinum. 7°. de compo. med. per genera. 5ª.274.D
IRIONIS medicamentam ex quibus cōſtet. 6°. de cōp. med. 5ª.259.D
IRION herba ad quid valeat. de med. fac. par. 7ª.167.E
Irion quale. 7°. de comp. med. ſec. loc. 5ª.179.A
Irion torrefactum ingreditur in Arteriacam laudatam Mitridatis. 7°. de compoſi. medicamen. ſec. loc. 179.A | 5ª.182.B
Irion torrefactum in confectionem ingreditur, quę Panchreſtus dicitur. 7°. de comp. med. ſec. loc. 1ª.185.H
IRIS quomodo fiat. 7°. de decret. Hipp. 1ª.272.C
Iridem vident lippi ad lucernam. de hiſt. philoſ. Sp.8.A
Iris ſiue corona (vt à nonnullis dicitur) quid. 9°. de vſu par. 1ª.178.C
in Iride ſeptum ſunt circuli. 9°. de vſu partium. 1ª.178.F
Iris græce quid ab aliquibus dicatur. 14°. meth. med. 7ª.93.G
IRIS quid. de ſimp. medicam. Sp.85.D
Iris inter aromata connumeratur. 7°. meth. med. 7ª.44.A
Iris quę. introd. Iſa.53.A
Iris qualis. 5°. de comp. med. ſec. loc. 170.G | 5°. de compo. med. per gene. 5ª.247.C | 3°. methodi medendi. 7ª.18.A
Iris ſubtilior ijs quæ terrenæ ſunt ſubſtantiæ. 4°. de ſimp. me. fac. 5ª.30.B
Iris imbecillior centaureo, & chamælæa. 5°. de cōp. me. per g. 5ª.246.A
Iris agreſtis cuius ſit facultatis. 6°. de ſimp. med. fac. 5ª.47.G
Iris ſylueſtris. 10°. de comp. med. ſec. loc. 5ª.206.D
Iris aſtragalitis. 1°. de comp. med. ſec. loc. 5ª.125.A
Iris candida. 8°. de comp. med. ſec. loc. 5ª.196.E | G
Iris Illyrica, qualis. 9°. de comp. med. ſecundum lo. 5ª.202.A
Iris in illyrico nata optima eſt. 1°. de antid. 5ª.105.D
Ireos illyricæ radix acris eſt. 13°. meth. med. 7ª.85.E
Ireos illyricæ radix ad curādos ſinus valet. 2°. de ar. cu. ad Gl. 7ª.106.G
Iridis illyricæ cum Lybica comparatio. 1°. de antidotis. 5ª.105.A
Iris illyrica odoratas reddit compoſitiones. 1°. de com. me. ſe. l. 5ª.128.C
Iris illyrica ponitur in theriaca. de ther. ad Piſō. 5ª.92.D
Iris illyrica emollit. 7°. de comp. med. per ge. 5ª.268.A
Iris illyrica. 1°. de antidotis. 5ª.105.D | 6°. meth. med. 7ª.38.G
Iris longa. de med. fac. par. 7ª.167.E
Iris Macedonica. 7°. de comp. me. per ge. 5ª.269.H
Irios radix fulua flaua, & rubra alba calidior, ſicut in quoq; genere ſimilia alia. 4°. de ſimp. med. fac. 5ª.31.D
Iris. 5°. methodi medendi. 7ª.34.B
Irin multi poſſunt guſtare & intueri, tamen eius vtilitatem ignorant. 1°. de elementis. 1ª.5.H
Iris viſcide excalfacit, ſternutare facit, excalfacit ſuauiter, vulnera con caua late replet. de ſimp. med. Sp.85.D
Iridis radicum ſuccus cum aceto nihil calefacit. 2°. de compoſi. medicament. ſecundum locos. 5ª.136.E
Iris aperit. de ocul. 7ª.188.E
Iris meatus purgat. 5°. de ſimp. med. fac. 5ª.35.C
Iris menſes prouocat, & vrinas. 5°. de ſimp. med. fac. 5ª.38.A
Iridis radicis decoctio apit obſtructionē craſſam. de med. exp. Sp.104.B
Iris purgat indigeſtibiles cibos in inteſtinis, & lumbricos rotundos. de catharticis. Sp.95.C
Iris vlcera abſtergit & expurgat. 4°. de ſimp. med. fac. 5ª.29.F
Iris parum extergit. de comp. med. ſec. loc. 5ª.171.H
Iris detergit. 8°. methodi medendi. 7ª.52.H
Iris magis detergit, quā moderatiſſime detergētia. 8°. meth. me. 7ª.52.H
Iris detergens eſt lenis & ſine morſu. 6°. de comp. med. per ge. 5ª.256.F
Iris colorem expurgat, & ſudorem mouet. de cura icteri. Sp.111.C

Iris purgat

Iris purgat pulmonem,& thoracem.de cathart. Sp.95.C
Iris quibus immiſceri debet in iecoris phlegmone.13°.meth.me. 7ª.83.G
Ireos radix in phlegmone iecoris conuenit.11°.meth.med. 7ª.73..A
Iris ſoluit durities,& parotidas,& feruores.de ſimp.med. Sp.84.C
Iris cruſtas optime diſrumpit.2°.de arte cur.ad Glauc. 7ª.107.B
Iris cū melle,cruſtas optime diſrūpit.2°.de arte cur.ad Glau. 7ª.107.B
Iris ſarcotica eſt.3°.meth.med. 7ª.16.G
Iris vlcera exiccat.4°.de compo.med.ſec.loc. 5ª.236.G
Iris vlcera ſanat.4°.de comp.med.ſec.loc. 5ª.240.G
Iris vlceri cauo conuenit.2°.de comp.med.per genera. 5ª.216.G
Iris carnē explet.2°.de compo.med.per genera. 5ª.220.B
Iris carnem producit.3°.meth.med. 7ª.18..A
Iris illyrica in cephalicorum medicamentorum compoſitionem ingreditur.6°.methodi medendi. 7ª.42.B
Iridis radix ad neruos vulneratos bona.3°.de comp.me.per ge.5ª.234.B
Iris quō ingrediatur in medicamenta.2°.de com.med.ſec.loc. 5ª.137.G
Iridis ſedimentum.7°.de comp.med.per gen. 5ª.266.G
Ireos puluis cum mulſa vomitum facit.ſecretorum. Sp.95.C
ex Iride & marrubio confectio pro oxymelite dari pteſt.2°. de arte curat.ad Glauconem. 7ª.113.C
Iridis electarium.de med.exper. Sp.105.E
ex Iride oleum mitigatorium in duris corporibus bonum.3°. de compo. medicament.per genera. 5ª.235..A
Ἰντρεῖον quid ſignificet.in 1^{m}.de morb.vulg.com.1°. 3ª.105.E
Ἠρματισμένη quid ſignificet.de fract.com.2°. 7ª.241.H
IRRATIONALE quo modo dicatur.4°.de decr.Hip. 1ª.250.C
Irrationale quid.4°.de decretis Hippocratis. 1ª.240.G
Irrationale dupliciter dicitur.4°.de decre.Hipp. 1ª.250.B
Irrationalis,& rationalis partes animæ.5°.de decre.Hipp. 1ª.259.D
Irrōnalis vis trahit nos ad ea quæ appetimus.5°.de decr.Hipp. 1ª.258.H
Irrationalis & rationalis facultatis bellum.5°.de decre.Hip. 1ª.259..A
ad Irrationalem facultatem quæ pertinent.4°.de decr.Hipp. 1ª.248.F
Irrationales animæ actiones morales vocantur.3°.de loc.aff. 4ª.16.G
Irrōnali & rōnali vi quo mō vtātur currētes.4°.de dec.Hip. 1ª.249.E
Irrationalia animalia habent concupiſcibilem, & iraſcibilem.5°.de decretis Hippocratis. 1ª.258.C
Irrationalis pulſus qui,& in quo conſiſtant.comp.pulſ. Sp.65.D
IRRITATIONES per circuitum repetentes quod pharmacum iuuat. 8°.de com.med.ſec.loc. 5ª.191.E
IRRORARE aceto medicamentum digito quid ſit. 7°. de compoſitio. medi.ſecundum locos. 5ª.186.B
IRRVPTIONES immodicas per vterum potenter reuellunt cucurbitulæ,quæ hypochondrijs affiguntur.de cucurb.ſcariſi. 6ª.4.G
ISATIS ſylueſtris qualis.6°. de ſimplicium medicamentorum facultatibus. 5ª.48.G
Iſatis ſylueſtris lienoſis vtilis eſt.6°.de ſimp.med.fac. 5ª.49.G
Iſatis vehementer exiccat ſine morſu.6°.de ſimp.med.fac. 5ª.48.G
Iſatidi herbæ ſimilis bilis,& bilis panacea, & vitellina ſemper dicūtur cum adiectione.in 6^{m}.de morb.vulg.com.5°. 5ª.191.F
ISCHAEMA quæ ſint.5°.de comp.med.per genera. 5ª.253.F
Ἴσχαιμα ſanguinē ſupprimētia.de vic.ra.in morb.ac.cō.4°. 7ª.152.F
ISCHIADICA eſt vna ex venis pedum quę phlebotomantur. de anatomia viuorum. Sp.54.H
Iſchiadica vena cuius ſit ramus.de anato.viuo. Sp.54.G
Iſchiadicæ ſectio magnopere confert dolori ſciæ, podagræ, in varice,in elephantiaſi.de anatomia viuorum. Sp.54.H
ISCHIADICA laborante aliquo,catharticis vtimur.de dy. Sp.20.E
Iſchiadicæ paſſioni quid valeat.de cura lap. Sp 112.G
ISCHIADICVM græci arthriticum dicunt.in 6^{m}. de morbis vulgaribus,com.4°. 3ª.179.H
Iſchiadicorum cura ex Iberide.10°.de comp.med.ſec.loc. 2ª.208.C
in Iſchiadicis venæ pedum ſecandę.præſ.exper.conſ. Sp.78.D
Iſchiadicis de mucilagine articulorum factis danda phlegmagoga.de dynamidijs. Sp.21.D
Iſchiadici ſi ante totius euacuationem curentur acribus, læduntur.de cōpoſit.medicam.ſec.loc. 5ª.207..A
Iſchiadicis bibita auxilio eſt Betonica.7°.de ſimp.med.fac. 5ª.51.B
Iſchiadicis ſtrenuū remediū eſt Calaminta.7°.de ſimp.med.fa.5ª.49.D
Iſchiadicis prodeſt Centaurium minus.de dynami. Sp.21.C
Iſchiadicis confert ſuccus centaureæ.de virt.cent. Sp.94..A
Iſchiadicis infunditur decoctum centaurij minoris.7°. de ſimpl.medicamentorum facultatibus. 5ª.50.H
Iſchiadicis prodeſt Colocynthis.10°.de comp.med.ſec.loc. 5ª.207.B
Iſchiadibus prodeſt colocynthidis ſuccus intritus.9°.de ſimplic. medicament.facul. 5ª.52..A
Iſchiadicis vtiliter datur colocynthis.de dynamidijs. Sp.21.D
in Iſchiadicis valet Coſtinum oleum.7°.de ſimp.med.fac. 5ª.52.E
Iſchiadicis inijcitur Garum.11°.de ſimp.med.fac. 5ª.83.G
Iſchiadicis bibendum exhibetur Hypericum.8°.de ſim.med.fa.5ª.63..A
Iſchiadicos emendat hypericon.de ſimp.med. Sp.92.E
Iſchiadicis illinunt aliqui farinam Lupini cataplaſmatis modo.8°.de ſimplic.med.facul. 5ª.48.D
ad Iſchiadicos in potu exhibetur Polemoniū.8°.de ſim.me.fa.5ª.59..A
Iſchiadicis exhibetur à nō nullis Rubiæ radix.6°.de ſim.me.fa. 5ª.47.E
ad Iſchiadas infunditur Salſugo piſcium ſalſorū.11°.de ſim.m.f.5ª.83.B
Iſchiadibus prodeſt Thlaſpi per ſedem infuſum,ſanguinolenta euacuans, 6°.de ſimp.med.facult. 5ª.48.D
ad Iſchiadas acopon viride bonum.7°.de compo.med.per ge. 5ª.273.B
ad Iſchiadicos malagma bonum.9°.de comp.med.ſecundum lo.199.D/7°.de compo.med.per genera. 5ª.266.C/E
Iſchiadicis ſtatim in irritationibus malagma bonum.10°.de compo.medicamen.ſecundum locos. 5ª.208..A
Iſchiadicis faciens ſcliroſmon.de dynamidijs. Sp.28.C
ad Iſchiadicos medicamēta cōmoda.10°.de cōp.med.ſec.loc. 5ª.207.B
ad Iſchiadicos valde mitigatoria.10°.de comp.med.ſec.loc. 5ª.207.D
ad Iſchiadicos.7°.de comp.med.ſec.loc.182.G/183.D/ 5ª.188.G
ad Iſchiadicos quæ conferant.9°.de compoſi.med.ſec.locos.199..A/E/H/200.C/10°.207.D/E/F/H/208..A/B/G/6°. de comp.med.per gen. 256..A/7°.269.H/270.C/D/H/ 5ª.271..A/D/F/G
Iſchiadica compoſitio qualis.10°.de comp.med.ſec.loc. 5ª.207.E
ISCHIADA Leucacanthon quidam,polygonaton alij vocant.7°. de cōpoſi.medicam.facul. 5ª.54.C
ISCHIAS quid.fin.med. Iſa.47.H
Iſchias coxendicis eſt morbus.2°.methodi medendi. 7ª.9.D
Iſchias ex gñe arthritidis morbus eſt.10°.de comp.med.ſe.lo.5ª.206.G
Iſchias non ex frigore,ſed ex repletione.de cur.per ſang.miſſ. 6ª.20.F
Iſchias raro fit ex ſanguine,& ſi fiat,citiſſime curatur. 10°. de compoſi. medicamen.ſecundum locos. 5ª.207..A
in Iſchiade principium curationis ab euacuatione.10°.de compo.medicamentorum ſecundum locos. 5ª.207..A
in Iſchiade venæ ſectio quomodo facienda.10°.de cō.me.ſe.l. 5ª.207.B
in Iſchiade quæ vena ſecanda.de conſt.ar. Iſa.41.E
in Iſchiade vena poplitis potius incidenda q̃ malleoli.de cur.ra. per ſanguinis miſſionem. 6ª.20.F
in Iſchiadicis qñ ponenda cucurbitula.10°.de cōp.med.ſec.lo.5ª.207.B
Iſchiadicis nihil prodeſt ſcarificatio.de cur.ra.per ſang.miſſ. 6ª.20.F
in Iſchiade nunq̃ vtendum repercutientibus.de rem.par.fac. 7ª.160.D
Iſchiadicis vomitus potius,q̃ deiectiones prouocandus.10°. de compoſit. medic.ſecundum locos. 5ª.207.B
in Iſchiade vomitus potius iuuat.quàm euacuare per inferiora.de remedijs paratu facilibus. 7ª.160.D
Iſchiadem curat centaurea minor.de med.exper. Sp.106.E
Iſchiadem curat decoctio centaureæ.de med.exper. Sp.104.D
Iſchiadas rubrificat enula.6°.de ſimp.med.fac. 5ª.47.B
ad Iſchiadem valens electarium.de med.exper. Sp.108.D
contra Iſchiadem optimum experimentum.de med.exper. Sp.104.F
ad Iſchiadem valens medicina.de med.exper. Sp.106.H
ad Iſchiam ſecretorum.100.D/ Sp.101.D
ISCHION quid ſit.de fract.commenta.2°. 7ª.240.H
in Iſchio ſedere ſoli homini ineſt.3°.de vſu partium. 1ª.127.H
Iſchij articulus rotundiſſimus & laxiſſimus.12°.de vſu par. 1ª.194..A
circa Iſchium duo muſculi femur circum agunt.15°.de vſu p. 1ª.214.B
Ἰσχνά, id eſt non tumentia.de vict.rat.in morb.ac.com.4°. 7ª.139..A
Ἰσχνὴ quid ſignificet.in 1^{m}.prorrh.commen.2°. 4ª.176..A
Ἰσχνόφωνοι qui.in 1^{m}.de morb.vulg.com.2°. 3ª.115.F
ISCHVRIA quid.fin.med. Iſa.47.G
Iſchuria qui comparetur,& quid ſit.2°.de ſymp.cauſ. 3ª.20.G
Iſchuria quid proprie.3°.de ſymp.cauſ. 3ª.28.C
Iſchuria improprie quid ſit.3°.de ſympt.cauſ. 3ª.28.C
Iſchuria appellatio prima eſt ſuppreſſionis vrinæ.fin.med. Iſa.44.B
Iſchuria,voluntariæ actionis noxa.2°.de ſymp.cauſ. 3ª.19.G
Iſchuria,quę.6°.de locis affectis. 4ª.38.C
Iſchuria quo modo fiat.6°.de locis affectis. 4ª.38.C
Ἰσχουρίας cauſa.introd. Iſa.57.B

ex Iſchuria nemo moreretur ſecundum Eraſiſtratum, & quare. 1°. de natu.facultatibus. 1ª.295.H
Ἡσυχία quid apud græcos.1°.de diff.pulſ. 4ª.48.C
ISIDORI infuſum ad dyſentericos faciens.9°.de compoſitione medicamen.ſecundum locos. 5ª.203.E
Iſidori antiochi emplaſtrũ ad quæ vtile ſit.6°.de cõ.me.per g. 5ª.257.A
Iſidori ad dolorẽ ſedandũ remedium bonũ.6°.de cõ.me.per g. 5ª.259.A
Iſidori ad nomas remedium.5°.de comp.med.ſec.loc. 5ª.252.A/C
ſecundum Iſidori familiarem ruſticum pharmacum quoddam 2°.de cõpoſi.medicam.per genera. 5ª.222.F
ISIS vnde dicta.2°.de compoſi.medi.per genera. 5ª.223.F
Iſis vocatum emplaſtrum quod.4°.de compoſi.med.per ge. 5ª.243.B
Iſis emplaſtrum.2°.de compoſi.med.per genera. 5ª.221.G
Iſis cognominatum emplaſtrum, quo modo ad vſum emmotorum poſſit reduci.2°.de arte cur.ad Glauconem. 7ª.106.A
Iſis emplaſtrum cephalicum.2°.de comp.med.per genera. 5ª.226.B
Iſis cephalica.4°.de comp.med.per genera. 5ª.244.B
Iſis fit ſub æſtu caniculæ.2°.de comp.med.per genera. 5ª.226.B
Iſis Epigoni cuius vis, & vtilitatis per ſe ſit. 5°. de compoſi.medicamentorum per genera.246.D/ 5ª.248.B
Iſis nudatæ membranæ imponitur.6°.meth.med. 7ª.42.H
ſupra Iſin emplaſtrũ oxymeli foris poſito q vteretur.6°.m.m.7ª.42.H
Iſi non eſt auſus vti Galenus, tñ plures ſanabantur ab Eudemo, qui illo vtebatur, quam ab ijs qui blandis vtebantur.6°.meth.med.7ª.42.H
cum Iſide ægyptia idem valet in neruis medicamentum ex radice dracunculi.3°.de comp.med.per gene. 5ª.229.D
Ἰσοχρόνοι motus.2°.de dign.pulſ. 4ª.75.F
ISOCHRYSON collyrium.4°.de comp.med.ſec.loc. 5ª.156.H
Ἰσοδρόμοι motus.2°.de dign.pulſ. 4ª.75.F
ISOPYRON aut phaſiolum cuius ſit facultatis, & in quibus conueniant.6°.de ſimp.med.facul. 5ª.48.H
ISOTHEOS appellata colica quibus proſit. 9°. de comp.medicamen. ſecundum locos. 5ª.202.B
Iſotheos cõfectio ad tuſſim, ad tabẽ, & cætera.7°.de cõ.me.ſ.l. 5ª.182.G
ISTHMI ſunt anguſti quidam terræ proceſſus inter duo maria.commentario 3°.aphoriſmo 26°. Ex.25.D
Iſthmus quid, & cur ita dictus.de muſculorum diſſectione.1ª.46. G/ de anatomia parua. Sp.42.H
Iſthmus dicitur per methaphoram pars illa quæ os, et gulam interiacet. commentario 3°.aphoriſmo 26°. Ex.25.D
Iſthmi humidi excrementi ac veluti lacunæ à natura conditi renes.finitiones medicæ. Iſa.44.A
Ἱστίον velum.linteum dicitur.de artic.com.3°. 7ª.270.H
Ἱστὸς lignum à ſtando.de artic.commen.3°. 7ª.270.H
ad ISTRUM Myſia eſt & alia quæ helleſpontia dicitur. 5°. de ſanita. tuenda. 2ª.90.H
ITALIAE vias Traianus refecit. 9°. methodi medendi. 7ª.58.F
in Italia, Co, Cnido, & Rhodo certabant medici.1°.metho.med. 7ª.2.F
in Italia nata quàm plurima æqualia ijs quæ è Creta afferuntur & quãdo.1°.de antidotis. 5ª.105.D
in Italia oleum Sabinum relaxat.3°.de ſanita.tuen. 2ª.81.B
in Italia quæ vina fulua vel alba ſubſtantia tenuia, & quibus danda. 4°.de ſanitate tuenda. 2ª.85.G
in Italia non mirum gigni multa vina aquoſa tenuia.de vict.rat.in morbis acutis, commenta.3°. 7ª.127.B
in Italia quæ vina calidiora.5°.de ſanita.tuen. 2ª.90.H
in Italia quæ vina minus calida.5°.de ſan.tuen. 2ª.90.H
in Italia ex vinis ſabinis non nulla ſunt tanto deteriora ijs quæ modice adſtringunt, quanto aquã bonitate vincũt.de bon.& vi.ſuc.2.83F.G.
ex ITALICIS vinis quæ tuto bibãtur.de bon.& vit.ſuc. 2ª.38.F
Italicum panicum melius Aſiatico.1°.de alim.fac. 2ª.13.C
Italicæ heminæ.4°.de ſanitate tuenda. 2ª.86.H
Italicus modius.4°.de ſanitate tuenda. 2ª.86.H
Italicum genus philoſophorum.de hiſt.philoſ. Sp.2.F
Italicæ philoſophiæ princeps Pythagoras.de hiſt.philoſo. Sp.2.G
Italorum & Græcorum vinorum comparatio.5°.de ſan.tuen. 2ª.90.H
ITATIO eſt crurum exercitatio.2°.de ſanitate tuenda. 2ª.74.H
ITEA, id eſt ſalix, in quibus proſit.6°.de ſimp.med.fac. 5ª.48.H
ITER qui facit exercetur.2°.de ſanitate tuenda. 2ª.73.G
Iter facere quæ exercitatio ſit.2°.de ſan.tuen. 2ª.74.H
Iter quo modo faciendum circa anni tempora.de ſal.diæta. 2ª.40.H
Iter facturus ſub ſole quid agere debet.de med.fac.par. 7ª.164.A
Iter p ſolẽ qui fecerit, niſi lauerit, quid ſequatur.10°.meth.me.7ª.66.A
Iter longum ſub ſole per puluerem, quale.1°.de diff.feb. 3ª.34.G
Iter agentibus præſto adſunt laſſitudines, niſi apotherapia deuitentur. 3°.de ſanitate tuenda. 2ª.77.F
in Itinere aer frigidus horrorem facit.2°.de ſymp.cauſ. 3ª.23.A
Iter agentes in maximo frigore membra amiſere.de diff.mor. 3ª.3.E
Iter eſt cã raucedinis, & coryzæ.de vict.rat.in mor.ac.c.4°. 7ª.144.H
ex Itinere frigefactorum pulſus.1°.de præſagitione ex pulſ. 4ª.107.E
Iter facientis comparatio ad celeritatẽ pulſus.1°.de cauſ.pulſ. 4ª.88.G
Iter agentium in pulſu comparatio.1°.de cauſ.pulſ. 4ª.88.B
ex Itinere dolores.de vict.rat.in morbis acutis, com.4°. 7ª.144.H
ob Iter fit dolor capitis.de vict.ra.in morb.acut.com.4°. 7ª.150.F
ex Itinere febris iuuatur balneo.2°.de mot.muſ. 1ª.315.C
Iter ſpermatis.de ſpermate. Sp.36.E
Itinerantes qui non egent refrigeratione.10°.meth.med. 7ª.66.C
ITHMOEIDUM oſſium vſus.8°.de vſu partim. 1ª.168.E
ITRIA veteres appellabant lagana, & rhyemata.de bonit. & vitio ſuccorum. 2ª.35.D
Itriorum duplex ſpecies.1°.de aliment.fac. 2ª.10.E
Itria ex ſimilagine qualia.1°.de alimen.fac. 2ª.10.E
Itrijs cur inſpergunt papauer.7°.de ſimp.med.fac. 5ª.55.G
ex Itrijs & oleo placenta facile corrumpitur.1°.de loc.aff. 4ª.5.C
Itrium coctum pro hydrope bonũ.de vict.rat.in mor.ac.c.4°. 7ª.152.G
Ἴτρον quid.introd. Iſa.53.D
IUBAE Regi Mauriſiorũ inſcriptus libellus de Euphorbio. 9°.de comp.med.ſec.loc. 5ª.201.D
IUCUNDA appellata confectio in quibus conueniat. 7°. de compo. medicamentorum ſecundum locos. 5ª.185.C
Iucundum duplex genera.4°.de ſimp.med.fac. 5ª.27.A
Iucunde agere quid ſit.de faſcijs. 7ª.293.C
Iucũde q̃ maxime agere cõuenit vbi dolor euitari poſſit.de faſ.7ª.293.C
Iucũde inijciẽdũ eſt vinculũ, vt opus facile præſtetur.de faſc. 7ª.294.B
Iucundæ ſunt res naturales.de palp. 3ª.54.D
è IUDAEA aſphaltum, & opobalſamum aduehuntur. 1°.de antidotis. 5ª.105.E
IUDAICUS lapis nihil facit in lapide veſicæ, ſed tantum in lapide renum.ſecretorum. Sp.102.D
IUDEX rectus ſectarum carere affectionibus debet, & demonſtrationum peritus eſſe.de ord.lib.ſuo. Iſa.14.G
Iudices munus ſuum obituros à vino prohibet lex Chartaginẽſiũ.quòd animi mores. 1ª.320.H
Iudex durus qui.3°.de diff.pulſ. 4ª.63.F
Iudex iniquus qui ſit.2°.meth.med. 7ª.11.G
ad Iudicem alium licet appellare, [ergo erant appellationes] 1°. methodi medendi. 7ª.3.H
Iudice ſe & litigatore Theſſalum viciſſe inſignis eſt audacia.1°. methodi medendi. 7ª.3.B
IUDICANDI principium ſi eſt in nobis, facile inueniemus. 9°. de decretis Hippocratis. 1ª.279.C
ad Iudicandum omnem numerum dierum non eſſe idoneum experientia comprobat.commen.4°.apho.36°. Ex.31.H
ad Iudicandũ nõ opus eſt dem̃ratione, ſed ſenſu.de na.hu.c.2°. 7ª.183.C
Iudicandi qui ſint quo modo ſe habeant.in prog.com.3°. 4ª.207.H
non IUDICANTES dies qui.2°.de dieb.decret. 4ª.154.E
Iudicantem nunquam vidit duodecimum diem Galenus, ſed alius quis vidit, ſed male.1°.de dieb.decretorijs. 4ª.145.F
Iudicantes nunquam vidit Galenus duodecimum, & ſextumdecimum. 1°.de diebus decret. 4ª.146.G
IUDICARE quo modo debent medici, vt poſſint ſententiam mutare. de dieb.decre. 4ª.150.A
Iudicat Hippocrates ex oppoſitis.in progn.com.2°. 4ª.199.E
Iudicare contraria ex contrarijs conſuetudo eſt Hippocratis. in progno. commentario 2°. 4ª.199.B
Iudicatur membrum vnumquodq; actionibus & vſibus, non forma corporis.de decretis Hippo.& Plato. 1ª.233.E
IUDICARI eſt magnas facere permutationes in morbis. commentario 1°.apho.23°. Ex.15.D/E
Iudicantur per abſceſſus, & raro per excretionem morbi longi.de vict. rat.in morbis acutis, commenta.4°. 7ª.140.F
Iudicantur qui morbi per dies pares & impares.in 1m. de morbis vulgaribus, commentario 3°. 3ª.120.C

Iudicari diutur-

Iudicari diuturnos morbos magna ex parte diebus paribus, inquit Hippocrates. bre.denot.dogm.Hippo. 1ª.231.D

Iudicari morbos acutos diebus imparibus magna ex parte, inquit Hippocrates. bre.denot.dogm.Hippo. 1ª.231.D

Iudicātur plurimi morbi pacuti cum ſudore.com.4°.apho.36°. Ex.31.H

Iudicat vigeſimum primum decimus octauus.2°.de dieb.dec. 1ª.152.F

Iudicent quo modo ſeptimus, & ſextus.1°.de dieb.decr. 4ª.147.B

Iudicātur quidā ſexto die, qdā decimoſeptimo.2°.de die.decr. 4ª.152.C

Iudicantur pauci in ſexto die & peruerſe.1°.de dieb.decre. 4ª.146.E

Iudicat cur male ſextus.in progn.com.2°. 4ª.206.F

Iudicauit ſextus dies fideliter virginem quādam, quod mirum notat fuiſſe Galenus.in 3m.de morb.vulg.com.3°. 3ª.150.H

Iudicat de ſexto quartus.1°.de dieb.decre. 4ª.147.B

quo modo Iudicabantur ardentes febres, in quatuordecim diebus.in 1m. de morbis vulgaribus, com.2°. 3ª.116.F

Iudicari nihil poteſt in principio.de vic.ra.in morb.acu.cō.2°. 7ª.123.D

Iudicātur cito febres, quarum acceſſio duodecim horis, vel minus durat. commentario 4°.apho.43°. Ex.32.F

IVDICATIONES *à græcis dicuntur criſes.cō.2°.apho.23°.* Ex.15.G

Iudicatio quid appelletur, ſm aliquos.1°.de dieb.decre. 4ª.146.H

Iudicatio vnde dicta ſit.in progn.com.2°. 4ª.206.E

Iudicatio quid ſignificet.de vict.rat.in morb.acut.com.2°. 7ª.118.G

de Iudicationibus liber præcedit librū pgnoſticorū.i pg.c.1°. 4ª.191.H

Iudicatio quadrupliciter.in progn.com.2°. 4ª.206.E

Iudicatio in bonam & malam partem fit.in progno.com.2°. 4ª.207.E

Iudicatio ſimpliciter, quæ.in progn.com.2°. 4ª.206.E

Iudicatio ſimpliciter ſignificat illam quæ ad ſalutem.de vict.ra. in mor. acutis, commen.4°. 7ª.140.C

Iudicatio bona, quæ.1°.de dieb.decre. 4ª.145.G

Iudicatio abſoluta, quæ.1°.de dieb.decre. 4ª.145.G

Iudicatio fida, quę.1°.de dieb.decret. 4ª.145.G

Iudicatio firma, quæ.1°.de dieb.decre. 4ª.145.G

Iudicatio firma, etiam in malum.in prognoſt.commen.1°. 4ª.195.E

Iudicatio tuta, quæ.1°.de dieb.decret. 4ª.145.G

Iudicatio manifeſta, quę.1°.de dieb.decret. 4ª.145.G

Iudicatio cum bonis ſignis, quę.1°.de dccre. 4ª.145.G

Iudicatio quæ melior.com.1°.aph.20°. Ex.9.H

Iudicatio mala, quæ.1°.de dieb.decre. 4ª.145.G

Iudicatio imperfecta, quæ.1°.de dieb.decre. 4ª.145.G

Iudicationis iperfectæ terminus quadrageſimus dies.c.2°.a.23°. Ex.15.e

Iudicatio ſi non ſit perfecta, medicus debet adiuuare naturam.commentario 1°.aphor.20°. Ex.9.H

in Iudicatione derelicta faciunt recidiuas.com.1°.aph.20°. Ex.9.H

Iudicatio infida, quæ.1°.de dieb.decret. 4ª.145.G

Iudicatio periculoſa, quę.1°.de dieb.decre. 4ª.145.G

Iudicatio poriculoſa pōt habere bonū finē.cō.4°.apho.46°. Ex.32.D

Iudicatio obſcura, quæ.1°.de dieb.decre. 4ª.145.G

Indicatio ſine ſignis, quæ.1°.de dieb.decre. 4ª.145.G

Iudicatio quot modis fiat.in progn.com.2°. 4ª.206.E

Iudicationes fiunt ex vrinis, excrementis alui, & ſputis non ſemper bene, ſed quandoq; male.com.4°.apho.71°. Ex.35.D

Iudicatio pe ſudorem ſeptimo die in quo fuerit facta.in 3m.de morbis vulgaribus, commentario 2°. 3ª.135.E

ſine Iudicatione quandoq; fiunt ſudores.com.4°.apho.4°. Ex.32.E

Iudicatio ex profluuio ſanguinis narium.4°.de præſ.ex pul. 4ª.122.F

Iudicatio qn̄ fiat.in prog.cō 2°.4ª.207.E/com.1°.apho.22°. Ex.10.A

Iudicationes magna ex parte fiunt morbo in ſuo vigore conſiſtente.commen.1°.aphoriſ.19°. Ex.9.G

Iudicatio quando citius, et quando tardius in pleuritide contingat.2°. de arte cur.ad Glauco. 7ª.112.H

Iudicatio per dies impares fit, ſi per impares fiat etiam acceſſio.in 6m.de morbis vulgaribus, com.2°. 3ª.171.C

Iudicationem non eſſe perfectam diebus paribus, collige. commentario 1°.aphoriſmo 20°. Ex.9.H

Iudicationis primus dies eſt quartus.com.4°.apho.36°. Ex.31.H

Iudicationes à partu numerandæ in mulieribus.in pg.cō.3°. 4ª.208.A

Iudicationes febrium qubus ſint diebus.com.2°.apho.24°. Ex.15.H

Iudicationis acutorum morborū terminus, qui.com.1°.aph.23°. Ex.9.E

Iudicationis primus dies in morbis longis ac vltimus inter acutos, qui. com.3°.apho.28°. Ex.26.A

Iudicatio morborum longorum in pueris quo tempore fiat.commentario 3°.aphoriſmo 28°. Ex.26.A

Iudicationes quo modo primo per quaternarios, poſtea per ſeptenarios & vigenarios, & menſes fiat.in progn.com.3°. 4ª.208.C

Iudicationis tres termini.in prog.commen.3°. 4ª.210.G

Iudicatio quando expectanda.2°.de præſag.ex pulſ. 4ª.114.D

Iudicationis ratione quæ fiant.in progno.com.3°. 4ª.211.F

Iudicationem omnem quid pręcedat.1°.de arte cur.ad Gla. 7ª.100.C

Iudicationem propinquam ſigna indicantia.com.4°.aph.71°. Ex.35.C

Iudicatione propinqua ægri grauiter ſe habent, vigilant magna ex parte, & vehementius febriunt.com.4°.apho.71°. Ex.35.C

Iudicationi propinqui ægri ſpirant difficilius vt plurimum.commentario 4°.aphoriſmo 71°. Ex.35.C

Iudicatio futura per abſceſſum, quo cognoſcatur ex pulſu. 4°.de præſag. ex pulſ. Ex.122.F

Iudicationis ſigna non ſemper bona.com.1°.aph.12°. Ex 6.F

Iudicatio quo modo cognoſcatur an in bonum vel in malum.in prognoſt. commentario 3°. 4ª.112.G

Iudicatio optima quo pulſu indicetur.4°.de præſag.ex pulſ. 4ª.122.B

Iudicatio qn̄ non eſt expectanda bona.1°.de arte cur.ad Glau. 7ª.100.C

ad Iudicationis firmitatē cōducit dies decretorius.in pg.c.2°. 4ª.203.E

Iudicatio bona non eſt crudo morbo.in 1m.prorrh.com.1°. 4ª.165.C

in Iudicatione lumbricos teretes vnà cum deiectione deſcendere, quādo bonum.in prognoſt.com.2°. 4ª.199.E

per Iudicationes, morbum debere finire quæ oſtendunt.1°.de arte curatiua ad Glauconem. 7ª.100.C

Iudicationis carcntia iudicatur à crudis.commen.4°.aph.22°. Ex.29.G

Iudicationes malæ, quę.in 1m.prorrh.com.2°. 4ª.173.H

ante Iudicationem cibandum potius in principio q̄ poſt.de victus ratio. in morbis acutis, com.2°. 7ª.118.F

in Iudicatione morbi nihil dandum.com.1°.apho.12°. Ex.5.D

in Iudicatione nihil eſt dandū.de vict.rat.in mor.acu.com.1°. 7ª.140.E

in Iudicatione quando totum permittendum naturæ, & quando non.commentario 1°.aphoriſ.20°. Ex.9.G

à Iudicatione p duos dics victus rō ſeruāda.2°.de ar.cu.ad Gl. 7ª.113.A

Iudicatio.lege Criſis.

IVDICATORII *dies q ſint.c.4°.apho.36°.31.H/apho.71°.* Ex.35.E

Iudicatoriorum dierum ordo, qui.com.2°.apho.24°. Ex.15.H

Iudicatoriorum dierum primus circuitus, qui.com.5°.apho.6°. Ex.37.C

Iudicatoriorum dierum incrementa, ac compoſitiones fiunt in quaternis diebus, vt quartodecimo, vigeſimo, quadrageſimo, & ſexageſimo, et octuageſimo.com.4°.apho.61°. Ex.34.B

Iudicatorius quo modo nonus dies.in progn.com.3°. 4ª.210.G

Iudicatorius octauus decimus dies.in 1m.de mor.vul.com.2°. 3ª.116.F

Iudicatoriorum dicrum ſeptimus, primus eſt numero, ordine, potentia, & dignitate.1°.de dieb.decre. 4ª.146.E

Iudicatorius eſt vigeſimus dies, non vigeſimus primus apud Hippocratem ſemper.com.7°.apho.38°. Ex.57.A

Iudicatorius cur ſit vigeſimus dies, Galenus primus rationem reddidit. in progn.com.3°. 4ª.207.C

in Iudicatorio die ſanguinis malus, malum.in 1m.pror.cō.3°. 4ª.186.G

in Iudicatorio die ſymptomata mala ſunt peiora.de victus rat.in morbis acutis, commenta.4°. 7ª.142.G

Iudicatorij dies poſſunt dici cauſæ ſanitatis. 1°. de dieb.decre. 4ª.148.D

Iudicatorij dies ſigna ſanitatis.1°.de dieb.decre. 4ª.148.D

Iudicatorij dies bonum iudicium oſtendunt.com.4°.apho.29°. Ex.30.D

Iudicatoria non iudicantia praua.in 1m.prorrh.com.3°. 4ª.184.G

Iudicatoria non iudicantia quędam letalia, quædam difficilia.in 1m.prorrhet.commentario 2°. 4ª.173.H

Iudicatoria quæ non iudicant, partim mortalia, partim male iudicant. commen.7°.aphor.4°. Ex.54.C

Iudicatoria ſigna quę, & quot.com.1°.apho.12°. Ex.6.D

Iudicatoria ſigna non ſtatim apparere, collige.c.4°.apho.21°. Ex.29.E

Iudicatoria ſigna bona in iudicatorijs diebus incipiunt.commentario 4°. aphoriſ.36°. Ex.31.H

Iudicatorij ſudores ex qua vi fiant.commen.7°.apho.21°. Ex.55.D

Iudicatorij rigores quo modo fiant in ardentibus febribus.in 6m. de morbis vulgaribus, com.1°. 3ª.157.A

Iudicatorie quandoq; fit morbus regius, & quo modo, & quando.commentario 4°.aphor.62°. Ex.34.B

Iudicatorie an̄ ſeptimū nō pōt efferri cholera.cō.4°.apho.61°. Ex.34.B

IVDICATA *per ſeceſſum, & vomitum, quæ. in 1m. de morbis vulgaribus, commentario 3°.* 3ª.122.G

Iudicata p ſudorem ſeptimo die, quæ.in 1m.de mor.vulg.cō.1°. 3ª.126.H

Iudicatus p ſudorem qui,& quo die.in 3m.de mor.vul.com.1°. 3ª.134.C
Iudicatus qui per ſudorem.in 1m.de morb.vulg.com.3°. 3ª.122.B
Iudicatus per ſudorem, & profluuium ſanguinis potiſſimum, qui.in 1m. de morbis vulgaribus,commentario 3°. 3ª.123.D
Iudicatus nullus die decimo.in 3m.de morb.vulg.com.1°. 3ª.128.B
Iudicatũ neminem vidit Galenus in decimoſeptimo & decimoſexto die. 1°.de dieb.decret. 4ª.145.F
Iudicatum quendam in ſextodecimo die ſupponit Galenus, vt propoſitũ declaret.1°.de dieb.decre. 4ª.148.E
Iudicatus abſq; vrinarũ coctione,qui.in 1m.de mor.vul.cõ.3°. 3ª.124.E
in Iudicatis ad mortem de theriaca experimentum faciunt prætores.de theria.ad Piſonem. 5ª.90.A
IVDICII *vocabulum multa ſignificat.4°.de decr.Hipp.* 1ª.249.F
Iudicium quid vere vocatur.1°.de dieb.decr. 4ª.149.C
Iudicium quid ſit ſecundum aliquos.1°.de diebus decre.4ª.146.H/de hiſto.philoſo. Sp3 .D
Iudicia quæ ſint.9°.de decre.Hipp. 1ª.279.E
Iudicij diuiſio.de hiſt.philoſo. Sp.3.D
Iudicij in rebus duo genera.de ſectis. Iſa.17.F
Iudicium de perſpicuis intellectui ex communi omnium hominum conceptione habetur.de opt.ſecta. Iſa.19.H
Iudicium quomodo difficile,& quid ſit iudicium.com.1°.aph.1°. Ex.2.H
Iudicium & ratio pro eodem accipiuntur.com.1°.apho.1°. Ex.2.H
Iudicium ad philoſophos,non ad medicos ſpectat.de opt.ſecta. Iſa.23.D
Iudiciũ quõ de rebus faciendũ.de vict.ra.in morb.acut.cõ.3°. 7ª.129.A
Iudicium nullum eſſe datum hoĩbus à natura ſm Fauorinum,quo res omnes ſimul collatas poſſint exacte dignoſcere.de op.do.ge. Iſa.30.D
ad Iudicium noſtri qui eligendi.de cogn.cur.animi morbis. 2ª.53.B
Iudicia naturalia in quibus conſiſtant.9°.de decre.Hipp. 7ª.279.D
ad Iudicium ſenſum,ac mentem natura nobis dedit.de ijs, quæ in medi. fiunt,com.1°. 7ª.200.A
Iudicium ſi ex ſenſu non fiat,omnia externa ſunt conferenda,& ex ipſis iudicandum.3°.de temperam. 1ª.24.F
Iudiciũ ab ijs quæ ſumũtur à rei ſubſtãtiã,fieri debet.3°.de tẽpe. 1ª.24.F
Iudicium certum ſine demonſtratione.9°.de decr.Hipp. 1ª.284.B
ſine Iudicio fieri perturbationes,& caſdem iudicia eſſe, Chryſippus debuerat diſtinguere quomodo intelligeret.4°.de decre.Hip. 1ª.249.G
Iudicia,& inſtrumenta per quæ tum ſermones veri parantur, tum quæ ab alijs dicuntur,iudicare poſſimus,in vniuerſum ſe traditurum pollicetur Galenus.de opt.do.gen. Iſ.30.H
Iudiciũ de toto corpore ex indicijs cutis vanum eſt.2°.de temp. 1ª.20.H
Iudicia vnde ſumantur in omnibus partibus.ars med. Iſa.67.D
Iudicia prima mittendi ſanguinis.præſag.exper.con. Sp.77.H
in Iudicio vt nihil poſſint eloqui, aduerſarios cogere ridiculum eſt.4°. de ſimp.medic.facul. 5ª.72.D
IVDICIORVM *differentiæ. in 1m. de morb. vulg.com.1°.3ª.120.E/1°. de dieb.decret.* 4ª.145.F
Iudicium communiter acceptum,mortem etiam includit.in 3m. de morbis vulgaribus,com.2°. 3ª.138.A
Iudicia quo modo ſe habeant circa tempus.4°.de decr.Hipp. 1ª.253.H
Iudicij tempus ſcire,vtile eſt ad victus rationem inſtituendam.3°.de diebus decretorijs. 4ª.160.C
in Iudicio à die fides ſpectatur.1°.de dieb.decre. 4ª.148.B
Iudicia in acceſſionibus plurimum cõtingunt.1°.de dieb.dec. 4ª.148.G
cur Iudicia fiunt in acceſſionibus.in 1m.de morb.vul.com.3°. 3ª.120.F
Iudicia fiunt in vehementibus acceſſionibus.com.4°.aph.36°. Ex.32.A
Iudicia in quibus morbis fiunt citius,in quibus tardius ex acceſſionibus com.4°.aphoriſ.36°. Ex.32.A
Iudicium facit celeris concoctio.in 1m.de morb.vul.com.2°. 3ª.112.D
Iudicium optimum in vno & eodem infante haberi poteſt de eo quod calidiſſimum eſt in ætatibus.de temp. 1ª.17.A
Iudicium celere ꝓmittunt concoctiones.in 1m.de mor.vul.c.3°. 3ª.124.E
Iudicium antecedens nox moleſta.in 6m.de mor.vul.com.1°. 3ª.156.H
Iudicium expectandum breui,quando grauia habet ſymptomata quartus dies,perinde ac tertius.in 1m.de mor.vul.com.3°. 3ª.121.B
Iudicia erunt diebus paribus,ſi acceſſiones ſint diebus paribus. in 3m.de morbis vulgaribus,com.2°. 3ª.138.A
ad Iudicium bonum quæ ſint neceſſaria.com.4°.apho.22°. Ex.29.G
Iudicium bonum qñ rigores faciant,& qñ nõ.cõ.4°.apho.29°. Ex.30.D
Iudicij ſecuritatem ſalubrem coctiones ſignificant.commẽtario 4°. aphoriſmo 22°.29.G/aph.29°. Ex.30.D
Iudicium non fit per vrinam ægra exiſtente veſica,niſi ſecundum ipſam veſicam.de vrinæ ſig.ex Hippocr. Sp.78.G
Iudicium malum fit die ſexto.com.4°.apho.29°. Ex.30.E
Iudicium morborum acutorum,& peracutorum quibus diebus terminetur.commentario 4°.aph.59°. Ex.33.H
Iudicium febriũ cõtinuarũ,& interpollatarũ.c.4°.aph.59°. Ex.34.A
Iudicia tertianarum ſumuntur ab acceſſionibus,non ſicut continuarum, à diebus.com.4°.apho.59°. Ex.33.H
Iudicium.lege Criſis.
IVGALE *os quod.de oſſibus.1ª.41.A/de artic.com.2°.* 7ª.263.A
Iugale vnde ortum habet.de muſ.diſſ. 1ª.44.H
Iugale os oculos tuetur aduerſus maiorum molium incurſus,& vbi conſtitutum.10°.de vſu par. 1ª.180.A
Iugalia quæ.introd. Iſa.54.F
IVGAMENTVM *quid.de articulis,com.2°.* 7ª.263.A
IVGLANS *quid.7°.de ſimp.medicamen.facul.* 5ª.50.C
Iuglandis viridis corticis ſuccus ad quid valeat.5°.metho.med. 7ª.34.C
Iuglandes nuces qũo expertus eſt Galeni pater.de bo.& vi.ſuc. 2ª.36.G
IVGVLARES *venæ vnde oriantur.de ven.art.diſſ.* 1ª.57.D
Iugulares venę qũo à caua oriantur.de vic.ra.in mor.ac.c.2°. 7ª.117.D
Iugulares venæ per quem locum tranſeunt.de nat.hu.com.1°. 1ª.37.E
Iugulariæ venæ altius conditæ quæ.de ven.art.diſſ. 1ª.57.F
Iugularię venæ ſuperficiales vnde.de ven.art.diſſ. 1ª.57.F
Iugulariæ venæ externæ ſine arterijs.de ven.art.diſſ. 1ª.59.B
Iugulares venæ quas partes nutriãt.de vic.ra.in mor.ac.c.2°. 7ª.117.E
Iugulares venæ pulſant quandoq;.in 1m.prorrh.com.3°. 4ª.180.E
Iugulares venæ minuuntur in principio leprę,& fortis anginæ, & anguſtatione anhelitus,& in aſthmate acuto,& in raucedine vocis, & in apoſtemate pulmonis,& in ſpirandi difficultate,et ægritudinibus ſplenis & laterum.de anato.viuo. Sp.55.B
Iugulares venæ quando ſectæ,quid agendum.5°.meth.med. 7ª.31.B
Iugulares ligandi modus.de ana.viuo. Sp.55.B
Iugularibus venis vinctis animal per diem viuit.de vſu pulſ. 1ª.227.H
de Iugularijs venis vinctis exemplum.de vſu pulſ. 5ª.227.H
Iugularibus venis ſectis medicamentum commodũ.5°.met.med. 7ª.31.B
IVGVLI *inter clauiculas habentur.introd.* Iſa.53.B
Iugula quæ.de oſſibus. 1ª.42.G
Iugula quibus compoſita.de oſſibus. 1ª.42.G
Iugula extantia habent macri in 6m.de mor.vul.com.3°. 3ª.177.E
ad Iugulum vel præcordia mittit dolorẽ pleuritis.5°.de lo.aff. 4ª.31.D
Iugulum cur dolet pleuriticis quibuſdam.2°.de loc.aff. 4ª.11.C
Iugulum quando in pleuritide dolet.2°.de loc.affe. 4ª.11.C
in Iugulo cur dolor in inflammatione iecoris.2°.de loc.aff. 4ª.11.D
Iugulum deorſum trahitur in magna inflammatione iecoris, & in ſcirrho.5°.de locis affectis. 4ª.34.H
Iugulũ iflecti ſibi ſenſit Galenus,& qũo liberatus.de art.c.1°. 7ª.260.C
Iugulum fractum difficulter ſanatur.introd. Iſa.60.E
Iugulo fractum quo modo facilius ſanetur.de artic.com.1°. 7ª.260.F
Iugulum vbi eſt fractum,vinculum.de faſcijs. 7ª.300.G
iuxta Iugulum latum os ſcapularum, pectus, dorſum, aut latera,quo vinculo vincienda ſint.de faſcijs. 7ª.301.E
IVIVBÆ *mulierum & infantium effrenatorum edulium. 2°.de alimentorum facultatibus.* 2ª.21.D
Iuiubę exigui alimenti,& concoctu difficiles.2°.de alim.fac. 2ª.21.D
Iuiubæ non iuuant ſtomachum.2°.de alim.fac. 2ª.21.D
IVLIANVS *cuius fuerit diſcipulus.1°.meth.med.* 7ª.6.H
Iulianus ſcripſit libros quadraginta octo contra aphoriſmos Hippocratis.contra Iulianum. Ex.66.C
Iulianus ſæpe ſententiam mutabat in ſuis ſcriptis.1°.me.med. 7ª.6.H
Iuliani ſentẽtia plenitudo cõtinẽs eſt morborũ cauſa.cont.Iul. Ex.68.E
Iulianũ comparat Æſopi aſello.contra Iulianum. Ex.70.B
Iulianium appellatum oxymeli quibus prębendum. 2°. de compoſitione medicam.ſecundum locos. 5ª.137.A
Iuliani ad vulnera cruẽta remedium.2°.de comp.med.per ge. 5ª.227.D
IVLAX*.de med.fac.par.* 7ª.176.D
IVLIVS *ſecundus quo medicamine vteretur.7°.de comp.medicamen. per genera.* 5ª.271.F
Iulius Agrippa quo vſus pharmaco.8°.de com.med.ſec.loc. 5ª.193.D
IVLVS *propter quid habet tot pedes.3°.de vſu par.* 1ª.128.C
IVLIA *piſcis inter ſaxatiles.3°.de alim.fac.* 2ª.30.G
Iulia inter ſaxatiles piſces in tertio loco ſuauitatis.2°.de ali.fa. 2ª.30.H
Iulia & piſcibus ſaxatilibus quibus veſcẽdum ſit.de atten.vic. 2ª.45.D
Iulia mollis carne.3°.de alim.fac. 2ª.31.A

Iulia

Iulia numerat iter piſces q facilius cæteris cõficiunt.3°.de ali.fa. 2ª.31.A
IVMENTORVM alimentum auena.1°.de alim.fac. 2ª.13.B
Iumentorum ſoleæ ſparto nectuntur.1°.de alimen.fac. 2ª.11.D
Iumentorum, & columbarum excrementa à ſole calefacta exurebant. de differentijs febrium. 3ª.32.H
Iumentorum vrina, qualis.in progn.com.2°. 4ª.201.D
ad Iumentorum vrinæ difficultatem.de med.fac.par. 7ª.174.C
Iumentorum vrinæ ſimilis vrina.in 1m.de mor.vul.com.3°. 3ª.122.E
Iumentorum lotio ſimiles vrinę colliquationẽ nõ indicant.in 6m. de morbis vulgaribus, com.5°. 3ª.192.A
Iumentorum lotio ſimiles vrinæ dolorem capitis ſignificãt.in 6m.de morbis vulgaribus, com.5°. 3ª.192.A
Iumentorum inſtar perturbatæ vrinę cephalalgiam adeſſe, aut affuturã oſtendunt.de vrinæ ſign.ex Hippo. Sp.78.G
Iumentina vrina pinguedinoſa alba dolorem renum ſignificat, & veſicæ, & capitis aliquantum.de dynamidijs. Sp.35.E
Iumento ſimilem vrina ſi fœmina habeat, dolorem vuluæ, & matricis, & febrem ſignificat.de dynamidijs. Sp.35.E
IVNCTVRARVM fabrica ob duo effecta.de frac.c.3°. 7ª.249.C
Iuncturas qui non habent.de aere, aq. & loc. 2ª.2.G
Iuncturas duas habet epiglottis.de voce & anhel. Sp.60.G
cõtra Iũcturarũ frĩdas ĩfirmitates valẽs medicamẽ.de me.ex. Sp.105.G
in Iuncturis generationem phlegmatis timenti conueniunt cibi ſubtiliãtes.de diſſol.cont. Sp.72.E
à Iuncturis phlegma reſoluens compoſitio.ſecretorum. Sp.102.A
ad Iuncturarum paſſiones omnes electarium.de med.exper. Sp.107.G
Iuncturarum dolori ex humore craſſo ammoniacum profuit.de medicinis expertis. Sp.104.C
ad Iuncturarum dolores ex phlegmate viſcoſo, quo deſtruitur motus. de med.expertis. Sp.108.F
ad Iuncturarum dolorem valens electarium.de med.exper. Sp.108.D
ad Iuncturarum dolorem.ſecretorum.100.C/101.E/ Sp.102.H
Iuncturæ ſeparatio quo modo fiat.de oculis. 7ª.187.H
Iuncturæ ſeparationis cauſa triplex.de ocul. 7ª.185.H
IVNCTVRA in orbem [quidam adijciunt ſub auctore Hippocrate.] de faſcijs. 7ª.304.H
Iunctura ad malas ex tribus faſcijs.de faſcijs. 7ª.299.H
Iunctura ad mentum ex Sorano.de faſcijs. 7ª.300.F
Iunctura ad primam palmæ partem.de faſcijs. 7ª.305.C
Iũctura ad femur vulneratũ, et vbi adiũctæ ptes abſcedãt.d fa. Sp.305.f
Iunctura quibus vulnerato femore proximæ partes diducuntur.de faſcijs. 7ª.305.G
Iunctura ad inguen tuendum.de faſcijs. 7ª.304.C
Iunctura ad alterum inguen.de faſcijs. 7ª.303.E
Iunctura ad vtrunq; inguen.de faſcijs. 7ª.303.F
Iunctura eadem in vtranq; partem ductam.de faſcijs. 7ª.303.F/ aliter ad alterum inguen.G/ aliter ad vtrunq;.H/
Iunctura ad ſcrotum ex tribus capitibus.de faſcijs. 7ª.304.G
Iunctura aſſuta ad anum.de faſcijs. 7ª.304.D
in IVNCTVRALIBVS locis ſunt glandulæ quædam collectiuæ humiditatis, vt ſub axillis, & in inguinibus.de ana.viuo. Sp.55.H
in Iuncturalibus locis cur poſitæ glandulæ.de anato.viuo. Sp.44.D
IVNGIT inciſos articulos emplaſtrum barbarum.de dyn. Sp.35.F
IVNCI comparatio ad arteriam venalem.de anato.viuo. Sp.52.H
Iuncus mouetur in aqua ad aquæ motum.de anato.viuo. Sp.52.A
Iunci germina omnium præſtantiſſima.2°.de alim.fac. 2ª.24.C
Iuncus leuis ex qua ſit materia.8°.de ſimp.med.fac. 5ª.62.A
Iuncus leuis ſomnum affert, ventris fluxus deſiccat, & muliebre profluuium rubrum ſiſtit.8°.de ſimp.med.fac. 5ª.62.A
IVNCVM cameli comedunt.1°.de antidotis. 5ª.106.F
Iunci rotundi odorati flos, qualis.8°.de comp.med.ſec.loc. 5ª.170.G
Iunci odorati flos aromaticũ medicamẽtũ.9°.de cõp.me.ſe.lo. 5ª.201.G
Iunci odorati flos inter arida adſtringentia moderate numeratur. 6°.de compoſi.medicam.ſecundum locos. 5ª.172.G
Iunci odorati flos, odoratas reddit compoſitiones.1°.de compoſi.medicamentorum ſecundum locos. 5ª.128.C
Iunci flos cũ quibus miſceatur in iecoris phlegmone.13°.me.me. 7ª.83.G
Iunci quadrati (qui cyperus eſt) radices, cuius ſint facultatis, & in quibus conueniant.7°.de ſimp.med.fac. 5ª.53.H
IVNIPERINVM oleum refrigeratos calefacit. 2°. de ſimplicium medicamentorum faculta. 5ª.15.A
IVNIPERVM quid.de ſimp.medic. Sp.85.E
Iuniperi grano ſimilis cedri fructus.2°.de alim.fac. 2ª.19.C
Iuniperis ſimilis eſt cedrus.7°.de ſimp.med.facul. 5ª.50.D
Iuniperus calida & ſicca in tertio ordine.6°.de ſimp.med.fac. 5ª.43.F
Iuniperus vires habet excalfactorias, & diureticas, & ad digeſtionem facit.de ſimp.medicamen. Sp.85.E
Iuniperi fructus ἀρκευθὶς dicitur.2°.de alim.fac. 2ª.19.C
Iuniperi fructus calidus in tertio ordine, ſiccus in primo.6°.de ſimp. medicamen.faculta. 5ª.43.F
Iuniperi fructus calefacit.2°.de alimen.fac. 2ª.19.C
Iuniperi fructus acris cum dulcedine.2°.de alim.fac. 2ª.19.C
Iuniperi fructus minus adſtringit.2°.de alim.fac. 2ª.19.C
Iuniperi fructus parum alit.2°.de alimen.fac. 2ª.19.C
Iuniperi baccæ mitigatoriæ ſunt.8°.de comp.med.ſec.loc. 5ª.196.B
ex Iuniperi baccis & quibuſdam alijs ad ſtomachi ardorem cum ſyncope compoſitio conferens.8°.de comp.med.ſec.loc. 5ª.191.H
Iuniperi fructus mordet ſtomachum, & calfacit caput.2°. de alimentorum facultatibus. 2ª.19.C
Iuniperi fructus quandoq; replet.2°.de alimen.facul. 2ª.19.C
Iuniperi fructus dolores ventris parit.2°.de alimen.fac. 2ª.19.C
Iuniperi fructus non proritat, nec cohibet ventrẽ.2°.de alim.fa. 2ª.19.C
Iuniperi fructus mediocriter vrinas euacuat.2°.de alim.fac. 2ª.19.C
ex Iuniperi fructu medicamentum ad venena valet. 9°. de ſimplicium medicamentorum facultatibus. 5ª.65.D
Iuniperi decoctio prouocat menſtrua.de med.exper. Sp.106.F
IVNIORVM animantium vniuerſæ partes humidæ & molles. de bonit. & vitio ſuccorum. 2ª.35.H
Iuniora ſtatim ĩ lucẽ edita cur nõ ſunt boni ſucci.de bo.et vi.ſuc. 2ª.35.H
Iuniores quibus viribus excedant pueri.in progn.com.3°. 4ª.211.C
Iunioribus corporibus vtilis eſt victus mollior & humidior. de ſalubri diæta. 2ª.40.E
Iuniores quidam pharmacorum ſcriptores effecerunt, vt nullo ex veteribus egeamus.7°.de comp.med.ſec.loc. 5ª.184.F
IVPPITER dedit leges Cretenſibus.an animal ſit. 1ª.328.E
Iuppiter compoſitus ex corporibus neq; ſimplex quid eſt, ſecundum aliquos.ꝙ qual.incor.ſint. Iſa.10.A
ex Iouis capite ortæ Mineruæ fabula male à Chryſippo explicata. 4°. de decretis Hippocratis. 1ª.246.H
Iuppiter habet affinitatem cum natura rerum omnium, ad gaudium maxime pertinentium.de ſpermate. Sp.40.C
Iuppiter calidus eſt, & humidus.de comp.mem.ſiue de na.hu. Sp.59.F
Iuppiter ſi cum ſole à Ioue ſanabitur æger.de decub.prog. Sp.12.F
ab Ioue oſtenduntur inſomnia.2°.de arte cur.ad Glau. 7ª.110.B
Iouem eſt imitatus Salmoneus.1°.meth med. 7ª.3.G
IOVIS diem ſeruat, & lunæ decrementum.de dynamidijs. Sp.25.G
IOVIS barba.de ſpermate. Sp.31.E
IVPPITER appellatus paſtillus, qualis & ex quibus. 10°. de compoſitione medicam.ſecundum locos. 5ª.209.B
IVRAMENTVM fieri debet, vt is, qui iurare facit, intendit.1°.de præſag.ex pulſ. 4ª.105.D
IVS per elixationem fit ſalſius.3°.de alim.fac. 2ª.32.B
Ius gallinaceum pingue auxiliatur illis qui aconitum ſumpſere. 2°.de antidotis. 5ª.114.F
Iure gallinaceo pingui iuuantur qui coriandrum viride guſtarint. 2°. de antidotis. 5ª.114.C
Ius carnis ſuillæ quibus ſorbendum.2°.de antid. 5ª.114.D
Ius carnis humanæ ſuauiſſimum.10°.de ſimp.med.fac. 5ª.72.F
ex Iure ſimplici aues ſunt boni ſucci, nec facile putreſcunt. 5°. de ſanitate tuenda. 2ª.90.F
IVS album Galeni quo modo conficiatur.3°.de alim.fac. 2ª.31.D
Iuris albi compoſitio quæ ſit apud Galenum.4°.de ſan.tu. 2ª.87.G
Ius album quo modo conficiatur.2°.de comp.med.ſec.loc. 5ª.133.E
Ius album quo modo fiat.2°.de arte cur.ad Glauconem.107.F/de puero epileptico. 7ª.180.G
Ius album cum porro & anheto.12°.meth.med. 7ª.78.A
ex Iure albo piſces ſaxatiles quando dederit Galenus homini calidę & ſiccæ naturæ, qui febricitare cœperat.8°.meth.med. 7ª.50.B
ex Iure albo piſces dandi in ptiſanæ, & mulſæ faſtidio.2°.de arte curatiua ad Glauconem. 7ª.113.C
ex Iure albo aſellus quibus pro obſonio dandus.7°.meth.med. 7ª.45.D
in Iure albo oniſcos & piſces ſaxatiles dat in febre, ſi carnem petant ęgri.4°.de ſanitate tuenda. 2ª.87.G
Ius album poteſt dari ægris.3°.de alim.fac. 2ª.31.D

Ius album dat Galenus in febre ex obſtructione.8°.meth.med. 7ª.50.B
*Ius album in quo caſu dederit Galenus,& quando.12°.met.me.*7ª.78.H
in Iure albo aliquid elixæ carnis auium cui exhibuerit Galenus poſt lactucam,in quo caſu,& quo tempore.12°.meth.med. 7ª.78.H
Iuris albi mentio.10°.de ſimp.med.fac. 5ª.73.C
IVS *nigrum apud Galenum.in* 1^{m}*.prorrh.com.1°.* 4ª.165.A
Iuris caulium,& lentium quæ vis ſit.de diſſo.cont. Sp.75.A
Ius cicerum confert ictericis.de cura icteri. Sp.111.D
Ius ſpatio duarum horarũ deſcendit à ventriculo.de cura lap. Sp.112.G
IVS *lanæ quomodo fiat.de dynamidijs.* Sp.22.D
Iuris lanæ cerotum.de dynamidijs. Sp.22.D
IVS *ſaporis.de med.fac.par.* 7ª.170.F
IVRIS *caſus proponitur.de cauſis procatarcticis.* 3ª.99.D
IVRISCONSVLTI *inter rationales numerantur . de cuiuſque animi peccatorum notitia,atq; med.* 2ª.60.B
in IVSCVLIS *quando poni debet ſal.2°.de com.me.ſe.loc.* 2ª.133.E
Iuſcula auicularum ſunt boni ſucci.de remed.par.fac. 7ª.159.C
IVSIVRANDA *antiqua quędam in communi ſermone habita. 9°. de compoſi.med.ſec.loc.* 5ª.201.E
ꝑ IVSTISSIMA *natura.de fract.com.1°.* 7ª.224.G
IVSTITIA *quid.7°.de decret.Hipp.* 1ª.268.D
Iuſtitia virtus eſt animi.fin.med. Iſa.45.D
Iuſtitia dicitur rerum æqualitas.1°.de temperamentis. 1ª.13.D
Iuſtitia duplex.16°.de vſu partium. 1ª.214.F
Iuſtitiæ veræ & diuinæ proprium quid.6°.de vſu partium. 1ª.149.A
*Iuſtitiæ neq; omnes hoſtes,neq; amici videntur.ꝗ animi mores.*1ª.321.C
Iuſtitiæ naturalis proprium.de fracturis,com.2°. 7ª.232.B
Iuſtitia in hominis compoſitione conſpicitur,& ſumma conditoris potentia.9°.de decre.Hipp. 1ª.284.H
IVSTVS *quo modo Ariſtides euaſiſſet.de cog.cur.an.mo.* 2ª.54.A
Iuſtus vt quis ſit,quid conſiderandum.16°.de vſu partium. 1ª.214.F
Iuſtus & æquus ſermo,qui.de vict.ra.in morbis acut.com.4°. 7ª.135.F
IVSTVM *quid ſignificet apud Hippocratẽ.de frac.cõ.3°.* 7ª.248.G
Iuſtum quid ſm Hippocratem.de articulis,com.1°.257.F/4°. 7ª.287.F
Iuſtum quo modo intelligatur.de frac.com.3°. 7ª.246.B
Iuſta quæ.de artic.com.1°. 7ª.258.F
IVSTI *hiera.de mel.ex Gal.Ruff.& Poſſ.* Sp.110.A
Iuſti hieræ quantitas.de mel.ex Gal.Ruff.& Poſſ. Sp.110.A
IVVARE ſemper cupiebat alios Galenus.1°.meth.med. 7ª.2.C
Iuuat quod mens amat.de incant.adiur.& ſuſp. 7ª.182.F
Iuuant herbæ aliqñ aquæ vt ſium,calaminti,adiantũ.de bo.aq. Sp.75.F
Iuuant multum quę lætalia medicamenta in modica quantitate exhibita.de vict.rat.in morb.acut.com.2°. 7ª.118.A
IVVAMENTA *arteriarum.de anatomia viuorum.* Sp.44.B
Iuuamentum adipis,& medullæ.de anatomia viuorum. Sp.44.D
Iuuamentum carnis.de anat.viuorum. Sp.44.C
Iuuamentum duplex pelliculæ cooperientis cerebrũ.de ana.vi. Sp.53.D
Iuuamentum in tunicis cerebrorum & grandinis glacialis , & humorũ ſuorum quod.de ana.viuo. Sp.44.C
*Iuuamentum glandulæ pinealis ſuppoſitæ cerebro.de ana.viu.*Sp.44.D
Iuuamentum chartilaginis.de anatomia viuorum. Sp.55.D
Iuuamentum chordarum.de anatomia viuorum. Sp.43.H
Iuuamentum duarum arteriarum cordis.de anat.viuo. Sp.47.E
Iuuamentum diaphragmatis quid.de anatomia viuorum. Sp.53.F
Iuuatur diaphragma muſculi quibuſdam.de anatomia viu. Sp.53.G
Iuuamentum fellis.de anato.viuo. Sp.45.F
Iuuamentum ligamentorum.de anato.viuo.43.H/ Sp.44.A
Iuuamentum ligamenti quod.de anat.viuo. Sp.55.E
*Iuuamentum foraminum naſi.de compag.mem.ſiue de nat.hu.*Sp.58.D
Iuuamenta glandularum.de anato.viuorum. Sp.44.D
Iuuamentum medullæ.de anato.viuo. Sp.44.E
Iuuamentum neruorum.de anato.viuorum. Sp.43.G
Iuuamentum oſſis furculæ.de anato.viuo. Sp.43.G
Iuuamentum panniculorum.de anato.viuorum. Sp.44.C
Iuuamentum Pericardij.de compag.memb.ſiue de nat.huma. Sp.58.G
Iuuamentorum pilorum in corpore.de anato.viuo. Sp.55.D
Iuuamentum craſſi inteſtini quale ſit.de compag.memb. Sp.59.A
Iuuamentum pulmonis.de anato.viuo. Sp.53.A
*Iuuamentũ diuiſionis pulmonis in duas partes.de an.v.47.H/*Sp.48.A
Iuuamentum carnis pulmonis.de anatomia viuorum. Sp.47.H
Iuuamentum quantitatis augmentatæ,quæ eſt ſupra pulmonem.de anatomia viuorum. Sp.48.B
Iuuamentum raritatis pulmonis.de anato.viuo. Sp.47.H
Iuuamentum cannæ pulmonis quod.de anatomia viuo. Sp.53.D
Iuuamentum ſpinalis medullæ.de anato.viuo. Sp.44.F
Iuuamentum ſquamarum in piſcibus.de anatomia viuorum. Sp.53.D
*Iuuamentum q̃uo accipiat natura ex ſuperfluitatibus.de an.vi.*Sp.53.D
Iuuamentum venarum.de anatom.viuo. Sp.44.B
Iuuamentum,vide Vſus.
Iuuamentum phlebotomiæ Iſchiadicę magnum eſt in dolore ſciæ & podagræ,& in varice,& elephantiaſi.de anato.viuo. Sp.54.H
Iuuamentum ſectionis arteriæ manus.de anato.viuo. Sp.54.H
IVVATIVVM *quid prætermittere propter guſtum, ingeneroſum eſt. de cura icteri.* Sp.111.A
IVVENILI *ætate calidiorem puerili dicentes,falſa dicunt.2°.de temperamentis.* 1ª.17.C
Iuuenilis caloris æqualitas cum iuuenili.2°.de temp. 1ª.17.F
Iuuenilis caloris differentia à puerili.2°.de temperamentis. 1ª.17.F
Iuuenilia animalia quo modo erudiantur.5°.de decre.Hipp. 1ª.258.B
Iuuenilia in omni animante habent adipem humidiorem,& minus calidum perfectis.1°.de comp.med.per ge. 5ª.216.G
IVVENES *temperatura ſunt calidi , & humidi,ac ſimiles veri.final. medic.* Iſa.44.G
Iuuenum ad conſiſtentes comparatio,ſicut ęſtatis ad autumnum.commẽtario 3°.aphoriſ.30°. Ex.26.D
Iuuenes in quibus debent eſſe exercitati.2°.de anat.admi 1ª.69.B
Iuuenes prauis vijs inſiſtere nõ debent ob exercitium. ad eos qui de typ. ſcripſ. 3ª.92.G
Iuuenum exercitatio debet eſſe geometria,arithmetica,logiſtice,& dialectica.ad eos qui de typ.ſcrip. 3ª.92.G
Iuuenibus ꝓceritas pulchra,non tñ craſſities.cõ.2°.apho.24°. Ex.19.E
Iuuenes calidiſſimi ſunt.in 1^{m}*.de mor.vul.com.2°.* 3ª.115.E
Iuuenes an calidiores ſint pueris.2°.de temperamentis. 1ª.16.F
Iuuene quomodo calidior puer,& è contrario.in 6^{m}*.de morbis vulgaribus,commentario 1°.* 3ª.154.H
Iuuenibus quomodo pueri calidiores.in 6^{m}*.de mor.vul.cõ.3°.* 3ª.173.B
Iuuenis calor in ſicca , puerorum vero in humida ſubſtantia præſtatur, tamen æqualis vterq;.2°.de temp. 1ª.17.E
Iuuenum calor differt qualitate à calore puerorum.2°.de temp. 1ª.17.C
Iuuenum calor qualis.2°.de temp. 1ª.17.D
Iuuenum calor mordax.commen.1°.apho.14°. Ex.7.D
de Iuuenum & puerorum caloribus exemplum.2°.de temp. 1ª.17.D
Iuuenes abundant humore amaro.in progn.com.3°. 4ª.210.C
Iuuenum pulſus,qualis.3°.de cauſ.pulſ. 4ª.96.D
*Iuuenis valẽtis pulſus reſpectu formicãtis pueri.2°.de dig.pulſ.*4ª.75.H
*in Iuuenibus pulſus intermittentes periculoſi.2°.de præſ.exp.*4ª.110.F
Iuuenis currentis pulſus,qualis.2°.de præſag.ex pulſ. 4ª.11.D
*Iuuenis qui exercitatur,an vino vel aqua vti debeat.5°.de ſa.t.*2ª.94.E
Iuuenes quos pilos habent.2°.de temperamentis. 1ª.19.D
Iuuenes hyeme melius ſe habent.com.3°.apho.3°. Ex.20.B
Iuuenes habent fortem virtutem retentiuam,quoniam ad ſicciorem vergunt temperaturam.com.2°.apho.20°. Ex.14.F
Iuuenes habentes aluos humidas,in ſenectute deterius degunt. commentario 2°.apho.53°. Ex.20.E
in Iuuenibus cupiditas inſana pręcedit coitum.14°.de vſu p. 1ª.207.D
Iuuenibus teſtes non laxi.1°.de ſemine. 1ª.324.F
Iuuenes nequeunt multum ferre inediam.com.1°.apho.13°. Ex.6.H
*Iuueni,& puero boni habitus non conuenire idem onus.de mul.*3ª.76.H
Iuuenes difficilius ferunt inconſueta ſenibus qui conſueti ſint labores ferre.commentario 2°.apho.49°. Ex.19.A
Iuuenis ad ſenem in motu comparatio.1°.de cauſ.pulſ. 4ª.88.A
Iuuenes læduntur minus ex aduſtione,algoribus,humi cubatu , vigilijs, repletione,quàm conſiſtentes.com.3°.aph.30°. Ex.26.D
Iuuenes à magnis etiam cauſis non læduntur.1°.de ſan.tuen. 2ª.90.F
Iuuenes non incidunt in morbos longos.com.2°.aph.39°. Ex.17.H
Iuuenes in quas ægritudines incidant.com.3°.aph.29°. Ex.26.B
Iuuenes febribus tertianis ardentibus,quæ præ cęteris febribus bilioſiſſimę ſunt,capiuntur.commen.3°.apho.29°. Ex.26.B
Iuuenes raro moriuntur ex pleuritide.de dynamid. Sp.35.E
*Iuuenibus quot de cauſis profluuia ſanguinis fiãt.c.3°.aph.29°.*Ex.26.C
Iuuenes incidentes in tabem,moriuntur.com.3°.apho.30°. Ex.26.D
Iuuenes aliqui quos morbos ægre cõcoquãt.cõ.2°.apho.40°. Ex.18.A
in Iuuenibus,æſtate,partibus dextris,& ſuperioribus,impares dies criticos eſſe inquit.bre.denot.dogm.Hipp. 1ª.231.D

Iuuenes

Iuuenes emaciati quo mõ carnis incremẽtũ accepere.5°.de ſa.t. 2ª.89.G
Iuuenibus mutare quæ nocent,tentandum.5°.de ſanitate tuẽda. 2ª.91.E
Iuuenibus non eſt malus cibus caro ouilla.5°.de ſanitate tuenda.2ª.91.D
Iuueni plus bilis medicamentis iiſdem euacuatur,ſeni autem plus pituitæ ſecundum Aſclepiadem.1°.de natur.facul. 1ª.294.C
Iuueni gracili calido,qui nõ vixerit in otio,nec in ſatietate ciborum, tpe æſtatis nõ eſt dandũ medicamentũ pituitã educẽs,aliter multũ lædet, ſed debet dari medicamentũ bilẽ euacuãs.1°.de natu.facul.1ª.294.C
Iuueni mel inſalubre,& quare.1°.de natu.fac. 1ª.300.H
Iuuenes fugiant mel.1°.de alim.fac. 2ª.8.F
pro Iuuenibus diuerſæ ſunt faſciæ, & diuerſæ pro pueris in deligando. de iis quæ in medic.fiunt,commen.2°. 7ª.210.C
Iuuenis exemplum pro pulſu.1°.de dig.pulſ. 4ª.73.A
Iuuenes cur tremunt.2°.de ſym.cauſ. 5ª.20.E
in Iuuene rigoris caſus.de pal. 3ª.55.G
Iuuenis vulnerati caſus.6°.meth.med. 7ª.38.D
Iuuenum & pinguium auium axillæ velocius digeruntur, quàm axillæ macrarum & antiquarum.de diff.cont. Sp.73.C
IVVENTA eſt ætas,in qua augetur animal.fin.med. Iſa.44.G
IVVENTVS ętas vigens,& qualis.com.1°.aph.13°. Ex.6.H
Iuuentutis terminus qui.com.3°.apho.30°. Ex.26.D
Iuuentus,& valida naturæ tardant mortem.in 3ᵐ. de morbis vulgaribus,commentario 1°. 3ª.132.H
IVXTANGINA morbus peracutus.com.1°.apho.12°. Ex.5.D
Iuxtangina quid ſit.com.4°.apho.34°. Ex.31.D
ΙΞΑΛΗ quid appelletur.de fracturis,com.3°. 7ª.245.C
ἰξὺς quid ſit.introd.Iſa.53.E/de fract.com.2°. 7ª.240.H
IXIAM aſſumentibus quid auxilietur.2°.de antidotis. 5ª.114.C
ἶξις, quid ſit apud Hippocratem.2°.de arte cu.ad Glauco. 7ª.113.D
κατ' ἶξιν ſemper apud Hippocratem pro ex directo ponitur,de fracturis,commentario 3°. 7ª.243.E
IXOS viſcum,cuius ſit facultatis.6°.de ſimp.med.fac. 5ª.48.F

LABIA ſunt organa locutionis. de anatomia viuo. Sp.49.C
Labiorum cutis,qualis. 9°. de vſu partium. 176.D/11°. 1ª.190.E
Labiorum cutis quo modo ſe habet. 11°. de vſu partium. 1ª.190.D
cum Labiorum muſculis cutis commixtio. 9°.de vſu partium. 1ª.176.D
Labiis muſculorum principia quatuor eſſe oportebat,& quo modo ſe habeant.11°.de vſu partium. 1ª.194.F
Labiorum muſculi quomodo mouentur,& nullum habent tendonem.1°. de motu muſc. 1ª.309.G
in Labiis quomodo fiant octo motus per quatuor muſculos. 11°. de vſu partium. 1ª.190.F
Labia,buccæ,maxilla inferior,quibus moueantur neruis. de neruorum diſſectione. 1ª.54.G
in Labiis ex motibus obliquis fiunt recti.11°.de vſu partium. 1ª.190.F
Labia tenera ſunt hoĩs cõcepti in tribus horis ſanguinis.de ſper.Sp.57.B
Labia craſſa cur habeant melancholici.de mel.ex Gal.Ruff. Sp.109.E
Labiorum venæ quando ſecandæ.de anam.viuo. Sp.55.B
Labiorum venarum ſectio confert vlceribus oris,& puſtulis,& doloribus gingiuarum,& earum apoſtematibus,& laxitati,& vlceribus, & fiſtulis,& ſciſſuris.de anatomia viuorum. Sp.55.B
inter Labium,& mentum vena quando ſecanda.de anat.viu. Sp.55.B
Labia occluſa quibus aperiantur.5°.de ſimp.med.fac. Sp.35.G
Labii inferioris concuſſio.de vict.rat.in mor.acut.com.2°. 7ª.122.F
Labia cur tremant vomituris.in 1ᵐ.prorrh.com.1°. 4ª.167.E
Labiorum mutilationes in quo ſit genere morbi.de diff.mor. 3ª.4.G
in Labiis quæ deficiunt,quo modo curentur,& nominentur.14°.methodi medendi. 7ª.92.B
Labia abſciſſa faciunt deformem faciem.11°.de vſu partium. 1ª.189.C
in Labio curtis poteſt aliquis decordari.14°.meth.med. 7ª.93.B
Labiorum ſciſſuræ prodeſt ſuccus centaureæ.de vir.cen. Sp.93.D
ad Labia ſciſſa.de med.fac.par. 7ª.173.E
ad Labiorum rimas.de remed.par.fac. 7ª.164.A
Labia vlcerata ſi præter naturam coaluerint,ad quam ægritudinis differentiam attinent.de diff.morb. 3ª.5.D
LABIA,cibus viſcoſus,& cur,de diſſol.con. Sp.72.H
LABIA vlceris incidenda eſſe dixit Theſſalus,cauſam tamen non attulit.4°.methodi medendi. 7ª.25.B
Labiorum vlceris inciſio quanta ſit facienda.4°.meth.med. 7ª.23.F
Labia vlceris fibulis conſtringuntur.2°.de comp.med.ſec.loc. 5ª.133.G
LABOR quid ſit.2°.de ſan.tuenda.2ª.69.E/8°.meth.med. 7ª.52.C
Labor ſimpliciter,qui.comment.4°.apho.31°. Ex.30.G
Labor,motus,& exercitatio an idem.2°.de ſan.tuen. 2ª.69.E
ad Laboris creationem quid exigatur.7°.de decre.Hipp. 1ª.271.H
Labor eſt vehemens motus.com.2°.apho.16°. Ex.12.H
Labor ſignificat vehementem motum,& dolorem,& læſionem. commẽtario 4°.aphoriſmo 32°. Ex.30.H
Labores ex motibus pluribus.com.4°.aph.31°. Ex.30.G
Labores differũt,quia aliqui exercent vnam partem,aliqui duas,aliqui plures.com.2°.aphoriſmo 49°. Ex.19.D
in Laboribus qui locus corporis,& quę pars patiatur. commẽtario 4°. aphoriſmo 31°. Ex.30.G
in Labore non ſunt exercendi pueri.2°.de ſanitate tuenda. 2ª.66.G
ad Labores quo modo ſe habent temperati.5°.de ſan.tuen. 2ª.89.H
Laboribus conſuetis exercendi ſenes, ſed eorum vehementia remiſſa.5°. de ſanitate tuenda. 2ª.90.A
Labor mediocris eſſe debet.2°.de ſa.tuen. 2ª.69.D
Laboribus creſcit virilitas.de aere,aq.& loc. 5ª.5.B
ad Labores robur perficit membrorum durities.2°.de ſan.tu. 2ª.69.F
ex Labore vt minus afficiatur corpus membrorum duritia facit. 2°. de ſanitate tuenda. 2ª.69.F
Labores cõſuetos magis,& facilius pferimus aliis.c.2°.a.49°. Ex.19.A
Laboris intolerantes,qui.de aere,aq.& lo. 2ª.5.B
Laboris tolerantia quibus à natura ineſt.de aere,aq.& loc. 2ª.5.B
Labores intempeſtiui,qui.de vict.rat.in mor.acu.com.4°. 7ª.150.G
Labores cibum antecedunt.com.2°.apho.16°. Ex.12.H
ad Laborum portionem nutrimentum exhibendũ.5°.de ſan.tu.2ª.79.G
cuius Labor naturalis in corpore ſuo eſt debilis,huic conueniunt cibi ſubtiliantes.de diſſolutione cont. Sp.72.D
ob Laborem fit imbecillitas.de vict.rat.in morb.acut.cõ.2°. 7ª.123.F
Laboribus ſe exercentes cur minus lædantur à prauis cibis.1°.de alimentorum facultatibus. 2ª.10.B
Labor non debet iniungi ieiunanti.com.2°.aph.16°. Ex.12.H
Labores minuant ſiti moleſtati.de ſal.diæta. 2ª.43.B
Labore vehementi infeſtatis non eſt medicamentum exhibendum.de victus ratione in morb.acut.com.4°. 7ª.150.F
Labor habet rationem cauſę.commen.4°.aph.32°. Ex.30.H
Labores cauſæ extrinſecæ læſionum noſtri corporis.de op.noſt.c.1ª.38.B
ob Laborem aliquem importunum fit dolor capitis.de victus ratione in morbis acutis,comment.4°. 7ª.150.F
ex Laboribus pluſculis,& exercitationibus inæqualis intemperies oriri ſolet in toto corpore.de inæq.intemp. 3ª.44.D
Labore immenſo excitatur febris.præſag.exper.conf. Sp.77.D
ex Laboribus quidam febricitant.1°.de diff.feb. 3ª.31.B
ex Laboribus fit febris diaria.de vict.rat.in mor.ac.com.4°. 7ª.150.G
ex Laboribus ephemeræ,tactu cognoſcunt.1°.de ar.cur.ad Gl. 7ª.95.D
Laboribus vita aſſueta in tertianas facile incurrit.1°.de diff.fe. 3ª.36.D
Labores diuturni atram bilem maxime generant.4°.de ſan.tu. 2ª.83.G
ex Labore,et inedia febricitantes,quas hñt vrinas.1°.de cri. 4ª.130.C
ex Labore,fame, & ſiti, quo modo mutetur vrina. 10°. de ſimplicium medicamentorum facultatibus. 5ª.74.G
Labor labori non medetur.in 6ᵐ.de morb.vulg.com.3°. 3ª.177.H
Labores cum multo ſudore faciunt craſſius excrementum.4°. de ſanitate tuenda. 2ª.83.F
Labores ſine ſudore faciunt excrementum magis tenue. 4°. de ſanitate tuenda. 2ª.83.F
ex Labore multo qui ſudantes deficiunt,& frigeſcunt,pulſus eorum mitior inuenitur,& laſſior.de dynam. Sp.34.A
ob Labores in colendis vitibus & tenuem victum,agricola memoriam rationemq; vitiatam habuit.3°.de loc.aff. 4ª.17.A
ob Laborem in ſtudiis,atq; vigilias,memoria & ratio læditur.3°. de locis affectis. 4ª.17.A
à Labore conuulſio fit ex ſiccitate.3°.de loc.aff. 4ª.17.F
Labores vehementes necant.12°.meth.med. 7ª.77.D
Laboribus duobus indigent praue imbuti.7°.meth.me. 7ª.43.H
Laboris amatores medici ſunt meliores.de vi.ra.in mor.a.c.2°.7ª.121.G
LABOR quid ſignificet.in 6ᵐ.de morb.vulg.com.5°. 3ª.190.G
Labor ſignificat læſionem.com.2°.apho.1°. Ex.11.A

Labor ſignificat

Labor ſignificat dolorem, & læſionem.com.4°.aph.44°. Ex.32.G
Labor proprie dictus eſt dolor.de vic.ra.in mor.acu.c.2°. 7ª.123.G
Labor ſpontaneus, qui.c.4°.apho.31°. Ex.30.G
Labor qñ appellatur ab Hippocrate ſenſus ſolus.7°.de decr. 1ª.271.H
Labor ex multitudine qui, & quid cauſet.c.4°.aph.31°. Ex.30.H
in Labores deflectunt cruda & inconcocta.in 1ᵐ.de mor.vul.cō.3°.3ª.124.E/com.4°.aph.22°. Ex.29.G
Labores videntur in ſomnis in morbis exitialibus commentario.4°.aphoriſmo.67°. Ex.34.F
Laborem facit cubile præter conſuetudinem aut molle, aut durum.de victus rat.in mor.acu.com.2°. 7ª.124.A
Laborum in morbis longitudinem qui dies indicent. commentario.4°.aphoriſmo.36°.32.A/ Ex.31.G
Labores in articulis fiunt his qui habent febres longas.cōmentario.4°.aphoriſmo.44°. Ex.32.F
Laborem, dolorem, grauedinem, ſiue mortem in qua ægritudine ſignificat vrina crocea, & ſpiſſa.de dyna. Sp.34.E
Labores extremi, qui.com.1°.aph.7°. Ex.4.D
Laborantes multum gignunt ſuccum bilioſum vel atrabilarium.4°.de ſanitate tuenda. 2ª.83.F
LABORANTES vehementer quicquid vitiatum eſt in habitum corporis recipiunt.1°.de diff.feb. 3ª.31.H
Laborātes intēpeſtiue facile febribus corripiunt.1°.de diff.feb. 3ª.31.H
Laborantes quo modo in febrem incidant.1°.de diff.feb. 3ª.31.G
Laborantes cum ad deſidiam venere, cruentis dyſenterijs correpti ſunt. de nat.hu.com.2°. 7ª.180.C
Laborantis natura conſideranda in curatione molienda.3°.de locis affectis. 4ª.15.C
Laborantis temperies oſtendit indicationes menſuræ contrarietatis.11°.methodi medendi. 7ª.67.H
Laboranti morbus eſt cibus vt ſano robur.c.7°.aph.62°. Ex.59.G
LABORANTES phlegmone aures mitigat ſuccus centaureæ. de virtute centaureæ. Sp.93.C
Laborantibus phlegmone gingiuis prodeſt ſuccus centaureæ. de virtute centaureæ. Sp.93.D
LABORARE quot habeat ſignificata.c.2°.aph.48°. Ex.19.A
Laborare tria ſignificat, ſicut & labor.c.4°.aph.32°. Ex.30.H
ſi quid Laborauerit reſurgentibus ex morbis, hic fiunt abſceſſus.com.4°.aphoriſmo.32°. Ex.30.H
Laborare idem pōt per cōſenſum & propria rōne.1°.de loc.aff. 4ª.4.H
Laborantur multum cibaria craſſa in corpe calido.de diff.cōt. Sp.72.G
LABORIOSVM non eſt refrigeratum excalfacere, calfactum refrigerare, denſum rarefacere, rarum denſare.contra Iulianum. Ex.69.E
Laboriorisiſſimum eſt humorem vel craſſum, vel pituitoſum parti carnoſæ inherentem educere.contra Iulianum. Ex.69.E
Laborioſi inæqualiter reſpirant.1°.de diff.reſp. 3ª.61.B
LABRAX .i.lupus piſcis.de med.fac.par. 7ª.170.H
LABRA quæ proprie ſint.de frac.com.2°. 7ª.243.A
Labra habent naturam ſingularē & eximiā.4°.de ana.admi. 1ª.80.G
Labrorum muſculi quatuor.de muſcu.diſſ. 1ª.44.E
Labrorum muſculi ſitus, qui.de muſc.diſſ. 1ª.44.E
Labra oris abſque oſſe mouentur.1°.de mo.muſ. 1ª.309.F
Labrorum motus vnde.4°.de ana.admi. 1ª.80.G
Labrum ſuperius quo ſurſum trahatur, quo ad latus, & quo deorſum. de muſculorum diſſectione. 1ª.44.E
Labrorum motus in priora ignoratus ab antiquis.de muſ.diſſ. 1ª.44.F
in Labra & buccam ceſſantes duos muſculos latos & tenues ignorarūt antiqui.4°.de ana.adm. 1ª.79.G
Labra fiunt craſſa elephantiaſi laborantibus.de cau.mor. 3ª.8.H
ad Labra à capite cur materia tranſmittatur.2°.de diff.feb. 3ª.40.H
Labra cur commouentur ante vomitum.in progn.com.3°. 4ª.210.F
Labrum inferius tremens fuit in Chærione, qui apud Demænetum ægrotabat.in 3ᵐ.de mor.vul.com.2°. 3ª.135.E
Labra conuelluntur, & tunc quæ pars ſit affecta.3°.de lo.aff. 4ª.17.D
Labrum ſi peruertatur in continua febre, corpore exiſtente iam debili, letale.com.4°.aph.49°. Ex.33.B
ſi Labrum in febre non intermittente aut naſus, aut oculus, aut ſupercilium peruertitur, ſi non videat, ſi nō audiat, & iam debilis ſit, quicquid horum fuerit mors prope eſt.cō.7°.aph.66°. Ex.60.F
Labri inferioris cōcuſſio qd ſignet.de vic.ra.in mor.ac.cō.2°. 7ª.123.D
Labrorum curtorum reſtitutio ad naturalem habitum intro. Iſa.60.D
ad Labrum ſuperius faſcia glomerata.de faſcijs. 7ª.300.D / eadem à medio orſa.E/
ad Labrum inferius funda ſciſſa in partes quatuor. de faſcijs. 7ª.300.A/eadem ad labrum ſuperius.B/
ad Labrum inferius faſcia glomerata de faſcijs. 7ª.300.C/eadem in vtranque partem ducta, ac ibidem alia.D/
Labra vlceris quo modo iungantur.5°.met.me. 7ª.30.D
Labra coniungi quæ vlcera poſtulant.5°.met.me. 7ª.20.F
Labra decolorata, & dura habentia vlcera quo modo incidenda.2°.methodi medendi. 7ª.23.F
Labra, vide Labia.
LABRVSCAE flores.de ſimp.me. Sp.85.E
de LACTE multa diſtincte dicenda.de bo.& vit.ſuc. 2ª.34.G
Lac eſt corpus molle.3°.de diff.pulſ. 4ª.63.D
Lac epiceraſticum eſt.2°.de ſimp.med.fac. 5ª.12.F
Lac eſt ſanguis parum immutans in mammillis.1°.de ſan.tu. 2ª.65.C
Lac quo modo fiat à natura.7°.de decre. 1ª.269.E
ad Lac creandum.de med.fac.par. 7ª.168.G
Lac generatur ex ſanguine exacte cocto.16°.de vſu par. 1ª.219.C
in Lac vertitur ſanguis per quandam decoctionem in mămillis mulierum.de ſpermate. Sp.36.E
Lac albificant mammillæ.de anat.viu. Sp.44.D
Lactis candor differt ab eo qui eſt in niue.1°.de ſan.tu. 2ª.63.F
Lac generantium glandularū magnus eſt vſus.14°.met.me. 7ª.90.C
Lac habentes, & non habentes glandulæ, quorum animalium ſumendæ. de bonitate & vitio ſuccorum. 2ª.36.A
Lac cibus eſt exacte confectus.7°.de vſu par. 1ª.164.D
Lac cur perfectum in pectore.7°.de vſu par. 1ª.164.D
Lac ſuperfluum eſt vtilis alimenti.7°.de vſu par. 1ª.164.C
Lac in medio pituitæ, & ſanguinis eſt.5°.de ſimp.me.fac. 5ª.37.F
Lac menſtruo germanum.14°.de vſu par. 1ª.207.C
Lac, & menſtrua habent vnā ſubſtantiā.de ve.ſec.adu.Eraſi. 6ª.6.H
Lacti comparatur ſperma mulieris.de ana.viu. Sp.55.H
Lac vt ſemen genitale, cito mutatur.7°.met.me. 7ª.44.G
Lac quale ſit.de ocul. 7ª.189.A
Lac eſſe partem dulciſſimam collige, vbi inquit, infantem exugere dulciſſimum ſanguinis.com.5°.aph.37°. Ex.41.A
Lac dulcius eſt melle in venis coctum, ſi guſtari poſſet.4°.de ſimplicium medicamentorum facul. 5ª.29.C
Lac cum ſit dulce, nunquam fit amarum.4°.de ſimp.me.fac. 5ª.29.C
Lac viſcoſum & humidum eſt.de ocul. 7ª.189.B
in Lacte frigiditas vincit caliditatem.4°.de ſimp.me.fac. 5ª.29.C
Lacti dominatur frigiditas vehemens.de diſſ.cont. Sp.73.B
Lac eſſe frigidum colligi poteſt.com.5°.aph.40°. Ex.41.D
Lac eſt frigidum, quanuis album.1°.de ſimp.med.fa. 5ª.2.E
Lac poteſtate calidum eſt.3°.de temp. 1ª.23.E
Lac ſæpe habet temperiem albuminis oui.11°.de ſimp.med.fac. 5ª.81.D
Lac eſt tanto frigidius ſanguine, quanto adenes mammarum ſunt frigidiores hepate.com.5°.aph.40°. Ex.41.D
Lac eſt humidum, ac tepidum.5°.de ſimp.med.fa. 5ª.37.F
Lac vnum quoddam ſicuti ſanguis videtur, tamen habet diuerſas partes.2°.de elementis. 1ª.8.H
Lac non eſt ſimplicis naturæ.3°.de ali.fa. 2ª.28.D
Lac quo modo cognoſcatur eſſe diſſimilare.7°.meth.me. 7ª.44.H
Lac non eſſe ſimilare probatur ex coagulo.1°.de ſimp.med.fac. 5ª.5.D
Lac miſtum eſt ex ſubſtantijs contrarijs.3°.de ali.fac.27.G/ 2ª.28.F
Lac in ſe duas habet facultates, & quænam ſint.3°. de ſimplicium medicamentorum facul. 5ª.20.A
Lac ſiſtit aluum, & euacuat.3°.de ſimp.med.fac. 5ª.20.A
Lactis partes quæ.2°.de elementis. 1ª.8.H
Lac omne ex triplici ſubſtantia conſtat.de bo.& vit.ſuc. 2ª.35.C
Lac habet in ſe naturam ſeroſam, pinguem, & caſeoſam.3°.de ali.facul. 2ª.28.E/4°.de ſimp.med.fac. 5ª.73.F
Lac tribus ſubſtantijs eſt compoſitum, butyro, caſeo, & ſero.4°.de ſimplicium med.fac. 5ª.29.C
Lactis prima ſubſtantia ſeroſa eſt ac tenuis.de bo.& vi.ſuc. 2ª.35.C
Lacti quo mō inſit ſeroſa humiditas.in 6ᵐ.de mor.vul.c.2°. 3ª.167.F
Lactis ſecunda ſubſtantia craſſa, ad caſeum faciēdum accommodata. de bonitate & vitio ſuccorum. 2ª.35.C
Lactis tertia ſubſtantia oleoſa eſt, & pinguis.de bo.& vi.ſuc. 2ª.35.C
ex Lactis pingui butyrum fit.3°.de alimētorum facultati.2ª.27.G/4°.de ſimp.med.fac. 5ª.73.F
Lac contemperatum eſt ex caſeo, & ſero.2°.de elem. 1ª.8.H

in Lacte,oleo,& ſuccis recrementa ſunt.4°.de ſimp.med.fa. 5ª.24.H
Lac coagulat gallium.6°.de ſimp.med.fac. 5ª.45.D
in Lactis coagulatione corpus eſt lac,coagulum eſt quod principium cõcretionis præbet,1°.de ſem. 1ª.329.C
Lac coagulatum eſt caſeus.4°.de ſimp.me.fac. 5ª.74.A
in Lacte quo mõ ſerũ ſeparetur.de vic.rat.in mor.acu.c.4°. 7ª.135.C
Lacti melle admixto per coagulum quod tenue & aquoſum eſt, ſeparatur.3°.de ali.facul. 2ª.28.G
Lac quo modo ſine coagulo concreſcat.3°.de ali.fac. 2ª.28.G
Lacti recenter coagulato recens fœtura ſimilis eſt.2°.de ſe. 1ª.339.B
Lac excernitur in corpore humano.intro. Iſa.55.B
Lactis ſpuma aphrogala dicta, quando vti conueniat, & in quo caſu.de bon.& vitio ſuccorum. 2ª.39.B
Lactis ſpuma,ſiccis,& calidis æſtate exibenda.de bo.et vi.ſuc. 2ª.39.B
Lactis differentiæ ex caſeo probantur.3°.de alim.fac. 2ª.27.F
Lactis differentiæ quo ad pinguedinem.3°.de alim.fac. 2ª.27.G
Lac pro anni tẽporibus,habet varias differentias.3°.de ali.fa. 2ª.27.F
Lac æſtate citius aceſcit q̃ hyeme.4°.de ſimp.me.fac. 5ª.28.C
Lac diuerſum eſt ſm diuerſitatem ſpecierum.3°.de ali.fa. 2ª.27.F
ad Lac multum faciunt paſcua.5°.de ſan.tu. 2ª.91.G
Lac quo loco fiat melius.5°.met.me. 7ª.34.G
Lac ex vitioſo pabulo quale.5°.de ſan.tu. 2ª.91.H
Lacti inepta paſcua αγάλακτα dixerunt.5°.de ſan.tu. 2ª.91.H
Lac vere copioſiſſimum,& liquidiſſimum eſt.3°.de ali.fac. 2ª.27.F
Lac poſt æſtatem ſenſim craſſeſcit quo ad penitus deficiat. 3°. de alimentorum facultatibus. 2ª.27.F
Lac æſtate media in medio ſuæ naturæ conſiſtit.3°.de ali.fac. 2ª.27.F
Lac Acetoſum,quale.3°.de ali.fac. 2ª.28.C
in Lactis acetoſitate relinquitur ſola pars caſeoſa ad frigidius cõuerſa. 3°.de alim.facult. 2ª.28.E
Lac acetoſum quid agat.3°.de ali.fac. 2ª.28.G
Lac acetoſum cibus craſſius.de diff.cont. Sp.73.A
Lac acetoſum tarde digeritur.de diff.cont. Sp.73.D
Lac Acidum frigidum eſt,& craſſi ſucci.3°.de ali.fac. 2ª.28.E
Lac acidum,oxygala quod vocant,non bene cõficit vẽtriculus frigidus. 3°.de alim.fac. 2ª.28.C
Lac acidum,quamuis ægre,tamen aliquantum conficit ventriculus temperatus.3°.de ali.fac. 2ª.28.C
Lac acidũ cõmode conficit vẽtriculus iuſto calidior.3°.d ali.fa. 2ª.28.D
Lac acidum niue refrigeratum ferunt vẽtriculi calidiores. 3°. de alimentorum facultatibus. 2ª.28.D
Lac acidum conuenit calidiſſimis ventriculis.3°.de ali.fac. 2ª.28.E
Lac acidũ frigidioribus ventriculis aduerſiſſimũ.3°.de ali.fac. 2ª.28.E
Lac acidum,& ſi non coquatur,non vertitur in nidorem.3°. de alimentorum facultatibus. 2ª.28.E
ex Lacte acido fit ſtupor dentium.3°.de ali.fac. 2ª.28.C
Lac Adſtringens ex ignito ferro.3°.de ali.fac. 2ª.21.G
Lac Caſeoſum periculoſum eſt.3°.de ali.fac. 2ª.28.A
Lac caſeoſum offendit renes calculoſos.3°.de ali.fac. 2ª.28.A
Lactis caſeoſum obſtruit iecur.3°.de ali.fac. 2ª.28.A
in Lacte quod eſt caſeoſum,emplaſticũ eſt.4°.de ſimp.me.fac. 5ª.25.E
Lac Coactum quid ſit.3°.de ali.fac. 2ª.28.G
Lac quando lactatur eſt Craſſum.de diff.cont. Sp.73.H
Lac craſſiſſimum habet plurimum caſei.3°.de ali.fac. 2ª.27.F
Lac craſſius valentius nutrit.3°.de ali.fac. 2ª.27.F
Lac craſſius minus ſubducit aluum.3°.de alimen.facul.27.F/de bonitate vitio ſuccorum. 2ª.35.B
Lac craſſum ſicut vaccæ,incraſſat.de diff.cont. Sp.73.F
in Lacte craſſum collinit.10°.de ſimp.me.fac. 5ª.73.F
Lac Liquidiſſimum habet plurimum ſeri.3°.de ali.fac. 2ª.27.F
Lac liquidius magis ſubducit aluum.3°.de ali.fac. 2ª.27.F
Lac poſt partum liquidiſſimũ,poſtea craſſeſcit.3°.de ali.fac. 2ª.27.F
ꝙ Lac Pyriaſte appellatur.3°.de ali.fa. 2ª.28.G
Lac quod Schiſton appellatur.10°.de ſimp.me.fac. 5ª.76.A
Lac Seroſum ac tenue minus nutrit.de bon.& vi.ſuc. 2ª.35.B
Lac ſeroſum ac tenue magis aluum deiicit.de bo.& vi.ſuc. 2ª.35.B
Lac Subtile,& multæ aquoſitatis lenit ventrem.de diff.cont. Sp.75.A
Lac Tabianum præſtantiſſimum eſt.5°.met.me. 7ª.34.G
Lac Temperatum quod nam ſit.de diff.cont. Sp.73.H
Lac Tenuius minus nutrit.3°.de ali.fac. 2ª.27.F
Lac Aſinarum,quale.3°.de alimentorum facultatibus.2ª.27.F/7°.methodi medendi. 7ª.44.G
Lac aſinorum eſt tenue.5°.meth.med. 7ª.35.A
Lac aſininum cæteris eſt tenuius.6°.de ſan.tu. 2ª.99.G
Lac aſinæ ſubtilius eſt lacte camelæ.de diff.cont. Sp.73.F
Lac aſininum habet minimum pinguedinis.de ali.fac. 2ª.27.H
Lac aſininum habet plurimum ſeroſæ humiditatis. de bonitate & vitio ſuccorum. 2ª.35.C
Lac aſinæ tenue,& ſeroſum eſt.5°.de ſan.tu. 2ª.91.H
cur Lac aſininum caſeum non facit.10°.de ſimplicium medicamentorũ facultatibus. 5ª.73.F
Lactis aſinæ quãtitas quæ ſumẽda.de vic.ra.in mor.acu.c.4°. 7ª.138.D
Lac aſininum coagulatur in ventriculo,ſi calidum ſit epotum.3°. de alimentorum facultatibus. 2ª.27.H
Lacti aſinæ miſcet aliquid mellis & ſalis,& quare.de victus ratione in morbis acutis,com.4°. 7ª.138.E
Lac aſinæ humidius eſt omnibus,& vẽtrem magis ſubducit.de vic.rat. in mor.acut.com.4°.148.F/ 7ª.150.H
Lac aſininum facit multum deiicere.3°.de ali.fac. 2ª.27.H
Lac aſinæ inter purgãtia mitius eſt.de vic.ra.ĩ mor.acu.c.4°. 7ª.148.F
Lac aſininum expurgat,& contemperat.de victus ratione in mor.acu. commentario.4°. 7ª.149.H
Lac aſinæ purgat in cauſo.de vic.ra.in mor.acu.c.4°. 7ª.135.C
Lacte aſinino & caprino vicibus vti cur ſit melius.5°.de ſa.tu. 2ª.91.H
Lac aſinæ cum eſt accipiendum,quomodo tractanda ſit aſina.7°.methodi medendi. 7ª.45.A
Lactis aſinini dandi modus,& quantitas.10°.met.me. 7ª.67.B
Lac aſinæ dat in dolore,& qñ.de vic.ra.in mor.acu.c.4°. 7ª.148.F
Lac aſinini calidi pauxillum bonum eſt ad tormina ſine febre. de victus ratione in mor.acu.com.4°. 7ª.149.C
Lac aſininum pro dentibus roborandis.5°.de comp.med.ſe.lo. 5ª.164.F
Lac aſininum ſiccis concedendum.6°.de ſan.tu. 2ª.99.G
Lac aſininum poſt lauacrum dabat Galenus in intemperie ſicca tum vẽtriculi,tum reliqui corporis,& quomodo.7°.met.me. 7ª.44.F
Lac aſininum calidum in tabe conuenit.de marc. 3ª.48.D
Lac aſininum dat hecticis,& quo modo.10°.met.me. 7ª.65.B
Lac Boum quale.3°.de ali.fac. 2ª.27.F
Lac boum ſpiſſum eſt.5°.met.me. 7ª.35.A
Lac boum habet multum pinguedinis.3°.de alimentorum facultati. 27. G/de bon.& vitio ſucc. 2ª.35.C
Lac bubulum pinguiſſimum eſt.3°.de ali.fac.2ª.27. H/10°. de ſimpliciũ medicamen.facul. 5ª.73.F
Lactis bubuli vſus apud quos.de bon.& vitio ſucco.2ª.35.B/10°. de ſimpli.med.fac. 5ª.73.F
Lac bubulum craſſum eſt.10°.de ſimp.me.fac. 5ª.73.F
Lac Camelorum,quale.3°.de ali.fac. 2ª.27.F
Lac camelinum habet plurimum ſeri.de bo.& vic.ſucc. 2ª.35.C
Lac Caninum non ſinere pilos in palpebris naſci falſum eſt.10°. de ſimp. medicamen.fac. 5ª.74.A
Lac caninum celerem pilorum in pudẽdis exortũ reprimere falſum eſt, & ꝙ fœtus mortuos eiiciat.4°.de ſimp.med.fac. 2ª.74.A
Lac Caprinum,& aſininum quo modo differant.5°.de ſan.tuen.2ª.91.H
Lac caprarum quale.3°.de ali.fac. 2ª.27.F
Lac capræ mediocris eſt ſubſtantiæ.5°.de ſan.tu. 2ª.91.H
Lac caprarum medium eſt inter ſpiſſum,& tenue.5°.met.me. 7ª.35.A
Lac capræ eſt in medio Camelæ,& aſinæ.de diff.cont. Sp.73.F
Lac capræ eſt melius,& temperatius,quia eſt ſubtilius quàm lac pecudum,& vaccæ.de diff.cont. Sp.73.H
Lac caprinum eſt multo minus pingue quàm bubulum.3°.de alimentorũ facultatibus. 2ª.27.H
Lactis caprini vſus Pergami.de bon.& vitio ſucc. 2ª.35.B
Lac caprinũ conueniens noſtris corporibus.de bo.& vit.ſuc. 2ª.35.B
Lac capræ depaſtæ ſcãmoniam aut tithymallũ quid efficiat.3°.de alimentorum facultatibus. 2ª.28.A
Lac ſolutiuum fit ſi ſcammonia & lactuca marina veſcantur animalia, quorum lac ſumitur.5°.de ſan.tu. 2ª.91.G
Lac caprinum ſine melle ſumptũ piculoſum eſt.de bo.et vic.ſuc. 2ª.35.C
Lac Equarum,quale.3°.de ali.fac. 2ª.27.F
Lacte equino qui veſcantur.de aere aq.& loc. 2ª.5.D
Lac quo modo Mulieri,& vnde,& quando adueniat. commentario. 5°. aphoriſmo.39°. Ex.41.B
Lac muliebre cur cætera genera præcedat.de bo.& vit.ſuc. 2ª.36.A
Lac non adeſt vtero non gerentibus.de ve.ſect.ad. Eraſ. 6ª.7.A
cur Lac non generatur in primis menſibus vtero gerentium. commẽtario.5°.

tario.5°.aphoriſmo.52°. Ex.42.B
Lac multum è mãmis fluens pręgnãti,indicat fœtũ imbecillẽ,ſi vero mã mæ ſolidæ fuerint,fœtum ſignificat ſaniorem.c.5°.aph.52°. Ex.42.B
Lac ſi habeat mulier nõ prægnans,nec puerpera, illi menſes defecere.cõ men.5°.apho.39°. Ex.41.B
Lac euaneſcit menſtruoſæ.de ue.ſect.ad. Eraſ. 6ª.7.A
Lac minoratum in retentione menſtruorum.ſecreto. Sp.99.B
Lactantes non purgantur.de ve.ſect.ad.Eraſ. 6ª.7.A
Lac cũ præbẽt mulieres,cur nõ habẽt mẽſtrua.14°.de vſu par. 1ª.207.B
Lac quo modo in prægnantibus.14°.de vſu par. 1ª.207.B
Lac grauidæ æxiguum,& prauum eſt.1°.de ſan.tu. 2ª.66.B
Lac datur mulieri quæ peperit.15°.de vſu par. 1ª.213.B
Lac cur facit natura in enixis.14°.de vſu par. 1ª.205.C
Lac homini alimentum.15°.de vſu par. 1ª.213.B
Lac alimentum eſt infantium.1°.de ſan.tu. 2ª.65.B
Lac attrahendi vis datur infanti,cum ortus eſt.15°.de vſu par. 1ª.213.B
Lac dando natura,conſuluit pueris.1°.de ſan.tu. 2ª.65.C
Lac pręparauit natura,& dedit naturalem facultatem exugendi. 1°.de ſanitate tuenda. 2ª.65.D
Lac quo modo ſugit infans à natura edoctus.15°.de vſu par. 1ª.213.B
Lacte ſolo infans alendus, quoad primores dentes emiſerit.1°. de ſanitate tuenda. 2ª.66.C
Lac quomodo ſugunt infantes.8°.de decr.Hipp. 1ª.278.A
Lac matris exugentes pueri,conſueto & proprio vtuntur alimento. 1°. de ſanitate tuenda. 2ª.65.C
Lac cur ſugunt animalia parua.14°.de vſu par. 1ª.205.A
Lac matris melius eſt alijs,modo non ſit ægra.1°.de ſan.tu. 2ª.65.C
ex Lacte matris infans plerunq; trahit qualitatem.de ſper. Sp.37.A
Lac nutricum examinandum eſt.3°.de ali.fac. 2ª.28.A
Lactis optimi facultates intelligendæ.3°.de ali.fa. 2ª.28.A
Lac quo modo probeĩ & per ſe,& elixatũ.com.5°.apho.64°. Ex.44.E
Lac quibus probetur.1°.de ſan.tu. 2ª.66.C
Lac optimum,quale.1°.de ſan.tu.2ª.66.C/7°.met.me. 7ª.44.H
Lac purum quale eſſe debeat.10°.de ſimp.me.fa. 5ª.73.E
Lac ex coitu odoris gratiam mutat in deterius.1°.de ſan.tu. 2ª.66.B
Lac vitioſum,quale.1°.de ſan.tu. 2ª.66.C
Lac corruptum ex pulſu quo modo noſcatur.10°.met.me. 7ª.67.B
Lac deterius quo modo purgandum.5°.de ſimp.me.fac. 5ª.37.G
Lac exulcerat quandoq; ora mollia puerorũ.c.3°.aph.24°. Ex.25.A
ob Lac infans vlceribus captus eſt.3°.de ali.fac. 2ª.28.A
Lac quæ reuocent in mammillis.de cathar. Sp.95.B
Lac quibus prouocetur.5°.de ſimp.me.fac. 5ª.37.F
vt Lac abundet,quid agendum.de med.fac.par. 7ª.177.F
Lac prouocantia habent quandam affinitatẽ.5°.de ſimp.me.fac. 5ª.37.F
Lac cientibus,menſes & vrinas mouentibus, commune eſt calefacere. 5°.de ſimp.me.fac. 5ª.37.H
Lac & ſperma quæ generent.de ocul. 7ª.188.G
in Lacte ciendo eadem proportio eſculentorum & medicamentorum. 5°.de ſimp.me.fac. 5ª.38.C
Lac qñ eſt paucum,quo modo multiplicandũ.5°.de ſimp.me.fac. 5ª.37.G
Lac purgantia & multiplicantia.5°.de ſimp.me.fac. 5ª.37.G
Lac pauciſſima prouocant.5°.de ſimp.me.fa. 5ª.37.G
Lac infinita lædunt.5°.de ſimp.me.fac. 5ª.37.G
Lac generans cibus qualis.5°.de ſimp.me.fac. 5ª.37.G
Lac facit Alimum.6°.de ſimp.me.fac. 5ª.42.B
Lac prouocat Aniſi ſemen,& prouocat odore eius ſuaui.de ſimplicibus medicaminibus. Sp.80.E
Lac prouocat Chryſtallus lapis.de ſimp.me. Sp.86.H
Lacti generando aptum eſt Cicer.6°.de ſimp.me.fac. 5ª.47.E
ad Lactis generationem conducit Circæa.7°.de ſimp.me.fac. 5ª.51.D
Lac procreat Fœniculũ,nõ igitur multũ ſiccũ.7°.de ſimp.me.fa. 5ª.57.B
Lac generat Polygalon.8°.de ſimp.me.fac. 5ª.58.H
ad Lac multũ creandũ.de me.fac.par.7ª.174.F/.de paſ.mul.Sp.96.D
ad Lac attrahendum.de med.fac.par. 7ª.166.B
Lac trahunt Anemonæ.6°.de ſimp.me.fac. 5ª.43.B
Lac quæ prohibeant.de med.fac.par. 7ª.166.A
ad Lac ſiccandum.de med.fac.par.166.A/ 7ª.168.H
Lactis generatio in mammillis,edito iam fœtu, eſt euacuatio. de venæ ſect.aduerſ.Eraſ. 6ª.6.H
Lac emittentibus cur vaſtæ ſint mammæ.6°.de loc.aff. 4ª.42.H
Lac qbus colligaĩ in mãmillis,et quibus nõ. 5°.de ſimp. me.fac. 5ª.37.H
ad Lac concretum in grumos quid valeat.2°.de anti. 5ª.114.D
Lac muliebre conuenit oculo inflammato.de opt.ſecta. Iſa.21.D
Lac mulieris propter quid in collyrijs ſumitur. 4°. de compoſitione medicamen.ſecun.locos. 5ª.150.D
Lacte mulieris potiſſimum vtendum.10°.de ſimp.me.fa. 5ª.73.F
Lac muliebre ſugere debent pulmonis vlcera habentes. de bonitate vitio ſuccorum. 2ª.36.A
Lac muliebre pro phthiſicis bonum.5°.met.me.35.A/7°. 7ª.44.G
Lacte mulieris, quæ fœminam peperit, caput irrigare,quid conferat.de med.fac.parab. 7ª.176.B
ex Lacte mulieris quæ marem peperit,ſi ruta tepefiat, & in aurem ſtilletur,confert.de med.par.fac. 7ª.172.D
Lac fœminæ marem nutrientis.de dyna. Sp.24.G
Lac mulieris pro optalmia bonum.9°.de ſimp.med.fac. 5ª.73.H
Lac Ouium quale.3°.de alim.fac. 2ª.27.F
Lac ouillum eſt multo minus pingue,q̃ bubulum.3°.de ali.fac. 2ª.27.H
Lac ouillum habet plus caſei.de bo.& vitio ſucc. 2ª.35.C
Lactis ouilli vſus apud non nullos.de bo.& vit.ſucc. 2ª.35.B
Lac ſuis crudum & aqueum eſt.10°.de ſimp.me.fac. 5ª.73.F
LACTIS dotes,quæ.1°.de ali.fac. 2ª.13.C
Lactis commoda quæ ſint.5°.de ſan.tu. 2ª.91.H
Lacte nutriuntur animalia. 2°.de ſemi. 1ª.338.E
ad Lac natura feruntur hœdi.6°.de loc.aff. 4ª.42.B
Lac apud multas natiões ſumi cõſueuit ꝑ cibo.6°.de dec.Hip. 1ª.264.F
Lac cibus eſt qui nulla indiget contritione.8°.de cõp.me.ſe.lo. 5ª.187.H
Lac optimum omnium quæ mandimus.3°.de ali.fac. 2ª.27.H
Lac eſt optimi ſucci inter omnia cibaria.de bo.& vit.ſucc. 2ª.36.A
Lac boni ſucci eſt.2°.de ſimp.med.fac. 5ª.12.H
Lac boni ſucci & multi alimenti quale ſit.3°.de ali.fac. 2ª.28.B
Lac cuius animalis ad gignendos bonos humores probatiſſimum ſit.de bon. & vitio ſuccorum. 2ª.36.A
Lac eſt ſucci probatiſſimi.de bon.& vitio ſucc. 2ª.36.A
Lac eſt cibus bonum generans ſuccum.com.5°.aph.64°. Ex.44.F
Lac generat bonum humorem, quia generat ſanguinem. commentario. 5°.aphoriſmo.64°. Ex.44.G
Lac eſt humidum nutrimentum.1°.de ſan.tu. 2ª.65.C
Lactis nutrimentum eſt craſſum.de diff.cont. Sp.73.F
Lac cito per venas diſtribuitur.com.5°.aph.64°. Ex.44.G
Lac quod bene concoquitur,bene nutrit.com.5°.aph.64°. Ex.44.E
Lac quidam ſine noxa ſemper comedunt.5°.de ſan.tu. 2ª.91.G
Lacte qui poſſunt ſine noxa vti.5°.de ſan.tu. 2ª.91.G
ex Lacte cibaria æſtate ſiccis,et calidis exhibẽda.de bo.et vit.2ª.39.B
Lac abũdãtius coctũ præſtat craſſum ſuccũ.de bon. & vit.ſucc.2ª.35.D
Lac coagulatum magis nutrit.3°.de ali.fac. 2ª.28.G
Lac cum ſero minus nutrit.3°.de ali.fac. 2ª.28.G
Lac coctũ coctiõibus pluribus ẽ craſſus cibus,et cur.đ diſ.cõt.Sp.72.H
Lac quo modo deprehendatur eſſe coctum.7°.met.me. 7ª.45.A
Lac coctum craſſitie ſua ſtringit ventrem.de diff.cont. Sp.75.B
Lac eſt coquendum,donec ſit aquoſitas conſumpta.de diff.cont.Sp.75.B
Lactis vſus cocti et crudi,ac copioſi,caprini et ouini multũ obfuit Apollonio,qui Abderæ ægrotabat.in 3m.de mor.vul.com.3°. 3ª.151.B
ex Lacte & farina edulia quid faciant.1°.de ali.fac. 2ª.10.G
Lac cum triticea farina,vel milio,vel amylo decoctum præſtat ſuccum craſſum.de bon.& vitio ſucc. 2ª.35.D
ex Lacte triticea farina eduliũ intus obſtruit.1°.de ali.fac. 2ª.10.G
ex Lacte & caſeo placenta eſt craſſi ſucci.de bo.& vi.ſucc. 2ª.35.D
ex Lacte,& caſeo placenta iecoris meatus obſtruit.de bonitate & vitio ſuccorum. 2ª.35.D
ex Lacte & ſimilagine placenta craſſi ſucci.de bo. & vit. ſucc.2ª.33.D
Lac elixum cum aliquo craſſi ſucci,iecur obſtruit,& calculos in renibus gignit.3°.de ali.fac. 2ª.28.B
Lac elixum cum aliquo craſſi ſucci,amittit flatum,ſed iecur obſtruit.3°. de alimentorum facul. 2ª.28.B
Lac adeo elixatum vt ſero careat,non ſubducit.3°.de ali.fa. 2ª.27.F
Lacte elixata multum nutriunt.de venæ ſect.aduerſ.Eraſ. 6ª.14.D
Lac quibus amicum,& ad quos valet morbos. c.5°.aph.64°. Ex.44.E
Lac quibus conueniat.com.5°.aph.64°. Ex.44.G
Lac quibus dandum.5°.de ſan.tu. 2ª.92.H
Lac tabidis conuenit.3°.de ali.fac. 2ª.28.H
Lac,ptiſſana,& chondrus cibi ſunt tabidorum.de marc. 3ª.48.E
Lac,chondrus,& ptiſſana ex ſua natura morſus mitigat. 2°. de ſimpli. medicamentorum facul. 5ª.12.F
Lac,chondrus,& ptiſſana ꝑ ſedẽ inijciunĩ.2°.de ſimp.me.fac. 5ª.12.F

ex *Lacte coctus chondrus confert ad tormina febris.de vic.ra.in mor. acutis,com,4°.* 7ª.149.C
Lac conuenit talidis,& in febribus longis, & paruis, & conſumptis præter rationem.com.5°.aph.64°. Ex.44.G
Lac omne vtile eſt thoraci,& pulmoni.3°.de ali.fac. 2ª.28.B
Lac conuenit habentibus vlcus in pulmone.3°.de ali.fac. 2ª.28.H
Lac ſolum pulmonis vlcera ſanat. de bo. & vit.ſucc. 2ª.36.A
Lac præſtantiſſimum in maraſmo eſt.de marc. 3ª.48.D
Lac quorum animalium ſumendum.de bon.& vi.ſuc.2ª.36.A|de diſſolutione continua. Sp.73.H
Lac quorum animalium iucundum.4°.de ſimp.me.fa. 5ª.73.F
Lacte quorum animalium poſt humanum vti debemus. 9°. de ſimplici. medicamen.facul. 5ª.73.F
Lac quorum animalium bonũ,& quorũ non.de bo.& vit.ſuc. 2ª.36.A
Lac animalium prauum habitum habentium eſt mali ſucci. de bonitate vitio ſuccorum. 2ª.36.A
Lac quorum animalium iniucundum.4°.de ſimp.me.fac. 5ª.73.F
Lac qñ ſumimus,cuius ætatis debet eſſe animal.5°.de ſan.tu. 2ª.91.H
Lac ſit animalis ętate florentis.7°.met.me. 7ª.45.A
Lacte quando vſuri ſumus,qualia debent eſſe animalium nutrimẽta.5°. de ſanitate tuenda. 2ª.91.H
Lac quo modo parandum in animali.7°.met.me. 7ª.45.A
Lacte ſumpto os vino diluto colluito.3°.de ali.fac. 2ª.28.C
Lac duplici alteratione alteratur.com.5°.aph.64°. Ex.44.E
Lac propter velocitatem immutationis eius naturæ eſt malum ſtomacho.de diſſol.conti. Sp.74.F
Lac in imbecillũ vẽtriculũ demiſſum ab eo non ſupaт.3°.de tẽp. 1ª.23.H
Lac in plurimis in ventriculo vertitur in flatus. 3°. de ali.facul. 2ª. 28. B|de diſſol.cont. Sp.74.G
Lacti miſta augent,vel minuunt vim lactis.3°.de alim.fac. 2ª.28.B
Lac in aliquibus aceſcit.3°.de ali.fac. 2ª.28.E
Lac in aliqbus facit ructus fumoſos nidorulẽtos.3°.de alim.fac.2ª.28.E
poſt *Lac ad colluendos dentes mel miſceat vino.3°.de alim.fac.* 2ª.28.C
poſt *Lac ſumptũ quo mõ dẽtes ſeruent incolumes.3°.de ali.fac.* 2ª.28.C
Lac quandoque aceſcit,quandoque in nidorem vertitur.2°. de ſimpliciũ medicamen.facul. 5ª.12.D
Lac cito aceſcit.com.5°.aph.64°. Ex.44.E
in *Lacte acor fit ob caloris inopiam.3°.de alim.fac.* 2ª.28.E
Lac aceſcit in frigido ſtomacho.c.5°.aph.64°. Ex.44.F
Lac in frigidiore ventre,vbi adeſt cruditas,quale ſit.4°.de ſimp.medicamento.facult. 5ª.29.C
Lac repoſitum cur aceſcat. 4°. de ſimp.me.fac. 5ª.29.C
Lac acidum & amarum mordicat linguam. 4°. de ſimplicium medicamento.facultati. 5ª.29.C
i *Lacte nidor & fumus fiunt ob caloris exceſſum.3°.de ali.fac.2ª.28.E*
Lac ad fumoſum alteratur pp calorem.com.5°.aph.64°. Ex.44.F
Lac euaporat in calido ſtomacho.com.5°.aph.64°. Ex.44.F
Lac in calidiore ventre quale ſit.4°.de ſimp.me.fac. 5ª.29.C
Lac ſtatim euaporat.com.5°.aph.64°. Ex.44.E
Lac ſeruatur in locis frigidis.4°.de ſimp.me.fa. 5ª.28.C
Lacte vtebãtur Cnidij in nõ acutis.de vic.ra.in mor.acu.c.1°. 7ª.108.F
Lac emulctũ aliqd natiuæ bonitatis amittit.de bo.& vitio ſuc. 2ª.36.A
Lac ſtatim hauriẽdum,vbi emulctum fuerit.de bo.& vitio ſuc. 2ª.35.D
Lac bibatur animali aſtante,& melle iniecto.5°.met.me. 7ª.35.A
Lac ſtatim mulſum melius eſt recipere,antequàm immutetur ab aere. de diſſolutione continua. Sp.74.A
Lac recenter mulſum eſt boni chymi.de diſſ.cont. Sp.73.H
Lac recenter mulſum multum nutrit.de diſſ.cont. Sp.73.F
Lac ſugendum è mamma à phthiſicis.de marc. 3ª.48.D
Lacte calido ab vbere vti debemus.10°.de ſimp.me.fac. 5ª.73.F
Lac è mammillis hauſtum optimum eſt.7°.met.me. 7ª.44.G
in *Lacte quo modo fiat coagulatio.3°.de ali.fac.* 2ª.28.G
Lac coagulatum os ventris ſtomachumue afficit.de ſymp.cauſ. 3ª.18.G
Lac coagulatum in ventriculo aggrauat, & ſtrangulat. de bonitate & vitio ſuccorum. 2ª.35.C
ex *Lacte concreto in ventriculo ſuffocationis remedia.de remed.paratu facilibus.* 7ª.160.H
Lac quo modo in ventre non cogetur.5°.de ſan.tu. 2ª.91.H
Lac ne coaguletur in ventriculo,quid agendum.de bonitate & vitio ſuccorum.2ª.35.D|de diſſ.cont. Sp.73.H
Lac ne coaguletur in vẽtriculo faciũt mel,& ſal.10°.met.me. 7ª.67.B
Lacti mel eſt miſcendum,ne coaguletur.9°.met.me. 7ª.44.G
Lac cum melle in ventriculo non cogitur.5°.meth.med. 7ª.35.A
in *Lacte ſciſſio quo modo fiat.3°.de ali.fac.* 2ª.28.G
Lac in ventre coagulatum diſſoluit leporis coagulum.11°. de ſimplicium medicamen. facul. 5ª.74.D
Lac cum ſubtiliantibus,& mundificantibus quid faciat.de diſſolutione continua. Sp.75.B
Lacti cur miſcetur aqua conſumpto ſero.3°.de ali.fac. 2ª.27.G
Lacti aqua miſcetur,ne fiat caſeus.3°.de ali.fac. 2ª.27.G
Lacti mel & ſal admiſcentur ne fiat caſeus in ventriculo. 3°. de alimentorum facultatibus. 2ª.27.G
in *Lacte pone aliquid mellis.3°.de ali.fac.* 2ª.28.C
Lac habens plurimum ſeri,nihil habet periculi.3°.de alim.fac.2ª.28.A
Lactis quod genus dandum,ſi venter acribus excrementis ſit plenus. 3°.de alimentorum facul. 2ª.27.G
Lac à ſero habet quod deijciat.3°.de ali.fac.27.G|H| 2ª.28.G
Lac cum ſero ſubducit.3°.de ali.fac. 2ª.28.G
Lactis aquoſitas lenit ventrem.de diſſ.cont.75.B|de mel.ex Galeno,Ruſo,& poſſidonio. Sp.110.A
Lac quod facit fluere aluum.3°.de ali.fac. 2ª.28.A
Lactis ſerum ſale & melle conditũ citat aluũ.c.5°.aph.64°. Ex.44.F
Lac cum ſale ad aluum citius deſcendit.5°.met.me. 7ª.35.A
ex *Lacte fit deiectio alba.in 1ᵐ. pror. com.1°.* 4ª.165.A
Lac à caſeo habet quod ſiſtit.3°.de ali.fac. 2ª.27.H
Lac iniectis ignitis lapillis ſiſtit aluum.3°.de ali.fac. 2ª.27.G
in *Lac debet poni ferrum candens pro alui profluuijs.10°. de ſimpliciũ medicamentorum facul.* 5ª.73.G
in *Lacte pro dyſenteria ferrum candens ponebat Galenus pro calculis fluuiorum.10°.de ſimp.me.fac.* 5ª.76.A
in *Lac qui lapides igniti extinguantur pro ventris fluxu.10°.de ſimpli. medicamentorum facul.* 5ª.73.G
Lac à partib.quibus reſtingui facile poſſit.10°.de ſimp.med.fa. 5ª.75.C
in *Lacte coquit ſilices Galenus,& in quo caſu.8°. de compoſitione medicamentorum ſecun.locos.* 5ª.192.B
in *Lacte extinguitur cadmia vſta.4°.de comp.me.ſec.loc.* 5ª.154.B
Lac exhibetur ijs,qui aconitum & thapſiam ſumpſerint.11°. de ſimplic. medicamentorum facul. 5ª.73.H
Lacte vtimur vomitũ facto in ijs qui potarunt hyoſciamum, aut mortiſerum aliud.de opt.ſecta. Iſa.21.F
Lac datur leproſis.de med.exper. Sp.106.D
Lac eſt medicamẽtũ προσηνὲς,id eſt leniẽs.9°.de ſim.m.f. 5ª.73.H
Lac lenitiuus liquor.4°.de comp.med.ſec.loc. 5ª.150.G
Lac liquor acrimoniæ expers.4°.de comp.me.ſec.loc. 5ª.151.C
Lac oculis conuenit.de ocul. 7ª.188.G
Lac quale eſſe debet pro oculis.4°.de comp. med.ſec.loc. 5ª.150.G
Lac totum ad acres fluxiones oculorum,tum per ſe,tum cum molliũ collyriorum quopiam valet.4°.de ſimp.me.fa. 5ª.73.G
ex *Lacte collyria teruntur in cotibus.4°.de comp.me.ſec.loc.5ª.150.D*
Lac in cote cum collyrio calidum.4°.de comp.med.ſec.loc. 5ª.150.G
Lac purum ad acres,& mordaces fluxiones eſt vtiliſſimum.9°.de ſimp. medicamentorum facul. 5ª.73.E
Lac vtile eſt ad hypopia,& hypoſphagmata.9°.de ſimp.me.fa.5ª.73.H
Lac cum roſaceo & ouo ad oculorum phlegmonas valet.9°. de ſimpli. medicamentorum facul. 5ª.73.H
Lac gargarizatum oris phlegmonas mitigat.9°.de ſimp.me.f. 5ª.73.H
Lac in principijs inflammationum arteriæ eſt leniſſimum edulium.7°.de comp.med.ſec.loc. 5ª.177.H
Lac infunditur,vtero vlcerato,ad ſedis vlcera mitiganda phlegmonas aut ſtolidas perpetientia,& ad vlcera pudendorum valet cancroſis applicatur vlceribus,tonſillas,collumellam,& antiadas phlegmone affectas mitigat, proinde in ſynáche ſiue angina, & in venenis quæ eroſione interimunt,datur.9°.de ſimp.me.fac. 5ª.73.H
LAC *quibus inimicum.com.5°.aph.64°.* Ex.44.E
Lac non conuenit capiti,niſi quis habeat ipſum admodum firmum.3°.de alimen.facul. 2ª.28.B
ex *Lactis crema leuigata polygonium quo modo facit pro capitis dolore.de reme.par.fac.* 7ª.154.B
Lac dare caput dolentibus malum,malũ vero & febricitãtibus & quibus hypochondria ſuſpenſa murmurant, & ſiticuloſis, malũ autem & quibus in febribus acutis billoſæ ſunt deiectiões,et ſanguinis multa deiectio facta eſt.cõuenit aũt & tabidis dare, qui nõ valde multũ febricitant,& in febribus longis & paruis, ſi nullũ ex ſupradictis ſignis affuerit,& præter rõnẽ conſumptis.c.5°.aph.64°. Ex.44.F

Lac in

Lac in potu vitandum in capitis doloribus à ſtomacho,& ab aliis. 2°.de comp.med.ſec.loc. 5ª.137.B
Lac quomodo obeſt dentibus & gingiuis.3°.de ali.fac. 2ª.28.B
ex Lactis vſu diuturno quidam dentes amiſit.5°.de ſan.tu. 2ª.91.G
Lac non conuenit hypochondriis.3°.de ali.fac. 2ª.28.B
Lac ſi comedatur ſolum auget craſſities ſplenis,& hepatis. de diſſolutione continua. Sp.74.H
Lac generat oppilationē ī iecore,et lapidē in renibus.d diſ.cōt. Sp.75.C
Lac natura craſſum eſt,& aptum ad calculos gignendos. in 6ᵐ. de mor. vulg.commen.3°. 3ª.173.E
ex Lactis vſu diuturno calculus in renibus fit.5°.de ſan.tu. 2ª.91.G
Lac quando obſtruit.de diſſ.cont. Sp.74.H
Lac facit conuulſionem.in progn.com.3°. 4ª.211.B
LAC mori arboris.5°.de comp.med.ſec.loc. 5ª.163.C
ex LACTE tithymalli farina.de remed.par.fac. 7ª.164.G
LACCE drachmæ duæ contra oppilationem hepatis valent.de medicinis expertis. Sp.106.D
Laccæ electarium.de med.exper. Sp.107.A
Laccæ electarium magnum.de me.exper. Sp.107.A
LACEDAEMONII multum potuere.de par.pi.ex. 2ª.49.D
Lacedæmoniis Pithius dedit leges.an animal ſit. 1ª.328.E
LACERAE veſtis inſtar quo modo fiat cutis. 2°. de arte curatiua ad Glauconem. 7ª.106.F
LACERANS dolor,qui.2°.de loc.aff. 4ª.12.A
LACERNAE, quales.de ſal.diæta. 2ª.41.A
LACEROSI qui ſint.2°.de arte cur.ad Glau. 7ª.106.F
in Laceroſis cutibus mel elixum.2°.de arte cur.ad Glau. 7ª.106.G
p Lacerosis cutibus quæ melli iungēda.2°.de arte cur.ad Gl. 7ª.106.G
LACERTAE ſemper ſunt paruæ.3°.de vſu par. 1ª.128.F
Lacertæ iecur dolores eroſorum dentium ſanat.11°.de ſimplicium medicamentorum facultatibus. 5ª.79.H
Lacertæ fimus ad oculorum albugines valet.de rem.par.fac. 7ª.156.G
Lacertæ ſtercus albugines tollit.4°. de compoſitione medicamentorum ſecundum locos. 5ª.158.C
LACERTOSVM cur ſit collum matricis cum multis plicis. de anatomia viuorum. Sp.51.E
LACERTVS quaſi laceratus.de ana.viu. Sp.55.E
Lacerti ex quibus compoſiti de ocul. 7ª.183.F
Lacertorum vnicuiq; continuantur arteria, vena, neruus. de motibus mani.& obſcuris. Sp.66.E
Lacerti oculis neceſſarii ſunt propter motum.de ocul. 7ª.182.D
Lacertorum paria ſex habet coniunctiua ad motum oculi perficiendum. de anatomia viuorum. Sp.48.G
Lacerti duo ſunt in foliis naſi qui dilatant,& conſtringunt.de anatomia viuorum. Sp.49.A
Lacertus mouens linguam vnde oriatur.de mot.man.& obſ. Sp.68.D
Lacertus faciēs inſpirationem, & expirationem ignoratur.de motibus manifeſtis & obſcuris. Sp.69.E
Lacerti octo mirach adiuuant expulſionem.de ana.viuo. Sp.50.E
Lacertos quatuor habet longaon ad fæces retinēdas.d ana.viu.Sp.50.E
Lacertorum actio fit per motum ad ſuam originem.de motibus manifeſtis & obſcuris. Sp.70.C
Lacertus,aut neruus non perficit motus,ſed anima.de palp. 3ª.53.C
cū Lacertis dū nerui cōponūtur fit motus volūtarius de ocul. 7ª.183.F
Lacerti vnius eſt ſimplex actio.de palp. 3ª.52.A
Lacerti actionis laxatio an ſit naturalis vel voluntaria. de motibus manifeſtis & obſcuris. Sp.68.H
Lacerti duo quando agunt.de palp. 3ª.52.E
Lacertus,vide Muſculus.
LACERTI piſces ſunt molles carne.3°.de ali.fac. 2ª.31.A
Lacerti piſces connumerantur inter illos qui facilius cæteris conficiuntur.3°.de alim.fac. 2ª.31.A
Lacerti piſces medii inter piſces carnis mollis,& duræ.3°. de alimentorum facultatibus. 2ª.31.D
LACHRIMAE ſunt aquei quidam liquores. 7°. de ſimplicium medicamentorum facultatibus. 5ª.51.F
Lachrymæ,& ſudores ex quibus conſtent.de hiſt.phil. Sp.11.F
Lachrymæ quo modo fiant.de ocul. 7ª.187.A
p Lachrymas purgantur oculi.de cathar. Sp.94.G
Lachrymæ cur fiant frigore.4°.de ſimp. me.fac. 5ª.24.C
p Lachrymas expellūtur ſupflua.de cōpag.mēb.ſiue de na.hu. S.59.B
Lachrymas q̄ ex oculis educūt,oculorū cenotica dicunt.de cath.S.95.B
Lachrymæ qū bonæ,& qū non bonæ,conſiderandū. 1°.de criſ. 4ª.128.B
Lachrymæ ſigna indicatiua criſis.1°.de criſ. 4ª.128.E
Lachrymæ ſpontaneæ,quales.in 6ᵐ.de mor.vulg.com.1°. 3ª.158.C
Lachrymæ ſpontaneæ ſignificant profluuium ſanguinis narium. in 1ᵐ.de mor.vulg.com.2°. 3ª.116.A
de Lachrymis ſpontaneis,& inuitis meminit Galenus . in 1ᵐ. de morbis vulgaribus.com.3°. 3ª.118.A
Lachrymæ aridæ,malæ.in 6ᵐ.de mor.vul.com.1°. 3ª.158.C
Lachrymæ quando prouocandæ.de ocul. 7ª.190.D
Lachrymas oculorum quid curet.de dyna. Sp.24.G
Lachrymā oculorum ſtringit Erythrodani radix.de ſimp.me. Sp.48.F
Lachrymas ſtringit Glaucium.de ſimp.med. Sp.84.G
Lachrymæ oculorum prodeſt lapis galactites.de ſimp.me. Sp.86.H
Lachrymam ſtringit Opium collyriis admixtum.de ſimp.me. Sp.88.B
Lachrymam ſtringit Sarcocolla.de ſimp.me. Sp.89.G
Lachrymas veluti oppilat Stibium.de ſimp.me. Sp.90.A
Lachrymā reprimit Tragacantha plus q̄ ſarcocolla.de ſim.me.Sp.91.D
ad Lachrymas ſtringendas.de ocul. 7ª.191.E
Lachrymis confert ſectio venarum temporum, & quæ ſunt in angulis oculorum lachrymalibus.de ana.viu. Sp.55.A
ad Lachrymas oculorum.ſecret. Sp.97.D
LACHRYMA Cyrenaica trahit à profundo.6°.met.me. 7ª.37.D
Lachryma cyrenaica per ſe obeſt,cum alio,& in pauca quantitate conducit.3°.de temp. 1ª.23.B
LACHRYMA Hederæ.5°.de comp.med.ſec.loc. 5ª.164.F
Lachryma Medica per ſe obeſt,cum alio,& in pauca quantitate conducit.3°.de temperamentis. 1ª.23.B
Lachrymæ Oleæ.4°.de comp.me.ſec.loc.153.B| 5ª.157.A
Lachryma oleæ Aethiopicæ.5°.de comp.me.ſec.loc.160.H|5ª.161.A|B
Lachryma Particha per ſe obeſt,cum alio,& pauca quantitate, ac tempore congruo ſumpta conducit.3°.de temp. 1ª.23.B
Lachryma Vlmi.5°.de comp.me.ſec.loc. 5ª.160.H
ad LACHRYMALES angulos oculorum exeunt duo foramina, quæ ſunt in radice naſi ſuperius.de anat.viu. Sp.49.A
in Lachrymalibus angulis oculorum venæ duæ non apparent multum. de anatomia viuorum. Sp.55.A
Lachrymantibus oculis cito prodeſt pſyllium.de ſim.med. Sp.89.A
ad Lachrymantes angulos oculorum valet fuligo piceæ.tedæ.8°.de ſimplicium med.fac. 5ª.58.F
Lachrymāt ſponte quibus ſanguis fluxurus eſt.in progn.c.3°. 4ª.211.B
Lachrymāt oculi in dolore genuū,cur.de na.& or.cuiu.cor. Sp.42.D
Lachrymare oculos quid,& vnde.in progn.com.1°. 4ª.192.E
LACHRYMOSVM vlcus quid ſit.de fract.com.2°. 7ª.243.A
LACONES quid cabbalicen artem nominant. ad Thraſy. 2ª.109.B
in LACONICO immorari quid ſit.3°.de ſan.tu. 2ª.78.B
p LACTES quid intelligendum.5°.de loc.aff. 4ª.35.C
Lactes & inteſtina,venæ,& arteriæ,quæ.in 6ᵐ.de morbis vulgaribus commentario.4°. 3ª.180.E
Lactes vbi ſint.in 6ᵐ.de morb.vulg.com.4°. 3ª.180.E
Lactium vinculum quod.in 6ᵐ.de morb.vulg.com.4°. 3ª.180.E
Lactiū vinculū,quo ſuſpēdūtur, quale.in 6ᵐ.d mor.vul.cō.4°. 3ª.180.E
Lactibus alligantur inteſtina.in 6ᵐ.de mor.vul.com.4°. 3ª.180.E
LACTENTIS animalis caro eſt multarum ſuperfluitatum.de diſſolutione continua. Sp.73.E
Lactentiū ptes ſunt boni ſucci ſi mater ſit ſana.de bo.et vic.ſuc.2ª.30.H
Lactentium iecur boni ſucci.de bon.& vit.ſuc. 2ª.36.B
LACTEVS circulus quid ſit.de hiſt.philo. Sp.7.E
Lacteus color à lacte deducitur.in progn.com.2°. 4ª.201.G
Lactea Concauitas,quæ.de ana.viuo. Sp.50.H
in Lacteum ſuccum vertitur cibus in ſtomacho.de compagine membrorum,ſiue de natura humana. Sp.58.H
Lactea Vrina in ſynocha in initio ægritudinis iuuenibus ſi affuerit, non bonum ſignificat.de dyna. Sp.34.D
LACTVCAE nomen impoſitum fuit à ruſticis.de attē.vic. 2ª.44.B
Lactuca chloros , id eſt viridis, nominatur.in progn.com.1°. 4ª.191.D
Lactucā antepoſuerūt multi medici oībus oleribus.2°.de ali.f. 2ª.22.D
Lactuca ſimilis chondrillæ.2°.de ali.fac. 2ª.22.F
Lactuca quædam ſatiua,quædam agreſtis.2°.de ali.fac. 2ª.22.H
Lactuca in medio eſt atriplicis,bliti,& braſicæ.2°.de ali.fa. 2ª.23.B
Lactucæ caulis eſt ſiccus.2°.de ali.fac. 2ª.24.B
Lactuca nihil habet auſteri,acerbi,ſalſi,& acris.2°.de ali.fa. 2ª.22.F
Lactuca eſt olus inſipidū crudū,cui acria miſcēda.2°.de ali.fac. 2ª.23.F

Lactuca frigida eſt.3°.de temp.1ª.21.G/in 6m.de morb.vulg. com.4ª.3ª. 182.C/de diſſ.cont. Sp.74.D
Lactuca eſt humida.de diſ.cont. Sp.74.D
Lactuca frigida & humida eſt.de atten.vic. 2ª.44.E
Lactuca frigida & humida ſecundum aquæ fontanæ frigiditatem. 6°.de ſimp.me.fac. 5ª.48.E
Lactuca ita eſt frigida & humida ad hominẽ, ſicut viridia ligna ad ignẽ 3°.de temperamentis. 1ª.24.E
Lactucæ humidæ nouellæ quibus proſint.de marc. 3ª.48.B
Lactuca minus ſiccat q̃ braſſica.5°.de ſan.tu. 2ª.92.C
Lactuca magis ſuauis intybis.2°.de alim.fac. 2ª.22.G
Lactucæ ſunt cibaria media.de diſſ.cont. Sp.74.C
Lactuca q̃n medicamentum, & q̃n nutrimentum.3°.de temp. 1ª.24.C
Lactuca tam vt cibus, q̃ vt medicamẽtum frigida eſt.3°.de tẽp. 1ª.24.C
Lactuca cibus ſimul & medicamentum multi ſeminis.5°. de ſimplicium medic.facul. 5ª.38.C
Lactuca cruda, & cocta manditur.2°.de alim.fac. 2ª.23.C
Lactucam ſumendi modi.2°.de alim.fac. 2ª.22.E
Lactucæ admiſcẽda porrum, eruca, & ocimum.2°.de ali.fac. 2ª.23.F
Lactuca cum oleo, garo, & aceto ſumitur.2°.de alim.fac. 2ª.22.E
Lactucam commendant cum aceto, quibus caput dolet. 2°. de compoſitione med.ſec.loc. 5ª.133.E
Lactucæ caulis aquæ incoctus cum oleo, aceto, & garo manditur. 2°.de alim.facul. 2ª.24.B
Lactucæ facile nutriunt, ſed parum.8°.met.me. 7ª.50.H
Lactucæ, endiuia, citruli, cucurbitæ facilius digeruntur, quàm apium et carbthum.de diſſ.cont. Sp.73.D
Lactuca boni ſucci refrigerans.2°.de comp.me.ſec.loc. 5ª.132.A
Lactuca eſt mediocris in bonis & malis ſuccis.de bo.et vic.ſuc. 2ª.37.G
Lactuca generat parum ſanguinis non laudabilis ſucci, tamen non mali. 2°.de alim.fac. 2ª.22.D
Lactuca ſi ſanguinem multum generaret, eſſet omnibus edulijs præferenda.2°.de alim.fac. 2ª.22.D
Lactuca indiget multa alteratione ſi debet fieri ſanguis. 1°. de natura facultatibus. 1ª.292.D
Lactuca moderate ſumpta hominẽ nutrit, immoderate necat.3°. de ſimpli.med.fac. 5ª.22.C
Lactuca primo vſu oſtendit ſuam alterationem.3°.de temp. 1ª.24.A
Lactuca innoxia, refrigerandi vim habens. de bo.& vit.ſuc. 2ª.39.C
Lactuca refrigerat.10°.meth.med.65.A/14°. 7ª.87.E
Lactuca infrigidat, poſtea concocta calefacit. 3°.de temp. 1ª.24.C
Lactuca in febre danda.4°.de ſan.tu. 2ª.87.G
Lactuca danda pro cibo in tertiana.1°.de arte cur.ad Glau. 7ª.97.C
Lactucam primum poſtea carnes auium in iure albo elixas cui dederit Galenus, & qua die.12°.met.me. 7ª.78.H
Lactucæ ſuccus non eſt lentus.2°.de alim.fac. 2ª.22.G
Lactuca ad calidas phlegmonas accommoda eſt, & ad parua & leuia eryſipelata.6°.de ſimp. me.fa. 5ª.48.C
Lactuca in cataplaſmate manifeſte refrigerat eryſipelati impoſita.2°. de alimentorum facul. 2ª.22.G
Lactuca infrigidat inflammationes.6°.de comp.med.ſec.loc. 5ª.176.F
Lactuca vitanda in herpete exedente.2°.de arte cur.ad Glau. 7ª.102.B
Lactuca contra ſitim.6°.de ſimp.me.fac. 5ª.48.C
Lactuca conuenit ventriculis bile infeſtatis.2°.de ali.fac. 2ª.22.C
Lactucæ crudæ conueniunt ſtomachicis.8°.de comp.me.ſe.lo. 5ª.192.C
Lactucæ albæ ſemen quo modo exhibendum pro ſtomacho exoluto ſolũ, & nauſeabundo facto.8°.de comp.med.ſec.loc. 5ª.192.B
Lactuca æſtuantem ventrem refrigerat, & à ſiti liberat.3°. de temperamentis. 1ª.24.A
Lactuca lædit ſtomachum frigidum.3°.de temp. 1ª.24.A
Lactucæ ſomnum conciliant.2°.de alimentorum facultatibus. 2ª.22.E/ *2°.de loc.aff.* 4ª.14.A
Lactuca grauem inducit ſomnum.3°.de loc.aff. 4ª.16.F
Lactuca cur ſomnifica ſit.2°.de temp. 1ª.16.F
Lactuca inter olera ſola detergit.4°.de ſan.tu. 2ª.84.G
Lactuca quo mõ iuuat dentes male habentes.2°.de ali.fa. 2ª.22.B
Lactuca neque ſiſtit, neque aperit ventrem.2°.de ali.fa. 2ª.22.F
Lactucæ epilepticis conueniunt.de puero epil. 7ª.180.C
LACTVCA *ſuccum habet omnibus laudabiliorem.2°.de alimentorum facultatibus.* 2ª.22.D
Lactucæ ſuccus ſimilis ſucco papaueris.3°.de temp. 1ª.24.C
Lactucæ ſuccus medius inter ſuccum betæ & maluæ. 2°. de alimentorũ facultatibus. 2ª.22.G
Lactuca habet ſuccum frigidum, & humidum, non tamen prauum. 2°. de alimentorum facul. 2ª.22.F
Lactucæ ſuccus refrigerat, & adſtringit.1°.de arte cur.ad Gl. 7ª.99.C
Lactucæ ſuccus tempore concoquitur.2°.de ſimp.me.fac. 5ª.22.B
Lactucæ ſuccus pro ore ventriculi ſupercalefacto bonus.1°.de arte curatiua ad Glauconem. 7ª.99.C
Lactucarum potus ſomnum conciliat.2°.de loc.aff. 4ª.14.A
Lactucæ ſuccus ſi ad cor iret, necaret, vt cicutæ ſuccus.3°.de ſimp.medicamentorum facul. 5ª.22.B
Lactucæ ſuccus venenum.3°. de ſimp.me.fac. 5.23.A
Lactucæ ſuccus cuti illitus quid faciat.de marc. 3ª.48.B
Lactucæ ſuccus oleo roſaceo adhibẽdus.2°.de comp.me.ſec.lo. 5ª.132.F
Lactucæ ſucco refrigerari caput põt ruri.2°.de cõp.me.ſe.lo. 5ª.132.G
Lactucæ ſuccus in dolore capitis calido cõuenit.de re.par.fac. 7ª.153.E
Lactucæ ſucco colluit Galenus linguã cuiuſdam ita tumefactam, vt ore ipſius contineri non poſſet.14°.met.me. 7ª.89.C
Lactucæ ſuccus acquiſitu facilis.1°.de comp.me.per gen. 5ª.211.H
LACTVCAE *ſemen ſoporiferum.de atten vic.* 2ª.44.E
Lactucæ ſemen potum genituræ profluuium cohibet, & illis qui libidinoſis ſomnijs vexantur, datur.6°.de ſimp.me.fac. 5ª.48.E
Lactucæ ſemen pudenda laxat.11°.de ſimp.me.fac. 5ª.80.D
LACTVCA *agreſtis, id eſt θριδακίνη, ab hortenſi eſt diuerſa.2°.de alimentorum facultatibus.* 2ª.22.G
Lactuca agreſtis eſt vitioſiſſimi ſucci.de bo.& vitio ſuc. 2ª.37.G
Lactuca agreſtis calefaciendi vim non habet.de bo.et vi.ſuc. 2ª.38.H
Lactucæ agreſtis ſemen, quale.6°.de ſimp.me.fac. 5ª.48.E
Lactucæ agreſtis ſemen argemas, & caligines expurgat.6°. de ſimplic. medica.faculta. 5ª.48.E
Lactucæ agreſtis ſeminis ſuccus ad aduſtiones cum lacte mulierum inungi ſolet.6°.de ſimp.me.fac. 5ª.48.E
ex LACTVCA *marina lac ſolutiuum q̃uo fit.5°.de ſan.tu.* 2ª.91.H
de LACVBVS *aues ſunt multarũ ſuperfluitatũ.de diſ.cont.* Sp.73.E
in LACVSTRI *& humida terra non naſcuntur herbæ. 2°. de temperamentis.* 1ª.18.H
Lacuſtria & paluſtria omnia ſunt excrementoſa.8°.met.me. 7ª.61.B
Lacuſtres piſces mali ſuccci.de bon.& vit.ſucc. 2ª.37.G
LADANVM *inter aromata connumerat̃.7°.met.me.* 7ª.44.A
Ladanum quid ſit, & vbi inueniatur.1°.de comp.med.ſec.loc. 5ª.125.C/ *de ſimp.med.* Sp.86.D
Ladanum in Cypro plurimũ naſcitur.4°.de cõp.me.per gen. 5ª.241.B
Ladanum quale ſit.5°.de comp.me.per gen. 5ª.220.B
Ladanum primo ordine calidum eſt.7°.de ſimp.me.fac. 5ª.51.C
Ladanum ſubſtantia tenui eſt. 7°.de ſimp.me.fa. 5ª.51.C
Ladanum vires habet acres, calfactorias, & relaxantes, in malagmata & in emplaſtra mittitur, ad tuſſim veterem facit, capillos fluentes cum oleo myrtino continet.de ſimp.me. Sp.86.D
Ladanum malacticum eſt, & moderate digerens.7°. de ſimplicium medicamentorum ſecun.locos. 5ª.51.E
Ladanum moderate adſtringit.1°.de comp.med.ſec.loc. 5ª.125.E
Ladanum capillos diffluentes retinet.7°.de ſimp.med.fac. 5ª.51.E
Ladanum capillos defluentes cohibet, ideo adſtringit, & exiccat.7°. de ſimp.med.facul. 5ª.55.A
Ladanum quomodo vino conſperſum, & cum myrteo conferat ad capillorum defluuium. de reme.par.fac. 7ª.154.B
cum Ladano oleum lentiſcinum pro capillorum defluuio optimum.1°. de comp.med.ſec.loc. 5ª.125.F
vt Ladanum oleum lentiſcinum.1°.de comp.med.ſec.lo. 5ª.125.F
Ladanum alopecias, ophthalmias, ſiue lippitudines ſanare non poteſt. 7°.de ſimp.med.fac. 7ª.51.E
Ladanum quando ex vino tritum medicamento inijciat. 4°. de compoſi. med.per genera. 5ª.241.A
Ladanum quomodo parandum.4°.de comp.me.per ge. 5ª.241.E
Ladanum igne liquatur.3°.de comp.me.per ge. 5ª.233.F
Ladani meminit.2°.de comp.me.per ge. 5ª.224.B
Ladano, & chamæleonte curantur vlcera vix ſanabilia.4°.de compoſi. med.per genera. 5ª.241.B
cum Ladano eiuſdem virtutis eſt chamæleon.4°.de compoſitione medicamentorum per gene. 5ª.241.B
LADONIS *quid ſit, & vbi inueniatur.1°.de compoſitione medicamen. ſecundum locos.* 5ª.125.B/C/D
LAEDENTIA *excreta debent iuuare.de atra bile.* 1ª.34.H

Læditur cerebrum quandoque totius ratione, quãdoque partis. de mel. ex Galeno, Ruſo, & Poſſ. Sp.109.B

LAESIO *ſignificatur nomine laboris. commenta. 4°. apho. 32°.30.H/ aphoriſmo.44°.* Ex.32.G

Læſiones omnes malas vocant Iones. de art. com. 2°. 7ª.264.D

Læſionis nomen ſignificat etiam priuationem. de ſymp. diff. 3ª.11.B

Læſiones magis ſentimus nocte quàm die. c. 2°. aph. 13°. Ex.12.E

Læſio operationum eſt morbus. com. 5°. aph. 57°. Ex.42.H

Læſiones noſtri corporis à quibus, fiant, & intrinſecæ & extrinſecæ. de op. noſt. corp. conſt. 1ª.38.C

Læſarum actionum modi docent partem affectam, & curandi facultatẽ. 3°. de loc. aff. 4ª.14.F

Læſionis modus conſiderandus ad quam affectionem pertineat ſecundo loco. 2°. de loc. aff. 4ª.13.D

LAETITIAE, *& hilaritatis cauſam eſſe creditum eſt bugloſſum vinis iniectum. 6°. de ſimp. me. fac.* 5ª.45.B

ad Lætitiã cur vio epoto trahamur, neſciuit Galen°. ꝙ aĩ mor. 1ª.318.A

Lætitiæ pulſus, qui. de pulſi. ad tiro. 44.H/4°. de cau. pulſ. 4ª.199.G

Lætitia quomodo corpus muret. de inc. adiur. & ſuſp. 7ª.181.G

Lætitia ſola multi morbos euaſere. de par. pi. ex. 2ª.48.G

LAETI *naturaliter hoĩes, quales. de incant. adiur. & ſuſp.* 7ª.181.H

LAEVIS *partibus dextræ ꝑpollẽt. bre: denot. dogm. Hipp.* 1ª.231.C

LAGANA *itria ab antiquis dicebantur. de bon. et vic. ſuc.* 2ª.35.D

Lagana ſpecies itriorum ſunt. 1°. de alim. fac. 2ª.10.E

Lagana ex tritico ſine fermentatione, ſiue caſeo ſunt craſſioris ſucci. de bonitate & vitio ſucc. 2ª.35.D

Lagana iter craſſi ſucci edulia cõnumerat Galenus. 3°. đ ali. fac. 2ª.28.B

Lagana cibus craſſus, & cur. de diff. cont. Sp.72.H

Lagana generant chymum bonum, & craſſum. de diff. cõt. Sp.74.A

Lagana quid faciant. 11°. de alim. fac. 2ª.10.E

Lagana cum melle quid agant. 1°. de ali. fac. 2ª.10.E

Lagana cũ melle neq; pulmonẽ neq; thoracẽ lædũt. 1°. de ali. fac. 2ª.10.F

in LAGOENIS *fictilibus aqua eſt coquenda. de bon. aquæ.* Sp.76.A

LAGOPHTHALMON *quid. fin. med.* Iſa.48.G

LAGOPHTHALMON *oculi eſt affectus. fin. med.* Iſa.48.F

Lagophthalmi cauſa quæ. de anat. ocul. Sp.57.H

LAGOPVS *deſiccat alui fluxus. 7°. de ſimp. me. fac.* 5ª.53.A

LAMBDOIS *quid. intro.* Iſa.54.F

Lambdois ſutura ad quid. 9°. de vſu par. 1ª.173.B

Lambdois vbi. de oſſib. 1ª.40.E

Lãbdoeides os qđ hyoeides, ſiue hypſiloeides noĩat. de muſſ. diff. 1ª.46.D

Lãbdæ os q muſculi mouẽt, et vñ oriant ac deſinãt. de muſc. diff. 1ª.46.E

Lambdoeides os qui muſculi retrahunt. de muſ. diſſ. 1ª.46.E

LAMENTATIO *quomodo ſedatur. 4°. de decr. Hipp.* 1ª.253.D

Λαμπώδης *ſplendidum. in 1°. pror. com. 2°.* 4ª.177.H

LAMPRVS. *de med. fac. par.* 7ª.167.E

LAMINA *ærea quid. 6°. de anat. adm.* 1ª.92.G

ex Laminis duabus conſtat cutis. de anat. viu. Sp.45.B

Laminæ vnde oriantur. de ana. viu. Sp.45.B

Laminæ mẽbranæ cuſtodes inſtrumenta chirurgica. de ijs, quę in med. fi. commentario. 1°. 7ª.200.H

Laminis ſilia ſi in vrina appareãt, letale eſt. de tot. morbi tẽp. 3ª.89.G

LAMPSANE *prauus cibus. 1°. de diff. feb.* 3ª.31.G

Lampſane abſtergit, digerit. 7°. de ſimp. me. fac. 5ª.53.A

LANA *ouium eſt ex familiaribus aĩalibus. 11°. de ſimplicium medicamentorum facultatibus.* 5ª.81.C

ex Lana ouis à lupo laniatæ vinculum confectum ad quid bonum, ſecũdum quendam. 10°. de ſimp. me. fac. 5ª.76.D

Lanarum ouium ſordes, qualis. 10°. de ſimp. me. fac. 5ª.77.E

Lanarum ſordes concoquunt vt butyrum. 10°. de ſimp. med. fac. 5ª.77.E

Lana in ſe cedit, ſed non eſt mollis, quia conſtat ex pluribus inuicem implicatis. 5°. de ſimp. med. fac. 5ª.32.G

Lana mollis ſuperponenda eſt loco qui debet fomentari. de vict. ratio. in morb. acut. com. 2°. 7ª.116.G

Lana alligabimus tegenda, & continenda. de faſ. 7ª.293.F

nõ vt Lana, ſpongia noua materia tantum eſt, quæ humores irrigandos excipiat, ſed etiam manifeſte deſiccat. 11°. de ſimp. me. fac. 5ª.83.G

LANA *non lota ſuccida dicta. 14°. met. me.* 7ª.88.F

Lanarum ſuccidarum vis, qualis. de fracturis. com. 2°. 7ª.241.D

Lana œſypera ad quid apta. 11°. de ſimp. med. fa. 5ª.81.B

Lana ſuccida contuſis conuenit cum irrigatur. 11°. de ſimp. me. fac. 5ª.81.B/2ª. *de comp. med. ſec. loc.* 5ª.138.E

Lanæ ſuccidæ ob ſordes cum caliditate frigiditatis etiam non nihil obtinent. de frac. com. 2°. 7ª.245.C

Lanis ſuccidis in vino, & oleo intinctis tumores facti ex deligatione curantur. de fract. com. 2°. 7ª.241.C

Lana ſordida. 4°. de comp. me. ſe. lo. 5ª.157.C/2°. *de ar. cu. ad Gla.* 101.G/ *de rem. par. fac.* 156.F/160.F/ *de arti. c. 4°.* 7ª.185.F

Lanæ ſuccidæ teneræ quadrãtẽ accipi iubet. 5°. de cõp. me. ſe. lo. 5ª.165.C

Lana ſuccida combuſta. 3°. de comp. medi. per gene. 234.H/235.B/6°. 258.F/ 5ª.260.D

Lana quo modo vratur. 11°. de ſimp. med. facul. 181.B/ 6°. *de compoſitio. med. per genera.* 5ª.260.D

Lana vſta qualis. 11°. de ſimplic. med. facul. 81.B/6°. *de compoſi. medica. per genera.* 5ª.258.B

Lanæ combuſtæ fit mentio. 6°. de comp. me. per gen. 5ª.257.E

Lana elota ad quæ conferat. 11°. de ſimp. me. fac. 5ª.81.B

Lana pura. 4°. de comp. me. ſec. lo. 5ª.157.C

Lanæ ius quo modo fiat. de dyna. Sp.22.D

Lanæ iuris cerotum. de dyna. Sp.22.D

quæ Lanæ auribus apponendæ: 3°. de comp. me. ſe. lo. 5ª.145.E

per Lanã quo modo vapor eat in aures. 3°. de comp. med. ſe. lo. 5ª.142.E

Lanam ſyringi apponebat Galenus, & quare. introd. Iſa.60.B

Lanæ manipulum nardino pigmento calido inunctum apponendum eſſe ori ventriculi, qñ non eſt facta coctio. de præcog. ad Poſt. 4ª.219.A

Lanam ex oleo calente apponit primo die adeni, quæ phlegmone vrgeri cœpit. 13°. met. me. 7ª.81.B

Lanæ hapſo ex oleo capitis fotus eſt mitigatorium medicamentum. de remed. par. fac. 7ª.154.A

Lanæ hapſus. 7°. met. me. 43.H/13°. 7ª.81.B

Lana plena melle, aut pice nihil effundit, & quare. de ſectis. Iſa.19.A

Lana nardino vnguento imbuta in affectione oris ventriculi quidã vtũtur, & quo modo. 7°. de comp. med. ſec. loc. 5ª.187.D

Lana vino acerbo madefacta pro fluxione conuenit. 2°. de arte curatiua ad Glauconem. 7ª.101.H

in Lana exẽplũ, quo declaratur ex naribus, oculis, & ore aliqđ qñq; effluere, qa multũ ĩ his humoris ſit, nõ qa rara foramina đ ſec. Iſ.19.A

Lana ad neruorum vulnus quomodo manebit calida. 3°. de compoſitione medicam. per genera. 5ª.229.F

Lana purpuræ. 3°. de comp. me. ſec. loc. 5ª.142.F

Lana purpura infecta vtitur, & quo modo, ac in quo caſu. 3°. de comp. medicam. per gene. 5ª.143.E

Lanæ flocculi ponuntur ante os, vt deprehendatur an ſpirent præfocatæ 6°. de locis affectis. 4ª.39.E

Lana plena & vacua quo modo. 4°. de dig. pulſ. 4ª.85.B

pro Lana, œſypus quando ſatisfacit. 14°. met. me. 7ª.88.H

LANARIA *herba quid efficiat. 1°. de comp. med. ſec. loc.* 5ª.128.B

LANEA *ligula ex oue à lupo comeſta quæ ligetur, & coxis ſuſpendatur, & quare. de incant. adiur. & ſuſp.* 7ª.139.G

LANGVENT *grauiter qui ſe iacentes continere non poſſunt. de victus rat. in morb. acut. com. 4°.* 7ª.182.B

Languẽtibus qui cibi dari cõſueuerint. đ vic. ra ĩ mor. acu. c. 1°. 7ª.113.C

Languentes ſunt in periculo, ſi non ſit facta inſignis euacuatio. in 1m. prrhe. commenta. 2°. 4ª.169.F

LANGVIDVM *q̃uo dicatur apud græcos. 3°. de diff. pulſ.* 4ª.61.B

Languidas, & laxas partes conſtringit contrahitq; galla. 7°. de ſimpli. medicamen. facul. 5ª.51.B

LANGVOR *quid ſit. in 3m. de mor. vulg. com. 3°.* 3ª.144.B

Languor corporis fit à calore, & frigore abundante. de dyna. Sp.19.D

Languorem corporis mitigat opium. de ſimpl. med. Sp.88.B

LANIATVR *facile muſculus latus ſub cute in collo. de muſculorum diſſectione.* 1ª.44.D

ne Lanientur muſculi, ſimiam excoriare cuius non eſt concedẽdum. de muſculorum diſſectione. 1ª.44.D

LAODICEA *in Aſia. 6°. de ſan. tu.* 2ª.100.B

Laodiceæ fit nardinum vnguentum optimum. 11°. met. me. 7ª.72.H

Laodiceæ fiebat optimum vnguentum nardinũ. 6°. de ſan. tu. 2ª.100.B

Λαπαρόν. *de ijs, quæ in med. fi. com. 2°.* 7ª.209.B

LAPARON *quid ſignificet. 2°. de diff. reſp.* 3ª.66.H

Λαπαρόν *quid proprie ſignificet. de ijs, quæ in med. fi. c. 2°.* 7ª.209.B

Λαπάρη *quid proprie ſignificet. de fract. com. 2°.* 7ª.240.H

Laparæ quæ partes corporis. in progn. com. 2°. 4ª.197.F

Laparæ, id eſt ventris dolores, qui. in 6m. de mor. vul. c. 3°. 3ª.178.A

LAPATHON, *et hyppolapathon quid ſignẽt. 3°. de dif. reſp.* 3ª.75.D

Lapathium quid:de ſimpl.med. Sp.86.D
Lapathon beta agreſtis dicitur.2°.de ali.ſa.22.H/ 2ª.23.C
Lapathon inſuauius eſt beta.2°.de ali.ſa. 2ª.23.C
Lapathon eaſdem vires habet cum beta.2°.de ali.fac. 2ª.23.C
Lapathum quale.7°.de ſimp. me.fac. 5ª.53.B
Lapathum,blitum,beta quo vſui ſint apud Empiricos.intro. Iſa.51.A
Lapathum minus ſiccat quàm braſſica.5°.de ſan.tu. 2ª.92.C
Lapathum domeſticum.de cura icteri. Sp.111.B
Lapathũ habet caulẽ inutilem poſt ſemẽ effuſum.2°.de ali.fac. 2ª.24.B
Lapathon nemo crudum mandit.2°.de alim.fac. 2ª.23.D
Lapathum in febre dandum.4°.de ſan.tu. 2ª.87.G
Lapathum dandũ pro cibo in tertiana.1°.de arte cur.ad Glau. 7ª.97.C
Lapathi folia ventrem ſoluunt.de ther.ad Piſ. 5ª.90.H
Lapathi folia vulneribus ſup imponi poſſunt.10°.de ſimp.me.f.5ª.74.C
Lapathi ſemen adſtringit.de ther.ad Piſo. 5ª.90.H
Lapathi ſemen dyſenterias,diarrhœas,ſiue profluuia ſanat.7°. de ſimpli.medicamen.facul. 5ª.53.B
Lapathium omnem maculam à ſudore factam infricatum in balneo tollit.de ſimp.med. Sp.86.D
Lapathij radicum decoctum prouocat menſtrua.de catha. Sp.95.D
Lapathij radicũ decoctio frãgit lapidẽ renũ & veſicæ.de cath. Sp.95.D
LAPIDESCVNT materiæ in morbo articulari.14°.met.me. 7ª.87.H
LAPIDEI oſſis vtilitas.9°.de vſu par. 1ª.175.F
Lapideum crus quidam ſe habere ſomniabat,qui paralyticus fiebat. in prognoſt.commen.3°. 4ª.213.D
LAPIDOSA ſunt in pollinem tenuiſſimum redigenda.11°.de ſimp.medicamen.facul. 5ª.80.G
Lapidoſa quo modo lauanda.2°.de ſimp.me.fac. 5ª.13.A
ad Lapidoſum & crudum homorem.ſecretorum. Sp.100.D
LAPIS ferrum,& æs ſuperioris ſunt generis, quàm ſtirpium genus. 3°.de temperamentis. 1ª.13.C
Lapides inanimati à Platone dicuntur.de vſu pul. 1ª.230.B
Lapides qui dixerint moueri.3°.de diff.pul. 4ª.66.B
Lapis corpus eſt terreum craſſum.4°.de ſimp.med.fac. 5ª.30.B
Lapis eſt corpus durum.3°.de diff.pul. 4ª.63.D
Lapides habent ſubiectum ſtabile,& conſtans ob ſiccitatem, & frigiditatem.8°.met.med. 7ª.60.G
Lapidem eſſe ſiccum,collige.in 3^{m}.de mor.vul.com.3°. 3ª.141.A
Lapis poteſt eſſe quandoq; pari calore cum aqua, & ſi ſiccus ſit, aqua humida.2°.de temperamentis. 1ª.17.E
Lapis,æs,ferrum,& aurum,quoniam duriora, non coaleſcunt, neque agglutinantur.3°. de ſympto. cauſ. 3ª.29.A
ex Lapidibus calefactis minimum defluit.com.1°.aph.14°. Ex.7.F
Lapidi ignito ea medicamẽta ſunt ſimilia,quæ per eroſionem interimũt. 4°.de ſimp.med.fac. 5ª.30.B
Lapis ignitus ventrem exulcerat,& exurit.4°.de ſimp.me.fa. 5ª.30.B
Lapides igniti,qui in lac extinguantur, pro ventris fluxu.10°. de ſimp. medic.facul. 5ª.73.G
Lapides ſunt qui rigari non ſuſtinent.9°.de ſimp.me. fa. 5ª.67.A
in Lapidibus inuicem colliſis motus parit calorem.de cauſ.mor.3ª.6.D
Lapides attriti flammam edunt.3°.de temp. 1ª.22.E
in Lapidibus & calce calefactis quod cõtingit,cum aqua aſperguntur frigidiſſimã,idẽ in hecticis contingit poſt cibũ.1°.de diff.feb. 3ª.35.D
Lapides qui mortarij aut cotis attritu in liquorẽ ſoluuntur.9°.de ſimp. medic.facul.67.C/ 5ª.68.D
Lapis duriſſimus à guttula longo tempore ictus, cauitatem contraxit. 3°.de ſympt.cauſ.3ª.26.F/3°.de ſimp.me.fac. 5ª.22.H
Lapidis excauati à gutta comparatio ad crudos humores. commentario 2°.aphoriſmo.52°. Ex.19.D
Lapides putreſcere non poſſunt.11°.de ſimp.med.fac. 5ª.83.D
Lapides nequaq̃ gladio icidere tẽtaueris,ne dũ adamãtẽ.de cau.3ª.7.A
Lapis contundendo alterat partes.3°.de ſimp. med.fac. 5ª.17.D
Lapides omnes exiccant.9°.de ſimp.med.fac. 5ª.68.D
Lapis ignitus craſſior eſt calce,& cinere, & calidior multo magis quã fauilla.4°.de ſimp.me.fac. 5ª.50.B
Lapidibus empiricos comparat.aduer.emp.med. Iſa.35.D
Lapidis multarum artium materia ſunt.ad Thra. 2ª.106.A
Lapidum vires à proprietate,& à qualitatibus effectricibus.8°.de ſimplic.medimen.facul. 5ª.67.A
Lapides guſtu probantur.9°.de ſimp.med.fa. 5ª.68.D
Lapides Acres ad quæ vtiles.9°.de ſimp.med.fac. 5ª.67.G
Lapis Ageratus ad polienda calciamenta mulierum.6°. de ſimplicium medicamen.facul. 5ª.174.F
Lapis,quo ſutores vtuntur ad calciamenta muliebria expolienda, inter arida aſtringentia numeratur.6°.de comp.med.ſec.loc. 5ª.172.G
Lapidis Agerati ſit mentio.de med.fac.par. 7ª.164.H
Lapis quo linteis ſplendor conciliatur.9°.de ſimp.med.fac. 5ª.68.D
Lapis Armenus,ſiue bolus Armena,ſiue terra Armena vocetur, nihil refert.9°.de ſimp.med.fac. 5ª.66.G/H
Lapis armenus atram bilem educit.de dyna. Sp.21.C
Lapidis armeni doſis.de dyna. Sp.21.C
Lapidem Aſium ſarcophagum appellant.de ſimp.med. Sp.86.F
Lapis aſius quid.de ſimp.med. Sp.86.E
Lapis aſius,qualis. 9°.de ſimp.med.fac. 5ª.67.H
Lapidis aſij flos, qualis.7°.de comp.me.per gen. 5ª.265.G
Lapidis aſij flos.4°.de comp.me.ſe.lo.157.B/5°. 5ª.161.E
Lapis aſius viſcide relaxat.de ſimp.med. Sp.86.E
Lapis Batrachides quid.de ſimpl.me. Sp.87.A
Lapis batrachides,lenit,relaxat.de ſimp.me. Sp.87.A
Lapis Cappadox lapidẽ potẽter frãgit.de ren.aff.dig.& me. 7ª.196.D
Lapides Cruſtacei qui in ignem iacti exilem flammam faciunt ex Cœle Syria complures aſportauit Galenus.9°.de ſimp.med.fac. 5ª.68.A
Lapidem vocat Corallum.de incant.adiur.& ſuſp. 7ª.182.C
Lapis Cryſtallus quid.de ſimp.med. Sp.86.H
Lapis cryſtallus ſtringit,lac prouocat.de ſimp.me. Sp.86.H
Lapis Diaphanes ad quid valeat.de me.fac.par. 7ª.169.B
Lapides Fluuiales igniti remouẽt aquoſitatẽ lactis.de diſ.cont. Sp.75.B
Lapis fiſſus.5°.de comp.me.per ge. 5ª.254.A
Lapis Gagates quid.de ſimp.me. Sp.86.G
Lapis gagates nigrum medicamentum.2°.de comp.me.per ge. 5ª.221.E
Lapis gagates dentes qui agitantur, reſtringere & ſtabilire poteſt. de ſimplic.medic. Sp.86.G
Lapis gagates.9°.de comp.me.ſec.loc. 5ª.199.D
Lapis Galactites quid. de ſimp.me. Sp.86.H
Lapis galactites quo modo menſes ducat.de me.fac.par. 7ª.169.A
Lapis galactites leniter ſtringit & ad lachrymã oculorum facit.de ſimplic.medic. Sp.86.H
Lapis Hæmatites quid.de ſimp.me. Sp.86.F
Lapidis hæmatitis natura ꝓbatur ꝑ cotẽ.4°.de ſimp.me.ſec.lo. 5ª.151.D
Lapis hæmatites,qualis.5°.met.me. 7ª.36.E
Lapis hæmatites qualis ad oculos.4°.de comp.me.ſec.lo. 5ª.151.D
Lapis hæmatites cur valet ad oculos.9°.de ſimp.me.fac. 5ª.67.A
Lapis hæmatites oculorum vlcera ſolus per ſe cicatrice includit. 9°. de ſimp.med.facul. 5ª.68.C
Lapidem hæmatitem ad vlcera oculorum expertus eſt Galenus. 9°. de ſimp.med.facul. 5ª.67.D
Lapis hæmatites adſtringens leue.5°.met.me. 7ª.31.H
Lapis hæmatites viſcide ſtringit.de ſimp.me. Sp.86.F
ex Lapide hæmatite medicamenta.4°.de comp.me.ſec.loc. 5ª.152.B
Lapis hæmatites vſtus & lotus.4°.de comp.me.ſec.loc. 5ª.156.B
Lapis Hieracites ſuſpenſus profluentem ex hæmorrhoidibus ſanguinẽ ſiſtit.9°.de ſimp.me.fac. 5ª.67.E
Lapis in ventre pullorum Hirundinum quando inueniatur, & ad quid valeat.de incant.adiur.& ſuſp. 7ª.182.B
Lapilli in nidis pullorum Hirundinum reperti appenſiq; tuſſi tutum reddunt.de med.fac.par. 7ª.171.E
Lapis Indicus ſuſpenſus profluentem ex hæmorrhoidibus ſanguinem ſiſtit.9°:de ſimp.me.fac. 5ª.67.E
Lapis Iudaicus lapidem veſicæ & renum potenter frangit. de ren.affec. dig.& med. 7ª.196.D
Lapis Iudaicus non proficit ad lapides veſicæ,ſed renum,quod Galenus expertus eſt.9°.de ſimp.me.fac.5ª.67.F/ſecre. Sp.102.D
Lapis Lyncis.de reme.par.fac. 7ª.164.E
Lapis Magnes quid.de ſimp.me. Sp.86.G
Lapis herculeus trahit ferrum ad ſe.de cathar. Sp.94.H
Lapis magnes quo modo ferrũ trahat ſm Epicurũ.de na.fa. 1ª.294.D
Lapis magnes purgatorias vires habet hydropicis in potu datur.de ſimplic.med. Sp.86.G
Lapis Melitites quid,& eius vires.de ſimp.me. Sp.86.H
Lapis Molaris.2°.de arte cura.ad Glau. 7ª.104.C
Lapis molaris pro pyrite quando ſatisfacit.14°.met.me. 7ª.88.B
Lapis Morochthus efficaciter ſtringit.de ſimp.me. Sp.86.H
Lapidem in Aegypto natum,Moroxum quidam,non nulli vero Leucographida vocant.9°.de ſimp.med.fac. 5ª.68.E

Lapis in Aegypto naſcens, quo modo, et in quibus corporibus ad cicatricem vlceribus inducendum vſurpatur, & ocularibus facultatibus miſcetur. 9°. de ſimp. med. fac. 5ª.68.E
Lapis Miſy quid, & eius vires. de ſimpl. med. fac. Sp.87.A
Lapis miſy in aginem colorem maxime ſplendet. de ſimp. med. Sp.87.A
Lapillus de Oche. de dynamidijs. Sp.35.H
Lapidum duriſſima eſt Petra. 9°. de ſimp. med. fac. 5ª.67.B
Lapis Phloginus quid. de ſimp. med. Sp.86.H
Lapis phloginus ſenium facere dicitur. de ſimp. med. Sp.86.H
Lapis Phœnicites fœtum quo modo detrahit. de med. fac. par. 7ª.168.H
Lapis Phrygius quid. de ſimp. med. Sp.86.H
Lapis phrygius nimiũ ſtringit, et exulcerare ſolet. de ſim. me. Sp.86.H
Lapis Phrygius quid faciat coctus & crudus. de ther. ad Piſo. 5ª.97.E
Lapide phrygio peruſto vſus eſt Galenus. 9°. de ſimp. med. fac. 5ª.67.G
Lapis Pyrites quid. de ſimp. med. Sp.86.F
Lapis pyrites vires habet acres, valet ad claritatem oculorum. de ſim. medicaminibus. Sp.86.F
Lapis pyrites extinctus in aceto pro magnis ſcirrhis facit. 14°. methodi medendi. 7ª.88.B
Lapis pyrites. 2°. de compo. medicamentorum. per genera. 5ª.226.G| 2°. de arte cur. ad Glauconem. 7ª.104.B
Lapidis pyritæ vſus, & aptatio. 2°. de arte cur. ad Glauc. 7ª.104.B
Lapis Quadratus quid. de ſim. med. Sp.86.G
Lapis quadratus vires habet viſcidas, et ſtringẽtes. de ſim. me. Sp.86.G
Lapis Schiſtus, qualis. 4°. de comp. med. ſec. loc. 5ª.151.D
Lapis ſchiſtus viſcide ſtringit. de ſimp. med. fac. Sp.86.F
Lapis ſchiſtus vſtus, & lotus. 4°. de comp. med. ſec. loc. 5ª.156.B
Lapis Smiris quid, & eius vires. de ſimp. med. Sp.87.A
Lapis ſmiris viſcide ſtringit, in cauſtica mittitur. de ſimp. med. Sp.87.A
Lapides Speculares antiquitus oſtijs apponebãt. 9°. de ana. ad. 1ª.105.A
Lapis ſpecularis exiccat ſine morſu. 4°. de cõp. med. per gen. 5ª.236.F
Lapides in ſpongijs reperti, quales. 9°. de ſimp. med. fac. 5ª.67.C
Lapis qui in ſpongia reperitur. 10°. de comp. med. ſec. loc. 5ª.206.E
Lapis Syriacus fœmina, & maſculus. 10°. de com. med. ſec. lo. 5ª.206.F
Lapis ſyriacus maſculus. 10°. de comp. med. ſec. loc. 5ª.206.B
Lapis Thracius, quid. de ſimp. med. Sp.86.G
Lapis thracius, qualis. 9°. de ſimp. med. fac. 5ª.68.A
Lapis thracius accẽditur ab aqua, extinguit ab oleo. de ſim. m. Sp.86.G
Lapis Thyites quid. de ſimp. med. Sp.86.H
Lapis thyites acriter mordet caliginem, & cicatrices oculorũ extenuat. de ſimp. med. Sp.86.H
Lapis thyites cicatrices attenuare poteſt, & oculorum ungues. 9°. de ſimpl. med. fac. 5ª.67.F
Lapides prætioſi non recte tanto ſtudio appetuntur. de cognoſcendis curandisq; animi morbis. 2ª.54.H
Lapidibus reſarcitur cor diſtemperatum. & quibus. de ana. vi. Sp.56.B
Lapides aliqui adhibentur ad ophtalmicas, ſanguinem, & muliebre profluuium ſiſtentes facultates, & ad vlcera glutinanda, cicatrice claudenda, & carne implenda. 9°. de ſimp. med. fac. 5ª.67.G
Lapides, q ſuſpenſi ſanent epilepſiã, quales. de incãt. ad. & ſu. 7ª.182.B
Lapides ſuſpenſi an iuuerint. 9°. de ſimp. med. fac. 5ª.67.D|E
Lapides quo modo in vſum accipi debeant. 9°. de ſimp. med. fa. 5ª.67.F
ex Lapidibus antidotus vt Mitridates. 10°. de cõp. me. ſe. lo. 5ª.206.F
Lapdes omnes, vt argenti ſpuma lauantur. 1°. de cõ. me. per ge. 5ª.213.E
LAPIDIBVS ſimile quid in abſceſſibus inuenitur. de tumoribus præter naturam: 83.G|2°. de arte curat. ad Glauc. 3ª.105.B
Lapidum fragmenta inuenta in abſceſſibus quandoqne. 14°. methodi medendi. 90.E| 7ª.92.D
LAPIS coaleſcit in aquis calidis ſponte naſcentibus, & in vaſis vbi caleſit aqua quotidie. in 6^{m}. de morb. vulg. com. 3°. 3ª.173.B
Lapides in lebete generantur. de ren. aff. dig. & med. 7ª.192.C
Lapis pyraſtro adnatus quid efficiat. de med. fac. 7ª.168.G
LAPIDES vnde, & quo modo fiant. com. 3°. aph. 26°. Ex.25.F
Lapidis generandi cauſa. in 6^{m}. de morb. vulg. commen. 3°. 3ª.173.D|de cura lap. Sp.112.C
Lapis in homine nõ põt fieri ex frigore. de ren. aff. dig. & me. 7ª.192.C
ad Lapidem generandũ craſſities accommodata eſt. de renum affectuũ dignotione & medela. 7ª.192.C
Lapidis materia quæ ſit. de ren. affect. dig. & med. 7ª.192.C
Lapides ex pituita, quales. de ren. affect. dig. & med. 7ª.192.E
Lapidis cauſa finalis, quæ. de ren. affect. dig. & med. 7ª.192.C
Lapidis cauſa inſtrumentalis, quę. de ren. aff. dig. & med. 7ª.192.C
Lapidem indurãt calida vrinã prouocãtia. de ren. af. dig. & m. 7ª.194.C
Lapides vbi gignantur. de ren. affect. dig. & med. 7ª.192.D
Lapides vbi naſcantur ſolum. 1°. de loc. affect. 4ª.6.C
Lapides vbi fiant. de ren. aff. dig. & med. 7ª.193.C
Lapides cur raro in fœminis. de ren. aff. dig. & med. 7ª.192.F
LAPIDES q̃uo in renibus. in 6^{m}. de mor. vul. com. 1°. 3ª.155.F
Lapides quo modo fiant in renibus. in 6^{m}. de mor. vulg. com. 1°, 3ª.155.G| 7°. de compo. med. per genera. 5ª.267.H
Lapides renũ cur florẽtibus cõtingant. de re. aff. dig. & me. 7ª.192.E
Lapides renum cur, & quo modo in ſenibus generentur. commentario 3°. aphoriſmo 31°. Ex.26.G
Lapis in renibus nociturus generatur ex continuo vſu ciborum acutorum. de diß. cont. Sp.72.F
Lapides renum cur magna ex parte ſint minores, æquales, & molliores. de ren. aff. dign. & med. 7ª.193.B
Lapidis renum quatuor cauſæ. de ren. aff. dig. & med. 7ª.192.B
Lapidem in renibus generat lac. de diſſ. cont. Sp.75.C
Lapides in renibus facit caſeus. in 6^{m}. de morb. vulg. com. 3°. 3ª.173.E
Lapidem in renibus adducit caſeus multus. de diß. cont. Sp.74.H
Lapidem in renibus facit vinum dulce. de diſſ. cont. Sp.74.H
Lapidis renum ſignum. de ren. aff. dig. & med. 7ª.192.G
in Lapidibus renũ cur ſanguis mingit. in 6^{m}. de mor. vul. c. 3°. 3ª.155.H
Lapis renum acutus, vel aſper facit exulcerationem ita, vt pus, & ſanguis exeat. com. 4°. aph. 75°. Ex.36.B
in Lapide renum cur crura doleant. in 6^{m}. de mor. vul. cõ. 1°. 3ª.155.H
in Lapide renum quo modo fiat ſtupor in crure. de renum affectuum dignotione & medela. 7ª.192.H
Lapis renum ſimilem dolorem facit colico, & quo modo diſtinguatur ab eo. 6°. de loc. aff. 4ª.37.C
Lapidẽ in renibus patientiũ victus ratio. de re. aff. dig. & me. 7ª.194.C
in Lapide renum quandoq; frigida danda, quandoq; euitanda. de renum aff. dign. & med. 7ª.194.C
Lapidẽ renũ qui habet debet exerceri. in 6^{m}. de mor. vul. c. 1°. 3ª.155.H
pro Lapide renum fomenta. de ren. affect. dig. & med. 7ª.193.H
pro Lapide renũ fomentum, quale. de ren. affec. dig. & med. 7ª.194.A
Lapidum, & arenularum differentia. de ren. aff. dig. & med. 7ª.193.C
pro Lapide renum, cucurbitulæ. de ren. affect. dig. & med. 7ª.193.H
Lapidem quæ frangunt. de ocul. 7ª.188.F
Lapidem quæ atterunt in renibus, & ſunt tenuium partium abſq; morſu. 3°. de comp. med. ſec. loc. 5ª.141.B
Lapides frangunt & lienes liquant, quæ tenuium ſunt partium. 6°. de ſimp. med. fac. 5ª.44.B
quę Lapides in renibus atterunt, omniaq; inſuper tenuium partiũ citra mordacitatem aurium meatus ab obturatione liberant. 3°. de comp. medica. ſec. loc. 5ª.141.B
Lapidem comminuunt tepida, & quæ. de ren. aff. dig. & med. 7ª.194.C
Lapides frangunt, & lichenas ſanant extenuantia, & incidentia. 7°. de ſimp. med. fac. 5ª.51.H
pro Lapide renum decocta. de ren. aff. dig. & med. 7ª.196.D
Lapidem renum quæ frangunt. de ren. aff. dig. & med. 7ª.196.D
Lapidẽ renũ quæ potenter frangunt. de ren. aff. dign. & med. 7ª.196.D
Lapides frangit epotum Adiantum. 6°. de ſimp. med. fac. 5ª.41.E
Lapides frangit Aſplenum. 6°. de ſimp. med. fac. 5ª.44.B
contra Lapidem datur Caſtoreum. de med. exper. Sp.106.E
Lapidem in renibus frangunt Cicera nigra. de diſſ. cont. Sp.74.G
Lapides frangit Gramen. 6°. de ſimp. med. fac. 5ª.41.C
Lapides confringit Gummi prunorum. 7°. de ſimp. med. fac. 5ª.51.H
in Lapide renum facit lapis Iudaicus. ſecretorum. Sp.102.D
Lapides renũ rũpunt Lapides in ſpongijs reperti. 9°. de ſim. m. f. 5ª.67.C
Lapides confringit Ononis. 8°. de ſimp. med. fac. 5ª.57.D
Lapides frangit Thragion. 8°. de ſimp. med. fac. 5ª.62.E
Lapides in renibus comminuit Tribolus. 8°. de ſimp. med. fac. 5ª.62.F
pro Lapide, & dolore renum oleum anethinum. de renum affectuum dignot. & med. 7ª.193.H
pro Lapide renum emplaſtrum. de ren. aff. dign. & med. 7ª.194.A
ad Lapidem renum. ſecretorum. 99.H|de med. exper. Sp.105.C
ad Lapidẽ renũ, & veſicæ valẽs medicamẽ. de me. ex. 105.G|Sp.106.A
Lapides qui facile, & qui difficulter excernuntur. de renum affectuum dignotione & medela. 7ª.193.C
Lapis renum emittitur cum mictu. in 6^{m}. de mor. vul. com. 3°. 3ª.173.C
Lapis q̃nq; ſolus, quãdoq; cum cruore excernitur. 2°. de lo. aff. 4ª.9.F
Lapides qui ex renibus minguntur, non ſunt de ſubſtantia renum, ſed ibi conſiſtunt.

conſiſtunt.com.4°.aph.76°. Ex.36.D
Lapidem renum & veſicæ, quæ educunt.de cathar. Sp.95.D
ad Lapides à renibus extrahendos Antonij Muſę Panacea qualis.7°.de comp.med.ſec.loc. 5ª.186.B
LAPIS in veſica eſt toto genere præter naturam.de diff.mor. 3ª.4.F
Lapis veſicæ in pueritia contingit.in 6m.de morb.vul.com.3°. 3ª.155.C
Lapis veſicæ eſt puerorum morbus.de ren.aff.dign.& med. 7ª.192.F
Lapis eſt propria paſſio puerorum, & cur.com.3°.apho.26°. Ex.25.F
Lapis in veſica cur pueris contingat.in 7m.de morb.vulg. comment. 3°. 3ª.183.B/de ren.aff.dig.& med. 7ª.192.E
Lapidem veſicæ, & non renum cur pueri faciant. in 6m. de morb. vulg. commentario 3°. 7ª.173.D
Lapides cur generant pueri.in progn.com.2°. 4ª.206.C
Lapidis in veſica notæ.1°.de loc.aff. 4ª.6.C
Lapis non fit in ſenibus.com.3°.apho.26°. Ex.25.F
Lapis in veſica vel renibus eſſe cognoſcitur.1°.de loc.affect. 4ª.2.F
in Lapidē habētibus quõ vrina debeat prouocari.6°.de lo.af. 4ª.38.H
Lapidem in veſica habentium qui ſitus ſeruari debet, vt mingant. 1°.de locis affectis. 4ª.2.H
à Lapide exiſtente in veſica retinetur vrina.6°.de loc.affect. 4ª.38.H
Lapidem maiorem in veſica habentis ſigna.de dynamidijs. Sp.29.A
Lapidis generationem prohibentia.de cura lap. Sp.112.B
Lapidum in veſica curatio.introd. Iſa.60.B
Lapidis habentium dolores quales.2°.de locis affectis. 4ª.9.F
Lapidis, & coli dolores difficulter cognoſcuntur.2°.de lo.aff. 4ª.9.F
in Lapidis, & colicæ dubio medicamen.de med.exper. Sp.106.H
in Lapidē dolore potiſſimũ timēdi & ipſis obuiãdũ.de cu.lap. Sp.111.G
Lapidis & coli dolores habēt præſidia communia.2°.de lo.aff. 4ª.9.F
ob Lapides in veſicæ collo dolores intenſiſſimi. de renum affectuum dignotione & medela. 7ª.193.B
in Lapidis vehementi dolore quid agendum.de cura lap. Sp.112.C
Lapidis dolorem qui ſyrupus auferat.de cura lap. Sp.111.H
in Lapide quo ſyrupo vti debeamus.de cura lap. Sp.111.H
in Lapidis dolore confert aqua ciceris.de cura lap. Sp.111.H
ad Lapidis dolorem.de cura lap. Sp.112.C
Lapidem habens parum edat.de cura lap. Sp.112.B
Lapidem habentium cibi.de cura lap.111.H/ Sp.112.E
Lapidem habentium panis.de cura lap. Sp.112.B
Lapidem habentibus carnes dandæ.de cura lap. Sp.112.B
Lapidem habentium cibus eſt lepus.de cura lap. Sp.112.A
Lapidi confert cibarium ex olere vrticæ.de cura lap. Sp.112.A
Lapidem habens non laboret poſt cibum.de cura lap. Sp.112.B
ad Lapidem medicamentum in fine menſis Maij, & in principio Iunij. de cura lap. Sp.112.A
Lapidem habentibus theriacam magnam præbet.de cura lap. Sp.112.A
ad Lapidem decoctio.de med.exper. Sp.107.B
Lapidem frangens confectio.10°.de comp.med.ſec.loc. 5ª.206.B
ad Lapidem confectio.de cura lap. Sp.111.H
Lapidem veſicæ lapis iudaicus frangit.de ren.aff.dig.& me. 7ª.196.D
Lapis veſicæ non comminuit lapidem.10°.de ſimp.med.fac. 5ª.75.G
ad Lapidem frangendum potio probata.de dynam. Sp.28.B
ad Lapidem frangendum ſorbitiuum.de dyna. Sp.28.C
ad Lapidem frangendum remedium.de dynam. Sp.29.B
ad Lapidem in veſica frangendum.de cura lap. Sp.112.E
Lapidem frangens electarium.de med.exper. Sp.106.H
ad Lapidem optimum electarium.de med.exper. Sp.107.G
ad Lapides frangendos.de dy.28.C/D/E/de me.exper.101.H/ Sp.107.H
Lapis veſicę emittitur poſt mictũ.in 6m.de mor.vulg.com.3°. 3ª.173.C
Lapdes calloſi quõ cũ forti excernēdi conatu ab aliquibus deiecti ſunt, vt nõ nulli ſcribũt, quod tñ non vidit Galenus.6°.de loc.aff. 4ª.36.F
ad Lapillos detrahēdos paſtillus cõmodus.1°.de cõ.me.ſe.loc.5ª.206.E
ad Lapidem extrahendum medicamentum.de cura lap. Sp.112.B
ad Lapides proijciendos fomentum.de dynamidijs. Sp.28.D
Lapidem frangens antidotus.10°.de comp.med.ſec.loc. 5ª.206.F
ad Lapidem Philonis antidotus qualis.9°.de comp.me.ſe.lo. 5ª.201.A
Lapidem in veſicę habentibus vtile eſt adrianum balſamatum, & philãthropum.de dynam. Sp.28.A
ad Lapidem ſuffuſ.de cura lap. Sp.112.D
ad Lapidem veſicæ.ſecretorum.99.H/102.D/de medica.exper.105.C/107.A/E/ Sp.108.F
Lapis, lege Calculus.
LAPPA minor eſt tenuium partium.7°.de ſimp.med.fac. 5ª.43.F
Lappæ minoris radix, & ſemen cocta cum vino quadãtenus dolores dentium mitigant.6°.de ſimp.med.fac. 5ª.43.F
Lappæ minoris decoctum & caules teneriores ſanare poſſunt ambuſta & chimethla.6°.de ſimp.med.fac. 5ª.43.F
Lappæ tertiæ ſpeciei digerunt, deſiccant, & adſtringunt parum. 6°.de ſimp.med.fac. 5ª.43.F
Lappæ tertiæ ſpeciei folia veteribus vlceribus mederi poſſunt.6°.de ſimplic.med.fac. 5ª.43.F
Lapſus quid.fin.med. Iſa.50.C
de LAQVEIS ex Heracle.eodem titulo. 7ª.306.E
Laquei Attollentis ratio.de laqueis. 7ª.306.F
Laqueis Chiaſti.de laqueis. 7ª.308.E
Laqueus χιαςὸς quomodo implicetur.de laqueis. 7ª.307.B
Laqueus vocatus Draco quomodo conficiatur.de laqueis. 7ª.307.E
Laqueus Epangylotus (ita enim appellatur, quoniã ſinus ſuper ſinũ inijcitur) qua via inſeri poſſit.de laqueis. 7ª.308.D
Laquei & vincula ſimul ſunt, Lepus auritus, Paſtoralis.de fa.7ª.293.H
Laqueus Lupus.de faſcijs. 7ª.301.H
Laqueus Nauticus quomodo debeat adhiberi.de laqueis. 7ª.306.H
Laqueus Paſtoralis.de faſcijs. 7ª.297.C
Laqueus paſtoralis, qui & ſandalus dicitur quõ inijciat.de la. 7ª.307.C
Laqueus qui dicitur Perineos.de laqueis. 7ª.307.F
Laquei Plinthij ratio, q dicitur ēt quadruplex circulus.de laq. 7ª.308.C
Laqueus duos habens ſinus, quem ſtrangulantem improprie appellant, quomodo fiat.de laqueis. 7ª.308.F
Laqueus, quem ſimplicem nodum dixerunt, qua ratione adhibeatur.de laqueis. 7ª.307.F
Laqueis ſtrangulantis proprie ratio.de laqueis. 7ª.308.G
Laqueus ὑπέρβατος.(nomen traxit ex eo quòd ſupra feratur) quo modo adhibeatur.de laqueis. 7ª.308.H
Laqueus ad cõtinēdas ferulas, q̃ fracturis accõmodant.de la.7ª.307.A
Laqueus ad cubitum continendum.de laqueis. 7ª.306.A
Laqueus ad extendendum membra, ad continendum, cum in ſuam ſedē compelluntur, & ad figurandum corpora, ubi quid manu fieri oportet.de laqueis. 7ª.306.F
Laqueus cuius facultas ē extēdere æqualiter.de la.306.F/ 7ª.307.G/H
Laqueus pro his quę extēdi inæqualiter debēt.de laqueis. 7ª.307.A/C
Laqueus ad proceſſus capitis recondendos.de laqueis. 7ª.308.F
Laqueus ad maxillam quæ excidit, vbi in ſuam ſedem compellitur.de laqueis. 7ª.307.D
Laqueus ad prolapſam maxillam.de laqueis. 7ª.308.F
Laqueus ad menti fracti compoſitionem.de laqueis. 7ª.308.D
Laqueus ad corpa figurãda vbi manus curatio adhibet.de laq.7ª.308.E
Laqueus membris cum reponuntur, aptiſſimus.de laqueis. 7ª.306.G
Laqueus ad corpa figurãda, vbi iuxta anũ vitia curant.de la. 7ª.308.G
Laqueus non modo ad oſſium, quæ reſtituũtur, intētionē, ſed in hernię curatione ad membranam abdominis adſtringendam, & ad vincienda venarum capita ſanguinem fundentia.de laqueis. 7ª.307.G
Laqueis pro cruribus fractis.6°.meth.med. 7ª.41.H
Laqueus ad talum prolapſum vbi reponitur.de laqueis. 7ª.307.D
Laqueus ad talum ſuo loco motum, ubi reconditur.de laqueis. 7ª.307.E
Laquei non debent cito decidere.de ijs, quæ in med.fi.com.2°. 7ª.210.F
LAR ſeu focus febris, dicitur ea animalis particula, quæ prima ſuis ipſius ſolidis partibus immodice fuerit calefacta.de marc. 3ª.47.F
LARGIVS videntur quæ prope ſunt.de comp.memb. Sp.58.E
ex LARGI ſcriptis medicamentũ.9°.de comp.med.ſec.loc. 5ª.205.B
Largus quo pharmacho vſus.6°.de comp.med.per gen. 5ª.262.C
ex Largi collectaneis medicamentũ.5°.de comp.med.per gene.5ª.251.E
LARICINA reſina duplex eſt.2°.de comp.med.per gen. 5ª.219.F
Laricina reſina humidiſſima omnium.2°.de comp.med.per ge.5ª.219.F
Laricina minus idonea eſt terebinthina ad vulnera maligna.4°. de com.med.per genera. 5ª.241.H
Laricina quando loco terebinthinæ in chironijs medicamentis ponitur. 4°.de comp.med.per genera. 5ª.244.G
pro Laricina terebinthina quãdo vtēdũ.4°.de cõp.me.per ge.5ª.237.F
LARISSAE calui caſus.in 6m.de mor.vul.cõmen.3°.149.E/3ª.150.H
LARIX reſina terebinthinæ ſimilis.2°.de comp.med.per ge. 5ª.219.A
Larix quandoq; dicitur terebinthina liqda.4°.de cõp.med. 5ª.244.G
Larice pro terebintina vti poſſumus, & qñ.1°.de cõ.me.p ge. 5ª.215.D
LARYNX dicitur & pharynx, tamē pharynx eſt ante laryngem.5°.de vſu par. 1ª.165.A
Larynx quid.intr.Iſa.54.C/7°.de ana.admin.94.B/7°. de vſu partium. 1ª.157.H/

1ª.157.H/5°.meth.med. 7ª.34.E
Larynx quæ pars proprie ſit.13°.de vſu p.1ª.201.D/7°. de comp. medic. ſec.loc.178.E/ 5ª.77.B
Larynx qualis ſit ſubſtantiæ ſin. med. Iſa.43.H
Larynx eſt arteriæ aſperæ ſuperior pars.6°.de vſu par. 156.H/7°.158.F/ 160.A/8°.162.H/165.A/de mo.muſ.1ª.309.G/3°.de ſa.tu. 2ª.77.H
Larynx ſuprema eſt pars aſperæ arteriæ, quæ ori coniungitur.6°. de ſanitate tuenda. 2ª.98.E
Larynx ſumma arteria dicitur.6°.de ſan.tuen. 2ª.100.A
Larynx eſt arteriæ caput.5°.meth.med. 7ª.35.B
Larynx & arteria ſumuntur pro re diuerſa.7°.de vſu par. 1ª.160.G
Larynx poteſt videri extra animal.4°.de anato.admi. 1ª.81.H
Larynx ex quibus componatur. de voc.inſtru. diſſect. 106. G/6°.de vſu partium. 1ª.215.F
Laryngis corpus cur non oſſeum.de voc.inſtr.diſſ. 1ª.107.B
Laryngis particulæ quales, & de earum vſu.7°.de vſu par. 1ª.160.A
Larynx ex tribus chartilaginibus conſtat.7°.de vſu par. 1ª.160.A
Laryngis chartilago maxima.de voc.inſtr.diſſ. 1ª.160.G
Laryngis chartilaginū anterior ex maxima.7°.de vſu par. 1ª.160.A
Laryngis chartilago, ſecunda qualis.de voc.inſtr.diſſ. 1ª.106.G
Laryngis ſecunda chartilago quanto minor prima, tanto maior tertia. 7°.de vſu partium. 1ª.160.A
Laryngis chartilago tertia, qualis.de voc.inſtr.diſſ. 1ª.116.H
Laryngis tertia chartilago vbi incipit.7°.de vſu par. 1ª.160.C
Laryngis os qua parte amplius.7°.de vſu par. 1ª.160.C
Laryngis ſupernum vt crumena clauditur.7°.de vſu par. 1ª.160.D
in *Larynge glandulæ.3°.de alim.facul.* 2ª.26.H
in *Larynge glandulæ ſunt magnæ.3°.de alim.facul.* 2ª.26.H
ad *Laryngem glandes aliquę.3°.de.alim.fac.* 2ª.26.G
in *Larynge cur glandulæ.10°.de vſu par.* 1ª.188.A
in *Larynge pituitoſum humorem generantes glādulæ ſunt magno vſui. 14°.methodi medendi.* 7ª.90.D
Laryngi cur ineſt humor viſcoſus.13°.de vſu par. 1ª.201.H
Larynx habet in medio epiglottidem.16°.de vſu par. 1ª.215.F
Laryngis muſculorū generatio, & diſſectio.de voc.inſtr.diſſ. 1ª.106.H
in *Larynge muſculorum numerus in ſuas partes diſtinctus.16°. de vſu partium.* 1ª.215.G
Laryngis muſculi quo modo ſe habeant.1°.de mot.muſ. 1ª.309.G
Larynx habet muſculos circiter viginti.16°.de vſu par. 1ª.215.F
Laryngis muſculorum diuerſitas, & vnde oriātur, ac tendant.16°. de vſu partium. 1ª.215.F
Larynga aperiētes muſculi vnde.de ner.diſſ.53.H/7°.de vſu p. 1ª.161.E
Laryngis muſculi à qua coniugatione mittātur.16°.de vſu par. 1ª.215.G
Laryngis muſculorum actionem quærit Galenus.de voc.inſtr. 1ª.107.D
Larynx qbus muſculis dilatetur ac cōſtringatur.de vo.inſt diſ. 1ª.107.E
Larynx mouetur à duodecim muſculis ex ſua compoſitione, & ex octo vicinarum partium, & quo modo.7°.de vſu par. 1ª.160.A
ad *Laryngem nerui qui accedunt.6°.de vſu par.* 1ª.216.B
ad *Laryngem profundum nerui in quibus animalibus euidentiſſime apparent.16°.de vſu par.* 1ª.216.E
Larynga claudentes muſculi.7°.de vſu par. 1ª.161.D
Larynx quibus muſculis claudatur, & aperiatur. de voc.inſtr.diſſect. 107.E/8°.de vſu par. 1ª.162.H
Laryngis linguæ vſus.7°.de vſu par. 1ª.160.H
Larynx neceſſario in collo.13°.de vſu par. 1ª.201.D
Larynx eſt inſtrumentum vocis.6°.de ſan.tuen. 2ª.98.E
Larynx eſt primum & principaliſſimum vocis inſtrumentum.7°.de vſu par.157.H/8°.165.A/13°.201.D/ 1ª.215.F
Laryngi arteria vocem concinnat.7°.de vſu par. 1ª.157.H
in *Larynge muſculi pro voce, qui.11°.de vſu par.* 1ª.215.F
Larynx madefactus primo facit vocē raucam, poſtea paruam deinde totam vocem adimit.6°.de ſan.tuen. 2ª.98.E
in *Laryngis meatu corp° ē ſimile linguæ, & quale.7°.de vſu p.* 1ª.160.C
Laryngis meatus quantus 11°.*de vſu par.* 1ª.188.G
Larynx niſi ſit perfuſus in febribus ardentibus & magnis æſtibus, non poſſunt homines loqui.7°.de vſu par. 1ª.161.D
cum *Larynge tota arteria humectatur.6°.de ſan.tuen.* 2ª.98.E
Larynga apertum non teneant, nec trahant ſpiritum, excernere volentes.5°.de vſu par. 1ª.147.C
LARYNX *coquitur cum lingua.3°.de alim.fa.* 2ª.26.G
Larynx, vide Bronchus.
LASER *quid.de ſimp.med.* Sp.85.G
Laſer eſt lachryma ſilphij.de ſimp.med. Sp.90.D
Laſer odore viſcidum eſt.de ſimp.med. Sp.85 G
Laſer habet acerrimas vires, vnde cum magnis vexationibus excalfacit.de ſimp.med. Sp.85.G
LASERPITIVM *quale.8°.de ſimp.med.facul.5ª.60.F/de vict.rat. in morb.acu.com.4°.* 7ª.146.G
Laſerpitij liquor excreſcentias emolliendi, & liquandi vim obtinet, & admodum trahentem facultatem obtinet.8°.de ſim.med.fa. 5ª.60.F
Laſerpitij ſuccus & radix quibus cholerā ſiccam generet.de vict. ra.in morb.acu.com.4°. 7ª.146.G
cum *Laſerpitio caſeus, & carnes bubulæ choleram ſiccam faciunt. de victus rat.in morb.acu.com.4°.* 7ª.146.G
LASSATAE *particulæ ſentiunt voluptatem redeuntes ad propriū ſtatum.1°.de ſymp.cauſ.* 3ª.17.E
Laſſatis conuenit frictio cum oleo, & qualis.1°.de ſymp.cauſ. 3ª.17.E
LASSITVDINARII *non ſunt vere ægri, ſed nec ſani. de conſtitutione artis.* Iſa.42.D
LASSITVDO *quid proprie ſignificet.com.2°.aph.5°.* Ex.11.F
Laſſitudo ē imodica caliditas in muſculis & articulis.de ca.mor.3ª.6.E
de *Laſſitudine philoſophi & medici egere.3°.de ſan.tuen.* 2ª.78.E
de *Laſſitudine fecit librum Theophraſtus.3°.de ſan.tuen.* 2ª.78.E
Laſſitudinis notio ſecundum aliquos.3°.de ſan.tuen. 2ª.78.E
Laſſitudo vnde proueniat.com.2°.apho.5°. Ex.11.G
Laſſitudinem non facit omnis motus.de cauſ.mor. 3ª.6.G
Laſſitudinem qui motus faciat.de cauſ.morb. 3ª.6.G
Laſſitudinem facit exercitatio immodica.de cauſ.morb. 3ª.6.E
Laſſitudo quando fit ab exercitatione.de cauſ.morb. 5ª.6.H
Laſſitudo ex immodica exercitatione eſt ſymptoma ſanorum. 4°. de ſanitate tuenda. 2ª.82.E
Laſſitudo pręter exercitationem eſt ſymptoma ægritudinem nuncians. 4°.de ſan.tuenda. 2ª.82 E
Laſſitudinem quidam affectus comitatur, tamen non eſt laſſitudo. 3°.de ſanitate tuenda. 2ª.78.F
in *Laſſitudinibus duplex affectio.2°.de ſimp.med.fac.* 5ª.16.A
Laſſitudinum differentiæ, quę.3°.de ſan.tuen. 2ª.80.F
Laſſitudinum diuiſio.com.4°.aph.31°. Ex.30.G
Laſſitudinum ſpecierum enumeratio.3°.de ſan.tuen. 2ª.78.H
Laſſitudinus ſenſus q.2°.de ſym.ca.3ª.22.B/in 1m.prorrh.cō.2°.4ª.169.B
Laſſitudinis triplex ſenſus.2°.de ſymp.cau. 3ª.22.B
Laſſitudines tres apud Gymnaſtas.de mult. 3ª.79.A
Laſſitudo ſpontanea triplex.com.2°.apho.5°. Ex.11.F
Laſſitudinis ſeptem notiones quidam fecere.3°.de ſan.tuen. 2ª.78.F
Laſſitudinis ſeptem ſpecies, tres ſimplices, & quatuor compoſitæ. 3°. de ſanitate tuenda. 2ª.78.G
Laſſitudinum ſpecies quo modo quindecim.3°.de ſan.tuen. 2ª.80.H
Laſſitudinis ſpecies quo modo inuentæ.de mot.man.& obſc. Sp.67.C
Laſſitudo quæ maior, & quæ minor.3°.de ſan.tuen. 2ª.8.G
Laſſitudinis cauſa affectus laſſitudinis eſt.4°.de ſan.tuen. 2ª.82.E
Laſſitudinis ſymptoma cōſiderandū, & quod ſit.4°.de ſan.tuē. 2ª.82.E
Laſſitudinis affectus conſideratur, & qui ſit.4°.de ſan.tuen. 2ª.82.E
Laſſitudinis affectus cauſa cōſideranda, & quæ ſit.4°.de ſa.tu. 2ª.82.E
Laſſitudo an ex his qui malum ſuccum congerunt, quomodo cognoſcendum.4°.de ſanitate tuenda. 2ª.83.B
Laſſitudinem faciens humor conſiderandus, an cum ſanguine, an cū crudis humoribus, an per ſe conſiſtat.4°.de ſan.tuen. 2ª.83.E
Laſſitudinē faciētes humores quo poſſint depħēdi.4°.de ſa.tu. 2ª.83.G
Laſſitudines ſunt cauſæ propinquę morborū.de natu.hu.cō.2°. 7ª.180.F
Laſſitudini cur obnoxij athletæ.3°.de ſan.tuen. 2ª.76.F
Laſſitudini obnoxij qui, niſi ſit apotherapia.3°.de ſan.tuen. 2ª.76.F
Laſſitudine raro tentatur temperatus & liber.3°.de ſan.tuen. 2ª.76.F
Laſſitudo facit humiditatem acrem.2°.de ſimp.med.fac. 5ª.16.A
LASSITVDO *tenſiua ſpontanea, quæ, & à qua cauſa fiat. 2°. de ſympto.cauſ.* 3ª.22.C
Laſſitudo tonodes quæ.de mult.3ª.78.E/in 1m.prorrh.com.2°. 4ª.179.B/ 7°.de comp.med.ſec.loc. 5ª.177.G
Laſſitudo tenſiua ex quo ſit.4°.de ſan.tuen. 2ª.82.F
Laſſitudo tenſiua quo modo fiat.3°.de ſan.tuen. 2ª.78.G
Laſſitudo tenſiua fit poſt celeres exercitationes.3°.de ſan.tuen. 2ª.79.D
Laſſitudo tenſiua quid efficiat.de mul. 3ª.79.A
in *Laſſitudinibus tenſiuis aſperæ arteriæ quid agendum.7°.de compoſitione medica.ſecundum locos.* 5ª.177.G
Laſſitudo tenſionis quid pręDicat.5°.de ſan.tuen. 2ª.87.G

Laſſitudinis tenſiuæ curatio.3°.de ſan.tuen. 2ª.79.C
Laſſitudinis tenſiuæ victus ratio.5°.de ſan.tuen. 2ª.79.G
in *Laſſitudine tenſiua cibi glutinoſi dandi.3°.de ſan.tuen.* 2ª.79.G
in *Laſſitudine tenſiua venam incide,ſi vires conſtent. de curan.rat.per ſangui.miſſ.* 6ª.17.D
Laſſitudo ſi cum exanthematibus,facile cognoſcitur humor peccãs.4°. de ſanitate tuenda. 2ª.83.G
LASSITVDINIS *ſymptoma ſenſus vlceroſus.4°.de ſa.tuen.* 2ª.82.E
*Laſſitudinis vlceroſæ affectus qui,& vnde oritur.4°.de ſa.tuen.*2ª.82.F
Laſſitudo vlceroſa quid ſm aliquos.2°.de ſimp.med.fac. 5ª.2.A
Laſſitudo vlceroſa,quę.in 1m.prorrh.com.2°. 4ª.169.B
*Laſſitudo vlceroſa quæ,& à qua cauſa oriatur.2°.de ſymp.cauſ.*3ª.22.C
Laſſitudo virtutis,& poſtea vlceroſus ſenſus,ad quid ſequatur,& quando.de puero epilep. 7ª.180.A
Laſſitudo vlceris quibus corporibus,& quibus de cauſis fiat.3°.de ſanitate tuenda. 2ª.79.A
Laſſitudo vlceroſa habet ſenſum,non motum.2°.de ſymp.cauſ. 3ª.23.G
Laſſitudo vlceroſa fit à ſuccis malis.de curan.rat.per ſang.miſſ. 6ª.16.F
*Laſſitudinẽ vlceroſam pariũt excremẽta mordacia.4°.de ſa.tu.*2ª.82.H
Laſſitudinis vlceroſus affectus oritur à copia excrementorum tenuiũ & acrium.3°.de ſan.tuen. 2ª.78.G
*Laſſitudinẽ vlceroſam excitãt celeres,ac multi motus.3°.de ſa.t.*2ª.79.A
cum *Laſſitudine vlceroſa humorum crudorum copia quo modo fiat, & quo curetur.4°.de ſan.tuen.* 2ª.86.B
in *Laſſitudine vlceris cutis dẽſa eſſe,et horrere vr̃.3°.de ſa.tu.*2ª.79.A
in *Laſſitudine vlceroſa oriũtur rigor,& horror.3°.de ſan.tuẽ.* 2ª.78.G
in *Laſſitudine vlceris aliq fatẽtur dolere ritu vlceris.3°.de ſ.t.*2ª.79.A
in *Laſſitudine vlceris non nulli fatentur tantum cutim dolere,alij ſubiectam etiam carnem.3°.de ſan.tuen.* 2ª.79.A
Laſſitudo vlceroſa in cauſo.de vict.rat.in morb.acut.com.3°. 7ª.134.E
Laſſitudo vlceroſa põt eſſe in ſolo capite.de cur.rat.per ſan.miſ. 6ª.16.F
Laſſitudo vlceroſa quid faciat.4°.de ſan.tuen. 2ª.82.F
Laſſitudinis vlceris curatio.3°.de ſa.tuen. 2ª.79.H
Laſſitudo vlceroſa quo modo ſanetur.4°.de ſan.tuen. 2ª.83.B
Laſſitudinis vlceroſæ cum copia crudorum humorum in toto corpore curatio.3°.de ſan.tuen. 2ª.87.C
Laſſitudinis vlceroſæ victus ratio.3°.de ſan.tuen. 2ª.79.F
Laſſitudo ſuperueniens plethoris,quæ.4°.de ſan.tuen. 2ª.82.F
LASSITVDO *phlegmonodes cur ita dicta, & quo modo curetur.3°. de ſan.tuenda.* 2ª.87.F
*Laſſitudo phlegmonoſa cõpoſita ex tenode et vlceroſa.3°.de ſ.t.*2ª.79.E
Laſſitudo phlegmonoſa,quæ.in 1m.prorrh.com.2°. 4ª.169.B
Laſſitudo inflammata quæ ſit.7°.de comp.med.ſec.loc. 5ª.177.D
Laſſitudo phlegmonode quæ & à qua cauſa.2°.de ſymp.cauſ. 3ª.22.C
Laſſitudo phlegmonodes ex quo ſit.4°.de ſan.tuen. 2ª.82.F
Laſſitudo phlegmonodes non ſit ex abundantia.4°.de ſan.tuen. 2ª.82.F
Laſſitudo phlegmonodes qualis,& quo modo fiat.3°.de ſan.tu. 2ª.78.H
Laſſitudo phlegmonodes facit corpus male quàm pro natura ampliore. 3°.de ſanitate tuenda. 2ª.79.A
Laſſitudo phlegmonodes ſtatim febrem accendit, niſi ſanguis detrahat. 5°.de ſanitate tuenda. 2ª.87.F
Laſſitudo phlegmonodes quibus contingat.3°.de ſan.tuen. 2ª.78.H
Laſſitudinis phlegmonodes curatio.3°.de ſan.tuen. 3ª.79.D
Laſſitudinis phlegmonodis victus ratio qualis.3°.de ſan.tuen. 2ª.79.G
in *Laſſitudine vlceroſa & phlegmonode cibi glutinoſi prohibendi.3°.de ſanitate tuenda.* 2ª.79.G
in *Laſſitudine phlegmonode album vinum tenue dãdum,& quo die.4°. de ſanitate tuenda.* 2ª.87.H
*Laſſitudo phlegmonodes quas aquas deſideret.3°.de ſan.tuen.*2ª.79.H
Laſſitudo phlegmonodes curatur per ſanguinem narium,& ſudorẽ effuſum.5°.de ſanitate tuenda. 2ª.87.F
in *Laſſitudine phlegmonode venam incide,ſi vires conſtent.de curã.ra. per ſang.miſſ.* 6ª.17.D
in *Laſſitudine phlegmonode cur iteranda ſanguinis detractio. 4°.de ſanitate tuenda.* 2ª.87.H
in *Laſſitudine phlegmonode ſanguis tertio mittẽdus.5°.de ſa.t.*2ª.87.H
LASSITVDINIS *oſſeariæ meminit.de vict.rat.in morb.acutis, commenta.4°.* 7ª.134.E
Laſſitudinis tertio genere laborantes, cum ſcilicet oſtocopo,id eſt oſſium dolore,detinẽtur,nec minimum quidem motum tolerare poſſunt. 2°. de ſymptomatum cauſis. 3ª.22.C
in *Laſſitudinum victu diuerſorum opinio.3°.de ſan.tuen.* 2ª.79.G
Laſſitudinis diuerſæ cauſa,quæ.4°.de ſan.tuen. 2ª.82.G
LASSITVDINI *ſimilis affectus,tamen non eſt laſſitudo,qualis. 3°.de ſanitate tuenda.* 2ª.79.E
Laſſitudinis ſimilis affect⁹ ab aliquib⁹ putaĩ laſſitudo.3°.de ſ.t. 2ª.79.H
in *Laſſitudinibus,& maxime in affectu ſimili laſſitudinibus, potiſſimũ muſculi patiuntur.3°.de ſan.tuen.* 2ª.80.C
Laſſitudini ſimilis affectus curatio.3°.de ſan.tuen. 2ª.79.F
in *Laſſitudini affectu ſimili vberius cibandum.3°.de ſan.tuen.* 2ª.79.H
Laſſitudini affectus ſimilis quas aquas deſideret.3°.de ſa.tu. 2ª.79.H
Laſſitudinem habentibus in febribus,in articulos & circa maxillas potiſſimum abſceſſus fiunt.com.4°.apho.31°. Ex.30.G
Laſſitudo in quibus poſſit eſſe mẽbris.de cur.rat.per ſang.miſſ. 6ª.16.F
Laſſitudo quæ totum corpus afficit,qualis.de cau.mor. 3ª.6.G
Laſſitudo,& febris non ſunt idem.3°.de ſan.tuen. 2ª.80.B
Laſſitudo quando non facit febrem.de cau.mor. 3ª.6.H
ex *Laſſitudine febris diaria.5°.de ſan.tuen.* 2ª.88.F
ex *Laſſitudine febricitauit Galenus.5°.de ſan.tuen.* 2ª.88.F
ex *Laſſitudine ephemera,qualis.1°.de criſi.4ª.138.G/1°.de arte cur. ad Glauconem.* 7ª.95.C
ob *Laſſitudinem fit pulſus durus in ephemeris.1°.de diff.feb.* 3ª.34.C
Laſſitudines ſiccis temperamentis vitandę ſunt.5°.de ſan.tuen. 2ª.96.E
Laſſitudinis inſtantis cauẽdæ, & eius quæ iam occupauit ſummouendæ, eſt ſimilis ratio 4°.de ſan.tuen. 2ª.82.D
Laſſitudini minus obnoxios reddit aquæ feruentis lauatio.3°.de ſanitate tuenda. 2ª.80.B
Laſſitudines præcauere eſt magna portio artis tuẽdæ ſanitatis. 4°. de ſanitate tuenda. 2ª.82.D
Laſſitudinum communis curatio.3°.de ſan.tuen. 2ª.80.G
Laſſitudinum propria curatio vnde accipienda.3°.de ſan.tu. 2ª.80.G
Laſſitudo futura quõ curetur.3°.de ſan.tuen. 2ª.80.A
Laſſitudo in temperato quõ curanda.4°.de ſan.tuen. 2ª.84.D
Laſſitudinis ſenſus foris habentes, & intus multos ſuccos crudos, quõ curandi.4°.de ſa.tuen. 2ª.86.A
ad *Laſſitudinum vehementes affectus quid valeat.7°.de compo. medi. per genera.* 5ª.270.C
Laſſitudo quando imminuta eſt,quid agendum.4°.de ſan.tuen. 2ª.84.G
poſt *Laſſitudinem quid agendum.4°.de ſan.tuen.* 2ª.84.F
Laſſitudo quiete ſanatur.com.2°.apho.5°. Ex.11.G
Laſſitudo quõ quiete ſoluatur.3°.de ſan.tuen. 2ª.79.H
Laſſitudo quõ laſſitudine ſoluatur.3°.de ſan.tuen. 2ª.79.H
Laſſitudinis ſenſus ſi leuetur,quid ſequatur.4°.de ſan.tuen. 2ª.84.F
Laſſitudinem ſedant balnea.de mel.ex G.R.& Poſſ. Sp.110.D
Laſſitudines tollit balneum.de vict.rat.in mor.acut.com.3°. 7ª.132.H
cur *Laſſitudinibus conueniunt aquarum dulcium lauacra.2°.de ſimpli. medic.facul.* 5ª.16.A
Laſſitudinibus adhibetur oleum cum lauacro aquæ dulcis.2°.de ſimplic. medic.facul. 5ª.12.A
Laſſitudines oleum ſanat.2°.de ſimp.med.fac. 5ª.11.A
Laſſitudines cur oleum ſanat.2°.de ſimp.med fac. 5ª.11.B
Laſſitudinum omnium medicamentũ ſimplex oleum.7°. de compoſitione medic.per genera. 5ª.269.E
Laſſitudinem aufert,& emollit frictio ex oleo magis quã ſicca.2°.de ſimpli.medic.facul. 5ª.13.H
Laſſitudine laborantes per fricationem vel lotionem ſentiunt voluptatẽ. 1°.de ſymp.cauſ. 3ª.17.E
Laſſitas poſt venerẽ,balneum, & frictionem,quo modo corrigenda.3°. de ſanitate tuenda. 2ª.82.A
Laſſitudinẽ ſentiens fricandus,& vngendus eſt.3°.de ſani.tuen. 2ª.82.A
Laſſitudo valida quos premit,iuuantur à veſpertina frictione.3°.de ſanitate tuenda. 2ª.82.A
Laſſitudo valida prohibet prandium integrum, & cœnam differt.4°.de ſanitate tuenda. 2ª.82.B
Laſſitudinem tollit cibi parcitas pituitoſis & ſanguinis multum habentibus.in 6m.de morb.vulg.com.3°. 3ª.176.A
Laſſitudinem non tollit cibi parcitas bilioſis, & inopia ſanguinis laborãtibus.in 6m.de mor.vulg.com.3°. 3ª.176.A
Laſſitudine laborantium cibi.3°.de ſan.tuen. 2ª.79.F
Laſſitudinẽ hñtibus qbus neceſſaria ſit eũo.de cu.ra.p ſan.miſ. 6ª.17.B
in *Laſſitudine quando ſanguine euacuandus temperatus,& quãdo non. 4°.de ſan.tuen.* 2ª.84.D
in *Laſſitudine non eſt ſpectanda febris declinatio pro ſecanda vena, ſed doloris magnitudo.de cur.rat.per ſang.miſſ.* 6ª.21.C

Laſſitudini confert

Laſſitudini confert ſuper omnia chamæmelinũ.3°.de ſim.me.fac.5ª.18.G
Laſſitudo nõ ſoluitur à calidis & ſiccis.2°.de ſimp.med.fac. 5ª.16.D
ad Laſſitudinum moleſtias acopon.7°.de compoſi.med.per ge. 269.G/ 270.A/ 5ª.273.C/D
Laſſitudo ex viticis ſemine q̃uo ſanetur.6°.de ſimp.med.fac. 5ª.4.B
ex Laſſitudinibus caſus adoleſcentis cuiuſdam ab Hippocrate refertur. in 6m.de morb.vulg.com.2°. 5ª.137.E
LASSVS qui habeat ſanguinis boni parum, & multos crudos humores, quomodo curandus.4°.de ſan.tuen. 2ª.84.G
Laſſi quomodo parcius nutriendi.3°.de ſan.tuen. 2ª.79.H
Laſſi quo modo pro conſuetudine nutriendi.3°.de ſan.tuen. 5ª.79.H
Laſſos inunctos oleum iuuat.2°.de ſimp.med.fac. 5ª.16.A
in LATEBRIS occluſa animalia non videntur ſpirare. 6°. de locis affectis. 4ª.39.E
Latentia animalia frigida ſunt.6°.de loc.aff. 4ª.39.F
LATENTES ſenſum res, alię per intellectum perſpicuæ ſunt, aliæ per oſtenſionem cognoſcuntur.de opt.ſecta. Iſa.19.G
LATER eſt ſiccus.1°.de temp. 1ª.12.G
LATERALIS morbus quid ſit.com.6°.apho.33°. Ex.50.A
Lateris morbus eſt in genere inflammationum.commẽ.1°. apho. 12°.5.E/ com.5°.apho.15°. Ex.38.F
Lateralis morbus acutus.com.1°.aph.12°. Ex.5.D
Laterales morbi, laterum dolores, lumborum paſſiones, cur fiãt hyeme, & vnde.com.3°.apho.23°. Ex.24.H
Lateralis morbus fit à calidis humoribus, qui aliquem locũ obſederunt. com.2°.apho.19°. Ex.14.B
cur Lateralis morbus fiat ex humoribus calidis.c.6°.ap.33°.Ex.50.A
Lateralis morbus rariſſime fit ex pituita, præſertim ſi ſalſedinem, atq; acrimoniam aliquam ſibi adiunxerit.com.6°.apho.33°. Ex.50.B
Lateralis morbus à quo humore fiat, per colorem ſputorũ cognoſcitur. com.6°.apho.33°. Ex.50.A
Laterali morbo nõ multũ laborãt q acidũ eructãt.cõ.6°.a.33°. Ex.50.B
Laterali morbo laborãt habẽtes vẽtrẽ humidũ.cõ.6°.apho.33°.Ex.50.B
Lateralis morbus vbi.4°.de lo.aff. 4ª.31.G
Lateralis morbi accidentia inſeparabilia, quæ.5°.de loc.aff. 4ª.31.D
ĩ Laterali morbo nõ põt cõtingere dolor pulſatorius.2°.de lo.a.4ª.9.A
in Laterali morbo dolor punctorius eſt.2°.de loc.aff. 4ª.9.H
Lateris dolor pungitiuus, & pulſus aſperitas cum tenſione ad pleuritidem ſpectant.de ſubſi.empi. Iſa.32.E
Lateralis doloris diſtinctiones.aduerſus Lycum. Ex.62.G
Lateralis morbus difficultatem ſpirandi facit.cõ.4°.apho.50°. Ex.33.C
Lateris morbus habet breue tempus.1°.de criſi. 4ª.26.F
in Laterali morbo temporum caſus.1°.de criſi. 4ª.132.F
in Laterali morbo cum ad vigorem febris peruenerit, delirium ſequi ſolet.2°.de locis affectis. 4ª.14.B
in Laterali morbo delirium permanens ſignificat caput habere propriũ morbum.1°.de loc.aff. 4ª.14.B
in Laterali morbo dies quartusdecimus eſt terminus iudicationis. c.5°. aphoriſmo 15°. Ex.38.F
in Laterali morbo ſi mitis ſit inflammatio, omnis humor noxius per ſputum expurgatur: ſi pernicioſus, antequã coſtæ cõpatiantur, ſtrangulat ægrum.com.7°.apho.11°. Ex.54.G
Lateralis morbus per ſputa euacuatur.com.5°.apho.8°. Ex.38.B
Lateralis morbus impedimento eſt cruẽta ſputa reijcientibus, ne ſecetur vena, & q̃uo hoc intelligendum.in 6m.de mor.vulg.com.3°. 3ª.179.B
in Laterali morbo conueniens eſt ordo, vt primo cruenta, deinde bilioſa expuantur.in 6m.de morb.vul.com.3°. 3ª.179.C
Lateralis morbus ex ſputo oſtendit ſalutem, vel mortem. comment. 6°. aphoriſmo 33°. Ex.50.A
Laterali morbo laborantes raro ſpumoſum expuunt. commentario 7°. aphoriſmo 30°. Ex.54.B
Lateralis morbi terminus, & concoctio.com.1°.apho.12°. Ex.5.D
Laterali morbo laborantes in quatuordecim diebus ſi non repurgantur, ſuppurantnr.com.6°.apho.33°. Ex.50.A
Lateralis morbus quo modo & quando ſolet ad ſuppurationem venire. com.6°.apho.33°. Ex.50.A
Lateralis morbi ſuppuratio in quẽ locũ tranſeat.c.5°.apho.15°. Ex.38.F
ex Laterali morbo ſuppurati, ſi à die ſuppurationis in quatuordecim diebus non ſanantur, ad tabem tranſeunt.com.5°.apho.15°. Ex.38.F
Lateralis morbus, & ſputum ſanguinis quo modo curentur, cum ſunt cõtrarij morbi.com.1°.aph.16°. Ex.9.A
in Laterali morbo ſanguinem in cubito octauo die miſit Hippocrates, commen.1°.aphoriſ.12°. Ex.6.A
Laterali morbo habito alui profluuium adueniens, malum.commen. 6°. aphoriſmo 16°. Ex.47.G
qñ Lateralem morbum faciens humor non poteſt in coſtis contineri, pars eius aliqua ad pulmonem fertur.com.7°.apho.11°. Ex.54.G
à Laterali morbo inflammatio pulmonis, malum.c.7°.aph.11°.Ex.54.F
in Laterali morbo antiquorum differentia in victu inſtituendo.9°.de decretis Hippo. 1ª.283.B
in Laterali morbo vinũ dari poſſe ante ptiſſanam, ex Hippocrate ſumitur, quando nihil exſpuitur ab affecto loco & quare.de victus rat. in morb.acut.com.1°. 7ª.112.F
in Laterali morbo vinũ aliquibus dãdũ, aliq̃bus nõ.9°.de dec.1ª.282.G
in Laterali morbo quidã cibum non ſubtrahunt.9°.de decre. 1ª.282.G
Lateralis morbi varia medicamenta.9°.de decre. 1ª.282.F
in Laterali morbo curationis inceſſus ſm Hipp.9°.de decre. 1ª.282.G
in Laterali morbo facile applicantur remedia.3°.de loc.aff. 4ª.16.B
in Laterali morbo balnea q̃nq; conueniunt.9°.de decre. 1ª.282.G
in Laterali morbo adiuuans antidotus.2°.de antid. 5ª.120.D/E
Lateralis morbi caſus.com.1°.apho.12°. Ex.5.D
in Laterali morbo Dionis, & Theonis caſus.cõ.6°.apho.5°. Ex.47.A
Lateralis morbus, vide Pleuritis.
LATHYRIS quid.de ſimp.med. Sp.86.E
Lathyris habet lac, tamen non eſt tithymallus.7°.de ſimplicium medicamen.facul. 5ª.54.A
Lathyris acris eſt, diuretica, acuta, vẽtrem viſcide purgat, choleram rubram, & phlegma deponit.de ſimp.med. Sp.86.E
Lathyris ſemen maxime purgat.7°.de ſimp.med.fac. 5ª.54.A
Lathyris.i.cataputia, pituitã magis purgat, quã cnicus.de dy. Sp.21.G
Lathyris educit phlegma.de cathar.94.F/ Sp.95.B
Lathyris purgat hepatis ſimum.de cathart. Sp.95.C
Lathyris doſis maioris, a minoris, & quibus miſcetur.de dyn.Sp.21.G
in LATIBVLIS viuentia animalia cur aliqua nihil comedunt, aliqua parum.com.7°.apho.59°. Ex.59.D
Latibula quę habitant hyeme animalia, cur non comedant. de venæ ſect. aduerſus Eraſ. 6ª.9.A
LATINAM linguam nouiſſe Galenũ, collige.1° de diff.reſp. 3ª.57.C
Latina interponere non debet græce ſcribens.1°.de antid. 5ª.104.A
Latinis vocabulis & omnium communibus non eſſe imponendas ſignificationes vt lubet, & Galeno ſumitur.3°.de diff.pulſ. 4ª.63.H
LATIO quid ſit.1°.metho.med. 7ª.6.C
Lationẽ ſanguinis p venas Plato aq̃ductũ vocauit.in Tim.Pla.1ª.288.C
LATITVDINALES villi expellunt.de anat.viuo. Sp.55.H
Latitudinales, & tranſuerſos villos magis habet ſtomachus. de anatomia viuorum 55.H/ Sp.56.A
ex Latitudinalibus filis componitur panniculus exterioris ſtomachi. de anato.viuo. Sp.49.H
Latitudinales villos magis quã alios habẽt inteſtina.de an.vi. Sp.56.A
Latitudinales villos non habet longaon propter compreſſionem. de anatomia viuorum. Sp.50.E
LATITVDO vnde oriatur.ars med. Iſa.66.F
Latitudo non eſt magnitudo.2°.de diff.pulſ. 4ª.56.F
Latitudinem ſuperat profunditas.2° de cauſ.pulſ. 4ª.94.A
ſm Latitudinem diuerſio eſt à dextris & à ſiniſtris ſecundum. com.5°. aphoriſmo 68°. Ex.45.D
Latitudini caloris naturalis ſunt quidam tanquam termini præfixi, quos vltra ſi tẽperamẽtũ progrediatur, aut ægrotare nos, aut iam interire neceſſe eſt.aduerſus Lycum. Ex.62.A
Latitudinem habent tempora morborum.de morb.temp. 3ª.89.B
per Latitudinem curatio.3°.dc comp.med.per ge. 5ª.231.D
ex Latitudine faſciarum differentia.de faſcijs. 7ª.293.G
LATRINAS in hortis repurgabant.in 3m.de mor.vul.c.1°. 3ª.133.F
LATRONVM & medicorũ differẽtia.de p̃co.ad Poſth. 4ª.215.G
Latrones ſibi inuicem parcunt.de præco.ad Poſthu. 4ª.215.G
ad LATVS cur ſit poſita auris.de ana.viuo. Sp.48.H
ad Latera maxillam mouentes muſculi, vbi ſint.de muſ.diſ. 1ª.44.G
ad Latera annuendo mouentes dearticulationem primæ vertebrę muſculi, qui de muſ.diſſ. 1ª.46.A
ad Latera caput qua dearticulatione circũagatur.de muſ.diſſ. 1ª.45.D
ad Latus quo muſculo trahatur labrum ſuperius.de muſ.diſſ. 1ª.44.E
in Latera dearticulationem dilatantes muſculi.de muſ.diſſ. 1ª.46.B
in Latera efficitur media totius ceruicis flexura. de muſ.diſſ. 1ª.47.A
ad Latera brachium detrahens muſculus.de muſ.diſſ. 1ª.47.G

in Latere

in Latere dextro generantur mares ſm Hippocratem, fœminę in ſiniſtro.bre.den.dogma.Hipp. 1ª.231.C
in Latere dextro,& ſiniſtro cordis quæ ſint.de anato.viuo. Sp.46.F
Latera q̃uo exerceantur in paruæ pilæ ludo.de par.pi.cx. 2ª.49.A
à Latere diuerſo phlebotomiã fieri debere,collige.c.5°.a.68°. Ex.45.D
Latus diuerſum q̃uo intelligi debeat.com.5°.apho.68°. Ex.45.D
Lateris eiuſdem vena ſecanda eſt.in 1m.pror.com.3°. 4ª.186.F
à Latere eodem diuertendum.de remed.par.fac. 7ª.160.G
à Latere eodem fiat ſectio venæ in pleuritide.præſ.exper.cõf. Sp.78.B
Latera ſuccingẽs membrana neruoſa eſt & fortis.5°.de lo.aff. 4ª.30.F
inter Latera,& pulmonẽ q̃uo pus facile demittatur.5° de l.af.4ª.30.F
Latera extenta habentibus non eſt medicamentum exhibendum.de vic. rat.in mor.acu.com.4°. 7ª.150.F
Lateribus nocet aqua dura,& frigida.de bon.aquæ. Sp.75.G
in Laterum compunctione inuenitur ſyndrome.5°.de ſan.tu. 2ª.93.E
Laterum compunctiones numerantur inter morbos, qui ex plenitudine oriuntur.5°.de ſan.tuen. 2ª.94.D
LATERIS inflammationes lienoſi appellantur,etiam ſi habeant febrẽ. com.4°.apho.73°. Ex.35.H
in Laterũ & pulmonũ inflammationibus,in acceſſionũ principijs tumores increſcunt,in declinationibus autem euaporant, & ſubmittũtur. 2°.de diff.feb. 3ª.40.F
ad Lateris phlegmonem.de med.fac.par. 7ª.165.H
ad Lateris phlegmone correptos.de med.fac.par. 7ª.172.C
LATERVM dolor eſt accidens pleuritidis.4°.de loc.aff. 4ª.31.D
Lateris dolor morbus ſiccus eſt.de ptiſſ. 2ª.48.A
Lateris dolor vnde ortũ habeat.de vict.rat.in mor.acu.cõ.2°. 7ª.116.B
Lateribus dolor cur contingat,& q̃uo.in 1m.pror.com.1°. 4ª.166.D
Laterũ dolores q̃uo & cur fiant cõſiſtentibus.c.3°.aph.30°. Ex.26.E
Laterum dolores ἀπτύσοι, qui.in 1m.de mor.vul.com.1°. 3ª.105.B
Lateris dolor in quibus partibus fieri poſſit, & ad quantum ſe extendi, com.6°.apho.65°. Ex.46.H
Lateris dolor quo modo cognoſcatur.com.6°.apho.5°. Ex.46.G
Laterum dolorem in maſculis ſiue fœminis ſignificat vrina alba ſine febribus.de dynam. Sp.35.D
Lateris dolor acutus fit,ſi tumor in vlceribus euaneſcat. commenta. 5°. aphoriſmo 65°. Ex.44.H
Lateris dolor qui periculoſus,qui non.com.6°. apho.5°. Ex.46.H
Laterũ dolor q̃uo ſignificat mentẽ ægrotare.in 1m.pror.cõ.1°. 4ª.166.D
Lateris dolor ex ſputis bilioſis q̃d ſignificet.in 3m.pror.c.3°. 4ª.179.B
Lateris æſtus cum dolore quid ſignificet.in 1m.prorr.cõ.2°. 4ª.173.G
Lateris dolor firmatus cum torpore malus.in 1m.pror.cõ.2°. 4ª.173.G
ad Laterum dolores incipientes quid conferat.8°.de compoſitio. medic. ſecun.loc. 5ª.188.G
Lateris dolorem mulcet balneũ.de vict.rat.in mor.acu.c.3°. 7ª.132.H
Lateri cathartica danda.de cathar. Sp.94.G
in Lateris dolore quando debemus vti phlebotomia,et quando pharmacia.com.6°.aph.5°. Ex.46.H
in Laterum ægritudinibus ſecantur iugulares.de ana.viuo. Sp.55.B
in Latere languente quæ vena ſecanda ſit.preſag.exper.conf. Sp.78.B
Latere dolente,vena cubiti ſecãda.de curan.ra.per ſang.miſ. 6ª.20.A
Lateris pericula vbi inſideant puero, ſanguis detrahendus. præſag.exper.confir. Sp.78.A
à Lateris dolore miniſtrum dei liberauit arteria in ſumma manu inciſa.de curan.rat.per ſang.miſſ. 6ª.21.F
circa Latera dolores recẽtes tollit ſcarificatio crurũ.de cuc.ſc. 6ª.4.F
Laterum dolores ob craſſos viſcoſoſq; humores ſanant amygdalæ amaræ.6°.de ſimp.med.fac. 5ª.42.G
ad Laterum dolores longos dia acones. i. ex cote, pharmacum bonum. 6°.de comp.med.per genera. 5ª.256.A
ad Laterum inueteratos dolores ſtercus columbinum confert. 10°. de ſimp.med.fac. 5ª.77.A
Lateris dolor & ſitis in melancholia quo modo curetur.de dy. Sp.24.E
in Lateris dolore quandoq; ptiſſana non danda. in 1m. de victus rat. in morb.acu.com.1°. 7ª.113.H
in Lateris dolore & febre excrementa ſunt permittenda deſcendere,et quieſcendum.de vict.rat.in morb.acu.com.4°. 7ª.139.D
Laterum dolores perſanare apparet Bdellium arabicum. 6°.de ſimplic. medica.facul. 5ª.44.H
Laterum dolores ab obſtructione & frigore natos ſanat ſcordion. 8°. de ſimp.med.fac. 5ª.60.H
Laterum dolores ab obſtructione natos iuuat triphyllum.8°. de ſimplic. medicamen.facul. 5ª 62.F
in Laterum morbo bona eſt Apellis antidotus.2°.de antid. 5ª.114.H
ad Lateris morbum valet antidotus Archiuij.de antidotis. 5ª.115.H
Lateris vitio laborãtibus ſubueniens antidotus.2°.de antid. 5ª.116.D
in Laterum dolores inueteratos valet cinis braſſicarum. 7°. de ſimplic. medica.facul. 5ª.52.H
ad Laterum dolorem malagma.7°.de comp.med.per ge. 5ª.267.B
ad Lateris affectum melinũ cõferens.2°.de cõp.med.per ge. 5ª.222.F
ad Laterũ dolores.7°.de cõp.me.ſec.loc..5ª.182.G/de vict. rat.in mor. acut.com.4°.144.H/de med.fac.par.172.G/175.E/ 7ª.176.D
Laterum amborum doloris fit mentio.ſecretorum. Sp.100.H
in Lateribus vtriſq; dolori quid proſit.ſecretorum.98.F/ Sp.99.H
ad LATERA è riuis diducere eſt deriuare.de cucur.ſcar. 6ª.4.F
ad LATERA deliganda vinculum.de faſcijs. 7ª.301.E
ad Latera,ſeu thoracẽ,vel dorſum vinciẽdũ,vinculũ.de faſc. 7ª.301.G
ad Latera deliganda vinculum vocatum auriga.de faſcijs. 7ª.303.A
LATERA quid ſint in organis.de machinamentis. 7ª.309.F
Latera organorũ ex robuſtiori materia fieri debẽt.de mach. 7ª.309.D
Latera in organis immobilia ſunt.de machin. 7ª.310.F
LATVM os ſcapularum iuxta iugulum quo vinculo ſit deligandum. de faſcijs. 7ª.301.E
LATVS muſculus in collo vocatur myodes platyſma, id eſt muſculoſa dilatatio.de muſc.diſſ. 1ª.44.E
Latũ muſculum ignorarunt male excoriantes aĩal.de muſ.diſſ. 1ª.44.E
Latus muſculus ſub cute in collo poteſt dici muſculoſa natura vel muſculoſa ſubſtantia.de muſc.diſſ. 1ª.44.D
Latus muſculus ſub cute in collo vñ incipiat, ac finiat.de muſ.d.1ª.44.D
Latus muſculus in collo nullum detinet articulum, nec in articulum inſeritur.de muſc.diſſ. 1ª.44.D
Latus muſculus buccas mouet.de muſ.diſſ. 1ª.44.D
Latus muſculus primo intenditur ijs,qui ſpaſmo corripiendi ſunt.de muſculorum diſſectione. 1ª.44.D
Latus muſculus ſub cute in collo facile laniatur.de muſ.diſſ. 1ª.44.D
LATAS venas habet conceptus in horis bilis.de ſpermate. Sp.37.C
LATI lumbrici educũtur ex inteſtinis maioribus.de cath. Sp.94.G
LAVACRVM quid ſit.10°.meth.med. 7ª.65.H
Lauacrum aquæ dulcis vacuationes oẽs promouet.11°.me.me. 7ª.69.H
Lauacris multis æſtate vtendum,hyeme paucis.de ſal.diæta. 2ª.41.A
Lauacra obſtructiones creant ijs, qui in iecinore arctos alimenti tranſitus habent.de ſal.diæta. 2ª.41.B
Lauacrum prohibet febris magnitudo, qualis eſt in continuis.11°.methodi medendi. 7ª.69.H
Lauacris arcendi ſunt epileptici.de venæ ſect.aduer.Eraſ. 6ª.14.H
Lauacra vniuerſis ſanguinis fluxiõibus obſunt.de ve.ſe.ad.Eraſ. 6ª.8.F
Lauacra dimittenda in vena rupta.de venæ ſect.adu.Eraſ. 6ª.8.F
Vide Balneum.
LAVANTIA ſunt ex ijs, q̃ foris nobis incidũt.2°.de ſa.tu. 2ª.68.H
LAVATIO ad quartam medicinæ partẽ pertinet.ad Thraſ. 2ª.108.D
Lauatio in ſiccis quàm frequenter fieri debet.7°.meth.med. 7ª.45.B
nec Lauationibus,nec frictionibus multis indigent,iræ,curæ,triſtitię.et vigilię.8°.meth.med. 7ª.51.E
Lauationibus conſueti illis delectantur,& iuuantur.7°.me.me.7ª.45.B
Lauatio in febre diaria,in remiſſione febris fieri debet.8°.me.m. 7ª.53.B
à Lauatione aquæ frigidæ quid fiat.3°.de ſan.tuen. 2ª.78.D
Lauatione frigida curatur tetanus.1°.de ſymp.cau. 3ª.17.F
Lauatio aquę feruentis ζεσολουσία dicitur.3°.de ſan.tuen. 2ª.80.B
poſt Lauationes quid faciat inunctio.7°.meth.med. 7ª.45.B
LAVARI quando oportet,& quo modo.de med.fac.par. 7ª.176.B
Lauari aqua dulci quotidie debẽt calidi.in 6m.de mor.vul.c.4°.3ª.183.e
ſi Lauerit qui per ſolẽ iter fecerit,quid ſequatur.10°.met.me.7ª.66.A
Lauabat in febribus Galenus,& quo modo.10°.meth.med. 7ª.62.G
Lauandi ſunt prima die in febre diaria.8°.meth.med. 7ª.52.B
Lauandnm ſæpe in febre diaria ex obſtructione.8°.meth.med. 7ª.53.A
Lauãdi cupidi bis in die lauãdi ſunt.de vict.rat.in mor.ac.c.3°. 7ª.133.B
Lauandi quo modo ſint hectici.10°.meth.med.66.G/ 7ª.67.C
q̃uo Lauandi ſint frigida maraſmũ patiẽtes.10°.meth.med. 7ª.66 D
qui Lauantur,à balneo calido tranſeunt in frigidum. de victus ratione in mor.acu.com.3°. 7ª.132.D
Lauit in ĩclinatiõe primæ acceſſiõis in febre Galen.4°.met.med. 7ª.25.G
Lauabant,& vngebant poſt febrẽ ciues,nõ agreſtes.10°.me.m. 7ª.61.H
Lauantes ſe in balneo aliqui cur horreant.10°.meth.med. 7ª.65.E
Lauãdũ q̃ñ ſit veratro ſumpto.in 6m.de morb.vulg.com.5°. 3ª.193.G

Lauădi qui ſint in doloribus oculorũ,& q nõ.cõ.7°.apho.46°. Ex.57.G
Lauădi,& nõ abſtergẽdi q ſint ægri.de vic.ra.in mor.acu.3°. 7ª.132.A
Lauandi qui non ſint.de vict.rat.in morb.acut.com.3°. 7ª.133.A
non Lauandum virtute defeſſa.8°.meth.med. 7ª.53.B
Lauandi non ſunt qui nuper comedere vel bibere.de vict.rat. in morbis acutis,com.3°. 7ª.132.G
Lauandi non ſunt,qui in primis venis crudorum humornm copiam habent.4°.de ſanitate tuenda. 2ª.84.H
Lauandi non ſunt,qui habent aluum humidam,& qui adſtrictam.de victus ratio.in morbis acu.com.3°. 7ª.133.A
Lauandi non ſunt,quibus ſpiritus calidus ad caput aſcendit.de victus ratione in morbis acutis,com.4°. 7ª.139.B
Lauandũ q̃uo balneo deficiente.de vict.rat.in morb.acu.cõ.3°. 7ª.132.B
Lauant,& mundificant dulcia,& amara.de ocul. 7ª.188.C
Lauare ſe qdã ſomniabat criſi p ſudorẽ inſtãte.in prog.cõ.3°. 4ª.213.D
quæ LAVENTVR vt argenti ſpuma.1°.de cõp.me.per ge. 5ª.213.E
Lauetur quo modo calx.6°.meth.med. 7ª.37.E
Lauari,quando debet calx.6°.meth.med. 7ª.38.B
LAVDABILE dicitur minus malũ.in 6m.de mor.vulg.cõ.2°. 3ª.167.G
Laudari velle vnde prouenit.de cogn.cur.animi mor. 7ª.55.D
Laudat ſeipſum Galenus.5°.de loc.affect. 4ª.34.C
LAVER latine eſt ſion, & in quo caſu conueniat, ſi coctum edatur.9°. de comp.med.ſec.loc. 5ª.200.F
LAVRAX piſcis nõ eſt viſus naſci in aqs dulcibus.3°.de ali.fa. 2ª.301.E
LAVREOLAE drachmæ quatuor cum aceto curant morſus ſcorpionũ. de med.exper. Sp.106.E
LAVRINVS ſuccus calidus eſt,& tenuium partium. 3°. de compoſit. med.per genera. 5ª.228.F
Laurinũ,& laurinũ oleũ q̃uo differãt.2°.de cõp.med.ſec.loc. 5ª.135.F
Laurinũ vnguentũ calfacit ſufficienter.1°.de cõp.med.ſec.loc. 5ª.122.B
Laurinum,quale.1°.de comp.med.ſec.loc. 5ª.123.H
Laurinum oleum,quale.6°.de ſimp.med.fac. 5ª.46.H
Laurino oleo minus calidum eſt dadinum.6°.de ſimp.med.fa. 5ª.46.H
Laurinum valde calefacit.6°.de com.med.per genera. 5ª.256.B
Laurinũ oleum calfacit ſufficienter.1°.de comp.med.ſec.loc. 5ª.122.B
Laurinũ oleũ refrigeratos calefacit.2°.de ſimp.med.fac.15.A| 5ª.16.D
Laurinũ oleum quo loco reponatur inter calida quæ valẽt ad alopecias. 1°.de comp.med.ſec.loc. 5ª.122.D
Laurinum oleum eſt oculorum cenoticum.de cathar. Sp.95.B
Laurinum oleum.2°.de arte cur.ad Glauc. 7ª.104.G
Laurini loco pix liquida.1°.de comp.med.ſec.loc. 5ª.122.E
LAVRI vires,& quid ſit.de ſimp.med. Sp.85.H
inter Laurum,& viticem ſunt populi folia.2°.de com.me.ſ.lo. 5ª.136.F
Laurus eſt magis ſicca homine.1°.de temper. 1ª.13.C
Laurus deſiccat & calfacit vehementer.6°.de ſimp.med.fac. 5ª.46.B
Laurus vires habet acriter calefacientes,euaporantes,& relaxantes.de ſimplicibus medic. Sp.85.H
Lauri folia calidiſſima.2°.de compo.med.ſec.loc. 5ª.136.F
Lauri folia ſicca accipienda, in quibus ponantur quæ debẽt ſeruari.11°. de ſimp.med.fac. 5ª.79.F
Laurus calculos confringit,& iecori prodeſt.6°.de ſim.me.fac. 5ª.46.B
Lauri bacchæ.10°.de comp.med.ſec.loc. 5ª.207.B
Lauri grana cũ ſubtili ſubſtãtia calefac.2°.de arte cu.ad Gla. 7ª.104.G
Lauri bacca decoctum oleũ thermanticum eſſe pluſquàm oportet, certũ eſt.de ſimp.med. Sp.88.D
Lauri baccæ purgatæ.10°.de comp.med.ſec.loc. 5ª.208.B
Lauri bacca expurgat colorẽ,& mouet ſudorẽ.de cura icteri. Sp.111.C
Lauri baccis offendit ſanguinis reiectatio.7°.de cõp.med.ſe.loc. 5ª.183.C
Lauri baccæ mundæ.7°.de ſimp.med.ſec.loc. 5ª.183.D
ex Lauri baccis malagma.7°.de comp.med.per genera. 5ª.266.B
Lauri lixiuij vſus.de ſimp.med. Sp.85.H
LAVS multitudinis commodum ad vſus non nullos inſtrumentum viuẽtibus aliquando eſt,mortuis certe nihil prodeſt.7°.met.me. 7ª.43.B
Laudes ſunt minores hymnis.7°.de vſu partium. 1ª.162.F
LAXANTIA,& cõtẽdẽtia cõtraria ſunt.5°.de ſim.m.fa. 5ª.38.H
Laxantia & intendentia proprie numerantur inter cauſas. de na.humana.comment.2°. 7ª.182.A
Laxantium remediorum non eſt vna ſpecies.5°.de ſimp.med.fa. 5ª.35.H
Laxãs,& diſſoluens craſſas ventoſitates medicina.de me.ex. Sp.105.D
Laxans,& diſſoluens inflationem medicina.de med.exper. Sp.105.E
Laxans humorem viſcoſum medicamen.de me.exper.105.F| Sp.106.A
Laxans humores viſcoſos electarium.de med.exper. Sp.108.C
Laxans humores viſcoſos experimentum.de med.exper. Sp.104.F
Laxans craſſos humores electarium.de med.exper. Sp.107.G
Laxans humores aquoſos electarium.de med.exper. Sp.107.G
Laxans humores ſine laborc electarium.de med.exper. Sp.107.B
Laxat humores diuerſos electarium iridis.de med.exper. Sp.105.E
Laxans diuerſos humores medicamen.de med.exper. Sp.106.A
Laxans ventrem elcctarium probatum.de med.exper. Sp.106.H
ad Laxandum ventrem remedium.de dynamidijs. Sp.27.F
Laxans electarium.de dynamidijs. Sp.27.F
Laxantia medicamenta quid faciant particulis.1°.de comp.medicamen. per genera. 5ª.212.C
Laxãtia medicamẽta quibus nõ cõueniãt.1°.de cõp.med.per g. 5ª.214.B
Laxantia immoderate, ſoluunt robur & membri virtutem. 2°. de arte cur.ad Glauconem. 7ª.103.C
LAXATIO quo modo fiat.5°.de ſimp.med.fac. 5ª.35.H
Laxatio à quibus fiat muſculis.1°.de mot.muſ. 1ª.310.E
Laxationem faccre poteſt aer frigidus,& aqua.dc cau.mor. 3ª.7.G
Laxatio quo modo ſit frigiditatis cauſa.de cauſ.morb. 3ª.7.G
Laxatione nõ continuo,ſed per media ſequitur ex euacuatio ſed attenuatio ſemper continuo.de ijs,quæ in med.fi.com.2°. 7ª.215.G
Laxatio immoderata exoluit robur viriũ.de ren.af.dig.et me. 7ª.193.H
Laxantia poſt euacuationem in quibus conueniant.de ſectis. Iſ.18.D
Laxatio,demiſſio,& collapſio particulæ differũt.1°.de dif.reſ. 3ª.62.H
LAXATIVAE pillulę.de dynamidijs. Sp.27.E
Laxatiuum diuerſorum humorum.de med.expcr. Sp.106.G
LAXATORIIS ſolis non debet curari os ventriculi, & iecur inflammatum,ſed etiam adſtringentibus.7°.dc comp.med.ſe.loc. 5ª.187.C
LAXIORES, & humidiores partes in homine,quæ.1°.de ſimpli.medi. faculta. 5ª.65.H
Laxiora corpora ſalubriora ſunt quo ad excremẽta.de op.noſt. 1ª.38.F
Laxiora corpora facilius afficiuntur à cunctis externis cauſis. de opt. noſt.corp.conſt. 1ª.38.F
LAXITATI gingiuarũ cõfert ſectio venarũ labiorũ.de an.vi. Sp.55.B
LAXITVDO cutis eſt cauſa cur ſudemus.cõ.5°.apho.71°. Ex.45.F
LAXARE carnem quid ſignificet.2°.de ſan.tuen. 2ª.70.G
Laxari de quibus dicatur.2°.de ſan.tuen. 2ª.72.G
Laxare naturam debes à leuioribus conſuetis.de med.exper. Sp.108.H
quo modo Laxantur intenta ob caliditatem,frigiditatem,humiditatem, vel ſiccitatem.de ijs,quæ in med.fi.com.3°. 7ª.215.G
Laxet quid cutim.in 6m.de mor.vul.com.3°. 3ª.176.H
Laxandi vim habet Anthemis.6°.de ſimp.med.fac. 5ª.43.C
Laxantis,& coquentis facultatts eſt Butyrũ.10°.de ſim.me.fa. 5ª.73.G
Laxat,& remollit durities Cera omnis.de ſimp.med. Sp.82.B
Laxat tenſa Chamæmelum.3°.de ſimp.med.fac. 5ª.18.H
Laxat leuiter Cyminum.de ſimp.med. Sp.82.E
Laxãtes vires cũ ſuaui euaporatione Maſtix habet.de ſim.me. Sp.87.D
Laxant ventrem Mora.de ſimp.med. Sp.87.H
Laxantia Olea.7°.de comp.med.per genera. 5ª.264.E
Laxat Opopanax.de ſimp.med. Sp.88.B
Laxat ſtomachum Polium.de ſimp.med. Sp.89.A
Laxat viſcide Sagapenum cum eius acrimonia.de ſimp.med. Sp.90.B
Laxat lcniter Styrax.de ſimp.mcd. Sp.90.E
Laxat ventrem Zingiber.de ſimp.med. Sp.90.E
LAXATA intumeſcere nõ patitur emplaſtrũ barbarũ.de dy. Sp.35.F
LAXO opponitur contentum.in 3m.de mor.vulg.com.1°. 3ª.131.B
Laxum cum duro non habet ſocietatẽ.11°.de vſu par. 1ª.191.F
Laxo plenum eſt contrarium.4°.de dign.pulſ. 4ª.85.B
Laxa quæ dicantur,& quid ſint.in 1m.de mor.vul.com.1°. 3ª.104.G
Laxa quo modo fiant coria,& pelles.in 6m.de mor.vul.c.3°. 3ª.177.A
Laxas partes, & languidas confringit, contrahitq́, galla.7°.de ſimpli. medic.facul. 5ª.51.B
Laxa,& quæ facile inaniuntur,humidiore egent alimento. de bonitate & vitio ſuccorum. 2ª.38.A
LAXVS tumor quo modo fiat.de curan.rat.per ſang.miſſ. 6ª.17.A
LAXVS dolor nullus.2°.de locis affectis. 4ª.11.E

LEA quæ.de dynamidijs. Sp.18.G
LEAENARVM lien non eſt aſculentum. de atra bile. 1ª.36.E
LEBETES quo modo faciunt ſpumam.com.2°.aph.43°. Ex.18.D
in Lebete lapides generãtur.de ren.affect.dig.& me. 7ª.192.C
n Lebete vel aqua caloris accenſi febris exempla.1°.de dif.fe. 3ª.30.H
L[illegible]betem vult eſſe nouum,in quo fit confectio ex capitibus papaueris,ſe

cundum

cundum Soranum.7°.de comp.med.ſec.loc. 5ª.180.G
LECANII Arei exedens aridũ.5°.de comp.me.per ge. 5ª.252.H
LECTICAM faciens quando artifex iudicetur.9°.de dec. 1ª.284.F
LECTIONES veterũ codicũ omnibus præponit Galenus.in 6ᵐ.de morbis vulgaribus,com.2°. 3ª.169.D
Lectionum mille modi.in 6ᵐ.de morb.vul.com.2°. 3ª.169.D
LECTIS ex pluma vtebantur antiquiores.de ſectis. Iſa.18.E
Lecti ex quibus fieri non debeant.de ſubſ.emp. Iſa.32.C
in Lecto valde molli qui febrientes debent manere. de vict.rat.in mor. acutis,com.4°. 7ª.140.H
è Lecto ſurgere cuidam graue videbatur, vt excrementa redderet.3°. de vſu partium. 1ª.133.C
LECISCII fit mentio.de vict.rat.in morb.acut.com.4°. 7ª 152.G
LECYTHON quid ſit.de bon.& vitio ſuc. 2ª.35.F
Lecython factum ex panico & milio debet recipere pinguia & habentia in ſe lentorem.de bon.& vitio ſucc. 2ª.35.F
LEICHEN poteſt dici planta.7°.de ſimp.med.fac. 5ª.54.B
Læchen dicitur, quoniam læchenas curat.7°.de ſimp.med.fac. 5ª.54.B
Læchen phlegmonæ(quod aphlegmaton vocatur) aduerſat.7°.de ſimp. medica.facul. 5ª.54.B
in Læchene damnat Dioſcoridem Galenus.7°.de ſimp.med.fac.5ª.54.B
LEIPOPSYCHIA quid apud grecos.12°.meth.med. 7ª.77.F
LEGENTIVM diuerſitas quid faciat.3°.de ſimp.med.fac.5ª.16.H
Legere plurimum,malum.5°.de ſan.tuen. 2ª.93.F
Legãtur iterũ & ter, quæ ſemel nõ intelliguntur.de art.c.3°. 7ª.276.D
LEGVMINA quæ vocentur.1°.de alimen.fac. 2ª.13.D
Legumina haud dubie ex elementis genita ſunt.1°.de elementis. 1ª.5.C
Legumina quæ ſint.de atten.vic. 2ª.44.F
Leguminum qualitas nobis familiaris eſt.7°.de vſu par. 1ª.159.B
Legumina qualia ſint.de vict.rat.in morb.acu.com.4°. 7ª.146.E
Legumina omnia ventoſa ſunt, potiſſimum faba, & cicera.de puero epileptico. 7ª.180.H
Legumina viridia, quæ.de vict.rat.in morb.acut.com.4°. 7ª.146.E
Legumina macerata, quæ.de vict.rat.in morb.acu.com.4°. 7ª.146.E
Legumina fricta, qualia.de vict.rat.in mor.acu.com.4°. 7ª.146.E
Legumina ſunt craſſi ſucci.1°.de comp.med.ſec.loc. 5ª.128.D
Legumina cum oleribus cocta carent fere nutrimento. de venæ ſectione aduerſus Eraſiſtratum. 6ª.14.C
Legumen intra modũ elixum, non coquitur probe in corpore.4°.de ſanitate tuenda. 2ª.88.B
Legumina cibi hyemis ſunt.de natura humana. 1ª.32.F
Legumina male afficiunt corpora.com.3°.aph.16°. Ex.23.B
Leguminibus in Aeno tempore famis veſcentibus quid eueniebat. de natura humana.com.1°.7ª.182.C/com.2°.aph.16°. Ex.12.G
Legumina multa præelixantes idonea eſui paramus. in 6ᵐ. de morbis vulg.com.4°. 3ª.182.C
Legumina habent mordaces humores in ſe, qui debent remoueri, ſi eorũ velimus rectum iudicium ferre.com.2°.apho.18°. Ex.13.H
quæ Legumina epilepticis non conueniant.de puero epil. 7ª.180.H
Legumina, vt & faba ex maſticatione ſumme diſcuſſoria redduntur. 5°. de comp.med.ſec.loc. 5ª.159.C
ex Leguminũ putredine aer coinqnatus vitioſus ẽ.1°.de ſa.tu. 2ª.67.B
Leguminum putredinis aer euitandus.12°.meth.med. 7ª.77.E
per LEMMATA quid intelligat Galenus.1°. de ſimp. medicamen, facultatibus. 5ª.4 C
Lemmata quæ ſint.de vict.rat.in morb.acut.com.2°. 7ª.119.B
Lemmata apud Græcos, quæ.2°.de decr.Hipp. 1ª.234.D
Lemmatum quatuor differentiæ.3°.de decr.Hipp. 1ª.241.B
Lẽmata probabilia apud Ariſtotelem quæ ſint.2°.de diff.pul. 4ª.54.D
Lemmata debent ſumi à ſubſtantia rei quæſitæ.2°.de decr. 1ª.23.B
Lemmata facientia ſcientiam differunt à dialecticis, oratorijs, & captioſis.2°.de decre.Hippo. 1ª.235.C
Lemmata dialectica, quæ.2°.de decr.Hipp. 1ª.235.C
Lemmata vulgaria non aſſumuntur in demonſtrationibus. 2°.de decretis Hipp. 1ª.234.E
Lẽmata oratoria nõ aſſumũtur in demõſtrationibus.2°.de dec. 1ª.234.E
LEMNIA terra ſphragis appellata.7°.de compoſitione medicamen.ſecundum locos. 5ª.183.E
de Lemnia ſphragide meminit.9°.de ſimp.med.fac. 5ª.69.B
Lemnia terra, qualis.9°.de ſimp.med.fac.66.A/1°.de antid. 5ª.107.B
Lemnia rubrica, quid.1°.de ant. 5ª.107.B
è Lẽno terrã ſigillatã accepit Galenus.de vſu theri.ad Pãphi.5ª.100.C
Lemnia creta ingreditur theriacam.de theriaca.ad Piſo. 5ª.92.F
Lemnium ſigillum adſtringens leue.5°.meth.med. 7ª.31.H
Lemnia terra qñ ſanguinem multum ſiſtit.5°.meth.med. 7ª.32.E
Lemnium ſigillum internis vlceribus opitulatur.4°.meth.med.7ª.28.H
pro Lemnia rubrica ſinopica.7°.de comp.med.ſec.loc. 5ª.153.G
in LEMNO duæ ſunt vrbes, Myrina, & Hepheſtias.9°.de ſimplicium medic.fac. 5ª.65.C
in Lemnum decidiſſe Vulcanũ cur ab Homero dicatur. 8°. de ſimpliciũ medic.facul. 5ª.65.D
LEMONIVM acerbum quibus exhibendum. 7°. de ſimp. medicamen. facultatibus. 5ª.54.B
Lemonij fructus exhibetur cœliacis, dyſentericis, hæmoptoicis, ſiue ſanguinem ſpuentibus, & iuuat profluuium muliebre.7°. de ſimplicium medic.facul. 5ª.54.B
LENDES de cute corporis educuntur.de cathar. Sp.94.G
Lendes interficit cedrea.7°.de ſimp.med.fac. 5ª.50.E
Lendes interimit hederæ lachryma.7°.de ſimp.med.fac. 5ª.51.F
LENEADI emplaſtrum diapepereon.de dynam. Sp.25.C
LENIENS per ſe, ab eo quod lenit per accidens, quatuor indicijs diſtinguitur.2°.de ſimp.med.fac. 5ª.12.G
Lenientes cibi qui.de diſſ.cont. Sp.75.A
Lenientes, & pungentes cibi dari debent, ſi ſuperſtua ciborum tarde deſcendant.de diſſ.cont. Sp.75.A
Leniens cibus ante ſtypticũ, & è cõtrario, quid agãt.de diſ.cõt.Sp.71.H
Leniens medicamentum quale ſit.3°.de comp.med.ſec.loc. 5ª.146.E
Lenientes vires habet lapis batrachites.de ſimp.med. Sp.87.A
Leniendum quando ſit in auribus.3°.de comp.med.ſec.loc. 5ª.146.E
LENIENTIA ventrem quæ ſint.de diſſ.cont. Sp.75.A
ad Leniendum ventrem quæ excitant.de diſſ.cont. Sp.75.A
Lenit & humectat ventrem refrigeratio intrinſeca.in 6ᵐ. de mor. vulg. commenta.5°. 3ª.193.C
Lenit ventrem aquoſitas lactis.de diſſ.cont. Sp.75.B
Leniunt naturam cibi ſalſi.de diſſ.cont. Sp.72.F
Lenit ventrem mel non coctum.de diſſ.cont. Sp.75.A
Leniũt ventrẽ poma, & granata acetoſa ſi inueniunt in ſtomacho humorem malũ & craſſum, quẽ incidunt, & expellũt.de diſ.cont. Sp.75.C
Leniantur quomodo aſperitates fluxionum.13°.meth.med. 7ª.86.A
Leniunt quæ pinguia.1°.de ſymp.cauſ. 3ª.17.D
Leniunt durities ſtyrax.de ſimp.med. Sp.90.E
Lenit ibiſcus.de ſimp.med. Sp.85.E
LENEM vocat Hippocrates tranquillum, & calidum. in 3ᵐ. de morb. vulgaribus,com.3°. 3ª.141.E
Lenes partes ſunt exaſperandæ.ars med. Iſa.69.E
Lenis particula qũo curanda.de conſt.ar. Iſa.39.H
Lenibus curari debent ambuſta.de fract.com.2°. 7ª.244.A
in Lenitate morbi cauſa.de oculis. 7ª.185.G
LENITIEM ſtomacho & vẽtri reddit oleũ.de ſimp.med. Sp.88.D
LENITIVI liquores, qui.4°.de comp.med.ſec.loc. 5ª.150.G
LENON torcularis ſimilitudine quid appellet Herophilus. 9°. de anatomicis adminiſtrationibus. 1ª.104.C
LENS inter cerealia ſemina numerat̃.de vict.ra.in mor.a.c.1°.7ª.111.B
Lens habet ſiliquas.1°.de alim.fac. 2ª.15.A
in Lente quid ſit fructus.2°.de alim.fac. 2ª.16.C
in Lente naſcuntur aracum, & ſecurinum.1°.de alim.fac. 2ª.15.H
Lentem ſtrangulat aparine.1°.de alimen.fac. 2ª.15.H
Lens qualis ſit.6°.de comp.med.ſec.loc.5ª.176.D/de vict. rat. in morb. acutis,com.4°. 7ª.146.F
Lentes ſunt ſiccæ.de diſſ.con. Sp.74.D
Lentes ſunt ſiccæ in ſecundo ordine, temperatæ in actiuis qualitatibus. 8°.de ſimp.med.fac. 5ª.63.B
Lentes ſunt aridæ, & friabiles.1°.de alim.fac. 2ª.13.D
Lentem cohibere ventrem in ore omnium eſt.1°.de alim.fac. 2ª.7.F
Lens omnibus aluum non cohibet.1°.de alim.fac. 2ª.7.F
Lens cur alijs aluum mouet, alijs cohibet.1°.de alim.fac. 2ª.7.G
Lẽs hẽt naturã cõpoſitã ex repugnãtibus facultatibus.1°.de al.f.2ª.7.G
Lentes ſunt vnum ex medicamentis miſtam ex contrarijs naturam habẽtibus.1°.de comp.med.ſec.loc. 5ª.129.E
Lens habet partes inter ſe facultate pugnantes.de vict.rat.in mor. acutis.commen.1°. 7ª.111.G
Lentes habẽt corticem adſtringentem.1°.de alim.fac. 2ª.13.D
Lens ſoluit, & adſtringit, & qũo.3°.de ſimp.med.fac. 5ª.20.B
Lens adſtringit.6°.de ſimp.med.facul.5ª. 44.C/ de vict.ratio.in morbis acutis,

acutis.com.1°.7ª.111.D/2°.aph.20°. Ex.14.D
Lens bis cocta adſtringit & corroborat ſtomachum, & inteſtina. 1°. de alimentorum facul. 2ª.13.D
Lens bis cocta quæ vocatur.2°.de ali.fac. 2ª.23.A
Lens excorticata, bis cocta ſiſtit aluum.1°.de ali.fac. 2ª.9.C
Lens decorticata non ita adſtringit, & magis nutrit.1°.de ali.fa.2ª.13.E
Lentis caro habet qualitatem auſteram exiguam.1°.de ali.fac. 2ª.13.D
Lentis caro eſt craſſi ſucci, & terrei.1°.de ali.fac. 2ª.13.D
Lentes tarde digeruntur.de diſſ.cont. Sp.73.D
Lentes, & locuſtæ paulatim, & tarde nutriunt.commentario. 2°.aphoriſmo.18°. Ex.13.G
Lentium medulla tarde deſcendit.de diſſ.cont. Sp.74.H
Lentes nutriunt eum qui digerit illas nutrimento multo craſſo. de diſſolutione continua. Sp.73.E
Lentes inflant.de diſſo.cont. Sp.74.F
Lens cibus non frigidus.in 6m.de mor.vul.com.5°. 3ª.194.B
ex Lente cur non fit panis.1°.de ali.fac. 2ª.13.D
Lens victus Alexandrinorum. de arte cur. ad Glau. 7ª.107.E
Lente, pane, ptiſſana, fit ſanguis, pituita, bilis tum flaua, tum atra. 3°.de ſimp.me.fac. 5ª.17.D
ex Lente, & ptiſſana cibus phacoptiſſana, qualis.1°.de ali.fac. 2ª.13.E
Lens bene cocta omnem ponit ventoſitatem.de puero epil. 7ª.180.H
à Lente fiunt humores craſſi praui.1°.de ali.fac. 2ª.13.E
Lens crudũ craſsũ, & frigidũ humorem gignit.de bo.et vic.ſuc.2ª.35.E
Lens generat humores craſſos.de puero epil. 7ª.180.H
Lens generat ſanguinem craſſum & nigrum.de atra bile. 1ª.35.A
Lens dat exiguum alimentum corpori, craſſum, & melancholicum. 2°. de ali.fac.23.B/de bo.& vi.ſuc. 2ª.37.H
Lentes maxime inter legumina gignunt ſanguinem melancholicum.3°. de loc.aff.4ª.18.F/de diſſ.cont. Sp.74.B
Lentibus deteriores ſunt ochri, & dolichi.de bo.& vi.ſuc. 2ª.37.H
ex Lente, & beta teutlophace edulium, quale.1°.de ali.fac. 2ª.13.G
Lens hebetat viſum.2°.de ali.fac. 2ª.23.B
Lens, & braſſica æque exiccant.2°.de ali.fac. 2ª.23.B
Lens magis ſiccat quàm ptiſſana.5°.de ſan.tuen. 2ª.92.C
Lentibus ſunt ſiles lupini, niſi quod minus ſiccant.de atten.vic.2ª.45.A
Lentes deſiccant, & ventrem ſiſtunt.8°.de ſimp.me.fac. 5ª.63.B
Lens indurat.de ocul. 7ª.188.E
Lentis ſuccus nunquam eſt aquoſus & humidus.2°.de ali.fac. 2ª.17.C
Lentium ſuccus nitroſus eſt.de bo.& vit.ſuc. 2ª.35.E
Lentis ſuccus habet ſaporem talem, ac ſi nitroſo auſterum miſcueris.3°. de ſimp.med.fac. 5ª.20.B
Lentium, & caulium iuris vis.de diſſ.cont. Sp.75.A
Lentis ſuccus deijcere facit.1°.de ali.fac.15..A/de bo.& vi.ſuc. 2ª.35.E
ex Lente edulium ventrem ſoluens.1°.de ali.fac. 2ª.13.D
Lentis decoctum ventrem prouocat.8°.de ſimp.med.fac 5ª.63.B
ex Lente etnos quibus dandum.de vic.rat.in mor.acu.c.4°.7ª.149.B
Lens quibus præbeatur vtiliter, & quibus non.1°.de ali.fac. 2ª.13.E
Lente quibus vtendum, & quibus non.1°.de ali.fac. 2ª.13.E
Lentes non omnino aſpernandæ.de atten.vic. 2ª.45.A
Lens in capitis dolore ex ebrietate cõuenit. 2°.de cõp.me.ſe.lo.5ª.133.D
Lens conuenit in epilepſia.de puero epil. 7ª.180.G
Lens cibus eſt conueniens ſtomachicis.8°.de comp.me.ſec.loc. 5ª.192.C
Lens cibus commodus cœliacis & dyſentericis.1°.de ali.fac. 2ª.13.E
Lens poteſt quandoq; guſtari in victu attenuante.de atten.vic. 2ª.45.C
Lentibus vtimur loco medicamenti in multis affectibus. de bonitate & vitio ſuccorum. 2ª.37.H
Lens medicamentum non cibus.de vic.rat.in mor.acut.com.1°.7ª.111.B
à Lentis multo vſu cauere debet ſenex.5°.de ſan.tu. 2ª.91.D
Lens non eſt accommoda menſtruis purgationibus, & quare.1°. de alimentorum facul. 2ª.13.E
Lens vtiliſſima profluuio muliebri.1°.de ali.fac. 2ª.13.E
Lens expetit pulegium & ſatureiam.1°.de ali.fac. 2ª.13.F
Lens petit ſuillam carnem ſalſam.1°.de alim.fac. 2ª.13.F
Lens cum ſalſis carnibus quid agat.1°.de ali.fac. 2ª.13.F
Lens ſapæ mixta cur peſſima.1°.de ali.fac. 2ª.13.F
Lens mixta ſapæ quid agat mali.1°.de ali.fac. 2ª.13.F
Lentem & ſapam corrigit mel.1°.de ali.fac. 2ª.13.F
ex Lente & beta edulium τευτλοφακὴ dicitur.1°.de ali.fac. 2ª.9.C
Lentium decoctum mitigat.6°.de comp.me.ſec.loc. 5ª.174.G
ex Lente cataplaſma bonum, cum adeſt inflammatio. 2°. de arte cura. ad Glauconem. 7ª.101.H
ex Lente cocta cataplaſma reprimit, & ſimul digerit carbunculos.14°. methodi medendi. 7ª.90.B
ex Lente pane, arnogloſſo, & roſaceo oleo cataplaſma.2°.de arte cura. ad Glauconem. 7ª.101.G
Lens conuenit herpeti exedenti.2°. de arte cura.ad Glau. 7ª.102.C
LENS paluſtris ex aceto & roſaceo impoſita valet ad feruidas inflãmationes.de reme.par.fac. 7ª.160.E
Lẽtes paludibus inatãtes adſtringunt, & reprimũt.d̃ re.pa.fa.7ª.156.D
Lens aquis innatans adſtringit & reprimit.de re.pa.fac. 7ª.156.D
Lens paluſtris refrigerat.10°.met.me. 7ª.65.A
LENTIS formam referentis cochleæ meminit.de mach. 7ª.310.D
ad LENTES conueniunt balani recrementa.6°.de ſimplicium medicamentorum facul. 5ª.44.D
Lentes adiuuat braſſicæ ſemen.7°.de ſimp.me.fa. 5ª.52.G
Lentes in facie abſtergit pepon.2°.de ali.fac. 2ª.16.H
ad Lentes valet ſepiarum teſta.11°.de ſimp.me.fa. 5ª.81.A
LENTICVLA quid, & eius vires.de ſimp.me. Sp.86.B
Lenticulæ craſſus cibus, & cur.de diſſ.cont. Sp.72.H
Lenticulæ ſunt ſiccæ naturæ.de diſſ.cont. Sp.73.B
Lenticula nunquam erit humectantis naturæ.de bo.& vi.ſuc. 2ª.38.D
Lenticula calefacit, & exiccat.de ſal.diæta. 2ª.40.A
Lenticularum ſubſtantia ſtringit ventrem cum ſtypticitate, & ponticitate.de diſſol.cont. Sp.75.B
Lenticula paratur eo modo quo braſſica.2°.de ali.fac. 2ª.23.A
Lenticula ex aceto cõtra pleuritim.de vic.rat.in mor.acu.c.1°. 7ª.113.C
Lenticulæ decoctũ cũ melle pudenda laxat.11°.de ſimp.me.fac. 5ª.80.D
Lenticula paluſtris numeratur inter refrigerantia quæ non adſtringũt. 5°.de ſimp.med.fac. 5ª.35.G
Lenticula paluſtris humida eſt & frigida in ſecundo ordine.8°.de ſimp. medicamen.facul. 5ª.63.B
Lenticula paluſtris refrigerat.14°.met.me. 7ª.87.E
Lenticula paluſtris condenſat.5°.de ſimp. med.fac. 5ª.35.D
Lenticula paluſtris euitanda in herpete exedente. 2°. de arte curatiua ad Glauconem. 7ª.102.B
pro Lenticula rubus cum roſis aridis in quo caſu concoqui debeat.9°. de comp.me.ſec.loc. 5ª.204.A
ad LENTICVLAS. de rem.par.fac. 7ª.163.G
ad Lenticulas in facie.de med.fac.par. 7ª.174.E
LENTICVLAE ſpẽm q̃uo hẽt ſcalper inſtrm.6°.met.me. 4ª.42.D
Lenticulæ dimidiatæ capreolus ſimilis.eſt.de machin. 7ª.310.C
de LENTIGINIBVS. de med.fac.par. 7ª.164.E
Lentigines & maculas tollit chamæleon.de ſimp.me. Sp.82.F
Lentigines, & maculas tollit erbum.de ſimp.me. Sp.85.B
ad Lentigines.de dyna. Sp.25.E
LENTISCINVM oleum, quale. 5°. de compoſi.me.ſec.loc. 162.H/2°. de comp.me.per ge. 5ª.220.G
Lentiſcinum oleum adſtringit.13°.met.me. 7ª.83.G
Lentiſcinum oleum adſtringit cum caliditate.2°.de compoſitione medic. per genera. 5ª.220.G
Lentiſcinum oleum vetuſtate fit calidius, & tenuius.11°.de ſimplicium medicamento.facul. 5ª.79.C
Lentiſcinum oleum pro abſinthio q̃n ſatisfaciat.11°.met.me. 7ª.72.G
Lentiſcinum propter quid ponatur in medicamentis conferentibus ad vlcera.4°.de comp.me.per gen. 5ª.237.H
Lentiſcinum oleum debet eſſe recens.5°.de comp.me.ſec.lo. 5ª.162.H
Lẽtiſcino oleo curant̃ linguæ & oris dolores.5°.de cõ.me.ſe.lo.5ª.162.H
cũ Lentiſcino maceratum abrotonum barbam elicit.6°. de ſimplicium medicamen.facul. 5ª.40.H
Lentiſcinum oleum cum ladano pro capillorum defluuio optimum.1°.de comp.me.ſec.loc. 5ª.125.F
Lentiſcinum oleum vt ladanum.1°.de comp.me.ſec.loc. 5ª.125.F
Lentiſcini olei meminit.6°.de ſimp.me.fac. 5ª.46.H
LENTISCINA reſina cuius ſit facultatis.2°. de ſimp. me.fa.5ª.15.A
Lentiſcina reſina maſtiche vocata.eſt.8°.de ſimp.med.fac. 5ª.59.F
LENTISCINI vini cyatho ſtœchadis triti cochlearium ebibitum ad quid conferat.de med.fac.par. 7ª.167.B
LENTISCVS quid.de ſimp.me. Sp.86.A
Lentiſcus frutex in colle Tabiano.5°.met.me. 7ª.35.A
Lentiſcus vnum ex medicamentis miſtam ex contrarijs naturam habentibus.1°.de comp.me.ſe.lo. 5ª.129.E
Lentiſcus ſicca in ſecundo ordine eſt, & temperata in actiuis. 8°. de ſimplic.med.facul. 5ª.61.H

Lentiſcus frigida arbor pro capite præter naturam calidiore bona, & quo modo illius germinibus vtendum.2°.de comp.me.ſe.lo. 5ª.132.H
Lentiſcus eſt acerba.8°.de ſimp.med.fac. 5ª.62.E
Lentiſcus ad hypocyſtida prope accedit.8°.de ſimp.med.fac. 5ª.61.H
Lentiſci vires.de ſimp.me. Sp.86.B
Lentiſcus ad dyſenterias & alui affectus valet, ad ſanguinis expuitiones, ſanguiniſq; ex vtero eruptiones, tum ſedis vuluæq; procidentias idonea eſt.8°.de ſimp.me.fac. 5ª.61.H
Lentiſcus inter adſtringentia parabilia numeratur. 6°. de compoſitione me.ſecun.locos. 5ª.169.F
Lentiſci decoctum adſtringit.4°.met.me. 7ª.28.H
Lentiſci fructus parum nutrit, cur.de diff.cont. Sp.73.F
Lentiſci fructus mentem perturbat.2°.de comp.med.ſe.lo. 5ª.137.B
Lentiſci rami ſternendi ſunt in cubiculis febricitantium hectica febre. 10°.methodi medendi. 7ª.64.E
Lentiſci tenera germina.13°.met.me. 7ª.83.G
Lentiſci germina, muria, vel oxyhalme cõdita faciunt humorem melancholicum.3°.de loc.aff. 4ª.18.F
Lentiſci ramuli teneri conuenientes ſunt ſtomachicis in cibo.8°.de com. medicamen.ſec.loc. 5ª.192.C
Lentiſci ſemini miſtũ oleũ ſtypticã virtutẽ affert.de ſimp.me. Sp.88.D
LENTITIA eſt qualitas.11°.met.me. 7ª.71.D
Lentitia, & craſſitudo ſunt alimenti vitia.3°.de ſymp.cauſ. 3ª.26.A
LENTOR tactus qualitas eſt.de nat.hum.c.2°. 7ª.28.H
Lentores ſi circa dẽtes fiũt, febres fiũt fortiores.c.4°.apho.53°. Ex.33.D
Lentores quo modo fiunt.com.4°.aph.53°. Ex.33.D
Lentor à quo fiat.1°.de ſan.tuen. 2ª.68.D
Lentor quo modo fiat.in progn.com.2°. 4ª.199.H
Lentor humorũ alterare põt pulſus, nõ efficere.1°.de cau.pul. 4ª.86.G
Lentor tenet excretionem.com.2°.aph.18°. Ex.13.F
Lenta per aluum ſubducere faciunt.3°.de ali.fac. 2ª.26.F
LENTI corporis proprium quid.1°.de ali.fac. 2ª.9.F
Lentum eſt & obſtruens triticum.8°.de ſimp.me.fac. 5ª.59.H
LENTVS humor vnde fiat.13°.met.me. 7ª.80.H
Lenti humores quomodo ſint cauſa, & ægritudo.de diff.morb. 3ª.4.D
Lenti humores faciunt conuulſionem, quæ ſanatur à quartana.com.5°. aphoriſmo.7°. Ex.45.E
Lenti humores dupliciter ſanantur.c.5°.aph.70°. Ex.45.E
in Lentis, frigidis, & craſſis humoribus à calore valde metuendum. 12°.methodi medendi. 7ª.79.E
Lentus humor ſi non medicamentis, aduſtione reſoluatur. de articulis. commentario.3°. 7ª.276.C
Lenti humores à calefaciẽtibus in flatus deducunt.12°.me.me. 7ª.79.E
Lentos & craſſos humores incidunt, & digerunt acria, & amara.8°.de ſimplic.me.facul. 5ª.58.D
Lenti, & craſſi humores à ſecantibus, & digerentibus euacuantur, & qualia eſſe debent.7°.de ſimp.me.fac. 5ª.51.E
Lentos, & craſſos humores incidit ampelópraſſum.6°.de ſimplicium medicamentorum facul. 5ª.42.E
Lenta attenuat diacalaminthe.4°.de ſan.tu. 2ª.86.F
Lentus, & craſſus humor difficulter expuitur, & quare. 4°. de locis affectis. 4ª.27.G
Lentorum, craſſorumq; humorum excreationibus ex pectore pulmoneq; impendio conferunt amygdalæ.6°.de ſimp.med.fac. 5ª.42.G
pro Lentis & craſſis humoribus expuendis in ecligmata ponitur eryſimum.6°.de ſimp.med.fac. 5ª.47.F
Lentum ſine morſu calefaciens dolorem tollit.13°.met.me. 7ª.86.A
ad Lentum exitum vrinæ.de cura lap. Sp.112.F
LEONES calidi ſunt.2°.de ſimp.med.fac. 5ª.14.E
Leones aridi ſunt.2°.de ſimp.med.fac. 5ª.14.E
Leo animal ferox vngulis, & dentibus valens.1°.de vſu par. 1ª.113.C
Leo ſiccior eſt boue, & calidior cane.11°.de ſimp.me.fac. 5ª.79.E
Leonis caro, qualis.3°.de ali.fac. 2ª.26.A
Leonis caro calidior & ſiccior.de conſt.ar. Iſa.38.C
Leo iracundum eſt animal.3°.de dec.Hipp. 1ª.243.C
Leo medius in pronitate.3°.de vſu par. 1ª.128.F
Leonũ pedes cur medij ĩter pedes hoĩm et equorũ.3°.de vſu pa. 1ª.129.E
Leones vehementes dicuntur.3°.de diff.pulſ. 4ª.62.A
Leo, vt creditur, habet oĩa oſſa exptia.medullæ.11°.de vſu par. 1ª.191.D
Leo cur medulla careat.de ana.viu. Sp.44.B
Leo velocior eſt homine.1°.de vſu par. 1ª.113.D
Leone velocior eſt equus.1°.de vſu par. 1ª.113.D
Leones quo modo habeant quartam tunicam oculi.de ana.ocu. Sp.53.F
Leo cur habet fortem maxillam.11°. de vſu par. 1ª.191.H
Leonibus muſculi tpales maximi, et neruoſiſſimi sũt.11°. đ vſ.p. 1ª.181.F
Leonis dentes, & ouium differunt.11°.de vſu par. 1ª.187.C
Leonis dẽtibus ſiles ſunt dẽtes pardaleon & canũ.11°.de vſu p. 1ª.187.D
Leones habent os longiſſime fiſſum.11°.de vſu par. 1ª.187.E
Leonis collum, quale.11°.de vſu par. 1ª.191.H
Leones ad carnes veniũt tãquã ad propria nutrimẽta.de aſſue. 2ª.61.A
Leoni cibus familiaris crudæ animalium carnes.2°.de ali.fac. 2ª.17.C
Leoni conueniens quid.1°.de tem. 1ª.14.H
Leonum eſus feris hominibus relinquendus.de atten.vic. 2ª.45.E
Leo animal eſt craſſi ſucci.6°.de ana.adm. 1ª.91.H
Leo habet lienem affatim nigrum.6°.de ana.adm. 1ª.92.G
Leonum lien non eſt eſculentum.de atra bile. 1ª.36.E
Leonis adeps, qualis.5°.de ſimp.me.facul. 5ª.34.C
Leonis adeps tenuium eſt partium.3°.de comp.me. per ge. 5ª.232.H
Leonũ adipe minus calidus eſt taurorũ adeps.11°.de ſimp.me.f. 5ª.79.B
inter Leoninum, & ſuillum adipem, medius eſt adeps taurinus. 11°.de ſimplic.me.fac. 5ª.79.B
Leonis adeps quo loco reponatur inter calida quæ valent ad alopecias. 1°.de comp.me.ſec.loc. 1ª.122.D
Leonis adeps cæteris potentius digerit.11°.de ſimp.me.fac. 5ª.79.B
Leonis adeps mollificat.2°.de arte cur.ad Gla. 7ª.104.A
Leonum adeps quæ iuuet, & quibus obſit.11°.de ſimp.me.fac. 5ª.79.B
LEO, Aries, Sagittarius ſunt orientales, calidi, ignei & ſicci. de ſpermate. Sp.39.E
Leo calidus eſt, & ſiccus in quarto gradu.de ſper. Sp.38.H
in Leone nati pueri figura.de ſper. Sp.38.H
in Leone tenuit Alexander criſpitudinem capillorum colorem citrinũ, iram, & robur.de ſper. Sp.38.H
Leonis proprietatem habet aquila.de ſper. Sp.38.H
Leonis annus eſt plenus ægritudinibus.de ſperm. Sp.39.D
LEONIDES Alexãdrinus methodicæ ſectæ princeps, inter eos connumeratus eſt, qui ἐπισυνθετικοὶ à græcis nominantur.intro. Iſa.51.E
LEONINVS adeps, qualis.3°.de comp.me per.ge.233.H/7°. 5ª.263.E
Leoninus adeps in quo ordine ſit inter acopa.7°. de compoſitione medicamento.per genera. 5ª.269.F
Leoninus adeps odoramentis conditus.7°. de cõp.me.per gen. 5ª.272.E
Leoninum adipem ſequitur adeps pardi.2°.de arte cur. 7ª.104.A
Leoninus adeps.6°.de comp.me.per gen. 5ª.261.F
ex Leonino & taurino adipe, reſina, pice, & terebinthina, medicamentum.2°.de arte cura.ad Glau. 7ª.104.H
Leoninum ſeuum molliendo digerit.14°.met.me. 7ª.87.H
LEONTARION medicamentum ab imagine leonis dictum.4°.de cõpoſitione me.ſec.loc. 5ª.155.H
LEONTOPELATON in tertio ordine exiccat, calefacit, & digerit. 7°.de ſimp.me.fa. 5ª.54.C
in LEONTINIS aqua eſt quã bibens morit.de bon.aquæ. Sp.76.A
LEOPARDI ad carnes veniunt, tanquam ad propria nutrimenta. de conſuetudine. 2ª.61.A
Leopardorum lien non eſt eſculentum. de atra bile. 1ª.36.E
Leopardi morſibus confert centaurea.de virt.cent. Sp.93.H
LEPIDIVM deſcribitur.10°.de comp.me.ſec.loc. 5ª.208.D
Lepidium ſimile naſturtio in quibus.7°.de ſimp.med.fac. 5ª.54.C
Lepidium quo tempore colligendum.10°.de comp.me.ſec.loc. 5ª.208.E
Lepidium in quarto ordine calidum eſt.7°.de ſimp.me.fac. 5ª.54.C
Lepidium, & iberis vice ſinapiſmi & thapſiæ vſui ſunt.10°.de compoſi. medica.ſec.loc. 5ª.208.G
LEPIDOIDES ſuturæ, vel conglutinationes ſunt quæ à non nullis non ſimpliciter ſuturę, ſed à ſquamæ ſimilitudine lepidoeides ſuturæ ſunt vocatæ.de oſſib. 1ª.49.E
LEPIS quid.de ſimp.me. Sp.85.F
Lepis, id eſt ſquama.de vict.rat.in mor.acu.c.4°. 7ª.152.G
Lepis, id eſt ſquama æris & ferri, cuius vſus, & vtilitatis.9°.de ſimp. medicamen.facul. 5ª.69.H
Lepis viſcide ſtringit.de ſimp.me. Sp.85.G
Lepis purgat per ſeceſſum.de cathar. Sp.94.F
LEPORINA caro eſt multum melancholica.3°.de loc.aff. 4ª.18.F
Leporinum cerebellum quo modo cito faciat oriri dentes.5°.de compoſi. medic.ſecun.loc. 5ª.164.F
Leporinus ſanguis vt ſuauiſſimus celebratur.3°.de ali.fac. 2ª.29.B
Leporinus ſanguis cũ iecore & viſceribus elixaĩ.3°.de ali.fa. 2ª.29.B

Leporinum ſanguinem comedentium quales deiectiones. in 1^{m}. prorrhe. commentario.1°. 4ª.165.A
Leporina pellis combuſta egit à proprietate in renum calculos. de ren. aff.dig. & med. 7ª.194.H
Leporinum ſtercus contritum ex vino calido ſumptum ad quid iuuet.de med.fac.par. 7ª.171.B
LEPRA quid.fin.med.47.H/intro. Iſa.57.C
Lepra, qui morbus ſit et quo modo differat, à leuce, ab ophiaſi, alopecia ptiloſi, myrmecia, vitiligine, ſphacelo, elephante, & ſcabie. 14°. methodi medendi. 7ª.92.C
Lepra cutem, totiuſq; corporis partes exagitat.intro. Iſa.59.D
Lepra eſt morbus euidens.de diff.mor. 3ª.3.D
Lepræ ſunt toto genere præter naturam.de diff.mor. 3ª.4.F
Lepra, ſcabies & elephas, ſunt melancholicæ affectiones. de tumoribus præter naturam. 3ª.84.E
Lepra affectus eſt melancholicus.3°.de ali.fac.2ª.25. G/ commenta. 7°. aphoriſmo.40°. Ex.57.B
in Lepram mutatus elephas in quodã fuit.11°.de ſimp.me.fa. 5ª.78.A
in Lepram facile tranſeunt lichenes.5°.de comp.me.ſe.lo. 5ª.160.C
ad Lepram ex elephantiaſi philoſophus quidam deuenit, & quo modo de ſubſ.empi. Iſa.34.A/B
Lepra non eſt quæ fit ex impetigine.1°.de comp.me.ſe.lo. 5ª.121.G
Lepræ quæ affectiones ſint leuiores.6°.de ſimp.me.fac. 5ª.41.E
Lepræ cur fiant verę.com.3°.aph.20°. Ex.24.A/B
Lepra contingit ſenioribus.in progn.com.3°. 4ª.210.D
Lepræ à quibus fiant humoribus.11°.de ſimp.med.fac. 5ª.78.E
Lepræ ab humore melancholico fiunt.de bo.& vit.ſuc. 2ª.39.D
Lepræ, ac ſcabiei inſtar, puſtulas in corpore aliqui contraxerunt, qui prauos cibos comederunt.1°.de diff.feb. 3ª.31.G
Lepram incidebant qui malos cibos ob annonæ penuriam ederant.de bonitate & vitio ſuccorum. 2ª.33.G
in Lepris ſuccus eſt multus, ſalſus, craſſus, & immotus.2°. de ſymptomatum cauſis. 3ª.23.H
Lepra quo modo curetur.intro.Iſa.59.C/5°.de compoſitione medicamẽtorum ſecun.locos. 5ª.160.H
in Lepræ principio minuuntur venæ iugulares.de ana.viu. Sp.55.A
Lepra quibus indigeat.5°.de comp.me.ſec.loc. 5ª.160.C
Lepra infeſtante vtimur catharticis.de dyna. Sp.20.D
Lepra affectis damus cholagoga.de dyna. Sp.20.G
Lepras quæ Alcyoniæ ſpecies ſanent.11°.de ſimp.me.fac. 1ª.83.C
Lepras ſanat cum aceto radix Anchuſæ onocleæ.6°.de ſimplicium medicamentorum facul. 5ª.41.D
Lepras detrahunt Anemonæ.6°.de ſimp.med.fac. 5ª.43.B
Lepræ conueniunt Balani recrementa.6°.de ſimp.me.fac. 5ª.41.D
Lepras curat Braſſica.7°.de ſimp.me.fac. 5ª.52.G
Lepras excoriant caulis & folia virentia Batrachij. 6°. de ſimplicium medicamen.facul. 5ª.44.G
Lepris congruentibus facultatibus miſcentur Cantharides.11°.de ſimp. medil.facul. 5ª.82.E
Lepras extergit Cicerum genus oribiæum appellatum. 6°. de ſimpliciũ medicamen.facul. 5ª.47.E
Lepras excoriat Clematis.7°.de ſimp.me.fac. 5ª.51.G
ad Lepras accommodi ſunt vtrique Ellebori.6°.de ſimp.me.f.5ª.47.C
Lepræ vtilis eſt elleborus niger.de dyna. Sp.21.A
Lepra extergitur Liliorum radice cum melle.7°.de ſimp.me.fa. 5ª.53.C
Lepras eijcit Nigella.7°.de ſimp.me.fac. 5ª.55.D
Lepras ſanat Platani cortex.8°.de ſimp.me.fac. 5ª.58.G
Lepris medentur ſales theriaci.de ther.ad Piſo. 5ª.97.E
ad Lepras Stercus caprinum valet.10°.de ſimp.me.fac. 5ª.76.E
ad Lepras valet Sulfur.9°.de ſimp.me.fac. 5ª.69.D
Lepram ſanat Vitis albæ radix.6°.de ſimp.me.fa. 5ª.42.F
Lepras ſanat Vlmi cortex.8°.de ſimp.med.fac. 5ª.59.G
Lepras detergit Vrina humana.10°.de ſimp.me.fac. 5ª.75.D
ad Lepras amouendas emplaſtrũ cõferẽs.6°.de cõp.me.p g.2ª.255.A
ad Lepras malagma.7°.de comp.me.per ge. 5ª.267.D
ad Lepram vnguentum.de dyna. Sp.30.E
Lepræ quid conferat.1°.de comp.me.ſec.loc.131.D/5°. 5ª.162.C
LEPRICIS, pſoricíſq;, & ſepticis facultatibus quidam miſcent ſalamandræ cinerem.11°.de ſimp.me.fac. 5ª.82.F
LEPROSI cur prurituexcitentur, cum tamen non iuuentur, etiam ſi excorientur.2°.de ſymp.cau. 3ª.23.H
Leproſos curat ciricus puluis.de dyna. Sp.30.B
Leproſis vtiliſſima eſt hiera ruffina.de dyna. Sp.30.D
Leproſos curat lac.de med.exper. Sp.106.D
Leproſis ſtigmata digerunt caulis, & folia virentia batrachij.6°.de ſimpli.medi.fac. 5ª.44.G
Leproſos vngues eximunt piſces.8°.de ſimp.me.fac. 5ª.58.E
Λεπτοκάρυον, id eſt auellana.7°.de ſimp.me.fac. 5ª.58.E
Λεπτοκάρυα nux pontica, & auellana, idem.2°.de alim.fac. 2ª.21.A
de Leptocaryis experimentũ fecit Galeni pr̃.de bon.& vi.ſuc. 2ª.36.G
Λεπτόφωνοι appellant̃ q ſũt exili voce.ĩ 1^{m}.de mor.vul.cõ.2°. 3ª.115.F
LEPTOSPHAERI, id eſt tenues orbes.de me.fac.par. 7ª.169.B
LEPVS animal timidum.1°.de vſu par. 1ª.113.D
Leporis corpus velox eſt, ſed nudum & inerme.1°.de vſu par. 1°.113.D
cur Lepores & cerui ſunt timidi, & habent cor magnum.de anatomia viuorum.46.H/ Sp.53.A
in Lepore iecur plurimũ ſiniſtræ partis occupat.6°.de ali.fa. 1ª.92.F
Leporum caro, qualis.de atten.vic. 2ª.45.F
Leporis caro non mala. de diff.cont. Sp.74.B
Leporum caro ſanguinem craſſiorem gignit, ſed melioris ſucci, quàm bubula, & ouilla.3°.de ali.fac. 2ª.26.A
cur Lepores numerentur inter craſſos cibos.de diff.cont. Sp.72.H
Leporis caro craſſitie ſua ſtringit ventrem.de diff.cont. Sp.75.B
Leporum carnes epilepticis conueniunt.de puero epil. 7ª.180.G
Lepores conueniunt ſtomachicis.8°.de comp.me.ſec.loc. 5ª.192.C
Lepus cibus habentium lapidem.de cura lap. Sp.112.A
ex Lepore taſea.de cura lap. Sp.112.E
Lepus non debet ſaliri.3°.de ali.fac. 2ª.33.C
LEPORIS caput ad alopecias valet.11°.de ſimp.me.fac. 5ª.79.G
Leporis cerebrum dentientibus pueris commodum. 11°. de ſimplicium medicam.facul. 5ª.79.G
Leporis cerebrum ex vino propinatur ad mingentes in ſtragulis. de medic.fac.par. 7ª.179.B
Leporis coagulum cæteris præſtat, comitialem morbum, & profluuium muliebre ſanare proditum eſt, & lac, & ſanguinem in ventre concretum diſſoluere.10°.de ſimp.me.fac. 5ª.74.D
Leporum ventres q̃uo faciãt ad caluicẽ.1°.de comp.me.ſec.loc.5ª.126.E
Leporis matrix ſiccata & trita ſi potui detur mulieri, quando fuerit à menſtruis purgata, ad conceptionem facit.de me.fac.par. 7ª.168.E
in Lepore ſanguis venæ non poteſt coagulari, quia tenuis eſt. de vtilitate reſpirationis. Sp.64.E
ex Leporum pilis molliuſculis medicamentum ad ſanguinem ſiſtẽdum. de curan.ra.per ſang.miſſ. 6ª.21.F
Leporis pilis excepta thuris pars vna, & aloes partis vnius ſemiſſi cũ oui candido miſta, medicamẽtum optimum ſunt ad ſanguinem ſupprimendum.5°.met.me. 7ª.30.H
de Lepore exemplũ ad propoſitũ accõmodatum.de opt.ſecta. Iſa.20.B
LEPVS marinus reſpirat vaporẽ p brãchias.de ana.viu. Sp.48.C
Lepus marinus quibus ſit ſubtilior, & quantum penetret, licet terrenæ ſit ſubſtantiæ.4°.de ſimp.me.fac. 5ª.30.B
Leporis marini qualitas nobis contraria eſt.7°.de vſu par. 1ª.159.H
Lepus marinus interimit erodendo.10°.de ſimp.me.fac. 5ª.73.H
Lepus marinus pulmonem exulcerat.de the.ad Piſo. 5ª.91.A
Lepus marinus pulmonem ſolum vlcerat.10°.de compoſitione medica. ſecundum locos. 5ª.209.H
Leporẽ marinũ qui comederint, quibus iuuentur.2°.de anti. 5ª.114.C
pro Lepore marino Alexiterium quod datũ.9°.de ſimp.me.f. 5ª.65.E
Lepore marino non nulli ad depilationem vtebantur. 11°. de ſimplicium medic.fac. 5ª.82.G
LEPVS vinculi nomen.de faſcijs. 7ª.293.H
Lepus eſt vinculum ſimul, & laqueus.de faſcijs. 7ª.293.H
Lepus ſine auribus eſt vinculi genus.de faſcijs. 7ª.295.C
Lepus ſine auribus, ſemirhombus, nauicula, idem vinculi genus. de faſcijs. 7ª.296.G
Lepus auritus quid ſit.de faſcijs. 7ª.297.C
LESBIVM vinum celebratiſſimum.de atten.vic. 2ª.46.D
Lesbium vinum in Aſia.de vinis. Sp.76.G
Lesbium vinum, quale.4°.de ſan.tu.84.G/5°. 2ª.90.H
Lesbium vinum fuluum odoratum.4°.de compoſi.me.ſec.loc. 5ª.152.B
Lesbium vinum odorum rutilum non conuenit bilioſis vel natura, vel alia cauſa.de bo.& vitio ſucc. 2ª.38.E
Lesbium vinum cholericis corporibus non eſt idoneũ.de vinis.Sp.76.G
Lesbium vinum non eſt dandum à ſole exuſtis.de vinis. Sp.76.H
Lesbium vinum dandum eſt phlegmaticis, & frigidis complexione, vel

frigidum aceruantibus humorem, vel ocioſe viuẽtibus, vel exiſtenti bus in hieme, vel conſtitutione frigida, & humida. de vinis. Sp.76.G
Lesbiũ vinũ pñt bibere ſenes, ſi caput ſit valẽtius. 5°. de ſa.tu. 2ª.90.H
in LESBO tria oppida. 12°. met.me. 7ª.76.E
LETALE quid ſignificet, & quo modo accipiatur apud Hippocratẽ com.6°. aph.18°. Ex.47.H
Letalis cauſus, & ſynochus quomodo cognoſcantur. de dyna. Sp.34.B
Letalia ſigna hepaticorum. de dyna. Sp.27.D
Letalia ſigna in ſplenitica paſſione. quæ. de dyn. Sp.27.D
Letalis eſt vrina male olens, & aquoſa, & atra, et craſſa. de vrinæ ſigni ficatione ex Hippocrate. Sp.78.G
Letalia quæ ſunt, quo modo iuuant multum. de victus ratione in morbis acutis, commen.2°. 7ª.118.D
Letale omne non eſt venenoſum. 6°. de comp.me.ſec.loc. 5ª.167.D
de LETALIBVS medicamentis non eſt locutus Galenus. 10°. de ſim-plic.medic.fac. 5ª.72.D
aduerſus Letalia medicamẽta valet terra lẽnia. 9°. de ſim.m.f. 5ª.65.A
ad Lætalia pharmaca antidotus. 8°. de comp.me.ſec.loc. 5ª.195.B
ad Lætalia pharmaca antidotus Ariſtarchi, qualis. 7°. de compoſitione medicamentorum ſec.loc. 5ª.186.A
non ſolum LETHARGICIS, ſed etiam phreneticis coma accidit. de com. 3ª.50.A
Lethargicorum febres, quales. 11°. de ſimp.me.fac. 5ª.80.C
Lethargicorum pulſus, qualis. de pul. ad tir. 45.F/1°. de dign.pul. 71.A/ 4°. de cau.pulſ. 4ª.101.F/comp.pulſ. Sp.65.G
Lethargica febris à nõnullis veteribus medicis eſt dicta. in 6m. de mor. vulg.commen.1°. 3ª.159.D
Lethargicus qui eſt moriturus. de dyna. Sp.24.F
Lethargicis remedia capiti applicantur. 3°. de loc.aff. 4ª.17.B
Lethargicorum capitis fomentationibus adhibetur ſerpyllum. de ſimpli cibus medicamentis. Sp.84.B
ad Lethargicos affectus caſtoreum commodum eſt. 11°. de ſimplicium medic.facul. 5ª.80.C
LETHARGVS quid. fin.med. 47.A/intro. Iſa.56.D/ de ſymp.diff. 3ª. 11.G/in 1°. pror.com.1°. 4ª.161.D
Lethargus quid ſit, ex quo fiat. 13°. met.me. 7ª.85.F
Lethargus morbus, qui. 13°. me.me. 7ª.85.F
Lethargus eſt cum febre. 3°. de loc.aff. 4ª.17.A
Lethargus morbus eſt acutus. fin.med. Iſa.45.F/de vic.ra. in mor.acu. commentario.1°. 7ª.108.H
Lethargus, & phrenitis morbi acuti, & periculoſi ſunt. in 1m. de morb. vulga.com.3°. 3ª.117.C
Lethargus morbus longus intrinſecus. intro. Iſa.56.B
Lethargi ſunt ægritudines capitis. de virt.noſt.corp.diſp. Sp.60.B
Lethargus accidit cerebro affecto, aut per ſe, aut conſenſum. 17°. de vſu partium. 1ª.222.F
in Lethargo mens primo eſt læſa. 2°. de loc.aff. 4ª.13.F
in Lethargo & ſopore, ratio & memoria ſimul amittuntur. 3°. de locis affectis. 4ª.16.B
ex Lethargo memoriæ, & prudentiæ læſionibus corripiũtur homines. q animi mores. 1ª.318.A
in Lethargo nullum eſt ſignum loci affecti. 3°. de loc.aff. 4ª.16.B
Lethargus imbecillus, cur. 3°. de ſymp.cauſ. 3ª.29.D
Lethargi cauſa, quæ. intro. Iſa.56.D
Lethargus fieri poteſt ab intemperie. 3°. de loc.aff. 4ª.20.B
Lethargus à vehementi frigore fit. 3°. de lo.aff. 4ª.20.B
Lethargus à quo fiat humore. 1°. de ſymp.cauſ. 3.19.B
Lethargus fit ex humore pituitoſo. 4°. de cau.pulſ. 101.H/ 4ª.102.A
cur Lethargum inducat pituita atque omnino frigorifica, non compe-rit Galenus. q animi mor. 1ª.318.A
Lethargus qũo, & cur fiat conſiſtentibus. com.3°. aph.30°. Ex.26.F
Lethargus morbus quo lunæ aſpectu fiat. de decubitus prognoſtica ex mathematica ſcientia. Sp.12.G
ex Lethargo & phrenitide commixtus affectus qui, ſecũdum aliquos. de comate. 3ª.50.A
inter Lethargum, & phrenitidem morbi deſcriptio. 4°. de cauſis pul-ſuum. 4ª.102.D
Lethargum referentes cataphoræ. de typ. 3ª.90.F
Lethargus qũo fiat, & qui pulſus. 4°. de præſag.ex pul. 4ª.121.A
in Lethargo pulſus vndoſus eſt. 2°. de præſag.ex pulſ. 4ª.112.G
in Lethargo cauſa præcedens pulſus mollis, quæ. 1°. de præſagitione ex pulſibus. 4ª.109.D
Lethargi curatio, quæ. intro. Iſa.56.D/de dyna. Sp.24.F
in Lethargo ſtatim ab initio vena ſecanda eſt. 13°. met.me. 7ª.85.E
in Lethargo, & phrenitide cucurbitæ cõueniunt. 13°. met.me. 7ª.85.F
in Lethargo palatum acribus inungendum eſt. 13°. met.me. 7ª.85.F
in Lethargo medicamenta capiti applicantur. 1°. de ſymp.cau. 3ª.19.B
Lethargum ſanantia, & quæ naribus applicanda. 13°. met.me. 7ª.85.F
Lethargus ſternutamentis iuuatur. de inſtr.odor. 1ª.112.D
in Lethargo ſternutatoria conueniunt. 13°. met.me. 7ª.85.F
in Lethargo vtimur oleo roſaceo & aceto. 2°. de cõ.me.ſe.lo. 5ª.134.A
in Lethargo aceto vti non debemus. 2°. de comp.me.ſec.lo. 5ª.134.C
Lethargo laborantes quo medicamento illinendi. 2°. de compoſitione medica.ſecun.loc. 5ª.140.C
in Lethargo aliquando opus eſt præſidiorum quæ capiti adhibẽtur, ve-hementiam vſq; ad ſinapi augere. 13°. met.me. 7ª.85.F
in Lethargo quo modo caſtoreũ probe concoquit. 13°. met.me. 7ª.85.F
Lethargus quo modo finiat. 3°. de criſi. 4ª.139.E
LEVCACANTHON cuius facultatis radicem habeat. 6°. de ſimplicium med.fac. 5ª.41.H
Leucacanthon incidit, & exiccat in tertio ordine, calfacit in primo. 7°. de ſimp.med.fac. 5ª.54.C
LEVCAS eſt calida & ſicca in tertio ordine. 7°. de ſimplicium medica mentorum facul. 5ª.54.C
LEVCE, ideſt populus alba, cuius facultatis. 7°. de ſimplicium medi-camentorum facul. 5ª.54.D
LEVCE, id eſt vitiligo alba vnde nomẽ habuerit. 2°. met.me. 7ª.9.E
Leuce q morbus ſit, et qũo differat ab ophiaſi alopecia, ptiloſi, myrme-cia, vitiligine, ſphacelo, elephãte, ſcabie, et lepra. 14°. me.m. 7ª.92.C
Leuce, affectus cutis intro. Iſa.59.D
Leuce mutat naturalem colorem. de ſymp.diff. 3ª.13.B
in Leuce quo modo mutetur color, diſputatio. de ſymp.diff. 3ª.12.H
Leucis defœdati caro, qualis. 3°. de ſymp.cau. 3ª.26.D
Leuce toto genere præter naturam eſt. de diff.mor. 3ª.4.F
Leuce, qualis. 1°. de comp.me.ſec.loc. 5ª.121.D
Leuce vnde oriatur. 3°. de ſymp.cau. 3ª.26.C
Leuce vitiliginum ſpecies à pituita genita. contra Iul. Ex.67.E
Leuce prouenit à vitioſa nutritione. de ſymptomatum differentijs. 12.A 3°. de ſymp.cauſ. 25.B/ 3ª.26.E
Leuce cuius virtutis ſit error. 3°. de ſymp.cau. 3ª.26.G
Leuce quo modo fiat. 1°. de nat.fac. 1ª.292.F
Leuces ſymptomata, quæ. de ſymp.diff. 3ª.12.H
Leucas tollit bouis talus illitus. de theria. ad Piſo. 5ª.93.E
ad Leucas quid conferat. 5°. de comp.me.ſec.lo. 5ª.162.D
LEVCI emplaſtrum melinum. 1°. de comp.me.ſec.loc. 5ª.130.H
LEVCIS copioſe oriuntur caſtaneæ. de bo. & vi.ſuc. 2ª.36.C
LEVCIPPVS primus atomos excogitauit. de hiſt.phil. Sp.2.G
Λευκίσκος piſcis fluuialis in quo differat à mugili. 3°. de ali.fa. 2ª.30.D
LEVCOIVM amarum eſt. 7°. de ſimp.me.fac. 5ª.54.C
Leucoium non malum medicamentum ad phlegmonen. 7°. de ſimpliciũ medic.facul. 5ª.54.D
Leucoij decoctum vteri phlegmones ſanat, cum cerato vlcera ægre ad cicatricem peruenientia curat, cum melle ad aphthas adhibetur. 7°. de ſimp.me.fac. 5ª.54.D
Leucoij florum decoctum menſes mouet, & locos, partumq; emortuum elicit, & ſi bibatur abortum facit. 7°. de ſimp.me.fac. 5ª.54.D
Leucoij ſemen menſibus ciendis conuenire creditur, partumq; viuẽtem interficere, & mortuum eijcere. 7°. de ſimp.me.fac. 5ª.54.C
Leucoij flores ſicciores oculorum cicatrices craſſas extenuat. 7°. de ſim plicium med.fac. 5ª.54.C
Leucoij radices lienes induratos ſanant, & phlegmonas induratas cu-rant. 7°. de ſimp.me.fac. 5ª.54.D
LEVCOMA affectus viridis oculorum. intro. Iſa.58.D
ad Leucomata applicatur phorbium. 8°. de ſimp.me.fac. 5ª.63.D
ad Leucomata. de fac.par. 7ª.170.D
LEVCONOTVS ventus qui. in 3m. de mor.vul.com.3°. 3ª.141.C
LEVCOPHLEGMATIAS quos græci appellent. de mult. 81.F/in 3m. de mor.vul.com.3°. 3ª.146.D
Leucophlegmatias hydrops, aquæ intercutis eſt ſpecies, & vnde nomẽ habuerit. 2°. met.me. 7ª.9.E
Leucophlegmatia à Grecis dicitur aqua intercus ab alba pituita. com-men.7°. aph.70°. Ex.60.G
Leucophlegmatia ſpecies eſt aquæ intercutis & humoris. in 3m. de mor. vulg.com.3°. 3ª.146.D

Leucophlegmatias hydrops dictus quando fiat.3°. de ſymp.ca. 3ª.26.C
in Leucophlegmatia ſanguis pituitoſus eſt per totum corpus. 5°. de locis affectis. 4ª.33.H
Leucophlegmatias adiuuat ther.de ther.ad Piſo. 5ª.96.D
LEVCOPYRON *malagma.7°.de comp.me.per gen.* 5ª.266.H
LEVIGAT *exaſperata tragacāta.7°.de comp.me.ſec.loc.* 5ª.179.A
LEVIGENTVR *quo modo herbæ ſciendum eſt.3°.de compoſitione medi.per genera.* 5ª.234.B
Leuigantur facile ſimplicia medicamenta quæ ex ſuccis, & liquoribus reſiccatis proueniunt.4°.de comp.me.per gen. 5ª.237.H
Leuigentur ſemper primo ſimplicia ſicca & terreſtria. 4°. de compoſt. me.per genera. 5ª.237.H
Leuigentur quæ in ſole.in 6°. de comp.me.per gen. 5ª.255.B
Leuigat ſua aſperitate pumex.de ſimp.me. Sp.88.H
Leuigantur quæ prius erant aſpera.de cau.mor. 3ª.9.C
à LEVIORIBVS *inchoandum, & procedendum ad fortiora.de oculis.* 7ª.189.G
à Leuioribus conſuetis laxare naturam debes.de mc.exper. Sp.108.H
LEVIRAIA, *raia,ſquatina omniaq́, huiuſmodi duriora ſunt, & concoctu difficiliora,alimentiq́, copioſioris quàm torpedo & Paſtinaca. 3°.de alim.facul.* 2ª.32.E
LEVI *aſperum opponitur.de ijs,quæ in medi.fi. com. 3°. 7ª. 215. B/ de vrinæ ſignifi.ex Hippo.* Sp.79.B
Leue opponitur ſicco.de ijs,quæ in med.fi.com.3°. 7ª.215.E
Leue quid ſit.in progn.com.2°. 4ª.199.G
Leuia habent aeream ſubſtantiam.9°.de ſimp.me.fac. 5ª.66.C
*Leue natura corpus eſſe non pōt,niſi ſit inane.1°.de ſimp.me.fac.*5ª.4.G
Leue,et dēſum qđ eſt,neceſſario mēbranoſum eſt.4°.de vſu p. 1ª.137.D
Leuia ne ſint,an pinguia,vel lenta nō ſunt conſideranda quæ corpus humanum calefacere,humectare,frigefacere,& exiccare debent.1°.de ſimp.me.facul. 5ª.2.E
Leues facit cholera rubra.de dyna. Sp.19.E
Leues homines & turbulenti,deliri,facile fiunt,contrarij difficulter.in 3^{m}*.de mor.vul.com.3°.* 3ª.151.H
Leuis corporis flatus comparatur tranquillitati maris.in 6^{m}*.de morb. vulga.commen.3°.* 3ª.177.B
Leuis,& paucus quando eſt ſomnus,cibis ſubtilibus nutriendum eſt.de diſſolutione continua. Sp.71.G
Leuia facile abſoluuntur.de diff.vuluæ. 1ª.109.E
Leues cur ſint nerui.de anat.viu. Sp.53.G
Leuis carnis,paucæ pinguedinis ſaliti piſces ſunt cibi ſalſi, diſſoluentes, & attenuantes.de diff.cont. Sp.72.F
Leuis & facilis ponderis an ſit aqua, eſt conſiderandum ad cognitionē aquarum bonarum,& malarum.de bon.aquæ. Sp.76.A
Leue vinum boni odoris,in quo eſt dulcedo pauca,bonum generat humorem inter tenuem,& craſſum.de diff.cont. Sp.73.H
Leuis,& ſubrubra hypoſtaſis in vrina ſubrubra quid ſignificet. de vrinæ ſignifi.ex Hippo. Sp.78.F
Leuem albam & æqualē eleuationem habens vrina deterior eſt. de vrinæ ſignifi.ex Hippo. Sp.79.B
Leuem hypoſtaſim, inquit Galenus, vocat Hippocrates eam quæ eſt continua,& indiuiſa.de vri.ſign.ex Hippo. Sp.79.B
Leue debet eſſe quod inijcitur oculis.13°. met.me. 7ª.86.B
Leuia per ſuperiores meatus excernuntur.9°.de vſu par. 1ª.171.D
Leue præcedit,& graue ſequitur in euacuationibus quæ fiunt per inſtrumenta.4°. de vſu par. 1ª.160.F
Leuia quæ prius erant aſperantur.de cau.mor. 3ª.9.C
LEVES *faſciæ fiunt,ne onere infeſtent.de faſcijs.* 7ª.293.G
LEVISSIMVM *cum ſit ſcammonium,facile ad corpus attrahitur. de dynamidijs.* Sp.20.H
LEVITAS *rerum oſtendit rem eſſe raram.1°.de ſimp.med.fac.* 5ª.4.G
*Leuitate ꝓbatur aliquid eſſe aeriæ ſubſtātię.9°. de ſimp.me.fa.*5ª.66.A
Leuitas à quibus fiat.de cau.mor. 3ª.9.C
Leuitate non ſunt quærendæ qualitates rerū.3° de ſimp.me.fac. 5ª.17.C
Leuitas in aqua vnde ſumatur.com.5°.aph.26°. Ex.39.H
LEVITAS *inteſtinorum morbus exibile.contra Iul.* Ex.67.G
Leuitatis inteſtinorum & renum differentia.6°.de loc.aff. 4ª.38.A
Leuitas inteſtinorum ſubito fieri non poteſt.6°.de loc.aff. 4ª.37.H
Leuitate inteſtinorum laborantes non nulli hectica capti ſunt.1°. de differentijs febrium. 3ª.35.F
vt Leuitas inteſtinorum circa aluum,ita circa veſicam diabete contingit.1°.de criſibus. 4ª.129.H
ad Leuitatem inteſtinorum.de med.fac.par. 7ª.167.F
Leuitas inteſtinorum,lege Inteſtinorum leuitas.
Leuitate non fruſtra partium opifex natura molitur.de dif.mor. 3ª.4.E
Leuitas in oſſibus ob quæ fiat.de cau.mor. 3ª.9.C
in Leuitate morbi qui.de diff.mor. 3ª.4.E
Leuitas in quo genere ſit ægrotationis.de diff.mor. 3ª.3.A
LEX *quid ſit.ꝑ animi mor.* 1ª.320.A
Lex quid ſit ciuitatibus.de ijs,quæ in med.fi.com.2°. 7ª.206.H
Legem ferre in primis Deorum eſt.an animal ſit. 1ª.328.E
Lege quo modo omnia diſpoſuit Deorum pater.an animal ſit. 1ª.328.C
Leges Moyſis,& Chriſti nulla conſtitutæ ſunt demonſtratione. 2°. de differentijs pulſuum. 4ª.54.D
Leges auerſāt aius virilis & magnanimi natura.de aere, aquis.2ª.5.B
Legum peritia ars eſt nobilis.in orat.ſuaſ. Iſa.5.G
Leges quæ communes.an animal ſit. 1ª.328.D
Lex dura quæ.3°.de dif.pulſ. 4ª.63.F
p Leges hæredes inſtituuntur qui nondum ſunt nati.an ani.ſit. 1ª.328.E
Legibus punitur qui cauſa eſt abortus.an animal ſit. 1ª.328.E
Lex nulla eſt tranſcribentibus poſita, hinc pro arbitrio ſuo agere pñt. com.7°.aph.65°. Ex.60.E
Lex falſò contradicentibus ſtatuta nulla eſt.contra Iul. Ex.66.B
Lex Adraſtiæ qualis.6°.de vſu par. 1ª.152.E
Legis caſus à Galeno proponitur,& quare.de cau.procatar. 3ª.98.E
Legis caſus alius ad propoſitū accōmodatus.de cau.procatar. 3ª.98.E
Legis caſus de medico qui venenum dedit.de cau.procatar. 3ª.99.F
LEGISLATORES *antiqui cur maxima ſcelera in multa reliquere.de purg.med.fac.* 5ª.86.B
LEXOPYRETON, *id eſt febrem finiens, acopon. 7°. de compoſitione medi.per genera.* 5ª.270.A
Lexopyretos ſymphonos medicamentum,quale.7°. de compoſitione medicamentorum ſecun.locos. 5ª.182.D

LIBA

LIBA *quæ.1°.de ſemi.* 1ª.330.B
Λιβάδ´ας quid appellent græci.2°.de ali.fac. 2ª.22.E
LIBANOTVS. *7°.de ſimp.mc.fac.* 5ª.54.D
LIBANOTIS *coronaria ad quid conferat.7°. de ſimplicium medicamentorum facul.* 5ª.54.E
Libanotides emolliunt & digerunt abſtergentisq́, omnes ac incidentis facultatis participes ſunt.7°.de ſimp.me.fac. 5ª.54.E
Libanotidos per os,prouocant ſudorem.de cathar. Sp.95.D
in LIBANO *monte quotannis manna cadit.3°.de ali.fac.* 2ª.32.F
LIBELLAE *inter cetacea connumerantur.3°.de ali.fac.* 2ª.32.E
Libellę piſces habent carnem duram.3° de alim.fac. 2ª.31.E
LIBRI *quid ſint.1°.de ali.fac.* 2ª.9.E
Libri in membranis & Tiliæ codicibus ſcribebantur.de ijs, quæ in medica.fi.commen.1°. 7ª.197.E
ad Libros gluten quod præparant, cuius facultatis. 7°. de ſimplicium medic.facul. 5ª.52.A
Liber nullus habuit falſum titulum ante ætatem Regum Alexandriæ et Pergami.de nat.hu.c.1°. 1ª.24.G
de Libris comparandis fuit certamen inter Attalum, & Ptolemæum reges.de nat.hum.c.2°. 7ª.181.D
Librorum precium à Ptolemæo Athenienſibus datum.in 3^{m}*.de morbis vulg.com.2°.* 3ª.137.A
in Libris non obſcure ſcriptis lucrantur prudentes homines.6°.de com poſi.me.ſec.loc. 5ª.166.G
Libri titulum negligit Galenus.in 1^{m}*.pror.com.1°.* 4ª.160.F
Librum aliquem non eſſe alicuius auctoris poteſt à loquendi modo, & ab ipſa re probari.com.7°.aph.63°. Ex.59.H
in Libro non licet ponere omnia.in 6^{m}*.de mor.vul.c.2°.* 3ª.171.D
in Libris diuerſis eadem non ſunt repetenda,ne tempus conteratur.2°. de decretis Hippocratis. 1ª.234.E
Libri non debent eadem repetere,ſed potius in memoriam reuocare.cō. 1°.aphoriſ.12°. Ex.5.B
*Libro quid cōueniat,& quid expoſitori.ī præfa.cōmē.ſeptimi.*Ex.53.H
Libro amiſſo ſcire debemus quæ ſunt in libro.2°.de compoſitione medi. per genera. 5ª.218.B
Libris meliores ſunt præceptores ad diſcendum.3°.de loc.aff. 4ª.15.A
*à Libro diſcere, & à viua voce nō idē.6°.de comp.me.ſec.lo.*5ª.166.G
ex Libro gubernare ſecūdū parœmiā.3°.de comp.me.per ge. 5ª.231.F
Libris ſi liceret addere, omnia deprauarentur.in 6^{m}*.de morbis. vulga, commentario.2°.* 3ª.168.D

Librorum ſerui fiunt, qui alicui ſectæ ſunt addicti. in 6^{m}. de morb. vulg. commenta. 2°. 3ª.165.A
Liber ſecundus, à primo ſcriptus adornatus digeſtusq́; quo modo intelligatur. de vict. rat. in mor. acut. c. 1°. 7ª.108.F
Librorum coemptionem, comparationemq́; numerat inter res ęgregias. de cog. cur. animi morb. 2ª.55.A
in Libro alicuius ſapientis ſi mendacium manifeſtum deprehendamus potius dubitandum eſt nos non intelligere, quàm illum erraſſe. com. 6°. aphoriſmo. 34°. Ex.50.B
Libros veterum non facile eſt intelligere, ſi deſint qui curioſe exponant. 2°. de ſanitate tuenda. 2ª.72.B
Libros vtiles defecturos non eſt metuendum, ēt ſi in tota vita quis aliud nihil quam de medicamentis legere velit. de ſimp. me. fac. 5ª.40.A
LIBROS cur Galenus ſcripſerit. in 3°. de morb. vulg. commenta. 1°. 3ª. 134.E/7°. met. me. 7ª.43.B
Librorũ capita in ſuã vtilitatẽ tm̃ ſcribebat Galenus. 7°. me. m. 7ª.43.C
Libros multos quo tpe Galenus ſcripſit. de præcog. ad Poſth. 4ª.218.C
Librum Galeni ab alijs diſtinctum, in quo ponit ordinem omnium ſuorũ librorum. com. 3°. aph. 30°. Ex.26.F
Librorum Galeni quidam ordo. 1°. de comp. me. per genera. 5ª. 210.D/ 2°. meth. med. 7ª.13.B
Liber Galeni magis iuuatiuus cæteris qui ſit. ſecre. Sp.96.H
Libri qudam Galeni Romæ combuſti ſunt ob incendium. 1°. de ana. adm. 1ª.63.C/10°. de comp. me. ſec. loc. 5ª.209.G
Liber quem, Galenus promittit, quis. de palp. 3ª.55.E
Liber de viribus naturalibus præcedit librum de differentijs febrium. 2°. de diff. feb. 3ª.41.F
in Libris de ſanitate tuenda, ad quod conſiliũ omne direxerit Galenus. 8°. methodi medendi. 7ª.58.H
Librum de differentijs febrium præcedit liber de viribus naturalibus. 2°. de differentijs febrium. 3ª.41.F
Libri epidemiorum, & aphoriſmorum drĩa. in progn. com. 3°. 4ª.212.B
Liber epidemiorum poſt librum aphoriſmorum. in progn. c. 3°. 4ª.212.B
Liber de morbis vulgaribus ſequitur librum prognoſticorum. in 1^{m}. de morb. vul. com. 2°. 3ª.112.D
Liber de morbis vulgaribus poſt librum prognoſticorum exponendus. in progn. com. 1°. 4ª.190.G
Librum ſecundum epidemiorum commentatus eſt Galenus. in 6^{m}. de morb. vulg. com. 2°. 3ª.162.D
Liber de maraſmo quibus ſcriptus. de marc. 3ª.48.F
Librum de ſymptomatum cauſis præcedit liber de virtutibus naturalibus. 2°. de ſymp. cau. 3ª.21.B
Liber de morborum & ſymptomatum differentijs ante methodum legẽdus. 2°. met. me. 7ª.13.C
Liber de ſymptomatum cauſis non eſt legendus ab hebetioribus. 2°. de ſymptomatum cauſis. 3ª.21.A
in Libro de ſymptomatum cauſis nullam opinionẽ refellit Galenus. 2°. de ſymptomatum cauſis. 3ª.21.B
in Libris de ſymptomatum cauſis primo & ſecundo quid faciat Galenus. 2°. de ſymp. cau. 3ª.24.B
in Libro tertio de ſymptomatũ cauſis qd agẽdũ. 2°. đ ſymp. cau. 3ª.24.B
Librũ de locis affectis cõpoſuit Galenus ĩ ſenectute. 3°. de loc. af. 4ª.13.C
Librum de locis affectis Galenus ſenex compoſuit. tamen non intelligebat Archigenem. 2°. de loc. aff. 4ª.13.A
Librũ de locis affectis pp amicos cõpoſuit Galenus. 2°. đ loc. af. 4ª.13.C
in Libro de locis affectis quid ſit acturus Galenus. 1°. de loc. af. 4ª.4.F
in Libris de locis affectis de his quæ ſenſu non percipiuntur, agit Galenus. 4°. de loc. aff. 22.B/6°. 4ª.37.B
in Libro de locis affectis apparentia manifeſte non tractantur. 5°. de locis affectis. 31.H/6°. 4ª.33.B
Libro tertio de locis affectis quid acturus erat Galenus, & quæ ex conſequenti egit. 3°. de loc. aff. 4ª.21.C
in Libro quarto de locis affectis Galenus agit de faciei partibus, quæ inrinſecus afficiuntur. 4°. de loc. aff. 4ª.21.E
in Libro quarto de locis affectis nõ loquitur de affectibus notarum particularum Galenus. 4°. de loc. aff. 4ª.22.F
Librorum de pulſibus ordo. 1°. de præſag. ex pulſ. 4ª.104.C
Libri de pulſibus in quot partes diuidantur. 3°. de dif. pul. 4ª.59.D
Liber de diebus decretorijs ꝓgnoſtica præcedit. in progn. c. 1°. 4ª.190.E
Liber Prorrheticus non eſt Hippocratis. in 1^{m}. pror. com. 1°. 4ª.162.E
ante Librum de ratione victus in morbis acutis Galenus expoſuit librum prognoſticorum, librum de humoribus, & aphoriſmos. de vic. ratione in mor. acu. com. 2°. 7ª.123.E
Liber prænotionum quibus careat. 3°. de diff. reſp. 3ª.73.D
Libri de ſimplicium medicamentorum facultate quot ſint. 1°. de compoſitione med. per gen. 5ª.210.A
Libri de ſimplicium medicamẽtorum facultatibus ſunt vndecim. 6°. de comp. me. per gen. 5ª.257.C
Liber de ſimplicium medicamentorum facultatibus præcedit librum methodi. 3°. met. me. 7ª.20.A
Liber de ſimplicium medicamentorum facultatibus cur accurate legendus, & ad quid valeat eius doctrina. 1°. de ſymp. cau. 3ª.17.D
Libro ſexto, ſeptimo, & octauo de ſimplicibus quid agat Galenus. 7°. de ſimplicium med. fac. 5ª.177.H
Librum nonum de ſimplicium medicamentorũ facultate poſt viginti annos à præcedentibus compoſuit Galenus. 9°. de ſimp. me. fac. 5ª.70.C
Librum promittit Galenus, in quo agit de his quæ agunt à proprietate ſubſtantiæ. 11°. de ſimp. me. fac. 5ª.82.A
Liber ſimplicium ante librũ methodi legendus eſt. 4°. met. me. 7ª.24.B
Librum fecit Galenus de medicamentis. 14°. met. me. 7ª.92.H
Liber de componendis medicamentis ſequitur librum methodi meden. 3°. methodi medendi. 7ª.20.A
Librum de medicamentorum compoſitione edidit Galenus ante librum methodi medendi. 6°. met. me. 7ª.37.F
Liber de compoſitione medicamentorum ſecundum genera præcedit librum de compoſitione medicamentorum ſecũdum locos. 1°. de comp. med. ſecun. locos. 5ª.121.C
Librorum de compoſitione medicamentorum per genera ordo. 2°. de cõpoſi. med. per gen. 5ª.218.D
ante Librum de compoſitione medicamẽtorum per genera, Therapeutica & libri de ſimplicium medicamẽtorum facultatibus legi debẽt. 2°. de comp. me. per gen. 5ª.218.F
Liber de catharticis Romæ crematus eſt. de cathar. Sp.94.D
ex Libris Galeni, de deriuatione. de cucur. ſcar. 6ª.4.E
ex Libris Galeni, de reuulſione. de cucur. ſcar. 6ª.4.F
Liber de curandi ratione, prognoſtica præcedit. in progn. c. 1°. 4ª.19.H
Librum methodi debet præcedere liber de morborum, & ſymptomatũ differentijs, & cauſis. 2°. met. me. 7ª.13.C
ante Librum methodi Galenus ſcripſit librum de compoſitione medicamentorum. 6°. met. me. 7ª.37.E
in Libris methodi propoſitum Galeni. 5°. met. me. 7ª.33.C
Librum de ratione victus in acutis cur inordinatum iudicat Galenus. de vic. rat. in mor. acut. com. 2°. 7ª.125.B
Liber inſcriptus quæ in medicatrina fiũt ante omnes Hippocratis libros legendus eſt. de ijs, quæ in med. fi. com. 1°. 7ª.197.F
Liber de medicatrina cuius ſit Hippocratis. de fract. com. 1°. 7ª.223.F
Liber medicus dictus continet commune totius medicinæ exordium. de ijs, quæ in med. fi. com. 1°. 7ª.197.F
Liber de fracturis & de articulis præcedit librum de ijs quę fiunt in medicatrina. de ijs, quæ in med. fi. com. 2°. 7ª.219.F
Librum de obſcuris motibus cõpoſuit Galenus. de muſc. diſſ. 1ª.44.F
ĩ Libris qũo committantur errores. de ijs, quæ in med. fi. cõ. 2°. 7ª.210.E
Librũ placitorũ fecit Alexãder Philalethes. 4°. de dif. pul. 4ª.66.F
Libri optimi Andromachi cur ab omnibus neglecti. 6°. de compoſitione med. per genera. 5ª.257.F
ex Libris Antylli de Hirudinibus. de cucur. ſcar. 6ª.4.B
ex Libris Apollonij, de ſcarificatione. de cucur. ſcar. 6ª.3.G
Librum de parabilibus ſcripſit Apollonius. 11°. de ſimp. me. fa. 5ª.82.H
Librum de reſtauratione læſæ memoriæ edidit Archigenes. 3°. de locis affectis. 4ª.15.E
Libros vndecim epiſtolarum ſcripſit Archigenes. 3°. de loc. af. 4ª.15.F
Librum compoſuit de longarum affectionum notitia Archigenes. 3°. de locis affectis. 4.20.D
Libros tres ſcriptis Archigenes đ locis patiẽtibus. 1°. de criſi. 4ª.136.C
Libri Cleopatræ Geneſiæ. de paſſ. mul. Sp.95.G
Liber Crateuæ. de virt. cent. Sp.92.H
Libri tres de oculis à Demoſthene compoſiti. 4°. de diff. pulſ. 4ª.66.G
Librũ ſcripſit de curatione cãæ paſſionis Diocles. c. 6°. aph. 1°. Ex.46.G
Libros diuiſionũ vel ſectionũ edidit Eraſiſtratus. c. 6°. ap. 50°. Ex.52.G
Librũ compoſuit Eraſiſtratus de ventriculo. com. 6°. aph. 1°. Ex.46.B
Librũ de ſanguinis euacuatiõe ſcripſit Eraſiſtratus. 5°. de l. af. 4ª.30.A
Librum de pulſibus contra Herophilum fecit Heraclides. 4°. de differẽtijs pulſuum. 4ª.66.F
Liber Heraclidis Pontici Apnus inſcriptus eſt. 6°. de loc. af. 4ª.39.E

Libri Hip-

Libri Hippocratis quo mõ fuere ſcripti.ĩ 6^{m}.đ mor. vul.cõ.2°.3ª.162.G
Libros hippocratis cantabat Eraſiſtratus per ciuitates amore medicinę de cathart. Sp.94.C
Libri Hippocratis multi periere,ſi quæ pollicitus eſt ſcripſit. de articula.commentario.3°. 7ª.270.C
Libri Hippocratis qui non habentur.de art.com.3°. 7ª.271.F
Libri proprie Hippocratis,qui.3°.de diff.reſp. 3ª.69.E
Liber de aere,aquis,& locis quid tractet.3°.de diff.reſp. 3ª.73.D
Liber de natura humana eſt Hippocratis.de nat.hum.c.1°. 1ª.26.D
Librum de humana natura eſſe Hippocratis probatur. de natura humana,commenta.1°. 1ª.26.E
Librum de natura humana eſſe Hippocratis,ex Platonis teſtimonio declaratur.de nat.huma.c.1°. 1ª.33.G
Liber de natura humana non eſt Hippocratis ſecundum aliquos. de natura humana.com.2°. 7ª.181.D
Liber de humana natura Hippocrati adſcriptus, & liber de valentium victu Polybi fuere ſimul poſiti.de nat.hu.c.2°. 7ª.181.D
Liber de morborum differentijs germaniſſimus Hippocratis. de natura humana,com.1°. 1ª.26.G
Librum de alimentis Hippocratis adducit Galenus.1°. de compoſitione medic.per genera. 5ª.216.H
Liber de ſalubri victu non eſt Hippocratis,& cuius ſit. de vict. rat. in mor.acut.com.1°. 7ª.111.C
Librum alium de mor.acutis ſe ſcripturum promittit Hippocrates. de vict.rat.in mor.acut.com.2°. 7ª.124.B
Liber de ſacro morbo eſt Hippocratis.in progn.c.1°. 4ª.190.D
Librum quendam ex quo Hippocratis decretum adducitur, legitimum eſſe Hippocratis negat Galenus.de marc. 3ª.46.A
Liber de morbis Hippocratis adſcriptus eſt.in 6^{m}.de morbis vulgarib. commenta.1°. 3ª.159.H
Liber Lyci de muſculorũ diſſectione cur prolixus.de muſc.diſſ. 1ª.44.C
in Libris ſuis longiſſimi fuerunt Menemachus & Menodotus.ad Thraſybulum. 2ª.106.C
Libri Platonis docentes qua methodo definiendũ, quinam ſint.4°.de differentijs pulſuum. 4ª.67.D
Librum fecit de paſſionibus Polybus diſcipulus Hippocratis. com.6°. aphoriſmo.1°. Ex.46.D
Librum fecit de aſſidentibus Praxagoras.com.6°.aph.1°. Ex.46.C
Liber Praxagoræ de ſuperuenientibus.com.6°.aph. 35°.50.C/ commẽ. 7°.aphor.15°. Ex.55.A
Libri de naturalibꝰ Praxagoræ meminit Galenus.c.5°.a.45°. Ex.41.G
Librum de medicamentis fecit Theſſalus.4°.met.me. 7ª.25.C
Librum de chirurgia fecit Theſſalus.4°.met.me. 7ª.24.G
LIBERVM *arbitrium tollit Andronicus.de ſper.* Sp.40.D
LIBERA *vitalis facultas.1°.de diff.reſp.* 3ª.61.D
ꝑ LIBERIS *vita deſpicienda eſt.4°.de decr.Hipp.* 1ª.249.B
LIBERAT *à peſtilentia crurum ſcarificatio.de cuc.ſcar.* 6ª.4.B
cur LIBIDINOSI *ſint melancholici.in 6^{m}.de mor.vul.c.3°.3ª.171.H*
LIBIDO *quæ complectatur.de atten.vic.* 2ª.53.A
ad Libidinem excitant alimenta quæ plurimum ſeminis pariunt.6°. de locis affectis. 4ª.42.F
in Libidinem præcipites facit vinum.2°.de ſan.tu. 2ª.66.C
Libidinem quæ ſuſpenſa augumentet.de incan.adiur.& ſuſp. 7ª.182.C
ad Libidinem mulieris excitandam.de dyna. Sp.30.A
Libidini indulſit Diogenes Cynicus.6°.de loc.af. 4ª.39.H
Libido quo modo ſupprimenda.de cog.cur.animi mor. 2ª.52.H
Libidinis caſtigatio,quæ.de atten.vic. 2ª.53.A
à Libidine quod deſiſtere propoſuerit,nemo ſibi iraſcitur, aut ſe obiurgat.5°. de decr. Hipp. 1ª.259.G
LIBRA *nomẽ eſt Romanũ.1°.de comp.me.per gen.215.D/3°.5ª.232.E*
Libra ſimpliciter,vel menſuralis quid ſit apud Romanos. 1°. de compo. medic.per genera. 5ª.214.C
Libra ponderalis æquiuoce dicitur apud Romanos. 1°. de compoſitione medi.per gene. 5ª.214.C
Libra ponderalis quid ſit apud Romanos.1°.de compoſitione medicamẽtorum per gen.214.C/2°. 5ª.224.F
Libra menſuralis Romanorum.2°.de comp.me.per gen. 5ª.223.F
Libra apud Romanos,quæ.1°.de comp.me.ſe.lo.122.B/3°. de comp.me. per gen.232.F/4°.245.C/6°. 5ª.259.C
Libræ Romanæ ſui tẽporis meminit.1°.de comp.me.per gen. 5ª.215.D
Libræ quales.6°.de comp.me.per gen. 5ª.257.G
Libra Romæ ex cornu fiebat.1°.de comp.me.per gen. 5ª.214.C
Libralia cornua Romæ habebant quibus liquida menſurabant.1°. de cõpoſi.me.per genera. 5ª.216.F
Libram olei per cornua inciſuris diſtincta Romani metiuntur. 6°. de cõpoſi.me.per genera. 5ª.57.G
Libra quantum capiat.de pon.& menſ. 5ª.275.D
Libra eſt menſura in duodecim partes ſecta.3°.de compoſi. medicamen. per genera. 5ª.232.F
Libra habet vncias duodecim.de pon.& menſ. 5ª.276.F
Libra habet vncias duodecim,drachmas vero nonaginta ſex. de ponderibus & menſuris 5ª.277.B
ꝑ Libra drachmæ cẽtum ſcriptę inueniunt.1°.comp.me.per ge.5ª.216.H
Libræ tertia pars æquat drachmas triginta duas.4°.de ſan.tu.2ª.86.H
Libra habet holcas nonaginta.de pon.& menſ. 5ª.276.H
Libra quo modo figuratur.de pon.& menſ. 5ª.275.C
Libras quinq; valet hemina.2°.de comp.me.per gen. 5ª.227.H
Libra eſt hemina.4°.de ſan.tu. 2ª.86.H
Libra.de pon.& menſ.275.H/ 5ª.276.B
ad Libras duas ſanguinis euacuatio crus ſcalpendo peſtilentiam deuitauit.præſag.exper.conf. Sp.78.C
Libræ ſex ſanguinis eductæ, & homo confeſtim ſanatus. præſagium exper.confirm. Sp.78.A
LIBRA, *gemini,aquarius,ſunt occidentales, aerei, calidi & humidi. de ſpermate.* Sp.39.E
Libra calida eſt in primo gradu,humida in ſecundo.de ſperma. Sp.38.H
Libræ annus,qualis.de ſper. Sp.39.D
LIBYA *calida eſt.in progn.com.3°.* 4ª.212.H
ĩ Libya qũo vera ſunt ſigna libri prognoſticorũ.in progno.c.3°.4ª.212.G
LIBYSTICVM *quid.de ſimp.med.* Sp.85.H
Libyſticum calidum eſt,& ad quid conferat eius radix.7°. de ſimpliciũ medicamentorum facul. 5ª.54.F
Libyſtici ſemẽ calidũ ẽ cũ ſubtili ſubſtãtia.2°.de ar.cu.ad Gl. 7ª.104.G
Libyſticum eſt vtile ſtomacho,excalfactorium eſt,ad digeſtionem valde vtile,antidotis quæ colicis proſunt admiſcetur.de ſimp.me.Sp.85.H
Libyſticum crudum longo tempore in ventre durat.4°.de ſa.tu.2ª.85.B
Libyſtici ſemen conuenit diæta attenuante vtenti.de atten.vic.2ª.44.E
Libyſticum exiccat.3°.de ali.fac. 2ª.26.D
Libyſtico pro delitijs non nulli miſcent acetum.de atten.vic. 2ª.44.C
LICHENES *in petris naſcentes cum aqua mulſa ictericis conueniunt. 9°.de comp.me.ſec.loc.* 5ª.198.B
LICHENES *quæ affectio.5°.de comp.me.ſec.lo.* 5ª.160.H
Lichenes facile in pſoram,ſcabiem,& lepram tranſeunt.5°.de compoſi. med.ſec.loc. 5ª.160.C
Lichenas ſanant extenuantia & incidentia.7°.de ſimp.me.fac. 5ª.51.H
Lichenas quæ Alcyoniæ ſpecies ſanent.11°.de ſimp. me.fac. 5ª.83.D
ad Lichenas adhibetur Chamæleon.8°.de ſimp.med.fac. 5ª.63.F
Lichenas quorũ Cicerũ amaritas extergat.6°.de ſimp.med.fa.5ª.47.E
ad Lichenas accõmodi ſunt vtriq; Ellebori.6°.de ſimp.me.fa.5ª.47.C
Lichenas puerorum ſanat Gummi prunorum.7°.de ſimp.me.fa.5ª.51.H
Lichenas detergit Pix.8°.de ſimp.me.fac. 5ª.58.E
Lichenas & liuentia ſanat Ra.6°.de ſimp.me.fac. 5ª.59.E
Lichenes puerorum Saliua ſanantur.10°. de ſimp.me.fac. 5ª.75.G
Lichenum remediũ eſt Sputũ,& pituita in ore.3°.de nat.fac. 1ª.304.B
ad Lichenas Stercus caprinum valet.10°.de ſimp.me.fac. 5ª.76.E
Lichenas tollit ſtercus crocodilorum terreſtrium.10°.de ſimplicium medicamen.facul. 5ª.77.D
ad Lichenas valet Sulfur.9°.de ſimp.me.fac. 5ª.69.D
Lichenas detergunt Tithymalli.8°.de ſimp.me.fac. 5ª.62.D
ad Lichenas in mento quid bonum.5°.de comp.me.ſec.loc. 5ª.160.H
ad Lichenas recentes quid agendum.5°.de comp.me.ſec.loc. 5ª.160.H
ad Lichenas inueteratos quid conferat.5°.de comp.me.ſec.lo. 5ª.161.H
ad Lichenas calloſos quid conferat.5°.de comp.me.ſec.loc. 5ª.161.A
ad Lichenas agreſtes ſiue feros quid faciat.5°.de cõp.me.ſe.l. 5ª.162.C
ad Lichenas emplaſtra citra exulcerationẽ.5°.de cõp.me.ſe.l.5ª.161.D
ad Lichenas emplaſtrum euchrun, & emplaſtra alba. 5°. de compoſi. medic.ſecun.loc. 5ª.162.A
ad Lichenas malagma.7°.de comp.me.per gen. 5ª.267.D
de Lichenum excoriatorijs.5°.de comp.me.ſec.loc. 5ª.161.F
LICHENES *equorum comitiales curant.11°.de ſimp.me.fac.* 5ª.80.F
Lichenes equorum ad cuiuſuis feræ morſum adhiberi conſulunt. 11°. de ſimplicium med.fac. 5ª.80.F
LICHENICA *emplaſtra viridia.5°.de comp.me.ſe.loc.* 5ª.161.H
LICHENICI *paſtilli quo modo conficiantur.5°. de compoſitione*

medicamentorum ſec.loc. 5ª.161.A
de LICHENOSIS tumoribus.5°.de comp.me.ſec.loc. 5ª.161.C
Λιχηνεῖον qui locus in corpore.intro. Iſa.53.G
LICINIVS Atticus Nilei malagmate vſus eſt, & quale id. 8°.de cõpoſi.me.ſecun.loc. 5ª.193.A
LIEN viſcus eſt.3°.de nat.fac. 1ª.304.B
Lien vnde procreatur.de fœ.for. 1ª.323.D
Lien quo modo gignatur.de fœ.for. 1ª.322.H
Lien cur vnus.5°.de vſu par. 1ª.144.D
Lien poteſt videri extra animal. 4°.de ana.adm. 1ª.81.H
Lienem cur prima die ſecaret Galenus.5°.de ana.adm. 1ª.87.B
Lienis natura cõſiderãda eſt exẽptis inteſtinis.6°.de ana.adm. 1ª.92.C
Lienis conſideratio.6°.de ana.adm. 1ª.92.G
Lien nigrior iecore.de atra bile. 1ª.36.A
Lienem nigrum habentia,quæ.6°.de anat.adm. 1ª.92.G
Lien animalium calidorum & ſiccorum niger eſt,& vix poteſt comedi. de atra bile. 1ª.36.E
Lien ſuum non valde niger.de atra bile. 1ª.36.A
Lienem album habentia.6°.de ana.adm. 1ª.92.G
Lienis ſubſtantia talis eſt,vt in nullo alio talis reperiatur. 6°. de decretis Hippocratis. 1ª.266.B
Lienis caro quo modo vocetur.10°.met.me. 7ª.67.D
Lienis caro numeratur inter primas partes quæ generantur.1°. de naturalibus facultatibus. 1ª.291.G
Lienis corpus,quale.4°.de vſu par. 1ª.140.D
Lienis caro,qualis.2°.de arte cura.ad Gla. 7ª.102.F
Lien qualis ſit ſubſtantiæ.fin.me. Iſa.43.H
Lienis caro laxa eſt.4°.de vſu par. 1ª.140.C
Lienis caro rarior & leuior eſt carne iecoris.4°.de vſu par. 1ª.140.C
Lienis ſubſtantia rarior eſt quàm iecoris,ſed ſcirrhoſis ſæpius vitijs affligitur,& quare.13°.met.me. 7ª.84.C
Lien meatus amplos habet.5°.de ſimp.me.fac. 5ª.35.B
Lien aptus eſt ad fluxiones recipiẽdas.de cu.ra.per ſang.miſſ. 6ª.18.A
Lienis caro quomodo humida,& calida.2°.de temp. 1ª.17.H
Lien cur laxus & rarus.5°.de vſu par. 1ª.144.H
Lienis caro minus eſt humida q̃ adeps.1°.de temp. 1ª.15.D
Lienis caro cute eſt humidior.1°.de temp. 1ª.15.D
Lienis ſectio,quæ.6°.de ana.adm. 1ª.92.G
Lienis caro quam habet naturam.2°.de temp. 1ª.17.H
Lien cur ſit in ſiniſtra parte.5°.de vſu par. 1ª.144.E
Lien medium eſt inter abdomen,& ſeptum.3°.de ſan.tu. 2ª.77.B
cur Lien iuuetur exercitatione ſuperiorum,& inferiorum partium.5°. de ſanitate tuenda. 2ª.90.B
in Liene venæ & arteriæ ſe contingunt.9°.de vſu par. 1ª.173.H
ĩ Lienẽ venarũ oĩs diſtributio fit ſimul cũ arterijs.16°.đ vſu p. 1ª.220.H
ad Lienem vena quæ fertur vnde naſcatur.4°.de vſu par. 1ª.140.G
ad Lienem vena vnde oriatur.16°.de vſu par. 1ª.220.H
ad Lienis concauum vena quæ à vẽtriculi gibbo porrigitur, eodem modo lieni inſeritur,quo etiam ventriculo ſublimis, duplici fulta peritonæo.6°.de anat.adm. 1ª.91.D
Lien vnde accipiat arteriam.16°.de vſu par. 1ª.217.A
in Liene an ſint nerui dubitatur.de mult. 3ª.77.G
ad Lienem,iecur,renes,ventrem,viſcera perueniunt nerui à cerebro à prima,tertia,& ſexta coniugatione.de ner.diſſ. 1ª.54.D
Lieni melius fuit habere neruos minimos q̃ aliter.7°.de vſu.p. 1ª.159.H
Lien cur habet paucos neruos.14°.de vſu par. 1ª.209.D
Lien cur habet aliquos neruos.6°.de vſu par. 1ª.155.F
Lienis neruus quantus.5°.de vſu par. 1ª.145.C
Lienem habent,iecur habentia.6°.de ana.adm. 1ª.92.D
Lien decliuis qui ſit.in 6^{m}.de mor.vul.com.2°. 3ª.167.H
Lienem decliuem habentes,habent partes ſuperiores calidas,& inferiores frigidas.in 6^{m}.de mor.vul.com.2°. 3ª.167.H
Lien inſtrumentum eſt.de nat.hum.com.1°. 1ª.26.C
Lien habet quatuor facultates.3°.de nat.fac. 1ª.305.C
Lien non indiget alio membro pro ſua functione.de fœt.for. 1ª.324.A
Lien deſeruit nutritioni.4°.de præſag.ex pulſ. 4ª.119.F
Lien quid trahat ad ſe.3°.de nat.fac.301.G/ 1ª.302.A
Lien recipit excrementum graue.6°.de ana.adm. 1ª.90.A
Lien trahit quod craſſius eſt in iecinore.3°.de na.fac. 1ª.307.D
à Liene purgari iecur creditum eſt. de atra bile. 1ª.36.A
Lien expurgat cœnoſa viſceris excrementa.de fœ.for. 1ª.224.H
Lien attrahit fecem iecinoris.1°.de ſan. tu. 2ª.67.F
Lien quod trahit à iecore eſt tanquam in vino fex, & in oleo amurca. de atra bile. 1ª.36.A
Lienis officiũ eſt trahere ſanguinẽ melancholicũ.6°.de loc.aff. 4ª.36.A
Lien attrahit atra bilẽ ad ſe.2°.de nat.fac.301.G/de atra bile. 1ª.36.F
Lien trahit atram bilem cum aliquo ſanguine.5°.de vſu par. 1ª.144.G
Lien ſanguinem purgat ab atra bile.2°.de nat.fac. 1ª.301.F
per Lienem purgantur melancholici humores.de atra bile.37.A/5°.de vſu par.1ª.144.E/3°.de ſymp.cau. 3ª.26.B
Lien,renes,& veſica fellis q̃uo male purgant.3°.de ſympt.cau. 3ª.26.B
in Liene exuperat atra bilis.intro. Iſa.55.B
Lien non indiget vaſe quo nutriatur.5°.de vſu par. 1ª.145.B
Lienis nutrimentũ quod.4°.de vſu p. 1ª.140.C/D/13°.met.me. 7ª.84.C
Lien nutritur ſanguinis fece.9°.de comp.me.per gen. 5ª.198.C
Lien nutritur ſanguine melancholico.6°.de loc.aff. 4ª.36.B
Lienẽ nutrientis humoris qualitas acida & acerba.de tra bile. 1ª.36.F
Lien in lõgis inedijs trahit humorẽ p̄ vnã ſola venã.de atra bile.1ª.36.G
à Liene vomitus qualis,& excretio.6°.de loc aff. 4ª.36.B
à Liene aliquid tendit in ventriculum.3°.de nat.fac. 1ª.307.D
in Liene melancholicum excrementum quod elaborari, ac mutari non potuit,mittitur ad ventriculum.5°.de vſu par. 1ª.143.G
à Liene calefiunt ſiniſtræ partes ventriculi.4°.de vſu par. 1ª.137.C
à Liene poteſt aliquid in omentum tranſmitti. c. 7°.aph.55°. Ex.58.H
Lien ſolum purgatur per aluum.13°.met.me. 7ª.84.G/H
Lien indiget vehementi purgatione.4°.de vſu par. 1ª.140.D
Lien attollitur in retentione ſpiritus.3°.de ſan.tu. 2ª.77.B
LIENIS morbi ſicci qui vocenť.de vic.rat.in morb.acu.cõ.1°.7ª.112.F
Liene peccante corpus fit nigrum.6°.de loc.aff. 4ª.36.A
ex Liene q̃uo mœſtitia melancholica proueniat.6°.de loc.aff. 4ª.36.B
ex Liene ſanguinis narium fluxus quo modo retrahatur.2°.de arte curatiua ad Glauconem. 7ª.100.F
Lien ſi vitio caret,quod vinũ bibet q refici debet.đ bo.& vi.ſu. 2ª.38.D
Lienem infirmiſſimum habent qui ſplenici ſunt natura.de natura humana,commenta.2°. 7ª.182.G
in Liene adeſt palpitatio.2°.de ſymp.cau. 3ª.20.F
Lienis affectũ ſignificat tumor in ſiniſtra parte. 1°.de loc.aff. 4ª.6.B
LIENIS tumorum differentiæ.in 6^{m}.de mor.vul.com.2°. 3ª.168.B
Lienis tumores augenť alica,& magis cũ melle. de atten. vic. 2ª.44.G
Lien à carne bubula cuidam intumuit.3°.de ali.fac. 2ª.25.H
Lien intumeſcit dulcibus omnibus.13°.met.me. 7ª.83.E
Lienis tumor ab humore melancholico in quibus contingat. de bonitate & vitio ſuccorum. 2ª.39.D
Lien cum tumet corpus cacochymum redditur.2°.de nat.fac. 1ª.301.F
Lien in tumorem rotundum elatus erat in Philiſco.in 1^{m}.de morbis vulgaribus,com.3°. 3ª.121.B
Lien magnus quid ſignificet.in 1^{m}.prorh.com.3°.4ª.184.D/ commen.3°. aphoriſmo.22°. Ex.24.E
Lienes magni faciunt hydropem, & quo modo fiant autumno. com.3°. aphoriſmo.22°. Ex.24.F
Liene tumefacto ſanguinis eruptio diuerſa mala.in 1^{m}.prorrhetici,commentario.3°. 4ª.184.E
Lieni tumenti non conducunt vuæ paſſæ.de atten.vic. 2ª.46.A
Lienes turgidos ſanant opercula purpurarũ.11°.de ſimp.me.fac. 5ª.81.B
Lienis tumor attenuante victus ſanatus eſt.de atten.vic. 2ª.43.G
in Liene poteſt eſſe laſſitudo.de cu.ra.per ſang.miſſ. 6ª.16.F
LIENIS dolores non neceſſario ſequuntur male concoquentem. 3°. de ſymptomatum cauſis. 3ª.30.D
Lienis dolor grauis.2°.de loc.aff. 4ª.12.D
Lienis grauitas indiget prius ſanguinis miſſione,quàm euacuatione. de vic.rat.in mor.au.com.4°. 7ª.137.B
Liene dolente vena cubiti ſecanda.de cu.ra.per ſang.miſſ. 6ª.20.A
Liene patiente vnde ſanguis trahendus.de cu.ra.per ſang.miſſ.6ª.19.H 13°.met.me.7ª.83.H/præſag.exper.conf. Sp.78.B
Lien curatur à vena parui digiti.de cu.ra.per ſang.miſſ. 6ª.19.G
Lien iuuatur ex ſectione ſaluatellæ.præſag.exper.conf. Sp.78.A
in Lienis affectibus quæ vena ſecatur ſecundum aliquos ſinentes exire ſanguinem quantum poteſt.3°.de ana.adm. 1ª.76.G
Lienis dolores ob craſſos viſcoſosq; humores ſanant amygdalæ amare. 6°.de ſimp.me.fac. 5ª.42.G
LIENIS inflammatio facile tactu ſentitur.6°.de loc.af. 4ª.36.A
è Lienis phlegmone exit aliquid.13°.met.me. 7ª.84.H
Liene affecto febris ardens fit in. 6^{m}.de morb.morb.com.3°. 3ª.171.C
Lienis inflammati pulſus,qualis, de pulſ.ad tiro. 4ª.45.A

Lienis phlegmone q̃uo curetur.13°.meth.med. 7ª.84.F
Lieni inflammatio obſunt cibus, & potus dulces.2°.de alim.fa. 2ª.17.F
Lieni inflammato noxiæ ſunt caricæ,& ficus.2°.de alim.fac. 2ª.17.F
Lienis imbecillitatē augent itria ex ſimilagine.1°.de alim.fa. 2ª.10.E
Lienis inflammationes auget lens mixta ſapę.1°.de alim.fac. 2ª.13.F
Lienis inflammationi mulſa non eſt vtilis,& quare.11°.met.me.7ª.73.F
Lienis inflammationes quo modo ſaluantur.3°.de criſi. 4ª.139.E
LIENIS obſtructiones pariũt cibi dulces.de bon.& vit.ſuc. 2ª.36.E
in Liene qui panis faciat obſtructiones.5°.de ſan.tuen. 2ª.91.F
Lien à vinis craſſis læditur.de vict.rat.in mor.acu.com.3°. 7ª.126.A
Lien obſtruitur facile ſenibus,ſi craſſum humorem facientibus vtantur. 5°.de ſanitate tuenda. 2ª.91.H
Lienis obſtructio quo modo curetur.13°.meth.med. 7ª.84.F
Lienis obſtructiones fortes quibus curentur.5°.de ſimp.me.fa. 5ª.35.C
Lienem,ac iecur obſtructione liberãt amara.8°.de ſimp.me.fa. 5ª.59.B
Lienis obſtructionibus proſunt caricę,& ficus.2°.de alim.fac. 2ª.17.F
Lienem obſtructione liberat marrubium.8°.de ſimp.med.fac. 5ª.59.B
à Liene morbus regius niger.2°.de nat.fac. 1ª.302.F
ex Liene quo modo fiat color niger toti corpori.de atra bile. 1ª.36.A
Lien communia habet ſymptomata cum iecore.6°.de loc.aff. 4ª.36.A
Lien patitur iecore læſo.2°.de alim.fac. 2ª.20.H
Lienis cauſa iecur imbecillitatur.5°.de loc.aff. 4ª.33.F
LIEN quo modo celerrime induretur.9°.de cõp.me.per gene. 5ª.198.C
Lienis duritia pnicioſa,& diuturna eſt.in 1m.de mor.vul.cõ.3°. 3ª.117.C
Lien dureſcit in quotidiana febre.de typ. 3ª.90.F
Liene laborantibus fiũt acceſſiones per quartũ.cõ.1°.aph.12°. Ex.5.D
ex Liene quartana grauiſſima quandoq; facta eſt, & poſtea aqua inter cus,& mors deniq; eſt ſubſequuta.in 1m.de mor.vul.cõ.3°. 3ª.118.H
Lienis ſcirrhoſi affectus vnde.de bon.& vitio ſucc. 2ª.39.D
Lienis ſcirrhus qui.fin.med. Iſa.47.C
Lienis ſcirrhus,quo modo curetur.13°.meth.med. 7ª.84.F
ad Lienis,& Iecoris ſcirrhum ſequitur aqua inter cutem. 2°.de arte curatiua ad Glauconem. 7ª.104.D
ad Lienis ſcirrhum non ſequitur neceßario hydrops. 4°. de præſagitione ex pulſ. 4ª.121.B
Liene indurato fit aqua iter cutē cõſentiēte iecinore.6°.de lo.af.4ª.36.B
per Lienis compaſſionem fit aqua intercus.com.6°.aph.43°. Ex.51.B
Lieni duro quid competat,3°.de comp.med.ſec.loc. 5ª.147.A
Lien obduratus mollitione indiget.in 6m.de mor.vul.cõ.2°. 3ª.161.A
Lien indurato quæ qualitates conueniant.7°.de ſimp.med.fa. 5ª.56.D
Lienis medicamenta quo modo parari debeant.5°.de ſimp.me.f. 5ª.35.C
Lienes liquant, & lapides frangunt quæ tenuium ſunt partium. 6°. de ſimplic.med.fac. 5ª.44.A
Lien indiget attenuantibus citra manifeſtam caliditatem.9°. de compoſ. medic per genera. 5ª.198.C
in Lienis medicamentis debet miſceri ex auſteris aliquid, quale eſt adſtringentiũ genus,vt actiones cõſeruētur.9°.de cõp.me.ſe.l.5ª.198.D
in Liene quando miſcenda adſtringentia.11°.meth.med. 7ª.73.C
Lieni valde amara conueniunt & auſtera,cur.9°.de comp.med.ſec.loc. 5ª.198.D/11°.meth.med. 7ª.73.C
Lienem expurgat amaritas cicerum eius generis, quod orobiæum dicitur.6°.de ſimp.med.fac. 5ª.47.E
Lieni conuenit Abſinthium.14°.meth.med. 7ª.88.D
ad Lienem aliquid Aceti miſcemus.11°.meth.med. 7ª.73.C
cur Lieni cõueniũt acetũ,& acetũ mulſum.9°.de cõ.me.ſe.lo.5ª.198.D
in Liene tutus eſt aceti vſus.14°.meth.med. 7ª.88.C
Lienes induratos iuuat Acorum. 6°.de ſim.med.fac. 5ª.42.A
Lienem,& iecur indurata & obſtructa ſanat Agni ſemen.6°.de ſimpli. medic.fac. 5ª.51.B
Lienes induratos ſanat Ammoniacum.6°.de ſimp.med.fac. 5ª.42.H
Lieni duro ammoniacum cum aceto conuenit.14°.meth.med. 7ª.88.C
Lienes liquat Aſplenum.6°.de ſimp.med.fac. 5ª.44.A
Lienes liquant Balani recrementa.6°.de ſimp.med.fac. 5ª.41.A
Lienem conſumit Bouis talus.de ther.ad Piſo. 5ª.93.E
Lienes ĩduratos optime iuuat Capparis cortex.7°.de ſim.me.fa.5ª.49.G
Lieni eſt capparis,vt abſinthium iecori.13°.meth.med. 7ª.84.F
pro Liene capparis ex oxymelite facit.13°.meth.med. 7ª.84.F
Lieni oxymeli ſuaue eſt.de vict.rat.in mor.acu.com.3°. 7ª.128.B
Lieni indurato optimum remedium eſt Centaurij ſuccus.7°. de ſimpliciũ med.fac. 5ª.50.H
Lienes colliquat Chamædrys.8°.de ſim.med.fac. 5ª.63.E
Lienem expurgat ciccerum genus orobiæum appellatum. 6°. de ſimplic. medic.facul. 5ª.47.E
Lienem induratum iuuat Cyclaminis radix.7°.de ſimp.med.fac. 5ª.53.F
Lienes ſanat cyclaminis cyſſanthemi fructus.7°.de ſim.med.fac. 5ª.53.F
Lienoſis auxilio eſt Hæmonitis.6°.de ſimp.med.fac. 5ª.48.B
Lienoſis vtilis eſt Iſatis.6°.de ſimp.med.fac. 5ª.48.B
Lien aſini,aut equi ſylueſtris ſplenicos iuuat.9°.de compoſitione medic. ſecundum locos. 5ª.198.G
Lien bubulus quo modo comedendus,& in quo caſu.6°.de comp.medic. ſecund.loc. 5ª.176.B
Lienes induratos ſanant Leucoij radices.7°.de ſimp.med.fac. 5ª.54.D
Lienes induratos ſanant folia Lonchitidis,ſcolopendriæ ſimilia, cum aceto.7°.de ſimp.med.fac. 5ª.54.G
Lienem expurgat Lupinus.6°.de ſimp.med.fac. 5ª.48.D
Lienes induratos iuuat Peucedanum.8°.de ſimp.med.fac. 5ª.58.D
ad Lienem induratum potui exhibetur Polęmonium. 8°. de ſimplicium medic.facul. 5ª.59.A
Lienem expurgat Rubiæ radix.6°.de ſimp.med.fa. 5ª.47.F
Lienem iuuat peculiariter Saxiphagon.de theria.ad Piſo. 5ª.91.A
Lieni eſt Scolopendrium,vt iecori eupatorium.13°.meth.med. 7ª.84.F
Lieni indurato prodeſt Tamarix.7°.de ſimp.med.fac. 5ª.56.D
Lienes ſanat Teucrium.8°.de ſimp.med.fac. 5ª.62.B
Lienibus prodeſt Terebinthus.8°.de ſimp.med.fac. 5ª.62.A
Lienes ſcirrho induratos ſoluit theriaca.de ther.ad Piſo. 5ª.96.A
Lienis duritiē habētibus prodeſt theriaca.de vſu the.ad Pam. 5ª.98.H
Liènes induratos ſanat Vitis albę radix.6°.de ſim.med.fac. 5ª.42.E
Lienes induratos ſanare poteſt Xyris.8°.de ſimp.med.fac. 5ª.57.B
ad Lienis duritiē.6°.de cõp.med.p ge.5ª.256.A/de me.fa.pa.7ª.178.D
pro Liene cataplaſma bonum.11°.methodi medendi.73.C/de medic.fac. par.172.G/ 7ª.178.H
ad Lienem comminuendum quid valeat.de med.fac.par. 7ª.178.H
Lienem conſumens.de med.fac.par. 7ª.178.H
Lienis colliquati notę ſunt nigræ vrinæ.in 6m.d mor.vul.c.5°. 3ª.192.A
ſine Liene inuentus fuit porcellus ex potu cuiuſdam medicamenti.9°.de comp.med.ſec.loc. 5ª.198.H
Lien minuitur quibus corpus floret.2°.de nat.fac. 1ª.301.F
ex Liene in iecore piculoſa eſt exceptio,è contrario nõ. in 6m. de morb. vulg.com.2°. 3ª.165.E
cũ Liene aut alia quauis notabili parte qs laborat, ipſa prius parte per curata,mox ad vlceris curationē accedemus.4°.meth.me. 7ª.23.H
Lienis vitio laborantibus ſubueniens antidotus.2°.de antid. 5ª.116.D
ad Lienis morbos valet Athanaſia antidotus Mithridatis. 2°. de antidotis. 5ª.114.H
Lienis morbo vexatos iuuat antidotus zopyria.2°.de antid. 5ª.115.A
LIEN muris.de med.fac.par. 7ª.167.B
LIEN ſuum cibus non ineptus.de atra bile. 1ª.36.E
Lien ſuillus minus obeſt,quàm aliorũ animaliũ.de bo.& vi.ſuc. 2ª.33.F
Lien ex quibus animalibus ſatis vitioſi ſucci.de bo.& vitio ſuc. 2ª.33.F
Lien Leonum,Leænarum,Pantherarum, Leopardorum, Luporum,non eſt eſculentum.de atra bile. 1ª.36.E
Lien aĩaliũ ſerratorũ dētiũ nõ habet dulce alimētũ.de atra bile. 1ª.36.F
Lien guſtu eſt non exacte ſuauis. habet enim quandam acerbitatem. 3°. de alimen.facul. 2ª.27.D
Lien elixus guſtum quendam acerbum habet diſſimilem guſtui iecoris. de atra bile. 1ª.36.A
Lien eſt mali ſucci.3°.de alim.fac. 2ª.27.D
Lien generat ſanguinem melancholicum.3°.de alim.fac. 2ª.27.D
LIENOSI, id eſt qui habēt diu durũ lienem.com.6°.aph.43°. Ex.51.B
Lienoſi.fin.med. Iſa.47.E
Lienoſi quales mingant vrinas.queſ.in Hipp. Sp.113.E
in Lienoſis atræ vrinę minus pernicioſæ.quæſ.in Hipp. Sp.113.E
Lienoſis difficultas inteſtinorũ ſupueniēs,bonũ.c.6°.ap.48°. Ex.52.D
Lienoſos quando difficultas inteſtinorum ſanat, & quando interficit.cõ. 6°.aph.43°.51.B/com.7°.apho.72°. Ex.60.G
Lienoſis etiam libra ſanguinis tuto detrahi poteſt. de curan. ratione per ſanguinis miſſionem. 6ª.20.A
Lienoſis auxilio ſunt amara adſtringentia.6°.de ſimp.med.fa. 5ª.48.B
Lienoſis non eſt medicamentum exhibendum.de victus ratione in morb. acutis,com.4°. 7ª.150.F
Lienoſis vtile medicamentum beta.2°.de alim.fac. 2ª.22.H
Lienoſis vtilis eſt radix anchuſæ onocleæ.6°.de ſimp.med.fac. 5ª.41.D
pro Lienoſis hedære folia in aceto decocta faciunt.7°.de ſimpl.medica. facultatibus. 5ª.51.F

Lienoſi quo modo iuuarentur terræ ægyptiæ luto. 9°. de ſimplicium medicam.facul. 5ª.65.F
Lienoſos curat theriaca.de ther.ad Piſo. 5ª.96.A
Lienoſos difficulter ſpirantes iuuant volucri maioris fructus, & folia. 8°.de ſimp.med.fac. 5ª.58.B
Lienoſis qũo adhibeantur ferramenta candentia.intro. Iſa.59.F
ad Lienoſos epithema.de med.fac.par. 7ª.167.B
ad Lienoſos malagma.7°.de comp.med.per ge. 5ª.266.C
ad Lienoſos Damocratis malagma,quale.8°.de cõ.me.ſec.lo. 5ª.157.B
Lienoſis nigrum quoddam emplaſtrum confert. 2°. de compoſi.medica. per genera. 5ª.227.E
ad Lienoſos paſtillus Aſclepiadis conferens.5°.de compoſitione medica men.per genera. 5ª.251.B
ad Lienoſos.2°.de antidotis.5ª.116.C|de remedijs paratu ſa.159. F 166. H|175.G| 7ª.176.D
ad Lienoſos cum præduro tumore.de med.fac.par. 7ª.167.A
Lien,lienoſus,lege Splen,Spleniticus.
LIENTERIA quid.fin.med.Iſa.47.F|in 1m.de morbis vulgarib.commentario 2°. 3ª.111.C
Lienteria opponitur alimento quod in tertio ſignificato dicitur. 1°.de ſanitate tuenda. 2ª.69.A
Lienteriæ vnde ſint,& quæ.6°.de loc.affect. 4ª.37.A
Lienteria vexantur concepti in horis bilis.de ſperm. Sp.37.C
Lienteriæ cauſa quæ.in 3m.de morb.vulg.com.3°. 3ª.145.B
Lienteria fit à pituita collecta copioſius ex prauo quopiam corporis affectu.5°.de vſu par. 1ª.143.C
Lienteriæ Thaſijs cõtingebant ex ſuperfluitatibus in inteſtina deriuatis velut in partes imbecillas.in 1m.de mor.vulg.com.2°. 3ª.109.A
in Lienteria ſymptoma quod.3°.de ſymp.cau. 3ª.25.F
in Lienterijs quæ excernũtur ſymptomata ſunt.2°.de ſym.cauſ. 3ª.21.E
in Lienterijs accidit retẽtricis facultatis priuatio.de ſymp.dif. 3ª.12.D
in Lienterijs euacuatur cum malo bonum.3°.de ſymp.cau. 3ª.26.G
in Lienteriã aut tympaniã hydropa quid finiat.3°.de ſymp.cau.3ª.25.C
Lienteria laborantes aliqui hectica capti ſunt.1°.de diff.feb. 3ª.35.F
ad Lienterias vtiliſſima eſt theriaca.de theria.ad Piſo. 5ª.96.B
ad Lienteriam,& dyſenteriam.de dynam. Sp.28.A
ad Lienteriam ſuffumigium.de dynam. Sp.28.A
Lienteria,vide Læuitas inteſtinorum.
LIENTERICA puella vnde.de ſperma. Sp.38.C
ad Lientericos quid commodum facere.9°.de cõp.me.ſe.loc. 5ª.203.E
LIGAMENTALES nerui q ſint,& vñ oriant.de oſſi. 1ª.40.D
Ligamentalis neruus vbi,& qualis.de bo.& vit.ſucc. 2ª.33.G
LIGAMENTVM qd.1°.de mo.muſ.1ª.308.H|de ana.viuo. Sp.55.E
Ligamenta,quæ.fin.med.Iſa.44.C|de ana.viuo. Sp.43.H
Ligamentum membrum eſt ſimilare.de nat.hum.com.1°. 1ª.26.C
Ligamenta quæ,& qualia.1°.de vſu par. 1ª.116.H
Ligamenta inter partes ſimilares connumerantur.de diff.mor. 3ª.2.F
Ligamentum primum elementum eſt quoddam.1°.de elem. 1ª.7.E
Ligamẽtũ albũ ẽ,exãgue,ſolidũ,expſq; cauitatis.1°.de vſu par. 1ª.117.C
Ligamenta iudicantur nerui ab aliquibus.1°.de vſu par. 1ª.117.C
Ligamẽta qui ignorãt,credũt eſſe neruos.3°.de cõp.med.per ge.5ª.231.E
Ligamenta ſunt partes neruorum,com.5°.aph.1°. Ex.37.D
Ligamenta apud Hippocratem,apud recentes nerui colligantes, poſſunt tendi,ſed non habent cauitatem.15°.de vſu par. 1ª.210.D
Ligamentum neruo durius eſt.1°.de vſu par. 1ª.117.C
Ligamenta ſunt magis dura tendonibus.15°.de vſu par. 1ª.210.D
Ligamentum minus ſiccum eſt chartilagine.1°.de temp. 1ª.15.C
Ligamẽtũ mediũ inter neruũ & chartilaginẽ.13°.de vſu par. 1ª.193.A
inter Ligamentum & neruum tendo medius.1°.de mo.muſ. 1ª.308.H
ex Ligamento & neruo tendo factus.1°.de mo.muſ. 1ª.309.D
Ligamenti & nerui vſum habet tendo.1°.de mo.muſ. 1ª.309.D
Ligamenta membranea quę,& cur ita dicta.4°.de ana.adm. 1ª.80.C
Ligamentorum ſubſtantia eſt minus mollis, & minus rara quàm carnis. com.6°.aph.49°. Ex. 2.E
Ligamẽtũ eſt inter primas partes quæ generant.1°.de nat.fac. 1ª.251.F
Ligamenta è quibus facta.1°.de ſemi. 1ª.332.C
Ligamentum vbi oriatur.de ana.viuo. Sp.55.E
Ligamentum tranſit ex oſſe ad os.1°. de vſu par. 117.C|15°. 1ª. 210.F de oculis. 7ª.183.F
Ligamenta ex oſſibus initium habentia in muſculorũ capita diſperguntur.de bon.& vitio ſuc. 2ª.35.G
Ligamenta inſeruntur in caput muſculi.1°.de mo.muſ. 1ª.309.D
Ligamenta oſſium duplicia.de vti.reſp. Sp.62.G
Ligamentum non eſt natum ex cerebro vel ſpinali medulla. 1°. de vſu partium. 1ª.117.C
in Ligamenta nullus neruus inſeritur.16°.de vſu par. 1ª.214.G
Ligamentis circunfunditur lentus humor.3°.de nat.fac. 1ª.308.C
Ligamenta acuto ſcalpello incidenda.1°.de anat.admi. 1ª.67.E
Ligamentum ex ſe gubernatur.intro. Iſa.63.B
Ligamenti vſus,qui.12°.de vſu par. 1ª.192.G
Ligamenta cur indita membris.6°.de decr.Hipp. 1ª.266.A
Ligamentorum iuuamentum.de ana.viuo.44.A| Sp.55.E
Ligamentorum officium quod.1°. de mo.muſ. 1ª.309.A
Ligamentorum triplex vſus 1°.de ana.adm. 1ª.67.E
Ligamentum ſolum ibi eſt,vbi membrum ſolo indiget vinculo.12°.de vſu partium. 1ª.193.B
Ligamentum non habet ſenſum neq; motum.12°.de vſu par. 1ª.193.B
Ligamentum aliquid mouere non poteſt.1°.de vſu par. 1ª.117.C
Ligamentum & neruus ibi adſunt,vbi membrum indiget motu voluntario.12°.de vſu par. 1ª.193.B
Ligamentorum exercitatio fit per accidens à motibus voluntarijs. 2°.de ſanitate tuenda. 2ª.75.A
Ligamẽta hñt ſimilẽ functionẽ in omni parte.6°.de decr.Hip. 1ª.266.A
Ligamentũ inſenſibile eſt. 1°. de mot. muſ.109.C|1°.de vſu par.1ª.117.C| 6°.meth.med.38.G|14°.7ª.88.E|de vtil.reſp. Sp.62.G
Ligamẽta cur non habent motũ voluntarium.16°.de vſu par. 1ª.214.H
Ligamenta,nerui,tendones, & muſculi quanto ſunt ſicciora, tanto ſunt valentiora.3°.de ſymp.cau. 3ª.29.D
Ligamento, neruo, chartilagineq; ita vtitur natura,vt nunquam vnum in alterius trãſponat locum.12°.de vſu par. 1ª.193.A
Ligamenta carnium ſunt venæ.de ana.vi. Sp.44.B
ex Ligamentis neruiſq; per carnem diſperſis enatæ fibrę ab aliquibus ob tenuitatem non Ligentur.de bon.& vitio ſucc. 2ª.35.G
Ligamenta tria fortiſſima cur in articulo capitis, & quo modo. 12°. de vſu partium. 1ª.193.E
Ligamentum digitorum pars eſt.de inæqu.intemp. 3ª.43.D
Ligamenta cur in articulis.1°.de vſu par. 1ª.116.H
Ligamenta dura craſſaq; brachialis & poſt brachialis oſſa nectentia. 1°. de ana.admi. 1ª.68.F
per Ligamenta & neruos eſt quædam ſocietas partibus gulæ ad ſpinalẽ medullam,& membranas ambientes,& oſſa vertebrarum, & quæ extrinſecus adiacent.com.4°.aph.35°. Ex.31.F
Ligamenta quędam ſunt in cordis ventriculus.1°.de mo.muſ. 1ª.309.E
Ligamentum ſpinæ,quales.12°.de vſu par. 1ª.197.G
Ligamenta matricum laxiora q̃ in alia parte.14°.de vſu par. 1ª.209.F
Ligamentorum matricum vſus.14°.de vſu par. 1ª.209.F
Ligamenta validiſſima in genu,quæ.3°.de vſu par. 1ª.134.H
Ligamẽtis trahuntur vertebræ intus.vel extra.cõ.4°.apho.35°.Ex.31.F
Ligamentum impedit quid.1°.de mo.muſ. 1ª.312.F
Ligamenta quomodocunq; afficiantur,ſine periculo id euenit, quia inſenſibilia.3°.de comp.med.per genera. 5ª.231.E
Ligamentum non dolet.quia non ſentit.de conſt.ar. Iſa.38.C
Ligamenta à fluxione incaleſcunt.de inæq.intemp. 3ª.43.E
Ligamẽtorũ natura tardius inflãmari incipit.cõ.6°.aph.49°. Ex.52.E
in Ligamentis exiſtentes humores,oportet per modum vaporis euacuare.com.6°.aph.49°. Ex.52.F
Ligamentorum inflammatio ex ictu, longiori tempore peruenit ad conſiſtentiam,& tardius ſanatur.com.6°.apho.49°. Ex.52.E
Ligamenta ſcirrhoſa quibus indigeant.& quo modo vſus aceti illis conueniat.14°.meth.med. 7ª.88.A
Ligamentum ſi aut relaxatum aut diſruptum fuerit, cuius partis motus offenditur.de diff.morb. 3ª.5.C
Ligamentum cum diuellitur,cuius eſt ęgritudo.de diff.mor. 3ª.5.D
in Ligamẽto cõtinui ſolutio apoſpaſma appellatur.4°.met.med.7ª.23.B
Ligamẽto reciſo,cur aliud tale moliri nõ poſſimus.de conſt.ar. Iſa.37.E
Ligamenta ablata cur non creſcant.1°.de ſemi. 1ª.332.D
Ligamentorum vulneratorum curatio.6°.meth.med. 7ª.38.H
LIGAMENTA quibus rupturę ligantur. 1°. de compoſition.medicam. per genera. 5ª.211.F
Ligamenta catagmatica,quæ.1°.de comp.med.per gen. 5ª.211.F
LIGANDI locus eligẽdus eſt q maxime in rẽ erit.de faſcijs. 7ª.294.C
ad Ligãdũ faſcijs duabus vtitur Hippocrates.de frac.cõ.1°. 7ª.228.C
Ligandum qũo fit caput.de ijs,quæ in med.fi.com.2°. 7ª.208.F
Ligãdæ qũo capitis partes contrariæ.de ijs,q̃ in me.f.cõ.2°. 7ª.208.G

Ligandæ qũo

Ligandæ quo modo fracturæ caulatim factæ. de ijs, quæ in medicatrina ſunt.com.2°. 7ª.208.G
Ligandæ quo faſciatim plagulæ. de ijs, quæ in med.ſi.com.2°. 7ª.208.G
Ligandus quo modo ſit æger ſupra ſcalas. de machin. 7ª.311.F
Ligandus eſt homo, cui oſſa reponuntur. de machin. 7ª.312.B
modus Ligandi iugulares venas. de anat.viu. Sp.55.B
Liganda quæ contuſio. de artic.com.4°. 7ª.292.E
LIGANTES *os hyoeides maxillæ inferiori muſculi, & eorum proceſſus.de muſc.diſſ.* 1ª.46.D
ad LIGATIONEM *articulorum acopon valde efficax. 7°.de cō.med. per genera.* 5ª.273.B
ad Ligationem artuum Dioſcoridis medicamentum.7°.de compo. med. per genera. 5ª.265.B
ad Ligationē artuum malagma. 7°.de comp.med.per gen. 5ª.266.A/G
ad Ligationes articulorum commodum quid.7°. de compoſitione medicamen.per genera. 5ª.265.C
Ligatio vnde incipienda. 2°.de arte cur.ad Glauc. 7ª.106.D
Ligatio in venis quo modo fieri debet. 5°.meth.med. 7ª.31.C
LIGATORII *nerui,qui.8°. de comp.med.ſec.loc.* 5ª.191.D
LIGATVRAE *vbi faciendæ.de venæ ſect.aduerſ.Eraſ.* 6ª.13.H
Ligatura quid faciat. intro. Iſa.60.D
Ligatura quō fieri debet in œdemate.2°. de arte cur.ad Glau. 7ª.103.H
Ligatura vbi fieri debet in finibus.2°. de comp.med.per gen. 5ª.224.H
Ligatura quo modo facienda in ſanguinis profluuio.5°.met.me. 7ª.30.H
Ligaturæ fortes brachiorum, & extremorum ſtomachicis conueniunt. 8°.de compoſi.med.ſecun.loc. 5ª.192.D
Ligatura in vlcere debet eſſe conueniens. 4°.de compoſitione medicamē torum per genera. 5ª.237.A
Ligatura quādo ſatis eſt in vulneribus.3°.de cōp.med. per gen. 5ª.231.D
Ligatura quæ exprimit, qualis. 6°.meth.med. 7ª.41.E
Ligatura ad renutriendum,qualis.6°.meth.med. 7ª.41.E
in Ligatura oſſium ferulæ ponendæ.6°.meth.med. 7ª.41.D
ſub Ligatura oſſis non dbet creari dolor,vel pruritus.6°.me.m. 7ª.41.D
Ligaturæ oſſium tertio die ſoluendę ſunt.6°.meth.med. 7ª.41.D
LIGATIS *coxis ſæpius irrationabiles impetus ſanguinis retinentur.de cathart.* Sp.94.H
Ligata pars arte,cur fiat liuida. de vſu pulſ. 1ª.226.D
Ligato neruo quodā animal ſtatim mutū efficitur.de neru.diſſ. 1ª.54. B
aut LIGANTVR, *aut ſiuuntur vlcera magna.4°.meth.med.* 7ª.28.B
LIGETVR *quomodo poples.de ijs,quæ in med.ſi.com.2°.* 7ª.208.H
Ligetur quo modo patella. de ijs,quæ in med.ſi.com.2°. 7ª.208.H
LIGNEA *pyxis ad quæ medicamenta ſeruanda. 6°. de compoſitione medic.ſec.loc.* 5ª.172.C
LIGNOSVM *abijciendum in herbis.4°.de ſani.tuen.* 2ª.86.D
Lignoſum omne difficulter coquitur.2°.de alim.fac. 2ª.21.E
LIGNA *inanimata à Platone dicuntur.3°.de ſubſt.fa.na.* 1ª.230.E
Lignum eſt corpus durum. 3°.de diff.pul. 4ª.63.D
Ligna terrena ſunt.9.de ſimp.med.fac. 5ª.64.G
Lignis an aqua grauior diu philoſophi altercantes duo fuere.de cuiuſque animi peccatorum notitia atque medela. 2ª.59.G
Ligna vniuerſa ex ſua natura frigida.3°.de temp. 1ª.22.A
Lignum ſiccū,quia maiorē portionē ſicci eſt adeptū.1°.de temp. 1ª.12.G
Lignum oē ſm Hippocratem eſt durū, & tactu lædit.de mac. 7ª.319.E
Ligna findebat ruri Galenus exercitij gratia. 2°.de ſani.tuen. 2ª.73.H
Ligna viridia diutius aggrauant, & veluti obruunt flammam, demum vero augent.de cau.morb. 3ª.6.E
Ligna viridia et humida, vt accendantur longum tēpus eſt neceſſarium. de cauſis morborum. 3ª.6.H
Ligna ardere deſinūt,cū cōſumptus eſt,qui in eis fuerat liquor natiuus, tuncq; Cineres appellātur q̄ ſuperſunt reliquiæ.2°.de dif.fe. 3ª.41.D
Lignorū humidorū cōparatio ad calorē naturalē i pucris.d mai. 3ª.45.H
Lignorum multitudine ignis extinguitur, ita calor natiuus humoribus multis. com.7°.aph.7°. Ex.54.D
Ligna humida quandoque ſuffocant paruam flammam,tamen ſunt nutri mentum ignis.3°.de temp. 1ª.22.F
Lignis viridibus quando comparetur ſanguis.2°.de diff.feb. 3ª.42.C
Lignorū cōparatio ad virus canū rabiētiū.in 1ᵐ.prorr.c.2°. 4ª.171.F
Lignum ξύλον à ſtando dictum.de art.com.3°. 7ª.270.H
Lignis fumum non edentibus quando vti debemus.7°. de compo.medic. ſecundum locos. 5ª.179.C
Ligna vitea cremat. de med.fac.par. 7ª.164.H
Ligna vitiata faciunt acutum ignem. com.2°.aph.41°. Ex.18.A
pro Lignis tedæ tedas vſurpat. 6°.de comp.med.per gen. 5ª.259.F
in Lignis motus parit calorem. de cau.morb. 3ª.6.D
LIGNVM *quarum artium eſt materia. ad Thraſy.* 2ª.106.A
Ligna viridia ſunt cauſæ vt corruat domus. de cau.procatar. 3ª.96.E
ex Ligno denſiori inſtrumenta,quæ.6°.de anat. adm 1ª.92.H
Ligna lunata organorum pars. de machin. 7ª.309.E
Lignum lunatum ad quid in organis. de machin. 7ª.310.A
Lignorum vermes in Aegypto comeduntur. 3°.de alim.fac. 2ª.26.D
ad LIGNORVM *fragmenta educenda cyzicenum Heræ bonum.5°.de comp.med.per genera.* 5ª.250.B
LIGNIS *ſimilia in abſceſſibus quædam eſſe videntur. 2°.de arte curatiua ad Glauconem.* 7ª.105.B
LIGNVM *aloes quid agat in medicamentis.de med.exper.* Sp.104.G
Lignum roſę oculis conuenit. de ocul. 7ª.188.G
Λιγνὺς *apud Græcos quid ſignificet.3°.de præſa.ex pul.* 4ª.188.H
Lignys, id eſt fuligo,cuius facultatis.7°.de ſimp.med.fac. 5ª.54.E
LIGORIVS *medicus. de dynam.* Sp.31.C
LIGVLA *lanea ex oue à lupo comeſta, quæ ligentur. de incantatione, adiuratione, & ſuſpenſione.* 7ª.182.B
Lingula menſuræ nomen. de med.fac.par.170.D/171.B/E/172.A/F/173. D/G/175.G/178.G/ 7ª.179.B
LIGVSTICVM, *aniſum, caron,petroſelinon,cyminum,ſunt in eodem vſu.7°.de ſimp.med.fac.* 5ª.53.F
LIGVSTRINVM *ceratum.de med.fac.par.168.A/* 7ª.169.B
LILIACEVM *oleum.6°.de ſimp.med.fac.* 5ª.47.A
LILIPHAGVS *educit ſanguinem.de cathart.* Sp.94.G
LILIVM *quid.de ſimp.med.* Sp.86.D
Lilium amarum,cur.7°.de ſimp.med.fac. 5ª.53.A
Lilium multum calefacere,collige.3°.de comp.med.per gen. 3ª.228.F
Lilium durities neruorum remollit, combuſtis proficit,menſtrua prouocat,partum deijcit, ad ſerpentis morſum facit. de ſimp.me. Sp.86.D
Liliorum radix & folia, qualia.7°.de ſimp.med.fac. 5ª.53.C
Liliorum radix in quo præſtet folijs.7°. de ſimp.med.fac. 5ª.53.C
Liliorum radix toſta, & cum roſaceo contrita ambuſtis, quod cicatrix obducatur, imponitur.7°.de ſimp.med.fac. 5ª.53.C
Liliorū radix vteros emollit & mēſes prouocat. 7°.de ſimp.m.f. 5ª.53.C
Liliorū folia omnibus vulneribus imponūtur.7°.de ſimp.me.fa. 5ª.53.C
Liliorum radix cum melle,vitiligines,pſorā, lepram, & achoras extergit.7°.de ſimp.med.fac. 5ª.53 C
Liliorum radix melle illi moderate, & conuenienter admixto ad neruorum diuiſiones competit. 7°.de ſimp.med.fac. 5ª.53.C
Liliorum radix cicatrici inducendæ optimum remedium. 7°. de ſimplicium medic.facul. 5ª.53.C
Liliorum oleum digerit, & emollit. 7°.de ſimpl.medic.facult. 5ª.53.B
Liliorum oleū vteri duritiebus eſt aptiſſimū.7°.de ſimp.me.fac. 5ª.53.C
Lilij cœleſtis radicis drachmas tres. de med.exper. Sp.106.D
LIMA *inſcriptum collyriū quid faciat. 4°.de compo.me.ſe.lo.* 5ª.156.C
LIMANDI *quomodo dentes.5°.de comp.med.ſec.loc.* 5ª.164.D
LIMATIO, *ſpecies eſt diuiſionis chirurgiæ. intro.* Iſag.59.E
Limatio vtilis in oſſibus.intro. Iſa.59.E
LIMAX *animal neq; volatile, neq; aquatile. 3°.de alim.fac.* 2ª.26.D
de Limacibus inter pedeſtria mentio. 3°.de alim.fac. 2ª.26.D
Limax habet caput paruū,& oculos decliues,quos emittit, & retrahit. de anat.viu. Sp.48.C
Limacis extremitates vulgus cornua vocat.de anat.viu. Sp.48.C
Limaces habent carnem durā,& incoctilem.3°.de alim.fac. 2ª.26.D
Limaces potentiſſime nutriunt.3°.de alimen.fac. 2ª.26.D
Limaces faciunt humorem melancholicum.3°.de loc.affect. 4ª.18.F
Limaces habent ſuccum,qui ventrem ſubducit.3°.de alim.fac. 2ª.26.D
Limacium conditura,vt ſubducant.3°.de alim.fac. 2ª.26.E
Limax quo modo coquenda. 3°.de alimen.fac. 2ª.26.E
Limax bene cocta aluū ſiſtit et probū dat alimētū. 3°.de ali.fa. 2ª.26.E
Limacis mucus,qualis.11°.de ſimp.med.fac. 5ª.78.F
Limaces ſiue cochleæ quō dyſenterijs proſint. 11°.de ſimp.med.f. 5ª.81.G
Limax cum teſta quō reſtringat fluxum. de remed.par.fac 7ª.156.F
Limacis Lapis ad dentes exeſos quō confert.de remed.par.fa. 7ª.164.E
Limaca Africana quo modo ad aurium dolores recentes conferat. 3°. de comp.med.ſec.loc. 5ª.143.F
Λιμένα *latine portum dicas.ad Thraſ.* 2ª.107.A
Λημη *eſt lippitudo quædam.de art.commentario.3°.* 7ª.276.A
Λημματα *quæ ſint.1°.meth.meden.* 7ª.5.H
LIMNESIA *quid.de virtu.centau.* Sp.93.A

Limneſium ad arcem vocant. 6°.de ſan.tuen. 2ª.99.F
Limneſium aſperum. 7°.de comp.med.per gen. 5ª.273.H
LIMNITIS, *vel adarcium, vel adarce, quo loco reponatur inter calida quæ valent alopecijs. 1°.de comp.med.ſec.loc.* 5ª.122.D
Limneſtridis meminit. 7°.de comp.med.per genera. 5ª.272.C
de LIMONIBVS *emplaſtrum.de remed.par.fac.* 7ª.156.F
LIMVLA *ferrea pro dentibus prominentibus. 5°. de compoſi. medica. ſecun.locos.* 5ª.164.D
Limula Phædri.4°.de comp.med.ſecun.loc. 5ª.152.H
LIMO *ſimilia in abſceſſibus quædam eſſe videntur. 2°.de arte curatiua ad Glauconem.* 7ª.105.B
Limus ſanguinis eſt ex quo fit hũor melãcholicus.c.4°.a.21°. Ex.29.D
Limus ſanguinis debilitat viſcera, niſi ſplen bene expurgauerit hepar. com.4°.aph.21°. Ex.29.D
LINAMENTVM *μῶτον græci vocant.10°.de ſimplicium medicamen.facul.* 5ª.75.E
Linamentorum quinque ſpecies.intro. Iſa.60.G
Linamentorum genus vnum flexile dictum.intro. Iſa.60.G
Linamentorum genus vnum vocatum raſile.intro. Iſa.60.G
Linamentorum genus vnum appellatum vulſorium.intro. Iſa.60.G
Linamentorum genus vnum nominatum funiculare, vel lucernarium. intro. Iſa.60.G
Linamentum fiſſile. 3°.de comp.med.ſec.loc. 5ª.148.H
Linamentorum genus vnum nuncupatum priapiſcotũ.intro. Iſa.60.G
Linamentum ad priapi formam quando naribus imponendum. 3°.de cõpoſi.medic.ſec.loc. 5ª.148.H
Linamentum longum.3°.de compo.med.ſec.loc. 5ª.148.G
Linamentum tortile acetoq́; acerrimo madens quo modo conferat ad ſanguinis fluxum è naribus. de remed.par.fac. 7ª.160.F
Linamenti tortilis meminit.de remed.par.fac. 7ª.155.H
Linamentum tortum.3°.de comp.med.ſec. loc.148..A| 5ª.149.A
Linamentum ex marina, & muria ſiccũ eſt.1°.de ſimp.med.fac. 5ª.3.D
Linamentum ex potabili aqua humidum.1°.de ſim.med.fac. 5ª.30.D
Linamentum filatim excerptum. 4°.de comp.med.per gen. 5ª.242.E
Linamẽtis qũo vtamur in vulnere arteriæ, aut venæ.5°.met.m. 7ª.30.D
nõ vt Linamẽtũ eſt ſpõgia noua, materia ſcilicet tantũ quæ humores irrigãdos excipit. ſed ẽt manifeſte deſiccat.11°.de ſimp.me.fa. 5ª.83.G
Linamẽta nõ debẽt cito ꝺcidere.ꝺ ijs q̃ i medicatrina fiũt.c.2°. 7ª.210.F
LINIMENTVM *pro oculis. de remed.par.fac.* 7ª.156.E
Linimentum ad tremorem cordis. ſecretorum. Sp.100.H
Linimentum valens ad omnes particulas affectas frigore. 3°. de compo. medic.per genera. 5ª.229.B
LINEA *quid ſit. de hiſto.philoſ.* Spu.4.C
Linea caret magnitudine. 2°.de diff.pulſ. 4ª.56.A
Linea recta data diuiditur in partes æquales. de cuiuſq; animi pec. notitia atque medela. 2ª.56.H
Linea et ſi ſit ĩ corpore, non aufertur Geometria.2°.de dif.pul. 4ª.57.B
Linearum ſcientiæ innituntur aſtronomia & architectonica. de cuiuſq; ani.pecc.not.atque med. 2ª.58.B
LINEARES *nerui qui ſint. de comp.memb.ſiue de nat.hum.* Sp.58.H
Lineares nerui helcticem, id eſt attractiuam, ſibi vindicant poteſtatem. de compag.memb.ſiue de nat.hum. Spu.58.H
LINGONIS *colica confectio data ex frigida ſtatim ſoluit dolores.9°. de comp.med.ſec.loc.* 5ª.202.G
LINGVA *ſignificat voces obſoletas. Hipp.ling.explan.* Ex.71.C|F
Lingua tria ſignificat.2°.de diff.pulſ. 4ª.53.H
Linguæ propria ſunt tuenda.2°.de diff.pulſ. 4ª.54.H
Lingua quæ diſcenda.de diff.pulſ. 4ª.54.H
Linguę Græcæ præſtantia, quæ. 2°.de diff.pulſ. 4ª.55.A
Linguas omnes græcas Galenus nouit.2°.de diff.pulſ. 4ª.54.H
in Lingua græca doctũ patrẽ habuit Galenus.2°.de diff.pulſ. 4ª.55.A
Lingua attica quandoq; vtitur Hippocrates.de fract.com.1°. 7ª.223.E
Lingua Atheniẽſiũ multas paſſa eſt mutationes.2°.de dif.pul. 4ª.54.H
Lingua attica tempore Galeni multum à proprietate deciderat.1°.de comp.med.per genera. 5ª.213.F
Linguas duas callens δίγλωττος *dicitur. 2°.de diff.pulſ.* 4ª.54.H
Linguas duas callẽs homo olim videbat miraculũ.2°.ꝺ dif.pu. 4ª.54.H
inter Linguas barbaras, vna eſt alia melior. de ſophi. Iſa.7.F
Linguæ barbaræ brutis comparantur. 2°.de diff.pul. 4ª.54.H
Lingua Perſica melior Aethiopica.de ſophi. Iſa.7.F
Lingua Caryca, quæ. 2°.de diff.pul. 4ª.53.D
Lingua habet nomen proprium ſubſtantiæ. 8°.de vſu par. 1ª.166.D
LINGVA *quid ſit.2°.de diff.pulſ.* 4ª.53.H
LINGVA *qualis ſit ſubſtantiæ. fin.med.* Iſa.43.H
Lingua primo occurrit in anatome porci, & de eius neruis. de anatomia parua. Sp.42.G
Lingua poteſt videri extra animal. 4°.de anat.admi. 1ª.81.H
Linguam bubulam diſſecuit Pelops, ſed Galenus linguã ſimiæ.de muſculorum diſſectione. 1ª.46.E
Lingua bubula multum diſcrepat ab humana.2°.de anat.adm. 1ª.69.E
Lingua conuenienter in ore fuit poſita. 8°.de vſu par. 1ª.167.A
Linguæ moles debẽt eſſe adaptatę ori ad amuſſim.11°. ꝺ vſu p. 1ª.187.G
Lingua ſubiacet palato. de nat.& ord. cuiuslibet corp. Sp.41.H
Linguam quidam putarunt eſſe vnũ muſculum.1°. de mo.muſ. 1ª.310.A
Linguæ compoſitio.de anat.viu. Sp.49.C
Linguæ propria figura. de anat.viu. Sp.49.C
Lingua cur in apice ſtricta eſt in radice lata.11°.de vſu par. 1ª.187.H
Lingua diuiſa eſt in duas partes conſimiles, vt ſi forte paralytica ſit vna medietas, reliqua motũ ſuũ et ſenſum nõ amittat.de ana.vi. Sp.49.D
Lingua cur diuiſa in ſerpentibus.11°.de vſu par. 1ª.187.H
Linguæ tunica externa à quo fit.9°.de vſu par. 1ª.175.E
Linguæ, palato, ventriculo, gulæ, & toti ori, communis eſt tunica. in progn.com.3°. 4ª.210.G
Linguæ connexionis ſymmetriæ ſi vel tantillum adieceris, aut ademeris, totius inſtrumenti actionem vitiaueris. 11°.de vſu par. 1ª.188.B
Linguam tegentem pelliculam facit interna ventriculi tunica. de vict. rat.in morb.acu.com.3°. 7ª.127.H
Lingua tunicam cõem habet ad ventriculum.com.6°.aph.32°. Ex.49.H
Linguæ ſubſtantia qualis. intro. Iſa.54.A
Linguæ caro fungoſior & magis ſanguinea.3°.de alimen.fac. 2°.26.G
Linguæ natura ferè glanduloſa.de bon. & vitio ſucc. 2ª.35.H
Lingua natura aliquo pacto glanduloſa eſt.de bon.& vit.ſuc. 2ª.35.H
ſub Lingua duæ concauitates. de anat.vi. Sp.49.C
Lingua mirabilis eſt in muſculis, & motibus. de fœt.for. 1ª.325.C
de Linguæ muſculorum multitudine, diſſectioris profeſſores diſſentiunt. de fœtuum formatione. 1ª.325.C
de Linguæ motu quid dixerint antiqui.de fœt.for. 1ª.325.D
Linguæ motus quales & quot.1°.de mot.muſ. 1ª.309.H
Lingua ad omnem partem prompte mouetur.11°.de vſu par. 1ª.187.G
Lingua mouetur voluntarie, & quid agat.11°.de vſu par. 1ª.187.G
Lingua à quibus moueatur. 8°.de vſu par. 1ª.166.H
Linguæ motus per muſculos.11°.de vſu par. 1ª.187.G
Linguæ motus ſine doctrina factus. 6°.de loc.aff. 4ª.42.C
Linguæ muſculi faciunt omnes motus, & qui ſint. & quo modo. 11°.de vſu partium. 1ª.187.H
Linguam mouentium muſculorum nomina.de muſc.diſſ. 1ª.46.G
Linguæ bubulæ muſculi ſexdecim ſunt. de muſcu.diſſ. 1ª.46.E
Linguam mouentium muſculorum differentiæ, ortus, & proceſſus. de muſculorum diſſectione. 1ª.46.G
Linguæ muſculi quo modo ſe habeant. 1°.de mot.muſc. 1ª.315.H
in Linguæ muſculos ſeptima neruorum coniugatio à cerebro orientium maxima ſui ipſarum parte diſtribuit. de neru.diſſ. 1ª.53.H
Lingua mouet à ſeptima neruorum à cerebro ortorum coniugatione. 4°. de locis affectis. 4ª.22.G
in Lingua qũo ſe habet media conſtitutio. 1°.de mot.muſ. 1ª.315.G
Lingua habet nouem muſculos, & qui. de anat.viu. Sp.49.C
Linguæ muſculi habent capita neruoſa.3°.de alimen.fac. 2ª.26.G
Linguam mouens lacertus vnde oriatur.de mot.man.& obſc. Sp.68.D
Linguæ muſculorum magna pars vnde oriatur.7°.de vſu par. 1°.161.D
Linguam dilatantes muſculi.de anat.viu. Sp.49.C
Linguã eleuãdo eleuatur mãdibula inferior.de mo.ma.& obſ. Sp.68.C
Linguæ motum obliquum qui muſculi faciant, eorumq́; ortus ac proceſſus. de muſc.diſſ. 1ª.46.F
in Lingua q muſculi faciant motũ circũuolutionis.de ana.vi. Sp.49.C
in Lingua qui motus faciant duplicationẽ linguæ.de anat.vi. Sp.49.C
in Lingua qui muſculi faciant motũ retardationis.de ana.viu. Sp.49.D
Lingua qũo fiat flexibilis. de comp.memb.ſiue de natu. huma. Sp.58.F
Linguæ muſculos ſcire quid ſit. 2°.de anat.adm. 1ª.68.H
Linguam qui, quot ue muſculi moueant, nihil facit ad curationem, aut ad prænotionẽ, aut ad morborũ dignotionem. 17°.de vſu par. 1ª.221.F
à Linguã muſculis mouẽtibus non oritur tendo. 1°.de mo.muſ. 1ª.309.E
Linguã mouere à nullo didicit puer. in 6m.de mor.vul.cõ.5°. 3ª.188.F
Linguę circũiecta corpora quibus venis nutriantur.de neru.diſſ. 1ª.58.H
Linguæ venæ vndè.de vena.art.diſſ. 1ª.58.A

Linguæ inſunt

Linguæ inſunt duę venæ, & quo modo.11°.de vſu par. 1ª.187.H
in *Lingua venæ duæ cur.de voce & anhel.* Sp.61.C
Lingua habet magnas venas aptas ad recipiendum humores. in 6^{m}. de mor.vulg.com.5°. 3ª.191.G
ſub *Lingua venæ ſectio quando fieri debeat.6°.de comp. medicamento. ſecundum locos.* 5ª.174.A
ſub *Lingua vena quando ſecatur.de ana.viuo.* Sp.55.B
ſub *Lingua venæ ſecãtur in angina.de cur.rat.per ſang.miſſ.* 6ª.20.G
Linguæ venæ in angina ſecandæ.præſag.exper.confir. Sp.78.D
ſub *Lingua venæ ſectio vacuat phlegmonẽ in faucibus ſine medicamẽto.de vict.rat.in mor.acut.com.4°.* 7ª.138.G
ſub *Lingua venam in icteritia ſecat Galenus.9°. de compoſitione medi. per genera.* 5ª.198.C
ſub *Lingua venæ ſectio ſecatur ob grauitatẽ linguæ.de ana.viu.* Sp.55.B
Linguæ venæ obliquæ ſecandæ.præſag.exper.conf. Sp.78.D
ſub *Lingua venæ parũ ſanguinis mittũt.de cur.ra.p ſang.miſſ.* 6ª.19.G
Linguæ inſunt duę arteriæ, & quo modo.11°.de vſu par. 1ª.187.H
ad *Linguam arteria quę accedat.17°.de vſu par.* 1ª.220.B
in *Lingua, & priapo arteriæ maiores ſunt, quàm in alijs membris.de motibus man.& obſc.* Sp.68.A
Lingua diſtenditur in longitudinem, non tamen in omnem dimenſionem. de mot.man.& obſ. Sp.68.B
Linguæ magnificationis cauſæ.de mot.man.& ob. Sp.67.H
Lingua parua quid faciat.de diff.morb. 3ª.5.B
Lingua & mollem habet, et humidam temperaturam. commentario 6°. aphoriſmo 32°. Ex.49.H
Lingua humida natura ventriculum humidum eſſe oſtendit.commen.6°. aphoriſmo.32°. Ex.50.A
Linguæ inſunt duo nerui, & quo modo.11°.de vſu par. 1ª.187.H
Lingua habet duplex genus neruorum. 8°. de vſu par. 1ª. 166. H/1°. de de ſymp.cauſ. 3ª.16.E
ad *Linguam nerui tendentes, quo modo ſe habeant, et quales.8°. de vſu partium.* 1ª.166.H
ad *Linguæ radicem nerui tenues in quibus animalibus perueniant. 16°. vſu partium.* 1ª.216.H
in *Lingua multi nerui.4°.de ſimp.med.fac.* 5ª.28.G
ad *Linguam neruorum inceſſus.9°.de vſu par.* 1ª.173.H
in *Linguam totam nerui qui.9°.de vſu par.* 1ª.175.C
Linguæ neruus cur mollior q̃ vt actioni cõueniat.8°.de vſu par. 1ª.167.H
Linguæ nerui cur alijs craſſiores.de inſtr.odor. 1ª.110.E
Linguæ nerui, venæ, & arteriæ ſunt maiores & plures in lingua quàm proportione magnitudinis.3°.de alim.fac. 2ª.26.G
Lingua habet maximos neruos propter ſenſum.5°.de vſu par. 1ª.145.C
Linguę ligamentum cur inferius.11°.de vſu par. 1ª.188.A
Lingua magna pars aĩalis, & cuius gratia effecta.1°.de vſu par. 1ª.114.G
Linguæ vſus, qui.de anat.viu. Sp.49.C
Linguæ officia, quę.de mo.muſ. 1ª.309.E
Lingua propter actionẽ totius animalis facta.1°.de vſu par. 1ª.114.G
Lingua longe differt in functionibus ab artuum partibus.4°.de præſagitione ex pulſ. 4ª.20.G
Lingua duas habet actiones.1°.de ſymp.cau. 3ª.15.G
Lingua à natura conſtituta eſt, vt aerẽ poſſit percutere. de vocalium inſtrumentorum diſſectione. 1ª.106.E
Lingua inſtrumentum eſt.de nat.hum.com.1°. 1ª.26.C
Lingua quod inſtrumentum fit.in 1^{m}.prorrh.com.1°. 4ª.162.D
Lingua quod organum, & eius officium.4°.de ſimp.med.fac. 5ª.28.G
Lingua an vocis inſtrumentum, & quo modo.2°.de decre.Hip. 1ª.236.F
LINGVA *inſtrumentum eſt locutionis. in 1^{m}. de morb. vulg. com. 2°. 3ª.115.F de anat.viuo.* Sp.49.C
à *Lingua fit loquendi vſus.4°.de loc.aff.* 4ª.26.E
Linguæ eſt locutio.1°.meth.med. 7ª.6.B
Lingua potius errandum quàm vita.de ord.lib.ſuorum. Iſa.15.F
Lingua aperit ſpiritualem canalem quando loquimur, claudit quãdo mãducamus.de nat.& ord.cuiusl.corp. Sp.41.H
Lingua in exprimendis vocibus quibus inhæreat.de fœt.for. 1ª.325.D
Linguam ſe ampliantem, & prioribus dentibus innuentẽ quę voces exigant.com.7°.aph.32°. Ex.49.H
Linguæ organa quodam modo ſunt dentes noſtri.de natura & ordine cuiuslibet corporis. Sp.42.D
Lingua imbecillior non poteſt exquiſite proferre iſtas voces, traulus, trepidus, tremit, tradit, trochus, triſtis, & ſimilia.c.6°.a.32°. Ex.49.G
Lingua imbecillis volens proferre.t.& r.profert.t.& l. commenta.6°. aphoriſmo 32°. Ex.49.H
Linguę vitium eſt, non vocis balbutire.com.6°.apho.32°. Ex.49.H
Lingua breuis eſt quandoq; cauſa balbutiei.cõ.6°.aph.32°. Ex.49.H
Lingua rariſſime breuis eſt.com.6°.aph.32°. Ex.49.H
q *Linguã hñt vehemẽtius exiccatã balbutiũt.c.6°.apho.32°.* Ex.49.H
Linguæ muſculi cur negant firmiter ſtabiliri in balbis. commentario 6°. aphoriſmo.32°. Ex.49.H
Lingua acuta peccat in formatione vocis.de anat.viuo. Sp.49.C
Lingua obtuſa peccat in formatione vocis.de ana.viu. Sp.49.C
Lingua ob ſiccitatem efficitur tarda.11°.de vſu par. 1ª.188.A
Lingua quibus redditur expedita.de dynam. Sp.25.D
Linguã velocem ferè ſemper habent melancholici, ſed & balbe, & exili voce loquuntur.de mel.ex Gal.Ruff.& Poſſ. Sp.109.E
ſub *Lingua cur poſitæ ſint glandulæ.de ana.viu.* Sp.44.D
in *Linguæ radice cur glandulæ ſint.10°.de vſu par.* 1ª.181.H
Linguę glandulæ ſimiles glandibus mammarũ.3°.de alim.fac. 2ª.26.H
Lingua habet duas glandulas.de voc.& anhel. Sp.61.C
Linguæ glandulæ officium.de vtil.reſp. Sp.63.A
Linguæ glandulæ ad ſaliuam generandam à natura comparatę.3°. de alimen.facul. 2ª.26.G/H
Linguæ cur ineſt humor viſcoſus.13°.de vſu par. 1ª.201.H
Lingua habet ſaliuã, q̃ alterat, & ea nutritur.cõ.3°.aph.39°. Ex.41.C
LINGVA *eſt inſtrumentum guſtatus.de inſtr.odor.* 1ª.110.E
Lingua communi ſenſu tactus partium omnium excellentiorem ſenſum obtinet.16°.de vſu par. 1ª.215.A
in *Lingua idem neruus tangit & guſtat.4°.de loc.aff.* 4ª.22.G
Linguæ dãt guſtũ & tactũ nerui a tertia cõiugatiõe.4°.de lo.a. 4ª.22.G
Linguæ præſtatur qualitas guſtabilis. de compagine membrorum, ſiue de natura humana. Sp.58.D
Lingua præ omnibus ſentit guſtabilem qualitatem, quare. de compagine memb ſiue de nat.hum. Sp.58.D
Linguam comprimens ſapor.de cõpag.memb.ſiue de natu.hu. Sp.58.E
Lingua quibus partibus ſapores ſentit.8°.de vſu par. 1ª.166.H
cum *Lingua dentes diſcernunt omnes ſapores, non aliter quàm aliæ oris partes.16°.de vſu par.* 1ª.215.A
Lingua cur ſapores percipit.2°.meth.med. 7ª.10.E
Lingua q̃uo ſapores diſcernat.11°.de vſu par. 1ª.187.H
Lingua quo modo vitioſe ſapores ſentiat.1°.de ſymp.cauſ. 3ª.15.G
in *Lingua affecta extraneis humoribus, quæ ſunt, guſtãdi facultas ſenſibilibus imputat.1°.de ſymp.cau.* 3ª.16.H
Lingua raro, ſed quandoq; tamen ſentit quæ in ſe habet, niſi alia guſtet. 1°.de ſymp.cau. 3ª.15.H
Lingua quibus delectetur.1°.de ſymp.cau.3ª.17.D/de ocul. 7ª.187.H
Lingua gaudet ſuccis, quos vẽtriculus deſiderat.1°.de ſymp.cau. 3ª.17.D
Linguæ & ventriculi ſocietas, quæ.1°.de ſymp.cau. 3ª.17.D
Lingua habet euidentiſſimam dulcedinis ſenſionem.de victus ra. in mor. acutis, com.3°. 7ª.127.H
Lingua habet in ſe dulce.1°.de ſymp.cau. 3ª.17.D
in *Lingua quod eſt dulce, pituitæ ſpecies eſt.1°.de ſymp.cauſ.* 3ª.17.D
Linguã mordẽtia & calfaciẽtia, ſunt attenuãtia.de atte.vi.ra. 2ª.44.D
Lingua quid cõferat ad maſticationem.11°.de vſu par. 1ª.85.F
Lingua cum ſentitur ſanguis extra venas, tale quid patitur, quale ab extrinſecus admotis.1°.de ſymp.cau. 3ª.17.D
de LINGVAE *affectibus.4°.de loc.aff.* 4ª.22.G
in *Lingua quæ ſint ęgritudines.de ſymp.diff.* 3ª.11.E
Linguæ duo morbi.2°.meth.med. 7ª.10.F
Linguam pati faciunt vel cum delectatione, vel cum nocumento quibus aer dominatur.de ocul. 7ª.187.H
Linguæ cur amara videãtur quæ guſtat.in 6^{m}.de mor.vul.c.5°. 3ª.192.C
Linguæ cur ſalſa videãtur quæ guſtat.in 6^{m}.de mor.vul.c.5°. 3ª.192.C
circa *Linguam ſaliuæ qualitas mutatur.de ſymp.diff.* 3ª.13.C
in *Lingua ſola alienus color cum ſubinde aſpicitur, quod genus eſt ſymptomatis.de ſymp.diff.* 3ª.13.B
Linguæ qñ tingũtur ex humoribus.in 6^{m}.de mor.vul.com.5°. 3ª.191.H
Linguę & totius corporis color alteratur iecore vitiato. 2°.de locis affectis. 4ª.13.C
Lingua maxime ſedem affectam oſtendit.2°.de loc.aff. 4ª.13.C
Linguæ albidæ q̃uo fiant.in 6^{m}.de morb.vulg.com.5°. 3ª.191.H
Linguæ nigrę q̃uo fiant.in 6^{m}.de morb.vulg.com.5°. 3ª.191.H
Lingua nigra qd ſignificet.in 6^{m}.de morb.vulg.com.5°. 3ª.192.B
Lingua nigricans ardentem febrem portendit.1°.de lo.aff. 4ª.6.D
Lingua cur nigreſcat.de vict.ra.in morb.acu.com.4°. 7ª.134.H

Lingua fit

Lingua ſit atra ex morbo pulmonis.4°.de præſag.ex pul. 4ª.19.G
ex Lingua nigra corporis affectiões cognoſcunt.8°.de dec.Hi. 1ª.275.H
Linguæ rubræ q̃uo fiant.in 6^{m}.de morb.vulg.com.5°. 3ª.191.H
Linguæ virides,quæ.in 6^{m}.de mor.vul.com.5°. 5ª.191.E
Lingua viridis quid ſignificet.in 6^{m}.de morb.vul.com.5°. 3ª.192.B
Lingua fuliginoſa,quæ.in 3^{m}.de morb.vulg.com.3°. 3ª.151.A
Lingua fuliginoſa in virgine quadã, quæ Lariſſæ acuta & ardenti febre detinebatur.in 3^{m}.de morb.vulg.com.3°. 3ª.150.H
Linguæ denſæ & aridæ phreniticę.in 1^{m}.prorrh.com.1°. 4ª.162.C
Lingua denſa vnde.in 1^{m}.prorrh.com.1°. 4ª.162.C
Linguæ aridæ q̃uo fiant.in 6^{m}.de morb.vulg.com.5°. 3ª.191.H
Lingua arida ĩ Philiſco fuit, de cuius ægritudine meminit Hippocrates. in 1^{m}.de morb.vulg.com.3°. 3ª.121.A
Linguam aridam ſine ſiti in quodam ægro fuiſſe refert Hippocrates. in 1^{m}.de morb.vulg.com.3°. 3ª.125.D
Lingua arida ſine ſiti in Hermocrate qua ratione fuerit. in 3^{m}. de morb. vulg.com.1°. 3ª.132.G
Lingua arida ſine ſiti q̃uo eſſe poſſit.in 3^{m}.de mor.vulg.com.1°. 3ª.132.H
Lingua ſicca non ſentit.7°.de decr.Hipp. 1ª.271.G
Lingua aduſta quid ſignificet.in 3^{m}.de morb.vulg.com.1°. 3ª.131.B
Lingua aduſta exiſtẽs,ſi ingens ſitis abſit in acuta & valida febre, quid indicet.in 3^{m}.de morb.vulg.com.1°. 3ª.131.B
Lingua,& os quibus facile deſiccatur,aloen damus.de dyna. Sp.20.H
Lingua aſpera vnde.in 1^{m}.prorrh.com.1°. 4ª.162.C
Lingua cur aſpera reddatur.de vict.ra.in morb.acu.com.4°. 7ª.134.H
Linguę aſperitas quo lunę aſpectu fiat.de decub.progn. Sp.12.G
Lingua aſpera melle fricanda.de dynam. Sp.20.A
Lingua lenitur humidis.ars med. Iſa.69.E
Linguæ nigræ ab vtero ſæpius fiunt.in 6^{m}.de mor.vulg.cõ.5°. 3ª.191.H
Lingua turbata quarto die febrienti ſignificat delirium futurum.de vic. rat.in morb.acut.com.4°. 7ª.142.G
Linguæ dolores & oris lentiſcino oleo curantur.5°. de compoſi. medica. ſecundum locos. 5ª.162.H
Lingua grauior in morbo ex thorace.de dynam. Sp.19.G
ad Linguam fluctione laborantem.de med.fac.par. 7ª.173.E
in Linguæ phlegmone euitãda quę pituitam per os euocant.13°. methodi medendi. 7ª.83.A
Lingua magna quid faciat.de diff.morb. 5ª.5.B
pro Linguæ magnitudine lactucæ ſuccus conuenit, ſi eo colluatur lingua.14°.meth.med. 7ª.89.C
Linguam adeo tumefactam quidam habebat, vt in ore illam continere nõ poßet.14°.meth.med. 7ª.89.C
ad Linguæ tumores quid conueniat.6°.de comp.med.ſec.loc. 5ª.176.A
Lingua incontinens quæ ſit.com.7°.aph.40°. Ex.57.B
Lingua ſi repente incõtinens fiat,aut aliqua pars corporis ſtupore elanguit tale eſt melancholicum.com.7°.aph.40°. Ex.57.B
Linguæ incontinentia non videtur antecedere melancholicum.commentario 7°.apho.40°. Ex.57.B
Linguæ paralyſis nullum nomen habet.2°.de ſymp.cau. 3ª.19.G
Linguæ motus ſolus vitio carebit,quando anterior pars duntaxat cerebri afficietur.4°.de loc.aff. 4ª.22.H
Lingua ſola paralytica fit,tñ ſeruat tactũ & guſtũ.4°.de lo.af.4ª.22.H
Linguæ motus vitiatur per ſeptimam neruorum coniugationem. 4°. de locis affectis. 4ª.23.B
Linguæ sẽſus põt vitiari ꝑ tertiã neruorũ cõiugationẽ.4°.de l.a.4ª.23.B
Lingua reſoluta põt clamare,nõ loqui.in 3^{m}.de mor.vul.cõ.3°.3ª.149.C
ad Linguæ mollificationem.ſecret. Sp.98.C
Linguæ tremor vnde oriatur.in 1^{m}.prorrh.com.1°. 4ª.166.B
Lingua obtremiſcens ſignificat mentem non conſtantem. in 1^{m}. prorrhe. commentario 1°. 4ª.166.B
Lingua cur contremiſcat.in 1^{m}.prorrh.com.1°. 4ª.166.B
Linguæ radix cõuellit,& tũc quæ pars ſit affecta.3°.de loc.af. 4ª.17.D
Linguæ nexus immodici in quo genere ægritudinis.de diff.mor. 3ª.5.C
in Linguæ vitio,deiectione vtaris.14°.meth.med. 7ª.89.C
Lingua exerta apto ore canis rabidi exẽplo quidã iactãtes ſe medicæ ſpeculatiõis principes eſſe,impudẽter reſiſtũt dicẽtibus fieri poſſe,vt ſolo ꝑſpecto colore,affectã ſedes interdũ noſcat. 5°. de loc.aff. 4ª.34.C
Linguę pars dimidia abſciſſa quæ ſit ægritudo.de diff.morb. 3ª.5.A
Lingua mutilata erit aliqua magnitudinis diminutio,tamẽ ipſum animal non neceſſario dicitur mutilum.de diff.morb. 3ª.4.H
Linguæ partem anteriorem quidam mordicus abſcidit in magna neruorum diſtentione.de diff.morb. 3ª.4.G
Linguã Philomelæ abſcidit Tereus.de voc.inſtr.diſſ. 1ª.106.E
Lingua amota tuſſim concitat.de opt.ſecta. Iſa.21.F
Linguam cuiuſdam ſupra modum abſq; vllo doloris ſenſu excreuiſſe vidit Galenus.de diff.morb. 3ª.5.B
Linguam ſubmordet omphax.de ſimp.med. Sp.88.B
Linguam vlcerat tithymalli ſuccus.de dynam. Sp.21.E
Linguę vulneris præſid.nm.de dynam. Sp.25.D
ad Linguæ radicem confert ſuccus centaureæ.de virt.cent. Sp.93.D
LINGVA eſt de cibarijs medijs.de diff.cont. Sp.74.C
cum Lingua coquuntur larynx,& epiglottis.3°.de alim.fac. 2ª.26.G
Linguæ ſimile corpus in laryngis meatu,& qualc.7°.de vſu p.1ª.160.B
Linguæ laryngis vſus.7°.de vſu par. 1ª.160.H
Lingua aquilæ collo ſuſpenſa ad quid iuuet.de med.fac.par. 7ª.171.B
ſub Lingua tenenda medicamenta quando,& quo modo vocẽtur.7°.de comp.med.ſec.loc. 5ª.177.E
ſub Lingua quo modo continenda medicamenta, quæ ad pectus tendere debent.de vſu ther.ad Pamph. 5ª.98.G
LINGVLAE corpus cur membranoſum eſt.7°.de vſu par. 1ª.161.C
in Lingula cur foramina.7°.de vſu par. 1ª.161.A
Lingula cur viſcoſa ac pinguis.7°.de vſu par. 1ª.161.C
Lingulę officium intro. Iſa.54.C
Lingula cooperit guttur in deglutiendo.intro. Iſa.54.C
Lingulam,vel epiglottida fuiſſe affectã oſtẽdit tunica viſcoſa, & craſſa, quæ tuſſiendo reiecta fuit.1°.de lo.aff. 4ª.2.D
Lingulæ aliquid quandoq; excreatur.4°.de loc.aff. 4ª.28.B
Λινόν quid nominare conſueuerit Herophilus.9°.de vſu par. 1ª.173.C
LINOSPERMON, id eſt lini ſemen,cuius facultatis.7°.de ſimpli.medica.facul. 5ª.54.F
LINOZOSTIS, & mercurialis herba,idem.de ſimp.med. Sp.86.E
Linozoſtis,id eſt mercurialis,quid.de ſimp.med. Sp.86.E
Linozoſtis cuius facultatis. 7°.de ſimp.med.fac. 5ª.54.F
Linozoſtis,id eſt mercurialis,ſtercus expellit.de dynam. Sp.21.H
Linozoſtis pituitam aquoſam educit.de dynam. Sp.22.B
LINTEOLO illigat ſimplicia, & facit ea ebullire.7°. de compoſitione medic.ſec.loc. 5ª.180.G
per Linteolum concernit pulueres.6°.de comp.med.ſec.loc. 5ª.175.D
per Linteum exprimit ſuccos.3°.de comp.med.ſec.loc. 5ª.145.C
ꝑ Linteũ colat.6°.de cõp.me.ſe.lo.5ª.170.D/de me.fa.par. 7ª.172.A
Lintea quo lapide ad ſplendorem ducantur.9°.de ſimp.me.fac. 5ª.68.D
LINTEOLO fricandum corpus ante exercitationem. 2°. de ſanitate tuenda. 2ª.69.H
Lintea pro frictionibus qualia eſſe debent.12°.meth.med. 7ª.75.F
Lintea duriora accipiantur pro frictionibus ante balneũ aquæ frigidæ. 3°.de ſanitate tuenda. 2ª.78.C
Linteum ſuperponendum loco qui debet fomentari. de victus ratione in mor.acu.com.2°. 7ª.116.G
Lintea qualia præparanda.de ijs,quæ in med.fi.com.2°. 7ª.211.F
Lintea quibus irriganda.de ijs,quæ in med.fi.com.2°. 7ª.211.G
LINTEIS alligabimus adſtringenda.de faſcijs. 7ª.293.F
Linteorum duo ſubligamina.de ijs,quę in med.fi.com.2°. 7ª.214.E
ex Linteo ſi fiat faſcia,q̃uo linteum frangi debeat.de faſcijs. 7ª.293.H
in Lintei lõgitudinẽ factæ faſciæ firmius tenẽt vinctũ.de fa. 7ª.293.H
ex Linteo vno extremis partibus vel alibi ſciſſo confectæ faſciæ, dicuntur ſciſſę.de faſcijs. 7ª.293.H
Linteum ſciſſum ad ſummum caput & ei proximam regionem quo modo fieri debeat.de faſcijs. 7ª.294.D
Linteũ ſciſſum ad frontẽ,& partes,q̃ iuxta ſunt.de faſcijs. 7ª.294.E
Linteum ſciſſum ad totum caput.de faſcijs. 7ª.294.E
Linteum ſciſſum ad naſum.de faſcijs. 7ª.298.A
Linteum ſciſſum in quatuor partes ad aures.de faſcijs. 7ª.299.E
Linteũ ſciſſum in partes ſex ad regionẽ iuxta aurẽ.de faſcijs. 7ª.299.F
LINA marinæ purpuræ, ſi illis vipera ſuffocetur, & collo alicuius ligentur,pariſthmijs,& morbis colli proſunt.6°.de ſimplicium medicamen.facul. 5ª.45.H
LINI ſemen quale.de vict.rat.in mor.acu.com.4°. 7ª.140.H
Lini ſemen eſt craſſum eſſentia.3°.de ſimp.med.fac. 5ª.18.G
Lini ſeminis vſus & temperies.1°.de alim.fac. 2ª.15.E
Lini ſemen cibus ſimul eſt & medicamentum multi ſeminis.5°.de ſimpl. medic.facul. 5ª.38.E
Lini ſemẽ medicamẽtoſum,& tentat caput.de atten.vict.ra. 2ª.44.E
Lini ſeminę quo modo vtantur ruſtici 1°.de alim.fac. 2ª.15.E
Lini ſemẽ flatuoſũ eſt,& humidũ hñs recremẽtũ.7°.de ſim.m.f. 5ª.54.F

Lini ſemen

Lini ſemen calidum in primo ordine, & temperatum in paſſiuis qualitatibus.7°.de ſimp.med.fac. 5ª.54.F
Lini ſemen tepidum eſt,vt roſaceum.3°.de ſimp.me.fac. 5ª.18.G
Lini ſemen temperatum eſt.3°.de ſimp.med.fa. 5ª.19.B
Lini ſemen calorem temperatum habet.11°.meth.med. 7ª.73.C
Lini ſemen quid agat.1°.de alim.fac. 2ª.15.E
Lini ſemẽ gratũ viſceribus ſub hypochõdrijs.3°.de ſim.med.fac.5ª.18.H
Lini ſemine tepido, ex aqua & oleo cocto illinenda ſunt hypochondria, quando ſunt tenſa.de vict.rat.in mor.acu.com.4°. 7ª.140.H
ex Lini ſemine crudo fomenta in dolore fiunt. 2°. de arte curatiua ad Glauconem. 7ª.104.G
Lini ſemẽ ad tormina ſine febre valet.de vi.ra.in mor.a.c.4°. 7ª.149.C
ex Lini ſemine cataplaſma in pleuritide.de vi.r.in m.a.c.4°. 7ª.144.B
Lini ſemen ſi in aqua coquas,refrigerantẽ cremorem efficit.6°.de ſanitate tuenda. 2ª.100.F
Lini ſemẽ exiccat & refrigerat.de vic.ra.in mor.acu.cõ.4°. 7ª.149.H
Lini ſemen purgat pulmonem,& thoracem.de cathar. Sp.95.C
Lini ſemen mouet vrinam.1°.de alim.fac. 2ª.15.E
Lini ſemen frangit lapidem renum,& veſicę.de cathar. Sp.95.D
Lini ſemen toſtum,quid efficiat.7°.de comp.me.ſec.loc. 5ª.182.A/H
Lini ſemẽ torrefactũ extergit abſq; acrimonia.7°.de cõ.me.ſ.l.5ª.177.F
Lini ſemen frictum.de med.fac.par. 7ª.171.E
LIPARA compoſitio,qualis.1°.de comp.med.ſec.loc. 5ª.131.E
Liparon emplaſtrum.1°.de comp.med.per ge. 5ª.217.H
LIPODERMVS quid.fin.med. Iſa.49.B
ad Lipodermos malagma.7°.de comp.med.per ge. 5ª.267.A
LIPPIENTEM alui ꝓfluuio corripi,bonũ.com.6°.aph. 17°. Ex.47.H
Lippientibus qui colores conferunt.de ſubf.empi. Iſa.32.B
Lippientibus qui colores obſint.de ſubf.empi. Iſa.32.B
ad Lippientes angulos oculorum valet fuligo picæ tedæ. 8°.de ſimplic. medic.facul. 5ª.58.F
ad Lippientes collyrium.3°.de comp.med.per ge.234.H/6°. 5ª.258.F
iam Lippientibus in linteolo collyrium adhibetur.5°. de compoſi.medi. per genera. 5ª.247.F
Lippientium fluxus quàm promptiſſime cohibẽs emplaſtrum. 6°. de cõ. med.per gene. 5ª.259.G
ad Lippientes emplaſtrum Azanitæ confert,& quo modo ponendum. 5°.de comp.med.per gene. 5ª.247.D
LIPPITVDINES cur ita dictæ.com.3°.aph.12°. Ex.21.G
Lippitudo quid.introd. Iſ.58.D
Lippitudo morbus eſt in oculo.de diff.morb. 3ª.5.H
Lippitudo frequentiſſima oculorũ affectio.4°.de cõp.med.ſe.lo. 5ª.150.F
Lippitudo affectus eſt totum oculum exercens.intro. Iſa.58.D
Lippitudo cuius ſit ægritudo propria,& cuius ex accidenti. de differentijs morborum. 3ª.5.H
Lippitudo morbus eſt contagioſus.4°.de diff.pulſ. 4ª.64.H
vt Lippitudo,& ſcabies,peſtilẽtia cõtagioſa eſt.1°.de diff.morb.3ª.31.B
Lippitudines tabidæ qũo,& ex quibus fiant.cõ.3°.aph.16°. Ex.23.A
Lippitudines infeſtant eos qui ſunt repleto capite, his dẽptis qui habent oculos præualidos.com.3°.aph.11°. Ex.21.C
Lippitudines qua tẽpeſtate,& propter qd.com.3°.apho.14°. Ex.22.D
Lippitudines qua tempeſtate, & quibus annis maxime accidant. com. 3°.aphoriſ.12°. Ex.21.F
Lippitudines cur fiant æſtate.com.3°.apho.21°. Ex.24.C/D
Lippitudines cur fiant,ſi fuerit hyems aquilonia,& autumnus auſtralis. com.3°.aph.11°. Ex.21.A
cur Lippitudo per circuitum fiat.2°.de diff.feb. 3ª.41.F
Lippitudines infeſtantes quotidie,& tertio die cur eueniunt.2°.de differentijs febrium. 3ª.40.E
Lippitudo oculorũ cũ catocho peſſima.in 3ᵐ.de mor.vul.c.2°. 3ª.140.A
in Lippitudine,principio copioſus humor tenuis,& incoctus plurimum defluit.de tot.morb.temp. 3ª.88.G
Lippitudo lachrymas facit.com.4°.aph.52°. Ex.33.D
in Lippitudine palpebræ dormictiũ agglutinantˉ.de tot.mor.tẽp.3ª.88.H
Lippitudo cur facta humida.in 3ᵐ.de morb.vul.com.3°. 3ª.146.H
Lippitudo citra fluxionẽ quãdo fiat.in 1ᵐ.de mor.vul.com.1°. 3ª.108.C
Lippitudines humidę quibus accidant.de aere,aquis,& locis. 2ª.2.F
Lippitudinẽ ſiccã,& ſcabioſam iuuãt collyria oxydercica.int. Iſa.58.B
ad Lippitudinẽ ſiccam cõmodũ quid.4°.de comp.med.ſec.loc.5ª.152.D
ad Lippitudinem ſcabram & aridam illitio mordax bona.4°.de comp. med.ſec.loc. 5ª.153.E
Lippitudo ab alui profluuio ſoluitur prope finẽ.cõ.4°.aph.2°. Ex.27.H
LIPPITVDINIBVS quæ cõmoda.4°.de comp.med.ſec.loc.5ª.149.G
ad Lippitudinẽ remedia,q̃.cõ.6°.ap.17°.Ex.47.H/de dyn. Sp.24.G
Lippitudo quo modo detergenda.de remed.fac.par. 7ª.156.B
Lippitudinis impetus glaucium ſtringit.de ſimp.med. Sp.84.F
Lippitudines ſanare non poteſt ladanum.7°.de ſimp.med.fac. 5ª.51.E
ad Lippitudines oui candidum confert.3°.de comp.med.ſe.lo. 5ª.140.G
Lippitudines optime curat ſatyrium.de ſimp.med. Sp.91.C
ad Lippitudines æſtiuas.de remed.par.fac. 7ª.156.B
ad Lippitudinẽ incipiẽtẽ qd cõferat.4°.de cõ.me.ſe.lo.152.G/5ª.154.A
ad Lippitudines diuturnas.de remed.par.fac. 7ª.156.B
Lippitudine oculorũ veteri infeſtatos qd iuuet.de com.me.ſe.l.5ª.139.A
ad Lippitudines inueteratas quid bonum.4°. de compoſi. med.ſec.loc. 152.F/154.C/155.G/ 5ª.156.H
ad Lippitudines ad malum habitum productas collyrium.4°.de comp. medic.ſec.loc. 5ª.156.H
ad Lippitudines oẽs.4°.de cõ.me.ſe.lo.152.G/154.A/155.C/ 5ª.156.E
Lippitudo,vide Ophthalmia.
LIPPI vident iridem ad lucernam.de hiſt.philoſ. Sp.8.A
LIPSIANI quid.de ſimp.med. Sp.86.C
Lipſiani acriter relaxant,lumbricos occidunt,partũ expellunt.de ſimp. medicam. Sp.86.C
Lypiria febris,quæ.fin.med. Iſa.46.C
Lipyria febris ad quod genus relegetur.in prog.com.2°. 4ª.198.D
Lipyria eſt conſequens febris.com.7°.aph.42°. Ex.57.D
Lipyriæ febres,quales.de inæq.intemp. 3ª.44.G
Lipyriæ febres & hepialæ quos habent caſus.1°.de diff.feb. 3ª.34.A
Lipyriæ febres ſunt putridæ.1°.de diff.feb. 3ª.34.A
Lipyriæ febres quid faciant.3°.de ſimp.med.fac. 5ª.21.A
in Lipyrijs febribus arteriarum partes ſunt frigidiores. 3°. de præſag. ex pulſ. 4ª.115.D
LIQVABILIA quæ vocentur.3°.de com.med.per gen. 5ª.233.F
ex Liquabilibus medicamentum.3°.de comp.med.per gen. 5ª.233.F
LIQVANTIA ſunt calida poteſtate.3°.de temp. 1ª.23.F
LIQVEFACIENDVM igne non flamma,quid.5°.de compoſitio. med. per genera. 5ª.247.E
Liquefaciens humores medicamen.de med.exper. Sp.106.B
Liquefaciens phlegma medicamen.de medic.exper. Sp.108.A
Liquefaciens phlegma electarium.de med.exper. Sp.107.A/G
Liquefaciens phlegma viſcoſum electarium.de med.exper. Sp.108.D
ſi LIQVEFIAT metallũ,maius fit q̃ fuerit prius.de vt.re. Sp.64.A
LIQVESCANT qũo metalla.de vtil.reſp. Sp.64.A
LIQVENTVR quæ igne.3°.de comp.med.per ge. 5ª.233.F
Liquari quæ poſſunt,liquida ingrediuntur compoſitiones.2°.de compoſi. med.per genera. 5ª.227.F
nõ Liquãtur nec ſiccantur fibræ,vt carnes faciunt.10°.me.m. 7ª.67.E
Liquare pro mollire.2°.de ſan.tuen. 2ª.71.B
Liquandi vim obtinet laſerpitium.8°.de ſim.me.fa. 5ª.60.F
LIQVIDIOR eſt ſanguis arteriæ quã venæ.de vtil.reſp. Sp.64.E
Liquidioris ſanguinis homines ſunt timidi,et boni ſenſus, quia molles carne.de vtil.reſp. Sp.64.F
in LIQVIDO ſanguine nulli inueniũtur neruuli.de vti.reſp. Sp.64.F
Liquidus eſt humor albugineus,& cur.de anat.viuo. Sp.48.E
Liquidæ compoſitiones inunctiles in quibus conueniant. 4°. de compoſi. medic.ſec.loc. 5ª.151.B
Liquidum cur non effluit à manu.1°.de vſu par. 1ª.116.D
Liquidis accipiẽdis materia apta eſt chondrus.8°.de ſim.me.fa. 5ª.63.H
Liquidũ ſignificat nõ coctum.de vict.ra.in mor.acu.com.4°. 7ª.134.G
Liquida non exeunt è ventriculo,quia liquida.1°.de nat.fac. 1ª.296.D
Liqdi motus ſunt illi,q ſunt ſenſui manifeſti.de mot.ma.& obſ. Sp.66.D
LIQVIRITIAE ſemen purgat veſicam.de cathar. Sp.95.D
Vide Glycyriza.
LIQVORES ſunt tenuiũ partiũ,& calidi.8°.de ſim.me.fa. 5ª.60.A
Liquores habẽt varios ſapores ex terra mixta.de vtil.reſp. Sp.64.F
in Liquore fructuum craſſum quippiã defertur.1°.de ſim.me.fa.5ª.5.D
Liquore è tritico exit qũo.5°.de comp.med.ſec.loc. 5ª.160.H
Liquores alij nõ nutriũt pręter vinũ.de ren.affe.dig.& med. 7ª.195.G
Liquores ex calore primo dulceſcũt,poſt amareſcũt.de ocul. 7ª.188.G
Liquores quales eſſe debeant.1°.de antid. 5ª.110.D
ex Liquoribus & ſuccis ſimplicia quæ,& quod facile lęuigãtur. 4°. de comp.med.per ge. 5ª.237.H
Liquor Cerenaicus acris.4°.de comp.med.ſec.loc. 5ª.149.F
Liquor Euphorbij acris.4°.de comp.med.ſec.loc. 5ª.149.F

Liquor Medicus acris.4°.de comp.med.ſec.loc. 5ª.149.F
Liquor Sagapeni acris.4°.de comp.med.ſec.loc. 5ª.149.F
Liquores tres acrimoniæ expertes, quibus alij duo adduntur.4°. de cōp. med..ſec.loc. 5ª.151.C
Liquor, vide Succus.
LIS *mala quæ.1°.meth.me.* 7ª.2.G
LITE *viride emplaſtrum.2°.de com.me.per gene.* 5ª.220.E
Lite vt ſit, quid requiratur.2°.de compo.med.per genera. 5ª.220.E
Lite ex ſalicibus vt Herodotus.5°.de comp.me.per ge. 5ª.248.G
Lite emplaſtrum.2°.dc comp.med.per gene. 5ª.221.D
Lite fuſcum.6°.de comp.me.per gene. 5ª.259.A
Lite iceſium Heraclidis.5°.de comp.me.per gen. 5ª.250.A
LITERARVM *diuiſio.9°.de decre.Hip.* 1ª.282.E
Literas apud Aegyptios inuenit Theuth.9°.de decr.Hip. 1ª.282.E
per Literas multos curauit Galenus.4°.de loc.aff. 4ª.22.C
Literas accipiebat Galenus ex Iberia, Celtica, Aſia, & Thracia.4°. de locis affectis. 4ª.22.C
LITHARGYRVS *quid, & eius vires.de ſimp.me.* Sp.90.F
Lithargyrus præparatur.9°.de ſimp.med.fac. 5ª.78.D
Lithargyrus Romæ habetur.1°.de antid. 5ª.100.D
Lithargyrus, qualis.9°.de ſimp.med.fac. 5ª.69.H
Lithargyrus temperatus.9°.de ſimp.med.fac. 5ª.70 A
Lithargyrus leuiſſimus eſt.7°.de comp.me.per gene. 5ª.268.H
Lithargyrus per eroſionem interimit.4°.de ſimp.med.fac. 5ª.30.B
*Lithargyro cur vtamur ĩ pluribus medicamẽtis.9°.de ſim.m.f.*5ª.70.A
Lithargyrus cicatricem inducit per accidẽs.5°.de ſimp.med.fa. 5ª.36.D
Lithargyrus in intrinſecis vlceribus ſumi non debet, ſed eo vtimur in ex trinſecis.4°.meth.med. 7ª.28.H
Lithargyrus ad intertrigenes femorum vtilis medela eſt. 9°. de ſimplic. medic.facul. 5ª.70.A
Lithargyri vires habet plumbago.9°.de ſimp.med.fac. 5ª.70.D
LITHIASIS *quid.fin.med.47.G/48.F/intro.* Iſa.58.G
Lithiaſis affectus partium exteriorum palpebrarum.intro. Iſa.58.D
LITHOCOLLA *vtitur ad pilos agglutinandos.4°. de comp. medicam. ſecundum locos.* 5ª.153.C
Λίθων θϱυπτικὰς *facultates à calculis comminuendis vocant.5°.de ſimp.med.facul.* 5ª.32.B
LITHOIDES *os, quid.intro.Iſag.54.F/de oſſib. 40.H/4°. de anatom. adminiſtrationibus.* 1ª.84.D
Λιθόλαβον *ferrum, quod.intro.* Iſa.60.B
LITIGATORE *ſe, et ſe ẽt iudice vicit Theſſalus.1°.meth.me.* 7ª.3.A
LITRVM *in medio ſalis, & aphrolitri vires habet. 11°. de ſimplicium medic.facul.* 5ª.83.E
*Litrũ bereciniũ facit ad vulnera neruorũ.3°.dc cōp.me.per ge.*5ª.230.F
LITTORALES *piſces neq; craſſi, neque tenuis ſucci ſunt. de bon. & vitio ſuccorum.* 2ª.34.H
in Littore mulieris decumbentis caſus ab Hippocrate refertur.in 1m.de morb.vulg.com.3°. 3ª.126.E
LIVENTIA, *ac lichenas ſanat rha.8°.de ſimp.med.fac.* 5ª.59.E
Liueſcere quid ſignificet.in prog.com.2°. 4ª.198.F
Liueſcentia dura nigreſcunt.de fract.com.2°. 7ª.236.C
ad LIVIDITATES *oculorum valet ſuccus centaureę. de virtute cen taureę.* Sp.93.D
LIVIDVM *græce pelidnon vocant.14°.meth.med.* 7ª.89.D
Liuidum quid ſignificet.in prog.com.3°. 4ª.211.D
*Liuidus, & niger color cõtrarius eſt flauo et pallido.14°.me.m.*7ª.87.E
Liuidus color quid ſit, & q̃uo fiat.de fract.com.2°. 7ª.236.C
Liuidus color ſemp̃ malus in febribus.in 6m.de morb.vul.c.1°. 3ª.159.G
Liuidũ & nigrũ colorẽ facit frigus.de mel.ex Gal.R.& Poſſ. Sp.109.E
Liuidus colore muſculus, qui.de muſ.diſſ. 1ª.52.A
Liuidum corpus q̃uo fiat.de tum.præter nat.84.C/in 6m. de morbis vul garib.com.3°. 3ª.178.A
Liuida extrema in Philiſco fuere.in 1m.de mor. vulg.com.3°. 3ª.121.B
Liuida frigidaq; cur fiant extrema.in 3m.de mor.vul.cõ.2°. 3ª.131.B
*Liuida cur ſint extrema in acutis morbis.in 1m.de mor.vul.c.2°.*3ª.115.B
Liuidæ, & frigidæ extremitates in acuto morbo lætales ſunt. in 3m. de morb.vulg.com.2°. 3ª.137.F
Liuidi digiti & liuidæ vngues ſignificant mortẽ.in p̃gn.cõ.2°. 4ª.198.F
Liuidis pedibus nigri ſunt minus peſtiferi.in prog.com.2°. 4ª.198.G
Liuidas puſtulas habentes in ſuperficie optime purgat colocynthis. de dynamidijs. Sp.21.D
Liuidum excrementum quid ſignificet.1°.de criſi. 4ª.29.E
Liuidæ, ſanguineæ, bilioſę, et fœtidæ excretiones in febrib⁹ nõ intermittẽ tibus oẽs malæ. cũ vero bene excernũtur, bonũ eſt, et p̃ veſicã: et vbi aliquid ſecedẽs ſteterit nõ purgatũ, malũ.cõ.7°.aph.65°. Ex.60.E
Liuida vrina aut nigra in ſynocha nõ ſine periculo erit.de dyn. Sp.34.E
Liuidus q̃uo ſanguis efficiatur.quæſ.in Hipp. Sp.113.F
Liuida cũ duritie ſignificant inflammationẽ.de fract.com.2°. 7ª.236.C
Liuidas & duras partes diſcutientia nõ ſanant eryſipelata. 6°. de com. med.ſec.loc. 5ª.176.H
Liuida curat lupinorum farina. 6°.de ſimp.med.fac. 5ª.48.D
Liuida digerit lupinorum farina.6°.de ſimp.med.fa. 5ª.48.D
ad Liuida accommoda eſt raphanis.8°.de ſimp.med.fac. 5ª.59.E
LIVORES *cructi extrinſecus circa mẽbranã genituræ erãt illius, quę ab ancilla quadã in terrã deſiliẽdo proiecta fuit.de fœt.for.* 1ª.322.D
Liuores faciunt aeris temperaturæ. q̃ animi mores. 1ª.318.F
Liuores fiunt à frigido.com.5°.aph.17°.38.H/20°. Ex.39.A
Liuorem facit frigus.com.5°.aph.23°. Ex.39.G
Liuores tollit raphanus.de ſimp.med. Sp.89.F
ad Liuores quid faciendum.5°.de comp.medica.ſec loc. 5ª.159.F
Liuorem tollit medicamentum Epigoni à nõ nullis dictum ab alijs Iſis.5°. de comp.med.per genera. 5ª.246.E
Ἀπυϱετα *antidota, id eſt febrifugia quæ.2°.de antidotis.* 5ª.113.H
Ἀπιφάϱμακα *antidota, id eſt ſoluimorbia, quæ.2°.de antid.* 5ª.113.H
LIXIVIVM *vnde dicatur.7°.de ſimp.med.fac.* 5ª.52.B
Lixiuium quid ſit, & quale.9°.de ſimp.med.fac. 5ª.69.G
Lixiuium ex quibus fiat lignis.3°.de comp.med.per ge. 5ª.228.F
Lixiuium prę ſtantiſſimum, quod.3°.dc comp.med.per ge. 5ª.228.F
Lixiuiũ è ſarmẽtorũ cinere factũ ad q̃d cõferat.2°.de ant. 5ª.114.C/D
Lixiuium lauri prodeſt pecoribus quibus pulmo tenſione vexatur, & q bus venenata aliqua res per cibum obrepſit.de ſimp.me. Sp.85.H
Lixiuium lauri in cauſtica mittitur.de ſimp.med. Sp.85.H
Lixiuium cur calidum.4°.de ſimp.med.fac. 5ª.25.A
Lixiuium eſt tenuiſſimarum partium.14°.meth.med. 7ª.88.H
Lixiuia res acris eſt & ſtyptica.de ſimp.med. Sp.86.A
Lixiuiæ vires quæ.de ſimp.med. Sp.85.H
Lixiuium digerit.14°.meth.med. 7ª.88.G
Lixiuiæ virtute quęcunq; pro vetuſtate ſtupida facta ſunt, auferuntur. de ſimp.med. Sp.86.A
Lixiuium diſponit vulnera ad ſanitatem.de ſimp.med. Sp.86.A
Lixiuium ſordes vulnurum abſtergit.2°.de arte cur.ad Glau. 7ª.106.E
Lixiuium maxime abſterſiuum et exiccatorium ex cinere ficus et tithy mallorum, quod eſt.6°.de ſimp.med.fac. 5ª.52.B
Lixiuio aqua cum farina hordeacea in ea cocta medicamentum extem- plo factum ad putredinem in neruo vulnerato.6°.meth.me. 7ª.37.F
cum Lixiuio cocta farina erui leuat à putrefactione.6°.me.me. 7ª.37.F
Lixiuium ſepticis miſcetur.9°.de ſimp.med.fac. 5ª.69.G
Lixiuium quod ſepticum.7°.de ſimp.med.fac. 5ª.52.B
Lixiuium eſt ferè ſcpticum vel putrefaciens.6°.de ſimp.me.fac. 5ª.52.B
Lixiuium adurit.introductio.58.B/1°.de com.med.ſcc.lo. 5ª.127.F
Lixiuium adurit citra dolorem, quia tenue.9°.de ſimp.med.fa. 5ª.69.G
Lixiuium ex calce, quale.9°.de ſimp.med.fac. 5ª.71.B
Lixiuium liquidum.1°.de comp.med.ſec.loc. 5ª.127.A
Lixiuiũ figularium cum melle feruefactum ad quid conferat.3°. de com. med.ſec.loc. 5ª.144.D
Lixiuij figulini aqua.10°.de comp.med.ſec.loc. 5ª.209.D
Lixiuię quæ ſtacte dicitur meminit.[forte miſtra ſaponis eſt].3°.de cõp. med.per genera. 5ª.228.F
Lixiuia ſtacte.6°.de comp.med.per genera. 5ª.261.E/G
*ex Lixiuia ſtillatitia, & farina hordei cataplaſmate fouetur pars pu- treſcens in contuſionibus neruorum.3°.de cõp.med.per ge.*5ª.229.A
Lixiuio vtaris in ſpongię defectu.14°.meth.med. 7ª.87.F
LIXOPERICON. *de dynamidijs.* Sp.32.H
LOBI, *id eſt ſiliquæ.2°.de alim.fac.* 2ª.16.C
Λοβοὶ, *qui.1°.de alim.fac.* 2ª.14.H
Lobi hortenſes cibo adaptantur.de atten.vic. 2ª.45.B
Lobi hortenſes ſunt craſſi ſucci, & pituitoſi.de atten.vic. 2ª.45.B
Lobi minus inflant fabis.de atten.vic. 2ª.45.B
LOBI *cur duo in læua thoracis parte.6°.de vſu par.* 1ª.148.H
Lobi cur tres in dextra thoracis parte.6°.de vſu par. 1ª.148.H
Lobi pulmonis in omni animali plures ſunt in dextra parte, quàm in ſini ſtra.6°.de vſu par. 1ª.149.A
Lobus quintus pulmonis thymus propter quid factus. 6°. de vſu partium. 1ª.148.H

Lobos plures

Lobos plures quàm homo plura animalia habent.6°.de vſu p. 1ª.149.A
LOCALIS *motus qui.1°.de nat.fac.* 1ª.290.G
Localia medicamenta eſſe,id eſt quæ à particularibus ducuntur membris,certum eſt.de catharticis. Sp.94.H
Locale remedium quod.in 6^{m}*.de mor.vulgari.com.2°.* 3ª.162.C
ad *Localia medicamenta ſtatim deueniendum, quando non adeſt plethora,aut cacochymia.6°.de comp.medi.ſecun.loc.* 5ª.166.A
Localiter opitulari nos docet locus.de voc.inſtr.diſſ. 1ª.106.C
Λοχίας *purgatio eſt.in 1*^{m}*.prorrhe.com.2°.* 4ª.75.D
LOCVS, *& receptaculum quo modo differant.de hiſt.philo.* Sp.5.C
Locus Dei vbi ſit.de hiſt.philoſ. Sp.3.F
in *Loco non eſt anima.de ſpermate.* Sp.37.H
de *Locis,aere,& aquis libri ſunt Hippocratis.3°.de diff.reſp.* Sp.69.E
de *Locis,aere,& aquis liber quid tractet.3°.de diff.reſp.* 3ª.73.D
Locorum natura debet ſciri ſecundum empiricos.de ſect. Iſa.16.D
Locorum diſtinctio per complexiones.com.3°.aphor.14°. Ex.22.E
ſm *Loca diuerſa ſunt animalia,licet ſit in eadẽ ſpecie, & ſimiliter quæ in animalibus ſunt.10°.de ſimplic.medicamen.facul.* 5ª.77.A
Locorum frigidorum incolę molles.4°.de comp.medic.per gen. 5ª.236.F
Loca frigidà quales homines gignant.2°.de ſan.tuen. 2ª.73.B
Loca ſicca quales homines gignant.2°.de ſan.tuen. 2ª.73.B
Loca caua pratenſia habitantes,quales.ꝙ animi mores. 1ª.320.A
Loca concaua habitantes,quales.de aere,aq.& loc. 2ª.2.C
ex *Locorũ tẽperatione aliqui ad prudẽtiã iuuãtur.ꝙ ani.mor.* 1ª.320.D
Locus calidus,& ſiccus facit tertianam.com.4°.apho.59°. Ex.33.H
Loca ſimilia naturis lædũt,diſſimilia contra.com.3°.aph.3°. Ex.20.B
LOCI *natura indicat morbi,ſecundum Rationales.de ſect.* Iſa.16.E
Locus ꝙ indicet febres.com.1°.aphor.12°. Ex.5.D
Locus indicat febres.com.1°.aph.12°. Ex.5.D
Loca debent eſſe contraria morbis.in 6^{m}*.de morbis vulg.c.5°.* 3ª.192.E
à *Loco colligitur ꝓportio ex tẽpore.in 1*^{m}*.de mor.vul.c.1°.* 3ª.103.F
Locus facit ad putredinem.in 1^{m}*.de mor.vul.com.1°.* 3ª.103.F
in *Loco bene perſpirabili degere debent dolore capitis ex ardore laborantes.2°.de comp.medi.ſec.loc.* 5ª.132.B
ad *Loca diuerſa miſſorum puerorum exẽplum.3°.de dig.pul.* 4ª.79.G
in *Locos ꝓficiſci multos medicũ oportet,& quare.ſi quis.op.m.* Iſ.6.E
ad LOCA *ſimplicium accedendum,& aſportandum quantum ſatis eſt in vita.de vſu theria.ad Pamphi.* 5ª.100.B
ad *Loca vbi ſunt optima ſimplicia medicamenta,nauigauit Galenus.de theriaca ad Pamph.* 5ª.100.B
Loca vbi ſint medicamenta optima veriſſime ſcripſit Dioſcorides.de vſu theria.ad Pamph. 5ª.100.C
in *Locis humidis qualia fiant medicamenta.1°.de antid.* 5ª.105.D
Loca quæ vitanda pro antidotis.1°.de antid. 5ª.105.D
in *Loco,& in qualitate motus fit.2°.meth.med.* 7ª.10.A
de *Loco ad locum permutamur virtute proueniente ex capite. de virt. noſtrum corp.diſpenſ.* Sp.60.B
Loci anguſtatio facit triſtem ſenſum laborantibus ex motu arteriarum. commen.7°.aphor.21°. Ex.55.D
Loca quo modo dicantur plena & vacua.3°.de diff.pulſ. 4ª.62.B
LOCI *qui ſint apud medicos.de ijs, quæ in med.fi.com.1°.* 7ª.201.B
Loci ſunt particulę corporis apud antiquos. 1°.de locis affectis.4ª.2.G/ de vict.rat.in morb.acutis,commen.4°. 7ª.138.B
Locus diaphragmatis.de anat.parua. Sp.43.A
Locos,in quibus actio fit,cognoſcere debet medicus,qui ratione curaturus eſt.de voc.inſtr.diſſ. 1ª.106.B
Loci affecti qui dicantur.3°.de lo.aff. 4ª.14.D
in *Locorum affectorum notitia ſemper debet medicus ſe exercere.1°.de loc.aff.4ª.8.D/8°.de compo.medica. ſecun.loc.* 5ª.187.D
Locos primario affectos inueſtigandos eſſe præcipit Hippocrates, & qd inde vtilitatis habeatur.bre.denot.dogm.Hipp. 1ª.231.D
de *Locis affectis librum fecit Galenus in ſenectute.3°.de lo.af.* 4ª.15.C
Loca multũ faciũt ad morbos vulgares.in 1^{m}*.de mor.vul.c.1°.* 3ª.101.H
Loci forma multũ facit ad ꝑſagiẽdum.in 1^{m}*.de mor.vul.com.3°.* 3ª.117.E
Locus affectus non parum indicat.4°.meth.med. 7ª.29.B
Loci affecti cum affectione multum valent ad remediorum inuentionem. 2°.de comp.me.ſec.loc. 5ª.134.C
Locus localiter opitulari nos docet.de voc.inſtr.diſſ. 1ª.106.C
Locorum differentia facit vt varietur curatio.1°.de loc.affect. 4ª.2.G
Locus affectus dat modum euacuandi.13°.meth.med. 7ª.83.F
à *Loco exercitatio quo modo fieri debeat.1°.de loc.aff.* 4ª.8.D
pro *Locis affectis inueniendis exercitatio quo modo molienda.1°.de locis affectis.* 4ª.13.C
de *Locis affectis exercitatio duplex,& qualis.4°.de loc.aff.* 4ª.27.E
circa *Locos affectos exercitationis modi tres.2°.de lo.aff.* 4ª.8.D
Locos affectos inueniendi via,& ratio.2°.de loc.aff. 4ª.13.A
Locorum notæ vnde accipiantur.1°.de lo.aff.6.A/ 4ª.13.C
ad *Locorum affectorum cognitionem valet diſpoſitio totius corporis.1°. de locis affectis.* 4ª.3.F
Locus affectus vt cognoſcatur quæ prius,& quę poſterius conſiderãda. 2°.de locis affectis. 4ª.13.C
de *Locis affectis habetur cõiectura ab innatis rebus.1°.de lo.af.* 4ª.4.G
Locum affectum docent ſymptomata.1°.de lo.aff. 4ª.7.G
de *Locis affectis habetur cognitio ab accñtibus.1°.de l.af.4.G/* 4ª.6.C
de *Locis affectis ſcripſit Archigenes.1°.de lo.af.3.G/2°.* 4ª.10.E
de *Locis patiẽtibus Archigenes tres libros ſcripſit.1°.de criſ.* 4ª.136.C
de *Locis affectis doctrinam Archigenes ſuis ſcriptis adeo obſcurauit, vt ne Galenus quidem,qui in artis operibus ſenex iam effectus fuerat,dicere vereatur,eius ſe dicta non intelligere.2°.de lo.af.* 4ª.12.H
de *Locis affectis librũ ꝓpter amicos fecit Galenus.2°.de lo.af.* 4ª.13.C
in de *Locis affectis libro quid ſit acturus Galenus.1°.de lo.aff.* 4ª.4.G
in de *Locis affectis libris de his quę ſenſu non percipiuntur, agit Galenus.4°.de loc.aff.* 4ª.23.B
in de *Locis affectis libro ſenſibus ſubiecta non tractat Galenus. 5°.de locis affectis.* 4ª.29.G
in de *Locis affectis libro apparentia manifeſte non tractantur. 5°.de locis affectis.31.H/* 4ª.33.B
in de *Locis affectis libro de viſum effugiẽtibus agit.6°.de lo.a.* 4ª.37.B
in de *Locis affectis libro tertio quæ acturus erat Galenus,& quæ ex cõſequenti egit.3°.de lo.aff.* 4ª.21.D
in de *Locis affectis libro quarto de faciei partibus, quæ intrinſecus afficiuntur agit Galenus.de loc.aff.* 4ª.21.D
in de *Locis affectis libro quarto non loquitur de affectibus notarũ particularum Galenus.4°.de loc.aff.* 4ª.22.D
Loci affecti in quibus morbis nullum ſit ſignum.3°.de lo.aff. 4ª.16.B
Locus affectus dolori capitis difficulter cognoſcitur.2°.de compo.medicamen.ſec.loc. 5ª.132.A
à LOCI *natura pilorum origo fit.11°.de vſu par.* 1ª.190.A
Loca humorum.de dynamidijs. Sp.19.D
Locus ſanguinis,qui.de anat.viu. Sp.45.D
de *Loco ad locum quot modis humores tendant. in 6*^{m}*.de morb.vulgari.commentario 3°.* 3ª.178.G
Loca per quæ debet fieri euacuatio.com.1°.aph.21°. Ex.10.A
Loca per quæ natura vergit,euacuandum,præſertim ſi ſint opportuna. com.6°.aph.22°. Ex.48.E
Loca per quæ natura euacuat.com.2°.aph.15°. Ex.12.F
Loca quę conferant euacuationi.com.1°.aph.21°. Ex.10.A
ad *Loca inutilia motus humorum noxij,qñ.com.1°.aph.21°.* Ex.10.A
Loca quæ euacuent partẽ corpis,& quæ totum.cõ.4°.aph.2°. Ex.27.D
ad quæ *Loca malum ſit hepar euacuare.com.1°.aph.21°.* Ex.10.A
Locus vocis qui nam ſit ſecundum diuerſos.de voc.inſtr.diſſ. 1ª.106.D
Locus,cui applicandæ ſunt hirudines,quo præparãdus.de cuc.ſc. 6ª.4.C
Locis affectis,vel propinquis non pinguibus applicandæ ſunt hirudines. de cucur.ſcarif. 6ª.4.D
Locus ligandi eligendus eſt qui maxime in rem erit.de faſcijs. 7ª.294.C
in *Locum ſuum reponi quæ deſiderent.4°.meth.med.* 7ª.16.C
LOCI *muliebres ꝑ quas ꝑtes expurgent.2°.de ar.cur.ad Gl.* 7ª.102.H
Loci inhærent fœtui poſt conceptum.1°.de ſemine. 1ª.329.F
in *Locis genitura q̃ fuerat ꝑ ſex dies,qualis exciderit.de fœ.f.* 1ª.322.C
Locos eijcit cyclaminis cyſſanthemi fructus.7°.de ſimp.med.fac. 5ª.53.F
Locos elicit decoctum florum leucoij.7°.de ſimp.med.fac. 5ª.54.C
Locos retentos eijciunt purpurarũ opercula.11°.de ſimp.me.fa. 5ª.81.B
LOCVSTAE *cur hñt crura longa,& gracilia.3°.de vſu par.* 1ª.128.C
Locuſtas edunt Seleucides aues,& ꝑ anũ emittunt.6°.de lo.af. 4ª.37.H
LOCVSTAE *habent tenuem teſtam.3°.de alim.fac.* 2ª.32.D
Locuſtæ marinæ ſiccæ ſunt cute,humidæ carne.2°.de temp. 1ª.21.A
Locuſtæ non habent palpebras.de inſtr.odor. 1ª.112.B
Locuſtis non oriuntur pili.2°.de temp. 1ª.18.G
LOCVSTAE, *& lentes paulatim nutriunt.com.2°.aph.18°.* Ex.13.G
Locuſtæ conueniunt ſtomachicis.8°.de comp.me.ſec.loc. 5ª.192.C
Locuſtę ſimilis caro,qualis 3°.de ſymp.cau. 3ª.26.D
LOCVTIO *proprie vox hominum.de hiſt.philo.* Sp.9.F
Locutionis vaſa,quæ.de anato.viuo. Sp.49.B
Locutionis organorum vas eſt os.de anat.viu. Sp.49.B

Locutionis organa ſunt dentes, labia, palatum, lingua, & vuea, & duæ amygdalæ. de anat. viu. Sp.49.C
Locutionis inſtrumentum eſt lingua. in 1m. de mor. vul. com. 2°. 3ª.15.F
Locutio eſt linguæ. 1°. meth. med. 7ª.6.B
LOCVTIONEM *Atticam non curat in ſcientijs Galenus. de ord. lib. ſuorum.* Iſa.15.F
Locutiones obſcuræ nullam habent certam explanationem. de ijs, quę in medic. ſi. commen. 3°. 7ª.217.B
LOGARICE *grana bona. de med. fac. par.* 7ª.177.H
LOGARICYON. *de med. fac. par.* 7ª.177.H
LOGIATRI, *& nõ medici qui ſint. in 3m. de mor. vul. com. 1°.* 3ª.134.D
LOGICAM *vocat ſermocinandi artem. 2°. de diff. reſp.* 3ª.64.F
Logica ſpeculatio, quę. de tot. mor. temp. 3ª.89.A
Logica ſpeculatio prius eſt quàm naturalia theoremata aggredienda. 1°. de temperamentis. 1ª.12.C/A
Logicæ ſpeculationes in ocioſum tẽpus dimittẽdæ. 4°. de ſan. tu. 2ª.82.C
Logica & empirica inuẽtio nõ ſunt ſimul cõfundẽda. 2°. met. me. 7ª.13.E
de Logica intentione in libro methodi docet Galenus. 2°. me. me. 7ª.13.C
Logicam ſciuiſſe Galenũ facile perſpicitur. 2°. de ſimp. me. fac. 5ª.13.D
Logicam calluit Galenus. 2°. de decre. Hippocratis. 1ª.238.A
Logicam didicit à patre Galenus. de ord. lib. ſuo. Iſa.15.D
Logicam Platonis adducit auctor libri de ſemine. de ſperm. Sp.40.D
in Logica quæ primo diſcenda 2°. meth. med. 7ª.15.B
Logicæ initium eſt prædicamenta diuidere. 2°. meth. med. 7ª.15.D
Logica principia quæ, & quod illis adhibenda fides, ſi demõſtrandũ quippiam ſit. 1°. meth. med. 7ª.5.D
Logica regula in conuertibilibus. 2°. de ſimp. me. fac. 5ª.13.C
Logica, & ſophiſtica diſputatio, quæ. 8°. meth. med. 7ª.58.C
Logica diſputatio quæ nam dici debet. 8°. meth. med. 7ª.58.D
Logica quædam quæſtio quæ ſit. de vic. ra. in mor. ac. com. 1°. 7ª.109.D
Logicæ & dialecticæ qõnes quæ ſint, & quæ non. 3°. de loc. af. 4ª.14.E
Logica demonſtratione an indigeret in remedijs inueſtigandis, cogitauit Galenus. 3°. de loc. aff. 4ª.15.A
Logicas qõnes & obſcuras ſcribebat Archigenes. 1°. de lo. aff. 4ª.3.C
Logica nomina non ſunt immiſcenda rebus medicis. de tot. mor. 3ª.89.A
Logica non deſpicienda. an ſang. in art. nat. conti. 1ª.62.D
abſq; Logica cõtẽplatiõe nõ licet aliqd exqſite ſtatuere. 1°. de ele. 1ª.6.a
Logicæ ignorantia quid pariat. 2°. de ſan. tuen. 2ª.70.D/*2°. de diff. reſpir.* 3ª.64.F/*2°. de ſimplic. medic. facul.* 5ª.9.F
Logicæ ignorantia facit hominem ignarum. 6°. de vſu par. 1ª.152.H
ob Logicæ imperitiam multi decipiuntur. 2°. meth. med. 7ª.14.G
Logicæ ſpeculationis expertes, qui. 1°. de ſimp. me. fac. 5ª.8.F
Logicam non habentes ſunt fugiendi. de conſt. art. Iſa.38.F
Logicæ ignari licẽt errẽt, gloriant tñ ſe viciſſe. 2°. de diff. reſp. 3ª.64.F
LOGICVS *qui nominandus. 3°. meth. med.* 7ª.16.D
Logici officium eſt differentias rerum quot ſint, & quales inuenire. 3°. de diff. pulſ. 4ª.63.B
LOGISTICAE *exercitatio iuuenum eſſe debet. ad eos qui de typ. ſcripſe. de circ.* 3ª.92.G
Λόγος eſt in genere φωνῆς. in 1m. prorrh. com. 2°. 4ª.177.A
LOIVS *mẽſis dr̃ ſm Macedones. in 1m. de mor. vul. com. 1°.* 3ª.102.E
LOLIVM *ſæpe in tritico, quãdoq; in hordeo. 1°. de alim. fac.* 2ª.15.G
Lolium ex tritico oritur. 1°. de alim. fac. 2ª.15.H
Loliũ tritico miſcent in penuria publica piſtores. 1°. de alim. fac. 2ª.15.H
Lolium comedentibus quid contigerit. 1°. de alim. fac. 2ª.15.H
Lolio peius melampyron. 1°. de alim. fac. 2ª.15.H
Lolium in tertio ordine calefacit, & exiccat. 6°. de ſimp. me. fa. 5ª.41.F
Lolium magis calefacit quàm iris. 6°. de ſimp. me. fac. 5ª.41.F
Lolium multum deſiccat & calefacit. 6°. de ſimp. me. fac. 5ª.41.F
Lolium multum diſcutit. 6°. de comp. me. ſec. loc. 5ª.176.A
Lolij farina reſiccat. 5°. de ſimpli. med. fac. 5ª.34.A
Lolij farina valde exiccat. 6°. de ſimp. me. fac. 5ª.44.E
cum Lolij, & orobi farina oxymel ad putreſcentia valet. 2°. de arte cura. ad Glauconem. 7ª.106.H
Lolij farina vſus ẽ Gal. in vulnerib9 neruorũ. 3°. de cõ. me. p g. 5ª.229.H
ꝑ Lolij farina, farina fabarũ qñ ſatisfaciat. 2°. de ar. cu. ad G. 7ª.107.A
LOLLIGINES *inter aquatilia mollia numerantur. de bonitate & vitio ſuccorum.* 2ª.35.E
Lolligines molles ſunt. 3°. de alimentorum facul. 2ª.32.D
Lolligines conueniunt ſtomachicis. 8°. de compo. medi. ſec. loc. 5ª.192.C
LOMENTVM *fabæ nigræ molitę. 10°. de cõp. me. ſec. loc.* 5ª.209.B
LONCHITIS *quid. de ſimpli. med.* Sp.86.D
Lonchitis diureticam radicem habet. de ſimp. med. Sp.86.D
Lonchitis vrinam ciet. 7°. de ſim. me. fac. 5ª.54.G
Lonchitis folia ſcolopẽdriæ ſimilia ad glutinanda vulnera idonea ſunt, et lienes induratos ſanant, & quo modo. 7°. de ſimp. me. fac. 5ª.54.G
LONGAEVVS *& ſanus quibus erit homo. 1°. de ſan. tu.* 2ª.63.A
LONGAON *inteſtinũ, extale, vel extẽſum ſextũ ẽ. de ana. vi.* Sp.50.B
Longaon cur ſit rectum. de anat. viu. Sp.50.E
Longaonis locus. de nat. & ord. cu. corp. 42.C/*de anat. par.* Sp.43.A
Longaon habet villos longitudinales ad attrahẽdũ. de ana. viu. Sp.50.E
Longaon habet quatuor lacertos ad feces retinẽdas. de anat. vi. Sp.50.E
à LONGE *viſio differt à propinqua. de cuiuſque animi peccatorum notitia atque med.* 2ª.59.D
à Longe quæ ſunt, tenuius vidẽtur. de cõpa. mẽb. ſiue de na. hu. Sp.58.C
LONGINQVAM *ægritudinem aut futuram mortẽ dicit vrina crocea, turbulenta cum nebulis non bonis. de dynamidijs.* Sp.34.B
à Longinquis partibus qũo trahunt medicamenta. de cathar. Sp.94.H
Longinqua vitia ſinapis eliminat. de ſimp. med. Sp.90.G
Longinquis vitijs prodeſt thapſia. de ſimp. med. Sp.91.F
LONGITVDINALES *villi attrahunt. de anat. viu.* Sp.55.H
Longitudinales villos habet longaon ad attrahẽdũ. de ana. viu. Sp.50.E
Lõgitudinales, & latitudinales villos magis habet membrum quoddam quàm alios vt gula. de anat. viu. Sp.55.H
ex Longitudinalibus filis quibuſdam, & quibuſdam tranſuerſis componitur panniculus interior ſtomachi. de anat. viu. Sp.49.H
LONGITVDO *non eſt magnitudo. 2°. de diff. pulſ.* 4ª.56.F
inter Longitudinẽ & breuitatem medium. 4°. de decre. Hipp. 1ª.248.B
in Longitudinem diſtenditur lingua, non tamen in omnem dimenſionem. de mot. man. & obſ. Sp.68.B
in Longitudinẽ erigentes arteriam muſculi. de voc. inſtr. diſſ. 1ª.107.E
Longitudo priapi quanta eſſe debet. de anat. viu. Sp.52.E
Longitudo ſuperat profunditatem in pulſu. 2°. de cauſ. pul. 4ª.94.A
Lõgitudo in iuuene pulchra, in ſene illiberalis, quia gibbum cauſat. commen. 2°. aph. 54°. Ex.19.E
ſm Longitudinem auerſio fit ſupra & infra. com. 5°. aph. 68°. Ex.45.D
ex Longitudine faſciarum differentia. de faſcijs. 7ª.293.F
in Longitudinẽ lintei factæ faſcię vinctũ firmius tenẽt. de faſ. 7ª.293.H
Longitudinem morbi prænunciat vbi in toto corpore mutatio, fueritq; refrigeratũ corpus, aut rurſus incaluerit, aut calor ex alio alius emerſerit. præſag. exper. conf. Sp.77.G
Longitudinẽ laborũ in morbis qui dies iudicẽt. cõ. 4°. aph. 36°. Ex.32.A
Longitudinem morbi, ſed ſalubritatem ſignificat vrina ſubrubra, & ſedimentum ſubrubrum. in progn. com. 2°. 4ª.200.E
de Longitudine ſe excuſat Galenus. 5°. de ſan. tu. 88.D/ 2ª.92.A
LONGISSIMI *in libris ſuis fuerunt Menemachus, & Menodotus. ad Thraſy.* 2ª.106.C
LONGVM *proprie quid ſignificet. com. 2°. aph. 54°.* Ex.19.E
in Longius collũ quã à ſimia habẽtibus aĩalibus nihil penitus ex quarta cõiugatiõe neruorũ à ſpinali medulla fert̃ ad diaphragma: vt neq; ijs, quæ valde longũ habent collũ, ex quinta. 13°. de vſu par. 1ª.202.D
Longam, & antiquatam conſuetudinem, & ſi ſit non bona, imitari debet medicus in cibando ęgro. de diſſ. cont. Sp.72.C
Longior faſcia, quæ in orbem faciei & capiti circundatur, dicitur κάτοχος. de faſcijs. 7ª.294.H
Longa dicta faſcia ad frontem, & regionem quæ inter ſupercilia eſt, ex faſcia glomerata. de faſcijs. 7ª.300.A
Longa eſſe debet Inſpiratio & expiratio, ꝑꝑ quid. de anat. viu. Sp.48.B
Longus Morbus vnde. de nat. & ord. Sp.41.F
Longam ęgritudinem, aut mortem ſignificat in ſynocha vrina cholerico colore nebulam albam hñs, & furfures ſupnatantes. de dyn. Sp.34.C
Longum morbum ſignificat ſudor aduẽtante febre, nec deficiente febre. præſag. exper. conf. Sp.77.G
in Longis morbis ſtatus multas habet acceſſiones. 1°. de criſi. 4ª.128.H
in Longis morbis eſt expectanda concoctio. quos pur. opor. quib. me. & quo temp. 5ª.88.G
Longi morbi per abſceſſum iudicantur. in progn. com. 2°. 4ª.205.B
per Longos morbos fiunt abſceſſus non per bilioſos. in progn. commentario 2°. 4ª.205.A
in Longis morbis cur multa cõtingunt ſiniſtra. in progn. c. 2°. 4ª.203.B
in Longa icteritia quid agendum. de cura icteri. Sp.111.E
ad Longas affectiones. 7°. de compo. med. per gen. 5ª.284.E
Longus morbus. lege Morbus longus, Aegritudo longa.
Longus, & eminens cur ſit naſus. de anat. viu. Sp.94.A

in Longum

in Longum findi poteſt Neruus, quia venulas habet ſpiritum capientes. de vtil.reſp. Sp.63.C
Longi Sermones quomodo adducendi.com.1°.aph.14°. Ex.7.B
Longæ Vocis emiſſio, neceſſaria eſt ſermonibus, vociferationibus, cantibus.de ana.viu. Sp.48.B
Λοπὸν quid ſignificet.de art.com.2°. 7ª.265.E
LOQVACITATIS ſolatia, quæ.2°.de diff.reſp. 3ª.68.E
Loquacitas præter naturam mala eſt.in 1^{m}.de morbis vulgaribus, commentario.3°. 3ª.117.G
LOQVAX fuit de induſtria Galenus.2°.de diff.reſp. 3ª.68.E
Loquaces, & ſophiſtæ, qui.4°.de dign.pul. 4ª.83.H
Loquax ſi cogitabũdus, peruigil: ſobrius ſi tardus & torpens appareat, mentem læſam ſignificat.in 6^{m}.de mor.vul.com.2°. 3ª.168.G
LOQVELA quid.4°.de lo.aff. 4ª.26.B
Loquelæ inſtrumentum, quod.2°.de decretis Hippoc.1ª.236.F|4°.de locis affectis. 4ª.26.B
Loquela eſt voluntaria.de mot.man.& obſ. Sp.69.A
Loquela voluntatis magnum opus.2°.de ſymp.cau. 3ª.19.G
Loquela, vox, exufflatio cum ſtrepitu, exufflatio ſine ſtrepitu, & exſpiratio, quomodo ſe habeant circa leſionem.4°.de lo.aff. 4ª.126.D
Loquelę amiſſę ex epilepſia remedium.de dyna. Sp.24.C
LOQVENDI vſus fit à lingua.4°.de loc. aff. 4ª.26.E
Loquendi anguſtia quo modo fiat.de voce, & anhel. Sp.62.A
ad Loquendi impotẽtiam propter phrenitim remedium.de dy. Sp.35.H
Loquendi exquiſita diligentia negligenda.de fract.com.2°. 7ª.241.E
Loquendi modis proprijs non ſemper vtitur Hippocrates. de artic.commentario.1°. 7ª.256.D
à Loquendi modo arguit Galenus.com.3°.aph.14°. Ex.7.B
LOQVI, & ratiocinari ſunt conuenientiores homini actiones. de mot. man.& obſc. Sp.67.F
Loqui ſenſus aduerſus cogitationẽ quo modo finxit Democritus. aduer. emp.med. Iſa.35.C
Loqui quidam prohibuit ſeipſum per annum.2°.de mo.muſ. 1ª.315.E
Loquunt̃ exili voce & balbe melici.de mel.ex Gal.Ru.& Po.Sp.109.E
Loquuntur multum phrenitici.in 3^{m}.de mor.vulg.c.3°. 3ª.151.F
Loqui non poteſt, ſed poteſt clamare lingua reſoluta.in 3^{m}.de morb.vul. commen.3°. 3ª.149.C
Loqui obſcure quidam gaudent.de vict.rat.in mor.acu.c.4°. 7ª.136.E
Loquunt̃ breuiter, obſcure nunciãtes.de ijs quæ in med.fi.c.1°.7ª.200.D
LORA δευτερία ab Atticis dicitur.2°.de alim.fac. 2ª.18.D
Lora prima & ſecunda dolorem capitis facit.2°.de alim.fac. 2ª.18.D
Lora prima & ſecunda cito mingitur.2°.de ali fac. 2ª.18.D
Lora dulcis citius per vrinas meat.2°.de alimentorum facul. 2ª.18.D
Lora acerba & acida difficilius mouent vrinã.2°.de alim.fac. 2ª.18.D
Lora dicitur στεμφυλίτις. 2°.de alim.fac. 2ª.18.C
Λόρδος quid ſignificet.de fract.com.2°. 7ª.240.G
Lordoſis, ideſt excauatio ad interna, vertebrarum luxatio vocatur. 4°. de loc.affect. 4ª.23.H
Λόρδωσις quid apud gręcos.de art.com.3°. 7ª.268.F
LORVM quo cingerentur inguina, in quo ſtercus lupinum contineretur pro colicis quidã parari præcipiebant.10°.de ſimp.me.fac. 5ª.76.D
Lora comparat Galenus partibus neruoſis. cõment.5°.aph.1°. Ex.37.D
Lora quomodo conuelluntur.3°.de lo.af. 4ª.17.F
Lora patiuntur à calido, vnde ipſis neruos comparati in conuulſione.cõmen.6°.aphor.39°. Ex.50.G
LOTIO frigida ab exercitando qñ conueniat.2°.de ſan.tu. 2ª.70.A
per Lotionem, vel frictionem voluptatem ſentiunt laſſitudine laborantes.1°.de ſymp.cau. 3ª.17.E
Lotio ex aqua frida ẽ cõtraria febri ex obſtructiõe.8°.met.me. 7ª.50.A
Lotio ex aqua dulci tpata fit ĩ febre ex obſtructiõe.7°.met.me. 7ª.50.A
Lotio ex aluminoſa aqua eſt contraria febri ex obſtructione. 8°.methodi medendi. 7ª.50.A
Lotio calida facit corpa mollia & debilia.de venæ ſect.adu.Eraſ.6ª.8.G
Lotio calida vires diſſoluit.de ren.aff.dig.& med. 7ª.196.D
Lotio quę facit robur viriũ.de vic.ratio.in mor.acu.com.3°. 7ª.132.D
Lotionis tempus, quod.de ren.aff.dig.& med. 7ª.196.B
Lotio in febris declinatione fiat.8°.meth.me. 7ª.53.G
Lotio gracilis quanta eſſe debet.7°.meth.me. 7ª.45.C
poſt Lotionem cur oleo vngendum.7°.meth.me. 7ª.45.C
Lotionis prohibitione pereunt in carcere ſuam ſanitatem tuentes.5°.de ſanit.tuenda. 2ª.94.A
LOTIONES quales in renum dolore.de ren.aff.dig.& me. 7ª.194.A
Lotio ad pedes pro ſomno inducendo.de dynamidijs. Sp.23.C
Lotio ad ſcrophulas.de dynam. Sp.25.G
LOTIO eroſionem tollit ſimplicibus medicamentis.4°.de comp.medicamento.per gen. 5ª.236.B
Lotio tollit acredinem, & morſum medicamentis.6°.meth.me. 7ª.38.C
LOTIVM quid ſit.de ren.aff.dig.& med. 7ª.192.A
Lotij veſica à lotio patitur.5°.de vſu partium. 1ª.145.G
Lotiũ reddit fœtus nõ p pudendũ, ſed p vmbilicũ.15°.de vſu par. 1ª.211.G
Lotium cur poſt partum emittitur à fœtu per collum veſicæ, & in vtero per vmbilicum.15°.de vſu par. 1ª.212.C
Lotium eiaculatur vt ex inciſa vena ſanguis.1°.de nat.fac. 1ª.293.G
per Lotium exeunt humores pinguiores, aut per ſudorem, vel per vomitum, vel per ſeceſſum.in 6^{m}.de mor.vul.c.4°. 3ª.187.E
Lotio cur detineri non poſſit.3°.de nat.fac. 1ª.305.H
Lotium cur cito putreſcit.3°.de nat.fac. 1ª.306.A
Lotium cum perfectam coctionem oſtendit, tunc temperatus exuat ſe vt fricetur.2°.de ſan.tuen. 2ª.75.H
Lotio qualis eſſe debet temperato.2°.de ſan.tuen. 2ª.76.B
Lotiũ qñq; fluit in inclinatione.quos pur.op.qd.me.& quo tẽp. 5ª.88.G
Lotium quid prouocet.de mel.ex Gal.Ru.& Poſſ. Sp.110.B
ad Lotium citandum prodeſt vinũ.in 6^{m}.de mor.vul.com.4°. 3ª.185.C
ad Lotium ſanguineum.de med.fac.par. 7ª.178.F
Lotium Hirci cuius vſus de med.fac.par. 7ª.167.D
LOTVRAE carnium ſimilis excretio, quæ.3°.de ſymp.cau. 3ª.28.A
LOTVM ſupponit eſſe in colle Tabiano tanquam in loco temperato quã boues paſcant.5°.meth.med. 7ª.35.A
Lotus agreſtis in ſecundo ordine calefacit.7°.de ſimp.me.fac. 5ª.54.H
Lotus domeſtica temperata mediocriter concoquit et exiccat.7°.de ſimplic.medicamentorum facul. 5ª.54.H
Loti ægyptiæ ſemen in panes fingitur.7°.de ſimp.med.fac. 5ª.54.H
Loti lignorum aſſulæ deraſæ muliebri accommodantur profluuio, dyſenterijs, & cœliacis affectibus.7°.de ſimp.me.fac. 5ª.55.A
Lotus pilos defluentes cohibet.7°.de ſim.me.fac. 5ª.53.A
LOTVS paluſtris euitanda in herpete exedente.2°. de arte curatiua ad Glauconem. 7ª.102.B
LOTO intempeſtiue quid contingat.10°.meth.me. 7ª.65.E
Lotis ruber color adueniens actioni neq; commodum, neq; incommodũ affert.1°.meth.med. 7ª.7.G
Lota bene medulla panis eſt pauci nutrimenti, cur.de diff.cont. Sp.73.G
Loti fermentati panis, frumenti medulla eſt cibus ſubtilians.de diſſolutione continua. Sp.72.D
Λοξὸν quid nominat Galenus.2°.de ſan.tuen. 2ª.70.B
LVBRICA humida celeriter deſcendunt.1°.de aliment.facultatib. 2ª.14.D
Lubricum eſt inteſtinum, præſertim ieiunum. com.6°.aph.1°. Ex.46.C
LVCAE ciuitatis horizon.ſecret. Sp.98.H
in LVCANIA aĩal medium inter vrſum & ſuẽ.3°.de ali.fac. 2ª.26.C
LVCANICAE à coquis quomodo fiunt.de frac.com.3°. 7ª.245.H
ſuper LVCERNAE flammam nunquam totum effunditur oleum, & quare.de cau.morb. 3ª.7.A
Lucernæ ad calorem naturalem comparatio.com.1°.aph.13°. Ex.7.A
Lucernæ flamma quomodo ferè extinguitur.de cau.mor. 3ª.7.C
qñ Lucerna extinguitur ab aere frigido.de cau.mor. 3ª.7.B
Lucernæ flamma tollitur ſuffocando.de vtil.reſp. 1ª.224.H
Lucerna extincta parieti applicata qũo accenſa eſt.3°.de temp. 1ª.22.E
Lucernæ flamma extincta aliam lucernã accẽdit.de vtil.reſp. 1ª.224.G
Lucernæ extinctæ odor lethargico olfaciendus eſt.de dyn. Sp.24.F
Lucernę fomes plurimum exuſtus quale patitur, tale etiam quippiam in maraſmode cor pati videtur.1°.de diff.feb. 3ª.34.E
ex Lucernis exit fuligo.8°.de decr.Hipp. 1ª.275.H
Lucernarum oleum quale ſit.1°.de compoſi.medic.ſec.loc. 5ª.123.A
Lucernarum oleum ſimilem oleo veteri & cicino. 1°.de compoſi.medicamen.ſecun.loc. 5ª.123.A
ex Lucernis oleum.1°.de comp.med.ſecun.loc. 5ª.123.A
Lucernarum ſordes, quales.1°.de compo.medi.ſecun.loc. 5ª.123.A
LVCIDISSIMA aqua eſt primus humor oculi, in qua eſt vis viſibilis. de compag.memb. Sp.58.C
LVCIDVM ſolum in colores conuertitur.de ocul. 7ª.185.B
Lucidum viſus inſtrumentum.7°.de dec.Hipp. 1ª.171.B
Lucidum cur viſus inſtrumentum.7°.de dcret.Hippocratis. 1ª.272.A
Lucida lumen diſpergunt.de ocul. 7ª.182.C
in Lucido aere dormire qs nõ põt niſi tectis oculis.de inſtr.odo. 1ª.112.B

Lucida & nigra vrina, cum ſudore & dolore hypochondriorum mortẽ ſignificat.de dynam. Sp.34.E
Lucida valde vrina in ſynocha phrenitim vẽturã oſtẽdit.de dy.Sp.34.F
LVCIVS acceptus eſt in imperij cõionem à Seuero, quem non Lucium amplius, ſed Seuerum vocauit.ad eos, qui de typ.ſcrip.cir. 3ª.91.H
Lucius præceptor Galeni.2°.de comp.me.per gen. 5ª.225.F
Lucius præceptor Galeni.4°.de comp.me.per ge. 5ª.244.A
Lucius vocabat tonſos mimos.in 6m.de morb.vulg.com.4°. 3ª.181.G
Lucij colica ſedans dolorem, qualis.9°.de cõpo.medic.ſec.loc. 5ª.202.G
ex Lucij libris paſtilli dyſentericis conuenientes, & quales.9°.de compo.med.ſecun.loc. 5ª.203.C
Lucij emplaſtrum.6°.de comp.med.per gen. 5ª.261.H
Lucij ꝓceptoris medicamẽtũ, & cuius vſus.7°.de cõ.me.per g.5ª.265.C
Lucij ꝓceptoris Galeni pharmacũ.5°.de comp.me.ꝑ ge.251.F/5ª.254.A
Lucij præceptoris Galeni melinon.5°. de comp.medica.per ge. 5ª.253.H
Lucij præceptoris odoriferum.5°.de compo.med.per gen. 5ª.254.B
Lucij Tarſenſis potio qualis, & ad quid conferat. 9°.de compo.medicamen.ſecun.loc. 5ª.203.E
LVCRI cupiditas fugienda.de vi.ra.in mor.acu.commen.1°. 7ª.110.G
LVCTAE artem pædotribicam vocat Galenus.ad Thraſ. 2ª.109.A
Lucta genus exercitij.2°.de ſan.tuen.73.G/ 2ª.75.G
Lucta exercitatio magna.in 6m.de morb.vul.com.1°. 3ª.156.A
Luctæ vehementes actiones dicuntur.3°.de diff.pulſ. 4ª.62.A
Lucta qua exercetur robur luctatorum.2°.de ſan.tuen. 2ª.74.E
in Lucta ſuffocationis periculũ.de vic.ra. in mor.ac.com.4°. 7ª.137.F
Lucta q̃ exercitia quæ meliora.ad Thraſy. 2ª.108.E
Luctam odit bene inſtituta reſpublica.ad Thraſ. 2ª.109.B
LVCTANDI locus in vrbis publica regione aliqua, gymnaſium dicitur.2°.de ſan.tuen. 2ª.69.E
Luctantium exercitium, quale.2°.de ſan.tuen. 2ª.74.E
Luctantibus quomodo augeatur robur.2°.de ſan.tuen. 2ª.74.E
LVCTATIO febricitantibus officit.in 6m.de mor.vul.c.3°. 3ª.177.H
LVCTATORES prandent panem, & cœnant carnem. de vict.ratio. morb.acu.com.1°. 7ª.111.H
Luctatores aliqui ſciunt eos qui debeant vincere, et quo modo.in progn. commentario.3°. 4ª.207.E
Luctatoribus quę acciderunt.in 1m. de mor.vulg.c.1°. 3ª.105.A
Luctatoribus cur partes quædam rumpantur.4°.de loc.aff. 4ª.28.A
Luctatoribus facile flectitur crus.2°.de mo.muſ. 1ª.315.F
Luctatores detractat Galenus.ad Thraſ. 2ª.108.E
LVCTARI, geſtari, & deambulare, differunt. ad Thraſ. 2ª.105.A
LVDEBANT in aqua adoleſcẽtes tpe Galeni.4°.de lo.af.4ª.26.A
LVMBARIS medulla cur à medicis vocata.5°.de loc.aff. 4ª.31.E
LVMBRICORVM triplex ſpecies.introd. Iſa.57.F
Lumbrici ſunt toto genere præter naturam.de diff.mor. 3ª.4.F
Lumbrici in inteſtinis gignuntur.1°.de loc.aff. 4ª.6.D
Lumbrici ex qua materia, & quo modo fiant.cõ.3°.aph.26°. Ex.25.F
Lũbrici nõ pñt fieri, niſi adſit plurimus calor.com.3°.aph.26°. Ex.25.F
Lumbrici cur non fiant in pueris paruulis, ſed ſolum in adultioribus.cõmentario 3°.aphoriſmo 26°. Ex.25.F
Lumbrici etiam fiunt in iumentis male cibum concoquentibus.commentario 3°.aph.26°. Ex.25.F
Lumbrici rotundi de ſtomacho educuntur.de cathar. Sp.94.G
Lũbrici rotũdi plures q̃ aſcarides fiũt in pueris.cõ.3°.apho.26°.Ex.25.G
Lumbrici teretes faciunt morbum longum intrinſecum.intro. Iſa.56.B
Lumbricus longus vnus tenens omnia inteſtina quandoque. commentario 3°.aphoriſmo 26°. Ex.25.G
LVMBRICVS latus q̃uo fiat, & quid ſit.com.3°.aph.26°. Ex.25.G
Lumbrici lati educuntur ex inteſtinis maioribus.de cathar. Sp.94.G
Lumbrici lati faciunt morbum longum intrinſecum.intro. Iſa.56.B
Lumbrici hemilthes dicti vires imbecilles faciunt.de vic.ra.in mor.acu. commentario 2°. 7ª.124.H
ad Lumbricos latos idonea eſt anchuſæ quarta ſpecies.6°.de ſimplicium medicamen.facultatib. 5ª.41.D
Lumbricũ latũ interficit cortex radicis Mori.7°.de ſimp.me.fa. 5ª.56.C
Lumbricũ latũ necat Filix, qm̃ amara eſt.8°.de ſimpl.medic.fac.5ª.59.C
Lumbricum latum helminthem vocatum, mirabiliter ab inteſtinis educit Theriaca.de theria.ad Piſo. 5ª.96.A
ad Lumbricos latos medicamentum.introductio. Iſa.58.A
ad Lumbricos latos, & rotundos.de med.fac.par. 7ª.172.A
Lumbricus qui cibum totum conſumit, & corpus emaciat, theriaca ab inteſtinis eijcit.de ther.ad Piſo. 5ª.96.A
cum Lumbricis quidam irritata aluo liquida turbida excreuit.in 1m.de mor.vul.com.3°. 3ª.125.D
Lumbrici quo modo tuſſes faciunt.in 6m.de morb.vul.com.2°. 3ª.163.D
Lumbrici teretes quando bonum, vt cum deiectione deſcendant in indicatione.in prog.com.2°. 4ª.199.E
Lumbricorum curatio, quæ.introductio. Iſa.57.F
Lumbrici amaritudine necantur.6°.de ſimplic.medicamen.facul.48.B, 50.A/52.C/55.D/ 5ª.56.E/C
Lumbricos & fœtum necant amara.8°.de ſimpl.me.fac. 5ª.61.A
Lumbricos expellit Abrotanum.de ſimp.med. Sp.81.B
Lumbricos expellit Abſinthium.de ſimp.med. Sp.80.E
Lumbricos necat Braſſica.7°.de ſimp.me.fac. 5ª.52.G
Lumbricos rotundos educit bouis talus.de theriaca ad Piſo. 5ª.93.E
Lumbricos necat Calaminthæ ſuccus.7°.de ſimplic.medi.fac. 5ª.49.D
Lumbricos educit Cantharis.de ther.ad Piſ. 5ª.93.F
Lumbricos interficit Cardamomum.7°.de ſim.me.fac. 5ª.50.A
Lumbricos occidit Chamæleon.de ſimpli.med. Sp.82.F
Lumbricos occidit Coriandrum.de ſimp.med. Sp.82.E
Lumbricos expellit Cornu ceruinum.de ſimp.med. Sp.83.C
Lumbricos necat Coſtus.7°.de ſimp.me.fac. 5ª.52.F
Lumbricos quod necat eſt amaritudo quæ in coſto.7°.de ſimplic.medicamen.facul. 5ª.52.F
Lumbricos infantibus necat Fel taurinum.de dynam. Sp.27.F
Lumbricos expellit Filix.de ſimplic.medic. Sp.84.D
Lumbricos expellit Git.de ſimp.med. Sp.84.F
Lumbricos expellit Hyſſopum.de ſimp.med. Sp.92.E
Lumbricos occidunt Lipſiani.de ſimpl.med. Sp.86.C
Lumbricos interficit Lupinus.6°.de ſimp.mde.fac. 5ª.48.D
Lumbricos eijcere poteſt lupini decoctum.6°.de ſimp. med. fac.5ª.48.D
Lumbricos expellit farina lupinorum.de ſimpl.med. Sp.86.C
Lumbricos interficit Menta ſua amaritudine.6°.de ſim.me.fac. 5ª48.B
Lumbricos eijcit cortex radicum Mori.de ſimp.med. Sp.87.H
Lumbricos & fœtũ tũ eijcit tũ enecat Myrrha.8°.de ſim.me.fa.5ª.61.A
Lumbricos expellit Nepita.de ſimp.med. Sp.87.H
Lumbricos interimit Nigella.7°.de ſimp.me.fa. 5ª.55.D
Lumbricos necant folia Perſici trita ſupra vmbilicum impoſita. 7°.de ſimp.med.facul. 5ª.56.A
Lumbricos necat Seriphum.8°.de ſimplic.med.fac. 5ª.60.C
Lumbricos inteſtina occupantes, & famem inducens enecat Theriaca. de ther.ad Piſo. 5ª.96.A
Lubricos rotundos excludit ſemen Tithymalli, & ſuccus eius cum caricis, aut cum dactylis comeſtus, iris, herba mercurialis, thymi decoctio, aloe, abſinthium, abrotanum.de catharticis. Sp.95.C
Lumbricos educit Triphera magna.de dynamidijs. Sp.26.D/E
Lumbricos excludit Vinum violaceum.de ſimpl.medic. Sp.92.C
Lumbricus occidit ſemen Violarum.de ſimp.medic. Sp.91.A
ad Lumbricos necandos remedium.de dynam. Sp.27.H
ad Lumbricos mirabile remedium.de medic.fac.par. 7ª.175.B
ad Lumbricos ventris.de med.fac.par.175.D/ 7ª.178.H
ad Lumbricos aluum occupantes.de med.fac.par.172.A/ 7ª.175.E
LVMBRICI, ſiue inteſtina terræ, neruis diuiſis conueniunt.11°.de ſimplici.medic.facul. 5ª.82.E
LVMBI qui.introd.Iſa.53.E/de oſſibus. 1ª.41.G
Lumbus pars ſpinæ.12°.de vſu par. 1ª.196.G
Lumbus longior in ſimijs quàm in alijs aĩalibus.de art.com.3°. 7ª.273.B
Lumborum vertebræ quot.de oſſibus. 1ª.42.C
in Lumbo vertebras quinq; habet homo.de artic.com.3°. 7ª.273.B
in Lumbo quinq; ſpondyli.12°.de vſu par. 196.G/13°. 1ª.201.F
Lumborum vertebræ quales.de oſſib.42.C/13°.de vſu par. 1ª.199.H
Lumborum ſpondylorum conſideratio.13°.de vſu par. 1ª.200.B
ex Lumborum vertebris prodeuntium neruorum coniugationes.de neruorum diſſectione. 1ª.55.B
Lumbus, ſeu pſoæ, haud exiguus muſculus eſt, & vnde oriatur ac deſinat.de muſculorum diſſectione. 1ª.50.G
ad Lumbos eſt arteria magna, in cuius partem inſeruntur fœtus arteriæ.15°.de uſu par. 1ª.211.D
in Lumborum vltimis vertebris nõn eſt arteria venæ ſubiecta, ſed è cõtrario.de ven.art.diſſ. 1ª.38.D
ſupra Lumbos membrana, eſt peritonæum.6°.de anat.adm. 1ª.88.H
Lumborum exercitationes, quæ.2°.de ſan.tuen. 2ª.74.H
in Lumbis quæ ſunt, expurgantur ꝑ vrinæ meatum.11°.met.m.7ª.73.F
Lumbi vt pingueſcant, antidotum.de dynamidijs. Sp.28.D

Lumbis &

Lumbis & perinæo,id eſt femini,calida flatuoſa adhibenda pro coitu,frigida pro contrario.6°.de loc.affect. 4ª.42.F
Lumbi quo modo lædantur.5°.de ſan.tuen. 2ª.89.H
à Lumbis mulieribus rigores magis incipiunt,& per dorſum. in 6m.de mor.vul.c.3°.3ª.174.C/com.5°.aphor.69°. Ex.45.D
Lumborum diſtentiones in muliere quæ morbis vteralibus vexabatur, quales fuerint,& quo tempore.2°.de ſem. 1ª.336.C
Lumborum tetanus ſanguinis miſſione ſoluitur.de vict.rat.in morb.acutis,commen.4°. 7ª.144.D
LVMBORVM *dolores ex itinere.de vict.ratio.mor.ac.c.4°.* 7ª.144.H
ad Lumbos & coxam quandoq; veniunt dolores ex crapula, & cibis. de vic.ra.in mor.acu.commentario 4°. 7ª.144.H
Lumborum,ceruicis,& hypochondrij dolores habet caput dolens.in 1m. prorrhe.com.1°. 4ª.161.H
Lumborum dolores ſi aſcendant, & oculi peruertantur, malum.in 1m. prorrhet.com.1°. 4ª.174.A
Lumbi dolentes ſignificant ſtomachi dolores, & ſanguinem per hęmorrhoidas futurum.in 1m.prorrh.com.3°. 4ª.185.C
Lumborum dolor ſignificat purgationem debere fieri per inferius.commentario 4°.aph.20°. Ex.29.C
Lumborum dolore ſuperueniente quibus ilia ſuſpenſa ſunt obmurmurantia,his alui humectantur.com.4°.aph.73°. Ex.35.G
Lumborum dolor perſeuerans tympaniam,id eſt ſiccum hydropem inducit.com.4°.aph.11°. Ex.28.D
circa Lumbos dolores exitiales qui.in prog.com.2°. 4ª.203.H
in Lũborũ doloribus quę vena eſt ſecanda.de nat.hu.com.2°. 7ª.183.B
ad Lumborum inueteratos dolores ſtercus columbinum bonũ. 1°.de ſimplic.medicamen.facul. 5ª 77.A
ad Lumborũ dolorẽ antidotum.de dyna.28.D/de paſſ.mul. Sp.96.A
ad Lumbos faſciarum circumiectio qualis.3°.de ſan.tu. 2ª.77.D
pro Lumbis quæ vnctiones frigidæ.6°.de ſan.tu. 2ª.100.F
Lumbis appoſito med°.crura reſoluta ſanata ſunt.4°.de loc.aff. 4ª.25.B
in Lumbis luxatio,qualis.4°.de lo.aff. 4ª.24.B
Lumbos exuſtos habent Nomades.de aere,aq.& loc. 2ª.5.F
LVMINIS *an contrariũ tenebra vel priuatio.1°.de ſymp.c.* 3ª.17.C
Lumen ſolis aerem mutat in inſtanti.de ocul. 7ª.185.C
Lumen lunæ.de hiſt.philo. Sp.7.B
Lumen viſibilis ſpiritus aerem mutat in inſtanti.de ocul. 7ª.185.C
Lumen coadunant nigra.de ocul. 7ª.182.C
Lumen diſpergunt lucida.de ocul. 7ª.182.C
Lumen minus ſemper à maiori vincitur.1°.de vſu par. 1ª.178.G
Lumen refugere quid,& vnde.in progn.com.1°. 4ª.192.E
LVNA *& ſol ſunt veluti oculi mundi.an animal ſit.* 1ª.327.B
Luna admiranda.17°.de vſu partium 1ª.222.C
Lunam putat meliorem Galenus aĩa,& mente.17°.de vſu par. 1ª.222.C
Lunæ figura.de hiſt.philo. Sp.7.B
Luna diuerſa à forma humana.in 3m.de mor.vulgari.com.3°. 3ª.149.B
Lunæ maculæ.de hiſt.philoſ. Sp.7.C
Luna,& eius orbis quantitas de hiſt.philo. Sp.7.A
Lunæ magnitudo.de hiſt.philoſ. Sp.7.B
ad Lunę magnitudinem procedit demonſtratio Geometrarum.de curan. rat.per ſang.miſſ. 6ª.16.C
Lunæ diſtantia ad nos.de hiſt.philo. Sp.7.D
Luna aut ſtella ſi ſiniſtro oculo cernas deſtro clauſo, in dextram partẽ trãſilire videbit,in ſiniſtrã aũt cõtra agenti.10°.de vſu par. 1ª.183.A
Lunæ circuitus quot fiat diebus.3°.de dieb.decr. 4ª.157.D
Luna vnoquoq; menſe mundum perambulat.de ſperm. Sp.40.E
Lunæ lumen.de hiſt.philo. Sp.7.B
Luna ſuperat alia aſtra vicinitate.3°.de die.decre. 4ª.157.B
Luna ſole indiget in omnibus.3°.de dieb.decr. 4ª.157.B
Luna occidit cum Sole.3°.de dieb.decr. 4ª.157.D
Luna quantum luceat,& obtenebretur.3°.de dieb.decre. 4ª.157.A
Lunę apparitionis tempus quantum.3°.de die.decr. 4ª.159.F
Luna per ſeptimanas mutatur.3°.de dieb.decre. 4ª.157.E
Lunæ opera magna,ſed maiora Solis.3°.de die.decr. 4ª.157.A
per Lunæ motum omnia mutantur.3°.de dieb.decre. 4ª.157.G
Luna immutat terreſtrem plagam.3°.de dieb.decr. 4ª.160.B
Luna frigida eſt & humida.de cõpag.memb.ſiue de na.hu. Sp.59.G
Lunæ conuenit terra frigida & humida in primo gradu.de ſper. Sp.41.B
Lunæ ſuppoſitæ terrę,quę.de ſpermate. Sp.39.E
Lunæ circuitus communis quæ operatio.3°.de dieb.decr. 4ª.159.E
Lunæ circuitus propria operatio,quę.3°.de dieb.decre. 4ª.159.E
Luna quid efficiat in rebus diuerſis.de dynam. Sp.20.B
ex Luna aerem mutari nemo dubitat.3°.de dieb.decr. 4ª.157.E
ex Luna quando cognoſcatur pluuia.3°.de dieb.decr. 4ª.157.F
ex Luna quo mõ tempeſtas valida cognoſcatur.3°.de die.dec. 4ª.157.F
Luna rutila ſignificat tempeſtatem.3°.de dieb.decr. 4ª.157.F
Lunæ varij aſpectus varia faciunt.3°.de dieb.decr. 4ª.157.A
de Lunæ tpe mẽſtruo Hipparchus librũ fecit.3°.de dieb.dec. 4ª.157.D
Luna menſes ordinat.3°.de dieb.decr. 4ª.157.A
à Luna ipſa videt numerare mẽſes Galenus.de ſeptim.par. 1ª.341.D
Lunæ ratione non ſunt computandi menſes,ſed ratione ſolis.in 1m.de morbis vulg.commen.1°. 3ª.102.D
à Luna per ſeptimanas menſis mutatur.3°.de dieb.decr. 4ª.157.G
Luna quomodo menſes variet.3°.de dieb.decr. 4ª.157.B
Luna cõſeruat ſtatũ tẽpus mẽſtruorũ mulierib⁹.3°.de die.dec. 4ª.157.A
Luna comitiales circuitus cuſtodit.3°.de dieb.decr. 4ª.157.A
Luna in tabem vertit corpora mortui.3°.de dieb.dec. 4ª.157.A
Luna dormientibus ſub ipſa pallorem & capitis dolorem conciliat.3°. de diebus decretor. 4ª.157.A
Luna in coitu cum Sole facit mutationes vehementiſſimas. 3°.de diebus decretorijs. 4ª.157.B
Lunæ coitus dies tres,& quid tunc agatur.3°.de dieb.decr. 4ª.159.E
Lunæ coniunctionis diuturnæ mutationes.3°.de dieb.decr. 4ª.157.C
Luna cur magis & minus apparet poſt coitum diuerſis temporibus. 3°. de diebus decretorijs. 4ª.157.D
Luna in oppoſitione facit minores mutationes.3°.de dieb.decr. 4ª.157.B
Luna falcata obſcuras mutationes facit.3°.de dieb.decr. 4ª.157.C
Luna dicotomos,quę.3°.de dieb. dec. 4ª.157.C
Luna amphicyrta.de decubitu progno.ex mathe.ſcien. Sp.13.C
Lunæ defectus.de hiſt.philoſ. Sp.7.C
Lunæ defectus reponitur inter ea quæ manifeſto apparent. de cu.animi pec.not.atq; me. 2ª.57.B
Lunæ defectum obſeruat.de dynam. Sp.26.A
Lunæ lumine,& curſu morborum prognoſtica.de decub.progno.ex mathe.ſcientia. Sp.12.E
Lunę ſchemata in geminis.de decub.progn.ex math.ſcien. Sp.13.D
Luna primo conſideranda ſit ne in augmento vel decremento ſui curſus. de decub.progn.ex math.ſcien. Sp.12.E
Lunæ augmentũ obſeruat,& in qua re.de incant.adiur.et ſuſp. 7ª.182.B
Luna decreſcente omnia decreſcunt.de dyna. S4.20.B
Lunam obſeruat decreſcentem.de dyna. Sp.25.E
Lunę decrementum obſeruat,& diem Iouis.de dyn. Sp.27.E
Lunæ tetragonæ,& diametræ ſtationes in principijs bonis bonas faciũt alterationes,in malis malas.3°.de dieb.decr. 4ª.158.A
ſn Lunæ & planetarum ſtationes ꝙ homines bene & male ſe habeant. 3°.de dieb.decretorijs. 4ª.157.H
Luna ſi incipiat in vno ſigno cum æger incipit ægrotare, & faciat coniunctionem cum ſole,æger morietur.de decub.ꝑg.ex math.ſcĩa. Sp.12.F
Luna diminuente qñ æger ſanabit.de decub.ꝑgn.ex math.ſcĩa. Sp.12.F
Luna exiſtente in ariete ſi quis decumbat in ſchemate maleolo, quid futurum.de decub.progn.ex math.ſcien. Sp.12.G
ſi Luna in ariete in ſchemate ſolis æger decũbat,quid fiat.de decub. progno.ex math.ſcientia. Sp.12.G
Luna cum Saturno,& Marte,& Mercurio poteſt ſanari ęger.de decub. progn.ex math.ſcien. Sp.12.H
Luna cũ Saturno & Mercurio necat.de decub.ꝑg.ex mat.ſcĩa. Sp.12.H
Luna ſi cum Ioue ſit,aut Mercurio,aut Venere,ægro decumbente,ſanabitur.de decub.prog.ex math.ſcientia. Sp.12.H
Luna ſi cum Marte ſit & Mercurio ſanabitur æger.de decub.progno.ex mathe.ſcientia. Sp.12.H
Luna in coniunctione Solis Saturno in tetragono qui morbi fiant. de decub.progn.ex mathe.ſcientia. Sp.13.A
Luna exiſtente in Tauro qui morbi fiẽt,ſn tamen planetarum aſpectus. de decub.prog.ex mathe.ſcientia. Sp.13.B
Luna in cãcro ſi qs decũbat,quid ſequat.de dec.ꝑg.ex math.ſci. Sp.13.G
Lunæ ſedes eſt Cancer.de ſperm. Sp.38.H
Luna in Leone ſi qs decũbat,qd ſequatur.de dec.ꝑg.ex mat.ſc. Sp.14.B
Luna ſi ſit in Virgine,quæ ægritudines fiant.de decub.progno.ex mathema.ſcientia. Sp.14.D
Luna in Libra exiſtente ſi quis decumbat,quæ ægritudines fiant, & quales.de decub.progn.ex math.ſcientia. Sp.14.F
Luna in Scorpione exiſtente qui morbi fiant,& quales.de decub.progn. ex mathe.ſcientia. Sp.14.H

Luna exiſtente in Sagittario quæ ægritudines fiant,& quales. de decub. progn.ex math.ſcientia. Sp.15.B
Luna exiſtente in Capricorno quæ ægritudines fiant,& quales.de decub. progn.ex mathe.ſcientia. Sp.15 D
Luna exiſtente in Aquario,quæ ægritudines fiant. de decub. progno.ex mathe.ſcientia. Sp.15.F
Luna exiſtente in Piſcibus quæ fiant ægritudines.de decub.progn.ex mathe.ſcientia. Sp.15.G
ex Luna ratio dierum decretoriorũ ſumitur.3°.de dieb.decr. 4ª.159.E
Luna ægris & ſanis poteſt dies prænũciare,quales futuri ſunt.3°.de diebus decretorijs. 4ª.157.H
ad Lunas,& ad ſeptimanas referuntur circuitus per dies.3°.de dieb. decretorijs. 4ª.158.B
Lunæ ratione quando criſis tuta eſt.3°.de dieb.decr. 4ª.157.D
Lunæ dies qui tempora oſtendunt.3°.de dieb.decr. 4ª.157.F
Luna obſeruanda in curationibus.de dynam. Sp.20.B
Luna imminuente corpora refrigerare periculoſum.de decub.progno.ex mathe.ſcientia. Sp.16.B
in Lunę augmento excalfacere corpora periculoſum.de decub. progno. ex mathe.ſcientia. Sp.16.B
LVNATICI *qui.de dynam.* Sp.24.A
Lunaticum fuiſſe Silenum,de quo Hippocrates meminit, quo modo aliq interpretarentur.in 3m.de mor.vul.com.1°. 3ª.128.G
LVNATA *figura ab vna parte ſima, ab altera gibba eſt aſcia. de faſcijs.* 7ª.296.B
Lunata ligna,pars organorum.de machin. 7ª.309.E
Lunatum lignum ad quid organis.de machin. 7ª.310.A
Lunata,& cuneata appendix in organis immobilis eſt.de mac. 7ª.310.F
Lunata appendix ſemper immobilis manet.de machin. 7ª.310.F
LVPINVM *hepar hepaticis valet.8°.de comp.me.ſec.loc.* 5ª.195.F
Lupinum iecur ad hepaticos valet,tamen non laudat.11°.de ſimplic.medicamento.facul. 5ª.80.A
Lupina veſica.de dynamidijs. Sp.28.F
Lupinum ſtercus quale eſſe debeat.10°.de ſimp.me.fac. 5ª.76.C
Lupinum ſtercus in colicis mirabile.10°.de ſimp.me.fac. 5ª.76.C
Lupinum ſtercus quo loco apponebatur inguinibus pro colica.10°.de ſimplic.medi.fac. 5ª.76.D
LVPINA *vua quid.de ſimpl.med.* Sp.83.C
LVPINA *branca.de dyna.* Sp.24.C
Lupina branca quæ inferius eſt rotunda.de dyna. Sp.31.A
LVPINAE *caudæ meminit.de dynam.* Sp.25.H
LVPINA *faba.de dynam.* Sp.25.H
LVPINA *melancholia,qualis.de mel.ex Gal.Ru.& Poſſ.* Sp.110.F
LVPINVS *quid.de ſimp.med.* Sp.86.C
Lupinus numerat̃ inter cerealia ſemina.de vi.ra.ĩ mor.ac.c.1°. 7ª.111.B
Lupini lentibus ſimiles minus ſiccant.de atten.vic. 2ª.45.A
Lupinus habet ſiliquas.1°.de alim.fac. 2ª.15.A
Lupinus quot habet ſiliquas.de pon.& menſ. 5ª.276.G
in Lupinis quid ſit fructus.2°.de alim.fac. 2ª.16.C
Lupinus qualis ſit.de vic.ra. in mor.ac.com.4°. 7ª.146.F
Lupinus agreſtis,qualis.6°.de ſim.me.fac. 5ª.48.D
Lupini ſemen amarum eſt.4°.de ſimp.me.fac. 5ª.26.E
Lupinus amarus,qualis.6°.de ſimp.me.fac. 5ª.48.C
Lupini aquam amaram efficiunt.3°.de alim.fac. 2ª.32.A
Lupini ſunt infrequenti vſu.1°.de alim.fac. 2ª.14.C
Lupini quo modo parentur,vt amittant inſuauitatem ſibi ingenitam.1°. de alim.fac. 2ª.14.C
Lupinis quidã pro obſonio vtebatur,vt eſſet ſanus.1°.de ali.fac. 2ª.14.F
Lupinorum ſubſtantia qualis.1°.de alim.fac. 2ª.14.C
Lupinis q̃uo Galeni pater experimentũ fecit.de bon.& vi.ſuc. 2ª.36.G
Lupinus flatulentus eſt.de atten.vic. 2ª.45.B
Lupinorum virtus calida eſt,corpus nutriunt,ſunt indigeſtibiles, vẽtrẽ tẽperãt ſi cocti manducẽtur:aqua vbi cocti fuerint cũ ruta & pipere ſpleniticis ꝓdeſt,ſcabiei maculis vel feruoribus apta fomentatio eſt, cũ aceto ſcropas,vſtiones,& malignos humores accipit eorum farina lũbricos expellit,corũ radix vrinam mouet.de ſimp.me. Sp.86.C
Lupinus probe nutrit.de bon.& vit.ſuc. 2ª.37.D
Lupinus non eſt mali ſucci,ſed craſſi.de bon.& vit.ſuc. 2ª.36.D
Lupini nutriunt eum qui digerit illos nutrimento multo craſſo.de diſſolutione continua. Sp.73.E
Lupinus nutrimentum facit craſſum.6°.de ſimp.me.fac. 5ª.48.C
Lupini eſt cibus craſſus,& cur.de diſſol.cont. Sp.72.H
Lupinus eſt duræ naturæ.de diſſ.cont. Sp.73.B
Lupinus concoctu difficilis.de atten.vic.2ª.45.B/de diſſ.cont. Sp.73.D
ex Lupinis fit deiectio alba.in pror.com.1°. 4ª.165.A
Lupinus lumbricos interficit.6°.ſimp.me.fac. 5ª.48.D
Lupini decoctũ lumbricos eijcere poteſt.6°.de ſim.me.fac. 5ª.48.D
Lupinus aperit.de oculis. 7ª.188.E
Lupinorum decoctio prouocat menſtrua.de cathar. Sp.95.D
Lupini repurgantes & extergẽtes ſunt.1°.de comp.med.ſec.lo. 5ª.129.H
Lupinus vitiligines,achoras,puſtulas,exanthemata,pſoras, gangrænas,vlcera maligna iuuat,iecur & lienem expurgat,menſes elicit et fœtum.6°.de ſimp.med.facul. 5ª.48.D
Lupinus eſt emplaſticus.6°.de ſim.me.fac. 5ª.48.C
Lupinus mitis effectus τοῖς ἀποίοις ſilis efficitur.1°.de ali.fac. 2ª.14.C
Lupinorum farina exiccat,& q̃uo.5°.de ſimpli.med.fac. 5ª.33.H
Lupinorum farina reſiccat.5°.de ſimp.me.fac. 5ª.34.A
Lupinorum farina non mouet pus.5°.de ſim.me.fa. 5ª.33.H
Lupinum poteſt cutis & vulnerum ſordes auferre.5°.de ſimplici.medicamen.facultatib. 5ª.33.B
Lupinorum farina liuida curat,& eadem digerit chæradas, & phymata curat.6°.de ſimp.me.fac. 5ª.48.D
Lupinorum farina iſchiadicis cataplaſmatis modo aliqui illinunt.6°.de ſimpli.me.fac. 5ª.48.D
Lupinorum farina potiſſimum ſi amara ſit,ſupra q̃ quod extergit, nonnihil quoq; meatus expurgat.5°.de ſimp.me.fac. 5ª.35.B
Lupinorum amarorum farina vſus eſt Galenus in vulneribus neruorũ. 3°.de compo.med.per gen. 5ª.229.H
LVPINI *magnitudine ꝑ doſi vtitur.9°.de compo.me.ſec.lo.* 5ª.200.G
Lupini parui magnitudo pro doſi ſumitur.10°.de compoſi.medica.ſecundum locos. 5ª.206.C
LVPA *recipit ſperma canis.3°.de vſu par.* 1ª.127.F
LVPVS *habet oſſium ſubſtantiam denſiorem ac duriorem capris, ſuibus,& ouibus.11°.de vſu par.* 1ª.191.D
Lupis muſculi tꝑales maximi & neruoſiſſimi.11°.de vſu par. 1ª.184.F
Lupi habent os longiſſime fiſſum.11°.de vſu partium. 1ª.187.F
Lupi habent multiplicem ordinem dentium.de anat.viu. Sp.49.E
Lupi multos dentes caninos vtrinq; habent.11°.de vſu par. 1ª.187.E
Lupi ad carnes veniunt tanq̃ ad propria nutrimenta,de conſue. 2ª.61.A
Luporum pedes neq; varie dearticulati ſunt,vt pedes hominum, neque ſimplices,vt equorum.3°.de vſu par. 1ª.129.E
Luporum lien non eſt eſculentum.de atra bile. 1ª.36.E
Lupi hepar aridum.6°.de compo.medicamen.ſecun.loc. 5ª.172.B
Lupi hepar ad hepaticas affectiones valet.6°.de cõp.me.ſe.lo. 5ª.172.B
Lupi iecur.de med.fac.par. 7ª.166.E
Luporum ſtercora,qualia.de incant.adiur.& ſuſp. 7ª.182.B
Lupos necans eſt aconitum.6°.de ſimp.me.fac. 5ª.42.A
Lupos interficit lycoctonon.6°.de ſimplic.medic.facul. 5ª.43.D
à Lupo laniatæ ouis lana.10°.de ſimp.me.fac. 5ª.76.D
LVPI *piſces viuunt aqua ſalſa,& dulci.de bon.& vit.ſuc.* 2ª.37.H
Lupũ piſcem non vidit Gal.naſci in aquis dulcibus.3°.de ali.fa. 2ª.30.E
Luporum maritimorum caro quomodo differt à degentibus in aquis vitiatis.de bon.& vit.ſuc. 2ª.37.H
Lupus proxime aſellos vtilis cibus in calidis & ſiccis.8°.me.m. 7ª.51.B
Lupus piſcis.de med.fac.par. 7ª.170.H
LVPVS, *laqueus.de faſcijs.* 7ª.301.H
Luſcioſis fel hirci agreſtis prodeſt,vt quidam ſcripſere.10°.de ſimplici. medicamentorum facultatibus. 5ª.74.H
Luſcioſis quæ conferant.4°.de comp.me.ſecun.loc. 5ª.158.D
LVTEO *oui candidi vtitur.de remed.par.fac.* 7ª.156.E
LVTEA *bilis,& flaua,idem.5°.de decre.Hipp.* 1ª.275.B
Luteus color quomodo fiat chalcitidi.1°.de antid. 5ª.107.H
LVTRVM, *id eſt balneum,pro oculis.4°.de comp.me.ſe.lo.* 5ª.154.C
LVTVM *quid ſit.9°.de ſimp.me.fac.* 5ª.64.F
in Luto naſcitur corallus.de anat.viu. Sp.50.F
Lutum ſuaue olens,& perfecte aſſatum.2°.de alim.fac. 2ª.18.A
Lutum liquidum non admittit impreſſionem.2°.de ſemi. 1ª.339.B
Lutũ mediocriter induratum admittit impreſſionẽ.2°.de ſemi. 1ª.339.B
Lutum mediocriter durum ſumit fictor formandum,nõ adhuc liquidum. 2°.de ſemine. 1ª.339.B
Lutum per vrinam expellens eſt antidotus Biennitæ.10°.de compo.medicamen.ſecun.loc. 5ª.206.E
Lutum calcantibus arbylis cuidam calceari præcepit Hippocrates. ad Thraſyb. 2ª.108.G

MALAXATAM & pulueriʒatam cum melle chamæmelum ad dolorẽ ventris,& renum ꝑpter frigidos humores.de med.exper. Sp.106.D
MALE & bene ſe habent homines ſecundum lunæ & planetarum ſtationes.3°.de dieb.decre. 4ª.157.H
MALEDICIS in admiratione Zoilus,& Salmoneus ſacrilegis.1°.methodi medendi. 7ª.3.G
MALEFICI, qui.in progno.com.3°. 4ª.207.A
Maleficorum lac.in 6ᵐ.de morb.vul.com.6°. 3ª.195.H
MALE olens vrina,aquoſa,atra,& craſſa,letalis eſt.de vrinæ ſignificatione ex Hippocrate. Sp.78.G
Male olens vrina cum hypoſtaſi atra in acuto morbo letale eſt. quæſita in Hippocratem. Sp.113.E
MALICORIVM, vel ſidia quid.de ſimpl.medic. Sp.87.C
Malicorium ſiccum eſt & terreſtre.4°.de comp.medi.per gen.5ª.237.H
Malicorium inter acerba numeratur.6°.de comp.me.ſe.loc. 5ª.172.G
Malicorium auſterum eſt.4°.de comp.medica.per gen. 5ª.241.G/H
Malicorium adſtringit.9°. de ſimplicium medicamentorum facultatib. 64.C/5°.de compo.medicamento.per gen. 5ª.247.A
Malicorium adſtringens eximium.4°.de comp.med.per ge.5ª.239.E/5°. methodi medendi. 7ª.31.G
Malicorium modice exiccat.3°.meth.med. 7ª.20.A
Malicorium ſiccat euidenter.4°.de comp.me.per gen. 5ª.240.H
Malicorium vlcera exiccat.4°. de comp.medica.per ge. 5ª.236.G
Malicorium internis vlceribus opitulatur. 4°.meth.med. 7ª.28.H
Malicorium dum aceſcit fit imbecillũ.4°.de cõp.me. per gen. 5ª.239.F
Malicorium quo modo præparandum.4°.de comp.me.per gen.5ª.239.F
Malicorij meminit.5°.de compo.med.per genera. 5ª.250.F
Malicorium toſtum.9°.de compo.medi.ſecun.loc. 5ª.203.D
ad MALIGNITATEM omnem.5°.de comp.me.per ge. 5ª.245.H
MALIGNI vbi naſcuntur.de aere,aq.& loc. 2ª.6.E
ad Malignum anhelitum decoctio.de med.exper. Sp.107.D
Malignos humores accipit lupinus cum aceto in cataplaſmatis modum impoſitus.de ſimp.med. Sp.86.C
Malignos carbunculos ſanat erbum.de ſimpl.med. Sp.85.B
Malignis depaſcentis oris confert ſuccus cẽtaureæ. de vir.cẽ. Sp.93.D
Malignis vlceribus,quæ cacoethe dicuntur,facit Chamęleon.de ſimplicibus medicamentis. Sp.82.F
ad Maligna.5°.de comp.medic.per gen. 5ª.247.A/D
ad Maligna,& diutina.5°.de cõpoſi.med.per gene. 5ª.248.C
per MALITIAM quod fit,non ignoſcendum.5°.de decre. 1ª.259.D
ad Malitiam digeſtionis.ſecretorum. Sp.98.D/F
MALLEOLI quid.de oſſibus. 1ª.43.E
Malleolorum vena quas partes iuuat.de cur.per ſang.miſſ. 6ª.20.E
Malleolorum,& poplitis venę menſes maxime prouocant.de curan.ra. per ſang.miſſio. 6ª.18.F
Malleoli quando ſcarificari poſſunt.de cur.rat.per ſang.miſſ. 6ª.18.F
Malleoli vena non incidenda in iſchia,ſed potius poplitis.de curan. rat. per ſang.miſſ. 6ª.20.F
Malleoli arteria liberat à coxæ dolore.de cur.rat.per ſan.miſſ. 6ª.21.F
in Malleolo ſectæ arteriæ vulnus cum non poſſet claudi,totã inciſit Galenus.de cur.rat.per ſang.miſſ. 6ª.21.F
in Malleolo herpetem habentis mulieris caſus.14°.meth.med.7ª.92.F
iuxta Malleolos luxationes inferiores in interiori parte prolabuntur. de fracturis,commen.2°. 7ª.238.G
MALLEOLI inſtrumenti meminit.6°.meth.med. 7ª.42.D
MALLEI ſuper incudem ictus duplices quo modo differant.1°.de differentijs pulſuum. 4ª.51.A
MALTHACODE pharmaca,id eſt generis oleoſi.4°.de compo.medicamentorum per genera. 5ª.236.H
MALVAE caulis eſt ſiccus.2°.de alim.fac. 2ª.24.B
Malua habet radicem caule,& folijs acriorẽ.2°.de alim.fac. 2ª.24.D
Malua agreſtis à ſatiua differt.2°.de alim.fac. 2ª.22.G
Malua agreſtis ſicca eſt.2°.de alim.fac. 2ª.22.G
Malua agreſtis ſanguinem purgat.de dynam. Sp.22.C
Malua agreſtis ſanguinem educit.de cathar. Sp.94.G
Malua agreſtis minus emollit,quã hortenſis.7 .de ſimp.med.fa.5ª.55.B
Maluæ ſylueſtris folia ad ſcirrhum.14°.meth.med. 7ª.88.D
Malua agreſtis.2°.de alim.fac.2ª.22.H/6°.de ſimpl.medicamen.facul. 46.E/10°.de comp.med.ſec.loc. 5ª.206.A
Malua ſatiua.2°.de alim.fac. 2ª.22.H
Malua ſatiua humida eſt.2°.de alim.fac. 2ª.22.G
Malua hortenſis humidior & frigidior ſylueſtri.6°.de ſimplicium medicamentorum facultatibus. 5ª.44.C
Malua aquea eſt,& minimũ habet acris facultatis.de atte.vi. 2ª.43.H
Malua aquea eſt,& terrea.6°.de ſimplici.medic.facul. 5ª.44.C
Malua humida,& lenta.1°.de alim.fac. 2ª.8.C
Maluæ ſuccus eſt lentus.2°.de alim.fac. 2ª.22.G
Maluæ ſunt ſolum lenti ſucci.de bon.& vitio ſuc. 2ª.36.E
Maluæ ſuccus craſſus & lentus.2°.de alim.fac. 2ª.22.G
Malua habet calorẽ quendã moderatũ,ac tepidũ.2°.de ali.fac. 2ª.22.G
Malua,mora,muria,quomodo ventrem ſoluant hæc per acrimoniam,illa vero per lubricitatem.2°.de ſimp.me.fac. 5ª.12.B
Malua cur facile deſcendat,& ſubducat ventrem.1°.de alim.fa. 2ª.8.C
Malua facile ſubducit ob humiditatem & lentorem, ſi ex oleo & garo comedatur.2°.de alim.fac. 2ª.22.G
Maluarum radices molles dulces antequàm aruerint. 4°.de ſimplicium medicamentorum facultatib. 5ª.28.G
Maluæ facile nutriunt,ſed parum.8°.meth.med. 7ª.50.H
Malua mediocriter nutrit.2°.de alimen.fac. 2ª.22.G
Maluas ſecundo loco comedentis hiſtoria.2°.de alim.fac. 2ª.20.A
Maluæ inter cibos ſunt,qui poſterius ſumuntur ex oleo & garo. 2°.de alimentorum facultatibus. 2ª.18.G
Maluæ cum oleo & garo ſubuertũt ventriculũ.2°.de alim.fac. 2ª.20.B
Malua mediocris in bonis & malis ſuccis.de bon.& vit.ſuc. 2ª.37.F
Malua non eſt mali ſucci.de bon.& vitio ſuc. 2ª.39.C
Malua gñat viſcoſos,craſſos,& frigidos humores.de pue.epil. 7ª.180.D
Malua in febre danda.4°.de ſan.tuen. 2ª.87.G
Maluæ dandæ pro cibo in tertiana.1°.de arte cur.ad Glau. 7ª.97.C
Malua conuenit epilepticis.de puero epileptico. 7ª.180.C
Malua pro cibo in cancro.2°.de arte curati.ad Glauco. 7ª.107.E
Malua pro obſonio in cubiti fractura.de fract.com.2°. 7ª.230.G
Malua minus ſiccat quàm braſſica.5°.de ſan.tuen. 2ª.92.C
Maluæ folia emolliunt.5°.de ſimpli.me.facul. 5ª.34.F
vt Malua digerit cythiſus.7°.de ſimpl.me.fac. 5ª.53.H
Malua mundificat.de ocul. 7ª.188.E
Maluæ ſemen quid faciat.de mel.ex Gal.Ru.& Poſſ. Sp.110.A
Maluæ decoctum oleo ſimile dicitur.2°.ſimp.me.fac. 5ª.14.G
Maluæ decoctio ſcybala euacuat.de cathar. Sp.95.D
à Malua ad blitum,betam, & lapathum tanquam ſpecie ſimilia tranſeunt Empirici.fin.med. Iſa.51.A
MALORVM multiplex genus.2°.de alim.fac. 2ª.19.F
Malorum differentię ex ſapore.7°. ſimp.me.fac. 5ª.55.H
Mala nuper enata Acerba & ſicca ſunt conſiſtentia, & progreſſu temporis humidiora redduntur,acquiruntq; ad acerbitatem aciditatem, quam ſenſim exuentia poſtea dum matureſcunt,ac perficiuntur dulcia euadunt.4°.de ſimpl.medic.fac. 5ª.25.F
Mala acerba quo magis coques eo dulciora efficies,& decoctum fit acerbum.3°.de alim.fac. 2ª.32.A
Malis acerbis quando vti debemus.2°.de alim.fac. 2ª.19.G
Malum Acidum tantum eſt frigidum.4°.de ſimp.me.facul. 5ª.25.B
Mala acida habent ſuccũ frigidũ tenuiũ partiũ.2°.de alim.fac. 2ª.19.F
Malis acidis quando vti debemus.2°.de alim.fac. 2ª.19.G
Malum Auſterum quo caſu cõceſſerit Galenus.12°.meth.me. 7ª.79.A
Mala Adſtringentia vocat cotonea, ſtruthia, & ceſtiana. 13°.methodi medendi. 7ª.83.G
Malum adſtrictionis particeps.3°.de alim.fac. 2ª.21.E
Mala adſtringentia habent ſuccũ frigidũ terreũ.2°.de alim.fac. 2ª.19.F
Malum mouẽt aliter ſenſum,quã adſtringẽtia.1°. ſimpl.me.fac. 5ª.8.H
Mali adſtrictio ſuauis eſt.3°.de ſimp.me.fac. 5ª.20.D
Malum omne adſtringens,etiam ſi non ſit cydonium,eſt aptum pro ſcammonia aptanda.3°.de ſimp.me.fac. 5ª.20.C
Malum adſtringens,in quo eſt indita ſcammonia,purgat.3°.de ſimp.medicamen.facultatibus. 5ª.20.C
Malum dabant antiqui non ſcammoniam.3°.de ſimp.me.fa. 5ª.20.C
Malorum adſtringentium decoctũ adſtringens leue.5°.meth.me.7ª.31.H
Malum Armenicum frigidum eſt & humidum in ſecundo ordine. 7°.de ſimpli.med.facul. 5ª.56.A
Malum Auſterum quo caſu conceſſit Galenus.12°.meth.med. 7ª.79.A
Malorum auſterorum decoctum adſtringens moderatum pro gargariſmis.6°.de compoſi.med.ſec.loc. 5ª.172.F
Mala auſtera & acida,vulnera glutinare poſſunt,& in phlegmonarum principio fluxionem repercutere,ſtomachum võtremq; exolutum ac languidum roborare.7°.de ſimp.med.fac. 5ª.55.H
Mala Ceſtiana cocta ſtomacho proſunt, cruda ſunt auſtera. 2°.de com-

poſitione medicamentorum ſecun.locos. 5^a.133.D
Mala ceſtiana euitanda ſunt in ſiccitate.7°.meth.med. 7^a.44.C
Mala cēſtiana 6°.de comp.med.ſec,loc,167.F/9°. 5^a.203.A
Malum Coctanum quale ſit.de ocul. 7^a.188.H
Mala Cotonea auſtera.2°.de loc.affect. 4^a.12 D
Mala cotonea adſtringunt.6°.de compo.med.ſec.loc. 5^a.176.F
Mali cotonei decoctum adſtringit.4°.meth.me. 7^a.28.H
Malū cotoneū in aqua coctū p phlegmone iecoris.11°.meth.me. 7^a.73.A
Mala cotonea ſtomachum roborant.6°.de ſan.tu. 2^a.99.E
ex Mali cotonei ſucco vinū p ventriculo imbecillo.7°.me.me.7^a.44.A
Mala cotonea euitanda ſunt in ſiccitate.7°.meth.me. 7^a.44.C
Mala cydonia.6°.de comp.med.ſec.loc. 5^a.167.F
Mala Dulcia ſunt mediæ temperaturæ,tamen ad calidum inclinant.2°. de alimentorum facult. 2^a.19.F
Mala Frigida.4°.de ſimp.me.fac. 2^a.26.D
Malum Granatum quid.de ſimp.me. Sp.87.C
Mali granati ſapores,quales.8°.de ſimp.medic.fac. 5^a.59.H
Malum granatum eſt adſtringens.8°.de ſimp.me.fa. 5^a.59.G/H
Malum granatum adſtringit euidenter.1°.de ſimp.med.fac. 5^a.7.H
Malum granatū ventrē ſtringit,ſtomachū erigit.de ſimp.med. Sp.87.C
Mala granata quendam coactum ediſſe,cui febris ſoluta ſit,ſupponitur. de ſubfig.emp. Iſa.31.E
Mali granati cortex habet diuerſum effectum ab alijs adſtringentibus. 3°.de ſimp.medicamen.facul. 5^a.20.D
Mali granati putamina cicatrici inducendæ apta ſunt medicamina.5°.de ſimp.med.fac. 3^a.36.C
Mala Humida & frigida.7°.de ſimp.me.fac. 2^a.55.H
Malum Matianum.de dynamidijs. Sp.33.B
Malus Medica.7°.de ſimp.med.fac. 5^a.56.A
Mali medici cortex acris eſt.de atten.vict. 2^a.46.A
Mali medici pars intima acida eſt.de atten.vic. 2^a.46.A
Mali medici caro pituitoſa eſt & craſſi ſucci.de atten.vic. 2^a.46.A
Mali medici ſemen eſt amarum.4°.de ſimp.med.fac. 5^a.26.E
Mala Orbiculata.9°.de comp.me.ſec.lo. 5^a.203.A
Malum πλατανίσινον vocatum,& cur.2°.de alim.fac. 2^a.19.H
Malorum Punicorum differentiæ.3°.de comp.me.ſec.lo. 5^a.148.E
Malorum punicorum tres differentiæ.6°.de comp.med.ſec.loc.5^a.168.H
Malum punicum carens nucleo.de comp.med.ſec.loc.145.H/ 5^a.148.D
Mala punica,qualia.de atten.vic. 2^a.46.A
Mala punica frigida.4°.de ſimp.med.fac. 5^a.26.D
Mali punici genera auſtera.2°.de lo.aff. 4^a.12.D
Mali punici adſtrictio ſuauis.3°.de ſimp.med.fac. 5^a.20.D
Mala punica nuper enata acerba,& ſicca ſunt, & progreſſu temporis humidiora redduntur,acquiruntq; ad acerbitatem, aciditatem quam ſenſim exeuntes poſtea dum matureſcunt,ac perficiuntur, dulcia euadunt.4°.de ſimp.med.fac. 5^a.25.F
Mala punica acida tantum ſunt frigida.4°.de ſimp.me.fa. 5^a.25.B
Malum punicum acidum pro refrigerando capite minus vituperat.2°.de comp.med.ſecun.loc. 5^a.132.G
Mala punica ſumenda poſt olera ex oleo,et garo.3°.de ſym.ca. 3^a.24.H
Malum punicum optimus cibus bilioſo ſtomacho.10°.meth.me.7^a.62.E
Malum punicum dat quando ſtomachus ſubuertitur ex potu aquę.2°.de compo.med.ſec.loc. 5^a.133.D
Mala valent ad ſtomachi,ventriſq; firmitatem,ac robur.de bonitate et vitio ſuccorum. 2^a.37.F
Mala punica in ſyncope mediocri.1°.de arte cur.ad Glau. 7^a.99.E
Mala punica euitanda ſunt in ſiccitate.7°.methodi medendi. 7^a.44.C
Mali punici ſuccus non debet admiſceri roſaceo,quando caput refrigerare volumus.2°.de compo.med.ſec.loc. 5^a.132.G
Malum punicū ſemper ponit in vas æreū. 3°.de cōp.me.ſe.lcc.5^a.148.D
Mali punici ſuccum ſeruat in vaſe ſtāneo.3°.de comp.me.ſec.l.5^a.148.E
Mali punicæ cytini.5°.de comp.med.per gen. 5^a.251.E
Malorum punicorum cortices in emplaſtro apponendo in principijs inflammationum.2°.de ar.cur.ad Glau. 7^a.101.F
Mala punica quo modo exprimenda.6°.de comp.me.ſec.loc. 5^a.169.A
ex Malis punicis medicamentum.6°.de comp.medi.ſec.loc. 5^a.168.H
Mala qualitatis expertia ſunt aquoſa,frigida.2°.de alim.fac. 2^a.19.F
Mala Struthia.6°.de compo.medicamentorum ſecun.loc. 5^a.167.F
Malum Styracis.de dynamidijs. Sp.24.B
Malum Syriacum.de dynam. Sp.33.B
Mala ſyria.de dynam. Sp.24.E
Mala quando ſunt idonea.de bon.& vitio ſuc. 2^a.39.B
Mali fructus malum.2°.de alim.fac. 2^a.16.C
Malis vtimur vt medicamentis.de bon.& vitio ſuc. 2^a.37.F
ex Malorū ſucco medicamentum quo modo fiat.6°.de ſan.tu. 2^a.101.B
ex Malis medicamentum per duas, aut tres horas ante cibum dandū. 6°.de ſanitate tuen. 2^a.101.B
ex Malorum ſucco medicamētū ad quæ valeat.6°.de ſan.tu. 2^a.101.A
Malorum medicamentum quomodo proderit ventri intemperie calido, & bilioſo.6°.de ſan.tuen. 2^a.101.B
ex Malorum ſucco quo medicamento vti debent pugnantia temperamēta in diuerſis membris habentes.6°.de ſan.tuen. 2^a.101.C
ex Malorum ſuccis medicamentum quale accipere debet venter intemperie frigidus.6°.de ſan.tuen. 2^a.101.C
Mali ſuccus non debet admiſceri roſaceo,quando caput refrigerare volumus.2°.de compoſitio.medicamen.ſecun.loc. 5^a.132.G
Malorum ſpiſſamentum.9°.de comp.me.ſec.loc. 5^a.203.E
MALVM quid.7°.de decr.Hipp. 1^a.268.E
Malorum duplex cauſa in pueris.5°.de decr.Hip. 1^a.256.H
Mala vt fiant non ea eſt prouidentia vniuerſi,ſed vt bona fiant, curat.in prognoſt.commen.1°. 4^a.189.H
Malorū cauſæ ſunt diuites,& principes.de præcog.ad Poſth. 4^a.214.B
Mala propter ſe euitanda quę damnum inferunt.de hiſt.philo. Sp.2.H
Malum auerſari inſitum nobis.ꝙ animi mores. 1^a.321.C
Mala propria cur non intelligamus.de cog.cur.animi morbis. 2^a.50.G
Mala ſcriptis tradenda non ſunt.10°.de ſimpli.med.fac. 5^a.72.E
Malum precabatur mulieri Galenus.de venæ ſect.aduer.Eraſ. 6^a.9.E
Malum ad meliora conuerti aliqui putant.1°.de elem. 1^a.2.G
Malum quomodo deterius.in prog.com.2°. 4^a.199.H
MALI naturaliter ſunt omnes.ꝙ animi mores. 1^a.321.E
Malus ſponte nemo,& cur fiat malus.ꝙ animi mores. 1^a.319.B
Mali Romæ non fiunt,qui ſunt boni,ſed mali prius materiam male agendi Romæ nanciſcuntur.de præcog.ad Poſth. 4^a.215.F
Mali,& boni nominibus quo modo vtatur Hippocrates in morbis.1°.de criſi.130.G/ in progn.com.3°. 4^a.211.E
Malum pro mortali accipitur ab Hippocrate.com.5°.aph.3°. Ex.37.F
Mala mediocria per comparationem ad magna dicuntur. commentario 2°.aphoriſmo 3°. Ex.11.F
neq; Malum,neq; bonū portendentia ſymptomata.1°.de criſ. 4^a.131.C
in Malis,bonis,optimis,peſſimis Hippocratis loquendi modi.1°.de criſibus. 4^a.131.E
Mala malum ſemper portendunt.in progn.com.3°. 4^a.212.C
in Malis paruis facies mala,malū.in 6^m.de mor.vul.com.2°. 3^a.166.F
in Malis ingētibus facies bona,bonū.in 6^m.de mor.vul.c.2°. 3^a.166.F
Mala deterrima ſunt,quæ perpetuo vigorem habent.de vrin. 4^a.123.H
Malorum eorundem reditus ſignificant cruda et incocta ad malos abſceſſus conuerſa.com.4°.aph.22°. Ex.29.G
Malum eſt ſudor aduentante febre,quando.præſag.exper.conſ.Sp.77.G
Malum in phlegmone glandularum & artuum.13°.meth.me. 7^a.83.D
Mala omnia ætatis imbecillitas peiora facit.com.7°.aph.1°. Ex.57.C
Mala omnia de corpore tollit radix cucumeris erratici ſiccata, & raſa & cribrata.de ſimpli.me. Sp.83.A
Malarum Aquarum & bonarum cognitio,quę.de bon.aquæ. Sp.75.H
Malæ ſunt Aquæ æſtate calidæ,hieme frigidæ.de bon.aquæ. Sp.75.D
Malæ ſunt aquæ autumnales,& æſtiuæ.de bon.aquę. Sp.75.F
Malum eſt aquam ire per inteſtina.de bon.aquę. Sp.76.A
in Malas cōſuetudines mouetur corpus à natura ſua.de ſper. Sp.40.E
Mali ſucci ſunt Cępe,allia,raphanus,rapę,& paſtinacæ. de diſſolutione continua. Sp.74.C
Malarum Carnium diuerſitas.de diſſol.cont. Sp.74.A
Mala eſt caro hirci,& caro bouis,& hirci ſylueſtris, deinde caro hirci maxime non caſtrati,deinde caro pecudum multorum annorum, deinde caro bouina.de diſſol.cont. Sp.74.B
Mala ſunt omnia Cerebra ſtomacho,& cum quibus edenda. de diſſolutione continua. Sp.74.F
Malos humores generantium Ciborū tres ſpecies.de diſſ.cont. Sp.74.A
Mali cibi qui fiant,cocti.de diſſol.cont. Sp.72.E
Malum cur eſt ſtomacho Fœnum grecum.de diſſ.cont. Sp.74.E
Mali chymi ſunt fœnum græcum,& cicera,cur.de diſſ.cont. Sp.74.B
Malum eſt Lac ſtomacho propter velocitatem immutationis eius naturæ.de diſſolutione contin. Sp.74.F
Mala membra animalium,quę.de diſſ.cont. Sp.74.B
Malos humores generant olera omnia.de diſſol.cont. Sp.74.C
Malum eſt Olus iamenum & cathaf ſtomacho,cur.de diſſ.cont.Sp.74.E

Mali Piſces, qui. de diſſolutione continua. Sp.73.H
Malę Pulſatilitates dependent à corde. de virt. noſt. cor. diſpen. Sp.60.B
Malæ ſunt Rapæ ſtomacho, quando non valde coquuntur, cur. Sp.74.E
Mali chymi ſunt Renes, & cur. de diſſol. cont. Sp.74.B
Malum eſt ſtomacho Seſamum, cur. de diſſol. con. Sp.74.F
Mala eſt Sicla ſtomacho, cur. de diſſ. cont. Sp.74.E
Malum eſt nocuum craſſum, Vinũ album ponticũ. de diſſ. cont. Sp.74.D
MAMMAE *cur in ventre, & non in pectore animalibus. 7°. de vſu partium.* 1ª.164.C
Mammæ cur in epigaſtrio pluribus animalibus. 7°. de vſu par. 1ª.164.F
Mammas in pectore quæ animalia habeant. 7°. de vſu par. 1ª.164.D
Mammas in pectore animalia habentia, qualia. 7°. de vſu par. 1ª.164.F
Mammæ cur in pectore in hominibus. 7°. de vſu par. 1ª.164.D
Mammæ cur multæ in animalibus fœcundis. 7°. de vſu par. 1ª.164.C
Mammę cur duæ tãtum animalibus infœcundis. 7°. de vſu par. 1ª.164.C
Mammæ cur non inſunt auibus. 14°. de vſu par. 1ª.205.B
Mammæ tegunt cor. 7°. de vſu par. 1ª.164.E
Mammarum glandularum differentia, quæ habent lac, & non habent. 3°. de alim. facul. 2ª.26.H
Mammarum glandulę ſi lac continent, vbera vocantur. de bonitate & vitio ſuccorum. 2ª.35.H
Mammarũ glandulæ ſimiles linguæ glandibus. 3°. de alim. fac. 2ª.26.H
Mammarum glandulæ ſunt ſucci craſſi. de bon. & vit. ſuc. 2ª.35.H
Mammarum officium, quod. 14°. de vſu par. 1ª.205.C
Mammæ habent adenes habentes vim alterandi id quod ad eos influit. com. 5°. aph. 39°. Ex.41.C
Mammarũ in vetulis ſubſtantia qualis. in 6^{m}*. de mor. vul. c. 3°.* 3ª.177.E
Mammarum venas & arterias natura à longinquis partibus ducit. 16° de vſu partium. 1ª.219.C
ad Mammas vaſa tendentia quo modo ſe habeant. 7°. de dec. 1ª.269.E
ad Mammas venæ tendunt prius ad cor. 7°. de vſu par. 1ª.174.D
in Mammis venæ, quæ prius ob paruitatem ſenſum effugiebant, ſanguine repletæ ſenſibiles fiunt. de tum. præt. nat. 3ª.83.D
Mammis, & vtero communes venæ. 5°. de ſimp. me. fac. 5ª.37.H
Mammæ habent quaſdam venas communes cum vtero. commentario 5° aphor. 37°. 40.H/ apho. 52°. Ex.42.B
cũ Mãmis maxime cõicant venæ, quæ ad vterũ. de ven. art. diſ. 1ª.58.F
Mãmæ cur tm̃ habent conſenſum cũ matricibus. 14°. de vſu p. 1ª.207.A
Mammarũ & mr̃icis venæ ſolæ cur vtriſq; cões. 14°. de vſu p. 1ª.207.B
Mãmæ affectus ſignat vterũ languere. in 6^{m}*. de mor. vul. c. 5°.* 3ª.192.D
Mammarum, & matricum communicatio. 14°. de vſu partium. 205.E/ in 6^{m}*. de mor. vulgaribus, com. 5°.* 3ª.192.D
ad Mammas & matricem tantummodo eadem vaſa quomodo incedãt. 14°. de vſu partium. 1ª.207.A
ad Mammas, & teſtes vaſa habent cõem vſum. 16°. de vſu p. 1ª.221.A
Mammarum arteriæ vnde oriantur, & quorſum tendant. de decretis Hippocrat. & Plato. 1ª.232.G
ã Mammis quæ deorſum feruntur vaſis coniunguntur vaſa venoſa. 16°. de vſu partium. 1ª.219.E
cum Mammis & pectore affinitatis documentum eſt in tuſſientibus teſticulus tumefactus. in 6^{m}*. de mor. vulg. com. 3°.* 3ª.178.H
Mammæ exiguę ſunt in principio, & creſcunt paulatim. 14°. de vſu partium. 1ª.205.C
Mammæ increſcunt puellis virginibus. in 6^{m}*. de mor. vu. c. 4°.* 3ª.186.H
Mammę cur non creſcunt in maſculis. 7°. de vſu par. 1ª.164.F
Mammas turgidas raro homines habent. 2°. de ſem. 1ª.336.D
Mammas cur ſibi exurant Amazones. com. 7°. aph. 43°. Ex.57.E
Mamma cur igne exuritur. de aere, aquis, & loc. 2ª.5.C
Mammæ in mulieribus quæ nondum prægnantes fuerint, cur contractæ. 6°. de locis affectis. 4ª.42.H
Mammæ prægnantium qualem mediocritatem habere debent. commen. 5°. aphoriſmo. 52°. Ex.42.C
Mammæ cur impleantur qñq; in prægnantibus. 14°. de vſu pa. 1ª.207.C
Mammæ cur gracileſcant qñq; in prægnantibus. 14°. de vſu pa. 1ª.207.C
Mammarum venæ ſunt magis plenę tempore conceptionis. commen. 5°. aphoriſmo 39°. Ex.41.C
Mammæ nõ debẽt eẽ ita plenæ, vt lac effluat. cõ. 5°. apho. 52°. Ex.42.C
Mammis ſi lac multũ fluat, fœtus eſt imbecillus. c. 5°. aph. 52°. Ex.42.B
Mammæ tenues defectum ſanguinis ſignificat. com. 5°. aphor. 52°. 42.C/ aphoriſmo 53°. Ex.42.E
Mammæ ſi ſint duræ, & tamen fluat lac, non eſt imbecillis infans. commen. 5°. aphor. 52°. Ex.42.B
Mammæ durę multitudinẽ ſanguinis ſignificant. c. 5°. aph. 53°. Ex.42.E
Mammas duras etiã corruptio fœtuũ ſequitur. cõ. 5°. aph. 53°. Ex.42.E
Mammæ vaſtæ cur lac emittentibus. 6°. de loc. aff. 4ª.42.H
Mammæ per omnem dimenſionem ex lacte augentur. in 6^{m}*. de morbis vulg. commen. 3°.* 3ª.177.B
Mammę quomodo non intumeſcant. 9°. de ſimp. me. fac. 5ª.67.D
Mammæ extenuantur mulieribus, quibus fœtus debent corrumpi. com. 5°. aphoriſmo 53°. Ex.42.D
Mammę graciles ſi repẽte fiunt, mulier abortit. c. 5°. aph. 37°. Ex.40.H
Mammæ fiunt graciles materia decurrente ad alterum locum. commentario. 5°. aphor. 53°. Ex.42.E
Mammæ quæ fuerunt extenuatę ſi fiunt durę, iterum dolor vexabit aut coxas, aut oculos, aut mammas, aut genua, & non corrumpent. commen. 5°. aphor. 53°. Ex.42.C
Mamma dextra ſi prægnanti fiat gracilis, abortit marem, ſi ſiniſtra fœminam. com. 5°. aph. 38°. Ex.41.A
Mammis appoſita magna cucurbitula menſtrua cohibet, & quomodo debeat intelligi. com. 5°. apho. 5°. Ex.42.A
in Mammis ventoſa ſtringit ſanguinem ex vtero. de cathar. Sp.94.G
iuxta Mammas cucurbitula eſt reuulſoriũ præſidiũ. de cuc. ſca. 6ª.4.F
prope Mammas cucurbitulæ non ſunt ponendæ. de cucur. ſcar. 6ª.3.D
ſub Mammis cucurbita pro reuellendo ab vtero. 5°. meth. med. 7ª.30.E
ad Mammas ſi ſanguis mulieribus colligatur, furorẽ ſignificat, & cur. com. 5°. aph. 40°. Ex.41.C
ad Mammarum mulierum tumores. de med. fac. par. 7ª.179.F
ad Mãmarũ phlegmonas valẽt oua tota cruda. 11°. de ſimp. m. f. 5ª.81.E
Mammarum durities digerens. 1°. de comp. medi. per gen. 5ª.217.B
Mammarum duritias emolliens. 3°. de comp. medica. per gen. 5ª.235.B
Mammarum duritias diſcutiens. 5°. de comp. med. per ge. 5ª.250.B
ad Mammarum duritias. 5°. de compoſi. medicamentorum per genera. 248.H/ 6°. 262.A/ B/ 7°. 5ª.268.F
ad Mãmarum abſceſſus. 5°. de cõp. med. per gen. 246.E/ 6°. 5ª.262.B
in Mãmis mulierũ potiſſimũ fiunt cancri. de arte cur. ad Gla. 7ª.107.B
in Mammis cancer ſimilis animali. 2°. de ar. cur. ad Gla. 7ª.107.D
ad Mammam aſſuta faſcia. de faſcijs. 7ª.303.B
ad Mammam glomerata faſcia. de faſcijs. 7ª.303.D
in MAMILLIS *eſt caro alba mollis. de anat. viu.* Sp.44.D
Mamillæ cur glanduloſæ ſint. de vtil reſp. Sp.63.A
in Mamillis mulierum per quandam decoctionem ſanguis vertitur in lac. de ſperm. Sp.36.E
Mamillę albificant lac. de anat. viu. Sp.44.D
in Mamillis hauſtum lac optimum. 7°. meth. med. 7ª.44.G
Mamillæ per lac purgantur. de cathar. Sp.94.G
Mamilla dextra ſi gracileſcat, mulier maſculi abortum faciet. de anatomia viuorum. Sp.51.F
ad Mamillas cucurbitula ꝑ ſanguine vteri ſupfluo. 13°. met. me. 7ª.85.B
Mamillarum morbi. introd. Iſa.59.D
ad Mamillarum duritias digerendas. 5°. de compoſitio. medicamentorum per genera. 5ª.247.E
ad Mamillarum phlegmones optimum remedium ſordes in palæſtris facta. 8°. de ſimp. med. fa. 5ª.59.H
ad Mamillarum duritias. 5°. de compoſi. med. per gen. 5ª.249.H
Mamillarum duritiem ſoluit erbum. de ſimpli. medic. Sp.85.B
ad Mamillarum vlcera. 5°. de comp. med. per gen. 5ª.250.G
in Mamilla cancrum aduentantem quo modo purgatione annua prohibuit Galenus. quot purg. op. quib. med. & quo temp. 5ª.88.C
ad Mamillarum nigritias contumaces, & malignas. 4°. de comp. medicamento. per gen. 5ª.242.H
ad Mamillarum affectiones malignas. 10°. de comp. me. ſe. lo. 5ª.208.A
ad Mamillas ex viſco. 6°. de comp. med. per ge. 5ª.261.F
MAMILLARES *glandulæ dulces. 3°. de alim. fac.* 2ª.26.H
Mamillares glandulæ ad quid factæ. 3°. de alim. fac. 2ª.26.H
Mamillares glãdulæ nõ ſemp ſuo fungunt munere. 3°. de ali. fac. 2ª.26.H
MANCITAS *quid. de artic. com. 4°.* 7ª.283.D
MANCA *quę ſint. de ijs, quæ in medic. fi. com. 3°.* 7ª.219.H
Manci qui ſint. de artic. com. 3°. 7ª.278.B
Mancæ ſunt ægritudines capitis. de virt. noſtr. corp. diſp. Sp.60.B
Mancum nihil expetimus. ad Thraſy. 2ª.103.B
MANDENDI *actio quando accedat infanti. 15°. de vſu par.* 1ª.213.C
Mandentes medicamentum vt purget caput, quo modo debent manere, 2°. de compo. medicamen. ſec. loc. 5ª.139.B
MANDIBVLA. *à lato muſculo mouetur. 4°. de lo. aff.* 4ª.23.D

Mandibula

Mandibula inferior eleuať eleuãdo linguã.de mot.man.& obſ. Sp.68.C
ſine Madibula quomodo læduntur genę.4°.de loc.aff. 4ª.24.C
Mandibula cõuellitur,et tunc quæ pars ſit affecta.3°.de lo.aff. 4ª.17.D
MANDRAGORA *quid.de ſimp.med.* Sp.87.C
Mandragora qualis ſit.de ocul. 7ª.188.H
Mandragora frigida.3°.de temper. 1ª.21.G/ *de cauſ.morb.*3ª.7.D/ 3°.*de ſimp.med.fac.* 5ª.21.H
Mandragora frigida iudicatur ab omnibus.3°.de ſimp.me.fac. 5ª.17.H
Mandragora in tertio ordine frigida eſt.7°.de ſimp.med.fac. 5ª.55.B
Mandragora frigidiſſima in quarto gradu.3°.de ſimpli.med.fac. 5ª.19.G
Mandragora ẽt ſi detur calefacta,poſtea fit frigida.3°.de temp. 1ª.23.G
Mandragora valde excalfacta vrit.1°.de ſimplic.medic.facul. 5ª.3.C
Mandragora non eſt acida.4°.de ſimp.me.fac. 5ª.28.C
Mandragora humida corticem habet ſiccum.5°.de ſimp.me.fa. 5ª.37.C
Mandragoræ cortex ſiccus.5°.de ſimp.me.fac. 5ª.37.C
Mandragora vires habet refrigerantes.de ſimp.med. Sp.87.C
Mandragora refrigerat.1°.de ſimp.med.fac. 5ª.2.C
Mandragora non citra damnũ refrigerat.4°.de comp.me.ſe.lo. 5ª.132.F
Mandragora vires habet ſtringentes,grauem marcorem facit, ſomnifera eſſe creditur,dolores,& vigilias compeſcit.de ſimp.me. Sp.87.C
*Mandragora ſoporẽ incitat.7°.de ſimp.me.fa.*5ª.55.B/*de ocul.* 7ª.189.D
Mandragora cur ſomnifica.2°.de temp. 1ª.16.F
Mandragora ſtupefacit.in 6m.de mor.vul.com.2°. 3ª.161.B
Mandragora obſtupefacit,& necat.5°.de ſimp.med.fac. 5ª.35.G
Mandragora mortificat corpora, & perducit ad frigiditatem immedicabilem.8°.de compoſi.med.ſec.loc. 5ª.190.H
Mandragorę nigræ fit mentio.7°.de compo.medica.ſecun.loc. 5ª.183.B
Mandragoræ ſuccus quo modo è Creta Romam portabatur.1°.de comp. medicamento.per gene. 5ª.211.F
Mandragora in potu non eſt vtilis.5°.de ſimpli.med.fac. 5ª.37.C
Mandragoræ ſuccus qualis.9°.de compo.med.ſecun.loc. 5ª.202.A
Mandragoræ ſuccus vel odore ipſo cum homine pugnat,vt naturæ humanæ contrarius.4°.de ſimp.med.fac. 5ª.29.E
Mandragora contraria humanæ naturæ.8°.de cõp.med.ſe.lo. 5ª.190.A
Mandragoræ ſuccus ad vehementiſſimos dolores.4°.de compoſit.medicamen.ſecun.loc. 5ª.150.H
ex Mãdragora vnctiones frigidę quibus vitãdæ.6°.de ſan.tu. 2ª.100.G
Mandragora in vlceribus fugienda eſt.3°.meth.med. 7ª.21.C
Mandragora eſt ex medicamentis exitialibus,tamen non nocet niſi quãtitate.com.2°.aph.17°. Ex.13.B
Mandragora modice ſumpta iuuat.de vict.ra.in mor.au.c.2°. 7ª.118.D
Mandragoræ radix inter anodyna,in quibus errant medici.12°.methodi medendi. 7ª.75.E
Mandragoræ radix craſſo modo confracta non infrigidat, ſed in puluerẽ redacta.1°.de ſimp.med.fac. 5ª.4.E
Mandragora oculis mire obeſt.3°.meth.me. 7ª.17.D
Mandragoræ toſtus cortex.10°.de comp.med.ſec.loc. 5ª.206.C
ex Mandragora paſtillus.7°.de compo.med.ſec.loc. 5ª.185.G
MANDRAGOROCHYLON *organum ad experimendum ſuccum mãdragoræ.de ſimp.med.* Sp.87.C
MANDVCATIO *quid.de art.com.2°.* 7ª.263.C
quomodo MANEAT *ceruix recta.de muſc.diſſ.* 1ª.47.A
Manere cur laborioſius,quàm ambulare.de palp. 3ª.51.H
MANETARES. *de med.fac.par.* 7ª.177.F
MANGONES *cutem circumponunt carnoſis particulis.in 6m.de mor. vulg.commentario.3°.* 3ª.176.D
Mangones quomodo reficiant emaciata corpora.in 6m.de morbis vulg. commentario.3°. 3ª.176.D
à Mangonibus graciles natura quo mõ curẽtur.14°.meth.med. 7ª.91.G
Mango fecit breui craſſas pueri nates.14°.meth.med. 7ª.91.G
Mãgo aliter laudabat corpora,quã Hippocrates.1°.de vſu par. 1ª.115.D
Μανίαι ſpecies alienationis mentis.introd. Iſa.56.D
Μανίαι, id eſt inſania.1°.de dieb.decr. 4ª.146.F
Mania accidit cerebro affecto aut per ſe, aut per accidens.17°.de vſu partium. 1ª.222.F
Mania ſine febre,phrenitis vero cũ febre eſt.2°.de ſymp.cauſ. 3ª.24.C
Mania eſt ſine febre.3°.de loc.aff. 4ª.17.A
Mania poteſt fieri ab intemperie.3°.de lo.aff. 4ª.20.B
Mania contingit conceptis in horis melancholiæ.de ſper. Sp.37.D
in Mania nullum adeſt affecti loci ſignum.3°.de loc.aff. 4ª.16.B
Manię ſignum eſt calor cordis ſuperexcellens.de anat.viu. Sp.53.A
Mania cum quis laborat catharticis vtimur.de dynam.. Sp.20.E
Mania laborantibus damus cholagoga.de dynam. Sp.20.G
MANIACIS *vitandum vinum odoratum.de atten.vic.* 2ª.46.D
MANICA *vnde ſit dicta.de compag.memb.ſiue de nat.hu.* Sp.59.A
MANICVM *ſolanum,quale.8°.de ſimp.med.fac.* 5ª.62.G
MANIFESTVM *multis modis dicitur.2°.de decr.Hipp.* 1ª.298.G
Manifeſte apparentium nihil veritatis cultoribus occultum eſſe debet. 2°.de diff.reſp. 3ª.63.E
Manifeſta quæ ſunt artis elementa Hippocrati placent. breuis denotatio dogmatum Hippocratis. 1ª.231.D
MANIODES *inſaniæ ſunt vehemẽtes.in 1m.pror.com.1°.* 4ª.164.D
MANIPVLARIS *faſciculus.9°.de comp.medicamen.ſec.loc.* 203.A/ *7°.de comp.me.per gen.* 5ª.271.H
MANIPVLVM *quo modo deſcribat.6°.de comp.me.ſec.loc.* 5ª.175.E
Manipulus quantus duobus digitis apprehendi poteſt.7°.de comp.medicamen.ſec.loc. 5ª.187.A
Manipulus quantum tribus digitis apprehendi poteſt.9°.de comp.medicamen.ſecun.loc. 5ª.199.H
*Manipuli meminit.7°.de compoſi.med.ſecun.loc.*185.E/9°. 5ª.198.G
MANNA *mel roſcidum,& aeriũ vocabatur.3°.de alim.fa.* 2ª.32.F
Mannæ generatio quo mõ fiat ſm philoſophos.3°.de alim.fac. 2ª.32.F
Manna quo modo cadit,& quod tẽpus pręceſſit.3°.de alim.fac. 2ª.32.F
Manna raro cadit in Gręcia.3°.de alim.fac. 2ª.32.F
Manna quotãnis cadit in monte libano.3°.de alim.fac. 2ª.32.F
Manna quomodo colligitur.3°.de alim.fac. 2ª.32.F
Mannę,& melli dant aliquid plantæ.3°.de aliment.facul. 2ª.32.C
MANNA *quid.3°.de comp.med.ſec.lo.* 5ª.146.B/C
Manna quid,& quo modo à thure differat.4°.de compoſi.medicamentorum ſecun.loc. 5ª.151.E
Manna quid ſit,& quod vtilior thure,& qualis.13°.meth.me. 7ª.81.E
Manna thuris quomodo adulteretur.de ſimp.med. Sp.91.E
*Manna qualis.1°.de compo.medica.ſec.loc.*5ª.129.F/5°.*de cõp.me.p ge.* 247.C/6°.5ª.255.C/5°.*meth.me.* 6ª.36.E
Manna pinguius eſt thus.de artic.com.2°. 7ª.267.A
Manna adſtringens leue.5°.meth.med. 7ª.31.G
Mãna aliquãtulũ adſtringit,nõ tñ thus.6°.de comp.me.per ge. 5ª.256.F
Manna adſtringit magis,quàm thus.5°.meth.me. 7ª.31.A
Manna thus magis eſt emplaſticum.5°.meth.me. 7ª.31.A
*Mãna cõcoquit,mouet pus,& carnẽ gignit.2°.de cõp.me.p ge.*5ª.221.E
Manna vlceribus profundis conuenit.9°.de comp.med.ſec.lo. 5ª.205.D
Manna detergit,& concoquit.6°.de compo.med.per gen. 5ª.256.F
Manna capitalis eſt.6°.metho.med. 7ª.42.E
ex Manna medicamentum ad ſanguinem ſiſtendum.de curan.ratio.per ſang.miſſ. 6ª.21.E
pro Manna Thus.de articu.com.2°. 7ª.267.A
MANSORII *muſculi ſic appellati ab Hippocrate & ab antiquis.de muſculorum diſſectione.* 1ª.44.H
MANSVETE *quo modo dicatur.in 1m.prorrh.com.3°.* 4ª.187.F
MANSVETVDINEM *extirpant mentis frequentes perculſiones.de aere,aq.& loc.* 2ª.6.C
MANSVETI *& dulces homines vnde.de ſperma.* Sp.40.D
Manſueti animi quorum.de aere,aq.& loc. 2ª.6.D
Manſueti commodius viuunt quàm elati.de hiſt.philoſ. Sp.3.A
Manſueti quo modo tractandi.de hiſt.philoſ. Sp.3.A
Manſueta animalia habẽt vngues latos,& molles,& obtuſos.11°.de vſu partium. 1ª.187.G
MANSA *quæ caput purgent.2°.de comp.med.ſec.lo.* 5ª.139.B
MANTEVAS *quid ſcripſit.6°.de ſimpli.med.facul.* 5ª.39.H
MANTIAS *fuit vulgaris medicus.2°.de comp.med.ſec.loc.* 5ª.135.H
Mantiæ liber de re medica.4°.de comp.me.per gen. 5ª.244.E
Mantias legendus in herbaria re.6°.de ſimp.med.fac. 5ª.39.H
Mantias medicamentum ſcriptor.3°.de comp.medic.per gen. 5ª.234.H
Mantias Herophileus primus medicamentorum compoſitor.2°.de cõpoſi.med.per gene. 5ª.218.D
Mantias fuit præceptor Heraclidis.6°.de comp.med.ſec.loc. 5ª.175.C
Mantias,& Heraclides primi medicamentorum cognitionem tradidere.2°.de comp.me.per gen. 5ª.222.A
ex Mantiæ compoſitionibus Attalica.8°.de comp.me.ſec.lo. 5ª.191.C
Mantiæ Aeruginoſum.4°.de compoſit.med.per genera. 5ª.244.E
MANTICAS *duas ab omnibus geſtari inquit Aeſopi fabula.in 1m.prorrhet.commen.2°.* 4ª.170.H
Mantica duplex collo ſuſpenſa.de cog.cur.animi mor. 2ª.50.F
Μαντικὴ,quæ.de vic.rat.in mor.acu.com.1°. 7ª.109.H

Μαντικὴ apud Hippocratẽ quid.de vi.ra.in morb.acu.c.1°. 7ª.110.A
MANVARIVS medicus ab actione dicitur.2°.ad Thraſ. 2ª.105.D
Manuariæ actiones quæ per ſe fiunt.ad Thraſ. 2ª.105.A
MANVBRIOLA, ductoria pars organorum.de machin. 7ª.309.E
Manubriola ductoria ad quid in organis.de machin. 7ª.309.H
MANVS in ſolis hoĩbus.3°.de anat.adm.78.E/3°.de vſu par. 1ª.127.E
Manibus ſolus homo recte vtitur.13°.de vſu partium. 1ª.203.A
pro Manibus quæ animalia vtantur pedibus.11°.de vſu par. 1ª.185.B
pro Manibus multa animalia vtuntur collo.8°.de vſu par. 1ª.165.B
Manus habet homo propterea bipes,& erectus eſt.3°.de vſu p.1ª.127.E
Manus inſtrumentũ maxime proprium homini.17°.de vſu par. 1ª.221.F
Manus inſtrumentum.de nat.hu.com.1°. 1ª.26.C
Manus inſtrumentum ſapientiſſimo animali cõuenientiſſimum.1°.de vſu partium.113.E/3°. 1ª.127.E
Manus officium laudatur.3°.de vſu par. 1ª.131.F
pp Manũ cur homo oĩbus animalibus dominetur.1°.de vſu par.1ª.113.E
Manibus,& ratione homo domat animalia oĩa.11°.de vſu par. 1ª.184.H
Manuum actiones manifeſtæ ſunt.1°.de vſu par. 1ª.114.G
Manus actio quæ.1°.de vſu par. 1ª.115.C
Manuum actiones ſunt voluntarię.de mot.man.& obſ. Sp.69.A
Manus non agit,ſed electio.de cauſ.procatar. 3ª.99.E
Manus ob quid conditæ.4°.de præſag.ex pulſ. 4ª.120.G
Manus propter actionem totius corporis.1°.de vſu par. 1ª.114.G
Manus ſunt partes ad commode viuendum.fin.med. Iſa.45.E
Manus gratia apprehenſionis facta.1°.de vſu part.114.G/115.F/117.A/2°.124.A/12°.194.A/17°. 1ª.221.G
vt Manuũ volæ debẽt eẽ mẽbra bonæ cõprehẽſionis.de an.vi. Sp.50.G
Manus eſt apprehenſoria,igitur eſt & tactrix,bene ſequitur. 2°.de vſu partium. 1ª.122.F
Manus q̃uo capiat corpora variarum formarũ.1°.de vſu par. 1ª.114.A
Manus quomodo comprehendat res magnas.1°.de vſu par. 1ª.113.H
Manus quo modo capiat res paruas.1°.de vſu par. 1ª.113.H
Manu parũ aliquid tenẽdo quid faciãt muſculi.2°.de mot.mu. 1ª.314.D
Manus duræ maiore vi comprehendunt.1°.de temp. 1ª.15.B
Manus ſanæ non æque apprehendunt.1°.de ſan.tuen. 2ª.63.E
Manibus nihil valemus ſi cum Milone conferamur.1°.de ſa.tu.2ª.63.H
Manibus cur apprehendat ſimia.15°.de vſu par. 1ª.213.D
Manus ſimiæ prope accedit ad manus hominum.15°.de vſu par.1ª.213.D
à Manu cur non effluit liquidum.1°.de vſu par. 1ª.119.D
Manus cur organum organorum.1°.de vſu par. 1ª.113.G
Manibus omnia facit homo.1°.de vſu par. 1ª.113.E
Manus ſunt artium organa.1°.de vſu par. 1ª.113.E
Manus inſtrumentum neceſſarium ad omnes artes in pace & bello.1°.de vſu partium. 1ª.113.D
Manus non docuerunt hominem artes,ſed ratio.1°.de vſu par. 1ª.113.E
propter Manus cum antiquis loquimur.1°.de vſu par. 1ª.113.E
Manus cur duæ.1°.de vſu par. 1ª.114.A
Manus ſunt duæ pp æqualem vtilitatẽ actionis.6°.de vſu par.1ª.149.A
Manus duæ tanquam vna manus maxima.1°.de vſu par. 1ª.114.A
Manus cur æquales.1°.de vſu par. 1ª.114.A
Manus cur ad ſe inclinatæ.1°.de vſu par. 1ª.114.A
Manuum interna pars cur glabra.2°.de temp. 1ª.19.E
Manus cur intus non piloſa.2°.de vſu par.122.F/17°. 1ª.222.B
ſi Manus exeunt in partu ante caput,ſunt difficiles partus. 15°. de vſu partium. 1ª.213.A
de MANVS ſectione.1°.de anat.adm. 1ª.65.H
Manus ſectionis principium.3°.de anat.adm. 1ª.74.D
Manus anatomiam cur prępoſuit Galenus.2°.de ana.adm. 1ª.69.D
de Manu cur pertractet primo.1°.de vſu par. 1ª.113.H
Manus totius diſciplina primo dicenda, vt ſeruet ordinem librorum de vſu partium.1°.de anat.adm. 1ª.64.G
Manum ſecandi modus.1°.de anat.adm. 1ª.65.F
Manus magna pars animalis.1°.de vſu par. 1ª.114.G
Manus vnde incipiunt.intro. Iſa.53.B
Manus eſt ab humero ad extremitates digitorum.2°.de vſu par. 121.A/3°.de anatomicis adminiſtrationibus. 1ª.74.A
Manus pro brachio & manu.17°.de vſu par. 1ª.221.G
Manus eſt totum ab humero infra.de inęq.intemp. 3ª.43.C
Manus pars maxima eſt brachium.2°.de mot.muſ. 1ª.313.F
in Manu tale brachium, quale in crure femur.3°.de anatomicis adminiſtrationibus.1ª.74.A/de fract.com.2°. 7ª.232.H
Manus pars eſt vlna.2°.de mot.muſ. 1ª.313.F
in Manu talis cubitus,qualis in crure tibia.3°.de anato.adm.1ª.74.A/de fract.com.2°. 7ª.232.H
Manus in tres partes magnas diuiditur.2°.de vſu par. 1ª.121.A
Manus partes.17°.de vſu par. 1ª.221.E
Manus diuidit̃ ĩ brachiũ,cubitũ,& ſummã manũ.de ĩæq.intẽp. 3ª.43.C
Manus partes ſunt carpus,μετακάρπιον,et digiti.de ĩæq.intẽ. 3ª.43.C
Manus cur in tot partes,& digitos diuiſa.1°.de vſu par. 1ª.113.H
Manus extrema pars manus.2°.de vſu par. 1ª.121.A
Manus extrema in manu,qualis in crure pes.3°.de anat.adm. 1ª.74.A
Manus extrema debet eſſe leuis & tenuis.1°.de vſu par. 1ª.117.D
Manus pars interna,quæ.2°.de vſu par. 1ª.121.B
Manus pars externa,quę.2°.de vſu par. 1ª.121.B
Manuum externæ partes habent poſitionem minus præcipuam internis.16°.de vſu par. 1ª.220.H
Manus pars ſuperior,quæ.2°.de vſu par. 1ª.121.B
Manus pars inferior,quæ.2°.de vſu par. 1ª.121.B
Manus totius oſſa.2°.de vſu par. 1ª.123.D
Manus digitorum oſſa ſunt viginti ſeptem.de fract.com.2°. 7ª.233.A
Manus oſſa cur multa,& ita compoſita.2°.de vſu par. 1ª.123.H
in Manu eſt exacta oſſium compoſitio,qualis forte nõ inuenitur in alio, & quo modo.2°.de mot.muſ. 1ª.313.F
Manu maiorem diligentiam exigit pes.de frac.com.2°. 7ª.233.A
Manus & digitorum ſtructuram conſiderare debebant volentes cælum & mundum vniuerſum contemplari.de fœt.for. 1ª.325.C
Manus quibus oſſibus non participet cum pede.3°.de vſu par. 1ª.129.G
ad MANVM vt ſe habent digiti,ita additamenta hepatis ad ſtomachũ.de anato.viu. Sp.50.G
Manus actio præcipua in digito.3°.de vſu par. 1ª.131.G
Manus & digitorum motus conſideratio.de fœt.for. 1ª.325.C
in Manus digito quolibet motus quatuor.3°.de vſu par. 1ª.131.G
in Manibus cur digiti maiores,q̃ in pedibus.3°.de vſu par. 1ª.129.H
Manuum digitorum tendones maiores,quã pedũ.3°.de vſu par. 1ª.131.H
Manuum digiti ſunt in maiori vſu,& frequentiori, & vehementiori, q̃ pedum.3°.de vſu par. 1ª.131.G
in Manu quo modo ſex digiti.de cau.mor. 3ª.9.D
de Manuum vnguibus.2°.de anat.adm. 1ª.73.A
in Manibus vngues ijdem qui in pedibus.3°.de vſu par. 1ª.133.A
Manus & pedis comparatio.de frac.com.2°. 7ª.233.A
Manus ſummæ cutis interna nõ põt excoriari.2°.de vſu part. 1ª.122.E
Manuum cutis interna iuncta eſt muſculis.11°.de vſu par. 1ª.190.C
circa Manum errores antiquorum.3°.de anat.adm. 1ª.73.E
Manus eſt debilior mulieri,& quomodo Amazones eam ſibi fortẽ reddebant.com.7°.aph.43°. Ex.57.E
Manus cutis omnium extremorum calidi,frigidi,humidi, ſicci vere media eſt.1°.de temp. 1ª.14.G
Manus molles exquiſitius tangunt.1°.de temp. 1ª.15.B
Manus ſummæ q̃uo differant à ſenſibus.16°.de vſu par. 1ª.215.D
Manus vola maxime omnium ſentit tactum.de compag.memb. Sp.58.E
in Manu ſũma q̃ inuenta à Galeno in anatomia.1°.de ana.adm.1ª.64.H
MANVVM, & pedũ muſculi ſunt neruoſiores.4°.de p̃ſa.ex p. 4ª.121.D
in ſumma Manu muſculorum duo genera.de muſ.diff. 1ª.49.A
Manus ſummæ ſeptem muſculi.2°.de vſu partium. 1ª.121.B
Manus extremæ,& cubiti muſculi viginti tres.2°.de vſu par. 1ª.120.H
Manus extremæ & cubiti muſculorum ſitus.2°.de vſu par. 1ª.120.H
in Manibus extremis nullus muſculus à foris.3°.de ana.adm. 1ª.77.F
Manus extremæ,& cubiti muſculorum vtilitas.2°.de vſu pa. 1ª.120.H
in Manu interna muſculi vtilitates.2°.de vſu par. 1ª.121.F
Manus partes mouentes muſculi.2°.de vſu par. 1ª.122.C
Manus muſculorum maiorum exortus.2°.de mot.muſ. 1ª.313.H
Manus præcipua actio eſt moueri.1°.de vſu par. 1ª.115.F
Manus habet motus voluntarios.1°.de vſu par. 1ª.115.F
Manibus qui muſculi dent motum.de anat.viu. Sp.54.A
Manus & pedes mouentur,& non mouẽt.de mot.man.& ob. Sp.66.G
Manus in quatuor partes mouetur.de machin. 7ª.314.H
in Manu motus principia quinq;.3°.de vſu par. 1ª.131.H
Manuum motus quomodo fiat.de mot.man.& obſ. Sp.66.D
Manus opera à quibus fiant.1°.de mot.muſ. 1ª.311.A
Manuum actiones omnes in opificijs duabus figuris indigent,recta,& ſedente.3°.de vſu par. 1ª.128.F
Manus actiones fortes ſunt articuli carpi motus.2°.de vſu par. 1ª.124.C
Manum mouentium muſculorum ſitus,& ordo, & vbi oriantur. 2°.de motu muſculorum. 1ª.313.H

Manus extenſio

Manus extenſio à quibus muſculis.in 3^{m}.de mor.vul.com.1°. 3ª.129.F
Manus flexio à quibus muſculis.in 3^{m}.de mor.vul.c.1°. 3ª.129.F
Manus quo extenditur & flectitur.1°.de mot.muſ.310.H/2°. 1ª.313.F
Manus ſumma qn̄ perfecte extenditur, quid agat.2°.de vſu par.1ª.123.F
Manus eleuatio à quibus muſculis.in 3^{m}.de mor.vul.c.1°. 3ª.129.F
in Manu ex duobus obliqs motibus fit vn° rectus.12°.de vſ.p. 1ª.193.F
Manus hominum quomodo vertatur commode.3°.de vſu par. 1ª.128.E
Manus motus diuerſi, diuerſę figurę.1°.de mot.muſ. 1ª.310.H
Manus omnibus figuris commune.2°.de mot.muſ. 1ª.313.E
Manus figuræ proprium.2°.de mot.muſ. 1ª.313.E
Manus quatuor figuræ, & quo modo ſint, & an doleant. 2°.de motu muſculorum. 1ª.313.D
Manus quatuor figuræ habent dolorem.2°.de mot.muſ. 1ª.314.C
Manus figura quæ caret dolore.2°.de mot.muſ.314.C/ 1ª.315.F
Manus ocioſa remiſſa nihil dolet.1°.de vſu partium. 1ª.119.A
Manus ſupina & prona quę.2°.de motu muſ. 1ª.313.D
Manus partes ad obliquum vertentes muſculi.2°.de vſu par. 1ª.121.H
Manus quibus muſculis fiat prona.1°.de anatomicis adminiſtrationib. 67.A/B.2°.de vſu par. 1ª.124.E
Manus quo voluatur prona aut ſupina.1°.de mot.muſ. 1ª.310.H
Manus quo modo vertitur ad pronum.2°.de vſu par. 1ª.122.A
Manus quo modo vertitur ad ſupinum.2°.de vſu par.122.A/ 1ª.124.E
Manus quibus muſculis fiat ſupina.1°.de anat.adm. 1ª.67.A/B
Manum qui muſculus in ſupinum circumagit.de muſ.diſſ. 1ª.49.A
Manus figuras ſupinas quæ conſequantur.2°.de mot.muſ. 1ª.314.B
Manum ſurſum tenſam fingit, vt motus inueniat.1°.de mot.muſ.1ª.311.C
Manum tenſam ſemper habere moleſtum.15°.de vſu par. 1ª.210.C
in Manu verſiones ad latera quibus fiant.2°.de vſu par. 1ª.125.A
in Manu verſiones rectę quibus fiant.2°.de vſu par. 1ª.125.A
Manus concaua quo modo fiat.2°.de vſu part. 1ª.123.G
Manus cauę tendo diligenter inſpiciendus.1°.de anat.admin. 1ª.65.H
Manus media figura, quæ.2°.de motu muſ. 1ª.313.D
Manus media figura nullum habet muſculum neq; agẽtem, neq; qui violenter moueatur.2°.de mot.muſ. 1ª.314.A
in Manus media figura muſculi oẽs quieſcunt.2°.de mot.muſ. 1ª.314.C
in Manu motus aliquis, ceſſantibus oĩb⁹ muſculis.1°.de mo.mu.1ª.311.B
Manus mediæ figuræ terminus.2°.de motu muſ. 1ª.313.E
Manus angulares quæ.de ijs quæ in med.fi.com.1°. 7ª.203.A
Manus figuram extremam non poſſunt habere dormientes, & cur.2°.de motu muſcul. 1ª.314.C
Manus quo muſculo moueatur ad ſpinam.de motu muſ. 1ª.310.H
in Manu quies aliqua multis agentibus muſculis.1°.de mo.mu. 1ª.311.B
in Manu quo modo fiat reclinatio, & quid.1°.de mot.muſ. 1ª.311.B
in Manu quomodo fiat decidentia, & quid.1°.de mot.muſc. 1ª.311.B
in Manu q̃uo differant decidentia & reclinatio.1°.de mot.muſ. 1ª.311.B
Manus fert̃ deorſum, et manus demittit̃ differũt.1°.de mo.muſ. 1ª.311.B
Manus tendones à quibus muſculis oriantur.2°.de vſu par. 1ª.121.D
Manus muſculi à qbus neruis agitẽtur.in 3^{m}.de mor.vulg.c.1°.3ª.127.H
per MANVS totam carnem cur nerui.1°. de vſu part. 1ª.118.D
Manuum, & brachiorum neruorum forma differt à forma neruorum pedum & crurum.de anat.viuo. Sp.54.D
in Manibus & cruribus eadẽ eſt neruorũ ratio.16°.de vſu p. 1ª.218.A
Manus, & cruris nerui quo modo differant.16°.de vſu par. 1ª.218.A
Manus nerui vnde.in 3^{m}.de morb.vul.com.1°. 3ª.130.C
Manus nerui ex medulla ceruicis oriũt̃ in 3^{m}. de mor.vul.c.1°.3ª.127.D
ad Manus cur non mittantur nerui à Cerebro.16°.de vſu par. 1ª.215.E
Manuum cutem duo nerui de ſpinali medulla adeunt, et quatuor per profundiora.3°.de anat.adm. 1ª.75.C/D
ad Manus extremas nerui qui veniunt.13°.de vſu par. 1ª.201.H
ad Manum ſummam nerui quo ferantur.16°.de vſu par. 1ª.218.A
Manus internæ ꝑtes cur habeant neruos maiores.16°.de vſu p.1ª.218.A
Manuum partes internæ habent magnos neruos propter ſenſum. 5°. de vſu partium. 1ª.145.C
ad Manus digitos nerui qui perueniunt.1°.de lo.aff. 4ª.7.C
de MANVS venarum anatomia.de anat.viu. Sp.54.G
Manus ſectio ꝑ vidẽdis venis, arteriis, et neruis.3°.de ana.ad.1ª.74.A
Manus venarum, & arteriarum cõmunis ratio.16°.de vſu p. 1ª.221.A
Manus venarum arteriarum ſectio.de anat.adm. 1ª.76.B
in Manibus venæ & arteriæ ſe contingunt.9°.de vſu par. 1ª.172.H
in Manum totam propagantur duæ venæ.3°.de anat.adm. 1ª.76.B
Manus venarum occultarum conſideratio.de ven.art.diſſ. 1ª.57.A
Manuum venæ quæ ſint, & quot ſint, & quando debent ſecari. commentario 6°.aphoriſmo 36°. Ex.50.D
in MANVM totam propagatur vna arteria.3°.de anat.adm. 1ª.76.B
ad Manus quo modo eant arteriæ.16°.de vſu par. 1ª.220.A
ad Manus varias partes ꝑtingũt arteriæ rami.3°.de ana.adm. 1ª.77.F
Manus arteria quæ phlebotomatur, eſt arteria, quæ inter pollicem & indicem exiſtit.de anat.viu. Sp.54.H
Manus quę phlebotomatur, ſit in aqua calida.de anat.admi. 1ª.54.G
in Manibus extremis arteriæ pulſant.de ven.art.diſſ. 1ª.59.D
Manus ſi prona ſit vel ſupina, pulſus variatur.1°.de dig.pul. 4ª.74.B
Manus ægri tãgẽda, vt calor ꝑcipiatur qualis ſit.in ꝑg.cõ.1°. 4ª.192.A
in Manuũ carpo arteriæ illuſtrẽ habent motũ.de pulſ.ad tiro. 4ª.43.C
Manus in carpo apprehẽdit̃ ad pulſum explorãdũ.5°.de loc.aff.4ª.34.G
Manus Medici debet eſſe mollis.1°.de dign.pulſ. 4ª.73.E
Manus aptantium nares debent eſſe molles.de artic. com.2°. 7ª.267.C
MANVVM exercitationes, quæ.2°.de ſan.tuen. 2ª.74.H
Manus per ignis flammam ſine noxa transferimus, cum è locis gelidis diſceſſerimus.de cauſ.morb. 3ª.6.H
MANVS frigidæ cum calefiunt, dolor fit.12°.meth.med. 7ª.78.D
Manus frigidas calefacientium dolor vbi ſit.2°.de loc.affect. 4ª.9.D
Manus non habent affectum, licet ſint imbecillæ ex ſyncopa cordis vel ſtomachi.5°.de loc.aff. 4ª.35.C
Manus quomodo lædantur.5°.de ſan.tuen. 2ª.89.H
in Manibus quæ faciunt impedimentum.1°.de mot.muſ. 1ª.308.G
Manus qua ꝑte pectoris patiẽte patiat̃.ĩ 6^{m}.de mor.vul.c.4°. 3ª.180.B
Manus extremas partes frigeſcere quando non malum, & quando malum.com.7°.aph.1°. Ex.54.A
Manum quo mõ, & qn̄ derelinquit ſanguis.com.7°.aph.26°. Ex.54.G
Manus intumeſcunt pueris inſtar morbi articularis, cur. commentario 6°.aphoriſmo.30°. Ex.49.C
Manuũ motiones in febribus quid ſignificent.in prog.com.1°. 4ª.194.E
Manuum geſticulatio quid ſit.in progn.com.1°. 4ª.194.E
Manuum diductio quibus eueniat.præſag.exper.conf. Sp.78.E
Manus tremulæ vnde.in 3^{m}.de mor.vulg.commentario.1°. 3ª.127.H
Manuum tremores quo modo fiant.com.7°.aph.9°. Ex.54.E
Manus tremulæ oſtẽdunt principiũ læſum.in 1^{m}.prorrh.cõ.3°. 4ª.178.H
à Manibus tremor primo die, & febris acuta. in 3^{m}.de morbis vulgaribus, commentario 1°. 3ª.127.C
Manus quandoq; conuellitur.com.5°.aph.65°. Ex.45.B
Manus digiti lęduntur ex dorſi ictu.3°.de anat.adm. 1ª.73.G
Manus digiti cur torpidi ex caſu.3°.de loc.aff. 4ª.14.F
Manus ſiniſtrę minimorum digitorum ſenſum amiſerat Pauſanias. 3°. de locis affectis. 4ª.21.C
Manus tota interdum reſoluitur.3°.de loc.aff. 4ª.20.H
Manus extrema quandoq; tantum reſoluitur.3°.de lo.aff. 4ª.20.H
Manus in qua angina reſoluta fuerit.4°.de lo.af. 4ª.24.C
Manus & crura tanq̃ reſoluta iactare quid ſignificet. de ijs, quæ in medicatrina fiunt, com.1°. 7ª.198.B
in Manibus non reſolutus, & in reliquis partibus reſolutus quo modo. 3°.de locis affectis. 4ª.21.B
Manus totius actiones principaliſſimę pereunt læſis intrinſecis muſculis. 2°.de vſu partium. 1ª.123.A
Manus operationes quę pereunt neruis aliquibus pereuntibus.3°.de anatomicis adminiſtrationibus. 1ª.77.G
in Manibus ſi ſit phlegmone, crura ſunt vincienda.13°.met.me. 7ª.83.B
Manibus aut crure inflammatis laxantia conuenit adhibere, ſed nõ ſemper.de ſectis. Iſa.18.C
Manu laborante ſcarifica crura.13°.meth.me. 7ª.81.B
propter Manus aut pedis vlcus cur intumeſcunt glandulę inguinum & alarum.13°.methodi medendi. 7ª.81.A
ad Manuum & pedum intertrimenta.de med.fac.par. 7ª.176.B
ad Manus læſas à vento.de med.fac.par. 7ª.176.B
Manuum, lumborum, ac pedum diſtentiones in vidua, quæ vterinis morbis vexabatur.2°.de ſemine. 1ª.336.C
ad Manuum calloſas excreſcentias.3°.de comp.med.per gen. 5ª.235.C
ad Manuum & pedum clauos.2°.de comp.med.per gen. 5ª.225.E
Manu vulnerata & pede, ab aqua abſtinẽdũ.3°.de cõp.m.ꝑg. 5ª.231.A
in Manu ſumma tẽdones male curati. 3°.de cõpo.me.per gen. 5ª.228.C
Manus dimotio, & reſtauratio.de artic.com.1°. 7ª.262.E
Manus in quot partes prolabatur.de machin. 7ª.320.G
Manus prolapſa quomodo reſtauretur.de machin. 7ª.314.F
Manus prolapſa quo modo reſtituatur.de machin. 7ª.320.G
in Manu quæ aptantur magis moleſte aptantur, quàm quæ in tibia. de fracturis,

fracturis,com.2°. 7ª.236.H
in Manibus non admodum franguntur oſſa.de fract.com.2°. 7ª.233.C
ĩ Manu oſſa à ſua ſede dimota,in cã reſtitui dñt.de frac.cõ.2°. 7ª.233.F
in Manu curatio.de fract.com.1°. 7ª.233.G
Manus os luxatum quot diebus ſanatur.de fract.com.2°. 7ª.233.H
Manus extrema quandoq; aufertur.de diff.mor. 3ª.4.G
Manus opera vti,mederi,& victus rationem inſtituere,habent pro cõmuni mederi.ad Thraſ. 4ª.108.F
Manuum opera duntaxat curari poteſt veſicæ calculus non ętatis decurſu.in 6^{m}*.de morb.vulg.commen.5°.* 3ª.193.B
Manu ſola curat̃ ſteatoma,nec putreſcit,nec curat̃.14°.met.m. 7ª.90.E
Manus frigida ĩ aceruũ tritici poſita sẽtit calorẽ.3°.de ſim.m.f. 5ª.22.G
Manibus,& brachijs impoſita acria medicamenta reuellũt ſuccos ad caput & viſcera vergentes.de cucur.ſcar. 6ª.4.G
Manibus,& pedibus qñ hirudines admouẽdę qd agẽdũ.de cu.ſc. 6ª.4.C
in Manibus & pedibus vtimur repercutientibus, non autem in coxa, cur.10°.de comp.med.ſec.lo. 5ª.207.B
Manus facientis emplaſtra dẽt inungi.7°.de comp.me.per ge. 5ª.267.C
Manuum nutu dicimus ἐγὼ.2°.de decr.Hipp. 1ª.234.F
Manus cur ſup oculos imponunt̃ à lõge ĩtuẽtibus.10°.de vſu p. 1ª.178.H
Manus Hymenæum celebrando te prænenit inquit Diogenes.6°.de locis affectis. 4ª.39.G
MANVS *Chriſti vnde fortaſſe dicta ſit,collige. 6° .de compoſi.medicamen.ſec.loc.* 5ª.173.B
MAPPVLAS *ſordidas non ab re noſtræ mulieres in doloribus accipiunt calidas.5°.de comp.med.ſe.loc.* 5ª.163.F
MARASMATI *qui.de marc.* 3ª.47.H
Maraſmati qui ſeruantur.10°.meth.med. 7ª.67.D
Maraſmatis quo modo faciendum balneum.10°.meth.med. 7ª.66.F
Maraſmatos balneis curauit Galenus.de marc. 3ª.47.E
Maraſmati caſus,qui per accidens ſuperuixit.10°.meth.med. 7ª.66.F
MARASMODES *fiunt ex genere hecticarum.10°.meth.me.* 7ª.66.F
Maraſmodes febres quo ordine conſumat.10°.meth.med. 7ª.67.D
MARASMVS *vnde dictus.de marc.* 3ª.45.B
Maraſmus quid ſit.de marc. 3ª.45.B
Maraſmi ſunt metaphorice oẽs corruptiones à ſicco.de marc. 3ª.45.C
Maraſmum pati poſſunt viuentia.de marc. 3ª.45.B
Maraſmus,& in animalibus,& in ſtirpibus.5°.de ſan.tu. 2ª.92.H
Maraſmus quid ſit ſecundum Philippum.7°.meth.med. 7ª.46.E
de Maraſmo liber quibus ſcriptus.de marc. 3ª.48.F
Maraſmi diuerſitates ſm mẽbra à quibus incipit.7°.meth.me. 7ª.46.E
Maraſmos & hecticas faciunt viſcera.10°.meth.med. 7ª.64.F
Maraſmi paſſiones ſunt à corde prouenientes.de virt.noſ.cor. Sp.60.B
Maraſmum non vidit Galenus in ſepto trãſuerſo.10°.meth.me. 7ª.64.F
Maraſmus ſimplex,qui.de marc. 3ª.45.C
Maraſmus compoſitus,qui.de marc. 3ª.45.C
Maraſmus vel ſenium ſiccitatem ventriculi maximam debet præceſſiſſe.3°.de ſymp.cau. 3ª.25.D
à Maraſmo, & tabe illa arripi dicuntur, quæ ſiccitas corruperit. de marcore. 3ª.45.C
Maraſmum faciunt ediæ.de marc.3ª.45.C/8°.meth.me. 7ª.50.F
Maraſmus ex frigiditate.de marc. 3ª.45.C
Maraſmus frigidus ſenio ſimilis quibus fiat.de marc. 3ª.47.B
Maraſmus non poteſt euitari à ſene.de marc. 3ª.45.D
Maraſmus ſenij poteſt prolongari non euitari.de marc. 3ª.46.F
quo Maraſmo ſenes afficiantur.de marc. 3ª.45.C
qui Maraſmus ſenium ex morbo dicatur.10°.meth.me. 7ª.66.F
Maraſmus ex calore,qui.de marc. 3ª.45.C
Maraſmus exurens,qui.de marc. 3ª.47.𝒜
Maraſmus & hectica ab eryſipelatoſo affectu oriunt̃.de marc. 3ª.47.H
Maraſmi ſyncopoſi,qui.de marc. 3ª.47.𝒜
Maraſmi ſyncopoſi ſymptomata,quæ.de marc. 3ª.48.F
Maraſmus legitimus non curatur.de marc. 3ª.47.B
Maraſmum habentes ſanare non eſt tentandum.10°.meth.me. 7ª.66.E
Maraſmorum curationes.de marc. 3ª.47.C
in Maraſmo lac præſtantiſſimum.de marc. 3ª.48.D
in Maraſmum incidere debenti alicam dat.10°.meth.me. 7ª.62.D
Maraſmus qui vinum requirit,& qui non.de marc. 3ª.48.E
in Maraſmum qui ferè deuenit,non debet abſinthiũ accipere,neque adſtringentia.7°.meth.med. 7ª.44.B
Maraſmo ſm Philippum non conueniunt balnea.10°.meth.me. 7ª.65.C
Maraſmum patientes quo modo frigida lauandi.10°.meth.me. 7ª.66.C
MARATHRVM, *id eſt fœniculum.7°.de ſimp.med.fac.* 5ª.55.B
Marathrum quale ſit.de ocu. 7ª.188.H
Marathri ſemẽ calidũ ẽ cũ ſubtili ſuba.2°.de arte cur.ad Glau. 7ª.104.G
Marathri ſemen flatus ſanat.8°.meth.me. 7ª.53.F
Marathri ſemina grata oculis.de ther.ad Piſ.5ª.92.B/de ocu. 7ª.188.G
Marathro ſerpentes fricant oculos.de ther.ad Piſ. 5ª.92.B
MARCELLAS *inſcriptum librum exteriorum fecit Aſclepiades.7°.de comp.med.per ge.* 5ª.265.𝒜
MARCELLINI *ſedans dolorem.7°.de comp.med.ſec.loc.* 5ª.184.H
MARCESCENTIVM *nomen vnde dictum.4°.de dign.pul.* 4ª.101.C
Marceſcẽtiũ pulſus,qualis.de pul.ad tir.45.D/4°.de dign.pul. 4ª.101.C
MARCIDA *dici non debent corrupta.de fract.com.3°.* 7ª.247.G
Marcida ſunt vetuſta abſoluta.de frac.com.3°. 7ª.247.H
Marcidæ inflammationis pulſus.de pul.ad tiro. 5ª.45.E
Marcor morbus diuturnus eſt.fin.med. Iſa.45.F
Marcor proprius ſenibus.de pulſ.ad tiro. 5ª.45.E
Marcor proprium ſenum,& vnde.4°.de dign.pul. 4ª.101.C
Marcor ex morbo ſenium.4°.de dign.pulſ. 4ª.101.C
Marcor quo modo ex morbo ſenium.1°.de præſag.ex pul. 4ª.107.E
Marcor torridus qui.in 3^{m}*.de mor.vul.com.1°.* 3ª.132.H
Marcor inſanabilis.1°.de dieb.decr. 4ª.146.F
Marcorem inducunt ſucci frigidi.4°.de ſan.tu. 2ª.84.E
Marcorem facientes vires habet hyoſcyamus.de ſim.med. Sp.92.D
Marcorem grauem facit mandragora. Sp.87.C
MARCVS *imperator vſus eſt theriaca.de the.ad Piſ.* 5ª.90.B
Marci imperatoris theriaca.2°.de antid. 5ª.120.C
Marcus Aurelius Antoninus imperator tempore Galeni, cum eſſet Romæ.de præcogn.ad Poſth. 4ª.217.H
MARCI *Talentij Aſclepiadis malagma ad duritiem & tenſiones.7°. de comp.med.per ge.* 5ª.265.F
MARCI *Galli Aſclepiadei pharmacum. 8°.de compoſi.medicamentorum ſec.loc.* 5ª.192.H
MARIS *ſalſedo quo modo.de hiſt.philo.* Sp.8.F
in Mari alto eſt fluctus,vel maior,vel minor . in 3^{m}*.de morb.vulgarib. commen.3°.* 3ª.140.H
Maris receſſus & receſſus quo modo fiant.de hiſt.philo. Sp.8.G
Mare per lunam augetur & minuitur.de dyn. Sp.20.B
ex Mari venti quales.1°.de ſem. 1ª.329.F
Mare quomodo facit ſpumam.comment. 2°.aphoriſ. 43°.18. D/ & commen.7°.aph.30°. Ex.56.B
Mare viride ſpumã albam facit.de natura,& ord.cuiuſ.cor. Sp.42 C
Mari in quo comparatur aer.in 3^{m}*.de mor.vul.com.3°.* 3ª.140.H
Maris locus ſtrictus eſt in Chalcide Eubœæ,& Meſſina Siciliæ . in 3^{m}*.de morb.vul.com.3°.* 3ª.140.H
ĩ Mari plura onera naues portãt citra ſubmerſionẽ q̃ in fluuijs, & in mari mortuo plura q̃ in mari.4°.de ſimp.med.fac. 5ª.30.D
Maris,& ſtagnorum ratione qui piſces peiores.8°.meth.med. 7ª.51.B
Mare purũ facit bonos,& malos piſces.3°.de alim.fa. 2ª.30.G
q̃ Maris cõgius magis latent,puerbiũ.in prognoſtica,com.3°. 4ª.208.E
Mari,& terræ communia animalia reſpirant vaporem per branchias. de anato.viuo. Sp.48.C
Maris trãquillitati comparatur corporis leuis ſtatus.in 6^{m}*.de mor.vulga.commen.3°.* 3ª.177.B
Mare horridum à poeta dicitur.in 6^{m}*.de mor.vul.com.3°.* 3ª.177.B
in Maris arena quos calida decũbere faciebat Gal.de pręc. 4ª.217.G
Mari miſtum vinum pro ſplenicis.9°.de cõpo.medi.ſec.loc. 5ª.199.C/F
Mare pruritum facit.2°.de ſymp.cau. 3ª.23.H
vt Mare & muria vim habet exiccandi,bilis.4°.de dign.pul. 4ª.103.F
MARIS *mortui aqua eſt ſalſa & amara.4°.de ſimp.me.fac.* 5ª.30.C
Mare mortuum ſalem habet amarum.4°.de ſimp.me.fa. 5ª.30.D
Maris mortui aqua cur amara.4°.de ſimp.med.fa. 5ª.30.E
Maris mortui aqua non exquiſite amara.4°.de ſimp.med.fa. 5ª.30.F
Maris mortui aqua pondere tantum ſuperat marinam, quãtum marina fluuiatilem aut lacuſtrem.4°.de ſimp.me.fa. 5ª.30.D
in Maris mortui aquam nec homines ,nec animalia ſubmerguntur. 4°. de ſimplic.medic.fac. 5ª.30.D
in Mari mortuo nullũ aĩal,nulla herba ineſt.4°.de ſim.med.fa. 5ª.30.F
in Mari mortuo piſces moriuntur.4°.de ſimpl.med.fac. 5ª.30.F
Maris mortui aqua copioſa portat̃ in Italiã.4°.de ſimp.med.fa. 5ª.30.E
Maris mortui aqua quo modo fiat arte.4°.de ſimplicium medicamentorum facultatib. 5ª.30.E
MARGARITAE *roborant cor diſſolutum.de anat.vi.46.E/* Sp.56.C

MARINVS inſtaurauit anatomen amiſſam.8°.de decr.Hip. 1ª.273.C
Marinus preſtantiſſimus anatomicus.2°.de ſem. 1ª.340.C
Marini libri anatomici, quos Galenus compendio in ſuum ſecundum redegit.de lib.prop. Iſa.12.G
Marinus laudatur, qui aliquid ſcripſerit de anatomia. 2°. de anatomicis adminiſtrationib. 1ª.68.E
Marinum laudat, qui ſcripſerit anatomicos aggreſſus. 2°. de anatomicis adminiſtrationib. 1ª.68.H
Marinus accuratius de muſculorum diſſectione egit, quàm alij, tamen in aliquibus errauit.de muſc.diſſ. 1ª.44.B
Marinus damnatur.4°.de ana.adm. 1ª.84.C
Marini meminit.16°.de vſu par. 1ª.216.H
Marinus interpres aphoriſmorum.com.7°.aph.13°.54.H/24°. Ex.55.F
Marini arteriaca.7°.de compo.med.ſec.loc. 5ª.179.A
MARINA Aqua actu humida.1°.de ſimp.me.fac. 5ª.9.C
Marina aqua, ab aqua ad calidius accedit.1°.de ſimp.me.fac. 5ª.5.C
Marina aqua non frigida.1°.de ſimp.me.fa. 5ª.3.A
Marina aqua quando Eryſipelati imponenda.14°.meth.med. 7ª.87.E
cum Marina aqua vina ad quę vtilia.2°.de arte cur.ad Glau. 7ª.101.H
Marina aqua epota quid faciat.1°.de ſymp.cau. 3ª.18.E
Marinæ aquæ flos ſalis mixtus pro corpulentis, & hydropicis. 14°.methodi meden. 7ª.91.F
Marina aqua ſiccat carnes, & incorruptas ſeruat.2°.de na.fa.2ª.301.C
Marina aqua, aut bituminoſa, aut ſulfuroſa, aut muria ſi inſpergas, adurens partem.1°.de ſimpli.medi.fac. 5ª.3.A
pro Marina aqua muria.3°.de comp.med.ſec.lo. 5ª.147 B
Marina aqua, quõ fiat, vbi non habetur.4°.de ſimp.med.ſa. 5ª.30.D/E
Marina Balnea fortius reſiccant.7°.de comp.med.ſec.lo. 5ª.177.E
ex Marina aqua balneũ nõ dẽt adhiberi febrienti.11°.met.me.7ª.69.H
Marinæ aquæ balnea plus bilis ducunt, ſed multo minus proſunt, quàm potabiles.1°.de arte curati.ad Glau. 7ª.97.B
Marinam Braſſicã Thalaſſocrambẽ græci vocant.5°.de ſan.tu. 2ª.92.F
Marina braſſica ſenum aluus eſt ſoluenda.5°.de ſan.tuen. 2ª.92.F
Marina Crux.de dyn. Sp.24.B
ex Marina Lactuca lac ſolutiuum.5°.de ſani.tuen. 2ª.91.H
Marinus Lepus reſpirat vaporem per branchias.de ana.viu. Sp.48.C
Marina ὀστρακόδερματα habent naturam compoſitã ex diuerſis facultatibus.1°.de ali.fac. 2ª.7.G
Marini omnes piſces fluuijs gaudent, at pauci fluuialium mare ingrediũtur.3°.de alim.fac. 2ª.30.D
Marini piſces præſtantiſſimi, qui.3°.de ali.fac. 2ª.30.B
Marini piſces non habent multas paruas ſpinas.3°.de ali.fac. 2ª.30.C
Marinorum piſcium differentia à fluuialibus & ſtagnantibus in numero ſpinarum.3°.de ali.fac. 2ª.30.D
Marinæ Turturis morſibus confert centaurea.de virt.cent. Sp.93.H
ad Marinorum ictu.5°.de comp.me.per ge. 5ª.247.E
MARITATAE ſunt liberæ ab equitatu.de aere, aq.& lo. 5ª.5.C
MARITIMA loca ſunt calida, quia humilia ſunt in regionibus frigidis, vt Thraciæ: in calidis autem, quia à ventis ab arcto refrigerantur, ſunt minus calida.com.3°.aph.14°. Ex.22.E
ex Maritimis locis ſiccis herbæ.6°.de comp.me.per ge. 5ª.255.B
Maritimarum herbarum vſus. 6°.de comp.med.per ge. 5ª.255.C
MARII vxor Baſſa.10°.de comp.med.ſe.loc. 5ª.206.B
MARMORIDARVM penidiarum confectio.de dyn. Sp.26.H
MARONEA vua.7°.de comp.me.per ge. 5ª.282.F
MARRVBIASTRVM quid, & eius vires.de ſimp.med. Sp.87.G
Marrubiaſtrum ad ſerpentum morſus, & ad ſuſpirioſos facit. de ſimplicib.medicam. Sp.87.G
Marrubiaſtrũ ſtrucinas, ideſt ſcrophulas, vel hęmorrhoidas cæcas diſſoluit, & menſtrua prouocat.de ſimp.med. Sp 87.G
MARRVBIVM quid.de ſimp.med. Sp.87.D
Marrubiũ herba ex locis ſiccis maritimis.6°.de cõp.me.per g. 5ª.255.B
Marrubium calidum in ſecundo ordine, ſiccum in tertio. 8°.de ſimp.medicamen.facul. 5ª.59.B
Marrubium vires habet acres, & efficaciter relaxantes ad tuſſim facit, in partibus neruoſis optimum eſt.de ſimp.med. Sp.87.D
Marrubium iecur, ac lienem obſtructione liberat, thoracẽ pulmonẽq; expurgat, mẽſes ꝓmouet, detergit ac digerit.8°.de ſimp.me.fa. 5ª.59.B
ex Marrubio oxymeli pus è thorace valde educit.13°.me.me.7ª.85.A
Marrubiũ cur non conuenit ſtomacho imbecilli.de opt.ſecta. Iſa.23.H
Marrubium & abſinthium ferè non differunt.de opt.ſecta. Iſa.23.H
Marrubio miſcetur abſinthij ſuccus cum adulterat.1°.de anti. 5ª.100.D
Marrubij ſuccus ad aciei oculorũ claritatẽ valet per nares auriginẽ purgat, & ad auriũ dolores inueteratos adhibeť.8°.de ſim.me.f. 5ª.59.B
Marrubium numeratur inter illa, quibus vlcera maligna curari debent. 5°.de comp.med.per ge. 5ª.246.A/B
Marrubium prædicabat quidam valere aduerſus ictus venenoſorum. 9°.de comp.med.facul. 5ª.65.E
in Marrubium theriacam ingreditur.de ther.ad Piſ. 5ª.92.E
Marrubium vbi eſt, citrago ſuperflua eſt.7°.de ſimp.med.fac. 5ª.55.E
ex Marrubio catapotium Platonis.7°.de comp.medic.ſec.loc.5ª.182.C
Marrubij pilulæ.7°.de compo.medic.ſecun.loc. 5ª.185.H
ex Marrubio, & Iride confectio pro oxymelite. de vic.ratione in mor. acutis, commentario.1°. 7ª.113.C
MARS calidus eſt & ſiccus.de compag.memb. Sp.59.F
Mars cũ luna quas faciat ægritudines.de decub.ꝓg.ex mat.ſci.Sp.12.H
Mars quæ appetere faciat.de decub.progn.ex math.ſcien. Sp.13.A
ſub Martis ditione eſt terra calida in ſecundo gradu, humida in primo. de ſpermate. Sp.40.C
MARSI Romæ viperas venantur.11°.de ſimp.med.fa. 5ª.78.B
Marſi nutriuntur a ſpidibus.2°.de arte cur.ad Glau. 7ª.107.F
MARSVM vinum, quale. 5°. de ſanitate tuenda.2ª.91.B/1°.de antidotis. 5ª.100.H
Marſum vinum aquoſum eſt.1°.de antid. 5ª.100.H
Marsũ vinũ cõueñit ſyncope ex bile circa os vẽtriculi.12°.m.m. 7ª.76.D
MARSYPIS facienda fotio.9°.de decr.Hipp. 1ª.282.F
MARTASANCE. de medic.fac.par. 7ª.176.B
MARTIANVS anatomiſta.de præcogn.ad Poſth. 4ª.215.B
MARTIVS menſis eſt vnius & triginta dierum.in 1ᵐ.de mor.vulgar. comment.1°. 3ª.102.D
MARVM vbi naſcatur.1°.de antid. 5ª.104.G/H
Marum ęgre Romæ inuenitur.3°.de comp.medica.per gen. 5ª.234.E
Marum odoratum, ſubtile.3°.de comp.medi.per gen. 5ª.234.E
Marum ſuperat amaracum odore.1°.de antid. 5ª.104.H
Maron ad neruos vulneratos valet.3°.de comp.med.per gene. 5ª.234.B
MAS cur fiat cã eſt ex ſemine viri & à mr̃e.14°.de vſu par.1ª.206.E
Mas ex quo ſemine fiat ſecundum Stratonicum.2°.de ſem. 1ª.338.H
Marem quod ſperma facit.de ſper. Sp.36.E
Mares, & fœminæ vnde naſcantur.de hiſt.philo. Sp.10.E
Mas quando generatur ex parte ſeminis.fin.med. Iſa.49.G
Mas vnde procreatur.2°.de ſem. 1ª.338.H
Mares generantur propter calorem.com.5°.aph.48°. Ex.41.H
Mas ꝓcreať in calidiore & ſicciore fœtus tẽperatura.2°.de ſe.1ª.339.H
Mares qui gignunt.2°.de ſem. 1ª.339.C
Mares generaturus quo modo cognoſcatur.14°.de vſu par. 1ª.206.H
Mas breuiori tempore in vtero fingitur.2°.de ſem.1ª.339.B/ de anatom. viuorum. Sp.52.B
Mas in triginta diebus formatur.de ſper. Sp.36.C
Mas & fœmina vbi generantur.de compag.memb. Sp.59.D
Mares in dextro vteri latere, fœminæ in ſiniſtro generantur, ſm Hippocratem.bre.denot.dog.Hip.1ª.231.C/com.5°.aph.38°. Ex.41.B
Mares cur in dextris loculis formentur.14°.de vſu partium. 206.G/ 2°. de ſemine. 1ª.339.B
Maris fœtus in dextris fiunt, & cur.com.5°.aph.48°. Ex.41.H
Mas quandoq; in ſiniſtra vteri parte concipitur, & fœmina in dextra, ſed raro.6°.de loc.aff. 4ª.41.E
Mas raro viſus in ſiniſtra.2°.de ſem. 1ª.339.C
Mas ne ſit an fœmina fœtus.de paſſ.mul. Sp.96.C
Mas quando gignatur ſecundum quoſdam.fin.med. Iſa.49.G
Mares cognoſcuntur etiam in vtero, motu.com.5°.aph.42°. Ex.41.E
Marem ſi mulier concepit, bene colorata eſt, ſi vero fœminam, male colorata.com.5°.aph.4°. Ex.41.D
Mas in vtero apparet calidior.2°.de ſemi. 1ª.339.B
Mas calidior & ſiccior.2°.de ſem. 1ª.338.D
Mas eſt calidior fœmina.com.5°.aph.42°. Ex.41.E
Mas minus frigidus fœmina.7°.de vſu par. 1ª.164.F
Maribus mulieres ſunt frigidiores.commentario.3°.aph.62°.43.F/com. 5°.aphor.69°. Ex.45.D
Mare humidior eſt fœmina.11°.de ſimp.med.fa. 5ª.79.A
Mas ſolidior, bilioſior, ſanguine plenior fœmina.in 6ᵐ.de morb. vulgaribus, commentario 2°. 3ª.170.F
Mare citius concreſcit fœmina.in 6ᵐ.de mor.vul.c.2°. 3ª.169.E
Mas citius mouetur, q̃ fœmina, cur.in 6ᵐ.de mor.vul.com.2°.3ª.169.D
Mas in motu perfectior.14°.de vſu par. 1ª.206.C

Mares ſunt fortiores fœminis.com.5°.aph.16°. Ex.38.G
Mas in omni genere animalis validior fœmina.3°.de digno.pul.4ª.95.G
Mares validius agitantur.in 6^m.de morb.vulg.com.2°. 3ª.169.E
Mas perfectior fœmina.14°.de vſu par. 1ª.205.E
Mas cur perfectior fœmina.14°.de vſu par. 1ª.205.F
Mas quandoq; eſt debilior fœmina.com.5°.aph.42°. Ex.41.E
Mares ambidextri reperiuntur.com.7°.aph.43°. Ex.57.E
cum Mare fœmina diſſidet.ꝙ animi mores. 1ª.319.C
Maris & mulieris temperatura differt.bre.denot.dog.Hipp. 1ª.231.C
in Maribus,& fœminis diſcrimen faciunt ſitus regionũ,aeris proprietates,victus ratio.bre.denot.dog.Hipp. 1ª.231.C
Mares à fœminis cognoſcuntur diſtincti vel ipſo aſpectu primo ex multis ſignis.2°.de ſemi. 1ª.338.G
Maris & fœmine differentia.2°.de ſem. 1ª.338.G
Mariũ aĩaliũ ꝑtes ſunt barbæ,calcaria,dẽtes exerti.2°.de ſem. 1ª.338.G
Maris & fœminę differentia in genitalibus.2°.de ſem. 1ª.339.E
in Maribus vaſorum ſpermaticorum ſitus.14°.dc vſu par. 1ª.209.A
Marcs ſm̃ aliquos habent pudendũ muliebre.cõ.7°.aph.44°. Ex.57.F
in Maribus corpora muſculoſa ad teſticulos deſcendunt à muſculis hypogaſtrij.14°.de vſu par. 1ª.208.E
in Mare vaſa ſpermatica quo modo maiora, quàm in fœmina. 14°. de vſu partium. 1ª.208.F
in Mare vaſa ſpermatica magna,ex piſcibus & auibus cognoſcuntur. 14°.de vſu par. 1ª.208.G
ad Maris pudendũ ſemen à dorſali medulla deſcendere arbitratur Hippocrates.in tim.Pla. 1ª.287.H
Marium penem irrigant glandulæ.2°.de ſem. 1ª.340.E
in Marium penibus glandulæ conſpicuæ.2°.de ſem. 1ª.340.E
in Maribus,& fœminis eadem membra genitalia differunt ſitu & magnitudine.2°.de ſem. 1ª.339.D
Marium ꝓputiũ in fœminis efficit cunnũ muliebrem.2°.de ſem. 1ª.339.D
Maris,& fœminæ teſtium diuerſitas.de anat.viu. Sp.51.G
Marium teſtes maiores,& perfectiores.14°.de vſu par. 1ª.207.G
in Maribus teſtes penduli.14°.de vſu par. 1ª.209.H
in Mare,& fœmina in genitalibꝰ eadẽ neruorũ origo.2°.de ſe. 1ª.339.E
Maris ſemen nutritur ſemine fœminæ,tanquã re magis familiari,quam ſanguis ſit.14°.de vſu par. 1ª.208.B
Maris ſemen maioris quãtitatis,quàm fœminarum.1°.de ſem. 1ª.332.A
Maris ſemen quomodo ſe habet in generatione.2°.de nat.fac. 1ª.297.E
Mas debet ſemen foras eiaculari.14°.de vſu par. 1ª.207.H
Maris ſemen motus principium.14°.de vſu par. 1ª.206.E
Maris ſemen habet facultates naturæ,quibus format, auget & nutrit. 2°.de nat.fac. 1ª.298.H
Maris ſperma naturaliter intendit imprimere formam eius, à quo deciditur.de anat.viu. Sp.51.H
ex Mare prouenit forma ſpeciei.2°.de ſem. 1ª.337.D
Mas an fœmina ſit ſterilis q̃uo dignoſcendum.de med.fac.par. 7ª.175.B
Mares cur ſteriles,& cur fœcundi.com.5°.aph.63°. Ex.43.H
Mares qui ſint fœcundi,quiq; infecundi.de hiſto.philoſ.Sp.10.H/com.5°. aphoriſmo.62°. Ex.43.E
Mares habentes rarum corpus habent ſemen fœcundiſſimum. comm.5°. aphoriſmo.63°. Ex.43.H
Maris ſemen refrigeratur in vtero frigido, niſi ſit ſemcn calidiſſimum. com.5°.apho.62°. Ex.43.E
Maris ſemen debet manere in matricibus,ſi mulier debet concipere.14°. de vſu partium. 1ª.208.B
ex Mare ſolo aut fœmina,ſine coitu nihil generari poteſt.dc natura humana.com.1°. 1ª.29.C
Maris & fœminæ ſemen ſimul mixta requiruntur ad generationẽ.14°. de vſu partium. 1ª.206.C
Maris & fœminæ idem motus in ſemine.14°.de vſu par. 1ª.206.C
Mares & fœminas ſcire coniungere ad generandum non eſt ars mediocris.1°.de nat.hu.com.1°. 1ª.29.E
Maris ſemẽ quid requirat ad fœminæ g̃nationẽ.14°.dc vſu par.1ª.206.C
Mas matri ſæpe aſſimilatur.2°.de ſem. 1ª.338.H
Mari partim,& partim fœminæ cur aliqui fœtus aſſimilentur. 2°.de ſemine. 1ª.338.F
in Maribus,niſi raro non ſunt in papillis glanduloſa corpora. 2°. de ſemine. 1ª.336.D
ſine Mare cur generant oua aliqui piſces & aues.2°.de ſem. 1ª.338.D
ſine Mare gallinæ cur faciant oua.14°.de vſu par. 1ª.206.D
in Maris corpus inſecta quædam fœminina articulum inſerunt & implentur.1°.de ſem. 1ª.329.E
Mas caſtratus fœminæ eſt ſimilis.11°.de ſimp.med.fac. 5ª.79.A
Mas barbatus venerandus.11°.de vſu par. 1ª.189.D
Maris officium,quod.3°.de digno.pul. 4ª.95.G
Marem refert impar,fœminam par numerus.3°.de dieb.dec. 4ª.158.H
Mares dearticulare Amazonas fabuloſum. de art.com.3°. 7ª.278.A
Mas,lege Vir.
MASCVLI & fœminæ principia ſunt ſemen,& ſanguis menſtruus.2°. de ſemine. 1ª.339.H
Maſculus infans in dextra matricis continetur.de na. & ord.cuiuslibet corporis. Sp.42.D
Maſculus cur in dextris.in 6^m.de mor.vul.c.2°.3ª.169.B/de ſp.Sp.36.E
Maſculi abortum faciet mulier,ſi dextera mammilla gracileſcat. de anatomia viuorum. Sp.51.G
in Maſculis cur non creſcunt mammę.7°.de vſu par. 1ª.164.F
vt Maſculo veretrum,ita eſt matrix mulieri columna.de nat.& ordin. cuiuslibet corp. Sp.42.B
Maſculus fœtus pro fœmina quando fiant.14°.de vſu par. 1ª.207.A
Maſculi ſpermatis intentio eſt informare ad ſimilitudinem eius, à quo ſperma ſeparatum eſt.de anat.viuo. Sp.44.G
ad MASSAE fermenti modum cogit medicamentum.5°.de compoſi.medicamentorum ſec.loc. 5ª.165.F
MASSETERA nomen vnde dictum.de muſc.diſſ. 1ª.44.G
Maſſateres muſculi quomodo incidendi.4°.de anat.adm. 1ª.81.B
Maſſeteres muſculi qui.4°.de anat.adm.80.B/11°.de vſu par. 1ª.185.F
MASSILIENSE ſeſeli probatiſſimum.4°.de ſan.tuen. 2ª.86.D
MASSILIOTICVM vinum,quale.2°.de arte cur.ad Glau. 7ª.102.C
MASSILIOTAE medicamentum ad carbunculos.5°.de comp.medicamen.per gen. 5ª.254.D
Maſſiliota Demoſthenes.5°.de comp.med.per ge. 5ª.254.D
ad MASTICATIONEM quid conferat lingua.11°.de vſu pa. 1ª.185.F
ad Maſticationem multum faciunt buccarum inferiorum fines. 11°. de vſu partium. 1ª.185.F
in Maſticatione ad circũactionem muſculi,qui.11°.de vſu par. 1ª.185.E
ad Maſticationem & ſermonem muſculus conferens anatomicis ignotus.11°.de vſu par. 1ª.190.H
Maſticatio facit fabam ſumme diſcuſſoriam.5°.de compoſi.medicamentorum ſec.loc. 5ª.159.C
MASTICATORII muſculi,qui.11°.de vſu partium.1ª.185.F/ de artic. commentario 2°. 7ª.263.C
Maſticatorij muſculi quid agant.2°.de mot.muſc. 1ª.314.E
MASTICATIS rebus quas vires det ſaliua.5°.de compo.medicamentorum ſecun.loc. 5ª.159.C
quod Maſticatur leuiter & facile,velocius digeritur,quàm quod difficulter.de diſſ.cont. Sp.73.D
MASTICHE quid,& eius vires.de ſimp.med. Sp.87.D
Maſtiche eſt reſina lentiſcina.8°.de comp.med.fac. 5ª.59.F
Maſtiche qualis ſit.5°.meth.med. 7ª.31.B
Maſtiche candida qualis.7°.de ſimp.med.fac. 5ª.55.C
Maſtiche nigra,qualis.7°.de ſimp.me.fac. 5ª.55.C
Maſtiche nigra furũculis optimũ eſt remediũ.7°.de ſimp.me.fac.5ª.55.C
Maſtiche in ſecundo ordine calida,& ſicca.7°.de ſimp.med.fa. 5ª.55.C
Maſtiche vires habet euaporantes,& cum ſuaui vaporatione laxantes. de ſimp.med. Sp.87.D
Maſtiche ſtomacho commoda.8°.de compoſi.medica.ſec.loc. 5ª.189.B
Maſtiche chia ſtomacho grata,& adſtringẽs.3°.de ſimp.me.fac.5ª.20.C
Maſtiche ſtomachum calefacit.de med.fac.par. 7ª.175.H
Maſtiche chia pro ſtomachi ore.8°.de comp.med.ſe.loc. 5ª.187.D
Maſtiche ſtomachi,ventris,iecoriſq; inflammationibus competit. 7°. de ſimp.med.fac. 5ª.55.C
Maſtiche chia miſcenda medicamentis,vt ventriculus non euertatur,et propter malum ſaporem.3°.de ſimp.med.fac. 5ª.20.C
Maſtiche chia in nardino ad oris ventriculi imbecillitatem. 8°.methodi medendi. 7ª.53.C
Maſtiches decoctio confortat ſtomachum debilẽ.de med.exp. Sp.104.D
Maſtiche ad dolorem ſtomachi.de med.exper. Sp.106.D
Maſtiche chia iecori inflãmato cõuenit.2°.de arte cur.ad Gla. 7ª.104.D
Maſtiche quid valet in medicamentis.de med.exper. Sp.104.B
Maſtiche chia medicamentorum vim frangit. 8°.de compo.medicamentorum ſec.loc. 5ª.188.E
Maſtiches chiæ meminit.5°.de compoſi.medic.ſec.loc.164.F/7°.178.D/185.C/8°. 5ª.189.B/C

Maſtiche Aegyptia mollificat.2°.de arte cu.ad Glau. 7ª.104.A
Maſtiche ęgyptia emollit,& digerit.7°.de comp.med.per ge. 5ª.264.B
Maſtiche adſtringit & emollit.7°.de ſimplic.medic.fac. 5ª.55.C
Maſtiche deſiccat ſine morſu.8°.de ſim.med.fa. 5ª.59.F
q̃ Maſtiche magis digerit terebinthina,cur.8°.de ſimpl.med.fa.5ª.59.F
MASTICHINVM oleum,quale.7°.de ſimp.med.fa. 5ª.55.C
Maſtichæ miſtum oleum colleticum eſt.de ſimp.med. Sp.88.D
Maſtichinum oleum pro abſinthio.11°.meth.med. 7ª.72.G
Maſtichinum oleum.6°.de ſimplicium med. facul. 5ª.46.H
MASTICHINVM vnguentum,quale.7°.de ſimp.med.fac. 5ª.55.C
Maſtichinum,melinum,& nardinum vnguentum quem ordinem inter ſe habeant,& quo anni tempore adhibenda.6°.de ſan.tu. 2ª.99.A
Maſtichinum pro nardino.7°.meth.med. 7ª.46.H
Maſtichinum vnguentum modice adſtringit.6°.de ſan.tu. 2ª.99.A
Maſtichinum vnguentum ad ventriculi os.8°.meth.med. 7ª.53.D
Maſtichinum vnguentum ventriculo imbecillo applicabant antiqui. 7°. methodi meden. 7ª.43.H
Maſtichinum vnguentum iecori inflammato prodeſt.2°.de arte curatiua ad Clauconem. 7ª.104.D
MATELLAE hydrops raro fit,quam tamen bis vidit Galenus.6°. de loc.affect. 4ª.37.F
Matellæ hydrops quæ affectio.6°.de loc.aff. 4ª.37.F
MATER ita animalibus,vt plantis terra.2°.de ſem. 1ª.338.E
Matris vmbilico continuatur vmbilicus fœtus.de ſper. Sp.36.E
à Matre plus habent nati quam à patre,ſm Atheneũ.2°.de ſe.1ª.336.G
Mater dat Speciem.2°.de ſem. 1ª.338.H
ad Matrem cur ſpecies animalis ſpectet.2°.de ſem. 1ª.337.C
à Matre etiam ex ſemine viri cauſa eſt cur mas , & fœmina fiant. 14°. de vſu partium. 1ª.206.E
Matri ſæpe mas aſſimilatur.2°.de ſem. 1ª.338.H
Matri cur fœtus ſimilis.de ſper. Sp.37.A
Matris ſperma ſi ſuperabundat infans plus figuram habet à matre . de ſpermate. Sp.38.E
Matri ſimilis infans fit ob nutrimentum.2°.de ſem. 1ª.336.F
ex Matris lacte infans quandoq; qualitatem trahit.de ſper. Sp.37.A
Matris lac melius alijs,modo non ſit ægra.1°.de ſan.tu. 2ª.65.C
Matris lac exugentes pueri conſueto & proprio vtuntur alimento.1°.de ſanitate tuenda. 2ª.65.C
ex Matris ſanguine omnes animalium ſanguineæ partes ſunt genitæ.1°. de elementis. 1ª.8.G
ſine Matre hœdum aluit Galenus,vt naturæ vires ingenitas eſſe,ac ſine docente fieri cognoſcente.6°.de loc.aff. 4ª.42.A
Matris & patris vitio fiũt errores,& nõ naturæ.11°.de vſu p. 1ª.188.B
MATER dura eſt ſub cranio.de anat.par. Sp.43.D
ad Matrem duram tendens inflammatio non eſt ſine periculo.2°.de cõpo.medic.ſecun.loc. 5ª.133.H
MATER pia eſt ſub dura matre.de ana.par. Sp.43.D
Materia & ſubſtantia idem ſunt.2°.de ſem. 1ª.337.C
Materia,artificibus,inſtrumentis,omnia fiunt.de voc.inſt.diff.1ª.106.C
Materiarũ interuentu agit fortuna ars & artifex.11°.met.me. 7ª.68.A
Materia,& efficiens ſemper neceſſaria.de cauſ.procat. 3ª.96.G
Materia eſt cauſa.de ſymp.diff.10.G/de cauſ.procat. 3ª.96.E
Materiæ & organa quo modo cauſę.de cauſ.procat. 3ª.96.F
ꝓ Materia generationis principia quæ.de cu.ra.per ſang.miſſ. 6ª.16.C
Materiæ mundi quæ natura.de hiſt.phil. Sp.4.A
Materia prima quæ apuſt ſtoicos.ꝙ qualitates in corp.ſint. Iſa.9.G
Materiæ corpeæ opatio ligata eſt quatuor elementis.de ſper. Sp.40.E
Materiam dicit habere animam.de fœt.form. 1ª.326.B
ex Materia eſt inordinatum oẽ,& erraticum.2°.de dieb.decr.4ª.151.H
Materiam ſi ſuperet natura,ſemper certis agit tẽporibus . 2°.de diebus decretorijs. 4ª.151.H
Materia membrorum ſimilarium vnde.de anat.viuo. Sp.44.F
Materia mixtorum qualis eſſe debeat.2°.de ſimp.med.fa. 5ª.16.D
Materijs diuerſæ naturæ cõpoſita quo modo ſeparentur. in 6m. de morb. vulga.commen.4°. 3ª.182.E
Materia ab alijs partibus præparata indigent aliquæ actiones.1°.de loc. affectis. 4.6.E
ex MATERIAE defectu actio quandoq; perit,nulla exiſtente noxa in inſtrumentis.1°.de loc.aff. 4ª.6.E
ex Materia actio læditur parte non læſa,quo modo.1°.de lo.af. 4ª.7.A
inter Materiæ multitudinem & reſolutionem eſt ſtuporis diſpoſitio.2°. de locis affectis. 4ª.8.H
Materię noxię dupliciter infeſtant.com.6°.aph.55°. Ex.53.D
Materia ſuperflua duplex,aut quãtitate ſuperflua,aut qualitate.de cauſis morborum. 3ª.8.D
Materiæ expurgandę gratia multa inſtrã fecit natura.de cau.m. 3ª.8.E
Materiæ viam,ſemper inuenit natura.com.7°.aph.54°. Ex.58.G
Materia redundante non ſufficiunt inſtrumenta.de cauſ.mor. 3ª.8.E
Materię qũo ducant̃ à capite ꝑ hepar ad inteſtina.c.7°.aph.30°.Ex.56.B
Materia tendit ad partes quæ incaleſcunt.2°.de dif.feb. 3ª.41.A
Materia tendit ad partes dolentes.2°.de dif.feb. 3ª.41.A
Materię ad loca currentis diuerſitas.de ocul. 7ª.189.E
Materiæ cur putreſcant in inflammationibus.2°.de diff.feb. 3ª.41.C
ob Materiæ idoneę additamẽtũ fit febris.præſag.exper.conf. Sp.77.D
Materia faciẽs ſyncopẽ colligit̃ in capſula cordis.de ana.par. Sp.42.H
Materia faciẽs pipleumoniã colligit̃ ĩ capſula pulmõis.de an.p.Sp.42.H
Materia influens quo modo curetur.2°.de comp.med.ſe.lo. 5ª.136.A
Materia tenuis fluens incraſſari debet.de ſect. Iſa.19.B
Materia impacta quo modo curetur.2°.de comp.med.ſec.lo. 5ª.136.B
Materiæ quæ cito,& quæ tarde diſcutiantur.in 1m.de mor.vulgar.commentario.1°. 3ª.104.G
Materia trahitur in profundum & ad viſcera in ſomnis , ideo lædũt ſomni,ſed proſunt quia materiam concoquunt,quod eſt maius iuuamentum quàm ſit nocumentum.com 4°.aph.67°. Ex.34.G
Materia turgente qñ pręgnãtes ſunt purgandæ.cõ.5°.aph.29°. Ex.40.C
Mãæ turgẽtis motus ẽ motus futurorũ ſupabũdãtiũ.1°.de criſ. 4ª.128.G
Materia quò vergit,illuc ducenda.in 1m.de mor.vul.com.1°. 3ª.112.B
Materia illuc ducenda quò vergit.com.4°.aph.4°. Ex.27.H
Materia non turgente non debemus euacuare.com.1°.aph.22°. Ex.10.B
Materia quo modo poſſit digeri breui tempore,quando turget. commen. 1°.aphoriſ.24°. Ex.10.F
Materiam prępares potiſſimum,ſi elleborum dederis.quos purga.opor. quib.med. 5ª.88.D
Materia non præparata,ſi euacuatio fiat,quæ mala ſequantur. quos purga.opor.quib.med. 5ª.88.D
Materiam plerunque non aggreditur natura.3°.de dieb.decr. 4ª.159.C
Materia purganda quanta ſit,conſiderandum eſt.de cathar. Sp.94.H
Materiæ propriæ euacuatio,quæ in progn.com.2°. 4ª.199.C
Materiã multã inutilẽ cõgregãtibus cathartica damus.de dy. Sp.20.G
Materiam vbi per metatheſim medicamur,vtimur fortibus catharticis de dynamidijs. Sp.20.G
Materiam capitis vacuare poteſt cucurbitula.de cucur.ſcar. 6ª.3.F
Materiam exhaurit cucurbitula.de hiru.reuul.cuc.& ſcar. 6ª.2.F
Materia vbi ẽ corrupta,cucurbitulæ incidẽdæ ſunt.de cu.& ſca. 6ª.3.C
Materia acris vbi adſit,ſcarificatione vtimur.de cucur.ſcar. 6ª.3.F
Materiam vbi ex alijs partibus in aliam traducere ſtudemus, ſcarificatione vtimur.de cucur.ſcar. 6ª.3.F
Materiam in corpore redundantem vbi minuere volumus , ſcarificatione vtimur.de cucur.ſcar. 6ª.3.F
Materierum tranſmiſſionis modus à partibus nobilibus ad ignobiles. de cauſis morborum. 3ª.8.D
Materia in locum ignobiliorem,& morbum leuiorem verſa , eſt ſalutaris.in 1m.de mor.vul.com.3°. 3ª.118.B
Materia quo modo retrocedit.ars med. Iſa.70.F
ex MATERIA non ſunt iudicandæ artes.ad Thraſ. 2ª.106.A
Materia duplex adeſt medicis,& quæ.2°.de criſ. 4ª.136.H
Materia artis medicæ eſt corpus hominis.de part.art.med. Sp.18.C
Materia in qua aduenit finis medici , eſt corpus humanum. 2°. de criſibus. 4ª.136.H
quo Materia nobilior medico ſubiecta eſt , eò magis quàm alium artificem fungi ſuo munere decet. 7ª.293.C
à Materia auxiliorum nomen habet gymnaſticum ac medicamentariũ. ad Thraſybu. 2ª.108.F
MATERIAE auxiliorum.9°.meth.med. 7ª.58.D
Materiæ quadruplex genus quæ ſumuntur,quæ geruntur , quę educuntur,quæ foris admouentur.2°.de ſan.tuen. 2ª.92.H
in Materiæ pręſidiorum viribus omnis affectionis prouidentia conſiſtit.5°.de ſani.tuen. 2ª.92.H
Materiæ facultatem,qua agere debemus,experientia oſtendit.2°.de cõpo.med.ſec.loc. 5ª.132.A
Materia aliorum medicamentorum ſunt medicamenta , quæ validã vim non habent.11°.de ſimp.med.fa. 5ª.81.F
Materia medicamentorum eſt ouum.11°.de ſimp.med.fac. 5ª.81.F
Materiæ tenuis quę ſunt,medicamina non alimenta ab aliquibus appellantur.

lantur.de bon.& vitio ſucc. 2ª.34.G
ex Materiæ quatuor generibus calefacientia, & humectãtia eligenda. 5°.de ſanita.tuen. 2ª.92.H
Materia medicamentorum omnis fugiẽda, quę difficulter comparari poteſt.10°.de ſimp.med.fa. 5ª.77.B
Materia ſunt omnia vina dulcia flauæ choleræ.de vinis. Sp.76.E
Materiam & nutrimentum totius corporis in ſe continet hepar. de anatomia viuorum. Sp.49.H
Materia vocis eſt anhelitus.de voce & anhel. Sp.60.F
Materia ſpiritus vitalis eſt inſpiratio & vapor humorum. de virtutib. noſtrum corp.diſpen. Sp.60.C
Materies arenoſa quibus in vrinis ſubeſt, ijs veſica calculeſcit. de vrinæ ſignifi.ex Hipp. Sp.78.H
à Materia, & figura cucurbitularum differentiæ.de cuc.ſcar. 6ª.3.D
ex Materia faſciarum differentiæ.de faſcijs. 7ª.293.F
ex Materia robuſtiori quæ organa fieri debeant.de machin. 7ª.309.D
MATERIALIA ſunt terra, & aqua in Tim.Pla. 1ª.287.B
Materialis medicinæ pars, quæ.fin.med. Iſa.48.A
Materialis cauſa membrorum conſimilium eſt ſperma, præterquam carnis & adipis.de anat.viuo. Sp.55.G
Materialis cauſa adipis, quæ.de anat.viu. Sp.55.G
Materialis cauſa carnis quæ.de anat.viu. Sp.55.G
MATHEMATICAE methodi præſtantia. de cuiuſq; animi peccatorũ not.atque medela. 2ª.57.B
Mathematicæ demõſtrões, certæ sũt.de vic.ra. n mor.ac.c.1°. 7ª.109.H
Mathematicę rationes id eſt demonſtratiuæ.12°.de vſu par. 1ª.194.C
Mathematici exercentes artem vt quæſtum facerent. de cuiuſq; animi peccatorum not.atque med. 2ª.59.B
MATIANVM malum.de dyn. Sp.33.B
MATRICVLA. de dyna. Sp.31.F
MATRIX quid.fin.med. Iſa.44.A
Matrix eſt ager naturæ.de ana.par. Sp.43.C
Matrix ita eſt mulieri columna, vt maſculo veretrum.de natura & ordine cuiuslibet corporis. Sp.42.B
Matrix propter quid facta.de anat.par.43.C/de ana.viu. Sp.51.D
Matricis finis.14°.de vſu par. 1ª.204.E
Matrix ad fœtum vtiliſſima.14°.de vſu par. 1ª.204.E
Matricis partes ad generis inſtaurationem.14°.de vſu par. 1ª.204.C
Matricum officium quod.14°.de vſu par. 1ª.205.C
Matrices puro ſanguine nutriuntur.14°.de vſu par. 1ª.209.E
Matrix maior veſica in animalibus iam auctis.14°.de vſu par. 1ª.205.C
Matrices exiguę ĩ prĩcipio, & creſcũt paulatĩ. 14°. de vſu par. 1ª.205.C
Matrix minor veſica in aĩalibus quæ augentur.14°.dc vſu par. 1ª.205.C
Matrix non habet operationem dum animal augetur, & dum conſenuerit.14°.de vſu par. 1ª.205.C
Matrices maximæ in ætatibus florentibus.14°.de vſu par. 1ª.205.D
de MATRICIS anatomia.de anat.par.43.C/de anat.viu. Sp.51.D
Matricis ſitus.14°.de vſu par.1ª.209.A/de anatomia par.43.C/de anatomia viuorum. Sp.51.F
Matricis locus conueniens.14°.de vſu par. 1ª.204.E
Matrix intus eſt, ſcrotum extra.14°.dc vſu par. 1ª.206.B
Matrix eſt cognata recto inteſtino.com.7°.aph.27°. Ex.55.H
Matrices cur inter veſicam & rectũ inteſtinũ.14°.de vſu par. 1ª.209.F
Matrix vtraque.15°.de vſu partium. 1ª.211.C
Matrices duæ.15°.de vſu partium. 1ª.211.C
Matricis natura & compoſitio.de na.& ord.cuiusl.corp. Sp.42.B
Matricis duæ ſunt tunicæ de anat.viu. Sp.51.F
Matrix cur ex vnica tunica.14°.de vſu partium. 1ª.209.E
Matricis membrana.15°.de vſu par. 1ª.211.C
Matrices vtraſque in idem coniungit membrana extrinſecus circundata & colligata cum propinquis partibus.14°.de vſu par. 1ª.209.F
Matricis vaſa magna, & duplicia.16°.de vſu par. 1ª.219.E
in Matricibus cur omne genus fibrarum.14°.de vſu partium. 1ª.209.E
Matrices trahunt, retinent atq; depellunt vt cor, vnde habent multas fibras.6°.de vſu par. 1ª.150.D
MATRIX vbi alligetur.de ana.vi. Sp.51.G
in Matrice quam ligaturam habeãt cerui, capræ, & animalia procliuia ad ſaliendum.15°.de vſu par. 1ª.211.D
Matricũ ligamenta laxiora, quã in alia parte.14°.de vſu par. 1ª.209.F
Matricum ligamentorum vſus.14°.de vſu par. 1ª.209.F
MATRICES cur habent pauciſſimos neruos.14°.de vſu par. 1ª.209.D
in Matrice vena & arteria vbi, & ad quid.15°.de vſu par. 1ª.211.C
Matricis nerui ſphincteri.de anat.viu. Sp.54.D
Matrici, & mãmarũ venę ſolæ cur cões vtriſq;.14°.de vſu pa. 1ª.207.B
Matrix vnde neruos accipiat.16°.de vſu par. 1ª.218.D
MATRICIS collum intrat os veſicæ.de ana.vi. Sp.51.G
Matricis collum comparatur priapo.de anat.viu. Sp.51.D
in Matricis collo quod contingit, idem & in priapo.de ana.vi. Sp.52.E
Matricis cauitas comparatur burſæ teſticulorum.de ana.viu. Sp.51.E
Matricis collum vbi exoritur.14°.de vſu par. 1ª.209.B
Matricis colli maxima pars eſt chartilago procedẽs ab oſſe pubis. de vtilitate reſpirationis. Sp.62.H
Matricis collum pp quid durum, ac neruoſum.14°.de vſu par. 1ª.204.F
Matricis collum cur mediocriter durum.14°.de vſu par. 1ª.204.G
Matricis collũ quo modo cõtortum & obliquum.14°.de vſu p.1ª.204.H
Matricis collum habet rugas.14°.de vſu par. 1ª.204.H
Matricis collum cur lacertoſum cum multis plicis.de ana.viu. Sp.51.E
Matricis collum cur habet plures neruos.14°.de vſu par. 1ª.209.D
in Matricis ceruice foramina tria.de nat.& ord.cuiusl.corp. Sp.42.B
Matricis colli diuerſitas.de ana.viu. Sp.51.F
Matricis collum defloratione virginis dilatatur, & quæ venæ frangantur.de anat.viu. Sp.51.E
Matricibus propugnaculum eſt nympha.15°.de vſu par. 1ª.211.A
Matricum collum iter ſpermati.14°.de vſu par. 1ª.204.F
Matricis ſuccus familiariſſimus ſemen.14°.de vſu par. 1ª.208.D
Matricis duplex meatus ad quid.14°.de vſu par. 1ª.208.D
Matricis os comparatur roſæ.de anat.viu. Sp.51.E
Matricis collum in coitu eo vſque patet ac tenditur vt ſemẽ facile in matricum ſinum perueniat.14°.de vſu par. 1ª.204.F
in Matricis ſinus ſemen repente ſumi debet.14°.de vſu par. 1ª.204.G
Matricis capacitas non ſimplex.14°.de vſu par. 1ª.204.H
in Matrice porcorum, & animalium multos fœtus gerentium ſunt multa conceptacula.14°.de vſu par. 1ª.204.H
Matricis ſinus alter in dextris, alter in ſiniſtris.14°.de vſu p. 1ª.205.A
Matricis ſinus tot, quot mammæ.14°.de vſu par. 1ª.205.A
in Matrice ſeminis receptacula ſeptem.de ſperm. Sp.36.D
Matrix habet ſeptem cellulas, ſed falſum eſt.de anat.par. Sp.43.C
Matricis cellulæ non ſunt quinque, neq; ſeptem.de ana.viu. Sp.51.F
Matricis cõparatio ad ſtipitẽ in conceptione fœtus.de ana.viu. Sp.51.F
in Matrice recipitur viri ſperma muliebri aſſociatum cum quodam ſpiritu, & ibi pingueſcit matricis calore.de ſper. Sp.36.B
in Matrice duplex ſpiritus, & vnde.de ſper. Sp.35.B
Matricis ſpiritus exterior non ſinit interiorem exire. de ſper. Sp.36.B
ex Matricis calore per ſpiritũ naturalẽ oſſa craſſeſcũt.de ſper. Sp.36.C
Matricis calore ſperma vertitur in ſanguinem.de ſper. Sp.36.B
in Matrice eandem poteſtatem habet natura, quam ſperma in loco ſuo. de ſpermate. Sp.37.A
in Matrice poteſtatem habet natura, ſicut ſperma viri in toto corpore. de ſpermate. Sp.37.A
in Matricibus debet manere maris ſemen, ſi mulier debeat concipere. 14°.de vſu partium. 1ª.208.B
Matricis os in prægnantibus videtur conniuere obſtetricibus. 3°.de naturalibus facultatibus. 1ª.302.H
Matricis pregnantis collum non recipit ſpecilli acumen, in partu vero ſumme aperitur.15°.de vſu par. 1ª.212.H
Matricis collum in conceptione non poſſet ingredi acumen acus. de anatomia viuorum. Sp.51.E
Matricis collũ cũ aĩal concepit, ad vnguẽ claudit.14°.de vſu p.1ª.204.F
Matrici quo, & per quæ coniungatur fœtus.15°.de vſu par. 1ª.211.B
Matricis collum quo modo dilatatur.15°.de vſu par. 1ª.212.A
Matricis collũ in partu plurimũ diſtenditur.14°.de vſu par. 1ª.204.F
Matricis collum in partu dilatatur vt concauitas.de ana.viu. Sp.51.E
ad Matricis collũ in partu quomodo fœtus natura peruenit. 15°.de vſu partium. 1ª.213.A
è Matrice exit fœtus ſine diſcrimine.15°.de vſu par. 1ª.213.A
Matrix poſt tantam dilatationem breui redit ad priſtinum ſtatũ.de anatomia viuorum. Sp.52.D
Matrices tenuiſſimæ ſunt quo tempore gerunt, quare & imbecilliſſimæ. 14°.de vſu partium. 1ª.209.G
Matrix dextera exiguam & ſeroſam humiditatem habet. 14°.de vſu partium. 1ª.207.D
Matrix ſiniſtra habet ſanguinem impurum, excrementoſum, humidum, & ſeroſum.14°.de vſu par. 1ª.206.F
in Matricis dextra continetur maſculus, in ſiniſtra fœmina. de natura

& ordine cuiuslibet corporis. Sp.42.D

in *Matricis ſiniſtra parte in horis ſanguinis ſi conceptus maneat, quid ſequatur.de ſpermate.* Sp.38.A

in *Matricis dextra parte in horis ſanguinis ſi cōceptus ſit infans, quid ſequatur. de ſpermate.* Sp.38.B

in *Matricis ſiniſtra parte ſi conceptus ſit infans in horis cholerę rubrę, parentibus cōceptis in horis ſanguinis, quid accidat.de ſper.* Sp.38.B

in *Matricis dextra parte ſi ſit conceptus puer in horis phlegmatis omnium, quid ſequetur.de ſper.* Sp.38.C

in *Matricis ſiniſtra ſi ſit puella, quid ſequatur.de ſper.* Sp.38.C

in *Matricis ſiniſtra ſi ſit puer cōceptus horis phlegmatis, parentes horis ſanguinis, quid ſequatur.de ſper.* Sp.38.D

MATRICIS *os duplex eſt.de ana.viu.* Sp.51.E

Matricis os ante horam partus ipſius fœminæ conſtringitur. de anatomia viuorum. Sp.51.E

MATRICIS *cornua duo vbi, & eorum vtilitas.de ana.vi.* Sp.51.F

Matricis cornua duo cum mammillis colligantur.de ana.viu. Sp.51.G

Matricum, & mammarum communicatio.14°.de vſu par. 1ª.205.C

Matrices cur tm̄ habēt cōſenſum cum mām̄is.14°.de vſu par. 1ª.207.A

ad *Matricem & mammas tantum eadem vaſa quo modo incedāt.14°. de vſu partium.* 1ª.207.A

Matricum cornua cur ſurſum.14°.de vſu par. 1ª.208.E

MATRICIS *teſticuli vbi ſint.de ana.par.43.C/de ana.vi.* Sp.51.G

Matricis ianitores teſticuli ſunt.de anat.viu. Sp.51.F

Matrici ſubiecta mēbra, quæ.de natura, & ord.cuiusli.corp. Sp.42.B

*Matrix ſentit ſolū, & nō habet motū volūtariū.16°.de vſu par.*1ª.214.H

Matrix vnde habet magnum ſenſum.de ana.viuo. Sp.51.F

ex *Matrice educuntur ſanguinis ichores.de cathar.* Sp.94.G

circa MATRICEM *prurigo quo modo curetur.de paſſ.mul.* Sp.95.H

Matricem immundam mundificat ſuccus centaureæ.de vir.cē. Sp.94.B

in *Matricis collutionibus proprie confert ſuccus centaureæ. de virtute centaureæ.* Sp.94.B

ad *Matricem frigidam.de paſſ.mul.* Sp.96.A

ad *Matricem clauſam præſidium.de paſſ.mul.* Sp.96.A

ad *Matricis oppilationes.de med.exper.* Sp.107.D

Matricem purgantia, quę.de cathar. Sp.95.C

Matrices mulierum purgans decoctio.de med.exper.105.D/ Sp.107.B

Matrices purgans electarium.de med.exper. Sp.107.D

Matricis paſſionibus vtiliſſimus eſt elleborus niger.de dyn. Sp.21.A

Matricis ægritudinibus confert ſectio venarū pedū.de ana.vi. Sp.54.H

Matrix propter tenſionem laborat.com.7°.aph.27°. Ex.55.H

Matricis ventoſitatis ſigna, & curatio.de paſſ.mul. Sp.96.A

*Matricis & colli prolixis inflationibus cōuenit pepliū.de dyn.*Sp.21.A

ad *Matricis inflationem.de paſſ.mul.* Sp.95.H

Matricis hydropis ſigna & curatio.de paſſ.mul. Sp.96.A

ad *Matricis tumorem remedium.de dyn.30.A/de paſſ.mul.* Sp.95.H

Matricem, & orificium eius quando phlegmone laborat, & vlcera eius iuuat ſuccus centaureæ.de virt.cent. Sp.94.A

in *Matrice dolens puella naturaliter vnde ſit.de ſper.* Sp.38.C

Matricis dolor.ſecretorum. Sp.100.H

Matricis & vuluæ dolorem, & febrem ſignificat vrina iumento ſimilis in muliere.dę dyn. Sp.35.E

in *Matricis ore vehemens dolor, cui niſi cito occurratur, exulcerat. de paſſ.mul.* Sp.95.F

ad *Matricis dolorem propter abſtinentiam viri.de paſſ.mul.* Sp.95.G

ad *Matricis dolorem cum dormiunt cum viro.de paſſ.mul.* Sp.95.H

ad *Matricis dolores omnes poſt partum vnguentum.de dyna.*Sp.29.H

ad *Matricis dolorem.de paſſ.mul.* Sp.95.H

contra *Matricis dolorē valēs medicamē.de med.ex.107.H/* Sp.108.A

Matricis præfocatio quo modo fiat.de vtil.reſp. Sp.63.B

in *Matricis ſuffocatione quæ accidentia fiant.de paſſ.mul.* Sp.95.F

ad *Matricis ſuffocationem ſuffumigium.de paſſ.mul.* Sp.95.F

ad *Matricis ſuffocationem potio.de paſſ.mul.* Sp.95.G

ob *Matricis ſuffocationē aphoniæ quid ſuccurrat.de paſſ.mul.* Sp.95.G

Matricis deſcenſus curatio.de paſſ.mul. Sp.95.F

ad *Matricis deſcenſum.de dyn.* Sp.29.H

ad *Matricem reuocandam.de dyn.* Sp.30.A

ad *Matricis exitum remedium.de dyn.* Sp.30.A

Matricis plenę humoribus ſigna, & curatio.de paſſ.mul. Sp.96.B

ad *Matricis ſanguinis effuſionem.de paſſ.mul.* Sp.96.B

ad *Matricis vlcus ex partu.de paſſ.mul.* Sp.96.B

ad *Matricis vlcera.de paſſ.mul.* Sp.96.A

Matrix ſi exiuerit, & tardauerit, & foris vulnerata fuerit, quid fieri debeat.de paſſ.mul. Sp.96.B

in *Matricis ore hęmorrhoidibus q̄d fieri cōueniat.de paſſ.mul.*Sp.96.B

in *Matricis ore rhagadijs quid ſuccurrat.de paſſ.mul.* Sp.96.B

ad *Matricis condilomata.de paſſ.mul.* Sp.96.C

Matricis cancri ſigna, & curatio.de paſſ.mul. Sp.96.A

ad *Matricis apoſtema remedium.de dyn.29.H/de paſſ.mul.* Sp.95.H

Matricis & veſicæ paſſiones ſi prolixę fuerint.catharticis vtimur.de dynamidijs. Sp.20.D

in *Matricibus mulierum euenientes fortes ægritudines quid iuuet. de medicinis exper.* Sp.107.H

MATRICE *ſuilla debet veſci, ſi quis ſe exerceat.de atten.vic.*2ª.45.H

Μάττεσθαι quid ſignificet.de art.com.2°. 7ª.265.C

MATVLA *petita cur aliqui non mingunt.1°.de dif.reſp.* 3ª.60.A

MATVRANTIA *cuius naturæ eſſe debent.in 6^{m}.de mor.vulgar.commentario.2°.* 3ª.165.H

MATVRATIO *fructuum quo modo fiat.de ocul.* 7ª.188.B

Maturatio fructibus prouenit à calore ſolari. 4°.de ſimpli. medicamentorum facultatib. 5ª.27.D

ante *Maturationem, fructus, quos gignāt humores.de diſſ.cōt.*Sp.73.A

Maturationes fiunt per calefacientia mediocriter.in 1^{m}. de morb.vulga. commen.1°. 3ª.112.A

MATVRATIVA *potentia vna ex potentijs medicinarum oculi.de oculis.* 7ª.189.A

Maturatiua enumerantur.de ocul. 7ª.188.E

Maturatiua quę ſint.de ocul. 7ª.189.C

Maturatiua qualia ſunt.de ocul. 7ª.188.D

*Maturatiua cur debent habere obſtructionem quandā.de ocul.*7ª.188.E

Maturatiuum & diſſolutiuum medicamentū in oculo.de ocul. 7ª.190.C

Maturatiua medicina quid agat in oculis.de ocul. 7ª.189.B/C

MATVRESCENTES *in arbore fructus multum differunt à non maturescentibus.de puero epilep.* 7ª.180.D

Maturent quæ.in 1^{m}.de mor.vul.com.1°. 3ª.112.A

MATVRIVS *& tardius eſt in genere, quando.2°.de dif.pul.* 4ª.55.F

MATVRAE *ficus humidæ, & ſiccæ ſunt cibaria media. de diſſolutione continua.* Sp.74.C

Matura ſi comedantur pira & poma, generant chymum frigidum.de diſſolutione continua. Sp.74.B

Maturæ vuæ ſunt minus inflatiuę.de diſſ.cont. Sp.74.D

MATVTINO *tempore ſanguis detrahendus.pręſag.exper.* Sp.77.H

Matutinum tempus eſt accomodatius venæ ſectioni in febre continua. præſag.exper.conf. Sp.78.D

de *Matutina frictione.3°.de ſani.tuen.* 2ª.81.H

MAVRAE *herbæ fit mentio.de dyna.25.H/* Sp.27.H

Μαῦρος. de fractu.com.2°. 7ª.240.G

MAXILLAE, *quæ.intro.* Iſa.53.B

Maxillarum deſcriptio.de artic.com.1°. 7ª.263.A

Maxillarum oſſa ſunt malę.de na. & ord.cuiusl.corp. Sp.42.H

Maxillę ſuperioris oſſa.de oſſibus. 1ª.41.A/D

Maxillæ ſuperioris oſſa terna ab vtraq; parte.de oſſib. 1ª.41.B

Maxillæ ſuperioris oſſa nouem.11°.de vſu par. 1ª.191.B

Maxillæ ſuperioris oſſa nouem, & quæ.11°.de vſu par. 1ª.192.D

*Maxilla ſupior quia nō mouet̄ nō habet medullā.11°.de vſu par.*1ª.191.H

in *Maxillam ſuperiorem nerui quo modo.9°.de vſu par.* 1ª.173.H

circa *Maxillas partes vnde accipiant neruos.9°.de vſu par.* 1ª.176.C

Maxilla inferior quibus comparatur.de arti.com.2°. 7ª.265.H

Maxillæ ſuperioris oſſa conſtant coagmentatione.intro. Iſa.54.G

Maxillæ inferioris, oſſa quot.de oſſibus. 1ª.41.F

Maxilla inferior duo habet oſſa comata.intro. Iſa.54.G

Maxillæ inferioris oſſa duo.11°.de vſu par. 1ª.191.B

Maxillæ inferioris os coctum aperitur.de oſſib. 1ª.41.F

Maxillæ inferioris os cur vnam ſolam habet euidentem diuiſionem. 11°. de vſu partium. 1ª.192.D

Maxilla inferior medulloſa non habet appendicem.de oſſib. 1ª.39.H

Maxilla inferior non habet epiphyſim.11°.de vſu par. 1ª.191.F

Maxilla inferior cur habet medullam.11°.de vſu par. 1ª.191.C

Maxilla inferior cur cum habeat medullam, nō habet epiphyſim vt alia habentia medullam. 11°.de vſu par. 1ª.191.C

Maxillæ ſuperioris os in aliquibus animalibus cur nō habeat medullam ſicut inferioris.11°.de vſu par. 1ª.191.C

iu *Maxilla vtraque cur ſutura.11°.de vſu par.* 1ª.192.A

Maxillę ſummæ ſutura eſt obſcura.11°.dę vſu par. 1ª.192.A

Maxillæ cō-

Maxillæ cõmiſſura nõ eſt euidens in oïbus ſimijs.4°.de ana.adm. 1ª.81.E
Maxillæ commiſſura euidens in canibus.4°.de ana.adm. 1ª.81.F
Maxilla quo modo vniatur.de oſſib. 1ª.39.H
Maxillarum ſuillarum oſſa.1°.de comp.me.ſec.lo. 5ª.123.G
Maxillæ ſi paruæ facieſq́; rotunda, parui etiam ipſarum muſculi.1°. de anat.adminſt. 1ª.63.E
Maxillæ longæ faciunt faciem longam, & muſculos.1°.de anatomicis ad miniſtrationibus. 1ª.63.E
Maxillam magnam animalia habentia, quale habent temporalis muſcu li caput.16°.de vſu par. 1ª.217.B
Maxilla aliorum aïalium prolixior q̃ ſimiæ.4°.de ana.adm. 1ª.80.G
Maxillam breuiſſimam habet homo pro corporis ratione. 4°. de anatomicis adminiſtrationib. 1ª.80.G
Maxilla cur fortis in leone.11°.de vſu par. 1ª.191.H
Maxilla cur non fortis in homine, vt in leone.11°.de vſu par. 1ª.191.H
Maxillarum caro crocea eſt.de ana.viu. Sp.55.H
Maxillarum pili cur creſcant.11°.de vſu par. 1ª.189.F
Maxillæ inferioris figuræ.2°.de mot.muſ. 1ª.314.E
Maxillæ figuræ à quibus muſculis fiant.2°.de mot.muſ. 1ª.314.E
in Maxilla inciſio quo modo facienda.4°.de anat.adm. 1ª.81.F
Maxillæ inferioris articulus κορώνη.11°.de vſu par. 1ª.192.D
Maxillarum inferiorem mouent animalia præter crocodylum.4°.de anatomicis adminiſtrationib. 1ª.80.B
Maxillæ inferioris magni motus.11°.de vſu par. 1ª.192.D
Maxillarum tres motus, in manducando, in claudendo & aperiendo os. 4°.de anat.adminiſt. 1ª.80.B
Maxilla immota fit motus à buccis.4°.de anat.adm. 1ª.80.B
Maxilla quieſcente mouetur cutis frontis tota.de muſ.diſ. 1ª.44.F
Maxilla inferior buccæ labia qbus neruis moueantur.de ner.diſ. 1ª.54.G
Maxillas mouẽtes muſculi, q de ar.c.2°.7ª.263.C/de ana.viu. Sp.53.E
Maxillam mouentia tria paria muſculorum.4°.de ana.admi. 1ª.81.C
Maxillã mouẽs muſculus qui, & cui neruo inhæreat.de ner.diſ. 1ª.53.G
Maxillam ſurſum trahentes muſculi, & os claudentes vbi ſint, & quomodo procedant. de muſ.diſſ. 1ª.44.G
Maxillam inferiorem mouent muſculorum quatuor cõiugationes.de muſcu.diſſ. 1ª.44.G
Maxillã inferiorẽ ſurſum mouẽtes muſculi vbi ſint.de muſ.diſſ. 1ª.44.G
Maxillam inferiorem mouentes muſculi ad latera vbi ſint. de muſculorum diſſect. 1ª.44.G
Maxillam inferiorem deorſum trahentes muſculi vbi ſint. de muſculorũ diſſectione. 1ª.44.G
Maxillam inferiorem, et poſteriorem partem mouentes muſculi quinam ſint, & vbi oriantur.de muſ.diſ. 1ª.44.H
Maxillam inferiorem in interiori parte ſurſum trahentes muſculi qui, et eorum proceſſus.de muſ.diſſ. 1ª.44.H
in Maxilla extrema muſculi duo mutuo colligati.de muſ.diſſ. 1ª.46.D
ad Maxillam os hyoeides ſurſum retrahentes muſculi, qui.de muſculorum diſſect. 1ª.46.F
ad Maxillę ĩferioris ĩternos muſculos arteria.16°.de vſu par. 1ª.220.B
Maxilla inferior qũo ſe habeat morientibus.2°.de mot.muſ. 1ª.314.E
Maxilla fit rubicunda in pulmonia.in prog.com.1°. 4ª.189.D
Maxillæ hñt adenes qui ſuſcipiunt ſupfluitates.c.4°.apho.31°. Ex.30.G
Maxillarum abſceſſus fiunt laſſitudinem habentibus, & cur. comm.4°. aphoriſmo 31°. Ex.30.G
Maxillæ quibus pungendæ.8°. de compoſi.medic.ſecun.loc. 5ª.192.E
Maxillarum contractio quibus eueniat.præſag.exper.conf. Sp.78.E
Maxillæ dolent in morbis ex thorace, vel (vt alij legunt) mammillæ.de dynamidijs. Sp.19.G
ad Maxillas tumidas remedium.de dyn. Sp.25.E
Maxillæ inferioris à ſuperiori eluxationes faciei affectus.intr. Iſa.59.C
Maxilla inferior quo modo excidat.intro. Iſa.60.G
Maxilla inferior quomodo curetur.intro. Iſa.60.G
Maxilla inferior nõ diſcedit à ſuperiori, niſi ebrius, vel ignarus, vel ſumme deſceſſus dormiat.2°.de mot.muſ. 1ª.314.D
Maxillę caſum habuit Placinus diues hiando.de arti.com.2°. 7ª.263.G
Maxilla quæ exciderit, quomodo reſtituatur.de machi. 7ª.319.B
Maxillam & naſum membrana alligabimus.de faſcijs. 7ª.293.F
ad Maxillam vulneratam, ſeu prolapſam, ſeu ob diſtentionem oris, aliũue morbum oportet ab altera parte vinciri.de faſc. 7ª.296.B
ad Maxillam vtranque ſuo loco motam, vinculum.de faſc. 7ª.296.C
iuxta Maxillæ proceſſum & aurem, vinculum.de faſc. 7ª.296.F
ad Maxillã quæ excidit vbi in ſuã ſedẽ cõpellitur.de laqueis. 7ª.307.D
ad Maxillam prolapſam laqueus.de laqueis. 7ª.308.F
MAXILLARES *dentes vnde dicti.de oſſib.* 1ª.41.F
Maxillares dentes & molares ijdem.de oſſib. 1ª.41.F
Maxillares dentes, qui.de oſſib. 1ª.41.F
Maxillares dentes, quot.de oſſib. 1ª.41.F
Maxillares dentes ſuperiores habent tres radices, inferiores vero duas, exceptis aliquibus ſuperioribus, qui habent quatuor, et inferioribus qui habent tres, & qui ſint.de oſſib. 1ª.41.F
MAXIME *quid ſignificet.de artic.com.2°.* 7ª.265.A
MAXIMAE *& minimæ rei conſideratio quę manu comprehendi poteſt. 1°.de vſu par.* 1ª.114.A
in Maximis affectibus phlebotomia non eſt omittenda.de cucurbitulis. ſcarificatione. 6ª.3.H
Maxima arteria oritur è ſiniſtro cordis ſinu.1°.de decr. 1ª.232.D
Maxima arteria eſt truncus omnium arteriarum.1°.de decr. 1ª.232.D
MAZAE *fiunt ex polenta frixa.1°.de alim.fac.* 2ª.11.H
Maza cuius naturæ & facultatis.1°.de ali.fac. 2ª.11.H
Maza τριπτὴ quæ ſit.1°.de ali.fac. 2ª.12.B
Maza minus ſiccat & calfacit, quàm panis.de ſal.diæ. 2ª.40.A
Maza placenta modica alit.in 6m.de morb.vulg.com.3°. 3ª.170.F
Maza vt caro fiat exigit tres mutationes, tamen eſt caro poteſtate.2°.de temperamentis. 1ª.21.G
Maza præter conſuetudinem deuorata quid faciat. de vic.rat. in morb. acu.commen.2°. 7ª.121.B
Mazis oſſiſq́; dentium viperarum foramina obſtruuntur, ne morſu noceant.de theri.ad Piſo. 5ª.94.G
MAZVCHI *vocatus morbus deprehenditur, & eius pulſus.de pulſi. ad Tirones.* 4ª.45.G
MEATVS *manifeſti, qui.de dif.morb.* 3ª.4.C
Meat⁹ inferiores ãpli.9°.de vſ.p. 1ª.171.D
Meatus patẽtes hẽt optima corporis cõſtitutio.de bo.& vi.ſuc. 2ª.34.G
Meatus cur nõ inſunt mollibus partibus corporis.9°.de vſu p. 1ª.171.E
Meatus cur inſunt duris corporis partibus.9°.de vſu par. 1ª.171.E
Meatus quidam ſenſibilis aperte intus adeſt ſolis neruis oculorum ante quam in oculos inſerantur.de ner.diſſ. 1ª.53.D
Meatus leuium cerebri excrementorum ſuperiores ſunt et tenues.9°.de vſu partium. 1ª.171.D
Meatus à cerebro deſcendens obſtructus aliud ſymptoma facit, quàm cũ crura ſunt reſoluta per ſpinę inflammationem.1°.de lo.aff. 4ª.6.G
vt Meatus vocis ſunt nares.de voc.inſtr.diſſ. 1ª.106.E
ꝑ Meatus inſenſibiles aeris receptionem & expirationẽ fieri per circulũ dicebat Eraſiſtrat⁹, Plato ꝑ duos ſemicirculos.ĩ tim.Pl. 1ª.290.A
Meatus ſpiritus vocem nutriunt.de voc.inſtr.diſ. 1ª.106.E
Meatus quidam ſiue ſouea appellatur medius vẽtriculus cordis. de anatomia viuorum. Sp.56.C
Meatus duo ſunt ſtomachus & anus.5°.de vſu par. 1ª.147.A
Meatus amplos habent venter, iecur, lien, viſcera. 5°.de ſimpli.medicamento.facultatib. 5ª.35.B
Meatus, per quem à iecore ad ventrem mittitur bilis, in aliquibus vnus in aliquibus geminus.2°.de temp. 1ª.20.D
Meatus iecoris quando ſunt anguſti, obeſt chondrus. de vic.ra.in mor. acu.commen.1°. 7ª.111.E
Meatus tres habet veſica fellis.de ana.viu. Sp.50.H
Meatus quidam ad renes ſunt non ſolum à vena hepatis, ſed etiam ab arteria.de vtil.reſp. Sp.64.G
Meatus quibus fœtus alligat̃.dicunt̃ cotyledones.de ana.par. Sp.43.C
Meatus duo in priapo.de ana.viu. Sp.52.E
Meatus multi differunt à venis, neruis, & arterijs. & qui ſint. 1°.de naturalibus facultatibus. 1ª.291.H
Meatum aliquem eſſe à vena ad arteriam.de vti.reſp. Sp.64.G
in Meatibus venæ non ſunt vt arterię.de vſu pulſ. 1ª.228.G
Meatus qui in eundem locum profundunt, ad eandem etiam functionem non neceſſario pertinent.2°.de ſem. 1ª.240.B/C
Meatuum ampliatio & anguſtatio, duæ primæ ægrotationes. de differentijs morborum. 3ª.2.G
Meatus anguſtia cur ęgritudo.de diff.mor. 3ª.4.F
Meatus obducentia & obturantia quæ dicantur. 4°.de compo.medicamen.ſecun.loc. 5ª.150.A
Meatuum obſtructionis cauſa, quæ.de diff.mor. 3ª.4.C
Meatus obducit Emplaſton medicamentũ.1°.de cõp.me.ſe.loc. 5ª.127.G
Meatuum obſtructio ſubita fit à viſcoſo & craſſo humore. 3°.de locis affectis. 4ª.17.G

ob Meatus immodicos vel qualitatum intemperiem, inſtrumenti fiunt imbecillitates.de diff.morb. 3ª.3.H
Meatuum ſtipatio poteſt febrem accendere.8°.met.med. 7ª.50.A
Meatuum anguſtiæ, quæ alias ſequuntur ægritudines, primo ſunt curandæ.ars med. Iſa.70.E
Meatus per quos tendunt ſuperflua debent fieri fluxibiles. 11°.methodi medendi. 7ª.73.F
Meatus de obſtruentia quæ dicantur.4°.de comp.me.ſe.lo. 5ª.150.A
Meatus quæ purgent.5°.de ſimp.med.fa. 5ª.35.C
Meatus exiguos expurgat exercitatio.2°.de ſani.tuen. 2ª.69.G
Meatus purgat farina erui & lupinorum, potiſſimum ſi amara fuerint. 5°.de ſimpli. medicamen. facultatib. 5ª.35.B
Meatus aperiunt amara omnia abſque morſu, & ſunt tenuium partium. 3°.de comp.med.ſec.lo. 5ª.141.B
ad Meatus purgandos valent amara nitroſa.5°.de ſimp.me.fa. 5ª.35.B
Meatus adſtrictos aperit acetum mulſum.de bon.& vi.ſuc. 2ª.39.A
in Meatibus infarcta q̃uo curanda.2°.de compo.med.ſec.loc.5ª.136.A
Meatus mundificans medicamentum.ſecretorum. Sp.101.G
MECHANICARVM artium ad medicinam comparatio, & diuiſio.ad Thraſ. 2ª.106.G
MECONIDES inter olera, quæ cruda ſtomachicis conueniumt. 8°. de comp.medicamento.ſec.lo. 5ª.192.C
Mechon, id eſt Papauer.7°.de ſimp.medic.fac. 5ª.55.F
Meconium quid.1°.de comp.med.per gen. 5ª.211.H
Mecon aphrode.8°. de ſimp.med.facul. 5ª.58.A
Mecon Ceratitis.7°.de ſimpl.me.fa. 5ª.55.G
Mecon Heraclea.7°. de ſimp.med.fac. 5ª.55.H
Meconium quomodo fiat, & eius vires.de ſimp.med. Sp.88.A
Meconium quibus adulteretur.de ſimp.med. Sp.88.A
Meconiũ ẽt ſi calidũ detur, extinguit calorem aĩalis.3°.de temp. 1ª.23.C
Meconium valde excalefactum vrit.1°.de ſimp.med.fa. 5ª.3.C
Meconium fugiendum in vlceribus.3°.met.med. 7ª.21.C
Mecon ponitur in theriaca.de ther.ad Piſ. 5ª.92.E
ad Meconem valet theriaca.de ther.ad Piſ. 5ª.91.D
Meconiæ meminit.7°.de comp.med.per gen. 5ª.267.A
MECONIVM vocatum cum excrementum ſit, ex toto fœtus nutrimẽto eſt, humorq; is, qui in vrinaculo eſt.an animal. 1ª.328.C
MEDEÆ & Iaſonis & amor, & qualis.3°.de dec.Hip. 1ª.244.A
Medea indocta barbara.3°.de decr.Hipp. 1ª.245.H
Medeæ pharmacum, quale.de bon.aquæ. Sp.76.A
MEDELA eadem vtuntur rationales & empirici.de ſectis. Iſa.16.F
de Medelas iueniẽdi rõne diſſentiũt rõnales & empirici.de ſec.Iſ.16.F
Medela non indiget, ſed refectione à morbo graui conualeſcens.ad Thraſybulum. 2ª.102.D
MEDENDI modus medicinæ pars.intro. Iſa.52.H
Medendi viam quomodo inuenit Hippocrates.9°.met.med. 7ª.58.F
Medendi methodum qui vult componere, quid agere debet. 2°.methodi medendi. 7ª.13.F
pro Medendi methodo quatuor conſidera.1°.meth.med. 7ª.7.H
Medendi methodi principium.1°.meth.med. 7ª.7.F
Medendi methodus fit per indicationem.2°.meth.me. 7ª.13.E
Medendi rationes octo.7°.meth.me. 7ª.43.G
Medendi methodum cur diſtulit componere Galenus.1°.met.me. 7ª.2.C
Medendi ars quibus conſtet.1°.de arte cura.ad Glau. 7ª.94.C
ad Medendum conferunt temporis occaſio, & auxiliorum quantitas. 1°.de arte cur.ad Glauconem. 7ª.94.C
ad Medendũ nihil facit ſcire medicinaliũ inſtrorũ functionẽ, niſi & corporis cui applicentur, intemperies cognoſcat.2°.de nat.fac. 1ª.301.B
ad Medendi peritiam quid ſpectet.12°.meth.me. 7ª.77.B
Medendi tota indicatio.9°.meth.me. 7ª.59.H
ad Medendi artem ſpectant febrem accendentia.4°.de ſan.tu. 2ª.82.H
ad Medendum primum eſt cognitio morbi.2°.meth.me. 7ª.13.F
Medendi principium tantum, non medicinæ portio, eſt indicatio quæ à morbis ſumitur.3°.meth.me. 7ª.16.D
Medendi præceptum.com.5°.aph.32°. Ex.40.D
Medendi præcepta, & quomodo in cibando ſe gerere debet medicus, & quæ conſiderare debet.com.1°.aph.17°. Ex.9.B
Medendi ratio ad oſſa fracta.de dyna. Sp.31.E
ad Medendũ pertinet facere coctiones.in 1ᵐ.de mor.vul.c.1°. 3ª.112.A
MEDERI commune eſt omnibus medicinę partibus diæteticę, pharmaceuticę, chirurgię.ad Thraſ. 2ª.108.F
cum Medendo quandoque eſt mixta prouiſio.12°.meth.me. 7ª.74.G
Mederi, manus opera vti, & rationem victus inſtituere, habent pro cõmuni mederi.ad Thraſ. 2ª.108.E
Mederi non poteſt methodum curatiuã ignorans.de puero epil.7ª.187.F
Mederi vnde incipiendum.5°.de ſan.tu. 2ª.93.C
Mederi repente ægro cum volumus, & ipſi velocem præſidij ſenſum moliri, celerrima fit mutatio in corporibus.de ther.ad Piſ. 5ª.94.D
Mederi quot vicibus ægro debeat medicus in vlceribus, & quoto die de ligatura ſoluenda.4°.de comp.med.per gen. 5ª.238.F
MEDIANVM quid ſignificet.de art.com.4°. 7ª.289.B
MEDIASTINVM propter quid factum ſit.de anat.viu. Sp.53.C
MEDICAMEN agens per accidens q̃uo cognoſcit.3°.de temp. 1ª.24.H
Medicamen agens per ſe quomodo cognoſcitur.3°.de temp. 1ª.24.H
Medicaminum aliorum materia eſt oleum.2°.de ſimp.med.fa. 5ª.15.C
Medicaminum genera quę.de dyna. Sp.18.G
Medicaminis vi, ſanguis alteratus tranſit in biles.de atra bile. 1ª.37.D
Medicamen Acoſtror.de med.exper. Sp.140.G
Medicamina Acria, alexiteria venena quandoque ſunt morborum calidorum cauſæ.de morb.cau. 3ª.6.G
Medicamina acria febrium cauſa.de morb.cau. 3ª.6.G
Medicamen Acritonis. de medicinis exper. Sp.107.E
Medicamina acuta ſæpe accipientes quo modo in febrem incidant. 1°.de differentijs feb. 3ª.31.G
Medicamen Agargei.de me.exper. Sp.104.E
Medicamen Amaloz.de me.exper. Sp.106.C
Medicamen Amoronis.de me.exper. Sp.108.E
Medicamen Aſiritę.de me.exper. Sp.108.F
Medicamina Attenuantia non poſſunt efficere bonam habitudinem. de bon.& vitio ſuc. 2ª.39.A
Medicamina attenuantia ad ſanitatem tutiora, quàm humores craſſos facientia.de bo.& vi.ſuc. 2ª.39.A
Medicaminum Calefacientium atq; exiccãtium immodicus vſus febres tertianas faciliter affert.2°.de diff.feb. 3ª.36.D
Medicamen purgans Choleram.de me.exper. Sp.105.A
Medicamen in dubio Colicæ, & lapidis.de me.exper. Sp.106.H
Medicamen Emplaſtroſum.3°.de compo.medicamen.per gen. 5ª.233.F
Medicamen Emplaſtrodes.4°.de comp.medica.per genera. 5ª.238.G
Medicamen Experimentatoris ad ſplenem.de me.exper. Sp.104.D
Medicamen ad Febres compoſitas.de med.exper. Sp.104.F
Medicamen recipiens cantharides prodeſt Hydericis.3°.de tẽp. 1ª.23.C
Medicamen contra Hydropem.de med.exper. Sp.105.B
Medicaminum interiorum duodecim ſpecies.intro. Iſa.57.H
Medicamina Salubria tenuãdi ptãtẽ habent.de bon.& vi.ſuc. 2ª.39.A
Medicamen Senis.de med.exper. Sp.104.D
Medicamen Squilitum.de me.exper. Sp.106.C
Medicamen melius quàm Theriaca.de me.exper. Sp.106.C
Medicamen Virtus appellatum.2°.de comp.med.per gen. 5ª.224.H
Medicamen prouocans Vrinas.ſecretorum. Sp.102.A
Medicamen adhibe, ſi vrinæ color albicans fuerit, hypoſtaſis rufa.de vrinæ ſigni.ex Hipp. Sp.179.D
Medicamen ſubtilians humores, & præparans ad exitum in principijs ęgritudinum.de me.exper. Sp.108.E
Medicamen aliquod nimium laxat.de cau.mor. 3ª.9.C
MEDICAMENTARIA habet nomen à materia. ad Thraſybulum. 2ª.108.E/F
Medicamentaria quæ.ad Thraſ. 2ª.108.E
quę Medicamentaria, & calida facultate ſunt, lædunt febricitantes.9°. de comp.me.ſe.loc. 5ª.197.F
Medicamentariæ rei egeſtatem quæ indicent. 3°.de compo.medicamentorum ſec.loc. 5ª.147.C
Medicamentarius medicus à materia dicitur.ad Thraſ. 2ª.105.D
Medicamentarij medici dicuntur à materia, ſicut ocularij, auriculij, dẽtarij, & huiuſmodi, à membris.ad Thraſ. 2ª.105.B
MEDICAMENTVM ſumitur pro eo quod per os accipitur. commentario 6°.aph.31°. Ex.49.E
Medicamentum ſignificare videtur & quod purgat, & quod nõ purgat, vbi dicit purgatio cum medicamento.com.6°.aph.47°. Ex.52.B
Medicamentum accipit Galenus pro eo quod applicatur extra, quia diſtinguit ipſum contra potionem, collige.com.6°.aph.18°. Ex.48.B
Medicamentum quid ſit.1°.de ſimp.med.fa.2.C/3°. 5ª.17.C
Medicamenta quę ſint, collige.11°.de ſimp.med.fac. 5ª.77.G
Medicamina non alimenta ab aliquibus appellantur, quę ſunt tenuis materiæ.de bo.& vi.ſuc. 2ª.34.G

Medicamenti &

Medicamenti & nutrimenti differentia.5°.de ſimp.med.fac. 5ª.31.F
Medicamenta probantur eſſe medicamenta, quia nullum præbent corpori alimentum.2°.de alim.fac. 2ª.19.C
Medicamenta in nutrimenta quandoq; tranſeunt. quos purg.opor.quib. med.& quo temp. 5ª.89.B
Medicamentis quidam nutriuntur.de ther.ad Piſo. 5ª.91.B
Medicamentum ſi nutrit, conuertitur in humorem quem educit. 3°. de ſimpli.medic.facul. 5ª.23.C
Medicamenta quæ ſint ſolum.3°.de temp. 1ª.23.E
Medicamenta quæ ſint, non cibi.de vi.ra.in mor.ac.c.1°. 7ª.111.B
Medicamēta quę non ſint, & ſint alimenta, & qualia.1°.de ali.fa. 2ª.8.E
Medicamenta & nutrimenta ſimul, quæ.3°.de temp. 3ª.22.D/ *8°.methodi medendi.* 7ª.50.H
Medicamenta quæ comeduntur vt cibi.de atten.vic. 2ª.44.A
Medicamēti & cibi vim hēt ptiſſana.de vic.ra.in mor.ac.c.1°. 7ª.115.D
Medicamentum loco ſalis ad obſonia.4°.de ſan.tuen. 2ª.86.E
Medicamentum veluti acetum in ptiſſana.4°.de ſan.tu. 2ª.86.F
Medicamentum veluti piper.4°. de ſani.tu. 2ª.86.F
Medicamentoſam qualitatem vehementem cibi habentes non nutriunt, ſed exigue nutriunt ſi coctione, aut aſſatione, aut maceratione qualitatem illam depoſuerit.2°.dc alim.fac. 2ª.19.D
Medicamenta omnia ſunt medicinæ materia.ad Thraſ. 2ª.106.A
Medicamenta à quibus ſumantur.6°.de ſimp.med.fa. 5ª.39.E/F
Medicamentorum ſtudioſus Attallus rex Pergamenorum. 1°.de comp. med.ſec.loc. 5ª.214.D
Medicamentorum copia vnde habetur.7°.meth.me. 7ª.43.G
Medicamentum non pertinet ad ſanos.1°.de ſan.tuen. 2ª.65.D
Medicamenta Acerba, & mordacia ſunt omittenda.4°.de ſimpl.medicamen.facul. 5ª.25.A
Medicamenta Acopa extrinſecus.intro. Iſa.58.A
Medicamenta Acria reuellunt à capite.de hirud.reuulſ.cuc. 6ª.2.E
Medicamenta acria bracijs & manibus impoſita ſuccos ad caput & viſcera vergentes reuellunt.de cuc.ſcar. 6ª.4.G
Medicamenta acria non debent applicari ante euacuationem, aliter faciūt fluxionē & inflāmationem.de cur.rat.per ſang.miſſ. 6ª.20.D
à *Medicamentis quæ Actiones fiunt.ad Thraſ.* 2ª.105.A
Medicamentorum quædam prima & ex profeſſo ſunt opera, quædā vero mediante natura.9°.de ſim.med.fa. 5ª.68.G
Medicamentorum diuerſitas in agendo vnde proueniat.7°.de ſimp.medica.facul. 5ª.49.B
Medicamenta Adſtringentia ſimul & mordicantia.4°.de ſimpli.medicamen.fac. 5ª.26.A
Medicamento adſtringente quando vti oportet.de conſt.ar. Iſa.41.E
Medicamentum Aduenæ cuiuſdam.de med.exper. Sp.104.C
Medicamenta Adurentia extrinſecus.intro. Iſa.58.A
Medicamenta adurentia vt ignis.2°.de arte cur.ad Gla. 7ª.102.D
Medeæ medicamētum, quod omnia vrebat, in quę calor incidebat, ex ſulfure & bitumine humido.3°.de temp. 1ª.22.E
Medicamenta Alexipharmaca.intro.57.H/ Iſa.58.A
Medicamentum ex Alga.14°.met.me. 7ª.92.F
Medicamentum ad Alphum.intro. Iſa.58.B
Medicamentum Amarum ex aloe datur comitiali ex ore ventriculi.5°. de locis affectis. 4ª.32.G
Medicamentum amarum in colico.1°.de loc.aff. 4ª.5.G
à *Medicamento coli inteſtini doloris caſus.1°.de lo.aff.* 4ª.5.G
Medicamentum ex gutta ammoniaci, & oleo ricino quale.6°.de compo. medicamen.per gene. 5ª.258.B
Medicamenta Anodyna.intro. Iſa.57.H
Medicamenta anodyna.9°.de comp.med.ſec.loc. 5ª.200.H
Medicamentū Aridū inſperſile quid ſit.4°.de cōp.med.p gen. 5ª.238.G
Medicamentum Aroſtocamet cōſtipans naturā.de me.exper. Sp.104.G
Medicamentum Arrhabiani ponticum.7°.de cōp.med. ſec.lo. 5ª.184.C
Medicamenta Arteriaca quæ ſint.7°.de cōpo.medica.ſec.lo. 5ª.177.B
Medicamenta ad Articulorum morbos extrinſecos.intro. Iſa.58.B
Medicamentum Authemeron.9°.de comp.med.ſec.loc. 5ª.199.E/F
Medicamenta bicolora, ſeu bifacia.2°.de arte cur.ad Glau. 7ª.106.E
Medicamen ex Cadmia in quibus partibus cicatricem inducit. 5°.methodi medendi. 7ª.33.G
Medicamenta omnia agunt, aut calefaciendo, aut refrigerādo, aut humectando, aut exiccando.de nat.hum.com.1°. 1ª.28.H
Medicamenta quæ facile accenduntur calfaciunt.3°.de temp. 1ª.21.H
Medicamenta quæ facile accēdunt, quō īpediri poſſunt.3°.de tēp. 1ª.21.H
Medicamenta quę corpus calfacere videntur, prompte in ignem vertuntur.3°.de temp. 1ª.21.H
Medicamenta calefacientia & exiccantia.2°.de ſimpl.med.facul. 5ª.16.D/ *8°.meth.me.* 7ª.54.D
Medicamenta quæ nos calfaciunt primo à nobis caloris principium accipiunt.2°.de ſim.me.fa. 5ª.15.C
Medicamenti calor modo acceperit ſcintillam caloris naturalis, totus accenditur.3°.de temp. 1ª.22.B
Medicamenta à nobis accipiunt vt ſint calida.3°.de temp. 1ª.22.A
Medicamenta aliqua vt tangunt corpus, cur id calefaciunt alia tardius, alia citius.3°.de temp. 1ª.22.B
Medicamenta non agunt in inſtanti.3°.de temp. 1ª.22.A
Medicamenta nacta à nobis caloris principium, calorem ipſum poſtea ſuperant.1°.de ſimp.me.fac. 5ª.4.B
Medicamenta principium calfactionis à nobis accipiūt: poſtea vel ęque, vel plus nos recalfaciunt.2°.de ſimp.me.fac. 5ª.15.H
Medicamenta quòd prius debent calefieri, ſi debeant calefacere, non mirum.3°.de temp. 1ª.22.A
Medicamenta calfacientia & nihil aliud agentia.3°.de temp. 1ª.22.D
Medicamenta calfacientia extrinſecus.intro. Iſa.58.A
Medicamenta parum calefacientia.7°.de ſim.med.fa. 5ª.53.C
Medicamētum Calidum, frigidum, humidum, & ſiccum quidnam dicatur.4°.de comp.med.per gen. 5ª.240.F
Medicamenta, alimenta, & tegumenta habentur calida poteſtate.2°.de ſimp.med.fac. 5ª.15.D/E
Medicamenta omnia ſunt potentia calida.com.1°.aph.24°. Ex.10.F
Medicamentū aliquod poteſtate calidū erodit, & vrit.3°.de tēp. 1ª.23.B
Medicamentum an ſit calidum quo modo probetur.3°.de comp.medicamen.per gen. 5ª.230.E
Medicamenta calida ſunt euacuationes communes.ars med. Iſa.71.E
Medicamenta probantur eſſe calida, vel frigida, vel humida, vel ſicca cōparando ad hominem.3°.de ſimp.med.fac. 5ª.18.D
Medicamentum idem corpora diuerſa calefacit, & frigefacit. 3°.de ſimpli.med.fac. 5ª.19.E
Medicamentis calidis quandoq; vnum frigidum mixtum. 1°.de ſimp.medicamen.facult. 5ª.6.H
Medicamenta calida vrūt, cū ſunt craſſa.4°.de ſimp.med.fac. 5ª.24.G
Medicamēta debēt eſſe tanto calidiora, quāto exuperauit frigiditas, & è cōtrario: & ita de ſicco & humido dicēdū.5°.de ſim.me.fa. 5ª.33.A
Medicamenta calida liquida.de ijs quæ in med.ſi.com.3°. 7ª.220.C
Medicamēta quo modo Candida fiant.1°.de cōpo.med.per gen. 5ª.212.G
Medicamenta Capiti extrinſecus applicata nihil proficerent, niſi eſſent ſuturę.13°.met.med. 7ª.85.G
Medicamenti capiti ſuprapoſiti ſubſtantiam ſutura potiſſimum coronaria intromittit.13°.meth.med. 7ª.85.G
Medicamentum debet conſiderari quantum, & quale debet peruenire ad membrum.2°.de arte cur.ad Glauco. 7ª.102.H
Medicamenta Carbunculis idonea extrinſecus.intro. Iſa.58.A
Medicamentum Carnem conficiens, ex oleo, cera, & ęrugine fit. 3°.methodi medendi. 7ª.17.B
Medicamentum incarnans fit ex cerato & ærugine, vtrunq; tamen per ſe eſt contrarium incarnationi.6°.de comp.me.ſe.lo. 5ª.176.H
Medicamenta remouent impedimenta caro autem generatur à natura. 2°.de compo.medi.per gen. 5ª.227.A
Medicamenta Κεφαλικὰ *vnde dicta, & quæ ſint.6°.me.me.* 7ª.42.B
Medicamenta cephalica.intro. Iſa.57.B
Medicamentum quod inſtergitur Κατάπασον. *7°.de compoſi.medicamen.ſec.loc.* 5ª.184.D
Medicamenta Chalaſtica quę vocentur.7°.de comp.med.p ge. 5ª.267.F
Medicamenta Cicatricem inducentia intrinſecus.intro. Iſa.58.A
Medicamenta Cholagoga, id eſt cholerę eductiua, ita ab effectu nominātur.com.4°.aph.2°. Ex.27.E
in *Medicamentis quæ cognoſcere debet medicus. 3°.de compo.medicamen.per genera.* 5ª.228.H
de *Medicamentis duplex peritia.3°.meth.med.* 7ª.20.A
de *Medicamentis quę conſideranda.de ther.ad Piſo.* 5ª.91.B
Medicamenti cuiuſq; cognoſcendi regula, vt videlicet omni aliena qualitate vacans ſpectetur.2°.de ſimpli.med.fac. 5ª.15.A
Medicamēta quæ probamus, debent eſſe expertia alienæ qualitatis.1°. de ſimp.med.fa. 1ª.2.G
Medicamentum quod iudicandum venit, oportet eſſe ſimplex. 1°.de ſimpli.med.facul. 5ª.7.F

Medicamenta optima

Medicamenta optima vbi ſint, veriſſime ſcripſit Dioſcorides. 1°. de antidotis. 5ª.100.C
Medicamẽta adulterata cognoſcẽda ſunt.3°.de cõp.me. p gen. 5ª.228.H
*Medicamenta quomodo probantur.8°.de compoſi.med.ſec.loc.*5ª.190.G
Medicamenti vis non ſecure probatur ſine ſenſu.1°.de ſimp.me.f. 5ª.7.F
Medicamentorum vſum ex guſtu cognoſcimus. 6°. de compoſi.medicamen.ſecun.loc. 5ª.169.F
*Medicamẽtorum vires cognoſcunt ſine ſaporib.4°.de ſim.me.f.*5ª.26.C
Medicamenta probanda ex temperaturis.3°.de ſimp.med.fac. 5ª.19.F
Medicamenti facultas ſi ab externis petatur, quibus indigeamus. 1°.de ſimp.med.fac. 5ª.3.H
Medicamenti facultas quo modo ab externis ſumenda.1°.de ſimplicium med.facul. 5ª.3.H
Medicamenti facultas colligenda ex euidenter.apparentibus, & vnde. 1°.de ſim.med.fa. 5ª.3.G
Medicamenti vim nemo cognoſcit ſine experientia. 4°.de compoſi.medicamen.facul. 5ª.140.D
Medicamenta experientia comparanda.5°.de ſan.tuen. 2ª.92.F
de Medicamentis non eſt ex duobus vel tribus experimentis ſententia dicenda.7°.de comp.med.per gen. 5ª.264.E
in Medicamentis experiundis quid faciat differentiam.7°.de comp.medicamen.per gen. 5ª.264.F
Medicamentorum experimentum ſumi debet primo in temperatiſſima natura, ſecundo in intemperata tertio in morbis ſimplicibus. 6°. de ſimp.med.fa. 5ª.39.E
Medicamenta Colica.9°.de comp.med.ſec.lo. 5ª.200.H
Medicamentum ex Colliquabilibus.3°.de comp.med.per gen. 5ª.233.F
Medicamentorum Compoſitiones cur inuentæ.de ther.ad Piſ. 5ª.91.B
Medicamenta compoſita cur inuenta.1°.de comp.med.per gen. 5ª.210.E
Medicamẽtorũ primi cõpoſitores, qui.2°.de comp.med.per ge. 5ª.218.D
de Medicamentorum compoſitione vbi compoſuerit Galenus, promittit ſe alium librum ſcripturum.2°.de arte cu.ad Glau. 7ª.104.G
Medicamenta experiẽtia cõponunt.2°.de comp.med.per gen. 5ª.218.H
Medicamentum componi non poteſt ſine notitia ſimplicium. 1°.de ſimpl.medic.facul. 5ª.6.E
Medicamentorũ compoſitorum vis ex ſimplicibus eſt. 1°.de antido.102.C/6°.de compo.medic.per gen. 5ª.257.F
Medicamentorum differentia per variationem ſimplicium. 7°.de compoſi.medic.facul. 5ª.264.G
Medicamẽtis vim non dant ſimplicia quædam, ſed commoditatem. 1°.de comp.med.per gen. 5ª.212.E
*Medicamenta qui componere ſcit, & vti.1°.de comp.med.per g.*5ª.215.B
Medicamenta qui facile conficiet.6°.de comp.med.per ge. 5ª.254.H
Medicamenta ꝙ ſibi pararent medici.6°.de comp.med.ſec.lo. 5ª.168.A
Medicamenta non poſſunt componi abſq; methodo. 4°.de compo.medicamen.per gen. 5ª.140.D
de Medicamentorum compoſitione librum fecit Galenus ante methodi librum.3°.meth.med.17.B/20.A/5°.33.A/6°. 7ª.37.E
de Medicamentis componendis liber ſequitur librum de ſimplicium medicamentorum facultatibus.7°.ſimp.med.fa. 5ª.55.G
Medicamenta quo modo componi addiſcantur.6°.de compo.medicamento.per genera. 5ª.254.H
Medicamenta non ex ſola lectione librorum fiunt.1°.de antid. 5ª.104.F
Medicamentorum compoſitionis regula.4°.de ſan.tu. 2ª.86.E
Medicamenta ex ſimplicibus quæ habentur componenda. 4°.de compo.medicamentorum per gen. 5ª.239.A
Medicamenta quo ordine ingrediantur ſimplicia.3°.de compoſi.medicamen.per gene. 5ª.233.G
Medicamenta ingredientium ſimplicium ordo. 6°.de comp.medicamen.per gen.255.F/256.H/ 5ª.259.H
Medicamenti confectio ſecundum ſimplicium ingredientium ordinem.2° de comp.me.per ge. 5ª.225.F
Medicamentum quando multiplex eſſe debet, & quando ſimplex.4°.de comp.med.per gen. 5ª.240.A
Medicamenti confectio.2°.de comp.me.per ge.226.C/ 5ª.227.E
Medicamentorum ſingulæ compoſitiones quomodo cognoſcãtur. in 1^m.de mor.vul.com.1°. 3ª.103.A
Medicamenti, quo nõ aliud melius, cõfectio.2°.de cõp.me.p ge. 5ª.223.B
Medicamenta debent in parua & tenuia frangi.3°.de temp. 1ª.22.A
in Medicamentis varijs multo ſunt vſui, faba, hordeum, cera, et oleum. 7°.de ſimp.me.fa. 5ª.53.A
Medicamenta vt inhæreant, ponitur cera.7°.meth.med. 7ª.46.H
Medicamentorum materia cur ſit ouum 11°.de ſimpl.med.fa. 5ª.81.F
Medicamenta quando componuntur ex melle, quo modo loquendum de quantitate eorum in permixtione.6°.de comp.medic.ſec.lo. 5ª.168.C
Medicamenta cum aqua coquendi modus.4°.de ſan.tu. 2ª.87.A
*ĩ Medicamẽtis coquẽdis cur ponebãt vinũ et aquã.4°.de ſa.t.*2ª.87.A
Medicamenta magis cocta, meliora.1°.de comp.med.per ge. 5ª.212.F
Medicamenta denigrat aer nubilus, ſyncerus dealbat.1°.de comp.medicamen.per gene. 5ª.212.G
Medicamentis obeſt fumus.1°.de comp.me.per gen. 5ª.212.G
Medicamenta antequam fiant, carbones ſunt primo vrendi. 1°.de comp.medi.per gen. 5ª.212.G
Medicamenta cur ad prunas ardentes non facienda. 7°.de compo.medicamen.ſec.loc. 5ª.179.C
Medicamentum in ſole æſtiuo fiat, vel in aere calido.4°.de compoſi.medica.per gene. 5ª.245.B
Medicamenta conficiuntur ſub caniculæ æſtu. 4°.de compoſi.medic.per ge.244.A/5°.252.E/6°. 5ª.256.E
ad Medicamenta agitanda æris rubri radius.3°. de compo.medicamento.ſecun.loc. 5ª.148.A
Medicamenta quòd non præparanda in copia, quando dura vt lapis euadunt.4°.de comp.med.per gen. 5ª.239.B
Medicamentum tertio aut quarto die ſoluendum. 6°.de compoſi.medicamen.per gene. 5ª.256.D
Medicamentum idem dilutum, & non dilutum varia facit. 2°.de compoſitio.medicamento.per genera. 5ª.225.C
Medicamenti vnius diuerſitas.6°.de comp.med.per ge. 5ª.256.F
ad Medicamentum ſeruandum, fictile.5°.de comp.med.ſe.lo. 5ª.163.B
*pro Medicamento conſeruando oui teſta.5°.de comp.me.ſec.lo.*5ª.161.B
pro Medicamento ſeruando pellis.6°.de compoſitione medicamen. per gen.256.H/ 5ª.262.G
Medicamentũ ponit in pellem albam.9°.de comp.med.ſec.lo. 5ª.199.D
pro Medicamento conſeruando veſica.5°.de cõpo.med.ſec.loc. 5ª.161.B
Medicamenta ad Concoctionem.intro. Iſa.57.H
Medicamenta concoquentia, quę intro. Iſa.57.H
Medicamenta concoquentia extrinſecus.intro. Iſa.58.A
Medicamenta concoquentia extrinſecus quibus conſtent.intro. Iſ.58.B
Medicamenta ſimillima temperaturæ hominis ocyſſime concoquũt quod in pus verti debet.5°.de ſimp.me.fac. 5ª.33.G
Medicamenta miſtam ex Contrarijs habentia naturam. 1°.de comp.medicamen.ſec.loc. 5ª.129.A
Medicamentum nullum ad multa valet, niſi ſit contrariorum particeps. 6°.de comp.med.per ge. 5ª.256.B
quæ Medicamenta non habent miſtionem contrariorum.1°.de compoſi.medic.ſec.loc. 5ª.129.E
Medicamentum ad vniuerſum Corpus extrinſecus.intro. Iſ.58.A
Medicamentum ex Cotoneorum ſucco.8°.met.med. 7ª.53.E
Medicamentum ex carne cotoneorum.8°.met.med. 7ª.53.E
Medicamenta Craſſiora nequeunt anguſta venarum oſcula ſubire. 4°.de ſanitate tuenda. 2ª.86.D
Medicamenta cruenta ex bitumine fiunt.de fract.com.3°. 7ª.242.E
Medicamentum cruentum quale ſit.de fract.com.3°. 7ª.242.D
Medicamẽta cruenta exiccant mediocriter.de art.com.2°. 7ª.268.D
Medicamenta ad cruentos extrinſecus.introd. Iſa.58.A
Medicamentum cruentum pro Contuſis.de fract.com.3°. 7ª.245.B
Medicamentis Cruſtam facientibus quãdo vtendum.5°.me.me. 7ª.31.D
Medicamenta Deleteria cur in calidis naturis vim ſuam exercent.3°. de ſimp.med.fac. 5ª.21.H
*Medicamẽta sũt letalia, et deleteria.de vict.ra.in mor.ac.c.2°.*7ª.118.D
Medicamentum Diachalciteos.6°.meth.med. 7ª.38.E
Medicamentũ Diaſpermaton.5°.meth.med.33.C/12°. 7ª.75.C
Medicamenta extrinſecus Digerentia quibus conſtant.intr. Iſa,58.B
Medicamenta quę cum digerentibus habent adſtringentia, qualia. 6°.de comp.med.per gene. 5ª.258.C
Medicamentum Dioclis Chalcidonij.7°.de compo.med.ſec.loc. 5ª.184.F
Medicamenta Diſcutientia extrinſecus.intro. Iſa.58.A
*Medicamẽta pro Diuitibus quõ parãda.6°.de cõp.med.ſec.loc.*5ª.171.G
Medicamenta diuitum debent eſſe cara & odorata, quæ multa conſtent pecunia.de compo.medicamen.per gen. 5ª.234.C
Medicamenta cara qui volebat, diuitis hiſtoria. 3°.de cõpoſitio.medicamen.per gen. 5ª.234.D
Medicamentis abhorrent mulieres diuites. 6°.de compoſit.medicamento.ſecun.loc. 5ª.171.E

Medicamentis gaudentis diuitis, & fallere etiam gaudentis medicos.1°. de preſag.ex pulſ. 4ª.105.C
ad Medicamenta aliqui magis propenſi.de purg.med. 5ª.86.D
Medicamenta Dolores ſedantia quæ ſint.2°. de ſimpli.medic.facul.12.C/ 9°.de compoſi.medica.ſec.loc. 5ª.200.H
per Medicamentum, vel ſanguinis miſſionem ſedatio doloris in pleuritide non eſt curatio ſymptomatis.12°.met.me. 7ª.74.G
Medicamenta Dropacita.de iis, quæ in med.ſi.com.3°. 7ª.220.D
Medicamenta Eclecta quę ſint.7°.de compo.med.ſec.loc. 5ª.177.B
Medicamētorū Effectus qūo ſecundū Epicurum.1°.de nat.fac. 1ª.294.D
Medicamēta Efficaciora, quę parum accipiunt cerati.5°.de comp.medicamen.per genera. 5ª.246.G
Medicamentum Emolliens indurata, quale.5°.de ſimp.med.fa. 5ª.33.E
Medicamenta parum calefacientia & adſtringentia ſunt Emplaſtica & peptica, ideſt concoquentia.7°.de ſim.med.fa. 5ª.53.C
Medicamentum pus mouens dr̄ eſſe emplaſticū.5°.de ſim.me.fa. 5ª.33.G
Medicamenta idonea Eryſipelatis extrinſecus.intro. Iſa.58.A
à Medicamento valenti fit Eroſio extrinſecus.4°.meth.med. 7ª.23.B
Medicamentum Euaphion à lenitudine appellatum. 9°.de comp.medicamento.ſec.loc. 5ª.205.B
Medicamentum eſt exercitium.1°.de ſan.tuen. 2ª.65.D
Medicamenta Exiccantia cuti applicanda.de conſt.ar. Iſa.42.E
Medicamentum exiccatorium ex ſalice.6°.de ſimpl.med.facul. 5ª.48.H
Medicamentum optimum ad exiccandum abſque morſu.7°.de ſimpl.medicamen.facul. 5ª.53.B
Medicamenta exiccantia & abſtergentia, ac vlcera pura reddentia. de fracturis, com.3°. 7ª.242.E
Medicamentum vehementiſſime exiccans.5°.met.me. 7ª.34.A
Medicamentum aliud vehementiſſime ſiccans.5°.met.med. 7ª.34.B
Medicamenta ſiccantia in longis fracturis oſſium.6°.meth.me. 7ª.41.G
Medicamentum an bene exiccauerit, per ſordem & ſaniem probatur.3°. methodi medendi. 7ª.18.E
Medicamenta fortiſſima, quæ.6°.de comp.me.ſe.loc. 5ª.171.H
Medicamenta quæ illinuntur extrinſecus.intro. Iſa.58.A
Medicamenta fortia quæ ſint.6°.de comp.med.ſec.lo. 5ª.176.G
in Medicamētis vis maior quæ intelligenda.14°.meth.med. 7ª.88.G
Medicamenta fortia, quæ ſint, & quo modo eorum eroſio miteſcat. 2°. de comp.med.per gen. 5ª.219.G
Medicamenta fortia quæ indigent mitigatoriis. 2°.de compo.medicamentorum ſec.loc. 5ª.139.F
Medicamenta fortia, quibus miſcēda.de vi.ra.in mor.ac.c.2°. 7ª.117.H
Medicamentorum fortium vim reprimentia.3°.de ſim.med.fa. 5ª.20.C
Medicamentorum vim, quę frangunt.8°.de comp.medi.ſec.loc. 5ª.188.E
Medicamentorum vim quę obtundant.7°.de comp.medi.ſec.lo. 5ª.182.E
Medicamētum vnum quo modo fieri poſſit fortius, & imbecillius, & debeat.3°.de compo.med.ſec.loc. 5ª.141.F
Medicamentis fortibus quando vti debemus, & quomodo. 2°.de compoſi.medicamentorum ſec.loc. 5ª.139.F
Medicamenta fortiora fortioribus corporibus, debiliora debilioribus ſunt exhibenda.6°.de compoſi.medica.ſec.loc. 5ª.176.F/ *6°.methodi medendi.* 7ª.38.E
Medicamenta validiora habeant dura corpora. 7°.de comp.medicamento.per genera. 5ª.268.G
Medicamentis fortioribus indigent duri.2°.de comp.me.ꝑge. 5ª.227.B
Medicamenta fortiſſima cōueniunt ruſticis.de arte cu.ad Gla. 7ª.107.A
Medicamentum meſſorum & foſſorum.3°.de comp.med.ſe.lo. 5ª.147.C
Medicamentorum fortium minus recipiunt molles. 2°.de compo.medicamentorum ſecun.loc. 5ª.140.D
Medicamenta fortia in oculorum fluxionibus. 4°.de compo.medicamentorum ſec.loc. 5ª.157.A
Medicamentum forte in cephalęa.de dyn. Sp.23.C
Medicamenta fortiſſima tolerat auditorius meatus.6°.me.me. 7ª.42.H
Medicamentis valentiſſimis gaudet membrana cerebri craſſa.6°.methodi medendi. 7ª.42.H
Medicamenta fortiora exigūt profundæ partes.4°.met.med. 7ª.29.C
Medicamenta fortia non ferunt naturæ molles.3°.met.med. 7ª.20.E
Medicamentorum duo genera oportet habere parata, validiſſimum, & moderatiſſimum.7°.de compo.medic.per gen. 5ª.263.E
Medicamēta duo habere debet medicus, vnum valens, aliud imbecillū. 3°.de comp.medi.per ge. 5ª.232.D/E
Medicamenta valida ſupra vlcus carbunculi.14°.met.med. 7ª.90.B
Medicamento robur fit ab oleo veteri.3°.de comp.med.per ge. 5ª.230.E
Medicamentis fortibus qūo vtendum.1°.de compo.med.ſec.loc. 5ª.122.C
Medicamenta natura frigida ab antiquis dicta ſunt poteſtate frigida.3°. de ſimp.med.fac. 5ª.22.D
Medicamenta frigida cur poteſtate frigida dicant̄.3°.de ſim.m.f. 5ª.22.D
Medicamenti frigidi à calido in quantitate differentia.ars med. Iſ.69.F
Medicamentum refrigerans.10°.meth.med. 7ª.65.A
Medicamenta quę cum hoc quod refrigerant, vnà etiam adſtringunt, ea & ad vlcera rebellia omnia, & ad fluxiones, & putredines cōueniūt ac proinde & ad dyſenterias.6°.de ſimp.med.fac. 5ª.43.G
Medicamentis refrigeratæ partes perfricantur, vt calor reuocetur & fiat rarum quod frigore erat denſum.3°.de temp. 1ª.22.A
Medicamēta quo modo infrigidentur.1°.de comp.med.per gen. 5ª.211.H
Medicamentum Fuſcum.5°.de comp.med.per ge. 5ª.253.H
Medicamentum quo ſæpe vſus eſt Galenus.1°.de cōp.me.ſe.lo. 5ª.130.D
Medicamentum Galeni cirrhum dictum, ad vulnera ſanguinolēta. 2°.de arte cur.ad Glau. 7ª.106.E
Medicamentum ſiccum Galeni ad oculos.9°.de ſimp.med.fac. 5ª.67.G
de Medicamentorum compoſitione ſecundum genera librum fecit Archigenes.5°.de compoſi.medicamentorum ſec.loc.158.G/ 5°.162.C/8°. 196.B/9°.199.G/10°.206.G/ 5ª.208.G
Medicamentorum compoſitionem per genera aliàs ſcripſerat Glenus.1°. de compo.medi.per gen. 5ª.209.G
de Medicamentis ſecundum genera ante librum de arte curādi ad Glauconem, ſcripſit Galenus.2°.de arte cur.ad Gla. 7ª.107.G
in de Medicamentorum compoſitione per genera quid agat Galenus.1°. de comp.med.per gen. 5ª.212.H
Medicamētum Glutinantius qūo fiat.1°.de comp.med.per gen. 5ª.212.G
Medicamenta ſicca glutinant reſinæ omnes humiditate & viſcoſitate. 4°.de comp.med.per gen. 5ª.240.A
Medicamenta idonea Herpetis extrinſecus.intro. Iſa.58.A
Medicamenta Humida, & calida qūo debēt eē.5°.de ſim.me.fa. 5ª.33.A
Medicamenta Hypoglottidis quæ.7°.de comp.med.ſec.loc. 5ª.177.F
Medicamentum Ictericorum purgatorium.de cura icter. Sp.110.H
Medicamenta ad Iecur.intro. Iſa.57.H
Medicamentis Imbecillioribus īdigēt molles.2°.de cōp.m.ꝑg. 5ª.227.H
Medicamentū quale debet exhiberi teneris.3°.de cōp.me.ꝑge. 5ª.232.H
Medicamenta imbecilliora in ſuperficietenus exiſtentibus morbis. 4°. methodi medendi. 7ª.29.C
Medicamenta debilia non conueniunt ictericis.de cura icter. Sp.110.H
Medicamenta quæ vim validam non habent, ſunt materia aliorum medicamentorum.11°.de ſimp.me.fac. 5ª.81.F
Medicamentorum Indefinitis deſcriptionibus fidem per omnia habere non parum noxæ inferunt: [ergo nec Dioſcoridi fidendum.] 3°.de cōpo.medicamento.ſecun.loc. 5ª.142.C
Medicamenta ad Impetiginem.intro. Iſa.58.B
Medicamenta Implentia extrinſecus.intro. Iſa.58.A
Medicamentis iuuantur Inteſtina ſuperiora lęſa.6°.de lo.affe. 4ª.36.E
Medicamenta Inueniendi via.de venæ ſect.aduer.Eraſ. 6ª.6.D
Medicamēta quibus organis inuenta.6°.de comp.med.per gen. 5ª.257.B
de Medicamentis qd dicant Empiricus & rōnalis.2°.de cō.m.f. 5ª.11.F
Medicamenta prope vniuerſa ad quæ referunt Empirici. 10°.de compo. medicamen.per gen. 5ª.210.A
Medicamenta ab alio ad aliud trahunt empirici.3°.meth.me. 7ª.17.C
Medicamenta multa caſu inuenta volunt Empirici. 3°.de compo.medicamen.per genera. 5ª.230.H
Medicamēta ex īſomniis turpiter ſe accipe ꝑfitētes.de th.ad Pi. 5ª.90.E
Medicamentum ſomnians quidam didicit, à Deo monitus per quietem. 11°.de ſimp.me.fac. 5ª.78.B
Medicamenta Deorum manus.6°.de comp.me.ſe.lo. 5ª.173.B
Medicamēta à fortuna ſe accipe turpiter ꝑfitētes.de the.ad Pi. 5ª.90.E
Medicamentis quæ fortuna adminiſtrat.de venæ ſec.aduer.Era. 6ª.7.G
ad Medicamentorum copiam parandam quātum valeat rationalis methodus.6°.de comp.me.ſe.lo. 5ª.166.G
Medicamentum per rationem inuentum præſtat illi, quod per experientiam eſt inuentum.6°.de comp.med.ſec.lo. 5ª.166.G
q̃ Medicamētorū rō fuerit apud Aegyptios p̄ter herbas.intr. Iſa.50.G
Medicamenta qūo experiētia inuenit Gal.4°.de cōp.me.ꝑge. 5ª.239.H
Medicamentum ad Lapidem in fine Menſis Maii, & in principio Iunii, de cura lap. Sp.112.A
Medicamentum ad lapidem extrahendum.de cura lap. Sp.112.B
Medicamentum ad lapidem.ſeccetorum. Sp.102.D
Medicamenta qūo Lauantur & dealbantur.2°.de ſimp.med.fa. 5ª.12.H

Medicamenta quæ

Medicamenta q̄ aquę miſceri nō patiunt̄, lauant̄. 2°. de ſimp. m. f. 5ª.12.H
Medicamenta quæ excalfieri & fundi ſuſtinent, lauanda, & quo modo. 2°. de ſimp. med. fac. 5ª.13.A
Medicamentis morſum tollit lotio. 6°. meth. med. 7ª.38.C
Medicamenta laxātia qd faciūt particulis. 1°. de cōp. me. per g. 5ª.212.D
à Medicamentis non habentibus adſtringentia, partes effœminantur. 1°. de comp. med. per gen. 5ª.212.C
Medicamenta ad Lepram. intro. Iſa.58.B
Medicamenta ad Leucen. intro. Iſa.58.B
Medicamenta ad Lienem. intro. Iſa.57.H
Medicamenta Liquida minus moleſta vulneribus. 3°. de compoſitio. medicamentorum per genera. 5ª.231.A
Medicamenta Localia eſſe, id eſt quæ à particularibus ducant membris, certum. de cathart. Sp.94.H
de Medicamentis ſecundum locos ante methodum compoſuerat Galenus. 14°. meth. med. 88.G/2°. de arte cura. ad Glau. 7ª.107.G
Medicamento, vel ſectione, vel vtroq; primo præparandum eſt corpus. 4°. de compo. medic. per ge. 5ª.236.C
Medicamenta varia quo modo ſint applicanda in affectibus diuerſis. 7°. de compo. med. per ge. 5ª.264.C
Medicamentorū applicandorū vis quanta eſſe debeat. 3°. de tem. 1ª.25.B
Medicamentum an parti nudatę, vel alteri imponendum. 3°. de comp. medic. per gene. 5ª.228.D
Medicamentum non dimittendum, etiam ſi per multos dies agere non videatur. 1°. de compoſi. medica. per gene. 5ª.212.B
Medicamentum applicatum vbi mutare volueris, primo partē oleo ſimplici lauato. 7°. de comp. me. per ge. 5ª.264.C
Medicamenta vario modo, æſtate, & hyeme applicanda. 2°. de arte cur. ad Glauconem. 7ª.101.G
Medicamentum ad Lumbricos latos. intro. Iſa.58.A
Medicamentū Macedonicū p̄ phlegmone in adenibus. 13°. me. m. 7ª.81.B
Medicamentum Macedonicum ad cruſtas excidentes. 2°. de arte curati. ad Glauconem. 7ª.107.B
Medicamētum Machærionis, cruſtas optime diſrumpit. 2°. de arte cur. ad Glauconem. 7ª.107.B
Medicamenta Media quæ ſint. 8°. de compo. med. ſec. loc. 5ª.195.E
Medicamenta media qualia. 7°. de compo. medicamen. ſec. loc. 5ª.179.H
Medicamenta media q̄uo componatur. 6°. de comp. me. ſec. lo. 5ª.168.B
Medicamenta Mediocria ad materias craſſas atrabilarias. 14°. methodi medendi. 7ª.89.H
Medicamenta ad Melācholiā educēdā. de mel. ex G. R. & Po. Sp.110.A
Medicamenti melini confectio. 2°. de comp. me. per ge. 5ª.222.G/H
Medicamentum vnum quo modo altero melius ſit. 6°. de compo. medicamen. per gen. 5ª.170.C
Medicamētorū nō pōt dici alio potius. 7°. de cōp. me. per gen. 5ª.264.H
Medicamenta Metallica Galenus collegit quę ſatis eſſent in vita ſua, cū in Syriam nauigauit. 9°. de ſimp. me. fa. 5ª.69.B
Medicamenta ex metallis ad neruos vulneratos. 3°. de comp. medicamētorum per gen. 5ª.232.B
Medicamenta quo ordine ingrediantur in metallicorum ſimplicia. 2°. de comp. medi. per ge. 5ª.223.H
Medicamenta miſta cur inuenta. 8°. de ſimp. me. fa. 5ª.188.A
Medicamenta quomodo miſcenda. 6°. de comp. me. ſe. lo. 5ª.173.C
Medicamenta q̄uo cōficiēda vt bn̄ miſcēant̄. 4°. de cōp. me. p̄ ge. 5ª.239.C
Medicamenta miſta debent ſibi inuicem conſentire. quos purg. op. quib. med. & quo temp. 5ª.89.C
Medicamenta quo modo miſta faciāt qualitates æquales. 1°. de comp. medicam. per gen. 5ª.210.E
Medicamenta miſta reducuntur ad vnam tertiam formam per vnionē. de theria. ad Piſo. 5ª.94.C
Medicamentum idem quo modo alijs miſtum faciat diuerſos effectus. 1°. de comp. med. per gene. 5ª.211.E
ad Medicamenta cōparatio gemellorum ſimilium. 1°. de antid. 5ª.105.B
Medicamenta æſtate ſunt cōtēp̄anda oleo roſaceo. 6°. met. med. 7ª.38.E
Medicamenta hyeme ſunt cōtemperāda oleo ſabino. 6°. met. me. 7ª.38.E
Medicamenta Mitia, quæ. 4°. de comp. med. per ge. 5ª.238.G
Medicamenta mitigantia. 2°. de comp. med. per ge. 5ª.220.D
Medicamenta moderata quæ ſint. 6°. de comp. med. ſec. loc. 5ª.176.G
Medicamēta mitiora exigūt mollia corp̄a. 7°. de cōp. med. p̄ ge. 5ª.268.G
Medicamēta mollificantia ſcirrhum. 2°. de arte cur. ad Glau. 7ª.103.H
Medicamenta debent eſſe molliora hyeme, duriora æſtate. 7°. de compo. medic. per gen. 5ª.268.F
Medicamentum quibus molliendum. 4°. de comp. med. per ge. 5ª.238.G
Medicamēti Molochini cōficiendi modus. 2°. de com. me. per g. 5ª.220.H
Medicamentum Morſus expers vlcus purum ſeruat. 2°. de comp. medicamen. per gen. 5ª.227.A
Medicamentum Muſæ. 5°. meth. med. 7ª.34.B
Medicamentum Muſæ ad quæ valeat. 5°. meth. med. 7ª.34.B
Medicamenta ad Neruorum reſolutiones extrinſecus. intro. Iſa.58.A
Medicamentum ad neruos vulneratos odoratum & ſumptuoſum. 3°. de comp. med. per gen. 5ª.234.E
Medicamenti ad neruos pręciſos componendi ordo. 3°. de comp. medicamen. per gen. 5ª.234.B
Medicamentum ex Nitro, quo nullum vehementius in arte medica. 3°. de locis affectis. 4ª.15.H
Medicamenta ad Oculos extrinſecus. intro. Iſa.58.A
Medicamenta ad Opiſtothonos extrinſecus. intro. Iſa.58.B
Medicamentum non poteſt dici Optimum nec peſſimum, niſi per relationem. 2°. de comp. med. per gen. 5ª.219.C
Medicamētum optimum quodnam ſit. 1°. de comp. med. per gen. 5ª.215.C
Medicamentum optimum ad multas affectiones inuenire impoſſibile eſt. 8°. de comp. med. ſec. loc. 5ª.190.D
Medicamentorum Ordo. 7°. de compo. medica. ſec. loc. 5ª.269.H
Medicamentum confectum ex Origano & ſapa. de cucur. ſca. 6ª.4.E
Medicamentorum gradus ponit pro Oris affectibus. 6°. de compo. medicamen. ſec. loc. 5ª.171.F
Medicamenta q̄uo à Partibus denominata. 5°. de ſimp. med. fa. 5ª.38.D
Medicamentū quod in altū penetrat, quale. 3°. de cōp. me. p̄ ge. 5ª.228.D
Medicamenta aliqua cur non eunt in profundum. 3°. de temp. 1ª.23.A
Medicamenta, vt altius deſcendant, cutim frica, vt rubeſcat. 14°. methodi medendi. 7ª.93.D
Medicamenta facit celeriter tranſire mel. 4°. meth. med. 7ª.29.A
Medicamento aliquo cum volumus oſſa cranei pertranſire, quid agendum. 11°. meth. med. 7ª.73.E
Medicamēta q̄bus Galenus in Pectore p̄forato vtit̄. 5°. met. me. 7ª.33.C
Medicamentum Philippi. 7°. de comp. medic. ſec. loc. 5ª.184.G
Medicamen ex Plantis. 5°. de comp. med. per gen. 5ª.253.A
Medicamenta ad Podagras extrinſecus. intro. Iſa.58.B
Medicamen Polyſtomi ad Podagras. 6°. de comp. med. per ge. 5ª.261.F
Medicamentum ex Pompholyge in roſaceo pro neruo detecto. 6°. methodi medendi. 7ª.38.B
Medicamenti Potio facit aliquid albi apparere in oculis dormientium. com. 6°. aph. 52°. Ex.53.A
Medicamenti potio exiccat totum corpus, & vires debilitat. comm. 6°. aphoriſmo. 52°. Ex.53.A
ex Medicamenti potione conuulſio letalis eſt. cō. 6°. aph. 25°. Ex.53.A
Medicamentū epotum ſanat dolores oculorū. com. 6°. aph. 31°. Ex.49.C
Medicamenta Probata cur nolūt ſeq medici. 5°. de cōp. m. p̄ g. 5ª.224.A
Medicamenta eiuſdem generis quæ exiſtimanda meliora, ſtultū eſt quęrere. 6°. de comp. med. ſec. lo. 5ª.173.A
Medicamēta oīa reſpectu ad aliud dicuntur. 6°. de cōp. me. ſe. l. 5ª.173.A
Medicamenta omnia habent detrimentum & emolumentum. 6°. de compoſi. med. ſec. loc. 5ª.173.A
de Medicamentis iudicauit Galenus accerſitus à medicis. 6°. de comp. medic. ſec. loc. 5ª.173.B
Medicamenta omnia Profluuiorum non adſtringunt, contra Herodotum & Dioſcoridem. 1°. de ſimp. med. fac. 5ª.8.A
Medicamenta Profluuij capillorum quid agere debent. 1°. de compo. medica. ſecun. loc. 5ª.125.E/F
Medicamentum tendens ad pulmonem, per quot partes tranſeat. 2°. de arte cur. ad Glauco. 7ª.103.A
Medicamentum Purgans quid ſit. de fract. com. 3°. 7ª.242.D
Medicamentū purgans, ergo eſt ēt non purgans. c. 6°. aph. 47°. Ex.52.B
Medicamenta purgantia. intro. 57.H/ Iſa.58.A
de Medicamentorum purgantium facultatibus librum fecit Galenus. 13°. methodi medendi. 7ª.82.B
Medicamenta purgantia habent duplicem ſimilitudinem, vnam actu, aliam potentiam. 3°. de ſimp. medic. facul. 5ª.23.E
Medicamenta purgātia per ſeceſſum quæ, & qualia. de cathar. Sp.94.F
Medicamenta ſunt contraria naturis quæ purgātur. de vic. ra. in morb. acu. commen. 2°. 7ª.118.D
Medicamētū oē purgatoriū attrahit aliquē humorē. 2°. de elem. 1ª.9.D
de Medicamētorum attractione Aſclepiadis opinio. 2°. de elem. 1ª.9.B
de Medicamentorum ductione. 1°. de elem. 1ª.294.A

Medicamentorum diuer-

Medicamētorū diuerſitas rōne humorū et partiū corpis.d̄ cat.Sp.95.A
Medicamenta euacuant proprios humores.8°.de decr.Hip. 1ª.276.C
Medicamenta trahere proprium humorem oſtendunt ſuperfluę purgationes.2°.de elem. 1ª.9.E
Medicamentum trahens quo modo agat.de cathar. Sp.94.D
Medicamenta quomodo humores trahunt.de purg.med.fac. 5ª.86.H
Medicamenta trahentia quos humores per ordinem trahant. 3°. de ſimpli.medic.facul. 5ª.23.G
Medicamentum omne primo trahit humorem ſibi peculiarem. de atra bile. 1ª.36.B
Medicamentum primum erodit proprium humorem,poſtea alios,ſed primo eos,qui facilius ducuntur.de nat.hu.com.1°. 1ª.31.F
Medicamento vnicuique ineſt quædam potentia naturalis attractiua.2°. de elem.1ª.9.H/de ther.ad Piſ. 5ª.90.G
Medicamenta purgantia ſunt familiaria humoribus quos purgant.3°.de ſimp.med.fa. 5ª.23.D
Medicamenta trahunt ob familiaritatem.5°.de ſim.med.fa. 5ª.37.E
Medicamenta purgantia ſunt efficaciora humoribus quos purgant, vt magnes ferro.3°.de ſimp.me.fac. 5ª.23.D
ad Medicamētum cōparatio rerum quæ attrahant.de cathar.Sp.94.H
Medicamenta q̄uo trahunt à partibus longinquis.de cathar. Sp. 94.H
Medicamenta promptius à propinquiori purgant.4°.met.me. 7ª.28.C
Medicamenta quæ aquam trahunt,qualia ſecundum antiquos. de purg. med.fac. 5ª.86.H
Medicamenta bilem flauam & atram educentia,qualia eſſe debent. de purg.med.fac. 5ª.86.H
Medicamentum purgatorium melancholię.de dyna. Sp.24.E
Medicamēta ſuo cuiq; humori propria ſunt danda,aliter non conferunt, ſed lędunt.de atra bile. 1ª.37.E
Medicamentum à tota ſubſtantia agens non à qualitate.8°.de cōpoſi.medica.ſec.loc. 5ª.195.G
Medicamenta quæ tota ſubſtantia educunt.de ther.ad Piſ. 5ª.90.F
Medicamento & iecori quo modo idem os & oſtium diuerſis temporibus deſeruit.3°.de nat.fac. 1ª.306.C
Medicamento euacuatur plenitudo.de venæ ſect.aduer.Eraſ. 6ª.19.A
Medicamenta quo modo euacuent tardius, & citius diuerſos humores. de vic.ratione in mor.acutis,commentario.2°. 7ª.118.B
Medicamenta quę longo tempore agunt,cur ſunt in vſu medico.4°.de cōpo.med.ſec.loc. 5ª.150.B
ad Medicamentum exhibendum intentiones.com.4°.aph.2°. Ex.27.F
Medicamenta non omnibus conueniunt.4°.de ſan.tuen. 2ª.83.A
Medicamentum vnum non poteſt omnibus conuenire,ſed oportet mediū eſſe.2°.de comp.med.per ge. 5ª.218.H
Medicamentum idem omnibus hominibus non conuenit,quia multū differunt.3°.de comp.me.per gen. 5ª.232.D
Medicamentum vnum non poteſt omnia curare,ſed bene duo.4°.de compo.medicamen.per gen. 5ª.235.H
Medicamenta duo contraria facultatibus debent haberi in omni affectu. 6°.de comp.med.ſec.lo. 5ª.173.B
ex Medicamentis duobus contrarijs vni affectui, fit medicamentū optimum illi affectui.6°.de comp.medicamen. ſec.lo. 5ª.176.H
Medicamenta & antiqui dabant per contrariam naturam.11°.de ſimpl. med.facul. 5ª.82.A
Medicamēta quæ indigent cōtrarijs.1°.de comp.med.per ge. 5ª.210.D/E
Medicamento purgari quibus conuenit.com.6°.aph.47°. Ex.52.B
Medicamenta quando danda, & quomodo ſint præparandi, qui ea accipere debent.com.1°.aph.24°. Ex.10.G
Medicamentum dabat Galenus, & ſanguinem mittebat non expectata coctione.11°.de ſim.med.fac. 5ª.78.A
Medicamenta exhibendi tempus.introd.Iſa. 58.A/ 6°.meth.med.37.C/ 11°.7ª.70.A/de ſper. Sp.39.G
Medicamentum q̄n debeat dari, & quando non.c.1°.aph.22°. Ex.10.C
Medicamentum dandum in humorum corruptela.quos purg.op.qui.me. & quo temp. 5ª.88.B
Medicamentum nihil efficit,natura ad vrinam vergente. quos purg.op. quib.med.& quo temp. 5ª.89.B
Medicamentum ne prebeto,cum vrinæ ſunt à principio tenues. de vrinæ ſignificatione ex Hipp. Sp.79.A
Medicamētis generoſis ne vtaris,q̄n moriunt̄ ægri.12°.met.me.7ª.75.H
Medicamentum non valet,niſi in tempus debitum, & in temperaturis conuenientibus.de med.exper. Sp.106.F
Medicamenta nihil ſunt niſi eorū vſus ſit rect⁹.6°.de cō.me.ſ.l.5ª.173.B
Medicamenta non agūt,niſi medicus dextre vtatur.6°.me.me.7ª.38.A
Medicamentorum dexter vſus,qualis.6°.meth.me. 7ª.38.A
Medicamenti vi morbi qui ſanantur in principio, carent reliquis tribus temporibus.de opt.ſecta. Iſa.29.D
Medicamenta quæ conueniunt in vno periodo ægritudinis, non conueniunt in alio.de ſper. Sp.39.H
Medicamina febrem quandoq; faciunt.1°.de diff.feb. 3ª.31.C
Medicamenta euitanda in acutis morbis,cum febre vehementiſſima. de vict.ratio.in mor.acu.com.2°. 7ª.118.B
Medicamenta non exigit febris,cur tamen in febre exhibeantur, cū ſint calida.quos purg.op.quib.med.& quo temp. 5ª.88.G
Medicamentum etſi calidum ſit, & febris calida, tamen fit maius iuuamētum ex ipſo,licet contraria ſit caliditas.com.1°.aph.24°.Ex.10.F
Medicamentum nullum forte exhibendum in quartana febre. de arte cura.ad Glauco. 7ª.97.F
Medicamenti quantitas ignoratur.de cur.ra.per ſang.miſſ. 6ª.18.H
Medicamentum purgatorium q̄uo dari debet.com.2°.apho.8°. Ex.12.A
Medicamentum quo modo debes dare,cum ignoras naturam ęgri. de victus ra.in mor.acu.com.2°. 7ª.118.C
Medicamenta ſciri non poſſunt ignorata corporis ægrotantis intemperie.2°.de nat.fac. 1ª.301.B
Medicamenta aliqua cur intro ſumpta maximum faciunt malum, non extra.3°.de temp. 1ª.23.A
Medicamenta aliqua cur intro ſumpta quandoq; lædunt,quandoq; proſunt.3°.de temp. 1ª.23.A
Medicamenta intro ſumpta tempore,quantitate,mixtura,conferunt, intempeſtiue lædunt.3°.de temp. 1ª.23.B
Medicamenta omnia aliquid mali faciūt pręter Caſtoreum.11°.de ſimpl. medicamen.facul. 5ª.80.D
Medicamēta aliqua cur ītus et extra applicata lędūt.3°.de tēp.1ª.23.A
Medicamenta purgantia ventriculum lędunt, & potiſſimum os eius, & cur.quos purg.op.quib.med.& quo temp. 5ª.89.C
Medicamenta purgantia omnia,os ventris, & ventrem lædunt.de vict. ra.in mor.acu.commen.2°. 7ª.118.A
Medicamentum anteq̄ exhibeatur,quando primo os ventriculi roborandum.1°.de arte cur.ad Glau. 7ª.98.B
Medicamentum quo modo non lædat os ventriculi.de vict.rat.in morb. acu.comm.2°. 7ª.118.D
Medicamenta illa danda ſunt, quæ ſi non proſint,ſaltem non obſint. 1°.de compo.medicamentorum per gen. 5ª.216.C
Medicamenta p̄p q̄d inſuauia ſint.de vic.ra.in mor.acu.c.2°. 7ª.118.A
Medicamenta non debent eſſe inſuauia.6°.de comp.med.ſe.lo.5ª.167.A
Medicamenta inſuauia quid faciant & quibus corrigantur.1°.de comp. medi.per ge. 5ª.210.F
Medicamenta debent fieri iucundiſſima ſed ſeruata eorum virium vtilitate.4°.de ſan.tuen. 2ª.86.F
Medicamentum quomodo iucundum dicatur.4°.de ſimp.med.fa.27.A/ 7°.de comp.medic.ſec.loc. 5ª.182.E
in Medicamentis cur ponatur odor.8°.de comp.me.ſe.loc.5ª.190.B/ de vic.rat. in morbis acutis,commen.2°. 7ª.118.A
Medicamentis quæ miſcenda,vt ventriculus non euertatur propter malum ſaporem.3°.de ſimp.med.fac. 5ª.20.C
Medicamentis purgantibus cur olentia admiſceātur, & qualia olentia. quos purg.op.quib.med. 5ª.89.C
Medicamentis purgantibus quæ ſint miſcenda odorata aromata. 8°.de compo.medica.ſecun.loc. 5ª.190.B
in Medicamentis quid agat Aloe.de med.exper. Sp.104.B
Medicam̄eta purgantia ſunt cacoſtomachica p̄ter aloē.de dyn.Sp.20,H
in Medicamentis quid valet Aniſum.de med.exper. Sp.104.B
Medicamentis cur miſceantur aniſum,apium, & abſinthium.8°.de compo.med.ſec.loc. 5ª.190.B
in Medicamentis quid,agat Cinnamomum.de med.exper. Sp.104.A
Medicamenta cum carne mali cydonij quandoq; exhibebātur. 3°.de ſimpli.med.fac. 5ª.20.C
in Medicamentis,quid valet Gariophilum.de med.exper. Sp.104.B
in Medicamentis,quid valet Maſtiche.de med.exper. Sp.104.B
in Medicamentis,quid valet Spatana.de med.exper. Sp.104.B
in Medicamentis,quid agat Spica nardi.de med.exper. Sp.104.B
poſt Medicamentum aliquid edendum.quos purg.op.qui.me. 5ª.89.B/ de vict.rat.in mor.acu.com.2°. 7ª.118.D
poſt Medicamētum cur edendū.de vict.rat.in mor.acu.c.2°. 7ª.118.D
Medicamenta quæ ſumi non poſſunt poſt cibum.4°.de ſan.tu. 2ª.86.F

Medicamentum ſi euacuat nigra non malum.com.4°.aph.21°. Ex.29.E
poſt Medicamentum cur ptiſſana.de vic.ra.in mor.acu.cõ.2°.7ª.118.E
in Medicamentis quidam alterantur.1°.de præſag. ex pul. 4ª.105.B
Medicamenta in quo genere alterationis ſint.3°.de ſimp.med.fa.5ª.17.D
in Medicamento pulſus auctus quo modo cognoſcitur, & quo modo differat ab acceſſione.1°.de præſag.ex pul. 4ª.105.B
Medicamẽto excellẽtior ſanguinis miſſio cur.de cu.ra.ꝑ ſan.mi.6ª.18.H
Medicamẽto ſecurior eſt venæ ſectio.de vic.ra.in mor.ac.c.2°. 7ª.118.C
Medicamentorum periculum vnde ſit.de venæ ſect.aduer.Eraſ. 6ª.7.G
Medicamentis quibus confidendum.1°.de cõpo. medica.ſec.lo. 5ª.128.F
Medicamentum quando potius adhibendum, quàm venæ ſectio, & è cõuerſo.2°.de comp.med.ſec.lo. 5ª.136.H
non per Medicamentum ſed per ſectionem venæ minorationem materiæ fieri debere collige.11°.meth.med. 7ª.72.D
Medicamenta ad Pus extrinſecus.introd. Iſa.58.A
Medicamentum pus mouens quale.5°.de ſimp.medic.fac. 5ª.33.D
Medicamenta mouentia pus per halitum digerunt humorem. 5°.de ſimpli.med.fac. 5ª.33.B
Medicamentum mouens pus & indurata emolliens diuerſum eſt in homine temperato.5°.de ſimpli.medicamen.fac. 5ª.33.D
Medicamẽta faciẽtia pus ĩ vlcerib.ſunt ſecura.c.5°.aph.22°. Ex.39.D
Medicamẽta ad Puſtulas ĩ ſumma cute exiſtẽtes extrinſec⁹.intr.Iſ.58.B
Medicamina aliqua habent vim Putrefaciendi.de cauſ.mor. 3ª.9.D
Medicamẽtum factum extemplo ad putredinem in neruo vulnerato.6°.methodi meden. 7ª.37.F
Medicamẽta Qualitatis expertia quæ.4°.de comp.med.ſe.lo. 5ª.150.A
Medicamẽtorũ qualitates quatuor diſtinctę.1°.de cõp.me.ꝑ ge. 5ª.210.C
in Medicamentis multæ diuerſi generis miſtæ ſunt ſubſtantię.3°.de ſimpli.med.fac. 5ª.23.B
Medicamẽta conſideranda an Rara vel denſa.1°.de ſimp.med.fa. 5ª.4.F
Medicamẽtũ Recens quod inualidũ eſt.8°.de comp.med.ſec.lo.5ª.197.H
Medicamentum quo vti non debemus cum eſt recens. 7°.de compo.medicam.ſec.loc. 5ª.183.C
Medicamẽta Relaxãtia quę vocentur.7°.de comp.me.per ge. 5ª.267.F
Medicamenta ad Renes affectos.introd. Iſa.57.H
Medicamenta optima quæ Repercutiunt ac digerunt.9°.de ſimp.medicamen.facult. 5ª.67.H
Mèdicamenta Reprimentia extrinſecus.intro. Iſa.58.A
Medicamenta reprimentia in principio cur Galenus habuit ſuſpecta in doloribus oculorum.com.6°.aph.31°. Ex.49.F
Medicamenta Repurgantia extrinſecus.intr. Iſa.58.A
Medicamentum Rhodianum.1°.de compo.medica.per gen. 5ª.217.B
Medicamenta Salubria vocata quæ tenuandi vim habẽt cur inuenta. de boni.& vitio ſuc. 2ª.34.F
Medicamentis ſalubribus eſt opus nõ modo cibo probato & innoxio, cui negocia & occupationes ſunt impedimẽto, vt ante cibum exerceri nõ poſſit, & cibũ aptis tẽpibus ſumere.de bon.& vitio ſucc. 2ª.34.D
Medicamentum ex Sandice.14°.meth.med. 7ª.92.F
Medicamentum optimum ad ſanguinem ſupprimendum. 5°.methodi medendi.30.H| 7ª.31.B
Medicamenta quę ſint ſatis in ſanguinis ſpuitione.5°.met.med. 7ª.33.A
Medicamenta multi Seminis, quæ.5°.de ſimp.med.fac. 5ª.38.C
Medicamenta ſimul & cibi multi ſeminis.5°.de ſimp.med.fa. 5ª.38.C
Medicamenta verſibus ſcribere probat Galenus.1°.de anti. 5ª.102.C
Medicamenta omnia verſibus ſcripſit Democrates.1°.de anti. 5ª.102.C
Medicamenta verſibus ſcripta quid melius habeant alijs. 1°. de compo.med.per ge.217.F|5°.250.F|7°.267.C| 5ª.268.A
Medicamẽta verſibus ſcripta nõ pñt alterare doſim.1°.de ant.5ª.108.A
Medicamentis non notis ponderum, ſed integris vocabulis eſſe ſcribẽda voluit Menecrates.1°.de anti.102.C| 5ª.104.A
Medicamentorum ſcriptores.3°.de comp.me.per ge. 5ª.234.H
de Medicamentis qui egregie pertractarunt.2°.de compoſitione medicamentorum per genera. 5ª.222.A
de Medicamentis qui ſcripſere.7°.de comp.med.ſec.loc. 5ª.178.B
Medicamẽtorũ vt librũ fecit Archigenes.4°.de cõp.me.ꝑ ge.5ª.242.D
de Medicamentis librum fecit Crito.1°.de antid.110.A|2°.de comp.medi.per ge.233.E|6°. 5ª.256.H
de Medicamẽtis librũ fecit Heras.2°.de comp.med.ſec.lo.140.A|6°.168.C|7°.de cõp.me.ꝑ ge.265.C|5ª.272.G|14°.meth.med. 7ª.92.H
Medicamentorum promptuarium inſcriptum librum fecit Heras.1°.de compo.medic.per ge. 5ª.214.D
Medicamenta ſunt tradita in tractatibus curatiuis ab Hippocrates.6°.de ſimp.med.fac. 5ª.39.H
de Medicamentis exacte artẽ fecit Hippocrates.de the.ad Pi.5ª.91.A
Medicamentorum cognitionem primi tradidere Mantias & Heraclides.2°.de compoſi.medica.per gene. 5ª.222.A
de Medicamentis librum fecit Theſſalus.4°.meth.me. 7ª.25.G
de Medicamentis intra corpus aſſumendis liber Andromachi.2°.de antidotis. 5ª.114.A
de Medicamentis librum antecedere debet liber de inæquali intemperie, & poſt librum de medicamentis ſequi debet liber de methodo medendi.de inæq.intemp. 3ª.44.H
Medicamenta apud medicos expertos cur ſcripſit Galenus. 1°.de comp.med.ſecun.loc. 5ª.124.A
Medicamẽta quæ à ſcribẽte cõſiderãda.6°.de comp.me.ſe.loc. 5ª.175.E
Medicamenta Simplicia quæ à Græcis apla vocantur.de cath. Sp.95.A
Medicamentum ſimplex quid.de ſimp.med.fa. 5ª.2.C
Medicamenta qũo dicunt̃ ſimplicia.in 6ᵐ.de morb.vul.c.5°. 3ª.194.C
Medicamenta quæ ſimplicia videntur, ſunt compoſita. 3°.de ſimpli.medicamen.facul. 5ª.19.H
de Medicamentorum ſimplicium facultatibus librum ſequitur liber de componendis medicamentis.7°.de ſimpli.med.fac. 5ª.55.G
Medicamẽta habet vbiq; qui ſimplicia nouit.6°.de cõp.me.ſ.l.5ª.167.E
Medicamenta eligenda quæ ex paucioribus, & paratu facillimis ſimplicibus componuntur.2°.de comp.med.per gene. 5ª.220.D|E
Medicamentum non eſt conſiderandum, quale ſit, ſed qualiter non afficiat.1°.de ſimp.med.fac. 5ª.9.B|C
Medicamenta ad hominem ſunt referenda, quid videlicet agant in hominem, non autem quid in ala animalia.2°.de ſimp.med.fa. 5ª.14.H
Medicamenta ſemper ſunt referenda ad temperatum hominem. 9°. de ſimp.med.fac. 5ª.69.F
Medicamentum quod ex Sinapi conſtat.de cucur.ſcar. 6ª.4.E
Medicamentum ex ſinapi pro comitiali.3°.de lo.aff. 4ª.19.H
Medicamentum vehementiſſimum ſinapiſmus.3°.de loc.aff. 4ª.15.H
Medicamenta facile deſcendunt ad Stomachum & ad ventrem. 7°.de compo.medicamento.ſec.loc. 5ª.184.A
Medicamenta ad os dicuntur ſtomatica.6°.de comp.me.ſec.lo.5ª.166.H
Medicamenta ſtomatica.intro. Iſa.57.H
in Medicamentis ſtomaticis, in quibus, & hoc, & illud ponitur conſiderare oportet quid redundet.6°.de comp.me.ſe.lo. 5ª.170.D
Medicamentum ex ſuccis appellatum diachylon ad phlegmone. 7°.de cõpo.med.per gen. 5ª.268.A
tanquã Medicamentum temperatum eſt oleũ.2°.de ſimp.me.fa. 5ª.15.E
Medicamenta temperamento vicina, quæ.de ocul. 7ª.189.B
Medicamẽta temperamẽtia quo modo agant.2°.de ſimp.me.fa. 5ª.12.D
Medicamentum Tenax nullum auferendum prius q̃ ſua ſponte abſcedat. 7°.de comp.med.per gen. 5ª.264.C
Medicamenta tenacia etiam ſi laueris permittenda ſunt. 7°.de compoſi.medic.facul. 5ª.264.C
Medicamenta Tenuantia quid agant.de bon.& vit.ſuc. 2ª.34.F
Medicamenta tenuantia hñt vim calefaciẽdi.de bon.& vi.ſuc. 2ª.34.F
Medicamentis tenuantibus ſi quis vberius vtatur efficiunt ſanguinem vel bilioſum, vel ſeroſum, vel melancholicum, procedente tempore. de bonita.& vitio ſucc. 2ª.34.F
Medicamenta Tenuia, quæ in totum corporis halitum maxime digeruntur.4°.de ſan.tuen. 2ª.86.D
Medicamenta ad Tetanos extrinſecus.introd. Iſa.58.B
Medicamentum ex Thapſia pro comitiali.3°.de loc.aff. 4ª.16.H
Medicamentum temperie habens Theriacę.ſecretorum. Sp.101.G
Medicamenta ſi debeant deferri ad Thoracem, & pulmonem, quæ exigant.7°.de compo.med.ſec.loc. 5ª.184.B
Medicamenta Trigωna.12°.meth.med. 7ª.75.C
Medicamenta ad Tuſſim.introd. Iſa.57.H
Medicamenta omnia non ſunt Venenoſa.3°.de ſimp.med.fac. 5ª.23.C
Medicamentum venenoſum, & nutrimentum quo modo differant. 3°.de naturalibus facultatibus. 1ª.304.A
de Medicamẽtis letalibus nõ eſt locutus Galen.10°.de ſim.m.f.5ª.72.E
Medicamentorum duo genera quę venena ſunt, & quid agãt in corpus. 2°.de temperamen. 1ª.22.D
Medicamenta, quę non purgant, in venenum mutantur.quos purg.opor. quib.med.& quo temp. 5ª.89.B
Medicamenta dans ſi interimat à Solonis legibus mulctantur. in progn. comment.4°. 4ª.189.G
aduerſus Medicamenta letalia ante, et poſt exhibita, terra lẽnia valet. 9°.de ſimp.

9°.de ſimp.me.fac. 5ª.65.D
Medicamenta contra venena qualia.5°.de ſim.med.fa. 5ª.36.F
Medicamenta contra venena,lædunt corpus largius ſumpta.5°.de ſimpli.medic.facul. 5ª.36.H
ad Medicamenta pernitioſa.de medic.fac.par. 7ª.179.C
ad Medicamenti venenoſi potum.de med.fac.par. 7ª.199.C
Medicamentum exugit vt cucurbitula theriaca.de ther.ad Pi.5ª.96.G
Medicamenta aduerſus Veſicæ calculos.intro. Iſa.57.H
Medicamenta ad vlcera veſicæ.introd. Iſa.57.H
Medicamēta oīa Vetuſta ſunt fugienda.1°.de cōpo.med.ſec.loc.5ª.122.C
Medicamentum ex Viperis contra ictū viperarū.3°.de lo.aff. 4ª.19.H
Medicamentum ictibus viperarum imponendum.2°.de anti.5ª.118.F/G
Medicamenta Viridia.de frac.com.3°. 7ª.242.E
Medicamentum viride.5°.meth.med. 7ª.33.A
Medicamenta viridia ſunt acriora.2°.de arte cur.ad Glau. 7ª.105.H
Medicamentum Viſcidiſſimum eſt veratrum.de ſimp.med. Sp.91.G
Medicamentum vlcus facere potens quomodo agat.cont.Iul. Ex.70.G
Medicamēta quādo in vlcere danda.4°.de comp.med.per ge. 5ª.237.B
Medicamenta q̄uo ponant ſupra vlcera.4°.de cōp.me.per gen.5ª.238.E
Medicamentum Vomitorium.de dyn. Sp.27.F
Medicamenta purgantia per vomitum,quę,& qualia.de cath.Sp.94.F
Medicamentum prouocans Vrinam.de med.exper. Sp.105.D
Medicamentorum Vſus,qualis.5°.de ſimp.med.facul. 5ª.31.G
in Medicamēto vno quæ dicta ſunt ad alterius exemplum trahit.6°.de comp.med.ſec.lo. 5ª.169.E
Medicamento vno omnibus mederi poſſe putabat quidam.3°.de compo.medicamen.per gen. 5ª.234.D
Medicamenta multa ingrediuntur,& in multo vſu ſunt,quæ non multū à medio recedunt.7°.de ſim.med.fac. 5ª.53.A
Medicamēta q̄dā partes corporis priuatim vitiāt.de the.ad Pi.5ª.91.A
Medicamentorum vſus ſm tempora.6°.de comp.med.ſec.loc. 5ª.169.F
Medicamentorum variatio ſecundum ætates,& temperaturas.7°.de comp.medicamen.ſec.loc. 5ª.181.B
Medicamenta alia expetunt ætas frigida,& tempus hyemale.1°.de cōpoſi.medica.ſec.loc. 5ª.125.G
Medicamentum debet reſpondere proportione affectui.1°.de compo.medicamentorum per gene. 5ª.210.E
Medicamenta augenda,& minuenda pro affectus ratione.6°.de comp.medic.ſec.loc. 5ª.169.D
Medicamenta quo modo morbos ſanent.3°.de morbis vulgaribus,commentario.5°. 3ª.187.H
Medicamenta ad Vuluam.intro. Iſa.57.H
Medicamentis ſanare pulchrius,incidere vero promptiſſimum eſt.4°.methodi medendi. 7ª.25.C
Medicandi ratio antiqua vocata ab Aſclepiadę mortis meditatio.de venæ ſect.aduer.Eraſ. 6ª.6.G
MEDICATIO, & purgatio quomodo differunt.commenta.2°.aphoriſmo.37°. Ex.17.G
Medicatio ex quibus fiat.7°.meth.me. 7ª.43.G
Medicationis modum vnum eſſe oporteret ſi homo eſſet vnum & doleret.1°.de elem. 1ª.3.H
Medicatio quibus varietur.de ren.aff.dig.& med. 7ª.194.G
Medicationem quæ etiam varient.de ren.aff.dig.& me. 7ª.194.G
Medicationes difficiles ſub cane,& ante canem.cō.4°.aph.5°.Ex.28.A
Medicatio,lege purgatio.com.4°.aph.5°. Ex.28.A
MEDICATIVO ſi quis per diuiſionem conſeruatiuam opponat cognatorum oppoſitionem facit.ad Thraſ. 2ª.108.F
Medicatiuæ artis diuiſiones multæ.de part.art.med. Sp.16.D
Medicatiuæ partes primæ,propriæ,& maximæ quę.de partibus artibus medicinæ. Sp.17.H
MEDICATORIAE indicationes quot,& vnde ſumantur.9°.methodi medendi. 7ª.59.G
MEDICATRINA libri inſcriptio.de ijs,quæ in me.fi.com.1°.7ª.200.E
de Medicatrina libri auctor.de ijs,quę in me.fi.com.1°. 7ª.200.E
de Medicatrina liber cuius ſit Hippocratis.de frac.com.1°. 7ª.223.F
de Medicatrina librum pręcedit liber de fracturis,& de articulis.de ijs,quę in med.fi.com.3°. 7ª.219.F
Medicatrina Hippocratis ante omnes collegios Hippocratis legenda.de ijs quæ in me.fi.com.1°. 7ª.197.E
Medicatrinam Hippocratis commentati ſunt Bacchius,& Aſclepias.de ijs,quę in me.fi.com.1°. 7ª.197.F
ad Medicatrinam inſpectantibus maximam vim habet conſuetudo.de ijs,quæ in med.fi.com.1°. 7ª.217.F
MEDICATRIX pars ars corporis.ad Thraſ. 2ª.107.C
MEDICINA, quid.fin.me.Iſa.43.D/ad Thraſ.2ª.102.A/11°.methodi medendi. 7ª.71.C
Medicinæ alia diffinitio.ad Thraſ. 2ª.102.F
Medicinæ diffinitio Hippocratis.de opt.ſect. Iſa.21.C
Medicina,quid ſit ex Hippocratis ſententia.intro. Iſa.51.G
Medicinæ diffinitio ſecundum Herophilum in principio artis paruæ poſita à Galeno.de ſubſ.emp.intro. Iſa.32.A
Medicina quid apud Empiricos.de ſect. Iſa.16.B
Medicina ſecundum methodicos.quæ.de op.ſect. Iſa.26.B
Medicinæ diffinitio per finem.ad Thraſ. 2ª.102.B
Medicina quarum ſit ſcientia rerum.ars me. Iſa.62.A
Medicina ars nobilis.in oratione ſuaſ. Iſa.5.G
Medicina præſtantiſſima cæterarum ſcientiarum.in orat.ſuaſ. Iſa.5.G
Medicina reliquas artes præcedit.1°.metho.med. 7ª.3.B
Medicina grauis ars vt facetijs vti nō debeat medicus.3°.de ſa.t.2ª.81.B
Medicina neceſſaria eſt.1°.de ſan.tu. 2ª.62.D
Medicina perfecta diuina inuenta ab Aeſculapio.intro. Iſa.50.G
Medicina cur inuenta.ad Thraſ. 2ª.106.C
Medicinę ars vnde excogitata.intro. Iſa.51.F
Medicina ad hominum ſalutem inuenta.fin.med. Iſa.43.B
Medicina ad vſum vitę confert.fin.me. Iſa.43.B
Medicinæ principium.intro. Iſa.50.H
Medicinæ principia tria inuentio,ratio,traditio.intro. Iſa.50.H
Medicinę amore cantabat Eraſiſtratus per ciuitates Hippocratis libros.de cathart. Sp.94.C
Medicina an ſit ſcientia,an ars.intro. Iſa.51.E
Medicina non eſt ſcientia.intro. Iſa.51.E
Medicina,an contemplatiua,an actiua,an factiua,an poſſeſſiua.de conſtitutione artis med. Iſa.36.E/F
Medicina inter effectiuas,aut acquiſitiuas,non inter actiuas,nec inter ſpeculatiuas artes numeratur.ad Thraſ. 2ª.106.D
Medicina eſt vna effectiuarum artium,non ſimpliciter,ſed vt reparatrix.de conſt.art. Iſa.42.G/H
Medicina eſt ars factiua.de conſt.ar. Iſa.36.E
Medicinę opus poſt actionem perdurat.intro. Iſa.51.F
Medicina non format ſuum exemplum.de conſt.art. Iſa.42.H
Medicinam appellari artem male habentia corpora curantem nemo negat.ad Thraſyb. 2ª.107.B
Medicina,& ars tuendæ ſanitatis,idem.3°.de ali.fac. 2ª.30.A
Medicina quo modo vna ars,& quo modo plures.ad Thraſ. 2ª.105.B
Medicina eſt ars coniecturalis.introd. Iſa.51.F
Medicina coniectura artificioſa eſt.com.1°.aph.12°. Ex.5.B/C
quod Medicina ſit ars quædam cōiecturalis docere Hippocratē in principio aphoriſmorū habet pro incōuenicti Galenus.c.1°.ap.1°.Ex.2.E
Medicina eſt ars,non coniecturalis,ſed ſcientifica.2°.de compo.medicamen.ſecun.loc. 5ª.136.A
Medicina minus pręſtans quàm Theologia.17°.de vſu par. 1ª.222.D
ad Medicinā mechanicarū artiū cōparatio,et diuiſio.ad Thr.2ª.106.G
Medicina perinde eſt vt ars veſtium arctoria.ad Thraſ. 2ª.106.D
Medicinæ diuiſio.ad Thraſ. 2ª.106.G
Medicinæ variæ partes.de part.art.med. Sp.16.E
Medicina diuiditur in cōſtitutiuas,et finales partes.de ſub.emp. Iſ.31.H
Medicinæ maximæ,& primæ partes,quæ.de part.art.med. Sp.17.F
Medicinæ duæ partes contemplatiua,& actiua.fin.me. Iſa.48.A
Medicinæ partes duæ,vna ad tuendam ſanitatem,altera ad morbos profligādos.1°.de ſan.tu.62.C/ad Thraſ. 2ª.109.E
ad Medicinam pertinet pars tuendæ ſanitatis.ad Thraſ. 2ª.109.E
Medicinæ tres partes.ad Thraſ. 2ª.106.E
Medicinæ tres eſſe partes nemo eſt qui neget.ad Thraſ. 2ª.107.B
Medicinæ tres partes inſtauratrix,pręcautrix,conſeruatrix.de conſtitutione artis. Iſa.42.C
Medicinę quinq; partes,naturæ indagatrix,cognitrix affectuum,victus inſtitutrix,materialis,& curatrix.fin.med. Iſa.48.A
Medicinæ partes quinq; φισιολογικόν,αιτιόλογικόν,ſeu παθολογικόν,ὑγιεινὸν,σημειωτικὸν,& θεραπευτικὸν.intro. Iſa.51.H
Medicinæ pars euecticæ id eſt boni habitus ſeruatrix.ad Tha.2ª.106.E
Medicinæ pars euecticę magis parua vitia caſtigat,minus vero ſalubris hæc adhuc minus analeptice.ad Thraſ. 2ª.106.E
Medicinæ pars,quæ prophilactica dr̃,q̄d agat.6°.de ſan.tuen.2ª.100.A
Medicinæ pars præſeruatiua contraria curatiuæ.1°.de ſan.tu. 2ª.62.D

Medicinæ pars eorum qui iam morbum euaſerunt, refectrix dicitur. ad Thraſybulum. 2ª.106.E
Medicinæ pars refectrix à non nullis analeptice, id eſt inſtauratrix dicitur. ad Thraſ. 2ª.106.E
Medicina correctiua eſt, & quo modo. ad Thraſ. 2ª.106.E
Medicinæ diuiſio, vt correctiua. ad Thraſ. 2ª.106.E
Medicinæ pars ſalubris, eſt ex vna medicinæ diffinitione, ex altera non. ad Thraſybulum. 2ª.102.A
Medicinæ pars ſalubris inter euecticen, & analepticen collocatur. ad Thraſybulum. 2ª.106.E
Medicinæ partis differentię, quæ ὑγιεινὸν dicitur. introd. Iſa.52.C
Medicinæ pars ſalubris in quot partes diuidatur. de ſubf. emp. Iſa.32.A
Medicina de quibus, primo & præcipue agat. ars med. Iſa.62.B
Medicina primo de ſalubribus, ſecundario de inſalubribus, tertio de neutris agit. ars med. Iſa.62.B
Medicinæ quædam partes neutræ dictæ. ad Thraſ. 2ª.106.F
quæ Medicinæ pars non fuit multū in vſu apud antiquos Aſclepiadas. ad Thraſybu. 2ª.107.B
Medicina vetus ſeruanda eſt. 3°. meth. med. 7ª.17.E
Medicinæ pars de affectibus quid contineat. fin. med. Iſa.50.B
Medicinæ pars indicatiua in quot partes diuidatur. de ſub. emp. Iſ.32.A
Medicinæ pars curatiua in quot partes diuiditur. de ſubſ. emp. Iſa.32.A
Medicinæ partes diætetica pharmaceutica, & chirurgia mutua ope indigent. 3°. de comp. me. per ge. 5ª.231.F
Medicinæ pars adnotatrix neceſſaria eſt. introd. Iſa.52.D
Medicatio φαρμακεία dicta quibus vtatur inſtrumentis. intro. Iſ.52.D
Medicina quę manu medetur neceſſaria eſt. intr. Iſa.52.D
inter Medicinę alias partes immiſcēda anatomia. 2°. de ana. ad. 1ª.68.G
extra Medicinam ſunt documenta de vnguentis, & ſuffimentis. 1°. de cō po. medica. ſec. loc. 5ª.127.E
Medicinę quomodo ſubiectum eſt noſtrum corpus. ad Thraſ. 2ª.106.B
Medicinam eſt de omnibus animalibus poſſet colligi vbi excipit ab aphoriſmo animalia, quæ in latibulis degunt. com. 1°. aph. 15°. Ex.8.B
Medicinę prima intentio duplex eſt. de ocul. 7ª.185.C
Medicinæ finis, qui ſecundum diuerſos. 1°. meth. med. 7ª.7.C
Medicinæ finis ſecundum empiricos. de ſubſ. emp. Iſa.34.C
Medicę artis finis. ad Thraſ. 2ª.102.C
Medicinę cōmunis ſcopus, & finis. de iis, quę in me. fi. com. 1°. 7ª.200.D
Medicę arti communia. de iis, quæ in med. fi. com. 1°. 7ª.196.A
Medicinæ finis non conſiſtit in contemplatione. ad Thraſ. 2ª.106.D
Medicinæ vnum propoſitum ſanitas. de op. ſect. Iſa.2c.E
Medicinæ finis quo ſanitas. de ſectis. Iſa.15.H|ad Thraſ. 2ª.102.G
Medicinæ finis, qui quieſcente medico demonſtratur, eſt ipſa ſanitas. ad Thraſybulum. 2ª.105.H
ad Medicinam an ſpectent incurabilia. de arti. com. 3°. 7ª.281.C
Medicina cui ſimilis. ad Thraſ. 2ª.105.G
Medicinæ duæ primæ ſectæ. fin. med. Iſa.43.E
Medicina propter quid addiſcatur. 9°. de decr. Hipp. 1ª.281.G
Medicinam qui vult aſſequi quid agendum. de aere, aq. & loc. 2ª.2.C
Medicinæ quæ artes prediſcendæ. 1°. meth. med. 7ª.2.E
Medicinæ neceſſaria eſt philoſophia naturalis. de ocul. 7ª.185.C
ad Medicinam multum facit Aſtronomia. de aere, aq. & lo. 2ª.2.D
Medicinam, & philoſophiam, ante grammaticam, & alias ſcientias aggredientes, damnat Galenus. de lib. prop. Iſa.10.C
Medicinam aggreſſus eſt decimo ſeptimo anno Galenus in ſomnis admonitus. de ord. lib. ſuo. Iſa.15.E
Medicinam cum philoſophia iunxit Galenus. de ord. lib. ſuo. Iſa.15.E
Medicinæ operā dedit Galenus īſomnio pr̄is monitus. 9°. me. m. 7ª.56.E
Medicinæ totius commune exordium continet liber medicus dictus. de iis, quæ in med. fi. com. 1°. 7ª.197.F
in Medicina primo ſunt inſpicienda ſimilia, & diſſimilia. de iis, quæ in med. fi. com. 1°. 7ª.197.F
Medicina quo modo ſit longa. com. 1°. aph. 1°. Ex.2.D|F
Medicinam poſſe diſci ſex menſibus qui dixerit. de ſectis. Iſa.17.E|2°. de criſibus. 4ª.133.G
Medicinæ partes tres quibus inſtrumētis addiſcāt. de ſub. emp. Iſa.31.H
ad Medicinam diſcendā q̄nq; patria opitulatur. de ther. ad Piſ. 5ª.89.G
Medicinæ non confert ſcire an iraſcibilis, & concupiſcibilis ſit, mortalis, vel immortalis. 9°. de decr. Hipp. 1ª.285.E
ad Medicinam nihil facit cognoſcere an plantæ ſint priuatæ ſenſu, vel non. de ſubſ. facul. nat. 1ª.239.H
ad Medicinam non ſpectat tractare cauſas colorum, & humorum. 8°. de decre. Hipp. 1ª.275.H
Medicinæ vtile eſt ſcire animæ facultates, & loca. 9°. de decr. 1ª.285.F
Medicinæ neceſſarium ſcire an plures ſint hominum facultates. 8°. de decretis Hippo. 1ª.273.A
in Medicina cur ſunt multa ambigua. 9°. de decr. Hipp. 1ª.285.F
Medicinæ veritas non eſt inuentu facilis. com. 1°. aph. 1°. Ex.2.E
Medicina quomodo ſit ferè incomprehenſibilis. com. 1°. aph. 1°. Ex.2.C
Medicinam ſatis eſt in pluribus verificari. com. 6°. aph. 58°. Ex.55.A
in Medicina perueniendum ad primas prępoſitiones indemonſtrabiles. 1°. meth. med. 7ª.5.B
in Medicina ſæpe abutimur vocabulis. com. 6°. aph. 14°. Ex.7.C
Medicinam qui habet, & non habet eius vſum, idem eſt ac ſi quis lyram habeat, & ipſa non vtatur. de vſu ther. ad Pamph. 5ª.98.C
non Medicinæ ſcientia diuinandi arte videbatur aliquibus prædicere. 2°. de diff. feb. 3ª.38.B
Medicinæ ignari non poſſunt vti libris de compoſitione medicamentorū per genera Galeni. 3°. de comp. med. per ge. 5ª.228.B
Medicina debet agere quæ cōueniunt circa ægrū. com. 1°. aph. 1°. Ex.2.D
Medicinæ opera vnde debet auſpicari medicus. de iis, quæ in medicatri. fiunt, com. 1°. 7ª.200.A
Medicina habet calamitates multas. de præcogn. ad Poſth. 4ª.213.H
Medicinæ corruptores Galeni tempore qui. 3°. de dieb. decr. 4ª.158.C
Medicina patit̄ calūniā apud vulgus. de vic. rat. in m. ac. c. 1°. 7ª.109.H
MEDICINA quę ſit. 5°. de ſimp. med. fac. 5ª.31.H
Medicinarum virtutes variæ. de ocul. 7ª.188.D
Medicinarū grad° in primis qualitatibus quō cognoſcāt. de oc. 7ª.188.D
Medicinarum virtutes ſecundæ, quæ. de ocul. 7ª.188.D
Medicinarum virtutes tertię. de ocu. 7ª.188.F
Medicinę vires maxime ſaporibus oſtenduntur. de ocul. 7ª.187.G
Medicinæ proprietates, qui norunt. de ren. aff. dig. & med. 7ª.194.H
Medicina ad tpamentum hominum referenda. 5°. de ſimp. me. fa. 5ª.33.D
de Medicinis ſubſtitutis ſcripſere Dioſcorides, Philiſtion, & Euriphō. de ſubſt. med. 5ª.84.B
Medicina etiam ſexies, vel ſepties probata, non dicitur facere vniuerſalem propoſitionem. com. 3°. aph. 11°. Ex.21.E
Medicina p̄bāda ſingularibus exēplis. in 1ᵐ. de morb. vul. c. 1°. 3ª.101.G
à Medicinis non expertis cauæ. de med. exper. Sp.108.G
Medicina experta nocet vbi non conuenit. de med. exper. Sp.103.H
Medicina duobus modis obſtruit, & qui ſint. de ocul. 7ª.187.H
Medicinæ aliquæ ſunt euacuatiuæ alicuius partis, aliquę omnium. cō. 4°. aphoriſ. 2°. Ex.27.C|D
Medicina trahit humorē in partē intrinſecam. cō. 4°. aph. 5°. Ex.28.A
Medicinę potentia calidæ ſunt. 2°. de ſimp. med. fac. 5ª.15.H
Medicinę detractio omnis eſt calida, & humida. de cathar. Sp.94.D
Medicina quælibet habet latentem acritudinem, et caliditatem. com. 4°. aphoriſ. 21°. Ex.29.D
vt Medicinę exhibentur melancholicis cibi acres. de melācholia ex Galeno, Rufo, & Poſſ. Sp.110.D
Medicina aliqua aquā trahit, p̄cipue in hydrope. c. 6°. aph. 14°. Ex.47.F
Medicinis cur miſceant̄ dulcia, & boni ſaporis. de med. exp. Sp.108.G
Medicinę, q̄ intro ſumuntur, debent parari gratæ. 1°. de anti. 5ª.102.A
Medicinis quæ dent odorem bonum. de dyn. Sp.21.B
Medicina, quam infirmus habet odio, plus nocet, quam proſit. de medicinis expertis. Sp.108.G
Medicina omnis aliquo pacto inducit ſitim. com. 4°. aph. 19°. Ex.29.C
Medicina cur faciat ſitim aliquibus cito, aliquibus tarde. commen. 4°. aphoriſmo 19°. Ex.29.C
Medicina cuius ſit qualitatis, quæ facit ſitim. com. 4°. aph. 19°. Ex.29.C
Medicina non inducens ſitim, qualis ſit. com. 4°. aph. 19°. Ex.29.C
Medicinæ non exhibendæ in magnis mutationibus temporum. de aere, aquis, & locis. 2ª.4.C
Medicina diu vti nō dēt q̄ſquā. ne fiat ei naturalis. de me. exp. Sp.108.G
per Medicinas curante magis laudandus qui curat per cibos. de medicinis exper. Sp.108.G
Medicinæ in aliquibus locis ſunt venena, ī alijs bonæ. d̄ me. ex. Sp.108.H
Medicinę carminibus ſcriptæ facilius memoriæ mandantur, & pondera earum ſincerius ſeruantur. 2°. de anti. 5ª.118.G
Medicinæ Achaaſos. de med. exper. Sp.106.C
Medicina aduenæ Aegyptiaci. de med. exper. Sp.104.B
Medicinæ Andrezeos. de med. exper. Sp.106.F
Medicinæ Aſtoronis experimentatoris. de med. exper. Sp.104.A
Medicinæ Azariconis philoſophi. de med. exper. Sp.105.F

Medicinæ Betar-

Medicinæ Betarem.de me.exper. Sp.106.B
Medicina,quæ fit ex Calamento cit menſes, incidit craſſos humores, & extenuat.com.5°.aph.36°. Ex.40.G
Medicinæ Caſionis.de me.exper. Sp.104.H
Medicinæ Catilinæ medici.de me.exper. Sp.105.A
Medicinæ conuenientes morbo Comitiali.com.5°.aph.7°. Ex.38.A
Medicinæ Fortes.com.5°.aph.55°. Ex.42.G
Medicinę Gereonis.de me.exper. Sp.105.H
Medicinæ Incidentes,iuuant menſibus.com.5°.aph.36°. Ex.40.G
Medicina,quæ ſanat morſus ſerpentium.2°.de anti. 5ª.118.G
contra Medicinas Mortiferas medicamen.de me.exper. Sp.106.B
Medicinæ Neruoſarũ partiũ ſint calidæ,& ſiccæ.c.5°.aph.66°.Ex.45.C
Medicinæ Noxiæ non ſcribendæ.1°.de anti. 5ª.105.F
Medicinæ Socionis.de me.exper. Sp.105.C
Medicinæ Theſaurus.ſecretorum. Sp.99.F
Medicinæ Zenonis.de me.exper. Sp.107.F
à Medicina dictus medicus.ad Thraſ. 2ª.109.D
Medicina,lege Pharmacum.
MEDICINALEM ſcientiam deſtruunt ponentes vnum ſolum elementum.1°.de elem. 1ª.5.A
Medicinalis facultas cum iis,quę generantur, & corrumpuntur ſuum exhibet quodam modo miniſterium.1°.de elem. 1ª.5.A
de Medicinalibus rebus nihil ferè inter medicos olim conueniebat. de optima ſecta. Iſa.23.E
Medicinalis cibus qui.com.4°.aph.13°. Ex.28.G
Medicinalis cibus cur difficulter deglutitur.3°.de nat.fac. 1ª.304.H
Medicinalium organorum differentiæ in genere.de mach. 7ª.309.C
MEDICOR, pro exerceo.1°.de mor.vul.com.1°. 3ª.112.F
Medicari,quid ſit.com.1°.aph.22°. Ex.10.B
Medicari,quid ſignificet apud Hippocratem.de frac. com.2°. 7ª.235.H/ comm.4°.aph.1°. Ex.27.B
cum Medicamur aliquibus mores illorũ cognoſcere debemus.de iis,quę in me.fi.com.1°. 7ª.198.B
Medicari dici pñt natura,ars medica,medicus,miniſter,venę ſectio, & p ipſam factũ ſanguinis profluuiũ.in 6m. de morb.vul.c.5°. 3ª.188.A
Medicari materiam per metatheſim.de dyn. Sp.20.G
MEDICVS à medicina dictus.ad Thraſ. 2ª.109.D
Medicus,quid ſit.6°.meth.me. 7ª.37.B
Medicus,quid apud empiricos.de ſecta. Iſa.16.B
Medicus,quid ſit.5°.de ſimpli.me.fac. 5ª.31.H
Medicus inſcriptum librum fecit Herodotus.in 6m.de mor.vulgaribus, commentario.2°. 3ª.168.H
Medicus inſcribitur liber de iis,quæ in medicatrina fiant. de iis, quæ in me.fiunt,com.1°. 7ª.197.D
Medicus dictus liber continet commune totius medicinæ exordium. de iis,quæ in me.fi.com.1°. 7ª.197.F
Medici communi nomine qui.ad Thraſ. 2ª.105.B
Medici exiſtimantur à vulgo,qui nomina aliqua medica nominant. de victus ra.in mor.ac.c.1°. 7ª.109.C
Medici cur oẽs vocati,q aliqd agunt ſecundum artẽ.ad Thraſ. 2ª.105.D
Medicus appellandus,qui morbis medetur.2°.de ſan.tu. 2ª.73.H
Medicus ὑγιεινὸς dicendus.2°.de ſan.tu. 2ª.73.H
Medicus dici non debet,neque Gymnaſtes, qui ſanitatem tuetur. 2°.de ſanitate tuen. 2ª.73.H
ad Medicũ,an ad Gymnaſticũ ptineat pars ſalubris.ad Thra. 2ª.106.G
Medicorũ,& Gymnaſtarũ dñæ de ſanitate tuẽda.3°.de ſan.tu. 2ª.77.D
Medicus,& exercitator circa ſanitatem corporis verſantur,nec tamen habent commune nomen.ad Thraſ. 2ª.107.D
Medicis adeſt materia duplex,corpus humanum, & medicamentum. 2°.de criſibus. 4ª.136.H
Medicum eo magis quàm alium artificem fungi decet ſuo munere,quo ſi bi nobilior eſt ſubiecta materies.de faſciis. 7ª.293.C
Medico debet eſſe curæ opera naturæ.15°.de vſu par. 1ª.210.E
Medicum an artis,vel naturæ miniſtrum dicas nihil refert.de mor.vulga.commen.2°. 3ª.112.G
Medicus eſt miniſter naturæ.ad Thraſ. 2ª.105.G
Medicus imitator operum naturę.de voc.inſt.diff. 1ª.106.B
Medicus debet imitari naturam.com.6°.aph.17°. Ex.47.H
Medicus imitat naturam,& fortunã ſm Theſſalũ.contra Iul. Ex.68.E
Medicus debet imitari naturam rectè operantem,quo modo autem operetur,docet.com.2°.aph.1°.2.F/G/ Ex.3.C
Medicus,& æmul⁹,& miniſter naturę.in 6m.de mor.vul.c.1°. 3ª.112.B
Medicus quomodo auxiliatur. in 1m.de mor.vul.c.1°. 3ª.112.C
Medicus,& natura cauſæ oĩum rerũ circa corpus.de cõſt.art. Iſa.39.E
Medicus poteſt corrigere os fractum,non natura.de conſt.ar. Iſa.39.E
Medicus prauus non eſt adiutor naturæ,ſed inimicus.1°.de diebus decretoriis. 4ª.149.H
Medicus non implet cauum vlcus,ſed bene natura.de conſt.ar. Iſ.39.E
Medici quid preſtent ad carnis generationem.6°.met.me. 7ª.42.B
Medicus non coquit,ſed ſola natura.de conſt.ar. Iſa.39.E
Medicus gubernatori nauis comparatur.in progn.com.1°. 4ª.189.D
ad Medicum Architecti comparatio.in 6m.de mor.vul.cõ.5°. 3ª.188.C
Medicus,qui alio præſtantior.6°.met.me. 7ª.36.H
Medicus,qui non errabit.1°.de arte cu.ad Glau. 7ª.94.E
Medici ſunt in prima ſede apud Deum Mercurium.in or.ex. Iſa.2.F
Medici laus apud Homerum.ad Thraſ. 2ª.107.A
Medicus cur neceſſarius.ad Thraſ. 2ª.104.E
Medici finis,vt finis.9°.de dec.Hipp. 1ª.281.G
Medicus,vt medicus ſanitati corporis cõſulit.9°.de decr.Hip. 1ª.281.G
Medicus cauſa eſt ſanitatis.de cau.procat. 3ª.96.F
Medicus ſimilis veſtes reſarciẽti,& veteres calceos inſtaurãti. ad Thraſybulum. 2ª.104.B
Medicus vitioſum corpus inſtaurat.ad Thraſ. 2ª.104.B
Medici proprium eſt morbos adimere.2°.meth.me. 7ª.10.D
Medici opus errores corrigere circa humanũ corp⁹.1°.de diſ.feb.3ª.32.F
Medici errarunt,qui de ſanitate tuenda ſcripſerunt nullo facto naturæ diſcrimine.5°.de ſan.tu. 2ª.93.D
Medico quieſcente demonſtratur medicinæ finis.ad Thraſ. 2ª.105.H
Medic⁹,& morbus quõ ſe hñt iter ſe.in 1m.de mor. vulg.cõ.2°. 3ª.112.G
Medico ars prior dignitate eſt.in 6m.de morb.vul.c.5°. 3ª.188.B
Medicorũ tres ſectæ Rationalis,Empirica,& Methodica.intr. Iſa.51.A
Medicorum certantium ſcholæ tres.1°.met.me. 7ª.2.F
Medici certabant in Coo,Cnido,Rhodo,& Italia.1°.met.me. 7ª.2.F
Medicorum certamen honeſtum.1°.met.me. 7ª.2.F
ad Medicos vnius ſectæ nõ ſpectat iudiciũ ferre de ſapiẽtia probitateq́; ſcriptoris eiuſdem ſectæ,ſed ad philoſophos.de opt.ſecta. Iſa.23.D
Medicus idem eſt & philoſophus.ſi quis opt.me. Iſa.6.G
Medicus naturalis,rationalis,moralis.ſi quis opt.me. Iſa.6.G
Medicorum nomina vnde.ad Thraſ. 2ª.105.B
Medici verbotenus qui vulgo habeantur.in progn.com.3°. 4ª.208.F
Medici plures, quàm corporis partes.de part.art.me. Sp.16.G
Medicorum officia diuerſa.de part.art.me. Sp.16.F
Medici ſm varios fines diuerſo mõ vocabunt.9°.de decr.Hip. 1ª.281.G
Medici Aegyptii quo vtant medicamẽto.4°.de cõp.me.ſe.lo. 5ª.154.A
Medici altariũ curabant per cibos ſacrificiorum.de me.exper.Sp.108.G
Medici altarium cur nobiliores aliis medicis.de me.exper. Sp.108.G
Medicos altarium non damnat,qui curãt cum cibis ſacrificiorum. de medicinis exper. Sp.103.H
Medici anales.de part.art.me. Sp.16.F
Medici auriculares.de part.art.me. Sp.16.F
Medici dentales.de part.art.me. Sp.16.F
in Medicum aliquem diatritarium qui incidunt, ſunt infortunati. 10°. metho.meden. 7ª.61.H
Medici diatritarii errabant.de cauſ.procat. 3ª.95.F
Medici equorum quibus ſcalpris vtantur.7°.de ana.adm. 1ª.95.E
Medici oculorum Romę erant.com.6°.aph.31°. Ex.49.E
Medici organici qui.7°.de vſu par. 1ª.161.G
Medicus ex ciuitate Sidica.in 6m.de morb.vul.commen.2°. 3ª.136.F
Medici pneumatici,qui.3°.de diff.pul. 4ª.62.D
Medicus vetuſtiſſimus Hippocrates.in progn.com.1°. 4ª.195.B
Medicorum diligentiſſimus Hippocrates.1°.de dieb.dec. 4ª.147.F
Medicorum princeps Hippocrates.3°.de decr.Hipp. 1ª.244.B
Medicus habet eandem naturam cum habentibus animum ad rem medicam.idoneum.9°.de decr.Hip. 1ª.280.F
Medicus qualis eſſe debet.5°.de ſan.tuen. 2ª.93.E
Medici quales eſſe debent.de ther.ad Piſ. 5ª.93.H
Medicus optimus,qui ſin.me.Iſa.43.F/3°.meth.me. 7ª.20.F
Medici cur vocantur optimi ab ignaris.1°.meth.me. 7ª.2.D
Medici iure dicti,qui.ad Thraſ. 2ª.109.E
Medicus optimus quid faciat,vt Hippocratis gloriam aſſequatur.de ſubfiguratione empirica. Iſa.34.D
Medicus præclarus qui eſſe debet.de ren.aff.dign.& me. 7ª.194.H
Medici qui celebriores.de vict.rat.in mor.acu.com.2°. 7ª.121.G
Medici laboris amãtiores sũt meliores.de vic.ra.i mor.ac.c.2°.7ª.121.G

Medicis pauperibus vtilia.6°.de comp.med.ſec.loc. 5ª.168.A

Medici multi pauperes,& ægri 6°.de comp.med.ſec.loc. 5ª.168.A

Medicis pauperibus Galenus reſpondet.6°.de comp.me.ſe.lo. 5ª.168.A

Medico multæ artes materiam præparant.in 6^{m}.de morbis vulgaribus, commentario.5°. 3ª.188.C

Medicus multo indiget tempore ad artem exactè acquirendam.1°.de digno.pulſ. 4ª.70.D

Medicus quæ ſcire debeat.ſi quis opt.med.Iſ.6.F/2°.de ſan.tu.2ª.73.H/ de tu.præter na.3ª.83.G/1°.de lo.aff.4ª.2.C/2°.de cõp.med.p gen. 5ª.218.F/de ren.aff.dig.& me.7ª.194.F/G/ de decub. progn.ex mathe. ſcien.15.H/de vir.noſt.cor.diſp. Sp.60.B

Medicus quid præcipuè diſcere debet,quid poſt præcipua. in prognoſtic. commen.3°. 4ª.212.F

Medicus quid prius diſcere debet.de ijs,quę in me.ſi.com.1°. 7ª.197.G

à Medico primum diſcendum eſt,quid ſit ſanitas.ſecr. Sp.96.G

Medicus ſalubria,inſalubria,& neutra debet percipere. de ſubfiguratione empir. Iſa.32.C

Medicus linguam callere debet.in 6^{m}.de mor.vul com.4°. 3ª.181.E

Medicorum antiquorum ſecundũ tempora,ſermo.c.6°.aph.1°. Ex.46.C

Medici non curant de atticiſmo.2°.de ali.fac. 2ª.18.F

Medicos q̃nq; abuti nominibus,vt in atra bile.c.6°.aph.53°. Ex.53.B

Medicorũ propõnes magna ex parte veræ ſunt.c.4°.aph.44. Ex.32.G

Medici nihil poſſunt indefinitum,& vniuerſale pronunciare. 9°. de decretis Hippoc. 1ª.283.G

à Medicis præſtantiſſimis ſolum cauſæ rerum cognoſcuntur. in 6^{m}.de mor.vul.com.5°. 3ª.193.C

Medicus de natura loqui debet.in 6^{m}.de mor.vul.com.4°. 3ª.185.A

Medicus temperamentorũ anni rõnẽ habere debet.de ae.aq.& l. 2ª.2.C

Medicus aquarum facultates noſcere debet.de aere,aq.& lo. 2ª.2.C

Medico quæ ſint conſideranda circa tẽporũ mutationes.de ſper. Sp.39.F

Medici exercitandi in methodo demonſtratiua.7°.met.me. 7ª.44.B

Medici,qui neſciũt diuidere,cõparant malis coquis.2°.met.me. 7ª.13.B

Medici non exercitati in Dialectica non poſſunt cauere à falſis demõſtrationibus.3°.de ſim.med.fa. 5ª.16.H

Medicorum errores contingunt ob diuidendi prauitatem.1°.de arte cur. ad Glauconem. 7ª.94.E

Medici nõ nulli tpe Galeni tantã cognitionẽ habebãt Dialecticę,Grãmaticæ,& Rhethoricę,quantum aſinus lyræ.1°.de die.dec. 4ª.146.H

Medici qui tempore Galeni.1°.meth.med. 7ª.8.H

Medici tempore Galeni audaces.4°.de cõp.med.per gen. 5ª.241.D

Medici,& philoſophi tempore Galeni nomina ignorabant, & diſtinguere neſciebant.1°.meth.me. 7ª.6.B

Medici Galeni tempore ſequebantur artem ſophiſticam. in 6^{m}.de morb. vulg.com.3°. 3ª.176.E

Medici ob quæ odio habuere Galenum.de purg.med. 5ª.87.G

Medici à Galeno conſilium petebant de admirabilibus, & abſurdis. de artic.commen.1°. 7ª.255.H

Medici mali,qui bonos doctosq́; calumniantur ac perſequuntur. de præcogni.ad Poſth. 4ª.215.F

Medici Romæ quid agant.de præcog.ad Poſth. 4ª.215.F

Medici antiqui incubuerunt anatomię.2°.de ana.adm. 1ª.68.E

Medicus qualia ſint oſſa ſingula,& quam ſtructuram habeant,ſcire debet.de oſſibus. 1ª.39.G

Medicus debet eſſe optime exercitatus in anatomia muſculorũ, & partium intrinſecarum,& in viſcerum latentium functionib. 2°.de anatomicis adminiſtrationib. 1ª.69.B

Medicus debet habere notitiam omnium partium,tam ſimilarium, quã inſtrumentariarum.de conſt.ar. Iſa.37.A

Medicus de corporis inſtrumentis agat,philoſophus de animæ. 6°.de decretis Hippoc. 1ª.266.G

ad Medicum ſpectat quęrere ad quod inſtrumentum ſpectet motus pectoris.de mot.man.& obſ. Sp.66.H

Medici vocant quandam glandulam minam.de ana.vi. Sp.54.D

Medicis vtile,& neceſſariũ fœtus formationẽ ſcire.de fœ.for. 1ª.324.A

Medici errarunt,qui diſſectionem ſpectare noluerunt,ſed ex conſecutione ita eſſe arbitrati ſunt.de decr.Hip.& Pla. 1ª.234.A

Medici germanico bello nihil didicerũt.3°.de comp.med.per ge. 5ª.231.F

à Medicis primo cognoſcendi ſunt ægroti, cur. 1°. de arte curatiua ad Glauconem. 7ª.94.D

Medicus naturam communem hominum,& propriam ſcire debet. 1°.de arte cur.ad Glauconem. 7ª.94.C

Medicus debet exerceri citra particularia.4°.de lo.aff. 4ª.21.E

Medicus ſcire debet tẽperiẽ,cauſas,& accidẽtia.de me.exp. Sp.103.G

Medici optimi decepti videntes caluum,& putantes totius corporis tẽperamentum ſiccum.2°.de temp. 1ª.19.F

Medicus qui ratione curare vult,cauſas cognoſcat actionum naturaliũ, & affectionum præter naturam,vt illas ſeruare, has è corpore eijcere poſſit: modos item ſecundũ quos actio fit,locos in quibus,& inſtrumenta per quæ.de voc.inſtru. 1ª.106.B

Medici Empirici ſcire negligunt læſarum actionum neceſſaria accidẽtia. 3°.de locis affectus. 4ª.14.G

Medicus rõnalis quę facilius cognoſcat.de ijs,quæ ĩ me.ſi.c.1°. 7ª.198.G

à Medico quæ ſeruanda ſint.1°.de anti. 5ª.107.D

Medicus quo modo ſe gerere debet in his, quę ſunt ſecundum naturam. de part.art.med. Sp.18.D

Medicus quo modo ſe gerere debet in his,quæ ſunt præter naturam. de part.art.med. Sp.18.D

Medicus debet habere tanquam ſcopum,quod ſecũdum naturam eſt, aliter ęgritudines ignorabit.de oſſib. 1ª.39.G

Medicus diſpoſitiones noſcere debet.de conſt.ar. Iſa.40.A

Medicus conſiderat morbum,& naturam.de conſt.ar. Iſa.42.A

ad Medicum quid pertineat ſcire,& quid non, circa locorum affectus. 1°.de loc.affect. 4ª.5.D

Medicus quo modo fiat admirabilis,ſi morbos affectosq́; locos recte dignoſcat.5°.de lo.aff. 4ª.34.F

Medico cuiuis non eſt promptum cognoſcere affectus qui euacuatione liberantur.contra Iulianum. Ex.69.F

Medicus qui requirat ad intemperiem inueniẽdã.3°.de loc.affe. 4ª.17.B

Medicus quæ ſcire debet circa ſymptomata.3°.de ſymp.cau. 3ª.25.B

Medici antiqui paſſiones ſuperuenire dicebant,quęcunq; ipſius paſſionis adauctæ ratione contingere conſueuere.com.6°.aph.35°. Ex.50.C

Medicũ oportet eſſe exercitatum in pulſuũ differẽtijs.2°.de cri. 4ª.133.G

Medicorum varietas in pulſuum ictibus ſentiẽdis.1°.de dig.pul. 4ª.73.F

Medici omnes putant eundẽ eſſe vſum pulſuum,& reſpirationis. de vſu pulſuum. 1ª.227.D

Medicus,circa morbi cauſam,quo modo ſe habere debeat. 3°.de cõp.medica. ſec.lo. 5ª.142.D

Medicus imperitus non intelligit ex quo humore fiant ęgritudines.de dynamidijs. Sp.19.E

Medici quando dicant abundare atram bilem.2°.de nat.fac. 1ª.301.D

Medici,& philoſophi egere de laſſitudine.3°.de ſan.tu. 2ª.78.E

Medicus,& philoſophus diuerſa ratione tractant.ad Thraſ. 2ª.106.B

Medicus ſcire Aſtronomiam debet.in 1^{m}.de mor.vul.c.1°. 3ª.102.C

Medicus in omni regione ſcire debet ortus,& occaſus ſyderum.in 1^{m}.de mor.vul.com.1°. 3ª.102.A

Medico neceſſaria hiſtoria.in 3^{m}.de mor.vul.c.2°. 3ª.136.G

Medicis an pictura neceſſaria.1°.met.med. 7ª.6.H

ad Medicum quæ ſcire non ſpectant.9°.de dec.Hip. 1ª.284.C

Medicorum delictum ſolẽne, ac etiam philoſophorum,diſputare de nominibus.3°.de diff.pulſ. 4ª.59.C

Medici qui non ſint,ſed logiatri.in 3^{m}.de mor.vul.com.1°. 3ª.134.D

Medicus qui erit verbis,non re.3°.de comp.medica.per gen. 5ª.228.H

Medico inutilis ſpeculatio de elemẽtorũ cauſis.8°.de dec.Hip. 1ª.274.F

à Medicis ſciri non eſt neceſſarium quo modo temperaturã recipientia per totum temperentur.1°.de elem. 1ª.8.D

Medicorũ,& philoſophorũ cõis conſideratio.3°.de decr.Hip. 1ª.241.B

ad Medicum,vt ad phyſicum non pertinet de veritate diſputare ſecundum antiquos.in 6^{m}.de mor.vul.com.4°. 3ª.185.A

ad Medicum non ſpectat de miſtione diſputare.1°.meth.med. 7ª.3.F

apud Medicos ſunt facilia ſolutu problemata, quæ difficilia ſunt apud Philoſophos.2°.de ſimp.med.fac. 5ª.12.A

ad Medicum non ſpectat de animæ ſubſtantia ſcire. in 6^{m}.de mor.vulg. commentario.5°. 3ª.189.H

Medicus de anima quid ſcire debet.in 6^{m}.de mor.vul.com 5°. 3ª.189.H

Medicis vtile eſt ſcire quo loco applicanda medicamenta,ideo vtile ſcire de principatu animæ vbi ſit.9°.de decr.Hip. 1ª.284.B/C

Medicus quomodo de animi moribus loquatur.1°.de ſan.tuen. 2ª.65.F

Medicus non iudicat de moribus.de opt.ſecta. Iſa.23.C

ad Medicum ſpectat animi mores curare, & non ſolum ad philoſophũ. 1°.de ſan.tuen. 2ª.65.F

Medicos ab euidenter offendentibus abhorrere oportet. de vict.ratio.in mor.acu.com.1°. 7ª.109.E

Medici qdã neſciẽtes cauſas rerũ,reddere eas negãt.5°.de lo.af. 4ª.30.b

Medicus quæ poſſit negare.1°.de compo.medica.ſec.lo. 4ª.127.G

Medici ac philoſophi oĩa cordi tribuẽtes, q̃ ignorarũt. de fœ. for. 1ª.324.H
Medicus debet ſcire artem obſonatricem. 2°. de alim. fac. 2ª.20.H
Medici debent ſcire de obſonijs, vt coci, ſed ob diuerſum finem. 2°. de alimentorum facultatibus. 2ª.23.F
apud Medicos condimenta qualia eſſe debent. 2°. de alim. fac. 2ª.23.F
Medicus habeat peritiam omnium ſtirpium. 1°. de antid. 5ª.102.B
Medicus q̃ cognoſcere dẽt in medicamẽtis. 3°. de cõ. med. per g. 5ª.228.H
Medicorum plurium error in chondro. 8°. de ſimpli. me. fac. 5ª.63.H
Medici ignari volunt ſcire compoſitionem ſimpliciter optimam. 1°. de cõpo. medicamen. per genera. 5ª.215.B
Medici parabant ſibi medicamenta. 6°. de comp. me. ſe. lo. 5ª.168.A
Medicus probè callet vires eius quodcũq; pararit. 2°. de ſan. tu. 2ª.75.F
Medici duo interempti mel guſtu examinantes. 10°. de ſimplic. medicamento. facultatib. 5ª.72.E
Medicis duobus quid contigerit amiſſis libris de medicamentorum compoſitione. 2°. de compo. medi. per gen. 5ª.218.B
Medici Catilinę medicinæ. de med. exper. Sp.105.A
Medicus quid præcognoſcere debeat. de conſt. ar. Iſa.40.H
ad Medicũ ſpectat cognoſcere qñ hoĩes ſimulãt ægrotare. intro. Iſ.61.B
Medicus quid primo cognoſcere debet. ad eos qui de typ. ſcrip. 3ª.92.B
Medicus ignauus, qui quarto die ignorat febris genus. ad eos qui de typis ſcripſerunt. 3ª.92.B
Medicus ſi ignorat morbum, qui debet in ſeptimo finiri, eſt ignarus. 1°. de criſibus. 4ª.131.F
Medici putantes tertianarum implexum eſſe vnam quotidianam. ad eos qui de typis ſcrip. 3ª.92.F
Medici generoſi offm̃ eſt ſtatum futurum cognoſcere. 1°. de cri. 4ª.126.D
Medico quæ præſtent anſam prædicendi. de na. & ord. cu. corp. Sp.42.E
Medici quo modo debeant iudicare, vt poſſint ſententiam mutare. 1°. de dieb. decreto. 4ª.150.E
Medicus quo modo prædicere debeat. de conſt. ar. Iſa.41.H | in prognoſt. commen. 1°. 4ª.189.C
Medici pręcognoſcunt, & prædicunt facilius, ſi ſuperauerint id, quod ex cauſa extrinſeca eſt, & non à morbo. com. 3°. aph. 5°. Ex.20.C
Medicum vacare culpa oſtendit prædictio. de conſt. art. Iſa.41.A | 3°. de ana. adm. 1ª.73.E | 12°. meth. me. 7ª.75.H
Medicus optimus raro errat in prædicendo. com. 2°. aph. 19°. Ex.14.C
Medicis diuinandi anſam quandoq; dat fortuna. 5°. de lo. aff. 4ª.35.B
Medicum quo modo iuuet fortuna. 5°. de lo. aff. 4ª.34.H
Medico multa feliciter ſeſe offerunt, vnde laudem, & admirationẽ conſequatur, ſi fortuna vti ſciat. 5°. de loc. aff. 4ª.34.H
Medicus quibus vere illuſtretur. in 1^{m}. de mor. vul. cõ. 3°. 3ª.119.C
Medicus quo mõ gloriã debet habere. de ijs, quæ in me. ſi. c. 2°. 7ª.205.D
Medici vulgi gratiam ambientes artis peritia neglecta, quales. de præcog. ad Poſth. 4ª.213.G
Medicus ſtudet, vt ſit populo gratus. de art. com. 4°. 7ª.291.E
Medici qui in ciuitatibus circũ curſant. in 6^{m}. de mor. vul. c. 2°. 3ª.165.A
Medici probi inſidijs petuntur, calumnijs, & veneno. de pręcognitio. ad Poſthumum. 4ª.214.A
Medicus doctus venenatus Romæ. de præcog. ad Poſth. 4ª.215.H
Medici, qui venenum dedit, caſus. de cauſ. procat. 3ª.99.F
Medicorum diſcordię in diebus criticis, vnde ortum habuere. 2°. de diebus decretorijs. 4ª.152.G
Medici optimi quo modo fallantur, vbi ſubſtantia contentorum in ventriculo diuerſa eſt à qualitate cordis. 3°. de præſag. ex pul. 4ª.115.D
Medici eruditi, non ſolum vulgares, in ſimilitudinibus decipiuntur. commen. 4°. aph. 2°. Ex.27.F
Medicus debet exercitari continue in arte. 3°. met. me. 7ª.21.F
Medicus in qua re debet maxime exercitari. 3°. de criſ. 4ª.141.A
Medicus duobus his veluti cruribus, & inſtrumentis vti debet: in vniuerſalibus theorematis methodo: in particularibus, exercitatione. 9°. methodi medendi. 7ª.58.C
Medicus debet vti ratione præter experiẽtiã. 9°. de decr. Hip. 1ª.283.B
Medicum oportet vti coniecturis. de aere, aq. & lo. 2ª.6.E
Medicus quo mõ cognoſcat auxilia. in 6^{m}. de mor. vul. com. 5°. 3ª.188.D
Medicus omnia perite ſcire debet adminiſtrare. ad Thraſ. 2ª.105.D
Medicus in opere ſuo non debet aberrare. de ijs, quę in medic. ſi. com. 2°. 7ª.207.A | com. 6°. aph. 49°. Ex.52.E
Medicus ſemp̃ dẽt ꝓdeſſe, nunquã obeſſe. in 6^{m}. de mor. vul. c. 2°. 3ª.112.F
Medici eorum quæ tractant, non autem ſuas vtilitates quęrũt, vt gubernatores quoque. 9°. de decr. Hipp. 1ª.281.G
Medicus breuis abbreuiat ægritudinem à prauo medico prorogatam. de nat. & ord. cuiusl. corp. Sp.41.F
Medicus fidus qui exiſtimabitur. in progn. com. 1°. 4ª.189.E
Medicis fidem habere dñt ægri. de ijs, quę. in med. ſi. c. 2°. 7ª.205.D
Medicis antiquis, & conſuetis fides habetur. de venæ ſect. 6ª.9.D
Medicus ſenum idoneus, qui. 5°. de ſan. tu. 2ª.92.H
Medicus conſummatus, qui. ſin. med. Iſa.43.F
Medicis iuuenibus non fidendum. 5°. meth. meden. 7ª.32.C
Medici iuniores omnia audent. 2°. de ſim. me. fa. 5ª.12.F
Medicis non indigebunt qui ea ſequuntur quæ iuuant, & quæ obſunt, dimittunt. 6°. de ſan. tu. 2ª.101.A
Medicus quę debet conſiderare pro ægro ſanando. 1°. de arte curati. ad Glauconem. 7ª.94.E
Medicus debet cognoſcere homines ſanos, quos ægros curaturus eſt. de ijs, quæ in med. ſi. com. 1°. 7ª.197.H
Medici omnem conſuetudinem ſeruandam cenſentes, minus errant. 5°. de ſanitate tuen. 2ª.93.H
Medici cum ignotos curant, quid ipſis agendum. in 1^{m}. de mor. vulgarib. commentario. 3°. 3ª.117.B
Medici iraſcuntur in aduẽtu medicorum ignobiliorum. de ijs, quæ in medi. ſi. commen. 1°. 7ª.198.D
Medicus debet eſſe prudens & exercitatus. 8°. meth. me. 7ª.55.D
Medici pauci exercitati. 4°. de compo. medic. ſec. loc. 5ª.149.H
Medicus debet eſſe prudens, & quid habere debeat. 1°. de compoſi. medicamen. ſec. loc. 3ª.128.F
Medicus quo modo debet viſitare ægros. in 6^{m}. de mor. vulgaribus, commentario. 4°. 3ª.181.A
Medicus debet eſſe mundus, potiſſimum manibus, facie, pilis, veſte. in 6^{m}. de mor. vul. com. 4°. 3ª.180.H
Medicorum veſtis qualis eſſe debet. in 6^{m}. de morb. vul. com. 4°. 3ª.181.F
Medicus tonſuram capillorum facere debet vt ſit ęgro iucundior. in 6^{m}. de mor. vul. com. 4°. 3ª.181.G
Medici bene induti, & faceti, qui. de præcog. ad Poſth. 4ª.213.G
Medici manus debet eſſe mollis. 4°. de dign. pulſ. 4ª.73.E
Medicorum vngues, quales. in 6^{m}. de morb. vul. c. 4°. 3ª.181.H
Medicus circa odorẽ quid facere debet. in 6^{m}. de mor. vul. c. 4°. 3ª.181.H
Medicus vinum olere non debet. in 6^{m}. de mor. vulg. c. 4°. 3ª.181.H
Medico non debet ineſſe odor axillarũ. in 6^{m}. de mor. vul. c. 4°. 3ª.181.H
Medico non debet ineſſe oris putor. in 6^{m}. de mor. vul. c. 4°. 3ª.182.A
Medicus non comedat allia & cæpas. in 6^{m}. de mor. vul. c. 4°. 3ª.181.H
Medico odor oris adſit. in 6^{m}. de mor. vul. com. 4°. 3ª.181.H
Medicum turpiſſimum eſt ægrotare, habere ſcabiem, alopeciam, morbũ articularem, & ophiaſim. in 6^{m}. de mor. vulga. commen. 4°. 3ª.181.H
Medici aliqui fatentur ſe ob intemperantiam ægrotare, qui ſunt deridendi. 5°. de ſan. tuen. 2ª.88.F
Medici aliqui ægrotantes id imputant negocijs. 5°. de ſan. tu. 2ª.88.F
Medicus æger in phlegmone iecoris. 11°. me. me. 7ª.73.A
Medicus debet quandoque ſępe, quandoque raro inuiſere medicos. in 6^{m} de mor. vul. com. 4°. 3ª.181.D
Medici figura cum ad ægrum accedit. in 6^{m}. de mor. vul. c. 4°. 3ª.181.F
Medici introitus ad ægros qualis eſſe debet. in 6^{m}. de morbis vulgaribus commentario 4°. 3ª.181.D
Medicus grauitatem ſeruare debet, vt habeatur tanquam Deus. in 6^{m}. de mor. vul. com. 4°. 3ª.181.E
Medicorum miniſtri quales, & quot. in 6^{m}. de mor. vul. c. 5°. 3ª.188.C
Medici miniſter coquus. 2°. de ſan. tu. 2ª.75.F
Medicus qui facit illa, quæ miniſtri, cui comparetur. in 6^{m}. de mor. vul. commentario. 5°. 3ª.188.D
Medici proœmium ad ægros. in 6^{m}. de mor. vul. com. 4°. 3ª.181.E
Medicorum ſermones cnm ægrotantibus, quales. in 6^{m}. de morb. vulgar. commentario 4°. 3ª.181.D
Medicorũ ſermones debent eſſe varij. in 6^{m}. de mor. vul. c. 4°. 3ª.181.G
Medicus de ſingulis interrogare debet. de conſt. ar. Iſa.42.C
Medici ad ægrum interrogatio. in 6^{m}. de mor. vul. com. 2°. 3ª.168.F
à Medicis quo modo interrogandi ægri. in progn. com. 1°. 4ª.192.C
Medicus interrogans oſtendit qualis nã ſit in arte medica. in 6^{m}. de morbis vulg. com. 2°. 3ª.168.G
Medicus debet multa diſcere, ægro non referente. de vict. ratio. in mor. acu. commen. 1°. 7ª.108.C
Medico inſidiantur quidam ægri, & illum decipere volunt & quo modo agendum cum his. 1°. de præſag. ex pulſ. 4ª.105.D
Medicos fallere gaudentis diuitis caſus. 1°. de preſa. ex pul. 4ª.106.E
Medicum quanti faciant diuites. de pręcogn. ad Poſth. 4ª.214.C

Medico coquum præferunt diuites.de prçcogn.ad Poſth. 4ª.214.C

Medici quibus nominibus turpibus ab aliquibus antiquis nominarentur.de ſubfi.emp. Iſa.34.E

Medicorum ſtudioſos φιλιάτρους vocant.4°.de ſan.tu. 2ª.84.C

Medico non ſemper verum dicunt ęgri.1°.de præſag.ex pul. 4ª.105.B

Medicus quid agere debet, quando æger verum non dicit.1°.de præſagitione ex pulſib. 4ª.105.B

Medici in quibus decipiant ęgros.in 6^{m}.de morb.vulg.com.5°. 3ª.191.E

Medicus quo modo agere debet cum ægris, qui ſunt ſimplices, & omnia agunt aperte.1°.de præſag.ex pul. 7ª.105.C

Medicus nō dēt adulari, nec eē aſper.in 6^{m}.de mor.vul.com.4°.3ª.181.E

Medicus debet gratificari ægro.com.2°.aph.38°. Ex.17.G

Medici adulatores.de præcog.ad Poſth.4ª.213.G| de vi.ra.in mor.acut. commentario.1°. 7ª.111.G

Medici adulatores, qui faciunt oīa mācipiorū more.1°.meth.med.7ª.2.E

Medicus debet imperare ægris.1°.meth.med. 7ª.2.E

Medicus debet iubere inferri in cubiculum ægri ea quibus oblectatur. in 6^{m}.de mor.vul.com.4°. 3ª.181.A

Medici liberalitate quidam ægri euaſerūt obſequentiſſimi.in 6^{m}.de mor. vul com.4°. 3ª.181.B

Medici obediunt pauperes, non diuites.3°.de comp.me.per ge. 5ª.231.A

Medicis confidentes, & non obſequentes pereunt. in 6^{m}.de morb. vulgaribus, com.2°. 3ª.168.G

Medicum q oderūnt, illi non parent.in 6^{m}.de mor.vul.com.4°. 3ª.180.G

Medicis nō parentes obcunt multi.in 6^{m}.de mor.vul.com.2°. 3ª.168.F

Medicus culpa vacat, ægrū moriturum pnoſcens.in prog.c.1°. 4ª.189.E

à Medicis p ſe exercet curatio.de vic.ra.i mor.acu.com.1°. 7ª.108.D

Medici quo modo curent morbos.in 6^{m}.de mor.vul.com.5°. 3ª.188.A

Medicus qui curare optime poteſt.in 6^{m}.de mor.vul.c.3°. 3ª.174.G

Medici functionum duæ ſunt primæ differentiæ: aut enim eos qui nunc vrgent affectus ijs quæ moliuntur, curant, aut eos qui non ſunt, fieri prohibent.4°.meth.med. 7ª.24.E

Medici qui Euripi more agantur.1°.meth.me. 7ª.5.C

Medico quæ licet facere.14°.meth.me. 7ª.91.C

Medici methodo vtentis proprium eſt indicationes ſumere à rerum natura.6°.meth.me. 7ª.37.F

Medicus ad id quod magis vrget, verti debet.7°.met.me. 7ª.48.F

Medici magnæ auctoritatis nolunt curare communes res. comment.6°. aphoriſmo.38°. Ex.50.F

Medicus vnum tempus idoneum agendi ac modum habet.in 6^{m}.de morbis vulg.commentar.5°. 3ª.188.A

Medicus occaſionis inuentor, qui.in 6^{m}.de mor.vul.c.5°. 3ª.188.A

Medicorū diuerſitas in morbo laterali curādo.9°.de dec.Hip. 1ª.282.F

Medici controuerſi in oībus morbis.de vic.ra.in mor.acu.c.1°.7ª.109.F

Medicorum controuerſiæ oſtendunt ignorantiam. de vic.rat. in morbis acu.commen.1°. 7ª.109.H

Medicorum conuenientiæ oſtendunt ſcientiam.de vic. ratio.in mor.acu. commentario.1°. 7ª.109.H

Medici diſſident circa idē, & contraria opinanī.de opt.ſecta. Iſa.23.A

Medici altercantes deridentur à vulgo.de purg.med.fac. 5ª.87.F

de Medicis mirandum.qui inter ſe diſſentiant in rebus quas experientia definit.9°.de decr.Hip. 1ª.283.A

Medici contentioſi qui.1°.meth.me. 7ª.3.H

Medici temerarij incōſiderati q vires nō cōſiderant.9°.met.me.7ª.59.B

Medici pauci recte victum præſcribunt.1°.de die.decr. 4ª.150.E

Medicus qui non verebitur mutare victus rationem & alia, qualis eſſe debet.9°.de dec.Hip. 1ª.283.B|C

Medici non poſſunt vti diæta conuenienti in prægnāti, nec exhibere pharmaca potentia.com.5°.aph.55°. Ex.42.G

Medici qui laudandi in acutis morbis curandis. de vic.ratio. in morbis acutis, commen.1°. 7ª.108.H

ob Medicorū inſcitiā acceſſiones inordinatæ fiunt.de dif.feb. 3ª.42.G

Medici ignari alleuiationē cōſiderāt.in 3^{m}.de mor.vul.com.1°. 3ª.132.C

Medicus deſcribens auxilium aliquod, quid facere debet.de venę ſectione aduerſus Eraſ. 6ª.11.H

Medici cur nolunt ſequi probata medicamenta. 2°.de compoſit.medica. per genera. 5ª.224.A

Medicorum expertorum medicamenta cur ſcripſit Galenus.1°.de comp. med.ſec.loc. 5ª.124.A

Medici volunt videri ſemper aliquid facere.11°.meth.me. 7ª.72.C

Medicus iubeat alios ſuum ſudorem guſtare.4°.de ſan.tu. 2ª.83.G

Medicorum intētiones duæ i ſpaſmo ex repletione.c.4°.ap.57°. Ex.33.F

Medicorum duplex ratio contra dolores.12°.meth.me. 7ª.75.H

Medicus qualis vera doloribus nomina dare poſſet.2°.de lo.af. 4ª.10.B

Medicus dēt poti° declinare ad frigiditatē q̄ ad caliditatē.ſecr. Sp.97.B

Medicus q̄n debet euacuare in criſi, & q̄n nō.com.1°.aph.20°. Ex.9.H

Medicus debet materię motum animaduertere, ſi idoneus fuerit ei adminiculari, ſi autem non, prohibere.com.1°.aph.12°. Ex.5.G

Medici mulieres euacuare debent miſſo ſanguine per venam, quando videmus naturam operari, ſi vomitus ſanguinis adſit.commentario 5°. aphoriſmo 32°. Ex.40.D

Medicorum documentum in mulieribus, quarum impedita partu purgatio eſt.in 1^{m}.de mor.vulg.c.3°. 3ª.122.D

Medicorum error dum euacuant.de prçcog.ad Poſth. 4ª.217.G

Medico euacuanti metiri opus eſt quantum euacuandum.commenta.1°. aphoriſmo 23°. Ex.10.D

Medici negligentia vnus obijt à cane rabido morſus, alter ſeruatus eſt alterius medici diligentia.de ſectis. Iſa.18.A

Medici multa propter ignorantiā prçterierūt.3°.de loc.aff. 4ª.19.C

à Medicis quæ ignorentur.de vic.ra.in mor.acu.commen.1°. 7ª.109.D

Medicus ignarus quę ſcire non poſſit.3°.de cōp.med.per gen. 5ª.236.A

Medicorum, & latronum differentia.de præcog.ad Poſth. 4 3ª.215.G

Medicis prauis ignari dant lucrum.de art.com.3°. 7ª.273.C

Medicorum error.3°.de comp.med.ſec.loc.141.F 5ª.142.C

Medici legitimi tempore Hippocratis exercitati in operibus manus. de artic.com.1°. 7ª.256.B

Medicus quiſque conari debet vt melius agat, quàm alij eiuſdem artis profeſſores.de faſcijs. 7ª.293.C

Medicus non ſolum ſtudeat vtilitati, ſed & elegantiæ, ac mundiciei.de faſcijs. 7ª.293.C

Medicus cæteriq; opifices inſtrumenta ſibi ad certas actiones parant. an animal ſit. 1ª.327.G

Medico turpe eſt habere inſtrumenta praua.de frac.com.3°. 7ª.246.C

Medicus quid primo agere debet, & quid ſecundo.de ocul. 7ª.185.C

Medicus operarius quomodo manere debet.de frac.com.2°. 7ª.232.F

Medici venas incidebant.5°.meth.me. 7ª.32.C

Medicorum vſus eſt in hydrope perforare.com.6°.aph.27°. Ex.48.H

Medico quæ neceſſario noſcenda pro vulneribus, & luxationibus, & ſimilibus.2°.de anat.adm. 1ª.68.H

Medicorum inſcitia facit ex inflammatione vel eryſipelate ſcirrhum. 7°.de comp.med.per gen. 5ª.267.H

Medicus in curatione vlcerū facit ipſa īſanabilia.c.6°.aph.45°.Ex.51.E

Medici mali necant, vel mutilant quandoq;.2°.de anat.adm. 1ª.68.H

Medicorum ignauia qui claudi facti.3°.de comp.med.per gen. 5ª.228.C

MEDICAE mulieres tempore Galeni.6°.de lo.aff.39.D| 4ª.40.D

Medica ars tota à præcipua parte denominatur.ad Thraſ. 2ª.109.D

Medica ars quid ſit.de ſectis. Iſa.16.A

Medica ars ante Apollinem non erat, tamen quaſdam herbas cognoſcebant.intro. Iſa.50.F

Medicę artis dei Apollo & Aeſculapius.in ora.ſuaſ. Iſa.2.C

Medicam artē verā cōcedūt Aeſculapio et Apollini.3°.me.m. 7ª.20.H

Medicam artē Aeſculapius edocuit ab Apolline inſtitutus.int.Iſa.50.F

Medica ars primo erat in Aſclepiadū familia.2°.de anat.adm. 1ª.68.F

in Medica arte omnium bonorū auctor Hippocrates. de venæ ſectione aduerſus Eraſiſtr. 6ª.5.D

Medicę artis gloria, quæ.de aere, aq.& lo. 2ª.2.D

Medica ars quibus artibus præſit.ad Thraſ. 2ª.108.H

Medica ars omnibus ciuitatibus vtilis.de cau.procat. 3ª.95.H

de Medica re ſcripſit Philonides.4°.de dif.pulſ. 4ª.68.E

Medicam ſcientiam vniuerſam nullus elaborauit vt Athenæus. 1°. de elementis. 1ª.5.G

de Medica re Galenus tractat.de ſub.facul.nat. 1ª.230.E

Medicam artem quo modo tractet Galenus.de ther.ad Piſ. 5ª.93.H

Medicam artem ſcripſit Galenus ſecundum triplicem doctrinam.ars medicinalis. Iſa.62.A

de Medica re augenda certamen.1°.meth.me. 7ª.2.G

de Medica re ſcribens debet pauperibus & diuitibus materiam parare.6°.de comp.me.ſe.lo. 5ª.168.B

in Medica re libri tot vtiles ſcripti ſunt, vt quis per totam vitā habeat quod legat.6°.de ſimp.med.fa. 5ª.40.A

Medica ars quibus conſtet.in 1^{m}.de morb.vul.com.2°. 3ª.112.G

Medica ars ſecundum formam & materiam quibus conſtat.de conſtitutione artis. Iſa.39.B

Medica ars habet materias infinitas, & quę ſint.ad Thraſ. 2ª.106.A

*Medica ars tota magna.*11°*.meth.meden.* 7ª.71.H
*Medicę artis difficultas.*2°*.de criſ.* 4ª.134.A
in *Medica re cur pauci proficiunt.de ord.lib.ſuor.* Iſa.15.E
Medica ars eſt vna,quæ tamen duas habet partes.ſecret. Sp.96.F
Medicæ artis partes.de part.me. Sp.17.F
Medicæ artis plures diuiſiones.de part.art.med. Sp.17.F
Medicæ artis quatuor partes ſunt iuxta auxiliorum materias,videlicet eorum quę aſſumuntur,quæ fiunt,quæ euacuantur, quæ foris occurſant.ad Thraſ. 2ª.108.D
Medicæ artis prima pars in aſſumptis q̃,& in quibus.ad Thr. 2ª.108.D
Medicæ artis ſecūda pars in euacuatis q̃,& in quibus.ad Thr. 2ª.108.D
Medicæ artis tertia pars quę verſat̃ in his q̃ euacuant̃.ad Thr. 2ª.108.D
Medicæ artis quarta pars in exercitationibus quæ, & quæ capiat. ad Thraſybulum. 2ª.108.D
Medica ars non mirum ſi in tot diuidatur,cum maxima exiſtat. de partibus artis medicinæ. Sp.16.G
*Medicæ rei ſcopi.de cōſt.ar.Iſ.39.F/de vic.ra.in mor.ac.c.*1°. 7ª.108.C
*Medica ars corpori hominis tuendo dicata eſt.*1°*.de ſan.tuen.* 2ª.62.C
Medicæ artis materia humanum corpus.de part.art.med. Sp.18.C
Medica ars inter effectrices humani corporis, quarum duplex eſt officium.ad Thraſy. 2ª.106.D
Medicæ artis propoſitū quibus nominibus dici poſſit.ad Thra. 2ª.103.E
*Medicæ artis finis eſt ſanū & ſanitas.de ijs,quæ in me.fi.c.*1°. 7ª.197.F
Medicæ rei partes finales,quæ.de part.art.med. Sp.17.F
*Medicę ſpeculationes quæ ſint.*15°*.de vſu par.* 1ª.210.G
Medicę artis officium quale ſit.de cur.rat.per ſang.miſ. 6ª.16.E
Medica ars naturæ miniſtra eſt.in 6^{m}*.de mor.vul.cō.*5°. 3ª.188.D
ad *Mędicam rem an ad exercitatoriam ſpectet ars tuendæ ſanitatis. ad Thraſybulum.* 2ª.101.G
*Medicę artis munus eſt inuenire quo pacto fractū os formetur, & componatur,aut meliceris tollatur.*3°*.meth.me.* 7ª.16.D
*Medica re nō īdigeret hō,ſi eēt īpatibilis vt adamas.*1°*.de ſa.t.* 2ª.63.A
Medica ars à qua maxime fiat cōiecturalis.de curan.rat. 6ª.18.H
*Medicā artem antiqui ſolum filios edocebant.*2°*.de ana.adm.* 1ª.68.F
in *Medica re expertū præceptorē habere oportet.*2°*.de cri.* 4ª.133.G
Medicam artem ſex menſibus ſe edocturos methodici profitentur. 1°*.de dign.pulſ.* 4ª.70.E
Medica præcepta omnia debent eſſe vera,vtilia, & conſentanea principijs.de opt.ſecta. Iſa.19.F
ad *Medicam artē quę ſunt neceſſaria.in* 6^{m}*.de mor.vul.c.*2°. 3ª.168.H
ad *Medicam rem philoſophia neceſſaria eſt.*3°*.meth.me.* 7ª.18.G
an̄ *Medicā artē diſcēda ē philoſophia naturalis.*6°*.de dec.Hi.* 1ª.264.g
in *Medica arte nihil poteſt cognoſcere,qui ignorat quibus elementis homo conſtet.intro.* Iſa.52.D
*Medicam rem adiuuat diſſectio.*2°*.de decr.Hip.* 1ª.236.D
ad *Medicam rem quid faciat anatome.*1°*.de lo.aff.* 4ª.7.C
in *Medica re ꝙ neceſſaria exercitatio.*2°*.de cōp.med.per gen.* 5ª.218.B
ad *Medicam rem quid faciat ars diuinatrix.de conſt.ar.* Iſa.41.F
ad *Medicam rem nihil facit animę cognitio an deforis immigret. de ſubſi.facul.nat.* 1ª.230.E
Medica œconomia.in 6^{m}*.de mor.vul.com.*2°. 3ª.169.A
in *Medica re ordo dignitatis miniſtrorum. in* 6^{m}*.de morb.vulgaribus, commentario* 5°. 3ª.188.D
in *Medica re miniſtri ignobiliores.in* 6^{m}*.de morb.vul.com.*5°. 3ª.188.D
in *Medicis rebus menſura certa requiritur.de venæ ſect.* 6ª.7.H
ad *Medicam rē an ſpectent morboſa ſymptomata.*4°*.de ſan.tu.* 2ª.82.C
in *Medica re quod dici & ſcribi non poſſit.*3°*.meth.me.* 7ª.17.E
Medicis rebus nō ſunt īmiſcēda logica nomina.de tot.mor.tēp. 3ª.89.A
in *Medica re aliquæ actiones contrariæ.ad Thraſ.* 2ª.105.D
*Medicę artis pars quæ diſcernit morbos,primo exercenda & quomodo. de ijs,quæ in med.fi.com.*1°. 7ª.198.H
ad *Medicam præſagiendi exercitationem artis ſagittandi comparatio.* 2°*.de criſibus.* 4ª.134.A
*Medica ars, ſimilis videtur vaticinationi.de vict.ratio.in morb.acutis, commen.*1°. 7ª.109.H
*Medicam præſagiendi ſcientiam tentantes,ſi non aſſequantur per multas vices,non tamen triſtandum,neque ab exercitio deſiſtendum.*2°*. de criſibus.* 4ª.134.A
Medica ars ſemper in ſingularibus exercenda. in 1^{m}*.de morb.vulgarib. commenta.*1°. 3ª.101.G
in *Medica re innumera ſingularia,ſed vnum opus generale omnibus cōmune.ad Thraſ.* 2ª.105.F
Medicam exercentes artem vt quęſtum facerent.de cuiuſque animi peccatorum notitia atq; medela. 2ª.59.B
in *Medica re turpe ē oſtētare,et nihil efficere.de artic.cō.*2°. 7ª.268.D
in *Medica re ſophiſtæ nec curant, nec poſſunt facere quicquam.* 3°*.de anatomicis adminiſt.* 1ª.73.D
in *Medica arte hæretici.de cathart.* Sp.94.H
MEDICI *ſucci eſſentia numeratur inter attrahentia ſponte nata.* 5°*.de ſimpli.med.fac.* 5ª.36.E
Medico,& Cyreneo collata panax,differunt. 1°*.de compo. medicamen. per genera.* 5ª.210.C
*Medicus ſuccus pro ſucco cyrenaico.*3°*.de cōp.med.per gen.* 5ª.228.E
Medicus liquor acris 4°*.de compo.medic.ſec.loc.* 5ª.149.F
*Medicus ſuccus in vrinā ſtatim mittit ſuā qualitatē.*1°*.de ſemi.* 1ª.335.A
Medicus ſuccus ad diſcutiendas inflammationes induratas valet. 6°*.de compo.medicamen.ſec.loc.* 5ª.169.D
Medici ſucci meminit.in 6^{m}*. de morb.vul.com.*6°. 3ª.196.B/ 4°*.de compo.med.ſec.loc.* 5ª.156.E
*Medica lachryma per ſe obeſt,cum alio autem & pauca conducit.*3°*.de temp.* 1ª.23.B
MEDIETAS *linguæ ſi paralytica ſit,reliqua motū & ſenſum non amittit ob diuiſionē linguæ in duas cōſimiles partes.de ana.viu.* Sp.49.D
ad *Medietatē aquæ coctura.*7°*.de comp.med.ſe.lo.*181.A/9°. 5ª.198.B
MEDIMNVS *quo modo ſignificetur.de pond.& menſ.* 5ª.275.D
Medimnus atticus.de pond.& menſ. 5ª.275.G
Medimnus.de pond.& menſ. 5ª.276.B/F
MEDIOCRIA *mediocriter ſe habent.*1°*.de ali.fac.* 2ª.14.D
Mediocris eſt in duritie & mollitie caro hepatis.de anat.viu. Sp.55.H
*Mediocribus vinum mediocre dandum.*5°*.de ſan.tuen.* 2ª.94.F
MEDIOCRITATEM *ſeruans ſermo optimus eſt.in prologo commentarij ſeptimi.* Ex.54.A
Mediocritas duplicem patitur corruptionem,vel exuperantiam vel defectum.de diff.morb. 3ª.2.G
MEDIOCRITER *exiccantia ſunt exhibenda in carnoſa parte vulnerata.ars med.* Iſa.69.H
Mediocriter dulcia ſunt frigida.de cathart. Sp.95.B
MEDION. 7°*.de ſimp.med.fac.* 5ª.55.F
Medij radix fluxiones cohibet,& profluuium muliebre. 7°*.de ſimplic. medicamento.facultatib.* 5ª.55.F
*Medij ſemen menſes cit.*7°*.de ſimp.med.fac.* 5ª.55.F
per MEDITATIONEM, *& diſciplinas ephemera quomodo cognoſcitur.*1°*.de criſ.* 4ª.138.F
Meditari qui recte volunt temperiem cerebri ſeruare debent. de virtu. noſt.corp.diſpenſ. Sp.60.C
MEDIVM *quod.*2°*.de ſan.tuen.* 2ª.75.H
*Medium proprie quid.*8°*.de vſu par.* 1ª.169.B
*Medium ſemper non eſt idem,ſed eſt ad aliquid.*1°*.de ſan.tu.* 2ª.65.H
*Media inter contraria per negationem exprimuntur.de ijs, quę in medicat.fiunt,com.*2°. 7ª.210.D
*Medium aliquo pacto extremis opponitur.c.*4°*.aph.*76°. Ex.36.E
*Media facile noſcuntur notis extremis.*2°*.de ali.fac.* 2ª.20.G
*Medium in omnibus eſt rectum.*4°*.meth.med.* 7ª.23.G
à *Medio quæ non multum recedunt,ſunt in multo vſu, & ingrediuntur multa medicamenta.*7°*.de ſimp.med.fa.* 5ª.53.A
*Medium ſuum proprium habent ſingulę animalium naturę.*3°*.de alimentorum facultatibus.* 2ª.33.D
*Medium qūo inuenitur in miſcella ſicci,& humidi.*1°*.de temp.* 1ª.14.F
*Medium inter ſanum & ægrum quodam modo poteſt colligi.commen.*2°*. aphoriſmo* 4°. Ex.11.E
inter *Medios colores non diſcernunt oculi piſcium.de ana.viu.* Sp.49.B
de *Medijs corporibus intelligitur quod ſimpliciter, & ſine addito dicitur.*1°*.de ſimp.med.fac.* 5ª.74.C
Medium inter exuperantias omnes,inter vniuerſa corpora ſaluberrimū cenſetur.de opt.noſtr.corp.conſt. 1ª.38.G
in *Medio corporis cur ſit cor.de anat.viu.*46.G/ Sp.56.C
Media Cibaria quæ ſint.de diſſ.cont. Sp.74.C
Medijs cibarijs inter ſubtilia & craſſa,cibatur temperatus,qui nō multum mouetur.de diſſ.cont. Sp.73.A
Media,& ſubtilia cibaria de ſe ſunt velocis digōnis.de diſ.cont. Sp.73.C
*Media edulia quæ ſint.*3°*.de ali.fac.* 2ª.33.D
Medius Digitus qui.intro. Iſa.53.C
Medium digiti articulum flectentes muſculi.de muſcu.diſſ. 1ª.52.H
*Medium digitum,pollicem,& indicem vnus muſculus mouet.*1°*.de ana*

tomicis adminiſt. 1ª.65.C
Media Flexura totius ceruicis in latera efficitur.de muſ.diſ. 1ª.47.A
Medium habet vnus Homo ſecundum vitæ conditionem, ætatem, inſtitutionem, & regionem.3°.de ali.fac. 2ª.33.D
Mediorum ætate hominum natura.fin.med. Iſa.44.G
Medium inter Lac aſinæ, & camelæ eſt lac capræ.de diff.cont. Sp.73.F
Media Medicamenta quæ ſint.8°.de comp.me.ſe.lo. 5ª.195.E
Media medicamenta, qualia.7°.de comp.me.ſec.lo. 5ª.179.H
Media medicamenta quo modo componantur.6°.de compo.medicamento.ſecun.loc. 5ª.168.B
Medias facultates habentia pharmaca cur excogitata. 6°.de compoſi. medica.ſec.loc. 5ª.168.A
Medios Morbos ait Hippocrates à cauſis mixtis prouenire.bre.denot. dogm.Hipp. 1ª.231.D
Medius Motus quibus muſculis efficiatur.de muſ.diſ. 1ª.47.G
inter Medios Odores non diſcernit odoratus hōis.de anat.viu. Sp.49.B
Media fermè eſt Qualitatū omniū tactilis natura.de anat.ocul. Sp.58.E
Media ſcribendi forma, quæ.2°.de cri. 4ª.136.D
Media Vena quando ſecanda.4°.de ſan.tu. 2ª.87.F
Medium Ventrem, & inferiorem intelligit per duas naſſulas. in Timeū Platonis. 1ª.288.E
Medius Ventriculus cordis qualis ſit.de ana.viu. Sp.56.C
Media inter Voluntatem & naturam eſt, ſecundum aliquos, anhelitus actio.de voce & anhel. Sp.62.B
MEDVLLA quid.fin.me.44.D|intr.Iſa.52.F|de anat.viu. Sp.44.D
Medulla an ſit membrum.de ana.viu. Sp.55.G
Medulla & adeps partes animalium, & quę, & eorum iuuamentum.de anatomia viuo. Sp.44.D
Medullæ iuuamentum.de ana.viu. Sp.44.E
Medullæ natura, quæ.de ana.viu. Sp.55.G
Medulla qualis.1°.de compo.medica.per gen. 5ª.215.H
Medulla eſt calida, & humida.de ana.viu. Sp.44.E
Medulla fit ex ſubtiliori natura ſanguinis grauioris.de ſper. Sp.36.C
Medulla exanguis eſt tamen ex ſanguine facta.2°.de na.fac. 1ª.297.E
Medulla eſt humidior mollior, & pinguior medulla ſpinali & cerebro. 3°.de alim.fac. 2ª.27.C
Medullæ mollis ſubſtātia p̄t aſſimilari pīguedini.1°.de mo.muſ. 1ª.308.H
Medulla aliorum oſſium, præter quàm ſpinæ eſt humida & quodam modo fluxilis.1°.de mot.muſ. 1ª.308.H
Medulla abundat animal omne abundans ſepo, & pinguedine. de anatomia viuorum. Sp.44.E
Medulla eſt proprium nutrimentum oſſium.11°.de vſu par. 1ª.191.F
Medulla ex oſſibus eſt vere medulla.11°.de ſimpl.medic.fac. 5ª.79.F
Medullam habens os habet duo capita, veluti duo opercula. 11°.de vſu partium. 1ª.191.C
Medulla cur ineſt inferiori maxillæ.11°.de vſu par. 1ª.191.C
Medulla cur non ineſt maxillæ ſuperiori.11°.de vſu par. 1ª.191.C
Medulla nō ineſt maxillæ ſuperiori quia mouet.12°.de vſu par. 1ª.191.H
Medulla non ineſt oſſi paruo.11°.de vſu par. 1ª.191.D
Medulla creditur non ineſſe oſſibus leonis.11°.de vſu par. 1ª.191.D
Medulla caret leo, & cur.de anat.viu. Sp.44.E
Medulla eſt craſſior ſucco eo, qui eſt in cauernulis oſſium non habentium medullam.11°.de vſu par. 1ª.191.F
Medullæ vires, quę.de ſimp.med. Sp.87.D
Medulla omnis leniter mollit, & relaxat duritiem, & tumores. de ſimpli.medicamin. Sp.87.D
Medullæ ſunt emollientia validiſſima.7°.de comp.me.per ge. 5ª.264.A
Medulla indurata & ſcirrhoſa corpora emollit. 11°.de ſimpl.medicamento.facult. 5ª.79.E
Medullæ ſcirrhum in hepate ſanant.2°.de arte cur.ad Gla. 7ª.104.E
Medullæ malacticæ vlceribus non conueniunt.4°. de comp.medicamen. per genera. 5ª.236.H
Medulla quo modo ſeruanda.11°. de ſimp.med.facul. 5ª.79.F
Medullarum ſecundum animalia diuerſitas. 2°.de arte cur.ad Glau.7ª.104.A|de ſimp.med. Sp.87.D
Medullarum differentiæ, & quæ præſtantiores.3°.de compo.medicamento.per genera. 5ª.233.H
Medullarum differentia in emolliendo.7°.de cōp.me.per gen. 5ª.264.A
Medullæ mollificantes, quæ.2°.de ar.cur.ad Gla. 7ª.104.A
Medulla ſimpliciter poſita ſignificat ceruinam. 6°. de compoſi.medicamen.ſecun.loc. 5ª.171.E
MEDVLLA cerui ſicca eſt & humida.5°. de ſimp.med.fa. 5ª.34.E
Medulla ceruina quo modo fiat.de dyn. Sp.22.F
Medulla ceruina molliendo digerit.14°.meth.me. 7ª.87.H
Medulla ceruina efficaciſſima eſt.de ſimp.med. Sp.87.D
Medulla ceruina eſt fortior bubula.6°.de cōp.me.ſec.loc. 5ª.171.E
Medulla ceruina emollit modice.5°.de ſimpli.med.fac. 5ª.34.E
Medulla cerui blandiſſimum remedium eſt inflammationibus. de theriaca ad Piſonem. 5ª.93.E
Medulla ceruina vlceris ora indurata emollit. 2°.de compo.medicamentorum per gen. 5ª.220.B
Medulla ceruina emollit ſcirrhum.5°.de ſimpli.med.fac. 5ª.33.G
Medulla ceruorū optima, poſtea vitulorum.11°.de ſimp.med.fa. 5ª.79.E
Medulla ceruina deficiēte, vitulina accipiatur, & hac deficiente accipiatur reſina aliqua humida nō acris.4°.de comp.med.p̄ge. 5ª.240.A
Medulla cerui quo miſcenda medicamētis.4°.de comp.me.p̄ g. 5ª.237.H
Medulla cerui vetuſtiſſima pro pingui vituli marini. 7°.de compoſi.medicamen.per genera. 5ª.270.H
Medulla ceruina.3°.de comp.med.per ge. 5ª.234.A
Medulla ceruina elaborata.2°.de comp.me.per ge. 5ª.225.H
MEDVLLA vitulina pro medulla ceruina. 4°.de compoſi.medicamen. per genera. 5ª.240.A
Medulla vituli ſicca & humida.5°.de ſimpli.medica.fac. 5ª.34.E
Medulla vitulina mollitiua eſt, & in quo gradu ſit.de ocul. 7ª.188.D
Medulla vitulina emollit modice.5°.de ſimp.med.fa. 5ª.34.E
Medulla vitulina vlcera oris indurata emollit. 2°. de compoſi. medicamen.per gen. 5ª.220.B
Medulla vitullina emollit ſcirrhum.5°.de ſimp.med.fac. 5ª.33.G
Medulla vitulina minus efficax quàm ceruina.de ſimp.med. Sp.87.D
ex Medulla vitulina & ceruina peſſi vterum mollientes. 11°.de ſimpli. medicamento.facultatib. 5ª.79.E
Medulla vitulina deficiente accipiatur reſina aliqua humida non acris. 4°.de comp.med.per gen. 5ª.240.A
Medulla vituli quo modo miſcenda medicamentis. 4°.de compo.medicamen.per gen. 5ª.237.H
Medulla vitulina.3°.de comp.me.per ge. 5ª.234.A
MEDVLLA caprina mollitiua eſt, & in quo gradu ſit.de ocu. 7ª.188.D
Medulla caprina minus efficax vitulina.de ſimp.med. Sp.87.D
Medulla hircorum acris.11°.de ſimp.me.fac. 5ª.79.E
MEDVLLA taurorum acris.11°.de ſimpl.med.fa. 5ª.79.E
Medulla bouina mollitiua eſt, & in quo gradu ſit.de ocu. 7ª.188.D
Medulla.6°.de comp.med.ſecun.loc. 5ª.171.E
Medulla Cameli.9°.de comp.me.ſec.loc. 5ª.204.H
Medulla cerebro dulcior, iucundior, & pinguior.3°.de alim.fa. 2ª.27.C
Medullæ comparatum cerebrum eſt auſterum.3°.de alim.fac. 2ª.27.C
Medulla nauſeam prouocat.3°.de alim.fac. 2ª.27.C
Medullæ velociter aceſcūt in ſtomacho, & faciunt incenſionem.de diſſolutione continua. Sp.74.F
Medulla probè nutrit ſi concoquatur.3°.de ali.fac. 2ª.27.C
Medullę nutriunt eum qui digerit eas, nutrimento multo craſſo. de diſſolutione continua. Sp.73.E
MEDVLLA dorſi quo nomine vocatur.5°.de loc.aff. 4ª.31.E
Medulla dorſalis.5°.de loc.aff. 4ª.31.E
Medulla ceruicialis.5°.de loc.aff. 4ª.31.E
Medulla lumbaris.5°.de lo.aff. 4ª.31.E
Medulla ſpinalis νωτιαῖος μυελός. 12°.de vſu par. 1ª.196.D
Medulla ſpinalis.5°.de loc.aff. 4ª.31.E
Medulla ſpinalis cur ita dicta.3°.de alim.fac. 2ª.27.C
Medulla ſpinalis quæ proprie.3°.de loc.aff. 4ª.20.H
Medulla dorſi quid ſit.7°.de decr.Hipp. 1ª.272.G
Medulla ſpinalis, & medulla aliorum oſſium ſunt diuerſæ. 8°.de vſu partium. 1ª.166.C
Medulla ſpinalis frigida eſt, & habet ſubſtantiam mollem facile alterabilem.com.5°.aph.69°. Ex.45.D
Medullæ ſpinalis diſſectio.8°.de anat.adm. 1ª.101.G
Medullæ dorſi exortus in occipitio.in 6m.de mor.vul.c.1°. 3ª.154.C
Medulla ſpinalis colli principium.16°.de vſu par. 1ª.217.C
Medulla ſpinalis cur facta.12°.de vſu par. 1ª.197.D
Medulla ſpinalis tutior in loco, in quo eſt, q̄ alibi.12°.de vſu p. 1ª.196.D
Medulla ſpinalis conuenientius eſt in loco, vbi eſt, quàm alibi. 12°.de vſu partium. 1ª.196.D
Medulla ſpinalis nec maior nec minor fieri debuit.12°.de vſu p. 1ª.197.E
Medulla ſpinali non vīr differre nerui molles.1°.de mot.muſ. 1ª.308.H
Medulla ſpinalis ſimilis cerebro compacto.1°.de mot.muſ. 1ª.308.H

Medulla ſpinalis

Medulla ſpinalis cerebro continua.3°.de ali.fac. 2ª.27.C
Medulla ſpinalis eiuſdem generis cum cerebro.3°.de alim.fac. 2ª.27.C
Medulla ſpinalis eſt de cerebro.de ocul. 7ª.183.F
Medulla dorſi vnde.in 6^{m}.de mor.vul.com.1°. 3ª.154.C
Medulla ſpinalis à cerebro.16°.de vſu par. 1ª.214.F
Medulla dorſi cur à cerebro.7°.de dec.Hip. 1ª.272.G
cũ Medulla ſpinali & cerebro muſculi cõicant.1°.de mot.muſ.1ª.308.H
Medulla ſpinalis in quibuſdam habet quædam communia cum cerebro, quædam propria.13°.de vſu par. 1ª.201.G
Medullę ſpinali, & cerebro communia.13°.de vſu par. 1ª.201.G
Medullæ ſpinali propria.13°.de vſu par. 1ª.201.G
Medulla ſpinalis non pulſat, ſed cerebrum.13°.de vſu par. 1ª.201.H
Medulla ſpinalis tanquam cerebrum partibus ſub collo, & capite. 12°. de vſu par.196.E| 1ª.197.F
Medulla ſpinalis dureſcit, q̃tũ à cerebro diſcedit.3°.de alim.fac. 2ª.27.C
Medulla ſpinalis an ſit medulla, & eius iuuamentũ.de ana.vi. Sp.44.F
Medullæ ſenſu carent.de mult. 3ª.77.G
Medulla ſpinalis & cerebrum ſenſum obtinent.de mult. 3ª.77.G
in Medullæ ſpinalis ortu meatus patẽs ſenſui.3°.de decr.Hip. 1ª.270.C
Medullæ ſpinali quæ tunica eſt circundata.13°.de vſu par. 1ª.201.H
Medulla ſpinalis circundatur à meninge.16°.de vſu par. 1ª.219.D
Medulla ſpinalis duplici pelle tegiĩ, vt cerebrum.de vti.reſp. Sp.62.G
Medullæ ſpinalis duplex pellis quando infletur.de vti.reſp. Sp.63.D
Medulla ſpinalis cur habeat membranas.7°.de dec.Hip. 1ª.272.G
Medullæ ſpinalis oſſa habẽt motus vehementes.13°.de vſu par. 1ª.201.H
in Medullam ſpinalem arterię.16°.de vſu par. 1ª.219.D
Medulla ſpinalis ſuperne fertur deorſum.8°.de vſu partium. 1ª.165.A
ex Medulla ſpinali neruos alios, alios ex cerebro ipſo oriri dicendũ eſt. de ner.diſſ. 1ª.53.C
à Medulla ſpinali quidam nerui oriuntur, quidam à cerebro. de motib. man.& obſcuris. Sp.66.F
Medulla dorſi ſecundum Pelopem à Cerebro, à qua nerui.6°.de decretis Hippocratis. 1ª.272.E
à Medulla ſpinali oriuntur nerui.3°.de compo.med.per gen. 5ª.231.F
à Medulla ſpinali & cerebro orientium neruorum proprium.15°.de vſu partium. 1ª.210.D
Medullæ ſpinalis & neruorum principium eſſe cerebrum dicendum eſt. de ner.diſſ. 1ª.53.B
Medulla dorſi habet à cerebro facultatem.7°.de dec.Hip. 1ª.272.H
à Medulla aliorum oſſium nerui non oriuntur.1°.de mot.muſ. 1ª.308.H
Medulla ſpinalis diuiditur in quinquaginta octo neruos. 12°.de vſu partium. 1ª.197.E
à Medulla ſpinali triginta paria neruorum, & quæ, & vbi. de anatom. viuorum. Sp.53.H
è Medulla dorſi ſexaginta nerui.7°.de decr.Hip. 1ª.272.G
à Medulla ſpinali oriuntur, præter triginta paria neruorum, vnus neruus ſine pari.de ana.viu. Sp.53.H
à Medulla ſpinali orientium neruorum anatomia.de ana.viu. Sp.53.H
à Medulla ſpinali qui nerni procedant.de ocul. 7ª.183.G
Medulla ſpinalis dat neruos omnibus partibus ſub capite. 16°. de vſu partium. 1ª.214.G
in Medulla ſpinali iuſtiſſime nerui diſpoſiti.16°.de vſu par. 1ª.217.A
à Medulla ſpinali quæ in collo orientium neruorum prima coniugatio quo modo procedat.de ner.diſſ. 1ª.54.D
Medulla ſpinalis generat membrorum exteriorum & muſculorum dorſalium neruos.com.5°.aph.65°. Ex.45.B
à Medulla dorſi oriuntur nerui qui ad muſculos pectoris perueniunt.de pręcogn.ad Poſth. 4ª.216.D
à Medulla ſpinali, aut cerebro peruenit neruus ad vnumquemq; muſculum.de voce & anhel. Sp.60.F
à Medulla ſpinali duntaxat veniunt nerui ad muſculos qui ſunt inter coſtas.de vo.& anhel. Sp.62.A
à Medulla ſpinali habẽt neruos partes ſub facie.16°.de vſu par.1ª.215.E
à Medulla ſpinali nerui partium extremarũ.16°.de vſu par. 1ª.215.E
ex Medulla ceruicis nerui manus oriuntur.in 3^{m}.de morb.vulgaribus, commentario 1°. 3ª.127.D
à Medulla ſpinali ſumuntur nerui ac vires in infernis partibus. 16°.de vſu partium. 1ª.216.E
Medulla ſpinalis qualis circa gñationẽ humorũ.de bo.& vi.ſu. 2ª.35.H
à Medulla dorſali ſemen ad maris pudendũ deſcendere arbitratur Hippocrates.in Tim.Pla. 1ª.287.E
Medullam dorſalem Plato vocat generalem, cur.in Tim.Pla. 1ª.287.H
de Medullæ ſpinalis affectibus.4°.de loc.aff. 4ª.23.E
Medullæ ſpinalis ſymptomata.4°.de lo.aff. 4ª.24.A
Medulla ſpinalis qñ laborauerit, quid accidet.c.7°.aph.58°. Ex.59.C
Medulla ſpinali læſa pro parte quid ſequatur.1°.de loc.aff. 4ª.7.E
Medulla dorſi affecta quid ſequatur.1°.de ſymptomatum cau.3ª.23.E|in 1^{m}.prorrh.com.2°. 4ª.169.H
Medulla ſpinali læſa ſiue tota, ſiue p̃te quid ſequat̃.1°.de loc.aff. 4ª.7.E
ad Medullæ ſpinalis, & cerebri læſionẽ anginæ comparatio. 1°.de ſymptomatum cauſis. 3ª.16.D
Medulla ſpinalis qd ageret, ſi ſpõdylus excideret.12°.de vſu p. 1ª.196.H
Medulla dorſi læſa in prima vertebra reddit immobilem. 2°.de decretis Hippocratis. 1ª.237.A
Medulla ſpinali inciſa, qđ inferi⁹ eſt amittit vires.1°.de mo.mu.1ª.309.A
Medulla ſpinali affecta in vertebra, inferiores partes reſoluuntur. 1°.de locis affectis. 4ª.7.F
Medulla ſpinali quo loco fracta non amittitur anhelitus, neq; uox. de voce & anhel. Sp.60.F
Medulla ſpinali abſciſa vſque ad tertium ſpondylum, quid ſequatur. de voce & anhelitu. Sp.62.A
Medulla ſpinali læſa, quando omnino lædetur vox & exufflatio.de voce & anhelitu. Sp.62.A
ex Medulla ſpinali fracta que modo vox animalis impediatur. de mot. man.& obſ. Sp.67.C
Medulla ſpinali fracta, curare non licet.de art.com.3°. 7ª.273.C
in Medullæ dorſi exortu boues vulnerati habent ſanguinem in aliquo ventriculo.de Hipp.& Pla.decr. 1ª.231.G
Medullam ſpinalem, ſanam eſſe ſignificatur ex mentis conſtantia. commentario.2°.aph.33°. Ex.17.B
MEDVLLA ex ſpina etiam accipitur, & qualis. 11°.de ſimpli.medicamento.facultatib. 5ª.79.F
Medulla ſpinalis ſeorſum ponenda 11°.de ſimp.med.fac. 5ª.79.F
Medulla ſpinalis non pinguis.3°.de alim.fac. 2ª.27.C
Medulla ſpinalis nauſeam non prouocat.3°.de alim.fa. 2ª.27.C
Medulla ſpinalis ſi probe conficiatur, non exiguum dat corpori alimentum.3°.de ali.fac. 2ª.27.D
Medulla ſpinalis, lege Spinalis medulla.
MEDVLLA frumenti, & fabarum, & lentium tarde deſcendit. de diſſolutione continua. Sp.74.H
Medulla panis bene lota eſt nutrimenti pauci.de diſſ.cont. Sp.73.G
Medulla panis frumenti, fermentati, loti eſt cibus ſubtilians.de diſſolutione continua. Sp.72.D
ſuper MEDOS eſt locus, ſuper quem & regio ſtat nigra. de bonitate aquæ. Sp.76.A
MEGALEVM, & mendecium dicitur vnguentum Aegyptium. 2°.de comp.me.ſec.loc. 5ª.137.H
Μεγαλοκοίλοι & προγάστορες, id eſt ventre prominuli, & ventricoſi. 1°.de alim.fac. 2ª.8.D
MEGARENSIVM dialecticæ auctor.de hiſt.philo. Sp.2.F
MEGES quo medicamento eſt vſus ad ozenas. 3°.de compoſi.medicamen.ſecun.loc. 5ª.148.B
MEIERE quid.de venę ſect.aduer.Eraſi. 6ª.7.C
Meiendi officium à voluntate.6°.de lo.aff. 4ª.38.E
in Meiendo qui muſculi magis agant.2°.de mot.muſ. 1ª.316.B
Meiat ſi quis ſanguinem, & grumos, ſtranguriaq́; affligatur, dolorq́; ad perinæum ac epigaſtrium incidat, ſignificat circa veſicam ægritudinẽ eſſe.de vri.ſign.ex Hipp. Sp.78.H
Meum vrinas & menſes prouocat.5°.de ſimpli.medica.fac. 5ª.38.A
Μειουρίζοντες & μίουροι pulſus, hoc eſt mutili, & quaſi decurtati.de differentijs pulſuum. 4ª.49.D
MEL quid.de ſimp.med. Sp.87.A
Mellis materia eſt mannę, ſeu rori, congener.3°.de ali.fac. 2ª.32.F
Mel roſcidum vocabatur manna.3°.de ali.fac. 2ª.32.F
Melli & mannæ dant aliquid plantæ.3°.de ali.fac. 2ª.32.G
Mel quale.6°.de compoſi.med.ſecun.loc. 170.E| 5°.de compoſi.medicamen.per genera. 5ª.246.D
Mel humidum.1°.de temp. 1ª.12.G
Mel poteſtate calidum.3°.de temp. 1ª.23.E
Mel multum calidum.7°.de ſimp.med.fa. 5ª.51.C
Melli dominatur caliditas vehemens.de diſſ.cont. Sp.73.B
Mel calidum eſt & ſiccum in ſecundo ordine.7°.de ſimpl.me.fa.5ª.55.D
Mel calidum & viſcoſum eſt.2°.de ſimp.med.fa. 5ª.14.D
Mel quo modo lentum.de ptiſſ. 2ª.47.E

Mel dicitur pingue.in 6^m.de morb.vulga.com.6°. 3ª.195.G
Mel calefaciendi vires habet.de bon.& vi.ſuc. 2ª.39.A
Mel calfactoriã,et exterſoriã vim habet.7°.de cõp.me.ſec.loc.5ª.178.G
Mellis non parua differentia.de bo.& vi.ſuc. 2ª.39.A
Mellis diuerſitas à regionibus.1°.de antid. 5ª.100.F
Mel quod vinum ſapit.1°.de antid. 5ª.100.F
Mellis probatio.4°.de ſan.tu.85.D/5°. 2ª.91.E
Mel ſincerum,& vitio carens,quale.de bo.& vi.ſuc. 2ª.39.A
Mel optimum,quale.1°.de antid.5ª.100.E/7°.meth.me. 7ª.44.G
Mel luteum eſſe debet.1°.de antid. 5ª.100.E
Mel obtinens principatum.1°.de antid. 5ª.102.A
Mella quæ debent ingredi antidota,& vbi optima naſcantur.1°.de antidotis. 5ª.101.D
Mel optimum in patria Galeni,vbi.1°.de antid. 5ª.101.E
Mel laudatiſſimum gignitur in locis,vbi thymus,& herbæ,& frutices temperamento calidæ,& ſiccæ.3°.de ali.fac. 2ª.32.G
Mel non probat Thymum redolens.7°.meth.me. 7ª.44.H
Mellis multum facit Cytiſus,& quale.1°.de antid. 5ª.101.E
Mel oritur in plantarum folijs.3°.de ali.fac. 2ª.32.F
Mel quale theriacę imponendum.1°.de antid. 5ª.101.C
Mel quod Athenas fertur.1°.de antid. 5ª.106.H
Mel atticum probatiſſimum.5°.de ſan.tu. 2ª.92.E
Mel atticum.3°.de comp.me.ſec.lo.144.G/8°. 5ª.189.B
Mel atticum crudum,& coctum.5°.de ſan.tuen. 2ª.89.H
Mel hymettium vnum ex ſimplicibus theriacam ingrediẽtibus, quæ Galeno videntur difficulter haberi.1°.de antid. 5ª.101.F
Mel hymettion quale,& vbi.de ther.ad Piſ. 5ª.95.G
Mel quantum debet imponi theriacę.de ther.ad Piſ. 5ª.95.G
Mel actæum ingreditur in theriacam.de ther.ad Piſ. 5ª.92.G
Mel cuius ætatis pro theriaca.1°.de antid. 5ª.101.G
Mel rubeum.1°.de antid. 5ª.101.D
Mel originale.ſecret. Sp.102.G
Mel admirabile.1°.de antid. 5ª.101.E
Mel dilutum.3°.de compo.medicamento.ſecun.loc. 5ª.144.A
Mel vitiatum,quale.de bo.& vi.ſuc. 2ª.39.A
Mel in quo cera vel propolis,malum.7°.met.med. 7ª.44.H
Mel ceroſum quod ſit.7°.meth.me. 7ª.44.H
Mel excrementoſum,quale.7°.meth.me. 7ª.44.H
Mella Athenis quędam adulterata ſunt.1°.de antid. 5ª.101.G
Mellis venditores quomodo adulterant.7°.meth.me. 7ª.44.H
Mellis fraudes cognoſcendę ſunt.1°.de antid. 5ª.101.G/H
Mel guſtãtes duo medici interẽpti ſunt.10°.de ſimp.medic.fac. 5ª.72.E
in Melle,& ſiræo deprehenditur dulcedo.4°.de ſimp.med.fa. 5ª.25.D
Mel,et ſi ſapã dulcedine ęquet,tñ nõ vellicat ſensũ.1°.de antid. 5ª.100.E
Mel corrigit ſapam & lentem.1°.de ali.fa. 2ª.13.F
Melle minus dulce ſacchar.7°.de ſimpli.med.fac. 5ª.55.E
vt Mel non facit ſitim ſacchar.7°.de ſimp.med.facul. 5ª.55.E
Mel amarum Sardoum.7°.de ſimpl.medic.fac. 5ª.55.E
Mel corſicum.3°.de compoſi.medica.ſec.loc. 5ª.146.A
Melli mixtũ abſinthiũ quid ĩprimat in linguã.3°.de ſimp.me.fa. 5ª.21.A
Mel vino põderoſius quarta parte,& decima.de põd.& mẽſ. 5ª.275.F
ad Mel,& vinum differentia olei.de pond.& menſ. 5ª.275.F
de Mellis pondere.de pond.& menſ. 5ª.277.D
Mellis amphora.de pond.& menſ. 5ª.277.D
Mel,oleum,& vinum diutius ſeruatur,quàm alij ſucci.3°.de ſimpliciũ medic.facul. 5ª.20.F
cum Melle coctus ſuccus cydoniorum,& ſtruthiorum cur durat.7°.de ſimp.med.fac. 5ª.55.H
ſine Melle corrumpuntur ſucci.6°.de compoſi.medi.ſec.loc. 5ª.172.H
Mel fit tenuius,& calidius vetuſtate.11°.de ſimp.med.fa. 5ª.79.C
Mel vetuſtate ſubamarum.1°.de antid. 5ª.101.D
Mel fit amarum tempore,& quo modo.4°.de ſimp.med.fac. 5ª.28.F
Mel decoctum vetuſtum amarum.4°.de ſimp.medic.fac. 5ª.27.E
Mel tempore fit acre.3°.de comp.me.per ge. 5ª.233.H
Melli quo modo dematur acrimonia.3°.de ali.fac. 2ª.32.G
Mel quo modo ſeruatur diu.2°.de ali.fac. 2ª.20.D
in Melle fit cruſta ob ætatem.2°.de ali.fac. 2ª.20.D
Mel non poteſt per anguſta tranſire niſi liquidum.in 6^m.de morbis vulgari.commentar.3°. 3ª.173.D
Mel eſt alimentum,& à plantis,et ab animalibus ſecretum.3°.de alimẽtorum facultatib. 2ª.32.F
Mel eſt cibus dulcis,ſapidus,ſubtilis,abſtergens.de diſſ.cont. Sp.72.E
Mel ciborum dulciſſimum.de atten.vic. 2ª.46.B
Mel magis patitur à noſtro corpore,q̃ agat in illud.3°.de temp. 1ª.23.H
Mel alicui ſalubre,alicui vero inſalubre eſt.1°.de ali.fac. 2ª.8.F
Mel habet ſuccum tenuem.1°.de ali.fac. 2ª.10.E
Mel tenuium partium.5°.de ſimpl.me.fa. 5ª.35.B
Mel quod eſt partium tenuiorum.3°.de ali.fac. 2ª.32.G
Mel facit ſuccum tenuiſſimum conſiſtentia.de atten.vic. 2ª.46.B
Mel facultatis attenuantis eſt.7°.de compo.med.ſec.loc. 5ª.181.A
Mel ſimpliciter neq; ſalubre,neq; inſalubre.1°.de ali.fac. 2ª.9.H
Mel quibus conuenit,& quibus non.de bo.& vi.ſuc. 2ª.39.A
Mel quibus inutile.1°.de ali.fac. 2ª.8.F/G
Mel calidis & ſiccis inſalubre.1°.de ali.fac. 2ª.10.A
Mel inſalubre iuueni,& bilioſo.2°.de nat.fac.1ª.300.H/1°.de alimentorum facul. 2ª.8.F
Mel inimicum morbis bilioſis.2°.de nat.fac. 1ª.300.G/H
Mel,& dulcia cum vehementer incaluerint in bilem vertuntur,& ſi diu in ventriculo morentur.in 6^m.de mor.vul.c.5°. 3ª.191.G
Mel quibus in multam vertitur bilem.2°.de nat.fac. 1ª.300.B
Mel in calidis prompte in bilem vertitur.3°.de ali.fac. 2ª.32.G
Mel totum vertitur in flauam bilem in flore ętatis,ſi ſit natura calidior,& vitam degat laborioſam.2°.de nat.fac.1ª.300.B/G/3°.de alimentorum facult. 2ª.32.H
Mel non habet bilem in ſe,aliter eſſet amarum.2°.de nat.fac. 1ª.300.B
Mel quibus fiat ſuccus amariſſimus.4°.de ſim.med.fa. 5ª.29.B
Mel in calidis prius fit bilis,quàm ſanguis.3°.de ali.fac. 2ª.32.G
Mel in bilem conuerſum non nutrit.3°.de ali.fac. 2ª.32.H
Mel quibus vtile.1°.de ali.fac. 2ª.8.F
Mel frigidis eſt accommodatiſſimum.3°.de ali.fac. 2ª.32.G
Mel in ſanguinẽ vertit natura,& ætas frigida.2°.de nat.fac. 1ª.300.G
Mel in ſenibus vertitur in ſanguinem.2°.de nat.fac. 1ª.300.B
Mel in frigidis tranſit in bonũ nutrimẽtũ.4°.de ſimp.med.fac. 5ª.29.B
Mel dat exiguum nutrimentum.3°.de ali.fac. 2ª.32.H
Mel in ſanguinem mutatum nutrit frigidos.3°.de ali.fac. 2ª.32.G
Mel frigidis,humidis,pituitoſis ſalubre.1°.de ali.fac. 2ª.10.A
Mel ſalubre ſeni,& pituitoſo.2°.de natu.faculta.1ª.300.H/1°.de alimento.faculta. 2ª.8.F
Mel accommodum ſenibus,& frigidis.3°.de ali.fac. 2ª.32.H
Mel amicum ſenibus.2°.de nat.fac. 1ª.300.H
Mel in frigidis affectibus eſt maxime idoneum,è contrario calidis aduerſum.de marc. 3ª.48.E
Mel pituitoſis morbis amicum.2°.de nat.fac. 1ª.300.H
cum Melle panis ſenum.5°.de ſan.tuen. 2ª.92.D
ex Melle panis ſiccat præcordia.10°.meth.med. 7ª.64.A
Melle conditis vinis ſenex quando vti debet.5°.de ſan.tu. 2ª.91.C
Mellis compoſitioni vinum aptum.5°.de ſan.tu. 2ª.91.C
Mel habet nobiſcum familiaritatem,ſed non tantam,quantam habet vinum.de ren.aff.dig.& med. 7ª.195.G
Mel eandem quam & vinum facultatem habet,& quo modo differat,8°.de cõp.medica.ſec.lo. 5ª.194.G
Mel debẽt recipere placẽtę ex butyro,et ſimilagine.5°.de ſa.tu. 2ª.91.E
ex Melle placentæ azymæ.1°.de ali.fac. 2ª.10.E
cum Melle lagana quid faciant.1°.de ali.fac. 2ª.10.E
cum Melle lagana neque thoracem,neque pulmonem lædunt.1°.de alimentorum facul. 2ª.10.E
cum Melle ex carne læuigata edulium.2°.de ali.fac. 2ª.20.D
cum Melle,& aceto cappares præparati ſtomachum roborant,& corrugant.de diſſ.cont. Sp.74.E
cum Melle et aceto ſi edantur cappares,quid faciãt.de diſ.cõ. Sp.74.G
cum Melle & aceto quando ſumendum far.5°.de ſan.tu. 2ª.92.D
Mel quidam addunt ptiſſanę.de ptiſſ. 2ª.47.D
in Melle ſimul,& aceto æque mixto frigiditas præualet.4°.de ſimplicium med.fac. 5ª.27.E
cum Melle pro delitijs quidam miſcent acetum.de atten.vic. 2ª.44.C
Mel quo modo elixetur.2°.de arte cura.ad Gla. 7ª.106.G
Mel elixum ſine aqua quid faciat.3°.de ali.fac. 2ª.32.H
Mel cum aqua elixum parum nutrit.3°.de ali.fac. 2ª.32.H
Mel elixum in laceroſis cutibus.2°.de arte cur.ad Glauc. 7ª.106.G
à Melle,& mulſa cauendum in hectica.10°.meth.me. 7ª.67.B
à Melle abſtinendum in tertiana.1°.de ar.cur.ad Gla. 7ª.97.D
Mellis aliquid ponendum in lacte.3°.de ali.fac. 2ª.28.C
Mel cur lacti miſcendum in ſiccitatibus.7°.meth.me. 7ª.44.G
Mel admiſcetur lacti ne fiat caſeus in ventriculo.3°.de ali.fac. 2ª.27.G

Mel facit

Mel facit ne lac coaguletur in ventriculo.10°.meth.med. 7ª.67.B
Melle iniecto lac bibitur diali aſtāte ſtatim mulctū.5°.met.med. 7ª.35.A
ſine Melle ſumptū lac caprinum periculoſum.de bo.& vi.ſuc. 2ª.35.C
Mel miſcendum vino ad colluendos dentes poſt lac.3°.de ali.fa. 2ª.28.C
Mel in copia pungit ſtomachum,& facit inciſionem.de diff.cō. Sp.74.F
Mel q̄n nō coquit,generat vētoſitatē in ſtomacho.de diff.con. Sp.74.G
Mel imperfecte coctum flatus in ventriculo,& inteſtinis parit.3°.de alimentorum facul. 2ª.32.G
Mel recipientia quibus nocent.1°.de alim.fac. 2ª.10.F
Mel aliqui auerſantur.4°.de ſan.tuen. 2ª.86.F
Mel ſolum ſi delingatur ſine aquæ admixtione,nutrit infirmius,ſed aluū deijcit.3°.de alim.fac. 2ª.32.G
Mel per ſe copioſius ſumptū purgat per aluū.de art.com.2°. 7ª.267.H
Mel non coctum lenit ventrem.de diff cont. Sp.75.A
in Mellis aqua infuſa pruna ſicca leniunt ventrem.de diff.con. Sp.75.B
Mellis aqua tendit velociter in venas.de diff.con. Sp.75.A
Melle,& ſale ſerum conditum citat aluum,& valet ilijs ſuſpenſis.commen.5°.aph.64°. Ex.44.F
Mel & ſal q̄n maxime admiſcētur caſeo,lenīt vēter.de diſ.cō. Sp.75.A
cum Melle,& ſale aloe ventrem purgat.de cathar. Sp.95.D
cum Melle fœnum græcum lenit ventrem.de diff.cont. Sp.75.A
cum Melle miſtum acetum tenuat ventrem,& expellit inflationem.de diſſolutione conti. Sp.74.G
Mel ſcybala euacuat.de cathar. Sp.95.D
Mel ſi coquatur,non lenit ventrem.de diff.cont. Sp.75.B
Mel coctum non facit flatus,& vrinam mouet.5°.de ali.fac. 2ª.32.G
Mel vrinam ciet.8°.de compo.medicamen.ſec.loc. 5ª.196.B
Mel humiditatem per vrinam educit.8°.de comp.med.ſec.lo. 5ª.195.C
Melle mouendę vrinæ in ſenibus.5°.de ſan.tuen. 2ª.92.E
Mel eſt oculorum cenoticum.de cathar. Sp.95.B
Mel claritati oculorum,& faciei prodeſt.de ſimp.med. Sp.87.B
Mel atticum melius habetur ad claritatem faciei,& oculorum. de ſimplic.medicaminib. Sp.87.A
Mel mordax oculis.6°.de compo.med.ſec.loc. 5ª.170.E
Mel vlceribus mordax non cuti.5°.de comp.me.ſe.lo. 5ª.159.A
Mel purgat aures.de cathar. Sp.95.B
cum Melle,& aceto aphronitrum purgat aures.de cath. Sp.95.B
Mel adhibendum dentientibus gingiuis.10°.de ſimpli.med.fac. 5ª.74.D
Mel,& ſal ſimul qualia ſint.6°.de comp.med.ſec.loc. 5ª.174.D
Mel exterſorium eſt.7°.de compo.medic.ſec.loc. 5ª.179.C
Mel non coctum ſuper omnia emundat.4°.meth.med. 7ª.28.H
Mel abſtergit.2°.de ſimp.med.fac. 5ª.12.G
Mel multum extergit.7°.de ſimp.med.fac. 5ª.53.B
Mel hymetthium magis detergit.8°.meth.med. 7ª.52.H
Mel vehementiſſime abſtergit.6°.de comp.me.ſe.loc. 5ª.171.H
Mel detergit extra applicatum.8°.meth.med. 7ª.51.A
ex Melle fricatio.de præcog.ad Poſth. 4ª.217.G
Melle fricanda eſt lingua aſpera.de dyn. Sp.20.A
Melle vtendum ante balneum.6°.de ſan.tu. 2ª.97.G
Mel dandum his,qui cibum in acidum vertunt.1°.de lo.aff. 4ª.5.E
Mel ſolum faſtidium tollit,orexin facit,nauſeā prohibet, pulmoni & interioribus omnibus per totū leniēdo medetur.de ſimp.med. Sp.87.B
ex Melle,cydoniorum ſucco,pipere albo,zingibere, et aceto medicamētum ad appetentiam deiectam.2°.de alim.fac. 2ª.20.D
Mel multum ſumptum vomitum excitat.3°.de alim.fac. 2ª.32.H
Mel quod vomitum commouebat.1°.de antid. 5ª.101.E
Mel cū nō nullis alijs mixtū cauſat ſingultū.com.6°.aph.39°. Ex.50.H
Mel tenuat ſputum craſſum,& iuuat ad ſpuendum.de diff.con. Sp.74.G
ex Melle confecta faciunt magis expuere. 7°. de compoſi.medicamentorum ſec.loc. 5ª.181.A
cum Melle,& amygdalis amaris butyrum pro educendo ſputo. 10°.de ſimp.med.fac. 5ª.74.D
Mel purgat pulmonem,& thoracem.de cathar. Sp.95.B
Mel tenuat,& Mundificat,& quod mel.de diff.cont. Sp.74.G
Mel tenuat quibus miſcetur.1°.de alim.fac. 2ª.10.E
Mel miſceri debet in medicamentis vlceris,thoracis, & pulmonis.4°. methodi medendi. 7ª.29.A
Mel facit celeriter tranſire medicamenta.4°.meth.med. 7ª.29.A
Mel omnibus antidotis commiſcetur vulnerum ſorditiem adhibitum comedit,faucibus exiccatis illinitur deducendo humores aperit. de ſimplic.medicaminibus. Sp.87.A
Mel poteſt cutis,& vulnerū ſordes auferre,5°.de ſimp.med.fac. 5ª.35.B
Melle ad ſinuoſorum vlcerum glutinationem vtuntur.7°.de ſimplicium medi.facul. 5ª.55.D
Mel conuenit herpeti exedenti.2°.de arte curati.ad Glauc. 7ª.102.C
cū Melle iris cruſtas optime diſrūpit.2°.de arte cura.ad Gla. 7ª.107.B
Mel cum iride,vel radice panacis, vel ariſtolochię, vel acori, cruſtas optime diſrumpit.2°.de arte cur.ad Gla. 7ª.107.B
cum Melle farina orobi cruſtas optime diſrumpit. 2°.de arte curatiua ad Glauconem. 7ª.107.B
Melli pro fiſtulis,& laceroſis cutibus quæ adiungenda.2°. de arte curatiua ad Glauconem. 7ª.106.G
Mel,& farina hordei non triticea pro phlegmone coquendo. 3°.methodi medendi. 7ª.81.C
Mel quo modo ſecundum quantitatem diuerſis ſuccis miſceatur. 6°.de compo.med.ſec.lo. 5ª.169.A
Mel prius coquitur.5°.de cōp.med.per gen. 5ª.247.G
Mel ſeorſum coquitur.7°.de cōp.med.per gen. 5ª.270.A
Mel quo modo coquitur.4°.de ſanitate tuenda.2ª.85.D/ 7°.de compoſit. medic.ſec.loc. 5ª.181.E
Mellis coctura in duplici vaſe quoad manus non inquinet. 7°.de compo. medic.ſec.loc. 5ª.178.H
Mel coqui debet ſuper prunas quercus vel vitis candentes. 7°.methodi medendi. 7ª.47.A
Mel in coctione amittit quartam partem.4°.de ſan.tuen. 2ª.85.F
Mel malum habet multam ſpumam,& indiget longiori coctione. 4°. de ſanitate tuenda. 2ª.85.F
Mel optimum breuiſſimo tempore coquitur,et minimum ſpumæ euomit. 4°.de ſan.tuen. 2ª.85.F
Mel non debet coqui plus quàm conueniat, quoniam fit amarum. 1°. de antidotis. 5ª.101.D
Mel inueteratum coctum amareſcit.de ocul. 7ª.188.C
Mel fit amarum vi ignis.4°.de ſimp. medica. fac. 5ª.29.B
Mel cur fiat igne amarum.4°.de ſimp.me.fa. 5ª.29.B
Mel coctum amariſſimum.2°.de nat.fac. 1ª.300.G
Mel cur coctum non efficitur dulcius.2°.de nat.fac. 1ª.300.G
Mel amarum.1°.de antid. 5ª.101.D
Mel optimum curioſe deſpumatum.4°.de ſan.tuen. 2ª.86.E
Mel curioſe deſpumari debet.4°.de ſan.tuen.85.D/ 2ª.86.E
Mel deſpumatum minus excrementoſum eſt,& magis nutrit. 7°.methodi medendi. 7ª.47.A
Mel deſpumatum cibus optimus ventriculo frigido, peſſimus calido.7°. methodi meden. 7ª.47.A
Melle deſpumato vtitur Galenus.6°.de cōpo.med.ſec.loc. 5ª.171.D
Melli,& aceto quid faciat coctura.de puero epil. 7ª.181.A
Mel,& acetum optime miſceri facit coctura.de puero epil. 7ª.181.A
Melle cocto vtitur.8°.de compo.med.ſe.lo. 5ª.192.H
Mel coctum. 7°. de comp.med.ſecun.loc. 5ª.182.G/H
Mel coquit prius,quàm miſceat.8°.de compo. medica.ſec.loc. 5ª.195.D
Mel coctum aloes remittit inſuauitatem.de dyna. Sp.20.H
cum Melle,vel garo,vel ſale coctum ouum,eſt compoſitum ex partib. facultate diuerſis.de vict.ra.in mor.acu.com.1°. 7ª.111.H
Mel intendit medicamentum.2°.de compo.medic.per gen. 5ª.220.D
Mel quando poni debeat.1°.de antid. 5ª.107.F
Mel miſcendum cum mitigatorijs.13°.meth.med. 7ª.81.C
Mel auſteris admiſceri debet.6°.de comp.me.ſec.loc. 5ª.173.F
Mel non conuenit in tenui deſtillatione.7°.de comp.med.ſec.lo. 5ª.181.A
ex Melle cur primo factum Diamoron.6°.de comp.med.ſe.lo. 5ª.167.B
cum Melle quo modo miſcendus ſuccus in medijs pharmacis.7°.de compo.med.ſec.lo. 5ª.168.B
Mel in Diamoro quantum.6°.de comp.med.ſec.lo. 5ª.168.B
Mel quintuplum ad ſuccum pro ſeruanda ſymmetria. 6°.de comp.medicamen.ſec.lo. 5ª.168.B
ex Melle quando medicamenta componuntur, quomodo loquendum de quantitate eorum in permixtione.6°.de comp.medi.ſec.lo. 5ª.168.C
ex Melle Diacodion quando melius.7°.de comp.medi.ſec.loc. 5ª.181.A
ex Melle,hyſſopo,origano,& pulegio potus pro animi defectu ex membri principalis obſtructione.1°.de arte curati.ad Glauco. 7ª.99.F
Mellis ſyrupus quo modo fiat.de med.exper. Sp.104.C
de Melle ſyrupus pro potu.ſecre. Sp.102.E
ex Melle,& pane cataplaſma.13°.meth.med. 7ª.83.F
ex Melle cataplaſmatis vſus tempore Galeni.1°.de diff.feb. 3ª.35.F
Mellis emplaſtrum pro neruis detectis.6°.meth.med. 7ª.38.C
cum Melle puluerizatum,& malaxatum chamæmelum ad dolorē ventris,&

tris,& rerum propter humores frigidos.de med.exper. Sp.106.D
Melli quando pulueres miſcendi.2°.de arte cur.ad Glau. 7ª.106.H
ex Melle,aqua,& oleo,clyſter.8°.meth.med. 7ª.53.F
ex Melle,& Rhu medicamẽtũ adſtringit.de p̃cog.ad Poſthu. 4ª.219.C
Melli qd ſimile in meliceridibus inuenitur.de tum.præter nat. 3ª.83.G
ex Melle acopon.7°.de comp.med.per gen. 5ª.270.A
ex Melle thapſia p̃ mẽbris quæ ægre reficiũtur.14°.meth.med.7ª.91.G
Mel pro reſina liquida.de art.com.2°. 7ª.267.A
Melli ſimile facultate,& conſiſtentia eſt caricarũ decoctum.8°.de ſimp. medi.fac. 5ª.61.E
Mel ſcilliticum qua dandum quantitate.de puero epil. 7ª.181.C
MELAMPVS erat valde auritus.1°.de ſan.tu. 2ª.63.H
à Melampode elleboro purgatæ filiæ Prœti.de atra bile. 1ª.36.E
MELAMPHYLLVM. 6°.de ſimpli.med.facul. 5ª.41.H
MELAMPYRON ex tritici mutatione.1°.de ali.fac. 2ª.15.H
Melampyron peius lolio.1°.de alim.fac. 2ª.15.H
Μέλαν atramentum appellant.2°.de ali.fac. 2ª.17.A
Μελάνχλωρος. in 6^{m}.de mor.vul.com.2°. 3ª.167.B
in MELANCHOLIAM tranſeunt bilis,& ſanguis.de ſper. Sp.40.F
Melancholiam bilem acidam appellat Galenus. in 1^{m}.de mor.vul.commentario.1°. 3ª.103.C
in Melancholiam vertitur bilis incenſa.de ſper. Sp.40.A
Melancholia non tranſit in bilem vel ſanguinem.de ſper. Sp.40.G
Melãcholia tranſit in pituitam. [hoc abſurdum eſt.] de ſper. Sp.40.G
Melancholia appellatur ſanguinis fex, quæ inferius reſidet. de anatom. viuorum. Sp.50.H
Melancholia ad ſplenẽ ab hepate q̃uo procedat.de anat.par. Sp.43.B
Melancholiæ ſedes in ſplene.de anat.viu. Sp.45.F
Melancholiæ proprium vas eſt ſplen.de anat.viu. Sp.50.H
Melancholia in ſtomacho quid faciat.de anat.vi. Sp.45.F
Melancholia tranſmittitur ad os ſtomachi ad prouocandum appetitum. de anat.viu. Sp.51.A
ex Melancholiæ ſuperflua trãſmiſſione ad os ſtomachi accidit bulimus, ſiue caninus appetitus.de anat.viu. Sp.51.A
Melãcholia valde acida facit magnam inappetẽtiã.6°.de lo.aff.4ª.36.B
Melancholia æſtate peccat,licet raro.com.4°.aph.4°. Ex.27.H
Melancholiam generat caro cordis.de anat.viu. Sp.56.B
Melancholiam quæ operationes ſequantur.de ana.viu. Sp.45.F
ex Melancholia eſt membrum omne congelatum,terreſtre, priuatũ ſenſu.de anat.viu. Sp.45.F
in Melancholiæ horis concepti pueri natura.de ſper. Sp.37.C
Melancholia facit morbum longum.com.2°.aph.2°. Ex.14.E
Melãcholiæ paſſiones cancri,elephãtes,ſcabies,lepræ, vitiligines nigræ. com.7°.aph.40° Ex.57.B
Melancholiæ affectio,lepra,ſcabies,& elephas.de tu.p̃ter nat. 3ª.84.E
Melancholia quos tumores generet.de ocul. 7ª.189.E
Melãcholia facit ſputa nigra in morbo laterali.cõ.6°.aph.33°. Ex.50.A
Melancholia affligentc,catharticis vtimur.de dyn. Sp.20.E
Melancholia purgatur medicamento educente atram bilem. quos purgare opor.quib.med. 5ª.88.F
Melancholia deſcendit,& per partes infernas purgatur quia grauis. cõmen.4°.aph.9°. Ex.28.C
ex Melãcholia epileptico data ẽ decoctio epithymi.de me.ex.Sp.104.C
Melãcholiæ conuenit peplium.de dyn. Sp.21.A
Melancholiæ vitia ſedat theriaca.de ther.ad Piſ. 5ª.96.D
Melancholiæ purgatorium medicamentum.de dyn. Sp.24.E
Melancholiã cũ vapore quod medicamentum extrahat.ſecr. Sp.101.G
ad Melancholiam educendam.ſecret.99.D| de melan.ex Gal.Rufo,& Poſſidonio. Sp.110.A
Melancholiam laxans electarium.de med.exper. Sp.107.G
ad Melancholiam electarium.de med.exper. Sp.107.A
MELANCHOLIA vnde nomen habuit.2°.metho.meden. 7ª.9.E
Melancholia quid.fin.med. Iſa.47.D
Melancholica ecſtaſis,quæ.in 1^{m}.prorrh.com.1°. 4ª.165.C
Melancholia paſſio atræ bilis.de ſper. Sp.38.C
ad Melancholiam perducit ſanguis atrę bilis in vitioſos vapores ſolutus.de vtil.reſpira. 1ª.226.E
Melancholia fit à vaporibus melancholicis.de vti.reſp. 1ª.226.E
Melancholia morbus frigidus,& ſiccus.1°.de temp. 1ª.11.C
Melancholia morbus longus intrinſecus.intro. Iſa.56.B
Melancholia morbus diutinus.quos pur. opor.quib.med. & quo temp. 5ª.88.C|com.6°.aph.47°. Ex.52.B
Μελαγχολία ſpecies alienationis mentis.intro. Iſa.56.B
Melancholia quæ eſt inſanię ſpecies,fit à melãcholia.3°.de lo.af. 4ª.18.B
Melancholia proprie inſania eſt.com.6°.aph.21°. Ex.48.D
Melancholiæ,& inſaniæ multas ſpecies habent.de melanch.ex Gal.Ru. & Poſſidonio. Sp.109.D
Melancholia eſt melancholicus affectus.3°.de ali.fac. 2ª.25.G
Melancholiæ ſunt ægritudines capitis.de vir.noſt.cor.diſp. Sp.60.B
Melancholia accidit cerebro affecto aut per ſe, aut per accidens.17°.de vſu partium. 1ª.222.F
ad Melancholiam atra bile in capite redundãte,cur trahamur, neſciuit Galenus.q̃ animi mor. 1ª.318.A
Melancholia fit ob oris ventriculi affectus.5°.de lo.aff. 4ª.32.E
Melancholias habet os ventriculi ratione ſocietatis. 1°. de ſymptomat. cauſis.17.H| 3ª.18.F
in Melancholiam ex ſtomachi affectibus per conſenſum cerebri deuenitur.de conſt.ar. Iſa.41.B
Melancholiæ tertium genus habet exemplum morbi comitialis dependẽtis à ventriculo.3°.de lo.aff. 4ª.18.G
in Melãcholijs apparet aĩam lędi à malis corporeis.q̃ aĩ mor.1ª.319.A
Melãcholia canina,& lupina quales.de mel.ex G.R.& Poſ. Sp.110.E
in Melancholiam incidunt flaui.3°.de lo.aff. 4ª.18.E
ad Melãcholiã procliue rubrum valde.in 1^{m}.prorr.com.2°. 4ª.170.H
Melancholicus.de bon.& vi.ſuc. 2ª.39.D
in Melancholiam cur incidunt conſiſtentes.com.3°.aph.30°. Ex.26.D
Melancholia ſenioribus contingit.in progn.com.3°. 4ª.210.D
Melancholiam faciunt vigiliæ,labores,ſolicitudines, & tenuis victus. 3°.de locis affect. 4ª.18.E
Melancholiam facit hæmorrhois reſtricta,ſanguis conſuetus reſtrictus, & menſes reſtricti.3°.de lo.aff. 4ª.18.E
Melancholia corripiuntur,qui varices habent ex melancholia, & quid agendum.de atra bile. 1ª.35.C
Melancholia corripiuntur,qui habent hæmorrhoides,& quid agendum. de atra bile. 1ª.35.C
Melancholici ex varicum ſublatione.de atra bile. 1ª.35.E
Melancholia poteſt fieri ab intemperie.3°.de lo.aff. 4ª.20.B
Melancholia quid faciat, ſi totum corpus, vel ſi partem occupet.3°.de ſympto.cauſis. 3ª.26.B
Melancholia quid faciat.in 1^{m}.prorrh.com.3°. 4ª.185.D
in Melancholia nullum adeſt loci affecti ſignum.3°.de loc.aff. 4ª.16.B
Melancholię,in cuius nomine omnes græci conſentiunt, ſigna.comm.7°. aphoriſ.40°. Ex.57.B
Melancholiæ ſigna communia.de mel.ex Gal.Ru.& Poſſ. Sp.109.D
Melancholia eſt ſine febre.3°.de loc.aff. 4ª.17.A
in Melancholia,& amentia quales vrinę.quæſita.in Hipp. Sp.113.E
in Melancholijs quæ videantur.q̃ animi mor. 1ª.318.C
cuius Melancholiæ principium ſit ex cruditate. de melancho.ex Galen. Rufo,& Poſſidonio. Sp.109.B
Melancholiæ initium quæ ſignificent ex ſermone. in 1^{m}.de mor.vul.commentario.3°. 3ª.117.G
Melancholiæ principium quo modo nouit Galenus. in 1^{m}.de morb.vulg. commentario.3°. 3ª.117.H
Melancholiam non antecedit linguæ inconſtantia, neq; ſtupor. com.7°. aphoriſmo.40°. Ex 57.B
Melancholia q̃ vocat̃ flatuoſa,& hypochondriaca.3°.de lo.aff.4ª.19.D
Melancholiam quo modo faciat flatus hypochondriacus.de melanch.ex Gal.Ruf.& Poſſ. Sp.109.B
ex Melãcholia,& phrenitide deliriũ.in 3^{m}.de mor.vulg.c.3°. 3ª.151.E
Melancholiæ per euacuationem occurrit Gal.com.6°.aph.47°. Ex.52.B
Melãcholiã exacuũt vomitus aliq̃bus.de mel.ex G.R.& Poſſ. Sp.110.E
in Melancholia vſus abſtergentium quando conueniat.de mel.ex Gale. Ruf.& Poſſ. Sp.110.C
Melãcholia exiſtẽte,qui humores ſint euacuãdi.c.6°.aph.47°. Ex.52.B
Melancholia fit ex humoribus craſſis,qui debet in principio veris euacuari.com.6°.aph.47°. Ex.52.C
Melancholiam patientes non ſolum vere,ſed & autumno purgari debẽt. com.6°.aph.47°. Ex.52.C
Melancholia albo veratro curatur.de atra.bile. 1ª.36.D
Melancholiã quidã ſingulis annis patiebat̃, niſi purgaretur vere. quos purg.op.quib.me.& quo temp.5ª.88.C|com.6°.aph.47°. Ex.52.B
ex Melancholia multos ſeruauit Galenus, eos ineunte vere euacuans. quos pur.op.quib.med.& quo temp. 5ª.88.C
Melancholiam aduenientẽ quidã præſentiebat.c.6°.aph.47°. Ex.52.B

in Melancholia ſi educere ſanguinẽ opus ſit, Poſſidonius iubet primo ſecare venam poſtea euacuare.de mel.ex Gal.Ru.& Po. Sp.110.A
in Melancholia qñ mittendus ſanguis.de mel.ex Ga.R.&.P. Sp.109.F
in Melancholia venę ſectio vſq; ad animi deliquium . de melan.ex Gal. Ruf.& Poſſido. Sp.110.F
in Melancholicis quæ vena ſecanda.de mel.ex G.R.&.Po. Sp.109.H
Melancholiæ medela ſunt hæmorrhoides.in 6ᵐ.de morb.vulga.com.3°. 178.E/com.5°. 3ª.192.H
in Melancholia clyſter.de mel.ex Gal.Ru.& Poſſ. Sp.109.H
in Melancholia ſomnifera danda.de mel.ex Gal.Ru.& Poſſ. Sp.110.F
ad Melancholiam.ſecret. Sp.102.G
Melancholia, vide Atra bilis.
MELANCHOLICA Caro non idem eſt quod caro. 2°.de ſymptomatum cauſis. 3ª.26.D
Melancholica multum caro leporina.3°.de loc.aff. 4ª.18.F
Melancholicis Cibis abſtinendum Autumno.1°.de ali.fac. 2ª.13.F
Melancholicis cibis vtendum hyeme.1°.de ali.fac. 2ª.13.F
Melancholicæ complexionis eſt ſplen.de ana.viu. Sp.51.A
Melancholicum aut bilioſum excrementum facit alteratrix potentia calidior.2°.de ſymp.cau. 3ª.26.B
Melancholicum excrementum pauciſſimum.5°.de vſu par. 1ª.144.E
Melancholicum excrementum craſſiſſimum.5°.de vſu par. 1ª.144.E
Melancholicũ excrementũ cur trahitur à liene.5°.de vſu par. 1ª.144.E
Melãcholicũ excremẽtũ ĩ liene mittit̃ ad vẽtriculũ.5°.de vſu p.1ª.143.G
Melancholicus humor, & atra bilis differunt.14°.meth.me. 7ª.89.E
Melãcholicus humor qũo differat ab atra bile.c.4°.aph.21°. Ex.29.D
Melancholici humoris quatuor differentiæ.fin.med. Iſa.44.B
Melancholicus humor quando non eſt atra bilis.de mult. 3ª.81.H
Melancholicum ſuccum quem nominet Galenus.3°.de lo.af. 4ª.18.A
Melancholicus humor non dicitur ſimpliciter bilis, vt flaua, ſed bilis cũ illa adiectione atra.c.6°.aph.56°.53.E/&.c.7°.aph.32°. Ex.56.D
Melancholicus humor qui vere ſit.com.6°.aph.53°. Ex.53.B
Melancholicus humor eſt ſanguini mixtus.com.6°.aph.11°. Ex.47.D
Melancholicus quodam modo eſt humor craſſus.13°.meth.me. 7ª.80.H
Melancholicus humor eſt ſanguinis fex.com.4°.aphor.77°. & com.6°. aph.11°.36.F/ Ex.47.D
Melancholicum humorem diſtinctum eſſe à ſanguine, collige.commẽ.6°. aphoriſmo.11°. Ex.47.D
Melancholicus humor quomodo fiat.com.4°.aph.21°. Ex.29.D
Melancholicus humor in ſanis generatur.de atra bile. 1ª.37.E
Melancholicum humorem non habent molles, candidi, & obeſi.3°.de locis affectis. 4ª.18.E
Melancholici humoris cumulationi aptiſſimi ſunt macri, nigri, & hirſuti, latas habentes venas.3°.de loc.aff. 4ª.18.E
Melancholicum humorem qui facile incidunt. in 3ᵐ .de morbis vulgari. commentar.3°. 3ª.146.G
in Melancholicum humorem affatim incidunt rufo colore homines. 3°. de locis affect. 4ª.18.E
Melancholicum humorem facientes cibi.3°.de lo.af. 4ª.18.F
Melancholicus humor à cibis ſiccis, & craſſis fit.1°.de ali.fac. 2ª.13.E
Melancholicum humorem qñ pariat caſeus vetus.3°.de lo.af. 4ª.18.F
Melancholicus humor ex vicia, & aphace.1°.de ali.fac. 2ª.15.G
Melancholicus humor quo modo dicatur peccare, & quot ſignis cognoſcatur.com.4°.aph.2°. Ex.27.F
Melancholicus humor quos morbos faciat.de bo.& vi.ſuc. 2ª.39.D
Melãcholicus humor facit quaternarios circuitꝰ.c.7°.ap.40°. Ex.57.B
contra Melancholicas febres valens medicina.de me.exper. Sp.104.H
Melancholicus humor in coxas, et crura deſcendens, facit varices.com. 6°.aph.21°. Ex.48.D
ex Melancholico humore quomodo fiat carbo.de atra. 1ª.35.B
Melancholico ſanguine plenę ſunt venæ, quę ſunt circa cancrum. cõ.6°. aphoriſmo.38°. Ex.50.F
Melancholicus humor facit apoplexias, conuulſiones, cæcitates, furores.com.6°.aph.56°. Ex.53.D
Melancholicus humor, qui furorem facit qui ſit.c.6°.aph.56°. Ex.53.E
Melancholicus humor cur pernicioſiſſimus in Pleuritide.de conſtitutione artis. Iſa.40.H
Melancholicus humor cum abundat, ſanguis mittendus, aut vtendũ medicamento euacuante atrã bilẽ.de cur.rat.per ſang.miſſ. 6ª.18.E
Melancholicus humor deorſum purgatur.de cathar. Sp.94.C
Melancholicus humor de ſplene educitur.de cathar. Sp.94.G
Melancholici humores per lienem purgantur.de atra bilę. 1ª.37.A
Melancholici humores lieni inſerti ſi euacuentur, bonum, commenta.6°. aphoriſmo.43°. Ex.51.B
Melancholicus humor quo modo ex epithimo in ſero lactis euacuetur. 14°.methodi medendi. 7ª.89.G
Melãcholicũ humorẽ maxime educit garũ catharticũ.de dyn. Sp.22.G
inter Melancholicum Sanguinem, & atrã bilem Galenus ponit differẽtiam.5°.de loc.affec. 4ª.34.E
Melancholicum ſanguinẽ quẽ nominet Galenus.3°.de loc.aff. 4ª.18.A
Melancholicus ſanguis eſt ſuperfluitas ſanguinis, quæ continetur in ſplene.de anat.viu. Sp.50.F
Melancholicus ſanguis craſſus eſt.de cur.rat.per ſang.miſſ. 6ª.18.E
Melancholicum ſanguinem continet ſplen.de anat.viu. Sp.50.A
Melancholicum ſanguinem generat lien.3°.de ali.fac. 2ª.27.D
Melancholicus ſanguis eſt ſanguis cũ melancholia mixtus. 10°.de ſimp. medic.facul. 5ª.72.F
Melancholico ſanguine aliqua membra indigent.1°.de ſem. 1ª.332.E
Melancholicũ ſanguinẽ trahere, lienis eſt officiũ.6°.de lo.af. 4ª.36.A
Melancholico ſanguine nutritur lien.6°.de lo.aff. 4ª.36.B
Melancholicus ſanguis qũo faciat appetitum.de anat.viuo. Sp.50.A
Melancholicus ſanguis eſt vt plurimum, quem à puerperio euacuant.de mor.vul.com.3°. 3ª.148.E
Melãcholicũ ſanguinẽ facit braſſica ſola inter olera.3ª.de lo.af. 4ª.18.F
Melancholicum ſanguinem maxime gignunt lentes inter olera. 3°.de locis affectis. 4ª.18.E
Melãcholicũ ſanguinẽ craſſum generãt carnes ſalſę.1°.de ali.fa. 2ª.13.F
Melancholicum ſanguinem faciunt carnes ſalſę, & piſces ſalſi. 3°.de locis affectis. 4ª.18.F
Melancholicũ ſanguinẽ faciũt vina craſſa & nigra.3°.de lo.af. 4ª.18.F
Melancholicum ſanguinem habentes nutriendi ſunt cibis calidis, & humidis.de bon.& vi.ſuc. 2ª.38.A
Melancholicus ſanguis, aut nigrum, aut liuidum facit ſputum.2°.de loc. affectis. 4ª.13.B
Melancholico ſanguine plenę ſunt venę, quę ſunt circa cancrum.com.6°. aphoriſmo.38°. Ex.50.F
Melancholicus ſanguis in cerebro quandoq; fit quando recipitur ab alia parte.de mel.ex G.R.& Poſſ. Sp.109.B
Melancholicus ſanguis an ſit in toto corpore, vel in cerebro, quo modo cognoſcatur.3°.de lo.aff. 4ª.18.E
Melancholicus ſanguis ſi in vniuerſo ſit corpore, curatio debet incipere à venæ ſectione, ſi in cerebro ſolo, ea nõ eſt opus.3°.de lo.af. 4ª.18.E
Melancholico ſanguine abundante cubiti venam mediam ſecato. 3°.de locis affectis. 4ª.18.G
in Melancholico ſanguine mittendo, ſi ſanguis, qui exit nõ videatur, melancholicus ſiſtendus eſt.3°.de lo.aff. 4ª.18.G
à Melancholica materia, etiam ſine febre, quo modo fiat elephas. de atra bile. 1ª.35.B
MELANCHOLICI vnde quidam ſint, quidam pituitoſi, quidam cholerici, quidam ſanguinei.de ſper. Sp.37.B
Melancholici ſunt ſanguinem multum calidum habentes.in 3ᵐ.de morb. vulg.com.3°. 3ª.146.G
Melancholica puella quomodo fiat.de ſper. Sp.38.C
Melancholica temperamenta ex ſanguinis aduſtione.2°.de tẽp. 1ª.21.B
Melancholia dicta paſſio, & oẽ mẽtis deliriũ cui ira, temeritas, atq; immanitas iũgitur, ſignificãt atram bilem peccare.c.4.ap.2°. Ex.27.F
Melancholici carne bubula melancholicos affectus incidunt. 3°.de alimẽtorum facultatib. 2ª.25.G
Melancholici quomodo fiant.2°.de ſymp.cau. 3ª.24.D
Melancholici ex hæmorrhoidum ſuppreſſione.de atra bile. 1ª.35.E
cur Melancholici euadant flatum hypochondriacum habentes. 2°. de ſympt.cauſis. 3ª.24.D
Melancholicorum varij affectus.de mel.ex G.R.& Poſſ. Sp.109.C
Melancholicorum ſymptomata.3°.de lo.aff. 4ª.19.B
Melancholicorum differentiæ.3°.de lo.aff. 4ª.19.C
Melancholiam mœſtitia diuturna ſignificat.2°.de ſymp.cau. 3ª.24.D
Melãcholicis timor eſt maxime ꝓprius.in 6ᵐ.de mor.vul.c.3°. 3ª.172.A
Melancholicos timor nunquam deſerit.3°.de lo.aff. 4ª.19.B
Melancholicorum timor.2°.de ſymp.cau. 3ª.24.D
Melancholica mœſtitia qui afficiantur.6°.de lo.aff. 4ª.36.B
Melancholica mœſtitia qũo ex liene procedat.6°.de lo.aff. 4ª.36.C
Melancholicis ob ſiccitatem videntur phantaſmata ſomniorum . in 1ᵐ. prorrh.com.1°. 4ª.163.F
Melãcholici putãt dæmonas ſibi ĩmiſſos.de mel.ex G.R.& P. Sp.109.C

Melancholica deli-

Melancholica deliria vnde.2°.de ſymp.cau. 3ª.24.C
Melancholica deliria ex cauſa frigida.2°.de ſymp.cau. 3ª.24.C
Melancholici cur fuſci ſunt.de mel.ex Gal.Ru.& Poſſ. Sp.109.E
Melãcholici plurimi cur piloſi euadũt.de mel.ex G.R.& Poſſ. Sp.109.E
Melancholici cur linguam velocem ferè ſemper habent,ſed & balbe,& exili voce loquuntur.de mel.ex G.R.& Poſſ. Sp.109.E
Melancholici tacent.in 3^{m}.de mor.vul.c.3°. 3ª.151.G
Melancholicũ eſt,ſi lingua repente incontinens fiat,aut aliquo pars ſtupore elanguit.com.7°.aph.40°. Ex.57.B
Melancholici cur conniuent oculis,& labia habent craſſa,& oculos prominentes.de mel.ex Gal.Ru.& Poſ. Sp.109.E
Melãcholici magna ex pte morbo comiciali afficiunt.3°.de lo.af. 4ª.18.D
Melancholicum eſt,ſi timor,atq; mœſtitia longo tẽpore homines habentes perſeuerauerint.com.7°.aph.40°. Ex.57.B
Melancholicum eſſe cerebrum primo affectu quo modo cognoſcatur. de mel.ex G.R.& Poſſ. Sp.109.H
Melancholici efficiunt morbo comiciali laborantes.3°.de loc.aff. 4ª.18.D
Melancholicorum, & phreniticorum proprium eſt cooperiri. in 3^{m}.de mor. vulg.com.3°. 3ª.151.G
Melãcholici plurimi cur cibos appetãt.de mel.ex G.R.& Po. Sp.109.D
Melãcholici plurimi cur potũ deſiderẽt.de mel.ex G.R.&.P. Sp.109.D
Melancholici cur aſſidua cruditate laborant.de mel.ex Galeno Rufo,& Poſſidonio. Sp.109.E
Melancholicis cur aluus ferè ſemper adſtricta eſt.de mel. ex Galeno Rufo,& Poſſidonio. Sp.109.E
Melancholici pleriq; in venerem proniores euadunt. de mel.ex Gal.Ru. & Poſſidonio. Sp.109.C
Melancholici cur libidinoſi.in 6^{m}.de mor.vul.c.3°. 3ª.172..A
Melãcholici aliq cur ſeipſos perimunt.de mel.ex Ga.R.& P. Sp.109.E
Melancholicorum accidentium cauſę explicari nõ poſſunt.de mel.ex Ga. Ruf.& Poſſi. Sp.109.D
Melancholici,qui morituri ſunt.de dyna. Sp.24.E
Melancholicæ naturæ quies condonanda eſt.de melancholia ex Gal.Ru. & Poſſidonio. Sp.110.E
Melancholicis qui cibi conueniant.de diſſ.cont. Sp.71.E
Melãcholicorũ vinũ quale eſſe debeat.de mel.ex G.R.& Poſſ. Sp.100.D
Melancholicis cibi acres,exhibeantur vt medicinæ. de melan.ex G.Ru. & Poſſidonio. Sp.110.D
Melancholicis prębetur acetũ copioſe.de mel.ex G.R.& Poſſ. Sp.110.D
Melancholicis aduerſiſſimum eſt acetum.1°.de ſimp.me.fac. 5ª.7.F
Melancholicis quod ſerum magis conueniat pro aluo inanienda.de mel. ex Gal.Ru.& Poſſ. Sp.110..A
Melancholici ſitis,& dolor lateris quo modo curetur.de dy. Sp.24.E
in Melancholicis ſudor conuenit.de mel.ex G.R.& Poſſ. Sp.110.B
in Melancholicis cura præcordiorum habenda eſt.de melan.ex Gal.R. & Poſſidonio. Sp.110.B
in Melancholicis fomenta pro præcordijs,quæ. de mel. ex Galen.Rufo, & Poſſidonio. Sp.110.B
in Melancholicis aduentriculi ventoſitates quæ conueniunt. de melancholia ex Gal.Ru.& Poſſ. Sp.110.C
in Melancholicis cataplaſma ad ventriculum.de melancho.ex Gal.Ru. & Poſſidonio. Sp.110.C
in Melancholicis rubificantia quando conueniant.de melancho.ex Gal. Ruf.& Poſſi. Sp.110.C
pro Melancholicis ſiccum bouis ſtercus quo modo conueniat.de mel.ex Gal.Ruf.& Poſſ. Sp.110.C
Melancholici,qui conuelluntur,quomodo tractandi.de melancho.ex Gale.Ruf.& Poſſ. Sp.110.D
Melancholicis quando vomitus conueniat,& ex quibus. de melanchol. ex Gal.Ruf.& Poſſ. Sp.110.E
Melancholicis obſunt vomitus fortes.de mel.ex Ga.R.& P. Sp.110.E
Melancholici debent per inferiora purgari.com.4°.aph.9°. Ex.28.C
Melancholici purgari debent in principio veris. quos purga.opor.quib. med.& quo temp. 5ª.88.D
Melancholicis educimus atram bilem.de dyna. Sp.21.B
pro Melancholicis epithymum.de mel.ex Gal.Ru.& Poſſ. Sp.109.H
Melancholicis datur lapis armenus.de dyna. Sp.21.C
Melancholici ſola purgatione ſanati.de purgan.med.fa. 5ª.87.G
pro Melancholicis hiera.de mel.ex Gal.Ru.& Poſſ. Sp.109.H
Melãcholiæ cõferũt varices,& hæmorrhoides.c.6°.aph.21°. Ex.48.D
Melancholicæ paſſionis maximum remedium hæmorrhoidalis ſanguis. com.4°.aph.25°.30.B/com.6°.aph.11°. Ex.47.D
Melancholiam futuram quando prohibet ſanguis hæmorrhoidalis.commen.4°.aph.25°. Ex.30.B
Melancholicis ſanguinem mittendum perſuaſit Galenus.de curan.ratio. per ſang.miſſ. 6ª.18.E
in Melancholicis cucurbitulæ cõtra inflammationes.de melancholia ex Gal.Ruf.& Poſſ. Sp.110.C
Melancholici aliqui dum curantur,non videntur proficere.de melanch. ex Gal.Ruf.& Poſſ. Sp.109.C
in Melancholicis galea plumbea remedio eſt.de melancho.ex Gal.Rufo & Poſſidonio. Sp.109.C
ad Melancholicas ægritudines.ſecre.102.D/ Sp.103.E
MELANGIA *ad aperiendum.de dyna.* Sp.35.E
Melangiæ meminit.de dyna. Sp.31.E
Melangia,& piloſella.de dyna. Sp.35.F
MELAN *graphicum.9°.de ſimp.me.fac.* 5ª.70.B
MELANTHIVM *oleum.6°.de ſimp.med.fac.* 5ª.46.H
Melanthium ideſt Nygella.7°.de ſim.med.fa. 5ª.55.C
Melanthij ſemen amarum.4°.de ſimp.med.fac. 5ª.26.E
Melanthium prouocat menſtrua.de cathar. Sp.95.D
Melanthium in naſi obturatione.2°.de comp.med.ſec.lo. 5ª.139.G
Melanthium in morbo regio.2°.de comp.me.ſe.loc. 5ª.139.G
Melanthium frictum collo in linteo ſuſpenſum catarrhos, & coryzas deſiccat.6°.de ſimpl.me.fa. 5ª.45.H
Melanthium torrefactum.5°.de compo.med.ſec.lo. 5ª.163.E
MELANTHERIA *ex clauis confecta.5°.de compoſi.medicamento.per genera.* 5ª.253.B
Melanteria qualis.9°. de ſimp.med.fac. 5ª.70.B
Melanteria adſtringens ſummum.3°.de ſimp.medic.fac. 5ª.21.D
Melanteriæ meminit.5°.de compo.medi.per gen. 5ª.248.G
MELCA *cibus refrigerans.7°.metho.meden.* 7ª.44.B
Melca quando conuenit.de bon.& vit.ſuc. 2ª.39.B
MELEA *id eſt malus.7°.de ſimp. medica. fac.* 5ª.55.H
MELEA *armenice,id eſt malus armenica.7°.de ſimp.me.fa.* 5ª.56..A
Melea medice,id eſt malus medica.7°.de ſimp.med.fac. 5ª.56..A
Melea perſice,id eſt malus perſica.7°.de ſimp.med.fa. 5ª.56..A
Μελεδόνας *vocant poetæ dolores,& curas.de arti.com.1°.* 7ª.257.B
Μελέτη *pro diligentia accipitur.de fract.com.2°.* 7ª.235.D
Μέλι *id eſt membra.in timæum Pla.* 1ª.287..A
MELICERIS *affectus iuncturarum cubiti.intro.* Iſa.59.C
Meliceris ſuturarum diſtentio.intro. Iſa.59.C
Meliceris id eſt formica,ſiue ſeſſilis veruca nomen ſumpſit à ſimilitudine ad aliquid extra poſitum.2°.metho.me. 7ª.9.E
Meliceris numeratur inter affectus; qui prius non fuere.14°.methodi medendi.92.D/ 7ª.93.C
Meliceris quid.de tum.præter natu. 3ª.83.G
Meliceris affectus partium exteriorum palpebrarum.intr. Iſa.58.D
in Meliceride quod inutilę eſt deponitur in natura.de cau.mor. 3ª.9.D
Meliceridum tumor diuerſus ab alijs.ad Thraſ. 2ª.105..A
Meliceris ex humore tenuiore generatur.14°.meth.me. 7ª.90.E
Meliceris quõ ſanet.14°.me.me.93.F/2°.de arte cur.ad Gla. 7ª.107.G
Meliceris,œdema,ramex,ſtruma magna ſimilitudine conueniunt,ſed in curatione diſtant.de opt.ſect. Iſa.24..A
Melicerides ablationem ſui indicant.3°.meth.me. 7ª.16.C
ad Meliceridas digerendas.6°.de compo.medic.per gen. 5ª.261.F
Meliceridas diſcutiens.6°.de comp.med.per ge. 5ª.261.D
ad Meliceridas magnas.6°.de comp.med.per gen. 5ª.262.H
Μελιινός *dicitur poeta Lyricus.17°.de vſu par.* 5ª.222.G
MELICRATON *facit victum tenuiſſimum.com.1°.aph.4°.* Ex.4.B
Melicratum cur præbeatur ægrotantibus.de boni.aquæ. Sp.75.G
Melicrato quãdo vti debemus.de vict.rat.in mor.acu.com.2°. 7ª.121.F
Melicratum dandum in febribus continuis,quibus non bileſcit in ventriculo.1°.de arte cura.ad Glau. 7ª.98..A
Melicrato vtẽdũ ꝑ ſiti in pleuritide.de vict.ra.in mor.ac.c.1°. 7ª.114.F
Melicratũ ſtomachũ ſupinat.de vict.ra.in mor.acu.com.1°. 7ª.111.E
Melicratum pauliſper coctum quid faciat.3°.de alim.fac. 2ª.32.G
Melicratum in balneo bibitum quibus conferat.de cura icter. Sp.111.C
Melicrato parari debent medicamenta thoracis,& pulmonis.5°.de ſimplicium med.facul. 5ª.35.C
cum Melicrato oxymel incidit.de cur.rat.per ſan.miſſ. 6ª.19..A
Melicratum maturat.de ocul. 7ª.189.D
Melicratum,in quo aliquid decoctum ſit hyſſopi, origani, tragorigani, thymi,pulegij,habet vim extenuandi.com.1°.aph.24°. Ex.10.G

Melicrati potus in quo ebullierit thymus origanũ, pulegiũ, vel hyſſopus cõuenit in aſ̃ defectu ex multitudine.1°.de arte cur.ad Glau. 7ª.99.B
Melicratum in quo hyſſopus ebullierit pro ventriculo, in quo pituita frigida ſit aceruata.1°.de arte curatiua ad Glauconem. 7ª.99.D
Melicratum ſoluere in ore omnium eſt.1°.de alim.fac. 2ª.7.F
Melicratum aluum omnibus non ſubducit.1°.de alim.fac. 2ª.7.F
Melicratum quos ſoluat, & quos non.1°.de alim.fa. 2ª.8.D
Melicrati cyatis duobus miſcetur colocynthis.de dyn. Sp.21.D
Melicrato, vel oximelite excipitur agaricum.de dyn. Sp.21.G
cum Melicrato ſuccus centaureæ purgat choleram, & ſoluit craſſos, et viſcoſos humores.de virt.cent. Sp.94.A
Melicratum expurgat in icteris.de cura icter. Sp.111.B
Melicrato abluendum vlcus.2°.de arte cu.ad Glau. 7ª.101.H
Melicratum mordicationes quandoq; ſanat, & ſalſuginoſum eſt.2°.de ſimpl.medic.fac. 5ª.12.B
*Melicratum ad expurgãdũ melius eſt vino.2°.de ar.cur.ad Gl.*7ª.106.C
Melicrato, melius vinum mulſum ad glutinandum.2°.de arte curat.ad Glauconem. 7ª.106.C
Melicratũ cõglutinat ſinus profundos.2°.de arte cur.ad Gla. 7ª.106.C
MELIDIAE *caſus.in 1ᵐ.de mor.vul.c.3°.* 3ª.126.G
MELILOTVS *eiuſdem ferè generis exiſtit cum croco.4°.de compoſi.medic.ſecun.loc.* 5ª.151.D
Melilotus magis calidus quàm frigidus, digerit, & concoquit.7°.de ſimpli.med.facul. 5ª.55.D
Melilotus adſtringit exigue, & diſcutit.5°.de cõp.me.ſe.loc. 5ª.159.B
Melilotus iuuat oculos inflammatos circumdolentes.intro. Iſa.58.C
Meliloti attici meminit.8°.de compoſit.medicamen.ſecun.loc. 5ª.196.E
*Melilotus odoratas reddit compoſitiones.1°.de cõp.me.ſec.loc.*5ª.128.C
Meliloti decoctum, quale.4°.de compoſi.medic.ſec.loc. 5ª.151.F
ex Meliloto medicamentum quo modo fiat, & valeat diuerſis vlcerib.8°.de comp.med.ſec.lo. 5ª.187.F
ex Meliloto malagma.7°.de compo.medica.per gen. 5ª.266.A
in Meliloti emplaſtro miſcentur vitella ouorum.11°.de ſimplic.medicamen.facult. 5ª.81.E
ex Meliloto emplaſtrum.8°.de cõpo.med.ſec.loc. 5ª.193.D
MELINE *dicitur ab aliquibus panicum.de bon.& vi.ſuc.* 2ª.37.D
Meline id eſt panicum.6°.de ſimp.med.fa. 5ª.47.D
Meline eſt praui ſucci.de atten.vict. 2ª.45.B
Meline flatuenta eſt, & concoctu difficilis.de atten.vic. 2ª.45.B
MELINA *Critonis medicamenta.2°.de comp.med.per gen.* 5ª.223.D
Melina quo modo fiant viridia per coctturam poſtea Gilua.2°.de compo.med.ſe.lo. 5ª.223.E
*Melinum inſcriptum aromaticum.8°.de comp.med.ſecum.loc.*5ª.193.A
Melina vocat buxea.2°.de comp.me.per gen. 5ª.223.D
*Melinũ ceratũ eſt vtilius vẽtriculo q intus vratur.8°.meth.me.*7ª.53.D
Melinum collyrium.4°.de compo.medica.ſec.loc. 5ª.156.H
Melinum Diaphantis aphra.2°.de cõp.me.per gen. 5ª.222.F
Melinũ Andromachi emplaſtrum.2°.de comp.me.ſec.lo. 5ª.222.C
Melinum emplaſtrum Paſionis.1°.de comp.medic.ſec.lo. 5ª.130.H
Melinum Heraclidis.2°.de comp.med.per ge. 5ª.222.F
Melinum Hygieni.1°.de comp.med.ſec.lo. 5ª.130.H
Melinon Lucij præceptoris ad cruſtas, & callos.5°.de compoſi.medicamen.per genera. 5ª.253.H
Melinum Leuci emplaſtrum.1°.de comp.med.ſec.lo. 5ª.130.H
Melinum Menoeti.2°.de comp.med.per ge. 5ª.222.G
Melinum Serapionis.2°.de comp.me.per ge. 5ª.222.G
MELINVM *oleum adſtringit.13°.meth.med.* 7ª.83.G
Melinũ oleũ adſtringit, & refrigerat.4°.de comp.med.per ge. 5ª.237.A
Melinum oleum pro abſinthio.11°.meth.med. 7ª.72.G
Melinum oleum.6°.de ſimpli.med.fac. 5ª.47.H
MELINVM *maſtichinum & nardinum vnguẽtum quem ordinem inter ſe habeant, & quo anni tempore exhibendũ.6°.de ſan.tu.* 2ª.99.A
Melinum vnguentum modice adſtringit.6°.de ſan.tu. 2ª.99.A
Melino vnguento pectus æſtate vngendum.5°.meth.me. 7ª.32.H
Melinum vnguentum ventriculo imbecillo applicabant antiqui.7°.methodi medendi. 7ª.43.H
Melinum vnguentum Iecori inflammato conuenit.2°.de arte curati.ad Glauconem. 7ª.104.D
Melinum vnguentum dum adhuc fluit aluus.8°.meth.me. 7ª.53.D
Melinum vnguentum pro nardino.8°.de comp.med.ſec.lo. 5ª.187.D
MELINA *terra, quid, & eius vires.de ſimp.med.* Sp.85.B
MELIVS, *& nobilius debent dominari.3°.de dec.Hipp.* 1ª.242.F
à Melioribus rectius incipitur.de ineq.intemp. Iſa.43.F
ad Melius ſemper translatio.ars med. Iſa.68.G
Melius ſe habere cũ quidã viſi ſint cur moriantur.3°.de criſ. 4ª.142.G
Meliores, qui ſint cibi eorum, qui non velociter corrumpuntur in ſtomacho.de diſſolu.conti. Sp.75.A
Meliſſophylon id eſt citrago.7°.de ſimpli.med.fac. 5ª.55.E
Meliſſophyllum odoratas reddit compoſitiones.1°.de compoſi.medicamen.ſec.loc. 5ª.128.C
MELISSI *opinio falſa quod vnũ eſſet intrãſmutabile.1°.de ele.* 1ª.4.H
MELITERIVM *vaſis genus.de puero epil.* 7ª.181.B
MELITITES *lapis, quid, & eius vires.de ſimp.med.* Sp.86.H
Melitites qualis.1°.de ſimpli.medica.fac. 5ª.68.C
Melitites medicamentum flauum & rufum.2°.de compoſi.medicamen.per genera. 5ª.221.E
MELITONIS *aridum erodens.5°.de comp.med.per gen.* 5ª.253.B
Melitonis caſus.com.7°.aph.42°. Ex.57.C
MELITI *ſtomaticum.6°.de comp.med.ſec.lo.* 5ª.171.D
MELIVM *alumen.3°.de comp.medi.ſec.loc.* 5ª.147.G
MELLA *quid ſit, & quo fiat in Grecia.de fract.c.2°.* 7ª.235.H
Mella eſt aqua mulſa auſtera.de fract.com.2°. 7ª.235.H
Mella ex maceratis fauis.de fract.com.3°.248.D| 7ª.246.D
Mella pro potu.de fract.com.4°. 7ª.292.E
Melleum dulce idem.1°.de ſimp.med.fac. 5ª.8.H
MELLITO *& muccoſo ſimilia ſæpe inueniuntur in abſceſſibus.de tum.prẽter naturam.* 3ª.83.G
MELON *qui modus ſit egreſſionis vueæ.de ocul.* 7ª.187.C
MELONES *ſunt humidi frigidi, & pituitoſi potiſſimum ſi crudi, & non elixi mandantur.de atten.vic.* 2ª.44.A
MELONGIANAE *ſunt craſſæ, & cur.de diſſol.cont.* Sp.72.H
MELOPEPON. *2°.de alim.fac.* 2ª.17.A
Melopepones dicuntur olera.2°.de alim.fac. 2ª.16.D
Melopepones ſunt humidi frigidi, & pituitoſi potiſſimum ſi crudi, & nõ elixi mandantur.de atten.vic. 2ª.44.A
Melopepones humidi, & lenti.1°.de alim.fac. 2ª.8.C
Melopepones minus humidi, quàm pepones.2°.de alim.fac. 2ª.17.A
Melopepones nullã habent adſtringentem facultatẽ.de alim.fa. 2ª.18.H
Melopepones quando ſunt idonei.de bon.& vitio ſuc. 2ª.39.B
Melopepones non poſſunt conſeruari.de bon.& vit.ſuc. 2ª.36.H
Melopepones non poſſunt ſiccari.de bon.& vit.ſuc. 2ª.36.H
Melopeponibus ipſis fructus autumnales magis iuuant ſtomachum, de alimen.facul. 2ª.17.B
in Melopeponibus editur caro.2°.de alim.fac. 2ª.17.B
Melopepones parcius edendi, quã alij fructus.de bo.& vi.ſuc. 2ª.39.B
Melopepones non ſunt boni ſucci.de bon.& vit.ſuc. 2ª.37.F
*Melopepones nõ ſunt adeo praui ſucci vt pepones.3°.de ali.fac.*2ª.17.A
Melopepones ſi non digerantur vertuntur in ſuccum ſimilem letalibus venenis.de bon.& vitio ſuc. 2ª.37.F
Melopepones tardius deorſum deſcendunt.2°.de alim.fac. 2ª.17.A
*Melopepones ad vomitũ nõ adeo apti vt pepones.2°.de ali.fac.*2ª.17.A
Melopepones mouent vrinam.1°.de alim.fac. 2ª.8.C
Melopepones minus mouent vrinas peponibus.2°.de alim.fa. 2ª.17.A
Melopeponum pars intima in qua inſunt ſemina prouocat deiectionem.2°.de alim.facul. 2ª.17.B
Melopepones mediocriter abſtergunt.1°.de alim.fac. 2ª.8.C
Melopepones ſemen ſupprimunt, tamen non corrumpunt.5°.de ſimplic.medic.facul. 5ª.38.C
MELOTIS *inſtrumentum tenue ad ora vaſorum aperienda.6°.de anatomicis adminiſt.* 1ª.93.D
MELOTRYS *vnde dictum.1°.de compo.medicamen.per gen.* 5ª.213.F
MEMBREDIAE *poſſunt dici curæ quaſi quod membra edant.de artic.com.1°.* 7ª.257.B
in MEMBRANIS *nominum differentia apud aliquos.4°.de vſu partium.* 1ª.137.H
Membrana, & tunica idem apud Galenum.4°.de vſu par. 1ª.137.H
Membranæ quæ ſint.17°.de anat.adm. 1ª.94.B
Membrana inter partes ſimilares.de nat.hum.com.1°.1ª.26.C| de differentijs morborum. 3ª.2.F
Membrana prima, & ſimpliciſſima particula.1°.de elem. 1ª.6.E
Mẽbrana ex primis ẽ, et ſimpliciſſimis ſenſui elemẽtis.1°.de ele. 1ª.7.E
Membranæ, & copulæ differentia.1°.de decr.Hipp. 1ª.233.G
Membrana qualis.1°.de decre.Hipp. 1ª.233.G
Membranæ ex primis partibus quæ formantur.2°.de temp. 1ª.16.A

Membrana eſt

Membrana eſt inter primas partes quę generantur.8°.de dec.Hip. 275.C/1°.de nat.fac. 1ª.291.F
Membranæ quo modo gignantur.de fœ.for. 1ª.322.G
Membranarum principium viri ſemen.14°.de vſu par. 1ª.208.B
Membranæ ſunt à ſemine.1°.de ſem. 1ª.332.C
Membranæ ex ſemine vſus.2°.de ſem. 1ª.331.A
Membrana quę primo fit à ſemine cur perforata.1°.de ſem. 1ª.330.H
Membrana intrinſecus fibrarũ matrices vtraſq; iungit, & colligat propinquas partes.14°.de vſu par. 1ª.209.F
Membrana primo cornibus copulatur.1°.de ſem. 1ª.331.A
Membrana quę eſt operimentum,munimentum,ligamentum, pelliculorum fœtus,& matricis.15°.de vſu par. 1ª.211.C
Membrana chorion dicta quomodo oriatur.1°.de ſem. 1ª.331.B
Membranæ allantoidis,& inteſtinalis ortus.1°.de ſem. 1ª.331.B
*Mẽbrana inteſtinalis è quo facta,& cur talis figuræ.1°.de ſem.*1ª.331.H
Membrana fœtus ſudorem accipiens.15°.de vſu par. 1ª.211.B
Mẽbranæ σίγματος græcæ literæ figuram habẽtes.6°.de dec. 1ª.264.C
Membranas diſrumpit ante decimum menſem fœtus,vel incipit diſrumpere.com.5°.aph.37°. Ex.41.A
Membranarum ſubſtantia eſt denſa.com.6°.aph.33°. Ex.50.B
Membrana eſt minus ſicca chartilagine.1°.de temp. 5ª.15.C
Mẽbrana exãguis,tamẽ eſt ex ſanguine facta.2°.de nat.fac. 1ª.297.E
Membranæ non habent fibras.6°.de anat.adm. 1ª.92.D
Membranæ ſentiunt ſolum,& non habent voluntarium motum.16°.de vſu partium. 1ª.214.H
Membranæ non habent pulſationem.2°.de lo.aff. 4ª.9.B
Membrana à ſeipſa gubernatur.ars med. Iſa.63.B
Membranæ quando nutriuntur habent naturales facultates.2°.methodi medendi. 7ª.12.H
Mẽbranæ habẽt ſimilẽ functionẽ in oĩ parte.6°.de decr.Hip. 1ª.266.B
Membranis lentus humor circumfunditur.3°.de nat.fac. 1ª.308.C
Membranæ cur inditæ membris.6°.de decr.Hip. 1ª.266.A
Membrana à cute non niſi ſcalpello ſeparatur.3°.de ana.adm. 1ª.74.C
Membrana ablata in ſimia non videntur venæ vel nerui ob tenuitatem.3°.de anatomicis adminiſt. 1ª.74.D
Membranis craneum inhæret.de nat.& ord.cuiusl.corp. Sp.42.G
Membrana caluariæ habet continuam ſubſtantiam per totum caput.2°.de comp.me.ſec.lo. 5ª.133.G/H
Membrana celerrime recedit ab oſſibus, quæ ſunt afflicta. 6°.methodi medendi. 7ª.42.C
Membrana cerebri,medullæ dorſi,thoracis ſuccinctorium, & abdominis eodem tempore fiunt.1°.de ſem. 1ª.332.A
Membranæ cerebri quam habent qualitatem.2°.de temp. 1ª.18.A
Mẽbrana dura,& mollis ob quid in cerebro.7°.de decr.Hip. 1ª.269.B
Membranæ duræ natura qualis.9°.de anat.adm. 1ª.104.A
Membranæ duræ ſectio.9°.de anat.adm. 1ª.104.A
in Membranis cerebri ab aliquibus ponitur animæ principatus.1°.de vſu partium. 1ª.114.H
*in Mẽbranis ne,an ĩ cerebro ſit aĩæ prima facultas.2°.de lo.a.*4ª.13.H
in Membrana dura cerebri dolor quo modo fiat.de iјs,quæ in medicatr.fiunt,commen.3°. 7ª.222.F
Membranę cerebri quando rumpuntur ex caſu. 2°.de comp.medicamento.ſecun.loc. 5ª.133.H
Membrana circa cerebrum vulneratum pręciſa inducit febrem, & vomitum bilis.com.6°.aph.50°. Ex.52.G
Membrana craſſa per ſe vulnerata cauſat febrem, & vomitum bilis ſecundum Eraſiſtrati ſectatores.com.6°.aph.50°. Ex.52.G
Membranæ cerebri fractæ faciunt deſipientiã.cõ.7°.apho.24°. Ex.55.F
Membranæ cerebri ſanguinem effundentes difficulter compeſcuntur.fin.med. Iſa.50.A
Membranæ cerebri vulnus q̃uo curet̃.2°.de comp.me.ſe.loc. 5ª.133.H
Mẽbranæ cerebri,& cerebrũ eadẽ ĩdigẽt curatiõe.2°.de lo.af. 4ª.13.H
Membrana cerebri quibus glutinetur.2°.de comp.med.ſec.lo. 5ª.138.D
*ſupra Mẽbranam ponitur oleũ roſaceum.2°.de comp.me.ſe.lo.*5ª.134.B
Membrana craſſa cerebri valentiſſimis gaudet medicamentis.6°.methodi medendi. 7ª.42.H
Membranæ nudatæ imponitur Iſis.6°.meth.me. 7ª.42.H
ad Membranas cerebri medicamentum.5°.meth.me. 7ª.31.B
in Membranarũ capitis inflammationis principio cucurbitulæ non ſunt apponendę.de hiru.reuul.cucurb.& ſcarif.2.E/ 6ª.3.B
in Membranæ inflammatione vti non debemus cucurbitulis in principio.11°.metho.med. 7ª.73.E
in Membranarum dolore à calida,& ſpumoſa ſubſtantia arteriæ capitis ſecandæ.de cur.rat.per ſang.miſſ. 6ª.21.F
ad Membranas cerebri in ſimplici fractura ſcalpelli quales. 6°.methodi medendi. 7ª.42.B
*Membrana agnata oculi quæ vocetur.4°.de compo.med.ſec.lo.*5ª.501.F
Membranarum oculi affectus.intro. Iſa.58.D
Membranæ ſuperioris adnatæ paſſio eſt lippitudo.de diff.mor. 3ª.6.A
Membranæ ſuper corneam vitia.1°.de ſymp.cau. 3ª.15.G
ad Membranarũ oculorũ extuberantias.4°.de com.me.ſe.lo. 5ª.156.D
Membrana,os,aden ſatis ſunt ad palati meatum.9°.de vſu p. 1ª.172.C
Membrana digitorum pars.de inæq.intemp. 3ª.43.D
Membranarum ſubſtantia cur in digitis.1°.de vſu par. 1ª.117.D
Membranas volunt eſſe principium neruorum ſectatores Eraſiſtrati.com.6°.aph.50°. Ex.52.G
Membranæ ſpinalis medullæ quam habent qualitatẽ.2°.de tẽp. 1ª.18.A
Membranæ ambientes ſpinalem medullam cum quibus partibus habent ſocietatem.com.4°.aph.35°. Ex.31.F
Membranarum thoracis vtilitates.6°.de vſu par. 1ª.148.E
Membrana in oſſe pectoris.7°.de anat.adm. 1ª.94.C
Mẽbranę ſubcingẽtis,et peritonei differentia.7°.de anat.adm. 1ª.94.C
Membranę ſubcingentis ſectio.7°.de ana.adm. 1ª.94.C
Membrana ſubcingens obducitur omnibus intra thoracem inſtrumẽtis.7°.de anatomicis adminiſtra. 1ª.94.C
Membrana ſubcingens latera neruoſa eſt,& fortis.5°.de lo.af. 4ª.30.F
Mẽbrana ſubcĩgẽs ĩflãmata facit morbũ lateralẽ.c.6°.ap.33°. Ex.50.A
Membrana ſubcingens coſtas vnde doleat.2°.de loc.aff. 4ª.9.A
Membranæ quo genere dolorum afficiantur.2°.de criſ. 4ª.137.E
Membrana ſubcingens non habet dolorem pungitiuum, & q̃uo in laterali dolore patiatur,& etiam curetur.com.6°.aph.5°. Ex.46.H
Membranarũ dolor punctioni ſimilis & q̃uo.de cur.rat. ꝑ ſang. 6ª.21.F
Membrana,pulmo non æque ſunt natura aptæ humores ſuſcipere. com.6°.aphor.33°. Ex.50.A
Membrana ſubcingens magis apta eſt ſuſcipere humoresillioſos quàm pulmo.com.6°.aph.33°. Ex.50.B
Mẽbrana ſuccingente inflammata quid ſequatur.2°.de lo.affe. 4ª.13.B
*in Mẽbranæ ſuccingẽtis inflãmatiõe vñ oriat̃ febris.2°.de lo.af.*4ª.13.B
Membranæ quæ coſtis ſubſternitur phlegmon eſt cum periculo mortis.10°.metho.meden. 7ª.63.H
in Membranæ coſtas tegentis inflammationibus indicium firmum, & ſolidum accipitur à pulſu.2°.de lo.aff. 4ª.13.E
in Membranæ coſtas ſuccingentis inflammatione pulſus qualis. 2°.de locis affectis. 4ª.13.D
Membranæ affectæ magis tendunt,& indurant arteriam,quàm muſculi affecti.5°.de lo.aff. 4ª.29.H
in Membrana ſuccingente ſcirrhus non facit febrem,nec œdema.de cõſtitutione artis med. Iſa.40.D
*Mẽbranã coſtas ſuccĩgẽtẽ eẽ vulneratã q̃uo cognoſcat̃.1°.de l.af.*4ª.2.F
Mẽbrana ſuccĩgẽs cõfoſſa,et thorax cõfoſſus idẽ eſt.1°.de lo.af. 4ª.2.F
Membrana cingens coſtas eroſa in pleuritide.5°.de lo.aff. 4ª.29.H
Membrana tegens ſpiritualia membra vt peritoneum naturalia. 7°.de anatomicis adminiſtr. 1ª.94.D
Membrana pericardion quæ.7°.de anat.adm. 1ª.94.D
Membranæ pericardion ſectio.7°.de ana.adm. 1ª.94.D
Membranæ in corde quo modo ſe habent.6°.de dec.Hip. 1ª.264.E
Membranæ cur naſcuntur oſculis in corde.3°.de nat.fac. 1ª.307.E
Membrana inſtar operculi ad vas pulmonis.15°.de vſu par. 1ª.212.G
Membranæ pulmonis quo loco ſuſpendantur.4°.de lo.aff. 4ª.27.E
Membrana pulmonem cingens dura neruoſa.5°.de lo.aff. 4ª.31.A
Membrana pulmonis coaleſcit tempore.15°.de vſu par. 1ª.212.G
Mẽbranæ Thoracẽ interſepiẽtes q̃uo ſe habeãt.in ꝓgno.c.2°. 4ª.204.C
Membrana ſuper lumbos eſt peritonæum.5°.de ana.adm. 1ª.88.H
ad Mẽbranã abdominis adſtringẽdã ĩ hernię curatiõe.de laq. 7ª.307.G
in Membrana quo modo diſpergantur nerui in hepate,renibus, & pulmone.2°.de lo.aff. 4ª.9.A
Membranæ cur in veſicis.5°.de vſu par. 1ª.145.B
ex Membranis,& fibris fiũt arteriæ,& venæ.de inæq.intẽp. 3ª.43.D
Membrana ſubſtrata arteriæ,quę.16°.de vſu par. 1ª.218.G
Membranæ σιγμόειδ`ες in vena arterioſa.6°.de vſu par. 1ª.153.G
Membrana à fluxione incaleſcit.1°.de inæq.intemp. 3ª.43.E
Membranarum dolore hemodiæ id eſt ſtupori dentium, nõ habet aliquid ſimile.2°.de loc.aff. 4ª.9.H
Membranis accidunt dolores in latitudinem.2°.de lo.aff. 4ª.11.B

Membranarum dolores non ſunt inæquales.2°.de loc.aff. 4ª.11.B
Membrana ſuper cutim quos dolores faciat.2°.de lo.aff. 4ª.11.D
Membrana in media carne quos dolores faciat.2°.de lo.aff. 4ª.11.D
Membrana os pertingens,& non pertingens,facit doloris diuerſitatem. 2°.de loc.affect. 4ª.11.C
Membranarum ad oſſa pertingentium dolores.2°.de lo.aff. 4ª.11.E
ad Membranulam oſſis punctam.7°.de comp.med.per gen. 5ª.268.B
ad Membranarum vulnera.7°.de compo.medica.per gen. 5ª.268.B
ex Membrana pingui quandoq; fit hectica.1°.meth.med. 7ª.64.F
ad Membranas inſitas eliquandas.5°.de comp.me.per gen. 5ª.248.C
Membranæ tuto conſuuntur cũ muſculis.3°.de cõp.me.per gen.5ª.231.D
Membrana craſſa quæ exiuit ex contuſo digito fecit dubitare Galenum, & alios quid eſſet.3°.de comp.med.per ge. 5ª.229.C
Membrana quandoq; aufertur in mutilatione.de diff.mor. 3ª.5.A
Membrana ablata cur non creſcit.1°.de ſem. 1ª.332.D
Membranæ difficillimum eſt fieri carnem.1°.de ſem. 1ª.332.E
MEMBRANA naſum,& maxillam alligabimus.de faſc. 7ª.293.F
MEMBRANA ſub cortice roboris valde adſtringit.6°.de ſimpl.medic. facultatibus. 5ª.46.D
Membrana ſub glande valde adſtringit.6°. de ſimp.med.fa. 5ª.46.D
MEMBRANIS, & Tilię codicibus libri ſcribebantur.de ijs,quæ in medica.fi.com.1°. 7ª.197.E
MEMBRANOSVM neceſſario eſt,quod eſt leue & denſum. 4°. de vſu partium. 1ª.137.D
Membranoſas,carnoſas,& fibroſas particulas habent partes ſimplices.10°.meth.med. 7ª.67.D
Membranoſa corpora vnde orta.7°.de ana.adm. 1ª.94.C
Membranoſa ſubſtantia habet dolorem pungitiuum.de cõſt.ar. Iſ.40.D
Membranoſum corpus ſi excernatur ex varijs locis,quos affectus indicet.de conſt.art. Iſa.41.A
Membranoſę tunicæ fruſtulum eiectum ex diuerſis partibus, quo modo ſignificat varias affectiones.1°.de lo.aff. 4ª.6.B
MEMBRA quibus elementis conſtent.de hiſt.philo. Sp.11.F
Membrorum formam conſtituit figuræ varietas.7°.de dec. 1ª.272.B
quę Membra prius formentur.de ſper. Sp.36.C
Membrum primum quod generatur.de hiſt.philo. Sp.11.B
a Membro primo genito alia non gignuntur.de fœt.form. 1ª.324.G
Mẽbra principalia fiũt in ſecũdo tẽpore fabricæ fœtus.1°.de ſe. 1ª.331.E
Membra omnia quarto tempore ſunt abſoluta.1°.de ſem. 1ª.331.F
Mẽbrũ nullũ poteſt fieri abſq; ſubſtantia ſanguinis.de fœt.for. 1ª.322.F
Membrum omne ex ſanguine menſtruo fit.1°.de ſem. 1ª.332.G
Membra aliqua indigent ſanguine puriore.1°.de ſem. 1ª.332.E
Membra aliqua exigunt ſanguinem ſeroſiorem.1°.de ſem. 1ª.332.E
Membra ex parte ſanguinis,quæ.de anat.viu. Sp.45.D
Membra exanguia facta ex ſanguine,quæ.2°.de nat.fac. 1ª.297.E
Mẽbra carnea ſanguine generant,& nutriuntur.1°.de ſem. 1ª.335.D/E
Membra ſola è ſemine generantur,& nutriuntur.1°.de ſem. 1ª.335.D/E
Membrum omne congelatum terreſtre,priuatum ſenſu, ex melancholia eſt.de anat.viu. Sp.45.F
Membra corporis,quę ſicciora ſint.3°.meth.me. 7ª.21.E
Membra,quæ Deus bili aſſimilauit.de anat.viu. Sp.45.F
ad Membrorum fabricam,quæ ſinus habent, & ventriculos igne, & aere vtitur natura.2°.de ſem. 1ª.339.E
Membra aliqua cur ſint perforata,vt oſſa.de anat.viu. Sp.44.G
Membra cætera ſequuntur caput in naturali ordine exeundi fœtus. de anato.viuo. Sp.52.D
Membrorum diuiſio in ſimplicia,& compoſita.de ana.viu. Sp.43.F
Membra ſimilaria,quæ de nat.hu.com.1°. 1ª.26.C
Membra ſimplicia,quæ.de ana.viu. Sp.43.F
Membrum primum ſimilare quid,& ſecundum.de ana.vi. Sp.43.G
Membrorum ſimilium partium materia vnde.de anat.viu. Sp.44.F
Membrorum ſimplicium,ideſt conſimilium cauſa materialis eſt ſperma præterquam carnis,& adipis.de ana.vi. Sp.55.G
Membrorum ſimplicium diuerſitas.de anat.viu. Sp.55.G
Membra,completa,quæ tamen vocentur ſimplicia.de ana.vi. Sp.44.G
de Membrorum conſimilium anatomia.de ana.viu. Sp.55.B
Membrum an ſit medulla.de ana.viu. Sp.55.G
Membrũ quoddam magis habet de villis longitudinalibus, & latitudinalibus,vt gula,quoddã magis de trãſuerſis,& latitudinalib. vt ſtomach⁹,quoddã magis de latitudinalib⁹,vt ĩteſtina.de an.vi.Sp.55.H
Mẽbrorũ villi in qbus debet aliqd ĩmorari quales.de ana.viu. Sp.45.A
Membrorum diuerſitas penes tunicas.de ana.viu. Sp.55.H
in Membro aliquo cur plures tunicæ.de ana.viu. Sp.45.C
Membra compoſita,quæ.de ana.viu. Sp.43.F
Membra contrariam ſubſtantiam habentia non vniuntur à natura, ſed iunguntur per vinculum quoddam.14°.de vſu par. 1ª.209.G
Membrum compoſitum habet propriam actionem.de ocul. 7ª.182.G
Mẽbra habẽtia naturã propriã,conſideranda.de tot.morb.tẽp.3ª.89.H
Membra quorum miniſterium eſt neceſſarium.7°.meth.me. 7ª.49.B
Membrum vnum principale ſecundũ Ariſtotelem.de ana.viu. Sp.56.B
Membra principalia duo ſecundum alios.de ana.viu. Sp.56.A
Mẽbra principalia,non etiam principaliſſima,tria.de ana.viu. Sp.45.D
Membra tria principalia ſunt tres trunci in animali.1°.de ſem. 1ª.331.G
Membra principalia quatuor ſecundum aliquos.de ana.vi. Sp.56.A
Membra principaliſſima quatuor.de anat.vi. Sp.45.D
Membra principalia nouem ſphæris comparantur.de ana.vi. Sp.45.D
Membra regalia intrinſeca,quę.de ana.viu. Sp.45.D
Mẽbra ſeptẽ regalia,& famoſa cõparata planetis.de anat.vi. Sp.56.A
de Membro nobili natura ſollicita eſt.de ana.viu. Sp.45.C
ad Membra omnia vniuerſale principium eſt cor.de ana.vi. Sp.56.H
Membrorum ſpiritualium principaliſſimũ eſt cor.de cõp.mẽb. Sp.58.G
Membris omnibus corporis cor eſt calidius.de compag.mem. Sp.58.G
ad Membra cætera influit virtus vitalis à corde.de anat.vi. Sp.56.F
Membrum nullum habet tantam actionis conſtantiam, quantam habet cor.6°.de vſu par. 1ª.150.D
Mẽbrũ neceſſariũ quod ſeruet aerẽ ĩtrinſece cur fuit.de ana.vi.Sp.53.A
Membra prima poſt cor quæ.de ana.viu. Sp.47.B
per Membra omnia q̃uo naturalis vis.4°.de præſag.ex pul. 4ª.122.D
Mẽbra omnia gubernãtur à venis,neruis,et arterijs.1°.de ſem.1ª.330.C
Membris cur inditæ arterię,venæ,nerui,membranæ, & ligamenta.6°. de decr.Hipp. 1ª.266.A
ad Mẽbra minimo ĩteruallo ducũt venæ,et arteriæ.16°.de vſ.p.1ª.220.A
Mẽbrũ vbi ĩdiget ſolo vĩculo,ibi ſolũ eſt ligamẽtũ.12°.de vſu p. 1ª.193.B
Membrũ vbi indiget ſolo ſenſu,ibi ſolus eſt neru⁹.12°.de vſu pa.1ª.193.B
Membrum vbi indiget motu voluntario,ibi adeſt neruus, & ligamentum.12°.de vſu par. 1ª.193.B
ad Membra diuerſa,arteriarum inceſſus.1°.de decr. 1ª.233.A
ad Mẽbrũ omne inſtrumentale veniũt duæ venæ.de ana.viu. Sp.44.B
in Membro primo quod mouetur eſt anima.2°.de decr.Hipp. 1ª.234.H
de Mẽbris,quę mouent motu volũtario.de motu ma.& obſc. Sp.68.H
Mẽbrorũ exercitatio fit p ſe ex motibus volũtarijs.2°.de ſa.tu. 2ª.75.H
Membra motu volũtario primo mouẽt cerebrũ.de motu man. Sp.66.G
ad Membra alia mittuntur motu voluntario, & ſenſus à cerebro. de voce,& anhel. Sp.61.G
Membrum nullum quod voluntarie mouetur caret muſculo, accipit neruum à cerebro.de decr.Hip.& Plat. 1ª.234.B
Membrum totum non mouet vnus muſculus.1°.de mot.muſ. 1ª.310.A
Membra mouent muſculi neruos excipientes.1°.de dec.Hip. 1ª.234.A
Membrum,quod extenditur,flectitur,& circumagitur habet duo genera muſculorum.6°.de anat.adm.89.H/9°. 1ª.90.A
Membrum totum quando ſurſum trahitur.de motu muſ. 1ª.312.C
Membra attollit ac ſuſtinet virtus.2°.de ſymp.cau. 3ª.20.A
Membrum q̃uo intelligatur validiſſimum.de na.hu.com.2°. 7ª.182.E
Mẽbrorum roboris cauſa,quæ ſecundũ Ariſtotelem.1°.de ſem. 1ª.334.G
Membrorum durities quid faciat.2°.de ſan.tu. 2ª.69.F
Membrorum duritiem perficit exercitatio.2°.de ſani.tuen. 2ª.69.F
in Membro,ſi non eſſet aliqua facultas ſentiendi,nõ eſſet doloris ſenſus quãdo cæditur,vel cõfringitur,vel adurit.7°.de dec.Hipp. 1ª.272.D
Membra,quæ ſolum habent ſenſum in ſuperficie.de anat.viu. Sp.44.C
Membra inſenſibilia,quæ.de vtil.reſp. Sp.62.G
Membra omnia tanto ſunt frigidiora cute,quanto minus habent ſanguinis.de temp. 1ª.15.C
Membra,quæ opus commune habent.7°.meth.med. 7ª.49.H
Membra ſeruientia,quæ extrinſeca,& intrinſeca.de ana.viu. Sp.45.D
Membra,quæ alijs deſeruiunt,ſolum habent vnam viam, & vno modo tendunt ad illa.6°.de decr.Hipp. 1ª.263.A
Membrorum formę non ſunt diuerſæ in magnis, & paruis animalibus contra Ariſtotelem.6°.de vſu par. 1ª.150.G
Membrum nullum indiget alio pro ſua functione.de fœt.form. 1ª.324.G
Membrum oẽ intendit ſuo cõmodo,& reparationi.de mot.m. Sp.68.A
in Membro omni quatuor vires.in 6m.de mor.vul.c.5°. 3ª.188.C
Membris omnibus ineſt appetentia conuenientium, & alienarum auerſio.3°.de nat.facul. 1ª.303.G
Mẽbra vim habent trahendi ad ſe cõueniẽtia.de purg.med.fa. 5ª.87.A/

de motibus

de motibus manifeſtis & obſc. Sp.68.B
Membra,quæ aluntur,proprios ſuccos trahunt.4°.de ſa.tu. 2ª.88.A
Membrum omne habet facultatem proprię qualitatis,& meatum ad attrahendum.14°.de vſu par. 1ª.208.D
Membri attractiuæ virtutis fortitudo quo modo fiat.de ocul. 7ª.189.E
Membra trahunt nutrimentum per vim quàm habent qualitatis attrahendæ qui vt magnes ferrum.2°.de nat.fac. 1ª.299.D
Membrum omne habet cibum quo reficitur.de ocul. 7ª.182.H
Membra à venis capiunt ſuccum ſibi accōmodatum.1°.de ſem. 1ª.335.B
Membra nutriuntur ſucco quàm ſimillimo.6°.de decre.Hip. 1ª.266.C
Membro omni ſuus proprius cibus ſuauiſſimus eſt.3°.de na.fa.1ª.305.D
Mēbrū omne alteri ſequēti dat materiā nutrimēti.6°.de decr.1ª.266.A
Membrum,quod ſibi eſt ſuperfluum excernit,idq; alterius partis fit alimentum.1°.de ſem. 1ª.335.E
Mēbro vni qđ eſt excremētū eſt alteri nutrimentum.2°.de ſem. 1ª.335.E
Membra diuerſa diuerſis nutriuntur.1°.de ſem. 1ª.332.E
Mēbra oīa habent aliqd ꝓprium ab alijs diuerſum.6°.de decr.1ª.266.A
in Membrorū diuerſorū nutritione ſanguis diuerſus.8°.de dec.1ª.275.G
Membra quælibet habent virtutem alteratiuam,per quam alterant nutrimētū ſibi ipſis,& habent propriū humorū.cō.5°.aph.39°.Ex.41.B
Membrum omne immutat alimentum in ſuā materiā.1°.de ſem.1ª.335.A
Membra rubra rubificant materiam q̃ conuertunt.de ana.vi. Sp.44.D
Membra alba albificant materias,quas cōuertūt.de ana.viu.Sp.44.D
Membra in quibus eſt caro mollis,& alba.de ana.viu. Sp.44.D
Membra agere propter alia membra non eſt verum.de motibus manifeſtis,& obſcuris. Sp.68.B
Mēbra omnia vt nutriat,nō digerit,ſtomachus.de mo.m.et ob. Sp.68.A
propter Membra iecur non ſanguificat.6°.de dec.Hipp. 1ª.265.H
ob Mēbra oīa non facit ſanguinē iecur.de mot.man.& obſc. Sp.68.A
ꝓ Mēbro alio nō facit pulſum cor,ſed ꝓ ſui cōmodo.de mot.m. Sp.68.A
Membra officialia in perfectis animalibus.de ana.viu. Sp.45.G
Membra in animalibus imperfectis conſimilia officialibus perfectorum.de anato.viuo. Sp.45.G
in Membri vtilitate noſcenda,quid primo conſiderandum, quid ſecundo,quid tertio.1°.de vſu par. 1ª.115.H
Membrum vnumquodq; actionibus,& vſibus non forma corporis iudicatur.de decr.Hip.& Pla. 1ª.233.E
Membrorum operationem debet inueſtigare medicus.de ren.affec.dign.& medela. 7ª.192.B
Mēbra infra ſeptū tranſuerſum ſunt ſupra dimidiū.6°.de decr. 1ª.263.B
Membra bonæ comprehenſionis debent eſſe ſicut volæ manuum.de anatomia viuorum. Sp.50.G
Membra tria orationi,& voci neceſſaria.de voce & anhe. Sp.60.G
Membra quæ continuantur œſophago.de mot.man.& obſ. Sp.70.A
Membris alijs maiorem ſenſum habet os ſtomachi.de vo.et an.Sp.61.H
qbus Mēbris cōmunicet os vētriculi.de mel.ex Gal.R.& P.Sp.109.H
quæ Membra mouentur ad motum reſpiratorium organorum.1°.de difficultate reſpirationis. 3ª.58.G
inter Membra duo calida,cur ſit poſitus ſplen.de ana.viu. Sp.51.A
Membrum virile ex quibus componatur.de anat.viu. Sp.52.E
Mēbrū ꝓminēs cur habeat fœtus calidior,& ſiccior.2°.de ſem.1ª.339.C
Membrum virile ſentitur trahi ab vtero.1°.de ſem. 1ª.329.C
Membrum aſininum in medicamento.1°.de comp.me.ſec.lo. 5ª.124.H
Membra ſubiecta matrici,quæ.de nat.& or.cuiuſ.corp. Sp.42.B
in Membris exterioribus vena pulſatilis ſuppoſita eſt,quieta ſuperpoſita.de anat.viu. Sp.56.E
in Membris interioribus vena quieta ſuppoſita eſt,pulſatilis ſuperpoſita.de anat.viu. Sp.56.D
Membrorum exceptiones conſiderandæ ex quibus affectibus, in quos affectus,& locos fiant.in 6^{m}.de morb.vulg.com.2°. 3ª.165.D
in Membro quid ſequatur,quando motus obliquus diſtat à recto.12°.de vſu partium. 1ª.193.H
Membra à natura ſunt tam optime facta,vt nullam timeant paſſionis occaſionem.de ocul. 7ª.184.C
Membrorum ſanitas,quid.5°.de decr.Hip. 1ª.255.B
Membrorum ægritudo,quid.5°.de decr.Hip. 1ª.255.B
Membrum peccans ſupplicium patitur.3°.de decr.Hip. 1ª.246.C
per Membra,quæ peccarunt,puniamur.6°.de decr.Hip. 1ª.267.D
Membri defectio qualis ſit.de ocul. 7ª.189.E
in Membris defectus quid faciat.1°.de vſu par. 1ª.120.D
Membra cum minuuntur,ab aliquibus dicitur ægritudo alimenti defectus.de differ.morb. 3ª.5.B
Membri tabes ab aliquibus dicitur cū mēbra minuūt.de diff.mor.3ª.5.B
Membra non creſcunt pueris natis ſuper quantitatem naturalem niſi raro,ſed frequentius minuuntur.de diff.mor. 3ª.5.B
Membra omnia quiete fiunt tenuia.de fract.com.2°. 7ª.228.F
Membra emaciata quomodo Galenus ſanauit.de ijs,quæ in medic.fiunt,commentario.3°. 7ª.220.B
Membris exceſſus quid faciat.1°.de vſu par. 1ª.120.D
Membrorum figuræ debent conſeruari, vt ſuo fungi valeāt officio.de differentijs morbo. 3ª.4.B
Membrum aliquod ſi agitatur in ægroto,ſignificat iudicationē.1°.de arte curatiua ad Clauconem. 7ª.100.D
Mēbra non habet maculata aīal aqua ſuffocatū.1°.de dec.Hip. 1ª.231.G
Membra omnia patiuntur à qualitatibus,& ſi illas nō ſentiant.3°.de ſimpli.med.fac. 5ª.21.B
Membrum cito poteſt fieri calidum,aut frigidum.de vtil.reſp. 1ª.226.C
Membra citius corrumpuntur à caliditate,quàm ab alijs qualitatibus.de vtilitate reſpir. 1ª.226.C
Mēbrū nō fit in pauco tēpore ſiccum,aut humidū.de vtil.reſp. 1ª.226.C
Membrorum exigui receſſus à naturali temperato à multis per ignorātiam non morbi,ſed imbecillitates dicuntur.de diff.mor. 3ª.3.G
Membrum vnum quandoq; eſt praue affectū.de mel.ex G.R. Sp.109.B
Mēbra duo eē æqualr debilia rarū eſt.in 6^{m}.de mor.vulg.c.2°.3ª.168.D
Membro validiſſimo affecto totum patitur.de nat.hu.com.2°. 7ª.182.E
Membra quandoq; omnia habent eandem temperaturam, vt in cachexia & elephantiaſi.de mel.ex Gal.Ru.& Poſ. Sp.109.B
in Membris omnibus dolor.ſecretorum. Sp.100.H
Membrum an propter ſeipſum ſit affectum,an propter aliud,conſiderandum.6°.de ſan.tu. 2ª.100.D
Membrorū extremæ partes cur inflāmentur.de fract.com.2°. 7ª.228.G
Membrorum extremorum infrigidatio eſt nuntius febris.præſag.experientia confirm. Sp.77.E
à Membris validioribus ad infirmiora ſuperfluum depellitur.2°.de ſemine. 1ª.339.H
Membra imbecilla multum,& prauum colligunt.in 6^{m}.de morb.vulg.commentario.1°. 3ª.154.F
Membrorum ordo in aptitudine ad recipiendas fluxiones.de curan.rat.per ſang.miſſ. 6ª.17.H
Membrū quot modis pręparetur ad recipienda ſuꝑflua.de ocu.7ª.189.E
ex Membrorum diſpoſitionibus ortum habēt ægritudinum acceſſiones,quę per aliquos circuitus fiunt.2°.de dif.feb. 3ª.42.G
Membro principali inflammato neceſſe eſt ſuperuenire febrem. com.6°.aphoriſmo.50°. Ex.52.F
Membra principalia non poſſunt diu pati , immo non tranſeunt ſeptem dies.com 6°.aph.51°. Ex.52.H
Membri principis robur ſemper ſeruandum.4°.meth.me. 7ª.28.G
Membra carnoſa,& pinguia non diſtenduntur,nec contrahuntur.in 3^{m}.de mor.vul.com.3°. 3ª.153.B
Membro affecto ſunt inuenienda cibaria illi membro cōuenientia.de diſſolutione continua. Sp.74.D
Membro conueniens cibus qui.de ocul. 7ª.183.A
Mēbrorū patiētiū humiditatē ſudor euacuat. com.4°.aph.38°. Ex.32.C
Membrorum alia rariora,alia denſiora,& indigent vario modo euacuationis.14°.meth.me. 7ª.88.A
ad Membra ſolida peruenitur attractis humoribus ex venis . 2°.de elementis. 1ª.9.H
in Membris diuerſis pugnantia temperamenta habentibus quomodo conſulendum.6°.de ſan.tu. 2ª.101.C
in Mēbris interioribus euenientes oppilationes aperiunt drachmæ duæ cubebarum.de me.exper. Sp.106.E
Membra interiora cōfortans medicamētū.de me.exp.104.G/ Sp.105.F
ad Membrorum interiorum debilitatem valens medicamentum. de medicinis expertis. Sp.104.G
ad Mēbrorū interiorū debilitatē ex cauſa frigida.de me.exp. Sp.107.B
ad Membra debilia ex frigore.de me.exper. Sp.107.B
Mēbra labefactāt motus intēpeſtiui.& vehemētiores.de cau.m.3ª.8.F
ad Membrum roborandum frictio qualis eſſe debet.de ijs,quæ in medicatrina fi.com.3°. 7ª.220.C
Membra quoad molliantur quo caſu fricanda.2°.de ſan.tu. 2ª.75.H
Membra ſunt emollita cū floridus color apparet.2°.de ſa.tu. 2ª.76.A
pro Mēbris quę ægre reficiūtur ex melle thapſia.14°.met.me. 7ª.88.H
ad Membrorum frigiditatem,& fluxum prouenientem ex ea datur decoctio gentianæ.de med.exper. Sp.106.F

Membrorum frigi-

Membrorũ frigiditatis cauſa fluxui quid cõferat.de med.exp.Sp.104.G
ex Membrorum frigiditate prouenienti fluxui antiquo valens medicamentum.de medicinis expertis. Sp.106.D
Membra frigida confortans medicamen.de med.exper. Sp.104.E
ad Membrorũ interiorũ dolorẽ valens medicina.de med.ex. Sp.106.G
ad Membrorum interiorum dolorẽ electarium.de med.exp. Sp.106.G
ad Membrorum dolorem.de cura lap. Sp.112.D
Membrorum tremori quid valeat.de cura lap. Sp.112.E
Membrũ motu priuant phlegmone,& ſcirrhus.1°.de mot.muſ. 1ª.310.G
Membrum motu priuat cicatricum durities.1°.de motu muſc. 1ª.310.G
Membris non adimitur motus pulſu adempto.de vſu pulſ. 1ª.227.D
Membrum ignauum nullus habere cupit.ad Thraſ. 2ª.103.B
Membri diſpoſitio contracta tempore per influentiam humorũ facit vulnera inſanabilia.com.6°.aph.45°. Ex.51.E
Mẽbra qñq; mortua decidere facit morbus frigidus.de diff.mor. 3ª.3.E
Membrorum mortificationi valens medicamen.de me.exper. Sp.104.E
Membra emortua,vbi incidenda.2°.de arte cur.ad Glau. 7ª.106.H
Membra quomodo tota reſecanda.introd. Iſa.60.H
Membra abſcinduntur à venenatis feris commorſa.introd. Iſa.60.H
Mẽbra à venenatis feris cõmorſa quo mõ abſcindunt̃.introd. Iſa.60.H
Membro externo abſciſſo quid ſequatur.1°.de mo.muſc. 1ª.312.G
Membra ablata ad quod genus ægritudinis referunt̃.de dif.mor.3ª.5.A
Membrum abſciſſum ad quod genus ægritudinis referendum ſit. de differentijs morborum. 3ª.5.A
Mẽbra q̃ diſciſſa ſunt,nõ coaleſcũt,nec augentur.c.7°.aph.28°. Ex.55.H
ſm Membra diuerſa inciſiones quomodo faciẽdæ.de cucur.ſcar. 6ª.3.G
Membrum recta linea diuidendum.intro. Iſa.59.E
Mẽbrorũ puerſiones qũo fiãt,& ex qbus cauſis.c.4°.aph.49°. Ex.33.C
Membrum diſtortum quando ſit.de fract.com.1°. 7ª.226.H
Mẽbra q̃ videre turpe ẽ,qũo collocãda.de ijs,q̃ ĩ med.fi.c.1°. 7ª.202.A
Membri poſitio ſitualis,qualis,de ocul. 7ª.189.E
in Membro luxato,& fracto num prius luxatio, an fractura ſit reparãda.de machin. 7ª.314.D
Membrum fractum primo die extendendum.de fract.com.3°. 7ª.246.D
Membra fracta tertio quoque die deliganda in principio, poſtea rarius. introductio. Iſa.60.F
Membra non extendenda tertio,aut quarto poſt die.de ijs,quæ in medic. fiunt,com.1°. 7ª.201.A
Membra fracta glomeratis faſcijs vinciuntur.de faſcijs. 7ª.293.F
Membri figuram eligere debet medicus, quæ ſit minus dolorifica.1°.de anat.admi. 1ª.64.E
Membrorum figuratio qualis eſſe debet.de fract.com.3°. 7ª.245.D
Membrorum rectiſſima figura eſt à dolore aliena.6°.meth.med.7ª.41.B
Membrum æquilibre,quale.de art.com.2°. 7ª.266.A
Membra quando accipiunt mediam figuram.1°.de mo.muſ. 1ª.312.G
Membrorum media figura non facit dolorem.1°.de mo.muſ. 1ª.312.H
Membrum ſtabiliri quid ſit.de ijs,quæ in med.fi.com.3°. 7ª.222.D
ad Membrum medium rhombus.de faſcijs. 7ª.305.D
ad Membrum vnicum rhombus multiplex.de faſcijs. 7ª.305.E
Membris,cum reponuntur,aptiſſimus laqueus.de laqueis. 7ª.306.G
ad Membra extendenda,& continenda,cum in ſuam ſedem compelluntur,laqueus.de laqueis. 7ª.306.F
MEMBRORVM aĩalium quæ mala ſint,& q̃ bona.de diſ.cõ.Sp.74.A
Membra varia,etiam,ſi edantur,guſtu varia.7°.de anat.adm. 1ª.95.H
MEMAECYLVS arbuti fructus.7°.de ſimp.me.fac. 5ª.52.A
Memæcyli fructus decoctum inter adſtringentia fortiſſima pro gargariſmis.6°.de comp.med.ſec.lo. 5ª.172.G
Memæcylis ruſtici paſſim veſcuntur.2°.de alim.fac. 2ª.21.H
MEMINIMVS virtute proueniente ex capite.de virt.noſtrum corpus diſpenſantibus. Sp.60.B
Meminiſſe vnius rei facilius quidem fuerit, quàm in eius exacta cognitione perſiſtere.de cuiuſq; animi pec.not.atq; med. 2ª.59.F
MEMNON curauit inueſtigare veterum medicorum libros, & eorum placita colligere.1°.de nat.hu.com.1°. 1ª.27.G
MEMORARI quid.2°.de mot.muſ. 1ª.315.B
Memorandi rationẽ habet aĩa in corpore cerebri.3°.de loc.aff. 4ª.17.H
MEMORATRICIS ſymptomata.de ſymp.diff. 3ª.11.H
MEMORIALIS tertia pars cerebri.de anat.ocul. Sp.58.B
in Memoria duo ſunt cannales tenues,& humidi.de anat.ocul.Sp.58.B
MEMORIA quid.fin.med. Iſa.45.B
Memoria vbi ſit.de ocul. 7ª.183.H
Memoria actio eſt depẽdẽs à capite p ſe.de virt.noſt.corp.diſp. Sp.60.C
Memoria oſtẽdit firmã,ac ſtabilẽ cerebri ſubſtantiam.ars me. Iſa.63.E
Memoria ſequitur ad dominium bilis.de anat.viu. Sp.45.F
Memoria mouetur à viſu.8°.de vſu par. 1ª.167.E
Memoriæ fons,& radix ſenſus.1°.de elem. 1ª.3.H
Memoriæ requies conuenit.de ocul. 7ª.183.H
Memoria rerũ aſſiduam requirit conſuetudinẽ.1°.de anat.adm. 1ª.63.H
Memoriam parit obſeruatio.de ſubfi.empi. Iſa.32.D
Memoria experientiam parit.de ſubfi.empi. Iſa.32.D
Memoria pollentes medici magis valẽt.de vi.ra.ĩ mor.ac.c.2°.7ª.121.G
Memoriæ obſeruationem indicat empirico concurſus accidentium.de ſectis. Iſa.16.F
Memoriæ ſignum ſuggerens,quod ſm empiricos.fin.med. Iſa.46.B
Memoria,& ratio amittunt̃ in lethargo,& ſopore.3°.de lo.af. 4ª.16.E
Memoria,& ratio lęduntur in comitiali morbo.3°.de lo.aff. 4ª.17.G
Memoria,ſenſus,& intellectus perduntur in epilepſia.de compag.mẽb. ſiue de natura humana. Sp.58.E
Memoria læditur ſimul læſa ratione.3°.de loc.aff. 4ª.16.E
Memoria amiſſa poteſt fieri ab intemperie.3°.de loc.aff. 4ª.20.B
Memoria depdit̃,vel grauiter lædit̃ fit à frĩda ĩtẽpie.3°.de lo.a.4ª.17.A
Memorię nocet,& ſtultitiam inducit,frigiditas ſine humore.3°.de locis affectis. 4ª.16.G
Memoria læditur ob laborẽ in ſtudijs,atq; vigilijs.3°.de lo.aff. 4ª.17.A
Memoriam rationemq́; vitiatam habuit agricola ob labores in colendis vitibus,& tenuem victum.3°.de lo.affe. 4ª.17.A
in Memoria deperdita nullum adeſt affecti loci ſignum,neq; tumor præter naturam.3°.de loc.aff. 4ª.16.B
Memoria quibus perijt,quæ obſeruanda.3°.de loc.aff. 4ª.16.H
de Memoriæ læſæ ĩſtauratiõe librũ fecit Archigenes.3°.de lo.a. 4ª.15.E
in Memoria qũocũq; læſa capitis cura habenda.de fœt.for. 1ª.324.C
Memoriam deperditam ſuper caput cucurbitula inſtaurat ſecundũ Archigenem.3°.de loc.aff. 4ª.15.F
Memoria deperdita quomodo inſtauratur.3°.de loc.aff. 4ª.16.A
Memoriam deperditam quo modo inſtaurauerit Galenus ſine præceptore.3°.de loc.aff. 4ª.15.D
MENÆ conditæ aceto ad dies vigintiunum ad quid vtiles.9°.de cõpo.med.ſecun.loc. 5ª.203.G
Menæ quomodo vrantur olla cruda.9°.de comp.med.ſec.loc. 5ª.203.G
MENANDER comicus optimus.1°.de nat.fac. 1ª.296.B
Menander rector.de cauſ.procathar. 3ª.95.D
Menander vſus eſt in fuſo Nicoſtrati ad dyſentericos.9°. de compoſitio. medic.ſec.loc. 5ª.203.H
MENDAE multę in ſcripturis.in 3m.de mor.vul.com.3°. 3ª.145.B
qñ MENDACIVM manifeſtũ habens ſermo inuenitur in alicuius non ſine rõne legentes dubitare cõtingit,& primo quidem ſibi ipſis diffidere,quaſi neq; illa quę ſunt manifeſta noſcentibus deinde ſuſpicari ne falſo fuerit interiectum.com.6°.aph.34°. Ex.50.B
Mendacio habitãtis mulieris caſus.in 3m.de mor.vul.com.2°. 3ª.140.B
Mendacium forum.in 3m.de mor.vul.com.2°.137.E/ 3ª.140.B
MENDACES ſequuntur menſas diuitum, principum, & tyrannorũ. de cog.cur.animi mor. 2ª.50.H
MENDESIVM vinum.2°.de compo.medic.ſec.loc.138.B/4°. 5ª.154.D
Mendeſium,& Megaleum dicitur vnguentum Aegyptium. 2°.de compoſi.medic.ſec.loc. 5ª.137.H
Mendeſium vnguentum quale.2°.de comp.med.ſec.loc. 5ª.134.D/E
MENECRATES natus eſt ante Andromachum. 6°.de compoſit.medicamen.ſec.loc. 5ª.175.C
Menecrates voluit medicamenta eſſe ſcribenda non notis ponderum,ſed integris vocabulis.1°.de antid. 5ª.102.C
Menecrates de medicamentis ſcripſit.7°.de compo.medi.ſec.loc.178.B/ 3°.de comp.med.per gen. 5ª.234.H
Menecrates librũ fecit optimorũ pharmacorũ.6°.de cõ.me.ſe.l.5ª.175.C
Menecratis libri titulus Autocrator hologrammatos. 7°.de compo.medic.per genera. 5ª.268.A
Menecrates librum fecit inſcriptum Inſignium pharmacorum locupletiſſimus Theſaurus.2°.de compo.med.per gen. 5ª.222.B
Menecratis ſtomaticum.6°.de compo.med.ſec.loc. 5ª.171.D
Menecrates ad ſtrumas,et mãmarũ durities.6°.de cõp.m.p g.5ª.262.B
Menecratis accipiter.de faſcijs. 7ª.299.C
Menecratis vinculum ad partes extremas.de faſcijs. 7ª.305.A
MENELAI Emplaſtrum ad Canem rabidum.2°.de antid. 5ª.117.B
MENEMACHVS Aphrodiſieus methodicæ ſectæ auctor. introductio. Iſa.51.E

Menemachus fuit longiſſimus in ſuis libris.ad Thraſ. 2ª.106.C
ex Menemacho de hirudinibus.de cucur.ſcar. 6ª.4.D
MENESTEI *pharmachum ad rhagadas,& condylomata. 5°.de cõp. med.per gene.* 5ª.251.G
MENINGES *quæ.fin.med.* Iſa.43.H
Meninges cur duæ.8°.de vſu par. 1ª.169.B
Meninx cerebri frigida eſt,& ſicca.de anat.ocul. Sp.58.B
Meninx tenuis quid ambiat.8°.de vſu par. 1ª.168.G
Meningam tenuẽ ambire cerebrũ argumentum.8°.de vſu par. 1ª.168.H
Meninx χοροειδὴς.i.tenuis eſt tegmentum cerebri innatum. 8°. de vſu partium. 1ª.169.B
Meninx tenuis ſimilis ſecundæ,& meſaræo.8°.de vſu par. 1ª.168.G
Meninx tenuis ex multis arterijs,& venis propinquis ſunt. 8°. de vſu partium. 1ª.168.G
Meninx craſſa non eſt connata cranio.8°.de vſu par. 1ª.169.C
Meninx dura quomodo oſſibus iungatur.9°.de vſu par. 1ª.176.F
Meninx dura ſupra quæ feratur.9°.de vſu par. 1ª.173.F
Meninx dura ligatur in ſutura capitis.8°.de vſu par. 1ª.169.C
Meninx dura tangit cranion,ſed nõ adhæreſcit.8°.de vſu par. 1ª.170.B
Meninx craſſa quid faciat,& eius vſus.8°.de vſu par. 1ª.168.H
Menix craſſa non eſt tegmentum.8°.de vſu par. 1ª.169.A
Menix craſſa ẽ ſeiũcta à cerebro.vaſis tñ coherẽs.8°.de vſ.p. 1ª.169.A
Meninga dura inſtar cribri eſt perforata.8°.de vſu par. 1ª.168.D
ante Meningas cur oſſa foramnulenta.8°.de vſu par. 1ª.168.D
Meninga dura quomodo diuidat cerebrum.8°.de vſu par. 1ª.167.C
MENINGO *phylax.i.meningis cuſtos.4°.de lo.aff.* 4ª.23.A
Meningum venulas non poteſt ſanguis ſubintrare, niſi fuerit plurimum digeſtus.de vtil.reſp. Sp.63.A
Meniges differũt functionibus ab artubus.4°.de pſag.ex pul. 4ª.120.G
Meningæ ſi ſunt calidæ ccerebrum incaleſcet.8°.de vſu par. 1ª.165.F
Meningis inflammatis febres,& deliria neceſſario ſequuntur.4°.de prę ſag.ex pul. 4ª.120.G
Meninges quando ſunt affectæ,pulſus.4°.de præſag.ex pul. 4ª.121.B
ſine Meningibus cerebrum non patitur, & è contrario. 4°.de præſagitione ex pulſibus. 4ª.121.B
Meninx dura põt eſſe affecta ſine cerebro.4°.de pſag.ex pulſ. 4ª.121.B
Meningum ſanguinis eruptio periculoſa.10°.de ſimp.med.fac. 5ª.73.C
ad Meningum hæmorrhagium galli, & gallinæ ſanguinem non probat Galenus.10°.de ſimp.med.fac. 5ª.73.B
Meninge cerebrum cuſtodiente affecta in capite fracto fungi fiunt. 1°.de locis affectis. 4ª.2.F
ſupra Meningam duram an poni debeat ſanguis columbæ, an columbi, vel pulli.10°.de comp.med.fac. 5ª.72.H
Meninga ambit ſpinalem medullam.16°.de vſu par. 1ª.219.D
MENIVS *rufus.7°. de comp.medic.per genera.* 5ª.269.H
MENODORIOS *potio.7°. de comp.med.ſecun.loc.* 5ª.182.F
MENODOTVS *empiricæ ſectæ auctor.introd.* Iſa.51.D
Menodotus empiricus.9°.de decr.Hipp.281.G/1°.de nat.fac. 1ª.294.H
Menodotus fuit longiſſimus in ſuis libris.ad Thraſ. 2ª.106.C
Menodotus vocat dogmaticos tribonicos.de ſubſi.emp. Iſa.32.H
MENOETI *emplaſtrũ aurei coloris.2°.de cõp.med.per gen.* 5ª.223.A
Menœti melinum.2°.de compo.medica,per ge. 5ª.222.G
MENS, *animus,idem.com.2°.aph.6°.* Ex.11.G
Mẽs abſq; materia Deus ẽ ſm Socratẽ,et Platonẽ.de hiſt.ph. Sp.4 F/G
Mens quædam extenſa per aerem.17°.de vſu par. 1ª.222.C
de Mente vbi egit Plato.9°.de decr.Hipp. 1ª.279.G
de Mentem conſequentibus vbi egit Plato.9°.de decr.Hipp. 1ª.279.H
Mens,& intellectus communiter dicuntur ratio,& cogitatio.de ijs,quę in med.fi.com.1°. 7ª.199.B
Mens.i.conſilium.3°.de decr.Hipp. 1ª.247.C
Mens iudicium naturale.9°.de decr.Hipp. 1ª.279.D
Mens non gignitur ex elementis.17°.de vſu par. 1ª.222.C
Mentis orationis,& vocis eadem origo.2°.de decr.Hip. 1ª.237.C
Mentis cogitationum nuncia vox.16°.de vſu par. 1ª.215.E
Mens ſermone explicanda.2°.de diff.pul. 4ª.53.D
Mens vbi.2°.de decretis Hippocratis. 1ª.237.C
Mens in pectore. 3°.de decretis Hippocratis.242.D/4°. 1ª.248.C
Mens tanta in tanta carnium,& humorum colluuie,mirabile eſt.17°.de vſu partium. 1ª.222.D
Mens ſeparabilis à corpore.1°.de ſem. 1ª.329.D
Mentem hominis ſemper excitant mutationes.de aere,aq.& lo. 2ª.5.B
Mentem quid acuit.ſecretorum. Sp.101.F
Mentem ſubtilem non parit venter craſſus.ad Thraſ. 2ª.107.H
Mens quid agat.9°.de decr.Hipp. 1ª.279.D
Mentis opera quæ proprie.2°.de loc.affe. 4ª.13.F
Menſes ſenſit ſm Hippocratem.dę ijs quę in med.fi.com.1°. 7ª.199.D
Mens quod amat,illud iuuat.de incant.adiur.& ſuſp. 7ª.181.G
Mentem profundam habere quid ſignificet.3°.de decr.Hipp. 1ª.244.F
Mente conſtare,eſt bonum ſignum.com.2°.aph.33°. Ex.17.B
Mentis conſtantia indicat de cerebro.com.2°.aph.33°. Ex.17.B
Mentis conſtantes non ſunt quibus rigor ex deſidia.in 1m.prorrhet.commentario 1°. 4ª.168.D
Mentem tentant omnia vina immodice ſumpta. in 3m.de morb.vulgaribus,commentario.2°. 3ª.138.A
Mentẽ,& neruos ferit vinũ,et acetũ.de vict.ra.in mor.ac.c.1°. 7ª.113.F
qui Mente quempiam vacuum eſſe dicunt,metaphora non vtuntur. 3°. de diff.pulſ. 4ª.62.C
Mentis opera quomodo læduntur.2°.de loc.aff. 4ª.13.E
Mentis læſio ſequitur intemperaturas corporis. in 1m.prorrh. commentario 1°. 4ª.168.D
Mens læditur à vaporibus,vel humoribus à ventriculo aſcendentibus. 1°.de locis affectis. 4ª.6.E
Mens quomodo ſit lęſa primo,& qũo ſecundo. 2°.de lo.aff. 4ª.13.F
Mentis lęſæ inditia.de comate. 3ª.50.C
Mentem læſam quæ ſignificent.in 6m.de morb.vul.com.2°. 3ª.168.G
Mentem non conſtantem ſignificat lingua contremiſcens. in 1m.prorrhe. commentario 1°. 4ª.166.B
Mentis affectio quem ſpiritũ facit. in 1m.de morb. vulga.cõ.3°. 3ª.121.D
Mente motorum reſpiratio.1°.de diff.reſp. 3ª.62.F
Mentẽ ægrotare qũo ſignificat laterũ dolor.in 1m.prr.com.1°. 4ª.166.D
Mentis delirũ ſignificat humorẽ melancholicũ.cõ.4°.aph.2°. Ex.27.F
Mentis pigrities ſignificat humorẽ pituitoſum.com.4°.aph.2°. Ex.27.F
Mentis torpor,mentis imbecillitas eſt.com.5°.aph.16°. Ex.38.H
Mentis,& cogitationis ſegnities quid faciat.1°.de ſan.tuen. 2ª.65.E
Mentis torpor fit ſubſtantia cerebri diſſoluta.com.5°.aph.16°. Ex.38.H
Mentis ſtupor contingit cõceptis in horis melancholiæ.de ſper. Sp.37.D
Mentis obliuio cõtingit conceptis in horis melancholiæ.de ſper. Sp.37.D
Mentis defectus ſequitur profuſiones ſanguinis.cõ.5°.aph.16°. Ex.38.H
Mentis vacillatio eſſe poteſt catochus.in 1m.prorr.com.2°. 4ª.176.E
Mẽtẽ ſilem tenebris efficiẽs atræ bilis color,timorẽ.3°.de loc.af. 4ª.19.C
Mens quibus perturbatur.2°.de comp.med.ſec.loc. 5ª.137.B
Mentis perturbationẽ qui dolores ſignificẽt.in 1m.prorr.c.1°. 4ª.168.D
Mentis perturbatio vitanda in doloris capite ob ardorem. 2°.de compo. medica.ſec.loc. 5ª.132.B
Mentis frequentes pculſiones feritatẽ inducũt.de aere,aq.& lo. 2ª.6.C
Mentis alienatio duplex.introd. Iſa.56.D
Mentis alienatio eſt furor vehemens.com.7°.aph.5°. Ex.54.C
Mẽtis alienatio quo lunæ aſpectu fiat.de decub.pg.ex mat.ſcia. Sp.12.G
Mentis alienationis cauſa.introd. Iſa.56.D
Mentis alienationem faciunt nerui inflammati.1°.de mo.muſ. 1ª.309.A
Mentis alienatio quibus indicetur.in 1m.prorrh.com.1°. 4ª.166.A
Mẽtis alienatio à furore bonũ,tñ Galenus dubitat.c.7°.aph.5°. Ex.54.C
Mentis alienationis curatio.introd. Iſa.56.D
in Mente qũocunq; læſa capitis cura habenda.de fœt.for. 1ª.324.C
MENSA *prima aliqd ſubducendi grã ſumebatur.de atten.vic.* 2ª.45.B
MENSIS *quid ſit.2°.de criſ.* 4ª.133.H
Menſes ordinat luna.2°.de die.decr. 4ª.157.A
Menſes quo modo variet luna.3°.de dieb.decr. 4ª.157.B
Menſis à luna per ſeptimanas mutatur.3°.de dieb.decr. 4ª.157.G
Menſes à luna ipſa videtur numerare Galenus.de ſep.par. 1ª.341.C
Menſes cõputandi rõne Solis,nõ lunæ.de morbis vulg.com.1°. 3ª.102.D
Menſes circuitus referuntur ad Solem.3°.de die.decr. 4ª.158.A
Menſis principium cum plenilunio habet proportionem hyemis ad ęſtatem.3°.de dieb.decr. 4ª.158.B
Menſis integris diebus non numeratur.in prog.Hipp.com.3°. 4ª.207.B
Menſes inæquales,ſed medicis numeratur æquali numero. de ſeptimeſtri partu. 1ª.341.B
Menſi quæ portio addenda ſm Hipparchum.de ſeptim.par. 1ª.341.A
Menſis quantus.de ſeptim.par. 1ª.341.A
Menſis quot diebus conſtet.3°.de diebus decretorijs.159.D/ 3°.in prognoſtica Hipp.com.3°. 4ª.207.C
Menſis eſt ex vigintinouem diebus cum dimidio,& neſcio quid. de ſeptimeſtri partu. 1ª.341.E
Menſis dimidium quod nam ſit.de ſep.par. 1ª.341.C

Menſium

Menſium duodecim eſt annus Romanorũ.ĩ 1^m.de mor.vul.c.1°. 3ª.102.D
Menſes, & anni Palæſtinorum.in 1^m.de mor.vul.com.1°. 3ª.102.E
Menſes græcanici.de ſept.par. 1ª.341.D
Menſes græcanici quibus perficiantur.de ſeptim.par. 1ª.341.A
Menſes intercalares cur.in 1^m.de mor.vul.cõ.1°. 3ª.102.E
Menſis quintus triginta vnum continet diem. in 1^m.de mor.vulgari.commentario.1°. 3ª.102.E
Menſis ſextus xxx.dies habet.in 1^m.de mor.vul.c.1°. 3ª.102.E
Menſis ſeptimus, & octauus triginta vnius dierum ſunt. in 1^m.de morb.vulg.commentario.1°. 3ª.102.E
Menſis nonus triginta dies habet.in 1^m.de mor.vul.com.1°. 3ª.102.E
Mẽſis decim⁹ eſt triginta, et vnius dierũ.in 1^m.de mor.vul.c.1°.3ª.102.E
Menſis vndecimus dies habet triginta.in 1^m.de mor.vul.c.1°. 3ª.102.E
Menſes duos habet autumnus.in 1^m.de mor.vul.com.1°. 3ª.102.B/F
Menſes duos ſolidos ver non habet.in 1^m. de morb.vulg.com.1°.3ª.102.B
Menſis nominatus eſt ab antiquis, tempus inter duas Lunę, ac Solis coitiones intercidens.in prog.com.3°. 4ª.207.C
Menſes diuerſi apud diuerſas nationes. in 1^m.de mor.vul.c.1°. 3ª.102.C
Menſis Dion Macedonijs appellatus.in 1^m.de mor.vul.c.1°. 3ª.102.C/D
Menſis Artemiſius q apud Macedonas.in 1^m.de mor.vul.c.1°. 3ª.102.D
Menſis quem κυλλὸν vocant, qui.3°.de dieb.dec. 4ª.157.E
Menſis Loius qui apud Macedonas.in 1^m.de mor.vul.com.1°. 3ª.102.D
Menſibus ſex methodici profitentur ſe artem medicam edocturos. 1°.de dignoſ.pul. 4ª.70.E
Menſibus duodecim geſtari partũ credidit Timæus.de hiſt.phi. Sp.11.D
Menſes decem portatur infans in vtero.com.5°.aph.37°. Ex.41.A
Menſe decimo fœtus gignitur. in 6^m.de mor.vul.c.1°. 3ª.153.G
Menſibus nouem fœtus perficitur.3°.de nat.fac. 1ª.302.G
Menſibus nouem quæ fiant in fœtibus, & infantibus.de natura, & ord. cuiuslibet corpo. Sp.42.D
Menſe ſeptimo cur infans ſuperuiuit.de compagine membrorum, ſiue de natu.huma. Sp.59.G
Menſe ſeptimo qui naſcãtur.de compag.memb.ſiue de nat.hu. Sp.59.F
Menſe ſecundo aut tertio abortiens ſine cauſa manifeſta habet acetabula vteri plena mucoris.com.5°.aph.45°. Ex.41.G
Menſe octauo fœtus conuertitur.in 6^m.de morb. vulga.com.1°. 3ª.153.G
Menſe octauo, & nono mammæ, venæ, & vteri ſunt magis pleni.com.5° aphoriſmo 39°. Ex.41.C
Mẽſe octauo cur infans nõ ſupuiuit.de cõpa.mẽb.ſiue de na.hu.Sp.59.G
Menſibus, diebus, & annis morbi iudicantur.2°.de die.decr. 4ª.155.B
in Menſibus ſeptem finiunt aliqui morbi.1°.de dieb.decr. 4ª.149.D
per Menſes, per vicenos dies, per ſeptenarios, & primo per quaternarios quomodo iudicationes fiant.in progn.com.3°. 4ª.208.C
Menſes iudicantes de menſibus, ſeptimanæ de ſeptimanis, anni de annis. com.3°.aph.28°. Ex.26.A
MENSES quinam ſanguis ſit.14°.de vſu par. 1ª.207.B
Menſium profluuio excepto, omnia alia ſanguinis profluuio præter naturam ſunt.3°.de ſymp.cau.26.H/ 3ª.27.A
Mẽſium excretionẽ Eraſiſtratus purgationẽ dixit.de atra bile. 1ª.36.H
vt Menſes, & hæmorrhoides, dyſenteria totum corpus euacuat. 2°. de locis affectis. 4ª.9.G
Menſes cur mulieribus ſuperueniant.de venę ſect.aduer.Eraſ. 6ª.6.H
in Menſibus laxantur vteri.3°.de nat.fac. 1ª.303.A
Menſes quibus ſuperueniant.de venæ ſect.aduer.Eraſ. 6ª.11.B
Menſes habet puella.in 3^m.de mor.vul.c.3°. 3ª.150.H
Menſes erupturos ſignificat ęſtus circa ſpinã.in 1^m.prrh.cõ.3°.4ª.186.B
Menſibus erũpentibus ſanguis non expuit.de venæ ſec.ad.Eraſ. 6ª.11.B
Menſes non attrahuntur ab vtero.5°.de ſimpli.med.facul. 5ª.37.H
Mẽſibus incipiẽtibus vel ceſſantib⁹ tp̃s cõceptionis.de diſſ.vul.1ª.109.E
in Menſiũ tp̃e intermedio mulier nõ põt cõcipere.de diſſ.vul. 1ª.109.E
Menſes antequam veniant, cur non concipiunt.de diſſ.vul. 1ª.109.E
poſt Menſes ſtatim facile concipiunt.1°.de ſem. 1ª.329.C
Menſium colores vnde varient.3°.de ſymp.cau. 3ª.29.G
Menſes decolores, nec per idem ſemper tempus venientes, purgationem indicant eſſe neceſſariam.com.5°.aph.36°. Ex.40.G
Menſes fiunt decolores propter humores pituitoſos, cholericos, & melancholicos.com.5°.aph.36°. Ex.40.H
Menſium anticipatio vnde.com.5°.aph.36°. Ex.40.H
Menſium mora quædam naturalis vnde.3°.de ſymp.cau. 3ª.29.G
Mẽſes tardi mulieribus quare, et eorũ remedia.c.5°.aph.36°. Ex.40.G
Menſium retentio vnde, & quot fiat cauſis.3°.de ſymp.cau. 3ª.29.F
Menſium ſuppreſſio vnde fiat.in 6^m.de mor.vul.com.1°. 3ª.156.C
Menſes reſtricti ſanguinẽ melancholicum gignunt. 3°.de loc.aff. 4ª.18.E
Menſibus ſuppreſſis tabeſcunt corpora.de opt.ſect. Iſa.26.F
Menſes non ſunt prouocandi in phlegmone vteri, & pudendi. 13°.methodi meden.82.A/ 7ª.83.A
in Menſium defectu quæ vena ſecãda.de cur.ra.per ſang.miſſ. 6ª.20.H
Menſibus deficientibus in mulieribus atrabilarijs quæ vena ſecanda.de mel.ex Gal.Ru.& Poſ. Sp.110.A
Menſes cum expectantur, tunc venæ ſectio fieri debet. de venę ſectione aduerſ.Eraſiſtra. 6ª.11.A
Menſes quibus non fluunt, ſecanda vena eſt tribus quatuorue diebus ante purgationem.de cur.ra.per ſan.miſſ. 6ª.20.E
Menſibus ſuppreſſis venæ brachiorum non ſecandæ. de curan.ratio.per ſanguinis miſſio. 6ª.18.G
Menſes maxime prouocant malleolorum, & poplitis venæ. de cur.rat. per ſang.miſſio. 6ª.18.F
in Menſium retentione ſi venæ non incidantur quę immineant pericula. de venæ ſectio.aduer.Eraſiſtratum. 6ª.9.E
Menſes an excuſent à venæ ſectione.9°.meth.med. 7ª.57.H
Menſes prouocat tali ſcarificatio.de cur.rat.per ſan.miſſ. 6ª.20.F
ob Menſium defectum per octo menſes mulierculæ macilentæ detraxit ſanguinem Galenus.in 6^m.de mor.vul.com.3°. 3ª.176.C
Menſium circuitus ſuggerere poteſt cucurbitula.de cucur. 6ª.3.F
Menſes quando trahere volumus cucurbitula in pube, & inguine figimus.13°.metho.me. 7ª.85.B
Menſes, lac, & ſemen prouocantia habent quandam affinitatem. 5°.de ſimp.med.fac. 5ª.37.F
Menſes mouentibus & vrinas, & lac cientibus commune eſt calefacere.5°.de ſimp.medi.fac. 5ª.38.A
à Menſes mouentibus qũo differãt diuretica.5°.de ſimp.me.fa.5ª.38.A
Menſes quæ prouocant.5°.de ſimp.med.fa.37.H/ 5ª.38.A
ad Menſes ciendos debet eſſe tenuiſſimus puluis.de curan.rati. per ſanguinis miſſionem. 6ª.20.F
in Menſibus ciendis eadem proportio eſculentorum, & medicamentorum.5°.de ſimpli.med.facul. 5ª.38.C
Menſes prouocant incidentia, & calefacientia vehementer. 6°.de ſimp. medic.facul. 5ª.48.E
Mẽſiũ motibus auxiliant̃ Acria tenuis eſſentiæ.4°.de ſim.m.f. 5ª.29.H
Menſes mouent Amari ſapores.4°.de ſimp.med.fac.29.G/8°. 5ª.59.B
Menſes educit Amaranthũ cũ vino epotũ.6°.de ſimp.med.fa. 5ª.42.D
Menſes appoſitæ eliciunt Anemonæ.6°.de ſimp.me.fac. 5ª.43.B
Menſibus difficulter exeuntibus auxiliatur antidotus Aelij Galli.2°.de antidotis. 5ª.110.H
Menſes ciet Apium.8°.de ſimp.med.fac. 5ª.60.B
Menſes Aromatum ſuffitus ducit.com.5°.aph.28°. Ex.40.B
Menſes cit Betonica.7°.de ſimpli.med.fac. 5ª.51.A
Menſes prouocat Bunium.6°.de ſimp.me.fac. 5ª.45.B
Mẽſes ꝓuocat Calamĩtha, tũ epota, tũ appoſita.7°.de ſim.m.fa.5ª.49.D
Menſes educit diacalaminthe.4°.de ſan.tu. 2ª.86.F
Mẽſibus irritãdis valet Calamus aromaticus.7°.de ſim.me.fa.5ª.49.E
Menſes promouet Capparis cortex.7°.de ſimp.med.fac. 5ª.49.G
Menſes prouocat Centaurium.7°.de ſim.me.fac. 5ª.50.F
Menſes euocat centaurij minoris ſuccus.7°.de ſimp.med.fa. 5ª.50.H
Menſes prouocat Chamædrys.8°.de ſimp.med.fac. 5ª.63.E
Menſes ducit Chamæpitys.8°.de ſimp.me.fac. 5ª.63.F
Menſes prolicit Cicer.6°.de ſimp.me.fac. 5ª.47.E
Menſes prouocat Coſtus.7°.de ſimp.me.fac. 5ª.52.F
Menſes ciet Crocodilij ſemen.7°.de ſimp.me.fa. 5ª.53.C
Menſes ciet Cucumis agreſtis.8°.de ſimp.me.fac. 5ª.60.E
Menſes prouocat Cyclaminis radix.7°.de ſimp.me.fac. 5ª.53.E
Menſes prouocant Cyperi radices.7°.de ſimp.me.fac. 5ª.53.H
Menſes prolicit Daphne herba.6°.de ſimp.me.fac. 5ª.46.B
Menſibus prouocandis efficax eſt Dauci ſemen.6°.de ſim.me.f. 5ª.46.B
Menſes ciet Fœniculum.7°.de ſimp.me.fac. 5ª.55.B
Menſes prouocat Hiera ſimplex.de cur.rat.per ſang.miſſ. 5ª.20.F
Menſes prouocat Hypericum.8°.de ſimp.me.fac. 5ª.63.A
Menſes mouẽt Hyppomarathri radix, & ſemẽ.7°.de ſim.me.fa. 5ª.55.C
Menſes mouet decoctum florum Leucoij.7°.de ſimp.me.fac. 5ª.54.C
Menſibus ciendis cõuenire credit̃ ſemẽ leucoij.7°.de ſim.me.fa. 5ª.54.D
Menſes cient Lybiſtici ſemen & radix.7°.de ſimp.me.fac. 5ª.54.F
Menſes prouocat radix Liliorum.7°.de ſimp.me.fac. 5ª.53.B
Menſes elicit Lupinus.6°.de ſimp.me. 5ª.48.D
Menſes promouet Marrubium.8°.de ſimp.me.fac. 5ª.59.B

Menſes cit Medij ſemen.7°.de ſimp.med.fac. 5ª.55.F
Menſes cit Meum.7°.de ſimp.med.fac. 5ª.56.B
pro Menſibus ciendis Mulſa.9°.de cur.rat.per ſang.miſſ. 6ª.20.F
Menſes mouet Myrrhis.7°.de ſimp.med.fac. 5ª.56.E
Mẽſes ꝓuocant Nepita, & pulegium.de cur.rat.per ſang.miſſ. 6ª.20.F
Menſes prouocat Nigella.7°.de ſimp.med.fac. 5ª.55.D
Menſes cit Pæoniæ radix.6°.de ſimplicium med.facul. 5ª.45.G
Menſibus mouendis medicamentum accommodum eſt fructus Panacis Heraclij.8°.de ſimp.medica.fac. 5ª.57.H
Menſes prouocat Paſtinaca.8°.de ſimp.med.fac. 5ª.61.C
Menſes, & vrinam affatim prouocat Petroſelinon.8°.de ſimplicium medicamentorum facultatibus. 5ª.58.C
Menſes ciet Polium.8°.de ſimp.med.fac. 5ª.59.A
Menſes mouet Pulegium.6°.de ſimp.med.fac. 5ª.45.F
Menſes cit Rubiæ radix.6°.de ſimp.medic.fac. 5ª.47.F
Menſes prouocat Sabina.6°.de ſimp.med.fac. 5ª.45.C
Menſes valenter cient Sabina, & Dictamũ.de cur.ꝑ ſang.miſſ. 6ª.20.F
Menſes ciet Schini flos.8°.de ſimpli.med.fac. 5ª.61.H
Menſes mouet Serpyllum.6°.de ſimpli.med.fac. 5ª.47.E
Menſes euocat Sion.8°.de ſimp.med.fac. 5ª.60.F
Menſes mouet Smyrnium.8°.de ſimpli.medica.fac. 5ª.61.B
Menſes prouocat Stachys.8°.de ſimp.med.fac. 5ª.61.C
Menſes, & vrinam cit Staphilinus.6°.de ſimpl.med.fac. 5ª.46.B
Menſes prolicit Styrax.8°.de ſimp.med.fac. 5ª.61.B
Mẽſes educit Theriaca.de the.ad Pi.96.B/de vſu the.ad Pãph. 5ª.98.G
Menſes cit Thlaſpi.6°.de ſimp.med.fac. 5ª.48.D
Menſes prouocat Thymum.6°.de ſimp.med.fac. 5ª.48.E
Menſes mouet Tragion.8°.de ſimp.med.fac. 5ª.62.E
Menſes prouocat Triphyllum.8°.de ſimp.med.fac. 5ª.64.G
Menſes Viri conſuetudine prouocantur.1°.de ſan.tuen. 2ª.66.B
Menſes cit Viticis ſemen.6°.de ſimp.med.fac. 5ª.41.B
Menſibus retentis mirum medicamentum.11°.de ſimp.med.fa. 5ª.80.D
ad Menſes extrahendos valet pharmacum dia acones pectini ſuprapoſitum.6°.de comp.med.fac. 5ª.256.A
ad Mẽſes ducẽdos.2°.de ant.115.C/7°.de cõp.me.ſe.lo.185.H/8°.190.H/191.E/9°.5ª.202.D/de paſſ.mul.96.B/de cura lapidis. Sp.112.H
ad Menſium retentionem, & dolores.ſecretorum. Sp.102.H
Menſes cui retenti ſunt, caſus mulieris.de venę ſect.aduer.Eraſ. 6ª.9.F
Menſes ſuperflui noxij ſunt.in 6^{m}.de morb.vul.com.2°. 3ª.166.F
Menſium ſupra menſuram fluxus cauſę.3°.de ſymp.cau. 3ª.29.G
Menſium profluuiorum pulſus, qualis.de pulſ.ad tiro. 4ª.44.H
in Menſium immodicis profluuijs fiunt pulſus vermiculantes.2°.de pręſag.ex pulſ. 4ª.113.A
ad Menſes ſequuntur pulſus vermiculantes.3°.de dign.pul. 4ª.99.D
Menſes fortiter habentes non ſunt purgandæ.de dyna. Sp.20.F
ad Menſes ſuperfluos remedium.de dynam. Sp.29.E
ad Menſes ſiſtendos.11°.de ſimp.med.fac. 5ª.78.G
MENSTRVOSAE *lac euaneſcit.de venæ ſect.adu.Eraſ.* 6ª.7.A
MENSTRVVM *humidum eſt.com.1°.aph.14°.* Ex.7.D
Menſtrua, & lac habent vnam ſubſtãtiam.de venæ ſect.ad.Era. 6ª.6.H
Menſtruo lac germanum.14°.de vſu par. 1ª.297.C
Menſtrua cur habeat mulier.fin.med. Iſa.49.H
Menſtrua cur nõ habeãt mulieres q̃ lac ꝓbent.14°.de vſu par. 1ª.207.B
Menſtruorum circuitus cur ſeruatur, & q̃n.2°.de differ.febr. 3ª.42.E
Menſtruorũ ſtatũ tp̃s luna mulieribus cõſeruat.2°.de die decr. 4ª.157.D
de Menſtruo tp̃e lunæ librũ fecit Hipparcus.3°.de dieb.decr. 4ª.157.D
Menſtrua cur viri non patiuntur.de ſperm. Sp.36.D
Menſtrua quomodo oriri ſoleant.de venæ ſect.aduer.Eraſ. 6ª.11.A
Menſtruus ſanguis quo modo prę ter naturam, & quo modo ſecundum naturam.3°.de ſymptomatum cauſis.26.H/ 3ª.27.A
Mẽſtruus ſanguis q̃uo ſupfluus, & qb° de cauſis.3°.de ſym.ca. 3ª.27.A
Menſtrua cur nihil mali faciant.de cur.ra.per ſang.miſſ. 6ª.20.H
Menſtruum eſt vacuatio, & purgatio.in 3^{m}.de morb.vul.c.3°. 3ª.148.E
Menſtruis erumpentibus maxime mutant corpora mulieres.commen.2°.aphoriſmo 22°. Ex.15.C
Menſtrua erũpentia ſoluũt vomitum ſanguinis.cõ.5°.aph.32°. Ex.40.D
ante Menſtruorum purgationem qualis ſit vulua.de diſſ.vul. 1ª.109.B
Menſtruorum purgatione inſtante qualis ſit vulua.de diſſ.vul. 1ª.109.B
in Menſtruis purgationibus cur refrigerantur mulieres.14°.de vſu partium. 1ª.204.H
Menſtrua mulierum notant humores peccantes.c.4°.apho.2°. Ex.27.F
Menſtrua nigra per vrinam tempore purgationis.de atra bile. 1ª.36.H
Menſtrua melancholica.in 3^{m}.de mor.vul.com.3°. 3ª.150.H
Menſtrua quandoq; pauca ſunt, quandoq; mediocria, quando deficiunt, vel anticipant.com.6°.aph.29°. Ex.49.C
Menſtrua fiũt pauciora, ſi acetabula vteri fuerint plena pituita.com.5°.aphoriſmo 39°. Ex.41.B
Menſtruæ purgationes minus, & intempeſtiuæ cauſa ſunt non continendi ſemen.de aere, aq. & loc. 2ª.5.G
Menſtrua quot modis retineantur, & ſupprimantur, & ſanentur per ſuffitus aromatum.com.5°.aph.28°. Ex.40.B
Menſtrua criſis quando futura, q̃uo cognoſcatur.3°.de criſ. 4ª.144.G
Menſtrua ſuppreſſa quomodo deprehendantur.6°.de loc.aff. 4ª.41.B
Menſtrua retenta mulieribus obſunt.com.5°.aph.33°. Ex.40.E
Menſtrui retentio quid faciat.in 1^{m}.de mor.vul.com.3°. 3ª.122.D
Menſtruorum occultatio oſtendit futurã ægritudinẽ.ars med. Iſa.67.F
Menſtrua ſuppreſſa quid mali faciant.6°.de loc.affe. 4ª.41.B
Menſtruorum ſuppreſſorum ſymptomata.6°.de loc.aff. 4ª.41.B
ex Menſtruorum retentione tremor, hydrops, & affectus frigidus q̃n indigent ſanguinis miſſione.de venæ ſect.aduer.Eraſ. 6ª.7.A
Menſtruorum retentio aquæ inter cutem cauſa.5°.de loc.aff. 4ª.34.A
Menſtruæ purgationis in mulieribus omnimoda ceſſatio, vel immodica vacuatio facit hydropem.2°.de nat.fac. 1ª.299.F
ob Menſtruorum ſuppreſſiones, & immodicas euacuationes fit aqua inter cutem.4°.de præſag.ex pulſ. 4ª.121.E
Menſtrua ſuppreſſa febrem faciunt, & caput grauant, cur.in 6^{m}.de morbis vulgaribus, com.1°. 3ª.153.C
à Menſtruis vel ſemine retento fit præfocatio.6°.de loc.aff. 4ª.39.F
Menſtruis retentis quid quandoq; ſequatur.5°.de loc.aff. 4ª.35.D
ex Menſtruorũ retẽtione lac q̃nq; in mammis.c.5°.aph.39°. Ex.41.B/C
Menſtrua alba ſi à partu retineant, inſaniunt.in 1^{m}.prr.cõ.2°. 4ª.175.D
Menſtrua quæ cœperunt, & deſierũt, peſſima.in 1^{m}.prr.cõ.1°. 4ª.161.F
Menſtruus ſanguis ad alias particulas delatus.3°.de ſymp.ca. 3ª.29.G
Menſtrua deficientia quo modo indicent mulierem prægnantem.com.5°.aphoriſmo 61°. Ex.43.D
Menſtruum vnde excernatur grauidis.com.5°.aph.60°. Ex.43.D
Menſtruum generationi confert.com.1°.aph.14°. Ex.7.E
Menſtruo alitur fœtus.com.5°.aph.61°. Ex.43.D
Menſtruo nutritur infans.de ſperm. Sp.36.B
ex Menſtruo ſanguine tunica.1°.de nat.fac. 1ª.291.G
Menſtruus ſanguis principium fœminæ, & maris.2°.de ſem. 1ª.339.H
Menſtruus ſanguis principium materiale ãialis.2°.de nat.fac. 1ª.297.F
Menſtruum eſt materia, & facultas.2°.de ſem. 1ª.337.D
Menſtruus ſanguis non eſt prima, neq; propria materia gignẽdi animal.14°.de vſu par. 1ª.204.F
ex Menſtruo ſanguine, & duplici bile, & pituita factæ ſunt omnes partes.de nat.hum.com.1°. 1ª.30.C
ex Menſtruo, & principio agitatorio, quod à mare fit, fit generatio.1°.ſemine. 1ª.329.E
ex Mẽſtruo ſanguine fit oẽ membrũ ꝑm Ariſtotelẽ.1°.de ſem. 1ª.332.G
ex Menſtruo ſanguine & ſpermate cum homo conſtet, is ãial immortale quoq; vt eſſet, non eſt æquum poſtulare.3°.de vſu par. 1ª.133.D
Mẽſtruis deficiẽtibus, ſãguis è naribus fluẽs, bonũ.c.5°.a.33°. Ex.40.E
Menſtruis ſuppreſſis venam ſtatim ſeca.de cur.rat.per ſan.miſ. 6ª.18.F
Menſtruis quomodo vena ſecanda.de venæ ſect.aduer.Eraſ. 6ª.11.A
pro Menſtruis ciendis vena vna, vna die ſecanda, alia altera.de curan.rat.per ſang.miſſ. 6ª.20.E
Menſtrua prouocat ſaphenæ ſectio.de anat.viu. Sp.54.H
Menſtrua vitiantia attrahunt, ijsq; alleuiationem præſtant cucurbitulæ, de hirud.reuulſ.cucurb. & ſcarif. 6ª.2.F
Menſtruis ſuppreſſis quando ſcarificari poſſunt malleoli.de curan.rat.per ſang.miſſ. 6ª.18.G
Menſtrua quomodo poteris prouocare.de cur.rat.per ſan.miſſ. 6ª.20.F
Menſtrua quæ prouocent.de ocul.7ª.188.F/de cathart. Sp.95.D
Menſtrua prouocantia ſine periculo.2°.de antid. 5ª.115.D
Menſtrua, & vrinam prouocat Ami.de ſimp.med. Sp.80.H
Menſtrua mulieribus detrahit antidotus Apellis.2°.de antid. 5ª.114.H
Menſtrua, & vrinam prouocat Artemiſia.de ſimp.med. Sp.80.F
Menſtrua, & vrinam prouocat Aſphodelus.de ſimp.med. Sp.81.B
Menſtrua prouocant Aſſari drachmę duę.de med.exper. Sp.106.E
Menſtrua fortiter prouocat aſſari decoctio.de med.exper. Sp.104.D
Menſtrua, & vrinam prouocat Cardamomum.de ſimp.med. Sp.82.G
Menſtrua fortiter prouocat decoctio Carui & ſeminis apij.de medicinis expertis. Sp.104.D

Menſtrua mouet Centaurea.de ſimp.med. Sp.82..A
Menſtrua,& vrinam prouocat Chamædrys.de ſimp.med. Sp.82.G
Menſtruæ purgationis prouocandæ vim quandam obtinet Chryſocome. 8°.de ſimp.medic.fac. 5ª.63.H
Menſtrua,& vrinas prouocat Daucum.de ſimp.med. Sp.83.D/E
Menſtrua,& vrinam prouocat Dictamum.de ſimp.med. Sp.83.D
Menſtrua prouocat Gladiolum.de ſimp.med. Sp.84.H
Mēſtrua,& vrinā prouocāt radices Glycyrrhizæ.de ſimp.me.Sp.84.G
Menſtrua,& vrinam prouocat Git.de ſimp.med. Sp.84.F
Menſtrua,& vrinam prouocat Helenium. de ſimp.med. Sp.83.H
Menſtrua prouocat Iridis electarium.de med.exper. Sp.105.E
Menſtrua prouocat Iuniperi decoctio.de me.exper. Sp.106.F
Menſtrua prouocat Laccæ electarium.de med.exper. Sp.106.H
Menſtruis purgationibus Lens non eſt accommoda.1°.de ali.fac. 2ª.13.E
Menſtrua prouocat Lilium.de ſimp.med. Sp.86.D
Menſtrua prouocant Maioranæ drachmæ tres cum duabus drachmis rubiæ.de med.exper. Sp.106.E
Menſtrua prouocat Marrubiaſtrum.de ſimp.med. Sp.87.G
Menſtrua & vrinam prouocat Meu.de ſimp.med. Sp.87.F
Menſtrua,& vrinam prouocat Origanum.de ſimp.me. Sp.88.F
Menſtrua prouocat Pelecinus.de ſimp.med. Sp.89.B
Menſtrua prouocat Pulegium.de ſimp.med. Sp.88.H
Menſtrua,& vrinam prouocat Ruta.de ſimp.med. Sp.89.D
Menſtrua,& vrinam prouocat Serpillum.de ſimpl.med. Sp.84.B
Menſtrua prouocat Stæchas.de ſimpl.med. Sp.90.G
Menſtrua prouocat Eriphera magna. de dyna. Sp.26.E
Menſtrua prouocans confectio.ſecretorum. Sp.99.C
Menſtrua prouocans decoctio.de med.exper.105.D/ Sp.107.D
Menſtrua fortiter prouocans electarium.de med.exper. Sp.105.F
Menſtrua prouocantia electaria.de med.exper. Sp.107.H
Menſtrua,& vrinam prouocans electarium.de med.exper. Sp.107.D
ad Menſtruorū prouocationē valēs medicina . de med.exp. Sp.104.H
Menſtrua,& vrinam prouocans medicamen.de me.exper. Sp.106.B/H
qbus Mēſtrua nō apparēt,& nō cōcipiunt,potio vtilis.de dy.Sp.29.G
ad Menſtrua retenta ex plenitudine, & pingui ſuperfluitate . de dynamidijs. Sp.29.D
ad Menſtrua prouocanda.de dynam.29.D/F/ſecretorum.99.B/de medicinis expertis. Sp.108.A
Menſtrui retenti caſus.de venæ ſect.aduer.Eraſ. 6ª.9.H
Menſtruorum plurima excretio in grauidis quid ſignificet.commentario 5°.aphoriſmo 60°. Ex.43.D
Menſtrua plura cur fiant,& pauciora.com.5°.aph.57°. Ex.43.A
Menſtrua plura ſi fiant accidunt morbi,& ſi non fiant, ex vtero morbi contingunt.com.5°.aph.57°. Ex.42.H
Menſtruorum fluxui ſi conuulſio,& animi defectus adueniat,malū.commentario 5°.aphor.56°. Ex.42.H
Menſtrua multa plurimum lædunt operationē.cō.2°.aph.22°. Ex.15.C
Menſtrui nimij fluxus curatio.com.5°.aph.50°. Ex.42.A
Menſtrua quo modo ſiſtantur.1°.de arte cur.ad Glau. 98.H/ 7ª.99.A
in Menſtruis ſuperfluis reuellit cucurbitula appoſita prçcordijs. de hirud.reuulſ.cucurb.& ſcarif. 6ª.2.E
Menſtrua cohibentur à ſectione venæ cubiti.de curan.rat.per. 6ª.20.E
Menſtruorum profluuij caſus.de præcogn.ad Poſth. 4ª.217.D
MENSVRA eſt optima.de cogn.cur.animi mores. 2ª.50.H
ſine Menſura nihil egregium.de cog.cur.animi mores. 2ª.50.H
Menſura annorum.de hiſt.philoſ. Sp.7.D
Menſura cordis quanta.de anat.viu. Sp.46.G
Menſura eadem non eſt in vno,ſed in vnoquoq; alia.adu.emp.m. Iſ.35.F
Menſura euacuationis ſingulorum hominum nequaquam præſcribi poteſt.de præſag.exper.conſ. Sp.78.A
Menſuram in duodecim diuidunt.de cuiuſq; animi pec.not. 2ª.58.D
Menſura certa requiritur in rebus medicis.de venæ ſec.ad.Era.6ª.7.H
Menſura quo modo iudicatur.de pond.& menſ. 5ª.275.B
Menſurantur quæ multiplici ſunt differentia.de pond.& menſ. 5ª.275.B
Menſuræ ſunt in varijs regionibus diuerſç.de pond.& menſ. 5ª.275.B
Menſuræ Romanæ ab alijs diuerſæ.6°.de comp.med.ſec.lo. 5ª.170.A
Menſuris pondera non çqualiter reſpondent propter materiæ differentiam.de pond.& menſ. 5ª.276.B
pro Menſurandis liquidis cornua libralia Romæ habebant.1°.de comp.medica.per gen. 5ª.216.F
pro Menſura,fictile.7°.de comp.med.per gen. 5ª.272.G
pro Menſura,metreta.7°.de compo.medic.per genera. 5ª.272.G
Menſuram ex oui facit putamine.9°.de cōpo.med.ſecun.loc. 5ª.204.B
pro Menſura,vaſculum.7°.de compo.med.per gen. 5ª.272.F/H
Menſura Cochlearij.11°.de ſimp.med.fac. 5ª.80.H
Menſura cochlearij magni.11°.de ſimpl.medic.fac. 5ª.81.H
Menſura Congij.6°.de comp.med.ſec.loc. 5ª.170.A
Menſura Cyathi.8°.de ſimp.med.fac. 5ª.58.E
Menſura Fabæ Aegyptiæ.de vſu ther.ad Pamph. 5ª.98.H
Menſura Oxybaphi.6°. de ſimp.med.fac. 41.D/48.D/8°. 5ª.63.F
Menſura plena manu.de dynam. Sp.31.C
Menſura quantum tribus digitis leuari poteſt.de dyna. Sp.30.F
Menſura trium digitorum.de dynam. Sp.25.B
MENTA qualis ſit.2°. de compoſi.medic.ſec.loc. 5ª.136.G
Menta calida in tertio.6°.de ſimpli.med.fac. 5ª.48.A
Menta ſupra oēs herbas eſt tenniū partium.6°.de ſimpli.me.fa.5ª.48.B
Menta infirmior calamintha.6°.de ſimp.med.facul. 5ª.48.A
Mentæ vires quæ.de ſimp. medica. fac. Sp.87.D
Menta obſonium ſponte proueniens.2°.de alimen.fac. 2ª.25.D
Menta eſt cibus acutus,incidens & aperiens.de diſſ.cont. Sp.72.E
Menta ad venerem excitat.6°.de ſimp.med.fac. 5ª.48.A
Menta amara & acerba.6°.de ſimp.medic.fac. 5ª.48.B
Menta lumbricos interficit,& recentes ſanguinis reiectiones reprimit. 6°.de ſimp.med.fac. 5ª.48.B
Menta ſtomacho valde apta eſt,ſanguinis abundantiam ſtringit, capitis dolorem ſedat,ſingultus & nimios vomitus reprimit, conceptum vetare dicitur.de ſimpli.medic. Sp.87.D
Mentæ folio lingua aſpera fricanda.de dynam. Sp.20.A
Menta quidam vtuntur in abſceſſibus.6°.de ſimp.med.fac. 5ª.48.B
Menta viridis repellit.2°.de compoſit.medicamen.ſecund.loc.5ª.137.D/ 1°.de arte curati.ad Glauco. 7ª.100.A
ex Menta viridi apparatum repellit in capitis doloribus. 2°.de compo.medic.ſecun.loc. 5ª.137.D
ex Menta viridi parata repellunt.1°.de arte cura.ad Glau. 7ª.100.A
Menta ſicca.5°.de compoſi.medic.ſec.loc. 5ª.166.A
ex Menta oleum euacuat & diſſoluit.1°.de arte cur.ad Glau. 7ª.100.B
Menta odorata exiccat.3°.de alimen.facul. 2ª.26.D
Mēta odorata à veteribus hedyoſmos dr̄.6°.de cōp.me.ſe.lo. 5ª.168.F
Mentç odoræ in aqua mulſa decoctum inter diſcuſſoria parabilia moderata.6°.de comp.med.ſec.loc. 5ª.169.G
Menta odora pro origano.6°.de compo.medi.ſec.loc. 5ª.168.F
Menta cum polenta abſceſſus ſanat.de med.fac.par. 7ª.174.G
in MENTAGRA nouo Romç morbo Pamphilus medicus multa lucratus eſt hoc medicamento.5°.de compo.med.ſec.loc. 5ª.161.F
Mentagra in vrbe quo modo ſanaretur.5°.de comp.me.ſec.loc. 5ª.161.F
ad Mentagras.5°.de compo.medic.ſecun.loc. 5ª.161.H
MENTASTRVM eſt cibus acutus,incidēs,& aperiens.de diſſolutione continua. Sp.72.E
cum Mentaſtro ſylueſtri ſunt comedenda cerebra.de diſſ.cōt. Sp.74.F
Mentaſtrum ſylueſtre mundificat,& ſubtiliat.de diſſo.cont. Sp.74.H
MENTIONEM bis de aphoriſmis aliquibus cur fecit Hippocrates & ſui interpretes.com.7°.aph.53°. Ex.58.F
MENTIANTVR cur ſectæ vni addicti.3°.de lo.aff. 4ª.15.A
Mentiendi cauſam non habet Galenus.3°.de lo.affe. 4ª.15.A
pro MENTVLA vnguentum album.de dynamidijs. Sp.29.C
MENTVM quod.introd. Iſa.53.B
inter Mentum,& labium vena quando ſecanda.de anat.viu. Sp.55.B
Menti pili parum habent vtilitatis. 1°.de compoſi.med.ſec.loc. 5ª.121.D
Menti affectus,qui.introd. Iſa.59.C
ad Menti pilos non enaſcentes.1°.de compo.medic.ſecun.loc. 5ª.125.A
ad Menti raritatem pilorum.1°.de compoſi.medica.ſec.loc. 5ª.124.H
de Menti eruptionibus.5°.de compoſi.medi.ſec.loc. 5ª.160.D
ad Menti papularum eruptiones.5°.de comp.medicam.ſec.loc.5ª.162.C
ad Menti papularum ficoſas eruptiones.5°.de cōp.me.ſe.lo. 5ª.160.F
ad Menti ficoſos tumores.5°.de comp.med.ſec.loc. 5ª.162.C
ad Menti lichenas.5°.de comp.med.ſec.loc. 5ª.160.H
ſub Mento circumagitur vinculum γενειάς.de faſcijs. 7ª.295.A
ad Mentum iunctura ex Sorano.de faſcijs. 7ª.300.F
ad Menti fracti compoſitionem laqueus.de laqueis. 7ª.308.D
ad MEOTIDEM vſq; paludem habitantes ad dextram hiberni ſolis ortus,quales.de aere,aq.& lo. 2ª.4.F
prope Meotim in Europa Scythæ.de aere,aq.& lo. 2ª.5.C
contra MERCATORES ſimplicium medicamentorum. 3°.de compoſi.medicamento.per genera. 5ª.228.G

MERCVRIALIS *herba quid.de ſimp.med.* Sp.86.E
Mercurialis vrinam mouet.de cura icteri. Sp.111.D
Mercurialis ventrem purgat.7°.de ſim.med.fac. 5ª.54.G
Mercurialis ſtercus expellit.de dynam. Sp.21.H
Mercuriali herba ſoluendus ſenum venter.5°.de ſan.tuen. 2ª.92.F
Mercurialis ſanguinem purgat.de dynam. Sp.22.C
Mercurialis herba ſanguinem educit.de cathar. Sp.94.G
Mercurialis expurgat in icteris.de cura icteri. Sp.111.B
Mercurialis herba purgat cibos indigeſtibiles, & lumbricos rotundos. de catharticis. Sp.95.C
Mercurialis digerens eſt.7°.de ſimp.med.fac. 5ª.54.G
Mercurialis pro phlegmone cauę partis iecoris.13°.meth.me. 7ª.84.A
Mercurialis in phlegmone intrinſeco.13°.meth.med. 7ª.85.C
MERCVRIVS *ſecundum calidum & humidum, frigidum & ſiccũ eſt æquus.de compag.memb.ſiue de natu.hum.* Sp.59.G
Mercurius Marti probe congruit, Saturno minime. de decub.progn.ex mathematica ſcientia. Sp.12.H
ſub Mercurio ē terra calida, et humida ĩ primo gradu.de ſper. Sp.40.C
Mercurius qua effigie pingatur.in oratione ſuaſ. Iſa.2.E
Mercurio adſcriptus liber de ſacris herbis.6°.de ſimplicium medicamẽtorum facultatib. 5ª.40.B
MERGI *venter ad quę valet.11°.de ſimp.med.fa.* 5ª.80.A
Mergi ventriculus adiuuat coctionem.3°.de alim.fac. 2ª.29.G
Μέρη quæ.in timæum Plat. 1ª.287.A
MERIDIES *temperata.2°.de ſan.tuen.* 2ª.73.C
Meridies danda homini temperato, quando debet exerceri.2°.de ſanitate tuenda. 2ª.73.C
Meridiem ſpectantia cubicula ſunt calida.11°.de ſimp.med.fac. 5ª.79.F
Meridies ab omnibus euitatur in ęſtate.de cauſ.procatar. 3ª.96.A
MERIDIONALES *ſunt capricornus, taurus, virgo.de ſper.* Sp.39.A
Meridionales vrbes, quę.in 1^{m}*.de mor.vul.c.1°.* 3ª.103.F
Meridionalis, & in loco concauo eſt Cranon vrbs.in 1^{m}*.de mor.vulgaribus, commen.1°.* 3ª.103.F
Meridionalium cutis, qualis.2°.de temp. 1ª.20.A
Meridionales calidi calore extrinſeco, intrinſeco frigidi. 2°.de temperamentis. 1ª.20.B
Meridionales non patiuntur phlebotomiam integram.de ſectis. Iſa.18.B
MERVLA *piſcis numeratur inter ſaxatiles.3°.de alim.fac.* 2ª.30.H
Merula obtinet ſm locũ ſuauitatis inter ſaxatiles.3°.de ali.fac. 2ª.30.H
Merulæ piſces molles carne.3°.de alim.fac. 2ª.30.H
Merulæ inter piſces qui cæteris facilius cõficiũtur.3°.de ali.fa. 2ª.30.H
Merularum caro durior concoctu carne perdicis & columbæ.9°.de alimentorum facultatibus. 2ª.29.C
Merulæ in confinio tenuantium, craſſumq; facientium ſunt. de bonita.& vitio ſuccorum. 2ª.34.H
Merulæ quibus conueniunt.6°.de ſan.tuen. 2ª.99.G
MERI *potione tempora pulſant.4°.de diff.pulſ.* 4ª.64.C
ob Meri potationem dolori capitis confert ſuccus centaureæ.de virtute centaureæ. Sp.93.B
Meri potione affectus oculorum interdum curabat Galenus.2°.de differentijs febrium. 3ª.41.G
MERA *quæ eſſe poſſint, & quæ dicantur.in* 3^{m}*.de mor.vulgaribus commentario 2°.* 3ª.139.G
Merum quid ſignificat in bile.in 3^{m}*.de mor.vul.com.1°.* 3ª.133.G
MESAREI *nomen vnde.6°.de anat.adm.* 1ª.91.H
Meſaraicum continuatur arterię cuidam procedenti à dorſo.de vtilitate reſpirationis. Sp.64.G
Meſaræum ex multis arterijs & venis ſibi ipſi propinquis conſtat.8°.de vſu partium. 1ª.168.G
Meſaræi morbi ſicci qui vocentur.de vict.ratione in morb.acutis, commentario 1°. 3ª.112.F
Meſaræon quando facit hecticam.10°.meth.me. 7ª.64.F
MESARAICAE, *ſiue meſentericæ venæ, quæ.de vtil.reſp.* Sp.74.D
Meſaraicę vbi ſitæ.de vtil.reſp. Sp.64.D
Meſaraicarũ ordo multiplex, et qui, et vñ oriatur.de anat.viu. Sp.50.B
Meſaraicæ venæ vnde ortæ.13°.meth.me. 7ª.83.F
Meſaraicæ paucæ vel nullę veniunt ad ſtomachum.de anat.vi. Sp.50.E
Meſaraicę decoquunt ſuccum, qui in gibbo iecoris fit ſanguis. de compagine memb.ſiue de nat.hum. Sp.59.A
Meſaraicis venis veluti manibus iecur vtitur.5°.de lo.aff. 4ª.35.C
per Meſaraicas iecur trahit à ventriculo, & ab inteſtinis. 6°.de decr. Hippocratis. 1ª.266.A
per Meſaraicas cibum attrahit iecur, vt arbor à radicibus.6°.de locis affectis. 4ª.37.G
Meſaraicas euntes ab hepate ad ſtomachum & inteſtina, recipiunt glandulę quædam.de anat.viu. Sp.44.D
Meſaraicæ venæ quæ orificia quandoq; aperiant, & claudant.de anatomia viuorum. Sp.56.E
Meſaraicæ venæ quibus afficiantur.5°.de lo.aff. 4ª.33.F
Meſaraicas venas afficit phlegmone in iecoris cauo.13°.me.me. 7ª.83.F
Meſaraici qui ęgroti uocentur.5°.de loc.aff. 4ª.35.C
MESENTERII *nomen vnde.6°.de anato.adm.* 1ª.91.H
Meſenterium quid ſignificet.in 6^{m}*. de morbis vulga.com.4°.* 3ª.180.E
Meſenterium ſiue meſaręum appellatur pellis, in qua ſunt meſaraicæ. de vtilita.reſp. Sp.64.D
Meſenterium quid.6°.de anat.admin. Sp.91.G
Meſenterium, id eſt lactes.5°.de loc.aff. 4ª.35.C
Meſenteria duo.de ven.art.diſſ. 1ª.59.C
Meſenterium tertium quod.de ven.art.diſſ. 1ª.59.C
Meſenterium medianum quo modo formetur.de fœt.for. 1ª.322.H
Meſenterij mediani quædã vaſa ĩ glãdulas deſinũt.2°.de ſem. 1ª.340.D
Meſenterij ſectio.6°.de anat.admin. 1ª.92.A
Meſenterij ortus vnde.6°.de anat.adm. 1ª.91.G
Meſenterium quid faciat.intro. Iſa.54.D
Meſenterium fungitur vice radicis.de vtil.reſp. Sp.64.D
ad Meſenteriũ arteriæ venientes vnde oriantur.an ſang.in art. 1ª.61.E
Meſenterio coniungitur arteria, quæ à corde protenditur per dorſum, & non tranſit per hepar.de vtil.reſp. Sp.64.D
Meſenterio propinquas arterias plenas lacte habent hœdi nuper nati. an ſang.in art.natura cont. 1ª.61.D
in Meſenterio venæ quæ nutriunt inteſtina, & quæ non trahunt ad hepar.4°.de vſu par. 1ª.141.F
Meſenterij glandulæ.6°.de anat.adm.92.C/3°.de alim.fac. 2ª.26.H
in Meſenterio cur ſint glãdulę.4°.de vſu par.141.H/2°.de ſemi.1ª.340.D/de vtil.reſp. Sp.63.A
in Meſenterio generantes quendam humorem pituitoſum glandulæ ſunt magno vſui.14°.meth.med. 7ª.90.D
Meſenterij appendiculum quod.6°.de anat.adm. 1ª.92.B
Meſenterium p̃ inteſtinum rectum expurgatur.11°.meth.me. 7ª.73.F
Meſenterium robuſtum quomodo cognoſcatur.de conſt.art. Iſa.42.B
Meſenterij inflammatio quo modo cognoſcitur.5°.de lo.aff. 4ª.35.C
ex Meſenterio affecto primo cruor ſanioſus, poſtea craſſus, & feculentus.5°.de locis affectis. 4ª.35.D
Meſenterij vaſa affligit fluxio corrupta.6°.de ſan.tu. 2ª.98.F
Meſenterio quando aptanda remedia, & qñ iecori.5°.de loc.aff. 4ª.35.C
Meſenterica vena ad quam venæ ingrediuntur, quæ à capite ad inteſtina eunt.com.7°.aph.30°. Ex.56.B
Meſentericarũ venarum cauſa iecur imbecillitatur.5°.de lo.aff. 4ª.35.F
MESIANVM *emplaſtrum.6°.de cõp.med.per gene.* 5ª.256.C
MESOCOLON *quid ſignificet.in* 6^{m}*.de mor.vul.c.4°.* 3ª.180.E
MESPILVM, *& cotoneum ſimilia.de opt.ſect.* Iſa.21.G
Meſpilum qualitatem cotonei ſaporis habet.de opt.ſecta. Iſa.21.G
Meſpilum pro cotoneo torminoſis adhibent empirici.de opt.ſe. Iſa.23.G
Meſpilorum magnus prouentus quo modo ſeruatus à ruſticis.2°.de alimentorum facultatibus. 2ª.21.H
Meſpilis parce veſcendum.2°.de alim.fac. 2ª.20.F
Meſpilis non vtendum ad ſanitatem.de atten.vict. 2ª.45.H
Meſpila ad victum attenuantẽ non ſunt accõmoda.de atten.vic. 2ª.45.H
Meſpilis vti debemus vt medicamẽto, ñ vt alimẽto.2°.de ali.f. 2ª.20.F
Meſpila mouẽt alium ſenſum, q̃ adſtringẽtia.1°.de ſimp.me.fac. 5ª.8.H
Meſpilus habet diuerſum effectum ab alijs adſtringentibus. 3°.de ſimpl. medic.facul. 5ª.20.D
Meſpilum adſtringit.de opt.ſecta.Iſa.21.G/9°.de ſimpli.med.fac.64.C/6°.de cõp.med.ſe.lo.5ª.176.F/de vict.ra.in mor.ac.c.1°. 7ª.111.D
Meſpilum adſtringit euidenter.1°.de ſimp.med.fac. 5ª.7.H
Meſpila valentius, quàm ſorba adſtringunt.2°.de alim.facult. 2ª.20.F/*8°.de ſimpli.med.fac.* 5ª.57.B
Meſpila minus ſuauia ſorbis.2°.de alim.fac. 2ª.20.F
Meſpilorum decoctum adſtringens leue.5°.meth.med. 7ª.31.H
Meſpilorum decoctum inter adſtringentia fortiora pro gargariſmis. 6°. de comp.med.ſec.loc. 5ª.172.G
Meſpila quo magis coquas, eo dulciora efficies, & decoctum fit acerbũ. 3°.de alimentorum facul. 2ª.32.A
Meſpila ventrem ſtringunt.7°.de ſimp.me.fac. 5ª.52.G

Meſpilo aluum ſupprimi omnibus eſt notum.de ſub.facul. 1ª.230.D
Meſpilum ventrem coercet mire, q̄m acerbum.7°.de ſim.me.fac.5ª.55.E
Meſpila cibus vtiliſſimus ventri fluenti.2°.de alim.fac. 2ª.20.F
Meſpila adſtringunt dyſenteriam.11°.de ſimp.med.fa. 5ª.81.E
Meſpila valent ad ſtomachi ventrisq́, firmitatem ac robur. de bonitate & vitio ſuccorum. 2ª.37.F
Meſpilorum ſuccus ad ſtomachi ardorem cum ſyncope. 8°.de compo.me dica.ſecun.loc. 5ª.191.H
Meſpila cibus conueniens ſtomachicis.8°.de cōp.med.ſe.lo. 5ª.192.C
Meſpili ſuccus non debet admiſceri roſaceo, quādo caput refrigerare vo lumus.2°.de comp.medi.ſec.loc. 5ª.132.G
ex *Meſpilorum ſucco medicamentum.6°.de comp.me.ſec.lo.* 5ª.169.A
MESSINAE *Siciliæ ſitus.in* 3^{m}*.de mor.vul.c.3°.* 3ª.140.H
MESSIO *eſt exercitatio, & opus.2°.de ſan.tuen.* 2ª.73.G
MESSIS *quid ſit.1°.de antidotis.* 5ª.110.A
MESSORES *cur duram, & ſiccam cutim habent.de aſſue.* 2ª.61.D
Meſſores robuſti melius concoquunt panes optimos, quàm athletæ.1°.de alimentorum facul. 2ª.10.A
Meſſores à quibus panibus lædantur.1°.de alim.fac. 2ª.10.A
*Meſſorum, & foſſorum medicamentum.3°.de comp.med.ſe.loc.*5ª.147.C
Μετακάρπιον *quod.intro.* Iſa.53.C
*Metacarpium quæ manus pars.de inæqu.intemp.*3ª.43.C| *de fracturis, commentario 2°.* 7ª.233.A
Μεταγραμματισμὸν *erratum ex transliteratione.de iis quæ in med. fiunt, commentario 2°.* 7ª.210.F
Metaleptice quę pars ſit inſtrumenti, quod cruribus ſubiicitur. 6°.methodi meden. 7ª.41.H
Μεταληπτικὴ τάσις, *qui motus.de machin.* 7ª.310.H
METALLICA *ſunt craſſiorum partium. 3°.de compoſitio.medica.per genera.* 5ª.232.B
Metallicorum conſiſtentiæ vnde veniant.9°.de ſimpli.med.fac. 5ª.68.F
Metallica medicamenta, quæ.9°.de ſimp.med.fac. 5ª.68.E
Metallica quo modo conficiantur.1°.de cōp.med.per gen. 5ª.216.F
Metallica cur indigeant preparatione.3°.de cōp.med.per gene. 5ª.232.B
Metallica quo modo præparanda.2°.de comp.med.per gen. 5ª.223.H
Metallicis quæ commiſcenda viſcoſa, & humida.de ocul. 7ª.189.B
Metallica quo modo lauanda.1°.de comp.medi.per genera. 5ª.216.D|E
Metallicorum lotio quoties facienda.9°.de ſimpl.medic.facul. 5ª.68.F
Metallica medicamēta ad ſolē miſcēda. 3°.de cōp.me.per ge. 5ª.232.B|C
Metallica per coctură fiunt meliora.6°.de cōpo.medic.ſec.loc. 5ª.168.E
Metallica medicamēta, cum multum ebullierint, habent ſubtiliores partes, & magis exiccant.2°.de arte cura.ad Glau. 7ª.106.A
Metallica omnia medicamenta ingredi debere Thus, colligi videtur.3°. de comp.medic.per gene. 5ª.232.F
Metallica omnia deſiccant, quia terrea.9°.de ſimp.med.fac. 5ª.68.E
Metallica ſunt ſæpe medicamenta oculorum.de ocul. 7ª.189.B
*Metallica exaſperant, & dolorē cōcitāt.3°.de cōp.med.per ge.*5ª.232.H
Metallica calida tenuium partium, & parum adſtringentia. 3°.de compoſi.medicamen.per gene. 5ª.228.E
Metallica adſtringentia vitanda in neruorum vulneribus. 3°.de compo. medic.per genera. 5ª.232.B
Metallica conueniunt in neruis nudis.3°.de comp.med.per ge. 5ª.235.A
Metallica non conueniunt neruo puncto, niſi præparata.3°.de comp.medicam.per gen. 5ª.235.A
Metallicum valentiſſimum ad neruos.3°.de comp.me.per gen. 5ª.232.E
Metallicum medicamētum inualidiſſimum ad neruos quomodo paretur. 3°.de compoſi.medica.per genera. 5ª.232.E
Metallicum medium.3°.de comp.med.per gen. 5ª.232.E
METALLA *in Cypro naſcuntur.9°.de ſimp.med.fa.* 5ª.65.B
inter *Metalla numeratur ſal foſſilis.9°.de ſimp.med.fac.* 5ª.68.F
Metalla à natura locorum accipiūt qualitates.9°.de ſim.me.fa. 5ª.68.F
Metalla conſtant partibus craſſioribus.2°.de cō.me.per gen. 5ª.219.H
Metalla habent multum ſubſtantiæ igneæ.9°.de ſimpl.med.fac. 5ª.68.F
*Metalla quæ liquæſcunt habent plus aquæ.9°.de ſimp.med.fac.*5ª.64.G
Metalla quo modo liqueſcunt.de vtil.reſp. Sp.64.A
Metallū omne maius fit ſi liqueſiat, q̄ fuerit prius.de vti.reſp. Sp.64.A
Metallorum aer vitandus.12°.meth.me. 7ª.77.E
Metalla ad animalium habitationem nocua ſunt, & ad aquarum potationem.de bonitate aquæ. Sp.75.F
ex *Metallis aquarum differentia.de boni.aquæ.* Sp.75.F
ex *Metallis effoſſa præbentes in re medica inter miniſtros ignobiliores ſunt.in 6m. de morbis vulga.com.5°.* 3ª.188.D
*Metallorum, & figulinæ terræ comparatio.9°.de ſimp.med.fac.*5ª.68.E
Metalla poſſunt ſeruari per totam vitam.1°.de antidotis. 5ª.100.B
ex *Metallis medicamenta ab hominibus parata.9°.de ſim.m.f.*5ª.68.E
Metalla exigunt oleoſam humiditatem, quando in medicamentis ponuntur.4°.de compoſi.medi.per genera. 5ª.244.D
Metalla parant melius ſole q̄ igne.4°.de comp.medica.per ge. 5ª.241.D
Metallorum poros non intrat aer, ſed ignis.de vtil.reſp. Sp.64.A
Metalla fiunt mordacia per ignem.2°.de compo.medic.per ge. 5ª.219.H
Metalla combuſta qualia, & quomodo comburantur. 2°.de compoſi.me dicamento.per genera. 5ª.219.H
in *Metallis, et plantis multo magis ſunt recremēta, quàm in ſuccis.4°. de ſimpli.med.facultatib.* 5ª.24.H
Metalla diu cocta quid faciant.4°.de comp.me.per ge. 5ª.241.A
Metalla ad ſiccandum ſine morſu debent diutius coqui. 4°.de compoſit. medicamen.per genera. 5ª.241.A
Metalla quo modo fiant tenuiora.2°.de comp.med.per ge. 5ª.219.H
Metalla attenuat acetum.3°.de comp.med.per gen. 5ª.232.B
Metallum tenuium partium citra calorem.3°.de cōp.me.p ge. 5ª.228.E
Metalla aceto trita qualia ſint.4°.de compo.med.per gen. 5ª.241.D
Metalla vino trita qualia ſint.4°.de comp.me.per ge. 5ª.241.D
Metalla debent eſſe diu trita.3°.de compo.medic.per gen. 5ª.232.C
Metalla quæ non comminuuntur.3°.de comp.medi.per ge. 5ª.232.B
Metalla ſi lauantur amittunt roſionem.1°.de cōp.med. p gen. 5ª.217.D
Metalla omnia ſint elota, vt ſiccent ſine morſu.6°.meth.med. 7ª.38.C
Metalla quomodo lauanda.1°. de compo. medic.per genera. 5ª.213.D
Metalla quibus lauanda.1°.de comp.me.per gen. 5ª.217.E
Metalla quæ debent cribrari.3°.de comp.me.per gen. 5ª.232.B
Metalla quæ conueniunt oculis.de ocul. 7ª.188.G
ex *Metallis medicª ad vulneratos.3°.de comp.me.per gen.* 5ª.232.B
*Metalla quæ conueniunt ano.9°. de compoſi.medica.ſecun.loc.*5ª.204.E
METAPHORARVM *examen an ſint recte ſumptæ. 3°. de differentiis pulſuum.* 4ª.63.G
Metaphora quid agat.3°.de diff.pulſ. 4ª.63.F
Metaphora quid ſit.3°.de præſag.ex pulſ. 4ª.117.F
*Metaphoris in quibus vti liceat, et in quibus non.3°.de dif.pul.*4ª.63.G
Metaphoræ quę nec poetis conueniunt.3°.de diff.pulſ. 4ª.63.A
Μετάφρενον *quod.introd.* Iſa.53.E
Metaporopœſeos, id eſt exiguorum meatuum ſtatus mutatio, nomen q̄d ſignificet.4°.meth.med. 7ª.26.C
Μετασυγκρίνειν τὴν ἕξιν. *4°.meth.med.* 7ª.26.B
Μετασυγκρίνειν. *5°.de ſimp.medic.fac.* 5ª.38.F
Metaſyncriſeos nomen vnde ortum.4°.meth.me. 7ª.26.C
Metaſyncriſis quid.4°.meth.med. 7ª.26.D
Metaſyncriticum, hoc eſt quod ex alto euocat humores medicamentum. 1°.de comp.med.ſec.loc. 5ª.131.E
Metaſyncritica medicamenta, hoc eſt ex alto euocantia.2°.de compo.me dic.ſecun.loc. 5ª.133.B
Metaſyncritica quę pharmaca ſint.1°.de comp.med.ſecun.loc. 5ª.122.H
Metaſyncritica medicamenta.1°.de compoſi.medic.ſecun.loc. 5ª.124.E| *de dynamidiis.* Sp.18.H
Metaſyncriticæ facultates.5°.de ſimp.med.fac. 5ª.38.F
Metaſyncritica curatio.2°.de compoſi.medic.ſec.loc. 5ª.138.A
Metaſyncreticū videt oleū chamæmelo decoctū.de ſimp.med. Sp.88.D
Metaſyncreticam virtutem oleū habere incipit nardo decoctum.de ſimplic.medicam. Sp.88.D
Metaſyncreticis, & malacticis rebus curāt dolores oēs vetuſti, & inſanabiles, aut paregoricis mitigant, aut igne pueūtur.de dyn. Sp.19.A
Metaſyncriticum acopon.7°.de comp.med.per ge. 5ª.271.F
METENTIVM *naturalis habitus, qui.ad Thraſ.* 5ª.102.H
METEOROLOGICON *quartum Ariſtotelis librum citat Galenus. 3°.de natur.facul.* 1ª.304.D
Μετέτερος *apud Ionas ſignificat idem quod* ἕτερος*, id eſt alius. de artic.comment.3°.* 7ª.277.G
Μεθημερινοὶ *febres quæ vocentur.in* 1^{m}*.de mor.vulg.com.3°.* 3ª.118.D
METHIMNA *oppidum in Lesbo.12°.meth.med.* 7ª.76.F
METHODICA *vna ex tribus ſectis medicorum.intro.* Iſa.51.A
Methodica tertia ſecta.fin.med. Iſa.43.E
Methodicorum ſectę diffinitio.de ſect. Iſa.17.E
Methodica ſecta, quæ.fin.med. Iſa.43.E
Methodica quibus cognoſcatur.intro. Iſa.51.B
*Methodica hæreſis oīa artis bona deſtruit.1°.de arte cu.ad Gl.*7ª.103.C
Methodicus qui nominandus.3°.meth.me. 7ª.16.D

Methodici qui,& quid ſentiunt.de ſectis. Iſa.17.C
Methodici primi,qui.introductio. Iſa.51.D
Methodici vnde incipiunt.intro. Iſa.50.H
Methodicorum nomina.5°.de ſimp.med.fac. 5ª.38.F
Methodici ſex menſibus ſe artem medicam edocturos profitentur. 1°.de digno.pulſ. 4ª.70.E
Methodici generalem hominem curabant,non particularem.3°.methodi medendi. 7ª.20.F
Methodici inter initia ſemper adſtringunt.de opt.ſect. Iſa.29.E
Methodicos arguit,qui cauſarum notitiam ad curationem inutilem dicunt.de theria.ad Piſ. 5ª.96.E
Methodicos rebus non verbis expugnabat Gal.de præc.ad P. 4ª.219.D
Methodicus modus reponendi luxata in ſuam ſedem eſt in communi vſu & quibus conuenit.de machin. 7ª.309.C
METHODVS *quid ſit.4°.met.med.* 7ª.26.A
Methodus,& redargutio quid.in 6^{m}.de mor.vul.com.3°. 3ª.174.H
Methodus diuiſiua quæ apud Platonem.9°.de decr.Hipp. 1ª.281.H
Methodo diuiſo vtitur Galenus.1°.de diff.reſp. 3ª.57.D
Methodus conſiſtit in vniuerſalibus.9°.meth.me. 7ª.58.C
Methodus communis in omni re,quæ.3°.de ſymp.cauſ. 3ª.30.B
Methodo inuenire quid ſit.1°.meth.me. 7ª.4.H
Methodus quando habetur.9°.meth.me. 7ª.58.C
Methodus artis conſtituendę qualis.9°.meth.me. 7ª.61.A
Methodi forma quo modo inchoanda.1°.meth.me. 7ª.4.E
per Methodum doctrina quid efficiat.6°.de ſan.tuen. 2ª.98.D
Methodus in anno inuenitur,ſed exercitium fit per totum curſum vitæ. 9°.de decre.Hipp. 1ª.280.B
Methodus vniuerſalis ſine exercitatione non poteſt facere bonum artificem.9°.de decr.Hipp. 1ª.280.B
Methodus ſuæ artis ſemper exercenda.de conſt.ar. Iſa.37.H
in Methodo omni quo modo exercitandum.1°.meth.med. 7ª.5.F
Methodi tres per quas poſſumus exerceri.9°.de decre.Hipp. 1ª.285.G
Methodos nō ſolum nouiſſe oportet,verum etiam in particularibus multifariam exercitare.1°.de ſymp.cau. 3ª.15.E
in Methodo demonſtratiua exercendi ſunt medica.7°.me.me. 7ª.44.C
Methodus,qua ſinguli motus inueniri poſſint,vbi doceatur.de muſculorum diſſectione. 1ª.45.A
Methodus rationalis quantum valeat ad medicamentorum copiam parandam.6°.de comp.med.per gen. 5ª.167.E
abſq; Methodo non poſſunt componi medicamenta.4°.de compo.medicamen.per gene. 5ª.140.D
citra Methodum pharmaca non ſunt adminiſtranda. 1°.de compoſi.medicamen.ſec.loc. 5ª.121.D
Methodus componendi & vtendi eadem in pharmacis.4°.de comp.medicamen.ſec.loc. 5ª.149.C
Methodus medendi fit per indicationem.2°.meth.me. 7ª.13.F
Methodi auctor Hippocrates.5°.meth.me. 7ª.33.G
ante Methodum medendi quæ diſcenda.2°.meth.me. 7ª.9.H
Methodū medēdi q vult cōponere,qd agere debet.2°.meth.me. 7ª.13.F
Methodū curatiuam ignorans nō poteſt mederi.de puero epil. 7ª.187.F
Methodum curatiuam perfecte ſcripſit Galenus.de pue.epi. 7ª.187.F/G
ante Methodum medendi liber de morborum & ſymptomatum differētijs legendus.2°.meth.me.9.G/ 7ª.13.D
Methodum per generales ſermones indicare ſymptomatum cauſas inſtitutum eſt libri de ſymptomatum cauſis.1°.de ſymp.cau. 3ª.15.E
ante Methodum medendi,Galenus ſcripſit librum de arte curandi ad Glauconem.2°.de arte cura.ad Cla. 7ª.107.G
Methodus medēdi ſeq debet librū de medicamētis.de īæq.ītēp. 3ª.44.H
ante Methodum medendi eſt liber de ſimplicium medicamentorum facultate.3°.de compo.medicamen.ſecun.loc.141.H/8°.5ª.193.F/3°.metho.meden.20.A/4°. 7ª.24.B
Methodus medendi ante librum de compoſitione medicamentorum.1°.de cōp.me.ſe.lo.5ª.130.D/3°.meth.me.17.B/5°.33.A/6°. 7ª.37.E
Methodus medendi ante librum de compoſitione medicamentorum per genera.2°.de comp.me.per gen.227.B/4°. 5ª.236.B
Methodus medendi liber pręcedit librum de compoſitione medicamentorum ſecundum locos.1°.de comp.me.ſec.loc.121.C/2°.133.B/136.B/3°.141.H/4°.149.E/8°.188.A/5ª.193.E/14°.meth.me. 7ª.88.G
Methodū medendi cur diſtulit componere Galenus.1°.meth.me. 7ª.2.C
Methodi medendi libri finis.8°.meth.me. 7ª.58.H
in Methodo medendi quid agat.de compoſi.me.per gen.5ª.212.H/5°.methodi meden. 7ª.33.C
in Methodi libro de logica inuentione loquitur Galenus.2°.methodi medendi. 7ª.13.C
Methodi medendi tertijdecimi intētio de tumoribus.13°.me.me. 7ª.80.D
pro Methodo medendi quatuor conſidera.1°.meth.me. 7ª.7.H
Methodo vtentis medici proprium eſt indicationes ſumere à rerum natura.6°.metho.med. 7ª.37.F
ſine Methodo non legendi Ariſtoteles,& Theophraſtus.3°.de ſimplic. medicamen.facul. 5ª.17.E
Methodi medendi principium.1°.metho.me. 7ª.7.F
Methodum ſuam habet morbi qualibet ſpecies.4°.meth.me. 7ª.23.C
Methodus conſiderandorū in febre ex putredine.11°.meth.me. 7ª.69.D
Methodus conſiderandi pulſum optimum.2°.de dign.pulſ. 4ª.76.H
Methodo procedit ad inueniendas cauſas doloris.12°.meth.me. 7ª.78.C
Methodus inueniendi partium omnium vtilitates.1°.de vſu pa. 1ª.114.G
METONIS *caſus.in 1^{m}.de mor.vulga.com.3°.* 3ª.123.D
Μετοπιαῖος *vinculum frontem ambiens.de faſcijs.* 7ª.295.A
METRENCHYTAE *quæ inſtrumenta ſint.9°.de compoſi.medicamento.ſecun.loc.* 5ª.205.D
Metrenchytæ,id eſt vterini clyſteres.5°.meth.me.31.F/32.D/ 7ª.34.C
METRETA *pro menſura.7°.de comp.me.per gen.* 5ª.272.G
Metreta Syriorum quanta.de pond.& menſ. 5ª.276.F
Metreta Italorum quanta.de pon.& menſ. 5ª.276.F
Metreta.de pon.& menſ. 5ª.276.E
METRODORVS *Hippocratis interpres qualis. in 3^{m}.de morbis vulgaribus,com.1°.* 3ª.129.D
METVS, *animi ægritudo.de cog.cur.animi mor.* 2ª.52.E
Metu agimus quædā,quorū non recordamur,cur.2°.de mot.m. 1ª.315.B
in Metu quę contingant.2°.de decr.Hipp. 1ª.239.G
Metus longus quomodo refrigerat.1°.de pręſag.ex pulſ. 4ª.105.H
ad Metum valet cerebrum leporis.11°.de ſimp.med.fac. 5ª.79.G
MEV quid.de ſimp.medica. Sp.87.F
Meu,& panax pro eodem habet.de dynam. Sp.22.H
Meu vires habet relaxantes,rigorem veſicæ,& renum remollit, inflationes diſſipat,vrinam,& menſtrua prouocat.de ſimp.med. Sp.87.F
Meu radices excalfacientes.de ſimp.med. Sp.87.F
Meum calidum in tertio ordine eſt,ſiccum in ſecundo. 7°.de ſimplicium medicamen.facul. 5ª.56.B
Meum nobis admotum videtur calidum.3°.de temp. 1ª.21.H
Meum calidum,& acre eſt vrinam ciens.5°.de ſimp.me. 5ª.35.D
Meum vrinam cit.9°.de comp.med.ſec.lo. 5ª.202.A
Meum vrinam menſeſq; cit:ac ſi pluſculum ſumatur, capiti dolorē mouet.7°.de ſimp.med.fac. 5ª.56.B
Meu expurgat in icteris.de cura icteri. Sp.111.B
Meum ſanguinem extenuat,& ſecernit.5°.de ſimp.me.fac. 5ª.35.D
Meum pro phlegmone gibbę partis iecoris.13°.meth.me. 7ª.83.H
Meu in theriacam ingreditur.de ther.ad Piſo. 5ª.92.E
Mei radix ad neruos vulneratos.3°.de comp.me.per ge. 5ª.234.B
Meum diſcutit.6°.de comp.me.ſec.loc. 5ª.169.D
MICROLOGIA *quid.2°.met.me.* 7ª.16.A
MICTIO *quomodo fiat.6°.de loc.affe.* 4ª.38.F
Mictio per quot fiat muſculos,& quo modo.15°.de vſu par. 1ª.212.C
Mictio vrinæ pręter voluntatem,cur.6°.de loc.aff. 4ª.38.F
Mictio noctu plurima facta,paruam ſignificat deiectionem.commen.4°.aph.83°.Ex.37.B/de vrinę ſign.ex Hipp. Sp.78.H
Mictio pauca,& frequens dr̄ vrinæ ſtillicidum.cō.5°.aph.58°. Ex.43.B
Mictio ſanguinis ex quot fieri poſſit.com.4°.aph.78°. Ex.36.G
Mictio ſanguinis,vel puris quid ſignificet.de vrinæ ſig.ex Hip. Sp.78.H
Mictio ſanguinis,aut puris,renum aut veſicę exulcerationem ſignificat. commentario 4°.aph.75°. Ex.36.A
Mictio ſanguinis,aut puris vnde veniat,& per quæ fiat. commenta.4°. aphoriſmo 75°. Ex.36.B
Mictio ſanguinis poſt quod medicamentum. 9°.de compoſi.medicamentorum ſecun.loc. 5ª.199.C
MICTVS *gratia muſculi magni in epigaſtrio.4°.de vſu par.* 1ª.137.F
de Mictu inuoluntario.de med.fac.par. 7ª.177.F
Mictus inſcius.in 3^{m}.de mor.vul.com.2°. 3ª.140.B
ad Mictum inuoluntarium.de med.fac.par. 7ª.178.F
ad Mictus difficultatem.de med.fac.par. 7ª.178.F
Mictus arenalis ſigna.de dynamidijs. Sp.28.H
Mictus arenalis curatio.de dynamidijs. Sp.28.H
Mictus furfuris cura.de dynamidijs. Sp.29.A

ad Mictum furfuris antidotum.de dynamidijs. Sp.29.A
Mictus ſanguinis ob quas cauſas.6°.de loc.aff. 4ª.37.D
ad Mictum ſanguinis.de med.fac.par. 7ª.178.F
MIGALE ſuum ipſius ictum ſanat.11°.de ſimp.me.fac. 5ª.82.G
MILAX leuis calida.7°.de ſimp.me.fac. 5ª.56.B
MILAX aſpera calida.7°.de ſimp.med.fa. 5ª.56.B
MILIACEVS panis vituperandus.1°.de alim.fac. 2ª.12.H
Miliacei panes friabiles ſunt,& exiccant aluum.1°.de alim.fac. 2ª.13.C
MILIARISIVM ſpicæ vtriuſq; accipi iubet.de med.fa.par. 7ª.175.E
MILIOSI cibi.de artic.com.3°. 7ª.275.F
MILIVM inter cerealia ſemina numeratur. de vi.ra.in mor.acu.commentario.1°. 7ª.111.B
Milium ſimilis gñis cũ panico,ſed minus malũ.de bo.& vi.ſuc. 2ª.37 D
Milium præfertur panico.1°.de alimen.facul. 2ª.13.C
Milium medicamentum eſt non cibus.de vic.ra.in mor.ac.c.1°. 7ª.111.B
Milio nigro ſimilia quandoq; viſa per cruditates contingunt. in prognoſtica,commentario.1°. 4ª.194.F
Milium fuluum,flauum,et rubrum albo calidius.4°.de ſim.m.f. 5ª.31.D
Milium frigidum certe.in 6^{m}. de mor.vulg.c.5°. 3ª.194.B
Milium eſt frigidum.de diſſ.cont. Sp.74.D
Milium cibus frigidiſſimus.in 6^{m}.de morb.vul.com.5°. 3ª.194.B
Milij panes frigidi,& exigui alimenti.1°.de alim.fac. 2ª.13.C
Miliũ eſt frigidũ in primo ordine ſiccũ in tertio.7°.de ſim.me.fa. 5ª.50.D
Milium eſt aſperum multum.de diſſ.cont. Sp.73.B
ex Milio panis arenã vel cinerẽ ſapit dũ eſtur.de bon.& vi.ſu.2ª.36.F
Milium flatulentum,& concoctu difficile.de atten. 2ª.45.B
Milium tarde digeritur.de diſſo.cont. Sp.73.D
Milium minimum nutrit.7°.de ſimp.me.fac. 5ª.50.D
Milium parum nutrit,& cur.de diſſ.cont. Sp.73.F
Milium eſt praui ſucci.de atten.vic. 5ª.45.B
Milium generat ſanguinem craſſum.de diſſ.cont. Sp.74.B
Milium cum lacte decoctum,eſt craſſi ſucci.de bo.& vi.ſuc. 2ª.35.D
Milij paſta non dr̃ holcima,id eſt tractoria.2°.de lo.affectis. 4ª.12.B
Milium magis ſiccat,quàm faba.5°.de ſan.tuen. 2ª.92.C
Milij farina reſiccat.5°.de ſim.me.fa. 5ª.34.A
Milij farina exiccat,& quomodo.5°.de ſimpli.med.facul. 5ª.33.H
Milium ventrem deſiccat.7°.de ſimp.me.fac. 5ª.50.D
Milij farina non mouet pus.5°.de ſimp.me.fac. 5ª.33.H
ex Milio farina non lenta.1°.de alim.fac. 2ª.12.B
ex Milij farina cibi apud ruſticos.1°.de alim.fac. 2ª.13.C
Milij panes in penuria.1°.de alim.fac. 2ª.13.C
Milium ſiſtit ventris fluxum.6°.de ſimp.me.fac. 5ª.47.D
Milium ſtringit ventrem cum ſiccitate.de diſſ.cont. Sp.75.B
Milium Herodotum forte adſtringebat,aliorum vero neminẽ.1°.de ſimplic.medica.facul. 5ª.7.H
Milium optimum fomentum his,qui debent exiccari citra morſum. 6°. de ſimp.med.fac. 5ª.50.D
ex Milio fomentũ tenuiſſimũ,& maxime ſiccãs.12°.meth.me. 7ª.79.G
ex Milio fomenta in capite meliora,cur.2°.de cõp.med.ſe.loc. 5ª.137.F
ex Milio fomentum ſiccum in coli dolore.12°.meth.med. 7ª.79.F
ex Milio fomẽto ſanant dolores leues.2°.de arte cur.ad Gla. 7ª.104.G
ex Milio calido pleni ſacculi.de ijs,quæ in med.fi.com.3°. 7ª.222.D
ex Milio,& ſale fomentum.5°.de compoſi.medic.ſecun.loc.5ª.163.F/de vict.rat.in mor.acu.com.2°. 7ª.117.A
Milium non debet poni in cataplaſmatibus.6°.de ſimp.med.fac.5ª.50.D
q̃ Milij granum perforare abſurdius eſſe qui putarũt philoſophiæ operã dare.de præcogn.ad Poſth. 4ª.214.C
Milij granorum viſio.16°.de vſu par. 1ª.215.C
Milio ſimilis fructus crateogonos acris.7°.de ſimp.me.fa. 5ª.52.H
ad Milij magnitudinem accipit.2°.de comp.medicam.ſec.loc. 5ª.139.C
MILIVM ſolis lapidẽ renũ frangit.de ren.aff.dign.& med. 7ª.196.D
MILITIBVS ſunt Xenophontis læſi, oculis quia per niuem ambularunt.10°.de vſu par. 1ª.178.H
Militibus dabatur polenta.1°.de alim.fac. 1ª.11.H
Miliarium menſura.de med.fac.par. 7ª.175.H
in MILITIAM ſi proficiſcuntur ſeruientes alijs nihil aliud habẽt, quã vulnera,& cædes,ſi quid vero ſit lucri,eſt dominorum. de aere, aq. & locis. 2ª.5.B
MILLEFOLIVM vulnera glutinat,& ſine tumore cuſtodit. de ſimplicib.medicam. Sp.87.G
MILO plurimum valebat manibus.1°.de ſan.tuen. 2ª.63.H
Milo quo genere exercitationis ſe exercuerit,2°.de ſan.tuen. 2ª.74.D
Milonis mors.in oratione ſuaſ. Iſa.5.C
Milone erat maior Polydamas.2°.de dign.pul. 4ª.76.F
MILTOS lemnia.9°.de ſimp.me.fa. 5ª.65.A
MILVI caput Podagricis auxiliatur.de theria.ad Piſ. 5ª.93.E
Miluorum fel,quale.10°.de ſimp.me.fac. 5ª.75.A
MIMOS vocabat Lucius detonſos vſq; ad cutem. in 6^{m}.de morb.vulgaribus,com.4°. 3ª.181.G
MINAE diuerſitas.de pond.& menſ.275.D/H/ 5ª.276.F
Mina Alexandrina qualis.5°.de comp.me.per gen. 5ª.247.G
Mina Alexandrina quanta.de comp.me.per gen. 5ª.277.B
Minę Alexandrinæ meminit.2°.de comp.me.per gen. 5ª.225.G
Mina Ptholemaica. de pond.& menſ. 5ª.276.C
Mina Italica quanta.de comp.med.per gen. 5ª.277.B
Mina ſecundum medicos.de comp.med.per gen. 5ª.277.B
Minę pondus quantum ſit.4°.de compo.medicamen.per gen. 5ª.244.C/5°.247.G/H/6°. 5ª.260.B
Mina drachmarum centum ſexaginta.2°.de comp.me.per gen. 5ª.225.G
Mina quot capiat vncias.1°.de comp.me.per gen. 5ª.215.D
Mina vnciarum ſexdecim.2°.de comp.me.per ge.220.G/ 5ª.226.D
Mina quot denarios contineat.5°.de comp.me.per gen. 5ª.247.G
Minam inſcribit denarium pondo centum.4°.de compoſi.medicamentorum per genera. 5ª.243.F
Mina quæ valet denarios centum.5°.de comp.me per gen. 5ª.252.E
Mina habet denarios centum ſexaginta. 2°.de compoſi. medicamen.per gene.225.E/3°. 5ª.235.C
Minas capit quot congius.5°.de comp.me.per gen. 5ª.248.B
Minæ fit mentio.7°.de compoſi.medica.ſec.loc.179.G/8°.193. B/C/196. B/198.H/204.H/1°.de comp.med.per gen.215.D/ de pond. & menſu. 275.H/276.A/H/ 5ª.277.B
Mina quo modo ſignificetur.de pond.& menſ. 5ª.275.D
MINA nomen glandulæ.de anat.viu. Sp.54.D
MINAEA dicitur myrrha troglodytica.1°.de antid. 5ª.106.B
MINERA ſpiritum quæ.de anat.viuo. Sp.52.G
in Minera febris primę pticulę affectus duplex.2°.de diff.feb. 3ª.42.E
Mineralia quæ præparantur arte.9°.de ſimp.med.fa. 5ª.71.C
MINERVAE fabula aliter refertur iuxta Chryſippum à Galeno. 3°.de decretis Hippocratis. 1ª.247.C
MINERVA medicamentum.3°.de comp.med.per gen. 5ª.229.D
Minerua dictum emplaſtrum fuſcum.6°.de comp.me.per gen .5ª.258.H
MINGENDI difficultas quid ſit, & quomodo ſanetur, & vnde fiat. comment.7°.aph.48°. Ex.57.H
MINGENTEM vidẽs prouocatur ad hoc.de mot.man. Sp.69.D
ad Mingentes in ſomno.9°.de comp.med.ſec.loc. 5ª.205.F
Mingentes ſæpius,vrinæ habent infrigidationem.de dyna. Sp.35.E
Mingentis furfures ſigna.de dyna. Sp.29.A
Mingentibus quibus ſponte exit ſanguis,eis à renibus ſignificatur venulæ fractura.de vrinæ ſign.ex Hipp. Sp.78.H
Mingentis ſanguinem ex caſu,caſus.6°.de locis affectis. 4ª.38.H
ad Mingentes ſanguinem.7°.de comp.med.ſec.loc. 5ª.183.G
Mingens lapidem ex renibus,intelligitur, ꝙ remoratur in renibus, non ꝙ ſit de ſubſtantia renum.com.4°.aph.76°. Ex.36.D
non Mingentes matula accepta.1°.de diff.reſp. 3ª.60.A
ad Mingentes in ſtragulis.de med.fac.par. 7ª.179.E
cur MINGIMVS frigidum in balneo,foris tepidum. 3°.de ſimplicium med.facul. 5ª.18.B
Mingat,& minxerit differunt multum, & quæ ſit ipſorum differentia. commentario 4°.aph.75°. Ex.36.B
Mingere quãdo naturale eſt.non voluntariũ.de mo.man.et ob.Sp.69.C
cur Mingitur quandoq; dormiendo.de mot.man.& obſ. Sp.68.G
cur Mingatur vrina tenuis,& alba.quæſ.in Hipp. Sp.113.C
Mingentes vrinas tenues,crudas,diuturnas,ſi alia ſigna tanquam euaſuris adfuerint,abſceſſum ad ſepti tranſuerſi regiones infernas expectare debent.de vrinæ ſignif.ex Hipp. Sp.78.G
Mingant quales vrinas lienoſi.quæſ.in Hippo. Sp.113.F
Mingit qñ ſanies ſanguinis tenuis,quis affectus ſit.6°.de lo.af. 4ª.37.E
Mingere capillos,& carũculas vnde ꝑueniat.cõ.4°.aph.76°. Ex.36.C
Mingere melius,bonum.in 1^{m}.de mor.vul.com.3°. 3ª.122.H
Mingere non potentes,multos,uidit Calenus mortuos,quorum nullus factus eſt ileoſus.commen.6°.aph.44°. Ex.51.C
Mingere nõ poterat qdã luxatus ad ptes externas.6°.de lo. aff.4ª.38.G
Mingere non potentibus remedium.de dyna. Sp.29.C
de MINIMO. de hiſt.philoſ. Sp.5.B

Minimum na-

Minimum naturale datur.8°.de decr.Hippocratis. 1ª.274.D
Minimum non idem ſenſui videtur,& vere eſt.1°.de clem. 1ª.2.B
Minima duobus digitis capiuntur.1°.de vſu par. 1ª.114.A
Minimus digitus qui.introductio. Iſa.53.C
Minimum eorum quæ tota eſſentia nobis contraria ſunt ſi ſumatur lædit. 5°.de ſimp.me.fac. 5ª.37.C
Minimæ artis partes diſcendæ.de part.art.med. Sp.16.H
MINISTRI medicorum quales,& quot.in 6m.de morbis vulga.commentario.5°. 3ª.188.C
Miniſtrorum dignitatis ordo in re medica. in 6m.de morb.vulgari.commentario.5°. 3ª.188.D
Miniſtri pauci obtemperant.1°.de dieb.decr. 4ª.150.E
Miniſtri ægrorũ qui eſſe debẽt.in 6m.de mor.vulg.com.4°. 3ª.180.H
MINIVM quando ingrediatur in medicamenta.2°.de compoſi.medicamento.per gene. 5ª.221.C
Minium coloris gratia imponitur medicamento. 5°.de compoſi.medica.per gen.252.A/6°. 5ª.261.D
Minium ſinopicum.2°.de comp.med.per gen. 5ª.221.C
MINORIS centaurij decoctum quid faciat.de melancho.ex Gale.Ruf.& Poſſidonio. Sp.110.B
Minorationem dictam à recentioribus,in principio etiam ſi materia non turget,collige ex Galeno cũ inquit:Vt igitur coctiones citius eueniãt, melius eſt in principijs euacuare, vt minorem iam factam materiam facilius natura poſſit concoquere.com.2°.aph.29°. Ex.16.G
Minoratio debet fieri per ſectionem venæ, non per medicamentum. 11°. methodi medendi. 7ª.72.D
MINTHEN odoratam aliqui nuncupant hedioſmon. 6°.de ſimplicium medicamentorum facultatib. 5ª.48.A
MINVITIVA carnis qualia.de ocul. 7ª.188.F
Minuendus eſt ſanguis abundans.de cucurb.ſcar. 6ª.3.G
MINVERE phlegmonen poteſt cucurbitula.de cucur.ſcar. 6ª.3.F
Minuere vbi volumus redundantem in corpore materiam, ſcarificatione vtimur.de cucurb.ſcar. 6ª.3.F
Minuit peſtilentiã ſecta vena ad duas libras.de præſa.exp.cõſ.Sp.78.C
Minuit inflationem ruta.de diſſ.cont. Sp.74.G
MINVS & plus,magis & minus quo modo recte vſurpentur.commẽ. 1°.aphoriſmo 14°. Ex.7.C
Minus pro imbecillius aduerſus lycum. Ex.65.G
Minus,& magis quæ non habeant.1°.de die.decr. 4ª.149.B
MINVTAL ex vrtica confert lapidi.de cura lap. Sp.112.A
MINVTIANI ad rumas.6°.de comp.med.per ge. 5ª.261.E
Μινύαι inſtrumenta ab atticis dicta,quæ.de fract.com.2°. 7ª.232.C
MINIANTHES vocatur triphyllum.8°.de ſimpl.medic.fac. 5ª.62.F
MIRACH lacerti octo adiuuant expulſionem.de anat.viu. Sp.50.E
MIRACVLVM de Tripholio,ꝙ percuſſis à vipera membris ſanitatem inducat.de ther.ad Piſ. 5ª.90.H
MISCELLA neruorum à capite orientium,qualis.de neruorum diſſectione. 1ª.54.G
MISCENTVR elementa tota,& inuicem agunt.de curan.ra.per ſanguinis miſſionem. 6ª.16.C
Miſcentur per tota,omnia quæ miſcentur.2°.de nat.fac. 1ª.297.H
Miſceri nihil poteſt per totum, niſi fuerit in partes exiguas redactum. 12°.de vſu partium. 1ª.193.C
MISERI, qui dicunt diuitias fructum formæ.in orat.ſuaſ. Iſa.3.G
MISERATIONE meretur ſtupiditas quæ nequit rationes percipere. de cauſ.morb. 3ª.7.A
Μισήθρων meminit.9°.de ſimp.med.fac. 5ª.72.D
MISSILIA ex ollis plenis feriarum venenoſarum in pugna Chartaginenſium contra Romanos.de ther.ad Piſ. 5ª.91.C
MISTIO quid,& quo modo fiat.de hiſt.philo. Sp.5.B
de Miſtione non ſpectat ad medicum diſputare.1°.meth.me. 7ª.3.F
de Miſtione Hippocratis opinio quomodo ab Ariſtotele differat.1°.methodi medendi. 7ª.3.E
Mixtio quo modo fiat ſecundum Galenum.de theria.ad Piſo. 5ª.94.E
Miſtionis cauſa.2°. de ſimp.med.fac. 5ª.14.G
Miſtionem contrariorum non habentia medicamenta. 1°.de comp.medicamen.ſecun.loc. 5ª.129.E
MISTVRA, & complexus differunt.de morb.temp. 3ª.87.E
in Miſtura validius prępollet imbecilliori.de ther.ad Piſo. 5ª.94.C
Miſturam motuum exactam deus tantũ nouit.3°.de dieb.decr. 4ª.159.F
Miſta multa,& in puluerem redacta vident̃ vnũ ſenſui.1°.de ele. 1ª.2.C
Miſtorum materia qualis eſſe debeat.2°.de ſimpli.med.fac. 5ª.16.D
in Miſto virtute ſunt ſimplicia.de theria.ad Piſo. 5ª.94.C
in Miſtis quo modo ſint qualitates.1°.meth.me. 7ª.3.F
Miſti philoſophi qui fuere.de hiſt.philoſ. Sp.3.B
Miſta medicamenta cur inuenta.8°.de ſimpli.me.fa. 5ª.188.A
Miſta medicamenta debent ſibi inuicem conſentire.quos pur.opor.quib. med.& quo temp. 5ª.89.C
Miſta medicamenta reducuntur ad vnam tertiam formam per vnionem de theria.ad Piſo. 5ª.94.C
Miſta medicamenta quomodo faciant qualitates æquales. 1°.de compo. medic.per genera. 5ª.210.E
Miſta aqua quæ bituminoſa eſt,vel furfuroſa.1°.de ſimp.med.fa.5ª.3.A
Miſtum alijs medicamentum idem quomodo faciat diuerſos effectus. 1°. de comp.med.per gen. 5ª.211.E
Miſtam naturam habentia.1°.de comp.me.ſec.lo. 5ª.129.E
Miſta contraria agere probat.3°.de ſimp. medica. fac. 5ª.21.C
Miſta non poſſunt bene explorari.4°.de ſimp.med.fac. 5ª.26.B
à Miſtis cauſis medios prouenire morbos inquit Hippocrates.breuis denotatio dogmatum Hippocratis. 1ª.231.D
ex Miſta terra varios hñt ſapores vinũ,et liquores.de vtil.re.Sp.64.F
in Miſtis morbis quod magis vrget,curatur.de ſect. Iſa.17.D
MISY, ſory,& chalcitis ſponte naſcunt̃.9°.de ſimp.medic.fac. 5ª.71.E
Miſy,chalcitis,& ſory quo modo in vno ſint loco.9°.de ſimplicium medicamentorum facultatibus. 5ª.70.B
Miſy oritur ſupra chalcitim, vt ærugo ſupra æs.9°.de ſimplicium medicamen.facul. 5ª.70.C
Miſy chalcitidi genere cognata eſt.4°.de comp.me.per gen. 5ª.236.E
Miſy quo modo funditur.1°.de comp.me.per gen. 5ª.212.F
Miſy,chalcitis,& ſory earundem ſunt virium, ſed differunt tenuitate, craſſitudine.9°.de ſimp.me.fac. 5ª.70.C
Miſy calidũ eſt.3°.de temp.1ª.21.H/1°.de ſimp.med.fac.6.F/3°. 5ª.22.G
Miſy nobis admotum videtur calidum.3°.de temp. 1ª.21.H
Miſy calidum eſt tenuium partium,& parum adſtringens.3°.de compo. medica.per gen. 5ª.228.E
Miſy adſtringit valenter.1°.de ſimp.med.fac. 5ª.8.A
Miſy adſtringit ſimul,& mordicat.4°.de ſimp.me.fac. 5ª.26.A
Miſy ſiccat euidenter.4°.de comp.med.per gene. 5ª.240.H
Miſy vehementius exiccat modice exiccantibus medicamentis. 3°.methodi medendi. 7ª.20.A
Miſy vehementer exiccat,& calefacit.2°.de ſimp.medic.facul.5ª.16.D
Miſy eſt medicamentum forte.2°.de comp.med.per gen. 5ª.219.D
Miſy quid faciat in natura humida.3°.meth.med. 7ª.20.C
Miſy erodit.4°.de comp.med.ſec.lo. 5ª.149.G
Miſy eroſio quo modo miteſcat.2°.de comp.med.per ge. 5ª.219.H
Miſy extergit,& repurgat.4°.de compo.medica.ſec.lo. 5ª.149.G
Miſy vlcera glutinare non poteſt.1°.de ſimp.med.fac. 5ª.7.H
Miſy ex Cypro Galenus aſportauit.1°.de antid. 5ª.100.B
Miſy cyprinum.3°.de comp.medica.ſec.loc.147.G/149.B/6°.171.D/5°. de comp.med.per ge.252.C/ 5ª.253.H
Miſy peregrinum.4°.de comp.med.ſec.lo.152.F/5°.161.B/D/4°.de compo.med.per gen.243.E/F/5°. 5ª.254.A/F
Miſy non comminuitur.3°.de comp.med.per gen. 5ª.232.B
Miſy crudum,& vſtum.4°. de comp.me.ſec.lo. 5ª.156.B
Miſy crudum.4°. de compoſi.medic.ſec.lo.153.C/5°.161.B/6°.172.A/5°. de comp.me.per gen.252.H/6°. 5ª.262.C
Miſy exedit non vſtum.4°.de comp.med.per gen. 5ª.240.H
Miſy aſſatum.3°.de compo.medicamentorum ſecun.loc.5ª.146.C/148. A/B/4°.152.G/5°.161.E/9°. 5ª.204.G
Miſy torrefactum.6°.de compo.med.ſec.loc. 5ª.172.A
Miſy toſtum.2°.de comp.med.per gen. 5ª.224.C
Miſy vſtum.3°.de compo.medic.ſecun.loc.148.B/4°. 5ª.153.G
Miſy vt argenti ſpuma lauatur.1°.de compoſi.med.per gen. 5ª.213.E
MITELLA quid ſit.de fract.com.1°. 7ª.231.A
Mitella quatuor modis praue ſubijcitur cubito.de frac.com.1°.7ª.231.A
Mitella quo canali circundanda.de frac.com.2°. 7ª.240.G
MITHRIDATES, & Attalus omnium ſimplicium, quæ venenis aduerſantur, experti ſunt in condemnatis morti.1°.de antid. 5ª.99.F
Mithridates ſimplicia omnia ad omnia venena in vnum miſcuit.1°.de antidotis. 1ª.99.G
Mithridates non potuit veneno interire.de theria.ad Piſo. 5ª.97.A
ad Mithridatem Zopyri epiſtola.2°.de antid. 5ª.115.A
Mithridatis Antidotus.10°.de compoſi.medi.ſec.loc. 5ª.206.F
Mithridatis antidotus Athanaſia.2°.de antid. 5ª.114.H

Mithridatis Aromatica.7°.de comp.medi.ſec.loc. 5ª.181.E
Mithridatis antidotus Eupatoris Diaſcinci noiata.2°.de antid. 5ª.115.C
Mithridatis Panacea.7°.de comp.me.ſec.loc. 5ª.181.G
Mithridatis Theriaca.2°.de antid. 5ª.115.G
Mithridaticum antidotum quale.de theriaca ad Piſonem. 97. A/2°.de antidotis. 5ª.110.C/D
Mithridatica compoſitio.4°.de loc.aff. 4ª.28.D
Mithridatica antidotus debet fieri ex medicis optimis.1°.de an. 5ª.101.B
Mithridatica antidotus.2°.de antid. 5ª.116.D
Mithridatici antidoti,& theriacæ comparatio.1°.de antid. 5ª.99.G
MITHRIDATVM *recipit multa amara.1°.de antid.* 5ª.102.B
Mithridatum ad plura venena quàm theriaca valet, ſed minus viperæ ictus ſanat.1°.de antidotis. 5ª.110.C
Mithridatum deſcribitur.2°.de antid. 5ª.111.A
Mitigandi ratio fit remittendo,& relaxando.4°.meth.med. 7ª.28.G
Mitigantia quę ſint quo indicio cognoſcantur.2°.de ſimpli.medicament. facultatib. 5ª.12.H
Mitigantia medicamenta,quæ.2°.de comp.med.per gene. 5ª.220.E
Mitigātia medicamēta,& hūtia valentes vires.14°.meth.med. 7ª.88.C
Mitigans curatiuum,& diagnoſticum præſidium.6°.de lo.aff. 4ª.36.G
Mitigatiua doloris,qualia.de ocul. 7ª.188.F
MITIGATORIA *ſunt cucumeris ſemen,& iuniperi baccæ.8°.de com po.medica.ſec.loc.* 5ª.196.B
Mitigatoria adhibenda in inflammationum vigore. 6°. de compoſi.medi camen.ſecun.loc. 5ª.175.B
cum Mitigatorijs mel miſcendum.13°.meth.me. 7ª.81.C
Mitigatoria quæ in neruis punctis.3°.de cōp.med.per gen. 5ª.235.A
Mitigata inflammatione vel dolore,ſanguis eſt detrahendus.præſag.ex per.conſ. Sp.77.H
Mitigat,& replet in extrinſecis omnibus ſuccus centaureæ. de virtute centaureæ. Sp.94.A
Mitigat tuſſes ſuccus centaureę datus in fabæ magnitudine cum aqua. de virt.cent. Sp.94.A
Mitigat lentium decoctum.6°.de comp.med.ſec.loc. 5ª.174.G
Mitigat pharmaca thus.4°.de comp.med.ſec.lo. 5ª.140.C
MITES *hirudines carnem facile apprehendunt.de cuc.ſcar.* 6ª.4.B
MITTENDVS *quando ſit ſanguis in melancholia.de melanch.ex Gal. Rufo,& Poſſidonio.* Sp.109.F
Mittunt cur ſanguinem partes ad alias partes.13°.meth.med. 7ª.80.F
MITYLENAEVS *Premigenes niſi lauiſſet,febricitabat.* 5°. *de ſanitate tuenda.* 2ª.93.E
Mixacanthus qualis.de atten.vic. 2ª.44.D

MNASEAS *methodicæ ſectæ auctor.introd.Iſ.51.D*
Mnaſeus.1°.de comp.med.per gen. 5ª.216.G
Mnaſei pharmacum.1°.de compo.medica.per ge. 5ª.212.C
*Mnaſeæ emplaſtrum.3°.de compo.medicamentorum ſecun.loc.*5ª.147.E
Mnaſæi emplaſtrum in ſecundo emollientium ordine.7°.de comp.medica men.per genera. 5ª.264.F
MNASONIS *inſcriptus liber Andromachi.2°.de antid.* 5ª.114.A
MNEMON *queſtus gratia docebat.in 3*^{m}*.de morbis vulgarib.commentario 2°.* 3ª.137.A
Mnemon inſcripſit notas libro epidemiorum. in 3^{m}*.de morb.vulgarib. commentario.2°.* 3ª.136.F
MNESITHEVS *Athenienſis auctor ſectæ rationalis.intr.* Iſa.51.D
Mneſitheus ſcripſit de elementis.2°.de alim.fac. 2ª.24.C
Mneſitheus ſcriptor antiquus anatomiæ.de nat.hum.com.2°. 7ª.183.E
Mneſitheus in arte medica doctus.1°.de arte cura.ad Glauc. 7ª.94.D
ſm Mneſithæū Zeiæ,& tiphæ panū differentiæ.1°.de ali.fac. 2ª.12.C

MOBILIS *non eſt aer æque,vt ignis. de vtilitate reſpirationis.* Sp.62.D
bene Mobilia corpa fiunt in tēpeſtate aquilonia.c.3°.aph.17°. Ex.23.E
Mobile eſt naturaliter caput calidum.de ocul. 7ª.183.H
Mobiles,& inſtabiles ſunt cerebrū calidum habentes.de ocul. 7ª.183.H
Mobilitas in opinionibus oſtendit calidam cerebri ſubſtantiam.ars medicinalis. Iſa.63.E
Mobilitas vitioſa eſt ſymptoma motiuarū actionū.de ſymp.diff. 3ª.11.F
MOCLIA *quid.fin.med.* Iſa.50.C
Μοχλικός *inſcriptus liber quid contineat.de fract.com.1°.* 7ª.223.H
MODERATIO *tēperata in aere quæ.2°.de ſimp.med.fac.* 5ª.15.F
Mederata conſeruanda.de ſal.diæta. 2ª.40.A
Moderatum eſt ſecundum naturam.1°.de diff.reſp. 3ª.56.G
Moderatum optimum eſt.de cura icteri. Sp.111.E
Moderata quę ſint.de atten.vic. 2ª.44.A
Moderatum corpus non facile corripitur à cauſis exterioribus. de opti. noſtri corp.conſt. 1ª.38.D
Moderatum corpus quæ habeat.de opt.noſtr.corp.conſt. 1ª.38.D
Moderatum corpus rariſſimum eſt.de opt.noſtri cor.con. 1ª.38.E
Moderatos pueros facit ſanguis.de dynam. Sp.19.E
Moderata ambulatio eſt hominis concepti in tribus ſanguinis horis. de ſpermate. Sp.37.B
Moderato maius,habet quinque vel ſex dr̄ias.2°.de diff.pul. 4ª.55.G
Moderatæ naturę pulſus,qualis.2°.de digno.pulſ. 4ª.78.B
Moderatum,& immodicū quo modo cognoſcātur.de opt.ſect. Iſa.26.C
Moderatum curat immoderatum.ars med. Iſa.69.D
MODESTE, *quid ſignificet.de artic.com.3°.* 7ª.281.A
MODESTIA, *virtus animi,quæ.fin.med.* Iſa.45.D
in Modeſtia quod eſt ſummum,ad id enitendum,atq; ſtudendum.de cognoſcendis curandisq́; animi morbis. 2ª.53.D
ad Modeſtiam quæ via.de cogn.cur.animi mor. 2ª.53.D
in Modeſtia quando quis profecerit.de cog.cur.animi mores. 2ª.53.D
MODESTVM *quid ſignificet.de art.com.1°.* 7ª.254.G
Modeſti debent eſſe ſcriptores.in progn.com.1°. 4ª.190.A
Modeſtus quomodo ſuperet conſuetudinē.de cogn.cur.ani.mo. 2ª.53.D
Modeſtus,& prudens audacter reſpondens iudicatur amens. in 6^{m}*.de morb.vul.com.2°.* 3ª.168.G
in Modeſto homine reſpōſio ferox,malū.in 1^{m}*.prorr.com.2°.* 4ª.170.C
Modeſte reſpondens ferox in quem morbum incidat. in 1^{m}*.prorrhetico. commentario 2°.* 4ª.170.C
MODIVS *ægyptius,qualis.de pond.& menſ.* 5ª.275.G
Modius Italicus.4°.de ſan.tuen.2ª.86.H/de ther.ad Piſ.97.F/5°.de cō. po.medicamentorum ſec.loc. 5ª.165.H
Modius quo modo ſignificetur.de pond.& menſ. 5ª.275.D
Modij meminit.de dynam. Sp.22.G
MODVS *quid ſignificet.in 1*^{m}*.de morb. vulga.com.3°.* 3ª.117.G
Modus,differentia,& ſpecies pro eodem accipiuntur.de ijs, quę in medicatrina fiunt,com.1°. 7ª.201.E
Modi,& mores,& differentiæ,& eſſentiæ febrium,idem.in 1^{m}*.de morbis vulg.com.3°.* 3ª.120.A
Modorum formas in morbis cognouit Galenus ex oblatis. de mor.vulgaribus,com.1°. 3ª.117.C
Modum excedentia,ſomnus & vigilia, morbum faciunt. commentario 7°.aphoriſmo 67°. Ex.60.E
Modos,ſecundum quos actio fit,cognoſcere debet medicus rationalis.de vocalium inſtrumen.diſſect. 1ª.106.B
Modus actionis cognitus reddit medicum aptiorem ad opitulādū.de vocalium inſtrumentorum diſſectione. 1ª.106.B
Modus albi vnguenti conficiendi.1°. de comp.medic.per gene. 5ª.216.D
Modus conficiendi molochinum medicamentum.2°.de compoſi.medicamen.per gene. 5ª.220.H
MOEROR *animi affectus,& perturbatio. de cognoſcendis curandisq́; animi morbis.* 2ª.50.H
Mæror eſt animi ægritudo.de cogn.cur.animi mor. 2ª.52.E
Mæror videtur vt labor in corpore.de cog.cur.animi mor. 2ª.53.H
Mærore multi ægrotarunt.de paruæ pil.exer. 2ª.48.G
Mæroris cauſa inſatiabilitas.de cog.cur.animi morbis. 2ª.54.G
cum Mærore animi facies florida,mala.in 1^{m}*.prorr.com.2°.* 4ª.170.H
Mæror parit morbum.de nat.hum.com.2°. 7ª.182.B
Mæror cauſa eſt cur bilis in ventriculum meet.2°.de decr. 1ª.240.C
in Mæroribus fortibus ad ventriculum fluit biliosa ſuperfluitas. commentario 6°.aphor.50°. Ex.52.F
ex Mæroribus ephemeræ pulſus habent minores. 1°. de arte curatiua ad Glauconem 7ª.95.D
Mærore vexatis quæ vina conueniant.de bon.& vit.ſuc. 2ª.38.E
Mærore confecti euomant,vel per inferna deijciant.2°.de decretis Hippocratis. 1ª.240.C
Mærores maiores minores obſcurant.com.2°.aph.46°. Ex.18.H
MOESTITIAE, *& anxietudinis eſt quaſi genus dolor. 3°.de decretis Hippocratis.* 1ª.245.F
Mæſtitia,dolor cordis ne an alteri⁹ ptis ſit affect⁹.3°.de de.Hi. 1ª.245.F
Mæſtitiæ cognatę timoribus ſunt.in 1^{m}*.de mor.vul.com.2°.* 3ª.115.A
Mæſtitia nulla,& multo minus melancholia neceſſario ſequuntur male concoquentem.3°.de ſymp.cau. 3ª.30.C
Mæſtitia melancholica quo modo ex liene oriatur.6°.de lo.af. 4ª.36.C

Mæſtitia me-

Mœſtitia melancholica qui afficiantur.6°.de locis affectis. 4ª.36.B
ſi Mœſtitia,& timor longo tempore perſeuerent, ex eo melancholia ſignificatur.com.7°.aph.40°. Ex.57.B
Mœſtitia diuturna ſignificat melancholiam.2°.de ſymp.cau. 3ª.24.D
Mœſtities numerantur inter cauſas extrinſecas læſionum noſtri corporis.de opt.noſtri corp. 1ª.38.C
Mœſtitia affectus eſt Galenus.2°.de loc.aff. 4ª.12.G
ob Mœſtitiam aliqui interierunt.5°.de loc.aff. 4ª.29.B
ex Mœſtitia,& inopia ægrotantis,caſus.in prog.com.1°. 4ª.191.H
MOLA os quid.de oſſib.1°.43.E/14°.meth.med. 7ª.90.F
MOLA, quid,& quod reſpondet ouo,ſi alicui rei reſpondeat.14°.de vſu partium. 1ª.206.D
Mola non fit ſine viro.14°.de vſu par. 1ª.206.D
ad Molæ dolorem catapotium.7°.de compoſi.med.ſec.loc. 5ª.182.H
MOLARES dentes vnde ſint dicti.de oſſibus. 1ª.41.F
Molares dentes,& maxillares dicere,idem eſt.de oſſib. 1ª.41.F
Molares dentes quales,& eorum officium.de anat.viu. Sp.49.D
Molares dentes,habent radices ternas,& quaternas. de natura & ordine cuiuslibet corp. Sp.42.H
Molares tm̃ dentes,& inciſiuos hn̄t quædam aĩalia.de ana.vi. Sp.49.E
MOLARIS lapis. 2°. de arte curatiua ad Glauco. 7ª.104. C/ de dynamidijs. Sp.28.A
MOLARIS Antiphanis.5°.de compo.medic.ſec.loc. 5ª.165.A
Molaris Aphrodæ.5°.de comp.med.ſe.lo. 5ª.165.A
Molaris Ariſtocratis.5°.de compo.med.ſec.lo. 5ª.165.B
Molaris Chæreę.5°.de comp.med.ſec.lo. 5ª.165.A
MOLES nimia eſt abortus cauſa.3°.de nat.fac. 1ª.305.H
ex Mole,& grauitate dolor quo modo curetur.12°.meth.me. 7ª.79.C
MOLESTARI, & gaudere vna eademq́; de cauſa,vti etiam idem appetere,& abhorrere,vnum idemq́; non poteſt.5°.de decr. 1ª.259.E
MOLESTANTEM humorem vbi educimus,fortibus vtimur catharticis.de dynamidijs. Sp.20.G
MOLESTVM, cum aliquid adeſt vis excretoria operatur.13°.methodi medendi. 7ª.80.G
MOLITANVM ſeu Tmolites vinum quibus non eſt dandum, & quibus dandum.de vinis. Sp.76.G
MOLLESCAT quomodo facies,& albeſcat.de dynam. Sp.25.H
MOLLICINVM quid ſignificet apud Hippocratem.4°. de compo. medic.per genera.237.E/ 5ª.240.F
MOLLIENDO digerentia quæ ſint.14°.methodi medendi. 7ª.87.H
Molliendo digerentia,quæ ſcirrhis conueniunt.14°.meth.me. 7ª.87.H
Molliendũ quibus ſit medicamẽtũ.4°.de comp.med.per gen. 5ª.238.G
Mollientia,quæ.7°.de compoſi.medi.per genera.5ª.263.D/2°.de arte curatiua ad Glauconem. 7ª.104.A
Mollientium diuerſitas.7°.de comp.med.per ge. 5ª.264.D
Mollientia medicamẽta ſecũdi ordinis quæ.7°.de cõp.me.p ge. 5ª.264.E
Mollientia valentiſſima ſunt bdellium,& ſtyrax.7°.de compoſi.medic. per genera. 5ª.264.C
Mollientia validiſſima ſunt medullæ.7°.de comp.me.per gen. 5ª.264.A
Mollientia imbecilla ſunt cera,& adeps ſuillus. 7°.de compoſi.medica. per genera. 5ª.264.A
Molliẽtes cũ aliqua acrimonia vires œſipũ habet.de ſimp.med.Sp.92.D
Mollientes vterum peſſi ex medulla vitulina, & ceruina.11°.de ſimplic. medic.facul. 5ª.79.E
Mollientia ſemper miſcenda ſunt in reſolutionibus duritierum.2°.de arte curati.ad Glauc. 7ª.104.F
inter Mollientia poni nõ debẽt ſiccãtia.7°.de cõ.me.per gen. 5ª.264.B
MOLLIRE carnem,quid ſignificet.2°.de ſan.tuen. 2ª.69.G
Mollit vehementer gutta Ammoniaci.7°.de cõp.med.per ge. 5ª.264.A
Molliat valenter quod nam Bdellium.7°.de comp.me.per ge.5ª.264.A
Mollit pectora conſtipata Diapenodion minus.de dyna. Sp.26.D
Mollit in ſecundo ordine emplaſtrum Mnaſæi.7°.de compoſi.medicamento.per genera. 5ª.264.F
Mollit duritiem Ibiſcus.de ſimp.med. Sp.85.E
Mollit,& relaxat durities,& tumores Medulla omnis.de ſimplicib.medicaminibus. Sp.87.D
Mollit ſtricturas,& durities Opoponax.de ſimp.med. Sp.88.B
Mollit durities Seuum.de ſimp.medic. Sp.90.B
Mollit,& concoquit ſeuum vitulinum.2°.de comp.med.per ge. 5ª.221.C
Mollit valenter Styrax.7°.de comp.med.per gen. 5ª.264.A
Mollit durities ſtyrax.de ſimp.med. Sp.90.E
quando MOLLIFICANTVR in aqua ſiccæ nuces, leniunt ventrem. de diſſolutione continua. Sp.75.A
Mollificans adeps,qui fit.2°.de arte cura.ad Gla. 7ª.104.A
Mollificantes medullæ,quæ ſint.2°.de arte cur.ad Gla. 7ª.104.A
Mollificantibus ventrem,& deſcendere facientibus indigemus quando ſuperfluitas cibi eſt difficilis deſcenſus de ſtomacho & inteſtinis. de diſſol.contin. Sp.71.F
Mollificantia medicamẽta ad ſcirrhum.2°.de ar.cur.ad Gla. 7ª.104.A
ad MOLLIFICATIONEM crurium medicina.ſecret. Sp.100.D
ad Mollificationem linguæ medicina.ſecretorum. Sp.98.C
MOLLIFICATIVA qualia ſint.de ocul. 7ª.188.D
MOLLIOR vita cauſa eſt præcedens pulſus mollis. 1°. de pręſagitione ex pulſibus. 4ª.109.D
Molliora indurantur.in 6^{m}. de morbis vulg.com.2°. 3ª.161.A
MOLLE quid ſignificet.2°.de ſan.tuen. 2ª.72.F
Molle,quid ſit.5°.de ſimp.me.fac. 5ª.52.G
Molle eſt contrarium duro.12°.de vſu par.1ª.192.H/in 6^{m}.de mor.vulg. com.1°.3ª.160.B/com.5°.aph.61°. Ex.45.C
de Molli,& duro Ariſtoteles elimatius egit quàm Plato.3°.dę differentijs pulſuum. 4ª.63.A
Mollia,quæ dicantur.4°.de dignoſ.pulſ. 4ª.83.F
Mollia,quæ ſint.3°.de alimen.fac.2ª.32.D/3°.de diff.pulſ.4ª.63.D/5°.de ſimp.med.fac. 5ª.32.F
Mollia ſunt durę carnis.3°.de alim.fac. 2ª.32.D
Mollia cocta ſunt magni nutrimenti.3°.de alim.fac. 2ª.32.E
Mollium diuiſio.5°.de ſimp.me.fac. 5ª.32.E
Molle in ſimilaribus dicitur.2°.de ſanitate tuenda. 2ª.72.G
Molle in calore mediocri humidum eſt.2°.de temp. 1ª.17.G
Molle cũ calore vehemẽti neceſſario nõ eſt humidũ.2°.de temp. 1ª.17.G
Molles ſunt candidæ mulieres.4°.de cõp.med.per gen. 5ª.236.F
Molles candidi & obeſi non habent humorem melancholicum. 3°.de locis affectis. 4ª.18.E
Molles & candidi ſunt Galli.de curan.rat.per ſang.miſſ. 6ª.19.F
Molles,& humidi qui ſint.6°.de comp.medicamen.ſec.lo. 5ª.176.F
Molle,ſenſu cognoſcimus.4°.de dign.pulſ. 4ª.83.D
à Molli quæ fit alteratio eſt pathema tactus.de ſymp.diff. 3ª.10.D
Mollia an dura ſint corpora conſiderare debet medicus,qui curat.9°.de ſimplicium medicamentorum facultatibus. 5ª.66.B
Mollem cuticulam habent ſimilem,pueri,Eunuchi,& mulieres.1°.de cõpo.medi.ſec.loc. 5ª.123.B
Molles partes corporis cur non habent meatus.9°.de vſu par. 1ª.171.E
Molles partes non oſtendunt ſua ſpatia.de inæq.intemp. 3ª.43.D
Molle,& humidum cur ſit cerebrum.de anat.viu. Sp.53.G
Mollius,& humidius cur ſit cerebrum in anteriore parte. de anatomia viuorum. Sp.53.H
Mollior eſt cæteris prima neruorum coniugatio.de ner.diſſ. 1ª.53.D
Molles nerui ad ſenſum tantũ idonei ſunt.de decr.Hipp.& Pl. 1ª.233.G
Mollis eſt,& humida,lingua.com.6°.aph.32°. Ex.49.H
Mollis caro in quibus ſit membris.de anat.viuo. Sp.44.D
Mollis eſt caro pulmonis.de anat.viu. Sp.55.H
Mollis pulmo cur.de anat.viuo. Sp.47.H
Mollem vnam tunicam cur habet arteria venalis.de anat viu. Sp.52.H
Molles carne cum ſint homines liquidioris ſanguinis,ſunt timidi,& boni ſenſus.de vtil.reſp. Sp.64.F
Mollia corpora quo modo fiant.3°.de diff.pulſ. 4ª.62.E
Mollis cutis vnde.de anat.viu. Sp.45.C
Mollia ex aqua fiunt corpora.1°.de ſimp.med.fac. 5ª.3.F
Mollia & debilia corpa facit lotio calida.de venę ſect.adu.Eraſi.6ª.8.G
Mollius,& humidius corpus habet debiliorem habitum,quàm durum, & ſiccum.de vſu pulſ. 4ª.229.F
Molle corpus facile ſequitur ducentem, & ſegnius in ſuam reuertitur naturam.de vſu pulſ. 1ª.229.F
Molles ſunt ad ſentiendum admodum habiles.4°.de compoſitio.medica. per genera. 5ª.236.C
Molle & rarum corpus facile patitur.de aſſue. 2ª.61.D
Mollis ſubſtantia eſt facile alterabilis. 3°.de alimento.faculta.2ª.31.G/ commen.5°.aph.69°. Ex.45.D
Molle ſumme prompte patitur,& ſentit.3°.de vſu par. 1ª.134.A
Mollia,& rara,quæ à frigore patiantur.4°.de ſimp.med.fac. 5ª.24.D
Molle quod ita eſt,vt & humidum ſit,& fluxile,et nulli innitens, id nec trahẽdi ſilr,nec tenẽdi,nec repellẽdi vim habet.3°.de ſym.c. 3ª.28.H
in Mollibus,& humidis rebus coctio puerorum eſt vt vigentium,in duris autem deterior.3°.de ſymp.cau. 3ª.29.C

Molles corpulenti

Molles corpulenti rubicundi vnde ſint. de ſal. die. 2ª.40.D
Molles corpulẽti et rubicũdi quo victu ſint nutriẽdi. de ſal. die. 2ª.40.D
Mollibus corporibus quæ conueniant. 2°. de comp. me. per ge. 5ª.220.F
pro Mollibus punica auſtera, pro duris acida conueniunt. 3°. de compo. medic. ſecun. loc. 5ª.148.E
in Mollibus carnis vehemens infrigidatio non eſt inducenda. 2°. de compoſi. medica. ſec. loc. 5ª.132.E
Mollia corpora quæ medicamenta requirunt. 1°. de compoſi. medicamen. per genera. 5ª.212.H
Molles minus recipiunt fortia medicamẽta. 2°. de cõ. me. ſe. lo. 5ª.140.D
Mollia corpora non ferunt vehementia medicamenta. 9°. de ſimp. medi. facul. 66.C/3°. meth. me. 7ª.20.E
Molles indigent medicamentis imbecillioribus. 2°. de comp. me. per gen. 227.B/7°. 5ª.268.G/2°. de arte cur. ad Glauc. 7ª.107.A
Mollibus ſatis eſt butyrum. 3°. de compoſi. medi. ſec. loc. 5ª.146.H
Mollibus quæ medicamenta ſint ſatis in ſanguinis ſpuitione. 5°. methodi medendi. 7ª.33.A
Mollem sarnem non habentibus, in euacuatione minus eſt parcendum. de præſag. exper. conſ. Sp.77.H
in Mollibus corporibus vitioſi humores facile diſcutiuntur. de compoſi. med. ſec. loc. 5ª.123.B
Molles partes facile euacuantur. ars med. Iſa.70.H
Molliorum corporum vulnera ab alijs medicamentis ſanantur, quã vulnera durorum corporum. 7°. de ſimpl. medic. fac. 5ª.52.G
ad Mollium corporum tumores prȩter naturam. 1°. de comp. medic. per genera. 5ª.214.B
Mollibus quæ conueniant in vlceribus. 4°. de comp. med. p gen. 5ª.236.B
ad Mollem cuticulam habentia vlcera. 1°. de comp. me. per ge. 5ª.214.C
Molle recluditur facile. 3°. de ſymp. cau. 3ª.27.A
Molle admodum cur frangatur. 3°. de ſymp. cau. 3ª.27.A
in Molli corpe vſus medicamẽti ad neruos. 3°. de cõ. me. per g. 5ª.233.G
ad Mollia corpora muliebria, & puerili aptatur paleſtricus modus reponendi luxata. de machinamentis. 7ª.309.C
Molles faſciæ cur eſſe debeant. de faſcijs. 7ª.293.G
Mollium tm̃ eſt corporũ in vnũ coeundi habilitas. 5°. meth. me. 7ª.32.B
in Mollibus, & puerulis oſſa vniuntur. 6°. meth. med. 7ª.40.D
Molle eſſe debet quod colliditur. de cau. morb. 3ª.9.G
Mollia cauata ad naturam ſuam regrediuntur, remota cauſa. de cauſis morborum. 3ª.9.G
Mollia debent eſſe concreſcentia. 3°. meth. me. 7ª.19.A
Mollia faciunt multum ſuccum crudum. 3°. de ali. fac. 2ª.32.E
Molles cardui vrinam mouent. de cura icteri. Sp.111.D
Molles radices ſmyrnij expurgant ictericos. de cura icteri. Sp.111.B
Mollis ac ſpongioſa ſubſtantia inſtar ſtœbes. 7°. de vſu par. 1ª.158.G
in Molli & lutoſa terra in mari naſci corallum inquit Ariſtoteles, & tamen eſt arbor duriſſima. de ana. viu. Sp.46.A
Molle non naſcitur ex duro, & è conuerſo. 2°. de vſu par. 1ª.193.B
Molle non debet iungi duro. de anat. viu. Sp.43.G
Molle non conuenit ad motum. 12°. de vſu par. 1ª.193.A
Mollis affectus, & humidus quomodo differant. 5°. de ſan. tu. 2ª.89.D
Mollis affectus, qui. 5°. de ſan. tuen. 2ª.89.D
Mollẽ & debilẽ ſtõm rectificant cibaria ſtyptica. de diſſ. conti. Sp.74.D
Mollia palpitant. 2°. de ſymp. cau. 3ª.20.F
Mollia dolorem leuantia putrefaciunt. 3°. de comp. med. per ge. 5ª.232.G
Mollibus, & humidis ſcirrhus debet curari non ſolum calidis. 14°. methodi medendi. 7ª.87.H
Mollia valde debent abijci ex his, quæ debent macerari. 7°. de comp. medicam. ſec. loc. 5ª.180.H
MOLLISSIMVM *non poteſt ſtatim vno impetu fieri durum. 1°. de natura. faculta.* 1ª.292.D
MOLLITER *poni corpus, quid ſignificet. in progn. com. 1°.* 4ª.193.E
MOLLITIES *quid. 2°. de ſani. tuen.* 2ª.71.A
Mollities opponitur duritiei. 3°. de ſan. tuen. 2ª.79.C
Mollities vnde oriatur. 3°. de ſymp. cau. 3ª.30.A
Mollities conſequitur miſtionem ex qualitatibus. 1°. de vſu par. 1ª.115.D
Mollities maxima eſt in corporibus Scytharũ. de aere, aq. & loc. 2ª.5.F
Mollities cutis in poſteriori capitis parte vnde. de ana. viu. Sp.45.C
Mollities eſt tactus qualitas. de nat. hu. com. 1°. 1ª.28.H
Mollities duritiesq; tactu iudicatur. de ſymptoma. differen. 3ª.13.D/3°. de differentijs pulſuum. 4ª.63.D
Mollities nerui requiritur ad ſenſum, ad motum vero durities. 9°. de vſu partium. 1ª.174.F
Mollities fit ex lotione aquȩ calidȩ. 1°. de ſimplicium med. fac. 5ª.3.F
Mollities immodica laxat. de cauſ. mor. 3ª.9.B
Mollities eſt cauſa cur pueri non ambulant, & balbutiant. commen. 6°. aphoriſmo 32°. Ex.49.H
Mollities in tumoribus bona eſt. com. 3°. aph. 67°. Ex.45.C
Mollities paſſio muſculorum. de ocul. 7ª.187.F
Mollities obſiſtit tenſioni. 15°. de vſu par. 1ª.210.D
Mollities immodica vnde proueniat, quæ vaſorum eſt vitium ſicut duritia & tenuitas. 3°. de ſymp. cauſ. 3ª.27.A
Mollities, & friabilitas oſtendunt carnem bonam. de atten. vic. 2ª.45.D
Mollities in medicamentis fit ab oleo. 3°. de comp. med. per gen. 5ª.230.F
Mollitie quando indigemus. de par. pil. exer. 2ª.49.E
MOLLITIVA *enumeratur. de ocul.* 7ª.188.D
Mollitiua medicina quid agat in oculis. de ocul. 7ª.189.B
MOLY *vnde dicatur. 7°. de ſimp. med. fac.* 5ª.56.F
Moly eſt ruta ſylueſtris. 8°. de ſim. med. fa. 5ª.58.E
Moly eſt calidum tertio ordine. 7°. de ſimpl. me. fa. 5ª.56.F
Moly craſſos humores deſiccat, ac digerit, ac vrinam mouet. 7°. de ſimp. medicamento. facultatib. 5ª.56.F
MOLYBDAENA. *9°. de ſimp. med. fac.* 5ª.70.D
Molybdæna quid, & eius vires. de ſimp. med. Sp.87.C
Molybdæna qualis. 5°. meth. me. 7ª.36.E
Molybdæna argẽti ſpumȩ, et ceruſſæ cõparat. 1°. de cõ. m. per g. 5ª.215.A
Molybdæna, & argenti ſpuma ad eoſdem vſus. 1°. de compo. medicamento. per genera. 5ª.213.F
Molybdȩnam inuenit in via Galenus, quæ ad Ergaſteria ducit à Pergamo. 9°. de ſimp. medic. fac. 5ª.70.D
Molybdæna quem colorem reddat. 1°. de compo. med. per gen. 5ª.213.F
MOLYBDOS, *id eſt plumbum. 9°. de ſimp. med. fac.* 5ª.70.E
Molochimum emplaſtrum. 2°. de comp. med. per ge. 5ª.220.H
MOLPHI *vel Thais Parigenis vinculum. de faſcijs.* 7ª.295.D
MOMENTI *magni quȩ ſunt, eadem bis & ter commemorãda ſunt. de cog. cur. animi morbis.* 5ª.52.C
MONACHVS *Ebinus. ſecretorum.* Sp.97.F
MONETA *quid ſit in vrbibus. 2°. de diff. pul.* 4ª.54.H
Monetarum adulteratores puniendi. 2°. de diff. pul. 4ª.54.H
MONOBIBLVS *liber. 1°. de comp. me. ſec. loc.* 5ª.131.D
MONOCVLVM *inteſtinum vnde dictum, & quale ſit. de anatomia viuorum.* Sp.50.D
Monoculum cur habeat vnum foramen. de anat. viu. Sp.50.D
Monoculum inteſtinum eſt quartum. de anat. viu. Sp.50.B
in Monoculo ſunt villi retentiui. de anat. viu. Sp.44.H
Monoculũ ita ſe hẽt ad ſtomachũ, vt veſica ad hepar. de ana. vi. Sp.50.F
MONOMACVM *inteſtinum vnde ſit dictum. de compagine membro. ſiue de natura humana.* Sp.59.A
Monomacum inteſtinum coquit. de compag. memb. Sp.59.A
MONOHEMERA *collyria. 4°. de compo. medic. ſecun. loc.* 5ª.150.G
Monohemerum medicamentum. 4°. de compoſi. med. ſec. loc. 5ª.154.B
Μωνονυχα quaſi ſolũguia, & ſolidunguia dicas. de art. c. 1°. 7ª.256.H
MONSTRVOSA, *& abominabilia vomunt melancholici. de melã. ex Gale. Ruſo, & Poſſidonio.* Sp.109.C
MONSTRA *quomodo generantur. fin. med. Iſa. 44.G/ de hiſtoria philoſophi.* Sp.10.F
à MONTIBVS *eſt origo fluminum. de vtil. reſp.* Sp.63.H
à Montibus nunq̃ deſcendunt venti. de aere, aq. & loc. 2ª.6.E
à Montibus riphæis ſpirat boreas. de aere, aq. & lo. 2ª.6.E
Montes ad ſeptentrionem auerſi ſunt à Sole. 5°. meth. me. 7ª.34.H
Montes ſcythiæ cur inhabitabiles. de ae. aq. & lo. 2ª.6.E
Montes alti & aſperi ſunt. de artic. com. 4°. 7ª.284.E
Montes altos aſperos habitantes quales. ꝙ animi mores. 2ª.320.A
Mons paruus quomodo dicatur. 2°. de digno. pul. 4ª.76.E
Mons paruus, & formica magna ad aliquid dicuntur. 1°. de morbis vulgari. commentario 1°. 3ª.104.A
ſuper Montis excelſi apicem incedens quis, timet, et pedes eius tremũt. de motibus manifeſtis & obſcuris. Sp.69.D
MONTANA *aſpera, nuda, aquoſa, habitantes quales. de aere, aquis, et locis.* 2ª.6.C
Montana animalia qualia. 3°. de ali. fac. 27.E/de atten. vic. 2ª.45.C
Montanæ aues ſunt præſtantiores alijs. de atten. vic. 2ª.45.C
Montanæ aues edendæ ſunt. de atten. vic. 2ª.44.G
Montanarum auium cerebri natura. 3°. de ali. fac. 2ª.29.F
MONTICOLAE *aues detergunt. 4°. de ſan. tu.* 2ª.84.F

Monticolæ aues ſunt boni ſucci, & non glutinoſi.4°.de ſan.tu. 2ª.86.C
MONTVOSA *animalia diutius ſeruantur imputria, quàm domeſtica. 3°.de alim.fac.* 2ª.27.E
MORA *quid ſit.de iјs, quæ in med.ſi.com.2°.* 7ª.208.A
MORALIVM *virtutum baſis, & radix eſt cor.de anat.vi.* Sp.46.B
Morales vocantur irrationalis animæ actiones, rationalis vero, principes.3°.de loc.aff. 4ª.16.G
de *Moralis philoſophiæ parte naturali meminit.de ſub.fa.na.* 1ª.230.C
Moralis philoſophiæ inuentor fuit Socrates.de hiſt.philo. Sp.2.C
Moralis ſcientia dependet ex cogitatione facultatum animæ iuxta quoſdam.4°.de decr.Hipp. 1ª.253.E
ad *Moralem philoſophiam & medicinam vtile eſt noſcere animæ facultates, & loca.9°.de decr.Hipp.* 1ª.285.E
Moralia conferunt vitæ humanæ.de hiſt.philoſ. Sp.2.C
ad *Moralia queſtiones quæ nihil faciunt.9°.de decr.Hipp.* 1ª.284.C
ad *Moralem philoſophiã nihil facit ſcire quæ ſit animæ eſſentia. de ſub. facultatum naturalium.* 1ª.230.F
Morali philoſophiæ non confert ſcire an iraſcibilis, & cõcupiſcibilis anima ſit mortalis, vel immortalis.9°.de decre.Hipp. 1ª.285.E
ad *Moralem philoſophiam inutile eſt ſcire an plantæ ſentiant.de ſubſtãtia facultatum naturalium.* 1ª.230.G
in *Morali philoſophia fieri non poteſt vt naturalem, & ratiocinatoriã prorſus non attingas.9°.de decr.Hipp.* 1ª.284.D
de *Morali philoſophia Galenus tractat.de ſub.facul.nat.* 1ª.230.E
MORBIDI *morbidos generant.de aere, aq.& loc.* 2ª.4.G
in *Morbida, & ſalubri natura magnũ interuallũ.de diff.morb.* 3ª.2.H
MORBOSA *ſunt quæ minime ſunt ſimilia ſanis.c.7°.ap.63°.* Ex.59.H
Morboſi affectus, qui.in 6^{m}.de morb.vulgaribus, com.5°. 3ª.189.A
à *Morboſis affectibus proueniunt ſternutamenta, quæ ſemper naturæ opus ſunt.in 1^{m}.de mor.vul.commentario.5°.* 3ª.189.A
Morboſa ſymptomata an ad rem medicam, vel ad ſanitatis tuendæ partem, vel ad aliam partem ſpectent.4°.de ſan.tuen. 2ª.82.C
Morboſi cibi, qui.1°.de diff.feb. 3ª.32.A
MORBVS *quid ſignificet.de iјs, quę in med.ſi.com.1°.* 7ª.197.G
Morbus quid.fin.med.45.F/G/ars me.Iſ.69.D/2°.de nat.fac.301.B/1°.de ſa.tu.2ª.64.A/de dif.mor.2ª.C/4.A/de ſymp.dif.3ª.10.C/G/H/1°.meth.med.6.F/7.E/8°.E/2°.16.A/11°.71.D/de ocul. 7ª.185.E/H
Morbus quid communiter ad corpus & ad animam.5°.de decr. 1ª.255.B
Morbus quid ſit per exempla oſtendit.2°.meth.med. 7ª.9.H
Morbus quid ſit, & quomodo inueniatur.1°.meth.me. 7ª.5.G
Morbus in quibus conſiſtat.2°.de temp. 1ª.18.E
Morbus in quo conſiſtat.1°.de ſan.tu.2ª.64.C/de ſymp.diff.3ª.10.F/9°.meth.me.7ª.59.G/contra Iulianum. Ex.67.C
Morbus duo exigit vt ſit morbus.de ſymp.diff. 3ª.11.B
Morbus eſt vnum ex illis quę ſunt præter naturam in corpore.1°.methodi medendi. 7ª.8.G
Morbus præter naturam eſt.fin.med.Iſa.45.D/1°.de ſan.tu.2ª.64.A/2°.metho.med. 7ª.12.E
Morbus vnuſquiſq; ſuam propriam habet naturam neq; aliquis eſt citra naturam.de aere, aq.& loc. 2ª.5.H
Morbus eſt immoderatio.de diff.morb. 3ª.2.D
Morbus eſt exitus à temperie naturali, è contra ſanitas. commenta.4°.aphoriſmo.39°. Ex.32.D
Morbus non eſt ẽt ſi ſit affectus præter naturam.1°.de ſan.tu. 2ª.64.A
Morbus & ſanitas quid ſecundum Olympicum.1°.meth.me. 7ª.6.G
Morbus eſt affectus contrarius ſanitati à quo læditur actio.2°.methodi medendi. 7ª.10.C
Morbus & ſanitas contraria ſunt.1°.meth.med. 7ª.6.G
Morbus quomodo diſtinguitur à ſanitate.de ſymp.diff. 3ª.10.F
Morbum præcedit dignitate, & tempore ſanitas.1°.de ſan.tu. 2ª.62.D
Morbus, ſanitas, & mors vt differunt, ita naturalis motus immobilitas & prauis motus.1°.de præſag.ex pul. 4ª.110.F
Morbus qui vere ſit.2°.meth.med.9.D/ 7ª.10.C
Morbus qui proprie ſit.1°.methodi medendi.7ª.7.H/commentario 2°.aphoriſmo.22°. Ex.15.B
Morbus non eſt vlla alteratio, niſi ſint læſę opationes.1°.met.me. 7ª.8.C
Morbi ſunt quæcunq; intemperaturę quæ lædunt operationes.comm.5°.aphoriſmo 57°. Ex.42.H
Morbus eſt actionis noxa.ad Thraſ. 2ª.102.E
Morbus eſt cauſa læſionis, quæ in actione eſt.de ſymp.diff. 3ª.13.A
Morbus ꝓprie eſt cauſa cõtinens quæ actionẽ vitiat.2°.met.me. 7ª.12.F
Morbus eſt vel functio læſa, vel affectio ledens.1°.meth.med. 7ª.9.B
Morbus põt dici affectus corporis, et vitium actionis.1°.met.me. 7ª.7.E
Morbus vel ſit læſa actio, vel affectus, cuius vitio actio læditur nihil refert dicere.1°.de ſan.tuen. 2ª.64.C
Morbi vocari poſſunt actio læſa, & affectus, qui lędit actionem, & ex hoc nihil mutatur curatio.2°.meth.med. 7ª.12.F
Morbum nihil refert ponere in genere conſtituentium, vel functionum. 1°.de ſan.tuen. 2ª.64.D
Morbus ſolum eſt quando læſio eſt ſenſibilis.1°.de ſan.tuen. 2ª.64.C
Morbus eſt cum prorſus corrumpitur functio, vel imepditur.2°.de naturalibus facultatib. 1ª.300.D
Morbus, qui actionem impedit poteſt habere cauſam, & poteſt eſſe remota cauſa.1°.meth.med. 7ª.8.C
Morbus ſine medio actionis nocet.de ocul. 7ª.185.H
Morbus eſt ex genere permanentium.2°.meth.me. 7ª.10.B
Morbi & ſymptomatis differentia.de ſymp.diff. 3ª.11.B
Morbus quo modo ſit ſub ſymptomate.de ſymp.diff. 3ª.11.B
de MORBIS *quomodo tradiderit Hippocrates.3°.meth.me.* 7ª.19.E
Morborum nõia varia quibus nihil refert vti.2°.meth.me. 7ª.10.D
Morbi à curantibus nominati.2°.meth.me. 7ª.9.F
Morbi à patientibus nominati.2°.meth.me. 7ª.9.F
Morbi nominati à cauſa putata.2°.meth.me. 7ª.9.E
Morbi nominati à ſimilitudine extrinſeca.2°.meth.me. 7ª.9.E
Morbus non eſt idem, niſi etiã nomen idem.9°.de decr.Hipp. 1ª.282.H
Morbi facile numerari non poſſunt.de vic.ra.in mor.ac.c.1°. 7ª.108.H
Morborũ numerũ qui vult tradere, quid agere debet.1°.me.me. 7ª.4.D
de *Morborum numero quomodo agitata queſtio.1°.met.med.* 7ª.4.B
Morborum numerum qui diſcere poterit.2°.meth.me. 7ª.10.E/G
Morbi nõ ſolũ ſciendi, ſed quales ſint.de vic.ra.in mor.ac.c.2°. 7ª.121.F
Morbi plures diuitibus, quàm pauperibus eueniũt apud Scythas. de aere, aq.& locis. 2ª.6.A
Morbi omnes diuini.de aere aq.& lo. 2ª.5.H
MORBORVM *diuiſio.fin.med.* Iſa.45.F
Morborũ diuiſio infrequẽtes, & raro euenientes.3°.de loc.aff. 4ª.15.B
Morborum differẽtiæ.de diff.mor.3ª.2.D/in prog.com.3°. 4ª.208.C
Morborum differentia non eſt morbus.1°.meth.me. 7ª.3.H
Morborũ drĩæ ſm Hippocratem quæ.bre.denot.dogm.Hipp. 1ª.231.D
Morborum differentiæ nouem.fin.med. Iſa.45.F
de *Morborum, & ſymptomatum differentiјs liber ante librum methodi legendus eſt.2°.meth.med.* 7ª.13.D
Morbus triplex.de ocul. 7ª.185.E
Morborum differentiæ tres quoad tempora.in prog.com.1°. 4ª.195.B
in MORBIS *ita ſunt tempora vt ætas in aĩalibus.de morb.tẽ.* 3ª.85.B
Morborum tempora καιροὶ dicuntur.de morb.temp. 3ª.85.B
Morborum tẽpora vnde ſm aliquos diſtinguantur.1°.de criſ. 4ª.125.H
Morborum vnum tẽpus, alterum vero auxiliorum.de opt.ſect. Iſa.27.E
Morborum tempora cauſarum motiones dicuntur, quę ſunt quatuor. de optima ſecta. Iſa.27.E
Morborum tempora quatuor qũo diſtinguantur.de opt.ſect. Iſa.27.E
Morborum tempora quatuor.1°.de criſ. 4ª.125.G
Morborum tempora quatuor quæ non diſtinguuntur dierum numero.1°.de criſibus. 4ª.125.G
Morborum ſex tempora, quę.de morb.temp. 3ª.86.H
Morborum tempora habent latitudinem.de tot.morb.temp. 3ª.89.B
Morbi tempora in morituris, quæ.de tot.morb.temp. 3ª.89.E
Morborum tempora non ſunt æqualia.1°.de criſ. 4ª.126.D
Morbi tempora vniuerſalia qũo quis præcognoſcet.1°.de criſ. 4ª.131.F
Morborum tempora quantum debeant perdurare quo modo coniecturãdum.1°.de criſ. 4ª.128.F
in *Morbo quid ſignificet principium.in progn.com.1°.* 4ª.192.D
ad *Morborum initia modus loquendi Hippocratis quid ſignificet.in 6^{m}.de morb.vul.com.1°.* 3ª.157.F
Morborũ principia attendẽda ſunt.in 1^{m}.de morbis vulg.c.3°. 3ª.126.D
Morbi cum incipiunt ſunt in ſua ſpecie.de morb.tem. 3ª.85.C
in *Morbis principium eſſe probat.de morb.temp.* 3ª.85.E
Morbi principium quid ſit.1°.de criſ. 4ª.125.D
Morbi principium quale intelligendum ſit.1°.de dieb.decr. 4ª.147.F
Morbi qui habent breue principiј tempus.1°.de criſ. 4ª.126.F
Morbi triplex principium.com.1°.aph.12°. Ex.5.D
Morbi principiũ vnde ſumẽdũ.1°.de dieb.dec.147.D/2°. 4ª.151.G
Morbi quibus ſalus futura eſt habent principium, augmentum, ſtatum, & declinationem.de tot.mor.temp. 3ª.89.D
in *Morbi principio nõ exiſtit tremor qui virium conſequitur offenſam,*

citra

citra validã ęgritudinẽ,aut famẽ,aut laſſitudines,aut vigilias,aut ſolicitudines,ad hęc imoderatã venerẽ.in 3^{m}.de mor.vul.c.1°.3ª.127.D
Morbi augmentum quo modo cognoſcatur.1°.de criſ. 4ª.125.H
Morbi vehementiſſima pars eſt ſtatus.1°.de criſ. 4ª.128.D
Morbi conſiſtentia quomodo deprehendatur.1°.de criſ. 4ª.126.B
Morbus qui in ſecundo quaternione erit in ſtatu, & qui vltra. 1°.de diebus decretorijs. 4ª.151.A
Morborum ſtatum auferunt eteſiæ.in 3^{m}.de mor.vul.com.3°. 3ª.147.C
Morborum qui ſoluuntur vt vigor, ſic etiam declinatio quædam eſt. de tot.morb.temp. 3ª.89.E
Morbi qui iudicantur non habent declinationem.de opt.ſect. Iſa.29.D
Morbi qui ſanantur in principio vi medicamenti carent reliquis tribus temporibus.de opt.ſect. Iſa.29.D
in Morbi fine vrina oleoſa.in 3^{m}.de mor.vul.com.3°. 3ª.147.F
Morborum qui non ſoluuntur natura.de tot.mor.temp. 3ª.89.E
Morbos quomodo acceſſiones ſequantur. com.1°.aph.12°. Ex.5.C
Morbi qui dicuntur conſtare motu inæquali.com.2°.aph.23°. Ex.15.G
Morborum quidã acuti ſunt & continui,alij è contrario.fin.me. Iſ.45.F
Morborum duplex genus.8°.meth.med. 7ª.49.F
Morborum duo genera acuti & longi.introd. Iſa.55.E
Morbi primi,& maxime gñales ſunt quatuor.2°.de nat.fac. 1ª.300.D
ex Morborum primorum numero quo modo ſit calor immodicus. 2°.de naturalibus facultatibus. 1ª.300.F
Morbos primos quatuor eſſe qui affirment.contra Iulianum. Ex.67.D
Morborum genera ſex.2°.meth.me. 7ª.13.D
Morbi ſpecies quæ.3°.de criſ. 4ª.140.B
de Morbis duę ſuppoſitiones.de cauſ.mor. 3ª.6.C
MORBVS acutus vnde dicatur.3°.de die.decr. 4ª.160.D
Morborũ qui acuti ſint,qui peracuti,qui chronici.c.1°.aph.12°. Ex.5.B
Morbus acutus quo modo differat à longi temporis morbo.3°.de diebus decretorijs. 4ª.160.D
Morbi acuti qui.fin.med.45.F/introd. Iſa.55. E/ in 6^{m}.de mor.vul.com. 1°.3ª.158.H/2°.de dieb.decr. 4ª.155.F
Morbi acuti numerantur.de vict.rat.in mor.acu.com.1°. 7ª.108.H
Morborum acutorum differentiæ.in progn.com.3°. 4ª.208.A
Morbus acutus exacte,qui.2°.de dieb.decr.155.F/3°. 4ª.160.C
Morbus acutus non exacte,qui.2°.de dieb.decr. 4ª.155.F
Morbus acutus ex delapſu,qui.2°.de dieb.decr. 4ª.155.F/H
Morbi acuti vocantur quorum febres maxima ex parte continuæ ſunt. com.7°.aph.1°. Ex.54.A
Morbi acutiſſimi ſunt cum febre continua . in 1^{m}. de morbis vulga.com. 3°.3ª.118.F/com.5°.aph.30°. Ex.40.D
Morbi acutiſſimi in ſynochis.in 1^{m}.de mor.vul.c.3°. 3ª.118.G
Morbi acuti aliqui ſine febre.in prognoſt.com.1°.4ª.195.A/commen.5°. aphoriſmo 30°. Ex.40.D
Morbi acutiſſimi ſunt autumno.com.3°.aph.9°. Ex.20.G
Morbi acuti fiunt in ſiccitatibus.com.3°.aph.7°. Ex.20.F
Morbos acutos ſemper operatur bilis.com.7°.aph.32°. Ex.56.D
Morbos acutos ait Hippocrates fieri vt plurimum à bile, & ſanguine, ætate vigẽte,æſtiuo,aut verno tpe.bre.denot.dogm.Hipp. 1ª.231.D
Morbi acutiſſimi quo modo, & quando facti ſunt propter exercitationes.com.3°.aph.20°. Ex.24.C
Morbus acutus ſimpliciter,qui.com.2°.aph.23°. Ex.15.E
Morbus acutus qui quadraginta diebus iudicat̃.c.2°.aph.23°. Ex.15.E
Morbi acuti ſunt magni,& cito veniunt in ſtatũ.c.2°.aph.23°. Ex.15.D
Morbus acutus non indicat principium.de opt.ſect. Iſa.29.C
Morbus acutus quatuor habet permutationes.cõ.2°.aph.23°. Ex.15.D
Morborum acutorum terminus quid ſit.com.2°.aph.23°. Ex.15.D
Morbi acuti,& peracuti qñ habent ſuũ iudiciũ.c.4°.aph.59°. Ex.33.H
Morbos acutos magna ex parte diebus imparibus iudicari inquit Hippocrates.bre.denot.dogm.Hipp. 1ª.231.D
Morbi acuti,& febres ardentes diebus imparibus fiunt. in 3^{m}.de morb. vulg.com.3°. 3ª.144.A
Morbi acuti qui terminantur die decima ſeptima habuere acutiei principium tertia vel quarta die,qui autem in vigeſima habent criſim eorum acuties cœpit ſexta vel ſeptima die [bene nota hanc regulam, quę docet ſemper per duas ſeptimanas terminari morbos acutos.] com.2°.apho,23°. Ex.15.F
Morbi acuti facile præiudicantur.in progn.com.3°. 4ª.207.E
Morbi acuti ſymptomata.in 3^{m}.de mor.vul.c.2°. 3ª.135.D
in Morbis acutis vehementiſſimi caſus ſolent quandoq; bonas criſes facere.com.7°.aph.5°. Ex.54.C
Morbus acutus duplex habet periculum.com.5°.aph.30°. Ex.40.D
de Morbis acutis ſolis eſt liber prognoſticorum.1°.de criſ. 4ª.128.A
i Morbis acutis cũ febre luctuoſa ſuſpiria,malũ.c.6°.aph.54°. Ex.53.C
in Morbis acutis frigus partiũ extremarũ,malũ.c.7°.aph.1°.Ex.54.A
Morbi acuti per excretionem iudicantur.in prog.com.2°. 4ª.205.B
ad Morbos acutos ſequitur aqua inter cutem.6°.de loc.aff. 4ª.36.B
Morbus acutus exigit diligentem curationem.de dynam. Sp.20.A
in Morbis acutis ptiſſana non eſt danda.de ptiſ. 2ª.47.H
Morbis acutis æſtate aſſuetum quo modo Galenus præſeruarit. 5°. de ſanitate tuenda. 2ª.93.G
per Morbos acutos detrahito ex vena ſanguinẽ.pſag.exp.cõſ. Sp.78.E
Morbi acuti & vehementis vbi pericula inſideant,puero ſanguis eſt detrahendus.de prę ſag.exper.conf. Sp.78.A
Morbi acuties non necat,niſi prouideatur.com.2°.aph.26°. Ex.16.B
ob Morbi celeritatem ſextus dies quandoque necat in imparibus.1°.de diebus decretorijs. 4ª.149.F
in Morbis acutis quæ multũ lædũt.de vic.ra. in mor.acu.c.2°.7ª.118.C
MORBI peracuti,qui.fin.med.Iſa.45.F/2°.de dieb.decr. 4ª.155.F
Morbi peracuti prima ſeptimana terminantur.c.4°.aph.10°. Ex.28.D
Morbus peracutus exacte,qui.2°.de die.decre. 4ª.155.F
Morbus peracutus non exacte,qui.2°.de dieb.decr. 4ª.155.F
Morbi vigor,vel ſtatus quando in peracutis.com.1°.aph.7°. Ex.4.E
Morbi peracuti ex ſudore iudicantur plurimum tertio, vel quinto die, quarto autem raro.com.6°.aph.36°. Ex.32.A
Morbi acuti,vide Acuti morbi.
MORBI æſtatis proprij,qui.de ſperm. Sp.39.G
Morbi æſtatis & autumni.de temp.com.1°. 1ª.32.B
Morbi qui æſtate augentur,hyeme terminantur.de nat.hu.c.1°. 1ª.33.D
Morbos ęſtiuos tollit hyems.in 3^{m}.de mor.vul.com.3°. 3ª.151.H
MORBVS articularis longos intrinſecus numeratur inter morbos. introductio. Iſa.56.B
Morbus articulorum diuturnus eſt.fin.med. Iſa.45.F
Morbus in articulis quibus neglectis accidat.de dynam. Sp.19.H
in Morbo articulari materiæ lapideſcunt.14°.meth.me. 7ª.87.H
MORBI in aſperitate cauſa.de ocul. 7ª.185.G
MORBI autumnales expectãdi ſunt quando eadem die modo calor, modo frigus.com.3°.aph.4°. Ex.20.C
Morbi autumni in vere finiunt.de nat.hu.com.1°. 1ª.33.D
in MORBIS olioſis,& cruditatibus vrina diuerſa eſt.de totius morbi temporibus. 3ª.89.F
Morbi bilioſi,& calidi quæ ſymptomata inducant.3°.de lo.aff. 4ª.16.F
per Morbos bilioſos non fiunt abſceſſus ſed per longos. in prognoſtica commentario 2°. 2ª.205.A
Morbis bilioſis mel inimicum eſt.2°.de nat.fac. 1ª.300.H
MORBVS breuis non poteſt habere æqualia tempora longo. 1°. de criſibus. 4ª.125.G
MORBI cacoethes,qui.in 3^{m}.de morb.vul.com.3°.3ª.141.G/in 1^{m}.prorrhe.com.1°. 4ª.165.C
MORBVS nullus datur apud antiquos calidus,& humidus.1°.de temperamentis. 1ª.11.C
Morbi calidi ſeptem cauſæ.de ocul. 7ª.185.F
Morbi calidi à bile.2°.de nat.fac. 1ª.300.D
Morbi calidi qño pp ꝓpinquas ꝑtes primo calefaciãt.de mor.cau.3ª.6.F
in Morbos calidos incidũt qui sũt calidiores natura.5°.de ſa.tu.2ª.93.C
ſub Morbis calidioribus venter fumoſas facit mutationes. 3°. de ſymptomatum cauſis. 3ª.24.H
Morbis calidis ſuccedentia frigora pernicioſiora. in 3^{m}.de morb.vulga. commentario.1°. 3ª.132.A
Morbi calidi per excretionem iudicantur.in progn.com.3°. 4ª.209.F
MORBI colliquatiui,& diſcuſſorij.in 6^{m}.de mor.vul.com.3°.3ª.176.E
de MORBO comitiali.3°.de loc.aff. 4ª.19.E
Morbus comitialis quid.fin.med.47.E/intro. Iſa.56.B
Morbus comitialis diuturnus eſt.fin.med. Iſa.45.F
Morbus comitialis numerat̃ iter morbos longos intrinſecus.intr.Iſ.56.B
Morbum paruum comitialem,concubitum eſſe Democritus cenſuit. in 3^{m}.de mor.vulg.com.1°. 3ª.130.D
Morbi comitialis curatio.intro. Iſa.56.C
MORBI ſecundum compoſitionem,qui.de ocul. 7ª.185.F
Morbi compoſiti,qui.de ocul. 7ª.185.F
Morbi varij poſſunt ſimul commiſceri.de tot.morb.temp. 3ª.89.H
Morbi compoſiti difficulter cognoſcuntur.2°.de criſ. 4ª.135.H
in Morbo compoſitionis ſcopi.de conſt.ar. Iſa.40.A

Morbi compo-

Morbi compoſiti cauſę quot.de ocul. 7ª.185.G
MORBI *ſecundum concauitatem.de ocul.* 7ª.185.G
MORBI *aliqui contagioſi numerantur.1°.de diff.feb.* 3ª.31.B
MORBI *continui,qui.fin.med.* Iſa.45.F
Morborũ continuorũ acuties ad quãtũ protẽdat.c.2°.aph.23°. Ex.15.G
MORBI *in corruptione cauſa.de ocul.* 7ª.185.G
MORBVS *crudus,qui.in 1^{m}.prorrh.com.1°.* 4ª.165.C
Morbũ crudũ ſignificat vrina tenuis.in 3^{m}.de mor.vul.com.1°. 3ª.132.F
in Morbo crudo non eſt bona iudicatio.in 1^{m}.prorrh.com.1°. 4ª.165.C
Morbis crudis ſudores non proſunt nec ſunt bonum ſignum. in 1^{m}.de morbis vul.com.1°. 3ª.110.G
Morbi à cruditate nihil ab excretionibus iuuantur.in 1^{m}.de mor.vulgari.commentario.1°. 3ª.111.C
Morbo toto exiſtẽte crudo poteſt aliquando in parte fieri coctio. in 1^{m}.de mor.vul.com.2°. 3ª.116.F
Morbi cito pueris coquuntur.in 1^{m}.de mor.vul.com.2°. 3ª.116.G
MORBORVM *quidam ſunt cões, quidã diſperſi inter cões, alij publici ſunt,quos vocãt ἐνδήμους græci,alij vulgares,qui ab illis tum ἐπίδημοι, tum ἐπιδήμιοι vocantur. in 1^{m}.de mor.vulg.cõ.1°.* 3ª.101.F
Morbi diſperſi quando fiant.in 1^{m}.de morb.vul.com.1°. 3ª.103.B
in MORBIS *quid ſit diuinũ ſm Galenum.in progn.com.1°.* 4ª.190.D
Morbi ἔνδημοι, id eſt publici.in 1^{m}.de mor.vul.com.1°. 3ª.101.E
Morbi endimij ſunt rari.de vic.ra.in mor.acu.com.1°. 7ª.109.E
MORBVS *euaſorius,qui.fin.med.* Iſa.45.G
MORBI *ἐπανερχόμενοι,qui.in 1^{m}.pror.com.1°.* 4ª.178.G
MORBI *euidentes,qui.de diff.morb.* 3ª.3.D
Morbi non euidentes,qui.de diff.morb. 3ª.3.D
MORBIS *excrementitijs cur partes debiliores primæ corripiantur. de curan.rat.per ſang.miſſ.* 6ª.17.H
MORBVS *exitialis,qui.fin.med.* Iſa.45.G
Morbus exitialis non tolerat tenuiſſimũ errorem.10°.met.me. 7ª.67.D
Morbi mortales non fiunt hyeme.com.2°.aph.25°. Ex.16.A
Morbi incolumes ob delicta fiunt mortales.1°.de dieb.decr. 4ª.150.D
Morbis mortalibus timores, labores, conuulſiones quandoque fiunt ex ſomnis.com.4°.aph.67°. Ex.34.F
ex Morbis mortiferis ſanantur,quibus nullus fit error & à quibus. in 6^{m}.de mor.vul.com.2°. 3ª.168.F
MORBI *extremi,qui.com.1°.aph.1°.* Ex.2.E
MORBVS *factus,& in fieri poteſt colligi,& quo modo curetur. commen.2°.aph.22°.* Ex.15.B
Morbi qui ante non fuere.14°.meth.med. 7ª.93.C
MORBI *febrilis nulla ſpecies eſt, quę quarto die non cognoſcatur. 2°. de criſ.* 4ª.136.E
Morbus febrilis eſt quando febris eſt paſſio,& non caſus. commentario 4°.aphoriſmo.66°. Ex.34.F
ex Morbo febrili ſenectus.5°.de ſan.tuen. 2ª.92.H
MORBI *ſecundum figuram cauſæ,quæ.de ocul.* 7ª.185.G
Morbi in figura quomodo ex contrarijs curentur.de conſt.ar. Iſa.39.D
MORBI *cum fluxione,qui.de inæq.intemp.* 3ª.43.B
Morbi orti ex fluxionibus.de inæq.intemp. 3ª.44.H
MORBI *ſecundum foramen cauſæ,quæ.de ocul.* 7ª.185.G
Morbi in largitate foraminis cauſa.de ocul. 7ª.185.G
MORBI *ſecundum formam quinque modis.de ocul.* 7ª.185.F
MORBVS *in formatione quo modo fiat.de cau.mor.* 3ª.8.F
MORBVS *frigidus octo modis fit.de ocul.* 7ª.185.F
Morbi frigidi capitis qui ſint.1°.de compo.medicamen.ſec.loc. 5ª.126.G
in Morbos frigidos incidũt,q ſunt fridiorcs natura.5°.de ſan.tu. 2ª.93.C
Morbis frigidis,& humidis facilius cedunt frigidi,et humidi natura: cõtrarij,ægrius.in 1^{m}.de morb.vulg.commentario.1°. 3ª.103.F
Morbi ex frigidis humoribus,qui.com.2°.aph.40°. Ex.18.A
Morbi frigidi à pituita.2°.de nat.fac. 1ª.300.D
ſub Morbis frigidioribus venter acidas facit mutationes.3°.de ſymptomatum cauſis. 3ª.24.H
Morbus frigidus mẽbra q̃nq; mortua decidere facit.de diff.mor. 3ª.3.E
Morbi qui ſenes comitantur ad mortem.com.2°.aph.40°. Ex.18.A
MORBI *fuſanei ſunt qui omni tpe,& loco fiunt.fin.med.* Iſa.45.H
MORBVS *in habitu eſt cum corpora ſolida ægrotant . in 1^{m}. de morbis vulg.commen.1°.* 3ª.112.C
MORBVS *humidus quadruplex.de ocul.* 7ª.185.G
MORBI *qui hyeme fiunt.de nat.hum.com.1°.* 1ª.31.H
Morbi qui hyeme augentur æſtate terminantur.de nat.hu.cõ.1°. 1ª.33.D
Morbos hyemales tollit æſtas.in 3^{m}.de mor.vul.com.3°. 3ª.147.B
MORBI *increſcentes qui intelligãtur.in 6^{m}.de mor.vul.c.5°.* 3ª.173.A
de MORBIS *inſtrumentarijs.de cau.mor.* 3ª.8.E
Morbi in inſtrumentis,qui.de dif.morb.4.A/3°.de ſymp.cau. 3ª.24.G
Morbi in membris compoſitis quot.de ocul. 7ª.185.F
Morbi inſtrumentales arctant vias.3°.de ſymp.cau. 3ª.26.A
Morbus inſtrumentalis eſt obſtructio.11°.methodi meden. 7ª.70.C
MORBI *intermittentes,qui.fin.med.* Iſa.45.F
Morborum intermittentium ſex tempora.de morb.temp. 3ª.85.H
in MORBO *laterali non poteſt contingere dolor pulſatorius. 2°.de locis affectis.* 4ª.9.A
in Morbo laterali eſt dolor punctorius.2°.de loc.aff. 4ª.9.G
in Morbo laterali caſus temporum.1°.de criſ. 4ª.132.E
Morbi lateralis varia medicamenta.9°.de decre.Hipp. 1ª.282.F
in Morbo laterali medicorum diuerſitas.9°.de decr.Hipp. 1ª.282.F
in Morbo laterali fomẽtis calidis in prĩcipio vtiͭ. 9°.de decr. 1ª.282.G
MORBI *in leuitate cauſa.de ocul.* 7ª.185.G
MORBVS *lethargus dictus quo lunæ aſpectu fiat.de decub.progno.ex mathe.ſcientia.* Sp.12.G
à MORBO *longi temporis quo modo differat morbus acutus. 3°.de diebus decret.* 4ª.160.D
Morbi diuturni,qui.fin.med.45.F/G/introd.Iſa.55.E/1°.de criſibus. 4ª.126.F/quos purg.op.quib.med.& quo temp. 5ª.88.C
Morbus diuturnus qui proprie ſit.3°.de dieb.decr. 4ª.160.C
Morbi longi intrinſeci,qui.intro. Iſa.56.B
Morbi longi ſunt frigidi.com.2°.aph.39°. Ex.17.H
Morbi longi ex quibus fiant,& quomodo.com.2°.aph.19°. Ex.14.B
Morbi longi fiunt propter humores frigidos,aut multos,aut craſſos.com. 4°.aphoriſ.44°. Ex.32.G
Morbi longi ſunt in ſenioribus.com.6°.aph.6°. Ex.47.B
Morbi qui ſenioribus contingunt.in progn.com.3°. 4ª.210.D
Morbum eſſe ſenium quidam volunt.de marc. 3ª.46.E
Morbi aliqui habent annorum mẽſurationẽ.in prog.com.3°. 4ª.208.D
in Morbos diutinos cur aliqui incidant quibus tota vita explicari non poſſunt.6°.de ſan.tuen. 2ª.98 A
Morborum longorum principium eſt dies quadrageſimus.comment.6°. aphoriſmo 36°. Ex.32.A
Morbis longis dies primus iudicationis eſt vltimus acutorum.commen. 3°.aphoriſmo.27°. Ex.25.H
Morbo longo ęqualia tempora habere non poteſt morbus breuis.1°.de criſibus. 4ª.125.G
Morbi longi fiunt à pituita,& ab atra bile.intro. Iſa.55.E
Morbos diuturnos ait Hippocrates à phlegmate,& atra bile prouenire, idq; in ſenibus & hyeme.bre.denot.dogm.Hipp. 1ª.231.D
Morbi fiunt ob delicta.1°.de dieb.decr. 4ª.150.D
Morbi longi in temporibus pluuioſis fiunt.com.3°.aph.7°. Ex.20.F
Morbus an lõgior ſit,vel breuior q̃uo cognoſcatur.2°.de criſ. 4ª.137.H
Morbus lõgus quibus indicetur.cõ.7°.aph.31°.56.C/aph.61°. Ex.59.G
Morbus eſt longus quando paroxiſmi ſeruant eandem horam.commentario 4°.aph.30°. Ex.30.E
Morbi longitudo ſignificatur vbi in toto corpore mutationes ſunt caloris & frigoris.com.4°.aph.40°. Ex.32.D
Morbi longitudinem prænunciat vbi in toto corpore mutatio, fueritq; refrigeratum corpus,aut rurſus incaluerit, aut color ex alio emerſerit. præſag.exper.conf. Sp.77.G
Morbi longitudinem ſignificat ſudor aduentante febre,nec deficiente febre.præſag.exper.conf. Sp.77.G
Morbus longus eſt ſi ſudor in febre non deficiente appareat, quia multã humiditatem oſtendit.com.4°.aph.56°. Ex.33.F
Morbus quando ab vrina ſignificatur diuturnus,& non tutus. de vrinæ ſignificatione ex Hippocrate. Sp.78.F
Morbos producunt vrinæ tenues. in 1^{m}.de morb.vulg.com.3°. 3ª.122.H
Morbus lõgus ſignificatur ab vrina alba pſpicua.c.4°.aph.72°. Ex.35.E
Morbũ longũ ſignificãt vrinæ rubræ. in 3^{m}.de mor.vul.com.1°. 3ª.131.B
Morbum longum,licet ſalubrem ſignificat vrina rubra. in 1^{m}.de morbis vul.com.3°.3ª.123.B/de vrinis.124.B/1°.de criſ. 4ª.130.F
ĩ Morbis lõgis,pulſus lõg⁹ anguſt⁹,& bũilis.1°.de pſa.ex pul. 4ª.107.E
Morbi non futuri diuturni ſigna.3°.de criſ. 4ª.144.H
Morbi qui non poſſunt in longum extendi.com. 7°.aph.22°. Ex.55.E
Morbi lõgi quas ætates magis debilitãt. c.2°.aph.26°.28°. Ex.16.B/C/D
in Morbis diuturnis corpus exiccatur.7°.methodi medendi. 7ª.45.H
in Morbis longis iecur fit ſcyrrhoſum.in progn.com.2°. 4ª.197.G
in Morbis longis cur multa cõtingant ſiniſtra.in progn.cõ.2°. 4ª.203.B

Morbi longi fiunt,ſi in febribus abſceſſus ad primas iudicationes non ſol
uuntur.com.4°.aph.51°. Ex.33.D
Morbi longi difficulter præiudicantur.in progn.com.3°. 4ª.207.D
in Morbis etiam longis eſt aliqua criſis.2°.de dieb.decr. 4ª.152.G
Morbos diuturnos paribus diebus magna ex parte iudicari inquit Hippocrates.bre.denot.dogm.Hipp. 1ª.231.D
Morbi diuturni nō ſolent per ſudores iudicari.cō.4°.aph.36°. Ex.31.H
Morbi longi non iudicantur per excretiones,ſed per cōcoctionem & abſceſſus.com.6°.aph.36°. Ex.31.H
in Morbis longis fiunt abſceſſus ad articulos. in 6^{m}.de morb.vulgarib. commentario 4°. 3ª.179.E
Morbi longi quo tpe in pueris iudicantur.com.3°.aph.28°. Ex.26.A
in Morbis diuturnis non eſt malum partes extremas corporis frigeſcere.com.7°.aph.7°. Ex.54.A
in Morbis longis faſtidium cibi,& deiectiones ſinceræ,malum.com.7° aphoriſmo 6°. Ex.54.D
in Morbis diutinis facies Hippocratica non eſt exitioſa. in prognoſtica. commentario.1°. 4ª.191.E
in Morbis longiſſimis quo modo fiat virium lapſus ex atrophia. 12°.methodi medendi. 7ª.77.C
in Morbis longis qui ſunt euaſuri fameſcunt.com.7°.aph.6°. Ex.54.D
in Morbis longis qūo occurrere poſſumus.com.6°.aph.47°. Ex.52.B
in Morbis longis ſemper eſt expectāda coctio. quos purg.op.quib.me. & quo temp.5ª.88.G/com.1°.aph.24°. Ex.10.F
Morbus paulatim poteſt coqui.1°.de criſ. 4ª.128.C
Morbus eſt cōcoctus ſi vrina careat cōtētis.de vri.ſig.ex Hip. Sp.79.C
Morbi longi per ſuperiora purgantur.introd. Iſa.58.A
Morbi longi per abſceſſum iudicantur.in progn.com.2°. 4ª.205.B
in Morbis longis abſceſſus per decubitum maxime fiunt. in 1^{m}.de mor. vulg.com.1°. 3ª.111.C
Morbi diuturni ſanantur in tēporibus oppoſitis.de nat.hu.c.1°. 1ª.33.D
ad Morbum longum valens antidotus.2°.de antid. 5ª.111.F
ad Morbum longum.8°. de compoſi.medic.ſec.loc.196.H/ 6°.de comp. medic.per genera. 5ª.262.H
Morbus longus,lege Longus morbus,Longa ęgritudo, Aegritudo lōga.
MORBI vehementia,& magnitudo ſunt idem.3°.de criſ. 4ª.140.B
Morbus magnus re & effectu,qui.fin.med. Iſa.45.G
Morbus imagine magnus,qui.fin.med. Iſa.45.G
Morbus tripliciter eſt magnus,& grauis.4°.meth.me. 7ª.28.D
Morbi magnitudo vnde cognoſcatur.de conſt.ar. Iſa.42.B
Morbi magnitudo vnde.de conſtitutione art.Iſa.40.H/de tot.mor. tēp. 3ª.89.E/de ocul. 7ª.185.G
Morbi magnitudinis in numero cauſa.de ocul. 7ª.185.G
Morbi magnitudo vnde accipiatur.7°.meth.me. 7ª.48.F
Morbi propter tria ſunt magni.4°.meth.me. 7ª.28.B
Morbus magnus eſt epilepſia.de puero epil. 7ª.187.F
Morbi maximi validiſſimi & grauiſſimi,qui.in 1^{m}.de morb.vulga.commentario 3°. 3ª.118.F
Morbo magno non capiuntur quartanarij. in 6^{m}.de morb.vulgar.commentario.6°. 3ª.197.C
Morbos magnos tollit quartana ſupueniēs.ī 6^{m}.đ mor.vu.c.6. 3ª.197.C
ob Morbi arthritidis magnitudinē articulis ſuis ſedibus decidūt.de differentijs morborum. 3ª.4.B
Morbi magnitudo vnde cognoſcatur.1°.de criſ. 4ª.126.A
Morbi Magnitudo ꝑ quæ cognoſcatur.1°.de arte cur.ad Glau. 7ª.94.D
Morbus magn⁹ nō ſanat̄ abſq; ſignis ſolutorijs.1°.de dieb.decr.4ª.145.C
vt Morbi sūt magni ita euacuatiōes magnæ fieri dn̄t.de cucu.ſca.6ª.3.H
Morbi magnitudo & virtus ſunt ſanguinis mittendi primi ſcopi. de curan.rat.per ſang.miſſ. 6ª.18.B
Morbus magnus īdicat de ſanguinis miſſiōe.de cu.ra.ꝑ ſan.miſ.6ª.18.E
ob Morbi magnitudinem vacuatio fiat totius corporis non ſolum ob redundantiam.13°.meth.me. 7ª.81.C
Morbi ī magnitudīe qūo differūt à morbis ī numero.de dif.mor. 3ª.5.A
Morbi ſecundum magnitudinem,qui.de ocul. 7ª.185.F
MORBVS malignus.fin.med.Iſa.45.G/cō.7°.aph.11°. Ex.54.G
in Morbis malignis fit permutatio in hora caliditatis,& frigiditatis.in 1^{m}.prorrh.com.2°. 4ª.170.B
in Morbis malignis ſitis mala.in 1^{m}.prorrh.com.2°. 4ª.170.B
MORBI manifeſti non traduntur in libro de locis affectis.5°.de locis affectis. 4ª.33.B
MORBVS medius,qui.fin.med. Iſa.45.G
Morbos medios ait Hippocrates à cauſis mixtis prouenire. bre.denota. dogm.Hippoc. 1ª.231.D
inter Morbū ſenſibilē,& ſanitatē datur mediū.5°.de ſan.tuen. 2ª.93.D
in MORBI melancholicis ad hęc periculoſi decubitus apoplexiam corporis,vel furorem,vel conuulſionem,vel cæcitatem ſignificant.com. 6°.aphor.56°. Ex.53.D
MORBVS quando minor.de decub.progn.ex math.ſcien. Sp.12.F
MORBORVM mos vnde.de conſt.art. Iſ.40.H
Morbi mos vnde cognoſcatur.1°.de criſ. 4ª.126.A
Morbus more feræ inſidiatur.in 3^{m}.de mor.vul.com.1°. 3ª.132.D
Morbi more rigor qui.de palp. 3ª.53.H
MORBI multi quo modo fiant.9°.de vſu par. 1ª.171.D
MORBI ſecundum numerum,qui.de ocul. 7ª.185.F
MORBI diſtinctio in ordinatum & in inordinatum colligitur.comm.1°. aphoriſmo 19°. Ex.9.F
MORBI à læſa particula nominati.2°.meth.med. 7ª.9.D
Morbi vt plurimū à parte patiēte nominat̄.1°.de arte cu.ad Gl. 7ª.95.F
Morbi nominati à particula,& ſymptomate.2°.meth.me. 7ª.9.E
Morbi vehemētiſſimi ex validiſſimo mēbro.de nat.hu.com.2°. 7ª.182.E
Morbi quibus fiant partibus.de dynamidijs. Sp.19.G
Morbus quomodo cognoſcatur eſſe à capite.de dyn. Sp.19.G
Morbi qui cōtingūt denigrātibus capillos.1°.de cōp.med.ſe.lo. 5ª.126.H
Morbi ventriculi ob alias partes.7°.meth.met. 7ª.48.A
Morbo exiſtēte à thorace ſudare incipit caput,lingua fit grauior, aut os amarū:aut mām̄illæ dolēt [vel vt alij legunt maxillæ] oſcitatio ſequitur ſine ſōno,& quiete:grauitas,& prurigo corporis, aut dolor,brachia,manusq; intumeſcunt,ſubitq; tuſſis arida.de dyn. Sp.19.G
Morbi thoracis vomitu ſanantur.de dyn. Sp.19.H
Morbus ſi ex ventre oritur,venter vritur,& turbatur,& ſentit dolorē vt cibus,& potus amara videantur,genua ſubſidunt, lumbi grauantur,inter ſcapulas contrahitur,totumq; corpus particulariter graueſcit,tardantur pedes,grauia ſunt crura,renes indoleſcunt, & incurrunt febriculam.de dyn. Sp.19.H
Morbus ſi à veſica naſcitur.Pleni videntur,& cito ſaturi ſentiūtur, frequenter ſentiuntur inflationes ventris, & ſtrepitus, vident̄ oſcitare nec oſcitant,ſed tantum os diducunt,ſequitur totius corporis ſtupor, ſomnus grauis quaſi macri corporis ſit,vrina liuida,& vix exit, tumeſcunt etiam verenda,& inde calculoſi fiunt.de dyn. Sp.19.H
Morbi à veſica curatio.de dyn. Sp.19.H
in Morbis veſicæ,vuluæ,renum quæ ſecari debeat.præſagium experiētia confirmatum. Sp.78.C
MORBI parui non debent ſanari antidoto magna. de vſu theriacæ ad Pamph. 5ª.99.A
Morbi paruitatis cauſa.de ocul. 7ª.185.G
Morbi parui,qui.de vſu theria.ad Pamph. 5ª.99.A
MORBI aliqui patrij,aliqui cōes ſunt.de aere aq.& loc. 2ª.2.D
MORBI periculoſi qui ſint,& qui non.com.4°.aph.43°. Ex.32.F
Morbus periculoſus,qui.fin.med. Iſa.45.G
Morbi minus ꝑiculoſi ſunt qui naturę ſunt cognati.7°.me.me. 7ª.49.A
in Morbis ꝑiclitant̄ robuſti q diu ſani vixere.1°.ꝑſag.ex pulſ. 4ª.110.E
MORBVS communis eſt peſtis.in 1^{m}.de mor.vulg.com.1°. 3ª.101.E
Morbus exitialis eſt peſtis.in 1^{m}.de mor.vul.com.1°. 3ª.101.E
Morbi peſtiferi ſunt rari.de vic.ra. in mor.acu.com.1°. 7ª.109.B
in Morbo peſtilenti ſtranguria bonum.in 1^{m}.de mor.vulg.cō.1°.3ª.111.F
MORBI inter phrenitidem,& lethargum deſcriptio. 4°.de dignotione pulſuum. 4ª.102.D
ad MORBOS pituitoſos quando valeat venus. in 6^{m}.de mor.vul.com mentario 5°. 3ª.192.F
Morbis pituitoſis mel amicum eſt.2°.de na.fac. 1ª.300.H
MORBVS plethoricus vt ſit phlegmone,quid exigit.cō.Iul. Ex.69.D
in Morbos plethoricos facit incidere euacuatio ſanguinis retenta. in 1^{m}. prorrh.com.3°. 4ª.185.D
Morbis putridis,& carbunculis quę vrbes obnoxiæ ſint.in 1^{m}.de morb. vulgari.commentario.1°. 3ª.103.F
Morbi ſunt phlegmon,& putredo.3°.meth.me. 7ª.22.E
MORBVS regius ſeu arquatus,quid.fin.med. Iſ.47.D
Morbus regius eſt morbus acutus.intro. Iſa.55.E
Morbus regius eſt in oībus corporis partibus.3°.de loc.aff. 4ª.18.D
Morbus regius,& melancholiæ cancris,& phagædenis reſpondent. 2°. de diff.feb. 3ª.37.D
Morbus regius vnde.3°.de ſymp.cauſ. 3ª. A/D
Morbus regius an ſemper à iecore procedat.5°.de loc.aff. 4ª.34.A
Morbus regius,vel eryſipelata quando amaram bilem comitātur. 3°.de

ſymptomatum cauſis. 3ª.26.B
in Morbo regio laborantibus bilis redundat, attamen non febricitant. 2°.de diff.feb. 3ª.36.C
Morbus regius à liene niger.2ª.de nat.fac. 1ª.301.E
Morbus regius dicitur cum à bile mutatur color, cum vero ab atra bile, caret nomine.3°.de ſymp.cauſ. 3ª.30.D
in Morbo regio deiectiones albæ quo fiant.in 1m.pror.com.1°.4ª.165.A
Morbo regio fatuitas ſuperueniens malū.in 3m.de mor.vulg.c.1°.3ª.133.D/in 1m.prorrh.com.1°. 4ª.167.F
Morbum regium emendat nepita.de ſimp.me. Sp.87.H
MORBVS renum diuturnus eſt.fin.med. Iſa.45.F
MORBVS ſacer cur ſit dictus morbus comitialis.in 6m.de morb.vulg. commentario 6°. 3ª.197.D
Morbus ſacer cur puerilis dictusin 6m.de mor.vulg.com.1°. 3ª.193.A
Morbus ſacer eſt frequentior in pueris quam lapis veſicæ. in 6m.de mor. vul.commentario 5°. 3ª.193.B
Morbus ſacer qui merito appelletur.contra Iulianum. Ex.67.E
de Morbo ſacro liber eſt Hippocratis.in prog.com.1°. 4ª.190.D
MORBO ſalubri laborantis caſus.3°.de criſ. 4ª.140.G
MORBI ſicci,qui.de ptiſſ. 2ª.47.H
Morbi ſicci diuerſarum partium.de vic.ra. in mor.acu.com.1°.7ª.112.F
Morbus ſiccus eſt quadruplex.de ocul. 7ª 185.G
Morbus ſiccior quo noſcatur.de vict.ratio.in mor.acu. com.1°. 7ª.112.E
MORBVS primus in ſimilaribus eſt ex intemperie quatuor qualitatū. 2°.meth.med. 7ª.12.F
Morbi diuerſi ſunt in ſimilaribus,& in inſtrarijs.2°.meth.met. 7ª.12.G
Morbus quod non ſit vllus vtriſque particulis proprius quo modo probetur.de dif.mor. 3ª.3.B
Morbus communis ſimilarium,& inſtrumentalium partium eſt vlcus. 3°.metho.meden. 7ª.18.F
Morbi ſimplices primo ponēdi ſunt,deinde cōpoſiti.3°.meth.me.7ª.19.E
Morbi ſimplices,qui.de ocul. 7ª.185.F
Morbi ſimplices quomodo inueniuntur.de diff.mor. 3ª.2.D
in Morbo ſimplici ſimplex ē curatio,et è cōtrario.4°.met.me. 7ª.23.B
Morbus ſimplex indiget ſimplici curatione,in copulatis debemus maiori inſtare non prętermittentes minorem.com.1°.aph.16°. Ex.8.H
MORBI ſoporiferi in cerebro fiunt.3°.de lo.aff. 4ª.20.C
MORBI ſporades,qui.de vic.rat.in mor.acu.com.1°. 7ª.109.A
Morbi ſporadici ſunt frequētes.de vic.rat.in mor.acu.c.1°. 7ª.109.B
MORBI ſuperuentus quid.com.7°.aph.11°. Ex.54.G
MORBI tranſmutatio,quid ſit.com.7°.aph.11°. Ex.54.G
MORBVS tardus non eſt ſemp longi tpis.3°.de dieb.decre. 4ª.160.D
MORBI veris in autumno finiuntur.de nat.hu.com.1°. 1ª.33.D
MORBI vernaculi,qui.fin.med. Iſa.45.H
MORBI omnes poſſunt duci ad vlcera.de fract.com.1°. 7ª.246.E
MORBI in vnitate,qui.de ocul. 7ª.185.F
MORBI vniuerſales,qui.in 1m.de morb.vulgar.com.1°. 3ª.101.D
MORBI vteri proprij,quid agant.3°.de ſymp.cau. 3ª.29.H
MORBI vulgares,qui.fin.med.Iſa.45. H/in 1m.de morb.vulg.com.1°. 103.B/in 3m.com.3°. 3ª.142.B
Morbus epidemicus quando nullus.in 1m.de mor.vul.com.1°. 3ª.103.B
Morbi vulgares conſiderandi ſunt.in progn.com.3°. 4ª.212.A
de Morbis vulgaribus libro quæ ſunt prędiſcenda. in 3m.de mor.vulg. commentario.1°. 3ª.101.B
de Morbis vulgaribus liber ſequitur librum prognoſticorum. in 1m.de mor.vul.c.1°. 3ª.112.D/in progn.Hipp.com.1°. 4ª.190.G
Morbi vulgares vnde in 1m.de morbis vulg.com.1°. 3ª.103.C
Morborum epidemicorum cauſæ.de nat.hu.com.2°. 7ª.182.D
Morborū vulgariū cauſa eſt cœlū.in 1m.de mor.vul.com.1°. 3ª.101.D/F
ad Morbos vulgares pluuiæ multæ faciūt.i 1m.de mor.vul.c.1.3ª.101.G
Morbi epidemici ſignum.de na.hu.com.2°. 7ª.182.B
Morbi paſſim graſſantes quo modo à regionalibus differant.in 1m.de morbis vulgaribus,com.1°. 3ª.100.G
Morbi pro ratione vniuſcuiuſq; tempeſtatis fiunt ſimilitudinē habentes cum natura ſucci exuberantis.in 1m.de mor.vul.com.1°. 3ª.100.H
Morbo vno,& eodem cur non omnes capiuntur in vnaquaq; tempeſtate.in 1m.de mor.vul.com.1°. 3ª.101.A
MORBI proprie non generantur,ſed aīalia.de mor.temp. 3ª.85.D
Morborum generationes neceſſario ſciri debent.de conſt.ar. Iſa.40.G
de Morborum generatione Hippocrates primus recte dixit, Ariſtoteles poſt eum recte interpretatus eſt.2°.de decr.Hip. 1ª.298.A
Morborum cauſæ neceſſario ſciri debent.de conſt.ar. Iſa.40.G
Morbi cām inuenire magnā vim habet.2°.de ar.cur.ad Glau. 7ª.101.D
Morbi omnes vnde proueniant.intro.Iſa.55.C/8°.de decre.Hippocra.1ª. 274.F/G/de tot.mor.temp.3ª.89.E/1°.meth.me. 7ª.6.F
Morbus,& ſanitas quibus fiant.de decub.prog.ex mathe.ſciē. Sp.12.B
Morborum cauſæ precedentes,quę.de cau.mor. 3ª.7.B
Morbi aliqui fiunt abſente cauſa.9°.meth.me. 7ª.61.B
Morbum præcedens cauſa quę.de ſymp.cau. 3ª.10.G
Morborum cauſę,quæ ſint,non autem morbi.de diff.mor. 3ª.4.A
Morborum cauſæ,quæ 1°.meth.med. 7ª.7.D
Morbi cauſę,quæ proprie.de ſymp.dif.3ª.10.G/2°.meth.me. 7ª.10.C
Morborum cauſæ ſecundum Hipp.bre.denot.dogm.Hip. 1ª.231.D
Morbi cauſa eſt affectus.1°.meth.med. 7ª.7.E
Morbi cauſa poteſt dici corporis affectus, vel corpus tertio modo affectum.1°.meth.med. 7ª.6.F
Morbi in quibus videtur affectus.13°.meth.med. 7ª.85.G
cū Morbis quæ cauſæ ſimul inuadunt.1°.de arte cura.ad Gla. 7ª.96.H
Morbi cā triplex eſt.de ocul.7ª.185.F/in 1m.de mor.vul.c.1°. 3ª.100.G
Morborum cauſæ internę,quæ.de ocul. 7ª.185.G
Morbi ſecundum Dioclem fiunt à ſimili,& ſanantur à contrario.comm. 2°.aphor.34°. Ex.11.C
Morbos fieri à ſimilibus quo intelligatur.com.1°.apho.16°. Ex.8.H
Morbi fiunt aliqn ex ſola qualitate ſine materia.de cau.mor. 3ª.8.B
Morborum aliqui cū materia,aliqui ſine materia.9°.met.med. 7ª.61.B
Morbi ex inęquali intemperie,qui.de inæq.intemp. 3ª.44.G
Morbi per calidam,& ſiccam intemperiem,qui.de atra bile. 1ª.35.A
Morbus ex intemperie eſt febris.de tot.mor.temp. 3ª.88.D
Morbo propinquum eſt temperamentum ſymmetriam egreſſum. 8°.methodi medendi. 7ª.51.H
Morborū cāæ duplices externæ,et ex nobis ipſis.de na.h.c.2°. 7ª.182.G
Morborum cauſa continens ſm Iulianū eſt plenitudo.cont.Iul. Ex.68.E
Morborum continens cauſa ſecundum Theſſalum eſt plenitudo. contra Iulianum. Ex.68.E
in Morbis plenitudo quid facial.3°.de ſymp.can. 3ª.25.G/C
Morbos cōmittūt maximæ mutatiōes.de vict.ra.ī mor.ac.c.2°.7ª.113.G
Morbi fiunt mulieribus,& viri,ex exceſſu,& defectu.commentario 5°. aphoriſ.57°. Ex.42.H
Morbi accidunt ſi plura menſtrua fiant, & ſi non fiant ex vtero contingunt morbi.com.5°.aph.57°. Ex.42.H
Morbi fiūt ex defectu menſtruorū,& exceſſu.c.5°.aph.57°. Ex.42.H
ex Morbo aborſus.in 3m.de mor.vul.com.2°. 3ª.139.B
Morbi ex defectu quomodo fiant.com.5°.aph.55°. Ex.42.H
Morbi conſiſtūt in fluxu,& clauſu ſm Hippocrvtē.1°.met.med. 7ª.3.H
Morbus oīs aut adſtrictus eſt,aut fluens,aut miſtus.de ſect. Iſa.17.D
Morbi minime finnt habentibus vētrem humidū.c.6°.aph.33°. Ex.50.B
Morbus plerunq; permanet cauſa ablata.1°.de loc.aff. 4ª.3.H
Morbus adeſſe,& cauſa abeſſe poteſt.4°.meth.me. 7ª.24.A
Morbus quandoque habet cauſam præſentem,quandoq; non. comment. 2°.aphoriſ.22°. Ex.15.C
Morbi qui nec locū affectū,nec cām repræſentant.2°.meth.me. 7ª.9.E
Morbi diuerſi fiunt ex victu.in 1m.de morbis vul.com.1° 3ª.101.D
Morbi quando fiunt ex victu.de nat.hu.com.2°. 7ª.182.C
Morbi à cibo,& à potu,quales.in 1m.de mor.vulga.com.1°. 7ª.101.D
Morbis ſunt magis obnoxij cibi craſſi,& glutinoſi.1°.de dif.fe.3ª.32.A
Morbos grauiſſimos incidunt homines inaniti comedentes carnes difficulter coctiles.1°.de alim.fac. 2ª.10.A
Morbi effectiuus,vel quod rectius diceretur auctificus eſt cibus, & nō morbus.com.7°.aph.62°. Ex.59.H
Morbus à quo cibo fiat ratione quanti.com.2°.aph.17°. Ex.13.B
Morbo in ſanis faciunt cibi deprauati,in ęgris augent. 2°.de differentijs febrium. 3ª.42.G
Morbi fiunt à cruditate.intro. Iſa.55.C
Morborum cauſa incoctio.de conſt.ar. Iſa.40.C
Morbus ortus ab aqua.in 1m.de mor.vulgarib.commentar. 1°. 3ª.101.D
Morbos alios,ac præcipue febrem faciunt exercitia conſueta dimiſſa.1°. de diff.feb. 3ª.31.C
Morbi fiunt diuerſi ſm diuerſitatē naturarum.c.3°.aph.19°. Ex.24.A
Morbi omnes quem modum ſeruant.in 1m.de mor.vul.com.3°. 3ª.120.B
Morborum cauſæ quatuor humores.8°.de decr.Hipp. 1ª.275.H
Morborum,& ſanitatis auctores ſunt quatuor humores.in 3m.de morb. vulga.commen.1°. 3ª.129.C
Morbi notant humorem peccantem.com.4°.aph.2°. Ex.27.E
Morbus fit ab humore ſuperfluo, & non tantum à debilitate membri. com.6°.

com.6°.apho.28°. Ex.49.A
Morbi ab atra bile.de atra bile. 1ª.36.E
Morbi fiunt ſi humores abundent corrupti.de nat.hu.com.2°. 7ª.182.G
Morbi ab humorum craſſitie ſunt podagrici,arthritides,& melancholici.quos purg.op.quib.me.& quo temp. 5ª.88.D
Morborum mater bilis.de dyn. Sp.19.D/G
Morborum præcipua cauſa ſanguinis multitudo ſecũdum Eraſiſtratum. de venæ ſect.aduerſ.Eraſ. 6ª.9.H
Morbi cãm eſſe ſanguinẽ cognoſcimus à grauitate.de op.ſect. Iſa.22.F
Morbi humorum cur augentur.de cau.mor. 3ª.8.E
Morbi per defluxum ſubſtantiæ in locum.de dif.morb. 3ª.3.D
Morbi ex defluxionibus ad partes imbecillas . in 1^{m}.de morbis vulgari. commentario.1°. 3ª.108.H
Morbi in quibus neceſſe eſt decũbere.in 1^{m}.de mor.vul.c.1°. 3ª.105.A
Morbos aliquos eſſe hæreditarios à patribus,& auis collige . comment. 6°.aphoriſmo 28°. Ex.49.B
Morbi oẽs poſſunt fieri quocunq; tempore.com.3°.aph.19°. Ex.24.A
Morbi non omnes omni tpe fiunt.in 1^{m}.de mor.vulg.com.1°. 3ª.103.C
Morbos non faciunt nõia tempora anni,ſed tẽperamenta.in 3^{m}.de morb. vul.com.3°.147.C/cõ.1°.aph.16°.8.H/com. 3°.aph.4°. Ex.20.C
Morbos,et febres facit aeris ambiẽtis tẽpantia.2°.de criſ. 4ª.134.C/D
Morborum non eſt ſola cauſa temperatura aeris,ſed & victus. com.3°. aphoriſmo 19°. Ex.23.H
Morbi à temperamento aeris fiunt ob naturam,& victum vniuſcuiuſq; in 3^{m}.de morbis vulgaribus,com.3°. 3ª.141.F
Morbi cum fit ab aere ſignum.de nat.hu.com.2°. 7ª.182.C
Morbi ex ſucceſſione temporũ fiunt,& ſoluuntur.c.3°.aph.1°. Ex.19.G
Morbi fiunt à ſimilibus temporibus,& diſſoluuntur à diſſimilibus. commentario 3°.apho.3°. Ex.20.B
Morbis quæ maxime patent.6°.de ſan.tuen. 2ª.95.D
Morbis ſunt magis obnoxia corpora ex contrarij temperamenti partibus conſtructa.3°.de ali.fac. 2ª.28.F
Morbis qui raro corripiuntur.de bon.& vit.ſuc. 2ª.39.B
MORBORVM genera,& ſpecies vt ſciantur,quæ cognoſcenda. ſi quis opt.med. Iſa.6.E
Morbi ſpecies,magnitudo,motus & mos vnde cognoſcantur . 3°.de criſibus. 4ª.140.B
Morbi forma primo die cognoſcenda.2°.de criſ. 4ª.133.E
Morbi q̃uo cognoſcantur,& quibus.in 1^{m}.de mor.vul.com.3°. 3ª.117.E
Morbus vnde cognoſcatur.4°.de præſag.ex pulſ. 4ª.121.E
Morbi habent propriam figurã,qua cognoſcuntur.2°.de criſ. 4ª.137.E
Morborum dignotio vnde exordienda à medico.de ijs , quæ in me.fiunt, commentario.1°. 7ª.199.C
ad Morborum omnium notitiam qua methodo perueniatur , exemplo phrenitidis oſtendit.in 1^{m}.prorrh.com.1°. 4ª.163.A
Morbi in libris Galeni q̃uo inueniant̃.1°.de comp.med.per gen.5ª.210.D
Morbos diſcernens medicæ rei pars in quibus exercenda. de ijs , quæ in med.fi.com.1°. 7ª.198.H
Morborũ coniecturalẽ dignotionẽ pleriq; habẽt.5°.de ſan.tuen. 2ª.93.E
Morbus qui facit dolorem capitis difficulter cognoſcitur.2°.de compoſi. medi.ſec.loc. 5ª.132.A
ad Morborum dignotionem nihil facit ſcire , qui , & quot muſculi moueant linguam.17°.de vſu par. 1ª.221.E
ad Morbi cognitionem multum faciunt cauſæ procatarcticę. 2°.de compo.med.ſecun.loc. 5ª.132.A
Morborum ſigna quæ,& quot.com.1°.aph.12°. Ex.5.D
Morbos futuros qui poterit prædicere.de aere aq.& loc. 2ª.2.D
Morbus eſt qua parte corporis ſudor eſt.com.4°.apho.38°.Ex.32.C/præſag.exper.conf. Sp.77.G
Morbus eſt vbi frigiditas ĩſignis,aut caliditas.c.4°.aph.39°. Ex.32.D/præſag.exper.conf. Sp.77.G
Morbos ſignificant vrinę potiſſimum.de vrinæ ſign.ex Hipp. Sp.79.A
Morbus ex vrina quomodo cognoſcatur incoctus,& coctus. in 1^{m}.prorrhe.commentario 3°. 4ª.188.B
Morbos manifeſtant ſymptomata pulſuum.de conſt.ar. Iſa.40.H
Morborum ſymptomata neceſſario ſciri debent.de conſt.ar. Iſa.40.G
Morbi ſymptoma eſt functionis vitium.1°.meth.med. 7ª.8.B
in Morborum doctrina debent ſymptomata tradere, qui nolunt ſanitatem eſſe affectum corporis,vnde actio proficiſcatur , ſed ipſas actiones.de ſymp.diff. 3ª.11.C
à Morbis quomodo ſymptomata dependent.de conſt.ar. Iſa.40.C
Morbi ſunt omnium ſymptomatum cauſæ.de ſymp.dif. 3ª.13.A
Morbi quorum ſymptomatum ſunt cauſæ.de ſymp.diff. 3ª.13.A
cũ Morbi ſit̃ incipiũt propria morbi ſymptomata.4°.de criſ. 4ª.126.H
ad Morbi,& paſſionis magnitudinem ſymptomata ſunt magna.de ſymptomatum cauſis. 3ª.15.B
Morbi,& ſymptomata expultricis,& re tentricis ſimiliter miſcentur . 3°.de ſympt.cauſis. 3ª.25.E
Morbi à ſymptomatibus nominati.2°.meth.me. 7ª.9.D
Morbus ex ſymptomatibus cognoſcitur.de conſt.ar. Iſa.40.C
Morbi qui faciunt ſymptomata in vocibus.de ſymp.diff. 3ª.13.D
de Morbo aliquo habetur coniectura ex voce. in 6^{m}.de morb.vulgari. commentario 2°. 3ª.168.G
Morborum ſigna ex plenitudine.intro. Iſa.55.C
Morbus quo modo cognoſcitur deterior.1°.de criſ. 4ª.128.H
Morborum ſigna ex indigentia.intro. Iſa.55.C
Morbus eſt cauſa accidentium.de ocul. 7ª.185.H
Morborum accidentia tria.de ocul. 7ª.185.H
Morbi in quibus nullum adeſt affecti loci ſignum.3°.de lo.aff. 4ª.16.B
in Morbis bonum vel malum ſignificantes dictiones,quibus vtitur Hippocrates.in 1^{m}.progno.com.3°. 4ª.211.E
Morbi ratione conſideranda ſunt accidentia.c.6°.aph.16°. Ex.47.G
in Morbo omni vẽter mollis,& corporatus ſit.in prog.c.2°. 4ª.199.F
Morbus is eſt difficulter ſolubilis,cuius cauſa fixa,& firmata eſt.com. 4°.apho.30°. Ex.30.F
in Morbo quid ſignificet ſolutio.1°.de die.decr. 4ª.148.H
Morborum ſubitæ ſolutiones excretionem euidentem requirunt,vel abſceſſum.1°.de die.decr. 4ª.147.B
Morbi craſſarum materiarum finiũt p abſceſſum.in prog.c.2°. 4ª.201.C
Morbi materiarũ tenuiũ finiunt p excretionem.in prog.c.2°. 4ª.201.C
Morbus illuc vergit,vbi labor eſt.com.4°.aph.32°. Ex.30.H
Morbus firmatur vbi dolor ante morbum aliquam partem moleſtauerit.com 4°.aph.33°. Ex.31.A
in Morbis ſi quis ſponte illachrymet nihil abſurdum, ſi vero non ſponte abſurdum.com.4°.aph.52°. Ex.33.D
Morbi ſunt peſſimi vbi craſſi,& crudi ſunt humores.in 1^{m}.de mor.vulg. commenta.3°. 3ª.122.E
Morborũ mutationes particulares vñ pueniãt.3°.de die.decre. 4ª.185.C
Morbi motus vnde cognoſcatur.3°.de criſ. 4ª.140.C
in Morbis motus celeritas vnde oriatur.3°.de criſ. 4ª.140.E
in Morbis permutari crebro eſt malum.in 1^{m}.prorrhe.c.1°. 4ª.164.H
Morbus non timendus quoniã indifferens habetur nec bonum.ſ.nec malum.7°.de decr.Hipp. 1ª.268.E
Morbi ſolutio ſimpliciter,quid.3°.de criſ. 4ª.141.F
Morbi ſolutionis primus modus.3°.de criſ. 4ª.141.F
Morbi ſolutionis ſecundus modus.3°.de criſ. 4ª.141.F
Morbi,qui ſoluuntur ſine criſi.3°.de criſ. 4ª.141.F
Morbos iudicat natura.ad Thraſ. 2ª.105.G
Morborum,quorum ſint criſes.2°.de criſ. 4ª.138.A
Morbus paulatim finitur,& criſis plerũq; nõ adeſt.1°.de criſ. 4ª.133.D
Morbus an per criſim debeat terminari,q̃uo cognoſcatur.3°.de criſ. 4ª.140.C/1°.de arte cur.ad Glau. 7ª.100.C
Morbi iudicantur diebus,menſibus,& annis.2°.de dieb.dec. 4ª.155.B
Morborũ iudicationes q̃n,q̃uo,q̃bus diebus fiant.c.4°.aph.71°. Ex.35.D
Morborum iudicatorij dies.com.4°.aph.36°. Ex.31.H
Morbi quibus diebus maxime iudicantur.de aere,aq.& lo. 2ª.4.D
Morbus finire non poteſt vigeſimo die , ſi ſeptimo adhuc cruditas adſit. 1°.de dieb.decre. 4ª.151.C
Morbi,qui non citius quadrageſimo die finiunt.1°.de dieb.dec. 4ª.151.D
Morbus poſt quadrageſimũ diem q̃uo ſoluatur.1°.de dieb.decr. 4ª.151.D
Morborum dies boni,& mali,qui.com.6°.aph.36°. Ex.31.H
Morbi,qui citius iudicantur,& qui tardius.com.6°.aph.36°.Ex.32.A
ĩ Morbis q̃uo decernant̃ primus,et ſcd̃s dies.1°.de dieb.decr.4ª.148.H
Morbi breuiores temporis tertia die iudicantur,mediocris, ſcilicet quinta.com.6°.aph.36°. Ex.32.A
Morbum qui debet in ſeptimo finiri ſi medicus ignorat,eſt ignarus.1°.de criſibus. 4ª.131.F
Morbi non ſoluuntur in duodecimo,in ſextodecimo nono,in octauo,& in decimo.1°.de dieb.decre. 4ª.147.C
Morbi q̃uo ſoluant̃ poſt quadrageſimũ diem.1°.de dieb.decre. 4ª.149.D
Morbi aliqui finiũt in ſeptem menſibus , aliqui in ſeptem annis,aliqui in quatuordecim annis,aliqui in viginti annis.1°.de dieb.dec.4ª.149.D
Morbi in quibus fiunt ſudores calidi,ſunt meliores frigidis.commentario 4°.aphor.42°. Ex.32.E

Morbus ſi velociter moueatur et videatur mutatio coloris, eſt indicium ſufficiens iudicationis.com.4°.aph.71°. Ex.35.D
qui Morbi per abſceſſum finiant.in progn.com.3°. 4ª.209.F
Morbi qui iudicantur per abſceſſus.com.4°.aph.31°. Ex.30.G
Morbũ verti ab interioribus ad exteriora bonũ.c.7°.ap.49°. Ex.58.A
ĩ Morbis debẽt offm̃ ſuũ facere vẽtriculꝰ, et iecur.11°.met.me. 7ª.72.E
ſi Morbus per totum animalis corpus extẽderetur, à toto etiam æqualis fieret euacuatio.commen.4°.aph.38°. Ex.32.C
in Morbis cur natura expellat.in 1^{m}.de mor.vul.com.3°. 3ª.120.D
à Morbo conualeſcentes ſi quid laborauerit, hic fiunt abſceſſus.com.4°. aphoriſmo 32°. Ex.30.H
ex Morbo ſæpius alter contrahitur morbus.de dif.mor. 3ª.4.D
ĩ Morbũ leuiorẽ ĩ verſa materia ẽ ſalutaris.ĩ 3^{m}.de mor.v.c.3°. 3ª.118.B
Morborum prognoſtica ex lumine, & lunæ curſu. de decub.progno.ex math.ſcientia. Sp.12.D
Morbo virtutem ſuperante quid ſequatur.2°.de ſymp.cau. 3ª.19.H
Morbum virtute ſuperante quid ſequatur.2°.de ſymp.cauſ. 3ª.19.H
Morbũ ſupari à natura quibus ſignis cognoſcatur.de conſt.ar. Iſa.42.B
Morbus, & virtus q̃n æquæ pugnãt, qd ſequat̃.2°.de ſymp.cau. 3ª.19.H
ex Morbo debilitas virium balbutiẽ cauſat.com.6°.ap.32°. Ex.49.H
Morbi opera ſunt palpitatio, & cõuulſio, naturæ vero ſternutatio, tuſſis, oſcitatio, ſingultus.2°.de ſymp.cau. 3ª.19.F
Morbi, & facultatis ſimul opera ſunt torpentium motus, & tremor.2°. de ſymp.cauſ. 3ª.19.F
Morbi mutant ſemen.de aere aq.& lo. 2ª.6.F
Morbus, & natura conſiderantur à medico.de conſt.ar. Iſa.42.A
MORBORVM *curator qui merito dicendus.3°.meth.me.* 7ª.16.D
Morbis qui medetur medicus eſt appellandus.2°.de ſan.tuen. 2ª.73.H
Morbos adimere medici proprium eſt.2°.meth.me. 7ª.10.D
Morbos quomodo curent medici.in 6^{m}.de mor.vul.com.5°. 3ª.188.A
ĩ Morbis oĩbꝰ cõtrouerſi medici, q.de vict.ra.ĩ mor.acu.cõ.1°. 7ª.109.F
Morbus, & medicus q̃uo hñt ĩter ſe.in 1^{m}.de morb.vul.com.2°. 3ª.112.G
ad Morbũ q̃uo ſe habet æger.in 1^{m}.de mor.vulgaribus, com.2°. 3ª.112.G
Morbum quomodo æger adiuuat.in 1^{m}.de mor.vulga.com.2°. 3ª.112.G
Morbus debet conuenire naturæ.in 1^{m}.prorrh.com.2°. 4ª.171.H
Morborum medicatrices naturæ.ad Thraſy. 2ª.105.G
Morborum medicatrix natura quomodo intelligendum. in 6^{m}.de morb. vul.commen.5°. 3ª.187.H
Morbos q̃uo primo ſanet natura.in 6^{m}.de mor.vul.c.5°. 3ª.188.A
in Morbo quid faciat natura.in 6^{m}.de mor.vul.c.5°. 3ª.188.B
Morbum auferre cupimus ꝑ actionis læſionẽ.2°.meth.me. 7ª.10.D
Morbo applicantur remedia.non læſæ actioni.2°.meth.me. 7ª.10.E
Morbum qui non poterit inuenire.2°.meth.me. 7ª.10.E
vbi Morbum efficiens cauſa non adeſt, hic ſola curatio factorum relinquitur.com.2°.aph.22°. Ex.15.C
Morbi an plures, aut vnus q̃uo conſiderandũ.de tot.morb.tẽp. 3ª.89.H
Morbi quælibet ſpecies habet ſuam methodum.4°.methodi med. 7ª.23.C
Morbi quot ſunt, tot ſunt curationes.2°.meth.me. 7ª.12.E
Morbi nõ dicunt̃ ſanari, qui aliũ morbũ faciunt.c.6°.aph.26°. Ex.48.G
Morbi ſunt præoccupandi præſidijs.de cur.rat.per ſang.miſſ. 6ª.18.C
Morbi ne incidãt difficile eſt mediocritatẽ ſeruare.6°.de ſa.tu. 2ª.96.G
Morbi quo modo præcauendi.intro. Iſa.55.C
Morbi ex plenitudine quo modo præcauendi.intro. Iſa.55.C
Morbi ex indigentia quo modo præcauendi.intro. Iſa.55.C
Morborum impetus duobus remedijs euitatur.de dyn. Sp.20.A
Morbis plurimis q̃uo occurrerit Galenus.com.6°.aph.47°. Ex.52.B
Morbis multiplicatis multiplicant̃ intentiones curatiuæ.ars me. Iſ.70.B
in Morbo duplici duplex intentio, ars med. Iſa.70.B
Morbi duo eſſe poſſunt, in venis vnus, in thorace alter.in 3^{m}.de mor.vulga.commentario.1°. 3ª.127.H
Morbi duo contrarij ſi inuadunt, fortior aggrediendus.1°.de arte curati. ad Glauconem. 7ª.98.E
Morbos curandi via vnde habeatur.5°.de ſimp.med.fac. 5ª.36.H
Morbum profligandi ſcopus qui.1°.de ſan.tuen. 2ª.64.C
Morbi eſſentia conſideranda eſt, & per contraria ſimpliciter, vel compoſite curandum.2°.de loc.aff. 4ª.13.G
Morbi ſanantur contrarijs.com.2°.aph.34°. Ex.17.C
Morbus quiſq; habet ſuam contrarietatem.11°.meth.me. 7ª.68.C
Morbus oſtẽdit ĩdicatiões mẽſuræ cõtrarietatis.11°.metho.me. 7ª.67.H
Morborũ ſublatio per contraria perficitur.de inæq.intemp. 3ª.44.C
Morbis cõtraria eſſe debent loca.in 6^{m}.de morbis vul.com.5°. 3ª.192.E
Morborũ oĩum remedia vnde inuenienda.4°.meth.me. 7ª.26.B
Morbos recte ſanare, vñ habeat̃.de vic.ra. in mor.ac.com.1°. 7ª.109.B
Morborum curationes q̃uo inueniebat Galenus.3°.de loc.affe. 4ª.15.B
in Morborũ remedijs inueſtigãdis diu cogitauit Galenus an logica demõſtratione indigeret, an illis q̃ ab experientia habẽt.3°.de l.a. 4ª.15.A
quos Morbos ſciant curare experimentatores.3°.de loc.af. 4ª.15.B
Morbi curati remedijs ſine experientia inuentis.3°.de loc.aff. 4ª.15.B
Morbus primo cognoſcendus ẽ anteq̃ facias curationẽ.1°.de al.fa.2ª.9.D/de vic.rat.in mor.acu.c.1°. 7ª.108.D
Morborum numerus præſciendus ante curationem.1°.meth.me. 7ª.5.G
Morbi quantitas conſideranda eſt.1°.de arte cur.ad Glau. 7ª.96.H
Morbi quantitas nõ poteſt ſcribi.1°.de arte cur.ad Glau. 7ª.97.A
Morbi profundi.i.loci affecti debent ſciri.8°.de ſimp.me.fac. 5ª.187.G
Morbi cognitio primum eſt ad medendum.2°.meth.me. 7ª.13.F
Morbus niſi ſit cognitus non fit curatio.de art.com.1°. 7ª.257.F
à Morborum ſpeciebus indicatio remediorum.ſi quis opt.med. Iſa.6.F
à Morborũ dr̃ia non ſumitur ĩdicatio remediorũ.1°.meth.med. 7ª.3.H
Morbi cognitio eſt materia remediorum.1°.de alim.fac.2ª.9.D/1°.de cõpo.me.ſec.loc.5ª.121.B/9°.meth.me.59.G/12° 7ª.74.G
Morbus ĩdicat de auxilijs ſuæ affectiõis.de vi.ra.ĩ mor.ac.c.1°. 7ª.115.C
à Morbo ſumit̃ principium medicationis.4°.meth.me.23.H/ 7ª.24.D
Morbi occaſio, & occaſionis generatio conſideranda. de venæ ſect.aduerſus Eraſiſtratæos. 6ª.6.F
à Morbi occaſione curationis principium.de na.hu.c.2°. 7ª.182.C
à Morbo, non à tp̃e ſumẽda eſt curãdi indicatio.4°.met.med. 7ª.24.H
in Morbis omnibus communis intentio qualis.1°.de dif.feb.3ª.32.F/11°. methodi meden. 7ª.67.H
ex Morbo accipitur intentio cõmunis.2°.de arte cur.ad Gla. 7ª.103.D
à Morbi indicationis primus inuẽtor Hippocrates.4°.me.me. 7ª.28.D
Morbus docet ſui ablationem.11°.met.me. 7ª.68.E
à Morbis indicatio eſt ſolum principium agendi.3°.meth.me. 7ª.16.D
à Morbi affectu indicatio.11°.meth.me. 7ª.69.A/B
Morbus vbi maximus eſt, à maioribus remedijs inchoandum.5°.methodi medendi. 7ª.36.A
in Morbis omnibus indicatio à viribus ſumenda.8°.meth.me. 7ª.55.E
in Morbis q̃uo ſpiritus ſubſtãtia cuſtodienda.12°.meth.med. 7ª.77.B
non ſolũ Morborũ iam factorum, ſed etiam eorum, quæ morbos creant ſanatio dicitur.de na.hu.com.2°. 7ª.181.F
Morbum curandum, & locum affectum, & diſpoſitionem, ſymptomata docent.1°.de loc.aff. 4ª.7.G
Morbi curari nõ pñt ſi qs naturã corporũ ignorabit.1°.meth.med. 7ª.3.F
ad Morbos nihil facit ſcire q̃ ſit aĩæ eſſentia.de ſubſt.fac.nat. 1ª.230.F
à Morbo graui conualeſcens indiget refectione, non amplius medela.ad Thraſy. 2ª.102.D
à Morbo liber antequam ſit refectus, à quibus male afficiatur.ad Thraſybulum. 2ª.102.D
ĩ Morborũ diuerſorũ principijs victus rõ ẽ inueniẽda.1°.de criſ. 4ª.131.F
in Morbi cuiuſque, principio ſubtrahendum eſt ſecundum methodicos. de optima ſecta. Iſa.28.G
Morbi ſunt qui victu curantur.in de ſect. Iſa.17.E
in Morbis cibi nõ ſine iudicio ſumẽdi. in 1^{m}.de morb.vul.c.3°. 3ª.126.D
Morbus eſt laboranti, vt ſano robur, ſi quis cibum febricitanti dederit. com.7°.aph.62°. Ex.59.G
ſi ex Morbo cibum aſſumens quis non corroboratur ſignificat corpus pluri vti alimento.com.7°.aph.62°. Ex.59.H
Morbo inuadente pueri ſtatim nutriendi.intro. Iſa.55.F
Morbo vigente q̃nq; nutrimus, & quando non.com.1°.aph.9°. Ex.4.H
Morbo conſiſtente tenuiſſimo victu vtendum eſt.com.1°.aph.1°. Ex.2.F
in Morbis quandoq; edendum, & plene.de art.com.1°. 7ª.275.B
in Morborum principijs non appetentes melius euadunt, q̃ appetentes. com.2°.aph.32°. Ex.11.A
Morborum faſtidia orecticis rebus curantur.de dyna. Sp.19.A
Morbos multi ſola lætitia euaſere.de par.pil. exer. 2ª.48.G
à Morbis alijs quartana liberat.in 1^{m}.de mor.vulg.c.3°. 3ª.118.H
Morbi qui alios curant.in 6^{m}.de morb.vulg.commentario 6°. 3ª.197.E
Morbum curatum fuiſſe quidam dicit, licet homo obierit. 1°.de arte curati.ad Glauco. 7ª.103.C
ĩ Morbis oĩbus totiꝰ corporis curatio primo moliẽda.3°.de lo.af. 7ª.15.D
Morbi vis indicat de ſanguinis miſſione, & de purgatione.4°.methodi medendi. 7ª.28.C
Morbus, qui ſit futurus grauis expetit venæ ſectionem. de curan.ra.per ſanguinis miſſionem. 6ª.18.B
Morbus ſi ſit infra clauiculã, quæ vena ſecãda.3°.de anat.adm. 1ª.77.D

Morbus ſi ſit ſupra clauiculam, quo ordine ſecandæ venæ. 3°.*de anatomicis adminiſtrationibus.* 1ª.77.D
his, qui à Morbis reſumuntur, & difficulter in naturalem habitudinē redeunt, conducit ſcarificatio.de cucur.ſcar. 6ª.4.B
dum Morbi fiunt cucurbitulis non vtemur.de cucur.& ſcar. 6ª.3.B
*Morbi ab alimento cōgruenti qualitate, & copia, in tempore exhibito, ab humido fomento, à cataplaſmatis, à clyſteribus, à venæ ſectione, & id genus alijs propulſantur.in 6m.de morbis vul.com.*5°. 3ª.187.H
*à Morbi magnitudine, & vi accipitur euacuationis indicatio.*4°.*methodi medendi.* 7ª.28.E
Morbo præualente humores educendi.de dyn. Sp.20.E
*Morbus ceſſat euacuatis humoribus malis.com.*2°.*apho.*25°. Ex.16.A
Morbī conditio docet humorem euacuandum.quos purga.op.quib.med. & quo temp. 5ª.88.F
*in Morbi principio, qui humores euacuandi.com.*1°.*aph.*22°. Ex.10.B
in Morbi principio humores tenues, & aquoſi euacuādi ſunt nulla facta coctione.quos purg.op.quib.me.& quo temp. 5ª.88.F
in Morbi principio nihil excernitur naturæ ratione, ſed ex accidēti diſpoſitionum corporis.com 4°.*aph.*22°. Ex.29.G
Morbi ab atra bile ſtatim à principio ſtrenue purgandi ſunt. de atrà bile. 1ª.37.D
Morbi in quibus conueniat euacuatio vſque ad animi defectionem. com. 1°.*aphoriſmo* 23°. Ex.10.D
Morbum induratum vbi commouemus vtimur catharticis fortibus. de dynamidijs. Sp.20.G
*Morbo facientes humores ſi non ſint ſatis expurgati quid fieri debeat. com.*4°.*aph.*32°. Ex.30.H
*Morbi ſpecies notat bonas excretiones.com.*4°.*aph.*47°. Ex.32.H
*Morbi qui ex aloe iuuantur.*8°.*de ſimp.medic.ſec.loc.* 5ª.188.E/F
*Morbi ex humorum in fluxu ſemper debent repelli refrigerando, & adſtringendo.*1°.*de compo.med.ſecun.loc.* 5ª.121.F
*in Morborum omnium fine ex ſuccis bilioſis, calefacientibus & exiccātibus eſt vtendum.*14°.*meth.me.* 7ª.89.C
*ad Morbos internos corporis valet Ambroſia Philippi Macedonis.*2°. *de antidotis.* 5ª.115.A
*ad Morbos omnes corporis internoſque valet antidotus, quàm compoſuit Andromachus.*2°.*de anti.* 5ª.110.C
*ad Morbos internos corporis valet Mithridatica antidotus.*2°.*de antidotis.* 5ª.110.C
*ad Morbos internos, & malos corporis valet Antidotus Mithridatis Eupatoris diaſcinci nominata.*2°.*de anti.* 5ª.115.C
ad Morbos internos corporis valet antidotus Mithridatis. 2°.*de antidotis.* 5ª.115.D
*ad Morbos internos corporis Antidotus multum efficax.*2°.*de antidotis.* 5ª.115.G
*ad Morbos omnes valens Antidotus.*2°.*de anti.* 5ª.115.E
*ad Morbos oēs optime facit Aromatica Galli.*2°.*de anti.* 5ª.116.A
*à Morbo ſe ægre recolligētiū remediū.*8°.*de comp.me.ſec.loc.* 5ª.195.G
Morbus, lege Ægritudo.
MORDACITAS *his tribus ſaporibus communis eſt acido, amaro, & acri, acido vt frigido, & ſubtili, amaro, & acri, vt calidis.*4°.*de ſimplic.med.facul.* 5ª.29.D
*Mordacitas à tactu etiam ſentitur.*4°.*de comp.me.fac.* 5ª.28.D
*Mordacitas à tactu ꝓprie, nō à guſtu ſentiť.*4°.*de ſimp.me.fac.* 5ª.29.D
*Mordacitas choleræ facit dolorē capitis.com.*6°.*aph.*10°. Ex.47.D
*Mordacitas facit tormina.com.*5°.*aph.*41°. Ex.41.D
*Mordacitas humorū facit lęuitatē inteſtinorum.c.*6°.*aph.*1°. Ex.45.H
*Mordacitatis exꝑtia pharmaca, et lenia q̄.*5°.*de comp.me.ſe.l.* 5ª.149.E
MORDAX *proprie quid ſit.com.*5°.*aph.*20°. Ex.29.B
*Mordax & tenue non eſt calidum.*1°.*de ſimp.me.fac.* 5ª.6.D
Mordax minus eſt, quod eſt tenuius inter illa, quæ ſunt eiuſdem generis. 9°.*de ſimp.me.fac.* 5ª.69.H
*Mordax acritudo fieri non poteſt vt in longum extēdatur, ſi omnia opportuna fiant circa ægrum.com.*7°.*aph.*22°. Ex.55.E
*Mordax & acre calidum quorum ſit.*6°.*de ſan.tuen.* 2ª.96.A
*Mordax calor q̄bus natura eſt, ijs balneū vtile.*5°.*de ſan.tuen.* 2ª.94.C
Mordacium differentiæ.de mult. 3ª.79.E
Mordacium humorum differentiæ.de mult. 3ª.79.E
*Mordax eſt atra bilis, vt acetum.com.*4°.*aph.*23°. Ex.29.H
Mordax humor, & amarus eſt pallida, & flaua bilis. 2°.*de compoſi.medica.ſec.loc.* 5ª.135.D
Mordaces humores vnde oriantur.de mult. 3ª.79.E
*Mordaces humores ab alimētis ægrorū auferūť.c.*2°.*aph.*18°. Ex.13.H
Mordax efficitur propter cacochimam, quod ſua natura nō eſt mordax. 2°.*de ſimp.me.fac.* 5ª.12.H
*Mordaces humores exiccant.com.*5°.*aph.*1°. Ex.37.E
*Mordacia non adſtringunt.*1°.*de ſimp.me.fac.* 5ª.7.H
*Mordaces ſucci inducunt vigilias.*4°.*de ſan.tuen.* 2ª.84.E
Mordaces, & calidos humores ſequuntur vigiliæ, & deliria. in 3m.*de mor.vul.com.*1°. 3ª.131.A
*Mordax hūor à capite depēdēs facit ſternutamētū.c.*7°.*ap.*51°. Ex.58.C
*Mordacia appoſita naribus faciūt ſternutamēta.c.*7°.*apho.*51°. Ex.58.C
*Mordax humor non facit eādem doloris ſpeciem, quàm facit humor plurimus.*2°.*de lo.aff.* 4ª.9.D
*Mordaces dolores quid ſignificent.*2°.*de comp.med.ſec.loc.* 5ª.137.C
*à Mordaci acredine dolor nō ſanať à calidis.*3°.*de com.me.fa.* 5ª.141.C
*Mordacia, & acria tuſſim mouent non è contrario vt, quæ tuſſim mouēt acria ſint.*2°.*de ſimplic.medica.facul.* 5ª.13.B
*Mordacia oleoſa, et pinguia qūo tuſſim excitāt.*2°.*de ſim.me.fac.* 5ª.13.F
*Mordax humor facit dyſenteriam, & vlcerat inteſtina & ea remota adhuc remanet affectus.*1°.*de loc.aff.* 4ª.4.C
Mordaces ſucci quando ſunt in inteſtinis, quæ adhibenda. in 6m.*de mor. vulg.com.*6°. 3ª.196.C
*Mordaces ſucci ſunt educendi.*4°.*de ſan.tuen.* 2ª.84.E
*Mordaces ſucci cauendū eſt ne intro reuocentur.*4°.*de ſan.tu.* 2ª.85.H
*Mordax, & acris ſuperfluitas, vnde.*1°.*de dif.feb.* 3ª.31.F
*Mordax excrementum dupliciter incitatur.*4°.*de ſan.tuen.* 2ª.82.H
Mordaces deiectiones quo modo curet clyſter acer.in 6m.*de morb.vulg. commentario.*2°. 3ª.161.H
*Mordacia excremēta vlceroſam pariūt laſſitudinē.*4°.*de ſa.tu.* 2ª.82.H
*Mordacia vni mēbro n̄ ſūt alteri mordacia.*6°.*de cō.med.ſe.lo.* 5ª.170.E
*Mordacia, & acerba medicamenta ſunt relinquēda eaque ſunt quærenda quæ adſtringunt ſine mordicatione.*4°.*de ſimp.med.fac.* 5ª.25.H
ad MORDENDVM *parata animalia qualia.*16°.*de vſu par.* 1ª.215.H
Mordentia animalia habent os maximum, & refertum dentibus. 11°.*de vſu partium.* 1ª.187.F
Mordens ſeu pungens moleſtum dicimus.de mult. 3ª.79.E
Mordentes vires habet thlapſi.de ſimp.med. Sp.91.G
*Mordentibus irritatur atra bilis.*14°.*meth.me.* 7ª.89.H
*ex Mordente humore dolor quomodo curetur.*12°.*meth.me.* 7ª.79.C
*Mordentes cibi augent phlegmonas.*13°.*meth.me.* 7ª.83.E
MORDENTVR *ſcriptores omnes à moroſis lectoribus, qui paucis volunt ſcire omnia.*2°.*de criſibus.* 4ª.136.C
Mordeāt ſi modice hūores pruriginoſi, ſūt veluti ſcylla.de mul. 3ª.79.E
Mordeāt ſi vehemēti⁹ humores mordaces, ſūt vti cæpa. de mul. 3ª.79.E
Mordentur inteſtina ſalſis, & acribus humoribus. commentar. 6°.*aphoriſmo* 33°. Ex.50.B
*Mordentia cito à natura expelluntur, & qūo.*2°.*de ſymp.cau.* 3ª.22.G
Mordent & contriſtantur calida vehementer. in 6m.*de morb.vulgari. commentario* 2°. 3ª.165.G
*Mordet vehementer chalcitis.*6°.*de compo.med.ſecun.loc.* 5ª.176.H
Mordet viſcide guſtum piper longum.de ſimp.med. Sp.88.F
Mordet acriter lapis thyites.de ſimp.medica. Sp.86.H
MORDICANTIA *in alto obtundit adeps anſerinus.* 11°.*de ſimp.medicamen.fac.* 5ª.79.A
*Mordicās qd ſit, & quo indicio cognoſcatur.*2°.*de ſimp.me.fac.* 5ª.12.H
*Mordicātia ī excremētis à quatuor fiūt cauſis.*3°.*de ſym.cau.* 3ª.27.D
Mordicantia faciunt ῥῖγη, *id eſt concuſſiones, & horrores.* 10°.*methodi medendi.* 7ª.65.G
*Mordicantia quo modo cicatricem inducant per accidens.*5°.*de ſimplici. medic.facul.* 5ª.36.D
*Mordicātia ſimul & adſtringētia medicamēta.*4°.*de ſim.m.f.* 5ª.26.A
*Mordicantia ad quæ valent.*9°.*de ſimp.me.fac.* 5ª.68.D
*Mordicantibus indigent vlcera putrida.*2°.*de arte cur.* 7ª.102.D
MORDICATIO *à calido, & frigido quo modo differat.*4°.*de ſimplic. medicamen.facul.* 5ª.24.D
*Mordicatio ab acribus eſt.*2°.*de ſymp.cau.* 3ª.23.B
ex Mordicatione horror.de mult. 3ª.79.E
ī Mordicationib⁹ oris ſtomachi fit ſectio venæ furculę.de ana.vi. Sp.55.B
*Mordicatio vna excitat ad excretionem.*3°.*de ſimp.med.fa.* 5ª.23.H
*Mordicationes cur debeāt ſentiri ab inteſtinis.*5°.*de vſu par.* 1ª.145.E
*Mordicatio vnde ꝓueniat in purgationibus.*3°.*de ſimp.med.fac.* 5ª.23.H
*Mordicationibus acres mitigantia, & collinentia, quæ ſint.*10°.*de ſimp. medicamen.facul.* 5ª.73.E

Mordicationibus recti inteſtini, & coli valet adeps caprinus . 11°.de ſim plic.medicam.fac. 5ª.78.H
Mordicationem quo modo curauerint cacochimia aliqua non mitigando illam, ſed educendo.2°.de ſimp.med.fac. 5ª.12.F
Mordicationem protinus mitigant dulcia.2°.de ſimp.me.fac. 5ª.12.G
Mordicationem quæ tollunt dulcia.2°.de ſimp.me.fac. 5ª.12.G
Mordicationes quãdoque ſanat melicratũ.2°.de ſimp.me.fac. 5ª.12.B
Mordicationis cauſa oleũ datur bibendum.2°.de ſimp.med.fac. 5ª.12.A
Mordicationes omnes lenit oleum.2°.de ſimp.me.fac. 5ª.12.E
Mordicationes quandoq; ſanant ſalſugo, & ſerum lactis . 2°.de ſimplic. med.facultatib. 5ª.12.C
quæ Mordicant, *& excitant ad deponendum cibum, & leniendum ven trem.de diſſ.cont.* Sp.75.B
Mordicat & adſtringit æris ſquamma.3°.de ſimp.medic.fac. 5ª.20.B
MORELLAE *fit mentio.de dyn.* Sp.29.E
MORGELINAE *fit mentio.de dyn.* Sp.25.E
Morgelinę ſuccus.de dyn. Sp.31.D
MORIA *eſt motio deficiẽs actionis rõcinatricis.de ſymp.dif.* 3ª.11.G
ad MORIENDVM *omnes non ſunt procliues, etiam ſi infinitis malis conflictentur.2°.de motu muſc.* 1ª.315.E
Morientibus extinguitur caliditas.de palp. 3ª.54.E
in Morientibus *oculi conſyderandi.in 6^{m}.de morb.vul.c.4°.* 3ª.187.A
Morientium pulſus in angina qualis.4°.de dign.pulſ. 4ª.103.A
Morientis vitalis facultatis ſigna. in 3^{m}.de morb.vul.com.1°. 3ª.132.G
Morientibus qũo ſe habeat maxilla inferior.2°.de motu muſc. 1ª.314.E
MORI *qui exoptent.2°.de ſymp.cau.* 3ª.24.D
q̃ Mori *ilico, melius eſt in ſenis habitu pmanere.10°.meth.me.* 7ª.66.F
Mori non poteſt animal niſi cor afficiatur.5°.de loc.aff. 4ª.28.H
Morerẽtur quo modo homines vt ſcirent antiqui, viſcera ſcrutati ſunt . de nat.& ord.cuiuſ.corp. Sp.42.G
Moritur qui bibit aquam in Leontinis, & in Ereo Arcadiæ . de bonitate aquæ. Sp.76.A
Moritur qui bibit aquã quandã in Thracia.de bo.aq. Sp.76.A
Moriuntur pauciores, quàm ſanentur , pręterquam in peſtilenti morbo. com.2°.aph.23°. Ex.15.D
Moriuntur ęgri medico tamen culpa vacante.in progn.c.1°. 4ª.189.E
Moritur pulſus cum animali, & generatur cum eo.comp.pulſ. Sp.65.C
Moriatur qui quarto die, & qui ſanetur.1°.de die.decr. 4ª.150.H
Morietur æger tertio, quinto, ſexto die, ſi acceſſio ſecunda, & quarta ſit vehemens.præſag.exper.conf. Sp.77.D
Moriatur qñ homo quinta die ex errore.1°.de dieb.dec. 4ª.150.E
Moriatur quando homo in ſexto.1°.de dieb.dec. 4ª.150.E
Moriebantur qui ſexto die.in 1^{m}.de mor.vulga.com.2°. 3ª.115.A
Moriuntur quidam in ſeptimo.1°.de dieb.decr. 4ª.146.E
qũo Moriantur *ægri in principio.3°.de criſ.* 4ª.142.G
Moriantur quo modo in augmento ægri.3°.de criſ. 4ª.142.G
Moriuntur rari in augmento particulari.3°.de criſ. 4ª.142.G
Mori an ſuper viuere debeat æger cognoſci non poteſt ſtatu ignorato.3°. de criſibus. 4ª.141.C
Moriant̃ cur aliqui in declinatione particulari.3°.de criſ. 4ª.142.E/F
Moritur ęger in declinatione vniuerſali ex errore.3°.de criſ. 4ª.142.E
qui Moriantur, *cum videntur melius ſe habere.3°.de criſ.* 4ª.142.G
Mori quo modo cõtingat in ſyncope vitio ſtomachi, in dolore vehementi, in graui timore, & maxima voluptate.5°.de lo.af. 4ª.29.B
cur Moritur *homo in balneo clauſus.de cauſ.procatar.* 3ª.96.B
Moritur conuulſus ſi ebrius quiſpiã repente obmutuerit, niſi febre corri piatur, aut vbi ad horam peruenerit, qua ſoluuntur crapulæ, vocem recuperet.commen.5°.aph.5°. Ex.37.G
Moriuntur quando ægri, ne medicamentis generoſis vtaris.12°.methodi medendi. 7ª.75.H
Moriuntur multi ex cataplaſmatibus, quæ non deberent apponi.11°.me- thodi medendi. 7ª.72.C
Mori quo modo contingat ex iocinoris affectu.5°.de loc.aff. 4ª.29.B
Moriuntur omnes ſuppurati ſi ſecẽtur, aut vrantur , & totũ pus exeat. com.6°.aph.27°. Ex.48.G
Moriuntur omnes habentes aquam intercutem, ſi aut vrantur, aut ſecen tur, & tota aqua exeat.com.6°.aph.27°. Ex.48.G
Moriuntur fere omnes ex grumis in veſica.6°.de lo.aff. 4ª.39.A
Moriantur qui inter dormiendum.2°.de præſag.ex pulſ. 4ª.111.A
Moriant̃ qui ſine ſudore, & qui cum ſudore.com.5°.aph.71°. Ex.45.F
Moriuntur calidi, conuulſi.1°.de præſag.ex pulſ. 4ª.107.H
Moriuntur frigidi ſyncopa correpti.1°.de præſag.ex pulſ. 4ª.107.H
qui Moriantur *ſitim non habentes lingua arida.in 3^{m}.de mor.vulg.com mentario.1°.* 3ª.132.H
ĩ mox Morituris *ſumma præſagiationis eſt ex duabus facultatibus ani mali, & vitali collapſis.in progn.com.2°.* 4ª.198.F
in Morituris *morbi tempora.tot.morb.temp.* 3ª.89.E
Morituri ad declinationẽ non perueniunt.3°.de criſ. 4ª.141.G
Moriturus quando ſit homo in criſ.1°.de dieb.decr. 4ª.150.F
Morituri quo modo ſe habeant.in progn.com.3°. 4ª.207.G
Morituri ex pręcordijs quibus cognoſcantur.de dyn. Sp.26.C
MOROCHTHVS *lapis quid.de ſimp.med.* Sp.86.H
Morochthus lapis efficaciter ſtringit.de ſimp.me. Sp.86.H
Μώρωσις *quid.in 1^{m}.prorrh.com 2°.* 4ª.177.E
Moroſis eſt motio deficiẽs actionis ratiocinatricis.de ſymp.diff. 3ª.11.G
MOROSVM *quid ſignificet.in 3^{m}.de mor.vulg.c.3°.* 3ª.150.G
Moroſæ mulieris caſus.in 3^{m}.de mor.vul.c.3°. 3ª.150.F
MOROXVS *lapis in Aegypto.9°.de ſimp.med.fac.* 5ª.68.E
ad MORPHEAM *albam, & nigram, & ſerpiginem.de dyn.* Sp.25.F
ad Morpheam *albam, vel nigram trociſci.de dyn.* Sp.25.F
ad Morpheam *nigram vnguentum de oleo frumenti probatum eſt . de dynamidijs.* Sp.30.D
ad Morpheam *vnguentum.de dyn.* Sp.25.F
ad Morpheam*.ſecret.* Sp.102.D
ex MORSV, *& punctu animalis dolor quo modo curetur. 13°.metho di medendi.* 7ª.82.C
Morſibus Aranei & viperæ medet̃ trifoliũ.de ther.ad Piſo. 5ª.90.H
ad Morſus *Aſpidis valet Antidotus Antipari.2°.de anti.* 5ª.115.H
ad Morſus *Aſpidum theriaca Euclidis Palatiani.2°.de anti.* 5ª.116.B
Morſibus Beſtiarum auxiliatur betonica vlceri illita. 7°. de ſimplicium medicamentorum facultatib. 5ª.51.A
Morſi à Cane rabido ſunt neutri.de part.art.med. Sp.17.E
Morſus canum rabidorum eſt venenum.11°.de ſimp.med.fac. 5ª.82.A
Morſus canis rabidi qũo inficiat.in 3^{m}.de mor.vul.c.3°. 3ª.149.D
Morſi à cane rabido in quanto tempore moriantur.in 1^{m}.prorrhet.com- mentario 2°. 4ª.171.E
Morſus canis rabidi ſilis ẽ morſui canis nõ rabidi.de the.ad Piſ. 5ª.96.E
Morſi à cane rabido quo modo curandi.11°.de ſimp.medic.fa. 5ª.81.H
Morſus canis rabidi curatio.de theria.ad Piſo. 5ª.96.F
Morſi à cane rabido, qñ non pñt curari.in 1^{m}.prorrh.com.2°. 4ª.171.E
Morſus canis rabidi habet duo remedia.com.2°.ap.22°. Ex.15.C
in Morſo *à cane rabido vulnus ampliandũ eſt.de ther.ad Piſo.* 5ª.96.F
ex Morſu *rabioſi vlcus cicatricem ducere non ſinens, medicamentum. 3°.de comp.medi.per gene.* 5ª.233.G
Morſis à cane rabiente mirabilis eſt cancri cinis.11°.de ſimplicium medi camentorum facultatibus. 5ª.81.H
Morſis à cane rabido cur cancer prodeſt.11°.de ſimp.me.fac. 5ª.82.A
contra Morſum *canis rabidi agunt cancri vſti à proprietate ſubſtantię. 11°.de ſimp.me.fac.* 5ª.82.A
ad Morſum *canis rabidi Albũ heræ medicamentũ.2°.de anti.* 5ª.117.B
Morſos à cane rabido mirifice iuuat alyſſon.6°.de ſimp.me.fac. 5ª.42.C
contra Morſum *canis rabidi Baſilica.2°.de anti.* 5ª.117.C
Morſus canis rabidi ſanatur à centaurea.de virt.cent. Sp.92.H
Morſus canis rabidi dentes ſuſpenſi.de incant.adiur.& ſuſp. 7ª.182.B
ad Morſum *canis rabidi electarium.de me.exper.* Sp.107.A
ad Morſum *canis rabidi emplaſtrum.2°.de anti.* 5ª.117.B
pro Morſis *à cane rabido medicamentum à Galeno probatũ.1°.de com- po.medicamen.per gene.* 5ª.216.A
Morſi à cane rabido medicamentum quo nullus, eſt mortuus.11°.de ſim- pli.med.facul. 5ª.82.A
ad Morſum *canis rabidi valet Theriaca.de theri.ad Piſ.* 5ª.91.H
in Morſis *à cane rabido quanto temporis theriaca vti debemus. de the riaca ad Piſonem.* 5ª.95.G
ad Morſum *canis rabidi medicina.ſecret.* Sp.97.A
ad Morſum *canis rabioſi aquam ex paueſcentes. 1°.de compoſi.medica mentorum per gen.* 5ª.215.F
ad Morſum *canis rabioſi.5°.de comp.me.per gen.5ª.248.D/de me.fac. par.7ª.178.G/ſecre.* Sp.102.B
ad Morſus *canum & hominum.2°.de comp.medic.per gene. 227.E/G/ 5°.247.F/* 5ª.248.H
ad Morſus *canum.3°.de compoſi.med.per gen.233.G/235.B/5°.247.A/ 5ª.249.H/de me.fac.par.* 7ª.178.G
Morſum Draconis trigla ſanat.11°.de ſimp.me.fac. 5ª.82.G
Morſus ferarum inter vitæ mala difficilior.de ther.ad Piſ. 5ª.93.H

Morſus no-

Morſus noxiarum ferarum ſunt ineuitabiles.de ther.ad Piſ. 5ª.91.C
è Morſu ferarum ſanguis in bilem vertitur.5°.de lo.aff. 4ª.34.A
Morſos à feris adiuuans Antidotus.2°.de antidotis. 5ª.111.H
Morſus à venenoſis feris nullus periјt, qui theriacam ſtatim biberit. de theriaca ad Piſo. 5ª.90.A
ad Morſum cuiuſuis feræ equorum lichenas adhiberi conſulunt. 11°.de ſimplic.med.facul. 5ª.80.F
ad Morſus quoslibet ferarum.6°.de comp.me.per ge. 5ª.258.G
ad Morſus ferarum.5°.de comp.me.per gen. 5ª.248.C
Morſum Hæmorrhi multa accidentia comitãtur.de opt.ſecta.Iſa.22.G
Morſus hominum quo modo ſit prauus quando que. 1°. de compo.medicamen.per gen. 5ª.214.E
ad Morſus hominũ,canum,& ferarum.6°.de cõp.me.per ge.5ª.256.D
ad Morſus hominũ.1°.de comp.med.per ge.215.F/3°.235.B/5°. 5ª.246.E
ad Morſum Muris aranei.5°.de comp.me.per gen. 5ª.246.H
ad Morſus Phalangiorum Antidotus Andreæ.2°.de antidot. 5ª.117.G
ad Morſus phalangiorum Antidotus Charitonis Circulatoris.2°.de antidotis. 5ª.117.G
ad Morſus phalangiorum antidotus alia.2°.de anti. 5ª.117.G/H
ad Morſum phalangiorum.5°.de cõp.med.per gene. 5ª.246.H
ad Morſus Quadrupedum cunctorum,& ſerpentium. 6°.de compoſit.medi.per genera. 5ª.260.C
ad Morſus quadrupedum.5°.de comp.me.per gen.248.H/6°.5ª.259.G
ad Morſus rabioſos album medicamentum. 1°.de compoſi.medicamentorum per genera. 5ª.216.C
ad Morſos à rabioſis.1°.de comp.med.per gen.214.F/215.F/ 5ª.217.A
ad Morſus Reptilium antidotus Heraclidis.2°.de anti. 5ª.117.H
ad Morſus reptilium valet antidotus Zopyria.2°.de anti. 5ª.115.A
ad Morſum Rutelæ valet decoctio centaureæ, & rutæ. de medicinis expertis. Sp.106.F
ad Morſum Scorpionis aſſa fœtida.de med.exper. Sp.106.D
Morſibus ſcorpionum prodeſt myrta ſi imponatur, aut potui detur. de ſimplicib.medic. Sp.87.E
Morſus ſcorpionum curant quatuor drachmæ laureolæ cũ aceto.de medicinis expertis. Sp.106.E
ad Morſum ſcorpionis electarium.de med.exper. Sp.106.G
ad Morſum ſcorpionis.5°.de comp.medi.per gen.5ª.247.E/de med.exper.104.B/106.B/C/ Sp.108.D
Morſum ſcorpionis, q̃ ſuſpẽſa valeant.de incãt.adiur.& ſuſp. 7ª.182.C
Morſi à ſcorpione, caſus.3°.de lo.aff. 4ª.19.F
Morſum Serpentium curat Dictamus.de dyna. Sp.35.F
ad Morſus venenoſorum ſerpentũ facit trifoliũ.de ſimp.med. Sp.91.G
Morſibus ſerpentum vtile eſt marrubiaſtrum.de ſimp.med. Sp.87.G
Morſui ſerpentum prodeſt ſmyrnium.de ſimp.med. Sp.91.B
Morſus ſerpentum ſanans medicina.2°.de anti. 5ª.118.G
ad Morſus ſerpentum.de med.fac.par. 7ª.174.C/D
contra Morſum Tyri acetum forte calidum.de me.exper. Sp.106.D
Morſæ à Venenoſis partes languidæ ſunt.3°.de lo.aff. 4ª.19.G
Morſus venenatorum quo modo curandus.intro. Iſa.60. H/ de virtute centaureę. Sp.92.H
Morſibus venenoſis reſiſtit agaricum.de ſimp.med. Sp.80.E
ad Morſus oĩum venenatorũ valet antidotus Zopyria.2°.de an.5ª.115.B
ad Morſus omnium venenatorum valet antidotus Athanaſia mithridatis.2°.de antidotis. 5ª.114.H
ad Morſus venenatorum omnium valet antidotus Mithridatis. 2°. de antidotis. 5ª.115.D
ad Morſus venenatorum.2°.de anti.115.H/5°.de ſimp.me.fac. 5ª.250.F
Morſibus viperarum raphanus prodeſt.dc ſimp.med. Sp.89.F
Morſos à vipera ſcorpius ſanat.11°.de ſimp.me.fac. 5ª.82.G
Morſus viperæ trifolium remediat.de ſimp.med. Sp.91.G
Morſos viperæ ſanat theriaca.5°.de lo.aff. 4ª.34.B
Morſi in digito caſus.1°.de comp.med.per ge. 5ª.214.E
à Morſu ſuo hominẽ ſanare quõ vipera poteſt.de ther.ad Piſ. 5ª.93.G
Morſu viperæ liberans.de med.fac.par. 7ª.179.C
Morſi à vipera caſus.5°.de loc.aff. 4ª.34.A
MORSVS oculorum quibus curandi.13°.meth.me. 7ª.86.A
Morſus oris ventriculi aut cordis quõ fiat.c.4°.apho.65°. Ex.34.E
Morſus ventriculi fit ſiquis ſanus, præſertim bilioſus, abſtineat à cibis, & cur.com.6°.aph.50°. Ex.52.G
Morſum nõ neceſſe eſt ſequi ſi quis male cõcoxit.3°.de ſym.cau. 3ª.30.B
Morſus patitur os ventriculi ratione ſocietatis.1°.de ſymp.cau. 3ª.17.H
Morſus in ventriculo choleram notat.com.4°.aph.2°. Ex.27.E
Morſus cordis ſignificat purgationem debere fieri per ſuperiora.commẽtario. 4°.aphoriſmo 17°. Ex.29.A
Morſum ſtomachi ſanat ſpica nardi.8°.de ſimp.me.fac. 5ª.56.G
Morſum ſtomachi nauſeam,& vomitum bilioſum faciunt capitis fracturæ.3°.dc loc.aff. 4ª.18.C
Morſus vehemens facit tormina.com.4°.aph.11°. Ex.28.D
Morſum ilij ſequitur dolor.com.6°.aph.40°. Ex.50.H
Morſus qui aſſiduas facit excretiones, vnde, & quot de cauſis fiat.3°.de ſymptomatum cauſis. 3ª.27.D
Morſus ex morbo quo modo fiat.in 3^{m}.de mor.vul.com.2°. 3ª.139.B
Morſibus quæ ſuccurrant.2°.de ſimp.me.fac. 5ª.12.C
Morſibus ſuccurrit ceratum ex roſaceo,& adipe. 2°.de ſimplic.medicamentorum facul. 5ª.12.C
ad Morſus clyſter ex oleo, ſabina, & Anſeris pinguedine. 8°.methodi medcndi. 7ª.53.F
in Morſus.7°.de comp.medicam.per gen. 5ª.267.C
Morſus ex humorum acredine vterum irritans abortus eſt cauſa.3°. de naturalibus facultatibus. 7ª.305.H
ſine Morſu vt ſiccent metalla, ſint elota.6°.meth.me. 7ª.38.C
Morſum tollit medicamentis lotio.6°.meth.me. 7ª.38.C
Morſu expers medicamentum vlcus purum ſeruat, 2°.de comp.medicamento.per gene. 5ª.277.B
MORTALE eſſe omne corpus nouum, & temporaliter creatum Stoici dicebant.de ſperma. Sp.38.A
Mortales morbi non fiunt hyeme.com.2°.aph.25°. Ex.16.A
Mortalia ſigna habentur.comm.4°.aphor.21°.29.D/aphor. 22°. 29. G/ aphor.23°.29.H/aphor.24°.29.H/aphor.26°.30.C/aphor. 34°.31.B/ aphoriſ.35°.31.E/aphor.37°.32.B/aphor.42°.32.E/ aphor. 46°.32.G/ apho.48°.33.A/ aphor.50°.33.C/aphor.57°.33.G/ aphoriſ.67°.34.F/ aphor.70°.35.B/com.5°.aphori. 1°.37.C/aph.2°.37.E/apho.6°.37.H/ aphoriſ.12°.38.D/aphoriſ.14°.38.F/aphor.15°.38.F/ aphor.16°.38.G/ aphor.21°.39.C/aph.30°.40.C/apho.43°.41.E/cõ.6°.aph.19°. 48.B/ aphor.33°.50.A/aphoriſ.43°.51.B/aphoriſ.44°.51.C/apho.46°.51.G/ aphor.50°.52.F/apho.52°.53.A/com 7°.aph.1°.54.A/ aph. 4°.54.C/ aphoriſ.23°.55.E/aphoriſ.25°.55.G/aphoriſ.31°.56.C/ apho. 45°.57.F/ aphor.46°.57.G/aphori.48°.57.H/aphoriſ.51°.58.C/aphor.57°.59.B/ aphor.60°.59.F/aph.73°.60.H/aph.75°.76°.60.H/aph.69°.60.F/ aphoriſmo 70°. Ex.60.G
Mortalis declinationis pulſus.3°.de criſ. 4ª.142.F/G
MORTARIA qualia eſſe debent.1°.de antid. 5ª.107.E
Mortarium æreum.5°.de comp.medica.per ge. 5ª.252.E
Mortarium ligneum ac piſtillus. 10°. de comp.me.ſec.loc. 5ª.206.C
Mortarium cum piſtillo plumbeo reddunt res frigidiores.9°.de ſimplic.medic.facul. 5ª.70.E
Mortario plumbeo vtitur.1°.de comp.med.ſec.loc.127.H/9°. 5ª.205.E
Mortario plumbeo, & piſtillo vtitur.1°.de comp.me.ſec.loc. 5ª.130.C
Mortarium quo modo pelle cingendum,& cur.1°.de antid. 5ª.110.B
MORTIFERVM ſignum eſt calidum exire vaporem per cutem, cum prius anhelitus fuerit frigidus.in 6^{m}.de mor.vulg.com.4°. 3ª.187.C
Mortiferis puncturis omnibus valẽs electariũ.de me.exper. Sp.107.A
Mortiferas medicinas medicamen.de me.exper. Sp.106.B
MORTIFICATIONI membrorum valens medicamen. de medicinis expertis. Sp.104.E
MORTIS nomine quid appellatur.com.6°.aph.40°. Ex.50.H
Mors quid ſit.1°.de diff.feb. 3ª.34.E
Mors quid proprie ſit.3°.de criſ. 4ª.141.C
Mortẽ ẽt cõtinet iudiciũ cõiter acceptũ.ĩ 3^{m}.de mor.vul.c.2°. 3ª.138.A
Mors naturalis, quę.1°.de diff.feb. 3ª.34.E
Mors quo modo fiat ſecundum Platonem.quod animi mor. 1ª.317.H
Mors,& ſomnus quo modo fiant.de hiſt.phil. Sp.11.G
Mortis frater quo modo eſt ſomnus.3°.de dign.pul. 4ª.98.A
Mors eſt ſubſtantiæ ſemper mobilis quies.de palp. 3ª.54.G
Mors caloris naturalis extinctio.2°.de temp. 1ª.16.D
in Morte calor naturalis extinguitur.de marc. 3ª.45.H
Mors deducit ad frigidum,& ſiccum.1°.de temp. 1ª.11.C
Mors non eſſet, ſi non alteraremur.de morb.temp. 3ª.85.C
Mors non accideret homini, ſi nihil deflueret, vacuareturq;. 16°.de vſu partium. 1ª.220.F
Mors, ſanitas,& morbus vt differunt, ita naturalis motus, immobilitas & prauus motus.1°.de præſag.ex pulſ. 4ª.110.G
Morte perturbari non debemus.de cog.cur.animi mor. 2ª.54.E
Mors non timenda eo quod indifferens habetur, nec bonum, videlicet nec

malum.7°.de decr.Hipp. 1ª.268.E

Mortis meditatio vocata ab Aſclepiade medicandi ratio antiqua. de venę ſect.aduerſ.Eraſ. 6ª.6.G

Mortis genus in Athletis,quod.ad Thraſ. 2ª.107.G

Mors Milonis.in oratio exor. Iſa.5.C

Mors quæ ſemper ſequatur.5°.de lo.aff. 4ª.28.H

Mors cur ob cerebrum læſum ſuperueniat.de vtil.reſp. 1ª.226.D

Mortem inducit ſpiritus corruptus in cerebro.in 6^{m}.de mor.vulg.commentario.5°. 3ª.189.H

Mors cur ſequatur ob ſpiritus læſos.de vtil.reſp. 1ª.226.D

Mors quando neceſſario ſequitur ad rigorem.2°.de ſymp.cau. 3ª.23.G

Mors quo modo ad calorē immodicū ſequat̄.com.5°.aph.16°. Ex.38.H

Mortem inferre non poſſunt muſculi præcordiorum inflammati. in prognoſt.com.1°. 4ª.196.B

Mortem inducit vehemens febris.com.4°.aph.35°. Ex.31.F

Mors ſequitur cum functio aliqua ad vitā neceſſaria perit. 4°.de præſagitione ex pulſibus. 4ª.121.G

Mortes ſequuntur ex crudis ad malos abſceſſus conuerſis. commentario 4°.aph.22°. Ex.29.G

Mortem facit cordis vitium.3°.de decr.Hip. 1ª.245.E

Mors ſemper ſequitur vulnerato corde.de ſubf.emp. Iſa.32.D

Mortes in annis inconſtantibus fiunt.com.3°.apho.8°. Ex.20.G

Mortes fiunt autumno.com.3°.aph.9°. Ex.20.G

Mortis tempus quando.4°.de præſag.ex pulſ. 4ª.121.G

Mors in principio,in ſtatu,& in augmento.3°.de criſ. 4ª.141.G

Mors in augmento circa initia,& in ſtatu.3°.de criſ. 4ª.141.E

Mortem ſignificat ⊙. in 3^{m}.de mor.vul.c.1°.130.H/2°. 3ª.136.E

Mortis ſignum in cephalæa.de dyn. Sp.23.C

Mortis dies,& hora noſcenda eſt.præſag.exper.conf. Sp.77.C

de Morte vires iudicant quando adſunt vehementia ſymptomata. in 1^{m} de mor.vul.c.3°. 3ª.122.E

Mors quo modo cognoſcatur futura.4°.de præſag.ex pulſ. 4ª.121.G

Mors ſine criſi quomodo pręcognoſcatur futura.3°.de criſ. 4ª.143.B

Mortis ſine criſi tres modi,& quales.3°.de criſ. 4ª.142.G

Mortem ęgricitam prænuntiant ſigna exitialia.c.1°.aph.12°. Ex.6.D

Mortis ſigna duo.com.2°.aph.43°. Ex.18.C

Mortem in cauſo ſignificat vrina pinguis.de dyn. Sp.34.B

Mortem ſubitaneam oſtendit vrina ſanguinea cum dolore capitis, & hypochondrij dextræ partis.de dyn. Sp.34.B

Mortis genus quoddā repentinum,quale.2°.de præſa.ex pul. 4ª.111.A

Mortem oſtendit vrina viridis critico die immutata.de dyn. Sp.34.B

Mortem ſignificat vrina ſi ex bono colore in malum die critico conuerſa fuerit.de dyn. Sp.34.C

Mortem ſignificat,aut longam ægritudinem in ſynocha vrina cholerico colore nebulā albā habens,& furfures ſupernatātes.de dy. Sp.34.C

Mortem,phrenitim,aut ſpaſmum in ſynocha ſignificat vrina tenuis cum nebulis non bonis.de dyn. Sp.34.C

Mortem mulieribus ſignificat vrina tenuis,maxime ſi dolor capitis, & ſcapularum,& inſomnia fuerit.de dynam. Sp.34.E

Mortem non ſignificant vrinæ tenues,& decolores,ſed deſiderant tempus ad coctionem.in 1^{m}.de mor.vulg.c.3°. 3ª.118.C

Mortem cito ventura nunciat vrina cū ſudore, ſi in febrium ſynocharū augmento fuerit,& abundantia vrinę fuerit.de dyn. Sp.34.D

Mortem futuram dicit,aut longinquā ęgritudinem vrina crocea turbulenta cum nebulis non bonis egeſta.de dyna. Sp.34.B

Mortem,laborem,dolorem,& grauedinem ſignificat vrina crocea, & ſpiſſa.de dynamidus. Sp.34.E

Mortē ſignificat in ſynocha vrina ſubalbida,& ſpumoſa,aut ruffa, & ſi ex cholerico humore ipſa ægritudo nata fuerit.de dyn. Sp.34.D

Mortē futurā in quibus affectibus p̄dicat vrina rubra.de dyn. Sp.35.D

Mortem cito futuram ſignificat in ſynocha vrina rubra,et ſpiſſa ſi fuerit in augmento febriū,& abundantia eius fuerit.de dyn. Sp.34.D

Mortem ſignificat in ſynocha vrina nigra, & ſpiſſa non boni coloris ſi multus veſicæ dolor fuerit.de dyna. Sp.34.E

Mortem oſtendit in ſynocha vrina nigra,& tenuis, & æſtuoſa ſi æſtuatio fuerit cū faſtidio,et ſi turbatū ſenſum patiens habuerit, & nō recte intelligat,& loquatur,aut malefactio nō defuerit.de dy. Sp.34.E

Mortem nunciat in ſynocha vrina nigra,& lucida cum ſudore,& dolore hypochondriorum.de dyna. Sp.34.E

Mortem ſignificat in ſynocha vrina ſpiſſa,& cholerica,ſi fuerit in augmento febris.de dyna. Sp.34.E

Mortem ſignificat aut ſpaſmum vrina non bonum colorem habens, & ſi non fuerit digeſta,vel conſtitutionem vrinæ animalis ſimilem habuerit,& miſta in calice cito reſederit,& amens patiens fuerit, et inſomniam ſenſerit.de dyna. Sp.34.E

Mortem in quibus affectibus prædicat vrina alba aut ſubliuida.de dynamidijs. Sp.35.D

Mortem proximam ſignificat vrina alba,ſi ſe ſubito in malum colorem mutauerit.de dynam. Sp.34.G

Mors proxima,loquendi modus Hippocratis.in prog.com 2°. 4ª.203.F

Mortem proximam fore qn̄ prædicendum.quæſita in Hipp. Sp.113.C

Mortē demōſtrat in pleuriticis vrina alba,& ſubliuida.de dy. Sp.34.H

Mortem oſtendit in pleuriticis vrina pinguis,& rufa.de dyn. Sp.34.H

Mortem nunciat aut indigeſtionem in pleuriticis vrina tenuis habens veluti limum liuidum.de dyn. Sp.34.H

Mors quo modo ſequatur ad pulſum intermittentem. 1°.de præſagitione ex pulſibus. 4ª.110.H

Mortē ſignificāt ſudores frigidi cū acuta febre.præſ.exp.conf. Sp.77.F

Mortē ſignificat vomitus liuidus graueolens.in prog.com.2°. 4ª.201.H

Mortis ſignum apertum.in 3^{m}.de morbis vulg.com.2°. 3ª.137.G

Mors quando erit ineuitabilis.de decub.progno.ex math.ſcientia.12.F/ quæſi.in Hipp. Sp.113.E

Mortem ſignificant vngues,ac digiti liuidi.in progn.com.2°. 4ª.198.F

ad Mortem vnum inditium malum ſatis eſt.in prog.com.2°. 4ª.203.H

Mortis periculum nullum eſt elapſo ſtatu.3°.de criſibus. 4ª.141.E

Mortem in ſtatu fieri,colligi poteſt.com.4°.aph.34°. Ex.31.C

Mortem tardant iuuentus,& valida materia. in 3^{m}.de morb.vulg.commentario.1°. 3ª.132.H

Mors vt euitet̄ potius lædēdus eſt habitus anodynis.12°.met.m. 7ª.75.B

in ad Mortem iudicatis experimentum de theriaca faciunt prætores. de theriaca ad Piſonem. 5ª.90.A

Mors qūo ex viperarum morſu citius adſit.de ther.ad Piſ. 5ª.93.B

Mortem generoſam obire maluit Cleopatra quàm in ſeruitute viuere. de theria.ad Piſo. 5ª.93.B

MORTIFICATIONEM quandam ventriculo aduenisse in longis difficultatibus inteſtinorum compatiendi ratione quo caſu ſignificetur. com.6°.aph.3°. Ex.46.F

MORTVO homine inquit Ariſtoteles humores in terram redire. de ſpermate. Sp.40.E

Mortuo homine humores ſeparantur,& ad propriam naturam redeunt ſecundum aliquos.de ſperm. Sp.40.E

Mortua Corpora in Tabem vertit luna.2°.de dieb.decr. 4ª.157.A

Mortuis nihil prodeſt laus multitudinis,viuentibus prodeſt.7°.methodi medendi. 7ª.43.B

Mortuus homo quo modo ſit anodynon.5°.de ſimp.medic.fa. 5ª.37.A

Mortui ſunt aliqui ob refrigerationem capitis pro capillis denigrandis. 1°.de comp.medic.ſec.loc. 5ª.126.G

Mortui ex frigore aliqui.de cauſ.procatar. 3ª.96.C

Mortui pedes à frigore.2°.de loc.aff. 4ª.8.E

Mortuus pedis digitus ſecunda die.2°.de diff.reſp. 3ª.68.B

Mortui aliqui ex timore.2°.de ſymp.cau. 3ª.23.E

Mortui tabidi ex triſtitia.6°.de compoſi.med.per gen. 5ª.254.H

Mortuus qui dolore animi.2°.de comp.medic.per gene. 5ª.218.B

Mortui ferè ſunt omnes,qui in toto primo epidemiorum libro numerati ſunt.2°.de dieb.decr. 4ª.152.H

de Mortuis etiam dicitur criſis.2°.de dieb.dec. 4ª.153.B

Mortui multi ſubito ſunt ſine criſi,ſanati vero nulli.3°.de criſ. 4ª.142.E

Mortuū corpus cur non poteſt in latus ſtare.2°.de motu muſ. 1ª.314.E

Mortuum fœtum expellit dictamum.de ſimp.me. Sp.83.D

Mortui anatomia dēt pręcedere viui anatomiā.9°.de ana.adm. 1ª.103.b

Mortui animalis partes perfundantur aqua calida,ita facile videbūtur. 8°.de vſu partium. 1ª.168.B

in Mortui anatomia quid videatur.9°.de anat.adm. 1ª.103.H

MOREA, id eſt morus.7°.de ſimp.me.fac. 5ª.56.B

MORVS quid.de ſimp.med. Sp.87.G

Mororum nomen vnde natum.2°.de alim.fac. 2ª.18.G

Mora,& ſycamina idem.2°.de alim.fac. 2ª.19.B

Moris quædam ceraſia ſimilia.2°.de alim.fac. 2ª.19.B

Mora quo modo in obſonijs ſumantur.7°.de ſimp.me.fac. 5ª.56.C

Mora quando ſunt idonea.de bon.& vitio ſuc. 2ª.39.B

Mora abluenda ſunt antequàm mandantur.2°.de alim.fac. 2ª.19.B

Mora epilepticis conueniunt.de puero epil. 7ª.180.C

Mora inter fructus minus noxios numerantur.de atten.vic. 2ª.45.H

Mora minus noxia fugacibus.2°.de alim.fac. 2ª.18.H

Mora rubi innoxia ſunt ſi edantur.6°.de compoſi.med.ſec.loc.5ª.169.A
Mora non poſſunt conſeruari.de bon.& vitio ſuc. 2ª.36.H
Mora ſi diu ſtent in ventre,corrumpuntur.2°.de alim.fac. 2ª.19.A
Mora velociter corrumpuntur in ſtomacho.de diff.cont. Sp.74.H
Mora etſi moderatiora perſicis,& prunis,cum corrumpuntur non habent in ſe minus vitij quàm illa.de bon.& vi.ſuc. 2ª.37.E
Mora ſi corrũpant ſimilia fiũt letalibus venenis.de bo.& vi.ſu.2ª.37.E
Mora corrumpuntur nouo genere corruptionis vt cucurbitæ.2°.de aliment.facul. 2ª.18.H
Mora corrupta obſunt,vt pepones.2°.de alim.fac. 2ª.18.H
Mora non lædunt ventriculum,vt pepones.2°.de alim.fac. 2ª.19.A
Mora vomitum non excitant,vt pepones.2°.de ali.fac. 2ª.19.A
Mora ſi coquantur ſunt innoxia,niſi liberalius ſumantur.de bonitate & vitio ſuccorum. 2ª.37.F
Mora habent contrarias facultates.2°.de alim.fac. 2ª.19.A
Mora ſunt humida.de diff.cont. Sp.74.D
Mora humectant,non tamen refrigerant niſi frigida ſumãtur.2°.de alimentorum facul. 2ª.19.A
Moris vtẽdũ eſt cũ vẽtriculus ſqualore æſtuat.2°.de alim.fac. 2ª.18.H
Mora frigida.4°.de ſimpli.med.facul. 5ª.26.D
Mori acinus planè frigidus eſt.4°.de ſimp.me.fac. 5ª.25.B
Mororum ſuccus aptus eſt ad refrigerandum caput.2°.de compo.medica.ſecun.loc. 5ª.132.G
Mora ſemen ſupprimũt,tñ nõ corrũpunt.5°.de ſimp.med.fac. 5ª.38.C
Mora vt pepones parum nutriunt.2°.de alim.fac. 2ª.19.A
Mora cur parum nutriunt.de diff.cont. Sp.73.F
Mora acerba,& ſicca ſunt nup enata,vbi maturuerint dulcia,& progreſſu temporis humidiora redduntur.4°.de ſimp.med.fac. 5ª.25.F
in Moris immaturis acida qualitas acerbam ſuperat.7°.de ſimplicium medicamentorum facultatib. 5ª.50.H
Mora immatura ſunt etiam acida.2°.dc alim.fac. 2ª.18.H
ex Moris immaturis ſtupor dentium.3°.de alim.fac. 2ª.28.C
Mora nondum matura adſtringunt.2°.de ali.fac.2ª.18.H| 7°.de ſimpli.med.facultatib. 5ª.56.C
Mororum ſuccus multum adſtringit.6°.de compoſi.med.ſe.lo.5ª.167.D
Morus habet diuerſum effectum ab alijs adſtringentibus.3°.de ſimplic.medic.facul. 5ª.20.D
Mora immatura pro dyſenteria,& diarrhæa.2°.de alim.fac. 2ª.18.H
Mori fructus ad dyſenterias accommodus eſt,& affectiones cœliacas.7°.de ſimp.me.fac. 5ª.56.C
Mora minus ſiccãt,q̃ amygdale,et terebinthi ſemẽ.5°.de ſa.tu. 2ª.92.D
Mora ventrẽ lubricant.2°.de ali.fac.19.A|de atten.vic.2ª.45.H| 7°.de ſimp.me.fac.5ª.56.C|de diff.cont. Sp.75.A
Mora ventrem laxant,digeſtionem faciunt,ſynanche laborãtes curant,vulnera,attritiones,putredines,ſynanchem cum tumore venientem emendant,vitia oris abſtergunt.de ſimp.med. Sp.87.H
Mori radicũ cortex ventrẽ ſoluit,lumbricos eijcit.de ſimp.me.Sp.87.H
Mori radicis cortex amarus eſt.7°.de ſimp.me.fac. 5ª.56.C
Mori radicis cortex latum lũbricũ interficit.7°.de ſimpl.me.fa.5ª.56.C
Mori radicum decoctum eſt adſtringens moderatum pro gargariſmis.6°.de compo.med.ſecun.loc. 5ª.172.F
Mora cur facile deſcendant,& ſubducant ventrem.1°.de ali.fa. 2ª.8.C
Mora ſylueſtria quid.de ſimp.med. Sp.87.H
Mora ſylueſtria ſtringunt fortiter ſynanchicos melius curant alijs.de ſimp.med. Sp.87.H
Mori ſolo ſucco vſus eſt in inflammationibus incipientibus.6°.de cõpo.medic.ſec.loc. 5ª.167.B
Mori ſuccus q̃uo coquẽdus in Diamoro.6°.de cõp.med.ſec.loc.5ª.168.D
Mororum ſuccus debilis.6°.de compo.med.ſec.loc. 5ª.171.F
Mororum rubi ſuccus fortior.6°.de comp.med.ſe.loc. 5ª.171.F
ex Moris medicamentum.5°.meth.me.34.C|13°. 7ª.83.C
ex Moris medicamentum omnibus notum eſt.6°.de compoſit.medicamen.ſec.loc. 5ª.166.H
Mororum ſuccus ad ſtomaticha medicamẽta.7°.de ſimp.me.fa. 5ª.56.C
Mororum rubi ſuccus roborat quandoq; ſtomachum.6°.de comp.medicamen.ſec.loc. 5ª.169.A
Mororũ ſuccus nõ roborat ſtomachũ.6°.de comp.me.ſec.loc. 5ª.169.A
ex Mororum batinorum ſucco medicamenta ſunt efficaciora.2°.de alimentorum facul. 2ª.19.B
Mora batina.6°.de comp.medica.ſec.loc. 5ª.169.A
διὰ Μόρων medicamentum.2°.de alim.fac. 2ª.18.G
Mori lac.5°.de compoſi.med.ſecun.loc. 5ª.163.C
de MORIBVS iudicat philoſophus.de opt.ſecta. Iſa.23.C
de Moribus,& vitijs ſenex conſulendus.de cog.cur.animi mo. 2ª.53.G
Mores inſiti naturaleſq; alij,alij philoſophici dicuntur.ar.me. Iſa.65.A
Mores philoſophici ab inſitis naturalibuſq; diſtingũtur.ar.me. Iſ.65.A
Mores vbi ſint plurimum differentes.de acre,aquis,& loc. 2ª.6.D
Mores hominum ſequuntur regionis naturam.quod aĩ mor. 1ª.320.A
Mores,formæq; hominum regionis naturæ ſunt cõpares.de aere,aquis,& locis. 2ª.6.E
Mores temperatos facit temperata regio.quod animi mor. 1ª.319.H
Mores ferinos,& agreſtes qui habeant.quod animi mor. 1ª.320.A
Mores agreſtes habent qui ad ſeptẽtrionẽ degũt.quod aĩ mor. 1ª.319.H
Mores pertinaces qui habeant.de aere,aquis,& locis. 2ª.6.E
Morũ ꝓborũ generatio fit ex quatuor hũoribus.de nat.hu.c.1°. 1ª.33.B
Mores quos faciat ſanguis.de nat.& ord.cuiuſ.corp. Sp.41.E
Mores quos faciat bilis.de nat.& ord.cuiuſ.cor. Sp.41.E
Mores quos faciat pituita.de nat.& ord.cuiuſ.corp. Sp.41.E
Mores ex ſubſtantiæ temperatura.2°.de ſem. 1ª.337.C
Moribus idoneum corpus præparat natura.2°.de ſem. 1ª.337.C
Moribus optimis pueri ſunt inſtituendi.dc cog.cur.animi mor. 2ª.54.B
More romano Romę viuendum.6°.meth.med. 7ª.42.H
Mores ægrotantis ſunt cognoſcendi.1°.de præſag.ex pulſ. 4ª.105.B
Mores hominũ q̃bus medicamur noſcẽdi.de ijs,q̃ in med.fi.c.1°.7ª.198.B
Mores animi q̃uo ex geſtu produntur.in 1m.de mor.vul.com.3°.3ª.117.H
Mores,& differentias,& eſſentias non nunquã vocat Hippocrates modos febrium.in 1m.de mor.vulgaribus,com.3°. 3ª.120.A
Mos morbi vnde cognoſcatur.1°.de criſ. 4ª.126.A
MOSCHIONIS correctoris pulſus definitio.4°.de differentijs pulſuum. 4ª.69.D
Moſchio librum fecit de ornatu.1°.dc comp.me.ſec.loc. 5ª.124.D
Moſchionis arteriaca.7°.de comp.med.ſec.lo. 5ª.179.E
Moſchionis catagmaticum.3°.de comp.me.per gen. 5ª.235.C
Moſchionis emplaſtrum.2°.de comp.medi.per gene. 5ª.224.F
Moſchionis ad nomas.5°.de comp.me.per gen. 5ª.254.B
Moſchi ad alopecias compoſitio.1°.dc comp.med.ſe.lo. 5ª.123.C
Moſchionis pharmacum ad fracturas.2°.de comp.me.per ge. 5ª.225.E
Moſchi malagma.4°.de comp.me.ſec.lo. 5ª.157.G
MOSYLLVM cinnamomi ſpecies p̃ſtãtiſſima,de theri.ad Piſ. 5ª.94.H
MOTIO quid.fin.med. Iſa.50.C
Motio ſex modis cõficitur qui ſunt generatio,corruptio,augmẽtũ,decrementũ,alteratio,& à loco in locum translatio.fin.med. Iſa.45.A
in Motione omni naturali ſanguis,& ſpiritus concurrunt.de ren.affe.dign.& med. 7ª.193.A
Motiones propriæ capitis breuiſſimæ ſunt.de muſ.diſſ. 1ª.45.D
ad Motionem ſui non indiget cerebro cor,& è contrario.de Hippo.& Plat.decret. 1ª.232.B
Motiões varias,& vigilias ĩducũt calida medicª.2°.de lo.aff.4ª.14.A
Motionibus exhauritur plenitudo.de cur.rat.per ſang.miſſ. 6ª.18.E
ſi Motio aſſidua interceſſerit nihil cum alio coire,aut iungi poteſt.1°.de ſemine. 1ª.330.H
à Motionibus factis ſumitur ſanguinis mittendi quantias.de curãdi ratione per ſang.miſſ. 6ª.18.D
MOTIVAE virtutis cauſa eſt anima.de anat.viu. Sp.56.D
Motiuæ virtutis diuiſio.de ana.viu. Sp.44.F
Motiua actio in quo conſiſtat.de ſymp.diff. 3ª.11.D
Motiuarum actionum prima ſymptomata quæ,& in quot diuidãtur.de ſymptomatum differentijs. 3ª.11.F
Μότος μιλτὸς,id eſt carpinatum.11°.de ſimp.med.fac. 5ª.83.G
Moti qui.5°.meth.med. 7ª.30.D
MOTVRA inſtrumenta animalis membra robuſta eſſe debent.de decretis Hippocratis. 1ª.234.A
Motura debent eſſe maiora,& fortiora mouendis.3°.de vſu p. 1ª.134.B
MOTVS eſt vnum ex ſex rebus non naturalibus.ars med. Iſa.68.C
Motus neceſſario noſtro corpori occurrit.ad Thraſy. 2ª.104.D
Motus quid ſit.1°.meth.me.7ª.6.B|de hiſt.phil. Sp.4.B
de Motu cõuenit diſputare in philoſophia naturali.1°.de mo.m. 1ª.311.F
Motum negantiũ rõnes Diogenes deludebat.de cauſ.procatar. 3ª.97.G
Motus dum fit eſt.4°.de diff.pul. 4ª.67.H
Motus in agendo eſt.16°.de vſu par. 1ª.215.C
Motus omnis in actione poſitus eſt.in 3m.de morb.vul.c.1°. 3ª.129.D
Motus per facere explicatur,ſenſus per affici.1°.de lo.aff. 4ª.7.D
in Motu quædam habent ſuam eſſentiam.2°.meth.med. 7ª.10.H
Motus & actio quo modo differant.de mot.man.& obſc. Sp.66.G

Motui an contraria ſint quies vel priuatio.1°.de ſymp.cau. 3ª.17.C
Motus duplex in loco,& in qualitate.2°.meth.me. 7ª.10.A
Motus omnis habet tempus.2°.de dign.pulſ. 4ª.75.B
Motus fieri non poteſt niſi oſſa ſimul articulentur, & per muſculos connectantur.12°.de vſu par. 1ª.192.G
ad *Motus,& ſenſus ſuſtentamentum ſunt oſſa pedum, tibiarum & crurum.de anat.viu.* Sp.55.C
pp *Motum in quibus partibus facta ſunt oſſa in quibus vero propter alia.11°.de vſu part.* 1ª.191.C
Motus vnde habeatur in animalibus.7°.de dec.Hip. 1ª.269.F
Motuum tria principia.de fœt.for. 1ª.326.C
Motus,& ſenſus vniuerſis corporis partibus à cerebro ſuppeditatur.5° de locis affectis. 4ª.29.A
Motus,& ſenſus principium eſt cerebrum.de ana.viu. Sp.45.H
Motũ,& ſenſum hñt à cerebro corpis ptes.de vir.noſt.cor.diſ. Sp.60.C
Motum ac ſenſum accipit à cerebro ſpina.3°.de lo.aff. 4ª.20.H
Motus,& ſenſus principiũ ẽ à corde ſm Ariſtotelẽ.de vti.reſp. Sp.63.D
Motus,& ſenſus principiũ nõ eſſe cor probat Galenus.de an.v. Sp.45.h
Motus,& ſenſus principium eſſe cor contra Galenũ probatur.de anatomia viuorum. Sp.45.H
Motus,ex volũtate et sẽſus vñ ẽ ibi aĩæ prĩcipiũ.8°.de de.Hip. 1ª.273.B
Motus principia ſunt quinq; vt in manu.3°.de vſu par. 1ª.131.H
Motum,& ſenſum partium qui muſculi faciunt.1°.de lo.aff. 4ª.7.E
de *Motibus quid ſciat qui ſe exercet.3°.de ſan.tuen.* 2ª.75.D
de *Motibus qui ſciat Gymnaſtes.2°.de ſan.tuen.* 2ª.75.D
Motuũ quos exercent,vires ignorant artifices.2°.de ſan.tuen. 2ª.75.E
Motus qui ſpectant ad artem tuendæ ſanitatis.2°.de ſan.tu. 2ª.75.D
Motum,& quantitatem,& formam corporis cur ſolus viſus ſentiat.de oculis. 7ª.105.A
Motus non ſolo ſenſu ſed etiam ratione depræhendi volunt dogmatici. 4°.de diff.pulſ. 4ª.66.B
Motus actiuus eſt actio.1°.meth.me.6.B/2°.7ª.10.A/B/de motibus manifeſtis & obſcuris. Sp.66.G
Motus qui nõ ſunt actiones ſunt in triplici genere.2°.de ſan.tuen. 2ª.75.B
Motus paſſiuus eſt alteratio.2°.meth.med. 7ª.10.A
Motus ab alio prodiens eſt paſſio.de mot.man.& obſ. Sp.66.G
Motus ab altero qui ſit.1°.de ſan.tuen. 2ª.65.E
Motus oĩs ab altero in alterũ dicĩt paſſio à Platone.de ſym.dif. 3ª.10.D
Motus multi fiunt patiendo.17°.de vſu par. 1ª.221.C
Motus qui per alia perficiuntur.2°.de ſan.tuen. 2ª.75.D
Motus ſenſibiles duplices à naturali impetu,& vitales.de palp. 3ª.51.D
Motu & ſenſu differt animal à non animali.1°.de motu muſc. 1ª.309.B
Motus triplex genus in homine.8°.de decr.Hip. 1ª.273.B
Motus ſecundum accidens tangitur à Galeno.7°.de vſu par. 1ª.158.A
ex *Motu partiũ anatomiã qũo cognoſcebãt.1°.de ana.adm.* 1ª.64.A
Motuum animalium gubernatrix vis auctrix.de pal. 3ª.53.C
Motus principium eſt anima.in Tim.Pla. 1ª.287.B
Motus perficit anima,non neruus aut lacertus.de pal. 3ª.53.C
Motuũ in animalibus diuerſitas.in 3m. de morbis vulg.c.1°. 3ª.129.D
Motus animales otiantur in ſomno,& ſenſuales, & muſculorum. commen.4°.aph.15°. Ex.28.H
Motus ſecũdũ aĩam,eſt quãdoq; cauſa aborſus.com.4°.aph.1°. Ex.27.B
à *Motu animæ & corporis fit febris.præſag.exper.conf.* Sp.77.D
Motus diuerſæ ſpecies.1°.de nat.fac. 1ª.290.H
Motus ab arterijs & corde vitales ſunt.de palp. 3ª.51.D
Motus arteriarum ſequitur motum cordis.de ana.viu. Sp.47.A
Motus pulſus principiũ arterijs eſt cor.de vir.noſ.cor.diſ. Sp.60.D
Motũ Articulorũ tardũ reddit repletio.ĩ 6m.de mor.vul.c.5°. 3ª.190.H
ad *Motum quot modis redigantur articuli inepti.de diff.mor.* 3ª.4.B
Motus Aſſumptiuus qui.7°.de vſu par. 1ª.161.G
Motus Brachiorum & figurationes.de frac.com.1°. 7ª.226.A
Motus brachij fit à vi animali.2°.de ſymp.cau. 3ª.20.A
Motus poſtbrachialis cum brachiali eſt latens,& obſcurus. de muſculorum diſſectione. 1ª.49.D
Motũ proprium Capiti dãtes muſculi,quales,vnde orti, & eorum proceſſus,ac munus.de muſc.diſſ. 1ª.43.D
Motus capitis abnuendo à quibus fiat muſculis recte, & à quibus cum inclinatione.de muſc.diſſ. 1ª.45.G
Motus ſecundi muſculi capitis eſt obliquus,& circũagit caput in priorẽ partem.de muſ.diſſ. 1ª.45.E
Motum excitat,& vigilias cauſa calida.2°.de loc.affe. 4ª.14.B
in *Motibus calidum,& frigidum faciunt diuerſitatem, & ſunt eorum principia.14°.de vſu par.* 1ª.206.C
ad *Motum procliuius eſt corpus calidius.3°.de præſ.ex pul.* 4ª.116.E
ad *Motus qui ſunt ſegniores.2°.de ſan.tuen.* 2ª.73.D
ad *Motum ignaui,& pigri ſunt plethorici & qui paſſi ſunt frigus.2°.de ſanitate tuenda.* 2ª.73.E
Motus Celer qui.3°.de dign.pulſ. 4ª.82.A
Motus qui celerior,& qui tardior.2°.de dign.pulſ. 4ª.75.G
Motus cleritatem ſignificat ſtridor vt de Cyclope oues agẽte ſcribit Homerus.3°.de diff.pulſ. 4ª.60.B
Motus celeritate reſarcitur defectus.1°.de cau.puſ. 4ª.87.E
Motus celeres, & multi excitant laſſitudinem vlceris. 3°. de ſanitate tuenda. 2ª.79.A
Motu celeres,robuſti,graues an dẽſent,vel emacient neſcit hoplomachichus.2°.de ſan.tuen. 2ª.75.D
Motus celer augẽdo plurimum calorem corpus colliquat. de ſalubri diæta.40.H/ 2ª.41.A
Motus omnis celer vitãdus eſt ſiccis tẽperamẽtis.6°.de ſan.tu. 2ª.96.E
Motus Ceruicis quibus fiant muſculis.de muſ.diſſ. 1ª.47.A
Motus añ tps,et citatiores pñt figurã ĩuertere naturalẽ.de ca.m. 3ª.8.F
Motus cõpoſitus ex duobus motibus eſt immobilitas.de palp. 3ª.51.H
Motus compoſitus in tibia qui.2°.de ana.adm. 1ª.70.A
Motus plures mixti cur facti à natura.15°.de vſu par. 1ª.213.G
Motuũ exactã mixturã Deus tantum nouit.3°.de decr. 4ª.159.F
ex *Motibus Contrarijs quorũ & alter alterũ mutuo excipit, & conſequitur,alterũ nõ põt ſine altero conſeruari.de vtil.reſp.* 1ª.224.G
inter *Mot⁹ duos cõtrarios neceſſe ẽ qetẽ ĩteruenire.de ana.vi.* Sp.46.H
Motus cõtrarij ſibi ĩuicẽ ſuccedẽtes ſimul peũt.1°.de mo.mu. 1ª.310.C/D
Motus oppoſiti ſimul non agunt.1°.de vſu par. 1ª.119.B
à *Motibus duobus ex tranſuerſo ſibi inuicem occurrentibus ſi vnus multum ſupereminet,alter perditur.1°.de vſu par.* 1ª.119.C
Motus Cordis eſt primus.de anat.viu. Sp.47.B
Motus cordis,& arteriæ perpetuus eſt.6°.de lo.aff. 4ª.42.D
ad *Motum cerebro non indiget cor.2°.de decr.Hip.* 1ª.239.C
Motus cordis principium eſt virtus motiua.de anat.viu. Sp.56.D
Motus cordis vbi fit,tanquam in inſtrumento.de anat.viu. Sp.56.D
Motus cordis dilatatiui quæ cauſa ſit.de anat.viu. Sp.56.D
Motus cordis conſtrictionis quæ cauſa ſit.de ana.viu. Sp.56.D
Motus eſt cauſa caloris cordis.de ana.viu. Sp.56.D
Motus cordis cauſa eſt fortitudo virtutis.de ana.viu. Sp.56.D
Motus fortis,& frequens cordis eſt cauſa fortitudinis caloris.de anatomia viuorum. Sp.56.D
Motus frequentis cordis cauſa eſt neceſſitas.de ana.viu. Sp.56.D
Motus creber cordis quid ſignificet.com.4°.aph.65°. Ex.34.E
Motus Cruris agitatio totius eſt corporis.de conſt.ar. Iſa.37.B
Motus inſtrumentum crus.3°.de vſu par. 1ª.129.A
Motu,& firmatione perficitur ambulatio.3°.de vſu par. 1ª.129.B
Motus Denſus,celer,numeroſus,qui.2°.de ſymp.cau. 3ª.21.A
Motus ſecundum Deſideriũ qũo læſum ſit.in progn.com.2°. 4ª.198.E
Motus Diaphragmatis eſt in circulum.de ana.viu. Sp.53.F
Motum,& ſenſum qui neruus det diaphragmati.de anat.viu. Sp.53.F
an *Motus diaphragmatis ſit voluntarius.de vtil.reſp.* Sp.63.H
Motus quatuor in omni Digito manus.3°.de vſu par. 1ª.131.G
Motus ad latera duplex in digitis.1°.de vſu part. 1ª.119.B
Motũ obliquũ vnicuiq; digito ſuppeditãtes muſculi.de muſc.diſſ. 1ª.52.H
Motũ euidẽtẽ habet primus articulus magni digiti.de muſc.diſ. 1ª.49.D
Motus medij ſunt innumerabiles in digitis.1°.de vſu par. 1ª.116.B
de *Motu Egerendi,& vomendi.de mot.man.& obſ.* Sp.68.G
Motus,Exercitatio,labor,an idem.2°.de ſanitate tuenda. 2ª.69.E
Motus aliquis alicui eſt exercitatio,alteri non.2°.de ſan.tu. 2ª.69.E
Motus qui eſt exercitatio,qualis.2° de ſan.tuen. 2ª.69.E
Motus Exiguus,& lentus ſalubris eſt,quibus calor natura mordax eſt. 5°.de ſani.tuen. 2ª.94.C
Motus Extrinſeci.2°.de ſan.tuen. 2ª.75.B
Motus ꝓprius facultatis quis ſit,inueniẽdi modus.1°.de mo. mu. 1ª.311.E
Motus nullus fortis cum inedia fieri debet.com.2°.aph.16°. Ex.12.H
Motus fortes aborſum faciunt.com.7°.aph.27°. Ex.55.H
Motus videntur eſſe Generatio,& corruptio.4°.de diff.pul. 4ª.67.D
de *Motu Gutturis in deglutiendo.de mot.man.& obſ.* Sp.69.H
in *Motu nodi gutturis quæſtio.de mo.man.& obſc.* Sp.70.B
Motus muſculus gutturis dum vox editur vbi ſit.de muſc.diſ. 1ª.46.G
à *Motu oĩ ꝓhibẽdi ſunt Horrẽtes,& rigẽtes.2°.de ſym.cau.* 3ª.22.D
Motus Immodicus fit ex calore.13°.meth.me. 7ª.85.E

Motus immo-

Motus immodicus excretiuæ virtutis nimium laxat.de cau mor. 3ª.9.B
Motus Incitatorij à cerebro.7°.de decretis Hipp. 1ª.272.G
Motus in inſtrumẽtis habent ꝑ fibrarũ poſitura.3°.de nat.fac. 1ª.304.E
Motus ἰσοχρόνοι,& ἰσοδρόμοι.2°.de dign.pulſ. 4ª.75.F
Motus intẽpeſtiui,et vehemẽtiores labefactãt mẽbra.de cau.m. 3ª.8.F
Motus Laborũ in priora ignoratus ab antiquis.de muſc.diſſ. 1ª.44.F
Motu ad ſuã originẽ fit actio Lacertorũ.de mot.man.& obſc. Sp.70.C
in Motibus,& muſculis Lingua mirabilis eſt.de fœt.for. 1ª.325.C
Motus linguæ ſine doctrina fit.6°.de loc.aff. 4ª.42.C
Motũ circũuolutionis in lingua qui muſculi faciant.de anat.vi.Sp.49.C
Motũ duplicationis in lingua qui muſculi faciant.de anat.viu. Sp.49.C
Motũ retardationis in lingua qui muſculi faciant.de ana.viu. Sp.49.D
Motus liquidi ſunt illi,qui ſunt ſenſui manifeſti.de mo.man. Sp.66.D
Motus localis qui.1°.de nat.fac. 1ª.290.H
in Motu locali tempus,& ſpatium inſeparabilia ſunt.1°.de difficultate reſpirationis. 3ª.57.A
Motus Magnus,& paruus quõ intelligatur.1°.de diff.reſp. 3ª.58.G
Motus Manuum quo modo fiat.de mot.man.& obſc. Sp.66.D
Motum manibus qui muſculi dent.de anat.viu. Sp.54.B
Motus manus violentus à quõ fiat,et quo modo.2°.de mo.muſ. 1ª.314.B
Motus aliqs in manu ceſſantibus oĩbus muſculis.1°.de mot.muſ.1ª.311.B
Motus Materiæ ſunt vehicula, ambulationes, frictiones & balnea. ars medicinalis. Iſa.71.F
Motus materiæ turgẽtis ẽ mot⁹ hũorũ ſupabũdãtiũ.1°.de criſ. 4ª.128.G
Motum Maxillis qui muſculi dent.de anat.viuo. Sp.54.B
Motus Membra quanto tempore fiunt.de fœt.for. 1ª.323.H
Motus tempus quando eſt poſt formationem.de anat.viu. Sp.52.B
Motus Medius quibus efficiatur muſculis.de muſc.diſſ. 1ª.47.G
Motu Moderato indigent ſenes.5°.de ſan.tuen. 2ª.92.D
Motus Morbi vnde cognoſcatur.3°.de criſ. 4ª.140.C
Motus celeritas in morbis vnde.3°.de criſ. 4ª.140.E
Motus Multus,& celer aduerſiſſimus eſt illis quibus calor natura mordax eſt.5°.de ſan.tuen. 2ª.94.C
Motus multi extenuant.com.2°.aph.28°. Ex.16.E
Motum primum excipiunt Muſculi,& articuli.de cau.mor. 3ª.6.E
Motus principium habent muſculi à neruis.3°.de loc.aff. 4ª.20.B
de Motu muſculorum liber pręcedit librum prognoſticorum. in progn. commen.1°. 4ª.193.E
Motus omnis ab impetu ptinet ad offm muſculorum.1°.de lo.aff. 4ª.7.D
Motus à muſculis ꝑcedẽs sũt aiales,et volũtary.1°.de mo.mu. 1ª.309.B
Motus muſculorum eſt cum appetitu animalis.com.6°.ap.39°.Ex.50.G
Motus quatuor differentiæ in muſculis,& quę.1°.de motu mu. 1ª.311.F
Motus tertius quo modo ſit inuentus.1°.de mo.muſ. 1ª.311.C
Motus quartus quo modo ſit inuentus.1°.de mo.muſ. 1ª.311.C
Motus muſculorum agendo perficitur.1°.de ſymp.cau. 3ª.16.F
Motus quando aliquis vult eleuare pondus,quo fiat muſculo.2°.de anatomicis adminiſt. 1ª.70.E
Motus alarum Naſi quid agant.1°.de diff.reſp. 3ª.62.H
Motus Naturales,& nõ naturales:de ys,q̃ in med.ſi.com.3°. 7ª.222.D
Motus naturalis qui,& à quibus fiat.de anat.vi. Sp.44.H
Motus vel naturales,vel ex affectibus animi ſunt duplices.2°.de ſanitate tuenda. 2ª.75.A
Motus naturalis eſt attractio,retẽtio,& expulſio.de anat.viu.Sp.44.H
Motũ naturalẽ eſſe anhelitũ quidã exiſtimarunt.de mot.man. Sp.69.H
an Motus naturalis,vel volũtarius ſit ſternutatio.de mo.ma. Sp.69.H
an Motus naturalis,vel voluntarius ſit riſus.de mot.man. Sp.69.H
Motus naturalis,immobilitas,& prauus motus ita differũt vt morbus, ſanitas,& mors.1°.de præſag.ex pul. 4ª.110.G
à Motu naturali differt cõuulſio,qã ẽ pter volũtatẽ.3°.de lo.af.4ª.17.E
Motus principium primo dat Neruis,poſtea muſculis voluntas in cerebro iuxta neruorum originem ordinata in ſanis.3°.de loc.aff. 4ª.17.E
Motũ,ac ſenſũ exhibẽs noiãt neruus,aut tenor.de decre.Hipp. 1ª.233.G
Motus omnis,& ſenſus influẽs influit per neruũ.de anat.viu. Sp.48.A
Motus in nulla animalis parte eſt ſine neruo.de muſc.diſſ. 1ª.53.B
Motum,ac ſenſum omnes nerui habent.16°.de vſu par. 1ª.214.H
Motum,& ſenſum dantibus neruis ſemper indigent muſculi.1°.de locis affectis. 4ª.8.B
Motus,& ſenſus inſtrumenta ſunt nerui.3°.de decre.Hipp. 1ª.245.D
Motus accipitur à neruis.12°.de vſu par. 1ª.193.E
Motum dant nerui duri.intro. Iſa.54.A
ad Motum requiritur nerui durities: ad ſenſum vero mollities. 9°. de vſu partium. 1ª.174.F
ad Motum nerui duri apti.7°.de anat.adm. 1ª.96.A
pro Motu nerui duri.16°.de vſu par. 1ª.215.A
pro Motu,& ſenſu nerui duri,& molles.16°.de vſu par. 1ª.215.A
Motus neruus cur durior.7°.de decre.Hippocrat. 1ª.270.F
Motum faciunt nerui duri.de ocul. 7ª.184.H
Motus Numeroſus qui. 2°.de ſymp.cau. 3ª.21.A
Motus numeroſus,denſus,celer qui.2°.de ſymp.cau. 3ª.21.A
Motũ Obliquũ faciũt muſculi obliq.2°.de ana.adm.70.A/6°. 1ª.90.A
ex Motibus duobus obliquis fit vnus rectus,vt in manu, & carpo.12°. de vſu partium. 1ª.193.F
Mot⁹ obliqu⁹ q̃n diſtat à recto qd ſequat ĩ mẽbro.12°.de vſu pa.1ª.193.H
de Motibus obſcuris librum fecit Galenus.de muſ.diſſ. 1ª.44.F
ad Motum Oculi neceſſarij lacerti ſunt.de ocul. 7ª.183.D
ad Motum oculi perficiendum coniunctiua tunica habet ſex paria lacertorum.de anat.viu. Sp.48.G
Motus quos agant muſculi oculi.de muſc.diſſ. 1ª.44.G
Motus,& oculorum,& totius corporis ſit malus in tempeſtate auſtrali.com.3°.aph.17°. Ex.23.F
de Motu Palpebrarum.de mot.man.& obſc. Sp.69.F
Motus palpebrarũ eſt volũtarius,et naturalis.de mo.ma.et ob.Sp.69.G
de Motu Pectoris an naturalis,vel voluntarius.de motibus manifeſtis & obſcuris. Sp.69.G
Motus pectoris ad quod inſtrumentum ſpectet,ſpectat ad medicum quærere.de mot.man.& obſc. Sp.66.H
de Motu clibani pectoris in tuſſi,riſu,& ſternutatione. de motib.manifeſtis,& obſcuris. Sp.69.G
Motus Pedum quo modo fiat.de mot.ma.& obſ. Sp.66.D
Motus pedis actio muſculi.de conſt.ar. Iſa.37.A
Motus Perfectos cur non habeant pueri.de marc. 3ª.46.C
Motũ propriũ habẽt Plantæ,externũ minime.in Tim.Plat. 1ª.287.E
Motus principium in ſe ipſis habent ſtirpes.in Tim.Pla. 1ª.287.B
Motum progreſſiuum habent Plantæ.in Tim.Plat. 1ª.287.E
Motus Priapi eſt difficilis.de mot.man.& obſc. Sp.67.D
de Motu virgæ.de mot.man.& obſ. Sp.67.D
Motus principium maris ſemen.14°.de vſu par. 1ª.206.E
Motus quatuor Pulmonis.de hiſt.phil. Sp.10.B
Motum proprium nullum habet pulmo.5°.de lo.aff. 4ª.31.C
ex Motus qualitate oriuntur Pulſus inæquales celeritate,& tarditate. 3°.de dignoſ.pul. 4ª.80.C
Motus initium percipiemus in pulſibus vehementibus ſed non quantitatem.3°.de dign.pulſ. 4ª.81.G
Motus Recti ſex genera ſecundum Platonem.de hiſt.phil. Sp.8.F
Motum rectum faciunt muſculi recti.2°.de ana.adm. 1ª.70.A
in Motibus Remiſſioribus calor mediocris ſanguificationi & nutritioni prodeſt.de ſal.diæta.40.H| 2ª.41.A
de Motu Reſpirationis,q notior ẽ viſus veteribus.de mo.man.Sp.66.H
Motus ꝑ reſpirationẽ ſufflãdo accẽdit,aiũt qdam.de vtil.reſp. 1ª.224.E
ad Motum reſpiratoriorum organorum quæ membra mouentur.1°.de difficultate reſpirationis. 3ª.59.H
in Motu reſpirationis læſiones.1°.de diff.reſp. 3ª.57.D
Motus miſtus quo modo eſt Rigor.de palp. 3ª.54.G
Motus ſtellarum.de hiſt.phil. Sp.6.E
Motu indigent Surdaſtri.3°.de compoſi.medic.ſec.loc. 5ª.145.D
Motus eſt ipſa Tabes.4°.de diff.pulſ. 4ª.67.D
Motus Tardus qui.3°.de dign.pul. 4ª.80.A
Motus tardi carnem augent,& rarefaciunt.2°.de ſan.tuen. 2ª.75.F
Motus primum inſtrumentum Tendo.12°.de vſu par. 1ª.193.D
Motus Tenſiuus.2°.de ſymp.cau. 3ª.20.B
Motus muſculorũ Thoracis cur ſeruatur in ſomno.5°.de lo.af. 4ª.29.B
Motu animalis thorax mouetur.1°.de diff.reſp. 3ª.58.G
Motus Tonici qui.1°.de motu muſ. 1ª.311.D
Motus Tractorij organi quo modo fiat.de machin. 7ª.311.E
Motus Tranſitiuus quomodo in animalibus.fin.med. Iſa.45.B
Motus in trementibus quo modo miſtus eſt.de palp. 3ª.54.G
Motus Valentiores deſiderãt frigidi,& humidi.5°.de ſan.tuen. 2ª.94.C
Motus validi,ac plurimi indicant marem in fœtu.c.5°.ap.42°. Ex.41.E
Motus Vehemens ſignificatur nomine laboris & plurimus. commenta. 4°.aphoriſ.32°. Ex.30.H
Motus vehementes imbecillitatẽ cauſant.com 4°.aph.32°. Ex.30.H
Motus vehementes caliditatẽ maiorẽ accendunt.c.4°.aph.32°.Ex.30.H
Motus vehementes comitatur dolor.4°.de loc.aff. 4ª.27.C
à Motu qui dolor procedat.2°.de loc.aff. 4ª.9.B

Motus vehemens cauſarum efficientium ſolet furorem ſanare. commentario.7°.aph.5°. Ex.54.C
Motus ſui vehementia vini potio oppilationes oculorum aperire poteſt. com.6°.aph.31°. Ex.49.G
Motus nec vehementes, nec continui ſunt proprij apotherapiæ.3°.de ſanitate tuenda. 2ª.77.E
Motus Velox propter quid ſit.1°.de diff.reſp. 3ª.57.H
Motus velociſſimi qui non ſentiuntur cur.3°.de dign.pulſ. 4ª.80.B/C
Motus Viciſſitudo vnde.2°.de ſymp.cau. 3ª.20.C
Motus tertium genus in Venis.de palp. 3ª.51.D
Motus omnis fit per Villos.de ana.viu. Sp.44.G
Motuum Vitioſorum ſpecies quot.de ſymp.diff. 3ª.11.F
Motus praui differentiæ.de ſymp.diff. 3ª.11.F
in Motibus offenſio duplex.de diff.reſp. 3ª.63.A
in Motibus quæ fa ciunt impedimentum.1°.de motu muſ. 1ª.308.G
Motus illegitimus quorũ ſit genus ſymptomatũ.2°.de ſym.cau. 3ª.19.E
Motum vitiat tibia craſſior.3°.de vſu par. 1ª.134.D
Motum debilitat tibia tenuior.3°.de vſu par. 1ª.134.E
Motus qui faciat laſſitudinem.de cauſ.mor. 3ª.6.G
Motum fugiunt laſſi.2°.de ſymp.cau. 3ª.22.D
Motus ſunt vitiati in ſenibus.2°.de temp. 1ª.16.D
Motus difficultas dyſcineſia græce dicitur. de ſymp.diff. 3ª.11.B
Motus difficultas vitia quædam actionum ſunt.de ſymp.diff. 3ª.11.C
Motus, & ſenſus cur ſecundũ antiquos deperdat.4°.de lo.aff. 4ª.25.D
Motum & ſenſum tollit non ſtupor ſed refrigeratio completa.2°.de locis affectis. 4ª.8.E
Motus qbus affectibus demitur neruo affecto.1°.de motu muſ. 1ª.309.A
Motus totus perit muſculis penitus abſciſſis.1°.de motu muſc. 1ª.310.C
Motũ priuãt mẽbrũ phlegmone, & ſcirrhus.1°.de motu muſ. 1ª.310.G
Motu priuat membrum cicatricum durities.1°.de motu muſ. 1ª.310.G
Motus alteratio non lædit actionẽ ventriculi.2°.de nat.fac. 1ª.300.D
Motus et ſenſus priuationẽ facit cerebri vitiũ.3°.de decr.Hip. 1ª.245.E
Motus non amittitur niſi vulnus penetret ad aliquem ventriculum cerebri.7°.de decr.Hipp. 1ª.269.C
abſque Motu, & ſenſu omni fit homo compreſſis quibuſdam venis colli. de vtilitate reſpira. Sp.63.H
Motum, & ſenſum non amiſit cui compreſſum forfice fuit cor tamen arteriæ non mouebantur.de decre.Hipp. 1ª.232.B
Motus nõ amittit corde detecto, & cõpreſſo.2°.de decr.Hip. 1ª.236.H
Motus non adimitur membris pulſu adempto.de vſu pul. 1ª.227.D
Motus cur nõ pereat quandoq; ſenſu pereunte.4°.de lo.aff. 4ª.25.E
Motu ſeruato quo modo pereat ſenſus.1°.de lo.aff. 4ª.7.D
Motu, & ſenſu ſtatim priuatur particula ſi neruus inuſus fuerit.de muſculorum diſſectione. 1ª.53.B
Motus lęditur muſculis inciſis.1°.de motu muſ. 1ª.310.C
Motu ſenſuq; priuantur partes infernę ad dexteram, vel ſiniſtrã in qua ſpina ſit inciſa.3°.de lo.aff. 4ª.21.A
Motum, & ſenſum tollunt nerui ligati.de vſu pulſ. 1ª.227.D
Motus, & ſenſus defectus ex ebrietate.de cauſ.mor. 3ª.7.D
Motum deſtruenti phlegmaticoſo in imacturis & dolorem inferenti qd conferat.de med.exper. Sp.108.E
Motus cur amittatur prima vertebra percuſſa.7°.de dec.Hip. 1ª.269.F
Motus & ſenſus faciei quando amittitur.4°.de lo.aff. 4ª.22.H
de Motu Voluntario motis membris.de mot.man.& obſ. Sp.68.H
Motus voluntarij quo fiant.in 6m.de morbis vul.com.5°. 3ª.188.F
Motus voluntarij cauſa quæ ſecundum aliquos.de mot. man. Sp.69.E
Motuũ volũtariorum principium eſt in cerebro.in Tim.Pla. 1ª.287.D
Motu voluntario cerebrum primum eſt quod mouet membra. de motib. manifeſtis, & obſcurandis. Sp.66.G
Motus voluntarius, & ſenſus mittuntur à cerebro ad alia membra. de voce & anhel. Sp.61.G
Motus voluntarij fiunt à muſculis.1°.de vſu par. 1ª.115.F
ad Motũ volũtarium muſculi ſunt conſtructi.16°.de vſu par. 1ª.214.H
Motus voluntarij ex muſculis.2°.de dec.Hip.236.D/ 1ª.272.F/*de palp.* 3ª.56.B/1°.*de loc.affe.*4ª.7.D/6°.*meth.me.*7ª.38.D/*com.* 4°.*aph.*15°. Ex.28.H/*de voce & anhel.* Sp.60.F
Motus omnis voluntarius fit attractis muſculis ad ſuam originem.3°. de locis affectis. 4ª.17.E
Motus voluntarius per villos fit in muſculis.de anat.viu. Sp.44.H
Motus voluntarius non eſt tantum muſculorum.de mot.man. Sp.68.E
Motũ volũtariũ nulla pars animalis habet ſine neruo.de ner.diſ. 1ª.53.B
Motus voluntatis eſt neruorum motus.1°.de lo.aff. 4ª.6.H
Motus volũtarius fit dum nerui cũ lacertis cõponũtur.de ocu. 7ª.183.F
Motus volũtarij inſtrumẽta hñt magnos neruos.5°.de vſu par. 1ª.145.D
Motus voluntarij offenſæ in motibus fiunt muſculorum.in 3m.de morbis vulg.com.1°. 3ª.129.D
ad Motũ volũtariũ natura nõ vtitur ſolis neruis.12°.de vſu p. 1ª.193.B
ad Motum voluntarium natura non potuit vti ſolis ligamentis.12°. de vſu partium. 1ª.193.B
Motus voluntarius cur non ineſt glandulis.16°.de vſu par. 1ª.214.H
Motũ volũtariũ eſſe anhelitũ probatur.de mot.man.& obſ. Sp.67.A
à Motu voluntario vox quo modo lædatur.4°.de lo.aff. 4ª.26.D
per Motum voluntarium eſt lotij excretio.15°.de vſu par. 1ª.212.C
Motu voluntario non vtitur fœtus in vtero.15°.de vſu par. 1ª.212.C
de Motu Vomitus & deuorationis.de mot.man.& obſ. Sp.68.D
Motus ſolus facit vomitum.com.4°.aph.15°. Ex.28.H
MOTVS *multi aũs eſt melior & ſubtilior.de diff.cont.* Sp.73.A
ante Motum quid faciat cibus.de diff.con. Sp.71.H
Motus ſi multus ante cibum ſit quomodo cibandum.de diff.cõt. Sp.71.G
Motus quando non ante cibum quid agendum.de diff.cont. Sp.71.G
Motus quando eſt conueniens dabimus cibos temperatos in ſubtilitate, & craſſitic.de diff.cont. Sp.71.G
Motus poſt cibum quid faciat.de diff.cont. Sp.71.H
poſt Motum quid faciat cibus.de diff.cont. Sp.71.H
Motus qualiſcũq; admodũ noxius ſumpto cibo.de bo.& vi.ſu. 2ª.35.A
Motus poſt cibum quæ mala pariat.de bon.& vi.ſuc. 2ª.35.A
Motus quo modo alteret corpus.ars med. Iſ.68.C
Motus excitat, tranſmutat, ac alterat corpora.c.4°.aph.14°. Ex.28.H
ex Motibus omnibus pulſus mutatio non eſt diuturna. 1°.de præſagitione ex pulſ. 4ª.104.H
Motus qui faciunt animal bilioſum.1°.de ſan.tuen. 2ª.75.F
qui Motus faciunt pituitoſum, & frigidum.1°.de ſan.tuen. 2ª.65.G
ex Motu quomodo augetur caliditas.de cau.mor. 3ª.6.D
Motus corpora calefacit, & vires corroborat.de frac.c.2°. 7ª.238.G
Motus roborat.in 6m. de morbis vulg.c.3°. 7ª.170.D
Motus cur faciat concitatiores vires.1°.de cauſ.pul. 4ª.88.B
Motus omnis non facit laſſitudinem.de cau.mor. 3ª.6.G
in Motu comparatio iuuenis ad ſenem.1°.de cau.pul. 4ª.88.A
Motus omnis euacuat totum corpus.com.4°.aph.2°. Ex.27.D
Motus corpus exiccat.ars med. Iſa.68.G
ex Motu igneſcit ſpiritus noſter.de palp. 3ª.54.H
Motus nimij febres faciunt, & calidiores affectus.1°.de ſan.tu. 2ª.65.G
ob Motum fit febris.præſag.exper.conf. Sp.77.D
ob Motum febris fit dupliciter.præſag.exper.confi. Sp.77.D
per Motum febris à cruribus incipit.de cau.procatar. 3ª.98.G
Motus pauci quos morbos pariant.1°.de ſan.tuen. 2ª.65.G
Mota cauſa magis infeſtat quieſcente.2°.de ſymp.cau. 3ª.22.D
MOVENDI *non ſunt crudorum humorum copiam habentes in primis venis.14°.de ſan.tuen.* 2ª.84.G
Mouendi facultas à cerebro in neruos diffunditur.1°.de ſem. 1ª.335.B
Mouẽdi facultatẽ à corde accipiunt arteriæ.3°.de præſa.ex pul. 4ª.115.C
Mouentes caput vna cum ceruice muſculi duo in priori parte, qui, & quorſum extendantur.de muſ.diſſ. 1ª.45.H
Mouentes os Lambdæ muſculi qui, & vnde oriantur, ac deſinant. de muſculorum diſſectione. 1ª.46.E
Mouẽs maxillã muſculus qui, et cui neruo in hæreat.de ner.diſſ. 1ª.53.G
Mouentium maxillam inferiorem muſculorum quatuor coniugationes vbi ſint.de muſ.diſſ. 1ª.44.G
Mouẽtes maxillam inferiorem, & poſteriorem partem muſculi qui nam ſint, & vbi oriantur.de muſc.diſſ. 1ª.44.H
Mouẽtes ſurſum maxillã inferiorẽ muſculi vbi ſint.de muſ.diſ. 1ª.44.G
Mouentes muſculi ad latera maxillam inferiorem vbi ſint.de muſculorũ diſſectione. 1ª.44.G
Mouẽtem vtranq; genam lacertum quis inuenerit.de mo.man. Sp.67.C
Mouet buccas muſculus latus.de muſc.diſſ. 1ª.44.D
Mouentium linguam muſculorum nomina.de muſc.diſſ. 1ª.46.G
Mouentium linguam muſculorum differentiæ, ortus & proceſſus. de muſculorum diſſectione. 1ª.46.G
Mouens linguam lacertus vnde oriatur.de mot.man.& obſc. Sp.68.D
Mouentes ad latera annuendo dearticulationem primæ vertebræ muſculi, & qui.de muſc.diſſ. 1ª.46.A
Mouentes brachium muſculi vndecim ſunt, qui & quo modo, & vbi cõplantati, ac finiuntur.de muſc.diſſ. 1ª.47.B
Mouẽtis brachiale muſculi apud paruũ digitũ exortus.đ m.diſ. 1ª.48.H

Mouentis bra-

Mouentis brachiale muſculi apud magnum digitum exortus. de muſculorum diſſectione. 1^a.48.H
Mouentes pollicẽ,indicẽ,& mediũ digitũ muſculi.de muſ.diſſ. 1^a.48.E
Mouens pollicem oblique muſculus.de muſc.diſſ. 1^a.48.D
Mouens magnum digitum manus muſculus.de muſc.diſſ. 1^a.48.E
Mouentes oblique introrſum,ſurſumq; digitos manus muſculi quinque. de muſc.diſſ. 1^a.49.A
Mouentium radiũ obliquorũ muſculorũ exortus.de muſc.diſſ. 1^a.49.A
Mouentibus coxendicis dearticulationem primis muſculis qui nerui inſerantur.de neruo.diſſ. 1^a.55.C
Mouentes genu dearticulationem muſculos & ſi nouem eẽ Galenus oſtẽderit,tamen ne ab antiquis in re minima videatur diſſentire octo eſſe dicit.de muſc.diſſ. 1^a.51.G
Mouens totam pedis dearticulationem muſculus.de muſc.diſſ. 1^a.52.E
in Mouentibus ſe quando grauitatis ſenſus fiat.de mult. 3^a.78.B
Mouẽt mẽbra muſculi neruos excipiẽtes.de decretis Hipp. 1^a.234.A
Mouet tantũ cerebrum,& non mouetur.de mot.man.& obſ. Sp.66.G
Mouere qui non poteſt corporis partes ad vitæ functiones cenſetur inutilis.3°.de loc.aff. 4^a.21.B
Mouet calidum cur.de vtil.reſp. Sp.64.A
quæ Moueant pruritum.de cathar. Sp.95.D
Mouet tympanum cochlea ad imaginem lentis.de machin. 7^a.310.D
quę Moueant ſudores.de cura icteri. Sp.111.C
Mouere vrinam in ictero bonum.de cura icteri. Sp.110.H
quæ Mouent vrinam,quæ.de mel.ex Gal.Ru.& Poſſ. Sp.110.B
quæ Moueant vrinam ſuauiſſime,olera.de cura icteri. Sp.111.D
MOVERI *quid.1°.de nat.fac.* 1^a.290.G
Mouentur aſtra,& moueri non videntur.4°.de diff.pulſ. 4^a.66.C
Moueri perpetuo omnes ſtirpes & lapides confirmãt philoſophi oẽs,per generationem videlicet & corruptionem.4°.de diff.pulſ. 4^a.66.B
Mouemur de loco ad locum virtute proueniente ex capite. de virtu.noſtrum corpus diſpenſantibus. Sp.60.B
Mouetur cerebrum & cor motu dilatationis & conſtrictionis licet differant.de anat.viu. Sp.56.E
Mouetur cutis frontis tota quieſcente maxilla.de muſc.diſſ. 1^a.44.F
Moueanť quibus neruis maxilla ĩferior,labia,buccę.de ner.diſ. 1^a.54.G
Moueri à nullo lingua didicit.in 6^{m}. de mor.vulg.c.5°. 3^a.188.E
Mouetur manus in quatuor partes.de machin. 7^a.314.F
Mouetur cor fortiter & frequenter.de anat.viuo. Sp.56.D
non Mouetur pulmo ex ſe,& cur.de anat.viu. Sp.53.F
quæ Moueantur in magno anhelitu.de mot.man.& obſc. Sp.66.H
quo Moueť thorax parte inferiori & ſuperiori.de mo.man. Sp.67.A
Mouetur dilatando,& conſtringendo horis determinatis inferius orificium ſtomachi.de anat.viu. Sp.56.E
Moueanť tũ totus pes,tũ digiti à quibus muſculis.de muſc.diſſ. 1^a.51.H
Moueatur cur fœtus ad exitum.de anat.viu. Sp.52.D
Mouetur qui muſculus etiam,ſentit [nota.] 1°.de ſymp.cau. 3^a.16.F
Moueñ quæ p neruũ partes etiã p eundẽ ſentiũt.1°.de ſymp.cau. 3^a.16.E
Mouentur cur particulæ,& non ſentiunt.1°.de ſymp.cau. 3^a.16.E
Mouentur aliqua ægre ob quæ.2°.de ſan.tuen. 2^a.72.F
Mouetur qbus & perturbeť vehemẽti corpus.de puero epil. 7^a.187.G
qui non Mouentur quo edere debẽt cibos craſſos.de diff.cont. Sp.72.G
his qui non Mouentur cõueniunt cibi ſubtiliantes.de diff.con. Sp.72.D
qui non Mouetur multum,& eſt temperatus cibatur cibarijs medijs inter craſſa,& ſubtilia.de diff.cont. Sp.73.A
Mouẽtur raro febricitãtes,niſi coacti,vel delirio.c.2°.aph.28°. Ex.16.E
Mouentur aliqua parte corporis deliri, ſi non potuerint mouere totum corpus.commen.2°.aph.28°. Ex.16.E
Mouentur affectus dum alterantur.2°.meth.me. 7^a.10.A
cum Mouentur organa,quæ partes ſint vſui.de machin. 7^a.310.F
quæ Mouentur in eodem loco in organis.de machin. 7^a.310.F
MOX *apparentia ſigna,quæ.com.1°.aph.12°.* Ex.5.G
MOYSES, *& Chriſtus legem tulere pręter demonſtrationem. 2°.de differentijs pulſuum.* 4^a.54.D
Moyſes melius pnũtiabat de natura,q̃ Epicurus.11°.de vſu pa. 1^a.189.G
Moyſis & Græcorũ dr̃ia in rebus cõdẽdis à Deo.11°.de vſu pa. 1^a.189.G
Moyſi Chriſtiq; aſſeclæ in ſua quiq; ſecta obſtinatiſſimi habẽtur à Galeno.3°.de differen.pulſ. 4^a.60.H

MVCILAGO *per quod foramẽ intrat, et exit. de ana.viu.* Sp.49.A
Mucilagines purgat colocynthis.de dynamidijs. Sp.21.D
Mucilago Pſyllij quo modo fiat.7°.de comp.med.ſe.loc. 5^a.184.E
MVCORES *qui ſint.commentario 6°.aph.59°.* Ex.53.G
Mucor quo modo fiat quandoq;.de artic.com.1°. 7^a.257.C
Mucor in acetabulis vteri aborſum facit.com.5°.aph.45°. Ex.41.G
Mucor acetabulorum an fœtus corrumpat abſq; mammarum extenuatione.com.5°.apho.53°. Ex.42.D
Mucores ſuperueniunt moleſtatis à coxendicum doloribus,quando excidit,& rurſus incidit coxa.com.6°.aph.59°. Ex.55.G
ad Mucore pingui obſeſſa.10°.de compoſi.medic.ſec.loc. 5^a.207.G
Mucor hirudinum ſpongia abſtergendus eſt.de cucur.ſcar. 6^a.4.C
MVCOSA *carne fiunt oſſis ſiderationes.de artic.com.3°.* 7^a.276.A
Mucoſi cibi minuunt vim attenuantium.de atten.vic. 2^a.44.C
Mucoſus humor qui.de arti.com.3°. 7^a.276.A
Mucoſus humor in omnibus articulis.de artic.com.3°. 7^a.271.E
Mucoſa ſanguinolenta,& cruda excrementa quid indicarent apud antiquos.com.1°.aph.1°. Ex.46.C
Mucoſo,& mellito ſucco ſimilia ſæpe inueniuntur in abſceſſibus.de tumore præter naturam. 3^a.83.G
MVCVS *apud alios,blena apud Hipp.2°.de ſemine.* 1^a.340.C
Mucus dicitur phlegma à Prodico.2°.de nat.fac. 1^a.301.D
Mucus quid.2°.de nat.fac. 1^a.302.B
Muci ſunt ex numero excrementorum humani corporis.intro. Iſa.55.B
Mucus cur fiat frigore.4°.de ſimp.me.fac. 5^a.24.C
per Mucos,per nares,per lachrymas purgãtur oculi.de cath. Sp.94.G
Muci per nares quorum ſint ſigna.in 1^{m}.prorrh.com.1°. 4^a.163.H
Mucos purulẽtos auriũ deſiccat muci limacis med^{m}.11°.đ ſim.m. 5^a.78.F
Mucus limacis qualis.11°.de ſimp.me.fac. 5^a.78.F
Mucus cochlearũ quo modo habeaĩ multus.11°.de ſimp.me.fac. 5^a.78.G
Mucus cochlearum,pilorum in ſupercilijs præter naturam gluten eſt. 11°.de ſimplic.medicam. 5^a.78.G
MVCRO *ſpecilli.13°.meth.me.* 7^a.81.F
Mucro latus ſpecilli.13°.metho.meden. 7^a.81.G
MVGILES *ex ſquammatorum genere.3°.de alim.fac.* 2^a.30.A
à Mugili in quo differat leuciſcus.3°.de alim.fac. 2^a.30.D
Mugil non habet multas paruas ſpinas.3°.de alim.fac. 2^a.30.C
Mugil viuit in aqua dulci,& ſalſa.3°.de alim.fac. 2^a.30.C
Mugil,& muræna multũ differũt ex locis ĩ cõgñibus.3°.de ali.f. 2^a.31.C
Mugilum diuerſæ ſpecies ex locis.3°.de alim.fac. 2^a.30.A
Mugiles naſcuntur in ſtagnis,& in fluminibus.3°.de alim.fac. 2^a.30.A
Mugilum caro in aquis limoſis qualis.3°.de alim.fac. 2^a.30.A
Mugilum marinorum caro qualis.3°.de alimen.facul. 2^a.30.A
Mugil è pelago vtilis in calidis,& ſiccis.8°.meth.med. 7^a.51.B
Mugil à mari diſcedens natat aduerſo flumine.3°.de alim.fac. 2^a.30.C
Mugilũ in paludibus,& ſtagnis degẽtiũ caro qualis.3°.de al.f. 2^a.30.A
Mugilum in fluuijs degentium caro qualis.3°.de alim.fac. 2^a.30.B
Mugilem præſtantiorem guſtus indicat.3°.de alim.fac. 2^a.30.D
Mugilũ caro iucũdior,acrior,& pinguedinis exp̃s.3°.de ali.fa. 2^a.30.D
Mugiles pingues in quo deteriores.3°.de alim.fac. 2^a.30.D
Mugiles pingues ſtomacho noxij.3°.de alim.fac. 2^a.30.D
Mugiles cur cum origano parantur.3°.de alim.fac. 2^a.30.D
Mugil ſale conditus aſſeruatur.3°.de alim.fac. 2^a.30.D
Mugil recens ſalitus præſtantior eſt veteri ſalito.3°.de alim.fa. 2^a.30.D
Mugil ſtagnalis ſale conditus multo quàm ante pręſtantior euadit. 3°.de alim.facul. 2^a.30 D
MVLARVM *ſterilitas vnde.de hiſt.philoſ.* Sp.11.A
MVLIEBRIA *officia qui homines obeunt.de aer.aq.& loc.* 2^a.6.G
Muliebrẽ veſtẽ ĩduũt Scytę q putãt ſe eẽ euiratos.de aer.aq.et l. 2^a.6.H
Muliebre lac cur alia præcedit.de bo.& vi.ſuc. 2^a.36.A
Muliebre lac conuenit oculo inflammato.de opt.ſect. Iſa.21.D
Muliebre ſemen vnde effundatur.2°.de ſemine. 1^a.336.C
Muliebre ſemen profunditur ex proprijs teſticulis per vtrunq; corniculum,& quo modo.com.5°.aph.48°. Ex.41.H
Muliebre ſemẽ quo tẽdat in effuſione ſeminis ĩ ſomnis.2°.de ſe. 1^a.336.C
Muliebris ſpermatis intentio eſt recipere formam ſecundum ſimilitudinem eius à quo ſeminatum eſt.de anat.viu. Sp.44.G
Muliebri ſpermati aſſociatur ſperma viri.de ſpermate. Sp.36.B
Muliebre ſemen confert maſculo.14°.de vſu par. 1^a.209.H
Muliebria quid ſignificent.com.5°.aph.28°. Ex.40.B
Muliebria ſuffitus aromatum ducit.com.5°.aph.28°. Ex.40.B
Muliebris fluxus quid.fin.med. Iſa.48.B
Muliebris fluxus cuius ſymptoma.de ſymp.cau. 3^a.13.E
Muliebris fluxus quot cauſis fiat.de ſymp.diff. 3^a.13.F
in Muliebri fluore fiũt pulſus vermiculares.2°.de p̃ſ.ex pulſ. 4^a.113.A

Muliebris fluxus quandoq; finitur in hydropẽ.2°.de nat.fac. 1ª.299.G
Muliebre profluuium nimiũ, aquæ intercutẽ cauſa.5°.de lo.aff. 4ª.33.H
Muliebri profluuio lens vtiliſſima eſt.1°.de alim.fac. 2ª.13.E
ad *Muliebrem fluxum ſiſtendum.9°.de compo.med.ſec.loc.* 5ª.203.E
ad *Muliebria vitia.9°.de comp.medi.ſec.loc.* 5ª.198.F
ad *Muliebres affectiones.2°.de antido.* 5ª.120.D
ad *Muliebria corpora aptatur palæſtricus modus reponendi luxata. de machinamentis.* 7ª.309.C
MVLIERES *in quo ſint ſimiles maribus.9°.de decre.Hippo.* 1ª.281.A
Mulieres in quo diſſimiles maribus.9°.de decr.Hipp. 1ª.281.A
Mulieris, & maris temperatura differunt.bre.denot.dogm. 1ª.231.C/*de pulſ.ad Thyr.* 4ª.44.A
in *Mulieribus, & viris diſcrimen faciũt ſitus regionum, aeris proprietates, victus ratio.bre.denot.dogm.Hipp.* 1ª.231.C
Mulierum differentia ex habitu corporis.3°.de dignoſ.pul. 4ª.95.G
Mulier cur habet corpus molle, vt pueri.11°.de vſu par. 1ª.189.D
Mulieres candidæ ſunt molles.4°.de comp.me.per gen. 5ª.236.F
Mulieres pueri, & eunuchi ſimilem habent cuticulam mollem.1°.de cõpo.med.ſec.loc. 5ª.123.B
Mulieres ſunt ad ſentiẽdũ admodũ habiles.4°.de cõ.me.per ge. 5ª.236.C
Mulieres ſunt minus ſiccæ viris.de ſal.diæta. 2ª.42.E
Mulieres humidæ ſunt.9°.de ſim.me.fac. 5ª.69.F
Mulieres ſunt humidiores viris.com.3°.aph.11°. Ex.21.A
Mulieribus capitis cutis humida.in 6ᵐ. de morbis vulg.c.3°. 3ª.170.A
Mulier eſt natura imbecillior, & frigidior mare.c.5°.aph.69°. Ex.45.D
Mulieres ſunt frigidiores maribus.com.5°.aph.62°. Ex.43.H
Mulier cur frigida facta.14°.de vſu par. 1ª.206.A
Muliere calidior eſt vir.3°.de cauſ.pulſ. 4ª.95.D
Mulieres minus digerunt.in 1ᵐ.de mor.vulg.com.2°. 3ª.115.E
Mulier imperfectior homine propter calorem.14°.de vſu par. 1ª.205.H
Mulier in motu imperfectior.14°.de vſu par. 1ª.206.C
Mulierum complexio imperfecta.de incant.adiur.& ſuſp. 7ª.181.F
Mulier & ſi imperfecta eſt, tamẽ toti gñi vtilis.14°.de vſu p. 1ª.205.H
Mulieres quæ tenues apparent, nigræ, & hirtæ ſunt temperatæ. com.5°. aphoriſmo.62°. Ex.44.B
Mulieres graciles, & nigrę magnas hñt venas.de cur.ra.p ſan. 6ª.19.G
Mulieres carnoſæ, & candidæ paruas habent venas. de curan.rat.per ſang.miſſ. 6ª.18.G
Mulieres albæ hñt ſanguinẽ tenuem.de cur.rat.per ſang.miſſ. 6ª.18.G
Mulieres cur vocem habent acutam.in 1ᵐ.prorrh.com.2°. 4ª.170.E
Mulier cur non fit ambidextra.com.7°.aph.43°. Ex.57.E
Mulieres gibbæ ante, aut retro à nutricibus factæ ob faſcias, dum ſtudẽt vt infantulæ maiora faciant fœmora q̃ pectora.de cauſ.mor. 3ª.8.G
Mulier non habet mores venerandos, vt mas.11°.de vſu par. 1ª.189.D
Mulierũ mos quo geſtu negant ſe credere dictis.3°.de decr. 1ª.244.E
Mulieres fucatas Phryna lauari præcipiẽs detexit ac deturpauit. in oratione ſuaſoria. Iſa.4.E
Mulieri, viro, puero, ſeni æſtate, hyeme, in loco calido, in loco frigido non æque conueniunt capilli.11°.de vſu par. 1ª.189.F
Mulier non eget tegmento, quia domi ſe cõtinet.11°.de vſu par. 1ª.189.D
Mulier egebat capite comato tegumenti gratia, & ornatus. 11°. de vſu partium. 1ª.189.D
Mulieres eadẽ ſtudia ſectari debẽt, quæ & viri.9°.de dec.Hi. 1ª.280.D
Mulieres multæ meliores multis viris ad multa opa.9°.de de. 1ª.280.H
Mulier eſt apta muſicæ, & medicinæ.9°.de decre.Hippocrat. 1ª.280.H
Mulieres profeſſæ artem medicam.6°.de lo.aff.39.D/ 4ª.40.D
Mulieris crus quale.de art.comment.3°. 7ª.277.F
Mulierum collum veſicæ quale.15°.de vſu par. 1ª.211.A
Mulierũ collũ veſicæ apophyſi caret, q̃ habẽt vir.15°.de vſu p. 1ª.211.A
Mulieris meatus vrinarius habet vnam flexionem in collo veſicæ. 5°.de vſu partium. 1ª.147.G
cur *Mulier habet menſtrua.fin.med.* Iſa.49.H
Mulieres maxime mutant corpora in eruptione menſtruorum.comm.3°. aphoriſmo 28°. Ex.25.H
Mulieri ſanguinem euomenti menſtruis erumpentibus ſolutio. com. 5°. aphoriſmo 32°. Ex.40.D
Mulieri menſes decolores, nec per idem ſemper tempus veniẽtes purgationem indicant eſſe neceſſariam.com.5°.aph.36°. Ex.40.G
Mulieres cur refrigerantur in menſtruis purgationibus. 14°.de vſu partium. 1ª.204.H
Mulieres quæ habẽt fortiter mẽſes nõ ſunt purgãdæ.de dyna. Sp.20.F
Mulieribus menſes educit diacalaminthe.4°.de ſan.tuen. 2ª.86.F
in *Mulieribus menſtruę purgationis omnimoda ceſſatio, vel immodica euacuatio facit hydropem.2°.de natur.facul.* 1ª.299.F
Mulieribus, quæ non purgantur, ſcarificatio prodeſt, & quantum ſanguinis ſit educendum.de cucur.ſcarif. 6ª.4.A
Mulieribus quibus ſcarificatio crurum conuenit. de curan. ratione per ſangui.miſſ. 6ª.18.G
Mulieribus atrabilarijs, quibus menſes defecerunt, quæ vena ſecanda. de melancho.ex Gale.Ruf.& Poſſi. Sp.110.A
Mulieris cui menſes retenti caſus.de venæ ſect.aduer.Eraſ. 6ª.9.F
Mulier podagra ñ laborat niſi mẽſtrua defecerit.c.6°.ap.29°. Ex.49.B
Mulieris vẽter qũo incidi debeat eſt antiquũ inuẽtũ.6°.de decr. 1ª.265.B
Mulieres, & viri habent vnam viſcerum interiorum compaginatam lineationem.de natu.& or.cuiusl.corp. Sp.43.B
Mulier habet omnes partes quas habet m ıs, licet aliquę ſint maiores, aliquæ minores.14°.de vſu par. 1ª.208.E
Mulier habet oẽs ptes viri differũt ſolũ poſitione.14°.de vſu p. 1ª.205.G
in *Muliere ſunt tot partes quot in viro, ſed in muliere ſunt intus, in viro extra.14°.de vſu par.* 1ª.205.E
Mulierum vulua biformis eſt.2°.de ſem. 1ª.339.C
Mulieri ita matrix columna eſt, vt maſculo veretrum.de natura, & ordine cuiusl.corp. Sp.42.B
Mulieris pudenda quo modo ſe habeant.com.5°.aph.46°. Ex.41.H
Mulier habet pudendum vt vir.14°.de vſu par. 1ª.205.F
Mulier habet pudendum in perinæo.14°.de vſu par. 1ª.205.G
in *Mulierũ pudendi finibus cur cutis epiphyſes.15°.de vſu pa.* 1ª.211.A
Mulieris pudendum eſt in loco commodiſſimo, & non poteſt per minimũ etiam tranſponi.15°.de vſu par. 1ª.210.B
Mulieris inſtrumenti ad virum, in inſtrumentis generationis comparatio eſt qualis cerę ad ſigillum.de ana.viu. Sp.51.D
Mulieres nunq̃ habent pudendum viri.com.7°.aph.43°. Ex.57.F
Mulierũ partes pudẽdæ quibus vaſis nutriantur.14°.de vſu p. 1ª.209.B
Mulierũ, & virorum genitalium nutritiones vnde.2°.de ſem. 1ª.339.E
Mulierum teſtes vbi.de diſſ.vul.109.B/14°.de vſu par. 1ª.205.F
Mulierum teſticuli duo ſunt alter ſub dextro rene, alter ſub ſiniſtro. de compagine membrorum. Sp.59.D
Mulierum teſticuli loco opportuniſſimo ſunt.14°.de vſu par. 1ª.208.G
Mulierum teſtium forma qualis.de diſſ.vul. 1ª.109.C
Mulierum teſtes quales.de diſſect.vul. 1ª.109.B
Mulierum teſticulorũ & virorum differentia.de natu.& or. Sp.43.B
Mulierũ teſtes ſunt minores teſtibus maſculorum.de diſſ.vul. 1ª.109.C
Mulieris teſticuli minores, & imperfectiores quàm marium. 14°.de vſu partium. 1ª.206.B
Mulierum teſticuli breuiores, & fragiliores quàm marium.de natura, et ord.cuiusl.corp. Sp.42.B
Mulierũ teſtes minores, & denſiores q̃ mariũ.de venæ art.diſſ. 1ª.58.D
Mulierum teſtes exigui ſunt.14°.de vſu par. 1ª.209.H
Mulierum teſtes cur parui, & videntur iuncti.14°.de vſu par. 1ª.208.G
Mulieres, quæ habent maiores teſtes, viragines appellantur.de natu.& ordine cuiuslibet cor. Sp.43.B
in *Mulierum teſticulis cur* ἐπιδιδυμίδες *non ſunt manifeſtæ. 14°.de vſu partium.* 1ª.209.G
Mulierum teſtes ſunt minus molles, & minus humidi teſtibus virorum. 14°.de vſu par. 1ª.209.H
Mulierum teſtes imperfectiores teſtibus virorũ.14°.de vſu p. 1ª.207.G
Mulierum teſtes continent ſemen, vt teſtes virorum vaſis ſeminarijs. de diſſect.vul. 1ª.109.C
in *Mulieribus vas ſpermaticum quare.14°.de vſu par.* 1ª.207.H
in *Mulieribus qualia ſint vaſa ſeminaria, & cur.de ana.viu.* Sp.51.G
Mulierum vaſa ſpermatica ſunt minus dura vaſis ſpermaticis virorum. 14°.de vſu par. 1ª.209.H
Mulierum vas ſpermaticum paruum eſt.14°.de vſu par. 1ª.209.H
in *Muliere vaſorum ſeminalium cõiunctio, à ſummis viris ignorata. de diſſect.vul.* 1ª.109.C
in *Mulierum membris ſeminalibus non eſt adhibenda fides Athenæo. 2°.de ſemine.* 1ª.336.C
in *Mulierum teſtibus ſemen, & humor in glanduloſis virorum partibus ſunt ſimillima, & cur.14°.de vſu par.* 1ª.208.B
Mulieribus ſemen vnde accipitur.2°.de ſemine. 1ª.335.G
Mulier tenet ſemen in ſe ipſa.14°.de vſu par. 1ª.207.H
Mulieris ſperma comparatur lacti.de anat.viu. Sp.55.H
Mulieris ſemen cur minus coctum.14°.de vſu par. 1ª.207.G
Mulieris ſemen imperfectum.14°.de vſu par. 1ª.207.H

Mulieris ſemen tenuius, & frigidius eſt ſemine viri.1°.de ſem. 1ª.331.A
Mulierum ſemen humidius eſt, & frigidius.6°.de locis affect. 4ª.39.G
Muliebri ſpermate calidius, & fortius eſt ſperma viri.de ſper. Sp.36.B
Mulieris ſemen ad quid vtile.14°.de vſu par. 1ª.208.B
Mulieris ſemen commiſcetur cum virili.1°.de ſemi. 1ª.331.A
Mulieris ſemine nutritur viri ſemen.tanquam re magis familiari, quam ſanguis ſit.14°.de vſu par. 1ª.208.B
Mulieris ſemen nutrimentum ſeminis viri.2°.de ſem. 1ª.336.D
Mulieris ſemen cur alimentum ſit ſeminis viri.1°.de ſem. 1ª.331.A
in Mulieris ſpermate quid agat ſperma viri.de anat.vi. Sp.51.H
Mulieris ſemen eodem modo mouetur ad generationem quo viri. 14°.de vſu partium. 1ª.206.B
Mulieris ſemen quid confert ad generationẽ.14°.de vſu par. 1ª.208.B
Mulieris ſemẽ aliqd agere ĩ gñatione põt colligi.c.5°.aph.48°. Ex.41.H
ex Mulieris, & viri ſemine fit ſemen perfectum.2°.de ſem. 1ª.336.D
ex Mulieris, & viri ſpermate fit fœtus.de anat.parua. Sp.43.C
Mulieris ſperma intendit ſuſcipere formam.de anat.viu. Sp.51.H
ex Mulieris ſemine fit tunica ἀλλαντοειδὴς.14°.de vſu par. 1ª.208.B
Mulieris ſemen facit inteſtinale volucrum.2°.de ſem. 1ª.336.D
in Mulieribus, & viris humiditas exiẽs delectat.14°.de vſ.p.1ª.208.B
in Mulieribus in qua parte potiſſimum ſit dulcedo in coitu. de compag. memb.ſiue de nat.hum. Sp.59.D
Mulier in coitu videtur magis delectari.1°.de ſymp.cau. 3ª.17.G
ex Mulieris, & viri calefactione ſemen emittitur.de ſperma. Sp.36.A
in Muliere humor qui effunditur qualis, & quod nihil faciat ad generationem.14°.de vſu par. 1ª.208.C
Mulieres excernunt ſemen in ſomnis vt viri.2°.de ſem. 1ª.336.D
Mulier vidua quibus affectibus afficiebatur in emiſſione ſeminis collecti.2°.de ſemine. 1ª.336.C
Mulieris affectę ob ſemen retentum caſus.6°.de loc.aff. 4ª.39.H
Mulieres habentes vterum frigidum quid habeant. commẽ.5°.aph.62°. com.2°.aph.62°. Ex.43.F
Mulieris vterus frigidus facit fœminas.com.5°.aph.42°. Ex.41.E
Mulieres habent corpus ſimile vtris.com.5°.aph.62°. Ex.44.A
in Mulieris vtero per quæ cõcoquantur ſanguis, & ſpiritus, et vbi ſint. 14°.de vſu partium. 1ª.207.G
Mulieres laxarum carnium, & pituitoſarum vt plurimum per vterum purgantur.6°.de lo.aff. 4ª.41.D
Mulieribus quidam coire non poſſunt, & curatio.de incantatione adiuratione, & ſuſpenſione. 7ª.181.H
ad Mulieris libidinem excitandum.de dyna. Sp.30.A
Mulier violata vt non cognoſcatur.de paſſ.mul. Sp.96.D
Mulieres contrariæ quando viris contrarijs iungi debent. commenta.5°. aphoriſmo.62°. Ex.43.F
quæ Mulieres non procreent, & quæ procreent, quod etiã ad viros trahitur.com.5°.aph.62°. Ex.43.E
Mulieres quæ ſemper gñabunt, & quæ nõ.com.5°.aph.62°. Ex.43.F
Mulieribus quibuſdam in generatione ſolet adijci illud virile, quo luxuriantur.de compag.memb.ſiue de nat.hum. Sp.59.H
in Mulieribus humiditas acris, & mordax excitat venerem. 14°.de vſu partium. 1ª.207.E
Mulieres quo modo concipiant.de hiſt.philoſ. Sp.10.E
Mulieres cur raro cõcipiãt, etiã ſi cõcumbãt ſæpe.de hiſt.phil. Sp.10.F
Mulier certo tempore concipit, & quando.de nat.& ord. Sp.42.C
Mulier ſi debeat concipere, maris ſemẽ debet manere in matricibus.14° de vſu partium. 1ª.208.B
Mulieres, quæ minime concipiant.com.5°.aph.59°. Ex.43.C
Mulieres quæ ſint fœcundæ, & quæ non.com.5°.aph.62°. Ex.43.H
Mulieri fœcundæ quid ſit opus.com.5°.aph.62°. Ex.43.H
Mulieres cur ſteriles.de nat.hum.com.1°. 1ª.29.E
Mulieres ob pinguedinẽ, & humiditatẽ ſteriles ſunt.de aere aq. 2ª.6.G
Mulieris fœcundæ, & ſterilis cognitio.com.5°.aph.62°. Ex.44.A
Mulier an debeat cõcipere, qũo cognoſci põt.com.5°.aph.59°. Ex.43.C
an Mulieris, vel viri culpa non cõcipiat mulier quo modo cognoſcatur. de paſſ.mul. Sp.96.C
Mulier ſi conceperit quomodo cognoſcatur.de paſſ.mul. Sp.96.C
Mulieris quæ concepit maximum indicium com.5°.aph.51°. Ex.42.B
Mulieres quo modo ſciant ſe concepiſſe.3°.de nat.fac. 2ª.302.H
Mulieres quid ſentiant vbi ſemen conceperint.1°.de ſem. 1ª.329.B
Mulier ſi velis noſcere an cõceperit, cũ dormitura eſt ei aquam mulſam potandam da: & ſi alui tormina patietur, concepit, ſi minus, non concepit.com.5°.aph.41°. Ex.41.D
Mulieri ſi ceſſent purgationes, neq; febrem, neq; rigorẽ habuit, & incidat faſtidia, iudica ipſam habere in vtero.com.5°.aph.61°. Ex.43.D
Mulieres quæ cõceperũt hñt anguſtũ vterum.com.5°.aph.41°. Ex.41.D
Mulier ſi marem concepit bene colorata eſt, ſi vero fœminam, male colorata com.5°.aph.42°. Ex.41.D
Mulier cur in ſiniſtris oriatur.14°.de vſu par. 1ª.206.G
ad Mulieres, quando non concipiunt, de paſſ.mul. Sp.96.C
vt Mulier concipiat.de dynamidijs. Sp.29.F/G
vt Mulier non abortiat, & fœtum cõtineat, remediũ.de dyn. Sp.29.H
Mulier ne vnquam concipiat.de incant.adiur.& ſuſpenſ. 7ª.182.C
Mulieri ſi gracileſcat dextra mamilla maſculi abortum facit. de anatomia viuorum. Sp.51.F
ĩ Muliere grauida ex tumore vteri nõ fit ileon.cõ.6°.aph.44°.Ex.51.D
Mulierum vterum gerentium errores.11°.de vſu par. 1ª.188.B
Mulieres albæ quid gignant.in 6^{m}.de morb.vul.com.1°. 3ª.156.C
Mulieres nigræ quid gignant.in 6^{m}.de morb. vulga.com.1°. 3ª.156.C
Mulieribus nigriores plerũq; ſunt viri.in 6^{m}.de mor.vul.c.2°.3ª.169.B
Mulieris gemiparę caſus.in 3^{m}.de mor.vul.com.3°. 3ª.151.C
Mulierum quę pepererunt corpora non rubeſcũt ob frictionem. de cucurbitulis & ſcarificationibus. 6ª.3.C
Mulieris dolori poſt partũ datur decoctio ſquinãti.de med.ex.Sp.106.F
Mulierum partubus conuenit ſcientia conſtitutionum. de decub. progn. ex mathematica ſcientia. Sp.16.B
Mulieribus iudicationes à partu numerãdæ.in progno.cõ.3°. 4ª.208.A
Mulier, quæ neq; grauida eſt, neq; peperit, ſi lac habet, ei defecerũt mẽſtrua.com.5°.aph.39°. Ex.41.B
Mulier qũo, & vnde, & quando lac facit.com.5°.aph.39°. Ex.41.B
Mulier non prægnans cur quandoq; habeat lac in mamillis. commen.5°. aphoriſmo 39°. Ex.41.C
Mulieres q̃ lac præbeãt cur nõ habeãt mẽſtrua.14°.de vſu par. 1ª.207.B
Mulier quando plus habet lactis.com.5°.aph.39°. Ex.41.C
Mulierum lac ſugere debent pulmonis vlcera habentes. de bonitate, & vitio ſuccorum. 2ª.36.A
Mulieris lac pro phthiſicis.5°.meth.med. 7ª.35.A
Mulieris lac pro phtoe optimum.7°.meth.med. 7ª.44.G
Mulieris quæ fœminã peperit lac accipi iubet.de med.fac.par.7ª.176.B
in Mulieribus, quę non dum prægnantes fuerint, cur mammæ ſunt contractæ.6°.de lo.af. 4ª.42.H
Mulieribus ſi ſanguis colligatur ad mammas, furorem ſignificat. commentario 5°.aph.40°. Ex.41.C
Mulieribus quæ tempeſtas optima.com.3°.aph.14°. Ex.22.E
Mulieribus confert æſtas ſicca borealis.de aer.aq.& lo. 2ª.4.C
de Mulierum morbis librum fecit Diocles.in 6^{m}.de morb.vulgaribus, commentario.2°. 3ª.169.E
Mulieribus febres contingunt ęſtate, ſi hyems borealis ſit, & ſicca, ver vero auſtrinum, & pluuioſum.de aere, aq.& lo. 2ª.4.B
Mulieribus magis, quàm viris rigor accidit.de palp. 3ª.55.G
Mulieribus ocioſius degentibus magis rigor accidit.de palp. 3ª.55.G
Mulieribus incipiunt rigores ex lumbis magis.& per dorſum ad caput. in 6^{m}.de mor.vul.com.3°.3ª.174.C/com.5°.aph.69°. Ex.45.D
Mulieris de rigore hiſtoria.de palp. 3ª.55.G
Mulierum pulſus qualis.de pul.ad Tyr.44.A/3°.de cau.pul. 4ª.95.D
Mulieres habent arterias molles, tamen habent pulſus paruos.3°.de dignotione pulſuum. 4ª.95.H
Mulier qũo poterit habere pulſum maiorẽ viro.3°.de dign.pul. 4ª.95.F
Mulierem amare depræhendit Galenus.de præcog.ad Poſth. 4ª.216.A
Mulierum vrina habet hypoſtaſim maiorem, quàm virorum. de vrinæ ſignifi.ex Hippocrates. Sp.79.A
in Mulieribus vrina optima, quæ.de vrin. 4ª.125.B
in Mulieribus, & viris vrinæ peſſimæ quæ.1°.de criſibus. 4ª.130.F
in Muliere, & viro peſſima eſt vrina atra.de vrin.ſign. ex Hip. 78.G/ de quæſ.in Hipp. Sp.113.F
Mulieris, quæ nigram vrinam minxit, caſus.de atra bile. 1ª.36.H
Mulieres qua tempeſtate maxime patiantur inteſtinorum difficultates. com.3°.aph.12°. Ex.21.F
ad Mulierum dolorem in coxa, & ventre.de paſſ.mul. Sp.95.H
Mulierum matrices purgans decoctio.de med.exper. Sp.105.D
in Mulierũ collutionibus confert ſuccus centaureæ.de vir.cẽt.Sp.94.B
Mulieribus, quę ex melancholia ob matricem inſomnia patiũtur Triphera magna ſomnum ſuauiter conciliat.de dynam. Sp.26.E
Mulieres, quæ vterariæ dicuntur.in 3^{m}.de mor.vul.com.3°. 3ª.153.C
in Mulieribus cur fiat diſtentio, & conuulſio ex vtero. in 6^{m}.de morb. vulgaribus,

vulgaribus,com.1º. 3ª.153.C
Mulieribus euenientes in matricibus ægritudines fortes opem ferens ele ctarium.de med.exper. Sp.107.H
Mulieris,quæ veteralibus morbis vexabatur caſus.2º.de ſem.1ª.336.C
Mulieres quo modo regendæ in ratione victus.de ſal.diæ. 2ª.42.D
Mulieribus in quibus abundant ſuperfluitates phlegmaticæ optimũ medicamen.de med.exper. Sp.108.E
Mulieres,quæ pituitoſum humorẽ aggregẽt.com.5º.aph.62º. Ex.43.G
Mulierum fluxus remedium.de dyna. Sp.25.B
Mulieribus rheumatizãtibus dãda ſunt phlegmagoga.de dyna.Sp.21.D
Mulieribus moleſtatis per longum tempus ab aliquo fluxu,& rheumatizantibus dantur hydragoga.de dyn. Sp.22.A
Mulieres ſanguinem vomentes debent medici euacuare miſſo ſanguine è vena.com.5º.aph.32º. Ex.40.D
Mulieribus nigris ſecat venam.de curan.ra.per ſang.miſſ. 6ª.18.G
Mulieribus per quas vias exeat ſanguis.de nat.hu.com.1º. 1ª.32.B
in Mulieribus ſedis venæ fluor deriuandus eſt ad vteri venas.de cucurbitulis ſcarificatione. 6ª.4.F
Mulierum dolores morboſq́ ſubleuans antidotus.2º.de antid. 5ª.120.E
Mulieres diuites abhorrẽt à medicamẽtis.6º. de cõp.me.ſec.lo.5ª.171.E
Mulieres,quæ medicamẽta requirant.1º.de cõp.med.per gen. 5ª.212.H
Mulieris Herpetis curatio.14º.methodi medendi. 7ª.92.F
Mulieris habentis herpetem in malleolo caſus.14º.meth.med. 7ª.92.F
Mulieribus quæ conueniãt in vlceribus.4º.de cõp.med.per ge.5ª.236.B
Mulieribus ſatis eſt butyrum.3º.de comp.medicamen.ſec.loc.5ª.146.H
Mulieribus confert cadmia.9º.de ſimp.med.fac. 5ª.69.F
Mulierum delicatarum vnguentum.8º.meth.me. 7ª.53.D
in Mulieris ſinu cancer inciſus non venit ad cicatricem. commenta.6º. aphoriſmo 38º. Ex.50.E
Mulieres quas partes occultent.de ijs,quæ in med.fi.com.1º. 7ª.202.C
Mulieris apud aquam frigidam caſus.in 3^{m}. de mor.vulg.c.3º. 3ª.148.C
Mulieris in cranone caſus.in 6^{m}.de mor.vulg.com.3º. 3ª.171.B
Mulieris in littore caſus.in 1^{m}.de morb.vul.com.3º. 3ª.126.E
Mulieris in mendacio caſus.in 3^{m}.de morbis vul.com.2º. 3ª.140.B
Mulieris moroſæ caſus.in 3^{m}.de mor.vul.com.3º. 3ª.150.F
Mulieris apud Pãtimedẽ caſus.in 3^{m}.de mor.vul.c.2º. 3ª.139.H
Mulieris apud Tiſamenũ caſus.in 3^{m}.de morb.vulg.com.2º. 3ª.139.H
Mulieres qua tempeſtate plurimum moriuntur.cõ.3º.aph.1º. Ex.21.B
MVLIERCVLAE macilentæ cui octo menſibus menſes defecerunt ſanguinem detraxit Galenus.in 6^{m}.de mor.vul.com.3º. 3ª.176.C
Mulierculæ ſunt molles,& humidæ.6º.de compo.med.ſec.loc. 5ª.176.F
MVLLVS fit ab equa.2º.de ſemine. 1ª.336.F
MVLLVS piſcis pelagicus.de alimen.faculta. 2ª.30.E
Mulli inter pelagicos numerantur.de atten.vic. 2ª.45.E
Mulli piſces ſaxatiles.de ren.aff.dig.& med. 7ª.195.F
Mull9 celebrat̃ tanq̃ voluptate cibos reliquus ſupet.3º.de ali.fa.2ª.30.E
Mulli caro qualis.3º.de alimen.fac. 2ª.30.F
Mulli habent duram carnem.3º.de alim.fac.2ª.31.E/8º.de compo.medicamen.ſec.loc. 5ª.192.C
Mullorum caro friabilis eſt,non mollis.de atten.vic. 2ª.45.H
Mulli caro cur iucunda.3º.de alim.fac. 2ª.30.F
qui Mulli nihil mali ſucci in ſe habent.de bon.& vitio ſuc. 2ª.37.H
Mulli ęgre cõficiũt,et pariũt ſuccos craſſos et ſalſos.3º.de ali.fa. 2ª.31.E
Mullus ſuper omnes nutrit ſi conficitur.3º.de alimen.facul. 2ª.30.F
Mullus vtilis eſt calidis,& ſiccis.8º.methodi medendi. 7ª.51.B
Mulli conueniunt ſtomachicis.8º.de comp.med.ſe.lo. 5ª.192.C
Mulli peiores,qui carcinadas paſcunt.de bon.& vi.ſuc. 2ª.37.H
Mulli parui,qui cancellos vorant.3º.de alim.fac. 2ª.30.G
Mulli,qui cancellos edunt q̃uo cognoſcantur.3º.de alim.fac. 2ª.30.G
Mulli comedentes cãcellos propriã carnẽ corrũpũt.3º.de ali.fa.2ª.31.A
Mulli caput guloſi laudant.3º.de alim.fac. 2ª.30.G
Mulli Hepar ꝓpter voluptatẽ à guloſis expetitur.3º.de ali.fac. 2ª.30.F
Mulli iecur quo modo coquatur.3º.de ali.fac. 2ª.30.F
Mulli Iecur non eſt viſum ſuaue Galeno.3º.de ali.fac. 2ª.30.G
Mullus quo intinctu comedatur.3º.de alim.fac. 2ª.30.F
Mullos magnos quidã ingenti pecunia emerat propter Iecur, & caput. 3º.de alim.fac. 2ª.30.H
Mulli magni peiores paruis.3º.de alim.fac. 2ª.30.G
Mulli vt ſale condiantur non ſunt accommodi.3º.de alim.fac. 2ª.33.C
MVLSAE differentiæ.8º.meth.me. 7ª.52.H
inter Mulſam,& oxymeli medium eſt apomeli.8º.meth.me. 7ª.52.G
Mulſa aquoſa.8º.meth.med. 7ª.52.H
Mulſa quæ mediocri eſt miſtura.8º.meth.med. 7ª.52.H
Mulſa aqua auſtera,eſt mella.de fract.com.2º. 7ª.235.H
Mulſa aqua ꝑ noctẽ ſub dio exponẽda.9º.de comp.med.ſec.lo.5ª.199.H
Mulſa cruda qualis,& eius vires.12º.meth.med. 7ª.75.H
Mulſa aqua cruda ſecũdũ Galenũ eſt flatuoſa.com.5º.aph.41º. Ex.41.D
Mulſa cocta qualis,& eius vires.12º.meth.med. 7ª.75.H
Mulſa aqua eſt vnũ ex auxilijs morbi. de vic.ra.in mor.ac.c.1º.7ª.115.C
Mulſa quibus conueniat.4º.de ſan.tuen. 2ª.84.F
Mulſa aqua ad quę valet.11º.meth.me. 7ª.70.F
Mulſæ exiguo cibandi ſunt craſſos, & multos humores in primis venis habentes.4º.de ſan.tuen. 2ª.84.H
in Mulſa hyſſopum conuenit,quibus intus crudi ſucci copia eſt, & foris laſſitudinis ſenſus.4º.de ſanitate tuen. 2ª.86.B
Mulſæ aquæ,& ptiſſanæ comparatio.8º.meth.me. 7ª.51.B
Mulſa aqua , & cremor ptiſſanæ detergit humores in ventre inſertos. de vic. ratio.in mor.acu.com.1º. 7ª.111.E
Mulſa magis humectat quàm ptiſſana.de vi.ra.in mor.ac.c.1º. 7ª.112.F
Mulſa aqua,vt ptiſſana humectat,& ſiccat,non tamen roborat.de vict. ra.in mor.acu.commen.1º. 7ª.113.C
à Mulſa fit vomitus.7º.meth.me. 7ª.48.D
cum Mulſa ſinapis vomitum facit.de cathar. Sp.95.C
cum Mulſa puluis ireos vomitum facit.de cathar. Sp.95.C
Mulſa non minus valet ad vomitum ptiſſana.8º.meth.me. 7ª.51.A
in Mulſa coctum abſinthium conuenit quãdo pituita tenuis fuerit in vẽtriculo.7º.meth.me. 7ª.48.D
Mulſa melior ptiſſana in febribus.de vic.ra.in mor.acu.c.1º. 7ª.111.E
Mulſa aqua infundens,& decoquens,Hyſſopum,origanum, & nardum bibendum propina in tertiana notha.1º.de arte cura.ad Gla.7ª.97.E
Mulſa cum hyſſopo quando conueniat.12º.meth.me. 7ª.75.G
à Mulſa,& melle cauendum eſt in hectica febre.10º.meth.me.7ª.67.B
Mulſa inimiciſſima eſt febribus colliquatiuis.10º.meth.me. 7ª.67.F
Mulſa aqua quomodo noxia in febribus.11º.meth.me. 7ª.70.F
ſi Mulſam aquã,ptiſſanamq; eger faſtidierit, piſces ſaxatiles dandi ex iure albo.de vic.rat. in morbis acu.commen.1º. 7ª.113.C
Mulſam dat ante cibum.de vic.ra.ĩ mor.acu.com.1º. 7ª.112.E
Mulſam primo dat,poſt horã dat cremorẽ ptiſſanæ.8º.met.me. 7ª.56.H
pro Mulſa,vel alica,ptiſſanæ cremor in ſyncope.12º.met.me. 7ª.76.A
ex Mulſo,& vino frigido alica nihil mali ſucci in ſe habet . de bonitate & vitio ſuccorum. 2ª.39.C
Mulſa aqua,ĩ qua origanũ,vt hyſſopũ,aut thymus,aut calamintha, aut pulegium,aut mintha odora ſint incocta numerantur inter diſcuſſoria parabilia moderata.6º.de comp.med.ſec.lo. 5ª.169.G
ex Mulſa aqua Hyſſopus in pleuritide datur.de loc.aff. 4ª.34.G
Mulſa aqua vſq; ad vigorem in pleuritide confert. de vi.ra.in mor.acu. commentario.1º. 7ª.115.D
Mulſa tantũ,per ſeptem dies cibauit Galenus.10º.meth.med. 7ª.63.G
Mulſum acceptum ante euacuationem in pleuritide obeſt. de vict.rat.in morb.acu.com.1º. 7ª.114.B
Mulſa aqua,in qua Roſa ferbuerint.de præcog.ad Poſt. 4ª.219.C
Mulſa,in qua coctæ ſint herbæ acres valenter ad pus educendum facit. 13º.meth.med. 7ª.84.H
Mulſa numeratur inter mediocria,quæ pus educunt è Thorace. 13º.methodi medendi. 7ª.84.H
Mulſam aquã iniectam expuunt vulnerati thorace.5º.de lo.aff.4ª.31.A
Mulſa aqua in affectibus thoracis per vlcus impoſita exit per ſputa.5º. de locis aff.29.H/ 4ª.31.A
Mulſam quidam expuit ex pectore.5º.meth.me. 7ª.32.G
Mulſa acer non eſt vtilis inflammationi vẽtriculi,Iecoris,& lienis.11º. methodi medendi. 7ª.73.F
ex Mulſa,et ſale clyſter pro phlegmone cauæ partis iecoris.13º.methodi medendi. 7ª.84.A
Mulſa in phlegmone glandularum,& artuum.13º.meth.me. 7ª.83.D
Mulſa aqua nihil adſtringit,ſed extergit.6º.de comp.me.ſec.lo.5ª.173.G
Mulſa eluit. in 6^{m}.de morbis vul.com.6º. 3ª.196.C
Mulſa detergit.4º.de ſan.tuen.2ª.84.F/8º.meth.me. 7ª.52.G
Mulſa citra morſum detergit.13º.meth.me. 7ª.83.A
Mulſa aqua non calefacit,& euacuat.11º.meth.me. 7ª.69.G
ex Mulſa aqua cum oleo clyſter.11º.meth.me. 7ª.69.G
Mulſa aqua meracior per aluum purgat.de art.com.2º. 7ª.267.H
in Mulſo,cui pluſculũ inſit mellis maceratis prunis damaſcenis ſoluitur aluus in ſenibus.5º.de ſan.tuen. 2ª.92.E
Mulſa quæ deijciat.12º.meth.me. 7ª.75.H

Mulſa pro menſibus ciendis.de curan.rat.per ſang.miſſ. 6ª.20.F
Mulſo abluendum vlcus.2°.de arte cur.ad Glau. 7ª.101.H
Mulſo inſpergunt aliqui pilulas aloes.5°.de ſan.tuen. 2ª.92.E
Mulſam dat ad ſemihoram poſt catapotiũ.7°.de comp.me.ſe.lo.5ª.185.H
Mulſam,& ſcamonium bibere differunt.ad Thraſ. 2ª.105.A
pro Mulſa aqua cremor ptiſſanæ.12°.meth.med. 7ª.75.H
cum Mulſo panis ſenum.5°.de ſan.tuen. 2ª.92.D
Mulſo aceto in neruoſis partibus vti nõ debemus.de fra.c.2°. 7ª.236.A
Mulſum ſcylliticum.7°. de compo.med.ſecun.loc. 5ª.186.G
Mulſum vinum.3°.de comp.me.ſe.lo. 5ª.143.C
Mulſi vini veteris meminit.3°.de comp.med.ſecun. loc. 5ª.143.F
MVLTIPEDAE ad aurium dolores valent.11°.de ſimp.me.fa. 5ª.82.H
MVLTIPLICEM ordinem dentium habent lupi.de ana.viu. Sp.49.E
Multiplicẽ ordinẽ dẽtiũ,ſed eiuſdẽ gñis hñt piſces.de ana.viu. Sp.49.E
Multiplex ordo meſaraicarum.de anat.viu. Sp.50.B
MVLTIPLICATIO pilorum cur à natura fiat.de anat.viu. Sp.45.C
MVLTIPLICITATE tunicarum cooperientium nec venæ,nec veſica indiget,de anat.viu. Sp.45.A
MVLTITVDO eſt ad aliquid.11°.meth.med. 7ª.71.D
in Multitudinẽ innumerabilẽ ſecari põt oĩs quantitas.ad Thr.2ª.106.E
Multitudo,quæ è Theatris confertim conatur exire, in exitu hæret.3°. de ſanitate tuenda. 2ª.77.F
Multitudo,& plenitudo nomina cognita apud medicos, & ignorata.2°. de mult. 3ª.76.B
Multitudinis duæ differentiæ ad robur,& ad vaſa.de mult. 3ª.76.H
Multitudo enchyma quæ,& quod ſit in omnibus rebus.de mul. 3ª.77.B
Multitudine,aut craſſitiæ ciborũ aſſumptorũ quãdo generat phlegma in ſtomacho,ac reliquo corpe,cõueniũt cibi acetoſi.de diſſ.cõ. Sp.72.G
Multitudo,& morbus,multitudinis quid.com.2°.apho.17°. Ex.13.C
Multitudinis ſignum perſpicaciſſimum grauitas. de mult. 3ª.77.H
Multitudo adeſſe ſignificat tam per frigidos q̃ per calidos ſudores. commentario 4°.aph.42°. Ex.32.E
Multitudinem ſolam cauſare morbum,non autem defectum aliqui antiqui voluere.com.5°.aph.57°. Ex.42.H
Multitudo humorum facit febres longas.com.4°.aph.44°. Ex.32.G
Multitudo quem laborem facit.com.4°.aph.31°. Ex.30.G
Multitudo faciens dolorẽ oculorũ qbus ſanet.cõ.7°.aph.46°. Ex.57.H
iter Multitudinẽ mãm,et reſolõnẽ ẽ ſtuporis diſp°.2°.de lo.aff. 4ª.8.H
Multitudo materiæ facit difficultatem vrinæ, quæ ſanatur phlebotomia. commen.6°.aph.36°. Ex.50.D
Multitudine ægrotamus quando venter retinetur.2°.de elem. 1ª.9.C
in Multitudine humorũ ſanguis eſt mittendus:in corruptela vero pharmacum exhibendum pro cura præſeruatiua.quos purg.opor. 5ª.88.B
MVLTVM eſt contrarium pauco.11°.meth.me. 7ª.71.B
Multa vnum,& vnum multa ſecundum Platonẽ.2°.meth.med.7ª.14.F
Multa ex vno intelligi poſſunt.com.5°.aph.7°. Ex.37.H
Multa cognoſcunt,ſed an noceãt,et q̃uo noceãt,ignorat.1°.de ele. 1ª.5.G
Multa excremẽta qd ſignificẽt apud antiquos.cõ.6°.aph.1°. Ex.46.C/D
Multi oculi herba.de artic.com.4°. 7ª.286.H
MVNDE q̃uo dant cibi,& potus.in 6m.de mor.vul.c.4°. 3ª.180.G
de MVNDICIIS librum fecit Cleopatra.de pond.& menſ. 5ª.276.C
Mundiciem & celeritatem quæcunq; admittunt munde, & celeriter cõficienda ſunt.de faſcijs. 7ª.293.C
Mũdiciei,et elegãtię,nõ ſolũ vtilitati ſtudeat medicus.de faſ. 7ª.293.C
MVNDIFICANDAM vulneris oculorũ putredinem.de ocul. 7ª.191.C
Mundificantia quæ ſint.de diſſ.cont. Sp.74.G
Mundificans meatus medicamentum.ſecretorum. Sp.101.G
Mundificans ſanguinem medicamentum.ſecretorum. Sp.101.G
Mũdificãs ſupflua à pulmõe,& pectore electariũ.de me.exp. Sp.107.G
Mundificans fecẽ humorũ ex corpore medicamentũ.ſecreto. Sp.101.H
cũ Mũdificãtibus,& ſubtiliãtibus quid ſaciat lac.de diſſ.cõt.Sp.74.H
MVNDIFICATIVA potentia eſt vna ex potentijs medicinarum oculi.de ocul. 7ª.189.A
Mundificatiua qualia,& quæ.de ocul.188.E/189.C/ 7ª.190.G
Mundificat,& lauant dulcia,& amara.de ocul. 7ª.188.C
Mundificat mel,& tenuat,& quod mel.de diſſ.cont. Sp.74.G
Mundificant amygdalæ propriæ amaræ.de diſſ.cont. Sp.74.G
Mundificat venas ab humore craſſo vinum tenue.de diſſ.con. Sp.74.H
quo Mundificetur,& abſtergatur ſtomachus.de diſſ.cont. Sp.74.G
Mundificant ſtomachum cibi qui incidunt pituitã.de diſſ.cont. Sp.74.E
Mundificant ſtomachum & inteſtina cibi ſalſi.de diſſ.cont. Sp.72.G
quibus Mundificetur pituita in ſtomacho calido.de diſſ.cont. Sp.74.E
quæ Mundificant aliquando ſtomachum.de diſſ.cont. Sp.75.B
Mundificat pectus,& pulmonem ſecaniabin.de diſſ.cont. Sp.74.G
Mundificat canales pulmonis,& hepatis decoctio cortici fiſtici. de medicinis expertis. Sp.104.D
Mundificant renes,& frangunt lapidem generatum in eis cicera nigra. de diſſol.cont. Sp.74.G
Mundificant,& abſtergunt renes ficus humidæ & ſiccæ. de diſſolutione continua. Sp.74.G
Mundificant matricẽ immundã ſuccus centaureę.de vir.cent. Sp.94.B
MVNDVM qui primus appellauit.de hiſt.phil. Sp.5.F
Mundus quid ſit.an animal ſit.1ª.327.A/de hiſt.philo. Sp.4.D
Mundus eſt vnum corpus continuum.3° de diff.pul. 4ª.62.C
de Mundo,& vacuo philoſophorum rationes rhetoricæ. de cuiuſq; animi pec.not.atq; med. 2ª.60.A
Mundi author & conditor Deus.9°.de decretis Hippoc. 1ª.285.C
Mundus maximus eſt,& pulcherrimus oĩum rerũ.3°.de vſu p.1ª.133.F
Mundi generatio quæ.de hiſt.phil. Sp.3.G
Mundi materia quæ natura.de hiſt.phil. Sp.4.A
Mundus à quo elemento cœperit.de hiſt.phil. Sp.5.H
Mundi conſtitutio,& forma quæ.de hiſt.phil. Sp.4.D
Mundi figura quę.de hiſt.phil. Sp.5.G
Mũdũ qui dĩt immobilẽ eſſe ſimiles ſunt lapidibus.an anĩ ſit. 1ª.327.A
Mundi partium ordo.de hiſt.phil. Sp.6.A
Mundus,& mundi ordo cur coſmos dicatur.in pgno.com.3°. 4ª.207.G
Mundi dextra ac ſiniſtra pars,quæ.de hiſt.phil. Sp.6.C
de Mundi quatuor partium alteratione.de ſper. Sp.39.E
ſecundum Mundi partes quatuor terræ ſunt diuerſæ.de ſper. Sp.39.F
Mundi pars terra media ab Euclide probat.8°.de decr.Hipp. 1ª.273.E
Mundi pars terra media certe tenetur.8°.de decr.Hipp. 1ª.273.E
de Mundi ſeptem climatum alteratione.de ſper. Sp.39.D
Mundi veluti oculi ſunt Sol & Luna.an animal ſit. 1ª.327.B
Mundum luna perambulat vnoquoque menſe.de ſperm. Sp.40.E
Mundi perfectio quæ.an animal ſit. 1ª.327.A
Mundi finitas,& infinitas quæ.de hiſt.phil. Sp.5.F
Mundum non eſſe vnum Epicurus opinatur,ſed eſſe infinitos. de cuiuſq; animi pec.not.atq; med. 2ª.60.A
Mundum eſſe vnum,& extra non vacuum & totum plenum peripateticus diſputabat.2°.de cuiuſq; animi pec.not.atq.med. 2ª.59.H
Mundi æternitas.de hiſt.phil. Sp.5.G
Mundus an alatur.de hiſt.phil. Sp.5.H
extra Mundum an aliquid ſit.de hiſt.phil. Sp.6.B
in Mundo nullum eſt vacuum.3°.de diff.pul. 4ª.62.C
in Mundo nihil vacui ponebat ſtoicus,ſed extra mundum vacuum aſſerebat.de cuiuſq; animi pec.not.atq.me. 2ª.60.A
Mundi inclinatio.de hiſt.phil. Sp.6.B
Mundum vniuerſum,& cœlum contemplari volentes manus, & digitorum ſtructuram conſiderare debebant.de fœt.for. 1ª.325.C
Mundi totius anima quæ.de ſub.fa.nat.230.B/de hiſt.phil. Sp 5.G
Mundi anima quod non per omnia permeat.de ſub.fac.nat. 1ª.230.B
in Mundo primus ſpiritus quibus noĩbus appellat.an aĩal ſit. 1ª.327.A
MVNDVM ſanguinem purum,& clarum non generant cibi non temperati.de diſſ.cont. Sp.74.A
Mundus debet eſſe medicus potiſſimum manibus,facie,pilis,veſte.in 6m de morb.vul.com.4°. 3ª.180.H
Mundæ debent eſſe faſciæ,& cur.de faſcijs. 7ª.293.G
MVNERE ſuo magis quam alium artificem fungi medicum decet, quo ſibi nobilior eſt ſubiecta materia.de faſc. 7ª.293.C
Munus muſculorum qui dant capiti proprium motũ.de muſ.diſſ.1ª.45.D
MVR vocata myrrha.de med.fac.par. 7ª.177.G
MVRENAE viuunt aqua ſalſa,& dulci.de bon.& vit.ſuc. 2ª.37.H
Murena,& mugil multum differunt ex locis in congeneribus. 3°.de alimentorum facultatibus. 2ª.31.C
Murenæ molles carne.3°.de ali.fac. 2ª.31.A
Murenæ neq; craſſi neq; tenuis ſunt ſucci.de bon.& vitio ſuc. 2ª.34.H
Murenæ inter piſces qui facilius conficiuntur.3°.de alim.fac. 2ª.31.A
Murenę non ſemper optimę.3°.de alim.fac. 2ª.31.B
Murenæ quæ peſſimæ.de boni.& vit.ſuc. 2ª.37.H
Murena peſſima in hoſtijs fluuiorum.3°.de alim.fac. 2ª.31.B
Murena peſſima in Tyberi Romę.3°.de alim.fac. 2ª.31.B
Murena cur Romę minimo emitur.3°.de alim.fac. 2ª.31.B
MVRIA fit ex ſale quando caremus aqua.1°.de ſimpli.me.fac. 5ª.3.A
Muria aqua,ab aqua ad calidius accedit.1°.de ſimp.me.fac. 5ª.5.C

vt Muria,& mare vim habet exſiccādi bilis.4°.de dign.pul. 4ª.103.F
Muria ſiccat carnes,& incorruptas ſeruat.2°.de nat.fac. 2ª.301.C
Muria incidit,& attenuat.de atten.vic. 2ª.46.B
Muria aqua,aut bituminoſa,aut ſulfuroſa,aut marina ſi inſpergas partem adures.1°.de ſimp.med.fa. 5ª.3..A
Muria pro aqua marina.3°.de comp.med.ſec.loc. 5ª.147.B
Muria quæ reponi debet caucali conditur.7°.de ſimp.med.fac. 5ª.50.C
Muria eſt cibus ſalſus,diſſoluens & attenuans.de diſſ.cont. Sp.72.F
Muria ĩ qbus cibis poſita eſt,hi diſſoluūt ac attenuāt.de diſ.cōt.Sp.72.F
Muriæ in quo plurimum ponitur,eſt ſiccum.de diſſol.cont. Sp.74.D
in Muria condita tantum à priſtinis viribus immutantur, quantum à conditura fuerint alterata.de atten.vic. 2ª.46.B
Muria condita arborum germina faciunt humorem melancholicum. 3°. de loc.affect. 2ª.18.F
cū Muria qñ comedunĩ oliuæ ante cibū leniūt vētrē.de diſ.cō. Sp.75..A
ſine Muria quādo comeduntur oliuæ poſt cibum cum aceto quid faciāt. de diſſol.cont. Sp.75..A
Muria oliuarum.6°.de compo.med.ſecun.loc. 5ª.175.H
cum Muria,& aceto comedendum eſt cathaſ.de diſſ.cont. Sp.74.E
in Muria ſuperuacuum & acre excernitur per aluum,vrinas,& ſudores.3°.de temperamentis. 1ª.22.H
Muria pruritum facit.2°.de ſymp.cau. 3ª.23.H
Muria in quibus ſugillationibus fugienda.5°.de comp.me.ſe.lo.5ª.158.H
Muria quando eriſypelati imponenda.14°.meth.me. 7ª.87.E
Muria impoſita cuti exulcerat,& erodit.3°.de temp. 1ª.22.G
MVRMVR quid ſit, & quomodo fiat.com.4°.aph.73°. Ex.35.G
Murmura quorum ſunt ſymptomata.de ſymp.diſſ. 3ª.13.E
MVRMVRANTIA ilia ſuſpenſa quo modo ſint.commentario 4°. aphoriſmo 73°. Ex.35.G
Murmurantia,ſublata quibus ſunt hypochondria ilium dolore accedente iis alui humectantur niſi flatus erumpant vel vrinæ proueniat copia.de vrin.ſign.ex Hipp. 1ª.78.G
MVRES ſecuit Galenus.6°.de anat.adm. 1ª.89.G
Mus agris.3°.de alim.fac. 3ª.26.C
Mures domeſtici ſanant ſcorpii ictum.11°.de ſimp.me.fac. 5ª.82.G
Murium domeſticorum ſanguis fertur verrucas decidere facere.10°.de ſimplic.medicamen.facultatib. 5ª.73.D
Murium capita alopeciam ſanant.de theriaca ad Piſonem. 5ª.93.E
Murium ſtercus cum aceto tritū alopecias ſanat.de ther.ad Piſ.5ª.93.F
Murium ſtercus quo loco reponatur inter calida, quæ valent alopecii. 1°.de comp.me.ſe.loc. 5ª.122.D
Murium ſtercus ad alopecias.10°.de ſimp.me.fa. 5ª.77.D
Murium ſtercus pro balano.10°.de ſimp.med.fac. 5ª.77.D
Mures ad ſe trahit ſerpens ſpiritu ſuo.de cathar. Sp.94.H
ad MVRIS aranei morſum.5°.de comp.med.per gen. 5ª.246.H
MVRIS modo pulſus qui.de comp.pulſ. Sp.65.H
MVRIS auricula.6°.de ſimp.med.fac. 5ª.42.D
Muris auricula ſicca eſt in ſecundo ordine,temperata in actiuis qualitatibus.7°.de ſimp.me.fac. 5ª.56.D
Muris auris condenſat.5°.de ſimp.me.fac. 5ª.35.G
MVSA plures libros ſcripſit.6°.de comp.me.ſec.loc. 5ª.175.C
Muſa de medicamentis ſcripſit.7°. de comp.medi.ſec.loc. 5ª.178.B
Muſæ de medicamētis egregie ptractauit.2°.de cōp.me.per g.5ª.222.A
Muſæ quantum attribuat Galenus.6°.de comp.medica.ſec.lo. 5ª.172.C
Muſę ad anginam.6°. de comp.me.ſec.loc. 5ª.172.C
Muſa primus vſus eſt ſtercore canino.6°.de comp.med.ſe.lo. 5ª.172.C
Muſæ compoſitio dolorem ſedans.7°.de compo.med.ſec.loc. 5ª.182..A
Muſæ medicamentum ad quæ valeat.5°.meth.med. 7ª.34.B
Muſæ medicamentum vlceribus protractis in longum conuenit.1°.de arte curatiua ad Glauconem. 7ª.102.D
Muſæ medicamentum.5°.meth.me. 7ª.34.B
Muſæ paſtillus.3°.de comp.medi.ſec.loc. 5ª.141.D
Muſæ remedium.5°.de comp.med.per ge. 5ª.252..A
Muſæ trociſci ad putreſcētia vtiles.2°.de ar.cur.ad Glau. 7ª.107..A
Muſæ ad vocem interceptam.7°.de comp.me.ſe.lo. 5ª.181.B
Muſę fit mentio.2°.de compo.med.per gen.5ª.218.E/de dyna. Sp.32.F
MVSCAE non fiunt ab eodem opifice quo homo.de fœt.for. 1ª.326.B
Muſcæ quando videntur.de ocul. 7ª.186.D
Muſcas nunquàm diſſecuit Galenus neq; voluit diſſecare.6°.de decretis Hippocratis. 1ª.263.F
Muſcę cur videantur in ſuffuſis.de ſymp.cau. 3ª.15..A
Muſcæ pereunt oleo.2°. de ſimp.med.fac. 5ª.14.E
Muſcæ in medicamentis.1°.de comp.med.ſec.loc. 5ª.124.G
ex Muſcarum capitibus cataplaſma.de ocul. 7ª.190.E
Muſcarum capita.1°.de comp.med.ſec.loc. 5ª.124.H
Muſcę corpore vtiĩ pro medicamento.4°.de comp.me.ſec.lo. 5ª.158.D
Muſcæ carne vtitur in chymoſi.4°.de compo.medica.ſec.loc. 5ª.157.E
Muſcarum caninarum ſanguis.4°.de comp.med.ſec.lo.. 5ª.153.C
MVSCERDA. 1°.de comp.med.ſec.lo. 5ª.123.D
MVSCVLOSVM, & gracilē comparat cani.10°.met.med. 7ª.62.C
in Muſculoſis motus muſculorum plurimum apparent ante cutis ablationem.1°.de motu muſ. 1ª.309.H
Muſculoſa,& tenuis eſt tota frons.de muſ.diſſ. 1ª.44.F
Muſculoſa dilatatio vocaĩ muſculus latus in collo.de muſ.diſſ. 1ª.44.E
Muſculoſa natura,vel muſculoſa ſubſtantia poteſt dici muſculus latus ſub cute in collo.de muſ.diſſ. 1ª.44.D
Muſculoſæ partes in vtero,& in mare videntur in pudendis.14°.de vſu partium. 1ª.208.E
MVSCVLVS quid.fin.med.44.D/ar.med.Iſa.65.E/ 1°.de motu muſc. 1ª.309.C/de anat.viu. Sp.55.E
Muſculi ſunt corpora neruoſa.com.5°.aph.1°. Ex.37.D
Muſculus inter prima inſtrumenta numeratur.de diſſ.mor. 3ª.3.B
ex Muſculorum ſubſtantia moles noſtri corporis conſtat.de bonitate,et vitio ſuccorum. 2ª.35.G
Muſculi,& oſſa ſunt fundamēta totius corporis.1°.de anat.ad. 1ª.64.B
Muſculi robuſtiores adenibus.13°.meth.med. 7ª.80.H
Muſculus ex qua naturæ machina effectus.1°.de ſem. 1ª.332.C
Muſculi ꝓpria ſubſtantia.quę de mul.3ª.78.B/de frac.com.1°. 7ª.221.D
Muſculi proprium corpus ſunt fibræ.de frac.com.1°. 7ª.221.D
Muſculi fibras poſitu ſimplices obtinent.de anat.adm. 1ª.95.G
Muſculi omnes fibram habent ſecundum longitudinem vt plurimū porrectas.12°.de vſu par. 1ª.195.E
Muſculi ſectio vſq; in fibras.1°.de motu muſc. 1ª.309.D
in Muſculo vno quoq; neruus fibras efficit.1°.de decr.Hipp. 1ª.234.B
Muſculorum aliqui habent vnā fibrā,alii duas.1°.de anat.adm.1ª.64.C
Muſculorum omnes fibrę tenduntur in vehementi tenſione.3°.de ſanitate tuenda. 2ª.78.G
Muſculorum,& fibrarum cognitio quid faciat ad Chirurgum. 1°.de anatomicis adminiſtrationibus. 1ª.64.H
in Muſculorum genere cor quidam ponunt.de bon.& vit.ſuc. 2ª.35.G
à Muſculo differt ſubſtantia cordis.7°.de anat.adm. 1ª.96..A
Muſculo quolibet cor durius eſt.7°.de anat.adm. 1ª.95.H
Muſculus coctus habet guſtum diuerſum à corde cocto.7°.de anatomic. adminiſtrationibus. 1ª.95.H
Muſculus totus qualis.de bon.& vit.ſucc. 2ª.35.G
Muſculos appellat pelliculas quaſdam.de ana.par. Sp.43.D
Muſculus cur vocetur ſolum extrema pars.de bon.& vit.ſuc. 2ª.35.G
Muſculi quidam habent capita neruoſa.3°.de alim.fac. 2ª.26.G
Muſculi caput magis neruoſum eſt.1°.de motu muſc. 1ª.309.C/de bonitate & vitio ſuccorum. 2ª.35.G
in Muſculi caput inſeruniĩ ligamēta,& neruus.1°.de mot.mu.1ª.309.C
Muſculorum capita à foris habent ligamina tranſuerſim circundata. 1°. de anatomicis admin. 1ª.65.F
in Muſculorum capitibus nerui inſeruntur,ex finibus autē chordæ oriuntur.com.5°.aph.66°. Ex.45.C
Muſculorum ventres qui.1°.de motu muſc. 1ª.309.C
Muſculi cauitates ſunt quas ſola ratione contemplamur. commentario 6°.aphoriſmo.20°. Ex.48.C
Muſculi medium magis carnoſum eſt.1°.de motu muſc. 1ª.309.C
Muſculi finis inferior magis carnoſus eſt.1°.de mot.muſ. 1ª.309.D
Muſculi ſunt carnes exactę,potiſſimum mediæ partes. 3°. de alimentorū facultatibus. 2ª.26.G
Muſculorum particulę ſunt carnes.7°.de anat.admin.1ª.96..A/2°.de locis affectis. 4ª.11.D
Muſculus carnoſiſſimus eſt.16°.de vſu par. 1ª.218..A
ex Muſculorum ſubſtantia maxima aīaliū caro.4°.de anat.ad. 1ª.84.E
pro Muſculis carnes accepit Hippocrates.de fract.com.2°. 7ª.240.F
Muſculorū carnes nutriunĩ sāguine parū alterato.3°.de nat.fa.1ª.308.B
Muſculorū carnosā partē cōſuete piculo vacat.3°.de cōp.m.ꝑg.5ª.231.D
Muſculus,& caro propter quid ſint facta.12°.de vſu par. 1ª.193.D
Muſculus ad conſtituendum tendonē factus eſt.12°.de vſu par. 1ª.193.D
Muſculi omnes deſinunt in tendonem.11°.de vſu par. 1ª.185.G
in quod Muſculus deſinit,tendo vocatur.1°.de decr.Hipp. 1ª.233.G
Muſculorum neruoſæ partes tēdone vocanĩ.de frac.com.3°. 7ª.249.C

ex Muſculi

ex Muſculi ſine naſcitur tendo.1°.de motu muſcul.1ª.309.C| de bon. & vitio ſuccorum. 2ª.235.G
ex Muſculis oriuntur tendines.3°.de compo.me.per gen. 5ª.231.E
Muſculi multi in magnos tendones deſinunt.3°.de alim.fac. 2ª.26.G
Muſculi ad fines motuum hñt maximos tẽdones.3°.de alim.fac. 2ª.26.G
Muſculus vnus videntur eſſe plures cum plures habet tendones. de motu muſculorum. 1ª.308.F
Muſculorum anatome cognoſcenda eſt.1°.de loc.affect. 4ª.7.G
in Muſculorum anatomia, & partium intrinſecarum debet eſſe optime exercitatus medicus.2°.de anat.adm. 1ª.69.B
Muſculorum anatomia ſecundo loco vidẽda eſt.1°.de ana.adm. 1ª.64.B
Muſculis ignoratis, nerui, aut vaſa nõ pñt ſecari.2°.de anat.ad. 1ª.69.E
de Muſculorum diſſectione qui ſcripſerint.de muſ.diſſ. 1ª.44.B
de Muſculorum diſſectione nemo ſcripſit qui non ſit reprehendendus. de muſculorum diſſectione. 1ª.44.B
de Muſculorum diſſectione Marinus accuratius ægit, quàm alij, tamen aliquibus errauit.de muſ.diſſ. 1ª.44.B
Muſculorum diſſectio Pelopis, & Lyci, & Aeliani in precio iure habita eſt.de muſ.diſſ. 1ª.44.B
Muſculos optime diſſecuiſſe creditus eſt Lycus.de muſ.diſſ. 1ª.44.D
de Muſculorum diſſectione Lyci liber cur ꝓlixus.de muſ.diſſ. 1ª.44.C
de Muſculorum diſſectione cur ſcripſerit Galenus.de muſ.diſſ. 1ª.44.C
de Muſculorum diſſectione libro Galenus ea ſola, quæ apparent traditurus eſt.de muſc.diſſ. 1ª.44.C
Muſculorum diſſectionem in ſimia exercet.de muſc.diſſ. 1ª.44.D
ne Muſculi lacerentur cuilibet non eſt concedendum ſimiam excoriare. de muſculorum diſſ. 1ª.44.D
in quibus Muſculis anatomia ſimiarum fecerit errare.de motibus manifeſtis & obſcuris. Sp.70.E
de Muſculorum cognitione prius in cadauere exercitandum.1°.de anatomicis adminiſtr. 1ª.64.C
Muſculi recti vnde oriantur.5°.de vſu par. 1ª.146.G
Muſculus rectus quo modo eleuandus.5°.de anat.adm. 1ª.88.A
Muſculi tranſuerſi vnde oriantur.5°.de vſu par. 1ª.146.G
Muſculi obliqui vnde oriantur.5°.de vſu par. 1ª.146.H
Muſculi obliqui quomodo ſecandi.5°.de anat.admin. 1ª.88.B
Muſculi longitndinales vulgo dicti.5°.de anat.adm. 1ª.87.C
Muſculi longitudinales quo modo incedunt.5°.de vſu par. 1ª.146.E
Muſculi vulgo dicti latitudinales.5°.de anat.adm. 1ª.87.D
Muſculi tranſuerſales quo modo incedunt.5°.de vſu par. 1ª.146.E
Muſculi obliqui quomodo incedunt.5°.de vſu par. 1ª.146.E
Muſculi vulgo dicti tranſuerſales.5°.de anat.adm. 1ª.87.C
Muſculorum ordo cur talis.5°.de vſu partium. 1ª.146.F
Muſculi interiores, anteriores, poſteriores, & exteriores. commentario 7°.aphoriſmo 36°. Ex.56.H
Muſculi innaſcuntur particulis, quæ mouentur in diuerſis locis, & contrarijs.1°.de mot.muſ. 1ª.308.G
Muſculus eſt tanquam planta.1°.de mot.muſ. 1ª.309.B
Muſculi inſeruntur duobus modis.1°.de mot.muſ. 1ª.312.B
Muſculus omnis trahit ad partem in qua inſerit.11°.de vſu par.1ª.185.D
Muſculi ita coaleſcunt, vt vnus eſſe videant.1°.de mot.muſc. 1ª.308.F
Muſculi in gymnaſticis carnoſi ſunt.5°.de anat.adm. 1ª.85.A
Muſculus apparens in gymnaſticis.1°.de ana.adm. 1ª.68.A
Muſculi extrinſeci, quiq; oculis primo occurrunt, corporis habitum indicant.ars med. Iſa.65.E
Muſculi tot ſunt vt difficile ſit eos numerare.1°.de mo.muſ. 1ª.308.F
Muſculi ſunt multo plures, quam illi qui voluntaria motione mẽbra agitant.de fœt.for. 1ª.325.F
Muſculorum ſcopi ad numerum trium millium.de fœt.for. 1ª.325.F
Muſculorum numerus vnde attendendus.1°.de anat.adm. 1ª.65.A
Muſculos conſiderandi varij modi.1°.de anat.adm. 1ª.65.C
Muſculi poſitionem ignorans, actionẽ ignorat.2°. de vſu part. 1ª.126.E
Muſculi ex actione cognoſcuntur.1°.de loc.aff. 4ª.7.G
Muſculorum optima poſitio qualis.3°.de vſu part. 1ª.132.H
Muſculorum omnium quid commune ſit.de muſc.diſſ. 1ª.45.C
Muſculorum omnium opus commune quale.5°.de vſu par. 1ª.146.F
Muſculorum omnium commune.7°.de vſu par. 1ª.160.D
Muſculorum vtilitas quę.1°.de vſu par. 1ª.117.B
MVSCVLI primo motum excipiunt.de morb.cauſ. 3ª.6.E
Muſculi agunt.7°.de vſu par. 1ª.160.G
Muſculi aliqui præſtant motum, aliqui non.2°.de decret. 1ª.236.F
Muſculus mouet.1°.de nat.fac. 1ª.291.B
ex Muſculis omnes partes mouentur.de conſt.ar. Iſa.37.A
Muſculorum motus actiones dicuntur.1°.de nat.fac. 1ª.291.B
de Muſculorum motu liber diligenter conſiderandus eſt. 4°. de anatomicis adminiſtra. 1ª.83.C
de Muſculorum motu liber pręcedit librum prognoſticorum. in prognoſtica.commen.1°. 4ª.193.E
Muſculi vnde moueantur.1°.de motu muſ. 1ª.309.C
Muſculis virtutem ſuppeditat cerebrum.7°.meth.med. 7ª.49.C
ad Muſculũ vnumquẽque peruenit neruus à cerebro, aut ſpinali medulla.de voce & anhel. Sp.60.F
Muſculis deducunt vires à cerebro nerui.1°.de mot.muſ. 1ª.309.A
Muſculi, & cerebrũ, & ſpinalis medulla cõicant.de mot.muſ. 1ª.308.H
Muſculi mouentur à neruis. 2°.de decr.Hip. 1ª.236.E
Muſculi habent principium motus à neruis.3°.de loc.aff. 4ª.20.B
ſine Muſculo nullus neruus facit actionem.1°.de loc.aff. 4ª.7.D
Muſculi excipientes neruos mẽbra mouent.de decretis Hipp. 1ª.234.A
Muſculi irrigantur vena, neruo, & arteria.1°.de motu muſ. 1ª.309.B
Muſculus nullus eſt ſine vena, & arteria.16°.de vſu par. 1ª.219.F
in Muſculos diſpenſantur nerui.1°.de ſem. 1ª.332.C
à Muſculis qui nerui oriuntur.15°.de vſu par. 1ª.210.D
Muſculus mouetur à ſpiritu lato per neruum.de mult. 3ª.78.A
Muſculus eſt inſtrumentum animale.1°.de mo.mu. 1ª.309.B
Muſculi inſtrumenta animæ mouentis.17°.de vſu par. 1ª.221.C
Muſculos mouere animæ officium eſt.2°.de motu muſ. 1ª.314.H
Muſculus nunquam perfecte moueretur, niſi ab animali facultate adiuuaretur.1°.de mot.muſ. 1ª.311.H
à Mulſculis motus procedentes ſunt animales, & voluntarij. 1°.de motu muſculorum. 1ª.309.E
Muſculi animali, & voluntaria vtuntur facultate.6°.de lo.af. 4ª.38.F
Muſculi ſunt cõſtructi ad motũ voluntariũ.16°.de vſu par. 1ª.214.H
Muſculi ſunt inſtrumenta motus voluntarij.1°.de mot.muſ.1ª.308.F|6°. meth.med.7ª.38.D|de voc.& anhel. Sp.60.F
Muſculi actio voluntatis noſtræ impcriũ imitatur.1°.de lo.aff. 4ª.2.H
Muſculi mouentur voluntarie.7°.de anat.adm.96.A|1°.de vſu par.115. F|2°.de decr.Hipp.236.D|7°.272.F|1°.de mot.muſ.1ª.309.B|de bon. & vitio ſuc.35.B|2°.de ſan.tuen. 2ª.75.A|de palpe.3ª.56.B|1°.de loc. affectis. 4ª.7.D
Muſculorum motus fiunt ex appetitu.com.4°.aph.15°. Ex.28.H
Muſculorum tantum non eſt motus voluntarius.de motibus manifeſtis, & obſcuris. Sp.68.E
per Muſculos, & neruos fiũt actiones volũtariæ.de voc.inſtr.1ª.106.D
in Muſculis per villos fit motus voluntarius.de ana.viu. Sp.44.H
Muſculis ſecundo, & neruis primo dat principium motus volũtas in cerebro iuxta neruorũ originẽ ordinata in ſanis.3°.de lo.af. 4ª.17.E
Muſculi ſunt inſtrumenta voluntatis.4°.de vſu partium. 1ª.141.E
Muſculis attractis ad ſuam originem fit motus omnis volũtarius. 3°.de locis affeſtis. 4ª.14.E
ad Muſculorũ officiũ ꝑtinet motus oĩs ab impetu.1°.de loc.aff. 4ª.7.D
Muſculus cur non ſenſus inſtrm, ſed ſolũ motus.1°.de mot.muſ.1ª.309.B
in Muſculorum motibus voluntarij motus fiunt offenſę. in 3m.de morb. vul.commen.1°. 3ª.129.D
Muſculorũ vnũ genus ſemꝑ agit, alia quieſcunt.2°.de mot.mu.1ª.314.A
Muſculo omni oppoſitus eſt muſculus auctor contrarij motus. 3°.de vſu partium. 1ª.135.D
Muſculo omni motu aliquo prædito natura ſemper poſuit oppoſitum, ne pars aliqua claudicet.12°.de vſu par. 1ª.195.B
Muſculorum oppoſitorum actio tonica dicitur.2°.de mot.muſ. 1ª.313.C
Muſculorum tonicon officium quod.in progn.com.2°. 4ª.198.E
Muſculi oſſibus inhęrent ideo magnitudinem ſequuntur, & figuram illorum.1°.de anat.adm. 1ª.63.E
Muſculos ſequũtur arteriæ, venæ, nerui in figura.1°.de anat.ad. 1ª.63.E
Muſculus eſt magnus vt exigit pars mouenda.11°.de vſu par. 1ª.190.C
Muſculi omnes quomodo agant.de voc.inſtr.diſſe. 1ª.107.D
Muſculi opus quomodo fiat.de frac.com.3°. 7ª.247.C
Muſculi mouent nobis ignorantibus.de fœ.for. 1ª.325.C
in Muſculis agere quid ſit.1°.de mot.muſ. 1ª.310.B
in Muſculis ſequi quid ſit.1°.de mot.muſ. 1ª.310.B
Muſculi habent multos motus.1°.de mot.muſ. 1ª.309.G
in Muſculis quatuor differẽtiæ motus, & quæ.1°.de mot.muſ. 1ª.311.F
in Muſculis eſſe ſex motus redarguitur.1°.de motu muſ. 1ª.310.A
Muſculi qui faciunt ſimplicem motum.4°.de ana.adm. 1ª.83.G
Muſculi qui faciunt compoſitum motum.4°.de anat.adm. 1ª.83.G

Muſculi recti motum rectum faciunt.2°.de anà.adm. 1ª.70.A
Muſculi obliqui motum obliquum faciunt.2°.de anatomicis adminiſtrationibus.70.A/6°. 1ª.90.A
Muſculi quo modo dilatentur, & elongentur.6°.de lo.aff. 4ª.40.G
Muſculus quilibet habet vnam actionem, ſcilicet contractionem ad ſe. 12°.de vſu par. 1ª.195.B
Muſculorum proprium in ſeipſos contrahi.de artic.com.1°. 7ª.252.F
Muſculus quomodo videatur contrahi euidenter.de conſt.ar. Iſa.36.H
Muſculi contractio, & extenſio quæ actiones ſint.1°.de mot.m. 1ª.311.C
Muſculorum tenſio communis trium operum.3°.de ſan.tuen. 2ª.77.D
à Muſculis qui intus ſunt fit flexio.1°.de mot.muſ. 1ª.310.D
à Muſculis qui foris ſunt fit extenſio.1°.de mot.muſ. 1ª.310.D
Muſculorum intrinſecos flectere, extrinſecos vero extendere oſtendunt crura auicularum.1°.de mot.muſ. 1ª.310.F
Muſculi, qui flectunt, & extendunt in brutis ſunt ſimiles hominum muſculis.6°.de anat.adm. 1ª.90.A
Muſculi, qui in orbem circũ voluuntur, quales.16°.de vſu par. 1ª.214.C
Muſculorum duo genera habent membrum quod extenditur, flectitur, & circumagitur.6°.de anat.adm. 1ª.86.G
quibus Muſculis efficiatur motus medius.de muſ.diſſ. 1ª.47.G
Muſculorum media figura habet duplicem conſtitutionem. 2°. de motu muſculorum. 1ª.313.C
Muſculorum motus æquipollens qui.1°.de nat.muſ. 1ª.312.F
Muſculorum motus vt oſtendat Galenus cathenam oſſi ligat.1°.de motu muſculorum. 1ª.312.C
Muſculi quandoque perueniunt ad partes mouendas, quandoque per tẽdones.1°.de loc.aff. 4ª.7.D
Muſculus omnis non deſinit in tendonem.1°.de mo.muſ. 1ª.309.E
Muſculi mouentes oſſa deſinunt in tendones.1°.de mot.muſ. 1ª.309.F
Muſculi mouentes alia quàm oſſa aliqui deſinunt in tẽdones, aliqui non. 1°.de motu muſculorum. 1ª.309.F
Muſculi pares oſſibus mouendis.1°.de mot.muſ. 1ª.312.C
Muſculis mouentibus linguã nõ oritur tendo.1°.de motu muſ. 1ª.309.E
Muſculi qui mouentur abſq; motu oſſium.1°.de motu muſ. 1ª.309.E
Muſculi reſpectu oſſium ſunt actores.17°.de vſu par. 1ª.221.C
Muſculi recti, & obliqui adſunt vbi eſt vnum os. 6°.de anatomicis adminiſtrationibus. 1ª.90.A
Muſculi cũ oſſa alternãtur in ſeipſos cõcurrunt.de fra.com.3°. 7ª.248.B
Muſculi ſunt ſicut habenæ, quę in contrarium diſtrahunt. 1°.de motu muſculorum. 1ª.310.B
Muſculus à quo fit motus, quando aliquis vult eleuare pondus. 2°. de anatomicis adminiſt. 1ª.70.E
Muſculis vibratis articuli vibrantur.2°.de ſymp.cau. 3ª.22.G/H
Muſculi qui faciunt partium ſenſum, & motum.1°.de locis affe. 4ª.7.E
Muſculus qui mouetur ſentit, [nota].1°.de ſymp.cau. 3ª.16.F
Muſculorum motus agendo perficitur.1°.de ſymp.cau. 3ª.16.F
Muſculi ocioſi male aluntur.de fract.com.2°. 7ª.238.G
Muſculos ocioſos non habent dormientes.2°.de mot.muſ. 1ª.314.C
Muſculos quieſcentes qui habeant.2°.de motu muſ. 1ª.314.C
à Muſculo vno an duo motus procedãt, & qũo.1°.de mot.mu. 1ª.310.C
Muſculi ſinguli habent ſingulos motus.6°.de vſu par. 1ª.150.D
Muſculus vnus non mouet totum membrum.1°.de motu muſ. 1ª.310.A
Muſculi, nerui, tendones, & ligamenta quanto ſunt ſicciora, tanto ſunt valentiora.3°.de ſymp.cau. 3ª.29.D
Muſculos paruos habent actiones imbecilles.2°.de vſu par. 1ª.123.D
Muſculos magnos, et binos hñt actiones vehemẽtes.2°.de vſu p. 1ª.123.D
Muſculi magni etiam mortuo animãte tenſi functiones ſuas citra carniũ præciſionem indicare poſſunt.2°.de ana.adm. 1ª.69.G
Muſculi exigui non poſſunt indicare ſuas functiones, niſi ablatis multis ipſorum carnibus.9°.de anat.adm. 1ª.69.G
Muſculorum variorum exortus.1°.de mot.muſ. 1ª.312.C
Muſculi quid peculiare, & cõmune habent.de frac.com.1°. 7ª.224.A
Muſculi ſuperne feruntur deorſum.8°.de vſu par. 1ª.165.A
Muſculi qui ſuperne deorſum feruntur.16°.de vſu par. 1ª.215.F
Muſculi, qui inferne ſurſum feruntur.16°.de vſu par. 1ª.215.F
Muſculos venientes à remotis partibus ſuſcipiunt, & retinent chartilagines quædam.de anat.viuo. Sp.55.C
MVSCVLORVM *materia vnà cum capite augeſcit, & roboratur. in 6m.de mor.vul.com.1°.* 3ª.154.E
Muſculi caput mouentes quot, & quo modo diſtribuantur, & quos motus faciant.12°.de vſu par. 1ª.195.A
Muſculi, qui capiti dant proprium motum, quales, vnde orti, & eorum proceſſus, ac munus.de muſ.diſſ. 1ª.45.D
Muſculi, qui ſolum caput annuendo mouent.de muſ.diſſ. 1ª.45.H
Muſculus ſecundus capitis quo modo in duas partes diuidatur, & vnde partes oriantur, ac finiant.de muſc.diſſ. 1ª.45.D
Muſculus ſecundus capitis cur non ſit vnus.de muſc.diſſ. 1ª.45.E
Muſculi ſecundi capitis motus eſt obliquus, & circumagit caput in priorem partem.de muſc.diſſ. 1ª.45.E
Muſculi qui ex occipitio naſcuntur, quales, & quot, & vnde, & eorum ortus, & finis.de muſc.diſſ. 1ª.45.F
Muſculorum cõiugationes, quę in capitis dearticulatione habentur, vbi. de muſc.diſſect. 1ª.45.G
Muſculi, q caput mouent circa dearticulationẽ ſolũ.de muſ.diſſ. 1ª.45.G
Muſculus vnus ſi agat, motus capitis eſt obliquus.de muſ.diſſ. 1ª.45.H
Muſculi duo ſi agant motus capitis eſt rectus.de muſc.diſſ. 1ª.45.H
in Muſculis totam ceruicem occupantibus obliqui quidem obliquũ caput abnuendo mouẽt, recti vero, rectũ id faciunt.de muſ.diſſ. 1ª.45.H
Muſculi duo in priori parte, qui caput vna cum ceruice mouent, et quorſum extendantur.de miſ.diſſ. 1ª.45.H
Muſculi, q mouẽt os lãbdæ, et vnde oriant ac deſinãt.de mu.diſſ. 1ª.46.E
Muſculorum ſm par ex occipitij parte oſſis.4°.de anat.adm. 1ª.82.E
Muſculi, qui flectant caput in poſteriora.4°.de anat.adm. 1ª.83.A
Muſculi facientes obliquam motionem capitis.4°.de anat.adm. 1ª.83.B
Muſculi quibus mouetur caput in latera.4°.de ana.adm. 1ª.83.F
ad Muſculis committentibus caput clauiculis, & pectori. 4°.de anatomicis adminiſtrationibus. 1ª.83.F
Muſculi quibus caput circumuertitur.4°.de anat.adm. 1ª.83.G
Muſculus latus ſub cute in collo vnde incipiat, ac finiat, & eius ſubſtantia.de muſc.diſſ. 1ª.44.D
Muſculus latus in collo nullum detinet articulum, nec in articulum inſeritur.de muſ.diſſ. 1ª.44.D
Muſculus latus ſub cute in collo facile laniatur.de muſ.diſſ. 1ª.44.D
Muſculus latus ſub cute in collo poteſt dici muſculoſa natura, vel muſculoſa ſubſtantia.de muſ.diſſ. 1ª.44.D
Muſculus latus in collo vocatur myωdes platyſma id eſt muſculoſa dilatatio.de muſ.diſſ. 1ª.44.E
Muſculũ latũ ignorarũt male excoriantes animal.de mu.diſſ. 1ª.44.E
Muſculi, qui trahunt collum, & caput.12°.de vſu par. 1ª.195.B
Muſculi bronchorum ſunt in collo.de voc. & anhel. Sp.60.G
in Muſculos octo diuiditur genus muſculorum, quod colli, ac capitis eſt commune.de muſc.diſſe. 1ª.45.F
Muſculi, qui caput vnà cum ceruice tota mouent.de mu.diſſ. 1ª.45.G
Muſculi, qui caput cum ceruice flectunt.de muſ.diſſ. 1ª.45.H
Muſculi à capite orti, qui inſeruntur ceruici, ſunt communes capiti, & ceruici.de muſ.diſſ. 1ª.46.H
Muſculi proprij ceruicis, qui, & unde oriant et finiãt.de mu.di. 1ª.46.H
quibus Muſculis fiat motus ceruicis.de muſ.diſſ. 1ª.47.A
Muſculus, qui ceruicem in priora obliquam flectat.de mu.diſſ. 1ª.46.H
Muſculi à ceruice ad Thoracem ſex ſunt.8°.de anat.adm. 1ª.102.F
Muſculorum tres coniugationes, quæ collum, & caput retro attollunt. 16°.de vſu par. 1ª.217.E
Muſculi tres, qui phantaſiam, & opinionem nobis afferunt ſecundum Platonem.de voc.inſtr.diſſect. 1ª.106.D
Muſculi oculorum vnde.1°.de motu muſ. 1ª.309.G
Muſculorum cingentium oculos ſectio.4°.de anat.adm. 1ª.81.H
Muſculos in oculo quinq; ſolũ eſſe dicere error eſt.de muſ.diſſ. 1ª.44.G
Muſculi ſunt ſex, qui oculum mouent, & vbi, & quomodo ſe habent, & de illorum motibus quos agunt.de muſ.diſſec. Sp.44.G
Muſculi oculũ mouẽtes sũt ſex.4°.de lo.af.4ª.21.G/de ana.ocu. Sp.57.B
Muſculi ſeptem ſunt in oculo.de ocul. 7ª.183.E
Muſculi oculorum duodecim ſunt, & quales.de ocul. 7ª.187.F
Muſculi in oculo ſunt ſex.de anat.ocul. Sp.57.G
Muſculorum pinguedo in oculis cur ſit.de anat.ocul. Sp.57.G
Muſculi circa oculi baſim, ſiue vnus, ſiue duplex, ſiue triplex ſit, dubitatur.de muſc.diſſect. 1ª.44.F
Muſculi circa baſim oculi faciũt ad firmandũ oculũ.de muſ.diſſ. 1ª.44.F
Muſculi oculorũ, linguæ, teſtium, penis, quales.1°.de mot.muſ. 1ª.309.G
circa Muſculorum craſſitiem fiat inciſio in oculo.de anat.ocu. Sp.52.H
de Muſculis faciei & capitis.3°.de anat.adm. 1ª.78.G
Muſculi faciei quo modo mouentur, & non habent tendonem.1°.de mot. muſculorum. 1ª.309.F
Muſculi frontis quo modo mouentur, & non habent tendonem. 1°.de motu muſculorum. 1ª.309.F

Muſculorum

Muſculorum delineamenta circa aurem.16°.de vſu par. 1ª.217.B
Muſculus ſub radice auris.4°.de anat.adm. 1ª.83.G
Muſculi crotaphitæ,id eſt temporales,qui.de muſ.diſſ. 1ª.44.G
Muſculi temporales,qui.4°.de anat.adm. 1ª.80.A
Muſculi temporales,& maſticatorij.de arti.com.2°. 7ª.263.C
Muſculus temporum euidens eſt.4°.de ana.adm. 1ª.81.E
Muſculorum omnium magnitudo cur pro ratione magnitudinis animalis facta,prȩter quàm muſculorũ temporũ.11°.de vſu par. 1ª.184.F
Muſculi temporum vbi.9°.de anat.adm. 1ª.173.H
Muſculorum duo motus circa tempora.1°.de motu muſ. 1ª.309.G
Muſculorum temporalium officium.4°.de anat.adm. 1ª.80.A
Muſculi temporales ſanguinem effundentes difficulter compeſcuntur. fin.med. Iſa.50.A
*Muſculi naſi alas aperientes vbi ſint.de muſculorum diſſectione.*44.F/ *4°.de ana.adm.* 1ª.81.B
Muſculorum genera quinque in ore.4°.de anat.admin. 1ª.80.B
Muſculi maſſeteres,qui.4°.de anat.adm. 1ª.80.B
Muſculi maſſeteres quo modo incidendi.4°.de anat.adm. 1ª.81.B
*Muſculi maxillas mouẽtes q.de art.c.2°.*7ª.263.C/*de anat.vi.*Sp.54.A
*Muſculus maxillam mouẽs qui,& cui neruo inhæreat.de ner.di.*1ª.53.G
Muſculorum tria paria maxillam mouentia.4°.de anat.adm. 1ª.81.C
à Muſculo lato mandibula mouetur.4°.de loc.affect. 4ª.23.D
Muſculorum quatuor coniugationes maxillam inferiorem mouentes vbi ſitȩ.de muſ.diſſ. 1ª.44.G
Muſculi,qui mouent ſurſum maxillam inferiorem vbi ſint.de muſculorũ diſſectione. 1ª.44.G
Muſculi,qui ad latera mouẽt maxillam vbi ſint.de muſ.diſſ. 1ª.44.G
Muſculi,qui deorſum trahunt maxillam inferiorem vbi ſint. de muſculorum diſſectione. 1ª.44.G
Muſculi qui maxillam ſurſum trahunt,& os claudunt, vbi ſint, & quo modo procedant.de muſ.diſſ. 1ª.44.G
Muſculi,qui inferiorem maxillã in interiori parte ſurſum trahunt, qui, & eorum proceſſus.de muſ.diſſ. 1ª.44.H
Muſculi mouentes maxillam inferiorem,& poſteriorem partẽ, qui nam ſint,& vbi oriantur.de muſc.diſſ. 1ª.44.H
Muſculus,q ſurſum retrahit ad maxillã os hyoides.de muſ.diſſ. 1ª.46.F
Muſculi duo in extrema maxilla mutuo colligati.de muſc.diſſ. 1ª.46.D
Muſculum qui vtrãq; mouet genam inuenit auctor libri de motibus manifeſtis,& obſcuris.de motibus man.& obſ. Sp.67.C
Muſculorum trahentium genam actio conſeruatur dum dormimus non aperto ore. 2°.de mot.muſ. 1ª.314.E
Muſculi,qui ligant os hyoides ſuperiori maxillæ & eorum proceſſus. de muſculorum diſſ. 1ª.46.D
Muſculi,à quibus fiunt figuræ maxillæ.2°.de motu muſ. 1ª.314.E
Muſculi,qui mãſorij appellantur ab Hippocrate,& ab antiquis.de muſculorum diſſec. 1ª.44.H
Muſculi maſticatorij quid agant.2°.de mot.muſ. 1ª.314.E
de Muſculis faucium.de muſc.diſſ. 1ª.46.G
de Muſculis buccarum.4°.de anat.adm. 1ª.80.B
Muſculorum diuerſitas ad buccas à locis vbi naſcuntur.4°.de anatomicis adminiſtrationibus. 1ª.80.C
Muſculorum ſectio qui buccas vnà cum labris mouent inferiore maxilla quieſcente.4°.de ana.adm. 1ª.80.A
Muſculi buccæ quo mõ ſuo officio fungantur.de artic.com.3°. 7ª.280.F
Muſculus latus buccas mouet.de muſ.diſſ. 1ª.44.D
Muſculos duos latos,& tenues in buccam,& labra,ignorarunt antiqui. 3°.de anat.adm. 1ª.78.G
Muſculi labiorum quo modo mouentur.1°.de mot.muſ. 1ª.309.F
Muſculi labrorum ſitus qui.de muſ.diſſ. 1ª.44.E
Muſculi labrorum quatuor.de muſ.diſſ. 1ª.44.E
Muſculi quatuor peculiares aſpere arterię qui illam contrahunt, & arctant vnde oriantur,& finiant.de muſ.diſſ. 1ª.46.A
Muſculi proprij gutturis vnde oriantur,& finiant.de muſ.diſſ. 1ª.46.B
pro Muſculis mouentur chartilagines aſperæ arteriæ. 7°.de vſu partium. 1ª.160.C
Muſculi,qui aſperam arteriam adſtringunt,& os lambdoides retrahũt. de muſculorum diſſec. 1ª.46.E
Muſculorum gutturis conſideratio.7°.de vſu par. 1ª.160.D
Muſculorum laryngis generatio,& diſſectio, quæ. de vocalium inſtrumentorum diſſectione. 1ª.106.H
Muſculorum laringis actionem quærit Galenus.de vo.inſt.diſ. 1ª.107.D
Muſculi,qui arteriam in lõgitudinẽ erigunt.de voc.inſt.diſſ. 1ª.107.E
Muſculi qui deglutioni conducunt.de voc.inſt.diſ. 1ª.107.E
qbus Muſculis larynx dilatetẽ, ac cõſtringatur.de vo.inſt.diſ. 1ª.107.E
Muſculi quibus claudatẽ,& aperiatẽ larynx.de voc.inſt.diſſ. 1ª.107.E
Muſculi ex quibus pendet epiglotis inchordantur quando cõſtringitur. de voce & anhel. Sp.60.G
Muſculi,qui ad ſuperiora,& priora chartilaginem ſcutiformem attrahunt.de muſc.diſſ. 1ª.46.B
Muſculi,q chartilaginẽ ſcutiformẽ cogũt et aſtrĩgũt.de muſ.diſ. 1ª.46.B
Muſculi,qui fines chartilaginis coniungunt. de muſ.diſſ. 1ª.46.B
Muſculi qui ſcutiformem chartilaginẽ cõiungũt. de muſ.diſſ. 1ª.46.B
Muſculi qui chartilaginem cogunt,& guttur claudunt, & qui nam ſint in omni animante.de muſ.diſſ. 1ª.46.C
Muſculi qui faciunt vocem.4°.de loc.aff. 4ª.26.E
Muſculi claudentes& aperiẽtes ad vocẽ præcipui.4°.de lo.af. 4ª.26.C
*Muſculus gutturis,qui mouetẽ dum vox editẽ vbi ſit.de muſ.diſſ.*1ª.46.G
Muſculorum ad vocem ſitus.de voc.& anhel. Sp.61.A
Muſculi ſex ex octo ad vocẽ neceſſarij.de voce & anhel. Sp.61.A
Muſculi à quibus fit vox dũ eſt in epiglottide.de voc.& anhe. Sp.60.G
*Muſculorũ epiglottidis radices q neruus intret.de voc.& anh.*Sp.61.H
Muſculos linguæ ſcire quid ſit.2°.de anat.adm. 1ª.68.H
Muſculorum mouentium linguam differentiæ, ortus, & proceſſus. de muſculorum diſſec. 1ª.46.G
Muſculorum mouentium linguam nomina.de muſ.diſſ. 1ª.46.G
in Muſculis,& motibus lingua mirabilis eſt.de fœt.for. 1ª.325.C
Muſculos nouem habet lingua,& qui ſint.de anat.viu. Sp.49.C
Muſculi qui faciunt linguam dilatari.de anat.viu. Sp.49.C
*Muſculi qui faciunt motũ circũuolutionis in lingua.de anat.vi.*Sp.49.C
Muſculi facientes motum duplicationis in lingua.de ana.viu. Sp.49.C
Muſculi facientes retardationem in lingua.de anat.viu. Sp.49.C
Muſculi bubulȩ linguæ ſexdecim ſunt.de muſ.diſſ. 1ª.46.E
Muſculorum,qui faciunt motum obliquum linguæ,ortus, & proceſſus. de muſculorum diſſec. 1ª.46.F
Muſculi linguæ cur q̃nq; non poſſint ſtabiliri.c.6°.aph.32°. Ex.49.H
Muſculi ſcapularum quomodo ſecandi.8°.de anat.adm. 1ª.101.E
Muſculi qui mouent ſcapulas.de muſ.diſſ. 1ª.46.E
Muſculi ſcapularum qui.4°.de anat.adm. 1ª.83.H
Muſculus quo mouentur ſcapulæ.4°.de anat.adm. 1ª.84.D
Muſculi peculiares ſcapulis qui.4°.de anat.adm. 1ª.84.D
Muſculi peculiares ſcapulis ſex.4°.ad anat.adm. 1ª.84.D
Muſculus ſcapularũ gratia,et nõ capitis factus. 4°.de anat.ad. 1ª.82.D
Muſculorum actio circa ſcapulas.1°.de dif.feb. 3ª.62.H
Muſculi, qui vtranq; mouent ſcapulam ſunt ſeptem, & qui nam ſint.de muſculorum diſſect. 1ª.45.B
Muſculi,qui trahunt ſcapulas ad caput,vnde oriantur, & procedant, quales ſint.de muſ.diſſ. 1ª.45.A
Muſculus,qui ſcapularũ Baſim è directo capitis attollit vbi, & quomodo procedat.de muſ.diſ. 1ª.45.B
Muſculus,qui ex inferiori,& priori parte totam ſcapulam deorſum ac in priora ad ſe ipſum trahit.de muſ.diſſ. 1ª.45.C
Muſculi ab oſſe guttur ambiente exortus,& inſertio, ſcapulam in priorem regionem ceruicis verſus proprium principium abducit.de muſculorum diſſectione. 1ª.45.C
Muſculi qui retro abducunt ſcapulam,vbi & eorum proceſſus ac exortus.de muſc.diſſ. 1ª.45.C
qui Muſculus axillæ partem carnoſam faciat.de muſc.diſſ. 1ª.47.C
Muſculũ ſupra humerum ἐπωμίδα appellant.1°.de ana.admi. 1ª.67.H
Muſculus paruus in humeri dearticulatione ſitus qualis vbi naſcatur, & finiat.de muſc.diſſ. 1ª.47.G
Muſculi tres ad alam.de art.com.1°. 7ª.252.D
Muſculus deltoides qui.de art.com.1°. 7ª.252.D
Muſculus qui ob malam excoriationẽ amittitur.de muſc.diſſ. 1ª.47.D
Muſculorum brachij diſſectio.1°.de anat.adm. 1ª.67.H
Muſculi an duo per totum brachium.1°.de ana.adm. 1ª.65.D
Muſculi quatuor in brachio.2°.de vſu par. 1ª.126.A
Muſculi mouentes brachiũ vndecim ſunt,qui & quomodo, & vbi complantati ſint,ac finiant.de muſc.diſſ. 1ª.47.B
Muſculus prior brachij ab omnibus vnus putatẽ.1°.de ana.adm. 1ª.65.E
Muſculi exterioris nodi brachij.1°.de ana.adm. 1ª.66.F
Muſculus qui brachiũ ſurſum p rectã lineã attollit.de muſ.diſſ. 1ª.47.F
Muſculus,qui attollit brachium ad interna.de muſc.diſſ. 1ª.47.F
Muſculus qui brachium ad exteriora abducit.de muſ.diſſ. 1ª.47.G
Muſculus qui brachium ad latera detrahit.de muſc.diſſ. 1ª.47.G

Muſculus, qui ab inferiori humilioris coſtę termino aſcendit, quas motiones extrinſecus excipiat. de muſ. diſſ. 1ª.47.G
Muſculus qui caput brachij attrahit. de muſc. diſſect. 1ª.47.G
Muſculus, qui brachium pectori abducit. de muſ. diſſ. 1ª.47.G
Muſculus, qui totum brachium pectori abducit. de muſ. diſſec. 1ª.47.G
Muſculus vnus ſub vnaquaq; clauicula, & qualis, & eius ortus ac finis. de muſ. diſſ. 1ª.46.C
Muſculi qui primam coſtā ad clauiculā attrahunt. de muſ. diſſ. 1ª.46.D
Muſculus brachium ad coſtas rectum extendens. de muſ. diſſ. 1ª.47.G
Muſculi ab ipſa ſcapula ad exteriora poſterioraq; membrum circumagentes. de mu. diſſ. 1ª.47.G
Muſculi cubiti, & extremæ man⁹ q̃uo vigiti tres. 2°. de vſu p. 1ª.120.H
Muſculorum cubiti, & extremæ manus vtilitas. 2°. de vſu pa. 1ª.120.H
Muſculorum cubiti, & extremæ manus ſitus. 2°. de vſu par. 1ª.120.H
Muſculi octo totum cubitum occupantes & ſex & ſeptem. 1°. de anatomicis adminiſtrationibus. 1ª.66.F
Muſculi mouentes dearticulationem cubiti vnde oriantur, & finiant. de muſculorum diſſec. 1ª.47.H
Muſculi vlnæ quot. 2°. de vſu par. 1ª.122.C
Muſculi duo flectunt vlnam. 2°. de vſu par. 1ª.126.D
Muſculi duo extendunt vlnam. 2°. de vſu par. 1ª.126.D
Muſculi, qui extendunt dearticulationem cubiti. de muſ. diſſ. 1ª.48.A
Muſculus qui facit lentam extenſionem cubiti. de muſ. diſſ. 1ª.48.B
Muſculos alios habẽt ſimiæ in cubito q̃ alia aīalia. de muſ. diſſ. 1ª.48.B
Muſculi in cubito tyronibus ſunt quindecim, veteranis decem, & ſeptē. de muſc. diſſe. 1ª.48.B
Muſculorum cubiti numeratio, & ortus, ac finis. de muſ. diſſ. 1ª.48.B
Muſculus in cubito in quo omnes errarunt. de muſ. diſſ. 1ª.48.C
Muſculus qui medio cubito à foris incumbat. 1°. de anat. adm. 1ª.65.A
Muſculorum obliquorū, qui radiū mouẽt exortus. de muſc. diſſ. 1ª.49.A
Muſculi obliqui radium mouentes. 2°. de vſu par. 1ª.122.F
Muſculi in obliquum radium vertentes. 2°. de vſu par. 1ª.126.E
qui Muſculus radij os tanquā in pronū circūagat. de muſ. diſſ. 1ª.49.A
Muſculi duo magni totam eam regionem, quæ inter cibum, & radiū media eſt, replentes, cui exortiui ſubiaceant. de mu. diſſ. 1ª.48.H
Muſculorum duplices deneruatiões in flexiõe carpi. 1°. de vſu p. 1ª.118.B
Muſculi ſeptem intra cubitū, quorū officiū eſt flectere brachiale, & digitos, & radium in pronum circumagere. de miſ. diſſ. 1ª.48.F
Muſculus primus omnium diſſecādus intra cubitū. de mu. diſſ. 1ª.48.G
Muſculi duo brachiale flectentes. 1°. de anat. adm. 1ª.65.F
à quibus Muſculis extendatur brachiale. de muſ. diſſ. 1ª.48.C
Muſculus extendens brachiale. de muſc. diſſect. 1ª.48.D
Muſculi mouentis brachiale apud magnum digitum exortus. de muſculorum diſſectione. 1ª.48.H
Muſculus, qui brachiale apud magnum digitum flectit in pronū. de muſculorum diſſect. 1ª.49.A
Muſculus qui brachiale flectit cum inclinatione ad ſupinum, & qui cum declinatione in pronum. de muſc. diſſ. 1ª.48.G
Muſculi mouentis brachiale apud paruum digitum exortus. de muſculorum diſſectione. 1ª.48.H
Muſculi manum & pedum ſunt neruoſiores. 4°. de præſ. exper. 4ª.121.D
Muſculorum ſitus mouentium manum, & ordo, & vbi moriantur. 2°. de motu muſc. 1ª.313.H
Muſculi mouentes partes manus. 2°. de vſu par. 1ª.122.C
Muſculi qui dant motum manibus. de anat. viu. Sp.54.B
Muſculi manus à q̃bus neruis agitent̃. in 3^m. de mor. vul. cõ. 1°. 3ª.127.H
Muſculorum maiorum manus exortus. 2°. de mot. muſ. 1ª.313.H
de Muſculis è quibus oriuntur tendones manus. 2°. de vſu par. 1ª.121.D
Muſculi in interna manu vtilitates. 2°. de vſu par. 1ª.121.F
Muſculus quibus fiat manus prona. 1°. de anat. adm. 1ª.67.A
Muſculus qui manum in ſupinum circumagit. de muſ. diſſ. 1ª.49.A
Muſculis quibus fiat manus ſupina. 1°. de anat. adm. 1ª.67.A
Muſculi omnes in media manus figura quieſcunt. 2°. de mo. muſ. 1ª.314.C
Muſculorum robur facit manus fortiores & ambidextros. commentar. 7°. aphoriſmo 43°. Ex.57.E
Muſculi qui flectũt & extendũt digitos & q̃uo. 1°. de mo. muſ. 1ª.309.G
Muſculus qui extendit digitos vnus eſt. 1°. de ana. adm. 1ª.65.A
Muſculus duos exiguos digitos extendens. de muſ. diſſ. 1ª.48.D
Muſculus, q extẽdit digitos quatuor præter pollicem. de mu. diſſ. 1ª.48.C
Muſculus vnus extendit quatuor digitos. 1°. de anat. adm. 1ª.65.B
Muſculi mouentes pollicem, indicẽ, & mediū digitū. de muſ. diſſ. 1ª.48.E
Muſculus vnus mouet tres primos digitos, pollicem, indicem, & mediū. de anatomicis adminiſt. 1ª.65.C
Muſculi duo ducunt in latera pollicem, indicem & medium. 1°. de anatomicis adminiſtrationibus. 1ª.65.C
Muſculos duos ponere moueant digitos qui magis laudat Galenus. 1°. de anatom. adminiſt. 1ª.65.C
Muſculorum duo genera in ſumma manu. de muſc. diſſ. 1ª.49.A
Muſculi ſeptem ſummę manus. 2°. de vſu ſpar. 1ª.121.B
Muſculus ſextus in ſumma manu magnū digitum indici adducit. de muſculorum diſſectione. 1ª.49.B
Muſculus ſeptimus in ſumma manu paruum digitum à reliquis longiſſime abducit. de muſ. diſſ. 1ª.49.B
Muſculus qui magnum digitum longiſſime ab indice abducit vbi oriatur & finiat. de muſ. diſſ. 1ª.49.B
Muſculi qui magnum digitum in neutram partem extendant. de muſculorum diſſectione. 1ª.48.D
Muſculus, qui abducit digitos paruos ab alijs, & qui alios tres abducit. de muſc. diſſect. 1ª.48.C
Muſculus à quo fit obliquus digitorū motus. 3°. de anat. adm. 1ª.78.G
Muſculus q paruos digitos in obliquū mouet, vn⁹. 1°. de ana. ad. 1ª.65.A
Muſculus vnus in obliquum agit. 1°. de ana. adm. 1ª.65.B
Muſculus mouens obliquæ pollicem. de muſc. diſſ. 1ª.48.D
Muſculi ducentes digitos ad obliquum. 2°. de vſu par. 1ª.121.G
Muſculi flectentes in obliquum duos digitos poſt magnum. 2°. de vſu partium. 1ª.121.H
Muſculi vertentes ad obliquum partes manus. 2°. de vſu par. 1ª.121.H
Muſculi quinq; oblique introrſum, ſurſumq; digitos mouentes. de muſculorum diſſectione. 1ª.49.A
Muſculus quinq; digitos flectens. de muſc. diſſ. 1ª.48.G
Muſculus nullus in extremis manibus à foris. 3°. de anat. adm. 1ª.77.F
Muſculi qui primum digiti articulum flectunt. de muſ. diſſ. 1ª.49.C
Muſculi flectentes ſecundam articulorum dearticulationem, & quo modo. de muſc. diſſect. 1ª.49.C
Muſculi ſummarum partium digitorum. 1°. de anat. adm. 1ª.67.D
à Muſculis ad articulos tendo rotundus. 1°. de vſu par. 1ª.117.D
Muſculi duo ſoli apparẽt nõ nunq̃ in magno digito. de muſ. diſſ. 1ª.49.D
Muſculi duo digitorum quandoq; vnus eſſe videntur adeo inter ſe coaliti ſunt. de muſc. diſſ. 1ª.49.D
Muſculis oĩbus ceſſantibus aliquis mot⁹ eſt ĩ manu. 1°. de mot. m. 1ª.311.B
Muſculi thoracis, & vẽtris carnoſi ſunt. 4°. de præſ. ex pul. 4ª.121.D
Muſculorum in Thorace differentiæ. 5°. de locis affectis. 4ª.29.G
Muſculi ſuperni thoracis ſunt ſex. 1°. de locis affe. 4ª.6.F
Muſculi à quibus mouetur thorax. 5°. de anat. adm. 1ª.86.B
Muſculus, qui dilatat thoracem. de muſ. diſſ. 1ª.46.H
Muſculi qui thoracem dilatant. de muſc. diſſ. 1ª.49.E
Muſculus, qui maiore dilatatione thoracem dilatat, qualis, et vnde oriatur, ac deſinat. de muſ. diſſ. 1ª.47.A
Muſculus dubius an thoracis ſit, an ceruicis. de muſ. diſſ. 1ª.47.A
Muſculus circularis in thorace ꝑpetuæ functiõis. 5°. de anat. ad. 1ª.88.G
Muſculorum thoracis motus cur ſeruat̃ in ſomno. 5°. de lo. aff. 4ª.29.B
Muſculi thoracis quando omnes mouentur. 4°. de lo. af. 4ª.26.G
Muſculi medij à thorace ad oſſa pubis quo tendantur. in 1^m. prorrhetic. commentario 3°. 4ª.186.D
Muſculi extra thoracem vnde alantur. de venæ art. diſſ. 1ª.58.D
Muſculi pectoris quo modo ſecandi. 5°. de anat. adm. 1ª.84.F
ad Muſculos pectoris qui perueniunt nerui, à dorſi medulla oriuntur. de præcogn. ad Poſth. 4ª.216.D
Muſculi à pectore aſcendentes quas motiones intrinſecus excipiant. de muſculorum diſſect. 1ª.47.F
Muſculorum à pectore enatorum ſi alter duntaxat agat altior altiorem. humilior humiliorem adductionem efficit. de muſcul. diſſ. 1ª.47.G
Muſculi pectoris ſunt organa ſpiritus. de ſper. Sp.36.G
Muſculi pectoris niſi extendantur non fiunt anhelitus neque vox. de voce & anhelitu. Sp.61.A
Muſculi qui faciant expirationem. 4°. de loc. aff. 4ª.26.E
Muſculi reſpirationis opifices. 5°. de anat. adm. 1ª.86.C
Muſculi oẽs ſi moueant̃ in ſpiratione quid ſequat̃. 4°. de lo. aff. 4ª.26.G
Muſculi ſimiles equis in reſpiratione vt habenis nerui, ac equiti voluntas. de cauſ. reſp. 1ª.227.B
Muſculi qui faciant exufflationem. 4°. de lo. aff. 4ª.26.E
Muſculus interior qui eſt inter coſtas facit anhelitum, & tunc fit quando aer expellitur vehementer à pectore. de voce & anhel. Sp.60.F
Muſculi anhelitum conſtringentes muſculis comparantur ani, & veſicæ. de

cæ.de

cæ.de muſculorum diſſectione. 1ª.107.H
Muſculi qui prohibent reſpirationem.de voc.inſtr.diſ. 1ª.107.F
Muſculi Thoracis, & abdominis ſunt neceſſarij ad deiectionem. 2°. de ſymptomatum cauſis. 3ª.27.D
Muſculi cordis quot.de anat.viu. Sp.46.D
de Muſculis intercoſtalibus ſermo.5°.de anat.adm. 1ª.86.E
in Muſculorum coſtarũ anatomia exercitatio vnde incipiat. 8°.de anatomicis adminiſtrationibus. 1ª.100.A
Muſculi primi intercoſtales quo mõ ſecantur.8°.de anat.adm. 1ª.100.A
Muſculorum intercoſtalium ſectionis modus.8°.de ana.adm. 1ª.101.F
pro Muſculis intercoſtalibus ſpectandum animal macilentum, & vetus.5°.de ana.adm. 1ª.86.F
Muſculorũ intercoſtalium duo genera,& quæ.5°.de loc.affect. 4ª.29.G
Muſculi thoracis intercoſtales ſunt viginti duo.de muſ.diſſ. 1ª.49.D
Muſculi inter coſtas ſunt viginti duo.de voc.& anhe. Sp.62.B
ad Muſculos qui ſunt inter coſtas non veniunt nerui niſi ex ſola ſpinali medulla.de voce & anhel. Sp.62.B
Muſculus coſtis omnibus incumbens.1°.de anat.admin. 1ª.64.G
Muſculus coſtarum coarticulationem contrahens.de muſ.diſſ. 1ª.50.A
Muſculi mediarum coſtarum quid agant.1°.de dif.feb. 3ª.63.A
Muſculus detrahens duodecimam coſtam.de muſc.diſſ. 1ª.49.E
Muſculi coſtarum notharum natura.8°.de anat.adm. 1ª.100.A
Muſculi coſtarum notarum in quo animali facilius videantur.8°.de anatomicis adminiſtrationibus. 1ª.100.A
Muſculi, quibus diaphragma iuuatur.de anat.vi. Sp.53.G
vna cũ Muſculis ſeptũ trãſuerſum thoracẽ dilatat.de muſ.diſ. 1ª.49.F
Muſculi præcordiorum mouentur ad motum reſpiratoriorum organorũ. 1°.de diff.reſp. 1ª.59.H
Muſculis pręcordiorum non ſunt admouenda adſtringentia. 11°.methodi medendi. 7ª.73.B
Muſculis alijs quando indiget ſeptum trãſuerſum.4°.de loc.aff.4ª.26.G
Muſculi octo ita exprimũt ad ſtomachũ ſicuti ad anũ.5°.de vſ.1ª.147.A
Muſculũ nõ eẽ vẽtriculũ,nec os vẽtriculi collige.3°.de ſym.cau. 3ª.25.E
Muſculi vicini ventri quando vngendi.3°.de ſan.tuen. 2ª.82.B
Muſculorum abdominis ſectio.5°.de anat.adm. 1ª.87.B
Muſculorum in abdomine ſectio.6°.de anat.adm. 1ª.93.F
Muſculi abdominis ſtatim incidũtur aĩali mortuo. de anato.ad. 1ª.87.B
Muſculi octo abdominis quo modo incidendi.5°.de ana.adm. 1ª.87.F
Muſculorum in abdomine conſideratio.6°.de anat.adm. 1ª.93.F
Muſculi abdominis conducunt cõtractioni thoracis.de muſ.diſſ. 1ª.49.F
Muſculi, quos pſoas nominant.de muſ.diſſ. 1ª.49.G
Muſculi octo abdominis.5°.de loc.aff. 4ª.33.C
Muſculi epigaſtrij cur octo.5°.de vſu par. 1ª.146.G
Muſculi octo abdomĩs quales,et eorũ exortus,ac finis.de muſ. 1ª.49.H
Muſculi octo epigaſtrij quales,& quid agant.5°.de vſu par. 1ª.146.E
Muſculorum epigaſtrij poſitio cur talis.5°.de vſu partium. 1ª.146.G
Muſculi abdominis quibus nutriantur.de ven.art.diſſ. 5ª.58.D
Muſculus maximus abdominis vnde oriatur.de muſ.diſſ. 1ª.47.B
Muſculorum abdominis vtilitas.de muſc.diſſ. 1ª.50.C
Muſculi magni in epigaſtrio gratia efflationis,vocis,egeſtionis, mictus. 4°.de vſu par. 1ª.137.F
Muſculi abdominis faciunt deiectones.6°.de loc.aff. 4ª.38.F
Muſculis abdominis compreſſis fit deiectio.6°.de lo.af. 4ª.38.F
Muſculi octo abdominis quid faciant dum animal excernit. 6°.de anatomicis adminiſt. 1ª.93.H
Muſculis inteſtinis,ventri,vuluæ,& veſicæ omnibus commune, eſt fibris ſitu diuerſis,& carne ſimplici conſtari. 7°.de anatomicis adminiſtrationibus. 1ª.95.G
Muſculi recti inteſtini partem extremam ambit actio & vtilitas. 6°.de locis affectis. 4ª.38.E
Muſculi rotundioris in veſicæ officium quale.6°.de lo.aff. 4ª.38.E
Muſculus vnus circularis in veſica,qui claudit veſicam.6°.de anatomicis adminiſtrationib. 1ª.93.H
Muſculi veſicæ quo modo mouentur.1°.de mot.muſ. 1ª.309.F
Muſculi colli veſicæ munus quale ſit.de muſ.diſſ. 1ª.50.D
Muſculus ceruicis veſicæ nihil agit cum veſica agit.1°.de lo.aff. 4ª.2.F
Muſculi teſtem ſurſum attollentes.de muſc.diſſ. 1ª.50.D
Muſculi duo ad teſtes deſcendunt,& eorum ortus,& finis. de muſculorum diſſectione. 1ª.50.D
munus Muſculi colli veſicæ quale ſit.de muſ.diſſ. 1ª.50.D
Muſculi teſtium & penis vnde.1°.de mot.muſ. 1ª.309.G
Muſculi duo obliqui pudendi quales,& vbi ſint.de muſ.diſſ. 1ª.50.D
Muſculorum duo paria in priapo.de anat.viu. Sp.52.E
Muſculi qui dant pudendo rigiditatem.de muſ.diſſ. 1ª.50.E
Muſculorum neruoſa propago quæ.5°.de anat.adm. 1ª.88.H
Muſculi ſpinæ.12°.de vſu par. 1ª.197.A
Muſculus à prima vertebra qualis nam ſit,& eius proceſſus, ac inſertio.de muſc.diſſ. 1ª.45.B
Muſculi, qui primæ vertebræ dearticulationem ad latera annuendo moueant.de muſculorum diſſ. 1ª.46.A
Muſculi ſpinales à ſecunda ceruicis cerebri incipiunt,et quot ſint. de muſculorum diſſec. 1ª.49.F
Muſculus ex omnibus vertebris natus.de muſ.diſ. 1ª.46.H
Muſculorum ſpinalium duplex genus.com.7°.aph.36°. Ex.56.G
Muſculi ſpinales aliqui vtrãq; ſpinã cõplectũt.c.7°.aph.36°. Ex.56.H
Muſculi ſpinam flectentes vbi oriantur,& deſinant.de muſ.diſ.1ª.49.G
Muſculi flectentes ſuperiorem ſpinæ partem.5°.de anat.adm. 1ª.89.A
Muſculi ſpinam flectentes qui.5°.de anat.adm. 1ª.89.A
Muſculi dorſales.4°.de anat.adm. 1ª.82.F
Muſculorum ſpinalium nerui,& membrorum extremorum à medulla ſpinali naſcuntur.com.5°.aph.65°. Ex.45.B
Muſculi qui faciant erigere priapum.de anat.viu. Sp.52.E
Muſculus ani Sphincter.2°.de ſymp.cauſ. 3ª.25.H
Muſculus ſedis dici poteſt muſcul⁹ cuticuloſus,vel carnoſa cutis. de muſculorum diſſect. 1ª.50.E
Muſculorum in ſede ſectio.6°.ad anat.adm. 1ª.93.F
Muſculus ad anum pertinens.2°.de anat.admi. 1ª.71.D
pro Muſculis ſedis videndis oſſa pubis quomodo incidenda. 6°.de anatomicis adminiſt. 1ª.93.F
Muſculorum in ſede conſideratio.6°.de anat.adm. 1ª.93.F
Muſculis ani,& veſicę,comparantur muſculis anhelitum conſtringentibus.de voc.inſt.diſſ. 1ª.107.H
Muſculus vnus quo modo ſine pari in ano.5°.de vſu par. 1ª.146.E
Muſculi rotundi in ano officium quale.6°.de loc.aff. 4ª.38.E
Muſculi duo in ſede obliqui quo mõ,& qd agãt.5°.de vſu par. 1ª.146.E
Muſculi ſedis quomodo mouentur.1°.de motu muſ. 1ª.309.F
Muſculus tranſuerſus ſedis qui ipſam claudit vbi ſit.de muſ.diſſ.1ª.50.E
Muſculi qui ſurſum ſedem attollunt.de muſ.diſſ. 1ª.50.E
Muſculi præualidi ſunt cuſtodes finibus excretoriorum meatuum corporis.2°.de mot.muſ. 1ª.314.F
per Muſculos cuſtodiuntur ſuperfluitatum effluxiones ne iniuſſæ exeãt. 2°.de motu muſ. 1ª.314.F
Muſculus ani orbicularis relaxatur in excretione.6°.de anatomicis adminiſtrationibus. 5ª.93.H
Muſculi circularis ſedis diſſectio.6°.de ana.adm. 1ª.93.H
Muſculus ani quo modo afficiatur frigore.1°.de lo.aff. 4ª.7.H
Muſculi decem qui coxendicem mouent.de muſ.diſſ. 1ª.50.F
Muſculus tenſus vſque ad genu.15°.de vſu par. 1ª.214.B
Muſculus crus mouens.de mult. 3ª.78.A
Muſculi ad tenſionem in crure.2°.de ana.adm. 1ª.70.E
Muſculi crurium operationes,et quo impediantᷣ.1°.de mo.muſ. 1ª.308.G
Muſculo quo ad originem ipſius protenſio tibia figuratur ſicut pueri eã ſtatuunt in paleſtris crus inuertẽtes,cũ alterius femori crus inijciũt. 2°.de ana.adm. 1ª.69.G
Muſculi fœmoris primi omnium ſecandi,alij vero deinde non habent ordinem.2°.de anat.adm. 1ª.69.E
Muſculus q introrſum,& retrorſum femur adducit.de muſ.diſſ. 1ª.50.F
Muſculus pſoæ,haud exiguus eſt,& vnde oriatur,ac deſinat. de muſculorum diſſectione. 1ª.50.F
Muſculus qui flectit,& ſimul introrſum magis totum femur inuertit.de muſculorum diſſec. 1ª.50.G
Muſculus qui retrorſum magis femur abducit.ad alterum ſimul femur leniter adducens.& aliæ eius actiones.de muſ.diſſ. 1ª.50.H
Muſculus qui exacte femur extendit in poſteriora trahens. de muſculorum diſſec. 1ª.50.H
Muſculus introrſum ſimul & parumper retrorſum agens femur. de muſculorum diſſectione. 1ª.51.F
Muſculus latus in exteriori parte femoris non multum conſiderandus cur.2°.de anat.adm. 1ª.69.C
Muſculi tibiam mouentes octo ſunt.de muſ.diſſ. 1ª.50.F
Muſculus qui tibiam ſenſim ad exteriora inclinantem facit. de muſculorum diſſectione. 1ª.52.F
Muſculus qui introrſum non nihil etiã tibiã mouet.de muſ.diſ. 1ª.50.F
Muſculus totum femur extendens, & ad exteriorem regionem caput

ipſius trahens.de muſcul.diſſ. 1ª.51.A
Muſculus qui ſurſum ſimul,& extrorſum femoris caput trahit. de muſculorum diſſect. 1ª.50.B
Muſculus qui caput femoris ſurſum tollit,& vnà ad interiora inuertit. de muſculorum diſſectione. 1ª.51.B
Muſculi qui femoris caput circumagunt.de muſ.diſſ. 1ª.51.B
Muſculus qui totum femur introrſum adducit.de muſc.diſſ. 1ª.51.B
Muſculi,qui coxendicis dearticulationem euidenter, vehementerq́ mouent.de muſ.diſſ. 1ª.51.D
Muſculis primis coxendicis dearticulationem mouentibus qui nerui inſerantur.de ner.diſſect. 1ª.55.C
Muſculi nouem mouent genu dearticulationem.de muſ.diſſ. Sp.51.C
Muſculi,qui genu dearticulationem extendunt.de muſ.diſſ. 1ª.51.F
Muſculus qui genu ad articulationem ad exteriora inuertit.de muſculorum diſſectione. 1ª.51.A
Muſculos genu dearticulationem mouentes,& ſi nouem eſſe oſtenderit, tamen.dicit eſſe octo Galenus,ne ab antiquis in re minima diſſentiat. de muſculorum diſſectione. 1ª.51.G
de Muſculis tibiæ.2°.de anat.adm. 1ª.71.D
Muſculi ſex poſterioris tibiæ.3°.de vſu par. 1ª.132.H
Muſculus qui ad interiora ſimul tibiam flectit,& ſurſum ipſam altā quo modo attollit.de muſc.diſſ. 1ª.51.D
Muſculus,qui tibiam introrſum inuertit in rectum illam attollendo. de muſculorum diſſectione. 1ª.51.D
Muſculus qui inuertit ad exteriora tibiam oblique, & ſimul flectit. de muſculorum diſſectione. 1ª.51.E
Muſculus qui tibiam vertit extrorſum.de muſ.diſſ. 1ª.51.E
Muſculus flectens ad exteriora tibiam.de muſc.diſſ. 1ª.51.E
Muſculus ſuram efficiens non eſt vnus.1°.de anat.adm. 1ª.65.B
Muſculus ad tibiam flectendam natus.de muſ.diſſ. 1ª.51.H
Muſculi tibiæ quatuordecim quo modo ſint. de muſc.diſſect. 1ª.51.H
Muſculi actio eſt,motus pedis.de conſt.ar. Iſa.37.A
Muſculi pedum ſunt diuerſi,& natura,& numero ab illis manuum. de muſculorum diſſec. 1ª.52.F
Muſculorum in pede genera quatuor,& quæ. de muſculorum diſſectione.52.G/2°.de anat.adm. 1ª.72.D
Muſculus qui facit ſolidum,tenſum,durum,pilis nudum, facile ſentiens pedis veſtigium.de muſ.diſſ. 1ª.52.A
Muſculi tres conſtituunt depilem pedis partem.3°.de vſu par. 1ª.132.G
Muſculi qui totius pedis dearticulationem flectunt.de muſc.diſſ. 1ª.51.H
Muſculi ſimul cū oſſe totū pedē retrorſum abducētes.de muſ.di. 1ª.52.A
Muſculus liuidus colore,qui.de muſc.diſſ. 1ª.52.A
Muſculi à quibus tū totus pes,tū digiti mouent.de muſ.diſſ. 1ª.51.H
Muſculus,qui dilatatur ī pede verſus magni digiti partes magis, retrorſumq́ & extrorſum leniter pedem inuertens.de muſc.diſſ. 1ª.52.B
Muſculi qui retrorſum ſimulq; extrorſum pedem abducunt. de muſculorum diſſectione. 1ª.52.B
Muſculi portio magni digiti internodium leniterq; ad exteriora extendens.de muſc.diſſect. 1ª.52.B
Muſculi flectentes digitos pedum.3°.de vſu par. 1ª.132.A
Muſculus mouens tres maiores digitos pedis.2°.de anat.ad. 1ª.71.H
Muſculi mouētes mediū digitorū pedū articulū.2°.de anat.adm. 1ª.72.D
Muſculus qui paruū digitū,& indicem pedis flectit.de muſ.diſ. 1ª.52.C
Muſculi priores tibiæ tres ſecundum antiquos,tamen Galenus ſeptem eſſe ponit.de muſ.diſſ. 1ª.52.C
Muſculus magnum digitum pedis obliq; leniter ſurſum trahens. de muſculorum diſſ. 1ª.52.D
Muſculus qui habet vtilitatem qualem in curribus circuli,per quos aurigæ habenas traijciunt.de muſ.diſſ. 1ª.52.D
Muſculus magnum digitum flectens.de muſ.diſſ. 1ª.52.D
Muſculus paruum pedis digitū retrorſum abducens.de muſ.diſſ. 1ª.52.D
Muſculus totum pedem ſurſum tendens.de muſc.diſſ. 1ª.52.D
Muſculus pedem reſimans.de muſ.diſſ. 1ª.52.E
Muſculus qui paruum digitum extrorſum deducit.de muſ.diſſ. 1ª.52.E
Muſculus qui digitos extendit.de mu.diſſ. 1ª.52.F
Muſculus totam pedis dearticulationem mouet.de mu.diſſ. 1ª.52.F
Muſculi qui digitos agunt obliquo motu in pede.de muſ.diſſ. 1ª.52.G
Muſculi qui medium digiti articulum flectunt.de muſ.diſſ. 1ª.52.H
Muſculi ſm articulum cuiuſq; digiti flectentes.de muſc.diſſ. 1ª.52.G
Muſculi qui ſingulos digitos obliquo motu mouent.de muſc.diſſ. 1ª.52.H
Muſculi extrinſecus digitos longiſſime ab alijs abducentes.de muſculorū diſſectione. 1ª.52.H
Muſculi obliquū vnicuiq; digito motū ſuppeditātes.de muſc.diſſ. 1ª.52.H
Muſculi qui mediocriter digitos flectunt.de muſ.diſſ. 1ª.52.H
Muſculi qui cum nulla in latus inclinatione digitos flectunt.de muſculorum diſſectione. 1ª.52.H
Muſculus,qui cum modica in latus inclinatione digitos flectit. de muſculorum diſſectione. 1ª.52.H
Muſculi tres calcaneum mouent.3°.de vſu par. 1ª.132.G
Muſculi parui non animaduerſi ab anatomicis, nec ab ipſo Galeno niſi tarde.3°.de vſu par. 1ª.132.C
Muſculus,in quo errarunt antiqui.de muſ.diſſec. 1ª.45.E
Muſculi octo in diſſectione ſimiarū ignorabantur ab antiquis.1°.de anatomicis adminiſtrationibus. 1ª.64.E
Muſculi omnibus incogniti ante Galenum.2°.de anat.adm. 1ª.72.B
in 6^m.de mor.vul.com.5°. 3ª.188.G
in Muſculo vlnæ,error anatomicorū an̄ Galenū.2°.de vſu par. 1ª.121.E
Muſculus prætermiſſus ab anatomicis.5°.de anat.adm. 1ª.89.B
Muſculi ignorati etiam diu à Galeno.de muſc.diſſ. 1ª.49.C
Muſculi qui lateant quandoq; Galenum.1°.de anat.adm. 1ª.67.C
Muſculorum motus tertius à Galeno inuentus.1°.de mot.muſ. 1ª.311.C
Muſculi lati inuentor Galenus.4°.de anat.adm. 1ª.81.B
Muſculus à Galeno inuentus.4°.de ana.adm. 1ª.102.G
Muſculi duo qui ab anatomicis vnus putabant.2°.de vſu par. 1ª.121.G
Muſculorum extremitates cibus viſcoſus,& cur.de diſſ.cont. Sp.72.H
MVSCVLI *potiſſimum patiuntur in exercitationibus, & laſſitudinib. & potiſſimum in affectu ſimili laſſitudini.3°.de ſan.tu.* 2ª.80.C
Muſculos ſuper naturalem habitum ſola laſſitudo phlegmonodes attollit. 3°.de ſani.tuenda. 2ª.79.D
Muſculi qui patiantur inter exercitandum.3°.de ſan.tu. 2ª.80.C
Muſculus non poteſt ſe ipſum grauare.de mult. 3ª.77.H
Muſculi in laboribus quid patiuntur.com.4°.aph.30°. Ex.30.G
Muſculorum propria affectio.1°.de dif.reſp. 3ª.61.C
Muſculorum duplex paſſio mollities,& ſpaſmus.de ocul. 7ª.187.F
Muſculorum vitium conuulſiones.de optima ſecta. Iſa.24.C
Muſculus,aut neruus eſt affectus qui mouet aliquam partem, conuulſa illa parte.3°.de loc.aff. 4ª.21.B
circa Muſculos,& neruos fit ſpaſmus,& ſaltus.de cōp.pulſ. Sp.65.C
Muſculus latus,prīo intēdit ſpaſmo corripiendis.de muſc.diſſ. 1ª.44.D
cuius Muſculi affectio ſit caninus ſpaſmus.de muſ.diſſ. 1ª.44.E
Muſculus cum tenditur,vel conuellitur eſt vitium vnius nerui, qui particulam mouet.1°.de ſymp.cauſ. 3ª.19.D
Muſculi quandoque habent diſpoſitionem ſimilem conuulſioni, quę tamē non eſt conuulſio.com.6°.aph.54°. Ex.53.C
Muſculi in ſuris præſertim contrahuntur patientibus choleram. commētario 5°.aph.1°. Ex.37.D
Muſculis qualis paſſio conuulſio,talis eſt ſingultus ſtomacho. commentario 7°.aphor.3°. Ex.54.B
Muſculorum diſtentione multi correpti ſunt ob eſum coturnicum quia veratro veſcuntur.in 6^m.de mor.vul.commen.5°. 3ª.194.E
ad Muſculos tenſos.7°.de comp.med.per gen. 5ª.274.E
ad Muſculos conuulſos.7°.de comp.me.per gen. 5ª.267.C
Muſculi diſtorquentur.2°.de cauſ.pul. 4ª.93.G
ex Muſculis affectus tremores,et cōuulſiones fiūt.de fra.c.2°. 7ª.235.C
Muſculi affecti minus tendunt,& indurant pulſum,quàm membranæ affectæ.5°.de locis affectis. 4ª.29.H
Muſculi qn̄q; non ſunt affecti,& actio impedit̄.de art.com.3°. 7ª.280.E
Muſculi ſubiecti cuti palpitāti q & ipſi palpitare pn̄t.2°.de ſy.c. 3ª.20.F
Muſculorum gulæ inflammatio quid faciat.com.4°.aph.35°. Ex.31.E
ex Muſculi capitis percuſſione fit animi defectus.1°.de arte curatiua ad Glauconem. 7ª.98.G
Muſculi colli quando extenduntur,& inchordantur vt extenduntur in aſſumptione cibi,& potus accidit raucedo.de voce & anh. Sp.60.G
ob Muſculos gutturis muti.4°.de lo.aff. 4ª.26.B
Muſculi pectoris intemperie inæquali quem habeant motum. 2°.de ſymptomatum cauſis. 3ª.22.H
Muſculorum thoracis immobilitas qn̄ mortē parit.4°.de lo.af. 4ª.26.G
Muſculis Thoracis non affectis quo modo læſæ reſpirationis affectio inueſtiganda eſt.in 1^m.prorrh.com.1°. 4ª.163.C
in Muſculis intercoſtalibus leſio qūo variet.8°.de anat.adm. 1ª.100.H
Muſculis intercoſtalibus inflammatis arteriarum dilatatio dolorem infert.2°.de locis affect. 4ª.9.A
Muſculorum intercoſtalium quanta pars reſoluitur tanta pars perit naturalis efflationis,& vocis.8°.de anat.adm. 1ª.102.C

in Muſculum

in Muſculum fluxio calida quid faciat.de inæq.intemp. 5ª.44.E
Muſculorum dolorificas diſpoſitiones enumerat.5°.de lo.af. 4ª.29.G
Muſculo inflammato quo modo duplex dolor ſentitur arterijs dilatatis. 2°.de locis affectis. 4ª.8.H
Muſculorum præcordiorum phlegmon ab ignaris exiſtimatur iecoris, & ita relaxantibus curatur.11°.meth.me. 7ª.72.F
Muſculus circa præcordia inflammatus inducit paruum, ac denſum ſpiritum.2°.de diff.reſpir. 3ª.65.H
Muſculi præcordiorum inflammati non poſſunt inferre mortem. in prognoſt.com.1°. 4ª.196.B
circa Muſculos circumſitos peritonæo,membranæ aluum, ac inteſtina omnia ambienti ſi dolor adſit,denſus,ac paruus fit ſpiritus. 2°.de difficultate reſpirationis. 3ª.71.D
Muſculis abdominis,& thoracis inflammatis febris fit.4°. de præſagitione ex pulſibus. 4ª.121.D
Muſculi ſpinæ dolentes in renali morbo quo modo ſignificãt abſceſſus intrinſęce & extrinſece futuros.com.7°.aph.36°. Ex.56.G
Muſculorum rectorum tumores quales.5°.de lo.aff. 4ª.33.D
ad Muſculorũ inflammationem,ſapa,& oleum.14°.meth.me. 7ª.88.F
in Muſculi ſub cute inflatio q̃uo curetur.14°.meth.me. 7ª.88.F
Muſculi contuſi quibus leniendi.14°.meth.me. 7ª.88.G
ad Muſculorũ cõtuſionẽ ꝓpriæ facit emplaſtrũ barbarũ.de dy. Sp.35 F
in Muſculis ſolutio continui Thlaſma appellatur.4°.meth.me. 7ª.23.B
in Muſculorum partibus carnoſi diſtinctis ruptum dicitur vt in fibris conuulſum.de conſt.ar. Iſa.37.D
à Muſculis eſt vlcus,& ruptio.6°.meth.me. 7ª.36.G
Muſculi ob ſuffuſionem inciduntur.1°.de anat.adm. 1ª.64.D/E
Muſculi in capitibus,vel finibus vulnerati habent vulnera praua.com. 5°.aphoriſ.66°. Ex.45.C
ad Muſculorum magna vulnera quid ſequatur.6°.de lo.aff. 4ª.38.H
Muſculo vulnerato qua de cauſa inteſtinũ procidat.6°.met.me. 7ª.39.B
Muſculus videtur extenſus,& ita ſemper permanere neruo perueniente ad muſculum intus abſciſſo.1°.de mot.muſ. 1ª.311.G
Muſculorum varia abſciſio ſecũdũ varios affectus.1°.de mo.m. 1ª.310.F
Muſculo extra abſciſſo quid ſequatur.1°.de mot.muſ. 1ª.310.D
Muſculo externo abſciſo particula flectitur.1°.de motu muſc. 1ª.311.H
Muſculo intus abſciſo quid ſequatur.1°.de mot.muſ. 1ª.310.D
in Muſculo interno ſcirrho nato pars flexa non extenditur, in externo autem pars extenſa non flectitur.1° de mot.muſ. 1ª.310.G
Muſculis inciſis læditur motus.1°.de mot.muſ. 1ª.310.C
Muſculus ſenſu,et motu priuatur,vulnerato neruo, qui in muſculum venit.de conſt.ar. Iſa.36.H
Muſculis penitus abſciſſis perit totus motus.1°.de mot.muſ. 1ª.310.C
Muſculus non mouebitur abſciſo neruo.de voce & anhel. Sp.60.F
Muſculi priuantur motu ex lęſione neruorum, vel fibrarum inciſione. 8°.de anatomicis adminiſtrationibus. 1ª.101.E
Muſculus ſectus per tranſuerſum impedit aliquos motus particulæ.1°. de motu muſc. 1ª.308.G
Muſculis intrinſecis læſis actiones principaliſſimæ totius pereunt. 2°.de vſu partium. 1ª.123.A
Muſculus,vel neruus ẽ affectus pereũte vna actiõe.4°.de lo.af.4ª.25.B
Muſculorum dolores.6°.de comp.med.per gen. 258.G/ 5ª.260.C
ad Muſculos præciſos.3°.de compoſit.medicament. per gene.234.H/5°. 249.E/6°. 5ª.258.F
ad Muſculos percuſſos.5°.de comp.med.per gen. 5ª.247.E
cum Muſculis tuto cõſuũtur mẽbranæ.3°.de cõp.me.per gen. 5ª.231.D
Muſculorum motus ceſſat,cum corpus frigore,aut veneno frigefactum eſt.8°.de decre.Hipp. 1ª.277.E
ad Muſculorum vulnera.7°.de compo.med.per gen. 5ª.268.B/G
ad Muſculos putreſcentes.5°.de comp.med.per gen. 1ª.250.G
in Muſculorum intermedijs pus,& cõſiſtentia grumoſa per halitum digerit pyrites lapis.9°.de ſimp.me.fac. 5ª.67.F
ad Muſculos duros.7°.de comp.med.per ge. 5ª.268.F
ad Muſculos induratos.1°.de comp.me.per gen. 5ª.213.C
ad Muſculos cum phlegmone induratos.7°.de cõp.me.ꝑ gen. 5ª.267.C
ad Muſculos,& neruos abluendos.2°. de compo.medi.per ge. 5ª.223.B
in Muſculis abſceſſum habentis Steſiani caſus.5°.de lo.aff. 4ª.34.B
de Muſculo lato tibiæ abrupto cauſa.2°.de ana.adm. 1ª.70.B
MVSCVS frigidus digerit,& mollit.6°.de ſimp.me.fac. 5ª.45.D
Muſci meminit.7°.de comp.me.per gen. 5ª.272.H
MVSCELLINVM oleum.de dynam. Sp.27.B
MVSICA eſt ars nobilis.in orat.ſuaſ. Iſa.5.G
Muſicæ ars in corde cur,& quomodo.de anat.viuo. Sp.46.H
Muſica indiget multa exercitatione.9°.de decre.Hippocratis. 1ª.280.C
ad Muſicam naturaliter ſunt propenſi infantes.1°.de ſan.tuen. 2ª.65.D
Muſices praua conſuetudine corrũpũtur aĩ mores.1°.de ſan.tu. 2ª.65.F
Muſica medicinæ prædiſcenda.1°.meth.med. 7ª.2.E
Muſica,quantum ad oblectandas aures ſufficiat,vtuntur diuites.de pręcogn.ad Poſth. 4ª.214.C
MVSICVS qui dicatur.9°.de decr.Hipp. 1ª.282.C
Muſici inter rõnales numerãtur.de cuiuſq; aĩ pec.not.at.med. 2ª.60.B
Muſicus,cęteriq; opifices inſtrumenta ſibi ad certas actiones parant.an animal ſit. 1ª.327.G
Muſicus ad quantum ſentiat vocem.2°.de diff.pul. 4ª.57.G
MVSTELAS ſecuit Galenus.6°.de anat.adm. 1ª.89.G
Muſtela paruũ cor hẽt,ſed calidũ,et ꝓpea eſt audax,de ana.vi.Sp.53.A
Muſtelæ cerebrum comitialibus prodeſt.de ther.ad Piſo. 5ª.93.E
Muſtelæ ſanguis curioſum remedium.3°.de comp.medi.ſec.loc.5ª.147.C
Muſtelæ arefactę caro ad quæ valeat.11°.de ſimp.medi.fac. 5ª.78.F
Muſtelæ cinis contra podagricos,& arthriticos facit.11°.de ſimp.medicamen.facultatibus. 5ª.82.D
Muſtela arefacta,ac pota comitialibus ꝓdeſt.11°.de ſim.me.fa. 5ª.82.D
Muſtela alexipharmacum omnis feræ.11°.de ſimp.me.fa. 5ª.82.D
MVSTELANEI qui ſint.de art.com.1°. 7ª.259.G
MVSTELORVM variæ ſpecies.3°.de alim.fac. 2ª.31.F
Muſteli habent duram carnem.3°.de alim.fac. 2ª.31.E
Muſteli ægre conficiuntur,& pariunt ſuccos craſſos, & ſalſos.3°.de aliment.facultatibus. 2ª.31.F
MVSTVM quid.2°.de alim.fac. 2ª.17.H
Muſtum eſt ex primo ordine excalfacientium.8°.de ſimp.me.fa.5ª.57.B
Muſtum quale eſſe debet.6°.de compo.medicamen.ſec.loc. 5ª.170.B
Muſtũ acidarũ,& auſterarũ vuarũ ad oĩa peſſimũ.2°.de ali.fac.2ª.18.C
Muſtum Aminæum.7°.de compo.medica.per gen. 5ª.272.G
Muſtum quomodo dulce.4°.de ſimp.me.fac. 5ª.27.C
Muſtum dulciſſimum pro deiectione bibitur.2°.de alim.fac. 2ª.18.C
Muſtum mouet aluum.de bon.& vitio ſuc. 2ª.38.F
Muſtum lenit ventrem.de diſſol.cont. Sp.75.B
Muſteum vinum eſt craſſi ſucci.de atten.vic. 2ª.46.C
Muſtum,& ſi coquatur,facit craſſum ſuccũ.de bon.& vit.ſuc. 2ª.38.F
Muſtum cruſtum ſolis æſtu coquitur.de theriaca ad Piſo. 5ª.97.D
ex Muſto,& farina triticea placenta eſt craſſi ſucci. de bonit.& vitio ſuccorum. 2ª.35.D
Muſtum in magnam quantitatem aeris ſoluitur.1°.de ſem. 1ª.329.F
Muſtum flatuoſum eſt,& quale.de vinis. Sp.76.G
Muſtum inflationes facit.de bon.& vit.ſucc. 2ª.38.F
Muſto dolia inflata rumpuntur.de mult. 3ª.79.D
in Muſtis dolia rũpũtur ob ſpiritus.in 1^m.de mor.vulg.c.1°. 3ª.104.G
Muſtum quid boni in ſe habet.de bon.& vit.ſuc. 2ª.38.F
Muſtum quo modo in principio, augmento, ſtatu eſt bonũ medicamentũ in inflammationibus oris.6°.de comp.med.ſecun.lo. 5ª.169.B
Muſtum q̃uo in declinatione fiat bonũ.6°.de comp.med.ſec.lo. 5ª.169.C
ex Muſto medicamẽtũ q̃uo cõficiatur.6°.de comp.me.ſec.loc. 5ª.169.E
ex Muſto medicamentum.5°.meth.med. 7ª.34.C
Muſtum ad ſtomatica quale.6°.de comp.me.ſec.loc. 5ª.169.B
ex Muſto ſtomatichum Andromachi.6°.de comp.med.ſe.loc. 5ª.170.B
ex Muſto ſtomaticum Critonis.6°.de compo.medica.ſec.loc. 5ª.170.C
MVTANTIA locum in organis quæ ſint.de machin. 7ª.310.F
MVTATIO in omni re æſtimanda.de pulſ.ad Tyro. 4ª.45.B
Mutatio vniuerſalis omnibus mundanis.de ſpermate. Sp.40.B
Mutatio in rebus ex natura terræ,& planetarum in regionibus diuerſis.de ſpermate. Sp.40.C
Mutatio elementorum qualiter fiat.de ſper. Sp.40.H
Mutatio dupliciter fit.1°.meth.med. 7ª.6.C
Mutatio fit aut ĩ qualitate,aut ĩ quãtitate,et q̃uo.1°.de ſani.tu.2ª.68.H
Mutatio ſecundum qualitatem quid.1°.de vſu par. 1ª.333.C
circa Mutatiões tẽporũ quæ ſint à medico cõſiderãda.de ſper. Sp.39.F
Mutationes temporum quo modo intelligantur.com.3°.aph.1°. Ex.19.G
Mutationes magnæ temporum ad frigus,aut colorem pariunt morbos. com.3°.aphor.1°. Ex.19.G
Mutatio ad cõtraria repentina facit morbos.com.3°.aph.22°. Ex.24.F
Mutationes maximę morbos cõmittunt.de vi.ra.ĩ mor.ac.c.1°. 7ª.113.G
Mutatio in toto corpe vbi fuerit,refrigereturq; corpus, aut rurſus incaluerit,morbi longitudinẽ ſignificat.de præſag.exp.conf. Sp.77.G
Mutationes cauendæ ſunt.in 6^m. de morbis vulgarib.com.3°. 3ª.175.G

Mutationes cœli q̃uo euitari poſſunt.in 6ᵐ.de mor.vul.c.3°. 3ª.175.H
Mutationes repẽtinæ deuitãdę.de vi.rat.in morb.acu.com.2°. 7ª.118.H
Mutatio repentina à conſuetudine, corpora multum offendit.de vic.rat. in mor.acu.commen.2°. 7ª.121.A
Mutationes repentinæ ciborũ bene valentibus, & male valentibus, læſionem afferunt.de vict.ratio.mor.ac.com.2°. 7ª.119.A
Mutatio celerrima fit in corporibus, quando ægro repente auxiliari volumus, & velocẽ auxilij ſenſum ipſi moliri.de theria.ad Piſ. 5ª.94.D
Mutatio omnis vehemens criſis appellatur.3°.de die.decre. 4ª.157.G
Mutationes repentinæ acutorum ſunt.3°.de criſ. 4ª.139.F
Mutationes ſubitas non faciunt ephemeræ, & hecticæ, & ideo non habent criſim, niſi abuſiue.2°.de criſi. 4ª.138.A
Mutationes propriæ, & communes in nobis.3°.de dieb.dec. 4ª.159.E
Mutatio quæ à natura fit ſenſim fit.4°.de ſimplic.medi.facul. 5ª.28.F
Mutationes particulares morborũ vñ pueniãt.3°.de die.decr. 4ª.158.C
Mutationes magnæ fiunt in ſeptimanis.3°.de dieb.decr. 4ª.158.H
Mutationes paruæ fiunt in quartis.3°.de dieb.decr. 4ª.158.H
Mutatoni tpis an hoĩs natura cõcordet conſidcrãdum.de ſper. Sp.39.F
Mutationi temporum paſſio cholerica, & ſanguinea concordare ſolet. de ſpermate. Sp.39.F
Mutatio de ſpecie in ſpeciem qualis.3°.de ſimp.me.fac. 5ª.17.D
in Mutatione qđ eſt, differt ab eo quod iã factũ eſt.de ſymp.dif. 3ª.10.E
Mutatio, & quod mutatur non idem ſunt.de nat.hum.com.1°. 1ª.28.B
Mutatio, & mutatum eſſe quid differant.de inæq.intemp. 3ª.43.G
Mutationes in vẽtriculo, & Iecore quæ fiant.in pgn.com.1°. 4ª.197.B
Mutationẽ celerẽ ĩ extremis figuris appetimus.1°.de mot.ma. 1ª.312.H
Mutationes mentem hominis ſemper excitant.de aere, aq. & loc. 2ª.5.B
Mutatio excitat corpus, & aĩum ad exercitationẽ.de ae.aq.et l. 2ª.6.C
MVTATVS *color in fluxu ſanguinis ſuperflui eſt ſignum infrigidati, et humectati corporis.ſecretorum.* Sp.98.G
MVTILATIONES *quorum membrorum dici pñt.de diff.mor.* 3ª.4.G
MVTANTVR *omnia per lunæ motum.3°.de dieb.decr.* 4ª.157.G
Mutat̃ ſubſtãtia gñabilis quatuor qualitatibus.de mo.m.et ob. Sp.67.G
Mutatur ſubſtantia generabilis in qualitatibus.ſecretorum. Sp.96.F
Mutantur in horas fontes ſuperficiales.de bon.aquæ. Sp.75.H
ſi Mutetur hora conſueta cibi, quid contingat.de diſſ.cont. Sp.72.C
MVTOLORVM, *quos myacas græci vocant, caro qualis.11°. de ſimplicium medicamentorum facultatib.* 5ª.78.F
MVTA *ſunt ea animalia, quibus deeſt collum.8°.de vſu par.* 1ª.165.A
Mutus q ſit dictus ab Hipp.c.5°.aph.5°.37.G/com.6°.aph.51°. Ex.52.H
Muti qui ab Hippocrate quandoq; dicuntur.com.7°.aph.58°. Ex.59.C
Muti ſentiunt.com.6°.aph.51°. Ex.52.H
Mutos ſtatim neceſſe eſt fieri quibus cerebrũ aliqua ex parte cõcuſſum fuerit.com.7°.apho.58°. Ex.59.B
qcũq; Muti ſtatim fiũt ſani dolore capitis repẽte capti, et extertũt, in ſe partẽ diebus pereunt, niſi febris apprehẽderit.c.6°.aph.5°. Ex.52.G
Mutum quo modo reddetur animal.8°.de anat.adm. 1ª.101.H
Mutum animal quo neruo ligato efficiatur.de neru.diſſ. 1ª.54.B
Mutum animal reddentes nerui.8°.de anat.adm. 1ª.101.B
Muti ob gutturis muſculos.4°.de loc.aff. 4ª.26.B
Mutum reliquit quendam chirurgus qui ſtrumas incidens neruos recurrentes læſit.1°.de loc.aff. 4ª.7.A
Muti effecti caſus.in 1ᵐ.de morb.vul.com.3°. 3ª.121.B
MYACANTHIVS *aſparagus. 6°.de ſimplici.medicamentorum facultatibus.* 5ª.44.A
MYACES *qui.11°.de ſimpl.med.fac.* 5ª.78.F
MYAGROS *habet vim emplaſticam.7°.de ſimp.me.fac.* 5ª.56.C
MYDESIS. *quid.intro.* Iſa.58.F
Mydeſis affectus partium interiorum palpebrarum.intro. Iſa.58.D
Mydeſis affectus totius corporis.intro. Iſa.59.D
MYDRIASIS *quid.fin.med.48.E/intro.* Iſa.59.A
Mydriaſis affectus oculorum.intro. Iſa.58.D
Mydriaſis vlceratio oculorum.fin.med. Iſa.48.D
Mydriaſis ideſt pupillæ nimia dilatatio.3°.meth.med. 7ª.17.E
MYELOS *quid.11°.de ſimplic.medicamen.facul.* 5ª.79.E
Μύελος νωτιαῖος ſpinalis medulla.12°.de vſu par. 1ª.196.D
Mygdales morſibus confert centaurea.de vir.cent. Sp.93.H
Μύλη. de fracturis, com.2°. 7ª.240.D
Myli vt ſale condiantur ſunt appoſiti.3°.de alim.fac. 2ª.33.C
Myles radix bulbo ſimilis.7°.de ſimp.me.fac. 5ª.56.D
MYOCEPHALVM *quid fin.med.48.E/intro.* Iſa.59.A
Myocephalum vlceratio oculorum.fin.med. Iſa.48.D
Myocephælon affectus iridis oculorum.introd. Iſa.58.D
ad Myocephalos.4°.de compo.med.ſecun.loc. 5ª.155.G
MYωDES *platyſma, id eſt muſculoſa dilatatio vocatus muſculus latus in collo.de muſ.diſſ.* 1ª.44.E
MEOPES *quid.intro.* Iſa.59.B
MYOPIASIS *quid.fin.med.* Iſa.48.E
Myopiaſis oculorum vlceratio.fin.med. Iſa.48.D
Myopiaſis affectus pupillæ.intro. Iſa.58.D
Myopiaſis totum oculum exercet.intro. Iſa.58.D
MYOSOTA *quid.6°.de ſimp.me.fac.* Iſa.42.D
Myoſotis.7°.de ſimp.me.fac. 5ª.56.D
MYRACOPA *ex quibus fiant, & quo modo ab acopis differunt. 7°.de compoſi.medica.per gen.* 5ª.268.G
Myracopon bonum.7°.de comp.med.per ge. 5ª.272.D/E
Myracopon.7°.de compo.medica.per ge.271.G/ 5ª.274.F
MYRICE *quid.7°.de ſimp.me.fa.* 5ª.56.D
Myricæ ſuccus pediculos occidit, culices, et pulices fugat.đ ſim. Sp.87.G
Myricæ radix ad ſplenẽ mirifice cõuenit.de ar.cura.ad Glau. 7ª.104.C
MYRINAE *vrbs eſt in lemno.9°. de ſimpl.medicamen.facul.* 5ª.65.C
MYRIOPHYLLON *vulnera glutinat.7°.de ſimp.me.fac.* 5ª.56.D
MYRMECIA *vnde nomen habuit.2°.meth.med.* 7ª.9.E
Myrmeciæ verucæ.in 6ᵐ.de mor.vul.c.2°. 3ª.161.A
Myrmeciæ, acrochordones, pſydraces, & epignytides notæ ſunt. de tumore præter naturam. 3ª.84.F
Myrmecijs præditos eſſe, aut vitiliginibus, vel acrochordonibus id fieri colligitur non natura.fin.med. Iſa.45.E
Myrmecię cutis affectus.intro. Iſa.59.D
Myrmecia q morbus ſit, et q̃uo differat ab ophiaſi, alopecia, ptiloſi, leuca, vitiligine, ſphacelo, elephãte, ſcabie, et lepra.14°.me.mc. 7ª.92.C
Myrmeciæ meminit.14°.meth.med. 7ª.90.F
Myrmeciarum curatio.introd. Iſa.60.D
Myrmecia difficilius curat̃ ἀκροχόρδονος.10°.de ſimp.med.fa. 5ª.73.E
Myrmeciæ ablationem ſui indicant.2°.methodi med. 7ª.16.C
Myrmecia detrahunt Batrachij caulis, & folia virentia. 6°.de ſimplici. medicamen.facultatib. 5ª.44.G
Myrmecias auferunt caules Chamęſices.8°.de ſimp.med.fac. 5ª.63.G
Myrmecias eijcit Ficus arbor.8°.de ſimplici.medi.fa. 5ª.61.F
Myrmecias eijciunt Groſſi crudi.6°.de ſim.me.fac. 5ª.57.B
Myrmecias eijcit Nigella.7°.de ſimp.me.fac. 5ª.55.D
ad Myrmecias ſtercus Ouillum.10°.de ſim.me.fac. 5ª.76.H
Myrmecias tollunt cineres excortice Salicis.6°.de ſim.me.fa. 5ª.48.H
ad Myrmecias caput Saurarum.11°.de ſimp.med.fac. 5ª.79.G
Myrmecias auferũt Tithymalli.8°.de ſimp.me.fac. 5.62.D
Myrmecias quidam ore ſanabat.14°.methodi meden. 7ª.92.H
MYRMECIZON *pulſus qui.de comp.pulſ.* Sp.66.B
MYROBALANVS *pinguis.8°.de comp.me.ſe.lo.* 5ª.197.C
Myrobalanõ, et eupatoria iecur iuuãt peculiariter.de th.ad Pi. 5ª.91.A
Myrobalani ex̃pſſio iecore ĩflãmato pdeſt.1°.de ar.cur.ad Gl. 7ª.104.D
Myrobalani pieſma p iecoris phlegmone.11°.me.me.73.A/13°. 7ª.83.G
Myrobalani fex.7°.de compo.medic.per gen. 5ª.266.C
MYROPISSOCERVM. *1°.de comp.med.ſecun. loc.* 5ª.125.B
Myropiſſoceron quid ſignificet.1°.de comp.med.ſec.loc. 5ª.125.C
MYRRHA *quid.de ſimpl.medic.* Sp.87.B
Myrrha mur vocata.de med.fac.par. 7ª.177.G
Myrrha qualis.4°.de compo.med.ſec.loc.151.D/6°.170.E/G/ 7°.179.D/ 8°.190.G/9°.201.G/1°.de compoſi.med.per gene.215.H/ 6°.5ª.258.C/ de ocul. 7ª.188.G
Myrrha qualis, & q̃uo differat ab aloe.5°.de comp.me.per g. 5ª.246.D
Myrrhæ fuligo qualis.7°.de ſimp.med.fa. 5ª.54.F
Myrrhæ cinis.6°.de comp.medica.per gen. 5ª.262.B
Myrrha omnis ſtyptica eſt, acris, et excalfactoria.de ſim.me. Sp.87.B
Myrrha facit ſtypticam.de ocul. 7ª.190.C
Myrrha adſtringit, cõcoquit, & diſcutit.4°.de comp.me.ſe.lo. 5ª.150.H
Myrrha in ſecundo ordine calida, & ſicca eſt.8°.de ſimp.me.f. 5ª.61.A
in Myrrha optima opocalpaſum reperitur.1°.de antid. 5ª.104.B
Myrrha minæa.1°.de antid.106.B/5°. de compoſi.med.ſecun. loc.161.B/ C/164.B/6°.170.A/9°.205.A/B/10°.206.B/F/5°.de compo.medicamentorum per genera. 5ª.250.C
Myrrha beotia calfacit, fundit, & emollit.8°.de ſimp.me.fa. 5ª.61.B
Myrrha ſicca.5°.de comp.med.per ge. 5ª.253.B
Myrrha ſtacte.3°.de compoſitio.medicamento.ſecun.loc.148.B/ 8°.195. G/9°.199.D/

G/9°.199.D/10°. 5ª.207.F
Myrrha Throgloditica.6°.de cōp.me.ſe.l.170.F/7°.179.D/8°.5ª.192.H
Myrrha concoquit.8°.de compoſit.medi.ſec. loc. 5ª.189.A
Myrrha vbi adeſt,ibi adeſt vis calefaciendi,& reſiccandi.2°.de compo. medicamen.ſec.loc. 5ª.134.F
Myrrha refrigeratos calefacit.2°.de ſimp.me.fac. 5ª.15.A
Myrrha calefacit,& exiccat.2°. comp.me.fac. 5ª.16.D
Myrrha exiccat ſine morſu.de artic.com.2°. 7ª.267.H
Myrrha citra adſtrictionem diſcutit,& deſiccat humores. 4°.de comp. med.ſecun.loc. 5ª.151.D
Myrrha diſcuſſoria.5°.de compo.medi.ſec.loc. 5ª.159.C
Myrrha concoctoria eſt.3°.de comp.med.ſe.lo.142.H/4°.149.H/5ª.150. C/de ocul. 7ª.189.D
Myrrha concoquit ſufficienter.7°.de comp.me.ſec.loc. 5ª.178.G
Myrrha videtur omnes affectiones ſufficienter concoquere, & dolores leuat.7°.de comp.me.ſec.loc. 5ª.178.G
Myrrha capitũ vulneribus illita ea glutinare pōt,fœtum, & lumbricos tum enecat,tum eijcit,abſtergit,ocularibus miſcetur facultatibus,et medicamentis inditur,quæ ad tuſſim veterem,aſthma,ſiue anhelatio nem exhibetur.8°.de ſimp.me.fac. 5ª.61.A
Myrrha cicatricem inducit per accidens.5°.de ſimp.me.fac. 5ª.36.D
Myrrha in vno eſt præſtantior Thure,in alio inferior.4°.de compo.medica.ſec.loc. 5ª.151.D
Myrrha adiungenda melli,pro fiſtulis, & laceroſis cutibus. 2°. de arte curatiua ad Glauconem. 7ª.106.G
Myrrha oculis conuenit.de ocul. 7ª.188.G
cur Myrrha vlcera oculorũ expurgat.7°.de ſimp.me.fa. 5ª.54.E
Myrrha in collyrrijs quid faciat.1°.de antido. 5ª.105.C
quæ Myrrha eſt idonea antidotis.1°.de antid. 5ª.106.B
Myrrhã debẽt recipere arteriaca medicamẽta.8°.de ſim.me.fa. 5ª.61.B
Myrrha in Alexiterias antidotos ingredi nō pōt.5°.de ſim.m.f. 5ª.37.C
Myrrha ponitur in Theriaca.de ther.ad Piſ. 5ª.92.E
Myrrha ponĩt in medicamẽtis odoris grã.9°.de cōp.me.ſe.lo. 5ª.202.F
Myrrha odoratas reddit compoſitiones.1°.de comp.me.ſec.loc. 5ª.128.C
Myrrha bene olet.1°.de antid. 5ª.106.B
Myrrha eſt odorata,& calida.com.5°.aph.59°. Ex.43.C
Myrrhæ odor capitis dolorem parit.2°. de comp.medi.ſec.loc. 5ª.134.F
Myrrha vitanda in capitis doloribus à ſtomacho, & ab alijs partibus. 2°.de comp.medica.ſec.loc. 5ª.137.B
Myrrha ſi largius bibatur,aut dementat, aut mortem infert.5°.de ſimpli.med.facul. 5ª.37.C
Myrrha quomodo interficiat.1°.de antid. 5ª.105.C
Myrrha penetrat ĩ altũ,qa eſt tenuiũ ptiũ.6°.de com.med.ſe.l. 5ª.167.C
Myrrha,& crocus adiuuant ſe in penetrando in profundum.6°.de compo.med.ſec.loc. 5ª.167.C
Myrrham,& crocum recipit Diamoron.6°.de comp.me.ſe.lo.5ª.167.C
Myrrha in Diamoro deducit adſtringẽtia.6°. de com.me.ſec.l. 5ª.167.D
Myrrha manſuetiſſima pro ſtomachicis.6°.de comp.medi.ſe.lo.5ª.171.E
Myrrha facile leuigatur.4°.de comp.med.per gen. 5ª.237.H
Myrrha coctionem non fert.2°.de comp.med.per ge. 5ª.222.H
Myrrha per cocturam amittit vires.6°.de comp.med.ſec.loc. 5ª.168.E
Myrrha torrefacta.4°.de comp.med.ſec.loc.151.D/ 5ª.152.F
MYRRINE. 7°.de ſimp.med.fac. 5ª.56.E
MYRRHIS in ſecundo ordine calida.7°.de ſimp.med.fac. 5ª.56.E
Myrrhis purgat thoracẽ,et pulmonẽ degrauãtia.7°.de ſim.m.f.5ª.56.E
Myrſinites dicta Tithymallus fœmina.8°.de ſimp.med.fac. 5ª.62.E
MYRTA quid,& eius vires.de ſimpli.med. Sp.87.E
Μύρτα vocant græci fructum myrti.2°.de alim.fac. 2ª.19.D
Myrta adſtringi.9°.de ſimp.me.fac. 5ª.64.C
Myrta adſtringit euidenter.1°. de ſimp.med.fac. 5ª.7.H
Myrta mouet aliũ ſenſum,quã alia adſtringẽtia.1°.de ſimp.me.f.5ª.8.H
Myrta adſtringit dyſenteriam.11°.de ſimp.med.facul. 5ª.81.E
Myrtæ vires,quæ.de ſimpl.med. Sp.87.E
Myrta non excedit fines tuendæ ſanitatis.1°.de ſan.tuen. 2ª.68.H
Myrtas tuber circa myrtum qualis.7°.de ſimp.medicamen.fa. 5ª.56.E
MYRTHEVM qũo excellit roſaceũ.2°.de cōp.med. per gen. 5ª.224.A
Myrteum oleum quale.1°.de comp.me.ſec.lo. 5ª.129.E
Myrtinum oleum.6°.de ſimp.me.fac. 5ª.46.H
Myrtinũ oleũ eſt craſſiorũ partiũ,et adſtringẽs.11°.meth.med.7ª.72.H
Myrtheũ oleũ adſtringit,& refrigerat.4°.de cōp.me.per ge. 5ª.237.A
Myrtheum oleum adſtringit.13°.meth.me. 7ª.83.G
Myrtheũ oleũ valet in defluuio capillorũ.1°.de comp.med.ſe.lo.5ª.125.F
Myrtheum adſtringit.2°.de comp.med.per gen. 5ª.220.G
Myrtheum emollit.4°.de compo.med.per gen. 5ª.241.H
Myrtheum oleoſum.2°.de comp.med.per gen. 5ª.220.F
Myrtheũ oleoſum mitigat medicamẽta.2°.de comp.me.per g. 5ª.220.D
Myrtheum propter quid ponatur in medicamentis ad vlcera.4°.de compo.med.per genera. 5ª.237.H
MYRTEI ſcalpelli ad quid.5°.de anat.adm. 1ª.84.G
ad MYRTACEI folij ſpeciem ſcalprum.14°.meth.me. 7ª.92.H
MYRTINA naſca.de dynam. S4.24.B
MYRTITE vinum.3°.de compo.medicamen.ſecun.loc. 5ª.143.F
MYRTVS qualis.1°.de comp.med.ſec.lo. 5ª.129.E
Myrtus frigida eſt terrena,& multũ deſiccat.7°.de ſim.me.fa. 5ª.56.E
Myrtus alba.6°.de comp.med.ſec.loc. 5ª.175.D/H
Myrti baccæ quales.1°.de comp.med.ſec.lo. 5ª.129.E
Myrti baccæ inter adſtringẽtia parabilia.6°.de comp.me.ſe.l. 5ª.169.F
Myrti,earũq; baccæ ñ hñt miſtionẽ cōtrariorũ.1°.de cō.me.ſ.l.5ª.129.E
Myrti baccas exacinat.8°.de comp.med.ſec.lo. 5ª.189.E
Myrti baccæ ad ſtomachi ardorẽ cũ ſyncope.8°.de cōp.me.ſ.l.5ª.191.H
Myrti fructus habent contrariam facultatem.2°.de alim.fac. 2ª.19.D
Myrti fructus acerbus,& dulcis.4°.de ſimp.medic.fac. 5ª.26.F
Myrti fructus nutrit tenuiter.2°.de alim.fac. 2ª.19.D
Myrti fructus frigidus eſt nō tñ tantũ vt adſtringat.2°.de ali.fa.2ª.19.D
Myrtus vehementer adſtringit.5°.de comp.med.ſec.loc. 5ª.159.B
Myrti ſtomacho grati,& adſtringens.3°.de ſimp.mé.fa. 5ª.20.C
Myrti fructus valenter adſtringit.2°.de alim.fac. 2ª.19.D
Myrtus numerat̃ inter adſtringẽtia parabilia.6°.de cō.me.ſ.l.5ª.169.F
Myrti fructus ſiſtit aluum.2°.de alim.fac. 2ª.19.D
Myrti grana adſtringunt ventrem cum ponticitate, & ſtypticitate. de diſſolutione continua. Sp.75.B
Myrti ramuli cōuenitẽtes ſtomachicis in cibo.8°.de cōp.me.ſ.l. 5ª.192.C
Myrti tenera germina.13°.meth.me. 7ª.83.G
Myrti miſcentur medicamentis,ne vẽtriculus euertatur,et propter malum ſaporem.3°.de ſimp.me.fac. 5ª.20.C
Myrtus purgat gibbam hepatis.de cathar. Sp.95.C
Myrtorum decoctum adſtringit.4°.meth.me. 7ª.28.H
Myrtorum decoctum adſtringens lene.5°.meth.me. 7ª.31.H
Myrti decoctum inter adſtringentia fortiora pro gargariſmis.6°.de cōpoſi.medicamen.ſec.loc. 5ª.172.G
Myrtorum folijs cōſternebant pauimentum antiqui,cum opus erat herbis frigidis.1°.de arte cur.ad Gla. 7ª.99.B
Myrti ſiccis folijs ĩfantes ĩdigẽtes,nō ſunt tẽperati.1°.de ſa.tu. 2ª.65.A
in Myrti folij ſpeciẽ quo modo cutis incidenda in axillis,& inguinibus. 13°.meth.med. 7ª.81.E
Myrti vſus non facit ad ſanitatem.de atten.vic. 2ª.45.H
MYSI lapis quid & eius vires.de ſimp.med. Sp.87.A
Myſi lapis in aginem colorem maxime ſplendet.de ſimp.med. Sp.87.A
Μύσιν quid appellant græci.3°.de ſanitate tuenda. 2ª.81.B
MYSIA ad iſtrum.5°.de ſan.tuen. 2ª.89.H
Myſia helleſpontia.5°.de ſan.tuen. 2ª.89.H
in Myſia quæ ſup pergamũ,caſeus pſtãtiſſimus.2°.de ali.fac. 2ª.29.H
in Myſia non fit elephãtis morbus.2°.de arte cur.ad Gla. 7ª.107.D
Myſium vinum quale.5°.de ſan.tuen. 2ª.89.H
Myſium vinum habet vires ſimiles ſurrentino.5°.de ſan.tu. 2ª.89.H
Myſiũ vinũ cōmodũ ſenibus caput valẽtius hñtibus.5°.de ſa.t.2ª.89.H
Myſiorum multa nomina cur collegit Galenus.ad Thraſ. 2ª.106.H
Μύσαξ quid.intro. Iſa.53.B
MYSTRERIORVM libri qbus legi debeant.7°.de ſim.me.f. 5ª.49.B
Myſterium appellata confectio.7°. de comp.me.ſec.loc. 5ª.185.D
in MYSTICIS ſermonibus imperabant prophanis, vt aures obturarent.12°.de vſu par. 1ª.194.C
MYSTRVM doſis.7°.de comp.med.ſec.loc.182.A/8°. 5ª.189.E
Myſtrum quantum capiat.de pond.& menſ. 5ª.275.G
Myſtrum magnum.de pond.& menſ.5°.275.G/276.E/ 5ª.277.E
Myſtra parua.2°.de antid.119.E/de pond.& menſ.275.G/ 5ª.277.E
Myſtrum minutum.7°.de comp.med.ſec.loc. 5ª.180.E
Myſtrum mediocre.6°.de ſan.tuen. 2ª.101.B
Myſtrum iuſtiſſimum.de pond.& menſ. 5ª.277.E
Myſtrum.2°.de antid.116.G/119.F/7°.de comp.me.ſec.loc.185.E/F/186. E/9°.202.E/F/7°.de pond.& menſ. 5ª.276.G/H
MYTILENE oppidum in Lesbo.12°.meth.me. 7ª.76.F
MYXA apud iuniores idem quod βλέννα,κορύζα, apud antiquos.8°. de vſu par. 1ª.168.B

NANACHVAM fit mẽtio in confectione gari Ioachi martyropolitę.de medic.fac.par. 7ª.175.B
NAPI agreſtis ſemen quàm optimũ è Creta affertur.1°.de antid. 1ª.105.E
Napi ſemen contra venena cum vino optimo datur.de ſimpl.medic. Sp.89.F
Napi ſẽia quo mõ cõtũdant̃.1°.đ an.5ª.107.E
Naporum,quæ βουνιάδας vocant radices ſunt in confinio boni,& mali ſucci.de bon.& vitio ſucc. 2ª.37.G
Napus inflat.de ſimp.med. Sp.89.F
Napy calidũ eſt & ſiccũ in quarto ordine.8°.de ſimp.med.fac. 5ª.56.H
Napy excalfacit.1°.de ſimp.me.fac.4.E/5°. 5ª.32.A
Napy proportione reſpondit aeri calidiori.2°.de ſimp.med.fa. 2ª.15.G
Napy acre eſt.9°.de ſimplici.medi.fa. 5ª.64.C
Napy accenditur,& plurimo tẽpore durat.6°.de ſim.me.fac. 5ª.48.A
Napy vrere poteſt.5°.de ſimp.me.fac. 5ª.38.F
Napy,& cauterium non ſimiliter vrunt.5°.de ſim.me.fac. 5ª.39.C
vt Napy cauſticum eſt naſturtium.7°.de ſimp.me.fac. 5ª.50.A
NAR qualis fluuius.3°.de alim.fac. 2ª.31.C
Nar quanto ſpatio ante Romam fluit in Tyberim.3°.de alim.fa. 2ª.31.C
Nar habet piſces præſtantiores Tyberinis.3°.de alim.fac. 2ª.31.C
NARCE, id eſt torpedo.11°.de ſimp.med.fac. 5ª.82.F
NARCISSVS quid.de ſimpl.medic. Sp.87.H
Narciſſi bulbus maculas in facie tollit,ſuppurationem ponit,& intumeſcere non permittit.de ſimp.med. Sp.87.H
Narciſſi bulbi ſuccus per aluum purgat.de artic.com.2°. 7ª.267.H
Narciſſi radix vlcera maxima conglutinat.8°.de ſimp.me.fa. 5ª.56.H
Ναρκώδεις, id eſt ſtupidos,& reſolutos adiuuat pyrethri radix.8°.de ſimpl.medicamen.facul. 5ª.59.D
quæ NARCOTICA non ſunt danda potui.5°.de ſimp.me.fac. 5ª.37.C
à Narcoticis etiam fit cataphora.5°.de ſimpli.med.fac. 5ª.37.C
Narditidos herbæ radicem miſceri cataplaſmati pro phlegmone iocinoris conſuluit Galenus.13°.meth.med. 7ª.83.G
NARDINO collyrio quando,& cur vti debemus.4°.de compo.medicamen.ſec.loc. 5ª.150.G
Nardina medicamenta exiccant,& leniunt.intro. Iſa.58.C
Nardina medicamenta ad oculorum diſpoſitiones.intro. Iſa.58.C
Nardini medicamenti vſus eſt in interioribus.intro. Iſa.58.C
Nardina modice adſtringit.14°.meth.med. 7ª.92.B
Nardinum vinum.9°.de comp.me.ſe.loc. 5ª.200.G
Nardinum vnguentũ quod optimũ ſit,& vbi fiat.11°.meth.me.7ª.72.H
Nardinum optimum vbi fiebat.6°.de ſan.tuen.2ª.100.B/8°.de compoſi.medi.ſecun.loc. 5ª.187.D
Nardinum vnguentum curioſe factum.8°.meth.med. 7ª.53.C
Nardinum vnguentum aſianum.8°.de comp.me.ſec.loc. 5ª.193.D
Nardinum Aſianum aromaticum.8°.de comp.me.ſec.loc. 5ª.193.C
Nardinũ vnguentũ liquidũ eſſe collige.3°.de comp.med.ſec.lo.5ª.141.A
Nardinum vnguentum calefacit vehementius.11°.meth.med. 7ª.72.H
Nardinum vnguentum roborat aures.6°.de ſan.tu. 2ª.100.B
Nardinum optimum auribus inſtillandum.6°.de ſan.tu. 2ª.100.B
Nardinum vnguentum,melinum,& maſtichinum quem ordinẽ habeãt inter ſe,& quo anni tempore exhibenda.6°.de ſan.tu. 2ª.99.A
Nardinũ vnguentũ deterius ſpicato,& foliato.6°.de ſan.tu. 2ª.99.A
Nardinum vnguentum adſtringit.12°.methodi med. 7ª.83.G
Nardinum vnguentum modice adſtringit.6°.de ſan.tuen. 2ª.99.A
Nardinum vnguentum valet in defluuio capillorum.1°.de comp.medicamen.ſec.loc. 5ª.125.F
Nardinum vnguentum pro ſtomacho.6°.de ſan.tuen. 2ª.99.A
Nardinum vnguentum admouit vẽtriculo Galenus in animi defectu.de præcogn.ad Poſth. 4ª.217.F
Nardinum vnguentum pro ventriculo imbecillo.7°.meth.me. 7ª.43.H
in Nardino vnguento chia maſtiche ad oris vẽtriculi imbecillitatem.8° methodi medendi. 7ª.53.C
Nardino vnguẽto præcordica cõfricauit Galen.de præc.ad P. 4ª.217.F
Nardinũ vnguẽtũ Iecori,& ori vẽtriculi cõuenit.de rem.pa.f. 7ª.158.F
Nardino vnguento pectus hyeme vnguentum.5°.meth.med. 7ª.32.H
Nardino inungendus vẽter,qñ frigidus ẽ & ſiccus.7°.me.me.7ª.46.H
Nardino,vel irino vnguento vti oportet poſt balneũ.8°.met.me.7ª.51.F
pro Nardino maſtichinum.7°.meth.med. 7ª.46.H
NARDITE quid ſit.9°.de compoſi.medicamen.ſecun.loc. 5ª.201.G
NARDOSTACHYOS meminit in antidoto Baſilij.de dyna. Sp.33.F
NARDVS quæ nominanda.9°.de comp.medi.ſec.loc. 5ª.201.D
Nardus qualis.6°.de compo.medic.ſec.loc. 5ª.170.G
Nardus aromaticum medicamentum.9°.de comp.me.ſec.lo. 5ª.201.D
Nardi ſpica quæ nominanda.9°.de compoſitio.med.ſecun.loc. 5ª.201.D
Nardus eſt radix.1°.de antid. 5ª.106.F
Nardi ſpica qualis.8°.de compoſi.medicamento.ſecun.loc. 5ª.190.F
Nardi ſpica calida eſt in primo ordine,ſicca in ſecundo.8°.de ſimpliciũ medicamentorum facultatib. 5ª.56.G
Nardi ſpica adſtrictionis particeps eſt.3°.de comp.med.per ge.5ª.234.F
Nardi ſpica mediocriter adſtringit.4°.de comp.me.ſec.loc. 5ª.149.H
Nardi ſpica pro ventriculo imbecillo.7°.meth.med. 7ª.44.A
Nardi ſpica ad Iecur,& ſtomachũ cõuenit,vrinã ciet, ſtomachi morſus ſanat,in ventre,ac inteſtinis conſiſtentes fluxiones deſiccat, ad hæc & eas,quæ in capite,& thorace ſunt.8°.de ſimp.me.fac. 5ª.56.G
ex Nardi ſpica Iecori inflammato vnguentum.2°.de arte curatiua ad Glauconem. 7ª.104.D
à Nardi ſpica diſtingui nardũ celticã collige.7°.de cõ.me.ſe.l.5ª.182.H
Nardi ſpica quid agat in medicamentis.de med.exper. Sp.104.B
Nardi ſpica,indica,celtica,& montana odoratas reddit compoſitiones.1°.de compoſi.med.ſecun.loc. 5ª.128.C
Nardus ponitur in Theriaca.de theria.ad Piſo. 5ª.92.E
Nardi ſpica vim habet ciendi vrinam.1°.de ar.cura.ad Glau. 7ª.99.F/de mel.ex Gal.Ru.& Poſſ. Sp.110.B
Nardi ſpicæ aliquid inijciunt vino pro calculoſis.5°.de ſan.tu. 2ª.91.C
Nardi ſpica,& heleniũ,& quædam alia quando demenda à medicamento διὰ τριῶν πιπέρεων.4°.de ſan.tuen. 2ª.85.B
Nardi Aſianæ conſeruatoriæ fit mẽtio.7°.de comp.me.per ge. 5ª.271.F
Nardi Babyloniæ meminit.7°.de comp.medica.per gen. 5ª.272.D
Nardus qualis ſit,& potiſſimũ Celtica.9°.de comp.me.ſec.lo.5ª.201.G
Nardus celtica iecori inflãmato ꝓdeſt.2°.de arte cur.ad Glau.7ª.104.D
Nardus celtica ꝓ phlegmone gibbæ partis iecoris.12°.met.me.7ª.83.H
Nardi celticę fit mentio.8°.de ſimp.me.fac.56.H/4°.de comp.med.ſec.loc.152.D/157.B/6°.174.H/7°.178.D/181.H/182.H/8°.188.H/192.A/193.B/C/D/195.A/9°.197.G/200.D/10°.206.B/C/5°.de compo.medica.per ge.252.E/7°. 5ª.266.A
Nardi Creticæ meminit.9°.de comp.med.ſec.lo. 5ª.201.D
Nardus Gallica qualis.1°.de antid. 5ª.107.B
Nardus gallica eſt calidior alijs.8°.de ſimp.me.fac. 5ª.56.H
Nardus gallica vrinam prouocat.8°.de ſimp.me.fac. 5ª.56.H
Nardi gallicæ fit mentio.7°.de compo.medic.per gen.5ª.272.F/G/H/de med.fac.par. 7ª.171.A
Nardus Gangitis.7°.de compo.med.per gen. 5ª.274.G
Nardus gangetida pro malabathro.7°.de comp.med.per ge. 5ª.274.D
Nardus Montana imbecillior alijs.8°.de ſimp.me.fac. 5ª.56.H
Nardus montana.8°.de ſimplic.medicamen.facul. 5ª.56.H
Nardus indica,& celtica quo differant.9°.de comp.me.ſe.lo. 5ª.201.G
Nardus indica iecori inflãmatiõi adhibet̃.2°.de arte cu.ad Gl.7ª.104.D
Nardi indicæ meminit.4°.de compoſi.medicamentorum ſecun. loc.152.D/F/G/154.C/D/E/155.C/D/H/156.A/157.A/B/6°.170.C/171.A/D/7°.178.D/179.C/181.F/182.A/183.G/184.H/185.B/F/8°.188.B/189.G/191.A/F/192.A/193.C/E/194.H/195.A/B/D/H/9°.197.H/198.F/200.H/201.H/202.A/C/H/10°.206.C/F/7°.de compoſi.medica.per gen.266.E/267.A/ 5ª.272.E
Nardus Orea ideſt montana,quæ,& qualis.8°.de ſimpl.me.fa.5ª.56.H
Nardus Stachys id eſt ſpica nardi.8°.de ſimplic.medi.facul. 5ª.56.G
Nardi Syriacæ meminit.3°.de compo.med.ſecun.loc.143.H/7ª.179.D/183.G/9°.197.G/198.G/ 5ª.202.G
Nardi ſpica oculis conuenit.de ocul. 7ª.188.G
Nardus expurgat in icteris.de cura icteri. Sp.111.B
Nardus colorem expurgat,& colorem mouet.de cura icteri. Sp.111.C
Nardus optima modice adſtringens.8°.methodi medendi. 7ª.53.C
Nardus ad ventriculi imbecillitatem.8°.methodi medendi. 7ª.53.C
ex Nardo,aloe,maſtiche,& cera ceratum iecori,& ventriculi ori conuenit.de remed.par.fac. 7ª.158.F
cum Nardo infuſus in aqua ſuccus abſinthij quibus conueniat.de cura icteri. Sp.111.A
Nardum mulſa aqua infundens,& concoquens propina bibẽdum in tertiana notha.1°.de ar.cur.ad Glau. 7ª.97.E
cum Nardi ſpica ptiſſanæ ſuccus iuuat laborantes tertiana notha.1°.de arte curatiua ad Glauconem. 7ª.97.E
Nardo decoctũ oleũ metaſyncreticã virtutẽ habet.de ſimp.me.Sp.88.D

Nardum prima

Nardum primæ compoſitionis accipi iubet.7°.de compo.medicamentorum per genera. 5ª.271.G
Nardi vnguentum.7°.de comp.med.per gen. 5ª.271.G
Nardum crocinum.7°.de comp.med.per gen. 5ª.272.D
Nardo viribus ſimilis eſt phu.8°.de ſimp.me.fac. 5ª.63.D
Nardo ſimilem vim poſſidet folium malabathri.8°.de ſim.me.f. 5ª.63.E
NARES *quæ.fin.med.43.H/intro.* *Iſa.*53.A
Nares quo modo ſint formatæ.de compag.memb. Sp.58.D
Nares vnde habent initium.intro. *Iſa.*53.G
Nares ex cerebro ducuntur.com.6°.aph.2°. Ex.46.E
ad Nares tendunt duo foramina, quæ in anteriori ventriculo cerebri oriuntur.de inſtr.odor. 1ª.110.C
per Nares,& per os expurgantes cerebrum meatus ſunt ampli. 9°.de vſu partium. 1ª.171.D
ad Nares cur foramen ex oculis feratur.10°.de vſu par. 1ª.181.G
Narium meatus habet duo officia.8°.de vſu par. 1ª.168.B
Nares ad quid factæ.de natu.& ord.cuiuſl.corp. Sp.42.H
Nares ſunt partes ad viuendum commodius.14°.de vſu par. 1ª.204.C
Narium officia potiſſimæ,quæ.intro. *Iſa.*54.A
Nares nõ ſunt propter excretionem ſuperfluorũ, ſed ea quidẽ ex abundanti cerebro male affecto eſt ſubſidium.8°.de vſu par. 1ª.168.C
Nares cur patulæ.de anat.viu. Sp.49.B
Nares cur habent mollem ſubſtantiam.1°.de vſu par. 1ª.115.G
Narium duo oſſa.intro. *Iſa.*54.G
ante Nares cur os veluti ſpongia ſit ſitum.8°.de vſu par. 1ª.168.D
in Naribus,aure,pudendo,ſede germina fieri videntur. 3°.de ſymptomatum cauſ. 3ª.28.D
in Naribus germẽ aliquod carnis,quæ ægritudo ſit.de diff.mor. 3ª.4.F
Nariũ tunicæ ſunt frigidæ,& ſiccæ.de cõp.mẽb.ſiue de na.hu. Sp.58.D
Narium tunica,quæ partẽ internam ſubiungit,à tertia neruorum coniugatione oritur.9°.de vſu par. 1ª.176.C
Naribus,& ori tunica communis.9°.de vſu par. 1ª.176.E
Nares habent vnum genus neruorum.8°.de vſu par. 1ª.166.H
ad Nares nerui à Cerebro.de inſtru.odor. 1ª.110.E
Narium ſenſus principium eſſe cerebrum dicentes decipiuntur.2°.de decretis Hippoc. 1ª.237.A
Naribus qualiter adueniat odoratus.de anato.viu. Sp.58.D
intra Nares ſunt pelliculæ plenæ ſpongioſa carne,in quibus fit olfactus de vtil.reſpira. Sp.63.D
Nares ſunt vt meatus vocis.de voc.inſtr.diff. 1ª.106.E
per Nares,& os fit reſpiratio.in Tim.Plat. 1ª.288.G
per Nares,os,& pharynga animalia reſpirantia habent pulmonem,et dextrum cordis ventriculum.6°.de vſu par. 1ª.150.F
per Nares ingreditur ſpiritus in corpus.17°.de vſu par. 1ª.222.B
per Nares attrahitur ſpiritus in cerebrum.de vſu pul. 1ª.227.G
per Nares ſpiritus partim ad cerebrum,partim ad cor accedit. de vtilitate reſpira. 1ª.226.H
per Nares aer ex inſpiratione attractus,& craſſior pituita defluit. 2°. de ſemine. 1ª.340.C
Nares in trahendo ſpiritu contrahuntur.de vſu pulſ. 1ª.228.E
Narium partium extremarum motus.de vſu pul. 1ª.228.E
Narium pinnæ cur dilatantur inſpiratione.4°.de loc.aff. 4ª.25.A
Nariũ pinnæ cur contrahantur in inſpiratione.4°.de loc.aff. 4ª.26.H
Narium pinnæ à lato muſculo mouentur.4°.de lo.aff. 4ª.23.D
Narium pinnas mouent qui ſuffocantur à peripneumonia ab angina,& ſuppuratione.in 3^{m}. de mor.vul.c.2°. 3ª.136.A
per Narem vtranq; ſpiritus æqualis ſignificat conuulſionem.de vi.rat. in morb.acu.c.4°. 7ª.141.G
Naris pinnæ qũo conuellantur.de vict.ratio.mor.ac.com.4°. 7ª.141.G
Naribus ſummis reſpirare quid ſit.in 3^{m}.de mor.vulg.c.2°. 3ª.136.A
in Nares cur venit potus.in 3^{m}.de mor.vul.com.2°. 3ª.136.C
in Nares promptiſſime tranſmittit caput.6°.de ſan.tuen. 2ª.98.E
per Nares ſanguis habet reſpirationẽ.de natu.& ord.cu.cor. Sp.41.E
per Nares expurgatio conuenit naturæ.com.3°.apho.24°. Ex.25.B
Nares expurgant caput.ars med.Iſa.71.E/1°.de arte cur. 7ª.100.B
per Nares,aures,& palatũ purgatur cerebrũ.7°.meth.me. 7ª.49.D
*Nares expurgãt cerebrum.de conſt.ar.Iſa.41.D/11°.meth.med.*7ª.73.F
per Nares,& os mucus cerebri excernitur.de inſtr.odor. 1ª.110.D
per Nares expurgãt oculus.1°.de ſan.tuen.2ª.68.D/de cath. Sp.94.G
per Nares excreta ea,quæ in cerebro continentur indicãt.in 1^{m}.de morbis vulgaribus commentario 2°. 3ª.112.A
per Nares exeuntia oſtendunt cerebri robur.de conſt.ar. *Iſa.*42.B
per Nares exeuntia oſtendunt futuram ægritudinem.ars med. *Iſ.*67.F
ad Nares,& os ſi odor ſuffitus aromatum per corpus ire videatur mulier ex ſe ipſa non eſt ſterilis.com.5°.aph.59°. Ex.43.C
de NARIVM *affectionibus.3°.de compoſit.medi.ſec. loc.* 5ª.147.F/*de med.fac.par.* 7ª.163.D
ad Narium paſſiones valet ſuccus centaureæ.de vir.cent. Sp.93.C
Nares acutæ qbuſdã ſunt ſigna letalia,alijs naturalia.de op ſe. *Iſ.*26.A
Nares frigidas eſſe,quando malum.com.7°.aph.1°. Ex.54.A
Nares ſudare pernitioſum eſt in ardentibus febribus . in 1^{m}. de morbis vulg.com.2°. 3ª.115.C
Nares ſenum cur humidæ.com.3°.aph.31°. Ex.26.G/H
quibus Nares natura humidiores,et genitura humidior, minus integra ſanitate fruuntur: quibus vero contraria,ſalubrius degunt. com.6°. aphoriſmo 2°. Ex.46.E
Nares humectat balneum.de vict.rat.in mor.acu.com.3°. 7ª.132.H
Naribus rheuma nocet.de dynam. Sp.20.E
Narium euacuatio fœda eſt noxia.com.5°.aph.33°. Ex.40.E
è Naribus ſtilla prauum ſignum.in 3^{m}.de mor.vul.c.3°. 3ª.144.A
è Naribus ſtillatio comatoſis pernitioſa eſt.in 1^{m}.prrh.cõ.1°. 4ª.160.H
per Nares muci quorum ſint ſigna.in 1^{m}.prorrh.com.1°. 4ª.161.G
è Naribus cur plerunq; exeat ſanguis.de anat.viu. Sp.44.C
à Naribus quibus facile ſanguis fluat.1°.de arte cur.ad Gla. 7ª.100.E
è Naribus ſępe fluit ſanguis homini concepto in tribus horis ſanguinis. de ſpermate. Sp.37.B
è Naribus profluuium intelligit Hippocrates cum profluuium inquit ſine alio adiecto.in 1^{m}.de morb.vul.com.1°.3ª.104.G/ in 1^{m}. prorrhet. comment.3°. 4ª.185.G
ex Naribus profluuium ſanguinis eſt peculiare febrium ardentium. in 1^{m}.de mor.vul.c.1°. 104.E/2°. 3ª.113.A
è Naribus cur fluat ſanguis in ardentibus febribus . in 1^{m}.de mor.vul. commen.2°. 3ª.199.F
è Naribus ſanguis cur effluat in febribus acutis . de vic.rat.in morbis acu.commen.4°. 7ª.135.D
per Narium ſanguinis fluxum ſoluitur cauſus . de vict.ra.in mor.acu. commentario.4°. 7ª.135.D
è Naribus ſanguinis fluxio qua ætate expectanda eſt . in prognoſtica commentario.2°. 4ª.208.G
per Nares ſanguinis profuſio eſt toto genere præter naturam . de ſymptomatum differentijs. 3ª.13.G
è Naribus ſanguis multis ſtillat per acceſſiones.quos purgare oportet quibus medicamentis,& quo tempore. 5ª.88.G
*è Naribus fluxurũ ſanguinẽ quæ indicẽt.1°.de arte cu.ad Gl.*7ª.106.D
ex Narium profluuio ſanguinis iudicatio quo modo cognoſcatur ex pulſu.4°.de præſa.ex pul. 4ª.122.F
Narium ſanguinis profluuium qui capitis dolor ſignificet. in prognoſti. com.2°.208.F/ 4ª.211.A
è Naribus ſanguinem fluxum ſignificatur à colore rubro faciei . in 1^{m}. prorrh.com.2°. 4ª.171.A
Narium ſanguinis profluuium ſignificant lacrymæ ſpontaneæ . in 1^{m}. de morbis vulgarib.commentario.2°. 3ª.116.A
è Naribus fluet ſanguis ſi manus ſint tremulæ . de vic.rat.in mor.acu. commen.4°. 7ª.141.F
è qua parte Narium fluxurus ſit ſanguis prænoſcendum eſt. 1°. de arte curatiua ad Glauconem. 7ª.100.E
è Naribus ſanguinis profluuium quando bonum, & quando non bonũ. 1°.de criſibus. 4ª.128.B
*è Naribus ſanguis inſtar fluoris, letale eſt.in 1^{m}.prorr.c.3°.*4ª.186.A
è Naribus quibus ſanguis fluit,illis medicamenta non ſunt exhibenda. de vic.ra.in mor.acu.com.4°. 7ª.150.F
per Nares ſanguinem euocantia,quę.de med.fac.par. 7ª.154.E
per Nares ſanguinem trahit radix crocodilij.7°.de ſimp.me.fa. 5ª.53.C
ad Narium ſanguinem extrahendum.de med.fac.par. 7ª.163.D
per Nares emiſſus ſanguis non malus.com.4°.aph.25°. Ex.30.A
è Naribus ſanguis fluens in febribus ſoluit ſurditatem.commenta.4°. aphoriſmo.60°. Ex.34.A
ex Naribus ſanguinis fluxus ſanat abſceſſum futurum ad articulos. cõment.4°.apho.74°. Ex.35.H
à Naribus ſanguis fluens liberat è laſſitudine phlegmonide.4°.de ſanitate tuenda. 2ª.87.F
è Naribus fluẽs ſanguis mẽſtruis deficiẽtib⁹ bonũ.c.5°.a.33°. Ex.40.E
per Nares,os,aut aures pus,vel aqua,vel ſanguis effluens caput dolẽti,& circumdolenti,ſoluit morbum.com.6°.aph.10°. Ex.47.C

Narium ſan-

Narium ſanguis quibus ſiſtatur.1°.de arte cura. ad Glauconem. 7ª.98. H/de catharticis. Sp.94.G
pro Narium ſanguine aures obturandæ ſunt, & extrema conſtringenda.de remed.par.fac. 7ª.155.H
quibus è Naribus profluxit ſanguis eorum aliqui ex capitis refrigeratione deterius habuerunt.5°.meth.med. 7ª.31.H
in Narium ſanguine duplex auerſio.5°.meth.med. 7ª.32.A
è Naribus profluente ſanguine cucurbita ſupra ceruicem confert.5°. methodi medendi. 7ª.32.A
Narium ſanguinem reuellit cucurbitula appoſita Hypochondrijs de Hirud.reuulſ.cucurb.& ſcarif.2.E/de cucur.ſcarif.6ª.4.G/5°.methodi med.30.E/13°. 7ª.85.B
è Nare dextera ſanguis ſupprimitur cucurbitula in dextero hypochondrio.de curan.rat.per ſang.miſſ. 6ª.19.H
in Narium ſanguinis profluuio vena ab eodem latere ſecanda eſt.5°.methodi medendi. 7ª.30.E
è Naribus profluuium ſanguinis ſanatum fuit venæ ſectione. de curan. rat.per ſang.miſſ. 6ª.18.D
è Naribus ſanguine profluente medicamenta, quæ ſcribunt in nares inſerenda, atq; in frontem illinenda, infirma eſſe comperit Galenus. de curan.rat.per ſan.miſſ. 6ª.18.G
è Naribus profluuio ſanguinis prorumpenti caudæ equinæ ſuccus prodeſt.6°.de ſimplic.medicamen.facul. 5ª.48.G
Narium ſanguinis fluxum ſiſtit ſuccus centaureę.de vir.cent. Sp.93.C
ad Narium ſanguinis eruptiones.3°.de comp.medi.ſec.loc.148.G/149.A/5°.de comp.medic.per gen. 5ª.254.E/de medic.fac.par.154.E/155.G/160.F/163.D/7ª.172.C/H/de dyn.25.B/ſecre. Sp.98.B
ad Narium ſanguinis eruptiones, quæ ſupprimi nequeunt. de med.fac. par. 7ª.154.E
de Naribus parũ, idq; merũ ſtillauit quinta die Philiſco. in 1m. de mor. vulgari.com.3°. 3ª.121.A
Narium fluxu ſanguinis ſanato à delirio quidã nihil præteritorum recordabatur.2°.de mot.muſ. 1ª.315.C
Narium ſanguinis profluuio aſſueti quo modo tractandi in euacuationibus.de conſuetud. 2ª.61.H
è Naribus quibus ſanguis profluit, non ſunt lauandi. de vict.ratio.in morb.acutis, com.3°. 7ª.133.A
ex Naribus aperta vena quando proſit in capitis doloribus.2°.de compo.medi.ſecun.loc. 5ª.137.D
ad Nares deriuat in oris phlegmone.13°.meth.med. 7ª.83.B
per Nares, & os deriuandum ſi ad oculos, vel aures ſucci fluãt, & quibus.de cucur.ſcar.6ª.4.E/5°.meth.med. 7ª.30.F
per Nares deriuatio facienda eſt fluente gurgulione, vel Palato. de cucurbitulis ſcarificatione. 6ª.4.E
ad Narium ſanguinis eruptiones, Andromachi.3°.de compoſi.medicamen.ſecun.loc. 5ª.149.B
Nares, & aures obturat ſperma deſcendens à capite.de ſper. Sp.36.F
Narium, & aurium obturationem, capitis grauitatem ſuperius, dolorem renum inferius ſignificat vrina inferius claritatem habens, ſuperius ſubnigra, & plena.de dyna. Sp.35.D
Nares occluſæ quibus aperiantur.5°.de ſimp.med.fac. 5ª.35. G/ de cura lapidis. Sp.112.H
Nares quibus opplentur illis elleborus eſt dandus. de vic.rat.in morb. acu.commen.4°. 7ª.144.G
Naribus danda ſunt medicamenta purgatoria.de cathar. Sp.94.G
p Nares materiã trahẽtia.de reme.par.fac.7ª.163.D/de cath. Sp.95.B
per Nares purgantia caput.2°.de comp.me.ſec.loc. 5ª.138.H
ex Naribus expurgat Anagallidũ ſuccus.6°.de ſimp.me.fa. 5ª.42.H
ex Naribus purgat ſuccus Anemones.6°.de ſimp.med.fa. 5ª.43.B
per Nares purgat Beta.8°.de ſimp.med.fac. 5ª.62.A
Nares purgat ſuccus Chelidonij minoris.8°.de ſimp.me.fac. 5ª.63.G
Nares purgat ſuccus Cyclaminis.7°.de ſimpl.medicamen.facul.5ª.53.E
per Nares quomodo bilis educatur.2°.de comp.me.ſec.loc. 5ª.139.E
Narium inflammatio quid efficiat.in progn.com.2°. 4ª.203.A
in Naribus phlegmone, & ſcyrrho orto laborantes per os inſpirare coguntur.11°.de vſu par. 1ª.188.F
ad Narium phlegmonas congruit aloe.6°.de ſimplici.medi.fa.5ª.42.C
ad Narium interiores phlegmonas.de med.fac.par. 7ª.163.E
ad Narium carnem excreſcentem malum punicum. 3°.de compo.medicamen.ſec.loc. 5ª.148.D
Narium ozęnæ.3°.de comp.me.ſe.loc. 5ª.147.F
Narium polypodes.3°.de compo.medi.ſecun.loc. 5ª.147.F
Nares obſtruens polypus vocem lędit.4°.de loc.affect. 4ª.26.F
Naris polypos quid curet.de dynam. Sp.25.C
Nare vlcerata quid agendum.5°.meth.me. 7ª.34.B
in Naris meatibus vlcera quibus à Galeno curentur.3°.de compo.medicamen.ſec.loc. 5ª.148.F
ad Narium vlcerationes, & putredines, & fœtores confert ſuccus centaureæ.de virt.cent. Sp.93.C
ad Narium exulcerationes.3°.de compo.med.ſec.loc. 5ª.148.D/ de medic.fac.par. 7ª.163.E
in Naribus vlcera vetera ſanat hederæ ſuccus.7°.de ſimp.me.f.5ª.51.F
ad Narium vlcera cum duritie.de med.fac.par. 7ª.163.E
ad Narium vlcera.3°.de comp.me.ſecun.loc.148.C/5°.de comp.medi. per gen.248.D/5ª.251.F/de med.fac.par. 7ª.163.D
Narium fœtores in quo ſint genere ſymptomatum.de ſymp.diff. 3ª.13.B
ad Narium fœtores.3°.de compoſi.medic.ſecun.loc.5ª.148.D/ de med. fac.par.163.D/7ª.172.C/de dyna. Sp.25.C
ad Narium putredines.3°.de compo.med.ſec.loc. 5ª.148.D
de ijs quæ Naribus infunduntur, & apophlegmatiſmis.2°.de compoſi. medica.ſecun.locos. 5ª.138.H
Naribus quod attrahitur errhinum.9°.de comp.med.ſec.loc. 5ª.198.A
ad Nares medicamentum quod attrahitur. 7°.de compoſi.medicamentorum ſecun.loc. 5ª.181.H
intra Nares medicamenta, quę.2°.de comp.med.ſec.lo. 5ª.137.D
Naribus quod inditur pro capite purgando.2°. de compoſi.medicamentorum ſecun.loc. 5ª.139.A
Naribus quæ applicanda in lethargo.13°.meth.med. 7ª.85.F
in Nares quæ inijciuntur pro dentium dolore.de reme.par.fa. 7ª.157.E
inter Nares hedychroum medicamentum pro exiccando pulmone. 4°. de locis affectis. 4ª.28.D
in Nares quæ ponitur ſpongia filo ligetur.3°.de compoſitio.medicamentorum ſecun.loc. 5ª.148.H
per Nares ne nimis aſcendant ſpongiæ filum lineum nectit. de remedijs paratu facilibus. 7ª.155.G
ad Nares per arũdinẽ inſufflatus puluis.2°.de cõp.me.ſe.lo. 5ª.139.A
è Naribus per arundinẽ quædã inſpirãtur.de reme.par.fac. 7ª.155.F/G
in Narium inſufflatione.3°.de comp.me.ſec.loc. 5ª.149.A
Naribus ictericorum apponenda Critonis medicamenta.2°.de comp.medicamen.ſec.loc. 5ª.139.E
in Nares quo infundendum Elaterium.2°.de comp.me.ſec.lo. 5ª.139.E
Naribus quod infunditur parabile pharmacum.2°.de compoſi.medicamento.ſecun.loc. 5ª.139.G
Naribus adhibenda ſunt quæ fœtidiſſimũ odorem habent in defectu animi ex vtero.1°.de ar.cur.ad Glau. 7ª.99.B
Naribus ſi imponas aliquid mordax, ſternutant.c.7°.aph.51°. Ex.58.C
Naribus frigidum mordax.4°.de ſim.me.fac. 5ª.24.C
Nares irritatæ pennis, ſternutant, & quare.com.7°.aph.51°. Ex.58.C
Nares apprehẽdito, & os ſternutatorio impoſito vt ſecundæ procidant. com.5°.aphor.49°. Ex.42.A
Narium reſectæ particulæ mutilationes dicuntur.de diff.mor. 3ª.4.G
Narium curtarum curatio.intro. Iſa.60.D
de Naribus fractis.de artic.com.2°. 7ª.266.C
Nares facilius confringuntur toto corpore.de art.com.2°. 7ª.267.E
Nares fractæ ex palato reſimum faciunt.intro. Iſa.60.E
Nares confractæ non poſſunt reſtitui.intro. Iſa.60.D
Narium fracturas iuuat ſuccus centaureæ.de virt.cent. Sp.93.C
Nares aptantium manus debent eſſe molles.de artic.com.2°. 7ª.267.H
de Naribus ſideratio.de artic.com.2°. 7ª.267.C
ad Narium vitia.de med.fac.par. 7ª.155.F
Nares quandoq; ingreditur ſanguiſuga.4°.de locis affectis. 4ª.26.A
Naribus quæ illabuntur corpuſcula quo modo extrahantur. 3°.de compo.medic.ſec.loc. 5ª.148.E
NARTHEX, id eſt ferula. 8°.de ſimplicium medicamentorum facult. 5ª.56.H/de ſimpl.medic. Sp.79.H
Nartheca, id eſt promptuarium medicamentorũ inſcriptum librum fecit Heras.1°.de comp.medica.per gen.214.D/4°.245.F/ 5ª.247.E
NASCA, id eſt quercinus fungus.de dyna. Sp.24.B
Naſcæ myrtinæ meminit.de dyna. Sp.24.B
NASCAPHTHVM quid.de ſimp.med. Sp.88.A
Naſcaphthum viſcide excalefacit, in antidotis excalefactorijs mittitur. de ſimpl.medic. Sp.88.A
NASCENTIAS diſpergit emplaſtrum diachryſu.de dyna. Sp.32.D
ad Naſcentia mala vnguentum.de dynam. Sp.30.D

in Naſcente

in Naſcente reſpectu aſpectuum, caſus.3°.de dieb.dec. 4ª.157.H
qui NASCANTVR ſeptimo mẽſe.de cõp.mẽb.ſiue de na.h. Sp.59.E
Naſcuntur venæ à neruo potius, quam à carne.de anat.viuo. Sp.50.F
Naſci quid faciat pilos.ſecretorum. Sp.97.A
Naſcuntur in riuis ſium, calaminthe, adiantum.de bon.aquæ. Sp.75.F
NASSAE comparatur cutis noſtri corporis.in Tim.Plat. 1ª.288.F
Naſſæ Piſcatoriæ exemplum.in Tim.Plat. 1ª.288.D
per NASSVLAS duas intelligit ventrem medium, & inferiorem. in Tim.Plat. 1ª.288.E
Naſſularũ funibus comparat venas, & arterias.in Tim.Plat.1ª.288.G
Ναςὸν genus panis.4°.de dign.pulſ. 4ª.84.A
Ναςὸν pro pleno.4°.de dign.pulſ. 4ª.84.B
NASTVRSTIVM ſyluestre quid ſit.10°.de comp.med.ſec.lo.5ª.208.G
Naſturtium obſonium cum pane.7°.de ſimp.me.fac. 5ª.50.A
Naſturtium eſt prauus cibus.1°.de diff.feb. 3ª.31.G
Naſturtium eſt cibus acutus, incidens, & aperiens.de diff.con.Sp.72.F
Naſturtium cur parum nutriat.de diſſol.cont. Sp.73.G
Naſturtium acre eſt.de atten.vic. 2ª.43.H
Naſturtium fortiter excalfacit dum guſtatur.4°.de ſimplicium medicamentorum facultatib. 5ª.29.D
vt Naſturtium non eſt calidum cardamomum.7°.de ſimp.medicamento.facultatibus. 5ª.50.A
Naſturtium accenditur, & plurimo tempore durat. 6°.de ſimplicium medicamentorum facult. 5ª.48.A
Naſturtium cauſticum eſt vt Napy.7°.de ſimp.me.fac. 5ª.50.A
Naſturtium quo loco reponatur inter calida, quæ valent alopecijs.1°.de compo.medicamen.ſec.loc. 5ª.122.D
Naſturtium cur miſcetur remedijs aſthmaticorum.7°.de ſimplici.medicamen.facul. 5ª.50.A
Naſturtium attenuat.de atten.vic. 2ª.43.H
Naſturtiũ incidit phlegma, & mũdificat ſtomachũ.de diff.con.Sp.74.E
cũ Naſturtio, & hyſſopo epota quarta ſpecies anchuſæ oxybaphi menſura ad latos lumbricos eſt idonea.5°.de ſim.me.fa. 5ª.41.D
Naſturtium pro Thapſia.1°.de comp.med.ſecun.lo. 5ª.122.E
Naſturtio in quibus ſimile eſt lepidium.7°.de ſimp.me.fa. 5ª.54.C
Naſturtij nigri ſit mentio.9°.de comp.med.ſec.lo. 5ª.198.E
NASI ſectio.de inſtrum.odor.1ª.110.C/de ana.viu. Sp.48.H
Naſus propter quid creatus.de ana.vi. Sp.48.H
Naſus cur longus, & emineus.de anat.viu. Sp.49.A
Naſus propter quid ad oculos ſit ſitus.10°.de vſu par. 1ª.180.A
Naſus cuius ſit propugnaculum.11°.de vſu par. 1ª.188.H
Naſus cur nudus pilis.11°.de vſu partium. 1ª.189.D
Naſi ſubſtantia, quæ.in prognoſt.com.1°. 4ª.191.C
Naſi alæ cur chartilaginoſæ, & mobiles.11°.de vſu par. 1ª.190.H
Naſi oſſa duo.de oſſibus. 1ª.41.C
in Naſo oſſa duo foramen triangulare habentia.de ana.viu. Sp.49.A
in Naſo oſſiculum.de oſſibus. 1ª.43.G
Naſi oſſa cur tenuiſſima.11°.de vſu par. 1ª.191.H
in Naſi oſſis concauitate iacent duæ carunculæ ſpongioſæ inſtar duarum paruarum mamillarum.de anat.viu. Sp.49.A
Naſi os ab alio oſſe pendet.in 6ᵐ.de morbis vulgar.com.1°. 3ª.154.G
Naſi ſuturæ quot.de oſſibus. 1ª.41.D
in Naſi radice ſunt duo foramina exeũtia ad angulos lachrymales oculorum.de anat.viu. Sp.49.A
ex Naſo cerebri foramina orta ſunt duo p quæ tenuiſſimæ venę dextera læuaq; alterius inuicẽ ſibi continẽt.de nat.& ord.cu.cor. Sp.41.H
Naſi foraminũ vſus.de ana.vi.49.E/de cõp.mẽ.ſiue de na.hu. Sp.58.D
Naſi tunica quibus continua ſit.de inſtru.odor. 1ª.110.D
Naſi tunica quot partes ambiat.de inſtr.odor. 1ª.110.D
Naſi tunicæ quem motum habent.de inſtr.odor. 1ª.111.F
Naſi tunicę quo modo operiantur.de inſtr.odor. 1ª.111.G
Naſi alæ pterygia dicuntur.11°.de vſu par. 1ª.188.G
Naſi alæ, quæ.de oſſibus. 1ª.41.D
in Naſi alis muſculi vnde oriantur, & quot ſint.11°.de vſu p. 1ª.191.A
Naſi alas mouentes muſculi quales.4°.de anat.adm. 1ª.81.B
in Naſi folijs ſunt lacerti duo, qui dilatant, & conſtringunt. de anatomia viuorum. Sp.49.A
Naſi alas aperientes muſculi vbi ſint.de diff.muſ. 1ª.44.F
Naſus quales neruos habeat.16°.de vſu par. 1ª.215.D
Naſus debet habere ſenſum exactiorem.16°.de vſu par. 1ª.215.D
Naſi os non poterat habere ſenſum.11°.de vſu par. 1ª.191.A
Naſi chartilago non poterat habere ſenſum.11°.de vſu par. 1ª.191.A

Naſus habet duplicem facultatem, odoratus, & reſpiratus. 1°.de ſymptomatum cauſis. 3ª.15.H
Naſus eſt inſtrumentum odoratus.de inſtrum.odor. 1ª.110.B
Naſi membrana an odores cognoſcat.de inſtrum.odor. 1ª.110.C
Naſi os non eſt inſtrumentum odoratus.de inſtrum.odor. 1ª.110.C
Naſus ſemita odorum.de inſtrum.odor. 1ª.110.C
Naſus primum inſtrumentum reſpirandi.11°.de vſu par. 1ª.188.F
per Naſi canales, & cãnam magnam ſit attractio aeris ad pulmonem. de anat.viu. Sp.47.C
Naſi alarum motus quid agant.1°.de diff.reſp. 3ª.61.D
Naſi alæ inſpirationis impetum inſequuntur.de muſc.diff. 1ª.44.F
Naſus tegitur caliditate, quam expirat.11°.de vſu par. 1ª.189.D
Naſus quo muſculo trahatur deorſum.de muſc.diff. 1ª.44.F
Naſus per eandem viam attrahit, & expellit.3°.de nat.fac. 1ª.306.H
Naſi arteriæ, quæ.16°.de vſu par. 1ª.220.C
in Naſo cæteriſq; amplis capacitatibus excrementa q̃ ſunt expultrix vis expellit manifeſte ac ſenſibiliter, reliqua vero totius corporis, in ſenſibiliter quotidie per halitum.2°.de ſymp.cau. 3ª.22.G
Naſum aquileũ ex pprietate ſui ſigni habuit Alexãder.de ſper.Sp.38.H
in Naſo quæ ſint ægritudines.de ſymp.diff. 3ª.11.E
in Naſo, & cerebro faciunt intemperiem catarrhi, & coryzæ. 1°.de ſymptomatum cauſis. 3ª.16.A
Naſi foramina ſtricta, & oppilata, imperfecte, & confuſe formant voces.de anat.viu. Sp.49.A
in Naſi obturatione melanthium.2°.de comp.me.ſec.loc. 5ª.139.G
Naſi oſſa affecta animal parum afficiunt.11°.de vſu par. 1ª.161.H
ex Naſi phlegmone exit aliquid.13°.meth.med. 7ª.84.H
Naſus ſi peruertatur in febre continua debili exiſtente corpore, letale. com.4°.aph.49°.33.B/com.7°.aph.69°. Ex.60.F
Naſus acutus non ſemp ſignificat ſiccitatẽ corporis.2°.de tẽp. 1ª.20.G
Naſus rubicundior factus, eſt iudicationis ſignum. 1°. de arte curatiua ad Glauconem. 7ª.100.D
Naſus reſimus eſt humidus.2°.de temp. 1ª.20.G
Naſus reſimus nõ ſemp indicat corporis humiditatẽ.2°.de tẽp. 1ª.20.G
Naſus reſimatur elephantiaſim patientibus.de cauſ.mor. 3ª.8.H
Naſus ex ictu violente reſimatus quid faciat.de diff.mor. 3ª.4.E
Naſi anguſtię cauſa eſt ſimitas.de diff.morb. 3ª.4.F
Naſus aduncus eſt ſiccus.2°.de temp. 1ª.20.G
Naſus ſubſidens quibus ſit.in 6ᵐ.de mor.vulg.c.1°. 3ª.154.F
Naſus compreſſus cur malus.in progn.com.1°. 4ª.191.A
Naſus compreſſus qui.in progn.com.1°. 4ª.191.C
iuxta Naſi angulum excreſcentis carnis remedia.4°.de compoſi.medicamen.ſec.loc. 5ª.152.F/G.
ad Naſi vlcera.3°.de comp.me.ſec.loc. 5ª.147.G
in Naſo tunica exciditur in polypo.14°.meth.me. 7ª.90.G
Naſi alę abſciſſæ faciunt faciem deformẽ.11°.de vſu par. 1ª.189.C
in Naſo curtis poteſt aliquis decor dari.14°.meth.med. 7ª.93.C
Naſum, & maxillam membrana alligabimus.de faſcijs. 7ª.293.F
ad Naſum linteum ſciſſum.de faſcijs. 7ª.298.A
ad Naſum funda ex quatuor capitibus.de faſcijs. 7ª.298.B
ad Naſum funda ex tribus faſciolis.de faſcijs. 7ª.298.C
ad Naſum funda ex duabus faſciolis.de faſcijs. 7ª.298.D
ad Naſum accipiter ex tribus faſciolis.de faſcijs. 7ª.298.E
ad Naſum accipiter ex binis faſciolis.de faſcijs. 7ª.298.F
ad Naſum faſcia glomerata.de faſcijs. 7ª.298.G
inter Naſum medium vel ſupercilia vbi deligare eſt opus vinculum. de faſcijs. 7ª.299.B
ad Naſum in alterã partẽ declinatũ Amintæ vallũ.de faſcijs.7ª.299.D
in Naſo quidam ſanguiſugã habebat inſciens.4°.de lo.af. 4ª.26.A
NATABILE qd ſignificet quodã in loco.de art.com.1°. 7ª.261.D
Natans contra fluxum nunquam mouebitur, & ſemper mouebitur. 1°. de motu muſculorum. 1ª.311.E
Natans cibus in ſtomacho non digeritur.de diff.cont. Sp.71.H
Natatrices, ſiue colymbænæ conueniunt ſtomachicis.8°. de comp.medicamen.ſec.loc. 5ª.192.C
NATES quę.intro.Iſa.53.E/de oſſibus. 1ª.43.D
Nates cur ita factæ circa anum.11°.de vſu par. 1ª.189.C
Nates cur circa anum.11°.de vſu par. 1ª.190.C
Natium muſculi carnoſi quales in homine.15°.de vſu par. 1ª.213.D
Natium muſculi carnoſi in ſimia ridiculi.15°.de vſu par. 1ª.213.D
Nates pueri mango breui craſſas fecit.14°.meth.med. 7ª.91.G
in Nate ſuppurationem habentis caſus.4°.de lo.aff. 4ª.25.B

NATES quid

NATES *quid ſint in cerebro.9°.de anat.adm.* 1ª.105.F
Nates paruę cerebri,quæ,& cur.8°.de vſu par. 1ª.170.F
in NATIONIBVS *multis lac non coquitur, & tamen alit.6°.de decretis Hippoc.* 1ª.264.G
NATIVVS *calor in bono ſanguine conſiſtit.de ſal.diæta.* 2ª.40.F
Natiuus calor temperatus.de ſal.diæta. 2ª.40.F
Natiuus calor puerorum qualis.de ſal.diçta. 2ª.40.F
Natiuus calor à frigore vel colligitur,vel extiguiť.c.5°.ap.21°. Ex.39.C
Natiuus calor non accenditur propter multitudinem, ſed extinguitur. commen.7°.aph.7°. Ex.54.D
Natiuus calor extinguitur in forti dolore ventris: ideo partes extremæ frigeſcunt.com.7°.aph.26°. Ex.55.G
Natiuus calor quo ſit cauſa ſternutamenti.com.7°.aph.51°. Ex.58.C
Natiuus calor ſuppurationem facit.com.5°.aph.20°. Ex.39.B
Natiua humiditas à calore febrili conſumitur.com.7°.aph.6°. Ex.54.D
ſi NATAT *cibus in ſtomacho quibus cibandum.de diſſ.cont.* Sp.71.F
NATVRAM *quilibet ſcit nominare.de fœt.for.* 1ª.325.A
Naturæ nomen multa ſignificat apud Hippocratem.de vic.rat.in morb. acu.com.1°.7ª.120.G/com.2°.aph.34°. Ex.17.C
Naturæ nomen quid ſignificet.de nat.hum.com.1°.1ª.25.G/2°.de ſympt. cauſis.19.F/in 6m.de mor.vul.c.5°. 3ª.187.G
Naturæ propriiſſimum ſignificatum.com.3°.aph.2°. Ex.20.A
Natura quid,ciuſq; variæ ſignificationes.fin.med. Iſa.44.E
Natura quid ſit.de hiſt.phil.4.E/de ſperm. Sp.39.A
per Naturam quid intelligat Galenus.3°.de temp. 1ª.23.H
Natura ſignificat tēperaturā.de vict.ratio.mor.ac.com.2°. 7ª.124.A
Natura dicitur,de Complexione,de virtute rectrice, & de compoſitione.ſecretorum. Sp.96.F
Natura eſt medius gradus in caliditate,& humiditate.de ſper. Sp.37.B
Natura cōſiſtit in elemētorū cōmoderatione.com.2°.aph.51°. Ex.19.D
Natura elementorum vnde.de ſperm. Sp.38.H
Natura pro forma corporis q̄nq; ſumitur.com.2°.aph.34°. Ex.17.D
Natura humani corporis quæ proprie dicatur.de ſper. Sp.37.A
Natura animaliū quæ ſit ſecūdū Hippocratē.cō.1°.aph.15°. Ex.8.C
Natura,& calor innatus idem eſt.de marc.46.A/de palpita.3ª.54.B/ com.5°.aph.22°. Ex.39.E
Natura,& calor inſitus cum extinguuntur,quid accidat.in 3m.de mor. vulg.com.1°. 3ª.132.C
Natura eſt virtus ſolidorū corporū.in 1m.de mor.vulg.com.2°. 3ª.112.C
Natura,quæ regit ſolida corpora ſecundum Hippocratem, eſt calor naturalis.com.4°.aph.37°. Ex.32.B
Natura eſt protēſa per ſolida corpora.in 1m.de mor.vul.cō.2°. 3ª.112.C
de Natura ſolidorum corporum vbi diſſeruerit Hippocrates.breuis denotatio dogmatum Hippocratis. 1ª.231.B
Natura,& ſubſtantia idem.quid animi mores. 1ª.317.C
Natura,& vires idem ſunt.3°.de criſ. 4ª.141.C
Natura,ſpecies,& genus,& forma pro eodem accipiuntur.ad eos, qui de typ.ſcripſ.de circ. 3ª.93.B
Natura eſt ſpiritus ſecundum ſtoicos.quod animi mor. 1ª.318.E
Natura eſt mens,quæ omnia penetrat.17°.de vſu par. 1ª.222.B
Natura incorporea penetrat totam ſubſtantiam.de ſper. Sp.40.F
Natura an rationem habeat,& mentem.de cauſ.morb. 3ª.8.C
Natura à ſtoicis,& à Platone concupiſcibilis,ab Ariſtotele vegetabilis.anima dicitur.de fœt.for. 1ª.326.B
Natura minus idonea ad omnia,quam anima.an animal ſit. 1ª.328.A
Natura mortalis eſt,& qualis ſit.an animal ſit. 1ª.327.H
Natura cui opponitur.2°.de ſymp.cau. 3ª.20.A
in Naturæ ſciētia vtilitas eſt,nō in nominibus.9°.de anat.ad. 1ª.103.H
Natura rationalis perſpici poteſt ſi Platonē,Ariſtotelem,Hipparchum Archimedē,ac complures alios cōtēpleris.17°.de vſu par. 1ª.222.C
de Natura longius diſputationem producentes repræhenduntur.de natura humana.com.1°. 1ª.27.A
de Natura ſcripſit Diogenes,ſed eius liber ad Galeni manus non peruenit.in 6m.de mor.vul.com.3°. 3ª.169.E
de Natura dicta celebria.ad Thraſ. 2ª.105.G
de Natura humana liber.de ſal.diæta. 2ª.39.G
de Natura rationum Hippocratis interpres eſt Ariſtoteles.1°.methodi medendi. 7ª.3.E
vt Naturam corporis inuenit Hippocrates,ita naturā animæ vult Plato inuenire.1°.meth.me. 7ª.3.D
Naturam corporum ſi quis ignorabit,morbi curari non poſſunt.1°.methodi medendi. 7ª.3.F
Natura ex quibus conſtet.3°.methodi med.17.G/11°.7ª.68.B/comment. 1°.aphoriſmo 15°. Ex.8.B
Naturæ laus.de marc. 3ª.46.A
à Natura nihil relictum eſt,quo prouidētiæ laude ſuperari poſſet.de vocalium inſtrumentorum diſſectione. 1ª.106.F
Natura in omnibus prouidens.5° de anat.adm. 1ª.86.H
in Naturam originalem,& affectum acquiſititium diuiditur virtus.11° metho.med. 7ª.68.G
Naturæ quatuor facultates,quibus trahit,retinet,demutat,et expellit. 1°.de natural.facul. 1ª.292.H
Naturę opera.2°.de dieb.decr. 4ª.151.G
Naturæ opera generatio,auctio,& nutritio.1°.de nat.fac. 1ª.290.G
Naturę opera primus nouit Hippocrates.1°.de nat.fac. 1ª.293.G
Natura effectrix reſpondet textoriæ,& coriariæ.ad Thraſ. 2ª.104.B
Naturæ opera explicare difficillimum.14°.de vſu par. 1ª.205.E
Natura artificioſa.6°.de anat.adm.90.E/17°.de vſu par. 1ª.221.C
Natura eſt prior tempore,& ſapientior arte.7°.de vſu par. 1ª.160.H
Natura eruditate,quæ.in 6m.de morb.vulga.commentario 5°. 3ª.188.H
Natura eruditate ē,licet recte facere nō didicerit.9°.de dec.Hi. 1ª.285.C
Naturæ vis potentior qualibet arte.in 6m.de mor.vul.c.5°. 3ª.188.G
Naturā ob quid quidā vocauere inartificioſam.17°.de vſu pa. 1ª.221.E
Naturā cur dicāt aliqui nō habere prouidētiā.1°.de nat.fac. 1ª.292.H
ad Naturæ artē cognoſcēdam quid exigatur.17°.de vſu par. 1ª.221.E
Naturæ actiones,quæ.intro.Iſa.55.B/com.3°.aph.17°. Ex.23.F
Naturæ vires quo modo in nobis,& in rebus.de ther.ad Piſ. 5ª.90.H
Natura ſimilia ſimilibus in nobis adiungit.de theria.ad Piſ. 5ª.90.G
Naturæ opera multa differunt ab operibus artis.1°.de ſym.ca. 3ª.31.A
Natura in operibus exiſtit.de iis,quæ in med.fi.com.3°. 7ª.216.G
Natura agit per ſe ipſam.11°.meth.med. 7ª.63.E
Naturæ primum inſtrumentum calor.14°.de vſu partium. 1ª.205.H
Natura alicuius gratia omnia molitur.2°.de nat.fac. 1ª.298.B
Natura nihil agit fruſtra.de inſtrumento odora.112.A/1°.de vſu partiū. 120.D/12°.197.C/13°.201.G/15°.211.E/212.E/16°.217.F/.1°.de ſemine. 1ª.330.D
à Natura nihil minus,aut ſuperfluum.9°.de vſu par. 1ª.176.F
Natura nihil ſuperfluum,aut temere facit.4°.de anatom.admin.82.D/ 2°.de ſemine. 1ª.340.A
Natura aliquid fecit fruſtra.9°.de anat.adm. 1ª.105.E
Natura ingenioſa,nihil omittit.5°.de anat.adm. 1ª.88.G
Natura nihil prætermiſit per incuriam.5°.de vſu par. 1ª.147.D
Natura oīno ſufficit inqt Hippocrates.1°.de die.dec.149.H/2°. 4ª.151.G
Natura ſola ſufficit animalibus.1°.de nat.fac. 1ª.293.G
Naturæ ſolertia nec dum à quoq̄ ſatis perſpecta eſt quāta ſit.10°.de vſu partium. 1ª.181.F
Natura iuſta eſt.9°.de decr.Hipp. 1ª.285.C
Natura iuſta apud Hippocratē.16°.de vſ.p.214.D/1°.de na.fa. 1ª.293.G
Natura recte vocatur iuſta ab Hippocrate.2°.de vſu par. 1ª.126.F
Natura in omnibus rebus iuſta eſt.1°.de vſu par. 1ª.117.E
Natura oīum iuſtiſſima.5°.de vſu par.1ª.145.D/de frac.c.1°. 7ª.224.G
Natura nuſq̄ fruſtra multū ab analogia diſcedit.11°.de vſu pa. 1ª.186.A
Naturę opera ſunt opulenta.15°.de vſu par. 1ª.212.A
Naturæ ſingula opera ineuitabilia ſunt, generationiſque ordinem neceſſarium habent.de marc. 3ª.45.D
Natura quo modo agat ab humano ingenio inueniri non poteſt.15°.de vſu partium. 1ª.212.H
Natura quo modo occulte operetur.com.3°.aph.20°. Ex.24.C
Naturam ſemper materiebus viam inuenire Hippocrates opinatur.cōmentario 7°.aph.54°. Ex.58.G
Natura gubernatrix præparat plantas fructus ferentes omnibus corporis partibus.de bon.& vitio ſuc. 2ª.37.A
Naturæ opera in plantis,& animalibus diuerſo modo facit Ariſtoteles.1°.de ſemine. 1ª.331.G
Natura per gradus incedit à plantis ad animal.2°.de ſem. 1ª.339.G
Natura ſtirpium qualis.bre.denot.dogm.Hipp. 1ª.231.A
Natura calida,& tenui cōſiſtūt epithymū,et elleborus.de cat. Sp.94.F
Natura primaria eſt ars,medicus naturæ eſt miniſter.ad Thr. 2ª.105.F
Natura omnia in animali agit.ad Thraſybulum.2°.105.G/de renū affec. dig.& med. 7ª.193.E
Natura cuique animalium fecit corpus idoneum animi affectibus.6°.de anatomicis adm. 1ª.89.G
Naturæ ſingulæ animalium habent ſuum proprium medium.3°.de alimentorum facul. 2ª.33.C

Natura creationis noſtræ auctor eſt.9°.de decr.Hipp. 1ª.285.C
Natura quæ nos finxit,& gubernat ſubſtantiam non eſt auſus pronuntiare Hippocrates.9°.de decr.Hipp. 1ª.285.C
Natura ex contrarijs qualitatibus contrarias vtilitates tẽperauit.14°. de vſu partium. 1ª.204.G
ad Naturam pertinet miſcere tota per tota.1°.de temp. 1ª.14.G
Naturæ ſolius eſt opus cõtinuum in omnem partem extendere.1°. de naturalibus facultatibus. 1ª.292.B
Natura facit multa ex contrarijs.1°.de alim.fac. 2ª.7.G
Natura habet hoc peculiare generare ſimilia.1°.de ſem. 1ª.332.D
Natura nullius materiæ veterẽ formam ſeruat.2°.de nat.fac. 1ª.297.D
à Natura quæ fiant prima ratione.6°.de decr.Hipp. 1ª.260.G
Natura multum prouida fuit in animalium corporibus cõformãdis. 2°. de vſu partium. 1ª.126.F
Naturæ mira ſtudia in fabricandis partibus aĩaliũ.11°.de vſu p.1ª.188.C
Natura habet rõnem aĩalium.17°.de vſu p.222.G/3°.de na.fa. 1ª.302.E
Natura ſi potuiſſet,voluiſſet ſuum opus eſſe immortale, ſed propter materiam non licuit.14°.de vſu par. 1ª.204.D
Natura comparatur vrbis conditori circa perpetuitatem reip. conſeruandę.14°.de vſu par. 1ª.204.D
Natura explet quod vnicuiq; eſt vtile.6°.de loc.aff. 4ª.42.E
Natura prouidit ne ſemper homo eſſet ſolicitus circa corpus. 11°. de vſu partium. 1ª.189.D
Natura gubernat corpus pro ſalute animalis.de atra bile. 1ª.34.H
Naturæ ſollicitudo duplex.de ana.viu. Sp.47.C
Naturæ bona quo procedunt,magis creſcunt.ad Thra. 2ª.107.G
Natura cur fecit generationem fœcundam aliquibus animalibus. 14°. de vſu partium. 1ª.205.A
à Natura quæ fiant exiſtente infante in vtero.15°.de vſu par. 1ª.211.B
Naturæ ĩſtrumẽta in fœtibus cur celeriter formãtur.1°.de ſem. 1ª.333.B
Naturæ inſtrumenta,quæ.2°.de motu muſcul. 1ª.316.A
Natura ſemper per ſimilia inſtr̃a ſilr̃ operatur.1°.đ motu muſ. 1ª.310.A
Naturæ opus primarium, ſummeq; artis, & admirationis in fœtu formando.15°.de vſu par. 1ª.211.C
Natura cur non fecit fœtus membranas craſſas,& duras, ſed tenues. 15°.de vſu partium. 1ª.212.B
Natura igne,& aere vtitur ad fabricam membrorum, quæ habens ſinus & cauitates.2°.de ſem. 1ª.339.F
Natura cur facit lac in enixis.14°.de vſu par. 1ª.205.A
Natura pueris conſuluit lac dando .1°.de ſan.tu. 2ª.65.B
Natura præparauit lac,& dedit pueris naturalem facultatem exugendi.1°.de ſanitate tuenda. 2ª.65.C
Natura ad quid fabricauerit duos ventres.de ana.viu. Sp.47.C
Natura auibus loco lactis mirum indidit amorem in pullos, vt à matribus nutriantur.14°.de vſu par. 1ª.205.B
Natura habet prouidẽtiã partiũ principaliorũ.2°.de vſu par. 1ª.123.B
Natura de nobili membro eſt ſollicita.de anat.viu. Sp.45.C
Natura procurat ne principes partes lędantur.9°.de vſu par. 1ª.173.G
Natura quod præcipuum eſt in profundo,quod non præcipuum in ſuperficie collocat.1°.de vſu par. 1ª.118.B
Natura non armauit aliquod animal timidum.1°.de vſu par. 1ª.113.C
Natura nõ deſtituit nudum armis quodpiam audax, & ſtrenuum animal.1°.de vſu par. 1ª.113.D
Natura cur non dedit arma hominibus.1°.de vſu par. 1ª.113.G
Natura cur non dedit artes hominibus.1°.de vſu par. 1ª.113.H
Natura ex abundanti ornauit omnia membra,vt hi,qui ſculpunt in vaſis ea,quæ nil faciunt ad finem vaſis.11°.de vſu par. 1ª.189.B
Natura cur multiplicet pilos.de anat.viu. Sp.45.C
Naturæ diuerſitates in partibus.6°.de ſan.tu. 2ª.95.D
Natura chartilaginis,quæ.de ana.viu. Sp.43.G
Natura medullæ,quæ.de anat.viu. Sp.55.G
Natura cur fecit in oculo vnum neruum à dextris, alium à ſiniſtris, in medio,& non in principio coniunctos.10°.de vſu par. 1ª.183.E
à Natura lingua conſtituta eſt,vt poſſit aerem percutere. de vocalium inſtrumentorum diſſectione. 1ª.106.E
cur Natura omnibus ſenſuum inſtrumentis fecit cooperimentum. 11°. de vſu partium. 1ª.188.H
Natura ſemper intenta eſt vt ſenſus in ſuis actionibus detineatur.de inſtrumento odoratus. 1ª.112.B
Natura quibus partibus dedit ſenſum exactiorẽ.16°.de vſu pa. 1ª.215.B
Natura à longinquis partibus ducit venas, & arterias mammarum, & teſticulorum.16°.de vſu par. 1ª.219.C
Natura à propinquis partibus ducit venas,& arterias ad partes.16°. de vſu partium. 1ª.219.C
Natura cur vbiq; cum venis ponit arterias,niſi quid maius obſtet. 5°. de vſu partium. 1ª.142.C
Natura vtitur vaſis magnis vt aquæductibus.16°.de vſu par. 1ª.219.B
Naturæ tres ſcopi in neruorum diſtributione,ſenſus in ſenſorijs, motus in motorijs,& doloris cognitio.5°.de vſu par. 1ª.145.C
Naturæ ſolertia incredibilis in neruorum reuertentium flexione. 16°.de vſu partium. 1ª.216.C
Natura cur non conſtruxit omnes articulos ſtabiles, & firmos. 2°. de vſu partium. 1ª.127.A
Natura in omni articulo vtilius lgit.12°. de vſu par. 1ª.194.A
Natura ſemper poſuit motui motum oppoſitum ne pars claudicet. 12°. de vſu partium. 1ª.195.B
Natura cur quandoq; propter vnam actionem facit multa inſtrumenta 12°.de vſu partium. 1ª.195.G
Natura fecit manum ad apprehenſionem.17°.de vſu par. 1ª.221.G
ad Naturã oſtentandam pars vna ſola ſatis eſt.17°.de vſu p. 1ª.222.A
Naturæ artem mirantur anatomiſtæ.9°.de decr.Hipp. 1ª.284.G
Natura nihil reliquit ſine ſtabilimento.5°.de vſu par. 1ª.142.F
inter Naturam,& voluntatem media eſt actio anhelitus ſecundum aliquos.de voce,& anhel. Sp.62.B
Natura duplicis oris ſtomachi qualis.de ana.viu. Sp.49.G
à Natura eſt cordis motus.7°.de vſu par. 1ª.159.G
Natura cur ducit à corde,non à iecore venam pulmonem nutrientem. 6°.de decretis Hippocratis. 1ª.263.D
Naturæ frigidioris cũ ſint aues,hñt paruũ pulmonẽ.de ana.vi. Sp.47.F
Naturam an animam nutritoriam dicas eã,quæ eſt ĩ iecore nihil refert. 4°.de vſu partium. 1ª.139.D
Natura ſemp̃ tẽtat deſecare ſanguinem,& expurgare.de atrab. 1ª.35.C
Naturæ cura præcipua cur ex purgare partes.9°.de vſu par. 1ª.171.C
Naturæ officium eſt excernere, & continere tempeſtiue. 6°. de locis affectis. 4ª.41.G
Natura vbi voluit materias diutius morari fecit tranſitum difficilem. 4°.de vſu partium. 1ª.139.B
quo modo Natura ex ſuperfluitatibus iuuamentum accipiat.de anatomia viuorum. Sp.53.D
Naturæ opus ſemper ſunt ſternutamẽta,ſed ab affectibus morboſis proueniunt.in 6^{m}.de mor.vul.com.5°. 3ª.189.A
Naturæ prouidentia in ructibus,& deiectionibus conſpicitur. in 6^{m}.de morbis vulga.com.5°. 3ª.181.D
Natura quæ fecit gratia alicuius,ad alium vſum probe abutitur.11°.de vſu partium. 1ª.191.F
Natura,et cõpoſitio matricis,quæ.de nat.& ord.cuiuſ.corp. Sp.42.B
Naturæ ager eſt matrix.de ana.parua. Sp.43.C
Natura æqualiter diuiſit ſpinam,mole ſpondylorum æſtimata non numero.13°.de vſu partium. 1ª.199.A
Natura poteſtatem habet in matrice ſicut ſperma viri habet poteſtatẽ in toto corpore.de ſpermate. Sp.37.A
Naturæ opera in corporibus à quibus ipſa nunq̃ ceſſat, quot ſint.commẽtario.1°. aphoriſmo.3°. Ex.3.F
Naturæ opera circa nutrimentum diuiditur in tria tempora.3°.de naturalibus facultatibus. 1ª.307.B
Natura attrahit,ſegregat,auget,& nutrit.1°.de nat.fac. 1ª.293.G
Naturæ opera tria,quæ ſe conſequuntur,concoctio,diſcretio,euacuatio. com.4°.aph.23°.&.22°. Ex.29.G/H
Natura ea eſt,quæ diſſolutionem,& concoctionem facit. commentario. 4°.aphoriſmo.59°. Ex.34.A
Natura quod optimum eſt conatur aſſimilare, quod vero peſſimum expellere.2°.de diff.feb. 3ª.37.D
Naturæ operationes melius fiunt in tempeſtate aquilonia. commen. 3°. aphoriſmo.17°. Ex.23.F
Natura euacuat concoctis humoribus.quos purgare oportet quibus medicamentis,& quo tempore. 5ª.89.A
à Natura,& voluntate vomituum differentia.de motibus manifeſtis, & obſcuris. Sp.68.G
à Natura facta excretio,& vrina.de mot.man.& obſ. Sp.68.H
Natura quando aliquid violenter excernit, illuc mittit ſanguinem, & ſpiritum,tanq̃ inſtrumenta.com.5°.aph.53°. Ex.42.D
Naturæ theſaurus primus,& melior eſt ſpiritus, & ſanguis. de anatomia viuorum.45.A/ Sp.46.B
Natura eſt ſolicita de ſanguine.de ana.viuo. Sp.46.B

à Natura fit criſis.17°.de vſu par.222.G/1°. de nat.fac. 1ª. 293. G */ ad Thraſybulum.* 2ª.105.G

Natura expellit noxios humores,& medicamentum attrahit.commen. 1°.aphoriſmo.22°. Ex.10.C

Naturæ itinera,& via quæ.in 6^{m}*.de mor.vulg. com.5°.* 3ª.188.F

*Natura per quas vias expellit.de præcogn.ad Poſth.*4ª.215.D*/ commẽ tario.1°.aphoriſmo.15°.* Ex.8.C

Natura non vtitur eiſdem vaſis ad materias ſemicoctas, & plene confectas.6°.de decr.Hipp. 1ª.263.D

Natura quandoq; mittit ad cutem humorem ſuperabundantem per viã criſis.com.6°.aph.42°. Ex.51.B

Naturæ motus ad aures qñ permittendus.3°.de cõp.me.ſe.lo. 5ª.146.E

Naturam recordari propriarum operationum,quo modo cognoſcemus. com.5°.aph.35°. Ex.40.G

Natura plerunq; non aggreditur materiam.3°.de dieb.decr. 4ª.159.C

Natura aggrediente id quod corpus lædit,qui fiat pulſus. de præcognitione ad Poſth. 4ª.215.D

Natura non poteſt in paruo tempore multas conficere diſpoſitiones.commentario.4°.aph.40°. Ex.32.D

Naturæ partes in euacuatione cõſiderãdæ ſunt.cõ.1°.aph.21°. Ex.10.A

Naturæ motus debet à medico animaduerti,ſi bonus eum adiuuet,ſi malus è contra.com.1°.aph.21°. Ex.10.B

*Natura qñ adiuuanda,& quando non.de venæ ſect.aduerſ.Eraſ.*6ª.6.E

Naturæ qñ totum permittendum, & qñ non.cõ.1°. aph.20°. Ex.9.G/H

Natura euacuante metiri oportet q̃tũ euandũ.cõ.1°.aph.23°. Ex.10.D

Natura abſoluente euacuationem medicus ſiſtere debet. quos purgare opor.quibus med.& quo temp. 5ª.89.A

ſi Natura vult ſanguinem tranſmittere non eſt arte mittendus. de præcognitione ad Poſth. 4ª.219.F

Natura principium medicinæ.intro. Iſa.50.H

Naturæ indagatrix medicinæ pars,quæ.fin.med. Iſa.48.A

Naturæ rerum contemplatio numeratur inter primarias medicinæ partes.introductio. Iſa.51.H

Naturæ rei principium aliud,& aliud doctrinæ, ĩuenire ſtultum eſt.6°. de decretis Hippocratis. 1ª.264.A

ſm Naturam rei quæ fit doctrina,habet cum re ipſa principium. 6°.de decretis Hippocratis. 1ª.264.A

Naturarum diuerſitas ſcienda eſt.de diff.cont. Sp.71.D

Naturæ proprietates conſiderandæ ſunt.7°.met.me. 7ª.46.C

Natura in omni ſtatu conſyderãda eſt.in 1^{m}*.de mor.vul.c.2°.* 3ª.108.E

Naturæ nullo facto diſcrimine errant medici,qui de ſanitate tuẽda ſcripſere.5°.de ſanitate tuenda. 2ª.93.D

Natura laborantis conſideranda eſt.3°.de loc.aff. 4ª.15.C

Naturam communem,& propriam hominum, medicus ſcire debet.1°. de arte cura.ad Glauconem. 7ª.94.C

*Natura propria hominũ ſcribi non põt.1°.de arte cur.ad Gluco.*7ª.94.C

Naturam alicuius hominis qui cognoſcit medicus melius curat.de renũ affect.& med. 7ª.196.F

Naturam quorum ſcimus,in illis alterationes certe cognoſcuntur.1°.de præſag.ex pulſ. 4ª.104.G

Naturæ,ſeu qualitates corporum ſunt nouem,octo intemperatæ, vna tẽperata.de ſpermate. Sp.41.A

Natura temperata ſoli conuenit homini.de ſperm. Sp.41.B

Natura humana cur cunctis agilior.de ſperm. Sp.37.D

Natura tactilis ferme media eſt omnium qualitatum. de compagine mẽbrorum,ſiue de natura humana. Sp.58.E

Naturam corporis terra generat per operationem Planetarum ſecundum Iſaac de ſpermate. Sp.40.E

Naturæ hominum ſunt numeroſæ.5°.de ſan.tu. 2ª.88.D

Naturæ vbi plurimum differentes. de aere, aquis,& locis. 2ª.4.E

Naturæ calidiores ſunt bilioſæ.2°.de nat.fac. 1ª.300.D

Naturæ frigidiores ſunt pituitoſæ.2°.de nat.fac. 1ª.300.D

Natura frigida vertit mel in ſanguinem.2°.de nat.fac. 1ª.300.G

Natura pueri concepti in horis ſanguinis.de ſperm. Sp.37.B

Natura pueri concepti in horis bilis.de ſperm. Sp.37.C

Natura pueri concepti in horis phlegmatis.de ſperm. Sp.37.C

Natura pueri concepti in horis melancholiæ.de ſperm. Sp.37.C

Naturæ melãcholicæ qes cõdonanda eſt.de mel.ex G.R.& P. Sp.110.E

*Natura ĩ pueris ad vitã pficiẽdã plurimũ põt.de cog.cur aĩ mo.*2ª.53.H

Natura optimam conſtitutionem,diſpoſitionem,habitudinem, & habitum optimum dicere idem eſt.de opt.noſt.corp. 1ª.37.G

Natura optima non corrigitur,ſed ſanatur.5°.de ſan.tu. 2ª.89.A

Naturæ quo modo ſe habeant melius,vel peius ad tempora anni,& ætates.com.3°.aph.18°. Ex.23.G

quæ Naturæ hyemi,et q̃ æſtati magis cõueniãt.c.3°.aph.2°. Ex.20.A

ob Naturarũ differentiam ſunt diuerſi morbi.c.3°.aph.19°. Ex.24.A

Naturarũ aliæ magis paſſibiles ſunt aliæ minus.cõ.3°.aph.11°. Ex.21.C

Naturæ temperatæ diu multumq; reſiſtunt cauſis morborum.de optima noſtri corporis conſtitutione. 1ª.38.F

Nuturæ mutant reſpirationem.de vtil.reſp. 1ª.225.G

Natura infirma quid patiatur.4°.de ſimp.me.fac. 5ª.27.H

Naturæ imbecilles,& intemperatæ facile à morborum cauſis capiunt. de opt.noſt.corp.conſt. 1ª.38.F

ſicut Natura corporis ſequendo quatuor mutationes in die, mutat corpus ſecundum illas, ſic natura mutat ſperma in matrice ſecundum eaſdem mutationes.de ſperm. Sp.37.A

Naturæ noſtræ cum exercitijs ſocietas quo indicio cognoſcitur ſtatim à natiuitate.1°.de ſan.tuen. 2ª.65.E

Naturas qñq; reprimit ætas,vel diæta,ſeu aliud.de ſperm. Sp.37.B

Natura quieſcit,& mutatur,ſed eius proprietas eſt inconuerſibilis.de ſpermate. Sp.37.B

Natura hominis an concordet temporis mutationi conſiderandum eſt. de ſpermate. Sp.39.F

*Natura corporis mouet corpus in cõſuetudines malas.de ſper.*Sp.40.E

Natura,& conſuetudo conueniunt.2°.de mo.muſc. 1ª.315.F

Natura acquiſititia eſt conſuetudo.2°.de mo.muſc. 1ª.315.F

Natura ſecunda eſt conſuetudo.de diſſol.cont. Sp.72.C

Naturæ familiaritas facit,vt aliqui alia auidius comedant,alia non poſſint comedere.de aſſuetud. 2ª.61.A

Naturæ familiaris eſt ordo.2°.de præſag.ex pulſ. 4ª.114.C

*Natura ægrotantis indicat bonas excretiones.cõ.6°.aph.47°.*Ex.32.H

Natura,& morbus conſiderantur à medico.de conſt.ar. Iſa.42.A

Naturæ opera debent eſſe curæ medico.15°. de vſu par. 1ª.210.E

Naturæ ne,an artis miniſtrum medicum dicas nihil refert.in 1^{m}*.de morbis vulgaribus,com.2°.* 3ª.112.G

Naturæ miniſter,& imitator medicus.9°.de decretis Hippo. 1ª.285.C*/ in* 1^{m}*.de morb.vulg.com.2°.* 3ª.112.B

Naturæ miniſter eſt medicus.ad Thraſy. 2ª.105.G

Naturę miniſtra eſt ars medica.in 6^{m}*.de mor.vul.com.5°.* 3ª.188.D

Naturæ operum imitator eſt medicus.de voc. inſtr. diff. 1ª. 106.B*/commentario.6°.apho.17°.* Ex.47.H

Naturam recte operantem debet imitari medicus.com.1°. apho. 1°.3.C*/ com.4°.aph.2°.*27.C*/com.5°.aph.32°.* Ex.40.D

Natura ægri ignorata,quo modo medicamentum debes dare. de victus ratione in morb.acut.com.1°. 7ª.118.C

Naturæ imitator Polycletus.7°.de vſu par. 1ª.221.E

Naturæ, Phidiæ, & Praxitelis differentia in condendis rebus. 2°. de naturalibus facultatibus. 1ª.297.D

Natura,et medicus cauſæ oĩum rerũ circa corpus.đ cõſt.ar.me. Iſ.39.E

Natura morborum medicatrix.ad Thraſy. 2ª.105.G

Natura morborum medicatrix quo modo intelligendum. in 6^{m}*. de mor. vulgaribus,com.5°.* 3ª.187.G

Naturæ morborũ medici ſunt inqt Hippocra.9°.de decr.Hipp. 1ª.285.C

Natura ſanat.ad Thraſy. 2ª.105.G

Natura primo ſanat morbos.in 6^{m}*.de mor.vul.com.5°.* 3ª.187.H

Natura qd faciat in aĩali,& morbo.in 6^{m}*.dc mor.vul.com.5°.*3ª.187.H

Natura in omnibus auxiliatur ad Thraſy. 2ª.105.G

Naturæ qũo auxiliatur medicus.in 1^{m}*.de mor.vul.com.2°.* 3ª.112.B

Natura mediante aliqua opera fiunt.aliqua vero ex profeſſo, & prima medicamentorum ſunt opera.9°.de ſimp.med.fac. 5ª.68.G

Naturæ inimicus eſt prauus medicus.1°.de dieb.decr. 4ª.149.H

Natura nõ põt iterũ facere illa,quæ fecit ex ſemine.de cõſt.art. Iſ.39.E

*Natura nõ põt corrigere os fractũ,ſed bñ medicus.de cõſt.art.*Iſa.39.E

Natura implet cauum vlcus,non medicus.de conſt.ar. Iſa.39.E

*Naturæ opus eſt carnis generatio.6°.met.me.*42.B*/14°.* 7ª.93.C

Naturæ opus eſt capillos,& pilos generare.14°.met.me. 7ª.93.C

Natura ſola coquit,non medicus.de conſt.ar. Iſa.39.E

*à Natura rei curationis modũ ĩuenit Hippocrates.11°.met.me.*7ª.72.B

*à Natura rei ſumitur indicatio.3°.met.me.*16.C*/12°.* 7ª.84.D

à Natura rei indicationes ſumere proprium eſt medici methodo vtẽtis. 6°.methodi medendi. 7ª.37.F

Natura rerũ ſuggerit quid agendũ exercitatis.14°.met.me. 7ª.92.H

Naturæ robur vnde accipitur.de conſt.ar. Iſa.42.A

Natura p̃ p̃ceſſum tẽporis vires ſuas colligit.cõ.4°.aph.27°. Ex.30.C

Natura inſu-

Natura inſuperabilis, quæ. de vic. rat. in mor. acu. com. 4°. 7ª.146.H
Naturam ſuperari à morbo quibus cognoſcatur. de conſt. ar. Iſa.42.B
Natura ordinata ſi materiam ſuperet ſemper certis agit temporibus. 2°. de diebus decretorijs. 4ª.151.H
Natura in affectis locis q̃uo fiat imbecillior. de art. com. 3°. 7ª.276.A
Naturæ imbecillitas eſt cauſa cur facillime alterantur puerorum diſpoſitiones. com. 3°. aph. 27°. Ex.25.H
Natura imbecillis cur non ferat medicamenta. c. 4°. aph. 5°. Ex.28.A
Natura non patitur ſubitas alterationes ars med. Iſa.68.H
Natura quando alteratur, & corrumpitur. 2°. de diff. feb. 3ª.40.G
à Natura exitus in quauis partes ſi paruus ſit, minorem morbum, ſi vero plus, maiorem, ſi vero admodum multus ſit à natura receſſus, mortalem debemus morbum iudicare. com. 7°. aph. 75°. Ex.69.A
Naturas immutat ægritudo. de puero epil. 7ª.179.F
Naturæ ordo peruertitur in ægris. 4°. de vſu par. 1ª.140.H
Naturas immutat epilepſia. de puero epil. 7ª.179.F
Naturæ debet conuenire morbus. in 1ᵐ. pror. com. 2°. 4ª.171.H
Naturæ cognati morbi ſunt minus periculoſi. 6°. met. me. 7ª.49.A
Natura quo modo à flatibus diſtrahitur. de vrin. 4ª.123.H
ad Naturam reditus fit per contraria. 5°. met. me. 7ª.29.H
Naturæ intemperatæ corriguntur contrarijs, & ſeruantur ſimilibus. 5°. de ſanitate tuenda. 2ª.94.D
Naturis calidis q̃uo quietẽ imponit Hippocrates. 5°. de ſan. tu. 2ª.94.A
Naturis intemperatis debent eſſe oppoſiti cibi. de diſſo. cont. Sp.71.G
Natura nutritur humidis, & ſiccis nutrimentis. an aĩal ſit. 1ª.327.D
Naturæ conuenientia, & gratiſſima guſtu ſunt dulcia, & pinguia. 1°. de ſymptomatum cauſis. 3ª.17.D
Naturam laxare debes à leuioribus conſuetis. de med. exper. Sp.108.H
Natura ad ea q̃ placẽt, it, et refugit illa quæ diſplicẽt. 7°. me. m. 7ª.44.F
Natura ſagitarij circa ægritudines. de decub. progn. Sp.15.D
Natura Capricorni, & quos inferat morbos. de decub. progn. Sp.15.E
Natura interdum piſcium non admittit ſecare venam. de decub. progno. ex math. ſcientia. Sp.16.A
Naturam leniunt cibi ſalſi. de diſſol. cont. Sp.72.F
Naturam cito diſſoluens medicamen. de med. exper. Sp.105.A
Naturam conſtipans medicamentum. de med. exper. Sp.104.G
Naturæ conſentire quid ſit. 5°. de decr. Hipp. 1ª.257.H
à Natura ꝓpria patiẽ, cui nihil extrĩſecũ affert paſſiões. 1°. đ ele. 1ª.4.A
ex Natura ſua quid ſignificet. 1°. de dieb. decre. 4ª.149.G
Natura qđ eſt, id nec ſm naturã nec ꝑter naturã iã eſt. fin. med. Iſa.45.D
ſm Naturam multipliciter dicitur. 6°. de decr. Hipp. 1ª.260.G
ſm Naturam eſt vnum, & ſimplex. in 3ᵐ. de mor. vul. cõ. 1°. 3ª.129.D
Natura familiaris vna. 4°. de ſimp. me. fac. 5ª.28.E
Natura aliena plurima. 4°. de ſimp. me. fac. 5ª.28.E
ſm Naturam contrarium ei, quod præter naturã. 11°. met. me. 7ª.71.B
ſm Naturam vox cur vſurpata. 14°. met. me. 7ª.91.B
ſm Naturam operari, eſt bene valere. ad Traſy. 2ª.103.B
ſecundum Naturam habere, & ſecundum naturam agere, idem. 14°. methodi medendi. 7ª.91.A
ſm Naturam eſt regula, & menſura. 1°. de diff. reſp. 3ª.56.G
ſm Naturam moderatum eſt. 1°. de diff. reſp. 3ª.56.G
ſm Naturã q̃ ſunt, nõ ſunt emẽdãda, ſed ſeruãda. de art. c. 1°. 7ª.252.G
ſm Naturam non ſunt, qui ſibi diſplicent. 8°. met. me. 7ª.54.H
ſm Naturam quæ ſunt, habent indicationes. 11°. met. me. 7ª.71.E
ſm Naturam quæ ſunt, indicant de ſui cuſtodia. 3°. met. me. 7ª.18.B
citra Naturam nullus morbus eſt. de aere, aquis, & locis. 2ª.6.H
Naturæ gaudent conſuetis. 8°. met. me. 7ª.54.H
Naturæ contraria pernitioſa. in prognoſt. com. 2°. 4ª.201.B
ſm Naturam quod eſt poſtulat ſimilia. 8°. met. me. 7ª.54.G
Naturas à ſimilibus offendi, à diſſimilibus iuuari quomodo intelligendum. com. 1°. aph. 16°. 9. A/com. 3°. aph. 3°. Ex.20.B
à Natura propria nullum corpus offenditur. 2°. de ſymp. cau. 3ª.22.A
ſm Naturam exiſtenti maxime contrariũ eſt crudũ. de vrin. 4ª.127.H
ſm Naturã nõ expetiẽ primo, & propter ſeipſum, in q̃bus natura deficit, ſed propter actionem, & ex accidenti. 14°. met. me. 7ª.91.B
contra Naturam qui agant. 17°. de vſu par. 1ª.221.E
non Natura quæ ſint. fin. med. Iſa.45.E
præter Naturã, & nõ naturalr̃ diſtinguit Galenus. 8°. me. me. 7ª.54.H
præter Naturam eſt multiplex. in 3ᵐ. de mor. vul. com. 1°. 3ª.129.D
præter Naturã q̃ ſunt, in duplici differentia ſunt. 11°. met. me. 7ª.70.H
præter Naturam dupliciter dicitur. com. 5°. aph. 44°. Ex.41.F
extra Naturam res duplex. de ocul. 7ª.185.E
extra Naturam res tres. de ocul. 7ª.185.E
præter Naturam quæ ſunt in corpore, ſunt aut morbus, aut cauſa, aut ſymptoma. 1°. met. me. 7ª.8.G
præter Naturã ſeptẽ à quibus ĩdicationes ſumunẽ. 11°. met. me. 7ª.71.E
præter Naturam quatuor ſunt morbus, actio læſa, cauſa morbi, & ſymptoma. 2°. methodi medendi. 7ª.12.F
præter Naturam tota ſubſtantia quæ ſint. 14°. met. me. 7ª.93.G
præter Naturam res dolorem faciunt. de palp. 3ª.54.D
præter Naturam quæ ſunt indicant de ſui ablatione. 3°. met. me. 7ª.18.B
ꝙ præter Naturam eſt, multitudine eſt infinitum, & propterea arte incomprehenſibile. 1°. de diff. reſp. 3ª.56.G
præter Naturam quæ ſunt, reducẽda ſunt in naturalem ſtatum. de art. commentario. 1°. 7ª.252.G
præter Naturam incidentium curatio fit per contraria. 2°. de ſanitate tuenda. 2ª.89.E/8°. met. me. 7ª.54.G
NATVRALE, & ſpontaneum idem. 4°. de diff. pulſ. 4ª.67.B
Naturalia appellari non conuenit, quæ communia omnibus non fuerint. 9°. de deretis Hippocratis. 1ª.279.C
Naturalia quæ ſint. de hiſt. philo. Sp.4.B
Naturalia quæ apud empiricos. de ſectis. Iſa.16.B
Naturalia corpora quæ nominentur. 9°. de ſimp. me. fac. 5ª.64.H
Naturalis res duobus eſt modis. de ocul. 7ª.185.D
Naturales res ſunt ſeptem. de ocul. 7ª.185.E
nõ Naturales res ſunt ſex. de ocul. 7ª.185.E
Naturales res ſunt iocundæ. de palp. 3ª.54.D
Naturalium cognitio cur fuerit quæſita. 1°. de diff. reſp. 3ª.56.G
Naturalis ſcientia de quibus conſiderat. 1°. de elem. 1ª.5.A
Nuturalem ſcientiam, & medicinalem deſtruunt ponentes vnum ſolum elementum. 1°. de elem. 1ª.5.A
Naturales partes quo modo tractet Plato. de ſubſ. fac. nat. 1ª.230.B
Naturalem ſcientiam cur Galenus didicit. 3°. de criſi. 4ª.142.C
Naturalis ſpeculationis eſt quo modo nobis volentibus, vel nolentibus pudendum intendatur, cæteraq; huiuſmodi phyſica problemata non autem de vſu partium quærentis. 15°. de vſu par. 1ª.210.H
Naturales corporum differentiæ ſciri debent. 8°. de ſan. tu. 2ª.88.E
niſi Naturalia cognoſcantur ſciri non poſſunt ea, quæ præter naturam ſunt. introductio. Iſa.52.A
à Naturali inuenitur quod cõtra naturam. de vri. ſig. ex Hip. Sp.79.A
Naturalis habet ſimilitudinẽ ad artificialia. an oẽs par. ani. 1ª.326.D
ex Naturalibus rebus ſumẽdæ ſunt demõſtratiões. de bon. hab. 1ª.39.E
in Naturali philoſophia cõuenit de motu diſputare. 1°. de mo. m. 1ª.311.E
Naturalis philophia diſcẽda ẽ añ medicinã. 6°. de dec. Hipp. 1ª.264.G
Naturalẽ philoſophiã medicinæ eſſe neceſſariã ꝓbaẽ. de ocul. 7ª.185.D
Naturalis contẽplatio à morali, ſeiũgẽda eſt. 9°. de decr. Hipp. 1ª.284.D
Naturalia iudicia omnes habemus. 9°. de decr. Hipp. 1ª.279.C
Naturalia iudicia in quibus conſiſtant. 9°. de decr. Hipp. 1ª.279.D
nõ Naturalia tanto peiora ſunt, quanto maiora. ad Trhaſy. 2ª.107.G
Naturalis calor non poteſt dici ignis. 8°. de decr. Hipp. 1ª.277.E
Naturalis caloris ſubſtãtia ex ſanguine & ſpũ. 8°. de dec. Hip. 1ª.277.F
Naturalis calor q̃uo in corpore gignatur. 8°. de dec. Hipp. 1ª.277.E
Naturalis calor cordis eſt principiũ omniũ aliorũ. de ana. viu. Sp.45.G
Naturalis calor in quibus maior. 5°. de ſan. tu. 2ª.94.E
Naturalium omnium operum auctor eſt calor innatus. 8°. de decretis Hippocratis. 1ª.277.E
Naturalis caloris auctio, & diminutio eſt vna cauſa mutandi pulſus. 2°. de ſanitate tuenda. 2ª.75.A
Naturalis caloris ĩmodicã quãtitatẽ habet bubo. 2°. de nat. fa. 1ª.300.E
Naturali calore debilitato propter fluxum ſanguinis non poteſt concoquere, nec in ſanguinem tranſmutare, nec diſtribuere, propterea fiũt alui humidæ. com. 4°. aph. 27°. Ex.30.C
Naturalis calor quandoq; eſt proximus extinctioni, & tunc quæ euacuantur ſunt frigida. com. 4°. aph. 37°. Ex.32.C
Naturalem calorem in corporibus ſenum confortans medicamen. de medicinis expertis. Sp.108.A
Naturalis ſpiritus qui. intro. Iſa.55.B
Naturalis ſpiritus quando fiat, & ad quem finem. de ana. viu. Sp.51.H
Naturalis ſpiritus intendit ad generationẽ hepatis. de ana. vi. Sp.51.H
Naturales aliæ, aliæ animales ſunt intrinſecæ facultates. de vocalium inſtrumentorum diſſectione. 1ª.106.C
de Naturalibus facultatibus liber præcedit librum de ſymptomatum cauſis. 2°. de ſymp. cau. 3ª.21.A
Naturales vires quæ ſint. de ſub. fac. nat. 1ª.230.C

Naturalis vis triplex.de ocul. 7ª.185.E
Naturales vires quatuor,à quibus ſtirpes,& animalia gubernãtur.2°. de differentijs febrium. 3ª.40.F
Naturalibus quatuor facultatibus omnes partes gubernantur. 2°. de ſanitate tuenda. 2ª.75.A
Naturalis vis quo modo per omnia membra ſit diſperſa.4°. de præſagitione ex pulſibus. 4ª.122.D
Naturalis quædam facultas niſi eſſet vnicuiq; inſtrumento tributa,animalia non poſſent durare.2°.de nat.fac. 1ª.297.C
Naturales facultates agunt abſq; electione.de voc.inſtr.diff. 1ª.116.C
Naturalis vis vbi ſit,& q̃uo cognoſcat̃.1°.de arte cur.ad Gla. 7ª.99.G
Naturales facultates ſemper operantur.1°.de diff.reſp. 3ª.60.A
Naturalis facultas incrementũ facit.in 6m.de morb.vul.c.3°. 3ª.169.E
Naturalis virtus ſtomachi,& inteſtinorum.de mot.man. Sp.69.C
Naturalis eſt non voluntaria vis expulſiua ſtomachi.de motibus manifeſtis,& obſcuris. Sp.68.G
Naturale ventriculi robur exoluit aqua.de bon.& vitic ſuc. 2ª.38.H
Naturalis virtus ab Hepate.1°.de vſu par. 1ª.117.B
Naturalis anima poteſt vocari,quæ in iecore eſt.8°.met.me. 7ª.58.H
Naturalem animæ partem addidit Ariſtoteles.de hiſt.phil. Sp.5.A
à Naturali corpore ratione temperaturæ fit anima.q̃d ai mor.1ª.318.G
Naturalis potẽtia ex iecore q̃n robuſta.ĩ 6m.de mor.vul.cõ.1°. 3ª.154.E
à Naturali facultate fit indicatio.4°.de præſag.ex pulſ. 4ª.122.D
Naturales actiones,& animales diuerſæ ſunt.de ſymp.diff. 3ª.11.D
Naturales actiones,quæ ſint.1°. de ſan.tu. 2ª.64.D
Naturales operationes,virtutes vitales ad vnum principium reducendæ.ſunt.de anatom.viuo. Sp.45.G
Naturalium operationum auctor eſt calor naturalis.in 6m.de morb.vulgaribus,commentario.5°. 3ª.190.A
in Naturalibus actióibus ĩfantes magis vigẽt,q̃ alij.1°.đ ſa.t. 2ª.64.D
Naturalis vis quo modo cognoſcatur deficere.in 3m.de mor.vulgaribus commentario.3°. 3ª.148.A
Naturalis motus qui,& à quibus fiat.de ana.viu. Sp.44.H
Naturalis motus attractio,retentio,expulſio.de ana.vi. Sp.44.H
inter Naturales facultates attractio eſt maxime præcipua. in Timæum Platonis. 1ª.290.C
Naturales motus q ex arteria,& vena ꝓcedũt.1°.de mot.muſ.1ª.309.B
ex Naturalibus operibus eſt ĩ pus cõuerſio.5°.de ſimp.me.fa.5ª.34.A
Naturalis,& volũtarius eſt motus palpebrarũ.de mot.man. Sp.69.G
Naturales motus ſunt duplices.2°.de ſan.tuen. 2ª.75.A
an Naturalis ſit actio anhelitus,ſpectat ad Dialecticum querere.de motibus manifeſtis,& obſcuris. Sp.66.H
Naturalis eſt ſecundum aliquos actio anhelitus.de voce anhel. et 62.B/ de mot.man.& obſc. Sp.69.H
an Naturalis,vel volũtarius ſit pectoris motus.đ mot.man.Sp.69.H
an Naturalis,vel volũtarius motꝰ ſit ſternutatio.đ mot.man.Sp.69.H
an Naturalis,vel voluntarius motus ſit riſus.de mot.man. Sp.69.H
Naturale quando eſt,non voluntarium, egere, & mingere. de motibus manifeſtis,& obſcuris. Sp.69.C
Naturale eſt renum deſiderium.6°.de loc.aff. 4ª.37.H
Naturales actiones ita veſica,& inteſtina ledere poſſunt,vt muſculi affecti actiones à voluntate.1°.de loc.affe. 4ª.8.A
Naturalis ne ſit an voluntaria laxatio actionis lacerti. de motibus manifeſtis & obſcuris. Sp.68.H
Naturalium actionũ cauſas cognoſcat medicus,qui ratione curare vult illas ſeruare poſſit.de voc.inſtr.diff. 1ª.106.B
Naturales virtutes,& præcipue digeſtiuam excitans medicamentum. ſecretorum. Sp.101.G
Naturalis modus nihil aliud eſt,quam ſanitas.ad Thraſy. 2ª.105.F
Naturalis temperies eſt ſanitas.com.4°.aph.39°. Ex.32.D
Naturalis habitus qui.ad Thraſy. 2ª.102.C
Naturalis habitus habet latitudinem.1°.de ſan.tu. 2ª.64.E
in nõ Naturalem habitum cum corpora mutantur dolor ſentitur.12°. methodi medendi. 7ª.78.D
in Naturalem habitum cum corpora mutantur etiã dolor ſentitur.12°. methodi medendi. 7ª.78.D
Naturale quod eſt,eſſe moderatum in omni re,eſt conſtans omnium principium.de diff.morb. 3ª.2.D
non Naturale eſt immoderatum de diff.morb. 3ª.2.D
Naturalis iuſtitiæ proprium.de fract.com.2°. 7ª.232.C
Naturalia inſtrumenta,& animalia differunt.1°.de loc.aff. 4ª.8.A
Naturale inſtrumentum muſculus factus eſt propter venam,et arteriã. 1°.de motu muſculorum. 1ª.309.B
Naturalia inſtrumenta ita facultatẽ habẽt ꝑficiendi ſuã actionẽ, vt magnes lapis facultatem habet attrahendi ferrũ.1°.de loc.aff. 4ª.8.A
Naturalia membra cur indigent venis,& arterijs.1°.de loc.aff.4ª.8.A
Naturalia inſtrumenta humidiora magis idonea ad nutritionem. 3°. de ſymptomatum cauſis. 3ª.29.D
Naturalia,ratione qua naturalia,habent diuerſa ſymptomata ab animatis qua animata.1°.de loc.aff. 4ª.8.B
Naturalium actionum ſymptomata.de ſymp.diff. 3ª.12.A
Naturalium actionum ſymptomata inueniendi methodus vnde incipiat. de ſymptomatum differentijs. 3ª.12.A
in Naturali oĩ inſtrumento ſunt octo ſymptomata.de ſymp.dif. 3ª.12.B
in Naturali inſtrumento duodecim ſymptomata.de ſymp.diff. 3ª.12.B
Naturalis diſpoſitio eſt nomen antiquum.de diff.morb. 3ª.2.B
ſupra Naturalia membra ſignificant excrementa.de vrin. 4ª.128.A
cuius Naturalis labor in corpore ſuo eſt debilis, huic conueniunt cibi ſubtiliantes.de diſſol.cont. Sp.72.D
Naturales plicaturæ fœtus quæ.de anat.viu. Sp.52.D
Naturalis ordo in exeundo fœtu eſt, vt præcedat caput, & ſequantur cætera membra.de ana.viu. Sp.52.D
ad Naturalium vlcera.1°.de comp.med.per gen.211.E/5°. 5ª.248.D
NATI plus habent à matre,q̃ à patre.1°.de ſem. 1ª.336.F
Natu maiores qui ſint.in progn.com.2°. 4ª.210.A
Natis per ſe balneis vtendum in longa ictericia.de cura icteri. Sp.111.E
NAVALIS exercitus duces trierarchas vocant, & ſi triremes non ſint.ad Thraſy. 2ª.109.E
NAVICVLAE ex vno ligno fabrefactæ.de aere,aq.& loc. 2ª.4.H
NAVICVLA, ſemirhombus,lepus ſine auribus idem genus vinculi. de faſcijs. 7ª.296.G
NAVIGANTIVM aduerſo uento exemplum in motu digitorum per muſculos paruos,& magnos.1°.de vſu par. 1ª.119.C
NAVIGATIO motus quidam eſt.com.4°.aph.14°. Ex.28.H
Nauigatio turbat corpora,adeo vt & vomitum excitet. commentario. 4°.aphoriſmo.14°. Ex.28.H
de Nauigatione in lemnum,& Hepheſtiada, & de ſtadijs ex induſtria Galenus ſcripſit.9°.de ſimp.me.fac. 5ª.65.C
NAVIS ortus vnde.6°.de decr.Hipp. 1ª.264.B
Nauium artificij lignum eſt materia.ad Thraſy. 2ª.106.A
in Nauis fabrica quid primo fiat.an omnes part.al. 1ª.326.D
Nauis ſentina.an animal ſit. 1ª.327.E
Nauis partes quædam propter quid factæ.an animal ſit. 1ª.327.E
Naues factitantes exercentur,& operantur.2°.de ſan.tuen. 2ª.73.G
Naues onera plura in mari portant,q̃ in fluuijs citra ſummerſionem, & in mari mortuo plura,q̃ in mari.4°.de ſimp.me.fac. 5ª.30.D
Nauis gubernatori comparatur medicus.in progn.com.1°. 4ª.189.D
ad Naues ducendas per ergatam machinamentũ.de machin. 7ª.316.C
NAVPLIOS euboicus.9°.de comp.me.ſec.loc. 5ª.201.B
Nauplios euboicus eſt pyrethrum.9°.de comp.med.ſec.loc. 5ª.201.C
NAVSEA eſt affectus oris ventriculi.5°.de loc.aff. 4ª.32.H
Nauſea eſt naturale accidens.5°. de loc.aff. 4ª.32.H
Nauſeæ ꝓcedũt vomitus ſicut cerchnos tuſſim.2°.de ſym.cau. 3ª.21.G
Nauſea,& vomitus qui motus ſit.3°.de ſymp.cau. 3ª.25.F
Nauſea eſt motus fortis corporis.com.4°.aph.14°. Ex.28.H
Nauſea perturbat.com.4°.aph.14°. Ex.28.H
Nauſea eſt nuntius febris.præſag.exper.conf. Sp.77.E
Nauſeam inducunt aquea.2°.de alim.fac. 2ª.16.H
Nauſeæ fiunt ſi cibus non placet.com.2°.aph.38°. Ex.17.G
Nauſeam prouocat medulla.3°.de alim.fac. 2ª.27.C
Nauſea ſequitur ad humorem calidum contentum in tunicis ventriculi. 1°.de locis affectis. 4ª.5.E
Nauſeã inanẽ facit humor cõtẽtus in tunicis vẽtriculi.1°.de l.af. 4ª.5.F
Nauſeam,vomitum biliosum,& ſtomachi morſum faciunt fracturæ capitis.3°.de locis affectis. 4ª.18.C
per Nauſeam an poſſibile ſit aliquid ex inteſtino ieiuno deferri. 7°. de comp.med.ſec.loc. 5ª.184.B
Nauſeam excitabat non nullis tpe Galeni ptiſſana.7°.met.me. 7ª.46.D
Nauſeam prohibet mel.de ſimp.med. Sp.87.A
Nauſeam prohibet pulegium odore.de ſimp.med. Sp.88.H
Nauſeam prohibet ſal.de ſimp.med. Sp.90.A
Nauſea laborantem ſanat Theriaca.de theria.ad Piſõ. 5ª.96.A
ad Nauſea affectos.8°.de comp.me.ſec.loc. 5ª.191.G
ad Nauſeam,vel fluxum ſtringendum.de dyna. Sp.27.H

ad Nauſeam.ſecretorum. Sp.98.D
NAVSEABVNDVM animal cur dicatur.3°.de nat.fac. 1ª.306.F
Nauſeabundi non ſunt lauandi.de vict.rat.in mor.acut.c.3°. 7ª.133.A
NAVSEANTES aliqui non vomunt.2°.de ſymp.cau. 3ª.21.G
ad Nauſeantes,& imbecillos.de med.fac.par. 7ª.159.F
NAVSEARE nullum animal docetur.2°.de ſymp.cau. 3ª.21.D
NAVSEATIO quid ſit in venis.de fract.com.2°. 7ª.235.D
NAVSEOSVM eſt odore ſori.de ſimp.med. Sp.90.F
NAVTAE duri,& aridi.6°.de comp.med.ſec.loc. 5ª.176.F
Nautæ cur duram,& ſiccam habent cutim.de aſſuetud. 2ª.61.D
Nautæ,et Agricolę ſup oēs ſtatū aeris cōſiderāt.3°.de die.dec.4ª.157.E
NAVTICVS laqueus quo debeat adhiberi.de laqueis. 7ª.306.H
NAXIAE cotis ramentum,vt mammæ non intumeſcant efficit. 9°. de ſimp.med.fac. 5ª.67.D
in NEAPOLI eſt Tabiæ locus pro phthiſicis. 5°.methodi medendi. 7ª.34.H
circa Neapolim in Italia vina qualia.5°.de ſan.tu. 2ª.90.H
Neapoli non fit bonum vnguentum nardinum.11°.met.me. 7ª.72.H
NEAPOLITANI malagma.7°.de comp.me.per gen. 5ª.265.H
Neapolitani paſtillus.5°.de comp.me.per gen. 5ª.251.C
NEAPOLITAE Aſianum.6°.de comp.me.per gen. 5ª.262.C
Neapolitæ emplaſtrum.6°.de comp.me.per gen. 5ª.262.D
Neapolitæ malagma aromaticū inſcriptū.8°.de cōp.me.ſec.lo. 5ª.193.B
Neapolitæ medicamentum.7°.de comp.me.ſec.loc.270.H| 5ª.271.F
Neapolitæ paſtillus.7°.de comp.me.per gen.ſec.loc. 5ª.184.F
à NEARCHO laudata antidotus hepatica.8°.de compoſitione medicamentorum ſecundum locos. 5ª.195.A
NEBVLA cur obſcura.in 1^{m}.de morb.vulg.com.1°. 3ª.104.C
Nebula decidens eſt ros.in 1^{m}.de morb.vulg.com.1°. 3ª.104.C
Nebulæ,& caligini qn̄ ſimilis ſpiritus.in 1^{m}.de mor.vul.c.1°. 3ª.104.C
per Nebulam cur aliqui videre videantur.de ſymp.cau. 3ª.15.A
NEBVLA in vrina quo fiat.de vrinæ ſign.ex Hpp.79.B| Sp.79.D
Nebulæ in vrinis conſiderandæ ſunt,ſurſum ne,an deorſum meent, quosue colores habeant.de vrinæ ſign.ex Hipp. Sp.78.G
Nebularum ſuſpenſarum ſignificatio.prę ſag.exper.conf. Sp.78.G
Nebulæ ſublimes in vrinis.de vict.rat.in morb.acut.com.4°. 7ª.144.B
Nebulæ ſubſidentes in vrinis.de vict.rat.in mor.acut.c.4°. 7ª.144.B
Nebulæ deorſum labentes cum quibus coloribus ſint malæ.de vrinæ ſignificatione ex Hippocrate. Sp.78.G
Nebula,& ſublatio ſi atra ſit,minus eſt malum,quam hypoſtaſis. quæſita in Hippocratem. Sp.113.E
Nebulam non bonā habens vrina tenuis in ſynocha,phrenitim,ſiue mortem,aut ſpaſmum ſignificat.de dyna. Sp.34.C
Nebulam bonam habens vrina alba,& aquoſa cum odore bono egeſta phrenitim purgat.de dyna. Sp.34.D
Nebulam albam ſi habeat vrina colore cholerico,& furfures ſupernatātes,aut longā ægritudinem,aut mortem ſignificat.de dyna. Sp.34.C
Nebulas cholericas habens vrina in ægritudinem acutam trāſire ſignificat.de dynamidijs. Sp.34.G
in Nebulis quaſi ſanguinem habens vrina,quę velut raſuram habuerit & arenam,renum colliquationem oſtendit.de dyna. Sp.34.G
Nebulas ſciſſas ſi habeat vrina macronoxiā ſignificat.de dyn. Sp.34.G
NEBVLOSVM quid ſignificet.in 1^{m}.de mor.vul.com.1°. 3ª.104.B
Nebuloſi qn̄ ſint ſpiritus noſtri.in 1^{m}.de morb.vul.com.1°. 3ª.104.B
Nebuloſos oculos habet homo à muliere conceptus in tribus horis ſanguinis.de ſpermate. Sp.37.B
Nebuloſa vrina alba, ſpumoſa in ſynocha non bonū ſignificat. de dynamidijs. Sp.34.D
Nebuloſa vrina,alba,& ſpumoſa ſi in ſynocha ſit critico die,vel poſt criticū diē ſupuenerit ſignificat ſolutionē ægritudinis.de dyna.Sp.34.D
Nebuloſa,& rubra vrina in arthriticis dolorem ceſſare ſignificat.de dynamidijs. Sp.35.D
Nebuloſa vrina,& ſubliuida ĩferius,ſi claritatē ſupius habuerit,ſignat dolorē renū,& coxæ,& genu, & ſupius ſtomachi.de dyna.Sp.35.D
Nebuloſas,vel craſſas vrinas habentes ſunt purgandi à principio. de vrinæ ſignificatione ex Hippocrate. Sp.79.A
NECANTIA nos quæ.de bon.& vit.ſuc. 2ª.34.B
NECESSARIA quæ ſint,& quæ non. ars med. Iſa.68.B
Neceſſaria ſunt ad artem medicam prænotio, & prædictio. bre. denot. dogm.Hipp. 1ª.231.D
de maxime Neceſſarijs ſæpius meminiſſe non eſt inutile.2°.de ſan.tuen. 2ª.75.H|7°.met.me.47.A|1°. 7ª.64.B
NECESSITAS quid ſignificet.de fract.com.2°. 7ª.237.A
Neceſſitas quid,& vbi ſit.de hiſt.philo. Sp.5.D
Neneſſitas panniculorum.dc ana.viuo. Sp.55.F
NECHEPSOS rex locutus eſt de hierogliphis.9°.de ſimplicium medicamentorum facultatibus. 5ª.67.D
Nechium.de oculis. 7ª.190.C
NECROSIS affectus ſummæ partis pedis.intro. Iſa.59.D
NECTAREA antidotus.8°.de comp.me.ſec.loc. 5ª.194.H
Nectareum Eclegma colicis.9°.de comp.me.ſec.loc. 5ª.202.D
Nectareum medicamentum.4°.de comp.me.ſec.loc.154.A| 5ª.155.H
non NEGANDAE res ſed potius querendæ quo modo fiant. 5°.de locis affectis. 4ª.31.B
NEGATIONIS vis quæ habet particula.4°.met.me. 7ª.27.F
ꝙ Negationem præpoſitam non faciat æquipollere ſuo contradictorio, collige,vbi dicit,non omnes homines ſunt boni, id eſt pauciſſimi ſunt boni.com.1°.aph.14°.14.C|com.2°.aph.19°. Ex.28.H
Negationē,& priuationē aliqd dici multū differt.1°.de loc.aff. 4ª.5.B
per Negationem,& per priuationem,idem.4°. de ſimplicium medicamentorum facultatibus. 5ª.28.E
NEGOCIIS implicita maxima hoīum pars.2°.de ſan.tuen. 2ª.69.C
Negocia prohibent aliquos à doctrina.3°.de diff.reſp. 3ª.69.C
Negocijs imputant ſuam ægritudinem aliqui medici ægrotantes. 5°. de ſanitate tuenda. 2ª.88.E|F
Negocijs diſtrictus tutius eſt,vt nec tentet temperamentum ſuum mutare.6°.de ſanitate tuenda. 2ª.96.C
Negocia cui ſunt impedimento,vt ante cibum exerceri non poſſit, huic non modo probato,& innoxio cibo eſt opus,ſed etiam ſalubribus medicamentis.de bo.& vit.ſuc. 2ª.34.D|E
Nemereſin.ſecretorum. Sp.100.B
Negocijs vacui rariſſime frigido potu egent.de bo.& vi.ſucc. 2ª.39.D
NEMO de muſculorum diſſectione ſcripſit, qui non ſit reprehendendus.de muſ.diſſ. 1ª.44.B
NEMPE cām dictorū reddit.de vict.rat.in mor.acu.c.4°. 7ª.146.G
NEPHANDVM eſt aſſumere quid nocuū propter delectationem. de cura icteri. Sp.111.A
NEPHELIA vlcera quæ ſint.de med.fac.par. 7ª.163.A
NEPHELION in oculo quid. intro. Iſa.58.H
Nephelion affectus iridis oculi.intro. Iſa.58.D
Nephelion vlceratio oculorum.fin.med. Iſa.48.D
Νεφελοειδέα.i.nebuloſæ.de vict.rat.in morb.acut.com.4°. 7ª.140.C
NEPHRITICI qui nominentur.1°.de natu.facul.1ª.293.C|2°.de compoſi.med.ſecun.loc. 5ª.135.C
Nephriticus,& ſtrāgurioſus differūt.in 3^{m}.de mor.vul.c.1°. 3ª.128.D
Nephriticos adiuuat ſuccus tū caulis,tum ſeminis crocodilij. 7°. de ſimpli.medicamentorum facultatibus. 5ª.53.C
Nephriticis prodeſt Erinacei terreſtis deſiccata caro.11°. de ſimpl. medicamentorum facultatibus. 5ª.78.F
Nephriticis confert ficuum eſus.2°.de alim.fac. 2ª.17.F
Nephriticis vtile eſt Adrianum balſamatum.de dyna. Sp.28.B
ad Nephriticos Oneſidemi.10°.de comp.me.ſec.loc. 5ª.206.D
Nephriticis vtile eſt philantropon.de dyna. Sp.28.B
Nephriticis vtile ſcliroſmon.de dyna. Sp.28.C
Nephriticus affectus Theriaca curatus.de theria.ad Piſo. 5ª.90.C
in Nephritico,& colico incipiente dolore iiſdem indigemus præſidijs, poſtea vero perſeuerante diuerſis.6°.de loc.aff. 4ª.36.H
ad Nephriticos.7°.de comp.me.ſec.loc.182.G|185.D|8°.190.H|194.H|195.B|9°.200.F|10°.206.B|C|F|7°.de comp.med.per ge.5ª.265.B|de dynamidijs. Sp.32.D
NEPHRITICA medicamenta differunt à podagricis, & quo modo. 6°.de ſan.tuen. 2ª.99.H
Nephriticæ Antidoti quæ ſint.10°.de comp.me.ſec.loc. 5ª.205.H
Nephritica cōpoſitio Antonij Muſæ.10°.de comp.me.ſec.lo. 5ª.206.C
NEPHRITIS, id eſt renum vitium nomen eſt morbi impoſitum à læſa particula.2°.met.me. 7ª.9.D
Nephritis quid.fin.med.47.H|intro. Iſa.56.G
Νεφρῖτις, quid proprie ſit.de ren.aff.dig.& med. 7ª.192.B
Nephritis ſignificat vitium renum.c.7°.aph.35°. Ex.56.F
Nephritides renum vitia.de bo.& vit.ſuc. 2ª.39.D
Nephritis quomodo deprehendatur ex vrina.6°.de loc.aff. 4ª.37.C
Nephritis quam venā ſecari cogat.de curan.rat. per ſang.miſſ.6ª.20.E
Nephritica ſi quem vexet catharticis vtimur.de dyna. Sp.20.E
ad Nephritides ſtercus columbinum.10°.de ſimp.me.fac. 5ª.17.A

ad Nephritim exhibetur ſymphitũ petræũ.8°.de ſimp.me.fac. 5ª.61.G
NEPHROPOMA, id eſt renum dolor contingit conceptis in horis melancholiæ.de ſperm. Sp.37.D
Nephropoma contingit conceptis in hora phlegmatis.de ſperm. Sp.37.C
NEPITA. 7°.de ſimp.med.fac. 5ª.49.C
Nepitæ folia acria ſunt guſtu,& excalfactoria.de ſimp.med. Sp.87.H
Nepita coxioſis prodeſt,regium morbum emẽdat,lumbricos, & tineas & partum expellit,vermes in auribus occidit.de ſimp.me. Sp.87.H
Nepita incidit.de curan.rat.per ſan.miſſ. 6ª.19.A
Nepita menſes prouocat.de curan.rat.per ſang.miſſ. 6ª.20.F
Nepitam ſcripſit calamenthi loco Andromachus iunior lingua romana. 1°.de anti. 5ª.104.A
NEREMISCH fit mentio.ſecretorum. Sp.100.D
NERIGIL fit mentio.ſecretorum. Sp.103.B
NERII vires.8°.de ſimp.me.fac. 5ª.57.A
Nerij ſuccus.de med.fac.par. 7ª.172.E
NERONI cõuixit Andromachus mẽoria dignus.de the.ad Pi. 5ª.91.D
inter Neronis medicos primus fuit Andromach⁹.1°.de antid. 5ª.99.G
Neroni ſcripta eſt Theriaca.de theria.ad Piſo. 5ª.91.D
ad Neronem epiſtolam ſcripſit Theſſalus.1°.met.me. 7ª.2.G
NERVIK fit mentio.ſecretorum. Sp.103.B
NERVOSVM genus quid ſit.2°.de loc.aff. 4ª.8.G
Neruoſum genus imbecillum hñt infantes.in progn.Hipp.c.2°. 4ª.211.C
Neruoſum corpus quid ſit.4°.de diff.pul. 4ª.67.F
Neruoſorum corporum tria genera.15°.de vſu par. 1ª.210.D
Neruoſa corpora ſunt nerui,ligamẽta, muſculi,tendones.commentario. 5°.aphoriſmo.1°. Ex.37.D
Neruoſæ partes muſculi dicuntur collidi.de fract.c.2°. 7ª.240.A
Neruoſæ partes muſulorũ tendones vocantur.de fract.c.3°. 7ª.249.C
Neruoſæ partes ſunt ſedes,vterus,& veſica.cõ.5°.aph.22°. Ex.39.F
Neruoſa pars eſt vterus.in 6^{m}.de mor.vul.com.1°. 3ª.153.A
Neruoſa q̃uo dñr vterus,& veſica.in 6^{m}.de mor.vul.com.2°. 3ª.153.B
Neruoſus cur ſit magis ſtõus ĩterius, quã exterius.đ ana.vi. Sp.49.H
Neruoſum magis eſt os ſtomachi,q̃ gula.de ana.viu. Sp.49.F
Neruoſæ diſcriminationes ſunt in corde.de Hipp.& Plat.dec. 1ª.233.E
Neruoſum corpus vt id quod eſt in pube,in nulla alia corporis parte eſt. 15°.de vſu partium. 1ª.210.E
Neruoſa, & fortis ſubſtantia requiritur ad tenſionem pudendi.15°. de vſu partium. 1ª.210.D
Neruoſorum vaſorum tunicæ quot.de ana.viu. Sp.44.H
Neruoſæ omnis membranæ origo.vnde.intro. Iſa.53.H
Neruoſis,& mẽbranoſis ptibus adeps eſt affuſa.16°.de vſu p. 1ª.214.H
in Neruoſis ptibus cur ſemp pinguedo conſiſtit.6°.de ana.ad. 1ª.92.B
Neruoſorum corporum proprium eſt dilatari maxime, & conſtringi de vict.rat.in morb.acut.com.3°. 7ª.131.A
Neruoſæ partes maxime patiuntur dolores.com.5°.aph.66°. Ex.45.C
in Neruoſis membris dolor conuulſionem facit.de art.c.4°. 7ª.285.B
Neruoſa corpora,ex quibus fiunt motus ſecundum electionem,conuulſionem patiuntur.com.5°.aph.1°. Ex.37.D
in Neruoſis ptibus cõtinuitatis ſolutio eſt cõuulſio.de diff.mor. 3ª.5.D
in Neruoſis fibris eſt ſpaſmus.6°.met.me. 7ª.36.G
ex Neruoſarũ partiũ repletione conuulſio neq; acutiſſima, neq; ſilr pniciosa eſt,vt ea quæ fit ex euacuatione.com.5°.aph.70°. Ex.45.E
Neruoſæ partes pituitoſiores iuſto.3°.de alim.fac. 2ª.25.G
Neruoſæ partes ſunt,quæ conuelluntur.com.6°.aph.39°. Ex.50.G
Neruoſa ſunt poſteriora,ideo potiſſimum conuulſiones, & diſtentiones in his fiunt.com.5°.aph.66°. Ex.45.C
Neruoſæ partes ſi patiantur in ſuperflua euacuatione, fit conuulſio. cõmenta.5°.aph.56°. Ex.42.H
Neruoſæ partes communicant cum hepate, ideo ſi patiantur, ſingultus fit.com.5°.aph.58°. Ex.43.C
Neruoſæ partes contrahuntur repletione,& euacuatione. commen. 4°. aphoriſmo.57°. Ex.33.F
cur Neruoſæ partes hyeme lædantur.com.3°.aph.23°. Ex.24.H
Neruoſæ ptes exiccãtur à ſole,& igne,et calore.c.6°.aph.39°. Ex.50.G
Neruoſa ſubſtantia facile offenditur à crapula,deſidia,vino,coitu,commentario.6°.aph.28°. Ex.49.A
Neruoſæ partes ab inflammatione cõuelluntur.cõ.5°.aph.2°. Ex.37.E
Neruoſis partibus inflammatis promptius fit delirium, & quo modo. 3°.de loc.aff. 4ª.18.C
ob Neruoſorum corporum inflammationem in vlceratione cõuulſis cõtrarium vehementer eſt frigidum.com.5°.aph.21°. Ex.39.C
Neruoſa corpora frigiditate, & rigore efficiuntur ad difflandum difficilia,& implentur.com.6°.aph.13°. Ex.47.E
Neruoſi muſculi vulnerati hñt parua vulnera.cõ.5°.aph.66°. Ex.45.C
Neruoſa corpora non agglutinantur.15°.de vſu par. 1ª.212.H/com.6°. aphoriſmo.18°. Ex.48.A
Neruoſarum partium pulſus qualis. de pulſ.ad tiro. 4ª.45.A
Neruoſæ partes aut nullos, aut paruos faciunt pulſus.4°. de præſag. ex pul. 4ª.121.E
ex Neruoſa tẽtione fit pulſus durus in ephemeris.1°.de diff.fe. 3ª.34.D
Neruoſæ ptes medicinas calidas ſiccas deſiderãt.c.5°.ap.66°. Ex.45.C
Neruoſæ partes magis exiccandæ,quàm arterioſæ. 2°. de arte curatiua ad Glauconem. 7ª.102.E
Neruoſis locis,& delicatis ꝓprie vtile eſt butyrũ.de ſimp.me. Sp.81.D
Neruoſæ ptes potiſſimũ iuuantur à caſtoreo.11°.de ſimp.me.fac. 5ª.80.B
Neruoſis partibus marrubium optimum eſt.de ſimp.med. Sp.87.D
Neruoſis partibus ſertula prodeſt.de ſimp.med. Sp.90.H
in Neruoſis ptibus aceto mulſo vti nõ debemus.đ frac.cõ.2°. 7ª.235.H
NERVVLI inueniuntur in ſanguine ſpiſſo.de vtil.reſp. Sp.64.F
Neruuli nulli inueniuntur in ſanguine liquido.de vtil.reſp. Sp.64.F
de NERVO. de ana.viu. Sp.55.D
de Neruis ſermo, ẽ idẽ cũ illo đ venis,et arterijs.13°.de vſu p. 1ª.202.A
Neruus vnde dicatur.1°.de motu.muſ. 1ª.308.H
Nerui qui appellentur.in 6^{m}.de morb.vul.com.1°. 3ª.153.B
Neruus qui.de anatom.viu. Sp.55.D
Neruus et tonus qd,& qđ officiũ habeat ĩ 6^{m}.de mor.vul.c.1°. 3ª.153.A
Neruus eſt neruus ob quatuor qualitatum certam quandam temperaturam.1°.de vſu par. 1ª.115.D
Nerui dicuntur à multis copulæ.3°.de locis affectis. 4ª.17.C/de fract. commentario.3°. 7ª.249.D/E
Nerui ẽt nõiantur ab aliq̃bus tẽdones.3°.de comp.me.per gen. 5ª.229.B
Nerui à quibus dicantur tendones.2°.de loc.aff. 4ª.11.A
Neruus, copula,tendo quo modo differant,& quid ſint.1°.de Hippo. & Plat.decre. 1ª.233.F
Neruus omnis teres eſt,non omnis tendo teres,neque copula.de Hippo. & Plat.decr. 1ª.233.F
Neruos eſſe ligamenta credunt,qui ipſa ignorant.3°.de compo. medicamentorum per genera. 5ª.231.E
Nerui putantur ab ignaris ligamenta,& tendones.6°.met.me. 7ª.38.H
Nerui colligantes à recentioribus medicis nominantur, quæ ab Hippocrate ligamenta.15°.de vſu par. 1ª.210.D
Neruo durius eſt ligamentum.1°. de vſu par. 1ª.117.C
inter Neruũ,& ligamentũ tendo eſt medius.1°.de motu muſ. 1ª.308.H
ex Neruo,& ligamento tendo factus.1°.de motu muſc. 1ª.309.C/D
Neruo qui in muſculum deſcendit multo maior eſt tendo.1°.de motu muſculorum. 1ª.309.D
Neruum quantum excedat tendo.1°.de motu muſc. 1ª.309.D
Neruus cur minor tendone.1°.de motu muſc. 1ª.309.D
Nerui,& ligamenti vſum habet tendo.1°.de motu muſc. 1ª.309.E
Neruus,ligamentum,chartilago nunq̃ à natura vnum in aliud tranſponitur.12°. de vſu par. 1ª.193.A
in Neruos tranſmutari arterias putauit Praxagoras. 1°. de Hipp.& Plato.decre. 1ª.232.C
NERVORVM differentiæ.fin.med.Iſa.44.C/9°.de vſu par. 1ª.175.H
Neruorum duæ ſpecies.intro Iſa.53.G/de ocul. 7ª.183.E
Neruorum tria genera.de oſſi. 1ª.40.C
Nerui voluntarij qui ſint,& vnde oriantur.de oſſi. 1ª.40.D
Nerui ligamentales qui ſint,& vnde oriantur.de oſſi. 1ª.40.D
Nerui copulatiui qui,& vnde dicti.in 6^{m}.de morb.vul.cõ.3°. 3ª.180.E
Neruus nõiat motũ,ac ſenſum exhibẽs.1°.de Hip.et Pla.decr. 1ª.233.G
Nerui,venæ,arteriæ ſi ab inſtrumentarijs membris demantur, ſunt ſimplicia.1°.de naturalibus facultatibus. 1ª.291.G
à Neruis,venis,& arterijs,multi meatus differunt. vt vrinarij.1°.de naturalibus facultatibus. 1ª.291.G
Neruus in prima generatione animalis generatur.1°.de nat.fac.291.F/ 8°.de decr.Hipp. 1ª.275.C
Nerui inter partes ſimilares numerantur.de diff.morb. 3ª.2.F
Neruus eſt inter prima,ac ſimpliciſſima humani corporis elementa.1°. de elemen. 1ª.7.E
Neruus,arteria,& vena ſunt elementa hominis.2°.met.me. 7ª.11.H
ex Neruis,venis,arterijs,oſſibus,& carne compoſitum ĩcorruptibile eſſe non poteſt.14°.de vſu par. 1ª.204.D
Neruorum duplex materia qualis.8°.de vſu par. 1ª.167.B

Nerui natura conſtat triplici ſubſtantia,& à tribus partibus deflexa. 7°.de decr.Hippo. 1ª.269.A
Nerui ſubſtantia,quæ.de atra bile. 1ª.36.F
Nerui craſſeſcunt ſola ſubſtantia.16°.de vſu par. 1ª.216.F
Neruus,copula,tendo alba ſunt exanguia,foraminibus carentia. 1°. de Hipp.& Plat.decre. 1ª.233.G
Nerui ſunt exangues.de atra bile.36.F/1°.de ſem. 1ª.330.C
Neruus eſt exanguis,& frigidus.1°.de temp. 1ª.15.B
Neruus non fit è ſanguine,ſed è ſemine.1°.de ſem.330.C/ 1ª.331.H
ad Nerui generationem,quæ ſunt neceſſaria in ſeminis ſubſtantia inueniuntur.1°.de ſem. 1ª.330.E
Neruus exanguis eſt,tñ ex ſanguine factus.2°.nat.fac. 1ª.297.E
Nerui ſunt minus ſicci chartilagine.1°.de temp. 1ª.15.C
Neruus mollior chartilagine,& ligamento.12°.de vſu par. 1ª.193.A
Nerui chartilagineæ copulæ quæ.1°.de Hipp.& Pla.decr. 1ª.233.F
Nerui ſunt robuſtiores adenibus.13°.met.me. 7ª.80.H
in Neruis non eſt ſanguis.2°.de nat.fac. 1ª.298.E
Nerui à quo cibo aluntur.de atra bile. 1ª.36.F
Nerui nutriuntur ex frigidis, & glutinoſis humoribus. commentario. 2°.aphoriſmo.26°. Ex.16.B
Nerui nullam habent cauitatem perſpicuam. 15°. de vſu par. 1ª. 210.D/ 1°.de ſem. 1ª.330.C
Nerui ſecundum Empedoclem conſtant ex igne,terra,& aquę partibus duabus.de hiſt.philo. Sp.11.F
Neruus ex humoribus.3°.de ſimp.me.fac. 5ª.17.D
Nerui quo modo fiant ex fibris.1°.de mot.mu. 1ª.309.D
Nerui in fibras membraneas diſſoluuntur.1°.de mot.muſc. 1ª.309.A
Neru⁹ cur ĩ fibras ſubtiliores telis araneis diuiſus ſit.1°.đ ſem. 1ª.332.C
Neruo obliquo fibræ obliquæ inſeruntur.16°.de vſu par. 1ª.217.B
Nerui lineares qui.de compag.memb.ſiue de nat.hum. Sp.58.H
Nerui textiles qui.de compag.mem.ſiue de nat.hum. Sp.58.H
Nerui lineares helcticem.i.attractiuam ſibi vindicant poteſtam.de compag.memb.ſiue de nat.hum. Sp.58.H
Nerui tranſuerſi vindicant ſibi facultatem anelcticem.i. retentiuam.de compag.memb.ſiue de nat.hum. Sp.58.H
Nerui obliqui vindicant ſibi poteſtatem apocreticem .i. expulſiuam.de compag.memb.ſiue de nat.hum. Sp.58.H
Nerui apopletici falſo dicti qui.de motu man.& obſ. Sp.67.B
Nerui commemorabiles vbi & quales.16°.de vſu par. 1ª.216.G
Nerui ligatorij qui.8°.de comp.me.ſec.loc. 5ª.191.D
Neruus habet venulas ſpiritum tantum capientes,& ideo findi poteſt in longum.de vtil. reſp. Sp.63.C
Neruis lentus humor circunfunditur.3°.de nat.fac. 1ª.308.C
NERVORVM, *venarum arteriarum anatomia tertio loco ſpectanda eſt.1°.de anat.admi.* 1ª.64.B
Nerui ſæpius videndi.3°.de comp.me.per gen. 5ª.231.F
Nerui non poſſunt ſecari ignoratis muſculis.2°.de anat.adm. 1ª.69.E
de Neruorum anatomia primi poſt Hippocratem ſcripſere Herophilus & Eudemus.3°.de loc.aff. 4ª.21.C
in Neruis diſſectionem nullus ante Galenũ cognouit.1°.de lo.af. 4ª.7.E
Neruorum ſectio per longitudinẽ fieri debet. 3°.de anat.adm. 1ª.74.E
Nerui non videntur in ſimia ablata membrana ob tenuitatem.3°.de anatomicis adminiſtrationibus. 1ª.74.D
Nerui videntur in equis,aſinis,mulis,bobus,ablata membrana ob craſſitiem.3°.de ana.adm. 1ª.74.D
Nerui euidctius viſunt in ſenibus,et nup natis.4°.de ana.adm. 1ª.80.D
Nerui ſuper oĩa occultantur à pinguedine.4°.de anat.adm. 1ª.80.D
Nerui cur acu circundandi.4°.de anat.adm. 1ª.80.E
Neruorum origo eſt in corde ſecundum aliquos.2°.de decr. 1ª.234.D
Neruorum veram originẽ ignorauit Ariſtoteſtes.7°.de decr. 1ª.272.H
de Neruis confuſe, & indiſtičte bis tractauit Ariſtoteles.1°. de Hipp. & Plat.decre. 1ª.233.D
Neruorum principium non eſſe cor contra Ariſtotelẽ.1°.de decretis Hippocratis.232.C/ 1ª.233.D
Neruorum principium ponendo cor quo modo Ariſtoteles errauerit.1°. de decr.Hipp.233.H/ 1ª.234.A
Neruos à corde oriri qui dicunt qua ignorantia detineantur. 3°. de locis affectis. 4ª.17.C
Neruorum principium non eſt cor.7°.de vſu par. 1ª.161.E
Nerui non oriunt̃ à corde contra ſtoicos.2°.de decr.Hipp. 1ª.234.E
Neruorum origo à quo diſcenda eſt.3°. de loc.aff. 4ª.17.C
Nerui vnde oriantur.7°.de decr.Hipp.269.F/8°.273.B/1°.de motu muſculorum.1ª.308.H/de vtil.reſp. Sp.62.G
Neruorũ principiũ quod vocet Galenus.in 6m.de mor.vul.c.1°. 3ª.153.B
Neruorum origo vbi eſt,ibi animæ principatus.7°. de decretis. Hippocratis.267.F/8°. 1ª.273.B
Neruorum origo in capite.7°.de decre.Hip.1°.268.H/commentario. 5°. aphoriſmo.69°. Ex.45.D
Neruorum, & ſpinalis medullæ principium eſſe cerebrum dicẽdum eſt. de neruorum diſſectione. 1ª.53.B
Neruorum omnium principium cerebrum.de conſt.ar.37. A/ ars med. Iſa.63.B/de neru.diſſect.53.B/1°.de vſu par. 117. B/3°.133. G/8°.166. A/10°.183.G.12°.193.E/15°.212.F/16°.214.D/2°.de decre.Hipp.239. A/D/in Tim.Plat.1ª.287.D/com.7°.aph.3°. Ex.54.B
Nerui vnde ſecundum Pelopem.6°.de decr.Hipp. 1ª.262.F
Nerui vnde oriantur ſm Eraſiſtratum.7°.de decr.Hipp. 1ª.269.A
de Neruo elementari Eraſiſtrati.2°.de nat.fac. 1ª.298.F
Neruorum principium ſm ſectatores Eraſiſtrati ſunt membranæ ſupra cerebrum,ſm Eraſiſtratum cerebrum.c.6°.aph.50°. Ex.52.G
Nerui à cerebro oriuntur,non à membranis,vel inuolucris.7°.de decr. Hippocratis. 1ª.269.A
Nerui à cerebro videntur procreati.de fœt.for. 1ª.324.H
Nerui omnes à cerebro primarie naſcuntur.3°.de loc.aff. 4ª.20.B
Nerui omnes cur à cerebro.7°.de decr.Hipp. 1ª.272.G
Nerui ex cerebri ſubſtantia.2°.de ana.adm. 1ª.73.A
Neruus habet eandem ſubſtantiam cum cerebro.7°.de decr. Hip. 269. F/de fœt.for. 1ª.324.D
Nerui ſubſtantia eſt ac ſi cerebrũ ſit denſatũ.1°.de motu muſc. 1ª.308.H
Nerui cur duriores cerebro.8°.de vſu par. 1ª.167.B
Nerui quanto à cerebro diſtantiores,tanto etiam ab eius vi diſtant. 7°. de decr.Hippo. 1ª.269.F
Neruos ſimiles cerebro eſſe dicentes errant.7°.de ana.adm. 1ª.96.A
Nerui aliqui ex cerebro oriuntur,aliqui ex ſpinali medulla. de neruorũ diſſectione.53.B/15°.de vſu par.1ª.210.D/3°.de alim.facultatibus. 2ª. 26.F/de mot.man.& obſ. Sp.66.F
Neruorum principium ſpinalis medulla.1°.de vſu par.1ª.117. B/ com.5°. aphoriſmo.66°. Ex.45.C
Nerui qui dant motum oriuntur in parte poſteriori vt plurimum . ars medicinalis. Iſa.63.D
Nerui q dãt ſenſum oriunt̃ in pte anteriori vt plurimũ.ars me. Iſ.63.D
Neruorum qui oriuntur à cerebro ordo in craſſitie , & tenuitate. de inſtrumentorum odoratus. 1ª.110.E
Neruorũ duriorũ principiũ eſt ſpinalis medulla.9°. đ vſu par. 1ª.176.A
Neruorum mollium principium eſt cerebrum.9°. de vſu par. 1ª.176.A
Neruorum mediorum principium quod. 9°.de vſu par. 1ª.176.A
Neruorum productio à cerebro poſteriori.7°.de vſu par. 1ª.162.B
Nerui ſuperne feruntur deorſum.8°.de vſu par. 1ª.165.A
Neruis tutius erat per interna iter facere.16°.de vſu par. 1ª.217.H
Nerui molles in primis productionibus,poſtea efficiuntur duriores. 7°. de vſu partium. 1ª.162.E
Nerui ex ſuo proceſſu fiunt duri.9°.de vſu par. 1ª.175.C
Nerui cur leues in principio.de ana.viuo. Sp.53.F
Nerui cur rari.dc ana.viuo. Sp.53.F
Nerui cur flexuoſi.de ana.viu. Sp.53.F
Nerui à cerebro prodeuntes ſunt tecti panniculo quoad exeant os capitis.de ocul. 7ª.183.A
Nerui anteq̃ exeant cranium lædi non poſſunt,ſicut nec cerebrum , licet concutiatur.10°.de vſu par. 1ª.183.H
quot Nerui procedant à cerebro,& quomodo.de ocul. 7ª.183.F
Neruorum à capite dependentiũ plantationes.9°.de vſu par. 1ª.174.D
Nerui propagines à cerebro ad quæ viſcera.16°.de vſu par. 1ª.215.E
Neruorum primum,ſecundum,tertium,quartum, & vltimum par vnde orianter.de Hipp.& Plat.decr. 1ª.232.F/G
Neruorum à cerebro orientium prima coniugatio.de ner.diſſ. 1ª.53.C
Neruorum prima coniugatio eſt mollior cæteris.de neru.diſſ. 1ª.53.D
Nerui à cerebro partim à prima,partim à tertia,partim à ſexta coniugatione perueniunt ad iecur,lienem,renes,ventrem,viſcera.de neruorum diſſectione. 1ª.54.D
Neruorũ à cerebro ſecũda coniugatio qualis,& vbi.de ner.diſſ. 1ª.53.D
Neruorum ſecunda coniugatio ad muſculos mouentes oculos. 1°. de neruorum diſſectione. 1ª.53.D
Neruorum à cerebro tertia coniugatio qualis,& quorſum tẽdat. de neruorum diſſectione. 1ª.53.D
Neruorũ tertia cõiugatio diuiditur in multas partes.de ner.diſſ. 1ª.53.E

Neruorum tertia coniugatio mollis, dicta.de ner.diſſ. 1ª.53.D
Neruorum tertia coniugatio vnde.de ner.diſſ. 1ª.53.F
Nerui à tertia cõiugatiõe ꝓficiſcẽtes q̃uo, & vnde.9°.de vſu p. 1ª.176.B
Neruorum tertia coniugatio quorſum tendat.de ner.diſſ. 1ª.53.F
à Neruorum tertia coniugatione quæ oriantur.9°.de vſu par. 1ª.176.C
Neruorum tertia coniugatio eſt principium muſculorum faciei. 11°. de vſu partium. 1ª.186.D
Neruorum à cerebro coniugatio quarta qualis, & quorſum tendat.de neruorum diſſectione. 1ª.53.D
Neruorum quarta coiugatio cur minus mollis, quam tertia. 9°. de vſu partium. 1ª.174.D
Nerui quartæ coniugationis vnde oriantur.de ner.diſſ. 1ª.53.D
Neruorum à cerebro orientium quinta coniugatio qualis, & vnde orta. de neruorum diſſectione. 1ª.53.G
Neruorum à cerebro orientium ſexta coniugatio qualis, & vbi de neruorum diſſectione. 1ª.53.H
Neruorum ſexta coniugatio vnde.2°.de ner.diſſ. 1ª.53.H
Neruorũ ſexta coniugatio nõ penitus diſſecanda.4°.de loc.aff. 4ª.26.C
Neruorũ ſextæ coniugationis à cerebro diſtributio.de ner.diſſ. 1ª.54.B
Neruorum ſexta coniugatio quorſum.9°.de vſu par. 1ª.175.A
Nerui à ſexta coniugatione mittuntur cordi, ventriculo, & hepati. 16°. de vſu partium. 1ª.215.H
Neruorum à cerebro orientium ſeptima coniugatio.de ner.diſſ. 1ª.53.H
de Neruorũ ſeptima cõiugatiõe, & vñ ꝓficiſcant.9°.de vſu p. 1ª.175.C
Neruorum ſeptima coniugatio ad linguæ muſculos.de ner.diſſ. 1ª.53.H
à Neruorum à cerebro ortorum ſeptima coniugatione lingua mouetur. 4°.de locis affectis. 4ª.22.G
Neruus vnus ſolus ſine coniugio.& vbi.de ner.diſſ. 1ª.53.E
Neruus nullus oritur à cerebro, vel à ſpina quin ſit cõiugatus. de neruorum diſſectione. 1ª.53.E
Neruorum multæ coniugationes vnde.13°.de vſu par. 1ª.201.G
Nerui multi cur ſimul colligati incedunt, deinde in partes diſſoluuntur. 9°.de vſu partium. 1ª.175.A
in Neruorum diſtributione tres ſunt ſcopi naturę, ſenſus in ſenſorijs, motus in motorijs, & doloris cognitio.5°.de vſu par. 1ª.145.C
Nerui molles non videntur differre à ſpinali medulla. 1°. de motu muſculorum. 1ª.308.H
NERVORVM vtilitas quæ.1°.de vſu par. 1ª.117.B
Neruorum iuuamentum.de anat. viu. Sp.43.H
ex Neruo, vena, arteria contextæ ſunt omnes animalis particulæ ſecundum Eraſiſtratum.7°.de vſu par. 1ª.158.H
Nerui cur inditi membris.6°.de dec.Hipp. 1ª.266.B
Neruis indigent partes compoſitæ.ars med. Iſa.63.B
Nerui ſunt inſtrumenta cerebri.de ocul. 7ª.183.E
Neruus cõe inſtrumẽtum, quo oĩa aĩalia gubernant.1°.de ſem. 1ª.330.C
Neruorũ, arteriarũ, & venarum facultas diuerſa eſt.de mul. 3ª.77.A
Nerui, venæ, arteriæ ſimul commiſcentur.16°.de vſu par. 1ª.220.E
Neruis æquales numero venæ, & arteriæ.13°.de vſu par. 1ª.202.A
Neruus habet ſimilem functionem in oĩ parte.6°.de dec.Hip. 1ª.266.A
Neruis communia quæ.16°.de vſu par. 1ª.215.B
Nerui commune corporis inſtrumentum. 16°. de vſu par. 1ª. 214.D/2°. methodi medendi. 7ª.12.G
Neruus, vena, pellis, ſunt receptacula ſanguinis, & ſpiritus. de vtilitate reſpirationis. Sp.63.C
in Neruis adeſt quidam ſpiritus.7°.de dec.Hipp. 1ª.269.G
Neruus nulli parti fruſtra inſertus.16°.de vſu par. 1ª.215.A
Neruis indigent ſenſuum inſtrumenta.16°.de vſu par. 1ª.214.H
NERVI molles qui.9°.de vſu par. 1ª.176.A
Neruorum mollium natura proxima cuti.2°.de temp. 1ª.17.H
Neruos molles habent pueri.in 1m.de morb.vulg.com.2°. 3ª.113.C
Nerui molles pro ſenſu.16°.de vſu par. 1ª.215.A
Nerui magni, & molles oĩbus ſenſibus inſunt.16°.de vſu par. 1ª.215.D
Nerui molles faciunt quinq; ſenſus.de ocul. 7ª.183.F
Nerui ſenſuum quanti.de inſtrum.odor. 1ª.110.G
Nerui molles ad ſenſum apti.7°.de ana.adminiſtra.96. A/de dec. Hip. 1ª.233.F/de ocul.183.F/ 7ª.184.G
Neruum mollem poſcunt omnia ſenſoria.8°.de vſu par. 1ª.166.H
Neruus ad ſentiendum cur mollior.7°.de decr.Hipp. 1ª.270.F
Neruus mollis qui ſit apud diſſectores.4°.de loc.aff. 4ª.23.B
Neruus mollis tantum habet minus caloris, quantum illi deeſt ſanguis. 1°.de temperamentis. 1ª.15.C
Nerui molles vt cutis temperati ſunt in humiditate, & ſiccitate, non tamen in caliditate, & frigiditate.1°.de temp. 1ª.15.C
Nerui molles quibus partibus diſtincti à duris.16°.de vſu par. 1ª.215.D
Neruus nullus mollis ex ꝑte poſteriori cerebri.8°.de vſu par. 1ª.167.C
Neruorum proceſſuum differentiæ ad inſtrumenta ſenſoria. 8°. de vſu partium. 1ª.167.D
NERVI duri qui.9°.de vſu partium. 1ª.176.A
Nerui duriores quam naturam habent.2°.de temp. 1ª.17.H
Neruos duros facit exercitatio.de art.com.3°. 7ª.277.E
Nerui duri quid agant.de ocul. 7ª.183.F
Nerui duri dant motum.intro.Iſa.54.A/7°.de anat.adm.96.A/16°.de vſu par.1ª.215.A/de ocul. 7ª.184.H
Neruus pro motu cur durior.7°.de decr.Hipp. 1ª.270.F
Neruos duros hñt partes, q̃ hñt motũ volũtariũ.8°.de vſu par. 1ª.166.H
Neruum durum, & magnum habent partes, quæ multum mouẽtur.16°. de vſu par. 1ª.215.B
Neruos magnos hñt inſtrumenta motus volũtarij.5°.de vſu pa. 1ª.145.D
Nerui duriſſimi expetuntur ab artubus.9°.de vſu par. 1ª.174.G
Nerui primi duriſſimi qui.9°.de vſu par. 1ª.175.C
ex Neruorum tenſione ſunt vires corporis.de vtil.reſp. Sp.63.E
Nerui tenſionis cauſæ ſunt ſpiritus inflantes.de vtil.reſp. Sp.63.E
Nerui, tendones, muſculi, & ligamenta, quanto ſunt ſicciora tanto ſunt valentiora.3°.de ſymp.cauſ. 3ª.29.D
Neruorũ robur facit homines ambidextros. com.7°.aph.43°. Ex.57.E
in Neruis, & horum principio cerebro vires debiles, & robuſtæ cognoſcunt ex arbitrarijs functionibus.de curan.ra.ꝑ ſang.miſſ. 6ª.17.D
Neruos duros, & molles partes habentes.16°.de vſu par. 1ª.215.D
Nerui medij qui.9°.de vſu par. 1ª.176.A
Nerui mixtio pro motu, & ſenſu.16°.de vſu par. 1ª.215.D
Neruorum miſtiones ſunt gratia ſecuritatis.16°.de vſu par. 1ª.217.H
Nerui in quibus fiunt miſtiones.16°.de vſu par. 1ª.217.H
vbi NERVVS ibi ſenſus.1°.de motu. muſc. 1ª.309.B
Neruus omnis ſenſu præditus.1°.de motu muſc. 1ª.309.C
Nerui omnes habent ſenſum tactus.de ocul. 7ª.183.F
Neruus, arteria, vena, et vẽtriculus diuerſo mõ ſentiũt.de mul. 3ª.77.F
præter Neruos, pelliculas, venas, & arterias nihil in corpore ſenſibile eſt.de vtil.reſp. Sp.62.G
Neruus ibi ſolum eſt, vbi membrum ſolo ſenſu indiget ſenſu. 12°. de vſu partium. 1ª.193.B
per Neruos ſenſus mittitur ad oẽs particulas.1°.de ſymp.cau. 3ª.18.H
ſine Neruo ĩ nulla aĩalis parte eſt motus, vel ſenſus.de ner.diſſ. 1ª.53.B
Nerui omnes habent ſenſum, & motum.16°.de vſu par. 1ª.214.H
ſine Neruo nulla pars animalis habet motum volũtarium, vel ſenſum. de neruorum diſſectione. 1ª.53.B
Neruus nullus eſt in oſſe, chartilagine, ligamento, & glandula.16°. de uſu partium. 1ª.214.G
Neruis non indiget adeps.16°.de vſu par. 1ª.214.H
Nerui, quibus glandulis inſint.16°.de vſu par. 1ª.214.H
Nerui cur non inſint omnibus glandulis.16°. de vſu par. 1ª.214.H
per Neruum quæ mouentur partes etiã ſentiũt.1°.de ſym.cau. 3ª.16.E
à Neruis corpus primo accipit motum, poſtea ſenſum. 12°. de vſu partium. 1ª.193.E
Neruus niſi afficiatur, ſenſus non fit.7°.de decr. Hipp. 1ª.270.F
iuxta Neruorum principiũ in cerebro ordinata volũtas inſanis motus principium primo dat neruis, poſtea muſculis.3°.de loc.affe. 4ª.17.E
Neruo, vena, & arteria irrigantur muſculi.1°.de motu.muſc. 1ª.309.B
Neruus, vena, arteria continuantur vnicuiq; lacerto.de motibus manifeſtis, & obſcuris. Sp.66.E
Nerui ſequuntur muſculos in figura.1°.de anat.adm. 1ª.63.E
à Neruis mouentur muſculi.2°.de decr.Hipp. 1ª.236.E
Neruus à cerebro aut ſpinali medulla peruenit ad vnũquemq; muſculũ. de voce, & anhelitus. Sp.60.F
Neruus in vnoquoq; muſculo fibram efficit.de decr.Hipp. 1ª.234.B
Nerui pertinent ad muſculos.9°.de decr.Hipp. 1ª.284.H
Neruus inſeritur in caput muſculi.1°.de motu muſ. 1ª.309.C
Nerui naſcũtur in capitibus muſculorum, chordæ autem in fine.com.5°. aphoriſmo.66°. Ex.45.C
qui Nerui oriuntur à muſculis.15°.de vſu par. 1ª.210.D
qui Nerui ex oſſibus producuntur.15°.de vſu par. 1ª.210.D
Nerui deducunt vires muſculis à cerebro.1°.de motu muſc. 1ª.309.A
in Neruis motus principium habent muſculi.3°.de loc.aff. 4ª.20.B
Neruis, qui dent ſẽſum, & motũ ſemꝑ ĩdigẽt muſculi.1°.de lo.af. 4ª.8.B
Neruorum muſculoſa propago, quæ.5°.de ana.adm. 1ª.88.H

Neruis uirtutem ſuppeditat cerebrum.7°.meth.med. 7ª.49.C
per Neruum mittitur à cerebro ſentiens facultas.de ſymp.cau. 3ª.14.B
Nerui accipiunt virtutẽ animalem à cerebro.1°.de vſu par. 1ª.117.B
Neruorum facultatis cerebrum veluti fons eſt.de mult. 3ª.77.A
per Neruos ad inſtrumenta propria defertur ſenſibilis facultas.7°.de decre.Hippoc. 1ª.265.F
Nerui an dent vires cerebro,vt cerebrum neruis.de conſt.ar. Iſa.37.A
per Neruum influit omnis ſenſus,& motus.de anat.vi. Sp.48.A
Neruorum actiones voluntariæ ſunt.2°.de ſan.tuen. 2ª.75.A/1°.de locis affectis. 4ª.6.H
Neruis ſolis nõ vtitur natura ad motũ voluntariũ.12°.de vſu p. 1ª.193.B
Neruos excipiẽtes muſculi mẽbra mouẽt.de Hip.& Pla.de. 1ª.234.A
p Neruos,& muſculos fiũt actiões volũtariæ.de voc.inſt.diſſ. 1ª.106.C
Nerui dum cũ lacertis cõponũtur fit volũtarius motus.de ocul. 7ª.183.F
Neruus,& ligamentum ibi adeſt vbi membrum indiget motu voluntario.12°.de vſu partium. 1ª.193.B
Neruorũ exercitatio fit p ſe ex motibus volũtarijs.2°.de ſa.tu. 2ª.75.A
Neruum à cerebro accipiente muſculo caret nullum membrum quod voluntarie moueatur.de decre.Hipp. 1ª.234.B
Neruus nullus ſine muſculo facit actionem.1°.de loc.aff. 4ª.7.D
Neruis vtuntur muſculi ad mouendum.de decre.Hipp. 1ª.234.A
Neruum omnium muſculorum cognoſcere oportet ob vulnera,& ſpicula infixa.3°.de anat.admi. 1ª.77.H
Nerui non tam in muſculos, quam in omnia viſcera ſimili diſtributione diſpenſantur.1°.de ſem. 1ª.332.C
Neruum recipientes partes omnes præter muſculos habent ſenſum, & non motum,& quæ ſint.16°.de vſu par. 1ª.214.H
Neruus,aut lacertus motus non perficiunt,ſed anima.de trem.palp.conuulſ.& rig. 3ª.53.C
Neruis ſubſtantia ſimilis vbi,& qualis.16°.de vſu par. 1ª.216.F
à Neruo potius quàm à carne naſcuntur venæ.de anat.vi. Sp.50.F
Nerui inſunt cuilibet parti capitis,& faciei.9°.de vſu par. 1ª.176.B
Nerui capitis vſq; quo tendant.16°.de vſu par. 1ª.217.A
Neruorum à capite orientium miſcella qualis.de ner.diſ. 1ª.54.A
Neruorum exortus in lateribus capitis.6°.meth.med. 7ª.42.G
Neruus opticus ad oculum venit.de anat.parua. Sp.43.D
Nerui per quam viam veniant ad oculos.9°.de vſu par. 1ª.174.A
Nerui oculorum cur ſint dicti pori.8°.de vſu par. 1ª.167.E
Nerui oculorum,quales.16°.de vſu par. 1ª.215.C/D
Neruus viſorius qualis.7°.de decre.Hipp.1ª.270.G/de ocul. 7ª.183.H
Neruorum opticorum figura.10°.de vſu par. 1ª.182.B
Nerui duo à cerebro ad oculos quales.de ocul. 7ª.183.A
Nerui ſenſifici quales,& qui.7°.de decre.Hippo. 1ª.270.F
Nerui ſenſifici oculorũ principaliores motoribus.9°.de vſu p. 1ª.174.A
propter Neruos ſenſificos totus oculus factus eſt.9°.de vſu p. 1ª.174.A
in Neruis ſenſificis pręcipua viſus pars conſiſtit.9°.de vſu p. 1ª.174.A
Neruus viſorius eſt omnium maximus.7°.de decre.Hipp. 1ª.270.G
Neruus maximus qũo intelligat̃ apud anatomicos.3°.de ana.ad. 1ª.75.C
Nerui optici ſunt omniũ maiores,& molliores.16°.de vſu par. 1ª.215.D
Nerui maiores,& molliores à cerebro immittuntur partibus habentibus ſenſum exactiorem.16°.de vſu par. 1ª.215.C
Nerui oculorum qũo ſint molliſſimi.de ner.diſſ. 1ª.53.C
Neruus oculi maior eſt q̃ neruus oris ventriculi.de inſtr.odor. 1ª.110.G
Neruos magnos particulæ hñtes propter ſenſum.5°.de vſu par. 1ª.145.C
Nerui oculorum vnde oriantur.de ner.diſſ. 1ª.53.C
Nerui optici vnde oriantur.16°.de vſu partium.215.D/7°.de decretis Hippocratis. 1ª.269.H
Neruorum opticorum inceſſus.10°.de vſu par. 1ª.183.E
Nerui optici vnà cum arterijs aſcendunt.16°.de vſu par. 1ª.220.C
Nerui viſibiles quo modo cum alijs conueniant, & ab alijs diſcrepent.de oculis. 7ª.184.A
Nerui viſorij proprietates.7°.de decre.Hipp. 1ª.270.G
de Neruis oculorum res mira,quæ non eſt facilis explicatu.de neruorum diſſectione. 1ª.53.C
Nerui mouentes oculos duri ſunt in anteriori parte cerebri.8°.de vſu partium. 1ª.167.C
Nerui oculorum ſunt craſſiores.de inſtrum.odor. 1ª.110.E
Nerui optici cur craſſi.16°.de vſu par. 1ª.215.D
Nerui optici ſunt pforati.16°.de vſ.p.215.D/7°.de dec.Hip. 1ª.269.H
Neruus oculi eſt concauus.de ocul. 7ª.183.A/F
in Neruo oculorum meatus ſenſibilis.de ner.diſſ.1ª.53.D/1°.de ſymptomatum cauſis. 3ª.16.B
in Neruis oculorum ſolis aperte intus ſenſibilis quidam meatus adeſt.de ner.diſſ.53.D/8°.de vſu par.1ª.167.C/4°.de loc.aff. 4ª.21.G
Neruum oculi concauum eſſe probatur.de ocul. 7ª.184.A
Nerui oculorum foramen vnde patet.7°.de decre.Hip. 1ª.269.H
Neruos oculorum eſſe perforatos quo modo tribus argumentis deprehẽdatur.7°.de decre.Hipp. 1ª.269.H
Nerui optici cur caui.16°.de vſu par.1ª.215.D/de ocul. 7ª.184.F
per Neruum concauum vis viſus deſcendit.de ocul. 7ª.186.B
Nerui aliqui non habent meatus,ſed vis tranſit tanquam ſolis radij per aquam,vel aerem.1°.de ſymp.cau. 3ª.16.C
Nerui optici vtrum iungantur,& quomodo.de ocul. 7ª.184.C
Nerui optici cur vniunt ſuos meatus,poſt iterum ſeparantur.10°.de vſu partium. 1ª.182.B
Nerui optici cur coeant ſm antiquos.10°.de uſu par. 1ª.183.G
Nerui oculi niſi iungerentur res una dupla uideretur.de ocul. 7ª.184.D
Nerui oculorum cur duo,non unus.de ocul. 7ª.184.E
Neruus ſeruãs ſpũm viſibilem cur ppinquior cerebro.de ocul. 7ª.185.A
per Neruos oculorum ſpiritus lucidus.7°.de decre.Hipp. 1ª.269.H
Neruus oculi uenit ad Chryſtallinum corpus ſolũ.de inſtr.odor. 1ª.110.G
Nerui optici cur pertingũt ad vẽtriculũ cerebri.16°.de uſu par. 1ª.215.D
qui Nerui ſm Pelopem in muſculos oculorum diſperguntur.6°.de decretis Hippocratis. 1ª.262.F
Nerui mouentes oculos qũo ſint.de ner.diſſ. 1ª.53.D
Nerui mouentes oculos unde oriantur.de ner.diſſ. 1ª.53.D
Neruus auditorius dr̃,qui uenit ad aures.de anat.parua. Sp.43.D
Nerui auditorij exortus qui,& quorſum tendat.de muſc.diſſ. 1ª.53.G
Nerui aurium quales.16°.de uſu par. 1ª.215.C
Neruus auditorius cur durior, quàm vt actioni conueniat.8°.de uſu partium. 1ª.167.H
Nerui minimi circa aurem.16°.de vſu partium. 1ª.217.A
Neruorum vnum genus in naribus,& auribus.8°.de uſu par. 1ª.166.H
Nerui faciei à cerebro.3°.de loc.aff. 4ª.21.A
Nerui à cerebro ad nares.de inſtrum.odor. 1ª.110.E
Nerui qui præſtant ſenſum gingiuis,& cuti faciei.de ner.diſſ. 1ª.53.F
Nerui dentium ſunt molles,& cur.16°.de uſu par. 1ª.215.A/B
Nerui inſunt aliquibus radicibus dentium.11°.de uſu par. 1ª.186.D
Nerui quibus moueut̃ buccæ,labia maxilla inferior.de ner.diſſ. 1ª.54.G
Nerui q̃ i ſupiorẽ maxillã ferebãtur qũo diuidunt̃.9°.de uſu p. 1ª.173.H
cui Neruo inhereat muſculus maxillam mouens.de ner.diſſ. 1ª.53.G
de Neruis linguæ porci.de anat.parua. Sp.42.G
Nerui,venæ,& arteriæ ita ſunt in lingua,ut in alijs carnibus.3°.de alimentorum facultatibus. 2ª.26.G
Nerui tendentes ad linguam qũo,& quales.8°.de uſu par. 1ª.166.H
Nerui linguæ à cerebro accipiuntur.com.6°.aph.32°. Ex.49.H
Neruorum inceſſus ad linguam.9°.de uſu par. 1ª.173.G
Neruorum duplex genus in lingua,& oculis.8°.de uſu par. 1ª.166.H
Neruorum duo genera habent lingua,& oculi alterũ pro ſenſu,alterum pro motu.1°.de ſymp.cau. 3ª.16.E
Nerui linguæ cur alijs craſſiores.de inſtrum.odor. 1ª.110.E
Nerui ſunt maiores in lingua, & plures,quam exigit corpus linguæ.3°.de alimentorum facultatibus. 2ª.26.G
Nerui tenues ad linguã in quibus ſint aĩalibus.16°.de uſu par. 1ª.216.H
Neruus linguæ cur mollior,quã ut actiõi cõueniat.8°.de uſu p. 1ª.167.H
Neruus idem tangit,& guſtat in lingua.4°.de loc.aff. 4ª.22.G
Nerui a tertia coniugatione dant guſtum, & tactum linguæ.4°.de locis affectis. 4ª.22.G
Nerui,qui in totam linguam.9°.de vſu par. 1ª.175.C
Neruorum coniugatio guſtatoria,quæ.de muſculo.diſſ.1ª.53.F/9°.de uſu partium. 1ª.173.F
Nerui molles dant guſtum.introd. Iſa.54.A
Nerui,qui mittuntur ad uocem,vnde.16°.de uſu par. 1ª.215.H
Neruus a cerebro pro uoce edenda.16°.de uſu par. 1ª.216.H
Nerui recurrentes ad uocem præcipui.4°.de loc.aff. 4ª.26.C
Nerui,quos uocales Galenus uocauit,et recurrẽtes.q.1°.de lo.af. 4ª.6.h
Nerui,qui reuertuntur qũo,& unde reuertantur, & cur alter longiore uia,alter uero breuiore.16°.de uſu par. 1ª.216.A
Nerui reuerſiui unde.de vo.& anhel. Sp.61.B
Nerui uertentes,qui.de compag.memb. Sp.58.H
Neruorum reuerſiuorum quorundam ratio.7°.de uſu par. 1ª.162.C/D
Nerui,qui ad laryngem accedunt.16°.de uſu par. 1ª.216.B
Nerui ad profundam laryngem in quibus animalibus euidentiſſime appareant.16°.de vſu par. 1ª.2[illegible]6.E

per Ne[illegible]os

per Neruos,& ligamenta eſt quædam ſocietas partibus gulæ ad ſpinalem medullam,& membranas,& oſſa vertebrarum,& his, quæ extrinſecus adiacent.com.4°.apho.5°. Ex.31.F
Nerui in partibus,quæ ſub facie,quales.16°.de vſu par. 1ª.217.A
Neruos à cerebro quæ partes ſub facie habeant.16°.de vſu par. 1ª.215.E
Nerui partium ſub facie à ſpina procedunt.16°.de vſu par. 1ª.215.E
de Neruorũ à ſpinali medulla orientium anatomia.de anat.vi. Sp.53.H
Nerui,qui à ſpinali medulla procedunt.de ocul. 7ª.183.G
Neruorum coniugationes à ſpina prodeuntes.13°.de vſu par. 1ª.200.H
Neruos mouentes, qui ex ſpinali medulla procedunt partes ſub ceruice rectæ à voluntate habent.3°.de loc.affect. 4ª.20.H
Neruorũ triginta paria à ſpinali medulla,& q̃,et vbi.de an.vi.Sp.53.H
Nerui ſexaginta è medulla dorſi.7°.de decre.Hipp. 1ª.272.G
in Neruos ſexaginta diuiditur cerebri poſterior pars.2°.de comp. medicamentorum ſecundum locos. 5ª.132.E
præter Neruorũ triginta paria orientium à ſpinali medulla oritur vnus neruus ſine pari.de anat.viuo. Sp.53.H
Neruos comparat paruo fructici.3°.de anato.admi. 1ª.74.F
Nerui ſunt vti virgulta,& vnde oriantur.de anat.viuo. Sp.43.G
in Neruorum coniugationibus differentia animalium habentium collũ longum,& breue.13°.de vſu par. 1ª.202.D
Nerui in ſpinali medulla ſunt iuſtiſſime diſtributi.16°.de vſu p. 1ª.217.A
Neruorum coniugationes à vertebris quo ordine incedant.8°. de anatomicis adminiſtrationibus. 1ª.102.F
Nerui ex lateribus ſpinæ oriuntur.13°.de vſu par. 1ª.202.D
Nerui,qui ſunt in dextera parte,ſunt ẽt in ſiniſtra.9°.de decr. 1ª.284.H
Nerui quatuor ex primis vertebris ſpinæ ad caput aſcendunt. 4°.de locis affectis. 4ª.25.D
Nerui qui à ſpondylis deducuntur.16°.de vſu par. 1ª.217.C
Neruus cur in primo ſpondylo.13°.de vſu part. 1ª.200.D
Neruorum dorſi primi paris egreſſio vbi ſit.de anato.viuo. Sp.53.H
Neruorum dorſi ſecundi paris egreſſio vbi.de anato.viu. Sp.53.H
Neruorum dorſi tertij paris egreſſio vbi.de ana.vi. Sp.54.A
Neruorum dorſi quarti paris egreſſio vbi.de ana.viuo. Sp.54.A
Neruorum dorſi quinti paris egreſſio vbi.de anat.vi. Sp.54.A
Neruorum dorſi ſexti paris egreſſio vbi.de anato.vi. Sp.54.B
Neruorum dorſi ſeptimi paris egreſſio vbi.de anato.vi. Sp.54.B
Neruorum dorſi octaui paris egreſſio.de anato.viuo. Sp.54.B
in Neruis primis vertebrarum cognoſcendis quid obſcuritatem fecerit. de neruorum diſſectione. 1ª.54.A
Neruorum prima coniugatio à ſpinali medulla in collo quo modo procedat.de ner.diſſ. 1ª.54.D
Neruorum colli prima coniugatio in animalibus habẽtibus vertebras paruas parua eſt,vt in ſimijs.de ner.diſſ. 1ª.54.E
Neruorum colli prima coniugatio in animalibus habentibus vertebras magnas magna eſt,vt ſunt animalia habentia dentes ſerratos,& cornigera.de neruorum diſſectione. 1ª.54.E
Neruorum colli ſecunda coniugatio vbi,& q̃uo exit.de ner.diſſ. 1ª.54.E
Neruornm colli tertia coniugatio vbi,& q̃uo exit.dc ner.diſſ. 1ª.54.F
Neruorũ coniugationũ quæ in collo ſunt cõia quædã.de ner.diſſ. 1ª.54.G
Neruorum coniugationum in collo peculiaria.de ner.diſſ. 1ª.54.G
Nerui ad muſculos colli ab inferioribus partibus ſurſum ferũtur. 16°. de vſu partium. 1ª.212.E
Nerui qui non ſeruant eundem ordinem,neq; eundem numerum.3°.16°. de anatomicis adminiſtrationibus. 1ª.74.G
Nerui in quibus flexiones diſcrepantes.16°.de vſu par. 1ª.216.C
Nerui extremarum partium à ſpinali medulla proficiſcũtur. 16°. de vſu partium. 1ª.215.E
Nerui qui ad extremas veniunt manus.13°.de vſu par. 1ª.200.H
Neruos vnde habcant manus.in 6m.dc morb.vul.com.1°. 3ª.130.C
Nerui duo de ſpinali medulla profecti manuũ cutem adeũt, quatuor alij per profundiora in omnes totius membri muſculos diſſeminantur, ac propagines quaſdam tenues cuti tranſmittunt.3°.de ana.ad. 1ª.75.D
Nerui cur à cerebro non mittãtur ad manus,& pedes,neq; ad brachia, neq; ad crura.16°.de vſu par. 1ª.75.D/E
Nerui manus ex medulla ceruicis oriunt̃.ĩ 3m.de mor.vul.c.1°.3ª.127.D
à Neruis q̃bus muſculi manuũ agitent̃.in 3m.de mor.vul.c.1°.3ª.127.D
Nerui ad ſummam manum q̃uo ferantur.16°.de vſu par. 1ª.217.H
Nerui vocati ab antiq̃s digitos mouẽtes ſunt tẽdones.1°.de vſu p.1ª.117.C
Nerui qui perueniunt ad digitos manus.1°.de loc,aff. 4ª.7.C
Neruus ad paruos digitos vnde.16°.de vſu par. 1ª.218.A
Neruus ad magnos digitos vnde.16°.de vſu par. 1ª.218.A
Nerui cur per totam carnem manus ſint diſperſi.1°.de vſu par. 1ª.118.D
Nerui per cutem manus diſperſi dant ſenſum.3°.de loc.aff. 4ª.21.C
Nerui cur maiores ſint in p̃tibus internis manus.16°.de vſu p. 1ª.218.A
Neruorum brachij ſectio.3°.de anato.admi. 1ª.74.F
Neruorum cubiti ſectio.3°.de anat.admi. 1ª.75.D
Neruũ primũ vidit Galenus abſumi ad cubiti flexũ.3°.de an.ad.1ª.75.G
Neruus tenuis ad cubitum.4°.de loc.aff. 4ª.25.B
Neruus validus pro attollendo brachio,qui.16°.de vſu par. 1ª.217.G
Neruus pro attollendo brachio vnde oriatur.16°.de vſu par. 1ª.217.H
Neruus externus vlnæ vnde.16°.de vſu par. 1ª.218.A
Nerui ſub alijs cur tenores vocentur.de artic.com.1°. 7ª.259.B
Nerui thoracẽ mouentes à medulla dorſi oriuntur.de fœt.for. 1ª.324.H
Nerui thoracem mouentes vbi.3°.de loc.aff. 4ª.20.H
Nerui dantes motum thoraci vnde.8°.de decre.Hipp. 1ª.278.B
Nerui quomodo ferantur per thoracem.16°.de vſu par. 1ª.217.F
Nerui,qui ad muſculos perueniunt pectoris, à dorſi medulla oriuntur. de præcog.ad Poſth. 4ª.216.D
Neruorum pectoris primi paris egreſſio ubi.de ana.uiuo. Sp.54.B
Neruorum pectoris ſecundi paris egreſſio ubi.de anato.uiuo. Sp.54.B
Neruorũ paria tria ueniunt ad diaphragma.de uoce,& anhe.Sp.62.A
Nerui diaphragmatis unde producuntur.13°.de uſu par.1ª.202.C/4°.de locis affectis. 4ª.23.H
Neruorum diaphragmatis origo thorace elatior eſt.8°. de anatomicis adminiſtrationibus. 1ª.101.C
Neruus qui dat diaphragmati ſenſum,& motum.de anato.uiu. Sp.53.F
Nerui ultimo loco ĩflant̃,nã prius ĩflatur diaphragma,deĩde venę,deĩde duplex pellis ſpinalis medullæ,& ipſius cerebri.de uti.reſp.Sp.63.E
de Neruis reſpirationis.de cauſ.reſp. 1ª.227.B
Nerui ſimiles habenis in reſpiratione.de cauſ.reſp. 1ª.227.B
quo Neruo aĩal utit̃ in paruis reſpirationibus.8°.de anat.ad. 1ª.101.D
Neruos unde habeat ſtomachus.in 3m.de mor.uul.com.1°. 3ª.130.C
de Neruis qui ueniunt ad uentriculum qua uia incedant, & quo modo. 9°.de uſu partium. 1ª.175.B
Nerui,cã uentriculi ſunt tranſmiſſi deorſum.9°.de uſu par. 1ª.174.H
Nerui quanta ſecuritate deſcendũt ad uentriculũ.9°.de uſu p. 1ª.174.H
Neruus à cerebro ad os uẽtriculi neceſsario accedit.16°.de uſ.p.1ª.215.E
Nerui uentriculi quales.4°.de præſag.ex pulſ. 4ª.120.D
Neruorũ à capite orientium plurima portio in os uentriculi inſeritur. de neruorum diſſectione.1ª.54.C/4°.de loc.affe. 4ª.32.G
Neruorũ portio à cerebro ad partes cæteras uiſcerum, & inteſtinorum mittitur exigua,magna uero ad os uẽtriculi.16°.de uſu par. 1ª.216.E
Nerui à cerebro ad uentriculũ obliqua uia incedũt.6°.de uſu p.1ª.149.g
Neruos habet magnos à cerebro os uentriculi.1°.de ſymp.cauſ. 3ª.17.H
Neruorum à cerebro ad os uentriculi magnitudo.3°.de loc.aff. 4ª.18.C/com.4°.apho.17°. Ex.29.A
Neruorum quædam coniugatio fit ex cerebro in ore uentriculi.commẽtario 6°.apho.50°. Ex.52.F
Neruus ĩ uẽtriculo q̃uo ſentit defectũ cibi,& potus.9°.de uſ.p.1ª.174.G
Neruorũ principiũ cõpatit̃ patiẽte ſtomacho.cõ.7°.apho.10°. Ex.54.F
Nerui aliqui ſunt cõmunes ſtomacho,& hepati.cõ.7°.aph.17°.Ex.55.B
Neruorum portionem quandam à ſexta coniugatione ſuſcipiunt pulmo, & cor.de neruorum diſſectione. 1ª.54.D
Neruos ad cor,& hepar accedere cur fuit neceſſe.16°.de uſu p. 1ª.215.E
per Neruos,pelliculas,& uenas colligantiam habẽt ad cor omnes partes corporis.de util.reſp. Sp.62.G
Nerui annexi arterijs ſoporarijs iungunt cor cerebro.2°.de de. 1ª.239.B
Nerui duo orti à cerebro diuiduntur in quatuor ramos, qui tendunt ſupra coſtas.de uoce,& anhelitu. Sp.61.H
ex Neruis qui tendunt ſupra coſtas unus eorum intrat cor, & pulmonem,alius ſtomachum,tertius reuertitur ad radicem muſculorum epiglottidis.de uoce,& anhelitu. Sp.61.H
Neruus paruus deſcendens à cerebro in cor infigitur.de decr. 1ª.233.H
Neruos multos non habere cor oſtenditur.1°.de decr.Hipp. 1ª.233.H
Nerui multi non ſunt in corde,ſed neruoſæ diſcriminationes.1°. de decretis Hippocratis.233.E/2°. 1ª.240.E
Neruus nullus uidetur in corde,tñ à pericardio aliquis paruus in ipſum deduci uidetur in magnis animalibus.6°.de uſu par. 1ª.155.F
Nerui aliqui parui cur inſunt cordi,pulmoni,iecori,lieni,et renibus. 6°. de uſu partium. 1ª.155.G
Nerui non faciũt ad motum cordis,quia cor mouetur, exemptum ab animali.7°.de anato.admi. 1ª.96.B
Nerui non ueniunt ad muſculos qui ſunt inter coſtas,niſi à ſpinali medulla.de

la.de voce & anhelitu. Sp.62.B
Nerui ad radices coſtarum quales.16°.de vſu par. 1ª.216.E
Neruorum coniugationes ex thoracis vertebris prodeuntium.de neruorum diſſectione. 1ª.54.H
Neruorũ coniugationes ex lũborũ vertebris ꝓdeũtiũ.de ner.diſ. 1ª.55.B
Neruus inſertus vmbilico infantis.intro. Iſa.54.E
Neruorum vſus eſt nullus hepati in fœtu.15°.de uſu par. 1ª.212.F
Neruus cur in iecore.4°.de uſu par.138.F/ 1ª.139.D/E
Neruus ſyncerus cur hepati,& cordi.16°.de vſu par. 1ª.216.E
Neruus iecoris,renum,lienis,& veſicæ fellis quantus, & vbi.5°.de vſu partium. 1ª.145.C
Neruus iecoris cur minimus.4°.de uſu par.139.C/5°. 1ª.145.F
Nerui cur pauci in hepate,liene,& renibus.14°.de uſu par. 1ª.209.D
Neruos paruos cur habeant inſtrumẽta nutritoria.5°.de vſu p.1ª.145.E
Neruus hepatis,renum,& pulmonis in membrana diſpergitur.2°.de locis affectis. 4ª.8.H
Neruum diſperſum per totum quia non habent hepar renes, & pulmo, non ſentiunt pulſationem.2°.de loc.aff. 4ª.9.B
Nerui duo tenues ſunt in pulmone à ſexta coniugatione deducti,& ſuperficiarij,vnde non ſentit.4°.de lo.af. 4ª.25.G
Nerui non ſynceri partibus ſub iecore.16°.de vſu par. 1ª.216.E
Nerui vnde inſint veſicæ fellis.5°.de vſu par. 1ª.145.A
Nerui an in liene,renibus,& pulmone ſint,dubitatur.de mul. 3ª.77.G
Neruos vnde accipiũt partes intra peritonæũ.16°.de vſu par. 1ª.216.F
Neruus vnus in omni reuolutione inteſtinorum.5°.de vſu par. 1ª.145.F
Neruus qui in flexus inteſtinorum it.16°.de vſu par. 1ª.219.A
Neruus ſm latitudinem eſt in duodeno.de anato.viuo. Sp.50.C
Nerui vnde inſint veſicæ vrinæ.5°.de vſu par. 1ª.145.A
Nerui cur magni in veſicis.5°.de uſu par. 1ª.144.H
Nerui vrinæ diuerſi ſunt à neruis ſpermatis.de ſper. Sp.36.B
Nerui orti à ſpina non poſſunt magnam imbecillitatem veſicę inferre. 6°.de loc.aff. 4ª.38.D/E
Nerui ſphincteri,priapi,veſicæ,matricis.de ana.vi. Sp.54.D
Nerui mediocres in pudendis.14°.de uſu par. 1ª.209.B
Nerui duo conuenienter veniunt ad genitalia.14°.de uſu par. 1ª.209.C
Nerui parui in partibus genitalibus.14°.de uſu par. 1ª.209.D
Nerui magni circa pudendum.14°.de uſu par. 1ª.209.D
Neruus ex quo pudendum factum.15°.de uſu par. 1ª.210.D
Neruum cauũ implente ſpũ pudendum intenditur.15°.de vſu p.1ª.210.G
Neruus cauus vbi ſit in pudendo.15°.de uſu par. 1ª.210.H
Neruus fiſtuloſus in priapo.6°.de loc.aff. 4ª.42.A
Neruus fiſtuloſus in priapo extenditur.6°.de loc.aff. 4ª.42.D
Nerui fiſtuloſi motus non ſemper eſt.6°.de loc.aff. 4ª.42.D
Neruus cauernoſus dr̃ genitalis comes.in 6^{m}.de mor.vul.cõ.1°.3ª.153.B
Nerui vtilitas ad pudendum quæ.14°.de uſu par. 1ª.209.D
Neruos duos habent teſticuli pendentes,& deſcẽdentes, à principali oſſe colli,& fundamento corporis per dorſum, & renes qui nerui alios habent neruos cõiunctos alijs oſſibus totius corporis.de ſper.Sp.36.F
Nerui cur pauciſſimi in teſtibus, & matricibus, & ſcroto. 14°. de vſu partium. 1ª.209.D
Nerui cur plures in virga,& collo matricis.14°.de vſu par. 1ª.209.D
Neruos,ſed puſillos habet vterus.in 6^{m}.de mor.vul.com.1°. 3ª.153.D
Nerui,qui primis muſculis dearticulationem coxendicis mouentibus inſeruntur.de ner.diſſ. 1ª.55.C
Nerui femoris qui.3°.de anat.admi. 1ª.78.B
Nerui tibiæ.3°.de anato.admi. 1ª.78.F
Neruorum pedum,& crurum forma differt à forma neruorum brachiorum,& manuum.de anat.vi. Sp.54.D
Nerui à dorſi medulla ad crus delati.de art.com.3°. 7ª.281.F
Neruorũ rõ eadẽ eſt in cruribus,& manibus.16°.de uſu par. 1ª.218.A
Nerui in tarſum excurrentes ad pedis extremum porriguntur.3°.de anatomicis adminiſtrationibus. 1ª.79.C
Neruos,& venas proprias habet ſperma, quæ trahunt à toto corpore ad teſticulos.de ſperm. Sp.36.B
Neruus non continet̃ in pane,qui tñ poſtea in cibo ſumptus,& cõcoctus vertitur in ſanguinem,& cæteros humores.1°.de nat.fac. 1ª.291.B
Neruo difficillimũ ẽ fieri carnẽ ſed ſanguini facillimũ.1°.de ſe. 1ª.332.E
Neruus elixatus ad quam naturam veniat.3°.de ali.fac. 2ª.26.F
NERVORVM ſanitas quid.5°.de decre.Hipp. 1ª.255.B
Neruorum ægritudo quid.5°.de decre.Hipp. 1ª.255.B
Neruorum paſſiones quæ ſint.com.5°.aph.66°. Ex.45.C
Nerui laborarunt in motu.com.5°.aph.1°. Ex.37.C
Neruus vel muſculus ẽ affectus pereũte vna actiõe.4°.de lo.af 4ª.25.C
Neruus quando primo eſt affectus.4°.de loc.aff. 4ª.23.C
Neruus qñ non eſt affectus,cerebrũ tñ eſt affectũ.4°.de lo.aff. 4ª.23.C
ad Neruorum omnem affectionem per conſenſum.8°. de comp.med.ſe.locos.193.B/C/10°.208.A/7°.de comp.med.per gen. 5ª.265.B
ĩ Neruis muſculi eẽ diſpõnẽ ſignificat pulſus ſtupidus.2°.de l.af.4ª.8.H
Neruos infirmos habent pueri.in 1^{m}.de mor.vul.com.2°. 3ª.100.B
Neruorum debilitas eſt in his qui ſtertunt,vel dormientes, vel apoplectici.com.6°.apho.51°. Ex.52.H
ad Neruorum debilitatem.de med.exper. Sp.108.F
Neruorum incontinentia fit à calido.com.5°.aph.5°. Ex.37.G
Neruos,& mẽtẽ ferit vinũ,& acetũ.de vic.ra.in mor.ac.cõ.1°.7ª.113.F
Neruorum ſubſtantia diſſoluitur à calore.com.5°.aph.5°. Ex.37.G
Nerui calefiunt à vino.com.5°.apho.5°. Ex.37.G
Neruos tentant oĩa vina immodica.in 3^{m}.de mor.vul.com.2°. 3ª.138.D
Neruis,& cerebro obſunt pocula multa.in 3^{m}.de mor.vul.c.3°.3ª.151.G
Neruorum principium lædit vinum.3°.de præſag. ex pul. 4ª.118.E
Nerui nonnunq̃ lædũtur à vino rutilo dulci.de bon.& vi.ſuc. 2ª.38.E
Neruos debiles non tangit vinum pauciferum.de venis. Sp.76.C
Nerui quandoq; à vino ſanantur.com.5°.apho.5°. Ex.37.G
Neruos lædit,& cerebrũ debilitat Ven⁹.in 3^{m}.de mor.vul.c.3°.3ª.151.g
Nerui facile refrigerantur,& conuellũtur.de art.com.4°. 7ª.285.C
Nerui frigidi à frigidis læduntur.de vict.ra.in mor.acu.c.3°. 7ª.130.H
Neruis contrarium frigidum.3°.de compo.medic.per genera. 5ª.229.E/com.5°.apho.18°.39.A/aph.22°. Ex.39.F
Neruos offendit potio frigida poſt exercitationem.de ſal.diæ. 2ª.41.C
Neruis noxium acetum.de puero epi.181.C, de fract.com.2°. 7ª.236.A/de diſſ.cont. Sp.74.D
Neruos offendere acetũ probat.de vict.ra.in mor.ac.com.3°. 7ª.130.H
Neruis vbi aliquid timemus,venti cauendi ſunt.de ijs,quæ in med.fiunt commentario 1°. 7ª.201.H
Neruorum refrigeratio fit à frigido.com.5°.apho.17°. Ex.38.H
Neruis inimicus eſt ignis.de art.com.1°. 7ª.259.B
Neruus ſeipſum grauare non poteſt.de mult. 3ª.77.H
cur Neruus palpitare non poteſt.de trem.palp.conuul.& rig. 3ª.52.B
Nerui qua cauſa concutiantur.3°.de loc.aff. 4ª.20.A
Nerui ſua natura nõ dilatãtur,neq; cõſtringũtur.15°.de uſu p. 1ª.210.D
Neruorum contractiones,& extenſiones quo modo fiant, & quot modis.com.4°.aph.49°. Ex.33.C
Nerui trahunt vertebras ad initia,vel ad latus.com.4°.ap.35°.Ex.31.F
in Neruis continuitatis ſolutio conuulſio dicitur.de cauſ.morb.3ª.9.H/4°.meth.med. 7ª.23.B
Neruus poteſt diuidi,& pati ſolutionem vnitatis.de ſymp.diff. 3ª.14.C
circa Neruos,& muſculos fit ſpaſmus,& ſaltus comp.pulſ. Sp.65.C
Neruorum diſtentionem,ſpaſmum vocant græci.de diff.mor. 3ª.3.E
Nerui vbi ſunt,ibi eſt conuulſio.in prognoſt.com.1°. 4ª.191.D
quorum Neruorum ſit conuulſio,& paralyſis.3°.de lo.aff. 4ª.17.C
in Neruorum diſtentione quæ paſſio ſæpe accidat.de diff.morb. 3ª.3.E
Neruorum diſtentiones ſola intemperie aliqui ægritudines vocant.de diff.morb. 3ª.3.F
Nerui ex frigore duritiem quandam incidunt, & diſpoſitionem ſimilem conuulſioni.com.6°.apho.1°. Ex.53.C
Nerui qũo ex repletiõe,& inanitione cõuellãtur.c.5°.aph.1°. Ex.37.D
Nerui tenduntur vt chordæ in cythara.2°.de loc.aff.4ª.11.A/com.5°.aphoriſmo 1°. Ex.37.D
Neruos ceruicis omnes extentos habet tetanus.de muſ.diſſ. 1ª.47.A
Neruorum ſiccitas facit conuulſiones, & diſtentiones difficillimas.comment.7°.aphoriſmo 13°. Ex.54.H
circa Neruos quid faciat conuulſio.2°.de ſymp.cau. 3ª.20.A
Neruorũ diſtentio quæ ſymptomata faciat.de arte cur.ad Glau.7ª.98.B
Neruus,aut muſculus qui partem aliquam mouet eſt affectus conuulſa illa parte.3°.de loc.aff. 4ª.21.C
Nerui citius extenduntur caliditate,& ſiccitate.2°.de ſem. 1ª.339.B
Nerui exiccantur in febribus vehementibus,et faciunt malas conuulſiones.com.4°.aph.66°. Ex.34.E
Neruorum exortus inareſcit cerebro inareſcente.in 6^{m}.de mor.vulgar.commentario 3°. 3ª.170.B
ex Neruis humiditates ad ſe attrahens efficacia pharmaci poteſt facere conuulſionem.com.5°.apho.1°. Ex.37.D
Neruorum ſubſtantia poteſt ex elleboro vehementius exiccari. com.5°.aphoriſmo 1°. Ex.37.D
Neruorum conuulſio moderatiſſima fieri poteſt ex elleboro per co[illegible]pati[illegible]di

tiendi ad os ventriculi ſocietatem.com.5°.apho.1°. Ex.37.C
Neruorum paſſiones inferuntur ob colocynthim.de de dynam. Sp.21.D
Neruis,ac muſculis mouentibus thoracem iam paratis ad cōuulſionē fit reſpiratio,q̄ ī medio ſui īterruptus ſubſiſtit.c.4°.aph.68°. Ex.34.G
Nerui inflāmati frequēter conuulſionē incidūt.cō.6°.aph.49°. Ex.52.E
Nerui inflammati facere ſpaſmum, & alienationem mentis.1°. de motu muſculorum. 1ª.309.A
Neruus debet incidi in ſpaſmo,& alienatione.1°.de motu muſ.1ª.309.A
Neruorum inflammatio ex ictu tardius uenit ad cōſiſtentiam,& tardius ſanatur.com.6°.apho.49°. Ex.52.E
in Neruorum diſtentione multum ſanguinis mittendus non eſt. de arte curatiua ad Glauconem. 7ª.98.B
Neruorum diſtentione,aut conuulſione qui tenetur febre ſuperueniente liberatur.com.4°.apho.57°. Ex.33.F
in Neruorū diſtētione capiti p̄ſidia ſunt adhibēda.3°.de lo.aff. 4ª.17.C
Neruis conuulſis,primis uertebris remedia ſunt adhibenda. 3°. de locis affectis. 4ª.17.C
Nerui cui in capite,vel ceruice, uel ſcapulis contrahūtur,hunc ſanat emplaſtrum dia chryſu.de dynam. Sp.32.C
ad Neruorum contractiones. 6°.de compoſi.medic.per genera. 256.D/ 7°.265.C/ 5ª.270.A/C
ad Neruorū omnem diſtentionem.7°.de comp.med.per gene. 5ª.272.C
ad Neruorū omnem laborem.7°.de comp.med.per gene. 5ª.272.D
in Neruorum diſtentione quidam ſibi linguæ partem anteriorem abſcidit.de diff.mor. 3ª.4.G
NERVI non inflāmātur,ſed dolēt in podagricis.c.6°.ap.49°. Ex.52.E
in Neruis dolores diſtendentes.2°.de loc.aff. 4ª.10.H
Nerui ſunt magni vbi ſentitur dolor uehemens.5°.de uſu par. 1ª.145.D
ex Neruorū acuto ſenſu dolor capitis q̄uo curetur.6°.de ſa.tu. 2ª.98.H
ex Neruorum doloribus animi defectus q̄uo curandus.1°. de arte curatiua ad Glauconem. 7ª.99.G
ad Neruos condoleſcentes.7°.de comp.med.per gene. 5ª.269.G
ad Neruorum dolorem oēm ex conſenſu.7°.dc comp.med. per genera. 265.C/269.H/ 5ª.270.B/C
ad Neruorum dolores.6°.de comp.med.per ge.258.G/7°. 5ª.273.C
ad Neruorum omnem dolorem.7°.de comp.med.ſec.loc. 5ª.185.C
ad Neruos dolentes citra cauſam.6°.de comp.med.per gen. 5ª.260.C
NERVORVM reſolutio quæ proprie ſit.3°.de loc.aff. 4ª.21.C
Neruorum reſolutio,vna eſt ex voluntariæ functionis læſionibus. 2°. de ſymptomatum cauſis. 3ª.19.G
Neruorum reſolutio ex immodico vini potu.3°.de temp. 1ª.22.G
Neruorum reſolutione capiuntur ſenes.2°.de temp. 1ª.16.D
Neruorū reſolutio rōne,non ſenſu cognoſcitur.3°.de loc.affe. 4ª.20.G
ad Neruorū reſolutione prius tentatos.7°.de cōp.med.p gene.5ª.270.E
ad Neruorum reſolutionem.7°.de comp.med.per gen. 5ª.273.B
in NERVIS fiūt ganglia à frigido.in 6^{m}.de mor.vul.c.3°. 3ª.172.G
Neruorū paſſionibus frigidis cōferēs medicamē.de me.exper. Sp.104.E
Neruorum motus ceßat,cum corpus frigore,aut veneno frigefactum eſt. 8°.de decre.Hippo. 1ª.277.E
Neruorum principium patitur in ſtupore,vel principaliter, uel ſecundū compaſſionem.com.5°.aph.5°. Ex.37.G
Nerui replenī ex frigidis,& glutinoſis hūoribus.c.2°.ap.26°. Ex.16.B
ad Neruos à venis materiæ tēdētes tumores faciūt.c.2°.a.26°.Ex.48.f
ex Neruis ad arterias,& venas noxij humores ducuntur,& è contra. com.6°.aphor.26°. Ex.48.G
NERVVS affectus curatur diuerſo modo quam caro, & cartilago. de de voce inſtr.diſſ. 1ª.106.C
in Neruis quæ ſunt vt euacuentur, quomodo exhibendum Caſtoreum. 11°.de ſimp.med.fac. 5ª.80.C
Neruorum longinqua vitia,quæ nimis doloribus contrahunī,caſtoreum elimat.de ſimp.med. Sp.81.H
Nerui quibus affecti ſunt,ijs præbetur Centaurij minoris ſuccus. 7°. de ſimp.med.fac. 5ª.50.H
Neruorū,eorumq́, paſſionū purgatiua eſt colocynthis.de dyn. Sp.21.D
circa Neruos conſiſtentibus affectibus conuenire creditur Peucedanū. 8°.de ſimp.med.fac. 5ª.58.D
Nerui quibus affecti ſunt,ijs exhibetur decoctum radicis Poterij. 8°.de ſimp.med.fac. 5ª.57.A
Neruis ligatis aut ſectis quid ſequatur.de fœt.for. 1ª.324.D
Neruus,quo ligato animal ſtatim mutum efficitur.de ner.diſſ. 54. B/ 8°. de anato.admi. 1ª.101.B
Neruo quibus affectibus læſo impediatur motus, & ſenſus. 1°.de motu muſculorum. 1ª.309.A
ex Neruorum læſione muſculi priuātur motu.8°.de ana.adm. 1ª.101.E
ex NERVI percuſſione fit animi defectus.1°.de arte cu.ad Gl.7ª.98.G
Neruis affectis p ſympathiā patiī principiū.3°.de cō.me.per ge.5ª.251.E
cum Neruis cerebrum patitur.de fract.com.2°. 7ª.235.C
ad Neruos percuſſos.5°.de comp.med.per gen. 5ª.247.E
NERVIS denudatis quæ cauenda.3°.de comp.med.per ge. 5ª.232.C
Neruus nudatus q̄uo regi debeat.3°.de comp.med.per gene. 5ª.232.C
Neruo nudato intētio eſt exiccare ſine mordicatione.6°.me.me.7ª.38.B
in Neruis detectis vtaris parum adſtringentibus cum digerendi uirtute,ſine morſu.3°.de comp.med.per gene. 5ª.234.F
in Neruis idem valet cum Iſide Aegyptia medicamentum ex radice dracunculi.3°.de comp.med.per gen. 5ª.229.D
in Neruo detecto calx clota.6°.meth.med. 7ª.38.B
pro Neruo nudato calx lota,& pompholyx elota.6°.meth.me.7ª.38.C
Neruo denudato q̄d medicamētū cōueniat. 3°.de cōp.med.p g.5ª.232.G
in Neruis nudis metalla conueniunt.3°.de comp.med.per gen.5ª.235.A
pro Neruo detecto medicamentum ex pompholyge in roſaceo. 6°. methodi medendi. 7ª.38.B
pro Neruis detectis cmplaſtrum.3°.de com.med.per gen. 5ª.229.D
pro Neruis detectis mellis emplaſtrum.6°.meth.med. 7ª.38.C
ad Neruos detectos euphorbium.3°.de comp.med.per gene. 5ª.229.D
Neruo nudo oleum non debet poni.6°.meth.med. 7ª.38.D
in Neruo apparente quo vtitur paſtillo.3°.de cōp.med.p gen. 5ª.229.D
in Neruo apparente vtitur ſapa.3°.de compo.med.per gen. 5ª.229.D
pro Neruis detectis terebinthina elota.6°.meth.med. 7ª.38.C
ad Neruos ſimul denudatos.6°.de comp.med.per gen. 5ª.258.D
NERVVS inciſus nullam habet propriam appellationem. 6°. methodi medendi. 7ª.36.G
Neruo,qui in muſculum venit vulnerato,muſculus motu, & ſenſu priuatur cum ipſo vero,& q mouetur articulus.de conſt.ar. Iſa.36.H
Neruus ſi fuerit inciſus ſenſu,ac motu ſtatim priuatur particula. de neruorum diſſectione. 1ª.53.B
Nerui omnes qui valentes ſenſum adiuuant,ijdem vitiati offendunt ſenſum.1°.de ſymp.cauſ. 3ª.16.E
Neruos duros tantūmodo habentia membra q̄uo vel ſolo motu, vel ſolo ſenſu priuari queant.1°.de ſymp.cau. 3ª.16.E
Neruis quæ mouentur particulæ duplici noxa lædi poſſit ſi nerui patiantur.1°.de ſympt.cau. 3ª.16.E
Neruo abſciſſo non mouebitur muſculus.de voce,& anhel. Sp.60.F
Neruo perueniente ad muſculum intus abſciſſo muſculus videtur extenſus,& ita ſemper permanere.1°.de motu muſc. 1ª.311.G
Neruo inciſo vis amplius non tranſmittiī à cerebro.de ocul. 7ª.184.H
ſi Neruum præcidas,tota ea pars, quæ à continuitate cerebri per ſectionem fuerit ſeparata illico ſtupida efficitur.7°.de decre. 1ª.270.E
Neruis præcluſis quid ſequatur.6°.de decr.Hip. 1ª.261.G
Neruo obſtructo animalis virtus impedietur,ſi quidem meatum aliquē tanq̄ certam viā à cerebro p neruū habeat.1°.de ſym.cauſ. 3ª.16.C
Neruis prçciſis ſuperiorum partium functiones ſeruantur inferiorum vero deperduntur.de conſt.ar. Iſa.37.A
Neruus craſſior,& durior impedit tranſitum virtutis à cerebro. 1°. de ſymptomatum cauſis. 3ª.16.C
Neruus quibus de cauſis craſſeſcat.1°.de ſympt.cauſ. 3ª.16.C
ad Neruorum craſſitiem.7°.de comp.med.per genera. 5ª.267.C
ad Neruos craſſos.7°.de comp.med.per gene.268.F/ 5ª.273.G
Neruus quibus de cauſis dureſcat.1°.de ſymp.cauſ. 3ª.16.C
Neruorum durities bdelium emollit.de ſimp.med. Sp.81.C
Neruorum duritiem lilium emollit.de ſimp.med. Sp.86.D
Neruorū vitijs diuturnis,& induratis oleū pdeſt.de ſimp.me. Sp.88.D
Nerui viſiui imbecillitas duplex.de ocul. 7ª.186.B
Nerui oculorum quomodo cognoſcuntur mollificati.de ocul. 7ª.187.G
Neruis colli præciſis quid ſequatur.2°.de decr.Hipp. 1ª.239.B
quibus Neruis exciſis vox penitus amittatur.1°.de loc. affect. 4ª. 6. H/ de præcogn.ad Poſth. 4ª.216.D
Neruis exiguis in dorſo interceptis laqueo vox perit. 8°. de anatomicis adminiſtrationibus. 1ª.100.G
Neruis inter coſtas prope ſpondylos læſis vox,& anhelitus deſtruetur. de voce,& anhel. Sp.60.E
Neruus qui laqueo captus mutum animal reddit.de ner.diſſect. 1ª.54.B
Neruos recurrentes puero quidam læſit ſtrumas euellens, & mutū reddidit puerum.1°.de loc.affect. 4ª.7.A
Nerui recurrentes ob imperitiā q̄nq; diuelluntur.4°.de loc.aff.4ª.26.C

Nerui recurrentes quando inciduntur.4°.de locis affectis. 4ª.26.C
Nerui recurrentes infrigidati non lædunt.4°.de loc.affect. 4ª.26.C
p *Neruorũ ſeptimã cõiugationẽ motus linguæ vitiat.de lo.aff.* 4ª.23.B
per *Neruorum tertiam coniugationem ſenſus linguæ poteſt vitiari.4°. de locis affectis.* 4ª.23.B
Neruis thoracis præciſis cor reſpiratione priuat.de fœt.for. 1ª.324.H
Neruis cerebri,& cordis læſis animal fit mutum.2°.de decre. 1ª.235.B
Neruum aliquem ex his, qui à medulla ſpinali naſcuntur, quando periculum eſt abrumpi.com.7°.aph.58°. Ex.59.C
Nerui medulla præciſa quid ſequatur.7°.de decre.Hippo. 1ª.272.G
Neruorum,& ſpinę læſioris differentiæ.1°.de loc.aff. 4ª.7.E
Neruus affectus circa regionem ſequẽtẽ ſpinã.1°.de loc.affect. 4ª.7.G
Neruis aliquibus pereuntibus, quæ manus operationes pereunt.3°. de anatomicis adminiſtrationibus. 1ª.77.G
Nerui primi à ſeptima vertebra inflammati auferunt ſenſum digitis.1°. de locis affectis. 4ª.7.B/C
Nerui quo reddãtur luxatis, aut fractis oſſibus.1°.de ſymp.cau. 3ª.16.C
Neruorũ curuaturis aptiſſimus eſt leonis adeps.11°.de ſim.m.f. 5ª.79.B
Neruus abſciſſus non coaleſcit.com.7°.apho.28°. Ex.55.H
Nerui,& neruoſę ptes nõ coaleſcũt, neq; augent.c.6°.ap.19°. Ex.48.B
Neruus nunquam, vel raro viſus eſt renaſci in magnis vulneribus.1°.de ſemine. 1ª.332.H
Neruus vulneratus cur non creſcit.de cõſt.ar.37.E/1°.de ſem. 1ª.332.D
in *Neruis vlcera ſunt doloroſa ſpaſmoſa,& deliria facientia.4°. methodi medendi.* 7ª.28.B
Nerui faucij.3°.de comp.med.per genera. 5ª.229.B
NERVI *vulnerati curatio.6°.meth.med.* 7ª.37.H
Nerui vulnerati quo ab antiquis curarẽtur.3°.de cõ.me.per ge. 5ª.231.C
Neruorum medicamenta à nullo ante Galenum inuenta.6°.de compoſit. medica.per genera. 5ª.257.D
Neruorum ſauciatorum curationis inuentor Galenus.7°.de compoſi.me dic.ſec.loc.5ª.167.H/6°.meth.med. 7ª.37.C
Neruorum curationem excogitauit Galenus vigeſimo octauo anno ætatis ſuæ.3°.de comp.med.per gene. 5ª.231.B
Neruorum curationis modum Galenus primus auſus eſt immutare.3°. de comp.medic.per gene. 5ª.229.A
ad *Neruorũ vulnera Galenus inuenit medicamenta.6°.me.m.* 7ª.37.E
Neruorum curationem Galenus inuenit Deorum prouidentia.3°.de compoſi.medic.per genera. 5ª.234.F
à *Neruorum Galeni curatione omnes ſeruabantur.3°.de compoſitione medicamen.per genera.228.B/* 5ª.231.C
Neruos vulneratos qui ſemper ſanabit.3°.de cõp.med.per ge. 5ª.232.A
Neruorum vulneratorum curatio ſecundum Galenum.3°.de compoſit. medic.per genera.228.B/ 5ª.229.E
Neruorum vulnera qui curat, partium corporis naturas ſciat.3°.de cõpoſit.medic.per genera. 5ª.231.B
Nerui vulnerati debent ſæpe curari.3°.de com.me.per gene. 5ª.232.D
Neruorũ vulneribus quæ ſimplicia valent.3°.de cõp.me.p ge. 5ª.230.H
in *Neruis vulnera cur non ſunt frigidis contingenda.6°.me.m.* 7ª.38.C
in *Neruorum vulneribus aquam reiecit.3°.de compoſi.medicamentorum per genera.229.F/* 5ª.231.C
Neruo vulnerato aqua inimica eſt.6°.meth.med. 7ª.38.E
Neruis vulneratis aqua calida inimiciſſima.6°.meth.med. 7ª.37.D
Neruis non omnino vtile eſt tepens.3°.de comp.med.per gen. 5ª.229.E
Neruorũ vulneribus quæ cõueniũt in gñe.3°.de cõ.me.per ge. 5ª.230.G
in *Neruorum vulneribus calida ſemper applicanda.3°.de compoſi.medicament.per genera.* 5ª.229.H
in *Neruorum vulneribus calx lota.6°.meth.med.* 7ª.37.E
ad *Neruorum vulnerationes congruit coccus.7°.de ſim.me.fa.* 5ª.51.H
pro *Neruis vulneratis emplaſtrum Galeni ex euphorbio, cera reſina fricta,& pice.6°.methodi medendi.* 7ª.37.F/G
in *Neruorum vulnere euphorbium.3°.de comp.med.per ge.* 5ª.230.A
in *Neruorum vulneribus quibus farinis vſus eſt Galenus.3°.de comp. medicament.per genera.* 5ª.229.H
in *Neruo vulnerato farina hordeacea leuat à putrefactione.6°. methodi medendi.* 7ª.37.F
in *Neruo vulnerato leuat à putrefactione farina erui cum lixiuio.6°. methodi medendi.* 7ª.37.F
ad *Neruos vulneratos valent herbæ tenuium partium.3°.de compoſit. medicament.per genera.* 5ª.234.B
Neruos vulneratos nihil iuuant, quæ ſunt craſſarum partium.3°.de compoſi.medicam.per genera. 5ª.234.C
ad *Neruos vulneratos valent amaræ herbę ſine adſtrictione, vel acres. 3°.de compoſi.medi.per gen.* 5ª.234.B
ad *Neruos vulneratos herbæ.3°.de comp.med.per genera.* 5ª.234.B
in *Neruorum vulneribus danda opera eſt, vt lana permaneat calida. 3°.de compoſi.med.per genera.* 5ª.229.F
ad *Neruorum diuiſiones competit radix liliorum cum melle.7°.de ſimplic.medica.faculta.* 5ª.53.B
Neruis diuiſis conueniuut lumbrici.11°.de ſimp.med.fac. 5ª.82.E
ad *Neruos vulneribus quod medicamentum præſtantius.3°.de compoſ. medic.per genera.* 5ª.232.C
Neruorum medicamentum ſiccum temperatum in actiuis qualitatibus. 3°.de compoſi.med.per genera. 5ª.228.C
in *Neruo vulnerato medicamentum ad putredinem extemplo factum. 6°.methodi medendi.* 7ª.37.F
Nerui vulnerati quærũt ſubtilia medicamẽta.3°.de cõ.m.p ge. 5ª.234.C
ad *Neruos vulneratos medicamentum odoratum,& ſumptuoſum.3°. de compoſit.medicam.per genera.* 5ª.234.D
ad *Neruos vulneratos medicamenta ex metallis.3°. de comp.medicamentorum per genera.* 5ª.232.B
in *Neruorum vulneribus metalla adſtringentia vitanda.3°. de compo. medicament.per genera.* 5ª.232.B
ad *Neruos metallicum validiſſimum.3°.de comp.med.per ge.* 5ª.232.E
Neruorum vulnus à principio, niſi adeſt ſanguis, oleo eluendum.3°.de comp.med.per genera. 5ª.229.F
ad *Neruorum vulnera oleũ ex nucibus valet.7°.de ſim.me.fa.* 5ª.50.B
Neruis affectis oxymeli nõ cõuenit.de vict.ra.in mor.ac.cõ.1°. 7ª.113.C
pro *Neruis oleũ nõ ſit adſtringẽs.3°.de comp.med.per gene.* 5ª.229.G
in *Neruorum vulneribus quando oleum debet eſſe vetus.3°.de compo. medicamentorum per genera.* 5ª.229.H
pro *Neruorum vulnere oxœleum.3°.de comp.med.per ge.* 5ª.229.H
in *Neruorum vulnere pix liquida cum fermento.3°.de compoſi.medicamen.per genera.* 5ª.229.H
Neruos inciſos glutinare creditur Poterium.8°.de ſimp.me.fa. 5ª.57.A
ſupra *Neruorũ vulnus ppolis,& fermentũ.3°.de cõp.m.p.g.* 5ª.229.G
ad *Neruos vulneratos radices.3°.de comp.med.per gen.* 5ª.234.B
in *Neruorum vulneribus ſapa valet.3°.de comp.med.per ge.* 5ª.232.C
Neruorum vlcera ſapa detergenda.6°.meth.med. 7ª.38.D
ad *Neruos,& muſculos abluendos.2°.de cõp.med.per gene.* 5ª.223.B
in *Neruorum vulneribus ſtacte.3°.de comp.med.per gen.* 5ª.229.H
ad *Neruorum vulnera valet ſulphur.3°.de com.med.per ge.* 5ª.230.F/ 6°.methodi medendi. 7ª.38.E
pro *Neruorum vulnere tithimali ſuccus.3°.de cõ.me.per ge.* 5ª.229.H
ad *Neruorum vlcera vinum dulce.6°.meth.med.* 7ª.38.E
Neruis vinum non adhibendum, quare nec acetum vinoſum.3°.de compoſi.med.per genera. 5ª.229.G
in *Neruis quo modo vtatur aceto.3°.de compo.med.per gen.* 5ª.229.E
in *Nerui vulnere trãſuerſo maior timor cõuulſionis.6°.me.m.* 7ª.38.F
Nerui vulneris per tranſuerſum curatio.6°.meth.med. 7ª.38.F
Nerui contuſi quomodo curentur.6°.meth.med. 7ª.38.G
cum *Nerui vulneratione,& contuſione vulnus glutinat caro ſola lima cium in ipſa impoſita.11°.de ſimp.med.fac.* 5ª.78.G
Neruorum contuſionibus,& vulneribus farina fabacea imponitur.7°. de ſimp.med.fac. 5ª.53.D
in *Neruorum contuſionibus dolentem partem non putreſcentem oleo calente perfunde.3°.de comp.med.per genera.* 5ª.229.A
in *Neruorum contuſionibus putreſcens pars cataplaſmate ex lixiuia ſtillatitia,& farina hordei fouetur.3°.de com.med.per ge.* 5ª.229.A
ad *Neruorũ cõtuſiones proprie facit emplaſtrũ barbarũ.de dy.* Sp.35.F
Neruorũ vulneribus anguſtis quæ aptiora.3°.de cõ.me.p ge. 5ª.232.C/D
ad *Neruos vulneratos.1°.de comp.medic.per genera.214.F/3°.230.F/ 5°.248.D/6°.* 5ª.255.B
ad *Neruos preciſos.2°.de compoſi.med.per gene.225.E/3°.235.B/C/4°. 243.F/5°.246.H/248.H/249.B/250.D/* 5ª.258.F
Neruus nigrefactus excidet.de fract.com.3°. 7ª.244.A
Neruus nigrefactus nõ eſt acribus curãdus.de fract.com.3°. 7ª.244.A
ad *Neruos perditos.5°.de comp.med.per gen.* 5ª.250.G
ad *Neruorum deſperatos affectus.7°.de comp.med.per gen.* 5ª.272.C
in *Neruo vulnerati caſus.de pco.ad poſt.4ª.216.A/6°.me.m.7ª.37.H*
à *Nerui vulnere cuiuſdam, qui nimis cito domũ exiuit, caſus.3°.de compoſi.med.per genera.* 5ª.229.F
NERVI *punctura facit conuulſionem. ars med.Iſa.70.A/3°.methodi medendi.* 7ª.[illegible].H

Neruorum punctorum curatio.6°.meth.med. 7ª.37.D
in Nerui punctura locus aperiendus eſt.ars med. Iſa.70.A
Neruus anguſtæ punctus q̃uo curandus.3°.de com.med.per ge.5ª.231.G
Neruorum punctus quæ requirant.6°.de cõpo.med.per gen.5ª.258.D/E
in Nerui puncturæ initio ſine phlegmone quæ conueniunt.3°.de compoſit.med.per genera. 5ª.235.A
in Neruis punctis inciſio fieri debet, & quomodo.3°.de compoſi.medicamen.per genera. 5ª.231.H
in Neruorum puncturis acrioribus medicamentis vtaris, quæ ſeruent apertum vulnus.3°.de compo.med.per gene. 5ª.234.F
in Neruorum puncturis quæ digerentia conueniunt.3°.de compoſitione medica.per genera. 5ª.235.A
in Neruis pũctis quæ mitigatoria cõueniãt.3°.de cõ.me.per g. 5ª.235.A
Neruo puncto metalla non conueniunt,niſi præparata 3°.de compoſitio.medicament.per genera. 5ª.234.H
Neruus punctus ex euphorbio ſanatur.3°.de cõp.me.per ge. 5ª.233.B
ad Neruorum puncturas.2°.de compoſi.medica.per genera.223. B/3°.235.E/4°. 5ª.244.C
in Nerui punctura caſus.6°.meth.med. 7ª.37.B
ad Neruos intercoſtales ſcalpelli myrtei forma.8°.de ana.ad.1ª.101.A
ad Neruorũ affectiões.3°.de cõp.med.ſe.loc.143.G/7°.272.G/5ª.274.E
ad Neruorum omnem diſpõnem.7°.de comp.med.per ge. 5ª.271.D/E
NERVORVM ſutoria ars dicitur,quæ calciamenta fracta reſtituit.ad Thraſyb. 2ª.102.C
NESTOR dominabatur iracundiæ.3°.de decre.Hipp. 1ª.242.G
NEVRAS,id eſt Poterium.8°.de ſimp.med.fac. 5ª.56.H
Νεῦρον quid.1°.de mot.muſ. 1ª.308.H
ad NEVROTATA, id eſt neruorum vulnera, oleum ex nucibus valet.7°.de ſimp.med.fac. 5ª.50.B
Neurotroti id eſt nerui ſaucij.3°.de comp.med.per gen. 5ª.229.B
NEVTRALITATEM præſentem ſigna oſtendentia. ars medicinalis. Iſa.67.D
NEVTRVM dari ex argumento aliquorum.de opt.ſect. Iſa.26.D
Neutrum quid ſit.introductio. Iſa.51.H
Neutri definitionem,qua Galenus vtitur in principio artis medicæ, acceptam eſſe ab Herophylo collige.1°.de ſimp.med.fac. 5ª.6.D
Neutrũ in corporibus affectis eſt ſm Herophilum.6°.de ſa.tu. 2ª.95.F
Neutra dicuntur de corpore, de cauſa,& de ſigno ars med. Iſa.62.A
Neutri diuiſio.ars med. Iſa.62.B
Neutra quo modo diſtinguantur.ars med. Iſa.62.H
Neutrum primi ſignificati quid.ars med. Iſa.62.D
Neutrum ſimpliciter quid.1°.de ſimp.med.fac. 5ª.6.B
Neutrum ſimpliciter primi ſignificati quid.ars med. Iſa.62.D
Neutrum vt nunc primi ſignificati quid.ars med. Iſa.62.D/E
Neutrum ſimpliciter ſemper primi ſignificati quid.ars med. Iſa.62.D
Neutrum ſimpliciter multum primi ſignificati quid.ars med. Iſa.62.E
Neutrum ſecundi ſignificati quid.ars med. Iſa.62.E
Neutrum ſemper ſecundi ſignificati quid.ars med. Iſa.62.E
Neutrum ſimpliciter ſecundi ſignificati quid.ars med. Iſa.62.E
Neutrum vt multum ſecundi ſignificati quid.ars med. Iſa.62.E
Neutra ſunt Corpora quæ debent cadere in ægritudinẽ.ars me.Iſ.67.D
Neutrumvt nunc corpus quid.ars med. Iſa.62.E
Neutri ſunt à cane rabido morſi,& venenati.de par.art.me. Sp.17.E
Neutrum tertij ſignificati quid.ars med. Iſa.62.E
Neutra ſigna quę.ars med.62.E/ Iſa.68.A
Νεύειν quid ſignificat.1°.de mot.muſ. 1ª.308.H
NEVOS in facie detergit Polygonatũ.8°.de ſimp.med.fac. 5ª.58.H
Neuos extergit vitis agreſtis.6°.de ſimp.med.fac. 5ª.42.F
NEXVS qui in deligatis neruis cito ſoluitur.8°.de ana.ad. 1ª.100.F
Nexus cęcus ægre ſoluitur.8°.de anato.admi. 1ª.100.G
NICERATI eclegma.7°.de compoſitione medicament.ſec.loc. 5ª.185.E
Nicerati errhinum.9°.de comp.med.ſec.loc. 5ª.198.A
Nicerati pharmacum ciens vrinam.9°.de compo.med.ſec.lo. 5ª.197.H
Nicerati pharmacum.7°.de comp.med.ſec.loc.186.F/8°. 5ª.192.H
NICODEMVS Romæ medicus.9°.de comp.med.ſec.loc. 5ª.205.C
Nicodemi abderitani caſus.in 3ᵐ.de morb.vul.com.3°. 3ª.150.E
NICOLAI medicamentum.5°.de comp.med.per gen. 5ª.251.G
NICOMACHVS tantum creuit, vt non poſſet corpus mouere. de differentiis morborum. 3ª.5.B
Nicomachi viride.5°.de comp.med.per genera. 5ª.249.E
NICOMEDES rex qua antidoto vtebatur.2°.de antid. 5ª.114.G
NICOSTRATI ad aquarum formidinem.2°.de antid. 5ª.120.G
vt Nicoſtratus colica.9°.de ſimp.med.fac. 5ª.202.B
Nicoſtrati dolorem ſedans.7°.de comp.med.per genera. 5ª.267.A
vt Nicoſtratus ſtomachica.8°.de compoſi.med.ſec.loc. 5ª.189.B
Nicum,& Helenium idem eſt.de theria.ad Piſon. 5ª.93.H
NIDOREM quo modo amittit abſinthium.8°.meth.med. 7ª.53.B
NIDOROSI ructus quibus accidant.2°.de alim.fac. 2ª.17.C
in Nidoroſam qualitatem ciborum conuerſio calidiorum ventriculorũ inditium.in 6ᵐ.de morb.vulg.com.4°. 3ª.186.D
NIDVS hirundinũ ſylueſtriũ qualis.6°.de cõp.med.ſe.lo. 5ª.174.H
NIGELLA in tertio ordine eſt calida,& ſicca.7°.de ſimplicium medicament.fac. 5ª.55.C
Nigella catharros ſanat,flatus extinguit lumbricos interimit, lepras, clauos,myrmecias eijcit,orthopnœam iuuat,et menſes prouocat.7°. de ſimpl.medic.facul. 5ª.55.D
Nigella ad abolendum colorem in facie icterici.de cura icteri. Sp.111.F
Nigella medicamentum ad odoratum.de inſtr.odor. 1ª.111.B
Nigelle paulum ad cerebri ventriculos peruenit.de inſtr.odor. 1ª.111.B
NIGER ſcriptor ſimplicium medicamentorum.1°.de antid. 5ª.100.B
per NIGRVM an pura qualitas,vel etiam corpus ſubiectum intelligatur.1°.de elimentis. 1ª.6.A
Nigrum craſſarum eſt partium.1°.de ſympt.cauſ. 3ª.17.A
ad Nigrũ rẽ vergere quid ſignet.de vict.rat.in mor.a.c.2°. 7ª.124.A
Nigris,& albis alcolis confert ſuccus centaureæ.de virt.cent. Sp.93.D
Nigra cur ſit atra bilis.de mel.ex Gal.Ruf.& Poſſ. Sp.109.F
Nigra Bilis,& melãcholicus humor q̃uo differãt.14°.met.me. 7ª.89.E
Nigra bilis duplex eſt.14°.meth.med. 7ª.89.E
Nigros capillos habet conceptus in horis melancholiæ.de ſper. Sp.37.C
Nigros facere capillos in quas ægritudines inducat.1°.de compoſit.medicament.ſec.locos. 5ª.125.G
Nigri cur ſint Carbones.de mel.ex Gal.Ruff.& Poſ. Sp.109.F
Nigra eſt Caro ſplenis.de anato.viuo. Sp.55.H
Nigra eſt caro in ſplene,& in vua.de anat.viuo. Sp.44.D
Nigra cicera mundificant renes, & frangunt lapidem generatum in eis. de diſſolutione continua. Sp.74.F
Niger color pathema & paſſio viſus.de cauſ.mor. 3ª.10.D
Niger color cur non eſt iucundus viſui.1°.de ſym.cauſ. 3ª.17.A
Nigerrimũ minus obeſt viſui, q̃ ſplendidiſſimum.1°.de ſym.cau. 3ª.17.A
Nigra lumen coadunat.de ocul. 7ª.183.C
Niger color confert lippientibus.de ſubſ.emp. Iſa.32.B
Niger,& liuidus color cõtrarius eſt flauo,& pallido.13°.m.m. 7ª.87.E
Nigri veluti principium eſt viride.de vrin. 4ª.130.E
Nigrum,& liuidum colorem facit frigus.de melanch.ex Galeno,Ruf. et Poſſidonio. Sp.109.F
Niger color atram bilem purgandam indicat.14°.meth.med. 7ª.93.D
Niger color cur in acutis.in prognoſt.com.1°. 4ª.191.D
Niger color quo modo fiat toti corpori ex liene.de attrab. 1ª.36.A
Nigrum fit corpus liene peccante.6°.de loc.affect. 4ª.36.A
Nigræ Deiectiones quales, & quo modo diſcernantur ab atra bile, & quo modo generantur.com.4°.apho.21°. Ex.29.E
Nigra deiectio mortẽ ſignificat.de vict.rat.in mor.ac.cõ.4°. 7ª.142.D
Nigræ deiectiones.in 1ᵐ.de morb.vul.com.3°. 3ª.126.H
Nigra in principio mala,in vigore autem morbi expurgamentum ſunt commen.4°.aphoriſ.21°. Ex.29.E
Nigra ſi euacuẽtur ꝑ hæmorrhoidas,malũ.com.4°.apho.25°. Ex.30.B
Niger Elleborus educit atram bilem.de cathar. Sp.94.G
Niger elleborus purgat ſplenem.de cathar. Sp.95.C
Niger elleborus purgat matricem.de cathar. Sp.95.C
Niger elleborus purgat per ſeceſſum.de cathart. Sp.94.F
Nigriores mulieribus ſunt plerũq; hoĩes.in 6ᵐ.de m.vul.c.2°. 3ª.169.B
Nigri ſunt temperamento ſicci.de ſal.diæ. 2ª.40.E
Nigri debent fere ſemper vti victu humidiori.de ſal.diæ. 2ª.40.E
Nigri homines macri hirſuti,& latas venas habentes aptiſſimi ſunt, vt melancholici humores in ipſis cumulentur.3°.de loc.affe. 4ª.18.E
Nigri in ſole æſtiuo cur fiant homines.in prognoſt.com.2°. 4ª.200.H
Nigræ mulieres.in 6ᵐ.de morb.vulg.com.1°. 3ª.156.C
Nigri quando moriebantur.in 1ᵐ.de mor.vulg.com.2°. 3ª.115.B
Nigræ quo modo fiant partes noſtri corporis.de vrin. 4ª.130.D
Niger humor quo modo fiat.in progn.com.2°. 4ª.202.E
Nigris in Icteritijs bibitur chelidoniæ ſuccus.de ſimp.med. Sp.82.B
ad Nigram icteritiam.ſecretorum. Sp.99.D
ad Nigras Maculas remedium.de dynam. Sp.25.F

Nigra quæ ſint Medicamenta.2°.de comp.med.per gene. 5ª.221.E/F
Nigra pharmaca ſanant capitis mala,& canum morſus.intr. Iſa.58.B
Nigrum ex duplici Ariſtolochia.5°.de comp.med.per gene. 5ª.247.B
Nigrum catagmaticum optimum.2°.de comp.med.per gen. 5ª.225.D
Nigrum Iceſium.5°.de comp.med.per gene. 5ª.247.A
Nigrum ex pyrite lapide.4°.de comp.med.per gene. 5ª.243.D
ad Nigram Morpheam trociſci.de dynamidijs. Sp.25.F
ad Nigram morpheam albam,& ſerpiginē remediũ.de dyna. Sp.25.G
in Nigrã,et albã media Nubes q̃uo fiat.in 1^{m}*.de mor.vul.c.1°.* 3ª.104.C
Nigros Oculos habet conceptus in horis melancholiæ.de ſperm. Sp.37.C
Nigros hñtes oculos q̃n moriebãtur.in 1^{m}*.de mor.vulg.com.2°.* 3ª.115.D
Nigrum Papauer purgat pulmonem,& thoracem.de cathart. Sp.95.B
Nigri pedes minus peſtiferi,quàm liuidi.in progn.commen.2°. 4ª.198.G
Nigrum Piper purgat nares.de cathar. Sp.95.B
Niger,et albus Pulſus dr̃ ſicuti nigra,et alba vox.3°.de dif.p. 4ª.62.H
ad Nigrum Rheumatiſmum.de paſſ.mul. Sp.96.B
Niger Sãguis q̃uo diſcernatᵣ̃ à nigra cholera.cõ.4°.apho.23°. Ex.29.H
Niger ſanguis fęci vini aſſimilatur.14°.meth.med. 7ª.89.D
Niger ſanguis in facie nõ multũ apparet.in 6^{m}*.de mor.vul.c.1°.* 3ª.163.F
Niger ſanguis malus ſi per os exeat,non tamen per inferius.commentario 4°.aphoriſmo 25°. Ex 30.B
Niger fit ſanguis paulatim exiẽs ſua tarditate.cõ.4°.apho.25°. Ex.30.B
Nigra Sputa notant melancholicum humorem in morbo laterali.commẽtario 6°.aphoriſmo 33°. Ex.50.A
Nigra Vena ſiue purpurea vna eſt ex quinque, quæ in brachio ſecantur. de anato.viuo. Sp.54.G
Nigra vena in quibus affectibus ſecatur.de anato.viuo. Sp.54.G
Nigra vina vbi naſcuntur.5°.de ſan.tuen. 2ª.91.C
Nigrum vinum commotum ſpumam albam facit.de nat.& or. Sp.42.C
Nigrum vinum craſſum dulce quale ſit in nutriendo.de diſ.cõt. Sp.73.F
Nigrum vinũ craſſum aſperũ quale ſit in nutriendo.de diſſ.cont. Sp.73.F
Nigrum vinum auſterum quale.9°.de decre.Hipp. 1ª.283.E
Nigra vina craſſa adſtringentia,quæ.5°.de ſan.tuen. 2ª.91.B
Nigrum vinum nouum craſſum ponticum velociter aceſcit in ſtomacho, & incenſionem facit.de diſſol.cont. Sp.74.F
Nigra vina craſſa non adſtringentia,quæ.5°.de ſan.tuen. 2ª.91.B
Nigra vina non mouent vrinam,ſed ventrem.5°.de ſan.tuenda. 2ª.91.B
Nigra vina ante cibum.5°.de ſan.tuen. 2ª.91.B
Nigra vina inutilia ſenibus.5°.de ſan.tuen. 2ª.91.B
Nigra per vomitum exeuntia.in 3^{m}*.de mor.vulg.com.2°.* 3ª.140.C
Nigrorum vomitus.in 1^{m}*.de mor.vul.com.3°.* 3ª.125.D
Nigra remouentes purgandi non ſunt.in 1^{m}*.prorrh.com.2°.* 4ª.174.B
Nigra & alba Vox ſicuti dicitur,ita & pulſus.3°.de diff.pul. 4ª.62.H
Nigræ voces vnde.in 1^{m}*.prorrrh.com.2°.* 4ª.162.D
ad Nigra faucium Vulnera remedium.de dynam. Sp.26.B
Nigrum Vultum habet conceptus in horis melãcholiæ.de ſper. Sp.37.C
Niger vultus color,malus.in prognoſt.com.1°. 4ª.191.B
Nigræ Vrinæ vnde.in 1^{m}*.de morb.vulg.com.2°.* 3ª.115.B
Nigrum eſt pernitioſum.de vrin. 4ª.127.H
Nigra,& tenuis vrina deterior eſt.de vrin.ſign.ex Hipp. Sp.79.A
Nigra vrina tenuis cum nebulis phrenitim ſignificat.de dyna. Sp.34.B
Nigra vrina tenuis cum aurium obtuſione ſanguinis fluxum imminere oſtendit.de dynamidijs. Sp.34.B
Nigra vrina,aut liuida in ſynocha non ſine periculo eſt.de dy. Sp.34.E
Nigra vrina cum ſudore in ſynocha non bona ſigna imminere oſtendit. de dynamidijs. Sp.34.E
Nigra vrina in ſynocha per varios colores frequenter mutata cum nebulis non bonis,& velut conciſis,& ſeparatis,& frequẽter in nigrũ colorem conuerſa phrenitim cum morte ſignificat.de dyna. Sp.34.E
Nigra vrina,& lucida in ſynocha cum ſudore,& dolore hypochondriorum mortem nunciat.de dynamidijs. Sp.34.F
Nigra vrina,& ſpiſſa non boni coloris in ſynocha,ſi multus veſicæ dolor fuerit,mortem ſignificat.de dynamidijs. Sp.34.F
Nigra vrina tenuis,et æſtuoſa in ſynocha,ſi æſtuatio fuerit cum faſtidio, & ſi turbatum ſenſum patiens habuerit,& nõ recte intelligat,& loquatur,aut malefactio nõ defuerit,& mortẽ oſtẽdit.de dyn. Sp.34.F
NIGREDO *vnde oriatur.in prognoſt.com.2°.* 4ª.200.G
Nigredines affectus ſummæ partis pedis.introd. Iſa.59.D
Nigredinem fulgentem habet atra bilis.com.4°.apho.23°. Ex.29.H
Nigredo fit in veteri ſanguine ex frigore.com.5°.apho.23°. Ex.39.G
NIGREFACTA *caro,& nigrefactus neruus excident,nec acribus debent curari.de fract.com.3°.* 7ª.244.A
NIGRESCVNT *liueſcentia dura.de fract.com.2°.* 7ª.236.C
NIGRICANTIA *adſtringunt.1°.de comp.med.ſec.loc.* 5ª.126.E
NIGRINO *Domitio compoſitum.7°.de comp.med.per ge.* 5ª.270.H
NIGRITIES *qualitas viſus.de nat.huma.com.1°.* 1ª.28.H
Nigrities corporis ſignificat melancholiam.com.4°.aph.2°. Ex.27.F
Nigrities quædam fit in ſanguine ob magnitudinem inflammationis. cõmentario 6°.aphoriſ.20°. Ex.48.C
Nigritia ex ſole non eſt morbus.1°.de ſan.tuen. 2ª.64.A
ad Nigritias contumaces,& malignas tibiarum, & quæ in mammillis ſunt.4°.de comp.med.per gen. 5ª.242.G
ad Nigritiam.4°.de compoſitio.medicamentorum per genera. 242.G/ 5°.246.H/ 5ª.247.F
NIGRITVDO *quid ſignificet in membro.de fract.com.2°.* 7ª.235.G
NIHIL *ex nihilo fit.de marc.* 3ª.46.B
Nihil fit ſine cauſa.de ſubſ.facul.nat.230.C/2°.de natu.fac.1ª.298.B/1°. methodi medendi. 7ª.6.E
Nihil certo ſciri poſſe videtur probabile ſm̃ Fauorinũ.de opt. Iſa.30.C
NILEI *croceum malagma.8°.de comp.med.ſec.loc.* 5ª.193.A
Nilei Pharmacum quale.2°.de comp.med.ſec.loc. 5ª.137.G
Nilei Plinthium ad quid factum,& quo modo factũ.de mach. 7ª.311.A
NILIACVS *Stratiotes.2°.de comp.med.ſec.loc.* 5ª.132.G
NILVM *ita laudo vt ſicut mihi videtur paucis comparetur fluuijs ſecundum bonitatem aquæ.de bonit.aquæ.* Sp.75.E
Nili aqua eſt limoſa,& compoſita.1°.de ſimp.med.fac. 5ª.3.B
Nilum tranſeunter delibat canis.2°.de ſan.tuen. 2ª.71.D
Nili incrementum.de hiſt.philoſ. Sp.8.H
NILI *collyrium ex roſis diarhodon celebratum iam diu.4°.de compoſ. med.ſecundum loc.* 5ª.158.G
vt Nilus Antipatri potio ad ſplenicos.9°.de comp.me.ſec.lo. 5ª.198.E
NIMIS *ne quid fiat.12°.meth.med.* 7ª.75.B
Nimium omne eſt natura inimicum.com.2°.apho.51°. Ex.19.C
Nimia caliditas exiccat.de mel.ex Gal.Ruf.& Poſſi. Sp.109.F
Nimis ignitum eſt euphorbium.de dynamidijs. Sp.22.B
Nimis graciles,& nimis pingues non ſunt purgandi.de dyna. Sp.20.G
Νῆςις *vocatur ieiunum inteſtinum.5°.de vſu partium.* 1ª.142.E
NITOR *thuris epitheton.1°.de antid.* 5ª.106.F
NITROSITAS *in cibis quid faciat.de diß.cont.* Sp.75.A
NITROSA *quæ.1°.de ſimp.med.fac.* 5ª.8.E
Nitroſum adſtringentibus oppoſitum eſt.1°.de ſimp.med.fac. 5ª.8.G
Nitroſa adſtringunt,& euacuant.3°.de ſim.med.fac. 5ª.20.B
ex Nitroſi intentione prouenit amarus ſapor.1°.de ſim.med.fa. 5ª.8.G
Nitroſo ſalſus imbecillior.1°.de ſimp.med.fac. 5ª.8.G
Nitroſa,& auſtera ſimul q̃uo linguã afficiunt.3°.de ſim.me.fa. 5ª.21.A
Nitroſa aqua non eſt frigida.1°.de ſimp.med.fac. 5ª.2.H
Nitroſa aqua eſt miſta.1°.de ſimp.med.fac. 5ª.3.A
Nitroſa aqua cõpoſita ex pugnãtibus qualitatibus.1°.de ſim.m.f. 5ª.6.F
Nitroſæ aquæ palpitationis remedia.de palp.conuulſ.& rig. 3ª.52.G
Nitroſa balnea euacuant totum corpus.com.4°.aph.2°. Ex.27.D
Nitroſæ aquæ balnea ducunt plus bilis,ſed multo minus proſunt quã potabiles.1°.de arte cur.ad Glauc. 7ª.97.B
Nitroſam participat qualitatem beta.8°.de ſimp.med.fac. 5ª.62.B
Nitroſa aperiunt.de ocul. 7ª.188.E
Nitroſum ſaporem habentia incidunt.de atten.vic. 2ª.44.B
Nitroſa procurant deiectionem.2°.de alim.fac. 2ª.16.E
Nitroſa qualitas ad excernendum excitat.2°.de alim.fac. 2ª.23.C
Nitroſum ſaporem habentia aluum deijciunt.de atten.vic. 2ª.44.B
Nitroſa quoq;,& ſalſa vel amara,ac prurituoſa dici poſſunt excrementa,quæ pruritum faciunt.2°.de ſymp.cauſ. 3ª.23.G
Nitroſa non conueniunt oculis.4°.de com.med.ſec.loc. 5ª.150.C
Nitroſus puluis extenuat.5°.de ſan.tuen. 2ª.90.D
NITRVM,*nitri ſpumæ, & aphrolitrum diuerſa ſunt.1°.de compoſitio. medic.ſec.loc.128.B/3°.* 5ª.141.B
Nitrum eſt in medio ſalis,& aphronitri.11°.de ſimp.med.fac. 5ª.83.E
Nitrum quale.4°.de ſimp.med.fac.30.F/G/9°. 5ª.70.A
Nitrum nobis admotum videtur calidum.3°.de temp. 2ª.21.G
Nitrum calidum.3°.de temp.1ª.21.H/4°.de ſimp.med.fac. 5ª.26.E
Nitrum Amarum.4°.de ſimp.med.fac. 5ª.26.E
Nitrum Album.de med.fac.par. 7ª.173.H
Nitrum Alexandrinum.de remed.par.fac. 7ª.154.G
Nitrum Berenicium eſt tenuium partium.6°.de compoſi.medic.ſec.loc. 167.E/3°.de comp.med.per gen.5ª.228.E/8°.meth.med. 7ª.52.H
Nitrum bernicariũ.6°.de ſan.tuen.2ª.99.D/de rem.par.fac. 7ª.15[illegible].B

Nitrum la[illegible]

Nitrum lapidoſum quo modo præparari debet.8°.meth.med. 7ª.52.H
Nitrum Marinum.7°.de comp.med.ſec.loc. 5ª.157.C
Nitrum Molle.6°.de comp.med.ſec.loc. 5ª.168.E
Nitrum molle quo loco reponatur inter calida, quæ valent alopecijs.1°. de compoſi.med.ſec.loc. ª.122.D
Nitrum molle in articularia medicamenta miſcetur.3°. de compoſitione medicam.ſecundum loc. 5ª.141.B
Nitrum Nigrum.4°.de comp.med.ſec.loc.152.H/ 5ª.153.A
Nitrum Omphacinum ſiccum.5°.de comp.med.per geue. 5ª.254.E
*Nitrũ Rubrũ.5°.de cō.me.ſec.loc.159.G/9°.199.G/200.B/10°.*5ª.207.G
Nitrum Rufum.6°.de comp.med.per gene. 5ª.261.D
Nitrum Toſtum.5°.de comp.med.per gene. 5ª.254.D
Nitrum Vſtum diſſcuſſorium parabile fortius.6°.de compoſi. medicamẽto.ſecundum locos. 5ª.169.G
Nitrum foco incenditur.de incant.adiur.& ſuſp. 7ª.182.H
Nitrum præparatur abſq; pinguedine.3°.de comp.me.ſec.loc. 5ª.142.H
Nitri vis aliquibus balnearum aquis ineſt.4°.de ſan.tuen. 2ª.83.C
Nitri qualitatem habentes aquæ exiccant.de cauſ.morb. 3ª.7.H
*Nitrum non eſt in balneis inſpergendum.1°.de arte cur.ad Glau.*7ª.97.B
Nitrum aperit.de ocul. 7ª.188.E
Nitrum digerit.introd. Iſa.58.B
Nitrum detergit.1°.de alimen.fac. 2ª.13.H
Nitrum adhuc magis detergit, magis moderate detergẽtibus.8°. methodi medendi. 7ª.52.H
Nitrum ſiccat vt ſal, & non habet vim adſtringendi.2°. de compoſitione medica.per genera. 5ª.222.A
Nitrum oculis conuenit.de ocul. 7ª.188.G
Nitrum cum dioſpolitico quibus confert 6°.de ſan.tuen. 2ª.97.H
*Nitrum per ſe in libo ſumptũ meatus purgat.5°.de ſimp.med.fa.*5ª.35.C
cum Nitro, & licio mixtum vinum confortatiuum eſt conſtrictiuum, et ſolidatiuum.de ocul. 7ª.188.G
Nitrum miſtum cum vino purgat aures.de catharticis. Sp.95.B
Nitrum capiti imponendum pro materia reſoluenda in dolore ipſius.1°. de arte cur.ad Glauconem. 7ª.100.B
Nitrum in oxymelite decoctum ad tegendũ ventrem.2°.de an. 5ª.114.E
Nitro vtaris in ſpongiæ nouæ defectu.13°.meth.med. 7ª.87.F
*ex Nitro medic^{m} quo nullũ vehemẽtius in arte medica.3°.de l.af.*4ª.15.H
NITRI *ſpuma Aphronitrum, & nitrum quid differant.4°.de ſimplic. medica.facul.* 5ª.31.G
Nitri ſpuma quo modo à ſalc differat.3°.de alim.fac. 2ª.33.C
Nitri ſpuma media eſt inter aphronitrũ, & ſalẽ.9°.de ſim.m.f. 5ª.68.G
Nitri ſpuma qualis.4°.de ſimp.med.fac. 5ª.30.F/G
Nitri ſpuma calida eſt.10°.de comp.med.ſec.loc. 5ª.207.C
Nitri ſpuma ſubtilium partium.3°.de compo.med.per gen. 5ª.228.E
Nitri ſpuma quo loco reponatur inter calida, quæ valent alopecijs.1°. de comp.med.ſec.loc. 5ª.122.D
*Nitri ſpuma diſcuſſoriũ parabile fortius.6°.de cōp.me.ſec.loc.*5ª.169.G
Nitri ſpuma ad hæc magis detergit, magis moderate detergentibus. 8°. methodi medendi. 7ª.52.H
Nitri ſpuma craſſos humores incidit.2°.de alim.fac. 2ª.25.C
Nitri ſpuma in libro ſumpta meatus purgat.5°.de ſimp.med.fac. 5ª.35.C
Nitri ſpuma in articularia medicamenta miſcetur.3°. de compo. medicamen.ſecundum locos. 5ª.141.A
*Nitri ſpuma mordicat excreſcentias carniũ.4°.de ſimp.med.fa.*5ª.31.G
Nitri ſpuma.6°.de comp.med.ſec.loc. 5ª.168.E
NIVALEM aquam qui bibere nō debent.de ren.aff.dign. 7ª.195.H
NYX quid.de hiſt.phil. Sp.7.H
Nix fit nubes congelata.de vtil.reſp. Sp.62.E
Nix plurimum habet aeris quemadmodũ ſpuma.de vtil.reſp. Sp.62.E
Niuem non candidam quidam putarunt.2°.de temp. 1ª.16.H
Nix non alba ſecundum Anaxagoram.2°.de ſimp.med.fac. 5ª.9.G
Niuis candor differt ab eo, qui eſt in lacte.1°.de ſan.tuen. 2ª.63.F
Nix frigida quamuis alba.1°.de ſimp.med.fac. 5ª.2.E
Nix frigidior aqua gelida.de marc. 3ª.48.B
Niuem eandem qualitatem habere cum igne quidam dixit.9°. de ſimpl. medica.faculta. 5ª.64.D
Niues faciunt regiones irriguas.de aere.aq.& loc. 2ª.4.E
à Niuibus venti frigidi.de aere, aq.& loc. 2ª.6.E
Niue oppreſſam regionem habitantes quales.quod ani.mor. 1ª.320.C
Niuis in modum refrigerat diphriges.de ſimp.med. Sp.83.D
à Niuibus aquam reſolutam bibunt ſcythæ.de aere, aq.& loc. 2ª.6.E
Niue aquam frigidam præparabant Romæ.7°.meth.med. 7ª.44.A
Nix quo modo ſeruetur.de conſt.ar. Iſa.38.E
*Niuis vbertas Romæ, & in Pergamo.2°.de comp.med.ſec.loc.*5ª.132.F
Niuis vſum vitent ſe non exercentes cum ſumma æſtate vehementi calore vrgentur.de bon.& vitio ſuccorum. 2ª.39.D
Nix quo modo lædat qui ea vtuntur.de bon.& vitio ſuc. 2ª.39.D
Nix quibus partibus nocet, et quas ægritudines faciat.commentario 5°. aphoriſmo 24°. Ex.39.G
ex Niuis frigiditate dolor ſtatim abit niue remota.3°.de lo.aff. 4ª.14.E
Nix combuſſit pedes ambulantium.9°.de ſimp.med.fac. 5ª.64.E
per Niuem iter fecit Galenus mordicantem.4°.de ſim.med.fa. 5ª.24.F
Nix ſeruat piſces.de bon.& vitio ſucc. 2ª.37.H
Niue qui ſe putat conſpergi quid ſignificat in ſomno.in 1^{m}. de morbis vulgaribus, commentario 3°. 3ª.118.A
de Niue inſomnium quid ſignificet.in 1^{m}.de mor.vulg.com.3°. 3ª.117.H
Nix in ſomnio ſignificat pituitam.de præſag.ex inſom.ſum. 4ª.213.C
ad Nixum, & robur calor conducit.3°.de ſymp.cauſ. 3ª.30.E
NOBILIS *quid agere debeat ĩ oratione ſuaſoria.* Iſ.3.C
Nobilius, & melius æquum eſt, vt dominetur, vt eques equo, ratio iræ.3°.de decretis Hippocratis. 1ª.242.F
de Nobili membro natura ſollicita eſt.de anato.viuo. Sp.45.C
Nobiliores cur ſint alijs medicis, medici altariũ.de me.exper. Sp.108.G
Nobilior materies quo medico ſubiecta eſt eò magis quàm alium artificẽ fungi ſuo munere decet.de faſcijs. 7ª.293.C
Nobilitas, diuitiæ, forma raro in eodem.in orat.ſuaſ. Iſa.3.H
NOCENT *quæ oculis.de ocul.* 7ª.187.H
Nocet neruis acetum.de diſſol.cont. Sp.74.D
Nocent aliqñ valde herbæ aquis, aliquando iuuant.de bo.aquæ. Sp.75.F
Nocent metalla habitationi aĩaliũ, & potui aquarũ.de bon.aq. Sp.75.F
Nocet plus quàm proſit medicina quàm infirmus otio habet. de medica. exper. Sp.108.G
Nocet vbi non conuenit medicina experta.de med.exper. Sp.103.H
NOCTVAE *ſanguis ad difficulter ſpirãtes.10°.de ſim.m.f.* 5ª.73.A
NOCTVRNA *dicitur quotidiana.in 3^{m}.de mor.vul.c.3°.* 3ª.145.G
Nocturnæ veneris imagines quę.6°.de ſan.tuen. 2ª.100.E
ꝑ Nocturnã pollutionẽ hñtibus Galeni inuẽtũ.6°.de ſan.tu. 2ª.100.H
Nocturnis imaginibus roſæ ſub renibus cõferunt.6°.de ſa.tu. 2ª.100.G
Nocturnas imagines inhibet ſup renes lamina plũbi.6°.de ſ.t. 2ª.100.G
NOCTYLOPA *vnde dicta.2°.meth.med.* 7ª.9.G
NOCVMENTVN *maximum qñ accidat voci.de voc.& an.* Sp.61.E
NOCVVM *quid.de cauſ.procathar.* 3ª.96.E
Nocuum eſt vinum album ponticum.de diſſ cont. Sp.74.D
Nouum vinum craſſum tarde digeritur propter eius ſuperfluitatem. de diſſolutione continua. Sp.73.E
Nouum vinum craſſum nigrum ponticum velociter aceſcit in ſtomacho, & incenſionem facit.de diſſol.cont. Sp.74.F
Nouũ vinũ dulce ponticũ craſſum tarde deſcẽdit.de diſſol.con. Sp 74.H
Nocuũ quid aſſumere ꝑꝑ delectationẽ, nephãdũ.de cura icteri. Sp.111.A
Nocuum quo modo partes contendant tranſmittere ad alias.de cur. rat. per ſang.miſſ. 6ª.17.H
NODVS *ſignificat partem.de anat.vi.* Sp.47.B
*Nodus gutturis an tres habeat ptes, & q̃ ſint.de mo.ma.& ob.*Sp.70.B
*an in Nodi gutturis motu ſit inſtr̃m quod agat.de mo.m.& ob.*Sp.70.B
Nodus gutturis quo modo eleuetur.de mot.man.& obſ. Sp.70.F
Nodi gutturis eleuatio eſt accidens ineuitabile tranſitus per æſophagũ. de mot.man.& obſ. Sp.70.F
*Nodi gutturis attractio, & retẽtio vnde ſit.de mot.man.& ob.*Sp.70.E
Nodus quid ſit in deligatione.de ijs, quæ in med.fi.com.2°. 7ª.207.B
Nodus quid ſignificet.de ijs, quæ in med.fi.com.2°. 7ª.208.C
Nodus qualis eſſe debet.de ijs, quę in med.fi.com.2°. 7ª.208.C
Nodus deligationis fieri non debet ſupra vlcus. de ijs, quæ in medicatrina fiunt, commentario 2°. 7ª.207.G
Nodus in quo loco poni debet.de ijs, quæ in med.fi.com.2°. 7ª.208.A
*Nodus ſimplex dictus laqueus qua ratione adhibeatur.de laq.*7ª.307.F
Nodi Herculei ratio.de laqueis. 7ª.307.G
NOETICOS, *id eſt intellectualis animæ pars.de ſper.* Sp.37.H
Νομὴ quid ſit, & vnde ſit dictum.5°.meth.med. 7ª.31.D
Noma quid ſit.9°.de ſimp.med.fa.65.H/9°.de cōp.me.ſe.lo. 5ª.202.H
Nomæ quę ſint.5°.de comp.med.per gene. 5ª.254.A
Nomæ in aphtis.6°.de comp.med.ſec.loc. 5ª.171.B
Nomæ quæ ſint dictę à medicis.6°.de comp.med.per gene. 5ª.254.G
ad Nomas hoc eſt vlcera ſerpentia oris.4°.de cō.me.ſe.lo. 5ª.152.G
ad Nomas id eſt vlcera depaſcentia.2°.de comp.med.per ge. 5ª.222.E

ad Numas in

ad Nomas in ore.6°.de comp.me.ſec.loc.172.A/7°.181.G/5°.de compoſi.medi.per ge. 5ª.254.D
ad Nomas,& Rhagadas ani.5°.de comp.me. per ge. 5ª.251.G
ad Nomas gingiuarum.5°.de comp.me.per gen. 5ª.251.B
ad Nomas quæ conueniant.4°.de comp.me.per gen. 5ª.242.F
ad Nomas Antipatri.5°.de comp.me.per gen. 5ª.253.A
ad Nomas Criſpi odoriferum.5°.de comp.me.per gen. 5ª.253.A
ad Nomas emplaſtrum.6°.de comp.me.per gen. 5ª.257.B
ad Nomas Iſidori.5°.de comp.me.per gen. 5ª.252.A
ad Nomas Iſidori celebris paſtillus.5°.de comp.me.per gen. 5ª.252.C
ad Nomas linamentum.6°.de comp.me.per gen. 5ª.255.B
ad Nomas Moſchionis.5°.de comp.me.per gen. 5ª.254.B
ad Nomas probum medicamentum. 5°.de comp.me.per gen.5ª.253.A
ad Nomas Publij.5°.de comp.me.per gen. 5ª.253.A
Nomas ſiſtens,& cruſtas non faciens.5°.de comp.me.per ge.5ª.245.H
ad Nomas ſiſtendas.5°.de comp.me.per gen. 5ª.254.B
ad Nomas ſiccum.5°.de comp.me.per gen. 5ª.253.A
ad Nomas veteres.6°.de comp.me.per gen. 5ª.257.A
ad Nomas.6°.de comp.me.ſec.loc.176.D/4°.de cõp.me.per ge. 242. G/5°.251.B/C/D/H/252.E/G/H/253.B/254.A/D/6°. 5ª.255.F
Nomode vlcera curat ſomnum manicum.8°.de ſimp.med.fac. 5ª.62.H
NOMADES quales.de aere,aq.& loc. 2ª.5.D
Nomades non habent domos,ſed habitant in curribus luto obturatis in ſtar domorum.de aere aq.& loc. 2ª.5.D
Nomades multi hn̄t exuſtos articulos ob humiditatē.de aere,aq. 2ª.5.F
Nomades.10°.de ſimp.med.fac. 5ª.77.B
NOMINA quid,& quomodo fingenda.de ſymp.dif. 3ª.10.E
Nomina etiam ſunt ipſa verba. de ſophiſ. Iſa.8.G
Nomen ſolum per ſe prolatum nihil indicat.ad Thraſ. 2ª.106.H
Nominibus propter res vti neceſſe eſt.2°.met.me. 7ª.9.D
Nomina ad rerum cognitionem nihil referunt, tamen ad docendum interſunt.1°. de pulſ.dif. 4ª.46.H
Nomen corrumpitur ad corruptionem rei.de ſophiſ. Iſa.8.F
Nomina imponere rebus ſpectat ad oratorem, vel potius ad Dialecticum.3°.de diff.pulſ. 4ª.63.B
de Nominibus diſputare munus eſt dialectici, rhetoris, & grammatici.1°.de dieb.decret. 4ª.146.H
Nomina rebus imponunt Dialectici.1°.met.me. 7ª.8.E
Nomina ab impoſitoribus diſcenda.ad Thraſ. 2ª.107.A
Nomina induntur ſpeciebus.2°.met.me. 7ª.14.A
Nomina quandoque ab accidentibus non à ſubſtantia imponuntur.8°.de vſu partium. 1ª.166.C
à Nominibus proprijs fieri poſſunt translationes,ſed à translatitijs nõ item.3°.de diff.pulſ. 4ª.63.A
Nomina ex abuſu facta propria.3°.de comp.me.per ge. 5ª.229.A
Nomina duo vnum ſignificantia dicunt̃ à Galeno oratio. [contra Ariſtotelem.] 8°.de vſu par. 1ª.166.D
Nomina tria vnius rei ſunt aliquando.2°.de diff.pul. 4ª.53.G
Nominibus varijs rem appellare nihil refert,modo res eadem ſeruetur. 2°.de decr.Hipp. 1ª.238.F
Nominis cõmunio ſiue æquiuocatio diſtinguẽda.4°.de decr. 1ª.249.G
Nomina multa communia citra diſtinctionem dicere conſueuerunt cum id,quod ſignificant in ijs rerũ melius eſt declarare voluerint.de vict. rat.in mor.acu.com.4°. 7ª.140.C
Nomina primo definienda.6°.de decr.Hipp. 1ª.260.F
Nominibus melius docent definitiones. 2°.de dif.pulſ. 4ª.57.E
non Nominum,ſed rerum ſunt diffinitiones.2°.de diff.pul. 4ª.54.C
Nominum verborumq; copia plerunque non eſt indecora. 5°. de ſimplicium medica.facul. 5ª.32.F
Nominum partitio quo modo fieri debet.ad Thra. 2ª.106.H
Nominum diſtinctio ad quid vtilis.3°.de ſimp.me.fac. 5ª.17.C
in Nominibus græcorum regula.de morb.temp. 3ª.86.B
Nominũ ꝓprietates nõ ꝑuant græci antiqui.de frac.cõ.2°. 7ª.240.C
Nominum curioſitatem antiqui neſciebant,ſed ſatis illis erat vt intelligerent.de arti.com.3°. 7ª.281.E
Nominibus ſimpliciter vtebantur antiqui.1°.de diff.pulſ. 4ª.46.G
Nõibus mẽtẽ nõ adhibuerũt antiq mõ res apperc̃t.đ ar.c.4°. 7ª.284.G
Nominum vſum qui authores euerterint.3°.de diff.pulſ. 4ª.59.E
Nomina ſancte pronunciabat Archigenes.2°.de diff.pul. 4ª.58.F
in Nominibus Prodicus ſolus curioſus.de arti.com.4°. 7ª.284.G
Nõim exquiſita ſignificatio vbi apud Platonẽ tractat̃.đ decr. 1ª.281.H
de Nominibus non eſſe habendam curam,cui plurimarum, & magna rum rerũ inueſtigatio proponitur,Plato inquit.2°.de dif.feb.3ª.38.B
in Nominibus ſuam legem non ſeruat Ariſtoteles.11°.met.me.7ª.71.H
de Nominibus parũ curat Galenus.2°.de decr.Hipp.1ª.235.C/ad Thraſy.2ª.106.H/3°.de loc.af. 4ª.21.C
Nomina nihil faciunt ad artem.1°.de pulſ.dif. 4ª.46.F
de Nominibus inuitus diſputat Galenus.1°.de pulſ.dif. 4ª.46.G
de Nominibus doctrinam perditiſſimam,& falſam vocat Galenus.2°. de alim.facul. 2ª.23.B
de Nominibus loqui præſtigia vocat Galenus.3°.de dif.pul. 4ª.59.C
Nominibus vtit̃ Galenus,vt vtunt̃ hõies ſui ſeculi.2°.de ali.fac.2ª.18.C
Nomina,quibus vti debemus.1°.de dif.reſp. 3ª.57.B
Nominibus vti debemus vt ſunt in vſu.1°.de na.fa.1ª.290.C/ 2°. de alimentorum facul. 2ª.23.B
Nominibus vtendum in diſputatione,quibus quiſque maxime delectatur.14°.methodi medendi. 7ª.88.E
Nõibus in ꝓprijs,& inconſuetis vti nõ debemus.1°.de dif.reſp. 3ª.57.C
Nomina,quæ confundunt auditores.1°.de dif.reſp. 3ª.57.B
Nomina patria nõ cõfundenda,neq; corrũpenda.2°.de loc.af. 4ª.11.F
de Nominibus non eſt ſollicitus Hippocrates.7°.met.me. 7ª.43.D
Nomina aliqua Hippocrates fecit,aliquibus vſus eſt obſoletis. Hippo. lingu.ex plan. Ex.71.D
Nomina propria cur ponit quandoq; Hippocrates.in 6ᵐ.de morb.vulg. commentario.3°. 3ª.171.G
in Nominibus vſitatiſſimis vſus Hippocratis.6°.met.me. 7ª.40.C
Nomina antiqua per magnũ ocium inueſtiganda.2°.de ali.fac. 2ª.19.D
Nomina obſcura in dubio relicta inutilia reputanda perinde, ac ſi nunquam ſcripta fuiſſent.2°.de loc.af. 4ª.10.A
Nominibus abutũtur medici,p̄ſertim in atrabile.c.6°.aph.53°. Ex.53.B
Nominum impoſitores in alijs vocibus laudandi, non tamen in leuitate inteſtinorum.c.6°.aph.1°. Ex.47.C
Nomina ignorabant,& diſtinguere neſciebant philoſophi, & medici tẽpore Galeni.1°.met.me. 7ª.6.B
de Nominibus quantum curandum.de vrin. 4ª.127.E
de Nominibus quantum ſtudendum.in progn.com.2°. 4ª.201.G
de Nominibus ne ſimus admodum ſoliciti.5°.de ſimp.me.fac. 5ª.36.B/ 6°.methodi.medendi. 7ª.36.G
Nominibus neglectis ſcientiæ incumbendum.6°.de ana.adm. 1ª.93.D
Non à nomine, ſed à re doctrina ſcientifica comparatur. 14°. methodi medendi. 7ª.89.D
Nõia ñ ſpectãda,ſed natura rerũ.đ ſy.dif.3ª.12.C/1°.de lo.af. 4ª.6.E/D
de Nominibus ſemper conueniendum,& ad res properandum. de ſymptom.differentijs. 3ª.10.E
Nomina contemne,& res pertracta.14°.met.me. 7ª.89.E
de Nominibus non curandum.4°.de vſu par.1ª.137.H/2°. de alim.fac. 2ª.20.F/3°.de diff.pulſ.4ª.59.C/5°.de ſimp.medic.fac.32.H/10°.77. G/4°.de comp.me.per gen.5ª.236.E/3°.meth.med.22.B.11°.7ª.71.B/ com.2°.aph.22°. Ex.15.C
Nominibus non eſt opus ſeduci.1°.met. me. 7ª.6.A
Nominibus quiſq; vtatur vt placet,ſed nõ remedijs.11°.me.m. 7ª.68.B
Nomina non obſunt ægris.de morb.temp. 3ª. 86. C/ 3°. de compoſitione medicamen.per gen. 5ª.229.C
de Nõibus,& ſyllabis argumentantur recẽtes.1°.de pulſ.dif.4ª.46.G
de Nominibus contendunt ſophiſtæ neglectis rebus,& contumelijs diſputant.2°.de dif.pulſ. 4ª.53.D
de Nominibus litigantes totam vitam conterunt.de ſymp.dif. 3ª.10.D
de Nõibus litigare in re cõfeſſa obſcœnum eſt.in progn.c.2°. 4ª.209.C
Nõia,et accẽtus qui ſectant̃ nõ ſunt admittẽdi.de frac.cõ.3°. 7ª.240.H
Nomina negligentes ſunt ſapientiores.4°.de vſu par. 1ª.139.D
Nomina poſſunt mutari,modo res permaneant.de ſymp.diff. 3ª.10.H
Nomina methodicorum.5°.de ſimp.me.fac. 5ª.38.F
Nomina muſculorum mouentium linguam.de muſc.diſſ. 1ª.46.G
de Nominibus pulſuum.de compen.pulſ. Sp.66.A
Nomina temporum anni morbos non faciunt, ſed temperamenta. in 3ᵐ. de morb.vulg.com.3°. 3ª.147.C
Nomina Theſſalicorum.5°.de ſimp.me.fac. 5ª.38.F
Nomina diuerſa vinculorum.de faſc. 7ª.295.A
Nomen vnde vincula accipiant.de faſc. 7ª.293.H
Nomen vinculorum ab animalibus.de faſc. 7ª.293.H
Nomen vinculorum ab euentis.de faſc. 7ª.293.H
Nominum defectus in multis.8°.de ſimp.me.fac. 5ª.60.A
Nomina cum deſunt nominentur res.3°.de ſymp.cau. 3ª.28.C
Νόμιμα id eſt ligitima.de arti.com.1°. 7ª.26[illegible].F

NOMINATIO *fit à ſuperabundanti in miſtura.1°.de temp.* 1ª.10.C
NON *omnino modus loquendi pro nō in oībus.c.2°.aph.19°.*Ex.14.B
Non negatio addita admodum quid ſignificat.cō.5°.aph.72°. Ex.45.F
NONANAM *febrem,& ſeptimanam non dari iudicat Galenus.in 1^{m}. de morb.vulg.com.3°.* 3ª.119.H
Nonanam nunquàm vidit Galenus.in 1^{m}.de mor.vulg.com.3°. 3ª.118.E
Nonani ſudores boni.de præſag.exper.conf. Sp.77.G
NONAE, *& octauæ diei criſis comparatio.2°.de dieb.decr.* 4ª.154.B
Nonus dies qualis.2°.de dieb.decre. 4ª.154.F
Nonus dies cur decernat.3°.de dieb.decre. 4ª.159.A
Nonus dies quo modo iudicatorius.in progn.com.2°. 4ª.210.H
Nonus eſt bonus dies.com.4°.aph.36°. Ex.31.G
Nono die ſi debet finire morbus dat cibum.11°.met.me. 7ª.74.C
poſt Nonā vel ſeptimā cibus dādus.đ vic.ra.ī mor.acu.c.1°. 7ª.114.H
poſt Nonum,vndecimum,& vigeſimum diem eſt quintus, & tertius decimus decretorius.1°.de dieb.decre. 4ª.147.B
in Nono decimo die morbi non ſoluuntur.1°.de die.decr. 4ª.147.B
Nono menſæ mammarum venæ,& vteri,ſunt magis plenæ.commen.5°. aphoriſmo.39°. Ex.41.C
Noſcantur quæ ſecundum empiricos.1°.met.me. 7ª.5.C
Noſema,noſus noſontes quid ſignificet.2°.met.me. 7ª.10.D
NOTATIO *quid.fin.med.Iſa.46.A/de mult.* 3ª.79.H
Notatio quid ſit apud Hippocratem,& quomodo fiat.de iјs,quæ in medicatrina fiunt,com.1°. 7ª.198.H
NOTIONES, *& anticipationes quæ ſint.de hiſto.philo.* Sp.9.B
Notionum differentia.de hiſto.philo. Sp.9.B
à Notione euidenti fides,& demonſtratio habetur.1°.de ali.fa. 2ª.7.C
NOTISSIMA *vulgi ſcribere non eſt artis opus.de vic.rat.in morb. acu.commentario.1°.* 7ª.108.C
Notitiæ ſiue mentis functiones quæ ſint.9°.de decr.Hipp. 1ª.279.D
Notitiam firmiſſimam exhibent oculi.in 6^{m}.de mor.vul.c.4°. 3ª.187.A
de Notitia ſola dici poteſt quid ſit res.ad Thra. 2ª.101.F
inter Notitiam exactam,& omnifariam ignorantiam media eſt coniectura artificioſa.1°.de loc.aff. 4ª.3.D
Notitia loci affecti etiam ſumitur ex his,quæ in alieno ſpatio continentur,vt lapis in renibus.1°.de loc.aff. 4ª.2.F
NOTAE *ꝑpriæ nō ſunt deſpiciēdę ꝑ his,q̃ frequenter fiunt.đ tēp.*1ª.21.C
Nota vna magna præfertur multis paruis.8°.met.me. 7ª.60.E
non Notis ponderum,ſed integris vocabulis eſſe ſcribenda medicamēta voluit Menecrates.1°.de anti. 5ª.104.A
de Notis ſcripſit Zeno.in 3^{m}.de mor.vul.com.2°. 3ª.136.E
Νωτιαῖος μυελὸς *id eſt ſpinalis medulla.12°.de vſu par.* 1ª.196.D
Νῶτον *id eſt tergum.introductio.* Iſa.53.E
NOTAE *vbi ſunt res,diffinitiones ſunt ſuperfluæ.4°.đ dif.pul.*4ª.64.C
à Notis per ſe ad ignota via pfectiſſima.de cuiuſq; aī pec.not. 2ª.59.H
NOVACVLA *auferendi ſunt capilli in alopecia.1°.de compoſi.medicamen.ſecun.locos.* 5ª.122.G
Nouacula fit abraſio vt capilli facile,& cito renaſcantur.1°.de compo. medicamento.ſecun.locos. 5ª.123.E
Nouacula radi quidam timent.1°.de comp.med.ſec.loc. 5ª.127.G
NOVELLORVM *ac nuper editorum animalium caro quibus rationibus praua.3°.de alim.fac.* 2ª.29.D
Nouella vina quid agant.5°.de ſan.tu. 2ª.90.H
Nouies nouem grana piperis.de dyna. Sp.29.F
NOCTEM *compræhendit dies.8°.met.me.56.A/10°.* 7ª.61.G
Nox etiam eſt accipienda cum dicitur dies in medicamentis, in infuſionibus,& ſimilibus.7°.de comp.me.ſec.loc. 5ª.180.G
Noctis, & diei ſpatium faciunt viginti quatuor horæ æquinoctiales. de ſeptimeſtri partu. 1ª.341.B
Noctibus computatis annus eſt dierum.7°.de comp.me.ſe.lo. 5ª.180.H
Noctis diſcrimina.6°.de ſan.tu. 2ª.97.B
Noctium prolixitas facit frigiditatem.de nat.hu.c.1°. 1ª.32.D
Nox expers auxilij cur.quòd qualit.incorporeæ. Iſa.10.B
Noctu nouem horis dormire ſatis.6°.de ſan.tu. 2ª.97.C
Noctu cur plures veſtes,& plura capitis tegumenta ſint neceſſaria. in 6^{m}.de mor.vulg.com.4°. 3ª.183.D
Nox antecedens iudicio moleſta.in 6^{m}.de mor.vul.com.1°. 3ª.156.H
Nox aň acceſſionē moleſta ī tertianis.ī 6^{m}.de mor.vul.c.2°. 3ª.164.B
Nocte magis ſentimus læſiones.com.2°.aph.13°. Ex.12.E
Nocte cur magis ſentiantur dolores quam in die.de mo.man. Sp.69.F
Noctu ſi multū mingat exiguū excremētū ſignificatur. de vri. Sp.78.H
Noctu qui veneris habent inſomnia amerinæ, & rutæ frondes ſubſtratas habere debent.6°.de ſan.tu. 2ª.100.G
Noctu qui veneris habent inſomnia vitent frigidas vnctiones ex papauere,& mandragora.6°.de ſan.tu. 2ª.100.G
NOXAE *modus ſecundo quærendus quæſitum leſæ actionis inſtrumentum.1°.de locis affectis.* 4ª.4.A
Noxæ per ſimplices qualitates,& per totam ſubſtantiam in morbis.in 6°.de mor.vul.com.6°. 3ª.196.H
ſine Noxa nullum inuenitur remedium.11°.met.met. 7ª.70.F
NOXIVM, *& vtile eſt ad aliquid.1°.de comp.me.per gen.* 5ª.216.H
Noxia cum ſalubribus non ſunt miſcenda.5°.de ſan.tuen. 2ª.91.E
Noxium minus dandum in ancipiti eſt.11°.met.me. 7ª.74.C
Noxiū qppiā ſe deuoraſſe credūt melācholici.de mel.ex Gal. Sp.109.C
Νοῦς, φρένες, & διάνοια *idem.in 1^{m}.pror.com.1°.* 4ª.163.A
NVBECVLA *quid ſignificet.de vrin.* 124.A/ *in prog.com.2°.* 4ª.201.D
Nubecula qd apud Hippocratē,et apud Galenū.in ꝑgn.c.2°. 4ª.200.D
*Nubecula eſt ſublimamentū apud Hipp.in prog.c.2°.200.G/*4ª.201.D
Nubecula propter flatus ſuſpenditur.de vrinis. 4ª.124.A
Nubeculæ quæ bonæ,& quæ malæ.in prog.com.2°. 4ª.200.G
Nubecula ſola indicat ſolutionem in febribus tertianis,et in ephemeris. de vrinis. 4ª.125.C
Nubeculæ malæ quæ.de vrin. 4ª.125.A
Nubecula qualis appeat ī vrina,ſi sāguis ſit coctus.4°.đ ſa.tu. 2ª.83.H
NVBEGVLA *in oculo quid.fin.me.* Iſa.48.D
Nubecula vlceratio oculorum.fin.me. Iſa.48.D
NVBES *quid.de hiſto.philo.* Sp.7.H
Nubes,cum ſit fumus,congelata fit nix.de vti.reſp. Sp.62.E
*Nubes ſemp agitanē licet ſtare videāt.ī 3^{m}.de mor.vul.cō.3°.*3ª.140.H
Nubes alba quando.in 1^{m}.de mor.vul.com.1°. 3ª.104.C
Nubes candida quo modo.in 1^{m}.de mor.vul.com.1°. 5ª.104.C
Nubes atra quomodo fiat.in 1^{m}.de mor.vul.com.1°. 3ª.104.C
Nubes candida quomodo fiat.in 1^{m}.de mor.vul.com.1°. 3ª.104.C
Nubes media īter albā,et nigrā q̃uo fiat.ī 1^{m}.de mor.vul.c.1°. 3ª.104.C
Nubes qñ ñ ſit exiſtēte Aquilone.in 1^{m}.de mor.vul.vul.cō.1°. 3ª.104.C
Nubes cur ſplendeſcat.in 1^{m}.de mor.vul.com.1°. 3ª.104.C
NVBIS *nomē ad vrīas qui prius dixit.in 3^{m}.đ mor.vul.c.1°.* 3ª.128.C
Nubes albæ quid ſignificent in vrinis.com.4°.aph.71°. Ex.35.D
Nubes rubra raro apparet,ſed alba ſæpe.com.4°.aph.71°. Ex.35.D
Nubes rubeæ,& ſubrubeæ qd ſignificēt ī vrinis.c.4°.aph.71°. Ex.35.D
Nubes rubra in vrina quarta die apparens ſignificat iudicationem in ſeptima.com.4°.aph.71°. Ex.35.C
Nubes rubra apparens antea non viſa ſignificat coctionem, & bonum iudicium.com.4°.aph.71°. Ex.35.D
Nubes rotundæ geniture ſimiles cui contigerint.in 1^{m}.de mor.vulgar. commentario.3°. 3ª.121.A
Nubes,lege hypoſtaſis,ſedimen,ſedimentum,reſidentia.
NVBILOSOS *humores facit aer nubilus.in 1^{m}.de morbis vulgarib. commentario.1°.* 3ª.104.C
Nubiloſæ ſuſpenſiones,in vrinis quæ.in 3^{m}.de morb.vul.c.1°. 3ª.128.C
NVCLEATA *inſtrumenta.de art.com.2°.* 7ª.267.D
NVCLEI *oliuarum terreni ſunt.9°.de ſimp.me.fac.* 5ª.64.H
Nucleus pineus,& galbanum pro eclegmate peripneumonię.de victus rat.in mor.acut.com.4°. 7ª.144.C
*Nucleo carens malum punicum.3°.de comp.me.ſec.lo.145.H/*5ª.148.D
NVCLEVS *dicitur ſpecilli pars extrema.3°.de compoſi.medicamento. ſecun.locos.148.C/4°.* 5ª.153.B
pro Nudari refrigerari accepit.de frac.com.3°. 7ª.243.H
Nudari in ſole tentandum in longa icteritia.de cura icteri. Sp.111.E
NVDATO *corpore rigor excitatur.2°.de ſymp.cauſ.* 3ª.22.F
Nudatæ parti an alteri medicamentum imponendum.3°. de compoſitio. medicamen.per gen. 5ª.228.D
Nude deambulare cur extenuat.de ſal.die. 2ª.41.C/D
Nuda,& alba vrina in omnibus corporis debilitatem, & frigiditatem ſignificat.de dyna. Sp.35.D
NVGAS *euitandas eſſe admonet Galenus.in 3^{m}.de morbis vulga. commentario.2°.* 3ª.138.E
Nugarum cauſa in febre.in 3^{m}.de morb.vul.com.1°. 3ª.127.C
NVGACITATIS *proprium quid.in progn.com.1°.* 4ª.197.B
NVGARI *quid ſignificet.in 3^{m}.de morb.vul.com.1°.* 3ª.127.C
NVMEROSVS *motus qui.2°.de ſymp.cau.* 3ª.21.A
NVMERORVM *ars illuſtris.ad Thraſ.* 2ª.105.E
*Numerorū nō ī pueritia addiſcēda.ad eos qui de typ.ſcri.de cir.*3ª.93.F

Numeri quibus nōīb⁹ vocarentur antiquitus.3°.de dieb.decr. 4ª.159.H
Numerus ἐπιμόριος qui.1°.de pulſ.duff. 4ª.48.G
Numero ſpecie,& genere idem dicitur.2°.met.me. 7ª.14.C/H
Numerus dentium.de ana. viu. Sp.49.G
in Numeris ars medica abſurda eſt.ad eos q de typ.ſcrip.decr. 3ª.91.H
Numerus ipar maxime ſeruādus.de vic.ra.in mor.ac.c.4°. 7ª.142.C
Numero impari potius q̃ pari ſigna multa fiunt.de victus ratio. in mor. acutis,com.4°. 7ª.142.D
p Numerū imparē,ēt atiq dabāt medicamēta.11°.de ſim.me.fa. 5ª.82.B
Numerus applicandarū birudinum vnde ſumendus.de cuc.ſca. 6ª.4.D
Numerus particularum eſt in organis.2°.met.me. 7ª.13.D
Numerum facientium inſtrumentorum ſigna.ars medicinalis. Iſa.65.F de cauſ.morb. 3ª.9.D
ſm NVMERVM morbi.de ocul. 7ª.185.F
ad Numerū paſſio ptinet ad prædicamētū quātitatis.de diſ.mor. 3ª.5.A
ad Numerū pertinet ſecūda inſtrumētorū ægritudo.de diff.mor. 5ª.3.A
in Numero ſunt ægritudines in formatione ſecundi generis,& quo modo.de cau.mor. 3ª.9.D
Numeri partium errores.ars med. Iſa.69.A
in Numero exceſſus quo modo corrigatur ars med. 7ª.69.B
NVMISIANVS interpres Hippocratis.de ord.lib.ſuo. Iſa.15.C
Numiſianus præceptor Galeni.1°.de anat.adm. 1ª.63.D
NVMVS deglutitus cur facile excretus.3°.de nat.fac. 1ª.303.C
NVNTII febris qui ſint.de præſag.exper.conf. Sp.77.E
NVTRIBILIVS eſt vinū rubrū craſſū dulce.de diſ.cont. Sp.73.F
NVTRICANDI principium non eſt in corde.2°.de decr. 1ª.240.E
NVTRICATIO quid.ſin.med. Iſa.44.G
Nutricationis principium ſm Galenum eſt hepar.de ana.vi. Sp.45.G
Nutricationis motum habent & ipſæ arteriæ.2°. de ſan.tu. 2ª.75.B
p NVTRIENDI munere facultates quatuor.2°.de ſym.ca. 3ª.19.G
Nutriendi vis quibus conſiſtat quo modo cognoſcatur an bona an mala. de cu.rat.per ſang.miſſ. 6ª.17.D
Nutriendi vis calore excitato firmatur.5°.de ſan.tu. 2ª.98.C
Nutriendi corpus principium eſt in iecore. in tim.Plat. 2ª.287.D
Nutriendarum partium numerus infinitus.9°.de vſu par. 1ª.173.C
Nutrienda quo modo nutriantur.de bo.& vitio ſuc. 2ª.37.A
Nutriendorū corporū naturæ ſimilia edulia, & dulcedicē præſeferunt, nec vllam præparationem poſtulant.4°.de ſimp.me.fac. 5ª.28.H
Nutriēdorū diſſimilia iſuauia sūt añ ppationē.4°.đ ſim.me.f. 5ª.28.H
ad Nutriendum fœtum vnde veniat ſanguis.de ana.viu. Sp.52.D
ad Nutriendum prodeſt vinum.in 6ᵐ.de mor.vul.c.4°. 3ª.185.C
Nutriendum quomodo ſit in æſtate.de diſ.cont. Sp.71.G
Nutrienda quibus ſint corpora denſa.de diſ.cont. Sp.71.F
Nutriendum quibus ſit corpus rarum.de diſ.cont. Sp.71.E
Nutriendus quibus ſit homo calidæ temperiei.de diſ.cont. Sp.72.B
Nutriendus qbus ſit homo q abūdat cholera citrina.de diſ.cōt. Sp.72.B
Nutriendi ſunt frigidis calidi.in 6ᵐ.de mor.vul.c.4°. 3ª.183.E
Nutriendus quibus ſit ſtomachus debilis.de diſſ.cont. Sp.71.F
Nutriendi qui ſint frequenter,aliàs reſoluuntur.12°.me.me. 7ª.77.E
Nutriēdū eſt ſubtilius qñ sōnus eſt paucus,et leuis.de diſ.cōt. Sp.71.G
Nutriendi quomodo ſint febricitantes omnes.11°.met.me. 7ª.72.A
Nutriendi ſunt in acceſſione quidam ægrotantes.10°.met.me. 7ª.62.F
in Nutriendi actione quæ ſymptomata.de ſymp.diff. 3ª.12.A
in Nutriendi actione ſymptoma.3°.de ſymp.cauſ. 3ª.25.B
in Nutriendi actione,priuatio quidem actionis,in atrophia eſt, deficiēs vero nutritio,in gracilitate,vitioſa,in leucis,& elephantiaſi,cernitur.3°.de ſympto.cauſ. 3ª.25.B
NVTRIENS facultas quid agat.in 6ᵐ.de mor.vul.c.5°. 3ª.188.B
Nutrientis,& nutriti debet eſſe quædam communicatio, & ſimilitudo. 3°.de temperamentis. 1ª.22.C
Nutriens quare eſſe debet quod familiare.4°.de ſimp.me.fac. 5ª.26.H
Nutriens eſt ex genere dulcium.4°.de ſimp.me.fac. 5ª.26.H
Nutriens nutrito dulce. 4°.de ſimp.me.fac. 5ª.28.G
Nutriens alteratur ab eo,quod nutritur.de aſſuet. 2ª.61.B
Nutriens mutatur in ſubſtantiam nutriti.6°.de decr. Hipp. 1ª.265.G
Nutrientium aſſimilationis ad nutritum argumentum.de aſſue. 2ª.61.B
Nutriens aliquod magis conuenit,aliquod minus.3°.de temp. 1ª.22.C
Nutrientes multum cibi.8°.met.me. 7ª.50.H
Nutrientes plurimum cibi qui.de diſſ.cont. Sp.73.G
Nutriens in ſummo quale eſſe debet.7°.met.me. 7ª.45.D
Nutriens eſſe non poteſt cibus coctu facilis.7°.met.me. 7ª.45.D
Nutrientes minus cibi qui.de diſſ.cont. Sp.73.G
Nutriens octo coſtas inferiores vena parua, eſt vena ſine pari. in timæum Plato. 1ª.287.H
NVTRIMENTALIS, & vitalis ſanguinis differentia. de anatomia viuorum. Sp.53.A
NVTRIMENTI nomen (inquiunt quidam) eius quod vincitur, alteraturq;,ac mutatur dumtaxat eſt.3°.de ſymp.cauſ. 3ª.26.E
Nutrimentum quid ſit.1°.de ſimp.me.fac. 5ª.2.C
Nutrimenta quomodo dicantur omnes cibi.1°.de nat.fac. 5ª.292.G
Nutrimentum proprie dicitur,& æquiuoce.1°.de nat.fac. 1ª.292.G
Nutrimentum nomine,& non re quod.3°.de temp. 1ª.22.F
Nutrimentum proprie quod.3°.de temp. 1ª.22.F
Nutrimenti,& medicamenti differentia.5°.de ſimp.me.fac. 5ª.31.F
Nutrimentum,& venenoſum medicamentum quomodo differant.3°.de natu.facul. 1ª.304.A
in Nutrimentum quandoq; tranſeunt medicamenta. quos purg. opor. quibus med.& quo temp. 5ª.89.B
cur Nutrimēta aliqua ipoſita cuti exulcerāt,et erodūt.3°.đ tē. 1ª.22.G
Nutrimentum omne quale ſit.de oc. 7ª.187.H
Nutrimenti differentiæ.1°.de nat.fac. 1ª.292.G
Nutrimenti boni piſces qui de diſſ.cont. Sp.73.A
Nutrimenti boni vuæ,& fructus quæ.de diſ.cont. Sp.73.B
Nutrimenti boni eſt vinum coloris granati.de diſſ.cont. Sp.73.B
Nutrimentum craſſum,& corruptibile generant oua cocta in degamine vel in teſtis,& caſeus.de diſ.cont. Sp.74.B
Nutrimentum craſſum facit lupinus.6°.de ſimp.me.fac. 5ª.48.C
Nutrimentum lactis eſt craſſum.de diſſ.cont. Sp.73.F
Nutrimentum fabarum quale.de diſſ.cont. Sp.73.G
Nutrimentis humidis,& ſiccis nutritur natura.an animal ſit. 1ª.327.D
Nutrimentum humidum ſiccitati medetur.3°.de ſan.tu. 2ª.80.A
Nutrimenta mali ſucci edentes pruritu exercet̄.2°.de ſymp.c. 3ª.23.H
Nutrimenti multi cibi,qui.de diſ.cont. Sp.73.E
Nutrimenti multi cibi à quo ſumendi.de diſ.cont. Sp.73.E
Nutrimenti multi cibi aggrauant ſtomachum.de diſ.cont. Sp.73.E
Nutrimenta ex palea, & herbis diuerſa ex his,quæ ex carne,et oſſibus 6°.de ſanitate tuenda. 2ª.96.C
Nutrimenti pauci,ſunt ſubtiles cibi,de diſſ.cont. Sp.73.F
Nutrimēti pauci eſt medulla panis lota bñ,et amylū.de diſ.cōt. Sp.73.G
Nutrimentum pauciſſimum corpori præbent aquoſa, & ſubtilia vina. de vinis. Sp.76.D
Nutrimento ferè carentes cibi.de venæ.ſect.aduer.Eraſi. 6ª.14.C
Nutrimentum ſiccum non debet habere ſiccum inſtrumētum.3°. de ſymptom.cauſ. 3ª.29.D
Nutrimentum ſimpliciſſimum eſt ſolus panis.6°.de ſan.tu. 2ª.97.G
Nutrimento cur indiget corpus.in timæ.Pla. 1ª.287.B
ſine Nutrimento auctio fieri non poteſt.1°.de nat.fac. 1ª.292.B
Nutrimenti tempus quando ſit intro. Iſa.55.E
Nutrimentum aliud alij corpori proprium eſt.de aſſuet. 2ª.61.A
ad Nutrimenta ppria qūo veniunt naturaliter aīalia.de aſſue. 2ª.61.A
Nutrimentum quomodo fiat.de hiſt.phil. Sp.12.A
circa Nutrimentum naturæ opera diuiditur in tria tempora, & quæ ſint.3°.de nat.fac. 1ª.307.B
Nutrimenti vaſa.intro. Iſa.54.B
Nutrimēti triplicia inſtr̄a in oībus animalibus.6°.de ana.adm. 1ª.90.B
Nutrimenti organa cur ſint multa.1°.de nat.fac. 1ª.292.D
Nutrimentum debet tranſire per concoquendi inſtrumenta, & non extrinſece.3°.de temperamen. 1ª.22.D
Nutrimenti partium officia.introd. Iſa.54.B
Nutrimenti inſtrumenta principaliſſima quæ.5°.de vſu par. 1ª.146.D
Nutrimenti via maxima communis,& publica ad ventriculi os. 4°. de vſu partium. 1ª.135.G
pro Nutrimento eſt venter inferior.de ana.viu. Sp.47.C
Nutrimenti digeſtio per quid fiat.de vti.reſp. Sp.64.A
Nutrimentum inſpiſſat calor.de vti.reſp. Sp.64.B
in Nutrimento quomodo fiat ſimilium adunatio.de vti.reſp. Sp.64.B
Nutrimentum an in ventre probe in chylū verti poſſet non ita refert ſcire,ſicut an ſanguinem bonum gignere poſſit.2°.de nat.fac. 1ª.299.E
Nutrimento ſecundam purgationem dat iecur.4°.de vſu par. 1ª.135.H
Nutrimentum totius corporis in ſe continet hepar.de ana.vi. Sp.49.H
Nutrimentum non ſolum ducitur ad Hepar per venas,ſed etiam præparatur.4°.de vſu par. 1ª.135.H
pro Nutrimenti conſeruandis excrementis ſecundum genus organorū 1°.de nat.fac. 1ª.29[illegible].E

Nutrimenti organa apud medicos inteſtina craſſa quoq; , & veſica.5°. de vſu partium. 1ª.146.D
Nutrimenti inſtrumenta ſunt muſculi excrementorum expulſorij,& cohibitorij,& qui.5°.de vſu par. 1ª.146.D
Nutrimenti vehiculum eſt aquoſus humor.4°.de vſu par. 1ª.136.C
ad Nutrimentum corporis facit aqua.de ana.viu. Sp.47.G
*Nutrimẽtũ aquæ comparat et venas riuis ĩ hortis.ĩ tim.Plat.*1ª.297.F
Nutrimenti diſtributio frictione fit facilior.5°.de ſan.tu. 2ª.89.G
Nutrimentum oẽ ſimile fit ei cuius eſt nutrimentũ.de vti.reſp. Sp.63.H
Nutrimẽtum diuerſe alteratur à varijs mẽbris.3°.de nat.fa. 1ª.304.A
Nutrimentum proprium celerrime alterat,et aſſimilat corpus humidiſſimum,& calidiſſimum.3°.de ſymp.cauſ. 5ª.28.H
Nutrimentum mutat carnem.3°.de ſymp.cau. 3ª.26.E
in Nutrimento affixio quid ſit.3°.de ſymp.cauſ. 3ª.29.A
Nutrimentum ſibi conueniens trahunt omnes particulę. 3°. de ſympto. cau.3ª.26.A/3°.de ſimp.me.fac. 5ª.23.D
Nutrimentum ita trahitur à membris per vim qualitatis trahendæ,vt magnes ferrum.3°.de nat.fac. 1ª.299.D
Nutrimentum in inteſtinis,plurimum in venas,parum in arteria rapitur.3°.de nat.fac. 1ª.307.B
Nutrimenti tranſitus per venas ἀνάδοσις.2°.de nat.fac. 1ª.299.C
ad Nutrimentum cerebri dealbatus ſanguis & ad teſtes defertur de anatomia viuorum. Sp.51.G
Nutrimentum triplex habet ſtomachus.de ana.viu. Sp.50.A
Nutrimentum cordis quibus virtutibus ſit.de ana.vit. Sp.46.H
Nutrimentum vnde tranſmittit ad cor vena habens ventrem ad cor.de anatomia viuorum. Sp.54.D
*Nutrimento indiget vitalis calor,nõ refrigeratiõe.de vti.reſp.*Sp.64.B
Nutrimentum caloris cordis quale.de vtil.reſp. Sp.64.B
*Nutrimẽtũ caloris ĩ ſiniſtro vẽtre cordis à quo fit.de vti.reſp.*Sp.63.A
ad Nutrimentum ſui ſeruat hepar ſanguinem vtiliorem de compag. membrorum ſiue de nat.hum. Sp.59.A
Nutrimentum oſſium quale.6°.met.me. 7ª.40.D
Nutrimentum proprium in oſſe.2°.de vſu par. 1ª.126.G
Nutrimẽtũ ſpermatis virilis ẽ muliebre ſperma.đ ſper.36.B/ Sp.37.A
*Nutrimentum quo modo ſuſcipiat fœtus in vtero.de hiſt.philo.*Sp.11.A
Nutrimentum vnde ſumat fœtus in vtero.de ana.parua. Sp.43.C
Nutrimentum ignis nullatenus eſt aqua,ſed aer.de vtil.reſp. Sp.64.C
Nutrimentum ignis eſt aer.de vti.reſp. Sp.63.H
Nutrimenti cauſa aer eſt neceſſarius ad conſeruationem ignis non propter refrigerationem.vt quidam putant.de vti.reſp. Sp.63.H
ad Nutrimentum ſpiritus eſt aer.de ana.viu. Sp.47.G
Nutrimentũ oẽ influens refrigerat id,quod nutrit.de vti.reſp. Sp.63.A
Nutrimenti omnis communis effectus.3°.de temp. 1ª.22.F
Nutrimẽtũ oẽ,vt nutrimẽtũ auget corporis calorem.3°.de tẽp. 1ª.22.F
Nutrimenta omnia duabus vel pluribus agunt qualitatibus. 4°. de ſimpli.medicam.fac. 5ª.26.H
Nutrimenta calida eſſe debent.4°.de ſimp.me.fac. 5ª.27.A
Nutrimentum quomodo iucundum.4°.de ſimp. me.fac. 5ª.27.A
Nutrimenti vitia in abundantiam,& qualitatem diducũtur.3°. de ſymptoma.cauſis. 3°.25.B
ex Nutrimenti defectu fit partium frigiditas.7°.met.me. 7ª.46.F
Nutrimento deficiente fit caloris augumentatio ratione vacuitatis. de vtil.reſpi. Sp.93.C
Nutrimenti defectus facit fluxum capillorum.c.5°.aph.11°. Ex.38.D
Nutrimentum minus cur datur poſt magnum exercitium, & cur non. 3°.de ſanitate tuenda. 2ª.80.C
Nutrimentum hirudinum nuper captarum debet eſſe ſanguis. de cucurbit.ſcarifica. 6ª.4.C
Nutrimentum lege.Alimentum , & Cibus.
NVTRIRE *dulcis ſaporis terminus eſt.4°.de ſimp.me.fac.* 5ª.29.F
nõ Nutrĩt à corpe ſubſtãtia ĩ corporea neç ecõtrario.de ſper. Sp.40.G
Nutrimur virtute ꝓueniente ab hepate.de vir.noſt.cor.diſp. Sp.60.B
vnde Nutriatur fœtus.de ana.viuo. Sp.52.D
Nutritur infans menſtruo ſanguine.de ſper. Sp.36.D
Nutritur fœtus per vmbilicum.de ſper. Sp.36.E
Nutritur,ac augetur quodq; à ſimilibus.2°.de dif.feb. 3ª.44.C
Nutriri ignem ab aere probatur.de vti.reſp. Sp.62.D
Nutrĩt flãma nõ tm̃ à pingui,ſed & ab aere vicino.de vti.reſ. Sp.62.D
Nutrit animalia calor naturalis.c.1°.aph.15°. Ex.8.B
Nutritur vitalis calor,qui eſt in corde à ſanguine pingui , & vnctuoſo vt flamma ab oleo ſecundum Ariſtotelem.de vti.reſp. Sp.62.C

Nutrit aer calorem cordis.de vti.reſp. Sp.63.C
Nutriatur vnde cor.de compag.memb. Sp.58.D
Nutritur pulmo ſanguine calido,& ſicco.de ana.viu. Sp.52.H
Nutriunt vocem meatus ſpiritus.de voc.inſt.diſſec. 1ª.106.E
quibus Nutriatur panniculus ſtomachi,& q̃uo.de ana.vi. Sp.49.H
*vt Nutriat mẽbra oĩa nõ digerit ſtomachus.de mot.ma.et obſ.*Sp.68.H
Nutriuntur ſanguine renes.de ana.viu. Sp.51.C
Nutriri debet caro ex ſanguine.de ana.vi. Sp.49.H
quæ Nutriuntur proprium ſuccum à ſanguine ducũt.1°.de ſe. 1ª.332.E
vt Nutriantur complexioni ſanguinis vicina non indigent magna ſanguinis conuerſione.de ana.viu. Sp.44.G
vt Nutriantur ſpermatica à ſanguinis complexione remota, multa indigent ſanguinis conuerſione.de ana.viu. Sp.44.G
Nutriuntur per tota,quæ nutriuntur.2°.de nat.fac. 1ª.297.H
Nutriunt,& coquunt melius grata.in 6m.de mor.vul.c.4°. 3ª.180.F
*aliqua Nutriunt plurimũ,& inflant.1°.de comp.me.ſec.loc.*5ª.124.A
Nutriunt corpus nutrimento plurimo adhærente ſomni multi poſt cibũ. de diſſolutione cont. Sp.72.G
*Nutrit maxime caro ſuilla.in 6m.de mor.vulgaribus.com.3°.*3ª.171.F/ *7°.methodi medendi.* 7ª.45.D
Nutriunt multum cibi craſſi viſcoſi ſi coquantur.de diſ.cont. Sp.72.G
Nutrit magis mulſa,q̃ aqua.de vic.ra.in mor.acu.com.3°. 7ª.128.G
Nutrit plus mulſa q̃ vinum.de vic.rat.in mor.acu.com.3°. 7ª.129.C
Nutriunt multum vina craſſa.14°.met.me. 7ª.91.F
Nutrit vinum ſi cum modica aqua bibatur.de ſimp.me. Sp.92.B
non Nutriunt alij liquores præter vinum vel aduerſantur etiam nutritioni.de ren.aff.dig.& med. 7ª.195.G
Nutrit cito vinum,citiſſime odor.com.1°.aph.12°. Ex.5.B
Nutriunt quæ celerrimæ.com.2°.aph.18°. Ex.13.F
Nutrire vniuerſim,& celeriter quid.com.2°.aph.18°. Ex.13.F
Nutriant qui cibi facile,ſed parum.8°.met.me. 7ª.50.H
Nutriunt quæ tarde.com.2°.aph.18°. Ex.13.G
Nutriant quæ minime.de ocul. 7ª.187.H
non Nutriunt aer,& aqua cur.de ana.viu. Sp.47.G
Nutrit nullo pacto aqua.de victus ratione in morbis acutis.com.2°.7ª. 128.F/de bon.aquæ. Sp.75.G
Nutrire aliquo modo vr̃ aqua.de vic.rat.in mor.ac.com.3°. 7ª.128.G
Nutrit parum caro ouilla.in 6m.de mor.vul.com.3°. 3ª.170.F
Nutrire nõ p̃nt humores crudi prius q̃ ſint cocti.12°.me.me. 7ª.77.F
Nutrit modice mel.de vic.rat.in mor.acut.com.3°. 7ª.128.F
Nutriuntur bruta quædam per odoratum.de ana.viu. Sp.49.B
Nutriuntur quidam medicamentis.de ther.ad Piſo. 5ª.91.B
quod Nutritur non eſt vnum.1°.de nat.fac. 1ª.292.E
Nutriunt optime calida,& humida corpora.3°.de ſymp.cau. 3ª.28.H
Nutriuntur optime qui corpora habent calida humidaq;.3°. de ſymptomat.cauſ. 3ª.29.A
*Nutriuntur peſſime frigida,& ſicca corpora.3°.de ſymp.cau.*3ª.29.A
Nutrire corpora quando debemus,& q̃n non.com.1°.aph.12°. Ex.5.C
Nutriri,& aſſumptos cibos,& potus recte conficere ægris vtiliſſimũ. in 6m.de morb.vul.com.4°. 3ª.180.F
Nutrire quid faciat in febribus,& quæ prohibeat.11°.met.me. 7ª.71.G
non Nutrire quid faciat.2°.de ſan.tu. 2ª.84.E
ſi non Nutritur corpus,poteſt eſſe vel ex malis humoribus, vel ex nutritiua imbecillitate.com.2°.aph.31°. Ex.16.H
non Nutriuntur cur ſenes.3°.de ſymp.cau. 3ª.29.C
Nutrit palpebras proprietate minium.de ſimp.me. Sp.81.C
NVTRITIO *quid.1°.de nat.fac.291.E/292.F/1°.de ſe.1ª.335.E/8°. de comp.me.ſe.lo.5ª.194.B/com.1°.aph.15°.* Ex.8.B
Nutritio eſt euacuati repletio.4°.de ſimp.med.fac. 5ª.26.H
Nutritioni quæ inanitio ex aduerſo opponatur.1°.de ſan.tu. 2ª.68.H
Nutritio,& concoctio alterationes ſunt. 3°. de ſymp.cau. 3ª.29.A
Nutritio alterationis ſpecies.3°.de ſymp.cau. 3ª.26.C
Nutritio eſt alteratio dicta aſſimilatio.1°.de na.fac. 1ª.295.C
Nutritio eſt aſſimilatio.1°.de naturalibus facultatibus.1ª.292.H/3°. de ſyptomatum cauſ. 3ª.26.C
Nutritio eſt res diuerſa à ſanguificatione.3°.de nat.fac. 1ª.303.D
à Nutritione diuerſa eſt agglutinatio.3°.de nat.fac. 1ª.307.A
Nutritionem præcedit agglutinatio.1°.de nat.fac. 1ª.292.F
Nutritio eſt ipſa actio.1°.de nat.fac. 1ª.292.C
Nutritio actio naturæ.introd. Iſa.55.B
Nutritio vna ex tribus actionibus,quæ vni ex tribus naturæ operibus reſpondent.1°.de nat.fac. 1ª.291.E

Nutritio naturalium actionum prima præcipua, & maxime neceſſaria. 3°.de ſymptomatum cauſis. 3ª.26.C
Nutritio eſt primũ naturæ operũ,& veluti caput.1°.de na.fac. 1ª.295.C
Nutritio eſt cõis ẽt plantis, & eſt opus naturæ.1°.dc nat.fac. 1ª.290.F
Nutritione indigent quæ augentur.1°.de nat.fac. 1ª.292.B
Nutritio quo modo fiat.2°.de nat.fa.1ª.298.A/5°.de ſan.tuen.2ª.96.C/ de vtilitate reſpirationis. Sp.62.D
Nutritio quo modo fiat per partes.3°.de nat.fac. 1ª.307.C
Nutritionis,& venarum origo.de marc. 3ª.46.G
Nnutritio quando ſit. 3°. de nat.fac. 1ª.302.D
Nutritionis cauſa eſt facultas. 1°.de nat.fac. 1ª.292.C
Nutritionis inſtrumenta quot.4°.de præſag.ex pulſ. 4ª.119.F
Nutritio fit à calore innato.2°. de nat.fac. 1ª.298.A
Nutritio fit ex ſanguine.2°. de decr.Hipp. 1ª.290.H
Nutritio quo ſanguine fiat.com.2°.aph.47°. Ex.18.H
in Nutritione ſanguis attrahitur p̃ tunicã vaſorũ. 6°.de vſu pa. 1ª.151.D
Nutritionis principiũ eſſe Iecur demõſtratio.8°.de decr. 1ª.273.B/G
ad Nutritionem magis idonea naturalia inſtrumenta humidiora. 3°.de ſymptom.cauſ. 3ª.29.D
Nutritioni accommoda eſt humiditas.3°.de ſymp.cau. 3ª.29.E
Nutritio fit humiditate.3°.de ſymp.cau. 3ª.30.E
Nutritione,& auctione exceptis omni functioni cõtraria eſt humiditas 3°.de ſymp.cau. 3ª.29.E
in Nutritione omni id,quod nutritur,attrahit,& cõgregat particulas ſibi ſimiles.de vti.reſpi. Sp.64.A
in Nutritione omni fit ex multo nutrimento res modica per digeſtionẽ. de vtil.reſp. Sp.62.E
Nutritio quibus fiat.1°.de elementis. 1ª.7.B
Nutritio fit promptior frictione.5°.de ſan. tu. 2ª.89.G
in Nutritione vinorum differentiæ.de diſſ.cont. Sp.73.F
Nutritioni noxiæ ſunt vuæ acidæ,& auſteræ.2°.de ali.fac. 2ª.18.B
Nutritio gignit partes earum,quæ aluntur ijs ſimiles, quæ digeſta ſunt. 1°.de ſemine. 1ª.332.H
Nutritio appoſitio quædam eſt ſine ampliatione.1°.de nat.fac. 1ª.291.E
Nutritionem parciorem ὀλιγοτροφίαν vocant.3°.de ſan.tu. 2ª.80.C
Nutritio quo modo fruſtretur.3°.de ſymp.cauſ. 3ª.26.C
Nutritio vitiata in ſenibus.2°.de temp. 1ª.16.D
Nutritio vitioſa deficiens in gracilitate eſt.3°. de ſymp.cauſ. 3ª.25.B
Nutritio vitioſa in leucis,& elephãtiaſi cernit.3°.de ſymp.cau. 3ª.25.B
à Nutritione vitioſa quæ proueniant.de ſymp.diff. 3ª.12.A
Nutritionis inſtrumentorum affectorum dempto ventriculo pulſus. 4°. de præſag.ex pulſ. 4ª.120.E
ſupra Nutritionis inſtrumentum oſtendunt vrinæ.in 3^{m}. de mor. vulg. commentario.2°. 3ª.139.A
in Nutritione differentia morborum acutorum,& longorum.de victus rat.in mor.acut.com.4°. 7ª.150.E
Nutritio vnde maxime accipiatur.com.1°.aph.17°. Ex.9.G
Nutritio ægri à quo tempore ſumatur.c.1°.aph.17°. Ex.9.C
Nutritio in plethoricis diſpoſitionibus.com.1°.aph.17°. Ex.9.C
Nutritione qui indigent celeri quomodo tractandi ne fiant tabidi.de vene ſect.aduerſ.Eraſiſt. 6ª.7.H
Nutritio citiſſima per quæ facienda.c.1°.aph.11°. Ex.5.A
Nutritionis velocis initium vnde.com.2°.aph.18°. Ex.13.G
Nutritionem velocem,vel tardã debemus probare ex ſanis. Galenus. com.2°.aph.18°. Ex.13.H
NVTRITIVA *vis quadruplex.de ocul.* 7ª.185.E
Nutritiua mẽbra à ſpiritualibus diuidit diaphragma.de an.vi. Sp.56.F
Nutritiua imbecillitas quid agat.c.2°.aph.31°. Ex.16.H
Nutritiuum magis eſt vinum ad rubedinem, & dulcedinem declinans. de diſſolutione continua. Sp.73.F
Nutritiuum minus eſt vinum album ſubtile.de diſſ.cont. Sp.73.F
NVTRITORIA *vis particulariter ineſt in omnis animalis particula. 3°.de nat.facul.* 1ª.302.D
Nutritoria inſtrumẽta cur habeãt neruos paruos.5°.de vſu pa. 1ª.145.E
NVTRICIS *facultatis principium eſt iecur.5°.de loc.af.* 4ª.28.H
Nutricis actio eſt adſimilatio.1°.de nat.fa. 1ª.292.D
Nutrix vis adiuuat auctricem.1°.de nat.fac. 1ª.292.A
Nutrix vis indiget inſtrumẽtis,& facultatibus.1°.de nat.fac. 1ª.295.D
NVTRICES *fingunt,& formãt membra puerorũ.2°.de tẽp.* 1ª.16.A
Nutrices q̃uo p̃nt obeſſe infantibus in formatione.de cau.mor. 3ª.8.F
Nutrices obtorquent infantium oſſa.de arti.com.4°. 7ª.283.E
de Nutrice qualis habenda. cura.1°.de ſan.tu. 2ª.66.B
Nutricum lac examinandum.3°.de ali.fac. 2ª.28.A
Nutricis ſanguis qualis eſſe debeat.1°.de ſan.tuen. 2ª.66.B
Nutrix omnino à venere abſtineat.1°.de ſan.tu. 2ª.66.B
Nutrice prægnante nihil peius.1°.de ſan.tu. 2ª.66.B
Nutrices prudentes quid agant.1°.de ſan.tu. 2ª.66.A
Nutrices infantes tripliciter mouent cunis,lectulis,pendẽtibus, ac ſuis ipſarum vlnis.1°.de ſan.tu. 2ª.65.D
Nutrix quæ oleribus ſylueſtribus vtebatur quo modo alumnum læſerit 3°.de alim.fac. 2ª.28.A
Nutricibus quæ præbet Galenus.6°.de comp.me.ſec.loc. 5ª.176.F
Nutrici datur pro infante medicamentũ.7°.de comp.me.ſe.lo. 5ª.185.F
Nutrices à quibus abſtinere debent in aphthis puerorum.6°. de comp. med.ſecun.locos. 5ª.176.B
NVCES *ad perfectionem veniunt in fine æſtatis. 6°. de compoſitione med.ſecun.locos.* 5ª.168.G
Nuces oleoſæ,& pinguis qualitatis.2°.de ali.fac. 2ª.21.B
Nuces citius,quàm amygdalæ fiunt oleoſæ.2°.de ali.fac. 2ª.21.B
Nux gratior ſtomacho,quàm auellana.2°.de ali.fac. 2ª.21.A
Nux facilius coquitur,quàm auellana.2°.de ali.fac. 2ª.21.A
Nuces velocius digeruntur quàm auellanæ.de diſ.cont. Sp.73.D
Nux parum alit.2°.de ali.fac. 2ª.21.A
cur Nuces parum nutriunt.de diſſ.cont. Sp.73.F
Nuces accommodæ victui attenuanti.de atten.vic. 2ª.45.H
Nuces ſunt cibaria media.de diſſ.cont. Sp.74.C
Nux recens non habet aliquem ſaporem.2°.de ali.fac. 2ª.21.A
Nuces humidæ cibus humidus.de diſ.cont. Sp.74.D
Nux humida apta ad deiectionem.2°.de ali.fac. 2ª.21.B
Nux cum garo præſertim viridis ſubducit.2°.de ali.fac. 2ª.21.B
Nux ſicca minus apta ad deiectionem.2°.de ali.fac. 2ª.21.B
Nux ſicca aqua macerata fit viridis virtute.2°.de ali.fac. 2ª.21.B
Nuces humidę,& ſiccæ quando mollificantur in aqua leniunt ventrem. de diſ.cont. Sp.75.A
Nucis nucleus aridus modice tenuium partium et exiccatorium eſt medicamentum expers morſus.7°.de ſimp.me.fac. 5ª.50.C
Nux caricis manditur.2°.de alim.fac. 2ª.21.B
cum Nucibus caricæ præſtantiores.de bo.& vitio ſuc. 2ª.37.F
Nuces contra venena.de bo.& vitio ſuc. 2ª.37.F
Nux,& caricæ cum ruta valent contra medicamenta letalia.2°.de alimentorum facul. 2ª.21.B
Nuces cum ficubus incidũt phlegma,& mũdificant ſtomachum. de diſ. continua. Sp.74.D
Nux nocet capiti.de ſubſ.emp. Iſa.32.C
Nuces in prandio dantur epilepticis.de pucro epil. 7ª.180.F
Nux antiqua oleoſa quo modo ſugillatis valet.5°.de compoſi. medicam. ſecundum locos. 5ª.159.H
Nuces virides ad capillorum defluuium.de rem.par.fac. 7ª.154.B
ex Nucæ fit oleum.4°.de ſimp.me.fac. 5ª.26.G
ex Nucibus oleum quo modo fieri debet.7°.de ſimp.me.fac. 5ª.50.B
Nucum oleum eſt oculorum cenoticum.de cathar. Sp.95.B
Nucum oleum purgat aures.de cathar. Sp.95.B
ex Nucibus oleum ad neruorum vulnera valet.7°.de ſim.m.f. 5ª.50.B
ex Nucibus oleum gangrænas,carbunculos,& ægilopas ſanat. 7°. de ſimpli.medic.fac. 5ª.50.B
Nucum ſuccus eſt tenuium partium.6°.de comp.me.ſec.loc. 5ª.167.H
Nucum ſuccus probatur adſtringens,quia inhereat manibus, & multum penetrat.6°.de comp.me.ſe.lo. 5ª.167.G
Nucum ſuccus fortior,quàmuis non ſit in guſtu acerbus. 6°. de comp. medicamen.ſec.loc. 5ª.171.F
in Nuce vbi adſtrictio maior.7°.de ſimp.me.fac. 5ª.50.B
ex Nucibus de medicamento.6°.de comp.me.ſe.lo. 5ª.167.F
ex Nucibus medicamentum pro ſtomacho.7°.de ſimp.me.fac. 5ª.50.B
Nucum ſuccus non vorandus.6°.de comp.me.ſec.lo. 5ª.169.A
Nucum ſucco vtuntur tinctores.6°.de comp.me.ſec.loc. 5ª.167.G
Nucis putaminis ſucco cur fullones vtuntur.7°.de ſimp.me.fac. 5ª.50.B
Nucum putamina terrena ſunt.9°.de ſimp.me.fac. 5ª.64.H
Nucum cinis qualis.6°.de comp.me.ſec.loc. 5ª.175.A
Nucum internum quod eſt inſtar columellæ.de med.fac.par. 7ª.167.G
ex Nuce nõ debent fieri lecti,nec fores,nec vaſa,de ſubſ.emp. Iſa.32.C
Nuces Amaræ.1°.de comp.me.ſec.loc. 5ª.124.F
Nux auellana doſis nomen.8°.de comp.me.ſec.loc.195.H/9°.197.G/1°. de comp.me.per gen. 5ª.215.F
Nux Magna doſis nomen.de pond.& menſ. 5ª.273.F

Nux Noua.de med.ſac.par. 7ª.178.H
Nux Tinea qualis.7°.de comp.me.ſec.loc. 5ª.179.A
Nux pinea, quæ à græcis ſtrobilon dicitur, non eſt mali ſucci, ſed craſſi. de bo.& vitio ſucc. 2ª.35.F
Nux pinea boni ac craſſi ſucci eſt, & multũ nutrit.2°.de ali.fa. 2ª.19.D
Nux pinea difficulter coquitur.2°.de ali.fac. 2ª.19.D
Nux pinea videtur dura, ſed elixa eſt mollis.de bo.& vit.ſuc. 2ª.36.F
Nuces pineæ ad ſtomachi ardorem cum ſyncope.8°.de compoſi.medicamentorum.ſecun.loc. 5ª.191.H
Nuces pineæ in inflammationum arteriæ principijs leniſſimæ.7°.de compoſi.me.ſec.loc. 5ª.177.H
Nuces pineæ toſtæ.6°.de comp.me.ſec.loc. 5ª.171.C
Nuces pineæ toſtæ.7°.de comp.me.ſec.loc. 5ª.182.B
Nux pontica, auellana, & λεπτοκάρυα idem.2°.de ali.fac. 2ª.21.A
Nuces ponticæ quales.de atten.vic. 2ª.45.H
Nux pontica plus habet eſſentiæ terreſtris, & frigidæ, & auſterior eſt cæteris.7°.de ſimp.me.fac. 5ª.50.C
Nuces põticas qũo expertus eſt pater Galeni.de bo.& vi.ſuc. 2ª.36.G
Nuces ponticæ purgatæ.10°.de comp.me.ſec.loc. 3ª.206.D
Nucis ponticæ magnitudo pro Doſi.7°.de compoſi.med.ſecun. loc.178. D|181.E|F|182.B|D|H|183.H|185.G|186.A|B|E|8°.195.A|H|9°.201.H|202.D|G|H|10°.206.A|B|D|F|de pond.& menſuris.5ª.277. F|de med.fac.par. 7ª.178.F
Nuces Regiæ ſunt nuces communes.2°.de ali.fac. 2ª.21.A
Nux regia pinguis.2°.de ali.fac. 2ª.21.A
Nux regia tempore oleo veteri aſſimilatur.2°.de ali.fac. 2ª.21.A
Nux regia adſtringit.2°.de ali.fac. 2ª.21.A
Nux regia parua doſis.9°.de comp.me.ſec.loc. 5ª.201.H
Nux regia nomen ponderis.5°.de compoſi.medic. per.gene. 253.A|de pond.& menſ. 5ª.276.G
Nux Syriaca.de med.fac.par. 7ª.176.A
Nucis virginis cortex.de dyna. Sp.28.H
NYXΘHMEPON *quid appelletur ab aſtronomis.de ſept. part.* 1ª.241.B
NYCTALOPS *quid.fin.med.48.E|intro.* Iſa.59.B
Nyctalops affectus palpebræ.intro. Iſa.58.D
Nyctalops vlceratio oculorum.fin.med. Iſa.48.D
ob Nyctalopas ſecantur arteriæ poſt aures.de ana.viu. Sp.55.B
Nyctalopibus confert ſectio venarum temporum, & quæ ſunt in angulis oculorum lachrymalibus.de ana.viu. Sp.55.A
ꝑ Nyctalopis in ollam iubet inſpici.de rem.fac.par. 7ª.156.H
ad Nyctalopas iecur caprinum.11°.de ſimp.me.fac. 5ª.79.H
ad Nyctalopas.4°.de comp.med.ſecundum locos.5ª.158.D| de remed. paratu fac.156.H| 7ª.163.C
NICTICORACIS *ouum.de reme.fac.par.* 7ª.156.G
NYGMATICVM, *Fuſcũ.3°.de cõp.me.per gen.235.E|B|* 5ª.258.H
Nήμφη quæ.introd. Iſa.53.D
Nympha eſt propugnaculum matricibus.15°.de vſu par. 1ª.211.A
NYMPHEAE *ſemen exiccat.5°.de me.fac.par.* 5ª.38.C
Nymphea ſemen deſiccat citra morſum.8°.de ſimp.me.fac. 5ª.57.A
Nymphea radix, & ſemen, ſemen ſiue ꝑ inſomnia ſiue alio pacto imodice profluens retinet, iuuat dyſentericos.8°.de ſimp.me.fac. 5ª.57.A
Nymphea candidam radicem habens muliebri proſtuuio medetur.8°.de ſimp.medic.facul. 5ª.57.A
Nymphea aliquid potandum in priapiſmo exhibet.14°.me.me. 7ª.89.B
Nymphea omnes alphos ſanant, & alopecias.8°.de ſimp.me.f. 5ª.57.A
NYMPHODERI *gloſſocomum quid ſit, & quomodo conficiatur.de machinamentis.* 7ª.215.D
NYMPHODOTVS *6°.de comp.me.per gen.* 5ª.261.E

O *& Ω antiqui eodem charactere ſcribebat. in* 6^{m}*.de morb.vul.c.3°* 3ª.178.G
Oæ *vocabant attici ſorba.2°.de alimentorum facultatibus.* 2ª.20.F
Oῶν id eſt ſorborum decoctum adſtringens moderatum pro gargariſmis.6°. de compoſitione med.ſec.loc. 5ª.172.F

OBAVDITIO *in auditu vitium eſt.1°.de ſympto.cauſis.* 3ª.15.G
Obauditio ſiue obauditus nomen vitij in auditrice vi, quale nec in guſtatrice, nec in odoratrice reperitur.1°.de ſymp.cau. 3ª.16.G

OBEDIENTIA *libididis ad rationem optima eſt. de cogn. curand.animi morbis.* 2ª.53.A
OBEDIVNT *voluntati æſophagus, & ſtomachus.de mot.m.* Sp.68.E
Obediunt illis magis ægri, quos libenter aſpiciunt, & contra. in 6^{m}*.de mor.vul.com.4°.* 3ª.180.G
OBEVNT *multi non parẽtes medicis.in* 6^{m}*.de mor.vul.c.2°.* 3ª.168.F
Obiere multi ex abſceſſu gulæ.5°.de loc.aff. 4ª.32.D
Obeunt cito ſyncopa intercepti.5°.de loc.aff. 4ª.29.E
Obijt homo, morbus tamen eſt curatus inquiunt quidam.2°. de arte curatiua ad Glauconem. 7ª.103.C
Obelo ſigno vtebatur Ariſtarcus apud Poetam iuxta ſibi ſuſpectos verſus.de nat.hum.com.2°. 7ª.181.E
pro OBESITATE *ſananda febris eſt apta.14°.met.me.* 7ª.91.F
OBESVM *præſtat exercitatio mediocris.5°.de ſan.tu.* 2ª.89.C
Obeſi humidi natura ſunt.de arti.com.1°. 7ª.256.E
Obeſi molles, & candidi non abundant humore melancholico.3°. de locis affectis. 4ª.18.D
Obeſi non ſunt præter naturam.de tum.præ.na. 3ª.82.F
Obeſum ſi ſit corpus quid conſiderandum.5°.de ſan.tu. 2ª.89.C
Obeſum valde corpus non probat Galenus.5°.de ſan.tu. 2ª.64.E
Obeſi quo modo fiant gracilles.6°.de ſan.tu. 2ª.98.C
Obeſi ex gracilibus redditi.6°.de ſan.tu. 2ª.98.B
Obeſi quo modo euomere debent.de ſal.die. 2ª.41.F
OBINTELLIGENTIA *hoc eſt παρασύνεσις, ſignat non deceptionẽ abſolute, ſed eã quæ veritati adiacet.de art.cõ.3°.* 7ª.276.D
OBICES, *pars organorum.de machin.* 7ª.309.E
OBIVRGAT *ſe nemo, qui à libidine deſiſtere propoſuerit.5°. de decr. Hippocrat.* 1ª.259.G
OBLAESIO *quid.fin.med.* Iſa.47.H
OBLATIONES *flatuũ ꝑ venas quibus eueniant.de præſ.ex.* Sp.78.E
OBLATA *qũo faciunt prædicere.in* 1^{m}*.de mor.vul.com.3°.* 3ª.117.B
ex Oblatis morborum formas, & non ſolum modos cognouit Galenus. in 1^{m}*.de mor.vul.com.3°.* 3ª.117.C
ad Oblata promptitudo bonum eſt ſignum.c.1°.aph.33°. Ex.10.D
OBLECTANTIA *dari ægris iubere debet medicus.in* 6^{m}*.de morbis vulg.com.4°.* 3ª.181.A
Oblectent quæ viſum in 6^{m}*.de mor.vul.com.4°.* 3ª.181.B
Oblectent quæ tactum.in 6^{m}*.de mor.vul.com.4°.* 3ª.181.A
OBLIQVATIO *eſt diſtortio in latus.de arti.com.2°.* 7ª.272.F
Obliquationes quo modo fiant.com.3°.aph.31°. Ex.26.H
Obliquationes comitantur ſenes ad mortem.com.5°.aph.40°. Ex.18.A
OBLIQVE *pollicem mouens muſculus.de muſ.diſ.* 1ª.48.D
Oblique introrſum, ſurſumq; digitos mouentes muſculi quinq;.de muſculorum diſſectione. 1ª.49.A
Oblique tibiã ad exteriora inuertens, & ſimul flectens muſculus.de muſculorum diſſectione. 1ª.51.E
Oblique magni digiti internodium leniterq; ad exteriora extendens muſculus.de muſc.diſſec. 1ª.52.B
Oblique leniter, ſurſum trahẽs magnum digitum pedis muſculus.de muſculorum diſſectione. 1ª.52.D
OBLIQVITATEM *Zodiaci Pythagoras primus inuenit. de hiſtoria philoſop.* Sp.6.C
Obliquitas eſt paſſio propriæ ſpinæ.com.6°.aph.46°. Ex.51.G
OBLIQVVM *cur ſit colon inteſtinum.de ana.viu.* Sp.50.F
Obliqui muſculi, & recti adſunt vbi eſt vnum os.de ana.adm. 1ª.90.A
Obliquam poſitionem habentes muſculi principia motus in diuerſis locis habent conſtituta.16°.de vſu par. 1ª.216.H
Obliqua poſitio partis duplex eſt.2°.de vſu par. 1ª.125.B
Obliqui muſculi quo modo ſecandi.5°.de ana.adm. 1ª.88.B
Obliqui motus fiunt ab obliquis muſculis.6°.de anat.adm. 1ª.90.A
Obliquus eſt motus ſecundi muſculi capitis.de muſ.diſſ. 1ª.45.E
Obliquus eſt motus capitis ſi muſculus vnus agat.de muſ.diſ. 1ª.45.H
Obliqui muſculi ex ijs, qui totam ceruicem occupant, obliquum caput abnuendo mouent.de muſc.diſſ. 1ª.45.H
Obliquã ceruicem in priora flectens muſculus, qui.de muſc.diſ. 1ª.46.H
Obliquum linguæ motum qui muſculi faciant.de muſc.diſſ. 1ª.46.F
Obliquorũ muſculorũ, qui radiũ mouẽt, exortus.de muſ.diſſ. 1ª.49.A
Obliqui duo muſculi pudendi quales, & vbi ſint.de muſc.diſſ. 1ª.50.D
Obliquo motu qui muſculi agunt digitos in pede.de muſ.diſ. 1ª.52.G
Obliquo motu qui muſculi mouent ſingulos digitos.de muſc. diſ. 1ª.52.H
Obliquum motum in manu vnicuiq; digito ſuppeditantes muſculi.de muſculorum diſſectione. 1ª.52.H

OBLIQVI nerui ſibi vendicant poteſtatem apocreticen id eſt expulſiuam.de compag.memb. Sp.58.H
OBLIQVVM capiſtrum ad alteram partem.de faſcijs. 7ª.296.F
OBLITI literarum,& artis ſunt aliqui ex peſte liberati.2°.de ſymptomatum cauſis. 3ª.24.B
Obliti propriorum nominum fuerunt non nulli ex peſte liberati.2°. de ſymptomatum cauſis. 3ª.24.B
Obliti ſunt quidam ſuorum,& ſui met in peſte Athenis à Thucydide relata.2°.de ſympto.cau. 3ª.24.B
OBLIVIO mẽtis cõtigit cõceptis ĩ horis melãcholiæ.de ſper. Sp.36.C
Obliuionẽ quæ medicamenta frigida faciant.2°.de ſymp.cauſ. 3ª.24.B
Obliuio ex refrigeratione.2°.de ſymp.cauſ. 3ª.24.B
Obliuionem facit ſenium.2°.de ſymp.cauſ. 3ª.24.B
ob Obliuioni ſenectutis commentarios ſibi fecit Galenus.3°. de differentijs pulſuum. 4ª.60.H
Obliuio inconſueta oſtendit futuram ægritudinem.ars med. Iſa.67.F
Obliuio ſignum exitiale.in 3m.de mor.vul.com.3°. 3ª.144.B
Obliuio cum rigore malum.in 1m.pror.com.2°. 4ª.173.F
in Obiuione,& ſtoliditate conſiſtit actionis ratiocinatricis amiſſio. 2°. de ſymptomatum cauſis. 3ª.24.B
Obliuio ob acceſſum in morbis.2°.de ſymp.cauſ. 3ª.24.B
Obliuionem quid deleat.ſecretorum. Sp.24.B
ad Obliuionem.ſecretorum.101.E/de cura lap. Sp.112.G
OBLIVISCI quid ſit,& cur in magnis animi affectibus obliuiſcamur 2°.de motu muſc. 1ª.315.B
OBLONGVS cur ſit ſtomachus.de ana.viu. Sp.49.G
ex Oblonga faſcia fit καθολκεύς.de faſcijs. 7ª.294.H
Ὀβολιαία ſatura quæ.introd. Iſa.54.F
Obolus quantum capiat.de pond.& menſ. 5ª.276.E
Oboli meminit.2°.de comp.me.ſec.loc.139.F/3°.143.D/de pond. & mẽſu.276.A/D/F/ 5ª.277.B
Oboli duo doſis.7°.de comp.me.ſec.loc.182.G/de põd.& mẽ.5ª.276.A
Oboli tres ſunt drachmæ dimidium.7°.de comp.me.ſec.loc. 5ª.171.C
Obolus quo modo figuretur.de pon.& menſ. 5ª.275.C
in Obſcœnis ſi dimidia pars abſcindatur,parti quæ ſuperfuerit, ea erit mutilatio ægritudo.de diff.morb. 3ª.5.A
in Obſcœnis mutilatis erit aliqua diminutio magnitudinis, tamẽ ipſum animal neceſſario non dicetur mutilatum.de dif.mor. 3ª.5.A
OBSCVRE loqui quidam gaudent.de vic.ra.in mor.ac.c.4°.7ª.136.F
OBCSVRITAS in authoribus vnde ſit.3°.de decr.Hipp. 1ª.243.E
Obſcuritatem faciẽtia in diſputationibus tollẽda ſunt.de atrabi. 1ª.34.C
non Obſcuritas ſed falſitas cogit aliquid addere inuentis. commenta. 7°.aphoriſmo.64°. Ex.60.C
Obſcuritas corneæ paſſio.de ocul. 7ª.187.H
OBSCVRVM quid ſit re vera.de fract.com.1°. 7ª.223.C
Obſcurum reſpectu alterius quid ſit.de frac.com.1°. 7ª.223.C
Obſcuri qui.in 1m.pror.com.2°. 4ª.169.B
Obſcurus ex induſtria Eraſiſtratus.5°.de loc.aff. 4ª.30.B
Obſcura volunt aliqui tegere breuitate.3°.de decr.Hipp. 1ª.243.F
Obſcura facilius conijciunt, q̃ percipiantur.de cog.cur.ãi mor. 1ª.50.C
Obſcuræ locutiones nullam habent certam explanationem. dè ijs quæ in med.fi.commen.3°. 7ª.217.B
Obſcure enunciantes breuiter loquuntur.de ijs,quæ in medi.fiunt, commentario.1°. 7ª.200.D
Obſcuræ enunciationes nihil docent.in 1m.pror.com.1°. 4ª.165.D
Obſcuri ſermones quid faciant.com.7°.aph.64°. Ex.60.C
in Obſcuris antiqui mutabant veteres ſcripturas.in 1m.prorrhet.commentario.3°. 4ª.182.D
Obſcura quiſq; poteſt pro arbitrio ſcribere,cum nulla lex ſit poſita trãſcribentibus.com.7°.aph.64°. Ex.60.C
quis de Obſcuris rebus credat alicui,qui euidẽtibus cõtraria ſtatuat? aduerſ.empir.med. Iſa.35.D
in Obſcuris tẽpus non conterendum.in 6m.de mor.vul.c.3°. 3ª.179.C
Obſcura intelliguntur,quæ ſæpius iterum repetuntur. de fracturis.commentario.1°. 7ª.227.B
Obſcuris contentio non poteſt iudicari.de ſect. Iſa.17.C
de Obſcuris motibus librum fecit Galenus.de muſc.diſſ. 1ª.44.F
Obſcurus,& latens eſt motus poſt brachialis cum brachiali. de muſculorum diſſectione. 1ª.49.D
Obſcuram vrinam & rubram habet hepatis vitium. de dyna. Sp.35.E
Obſcura, & roſea vrina in febribus phrenitim ſignificat.ð dy.Sp.35.E
in Obſcuro qui febrientes debent manere.de victus ratione in morbis acutis,commen.4°. 7ª.140.H
OBSERVANDAE ſunt vires imbecillæ in ſectione venæ.de præſag. ex per conf. Sp.68.D
quæ Obſeruãda ſint in Hippocratis aphoriſmorum interpretatione.cõmenta.6°.apho.18°. Ex.48.B
OBSERVATIO quid.de opt.ſect. Iſa.21.G
Obſeruatio index euidentium ſenſui,& non per ſe cognitorum. de optima ſecta. Iſa.21.A
Obſeruatio parit memoriam ex hac eſt experientia, ex qua proxime ars emanat.de ſubfig.emp. Iſa.32.D
Obſeruatione ars conſtitui non poteſt remota ratione. 2°. de dignotione pulſuum. 4ª.77.G
Obſeruationes empiricorum quales.de ſubfig.emp. Iſa.32.D
OBSOLANI quo modo fiant circa Solem, vel Lunam. 7°. de decretis Hippocratis. 1ª.272.C
Obſoletis nominibus aliquibus vſus eſt Hippo.noua aliqua fecit. Hipp.ling.ex pl. Ex.71.F
OBSONATRICEM artem debet ſcire medicus. 2°.de ali.fa.2ª.20.H
ad Obſonatricem commentationẽ quæ valeant.3°.de ali.fac. 2ª.26.D
OBSONIA, & bellaria quo modo differant.de ſal diæ. 2ª.41.B
Obſoniorum ars.9°.de decr.Hipp. 1ª.280.G
Obſonia ſua ſponte prouenientia,quæ.2°.de ali.fac. 2ª.25.D
Obſonia quæ cum alimentis manduntur.2°.de ali.fac. 2ª.25.D
ab Obſonijs delicatioribus auidius in omnium conſpectu deuorandis abſtinendum.de cogn.cur.animi mor. 2ª.53.C
Obſonij minus ſumendum.de cogn.cur.animi mores. 2ª.53.C
Obſonijs elixis æſtate vtendum.de ſal.diæ. 2ª.40.C
Obſonium eſt cum pane naſturtium.7°.de ſimp.me.fac. 5ª.50.A
ad Obſonia medicamentum loco ſalis.4°.de ſan.tu. 2ª.86.E
quæ Obſonia ante balneum ſumenda ſunt.6°.de ſan.tu. 2ª.97.G
Obſonia in capitis dolore ex ſtomacho.2°.de comp.me.ſec.loc. 5ª.135.B
Obſonia in cubiti fractura.de fract.com.1°. 7ª.230.G
OBSTETRICVM opus quod ſit.com.5°.aph.62°.44.A/ commenta. 7°.aphoriſmo.64°. Ex.60.C
Obſtetricibus videtur conniuere os matricis prægnantium.3°.de naturalibus facultatibus. 1ª.302.H
Obſtetrices cur non ſtatim faciunt ſurgere mulieres parturientes, nec eas ſtatim in ſella pariendi collocant, ſed tantiſper expectant donec vterus perfecte hiſcat.3°.de nat.fac. 1ª.303.B
Obſtetrices pfundũt collũ matricis humore quodã. 15°.ð vſ.pa.1ª.212.A
Obſtetrices quomodo poſſunt obeſſe puerulis.de cauſ.mor. 3ª.8.F
OBSTIPITAS quid ſit.de art.com.3°. 269.F/ 7ª.273.E
Obſtipitas eſt diſtortio in latus.de arti.com.3°. 7ª.272.F
OBSTIPPVM quid ſignificet.de frac. com.2°. 7ª.240.G
OBSTRVCTIO duplex eſt.10°.met.me. 7ª.62.A
Obſtructio eſt ægritudo.de diff.morb. 4ª.4.F
Obſtructio affectus inſtrumentalium partium.de conſt.ar.41.D/ 11°. methodi medendi. 7ª.70.C
Obſtructio quomodo ſit ægritudo,lenti vero humores, ægritudinis cauſa.de different.morb. 3ª.4.D
Obſtructio quando eſt morbus.de ſymp.diff. 3ª.13.A
Obſtructio poteſt repente fieri,& etiam permanere diu. commen. 4°. aphoriſmo.62°. Ex.34.B
Obſtructio à quibus.3°.de ſymp.cauſ. 3ª.28.G
Obſtructio ex quibus fiat.1°.de arte cu.ad Glau. 7ª.95.D
Obſtructio quo modo fiat.3°.de ſan.tuen.2ª.81.B/ 9°. methodi medendi. 55.G/de ocul. 7ª.185.G
Obſtructio quomodo fiat ab auræ flatu.3°.de ſan.tu. 2ª.81.B
Obſtructio quibus fiat modis,& curetur.11°.met.me. 7ª.69.F
Obſtructio inſeparabilis à quibus fiat.10°.met.me. 7ª.71.G
Obſtructionis meatuũ cauſa quæ.de diff.mor. 3ª.4.C
Obſtructionis cauſa in vijs.3°.de ſym.cauſ. 3ª.26.A
Obſtructio ex cibis qualis.5°.de ſan.tuen. 2ª.91.D
Obſtructio ex lentis,& craſſis humoribus.ars med. Iſa.70.C
Obſtructio meatuũ ſubita fit à viſcoſo,et craſſo hũore.3°.ð lo.a. 4ª.18.C
Obſtructiones auget vinum dulce.de vic.ra.in mor.ac.c.3°. 7ª.125.H
Obſtruit dulce vinũ craſſum,& obſtructionẽ perficit.de vinis.Sp.76.E
Obſtructio ex vinis qualis.5°.de ſan.tuen. 2ª.91.D
Obſtructio in finibus vaſorũ quot de cauſis fiat.11°.met.me. 7ª.68.H
ob Obſtructionem vaſorum anguſtia.1°.de ſan.tu. 2ª.68.C
ob Obſtructionem tranſitus anguſtia.1°.de ſan.tu. 2ª.68.C
Obſtructionis ſymptoma eſt trãſpirationis retẽtio.11°.met.me. 7ª.70.C

Obſtructionem ſequitur putrefactio.8° de comp.me.ſec.loc. 5ª.193.H
ex Obſtructione quo modo ſequatur febris. de cau.mor. 3ª.7.G
Obſtructio facit diariam.9°.met.me. 7ª.57.B
ex Obſtructione ephemera quæ,3°.de ſymp.cauſ. 3ª.32.G
Obſtructio facit febrem,quæ ſanatur balneo.cō.7°.aph.42°. Ex.57.D
Obſtructio non facit febrem citra putredinem.9°.met.me. 7ª.56.C
Obſtructio prohibet coctionem.de diff.morb. 3ª.4.D
ſi Obſtructio aliqua in digeſtionis inſtrumentis digeſtionem impediat, particula exiſtente commode temperata,obſtructio ipſa morbus eſt, digeſtionis impedimentum eius ſymptoma.de ſymp.diff. 3ª.13.A
Obſtructionis magnitudo vnde ſit.8°.met.me. 7ª.52.G
Obſtructio cutis abundantiam humorum induxit.in 3ᵐ. de morbis vul. commentario.3°. 3ª.149.G
Obſtructio cutis quibus ſolet eſſe moleſta.8°.met.me. 7ª.54.C
Obſtructio alicuius partis facit dolorē capitis.c.4°.aph.70°. Ex.35.C
Obſtructio fortis dolorem viſcerum facit.c.4°.aph.66°. Ex.34.E
Obſtructio cordis omnium peſſima.2°.de præſag.ex pulſ. 4ª.110.D
Obſtructio potiſſimum fit in Iocinore. de conſt.art. Iſa.41.D
Obſtructio quando ſola in meatibus iecoris.de diff.morb. 3ª.4.D
Obſtructiones in Iecore,liene,& renibus qui panis faciat.5°. de ſanitate tuenda. 2ª.92.E
ab Obſtructionis noxa abeſt panis lotus.1°.de ali.fac. 2ª.10.G
Obſtructionem in iecore facit vinum dulce.de diſ.cont. Sp.74.H
ex Obſtructione dolor hepatis qūo cognoſcat̄.c.7°.aph.52°. Ex.58.E
Obſtructio hepatis facit morbum regium.com.4°.aph.62°. Ex.34.B
Obſtructio quomodo eſt cauſa morbi regij.c.2°.aph.64°. Ex.34.D
quæ Obſtructio ileum faciat.com.6°.aph.40°. Ex.51.A
Obſtructio ſi ſola adſit inteſtino,vna tātū erit ægritudo.de diſ. 3ª.4.D
Obſtructionem quo modo ſequatur mors.de cauſ.morb. 3ª.7.G
Obſtructa cutis quomodo prima die cognoſcatur.8°.met.me. 7ª.52.F
Obſtructio quomodo cognoſcitur.3°.de ſan.tuen. 2ª.81.B
Obſtructio membri principalis quomodo cognoſcatur ex pulſu.1°.de arte cura.ad Glauconem. 7ª.99.F
Obſtructio iecoris,& ſplenis deprehenditur ex loci dolore. quæſita in Hippocratem. 1ª.113.C
Obſtructio Iecoris non facit dolorem.2°.de loc.aff. 4ª.12.H
Obſtructionem Iecoris quæ vrinæ ſignificent.de vrin. 4ª.123.B
Obſtructionem renum quæ vrinæ ſignificent.de vrin. 4ª.123.B
ex Obſtructione pauca quo modo cognoſcatur effecta febris diaria. 8°. methodi medendi. 7ª.52.A
Obſtructiones quibus ſoluantur.de cōſt.ar.Iſ.42.F/8°.met.me. 7ª.52.F
Obſtructio quid habet contrarium.11°.met.me. 7ª.71.D
Obſtructionis intentio,apertio.ars med. Iſa.70.C
Obſtructiones in peſtilentia aperiendæ ſunt.3°.de ſymp.cau. 3ª.32.E
Obſtructiones quæ alias ſequuntur ægritudines primo ſunt curandæ.ars medic. Iſa.70.E
Obſtructio ex qualitate humorum attenuantibus indiget. 10°. methodi medendi. 7ª.62.A
Obſtructio faciēs dolorem qūo debeat curari.c.7°.aph.46°. Ex.57.H
ex Obſtructione membri principalis,animi defectus quo modo curetur 1°.de arte cura.ad Glauconem. 7ª.99.F
in Obſtructione membri principalis vinum album tenue.1°. de arte cura.ad Glauconem. 7ª.99.F
Obſtructio à ſtercore duro quo modo emendetur.ars me. Iſa.70.C
Obſtructio à lapide in veſica quomodo curetur.ars med. Iſa.70.D
in Obſtructione ſanguinis miſſio pro copia.10°.met.me. 7ª.62.A
Obſtructio non curatur per ſanguinis miſſionem.11°.met.me. 7ª.71.G
Obſtructionem aperit decoctio Abſinthij, & centaureæ, minus quàm decoctio iridis.de med.exper. Sp.104.B
Obſtructiones omnes diſcutit Acetum mulſum.de bo.& vi.ſuc.2ª.39.C
Obſtructiones aperit Allium.2°.de ali.fac. 2ª.25.E
Obſtructiones expedit Eruum.8°. de ſimp.me.fac. 5ª.57.E
Obſtructionē craſſam apit decoctio radicis iridis.de med.ex. Sp.104.B
Obſtructiones expediendi facultatem habet Oſiris.8°.de ſimplicium medicamentorum fac. 5ª.57.F
Obſtructione liberat Stoechas.8°.de ſimp.med.fac. 5ª.61.D
ob Obſtructione natos laterum dolores iuuat Tryphyllum.9°. de ſimp. medicamen.facul. 5ª.62.F
OBSTRVCTIONES viſcerum extergit carpeſium.7°.de ſimplicium medicamen.facul. 5ª.50.C
Obſtructiones viſcerum purgat Chamedrys.8°. de ſimp.me.fa. 5ª.62.E
Obſtructiones viſcerum expurgat pelecinus.6°.de ſimp.me.fa. 5ª.48.B
Obſtructione liberat viſcera omnia polium.8°.de ſimp.med.fa.5ª.59.A
Obſtructione liberat viſcera ſcandix.8°.de ſimp. me.fa. 5ª.60.F
Obſtructiones viſcerum deijcit ſiſon.8°.de ſimp.med.fac. 5ª.60.F
OBSTRVCTIONIS Iecoris curatio.de conſt.ar. Iſa.41.D
Obſtructio Iecoris,& inflammatio quando coniunguntur quibus curanda.9°.de comp.me.ſec.loc. 5ª.197.F
Obſtructiones in iocinore abſtergunt,& expurgant amara.7°. de ſimpl. med.fac.49.E/8°. 5ª.62.E
Obſtructiones Iocinoris optime expedit Centaurij minoris ſuccus.7°.de ſimpl.med.facul. 5ª.50.H
Obſtructione liberat iecur Chamæciſſi flos.8°.de ſimp.me.ſa. 5ª.62.E
Obſtructiones Iecoris expurgat Eupatoriū.6°.de ſimp.me.fac. 5ª.47.G
Obſtructiones iocinoris ſanat Fumus terræ.7°.de ſimp.me.fac. 5ª.49.G
Obſtructione liberat iecur,ac lienē Marrubiū.8°.de ſimp.me.fa.5ª.59.B
Obſtructiones iocinoris ſanat Oſiris.8°.de ſimp.me.fac. 5ª.57.F
Obſtructiones liberat Piſtachium maxime iecoris, ſed etiam Thoracis, & pulmonis.8°.de ſimp.me.fac. 5ª.58.F
OBSTRVCTIO lienis quomodo curetur.13°.met.me. 7ª.84.F
Obſtructione liberant lienē,ac Iecur amara.8°. de ſimp.me.fac.5ª.59.B
ex Obſtructione febris quomodo curetur.8°.met.me. 7ª.50.A
in Obſtructione facta febre conuenit lotio ex aqua temperata. 8°. methodi medendi. 7ª.50.A
ex Obſtructione,ephemera quo modo ſanetur oleo, & balneo. 1°. de arte cura.ad Glauc. 7ª.95.E
Obſtructionem quandam cur debent habere maturatiua medicamenta. de ocul. 7ª.188.E
OBSTRVCTA quæ.in 6ᵐ.de mor.vul.com.2°. 3ª.162.D
Obſtructi pori faciunt augeri calorem.de vtil.reſp. Sp.62.F
Obſtructa quibus eſt cutis illis inedia iniungenda. de victus ratione in morbis acutis,commen.1°. 7ª.115.E
Obſtructa parte præcipua aliqua,fit animi defectus.1°.de arte curatiua ad Glauconem. 7ª.98.F
OBSTRVENTIVM natura qualis.5°. de ſimplic. medi. fac. 5ª.35.F/ de ocul. 7ª.188.E
Obſtruentia quæ ſint.5°.de ſimp.me.fac. 5ª.35.F/H
Obſtruentes cibi numerantur.de diſ.cont. Sp.74.G
Obſtruens,& lentum eſt triticum.8°.de ſimp.me.fac. 5ª.59.D
ab Obſtruentibus cibis cauendum ſeni.5°.de ſan.tu. 2ª.91.D
Obſtruentes materiæ tempore corrumpuntur.2°.diſ.ſe. 3ª.42.C
OBSTRVITVR quo modo corpus.3°.de ſan.tu. 2ª.77.F
Obſtruit febris principium cum horrore.10°.de ſimp.me.fac. 7ª.61.G
Obſtruit duobus modis medicinis.de ocul. 7ª.187.H
Obſtruit oleum frigidum.6°.met.me. 7ª.37.D
OBSTVPESCENTIA quid ſit.com.7°.aph.14°. Ex.54.H
Obſtupeſcentia quibus comparetur.com.7°.aph.14°. Ex.55.A
Obſtupeſcentia in capitis ictu,malum.com.7°.aph.14°. Ex.54.H
Obſtupidis aliqua parte oleum calidum medetur.2°. de ſimplicium medicamentorum fac. 5ª.11.E
OBTVRANTIA, & obducentia meatus quæ dicantur. 4°.de cōpoſitio.med.ſec.loc. 5ª.150.A
OBTVRATIONEM aurium, & narium,& capitis grauitatem ſuperius,renūq; dolorem inferius ſignificat vrina ſuperius ſubnigra, & plena,quæ inferius claritatem habuerit.de dyna. Sp.35.D
OBTVRAT aures, & nares ſperma à capite.de ſper. Sp.36.E
Obturat ſanguinem vinculum.5°.met.me. 7ª.30.F
OBTVSVM nihil ſignificat vltra languidum.3°.de diff.pul. 4ª.61.B
Obtuſa lingua peccat in formatione vocis.de ana.vi. Sp.49.C
OBVLI cataplaſma ad quid vtile.de dyna. Sp.26.A
ad OBVOLVENDVM vniuerſum caput faſcia. de faſ. 7ª.294.H
OCCECATIO vlceratio oculorum ſi. med. Iſa.48.D
Occæcati in ſolis defectibus,dum oculis in conniuentibus deficientem intuerentur.10°.de vſu par. 1ª.179.A
OCCASIO quid ſignificet.in 6ᵐ.de mor.vul.com.3°. 3ª.174.A
Occaſio quid apud Hippocratem.in prognoſt.com.2°. 4ª.205.C
Occaſio præceps quo modo.com.1°.aph.1°. Ex.2.C
Occaſiones dicuntur primæ cauſæ.in 3ᵐ.de mor.vul.com.1°. 3ª.133.F
Occaſiones ægritudines conſiderandæ.in 6ᵐ.de mor.vul.cō.3°. 3ª.178.B
Occaſio morbi quomodo conſideranda.de venæ.ſect.aduer.Eraſ.6ª.5.C
Occaſionis inuentor medicus qui.in 6ᵐ.de mor.vulg.com.5°. 3ª.188.A
OCCASIONIS herba.de dyna. Sp.24.B
ad OCCASVM æſtiuū ſpectātes mōtes optimi ſunt.5°.me.me.7ª.36.B

Occaſus Pleiadum

Occaſus Pleiadum quando ſit.de dynam. Sp.20.C
OCCIDENDI, *quo modo cito necantur ab aſpidibus in Alexandria. de ther.ad Piſon.* 5ª.93.B
ad OCCIDENTEM *& orientem ſitę vrbes differunt,& ad auſtrum, & ſeptentrionem.de aere,aq.& lo.* 2ª.2.C
Occidentem verſus fluentes fontes quales.de bon.aquę. Sp.75.E
OCCIDENTALES *ſunt,gemini,libra,aquarius.de ſper.* Sp.38.H
OCCIDVNT *quędam ægritudines tempore acceſſionis, quædam in vigore.1°.de criſi.* 4ª.125.G
Occidunt lumbricos lipſiani.de ſimp.med. Sp.86.C
OCCIPVT *quod.introd.* Iſa.52.H
Occipitis vnum os.introd. Iſa.54.F
Occipitis oſſa habent ſuturam obſcuram.11°.de vſu par. 1ª.192.A
ex Occipitij oſſis parte ſecũdũ par muſculorũ.4°.de ana.adm. 1ª.82.E
ex Occipitio naſcentiũ muſculorum numerus,ortus,ac finis.de muſculorum diſſectione. 1ª.45.F
in Occipitio dorſi medullæ exortus.in 6^{m}.de mor.vulg.cõ.1°. 3ª.154.D
in Occipitio cucurbita ad oculorum fluxiones.13°.meth.med. 7ª.85.A
ſupra Occiput cur apponãtur cucurbitulæ propter oculos,& partes anteriores.2°.de cõp.med.ſec.loc. 5ª.137.H
Occipitio quo modo cucurbitula apponenda.de remed.par.fa. 7ª.156.B
ad Occipitium vinculum.de faſcijs. 7ª.294.E
ad Occipitium funda ſciſſa in partes quatuor.de faſcijs. 7ª.300.E
OCCVLTA *eſſe omnia quidam cupiunt.10°.de vſu par.* 1ª.179.C
Occulta quoq; in re medica neceſſaria ſunt ad obſeruationem, non ſolum ſenſu cognita,contra empiricos.de opt.ſect. Iſa.21.B
Occulta ſi ſit vena quid agendum.de anat.viuo. Sp.54.H
OCCVPATIONES *cui ſunt impedimento vt ante cibum exerceri nõ poſſint, huic non modo probato,& innoxio victu eſt opus, ſed etiam ſalubribus medicamentis.de bon.& vitio ſuc.* 2ª.34.E
OCEANI *exteriores aquas dulces putat Euthymenes. de hiſtoria philoſophica.* Sp.8.H
Oceani aquis exterioribus Nylum augeri quis putet.de hiſ.phi. Sp.8.H
Ὠχετεύειν,id eſt riuare eſt per cibos ducere.de cucur.ſcar. 6ª.4.F
OCHRA *genus terrę.in prognoſt.com.2°.* 4ª.201.G
Ochra incidens eſt minus calida.5°.de ſimp.med.fac. 5ª.35.E
Ochra vrinam bene prouocat.5°.de ſimp.med.fa. 5ª.35.E
Ochræ meminit.6°.meth.me. 7ª.37.F
OCHRON *vnde dicatur.in prog.com.2°.* 4ª.201.G
Ὤχρον quid ſit.de vict.rat.in mor.acu.com.2°. 7ª.119.D
Ὤχρον quo modo mandere debemus.1°.de alim.fac. 2ª.14.F
Ochris fuluis,flauis,& rubri albi ſunt calidiores.4°.de ſimplic.medica. facultatibus. 5ª.31.D
Ochri meliores cicerculis.de bon.& vitio ſuc. 2ª.37.D
Ochri deteriores faba,piſo,& lentibus.de bon.& vitio ſuc. 2ª.37.D
ex Ochris farina calfacit,& exiccat.5°.de ſimp.med.fa. 5ª.34.A
Ochra quo modo expertus eſt Galeni pater.de bo.& vitio ſuc. 2ª.36.G
Ὠχρόξανθον dicunt flauum ex pallido.4°.de ſan.tuen. 2ª.83.G
OCHTHODE *quid ſignificat.3°.meth.med.* 7ª.18.A
Ochthodeſi quæ labia in vlcere.4°.de comp.med.per ge. 5ª.239.B
Ochthodeis.4°.de comp.med.per ge. 5ª.237.H
OCIMOIDES *ſemen habet exiccans abſq; mordicatione.8°. de ſimplic.medic.facul.* 5ª.64.A
Ocimũ habet caulẽ inutilẽ poſt ſemẽ effuſum.2°.de alim.fac. 2ª.24.A
Ocimi ſemen quale.2°.de com.me.ſe.lo. 5ª.136.F
Ocimum in ſecundo ordine calidum eſt,& humiditatem habent recremẽtitiam.8°.de ſimp.med.fac. 5ª.64.A
Ocimum vires habet acriter excalfacientes,& relaxantes, & vrinam prouocantes.de ſimp.med. Sp.88.E
Ocimum non generat ſcorpiones.2°.de alim.fac. 2ª.23.H
Ocimum pro obſonio mandunt.2°.de alim.fac. 3ª.23.A
Ocimum lactucæ miſcendum.2°.de alim.fac. 2ª.23.F
Ocimum non debet edi.8°.de ſimp.med.fac. 5ª.64.A
Ocima prauus cibus.1°.de diff.febr. 3ª.31.G
Ocimum praui ſucci,& concoctu difficile.2°.de alim.fac. 2ª.23.H
Ocimum ſtomacho noxium eſt.2°.de alim.fac. 2ª.23.H
cum Ocimo,vel apio,panis,cruſtas optime diſrumpit. 2°.de arte cura. ad Glauconem. 7ª.107.B
OCIOSVM *nihil eſt.1°.de nat.fac.* 1ª.291.H
Ocioſi gignunt ſuccum pituitoſum.4°.de ſan.tuen. 2ª.83.F
Ocioſis corpus impletur.in 3^{m}.de mor.vulg.com.1°. 3ª.130.D
Ocioſi pinguedine abundant.6°.de anat.admi. 1ª.92.B
Ocioſæ mulieres non concipiunt.de aere,aq.& loc. 2ª.5.G
Ocioſius degentibus mulieribus rigor magis accidit.de tre.palp. 3ª.55.G
Ocioſam vitam agentes vitent cibos craſſi,& lenti ſucci.de bonitate,& vitio ſuccorum. 2ª.35.A
Ocioſis piſces molles ſunt accommodati.3°.de alim.fac. 2ª.31.E
Ocioſæ viuentibus dandum eſt vinum falernum,molitanum, auriuſium, lesbium.de vinis. Sp.76.H
Ocioſi ad exercitationes tẽdentes primo vacuãdi.5°.de ſan.tu. 2ª.94.D
Ocioſi ad exercitationes tẽdentes,niſi fuerint euacuati, quos morbos incidant.5°.de ſan.tuen. 2ª.94.D
in Ocioſorũ virorum vrinis eſt ſubſidẽtia multa.1°.de criſi. 4ª.130.C
Ocioſi multi cum vrinis magnam copiam eiecere craſſi humoris muco ſimilis.de natura humana.com.2°. 7ª.180.B
in OCIO *degunt philoſophi.3°.de loc.aff.* 4ª.17.B
Ocium facit cauſa frigida.2°.de loc.aff. 4ª.14.B
Ocio augetur timiditas.de aere,aq.& loc. 2ª.6.C
Ocium obeſt corpori.de aſſuet. 2ª.61.E
Ocium effœminationem facit.de ijs,quæ in medic.fi.com.2°. 7ª.219.B
Ocium imbecilles facit.de aſſuetud. 2ª.61.E
Ociũ cauſa exilitatis,& gracilitatis mẽbrorũ.de art.c.3°. 7ª.277.E
Ocium parit repletionem.de nat.hum.com.2°. 7ª.181.E
in Ocio qui vitam inertem egerunt, ijs occluſi ſunt pori. in 1^{m}.de mor. vulg.com.2°. 3ª.115.E
in Ocio hyeme degentes, & multum bibentes multum mingunt. 1°. de naturalibus facul. 1ª.296.D
Ocium maxime obeſt ſanitati.de bon.& vitio ſuc. 2ª.35.A
Ocium quando ſalubre & quando non.ars med. Iſ.68.D
Ocium parit morbos.de na.hum.com.2°. 7ª.182.B
Ocium cauſa frigidorum morborum.de cauſ.mor. 3ª.7.B
Ocium non facit morbos per ſe.de nat.hum.com.2°. 7ª.181.E
in Ocio quidam ſemper ſani.5°.de ſan.tuen. 2ª.93.E
ad Ocium ſe conuertens educatus in exercitatione dyſenteriam cruentã incidit.de nat.hum.com.2°. 7ª.180.E
in Ocio,& ſecordia qui degerunt quando moriebantur.in 1^{m}.de morb. vulg.com.2°. 3ª.115.D
ex Ocio & repletione febricitantes qũo ſanentur.1°.de criſi. 4ª.130.C
OCREA *pars anterior tibiæ ſine carne.de oſſibus.* 1ª.43.E
OCTAEDROS *quid.8°.de decre.Hipp.* 1ª.274.G
Octædros ex quibus conſtet.8°.de decr.Hipp. 1ª.274.G
OCTAVAE, *nonæ diei criſis cõparatio.2°.de dieb.dec.* 4ª.154.B
Octauus decimus iudicatorius.in 1^{m}.de mor.vulg.com.2°. 3ª.116.G
Octauus decimus indicat vigeſimũ primũ.2°.de dieb.decre. 4ª.152.F/G
Octauus decimus poſt quartum decimum ſeptimi naturam imitatur.1°. de dieb.decre. 4ª.147.B
in Octauũ vel decimũ diem ſi ſubita morbi ſolutio incidat ſimilis ferè ei eſt,quæ in ſexta accidit.1°.de dieb.decr. 4ª.147.B
in Octauo morbi ſubito non ſoluuntur.1°.de dieb.dec. 4ª.147.C
in Octauo ſolutio qualis.1°.de dieb.decr. 4ª.147.B
Octaua die mittitur ſanguis, ſed prius eſt commodius. in 3^{m}. de morbis vulg.com.1°. 3ª.127.E
Octauo mẽſe mãmarũ venæ ſunt magis plenę.cõ.5°.aph.39°. Ex.41.C
Octauo menſe fœtus cõuertitur.in 6^{m}.de mor.vul.com.1°. 3ª.154.G
Octauo menſe cur infans non ſuperuiuit.de comp.mem. Sp.59.G
Octuageſimus quibus conſtet.2°.de dieb.decr. 4ª.154.H
Octuageſimus & quadrageſimus dies decretorij ſunt.in 1^{m}. de mor.vul. commen.3°. 3ª.123.C
Octuageſimus,& ſexageſimus dies decretorij ſunt.in 1^{m}.de mor. vulga. commen.3°. 3ª.123.C
OCVLARII *medici dicuntur à membris.ad Thraſ.* 2ª.105.B/D
Oculares medici antiquitus Romæ erant.com.6°.aph.31°. Ex.49.E
Ocularius non poterit niſi Romæ, & Alexandriæ ex ſua arte viuere.de part.art.med. Sp.16.G
qũo Ocularius Galeni tẽpore hypopius ſanauit.14°.meth.med. 7ª.93.F
Oculariorum coticula vtitur.5°.de comp.med.ſec.loc. 5ª.158.G
Oculariorum pharmacorum diſtinctio.4°.de comp.med.ſec.loc. 5ª.151.C
OCVLARIBVS *facultatibus miſcetur armeniacum.9°.de compo. medic.ſec.loc.* 5ª.68.G
Ocularibus facultatib⁹ qũo Hęmatites adhibẽd⁹.9°.de ſim.m.f. 5ª.68.C
in Ocularias medicinas vtũtur fuligine thuris.7°.de ſim.me.f. 5ª.54.F
Ocularibus medicinis cõmiſcetur ſtimmi.9°.de ſimp.me.fac. 5ª.71.A
Ocularis ſpongia.3°.de comp.me.ſec.loc. 5ª.142.E
Ocularium vinculum tenue vel oculus ſimplex.de faſcijs. 7ª.297.D *Idem ab inferiori*

ab inferiori parte ſurſum ibidem.
OCVLATVM quis ſe non probe exiſtimet ſi formicas duum ſtadiorum interuallo non cernat? 1°.de ſan.tuen. 2ª.63.H
Oculi habent nomen proprium ſubſtantiæ.8°.de vſu par. 1ª.166.D
Oculus quid ſit.1°.meth.med. 7ª.6.C
Oculus propriè qui.4°.de locis aff. 4ª.21.G
Oculorum naturã qui ſcire deſiderat quid agere debet.de ocul. 7ª.182.F
Oculi inter partes inſtrumentales numerãtur.de natu.hu.cõ.1°.1ª.26.C/ de diff.mor. 3ª.2.F
Oculus eſt inſtrumentum viſus.de inſtr.odor. 1ª.110.E
Oculi officium eſt vt videat.1°.meth.med.5.H/ 7ª.6.B
Oculi inſtrumenti præſtãtia.10°.de vſu p.179.H/6°.de decre. 1ª.266.B
Oculi ſunt ſenſu tactis excellentiores.16°.de vſu par. 1ª.215.A
Oculi partes magnæ animalis.1°.de vſu par. 1ª.114.G
Oculorum permagnus eſt vſus. 6°.de ſan.tuen. 2ª.100.B
Oculus pars ẽ ad cõmode viuẽdũ.fin.me.Iſ.45.E/14°.de vſu p. 1ª.204.C
Oculi propter actionẽ totius animalis facti ſunt.1°.de vſu par. 1ª.114.G
Oculorum actiones manifeſtæ ſunt.1°.de vſu par. 1ª.114.G
Oculorum actio eſt propter colorem.1°.de vſu par. 1ª.115.E
Oculi cur duo, & non vnus.10°.de vſu par. 1ª.177.E
Oculi debent eſſe ſiti in alto.8°.de vſu par.166.F/10°. 1ª.189.A
Oculi cur ſupius & ĩ pte anteriori ſunt ſiti.10°.de vſu p.177.E 1ª.180.F
Oculi cur non ſint poſterius.10°.de vſu par. 1ª.177.F
Oculi in hominibus, cur ſunt in parte in qua ſunt.8°.de vſu par.1ª.166.G
Oculi in capitis anteriore parte eminẽti ſiti ſunt, inſtar ſpeculatoris vndiq; perſpicientis aciem.de ana.viuo. Sp.48.C
Oculus eſt vt ſol in corpore animalis.3°.de vſu par. 1ª.133.F
Oculos cerebrum ſitum eſt in capite.8°.de vſu par. 1ª.167.A
Oculorum ſenſus principium cerebrum eſſe dicentes quia propinquum, decipiuntur.2°.de decr.Hipp. 1ª.237.B
Oculi fabrica excellentia ſuperat reliqua ſenſuum omnium inſtrumenta. 7°.de decre.Hipp. 1ª.270.H
Oculorum æqualitas cur.9°.de decr.Hipp. 1ª.285.A
ad OCVLORVM anatomia.de anatom.viu. Sp.48.C
Oculus poteſt videri extra animal.4°.de ana.adm. 1ª.81.H
Oculi nõ ſũt vidẽdi in ſimia, ſed in maioribus aĩalib⁹.4°.de a.ad.1ª.81.H
Oculorum conſtitutio quæ.9°.de decr.Hipp. 1ª.285.A
Oculi eſſentia quæ.de decr.Hipp.& Pla. 1ª.233.E
Oculi conſtant ex diſſimili ſubſtantia.de bon.& vitio ſucc. 2ª.37.B
Oculus habet multũ ſubſtantiæ cerebri.7°.de decr.Hipp. 1ª.270.G/H
Oculus cur ꝓpius ad Cerebri naturam accedit.7°.de decr. 1ª.270.H
Oculorum naturã q ſcire vult cerebri naturã cognoſcat.de ocul.7ª.183.E
Oculi cur molles in hominibus.8°.de vſu par. 1ª.166.F
Oculos duros habent quædam animalia.de ana.viu. Sp.48.D
Oculi clauſi ſunt in multis nuper natis.2°.de ſem. 1ª.339.E
Oculis in non nullis diſtincti quidem ſunt.2°.de ſem. 1ª.339.E
Oculus ex quibus conſtat.fin.med. Iſa.43.D
Oculorum partes.de ana.parua. Sp.43.D
Oculorum oſſa duo.introd. Iſa.54.G
Oculis tria ſunt neceſſaria.de ocul. 7ª.184.D
Oculus conſtat tunicis quatuor, humoribus tribus, muſculis ſex.de anatom.ocul. Sp.57.B
Oculorum panniculi qui ſint, & quot.de ocul. 7ª.182.H
Oculorum tunicæ quot.de natura, & ord.cuiusl.corp. Sp.41.H
ĩ Oculo cur pãniculi plures, & pauciores à diuerſis dicãt.de o. 7ª.183.D
Oculus duas habet tunicas.introd. Iſ.53.H
Oculorum tunicæ ſunt ſeptem.de comp.memb. Sp.58 C
Oculi operimentum naturale leue eſt, & lucidum, ac ſplendens inſtar ſpeculi.10°.de vſu par. 1ª.179.H
Oculi operimentũ naturale proximũ venoſum, molle, nigrum, ac pertuſum eſt.10°.de vſu par. 1ª.179.H
Oculi operimentũ, & propugnaculum extremum tenue, album, ac durũ eſt quaſi cornu.10°.de vſu par. 1ª.179.H
Oculi album membrana agnata dicitur.4°.de comp.med.ſe.lo. 5ª.150.F
Oculi candidum quod.intr. Iſa.53.A
Oculi albũ, rarũ ſubſtãtia, & ſenſu tenue eſt.4°.de cõ.me.ſe.lo. 5ª.150.F
Oculorum panniculi propter quid ſint.de ocul. 7ª 182.H
Oculorum panniculi quomodo iuncti.de ocul. 7ª.183.B
Oculi corona quid, & vbi.de anat.viu. Sp.48.F
Oculi quæ pars ſit corolla, & cui copuletur.in prog.com.1°. 4ª.192.F
Oculi corona habet quatuor tunicas.de ana.viuo. Sp.48.F
Oculorum humores qui introd.Iſa.53.H/7°.de decr.Hipp. 1ª.270.G/ de ana.parua. Sp.43.D
Oculorum humores tres frigidi, & humidi.de anat.ocul. Sp.58.C
Oculorum humores propter quid ſint.de ocul. 7ª.182.G
Oculorum humores nutriuntur per diadoſin.10°.de vſu par. 1ª.177.G
in Oculorum humoribus non eſt vena.10°.de vſu par. 1ª.177.H
Oculorum humorũ nutrimentum vnde ſumatur.10°.de vſu p. 1ª.177.H
Oculi cryſtalloides à ſimilitudine cryſtalli.de bon.& vitio ſuc. 2ª.37.B
in Oculo eandem habet rationem chyſtallinus humor, quàm in aure finis meatus prope neruum.1°.de ſymp.cau. 3ª.15.F
Oculi partes reliquæ propter cryſtallinum humorem factæ ſunt.2°.methodi medendi. 7ª.12.G
Oculi particulæ aliæ oẽs cryſtallino hũori deſeruiũt.de ſym.ca. 3ª.14.D
in Oculo primum ſentiendi inſtrumentum cryſtallinus eſt humor.3°.de ſympomatum cauſis. 3ª.14.B
in Oculi pelliculis fit viſus non in cryſtallino.de vtil.reſp. Sp.63.D
Oculis vnde adueniat viſibilis qualitas.de comp.memb. Sp.58.C
Oculis qualiter adueniat viſus.de comp.memb. Sp.58.C
Oculi tenuis humor nec debet eſſe plus, nec minus, nec craſſior, nec tenuior.de ſym.cauſ. 3ª.14.H
in Oculo quid faciat humor tenuis.10°.de vſu par. 3ª.179.F
in Oculo humoris color facit diuerſitatem colorum in his, quæ vidẽtur. de ſymp.cau. 3ª.15.A
Oculi operationes ſunt ſingulorum colorum dignotiones.5°. de decretis Hippocratis. 1ª.255.F
Oculi hyaloides humor à vitri ſimilitudine dictus.de bon.& vi.2ª.37.B
Oculo cibus eſt vitreus humor.de ocul. 7ª.183.B
Oculi habent duplex genus neruorum.8°.de vſu partium. 166. G.1°.de ſymp.cauſ. 3ª.16.E
Oculorũ nerui ſenſifici principaliores motorijs.9°.de vſu par. 1ª.174.A
Oculorum nerui cur dicti pori.8°.de vſu par.167.C/10°. 1ª.182.A
Oculorum pori cur non eunt directi.10°.de vſu par. 1ª.182.A
Oculorum pori cur variant ſuas productiones.10°.de vſu p. 1ª.182.A
Oculorum nerui ratio.8°.de vſu par. 1ª.166.H
Oculorum nerui cur duo, non vnus.de ocul. 7ª.184.E
Oculorum nerui vnde oriantur.de ner.diſſ. 1ª.53.C
ad Oculos nerui per quàm viam tendant.9°.de vſu par. 1ª.173.H
Oculum ingredientes nerui in latum, ſe extendunt, & circuunt vitreum humorem.de ner.diſſ. 1ª.53.D
ad Oculum venit neruus opticus.de ana.par. Sp.45.D
ad Oculos à cerebro prodeuntes nerui quales ſint.de ocul. 7ª.183.A
Oculorum nerui quales.16°.de vſu par. 1ª.215.B/D
Oculorum nerui craſſiores.de inſtr.odor. 1ª.110.E
Oculorum nerui qũo ſint molliſſimi.de ner.diſs. 1ª.53.D/C
Oculi habent maximos neruos propter ſenſum.5°.de vſu par. 1ª.145.C
Oculi neruus maior eſt quã neruus oris ventriculi.de inſtr.odo. 1ª.110.G
Oculorum neruorũ nutrimentũ vnde accipiat.10°.de vſu par. 1ª.177.H
de Oculorum neruis res mira.de ner.diſſ. 1ª.53.C
Oculi neruus concauus eſt.de ocu.183.A/ 7ª.184.A
Oculorum nerui cur concaui.de ocul. 7ª.184.F
Oculorum nerui apparent meatus.8°.de vſu par. 1ª.167.C
Oculorum nerui meatus ſenſibilis. de ner. diſſect.1ª.53. D/1°.de ſymptomatum cauſis. 3ª.16.B
Oculorum neruus ſolus habet foramen manifeſtũ.4°.de loc.aff. 4ª.21.G
Oculorum meatus vnde.introd. Iſa.53.G
ad Oculum à cerebro nerui foramen clare cernitur, & eſt ſenſibilis ſpiritus via.de ſymp.cau. 3ª.14.D
Oculorum nerui foramen vnde patet.7°.de decr.Hipp. 1ª.269.H
Oculorum neruos eſſe perforatos qũo tribus argumentis deprehendatur. 7°.de decre.Hipp. 1ª.269.H
Oculorum pororum mutua coitio quid faciat.10°.de vſu par. 1ª.183.D
Oculi vnius facultas tranſit in alium.10°.de vſu par. 1ª.184.A
ad Oculũ vnũ tendunt ſpiritus alterius, qñ clauditur.de ocu. 7ª.184.D
Oculo vno clauſo alterius pupilla dilatatur.7°.de decr.Hip. 1ª.270.A
Oculo altero vbi conniuemus cur alterius pupillam dilatari contingit. de ſymptomatum cauſis. 3ª.14.D
vt ad Oculũ ſe habet pupilla, ita foramẽ ad ipsã aurẽ.de a.vi.Sp.48.H
Oculus dexter non plus cernit quàm ſiniſter.in 6ᵐ. de morbis vulgarib, commentario 2°. 3ª.165.C
ab Oculo dextro ſolũ corpus viſum ſi eſt, ꝓpius eſt in ſiniſtris, ſi longius in dextris, & è contrario ſi ab vtroq; oculo, eſt in medio.10°.de vſu partium. 1ª.182.E
Oculus dexter quod videat quæ in ſiniſtra, & è contrario, exemplum. 10°.de vſu

10°.de vſu partium. 1ª.182.G
ſupra Oculos cur manus imponũt à lõge intuẽtes.10°.de vſu p.1ª.178.H
Oculi ſani non æque cernunt.1°.de ſan.tuen. 2ª.63.E
Oculorum diuerſitates in videndo 2°.de ſem. 1ª.339.F
Oculi piſcium non diſcernunt inter medios colores propter debilitatem viſus.de ana.viu. Sp.49.B
Oculi offendũtur à ſplẽdida,& vehemẽti luce.10°.de vſu par. 1ª.178.H
in Oculis nõ exigẽda lux clariſſima.de ijs,quæ in me.ſi.c.1°. 7ª.202.A
Oculi offenſi ſunt militibus Xenophontis quia per niuem ambulauerunt. 10°.de vſu par. 1ª.178.H
Oculi recreantur à ceruleis,& fuſcis coloribus.10°.de vſu p. 1ª.178.H
in Oculis non ſemper euidenter eſt delectatio, & dolor.1°. de ſymptomatum cauſ. 3ª.16.F
Oculi neruus venit ad Cryſtallinum corpus ſolũ.de inſtr.odor. 1ª.110.G
in Oculo ſpiritus quid faciant.1°.de vſu partium. 1ª.179.F
ad Oculos ſpiritus cũ aere ambiente vnitur.7°.de decr.Hip. 1ª.270.C
Oculi inſtrumentum aer ambiens.7°.de decr.Hipp. 1ª.270.H
Oculo ita aer inſtrumẽtum eſt ad propriorum ſenſibilium dignotionem, vt cerebro neruus.7°.de decr.Hipp. 1ª.270.H
ad Oculũ quo modo eant ſpiritus à cerebro.3°.de ſymp.cauſ. 3ª.14.D
per Oculorum neruos ſpiritus lucidus.7°.de decre.Hip. 1ª.269.H
Oculorum ſpiritus fulgidus eſt.7°.de decre.Hip. 1ª.272.E
per Oculos ſpiritus tranſeunt ſubtiliter.de ocul. 7ª.184.F
in Oculo eſt animalis ſpiritus copia.7°.de decr.Hip. 1ª.270.H
in Oculo ſpiritus animalis qualis.de ſymp.cauſ. 3ª.15.C
in Oculo ſpiritus aĩalis ſubſtãtia qualis eſſe debeat.1°.de ſym.ca.3ª.15.C
ad Oculos à cerebro venit ſpiritus animalis luminoſus.in 6^{m}.de morbis vulg.com.4°. 3ª.187.B
in Oculo ſpiritus multus animalis,& æthereus lõgiſſime,videt,ac exacte diſcernit.1°.de ſymp.cau. 3ª.15.C
in Oculo ſpiritus humidus multus longiſſime quidem, ſed non exacte videt.1°.de ſymp.cau. 3ª.15.C
Oculus cur habet meatus patentes præter poros.1°.de ſan.tuẽ. 2ª.68.D
Oculos mouentes nerui quomodo ſe habeant.de ner.diſſect. 1ª.53.D
Oculos mouentes nerui vnde oriantur.de ner.diſſ. 1ª.53.D
Oculos mouẽtes nerui duri ĩ anteriori pte cerebri.8°.de vſu p. 1ª.167.B
Oculos neceſſario mobiles eſſe.10°.de vſu par. 1ª.180.E
propter Oculos collum mobile eſt.10°.de vſu par. 1ª.180.E
Oculorum motus quot,& quales.1°.de motu muſ. 1ª.309.G
Oculorum motus quatuor.10°.de vſu par. 1ª.180.F
Oculi habent motus voluntarios.10°.de vſu par. 1ª.180.E
Oculi mouentur motu voluntario,& nullum os ſecũ mouetur.1°. de motu muſculorum. 1ª.309.E
Oculum oportuit circumagi.10°.de vſu par. 1ª.180.F
Oculi cõſtãtes vnde fiãt.de vict.rat.in mor.acu.com.4°. 7ª.137.H
Oculis neceſſarij ſunt lacerti propter motum.de ocul. 7ª.183.E
Oculum mouentes muſculi ſunt ſex.4°.de lo.aff. 4ª.21.H
Oculum mouentes muſculi ſunt ſex, & vbi, & quo modo ſe habent,& de illorum motibus quos agant.de diſſ.muſc. 1ª.44.G
in Oculo ſunt ſex muſculi.de anatom.ocu. Sp.57.G
in Oculo muſculus quinq; ſolũ eſſe dicere error eſt.de muſ.diſ. 1ª.44.G
in Oculo ſeptem ſunt muſculi.de ocul. 7ª.183.E
Oculorum muſculi duodecim.de ocul. 7ª.187.F
Oculos cingentium muſculorum ſectio.4°.de ana.adm. 1ª.80.F
Oculorum muſculi vnde.1°.de motu muſc. 1ª.309.G
in Oculorum muſculos qui nerui diſperguntur ſecundum Pelopem.6°. de decre.Hipp. 1ª.262.F
Oculi à duobus muſculis circumaguntur.10°.de vſu par. 1ª.180.F
Oculorum muſculi mouent aliud,& non os.1°.de motu muſ. 1ª.309.F
circa Oculi baſim muſculus an vnus ſit,vel duplex, vel triplex dubitatur.de muſc.diſſ. 1ª.44.F
in Oculi radice magnus muſculus quid faciat.10°.de vſu par. 1ª.180.F
circa Oculi baſim muſculi faciũt ad firmãdũ oculũ.de muſ.diſ. 1ª.44.F
Oculorum muſculi facile coquuntur.de bon.& vitio ſucc. 2ª.37.C
Oculi à paucis eduntur.de bon.& vitio ſuc. 2ª.37.B
ad Oculum quæ venę,& arterię deſcendunt.4°.de loc.aff. 4ª.22.F
Oculorum venæ quandoq; videntur,quandoq; non.de mult. 3ª.80.G
in Oculis venæ inſenſibiles apparent.de tum.præter nat. 3ª.83.D
ad Oculos arteriæ quæ.16°.de vſu par. 1ª.220.C
in Oculo rete quid.de ocul. 7ª.183.B
Oculorum regio quæ.8°.de vſu par. 1ª.167.F
in Oculorum regionibus non erant facienda multa foramina pro vno. 9°.de vſu partium. 1ª.175.H
Oculorum anguli qui.introd. Iſa.53.A
in Oculorum angulis cur os.9°.de vſu par. 1ª.176.E
in Oculi angulo propter quid corpus carneum.10°. de vſu par. 1ª.181.F
in Oculi angulo cur raro parum excidenda.10°.de vſu par. 1ª.181.G
ad Oculorum angulos lachrymales exeũt duo foramina, quæ ſunt in radice naſi ſuperius.de ana.viuo. Sp.49.A
in Oculorũ angulis quæ ponũtur in ore ſentiũtur.de anat.viu. Sp.49.A
ex Oculis cur foramen ad nares.10°.de vſu par. 1ª.181.F
in Oculo vtroq; cur duæ glandulæ.10°.de vſu pur. 1ª.181.H
Oculis cur circum fuſa pinguedo.10°.de vſu par. 1ª.181.H
in Oculis cur ſit pinguedo.de anat.oc.Sp.57.G/13°.de vſu par. 1ª.201.H
Oculorum munimenta.10°.de vſu par. 1ª.180.A
Oculorum tegmenta quæ,& quot.11°.de vſu par. 1ª.188.H
Oculi propter quod habent tegmentum.de inſtr.odor. 1ª.112.A
ad Oculum quid faciat cutis.10°.de vſu par. 1ª.180.A
Oculi propter quid habent palpebras.de inſtr.odor. 1ª.112.B
Oculi duri cur non habent palpebras.de inſtr.odor. 1ª.112.B
Oculi abſq; palpebris indecorum.1°.de comp.med.ſec.loc. 5ª.126.A
in Oculo pilorum ſitus optimus.10°.de vſu par. 1ª.180.D
Oculorum pili ſpatium habent inter ſe mirum.10°.de vſu par. 1ª.180.D
Oculorum pilis ſi quid addatur, aut auferatur illorum vtilitas corrumpitur.11°.de vſu par. 1ª.189.G
ad Oculos ꝓpter qd,mala,naſus & os iugale.10°.de vſu par. 1ª.180.A
OCVLORVM excrementa vnde confluant.10°.de vſu pa. 1ª.181.G
Oculi per os,& per nares purgantur.introd. Iſa.58.A
Oculus expurgatur per nares,& palpebras.1°.de ſan.tuen. 2ª.68.D
Oculus cur habet meatus euidẽtes ꝑ quos expurgeť.1°.de ſa.tu. 2ª.68.D
in Oculos excrementa quæ ferũtur, ad naſum, et palatũ deriuãda ſunt. 6°.de ſanitate tuenda. 2ª.100.B
Oculis admota medicamenta quidã per os expuerũt, alij per nares emunxerunt,& quo modo.10°.de vſu par. 1ª.181.G
per Oculos reſpirationem habet atrabilis.de nat.& or.vniuſ. Sp.41.E
OCVLORVM calidorum indicia.ars med. Iſa.64.C
Oculorum frigidorum indicia.ars med. Iſa.64.C
Oculi calidi in frigore.11°.de vſu par. 1ª.189.D
Oculorum humidorum indicia.ars med. Iſa.64.C
Oculorum ſiccorum indicia.ars med. Iſa.64.C
Oculos ſanguineos nebuloſos paſſionibus ſemꝑ abundantes habet homo conceptus in tribus horis ſanguinis.de ſperma. Sp.37.B
Oculorum magnitudo quid ſignificat.ars med. Iſa.64.C
Oculos magnos habent humidi ſecundum aliquos.2°.de temp. 1ª.20.F
Oculi magni interdum ſunt cum notis ſiccitatis.2°.de temp. 1ª.20.G
Oculos paruos habentes ſicci ſunt ſecundum aliquos.2°.de tẽpe. 1ª.20.F
Oculi parui interdum ſunt cum notis plenitudinis.2°.de temp. 1ª.20.G
Oculi notæ ſignificant ſupra oculos, & non ſupra totum corpus. 2°. de temperamentis. 1ª.20.H
OCVLORVM phyſionomia.quòd animi mores. 1ª.319.G
Oculi candidum caprinũ optimorũ morũ indiciũ ẽ.qđ ani.mor. 1ª.319.F
Oculi intus conditi clariſſime cernunt.quod animi mores. 1ª.319.G
Oculorum variatio ſm colores.in 6^{m}.de mor.vul.com.4°. 3ª.187.B
Oculorum colores quid ſignificant.ars med. Iſa.64.D
Oculi bene colorati corpus totũ bene ſe habere ſignificãt. in 6^{m}. de mor. vulg.com.4°. 3ª.187.B
Oculi firmiſſimã notitiã exhibent.in 6^{m}.de mor.vulg.cõ.4°. 3ª.187.A
in Oculis robur,& infirmitas eluceſcunt quo modo.in 6^{m}.de mor.vul. commentario 4°. 3ª.187.A
Oculis quomodo robur adijciatur.6°.de ſan.tuen. 2ª.100.B
Oculi habentes vires imbecillas.in 6^{m}.de mor.vul.com.4°. 3ª.187.B
Oculos habentes imbecilliores in vere ſunt inaniendi.de cur. ration.per ſang.miſſ. 6ª.17.F
Oculi robuſtorum.in 6^{m}.de mor.vulg.com.4°. 3ª.187.B
Oculi nigri vnde oriantur.ars med. Iſa.64.D
Oculi nigri,ſicci,acuti ſunt cõceptis ĩ horis melãcholiæ.đ ſper. Sp.36.C
Oculos nigros habentibus occluſi ſunt pori. in 1^{m}. de morbis vulgarib. commentario 2°. 3ª.115.E
Oculi glauci qui.ars med. Iſa.64.D
Oculi glauci vnde.ars med. Iſa.64.D
Oculi glauci à cæſiis differunt ex diametro. in 3^{m}. de morb. vulgaribus, comment.3°. 3ª.146.F
Oculi cæſii quales,& qũo cognoſcãtur.in 3^{m}.de mo.vul.c.3°. 3ª.146.E
Oculorum cæſiorum qualitas.in 3^{m}.de mor.vul.com.3°. 3ª.146.G

Oculi cęſii ſunt calidi,& ſicci.in 3m.de morb.vulg.com.3°. 3ª.146.E
Oculi cæſii quid ſignificent.2°.de temp. 1ª.20.H
Oculi craſſi, delati, aliquando ſimiles oculis accipitris ſunt conceptis in hora phlegmatis. de ſpermate. Sp.36.C
Oculum vnum aquileum ex proprietate ſui ſigni habuit Alexander. de ſpermate. Sp.38.H
Oculis cur conniuent melancholici.de mel.ex Gal.Ruf.& P. Sp.109.D
Oculis qui intuentur inconniuenter.4°.de præſag.ex pulſ. 4ª.120.H
Oculos pminẽtes cur habeãt melãcholici.d mel.ex G.R.& P.Sp.109.D
ex Oculis, & inſanis, & ęgris quæ cognoſcantur.1°. de arte curatiua ad Glauconem. 7ª.95.C
OCVLI ſunt indicia certiora in ęgris.1°.de arte cur.ad Gla. 7ª.95.C
Oculi,et os, cur in aliquibus dormientibus teneantur aperti.commẽ.6°. aphoriſ.52°. Ex.53.A
Oculi in morientibus conſiderandi.in 6m.de mor.vul.com.4°.3ª.187.A
Oculorum ſigna praua.in prog.com.1°. 4ª.192.E
Oculi phreniticorum puluerulenti.in 1m.prorrh.com.1°. 4ª.165.H
Oculorum diſtortio ſignũ malũ cur.in 3m.de morb.vulg.cõ.2°. 3ª.139.H
Oculi obtorti ſignificant delirium.in 6m.de mor.vulg.com.1°. 3ª.158.D
Oculus dexter diſtortus qd ſignãt.in 3m.de mor.vul.com.1°. 3ª.134.A
Oculorum peruerſio quando mala.in 1m.prorrh.com.2°. 4ª.176.G
Oculus ſi peruertatur in febre continua debili exiſtente corpore, letale eſt,com.4°.aph.49°.33.C/com.7°.aph.66°. Ex.60.F
Oculi ſi peruertantur, & lumborum dolores aſcenderint,malum.in 1m. prorrh.com.2°. 4ª.174.A
Oculorum peruerſio malum eſt ſignum.in 1m.prorrhe.com.2°. 4ª.174.C
Oculus ferox,& clauſus quid ſignificet.in 1m.prorrh.com.2°. 4ª.174.C
Oculus qbus eſt ferox hi purgandi nõ ſunt.in 1m.prorr.cõ.2°. 4ª.174.B
Oculi cur claudantur.in 1m.prorrh.com.2°. 4ª.174.C
Oculi clauſio in acutis mala.in 1m.prorrh.com.2°. 4ª.175.H
Oculos clauſos hñt comatoſi,& cataphorici.in 1m.prr.cõ.2°. 4ª.176.F
Oculi genam frequenter attollere moleſtum eſt.13°.meth.med. 7ª.86.B
Oculus corrugatus malum,& cur.in 6m.de morb.vul.com.1°. 3ª.158.D
Oculi ſenum cur rugoſi.in 6m.de mor.vulg.com.1°. 3ª.158.D
Oculi ſenum cur humidi.com.3°.aph.17°. Ex.23.F
Oculi immobiles praui.in 6m.de mor.vulg.com.1°. 3ª.158.D
Oculorum obſcuratio mala.in 6m.de mor.vulg.com.1°. 3ª.158.D
Oculus altero minor quid ſignificet.in prog.com.1°. 4ª.192.F
Oculi albũ,rubrum apparere quid,& vnde.in prog.com.1°. 4ª.192.F
Oculorũ venæ liuidę & nigræ quid portẽdãt.in prog.com.1°. 4ª.192.G
Oculi ſublimes quid,& vnde.in progn.com.1°. 4ª.192.H
Oculi caui quibuſdam ſigna letalia,alijs naturalia.de opt.ſect.Iſa.26.A
Oculi tumidi & caui,mali.in progn.com.1°. 4ª.192.H
Oculi caui mali.in prognoſt.commen.1°. 4ª.191.B
Oculi quomodo caui fiant in acutis.in prog.com.1°. 4ª.191.C
Oculorum cauitas quibus contingat.1°.de arte cur.ad Glau. 7ª.95.C
Oculos cõcauos habere cõe eſt longarũ febriũ.in pg.com.2°. 2ª.204.D
Oculorum candidum ſi apparet in ſomno quid ſignificet in prognoſtica comment.1°. 3ª.193.A
Oculorũ in dormiẽtibus ſuſpectiões cõſiderare oportet.nã ſi quid albi cõmiſſis palpebris ſubinſpicitur, neq; ex alui pfluuio,aut medicamenti potiõe iſtud cõtigat,malũ ẽ ſignũ,& letale valde.c.6°.a.52°.Ex.53.a
Oculos aptos,& tenſos hñt catocho correpti.in 1m.pror.cõ.2°.4ª.176.E
in Oculo ſiniſtro ſignum apparens in modum lenticulę letale ſignum eſt in cephalæa.de dyna. Sp.23.B
Oculos nigros habẽtes qñ moriebãtur.in 1m.de mor.vul.cõ.2°. 3ª.115.D
Oculi quomodo exercentur in ludo paruæ pilæ.de par.pil.ex. 2ª.49.B
de Oculo dat exemplum.1°.meth.me. 7ª.5.H
de Oculis libri tres à Demoſthene facti.4°.de diff.pulſ. 4ª.66.G
Oculis gratiam conciliabant mulieres antiquæ ſtibio, & quomodo. 6°. de ſanitate tuenda. 2ª.100.B
Oculi quibus tingantur.de remed.par.fac. 7ª.156.G
ad Oculi ſanitatem conſeruandam alchohol.ſec. Sp.97.F
de OCVLORVM Affectibus.4°. de locis affectis. 4ª.21.F/de remed. par.fac.155.H/ 7ª.162.G
de Oculorum morbis qui ſenſui apparent.de ocul. 7ª.186.F
Oculo extrinſecus quę contingant.intro. Iſa.58.D
Oculorum paſſiones in mobilibus locis,quę.de ocul. 7ª.187.F
Oculorum affectus vnde oriantur.de remed.par.fac. 7ª.155.H
in Oculis quæ ſit ægritudo.de ſymp.diff. 3ª.11.E
Oculi propria ægritudo,& compoſita quæ.de diff.mor. 3ª.6.B
Oculorum propriæ paſſiones quæ.com.4°.apho.52°. Ex.33.D
Oculis quæ incidũt cõniuẽtibus nobis palpebras,et particulã ſub quiete habẽtibus,vel parũ vel nihil cõtriſtãt.2°.de ſymp.cauſ. 3ª.22.D/E
Oculi laborãt vere frigido,& humido.in 1m.de mor.vul.cõ.1°.3ª.108.G
in Oculo quæ ſunt à toto genere præter naturam.de diff.mor. 3ª.4.F
in Oculis quo modo fiat exacerbatio p circuitũ.2°.de diff.feb. 3ª.41.G
Oculorum Abiectio quid.in 6m.de mor.vulg.com.1°. 3ª.160.D
Oculorum Accidentia triplicia.de ocul. 7ª.186.A
Oculorum actionis nocumentum quod.de ocul. 7ª.186.A
Oculorum nocumentum naturalium actionum.de ocul. 7ª.186.A
Oculorum Affectus tres.fin.med. Iſa.48.D
Oculorum affectus totum oculum exercentes qui.intro. Iſa.38.D
Oculus quo modo affici cognoſcatur.1°.de loc.aff. 4ª.6.D
Oculorum affectibus quę adhibeat Galenus.2°.de diff.feb. 3ª.41.G
ad Oculorum affectus valet centaureę ſuccus.de vir.cent. Sp.93.B
ad Oculorum affectionũ declinationes.4°.de cõp.med.ſe.lo. 5ª.154.E
ad Oculorum affectiones ex plagis.4°.de com.med.ſec.loc. 5ª.155.F
ad Oculorum affectiones collyriũ viride.4°.de cõp.me.ſec.loc. 5ª.155.B
ad Oculorum affectiones intenſas.4°.de comp.med.ſec.loc. 5ª.154.H
ad Oculorũ veteres ac recẽtes affectiones.4°.de cõp.me.ſe.lo.5ª.154.H
ad Oculorũ antiquas affectiones collyriũ.4°.de cõp.me.ſe.lo. 5ª.156.H
ad Oculorum inueteratas affectiones. 4°. de comp.med.ſec.loc. 155.H/156.A/B/C/H/5ª.157.A/de ocul. 7ª.191.C
ad Oculorũ antiquas diſpões oẽs valet ſucc° cẽtaureę.d vi.cẽ.Sp.93.C
ad Oculorum inueteratas, & calloſas affectiones.4°.de compo. med. ſecundum locos. 4ª.158.A
in Oculorũ affectu arteriaca qñq; incidit,& qũo.13°.me.me. 7ª.86.D
ad Oculorum affectiones omnes.4°.de comp.med.ſec.loc. 5ª.154.F
ad Oculorum omnem paſſionem collyrium.de ocul. 7ª.191.C
Oculi Albugo vnde oriatur.de vtil.reſp. Sp.63.D
Oculorum albuginum tincturæ.4°.de comp.med.ſec.lo. 5ª.153.B
ad Oculorum albugines.4°.de compoſ.med.ſec.loc.5ª.158.C/ de remed. par.fac.156.G/170.D/7ª.172.F/de dynam.24.H/ſecre. Sp.97.F
Oculorum Album quæ infeſtent.intr. Iſa.58.G
in Oculi albo vlcus qñ oritur.intr. Iſa.58.G
in Oculorum albedine panus qũo curetur.de ocul. 7ª.190.H
Oculi propter quid allucinantur.intro. Iſa.57.C
Oculorum affectus circa Angulos.fin.med.48.F/intro. Iſa.58.D
in Oculis angulorum immoderationes duæ in augmento videlicet,& diminutione.de diff.mor. 3ª.5.C
ĩ Oculi angulorũ imoderatũ augmẽtũ enchatida vocãt.de dif.m.3ª.5.C
in Oculis angulorum diminutionem rhœada vocant.de diff.mor. 3ª.5.C
in Oculorum angulo diminuta,qũo curentur.14°.meth.med. 7ª.92.B
ad Oculorum angulos eroſos lippientes, & lachrymantes fuligo piceæ, tedæ,& coni accommoda eſt.8°.de ſimp.med.fac. 5ª.58.F
ad Oculorum angulos eroſos vſurpatur fuligo acrior.7°.de ſimplicium medic.facul. 5ª.54.F
ad Oculorum angulos corroſos collyrium.4°.de cõp.me.ſe.lo.5ª.156.H
ad Oculorum angulos eroſos.4°.de comp.med.ſe.lo.156.E/ 5ª.157.A
ad Oculorum angulos ſcabros, & corroſos collyrium. 4°.de compoſit. medic.ſec.loc. 5ª.157.A
ad Oculorum ſcabros,& circũroſos angulos. 4°. de compoſi.medicam. ſecundum locos. 5ª.156.G
ad Oculorum angulos circũroſos.4°.de compo.med.ſec.loc. 5ª.152.D
ad Oculorum angulos eroſos, & putreſcentes. 4°.de compoſi.medica. ſecundum locos. 5ª.156.D
Oculus cur aperiri non poſſit laxa palpebra.4°.de loc.aff. 4ª.22.A
de Oculorum Apoſtematibus.de ocul. 7ª.189.D
pro Oculorum apoſtemata vna die ſoluẽdo collyrium.de ocu. 7ª.191.B
ad Oculũ deſcẽſionis Aq̃ ĩ principio qd opẽ ferat.de me.exp. Sp.107.E
in Oculum ſi aqua deſcendat quid conferat.ſec. Sp.101.D
ad Oculorum aquam electarium.de med.exper. Sp.107.A
Oculorum Aſperitates ex quibus cauſis proueniant.de cau.mor. 3ª.9.C
ad Oculorum ingentes aſperitates valet ſepiarum teſta.11°.de ſimpliciũ medic.facul. 5ª.81.B
Oculorum aſperitudines, & cicatrices thlapſi extenuat. de ſimplicibus medicamentis. Sp.91.G
ad Oculorum aſperitudines.4°.de cõp.med.ſec.loc.155.H/156.A/C/H/157.A/2°.de cõp.med.per gen. 5ª.224.E
Oculi Atrophia quid.intr. Iſa.58.F
Oculorum Caligatio eſt morbus longus intrinſecus.intr. Iſa.56.C
Oculorum Caligationes inducit triticum elixum.1°.de alim.fa. 2ª.11.B
Oculorum Caliginem cito tranſeuntem oſtendit vrina pinguis ſine febre

ſenibus eueniens ſoluta àpoplexia.de dynam. Sp.34.B
Oculorũ caligini ꝓdeſt chelidonia collyrijs miſta.de ſimp.med. Sp.82.B
Oculorum caligines,& cicatrices eximit fel.de ſimp.med. Sp.84.E
Oculorum caliginem,et cicatrices extenuat lapis thyites.de ſimplicibus medicamentis. Sp.86.H
Oculorum caligini facit oleum.de ſimp.med. Sp.88.D
Oculorum caligini facit oliuæ lachryma.de ſimp.med. Sp.83.F
ad Oculorum caliginem,& nebulas.de med.fac.par. 7ª.163.B
ad Oculorum caliginẽ. de med.fac.par.172. F/de ocul.7ª.191.E/de dynamidijs. Sp.24.G
ad Oculorũ Callos exterendos.4°.de cõp.me.ſe.lo.156. C/G/ 5ª.157.A
ad Oculorum callos.4°.de comp.med.ſec.loc. 5ª.156.B/D
ad Oculorum calloſas affectiones.4°.de comp.med.ſec.loc. 5ª.156.C
ad Oculorũ Cãcros aſperatos cõfert ſuccus cẽtaureę.de vi.cẽt.Sp.93.B
ad Oculorum carbonem.de ocul. 7ª.190.D
ad Oculorũ carnẽ excreſcẽtẽ.4°.de cõ.m.ſ.l.5ª.152.D/de ocu.7ª.190.D
ad Oculorum carnis omnem extuberantiam.4°. de compoſitione medi. ſecundum locos. 5ª.152.G
in Oculo Cataracta quę ſit.de ocul. 7ª.186.D
Oculi venetici qui habẽt cataractas apud antiquos.de ocul. 7ª.187.D
ad Oculorum Chemoſeis.4°.de comp.med.ſec.loc. 5ª.155.A
ad Oculorum grauem chymoſin.de remed.par.fac. 7ª.155.D
Oculi Cicatrix qũo differt ab albugine.intro. Iſ.59.A
in Oculo cicatrix quando fiat.intro. Iſa.59.A
Oculorum cicatrices extenuat anemone.6°.de ſimp.med.fac. 5ª.43.B
Oculorum cicatrices extenuat cedrea.7°.de ſimp.med.fac. 5ª.50.E
Oculorum craſſas cicatrices detergunt caules chamæcyces.8°. de ſimpl. medic.facul. 5ª.63.G
Oculorum cicatrices craſſas extenuãt leucoij flores ſicciores.7°.de ſim. medic.facul. 5ª.54.C
Oculorum cicatrices expurgat, & extenuat ſagapenum. 8°.de ſimplic. medic.facul. 5ª.60.A
ad Oculorũ cicatrices exterẽdas collyriũ.4°.de cõp.me.ſe.lo. 5ª.156.F
ad Oculorum cicatrices exterendas. 4°. de compoſitione medicamentorum.ſec.loc.155.A/ 5ª.156.B/C/E/F
ad Oculorum cicatrices veteres.de med.fac.par. 7ª.170.D
ad Oculorum cicatrices,& callos exterendos.4°. de compoſitione medica.ſec.loc.155.H/ 5ª.156.H
ad Oculorum cicatrices,& callos exterendos collyria.4°.de compoſit. medic.ſec.loc. 5ª.156.H
ad Oculorum ſcabras cicatrices exterendas.4°. de compoſitione med. ſecundum locos. 5ª.157.A
ad Oculorum cicatrices reſolutas.4°.de comp.med.ſec.loc. 5ª.155.B
ad Oculorum cicatrices albas,& caligines confert centaurea.de virtute centaureæ. Sp.93.B
ad Oculorum cicatrices.4°.de comp.med.ſec.loc. 5ª.156.B/D
Oculis Claritatẽ mirifice facit ſuccus radicis acori.de ſim.me. Sp.81.A
ad Oculorum claritatem facit anagallidum ſuccus cum melle attico.de ſimp.med. Sp.80.G
Oculorum claritati maxime facit cridrium.de ſimp.med. Sp.83.E
Oculorum claritati proprie confert lapis pyrites.de ſimp.med.Sp.86.F
ad Oculorũ aciei claritatem valet marrubiũ.8°.de ſimp.me.fa. 5ª.59.B
Oculorum,& faciei claritati melius habetur mel atticum alio melle. de ſimp.med. Sp.87.A
Oculos clarificans vnguentum.de dynam. Sp.23.D
ad Oculorum viſum clarificandum.de dynam. Sp.24.H
Oculus cur Claudi non poteſt.4°.de loc.aff. 4ª.22.A
ad Oculorum Concauitates.4°.de comp.med.ſec.loc. 5ª.155.A
Oculus Concretus qui.in 1^{m}.prorr.Hip.com.2°. 4ª.170.F
Oculi Confuſio quid.intr. Iſa.59.B
ad Oculorum confuſiones.4°.de comp.med.ſec.loc. 5ª.155.B
Oculi Conuelluntur,& tunc quæ pars ſit affecta.3°.de loc.aff. 4ª.17.D
Oculorum conuulſio quibus ſanetur.13°.meth.med. 7ª.86.C
Oculi Conuerſio cur obliqua.4°.de loc.af. 4ª.21.H
Oculi Coronæ affectus qui.intr. Iſa.58.D
ad Oculorum Crithæ.de remed.par.fac. 7ª.156.H
Oculi Curti reſtauratio.intr. Iſa.60.D
Oculi Defluxio qũo fiat.4°.de loc.aff. 4ª.21.H
Oculus quare Delapſus videatur.4°.de loc.aff. 4ª.21.H
Oculis denigratis quæ adhibenda.de remed.par.fa. 7ª.157.A
Oculorum Dolores quibus fieri poſſunt.13°.meth.med. 7ª.86.B
Oculi quot modis patiantur dolorem,& qũo curetur.de ocul. 7ª.189.H
Oculorum dolores quæ,& qũo curandi.com.7°.apho.3°. Ex.54.B
Oculorum dolores pertinent ad tactum.de ſym.diff. 3ª.11.E
Oculi dolent ob lucis ſplendorem.de ſymp.diff. 3ª.11.E
Oculis contingit dolor infixus.2°.de lo.aff. 4ª.11.B
Oculi dolore minor eſt dolor capitis.2°.de comp.med.ſec.loc. 5ª.134.H
Oculorum dolor vehementiſſimus coegit quendam vltro ſibi mortem inferre.4°.de comp.med.ſec.loc. 5ª.149.E
in Oculo dolor quando magnus.de ocul. 7ª.187.B
Oculi dolor ex acri humore.2°.de arte cur.ad Glau. 7ª.103.D
Oculorum dolores in febribus qũo curentur.12°.meth.med. 7ª.79.F
Oculis dolentibus quæ agenda.in 6^{m}.de mor.vul.com.6°. 3ª.196.D
Oculorũ dolores grauiſſimos qbus Galenus ſanauit.3°.meth.me.7ª.17.D
Oculorũ dolores qũo modis varijs ſanantur.com.5°.aph.31°. Ex.49.F
Oculorum dolores meri potio,aut balneum,aut venę ſectio,aut medicamentum epotum ſoluit.com.6°.aph.31°. Ex.49.C
Oculorum dolores poſt meri potionem,& aquæ calidæ balneum venæ ſectione curantur.com.7°.aph.48°. Ex.57.G
Oculi ſqualidi habentes venas plenas,oſtendunt vini potione dolores ſanari debere.com.6°.aph.31°. Ex.49.F
Oculorum dolor qũo vini potione ſanatur.de ocul. 7ª.189.B
Oculorum dolores balneo ſanauit Galenus.com.6°.aph.31°. Ex.49.D
Oculorũ doloribus fomentum eſt ſecuriſſimum,& tanq̃ ſignum, & tanq̃ cauſa ſanitatis.com.6°.aph.31°. Ex.49.G
in Oculorũ dolore non eſt expectãda febris declinatio pro ſecãda vena, ſed doloris magnitudo attendẽda eſt.de cur.rat.ꝑ ſang.miſſ. 6ª.21.C
in Oculorũ dolore quæ vena ſecanda.de præſag.exper. Sp.78.B
Oculorum doloribus vena eiuſdem lateris humeralis ſecanda.de curan. rat.per ſang.miſſ. 6ª.20.A
pro Oculorum doloribus anthera.4°.de comp.med.ſec.loc. 5ª.153.E
Oculorũ doloribus,vel tumoribus vtilis eſt lẽticula.đ ſimp.me.Sp.86.B
in Oculorum doloribus paliuri folia.4°.de cõp.med.ſec. loc. 5ª.157.F
in Oculorum doloribus peponis, & cucurbitæ caro. 4°.de compoſitio. medic.ſec.loc. 5ª.157.F
Oculorum,& dentium dolores ſedat medicamentum ex caſtoreo in auribus inſtillatum.12°.meth.med. 7ª.79.G
Oculis ex rheumate dolẽtibus proſunt vitijs folia.de ſimp.med.Sp.92.B
ad Oculorum tumoris calidi dolorem.de ocul. 7ª.191.F
in Oculorũ doloribus exhibet ſtupefacientia.12°.meth.med. 7ª.75.B
Oculorũ dolorẽ ſedans pharmacũ.4°.de comp.med.ſec.loc. 5ª.153.G
Oculorum dolorem ſedans collyrium.4°.de comp.med.ſec.loc. 5ª.154.F
ad Oculorum dolores collyrium.4°.de comp.med.ſec.loc. 5ª.154.F
ad Oculorum doloris moleſtias collyrium.4°.de cõ.med.ſe.lo.5ª.154.F
ad Oculorũ doloris moleſtias.4°.de cõ.me.ſe.lo.153.H/5ª.155.B/C/F/H/
ad Oculorum dolores circũcirca moleſtantes.4°. de compoſitio. medic. ſec.loc.154.G/ 5ª.155.A
pro Oculorum doloribus vehementiſſimis collyria ex opio.12°. methodi medendi. 7ª.79.G
ad Oculorum dolores vehementes.de med.par.fac. 7ª.156.E
ad Oculorum maximos dolores,& affectiones. 4°.de compoſit.medic. ſecundum locos. 5ª.154.G
ad Oculorum dolores maximos.4°.de comp.med.ſecun.locos.5ª.154.C/ de ocul. 7ª.191.E
ad Oculorum doloris vexationem.4°.de compoſi.med.ſecundum locos. 153.G/154.D/155.A/F/9°. 5ª.202.B
ad Oculorum dolores.4°.de compoſi.medic.ſecun.loc. 153.D/ 154. C/G/ 155.B/F 157.E/7°.181.C/182.G/8°.5ª.191.E/de remed.paratu fac. 156. E/170.E/174.H/de ocul.7ª.191.E/ſecretorum. Sp.97.D
in Oculo Durities quid.de ocul. 7ª.186.G
ad Oculorum Eminentiam omnem.4°.de comp.med.ſec.loc. 5ª.152.H
ad Oculorum Epiphoras.2°.de comp.med.per ge. 5ª.224.E
contra Oculorum epiphoras maximas.4°.de comp.med.ſe.lo.5ª.153.F
Oculorum Extenſio ab humore,vel flatu quo modo curetur.13°. methodi medendi. 7ª.86.C
ad Oculorum omnem extuberantiam.4°.de compoſitio. medicamento. ſecundum locos. 5ª.156.C
ad Oculorum ficoſa.4°.de comp.med.ſec.loc. 5ª.156.A
ad Oculorum ficoſas eminentias.4°.de comp.me.ſe lo.152.G/ 5ª.156.H
ad Oculorum fiſtulas.de med.fac.par. 7ª.170.D
Oculi cur fluant.de ſect. Iſa.19.B
ad Oculorũ fluxiones quæ agẽda,& q̃ vitãda.de me.fac.par.7ª.170.E
ad Oculos quot modis humores fluant, & quo modo cognoſcatur. de oculis. 7ª.187.G

ad Oculos quo modo veniunt humores.de ocul. 7ª.190.B
ad Oculos à capite qũo materiæ trãſmittãtur 13°.meth.med. 7ª.86.D
ad Oculos cur à capite materia tranſmittatur.2°.de diff.feb. 3ª.40.G
ad Oculos defluxus ſunt à capite.2°.de diff.feb. 3ª.40.F
ad Oculos diu currens materia incidit cutim.de faſcijs. 7ª.295.F
ad Oculos à capite fluxio qũo curanda.7°.meth.med. 7ª.48.A
Oculi ſi ex capite ægrotent qũo curandi.6°.de ſan.tuen. 2ª.100.A
ad Oculorum fluxiones curatio.4°.de comp.med ſec.loc. 5ª.157.B
Oculorum fluxionem cohibentia.4°.de comp.med.ſec.loc. 5ª.158.G
ad Oculos fluẽtiũ humorũ remediũ.de rem.pa.fa.156.E/đ ocu.7ª.191.E
ad Oculorum,& aliorum membrorum corporis fluxiones valet antidotus Aellij Galli.2°.de antid. 5ª.110.H
ad Oculos vel aures ſucci ſi fluant,deriuandum per nares,& os. de cucur.ſcar. 6ª.4.E
in Oculis fluxio ad nares deriuatur.5°.meth.med. 7ª.30.F
Oculorũ fluxiões ad fauces traducũtur.ĩ 6ᵐ.de mor.vul.c.2°. 3ª.166.B
Oculis qñ rheuma frequẽter nocet vtimur catharticis.de dyn. Sp.20.E
in Oculorum fluxionibus clyſteres,& medicamenta fortia.4°.de com. medic.ſec.loc. 5ª.157.C
ad Oculorum fluxiones cucurbita in occipitio.13°.meth.med. 7ª.85.A
ad Oculorũ deſtillationẽ venę ſectio cõuenit.de rem.par.fac. 7ª.156.C
in Oculorum fluxionibus venæ ſectio.4°.de cõp.me.ſec.loc. 5ª.157.C
pp Oculum ſecantur arteriæ temporum ob fluxum calidum,& ſpumoſum.de cur.rat.per ſang.miſſ. 6ª.21.D
ad Oculos quæ deferunt fluxiones vaſa quandoq; incidenda. 13°.methodi medendi. 7ª.86.D
ad Oculos ferẽtia fluxiões vaſa quæ ĩcidi nõ debẽt.13°.me.me. 7ª.86.D
ad Oculorum calidam deſtillationem.de remed.par.fac. 7ª.156.D
ad Oculos deſtillationes quo modo dicantur coqui.de vict.rat.in morb. acutis.com.2°. 7ª.122.H
ad Oculos fluxionis calidæ remedia.4°.de comp.med.ſec.loc. 5ª.157.D
Oculorũ fluxionẽ cohibẽt agglutinatoria.4°.de cõp.me.ſec.loc.5ª.158.G
Oculorum fluxiones reſiccat muci limacis medicamentum.11°.de ſimp. medic.facul. 5ª.78.E
Oculorum fluxiones deſiccantibus collyrijs miſcetur cornu ceruinum. 11°.de ſimp.med.fac. 5ª.79.H
Oculis rheumatizantibus bdellium proprium eſt.de dynam. Sp.22.A
ad Oculorum fluxiones vtuntur echini herbę fructu. 6°. de ſimplicium medic.facul. 5ª.47.G
Oculorum fluxiones ſiſtit Epigoni medicamentum fronti impoſitum. 5°. de comp.med.per ge. 5ª.246.E
ad Oculorum fluxiones acres lac valet,tum per ſe, tum cũ mollium collyrium quopiam.10°.de ſimp.med.fac. 5ª.73.H
Oculorum fluxionibus collyrijs accommodatis inditur pompholyx.9°. de ſimp.med.fac. 5ª.70.H
ad Oculorum fluxionem cataplaſma.de med.fac.par. 7ª.172.F
ad Oculos fluxiones acres rariores ſunt.13°.meth.med. 7ª.86.D
in Oculorũ fluxionibus acribus quibus vtamur.13°.meth.med.7ª.86.D
in Oculorum fluxionibus acribus non debemus vti Thapſia, & ſinapi. 13°.meth.med. 7ª.86.D
ad Oculorum fluxiones tenues,& acres.4°.de com.me.ſe.lo. 5ª.149.E
Oculorum acredinem qui ferre nõ poſſunt ijs valet melinũ. 4°. de comp. med.ſec.loc. 5ª.155.E
ad Oculorum fluxũ tenuẽ,& multũ.4°.de cõp.med.ſec.loc. 5ª.155.H
ad Oculorum fluxum tenuem.4°.de comp.med.ſec.loc. 5ª.155.C
ad Oculos humores tenues deſcẽdẽtes reprimẽs collyriũ.de o. 7ª.191.C
ad Oculorum fluxum acrem,& vberem.4°.de comp.me.ſe.lo.5ª.155.F
ad Oculorum multam fluxionem.4°.de comp.med.ſec.loc. 5ª.155.C
Oculorum diutinæ fluxiones qũo ſanandæ.13°.meth.med. 7ª.86.D
ad Oculorum fluxiones antiquas.4°.de comp.med.ſec.loc. 5ª.155.D
ad Oculorũ affectiones ægre cedentes.4°.de comp.med.ſec.loc.5ª.155.D
Oculos cum quidam ex longo tempore ab inceſſabili fluxione infectos haberet quo ſit præſidio ſanatus.de cucur.ſcar. 6ª.4.A
ad Oculorũ fluxum omnis generis.4°.de comp.med.ſe.loc. 5ª.159.H
Oculorum fluxiones.4°.de comp.med.ſec. loc.154.F/157. G/ 7°. 185.A/ 8°.191.E/5°.de comp. med. per genera. 246.H/5ª.249.B/ de medica. fac.par. 7ª.172.F
ad Oculos fuſcatos valet theriaca.de ther.ad Piſ. 5ª.91.G
ad Oculos Glaucos.4°.de comp.med.ſec.loc.153.B/5ª.158.D/de medica. fac.par. 7ª.163.B
Oculorum Grauitati confert ſectio venæ frontis.de ana.viu. Sp.55.A
Oculorum Hebetudo eſt morbus paruus.de ther.ad Piſ. 5ª.99.A
Oculorum hebetudo qũo fiat.in 1ᵐ.prorrh.com.2°. 4ª.170.E
Oculorum hebetudini medetur accipiter.de ther.ad Piſo. 5ª.93.E
Oculorum hebetudinibus ob craſſitiem humorum non malũ eſt remediũ ſagapenum.8°.de ſimp.med.fac. 5ª.60.A
ad Oculorũ hebetudinem collyrium.4°.de comp.med.ſec.loc. 5ª.156.H
Oculorũ hebetudinem ſedare poteſt Theriaca.de ther.ad Piſo. 5ª.95.H
Oculos acutiſſime cernere facit acetũ ſcillinũ.de med.fac.par. 7ª.178.C
Oculorũ aciem obtuſam ab humorũ craſſitudine ſuccus, & radices herbæ libanotidis miſtus melli emẽdat.7°.de ſimplicium medicamentorum facultatibus. 5ª.54.E
Oculorum aciem acuit fumiterræ ſuccus.7°.de ſimplicium medicamentorum facultatibus. 5ª.49.G
Oculos ſenum acutos reddens antidotus.2°.de antid. 5ª.111.H
Oculi Hippos quid.fin.med. Iſa.48.E
Oculorum affectus equus.in prognoſt.com.1°. 4ª.194.C
Oculi Hordeolum curat ſuccus centaureæ.de vir.cent. Sp.93.C
ad Oculos Humectos collyrium.4°.de comp.med.ſec.loc. 5ª.157.A
ad Oculos humectos.4°.de comp.med.ſec.loc.152.D/ 5ª.156.D
Oculi Humorum vitia quæ.de ſymp.cauſ. 3ª.14.E
Oculi morbus vt inſtrumentum eſt Hypochyma.2°.meth.med. 7ª.12.H
ad Oculorum hypoſphagmata collyria qualia per gradus.10°.de ſimp. medic.facul. 5ª.72.H
ad Oculorum hypoſphagmata ſanguis columbæ valet. 9°.de ſimpliciũ medic.facul. 5ª.72.H
ad Oculos multis Illitionibus læſos.4°.de comp.med.ſec.loc. 5ª.155.H
Oculorum Immobilitas vnde.in 1ᵐ.prorrh.com.2°. 4ª.170.E
Oculos Imperturbatos conſeruãs collyrium.4°. de compoſitione medic. ſecundum locos. 5ª.156.E
ad Oculos imperturbatos conſeruandos.4°. de compoſitione medicam. ſecundum locos. 5ª.156.D
Oculi inflammatio quid.fin.med. Iſa.48.D
Oculi inflammatio cum fluore.de ſect. Iſa.17.D
Oculorum inflammatio quid efficiat.in prog.com.2°. 4ª.203.A
circa Oculum inflammatio,& dolor quibus tollãtur. 4°.de com. med. ſecundum locos. 5ª.151.A
Oculorum tunicarum inflammationes induratæ quid petant.4°.de com. med.ſec.loc. 5ª.151.B
Oculis inflammatis adſtringentia adhibemus.de ſect. Iſa.18.C
Oculorum phlegmones abrotono ſanantur cũ malo cydonico cocto, aut pane.6°.de ſimp.med.fac. 5ª.40.D
Oculorum phlegmonas,& dolores mitigat ſuccus centaureæ.de virtute centaureæ. Sp.93.C
ad Oculorum phlegmonas lac valet cum ouo, & roſaceo.10°.de ſimp. medic.facul. 5ª.73.H
ad Oculorum phlegmonas congruit aloe.6°.de ſimp.med.fac. 5ª.42.C
Oculo inflammato ſuccus fœniculi, & lac muliebre conuenit.de optima ſecta. Iſa.21.D
in Oculorum phlegmone decoctum fœnugræci optimum, & qũo fiat. 13°.meth.med. 7ª.86.C
Oculorũ phlegmonẽ alui pfluuiũ ſanat.ĩ 6ᵐ.de mor.vul.c.6°. 3ª.197.E
Oculi phlegmone vna die p purgationẽ leuata fuit.13°.me.me. 7ª.83.A
Oculorum inflammationes nõ inciduntur ſcalpello, nec oleo irrigantur. de ſect. Iſa.18.C
Oculis inflãmatis nõ luxãtur manus ſicut inflãmato crure.de ſe. Iſ.18.C
in Oculorum indurata inflammatione oculorum anguli vena ſecanda. de cur.rat.per ſang.miſſ. 6ª.20.G
in Oculorum angulis lachrymalibus venæ duæ non apparẽt multum.de anat.viuo. Sp.55.A
in Oculorum angulis venæ ſectio.6°.de comp.me.ſec.loc. 5ª.174.A
Oculi angulorum magnorum venæ parum mittunt ſanguinis. de curan. rat.per ſang.miſſ. 6ª.19.C
ad Oculos inflammatos.8°.de comp.med.ſec.loc. 5ª.192.G
ad Oculorum inflammationum declinationes.4°.de comp.medicamen. ſecundum locos. 5ª.154.E
ad Oculorum inflammationes.8°.de comp.med.ſec.loc. 5ª.188.G
ad Oculorum omnem inflammationem.4°.de compoſitione medicamẽ. ſecundum locos. 5ª.159.F
de Oculorum phlegmone caſus.de curan.rat.per ſang.miſſ. 6ª.20.B
Oculi Inflatio quid. intro. Iſa.58.E
Oculorum Infractio quid.in 6ᵐ.de mor.vulg.com.1°. 3ª.160.D
ad Oculorum inuſtiones.4°.de compoſitione medicamentorũ ſecundum locos.154.G/ 5ª.155.A/H

ad Oculorum

ad Oculorum inuſtiones quas epicaumata græci vocant.4°.de compoſ. medic.ſec.loc. 5ª.160.A
ad Oculorum inuſtiones.4°.de comp.med.ſec.loc. 5ª.155.B/D/F
Oculi Iridem infeſtantia quæ.introd. Iſa.58.D
Oculos lachrymare quid,& vnde.in prog.Hipp.com.1°. 4ª.192.E
Oculi ſponte lachrymantes ſunt iudicationis ſignum.1°.de arte curat.ad Glauconem. 7ª.100.D
Oculus ſi nullo modo affectus lachrymet, abſurdum, ſi autem affectus non abſurdum.com.4°.aph.52°. Ex.33.D
Oculorum potentiæ contentiuę debilitas oſtenditur per lachrymas. cōmen.4°.apho.52°. Ex.33.D
Oculi cur lachrymātur in dolore genuū.de na.& or.cu.corp. Sp.42.D
cum Oculis genuum ſocietas.de nat.& ord.cuiuſ.corp. Sp.42.D
Oculorum lachrymam ſtringit erytrodani folia.de ſimp.med. Sp.84.B
Oculorum lachrymæ prodeſt lapis galactites.de ſimp.me. Sp.86.H
Oculis lachrymantibus pſyllium cito prodeſt.de ſimp.me. Sp.89.A
ad Oculorum lachrymas.de dyn.24.G ſecretorum. Sp.97.C
de Oculorum Liuoribus.de me.fac.par. 7ª.162.H
ad Oculorum liuiditates valet centaureæ ſuccus.de virt.cen. Sp.93.D
contra Oculorum Maculam ſuccus yari.de med.exper. Sp.106.D
Oculorum Meatuum affectus.intr. Iſa.58.D
ad Oculorū Mēbranarū exuberātias. 4°.de comp.me.ſec.loc.5ª.156.D
Oculorum Nerui quo modo cognoſcantur mollificati, & aliter affecti. de oculis. 7ª.187.G
Oculi Mordentur in tempeſtate aquilonia.com.3°.aph.17°. Ex.23.F
Oculos mordicant acida,& amara.4°.de comp.me.ſec.loc. 5ª.150.C
Oculorum morſus quibus curandi.13°.meth.me. 7ª.86.B
Oculi peius Mouentur in tempeſtate auſtrali.com.3°.apho.17°. Ex.23.F
Oculorum motus amiſſus vnde.4°.de loc.aff. 4ª.21.G
Oculorum motus voluntarij paſſio.de ocul. 7ª.186.E
Oculorum Obtenebrationem patiētes ſolis purgationibus ſanati ſunt. de purgand.med. 5ª.87.G
Oculi Oedema quid.intr. Iſa.58.E
ad Oculorum œdemata.de rem.par.fac.156.F/ 7ª.157.A
Oculorum frequentiſſima affectio eſt Ophthalmia, ſiue lippitudo. 4°. de comp.me.ſec.loc. 5ª.150.F
Oculos infirmiſſimos habent qui ſunt opportuni lippitudinibus. de natu. hum.com.2°. 7ª.182.G
in Oculorum ophthalmia quæ apponenda in calidis,& frigidis humoribus.de ocul. 7ª.190.C
ad Oculorum ophthalmias fœnugræci ſuccus ſanguine columbino præſtat.10°.de ſimp.me.fac. 5ª.72.H
ad Oculorum lippitudinem præſidia.de dynam. Sp.24.G
in Oculis fit Palpitatio.de trem.palp.conuul.& rig. 3ª.52.B
ad Oculorum Panum.de ocul.7ª.191.E/de dynam. Bp.24.G
ad Oculorum panum,& ſanguinem præſidia.de dyna. Sp.24.H
Oculū in aliquibus offendit Paralyſis,à generatione.de an.ocu. Sp.57.G
Oculorū paralyſis,& ſpaſmus quot ſint,& qūo fiunt.de ocul. 7ª.187.E
Oculus quando dicitur reſolutus.intr. Iſa.58.G
ad Oculorum Pediculos.de med.fac.par. 7ª.163.C
ad Oculorum Pellicularum eminentias.4°.de comp.medicamentorum ſec.loc.152.H/ 5ª.155.H
ad Oculorum pelliculas confeſtim auferendas.4°. de comp.medicam. ſecundum locos. 5ª.158.A
Oculi Perturbatio initium phlegmonis eſt.in 6ᵐ. de morbis vulga.commentario 5°. 3ª.189.A
ad Oculorum Petiam quæ conueniant.de ocul. 7ª.190.D
ad Oculorum petia.de ocul. 7ª.191.A
Oculi Phthiſis quid.intro.Iſa.59.B/10°.de vſu par. 1ª.179.F
Oculorum tabitudines,quæ.com.3°.aph.17°. Ex.23.F
de Oculorum pilorum ablatione.de ocul. 7ª.190.E
ad Oculū infeſtātes pilos palpebris innatos.de reme.par.fac. 7ª.156.G
Oculorum pituita quid,& vnde.in prog.com.1°. 4ª.192.G
Oculus cur Procidit,& à ſua ſede mouetur.4°.de loc.aff. 4ª.21.H
Oculus qūo à ſua ſede remoueatur.4°.de loc.aff. 4ª.21.H
ad Oculorum prolapſus.4°.de comp.me.ſec.loc. 5ª.155.C/D/F
ad Oculos qui extra exeunt.de ocul. 7ª.191.A
Oculi Profluuium quod.intr. Iſa.58.E
ad Oculorum Pruritum confert ſuccus Centaureæ.de vir.cen. Sp.93 B
ad Oculorum intenſos pruritus collyrium.4°. de compo.medicamento. ſecundum locos. 5ª.157.A
ad Oculorū intenſos pruritus.4°.de cōpoſ.me.ſec.loc.156.G/H/5ª.157.B
ad Oculorum pruritum,& pinguem pituitam.de dynam. Sp.24.H
ad Oculorum pruritus.de ocul.190.D/ 7ª.191.E
ad Oculos Purulentos.4°.de comp.med.ſec.loc. 5ª.155.A/D
ad Oculorum purulentiam recentem.de rem.par.fa. 7ª.157.A
ad Oculos purulentos cum molli tumore.de rem.par.fac. 7ª.157.A
in Oculis pus qūo digerendum.14°.meth.me. 7ª.93.G
in Oculo exiſtens pus qūo vacuetur.14°.meth.me. 7ª.93.G
Oculorum Puſtulæ quibus indigeant medicamentis.4°.de comp.medic ſecun.locos. 5ª.151.B
ad Oculorum puſtulas.4°.de cōp.med.ſec.loc.154.G/H/5ª.155. A/B/C/ D/F/H/de ocul.189.C/ 7ª.191.E
Oculus quare Retractus videatur.4°.de loc.aff. 4ª.21.H
in Oculo rhyas quid.10°.de vſu par.1ª.181.G/in 6ᵐ. de morb.vulgarib. commen.2°. 3ª.166.B
ad Oculorum rhœadas,hoc eſt,angulos antroſos.4°.de compoſitio.me. ſecun.locos. 5ª.156.A
Oculus Rubicūdior factus eſt iudicationis ſignum.1°.de arte curatiua ad Glauconem. 7ª.100.D
Oculorum rubor à vomitu,malum,& quare.com.7°.aph.3°. Ex.54.B
Oculos rubicundos, & ſanguinoſos curat ſuccus Centaureæ. de virtute centaureæ. Sp.93.C
ad Oculorum Rupturas.4°.de comp.me.ſec.loc. 5ª.155.A
Oculis Sanguinolentis,ſubflauis,& ſubpallidis quid adhibendum.de reme.par.fac. 7ª.157.A
ad Oculos ſanguinolentos.de ocul.7ª.191.E/de dyna. Sp.24.G
ad Oculorum ſanguinem,& uulnus præſidium.de dynam. Sp.24.G
ad Oculorum ſanguinem,& dolorem præſidium.de dynam. Sp.24.G
ad Oculorum ſanguinem præſidium.de dynam. Sp.24.H
in Oculis cruentis ſanguis columbæ ex pennis teneris. 4°. de compoſit. me.ſec.locos. 5ª.157.G
ad Oculos cruentatos.4°.de comp.me.ſec.loc. 5ª.157.G
ad Oculorum Scabies duras.de ocul. 7ª.190.H
ad Oculorum ſcabiem.de ocul. 7ª.191.E
ad Oculorum pruriginoſam ſcabiem.de remed.per.fac. 7ª.156.F
Oculorum Scabræ affectiones quibus ſanentur. 4°. de compoſi. medica. ſecun.locos. 5ª.151.B
ad Oculorum Scabrities.4°.de com.med.ſec.loc. 5ª.156.B
ad Oculorū ſcabras affectiones.4°.de cō.me.ſ loc.156.E/F/H/5ª.157.A
ad Oculos ſcabros propter ſolē,& puluerē.4°.de cō.me.ſe.lo.5ª.157.H
ad Oculos Scabros.4°.de comp.me.ſec.loc. 5ª.158.A
ad Oculorū Staphylomata.4°.de cō.med.ſec.loc.155.A/D/ 5ª.158.C
in Oculo quæ ſit cauſa Strabiſmi,& ſpaſmi.de anat.ocul. Sp.57.G
Oculi Soli Suffuſione laborant.1°.de loc.aff. 4ª.6.C
Oculis qualia accidentia accidant per ſuffuſiones.5°.de lo.aff. 4ª.32.E
in Oculo qd faciat humor euaporans in ventriculo.1°.de lo.aff.4ª.4.A
Oculi affecti in ſuffuſiões incidūt ob vētriculi affectū.ð cōſt.ar. Iſa.41.B
Oculos,& cerebrum quæ efficiant ſymptomata vitioſorum humorū vaporationem ſequuntur.5°.de loc.aff. 4ª.32.H
ante Oculos ſymptomata ſuffuſioni ſimilia apparent cum ſunt excremēta in ore ventriculi.1°.de loc.aff. 4ª.3.F
Oculi infeſtantur ſuffuſioni ſimilibus affectibus ſtomacho affecto. 3°. de locis affectis. 4ª.14.E
Oculorum ſuffuſiones adhuc tenues aufert myrrha.1°.de ant. 5ª.105.C
Oculorum ſuffuſiones ex ictu iuuat ſtœbe.8°.de ſim.med.fac. 5ª.61.C
ad Oculos multo ſanguine in æſtate ſuffuſos.4°.de cō.me.ſe.lo. 5ª.155.B
ad Oculos Suppuratos.4°.de comp.med.ſec.loc.154.F/G/ 5ª.155.H
Oculorum Sycoſes quæ ſint,& quibus ſanentur.4°.de compo. med.ſecū dum locos. 5ª.151.A
Oculorum ſycoſi quæ conueniant.4°.de comp.me.ſec.loc. 5ª.151.B
ad Oculorum ſycoſes confert ſuccus centaureę.de vir.cen. Sp.93.B
Oculis obortæ Tenebræ,quando bonæ, & quando non bonæ conſiderandum.1°.de cri. 4ª.128.B
Oculis obortæ tenebræ ſigna criſis indicatiua.1°.de criſ. 4ª.130.C
circa Oculos quid tenebricoſum.in prognoſt.com.3°. 4ª.210.E
ad Oculis tenebras offundentia.de med.fac.par. 7ª.170.E
ad Oculorum Tubercula.de remed.par.fac. 7ª.156.H
Oculorum Tumores myrta compeſcit.de ſimp.me. Sp.87.E
Oculorum tumorem ſertula ſedat.de ſimp.me. Sp.90.H
ad Oculorū tumorem calidū,& ſanguinem ipſorum.de ocul. 7ª.191.F
ad Oculorum tumores ex plaga.4°.de comp.med.ſec.loc. 5ª.157.H
ad Oculorum molles ex ictu tumores.de remed.par.fac. 7ª.156.F
ad Oculorū tumorē,& caliginē,& ſanguinē præſidia.de dyn.Sp.24.G

ad Oculorum

ad Oculorum tumores.de ocul. 7ª.190.D
ad Oculorum Tunicas induratas.4°.de comp.med.ſec.loc. 5ª.151.G
Oculi Turbulenti quibus.in 1ᵐ.prorrh.Hipp.com.2°. 4ª.170.F
Oculorum Vacillatio quibus eueniat.præſ.exper.conf. Sp.78.E
ad Oculorum Vertiginem remouendam.de med.fac.par. 7ª.172.F
ad Oculos qui non Vident veſperi.de ocul. 7ª.191.A
Oculis cur res duplæ videantur.4°.de loc.aff. 4ª.22.A
Oculorũ Vitia expurgat dracũculi ſuccus.6°.de ſimp.med.fac. 5ª.46.D
Oculorum vitijs maxime idoneum eſt fœniculum.de ſimp.med. Sp.84.D
ad Oculorum vitia præſidia.de dynam. Sp.24.G
ad Oculorum varia vitia.de med.fac.par. 7ª.170.D
in Oculo Vnguem pterygion vocant græci.de diff.mor. 3ª.4.F
in Oculo vnguis, lippitudo, cornea exeſa, ragoidis procidentia, & ſuffuſionis initium non eſt ſimplex morbus, ſed compoſitus, vel multi.de diff.morb. 3ª.5.H
in Oculo vnguis, ſuffuſio, & rhoeas morbi ſunt non ex accidenti ſed primo totius inſtrumenti.de diff.morb. 3ª.6.B
in Oculo vnguis eſt ex genere naturali.de diff.mor. 3ª.4.F
Oculorum pterigia vlcera ambigua.14°.meth.med. 7ª.90.H
in Oculo vngula.de ocul. 7ª.186.F
Oculorum vngues quibus attenuentur.4°.de cõp.med.ſec.lo. 5ª.151.A
Oculorũ vngues attenuare poteſt Thyites lapis.9°.de ſimp.m.f. 5ª.67.F
Oculorum pterygijs quæ conueniant.4°.de cõp.med.ſec.loc. 5ª.81.B
Oculorum vngues eliquat ſepiarum teſta.11°.de ſimp.me.fac. 5ª.81.B
Oculorum vngues auferunt tithymalli.8°.de ſimp.med.fac. 5ª.62.D
ad Oculorum vngulas dura.de ocul. 7ª.190.H
ad Oculorum pterygia.4°.de compoſi.med.ſec.loc.5ª.158.D/de remed.par.fac.7ª.156.H/de dynam. Sp.24.H
de Oculorum Vlceribus.de med.fac.par. 7ª.163.A
in Oculis differentiæ vlcerationum.fin.med. Iſa.48.D
Oculorum vlcera quo modo ſanentur, & quibus.4°.de com.medicamẽ.ſecundum locos. 5ª.150.H
Oculo exulcerato quid agendum.5°.meth.med. 7ª.34.B
Oculorum vlcera inflammata quid petunt, quando ſunt recentia.4°.de comp.med.ſec.loc. 5ª.151.B
Oculorum vlcera cum acri fluxione quæ curare poſſunt.4°.de compoſi.med.ſec.loc. 5ª.150.C
Oculorum vlcera vetuſta quid petant.4°.de comp.med.ſec.loc. 5ª.151.B
Oculorum vlcus mundum ſeruari debet.4°.de compoſitione medicamẽ.ſecundum locos. 5ª.151.A
ad Oculorũ vlcera multa, fluxiones, bullas, ſiue puſtulas accommoda ſunt remedia ocularia, qbus ebenus miſtus eſt.6°.de ſim.m.f. 5ª.46.D
ad Oculorum vlcera lapidem hæmatitem expertus eſt Galenus.9°.de ſimp.med.fac. 5ª.68.D
Oculorum vlcera per ſe cicatrice includit hæmatites lapis.9°.de ſimpl.medic.facul. 5ª.68.D
Oculorum vlcera expurgant, & implent myrrha, ſtyrax, & thuris ramus.7°.de ſimp.med.fac. 5ª.54.E
ad Oculorũ ſordida vlcera, & ſerpentia.4°.de com.me.ſe.lo. 5ª.154.H
ad Oculorum ſordida vlcera.4°.de comp.med.ſe.lo.151.A/ 5ª.155.F
ad Oculorum vlcera repurgata.4°.de comp.med.ſec.loc. 5ª.155.F
ad Oculorum vlcera.4°.de comp.med.ſec.loc. 5ª.155.F
ad Oculorum omnis generis vlcera, 4°.de comp.medicamentorum ſecũdum locos. 5ª.154.G
de Oculorum Vulneribus, & eorum curatione.de ocul. 7ª.190.C
in Oculo quid faciat vulnus magnum.1°.de ſymp.cauſ. 3ª.15.D
Oculi humor è pupilla vbi effluxit qd ſequatur.1°.de ſymp.cau. 3ª.15.D
contra Oculorum vulnera quæ valeant.de ocul. 7ª.189.C
in Oculo vulnerato quid agant acetoſa frigida.de ocul. 7ª.189.B
ad Oculorum vulnera ſimplicia.de ocul. 7ª.190.G
ad Oculorum vulnera cum tumore, & dolore.de ocul. 7ª.190.G
ad Oculorum vulnera cum putredine.de ocul. 7ª.190.G
ad Oculos.de med.fac.par. 7ª.173.C
in OCVLIS *diligenter agendum eſt.de anat.ocul.* Sp.57.H
Oculos qui curare vult debet illos cognoſcere ſanos.de ana.ocu. Sp.57.B
Oculos qui curare vult quid agere debet.de ocul. 7ª.182.F
Oculi quõ præparandi ad curationem.4°.de cõp.med.ſec.loc. 5ª.150.B
pro Oculis curãdis purgãdum prius totum corporis, deinde caput.14°.methodi medendi. 7ª.92.B
Oculus non poteſt ſanari ante totum corpus.4°.meth.med. 7ª.25.E
in Oculis primo caput ſanandum.13°.meth.med. 7ª.86.D
Oculis antequam aliquid adhibeamus caput corpusq; totum primo euacuandum eſt.4°.de comp.med.ſec.loc. 5ª.149.F
Oculos curans capite non purgato quæ incurrant.4°.de compoſi.medic.ſecundum locos. 5ª.149.F
Oculis danda ſunt purgatoria medicamenta.de cathar. Sp.94.G
Oculorũ cenotica, quæ ex oculis lachrymas educunt.de cathar. Sp.95.B
ad OCVLOS *medicamenta extrinſecus.intro.* Iſa.58.A
Oculorum pharmacorum ſeptem ſpecies.intro. Iſa.58.C
Oculorum pharmaca ad lippitudines incipientes.introd. Iſa.58.G
Oculorum pharmaca ad eorum diſpoſitiones.intr. Iſa.58.C
Oculorum pharmaca ad eorum fluorem.intr. Iſa.58.G
Oculorum pharmaca ad eorum ſcabritiem.introd. Iſa.58.C
Oculorum pharmaca ad lippitudinẽ ſiccam, & ſcabioſam.intr. Iſa.58.G
Oculorum pharmaca ad ſuffuſiones.intro. Iſa.58.C
Oculorũ pharmaca ad eos inflammatos, & circũdolentes.intr. Iſa.58.C
Oculorum medicina qualis debeat eſſe.de ocul. 7ª.190.B
Oculi requirunt ſuauiſſima medicamenta.11°.de ſimp.med.fac. 5ª.81.D
pro Oculis odorata medicamenta.4°.de comp.med.ſec.loc. 5ª.151.G
ſupra Oculos quõ imponenda medicamenta.13°.meth.me. 7ª.86.A
in Oculo quod inijcitur debet eſſe leue.13°.meth.med. 7ª.86.B
pro Oculis terrea ad vnguem leuiganda.13°.meth.med. 7ª.86.F
Oculorũ medicamẽta in cote terunt.de vic.ra.in mor.ac.c.4°. 7ª.152.G
in Oculos quõ inijcienda medicina.de ocul. 7ª.190.C
Oculis qñ debemus vti repercuſſiuis.com.6°.aph.31°. Ex.49.D
Oculis appoſita ſtyptica quid agant.de ocul. 7ª.189.B
de Oculorum medicinarum potentijs.de ocu. 7ª.189.A
Oculis quõ valeat medicina aperitiua & diſſolutiua.de ocul. 7ª.189.B
in Oculis quid agant mollitiua, diſſolutiua, & maturatiua medicamenta.de oculis. 7ª.189.B
in Oculo medicamentũ diſſolutiuũ, & maturatiuum.de ocul. 7ª.190.C
ad Oculos quid faciant medicamenta contractiua.de ocul. 7ª.189.C
ad Oculos quid faciant concoquentia.4°.de cõ.med.ſec.loc. 5ª.150.G
ad Oculos quid faciant medicamenta maturatiua.de ocul. 7ª.189.D
in Oculo quõ valet oppilatiua medicina.de ocul. 7ª.189.B
pro Oculis puerorum medicamentum.4°.de cõpo.med.ſec.loc. 5ª.152.E
Oculorum medicamentis adhibetur aqua pluuialis.in 6ᵐ.de mor.vulg.commentario 4°. 3ª.184.F
ad Oculos quæ valent.5°.de ſimp.med.fac. 5ª.38.E
Oculis de naſcentibus terræ quæ conueniant.de o cul. 7ª.188.G
Oculis quæ animalia conueniant.de ocul. 7ª.88.G
pro Oculis balneum.4°.de comp.med.ſec.loc. 5ª.154.C
Oculis conferunt balnea.13°.meth.med. 7ª.86.B
ad Oculos quæ biles, & feles recipiantur.10°.de ſimp.med.fa. 5ª.74.F
ad Oculos fel laudatorum animalium.10°.de ſimp.med.fac. 5ª.74.H
Oculorum medicamenta, quæ fel recipiunt, debent aliud ſimul habere, & quod.10°.de ſimp.med.fac. 5ª.74.H
Oculis cũ melle illinit cẽtaurij minoris ſuccus.7°.de ſim.me.fa. 5ª.50.H
ad Oculos qualis lapis hæmatites.4°.de comp.med.ſec.loc. 5ª.151.G
ad Oculos quale ſit fœnugræcum.4°.de comp.med.ſec.loc. 5ª.149.F
pro Oculis lac quale eſſe debet.4°.de comp.med.ſec.loc. 5ª.150.G
ad Oculos cur valet lapis hæmatites.9°.de ſimp.med.fac. 5ª.68.C
Oculorũ bonũ remediũ eſt lapis phrygius coctus.de ther.ad Pi. 5ª.97.E
Oculis grata ſunt ſemina marathri.de ther.ad Piſ. 5ª.92.B
Oculis quæ metalla conueniant.de ocul. 7ª.188.G
Oculorum medicamenta ſunt ſepiſſime metallica.de ocu. 7ª.189.B
Oculi liliorum oculis conueniunt.de ocul. 7ª.188.G
pro Oculis oua.13°.meth.med. 7ª.86.B
in Oculis multum valet oui humor.13°.meth.med. 7ª.86.A
ad Oculos ouorum liquor ſubtenuis, & qualis.4°.de com.medicamen.ſecundum locos. 5ª.149.F
ſupra Oculum oui luteum aſſum.4°.de comp.med.ſec.loc. 5ª.157.D/H
ſupra Oculos expreſſus ſuccus pennarum pullorum iuuat.9°.de ſimpl.medic.facul. 5ª.72.H
Oculos poſca fouet.de remed.par.fac. 7ª.155.H
Oculis ꝓdeſſe cõprobatur ſanguis foras illinitus.de ſimp.med. Sp.90.B
Oculis imponuntur folia violæ.6°.de ſimp.med.fac. 5ª.48.F
pro Oculis arida medicamenta.4°.de comp.med.ſec.loc. 5ª.151.H
ad Oculos ſiccum medicamentum Galeni.9°.de ſimp.med.fac. 5ª.67.G
ad Oculorum valetudinem tuendam Galeni aridum.4°.de compoſitione med.ſec.loc. 5ª.152.A
pro Oculis collyrium ex cinnamomo.12°.meth.med. 7ª.79.H
pro Oculis quæ collyria arida conueniunt.4°.de com.me.ſe.l. 5ª.151.H
Oculis valdè commoda confectio.7°.de comp.med.ſec.loc. 5ª.185.D

Oculorum empla-

Oculorum emplaſtrum de rem.par.fac. 7ª.156.E
ſupra Oculos fomenta ex aqua calida.13°.met.me. 7ª.86.C
Oculis quæ fomenta adhibenda per ſpongiam mollem, non per ſacculos, & cataplaſmata.in 6^{m}.de mor.vul.com.6°. 3ª.196.A
ſupra Oculos cataplaſmata qualia.de ocul. 7ª.190.C
Oculi quibus debent calefieri.de ocul. 7ª.190.C
pro Oculis linimentum.de reme.par.fac. 7ª.156.E
pro Oculis quæ fugienda.de reme.par.fac. 7ª.156.C
Oculis non conueniunt acria.4°.de comp.me.ſec.loc. 5ª.150.B
Oculorũ ægritudines cur nõ ſunt acribus excitãdæ.10°.đ vſ.pa.1ª.181.G
Oculi nõ tolerãt acria medicamẽta,et cur.2°.de ar.cu.ad Gl. 7ª.103.D
Oculus afficitur acribus.5°.de comp.me.ſec.loc. 5ª.159.H
Oculus habet acerrimum ſenſum.13°.met.me. 7ª.86.A
Oculi habẽt ſenſum acutum.de ocul. 7ª.189.B
in Oculis repercutientibus non vtimur.13°.met.me. 7ª.86.C
in Oculis ſi quis opio vtatur quid facit.3°.met.me. 7ª.17.E
in Oculis euitãda ſunt ſtupefaciẽtia quãtũ fieri põt.ſecretorũ. Sp.97.B
Oculorum tunicæ duram diſpoſitionem acquirunt inſanabilem à ſtupefacientibus.com.6°.aph.31°. Ex.49.E
Oculis nullum ſtomaticum conuenit.13°.met.me. 7ª.83.C
Oculo non confert abſinthium.14°.met.me. 7ª.88.D
Oculis non adhibetur acetum cum roſaceo.de ſect. Iſa.18.C
Oculis quæ mire obſunt frigidiſſima.3°.met.me. 7ª.17.D
Oculis frigidum mordax.4°.de ſimp.me.fac. 5ª.24.C
Oculis nõ cõueniũt nitroſa ſalſa,et auſtera.4°.de cõp.me.ſe.lo. 5ª.150.C
Oculo oleum nocet,non alijs partibus.de opt.ſect. Iſa.21.D
nec Oculis nec ori oleum adhibendũ in phlegmone.13°.met.me.7ª.83.C
Oculis ab inunctionibus moleſtatur.2°.de arte cu.ad Glau. 7ª.103.D
in Oculis non conueniunt relaxantia,& diſcuſſoria.4°.de compoſitione med.ſecun.loc. 5ª.150.C
Oculis contrarium eſt vinum nigrum dulce.de ſimp.me. Sp.92.B
Oculis non adhibemus tragi ſuccum,capræ adipem, & ceratum morſu carens.in 6^{m}.de mor.vul.com.6°. 3ª.196.D
Oculis non adhibetur fructus ſpinæ ægyptiæ, & alumen ſciſſile. de ſectis. Iſa.18.C
ſupra Oculos ſtillicidium fieri non debet.13°.met.me. 7ª.86.A
pp Oculos,& partes anteriores cur apponantur cucurbitulæ ſupra occiput.2°.de comp.me.ſec.loc. 5ª.137.H
OCVLORVM morbi qui manu indigent.intro. Iſa.59.G
Oculorum morborum qui manu indigent curatio.intro. Iſa.59.G
Oculos ambiẽtiũ in idẽ coagmẽtatio partiũ manu indiget.intr. Iſa.59.G
Oculorũ appũctiua qualis pars ĩ arte medica.de part.art.me. Sp.17.A
in Oculorum vitijs quandoque fit arteriarum ſectio. 4°. de cõpoſitione medicamen.ſec. loc. 5ª.150.B
in Oculo quando debet fieri inciſio circa craſſitiem muſculorum.de anatom.ocul. Sp.57.H
Oculus ſublinitur ſine ſcalpello.ad Thraſ. 2ª.104.H
OCVLVS vocata deligatio quæ,& cui.de ijs,quæ in med.fiunt, commentario.2°. 7ª.206.D
Oculus ſimplex,vel tenue vinculum ocularium. de faſcijs. 7ª. 297. D| idem ab inferiori parte ſurſum.ibidem.
Oculus duplex à ſuperiori parte ductus.de faſcijs. 7ª.297.E
Oculus duplex in vtrãq; ptẽ deorſum.de faſc.7ª.297.F|aliter. ibidem.
Oculus rectus ad alteram partem.de faſcijs. 7ª.297.G
Oculus duplex ex eodem ductus.de faſcijs.7ª.297.G|idem ab inferiori parte.H|idem in vtranq; partem ductus.ibidem.
Oculi cuidam procedere,cui caput fuit vario vinculo deligatum. de faſcijs. 7ª.293.D
ODIO nimio cuiuſcunq; rei detineri eſt affectus, & perturbatio animi.de cog.cu.animi morbis. 2ª.50.H
Odium meretur contentio.de cauſ.morb. 3ª.7.A
ad Odium nihil,nec ad gratiã Galenus loqui ſolet.5°.met.me. 7ª.33.C
ODONTALGIA vnde nomen habuit.2°.met.me. 7ª.9.E
ODONTICAE facultates quæ dicantur.5°.de ſimp. me.fac. 5ª.32.B
ODONTOIS proceſſus qui.de oſſ. 1ª.41.H
ODOR quibus nominibus dicatur.4°.de ſimp.me.fa. 5ª.31.A
Odores non habent nomina, vt ſapores.4°.de ſimp.me.fac. 5ª.31.A
Odores conſequuntur miſtionem ex qualitatibus.1°.de vſu par. 1ª.115.D
Odores ſciendi ſunt.1°.de ali.fac. 2ª.9.A
Odorum cognitio quid iuuat.8°.de vſu par. 1ª.168.F
Odores omnes reducuntur ad beneolentiam, & graueolentiam. 4°. de ſimp.med.fac. 5ª.31.A
Odores qui ſuaues ſunt,& qui non.4°.de ſimp.me.fac. 5ª.31.A
Odorum ſubſtantia eſt vaporoſa.de inſtr.odor. 1ª.110.H
Odores non oſtendunt locum vnde veniant.7°.de decr.Hipp. 1ª.272.B
Odor quando non ſentitur.7°.de decr. Hipp. 1ª.271.G
Odor non ſentitur niſi ſpiritu attracto.de inſtr.odor. 1ª.110.C
Odores cur non ſentiant niſi ſpiritũ attrahamus.de inſtr.odor. 1ª.111.D
Odorem ſentimus inſpirando.8°.de vſu par. 1ª.168.F
Odor ſentitur ſolum attrahendo ſpiritum,ideo ſenſus odoratus eſt intus. de inſtr.odor. 1ª.110.H
Odoris cur nulla pars in cerebrum impellatur in motu ſpiritus per naſi tunicas.de inſtr.odor. 1ª.111.G
Odor per quod foramen intrat,& exit.de ana.viu. Sp.49.A
Odoris ſentiendi inſtrumentum,quod.de inſtr.odor. 1ª.110.F
Odoris ſenſus eſt in cerebri ventriculis.4°.de ſimp.me.fac. 5ª.31.A
Odoris ſenſus ineſt ĩ anterioribus cerebri vẽtriculis.đ inſtr.odo.1ª.111.C
Odoris ſenſus ſimilis eſt ſenſui guſtus.4°. de ſimp.me.fa. 1ª.30.H
Odorum ſemita eſt naſus.de inſtr. odor. 1ª.110.C
Odores an cognoſcat membrana naſi.de inſtr.odor. 1ª.110.C
inter Odores medios non diſcernit odoratus hoĩs.de ana.vi. Sp.49.B
Odoris Boni vinum leue,in quo eſt dulcedo pauca bonum generat humorem inter craſſum,& tenuem.de diſ.cont. Sp.73.H
Odoris boni vinum perſicum vel citrinum eſt boni chymi & ſubtilis.de diſſolutione continua. Sp.73.H
Odorem bonum quæ dent medicinis.de dyna. Sp.21.B
Odor bonus cur in medicamentis ponatur.8°.de cõp.me.ſe.lo.5ª.190.C
Odores Calidi capitis dolorem faciunt.3°.de loc.aff. 4ª.20.G
Odore Carentia habent craſſam eſſentiam.4°.de ſimp.me.fac. 5ª.31.B
Odoris carentia in vino ſignificat imbecillitatem.de vict.ratio. in morbis.acut.com.3°. 7ª.128.H
Odorem Fœdiſſimum habentia adhibenda naribus in defectu animi ex vtero.1°.de arte cu.ad Glau. 7ª.99.B
Odoris fœditatem, & oleaceam pinguedinẽ .i.ἐλαιώδη habens vrina mortem minatur.de tot.morb.temp. 3ª.89.G
Odore Graui opoponax.de ſimp.med. Sp.88.B
Odor grauis ſignificat proprie exulcerationem veſicæ,ſi talis odor ſit in vrina.com.4°.aph.81°. Ex.36.H
Odorem grauem in ſputis conſiderat Galenus,& in ſputo, & in veſica. com.5°.aph.11°. Ex.38.D
Odoris Hircinus qualis.1°.de anti. 5ª.105.C
Odor Lucernæ extinctæ.de dyna. Sp.24.F
Odor corporis Malus generatur ex abundante frigore,& calore. de dynamidijs. Sp.19.D
Odor Medicamenti non conſiderandus.2°.de ſimp.me.fac. 5ª.10.A
ex Odoribus non quærenda medicamentorum facultas.2°.de ſimplicitiũ medicamen.facul. 5ª.10.C|D
Odor,& guſtus adiuuant experientiam.4°.de ſimp.me.fac. 5ª.31.D
Odor indicat de temperamento plantæ.2°.de ali.fac. 2ª.24.E
Odor Caſtorei videtur naturæ humanæ aduerſiſſimus.11°. de ſimplicium medicamen.fac. 5ª.80.C
Odor,& guſtus docent ea,quæ ſunt aromata.2°.de ali.fac. 2ª.19.C
Odore viſcidum eſt Laſer.de ſimp.med. Sp.85.G
Odores,& colores non conſiderant,qui quærunt facultates rerum. 2°. de ſimp.me.fac. 5ª.16.E
Odore non ſunt quærendæ qualitates rerum.3°.de ſimp.me.fac. 5ª.17.C
ex Odore non poteſt dari iudicium de qualitatibus rerum.4°.de ſimpl. medica.facul. 5ª.31.B
Odore,ſapore,colore eodẽ q̃ ſũt,tñ nõ hñt eaſdẽ vires.1°.đ ali.f. 2ª.7.D
Odores præter naturã morbos neceſſario ſequunt̃.de ſymp.dif. 3ª.13.F
Odor in Pure vnde.in prognoſt.com.1°. 4ª.197.C
Odores Validi caput lædunt.de inſtr.odor. 1ª.112.E
Odores Validi inducunt delirium.de inſt.odor. 1ª.112.E
Odor in Vino ſignificat robur.de vic.ra.in mor.ac.c.3°. 7ª.128.H
Odor citiſſime nutrit.com.5°.aph.11°. Ex.38.D
Odores exiccant.4°.de loc.aff. 4ª.28.D
Odore nauſeam prohibet pulegium.de ſimp.me. Sp.88.H
Odores iuuãt,et obſunt p̃ accidẽs.de vict.ra.in mor.acu.c.3°. 7ª.125.F
Odore ipſo quæ cũ homine pugnant naturæq; humanæ contraria ſunt.4°. de ſimp.me.fac. 5ª.29.E
Odores fugiendi qui ſint.de ſubf.emp. Iſa.32.C
ODORABILIS ſpiritus vnde feratur.de compagine membrorum, ſiue de natura humana. Sp.58.D
Odorabiles differentiæ,quæ.de ſymp.dif. 3ª.13.B

Odorabilia cum guſtabilibus hn̄t proportionem.de ſymp.cauſ. 3ª.17.E
Odorabilia habēt vaporoſam ſubſtantiam.4°.de ſimp.me.fac. 5ª.31.A
ab Odorabilibus quomodo moueatur ſenſus.4°.de ſimp.me.f.5ª.31.A
ODORAMENTVM pro ſomno.4°.de comp.me.ſec.loc. 5ª.157.G
Odoramentum ad ſpaſmum, & torturam ſecretorum. Sp.103.D
de ODORANDI ſenſu læſo,caſus.de inſtr.odor. 1ª.111.B
ODORATIORA ſimplicia ſemper ſumenda ſunt.1°.de anti. 5ª.105 D
ODORATISSIMVM nō poteſt extemplo fieri grauiſſime olens.1°.de nat.faculta. 1ª.292.D
ODORATRIX vis quo modo afficiatur.1°.de ſymp.cau. 3ª.15.H
Odoratricem vim impedientia.1°.de ſymp.cauſ. 3ª.15.H
ODORATVS ſignificat ſenſum odoris, & vim ipſam odorandi. de inſtr.odor. 1ª.110.B
Odoratus ſenſus eſt halitus.1°.de ſym.cau. 3ª.17.D
Odoratus ſenſus propter quid factus.4°.de ſimp.me.fac. 5ª.30.H
Odoratus cum guſtu cognati generis eſt.1°.de ſymp.cau. 3ª.17.D
Odoratus,& guſtus conſentiunt.4°.de ſimp.me.fac. 5ª.30.H
Odoratus,& guſtus in odore ſuauiſſimo vt roſæ diſſentiunt.4°.de ſimp. medicamen.facul. 5ª.30.H
in Odoratu idem quod in guſtu in extrinſecis.1°.de ſymp.cauſ. 3ª.17.D
Odoratus inſtrumentum quale.de inſtr.odor. 1ª.110.F
Odoratus inſtrumentum non eſt palati tunica.de inſtr.odor. 1ª.111.A
Odoratus inſtrumentum non ſunt fauces.de inſtr.odor. 1ª.111.A
Odoratus inſtrumtum an colatorium.de inſtr.odor. 1ª.111.A
Odoratus inſtrumentū non ſunt aſperæ arteriæ.de inſtr.odor. 1ª.111.A
Odoratus proprium inſtrumentum quod.de inſtr.odo. 1ª.111.B
Odoratus inſtrumentum cur medium inter tenue vt aer, & ita craſſum vt humor.de inſtr.odor. 1ª.110.F
Odoratus ſenſorium ventriculi cerebri.1°.de ſymp.cau. 3ª.15.G
Odoratus inſtrumentum eſt naſus.de inſtr.odor. 1ª.110.B
Odoratus,et reſpiratus facultati ſubſeruit naſus.1°.de ſym.cau.3ª.15.H
Odoratus inſtrumentum non eſt os naſi.de inſtr.odor. 1ª.110.B
Odoratus qualiter adueniat narib°.ꝗ cōpa.mēb.ſiue de na.hu. Sp.58.D
Odoratus quo modo moueatur ab odorabilibus.4°.de ſimplicium medicamentorum facul. 5ª.31.A
Odoratus ſenſus vnde perficiatur.3°.de loc.aff. 4ª.21.D
Odoratus quo modo ſentiat in ſe halitus graueolentes, & beneolentes. 1°.de ſymp.cauſ. 3ª.17.E
in Odoratu eſt delectatio,& dolor poſt tactum,& guſtum, poſt odoratum vero eſt in auditu.1°.de ſymp.cauſ. 3ª.16.F
in Odoratu quo modo voluptas.1°.de ſymp.cau. 3ª.17.D
in Odoratu,& in guſtu quomodo delectamur.1°.de ſymp.cau. 3ª.17.E
per Odoratum nutriuntur bruta quædam.1°.de ana.viu. Sp.49.B
Odoratum mouent acida omnia.4°.de ſimp.me.fac. 5ª.30.H
Odoratum,& guſtum mouet acetum.4°.de ſimp.me.fa. 5ª.30.H
Odoratū guſtūq; monēt acria,allia,et cepæ.4°.de ſimp.me.fac. 5ª.30.H
Odoratui odorata ſunt cognata.1°.de ſymp.cauſ. 3ª.17.F
Odoratu quæ medicamenta cognoſcamus.de the.ad Piſ. 5ª.90.E
ad Odoratum nigella medicamentum.de inſtr.odor. 1ª.111.B
Odoratus quo modo vitioſus.1°.de ſymp.cau. 3ª.16.A
Odoratus hebetior oſtendit futuram ægritudinem.ars med. Iſa.67.F
ex Odoratu ſigna futuræ ægritudinis.ars med. Iſa.67.G
ODORATA omnia habent quandam partium tenuitatem. 7°. de ſimplic.med.facul. 5ª.49.E
Odorata tenuia ſunt,& calida.4°.de ſimp.me.fac. 5ª.31.B
Odorata omnia calida ſunt.4°.de ſimp.me.fac. 5ª.31.A
Odorata ſunt myrrha,thus,ſtorax.com.5°.aph.59°. Ex.43.C
Odoratum eſt piſtachium.8°.de ſimp.med.fac. 5ª.58.F
Odoratorū oīum ſemen conuenit ī diæta attenuāte.de attē.vic. 2ª.44.E
Odorata ſtomachum corroborant.8°.de comp.me.ſec.lo. 5ª.190.B
Odorata adiuuant coctionem.de ſubfig.emp. Iſa.32.C
Odorata nocent capiti.de ſubfig.emp. Iſa.32.C
Odorata omnia capitis dolorem pariunt.3°.de loc.aff. 4ª.20.G
Odoratum inſuauiſſimum ſentientes guſtare relinquimus.4°. de ſimpli. medicam.facul. 5ª.30.H
Odorata aromata quæ ſint miſcenda purgantibus medicamentis.8°. de comp.me.ſec.loc. 5ª.190.B
Odorata cur medicamentis miſcēda.de vic.ra.in mor.ac.c.2°.7ª.118.A
Odoratas compoſitiones quæ reddant.1°.de comp.me.ſec.loc. 5ª.128.C
Odorata medicamenta pro oculis.4°.de comp.me.ſec.loc. 5ª.151.G
Odoratum aliquid & adſtringens ſuperponimus in dolore ventriculi. in 6m.de mor.vul.com.6°. 3ª.196.D
Odorata vero adhibenda ſunt in animi defectu ex vtero.1°. de arte cur. ad Glauconem. 7ª.99.B
ī Odoratis verſari ī ſomnijs quid ſignet.de præſa.ex.inſom.tu. 4ª.213.E
ODORIFERA ſunt odoratui cognata.1°.de ſymp.cau. 3ª.17.F
Odoriferæ radices de Ponto expurgāt in icteris.de cura icte. Sp.111.B
Odoriferum Lucij præceptoris.5°.de comp.me.per ge. 5ª.254.B
Ὀδυνηραὶ facultates quæ ſint,quæ contra ἀνώδυνοι. 5°.de ſimplicium medicamen.facul. 5ª.32.B
OE id eſt,ſorbus.8°.de ſimp.me.fa. 5ª.57.B
OECETAI vxoris ex abortu caſus.in 3°.de morb. vulg. commentario.2°. 3ª.139.E
ad OECONOMICAM quæ neceſſaria in 6m. de morbis vulgaribus commentario.2°. 3ª.168.H
Oeconomia medica.in 6m.de mor.vul.com.2°. 3ª.169.A
Oedema vnde habeat nomen.2°.met.me. 7ª.9.E
Oedema quid ſit.2°.de arte cur.ad Glau. 7ª.103.F
Oedema quid ſit,& quibus fiat.14°.met.me. 7ª.87.E
Oedema ꝓprie quid.in progn.com.1°.4ª.196.D|de frac.cō.3°. 7ª.243.C
Oedema eſt morbus euidens.de diff.mor. 3ª.3.D
Oedema morbus inſtrumentalis.3°.de ſymp.cau. 3ª.24.G
Oedema affectus totius corporis.intro. Iſa.59.C
Oedematis,et tumoris nōie priſci idē itelligebāt.c.4°.aph.34°. Ex.31.C
Oedema quid apud Hippocratem.in progno.com.1°. 4ª.196.A|de ijs, quæ.in med.ſi.com.3°. 7ª.219.D
Oedema quid ſignificet apud Hippocratem, & recentes tempore Galeni.in 6m.de morb.vul.com.4°. 3ª.179.E
Oedema apud Hippocratē oēm tumorem præter naturā ſignat.in 6m.de mor.vul.c.1°.152.H|com.3°.3ª.172.B|com.5°.aph.65°. Ex.44.H
Oedemata ſūt tūores molles ſine dolore ſm iuniores.c.4°.a.34. Ex.31.C
Oedema apud recentes laxus tumor.in 6m.de mor.vul.com.3°.3ª.172.B
Oedema indolens,ac laxus tumor.3°.de ſymp.cau. 3ª.26.C
Oedema pro omni tumore.in 6m.de mor.vul.com.1°. 3ª.158.A
Oedema tumor mollis.de dif.morb. 3ª.5.B
Oedemata quæ ſint, & quo modo diſtinguantur ab inflationibus.14°. methodi medendi. 7ª.88.E
Oedema quo modo fiat.de tum.præter naturam. 3ª.84.D
Oedemata facit fluxio ad membra.in progn.com.2°. 4ª.202.D
Oedema,eryſipelas,iſlāmatio,& ſcirrhus à quo fiant humore. de tum. præter naturam. 3ª.84.C
Oedema inflammatorium quod.de tum.præt.nat. 3ª.84.B
Oedema quando fiat.3°.de ſymp.cauſ. 3ª.26.C
Oedema quibus contingat.2°.de arte cura.ad Glau. 7ª.103.F
Oedema,& ſcyrrhus quid habent cōe.de tum.præt.nat. 3ª.84.C
in Oedematibus proprie arteriarum motus non faciunt dolorem.2°.de locis affectis. 4ª.8.H
Oedema oculi totum oculum exercet.intro. Iſa.58.D
ad Oedemata oculorum.de reme.par.fac.156.F| 7ª.157.A
Oedema pituitoſum cur nunquam in thorace naſcatur,& iecore. 4°. de præſag.ex pulſ. 4ª.120.B
Oedema in ſuccingente mēbrana non facit febrē.de conſt.ar. Iſa.40.D
pp Oedema febris non fit.de vic.rat.in mor.acu.com.3°. 7ª.128.A
Oedema in ilijs quid ſignicet.in progn.com.1°. 4ª.196.A
Oedema in hypochōdrijs cur facile ſuppuratur.in prog.c.1°. 4ª.196.G
Oedema ſub vmbilico raro in pus vertitur.in progn.com.1°. 4ª.196.F
Oedematum quod letale,& quod non.in progn.com.1°. 4ª.196.E
Oedematis pulſus qui.4°.de præſag.ex pulſ. 4ª.121.B
Oedematum diuerſarū partiū pulſus.4°.de præſag.ex pulſ. 4ª.121.C
ob Oedemata vnde pulſus molles.4°.de ꝑſag.ex pulſ.119.H| 4ª.120.A
Oedema,ramex,ſtruma,melliceris magna ſimilitudine conueniūt, in cu ratione maxime diſtant.de opt.ſect. Iſa.24.A
Oedema quo modo curetur.14°.met.me.87.F| 7ª.88.D
in Oedemate intentio curationis quæ.2°.de arte cu. ad Gla. 7ª.103.G
Oedema ex pituita in loco,qūo curetur.2°.de arte cur.ad Gla. 7ª.103.F
Oedema in præcordijs quomodo curatur.14°.met.me. 7ª.88.D
Oedema in prauis affectibus qūo curetur.2°.de ar.cu.ad Gla. 7ª.103.F
in Oedemate diuturno quid agendum.2°.de arte cu.ad Gla. 7ª.103.G
Oedemati conuenit ſuccus Centaureæ.de vir.cent. Sp.94.A
Oedemata mitigat Damaſonium.6°.de ſimp.med.fac. 5ª.46.A
Oedemata illius ſanat orchis ſerapias.8°.de ſimp.me.fac. 5ª.57.F
Oedemata illitu contrahit ſpina alba.6°.de ſimp.med.fa. 5ª.41.H
Oedemata laxa adiuuat lutum ægyptiæ terræ.9°.de ſimp.me.f.5ª.65.F
Oedematum,& phlegmonum cataplaſma.4°.met.me. 7ª.27.E

pro Oedemate quo acetum,& aqua temperanda.14°.met.me. 7ª.87.F
ad Oedema glaucium medicamentum.14°.met.me. 7ª.87.G
Oedema cũ nõ ſanať primis præſidijs,adde alumẽ.14°.met.me. 7ª.87.G
ad Oedemata valet glaucium.14°.met.me. 7ª.87.G
ad Oedemata omnia.1°.de comp.me.per gen. 5ª.211.F
ſupra Oedemata quomodo deliganda ſpongia.14°.met.me. 7ª.87.F
in Oedemate quomodo faſciandum.14°.met.me. 7ª.87.G
in Oedemate quo fieri debet ligatura.2°.de arte cur.ad Gla. 7ª.103.G
OEDEMATOSI tumoris facies.de bo.& vi.ſuc. 2ª.34.A
Oedematodes tumores mirifice digerit Iſatis.6°.de ſimp.me.fa.5ª.48.G
Oedematoſum eryſipelas quod.14°.met.me. 7ª.87.E
Oedemoſa inflammatio.de tum præt.nat. 3ª.84.B
OENANTHE quid ſit.8°.de comp.med.ſec.loc.5ª.187.E| de ſimp. medicam. Sp.85.E
Oenanthe refrigerantes vires habet,& ſtomacho præſtantes. de ſimpli. medicamento. Sp.85.E
Oenante ad refrigerãdũ,& firmãdũ ventriculũ.8°.met.me. 7ª.53.D
Oenanthe iecori inflammato conuenit.2°.de ar.cu.ad Gla. 7ª.104.D
ex Oenanthe vitium aqua.de vic.rat.in mor.acu.com.4°. 7ª.149.B
Oenanthes vſus in balneo. 8°. met.me. 7ª.51.C
Oenanthe catagmaticum.2°.de comp.me.per gen. 5ª.225.G
OENAELEVM leum.1°. de comp.me.ſec.loc. 5ª.131.C
Oenelæum prodeſt fractis.intro. Iſa.60.F
Oenelæum phthiſico non dandum.de med.fac.par. 7ª.171.D
ex Oenelæo,& argenti ſpuma emplaſtrũ.1°.de cõp.me.per ge. 5ª.213.C
OENOPIA radix tollit omnem triſtitiam ſed & vinum quotidie idem præſtat.quod animi mores. 1ª.318.A
Oenos id eſt vinum.8°.de ſimp.me.fac. 5ª.57.B
de OESOPHAGO. de compag.memb.ſiue.de nat.hu. Sp.58.H
Oeſophagus quid.1°.de motu muſc. 1ª.309.F
Oeſophagus quæ pars ſecundum antiquos.5°.de loc.aff. 4ª.32.A
Oeſophagus canalis colli qui ad anteriora fertur. de compag. mẽb. ſiue de natura humana. Sp.58.F
Οἰσοφαγος ventriculi pars eſt ab ore ad ventriculum. 4°. de vſu partium. 1ª.136.H
Oeſophagi ſitus,& proceſſus.6°.de vſu par. 1ª.149.C
Oeſophagus trachæa arteria vbi ſint.de ana.parua. Sp.42.H
Oeſophagus tranſit per thoracem,tamen non lædit thoracem. 6°.de vſu partium. 1ª.149.C
Oeſophagus extenditur in medio quatuor primarum dorſi vertebrarũ. 6°.de vſu partium. 1ª.149.D
Oeſophagus quibus alligeť.6°.de vſu p.1ª.148.F|de cõpa.mẽ. Sp.58.H
Oeſophago quæ membra continuantur.de mo.man.& obſ. Sp.70.A
Oeſophagus ex quibus componatur.de mo.man.& obſ. Sp.68.F
Oeſophagus frigidus eſt,et ſiccus.de cõpa.mẽb.ſiue de nat.hu. Sp.58.H
ad Oeſophagum cur venæ obſcuræ.4°.de vſu par. 1ª.137.C
per Oeſophagum tranſitus accidens ineuitabile eſt eleuatio nodi guttu ris.de motu man.& obſc. Sp.70.F
Oeſophagi quæ tunica magis agit in tranſglutiendo.de motibus manifeſtis & obſcuris. Sp.68.F
Oeſophagus & ſtomachus quo modo obediant volũtati. de motibus ma nifeſtis & obſcuris. Sp.68.E
OESYPVM quid.2°.de comp.me.ſec.loc.5ª.138.E|de ſim.me.Sp.92.D
Oeſypon ex quo fiat.10°.de ſimp.me.fac. 5ª.77.E
Oeſypus quomodo adulteretur.de ſimp.me. Sp.92.D
Oeſypus atticus omnes antecellit.14°.met.me. 7ª.88.G
Oeſypis atticis meminit.4°.de cõp.me.p gen.237.H|272.C| 5ª.273.H
Oeſypum malthacodes.4°.de cõp.me.per gen. 5ª.238.E
Oeſypus fit tenuius, & calidius vetuſtate.11°.de ſimp.me.fac. 5ª.79.C
Oeſypus vires habet cum aliqua acrimonia mollientes, & relaxantes. de ſimp.med. Sp.92.D
Oeſypon ad quæ in lana.11°.de ſimp.me.fac. 5ª.81.B
Oeſypus per lanam.14°.met.me. 7ª.88.F
Oeſypus ĩ vlceribus valet vbi ora dura.4°.de cõp.me.per ge.5ª.237.H
ex Oeſypo,reſina,et cera cerata qualia.7°.de cõp.me.per ge.5ª.264.E
Oeſypi ceroti compoſitio.de dyna. Sp.22.D
Oeſypi ceratum ad phlegmonas præcordiorũ.14°.met.me. 7ª.88.G
Oeſypi fit mentio.7°.de comp.me.per gen. 5ª.268.A
OFFA quo modo fiat.de venæ ſectione aduerſus Eraſiſtratæos. 6ª.12.A
OFFENDENTIA euidenter ſunt euitanda.de vict.rati.in morb.acut. commenta.1°. 7ª.109.E
OFFENSIONIS in reſpiratione eius differentiam cognoſcit qui efficiẽtem cauſam depræhendit.de cauſ.reſp. 1ª.226.H
OFFICIVM cerebri.de ana.viu. Sp.47.D
OFFICIALIA membra in perfectis ãialibus.de ana.viu. Sp.45.G
Officium dentium inciſorum quod.de ana.viu. Sp.49.D
Officium dentium caninorum quod.de ana.viu. Sp.49.D
Officium dentium molarium quod.de ana.viuo. Sp.49.D
Officium glandulæ in lingua quod.de vti.reſp. Sp.63.A
Officium pulmonis quod.de vti. reſp. Sp.63.H
Officium venæ arterialis quod.de ana.viu. Sp.52.G
Officium venalis arteriæ quod.de ana.viu. Sp.52.G
Officiũ ieiuni inteſtini quale ſit.de cõpag.mẽb.ſiue de nat.hu. Sp.59.A
OFFVSCATIONIS viſus curatio. 4°.de compoſitione medicamento rum ſec.locos. 5ª.158.C
ΟΓΚΟΣ, id eſt tumor, quid ſit. de tumoribus præter naturam. 3ª.82.F
ΟἼΔΟΣ appellat intumeſcentiam . de fracturis, commentario.3°. 7ª.243.C
Οἰνόμελι quo modo in miſtione accipiat vnam formam. de theriaca ad Piſonem. 5ª.94.C
Οἰωνίσαι quid ſignificet.2°.de arte cu.ad Gla. 7ª.100.A
Οἰωνιςικὴ. de vic.ra.in morb.acu.com.1°. 7ª. 110.A
Οἰωνοσκόποι quid ſignificet.2°.de arte cu. ad Gla. 7ª.100.A
OKIS lenit ventrem.de diff.cont. Sp.75.A
OLEA quam terram deſideret.9°.de ſimplicium medicamentorum facultatibus. 5ª.64.F
Oleas excolendi artis finis,& bonum idem ſunt,& propoſitum vnum. ad Thraſybulum. 2ª.103.E
ex Oleæ teneris germinibus apparatum repellit in capitis doloribus. 2°.de comp.me.ſec.loc. 5ª.137.D
Oleæ Aethiopicæ lachryma.5°.de comp.me.ſec.loc.160.H| 5ª.161.B
Oleæ lachrymæ.4°.de comp.me.ſec.loc.153.A| 5ª.157.A
OLEACEAM pinguedinem.i.ἐλαιώδη, & odoris fœditatem habens vrina mortem minatur.de tot.morb.temp. 3ª.89.G
OLEAGINEA demunt famen inde collige quod demant appetitum.cõmen.2°.aph.21°. Ex.14.H
Oleagineæ vrinæ vnde gignantur.quæſ.in Hipp. Sp.113.C
Oleagineæ vrinæ quid ſignificent.de vrinis. 4ª.124.D
ὠλέκρανον qđ intr.Iſ.53.B|2°.de vſ.p.1ª.121.B|đ fra.c.2°. 7ª.240.C
OLENTIA cur purgantibus medicamentis admiſceantur, & quæ olẽtia.de purg.med. 5ª.89.C
ola Olentia bene,non ſunt calida,neq; omnia graueolentia.2°. de ſimp. medicamen.fac. 5ª.10.D
Olentia graue ſtomachum ſubuertunt.8°.de comp.me.ſec.loc. 5ª.190.B
Olentes aquæ lædunt ventrem,& ſplenem.de aere aq.& loc. 2ª.6.D
Olens grauiter vrina puris eſt particeps.de vrinæ ſig.ex Hipp.Sp.79.C
Olens grauiter vrina quid ſignificet.quæſ.in Hip. Sp.113.D
Olens male vrina cum hypoſtaſi atra in morbo acuto mortem haud dubiam ſignificat.quæſ.in Hipp. Sp.113.E
OLEOSA quæ vocentur.2°.de comp.me.per ge. 5ª.220.F
Oleoſa omnia aquea ſunt,& aerea.5°.de ſimp.me.fac. 5ª.38.H
Oleoſum quid faciat.5°.de ſimp.me.fac. 5ª.39.A
Oleoſum an pingue dicas in ſaporibus nihil refert, ſicut etiam dulce an melleum.1°.de ſimp.me.fac. 5ª.8.H
Oleoſi fructus edendi ſunt,& dulces.4°.de ſimp.me.fac. 5ª.26.G
Oleoſa vitanda in vlceribus,& quæ.4°.de comp.me.per gen.5ª.236.H
Oleoſum nihil apponendum vlceri.2°.de arte cu.ad Gla. 7ª.101.H
Oleoſum Cyprinũ mitigat medicamẽta.2°.de cõp.me.per gen. 5ª.220.D
Oleoſum roſaceum mitigat medicamenta.2°.de compoſitione medicamẽtorum per genera. 5ª.220.D
Oleoſum myrteum mitigat medicamenta.2°.de cõp.me.p gen. 5ª.220.D
Oleoſum emplaſtrum.2°.de comp.me.per gen. 5ª.221.G
Oleoſa vrina non eſt vnius coloris,vt nec oleum.in 3ᵐ.de mor. vulgari. commentario.3°. 3ª.147.H
Oleoſæ vrinæ.in 1ᵐ.de mor.vul.com.3°. 3ª.225.C
Oleoſa vrina.in 1ᵐ.de mor.vul.com.3°. 3ª.225.D
OLEVM aliquid quando dicitur quid ſignificet.4°.de compoſi. medica mento.per gene. 5ª.240.H
Oleum eſt corpus molle.3°.de diff.pulſ. 4ª.63.D
Olea ex quibus fiant.4°. de ſimp.me.fac. 5ª.26.G
Oleum proprie eſt quod ex oliuis fit alia per translationem dicuntur. 2°.de ſimp.

2°.de ſimp.me.fac.11°.G/6°. 5ª.46.F
Olea quæ non ſunt ex oliuis dicuntur abuſiue olea.3°.de ſan.tu. 2ª.79.B
Oleum omne quomodo fiat.de dyna. Sp.23.F
Oleum per combuſtionem expreſſum.de me.fac.par. 7ª.173.E
Oleum quomodo probetur eſſe optimum.6°.de ſimp.me.fac. 5ª.46.G
Oleum craſſæ,& lentæ ſubſtantiæ.1°.de ſimp.me.fac. 5ª.4.H
Oleum quo modo lentum.de ptiſ. 2ª.47.E
Oleum quale.1°.de comp.me.ſec.loc.129.F/.2°. 5ª.136.D
Oleum ex guſtu quale ſit poteſt depræhendi.3°.de ſan.tu. 2ª.79.B
Oleum ex guſtu depræhendit Galenus.3°.de ſan.tu. 2ª.79.B
Olei experiundæ facultatis recta ratio. 2°.de ſimp.med.fac. 5ª.14.H
Oleum vnum eſt,qualitas diuerſa.2°.de comp.me.per gen. 5ª.220.A
Oleum materia quatuor qualitatum.2°.de ſimp.me.fac. 5ª.16.B
Oleum quo modo videatur habere contrarias facultates.2°.de ſimplic. medicamen.facul. 5ª.11.E
Oleum quot qualitates habeat ſecundum diuerſos.2°. de ſimplicium me dicamen.facul. 5ª.14.C
Oleum aereum cur.2°.de ſimp.me.fac. 5ª.14.B
Olei vis qualis.de fract.com.2°. 7ª.241.D
Oleum quid faciat.de vict.rat.in morb.acu.com.4°. 7ª.148.F
Oleũ excalfactorias vires hẽt,quæ penitus relaxãt.de ſim.m. Sp.88.D
Oleum an calidum ſit cur in dubium venit.3°.de tem. 1ª.24.F
Oleum poteſtate calidum eſt.3°.de temp.21.G/ 1ª.23.D
Oleum eſſe calidum ex quo probatur.3°.de temp. 1ª.24.F
Oleum quo argumento calidum ab aliquibus dicatur.2°. de ſimplicium medicam.facul.14.B/3°. 5ª.17.G
Oleum calidũ eſſe apparet quia in flãmã vertitur.4°.de vſu p. 1ª.137.D
Oleum facile in flammam vertitur,ſed celeriter nõ calefacit, & cur.1°. de ſimp.me.facul. 5ª.4.H
Oleum eſt aptiſſimum ignis nutrimentum.3°.de temp. 1ª.22.G
vt Oleo flãma,ita calor vitalis qui eſt in corde ſanguine pingui, & vnctuoſo nutritur.de vti.reſp. Sp.62.C
Oleum non ſemper flammam accendit.3°.de temp. 1ª.22.G
Oleum vniuerſum flammæ additum extinguit lucernam.commenta.7°. aphoriſmo.7°. Ex.54.D
Oleum,mel,vinum diutius ſeruantur,quàm alij ſucci.3°. de ſimplicium medicamen.facul. 5ª.20.F
Oleum fit calidius ætate.2°.de comp.me.per gen. 5ª.220.A
Oleum ad mel, & vinũ in pondere differẽtia.de pon.& menſ.5ª.276.F
Oleum tenuiũ partium facit vetuſtas.1°.de comp.me.per gen. 5ª.211.A
Oleum longa vetuſtate incraſſatur. 3°.de ali.fac.2ª.27. D/ 2°. de comp. medicam.per genera. 5ª.223.G
Olei craſſum amurca dicitur.1°.de ſimp.me.fac. 5ª.5.D
Oleum habet duplex excrementum, vt & alij omnes plantarum ſucci tenue videlicet,& craſſum.2°.de ſimp.med.fac. 5ª.13.F
Olei pars tenuis,quæ.2°.de ſimp.me.fac. 5ª.13.F
in Oleo,lacte,& in ſuccis recrementa.4°.de ſimp.me.fac. 5ª.24.H
Oleum,& vinum eliquata parum relinquunt excrementi, ſed tendit in aerem,& vapores.2°.de dif.feb. 3ª.41.E
ab Oleo quõ ſeroſum excrementũ remoueat.2°.de ſimp.me.fac. 5ª.13.F
Oleũ an calefaciat,vel refrigerat,ambiguũ.5°.de ſimp.me.fac.5ª.32.A
Oleum cur calefacere videatur.2°.de ſimp.me.fac. 5ª.15.H
Oleum quo modo calefacit.2°. de ſimp.me.fa. 5ª.15.F
Oleum calefacit vt alimentum.2°de ſimp.me.fac. 5ª.15.E
Oleum vt tegmentum calefacit. 2°. de ſimp.me.fac. 5ª.15.F
Oleum ex his eſt quod æque nos recalfacit vbi excalfactionis principiũ à nobis accepit.2°.de ſimp.me.fac. 5ª.15.H
Oleum tuetur à frigore.2°.de ſimp.me.fac. 5ª.11.A
Oleum cur defendat à frigore.2°.de ſimp.me.fac. 5ª.14.F
Oleum prodeſt algentibus.2°.de ſimp.me.fac. 5ª.15.A
Oleum inæqualiter nos calefacit.2°.de ſimp.me.fac. 5ª.15.B
Oleum continet multam bilem.2°.de nat.fac. 1ª.300.A
Oleum frigidum,& calidum eſſe quo modo ab antiquis probaretur. 2°. de ſimp.me.facul. 5ª.10.E
Oleum quo argumento frigidum ab aliquibus dicatur.2°. de ſimplicium medicamen.fac. 5ª.14.B
Oleum promptius congelatur,quã vinum,acetum,vel aqua.2°. de ſimpli.medic.fac. 5ª.14.B
Oleo frigidior eſt roſa.3°.de ſimp.me.fac. 5ª.19.D
Oleo calidius eſt fœnum græcum.3°. de ſimp.me.fac. 5ª.19.D
Oleum eſt tanquam medicamentum temperatum.2°.de ſimplicium medicamentorum facul. 5ª.15.E
Oleum temperatum eſt.2°.de ſimp.me.fac.15.C/3°. 5ª.19.A/D
Oleum humidum eſt.1°.de temp.1ª.12.G/com.1°. aph.14°. Ex.7.F
Oleum,& aqua natura humida.11°.de ſimp.me.fac. 5ª.80.B
Oleum medium inter humectantia,& exiccantia.2°.de ſimplicium medicamentorum facul. 5ª.15.H
Oleum humectat,& calefacit,& quo modo.5°.de ſimp.me.fac.5ª.33.A
Oleum humectatorium eſt,& calidum moderate.6°.de ſimplicium medicamentorum facul. 5ª.46.F
Oleo magis penetrat,& humectat roſaceum.3°. de ſimplicium medicamentorum facul. 5ª.21.F
Oleum humectat,& facit ſordidum.6°.de comp. me.ſec.lo. 5ª.176.G
Oleum humectat.5°.de ſa.tu.2ª.92.D/5°.de ſimp.me.fac. 5ª.32.A
Oleũ nõ ꝓdeſt ſenibus,ſi humectatione nõ indigẽt.5°.de ſan.tu. 2ª.92.B
de Oleo problemata quo modo proponenda.2°.de ſimp.me.fac.5ª.11.A
Oleum habet nobiſcum familiaritatem non tantam, quantum habet vinum.de ren.aff.dig.& med. 7ª.195.G
Oleum conuenit ſanis,& ægris.de cog.cur.ani.mor. 2ª.54.H
Oleum minime mordax omnium medicamentorum quale.2°. de ſimpli. medicamento.facul. 5ª.13.G
Oleum dureſcere,& vrere cutem dicebat Archidamus.2°.de ſimpliciũ medicamen. fac. 5ª.10.G
Oleum his infunditur,qui grauiter mordicantur propterea ꝙ ſit ex numero adſtringentium.1°.de ſimp.me.fac. 5ª.8.B
Oleo ſanatur ſtomachus mordens.2°.de ſimp.me.fac. 5ª.12.E
Oleum facit ad debilitatem ſtomachi, & ventoſitatem, & debilitatem hepatis.de dyna. Sp.27.C
Oleum lenit omnes mordicationes.2°.de ſimp.me.fac. 5ª.12.E
Oleo ſanantur mordicationes factæ à Thapſia, ſcilla, & vrtica. 2°. de ſimplicium med.fac. 5ª.12.A
Oleum ſcillæ morſus ſanat.2°.de ſimp.me.fac. 5ª.11.A
Oleum vrticæ morſus ſanat.2°.de ſimp.me.fac. 5ª.11.A
Oleum interimit inſecta animalia.1°.de ſimp.me.fac. 5ª.2.E
Oleum inſecta interimit.2°.de ſimp. me.fac. 5ª.11.A
Oleo apes,muſcæ,veſpæ,& formicæ obeunt.2°.de ſimp.me.fac.5ª.14.E
Oleum guttur exaſperat.2°.de ſimp.me.fac. 5ª.11.A
Oleum quo modo tuſſim excitat.2°.de ſimp.me.fac. 5ª.13.E
ex Oleo capparis ſumptum citra calorẽ extenuat.4°.de ſan.tu. 2ª.85.G
Oleum minuit robur attenuantium.de atten.vic. 2ª.44.C
cum Oleo,& garo conditum cerebrum,quale.de victus ratione in morbis acu.com.1°. 7ª.111.G
cũ Oleo,& garo maluæ,ſubuertunt ventriculum.2°.de ali.fac. 2ª.20.B
Oleum bibendum dedit Galenus.2°.de ſimp.me.fac. 5ª.13.G
Oleum ſimplex datur bibendum vel ex aqua temperatum in dolore vẽtris ſuperioris.in 6ᵐ.de mor.vul.com.6°. 3ª.196.D
Oleum epotum quid faciat.1°.de arte cura.ad Gla. 7ª.99.D
Oleum verum humectat,& emollit.2°.de ſimp.me.fac. 5ª.13.G
Oleum ventrem ſubducit.2°.de ſimp.me.fac. 5ª.11.A
Oleo ante cibum aſſumpto ſoluitur ſenum aluus.5°.de ſan.tuen. 2ª.92.E
ex Oleo,& garo olera faciũt deijcere aluũ.6°.de ſan.tu.97.F/ 2ª.99.D
Oleum cur aptum ad ſubducendum.5°.de ſan. tu. 2ª.92.G
Oleum quid faciat ad deiectionem.de vic.rat.in mor. acu.c.1°. 7ª.111.G
ex Oleo ſolo quo modo conficiantur placentæ.1°. de ali.fac. 2ª.10.D
ex Oleo craſſi ſucci placenta ventrẽ cohibet, & crudos ſuccos gignit. 1°.de alimen.facul. 2ª.10.E
ex Oleo vel pinguedine panes calidos dat in hydrope.de victus ratione in mor.acut.com.4°. 7ª.152.E
Oleum non incidit craſſos ſuccos.de atten.vic. 2ª.44.C
Oleum laſſitudines ſanat.2°.de ſimp.me.fac. 5ª.11.A
Oleum medicamentum ſimplex omnium laſſitudinum.7°.de compoſitione medic.per genera. 5ª.269.F
Oleum cum lauacro aquæ dulcis adhibetur laſſitudinibus.2°.de ſimplicium medic.facul. 5ª.11.H
cũ Oleo frictio conuenit laſſatis,& quomodo.1°.de ſymp.cau. 3ª.17.E
Oleum cur ſanet laſſitudines.2°.de ſimp.me.fac. 5ª.11.B
Oleum prohibet vaporoſas expirationes. 2°. de ſimp.me.fa. 5ª.16.A
Oleum laſſos iuuat inũctos.2°.de ſimp.me.fac. 5ª.16.A
Oleũ,& reſina quõ dealbant,& lauantur.2°.de ſimp.me.fac. 5ª.12.H
Oleum quomodo in lotione verberandum.2°.de ſimp.me.fac. 5ª.13.A
Oleum in frictione quando adhibendum.3°.de ſan.tuen.. 2ª.76.H
Oleo probè terra non irrigatur.2°.de ſimp.me.fac. 5ª.14.G
Oleum aqua mixtum in terra effuſum oleum vadit huc,illuc aqua.1°.de naturalibus facultatibus. 1ª.296.D

cur Oleum alijs non commiſceatur.2°.de ſimp.me.fac. 5ª.14.G
Oleum in quo vino ſupernatet. de vti.reſp. Sp.64.F
Oleum nihil delet in libris atramento ſcriptis.2°.de ſimp.me.fa.5ª.14.F
Oleo extinguitur lapis thracias.de ſim.me. Sp.86.G
Oleum lora, & coria emollit, & quæ in ipſo coquuntur duriora omnia efficit.2°.de ſimp.med.fac. 5ª.11.A
Oleo,& ſeuo delibuta, & aqua madefacta coria, & pelles laxa fiunt. in 6^{m}.de mor.vul.com.3°. 3ª.177.A
Oleo magis tum emollit,tum concoquit adeps ſuis.11°.de ſimplicium medicamentorum facul. 5ª.78.H
Oleo propinqua pinguendo ſuum omnium humidiſſima. 11°. de ſimpliciũ medicamen.facul. 5ª.78.H
vt Oleum non calfacit pinguedo ſuum,ſed largius humectat.11°. ſimplicium medic.facul. 5ª.79.A
Oleum,& adeps ſuillus ſimilia,& quo differant.1°.de compoſitione medicamentorum per genera. 5ª.211.A
cur Oleo illinunt coqui carnes,& piſces, quæ aſſantur. 2°. de ſimpliciũ medicamen.facu. 5ª.11.A/B
in Oleo coctæ carnes quales.3°.de comp.me.per gen. 5ª.229.E
Oleo perfundebantur ante balneum.6°.de ſan.tu. 2ª.97.C
Oleo quando vngendum corpus.2°.de ſan.tu. 2ª.69.H
Oleo poſt lotionem vngendum cur.7°.met.me. 7ª.45.C
Oleo poſt lintheum corpus fricandum.2°.de ſan.tu. 2ª.69.H
Oleo perfricandi aquam frigidam ingreſſuri.3°.de ſan.tu. 2ª.78.C
Oleo gymnaſtæ fricant Atletas cur.2°.de ſimp.me.fac. 5ª.11.B
Oleo liniendum corpus infantis.1°.de ſan.tu. 2ª.66.C
Oleo fricant pueros pedotribæ cur.2°.de ſimp.me.fac. 5ª.11.B
ex Oleo mollis frictio ſatisfacit impenſe calide.6°.de ſan.tu. 2ª.96.A
Oleum poſt balneum qñ adhibẽdũ vt ſudent.2°.de ſimp.me.fac. 5ª.35.H
Oleo inungendi ſunt ſani corpus exhauſtum habentes. 2°. de ſimplicium medicamen.fac. 5ª.15.H
ex Oleo,& aqua balneum multum humectat,& calefacit.5°.de ſimp. medicamen.facul. 5ª.33.A
cum Oleo frictio ictericorum.de cura icteri. Sp.111.B
ex Oleo frictio magis quàm ſicca laſſitudinem aufert,& emollit. 2°.de ſimplicium med.fac. 5ª.13.H
Oleum cur cum ſale perfricant podagræ,& arthrytidi. 2°. de ſimpliciũ medicam.facul. 5ª.13.H
ex Oleo frictio æqualis ſicca inæqualis eſt.2°.de ſimp.med.fa. 5ª.14.A
Oleo multo,& tepido,& manibus mollibus perfricare quam plurimũ oportet ex laſſitudine febricitantes.1°.de arte cura.ad Gla. 7ª.95.E
Oleum in aqua infundendum in febre Tertiana, in quo ægri quantũ poſſunt innatent.1°.de arte cu.ad Glau. 7ª.97.C
Oleo inungendi ſunt febricitantes omnes poſt tertiam acceſſionem.11°. methodi medendi. 7ª.72.A
Oleum eſt ſolatium in ardoribus.2°.de ſimp.me.fac. 5ª.15.B
Oleũ,& aqua remediũ exiccatis corporibus.2°.de ſimp.me.fa. 5ª.16.C
Olea quæ non valent in frictione.3°.de ſan.tu. 2ª.79.B
Oleum materia aliorum medicaminum.2°.de ſimp.me.fac. 5ª.15.C
ab Oleo fit mollities in medicamentis.3°.de comp.me.per ge. 5ª.230.F
Oleum mitigat medicamenta.2°.de comp.me.per gen. 5ª.220.D
Oleum vim fortium medicamentorum exoluit.1°.de compoſitione medicamentorum ſec.loc. 5ª.122.F
Oleum vincit acetum in hebetanda acrimonia.1°.de ſimp.me.fa. 5ª.5.H
Oleũ in medicamento digerit fortius.7°.de comp.me.per ge. 5ª.264.G
Olei plus hyeme,quàm æſtate in emplaſtris ponendum.2°.de comp.me. per ge.223.G/3°.235.F/5°.249.B/6°.258.H/ 5ª.261.F
Oleo debent eſſe infectæ veſtes æſtate.de ſal.diæ. 2ª.41.A
Oleo infectę veſtes ſordidæ.de ſal.diæ. 2ª.41.A
Olei plus coctionem retardat.6°.de comp.me.per ge. 5ª.259.F
in Olea quæ ingrediantur contundenda.4°.de ſan.tu. 2ª.86.G
Oleum quod debet ingredi acopi cõpoſitionem habet vim relaxandi.4°. de ſanitate tuenda. 2ª.86.H
Olei menſura vnde ſumatur in medicamentis.4°. de compoſitione medicamentorum per genera. 5ª.241.A
in Oleis coquẽdis quãtũ aquæ vel ſucci miſcẽdũ.4°.de ſa.tu. 2ª.87.A
Olei coctura in medicamẽto quid faciat.7°.de cõp.me.per ge. 5ª.264.G
cum Oleo cur miſceri non debet ladanum,ſed cum vino.4°.de compoſi. medicamento.per gene. 5ª.250.D
Olea ſine ſpiſſamentis parata.2°.de comp.me.per ge. 5ª.220.D
Oleum potes dimittere,ſi reſinis liquidis vtaris.2°. de compoſitione medica.per genera. 5ª.220.F
ex Oleo tetrapharmacum pro dolore.13°.met.me. 7ª.81.B
ex Oleo,& argenti ſpuma cruda acopum.7°.de compoſitione medicamentorum per genera. 5ª.264.H
ex Oleo roſaceo arnogloſſo,& pane, cataplaſma. 2°. de arte curatiua ad Glauconem. 7ª.101.G
Oleum quale pro emplaſtro candido.1°.de comp.me.per gen. 5ª.215.A
Oleum fluxionibus aduerſatur.2°.de ar.cur.ad Gla. 7ª.101.G
ex Oleo calẽte lana apponitur adeni,quæ cæpit phlegmone vrgeri.13°. methodi medendi. 7ª.81.B
Oleum optimum in inflammationum ſtatu.3°.de ſimp.me.fac. 5ª.21.E
Oleum oculos duntaxat mordicat non corpus vniuerſum. 2°. de ſimplicium medica.facul. 5ª.11.A
Oleum ad inflationem muſculorum.4°.met.me. 7ª.88.F
Oleum oculo nocet non alijs partibus.de opt.ſect. Iſa.21.D
Oleum,& aqua aptiſſima ſunt ad puris generationem.5°. de ſimplicium medicam.facul. 5ª.34.A
Oleum cum aqua calida maturat.de ocul. 7ª.188.E
ex Oleo,& aqua panis cito pus mouet.4°. met.me. 7ª.27.D
ex Oleo farina,& aqua cataplaſma pro inflammatione ad pus ducendum.2°.de arte cura. ad Glau. 7ª.102.A
ex Oleo aqua,& farina hordei cataplaſma pus cito mouet.4°. methodi medendi. 7ª.27.D
ex Oleo aqua,& farina triticea cataplaſma, citius ad ſuppurationem perducit quã quod ex pane.2°.de arte cur.ad Glau. 7ª.105.C
ex Oleo,& caricarum decocto farina frumenti mire ſuppuratoria.eſt. 3°.de comp.me.ſec.loc. 5ª.146.F
Oleum,& aqua ſi coquantur.prius aqua conſumitur. 1°. de ſimplicium medicamento.facul. 5ª.4.H
cum Oleo pluri vel minori quid faciat medicamentum pus mouens.5°. de ſimplicium.med.facul. 5ª.34.B
cum Oleo cera maturat.de ocul. 7ª.188.E
Oleum,& aqua mixta,tepidam generant caliditatem, & molliunt.de vict.rat.in morb.acu.com.4°. 7ª.140.H
Oleo aqua,& lini ſemine hypochondria ſunt illinenda quando ſunt tenſa.de vic.rat.in mor.acu.c.4°. 7ª.140.H
Oleum cum ſale pro oedemate.14°.met.me. 7ª.87.F
ex Oleo,& ſale frictio œdema in prauis affectibus curat.2°. de arte curatiua ad Glau. 7ª.103.F
Oleo perfundenda particula ſcirrhoſa.14°.met.me. 7ª.88.B
Oleo,& vino intinctis lanis ſuccidis tumores ex deligatione curatur, de frac.com.2°. 7ª.241.C
Oleum vlcẽra lenit.2°.de ſimp.me.fac. 5ª.11.A
Oleum perfuſum cum aqua moderate calida adhibetur vlceribus phlegmone affectis.2°.de ſimp.me.fa. 5ª.12.A
Oleo,& vino lanam ſuccidam madentem alligat ſuper vlcera.4°. de cõpo.med.per gen. 5ª.244.E
Oleo ſimplici vtĩ in vulneribus capitis. 2°.de comp.me.ſec.lo. 5ª.133.H
Oleo quo vtendum vbi durities in vlcere fit.4°.de compoſitione medicamentorum per genera. 5ª.237.A
Oleum non imponendum vlceri.2°.de arte cu.ad Gla. 7ª.101.H
Oleum eſt medicamentũ aduerſiſſimũ cauo vlceri.3°.met.me. 7ª.17.A
Oleum impedit partes vniendas.ars med. Iſa.69.H
Oleum glutinationem prohibet.4°.met.me. 7ª.23.C
Oleum inſenſiſſimum Aphthæ.6°.de comp.me.ſec.loc.. 5ª.176.G/de reme.para.fac. 7ª.158.C
Oleo augetur eryſipelas.2°.de ſimp.me.fac. 5ª.15.B
Oleum ad caliginem oculorum facit,ad diuturna,& indurata vitia neruorum lenitiem ſtomacho,& ventri reddit ſtricturas leniendo relaxat.de ſimp.med. Sp.88.D
Oleo calente perfunde dolentem partem non putreſcentem in contuſionibus neruorum.3°.de comp.me.per gen. 5ª.229.A
Oleo eluendum vulnus neruorum à principio niſi adeſt ſanguis. 3°.de cõpoſi.med.per gene. 5ª.229.F
Oleum quale pro neruis detectis.6°.met.me. 7ª.38.B
Oleum pro neruis non ſit adſtringẽs.3°.de comp.me.per gen. 5ª.229.G
ex Oleo,cera,& ærugine fit medicamentum carnem conficiens.3°. methodi medendi. 7ª.17.B
Oleum in venæ ſectionem inſtillatus reddit fluidum ſanguinem. 2°. de comp.med.fac. 5ª.14.D
Oleum hirudinum appetentiam ſubuertit.de cucur.ſcar. 6ª.4.D
Oleo fotus lanæ hapſo mitigat.de reme.par.fac. 7ª.154.A
ex Oleo,aqua,& melle clyſter.8°.met.me. 7ª.53.F

ex Oleo cum aqua mulſa clyſter.11°.meth.med. 7ª.69.G
ex Olei hemina clyſter.12°.met.me. 7ª.79.F
ex Oleo puro clyſteres in abdomine vulnerato.6°.met.me. 7ª.39.G
Oleo ſimplici partem primo lauato vbi medicamẽtum mutare volueris. 7°.de comp.me.per gen. 5ª.264.C
Olei quidam limus in abſceſſibus inuentus.14°.met.me. 7ª.90.E
Oleorum differentiæ, & quomodo vnum pro alio poni poteſt. 3°. de compoſi.med.per genera. 5ª.233.H
Olei differentiæ.2°.de ſimp.me.fac. 5ª.11.G
Olea diuerſa quorum facultas medico eſt cognoſcenda. 2°. de ſimpliciũ medicam.facul. 5ª.11.F
Olea ſecundum prouincias probantur.6°.de ſimp.me.fac. 5ª.47.A
Oleum variat ſm res, quæ illi imponunt̄.6°.de ſimp.me.fac. 5ª.47.A
Oleum quod ſine morſione per hablitum digerit vt abietinum. 4°.de ſanitate tuenda. 2ª.86.H
Oleum ex abſinthij coma feruefacta pro ſtomachi ore.8°. de compoſitio. medi.ſecun.loc. 5ª.187.D
Oleum in quo abſinthium ebullierit, pro ventriculo in quo pituita frigida ſit aceruata.de arte cura.ad Glau. 7ª.99.D
ex Oleo abſinthij fomentetur ventriculus.8°.met.me. 7ª.53.B
ex Oleo adhibebimus abſinthium cum iecur, & ventriculus laborabunt.11°.met.me. 7ª.72.F
ex Oleo abſinthium pro iecoris phlegmone.11°.met.me. 7ª.73.A
Oleum quod habet vim adſtringendi.11°.met.me. 7ª.72.G
Olea adſtringentia.1°.de comp.me.per ge.5ª.211.D/13°.met.me. 7ª.83.G
Oleum quatenus guſtu adſtringens videtur, eatenus etiam eſt frigidum. 6°.de ſimp.me.fac. 5ª.46.G
Olea quæ parum adſtringunt.4°.de comp.me.per gen. 5ª.237.F
Olei albificationem multi ſcripſere.2°.de ſimp.me.fac. 5ª.11.G
Oleum album quod.1°.de comp.me.ſec.loc. 5ª.130.B
Oleum ex Althea.3°.de comp.me.per gen. 5ª.235.A
Oleum ex althea mitigatorium in punctis neruis.3°.de compoſi.medic. per genera. 5ª.235.A
Oleum Amygdalinum quale.6°.de ſimp.me.fac. 5ª.46.H
Oleum amygdalinum quale.6°.de ſimp.me.fac. 5ª.46.H
Olcum amygdalinum eſt oculorum cenoticum.de cath. Sp.95.B
Oleum amygdalinum purgat aures.de cathar. Sp.95.B
Oleũ amygdalinum frangit lapidem renum, & veſicæ.de cath. Sp.95.D
Oleum in quo Anethum maduerit thermanticum comprobatur. de ſimplicibus medicaminibus. Sp.88.D
Oleum anethinum facile paratur.4°.de ſan.tu. 2ª.87.B
Oleum anethinum diſcuſſorium eſt, & rarefaciens cutim.9°.de compoſitio.medica.ſec.loc. 5ª.197.F
Oleum in quo anethum ebullierit, euacuat, & diſſoluit. 1°.de arte cura. ad Glauconem. 7ª.100.A
Oleum anethinum relaxat.12°.met.me. 7ª.75.F
Oleũ anethinũ valet ad dolorẽ capitis ex frigore.de rem.pa.fa. 7ª.153.F
Oleum anethinum eſt oculorum cenoticum.de cathar. Sp.95.B
Oleum anethinum prouocat ſudorem.de cathar. Sp.95.D
Oleum anethinum pro lapide, & dolore renum.de renum affectuum dignatione atque medela. 7ª.193.H
Olei anethini meminit.de reme.para.fac. 7ª.159.E
Oleum ex Ariſtolochia.3°.de comp.me.per gen. 5ª.235.A
Oleum ex Aro.3°.de comp.me.per gen. 5ª.235.A
Oleum Balaninum.6°.de ſimp.me.fac. 5ª.46.H
Oleum ex Bryonia.3°.de comp.me.per ge. 5ª.235.A
Oleum in quo eſt cocta bryonia ad acopa facit, & malagmata. de ſimp. medicaminibus. Sp.81.D
Oleum Calidum, & frigidum contraria facit. 3°. de compoſitione medi. per genera. 5ª.229.E
Oleum calidum quõ efficiĩ, & quibus valet.2°.de ſimp.me.fac. 5ª.11.E
Oleo quo vti debemus cum indigemus caliditate.2°.de compoſitione medicamen.ſec.loc. 5ª.133.A
Oleum calidum digerit.6°.met.me. 7ª.37.D
Oleum calidum euacuat, & diſſoluit.1°.de arte cu.ad Gla. 7ª.100.A
Olea calida pro doloribus.in 6m.de mor.vul.com.6°. 3ª.196.B
Oleis calidis mouetur pus ſi ſit frigidus abſceſſus. 5°. de ſimplicium medicamentorum facul. 5ª.34.B
Oleo calido, & anetho ſuccurrit dolori ex frigore interno. 2°. de ſimpli. medicamen.facul. 5ª.12.C
ex Oleo calido quõ vrinã reddere fecerit Galenus.1°.de loc.af. 4ª.3.C
Olea pro lapide, & dolore renum.de ren.aff.dig.& me. 7ª.193.H
Oleum quomodo fiat Candidius, & dulcius.2°.de ſimp.me.fac. 5ª.13.G
Olea candida.2°.de ſimp.me.fac. 5ª.12.D
Oleum candidum, & cera expers mordacitatis ad eadem valent. 2°.de ſimpli.med.fac. 5ª.12.D
Oleum Caryinum.6°.de ſimp.me.fac. 5ª.46.H
Olcum caryinum, quale.6°.de ſimp.me.fac. 5ª.46.H
Oleo ex Caſtoreo incaleſcunt aures.12°.met.me. 7ª.79.G
Oleum Cedrinum, quale.6°.de ſimp.me.fac. 5ª.46.H
Oleum cedrinum refrigeratos calefacit.2°.de ſimp.me.fac. 5ª.15.A
Oleum cedrinum pro doloribus.in 6m.de mor.vul.com.6°. 3ª.196.B
Oleum Chamæmelinum, quale.12°.met.me. 7ª.75.F
Oleũ chamæmelo decoctũ metaſyncreticũ videt̃.de ſimp.me. Sp.88.D
Oleum chamæmelinum roſaceo perſimile eſt.3°.de ſimpli.me.fac.18.G/ 2°.de comp.me.ſec.loc. 5ª.132.E
Oleo chamæmelino vtit̃ q̃m calidior roſaceo.de rem.par.fac. 7ª.153.H
Oleum chamæmelinum diſcuſſorium, & rarefaciens cutim.9°.de comp. med.ſec.loc. 5ª.197.F
Oleum ex chamęmelo humores lentos ac craſſos in carne, & cute euaporare facit.4°.de ſan.tu. 2ª.87.B
Oleum chamæmelinum ſudorem prouocat.de cathar. Sp.95.D
Oleum chamæmelinũ mitigatorium eſt.3°.de comp.me.per ge. 5ª.235.A
Oleũ Cicinum, & raphaninum habentur in ægypto.3°.de ſan.tu. 2ª.81.C
Oleum cicinum vbi, & quale.7°.de comp.me.per gene. 5ª.269.E
Oleum cicinum, quale.6°.de ſimp.me.fac. 5ª.46.H
Oleum cicinum ſimillimum oleo vetuſto.6°.de ſimp.me.fac. 5ª.46.H
Oleo cicino ſimile oleum lucernarum.1°.de comp.me.ſec.loc. 5ª.123.A
Oleum tenue eſt cicinum, raphaninum, ſicyonium, vetus, & ſabinum. 6°.de ſimp.me.fac. 5ª.40.H
Oleum cicinum diſcuſſorium eſt, & rarefaciens cutim.9°.de compoſiti. medicam.ſec.loc. 5ª.197.E
Oleum cicinum digerit.1°.de comp.me.per gene. 5ª.211.E
Oleum cicinum ventrem ſubducit.6°.de ſimp.me.fac.46.H/ 5ª.47.A
pro Oleo cicino vtaris communi oleo, & è contra.6°.de ſimplicium medicamentorum facul. 5ª.46.H
Oleum cicinum pro vetere ſumi poteſt.2°.de comp.me.per ge. 5ª.223.G
Oleũ cicinũ naturã habet ſabini inueterati.1°.de cõp.me.ſe.lo. 5ª.122.A
Oleum Comagenum acopum.7°.de comp.me.per ge. 5ª.269.E
Oleum comagenum laxat.7°.de comp.me.per gen. 5ª.264.E
Oleum comagenum ad ſicca liquanda.7°.de comp.me.per ge. 5ª.264.C
Oleum Conizæ ſanat rigores.7°.de ſimp.me.fac. 5ª.52.B
Oleum Coſtinum exulcerat.7°.de ſimp.me.fac. 5ª.52.F
Oleum coſtinum rigores tollit.7°.de ſimp.me.fac. 5ª.52.E
Oleum Crudum omphacinum, & omotribes græce vocant.6°.de ſanitate tuenda. 2ª.98.H
Oleum crudum, & acerbum ὠμοτριβὲς, & omphacinum vocant. 6°. de ſanitate tuenda. 2ª.100.F
Oleum crudum, quale ſit.2°.de comp.me.ſec.loc. 5ª.132.E
Oleum crudum adſtringit.13°.met.me. 7ª.83.G
Oleum crudum, & abſinthinum applicabant ipſi ventriculo extra antiqui.7°.meth.med. 7ª.43.H
Oleo crudo vtimur ĩ fluxionib⁹ acribus ad oculos.13°.met.me. 7ª.86.D
Oleum crudum, & acerbum conuenit lumbis.6°.de ſan.tu. 2ª.100.E
Oleum ex radice Cucumeris agreſtis decocta.3°. de compoſitione medi. per genera. 5ª.235.A
Oleum, in quo cucumeris agreſtis radix admiſta, & decocta ſit, catharticam, & thermanticam virtutem habet, & quidem proprie attritis inunctio facit.de ſimp.med. Sp.88.D
Oleum in quo mala Cydonia ſint per tempora madefacta paregoricum, vel ſtypticum aliquantum inuenitur.de ſimp.med. Sp.88.D
Oleum cotoneorum ventriculo conuenit.de rem.par.fac. 7ª.158.F
Oleum Cyprinum, & vnguentum cyprinum quo modo differant. 4°. de comp.me.per genera. 5ª.240.H
Oleũ cyprinũ adſtringit cũ caliditate.2°.de cõp.me.per gene. 5ª.220.G
Oleum cyprinum emollit.4°.de comp.me.per gene. 5ª.241.H
Oleum cyprinum.8°.de comp.me.ſec.loc. 5ª.193.A/B/C
Oleum Dadinum minus laurino calidum.6°.de ſimp.me.fac. 5ª.46.H
Olea Digerentia.1°.de comp.me.per gen. 5ª.211.E
Olea Diſcuſſoria.9°.de comp.me.ſec.loc. 5ª.197.E
Oleum ex Dracunculo.3°.de comp.me.per gen. 5ª.235.A
Oleum perfectum Dulciſſimum quæ faciunt oliuæ.6°. de ſimplicium medicamen.facul. 5ª.46.G
Oleum dulce quo modo temperatum.4°.de ſimp.me.fac. 5ª.25.D/E

Oleum dulce expers adſtrictionis.3°.de ſan.tu. 2ª.82.A
Oleum dulce non adſtringens guſtu calidum modice.6°.de ſimplicium medicamen.facul. 5ª.46.G
Oleum dulciſſimum calidum diſcutit, & magis inueteratum, & ſicyonium.2°.de comp.me.ſec.loc. 5ª.137.D
Oleum dulce mitigans eſt.2°.de ſimp.me.fac. 5ª.12.H
Oleo dulci mitigantur medicamenta.2°.de comp.me.ſec.loc. 5ª.139.F
Oleum dulce q̃n opportunum ſit aſperitati.2°.de ſimp.me.fac. 5ª.12.G
Oleum dulciſſimum morſibus ſolum ſuccurrit.2°.de ſimp.me.fa. 5ª.12.C
ex Oleo dulci ceratum ſuccurrit morſibus.2°.de ſimp.me.fac. 5ª.12.C
Oleum dulce acredinem remouet.7°.de ſimp.me.fac. 5ª.51.F
Oleum dulciſſimum optimum ad ſenſum vlceris.3°.de ſanit.tu. 2ª.79.B
Oleo dulci egelido vtitur in frictione.3°.de ſani.tu. 2ª.79.C
Oleum dulce mundificat.de diff.conr. Sp.74.F
Olea quæ Emolliunt, & adſtringunt.6°.de ſimp.me.fac. 5ª.46.H
Oleum Emplaſticum, quale.6°.de comp.me.per gen. 5ª.255.E
Oleum habet vim emplaſtici medicamenti.6°.de ſan.tu. 2ª.98.C
Olea quæ Exiccant.2°.de ſimp.me.fac. 5ª.16.A
Olei cum Euphorbio mixtio qualis.1°.de comp.me.ſec.lo. 5ª.122.B
Olea cum ſunt Fluida ceram adde.1°.de comp.me.ſec.loc. 5ª.122.B
Oleum occludit quidquid natũ eſt à nobis extra fluere.2°.de ſimpliciũ medic.facul. 5ª.13.H
Oleum frigidum quo modo paretur.2°.de ſimp.me.fac. 5ª.11.D
Oleum frigidum obſtruit.6°.met.me. 7ª.37.D
Oleum frigidiſſimum ad febres.de dyna. Sp.32.H
Olea ex Fructibus expreſſa.6°.de ſimp.me.fac. 5ª.46.H
Oleum frumenti ad ſcabiem.de dyna. Sp.30.D
Oleum frumenti ab herpetas.de dyna. Sp.30.D
Oleum tritici.2°.de comp.me.per gen. 5ª.227.G
Oleum Gleucinum acopum.7°.de comp.me.per gene. 5ª.269.F
Oleum ex Grano gnidio ſoluit ventrem.6°.de ſimp.me.fac. 5ª.47.A
Oleũ ex Herbis cũ aromatibus ſunt vnguẽta.6°.de ſimp.me.f. 5ª.47.A
Olea ex herbis, & floribus.6°.de ſimp.me.fac. 5ª.47.A
Oleum hiſpanum.6°.de ſimp.me.fac. 5ª.46.G
Oleum hiſpanum adſtringit.1°.de comp.me.per ge.211.B/D/5ª.214.A/8°.met.me.51.D/11.72.G/12°.75.F/13°. 7ª.83.G
Oleũ ex Iberia portatũ adſtringens frigidũ.6°.de ſimp.me.fac. 5ª.46.G
Oleum hiſpanum pro capillis fluentibus.1°.de comp.me.ſec.loc. 5ª.125.F
Oleo hiſpano vtimur i fluxionibꝰ acribus ad oculos.13°.met.m. 7ª.86.D
Oleum hiſpanum fugiendum.1°.de comp.me.ſec.loc. 5ª.122.A
Oleum hiſpanum.2°.de comp.me.per gen.224.A/3°. 5ª.229.G
Oleum Hiſtricum adſtringit.1°.de comp.me.per gen.5ª.211.B/D/12°.methodi medendi.75.F/13°. 7ª.83.G
Oleum hiſtricum adſtringit vehementer.11°.met.me. 7ª.72.G
Oleum hiſtricum parum adſtringit, & amaricat.1°.de compoſitione me dicamen.per genera. 5ª.214.A
Oleum Hydrelæum.2°.de ſimp.me.fac. 5ª.16.C
Oleum in quo cocta Hyæna, quale.11°.de ſimpli.me.fac. 5ª.82.H
Oleum Hyoſcyaminum emollit, refrigerat.6°.de ſimp.me.fac. 5ª.46.H
Oleum hyoſcyaminum.6°.de ſimp.me.fac. 5ª.46.H
Oleum Immaturum repellit.1°.de arte cur.ad Glau. 7ª.100.A
Oleũ immaturũ ꝓ dolore capitis ex æſtu ſolis.de reme.par.fac. 7ª.153.E
Oleum immaturum pro roſaceo.de remed.par.fac. 7ª.153.E
Oleum Inſulſum.1°.de comp.me.ſec.loc. 5ª.128.A
Oleum ex Iride.3°.de comp.me.per gen. 5ª.235.A
Oleum irinum pro dolore capitis ex frigore.de rem.par.fac. 7ª.153.F
cũ Oleo irino vinum ſudorem prouocat de cathar. Sp.95.D
Oleum irinum de rem.par.fac. 7ª.153.H
Oleum Iuniperinum refrigeratos calefacit.2°.de ſimp.me.fac. 5ª.15.A
Oleum Laurinum, & laurinum ſimpliciter quo modo differant.2°.de cõpoſi.med.ſec.loc. 5ª.135.F
Oleum laurinum, quale.6°.de ſimp.me.fac. 5ª.46.H
Oleum cum bacca lauri decoctum thermanticum eſſe plus quàm oportet, certum eſt.de ſimp.me. Sp.88.D
Oleum laurinum refrigeratos calefacit.2°.de ſimp.me.fac. 5ª.15.A
Oleum laurinum ſufficienter calfacit.1°.de comp.me.ſec.loc. 5ª.122.B
Oleum laurinum quo loco reponatur inter calida, quæ valent alopecijs, 1°.de comp.me.ſec.loc. 5ª.122.D
Oleum laurinum & cedrinum exiccat.2°.de ſimp.me.fac. 5ª.16.A
Oleum laurinum eſt oculorum cenoticum.de cathar. Sp.95.B
Oleum laurinum pro doloribus.in 6ᵐ.de mor.vul.com.6°. 3ª.196.B
Oleum laurinum.6°.de ſimplicium medic.facul.5ª.46.H/2°.de arte curatiua ad Glauconem. 7ª.104.G
Olei laurini loco, pix liquida.1°.de comp.me.ſec.loc. 5ª.122.E
Olea laxantia.7°.de comp.me.per gen. 5ª.264.B
Oleum Lentiſcinum, quale.5°.de comp.me.ſec.lo. 5ª.162.H
Oleum lentiſcinum.6°.de ſimp.me.fac. 5ª.46.H
Oleum omne ſiue lentiſcinum ſiue cicinum, ſiue raphaninum, ſiue ipſum, quod ex oliuis conficitur vetuſtate fit calidius, & tenuius.11°.de ſim plic.med.fac. 5ª.79.C
Oleũ ſemini lentiſci miſtũ ſtypticã virtutẽ affert.de ſimp.me. Sp.88.D
Oleum lentiſcinum adſtringit.13°.met.me. 7ª.83.G
Oleũ lentiſcinũ adſtringit cũ caliditate.2°.de cõp.me.per gen. 5ª.220.G
Oleum lentiſcinum acopum.7°.de comp.me.per gen. 5ª.269.F
Oleo lentiſcino oris, & linguæ dolores curantur.5°.de compoſitione medicamentorum ſecun.locos. 5ª.162.H
Oleum lentiſcinum vt ladanum.1°.de comp.me.ſec.loc. 5ª.125.F
Oleum lentiſcinum cum ladano pro capillorum defluuio optimum.1°.de comp.me.ſec.loc. 5ª.125.F
Oleum lentiſcinum pro abſinthio.11°.met.me. 7ª.72.G
Oleum lentiſcinum debet eſſe recens.5°.de comp.me.ſec.loc. 5ª.162.H
Oleum Liliorum digerit, & emollit.7°.de ſimp.med.fac. 5ª.53.B
Oleum liliorum vteri eſt duritiebus aptiſſimum.7°.de ſim.me.f. 5ª.53.B
Oleum liliaceum.6°.de ſimp.me.fac. 5ª.47.A
Oleum Lotum non mordicat.6°.de ſimp.me.fac. 5ª.46.G
Oleum Lucernarum quale ſit.1°.de comp.me.ſec.loc. 5ª.123.A
Oleum lucernarum ſimile oleo veteri, & cicino.1°.de compoſitione medicamentorum ſecun.locos. 5ª.123.A
Oleum ex lucernis.1°.de comp.me.ſec.loc. 5ª.123.A
Oleum Malthacodes.4°.de comp.me.per ge. 5ª.238.E
Oleum Maſtichinum, quale.7°.de ſimp.me.fac.. 5ª.55.C
Oleum maſtiche admiſtum colleticum videtur.de ſimp.me. Sp.88.D
Oleum maſtichinum.6°.de ſimp.me.fac. 5ª.46.H
Oleum maſtichinum acopum.7°.de comp.me.per gen. 5ª.269.F
Oleum maſtichinum pro abſinthio.11°.met.me. 7ª.72.G
Oleum Melanthinum.de ſimp.me.fac. 5ª.46.H
Oleum Melinum pro abſinthio.11°.met.me. 7ª.72.G
Oleum melinum adſtringit.13°.met.me. 7ª.83.G
Oleum melinum magis adſtringit oleo hiſpano, & hiſtrico.1°.de compo.med.per genera. 5ª.211.B
Oleum melinũ adſtringit, & refrigerat.4°.de cõp.me.per ge. 5ª.237.A
Oleũ melinũ.6°.de ſimp.me.fac.47.A/7° de comp.me.per ge. 5ª.270.D
Oleum Mitigans quod.2°.de ſimp.me.fac. 5ª.12.D
Oleum non eſſe Mordax quomodo probetur.2°.de ſimp.me.fac. 5ª.11.E
Oleum eſſe mordax quibus probetur.2°.de ſimp.me.fac. 5ª.11.E
Oleum mordicans quod.2°.de ſimp.me.fac. 5ª.12.D
Olea quæ mordicant.2°.de ſimp.me.fac 5ª.13.F
Oleum Muſellinum.de dyna. Sp.27.B
Oleum Myrtinum quo modo fiat.de dyna. Sp.23.F
Oleum myrteum, quale.1°.de comp.me.ſec.loc. 5ª.129.E
Oleum myrteum adſtringit.13°.meth.med. 7ª.83.G
Oleũ myrteũ adſtringit, & refrigerat.4°.de cõp.me.per gen. 5ª.237.A
Oleum myrteum emollit.4°.de comp.me.per gen. 5ª.241.H
Oleum myrteum magis adſtringit oleo hiſpano, & hiſtrico.1°.de comp. medic.per genera. 5ª.211.B
Oleum myrtinum valet in defluuio capillorum.1°.de compoſitione medi camentorum ſec.loc. 5ª.125.F
Oleum myrtinum.6°.de ſimp.me.fac. 5ª.46.H
Oleum Nardo decoctum metaſyncreticam virtutem habere incipit.de ſimplicibus medi. Sp.88.D
Oleum ex Nucibus quo modo fieri debet.7°.de ſimp.me.fac. 5ª.50.B
Oleum vncinum eſt oculorum cenoticum.de cath. Sp.95.B
Oleum nucinum purgat aures.de cathar. Sp.95.B
Oleum ex nucibus gangrænas, carbũculos, & ægilopas ſanat.7°.de ſim plicium medi.fac. 5ª.50.B
Oleum ex agreſti Oliua, quale.6°.de ſimp.me.fac. 5ª.47.A
Oleum ex maturis oleis preſſum calidius omphacino.2°.de comp.medi. per genera. 5ª.220.A
Oleum habens ſurculos oleæ, quale.2°.de comp.med.per gen. 5ª.220.A
Oleum ex frondibus oleæ adſtringit.11°.met.me. 7ª.72.G
Oleum Omotribes, quale.1°.de comp.me.ſec.loc. 5ª.122.A
Oleũ omotribes, id eſt crudũ eſt frigidũ.2°.de ſimp.me.fac. 5ª.11.D
Oleũ omotribes adſtrĩgit, & refrigerat.4°.de cõp.me.per ge. 5ª.237.A
Oleum otribes adſtringit.1°.de comp.me.per gen. 5ª.211.D

Oleum omotribes.6°.de ſimp.me.fac.46.G/2°.de comp.me.ſec.loc.5ª.
132.E/6°.met.me. 7ª.37.D
Oleum Omphacinum, quale.1°.de comp.me.ſec.loc. 5ª.122.A
Oleum omphacinum eſt frigidius oleo ex maturis oleis preſſo. 2°.de cō-
poſi.med.per genera. 5ª.220.A
Oleum omphacinum adſtringit.2°.de ſimp.me.fac.13.B/1°.de comp.me.
per gen.5ª.214.A/11°.met.me. 7ª.72.G
Oleum omphacinum adſtringit,& refrigerat.4°.de compoſitione medi.
per genera. 5ª.237.A
Oleo omphacino fit refrigeratio.2°.de comp.me.per gen. 5ª.220.F
Oleum Omphacinum tātum eſt frigidum quantum adſtringit. 6°. de ſim
plicium med.facul. 5ª.46.G
Oleum omphacinum repellit in capitis doloribus.2°.de compoſi. medic.
ſecundum locos. 5ª.137.D
Oleum omphacinum obſtruit.de ocul. 7ª.187.H
Olei omphaci. fit mentio.6°.de ſimp.me.fa.5ª.46.G/2°.de compo.med.
ſecundum locos. 5ª.132.E
Oleum ſimile omphacino non quomodo fiat.6°.de ſimp.me.fac.5ª.46.G
Oleum ex Panace.3°.de comp.me.per gen. 5ª.235.A
Oleum Pinſum in plumbo nigrum fit.1°.de comp.me.ſec. loc. 5ª.130.C
Oleum Pingue vnde probatur.6°.de ſimp.me.fac. 5ª.47.A
Oleum ex nigra Pice,quale.6°.de ſimp.me.fac. 5ª.46.H
Oleum,& pix mixta qualia ſunt.6°.de cōpo.med.ſec.loc. 5ª.173.H
Oleum picinum refrigeratos calefacit.2°. de ſimp.me.fa. 5ª.15.A
Oleum ex Populi flore.3°.de comp.me.per gen. 5ª.235.A
Oleū Ponticū rectificat ſtomachū mollē,& debilē.de diſ.cōt. Sp.74.D
Oleum Raphaninum.6°.de ſimp.me.fac. 5ª.46.H
Oleum raphaninum acopum.7°.de cōp.me.per ge. 5ª.269.E
Oleum raphaninū pro doloribus.in 6m.de mor.vul.com.6°. 3ª.196.B
Oleis quibus Rarefiat cutis.9°.de comp.me.ſec.loc. 5ª.197.F
Oleū Recens humidū,& modice frigidū.1°.de comp.me.per ge.5ª.212.H
Oleum recens magis conuenit in phlegmone cum magno dolore, quam
antiquum.1°.de comp.me.per gen. 5ª.211.A
Oleo refrigerato caput ardore grauatum Galenus obliniuit.2°.de ſimp.
med.facul. 5ª.11.D
Oleum Ricinum,quale.7°.de ſimp.me.fac. 5ª.51.C
Oleum ricinum,quale.2°.de comp.me.ſec.loc. 5ª.132.G
Oleum ricinum non eſt expertus Galenus.2°.de cōp.me.ſec.lo.5ª.132.G
Olcum ricinum digerit.3°.de comp.me.per gen. 5ª.235.A
Oleum ricinum pro doloribus in 6m.de morb.vul.com.6°. 3ª.196.B
Oleum ricinum emollit.6°.de comp.me.per gen. 5ª.258.A
Oleum ricinū in vlcere vbi durities fit.4°.de cōp.me.per gen.5ª.237.A
ex Oleo ricino,& gutta ammoniaci medicamentum quale. 6°. de cōp.
med.per genera. 5ª.258.B
p Oleo ricino oleum vetus.4°.de cōp.me.per gen.245.F/6°. 5ª.258.A
Oleum Roſaceum,& vnguentum roſaceum quomodo differant.4°.de cō
poſitione med.per genera. 5ª.240.H
Oleum roſaceum quid.2°.de ſimp.me.fac. 5ª.16.F
Oleum roſaceum quomodo conficiendum.2°.de ſimp.me.fac. 5ª.16.E/F
in Oleum roſatum aliqui ponunt ſalem.6°.de ſan.tu. 2ª.98.H
Oleum roſatum ex oleis ſine frondibus.6°.de ſan.tu. 2ª.98.H
Oleū roſaceū quale.2°.dc ſimp.me.fa.16.F/2°.de cōp.me.ſe.lo.5ª.136.C
Oleum roſaceum dubium facit apud medicos an calidum poteſtate, an
frigidum.3°.de temp. 1ª.24.G
Oleum roſaceum tenuis ſubſtātiæ,& tepidæ.3°.de ſimp.me.fac.5ª.21.G
Oleum roſaceum in primo ordine frigidum.3°.de ſimp.me.fac. 5ª.18.G
Oleo roſaceo calidior oleum chamæmelinum.de reme.par.fac. 7ª.153.H
Oleum roſaceū bonū quale eſſe debet.2°.de comp.me.ſec.loc. 5ª.141.A
Oleum roſaceum perfectum quale,& quomodo fiat.2°.de compoſitione
med.per gen.132.E/ 5ª.220.A
Oleum roſaceum quomodo odoratum per multum tēpus maneat. 2°. de
comp.med.ſec.loc. 5ª.141.A
Oleum roſaceum purum adſtringit.3°.de ſimp.me.fac. 5ª.21.G
Oleum roſaceum repellit.1°.de arte cura. ad Glau. 7ª.100.A
Oleum roſaceū concoquit,& repellit.2°.de comp.me.per ge. 5ª.220.G
Oleum roſaceum debet eſſe recens.2°.de comp.me.ſe.lo. 5ª.132.E
Oleo roſaceo in quibus vti licet.2°.de ſimp.me.fac. 5ª.10.A
Oleum roſaceum quomodo refrigerandum in affectu frigido.2°. de com-
poſi.med.ſec.loc. 5ª.132.F
Oleo roſaceo quæ frigida adhibenda.2°.de comp.me.ſec.loc. 5ª.132.F
Oleo roſaceo nō debet admiſceri ſuccus mali punici,mali meſpili,& ſola
ni,qñ caput refrigerare volumus.2°.de comp.me.ſec.loc. 5ª.132.G
Oleo roſaceo iuuantur aduſti.2°.de ſimp.mc.fac. 5ª.16.F
Oleum roſaceū qūo calefacit,& refrigerat.3°.de ſimp.me.fac. 5ª.19.B
Oleum roſaceum leuiter refrigerat.3°.de ſimp.me.fac. 5ª.18.A
Oleum roſaceum quomodo refrigerat.3°.de ſimp.me.fac. 5ª.18.A
Oleum roſaceum quomodo refrigeret in calidis locis. 2°. de compoſitio.
medicamen.ſec.loc. 5ª.132.F
Oleum roſaceum cum aceto inflammationibus incipientibus conuenit.
2°.de comp.me.ſec.loc. 5ª.134.C
Oleum roſaceū ſolū in vigore valet.2°.de comp.me.ſec.loc. 5ª.134.C
Oleū roſaceū repellit in capitis doloribus.2°.de cōp.me.ſe.lo. 5ª.137.D
Oleo roſaceo vtitur in capitis dolore ex plaga.2°.dc compoſitione medi
camentorum.ſec.loc. 5ª.133.F
Oleum roſaceum in principio in dolore capitis, & in qua parte ponendū
2°.de comp.me.ſec.loc. 5ª.132.D
ex Oleo roſaceo capitis optima refrigeratio.2°.đ cōp.me.ſe.lo. 5ª.132.E
Olei roſacei menſura in refrigerando caput.2°.de compoſitione medica-
mentorum ſecun.loc. 5ª.132.F
Oleum roſaceum,& acetum in capite vulnerato.2°.de compoſitione me
dicamen.ſecun.loc. 5ª.134.A
Oleū roſaceū ſupra membranam nudam.2°.de cōp.me.ſec.loc. 5ª.134.B
Oleū roſaceū cū aceto ſupra caluariā.2°.de comp.me.ſec.loc. 5ª.134.B
Oleo roſaceo nihil melius in fractura cranei,ſi ſit optimū roſaceum.1°.
de ſimp.med.fac. 5ª.72.H
Oleo roſaceo,& aceto in lethargicis,& phreniticis vtimur.2°.de com-
poſitione med.ſec.loc. 5ª.134.A
Oleum roſaceum purgat aures.de cathar. Sp.95.B
Oleo roſaceo vtimur in fluxionib9 acribus ad oculos.13°.me.m.7ª.86.D
Oleum roſaceum mitigatorium eſt in neruis punctis.3°.de compoſitione
medica.per genera. 5ª.235.A
Oleum roſaceum emollit.4°.de comp.me.per gen. 5ª.241.H
Oleum roſaceum humectat.9°.de ſimp.mc.fac. 5ª.65.H
Oleo roſaceo cōtēperāda ſunt medicamenta æſtate.6°.met.me. 7ª.38.E
Oleum roſaceum vincit acetum in hebetanda acrimonia.1°. de ſimpliciū
medicam.facul. 5ª.5.H
Oleum roſaceū mitigat medicamenta.2°.de cōp.me.per gen. 5ª.220.D
ex Oleo roſaceo,& cera,ceratū liquidū.1°.de cōp.me.per gen.5ª.218.H
Oleum roſaceum.6°.de ſimp.me.fac. 5ª.47.A
Oleo incoquenda Roſmarini herba.4°.de ſan.tu. 2ª.87.B
Oleum Rutaceum ad dolores inteſtinorum,& coli.12°.met.me.7ª.78.G
Oleū rutaceum pro dolore capitis ex frigore.de rem.par.fac. 7ª.153.F
Oleo rutaceo in quo dolore vtatur Galenus.2°.de lo.aff. 4ª.9.D
Oleo in quo ruta cocta pro clyſteri vtitur Galenus in dolore ex flatu &
humore.12°.met.me. 7ª.79.H
Oleum rutaceum flatus ſanat.8°.met.me. 7ª.53.F
Oleum rutæ cum anſerino adipe in eo liquato ſanat dolores ex intempe-
rie cum mordicatione.2°.de ſimp.me.fac. 5ª.12.C
Oleum Sabinum optimum vbi.2°.de comp.me.ſec.loc. 5ª.133.B
Oleum ſabinum optimum.6°.de ſimp.med.fac. 5ª.46.G
Oleum ſabinum optimum in Italia.3°.de comp.me.per ge. 5ª.229.G
Oleum ſabinum quale.3°.de comp.me.per gen. 5ª.232.F
Oleum ſabinū tenuiū partiū.1°.de comp.me.ſec.loc.122.A/2°.5ª. 141.F/
10°.met.me.65.A/11°.72.G/2°.dc arte cu.ad Gla. 7ª.104.A
Oleum ſabinum tenuiſſimum omnium.6°.met.mc. 7ª.37.D
Oleum ſabinum non adſtringit.3°.de ſan.tu. 2ª.79.A
Oleum ſabinum dilatat.8°.met.me. 7ª.51.D
Oleum ſabinum in Italia relaxat.3°.de ſan.tu. 2ª.81.B
Oleum ſabinum habet vim relaxandi.4°.de ſan.tu. 2ª.85.H.
Oleum ſabinum relaxat.7°.de comp. medica. per gene. 269. F/12°.me-
thodi medendi. 7ª.75.F
Oleum ſabinum vetus melius.3°.de ſan.tu.2ª. 81.C/ 2°. de compoſitione
medic.per genera. 5ª.223.G
Oleum ſabinum vetus.7°.de comp.me.per ge. 5ª.271.B
Oleo ſabino contēperanda ſunt medicamēta æſtate.6°.met.me. 7ª.38.E
ex Oleo ſabino,& anſeris pinguedine clyſter ad morſus. 8°. methodi
medendi. 7ª.53.F
Oleum ſabinum pro vetere.10°.de comp.me.ſec.loc. 5ª.209.C
Olei ſabini meminit.1°.de comp.medic.ſecun.locos.131.A/B/7°.269.H/
271.A/C/D/H/ 5ª.274.B
Olco ſabino quod oleum ſimile.4°.de ſan.tu. 2ª.86.H
Olei ſabini inueterati naturam habet oleum cicinum.1°.de compo.medi-
camen.ſec.loc. 5ª.122.A
Oleum debet eſſe citra Salem confectum.10°.met.me. 7ª.65.A

Oleum expers

Oleum expers ſalis ἄναλον.2°.de ſimp.med.facul. 5ª.12.B
Oleū quod nihil hēat ſalis magis refrigerat.2°.de ſimp.med.fac. 5ª.11.D
Oleum habens ſalem calidius eſt.2°.de comp.med.per ge. 5ª.220.A
Oleum cum ſale habet mordacitatem.2°.de ſimp.me.fac. 5ª.13.G
Oleum Salſum, & non ſalſum quomodo ventrem ducit.2°. de ſimplicium medicamentorum fac. 5ª.12.B
Oleum Sciſſile de med.fac.par. 7ª.172.H
Oleum Seſaminum quale.8°.de ſimp.med.fac. 5ª.60.D
Oleum ſeſaminum.6°.de ſimp.me.fac. 5ª.46.H
Oleum ſeſaminum acopum.7°.de comp.med.per ge. 5ª.269.E
Oleum Sicyonium quale.12°.meth.med. 7ª.75.F
Oleum Sicyonium digerit.3°.de comp.med.per ge. 5ª.235.A
Oleū ſicyoniū,euacuat,& diſſoluit.1°.de ar.cu.ad Glau. 1ª.100.A
Oleum ſicyonium diſcutit.2°.de comp.med.ſec.loc. 5ª.137.D
Oleū ſicyoniū recēs magis emollit,quā vetus.5°.de ſimp.me.fa. 5ª.34.F
Oleum ſicyonium ſudorem prouocat.de cathar. Sp.95.D
Oleum Sinapinum.6°.de ſimp.med.fac. 5ª.46.H
Oleum ſinapinum acopum.7°.de comp.me.per ge. 5ª.269.E
Oleum ſinapinum pro doloribus.in 6m.de mor.vul.com.6°. 3ª.196.B
Oleū,in quo Spondylium,vel ſerpillum, vel pulegij coma,vel calamentum,vel menta vel ſiſymbrium decocta ſint,euacuat,& diſſoluit.1°. de arte curatiua ad Glauco. 7ª.100.B
Oleum Styracinum.7°.de comp.me.per ge. 5ª.270.F
Oleū Suſinū recēs magis emollit,quam vetus.5°.de ſimp.me.fa. 5ª.34.F
Oleum ſuſinū acopum.7°.de comp.med.per ge. 5ª.269.F
Oleum ſuſinum laxat.7°.de comp.me.per ge. 5ª.264.E
Oleum ſuſinum ad ſicca liquāda.7°.de comp.med.per.ge. 5ª.264.C
Oleū Tēperatū aptiſſimū ad puris generationē.5°.de ſim.me.f. 5ª.34.A
Oleum Tenue vnde probatur.6°.de ſimp.me.fac. 5ª.47.A
Oleū Tepidū pro febricitātibus ex obſtructione 8°.meth.me. 7ª.51.E
Oleo tepido perfundatur hecticus.10°.meth.med. 7ª.66.H
Oleū tepidum,vbi omnes hirudines inhæſerint,particulæ,ne refrigeſcat, infundemus.de cucur.ſca. 6ª.4.C
Oleum Terebinthinum.6°.de ſimp.me.fac. 5ª.46.H
Oleum Venafranum.7°.de cōp.med.per ge.269.G| 5ª.272.G
Oleum Vetus Galenus ſeruauit.4°.de comp.med.per ge. 5ª.240.B
Oleū quod pro veteri Galenus faciebat.6°.de cōp.me.per ge. 5ª.258.A
Oleum vetus quale.1°.de comp.med.per ge. 5ª.211.A
Oleum vetus ex immaturo,quale.6°.de ſimp.med.fac. 5ª.46.G
Oleum vetus calidius eſt.6°.de ſimp.med.fac. 5ª.46.G
pro Oleo veteri venditur adeps ſuillus vetus.4°. de compoſitione medicamentorum per genera. 5ª.240.A
ab Oleo veteri quo differat adeps ſuillus.4°.de cō.me.per g. 5ª.240.A
Oleū inueteratū roſionē acquirit.4°.de comp.med.per gen. 5ª.240.B
Olei veteris,& noui vires.de ſimp.med. Sp.88.D
Oleum vetus,& recens facit quatuor differentias in cōpoſitionibus. 7°. de comp.me.per ge. 5ª.264.G
Oleum vetus digerens.1°.de comp.med.per ge.211.E|3°. 5ª.235.A
O leū vetus abūde digerit ſine eroſione.4°.de com.me.per ge. 5ª.239.E
Oleum vetus rarefacit.5°.de ſimp.med.fac. 5ª.35.F
Oleum vetus magis exiccat.1°.de comp.me.per ge. 5ª.213.B
Oleum vetuſtum eſt vnū ex fortiſſimis medicamentis ad achoras. 1°.de compoſi.med.ſec.loc. 5ª.129.D
cū Oleo veteri abrotonū valet ad alopecias.6°.de ſim.me.fac. 5ª.40.H
Oleum vetus prodeſt phlegmoni contumaci.1°.de compoſitione medicamentorum per genera. 5ª.211.A
Oleū vetus in vlcere vbi durities fit.4°.de cōp.me.per ge. 5ª.237.A
Oleū quadraginta annorū vlcera ſanat.4°.de cōp.me.p ge. 5ª.240.B
Oleum quando debet eſſe vetus in neruorū vulneribus.3°.de compoſitio. med.per genera. 5ª.229.H
ab Oleo veteri robur fit medicamento.3°.de comp.me.per ge. 5ª.230.F
Oleum vetus pro ricino.4°.de cōp.me.per ge.245.F|6°. 5ª.258.A
Oleo vetuſto ſimillimū eſt oleum cicinū.6°.de ſimp.me.fac. 5ª.46.H
Oleo veteri ſimile eſt oleū lucernarū.1°.de cōp.me.ſec.loc. 5ª.123.A
pro Oleo veteri cicinū ſumi poteſt.2°.de comp.me.per gen. 5ª.223.G
pro Oleo veteri ſabinum.10°.de comp.med.ſe.loc. 5ª.209.C
Oleū Viride cōtra ſpaſmum ex ſiccitate.de me.exper. Sp.106.F
Oleum in quo cocta eſt Vulpis,quale.11°.de ſimp.med.fac. 5ª.82.H
OLFACTVS quid.fin.me.Iſa.45.B|de hiſt.philo. Sp.9.H
Olfactus vbi habeat ſedem.7°.de decr.Hipp. 1ª.271.C
Olfactus cur in cerebro.8°.de vſu par. 1ª.168.C
Olfactus ſenſorij natura.8°.de vſu p.1ª.168.A|4°.de loc.af. 4ª.22.G
Olfactus inſtrumentum vaporoſum eſt.7°.de decr.Hip. 1ª.271.B
Olfactus ſenſorium habet ſpiritū vaporoſum.8°.de vſu par. 1ª.168.A
Olfactus fumoſus.de ocul. 7ª.185.B
Olfactus quo modo fiat.de hiſt.phil. Sp.9.F
Olfactus fit in pelliculis plenis ſpongioſa carne, quæ ſunt intra nares. de vtilitate reſpirationis. Sp.63.D
Olfactus inſtrumēto os ꝓpoſitū ἠθμοειδὲς dr.11°.de vſu par. 1ª.188.H
Olfactum auferunt oſſai thmoide,id eſt colla.3°.de loc.aff. 4ª.21.D
Olfactus tertio adiungitur,cum natura incedit à plantis ad animal. 2°. de ſemine. 1ª.339.G
Olfactus qualitates totidem ſunt,quot guſtus,ſed non ſunt ſortitæ peculiaria vocabula.de na.hu.com.1°. 1ª.28.H
in Olfactu non ſunt nomina.3°.de diff.pulſ. 4ª.63.H
Olfactus iudicat de qualitatibus.9°.de ſim.med.fac. 5ª.64.D
per Olfactum deuenimus in cognitionem qualitatis, & ſubſtantiæ alimentorum.3°.de ali.fac. 2ª.28.F
Olfactu primo probandæ ſunt plantæ,deinde comedendæ.2°. de alimentorum facultatibus. 2ª.24.E
Olfactus docet diſcernere cibos attenuantes.de atten.vic. 2ª.43.G
Olfactu regula inueniendi habentia vim attenuandi,& incidendi. de attenuante vic. 2ª.44.B
Olfactu,& guſtu ſimplex medicamentum excellens eſt validius. 1°. de antidotis. 5ª.100.E
Olfactus quid percipiat in morbis.de ijs,quæ in me.ſi.com.1°. 7ª.199.D
Olfactus quibus contriſtatur.1°.de ſymp.cau. 3ª.16.H
Olfactum angit humor acris.15°.de vſu par. 1ª.211.H
Olfactus potentiæ læſio vnde fiat.3°.de loc.aff. 4ª.21.D
OLIBANI electarium.de med.exper. Sp.108.A
OLIGOPHORA vina vnde dicta.de bo.& vi.ſuc. 2ª.38.G
Oligophorum vinum,quale ſit.7°.meth.med. 7ª.45.E
Oligophora vina non ſunt noxia capiti.de bo.& vit.ſucc. 2ª.38.G
Oligophora vina ſedant dolorem capitis,qui ſit ab humoribus ventriculo collectis.de bo.& vit.ſuc. 2ª.38.G
OLIGOSCHOENOS. 8°.de ſimp.me.fac. 5ª.62.A
Oligoſchœni fructus ſomnum affert.8°.de ſimp.me.fac. 5ª.62.A
Ὀλιγοτροφίαν nutritionem parciorē vocant.3°.de ſan.tuen. 2ª.80.C
OLIVAE acerbæ, & ſiccæ ſunt nuper enatæ, vbi maturuerint dulces, & progreſſu temporis humidiores redduntur.4°.de ſimplicium medicamentorum facul. 5ª.25.F
Oliua primo pontica eſt,deinde dulceſcit.de ocul. 7ª.188.B
Oliuæ palam ab acerbitate in dulcedinem tranſeunt. 4°. de ſimplicium medicamentorum facul. 5ª.25.F
Oliuarum partes ſolidæ quo modo vocentur.2°.de alim.fac. 2ª.18.C
Oliuarum nuclei terreni ſunt.9°.de ſim.me.fac. 5ª.64.H
Oliuarum natura calida eſt moderate.6°.de ſimp.med.fac. 5ª.46.F
Oliuæ caducæ habent multum pinguedinis.2°.de ali.fa. 2ª.20.H
Oliua pinguis exacte.4°.de ſimp.med.fac. 5ª.26.F
Oliua immatura adſtringit,& refrigerat.6°.de ſimp.me.fac. 5ª.46.F
Oliuæ non caducæ ſuccū habent adſtringentē.2°.de ali.fac. 2ª.20.H
Oliuas caducas cum pane mandunt.2°.de ali.fac. 2ª.20.H
Oliuæ albæ.5°.de comp.me.ſec.loc. 5ª.164.E
Oliuæ colymbades.6°.de comp.med.ſe.loc. 5ª.176.C
Oliuæ druppæ.6°.de ſimp.med.fac. 5ª.46.G
Oliuæ nigræ vitandæ in capitis doloribus à ſtomacho, & ab alijs partibus.2°.de compoſi.me.ſec.loc. 5ª.137.B
Oliuæ ſmaragdinæ.de dyna. Sp.24.B
Oliuæ numerant inter cibos,qui prius ſumebant.2°.de ali.fac. 2ª.18.G
Oliuæ cum garo ante cibos deijcere faciunt.2°.de ali.fac. 2ª.20.H
Oliuæ cum tertia parte panis ventrem molliunt.de pue.epil. 7ª.180.C
Oliuæ muria conditæ quales.6°.de comp.med.ſe.loc. 5ª.176.B
Oliuarum muria.6°.de comp me.ſec.loc. 5ª.175.H
Oliuæ cum aqua,quando comeduntur ante cibum cum muria,leniunt ventrem.de diſſol.con. Sp 75.A
Oliuæ poſt cibum ſine muria, & maxime quæ ſunt ponticæ quid faciant. de diſſol.cont. Sp.75.A
Oliuæ parum nutriunt.2°.de ali.fac. 2ª.20.H
cur Oliuæ parum nutriunt.de diſſol.cont. Sp.73.F
Oliuæ rectificant ſtomachū mollem,& debilē.de diſſ.cont. Sp.74.D
Oliuæ ſtomachum roborant.2°.de ali.fac. 2ª.20.H
Oliuæ appetentiam excitant.2°.de ali.fac. 2ª.20.H
Oliuæ cum oleo repoſitæ ſtomachum roborant, & appetentiam excitāt de alimentorum fac. 2ª.20.H

Oliuæ obſonium

Oliuæ obſoniū in capitis dolore ex ſtomacho.2°.de cōp.me.ſe.lo. 5ª.135.B
Oliuas in prandio dat epilepticis.de puer.epil. 7ª.180.F
Oliuæ quales in diæta attenuante.de atten.vic. 2ª.46.A
Oliuæ ante balneum ſumendæ ſunt.6°.de ſan.tuen. 2ª.97.G
ex Oliuæ teneris germinibus quę fiunt,repellunt. 1°. de arte curati. ad Glauconem. 1ª.100.A
ex Oliuis proprie dicitur oleum.6°.de ſimp.med.fac. 5ª.46.F
quæ Oliuæ oleum perfectum dulciſſimum faciunt. 6°. de ſimplicium medicamen.fac. 5ª.46.G
ex Oliuis olea quæ nō ſunt,dicūtur olea abuſiue.3°.de ſan.tuen.2ª.79.B
Oliuæ ſarmentorum cinis qualis.de ſimp.med. Sp.86.A
Oliuæ radices pituitam purgant.de dynam. Sp.22.A
Oliuæ radicis doſis.de dynam. Sp.22.A
Oliuæ lachryma vires hēt vehemēter excalfactorias.de ſim.m.Sp.83.F
Oliuæ lachryma ad oculorum caliginem facit.de ſimp.med. Sp.83.F
OLLAM nouam pro medicamento accipi iubet.4°. de compoſit.medicamen.per gene. 5ª.243.C
Olla æris rubri.6°.de comp.med.per ge. 5ª.256.E
Ollarum flos.de med.fac.par. 7ª.174.B
per Ollam fomentum quomodo fiat.3°.de comp.med.ſec.loc. 5ª.145.C
in Ollam iubet inſpici propter nyctilopas.de remed.par.fac. 7ª.156.H
OLOSTIVM exiccat adſtringens.8°.de ſimp.med.fac. 5ª.57.C
Oloſtium ad rupta potui exhibent.8°.de ſimp.med.fac. 5ª.57.C
OLVS quod nomen ſit,& quid ſignificet.de atten.vic. 2ª.44.B
Olerū ſpeciebus nō erāt impoſita noīa antiquitus.de atten.vic. 2ª.44.B
Olerum facultates ſcire ſatis eſt,quamuis ſingulas ſpecies nō agnoſcas. de attenuante vic. 2ª.44.B
ne Olus qu dem abſq; definitione aliqui emcrēt.2°.de diff.pul. 4ª.53.E
in Oleribus caulis eſt annuus.2°.de alim.fac. 2ª.24.C
Olerū caulis habet tpaturā foliorū ſed ſicciorē.2°.de ali.fac. 2ª.24.A
Olerum omnium radices quales.de atten.vic. 2ª.45.G
Olerum qualitas nobis familiaris eſt pro alimento vt etiam leguminū, & huiuſmodi,contraria vero cantharidis.7°.de vſu par. 1ª.159.B
Olera, quibus nō eſt multa acuitas,ſunt de cibarijs medijs.de diſſolutione continua. Sp.74.B
Olera ſunt cibi imbecilli.in 6m.de mor.vul.com.5°. 3ª.192.E
Oleribus & ſucco ptiſſanæ,ſi exercens ſe, vtatur, cito labefactatur.1°. de alimen.facul. 2ª.10.B
Olera omnia vitio digeruntur.de diſſ.cont. Sp.73.E
Olera facile nutriunt,ſed parum.8°.meth.med. 7ª.50.H
Olera omnia cur parum nutriunt.de diſſ.cont. Sp.73.G
Olera omnia habent alimentum pauciſſimum,tenue, & aquoſum.2°.de aliment.facul. 2ª.23.D
Olera quos faciant humores.com.2°.aph.18°. Ex.14.B
Olera nulla habent bonum ſuccum.de bon.& vi.ſuc. 2ª.37.F
Olera omnia generant malos humores.de diſſ.cont. Sp.74.C
Olera quæ ſunt vitioſiſſimi ſucci.de bon.& vit.ſuc. 2ª.37.G
Olerum radices,germina, ſtipites, & folia ſuccum gignunt pituitoſum. de attenuan.vic. 2ª.45.G
Oleribus paucis vere vtendum eſt de ſal.die. 2ª.40.C
Oleribus crudis,& elixis æſtate vtendum.de ſal.die. 2ª.40.C
Olera quæ edenda illis,qui ſemel tantum comedunt in die.de vic. rat.in mor.acu.com.4°. 7ª.145.B
Olera cruda q̄ ſtomachicis conueniunt.8°.de comp.med.ſec.loc.5ª.192.C
Olera cocta q̄ ſtomachicis conueniunt.8°.de comp.med.ſec.loc. 5ª.192.C
Olus ventrem mollit.de puer.epil. 7ª.180.C
quæ Olera deiectionem faciunt.2°.de alim.fac. 2ª.23.C
Olera ex oleo,& garo faciūt deijcere aluū.6°.de ſa.tuē.97.F/2ª.99.H
Oleribus ex oleo,& garo aſſumptis ante cibū ſoluitur ſenū aluus. 5°. de ſanitate tuenda. 2ª.92.E
poſt Olera ex oleo,& garo ſumenda ſunt mala punica.3°.de ſymptomatum cauſis. 3ª.24.H
Olera ſuauiſſima mouentia vrinam.de cura icter. Sp.111.D
quæ Olera epilepticis conueniunt.de puer epil. 7ª.180.C/F
ex Oleribus qui humiditatem contraxerunt,& volūt exerceri,incidūt in febrem ephemeram.3°.de ſan.tuen. 2ª.81.G
Olerum acrium radices ſunt mali ſucci.de bon.& vi.ſuc. 2ª.37.G
Olerum agreſtium aliud genus.de atten.vic. 2ª.44.B
Olera ſylueſtria quæ.de atten.vic. 2ª.44.C
Olera agreſtia pariunt malos ſuccos.de bon.& vi.ſuc. 2ª.33.G
ex Oleribus agreſtibus omnia ſunt vitioſiſſimi ſucci: de bonitate & vitio ſuccorum. 2ª.37.G
Oleris atri ſemen frangit lapidem renum,& veſicæ.de cath. Sp 95.D
ex Oleribus braſſica potius ſiccat quam malua.5°.de ſan.tuen. 2ª.92.C
Oleribus oībus multi medici antepoſuerūt lactucā.2°.de ali.fa. 2ª.22.D
Olerum ſola lactuca detergit.4°.de ſan.tuen. 2ª.84.F
Olera hortēſia cur cū aceto,& oleo māduntur.de atten.vic. 2ª.44.C
Olus iamenum eſt humidum.de diſſ.cont. Sp.74.D
Olus iamenum eſt de cibarijs medijs.de diſſ.cont. Sp.74.B
Olus iamenum eſt malum ſtomacho,& cur.de diſſ.cont. Sp.74.E
Olera ſpinoſa mediocriter iuuant ſtomachum.2°.dc alim.fac. 2ª.23.D
Olerū halitus inficit vicinū aerē.in 3m.de mor.vul.com.1°. 3ª.133.F
ex Olerū putredine aer coinquinatus fit peſtilēs.1°.de ſan.tuē. 2ª.67.B
Olerum putredinis aer euitandus.12°.meth.med. 7ª.77.E
OLYMPIACVS Mileſius methodicæ ſectæ auctor.intr. Iſa.51.E
Olympicus nugax.1°.meth.med. 7ª.6.H
in Olympijs ſe exercētes non curāt filios ſuſcipere.1°.de ſem. 1ª.334.A
ab Olympio vſitatum malagma.9°.de comp.med.ſec.loc. 5ª.200.D
OLYNTHI groſſi.8°.de ſimp.med.fac.57.B/ 5ª.61.F
OLYRA. 1°.de alim.fac. 2ª.12.C
Olyræ color albus.1°.de alim.fac. 2ª.13.B
Olyra vbi plurima.1°.de alim.fac. 2ª.13.B
Olyra in Aſia frequens.1°.de alim.fac. 2ª.12.G
Olyra frequens in Aſia,qualis.de atten.vic. 2ª.44.H
Olyra media eſt inter triticū,& hordeū.8°.de ſimp.med.fac. 5ª.57.C
Olyra quanto ſit tritico deterior.de atten.vic. 2ª.44.H
Olyra & Typha ſunt zea.de atten.vic. 2ª.44.H
Olyræ,& tragi ſemina idē ab aliquibus putantur.1°.de alim.fa.2ª.12.H
ex Olyra tragus quomodo.1°.de alim.fac. 2ª.12.H
Olyra cortice emundanda.de atten.vic, 2ª.45.A
Olyrini panes quales.1°.de alim.fac. 2ª.12.G
OMATARICHON id eſt crudū ſalſamentum. 5°. de comp.med.ſec.loc. 5ª.159.D
Omelyſeos meminit.6°.de comp.med.ſec.loc. 5ª.174.A
OMENLYSIM quid vocent Græci. 3°. de compoſi. med. per gene. 5ª.229.A/14°.meth.med. 7ª.87.E
OMENTVM & epiploon,idem.6° de ana.adm. 1ª.91.D
Omentum vocatur viſcus.3°.de nat.fac. 1ª.304.B
Omentum quomodo gignatur.de fœt.for. 1ª.322.H
Omenti ſectio.6°.de anat.admi. 1ª.91.D
Omentum facile eximi poteſt ab animali.6°.de anat.admi. 1ª.91.F
Omentum vbi ſit.de anat.parua. Sp.43.B
Omenti ortus.6°.de anat.adm.91.F/4°.de vſu par.1ª.138.B/commē. 7°. aphoriſmo.55°. Ex.58.H
Omentū q̄bus cōnectatur.6°.de ana.adm.91.F/4°.de vſu par. 1ª.138.C
Omenti figura quæ.6°.de ana.admi. 1ª.91.F
Omentum cur extenſum eſt ad omnia inteſtina.4°.de vſu par. 1ª.137.E
Omenti eſſentia eadem cum eſſentia peritonei.6°.de ana.adm. 1ª.92.A
Omentum quibus conſtet.4°.de vſu par. 1ª.137.D
Omenti compoſitio vnde.6°.meth.med. 7ª.40.A
Omentum habet duas tunicas.4°.de vſu par. 1ª.137.D
Omentum eſt ſolidum,& firmum vndequaq;,ita vt nihil in ipſum ex aliqua parte poſſit incidere.com.7°.apho.55°. Ex.58.H
Omento venæ intertextæ vnde.de ven.art.diſſ. 1ª.56.B
ad Omentum vena vnde oriatur.16°.de vſu par. 1ª.220.H
in Omentum venarum omnis diſtributio fit ſimul cum arterijs. 16°. de vſu partium. 1ª.220.H
in Omento quid agat pinguedo.4°.de vſu par. 1ª.138.C
Omenti vſus qualis.6°.meth.med. 7ª.40.A
Omentū factū eſſe gratia calefaciēdi qūo ꝓbetur.4°.de vſu pa. 1ª.137.D
Omentum calidum eſt.4°.de vſu par. 1ª.137.D
Omentum eſt cibi inſtrumentum.6°.de ana.adm. 1ª.90.F
Omentum quid agat.6°.de anat.adm. 1ª.90.F
in Omētū quibus hepar aqua plenū eruperit his venter aqua repletur, & moriuntur.com.7°.apho.55°. Ex.58.H
Omēto nō pōt aqua effluere,niſi aliquo mō exedat.c.7°.a.55°. Ex.58.H
Omentum cum ad inferiores teſticulorū tunicas deuoluitur eſt ægritudo in ſitu.de diff.mor. 3ª.5.C
Omentum deuolutum ad inferiores teſticulorum tunicas appellant græci epiplocelem.de diff.mor. 3ª.5.C
Omento diſſecto inteſtina ſuis ſedibus mouentur.de cau.mor. 3ª.9.E
Omētū ſi p vulnus exeat ſignificat pitoneū eē deciſſū.1°.de lo.af. 4ª.2.F
Omentum excidit peritonæo vulnerato 6°.meth.med. 7ª.39.H

Omentum ſi

Omentum ſi excidat neceſſario putreſcit.com.6°.apho.58°. Ex.53.F
Omentum ſi exciderit quid agendum.6°.meth.med. 7ª.39.A
ſi Omentum quod exciderat putreſcit, quid agant medici.comment.6°. aphoriſmo 58°. Ex.53.F
Omentum non adimitur etiam ſi exiuerit, niſi ſit liuidum effectum. 4°. de vſu partium. 1ª.137.D
Omentis pars nigra amputãda eſt, quãdo abdominis vulnus exit.6°.methodi medendi. 7ª.40.B
Omentum quibus excidit, & vulneratum ſit, & abſciſſum, ſentiunt in ventriculo frigiditatem.4°.de vſu par. 1ª.137.E
in Omento ſi dimidia pars abſcinditur partis quę ſuperfuerit ægritudo mutilatio erit.de diff.mor. 3ª.5.A
in Omento mutilato erit aliqua diminutio magnitudinis, tamen ipſum animal neceſſario non dicetur mutilatum.de diff.mor. 3ª.5.A
Omentum aufertur.de diff.mor. 3ª.4.G
Omẽtũ totũ ferè Galenus abſcidit cuidã gladiatori.4°.de vſu p. 1ª.137.E
OMNINO vocabuli expoſitio.de nat.huma.com.1°. 1ª.27.B
Oĩno ſi habeat ante ſe negationẽ quid ſignificet.cõ.2°.ap.19°. Ex.14.C
OMNIA ſunt in omnibus ſed inæqualiter, vt ſanguis quoq; in arterijs, aer quoq; in venis, & ventriculo.6°.de vſu par. 1ª.154.H
Omnia fiunt tribus artificibus inſtrumentis, & materia.de vocalium inſtrumentorum diff. 1ª.106.C
Omnia compatiuntur, & conſentiunt in cõpagine totius corporis.1°. de vſu partium. 1ª.114.F
Omnia inter ſe mutuo afficiuntur.1°.de nat.fac. 1ª.293.H
ad Omnes Aegritudines emplaſtrum.ſecr. Sp.102.B
Omne Animal habens calorem magnum neceſſarium fuit habere pulmonem magnum.de ana.viu. Sp.47.F
Omne animal abundans in ſepo, & pinguedine, abundat & in medulla. de anatomia viuorum. Sp.44.D
Omne animal eſt particeps rationis quanquã de homine ſolo dicitur per excellentiam.in oration. exor. Iſa.2.B/C
Omnes Aquæ tarde deſcendunt.de diſſol.cont. Sp.74.H
Omnes aquæ paludoſæ ſunt peſſimæ.de bon.aquæ. Sp.75.D
Omniũ Arteriarũ trũcus eſt arteria maxima.1°.de decr.Hip. 1ª.232.D
Omnes arteriæ à magna arteria, quæ in ſiniſtro cordis vẽtriculo eſt, oriũtur.1°.de Hipp.& Plat.decre. 1ª.233.C
Oĩs Cadmia ſtyptica eſt, & vehemẽter ſtringit.de ſim.med. Sp.81.F
Omnis Caro quieſcens non velocis exercitij eſt multarum ſuperfluitatũ. de diſſ.cont. Sp.73.E
Omnis Caſia fiſtula acriter calfacientes, & ſtringentes vires habet. de ſimp.med. Sp.82.H
Omnis Cera remollit, & laxat durities.de ſim.med. Sp.82.B
Omnes Chamæpithios ſpecies vires habent acres, & diureticas. de ſimplic.medica. Sp.85.F
Omnes Cibi dulces ſunt mali hepati, & renibus:de diſſ.cont. Sp.74.G
Oĩbus Corporis mẽbris cor eſt calidius.de cõp.mẽb.ſi.de na.h. Sp.58.G
Omnes corporis partes habent colligantiam ad cor per venas peliculas, & neruos.de vtil.reſp. Sp.62.G
Omne Coſtum vires habet acriter ſtringentes.de ſimp.med. Sp.82.D
Omne Crocum vires habet leuiter ſtypticas.de ſimp.med. Sp.81.E
Omne Daucũ vires habet acres, & excalfactorias.de ſim.me. Sp.83.E
Omnis fimus efficaciſſime tumorem lenit, & veteres durities remollit. de ſimp.med. Sp 84.E
Omnis fimus podagricos in acceſſionibus iuuat.de ſimp.med. Sp.84.E
Omne quod fit ex alio minus eſt eo a quo generatur.de vti.reſp. Sp.62.E
Omnia ob aliquem finem facta.1°.de nat.fac. 1ª.291.H
Omnis Galla ſtringit vehementer.de ſimp.med. Sp.84.F
Omnes Glandulæ ſunt inſenſibiles.de vtil.reſp. Sp.62.H
Omnia inſtrumenta ſenſuum continentur pelliculis.de vti.reſp. Sp.63.D
Omne Lignũ durũ eſt ſecundũ Hippocratẽ, & tactu lædit.ꝺ ma.7ª.319.E
Omnia Mala de corpore tollit radix cucumeris agreſtis ſiccata, et raſa, & cribrata.de ſimp.med. Sp.83.A
Omnis detractio Medicinæ eſt calida, & humida.de cathar. Sp.94.D
Omnis Medulla leniter mollit, & relaxat durities, & tumores. de ſimplic.med. Sp.87.D
Omne Membrum congelatum terreſtre priuatum ſenſu ex melancholia eſt.de anat.viu. Sp.45.F
ad Omne mẽbrũ inſtrumẽtale veniũt duæ venæ.de ana.viuo. Sp.44 B
Omne membrum intẽdit ſuo commodo, & reparationi.de motibus manifeſtis, & obſcuris. Sp.68.A
Omnia habent ſanitatis tuendæ prouidentiam.6°.de ſan.tuen. 2ª.95.B
Oẽ mẽbrũ attrahit ſibi quod cõuenit ei.de mot.man.& obſcu. Sp.68.A
Omnis motus fit per villos.de ana.viu. Sp.44.G
Omn s Myrrha ſtyptica eſt, acris, excalfactoria.de ſimp.med. Sp.87.B
Omne Nutrimentum ſimile fit ei cuius eſt nutrimentum.de vtilitate reſpirationis. Sp.63.H
Omne nutrimẽtũ influẽs refrigerat id qꝺ nutrit:de vtil.reſp. Sp.63.A
Omnia Oua dura elixa, & aſſa tarde deſcendunt.de diſſ.cont. Sp.74.H
Omne Piper Syncere ſtringit, excalfacit, totũ corpus vehementer commouet.de ſimp.med. Sp.88.F
Omnis Prauitas eſt extra naturam.de ſper. Sp.40.D
Omnis Reſina efficaciter relaxat, & remollit.de ſimp.med. Sp.89.D
Omnia Salſamenta pruritum mouent.de cathar. Sp.95.D
Omnis Senſus, & motus influens influit per neruũ.de ana.vi. Sp.48.A
Omnes ſenſus particulares reducuntur ad ſenſum communem. de anatomia viuorum. Sp.45.G
Omnis ſubſtantia corporea animata ex elementis eſt.de ſper. Sp.39.A
Oĩs ſubſtãtia corporea animata teſte Hippocrate iuncta eſt, & ligata in planetis, & ſignis, quatuorq; elemẽtorũ nexibus.de ſper. Sp.38.G
Ὁμογενῆ, id eſt eiuſdem generis.in 1ᵐ.prorrh.com.1°. 4ª.161.G
Ὁμοειδῆ, id eſt eiuſdem ſpeciei in 1ᵐ.prorrh.com.1°. 4ª.161.G
Ὁμοιομερῆ ſimilares partes vocat Ariſtoteles.6°.de ſa.tuen. 2ª.95.C
Ὠμοπλάται quid.intro.Iſa.63.E/13°.de vſu par. 1ª.202.D/10°.met. medendi. 7ª.64.G
in Omplatis venæ, & arteriæ ſe contingunt.9°.de vſu par. 1ª.172.H
OMOTONA febris quæ.in 6ᵐ.de mor vul.com.1°. 3ª.160.A
Omotonos ſpiritus ſynochi.9°.meth.med. 7ª.57.A
OMOTRIBES vocãt oleũ crudũ.6°.de ſan.tuen.98.H/ 2ª.100.F
Omotribes oleum, quale.1°.de comp.med.ſec.lo. 5ª.122.A
Omotribe, id eſt oleo omphacino fit refrigeratio.2°.de compoſitione medicamen.per genera. 5ª.220.F
Omotribes oleum non valet in frictione.3°.de ſan.tuen. 2ª.79.B
Omotribes oleum.6°.de ſimp.med.fac. 46. G/2°.de comp.med.ſec.loc. 5ª.132.E/6°.meth.med. 7ª.37.D
OMPHA dicta nardus, quæ.1°.de antid. 5ª.106.F
OMPHACINVM vocant oleum crudum.6°.de ſa.tuẽ.98.H/ 2ª.100.F
Omphacinum oleum, quale.1°.de comp.med.ſec.loc. 5ª.122.A
Omphacinum oleum non valet in frictione.3°.de ſan.tuen. 2ª.79.A
Omphacinum oleum.6°.de ſimplic.medi.facul.46.G/2°.de compoſitione medi.ſec.loc. 5ª.132.E
OMPHACITIS galla deſiccat, & indurat.5°. de ſimplicium medica. facultatibus. 5ª.36.C
OMPHACIVM quomodo fiat.de dynam. Sp.23.A
Omphacium, & acetum differunt.4°.de ſimp.med.fac. 5ª.27.D
Omphacio tenuius eſt acetum.4°.de ſimp.med.fac. 5ª.27.E
Omphacium neq; habet calorem, neq; acrimoniam.4°.de ſimplic.med. facultatibus. 5ª.27.D
Omphacium, & ſal contraria ſunt. 6°. de compoſitione medicamentorũ ſecundum locos. 5ª.174.D
Omphacium eſt acidum, & acerbum.4°.de ſimp.med.fac. 5ª.27.F
Omphacium numeratur inter adſtringentia parabilia.6°.de compoſitio. medic.ſec.loc. 5ª.169.G
Omphacium adſtringit.9°.de ſimp.med.fac. 5ª.64.C
Omphaciũ vehementer adſtringit.5°.de ſimp.med.fac.39.B/4°.de com. med.ſec.loc. 5ª.149.H
Omphaciũ adſtringens vehemẽs iudicat Galenus.5°.meth.me. 7ª.31.G
Omphacium vinum plus adſtringit quàm oportet.1°.de compoſi. medic. per genera. 5ª.211.G
Omphacium conuenit dyſenterię.11°.de ſimp.med.fac. 5ª.81.E
Omphacium exiccat in tertio ordine non tamen vrit. 5°. de ſimplicium med.facul. 5ª.63.B
Omphacio refrigerantur ardores.4°.de ſimp.med.fac. 5ª.27.G
Omphacium ad hypochondria ardentia magis conuenit, quam acetum. 4°.de ſimp.med.fac. 5ª.27.F
Omphacium vlcera glutinare non poteſt.1°.de ſim.med.fac. 5ª.7.H
Omphacij meminit.5°.meth.med. 7ª.34.B
pro Omphacio ſuccus Rheis.6°.de comp.ſec.loc. 5ª.168.D
Omphacium roſaceum.10°.meth.med. 7ª.65.A
OMPHACOCARPVM idem cum apparine herba.6°. de ſimplic.medic.facul. 5ª.43.D
OMPHAX quid, & eius vires.de ſimp.med. Sp.88.B
Omphax vua acida.4°.de ſimp.med.fac. 5ª.27.D
Omphax guſtu eſt ſtyptico valde linguam ſubmordet potenter ſtringit,

omne pro-

omne profluuium confeſtim tenet.de ſimp.med. Sp.88.B
Omphaciarum vuarum differentia.4°.de ſimp.med.fac. 5ª.27.F
Omphax quomodo ab aceto differat.4°.de ſimp.med.fac. 5ª.25.A
Omphacis ſuccus perfecte refrigerat.4°.de ſimp.med.fac. 5ª.25.A
Omphax quo modo prodeſt ardoribus.4°.de ſimp.med.fac. 5ª.25.A
OMPHACOMELI quo modo fiat.de dynam. Sp.22.C
Omphacomeli ad quæ valet.de dynam. Sp.22.C
Omphacomeli alia compoſitio.de dyna. Sp.22.D
ONAGRON habet vini facultatem, & vinum olet.8°.de ſimp.med.fac. 5ª.57.C
Ὀνειροπόλοι qui dicanter.de vict.ra.in mor.acu.com.1°. 7ª.110.B
Ὀνειρωπομπῶν meminit.10°.de ſimp.med.fac. 5ª.72.D
ONERATA facultas,& ĩbecilla q̃uo differãt.3°.de ca.p. 4ª.99.B
ONESIDEMI ad Nephriticos.10°.de cõp.me.ſec.loc. 5ª.206.D
Oneſidemi confectio.10°.de comp.med.ſec.loc. 5ª.206.D
ONETRI pharmacum.7°.de comp.med.ſec.loc. 5ª.187.A
ONISCOS in albo iure dabis in ſebre ſi guſtare lit carnem. 4°. de ſanitate tuenda. 2ª.87.G
Oniſci ad aurium dolores valent.11°.de ſimp.me.fac. 5ª.82.G
ONOBRYCHIS rarefacit,& digerit.8°.de ſimp.me.fa. 5ª.57.C
Onobrychis folia phymata digerunt,& ſtrangurias ſanant.8°.de ſimp. med.facul. 5ª.57.C
Onobrychis ſudores elicit cum oleo iuncta.8°.de ſimp.me.fac. 5ª.57.C
ONOCHOS anchuſa calidior eſt,anchuſa lycopſo.6°. de ſimplicium medic.facul. 5ª.41.C
Onochæ,anchuſæ qualitates.6°.de ſimp.med.fac. 5ª.41.C
ONONIS calida eſt in tertio ordine.8°.de ſimp.med.fac. 5ª.57.D
Ononis vrinas prouocat,& lapides confringit, cruſtas detrahit, & ad dentium dolores valet.8°.de ſimp.med.fac. 5ª.57.D
ONOSMA acris,& amara.8°.de ſimp.med.fac. 5ª.57.C
Onoſma fœtus necare,& eijcere creditur.8°.de ſimp.med.fac. 5ª.57.C
ONOTHERA aut onothris,aut onagron idem eſt.8°.de ſimplicium medic.facul. 5ª.57.C
ONERIS geſtatio eſt exercitatio & opus.2°.de ſan.tuen. 2ª.23.G
Onus non eſt idem puero,& iuueni.de mult. 3ª.76.H
ad Onus portamen ægri comparatio.3°.de criſi. 4ª.141.D
ONYCHIS bdelli,meminit.8°.de comp.med.ſec.loc. 5ª.197.C
ONYX qualis,& eius vires.de incant.adiur.& ſuſp. 7ª.182.A
ONYCHITES cadmia quæ.de ſimp.med. Sp.81.F
OPERARI quid ſit. in 6^{m}. de morbis vulgaribus, commentario 2°. 3ª.161.D
Operari vt poſſimus ſtructura efficit naturalis.de diff.morb. 3ª.2.C
Operari ſecundum naturam eſt bene valere.ad Thraſ. 2ª.103.B
OPERATIO quid.6°.de decr.Hipp.1ª.260.F/de ſper. Sp.39.A
Operatio,& affectio quando vna & eadem res.6°.de decr. 1ª.260.H
Operatio corporeæ materiæ ligata ẽ quatuor elemẽtis.de ſper. Sp.40.D
Operatio ſecundum naturam.6°.de decr.Hipp. 1ª.260.G
Operationes cuiuſcunq; particulæ aĩalis quatuor.cõ.2°.ap.7°. Ex.11.H
Operationes naturales,virtutes vitales reducendæ ad vnum principiũ. de anatomia viuorum. Sp.45.G
Operationum naturalium auctor eſt calor naturalis. in 6^{m}. de morbis vulg.com.5°. 3ª.190.A
Operationes per ſolidas animalis partes fiunt.cõ.1°.aph.17°. Ex.23.G
Operatio animæ in corporibus perficitur.de ana.viu. Sp.55.B
Operationes obtinentes principatum quæ.ars med. Iſa.63.E
Operationes cordis,iecoris,& cerebri.in 1^{m}.prorrh.cõ.2°. 4ª.169.F
Operationem membrorum debet inueſtigare medicus. de renũ affectuũ digno.& med. 7ª.192.B
Operationum per ſanitatem modum cognoſcere eſt principium inueniendi,quæ nocent virtutibus.3°.de ſymp.cau. 3ª.24.F
Operatio omnis ab aliqua ægritudine læditur.de diff.morb. 3ª.4.H
Operationes niſi ſint leſæ nulla alteratio eſt morbus.1°.met.me. 7ª.8.C
Operationum læſio eſt morbus.com.5°.aph.57°. Ex.42.H
Operatio tripliciter læditur.ars med. Iſa.67.C
Opationũ ſẽſibilis læſio diſtinguit ſalubria ſalubribus.ars med. Iſ.62.H
Opationes oẽs immodica intẽperies exoluit.com.2°.aph.20°. Ex.14.F
Operationes læduntur a vehementibus intemperaturis. cõmẽtario 2°. aphoriſmo 22°. Ex.15.B
Operationes multum læduntur,ſi exeat ſanguis,aut ex hæmorrhoidibus vel venis, vel vtero muliebri.com.2°.aph.22°. Ex.15.B
Opationis læſio ſequit̃ neruo,qui ſit via,obſtructo. 1°.de ſym.c. 3ª.16.C
OPERCVLVM nomen vinculi ab euentis.de faſcijs. 7ª.293.H
Operculum ſciſſum in partes octo ad caput.de faſcijs. 7ª.294.G
Opculũ ex faſcia lata triũ capitũ vocatur σκεπάσρα.de fa. 7ª.294.H
Operculum in organis ad quid.de mach. 7ª.310.E
Opercula cur habeant organa.de machin. 7ª.316.G
de OPHIASI 1°.de comp.med.ſec.loc. 5ª.121.E
Ophiaſis vnde nomen habuit.2°.meth.med. 7ª.9.E
Ophiaſis vnde dicta,& quã formã habeat.de remed.par.fac. 7ª.154.E
Ophiaſis quid.fin.med.Iſa.48.C/de remed.par.fac. 7ª.154.E
Ophiaſis qui morbus ſit,et quomodo differat à ptiloſi,myrmecia, leuce, vitiligine,ſphacelo,alopecia,elephante,ſcabie,& lepra.14°.methodi medendi. 7ª.92.C
Ophiaſis qualis.1°.de comp.med.ſec.loc. 5ª.121.E
Ophiaſis pilorum affectus,fin.med. Iſa.48.B
Ophiaſis eſt capillorum paſſio.com.6°.aph.34°. Ex.50.C
Ophiaſis affectus ſuperioris partis capitis,& menti.introd. Iſa.59.C
Ophiaſis ꝑpter quid fiat,& vnde dicat̃.1°.de cõp.med.ſec.loc. 5ª.121.E
Ophiaſis quo modo fiat.14°.meth.med. 7ª.93.D
Ophiaſis incipiens non eſt ophiaſis.1°.de comp.med.ſe.loc. 5ª.121.G
in Ophiaſi amittitur particula vtilis.14°.meth.med. 7ª.93.C
Ophiaſim hẽre medicũ eſt turpiſſimũ.in 6^{m}.de mor.vul.cõ.4°. 3ª.181.H
in Ophiaſi colores conſiderandi.de rem.par.fac. 7ª.154.E
ad Ophiaſim pilulæ.de remed.par.fac. 7ª.154.G
ad Ophiaſim localia medicamenta.de remed.par.fac. 7ª.154.G
Ophiaſis meminit.in 6^{m}.de morb.vulg.com.2°. 3ª.160.H
OPHIOSCORODON agreſte allium eſt. 8°. de ſimplicium medicam. faculta. 5ª.60.H
OPHITES lapis qualis.9° de ſimp.med.fac. 5ª.67.D
Ophites lapis collo ſuſpenſus morſus à vipera ſanauit.9°. de ſimplicium medic.facul. 5ª.67.E
Ophites lapis veſicæ lapides confringit.9°.de ſimp.med.fac. 5ª.67.D
OPHTHALMIA à læſa particula nomen ſortita eſt. 2°. methodi medendi. 7ª.9.D
Ophtalmia quid.4°.de compoſ.med.ſec.loc.5ª.150.F/2°. de arte cura.ad Glauc.101.D/de ocul.7ª.189.B/D/de par.art.med. Sp.17.C
Ophtalmia ſiue lippitudo oculorum frequentiſſima affectio. 4°. de compoſi.med.ſec.loc. 5ª.150.F
Ophtalmia morbus coniunctiuæ.de ocul. 7ª.186.F
Ophtalmia triplex,& eius cauſa.de ocul. 7ª.186.F
Ophtalmia eſt inflammatio.2°.de arte cur.ad Glau. 7ª.101.C
Ophtalmia ponitur inter morbos q vere apparent.5°.de ſan.tu.2ª.94.D
Ophtalmia ab aliquibus ſymptoma dicitur.12°.meth.med. 7ª.74.F
Ophtalmia à quo humore fiat,& quibus curet̃.7°.de ſimp.me.f. 5ª.51.E
in Ophtalmia cur ptes circa malas ĩtumeſcãt.4°.de cõ.me.ſ.l. 5ª.150.F
Ophtalmiã inſpicientes cur incidãt ophtalmiã.de motu man. Sp.69.D
Ophtalmia graui laborãtibus q̃ exercitatio vitãda.5°.de ſa.tu.2ª.90.A
Ophtalmia laborantibus capilli auferendi ſunt.11°.de vſu par. 1ª.189.F
in Ophtalmia ſecat venã extrinſecã è directo.2°.de a.c.ad G. 7.102.G
Ophtalmijs vehementibus affici conſuetis ſanguinem mittendum perſuaſit Galenus de cur.rat.per ſang.miſſ. 6ª.18.E
Ophtalmiæ confert ſectio arteriarũ poſt aures.de ana.viu. Sp.55.B
Ophtalmiæ antiquæ cõfert ſectio venarum temporũ, & quæ ſunt in angulis oculorum lachrymantibus.de ana.vi. Sp.55.A
in Ophtalmia quibus vtendum medicamẽtis.4°.de cõp.me.ſ.l.5ª.150.F
Ophtalmiã quæ ſanãt q̃uo concinnari debeãt.9°.de ſimp.me.f. 5ª.67.G
Ophtalmia laborantibus damus cholagoga.de dy. Sp.20.F
Ophtalmicis datur aloe.de dynam. Sp.20.G
ad Ophtalmias vtile eſt gypſum.9°.de ſim.med.fac. 5ª.69.A
ad Ophtalmias q̃uo ſit vſus gypſo Galenus.9°.de ſim.me.fa. 5ª.69.A
pro Ophtalmia lac mulieris.10°.de ſimp.med.fac. 5ª.73.H
Ophtalmias ſanare non poteſt ladanum.7°.de ſimp.med.fac. 5ª.51.E
ad Ophtalmiã valet Antidotus Archiuij.2°.de antid. 5ª.115.H
in Ophtalmia oculorum ex calidis,& frigidis humoribus quæ apponẽda.de ocul. 7ª.190.C
in Ophtalmia fomẽta ꝑ ſpõgiã qualia eẽ debẽt.4°.de cõ.m.ſ.l. 5ª.150.H
de Ophtalmijs incipientibus.de med.par.fac. 7ª.162.G
in Ophtalmiæ initio collyriũ.de ocul. 7ª.191.A
in Ophtalmiæ initio collyrium Oribaſij.de ocul. 7ª.191.D
in Ophtalmiæ dolores augumento collyriũ diarhodon.de ocu.7ª.191.A
in Ophtalmiæ augumento collyrium.de ocul. 7ª.191.A
Ophtalmiæ duræ collyrium.de ocul. 7ª.191.D
ad Ophtalmiam.ſecretorum. Sp.97.D/E
OPHTALMICAE facultates quæ dicantur.5°.de ſimp.me.fa. 5ª.32.B

Ophtalmica medi-

Ophtalmica medicamenta.5°.de ſimp.med.fac. 5ª.38.E
OPIATA quo dici poſſint ſanare dolorẽ.3°.de cõp.me.ſe.l.5ª.141.E
Opiata,& frigida quid faciant in doloribus.3°.meth.med. 7ª.17.D
Opiatis quæ miſceri debeant.7°.de comp.med.ſec.loc. 5ª.182.D
OPILIONES quo modo differunt à bubulcis.9°.de decr. 1ª.281.H
OPINABILE quid.fin.med. Iſa.43.F
Opinabilia quæ. de iis, quæ in med.fiunt.com.1°. 7ª.199.C
OPINIO quid ſecundum Democritum.1°.de elemen. 1ª.2.F
Opinio in anima conſiſtit, & quomodo deliria fiant in morbis thoracis. 2°.de loc.affect. 4ª.13.E
Opinionem,& phantaſiam nobis afferentes muſculi tres ſecundum Platonem.de voc.inſtr.diſſ. 1ª.106.D
Opinio ſequenda, quæ & ſi non habet demonſtrationem, tamen a nulla euertitur.de vtil.reſp. 1ª.225.E
Opinio potius prodẽda eſt ciuitas iuxta Archigenẽ.2°.de diſ.p. 4ª.58.F
Opiniones falſæ animas hominum præoccupantes non ſolum ſurdos, ſed & cæcos faciunt, ita vt videre nequant quę aliis conſpicue appareãt. 8°.de comp.med.ſec.loc. 5ª.187.C
Opiniones prauas cur antiqui non reprehendere.de purg.med. 5ª.86.B
Opiniones quatuor de elemẽtis p diuiſionẽ inueniũtur.1°.de elem. 1ª.3.C
Opinionem nullam refellit Galenus in opere.2°.de ſymp.cauſ. 3ª.21.B
OPISTHOTONICORVM pulſus.de dynam. Sp.35.D
ad Opiſthotonicos.7°.de compoſitione medicamentorum per genera. 265.C|270.A|C|D| 5ª.272.G
OPISTHOTONVS quid.fin.med.47.B|introd. Iſa.56.B
Opiſthotonos, id eſt tentio ad poſteriora.commen.4°.aph.57°. Ex.33.F
Opiſthotonos ſymptoma ipſius ægri eſt, non autem cauſæ,non loci,non facultatis.de opt.ſect. Iſa.24.B
Opiſthotonos videtur totius corporis conuulſio.de ſymp.diff. 3ª.11.F
Opiſthotonus morbus acutus.introdu. Iſa.55.E
Opiſthotonos eſt perpetuus.3°.de locis affect. 4ª.17.G
in Opiſthotono capiti præſidia adhibenda.3°.de loc.affe. 4ª.17.B
Opiſthotonon ſanat triphyllum.8°.de ſimp.med.fac. 5ª.60.B
OPIVM quid ſit.9°.de com.med.ſec.loc.5ª.201.E|de ſimp.m.Sp.88.A
Opium eſt lachryma papaueris,non ſuccus.2°.de antido. 5ª.114.B
Opium quomodo fiat,& quo tempore.de dynam. Sp.21.C
Opium Thebaicum optimum eſt.1°.de antido. 5ª.100.A
Opii hiſpani meminit.4°.de comp.med.ſec.loc.156.A|7°. 5ª.184.F
Opium quale.8°.de comp.med.ſec.loc.190.F|9°. 5ª.201.F
Opium ſoporiferum eſt etiam partibus extrinſecis applicatum, & quomodo.9°.de comp.med.ſec.locos. 5ª.201.F
Opium ſoporiferum eſt.de ocul.7ª.189.D| de ſimp.med. Sp.88.A
Opium ſtupefacit.in 6m. de morbis vulgaribus, com.2°. 3ª.161.B
Opium mortificat corpora, & reddit in frigiditatem immedicabilem.8°. de comp.med. ſecund.locos. 5ª.191.H
Opium quomodo necet.de theriaca ad Piſo. 5ª.94.B
Opium ſi qui biberint quid eos adiuuet.2°.de antido. 5ª.114.B
Opium quo dici poſſit ſanare dolorem.3°.de comp.me.ſe.lo. 5ª.141.E
Opio quæ ſint miſcenda.9°.de comp.med.ſec.loc 5ª.201.F
cum Opio,et ſtupefaciẽtibus cur ponant calida.8°.d cõp.m.ſ.l.5ª.190.H
cum Opio cur ponitur Caſtoreum.3°.de comp.med.ſec.loc. 5ª.143.A
Opio in facultate oppoſitũ eſt caſtoreum.8°.de cõp.me.ſec.loc. 5ª.190.C
Opium quibus conueniat,& quibus non.7°.de cõp.med.ſec.lo.5ª.184.C
Opium oculis conuenit.de ocul. 7ª.188.G
ex Opio collyria p dolorib° oculorũ vehemẽtiſſimis.12°.me.m.7ª.79.G
Opium collyriis admiſtum lachrymam ſtringit.de ſim.med. Sp.88.A
Opium mire oculis obeſt.3°. meth.meden. 7ª.17.D|E
ex Opio collyria multis fuere detrimento.2°.de cõp.me.ſe.lo. 5ª.134.G
Opium quo adhibetur in aurium dolore.2°.de comp.me.ſe.lo. 5ª.140.G
Opium circum linitum refrigerat, auricularum dolorem totum, corporis languorem mitigat.de ſimp.med. Sp.88.A
Opium curat phrenitim.de theria.ad Piſo. 5ª.94.B
Opiũ cur cœliacis dat,et in affectiõib° ſtomachi.8°.de cõ.m.ſ.l. 5ª.190.C
Opiũ vitãdũ vbi ſtomachus male affectus eſt.7°.de cõ.me.ſe.l. 5ª.178.E
Opium non ſanat pleuritidẽ.de vict.rat.in mor.acu.com.1°. 7ª.114.A
Opium quo modo debet ſeruari præparatũ.2°.de cõp.me.ſe.lo.5ª.140.G
Opio quando vti debemus.3°.de comp.med.ſecun.loc. 5ª.142.C
ex Opio pharmaca raro debent eſſe in vſu, & quando. 2°. de compoſit. medic.ſecun.locos. 5ª.134.G
Opium ſemper fugit Galenus quando põt.3°.de cõ.med.ſe.loc. 5ª.142.H
Opium torrefacit.3°.de comp.medic.ſec.loc. 5ª.142.F
Opii torrefacti ſit mentio. 4°. de compoſit. medicamentorum ſecundum locos.154.F|156.A|9°. 5ª.203.C
Ὅπλα, id eſt armamẽta nauiũ funes appellãt.de art.cõ.4°. 7ª.291.F
OPOBALSAMVM quid.de ſimp.med. Sp.88.C
Opobalſamum quale ſit.2°.de comp.med.ſec.loc. 5ª.136.F
Opobalſamum quale eſſe debet.4°.de comp.med.ſec.loc. 5ª.152.C
Opobalſamum optimum è iudæa aduehitur.1°.de antid. 5ª.105.E
Opobalſamum ſagadinum.1°.de antid. 5ª.101.F
Opobalſama adulterantur.9°.de ſimp.med.fac. 5ª.69.B
Opobalſami differentiæ.1°.de antido. 5ª.101.F
Opobalſamum calidum facit.7°.meth.meden. 7ª.47.A
Opobalſamum eſt tenuium partium non multum calefaciens.3°. de compoſi.med.per gen. 5ª.228.E
Opobalſamum vires habet aliquatenus acriores, quæ viſcide excalfacere,& relaxare efficaciter poſſunt.de ſimp.med. Sp.88.C
Opobalſamum non confert quando indigemus calfactione. 2°.de compo. medic.ſec.locos. 5ª.133.A
Opobalſamum ponitur in Theriaca.de theriaca ad Piſo. 5ª.92.E
Opobalſamum ſyriacum vnũ ex ſimplicibus theriacam ingredientibus, quæ Galeno videntur difficulter haberi.1°.de antid. 5ª.101.F
Opobalſami ſyriaci meminit.4°.de comp.med.ſecund.loc. 5ª.152.C
Opobalſamo mitigantur medicamenta.2°.de cõ.med.ſec.loc. 5ª.139.H
Opobalſamũ vltimo ponitur in cõpoſitione. 7°.de cõp.me.p ge.5ª.272.A
Opobalſamum eſt oculorum cenoticum.de cathart. Sp.95.B
Opobalſamum purgat gibbam hepatis partem.de cathart. Sp.95.C
Opobalſamo perungit ſiccos & frigidos.7°.metho.med. 7ª.46.H
Opobalſamum pro aſſaro.9°.de comp.med.ſec.loc. 5ª.200.F
OPOCALPASVM reperitur in myrrha optima.1°.de anti. 5ª.105.B
ſecundum Opocalpaſum, ſagapenum,& cinnamomum quædam proueniunt, quæ neque myrrha neque chalbanum,neque caſia quidem amplius ſunt nondum tamen ſagapeni cinnamomi ue, aut opocalpaſi naturam perfecte conſequuta.1°.de antid. 5ª.105.B
Opocalpaſum venenoſum eſt.1°.de antid. 5ª.105.C
OPOPANAX. 8°.de ſimp.me.fac. 5ª.57.G
Opopanax quid.7°.de com.me.per ge.5ª.265.F|.de ſimp.med. Sp.88.B
Opopanax ex quo fiat panace.8°.de ſimp.med.fac. 5ª.57.G
Opopanax quo modo fiat. de dynam. Sp.22.H
Opopanax qualis.10°.de comp.med ſec.loc. 5ª.207.C
Opopanax calidum eſt in tertio ordine ſiccum in ſecundo. 8°. de ſimplic. medic.facul. 5ª.57.H
Opopanax odore graui quidem viſcide poteſt laxare,calefacere,mollire ſtructuras,& durities,fugare viperas,& omnem ſerpentum acceſſum.de ſimp.med. Sp.88.B
Opopanax mollificat.2°.de arte cur.ad Glauco. 7ª.104.B
Opopanacis, & chalbani differentiæ in emolliendo,& coquendo. 7°. de comp.med.per gen. 5ª.264.C
Opopanax trahit ex profundis.6°.meth.med. 7ª.37.D
Opopanax liquatur aqua,aceto,& vino.3°.de cõ.me.per gen. 5ª.233.G
Opopanax ingreditur Theriacam.de theria.ad Piſo. 5ª.92.G
OPORAE principium quõ ſit.in 1m.de morb.vulg.com.1°. 3ª.99.B
Opora eſt pars, id eſt ſecunda æſtatis poſt ortum canis, quando fructus inchoant.commen.3°.aph.14°. Ex.22.F
Ὀπὸς ſucci genus vno nõie comprehenſum.1°.de ſim.med. fac. 5ª.8.H
Opos ſiue ſuccus.8°.de ſimp.med.fac. 5ª.57.D
Opos tithymalli cum dactylis comeſtus purgat indigeſtibiles humores, & lumbricos rotundos. de cathart. Sp.95.C
OPPANGERE, id eſt ἐγχρίμπτειν, de iis dicitur, quæ inter ſe cõ nituntur,& ſeſe contingendo allidunt.de artic.com.3°. 7ª.282.E
OPPILATIONEM ſi patiantur membra attrahentia, ſtomachus faſtidium patitur.de anat.viu. Sp.49.G
Oppilationẽ faciunt cibi craſſi viſcoſi niſi coquant.de diff.cont. Sp.72.G
Oppilatio facit putrefactionem.8°.de comp.med.ſec.loc. 5ª.194.G
ex qua Oppillatiõe fiat ſomnus,epilepſia,apoplexia.de vtil.re.Sp.63.E
ex Oppilatione dolori vtile medicamen.de med.exper. Sp.105.H
Oppilatio omnimoda tracheæ arteriæ ſuppoſitæ vuluæ fit in omni conatu.de vtil.reſp. Sp.63.F
Oppilationes aperit motus vehementia in potatione vini. commentario 6°.aphoriſmo 31°. Ex.49.G
Oppilationes quæ accedunt in membris interioribus aperiunt drachmæ duæ cubebarum.de med.exper. Sp.106.E
Oppilationes aperit decoctio ſquinanthi.de med.exper. Sp.107.A
Oppilationes aperientes decoctiones.de med.exper. Sp.107.B
Oppilationes aperiens electarium.de med.exper.107.D|F| Sp.108.C

Oppilationes aperiens medicamẽtum.ſecretorum.101.G/104.E.de med. exper.105.G/106.D/107.G/ Sp.108..A/H
ad Oppilationes chronicas valet electariũ laccæ.de me.exp.Sp.107..A
ad Oppilationes antiquas medicina.de med.exper. Sp.104.B
Oppilationi narium quid valeat. de cura lap. Sp.112.G
Oppilationis hepatis aut ſplenis generationem timenti conueniunt cibi ſubtiliantes.de diſſ.cont. Sp.72.D
Oppilationem in iecore generat lac. de diſſ.cont. Sp.75.C
ob Oppilationem iecoris aut renum mingitur vrina tenuis. quæſita in Hippocratis. Sp.113.C
Oppilationes hepatis, & ſplenis aperiunt amygdalæ propriæ amaræ. de diſſol.continua. Sp.74.G
ad Oppilationes hepatis datur decoctio caſith.de med.exper.Sp.106.F
Oppilationem hepatis aperiunt fiſtici.de diſſ.cont. Sp.74.G
Oppilationem hepatis, & ſplenis aperit lac, ſi comedatur cum origano, mentaſtro ſylueſtri,pipere. de diſs.cont. Sp.74.H
ad Oppilationẽ hepatis faciunt drachmæ duæ laccæ.d me.ex.Sp.106.D
Oppilationẽ hepatis,& ſplenis aperit ſecaniabin.de diſſ.cont. Sp.74.G
Oppilationibus hepatis,et ſplenis valẽs electariũ.de med.ex.Sp.107..A
ad Oppilationes matricis.de med. exper. Sp.107.D
Oppilatio,lege obſtructio.
OPPILATIVA medicina quæ ſit, & quomodo valet in oculo. de oculis. 7ª.189.A/B
ex OPPLETIONE pulſus,& repercuſſio.de fract.cõ.3°. 7ª.243.D
OPPORTVNITAS temporis multum facit. de pue epi. 7ª.181.B
OPPOSITIO ſecundum Ariſtotelem eſt contrarietas in quantitate. 11°.metho.meden. 7ª.71.B
Oppoſitio vtraque quæ ſit.de ſan.tuen. 2ª.95.E/H
Oppoſitiones duæ inter ſe permutatæ quatuor conſtituunt coniugia.1°.de diſſ.reſp.62 E/3°. 3ª.69.F
ex Oppoſitis iudicat Hippocrates.in progn.com.2°. 4ª.199.E
Oppoſitæ partes corporis quæ ſint. com.5°.aph.68. Ext.45.D
Oppoſiti debent eſſe cibi naturis,præter tẽperatos. de diſſ.cont.Sp.71.G
OPTICVS neruus ad oculum venit.de anat.parua. Sp.43.D
Opticorum neruorum figura.10°.de vſu par. 1ª.182.B
Optici nerui vnde oriantur.16°.de vſu par. 1ª.215.D
Optici nerui omnium molliores, & maiores.16°.de vſu par. 1ª.215.C
Optici nerui cur craſſi.16°.de vſu par. 1ª.215.D
Optici nerui ſunt perforati vel habent meatus.16°.de vſu par. 1ª.215.D
Optici nerui cur caui.16°.de vſu par. 1ª.215.D
Opticorum neruorum inceſſus, & quid agant.10°.de vſu par. 1ª.173.E
Optici nerui vnà cum arterijs aſcendunt.16°.de vſu par. 1ª.220.C
Optici nerui cur pertingũt in ventriculũ cerebri.16°.de vſu par.1ª.115.D
Optici nerui cur coeant ſecundum antiquos.10°.de vſu par. 1ª.183.G
Optici nerui cur vniunt ſuos meatus, deinde iterum ſeparantur. 10°.de vſu par.182.B/ 1ª.184..A
OPTIME quid ſignificet.2°.de ſan.tuen. 2ª.69.B
Optimum quid exiſtit. de diſſ.morb. 3ª.2.E
Optimũ eſt vnũ in oĩ gñe.7°.de decre.1ª.268.B/6°.de ſan.tuen. 2ª.95.D
Optimum,& peſſimum ſunt contraria. com.3°.aph.18°. Ex.23.H
Optimum dicitur minus malum.in 6m.de morb.vulg.com.2°. 3ª.167.G
Optimum eſt vbique quod eſt moderatum.de cura icteri. Sp.111.E
Optima aqua quæ.de bon.aquæ. Sp.75.D
Optimæ ſunt aquæ,q̃ æſtate frigidę ſunt,hyeme calidæ.de bon. Sp.75..A
Optimæ ſunt aquæ vernales,& hyemales.de bon.aquæ. Sp.75.F
Optimi ſunt fontes verſus orientem fluentes. de bon.aquæ. Sp.75.F
Optima vrina quæ.de vrin.ſign.ex Hippo. Sp.78.F
Optima vrina ſanorum qualis.de vrin.ſign.ex Hipp. Sp.79..A
Optima vrina ægrotantium quæ.de vrin.ſign.ex Hipp. Sp.79.B
OPVS, & actionem dicere nihil refert. 1°.meth.meden. 7ª.5.H
Opera ab actione procedunt 1°.de nat.fac. 1ª.291.D
Opus ipſum eſt finis artiũ,non aũt operis actio.ad Thraſ. 2ª.105.G/H
Opus quod eſt tantum exercitatio.2°.de ſan.tuen. 2ª.73.G
Operum exercitatio ad quæ iuuet.3°.de criſ. 4ª.142.D
ab Operibus inchoandum.1°.de natu.fac. 1ª.291.D
Operibus non verbis gloria comparanda. de ſubfig.emp. Iſa.34.E
in Operum multitudine opifices vel optimi allucinantur interdum,nunq̃ tamen Deus noſtri opifex ob ſummam ipſius tum ſapinetiam, tum potentiam.5°.de vſu par. 1ª.213.B
Opera eſſe voluntaria quo iudicari debẽt.2°.de motu muſc. 1ª.314.G/H
Opera naturę à quibus nunq̃ deſiſtit quæ,& quot ſint.c.1°.ap.3°.Ex.3.F
ex Operibus naturalibus eſt in pus cõuerſio.5° de ſimp.me.fa. 5ª.34..A
Opus commune quæ membra habeant.7°.meth.med. 7ª.49.B
Operum naturæ imitator eſt medicus.de voc.inſtr.diſſect. 1ª.106.B
Opera docent facultates.1°.de natu.fac. 1ª.291.D
ab Operibus ſymptomata bene diſtinguenda.de ſymp.diff. 3ª.13.F
Opus q̃nq; putatur ſymptoma,& ſymptoma opus.de ſymp.diff.3ª.13.G
ORACVLA interdum ſilent. de theriaca ad Piſonem. 5ª.97.H
cum Orali cribrari iubet medicamentum.ſecretorum. Sp.101.G
ORANDI ars illuſtris eſt, ac etiam arithmetica, geometria,muſica.ad Thraſybulum. 2ª.105.E
ORATIO quid.de ſophiſ.Iſa.7.G/2°.de decre.Hipp. 1ª.237.C
Orationem quid quando vocet Galenus.8°.de vſu par. 1ª.166.D
Oratio vnde procedit.2°.de decre.Hippo. 1ª.237.C
Orationis,vocis,& mentis eadem origo eſt.2°.de decre.Hipp. 1ª.237.C
Orationis elementa.8°.de decre.Hipp. 1ª.274.H
Orationi,& voci tria membra neceſſaria ſunt. de voc.& an. Sp.60.H
Oratio nulla magis exprimit rẽ,q̃ viſus,& tactus.12°.de vſu p. 1ª.195.B
Orationis virtus eſt perſpicuitas.2°.de alim.fac. 2ª.21.G
Orationis pſpicuitas virtus eſt.de vict.rat.in mor.acu.cõ.4°. 7ª.136.E
Orationis obſcuritas vitiũ eſt.de vict.rat.in mor.acu.com.4°. 7ª.136.E
Oratio breuiſſima quæ.7°.de decre.Hippo. 1ª.272.C
Orationis affectio quædam eſſe videtur.de ſymp.diff. 3ª.10.C
ORATIONE dominica vtitur ad colligendũ carduum[vide ſi liber hic de dynamidijs eſt Galeni.] de dynam. Sp.28.B
ORATORES differunt à philoſophis, demonſtrationibus, dialecticis, & ſophiſtis.3°.de decre.Hipp. 1ª.241.H
ad Oratorem ſpectat vel potius Dialecticum nomina imponere rebus. 3°.de diff.pulſ. 4ª.63.B
Oratores indigent etiam exercitatione poſt artis præcepta.2°.de decretis Hippocratis. 1ª.235.E
Oratores quo modo ſe exerceant.9°.de decre.Hipp. 1ª.280.D
ORATORIA, arithmetica,& ædificatoria nullum commune propoſitum habent.ad Thraſ. 2ª.105.C
Oratoriam facultatem primus philoſophiæ coniunxit Protagoras. de hiſtoria philoſophica. Sp.2.G
Oratoriæ ſcientiæ.quæ.2°.de decre.Hippo. 1ª.240..A
Oratoriæ partes quæ. ad Thraſy. 2ª.105.C
Oratoria lẽmata non aſſumunt in demõſtrationibus.2°.de dec. 1ª.234.D
ab Oratorijs differunt lẽmata faciẽtia ſcientiam.2°.de decre. 1ª.235.F
in ORBANVM indum relatus Antidotus ad fœtus eijciendos. 2°. de antidotis. 5ª.110.E
ORBICVLARIS muſculus ani relaxatur in excretione. 6°. de anatomicis adminiſtra. 1ª.93.H
Orbicularis debet eſſe ſimplex ſpecies vinculi.de faſcijs. 7ª.253.E
ORBICVLI vnde dicuntur.3°.de comp.med.per gen. 5ª.251.B
Orbiculi pars organorum.de machin. 7ª.309.E
Orbiculi ad quid in organis.de machin. 7ª.310..A
ORBIS lunæ quantitas.de hiſt.philoſ. Sp.7.B
ORBIS quadrifidus etiam in ſeptem diuiſus eſt partes ſecundum ſeptẽ planetas.de ſpermate. Sp.40.B
Orbis terrarum compendium, & breuiarium Roma dicta eſt à Polemone.de fract.com.1°. 7ª.256..A
in ORBEM iunctura,qdã adijciũt auctore Hippo.de faſc. 7ª.304.H
in Orbem faciei,& capiti circundata faſcia longior dicitur κάτοχος. de faſcijs. 7ª.294.H
Orbus inteſtinum dictũ vbi ſit.de anat.par.43..A/de ana.viuo. Sp.50.B
ORCHIS quid.introd. Iſa.53.D
Orchis herba.2.de comp.med.per gen. 5ª.224.H
Orchis cynos,i.teſticulus canis.8°.de ſimp.med.fac. 5ª.57.F
Orchis ſerapias ſicca eſt in ſecundo ordine.8°.de ſimp.med.fac. 5ª.57.F
Orchis ſerapias œdemata illitus diſcutit, vlcera ſordida expurgat, herpetes ſanat,ſiccatus putreſcentia contumaciaq; vlcera ſanitati reſtituit,& venerem ſiſtit.8°.de ſimp.med.fac. 5ª.57.F
ORDINATVM omne pulchrum, & artificioſum ex Deo, & cœlo eſt.2°.de dieb.decre. 4ª.151.H
Ordinata q̃uo ſint à Deo vocis inſtrumenta.de voce & anhel. Sp.60.H
ORDO quid.2°.de digno.pulſ. 4ª.95..A
Ordo naturæ familiaris eſt.2°.de præſag.ex pul. 4ª.114.C
Ordo partium mundi. de hiſto.philoſo. Sp.6..A
ordo ſtellarum. de hiſt.philoſo. Sp.6.B
Ordo eorum hominum, qui ſunt prope Deum Mercuriũ literis artibuſq; præſtantium.in oratione ſua. Ex.2.B

Ordo in rerum

Ordo in rerum qualitatibus noſcendus.3°.de ſimp.med.fac. 5ª.19.G
Ordo in ſimplicium facultatibus eſt ſpectãdus, etiã quintus ſi fieri poſſit. 1°.de ſimp.med.fac. 5ª.6.G
Ordines quatuor qualitatum medicamentorũ.7°.de ſimp.me.f. 5ª.49.B
Ordines quatuor temperaturarum.5°.de ſimp.med.fac. 5ª.39.B
in Ordine quolibet tres differentiæ.5°.de ſimp.med.fac. 5ª.39.C
in Ordine primo quæ vocet calida,& frigida.2°.de ſimp.m.fa. 5ª.16.F
de Ordine,& natura vniuſcuiuſq; corpis.de nat.& ord.vn. Sp.41.D
Ordinẽ dẽtiũ multiplicẽ,ſed eiuſdẽ gñis hñt piſces.đ anat.viu. Sp.49.D
Ordinem multiplicem dentium habent lupi.de anat.viu. Sp.49.E
Ordinis tunicarum in ſtomacho ratio.de anat.viu. Sp.45.B
Ordo attrahendi in appetentia. de ana.viu. Sp.49.G
Ordo meſaraicarũ multiplex, & qui,& vñ oriant.de ana.vi. Sp.50.B
Ordo naturalis fœtus in exeundo eſt vt præcedat caput, & ſequãtur cætera membra. de anat.viu. Sp.52.D
Ordo procedendi in ſignis Criſeos. 1°.de criſ. 4ª.131.D
Ordo ſeruandus in cibis. de diſſ.cont. Sp.71.G
Ordo eſt in omni ſcientia,& arte.2°.de diff.pulſ. 4ª.58.B
Ordo ſeruandus in diſputatione.6°.de vſu par. 1ª.152.E
Ordo in rebus tractandis non ſequitur ordinem enumeratorum. de fracturis.com.1°. 7ª.223.G
Ordo,& diffinitio philoſophiæ.de hiſt.philoſ. Sp.2.H
Ordo philoſophorum antiquorum. de hiſt.philoſ. Sp.2.D
ORECTICA quæ dicantur. de dynam. Sp.18.G
Orecticis rebus curantur faſtidia morborum.de dynam. Sp.19.A
OREOSELINVM quale.8°.de ſimp.med.fac. 5ª.60.B
ORESTINI ad alopecias inueteratas. 1°.de comp.me.ſe.lo. 5ª.123.C
Orexis quid. 5°.de decre. Hipp. 1ª.259.B
Orexis petitio dicitur à græcis.4°.de decre.Hippo. 1ª.249.H
Orexim facit mel.de ſimp.med. Sp.87.A
Orexim facit ſal. de ſimp.med. Sp.90.A
Ογγῶν quid ſignificet. de fract.com.3°. 7ª.244.C
ORGANICI medici qui.7°.de vſu par. 1ª.161.G
Organicus modus reponẽdi laxat,& ad quos valeat.de mach.7ª.309.C
ORGANA diuerſa in homine cur. de anat.viu. Sp.47.B
Organorum diſtinctio in regalia,& ſeruilia. de anat.viu. Sp.45.D
Organa regalia quæ.de anat.viuo. Sp.45.D
Organa particularia hñt particulares texturas.de anat.viuo. Sp.43.F
Organa oĩa debet ſcire qui vult ſcire oẽs facultates.1°.de na.fa.1ª.292.F
in Organis ſunt figuræ,particularum numerus, quantitas cuiuſq; partis,& poſitura.2°.meth.med. 7ª.13.D
circa Organorum actiones errarunt omnes,qui circa partium vtilitatẽ peccarunt.1°.de vſu par. 1ª.114.H
Organum organorum manus cur. 1°.de vſu par. 1ª.112.G
Organum apprehenſoriũ q̃uo optime conſtitutũ. 1°. de vſu par. 1ª.112.H
Organorum locutionis vas eſt os.de ana.viu. Sp.49.B
Organa locutionis in homine,& vociferationis in brutis ſunt dentes, labia,palatum,lingua,vua,& duæ amigdalæ.de ana.viu. Sp.49.B
Organa linguæ quodammodo ſunt dentes noſtri. de na.et ord. Sp.42.D
Organum non ſenſibile eſt cerebrum à natura. de voc.& anh. Sp.60.C
Organorum reſpirationis qualitas.de compag. membr. Sp.58.F
Organa ſpiritus ſunt pectoris muſculi.de ſpermate. Sp.36.G
Organorũ ſm genus ꝓ cõſuãdis nutrimẽti excremẽtis.1°.đ.n.f.1ª.292.E
Organum motus voluntarij eſt muſculus.de voce & anhel. Sp.60.F
Organa ſpermatis ſunt venæ,& arteriæ.de ſperm. Sp.36.E
Organorum tertium genus pro deferendis bonis ſuccis per totum corpus.1°.de nat.fac. 1ª.292.E
Organorũ læſiones variæ ſm qđ mẽbra hñt officia. đ vti.reſp. 1ª.226.D
Organum in id ipſum per quod ſanum exiſtens actionẽ iuuit, etiam egrotans læditur 1°.de diffi.reſp. 3ª.61.C
Organa & materiæ quomodo dicantur cauſæ.de cau.procatar. 3ª.96.F
in Organis quàm reſpirationem dolor faciat. 1°.de diff.reſp. 3ª.61.G
vt Organũ eſt pars corpis,ita & pars artis in arte.de part.ar. Sp.17.C
Organorum affectiones præter dolorem quàm reſpirationem faciant. 1°. de difficul.reſp. 3ª.59.B
ORGANORVM medicinalium differentiæ in genere. de machinamentis 7ª.309.C
quæ Organa ſint machinamenta.de machin. 7ª.309.D
Organa ex qua fiunt materia.de machin. 7ª.309.D
quæ Organa ex robuſtiori materia fieri debeant.de machin. 7ª.309.D
quæ Organa eſſe debeant ærea, & ferrea.de machin. 7ª.309.D
Organa an ferrea,vel ænea potius eſſe debeant. de machin. 7ª.309.D
Organa ex quibus conſtent partibus.de machin. 7ª.309.E
in Organis quid ſint. Alæ,calces.de machin. 7ª.309.F
in Organis alæ,dracones,fibulæ.de machin. 7ª.310.B
in Organis Anuli ad quid. de machin. 7ª.310.E
in Organis Axes ad quid. de machin. 7ª.309.H
in Organis Bacula verſantia ad quid. de machin. 7ª.309.H
in Organis Catenæ ad quid.de machin. 7ª.309.G
in Organis Chiniſci ad quid.de machin. 7ª.309.H
in Organis Claui ad quid. de machin. 7ª.309.H
in Organis Columbaria cur inſcripta.de machin. 7ª.310.B
in Organis quæ ſint Crura. de machin. 7ª.309.F
in Organis quid faciant adiuncta crura. de machin. 7ª.310.F
in Organis ad quem vſum ſint Cubiti. de machin. 7ª.309.F
in Organis ad quem vſum ſit cuneus.de machin. 7ª.310.A
in Organis Delphines dentibus incluſi qd,& ad qd.de machin.7ª.310.B
in Organis Dens quid ſit. de machin. 7ª.310.D
in Organis Epipoma,& epipigma quid,& ad quid.de mach.7ª.310.A
in Organis Forfices ad quid.de machin. 7ª.310.F
in Organis ad quid Lunatum lignum.de machin. 7ª.310.A
in Organis Manubriola ductoria ad quid.de machin. 7ª.309.H
in Organis quæ in eodem loco mouentur. de machin. 7ª.310.F
in Organis locum mutantia quæ. de machin. 7ª.310.F
Organa cum mouentur quæ partes ſint vſui. de machin. 7ª.310.F
in Organis immobiles partes quæ. de machin. 7ª.310.F
eorum quæ in Organis immobilia ſunt, quædam ſemper,& vbiq; immobilia ſunt, quædam & eximi,& inſeri poſſunt.de machin. 7ª.310.F
in Organis periculum ad quid. de machin. 7ª.310.E
Organa cur habeant opercula. de machin. 7ª.316.G
in Organis Orbiculi ad quid. de machin. 7ª.310.A
in Organis Phliæ ad quid. de machin. 7ª.309.H
in Organis Polus quid,& ad quid.de machin. 7ª.311.A
in Organis Priapiſcus,ſtiliſcus,et ſcalm⁹ qd,et ad qd.đ mach. 7ª.310.E
in Organis ad quid Radices,& fibulæ.de machin. 7ª.309.G
in Organis ad quid Spatha. de machin. 7ª.309.G
in Organis teſtudines ad quid. de machin. 7ª.310.B
in Organis,quæ ſint Tranſuerſaria. de machin. 7ª.309.F
in Organis Trochleæ ad quid. de machin. 7ª.309.H
in Organis Tympanus quid ſit,& propter quid.de machin. 7ª.310.B
in Organis Vertebræ ad quid. de machin. 7ª.309.G
in Organis Vnci ad quid.de machin. 7ª.309.G
Organa erecta quæ ſint. de machin. 7ª.309.D
Organa Fabri,atque Andreæ.de machin. 7ª.309.F
Organi fabri compoſitio.de machin. 7ª.317.A
in Organo fabri ſedile quid. de machin. 7ª.317.A
de Organi fabri motu.de machin. 7ª.318.A
per Organum fabri quo modo reſtituatur humeri caput vbi in alã prolapſum ſit.de machin. 7ª.318.A
Organa plana quę ſint. de machin. 7ª.309.D
Organa cur plana collocantur.de machin. 7ª.310.E
Organa tractoria quæ. de machin. 7ª.309.C
Organa tractoria imperfecta ſunt. de machin. 7ª.311.E
Organi tractorij motus quomodo fiat.de machin. 7ª.311.E
quod Organum triſpaſtum ſit appellatum,& cur.de machin. 7ª.316.F
Organorum vſus qui. de machin. 7ª.309.E
ORICVLARIA nomen inſtrumenti.6°.de anat.adm. 1ª.92.H
Oricularium ſpecillum eſt ſyringa. de opti.ſect. Iſa.25.B
Oricularij clyſteres. 5°.meth.meden. 7ª.34.C
Oricularium clyſterem quo modo vocabant. 6°.de ſan.tuen. 2ª.100.B
ad ORIENTEM, & occidentem ſitæ vrbes differunt,& ad auſtrum, & ſeptentrionem.de aere,aquis,& locis. 2ª.2.C
verſus Orientẽ fontes fluẽtes ſunt optimi,et quales.de bon.aq. Sp.75.E
ORIENTIVM à cerebro neruorum prima coniugatio. de muſculorum diſsectione. 1ª.53.C
Orientium à cerebro neruorum ſecunda coniugatio qualis,et vbi. de neruorum diſſectione. 1ª.53.D
Orientium à cerebro neruorum tertia coniugatio qualis,& quorſum tẽdat.de neruo.diſſect. 1ª.53.D
Orientium à cerebro neruorum quarta coniugatio qualis, & quorſum tendat.de neruo.diſſect. 1ª.53.D
Orientium à cerebro neruorum coniugatio ſexta.de neru.diſſect.1ª.53.H
Orientium à cerebro neruorum coniugatio ſeptima.de ner.diſſ. 1ª.53.H
Orientium à capite neruorum miſcella qualis.de neru.diſſect. 1ª.54.A

Orientium à capite

Orientium à capite neruorum plurima portio in os ventriculi inſeritur. de neru.diſſect. 1ª.54.C
Orientium neruorum à ſpinali medulla, quæ in collo eſt prima coniugatio quomodo procedat. de neruo.diſſect. 1ª.54.D
ORIENTALES *clara voce, & ſolertia meliores his, qui habitant ad Aquilonem. quòd animi mores.* 1ª.319.H
Oriētales ſunt aries, ſagittarius, leo, calidi, ignei, ſicci. de ſper. Sp.38.H
ORIFICIVM *inferius ſtomachi dilatando, & conſtringendo mouetur horis determinatis. de anat.viu.* Sp.56.E
Orificia ventris duo, & ad quid. de nat. & ord. cuiusl. corp. Sp.42.A
Orificia quæ quandoque aperiunt, & claudunt venæ meſaraicæ. de anatomia viuorum. Sp.56.E
Orificia vaſorum ſpermatis alarũ formam habent. de cõp.mēb. Sp.59.C
Orificium matricis quando phlegmone laborat iuuat ſuccus centaureæ. de virtut.centau. Sp.94.A
Orificia venarum quid aperiat. de cura lap. Sp.112.H
Orificia hæmorrhoidum aperit ſectio ſaphenæ. de anat.viuo. Sp.55.H
ORIGINALE *mel. ſecretorum.* Sp.102.G
Origani copia vbi proueniat. 1°. de antid. 5ª.101.E
Origanum in tertio gradu calidus, ſiccus, extenuans, & incidens. 8°. de ſimp.medic.fac. 5ª.57.E
Origanum eſt planta calida, & ſicca. de diſſ.cont. Sp.74.G
Origanum acre. de atten. vict. 2°.43. H/ 9°. de ſimp.medic.fac. 5ª.64.C/ 13°. metho.meden. 7ª.84.H
Origanum vires habet excalfactorias, acres, relaxantes, euaporantes, ſuſpirioſis, tuſſientibus prodeſt, ſerpentes fugat, biles detrahit, ventrē detrahit, vrinam, & menſtrua prouocat. de ſimp.med. Sp.88.E
Origanum exiccat. 3°. de alimen.fac. 2ª.26.D
Origanum hēt vim ſubtiliādi. de at.vi. 2ª.43.H/.c.1°.aph.24. Ex.10.G
Origanũ eſt tā cibus quam medicamētum calidum. 3°. de temp. 1ª.24.D
Origanum potius pro obſonio comeditur, quàm pro alimento. 2°. de alimentorum facultatibus. 2ª.22.H
Origanum inter obſonia connumeratur. 2°. de alim.fac. 2ª.23.F
Origanũ viride obſoniũ eſt, quod ſpõte prouenit. 2°. de ali.fac. 2ª.25.D
cum Origano ficus ante cibũ quando conueniāt. 2°. de alim.fac. 2ª.17.F
cum Origano ſunt comedenda cerebra. de diſſ.cont. Sp.74.E
Origanum eſt cibus acutus incidens, & aperiens. de diſſ.cont. Sp.72.E
Origanum incidit. de curan.rat.per.ſang.miſſ. 6ª.19.A
Origanum detergit. 8°. metho.med. 7ª.52.G
Origanum mundificat, & ſubtiliat. de diſſ.cont. Sp.74.H
Origanum in aceto coctum naribus applicandum in lethargo. 13°. methodi medendi. 7ª.85.F
Origani decoctum in aqua mulſa diſcuſſorium parabile moderatum. 6°. de comp.med.ſec.loc. 5ª.169.G
Origanum mulſa aqua infundens, & concoquens, bibendum propina in tertiana notha. 1°. de arte cur. ad Glauc. 7ª.97.E
Origanum in phlegmonis iecoris declinatione. 13°. meth.med. 7ª.84.A
ex Origano oxymel pro animi defectu, ex obſtructione membri principalis. 1°. de arte cur. ad. Glauc. 7ª.99.F
Origanum in mellicrato ebullitum pro potu in animi defectu à multitudine. 1°. de arte cur. ad Glauc. 7ª.99.B
Origanum in ſapa in Diamoro. 6°. de comp.med.ſec.loc. 5ª.168.F
ex Origano, & ſapa confectum medicamentum. de cucur.ſcar. 6ª.4.E
ex Origano Paſtillus. 5°. de comp.med.per gen. 5ª.252.A
pro Origano hyſſopum, pulegium, thymum, tymbra, calamintha, aut menta odorata. 6°. de comp.med.ſec.loc. 5ª.168.F
Origano aſſimilis eſt centaurea. de ſimp.med. Sp.82.A
Origano ſimiles flores habens amomũ reprobat̄. de ſimp.med. Sp.80.G
ORIGENIAE *compoſitio. 7°. de comp.med.ſec.loc.* 5ª.182.A
Origeniæ arteriaca. 7°. de comp.med.ſec.loc. 5ª.184.E
Origeniæ ad ſtomachi ſubuerſiones. 8°. de comp.med.ſec.loc. 5ª.188.F
ORIGINEM *compactionis, & formationis ſolidorum caput eſſe facit Hippocrates probabiles ſequutus rationes. bre.den.dog.* 1ª.231.B
Origo duorum neruorum colli vbi. de voce, & anhel. Sp.61.G
Origo reſpirationis vocis, & oīum virium corporis. de vtil.reſ. Sp.63.F
Origo venarum, & arteriarum vnde. de vtil.reſp. Sp.63.G
Origo fluminum eſt à montibus. de vtil.reſp. Sp.63.H
ORIONIS *Pexoris acopon. 7°. de comp.med.per gen.* 5ª.272.D
ORIRI *idem quod procedere. 4°. de ana.adm.* 1ª.82.G
Oriri neruos alios ex ipſo cerebro, alios ex dorſali medulla dicēdum eſt. de neruo.diſſect. 1ª.53.C
Oriuntur duo nerui à cerebro, qui diuiduntur in quatuor ramos tendentes ſupra coſtas. de voce, & anhel. Sp.61.H
non Oriri neruos à corde contra Ariſtotelis rõnem. de decre. 1ª.233.D
Oritur arteria maxima è ſiniſtro cordis ſinu. de decre.Hippoc. 1ª.232.D
vnde Oriant̄ arteriæ mãmarũ, & quorſum tendant. de decre. 1ª.232.G
ORITYPI *qui dicantur. in 6^{m}. de morb.vulg.com.3°.* 3ª.173.F
ORIZA *eſt contraria alicæ. introd.* Iſa.51.B
Oriza coquitur vt alica. 1°. de alim.fac. 2ª.13.D
Oriza minus alitur quàm alica. 1°. de alim.fac. 5ª.13.D
Oriza ſuauior alica. 1°. de alim.fac. 2ª.13.D
Oriza tarde digeritur. de diſſ.cont. Sp.73.D
Oriza cibus craſſus. 1°. de alim.fac. 2ª.28.B
Oriza ſiſtit aluum. 1°. de alim.fac. 5ª.13.D
Oriza mediocriter ventrem ſiſtit. 8°. de ſimp.med.fac. 5ª.57.F
Oriza ſtringit ventrem cum ſiccitate. de diſſ.cont. Sp.75.B
Orizæ ſuccus quid operetur. de ſimp. med. Sp.90.A
Oriza cibus conueniens ſtomachicis. 8°. de comp.med.ſec.loc. 5ª.192.C
Oriza cocta cum butyro ad ſtomachi ardorem cum ſyncope. 8°. de comp. medic.ſecun.loc. 5ª.192.A
ORMINVM *cuius ſubſtantiæ, & naturæ, & vſus ſit. 1°. de alimentorum facul.* 2ª.15.F
Orminum acre. de atten.vict. 2ª.43.H
Orminum attenuat. de atten.vict. 2ª.43.H
Orminum vrinam mouet. de cura icteri. Sp.111.D
ORNATISSIMAM *vnam linguam diſcere procliuius eſt, quàm ſexcentas deprauatas. 2°. de diff.pulſ.* 4ª.55.A
ORNAMENTVM *capitis quod κεφαλὸν appellāt. de faſ.* 7ª.297.B
de ORNATV *corporis librum fecit Cleopatra. 1°. de comp.medic.ſec. loc.123.D/126.A/* 5ª.131.C
de Ornatu librum fecit Crito. 1°. de comp.med.ſec.loc.123.B/126.C/.5°. 159.F/.160.D/7°. de comp.med.per gen. 5ª.273.F
de Ornatu librum fecit Moſchio. 1°. de comp.med.ſec.loc. 5ª.124.E
OROBANCHE, *id eſt Eruangina. 8°. de ſimp.med.fac.* 5ª.57.E
Orobos id eſt Eruum. 8°. de ſimp.med.fac. 5ª.57.E
Oroborum colores. 1°. de alim.fac. 2ª.15.D
Orobus inſuauiſſimus, & praui ſucci. 1°. de alim.fac. 2ª.15.C
Orobo veſcuntur boues non homines. 1°. de alim.fac. 2ª.15.C
Orobus quo modo comedatur. 1°. de alim.fac. 2ª.15.C
Orobo ſi veſcamur genua dolent. com.3°. aph.16°. Ex.23.B
Orobum eſſe cibum craſſum collige. com.4°. aph.76°. Ex.36.C
Orobus quid faciat. de vict.rat.in morb.acut.com.2°. 7ª.116.H
Orobus facit capillitium dictum morbum. com.4°. aph.76°. Ex.36.C
Orobis ſedimina aliqua ſunt ſimilia. com.4°. aph.76°. Ex.36.E
Orobo ſimiles ſubſidentiæ quales. in 6^{m}. de morb.vulg.com.1°. 3ª.155.F
Orobo ſimiles hypoſtaſis quid ſignificet. de vri. 4ª.124.D
Orobus aperit. de ocul. 7ª.188.E
Orobus deſiccat. de alimen.fac. 2ª.15.D
Orobus purgat pulmonem, & thoracem. 1°. de alimentorum facultatib. 2ª.15.D/de cathar. Sp.95.B
Orobo erratico vtitur in cura veſicæ. de dynam. Sp.20.A
ex Orobo fotus quales. de vict.rat.in morb.ucut.com.2°. 7ª.116.F
Orobi farinæ vires quales. de ſimp.med. Sp.88.E
ex Orobi farina, & oxymele cataplaſma. 2°. de ar.cu. ad Gl. 7ª.102.D
cum Orobi farina, & lolij oxymel ad putreſcentia valet. 2°. de art.cur. ad Glauconem. 7ª.106.H
Orobi farina cum melle cruſtas optime diſrumpit. 2°. de arte curatiua ad Glauconem. 7ª.107.B
pro Orobi farina, farina fabarum. 2°. de arte cur. ad Glauc. 7ª.106.H
OROBVS *nomen ponderis. de pond. & menſ.* 5ª.277.F
ORONTIVS *herba. 9°. de comp.med.ſec.loc.* 5ª.198.C
ORPHEVS *Theologus venenorum compoſitiones ſcripſit. 2°. de antidotis.* 5ª.114.F
ORPHITI *meminit. 7°. de comp.med.ſec.loc.* 5ª.271.F
Ορθήκυλλον *quid ſit. de arti.com.3°.279.F/* 7ª.280.G
Orthonis ad alopecias inueteratas medicamentum. 1°. de compoſi.med. ſecundum locos. 5ª.123.D
de ORTHOPNOEA. *7°. de comp.med.ſec.loc.* 5ª.186.C
Orthopnœa quæ ſit. in 1^{m}. prorrh.com.2°. 4ª.176.A
Orthopnœa quæ, & vnde fiat. in 6^{m}. de morb.vulg com.4°. 3ª.180.A
Orthopnœa aſthmatis ſpecies, com.6°. aph.46°. Ex.52.A
Orthopnœæ meminit. in 3^{m}. de morb.vulg.com.2°. 3ª.136.B
Orthopnœa quando fiat. 4°. de loc.aff. 4ª.28.F
Orthopnœa in quibus fiat morbis. in 1^{m}. prorrhe.com.2°. 4ª.176.A

Orthopnœa ſequitur ad pulmonis inflammationē.2°.de loc.aff.4ª.13.A
Orthopnœa quo modo fiat.1°.de diff.reſp.3ª.59.D/de ana.par.Sp.43.A
Orthopnœæ reſpiratio qualis.1°.de diff.reſp. 3ª.59.D
Orthopnœæ pulſus qualis.de pul.ad tyr.46.B/4°.de cau.p. 4ª.103.A
Orthopnœa laboranti cathartica adhibemus.de dyna. Sp.20.E
Orthopnœa ſicca quæ de vict.rat.in morb.acut.c.4°. 7ª.137.D
Orthopnœa ſicca in qua pus non ſubit ſanguinis miſſione prius indiget q̃ euacuatione.de vict.rat.in mor.acut.c.4°. 7ª.137.B
in Orthopnœa cauenda ſunt valde refrigerantia, & calefacientia.7°. de comp.me.ſec.loc. 5ª.186.G
Orthopnœam iuuat nigella.7°.de ſimp.me.fac. 5ª.55.D
Orthopnœæ prodeſt rha.8°.de ſimp.me.fac. 5ª.59.E
Orthopnœis competit ſeſeli.8°.de ſimp.me.fac. 5ª.60.C
℘ Orthopnœa vrina pueri.10°.de ſimp.me.fac. 5ª.75.F
ad Orthopnœam Andronici.7°.de comp.me.ſec.loc. 5ª.187.A
ad Orthopnœas Apollonij.7°.de compo.med.ſec.loc. 5ª.187.A
ad Orthopnœam Soſicratis.7°.de comp.me.ſec.loc. 5ª.187.A
ORTHOPNOICI qui dicantur,& vocentur.7°.de comp.medi.ſecũdum locos. 5ª.186.C
Orthopnoici quo modo ſpiritum hñt.in 3^{m}.de mor.vul.c.2°. 3ª.136.B
in Orthopnœis denſus,& magnus fit ſpũs.3°.de diff.reſp. 3ª.71.C
Orthopnoicis quæ conueniant.6°.de comp.me.ſec.loc. 5ª.186.G
Orthopnoicos iuuat ſuccus centaureæ.de virt.cent. Sp.94.A
Orthopnoicis vtiliter datur colocynthis.de dyna. Sp.21.D
ad Orthopnoicos Valentis.7°.de comp.me.ſec.loc. 5ª.187.A
ad Orthopnoicos.7°.de cõp.me.ſe.lo.185.H.186.H/187.A/ 5ª.198.G
ORTVS, & interitus an ſint.de hiſt.philo. Sp.5.D
Ortus animalium quo modo fiat.de hiſt.philo. Sp.11.D
Ortus corneæ tunicæ.de ana.viuo. Sp.48.F
Ortus corneæ vnde ſit.de anat.ocul. Sp.57.D
Ortus tunicæ ſecundinæ.de ana.viuo. Sp.48.D
Ortus ſecundæ tunicæ oculi.de anat.ocul. Sp.57.E
Ortus tertiæ tunicæ oculi.de ana.ocul. Sp.57.E
Ortus araneæ tunicæ.de ana.viuo. Sp.48.E
Ortus retinæ tunicæ.de ana.viuo. Sp.48.E
Ortus uueæ.de ana.viu. Sp.48.F
Ortus ſcleroticæ tunicæ.de ana.viuo. Sp.48.F
Ortus albuginis oculi.de vtil.reſp. Sp.63.D
Ortus caloris,& omnium eſt à corde,ſm Ariſt.de ana.viuo. Sp.45.H
Ortus duarum arteriarum cordis vnde.de ana.viu. Sp.47.E
Ortus quatuor muſculorum aſperæ arteriæ peculiarium, qui illam contrahunt,& arctant.de muſc.diſſ. 1ª.46.A
Ortus muſculorũ propriorũ gutturis.qui sũt duo.de muſc.diſſ. 1ª.46.B
Ortus muſculi ab oſſe guttur ambiente.de muſ.diſſ. 1ª.45.C
Ortus muſculorum mouentium linguam.de muſc.diſſ. 1ª.46.G
Ortus lacerti mouentis linguam.de mot.man.& obſ. Sp.68.D
Ortus muſculorum facientium obliquum linguæ motum. de muſculorũ diſſectione. 1ª.46.F
Ortus muſculorum mouentium maxillam inferiorem,& poſteriorẽ partem,vbi de muſ.diſſ. 1ª.44.H
Ortus arteriarum crurum.1°.de decr.Hipp. 1ª.233.B
Ortus cauæ venæ vnde.de anato.viu. Sp.50.H
Ortus meſaraicarum.de ana.viu. Sp.50.B
Ortus neruorum vnde.de ana.viu. Sp.43.H
Ortus neruorum partim à cerebro, partim à ſpinali medulla.de motibus manifeſtis,& obſcuris. Sp.66.F
Ortus primi paris neruorum,ſecundi,tertij,quarti,vltimi, vnde ſit.1°. de dec.Hipp. 1ª.232.F/G
Ortus quintæ neruorum coniugationis à cerebro orientiũ,vnde.de neruorum diſſectione. 1ª.53.G
Ortus nerui auditorij qui.de ner.diſſ. 1ª.53.G
Ortus triginta parium neruorum,& vnius ſine pari à ſpinali medulla. de anoto.viu. Sp.53.H
in Ortu dorſi medullæ vulnerati boues habent ſanguinem in aliquo vẽtriculo.de dec.Hippo. 1ª.231.G
Ortus muſculorum oſſis lambdæ.de muſc.diſſ. 1ª.46.E
Ortus muſculorum,qui ex occipitio naſcuntur.de muſ.diſſ. 1ª.45.F
Ortus a capite ruſculorum,qui inſeruntur ceruici,ſunt communes capiti,& ceruici.de muſ.diſſ. 1ª.46.H
Ortus muſculorum,qui dant capiti,propriũ motũ.de muſ.diſſ. 1ª.45.D
Ortus muſculorum qui ſunt proprij ceruicis.de muſ.diſſ. 1ª.46.H
Ortus muſculorum,qui trahũt ſcapulas ad caput.de muſ.diſſ. 1ª.45.A
Ortus muſculorum qui retro abducunt ſcapulam.de muſc.diſſ. 1ª.45.C
Ortus parui muſculi,qui in humeri dearticulatione ſitus eſt.de muſculorum diſſectione. 1ª.47.G
Ortum vnde habeat Zigoma,id eſt iugale.de muſc.diſſ. 1ª.44.H
Ortus muſculi qui eſt ſub vnaquaq; clauicula.de muſc.diſſ. 1ª.46.C
Ortus muſculi mouẽtis brachiale apud paruũ digitũ.d muſ.diſ.1ª.48.H
Ortus muſculi mouentis brachiale apud magnum digitum.de muſculorum diſſectione. 1ª.48.H
Ortus muſculorum cubiti.de muſ.diſſ. 1ª.48.B
Ortus muſculorum mouentium dearticulationem cubiti. de muſculorũ diſſectione. 1ª.47.G
Ortus muſculorum obliquorũ mouentiũ radium.de muſc.diſ. 1ª.49.A
Ortus muſculi,qui magnum digitum longiſſime ab indice abducit.de muſculorum diſſectione. 1ª.49.B
Ortus muſculi thoracẽ dilatãtis magna dilatatiõe de muſ.diſ. 1ª.47.A
Ortus fibrarum dilatantium thoracem.de muſ.diſſ. 1ª.49.D
Ortus muſculorum ſpinam flectentium.de muſ.diſſ. 1ª.49.G
Ortus pſoæ,ſeu lumbi,qui eſt muſculus haud exiguus. de muſculorum diſſectione. 1ª.50.G
Ortus octo muſculorum abdominis.de muſc.diſſ. 1ª.49.H
Ortus duorum muſculorum deſcendentiũ ad teſtes.de muſc.diſſ.1ª.50.D
Ortus maximi muſculi abdominis.de muſc.diſſ. 1ª.47.B
Ortus pleiadum quando.de dyna. Sp.20.B
Ortus coralli in luto.de ana.vi. Sp.50.G
OS quod.introductio. Iſa.53.B
Os paruum cur homini datum.11°.de vſu par. 1ª.187.F
Os maximum,& dentibus refertum habent animalia mordentia.11°.de vſu partium. 1ª.187.F
Os conuenienter fuit in capite.8°.de vſu par. 1ª.167.A
Oris moli debet eſſe adaptata lingua.11°.de vſu par. 1ª.187.G
in Ore conuenienter lingua.8°.de vſu par. 1ª.167.A
Oris Cameli membrana interior cur aſpera eſt.6°.de ana.adm. 1ª.90.E
Oris cornigerorum membrana interior cur aſpera.6°. de anatomicis ad miniſtrationibus. 1ª.90.E
de Oris anatomia.de ana.viu. Sp.49.B
Oris omnium partium cur vna tunica continua.4°.de vſu par. 1ª.137.B
Ori,& naribus tunica communis quæ.9°.de vſu par. 1ª.176.E
Oris partes calidæ,& humidæ ſunt.9°.de ſimp.me.fac. 5ª.69.B
Oris ſpatium irrigant glandulæ.2°.de ſem. 1ª.340.D
in Os cur ſaliuam mittunt glandulæ.2°.de ſem. 1ª.340.D
in Ore duo foramina quæ.de.ana.viu. Sp.49.B
Oris officia intro. Iſa.54.A
Os propter quid creatum.de ana.viu. Sp.49.B
in Ore quinq; functiones.4°.de ana.adm. 1ª.80.A
Os eſt vas nutrimenti introd. Iſa.54.B
Os eſt ciborum introitus.1°.de nat.fac. 1ª.292.F
Os via nutrimenti maxima communis,& publica ad ventriculum.4°. de vſu par. 1ª.135.G
Os primum alimenti principium.2°.de dec.Hipp. 1ª.240.F
Ori præparant alimentum,elixatio,aſſatio, & madefactio. de bonitate & vitio ſuccorum. 2ª.37.A
Os præparat alimentum ventriculo.de bo.& vi.ſuc. 2ª.37.A
in Ore fit aliqua coctio.3°.de nat.fac. 1ª.304.A
in Ore ciborum alteratio quanta.3°.de nat.fac. 1ª.304.A
ad Os vſq; peruenit ſtomachus in quibuſdam piſcibus.de motibus manifeſtis,& obſcuris. Sp.71.A
in Os quibus animalibus uentriculus fertur in magna cibi appetentia. 3°.de nat.fac. 1ª.304.H
Os idẽ dſeruit diuerſis tpib' iecori,et medicamẽto.3°.de na.fa. 1ª.306.C
Os principium ſpiritus.2°.de dec.Hipp. 1ª.240.G
per Os,& nares fit reſpiratio.in tim.Plat. 1ª.288.G
per Os,nares,& pharyngha animalia inſpirantia habent pulmonem, & dextrum cordis ventriculum.6°.de vſu par. 1ª.150.F
per Os quo tempore animalia ſpirant.11°.de vſu par. 1ª.188.F
per Os aſthma cogit inſpirare.11°.de vſu par. 1ª.188.F
Os eſt ſecundum inſtrumentum reſpirandi quando naſus eſt affectus.11°. de vſu par. 1ª.188.F
per Os ſpiritus partim ad cerebrum,partim ad cor accedit.de cauſis reſpirationis. 1ª.226.H
Os contrahitur in trahendo ſpiritu.de vſu pulſ. 1ª.228.E
Os neque odorat,neque ſentit.de inſtr.odor. 1ª.110.F

Os eſt vt receptaculum vocis.de voc.inſtr.diſſ. 106.E
Os eſt vas organorum locutionis.de ana.viu. Sp.49.B
Oris partes habent quinq; motus diuerſos.4°.de ana.adm. 1ª.80.F
in Ore quinq; muſculorum genera.4°.de ana.adm. 1ª.80.B
Oris labra abſq; oſſe mouentur.1°.de motu muſc. 1ª.309.E
Os animalis quomodo aperiatur.11°.de vſu par. 1ª.185.D
Os animalis quo modo claudatur.11°.de vſu par. 1ª.185.D
Os quibus claudatur,& aperiatur.11°.de vſu par. 1ª.192.E
Os aperientes muſculi diſſimiles ab omnibus alijs muſculis.11°.de vſu partium. 1ª.185.G
in Ore multum aperto poſſumus fauces diligentius inſpicere.commentario.4°.aph.34°. Ex.31.C
Os & oculi cur in aliquibus teneãtur aperti.com.6°.aph.52°. Ex.53.A
Os clauſum habere ſitim prohibet.in 6m.de morb.vulg.cõ.3°. 3ª.178.A
Os per eandem viam attrahit,& expellit.3°.de nat.fac. 1ª.306.H
ꝑ Os,& ꝑ nares cur ampli ſint meatus cerebri.9°.de vſu par.1ª.171.D
ꝑ Os cerebri mucus excernitur.de inſtr.odor. 1ª.110.D
Oris excremẽtũ recipit in gula,& in aſpa arteria.6°.de ſan.tu.2ª.98.E
in Os promptiſſime caput tranſmittit.6°.de ſan.tu. 2ª.98.E
ꝑ Os purgantur ſuperiores partes laborantes.13°.met.me. 7ª.84.G
ꝑ Os ſumpta quas partes purgent.13°.met.me. 7ª.84.G
ꝑ Os,et nares deriuandum ſi fluant ſucci ad oculos,vel aures.de cucurbitulis ſcarificatione. 6ª.4.E
ad Os auertenda materia auriũ ex vlcerationib⁹.6°.de ſa.tu. 2ª.100.C
ꝑ Os reſpirationẽ habet phlegma.de nat.& ord.cuiusl.corp. Sp.41.E
ꝑ Os,& per anũ quo curentur vlcera inteſtinor.5°.met.me. 7ª.34.D
in Ore ſentiuntur quæ in angulis oculorũ ponunt.de ana.viu.Sp.49.A
ꝑ Os ſemen accipit vipera.de theria.ad Piſo. 5ª.93.C
Os humectant & ſitim extinguunt balnea ex aquis potabilibus.in 6m.de morbis vulgaribus,com.6°. 3ª.195.B
qbus Os,& lingua facile deſiccatur aloem damus.de dyna. Sp.20.G
ad Os & nares ſi odor ſuffitus per corpus aſcendat, mulier quæ non cõcepit,ex ſe non eſt ſterilis.com.5°.aph.59°. Ex.43.C
ex Ore ſanguis expellitur ſimplici expuitione.4°.de loc.aff. 4ª.25.F
ꝑ Os emiſſus sãguis qualiſcũq; ſit,malus.c.4°.ap.17°.18°.Ex.29.A/B
ꝑ Os,pus aqua vel ſanguis effluens caput dolenti morbum ſanat.com.6°.aphoriſmo.10°. Ex.47.C
Oris excretiones etiam paruæ ſi exeant ad bonum terminantur.com.4°.aphoriſmo.47°. Ex.32.H
Ore quidã ſanabat acrocordonas,& myrmecias.14°.me.me. 7ª.92.H
Ore quidam virus exugunt.13°.met.me. 7ª.82.D
in Ore ſputum,& pituita eſt lichenũ remedium.3°.de nat.fac.1ª.304.B
Os cur ſputo plenum vomituris.in 1m.pror.com.1°. 4ª.167.E
Ori non confert abſinthium.14°.met.me. 7ª.88.D
Ori frigidum mordax.4°.de ſimp.me.fac. 5ª.24.C
ꝑ Oris affectibus gradus ponit medicamentorum.6°.de compoſi.med.ſecundum locos. 5ª.171.F
ad Os medicamẽta dicunt̃ ſtomatica cur.6°.de cõp.me.ſe.lo. 5ª.166.H
Os gaudet ſimilibus medicamentis.9°.de ſimp.med.fac. 5ª.69.B
ad Oris curationem cur non ſunt accipienda fortia, & venenoſa.6°.de comp.me.ſec.loc. 5ª.167.B
Oris morbi qui.introductio. Iſa.59.C
Oris ægritudo erit dentis amiſſio.de diff.morb. 3ª.4.H
in Ore partes exiſtentes ſi ex capite ægrotent, quomodo curandæ.6°.de ſan.tuenda. 2ª.100.A
in Oris affectibus venam humeralem incide.13°.met.me. 7ª.83.B
ad Oris affectus,& ꝑtiũ eius valet ſucc⁹ cẽtaureę.de vir.cẽt.Sp.93.D
ad Oris affectus dianucum.de reme.par.fac. 7ª.157.H
ad Oris affectiones.6°.de comp.me.ſe.lo.172.A/ 5ª.176.C
Oris Amaritudo vnde fit,& quomodo fiat.c.4°.aph.17°. Ex.29.B
Os amarũ,& ſiccũ ſemper hẽt conceptus in horis bilis.de ſper. Sp.37.C
Os amarum eſt in morbis ex thorace.de dynam. Sp.19.G
Oris amaritudo ſignificat purgationem per ſuperiora fieri debere.commen.4°.aph.17°. Ex.29.B
ꝑ Os purgatio particularis ex apophlegmatiſmis facienda eſt poſt vniuerſalem purgationem.1°.de comp.me.ſec.loc. 5ª.121.F
ad Oris Ariditatem.de med.fac.par. 7ª.173.E
in Ore oſſa vbi carie tentantur quid agendum.5°.met.me. 7ª.34.C
de Oris Cruſtis.6°.de comp.me.ſec.loc. 5ª.171.G
ad Oris cruſtas Archigenis.6°.de comp.me.ſe.lo. 5ª.172.B
ad Oris cruſtas Critonis.6°.de comp.me.ſec.lo. 5ª.172.A
ad Oris cruſtas paſtillus.6°.de comp.me.ſec.loc. 5ª.172.A
ad Oris cruſtas.6°.de comp.me.ſec.loc.171.D/172.A/8°.5ª.188.G/de remed.par.fac. 7ª.158.A
Os ſæpe Dolet hoĩ concepto in tribus horis ſanguinis.de ſper. Sp.37.B
Oris,& lingue dolores lẽtiſcino oleo curant̃.5°.de com.me.ſ.l.5ª.162.H
Oris fœtor non debet ineſſe medico.in 6m.de mor.vul.cõ.4°. 3ª.181.H
Oris bonus odor debet adeſſe medico.in 6m.de mor.vul.cõ.4°.3ª.181.H
ꝑ Oris putore Amomum,& folium malabathri.in 6m.de morb.vulg.commentario.4°. 3ª.182.A
Ori fœtoris confert ſectio venæ quæ eſt inter mentum, & labium inferius.de anat.viu. Sp.55.B
ad Oris fœtorem.5°.de comp.me.ſec.loc.5ª.165.D/de dynam.Sp.25.C/5°.de compoſitione medicam.ſecun.loc.5ª.166.B/de remedijs paratu facilibus.157.F/ 7ª.164.B
ad Oris tetros abſq; vlcere odores.de med.par.fac. 7ª.164.A
ab Ore ſanguinis fluxus remedia.de med.fac.par. 7ª.164.B
Os humidum,& fœtidum iuuat ſuccus centaureæ.de vir.cent.Sp.93.D
Oris inflammatio quid efficiat.in prognoſt.com.2°. 4ª.203.A
ex Oris phlegmone exit aliquid.13°.met.me. 7ª.84.H
ad Oris inflammationem quomodo inuenienda medicamenta.6°.de cõpoſi.med.ſec.loc. 5ª.166.H
Oris inflãmationes quo modo ſm tp̃a curandę.de rem.par.fac.7ª.157.G
in Oris inflammationibus muſtum quo modo in principio augmento,et ſtatu bonum.6°.de comp.me.ſec.loc. 5ª.169.C
in Oris inflammationum ſtatu quibus vtendum.in 6°.de compo.medi.ſecundum locos. 5ª.168.F
in Oris phlegmone deriuandum ad nares.13°.met.me. 7ª.83.B
in Oris phlegmone euitanda q̃ ꝑ os pituitã euocãt.13°.me.me. 7ª.83.A
nec Ori nec oculis oleũ adhibendũ in phlegmone.13°.met.me. 7ª.83.C
ad Oris phlegmonas congruit aloe.6°.de ſimp.me.fac. 5ª.42.C
Oris phlegmonas ſanat butyrum.10°.de ſimp.me.fac. 5ª.74.C/D
Oris phlegmonas mitigat lac gargarizatum.10°.de ſimp.me.f.5ª.73.H
ad Oris phlegmonas valet Lycium.7°.de ſimp.me.fac. 5ª.54.G
ad Oris inflammationes.6°.de comp.me.ſec.loc.169.G/171.D/5ª.172.A/de reme.par.fac. 7ª.157.G
Oris Mollities in pueris non ſuſtinet tactum,neq; lac præſertim ſi habẽt multam ſeroſitatem.com.3°.aph.24°. Ex.25.A
Oris partes ne remolleſcant facit acetũ ſcillinũ.de med.fac.par.7ª.78.C
ad Oris nomas.6°.de compoſi.med.ſecun.loc.172.A/7°.181.G/5°.de comp.med.per gen. 5ª.254.D
ad Oris puſtulas.6°.de comp.me.per gen. 5ª.260.B
in Ore cur Putredo cito fiat.6°.de comp.me.ſec.loc. 5ª.171.G
Oris putredinibus,& depaſcentijs malignis confert ſuccus centaureæ.de virtute centaureæ. Sp.93.D
ad Oris putrefactiones.5°.de comp.me.ſec.loc.5ª.165.H/6°.172.D/de reme.par.fac.157.H/ 7ª.158.A
in Ore fit relaxatio.de mult. 3ª.78.G
ad Oris paralyſim.de cura.lap. Sp.112.F
Ori quando Rheuma frequenter nocet.de dyna. Sp.20.E
Os tortum quo modo fiat.in 3m.de morb.vulg.c.1°.127.F/ 3ª.128.A
Oris torturæ quid valeat.de cura.lap. Sp.112.F
Oris vitio aut vulneri vnguentum bonum.de dyna. Sp.25.D
ad Oris vitia.5°.de cõp.me.per gen.5ª.251.E/de med.par.fa.7ª.164.A
ad Oris omnia vitia.5°.de comp.me.ſec.loc.165.H/6°. 5ª.171.C
Oris Vlcera morbus paruus.de theria.ad Piſo. 5ª.99.A
Oris vlcera cur æſtate fiant.com.3°.aph.21°. Ex.24.D
in Ore vlcera,& putredines efficit ſanies à capite.6°.de ſa.tu.2ª.98.F
Oris vlceribus confert ſectio venarum labiorum.de ana.viu. Sp.55.A
in Ore vlcera maligna atramento ſutorio vtuntur.6°.de compoſi.me.ſecundum locos. 5ª.169.B
Oris vlcerationi confert ſuccus centaureæ.de virt.cent. Sp.93.D
Oris vlceribus aphthodeſi,& ipſis aphtis accommoda ſunt cyperi folia commanſa.7°.de ſimp.me.fac. 5ª.53.H
Oris vlceri conueniunt cyperi radices.7°.de ſimp.me.fa. 5ª.53.H
ad Oris vlcera putreſcentia valet dyphriges poſt cadmiam repertus.9°.de ſimp.me.fac. 5ª.69.B
Oris vlcera ſanant rubi folia & germina recenter nata ſi mandantur.6°.de ſimp.me.fac. 5ª.44.F
ad Oris vlcera,& aphthas.6°.de comp.me.ſec.loc. 5ª.170.C
ad Oris putreſcentia vlcera competit terra armenia.9°.de ſimplic.medicamento.facul. 5ª.66.G
ad Oris vlcera,& putredines.de med.par.fac. 7ª.164.B
ad Oris vlcera ſerpentia.4°.de comp.me.ſec.loc. 5ª.152.G

ad Oris vlcera.6°.de com.me.ſe.lo. 5ª.171.A.5°.met.me.34.C/de med. fac.par.164.B. 7ª.174.G
añ os gulæ ſunt duæ amygdalæ quaſi duæ auriculæ.đ an.vi. Sp.49.F
Os ventris cor vulgo dicitur.1°.de ſymp.cauſ. 3ª.17.G
Os ventriculi cor dicitur,& cur valde ſentit.in progno.cō.3°. 4ª.110.F
Os ventriculi cor ab antiquis dicebatur.3°.de criſibus.4ª.144. E/commentario.4°.aph.65°. Ex.34.D
Os ventriculi cur ab antiquis cor dictum.5°.de loc.aff. 4ª.32.E
pro Ore ventriculi ſtomachus accipitur.3°.de lo.af.20. A/1°. de pulſ. ad Tyron.4ª.46.D/de vict.rat.in mor.acu.com.4°. 7ª.140.G
Os ventriculi quando ſtomachus dicitur.6°.de loc.aff. 4ª.41.B
Os vētriculi ſtomachus dicitur vſitato noīe. de præſag.ex inſ.4ª.217.F
Os ventriculi vulgus ſtomachum vocauit.4°.de cau.pulſ.4ª.103.C/12°. methodi medendi. 7ª.80.A
Os ventriculi tēpore Galeni ſtomachus vocabatur.5°.de lo.af. 4ª.32.F
Os vētris q̄uo ſtomachus dicitur.de venæ ſect.adu.Eraſ.14.G/ 6ª.15.G
Os ventriculi ſtomachus per abuſum dicitur.8°.me.me. 7ª.53.C
Os ventriculi diſtinguitur à ſpatio ipſius.1°.de loc.aff. 4ª.6.C
Os ſtomachi duplex,& eorum natura.de ana.viu. Sp.49.G
Os,ſtomachus,ventriculus vna tunica iunguntur.7°.de vſu p. 1ª.157.D
Ori toto,& ventriculo communis eſt tunica.in progn.cō.3°. 4ª.210.G
ante Os ſtomachi cur poſita fuerit chartilago.de ana.viu. Sp.55.D
Os ſtomachi vbi incipit.de ana.parua. Sp.43.A
Os ſtomachi eſt in duodecimo ſpondyli.de ana.viu. Sp.49.F
Os ventris manifeſte ſentit.de vict.rat.in mor.acu.com.3°. 7ª.127.H
Os ventris exactiſſimum habet ſenſum.1°.de ſymp.cau. 3ª.17.G
Os ventriculi cur excellentes ſentit.1°.de ſymp.cauſ. 3ª.17.H
Os ſtomachi ſenſibile eſt maxime,& quid ſentiat.de ana.viu. Sp.49.G
Os ventriculi propter quid habet ſenſum potiorē omnibus partibus corporis.3°.de loc.aff.4ª.18.C/de voce & anhel. Sp.61.H
in Os ventriculi inſeritur plurima portio neruorum orientium à capite de neruorum diſſectione. 1ª.54.C
Os ventriculi magnos habet neruos à cerebro.1°.de ſymp.cauſ. 3ª.17.A
ad Os ventriculi à cerebro neruorum magnitudo.3°.de lo.aff. 4ª.18.C
ad Os ventriculi à cerebro nerui multi.5°.de loc.aff. 4ª.32.G
Os ſtomachi eſt magis neruoſum gula.de ana.viu. Sp.49.F
Oris hōi ſenſus in q̄buſdā nō fert acctū vel ſinapi.3°.de lo.af. 4ª.20.G
Os ventriculi acra medicamēta nō fert.2°.de arte cur.ad Gla. 7ª.103.D
Oris ſtomachi actio eſt deſiderium.de motibus man.& obſc. Sp.70.H
Os ventriculi inſtrumentum appetentiæ.5°.de lo.aff. 4ª.32.H
Os vētriculi appetit,nō cōcoquit.de vict.rat.in mor.acu.cō.1°. 7ª.111.F
Oris ventriculi quinque ſymptomata pro fame inducenda.1°.de ſymptomatum cauſis. 3ª.18.A
Oris ventris ſymptomata pertinent ad tactum.1°.de ſymp.cauſ.3ª.17.G
Oris vētriculi ſymptomata lōge maiora ſūt q̄ fundi.5°.đ lo.aff.4ª.33.A
Os ſuum ventriculus claudit poſt cibum ſumptum,intellige inferius.2°. de ſymptomatum cauſis. 3ª.21.F/C
Os ventriculi inferius q̄n apiatur nō cocto cibo.2°.de ſymp.cau. 3ª.21.C
de Oris ventriculi affectibus.de remed.par.fac. 7ª.158.F
Oris ventriculi affectus vnde.4°.de loc aff. 4ª.29.C
ob Oris ventriculi affectus qui morbi ſequantur.5°.de loc.aff. 4ª.32.E
Os ventriculi appetentiam prohibet,& cibos natantes corrumpit propria ratione.4°.de loc.aff. 4ª.32.E
Os ventriculi per ſeipſum inducit inappetentiam diminutam, & vitioſam inappetentiam.1°.de ſympt.cauſ. 3ª.17.H
ex Ore ventriculi citta,& pica.5°.de loc.aff. 4ª.32.H
Os ventriculi læſum ſignificat appetentiam canum,& ciborum malorū. 5°.de loc.affectis. 4ª.32.H
in Ore ventriculi quo ſit appetentia canina.6°.de loc.aff. 4ª.37.H
Os ventris nauſeas habentis,& ventrem retinentem quid adſtringens poſt cibum ſumptum deijcere faciat.6°.de ſan.tu. 2ª.99.E
Os ventriculi cibos corrumpit natantes.5°.de loc.aff. 4ª.32.E
Os ventriculi ſupinat,& humectat chondri ſorbitio.de vict. rat. in morbis acutis,com.1°. 7ª.111.F
ex Ore ventriculi ſymptomata.5°.de loc.affe. 4ª.32.G
Oris ventriculi affectus qui.de curan.rat.per.ſang.miſſ. 6ª.16.F
Os ventriculi affectus ſunt nauſea,cordis dolores, & ſingultus.5°.de locis affectis. 4ª.32.H
Os ventris quibus refrigeretur.1°.de ſymp.cauſ. 3ª.18.G
Oris ventriculi perfrigerationem facit viduarū perfrigeratio in vtero, & ijs quæ non purgantur.1°.de ſymp.cauſ. 3ª.18.G
Os ventriculi ſtomachum ue perfrigerant fungi bupreſtres,ceruſa, gypſum,& lac coagulatum.1°.de ſymp.cauſ. 3ª.18.G
in Ore ventriculi bilis magis colligitur.2°.de comp.me.ſec.lo.5ª.135.D
Os ventris cum amara bili abundat,aut imbecillum eſt,aut ſupra modū ſenſibile eſt ſanguis non detrahendus.9°.met.me. 7ª.57.B
Oris ventriculi imbecilli curatio.in progn.com.1°. 4ª.191.G
ad Oris ventriculi imbecillitatem chia maſtiche.in nardino.8°.methodi medendi. 7ª.53.C
ꝑ Ore ventriculi imbecillo ceratum.8°.me.me. 7ª.53.D
Os ventriculi roborant adſtringentia, & plus Iuſto exiccāt. de victus rat.in mor.acu.com.1°. 7ª.111.F
Ori vētriculi quæ ſint adſtringētia cōueniētia.de rem.par.fac.7ª.158.C
ad Os ventriculi valet acetum ſcillinum.de med.fac.par. 7ª.178.C
Os ſtomachi confortant drachmæ duæ aloes.de med.exper. Sp.106.E
Ori ventriculi apponendū lanæ manipulū nardino pigmento calido inunctum quando non eſt facta coctio.de præſ.ex inſom.ſum. 4ª.219.A
Ori ventriculi quando prius roborandum quàm medicamentum exhibeatur.1°.de arte cura.ad Glau. 7ª.98.B
Oris ventriculi morſus cur dolor cordis dicatur.in prog.c.3°. 4ª.210.F
Os ventriculi quibus mordetur,& q̄uo.com.4°.aph.65°. Ex.34.E
Oris ſtōi mordicationibus cōfert ſectio venæ furculę.de ana.vi.Sp.55.B
Oris ſtomachi dolores quando boni,& quando non boni, conſiderandū. 1°.de criſibus. 4ª.128.B
Os ventriculi cū quibus cōueniat mēbris.de mel.ex Gal.Ruf. Sp.109.B
Os ventriculi afficit vtrunq; principium.1°.de ſymp.cauſ. 3ª.17.G
Os ventris trahit ſecū ad ſympathiam principalia membra,& quæ ſymptomata faciat.de vict.rat.in morb.acut.com.2°. 7ª.123.H
Oris ventriculi,& cerebri quantus conſenſus.5°.de loc.aff. 4ª.32.H
Ori ventriculi conſentit cerebrum.in progno.com.1°.4ª.195. H/ de mel. ex Gal.Ruf.& Poſſ. Sp.109.B
Oris ventriculi & cordis quantus conſenſus.5°.de loc.aff. 4ª.32.H
Os vētriculi in cōſenſum ducit aīam.in 6ᵐ.de morb.vulg.c.4°.3ª.186.F
Os ventriculi ſyncopas,& ſymptomata non parua incurrit ob ſenſum exquiſitum.12°.met.me. 7ª.77.F
Os ventriculi quibus laborat,ſolet animæ defectus ſuperuenire.de articulis,commenta.2°. 7ª.264.H
in Ore ventriculi humor acris ſæpe facit animi defectum.2°. de arte curat.ad Glauconem. 7ª.103.C
Os vētriculi plenū humoribus facit aī defectū.cō.1°.aph.23°. Ex.10.D
Ore ventriculi vexato ſyncopi detinētur hoīes.11°.met.me. 7ª.74.D
ex Ore ventriculi defectus animi,quo modo curetur.2°. de arte cura. ad Glauconem. 7ª.99.B
circa Os ventriculi ſyncopi ex flaua bile quomodo curanda. 12°.methodi medendi. 7ª.76.C
circa Os ventriculi ſyncope quæ vina cōueniant.12°.met.me. 7ª.76.D
in Ore ventriculi,cur ſingultus fiat.com.5°.aph.1°. Ex.37.D
in Os vētriculi humores mali quos caſus faciāt.c.4°.ap.67°. Ex.34.G
Os ventriculi compatiens quo modo conuulſionem faciat.commenta.5°. aphoriſmo.1°. Ex.37.C
Os ventriculi habet ſocietatem in patiendo ex elleboro cum neruis.commentario.5°.apho.1°. Ex.37.C
Os ventriculi ratione ſocietatis facit diſpnæas,apnœas,morſus epilepſias,deliria & melancholias.1°.de ſymp.cauſ. 3ª.17.H
ex Ore ventriculi ſomni tumultuoſi.5°.de loc. aff. 4ª.32.H
in Ore uentriculi cum ſunt excrementa apparent ſymptomata ſuffuſioni ſimilia.1°.de loc.aff. 4ª.3.F/H
ab Ore uentriculi q̄uo cognoſcatur fieri uertigo.3°.de loc.aff. 4ª.20.D
ꝑ Oris uentriculi morbo comitiali uinum album modice adſtringēs. 5°. de locis affectis. 4ª.32.F
ex Ore uentriculi comitiali morbo correpto datur medicamētum amarum ex aloe.5°.de loc.aff. 4ª.32.G
ob Oris uentriculi uitium deliria generantur.5°.de loc.aff. 4ª.31.F
ex Oris uentriculi amentia.5°.de loc.aff. 4ª.32.H
ad Oris uentriculi incontinentiam.de reme.par.fac. 7ª.158.F
cum Oris uentriculi offenſione febris uel ex cruditate qualis. 12°. methodi medendi. 7ª.75.E
Os uentriculi quomodo cauſum facit.de uict.rat.in morbis acutis,commentario.4°. 7ª.134.E
Oris uentris magnæ affectiones quibus curentur.8°. de compo. medicamen.ſecun.locos. 5ª.192.F
Os uentriculi calefactum quibus refrigerantibus curetur.1°. de arte cura.ad Glauconem. 7ª.99.C
Oris uentriculi inflammatio quid faciat.de pulſ.ad tyro. 4ª.45.B

Oris ventriculi inflammatio eget adſtringentibus nō ſolis relaxantibus de reme.par.fac. 7ª.158.F
Oris ventriculi vlcera inſanabilia quo modo.6°.met.me. 7ª.39.G
Oris ventriculi vlcus ob nimiū ſenſum nō ſanatur.6°.met.me. 7ª.39.G
ad Oris ſtomachi vitio vexatos.de med.fac.par. 7ª.173.F
OS *veſicæ quibus conſtet.de ana.viu.* Sp.51.D
Os veſicæ intrat collum matricis.de ana.viu. Sp.51.G
OS *vteri quod ſit.com.5°.aph.46°.* Ex.41.H
Os matricis duplex eſt.de ana.viu. Sp.51.E
Os matricis comparatur roſæ.de ana.viu. Sp.51.E
Os vteri in p̄gnāte nec ſtyli mucro ingrederet̄.2°.de ſymp.cauſ. 5ª.21.B
Os vteri quomodo nouem menſibus clauditur.6°.de loc.aff. 4ª.42.D
Os matricis conſtringitur ante horam partus.de ana.viu. Sp.51.E
Os vteri affectum quę aperiant.5°.de comp.me.fac. 5ª.35.G
in Ore matricis ſit vehemens dolor,cui niſi cito occurratur,exulcerat. de paſſ.muli. Sp.95.F
in Ore matricis hæmorrhoidibus quid proſit.de paſſ.mul. Sp.96.B
in Ore matricis rhagadijs quid conferat.de paſſ.mul. Sp.96.C
ORIS *vaſorum apertio ἀνάσομωσις appellatur.4°.met.me.* 7ª.23.B
Oſcillorum venarum,& arteriarum apertio in toto corpore anaſtomωſis dicitur.6°.de vſu par. 1ª.151.H
Ora vaſorum aperire eſt intentio in prouocandis menſtruis,& purgandis.decoloribus.com.5°.aph.36°. Ex.40.H
Ora vaſorum reſerat ficus arbor.8°.de ſimp.med.fac. 5ª.61.F
Ora venarum quo modo aperiantur in pulmone.4°.de loc.aff. 4ª.28.A
ORA *vlcerum indurata adeps vitulinus emollit. 4°. de compoſitione med.per genera.* 5ª.240.A
de OSSIBVS *de anatom.viuo.* Sp.55.C
Oſſa quid.fin.med.44.D/49.D/ Iſa.52.F
Oſſa qualia ſingula ſint,& quàm ſtructuram habeant medicus ſcire debet.de oſſibus. 1ª.39.G
Oſſa,& oſſium nomina ſciri debent.1° de ana.adm. 1ª.64.B/C
Oſſium anatomia primo ſpectanda eſt.de ana.admi. 1ª.63.F
Oſſium anatomiam auditoribus ante oculos ponunt medici Alexandrini.1°.de ana.admin. 1ª.63.F
Oſſa mortuorum quomodo vidit Galenus.1°.de ana.adm. 1ª.63.F
Oſſium diſſimilitudinem ab hominibus non habent Cynocephali.1°. de anatom.adm. 1ª.63.H
Oſſa ſimiarū pro humanis oſtendit Galenus.de art.com.2°. 7ª.262.H
Oſſium natura primo ſpectanda in hōie,& ſimia.1°.de ana.ad. 1ª.63.H
Os eſt inter ſimilaria ac prima & ſimpliciſſima ſenſui elemēta.1°.de elementis. 1ª.7.E
Os membrum ſimilare.de nat.hum.com.1°.1ª.26.C/de diff.mor.3ª.2.F/ de anato.viu. Sp.43.G
Oſſa ſunt inter primas partes quæ generantur.8°. de decr. 275.C/1°. de natu.facul. 1ª.291.F
Oſſa vltimæ ſunt partes quæ perficiuntur.2°.de tem. 1ª.16.A
Os ex quo fit.1°.de ſemine.1ª.331.D/3°.de ſimplic. medic.fac.5ª. 17.D/de hiſt.philoſ. Sp.11.F
Oſſa fiunt ex quatuor humoribus & grauiore ſang.nat.de ſper. Sp.36.C
Os quo modo fiat ex ſanguine.1°.de nat.fac. 1ª.292.D
Os exangue tamen ex ſanguine factum.2°.de nat.fac. 1ª.297.E
Oſſa calore fiunt.1°. de ſemine. 1ª.332.B
Oſſa craſſeſcunt ex calore veniente à matrice per ſpiritum naturalem. de ſpermate. Sp.36.C
Oſſa citius concreſcunt caliditate,& ſiccitate.2°.de ſem. 1ª.339.B
Oſſa ſunt corpus terreſtre in animali.1°.de elem. 1ª.5.D
Oſſa terrena ſunt.9°.de ſimp.me.fac. 5ª.64.H
Oſſa etiam in nuper natis humida ſunt.2°.de temp. 1ª.16.A
Oſſa in pueris magis ſunt cerea q̃ lapidea.com.3°.aph.24°. Ex.25.B
Oſſa porcellorum nuper natorum cui ſimilia.2°.de temp. 1ª.16.A
Oſſa veterum animalium ſicciſſima.2°.de temp. 1ª.16.B
Os ſiccum.1°.de temp. 1ª.12.G
Os quando ſiccum dicitur ſimpliciter cui cōparatur.1°.de temp. 1ª.13.A
Os cur ſiccum.de anat.ocul. Sp.58.B
Oſſa in varijs animalibus ſunt magis ſicca,& minus.1°.de tēp. 1ª.13.A
Oſſa dicuntur ſicca & humida in diuerſis hominibus.1°.de temp. 1ª.13.B
Os vbi minus aridum,& cur.1°.de ſem. 1ª.332.C
Os frigidum.de inæqu.intemp. 3ª.44.A
Os ſiccum & frigidum.1°.de elem.1ª.6.E/de anat.viu. Sp.44.E
Os eſt minus frigidum,& ſiccum pilo.1°.de temp. 1ª.15.C
Os omnium duriſſimum.2°.de temp. 1ª.18.A
Oſſa duriſſima aridiſſima terreſtria.de oſſib. 1ª.39.G
Os eſt os propter duritiem.1°.de vſu par. 1ª.115.E
Oſſa cur dura.1°.de ſem.1ª.332.B/de ana.viu. Sp.43.G
Oſſa inſenſibilia ſunt.de vtil.reſp. Sp.62.G
Os capitis ſenſu caret.13°.met.me. 7ª.86.A
Oſſa non ſentiunt acum.1°.de elem. 1ª.2.H
Oſſa ſi debent nutriri opus eſt nutrimentum habere multas mutationes. 3°.de nat.fac. 1ª.308.B
Oſſa quo nutriantur.de inæq.intemp. 3ª.43.D
Oſſium nutrimentum quale.6°.met.me. 7ª.40.D
Oſſis nutrimentum proprium quod.2°.de vſu par. 1ª.126.G
Oſſium proprium nutrimentum eſt medulla.11°.de vſu par. 1ª.191.E
Oſſium medulla quantum humida.2°.de temp. 1ª.17.G
Oſſium medulla differt à Cerebro.2°.de temp. 1ª.17.G
Oſſium medulla differt à ſpinali medulla.2°.de temperamentis.17.H/8°. de vſu partium. 1ª.166.D
Oſſa ſunt perforata.de ana.viu. Sp.44.G
Oſſa oſtendunt ſua ſpatia.de inæq.intemp. 3ª.43.D
Oſſium cauernæ plenæ craſſo,& albo humore.de inæq.intemp. 3ª.43.D
Oſſium extrema cur caua.de ana.viu. Sp.43.G
Oſſis extremū ὀυραῖον dr̄.de vict.rat.in mor.acut.com.4°. 7ª.144.F
Oſſis vacuitates extremitatum bucelarum ingredientium iuuamentum ſunt chartilagines quædam.de ana.viu. Sp.55.D
Os à ſeipſo gubernatur.ars med. Iſa.63.B
Oſſa qualiter in hominum ſubſtantia.1°.de ana.adm. 1ª.63.E
Oſſium ſubſtantia propter quid.16°.de vſu par. 1ª.214.G
Oſſa propter quid ſint.11°.de vſu par. 1ª.191.B
Oſſium duplex eſt ſcopus.11°.de vſu par. 1ª.191.E
Os habet functionem ſimilem in omni parte.8°.de decr. 1ª.266.B
Oſſa in quibus facta ſunt propter motum.11°.de vſu par. 1ª.191.B
ſine Oſſibus polypi mouentur.1°.de vſu par. 1ª.115.H
abſq; Oſſium motu qui muſculi mouentur.1°.de motu muſc. 1ª.309.E
Oſſa virtutem corpori præſtant.de dyna. Sp.19.D
Oſſa & muſculi totius corporis fundamenta ſunt.1°.de ana.ad. 1ª.64.B
Oſſa fundamenta totius corporis.de oſſ.1ª.39.G/de ana.viu. Sp.55.C
Oſſium firmitas quæ in toto corpore.1°.de vſu par. 1ª.115.H
Oſſa,quæ ſuſtinent laborem ſunt ſicca.de dynamidijs. Sp.19.D
Oſſibus quomodo circumponuntur carnes.1°.de ſemine. 1ª.332.B
Oſſium inuolucrum quomodo fiat,& ex quo.1°.de ſem. 1ª.332.B
Oſſiū figuram ſequuntur quæcunq; ſunt in aīali. 1°. de ana.adm. 1ª.63.E
Oſſibus inhærent muſculi,ideo magnitudinem ſequuntur,& figuram illorum.1°.de ana.adm. 1ª.63.E
Oſſium reſpectu muſculi ſunt actores.17°. de vſu par. 1ª.221.C
Oſſibus qui incumbunt muſculi q̄uo ſe habent.2°.de motu mu. 1ª.316.E
Oſſa cū alternant̄ muſculi in ſe ipſos concurrunt.de frac.c.3°. 7ª.248.B
Os vnum vbi eſt,ibi adſunt muſculi recti,& obliqui. 6°. de anatomicis adminiſtrationibus. 1ª.90.A
Oſſa duo vbi ſunt,ibi vnum extendit & flectit membrum, aliud in latera circumagit.6°.de anatomicis adminiſtr. 1ª.90.A
Oſſi catenam ligat vt experientia motus muſculorum oſtendat.1°.de motu muſculorum. 1ª.312.D
Oſſiū exercitatio fit p accn̄s à motibus volūtarijs.2°.de ſan.tu. 2ª.75.A
Oſſa cur non habeant motum voluntarium.16°.de vſu par. 1ª.214.H
cur Oſſa non poſſunt moueri.1°.de vſu par. 1ª.117.C
ex Oſſibus,carne,venis,neruis,& arterijs compoſitum incorruptibile eſſe non poteſt.14°.de vſu par. 1ª.204.D
Oſſa in quibus facta ſunt propter perſpiratum.11°.de vſu par. 1ª.191.C
Oſſa in qbus fcā ſunt pp difficultatē & ſecuritatē.11°.de vſu pa. 1ª.191.C
in Oſſibus ſquamoſis propter diſcrimen partium in oſſibus compoſitiones factæ ſunt.11°.de vſu par. 1ª.191.C
in Oſſa magna cur inſeruntur vaſa tenuia.13°.de vſu par. 1ª.202.B
Os breuiſſimum ſub longiori uehi conuenit.2°.de vſu par. 1ª.125.B
in Oſſis terminum inſeritur tendo.1°.de motu muſc. 1ª.309.D
Os quo modo diſponatur quando tendo circa os.2°.de vſu par. 1ª.123.C
in Oſſa nullus neruus inſeritur.16°.de vſu par. 1ª.214.G
ex Oſſibus nerui qui producuntur.15°.de vſu par. 1ª.210.D
Os quomodo diſponatur qn̄ neruus eſt circa os.2°.de vſu par. 1ª.123.C
ab Oſſibus chartilagines quandoq; procedunt.de vtil.reſp. Sp.62.H
ex Oſſe ligamenta emergunt.15°.de vſu par. 1ª.210.F
ex Oſſibus oriuntur ligamenta.3°.de comp.med.per gen. 5ª. 231. F/6°. met.me.38.H/de ocul. 7ª.183.G
Oſſium ligamenta ſenſus expertia ſunt.3°.de alim.fac. 2ª.26.F/ de utilitate

litate reſpirationis. Sp.62.G
Oſſium ligamenta duplicia quæ.de vtil.reſp. Sp.62.G
Oſſium articulationes quomodo eſſe debeant.de conſt.ar. Iſa.37.B
in Oſſium articulis vnum mouetur, aliud ſtat, vt faciunt cardines oſtiorum.1°.de motu muſculorum. 1ª.312.C
Oſſa dura cur exigunt articulationes.11°.de vſu par. 1ª.191.F
Oſſa quod adiumentum habeant.com.5°.aph.39°. Ex.41.B
Oſſa habent venas exiguas.16°.de vſu par. 1ª.220.G
Oſſa quædam grandia, caua medulloſa, alia parua ſolida, & ſine medulla.de oſſibus. 1ª.39.H
Oſſibus magnis appendices adnaſcuntur.de oſſib. 1ª.39.H
OSSIVM diuerſitas.de ana.viu. Sp.55.C
Oſſium ἐπιφύσις vocãt græci capitũ proceſſus.11°.de vſu pa. 1ª.191.F
Oſſium eminentiæ vnde.16°.de vſu par. 1ª.218.A
Os hñs medullã, habet duo capita veluti duo opcula.11°.đ vſ.p. 1ª.191.C
Oſſium capita non ſunt in omnibus habentibus medullam, quia non eſt medulla in maxilla inferiori.11°.de vſu par. 1ª.191.F
in Oſſibus caput quid ſit.de oſſib. 1ª.40.B
in Oſſibus corωne quid ſit.de oſſib. 1ª.40.B
Os paruum non habet medullã, neq; ſinũ magnũ.11°.de vſu p. 1ª.191.D
Oſſa grãdia caua facta sũt ne nimis eẽnt põderoſa.11°.de vſu p.1ª.191.D
Oſſa cur laxiora ac caua aĩalibus imbecillioribus.11°.de vſu p.1ª.191.D
Oſſa cur caua, & laxa in hominibus.11°.de vſu par. 1ª.191.E
Oſſa cauitate carentia habent tale quid, vt medulla in ſuis cauernulis. 11°.de vſu partium. 1ª.191.F
Os cur ſine medulla.11°.de vſu par. 1ª.185.D
Oſſa cur denſiora animalibus fortioribus.11°.de vſu par. 1ª.191.D
Oſſa in quibus animalibus denſiora ſint.11°.de vſu par. 1ª.191.H
Oſſium concretio in aquilis denſiſſima eſt.11°.de vſu par. 1ª.191.E
Oſſis cauitas quomodo vocetur.1°.de motu muſcu. 1ª.312.C
Oſſium concauitates cotylas vocant.de cauſ.morb. 3ª.9.E
Oſſis cauitas quantum profunda.1°.de motu muſc. 1ª.312.C
Oſſium concauitatibus fractis membrorum capita facile excidunt. de cauſis morborum. 3ª.9.E
Oſſis conuexitas quomodo vocetur.1°.de motu muſc. 1ª.312.C
OSSA ducenta ſunt, & amplius.de fœt.for. 1ª.325.F
Oſſa plus quàm trecenta in homine.9°.de dec.Hipp. 1ª.284.G
Oſſium omnium compago ſceletos dicitur.de oſſib.39.H/ 1ª.43.G
Oſſa duobus modis in nobis coniuncta.fin.med.50.C/Introd. Iſa.54.F/ de oſſibus. 1ª.39.H
Oſſium compoſitio naturalis dicitur articulus.de oſſibus. 1ª.39.H
Oſſium vnio naturalis dicitur ſymphyſis.de oſſibus. 1ª.39.H
Os capitis caluaria dicitur.de oſsib. 1ª.40.D
Os cranij eſt ad tuendum.de ana.viu. Sp.55.C
Os capitis cur cauernosũ eſt, et hñs multas ſuturas.9°.đ vſu p.1ª.171.F
Oſsibus quomodo iungatur craſſa meninx.9°.de vſu par. 1ª.176.E
Oſsium materia vnà cum capite augeſcit, & roboratur.in 6m.de morb. vulgaribus, com.1°. 3ª.154.E
Os in toto corpore non ſuperat tantum alterum, quantum os capitis oſſa primorum ſpondylorum.12°.de vſu par. 1ª.195.H
Oſſa capitis ſuturis conſtant.introd. Iſa.54.F
Oſſa quæ habent ſuturam obſcuram, tamẽ per cocturam videtur.11°.de vſu partium. 1ª.192.A
Oſſa capitis excepto ſphenoεide ſunt ſex.de oſsibus. 1ª.40.G
Oſſa caluariæ ſeptem.introductio. Iſa.54.F
Os ſphenoεis quod.de oſsib. 1ª.40.F
Os lithoεides quod.de oſsibus. 1ª.40.H
Os belonoεis quod.de oſsibus. 1ª.40.H
Os ſtyloεides quod.de oſsibus. 1ª.40.H
Os à literæ y ſimilitudine hioεides appellatum.de muſc.diſſ. 1ª.46.A
Os hyoεides ſiue hypſiloεides non nulli lambdoεides nominant.de muſculorum diſſectione. 1ª.46.D
Os hyoεides, & pharyngethron idem.de voc.inſtr.diſſe. 1ª.107.B
Os ὑοειδὲς quod.introd. Iſa.54.F
Os ὑοειδὲς quale, & eius vſus.7°.de vſu partium. 1ª.163.D
Os hyoεides ligantes muſculi inferiori maxillæ, & eorum proceſſus.de muſculorum diſſectione. 1ª.46.D
Os hyoεides q muſculus ſursũ ad maxillã retrahat.de muſc.diſ.1ª.46.F
Os Lãbdæ q muſculi mouẽt, & vñ oriant̃, ac deſinãt.de muſ.di. 1ª.46.E
Os lambdoεides qui muſculi retrahunt.de muſc.diſ. 1ª.46.E
Os graphoεides quod.de oſsibus. 1ª.40.H
Os Zygωma quod.de oſsibus. 1ª.40.H
Oſſa alaria & πτερυγοειδῆ quæ.de art.com.2°. 7ª.263.D
Os iugale, & iugamentum quid ſint.de artic.com.2°. 7ª.263.A
Os iugale quod.de oſsibus. 1ª.40.H
Os frigidum & ſiccum auri ſupponitur.de ana.ocul. Sp.58.B
Os petroſum quale.de ana.viu. Sp.48.G
ab Oſſe petroſo incipit foramen auris.de ana.viu. Sp.48.G
Oſsis petroſi pars interior ſe habet ea comparatione ad auditum in qua ſe habet cryſtallinus humor ad viſum.de ana.viu. Sp.48.G
Oſſa cur dura circa muſculos temporales.11°.de vſu par. 1ª.185.B
Oſſa maxillarum ſunt malæ.de nat.& ord.cuiusl corp. Sp.41.H
Oſſa ſuillarum maxillarum qualia.1°.de comp.me.ſec.loc. 5ª.123.G
Oſſa ſuperioris maxillæ conſtant coagmentatione.introd. Iſa.54.G
Oſſa maxillæ ſuperioris.de oſsibus. 1ª.41.A/D
Oſſa terna maxillæ ſuperioris ab vtraq; parte.de oſsibus. 1ª.41.B
Oſſa faciei duodecim.introd. Iſa.54.G
ſine Oſſe mouẽtur frontis, cutis, et faciei partes.1°.de motu m.1ª.309.F
cur Oſſa veluti ſpongia ante nares ſint ſita.8°.de vſu par. 1ª.168.D
Oſſa ante menyngas cur foraminulenta.8°.de vſu par. 1ª.168.D
Oſsium σπογγοειδῶν, & ἠθμοειδῶν, vſus.8°.de vſu par. 1ª.168.E
Os olfactus inſtrumẽto ꝓpoſitũ ἠθμοειδὲς dicit̃.11°.de vſu par.1ª.188.H
Oſſa ithmoide, id eſt cola dicta olfactum auferunt, & quo modo.3°.de locis affectis. 4ª.21.D
per Oſsa colatoria ſpiritus halituoſi exturbantur à cerebro.de ſymptomat.cauſ. 3ª.21.G
Os naſi ab alio oſſe pendet.in 6m.de morbis vul.com.1°. 3ª.154.G
Oſsa naſi duo.de oſsibus. 1ª.41.C
in Oſsis naſi concauitate iacent duæ carunculæ ſpongioſæ.de anatomia viuorum. Sp.49.A
Oſsa duo in naſo foramen triangulare habentia.de ana.viu. Sp.49.A
Oſsa phatnia quibus inſunt dentes.de oſsibus. 1ª.41.F
Oſsa in quibus dentes quæ.11°.de vſu par. 1ª.192.D
Oſsa non ſunt dentes ipſi.de nat.& ord.cuiusl.corp. Sp.42.D
abſq; Oſse mouentur oris labra 1°.de motu muſc. 1ª.309.E
Oſsa maxillæ inferioris quot.de oſsibus. 1ª.41.G
Os inferioris maxillæ coctum aperitur.de oſsib. 1ª.41.G
Os capiti gutturis incumbens quo modo vocetur.de muſ.diſſ. 1ª.46.D
ab Oſse guttur ambiente muſculi exortus & inſertio ſcapulã in priorẽ regionẽ ceruicis verſus ꝓpriũ principiũ adducit.de muſ.diſ. 1ª.45.C
Os membrana & aden ſatis ſunt ad palati meatũ.9°.de vſu p. 1ª.172.C
Oſsa Thoracis quot.de oſsibus. 1ª.42.E
Oſsa thoracis quæ.de oſsibus. 1ª.42.E
Oſsa thoracis quomodo glutinentur.de oſs. 1ª.42.E
Oſsium pectoris motus.de oſsibus. 1ª.42.E
Oſsis pectoralis tota figura Xiphoεides.de oſs. 1ª.42.F
Oſsis furculę iuuamentum.de ana.viu. Sp.43.H
Oſsa ex diametro oppoſita pulmoni 16°.de vſu par. 1ª.220.G
Os in elephantis corde inuenit Galenus.7°.de ana.admi. 1ª.96.F
Os cordis cerui.de med.fac.par. 7ª.175.B
Oſsa clauiculæ forma.1°.de ana.adm. 1ª.67.H
Oſsium clauiculæ ad ſummum humerum ligantur.Intro. Iſa.54.G
Os humeri maximum eſt.de oſs. 1ª.42.H
Os humeri quod.de oſsibus. 1ª.42.H
Os humeri cui alligetur.de oſsibus. 1ª.42.H
Os vnum in brachio.2°.de vſu par. 1ª.126.A
Os brachij cur gibberosũ ẽ exterius, ſimũ ĩterius.2°.de vſu p.1ª.126.A
Os maius cubiti proprie vlna dicitur.2°.de vſu par. 1ª.121.B
Os cubiti longius eſt quam os radij.de frac.com.1°. 7ª.224.F
Oſsa cubiti inæqualia ſunt.de fract.com.3°. 7ª.249.D
Os paruum in cubito radius.2°.de vſu par. 1ª.121.B
Oſsa quæ fiunt radius, & cubitus.de frac.com.1°. 7ª.227.B
Oſsa brachij, & crurum à quibus moueantur.17°.de vſu.par. 1ª.221.C
Oſsa totius manus.2°.de vſu par. 1ª.123.D
Oſsa manus cur multa, & ita compoſita.2°.de vſu par. 1ª.123.H
Oſsa octo in carpo.2°.de vſu par. 1ª.123.D
Oſsa carpi cur octo.2°.de vſu par. 1ª.124.B
Os octauum carpi quale.2°.de vſu par. 1ª.124.F
Oſsa carpi omnia ſe contingunt.2°.de vſu par. 1ª.124.C
Oſsa carpi cur duos habent ordines.2°.de vſu par. 1ª.124.C
Oſsa quatuor ſunt in metacarpio.2°.de vſu par. 1ª.123.D
Oſsa metacarpij cur quatuor.2°.de vſu par. 1ª.124.B
Oſsa palmæ introductio. Iſa.54.H
Oſsa χαλκοειδῆ quæ introd. Iſa.55.A

Oſſa digitorum partes.de inæq.intemp. 3ª.43.D
Oſſa digitorum internodia dicuntur.1°.dc ana.adm. 1ª.66.B
Oſſa cur in digitis.1°.de vſu par. 1ª.115.H
Oſſa ſi deeſſent tremerent digiti.1°.de vſu par. 1ª.116.A
ſine Oſſibus non poſſemus ſcribere neq; incidere.1°.de vſu p. 1ª.116.A
Oſſa digitorum quot.de oſſibus. 1ª.43.B
Oſſa digitorum manus ſunt vigintiſeptem.de frac.com.2°. 7ª.233.B
cur Oſſa multa ſint, & non vnum in digitis.1°.de vſu par. 1ª.116.A
Oſſa tria in omni digito.2°.de vſu par. 1ª.123.D
Oſſa digitorum neque plura,neq; pauciora tribus eſſe debuere. 1°. de vſu partium. 1ª.116.E
Oſſa digitorum inferiora cur maiora ſupioribus.1°.de vſu par. 1ª.116.F
Oſſa digitorum cur rotunda.1°.de vſu par. 1ª.116.F
Oſſa digitorum cur in lateribus, & intus non ſint conuexa. 1°. vſu partium. 1ª.116.F
Oſſium digitorũ figura cur talis, & tãta eſſe debet.1°.de vſu p.1ª.116.F
ab Oſſibus tribus digitorum ſex figurarum differentiæ fiunt. 1°. de vſu partium. 1ª.116.B
Oſſium digitorum labia cur non ſunt ęqualia.1°.de vſu par. 1ª.117.A
Oſſa digitorum cur dura,denſa,& ſine medulla.1°.de vſu par. 1ª.117.A
Os ſpinæ propter fundamentum corporis factũ eſt.de ana.viu. Sp.55.C
Os quod ſupra ſpondylum excreſcit eſt ad replendũ.de ana.viu. Sp.55.C
Oſſa vertebrarum per neruos, & ligamenta habent quandam ſocietatem cum partibus gulæ.com.3°.aph.26°. Ex.25.D
Os renum duplex.de ana.viuo. Sp.51.C
Os ſacrum quod.intro. Iſa.53.E
Os ſacrum coccix.3°.de ana.adm. 1ª.71.A
Os ſacrum quod,& latum dicitur.6°.dę ana. admin. 1ª. 93.G| de fract. commentario.3°. 7ª.245.D
Os ſacrum quale.de oſſibus. 1ª.42.D
Oſſi ſacri ſpina ſimilis eſt ei,quam cæteræ hñt vertebræ.de oſſ. 1ª.42.D
Os ſacrum pars ſpinæ.12°.de vſu par. 1ª.196.G
Os ſacrum quibus compoſitum.de oſſibus. 1ª.42.D
Os ſacrum ex vertebris connatis conſtat.intro. Iſa.54.H
Os ſacrum ex quatuor ſpõdylis vel oſſibus cõſtat.12°.de vſu p.1ª.196.G
Os ſacrum vnde oriatur.12°.de vſu par. 1ª.196.G
Oſſis ſacri articulatio,& epiphyſes.13°.de vſu par. 1ª.201.F
Oſſis ſacri cum alijs iunctio.14°.de vſu par. 1ª.208.H
Oſſis ſacri ligamentum quale.13°.de vſu par. 1ª.201.F
Oſſis ſacri vtilitates.13°.de vſu par. 1ª.201.E
Oſſa ilium quæ.de oſſibus. 1ª.43.C
Oſſa ilium quæ ingrediantur.de oſſ. 1ª.42.D
Os coccix quod nam ſit.de oſſibus. 1ª.42.D
Os coccix quale.de oſſibus. 1ª.42.D
Os coccix quibus conſtet.de oſſibus. 1ª.42.D
Oſſa pubis quo modo incidenda pro videndis ſedis muſculis. 6°.de anatomicis adminiſtrationibus. 1ª.93.G|F
Oſſi pubis multa caro ſupereſt.6°.de ana.adm. 1ª.93.G
p Oſſis pubis foramen venæ.de ven.& art.diſſ. 1ª.58.F
Os,caro,glandula,& chartilago non poſſunt eſſe vtiles ad confectionẽ pudendi.15°.de vſu par. 1ª.210.D
ex Oſſe pudendi corpus emergit,vt alia ligamẽta.1°.de vſu p. 1ª.210.F
ab Oſſe cur emergit pudendum.15°.de vſu par. 1ª.210.F
Oſſa coxendicum quæ.de oſſ. 1ª.43.C
Oſſis coxæ natura.de artic.com.3°. 7ª.280.H
Oſſium cruris differentia.de fract.com.3°. 7ª.249.B
p Oſſa innitimur cruribus.17°.de vſu pa. 1ª.222.F
Os aliquod in crure ſi tollat̃,tollitur ambulatio.17°.de vſu par. 1ª.222.F
Os fœmoris quod & quale.de oſſ. 1ª.43.D
Oſſa tibiæ,os ſuræ vocat Hippocrates,& quod communi totius membri nomine tibia nuncupatur.de arti.com.4°. 7ª.284.E
Os tibiæ interius maiorẽ oneris partem fert.de frac.com.2°.7ª.240.A
Oſſa pedis quæ,& quot.de oſſ. 1ª.43.F
Oſſa digitorum pedis quatuordecim ſunt. de fract.com.2°. 7ª.233.B
Oſſi calcis communicationẽ nerui magni habent.de fra.cõ.2°.7ª.234.D
Oſſa pectinis quæ.de oſſ. 1ª.43.C
Oſſis cyboidis ſitus.3°.de vſu partium. 1ª.130.B
Os ſcaphoeides,quod.de oſſ. 1ª.43.F
Oſſa ſeſamina quæ.de ana.viuo.49.C| Sp.55.C
Oſſa pedum,tibiarum,& crurum ſunt ad ſuſtentamẽtum ſenſus, & motus de ana.viuo. Sp.55.C
Os ſeſamois quale.2°.de vſu par. 1ª.124.H
in Oſſibus quæ fiunt.introd. Iſa.59.F
os affectum eſſe quo modo cognoſcatur. de fract.com. 3°. 7ª.244.C
Oſſa non dolent quia non ſentiunt.de conſt.ar. Iſa.38.C
Oſſa dolent concepto in bilis horis.de ſperma. Sp.37.C
Oſſium omnium harmonia dolet conceptis in horis melancholiæ. de ſpermate. Sp.37.D
Oſſium dolores qui.2°.de loc.aff. 4ª.11.E
Oſſium dolor quo modo fiat.3°.de ſan.tu. 2ª.78.H
ad Oſſa pertinentium membranarũ dolores qui.2°.de lo.aff. 4ª.11.E|H
Os quidam ſibi grauari ſenſit.de mult. 3ª.77.F
Oſſibus nocet frigus,& prodeſt calor.com.5°.aph.18°. Ex.39.A
Os non palpitat,neq; cartilago.2°.de ſymp.cau. 3ª.20.F
Os palpitare non poteſt,& cur.de palp.trem.conuulſ.& rig. 3ª.52.H
Oſſa non conſumuntur.in progn.com.1°. 4ª.191.C
ad Oſſa vſq; inflammatio.de tum.præter naturam. 3ª.83.D
ad Os rodentia vulnera.de ocul. 7ª.191.D
Oſſium morbi qui.introductio. Iſa.59.D
in Oſſe vnitatis ſolutio quid ſit.3°.met.me. 7ª.16.D
in Oſſe continuitatis ſolutio dicitur fractio.de differ.morb. 3ª.5. D|4°. methodi medendi. 7ª.23.B
in Oſſe ſolutionis continui proprium nomen eſt medicis apagma inuſitatum vulgo.6°.met.me. 7ª.40.B
in Oſſe ſolutio continuitatis eſt catagma,& ita ab omnibus græcis proprio nomine vocatur.6°.met.me. 7ª.40.E
in Oſſe eſt fractura.6°.met.me.36.G|de art.com.2°. 7ª.267.F
in Oſſe fractio,& caries.de cau.morb. 3ª.9.F
de Oſſium fractura.6°.met.me. 7ª.40.B
in Oſſe fractura,& diſruptio.de conſt.ar. Iſa.37.D
Oſſium fracturarum differentiæ quinque.intro. Iſa.59.D
Oſſium ſciſſurarum varia nomina.6°.met.me. 7ª.40.C
in Oſſe quæ ſciſſura cauledon dicatur.6°. met.me. 7ª.40.B
Oſſis fracturæ καυλιδὸν dictæ curatio.6°.met.me. 7ª.40.E
in Oſſe quæ ſciſſura ſchidacedon dicatur.6°.met.me. 7ª.40.B
in Oſſe quæ ſciſſura raphanedon dicatur.6°.met.me. 7ª.40.C
Oſſium fractura faciei affectus. introd. Iſa.59.C
Oſſibus fractis,aut luxatis q̃uo afficiãtur nerui.1°.de ſymp.cau.3ª.16.C
Oſſa in pedibus, & manibus non admodum franguntur . de fracturis. commentario.2°. 7ª.233.C
Oſſa nigreſcunt in fracturis.introductio. Iſa.59.E
Oſſa fractura luxata quo modo vniuntur.de oſſibus. 1ª.40.A
Os fractũ non põt corrigere natura,ſed bñ medicus.de cõſt.ar.Iſa.39.F
Oſſiũ fractorũ coniunctio eſt ſpecies cõpõnis chirurgiæ.introd. Iſa.59.E
Oſſiũ omniũ fractorũ curatio.intr.Iſa.60.D|de fract.cõ.3°. 7ª.242.B
Oſſis fracti curatio,& curationis intentio.6°.met.me. 7ª.40.D
in Oſſe fracto duplex intentio.ars med. Iſa.69.H
ad Oſſa fracta ratio medendi.de dyna. Sp.31.D
Oſſium longarum fracturarum curatio.6°.met.me. 7ª.41.F
Oſſium longis fracturis medicamenta ſiccantia.6°.met.me. 7ª.41.G
Oſſe fracto indicationes duæ.6°.met.me. 7ª.41.C
Oſſis cubiti fractura.de fract.com.3°. 7ª.250.E
Os brachij fractum circa appendicem.de frac.com.3°. 7ª.250.E
Os fœmoris fractum quo modo curetur.de fract.com.2°. 7ª.240.D
Oſſa Tibiæ,& cubiti fracta breuiora reddũtur.de fra.cõ.3°. 7ª.242.F
Oſſa confracta,& luxata cur prius extẽdẽda.de fra.com.1°. 7ª.224.B
Os cruentum,& humidum detergens.de med.fac.par. 7ª.172.G
Oſſiũ fractorũ deligatura ſpecies cõpoſitionis chirurgiæ.intro. Iſa.59.E
Oſſe fracto deligatura fieri debet.6°.met.me. 7ª.40.G
Oſſa fracta quomodo deliganda.introd. Iſa.60.E
in Oſſe deligando faſcia ſit latiſſima.6°.met.me. 7ª.40.G
Oſſibus fractis quando faſcia debet eſſe ſtricta.6°.met.me. 7ª.40.H
in Oſſe fracto vnde debet incipere deligatura.6°.met.me. 7ª.40.H
ab Oſſis deligatura nõ dẽt creari dolor,et pruritus.6°.met.me.7ª.41.D
in Oſſis deligatura aqua infundenda.6°.met.me. 7ª.41.D
in Oſſium ligatura ponendæ ferulæ.6°.met.me. 7ª.41.D
ſupra Oſſium extuberationes ferulæ non imponendę.de ijs,quæ in medicatrina fiunt,com.2°. 7ª.215.C
Os latum ſcapularum iuxta iugulum quo ſit vinculo deligandum.de faſcijs. 7ª.301.E
Oſſium ligaturæ tertio die ſoluendæ.6°.met.me. 7ª.41.D
in Oſſe fracto victus ratio.ars med. Iſa.70.A
Oſſa quibus deligata,cibandi tenuiſſime.6°.met.me. 7ª.41.E
Oſſe fracto vena ſecanda,& purgandum.6°.met.me. 7ª.41.E

ad Oſſa

ad Oſſa fracta inunctio.intro. Iſa.60.F
Oſſium fracturam ſanat emplaſtrum diachryſu.de dyna. Sp.32.B
ad Oſſium fracturas.1°.de compoſi.medi.per genera.5ª.211.C|de medi. facul.par.7ª.177.E|de dyna. Sp.32.A
ad Os fractum,vel ſciſſum remedium.de dyna. Sp.32.C
ad Oſſium craſſa fragmenta innatantia.5°.de cõp.me.per ge. 5ª.248.A
Oſſi quando inherebit caro.6°.met.me. 7ª.42.B
ex Oſſibus perfractis qui male conformati fuerunt vſum membri probum non habent.de diff.morb. 3ª.4.B
Oſſa tardius curant niſi à naturali ſitu pmaneant.de fra.c.2°.7ª.241.H
in Oſſibus quid prolapſio,& quid dimotio.de fract.com.3°. 7ª.248.E
de Oſſibus denudatis cum luxatione.de artic.com.4°. 7ª.284.E
ad Oſſa nuda valet cortex radicis panacis heraclij.8°.de ſimpli. medicam.facul. 5ª.57.H
ad Oſſa carne denudata.5°.de comp.med.per gen. 5ª.257.D
Os quando à ſuo loco mouetur.de fract.com.2°. 7ª.233.F
Os brachij extra non euadit.de fract.com.3°. 7ª.248.A
Os fœmoris extra non euadit.de fract.com.3°. 7ª.248.A
Oſſium prolapſiones in genu benigniores.de fract.com.3°. 7ª.248.E
Oſſa in pede,& manu à ſua ſede dimota in ea reſtitui debent. de fracturis,commentario.2°. 7ª.233.F
Oſſa genuum facile redeunt.de frac.com.3°. 7ª.249.F
Oſſa cui reponuntur ligandus eſt.de machin. 7ª.312.E
ad Oſſium, quæ reſtituuntur intẽtionẽ vtilis laqueus.de laq. 7ª.307.G
ad Oſſa reponenda machinæ.de artic.com.4°. 7ª.289.H
Oſſium antiqui reſtauratores.de artic.com.4°. 7ª.288.H
Oſſium reſtauratores ignari.de artic.com.1°. 7ª.256.B
Oſſa cubiti quot diebus corroborent,et reſtaurent,d fra.c.1°. 7ª.229.H
Oſſis brachij primus repoſitionis modus.de art.com.1°. 7ª.252.E
Oſſa pedis,& manus luxata quot diebus ſanẽtur.de fra.c.2°.7ª.233.H
Os brachij in quadraginta diebus corroborat.de frac.c.2°. 7ª.232.G
Os Tibiæ in quadraginta diebus corroboratur.de fract.c.2°. 7ª.239.H
Os tenue qñ debet recedere quid agendum.de frac.com.3°. 7ª.244.D
Os magnum ſi recedere debet quid agendum.de frac.com.3°. 7ª.244.E
Oſſium receſſio futura quo cognoſcatur.de frac.com.3°. 7ª.244.C
Oſſa reducens.5°.de comp.me.per gen. 5ª.254.F
Oſſa facile reducens.2°.de comp.me.per gen. 5ª.226.B
Os ex loco vbi pulſum eſt,ſanguis detrahendus abſq; ſyndrome plethorica.de vict.rat.in morb.acut.com.4°. 7ª.136.H
de Oſſibus excidendis.de artic com.4°. 7ª.287.F
Os excidere numeratur inter primas medicæ artis actiones.2°.ad Thraſybulum. 2ª.108.F
in Oſſium exciſione quæ contingant.2°.de ana.adm. 1ª.68.H
Oſſa excidentes in quem errores veniant.4°.de ana.adm. 1ª.79.H
in Oſſis præciſione deſipientia ſi in vacuum apprehenderit.commentario.7°.aphoriſ.24°. Ex.55.F
ad Oſſa præciſa.2°.de comp.me.per gen. 5ª.227.E
Oſſe capitis perforato quando curatio adhibenda.6°.met.me. 7ª.42.G
in Oſſibus nudatis capitis & aliarum partium pinguia pharmaca vitamus,ſiccis ſolis vtimur.5°.de comp.me.per gen. 5ª.253.D
in Oſſibus capitis denudatis fugimus emmota medicamenta quoniam lineamentis inunctis offerantur.5°.de comp.me.per ge. 5ª.253.D
Oſſium fracturis,& præſertim capitis prodeſt calidum. commenta.5°. aphoriſmo.22°. Ex.39.E
Os vehementer cõfractũ in capite totũ auferendũ.6°.met.me. 7ª.42.E
Oſſa caluariæ cur conſtringantur,& auferãtur quando ſunt fracta. 6°. methodi medendi. 7ª.42.G
Oſſis fracti ad medullam ipſam,caſus.6°.met.me. 7ª.42.E
Oſſis ſincipitis fracti,caſus.6°.met.me. 7ª.42.E
Oſſa ex capite educens.5°.de comp.me.per gen. 5ª.246.H
ad Oſſa capitis innatantia,& ab alijs ſeparata.2°.de compoſi.medicamentorum per gene. 5ª.225.D
ab Oſſibus ſquammas detrahunt,quæ valide deſiccant.8°. de ſimp.me dicamen.facul. 5ª.58.D
ex Oſſibus ſquammas celerrime detrahit Peucedani radix.8°.de ſimplicium medicamen.facul. 5ª.58.D
ad Oſſa ſeparanda.5°.de comp.me.per gen. 5ª.245.G
Oſſa crani cum medicamento aliquo volumus pertranſire quid agendũ 11°.meth.me. 7ª.73.E
Os cubiti craſſius vulneratum facilius ſanatur.de fra.com.1°. 7ª.227.B
Os ſacrum habet vlcera difficilia.de fract.com.3°. 7ª.245.D
Oſſis tibiæ portione abſciſſa,quid agendum.14°.me.me. 7ª.92.B
in Oſſe caro liuida malum eſt.com.7°.aph.2°. Ex.54.B
Oſſa quo modo putreſcant.de frac.com.3°. 7ª.246.H
in Oſſe foratio fit ab acutis humoribus.de cauſ.morb. 3ª.9.G
Oſſis caries quid ſit.6°.met.me.7ª.41.A|de cauſ.morb. 3ª.9.C
in Oſſibus cariem inducunt exaſperantes cauſæ.de cau.mor. 3ª.9.E
in Oſſe caries,quę teredon grece dicitur,an ſanari queat,ſicut eroſio in carne,non eſt compertum.3°.met.me. 7ª.16.E
Oſſa in ore vbi carie tentantur quid agendum.5°.met.me. 7ª.34.C
Oſſis aſperitas.de cauſ.morb. 3ª.9.G
Oſſa leuigata,& aſperata ſunt euidentiſſima.de diff.mor. 3ª.4.E
in Oſſibus ob quæ fiat aſperatio,& leuitas.de cauſ.mor. 3ª.9.C
circa Os exiſtentium aſperitatũ remediũ.6°.de cõp.me.ſe.lo. 5ª.175.D
Oſſa leuigantur humidis.ars med. Iſa.70.E
in Oſſe quid ſit colliſio.de cauſ.morb. 3ª.9.G
Oſſa non dicuntur collidi,ſed muſculi partes neruoſæ,& cutis.de fracturis,commenta.2°. 7ª.240.A
Os corrumpere quod vlcus poſſit.4°.met.me. 7ª.28.C
Oſſa putrida qualia.de diff.morb. 3ª.3.G
Oſſis corrupti paſſio facit vlcera difficulter ſanabilia. commentario.6°. aphoriſmo.45°. Ex.51.E
Os corruptum in parte penitiori iterum facit inflammationem, & ſanguinem corrumpit,& rumpit cicatricem.com.6°.aph. 45°. Ex.51.F
Os corruptum vel patiens in vlceribus ſiccitate indiget, & quanta.cõmentario.6°.aph.45°. Ex.51.F
ad Oſſa corrupta dirimenda.3°.de comp.me.ſec.loc. 5ª.148.A
ad Oſſa corrupta educenda.10°.de comp.me.ſec.lo.207.G|4°.de compo.med.per gen.243.H|5°.249.A|B| 5ª.253.D
ad Oſſa corrupta reducenda.4°.de comp.me.per ge. 5ª.243.A|H
ad Oſſa educenda.5°.de comp.me.per gen. 5ª.250.B
ad Oſſa corrupta.5°.de comp.me.per gen. 5ª.251.B
Oſſa in quibus partibus tota quandoq; eximantur.de diff.mor. 3ª.4.G
in Oſſis exuſtione Eryſipelas,malum.com.7°.aph.19°. Ex.55.C
Os in aduſtione non debet calefieri.de artic.com.2°. 7ª.276.C
Oſſa combuſta.4°.de comp.me.per gen. 5ª.242.C
Oſſa humana vſta qualia.11°.de ſimp.me.fac. 5ª.80.E
Oſſa hominum ſanãt epilepſiam,& arthritim.11°.de ſimp.me.f.5ª.80.E
Os diſciſſum non caleſcit,neq; augetur.com.6°.aph.19°. Ex.48.B
Os qñ abſcinditur non augetur,nec coaleſcit.cõ.7°.aph.28°. Ex.55.H
Os non generari eſt in confeſſo.com.6°.aph.19°. Ex.48.B
Os ablatum cur non creſcat.1°.de ſem. 1ª.332.D
Os cauatum non curatur.3°.met.me. 7ª.16.E
Os pueri poteſt coaleſcere.ars med. Iſa.69.H
Oſſa vniuntur in puerulis,& mollibus.6°.met.me. 7ª.40.D
Oſſa glutinans,& reducens.5°.de comp.me.per gen. 5ª.249.D
Oſſe deperdito an aliud gignatur.de conſt.ar. Iſa.39.G
Oſſe ablato generatur altera ſubſtantia eius loco.ars med.Iſa.71.C|14°. methodi medendi. 7ª.93.B
Oſſa contrahunt aliquẽ callum,et nõ coaleſcũt.cõ.6°.aph.19°. Ex.48.B
in Oſſe quando maxime fit callus.6°.met.me. 7ª.41.D
Oſſa quo modo coniungantur per porum.5°.met.me. 7ª.32.B
Oſſe fracto ex quo callus generetur.de frac.com.1°. 7ª.230.A
ad Oſſa callo obducenda.3°.de comp.me.per gen. 5ª.235.C
Oſſa cum conuenienti ligatura ad callum perducens. 2°. de comp. medi. per genera. 5ª.225.E
Oſſa quo modo ſiderentur.de frac.com.2°. 7ª.235.A
Oſſis ſiderationes fiunt à carne mucoſa.de artic.com.3°. 7ª.276.A
Os ſideratum.de artic.com.3°. 7ª.276.C
Os calcis ſideratur.de fra.com.2°. 7ª.235.A
in Oſſis callo quo modo ſanguis effundatur.5°.met.me. 7ª.32.G
ad Oſſa deuorata ex gutture excutienda.de me.fac.par. 7ª.159.A
Oſſa inuenta in abſceſſibus.14°.met.me. 7ª.92.D
Oſſibus ſimilia in abſceſſibus inueniuntur.de tum.præter nat. 3ª.83.G
Oſſium perſiorum nucleus.5°.de comp.me.ſec.loc. 5ª.163.E|F
OSCITATIONIS, cõuulſionis,tremoris,palpitationis,rigoris, horroris,ſingultus,tuſſis,ructus,ſternutationis,pãdiculationis Tryſim id eſt dentium concuſſionis genus cõmune eſt motus illegitimus, & quo modo hæc in genere differant.2°.de ſymp.cau. 3ª.19.E
Oſcitatio qño fiat.3°.de diff.reſp.3ª.74.A|com.7°.aph.56°. Ex.59.A
Oſcitationes quo modo fiant in febribus.præſ.exper.confir. Sp.77.E
Oſcitatio eſt nuntius febris præſag.exper.confir. Sp.77.E
Oſcitatio cuius ſymptoma.de ſymp.diff. 3ª.11.G
Oſcitatio facultatis opus.2°.de ſymp.cauſ. 3ª.19.E

Oſcitatio eſt expultricis virtutis mediocris motus.2°.đ ſym.ca. 3ª.23.G
Oſcitatio cur fiat.in 6^{m}.de morb.vulg. com.5°. 3ª.189.B
Oſcitationibus continuis medetur anhelitus longus.in 6^{m}. de morb.vulgaribus.com.2°. 3ª.162.D
Oſcitatio ſanatur longa ſpiratione.3°.de diff.reſp. 3ª.74.A
Oſcitare videntur nec oſcitant, ſed tantum os diducunt quibus morbus in veſica naſcitur de dyna. Sp.19.H
Oſcitatio vino ſoluitur.com.7°.aph.56°. Ex.59.A
Ὄσχεον quid.introductio.53.D/ Iſa.54.E
ad Oſches glandulas pp quid trãſit pars ſpermatis.de ana.vi. Sp.55.H
OSCVLORVM *conuenientia quo modo fiat.1°.de ſan.tu.* 2ª.68.C
Oſculorum venarum relaxatio fit in quibus partibus.de mult. 3ª.78.G
OSIRIS *obſtructiones expediendi facultatem habet, & in iocinore conſiſtentes obſtructiones ſanat.8°.de ſimp.me.fac.* 5ª.57.F
Oſiride fiunt cacoremata.8°.de ſimp.me.fac. 5ª.57.F
Oſmas, Onoſma idem eſt.8°.de ſimp.me.fac. 5ª.57.C/E
Ὀσφὺς quid introductio. Iſa.53.E
OSSEA, *& dura circumplicari nequeunt.1°.de vſu par.* 1ª.114.C
Oſſeum cur non ſit corpus Laryngis.de voc.inſtr.diff. 1ª.107.B
Oſſeum vel chartilagineum quid eſt in corde.4°.de ana.adm. 1ª.79.H
in Oſſeis locis vlcera ſunt doloroſa, ſpaſmoſa, & deliria facientia.4°. methodi medendi. 7ª.28.B
Oſſeæ partes multum exiccandæ.2°.de arte cura.ad Glau. 7ª.102.E
OSSICVLVM *in corde.de oſſi.* 1ª.43.G
Oſſiculum in naſo.de oſſibus. 1ª.43.G
Oſſiculum in gutture.de oſſi. 1ª.43.G
Oſſiculum in digito.de oſſibus. 1ª.43.G
Oſtentare quid ſignificat apud Atticos.de artic.com.4°. 7ª.289.A
Oſtentare, & nihil efficere turpe eſt in oĩ arte.de art.cõ.2°. 7ª.271.A
OSTIARIORVM *ars conſeruatiua.ad Thraſy.* 2ª.104.C
OSTIOLVM *ventriculi quidms patiens in ſimilem affectum facile cerebrum ducit.de mel.ex Gl.& Poſſ.* Sp.109.B
Ὀστεόκοπον oſſium dolorem appellant. 3° .de ſa.tu. 2ª.78.H
Oſtocopi id eſt oſſium dolores qui.2°.de loc.aff. 3ª.11.E
Oſtocopos cõtinetur ſub laſſitudine phlegmonode.de ſym.cau. 3ª.22.C
OSTRACITIS *cadmia quæ.de ſimp.me.* Sp.88.F
Oſtracites qualis.9°.de ſimp. me.fa. 5ª.67.D
Oſtracitatem vberum teſtiumq; phlegmonas ſanare inquiunt aliqui.9°. de ſimpl.me.fac. 5ª.67.D
OSTRACODERMA *cur vocentur.3°.de ali.fac.* 2ª.32.B
Ὀστρακόδερμα habent naturam compoſitam ex repugnantibus facultatibus.1°.de ali.fac. 2ª.7.G
Oſtracoderma ſunt admodum craſſi ſucci.de bon.& vitio ſuc. 2ª.35.E
Oſtracoderma duriora difficilius coquuntur, ſed firmioris ſunt nutrimẽti.3°.de alimen.facul. 2ª.32.D
Oſtracoderma habent ſuccum ſalſum in carne qui aluum ſubducit. 3°.de alimentorum faculta. 2ª.32.B
Oſtracodermatum ſuccus deijcit aluum vt ſerum lactis. de bonitate & vitio ſuccorum. 2ª.35.E
Oſtracoderma cur fugienda.de atten.vic. 2ª.45.E
Oſtracoderma quomodo parata dantur his quibus cibi in vẽtriculo corrumpuntur.3°.de ali.fac. 2ª.32.C
OSTRACON. *9°.de ſimp.me.fac.* 5ª.70.G
OSTRAGRA. *6°.meth.me.* 7ª.42.D
OSTREA *quæ dicuntur.11°.de ſimp.me.fac.* 5ª.80.F
Oſtrea ſunt animalia.14°.de vſu par. 1ª.205.G
Oſtrea media inter animal & plantam.de fœt.for. 1ª.323.F
Oſtreæ non habent vim vitalem.4°.de præſag.ex pulſ. 4ª.122.C
Oſtrea non habent ſenſum niſi vnicum.ſ.tactum.de ana.viu. Sp.45.G
Oſtrearum pleraq; genera oculis carent.2°.de ſemine. 1ª.339.G
Oſtrea omnia cauenda in epilepſia.de puero epil. 7ª.180.H
Oſtreis non oriuntur pili.2°.de temp. 1ª.18.G
Oſtreæ quales ſint.3°.de comp.me.ſec.loc. 5ª.147.B
Oſtrearum corpus humidiſſimum.2°.de temp. 1ª.21.A
Oſtrearum caro humidior, & tenacior.de bon.& vitio ſuc. 2ª.35.E
Oſtrea inter teſtacea habẽt carnem molliſſimam.3°.de ali.fac. 2ª.32.B
Oſtreæ ſunt admodum craſſi ſucci.de bon.& vitio ſuc. 2ª.35.E
Oſtrearum partes ſolidiores ſerius ob craſſitiem concoquuntur.de bonitate, & vitio ſuccorum. 2ª.35.E
Oſtrearum partes ſolidiores generant humorem crudum, craſſum, & frigidum.de bon.& vitio ſucc. 2ª.35.E
ab Oſtrearum multo vſu ſenex cauere debet.5°.de ſan.tu. 2ª.91.D
Oſtrea plurima cur non edenda.de atten.vic. 2ª.45.E
Oſtrearum ſuccus educit, & adſtringit.3°. de ſimp.med.fac. 5ª.20.B
Oſtrea valentius aluum ſubducunt.3°.de ali.fac. 2ª.32.C
Oſtrearum teſta qualis.11°.de ſimp.me.fac. 5ª.80.H
Oſtrearum teſta ſicciſſima.2°.de temp. 1ª.21.A
Oſtrea citra elixationem mandunt.3°.de ali.fac. 2ª.32.C
Oſtreis dentes ſplendidi fiunt.11°.de ſimp.me.fac. 5ª.81.A
Oſtreæ, & ſimilia quo modo cõcrementur.1°.de cõp.me.p ge. 5ª.216.E
Oſtreæ concrematæ quales.1°.de comp.me.per ge. 5ª.216.E
Oſtrearũ teſtę vſtæ p vlceribus exiccãdis.4°.de cõp.me.p ge. 5ª.236.F
ex Oſtreis combuſtis, & fermento medicamentum pro humore ſuppurato.2°.de arte cur.ad Gla. 7ª.105.G
Oſtreis concrematis fit album emplaſtrũ.1°.de cõp.me.per ge. 5ª.217.C
Oſtreacea cur habent duros oculos.8°.de vſu par. 1ª.166.F
OTALGIA *vnde nomen habuit. 2°. methodi medendi.* 7ª.9.E
Otalgia aurium dolor.de ſymp.diff. 3ª.11.F
Ὠτέγχυτα oricularium clyſterem vocant.6°.de ſan. tu.2ª. 100. B/5°. methodi medendi. 7ª.34.C
Ὠτειλαί, id eſt cicatrices.de artic.com.1°. 7ª.258.C
Oticæ facultates quæ dicantur.5°.de ſimp.me.fac. 5ª.32.B
OVILLA *caro eſt in magno vſu. 2°. de alimentorum facultatibus.* 2ª.16.B
Ouilla caro qualis.de ren.aff.dign.& med. 7ª.195.F
Ouillæ carnes calidæ ſunt, & ægre coctiles.in 6^{m}.dę morbis vulgaribus commentario.4°. 3ª.180.C
Ouilla caro difficulter coquitur.1°.de ali.fac. 2ª.10.A
Ouilla caro parum nutrit.in 6^{m}. de morb.vul.com.3°. 3ª.170.F
Ouilla caro iuuenibus non eſt malus cibus.5°.de ſan.tu. 2ª.91.D
Ouilla caro ſenibus non eſt commoda.5°.de ſan.tu. 2ª.91.D
ab Ouillarum carnium eſu prima vice quis læditur, poſtea per menſem edens non læditur.de conſu. 2ª.60.C
Ouillarũ cerebrum valet ad dentitionẽ puerorũ.de ther.ad Piſ. 5ª.93.E
OVILLI *lactis vſus apud non nullos.de bon. & vitio ſucc.* 2ª.35.B
Ouillum lac multo minus pingue quam bubulum.3°.de ali.fac. 2ª.27.H
Ouillum lac habet in ſe craſſitiem.de bon.& vit.ſuc. 2ª.35.B
Ouillum lac habet plus caſei.de bon.& vit.ſucc. 2ª.35.B
OVILLI *pulmonis pars ſupra nares.de artic.com.2°.* 7ª.267.D
ſupra OVILLVM *fel, eſt fel capræ, poſt vrſorum, ac boum.10°. de ſimplic.medica.facul.* 5ª.74.H
Ouillum ſtercus ad quæ valet.10°.met.me. 7ª.76.H
Ouilla pellis recens detracta verberatos ſanat.11°.de ſimp.me.f. 5ª.80.E
OVES *frigidæ ſunt.2°.de ſimp.me.fac.* 5ª.14.E
Oues ſunt naturaliter humidæ.8°.met.me. 7ª.51.B
Ouis eſt ſiccior ſuæ.11°.dę ſimp.me.fac. 5ª.78.E
Oue ſiccior eſt capra.11°.de ſimp.me.fac. 5ª.78.E
Oues pingues ſunt.2°.de ſimp.me.fac. 2ª.14.E
Ouem ſi caper inierit fit ouis duriori lana.2°.de ſem. 1ª.336.G
Oues à natura hominis non longe alienę in fœtu.de fœt.for. 1ª.322.E
Oues geminos vtero ferre ſolent.6°.de loc.aff. 4ª.41.E
Oues propter quid caſtrantur.3°.de alim.fac. 2ª.27.B
Oues habent oſſium ſubſtantiam minus denſam, ac durã canibus, lupis, & pardalis.11°.de vſu par. 1ª.191.H
Ouis, & leonis dentes differunt.11°.de vſu par. 1ª.187.C
Ouium dentes ſimiles ſunt dentibus caprarum.11°.de vſu par. 1ª.187.C
Oues habent tantum dentes inciſiuos, & molares.de ana.viu. Sp.49.E
Ouium muſculus temporalis qualis.11°.de vſu par. 1ª.184.G
Ouium caro excrementoſior, & praui ſucci.3°.de ali.fa. 2ª.26.A
Ouiũ oẽ genus nõ vndequaq; laudabilis ẽ alimẽti.de atten.vic. 2ª.45.E
Oues primo ac medio vere præſtantiores ſunt.3°.de ali.fac. 2ª.26.B
Ouis carnem dat pro cibo.ſecretorum. Sp.102.E
Ouis adeps acer eſt.4°.de ſimp.me.fac. 5ª.25.E
Ouium fel acrius ſuillo.10°.de ſimp.me.fac. 5ª.74.H
ex Oue non fit butyrum.10°.de ſimp. me.fa. 5ª.74.C
Ouiũ lana ẽ ex ijs eſt q̃ familiaria ſunt aĩalibus.11°.de ſimp.me.f. 5ª.81.C
Ouis pili.1°.de comp.me.ſec. loc. 5ª.124.H
Ouis à lupo laniatæ lana.10°.de ſimp.me.fac. 5ª.76.D
ex Oue à lupo comeſta ligula lanea.de incant.adiur.& ſuſp. 7ª.182.B
Ouium lanarum ſordes quales.10°.de ſimp.me.fac. 5ª.77.E
Ouium vulnera ſanat pix humida.7°.de ſimp.me.fac. 5ª.50.F
Ouium vulnera à forfice facta ſanat cedrea.7°.de ſimp.me.fac. 5ª.50.F
ad Ouium ſcabiem cedrea valet.7°.de ſimp.me.fac. 5ª.50.F

ad Ouium ricinos cedrea valet.7°.de ſimp.med.fac. 5ª.50.F

ουλομελίη quid ſignificet.de artic.com.1°. 7ª.258.D

ὄυραχον quid vocant anatomici.intr. Iſa.54.E

ὀραῖον appellant oſſis extremũ.de vict.rat.in mor.acut. 7ª.144.F

οὐρήματα non dixiſſet Hippocrates & Polybus. de natura humana, commentario 2°. 7ª.180.G

οὐρητῆρες meatus qui.introductio.Iſa.54.E|1°.de nat.fac. 1ª.291.G

οὐρήθρα quæ pars ſit.introd. Iſa.53.D

de OVIS & lacte multa diſtincte dicẽda.de bo.& vitio ſuc. 2ª.34.G

Ouum quid.de ſimp.med. Sp.88.E

Oua an partes animalium.11°.de ſimp.med.fac. 5ª.81.C

Oua habent ꝑportionẽ his quæ agnoſcuntur.11°.de ſimp.med.fac.5ª.81.C

Ouum eſt factũ ad generis ꝑpetuã ꝑpagationẽ.11°.de ſimp.me.f. 5ª.81.C

in Ouis eſt caro alba,& mollis.de anat.viuo. Sp.44.D

Ouorũ albumẽ quale.11°.de ſimp.med.f.5ª.81.D|F|de ocul. 7ª.189.A|B

Oui albumen magis terrenum oleo eſt.4°.de ſimp.med.fac. 5ª.25.E

Oui albuminis temperiem lac ſæpe habet.11°.de ſimp.med.fa. 5ª.81.D

Oui albo tenui ſimilis eſt ſecundus humor oculi. de compag. membrorũ, ſiue de natura humana. Sp.58.C

Ouorum candido comparat humorẽ tenuem.in progn.cõ.1°. 4ª.194.E

Oua Zephyria ſubuentanea quæ.2°.de ſem. 1ª.337.G

Oua auiũ, & piſciũ nõ nullorũ cur genita ſine mare.2°.de ſem. 1ª.338.D

Oua facientes ſine mare aues & piſces ſunt ſiccæ temperaturę.2°. de ſemine. 1ª.338.D

Oua ſine mare cur faciant gallinæ & nihil tale faciant vllæ fœminæ inter greſſilia.14°.de vſu par. 1ª.206.D

ex Ouis ſubuentaneis animal gigni non poteſt.14°.de vſu par. 1ª.206.D

Oua gallinarum ſine mare non generant.14°.de vſu par. 1ª.206.D

de Ouis tribus exemplo aquilæ, anatis, ſerpentis ſine matre excluſis oſtenditur naturam doctore non egere.1°.de vſu par. 1ª.113.F

Ouis gallinæ tantum cur vtamur.11°.de ſimp.med.fac. 5ª.81.D

Ouum gallinarum eſt cibus medium,inter craſſum,& ſubtilem. de diſſolutione continua. Sp.73.A

in Ouo primũ apparet caput pulli.de anat.viu. Sp.51.H

vt in Ouis pellicula eſt ita in fœtu.de anat.viuo. Sp.52.B

Oua ſunt boni ſucci.de remed.par.fac. 7ª.159.C

Oua ſunt craſſi ſucci & boni,& humorũ acrimoniam infrenat.de vict. rat.in morbis acutis,com.4°. 7ª.149.D

Oua ab aliquibus difficulter coquuntur.1°.de loc.affe. 4ª.5.C

Ouorum vires proprie accedunt ad alicam.de bon.& vitio ſuc. 2ª.34.G

Oua dant humens alimentum.de ptiſſa. 2ª.48.B

Oua multum nutriunt.8°.meth.med. 7ª.50.H

Oua faciunt victum plenum.com.1°.aph.4°. Fx.4.C

Oua languentibus dari cõſueuerunt.de vict.ra.in mor.ac.cõ.1°.7ª.112.F

Oua dedit ante quartum diem, & poſt quartum dat carnem in febre cũ ſyncope in tenuibus ſuccis.12°.meth.med. 7ª.78.A

Oua purgatis tuto exhibentur.præſag.exper.conſ. Sp.78.D

ab Ouorum multo vſu ſenex cauere debet.5°.de ſan.tuen. 2ª.91.D

Ouorũ vitella facilius coquũtur, q̃ albumina.1°.de arte c.ad G. 7ª.97.D

Ouorũ vitella danda in tertiana pro cibo.1°.de arte cur.ad Gl. 7ª.97.D

Ouorum vitelli dandi in ſyncope ex tenuibus humoribus.12°. methodi medendi. 7ª.78.A

poſt Oua dat carnem in ſyncope.12°.meth.med. 7ª.78.A

Ouorum album ægre concoquitur.12°.meth.med. 7ª.78.A

Oua albificat ſemen.de anat.viuo. Sp.44.D

Oua recentiſſima optima.3°.de alim.fa. 2ª.29.H

Oua vetuſtiſſima peſſima.3°.de alim.fac. 2ª.29.H

Oua vetuſta quę praua.11°.de ſimp.med.fac. 5ª.81.D

Ouorum tres differentiæ.3°.de alim.fac. 2ª.29.G

Ouum crudum raucos emendat,lachryma quoq; tepida in oculis dolentibus inuncta ſalutem reſtituet.de ſimp.med. Sp.88.E

Ouum ſi crudum bibatur ſitim prohibet.de ſimp.med. Sp.88.E

ad Oua multum facit coctura.3°.de alim.fac. 2ª.29.G

Oua cocta qualia.3°.de alim.fac. 2ª.29.G

Ouum gallinæ ſemicoctum virtutem ſtomacho præbet, & non permittit corpus debilitari.de ſimp.med. Sp.88.E

Oua ſemicocta ad tormina ſiue febre.de vic.ra.in mor.a.c.4°.7ª.149.C

Oua tremula qualia.3°.de alim.fac. 2ª.29.G

Oua mediocriter cocta tremula ꝑſtãtia ad multa.de bo.& vi.ſu.2ª.35.D

Ouis tremulis vtendum ex balneis redeunti.de bon.& vit.ſuc.2ª.39.C

Oua ſorbilia qualia.3°.de alim.fac. 2ª.29.G

Ouum ſorbile cibus leuiſſimus.de dynamidijs. Sp.19.H

Oua ſorbilia cibi ſunt boni ſucci.2°.de com.med.ſec.loc. 5ª.133.D

Oua ſorbilia boni ſucci,& non calefaciunt.de remed.par.fac. 7ª.153.G

Oua ſorbilia vires poſſunt reficere.8°.de comp.med.ſec.loc. 5ª.192.E

Oua ſorbilia in inflammationum arteriæ principijs leniſſima.7°. de com. med.ſec.loc. 5ª.177.H

Oua ſorbilia antiquitus accipiebant cũ garo.2°.de cõ.me.ſe.lo. 5ª.133.D

Oua cum ſale.2°.de comp.med.ſec.loc. 5ª.133.D

Ouum cum melle,vel garo,vel ſale coctum, eſt compoſitum ex diuerſis facultate.de vict.rat.in mor.com.1°. 7ª.111.H

Oua ſorbilia leniunt gutturis aſperitates.de bon.& vitio ſuc. 2ª.35.E

cum Ouo ſorptum ſulfur expurgat in icteris.de cura icteri. Sp.111.B

Oua in calidis cineribus aſſata qualia.3°.de alim.fac. 2ª.29.G

Oua frixa tarde deſcendunt.de diſſol.cont. Sp.74.H

Oua frixa ſunt mali ſucci.de bon.& vitio ſucc. 2ª.35.D

Oua frixa corrũpunt ẽt ſecum admixtos cibos.de bo.& vit.ſuc. 2ª.35.D

Oua frixa inter deterrima earum rerum habẽtur, quæ cõcoqui nequeũt. de bon.& vitio ſucc. 2ª.35.D

Oua frixa peſſime nutriunt.3°.de alim.fac. 2ª.29.H

Oua frixa ſunt fumoſæ cocturæ in ſtomacho.de bon.& vit.ſuc. 2ª.35.D

vt ab Ouis frictis ructum fumoſum ſentit quis.1°.de loc.affe. 4ª.5.C

Oua ſuffocata qualia.3°.de alim.fac. 2ª.29.H

Ouorum ſuffocatorum præparatio.3°. de alim.fac. 2ª.29.H

Oua ſupramodum craſſa qualia.3°.de alim.fac. 2ª.29.H

Oua mediocriter craſſa qualia.3°.de alim.fac. 2ª.29.H

Oua craſſitiei temperatæ quæ.de diſſ.con. Sp.73.A

Oua ſuperne caldarijs impoſita qualia.3°.de alim.fac. 2ª.29.H

Oua cocta in degamine, vel in teſtis generant nutrimentum craſſum,& corruptibilem.de diſſol.cont. Sp.74.B

Oua non dura velocius digeruntur quam dura.de diſſol.cont. Sp.73.D

Oua omnia non dura bene parata, & cocta generant bonum humorem inter craſſum,& tenue.de diſſol.cont. Sp.73.H

Oua in aqua durata ſunt fugienda in epilepſia.de puero epil. 7ª.180.H

Oua in aqua durata ſunt difficilis coctionis.de pue.epil. 7ª.180.H

Oua dura tarde digeruntur.de diſſol.cont. Sp.73.D

Oua elixata vſq; quo induruerint tarde,& paulatim nutriunt. commentario 2°.aphoriſ.18°. Ex.13.G

Oua dura elixa aut aſſa,cibus craſſus,& cur.de diſſ.cont. Sp.72.G

Oua omnia dura elixa,& aſſa tarde deſcendunt.de diſſ.cont. Sp.74.H

Ouum coctũ in aceto fluxiones vẽtris deſiccat.11°.de ſimp.me.fa.5ª.81.E

Ouum coctum perdurum dyſentericis prodeſt.de ſimp.med. Sp.88.E

Oua adiunctis aliquibus quæ valeant ad dyſenteriam, & cœliacum affectum ad illos affectus valent.11°.de ſimp.med. 5ª.81.E

Oua elixa qualia.de diſſ.cont. Sp.73.A

Oua, quæ elixa, vel toſta penitus denſata ſint, craſſi ſucci cẽſentur. de bonitate,& vitio ſuccorum. 2ª.35.D

Oua aſſata.4°.de comp.med.ſec.lo. 5ª.153.F

Oua toſta.1°.de comp.med.per gen. 5ª.217.B

Ouum cur materia medicamentorum.11°.de ſimp.med.fac. 5ª.81.F

Oua non extergunt.4°.de comp.med.ſec.loc. 5ª.150.D

Ouorum liquor tenuis eſt,acrimoniæ expers.4°.de cõ.me.ſe.lo. 5ª.151.C

Ouorum liquor ſubtenuis ad oculos optimus,& qualis.4°. de compoſit. medicam.ſec.loc. 3ª.149.F

Oui humor in oculis multum valet.13°.meth.med. 7ª.86.A|B

Oui albumen ad quorum vſus.11°.de ſim.me.fa. 5ª.81.D

Oui candidum lenitiuus liquor.4°.de comp.med.ſec.loc. 5ª.150.G

Oui albumen collinit,& mitigat acres mordicationes.10°.de ſimpli. medicamen.facult. 5ª.73.F

Oui albumen oculis conuenit.de ocul. 7ª.188.G

cum Ouo,& roſaceo lac valet ad oculorum phlegmonas.10°. de ſimp. medicamen. 5ª.73.H

Oui candidum ad aurium dolores, & ad lippitudines. 2°. de compoſit. medicam.ſec.loc. 5ª.140.G

Oui albugo obſtruit.de ocul. 7ª.187.H

Oui albumẽ miſcet medicamẽtis ꝑfluuiũ ſanguinis ex cerebri inuolucris ſupprimẽtibus,& ad vlcera rebellia valet.11°.de ſim.me.fa. 5ª.81.D

ex Ouorum albumine medicamentum ad ſanguinem ſiſtendum.de curatione per ſang.miſſ. 6ª.21.F

cum Oui candido miſta,& pilis leporis excepta,aloes partes vnius ſemiſſi,& thuris pars vna ſunt medicamentum optimum ad ſanguinem ſupprimendum.5°.meth.med. 7ª.31.A

Oui candidi meminit.de remed.par.fac. 7ª.156.A

Oui vitellus miſcetur cataplaſmatis phlegmonem extinguentibus.11°.de ſimpl.

ſimpli.medicamentorum facultatibus. 5ª.81.E
*Ouorum vitellorum elixorum,& aſſorum differentia.*11°.*de ſimpli.medicamen.facult.* 5ª.81.E
*Ouorum vitellus quibus miſceatur vitellis.*11°.*de ſimp.me.fac.* 5ª.81.E
*Ouorum vitella emplaſtro de meliloto miſcẽtur.*11°.*de ſim.me.f.* 5ª.81.E
Oui vitellus extrinſecus illinitus patcgoricus,vel ſtypticus inuenitur.de ſimplic.med.facul. Sp.88.E
*Oui luteum aſſum ad oculos.*4°.*de comp.med.ſec.loc.* 5ª.157.D/H
*Ouorum aſſatorum vitellis vtitur.*5°.*de comp.med.per ge.* 5ª.251.G
*Oui vitellus toſtus,& in farina comminutus.*8°.*de cõp.me.ſ.l.* 5ª.192.B
Oui candidi luteo vtitur.de remed.par.fa. 7ª.156.E
*Oua cruda tota cum roſaceo valent ad palpebrarum aurium, & mãmarum phlegmonas,& ad illos qui ſunt in cubito,digitis,tendonibus et articulis.*11°.*de ſimp.me.fac.* 5ª.81.E
*ex Ouis cerata qualia.*7°.*de comp.me.per ge.* 5ª.264.E
*Oui aquatum accipi iubet.de remed.par.fac.*156.C/159.A/ 7ª.160.G
OVI *anſerini putamen.de remed.par.fac.* 7ª.160.A
*Oua araneorum.*5°.*de comp.med.ſe.loc.* 5ª.163.E
*Ouum nycticoracis.*4°.*de comp.medica.ſecun.locos.* 5ª.158.C/*de remed.par.fac.* 7ª.156.G
Oua perdicis.de med.fac.par. 7ª.169.E
*Oui teſta pro medicamento conſẽruando.*5°.*de comp.me.ſec.loc.*5ª.161.B
*ex Oui putamine facit menſuram.*9°.*de comp.med.ſec.loc.* 5ª.204.B

OXALIS *quid ſit.*4°.*de compoſitione medicamentorum facultatibus.* 5ª.28.C
*Oxalis acida tantum eſt frigida.*4°.*de ſimp.med.fac.* 5ª.25.B
*Oxalyda refrigerare comperit Galenus.*4°.*de ſimp.med.fac.* 5ª.26.D
*Oxalidis meminit.*10°.*meth.med.* 7ª.65.A
OXALME,*vel muria condita arborum germina ſanguinem melancholicum faciunt.*3°.*de locis affectis.* 4ª.18.F
*Oxalme quando imponendum eryſipelati.*14°.*meth.med.* 7ª.87.E
Ὀξελαιὸν.*de remed.par.fac.* 7ª.155.C
*Oxelæum pro neruorum vulnere.*3°.*de comp.me.per ge.* 5ª.229.H
*Oxelæum pro Argenti ſpuma fundendũ.*1°.*de com.me.per ge.* 5ª.212.F
*ex Oxelæo,& argenti ſpuma emplaſtrum.*1°.*de cõp.me.ꝑ ge.*5ª.213.A
*Oxida eandem eſſe cum oxalide.*4°.*de ſimp.med.fac.* 5ª.25.B
OXOS, *id eſt acetum.*8°.*de ſimp.med.fac.* 5ª.57.D
*Oxyacantha aſparagorũ genus ĩ plãtis fruticoſis.*3°.*de ali.fac.* 2ª.24.B
*Oxyacanthus piro ſylueſtri ſimilis.*8°.*de ſimp.med.fac.* 5ª.57.D
*Oxyacanthes fructus fluxionum omnes affectus cobibet.*8°.*de ſimplic.medica.facult.* 5ª.57.D
OXYBAPHI *menſura.*6°.*de ſimp.med.fac.*41.D/48.D/8°. 5ª.62.F
*Oxybaphum quantum capiat.de pond.& menſ.*5ª.275.D/ *de vict.ratione in morbis acutis,com.*1°. 7ª.112.E
*Oxybaphi meminit.*7°.*de ſimp.me.fac.*54.B/2°.*de antid.* 5ª.118.C
OXYCRATVM *aliquos refrigerat,ſed dubium an ratione aceti.*1°.*de ſimp.med.facul.* 5ª.7.D
*Oxycratum aquoſum.*7°.*de ſimp.me.fa.* 5ª.53.G
Oxycratum quibus concedi.de marc. 3ª.48.B
*Oxycratum aquoſum valet ad digerendum viſcoſos, & craſſos ſuccos.de vict.rat.in morb.acut.com.*1°. 7ª.117.A
*cum Oxycrato,& aceto ab omni terra leui iuuantur ambuſta, & prohibentur bullæ.*9°.*de ſimp.me.fac.* 5ª.66.B
*Oxycratum pro abluendo vulnere.*2°.*de arte cur.ad Glauc.* 7ª.101.H
*Oxycratum vlcerum congelatorium dicendum eſt non acetum.*1°.*de ſimplic.medi.facul.* 5ª.7.G
Ὀξυδερκῆ *medicamenta quæ.*10°.*de ſimp.med.fac.* 5ª.73.D
*Oxydericæ facultates quæ.*5°.*de ſimp.me.fac.* 5ª.38.D
*Oxydercycum collyrium.*4°.*de comp.med.ſec.lo.*156.G/ 5ª.157.B
Oxydericon iuuat lippitudinem ſiccam,& ſcabioſam.introd. Iſa.58.C
OXYGALA *quale.*3°.*de alim.fac.* 2ª.28.E
*Oxygala frigidum eſt,& craſſi ſucci.*3°.*de alim.fac.* 2ª.28.E
*Oxygala quid agat.*3°.*de alim.fac.* 2ª.28.C
*ex Oxygalacte dentium ſtupor.*3°.*de alim.fac.* 2ª.28.C
*Oxygala conuenit calidis ventriculis.*3°.*de alim.fac.* 2ª.28.E
*Oxygala niue refrigeratũ ferũt vẽtriculi calidiores.*3°.*de al.fa.*2ª.28.D
*Oxygala frigidis ventriculis aduerſiſſimum.*3°.*de alim.fac.* 2ª.28.E
*Oxygala,& ſi non coquatur quibus non vertitur in nidorem,& cur.*3°.*de alim.fac.* 2ª.28.E
OXYGALACTINON *genus caſei.*1°.*de alim.fac.* 2ª.12.H
*Oxygalactinus caſeus qualis.*3°.*dc alim.fac.* 2ª.29.A
*Oxygalactinus caſeus vulnus magnũ curauit.*10°.*de ſim.m.fa.* 5ª.74.C

OXYGARVM. *de remed.par.fac.* 7ª.157.D
Ὀξυγλυκὲς. *de frac.com.*2°.235.H/*com.*3°. 7ª.248.D
Oxyglycy cum melicrato incidit.de curan.rat.per ſang.miſſ. 6ª.19.A
OXYLAPATHVM *quid ſit.*4°.*de ſimp.med fac.* 5ª.28.C
*Oxylapathon habet caulẽ inutilẽ poſt ſemẽ effusũ.*2°.*de ali.fac.*2ª.24.B
*Oxylapathum quale.*7°.*de ſimp.med.fac.* 5ª.54.B
*Oxylapatum frigidum eſt.*4°.*de ſimp.med.fac.* 5ª.26.D
*Oxylapathum acidum tantum eſt frigidum.*4°.*de ſimp.med.fac.* 5ª.25.B
*Oxylapathon comedunt ruſticæ mulieres pica laborantes,& guloſi pueri.*3°.*de alim.fa.* 2ª.23.D
*Oxylapathon parum nutrit.*3°.*de alim.fac.* 2ª.23.D
*Oxylapathi ſemen dyſenterias,diarrhœas,ſiue profluuia ſanat.*7°.*de ſimp.med.facul.* 5ª.54.B
*Oxylapathi meminit.*10°.*method.med.* 7ª.65.A
*Oxylipe panis.*8°.*metho.med.* 7ª.53.D
OXYMELI *vnum ex auxilijs morbi. de victus ratio. in morbis acutis, commentario* 1°. 7ª.115.C
*Oxymeli numerat inter pharmaca.*8°.*me.me.*52.G/13°.*me.me.* 7ª.83.E
*Oxymeli qualia dici poteſt.de vict.rat in mor.acut.com.*4°. 7ª.136.E
*Oxymelitis compoſitio qũo.de vic.ra.in mor.ac.cõ.*3°.125.D/ 7ª.129.E
*Oxymeli non eſt conficiendum ſemꝑ eodem modo.*4°.*de ſa.tuen.*2ª.85.E
Oxymelitis differentiæ.de puero epilcp. 7ª.181.A
Oxymeli ex factis.de puero epilep. 7ª.181.A
*Oxymeli fit ex mulſa.de vict.rat.in mor.acu.com.*3°. 7ª.130.B
*Oxymelitis miſtio q̃ multis cõueniat,qualis eẽ debet.*4°.*de ſa.tu.*2ª.85.E
*Oxymelitis alia compoſitio.*4°.*de ſan.tuen.* 2ª.85.F
*Oxymeli cur coquendum.de vic.rat.in morbis acutis,com.*3°. 7ª.129.E
*Oxymeli magis forte q̃ vinum,& minus familiare.*4°.*de ſan.tu.*2ª.85.E
*Oxymeliti aqua miſcenda eſt.*4°.*de ſan.tuen.* 2ª.85.E
Oxymeli dilutum quomodo fiat.de pue.epilep. 7ª.180.E
*Oxymeli quo modo egregie preparetur.*4°.*de ſan.tuen.* 2ª.85.E
*Oxymeli valde acre ſputum non educit,ſed viſcoſum redditur.de victus ratione in morbis acutis,com.*3°. 7ª.129.F
*Oxymeli acre q̃ vim habet.de vic.rat.in morb.acu.com.*3°. 7ª.129.F
*Oxymeli acre qũo dandũ.de victus rat.in morbis acutis,c.*3°. 7ª.129.H
*Oxymeli parũ acre quale ſit.de victus rat.in mor.ac.com.*3°. 7ª.130.A
*Oxymeli parum acre flatum diſcutit,& vrinas mouet.de victus ratione in morbis acutis,commen.*3°. 7ª.130.B
*Oxymeli non acre humidam reddit partem vnãq; inteſtini facit, & ramenta.de vict.rat.in morbis acutis,com.*3°. 7ª.130.B
*Oxymeli abradit inteſtina.de vic.rat.in mor.acut.com.*3°. 7ª.130.C
*Oxymelitis iudicium ex guſtu ſumendum.*4°.*de ſan.tuen.* 2ª.85.F
*Oxymele iucundiſſimum vtile.*4°.*de ſan.tuen.* 2ª.85.F
*Oxymeli iniucundum aduerſiſſimum.*4°.*de ſan.tuen.* 2ª.85.F
Oxymeli cur præbeatur ægrotantibus.de bon.aquæ. Sp.75.H
Oxymeli non valde dulce ſitim maxime ſedet.de puero epil. 7ª.180.F
*inter Oxymeli,& mulſam medium eſt apomeli.*8°.*meth.med.* 7ª.52.G
Oxymelitis varius vſus in diuerſis humoribus.de puero epil. 7ª.181.A
Oxymel incidit.de ptiſſ. 2ª.48.B
Oxymel cum melicrato incidit.de curan.rat per ſang.miſſ. 6ª.19.A
*Oxymeli diſſecat,et detergit pituitã,et nõ calefacit.*6°.*de ſa.t.*2ª.99.D
*Oxymel mixtum cum attenuãtibus augct illis vim.de attẽ.vic.*2ª.44.C
*Oxymeli detergit.*4°.*de ſan.tuen.*2ª.84.F/8°.*metho.med.* 7ª.52.G
*Oxymeli ſine morſu detergit.*13°.*meth.med.* 7ª.83.E
*ex Oxymelite radicula glutinoſa detergit.*8°.*meth.med.* 7ª.51.B
*ex Oxymelite,& radicula vomitus.*5°.*meth.med.*34.E/7°. 7ª.48.E
cum Oxymelite cedri cortex vomitum facit.de cathart. Sp.95.C
*Oxymeli calefacit,& euacuat.*11°.*metho.med.* 7ª.69.G
Oxymeli catharticum quo modo fiat.de dynamidijs. Sp.32.E
*Oxymeli obſtruit Iecur.*6°.*de ſan.tuen.* 2ª.97.H
*in Oxymelite ſumi debent,quæ dantur pro iecoris obſtructione.*6°.*de ſanitate tuenda.* 2ª.96.B
*Oxymeli conducit concoctionis tarditati.*6°.*de ſan.tuen.* 2ª.97.H
*ex Oxymelite capparis conuenit vbi grauitas in præcordijs.*14°.*methodi medendi.* 7ª.91.H
*Oxymeli ſuaue lieni,& hepati.de vic.rat.in mor.acu.com.*3°. 7ª.130.B
*ex Oxymelite capparis ſumptum citra calorem extenuat.*4°.*de ſanitate tuenda.* 2ª.85.G
*Oxymeli in ſplene duro.*2°.*de arte cur.ad Glau.* 7ª.104.C
*ex Oxymelite capparis pro liene.*13°.*meth.med.* 7ª.84.F
*ex Oxymelite,abſinthio & cappari cataplaſma ꝑ liene.*11°.*me.* 7ª.73.D
*Oxymeli qñ bibendum.de vict.rat.in morb.acu.com.*3°. 7ª.130.E

Oxymeli dãdũ poſt cremoris coctionẽ.de vic.ra.in mor.a.c.3°.7ª.130.F
Oxymeli hyeme calidum, æſtate frigidum.de vict.ra.in morbis acutis, commentario 1°.114.F/de pucro epil. 7ª.180.E
Oxymelite quando vtendum.11°.metho.med.70.F/ de victus ratione in morbis acutis,comment.2°. 7ª.121.F
Oxymeli quibus conueniat,& quibus non.4°.de ſan.tuen. 2ª.85.E
Oxymeli quibus conueniat.4°.de ſanit.tuen. 2ª.84.F
Oxymelite cibandi craſſos,et multos humores in primis habentes. 4°.de ſanitate tuenda. 2ª.84.H
Oxymeli per ſe,& cum hyſſopo,& origano craſſos humores incidit.2°. de aliment.facul. 2ª.25.C
Oxymeli bibunt in pituitæ vitio.de vic.rat.in mor.ac.com.1°. 7ª.136.E
Oxymeli pro ventriculo in quo pituita frigida ſit aceruata.1°.de arte curat.ad Glauconem. 7ª.99.D
Oxymeli conuenit in epilepſia.de puero epilep. 7ª.180.E
Oxymeli in pleuritide valet.de vict.rat.in morb.acu.com.3°. 7ª.129.D
Oxymeliti miſceri debent medicamenta thoracis,& pulmonis.5°.de ſimplic.medicamen.facul. 5ª.35.C
Oxymeli ex marrubio pus è thorace valde educit.13°.met.me.7ª.85.A
Oxymeli facit expuere viſcoſos humores.de victus ratiõe in morbis acutis,commentario 3°. 7ª.126.B
Oxymeli tuſſes incitat quomodo. de vict.rat.in mor.acu.cõ.3°.7ª.127.E
Oxymeli acceptum ante euacuationem in pleuritide obeſt.de victus ratione in morbis acutis,commen.1°. 7ª.114.B
ex Oxymelite abrotanum in peripneumonia.de victus ratione in morbis acutis,commen.4°. 7ª.144.C
ex Oxymelite panax qbus proſit.de vic.ra.in mor.ac.cõ.4°. 7ª.144.C
Oxymel ꝓ potu in aĩ defectu ex multitudine.1°.de art.cu.ad G.7ª.99.D
Oxymel ex hyſſopo,origano,pulegio,& melle epotũ,aĩ defectus ex obſtructione quo modo curetur.1°.de arte cur.ad Glauc. 7ª.99.F
Oxymeli in ſyncope.12°.meth.med. 7ª.76.A
ex Oxymelite,& fabacea farina cataplaſma.6°.metho.med. 7ª.38.G
Oxymel cum farina orobi,& lolij,ad putreſcentia valet.2°. de arte curatiua ad Glauconem. 7ª.106.H
Oxymeli valet ad grumos.6°.de loc.affe. 4ª.39.A
Oxymelite vel melicrato excipitur agaricum.de dyna. Sp.21.G
Oxymelitis noxæ omnes.11°.meth.med. 7ª.70.C
Oxymeli quibus nõ conueniat.de vict.rat.in morb.acu.com.1°.7ª.113.C
Oxymeli non dat̃ febricitantibus.de remed.par.fac. 7ª.159.F
Oxymeli potione plurimos iuuat in tertiana notha. 1°. de arte curatiuã ad Glauconem. 7ª.97.E
pro Oxymelite confectio ex marrubio,et iride.de victus rat.in morbis acutis,commentario 1°. 7ª.113.C
Oxymyrſine aſparagorũ genus in plãtis fruticoſis.2°.de ali.fac.2ª.24.B
OXYPHILLVM. 8°.de ſimp.med.fac. 5ª.62.F
OXYPORIVM ad inflationes.de mel.ex Gal.Ruff.& Poſſ. Sp.110.E
Oxyporiũ ad concoctionẽ adiuuãdã.de mel.ex Gal.Ru.& P. Sp.110.E
Ὀξυρεγμία id eſt,ructus acidus.com.6°.aph.1°. Ex.46.A
Ὀξυρεγμιῶντας vocãt græci acidũ ructãtes.7°.de ſim.me.fa.5ª.51.A
pro OXYRODINO proportio olei ad acetũ.de rem.par.fa. 7ª.153.E
Oxyrhodinum repellit.1°.de arte curat.ad Glau. 7ª.100.A
Oxyrhodinũ non refrigerat ſm Herodotum.3°.de ſimp.med.fac. 5ª.18.E
Oxyrhodinũ ꝓ dolore capitis ex febre.1°.de arte cur.ad Gla. 7ª.100.B
Oxyrhodinum debet applicari cauſa phrenitidis.2°.de loc.aff. 4ª.13.H
Oxyrhodinum capiti phreniticorũ applicatur.13°.meth.med. 7ª.85.D
Oxyrhodinum in principio phreneſis.3°.de ſimp.me.fa. 5ª.18.E
Oxyrhodinum pro ædemate.14°.meth.med. 7ª.87.F
Oxyrhodinum ſal habens pro œdemate.14°.meth.med. 7ª.87.F
ex Oxyrhodino ſola frictio œdema in prauis affectibus curat.2°. de arte curat. ad Glauconem. 7ª.103.F
OXYSCHENOS.8°.de ſimp.me.fa. 5ª.62.A

de OZAENA de med.fac.par. 7ª.163.D

Ozæna quid.fin.med. Iſa.47.H
Ozænæ quæ in naribus.3°.de comp.med.ſec.loc. 5ª.147.F
Ozænæ ex quibus fiant.3°.de compoſi.med.ſec.loc. 5ª.147.F
Ozænæ curatio difficilis eſt.introd. Iſa.59.H
Ozænæ curatio quæ.introductio. Iſa.59.H
Ozænæ,& polypi curatio cõmunis vtriq;.3°.de com.me.ſe.lo. 5ª.147.F
ad Ozænas Archigenis.3°.de comp.me.ſec.loc. 5ª.147.G
in Ozænis nariũ q̃ Galenus inuenit ꝓbatiſſima.3°.de cõ.m.ſe.l.5ª.148.E
ad Ozænas Aſclepiadis.3°.de compoſi.me.ſec.loc. 5ª.148.B
in Ozænis,& polypis ſternutatoria.3°.de comp.med.ſe.loc. 5ª.148.B
in Ozæna diuitis caſus q volebat odorata.3°.de cõp.med.ſe.l. 5ª.148.G
ad Ozænas,& polypos.3°.de comp.me.ſec.loc. 5ª.147.H
ad Ozænas.3°.de comp.me.ſec.loc.148.A/B/5°.165.H/5°.de compoſi.med.per genera.5ª.251.E/de remed.par.fac.155.F/ 7ª.163.E
OZANORSI,ideſt ſquinanthi.ſecretorum. Sp.98.H

Π litera ſcribunt aliqui numerum nongenteſimum. in 3ᵐ. de morbis vulgaribus,com.2°. 3ª.136.E

PACCIANVM croceũ. 4°.de comp.med.ſec.loc. 5ª.151.A
PACCII Antiochi medicamentum ad colicos.9°.de comp.med.ſec.loc. 5ª.202.F
Paccij Aſclepiadeũ ad oculorum affectus. 4°.de compo.med.ſec.loc. 5ª.155.H
Paccij Ophtalmici medicamentum ad oculorum affectiones intenſas. 4°. de compoſit. med.ſec.loc.155.H/ 5ª.156.F
ex Paccij collectaneis malagma Callinici.7°.de cõ.me.per ge.5ª.266.H
Paccij Sphragis.4°. de comp.med.ſec.loc. 5ª.154.B
PAEDAGOGI qui ſm Zenonem.de cog.cur.an.mor. 2ª.51.D
Pedagogum in lingua græca habuit Galenus patrem ſuum. 2°. de differentijs pulſuum. 4ª.55.A
PAEDEROTA vocant acanthon, hoc eſt vulgarem ſpinam.6°.de ſimpli.medica.facul. 5ª.41.H
PAEDICON medicamentum.4°.de comp.med.ſec.loc. 5ª.153.H
PAEDOTRIBA eſt gymnaſtæ miniſter.ad Thraſyb. 2ª.109.B
Pædotriba differt à gymnaſta,vt coquus à medico.2°.de ſa.tu. 2ª.74.F
Pædotribam magis quàm gymnaſtam appellabat Plato gymnaſtæ artis profeſſorem.ad Thraſyb. 2ª.107.B
Pædotriba eſſe debet,qui præſit exercitationi.de par.pil.ex. 2ª.49.E
Pædotribam prudentem inuenire difficile eſt.de puero epil. 7ª.179.G
Pædotriba quos motus ſciat,& quos ignoret.2°.de ſan.tuen. 2ª.75.E
de PAEDOTRIBICA arte.ad Thraſyb. 2ª.109.A
PAEDOTROPHICA ars.de par.art.med. Sp.16.D
PAEONIA temperata eſt in actiuis qualitatibus, & ſicca,ac tenuium partium.6°.de ſimp.me.fac. 5ª.45.H
Pæonia veſicam purgat.de cathar. Sp.95.D
Pæonia prouocat menſtrua.de cathart. Sp.95.D
Pæoniæ radix menſes cit,iecur obſtructum & renes purgat, ac ventris prouenientes fluxiones ſiſtit.6°.de ſimp.me.fac. 5ª.45.G
Pæoniæ radix leniter adſtringit.6°.de ſimp.me.fac. 5ª.45.G
Pæoniæ radix ſuſpenſa collo comitialem morbum ſanat. 6°. de ſimpliciũ medicamentorum facul. 5ª.45.H
PAEONIVM dictum catapotiũ Andreæ.9°.de cõp.me.ſe.l. 5ª.198.G
Pæonia medicamenta pro efficaciſſimis.1°.de ſem. 1ª.332.D
PAGRVS piſcis eſt duræ carnis.3°.de alim.fac. 2ª.31.E
Pagrus ægre conficitur,& ſuccos craſſos,& ſalſos gignit.3°.de alimen. facultatibus. 2ª.31.E
Pagri piſcis fel ad quid vtile.4°.de comp.med.ſec.loc. 5ª.153.C
PAGVRVS fluuiatilis ad quid vtilis.de med.fac.par. 7ª.176.E
Paguri habent tenuem teſtam.3° de ali.fac. 2ª.32.C
Paguri mollem teſtam habent.de ren.aff.dig.& med. 7ª.195.F
Paguri non habent collum,neq; caput.8°.de vſu par. 1ª.164.H
Paguri non habent palpebras.de inſtr.odor. 1ª.112.B
ex PALAESTINA Syriæ balſamũ habuit Ga.1°.de an.5ª.100.C
in Palæſtina vina tenuia reperit Galenus. de victus ratione in morbis acutis.commentario 3°. 7ª.127.C
Palæſtinorum,& Indorum anni,& menſes qui.in 1ᵐ.de morbis vulgaribus,commentario 1°. 3ª.102.E
PALAESTRA laborantes ad quid exerceãtur.de par.pi.ex. 2ª.49.D
in Palæſtra exercentur pueri, vt per funem manibus aſcendant ad robur.2°.de ſan.tuen. 2ª.74.D
in Palæſtra alteres qui.2°.de ſan.tuen. 2ª.74.H
in Palæſtra puluere alto vtebantur.2°.de ſan.tuen. 2ª.74.E
in Palæſtra percuſſi quandoque expuunt cum tuſſi ſanguinem bene coloratum.com.5°.aph.13°. Ex.38.F
in Palæſtra luxationem ſummi humeri habuit Galenus anno ætatis ſuæ trigeſimo quinto.de art.com.1°. 7ª.260.C
PALAESTRICAE inſertiones,quæ.intr. Iſa.60.G
PALAESTRITAE qui.1°.de alim.fac. 2ª.10.B

Palæſtritæ à

à Palæſtrita longe differt gymnaſta.ad Thraſyb. 2ª.108.C
Palæſtritæ,& gymnaſtæ calidi ob vitæ inſtitutum.in 1^{m}. de morbis vulgaribus,commentario 1°. 3ª.105.A
Palęſtritas damnat Galenus.de par.pil.exer. 2ª.49.G
Palæſtritæ vt ſues ſunt.de par.pil.exer. 2ª.49.C
Palæſtrita ſomniabat ſe eſſe in ciſterna ſanguinis ob ſanguinis copiam. de dignotione ex inſom. 4ª.213.D
PALAESTRICVS modus reponendi luxata eſt magis in vſu in principio,& qui illo reponantur.de machin. 7ª.309.B
PALATII bibliotecha conflagrauit Galeni tempore.1°. de compoſitione med.per ge. 5ª.209.G
PALATVM quid, & quale eſſe debet. in 6^{m}. de morbis vulgaribus, commentario 1°. 3ª.155.B
in Palato cur perforatio.11°.de vſu par. 1ª.188.D
per Palatum cur duo meatus,& quo modo.9°.de vſu par. 1ª.172.A
ad Palati meatum tria ſatis ſunt,aden, os, & membrana. 9°. de vſu partium. 1ª.172.B/C
Palati quatuor oßa.intro. Iſa.54.G
Palato,linguæ,gulæ,toti ori,& ventriculo communis eſt tunica.in prognoſtica,commentario 3°. 4ª.210.G
Palati tunica non eſt odoratus inſtrumentum.de inſtr.odor. 1ª.111.A
Palati oſſa habent ſuturam obſcuram.11°.de vſu par. 1ª.192.A
Palati oſſis natura,& cur denſum,ac rarum.11°.de vſu par. 1ª.192.B
Palato ſubiacet lingua.de nat.& ord.cuiuſ.cor. Sp.41.H
Palato cur ſit ſuſpenſa vuula.de comp.memb.ſiue de nat.hum. Sp.58.F
Palato ægritudinem affert vuæ abolitio.de diff.morb. 3ª.4.H
Palato p̄ſtatur guſtabilis qualitas.de cōp.memb.ſiue de na.hu.Sp.58.D
Palatum debet habere ſenſum exactiorem.16°.de vſu par. 1ª.215.D
Palatum quales neruos habeat.16°.de vſu par. 1ª.215.D
Palatum ab irritātibus cibis abſtinēdū eſt.de cogn.cur.aī mor. 2ª.53.D
Palatum explere cupientes placentis,& edulijs,lætantur. de cognoſcēdis curandisq́ animi mor. 2ª.53.D
Palatum eſt organum locutionis.de ana.viu. Sp.49.B
ad Palatum,& Pariſthmia,& pulmonem cur à capite materia tranſmittatur.2°.de diff.feb. 3ª.40.H
Palatum expurgat caput.ars med.Iſa.71.E/com.6°.apho.2°. Ex.46.E
Palatū locus eſt,p quem fit euacuatio cōueniens.c.1°.aph.21°. Ex.10.A
p Palatū,& nares caput purgatur.1°.de arte cur.ad Glau. 7ª.100.B
p Palatū,nares,& aures purgaī cerebrū.7°.me.m.49.D/11°. 7ª.73.E
p Palatum humor excrementitius ex cerebro.2°.de ſem. 1ª.340.C
ī Palato ſunt duo canales,qbus cerebrū expurgaī.8°.de vſ.p. 1ª.168.C
p Palatum expurgatio naturæ conuenit.com.6°.aph.2°. Ex.46.E
per Palatum exeuntia oſtendunt quale ſit cerebri robur.de conſtitutione artis medicæ. Iſa.42.B
per Palatum exeuntia oſtēdunt futuram ægritudinem.ars me.Iſ.67.F
in Palato cur exeat plerunq; ſanguis.de anato.viu. Sp.44.C
Palatum ſanguinem effundens difficulter compeſcitur.fin.me.Iſa.50.A
iuxta Palatū illitio pro capite purgādo.2°.de cōp.med.ſe.lo. 5ª.139.D
in Palati phlegmone euitanda ſunt quæ pituitam per hos euocant. 13°. methodi medendi. 7ª.83.A
Palatum acribus vngendum eſt in lethargo.13°.meth.med. 7ª.85.F
in Palato fluxio,ad aures deriuatur.5°.meth.med. 7ª.30.F
Palato,vel gurgulione fluente deriuatio per nares facienda eſt, & quibus.de cucur.ſcar. 6ª.4.E
Palati cancri vſti vel diſſecti non poſſunt ad cicatricem peruenire.commentario 6°.apho.38°. Ex.50.E
Palato confert ſuccus centaureæ.de vir.cent. Sp.93.D
PALEA eſt terreſtris,& ſiccæ eſſentiæ.4°.de ſim.me.fac. 5ª.28.G
Palea eſt cibus familiaris equis.2°.de alim.fac. 2ª.17.B
ex Palea nutrimentum diuerſum eſt ab his, quæ ex carne,& oſſibus. 6°.de ſanitate tuenda. 2ª.96.D
Paleas trahit electrum fricatum.de cathar. Sp.94.H
παλίγκοτα appellat maligna vitia recrudeſcētia.de fr.c.2°. 7ª.235.G
PALINODIAM aliquam emeruiſſe,dictum Steſichori.de venæ ſectione aduerſ.Eraſiſt. 6ª.10.B
PALIVRVS habet lignum.de remed.par.fac. 7ª.157.C
Paliuri folia adſtringunt valde.8°.de ſimp.med.fac. 5ª.57.G
Paliuri folia ventrem fluentem cohibent,phymata curant.8°.de ſimplicium med.facul. 5ª.57.G
Paliuri folia valent in doloribus oculorum.4°. de compoſitione medicamentorum ſec.loc. 5ª.157.F
Paliuri fructus calculos veſicæ comminuit,pectoris,pulmonisq́ excretionibus auxiliatur.8°.de ſimp.me.fac. 5ª.57.G
Paliuri ſemen lapidē potenter frangit.de ren.aff.dig.& med.7ª.196.D
Paliuri meminit.de rem.par.fac. 7ª.156.E
PALLA maris.de dynam. Sp.24.B
PALLAS dedit leges Athenienſibus.an animal ſit. 1ª.328.E
PALLERE. 8°.de comp.med.ſec.loc. 5ª.197.B
PALLIDVM,& ærugineum ſignificat χλωρὸν.in 1^{m}.prorrhetici. commentario 3°. 4ª.180.A
Pallidum quid.in prognoſt.com.1°.4ª.191.D/ de victus ratione in morbis acutis,com.2°. 7ª.119.E
Pallidus color quo modo fiat.de vict.rat.in mor.acut.com.2°. 7ª.119.E
Pallido,& flauo colori contrarius color liuidus, & niger.14°.methodi medendi. 7ª.87.E
Pallidus color tantum à flauo in albiorem tendit quantum flauus à rubro.de vict.rat.in morb.acut.com.2°. 7ª.119.E
ex Pallido flauum ὠχρόξανθον dicunt.4°.de ſa.tuen.83.G/5°. 2ª.91.A
ex Pallido flauum.2°.de comp.med.per ge. 5ª.217.C
ex Pallido albicans ὠχρόλευκον dicitur.5°.de ſan.tuen. 2ª.91.A
pro Pallido viridē.in 6^{m}.de morb.vulg.com.2°.163.C/cō.5°. 3ª.191.G
Pallida quandoq; eſt bilis amara.1°.de criſibus. 4ª.130.A
Pallida,& amara dicitur bilis flaua.de vi.ra.in mor.ac.c.2°.7ª.120.D
Pallida bilis, & flaua differunt.3°.de loc.affect. 4ª.18.B/5°.4ª.29.H/ de fract.com.2°. 7ª.236.D
Pallidum facit bilis.4°.de ſan.tuen. 2ª.83.G
inter Pallidum,& flauum humor acris.4°.de loc.aff. 4ª.28.C
Pallidius ſolito corpus effectum indicat ſuccum bilioſum abundare.4°. de ſan.tuen.83.B/ 2ª.84.A
Pallidior color quam pro naturæ habitu bilem purgandam indicat. 14°. methodi medendi. 7ª.93.D
Pallidus tumor bilem ſignificat.14°.meth.med. 7ª.89.D
Pallidum colorem qualem Icterici, Phaſiani populi ſemper habent. de aere,aquis,& locis. 2ª.4.H
Pallida omnia vident morbo regio laborantes.1°.de ſymp.cau. 3ª.15.C
Pallidum aut flauum ſputum eſt,ſi bilis abundat.5°.de loc.aff. 4ª.29.H
Pallidus eſt ſæpe conceptus in phlegmatis hora.de ſperma. Sp.37.C
Pallidus eſt color timentibus.1°.meth.med. 7ª.7.H
Pallidis ex longa ægritudine caricæ vtiles ſunt.de ſimp.med. Sp.84.C
ad Pallidos.8°.de comp.med.ſec.loc. 5ª.196.H
Pallida vrina quid ſignificet.1°.de criſi. 4ª.130.A
Pallida,& tenuis vrina quid ſignificet.quæſ.in Hipp. Sp.113.A
Pallidam eſſe vrinam,aut rufam,aut flauam,& ſimul in tenui,quæ remaneat tenuis eſſe ſedimento impoſſibile eſt de vrin. 4ª.124.G
Pallida,& denſa vrina melior eſt.de vri.ſign.ex Hipp. Sp.79.A
PALLOR corporis ex ijs eſt,quæ abſolute dicūtur.2°.me.me.7ª.10.A
Pallores quibus accidant.in 6^{m}.de mor.vul.com.3°. 3ª.178.D
Pallorem præſefert bilis flauæ copia.de mult. 3ª.81.E
Pallorem,& capitis dolorem conciliat luna dormientibus ſub ipſa.3°. de diebus decretorijs. 4ª.157.B
Pallorem facit cyminum,ſi bibatur.de ſimp.med. Sp.82.E
Pallor accidit in colore hominis videntis ſerpentem ſubito. de motibus manifeſtis,& obſcuris. Sp.69.D
Pallor quo modo curandus.6°.de decre.Hipp. 1ª.267.B
ad Pallore malo cādentia mēbra valet Theriaca.de the.ad Pi.5ª.91.F
ad Pallorem mulieris à partu.de med.fac.par. 7ª.169.A
PALMA qualis ſit.8°.de ſimp.med.fac.63.C/1°.de compo.medicamen. per ge. 5ª.210.H
Palmæ particulatim à palmis nō leuiter differūt.de bo.et vi.ſu.2ª.36.D
Palmarum differentia.2°.de alim.fac. 2ª.20.G
Palmæ præſtantiſſimæ quæ in Syria palæſtina in hierichonte proueniūt. 2°.de alimen.fac. 2ª.20.G
Palmarum ſyriacarum meminit.3°.de comp.med.ſec.loc. 5ª.147.D
Palmæ ægyptiæ,quales.2°.de alim.fac. 2ª.20.G
Palmæ Thebaicæ ſunt obſcuræ dulcedinis.2°.de alim.fac. 2ª.20.G
Palmæ καρυωταὶ ſunt molles,humidæ,& dulces.2°.de ali.fa.2ª.20.G
Palmæ tenerum germen quod elatem vocant,quale.8°.de ſimp. medic. faculta. 5ª.63.C
Palmæ elatæ.8°.de comp.med.ſec.loc. 5ª.188.F
Palmæ cerebrum quid.de atten.vic.2ª.44.D/4°.de ſimplicium medicamentorum facultatibus. 5ª.28.G
Palmæ cerebrum eſt eius vertex.2°.de alim.fac. 2ª.22.B
Palmæ verticem mandunt quidam.2°.de alim.fac. 2ª.22.B
Palmæ cerebrum viride nutrit.4°.de ſimp.me.fac. 5ª.28.G

Palmæ fructus palmam appellare eodem cũ tota arbore nomine græcis omnibus mos eſt.2°.de alim.fac. 2ª.20.G
Palmarum fructus quales.de bonitate,& vitio ſucco.2ª.36.D/8°.de ſimplicium medicamentorum faculta. 5ª.63.C
Palmæ fructus,& radix eſt frigidus.de diſſ.cont. Sp.74.D
Palmæ fructus auſterus vnà,& dulcis eſt.4°.de ſimp.me.fac. 5ª.26.F
Palmarum fructus ſunt craſſi ſucci.de bon.& vitio ſucc. 2ª.36.C
Palmarum ſuccus craſſus eſt,& iecur facile obſtruit.de bonitate, & vitio ſuccorum. 2ª.36.E
Palmæ non matureſcunt in regionibus non valde calidis.2°.de alimentorum facultatibus. 2ª.20.H
Palmæ poſſunt conſeruari.de puero epi. 7ª.180.D
Palmæ omnes adſtringunt.2°.de alim.fac. 2ª.20.G
Palmæ adſtringentes hñt ſuccum frigidiorem.2°.de alim.fac. 2ª.20.H
Palmæ dulces habent ſuccum calidiorem.2°.de alim.fac. 2ª.20.H
Palmæ ſuccus dulcis celerrime obſtruit.2°.de alim.fac. 2ª.20.H
Palmæ difficulter coquuntur.2°.de alim.fac. 2ª.20.G
Palmæ copioſe ſumptæ incoctiles ſunt.2°.de alim.fac. 2ª.20.G
Palmæ capiti dolorem inferunt.2°.de alim.fac. 2ª.20.G
Palmarum glandes à proprietate dolorem capitis pariunt. 2°. de comp. med.ſec.loc. 5ª.133.D
Palmæ quædam ſenſum cuiuſdam morſus in ore ventriculi inducunt.2°. de alim.fac. 2ª.20.G
Palma habet ſuccum craſſum,lentum.2°.dc alim.fac. 2ª.20.H
Palmæ virides multo maxime ad omnia noxiæ ſunt ſi paulo largius ſumantur.2°.de alim.fac. 2ª.20.H
Palmæ virides proportione reſpondent alijs palmis, vt ficus caricis.2°. de alim.fac. 2ª.20.H
Palmæ virides flatus gignunt,vt ficus.2°.de alim.fac. 2ª.20.H
Palmæ immatnræ crudis ſuccis implent,rigores inducunt qui ægre calefiunt,& hepatis obſtructiones pariunt.2°.de alim.fa. 2ª.20.H
Palmas paſſas accipi iubet.9°.de comp.med.ſec.loc. 5ª.203.A
Palmæ radix eſt humida.de diſſ.cont. Sp.74.D
Palmæ radix exiccat ſine morſu.8°.de ſimp.med.fac. 5ª.63.D
Palmæ velut tegumentum eſt vſui ad vlcerũ putreſcentia,articulos plus iuſto laxatos contrahentibus medicamentis miſcetur,& facultatibus hepaticis, & ſtomachicis.8°.de ſimp.me.fac. 5ª.63.D
à Palma an phœniceus color ſit dictus in prog.com.2°. 4ª.201.G
ex Palmæ ramuſculo rudicula.4°.de comp.me.per ge. 5ª.239.C
ex Palma ſpatula.1°.de comp.med.per ge. 5ª.211.B
PALMAM *quilibet deſiderat in proprio cætu.1°.meth.med.* 7ª.3.H
PALMAE *oſſa.introd.* Iſa.54.H
ad Palmã,vel primã palmæ partem alligandã vinculũ.de faſ. 7ª.305.B
ad Palmæ partem primam iunctura.de faſcijs. 7ª.305.C
Palma habena.de faſcijs. 7ª.305.E
PALMOS *ſaltus,tremor,ſpaſmus circa quas fiat particulas. compendium pulſuum.* Sp.65.B
Palmos vnde nomen habuit.2°.meth.med. 7ª.9.D
Palmos,id eſt palpitatio,quid.in 1m.prorrh.com.3°. 4ª.186.C
PALMVLA *maſcula ad quid vtilis.2°. de compoſitione medicamentorum ſecundum locos.* 5ª.138.C
Palmulæ quales.de atten.vic. 2ª.46.C
Palmularum ſyriacarum meminit.7°.de comp.me.ſec.loc. 5ª.179.D
Palmulas Thebaicas accipi iubet.de med.fac.par. 7ª.173.E
Palmulæ nuꝑ enatæ acerbæ,& ſiccæ ſunt,vbi maturuerit,dulces,& ꝓgreſſu temporis humidiores redduntur.4°.de ſimp.med.fac. 5ª.25.F
Palmulas paſſas maximas græci patetos vocant. 8°. de compoſitione med.ſec.loc.189.F/9°. 5ª.202.E
Palmulæ vbi condi non poſſunt.de atten.vic. 2ª.46.C
Palmulæ quæ poſſunt condi,quales.de atten.vic. 2ª.46.C
Palmulis vtuntur aliqui ante balneum.6°.de ſan.tuen. 2ª.97.G
Palmularum caro valet ad refrigerandum,& firmandum vẽtriculum. 8°.method.med. 7ª.53.D
ex Palmulis pinguibus infrigidans epithema quo modo fiat.10°. methodi medendi. 7ª.65.A
Palmularum cremoris ſorbitio ad ſtomachi ardorem cum ſyncope.8°. de comp.med.ſec.loc. 5ª.191.H
Palmulæ ſunt conuenientes ſtomachicis in cibo.8°.de compoſitione medicamentorum ſec.loc. 1ª.192.C
Palmulæ obſonium in capitis dolore ex ſtomacho.2°.de compoſitione medicament.ſec.loc. 5ª.135.B
Palmulæ ſua natura faciunt capitis dolorem.de remed.par.fa. 7ª.153.H
Palmulæ recentes rigorem fecerunt.de palp. 3ª.55.G
ex Palmulis decoctum adſtringens moderatum pro gargariſmis.6°.de comp.med.ſe.loc. 5ª.172.F
ex Palmulis aqua qualis.de vict.rat.in morb.acu.com.4°. 7ª.149.C
Palmularum oſſa qualia.6°.de comp.med.ſec.lo. 5ª.175.A
PALPEBRE *quæ.introd.* Iſa.53.A
Palpebræ ſubſtantia,quæ introd. Iſa.54.A
Palpebræ chartilagineæ ſunt.de voc.inſtr.diſſ. 1ª.107.C
Palpebræ ſunt natura ſiccæ.com.6°.aph.52°. Ex.53.A
ſub Palpebras cõtegẽte cute mẽbranæ sũt tenues.10°.de vſu p. 1ª.181.C
Palpebræ propter quid factæ.10°.de vſu par. 1ª.180.A
in Palpebrarum creatione,quæ intentio.de anat.viu. Sp.45.C
Palpebræ propter quid inſunt oculis.de inſtr.odor. 1ª.112.C
Palpebræ non inſunt duris oculis.de inſtr.odor. 1ª.112.B
abſq; Palpebris oculos eſſe indecorum eſt.1°.de cõp.me.ſ.lo. 5ª.126.B
Palpebræ cur cohæreant albo,vel nigro oculi.introd. Iſa.58.G
in Palpebris pilorum generatio.17°.de vſu part. 1ª.222.B
Palpebrarum pili propter quid facti ſint.10°.de vſu par. 1ª.180.D
Palpebrarum pili vtilitatem magnam animalibus pariunt.1°. de compoſitione medic.ſec.loc. 5ª.121.D
Palpebrarum pili faciunt ad ſanitatem.1°.de com med.ſec.loc. 5ª.126.B
Palpebrarum pili cur ſemper æquales.11°.dc vſu par. 1ª.189.F
de Palpebrarum motu.de mot.man.& obſc. Sp.69.F
Palpebræ habent muſculos quibus mouentur.10°.de vſu par. 1ª.180.G
Palpebras mouentes muſculi tegũtur à mẽbranis.10°.de vſu p. 1ª.181.C
Palpebrarum muſculorum ſitus.10°.de vſu par. 1ª.181.C
Palpebræ habent motum voluntarium.10°.de vſu par.1ª.180.E/de motibus manifeſtis,& obſcuris. Sp.69.G
Palpebrę ſuperiores mouẽtur motu volũtario.10°.de vſu par. 1ª.181.A
Palpebrę inferiores vnde.10°.de vſu par. 1ª.180.C
Palpebra inferior eſt immobilis. 10°. de vſu partium. 1ª.180.H/4°.de locis affectis. 4ª.22.A
Palpebra inferior cur non mouetur.10°.de vſu par. 1ª.181.E
Palpebra inferior cur minor.10°.de vſu par. 1ª.181.E
Palpebræ ſuperioris,& inferioris pars communis angulus eſt. quod animi mores. 1ª.319.F
in Palpebris ꝓpter quid ſint foramina tenuia.10°.de vſu par. 1ª.181.H
Palpebræ quibus extendantur.10°.de vſu par. 1ª.181.C
Palpebrarũ motus ſurſũ,& deorſũ à quo fiat.10°.de vſu p. 1ª.181.C/D
Palpebræ figura curua,vel inflexa.10°.de vſu par. 1ª.181.D
Palpebræ cur non patent ſemper.in 6m.de mor.vul.com.5°. 3ª.188.F
Palpebræ vnde accipiunt neruos.9°.de vſu par. 1ª.176.C
Palpebræ acumen quid.de ocul. 7ª.186.H
Palpebræ ala.4°.de comp.med.ſec.loc. 5ª.158.C
Palpebrarum phyſionomia.quod animi mor. 1ª.319.F
Palpebræ graues ſunt concepto in hora phlegmatis.de ſper. Sp 37.C
ad Palpebras exornandas.4°.de comp.med.ſec.loc. 1ª.152.F
Palpebras nutrit a proprietate minium.de ſimp.med. Sp.81.C
PALPEBRARVM *paſſiones quæ,& quales.de ocul.* 7ª.186.G/H
Palpebrarum partium exteriorum affectus qui.introd. Iſa.58.D
Palpebrarum partium interiorum affectus qui.introd. Iſa.58.D
Palpebræ ſuperioris mala.de ocul. 7ª.186.H
Palpebræ toti communis affectus qui.introd. Iſa.58.D
Palpebræ aſperæ quæ.introd. Iſa 58.F
Palpebrarum aſperitas lachrymas prouocat.cõ.4°.apho.52°. Ex.33.D
in Palpebrarum aſperitatibus quid agant medici ad conſilij inopiam redacti.4°.de comp.med.ſec.loc. 5ª.150.D
ad Palpebrarum aſperitatem collyrium.de ocul. 7ª.191.E
ad Palpebrarum aſperitudines.4°.de comp.med.ſec.lo.150.D/154.A/ 5ª.156.B/D/de ocul. 7ª.189.C
ad Palpebrarum ſcabras affectiones.4°.de comp.medica.ſecun.locos. 151.G/ 5ª.152.E
Palpebrarum ſcabies quotuplex.de ocul. 7ª.186.H
Palpebrarum ſcabiei confert ſectio venarum temporum,& quæ ſunt in angulis lachrymalibus oculorum.de ana.viuo. Sp.55.A
ad Palpebrarum ſcabiem quæ valeant.de ocul.189.C/ 7ª.191.D
Palpebræ craſſæ,quæ.introd. Iſa.58.F
ad Palpebras craſſas.4°.de comp.med.ſec.loc. 5ª.154.A
Palpebrę denſę quæ.in 1m.prorrh.com.1°. 4ª.162.E
ad Palpebrarum vitia.4°.de comp.med.ſec.loc. 5ª.158.A
in Palpebris fit palpitatio.de palp. 3ª.52.B
Palpebræ raſura quæ.de ocul. 7ª.186.H

Palpebrarum pili quandoq; cadunt.de ocul. 7ª.186.H
Palpebrarum pili difficilius defluũt,quã capilli.11º.de vſu par. 1ª.190.B
Palpebrarum pili non defluunt niſi in magnis partium affectibus.11º.de vſu partium. 1ª.190.B
ad Palpebrarum pilos decidiuos in principio.1º.de cõ.me.ſe.lo.5ª.123.E
Palpebrarum pili adglutinantur albumine oui.11º.de ſimplicium medicamentorum faculta. 5ª.81.F
Palpebrę dormiẽtiũ agglutinãtur in lippitudine.de tot.mor.tẽ. 3ª.88.H
Palpebris quæ viſcoſa aduerſantur,& cur.11º.de ſimp.me.fac. 5ª.81.F
ad Palpebrarum defluuia.4º.de comp.med.ſec.loc.152.F/156.B/157.B/5ª.158.A/de ocul. 7ª.190.E
ad Palpebras carentes pilis.de remed.par.fac. 7ª.156.G
in Palpebris lac caninum non ſinere renaſci pilos,eſt falſum.10º.de ſimplicium medic.facul. 5ª.74.A
de Palpebrarum hordeolis.de med.fac.par. 7ª.170.E
in Palpebra pediculi,& hordeoli quid ſint.de ocul. 7ª.186.H
ad Palpebrarũ pilos inutiles pungẽtes.4º.de com.med.ſec.loc.5ª.158.B
ad Palpebrarum pilos enaſcentes, & pungentes. 4º. de compoſitione medicamentorum ſec.loc. 5ª.153.B/C
ad Palpebrarum pilos oculum infeſtantes.de remed.par.fac. 7ª.156.G
in Palpebra inuerſi pili.de ocul. 7ª.186.H
ad Palpebrarum pilos.4º.de comp.med.ſec.loc. 5ª.158.A
Palpebræ relaxatio quomodo fiat.de ana.ocul. Sp.57.H
Palpebra q̃uo laxa fiat vt oculus aperiri nõ poſſit.4º.de lo.af. 4ª.22.A
Palpebrarum relaxationis curatio.intro. Iſa.59.G
Palpebrarum calculi manu indigent.intr. Iſa.59.G
Palpebrarum calculorum curatio.intro. Iſa.59.H
Palpebras cur repente claudimus læſi à luce.10º.de vſu par. 1ª.179.B
Palpebra quo modo inuertatur.de ijs,quæ in med.fi.com.2º. 7ª.213.D
Palpebra quo modo conuertatur.de ijs,quæ in med.fi.com.2º. 7ª.213.D
Palpebræ peruerſio vnde.in prognoſt.com.1º. 4ª.193.C
Palpebræ euerſio, ἤλωσιν alicubi nominat Hippocrates. 10º. de vſu partium. 1ª.181.D
ad Palpebras diſtentas.de remed.par.fac. 7ª.156.D
ad Palpebræ vtriuſq; diſtortionem,& inflammationem.4º.de compoſitione medic.ſec.loc. 5ª.157.E
Palpebra liuida quid ſignificet in prognoſt.com.1º. 4ª.193.C
Palpebris nocẽt nimiæ ſiccitates,& humiditates.10º.de vſu p. 1ª.181.H
Palpebrarũ ſiccitas,et potẽtia mouẽs ĩbecillis,faciũt ne oculi poſſint ꝑfecte claudi,ideo aliqd albi in ipſis videtur.cõ.6º.apho.52º.Ex.53.A
Palpebrarum humiditatem ſiccat aloe.quod animi mor. 1ª.317.D
Palpebris commiſſis, ſi quid albi in oculis dormientium ſubinſpicitur, neq; ex alui profluuio,aut medicamenti potione iſtud contingat,malum eſt ſignum,& letale valde.com.6º.aph.52º. Ex.53.A
Palpebræ clauduntur in ſopore.4º.de loc.aff. 4ª.23.A
Palpebræ ſunt apertæ in catalepſi.4º.de loc.aff. 4ª.23.A
Palpebrarum tumores quid faciant.1º.de ſymp.cau. 3ª.15.F
ad Palpebrarum tubercula inſtar grandinis.4º.de compoſitione medicamentorum ſec.loc. 5ª.183.D
Palpebrarum tubercula prius exaſperanda,deinde medicamentis oblinenda.in 6^{m}.de mor.vul.com.2º. 3ª.160.H
ad Palpebrarum phlegmonas valet ouum totum crudũ.11º. de ſimplicium medic.facul. 5ª.81.E
Palpebræ vlcera caua quo implentur.4º.de comp.med.ſec.loc. 5ª.150.E
Palpebræ,ſi præter naturam coaluerint,hoc ad quam ægritudinis differentiam attineat.de diff.morb. 3ª.5.C
Palpebrarum connatarum curatio.introd. Iſa.59.H
ad Palpebras ficoſas.4º.de comp.med.ſec.loc. 5ª.152.D/G
ad Palpebrarum affectus inueteratos.de remed.par.fac. 7ª.156.G
Palpebræ illinuntur in principio repellentibus.intro. Iſa.58.D
Palpebra quo modo fracta videbitur.4º.de loc.aff. 4ª.22.A
Palpebræ conſuuntur.ad Thraſyb. 2ª.105.D
Palpebras qua actione conſuimus.ad Thraſyb. 2ª.104.H
PALPITANTES particulæ an dilatentur vt folles.2º. de ſymptomatum cauſis. 3ª.20.G
PALPITATIO quid apud antiquos.1º.de pulſ.diff. 4ª.47.B
Palpitatio quid ſit. 2º. de ſymptomatum cauſ. 3ª. 20. F/in 1^{m}.prorrhet. commentario 3º. 4ª.186.C
Palpitatio qui affectus ſit.6º.de decr.Hipp. 1ª.260.G
Palpitationes ſunt affectus frigiditate vincente.de palp. 3ª.54.D
Palpitationem,tremorem,& conuulſionem arteriarum affectus putat Praxagoras.de palp. 3ª.52.E
Palpitatio nõ eſt motus pulſus,& cuius ſit paſſio.2º.de ſym.ca.3ª.29.F
Palpitatio differt à pulſu.6º.de decr.Hip. 1ª.265.D
de Palpitatioibus librũ fecit Aegimiꝰ.1º.de pul.dif.47.A/4º.4ª.65.H
de Palpitatione,& pulſu ſcripſit Aegimius.4º.de diff.pul. 4ª.68.G
Palpitatio,& pulſus habent aliquid commune.in 3^{m}.de morb.vul.commentario 1º. 3ª.129.H
Palpitatio cuius ſymptoma ſit nullus ante Galenum dixit.1º.de ſymptomatum cauſis. 3ª.19.D
Palpitatio eſt morbi opus.2º.de ſymp.cau. 3ª.19.F
Palpitationis,conuulſionis,Tremoris,rigoris,horroris,ſingultus,tuſſis, ructus,ſternutationis,pandiculationis,oſcitationis,Tryſmu, id eſt dẽtium concuſſionis,genus commune eſt motus illegitimus,& quo modo hæc in genere differant.2º.de ſymp.cau. 3ª.19.E
Palpitationis motus qui.2º.de ſymp.cau. 3ª.22.G
Palpitatio,conuulſio,& reſolutio noxæ ſunt inſtrumentorum. de palpitatione. 3ª.53.C
Palpitatio,& conuulſio,& rigor,quo modo fiant,& differant.in 3^{m}.de morb.vulg.com.1º. 3ª.129.E
Palpitationis,& conuulſionis differẽtia vnde.2º.de ſymp.cau.3ª.20.H
Palpitationis,& tremoris dr̃ia.2º.de ſymp.cau.20.H/de palp. 3ª.51.G
Palpitationi aſſimilatur rigor concutiens.2º.de ſymp.cau. 3ª.21.D
Palpitatio quo modo fiat.in 1^{m}.prorrh.com.1º. 4ª.168.E
Palpitationis cauſæ,quæ.1º.de ſym.cau. 3ª.19.D
Palpitationes quæ faciunt omnia frigida ſunt.de palp. 3ª.52.F
Palpitationis materia,quæ.2º.de ſymp.cau. 3ª.20.G
Palpitatio fit ex ſubſtantia aerea craſſa.2º.de ſymp.cau. 3ª.20.G
Palpitationis cauſa quò ad quantitatem.de palp. 3ª.52.E
Palpitatio quando fiat.3º.de præſag.ex pul. 4ª.116.D
Palpitatio à quo duplicetur.2º.de ſymp.cau. 3ª.20.H
Palpitatio cuius partis affectus ſit ꝑm diuerſos.de palp. 3ª.52.C
Palpitatio in quibus fiat,& quid ſit.de palp. 3ª.52.B
Palpitatio in quibus fiat particulis.2º.de ſymptomatum cauſ. 3ª. 20. F/4ª.de differentijs pulſuum. 4ª.66.D
Palpitatio in quibus partibus non fiat.2º.de ſymp.cauſ. 3ª.20.F
Palpitatio in partibus perfrigeratis fit.2º.de ſymp.cau. 3ª.20.H
Palpitatio oculi totum oculum exercet.intro. Iſa.58.D
Palpitatio palpebrarum vnde.2º.de ſymp.cau. 3ª.20.F
Palpitatio ſuperciliorum vnde.2º.de ſymp.cau. 3ª.20.F
Palpitatio frontis vnde.2º.de ſym.cau. 3ª.20.F
Palpitatio malarum vnde.2º.de ſymp.cau. 3ª.20.F
Palpitationes in præcordijs ſunt motus non naturales.de ijs, quæ in med. fiunt,commentario 3º. 7ª.222.E
Palpitatio cordis quæ,& quo modo fiat.5º.de loc.aff. 4ª.29.D
in Palpitationibus cordis motus eſt affectio,nõ operatio.6º.de decretis Hippocratis. 1ª.260.G
Palpitatio cordis in ſanis quandoq;.5º.de loc.aff. 4ª.29.E
Palpitationem cordis patientis,caſus.5º.de lo.aff. 4ª.29.E
Palpitationis præſidium ſanguinis miſſio.5º.de loc.aff. 4ª.29.E
Palpitatio ad vmbilicum.in 3^{m}.de morb.vulg.com.1º 3ª.134.C
Palpitatio colis aſſidua vnde.6º.de loc.aff. 4ª.42.F
Palpitationem tollentia,quæ.de palp. 3ª.52.F
Palpitationis remedia.de palp. 3ª.52.G
in PALPITATORIIS affectionibus apparet elementum aereum in homine.8º.de decr.Hipp. 1ª.275.D
PALPITAT ſæpe cutis.2º.de ſympt.cau. 3ª.20.F
Palpitant mollia.2º.de ſymp.cau. 3ª.20.F
Palpitare nõ poſſunt os,mẽbrana,& neruus,& cur.de palp. 3ª.52.B
PALVDOSA qualia.de cura icteri. Sp.111.D
Paludoſæ aquæ omnes ſunt peſſimæ.de bon.aquæ. Sp.75.D
Paludoſæ aquæ Aegypti ſolæ ſanæ,cur.de bon.aquæ. Sp.75.D
Paludoſæ aquæ æſtate ventres perturbant,à veſica tarde pertranſeunt, multoties dyſſenterias faciunt.de bon.aquæ. Sp.75.D
Paludoſæ aquæ hyeme rupturas,& pleureſes,et tuſſes, faciunt:conuertuntur vero ad ſplenem,& aliquando deſinunt ad hydropem.de bonitate aquæ. Sp.75.D
PALVMBARIVS accipiter habet oſſium concretionem minus duram, ac denſam aquilis.11º.de vſu par. 1ª.191.E
PALVMBI caro durior eſt carne turturis, & anatis.3º.de alimentorũ facultatibus. 2ª.29.C
Palumbes habent carnem duriorem columbis,perdicibus, & turturibus.de atten.vic. 2ª.45.F
Palumbes ſunt difficiles coctu,& excrementitij.de atten.vic. 2ª.45.F

Palumbes conueniunt ſtomachicis.8°.de comp.med.ſec.loc. 5ª.192.C
Palumbi ſanguis ſupra duram mēbranam in fractura cranei. 10°. *de ſimplic.medic.facult.* 5ª.72.G
ex *Palumbium ſtercore medicamentum ſupra caput habētis catharrum.5°.meth.med.* 7ª.35.D
PALOS *educit Heluroꝛū ſalitorum caro.11°.de ſimp.me.fac.* 5ª.78.F
ad *Palos eximendos vtuntur Limacibus totis vnà cum teſtis ad leuorē tritis.11°.de ſimp.med.fac.* 5ª.78.F
Palos,& alia id genus infixa ad extimam cutem elicit Pycnocomum. 8°.de ſimp.me.fac. 5ª.59.D
Palos extrahit Saurarum caput.11°.de ſimp.med.fac. 5ª.79.G
Palo infixo ſimilis dolor.2°.de loc.aff. 4ª.9.E
PALVDVM *aer euitandus eſt.12°.meth.med.* 7ª.77.E
Paludum vaporationes ſunt cauſæ morborum vulgarium. de natura humana commentario 2°. 7ª.184.D
ex *Paludibus ſpirantes venti quales.1°.de ſem.* 1ª.329.F
è *Paludibus aues ſunt multarum ſuperfluitatum.de diff.con.* Sp.73.E
extra *Paludes aues ſunt commodæ ſeni.5°.de ſan.tuen.* 2ª.91.D
PALVSTRIA, *& lacuſtria omnia ſunt excrementoſā.* 8°. *meth.med.* 51.B/de puero epil. 7ª.180.H
Paluſtris terra pp humiditatē cur nō generet.cō.5°.apho.62°. Ex.43.G
Paluſtris aſparagus.de mel.ex Gal.Ruff.& Poſſ. Sp.110.D
Paluſtrium auium cerebri natura.3°.de alim.fac. 2ª.29.F
Paluſtres piſces non ſunt boni ſucci.de bon.& vitio ſuc. 2ª.37.G
Paluſtris febris.in 6^{m}.de mor.vul.com.1°. 3ª.160.A
PAMPHILIAE *vinum quale.de atten.vic.* 2ª.46.E
Pamphilianus quid ſignificet.de vſu ther.ad Pamp. 5ª.98.C
PAMPHILION *emplaſtrum.2°.de comp.med.per ge.* 5ª.224.D
Pamphilion medicamentum.1°.de comp.med.per ge. 5ª.217.A
PAMPHILVS *de herbis per alphabetum ſcripſit.6°.de ſimplicium medicamentorum facul.* 5ª.39.F
Pamphili pharmacopolæ cōfectio finiens febrem.7°.de compoſitione medicamentorum ſec.loc. 5ª.183.A
Pamphilus medicus quo medicamento plurima lucratus eſt in mentagra,nouo Romæ morbo.5°.de comp.med.ſec.loc. 5ª.161.F
Pamphilus cur fugiendus.6°.de ſimp.med.fac. 5ª.40.A
Pamphilus nugax.7°.de ſimp.med.fac. 5ª.51.G
PAMPINORVM *vitis ſuccus oleo roſaceo addendus eſt.2°. de compoſitione med.ſec.loc.* 5ª.132.F
Pampinorum ſuccus vitis ad ſtomachi ardorem cum ſyncope.8°. de compoſitione med.ſec.loc. 5ª.191.H
Pampinorum vitis decoctum adſtringens moderatum pro gargariſmis. 6°.de comp.med.ſec.loc. 5ª.172.F
PANACEA *antidotus.2°.de antid.* 5ª.110.F
Panacea Andromachi.2°.de comp.med.per ge. 5ª.225.A
Panacea Antonij muſæ.7°.de comp.med.ſec.lo. 5ª.186.B
Panacea Heræ.5°.de comp.me.per ge. 5ª.245.H
Panacea Mithridatis.7°.de comp.med.ſec.loc. 5ª.181.G
ex *Panacea catapotium.7°.de comp.med.ſec.loc.* 5ª.182.B
PANARITIIS *prodeſt myrta.de ſimp.med.* Sp.87.E
per PANACEM *quid intelligere oporteat.2°.de cōp.me.ſ.lo.* 5ª.136.G
Panax,& meu pro eodem habet.de dynam. Sp.22.H
Panax quid ſit.5°.de cōp.med.per gen.5ª.250.C/de ſimp.med. Sp.89.B
Panax aſclepium quale.8°.de ſimp.med fac. 5ª.57.H
Panacis aſclepij flores ad vlcera,phymata, & phagedænas valent.8°. de ſimp.med.facul. 5ª.57.C
Panax chironium,quale.8°.de ſimp.med.fac. 5ª.57.H
Panaces heraclium.8°.de ſimp.med.fac. 5ª.57.E
*Panacis Heraclij fructus mēſibus mouēdis valet.8°.de ſim.m.f.*5ª.57.H
Panax quale.3°.meth.med. 7ª.18.A
Panax vlcera abſtergit,& expurgat.4°.de ſimp.med.fac. 5ª.29.F
Panacis radix magis deterget moderatiſſime detergentibus.8°. methodi medendi. 7ª.52.H
Panacis radix digerit.14°.meth.med. 7ª.91.E
Panacis radice ſanantur vlcera.4°.de comp.me.per ge. 5ª.240.G
Panacis radix vlceri cauo conuenit.2°.de comp.me.per ge. 5ª.218.G
Panacis radix vlcera exiccat.4°.de comp.med.per gen. 5ª.236.G
Panax ſarcoticum eſt.3°.method.med.16°.G/ 7ª.18.A
Panacis radix cephalica eſt.6°.meth.med. 7ª.42.B
Panacis radix ad neruos vulneratos.3°.de comp.med.per gen. 5ª.234.B
Panacis radicis cortex ad nuda oſſium,& ad vlcera maligna, & contumacia valet,carnemq́ procreat.8°.de ſimp.med.fac. 5ª.57.H
*Panacis radix optime cruſtas diſrumpit.2°.de arte cur.ad Gl.*7ª.107.B
Panacis ſuccus,& radix quo modo differant.2°.de compoſitione medicamentorum ſecundum locos. 5ª.136.G
ex *Panacis heraclei radicibus,& caulibus exciſis fit opopanax.8°.de ſimplic.med.facul.* 5ª.57.G
*Panax cyreneo,& medico collata differūt.1°.de cōp.me.per g.*5ª.210.C
Panacis ſuccus nihil habet cum chalbano ſimile.1°.de antid. 5ª.105.A
Panacis liquor eſt tenuium partium.3°.de comp.med.per gen. 5ª.228.E
Panacis ſuccus pro doloribus.in 6^{m}.de mor.vul.com.6°. 3ª.196.B
ex *Panace oleum mitigatorium valentius in duris corporibus.3°. de cōpoſitione medic.per genera.* 5ª.235.A
Panax ex oxymelite qbus ꝓſit.de vict.rat.in mor.acu.cō.4°. 7ª.144.C
Panax pro ventre expurgando debet miſceri mulſæ aquoſæ multæ.de victus rat.in morb.acut.com.4°. 7ª.144.C
PANCHRESTVM *Athenipion.4°.de compoſitione medicamentorum ſecundum locos.* 5ª.157.B
Panchreſtum collyrium.4°.de comp.med.ſec.loc. 5ª.156.G
Panchreſtus dicta confectio.7°.de comp.me.ſec.loc.152.G/ 5ª.185.H
Panchreſtum medicamentum.4°.de comp.med.ſec.loc. 5ª.154.E
PANCRATIASTAE. *1°.de alim.fac.* 2ª.10.B
*Pācratiaſtarum,ſiue Athletarū emplaſtrū.5°.de cō.me.ſe.lo.*5ª.162.A
PANCRATIVM *ſpecies artis Athleticæ.in or.ſuaſor.* Iſa.5.A
Pancratium genus exercitij.2°.de ſan.tuen.73.G/ 2ª.75.G
Pācratio certare ē exercitatio magna.in 6^{m}.de mor.vul.c.1°. 3ª.156.A
*Pancratij radice pro ſcilla quidam vtuntur.8°.de ſimp.med.fa.*5ª.57.G
παγκρέας *quid.4°.de vſu partium.* 1ª.138.C
παγκρέας *propter quid generatum.5°.de vſu par.* 1ª.142.D
Pancreon,vel calicreon quid ſit.de ven.art.diſſ. 1ª.55.G
PANDICVLATIO *quid ſit.in 6^{m}.de mor.vul.com.5°.* 3ª.189.E
Pandiculationis,conuulſionis,palpitationis,tremoris,rigoris,horroris, ſingultus,tuſſis,ructus,ſternutationis,oſcitationis,tryſmu, id eſt dentium concuſſionis genus commune eſt motus illegitimus,& quo modo hæc in genere differant.2°.de ſymp.cau. 3ª.19.E
Pandiculatio eſt facultatis opus.2°.de ſymp.cauſ. 3ª.19.F
Pandiculatio cuius ſymptoma ſit.de ſymp.diff. 3ª.11.G
Pandiculatio eſt expultricis virtutis mediocris motus. 2°. *de ſymptomatum cauſis.* 3ª.23.G
*Pādiculatio à natura ē data ad ſeruādas partes.2°.de ſym.cau.*3ª.22.B
Pandiculatio cur fiat.in 6^{m}.de morb.vulg.com.5°. 3ª.189.B
Pandiculatio cur poſt ſomnum maxime fiat.2°.de ſymp.cau. 3ª.22.B
Pandiculatio quibus eueniat.de præſag.exper.confi. Sp.78.E
Pandiculationis agentē videns ꝓuocatur ad hoc.de mot.man. Sp.69.D
PANICVM *ab aliquibus dicitur meline.de bon.& vit.ſuc.* 2ª.37.D
*Panicū inter cerealia ſemina numerat.de vic.ra.in mor.ac.c.1°.*7ª.111.B
Panicum inter legumina numeratur.6°.de ſimp.med.fac. 5ª.47.D
Panicum Italicum melius eſt Aſiatico.1°.de alim.fac. 2ª.13.C
Panico præfertur milium.1°.de alim.fac. 2ª.13.C
Panicum eſt frigidum.de diſſ.cont. Sp.74.D
ex *Panico panes frigidi ſunt,& exigui alimenti.1°.de alim.fac.* 2ª.13.C
Panicum eſt aſperum multum.de diſſ.cont. Sp.73.B
ex *Panico panis arenam,vel cinerem ſapit,dum eſtur. de bonitate, & vitio ſuccorum.* 2ª.36.F
ex *Panici farina cibi fiunt apud ruſticos.1°.de alim.fac.* 2ª.13.C
Panici panis in penuria editur.1°.de alim.fac. 2ª.13.C
Panicum eſt flatulentum,& concoctu difficile.de atten.vic. 2ª.45.B
Panicum pauci nutrimenti eſt,& exiccat.6°.de ſimp.med.fa. 5ª.47.D
Panicum cur parum nutrit.de diſſ.con. Sp.73.F
Panicum dat prauum ſuccum.de atten.vic. 2ª.45.B
Panicum generat ſanguinem craſſum.de diſſ.cont. Sp.74.B
à *Panico penitus abſtinendum eſt.de bon.& vit.ſuc.* 2ª.37.D
ex *Panico panes friabiles exiccant aluum.1°.de alim.fac.* 2ª.13.C
Panicum ſiſtit nonnihil ventris fluxum.6°.de ſimp.med.fac. 5ª.47.D
Panicum ſtringit ventrem cum ſiccitate.de diſſ.cont. Sp.75.B
Panici farina reſiccat.5°.de ſimp.med.fac. 5ª.34.A
Panicum magis ſiccat quàm zea.5°.de ſan.tuen. 2ª.92.C
Panici farina exiccat,& quo modo.5°.de ſimp.med.fac. 5ª.33.H
Panicū ſi foris illinat exiccat,atq; refrigerat.6°.de ſim.me.fa. 5ª.47.D
Panici farina non mouet pus.5°.de ſimp.med.fac. 5ª.33.H
PANIFEX *quæ de pane non nouit.ad Thraſyb.* 2ª.108.G
Panifici ſimilis luctator.ad Thraſyb. 2ª.108.G
PANIS *dicitur* βέκος *more phrygum.2°.de diff.pulſ.* 4ª.54.G
Panes ex tritico ſignificāt Cibaria.de vict.ra.in mor.ac.c.4°. 7ª.146.F

Panis ſolus

Panis ſolus eſt nutrimentum ſimpliciſſimum.6º.de ſan.tuen. 2ª.97.G
Panum eſus vtiliſſimus inter alimenta.2º.de alim.fac. 2ª.16.A
Panis qualitas eſt nobis familiaris.7º.de vſu par. 1ª.159.B
de Panis bonitate maior cura habenda, quam de bonitate mellis.5º.de ſanitate tuenda. 2ª.91.E
Panis optimus qui.1º.de alim.fac.10.F/de bon.& vitio ſucc. 2ª.34.E
Panes optimi neq; tenues,neq; craſſi ſunt.dc bon.& vit.ſuc. 2ª.34.H
Panum proborum differentiæ.de bon.& vitio ſuc. 2ª.34.E
Panes qui non ſunt boni.de diſſ.cont. Sp.72.H
Panes peſſimi qui.1º.de alim.fac. 2ª.9.H
Panes medij.1º.de alim.fac. 2ª.9.H
Panũ diuerſorũ cõmoda,& incõmoda.de ren.aff.dig.& med. 7ª.195.E
Panes ex quibus conficiantur.de vict.rat.in morb.ac.cõ.4º. 7ª.146.F
Panes quo modo fermententur.de aſſuetud. 2ª.60.H
in Pane qui modus ſalis,& fermenti.1º.de alim.fac. 2ª.10.F
Panes qui multo fermento indigeant,& longa fermentatione. 1º.de alimentorum facultatibus. 2ª.9.F
in Pane debet addi ſal.de bo.& vit.ſucc.34.E/15º.de ſan.tuen. 2ª.91.E
Pani addebant ſalem.8º.de ſimp.me.fa. 5ª.59.D
in Pane de ſale,& fermento q̃uo indicat guſtus.1º.de alim.fac.2ª.10.F
Panum differentia.de ren.aff.dig.& med. 7ª.195.E
Panis,& piſces crudi ſunt inutiles, cocti vtiles ſunt, & nutrimenta.de theriaca ad Piſonem. 5ª.97.D
Panis bene præparatus arte,eſt cibus medius inter ſubtilem,et craſſum. de diſſolutione continua. Sp.73.A
ex Pane optime ꝑparato fit ſanguis laudatiſſimus.3º.de ali.fac.2ª.30.E
Panes q̃uo frumentarij dicantur coquere collige.de aſſuet. 2ª.60.H
Panum coctionum ratio.1º.de alim.fac. 2ª.9.H
Panum diuerſitas per cocturam.1º.de alim.fac. 2ª.10.C
Panes optimi coctura.1º.de alim.fac. 2ª.10.C
Panes peſſimi coctura.1º.de alim.fac. 2ª.10.C
in Pane coquendo in clibano ignis ſit moderatus.1º.de alim.fac.2ª.9.H
Pani in coctura quid agat ignis moderatus.1º.de alim.fac. 2ª.9.H
Pani in coctura quid obſit ignis ardens.1º.de alim.fac. 2ª.9.H
Panis prauus ex nimio igne fit dupliciter.1º.de alim.fac. 2ª.9.H
Pani in coctura quid agat ignis imbecillus.1º.de alim.fac. 2ª.9.H
Panẽ clibano coctũ accipi iubet ꝑ cataplaſmate.14º.meth.me.7ª.90.B
Panis in furno non ſub clibano coctus.1º.de antid. 5ª.104.B
Panis furno coctus,& fermentatus,& modice purus detergit.4º. de ſanitate tuenda. 2ª.84.F
Panis coctus in furno vtilis eſt calidis,& ſiccis.8º.meth.med. 7ª.51.B
Panes clibanitæ ex tritico.de atten.vic. 2ª.45.C
Panis non bene conditus facit ſuccum craſſum,glutinoſum,& tenacem. de bon.& vitio ſucc. 2ª.35.B
Panes non bene in clibano aſſi ſunt craſſi ſucci.3º.de alim.fac. 2ª.28.B
Panes non multa trituratione elaborati ſunt craſſi ſucci.3º. de alimentorum facultatibus. 2ª.28.B
Panes non multo ſale aut fermẽto mediocri ſaturati ſunt craſſi ſucci. 3º. de alimentorum facultatibus. 2ª.28.B
Panis furni in exterioribus eſt craſſus,& cur.de diſſ.cont. Sp.72.H
Panis in teſtis cum oleo,& ſine oleo cibus craſſus,& cur. de diſſolutione continua. Sp.72.H
Panis male coctus nõ coquitur probe in corpore.4º.de ſa.tuen. 2ª.88.B
Panis nimis coctus ſiccus eſt.5º.de ſimp.me.fac. 5ª.34.B
Panis habens acetum.8º.meth.med. 7ª.53.D
Panis Alexandrinus ſiccus eſt.9º.de comp.med.ſec.loc. 5ª.203.G
Panes ex Alica ſunt plurimi nutrimenti.1º.de alim.fac. 2ª.10.H
Panis ex aqua.2º.de comp.med.ſec.loc.5ª.133.D/1º.de arte curatiua ad Glauconem. 7ª.98.C
Panis ex aqua cibus eſt boni ſucci.2º.de comp.med.ſec.loc. 5ª.133.D
Panis aqua maceratus ẽ boni ſucci,et nõ calefacit.de re.pa.fa.7ª.153.G
Panis ex aqua in febribus continuis.1º.de arte cur.ad Glauc. 7ª.98.A
Panis commodus Athletæ qui.1º.de alim.fac. 2ª.10.A
Panis athletarum qualis.5º.de ſan.tuen. 2ª.91.F
Panem,& carnes edunt Athletæ.de ſal.diæta. 2ª.39.H
Panem prandent,& cænant carnem luctatores.de victus ratio.in morbis acutis,commentario 1º. 7ª.111.H
Pane ex caſeo cur ſoli Athletæ veſcuntur.1º.de alim.fac. 2ª.10.B
Panis Auenæ inſuauis.1º.de alim.fac. 2ª.13.B
Panes non fiunt ex auena niſi in extrema fame.1º.de alim.fac. 2ª.13.B
Panis Autopyrus qui.de victus rat.in morb.acut.com.2º. 7ª.121.C
Panis autopyrus,qualis.2º.de arte cur.ad Glauc. 7ª.105.H
Panem Azimum accipi iubet.de dynam. Sp.31.E
Panes ἄζυμοι ex caſeo.1º.de alim.fac. 2ª.10.A
Panes Calidi qui boni.1º.de alim.fac. 2ª.12.G
Panis calidus qui multum nutrit.1º.de alim.fac. 2ª.12.H
Panis calidus qui expetit caſeum.1º.de alim.fac. 2ª.12.G
Panes calidos ex oleo vel pinguedine datur in hydrope.de victus ratio. in morbis acutis,com.4º. 7ª.152.E
Panis calidus ſitim infert.de vict.rat.in morb.acu.com.2º. 7ª.121.B
Panis Confuſanei quid agant.de vict.rat.in morb.acu.cõ.2º. 7ª.121.B
Panes Dulciarij leniſſimi in arteriæ inflammationum principijs. 7º. de comp.med.ſec.loc. 5ª.177.H
Panis Epiceraſticus.2º.de ſimp.med.fac. 5ª.12.F
Panis de Farina eſt cibus medius.de diſſ.cont. Sp.74.C
Panes Feſtiui ruſticani ex caſeo omnes lædunt.1º.dc alim.fac. 2ª.10.A
Panis ex ſeminibus Frumẽtaceis familiaris cibus hoĩ.2º.de al.f.2ª.17.C
Panes varios facit tritici differentia.1º.de alim.fac. 2ª.9.G
Panis comparandus tritico.1º.de alim.fac. 2ª.12.H
Panis frumenti mundi bene factus arte ſua generat bonum humorem inter craſſum,& tenuem.de diſſo.cont. Sp.73.H
Panis frumenti generat chymum bonũ,& craſſum.de diſ.cõt.Sp.74.A
Panis frumenti eſt cibus calidus.de diſſ.cont. Sp.74.D
Panis ex tritico quæ excrementa faciat.in 1m.prorrh.com.3º. 4ª.182.G
Panis tritici pus facit.5º.de ſimp.me.fac. 5ª.34.A
Panis Furfuraceus qualis.14º.meth.med. 7ª.90.B
Panis furfuraceus facit humorem melancholicum.3º.de loc.aff.4ª.18.F
Panis multi furfuris lenit ventrem.de diſſ.cont. Sp.75.A
Panes furfurei cur cito excernuntur.1º.de alim.fac. 2ª.9.F
Panis furfuraceus pro calculo renum.de ren.aff.dig.& med. 7ª.195.E
Panes Hordeacei ex bono hordeo minus nutriunt triticeis.1º.de alimentorum facultatibus. 2ª.11.G
Panes hordeacei friabiles non habent lentorem,vt olyrini, & Typhini. 1º.de alimentorum facultatibus. 2ª.11.F
Panes ex laxo,leuiq; hordeo furfuraceis rñdent.1º.de alim.fac. 2ª.11.G
Panes hordeacei exiguum præbent alimentum.1º.de ali.fac. 2ª.11.F
Panis hordei cur parum nutrit.de diſſ.cont. Sp.73.F
Panes hordeacei per aluum citiſſime ſubducuntur.1º.de alim.fa. 2ª.11.G
Panis ex hordeo,quæ excrementa faciat.in 1m.prorrh.cõ.3º. 4ª.182.G
Panis Iuuenum,qualis.5º.de ſan.tuen. 2ª.91.E
Panis cur non fit ex Lente.1º.de alim.fac. 2ª.13.D
Panis habentium lapidem.de cura lap. Sp.112.B
Panis lotus propter quid inuentus.1º.de alim.fac. 2ª.10.G
Panis in aqua frigida eſt frigidus,& humidus.10º.meth.med. 7ª.67.A
Panis Lotus neq; calefacit,neq; refrigerat.1º.de alim.fac. 2ª.11.C
Panis lotus ſuccũ habet minimũ,craſſum,& lentũ.1º.de ali.fac.2ª.10.G
Panis lotus ex terreſtri factus aereus.1º.de alim.fac. 2ª.10.G
Panis lotus leuis eſt.1º.de alim.fac. 2ª.10.G
Panis lotus ſupernatat vt ſuber.1º.de alim.fac. 2ª.10.G
Panis lotus minus alit.1º.de alim.fac. 2ª.10.G
Panes loti minus nutriunt,quàm non loti.1º.de alim.fac. 2ª.11.C
Panis lotus eſt boni ſucci.2º.de ſimp.me.fac. 5ª.12.H
ex Pane loto ſtõus vni mordetur,alteri nõ.2º.de ſimp.me.fac. 5ª.12.E
Panis frumẽti fermẽtati loti medulla ẽ cibº ſubtiliãs.de diſ.cõt.Sp.72.D
Panis medulla lota bene eſt nutrimenti pauci.de diſſ.cont. Sp.73.G
Panis Loti meminit.2º.de ſimp.med.fac. 5ª.12.E/H
in Panes figitur loti ſemen.7º.de ſimp.med.fac. 5ª.54.H
Pane Maſticato,non tritico ſanantur furunculi puerorum. 10º. de ſimplicium medic.facul. 5ª.75.G
Panes Medij ex farina non ſeparata à furfure.1º.de alim.fac. 2ª.9.G
Panis ex Melle ſiccat præcordia.10º.meth.med. 7ª.64.A
Panes Miliacei friabiles ſunt,& exiccant aluum.1º.de alim.fac.2ª.13.C
Panis miliaceus vituperandus eſt.1º.de alim.fac. 2ª.12.H
Panis genus Νασὸν dictum.4º.de dignoſ.pulſ. 4ª.84.A
Panes Olyrini,quales.1º.de alim.fac. 2ª.12.G
Panis Oxylipe in diaria ex cruditate cũ profluuio.8º.meth.me. 7ª.53.D
Panes Panici frigidi,& exigui alimenti.1º.de alim.fac. 2ª.13.C
Panis ex panico arenam,vel cinerem ſapit dum eſtur.de bonitate, & vitio ſuccorum. 2ª.36.F
Panes panici in penuria.1º.de alim.fac. 2ª.13.C
Panis ex panico quæ excremẽta faciat.in 1m.prorrh.com.3º. 4ª.182.G
Pani inſpergitur Papauer & edunt melle maceratum.7º.de ſimplicium medicamentorum facultatibus. 5ª.55.F
Panibus,& placentis miſcent papaueris ſemen.de atten.vic. 2ª.44.E

Panibus cur inſpergunt papauer.7°.de ſimp.me.fac. 5ª.55.G
Panis condimentum papaueris ſemen.1°.de ali.fac. 2ª.15.E
Panis Puriſſimus σιλιγνίτης.1°.de ali.fac. 2ª.9.C
Panis purus quid faciat.14°.methodi medendi.90.B/de victus ratione in mor.acu.com.2°. 7ª.121.B
in Pane puro eſt multum nutrimentum.8°.met.me. 7ª.50.H
Panes puriſſimi ponderoſi, & tarde deijciuntur.1°.de ali.fac. 2ª.9.F
ex Pane puro fiunt deiectiones albæ.in 1ᵐ.pror.c.1°. 4ª.165.A
Panes non multum puri faciunt ad ſeceſſiones.de cura icteri. Sp.111.C
Panis commodus Seni qui.1°.de ali.fac. 2ª.10.A
Panis ſenum qualis.5°.de ſan.tu. 2ª.91.E
Panis ſenum ſuas dotes non habens quid faciat.5°.de ſan.tu. 2ª.91.F
Panis quo modo præparetur iuueni.5°.de ſan.tu. 2ª.92.D
Panis qualis dandus in ſiccitate.7°.meth.med. 7ª.45.C
Panis Siligineus aluum retinet.de ren.aff.dig.& med. 7ª.195.E
Panis de Simila bene paratus ex arte eſt boni chymi,ac ſubtilis de diſſolutione continua. Sp.73.H
Panis ſimilæ bene paratus,& ex arte coctus generat chymum bonum & craſſum.de diſſ.cont. Sp.74.A
Panis ſimilæ multum nutrit.de diſſ.cont. Sp.73.E
Panis ſimilagineus aluum retinet.de ren.aff.dig.& med. 7ª.195.E
Panes Sordidi qui.1°.de ali.fac. 2ª.9.H
Panis Stomachicorum qualis eſſe debet.8°.de comp.me.ſe.lo. 5ª.192.C
Panes omnium deterrimi Subcineritij.1°.de ali.fac. 2ª.10.C
Panis ſubcineritius,qualis.de vict.rat.in morb.acu.c.4°. 7ª.149.C
Panis Syncomiſtus qui.de vict.rat.in mor.acu.c.2°. 7ª.121.C
Panis ſyncomiſtus,qualis.2°.de arte cura.ad Gla. 7ª.105.H
Panis quantum debeat poni in Theriaca.1°.de anti. 5ª.104.C
Panis miſcendus viperæ.de ther.ad Piſo. 5ª.95.F
Panis non debet viperarum iure macerari.1°.de anti. 5ª.104.C
Panis exiccandus per aliquot dies.1°.de anti. 5ª.104.C
Panis ſiccus ponitur in paſtillis theriacæ.de theria.ad Piſo. 5ª.92.C
Panes Typhini,quales.1°.de ali.fac. 2ª.12.G
Panis ex typha facit humorem melancholicum.3°.de loc.aff. 4ª.18.F
cum Pane vinum calidum quando in ſyncope dandum.1°.de arte curatiua ad Glauconem. 7ª.99.E
Panis ex vino quando in ſyncope dandus.12°.met.me.75.H/ 7ª.76.C
Panum diuerſitatis ratio in nutriendo.1°.de ali.fac. 2ª.9.G
Panis virtute ptiſſanam antecellit.de ptiſſ. 2ª.47.F
Panis magis nutrit,quam ptiſſana.de bo.& vit.ſuc. 2ª.37.D
Panis cum duræ coctionis cibis numeratur videlicet ſuilla, & bubula carne.2°.de temp. 1ª.20.E
Panis in ĩbecillũ vẽtriculũ demiſſus ab eo nõ ſuperat̃.3°.de tẽp. 1ª.23.G
Panis vbi vẽtriculus habet ignẽũ calorẽ nõ coquitur.1°.de lo.af.4ª.5.E
Panes aggrauantes ventriculum vt lutum videatur qui.1°. de alimentorum facultatibus. 2ª.12.G
Panes qui non ſeruandi.1°.de alim.fac. 2ª.12.G
qui Panis habet iniucunditatem.de ptiſſ. 2ª.47.F
Panis inſuauis dum ſumitur.de vict.rat.in mor.acut.com.1°. 7ª.111.D
Panes nulli conuenientes qui.1°.de ali.fa. 2ª.10.A
Panes qui lædunt foſſores, & meſſores.1°.de ali.fac. 2ª.10.A
Panis roborat,ſed non humectat,nec ſecat.de victus ratione in morbis acutis,commenta.1°. 7ª.113.C
ex Pane quod accipitur generat atram bilem.de diſſ.cont. Sp.74.A
Panis dat alimentum humens.de ptiſſ. 2ª.48.B
ex Pane,Ptiſſana,& lente fit ſanguis,pituita,bilis tum flaua,tũ atra. 3°.de ſimp.me.fac. 5ª.17.D
Panis continet parum bilis.2°.de nat.fac. 1ª.300.A
Panis fit ſanguis.1°.de nat.fac. 1ª.291.B
ex Pane quo modo fiat ſanguis.1°.de nat.fac. 1ª.292.D
Panis indiget multa alteratione ſi debet fieri ſanguis.1°. de naturalibus facultatibus. 1ª.292.D
Panis in pituitam primo trãſit deinde in ſanguinem . de victus ratione in mor.acut.com.2°. 7ª.120.F
Panis generat carnem compactam ac firmam.2°.de ali.fac. 2ª.17.E
Panis vt caro fiat exigit tres mutationes tamen eſt caro poteſtate.3°.de temperamentis. 1ª.21.G
cũ Pane,& carnibus ſcãmonij,& veratri proportio eadẽ eſt, q̃ ſecundi libri de differentijs pulſuum cũ libro primo.2°.de diff.pul. 4ª.53.C
Panis ventrem mollit.de puero epil. 7ª.180.C
Panis dandus his qui cibum vertunt in fumum.1°.de loc.aff. 4ª.5.E
Panis in acutis morbis datur.de vict.rat.in mor.acu.com.1°. 7ª.111.B
citra Panẽ ſalſamentum edat ſplenicus.9°.de cõp.me.ſe.lo. 5ª.199.B/F
Panis in quibus ſtomachi affectibus ſit odorandus. 8°. de compoſitione medic.ſec.loc. 5ª.192.D
Panis ex aqua mulſa pro cataplaſmate.5°.de compoſitione medicamẽ. ſecundum locos. 5ª.161.G
ex Pane cataplaſma,quale.5°.de ſimp.me.fac. 5ª.34.B
Panis pro cataplaſmate,qualis.2°.de arte cur.ad Gla. 7ª.105.D
ex Pane cataplaſma magis digerit quam ex tritico. 8°. de ſimplicium medic.facul. 5ª.59.D
Panis cataplaſma cur maxime diſſoluat.2°.de ar.cur.ad Gla. 7ª.105.C
ex Pane cataplaſmate citius ad ſuppurationem perducit quod eſt ex aqua,oleo,& farina triticea.2°.de arte cura. ad Glau. 7ª.105.C
Panis ex aqua,& oleo cito pus mouet.4°.met.me. 7ª.27.D
ex Pane decocto,& hydrelæo medicamentum ad cruſtas excidentes. 2°.de arte cur.ad Glau. 7ª.107.B
Panis tritus cum apio,vel ocymo cruſtas optime diſrumpit.2°. de arte cur.ad Glauconem. 7ª.107.B
ex Pane,lente,arnogloſſo,& oleo roſaceo cataplaſma.2°. de arte curatiua ad Glauconem. 7ª.101.G
ex Pane,& melle cataplaſma.13°.met.me. 7ª.83.F
Panis mica maturat.de ocul. 7ª.188.E
Panis micula tuſſire facit.2°.de ſimp.me.fa. 5ª.15.E
pro Pane maza liquidior.de vict.rat.in mor.acut.com.4°. 7ª.145.B
Panis calefacit,& ſiccat magis,quàm maza.de ſal.diæta. 2ª.40.A
pro Pane polenta vtuntur ruſtici cyprij.1°.de ali.fac. 2ª.11.H
PANNICVLI qui ſint.de anat.viu. Sp.44.C
Panniculi omnes ſunt membra completa , quæ tamen ſimplicia vocantur.de ana.viu. Sp.44.G
Panniculorum iuuamentum.de ana.viu. Sp.44.C
Panniculorum neceſſitas.de ana.viu. Sp.55.F
Panniculorum diuerſitas.de ana.viu. Sp.55.F
Panniculi diſtinguentes qui.de ana.viu. Sp.44.C
Panniculi quibus componantur.de ana.viu. Sp.44.G
Panniculi ſenſum dantes qui.de ana.viu. Sp.55.F
Panniculi cerebri duo,& quales & eorum officiũ.de ocul. 7ª.183.A
Panniculus inter phantaſiam, & rationalem habet carnem aliquam. de anatomia viuorum. Sp.58.B
Pãniculi cur plẽs,et pauciores ĩ oculo ponant̃ à diuerſis.đ ocu. 7ª.183.D
Panniculi oculorum propter quid ſint.de ocul. 7ª.182.G
Panniculo tecti ſunt nerui à cerebro prodeuntes quo ad exeant os capitis.de oculis. 7°.183.B
Panniculi oculorum quo modo iuncti ſint.de ocul. 7ª.183.B
de Panniculis tribus ante cryſtallinum.de ocul. 7ª.183.B
Panniculorum iuxta pupillam morbi.de ocul. 7ª.186.C
Panniculus præſtans ſenſibilitatem auri vbi ſit.de ana.viu. Sp.48.H
Panniculus quot componatur gula.de ana.viu. Sp.49.F
Panniculus ſtomachi quibus,& q̃uo nutriatur.de ana.viu. Sp.49.H
ex Pãniculis duobus cõponit̃ ſtomachus,et qñã ſint.đ ana.vi. Sp.49.G
Panniculus ſtomachi exterior cõponitur ex filis latitudinalibus. de anato.viuorum. Sp.49.H
Panniculus ſtomachi interior componitur ex quibuſdam filis longitudinalibus,& ex quibuſdam tranſuerſis.de ana.viu. Sp.49.G
Panniculus quidam diuidit mẽbra nutritiua à ſpiritualibus vt diaphragma quidam eſt ſenſificans vt pulmonis , hepatis ſplenis , renum.de anatomia viuorum. Sp.55.F
Pãniculus cor ambiẽs inter ꝑtes ignobiles numerat̃.5°.de lo.a. 4ª.29.E
Panniculus cordis eſt denſior quocunq; alio.de ana.viu. Sp.46.E
Panniculus cordis vbi illud tangat.de ana.viu. Sp.56.B
per Panniculum ſuſpenduntur renes in dorſo.de ana.viu. Sp.55.F
Panniculos quatuor habent teſticuli.de ſperma. Sp.36.F
de Panniculorum fœtus anatomia.de ana.viu. Sp.52.C
Panniculis tribus cur inuoluatur fœtus.de ana.viu. Sp.52.C
Panniculus ex filis.4°.de comp.me.per gen. 5ª.244.E
Panniculi filatim excerpti.4°.de comp.me.per gen. 5ª.242.F
Panniculus Ampelinus.1°.de comp.me.ſec.loc. 5ª.123.E
PANNO lacero ſimilis efficitur cutis colliquata.2°.de arte curatiua ad Glauconem. 7ª.105.G
Pannus ex pilis,vel ſetis compoſitus.3°.de comp.me.ſec.lo. 5ª.149.A
Pannus ſetaceus ad quid vtilis.de med.fac.par. 7ª.175.E
Panni ſordidi pro fomento.de reme.par.fac. 7ª.157.D
PANNVS ad ventrem ſoluendum.de dyna. Sp.27.F
Pannum blattæ biſantiæ.de dyna. Sp.24.B

Pannus Sabini.ſecret. Sp.97.E
PANNVS in oculorum albedine q̃uo curetur.de ocul. 7ª.190.H
Panno confert ſectio venarum temporum, & quæ ſunt in oculorum angulis lachrymalibus.de ana.viu. Sp.55.A
ad Pannum oculorum.de ocul. 7ª.191.E
Panni oculorum remedium.de dyna. Sp.24.G
Panni, & ſanguinis oculorum remedium.de dyna. Sp.24.H
PANTHEMINVM atram bilem educit.de dyna. Sp.21.C
PANTHERIS non nulli veſcuntur.3°.de ali.fac. 2ª.26.A
Pantherarum lien non eſt eſculentum.de atra bile. 1ª.36.E
apud PANTIMEDEM mulieris decumbentis caſus. in 3ᵐ. de morbis vulg.com.2°. 3ª.139.B
vbi PANVS, ſeu bubon ſtruma fit.1°.de loc.aff. 4ª.4.H
Panus ſiue bubon ingẽs ab vlcere in pleno corpore.1°.de lo.aff. 4ª.4.H
Panus, ſiue bubon fit ob vlcus, & poſt vlceris curationem diutius permanet.2°.de loc.aff. 4ª.14.C
Panus in extrema ilium parte in viris.6°.de loc.aff. 4ª.41.C
Panus ſuppuratus ſi incidatur, & exeat ſtercus ſignificat, in colo eſſe abceſſum.1°.de loc.aff. 4ª.2.E
Pani quo modo curentur.6°.de loc.aff. 4ª.41.C
ad Panos.6°.de comp.me.per gen. 5ª.259.E
q̃n PANIS diſtortio ſpinæ fit in anteriorem partem.de articulis, commentario.3°. 7ª.268.F
à Panis nõ ſubuertũtur, neq; trahuntur oſſa.de art.com.3°. 7ª.268.G
πάνυγgον quid ſignificet.de fract.com.3°. 7ª.247.E
PAPAVERIS ſpecies, quæ.7°.de ſimp.me.fac. 5ª.55.F
Papaueris ſatiui ſemen ſomnum conciliat.7°.de ſimp.me.fac. 5ª.55.F
Papaueris ſemen eſt ſoporiferum.de atten.vic. 2ª.44.E
Papaueris ſemen ſomnum profundum inducit.1°.de ali.fac. 2ª.15.E
ex Papauerum capitibus profuſio in delirio, & vigilijs.13°.methodi medendi. 7ª.85.E
Papauer cur ſomnificum.2°.de temp. 1ª.16.F
Papaueris ſemen caput grauat.de atten. vic. 2ª.44.E
Papaueris ſemen condimentum panibus.1°.de ali.fac. 2ª.15.E
Papaueris ſemen miſcent panibus, & placentis.de atten.vic. 2ª.44.E
Papaueris ſatiui ſemen pani inſpergunt, & edunt melle maceratum.7°.de ſimp.me.fac. 5ª.55.F
Papauer cur inſpergant itrijs, bellarijs, & panibus.7°.de ſimpl. medic. facultatibus. 5ª.55.G
Papauer non dat alimentum.1°.de ali.fac. 2ª.15.E
Papauer cur parum nutrit.de diſſ.cont. Sp.73.F
Papauer album toſtum.7°.de comp.me.ſec.loc. 5ª.185.F
Papauer nigrum toſtum.10°.de comp.me.ſec.loc. 5ª.206.C
Papaueris ſuccum cur torrefaciant, & an bene faciant.3°. de compoſitione medic.ſec.loc. 5ª.142.C
Papauer nigrum purgat pulmonem, & thoracem.de cathar. Sp.95.B
Papaueris agreſtis.7°.de comp. me.ſec.loc. 5ª.180.C/D
Papauer cornutum vnde dictum.7°.de ſimp.me.fac. 5ª.55.G
Papauer ceratitis.6°.de comp.me.per gen. 5ª.255.B
Papaueris cornuti radix hepaticos affectus adiuuat.7°. de ſimp. medi. facultatibus. 5ª.55.G
Papaueris cornuti folia, & flores ſordida admodum, & contumacia vlcera iuuant.7°.de ſimp.me.fac. 5ª.55.G
Papauer herculeum pituitam expurgat.7°.de ſimp.me.fac. 5ª.55.H
Papauer frigidum eſt.3°.de temp.1ª.21.G/3°.de ſimp.medi.fac. 5ª.21.H/ de diſſol.cont. Sp.74.D
Papauer frigidum iudicatur ab omnibus.3°.de ſimp.me.fac. 5ª.17.H
Papaueris ſuccus frigidus eſt in quarto ordine.3°. de ſimpliciũ medic. facul.19.G/7°. 5ª.55.G
Papaueris ſuccus magis refrigerat quàm ſemen.de atten.vic. 2ª.44.E
Papaueris ſemen melius herba.de atten.vic. 2ª.44.E
Papaueris ſemen quomodo refrigerare probetur.de atten.vic.2ª.44.E
Papauer quomodo infrigidet.1°.de ſimp.me.fac. 5ª.4.E
Papauer quo modo calefaciat, & quo modo calida refrigeret.1°. de cõpoſi.med.per gen. 5ª.209.H
Papaueris ſuccus, etſi detur calefactus, tamen poſtea fit frigidus.3°. de temperamentis. 1ª.23.G
ex Papaueris ſucco medicamenta refrigerant, & ſiccant.12°. methodi medendi. 7ª.79.C
Papaueris lachryma eſt opium non ſuccus.2°.de anti. 5ª.114.B
Papaueris lachryma refrigerat, & ſiccat.1°.de temp. 1ª.10.E
Papaueris ſuccus odore cum homine pugnat quippe hominis naturæ cõtrarius.4°.de ſimp.me.fac. 5ª.29.E
Papaueris ſuccus eſt homini contrarius.3°.de temp. 1ª.23.F
Papaueris ſuccus non eſt acidus.4°.de ſimp. me.fac. 5ª.28.C
Papaueris ſuccus modice ſumptus iuuat.d̃ vi.ra.ĩ mo.ac.c.2°.7ª.118.D
Papauer dolores mitigat, et q̃uo.6°.de comp.me.per gen. 5ª.255.C
Papaueris ſuccus aufert dolorem.2°.de comp.me.ſec.loc. 5ª.138.G
Papauere fiunt emplaſtica anodyna, & reprimentia.commentario.6°. aphoriſmo.31°. Ex.49.E
Papaueris ſuccus numeratur inter anodyna, in quibus errant medici. 12°.meth.med. 7ª.75.B
ex Papaueris capitibus quæ fiunt repellunt.1°.de arte cur. 7ª.100.A
ex Papaueris capitibus apparatũ repellit in capitis doloribus.2°.de comp.me.ſec.loc. 5ª.137.D
ex Papauerum capitibus infuſiones ad capitis dolores ex febre.1°.de arte cur.ad Gla. 7ª.100.B
Papauer obeſt in proceſſu doloris capitis.2°.de comp.me.ſe.lo.5ª.137.F
Papauer cõuenit catarrho tenui à capite defluente.1°.de alim.f. 2ª.15.E
Papauer confert tuſſi ex thorace, & pulmone.1°.de alim.fac. 2ª.15.E
Papauer purulentis cõuenit.de vict.rat.in mor.acu.com.4°. 7ª.152.G
Papauera non ſunt ſumenda in humidis, & paluſtribus locis in Diacodio.7°.de comp.me.ſec.loc. 5ª.180.H
Papauera quantæ magnitudinis eſſe debent in Diacodio.7°.de compoſi. med.ſec.loc. 5ª.180.H
Papaueris ſuccus in Theriaca quantũ tp̃is durat.5°.met.me. 7ª.35.D
Papaueris ſuccus valet in coli dolore.12°.met.me. 7ª.79.G
Papauera nec duriora, nec molliora eſſe debent in Diacodio.7°. de cõp. medic.ſec.loc. 5ª.180.G
ex Papauere medicamentis quo modo vti debemus.3°. de compoſitio. med.ſec.loc. 5ª.142.C
Papaueris ſuccus alexiterias antidotos ingredi non poteſt.5°.de ſimpli. medic.facul. 5ª.37.C
Papaueris ſuccum ſemper fugit Galenus, quando poteſt.3°. de compoſi. medic.ſec.loc. 5ª.142.H
ex Papaueris ſucco compoſita aures offendunt.2°.de compoſitione medicamen.ſec.loc. 5ª.134.G
ex Papauere vnctiones frigidæ quibus cauẽdæ.6°.de ſan.tu. 2ª.100.G
Papaueris ſuccus quæ mala faciat.3°.de comp.me.ſec.loc. 5ª.142.C
Papauer facit morbos frigidos.de cau. mor. 3ª.7.D
Papauer quãtã pariat refrigerationẽ.1°.de comp.me.per ge. 5ª.210.A
Papauer nõ citra damnum refrigerat.2°.de comp.me.ſec.loc. 5ª.132.F
Papaueris ſuccus ſtupefacit.in 6ᵐ.de morb.vul.com.6°. 3ª.196.E
ex Papaueris ſucco medicamenta omnia ſtupefaciunt.3°. de compoſi. med.ſec.loc. 5ª.142.B
Papauer obſtupefacit, & necat.5°.de ſimp. me.fac. 5ª.35.G
Papauer inducit mortem.7°.de ſimp.me.fac. 5ª.55.G
Papaueris liquor quomodo necet, & obſit.de ther.ad Piſo. 5ª.94.B
Papaueris ſuccus deleterius eſt.3°.de temp. 1ª.23.F
Papauer habet naturam exitialem, tamẽ non nocet ſine quantitate. cõ. 2°.aphoriſmo.17°. Ex.13.B
Papaueris ſuccus ſi largius bibatur aut dementat, aut mortem infert. 5°.de ſimp.me.fac. 5ª.37.C
Papaueris ſuccus cur ſi vino miſtus bibatur necet citius.3°.de ſimplic. medic.facul. 5ª.22.E
Papaueris ſuccus liquatur ſapa.12°.met.me. 7ª.79.G
Papaueris ſucci epoti noxã vinum vetus ſanat.3°.de ſimp.me.f.5ª.22.E
Papaueris ſuccum q̃ biberunt ijs confert hydrelæon.2°.de anti. 5ª.114.B
Papaueris lachrimam qui biberunt quid adiuuet.2°.de anti. 5ª.114.B
ĩ PAPILLIS mariũ raro ſunt glãdulosa corpora.2°.de ſem. 1ª.336.D
Papillæ mammarum ligandę papyro in ſanguinis profluuio.de remedijs paratu facilibus. 7ª.163.F
PAPVLAE quæ vocantur petechie vulgo.in 1ᵐ. de morbis vulgaribus commentario.3°. 3ª.121.G
Papulæ paruæ quæ euaneſcebant, [forte petechie dictæ à nobis.] in 1ᵐ.de mor.vul.com.1°. 3ª.111.D
Papulæ vnde fiant, & vnde dictæ.in 3ᵐ.de mor.vul.com.3°. 3ª.145.A
Papularum prouentus quando fiat.3°.de ſymp.cau. 3ª.26.C
Papulæ Hydatides, quæ.6°.de loc.aff. 4ª.29.D
ad Papulas feruidas circa caput exiſtẽtes.1°.de cõp.me.ſe.l. 5ª.129.B
ad Papulas feruidas.1°.de comp.me.ſe.lo. 5ª.130.F
ad Papulas oculorum.4°.de comp.me.ſec.lo. 5ª.154.F
ad Papulas genarum.de reme.par.fac. 7ª.157.C
ad Papularum in mento eruptiones.5°.de comp.me.ſec.loc. 5ª.162.C

ad Papularũ menti ficoſas eruptiones.5°.de comp.me.ſec.lo. 5ª.160.F
ex PAPYRACEA charta vſta medicamentum valde ſiccat.5°.methodi medendi. 7ª.36.D
PAPYRVS per ſe non ingreditur vſum medicinalem.8°.de ſimplic.medicamen.facul. 5ª.57.G
Papyri cinere infirmius exiccat cartæ cinis.8°.de ſimp.me.fac. 5ª.57.G
Papyro ligandum penis extremum in ſanguinis profluuio. de remedijs paratu facilibus. 7ª.163.F
PAR numerus fœminã impar marẽ refert.3°.de dieb.dec. 4ª.158.H
Pares,& ĩpares dies cõſiderãdi ſunt.de vic.ra.in mor.ac.c.1°.3ª.112.H
Pares dies ſi habeant vehementiores acceſſiones morbus eſt longus.cõmenta.4°.aph.36°. Ex.32.A
Paribus diebus magna ex parte iudicari diuturnas ægritudines inquit Hippocrates.bre.denot.dogm.Hipp. 1ª.231.D
Paribus diebus acceſſiones,et dolores.ĩ 3^{m}.de mor.vul.c.3°.3ª.150.F/H
Paribus diebus afflictus.in 3^{m}.de mor.vul.com.3°. 3ª.148.H
Paribus diebus non fit perfecta iudicatio.com.1°.aph.20°. Ex.9.H
de PARABILIBVS medicamentis librum ſcripſit Apollonius.11°.de ſimp.me.fac.82.H/2°.de comp.med.ſec.loc.132.E/3°.141.F/144.G/148.D/5°.163.H/6°.174.D/ 5ª.175.H
PARACENTESES, id eſt punctiones fiunt qñ hydropici perforãtur.14°.met.me.7ª.90.G/com.6°.aph.27°. Ex.48.G
PARACENTETICEN vocant perforatoriam artem. ad Thraſybulum. 2ª.105.B
παραχθῆναι quid ſignificet.in 1^{m}.pror.com.1°. 4ª.161.A
παρακμαστικὴν inclinantẽ ætatem græci vocant.5°.de ſan.tu. 2ª.89.A
PARAGMATICA febris.in 6^{m}.de morb.vul.com.1°. 3ª.160.A
Paracmaſtica ſpecies ſynochi.9°.met.me. 7ª.57.A
Paracmaſticas febres facit humoris in caua vena putrefactio.2°. de differentijs febrium. 3ª.42.H
PARACMASTICVS pulſum tenet mitiorem homotono, & acmaſtico in ſecundo vel tertio die cum declinatione, licet in principio fuerit vehemens.de dyna. Sp.34.C
PARACOPEM, phrenitim,dementiam ſiue cardiacam ſignificat vrina tenuis,maxime ſi dolor capitis,& ſcapularum, & inſomnia fuerit.de dyna. Sp.34.E
Paracopẽ aut phrenitim venturam oſtendit in ſynocha vrina quæ veluti florem vini ſupernatantem habuerit.de dyna. Sp.34.F
παρακόψαι quid ſignificet.in 1^{m}.pror.com.1°. 4ª.161.A
PARADOXOLOGVS, & paradoxopæus à quibus ſit dictus Galenus.10°.meth.med. 7ª.63.C
PARAGOGAE articulorum affectus.intr. Iſa.59.E
παραληρῆσαι quid ſignificet.in 1^{m}.pror.com.1°. 4ª.161.A
PARALIVM, id eſt papauer.7°.de ſimp.me.fac. 5ª.55.G
PARALLELI ab aliquibus zonæ dicuntur.c.3°.aph.14°. Ex.22.F
Paralleli ſunt lineæ imaginariæ.com.3°.aph.14°. Ex.22.F
PARALIVS, ſiue marinus Titymallus.8°.de ſimp.me.fac. 5ª.62.E
παραλόγως,id eſt præter rõnem qũo dicatur in 1^{m}.pror.c.2°.4ª.172.F
PARALYSIS vnde dicta.2°.met.me. 7ª.9.D
Paralyſis quid.fin.med.Iſa.47.H/1°.de ſym.cau. 3ª.16.C
Paralyſis in corpore ſeqĩ ad dominiũ phlegmatis.de ana.viu. Sp.45.E
Paralyſis contingit conceptis in phlegmatis hora.de ſperm. Sp.37.C
Paralyſis paſſio atræ bilis.de ſperm. Sp.38.B
Paralyſis contingit conceptis in horis melancholiæ.de ſper. Sp.37.D
de Paralyſi librum fecit Eraſiſtratus. de aſſuetu. 2ª.60.D
Paralyſis quorum ſit neruorum.3°.de loc.aff. 4ª.17.C
Paralyſis qua parte cerebri affecta fiat.4°.de loc.aff. 4ª.22.G
Paralyſis typum non habet.de typ. 3ª.90.D
Paralyſis quædam læuis eſt torpor.2°.de ſymp. 3ª.19.H
Paralyſis,& torporis differentia.1°.de ſymp.cau. 3ª.16.C
Paralyſis qñq; à generatione offendit oculum.de ana.ocul. Sp.57.G
Paralyſis oculorum quotuplex ſit,& quo modo fiat.de ocul. 7ª.187.E
Paralyſis coronæ affectus.intr. Iſæ.58.D
Paralyſis affectus communis toti palpebræ.intro. Iſa.58.D
Paralyſis linguæ nullum nomen habet.2°.de ſymp.cau. 3ª.19.G
Paralyſis ſtomachi.3°.de ſymp.cau. 3ª.25.G
Paralyſis qua cauſa fiat.2°. de ſymp.cau. 3ª.20.A
Paralyſim pariunt lenti,& craſſi humores.de atra bile. 1ª.35.H
Paralyſis qñ ſequitur ad cõpreſſionẽ vertebræ.4°.de loc.aff. 4ª.24.C
Paralyſis fit ex ſolo morbo.2°.de ſymp.cau. 3ª.20.A
Paralyſis ſequitur apoplexiam.4°.de loc.aff. 4ª.22.H
Paralyſis totius corporis eſt apoplexia.2°.de ſymp.cau. 3ª.19.H
Paralyſis nunquam viſa ſecundum aliquos.4°.de loc.aff. 4ª.25.E
in Paralyſi nullum adeſt loci affecti ſignum.3°.de loc.aff. 4ª.16.B
ad Paralyſim tendit pulſus ſtupidus,et ſignificat diſpoſitionem eſſe in neruis muſculi.1°.de loc.aff. 4ª.8.H
Paralyſim ſignificat vrina ſpiſſa cardiacorum.de dyna. Sp.34.H
in Paralyſi vrina rubra prædicit futuram mortem.de dyna. Sp.35.D
Paralyſis quo modo mortem inferat.1°.de ſymp.cau. 3ª.16.D
in Paralyſi ſanguinea quid agendum.de cura lap. Sp.112.F
Paralyſi infeſtante catharticis vtimur.de dyna. Sp.20.E
ad Paralyſim oris.de cura lapidis. Sp.112.G
Paralyſi quæ conueniant.de dyna. Sp.31.C
Paralyſi conueniunt euphorbium,& adarce.6°.de ſan.tu. 2ª.99.G
Paralyſi quid valeat.de cura lapidis. Sp.112.F
℔ Paralyſi ſaluia.de dyna. Sp.35.E
ad Paralyſim potio Ioannis filij Ligorij medici.de dyna. Sp.31.C
ad Paralyſim vnguentum.de dyna. Sp.31.D
ad Paralyſim valens medicamen.de med.exper. Sp.105.G/H
ad Paralyſim longo tempore infeſtatos.7°. de cõp.me.per ge.5ª.270.E
ad Paralyſim reſolutos.7°.de comp. me.ſec.loc. 5ª.185.A
ad Paralyſim.7°.de comp.me.per gen.5ª.273.B/ſecret. Sp.96.H
ad Paralyſim compoſitio.ſecretorum. Sp.97.A
PARALYTICA naturaliter puella quomodo ſit.de ſperm. Sp.38.B
Paralyticus quidam qui fiebat ſe crus lapideum habere ſomniabat de præſag.ex inſomn. 4ª.213.D
Paralyticus nemo fit per excauationem.4°.de loc.aff. 4ª.24.A
Paralyticis vnde grauitas.de mult. 3ª.77.H
Paralytica ſi eſt vna medietas linguæ,reliqua motũ,& ſenſum nõ amittit ꝓpter diuiſionẽ eius ĩ duas partes cõſimiles.de ana.vi. Sp.49.D
Paralytica fit ſola lingua,tñ ſeruat tactũ,et guſtũ.4°.de lo.af. 4ª.22.G
Paralyticorũ pulſus qualis.de pul.ad ty.46.A/4°.de cau.p.4ª.102.G
Paralyticis damus phlegmagoga.de dyna. Sp.21.C
Paralyticis ſuccurrit potio ſancti Pauli.de dyna. Sp.31.C
ad Paralyticos acopon.7°.de comp.me.per gen. 5ª.273.A
παράμεσος digitus qui.intro. Iſa.53.C
παραφρονῆσαι quid ſignificet.in 1^{m}.pror.com.1°. 4ª.161.A
παραφρονοῦντες quid ſint.in 1^{m}.pror.com.1°. 4ª.163.E
PARAPHROSYNE 2°.meth.med. 7ª.9.E
PARAPLEGIA quid.in 1^{m}.de mor.vul.com.3°. 4ª.183.E
Paraplegiæ quæ ſint.in 1^{m}.de mor.vul.com.2°. 3ª.113.D
Paraplegiæ quæ & quod parotides in ipſis vitioſæ fiãt.in 1^{m}. prorrheti. commentario.3°. 4ª.187.G
Paraplegia quæ,et quod qñq; apoplexia dicat.ĩ 1^{m}.prh.c.2° 4ª.175.F
Paraplegiæ qũo ex vẽtis frigidis fiant.in 1^{m}.de mor.vul.c.2°. 3ª.113.G
Paraplegia ĩ mẽbri reſolutionẽ decũbit.in 1^{m}.đ mor.vul.c.2°. 3ª.113.G
PARAPLEXIA quid.in 1^{m}.pror.com.3°. 7ª.183.E
Paraplexia quomodo differt ab apoplexia.fin.med. Iſa.46.B
Paraplexia qũo fiat,& quæ ſit.de vic.ra.in mor.acu.c.4°. 7ª.138.D
Paraplexia ex immodico vini potu.3°.de temp. 1ª.22.G
Paraplexiæ meminit.de vict.rat.in mor.acu.com.4°. 7ª.138.A
παράρματα quæ.de ijs q̃ in med.fi.cõ.3°.214.H/de ar.c.2°. 7ª.265.G
PARARHYTMVS qui.fin.med.Iſa.46.G/1°. de pulſ. diff. 4ª.48.G/comp.pul. Sp.65.H
παρασκευαστέρα quid.de faſcijs. 7ª.294.H
PARASTATAE latine aſtites.fin.med. Iſa.44.A
PARASYNANCHE ſeu paracynanche quo modo fiant, & in qua parte.com.4°.aph.34°. Ex.31.D
Paraſinanche morbus peracutus.com.1°.aph.12°. Ex.5.D
ex PARATV facillimis remedia melius eſt componere pro pauperibus.3°.de comp.me.per gen. 5ª.234.D
PAREXILLAE meminit.præſag.exper.conf. Sp.78.B
PARDALIS habet oſſium ſubſtantiam denſiorem,ac duriorem capris ſuibus,& ouibus.11°.de vſu par. 1ª.191.D
Pardalis adeps qualis.5°.de ſimp.me.fac. 5ª.34.C
Pardalis adeps tenuium partium.3°.de comp.me.per gen. 5ª.233.H
Pardalis adeps quo loco reponatur inter calida, quę valent alopetijs.1°.de comp.me.ſec.loc. 5ª.122.D
Pardaleon dentes ſimiles leoninis.11°.de vſu par. 1ª.187.C
Pardales calidi.2°.de ſimp.me.fac. 5ª.14.E
Pardales aridi.2°.de ſimp. me.fac. 5ª.14.E
PARDALIANCHES 6°.de ſimp.me.fac. 5ª.42.A
PARDI cur noctu vident.7°.de decr.Hipp. 1ª.270.B
Pardi caro qualis.3°.de alim.fac. 2ª.26.A

Pardorum eſus hominibus feris relinquendus.de atten.vic. 2ª.45.E
Pardi pingue quale.7°.de comp.me.per gen. 5ª.269.F
Pardi adeps qualis.4°.de comp.me.per gen.242.A/7°. 5ª.263.E
Pardi adeps tenuium partium.3°.de comp.me.per gen. 5ª.232.H
Pardi adeps mollificat.2°.de arte cur.ad Gla. 7ª.104.A
Pardi adeps ſequitur leoninum.2°.de arte cu.ad Gla. 7ª.104.A
PAREGORICAE *facultates.5°.de ſimp.me.fac.* 5ª.37.A
Paregorica quæ.de reme.par.fac.7ª.154.C/155.E/de dyna. Sp.18.H
Παρηγορικόν*.i.leniẽs medicamẽtũ eſt lac.10°.de ſimp.me.fac.* 5ª.73.H
Paregoricus eſt vitellus oui extrinſecus illinitus.de ſimp.med. Sp.88.E
Paregoricum inuenitur oleũ vbi mala ſydonia per tempus maduerint. de ſimp.med. Sp.88.D
Paregoricis rebus mitigant̃ dolores vetuſti,et ĩſanabiles.đ dy. S.19.A
Παρειάς *vinculum à malis per quas ducit̃ nomẽ habet.de ſa.* 7ª.295.A
PAREMPTOSIS *affectus meatuum oculorum.intro.* Iſa.58.D
Paremptoſis tranſſultus ſpirituum.de venæ ſect.aduer.Eraſi. 6ª.5.F
Paremptoſis quid.13°.met.me. 7ª.80.E
PARENCHYMA *quid. 6°. de ana. adm. 93. A/7ª.95.B/6°. de decr. Hipp.1ª.266.A/14°.met.me.* 7ª.87.B
Parenchyma quæ caro.de mul. 3ª.81.D
Parenchyma ſeu effuſio dicitur proprie viſcerum caro.de partibus ar. medicæ. Sp.17.A
Parenchyma cur vocetur viſcerum caro.11°.de ſimplicium medicamen torum facultatibus. 5ª.77.F
Parenchyma dicitur caro in gibba iecoris parte.de mul. 3ª.77.G
Parenchymatum meminit.de mul.3ª.80.E/8°. de comp.me.ſecũ.locos. 5ª.194.A/10°.met.me. 7ª.67.D
PARENTIBVS *vnde filij ſimiles.de hiſt.philo.* Sp.10.G
Parentibus cur diſſimiles filij.de hiſt.philo.10. G/de ſperm. Sp.38.G
Parentibus cur fœtus quandoq; non ſint ſimiles.de ſperm. Sp.37.A
Parentibus ſanis cur fœtus qñq; praui ſint affecti.de ſperm. Sp.37.A
Πάρεργον ἔργον ποιεῖσθαι*.de vict.rat.in morb.acu.com.1°.* 7ª.108.E
Pareſauſa.de med.par.fac. 7ª.176.G
PARIENTI *difficulter mulieri ſternutatio ſuperueniens bonum. cõ. 5°.aphoriſmo.35°.* Ex.40.F
ad Parientes ægre ſuffitus.de med.fac.par. 7ª.168.G
quæ Pepererũt mulieres ob frictionẽ nõ rubeſcũt.de cuc.ſcarifi. 6ª.3.C
PARIEPIPHIMOSIS *quid.fin.med.* Iſa.49.C
PARIETARIA *pro vrina prouocanda.de med.fac.par.* 7ª.168.C
ex Parigenis libris concoctorium.7°.de comp.me.ſec.loc. 5ª.183.A
PARILITAS *conſequenter habens quæ.1°.de diff.reſp.* 3ª.61.F
Parilitas iuxta circuitus quæ.1°.de diff.reſp. 3ª.61.F
PARIDIS *ſaltatoris Pſilothrum.1°.de comp.me.ſec.loc.* 5ª.127.H
Παρίσθμια *tonſillas vocant græci.5°.de ſan.tu.* 2ª.90.A
Παρίσθμια *qd.11°.de vſu p.185.G/16°.1ª.216.H/3°.de ſym.cau.* 3ª.29.F
Pariſthmia,vuæ,et tõſillæ qd,et quo fiãt loco.de tum.præ.nat. 3ª.84.H
ad Pariſthmia glandulæ ſunt magnæ.3°.de ali.fac. 2ª.26.G
Pariſthmia conſequuntur ſaniẽ à capite defluentẽ.6°.de ſan.tu. 2ª.98.F
ad Pariſthmia,& palatum,et pulmonem cur à capite materia tranſmittatur.2°.de diff.feb. 3ª.40.H
ad Pariſthmia qũo tendantur medicamenta.4°.met.me. 7ª.29.A
ad Pariſthmia elxines ſuccum gargarizandum non nulli exhibent.!6°. de ſimp.me.fac. 5ª.47.C
ad Pariſthmia gargarizata.4°.met.me. 7ª.29.A
Pariſthmijs,& morbis colli quo modo proſunt purpuræ marinæ. 6°. de ſimp.med.fac. 5ª.45.H
Pariſthmiorũ phlegmonas tollit ſcarificatio omnẽ.de cucur.ſca. 6ª.4.B
ad Pariſthmia phlegmone conflictantia cõfert ſuccus cẽtaureæ.de vir tute centaureæ. Sp.93.D
Pariſthmiorum eſcharis confert ſuccus cẽtaureæ.de vir.cent. Sp.93.D
PARII *caſus.in 3m.de mor.vulg.com.3°.* 3ª.147.E
Parij multum iuuantur ſanguinis miſſione authoritate Aſclepiadis.in 3m.de mor.vulg.com.3°. 3ª.147.F
PARMENIDES *primus terram extra duos circulos habitabilem dixit.de hiſt.philo.* Sp.8.E
Παροχετεύειν *eſt à riuis ad latera diuertere. de cucur.ſca.* 6ª.4.F
PAROCHETEVSIM *vocat Hippocrates deriuationẽ ad partes propinquas.6°.de ſan.tu.* 2ª.100.B
Parocheteuſis.i.deriuatio eſt eiuſdem generis cum euacuatione facta per particulam,quæ fluxionem ſuſcipit de cucur.ſcar. 6ª.4.E
Parocheteuſis.5°.met.me. 7ª.30.D
PARONICHIA *vnde dicta.8°.de ſimp.me.fac.* 5ª.57.H
Paronychias ſanat paronychia.8°.de ſimp.me.fac. 5ª.57.H
Paronychia calida eſt ſicca in tertio ordine, & ſubſtantiæ tenuis. 8°.de ſimp.me.fac. 5ª.57.H
Paronychia eſt tenuium partium,exiccat ſine morſu. 8°. de ſimplicium medicamen.facul. 5ª.57.H
Paronychia fauos ſanat.8°.de ſimp.me.fac. 5ª.57.H
ad PARONYCHIAS *vtuntur Lycio.7°.de ſimp.me.fac.* 5ª.54.G
Paronychijs conferunt ſordes aurium.10°.de ſimp.me.fac. 5ª.77.E
ad Paronychias.8°.de comp.me.ſec.loc.188.G/ 2°. de comp. med. per gene.223.A/4°.5ª.244.B/de med.fac.par. 7ª.174.A
Paroraſis id eſt viſus prauitas.1°.de ſymp.cau. 3ª.16.B
de PAROTIDIBVS *de reme.par.fac.* 7ª.155.D
Parotides quid.fin.med. Iſa.48.H
Parotides.i.abſceſſus iuxta aures.com.4°.aph.74°. Ex.36.A
Parotides ab aliquibus ſymptomata dicuntur.12°.met.me. 7ª.75.F
Parotides vitioſæ paraplegicis.in 1m.pror.com.3°. 4ª.187.G
Parotides quomodo fiant,& quando.de dyna. Sp.34.A
Parotides fiunt in febribus laborioſis,& quomodo, & ex qua materia com.4°.aph.74°. Ex.36.A
Parotides à quibus fiant ſuccis.in 1°.pror.com.3°. 4ª.188.G
Parotides fiunt in adenibus aurium.in 1m.de mor.vul.com.1°. 3ª.104.H
Parotides quibus ſignis cognoſcũtur futuræ.in 1m.pror.c.3°. 4ª.187.E
Parotidas qũo cognoſces futuras ex facie.in 1m.pror.cõ.3°. 4ª.188.E
Parotidum ſignum præcipuum.in 1m.pror.com.3°. 4ª.188.H
Parotides ſimplices quibus curentur.3°.de comp.me.ſec.loc. 5ª.147.E
Parotidibus inchoantibus præſidiũ.3°.de comp.me.ſec.loc. 5ª.146.H
in Parotidibus nunquam eſt vſus repulſoriorum.3°.de compoſitio.medi.ſecun.locos. 5ª.146.H
Parotides non ſunt repercutiendæ, ſed attrahendæ. 3°. de compoſitione medic.ſec.loc. 5ª.146.E
Parotides quibus digerantur.3°.de comp.me.ſe.lo. 5ª.147.E
Parotides tollũtur à tuſſicula cum ſputo frequenti.in 1m. prorrheticum. commentario.3°. 4ª.188.G
in Parotidibus quando venæ ſectio exercenda ſit. 3°. de compoſitione medic.ſec.loc. 5ª.146.E/F
ad Parotidas cucurbitula.3°.de comp.me.ſec.loc. 5ª.146.D
Parotides quo modo incidendæ.de dyna. Sp.32.C
Parotides quo modo finiant.3°.de criſ. 4ª.139.E
Parotidas citra ſuppurationem curari per inferiora rariſſimum eſt. in 1m.de mor.vul.com.2°. 3ª.116.F
Parotides euaneſcentes reuertuntur.in 6m.de mor.vul.c.4°. 3ª.179.E
in Parotidibus durities qũo curãda.3°.de comp.me.ſec.loc. 5ª.146.F
ad Parotidas butyro vtuntur.10°.de ſimp.me.fac.73.G/ 5ª.74.C/D
Parotidas ſoluunt caricæ ſicut Iris.de ſimp.med. Sp.84.C
Parotidas induratas iuuat eryſimum.6°.de ſimp.me.fac. 5ª.47.E
ad Parotidas caprinum ſtercus.10°.de ſimp.me.fac. 5ª.76.E
Parotidas ſanat vrtica.6°.de ſimp.me.fac. 5ª.41.C
Parotidibus inueteratis qd cõpetat.3°.de cõp.me.ſec.loc. 5ª.147.A/D
Parotidas ſanat emplaſtrum diachryſu.de dyna. Sp.32.C
ad Parotidas Archigenis medicamẽtũ.3°.de cõp.me.ſec.lo. 5ª.146.H
ad Parotidas.2°.de cõp.med.per gen.223.A/3°.de comp.me. ſec. loc. 146.D/242.H/5°.246.E/247.A/D/F/6°. 256. H/ 259. E/ 261. H/5ª. 262.A/de med.fac.par.7ª.162.G/de hiſt.philo. Sp.8.E
PAROXYSMVS *lege circuitus,& acceſſio.*
PARS *& totum ſunt ad aliquid.1°.met.me.* 7ª.6.A
Partes illę dicuntur,quæ totum complent.in tim.Pla. 1ª.287.A
Pars quæ ſit.1°.met.me. 7ª.6.A
Pars & ſpecies in anima idem.9°.de decr.Hip. 1ª.286.C
Partes minimas ſimul ponere non eſt tota per tota miſcere.1°. de temperamentis. 1ª.14.G
Partes vicinæ qualitate in ſe agunt.4°.de comp.me.per gen. 5ª.238.A
Partes animalium ſunt membra.in tim.Plat. 1ª.287.A
Partes corporis ſunt loci.de vict.rat.in mor.acut.com.4°. 7ª.138.B
Partium inter ſe differentia.16°.de vſu par. 1ª.215.B
Pars animalis quomodo ab alia differat.7°.met.me. 7ª.43.F
Parti omni quatuor qualitates dant certam quandam temperaturam. 1°.de vſu partium. 1ª.115.D
Partium ſymmetria qualis.11°.de vſu par. 1ª.188.G
Partes omñes inueniendi methodus.1°.de vſu par. 1ª.114.G
Partis ſubſtantia debet ſciri ad vſum adiumentorũ.de cõſt.ar. Iſa.41.C
Partis cuiuſq; eſſentia primo,deinde actio,& ſocietas,quam cum proximis habet cognoſci debet ex anatome.1°.de loc.aff. 4ª.3.E

Partis ſubſtantia quid doceat.de conſt.ar. Iſa 41.C
Partes quo ſint factæ tales non inquirendum.15°.de vſu par. 1ª.210.F
Partis formatio quid doceat. de conſt.ar. Iſa.41.C
à Partibus ſecunda vtilitas animalib° ꝓuenit.17°.de vſu pa. 1ª.221.C
Partium vtilitatem ſcire oportet.de ſect. Iſa.18.F
Partium ſingularum actio,& vtilitas neceſſario ſciri debent.de conſtitutione artis. Iſa.40.G
Partis vtilitas non poteſt inueniri niſi cognita actione.1°.de vſu partiũ. 114.H|14°. 1ª.205.B
Partis vtilitas cognoſci non poteſt niſi totius inſtrumẽti actio fuerit nota.16°.de vſu par. 1ª.215.F
Partis vſus pendet ex vtili actione.17°.de vſu par. 1ª.221.D
Partis actio,& vſus quo differant,& quid ſint.17°.de vſu pa. 1ª.221.B
de Partium omnium vtilitate nullus antiquorum dixit, neq; Ariſtoteles.1°.de vſu par. 1ª.115.A
de Partium vſu imperfecta,& quandoq; falſa dixit Ariſtoteles, & Erophylus.1°.de vſu par. 1ª.115.A
de Partium vſu imperfecte,& obſcure, tamen non perperam ſcriptũ eſt ab Hippocrate.1°.de vſu par. 1ª.115.A
de Partium vſu propter quid ſcripſerit Galenus.1°.de vſu pa. 1ª.115.A
de Partium vſu vtilitates.17°.de vſu par. 1ª.222.E
de Partium vſu tractare pertinet ad philoſophum, non ſolũ ad medicum.17°.de vſu par. 1ª.222.D
de Partium vſu liber principium theologiæ.17°.de vſu par. 1ª.222.D
Pars nulla habetur propter ſe ipſam,aliter eſſet fruſtra,& abſcindẽda. 17°.de vſu par. 1ª.221.C
Partes ſimplices primo conſiderandæ ſunt.5°.met.me. 7ª.29.G
Partes ſimplices habent particulas fibroſas,membranoſas, & carnoſas.10°.met.me. 7ª.67.D
Partes diſſimilares quæ ſint.7°.met.me. 7ª.44.H
Partes primæ quæ formentur.2°.de temp. 1ª.16.A
Partes vltimæ quæ formentur.2°.de temp. 1ª.16.A
Partes magnæ animalis quæ.1°.de vſu par. 1ª.114.G
Partium ſolidarum quãtitas,ex quibus ſit.11°.met.me. 7ª.68.B
Partium ſolidarũ quantitas ſemper eadem manet.11°.met.me. 7ª.68.B
Partis cuiuſq; quantitas eſt in organis.2°.met.me. 7ª.13.D
Partes pro dignitate conſiderandæ.7°.met.me. 7ª.49.B
Partes quæ ad vitam conferunt ſunt principes.6°. de vſu par. 1ª.150.B
Pars principalis quot nominibus poſſet dici.2°.de decr.Hipp. 1ª.238.F
Pars princeps in corpore quæ ſit habenda.6°.de vſu par. 1ª.150.A
Partium principaliorũ prouidentiã habet natura. 2°.de vſu pa.1ª.123.B
Partes pricipales à natura ſunt maiore robore dotatę.d ca.mor.3ª.8.D
Pars vna ſola ſatis eſt ad naturã oſtentandum.17°.de vſu.pa. 1ª.222.A
Partes principaliores ſunt in profundo.2°.de vſu par. 1ª.123.B
Partes minus principales ſunt in ſuperficie.2°.de vſu par. 1ª.123.B
Partes principales quibus cor gubernat tres ſunt.5°.de lo.aff. 4ª.28.H
inter Partes ignobiles numeratur panniculus cor ambiens.5°. de locis affectis. 4ª.29.E
Partes corporis ſummæ quæ ſint.in 1m.pror.com.2°. 4ª.170.A
Partes extremæ habent parum carnis,& pinguedinis.3°. de alimentorum facultatibus. 2ª.26.F
Partes extremæ neruoſæ,& cutaceæ.3°.de alim.fac. 2ª.26.F
Pars corporis inanis quæ.in progn.Hip.com.2°. 4ª.197.F
Partes corporis caſſæ quæ ſint.de ijs,quæ in med.ſi.com.2°. 7ª.209.B
Partes quæ quieſcunt.de ijs,quæ in med.ſi.com.2°. 7ª.209.H
Partes corporis laparæ quæ.in progn.com.2°. 4ª.197.F
Partes externæ vt aures,naſi,primæ debent eſſe factæ ex ſubſtãtia,quę non facile contundatur,vel frangatur.11°.de vſu par. 1ª.188.H
Partes cur calidæ,vel frigidæ.de cur.rat.per ſang.miſſ. 6ª.16.G
Pars dextera quomodo ſiniſtra calidior.14°.de vſu par. 1ª.206.F
Partes ſecundum rectitudinem ſitæ plus inter ſe communicant.14°. de vſu partium. 1ª.206.G
Partes contrariæ non poſſunt bene vniri.11°.de vſu par. 1ª.191.F
Partium quæ connexu vniuntur proprium.3°.de ana.adm. 5ª.74.C
Pars quæ non habet coniugẽ debet eſſe in medio.15°.de vſu pa. 1ª.210.G
Partis poſitio obliqua duplex.2°.de vſu par. 1ª.125.B
Partes cur tenuiores in medio radij,& vlnæ.2°.de vſu par. 1ª.125.B
Partes cur craſſiores in cubito,& carpo.2°.de vſu par. 1ª.125.B
Partes,quæ non habent operimentum in homine,remedium in conſtructione habent difficultatem ad patiendum.1°.de vſu par. 1ª.117.A
Partes ſub facie habent neruos à ſpina.16°.de vſu par. 1ª.215.E
Partes infernæ à ſpinali medulla accipiunt vires, ac robur. 16°. de vſu partium. 1ª.216.F
Partes habentes magnos neruos propter ſenſum.5°.de vſu par. 1ª.145.C
Partibus habentibus ſenſum exactiorem maiores,& molliores nerui à cerebro immittuntur.16°.de vſu par. 1ª.215.B
Partes præter ventriculum, & eius os non habent ſenſum indigentiæ. 4°.de vſu par. 1ª.136.E
Partes oẽs conſequenter exugunt à ventriculo.4°.de vſu par. 1ª.136.E
Partes ſub facie quæ habeant neruos à cerebro.16°.de vſu par. 1ª.215.E
Partes intra peritonæũ vnde neruos accipiant.16°.de vſu par. 1ª.216.F
Partes quæ multum mouẽtur habent neruum durum,& magnum. 16°. de vſu par. 1ª.215.B
Pars motu voluntario non mouetur ſine muſculo.11°.de vſu p. 1ª.190.C
Partes,quæ mouentur motu voluntario,habẽt ad minus duos muſculos 10°.de vſu par. 1ª.180.G
Partes animalis quæ ſunt vtiles generare humores ad quid ipſos generent.com.5°.apho.39°. Ex.41.B
Partes aliquæ recipiunt ſemen.15°.de vſu par. 1ª.210.A
Partes aliquæ eijciunt ſemen.15°.de vſu par. 1ª.210.A
Partes quæ totius habent cognitionem.4°.de diff.pul. 4ª.67.E
Partium ſuperiorum exercitatio qñ maior.de par.pil.exer. 2ª.49.E
Partium robur quo exercetur,& firmatur.2°.de ſan.tu. 2ª.74.D|E
Partes ſimul attritæ quid acquirant.1°.de ſan.tu. 2ª.68.E
Partiũ proximarum compreſſio quo modo fiat.1°.de ſan.tu. 2ª.68.C
Partes noſtri corporis quæ recipiant,& tranſmittant recremẽta. de cu ran.rat.per ſang.miſſ. 6ª.17.H
per Partes inferiores exit flatus inutilis.4°.de vſu par. 1ª.138.A
Partes corporis quo modo à virtutibus varijs gubernantur. 2°. de arte cura.ad Glauco. 7ª.103.B
Partes omnes à quatuor naturalibus facultatibus gubernantur. 2°. de ſanitate tuenda. 2ª.75.A
Pars quælibet habet quatuor facultates.8°.de compoſi.med.ſec.locos. 194.A|9°. 5ª.198.D
Pars quælibet animalis habet quatuor potentias,& quæ ſint.de cauſis mor.3ª.8.D|com.1°.apho.22. Ex.10.C
Pars quælibet animalis habet naturales potẽtias.c.5°.ap.39°. Ex.41.B
Partes omnes habent vim attractricẽ,retentricem,excretritem,alteratricem.4°.de vſu par. 1ª.136.E
Partes oẽs hñt vim expultricẽ,& attractricem.de inſtr.odor. 1ª.112.F
Partium animalium opus quod.in progn.com.1°. 4ª.197.B
Partes quædam corporis quibus priuatim fruantur, & quibus vniuerſum corpus,ſexto loco eſt conſiderandum.2°.de loc.aff. 4ª.13.D
Partium omnium communes actiones quæ.5°.de loc.aff. 4ª.34.D
Partium animalis munia quæ de diff.mor. 3ª.4.H
Pars quælibet aialis habet propriam actionem.7°.met.me. 7ª.43.F
Partes corporis ſine doctrina ſuas faciũt actiões.6°.de lo.af. 4ª.42.A
Pars quælibet habet humorem ſimilem.com.5°.aph.39°. Ex.41.B
Partes omnes non aluntur eodem alimento.6°.de vſu par. 1ª.155.B
Pars vnaquæq; proprium habet nutrimentum.cõ.2°.aph.12°. Ex.12.E
Pars quælibet trahit proprium alimentum.6°.met.me. 7ª.40.D
Partes omnes corporis ſanguinem ſibi familiarem trahũt. 9°. de comp. med.ſec.loc. 5ª.198.C
Partes,quæ nutriuntur,trahunt ex proximis vaſis alimentum. 4°. de vſu par. 140.B|9°. 1ª.172.G
Partes,quæ trahunt à longinquo, habent inſtrumentum adiuuans. 9°. de vſu partium. 1ª.172.G
Pars quælibet trahit ad ſe ſuccum adglutinat, & aſſimilat.de naturalibus facultatibus. 1ª.293.B
Partes,quæ volunt ſuccum,quo nutriuntur,alteratum,habent aliqñ cauernulã,vel ſinum,vel penu,in quo alterat.3°.de nat.fac. 1ª.308.B
Partes ſingulæ habent vim primum attrahendi nutrimentum, poſtea alterandi,poſtea in partem propinquam tranſmittendi. 6°. de ſanitate tuenda. 2ª.100.C
Partes quomodo tranſmittant ad alias partes.6°.de ſan.tu. 2ª.100.C
Partes primo ſumunt pro ſuo alimento,poſtea ad alias partes mittunt. 4°.de ſan.tu. 2ª.88.A
Partes corporis augentur in longum, latum, & profundum.1°. de vſu partium. 1ª.115.H
Partium magnitudo à quibus augetur.de cau.mor. 3ª.9.D
Partes omnes indigent calore naturali ſemper, ſed ſecundum modum. 16°.de vſu par. 1ª.220.D
Partium calor quo modo ſeruetur.de vſu pulſ. 1ª.228.C
Partes ſolidæ quo modo cuſtodiantur.11°.met.me. 7ª.68.E

Partes carnoſæ quo modo cuſtodiantur.11°.met. me. 7ª.68.E
Partes ſemper magis ſiccantur in proceſſu ætatis.2°.de temp. 1ª.16.A
Partes quod ob victum,& non ob imbecillitatem laborent argumentū. 6°.de ſan.tu. 2ª.100.D
à Partibus longinquis quo trahunt medicamenta.de cathar.Sp.94.H
Partes quaſdā corporis priuatim vitiant medicamenta quędam.de theria.ad Piſonem. 5ª.91.A
Partes effœminantur à medicamentis adſtringentia non habentibus .1°. de comp.me.per gen. 5ª.212.C
Partes corpis priuatim iuuāt q̄dā medicamēta.de the.ad Piſo. 5ª.91.A
à Partibus denominata quo ſunt medicamēta.5°.de ſim.me.fa.5ª.38.E
in Partibus omnibus corporis qui fiant morbi.3°.de loc.aff. 4ª.18.C
à Parte patiente,vt plurimum nominantur morbi.1°.de arte curatiua ad Glauconem. 7.95.F
Partes quæ primo frigeſcunt.in 1m.pror,com.2°. 4ª.170.A
Partes extremas corporis frigidas eſſe quando malum, & quando nō. comp.7°.aph.1°. Ex.54.A
Partium extremarum frigiditas in forti dolore ventris,malū.com. 6°. aphoriſmo.16°. Ex.47.F
Partes inſenſibiles non dolent.12°.met.me. 7ª.78.C
Pars corporis dolens,dura,renitens in tumorem eleuata quo modo fiat, & curetur.de ſect. Iſa.16.D
Partibus dolentibus cur inflammationes fiant.cō.5°.aph.53°. Ex.42.E
Partibus dolentibus quippiam influit.1°.de ſimp.me.fac. 5ª.6.D
Partes quæ à fluxione incaleſcunt.de inæq.temp. 3ª.43.E
Partes cur mittunt ſanguinem.11°.met.me. 7ª.80.F
Partes cur attrahunt ſanguinem.13°.me.me. 7ª.80.F
Partes valētiores ſupflua mittūt ad ībecilliores.13°.met.me. 7ª.80.H
Partes quo modo contēdant tranſmittere nocuum ad alias. de cur.rat. per ſang.miſſ. 7ª.17.H
Partes debiliores cur primæ morbis excrementitijs corripiuntur.de curan.rat.per ſang.miſſ. 6ª.17.H
in Partem ægram ſemper deferuntur humores.11°.met.me. 7ª.74.B
ad Partes imbecillas deſcendit quod in corpore redundat. 1°. de alim. facultatibus. 2ª.10.H
Pars infirma promptè grauatur.de curan.rat.per ſang.miſſ. 6ª.17.G
Partiū grauitas ſignificat imbecillitatē facultatis.in ꝓg.c.2°. 4ª.198.F
Partes aliquæ cur alijs imbecilliores.de cau.mor. 3ª.8.D
Pars imbecilla quæ ſit.11°.met.me. 7ª.74.A
Pars imbecilla quo læditur ab extrinſecis.6°.de ſan.tu. 2ª.100.D
Partis imbecillitas non eſt ſatis ad inducendum,ſed oportet etiam humorem adeſſe.com.6°.aph.28°. Ex.49.A
Partes quo intelligantur per conſenſum affici.2°.de loc.aff. 4ª.14.C
Pars læſa per conſenſum nondum habet permanētem diſpoſitionem. 2°. de loc.affe. 4ª.14.D
Partes corporis q̄n compatiuntur alijs. com.6°.apho.16°. Ex.47.F
Partibus quæ ſentiendi,& mouendi vim habent ſolis accidit,vt ipſis nequaq̄ affectis earum pereat actio.1°.de loc.aff. 4ª.8.A
in Partibus animalibus ſymptomata ſunt diuerſa,ratione qua ſunt animata,& ratione qua ſunt naturalia.1°.de loc.aff. 4ª.8.B
pp Partium circumiacentium innixum vaſorum anguſtia.1°.de ſanitate tuenda. 2ª.68.C
Partes ſuperficiariæ,& ipſarum affectus facile cognoſcuntur,partes intimæ non item.1°.de loc.aff. 4ª.2.C
Partes in imo corpore expetunt virum exercitatæ cogitationis.1°. de locis affectis. 4ª.2.B
Pars principaliſſima grauiter affecta mortem inducit.commentario.7°. aphoriſmo. 50°. Ex.58.B
Parte principali male affecta neceſſe eſt cito terminari. commenta.4°. aphoriſmo.74°. Ex.36.A
à Parte principali ad minus principalem fieri diuerſionem bonum eſt, è contra malum.com.6°.aph.25°. Ex.48.F
de Partium vſu ſciētia ad curatiouē conuenit.17°.de vſu par. 1°.222.G
ad Partem affectam cognoſcendam cognitio vtilitatis ,& actionū confert.17°.de vſu par. 1ª.222.F
à Parte indicatio curatiua.5°.met.me.31.F/9°.58.G/13°. 7ª.85.G
Partium affectarum notio ſemper inuenienda.3°.de loc.aff. 4ª.15.B
Partis affectæ indicium eſt proprietas eſſentiæ.6°.de loc.aff. 4ª.39.B
Partium affectarum ſemper memoria eſt habenda in omnibus morbis. 13°.methodi medendi. 7ª.88.A
Partium corporis naturas ſciat,qui vulnera neruorum curat.3°.de cōpoſi.med.per gene. 5ª.231.B
Partium vtilitatem noſcere oportet in eximendis ſagittis , aut iaculis. 17°.de vſu par. 1ª.222.G
Partem patientem,& paſſionem ſignificantes morbi.2°.de arte curati. ad Glauconem. 7ª.100.D
Partem cui applicanda remedia,ſcire valde confert ad curandi rationē 2°.de lo.affe. 4ª.13.G
in Partibus ſimilaribus ſcopi curatiui qui.de conſt.ar. Iſa.39.H
in Partibus quæ ad numerū ſpectāt curatiui ſcopi.de conſt.ar. Iſ.39.H
Parti cui adhibenda remedia quando per conſenſum fit affectio. 2°.de locis affectis. 4ª.13.G
Pars anteq̄ remedijs ſubijciat̄,totū eſt purgandū.4°.met.me. 7ª.26.F
Pars non poteſt ſanari ante totum.4°.met.me. 7ª.25.E
Partes corporis quo modo præparandæ ad curationem. 4°.de compoſi. med.ſec.loc. 5ª.150.B
ad Partium numerum ægritudo quæ.de cau.mor. 3ª.9.C
Partes deficientes quæ poſſunt corrigi,& quæ nō ars med. Iſa.69.A/B
de Partibus faciei,quæ intrinſecus afficiuntur in quarto libro de locis affectis agit Galenus.4°.de loc.aff. 4ª.21.F
Partium ſeruientium reſpirationi,& pulmonis paſſio , & inflammatio faciunt ſpirandi difficultatem.com.4°.aph.50°. Ex.33.C
Partes omnes læſæ non ſunt roborandę.6°.de ſan.tu. 2ª.100.B
Partes corporis à quibus ſtatim eſt euacuandum , & à quibus non. 7°. methodi medendi. 7ª.49.A
Pars vulnerata altiorem locum occupat.6°.met.me. 7ª.39.A
Parti aduerſæ loci læſi medicamentum ponit in læſo neruo. 3°. de comp. med.per gen. 5ª.229.F
Partes in profundo ægrius ſanantur,q̄ in ſuperficie.fin.med. Iſa.50.A
Pars incurabilis à corpore demenda eſt.6°.de compoſitione medicamē. per genera. 5ª.255.D
Partes quæ exciduntur in affectibus.14°.met.me. 7ª.90.F
Partes quibus exciduntur à corpore.6°.de comp.me.per ge. 5ª.255.D
Pars agitatur cum toto.de art.com.3°. 7ª.275.G
Parte ſecta tutius eſt vrere,vt ī pudēdis.2°.đ arte cu.ad Gl. 7ª.107.A
Partium differentiæ ratione febris.2°.de diff.feb. 3ª.42.F
Partes inferiores pulſuum quæ dicantur , & quæ ſuperiores. 3°. de dignoſc.pulſ. 4ª.80.H
Partis nota in ponderibus græcis.de pond.& menſ. 5ª.275.H
PARTHICVS ſuccus pro doloribus.in 6m.de morbis vlgaribus.commentario.6°. 3ª.196.B
Particha lachryma per ſe obeſt,cum alio,& paucha conducit. 3°.de tēperamentis. 1ª.23.B
PATICVLAE quæ ſint.1°.de vſu partium. 1ª.113.B/1°.methodi medendi. 7ª.6.A
Particula animalis propter quid dicitur vna.1°.de vſu par. 1ª.113.C
Particulæ alijs ꝓximæ ποσεχῆ græce dicuntur.de inæq.intēp. 3ª.43.C
Particulæ corporis apud antiquos loci dicuntur.1°.de loc.aff. 4ª.2.B
Particularum propriam ſubſtantiam complent temperamenta. 1°. de vſu partium. 1ª.115.D
Particulæ formantur q̄n vtilitas adeſt.an omn.animalis par. 1ª.326.E
Particulæ multæ fiunt ex ſemine tanquā ex materia quæ denuo fieri nō poſſunt.de conſt.ar. Iſa.39.G
Particulæ prominentes animalium ex qua ſubſtantia creatæ ſunt.1°. de vſu partium. 1ª.115.G
Particulæ aīalium differunt,quia, & aīæ differunt.1°.de vſu p. 1ª.113.E
Particularum diuerſus ſenſus.de mult. 3ª.77.F
Particulæ omnes animæ vtiles ſunt.1°.de vſu par. 1ª.113.C
Particulæ cuiuſcūq; cōſtōnē cognoſcere oportet.2°.de vſu pa. 1ª.123.B
Particulæ perfectæ politicæ aſſimilantes. an oēs animalis par. 1ª.326.F
de Particularum vtilitate antiqua diſputatio,& diſſenſiones.1°.de vſu partium. 1ª.114.F
Particularum vſum antiquorum pauci mouere.3°.de vſu par. 1ª.128.G
Particulæ vtilitas nō poteſt bene inueniri antequam eius actio noſcatur 1°.de vſu par.117.A/4ª. 1ª.139.C
Particulam oſtendere volens cito illam detegat,& vario modo demonſtret.1°.de ana.adm. 1ª.64.B
Particula quælibet multo ocio inſpicienda eſt.1°.de ana.adm. 1ª.63.H
Particula nulla eſt oſcitanter conſideranda.5°.de vſu par. 1ª.144.B
Particula à quodam Atticiſſante putabatur vua.6°. de cōpoſitione medicamen.ſec.loc. 5ª.173.E
Particula quælibet corporis quo modo ſuperet cor duplicem commoditatem recipiens.5°.de vſu par. 1ª.228.C
Particula quælibet muſculi habet motum cōnatum in ſe ipſam.ſ. coitionem.1°.de

nem.1°.de motu muſ. 1ª.310.F

Particulæ oẽs trahũt nutrimẽtũ ſibi cõueniẽs.3°.de ſymp.cau.3ª.26.A

Particula quælibet nutrimentum ſibi familiare attrahit.3°. de ſimplicium medic.facul. 5ª.23.D

Particula quælibet nutritur ſibi ſimili.6°.de vſu par. 1ª.151.D

Particularũ diuerſitas ſm ſanguinem nutrientem.de conſue. 2ª.61.D

Particulæ per ampla orificia trahentes ſuccum nõ trahunt ipſum purũ. 5°.de vſu par. 1ª.144.G

Particulæ per parua orificia trahentes ſuccum trahũt ipſum ſincerum. 5°.de vſu par. 1ª.144.G

Particula aliqua corporis poteſt eſſe plena,tamen corpus non erit plethoricum.com.6°.aph.31°. Ex.49.F

Particularũ tẽperies nõ eſt ſiliis excremẽtorũ naturæ.2°.de tẽp. 1ª.21.C

in Particula poteſt colligi pituita tamen nõ erit humida,ſed frigida.2°. de temperamentis. 1ª.21.C

Particula vna ꝓpria ẽ ſingulariũ aĩalis corpis actionũ.1°.ð l.af.4ª.3.H

non Particulis,ſed functionibus egemus.1°.met.me. 7ª.8.C

Particula agit ſecundũ proprietatẽ tẽperamenti.5°.de loc.aff. 4ª.35.F

Particulæ actio quomodo defendatur.7°.met.me. 7ª.43.F

Particulæ quæ excitantur quales de conſue. 2ª.61.E

Particulæ duræ,& ſiccæ oſtendunt ſua ſpatia.de inæq.intemp. 3ª.43.D

Particula,quæ parum trahit,habet intemperiem, quæ eſt morbus. de ſymp.diffe. 3ª.13.A

Particularum trahentiũ cibum ſymptomata.3°.de ſymp.cau. 3ª.26.A

Particulæ oẽs quæ nutriũtur,excrementũ creant.1°.de na.fac.1ª.296.E

in Particula omni adeſt facultas,quæ expellit, quod eſt præter naturã in ea.2°.de ſymp.cau. 3ª.21.C

Particulæ quomodo expellant ſuperflua.2°.de ſymp.cau. 3ª.22.G

Particularum robur,& imbecillitas diuerſa gignunt ſymptomata.3°. de ſymp.cau. 3ª.30.C

Particulæ ſemper tranſmittũt ad imbecilliſſima.2°.de diff.feb. 3ª.40.H

ob Particularum,quæ excrementa purgant imbecillitatem bilis amara,& nigra,& ſeroſum excrementum parum commode purgantur. 3°.de ſymp.cau. 3ª.26.B

ob Particulæ vnius imbecillitatem omnes thoracis partes dilatantur. 4°.de locis affectis. 4ª.25.A

à Particula læſa morbi nominati.2°.met.me. 7ª.9.D/F

Particula quando ſola eſt cauſa affectionis.4°.de loc.aff. 4ª.23.C

Particulæ duplicẽ vſum habentes ſæpe in duplices ægritudines,vel cauſas incidunt.de diff.mor. 3ª.4.H

de Particularum notis affectibus non loquitur Galenus in libris de locis affectis,ſed de occultis.4°.de loc.aff. 4ª.22.F

Particula cotilis in quibus morbis amittitur.14°.met.me. 7ª.93.C

Particulæ affectæ natura curationẽ indicat.1°. de compoſitione medica. ſecundum locos. 5ª.121.B

Particula ſi ſit ſicca,& morbus ſit humidus quid agendum.3°.methodi medendi. 7ª.21.F

Particula gibboſa quomodo curetur.de conſt.ar. Iſa.39.D

Particula compreſſa quomodo curetur.de conſt.ar. Iſa.39.D

Particula lenis quomodo curanda.de conſt.ar. Iſa.39.D

Particula aſpera quo modo curanda.de conſt.ar. Iſa.39.D

in PARTICVLARES diſtinguuntur vniuerſales differentiæ. in 6m. de mor.vul.com.3°. 3ª.174.G

Particularia artis ſcienda ſunt.6°.de comp.me.per gen. 5ª.257.C

in Particularibus niſi exerceatur, non ſat eſt eueniſſe in vniuerſalia. 13°.meth.med. 7ª.83.D

Particularia addiſcenda poſt vniuerſalia.in 1m.pr.Hip.c.3°. 4ª.184.H

circa Particularia debet exerceri medicus.4°.de loc.aff. 4ª.21.E

in Particularibus conſiſtit exercitatio.9°.met.me. 7ª.58.C

Particulares naturas cognoſcere difficillimũ eſt.3°.met.me. 7ª.20.F

in Particulari non addiſcuntur artes,neq; pleuritis addiſcitur in pleuritico Dione.2°. de diff.pulſ. 4ª.57.B

nõ Particularẽ,ſed gñalẽ hoiem curabãt Methodici.3°.met.m. 7ª.20.F

à Particularibus fit vniuerſalium doctrina.de victus ratione in mor. acu.commenta.1°. 7ª.111.A

Particularia in vlĩbus cõtinent.de vic.rat.in morb.acu.c.2°. 7ª.124.G

Particularibus ſermonibus pro vniuerſalibus vtitur Hippocrates. de vic.rat.in mor.acu.com.1°. 7ª.111.A

ex Particulari exemplo communis ſermo declaratur. de vict. rat. in mor.acu.com.1°,109.G 111.A/de arti.com.3°. 7ª.277.D

Particularia ad vnũ nomẽ reducit Hippocrates.2°.de diff.reſp. 3ª.66.B

Particularia organa hñt particulares texturas.de ana.viu. Sp.43.F

Particulares ſenſus oẽs ad cõmunẽ ſenſum reducunt.de an. vi.Sp.45.G

à Particularibus quæ ducunt membris medicamenta,localia eſſe certum eſt.de cathar. Sp.94.H

Particularia remedia quæ.1°.de comp.me.ſec.loc. 5ª.128.H

PARTITIONEM quoddam exercitium vocabatur Theon, & Thryphon.ad Thraſy. 2ª.109.E

PARTVS quo modo incipiat, & quo tempore, & quomodo cognoſci poſſit.com.5°.aph.37°. Ex.40.H

Partus ex vehementiſſimis motibus.3°.de nat.fac. 1ª.305.H

Partus quando fiat.3°.de nat.fac. 1ª.305.G

Partus fit quando fœtus per os poteſt nutriri.15°.de vſu par. 1ª.213.A

Partus temporis diuerſitas.de ana.viu. Sp.52.C

de Partu ſeptimeſtri.de ſeptim.par. 1ª.340.H

Partus ſeptimeſtres cur viuunt.fin.med. Iſa.49.G

Partus octimeſtris cur non viuunt.fin.med. Iſa.49.G

Partꝰ ĩ cẽteſimo octuageſimo quarto dies ſemel viſus.ð ſe.pa. 1ª.341.A

Partũ duodecim geſtari mẽſibus credidit Timæus.de hiſt.phil. Sp.11.D

Partubus mulierum conuenit natura conſtitutionum.de decub.progno. ex math.ſcientia. Sp.16.B

in Partu dilatatur collum matricis vt concauitas.de ana.viu. Sp.51.E

in Partu matricis collum plurimũ diſtenditur.14°.de vſu par.1ª.204.F

in Partu matricis ꝑgnãtis collũ ſumme aperit.15°. de vſu pa.1ª.213.A

in Partu fœtus caput quo in collo matricis.15°.de vſu.par. 1ª.213.A

Partus tempore in matrice cõuertit ſe puer ad exitum.ſ.caput inferius & extremitates ſuperius.de ana.viu. Sp.52.D

Partus boni duo exigunt,vigorem infantis,& prægnantis.commen.5°. aphoriſmo.53°. Ex.42.D

Partus non ſine periculo qui.com.5°.aph.53°. Ex.42.D

Partus præter naturam obliqui per longum.15°.de vſu par. 1ª.213.A

in Partu manus,& crus quandoq; exeunt ante caput,ſed ſunt partus difficiles.15°.de vſu par. 1ª.213.A

in Partu quando pedes præcedunt timendum eſt ne brachia frangãtur. de ana.viu. Sp.52.D

in Partu quñ pes vnus præcedit timẽdũ eſt de alio.de ana.viu. Sp.52.D

Partus cur ægre exeant.fin.med. Iſa.49.H

in Partu rumpuntur cotylidones,& exit ſanguis.de ana.viu.Sp.52.D

in Partu profluuium ab antiquis dictũ purgatio.de atra bile. 1ª.36.H

poſt Partum profluuium ſanguinis quid proſit.de paſſ.mul. Sp.96.B

in Partu quæ non expurgant,quid faciant.in 1m.pror.com.2°.4ª.175.E

à Partu purgationes non habentium remedium. 7°. de compoſi. medi. ſec.loc.5ª.185.F/de med.fac.par. 7ª.169.A

à Partu relicta educens confectio.7°.de comp.me.ſec.loc. 5ª.185.H

à Partu ſi alba retineant cũ febre,inſaniunt.in 1m.pro.cõ.2°. 4ª.175.D

à Partu ex retẽta purgatione mortua.in 1m.de mor.vul.c.3°. 3ª.122.D

Partus qua tempeſtate difficiles.com.3°.aph.12°. Ex.21.F

ad Partus difficultatem.de med.fac.par. 7ª.168.E

Partus vt acceleretur.de med.fac.par. 7ª.168.G

ad Partum retinendum remedium.de dyna. Sp.30.A

Partus expellit Artemiſia.de ſimp.med. Sp.80.F

Partum expellit Cardamomum.de ſimp.med. Sp.82.F

Partui medicamentum Cedrea.de ſimp.med.fac. 5ª.50.A

Partum expellit Centaurea.de ſimp.med. Sp.82.A

Partum expellit Chamædrys.de ſimp.med. Sp.82.G

Partum deicit Daucum.de ſimp.med. Sp.83.D

Partum expellit Gentiana.de ſimp.med. Sp.84.G

Partum expellit Holonium.de ſimp.med. Sp.83.H

Partum deicit Lilium.de ſimp.med. Sp.86.D

Partum expellunt Lipſiani.de ſimp.med. Sp.86.C

Partum expellit Nepita.de ſimp.med. Sp.87.H

Partum expellit Pulegium.de ſimp.med. Sp.88.H

Partum expellit Ruta ſi plus ſumatur.de ſimp.med. Sp.89.D

Partum expellit Sauina.de ſimp.med. Sp.85.C

Partum expellit ſemen Violarum.de ſimp.med. Sp.91.H

Partum viuum necat filix mortuum autem eicit.8°.de ſimplicium medica.facultatibus. 5ª.59.C

Partum viuentem interficit,& mortuum eijcit Leucoij ſemẽ.7°. de ſimpli.med.facul. 5ª.54.C/D

in Partubus cur refrigerentur mulieres.14°.de vſu par. 1ª.204.H

poſt Partũ dolori mulieris datur decoctio ſqnãti.de med.exp.Sp.106.F

ex Partu moleſtiarum remedium.8°.de comp.med.ſec.loc. 5ª.195.B

à Partu palloris remedia.de med.fac.par. 7ª.169.A

ex Partu vlceri matricis quid ſuccurrat.de paſſ.mul. Sp.96.B

in Partu factæ plagæ quid conferat.de paſſ.mul. Sp.96.B
cur à Partu fœmina celeriter augeat.in 6m.de mor.vul.cõ.3°. 3ª.169.E
à Partu numerãdæ ſunt iudicatiões ĩ mulieribus.in pgn.c.3°.4ª.208.A
PARVLIDES, epulides,& thymi quid.de tumo.præ.nat. 3ª.84.H
Parulis oris affectus.intro. Iſa.59.C
Parulides conſequuntur ſaniẽ à capite defluentem.6°.de ſa.tu. 2ª.98.F
Parulidarum curatio.intro. Iſa.59.H
ad Parulidas confert ſuccus centaureæ.de vir.cent. Sp.93.D
ad Parulidas.5°.de comp.me.ſec.loc. 5ª.165.H
PARVITAS non eſt ſimpliciter inditium ſiccitatis. de opt. noſtri corpo.conſt. 1ª.38.H
Paruitas cordis non eſt cauſa timiditatis.de ana.viu. Sp.53.A
Paruitatis membrorum cauſa eſt vel paucitas materiæ,vel naturæ debilitas,vel inciſio.de ocul. 7ª.185.G
PARVO contrarium eſt magnum.11°.met.me. 7ª.71.B
de Paruo,& magno diſputatur an qualia,vel ad aliquid ſint. 2°.de differentijs pulſuum. 4ª.54.E
Paruum,& magnum ſunt ad aliquid,& ſignificant quantitatem. 2°.de diff.pulſ. 4ª.55.G
Paruum,& magnum ſignificat magnitudo.de ijs,quæ in med.fiunt commentario.2°. 7ª.206.G
Paruũ,& magnũ dicunt̃ in qualitatibus.3°.de cõp.me.per ge.5ª.228.H
Paruum quo termino ſtatuatur.2°.de dign.pulſ. 4ª.76.E
Parua,& magna quæ.2°.de diff.pulſ. 4ª.56.A
Parua non ſunt magnorum principia.6°.de decr.Hipp. 1ª.262.F
Parua illa ſunt præſtãtiſſima quæ magna cótinẽt.8°.de vſu pa.1ª.169.H
Parua ſenſum effugiunt.1°.de diff.reſp. 3ª.58.E
ĩ Paruis aĩalib⁹ videt̃ vn⁹ ſolus vẽtriculus cordis.đ vti.reſp.Sp.64.D
Paruorum animalium caro lenit ventrem.de diſſ.cont. Sp.75.A
Paruum quod eſt ex animalibus ſiccis velocius digeritur,quam magnũ de diſſol.cont. Sp.73.C
ad Parua,ſpiſſa,& rubicunda vlcuſcula capitis confert ſuccus centaureæ.de vir.cent. Sp.93.B
ad Parua ĩciſa apoſtemata valet ſuccus cẽtaureæ.de vir.cẽt.Sp.93.H
Paruarum auium caro generat ſanguinem calidiorem, & craſſiorem tẽperato.de diſſ.cont. Sp.73.A
Parua Cheme drachmas habet duas,magna vero treis. de põderibus, & menſuris. 5ª.276.D/G
Paruum cor non timidum.de ana.viu. Sp.46.G
Paruum cor licet habeant tyrus,ſerpens,muſtella , & animalia quædã alia,tamen quia calidum habent,audacia ſunt.de ana.viu. Sp.53.A
Parui cordis animalia cur audacia.de ana.viu. Sp.46.H
Paruum corpus propter quod ſit.de opt.noſtri corp.conſt. 1ª.38.G
Parui piſces , quibus non eſt pinguedo multa , & ſunt teneri , ſunt boni chymi,& ſubtilis.de diſſ.cont. Sp.73.H
Parui homines cur.de aere aqu.& loc. 2ª.6.D
Paruus mons quomodo dicatur.2°.de dignoſ.pul. 4ª.76.D
Paruus mons,& magna formica ad aliquid.in 1m.de morbis vulgarib. commentario.1°. 3ª.104.A
ad Parua,ſpiſſa,& rubicunda phygethla capitis valet ſuccus centaureæ.de virtute cent. Sp.93.B
Paruorum piſcium caro eſt cibus ſubtilians.de diſſ.con. Sp.72.D
Paruæ pilæ luſus conuenit ſenibus,& pueris.de par.pil.exer.2ª.49.E
πάρυγρον emplaſtrum glutinatorium.8°.de ana.adm. 1ª.103.E
Parygron medicamentum.11°.de ſimp.med.fac.78.H/7°. de compoſiti. med.per gen. 5ª.263.G
Parygrũ medicamẽtũ ad arcendũ dolorẽ.1°.de cõp.me.ſec.lo. 5ª.129.B
ad PASCENTIA vlcera.1°.de comp.me.per gen. 5ª.216.D
ad Paſcens omne malignum.4°.de comp.me.per gen. 5ª.244.E
ex PASCVO vitioſo lac quale.5°.de ſan.tu. 2ª.91.G
Paſcua habentia animalia in locis deſertis,& ſiccis , ſunt cibi ſuperfluitatibus carentes.de diſſ.cont. Sp.73.E
Paſcua in locis ſiccis efficiunt carnem velocioris digeſtionis , quam paſcua in locis humidis.de diſſ.cont. Sp.73.C
Paſcua multum faciunt ad lac.5°.de ſani.tu. 2ª.91.G
Paſcua ſi habeat in locum boni nutrimenti mundi aeris , & ſicci , auis multi motus,eſt melior multum,& ſubtilior.de diſſ.cont. Sp.73.A
PASICRATES qua confectione vſus eſt ad vrinam ciendam.8°.de comp.med.ſec.loc. 5ª.195.G
PASIONIS viride.2°.de comp.me.per gene. 5ª.221.B
Paſionis medicamentum vlceribus protractis in longum conuenit. 2°. de arte cur.ad Glau. 7ª.102.C
Paſionis medicamentum ſupra vlcus carbunculi.14°.met.me. 7ª.90.B
Paſionis melinum emplaſtrum.1°.de comp.me.ſec.lo. 5ª.130.H
Paſionis paſtillo vtendum in ſanguinis profluuio ex eroſione.5°.methodi medendi. 7ª.31.H
Paſionis paſtillus.5°.de comp.me.per ge.5ª.254.C/6°. met.me.7ª.38.E
Paſionis paſtillo vlcera in naris meatibus à Galeno curata. 3°. de compoſi.med.ſec.loc. 5ª.148.G
Paſionis trociſci ad putreſcentia.2°.de arte cu.ad Glau. 7ª.107.A
PASSERES caput paruum habent.2°.de temp. 1ª.19.F
Paſſeres ſunt volucres laudabiles.de ren.aff.dig.& me. 7ª.195.F
Paſſer laudatiſſimam carnem habet autumno.de vict.rat. in mor.acut. commentario.4°. 7ª.147.B
Paſſerum paruorum caro durior eſt q̃ perdicis.3°.de ali.fac. 2ª.29.C
Paſſerculi oẽs neq; tenues,neq; craſſi ſunt.de bon.& vit.ſucc. 2ª.34.H
Paſſeres montanæ edendæ in victu attenuante.de atten.vic. 2ª.45.C
Paſſeres montanæ vtiles in calidis,& ſiccis.8°.met.me. 7ª.51.B
Paſſerculi in ſiccitate dantur.7°.met.me. 7ª.45.D
Paſſerculi in turribus nidificãtes ſiccis cõueniũt.6°.de ſan.tu.2ª.99.G
Paſſeres turritæ nominatæ aues ſunt laudabiles.de renum affectuum dignotione,& medela. 7ª.195.F
Paſſer troglodytes à proprietate agit in renum calculis.de renum affectuum dign.& medela. 7ª.194.H
Paſſerum ſtercore vtitur.8°.de comp.me.ſec.loc. 5ª.192.B
PASSER, piſcis,& ſolea ſimilia ſunt ſed diuerſæ ſpeciei.3°.de alimentorum facul. 2ª.31.D
Paſſeres piſces molles carne.3°.de ali.fac. 2ª.31.A
Paſſeres piſces facilius cæteris conficiuntur.3°.de alim.fac. 2ª.31.A
PASSIBILIA maxime inſtrumenta hñt homines liquidioris ſanguinis,& molles carne.de vtil.reſp. Sp.64.F
PASSIO latine,græce pathema.de ſymp.diff. 3ª.10.C
Paſſio quid ſignificet.3°.de præſag.ex pul.4ª.114.E/ de ijs , quæ in med. fiunt.com.1°. 7ª.197.G
de Paſſionis curatiõe, & cã librũ fecit Diocles.cõ.6°.aph.1°.Ex.46.C
Paſſionis vocabulum ſm aliquos de lõga ſolum ægritudine apud Hippocratem dicitur,quos reprehẽdit Galenus.cõ.3°.apho.28°. Ex.26.A
Paſſionem quid vocet Galenus.de ſymp.diff. 3ª.11.A
p Paſſionem quid intelligat.de motu man.& obſc. Sp.66.D
Paſſionum ſignificatio quid.fin.med. Iſa.46.A
Paſſio quid ſit.de ſymp.diff. 3ª.10.F
Paſſio quid.de ſymp.diff. 3ª.11.B
Paſſio eſt motus qui ab alio prodit.de motu man.& obſ. Sp.66.G
Paſſio quomodo diſtinguitur ab actione.de ſymp.diff. 3ª.10.E
Paſſionis nomen de morbo dictum.2°.met.me. 7ª.10.D
Paſſio,& affectus,& ægritudo idem.de diff.morb. 3ª.5.A
Paſſio eſt affectus permanens.de ſymp.diff. 3ª.10.D
Paſſionis,& affectus differentia.de ſymp.diff. 3ª.10.D
Paſſio,& ſymptoma quandoq; eadem res.de ſymp.diff. 3ª.11.A
Paſſio quæ poteſt accidens vocari.de diff.mor. 3ª.4.D
Paſſio quando non poteſt eſſe ſymptoma.de ſymp.diff. 3ª.11.A
Paſſionis,& ſymptomatis differentia.de ſymp.diff. 3ª.11.B
de Paſſione Aſclepiadis opinio.1°.de nat.fac. 1ª.293.H
de Paſſionibus librum fecit Polybus.com.6°.aph.1°. Ex.46.D
Paſſio in quo conſiſtit.de ſymp.diff. 3ª.10.E
Paſſiones quę ſint.2°.met.me. 7ª.10.B/C
Paſſio eſt,quod deficit alicui quomodocunq; ad naturalem eius gubernationem.3°.de loc.aff. 4ª.14.F
Paſſio eſt naui vehi.1°. meth.med. 7ª.6.C
Paſſiones appellantur ſenſuum alterationes.de ſymp.diff. 3ª.10.D
Paſſio vnde habet generationem.de ſymp.diff. 3ª.10.D
Paſſionis ſigna quæ.com.1°.aph.12°. Ex.5.H
Paſſionẽ,et ptẽ patiẽtẽ ſignificãtes morbi.2°.đ arte cu.ad Gl. 7ª.100.D
Paſſiões paſſionibus ſupuenire qd ſit apud antiquos.c.6°.a.35°.Ex.50.C
cũ Paſſionis magnitudine ſymptomata ſunt magna.đ ſymp.cau. 3ª.15.B
Paſſiones ex principalibus partibus ad cutem transferri confert. com. 6°.aphoriſmo.37°. Ex.50.D
Paſſionẽ aliq̃ q̃ faciũt paſſiões,nõ dicunt̃ ſanare.c.6°.ap.26°. Ex.48.G
Paſſionis mutatio dicitur proprie,& abuſiue.com.5°.aph.7°.Ex.37.H
Paſſio quonã pacto duntaxat contingit in compoſitione, & formatione. de diff.mor. 3ª.2.E
cũ Paſſione forti detinentur partes corporis, non ſemper patiuntur cũ aliæ patiuntur.com.6°.aph.16°. Ex.47.F
Paſſio aliqua nũquã fiet ex ſola membri imbecillitate, niſi humor fluat. commenta.6°

com.6°.apho.28°. Ex.49.A
Paſſio facit aborſum.com.5°.apho.53°. Ex.42.D
Paſſio aliqua in vtero facit aborſum.com.5°.apho.45°. Ex.41.G
à Paſſionibus diuturnis q̃uo Galenus præſeruauit multos per euacuationem.com.6°.apho.47°. Ex.52.B
ad Paſſionem omnem vberum.de paſſ.mul. Sp.96.D
PASSIVVS motus qui ſit.1°.meth.med. 7ª.6.C
Paſſiuus motus eſt alteratio.2°.meth.med. 7ª.10.A
PASSVLAE ſunt frigidæ.de diſſ.cont. Sp.74.D
Paſſulæ dulces,cibus calidus.de diſſ.cont. Sp.74.D
Paſſulæ dulces leniunt ventrem.de diſſ.cont. Sp.75.A
Paſſulis ſine acinis vtitur.de remed.fac.par. 7ª.158.E
PASSAE vuæ quales.7°.de comp.med.ſec.loc. 5ª.179.A
Paſſa vua habet paſſi facultatem.7°.de comp.med.ſec.loc. 5ª.179.A
Paſſæ vuæ ponticæ parum nutriunt,cur.de diſſ.cont. Sp.73.F
Paſſæ palmæ.9°.de comp.med.ſec.loc. 5ª.203.A
Paſſum vinum creticum.9°.de comp.med.ſec.loc. 5ª.203.A
Paſſum creticũ vinum eſt molle.7°.de comp.med.ſec.loc. 5ª.177.F/H
Paſſum creticum.4°.de cõp.me.ſe.lo.152.H/6°.177.C/7°.178.C/179.F/9°.204.D/10°.206.A/ 5ª.209.A
Paſſum hiſpanum.9°.de comp.med.ſec.loc. 5ª.203.H
Paſſum protropum.3°.de comp.med.ſec.loc.143.G/7°. 5ª.181.D
Paſſum ſcybelitæ.7°.de comp.med.ſec.loc. 5ª.181.C
Paſſum Theræum.7°.de comp.med.ſec.loc. 5ª.181.C/D
Paſſum iuuat oculos inflammatos,& circũdolentes.introd. Iſa.58.C
Paſſi facultatem habet vua paſſa.7°.de comp.med.ſec.loc. 5ª.179.A
PASTA tritici bolcima quæ tractiua eſt.2°.de loc.aff. 4ª.12.B
Paſta hordeacea non bolcima.i.tractiua.2°.de loc.aff. 4ª.12.B
Paſta milij non bolcima.i.tractiua.2°.dc loc.aff. 4ª.12.B
PASTILLATVM. de dynam. Sp.26.E
PASTILLI vnde dicuntur.5°.de comp.med.ſec.loc. 5ª.251.B
Paſtillorum forma.8°.de comp.med.ſec.loc. 5ª.190.H
Paſtilli qua magnitudine formentur.7°.de comp.med.ſec.loc. 5ª.181.E
Paſtillus vnus quo modo fieri poſſit fortior,& imbecillior.3°.de comp.med.ſec.loc. 5ª.141.F
Paſtillus Achillæ.5°.de comp.med.per ge. 5ª.252.B
Paſtillus Amazonũ ad quid vtilis.8°.de comp.med.ſec.loc. 5ª.190.D
Paſtillo Andronij vlcera in naris meatibus à Galeno curata.3°.de cõp.med.ſec.loc. 5ª.148.G
Paſtilli Andronis.6°.meth.med. 7ª.38.E
Paſtillus Andronicus.3°.de cõp.med.ſec.loc.141.D/6°.167.E/174.G/5°.de comp.med.per ge. 5ª.252.B
Paſtillus amarus Aphrodæ.8°.de comp.med.ſec.loc. 5ª.188.H
Paſtillus Apollonij Archiſtratoris ſimilinus.5°.de cõ.me.p g. 5ª.252.C
Paſtillus Ariſtarchi Tharſei ad plura vtilis.5°.de cõp.me.p g. 5ª.251.B
Paſtillus Aromaticus.9°.de comp.med.ſec.loc. 5ª.204.C
Paſtillus cognomento Bithynus in Sicilia confectus.5°.de comp.medica.per genera. 5ª.252.E
Paſtillo Bithyno vlcera in nàris meatibus à Galeno curata.3°.de comp.med.ſec.loc. 5ª.148.G
Paſtillus Bithynus.3°.de comp.med.ſec.loc. 5ª.141.F
Paſtillus Cephalicus.2°.de comp.med.per ge. 5ª.226.B
Paſtillus Chryſermi.9°.de comp.med.ſec.loc. 5ª.198.H
Paſtillus eſt Corallo.7°.de comp.med.ſec.loc. 5ª.184.F
Paſtillus Croceus.2°.de comp.med.ſec.loc. 5ª.136.H
Paſtilli Diobolares.7°.de comp.med.ſec.loc. 5ª.185.B
Paſtilli Drachmales.7°.de comp.med.ſec.loc.184.A/ 5ª.185.B/F
Paſtilli ponderis Drachmæ dimidiæ.8°.de comp.med.ſec.loc. 5ª.191.F
Paſtilli vnius drachmæ,& trium oblorũ.7°.de cõp.me.ſe.lo. 5ª.185.C
Paſtillus Diſentericus.introd. Iſa.57.E
Paſtillorum Fabæ magnitudo.de med.fac.par. 7ª.172.D
Paſtillus Galeni ex charta vſta.3°.de comp.med.ſec.loc. 5ª.141.F
Paſtilli Gilui Hieracis Thebani.5°.de comp.med.per ge. 5ª.251.F
Paſtillus Glaucij ad multa faciens.5°.de comp.med.per ge. 5ª.252.D
Paſtillus Hęmoptoicus.7°.de comp.med.ſec.loc. 5ª.184.E
Paſtillus Hepaticus.8°.de cõp.me.ſ.l.5ª.195.D/de rem.par.fa. 7ª.159.E
Paſtillus Iuppiter appellatus.10°.de comp.med.ſec.loc. 5ª.209.B
Paſtilli Lichenici.5°.de comp.med.ſec.loc. 5ª.161.A
Paſtillus ex Mandragora.7°.de comp.med.ſec.loc. 5ª.185.G
Paſtillus Muſæ.3°.de comp.med.ſec.loc. 5ª.141.D
Paſtillus Neapolitæ.7°.de comp.med.ſec.loc. 5ª.184.F
Paſtillus Neapolitani.5°.de comp.med.per gen. 5ª.251.C
Paſtillo quo vtitur in Neruo apparente.3°.de cõ.med.per ge. 5ª.229.D
Paſtillus Niger quo vtitur Galenus ad nomas.5°.de compoſitione med.per genera. 5ª.252.A
Paſtillus ad Nomas Iſidori celebris.5°.de comp.med.per ge. 5ª.252.C
Paſtillus ad Nomas.5°.de comp.med.per ge. 5ª.251.D
Paſtilli Obolares.7°.de comp.med.ſec.loc. 5ª.185.G
Paſtilli oboli vnius,& dimidij.7°.de comp.med.ſec.loc. 5ª.185.C
Paſtillus ex Origano.5°.de comp.med.per ge. 5ª.252.A
Paſtillus Paſionis vlcera in naris meatibus à Galeno curata.3°.de com.med.ſec.loc. 5ª.148.G
Paſtillis,Paſionis,Andronis,et Polyædę vtendũ in ſanguinis profluuio ex eroſione.5°.meth.med. 7ª.31.H
Paſtilli Paſionis.6°.meth.med. 7ª.38.E
Paſtillus Petronij.5°.de comp.med.per ge. 5ª.251.H
Paſtillus Philippi.9°.de comp.med.ſec.loc. 5ª.204.C
Paſtillo Polyædæ vlcera in naris meatibus à Galeno curata.3°.de com.med.ſec.loc. 5ª.148.G
Paſtillus polyædę.3°.de cõp.me.ſe.loc.5ª.141.F/6°.met.med. 7ª.38.C/E
Paſtillus Pudendus.3°.de comp.med.ſec.loc. 5ª.146.B
Paſtillus ex Rhu.5°.de comp.med.per ge. 5ª.252.B
Paſtillorum è Roſis confectio.2°.de antid. 5ª.113.D
Paſtillus ad Serpentia.5°.de comp.med.per ge. 5ª.251.E
Paſtilli Scillitici q̃uo fiant.de ther.ad Piſo. 5ª.95.C
Paſtillorum ſcilliticorum compoſitio.de vſu ther.ad Pamph. 5ª.99.B
Paſtilli ſcillitici quo loco ſeruandi.1°.de antid. 5ª.104.E
Paſtillus Splenicus.9°.de comp.med.ſec.loc. 5ª.198.G
Paſtillus ex Stirpibus inſcriptus.5°.de comp.med.per ge. 5ª.251.D
Paſtillus,ex Succino.7°.dc comp.med.ſec.loc. 5ª.184.E
Paſtillus ex Succis.5°.dc comp.med.per ge. 5ª.251.H
Paſtilli Theriacę q̃uo conficiantur.de Theria.ad Piſonem.95.F/de vſu theria.ad Pamph.99.B/1°.de antid. 5ª.104.A/D
℘ Paſtillis Theriacæ conficiendis quæ addenda.de ther.ad Pi. 5ª.92.C
Paſtillorum theriaces puluis abſtergendus linteo.1°.de antid. 5ª.104.D
Paſtilli Theriaci quo vaſe recondi debeant.1°.de antid. 5ª.104.D
Paſtilli debẽt æqualiter vtraq; ex parte ſicceſcere.1°.de antid. 5ª.104.C
Peſtilli theriaci quanto tempore durant.1°.de antid. 5ª.104.D
Paſtillus Threpti ad ſerpẽtia vlcera.5°.de cõpo.med.per gene. 5ª.251.E
Paſtillus Trigonus.2°.de comp.med.ſec.loc. 5ª.136.H
Paſtillos facit Triobolares in multis compoſitionibus.7°.de compoſitio.med.ſec.loc. 5ª.183.G
Paſtilli triobolares 7°.de comp.med.ſec.loc. 5ª.185.A/B/D
Paſtillus ex Veſicarijs.5°.de comp.med.per ge. 5ª.252.A
Paſtilli qui ſeruantur in Vinatijs.9°.de comp.med.ſec.loc. 5ª.203.H
Paſtilli ex vipera quanti eſſe debeant.1°.de antid. 5ª.104.C
PASTINACA qualis.8°.de ſimp.med.fac. 5ª.61.C
Paſtinacæ vires quæ.de ſimp.med. Sp.89.B
Peſtinacæ radices quales.de atten.vic. 2ª.45.G
Paſtinaca acris eſt,excalfactoria,diuretica.de ſimp.med. Sp.89.B
Paſtinaca cibus calidus.de diſſ.cont. Sp.74.D
Paſtinacæ ſunt cibi ſubtiliantes ſecundi generis.de diſſ.cont. Sp.72.E
Paſtinacæ tarde digeruntur.de diſſ.cont. Sp.73.E
Paſtinacæ parum nutriunt propter multitudinem ſuperfluitatum.de diſſolutione continua. Sp.73.G
Paſtinacæ radix minus nutrit quã rapæ,& orũ.2°.de alim.fac. 2ª.25.B
Paſtinacæ ſunt mali ſucci.de diſſ.cont. Sp.74.C
Paſtinaca calefacit.2°.de alim.fac. 2ª.25.B
Paſtinaca aromaticon quoddam oſtentat.2°.de alim.fac. 2ª.25.B
Paſtinaca vrinam ciet.2°.de alim.fac.2ª.25.B/de cura icteri. Sp.111.D
Paſtinaca frequentes vrinas ducit.de ren.aff.dig.& med. 7ª.196.E
Paſtinaca vrinas,menſesq́; prouocat,& phagedenica vlcera pura reddit.8°.de ſimp.med.fac. 5ª.61.C
Paſtinaca pruritum mouet.de cathar. Sp.95.D
PASTINACA habet carnem mollem.3°.dc alimen.fac. 2ª.32.D
Paſtinacæ marinę venenum alia educunt,& alia ſurculos,& viperæ venena.1°.de nat.fac. 1ª.295.B
ad Paſtinacæ venenum trahens.5°.de comp.med.per ge. 5ª.246.E
ad Paſtinacæ morſum.3°.de comp.med.per ge.235.B/5°. 5ª.248.H
ad Paſtinacæ percuſſionem.5°.de comp.me.per ge. 5ª.247.E
ad PASTIONEM ſiſtendam.5°.de comp.med.per ge. 5ª.251.E
ad Paſtionem communem.5°.de comp.med.per ge. 5ª.245.H
ad Paſtionem omnem,maxime phagedænicam.5°.de compoſitione medicamen.per genera. 5ª.248.D

PASTORALIS *eſt vinculum ſimul, & laqueus. de faſcijs.* 7ª.293.H
Paſtoralis laqueus. de faſcijs. 7ª.297.C
Paſtoralis laqueus, q, & ſandalus dr̃ q̃uo inijciatur. de laqueis. 7ª.307.C
PATARICAE *ſucci meminit. 2°. de antid.* 5ª.113.B
PATELLA *quid ſit. de oſſib.* 1ª.43.E
Patella quod nam os ſit. intro. Iſa.55.A
Patella quid. 1°. de comp. me. per ge. 5ª.212.B/de frac. com. 3°. 7ª.249.H
Patella quid, & q̃uo ligetur. de ijs quæ in me. fiunt. com. 2°. 7ª.209.A
in Patella vulnerati gladiatoris male curati, caſus. 3°. de compoſitione medicamentornm per ge. 5ª.228.C
PATELLA *media eſt inter animal, & plantam. de fœt. for.* 1ª.323.F
Patellarum ſuccus ducit aluum non ſecus ac lactis ſerum. de bonitate et vitio ſuccorum. 2ª.35.A
Patellæ ſunt craſſi admodum ſucci. de bo. & vi. ſuc. 2ª.35.E
PATELLA *ad eliquandum. 7°. de compoſitione medicamentorum per genera.* 5ª.272.B
PATETOS *quid in palmulis. 8°. de comp. me. ſe. loc.* 5ª.189.F
Patete vocantur Palmulæ maximæ. 9°. de compoſitione medicamentorum ſecundum locos. 202.E/ 5ª.203.A
PATRI *cur fœtus ſimilis. de ſperm.* Sp.37.A
Patris ſperma ſi ſuperabundet, infans plus figuram habet à patre. de ſpermate. Sp.38.E
Pater ſi fuderit ſemen in horis ſanguinis quid ſequatur. de ſper. Sp.38.F
ſi Pater & auus infans vel puer concepti ſunt in horis ſanguinis infantis, quid ſequatur. de ſperm. Sp.38.E
Patres cur agãt aliquid ad diſpoſitionem filiorum. commẽtario 6°. aphoriſmo 28°. Ex.49.B
cur Patres podagrici filios generant podagricos. c. 6°. ap. 28°. Ex.49.B
Patris, & matris vitio fiũt errores, & nõ naturæ. 11°. de vſu p. 1ª.188.B
Pater qui non curat erudire filios nõ eſt nutriẽdus. in orat. ſuaſ. Iſa.3.E
PATHE *quæ ſint. 2°. meth. med.* 7ª.10.C
PATHEMA *quid ſolent nominare. de ſymp. diff.* 3ª.10.C
Pathema latine paſſio. de ſympt. diff. 10°. C/in 1m. de morbis vulgaribus. commentario 1°. 3ª.106.B
Pathemata appellantur ſenſuum alterationes. de ſymp. diff. 3ª.10.D
à Pathematis ad patiẽtes, & e cõtra transferuntur appellationes. de victus ratio. in mor. acu. com. 4°. 7ª.141.C
PATHOGNOMONICA *ſymptomata q̃. de conſt. ar.* Iſa.40.D
Pathognomonica dicta ſymptomata cauſam iudicantia. de vi. ratione in morb. acu com. 4°. 7ª.134.G
παθογνωμονικὰ *quæ dicatur. de vic. rat. in mor. ac. com. 4°.* 7ª.134.G
Pathognomonicum ſignum quod. fin. med. Iſag. 46. A/in 1m. prorheti. commentario 1°. 4ª.163.D
Pathognomonica ſyndrome. de vic. ra. in mor. acu. com. 4°. 7ª.142.C
Pathognomonicis ſignis remotis an affectus poſſit ſeruare ſpeciem ſuã. in 1m. de mor. vul. com. 3°. 3ª.143.H
PATHOLOGICA *medicinæ pars. de par. art. med.* Sp.16.E
παθοποιὰ *medicamenta. 10°. de ſimp. me. fac.* 5ª.72.D
PATHOS *latine paſſio. de ſymp. diff.* 3ª.10.C
Pathos quid. de ſymp. diff. 3ª.10.D/2°. meth. med. 7ª.10.B
Pathos quid ſolent nominare. de ſymp. diff. 3ª.10.C
Pathos quid ſignificet apud veteres. 2°. meth. med. 7ª.10.B
Pathos quid ſm̃ Olympicum. 1°. meth. me. 7ª.8.F
Pathos quid ſecundum Theſſalum. 1°. meth. med. 7ª.8.F
Pathos nomen de morbo dictum. 2°. meth. med. 7ª.10.D
in PATINIS *condita quale nutrimẽtũ dant. 3°. de ali. fac.* 2ª.26.C
in Patinis qui fiunt apparatus in totum ſunt cauſæ cruditatis. 3°. de alimentorum facultatibus. 2ª.31.D
Patina ærea. 9°. de comp. me. ſe. loc. 5ª.199.D
in PATIENDO *ſenſus, motus vero in faciendo aliquid, fit. 1°. de locis affectis.* 4ª.7.D
PATIENTES *à pathematis transferuntur appellationes. de victus ra. in mor. acu. com. 4°.* 7ª.141.C
Patiens niſi ſit aptum cauſa non agit. 1°. de diff. feb. 3ª.32.C
ex Patientibus & ſentientibus vel tranſmutabilibus fiunt corpora. 1°. de elementis. 1ª.3.F
PATITVR *aliquid dupliciter, principaliter, & per compaſſionem, collige ex Galeno. com. 5°. apho. 5°.* Ex.37.G
Pati ſecundum totam ſubſtantiam quid. 4°. de ſimp. med. fac. 5ª.28.D
Pati quæ poſſunt magis quam agere in nos. 3°. de temp. 1ª.23.H
non Patitur natura diu paſſiones magnas, immo nec diem ſeptimam. cõmentario 6°. aph. 51°. Ex.52.H
pro PATRIAE *ſalute vita deſpicienda. 4°. de decr. Hip.* 1ª.249.B
Patriam potius proderent Stoici, quam dogma deſererent. quod animi mores. 1ª.321.F
Patria q̃nq; ad diſcendã medicinã opitulat̃. de ther. ad Piſ. 5ª.89.G
Patria noĩa nõ ſunt confundẽda, neq; corrũpenda. 2°. de loc. aff. 4ª.11.F
PATROCLVS *vir potens. de cogn. cur. animi mor.* 2ª.51.F
Patroclus Cæſaris libertus. 7°. de comp. me. per ge. 5ª.270.G
PATRONAE *victus ratio in febre acuta. de vict. rat. in mor. acut. commentario 1°.* 7ª.109.G
PATVLAE *cur ſint aures, & nares. de ana. vi.* Sp.49.B
PAVCIBIBI *qui apud Hippocratem. de diff. reſp.* 3ª.60.B
PAVCIFERVM *vinum quid. de vinis.* Sp.76.C
Pauciferum vinum ſtipticum. de vinis. Sp.76.C
Pauciferum vinum virtuti ſimile aquæ. de vinis. Sp.76.C
Pauciferum vinum ad quæ valeat. de vinis. Sp.76.C
PAVCIORIBVS *ſignis plurima non ſunt ſemper potentiora. 1°. de criſibus.* 4ª.130.G
PAVCO *contrarium multum. 11°. meth. med.* 7ª.71.B
Paucum & multum in ſola quantitate. com. 1°. apho. 14°. Ex.7.C
Pauca multi volunt addiſcere, & nihil p̃termittere. 2°. de criſ. 4ª.136.B
Paucis datum omnia percurrere. 1°. de ſimp. me. fac. 5ª.4.D
Paucus, & leuis q̃n eſt ſomnus ſubtilibus nutriatur. de diff. con. Sp.71.G
Paucus vapor ſatis eſt piſcibus reſpirantibus. de anat. vi. Sp.48.C
PAVIMENTA *quibus frigidis herbis conſternebant. 1°. de arte curatiua ad Glauconem.* 7ª.99.B
PAVLINVS *Valerius. 7°. de comp. me. per gen.* 5ª.271.C/D
Paulina compoſitio. 7°. de comp. me. ſec. loc. 5ª.186.A
Paulini Eclegma hepaticum. 8°. de compoſitione medicamentorum ſecũdum locos. 5ª.195.F
PAVLVS *rethor flauam bilem euomebat. de vic. rat. in morb. acutis, commentario 2°.* 7ª.120.D
Pauli ſancti antidoti fit mentio in libro de dynamidũs [hoc inter reliqua oſtendit librum illum non eſſe Galeni.] de dyna. Sp.24.A
PAVONIS *caro durior eſt, & fibroſior carne phaſianorum. 3°. de alimen. facul.* 2ª.29.C
Pauonis caro coctu difficilior carne phaſianorũ. 3°. de ali. fac. 2ª.29.C
Pauones tarde digeruntur. de diff. cont. Sp.73.D
PAVOR *in ſomnis fit conceptis in bilis horis. de ſper.* Sp.37.C
Pauores per ſomnum cur fiant infantibus. com. 3°. aph. 24°. Ex.25.A
Pauor in corde. 3°. de decr. Hipp. 1ª.245.C
Pauor facit aborſum. com. 5°. apho. 53°. Ex.42.D
Pauor lege Timor.
PAVPER *q̃uo dicatur diues. de cog. cur animi mor.* 2ª.55.C
Pauperes ſunt magis Deorum neglectores, quam diuites. de aere aquis, & locis. 2ª.6.A
Pauperes Deos deteſtantur. de aere aquis, & locis. 2ª.6.A
Pauperes ſunt multi medici, & ęgri. 6°. de comp. me. ſe. lo. 5ª.168.B
Pauperibus medicis vtilia. 6°. de comp. me. ſec. loc. 5ª.168.A
Pauperibus ſunt magis pleni diuites. 11°. meth. me. 7ª.72.B
Pauperes habent pauciores morbos, q̃ diuites. de aere aq. & lo. 2ª.6.A
Pauperibus medicis Galenus reſpondet. 6°. de comp. me. ſe. lo. 5ª.168.A
Pauperes obediunt medicis, non autem diuites. 3°. de compoſitione medicamentorum per genera. 5ª.231.A
pro Pauperibus, & diuitibus materiam parare debet ſcribens de re medica. 6°. de comp. me. ſec. loc. 5ª.168.B
PAVPERTAS *non timenda quando indifferens habetur. 1°. de decretis Hippo.* 1ª.268.E
PAVSANIAE *ſyri ſophiſtæ caſus, qui amiſerat ſenſum minimorum digitorum ſiniſtræ manus. 3°. de lo. aff.* 4ª.21.C
PACIS *delubrum tempore Galeni deflagrauit. 1°. de compoſitione medicam. per genera.* 5ª.209.G
PAXAMADVM *vocatorum purgatoria. de med. fac. par.* 7ª.174.B
ad PAXILLOS *infixos medicamentum dictum Iſis. 5°. de compoſi. med. per genera.* 5ª.246.E

PECCATVM *accipitur latius, & cõtractius. cui. aĩ. pec. no. atq; me.* 2ª.56.B
Peccata quid ſint. 4°. de decr. Hipp. 1ª.249. B/de cuiuſq; animi peccatorum notitia, atq; medela. 2ª.56.A
Peccata quæ ſint. de cogn. cur. animi mor. 2ª.50.D
Peccatum, & perturbatio quo modo differant. de cuiuſq; animi peccatorum notitia atque medela. 2ª.57.H
Peccãti cõſenſus omnibus notus. de cuiuſ. animi pec. no. atq; me. 2ª.56.C

Peccati con-

Peccati conſenſus imbecillus,& titubans qui.de cuiuſq; peccatorum notitia atque medela. 2ª.56.C
ſine Peccato nullus inuenitur.de cogn.cur.animi. 2ª.51.E
ſine Peccato putant ſe eſſe homines.de cogn.cur.animi mor. 2ª.50.D
Peccata ſua cognoſcere difficile eſt.de cogn.cur.animi mor. 2ª.50.G
Peccata noſtra cur non intelligamus.de cogn.cur.animi mor. 2ª.50.G
Peccata ex falſa opinione cōmittuntur.de cog.cur.ani.mor. 2ª.50.C/G
Peccatorum multorum cauſa eſt opinio de fine vitæ. de cuiuſque animi peccatorum notitia atque medela. 2ª.57.H
Peccata infra modum non lædunt,ſed ſupra. 1°.de compoſitione medicamentorum ſecun.locos. 5ª.122.C
Peccatis qui vult eſſe mundus quid agere debet. de cuiuſque animi peccatorum notitia atque medela. 2ª.56.D
à Peccatis quomodo quis ſe abducat.de cog.cur.ani.mor. 2ª.50.C
Peccata quæ in infortunijs eueniunt ſeipſum corrigere oportet. de cogn. curan.animi morb. 2ª.50.C
PECCARE quid ſit. de cogn.curan.animi morb. 2ª.50.D
Peccant raro qui permittunt ſe ab alijs iudicari.de cognoſcendis curandiſq; animi morbis. 2ª.50.D
Peccant frequenter qui ſe optimos exiſtimant, nec volunt iudicari.de cognoſcendis curandiſq; animi morb. 2ª.50.D
PECTINES ſunt craſſi admodum ſucci. de bo.& vit.ſucc. 2ª.35.E
Pectines conueniunt ſtomachicis.8°.de cōp.me.ſec.loc. 5ª.192.C
Pectinū ſuccus ducit aluū nō ſecus ac lactis ſerū.d bo.et vi.ſuc.2ª.35.A
PECTEN digitorum quod.introd. Iſa.53.C/D
Pectinis oſſa quæ.introd.Iſa.54.H/de oſſibus. 1ª.43.C
Pectinis dolor ſignificat laborē aliquorū inſtrumētorū deſeruientiū vrinæ,vel vlcus veſicæ.c.4°.ap. 80°.39.H/c.7°.aph.39°. Ex.57.A/B
ad Pectinis dolores vti veſpa incidens.de paſ.mul. Sp.95.G
ad Pectinis dolorem. de paſſ.mul. Sp.95.H
quo PECTINE vtendum.de puero epil. 7ª.180.B
PECTEN, ſeu vinculum ſuſpendens ad colem. de faſcijs. 303.H/ aliter. 7ª.304.A
PECTORALE os propinquius caue venæ. 16°.de vſu par. 1ª.218.G
PECTVS quid ſit in quodam loco.de arti.com.1°. 7ª.261.C
Pectus pedis quid ſit.de arti.com.3°. 7ª.278.G
Pectus quod.intro.Iſa.53 C/6°.de decre.Hippoc. 1ª.265.E
à Pectore cur plurimū diſtat humeri ſummitas.2°.de vſu p. 1ª.200.H
Pectoris longitudo.13°.de vſu par. 1ª.202.H
Pectus cur hominibus latum,brutis anguſtum.13°.de vſu par.1ª.202.H
Pectus latiſſimum habet homo oīum aīalium.de arti.com.2°. 7ª.272.C
Pectus maius alijs animalibus habet ſimia excepto homine. de articulis,commentario 3°. 7ª.272.C
Pectore lato quod eſt ad pleraſque exercitationes ineptum eſt.5°. de ſanitate tuenda. 2ª.89.H
Pectoris ſectio quo modo fieri debeat.5°.de ana.adm. 1ª.84.F
in Pectore quo modo incidendum ne ſanguis profluat.7°.de anatomicis adminiſtrationibus. 1ª.97.C/D
Pectoris ſectionis modus quidam ſine ſanguine.8°.de ana.ad. 1ª.102.G
Pectoris muſculi quomodo ſecandi.5°.de ana.adm. 1ª.84.G
Pectus quo modo aperiendum.7°.de ana.adm. 1ª.97.C
Pectus quo inſtrumento aperiendum.7°.de anat.adm. 1ª.97.C
Pectoris os ſternon dicitur.8°.de vſu par. 1ª.164.D
Pectoralis oſſis tota figura Xiphoeides.de oſſibus. 1ª.42.F
Pectoris os cur vnum videtur.8°.de anat.adm. 1ª.99.D
Pectoris oſſa quot ſint.8°.de anat.admi. 1ª.99.D
Pectus ex ſeptem oſſibus conſtat.introd. Iſa.54.H
Pectoris os cur ex multis oſſibus factum.7°.de vſu par. 1ª.164.A
Pectoris medij os quō arteriam recipiat.16°.de vſu part. 1ª.218.F
ad Pectoris oſſa aperienda qui culter ſit aptus.7°.de ana.adm.1ª.94.C
Pectoris oſſium motus exiguus.de oſſib. 1ª.42.E
in Pectoris oſſe membrana.7°.de ana.adm. 1ª.94.D
Pectori cur non iunctus ſtomachus.16°.de vſu par. 1ª.218.G
Pectorali oſſe propinquior ſtomacho ſpina.16°.de vſu par. 1ª.218.G
ad Pectoris ſpondylum duodecimum procedit gula.de ana.vi.Sp.49.F
Pectoris pars eſt diaphragma.de mot.man.& obſ. Sp.66.H
in Pectore aīalia mammas habētia,quæ.7°.de vſu par. 1ª.164.C/D/F
in Pectore cur mammæ in hominibus.8°.de vſu part. 1ª.164.C
Pectore,& mammis affinitatis indicium eſt ſi tuſſientes habent teſticulū tumefactum.in 6^{m}.de mor.vul.cō.3°. 3ª.178.G
in Pectore cur profectum lac.8°.de vſu part. 1ª.164.D
Pectus continet in ſe viſcera.com.6°.apho.27°. Ex.48.G
Pectus quale,& quantum eſſe debet. in 6^{m}.de morb.vul.cō.1°.3ª.154.B
Pectus longum,& anguſtum vitioſum eſt. in 6^{m}.de morbis vulgaribus, commentario 1°. 3ª.154.B
Pectus anguſtum habentes ſunt inclinati in phthiſim.com.2°. apho.34°. 17.D/com.3°.22.C/ com.4°. Ex.28.B
Pectus anguſtum,et compreſſum qui habent ineptiſſimi ſunt ad vomitū. quos purg.quibus med.& quo temp. 5ª.88.E
Pectora exuſta quibus ſint populis.de aer.aqu.& loc. 2ª.5.F
in Pectore eſſe animæ principatum quibus argumentis probet Chryſippus.3°.de decre.Hippo. 1ª.234.F
in Pectore eſſe animæ principatum nullo ſenſu percipimus.2°.de decretis Hippocratis. 1ª.235.H
Pectus hirtum cur audaciam ſignificat.2°.de tempe. 1ª.19.G
ſub Pectore furor.3°.de decre.Hippo. 1ª.242.D
ſub Pectore bilis.3°.de decre.Hippoc. 1ª.242.D
ſub Pectore ira.3°.de decre.Hipp.242/D 1ª.246.G
ſub Pectore mens.3°.de decre.Hipp. 1ª.242.D
in Pectore conſilium.3°.de decr.Hippo. 1ª.242.D
in Pectore ſententia.3°.de decre.Hipp. 1ª.242.E
Pectus cū corde auget̄,& minuit̄.in 6^{m}.de mor.vulg.cō.3°. 3ª.174.B
Pectori motus principium dat caput.2°.de ſymp.cauſ. 3ª.21.G
Pectoris motus ad quod inſtrumentum ſpectet, medici eſt quærere. de mot. man. & obſc. Sp.66.H
de Pectoris motu an naturalis,vel voluntarius. de motibus manifeſtis, & obſcuris. Sp.69.G
de Pectoris clibani motu in tuſſi,riſu,& ſternutatione. de motibus manifeſtis,& obſcuris. Sp.69.G
in Pectore, ac pulmone talis eſt actio in tuſſi, qualis expultricis facultatis in ventre cum euomitur.2°.de ſympto.cauſ. 3ª.21.D
Pectus pulmonem dilatat,& contrahit.2°.de ſymp.cauſ. 3ª.21.G
Pectus in ſpiritu recipiendo dilatatur.de vſu pulſ. 1ª.228.F
Pectore dilatato non fit inſpiratio.de præcogn.ad Poſth. 4ª.216.D
Pectore conſtricto non fit expiratio.de præcogn.ad Poſth. 4ª.216.D
Pectoris actio flatus. de vſu pulſ. 1ª.229.D
Pectoris actionis remiſſio eſt ſpiritus emiſſio.de vſu pulſ. 1ª.229.D
Pectus à muſculis dilatatur.de inſt.odor. 1ª.111.F
Pectoris muſculi ſunt organa ſpiritus.de ſper. Sp.36.H
Pectoris muſculi niſi extendantur non fiunt anhelitus neque vox. de voce & anhelitu. Sp.61.A
Pectoris muſculi in intemperie inæquali quem habeant motū.2°.de ſymptomatum cauſis. 3ª.22.H
Pectoris muſculi habentes ſimilem diſpoſitionem conuulſioni interrumpunt inſpirationem.com.6°.aph.54°. Ex.53.C
Pectus totum ſi impleretur animal ilico periret.1°.de na.fac. 1ª.296.E
à Pectore aſcendentes muſculi intrinſecus quas motiones excipiant. de muſcul.diſſect. 1ª.47.G
Pectori brachium abducens muſculus qui.de muſc.diſſ. 1ª.47.G
ad Pectoris muſculos qui perueniunt nerui à dorſi medulla oriuntur.de præcogn.ad Poſth. 4ª.216.D
ex Pectore neruorum primiparis egreſſio vbi.de ana.viu. Sp.54.B
à Pectore veſtium reiectiones quid ſignificent.de vict.ra.in morbis acutis,commentario 2°. 7ª.122.F
in Pectore eſt poteſtas phlegmatis.de ſperm. Sp.36.G
in Pectore ſemen mutatur in frigidum,& humidum.de ſper. Sp.36.H
Pectori nocent frigida:vt nix,& glacies.com.5°.aph.24°. Ex.39.G
Pectori nocent dura,aqua,& frigida.de bon.aquæ. Sp.75.G
Pectus refrigerat vua radicitus dempta.de diffi.morb. 3ª.4.H
Pectus imbecille habentibus valens antidotus.2°.de antido. 5ª.111.F
Pectoris dolores vnde hyeme oriantur.com.3°.aph.23°. Ex.24.H
Pectoris dolores fiunt,& vigent in tempeſtate aquilonia. commentario 3°.aphoriſmo 17°. Ex.23.F
Pectoris dolores in aquilonijs cur fiant. com.3°. aph.5°. Ex.20.C
Pectorum dolores ſi multū differāt perdiſcēdum.cō.6°.ap.5°. Ex.46.G
Pectoris dolorē mulcet balneū.de vict.rat.in mor.acu.cō.3°. 7ª.132.H
Pectoris dolore laborantibus auxiliatur Theriaca.de vſu ther. 5ª.98.F
ad Pectoris dolores omnes inueteratos.2°.de antido. 5ª.113.D
Pectoris inſtrumenta laborant ob ſanguinem, vel humorem ingredientem.8°.de decret.Hippo. 1ª.274.E
in Pectore generationem phlegmatis timenti conueniunt cibi ſubtiliantes.de diſſ.cont. Sp.72.E
Pectus quibus phlegmate abundat phlegmagoga danda.de dyn.Sp.21.C
ad Pectus à capite in fluxionibus quo medicamēto vtendum. 4°.de ſanitate tuenda.

tate tuenda. 2ª.85.B
in Pectus quæ fluxerunt trahuntur ad manus.de Hirud.reuulſ.ſcarifi. & cucurbi. 6ª.2.D
ad Pectoris fluxionem.de med.fac.par. 7ª.172.A
in Pectus quæ dicuntur deſcendere de quibus intelligatur.3°. de decretis Hippocratis. 1ª.244.F
Pectoris ſuperfluitates per quæ expurgantur.ars med. Iſa.71.E
Pectus per quam viam purgetur, & tranſmittat aliquid in cauitatem. 13°.methodi medendi. 7ª.84.H
Pectus per eandē viā expurgat̄,per quam pulmo.13°.meth.m. 7ª.84.B
Pectus per aſperam arteriam, & fauces purgatur.7°.methodi meden. 49.D/11°. 7ª.73.F
in Pectore quando continentur humores remedia. de medicinis facile parandis.171.G/ 7ª.179.D
ex Pectore tripliciter educuntur materiæ.5°.meth.med. 7ª.33.B
in Pectore contenta per tuſſim educuntur.ars med. Iſa.70.D
in Pectore, & pulmone contenta indicant tuſſes.in 1^{m}.de morbis.vulg. commentario 2°. 3ª.108.C
in Pectore contenta ab attenuantibus educuntur.ars med. Iſa.70.D
Pectus, & pulmonem expurgāt amara.8°.de ſimp.me.fac. 5ª.59.B
ex Pectore pulmoneq; excreationibus craſſorū lentorumq; humorum impendio conferunt amygdalæ amaræ. 6°. de ſimplicium medicamentorum fac.5ª.42.G/de diſſ.cont. Sp.74.G
Pectus expurgat Betonica.7°.de ſimp.med.fac. 5ª.51.A
ad Pectus purgādū drachmæ tres radicis lilij cœleſtis.de me.Sp.106.D
contra Pectoris infirmitates dantur penidiæ.de me.exper. Sp.106.F
Pectora conſtipata mollit diapenidion minus.de dyna. Sp.26.D
ex Pectore,et pulmōe excreatiōibus idonea ē faba.7°.de ſim.m.5ª.53.D
Pectus mundificat ſe caniabin.de diſſ.cont. Sp.74.G
à Pectore ſuperflua mundificans electariū.de me.exper. Sp.107.G
ꝙ in Pectore eſt humoris craſſi purgās medicamē.de me.exp.Sp.107.H
Pectoris inflāmatio mortifera eſt.in 6^{m}.de mor.vul.cō.2°. 3ª.162.H
in Pectoris phlegmone artus vinciuntur.13°.meth.me. 7ª.83.B
Pectoris qua parte patiente manus patiatur.in 6^{m}. de morbis vulgari. commentario 4°. 3ª.180.B
Pectus cōpatitur patiēte hepate, & è contra.cō.6°.apho.16°.Ex.47.G
Pectus cōicat cū genitalibus.in 6^{m}.de mor.vulg.com.4°. 3ª.180.A
Pectus cum coxendice nihil habet commune.in 6^{m}. de morbis vulgaribus,commentario 4°. 3ª.180.A
à Pectore qui ſanguinem reiecerunt debent phlebotomari vere. de cur. ratione per ſang.miſſ. 6ª.17.E
Pectoris,pulmoniſque excretionibus auxiliatur paliuri fructus. 8°. de ſimp.med.facul. 5ª.57.G
Pectore, & pulmone ſanguinem reijcientibus conuenit Theriaca.de vſu ther.ad Pamph. 5ª.98.G
ad Pectoris ſanguinis reiectiones.2°.de antid. 5ª.113.C
inter Pectus, & pulmonem ſanguis collectus facit tabem.8°.de decretis Hippocratis. 1ª.275.F
ex Pectoris interna facie,cum phlegmone premitur excernitur aliqua ſanies.13°.meth.med. 7ª.84.H
ad Pectoris labem ſanioſam valet Theriaca.de ther.ad Pāph. 5ª.91.G
Pectus, & thoracem ſuppurari dicuntur.com.6°.aph.27°. Ex.48.G
Pectori quam noxam faciat in pulmonia cubare ſupine. in prognoſtica, commentario 1°. 4ª.194.A
Pectus facit profluuium alui.com.6°.aph.16°. Ex.47.G
ex Pectore fit quandoq; hectica febris.10°.meth.me. 7ª.64.F
in Pectoris affectibus à quibus cibis præcipit abſtinendum eſſe Hippocrates.in 6^{m}.de mor.vul.com.4°. 3ª.180.C
Pectus vbi affectum quæ vena ſecanda.13°.meth.med. 7ª.83.B
Pectoris ſuperiores partes vbi laborant humerales venæ ſecandæ ſunt. de curan.rat.per ſang.miſſ. 6ª.20.D
ad Pectus, & pulmonem ſanguinis declinantis exemplum.in 6^{m}. de morbis vulg.com.3°. 3ª.179.A
Pectus quibus æſtate, & quibus hyeme vngendū.5°.meth.me. 7ª.32.H
ad Pectus quo modo tendant medicamenta.4°.meth.me. 7ª.29.A
in Pectus quæ tendere debent medicamenta quomodo ſub lingua cōtinenda.de vſu ther.ad Pamp. 5ª.98.G
Pectus eſt in medio eorum membrorum quæ indigent adſtrictione, & eorum quæ minime.11°.meth.med. 7ª.73.B
Pectus non indiget adſtrictione.11°.meth.med. 7ª.73.B
in Pectore quæ ſunt quid expectant.5°.de ſimp.med.fac. 5ª.38.B
in Pectore tumor,aut rubor ſuperueniens ab angina habito bonum.cōmen.7°.aphoriſ.49°. Ex.58.A
ſi Pectus habet magnum tumorem,periculoſum eſt pus totum vna vice exire com.6°.aph.27°. Ex.48.G
Pectore perforato aer exufflat.an ſang.in art.contineatur. 1ª.60.E
ex Pectore quidam mulſam expuit.5°.meth.med. 7ª.32.G
in Pectoris vulneribus ſæpius exit pulmonis fibra.de cau.mor. 3ª.9.E
ex Pectore perforato quibus medicamentis Galenus vtitur.5°.methodi medendi. 7ª.33.C
in Pectore vulnerati hiſtoria.7°.de anat.admi. 1ª.97.F
Pectoris vlcera curantur per ea,quæ comeduntur, & bibuntur.5°. methodi medendi. 7ª.34.D
ad Pectoris cauſas facit Diapraſiu.de dyn. Sp.26.F
ad Pectoris affectiones valens antidotus.2°.de antid. 5ª.111.F
ad Pectoris paſſiones decoctio.de med.exper. Sp.107.C
Pectoris vitia.de med.fac.par. 7ª.175.A
ad Pectus.de med.fac.par. 7ª.173.B
ad Pectus deligandum vinculum.de faſcijs. 7ª.301.E
ad Pectus, & alam Soſtrati vinculum rectum.de faſcijs. 7ª.301.F
ad Pectus, & alam vinculum in ſpeciem literæ.x.de faſcijs. 7ª.301.G
ad Pectus mediū vinciendum vinculum.de faſcijs. 7ª.301.G
de PECVNIIS opinio quod bonæ ſunt, quādo ſit ægrotatio. 4°.de decretis Hippocratis. 1ª.251.C
Pecuniam inſatiabiliter cupientes ad annum quadrageſimum ſunt inſanabiles.de cog.cur.animi mor. 2ª.55.F
Pecunia quærebatur tempore Galeni.1°.meth.med. 7ª.2.C
ob Pecuniæ amiſſionem Galenus non afficiebatur . de cognoſcendis curandiſq; animi mor. 2ª.54.F
ob Pecuniam amiſſam animi commotio.de cog.cur.ani.mor. 2ª.50.E
PECVDES pro omnibus animalibus.de arti.com.1°. 7ª.256.F
Pecudes depaſcuntur herbam breuem.de arti.com.1°. 7ª.256.F
Pecudibus caſtratis prodeſt cinis impoſitus.de ſimp.me. Sp.86.A
Pecudibus prodeſt lixiuiū lauri.de ſimp.me. Sp.85.H
Pecudis caro humidior, & frigidior.de conſt.ar. Iſa.38.G
Pecudū caput, & caro cibus humidus, & viſcoſus.de diſ.cōt.Sp.73.A
Pecudis caro eſt de cibarijs medijs.de diſſ.cont. Sp.74.C
Pecudum caro tarde digeritur.de diſſ.cont. Sp.73.D
Pecudum multorum annorum caro mala eſt.de diſſ.cont. Sp.74.A
Pecudis caro facit pituitam.de diſſ.cont. Sp.74.A
per PEDESTRE bipes hominem definit.2°.meth.med. 7ª.15.E
Pedeſtre bipes animal quæ diffinitio ſit.1°.de diff.pulſ. 4ª.48.A
Pedeſtria omnia animalia ſanguinea homini ſimilia habent quatuor pedes.3°.de vſu partium. 1ª.128.C
ex Pedeſtrium & volatilium genere ventriculus maxime differt.de bon.& vitio ſuccorum. 2ª.37.B
in Pedeſtribus omnibus præter ſues,hœdos, ac vitulos abſtineat qui cupit boni ſucci generationem.de bon.& vitio ſuc. 2ª.37.C
in Pedeſtribus vnum cæcum inteſtinum.4°.de vſu partium. 1ª.141.E
PEDICVLI de cute corporis educuntur.de cathar. Sp.94.G
Pediculi q̄uo fiant, & eorum curatio.1°.de comp.me.ſe.lo. 5ª.128.F
Pediculorum ad cutim protuſorum cauſa in quibus ſit viperarum caro. 11°.de ſimp.me.fac. 5ª.78.D
Pediculos gignit caricarum vſus.2°.de ali.fac. 2ª.17.F
Pediculorum copiam gignunt caricæ.de bon.& vi.ſuc. 2ª.37.F
Pediculos interficit cedrea.5°.de ſimp.me.fac. 5ª.50.A
Pediculos occidit miricæ ſuccus.de ſimp.med. Sp.87.G
Pediculos occidit ſtaphyſagria ex oleo leuigata, & corpori illinita. de ſimp.med. Sp.90.C
ad Pediculos capitis.de rem.par.fac. 7ª.154.C
Pediculi in palpebra quid ſint.de ocul. 7ª.186.H
ad Pediculos oculorum.de med.fac.par. 7ª.163.C
Pediculi canini ſanguis ad pilos palpebris innatos oculum infeſtantes.de remed.par.fac. 7ª.156.G
πεδίον quid.introd. Iſa.53.F
πεδίον pars pedis ante digitos.3°.de vſu par. 1ª.129.C
πεδίον planum pedis.3°.de vſu par. 1ª.129.C
πεδίον ſimile metacarpio.3°.de vſu par. 1ª.129.F
Pedion quot oſſibus conſtat.introd. Iſa.55.A
PEDITORVM, ſiue crepituum, & flatuum inferiorum differentia ex ſonitu.3°.de ſymp.cauſ. 3ª.27.G
PEDVNCVLI exeunt ex eſu ſalium.de ther.ad Piſ. 5ª.97.E
PEGANON id eſt ruta.8°.de ſimp.me.fac. 5ª.58.D
Peganon agion,id eſt ruta ſylueſtris.7°.de ſimp.me.fac. 5ª.56.F

PEGVLAE meminit.de dynam. Sp.25.F
PELAGII piſces qui dicantur.3°.de ali.fac. 2ª.30.E
Pelagij piſces inter congeneres nullũ hñt diſcrimẽ.3°.de ali.fa. 2ª.30.H
Pelagij piſces cæteris præſtantiores.de bo.& vi.ſuc. 2ª.38.G
Pelagici piſces neq; craſſi,neq; tenues ſunt.de bo.& vi.ſuc. 2ª.34.H
Pelagij piſces ſunt innoxij.de bo.& vi.ſuc. 2ª.38.G
Pelagij piſces ſunt propinqui pani bene præparato, & perdici.3°.de alimentorum facul. 2ª.30.E
ex Pelagijs piſcibus ſanguis laudatiſſimus.3°.de ali.fac. 2ª.30.E
ex Pelagia terra emplaſtrum.6°.de comp.med.per ge. 5ª.261.C
Pelagia terra.6°.de comp.me.per ge. 5ª.261.C
Pelagij venti quales.1°.de ſem. 1ª.329.F
PELAMIDES vnde habentur.3°.de ali.fac. 2ª.31.G
Pelamides cur iure in pretio.3°.de ali.fac. 5ª.31.G
Pelamides ad mediocritatem tendunt.de bo.& vitio ſuc. 2ª.35.E
Pelamides ad ſaliendum appoſiti.3°.de ali.fac. 2ª.33.C
Pelamides ſalſæ laudatiſſimis ſalſamẽtis nõ cedũt.3°.de ali.fac. 2ª.31.G
PELARGITIS herba.9°.de comp.med.ſec.loc. 5ª.198.G
PELECINVS quid.de ſimp.med. Sp.89.B
Pelecinus reperitur in tritico.de ſimp.me.fac. 5ª.26.E
Pelecinus acrimonia viſcide ſtringit.de ſimp.med. Sp.89.B
Pelecinus amarus.4°.de ſimp.med.fac. 5ª.26.E
Pelecinus amarus,& ſubacerbus eſt.6°.de ſimp.me.fac. 5ª.48.B
Pelecinus gratus eſt ſtomacho, & viſcerum obſtructiones expurgat. 6°.de ſimp.med.fac. 5ª.48.B
Pelecinus in antidota mittitur,mẽſtrua prouocat.de ſim.med. Sp.89.B
PELICON continuum dicitur apud græcos.de diff.mor. 3ª.5.A
PELIDNON quid.14°.meth.med. 7ª.89.D
per PELLICVLAS, neruos, & venas colligantiã habent cum corde omnes partes corporis.de vtil.reſp. Sp.62.G
Pelliculæ quæ vocantur muſculi.de anat.par. Sp.43.D
ad Pelliculam omnem coniũgitur aliqua vena,quæ diuiditur in multas paruas.de vtil.reſp. Sp.63.C
Pelliculis continentur omnia inſtrumenta ſenſuũ.de vtil.reſp. Sp.63.D
in Pelliculis ipſis fiunt ſenſus de vtil.reſp. Sp.63.D
in Pelliculis oculi fit viſus,non in cryſtallino.de vtil.reſp. Sp.63.C
in Pelliculis fit guſtus.de vtil.reſp. Sp.63.D
in Pelliculis carni cõmiſtis fit tactus,nõ in carne.de vtil.reſp. Sp.63.D
Pelliculis valde ſubtilibus,quæ à craſſis venis procedũt,& ab eis deportant ſubtilem ſanguinem ad nutrimentũ carnis,reticulatam eſſe carnem manifeſtum eſt.de vtil.reſp. Sp.63.D
Pellicula eſt intra aurẽ plena aere,in qua fit auditus.de vti.reſ.Sp.63.D
Pelliculæ plenæ ſpongioſa carne ſunt intra nares, in quibus fit olfactus. de vtilitate reſpirationis. Sp.63.D
Pellicula quæ eſt ſub cranio dicitur dura mater.de ana.par. Sp.43.D
Pelliculæ cooperiẽtis cerebrũ duplex eſt iuuamẽtũ.de ana.vi. Sp.53.D
Pelliculæ ſubiectæ vuluæ dicuntur Galſamach.de anat.viuo. Sp.49.E
Pellicula quæ valet ad vomitum.de mot.man.& obſ. Sp.70.H
Pellicula ſuccingens peritonæo ſimilis.7°.de anat.adm. 1ª.94.B
Pellicula ſuccingens quid ſit.7°.de ana.admi. 1ª.94.C
Pellicula aliqua circa præcordia quibus inflammata eſt,his paruus, & denſus fit ſpiritus.2°.de diff.reſp. 3ª.65.H
Pelliculas multas cur habeat collum matricis.de anat.vi. Sp.51.D
Pelliculis tribus inuoluitur fœtus in vtero.de ana.viuo. Sp.52.C
Pellicula prima verſus fœtum tenuiſſima eſt, & dicitur camiſia pueri, vel profundatio ſudoris.de anat.viu. Sp.52.C
Pellicula vt in ouis quæ in fœtu.de ana.viu. Sp.52.C
in Pelliculis fœtus cur aqua colligatur.de ana.viuo. Sp.52.C
ad Pellicularum oculorum eminentias.4°.de cõp.med.ſe.lo. 5ª.154.A
ad Pellicularum eminentias.4°.de comp.med.ſec.loc. 5ª.155.H
ad Pelliculas oculorũ cõfeſtim auferẽdas.4°.de cõ.me.ſe.lo. 5ª.152.H
ad Pelliculas educẽdas.7°.de comp.med.ſec.loc. 5ª.185.G
ad Pelliculas diſparandas.6°.de comp.me.ſe.loc. 5ª.175.D
Pelliculæ in vẽtre gallinarũ ꝓ vrina ꝓuocãda.de med.fa.par. 7ª.168.D
Pellicula pro vaſe.5°.de comp.med.ſec.loc. 5ª.162.C
PELLIS vena,neruus ſunt receptacula ſanguinis, & ſpiritus.de anatomia viuorum. Sp.46.F
Pellis ambiens caput vnde habeat ſenſum.4°.de lo.aff. 4ª.25.D
Pellem plenam fiſtulis facit trachea arteria,quæ aerem, & nõ ſanguinẽ recipiunt.de vtil.reſp. Sp.64.C
Pelles duas plenãs venis,& arterijs faciunt circa pulmonem vena, & arteria,quæ veniunt à corde.de vtil.reſp. Sp.64.C
Pelle duplici tegitur medulla ſpinalis,vt cerebrũ.de vti.reſp. Sp.62.G
Pellis duplex ſpinalis medullæ,et cerebri qñ inflent.de vti.re. Sp.63.D
Pellis in qua ſunt meſaraicæ appellatur meſenterium,ſiue meſareum.de vtilitate reſpirationis. Sp.64.D
Pellibus duris ſimiliter riget corpus ſenum.5°.de ſa.tu. 2ª.92.G
Pellem ſiccam ſe habere cur quiſpiã putaret.de mel.ex G.R. Sp.109.D
Pellis ouina recens detracta verberatos ſanat.11°.de ſim.me.fa. 5ª.80.E
Pelles optime maceratæ plurimũ diſtenduntur.de art.com.2°.7ª.263.G
Pellis pro ſeruando medicamento. 6°. de compoſitione medicamentorũ per genera.256.H| 5ª.262.G
Pellis alba in qua ponitur medicamentum vt exeat.9°.de compo.medicamen.ſecun.locos. 5ª.199.A|D
Pellis ſuperior ſpiſſior omni parte ſubiecta.2°.de loc.aff. 4ª.11.H
Pelles,& coria aqua madefactæ fiunt laxæ quando oleo, & ſeuo delibũtur.in 6^{m}.de mor.vulg.com.3°. 3ª.177.A
PELOPS interpres Hippocratis.de ord.lib.ſuorum. Iſa.15.C
Pelops nouus ſcriptor anatomiæ.de na.hu.com.2°. 7ª.183.F
Pelopis,& Lyci,& Aeliani muſculorum diſſectio in pretio iure habita eſt.de muſcul.diſſ. 1ª.44.B
Pelops linguã diſſecuit bubulã,ſed Galenus ſimiæ.de muſc.diſſ. 1ª.46.G
ſm Pelopẽ q nerui in muſculos oculorũ diſpergant.6°.de dec. 1ª.262.F
ſm Pelopem dorſi medulla à cerebro oritur,à qua nerui. 6°. de decretis Hippocratis. 1ª.262.F
Pelops vaſorũ omniũ initiũ cerebrũ eſſe volebat.6°.de decre. 1ª.262.D
Pelops ꝑceptor Galeni.de ord.lib.ſuo.Iſa.15.C|de muſc.diſſ. 46.E|1°.de ana.adm.1ª.63.B|in 1^{m}.ꝓrr.c.1°.4ª.163.F|11°.de ſimp.med.fa. 5ª.82. A|de art.c.3°.7ª.272.F|com.6°.aph.18°. Ex.48.A
Pelopem audiuit Galenus adoleſcentulus.6°.de decr.Hippo. 1ª.262.D
Pelopis præceptoris error.6°.de decr.Hipp. 1ª.263.H
ſm Pelopem docendi ratio differt à re ipſa.6°.de decr.Hip. 1ª.263.H
PELTALIS chartilago quæ ſit.de ana.viu. Sp.53.D
PELVIS vbi ſit.9°.de vſu par. 1ª.173.F
PELVSIOTA vt Lampon.8°.de comp.me.ſec.loc. 5ª.188.F
Peluſiotæ Protæ medicamentum.10°.de comp.med.ſe.loc. 5ª.207.D
πέμματα ἄρυμα 1°.de ali.fac. 2ª.10.E
πέμπελον eſt vocabulum ſenis Acherontij.5°.de ſan.tuen. 2ª.94.H
πέμπελον vnde dicatur.5°.de ſan.tuen. 2ª.94.H
PEMPHIGODES febris quæ.fin.med. Iſa.46.C
Pemphinx quot ſignificet.in 6^{m}.de mor.vul.com.1°. 3ª.159.A
PENETRANS in altum medicamentum quale.3°.de compoſitione medicamen.per genera. 5ª.228.D
Penetrat totam ſubſtantiam natura incorporea.de ſper. Sp.40.F
Penetrat magis acris ſuccus quàm acidus.4°.de ſimp.me.fac. 5ª.27.E
Penetret cur acetoſum.de ocul. 7ª.188.B
Penetrare facit acetũ miſtũ aqua tanquam ala.1°.de ſim.me.fac.5ª.7.D
cur Penetret acetum.3°.de comp.med.per ge. 5ª.228.D
Penetrare facit acetũ caliditas à putrido calore.4°.de ſim.m.f. 5ª.27.E
cur Penetrare nõ põt aqua frigida.de vic.rat.in mor.a.c.4°. 7ª.135.A
PENICILLVM ex intorto panno lineo.de reme.par.fac. 7ª.155.G
PENICVLVS ex purpura tyria, vel marina cuius vſus.8°. methodi medendi. 7ª.53.C
PENIDIARVM marmaridarum confectio.de dyna. Sp.26.H
Penidiæ dant cõtra ĩfirmitates pectoris,et aſthma.de med.ex.Sp.106.F
PENIS ſiccior carne.5°.meth.med. 7ª.36.D
Penis habet in ſe fiſtulã vrinariam.com.4°.aph.82°. Ex.37.A
ex Pene quomodo res in veſicam inijciantur.4°.meth.med. 7ª.29.B
in Pene,oculis,& mammis venæ quales.de tumore præt.na. 3ª.83.D
Penis muſculi vnde.1°.de mo.muſ. 1ª.309.G
Penis muſculi mouentur ſine oſſe.1°.de mot.muſc. 1ª.309.F
Penis muſculi non mouent.1°.de mo.muſ. 1ª.309.G
Penis vietus.de hiſt.philoſ. Sp.10.H
ad Penem roborandum.de me.fac.par. 7ª.176.G
Penis ne cui erigi poſſit.de me.fac.par. 7ª.169.D
Penis magnus cuidã effectus ẽ ob abſtinẽtiã à coitu.6°.de lo.a. 4ª.42.G
ad Penis dolorem,& inflammationem.de rem.par.fac. 7ª.179.B
Penis vlcera nullum cataplaſma deſiderãt.5°.meth.me. 7ª.36.D
Pens integer quandoq; aufertur.de diff.morb. 3ª.4.G
PENNARVM pullorum ſuccus expreſſus ſupra oculos iuuat.10°. de ſimp.med.fac. 5ª.72.H
Pena appoſita naribus ꝓuocat ſternutamentũ.cõ.7°.apho.51°. Ex.58.C
Penna illinitiones facit.6°.de comp.me.ſe.loc.176.C|10°. 5ª.209.B
PENSILIS vua quid agat.2°.de ali.fac. 2ª.18.A

PENTAPHYLLVM

PENTAPHYLLVM *non adulteratur.1°.de antid.* 5ª.107.B
Pentaphyllum ſiccum eſt in tertio ordine, calidum in primo.8°.de ſimp. medicamen.facul. 5ª.58.A
Pentaphyllum quod dicitur eupatorium.5°.de compoſitione medicamentorum ſecundum locos. 5ª.163.B
PENTOROBON *aliqui appellant pæoniam.6°. de ſimplicium medicamen.facul.* 5ª.45.G
PENVRIAE *ſenſus eſt appetentia.1°.de ſymp.cauſ.* 3ª.18.A
à Penuria diſſolutę facultatis pulſus qui.de pulſ.ad Tyro. 4ª.44.G
in Penuria quæ obſeruauit Galenus.de bo.& vitio ſuc. 2ª.34.B
in Penuria piſtores publici lolium tritico miſcent.1°.de ali.fac. 2ª.15.H
in Penuria panes panicei,& milij.1°.de ali.fa. 2ª.13.C
PEPLIVM, *& elleborus qualia ſint.de vic.ratione in morbis acu. commentario 2°.* 7ª.118.B
Peplij ſemen purgat.8°.de ſimp.me.fac. 5ª.58.A
Peplio quæ miſcenda,& quæ doſis.de dyna. Sp.21.A
Pepliū educit bilem, atram bilem, pituitā,& flatus.de dyna. Sp.21.A
Pepliū pro potiore in hydrope.de vic.ra.in mor.acu.cō.4°. 7ª.152.G
Pepliū dat Hippocrates in pleuritide.de vic.ra.in mor.a.c.2°. 7ª.117.H
PEPLOS *lac emittit tamen non eſt Tithymallus.8°. de ſimplicium medicamen.facul.* 5ª.58.A
Peplos purgat vt Tithymallus.8°.dc ſimp.med.fac. 5ª.58.A
PEPIRA *.i.matura dn̄r pira,& cucurbitæ.2°.de alim.fac.* 2ª.17.A
πέπων *noīari nō pōt racemus cū exacta ē maturus.2°.de a.f.* 2ª.17.A
Pepones dicuntur olera hortenſia.2°.de ali.fac. 2ª.16.D
Pepones quando idonei.de bo.& vi.ſuc. 2ª.39.B
Pepones non poſſunt conſeruari.de bo.& vi.ſuc. 2ª.36.H
Pepon qualis 8°.de ſimp.med.fac. 5ª.60.E
Pepones frigidi ſunt & valde humidi.2°.de ali.fac. 2ª.16.H
Pepones ſunt magis humidi cucumeribus.2°.de ali.fac. 2ª.17.B
Pepones abſtergunt.2°.de ali.fac. 2ª.16.H
Pepones abſtergere cutem patet.2°.de ali.fac. 2ª.16.H
Peponis ſemen magis detergit quàm caro.2°.de ali.fac. 2ª.16.H
in Peponibus non editur caro propter ſemina.2°.de ali.fac. 2ª.17.B
Peponis caro ad quid vtilis.de rem.par.fac. 7ª.156.E
Peponis caro in oculorum doloribus.4°.de comp.me.ſec.loc. 5ª.157.F
Peponis ſuccus nunquam craſſus & terreus fit.2°.de ali.fac. 2ª.17.C
Pepones mouent vrinam.1°.de ali.fac.8.C/2°. 2ª.16.H
Pepones expeditius cucurbita deorſum permeāt.2°.de ali.fac. 2ª.16.H
Pepones ſubducunt ventrem, tamē etiam abſtergūt vnde ſunt media.1°. de alim.facul. 2ª.8.C
Pepones teneri carent ferè nutrimento.de ven.ſect.adu.Eraſ. 6ª.14.C
Pepones parum nutriunt.2°.de ali.fac. 2ª.19.A
Peponis vſus eſt qn̄ vētriculus ſqualore æſtuat.2°.de ali.fac. 2ª.18.H
Pepones ledunt ventriculum.2°.de ali.fac. 2ª.19.A
Pepon inducit vomitum.2°.de alim.fac.16.H/ 2ª.19.A
Pepones non ſunt boni ſucci.de bo.& vitio ſuc. 2ª.37.F
Pepones facile corrumpuntur in ventriculo.2°.de ali.fac. 2ª.17.B
Pepon quando generat ſuccum vitioſum.2°.de ali.fac. 2ª.16.H
Pepones niſi digerantur vertuntur in ſuccum letalibus venenis ſimilem. de boni.& vitio ſuccorum. 2ª.37.F
Peponis vſus choleram generat.2°.de ali.fac. 2ª.16.H
Pepones cucumerini conueniunt epilepticis.de puero epi. 7ª.180.C
PEPTICA *medicamenta quæ ſint.5°.de ſimp.medicamen.facul.* 5ª.38.D/*de dynamidijs.* Sp.18.G
Peptica id eſt concoquentia ſunt medicamenta parum calefacientia, & adſtringentia 7°.de ſimp.me.fac. 5ª.53.D
PERACVTVS *morbus qui.2°.de dieb.decre.* 4ª.155.F
Peracutus morbus exacte qui.2°.de dieb.decre. 4ª.155.F
Peracutus morbus non exacte qui.2°.de dieb.decre. 4ª.155.F
Peracutorū prīa differētia ē veluti vna acceſſio.3°.de die.dec. 4ª.159.B
Peracuti morbi habent ſtatim primam acceſſionem vehementiſſimā.cōmentario 4°.apho.36°. Ex.32.A
Peracuti morbi ex ſudore plurimo tertia & quinta die iudicantur, non autem quarta[vt videatur quaſi ponere quartam non eſſe indicatoriam]com.4°.aph.36°. Ex.31.H
PERCA *piſcis ſaxatilis.3°.de ali.fac.* 2ª.30.G
Percæ in tertio loco ſuauitatis ſunt inter piſces ſaxatiles. 3°. de alimentorum facultatibus. 2ª.30.H
Perca eſt mollis carne.3°.de ali.fac. 2ª.31.A
Perca cæteris facilius conficitur.3°.de ali.fac. 2ª.31.A
PERCVTIENTIA *omnibus ſunt nota.1°.de ſa.tuen.* 2ª.63.B
Percutiens pulſus à cholera rubra fit de dyna. Sp.19.F
PERCVTERE *vt poſſit aerem lingua à natura conſtituta eſt. de voc. inſtr.diff.* 1ª.106.D
PERCVSSIO *vitanda in capitis dolore ob ardorem. 2°. de compoſit. medic.ſecundum locos.* 5ª.132.C
ex Percuſſione ſtupidus ſopor.2°.de loc.aff. 4ª.13.G
in Percuſſionibus gladij quid fieri debeat.de vir.cent. Sp.93.G
PERCVSSVS, *& ictus idem.4°.de diff.pulſ.* 4ª.67.B
Percuſſus aer eſt vox.de voc.inſtr.diff. 1ª.106.D
ad Percuſſos venenatos.5°.de comp.med.per ge. 5ª.250.F
PERDICIVM *docent,& parthenium, & ſideritium, & herocleam, & elxinem.6°.de ſimp.me.fac.* 5ª.47.C
PERDISCERE *quid ſit.com.6°.aph.5°.* Ex.46.G
PERDITOS *cur occidimus.quod animi mores.* 1ª.321.C
PERDICES *volunt vincere.5°.de decr.Hippo.* 1ª.256.G
Perdix non eſt edenda recens mactata.de atten.vic. 2ª.45.F
Perdicum caro qualis.de atten.vic. 2ª.45.G
Perdices neq; craſſæ neq; tenues ſunt.de bo.& vitio ſuc. 2ª.34.H
Perdicis caro coctu facilis.3°.de ali.fac. 2ª.29.C
Perdices iuuenes ſunt boni ſucci.de rem.par.fac. 7ª.159.C
Perdices ſunt volucres laudabiles.de ren.aff.dign.& me. 7ª.195.E
ex Perdice fit ſanguis laudatiſſimus.3°.de ali.fac. 2ª.30.E
Perdices montanæ edendæ in victu attenuante.de atten.vic. 2ª.45.C
Perdices conueniunt ſtomachicis.8°.de comp.med.ſec.loc. 5ª.192.C
Perdices conueniunt ſiccis.6°.de ſa.tuen. 2ª.99.G
Perdices in ſiccitate dantur.7°.meth me. 7ª.45.D
Perdices vtiles in calidis,& ſiccis.8°.meth.med. 7ª.51.B
Perdicis oua adquid vtilia.de me.fac.par. 7ª.169.E
Perdicis fel ad oculos.10°.de ſimp.me.fac. 5ª.74.B/F
Perdicis ſylueſtris fel.4°.de com.me.ſec.loc. 5ª.153.A
Perdicum,& gallinarum fel probatius in re medica alijs.10°. de ſimpli. medicamen.facul. 5ª.74.H
PEREGRINATIONES *tentandæ ſunt in longa icteritia. de cura icteri.* Sp.111.E
in Peregrinatione in hyeme theriaca eſt optima.de the.ad Piſ. 5ª.96.H
Peregrinæ non nunquam ſe ſe gerunt hirudines niſi miteſcant.de cucurb ſcarific. 6ª.4.B
PEREVNT *confidentes in medicis,& non obſequentes. in 6m. de mor. vulg.commen.2°.* 3ª.168.G
quā Perire ſine ſpe, periculoſa potius agēda ſunt.10°.met.me. 7ª.66.E
PERFECTE, *& ſuauiter educit choleram in ſtomacho, ventre, & inteſtinis exiſtentem aloe.de dyna.* Sp.20.H
PERFECTIO, *virtus,& cuiuſq; rei bonū idē.ad Thraſ.* 2ª.103.G
Perfectio hominis quando ſit.de hiſt.philoſ. Sp.11.F
Perfectio arborum quando ſit.de hiſt.philo. Sp.11.F
Perfectio vnius vt ſe habet ad perfectionem alterius, ita ſe habet vnum perfectum ad aliud perfectum.de ana.viuo. Sp.46.B
PERFECTISSIMO *non poteſt eſſe deterius.de cōſt.ar.* Iſa.38.H
PERFECTVM *refertur ad artem.9°.de decr.Hipp.* 1ª.284.G
in Perfectis animalibus membra officialia quæ.de ana.viuo. Sp.45.G
Perfectus ſanguis fit in corde.de ana.viuo. Sp.46.B
Perfectū vocabāt quoddā exercitiū Theō,& Tryphū.ad Th. 2ª.109.E
PERFICITVR *in corporibus operatio animæ.de ana.viu.* Sp.55.B
PERFIDOS *facit cholera nigra.de dyn.* Sp.19.F
PERFLATVS *ſenſum latens quid.1°.de ſa.tuen.* 2ª.67.H
Perflatus ſenſum latens perſpiratio,& tranſpiratio idem eſt.1°. de ſanitate tuenda. 2ª.67.H
ad PERFORANDVM. *10°.de comp.me.ſec.locos.207.G/6°.de com. med.per genera.* 5ª.256.H
PERFORATIO *quid ſit.7°.de ana.admi.* 1ª.97.H
PERFORATORES, *calculi detractores, herniæ diſſectores communi nomine medici vocantur.ad Thraſ.* 2ª.105.B
PERFORATORIAM *artem vocant paracentetic̄e.ad Th.* 2ª.105.B
PERFORATVM *eſt cerebrum.de ana.viu.* Sp.56.F
Perforatum non eſt cor.de anat.viu. Sp.56.F
cur Perforata eſt cutis vt cribellum.de ana.viuo. Sp.45.B
Perforata quando videntur omnia.de ocul. 7ª.186.D
PERFORARE *in hydrope magis quam vrere eſt in vſu apud medicos.com.6°.apho.27°.* Ex.48.G
Perforantur quæ facile.6°.de ſimp.med.fac. 5ª.47.H
ad PERFRICTIONEM *in itinere per hyemem. 7°. de compoſitione med.per genera.* 5ª.274.A

ad Perfrictiones moleſtas. 7°.de comp. med.per gen.271.A/ 5ª.273.C
ad Perfrictiones.7°.de comp.med.per gen. 5ª.272.G
Perfectus prodeſt emplaſtrũ Azanitæ.5°.de cõp.med.per ge. 5ª.247.D
PERFRIGERATIONEM facit dolor vnius partis. 2°.de ſymptoma. cauſ. 3ª.23.F
ad PERFRIGERATOS 7°.de comp.med.ſec.lo.181.D/10°. 5ª.208.G
in PERGA fit irinum vnguentum.2°.de comp.med.ſec.loc. 5ª.135.F
PERGAMO vicina eſt Myſia.5°.de ſan.tuen. 2ª.90.H
Pergamus patria Galeni probe temperata eſt.2°.de ſan.tuen. 2ª.23.C
in Pergamo,& Romæ eſt niuis vbertas.2°.de comp.med.ſec. 5ª.132.F
Pergami caſeus præſtantiſſimus. 3°.de alim.fac. 2ª.29.A
Pergami hyperberetæus mẽſis dr̃ q Romæ ſeptẽb.4°.de ſa.tu. 2ª.86.G
PERICALAMITIS quid ſit,& vnde dicat.1°.de cõ.me.ſe.lo.5ª.125.C
PERICARDIVM quid. de nat. & ord. cuiusl.corp. Sp.42.A
Pericardum quibus conſtet,& eius vtilitas.de comp.memb. Sp.58.G
PERICAGA. 12°.meth.med. 7ª.77.D
περίχεοι excretiones quæ ſint.in 1m.prorrh.com.2°. 2ª.172.A
PERICLES habuit magnũ caput.in 6m.de morb.vulg.com.1° 3ª.154.C
Pericles olympius nõdum natus ob inſomnium terrebant gręcos. an animal ſit. 1ª.328.F
Periclis caſus.in 3m.de morb.vulg.commen.3°. 3ª.149.H
PERICLITARI, vel agendum aliquid.conſilium Thucididis. 10°.methodi medendi. 7ª.66.D
Periclitant in morbis robuſti q diu ſani vixere.1°.de p̃ſa.ex p. 4ª.110.E
PERICLYMENOS, id eſt volucrum maius.8°.de ſim.me.fac. 5ª.58.B
PERICOCHLIADES, id eſt circumtortuoſa tunica teſticulorum.de natu.& ord.cuiuslibet cor. Sp.42.E
περικόχλιον quid.de machin.309.E/ 7ª.310.C
PERICRANIVM quid.fin.med.43.H/introd. Iſa.53.H
Pericranij generationis cauſa futuræ capitis.11°.de vſu par. 1ª.191.C
Pericranio vocatæ tunicæ inuolucrum cerebri craſſum quædã membranulæ connectunt.in 6m.de morb.vulg.com.1°. 3ª.153.E
PERICVLOSISSIMA omnium hominum ſanat mirifice emplaſtrum barbarum. de dyn. Sp.35.F
Periculoſa potius agenda ſunt quam ſine ſpe pire.10°.met.me. 7ª.66.E
Periculoſa eſt in ſynocha vrina nigra,aut liuida.de dyn. Sp.34.E
Periculoſam ægritudinem crudam,diuturnam ſignificat vrina tenuis,et rutila. de vrin.ſign.ex Hippo. Sp.78.G
Periculo ſum exponit dictionem lethale.com.5°.aph.2°. Ex.37.E
Periculoſum,& non cõcoqui multũ differunt.cõ.2°.aph.34°. Ex.17.D
Periculoſum eſt corpora excalfacere in lunæ augumẽto.de dec. Sp.16.B
Periculoſum eſt refrigerare corpa iminuẽte luna.de decu.pgn. Sp. 16.B
PERICVLVM morbi in quo conſiſtat. com.4°.aph.43°. Ex.32.E
Periculi diſcrimine laborautibus ptiſſana non eſt dãda.de ptiſ. 2ª.47.H
PERIGENIS arteriaca 7°.de comp.med.ſec.loc. 5ª.179.G
Perigenis catapocium.7°.de comp.med.ſec.loc. 5ª.183.D
Perigenis galea gladiatoria.de faſcijs. 7ª.297.B
Perigenis Thais. de faſcijs. 7ª.295.D
PERIMITVR, ac corrumpitur quidquid à diſſimilibus.de inęqua. intempe. 3ª.44.C
PERINAEOS appellatur à quibuſdã laqueus eius nomẽ eſt ſimplex nodus.de laqueis. 7ª.307.F
περίναιον quid.de artic.com.4°. 7ª.289.E
Perinæum totum cur à collo veſicæ occupatur.15°.de vſu.par. 1ª.211.A
in Perinæo mulier habet pudendum.14°.de vſu par. 1ª.205.G
Perinęo,& lumbis adhibenda ſunt calida flatuoſa pro coitu, frigida pro contrario.6°.de loc.aff. 4ª.42.F
ad Perinæum,ac epigaſtrium ſi dolor incidat, ſi ſtranguria affligatur,ſi ſanguinem meiat, & grumos, ſignificat circa veſicam ægritudinem eſſe. de vrin.ſign.ex Hippo. Sp.78.H
PERIODVS quid.fin. med.46.D/ Iſa.50.B/ de typ.90.D/ ad eos qui de typ.ſcripſ. 3ª.91.G
Periodus quid apud ignaros.ad eos qui de typ.ſcrip. 3ª.93.G
Periodi complexio quomodo ſe habet.de mor.temp. 3ª.87.D
περίωσις quid. in tim.Plat. 1ª.289.G
PERIOSTEAE membranæ quæ.fin.med. Iſa.44.D
περιόστιον quid.10°. de vſu par. 1ª.178.C
περιόστιον membrana vnde oriatur.10°.de vſu.par. 1ª.177.H
PERIPATETICI diſtincti ſunt à Stoicis & Platonicis.de libris proprijs. Iſa.13.G
Peripateticus mundum vnum eſſe,& extra non vacuum,ſed totũ plenũ eſſe diſputabat. de cuiuſque ani.pecc.not.atque med. 2ª.59.H
Peripateticorum quoque ipſorum doctrinis animæ principatum in capite ponitur.2°.de decre. 1ª.235.F
Peripatetici iraſcendi vim in corde ponunt.2°.de decre.Hip. 1ª.235.F
Peripatetici cupiendi vim in iocinore ponunt.2°.de decre.Hip. 1ª.235.F
Peripateticus quidam contra Galenum de membranula à corde ad cerebrum.7°.de decre.Hippoc. 1ª.268.A
Peripatetici quidam putarunt ſemen viri ſolum ingredi vterum,vt menſtruo det principium motionis,poſtea excerni.1°.de ſem. 1ª.329.C
PERIPHERIA, id eſt circunferentia.10°.de vſu par. 1ª.182.C
PERIPNEVMATICI affectus quàm reſpirationem faciant.1°.de differentijs reſp. 3ª.59.D
Peripneumonicus pulſus raro dicrotus.4°.de cauſ.pulſ. 4ª.102.B
PERIPNEVMONIA vnde habuerit nomẽ.2°.meth.med. 7ª.9.D
Peripneumonia à parte patiente noĩatur.1°.de arte cu.ad Glau. 7ª.95.F
Peripneumonia nominatur,nõ febrilis morbus,ab antiquis pulmonis inflammatio.in 1m.de morb.vulg.com.3°. 3ª.118.H
Peripneumonia quid.fin.med.47.B/introductio.Iſa.55.G/2°.de arte curatiua ad Glauconem. 7ª.181.D
Peripneumonia eſt inflammatio.2°.de arte cur.ad Glau. 7ª.100.C
Peripneumonię ponunt inter morbos vere appentes.5°.de ſa.t. 2ª.94.D
Peripneumonia morbus acutus. fin. med.45.F, introdu.Iſa.55.E/de victus ratione in morb.acut.com.1°. 7ª.108.G
q̃. Peripneumonia lethalis eſt lethargia.4°.de cauſ.pulſ. 4ª.102.A
Peripneumonia & pleuritis cur non factę in conſtitutione frigida,& humida.in 1m.de morb.vul.com.2°. 3ª.108.H
Peripneumoniæ cauſa.introd. Iſa.55.G
Peripneumoniã vehementem patiens quid ſymptomatum paſſus ſit.4°. de locis affectis. 4ª.25.B
Peripneumonia quo modo cognoſcatur. de ſubfig.emp. Iſa.32.E
Peripneumoniæ notę.1°.de locis affectis. 4ª.6.C
Peripneumoniam ſignificat vrina alba pinguedinoſa. de dyn. Sp.35.E
Peripneumoniæ & pleuritidi communia. de ſubfig.emp. Iſa.32.E
in Peripneumonia inuenitur ſyndrome.5°.de ſan.tuen. 2ª.93.E
Peripneumoniæ, pleuritidis, & anginæ concurſus quo modo differant. 4°.de locis affect. 4ª.24.D
Peripneumonia,& pleuritis quo modo differant. de victus rat. in morbis acutis,commen.3°. 3ª.133.A
Peripneumonia afficitur pulmo.3°.de pręſag.ex pul. 4ª.116.C
Peripneumoniam faciens materia colligitur in capſula pulmonis. de anatomia parua. Sp.42.H
in Peripneumonia non ſentitur dolor,ſed grauitas ſola.đ vtil. Sp.63.G
in Peripneumõia nõ põt cõtigere dolor pulſatorius.2°.đ lo.af. 4ª.9.A
in Peripneumonia ſemper caput læditur.4°.de cauſ.pulſ. 4ª.100.H
ex Peripneumonia fiunt deliria.5°.de loc.affect. 4ª.31.F
in Peripneumõia cũ ad vigorẽ febris puenerit fit đliriũ.2°.đ lo.4ª.14.B
Peripneumonia facit tuſſim.2°.de ſympto.cauſ. 3ª.21.G
in Peripneumonia quæ ſpiratio.4°.de loc.aff. 4ª.26.H
Peripneumonia quẽ habeat pulſum.4°.de cauſ.pul.100.H/ 4ª.101.F
in Peripneumonia nulla pulſus durities apparet.5°.de loc.aff. 4ª.29.H
Peripneumoniæ reſpiratio quæ in 3m.de morbis vulgaribus, commẽ. 2°. 3ª.136.B/ 4°.de loc.affect. 4ª.25.A
in Peripneumonijs denſus,& magnus fit ſpũs.3°.de dif.reſp. 3ª.71.C
Peripneumõia nõ expurgata qualẽ hẽat reſpirationẽ. đ dif.reſ.3ª.60.H
Peripneumonia non repente ſtrangulat, ſed paulatim creſcens vſque ad conſiſtentiam.com.4°.aph.34°. Ex.31.C
à Peripneumonia qui ſuffocãtur pinnas narium mouent.in 3m. de mor. vulgaribus,com.2°. 3ª.136.A
in Peripneumonia ſputorum colores varij.2°.de loc.aff. 4ª.13.A
in Peripneumonia ſputum tenue ſignificat principiũ.de tot.m. 3ª.88.G
in Peripneumonia ſputa letalia quæ.de tot.morb.temp. 3ª.89.G
Peripneumoniæ,et pleuritides grauiſſimæ ſunt in quibus nihil expuitur. in 3m.de morb.vulg.commen.1°. 3ª.128.A
Peripneumonia ſicca quæ.de vict.rat.in morb.acut.com.1°. 7ª.112.F
in Peripneumonia vrina rubra prædicit futurã mortẽ.de dyn. Sp.35.D
Peripneumonia quomodo finiat.3°.de criſ. 4ª.139.E
in Peripneumoniam qñ angina mutabitur.de pulſ.ad tyro. 4ª.46.B
Peripneumonię curatio.introdu. Iſa.55.H
in Peripneumonia q̃ conſiderãda.de vic.ra.in mor.ac.cõ.4°. 7ª.143.H
Peripneumonias magis iuuat balneum quàm febres ardentes de victus ratione in morb.acut.com.3°. 3ª.132.H
in Peripneumonia ſanguis mittendus eſt.de ven.ſect.adu.Eraſ. 6ª.7.D
in Peripneumoniã qui prompte incidunt illis vere vena ſecanda.de curan.rat.per

ran.rat.per ſang.miſſi. 6ª.17.E
Peripneumonia affici conſuetis ſanguinem mittẽdum perſuaſit Galenus. de curan.rat.per ſang.miſ. 6ª.18.E
Peripneumonijs prodeſt chryſocome.8°.de ſimp.med.fac. 5ª.63.H
Peripneumonia qñ dandũ vinũ dulce.de uict.ra.ĩ mor.ac.c.3°.7ª.126.H
Peripneumoniæ eclegma.de vict.rat.in morb.acu.com.4°. 7ª.144.C
PERIPNEVMONICI, & pleuritici dicuntur qui habẽt hos morbos, & licet habeãt febrem,non dñr febrientes.cõ.4°.aph.73°. Ex.35.H
Peripneumonici omnes febrem habent acutã.4°.de cau.pul. 4ª.101.H
Perineumonica febris quæ.in 6^{m}.de morb.vul.com.2°. 3ª.159.D
Peripneumonicorũ pulſus qualis.đ pu.ad Ty.4ª.45..A/F/đ dy. Sp.35.A
Peripneumonicis cur pulſum duriorem habeant pleuritici. 4°. de præſag.ex pulſ. 4ª.120.B
Peripneumonicis cur anhelitus difficilis ineſt.7°.de cõ.me.ſ.l. 5ª.186.C
Peripneumonicorum vrina qualis.de dyn. Sp.35..A
Peripneumonici, & phrenitici ſi qui non ſint,an poſſint contingere ſputa ſubrubra in 3^{m}.de morb.vulg.com.1°. 3ª.127.G
Peripneumonicis vna ſaius eſt virium robur.10°.meth.me. 7ª.63.H
in Peripneumonicis,& pleuriticis affectibus expuitionibus ex pulmone confert butyrum.10°.de ſimp.me.fac. 5ª.74.D
Peripneumonicis ſubuenit diapenidion magnum.de dyn. Sp.26.D
ad Peripneumonicos.7°.de comp.me.ſec.lo.181.E/182.C/185.G/186..A/187..A/8°.193.C/.9°. 5ª.203.C
ex PERIPTOSI, id eſt incidentia, ſeu caſu Empirici plurima compoſitorũ medicaminũ inuenta eſſe putãt.3°.de cõp.med.p ge. 5ª.230.G
Periptoſis Empiricorum.1°.de comp.med.per gen. 5ª.210.H
ex Periptoſi fit ſpaſmus,& tractus oculi.de anat.ocul. Sp.57.G
Περίρρεψις quid ſignificet.de ijs,quæ in medic.fiunt.cõ.3°. 7ª.214.G
PERISCYTHISMVS quid.intro. Iſa.59.G
Periſcythiſmus ſpecies diuiſionis chirurgiæ.introdu. Iſa.59.E
Periſcythiſmus ſiſtit fluorem.introd. Iſa.59.G
Periſcythiſmo in quibus locis vtendum.introd. Iſa.59.F
κατὰ Περίσφαλσιν modus reficiendi articulos.đ art.cõ.1°. 7ª.252.H
PERISTEREON colũbina,& verbena dr̃.de ſimp.med. Sp.89.C
Periſtereon vnde dicta.8°.de ſimp.med.fac. 5ª.58.C
Periſtereon herba tota vulnera glutinat, alienationes ſtringit, ad omnia venena potui datur, tertianis, & quartanis apta eſt, eius ſuccus in collirijs mittitur.de ſimp.med. Sp.89.C
Periſtereon vulnera conglutinat.8°.de ſimp.med.fac. 5ª.58.C
PERITIAM ex experientia acquiſiuit Galenus.in 6^{m}.de morbis vulga.commen.3°. 3ª.171.C
Περίττωμα cur dictum quod ſuperfluit.1°.de ſan.tuen. 2ª.62.H
PERITONAEVM vnde dictum.6°. de anatom.adm.90.G/.4°. de vſu partium. 1ª.137.G
Peritonæi nomina.4°.de vſu partium. 1ª.137.G/H
Peritonæum quomodo hic interprætetur.1°.de diff.reſp. 3ª.59.H
Περιτόναιον quod. introd. Iſa.53.C
Peritonæum, id eſt membrana abdominis interior.c.6°.ap.58°. Ex.53.F
Peritonæum eſt membrana ſupra lumbos.5°.de anat.adm. 1ª.88.H
Peritonæi membrana vertex dicta.5°.de anat.adm. 1ª.88.E
Peritonæum tertia ventriculi tunica.6°.de ana.adm. 1ª.92.D
Peritonæum non habet fibras.6°.de anat.adm. 1ª.92.D
Peritonæum cur tunica dicatur.6°.de anat.adm. 1ª.91.B
Peritonæi ſectio.6°.de anat.adm. 1ª.90.G
Peritonæi ſectionis perfectio.6°.de ana.adm. 1ª.91.G
Peritonæum apparet diſſectis muſculis. 6°.de anat.adm. 1ª.90.G
Peritonæi figura.5°.de anat.adm. 1ª.87.E
Peritonæum qbus partibus circũtendat,& qũo.4°.de vſu pa. 1ª.138.A
Peritonæum cuius ſubſtantiæ ſit.4°.de vſu part. 1ª.137.F
Peritonæum cõpoſitum eſt ex duobus corporibus.6°.meth.me. 7ª.39.B
Peritonæi eſſentia eadem eſt cum eſſentia omẽti.6°.de ana.adm. 1ª.92.B
cum Peritonęo eandem naturam habet exterior veſicæ tunica.1°.de natural.facul. 1ª.293.D
in Peritonæo oritur exterior veſicæ tunica.1°.de nat.fac. 1ª.293.D
Peritonæum in duplo excedit interna veſicæ tunica.1°.de na.f. 5ª.293.D
Peritonæo ſimilis eſt pellicula ſuccingens.7°.de anat.adm. 1ª.94.C
Peritonæi,& ſuccingentis mẽbranæ differentia.7°.de anat.ad. 1ª.94.C
Peritonæi craſſities,& tenuitas in qbus partibus.6°.de ana.ad.1ª.91.F
ſub Peritonæo duplici venæ.6°.de anat.adm. 1ª.91.D
circa Peritonæum partes vnde nutriantur.de vena.art diſſ. 1ª.58.E
Peritonæo quantum arteriæ craſſiores.4° de dignoſc.pulſ. 4ª.85.G
circa Peritonæũ partes vnde neruos accipiant.16°.de vſu par. 1ª.216.F
Peritonæum vnde accipiat neruos.16°.de vſu par. 1ª.218.D
Peritonæi vſus.4°.de vſu partium. 1ª.137.F
Peritonęum quæ membra tegat.6°.de anat.adm. 1ª.91.B
Peritonęum tegit naturalia membra, vt membrana ſpiritualia. 7°. dę anatom.adminiſt. 1ª.94.D
Peritonæum mouetur ad motum reſpiratorium organorum. 1°. de differentijs reſp. 3ª.59.H
ad Peritonæũ inflãmatũ ſequit̃ ſpiratio difficilis.2°.de dif.reſp. 3ª.65.H
inter Peritonæum,& inteſtina fit hydrops.1°.de nat.fac. 1ª.293.D
in Peritonæo latẽtes abſceſſus ꝓhibet.6°.de com.me.per gen. 5ª.256.D
Peritonæo vulnerato omentum excidit.6°.meth.med. 7ª.39.H
intra Peritonæum vulnus quale.4°.meth.med. 7ª.28.B
Peritonæum eſſe diſciſſum indicant omentum, & inteſtina ſi per vulnus exeant.1°.de loc.aff. 4ª.2.F
Peritonęo vulnerato aer exufflu at.an ſang.in ar. 1ª.60.E
Peritonæo vulneratis,et nõ bñ curatis qd cõtingat.4°.de vſu p.1ª.137.G
in Peritonæo percuſſi caſus,qui vrinam reddere non poterat & quomodo cognoſcatur.1°.de locis affect. 4ª.3.C
intra Peritonæum vulnera cur curatu difficilia.5°.meth.med. 7ª.33.C
Peritonęi muſculis nõ ſunt admouẽda adſtringẽtia.11°.meth.m. 7ª.73.B
Peritonæi aliquid aufertur in hernioſis.14°.meth.med. 7ª.90.G
PERIVRIVM conceditur à Dijs Amantibus.4°.de decre. 1ª.252.F
PERITOMA, id eſt circũcinctorium tertia teſticulorum tunica.de natura,& ordine cuiusl.cor. Sp.42.B
ex PERMANENTIVM genere ſunt ſanitas, morbus, ſymptoma,& cauſæ.2°.meth.med. 7ª.10.B
Permanens eſt quædã diſpoſitio,quædã adhuc fiẽs.1°.de loc.af. 4ª.4..A
PERMEAT exquiſite acetũ,& infrigidat.1ª.de ſim.med.fac. 5ª.8.E
PERMVTATIO quid.in 1^{m}.prorrh.commen.1°. 4ª.167..A
Permutationes qualitatum exiguę in corporibus non facile deprehendi poſſunt.de dif.morb. 3ª.3.G
Permutatiões qualitatũ magnę in corpib⁹ mãifeſte patẽt.đ dif.m.3ª.3.G
Permutatio fit in morbis malignis in hora caliditatis,& frigiditatis. in 1^{m}.prorrhe.commen.2°. 4ª.170.B
Permutatio in phreniſi conuulſionem ſignificat,& quid ſit permutatio. in 1^{m}.prorrh.com.1°. 4ª.167..A
Permutatio ſitis quæ intelligenda in 1^{m}.prorrhe.commen.2°. 4ª.170.B
PERMVTARI in morbis crebro eſt malũ.in 1^{m}.ꝑrr.c.1°. 4ª.164.H
PERNIONES rapa ſanantur.de opt.ſect. Iſa.23.H
ad Perniones viri ſemen quod in mulieris congreſſu intus non remãſit. 10°.de ſimp.med.fac. 5ª.72.C
Perniones ſanat vnguium aſinorum cinis.11°.de ſimp.med.fac. 5ª.80.F
ad Perniones.1°.de comp.med. per gen.211. C/4°.241.D/5°.5ª.246. H/ de reme.par.fac. 7ª.178..A
ad Perniones vlceratos.1°.de comp.med.per gen. 5ª.211.E
PERNITIOSVM non omne prauum eſt.in 1^{m}.pror.com.2°. 4ª.171.D
Pernitioſam cruditatẽ ſignificat vrina admodũ tenuis.quæſ.in. Sp.113.B
Pernitioſi morbi.in 1^{m}.de morb.vulg.commen.1°. 3ª.101.G
in Pernitioſis febribus ardentibus conuulſioni contrariũ euenire ſolet. de palp.trem. 3ª.56.C
Pernitioſæ minus ſunt in lienoſis atræ vrinæ.quæſ.in Hippo. Sp.113.E
Pernitioſa vt plurimum eſt in acutis ægritudinibus vrina atra. quæſita in Hppocratis. Sp.113.E
PERNOCTATIONES quæ ſint. in 6^{m}. de morbis vulgaribus, commentario 4°. 3ª.185.C
Περόνη quid.introductio. Iſa.55.A
Περόνη, id eſt fibula os minus in tibia.3°.de vſu par. 1ª.131.A
Περόνη paruum os tibiæ,& eius vtilitas.3°.de vſu par. 1ª.131.A
PEROSIS quid.fin.med. Iſa.47.H
PERPERINA quod vinum ferat.de bon.& vit.ſuc. 2ª.38.C
Perperinæ vina prouenientia media inter thereum, & cilicium. de bonitate & vitio ſuccorum. 2ª.38.C
Perperinium vinum in Aſia quale.3°.de ſan.tuen. 2ª.91.B
Perperinum vinum nigrum. de bon.& vit.ſucc. 2ª.38.C
PERPETVITATEM, & robur dant teſtes.1°.de ſem. 1ª.334.B
PERPETVO apponitur interdũ. de vic.rat.in mor.ac.c.4°. 7ª.134.H
PERSARVM linguæ ſi ſit vocabulum,ab ipſis perſis res diſcẽda eſt. ad Traſybulum. 2ª.106.H
Per ſe debet diſtingui ab eo quod eſt ex accidenti.1°.de ſimplic. medica. facul.2.E/ 2°.11.H/ 5ª.12.F
PERSEA in ſola eſt Alexandria.2°.de comp.med.ſec.loc. 5ª.137.H
Perſeæ fructus in perſea lethalis.2°.de com.med.ſec.loc. 5ª.137.H

Perſea ad-

Perſea adſtringit.8°.de ſimp. me.fac. 5ª.58.B
Perſea ſanguinis eruptiõe affectis ptibus ĩponit.8°.de ſim.m.f. 5ª.58.B
PERSICA *lingua melior q̃ æthiopica.de ſophiſ.* Iſa.7.F
Perſicũ vinũ boni odoris,eſt boni chymi & ſubtilis.de diſ.cõt. Sp.73.H
Perſica planta,qualis.3°.de ſymp.cau. 3ª.26.E
Perſica arbor translata in Aegyptum non mutat formam, ſed acquirit bonum alimentum.2°.de ſemine. 1ª.336.F
Perſica amara in folijs.7°.de ſimp.me.fac. 5ª.56.A
Perſici folia trita,& ſuper vmbilicum impoſita lumbricos necant.7°. de ſimp.me.fac. 5ª.56.A
Perſica ſunt frigida.de diſſ.cont. Sp.74.D
Perſica ſunt humida.2°.de ali.fac. 2ª.17.D
Perſicum frigidum,& humidum.6°.de ſimp.me.fac. 5ª.56.A
Perſica humida ſunt,& aquoſa.1°.de ali.fac. 2ª.8.C
Perſica non poſſunt ſiccari.de bon.& vitio ſuc. 2ª.36.H
Perſica non poſſunt conſeruari.de bon.& vitio ſucc. 2ª.36.H
Perſicorũ caro praua eſt ac facile corrũpitur.2°.de ali.fac. 2ª.19.D
Perſica in ventriculo corrumpuntur.& aceſcunt.2°.de ali.fa. 2ª.19.E
Perſica non ſunt poſt alios cibos edenda,quia corrumpuntur in ſuperficie natantia.2°.de alim.fac. 2ª.19.E
Perſica non faciunt ad ſanitatem.de atten.vic. 2ª.45.H
Perſica refrigerata exhibentur.de bon.& vitio ſucc. 2ª.39.B
ex Perſicorum genere armeniaca.2°.de ali.fac. 2ª.19.E
Perſicis ſuauiora ſunt vulgo apparent armeniaca.2°.de ali.fa. 2ª.19.E
PERSICVM *piſcis qualis.de atten.vict.* 2ª.45.E
PERSIVM *eſt ex magnis arboribus.2°.de ali.fac.* 2ª.21.F
Perſium venenum eſt in Perſia.non in Aegypto.2°.de ali.fa. 2ª.21.F
Perſium in Alexandria vidit Galenus.2°.de ali.fac. 2ª.21.F
Perſia habent magnitudinem piri,& mali,& eodem modo manduntur 2°.de ali.fac. 2ª.21.F
Perſicorum oſſium nucleus.5°.de comp.me.ſec.lo. 5ª.163.F
Perſicorũ oſſium ſiue macherarũ nuclei.5°.de comp.me.ſec.lo. 5ª.163.F
de PERSPICVIS *contentio poteſt iudicari.de ſect.* Iſa.17.C
Perſpicuorum intellectui q̃uo iudicium habeatur.de opt.ſect. Iſa.19.H
q̃bus Perſpicuæ vrinæ albæ,improbæ,præcipuæ in phreniticis apparẽtes.de vrin.ſign.ex Hipp. Sp.78.G
PERSPIRABILE *quomodo ſit corpus.de vſu pulſ.* 1ª.228.H
PERSPIRATIO. *fin.med.Iſa.44.H/8°.de decr.Hippo.1ª.278.C/de ſal.diæta.40.B/1°.de ſan.tu.* 2ª.67.H
Perſpiratio,& difflatio idem ſunt,& ſemper ſunt in hominibus. in 6^{m}*. de mor.vul.com.4°.* 3ª.186.H
Perſpiratio,perflatus,ſenſum latens,& tranſpiratio idem.1°.de ſanitate tuenda. 2ª.67.H
Perſpirationes ignotas habere corpus neceſſe eſt.in tim.Pla. 1ª.287.B
Perſpiratio inſenſibilis fit quotidie.2°.de ſymp.cauſ. 3ª.22.G
Perſpiratio inuiſibilis quando fit viſibilis.3°.met.me. 7ª.17.H
de Perſpiratione egit Plato,non de reſpiratione.8°.de dec. 1ª.278.A
Perſpiratio,quando fit per totum corpus quomodo fiat per circumpulſionem.in tim.Plat. 1ª.289.G
Perſpiratione,& difflatione indigent humores ſeroſi de fracturis commentario.1°. 7ª.229.G
à Perſpiratione impedita indicationes duæ.11°.met.me. 7ª.70.D
propter PERSPIRATVM *oſſa in quibus facta ſint. 11°.de vſu partium.* 1ª.191.C
PERSTREPERE *quid ſignificet.in* 6^{m}*.de mo.vul.c.3°.* 3ª.175.G
PERSVASIO *quid ſit.9°.de dec.Hipp.* 1ª.279.E
Perſuaſio etiam in brutis.9°.de dec.Hipp. 1ª.272.E
Perſuaſio ſcientifica diſtincta eſt à demõſtratione.de vti.reſp. 1ª.225.A
PERSVLTATIO *.i.diapedeſis quid.5°.de comp.me.ſec.loc.* 5ª.158.F
PERTVRBATIO *quid ſit.4°.de dec.Hipp.1ª.249. B/G/ de cog. cur. animi mor.2ª.50.C/in prog.com.1°.* 4ª.195.H
Perturbatio.4°.de dec.Hipp. 1ª.252.C
Perturbatio,& peccatum quo modo differant.de cuiuſque animi pecc. not.atq; medel. 2ª.57.H
Perturbatio animi quid.5°.de dec.Hipp. 1ª.254.D
Perturbationes animi quæ.de cog.cur.animi morb. 2ª.50.H
Perturbationes qui incurrant.4°.de decr.Hipp. 1ª.251.D
Perturbationũ motus cauſa ſecundũ Stoicos.4°.de dec.Hipp. 1ª.250.G
in Perturbationibus animæ motus.2°.de ſymp.cau. 3ª.23.D
Perturbationem facit facultas irrationalis.4°.de decr.Hipp. 1ª.251.B
Perturbatio fit ob expertem rationis appetitum. de cogn. curan. animi morbis. 2ª.50.G
in Perturbationibus ſtultorũ animus qualis.5°.de dec.Hipp. 1ª.254.E
Perturbationem non habent ſapientes .5°. de decr.Hipp. 1ª.254.D
ad Perturbationum motus maximam vim habent tempus,& conſuetudo.4°.de dec.Hipp. 1ª.253.H
Perturbationis proprium quid.4°.de decr.Hipp. 1ª.250.E
Perturbatio animi pulſum mutat.in progn.com.1°. 4ª.192.B
Perturbationem cur aliqui difficulter euitent.5°.de decr. 5ª.257.C
Perturbationes temporis diuturnitate ſedantur.4°.de decr. 1ª.253.D
Perturbatio mentis vitanda in capitis dolore ob ardorem.2°. de comp. med.ſec.loc. 5ª.132.C
Perturbatio ex multis fit edulijs.de vict.rat.in mor.acu.c.1°. 7ª.111.G
Perturbatio eſt bona quando natura properat ad excretionem. de vict. rat.in mor.acu.com.2°. 7ª.123.E
Perturbatio eſt mala quando nõ nihil excernit.de victus ratione in morbis acut.com.2°. 7ª.123.E
q̃bus PERTVRBATAE *vrinæ veluti iumẽtorum ijs cephalalgiæ aut adſunt,aut aderunt.de vrin.ſign.Hipp.* Sp.78.G
q̃bus PERTVRBETVR *& moueatur vehementer corpus. de puero epilep.* 7ª.175.E
PERVERSIONES *partium cur,& quomodo fiant.commentario.4°. aphoriſmo.49°.* Ex.33.B
Peruerſio oculorum malum ſignum.in 1^{m}*.pror.com.2°.* 4ª.175.E
Peruerſio palpebræ vnde.in progn.com.1°. 4ª.193.C
Peruerſiones vteri vnde.6°.de loc.aff. 4ª.41.E
PERVSTIS *quæ vina non conueniant.de bon.& vitio ſuc.* 2ª.38.E
PES *cruris pars.de inæq.intemp.* 3ª.43.D
Pes à coxa ad vltimas pedum partes.3°.de ana.adm. 1ª.73.A
Pes pars parua,& abiecta in animali.3°.de vſu par. 1ª.133.E
Pes magna pars animalis.1°.de vſu par. 1ª.114.G
Pes non eſt deterius conſtructus cerebro,vel oculo.3°.de vſu p. 1ª.133.G
Pes ĩ crure talis,qualis in manu extrema manus.3°.de an.ad. 1ª.73.A
Pes inter ſecunda inſtrumenta ponitur.de diff.mor. 3ª.3.B
Pedes ſunt partes ad commode viuendum.fin.med. Iſa.45.E
Pes factus eſt propter actionem totius animalis.1°.de vſu par. 1ª.114.G
Pes eſt organum ambulandi.2°.de vſu par.124.A/12°. 1ª.194.A
Pes inſtrumentum firmationis.3°.de vſu par. 1ª.129.B
Pes omnis baſis eſt,& fundamentum.3°.de vſu par. 1ª.129.F
Pedes ſtabilitatis gratia ſunt facti.3°.de vſu par. 1ª.129.B
Pedum oſſa ſunt ad ſuſtentamentũ ſenſus,& motus.de ana.viu. Sp.55.C
Pes terræ fixus facit ne cadamus.3°.de vſu par. 1ª.129.B
Pedes quòd ſint vt non cadamus duo exempla.3°.de vſu par. 1ª.129.B
Pedes ſunt duo pp æqualẽ vtilitatem actionis.6°.de vſu par. 1ª.149.A
Pedes quatuor habent omnia animalia ſanguinea homini ſimilia. 3°.de vſu partium. 1ª.128.C
Pedibus quatuor aĩalia ambulare q̃uo eſt tutius.3°.de vſu par. 1ª.128.C
Pedibus animalia quæ vtuntur pro manibus.11°.de vſu par. 1ª.185.A
Pedibus anterioribus pro manu ad quid vtuntur carniuora animalia. 3°.de vſu par. 1ª.128.B
Pedes cur tot in Iulo & ſcolopendra.3°.de vſu par. 1ª.128.C
Pedis ſimiæ,& humani differentia.2°.de ana.adm. 1ª.72.A
Pes ſimiæ cur multum differt ab humano.3°.de vſu par. 1ª.130.H
Pedes rotũdos,et duros cur nõ habuit hõ,vt equus.3°.đ vſu p. 1ª.128.H
Pes equi ad leuitatem,& promptitudinem aptus.3°.de vſu p. 1ª.129.E
Pes hominum cur multifidus,& in medio cauus.3°.de vſu pa. 1ª.129.E
Pedes cur caui.3°.de vſu par. 1ª.129.D
Pedis cauitas propter tria.3°.de vſu par. 1ª.130.H
Pedis concauum quod.introd. Iſa.53.E
Pes humanus imitatur manum.3°.de vſu par. 1ª.129.E
Pedes luporum,leonum,& canum cur medij ſunt inter pedes hominũ, & equorum.3°.de vſu par. 1ª.129.E
Pes quodammodo apprehenſorius eſt.3°.de vſu par. 1ª.129.E
ad Pedẽ tibiã habere ſymmetriã q̃uo probatur.3°.de vſu par. 1ª.134.D
Pedum interna pars cur altiora.3°.de vſu par. 1ª.129.H
Pedum externa pars cur humiliora.3°.de vſu par. 1ª.129.H
Pedum internis partibus pilorum priuatio.17°.de vſu par. 1ª.222.B
Pedum inferna pars cur glabra.2°.de temp. 1ª.19.E
Pedis partem depilem tres muſculi conſtituunt.3°.de vſu par. 1ª.132.G
Pedis pars cruri ſubiecta non habet nomen,ſed cõponitur ex tribus oſſibus.3°.de vſu par. 1ª.129.G
Pedis oſſa quot.de oſſ. 1ª.43.F
Pedis digitorum oſſa ſunt quatuordecim.de fract.com.2°. 7ª.223.B
Pedis oſſa quæ.de oſſibus. 1ª.43.F

Pes quibus oſſibus non participet cum manu.3°.de vſu par. 1ª.129.G
ad Pedes mouendũ principaliſſimũ os aſtragalus.3°.de vſu p. 1ª.130.G
in Pede quomodo aſtragalus.3°.de vſu par. 1ª.130.B
Pedis planum πεδίον.3°.de vſu par. 1ª.129.C
Pedis planum an conueniat metacarpo manus.3°.de vſu par. 1ª.130.D
in Pede quid ſit Tharſus.1°.de comp.me.per ge. 5ª.216.D
Pedis pars ante planum ταρσὸς dicitur.3°.de vſu par. 1ª.129.C
Pedis prima pars tarſus.de oſſ. 1ª.43.G
in Pede ταρσὸς ſimilis carpo in manu.3°.de vſu par. 1ª.129.F
Pedis tarſus an conueniat carpo.3°.de vſu par. 1ª.130.D
Pedis pecten quod.intro. Iſa.53.E
Pedis pectus quid ſit.de arti.com.3°. 7ª.278.G
in Pede talum ponit.de fract.com.2°. 7ª.223.C
Pedis ſummum quid.de ar.com.3°. 7ª.281.H
Pedum ſectio.2°.de ana.adm. 1ª.71.F
Pedum cutis qualis.3°.de vſu par. 1ª.133.B
Pedis cutis eſt mollis,& dura moderate.3°.de vſu par. 1ª.133.H
Pedis cutis adheret exacte omnibus particulis.3°.de vſu par. 1ª.133.H
Pedum plantæ cutis eſt iuncta muſculis.11°.de vſu par. 1ª.190.C
Pedũ cutis inferna non poteſt excoriari,& cur.2°.de vſu par. 1ª.122.E
Pedum ſectio quomodo fieri debeat pro videndis venis, neruis, & arteriis.3°.de ana.adm.73.H| 1ª.74.A
Pedum,& crurum neruorum forma differt à forma neruorum brachiorum,& manuum.de ana.viu. Sp.54.D
ad Pedes cur non mittantur nerui à cerebro.16°.de vſu par. 1ª.215.E
Pes ſentit,ſed non vt manus.3°.de vſu par. 1ª.133.H
Pedes quomodo differant à ſenſibus.16°.de vſu par. 1ª.215.D
Pedes fiſſos in digitos animalia habentia cur habent collum breuius.11°. de vſu partium. 1ª.187.D
de Pedum digitis.3°.de vſu par. 1ª.130.C
in Pedibus cur digiti.3°.de vſu par. 1ª.129.H
in Pedibus cur digiti minores quàm in manu.3°.de vſu par. 1ª.129.H
Pedum digiti ſunt in minori vſu,quàm manuum.3°.de vſu par. 1ª.131.H
Pedum digiti quot habent oſſa.intr. Iſa.55.A
Pedum digiti ex quot oſſibus conſtant.de oſſ. 1ª.43.G
in Pede homines habent maiorẽ digitũ grandẽ.6°.de ana.adm. 1ª.89.E
Pedis magnus digitus cur maior pollice.3°.de vſu par. 1ª.130.C
Pedis magnus digitus cur ex duab⁹ cõſtet phalãgib⁹.3°.đ vſ.p. 1ª.130.C
Pedum digiti ſimiæ cur deducti.15°.de vſu par. 1ª.213.D
in Pedibus cur variæ dearticulationes.3°.de vſu par. 1ª.129.C
in Pedibus vngues eędem vt in manibus.3°.de vſu par. 1ª.133.A
de Pedum vnguium manuumq; generatione.3°.de ana.adm. 1ª.73.A
ad Pedes venæ quatuor deſcendunt.de ven.art.diſſ. 1ª.58.G
Pedis inferior regio qua vena alatur.3°.de anat.adm. 1ª.77.F
ĩ Pede ad mittẽdũ ſanguinẽ vena cõmodiſſima.de ven.art.diſ. 1ª.58.E
ex Pedis venis q̃ phlebotomãt vna ẽ iſchiadica dicta.đ ana.vi. Sp.55 H
Pedũ venæ in quibus affectibus ſint ſecãdæ.præſag.ex.conf. Sp.78.D
Pedum venarum ſectio confert ægritudinibus,quæ fiunt ex materiebus ad caput declinãtibus, et ægritudinibus matricis.đ ana.vi. Sp.55.A
in Pede ſectio venæ quãdo vterus ẽ male affectus.de trem.et p. 3ª.53.A
Pedum venarum ſectio quo modo fieri debet.de ana.viu. Sp.54.H
Pedis venæ ſectio magis debilitat q̃ venæ brachij.de ana.viu. Sp.54.H
Pedis arteria quo modo ramificetur, & eat.3°.de ana.adm. 1ª.73.C
in Pede pulſus vnde ſit.3°.de ana.adm. 1ª.79.D
Pedum ſm plãtas arteriæ illuſtrẽ habent motũ.de pul.ad tyr. 4ª.43.C
per Pedum tarſos arteriæ pulſant.de ven.art.diſſ. 1ª.59.D
Pedes,& manus mouẽtur,& non mouẽt.de mot.man.& obſ. Sp.66.G
Pedis motus præter digitos quatuor.3°.de vſu par. 1ª.132.D
Pedis motus quibus fiant.3°.de vſu par. 1ª.132.D
Pedum motus quo modo fiat.de mot.man.& obſ. Sp.66.D
Pedum actiones ſunt voluntariæ per intentionem primam.de mot.manife.& obſcuris. Sp.69.A
Pedum actiones manifeſtæ ſunt.1°.de vſu par. 1ª.114.G
Pedis motus actio muſculi.de conſt.art. Iſa.36.B
Pes ſcalas aſcendens quo modo ſe habeat.3°.de vſu par. 1ª.129.D
Pedes ſani non æque currunt.1°.de ſan.tu. 2ª.63.E
Pedibus parum valemus,ſi cũ iphiclo cõferamur.1°.de ſan.tu. 2ª.63.H
Pedum plantas leuigatas habentes deterius eunt.de diff.mor. 3ª.4.A
Pes nõ debet repente moueri ad actiones.de victus ratione in mor.acu. commentario.2°. 7ª.124.C
Pedis digitus qũo mouetur per vim tranſmiſſam.an ſang.in ar. 1ª.62.H
Pes quibus extendatur,& flectatur.3°.de vſu par. 1ª.130.E
Pedum muſculi ſunt diuerſi natura & numero ab illis manuum. de muſculorum diſſectione. 1ª.52.F
Pedũ & manuũ muſculi ſunt neruoſiores.4°.đ p̃ſaſ.ex pul. 4ª.121.D
in Pede genera quatuor muſculorum, & quæ.de muſc.diſſ.52.G/2°. de ana.adminiſtr. 1ª.72.D
Pedis tres digitos maiores muſculus mouens.2°.de ana.adm. 1ª.71.F
Pedum digiti habent quatuor motus.3°.de vſu par. 1ª.131.G/H
Pedum digiti quibus tendonibus moueantur.3°.de vſu par. 1ª.131.G
Pedis veſtigium qui muſculus ſolidum faciat,tenſum,durum pilis nudũ facile ſentiens.de muſc.diſſ. 1ª.52.A
Pedũ digitorũ mediũ articulum muſculi mouẽtes.2°.de ana.ad. 1ª.72.D
Pedẽ retrorſum ſimulq; extrorsũ abducẽs muſculus.de muſ.diſ. 1ª.52.B
Pedum digitos flectentes muſculi.3°.de vſu par. 1ª.132.A
Pedis paruum digitũ,& indicem flectens muſculus.de muſ.diſſ. 1ª.52.C
Pedis magnum digitum flectens muſculus.de muſc.diſſ. 1ª.52.D
in Pede digitos qui muſculi agunt obliquo motu.de muſc.diſſ. 1ª.52.G
Pedem totum ſurſum tendens muſculus.de muſc.diſſ. 1ª.52.D
Pedis totius dearticulationẽ flectens muſculus.de muſc.diſſect. 1ª.51.H
Pes totus,tum digiti à quibus muſculis moueãtur.1°.de muſ.diſ. 1ª.51.H
Pedẽ totũ ſimul cũ oſſe retrorſum abducẽs muſculus.đ muſ.diſ. 1ª.52.D
Pedum digitorum tendones ſunt multo minores, quàm manuum. 3°.de vſu partium. 1ª.131.H
ad Pedis omnes particulas tendonis germen in calcaneo diſſeminatum eſt.3°.de vſu par. 1ª.133.H
in Pede humano tendo nõ exiſtẽs,ſed bñ ĩ ſimia.2°.de ana.ad. 1ª.72.A
in Pede quæ inuenerit Galenus in Anatomia.1°.de ana.adm. 1ª.64.H
circa Pedem errores antiquorum.3°.de anat.adm. 1ª.73.E
Pedes cum præcedunt in partu timendum eſt ne brachia frangãtur.de anatomia viuorum. Sp.52.D
Pes vnus qñ præcedit in partu timendũ eſt de alio.de ana.viu. Sp.52.D
Pedes debent eſſe natura imbecilliores his,qui debent podagrã.pati.cõ. 6°.aphoriſmo.28°. Ex.49.A
de PEDE, & quæ in eo contingant.de artic.com.4°. 7ª.292.E
Pedis ſummæ partis morbi.intr. Iſa.59.D
ad Pedis plantæ vitia.6°.de comp.me.per gen. 5ª.256.D
Pedes cum ſunt calidi cibus dãdus.de vic.rat.in mor.ac.c.4°. 7ª.139.F
Pedis callum mire curat emplaſtrum diachryſu. de dyna. Sp.32.C
ad Pedum excreſcentias calloſas.3°.de comp.mc.per ge. 5ª.235.C
ad Pedum,& manuum clauos.2°.de comp.me.per ge. 5ª.225.E
Pedũ diſtctiões ĩ muliere,q̃ morbis vteralib⁹ vexabat̃.2°.đ ſe. 1ª.336.C
Pedes dolent concepto in bilis horis.de ſpermate. Sp.37.C
Pedis dolor.in 1m.de mor.vulga.com.3°. 3ª.124.G
Pedum dolores incidunt multum equitantes.de aer.aq.& loc. 2ª.6.A
Pedum,& articulorum dolores cur quibuſdam per circuitus exacerbãtur.2°.de diff.feb. 3ª.41.H
ad Pedũ dolorẽ antidotus Amarãthi grãmatici.2°.de anti. 5ª.120.G
ad Pedũ dolorẽ antidotus,qua Galenus vtebatur.2°.de anti. 5ª.120.H
ad Pedum dolorem ex offenſione,aut caſu aliquo violento.de medi.facile parandis. 7ª.174.A
ad Pedum dolorem.de reme.par.fac. 7ª.160.C
ad Pedes ſi ſit fluxio,ſanguis mittendus eſt ex cubiti venis, vel vomitus prouocandus.in 6m.de mor.vul.com.1°. 3ª.162.C
ad Pedũ fluxiones vtilis eſt plumbi ſuccus.9°.de ſimp.me.fa. 5ª.70.F
Pedes cur frigeſcant in febribus.de victus ratione in morbis acutis,cõmentario.4°. 7ª.139.F
Pedum frigiditas ſignificat febrem acceſſuram.de vic.rat. in mor.acu. commentario.4°. 7ª.139.F
Pedibus frigentibus in febre nihil dandũ.de uictus ratione in mor. acu. commmenta.4°. 7ª.139.F
Pedes cum ſunt frigidi quæ ſequuntur.de vict.rat.in morbis acutis, cõmentario.4°. 7ª.139.F
Pedes ſanguine derelinquuntur.com.7°.aph.26°. Ex.55.G
Pedes mortui è frigore.2°.de loc.aff. 4ª.8.E
Pedes frigidi quandoq; malũ,& quandoq; non.cõ.7°.aph.1°. Ex.54.A
ad Pedes incraſſatos.7°.de ſimp.me.fac. 5ª.273.G
Pedum intertrimenta.de med.fac.par.176.B| 7ª.178.A
Pedes nigri minus peſtiferi quàm liuidi.in prognoſt.com.2°. 4ª.198.G
Pes ſolus in crure quandoq; reſoluitur.3°.de loc.aff. 4ª.20.H
ad Pedum ſciſſuras.de med.fac.par. 7ª.178.A
Pedes incedentis ſuper apicem pinnaculi, aut montis excelſi tremunt. de mot.man.& obſc. Sp.69.D
Pedum tremores ex defectu quo modo fiant.com.7°.aph.9°. Ex.54.E

Pedes intumeſcunt

Pedes intumeſcunt in omni aqua inter cutem. in progn.cõ.2°. 4ª.197.G
Pedes cur primi intumeſcant in aqua inter cutem.in ꝓg. c.2°. 4ª.198.B
Pedes purulentorum cur tumidi.in progn.com. 2°. 4ª.204.E
ad Pedes læſos à vento.de med.fac.par. 7ª.176.B
in Pedum digitis vlcera quo modo fiant.1°.de cõp.me.ſec.lo. 5ª.123.A
ꝓ Pedis,& manus vlcus cur intumeſcunt glandulæ inguinum,& alarum.13°.met.me. 7ª.81.A
Pedis digitorum vlcera ſanat vrina humana.10°.de ſimp.me.f. 5ª.75.E
ad Pedum digitorum vlcera.1°.de comp.me.ſec.lo. 3ª.123.A
in Pede vulnerati aqua abſtineant.3°.de comp.me.per ge. 5ª.231.A
è Pede ſurculus medicamento euulſus.1°.de nat.fac. 1ª.295.A
à Pede aſcendente fumo craſſo fit q̃nq; epilepſia.de vtil.reſp. Sp.63.E
Pedis digiti affectionem q̃uo ſentiat cerebrum.in progn.c.1°. 4ª.194.F
Pes indiget cerebro.3°.de vſu par. 1ª.133.G
in Pedes ſummos ſæua peſtis graſſata.3°.de vſu par. 1ª.129.B
ob Pedis digitum mortui ſecanda die caſus.2°.de diff.reſp. Sp.68.B
ad Pedes humores ferri probibentia medicamenta,faciunt ipſos ire ad pulmonem,& ſuffocant.de ther.ad Piſ. 5ª.96.C
cur in Pedibus,& manibus vtimur repercutientibus,nõ autem in coxa.10°.de comp.me.ſec.loc. 5ª.207.A
Pedes fouendi pro capite.de dyna. Sp.23.C
Pedes quo modo fouendi.de med.fac.par. 7ª.176.B
Pedes in aquam frigidam pro capitis dolore.de dyna. Sp.23.C
Pedum lotio pro ſomno inducendo.de dyna. Sp.23.D
Pedes,& brachia acerrimo aceto vſq; ad excitatas bullas madeſcunt pro ſtomacho.8°.de comp.me.ſec.loc. 5ª.192.D
Pedes vngunt̃ in dolore capitis ex ſtomacho.2°.de cõp.me.ſe.l. 5ª.135.F
Pedibus,& manibus quando ſunt hirudines admouendæ quid agendũ. de cucur.ſcar. 6ª.4.C
in Pede oſſa à ſua ſede dimota reſtitui in eũ debẽt.de fra.c.2°. 7ª.233.F
Pes maiorem diligentiam exegit,q̃ manus.de fract.com.2°. 7ª.223.A
Pedis,& manus comparatio.de fract.com.2°. 7ª.223.A
in Pede curatio.de fract.com.2°. 7ª.233.G
Pes quomodo debet manere in Thoro.de frac.com.2°. 7ª.236.D
Pedis os luxatum quot diebus ſanetur.de fract.com.2°. 7ª.233.H
Pes quomodo debet eſſe altior crure.de fract.com.2°. 7ª.238.E
in Pedibus non admodum franguntur oſſa.de fract.c.2°. 7ª.223.C
Pes quandoq; aufertur.de diff.mor. 3ª.4.G
PEDES cibo inepti.3°.de ali.fac. 2ª.29.F
Pedes quo modo edantur.3°.de alim.fac. 2ª.26.E
Pedum variæ conditurę.3°.de alim.fac. 2ª.26.E
Pedes quadrupedũ ſunt cibi ſupfluitates nõ habẽtes.de diſ.cõt. Sp.73.E
Pedes,maxime pedes vaccæ non velociter corrumpuntur in ſtomacho. de diſſol.cont. Sp.75.A
Pedes ponit pro bono nutrimento quibus ſtomachus ob bilem atram inflatur.8°.de comp.me.ſec.loc. 5ª.192.C
Pedes cur parum nutriunt.de diſſ.cont. Sp.73.F
Pedibus ſuillis licet veſci in victu attenuante.de atten.vict. 2ª.45.D
Pedes ſuum,& crura cõcedit in ſiccis qui ſanãtur.7°.met.me. 7ª.45.H
Pedes ſuum dandi pro cibo in tertiana.1°.de arte cura.ad Glau. 7ª.97.C
PES Romanus.1°.de antid. 5ª.106.A
PESSARIVM cinnamomi purgat matricem.de cathar. Sp.95.C
Peſſarium pro vteri ſuffocatione.de paſſ.mul. Sp.95.G
PESSIMA optima ſunt contraria.com.3°.aph.18°. Ex.23.H
in Peſſimis,optimis, bonis, multis , & valde talibus Hippocratis loquendi modi.1°.de criſi. 4ª.131.E
Peſſimæ ſunt aquæ conſimiliter ſe habentes omnibus horis in caliditate, & frigiditate.de bon.aquæ. Sp.75.H
Peſſima eſt vrina atra in viro,& muliere.de vrin.ſign.ex Hipp. 78.G/ quæſ.in Hippo. Sp.113.E
Peſſima eſt in infantibus vrina aquoſa. de vrin.ſing. ex Hippo. 78. G/ quæſ.in Hippo. Sp.113.E
PESSI ad vuluam dupliciter agunt.5°.de ſimp.me.fac. 5ª.37.E
Peſſi adhibiti citant menſes,colores non decolores faciunt. commen.5°. aphoriſmo.36°. Ex.40.G
Peſſus ꝓ diutinis,& recentibus vteri inflammationibus. 7°. de comp. medi.per genera. 5ª.268.H
Peſſus emolliens.1°.de comp.me.per ge. 5ª.215.G
Peſſi ex medulla vitulina,& ceruina vterum mollientes. 11°. de ſimpli. medi.facul. 5ª.79.E
Peſſi per ſanguifluas venas.in 6^{m}.de morb.vulg.c.1°. 3ª.160.H
Peſſum qui mitigat,& inflammationem diſcutit intelligunt quidam nomine balani.in 1^{m}.de mor.vulg.com.3°. 3ª.122.D
PESTIFERI morbi ſunt rari.de vict.ra.in mor.ac.c.1°. 7ª.109.F
ad Peſtiferam luem,quæ ſpiratu grauis eſt,valet theriaca. de theriaca ad Piſonem. 5ª.91.G
à Peſtiferis,ac putridis febribus interierunt quidam , qui coacti fame prauos cibos comederunt.1°.de diff.feb. 3ª.31.G
in PESTILENTI tempore ſolet eſſe temperamentum calidum & humidum.1°.de temp. 1ª.11.H
in Peſtilenti aeris ſtatu calor extrinſecus ſanguinem opprimit. 2°.de differentijs febrium. 3ª.40.B
Peſtilens aer febrem facit.de diff.feb. 3ª.31.B
PESTILENS febris quæ.fin.med. Iſa.46.D
Peſtilentes febres nõ ſunt calore vehemẽtes.9°.de ſimp.me.fa. 5ª.66.H
Peſtilens febris nõ habet calorẽ extra.in 6^{m}.de mor.vul.cõ.1°. 3ª.159.F
Peſtilentis febris calor differt ab aliarum calore per excellentiam putredinis.in 6^{m}.de mor.vul.com.1°. 3ª.159.F
Peſtilẽs febris putridũ calorẽ habet.in 6^{m}.de mor.vul.cõ.1°. 3ª.159.D
Peſtilentis febris fit mentio.in 6^{m}.de mor.vul.com.1°. 3ª.160.A
Peſtilentis febris ſymptoma proprium eſt ſyntaxis. in 3^{m}. de mor.vul. commentario.3°. 3ª.145.D
Peſtilentes non pauci ab initio hecticæ.3°.de præſag.ex pul. 4ª.116.H
Peſtilenti morbo qui tenentur quibus inditijs cognoſcantur.3°. de præſag.ex pul. 4ª.116.G
Peſtilentium vrinæ quales.3°.de præſag.ex pul. 4ª.116.G
in Peſtilenti morbo deiectiones nigræ viſæ ſunt tam in ſeruandis,quàm in his,qui mori debebant.com.4°.aph.21°. Ex.29.D
in Peſtilenti quodam morbo hic erat ordo excrementorum , prius exibant flaua,& ruffa colliquamenta,deinde nigra,vt ſanguinis fex.cõmenta.4°.aph.21°. Ex.29.E
in Peſtilenti morbo ſtrãguria bonũ.in 1^{m}.de mor.vul.cõ.2°. 3ª.111.F
in Peſtilenti morbo cum virium preceſſit imbecillitas cur vena non ſecanda.de bon.& vitio ſucco. 2ª.33.H
PESTILENTIA quid.fin.med. Iſa.45.H
Peſtilentia contagioſa eſt vt ſcabies,& lippitudo.1°.de diff.fe. 3ª.31.B
Peſtilentiæ cauſa.1°.de diff.feb. 3ª.32.B
in Peſtilentia aer corruptus eſt.de vſu ther.ad Pamph. 5ª.98.D
in Peſtilentia oẽs ab eadẽ cauſa nõ æque patiunt̃.1°.de diff.fe. 3ª.32.F
Peſtilentia ex humoribus.de bon.& vitio ſucc. 2ª.33.H
in Peſtilentia ex inopia cur morbi,& ſymptomata diuerſa. de bon. & vitio ſuccorum. 2ª.33.H
Peſtilentiam patientium color qualis.3°.de præſag.ex pul. 4ª.116.G
in Peſtilentia quæ ſeruanda.1°.de diff.feb. 3ª.32.F
cũ Peſtilentibus non conuerſandum.1°.de diff.feb. 3ª.31.B
in Peſtilentia humida corpora exiccanda ſunt.1°.de diff.feb. 3ª.32.E
in Peſtilentia ſicca corpora ita ſeruanda.1°.de diff.feb. 3ª.32.E
in Peſtilentia purgandi ſunt pleni.1°.de diff.feb. 3ª.32.E
in Peſtilentia obſtructiones aperiendæ.1°.de diff.feb. 3ª.32.E
à Peſtilentia liberat crurum ſcarificatio.de cucur.ſcar. 6ª.4.B
Peſtilentiam minuit ſecta vena ad duas libras.præſ.ex conf. Sp.78.C
in Peſtilentia vena ſecta ægre ad cicatricem perducitur.de bonitate et vitio ſuccorum. 2ª.33.H
in Peſtilentia ſanguis qualis.de bon.& vitio ſuc. 2ª.33.H
à Peſtilentia liberat theriaca.de vſu ther.ad Pamph. 5ª.98.D
Peſtilentiæ à Thucydide relata ſymptomata.ꝙ animi mor. 1ª.319.A
Peſtilentia apud Athenienſes à Thucydide deſcripta. 1°. de diff.feb. 3ª.32.B/2°.de diff.reſp.65.F/in 6^{m}.de mor.vul.com.4°.3ª.183. C/de artic.com.4°. 7ª.288.D
in Peſtilentia à Thucydide deſcripta qualis febris.in 6^{m}.de morb.vul. commenta.1°. 3ª.159.D
Peſtilentia vehemens in Aſia quando.de cucur.ſcar. 6ª.4.B
Peſtilentiæ maximæ quæ in Aſia fuit mentio fit.præſ.ex conf. Sp.78.C
Peſtilentia grauis tempore Galeni.5°.met.me. 7ª.34.F
in Peſtilentia maxima quæ fuit tempore Galeni pulſus quales fuerint. 3°.de præſag.ex pul. 4ª.115.D
Peſtilentia fuit tempore Galeni,in qua ethici ad tabem non tendebant. 1°.de diff.feb. 3ª.35.E
Peſtilentia magna adhuc vigebat quando Galenus librum de præſagitione ex pulſibus fecit.3°.de præſ.ex pul. 4ª.116.H
Peſtilentia erat quo tempore Galenus librum de ſimplicium medicamẽtorum facultate ſcribebat.9°.de ſimp.me.fac. 5ª.66.G/H
Peſtilentia in Italia.de vſu theria.ad Pamph. 5ª.98.D
in Peſtilentia quidam vomuere,quidam habuere alui profluuia.5°.me

thodi medendi. 7ª.35.B
in Peſtilētia fortiſſimi ſupſtites fuere.in 3^{m}.de mor.vul.c.3º. 3ª.145.E
à Peſtilentia qui vlceribus ſcatebant ſanabantur.5º.met.me. 7ª.34.F
in Peſtilentia puſtulæ nigræ per totum corpus, & ſanabantur. 5º. methodi medendi. 7ª.35.B
in Peſtilentia carbunculi citra puſtulas, quibus cutis ſtatim excoriata eſt.14º.met.me. 7ª.90.A
PESTIS qui morbus.in 3^{m}.de mor.vul.com.3º.3ª.142.B/ de vict. rat. in mor.acu.com 1º. 7ª.109.A
Peſtis morbus communis.in 1^{m}.de mor.vul.commen.1º.101.E/in 3^{m}.cōmentario.3º. 3ª.140.G
Peſtis morbus exitialis.in 1^{m}.de mor.vul.com.1º. 3ª.101.E
Peſtis refertur ad Deos.in 1^{m}.de mor.vul.com.1º. 3ª.101.E
in Peſte aer corruptus eſt.de theria.ad Piſo. 5ª.96.G
Peſtis quando nulla.in 1^{m}.de mor.vul.com.1º. 3ª.103.B
Peſtis longiſſima tempore Galeni.in 3^{m}.de morb.vulg.com. 3º. 147.H/ in 6^{m}.commen.1º. 3ª.159.F
Peſtes ſequuntur ad expurgationem nimiorum humorum.in 1^{m}.de mor. vulg.commen.2º. 3ª.111.A
Peſtis tanquam beſtia ciuitates depaſcitur.de theria.ad Piſ. 5ª.96.G
Peſtem quo modo curauerit Hippocrates.de theria.ad Piſo. 5ª.96.G
contra Peſtem mira eſt terra armenica.9º.de ſimp.me.fac. 5ª.66.H
à Peſte præſeruat hyacinthus.de incant.adiur.& ſuſp. 7ª.182.A
Peſti optimum remedium eſt Theriaca.de ther.ad Piſ. 5ª.96.H
à Peſte liberat theria.de vſu ther.ad Pamph. 5ª.98.D
Peſtis quæ ſanabatur ex vrinæ potu in Syria.10º.de ſimp.me.f. 5ª.75.D
in Peſte per excrementa alui multi periere.in 3^{m}.de mor. vulgaribus, commentario.3º. 3ª.145.D
Peſtis ſæua in ſummos pedes graſſata.3º.de vſu par. 1ª.129.B
Peſtis ſimilis peſti à Thucydide deſcripta.9º.de ſimp.me.fac. 5ª.66.H
Peſtis quæ fuit tempore quo Galenus ſcribebat methodum medendi. ethicas inducebat.10º.met.me. 7ª.67.F
in Peſte quæ fuit tempore Galeni quæ excremēta fiebant.in 3^{m}.de mor. vulg.commen.3º. 3ª.147.H
PETALOIDES ſunt veluti ſquammæ.de vrin. 4ª.124.E
Petaloides hypoſtaſis quid ſignificet.de vrin. 4ª.124.E
PETASITES in tertio ordine deſiccat.8º.de ſimp.me.fac. 5ª.58.C
Petaſites ad cacoethe, & phagedænica vlcera adhibetur. 8º. de ſimpli. medica.fac. 5ª.58.A/C
PETECCHIE quomodo apud Hippocratem, & Galenum ſint vocatæ in 1^{m}.de mor.vul.com.3º. 3ª.121.G
PETIA eſt morbus coniunctiuæ oculi tunicæ.de ocul. 7ª.186.F
ad Petiam oculi quæ conueniant.de ocul.190.G/ 7ª.191.A
PETRA lapidum duriſſima eſt ex qua calx.9º.de ſimp.me.fa. 5ª.67.B
Petræ aſiæ flos qualis.9º.de ſimp.me.fac. 5ª.67.H
Petræ aſiæ flos cineritius eſt.9º.de ſimp.me.fac. 5ª.68.H
Petra aſia ſubtilium partium. 3º.de comp.me.per ge. 5ª.228.E
Petræ aſiæ flos calidus, & ſubtiliſſimus omnium terreſtrium.3º.de com poſi.me.per gene. 5ª.228.E
Petræ aſiæ flos ſepticum medicamentum.5º.de ſimp.me.fac. 5ª.36.C
Petræ aſiæ flos ſiccat vt ſal, & non habet vim adſtringendi. 2º.de compoſi.med.per gen. 5ª.222.A
Petrę aſiæ flos carnes molles, et fluidas eliquat.9º.de ſim.m.f.5ª.67.H
Petræ Aſiæ flos.6º.de comp.me.ſec.loc. 5ª.168.F
Petræ de corde Ceruino.de dyna. Sp.28.B
Petræ de Capite Corui marini nigræ.de dyna. Sp.24.B
Petræ capitis Gruis.de dyna. Sp.30.H
Petræ de Lucubio.de dyna. Sp.29.B
Petra Molendini.de dyna. Sp.28.A
Petræ ſancti Sepulchri mentio fit libro de dynamidijs [propterea non eſt Galeni.] de dyna. Sp.24.B
PETRA in Renibus fit ex ſuperfluo bilis.de ſper. Sp.36.H
Petra quam homo mingit de dyna. Sp.28.C
ad Petram veſicæ remedium.de dyna. Sp.29.B
ad Petram rumpendam potiones probatiſſimæ.de dyn. Sp.28.D
ad Petram Diachryſon.de dyna. Sp.29.B
ad Petram medicamentum.ſecretorum. Sp.101.D
PETRAPII ſemen calidum eſt cum ſubtili ſubſtantia. 2º. de arte curatiua ad Glauco. 7ª.104.G
PETROLAEVM exhibet in potu.de dyna. Sp.33.B
PETRONAS medicamētorū ſcriptor.3º.de cōp.me.per.ge. 5ª.234.G
Petronas de medicamentis egregiæ pertractauit.2º. de compoſi. medicamen.per genera. 5ª. 222.A
Petronas vinum & carnē febrientibus dabat.de vict.rat.in mor. acu. commentario.1º. 7ª.109.F
Petronij paſtillus.5º.de comp.me.per gen. 5ª.251.H
PETROSELINVM amat loca edita, & ſicca.4º.de ſan.tu. 2ª.86.D
in Petroſelini, & Apij genere eſt ſmyrnium.8º.de ſimp.me.f. 5ª.60.E
a Petroſelini viribus nō multū differt ſmirnion.8º.de ſim.m.f. 5ª.58.C
Petroſelinum, aniſum, liguſticum, caron, cyminum ſunt in eodem vſu. 7º.de ſimpl.me.fac. 5ª.53.F
Petroſelinū eſt in tertio ordine calidū, & ſiccū.8º.de ſimp.me.f. 5ª.58.C
Petroſelini vires quæ.de ſimp.me. Sp.89.C
Petroſelini ſemē calidū eſt et acre, vrinā ciēs.5º.de ſimp.me.fa. 5ª.35.D
Petroſelinum menſes, & vrinas affatim prouocat, & flatus extinguit. 8º.de ſimp.med.fac. 5ª.58.C
Petroſelinum vrinam ciet.14º.met.me.91.D/1º. de arte cur. ad Glauc. 7ª.99.F/de mel.ex Gal.R.& Poſ. Sp.110.A
Petroſelini ſemē vrinā prouocat, et attenuat.9º.de cōp.me.ſe.l. 5ª.201.H
Petroſelinum menſtrua prouocat.de ocul. 7ª.188.G
Petroſelinum caput replet, & inflammat.de puero epil. 7ª.180.E
Petroſelinum inflationem ſedat.13º.met.me. 7ª.88.F
Petroſelinum ſtomachi, & colli inflationibus, & tenſionibus remediū eſt.de ſimpl.med. Sp.89.C
Petroſelinum in phlegmone gibbæ partis iecoris.13º.met.me. 7ª.83.H
Petroſelinum expurgat ictericos.de cura icteri. Sp.111.B
Petroſelini ſemen cōuenit attenuāte dieta vtenti.de atten.vic. 2ª.44.E
Petroſelinum attenuat, & acre eſt.de atten.vict. 2ª.43.H
Petroſelinum inijcitur in vinum pro articularibus morbis.5º. de ſanitate tuenda. 2ª.91.C
Petroſelinum lapidem comminuit.de ren.aff.dign.& med. 7ª.194.C
Petroſelinum ingreditur Theriacam.de ther.ad Piſ. 5ª.92.F
Petroſelinum quale accipiendum pro theriaca.1º.de anti. 5ª.106.H
Petroſelinum oſtreaticum.1º.de anti. 5ª.106.H
Petroſelinum macedonicum probatiſſimum.4º.de ſan.tu. 2ª.86.D
Petroſelinum optimum in macedonia prouenit.1º.de anti. 5ª.105.E
Petroſelinum macedonicum.8º.de comp.me.ſec.loc. 5ª.192.F
Petroſelinum amarum.1º.de anti. 5ª.107.A
è Petroſelino Theriaca eſt amara.1º.de anti. 5ª.107.A
Petroſelinum exhibetur melācholicis.de mel.ex G.R.& Po. Sp.110.D
PETROSITAS morbus palpebræ ſuperioris.de ocul. 7ª.186.H
PETROSA terra non gignit.11º.de vſu par. 1ª.190.B
in Petroſa terra plantæ paruæ, ac duræ.11º.de vſu par. 1ª.190.H
PETROSVM os quale.de ana.viu. Sp.48.G
à Petroſo oſſe incipit foramen auris.de ana.viu. Sp.48.G
Petroſi oſſis pars interior ita ſe habet ad auditū, vt criſtallinus humor ad viſum.de ana.viu. Sp.48.G
PETVLANTIS hominis proprium quid.8º.de decr.Hipp. 1ª.278.F
PETVLCA quid.de fract.com.3º. 7ª.245.C
PEVCEDANVM quid.de ſimp.med. Sp.89.B
Peucedani radix calida eſt in ſecundo ordine, ſicca in tertio.8º.de ſimp. medic.facul. 5ª.60.H
Peucedani radix calfacit, & digerit.8º.de ſimp.me.fac. 5ª.58.D
Peucedanum omnibus circa neruos conſiſtentibus affectibus conuenire creditur, & etiam morbis in pulmone, thoraceq; ex craſſitudine, & viſcoſitate humorum prouenientibus, dētium perforatorū dolores ſedat, lienes induratos iuuat, ſquāmas celerrime ab oſſibus detrahit, & vlceribus contumacibus remediū eſt.8º.de ſimp.me.fac. 5ª.58.D
Peucedanum ad guſtum excalfacit, facit ad vulnera antiquata, expurgat viſcide, in aliquibus emplaſtris, & malagmatibus mittitur, ſerpentes, & viperas fugat.de ſimp.med. Sp.89.B
Peucedanum olfactu prodeſt.8º.de ſimp.me.fac. 5ª.58.D
Paucedanum mentem perturbat.2º.de comp.me.ſec.loc. 5ª.137.B
Peucedanum purgat gibbam hepatis partem.de cathar. Sp.95.C
PEXORIS Orionis acopon.7º.de comp.me.per ge. 5ª.272.D
PHACOPTISSANA cibus ex lente, & ptiſſana qualis.1º. de alim.fac. 2ª.13.E
Phacoptiſſanæ confectio.1º.de ali.fac. 2ª.13.F
Phacoptiſſana mediocris.1º.de ali.fac. 2ª.13.G
PHACOS id eſt lenticula paluſtris.8º.de ſimp.me.fac. 5ª.63.B
Phaci id eſt lentes.8º.de ſimp.me.fac. 5ª.63.B
PHACOSIS affectus albi oculorum.intro. Iſa.58.D
PHACOTIS nomē ſcalpri à lēticulæ ſilitudine.6º.met.me. 7ª.42.A

PHAEON medi-

PHAEON medicamentum.4°.de comp.me.ſec.loc. 5ª.153.H

PHAETON quatuor equis in anulo iſculptus.17°.de vſu par.1ª.222.D

PHAGAEDENAE nomen inditum eſt à ſymptomate. 12°. methodi medendi. 7ª.9.F

Phagedæna quid.fin.med.Iſa.47.E/49.A/de tum.præt.nat. 3ª.84.E

Phagedæna affectus totius corporis.introd. Iſa.59.D

Phagedænæ dicta vlcera qualia.com.6°.apho.45°. Ex.51.E

Phagedænæ quid eſſent apud antiquos,& quid apud Galenum,& quomodo fiant.com.6°.aph.45°. Ex.51.E

Phagedænæ quæ ſint.6°.de comp.me.per gen. 5ª.254.H

Phagedænæ,& Herpetis differentia.2°.met.me. 7ª.9.F

Phagedæna morbus ex inequali intemperie.de inæq.intemp. 3ª.44.H

Phagedæna in pte eſt inæqualis intẽperies cũ fluxione.de inæq. 3ª.43.B

Phagedæna ex qua fiat materia.2°.de criſ. 4ª.138.C

Phagedænæ ex cacochymia.3°.de tẽp.1ª.23.A/3°.de ſymp.cau. 3ª.25.B

Phagedænæ accidebãt ijs,qui malos cibos ob annonæ caritatem ederãt. de bon.& vitio.ſucco. 2ª.33.G

Phagedænæ ex commixtis humoribus.de cauſ.mor. 3ª.8.B

Phagedænæ,& cancri reſpondent herpetibus, & eryſipelatibus ex flaua bile.2°.de diff.feb. 3ª.37.D

Phagedænæ meminit.in 6^{m}.de mor.vul.com.3°. 3ª.178.D

Phagedæna quomodo curatur.14°.met.me. 7ª.92.D

ad Phagedænas valent panacis heraclij flores.8°.de ſim.m.f. 5ª.57.H

ad Phagedænas.4°.de comp.me.per ge.242.G/5°. 5ª.251.B

PHAGEDAENICA vlcera quæ.in 6^{m}.de mor.vul.com.3°. 3ª.178.D

Phagedænica vlcera,id eſt carnem comedẽtia.cõ.5°.aph.22°. Ex.39.D

Phagedænica vlcera ab humoribus mixtis.de bo.& vitio ſuc. 2ª.39.D

Phagedænica vlcera ſanat chamelæontis radix.8°.de ſimp.m.f.5ª.63.F

Phagedænica vlcerum pura reddit paſtinaca.de ſimp.me.fac. 5ª.61.C

ad Phagedænica vlcera adhibetur petaſites.8°.de ſim.me.fa. 5ª.58.C

Phagedęnica vlcerum,anthracode,& gangręnode iuuãt tithymali.8°. de ſimp.me.fac. 5ª.62.E

ad Phagedænica vlcera.4°.de comp. me.per gen. 5ª.243.D

cũ Phagedænicam paſtionem.5°.de comp.me.per gen. 5ª.248.D

PHAGRI marini piſcis fel.4°.de comp.me.ſec.loc. 5ª.158.B

PHAGI decoctum inter adſtringentia fortiora pro gargariſmis. 6°. de comp.me.ſecun.locos. 5ª.172.G

PHALANGIA non fiunt ab eodem opifice quo hõ.de fœt.for. 1ª.226.B

Phalangia cur necamus.quod animi mores. 1ª.321.C

Phalangij ictu totum corpus afficitur.6°.de loc.aff. 4ª.40.A

Phalangij ictus quomodo totum corpus afficit.3°.de loc.affe. 4ª.19.F

à Phalangijs morſis medetur phalangites.8°.de ſimp.med.fac.5ª.63.B

Phalangiorum ictuum dolorem ſedans antidotus.2°.de anti. 5ª.117.D

ad Phalangiorum morſus antidotus Andreæ.2°.de anti. 5ª.117.G

ad Phalangiorum morſus Antidotus alia.2°. de anti. 5ª.117.G

ad Phalangiorum morſus antidotus Charitonis circulatoris.2°.de antidotis. 5ª.117.F

ad Phalãgiorũ morſus antidotus Heraclidis tarẽtini.2°.đ an.5ª.117.G

ad Phalãgiorũ ictus antidotus.2° đ anti.117.D/G/H/118.F/ 5ª.120.C

cõtra Phalangia valet theriaca.de theria.ad Piſon. 5ª.91.E

ad Phalangiorum percuſſiones.7°.de comp.me.ſec.loc. 5ª.182.G

ob Phalangij morſum qui in periculum deuenere adiuuans antidotus. 2°.de antidotis. 5ª.117.D

ad Phalangij morſus valens medicina.2°.de anti. 118.H/5°. de compo. med.per genera. 5ª.246.H

ad Phalangia.2°.de anti. 5ª.118.C

PHALANGITES vnde dicta.8°.de ſimp.me.fac. 5ª.63.B

Phalangites morſis à phalangijs medetur,& tormina patientibus ſuccurrit.8°.de ſimp.me.fac. 5ª.63.B

PHALANGOSIS quid.intro. Iſa.58.G

Phalangoſis coronæ affectus.intr. Iſa.58.D

Phalangoſis Trichiaſpos differentia.fin.med. Iſa.48.F

PHALANX digitorum quid.de oſſib. 1ª.43.C

PHALERE, ſeu vallum.de faſc. 7ª.299.B

PHALERIS tenuis eſt & calida.8°.de ſimp.me.fac. 5ª.63.B

Phaleris valet ad veſicæ dolores.8°.de ſimp.me.fac. 5ª.63.B

PHALERNVM vinum calidum eſt.5°.de ſa.tu. 2ª.90.H

Phalernum vinum bibere debent ſenes valentius caput habentes. 5°.de ſanitate tuenda. 2ª.90.H

PHANII inſeſſio.5°.de comp.me.per ge. 5ª.252.H

Phanium ſerapiacum medicamentũ.4°.de comp.me.ſec.loc. 5ª.154.E

PHANTASIA eſt prima cerebri diuiſio.de ana.ocul. Sp.58.B

inter Phantaſiam,& rationalem panniculus habet carnem aliquam. de anatomia ocul. Sp.58.B

PHANTASIA apud Stoicos quæ.9°.de decr.Hipp. 1ª.286.B

Phantaſia vbi ſit.de ocul. 7ª.183.G

Phantaſia eſt actio dependens à cap te per ſe.de virt.noſt.cor. Sp.60.C

Phantaſiam & opinionem nobis afferentes muſculi tres ſecundum Platonem de voc.inſtr.diſſ. 1ª.106.D

Phantaſiæ fons & radix.eſt ſenſus.1°.de elem. 1ª.3.H

Phantaſia & viſu immutantur res.de ther.ad Piſo. 5ª.94.E

Phantaſiæ contingunt conceptis in horis melancholiæ.de ſper. Sp.37.D

φαρμακεία duplex eſt intro. Iſa.57.H

φαρμακεύειν quid ſignificet apud Hipp.de fract.com.2°. 7ª.235.H

φαρμακεύειν quid proprie ſignificet.in 1^{m}.pror.com.2°. 4ª.174.B

φαρμακεύειν,& καθαίρειν.idem ſignificant.de victus ratio. in morb. acutis,com.4°. 7ª.150.F

PHARMACEVTICE quæ ſit.de vict.ra.in mor.acu.c.1°. 7ª.108.G

PHARMACION cognomento, Aſclepiades. 1°. de compoſi. medica. per genera. 5ª.216.F

PHARMACOPOLIS ac ſimplicium inſtitoribus ne credãt pharmacorum compoſitores.4°.de comp.me.per ge. 5ª.240.A

Pharmacorum librum fecit Archigenes.6°.de compoſi.medicamentorum.ſec.loc.173.D/ 5ª.176.D

de Pharmacis ſecundum genus librum fecit Archigenes.1°.de compo. medicam.ſec.locos.125.H/3°.142.D 146.G/4°.157.C/5°.160. A/8°. 191.F/9°.198.A/ 5ª.200.E

de Pharmacorum compoſitione ſcripſit Archigenes.de remedijs paratu facilibus. 7ª.156.C

de Pharmacis exterioribus librum fecit Aſclepias,3°. de compo.medica.ſecun.locos. 5ª.148.B

de Pharmacis proprijs librum fecit Anus Aſclepias.4°.de comp.medi.ſecun.locos. 5ª.156.B

Pharmacorum optimorum librum fecit Menecrates.6°.de compoſi.medica.ſecun.loc. 5ª.175.C

Pharmacorum inſignum locupletiſſimus Theſaurus inſcriptũ librum fecit Menecrates.2°.de comp.me.per ge. 5ª.222.A

Pharmacorum quorundam promiſſiones magnæ ſunt,effectus autẽ nullus aut exiguus.4°.de comp.me.ſec.loc. 5ª.151.H

de Tpharmacorum parabilium deſcriptione librum fecit Apollonius. 3°.de comp.me.ſec.loc. 5ª.141.F

in Pharmacis eadem methodus eſt componendi,et vtẽdi.4°. de comp. me.ſecun.locos. 5ª.149.C

Pharmaca componendi ſcopus.4°.de comp.me.ſec.loc. 5ª.149.C

in Pharmacis componendis quid maxime agẽdum.1°.de compoſi.me. ſecun.locos. 5ª.130.E

in Pharmacis quæ conſideranda.2°.de comp.me.ſec.loc. 5ª.136.B

Pharmaca habent diuerſas ætates.1°.de comp.me.ſec.loc. 5ª.122.C

Pharmaca quo modo cognoſcantur eſſe in vigore.1°.de compo. medica. ſecundum locos. 5ª.122.C

Pharmacum quo modo ſeruetur diu.2°.de ali.fac. 2ª.20.D

in Pharmacis qualitates quo modo noſcendæ.1°.de cõp.m.ſ.l. 5ª.122.C

in Pharmacis contrariæ facultatis quid agendum.2°. de compo.medi. ſecundum locos. 5ª.136.E

Pharmaca cur plura fiant ad eundem affectum.2°.de compoſi. medica. ſecundum locos. 5ª.136.B

Pharmaca quo modo miſceat Galenus.2°.de comp.me.ſec.loc. 5ª.136.B

Pharmaca in libellis inueniebat,& inuenta examinabat Galenus.1°.de comp.me.ſec.loc. 5ª.125.B

Pharmaca quæ accepit Galenus ab amicis,& præceptoribus.1°.de cõpoſi.me.ſec.loc. 5ª.124.F

Pharmaca mitigat Thus.4°.de comp.me.per gene. 5ª.240.C

Pharmaca non ſunt adminiſtranda citra methodum.1°. de compoſi.me. ſecundum locos. 5ª.121.D

Pharmaco recte vti non poteſt qui vim ipſius ignorat. 9°. de compoſi. me.ſecundum locos. 5ª.167.A

Pharmaca quæ ſecundum varia tempora exhibenda.2°.de compoſitio. me.ſecun.locos. 5ª.136.C

Pharmacum prorumpens abſceſſus.3°.de comp.me.ſec.loc. 5ª.146.F

Pharmacum Acre in vlceribus quid agat.de palp. 3ª.55.B

Pharmacum acre vlceri ſuppoſitum facit rigere.in 6^{m}.de morb.vulga. commentario.3°. 3ª.174.D

Pharmaca in Alopecia.1°.de comp.me.ſec.loc. 5ª.122.H

Pharmaca debilia ad Alopeciã,& quæ fortia,et quæ media.1°.de cõp.

medicamen.ſecundum locos. 5ª.123.A
*Pharmaca admiranda ad Alopeciam.*1°*.de comp.me.ſec.loc.* 5ª.124.H
Pharmacum pro alopecia quantum debet eſſe calidum. 1°*.de comp.medica.ſecun.locos.* 5ª.121.H
*Pharmacum Heræ pro alopecia puerorũ.*1°*.de cõp.me.ſec.loc.* 5ª.123.B
*Pharmaca ex Alto euocantia.*1°*.de comp.me.ſec.loc.* 5ª.124.E
*Pharmaca Calida quo modo faciant frigus euacuando.*1°*.de ſimplicium medica.facul.* 5ª.2.H
Pharmaca in Chephalea.de dyna. Sp.23.B
*Pharmacum pro Cutis morbis debet eſſe tenuium partium.*1°*.de comp.medi.ſecun.loc.* 5ª.121.H
*Pharmaci Efficacia humiditates ex neruis ad ſe attrahens facit conuulſionem.com.*5°*.aph.*1°. Ex.37.D
Pharmaca Fortiſſima cur debeant haberi parata. 3°*. de comp. medica. ſecundum locos.* 5ª.141.F
*Pharmacis fortibus quo modo vti debemus, & quando.*2°*.de compoſi. me.ſecun.locos.* 5ª.139.F
*Pharmacis fortibus indiget pulmo.*7°*.de comp.me.ſec.loc.* 5ª.178.E
*Pharmacorum fortium vim exoluentia.*1°*.de cõp.me.ſec.loc.* 5ª.122.H
*Pharmacis fortibus qui vti debet incipiat à mollioribus, & addat quæ eorum vim exoluunt.*1°*.de comp.me.ſec.loc.* 5ª.122.F
*Pharmaca fuſca multiplicis vſus.*6°*.de comp.me.per gen.* 5ª.257.E/G
*Pharmaca in Hemicrania.*2°*.de comp.me.ſec.lo.* 5ª.139.H
quæ Pharmaca danda in Ictero. de cura icteri. Sp.111.A
ad Pharmaca Lætalia quid ſit agendum.de reme.par.fac. 7ª.160.G
*ad Pharmaca lætalia.*7°*.de comp.me.ſec.loc.*186.A/8°. 5ª.195.B
Pharmacum Medeæ quale.de bon. aquę. Sp.76.A
*Pharmaca Media qualia ſint.*2°*.de comp.me.ſec.loc.* 5ª.179.H
*Pharmaca medias facultates habentia cur excogitata.*6°*.de compoſi. medica.ſecun.locos.* 5ª.168.A
Pharmaca Mortifera non ſunt tractanda.de reme.par.fac. 7ª.160.G
*Pharmacum Nilei quale.*2°*.de comp.me.ſec.loc.* 5ª.137.G
*inter Pharmaca numerat Oxymeli.*8°*.met.me.*52.G/ 7ª.83.E
*Pharmacum Parabile quod naribus infunditur.*2°*.de compoſi. medic. ſecundum locos.* 5ª.139.G
*Pharmaca Purgatoria faciunt ſpeciem euacuationis manifeſte differentem.com.*4°*.aph.*2°. Ex.27.D
*Pharmaco purgatorio proprium attrahere humorem appetente vel flauam bilem, vel atram, vel pituitam, vel aquoſam ſuperfluitatẽ, quia vero iſte non adeſt, ſanguinem colliquante, & carnes, vt ex his quod ſibi proprium eſt attrahat, fit in ſanis corporibus purgatio difficilis. com.*2°*.aph.*37°. Ex.17.G
*Pharmaca quando exhibenda.com.*1°*.aph.*22°. Ex.10.C
*Pharmaca purgantia cur non debemus exhibere niſi ex interuallis, cõmenta.*3°*.aph.*15°. Ex.22.G
*Pharmaca nõ debẽt dari niſi valde indigẽtibus.cõ.*3°*.aph.*15°. Ex.22.G
Pharmacum præbendi tempus. de ſpermate. Sp.39.F
*Pharmaca frequenter ſumpta nocent, & trahunt corpus in malam conſuetudinem.com.*3°*.aph.*15°. Ex.22.G
Pharmacum ſumere aſſueti quid agere debent.de aſſuet. 2ª.61.H
*Pharmacis non obediunt humores crudi, & fixi.*1°*.de criſi.* 4ª.128.G
*Pharmaca rudicula agitantur.*5°*.de comp.me.ſec.loc.* 5ª.165.H
*Pharmacum ex Succis.*7°*.de comp. me.per gen.* 5ª.269.B
Pharmacum lege Medicina, Medicamentum, Medicamen.
PHARMIANVM *malagma.*7°*.de comp.me.per gen.* 5ª.265.G
PHARNACES *herbarius.*8°*.de comp.me.ſec.loc.* 5ª.195.A
PHARYNX *quid.intr.*54.E/*de muſ.diſſ.* 1ª.46.G
*Pharynx eſt aſpera arteria.*2°*.de decr.Hipp.* 1ª.236.G
Pharynx etiam eſt larynx, tamẽ pharynx eſt ante laryngem. 8°*.de vſu partium.* 1ª.165.A
*pp Pharyngem collum factum.*8°*.de vſu par.* 1ª.165.A/B
*Pharynx inferne ſurſum fertur.*8°*.de vſu par.* 1ª.165.A
*circa Pharynga glandulæ.*3°*.de ali.fac.* 2ª.26.H
*Pharyngi propugnaculum eſt vua.*15°*.de vſu par.* 1ª.211.A
*Pharyngis muſculi quo modo ſe habent.*1°*.de motu muſc.* 1ª.309.B
*Pharynx eſt vocis, & reſpirationis inſtrumentũ.*8°*.de vſu par.*1ª.165.B
ex Pharynge aer ſolus ad tracheas arterias. 7°*. de vſu par.* 1ª.159.F
*Pharyngis aſperitates leuigant oua ſorbilia.*3°*.de ali.fa.* 2ª.29.G
PHARYNGETHRON *id eſt os hyodes.de vo.inſtr.diſ.* 1ª.107.B
PHASELVS *differt à phaſiolo.*1°*.de ali.fac.* 2ª.14.H
*Phaſelus idem cum cicercula.*1°*.de ali.fac.* 2ª.14.H
*Phaſeli cicercula, eruiala, ſunt vnum genus habens plura nomina.*1°*.de alimento.faculta.* 2ª.15.B
*Phaſeli ſunt dolichi apud Dioclem.*1°*.de ali.fac.* 2ª.15.B
*Phaſeli eandem habent facultatem cum dolichis.*1°*.de ali.fac.* 2ª.15.B
*Phaſelus fuluus flauus, & ruber calidior albis.*4°*.de ſim.m.f.* 5ª.31.D
*Phaſeli ſunt medium edulium inter oẽs qualitates.*1°*.de ali.fa.* 2ª.14.G
*Phaſelos comedendi modus.*1°*.de ali.fac.* 2ª.14.F
*Phaſeli quo modo mandantur, & eorum vſus.*1°*.de ali.fac.* 2ª.14.F
*Phaſeli copioſius nutriunt, quàm fœnu græcum.*1°*.de ali.fac.* 2ª.14.F
*Phaſelis quo modo ſubducatur venter.*1°*.de ali.fac.* 2ª.14.F
Phaſelis quidam vtebatur vt eſſet ſanus.de ali.fa. 2ª.14.F
φασιόλος *quid.*1°*.de alim.fac.* 2ª.14.H
Phaſeoli deteriores fabis.de atten.vic. 4ª.45.A
*Phaſeolus flatulentus, & ad coquendum difficilis.de atten.vic.*2ª.45.B
*Phaſeoli ſiliqua ſola eſt eſculenta.*2°*.de ali.fac.* 2ª.16.D
PHASGANIVM *ſeu Xanthium ſemen digerendi vim obtinens.* 8°*.de ſimpli.med.fac.* 5ª.57.A
PHASIANI *forma ſũt diuerſi ab alijs hoĩbus.de aer. aq. et lo.*2ª.4.G
Phaſianis ventus frequens auſter.de aere, aquis, & locis. 2ª.5.A
Phaſianorum peculiaris ventus Cenchron.de aere, aq. & loc. 2ª.5.A
PHASIANI *neq; craſſi, neq; tenues ſunt.de bo. & vi.ſuc.* 2ª.34.H
Phaſianorum caro in coctione & nutrimento ſimilis gallinæ. 3°*.de ali. facultatibus.* 2ª.29.C
*Phaſianorum caro ſuauior, quàm gallinæ.*3°*.de ali.fac.* 2ª.29.C
Phaſiani ſunt boni ſucci. de reme.par.fac. 7ª.159.C
Phaſiani ſunt boni chymi, & ſubtilis.de diſſ.cont. Sp.73.H
Phaſiani ſunt volucres laudabiles.de ren.aff.dign. & med. 7ª.195.F
Phaſiani caro eſt cibus ſubtilians.de diſſol.cont. Sp.72.D
*Phaſiani vtiles in calidis, & ſiccis.*8°*.met.me.* 7ª.51.B
*Phaſianorum oua præſtantiſſima.*3°*.de ali.fac.* 2ª.29.G
*Phaſiani adeps in renum calculo valet.de ren.af.dig. & med.*7ª.193.H
PHASIOLVM *ſub amarum, & ſub acerbum.*6°*. de ſimplicium medicamento.faculta.* 5ª.48.H
Phaſiolum incidit humores craſſos, excreationibus pectoris conducit, iecur expurgat & ſanguinem expuentibus non eſt aduerſum. 6°*.de ſimp.me.facul.* 5ª.48.H
*Phaſiolum cur contrarijs conueniat.*6°*.de ſim.me.fac.* 5ª.48.H
PHASIS *qualis regio.de aere, aq. & loc.* 2ª.4.H
Phaſis ſtagnantiſſimus omnium fluuiorum.de aere.aq. & loc. 2ª.4.H
Phaſim habitantes quales.de aere, aq. & loc. 2ª.4.H
φατνία *quid.*11°*.de vſu par.* 1ª.187.B
Phatnia oſſa quibus inſunt dentes.de oſſibus. 1ª.41.F
φάυλος *quid ſignificet.de fract.com.*1°.227.C/ 230. E/ *com.* 3°. 248.E/ *de arti.com.*3°. 7ª.275.D
PHEREA *tentio oblõga dicitur.in* 6m*.de mor.vul.c.*3°. 3ª.172.G
ad PHERECIDEN, *& Philiſtionem Hippocrates ſcripſit. com.* 6°*. aphoriſmo.*1°. Ex.46.D
*Phernij ſuccus.*4°*.de comp.me.ſec.loc.* 5ª.153.B
PHIALA *argentea.*7°*.de comp.me.per ge.* 5ª.274.E
PHIDIAS *bonus artifex.*15°*.de vſu par.* 1ª.213.B
*Phidiæ, Praxitelis, & naturæ differentia in condendis rebus.*2°*.de naturalibus facul.* 1ª.297.D
*Phidias materiã auri nõ mutabat, ſed formã ſolũ.*2°*.de na.fa.*1ª.297.D
PHILADELPHI *magni ad Hæmoptoicos.*7°*.de compoſi.medicamen. ſecundum locos.* 5ª.184.A
*Philadelphus magnus.*9°*.de compoſi.med.ſec.loc.*203.F/5°*.de compo. me.per genera.* 5ª.251.E
*Philadelphum medicamentum.*4°*.de comp.me.ſec.loc.* 5ª.154.E
PHILANTROPHOS *& aparine idem.*6°*.de ſimp.me.fac.* 5ª.43.D
Philantropon vtile eſt Nephriticis turbulentam vrinam facientibus, lapidem in veſica habentibus.de dyna. Sp.28.B
φιλιάτρους *medicorum ſtudioſos vocant.* 4°*.de ſan.tu.* 2ª.85.C
PHILIATRVS *inſcriptum librum fecit Damocrates.* 7°*. de compoſi. me.ſecundum locos.* 5ª.180.D
PHILINVS *cous auctor ſectæ empiricæ.intro.* Iſa.51.D
*Philini medicamentum.*7°*.de comp.me.ſec.loc.*186.H/5°*. de comp.me. per genera.* 7ª.253.B
Philini vxoris caſus.in 1m*.de mor.vul.com.*3°. 3ª.122.C
PHILETERIVM *à quibuſdam dicitur polemonium.*8°*.de ſimplicium medicamen.facul.* 5ª.59.A
PHILIPENDVLA *de dyna.* Sp.35.G
à PHILIPPO *vitreus humor dicĩt crudus.*2°*.de diff.feb.* 3ª.37.E
*ſm Philippum quid ſit maraſmus.*7°*.met.me.* 7ª.46.E

Philippus balnea negabat.10°.met.me. 7ª.65.C
Philippus medicamẽtorũ ſcriptor.3°.de cõp.m.p g.234.H/7°.5ª.178.E
Philippus egregie de medicamentis pertractauit.2°. de compoſi. medi. per genera. 5ª.222.A
Philippi macedonis antidotus Ambroſia.2°.de anti. 5ª.115.A
à Philippo Trallianis data antidotus.7°.de comp.me.ſec.loc.5ª.186.B
Philippi medicamentum.7°.de comp.me.ſec.loc. 5ª.184.G
Philippi paſtillus.9°.de comp.me.ſec.loc. 5ª.204.C
PHILISCI caſus.in 1^m.de mor.vul.com.3°. 3ª.121.A
PHILISTAE caſus.in 3°.de mor.vul.com.2°. 3ª.135.A
PHILISTION vnus ex primis Empiricis.de ſub.emp. Iſa.31.D
Philiſtion vtitur calido, & frigido, humido, ſicco alijs veluti agentibus alijs veluti patientibus.2°.de nat.fac. 1ª.299.G
ſm PHILISTIONEM reſpiratio eſt innati caloris ventilatio. de vtilita.reſp. 1ª.223.C
PHILOCALVS 10°.de comp.me.ſec.loc. 5ª.208.C
à PHILOCLE acceptum acopon.7°.de comp.me.per ge. 5ª.272.B
PHILOMELAE linguam abſtulit Tereus, fabulæ huius alegoria. de voc.inſtr.diſſect. 1ª.106.E
PHILONIS ſcopus qualis ſit.8°.de comp.me.ſec.loc. 5ª.190.G
PHILONIDES ſiculus ſcripſit de re medica.4°.de diff.pul. 4ª.68.E
vt Philonides malagma.7°.de comp.me.per gen. 5ª.266.B
PHILONIVM à Philone inuenta compoſitio.in 6^m.de morb. vulgari. commentario.6°. 3ª.196.E
Philonium celeberrimum.12°.met.me. 7ª.75.C
Philonium fieri poteſt ex ſimplicibus nõ oĩno bonis.1°.de anti. 5ª.101.F
Philonij compoſitio examinatur.9°.de comp.me.ſe. loc. 5ª.201.F
Philonio vti debemus in doloribus.2°.de arte cur.ad Glau. 7ª.104.H
à Philonio cito ſanantur dolores Tenuium inteſtinorum.2°. de arte cura.ad Glauconem. 7ª.104.H
Philonium in colica.introd. Iſa.61.C
Philonis ætas quando eo vti debemus.2°.de arte cur.ad Gl. 7ª.104.H
Philonij ætas.12°.met.me. 7ª.75.C
Philonium antidotum in cephalea.de dyna. Sp.23.C
Philonium hepatici intemperiem ſemel exhibitum ſanauit.8°. de comp. me.ſecundum locos. 5ª.194.G
Philonio vtitur cito Galenus.2°.de loc.aff. 4ª.9.F
Philonium.9°. de comp.me.ſec.loc. 5ª.201.A
PHILOPATOR ſtoicus.de cogn.cur.animi mor. 2ª.54.D
PHILOSOPHYCVS dicitur Aſclepiades.7°.de compoſi.medica.ſec. loc.185.H/8°. 5ª.192.G
Φιλόϱισα quid ſignificet.4°.de diff.pulſ. 4ª.64.D
Philoriſtiæ morbus.4°.de diff.pul. 4ª.69.H
PHILOSOPHIA maximum in diuinis bonis.in orat.ſu. Iſa.2.C
Philoſophia artium ominum parens.de præcogn.ad Poſth. 4ª.214.C
Philoſophiam ſimpliciter quid vocet Galenus.3°.de diff.pul. 4ª.59.B
Philoſophiæ ortus.de hiſt.philo. Sp.3.C
Philoſophiæ ordo, & definitio.de hiſt.phil. Sp.2.H
Philoſophiæ prim⁹ iuẽtor apud Iones Thales Mileſius.ď hiſ.ph. Sp.2.D
Philoſophiæ Italicæ princeps Pythagoras.de hiſt.philo. Sp.2.G
Philoſophiæ cognomina.de hiſt.philo. Sp.2.G
Philoſophia quæ apud ſtoicos.7°.de decr.Hipp. 1ª.268.E
Philoſophia Erytriaca vnde.de hiſt.philo. Sp.2.F
Philoſophiã. Antiſthenes primus in opus deduxit.de hiſt.Philo. Sp.2.D
Philoſophiæ ſepticæ auctor Pyrrho.de hiſt.philo. Sp.2.F
Philoſophiam qui potius dubitando quàm ſtatuendo ſecuti ſint. de hiſtoria philoſophica. Sp.2.G
Philoſophiã contentioſam Zeno Elæates inuexit.de hiſt.philo. Sp.2.G
in Philoſophia cur ſint multa ambigua.9°.de decr.Hipp. 1ª.285.F
in Philoſophia cur non ſunt ſedatę diſcordiæ.9°.de dec.Hip. 1ª.283.A
in Philoſophia ſimilitudines difficultatem pariũt.de cuiuſq; animi pec. not.atq; med. 2ª.56.F
Philoſophiæ finis voluptas ſecundum Ariſtippũ.de hiſt.philo. Sp.2.G
Philoſophiæ partes de hiſt.philo. Sp.3.A
Philoſophia ſpeculatiua, & actiua.9°.de decr.Hipp. 1ª.285.F
ad Philoſophiam ſpeculatiuam quæ pertineant.9°.de decr. 1ª.284.C
de Philoſophia morali tractat Galenus. de ſubſ.fac.nat. 1ª.230.E
ad Philoſophiã moralẽ nihil facit aĩe eſſentia de ſubſ.fac.na. 1ª.230.F
ad Philoſophiam moralem inutile eſt ſcire an plantæ ſentiant.de ſubſt. facul nat. 1ª.230.G
Philoſophiæ morali vtile eſt ſcire animæ facultates, & loca. 9°.de dec. Hippocratis. 1ª.285.E
Philoſophiæ neceſſarium ſcire ſi plures ſint hominum facultates. 8°.de decretis Hippo. 1ª.273.B
Philoſophiæ incumbendum eſt.ſi quis opt.med. Iſa.6.H
Philoſophiam, & medicinam qui aggrediuntur, abſque grammatica, et alijs diſciplinis damnat Galenus.de lib.prop. Iſa.10.G
Philoſophiæ partes cæteras dialectica ꝓcedere ďbet.ď Hiſt.phi.Sp.3.A
Philoſophia ad rẽ medicã neceſſaria eſt.3°.met.m.18.G/ď ocu. 7ª.185.C
Philoſophia naturalis prædiſcenda rei medicæ.6°.de dec. 1ª.264.G
cũ Philoſophia medicinã iunxit Galenus.de ord.lib.ſuo. Iſa.15.D
Philoſophia medicinalis.de ſub fac.nat. 1ª.230.G
Philoſophiæ quomodo ſubiectum eſt noſtrum corpus.ad Thr. 2ª.106.B
Philoſophiæ oratoriam facultatem primus coniunxit Protagoras.de hiſtoria philoſophica. Sp.2.G
Philoſophicæ quæſtiones ignotæ.de cuiuſq; animi pec.atq; me. 2ª.57.A
Philoſophiæ quæſtiones controuerſæ.9°.de decr.Hipp. 1ª.248.A
PHILOSOPHI differunt à ſophiſtis oratoribus, demonſtrationibus et dialecticis.3°.de decr.Hipp. 1ª.241.H
Philoſophus ſimul grammaticus, & Arithmeticus ſi fuerit idem homo poterit quiſpiam vnius artis has omnes particulas exiſtimare. ad Thraſybulum. 2ª.105.G
Philoſophi in prima ſede prope Deum Mercurium ſcite olim pingebantur.in oratione ſuaſ. Iſa.2.F
Philoſophorum antiquorum ordo.de hiſt.phil. Sp.2.D
Philoſophorum genera duo Ionicum, Italicum.de hiſt.philo. Sp.2.G
Philoſophorum quatuor ſectæ diſtinctæ.de ord.lib.ſuo. Iſa.14.F
Philoſophi ſceptici vnde dicti.de ſubfig.emp. Iſa.31.C
Philoſophi ſinguli extra proprium gregẽ à nullo alio laudari.de cuiuſq; animi pecc.not.atque med. 2ª.60.A
Philoſophus vnus in ſcythis.quòd animi mor. 1ª.321.H
Philoſophus non debet habere veſtem diuerſam ab alijs ſed animum.de hiſt.philoſo. Sp.2.D
Philoſophorũ verorũ & apparentium differentia.8°.de dec. 1ª.273.E
Philoſophorum eminentiſſimus Plato.3°.de decr.Hipp. 1ª.244.B
Philoſophi ſtudio veritatis incumbunt.3°.de dec.Hipp. 1ª.241.D
Philoſophi debent eſſe magis exercitati in demõſtratione, quam alij.8°. de decr.Hippo. 1ª.273.E
Philoſophis magis, quã geometris, aut arithmeticis, aut ratiocinatorib. aut aſtronomis, aut architectis cõuenit.dem°.8°.de decr. 1ª.276.B
à Philoſophis argumenta ſunt ꝓpinqua captioſis.2°.de dec. 1ª.235.H
Philoſopho non conueniunt argumenta per translationem.3°.de decret. Hippocratis. 1ª.244.G
Philoſophi nihil poſſunt vniuerſale, & indefinitum pronunciare.9°.de decr.Hippo. 1ª.283.G
Philoſophorum rationes rethoricæ, de mundo, & vacuo. de cuiuſque animi pec.not.atque med. 2ª.60.A
Philoſophorum controuerſia de quibus non habetur euidens cõiectura. de vict.rat.in mor.acu.com.1°. 7ª.109.D
Philoſophus de animæ facultatibus agere debet.6°.de decr. 1ª.266.G
ad Philoſophum nihil facit ſcire in quo loco ſit principalis animæ pars. 9°.de decr.Hipp. 1ª.284.B
Philoſophus curat animi mores.1°.de ſan.tu. 2ª.65.E
Philoſophus q alios docet qualis eſſe debet.de cog.cur.aĩ mor. 2ª.54.D
Philoſophus qũo loquatur de moribus animi.1°.de ſan.tu. 2ª.65.F
Philoſophus iudicat de moribus.de opt.ſect. Iſa.23.D
Philoſophi non plorant.13°.met.me. 7ª.84.B
Philoſophi in ocio degunt.3°.de loc.aff. 4ª.17.B
Philoſophi abundant atra bile.2°.de nat.fac. 1ª.301.D
Philoſophi omnes putant eſſe eundem vſum reſpirationis, & pulſuum. de vſu pulſuum. 1ª.227.D
Philoſophorũ, & medicorũ cõmunis conſideratio.3°.de decr. 1ª.241.B
Philoſophi nõ damnarũt Hippocratis opinionem de natura hominis.1°. methodi medendi. 7ª.3.A
Philoſophi omnes æmulati ſunt Hippocratem de humoribus.8°.de dec. Hippocratis. 1ª.276.B
Philoſophi antiqui incubuerunt anatomiæ.1°.de ana.adm. 1ª.68.D
Philoſophis vtile, & neceſſarium eſt ſcire materiam de fœtuum formatione.de fœt.form. 1ª.324.A
ad Philoſophũ pertinet de vſu par.tractare.17°.de vſu par. 1ª.222.D
Philoſophi de qua parte pulſuum tractarunt.1°.de digno.pul. 4ª.70.C
Philoſophi, & medici egere de laſſitudine.3°.de ſan.tu. 2ª.78.E
ad Philoſophos qď iudiciũ ſpectat, nõ ad medicos.de opt.ſect.li.Iſ.23.C
apud Philoſophos quæ difficilia ſunt ſolutu ꝓblemata facilia ſunt apud

medicos.2°.de ſimp.me.fac. 5ª.11.F
Philoſophorum ſententiæ contrariæ non poſſunt omnes eſſe verę, ſed bene omnes falſæ.de cuiuſque animi pec.not.atque med. 2ª.56.D
Philoſophi multa propter ignorãtiã præterierũt.3°.de loc.aff. 4ª.19.D
Philoſophi quæ ignorarunt.de fœt.for. 1ª.324.H
Philoſophi, & medici tempore Galeni nomina ignorabant, & diſtinguere neſciebant.1°.meth. 7ª.6.B
Philoſophi qui ĩ inani opinione verſabantur.de cuiuſque animi peccat. not.atque.med. 2ª.57.G
Philoſophi duo altercabantur an aqua lignis grauior eſſet. de cuiuſque animi pec.not.atque med. 2ª.59.G
Philoſophos deridẽs Architectus.d̃ cuiuſq; aĩ pec.not.atq; me.2ª.59.H
Philoſophos vomitũ impediẽtes ſpernit Galenus. 6°.de ſa.tu. 2ª.95.H
Philoſophi Azariconis medicinæ.de med.exper. Sp.105.F
Philoſophorum quod dicitur Turpilliani medicamentum. 4°. de comp. med.per gen. 5ª.243.A
PHILOTAE cephalicum.4°.de comp.me.per ge. 5ª.243.H
PHILOTIMVS medicus grauiſſimus.8°.de decr.Hipp. 1ª.276.B
Philotimus antiquus medicus qua ætate floruerit.c.6°.ap.1°. Ex.46.C
Philotimus auctor legitimæ gymnaſticæ.ad Thraſ. 2ª.108.A
Philotimus callebat totam artem corpori præſidẽ.ad Thraſ. 2ª.109.E
Philotimus antiquus ſcriptor anatomiæ.de nat.hu.com.2°. 7ª.183.E
Philotimus ignorauit vaſorum ſeminalium coniunctionem in muliere. de diſſec.vul. 1ª.109.C
ſm Philotimum vitreus humor qui.1°.de ali.fac. 2ª.12.A
ſm Philotimum ptiſſana triticea eſt alica.1°.de alim.fac. 2ª.10.H
ſm Philotimum ſalſus ſuccus fit ex duris cibis omnibus qui ſupra modum coquuntur.3°.de ali.fac. 2ª.31.H
Philotimus ſalſum humorem ex diuturniori coctione fieri arbitrabatur 3°.de alim.fac. 2ª.31.H
PHILOXENVS grammaticus.7°.de comp.me.per gen. 5ª.272.C
Philoxeni Claudij chirurgi Aegyptiũ. 3°. de comp.me.per ge. 5ª.235.B
Philoxenus medicamento ex chamæleonte ad fluentia, & ægre curabilia vlcera vſus eſt.4°.de comp.me.per gen. 5ª.243.C
ex Philoxenis collectaneis medicamentũ.4°.de cõp.me.p.g. 5ª.243.F
PHILOXENIS medicamentum ad neruos præciſos.5°.de compoſi. medica.per gen. 5ª.250.E
Φίλθρων medicamentorum meminit.10°.de ſimp.me.fac. 5ª.72.D
Φίμωσις qd, et in qbus fiat partibus.de ijs quæ in me ſi.c.2°. 7ª.213.D
PHISEMA. 7°.de comp.me.per gen. 5ª.264.B
PHISICAE finis in contemplatione.ad Thraſ. 2ª.106.D
PHISIOLOGICA medicinæ pars.de part.art.med. Sp.16.E
Φλάσματα quæ ſint.de ijs, quæ in med.ſi.com.3°. 7ª.219.C
Φλεβοδονώδεα nomen peregrinum oſtendens venas agitari.in 1m.prorrheticorum.com.3°. 4ª.180.C
Phleborragia ſignificat venarum ruptionem.de vict.rat.in morbis acutis, commenta.4°. 7ª.144.H
PHLEBOTOMIA vnum ex auxilijs morbi.de vict. rat. in mor. acut. commenta.1°. 7ª.115.C
Phlebotomiam qua omne ſimul educitur non patiuntur ſeptentrionis incolæ, & Aegypti, nec meridionales.de ſect. Iſa.18.B
Phlebotomia in maximis affectibus nõ omittenda.de cucur.ſcar.6ª.3.F
Phlebotomiam eſſe magis ſecuram purgatione poteſt colligi. comment. 1°.aphoriſmo.3°. Ex.3.G
Phlebotomia in baſilica quando fieri debet.ſecr. Sp.97.D
Phlebotomia in cephalica quando fieri debet.ſecr. Sp.97.D
Phlebotomiam debere fieri à latere diuerſò, & quod ſit latus diuerſum collige.com.5°.aph.68°. Ex.45.D
Phlebotomia in contraria parte quid faciat.de cathar. Sp.94.G
Phlebotomia nihil aptius eſt in dolore viſcerũ.de cura icteri. Sp.110.H
Phlebotomia neceſſaria eſt ad icteri curam.de cura icteri. Sp.110.G
Phlebotomia quando fieri debeat in icteritia.de cura icteri. Sp.110.H
Phlebotomia fieri debet poſt purgationem choleræ rubræ in Eryſipelate.de ocul. 7ª.189.G
Phlebotomia facit animi defectum.com.1°.aph.23°. Ex.10.D
Phlebotomia aborſum facit.com.5°.aph.31°. Ex.40.D
PHLEBOTOMANDI debent iacere, ne animo deficiant. commenta. 1°.aphoriſmo.23°. Ex.10.E
Phlebotomari debent vere qui ſanguinem reiecerunt.de curan.rat. per ſang.miſſ. 6ª.17.E
Phlebotomari non debet æger cum inedia.com.2°.aph.16°. Ex.12.H
PHLEGMA à nobis dictum Prodicus βλένναν. id eſt muccum dixit. 2°.de nat.fac. 1ª.301.D
Phlegma quid ſignificet.in prognoſt.com.2°. 4ª.205.C
Phlegma appellatur ſanguinis aquoſa ſupfluitas admixta ſanguini. de ana.viuo. Sp.50.H
Plegma album quid.8°.de decr.Hipp. 1ª.277.D
Phlegma frigidum eſt, & humidum.de dyna. Sp.19.E
Phlegma eſt frigidũ, ſalſum, & humidũ.de nat.& ord.cuiusl. Sp.41.D
Phlegmatis alia pars in capite, alia in ſtomacho, alia ĩ veſica vel vt alij legunt in pulmone.de dyna. Sp.19.E
Phlegmatis poteſtas eſt in pectore. de ſpermate. Sp.36.G
Phlegmatis propria ſedes eſt pulmo.de ſpermate. Sp.36.H
Phlegma dominatur ab hora noctis tertia vſq; in horam noctis nonam. de dynamidijs. Sp.19.E
in Phlegmatis horis concepti pueri natura.de ſpermatę. Sp.37.C
in Phlegmatis horis ſi conceptio ſit parentum, & infantis, quid ſequatur.de ſpermate. Sp.38.C
in Phlegmatis horis ſi ſit conceptus puer ; & ſit in ſiniſtra, parentes in horis ſanguinis, quid ſequatur.de ſper. Sp.38.D
in Phlegmatis vel ſanguinis horis ſi ſit puer conceptus, parentes horis bilis, quid ſequatur.de ſpermate. Sp.38.D
Phlegma dominatur in pueris ab ineunte ætate vſque ad quatuordecim annos.de nat.& ord.cuiusl.corp. Sp.41.E
Phlegma cum parte ſanguinis dominatur vſque in annum decimũ quartum.de dyna. Sp.19.E
Phlegma dominatur ab annis choleræ nigræ vſque in ſummam ætatem. de natura, & ord.cuiusl.corp. Sp.41.E
Phlegma in quibus gignatur.2°.de nat.fac. 1ª.301.D
Phlegma creſcit in hieme.de dyna. Sp.19.E
Phlegma fit in temporibus pluuioſis.com.3°.aph.7°. Ex.20.F
Phlegma generat cerebrum, & cur.de diſſ.cont. Sp.74.A
Phlegma generant ventres & cur.de diſſ cont. Sp.74.A
Phlegma gñant piſces duri, qbus dominat̃ viſcoſitas.d̃ diſ.cõt. Sp.74.B
Phlegma per os reſpirationẽ habet.de nat.& ord.cuiusl.corp. Sp.41.E
per Phlegma & ſaliuam purgatur os.de cathar. Sp.94.G
Phlegma per os, & nares reſpirationem habet.de dyn. Sp.19.E
Phlegma facit compoſitos corpore, inuigilantes, & intra ſe cogitantes, & canos cito producentes.de dyna. Sp.19.E
Phlegma honeſtum pulſum facit, plenum, & æqualem.de dyn.Sp.19.F
Phlegma qũo vertit ab hepate in ſanguinẽ virtute fellis.de ſpe.Sp.36.B
Phlegma ſalſum vertitur in bilem aduſtam.de ſper. Sp.40.A
à Phlegmate, & atra bile diuturnos morbos prouenire inquit Hippocrates.bre.denot.dogm.Hipp. 1ª.231.D
ex Phlegmate ſuperfluo qui affectus naſcuntur.de ſper. Sp.36.G
ex Phlegmate fiunt febres quotidianæ.8°.de decr.Hipp. 1ª.277.B
Phlegma quo modo cognoſcatur abundare.com.1°.aph.2°. Ex.3.D
Phlegma quos tumores generet.de ocul. 7ª.189.E
Phlegma ſi ſit ſcirrhoſior adde ſal.13°.met.me. 7ª.81.D
Phlegma ſi fuerit ægritudinis cauſa, da ei aſſidue dulce calidum, & ſiccum.de dyna. Sp.19.F
Phlegma ſi generatur in ſtomacho oportet ipſum lauare, & abſtergere. de diſſ.cont. Sp.71.F
Phlegma quando generatur in ſtomacho, ac reliquo corpore ex craſſitie ciborum aſſumptorum, aut ex multitudine eorum cõueniunt cibi acetoſi.de diſſ.cont. Sp.72.G
Phlegmatis generationem in renibus, in pectore, in cerebro, in iũcturis timenti conueniunt cibi ſubtiliantes. de diſſ.cont. Sp.72.E
Phlegma educitur de ſtomacho.de cathar. Sp.94.G
Phlegmata quibus abundant in ventre, & pectore & ſtomacho, danda phlegmagoga.de dyna. Sp.21.C
Phlegma quod incraſſatur in ſtomacho quid reſoluat.ſecr. Sp.101.F
Phlegma à ſtomacho, & à iuncturis reſoluens cõpoſitio.ſecr. Sp.101.H
Phlegmate laborantẽ thoracẽ raphanus emundat.de ſim.me. Sp.89.F
Phlegma in canalibus pulmonis quid agat.de ana.viu. Sp.45.E
Phlegmata pinguia multum, & frequenter mingentibus danda phlegmagoga.de dyna. Sp.21.C
Phlegma deponit agaricum.de ſimp.med. Sp.80.E
Phlegma purgat, & deorſum deducit clematis.de ſimp.me. Sp.83.B
Phlegma & choleram deponit cnicum.de ſimp.med. Sp.83.B
Phlegma purgat colocynthis.de dyna.21.D/de cath. Sp.95.A
Phlegma deponit lathyris.de ſimp.med. Sp.86.E
Phlegma cum cholera purgat ſcammonia.de cathar. Sp.95.A
ex Phlegmate viſcoſo, quo deſtruitur motus, dolori iuncturarũ valens

medicamentum

medicamentum.de med.exper. Sp.108.E
ad Phlegma deponendum catharticum.de dyna. Sp.32.F
Phlegma viſcoſum ſcindens electarium.de me.exper. Sp.107.D
Phlegma ſubtilians,& attenuans, & alleuians exitum eius ex corpore medicamentum.ſecretorum. Sp.101.G
Phlegma viſcoſum liquefaciens electarium.de me.exper. Sp.108.D
Phlegma liquefaciens electarium.de med.exper. Sp.107.A/G
Phlegma liquefaciens medicamen.de me.exper. Sp.108.A
Phlegma laxans electarium.de med.exper. Sp.107.G
Phlegma,vide pituita.
PHLEGMAGOGA *quæ,& in quibus vſus.de dyna.* Sp.21.C
φλεγμαίνοντα *quid ſignificet apud Hippocratem.de victus ratione in morbis acu.com.4°.* 7ª.137.B
PHLEGMASIA *quid.com.1°.apho.7°.* Ex.4.E
PHLEGMATICI *humoris purgatoria eſt lacterida.de catharticis.* Sp.95.B
Phlegmaticis ſuperfluitatibus abundantibus mulieribus optimum medicamen.de med.exper. Sp.108.F
Phlegmatica puella vnde fiat.de ſperm. Sp.38.C
Phlegmaticis idoneum eſt vinum falernum molites,auriuſium,lesbium.de vinis. Sp.76.G
Phlegmatico accidentales infirmitates ſunt in æſtate ſynochus, & cauſus.de ſpermate. Sp.39.G
Phlegmatica vrina ſi apparuerit ſicut ſol in limpidis coloribus indignationem renum ſignificat.de dyna. Sp.34.G
Phlegmatica tertiana ſi acuitur in bilis horis minus periculoſa.de ſpermate. Sp.40.A
contra Phlegmaticas febres valẽs medicina.de me.ex.104.H/Sp.106.C
Phlegmatica tuſſis.ſecretorum. Sp.100.F
ad Phlegmaticas ægritudines.ſecre.102.D/103.C/de me.ex. Sp.107.B
Phlegmatica apoſtemata quomodo curentur.de ocul. 7ª.190.G
PHLEGMAENON *non eſt differentia vlceris & cur.3°.methodi medendi.* 7ª.22.D
Phlegmænon eſt morbus.3°.met.med. 7ª.22.E
PHLEGMATODES *eriſypelas.1°.de dif.feb.* 3ª.32.A
à PHLEGMONE *incipit Galenus acturus de tumoribus præter naturam.13°.meth.med.* 7ª.80.D
Phlegmone ex ijs eſt quę abſolute dicuntur.2°.meth.me. 7ª.9.H
Phlegmone phlogoſis apud Antiquos.3°.de diff.reſp. 3ª.71.D
Phlegmon quid ſignificet.7°.de com.med.per ge.5ª.263.G/ de victus ratione in morbis acutis,com.4°. 7ª.137.B
Phlegmone quid ſignificet apud Hippocratem.in 6m. de morbis vulgaribus,commen.3°. 3ª.179.E
Phlegmone qd.de opt.ſec.20.C/fin.med.Iſ.48.H/de tu.p̃t.nat. 3ª.82.H
Phlegmone quid ſit ſecundum Eraſiſtratum.7°.meth.med. 7ª.43.E
Phlegmone quid proprie ſit.de frac.com.3°. 7ª.243.C
in Phlegmone partibus affectis intemperies adeſt.2°.de temp. 1ª.21.D
Phlegmone in parte eſt inæqualis intemperies cum fluxione.de inæqu.in temper. 3ª.43.B
Phlegmon an ſit morbus.1°.met.me. 7ª.7.D
Phlegmoni quę affectio.1°.de ſim.me.fa. 5ª.2.H
Phlegmon eſt affectus præter naturam.1°.met.med. 7ª.8.A
Phlegmon duplici ratione à natura receſſit.13°.meth.med. 7ª.82.E
Phlegmon eſt morbus.1°.de ſan.tuen. 2ª.68.C
Phlegmone q̃ morbus ſit.de inæq.intẽ.3ª.43.E/13°.met.med. 7ª.80.D
Phlegmones ſunt morbi flammantes.de victus ratione in morbis acutis, commentario 4°. 7ª.137.B
Phlegmones calidi.1°.de ſimp.me.fac. 5ª.5.H
Phlegmone morbus inſtrumentalium partium.de ſymptomatum differentijs.14.G/3°.de ſymp.cau. 3ª.24.G
Phlegmon nõ durus,ſed reſiſtẽs tumor.in 6m.de mor.vul.c.1°.3ª.160.C
Phlegmon ponit̃ inter morbos vere apparẽtes.5°.de ſan.tuen.2ª.94.D
Phlegmones quo aſpectu fiant Martis cum luna.de decub.progn. ex mathematica ſcientia. Sp.12.H
Phlegmon quo modo fiat,& quid ſit. de inæq. intemp. 3ª.43.B/de cur. rat.per ſang.miſ.6ª.17.A/10°.meth.med.64.C/14°. 7ª.87.A
Phlegmon ſm̃ Eraſiſtratum q̃uo accendatur.6°.de vſu par. 1ª.155.A
Phlegmon q̃uo fiat à vi expultrice.13°.met.med. 7ª.80.G
Phlegmon ex quibus fiat.de ſymp.dif. 3ª.14.G
Phlegmon à ſanguine fit.1°.de dif.feb.3ª.32.A/13°.meth.me. 7ª.80.E
Phlegmonem generat ſanguis temperati caloris.de ocul. 7ª.189.E
Phlegmones quomodo fiant ex ſanguine.13°.met.med. 7ª.80.F
in Phlegmonis locum q̃uo influit ſanguis.13°.meth.med. 7ª.80.F
Phlegmonas,& profluuium ſanguinis incitat ſuper omnia dolor.5°.methodi medendi. 7ª.31.A
Phlegmonis cauſę ſunt calor loci,& dolor.13°.meth.med. 7ª.80.H
Phlegmonem quo modo augeat calor.13°.meth.med. 7ª.82.F
Phlegmon quomodo dolorem faciat.1°.de ſymp.cauſ. 3ª.16.H
Phlegmon ex calida fluxione.3°.de temp. 1ª.25.B
Phlegmones excitant acria.11°.meth.med.73.F/13°. 7ª.81.D
Phlegmonas feruentes iritat acerbatq; fœnu græcum.8°. de ſimplicium medicam.facul. 5ª.62.D
Phlegmonem augent cibi mordaces.13°.meth.me. 7ª.83.E
Phlegmonas inciderant qui malos cibos ob annonam caram ederant.de boni.& vitio ſuc. 2ª.33.G
Phlegmone excitatur de induſtria ad morbũ ſimulãdũ.intro. Iſag.61.B
Phlegmone qui tentabitur.6°.meth.me. 7ª.36.H
in Phlegmone duplex affectus.3°.de temp. 1ª.25.B
Phlegmones ſenſus nõ eſt affectus.ſed ſymptoma.3°.de ſa.tuen. 2ª.78.G
in Phlegmonis parte eſt rubor.13°.meth.med. 7ª.80.E
Phlegmon frequentiſſime fit, & cum febre.14°.meth.med. 7ª.86.H
Phlegmon pulſationem habet.14°. met.me. 7ª.87.A
Phlegmon quando habet pulſum.13°.meth.me. 7ª.80.D
Phlegmonis diuerſitas.14°.meth.med. 7ª.89.E
Phlegmones cur variæ.de inæqu.intemp. 3ª.43.H
Phlegmon magna quæ.7°.de compoſit.med.per gene. 5ª.263.G
Phlegmon parua quæ.7°.de comp.me.per ge. 5ª.263.G
Phlegmones quæ ſiccæ.de vict.ra.in mor.acu.com.1°. 7ª.112.F
Phlegmones quomodo ſiccæ ſint.de ptiſ. 2ª.48.B
à Phlegmone q̃uo differat ſiccitas.de vic.ra.in mor.acu.c.2°.7ª.125.A
Phlegmone partibus affectis calida,et humida admota ſuperuacua,quæ media ſimilarium ſpatia occuparunt,euocant,& partes non exiccãt, ſed potius humectant.2°.de temper. 1ª.21.D
Phlegmonis,& eryſipelatis p̃pria,& differẽtiæ.14°.me.me. 7ª.87.A
Phlegmone eriſypelatodes qd.1°.de diff.feb.3ª.32.A/14°.m.m. 7ª.87.C
Phlegmone eriſipelatodes,& è contrario quando ſint.7°. de ſimplicium medicamen.facul. 5ª.52.E
Phlegmon,& ſcirrhus in multis perſimiles ſunt, tamen curam habent contrariam.de opt.ſect. Iſa.24.A
Phlegmon ſcyrrhoſus,& phlegmonoſus ſcirrhus quid.7°. de compoſit. med.per genera. 5ª.263.G
ex Phlegmone quando ſcirrhi fiunt,& quando non. 7°. de compoſitio. medicam.per genera. 5ª.267.H
ex Phlegmone ſcirrhi.7°.de com.med.per ge. 5ª.267.H
Phlegmones vitio fit vaſorum anguſtia.1°.de ſan.tuen. 2ª.68.C
Phlegmon facit impedimentum in motibus.1°.de mo.muſc. 1ª.308.G
Phlegmon vt ſcirrhus priuat membrũ motu.1°.de mo.muſ. 1ª.310.G
ob Phlegmonem aliqua ægre mouentur.2°.de ſan.tuen. 2ª.72.F
Phlegmonis laſſitudo an compoſita ſit ex tenode,& vlceroſa.3°.de ſanitate tuenda. 2ª.79.E
Phlegmonis ſenſus diuerſitas ab alijs laſſitudinibꝰ.3°.de ſa.tuẽ. 2ª.79.E
Phlegmones laſſitudinis victus ratio.3°.de ſan.tuen. 2ª.79.G
Phlegmones laſſitudo aquas tepidiores deſiderat.3°.de ſa.tuẽ. 2ª.79.H
in Phlegmonarũ g̃nibus cõuulſio & repletiõe.2°.de ſym.cau.3ª.20.A
Phlegmonis quæ ſit curatio.13°.metho.med. 7ª.80.F
Phlegmonis curationis duplex genus.de inæq.intemp. 3ª.43.F
Phlegmonis curatio quibus potiſſimum conſiſtat.13°.meth.med. 7ª.82.F
Phlegmonis curatio propria.3°.de temp. 1ª.25.B
in Phlegmone curatio obſeruata.de opt.ſect. Iſa.22.C
Phlegmonem curans recte quid agere debet.13°.meth.med. 7ª.83.D
Phlegmonis curandi prima intentio quæ.13°.meth.med. 7ª.80.E
Phlegmonis in fieri curatio.13°.meth.med. 7ª.80.E
in Phlegmone quæ fit ſanguinis inhibitio.13°.me.med. 7ª.81.G
à Phlegmone pręſeruans diuiſionem,& contuſionẽ.6°. de compo. medicamen.per ge. 5ª.258.G
à Phlegmone præſeruans diuiſa quælibet, & contuſa. 6°.de compoſit. medic.per genera. 5ª.260.C
ad Phlegmonem arcendam præſertim vbi contuſio fuerit.5°.de compo. med.per gen. 5ª.248.D
citra Phlegmonẽ p̃uãs vulnera recentia.7°.de cõ.me.per ge. 5ª.268.G
Phlegmonem quæ deligatio prohibet.6°.meth.med. 7ª.41.B
Phlegmonem prohibet ceratum humidum.6°.meth.me. 7ª.41.B
contra Phlegmonarum generationes valet Tribolus.8°. de ſimplicium medicam.facul. 5ª.62.F

Phlegmonas arcens

Phlegmonas arcens emplaſtrum.2°.de comp.med.per gen. 5ª.226.D
ad Phlegmonem arcendam.2°.de compoſitione medicamentorum per genera.227.E/6°.259.E/ 5ª.261.G
in Phlegmone qũ facilis, & qũ difficilis curatio.13°.meth.me. 7ª.81.A
Phlegmon omnis non poteſt curari.contra Iulianum. Ex.69.D
Phlegmon quæ eſt cum periculo mortis.10°.meth.med. 7ª.63.H
Phlegmonem ſi habeat calidum et ſiccum corpus febricitans, morietur.10°.meth.med. 7ª.63.H
in Phlegmonis ſolutione ſanioſæ vrinæ.de cau.procath. 3ª.98.C
Phlegmones iam factæ curatio.13°.meth.med. 7ª.81.H
à Phlegmone arcenda dura.13°.meth.med. 7ª.81.D
Phlegmones inter initia quandoque per adſtringentia, & reprimentia deſinunt.de opt.ſect. Iſa.29.E
Phlegmone incipiente adſtringentia admoueanť.de opt.ſect. Iſa.29.G/ *6°.de ſimp.med.fac.* 5ª.46.E
ad Phlegmonas incipientes frigidis, & adſtringentibus potius vtendũ, quàm digerentibus.12°.meth.med. 7ª.82.C
in Phlegmone quæ adſtringentia danda.13°.meth.med. 7ª.85.C
Phlegmonis, & phygethlis incipientibus gliſcentibus, & emollibus etiã num, ac velut feruentibus atriplex, & malua hortenſis ſunt commodiores quam ſylueſtres, vigentibus autem, ac declinantibus ac indureſcentibus contra.6°.de ſimp.med.fac. 5ª.44.C
ad Phlegmonas incipientes, & creſcentes non nulli medici fructu roboris vtuntur.6°.de ſimp.med.fac. 5ª.46.E
in Phlegmone primo reprimentia, poſt cataplaſmata, & reſoluentia adhibemus.de opt.ſect. Iſa.22.D
Phlegmones incipientes potiſſimum in partibus neruoſis debent repercuti, poſtea digeri.9°.de ſimp.med.fac. 5ª.67.A.
in Phlegmonis principio cur repcutientib⁹ vtimur.13°.me.me. 7ª.84.D
in Phlegmonarũ principio influxionem repercutere poſſunt mala auſtera.7°.de ſimp.med.fac. 5ª.55.H
in Phlegmõis vigore cur repcutiẽtibus nõ vtamur.13°.me.me. 7ª.84.E
in Phlegmone quantum refrigerandum.13°.meth.med. 7ª.82.F
q̃ Phlegmone amplius refrigerãdũ eſt eryſipelas.14°.met.me. 7ª.87.D
in Phlegmone euacuationis indicatio vincit refrigerationis indicationẽ.13°.me.med. 7ª.82.E
à Phlegmone ſumpta indicatio quæ.13°.meth.med. 7ª.84.E
Phlegmonis corporis cõis indicatio eſt euacuatio.13°.meth.me. 7ª.81.G
in Phlegmone curationis principiũ eſt ab euacuatione.de curã. ratione per ſang.miſſ. 6ª.18.A.
Phlegmone non eſt in principio euacuanda.de dyna. Sp.20.D
in Phlegmone prius oportet euacuare, quàm vti euaporãte aliquo.13°.meth.med. 7ª.86.C
in Phlegmone vacuatio duplex.13°.meth.med. 7ª.82.F
Phlegmoni non eſt contraria euacuatio.de opt.ſect. Iſa.25.F
in Phlegmonis initio aut propter ictum, aut propter dolorẽ, aut partiũ debilitatẽ, venæ ſectio conuenit.de cu.ra.per ſang.miſſ. 6ª.17.G
Phlegmone affectas partes ſcarificamus.de cucurb.ſcarif. 6ª.3.F
Phlegmonem minuunt cucurbitulæ.de Hirud.reuulſ.cucurb.& ſcarifi.2.F/de cucurb.ſcar. 6ª.3.F
in Phlegmones principio cucurbitula non debet apponi.13°.methodi medendi. 7ª.85.A
in Phlegmone quando digerendum.12°.metho.med. 7ª.82.C
Phlegmonis feruor vbi mitigatus eſt tranſeundum ad digerentia.13°.methodi medendi. 7ª.81.C
in Phlegmone quando eſt pus quid agendũ.13°.meth.med. 7ª.81.D
in Phlegmone qũo pus coctũ dicať.de vi.ra.in mor.ac.c.2°. 7ª.122.H
Phlegmone laborans mẽbrũ oẽ niſi cutim ſibi circundatam habeat ſpiſſam, tenuis ſaniei aliquid dimittit, ac laxat.13°.meth.me. 7ª.84.H
Phlegmones medicamenta ſunt diuerſa ab euellentibus ſurculos.1°.de natura.facul. 1ª.295.A
Phlegmone afflictis partibus ſemper iucundiora, & gratiora ſunt mitiora remedia.9°.de ſimp.med.fac. 5ª.68.D
Phlegmone ſuperficialis, & profunda qũo cureť.de conſt.ar. Iſag.41.E
Phlegmones paruæ quomodo curandæ.2°.de com.med.per ge. 5ª.221.H
Phlegmone in ſuperficie, & profundo, qũo cureť.13°.met.me. 7ª.85.A
Phlegmoni ſuperficiali cucurbitula infenſa eſt.de conſt.ar. Iſa.41.E
in Phlegmõe intrinſeco qbus vti debem⁹ medicamẽtis.13°.m.m. 7ª.85.C
Phlegmone in ſupernis partibus qũo curetur.13°.meth.me. 7ª.82.A
in Phlegmone inciſa ordo medendi.13°.meth.me. 7ª.81.F
Phlegmonis familiariſſimus eſt adeps ſuillus, gallinaceus, & anſerinus, 5°.de ſimp.med.fac. 5ª.34.B
in Phlegmone cum magno dolore cõueniunt Adeps, et oleum recentia.1°.de comp.me.per ge. 5ª.210.H
Phlegmoni contumaci proſunt adeps, & oleum vetera.1°.de compoſit.med.per gene. 5ª.210.H
Phlegmonas cõcoquentibus medicamẽtis miſcetur adeps taurinus.11°.de ſimp.me.fa. 5ª.79.B
in Phlegmone liberat Ageratum.6°.de ſimp.med.fac. 5ª.41.E
in Phlegmonis declinatione Aloes bona.13°.met.me. 7ª.85.C
Phlegmone quando eſt irritata mitiga fomento ex ſpongia, & aqua dulci.13°.meth.med. 7ª.81.D
Phlegmonẽ aqua pfundũt calida, & humor euacuať.2°.de temp. 1ª.21.C
in Phlegmone Artomeli pro cataplaſmate.11°.met.med. 7ª.73.C
Phlegmonas induratas ſanat Auena.6°.de ſimp.med.fac. 5ª.41.F
ad Phlegmonas feruentes competit Auricula muris.6°.de ſimplic.medicamen.facul. 5ª.42.D
Phlegmoni aduerſa eſt Beta.8°.de ſimp.med.fa. 5ª.62.A
Phlegmonas iam induratas, & ægre ſolubiles ſanat Braſſica.7°.de ſimplic.med.facul. 5ª.52.G
in Phlegmone vſus Caſtorei.11°.meth.me. 7ª.73.F
Phlegmoni omni conuenit Ceratum humidũ.1°.de ſimp.med.fac. 5ª.3.C
Phlegmonas eryſipelatodes, & eryſipelata phlegmonode curat Cotyledon.7°.de ſimp.med.fa. 5ª.52.F
Phlegmonas calidas mediocriter refrigerat Cucurbita.7°.de ſimpliciũ medicamen.facul. 5ª.52.A
aduerſus Phlegmones igneas Cyperi foliorum decocto vtuntur.7°.de ſimp.med.facul. 5ª.53.H
Phlegmonas oẽs in initio & aug° ſanat Elxine.6°.de ſim.me.f. 5ª.47.C
Phlegmone ex ictu occupatis imponitur farina fabacea cum polẽta.7°.de ſimp.med.fac. 5ª.53.E
in Phlegmone quando vti debes Fœnu græco.11°.met.me. 7ª.73.C
ad Phlegmonas valet Glaucium.14°.met.med. 7ª.88.G
ad Phlegmonas calidas accõmoda eſt Lactuca.6°.de cõ.me.fa. 5ª.48.E
Phlegmoni, quod aphlegmaton vocatur, aduerſus eſt Læchen.7°.de ſimplic.med.facul. 5ª.54.B
Phlegmonũ nõ malũ medicamẽ eſt Leucoion.7°.de ſim.med.fa. 5ª.54.D
Phlegmones induratę curanť radicibus leucoij.7°.de ſim.m.fa. 5ª.54.D
Phlegmonis cõuenit Maſtiche.8°.de ſimp.med.fac. 5ª.59.F
pro Phlegmone coquendo Mel, & farina hordei non triticea.13°.methodi medendi. 7ª.81.C
Phlegmones gratia Oleum datur bibendum.2°.de ſimp.me.fac. 5ª.12.A
ad Phlegmonas Pinguedo ſuis.11°.de ſimp.med.fac. 5ª.78.H
Phlegmonas calidas ſanat Polygonon.8°.de ſimp.me.fa. 5ª.58.H
in Phlegmone quando Salis vſus.13°.met.me. 7ª.81.B
ad Phlegmonas à fluxiõe natas accõmodatur Semperuiuũ.6°.de ſim.medic.facul. 5ª.41.F
Phlegmonas ſedat, & glutinat Sideritis.8°.de ſimp.med.fac. 5ª.60.D
Phlegmone obſeſſis partibus ruſticorum Stercus bubulum impoſitum.10°.de ſim.me.fa. 5ª.76.G
ad Phlegmonas calidas vtilis eſt Terra ſamia.9°.de ſim.m.f. 5ª.65.H
Phlegmonas veteres adiuuat lutũ ægyptiæ rerrę.9°.de ſim.m.f. 5ª.65.F
Phlegmone cruda obſeſſas partes illitu extrinſecus adiuuant Tuſſilaginis folia virentia.6°.de ſimp.med.fac. 5ª.44.H
Phlegmonas calidas mitigant violæ folia.6°.de ſimp.me.fac. 5ª.48.F
Phlegmonem extinguentibus cataplaſmatis miſcentur Vitella ouorum.11°.de ſim.me.fa. 5ª.81.E
Phlegmones diuerſarum partium diuerſa indigent curatione.de partibus art.medi. Sp.17.C
Phlegmone in particulis circa artus qũo curãda.13°.me.me. 7ª.83.C
Phlegmone in glandulis qũo curetur.13°.meth.me. 7ª.83.D
in Phlegmone glandularum, vel artuum cibus.13°.met.med. 7ª.83.C
Phlegmone cum diſtentæ ſunt glandulę, aut aliqua alia pars, debet corpus euacuari, & locus ſcarificari.13°.meth.med. 7ª.81.C
Phlegmone quæ cœpit vrgeri adeni, eſt apponenda lana ex oleo calente.13°.met.med. 7ª.81.B
p̄ Phlegmone in adenibus macedonicũ medicamẽtũ.13°.me.me. 7ª.81.B
ad Phlegmonas tendonum.7°.de comp.med.per ge. 5ª.269.D
cũ Phlegmone induratis muſculis malagma conueniens.7°.de compoſitio med.per gene. 5ª.267.C
Phlegmonem in cerebro, & eius inuolucris facit phrenitis.2°.de ſymptomatum cauſis. 3ª.24.C
Phlegmone laborante cerebro, aut eius mẽbranis, aut alia particula cucurbitulis in principijs vti non debemus.de cucur.& ſcar. 6ª.3.B

PHLEGMONE *affectus oculorum.fin.med.* Iſa.48.D
Phlegmone in oculo quid.fin.med. Iſa.48.D
Phlegmonis initiũ eſt oculi pturbatio.in 6m.de mor.vul.c.15°. 3ª.189.A
Phlegmones oculorũ ſiccæ quæ.de vic.ra.in morb.acu.com.1°. 7ª.112.F
in Phlegmone oculi, & oris oleũ nõ eſt adhibẽdũ.13°.meth.me. 7ª.83.C
Phlegmonas oculorum mitigat ſuccus centaureæ.de virt.cent. Sp.93.C
in Phlegmone oculorũ fœnigræci decoctũ optimum, & quo modo fiat. 13°.meth.meden. 7ª.86.C
Phlegmon corneæ.1°.de ſymp.cau. 3ª.15.E
ad Phlegmonas palpebrarum, aurium, & mammarum valet ouum totum crudum.11° de ſimp.me.fac. 5ª..81.E
de Phlegmone oculorum caſus.de cur.ra.per ſang.miſ. 6ª.20.B
Phlegmone laborãtes aures mitigat ſuccus cẽtaureæ.de vir.cẽ. Sp.93.C
Phlegmonas quæ fiunt in poro auditus mitigat ſuccus centaureæ. de virtute centaureæ. Sp.93.C
Phlegmone in naribus orto p os inſpirare cogimur.11°.de vſu p. 1ª.188.F
in Phlegmone circa fauces euitanda ſunt quæ pituitam per os euocant. 13°.meth.med. 7ª.83..A
in Phlegmone circa linguam, & palatum, & os euitanda ſunt quæ pituitam per os euocant.13°.met.me. 7ª.83..A
in Plegmone oris deriuandum ad nares.13°.meth.med. 7ª.83.B
Phlegmonas ĩ ore, naribus, et oculis aloe ſanat.6°.de ſim.me.f. 5ª.42.C
Phlegmonas oris ſanat butyrum.10°.de ſimp.medic.facul. 5ª.74.C
ad Phlegmonas oris, & ſedis vtuntur lycio.7°.de ſim.med.fa. 5ª.54.G
Phlegmone laborantibus gingiuis prodeſt ſuccus centaureæ. de virtute centaureæ. Sp.93.D
Phlegmoni in columella quæ conueniant.7°.de ſimp.med.fac. 5ª.51.H
Phlegmone affectã vuluã curat ſuccus cẽtaureæ.de virt.cent. Sp.93.D
Phlegmonas pariſthmiorũ tollit crurũ ſcarificatio.de cucur.ſca. 6ª.4.B
Phlegmone conflictantibus pariſthmijs confert ſuccus centaureæ.de virtute centaureæ. Sp.93.D
Phlegmoni in tonſillis quæ conueniant.7°.de ſimp.med.fac. 5ª.51.H
ad Phlegmonas tonſillarum.5°.de compoſi. medicam.per ge. 5ª.251.C
ad Phlegmonas gutturis valet ſtercus humanũ.10°.de ſim.m.f. 5ª.76.B
Phlegmonas vberum, & teſtium ſanat oſtracites lapis.9°. de ſimpliciũ medica.facul. 5ª.67.D
ad Plegmonas mammillarum remedium eſt ſordes in palæſtris facta. 8°.de ſimp.med.fac. 5ª.59.H
in Phlegmonis vberum ſole exercitatorum ſordes impoſitæ efficaciori ſunt remedio.10°.de ſimp.med.fac. 5ª.75.C
in Phlegmone pectoris, ventriculi, colli, & capitis artus vinciũtur.13°. meth.med. 7ª.83.B
Phlegmonẽ in partibus ſupra ſeptum ſignificat ſpiritus creber.in 6m. de morb.vul.com.2°. 3ª.162.D
Phlegmon muſculorũ præcordiorum ab ignaris exiſtimatur iecoris, & ita relaxantia adhibent.11°.meth.med. 7ª.72.F
ad Phlegmonas pcordiorũ, œſypi ceratũ.14°.meth.me. 7ª.88.G
in Phlegmone ventriculi, & iecoris vna ſalus eſt virium robur.10°.methodi medendi. 7ª.63.H
Phlegmonẽ hñtiũ ptiũ oĩum robur nõ ẽ cõſiderãdũ.13°.met.me. 7ª.84.E
Phlegmone ſi laboret ventriculus quid agendum.2°.meth.med. 7ª.11.H
in Tlegmone ventriculi victus qui.13°.meth.med. 7ª.83.D
in Phlegmone ventriculi non purgandum.13°.meth.med. 7ª.83.A
in Phlegmone pulmonis nõ vtendũ adſtringẽtibus.11°.met.me. 7ª.73.D
Phlegmones hepatis, & hypochondriorum ſunt hæmorrhagicæ. in 1m. prorrh.com.3°. 4ª.186.D
Phlegmones in palpitatiõe nõ sũt hæmorrhagicæ.in 1m.pr.c.3°. 4ª.186.e
Phlegmone gibbi iocinoris facit tuſſim.2°.de ſymp.cau. 3ª.21.G
Phlegmone in iecoris cauo afficit meſeraicas venas.13°.me.me. 7ª.83.F
Phlegmone iecoris qũo curetur.13°.meth.med.82.G| 7ª.83.C|D
in Phlegmone iecoris ſi eũo cõueniat q̃ cõſiderãda.13°.me.me. 7ª.82.H
in Phlegmone iecoris vena interna cubiti ſecanda.13°.met.me. 7ª.82.H
Phlegmone iecoris caui quibus euacuanda.13°.meth.med. 7ª.84..A
Phlegmone iecoris vna die p purgationẽ leuata.13°.meth.med. 7ª.83..A
in Phlegmõe cauæ ptis iecoris clyſter ex mlſa, et ſale.13°.m.m. 7ª.84.A
in Phlegmone iecoris qui victus conueniat.13°.meth.med. 7ª.83.D
in Phlegmone iecoris remedia.11°.meth.me. 7ª.73.A
Phlegmoni iocinoris non conueniunt adſtringentia quia bilis meatum arctant.13°.meth.med. 7ª.83.E
in Phlegmone iecoris qñ adſtringẽtia ſunt ĩaugẽda.11°.me.m. 7ª.73.A
in Phlegmone iecoris gibbæ quæ admiſcenda.13°.meth.med. 7ª.83.H
in Phlegmone iecoris q̃ extrinſecus applicanda.13°.meth.me. 7ª.84.D
pro Phlegmone iecoris cataplaſma.13°.meth.med. 7ª.83.G
in Phlegmone iecoris abſinthij comæ.13°.meth.med. 7ª.83.G
pro Phlegmone iecoris filicula.13°.meth.me. 7ª.84.A
in Phlegmõe iecoris hyſſopũ atticũ miſce in ceratis.13°.m.m. 7ª.83 G|H
Phlegmoni iecoris, ſtomachi, ac ventris prodeſt ſchini flos. 8°. de ſimp. med.fac. 5ª.61.H
pro Phlegmone iecoris veratri nigri cortex in ptiſſana coctus. 13°.methodi medendi. 7ª.84.A
in Phlegmone iecoris medici ægri caſus.11°.meth.med. 7ª.73.A
ĩ Phlegmõe iecoris caſus Theagenis philoſophi cynici.13°.m.m. 7ª.83.f
in Phlegmone iecoris ſcyrrhoſa quæ miſcenda in declinatione. 13°.methodi medendi. 7ª.84.A
Phlegmone lienis quomodo curetur.13°.meth.med. 7ª.84.F
Phlegmonẽ ĩ viſcerib9 ĩchoãtẽ augẽt cibi dulces.d bo.et vi.ſuc. 2ª.36.E
Phlegmon qñ eſt in viſceribus aloe nõ cõuenit & cur.13°.me.m. 7ª.85.C
in Phlegmone inteſtinorum non purgandum.13°.meth.me. 7ª.83.A
in Phlegmone in veſica cole, & renibus non ſunt danda quæ vrinam prouocant.13°.meth.med.82..A| 7ª.83.A
Phlegmone correpto vtero calidiſſimæ fiunt febres.in 6m.de morb. vul. commentario 5°. 3ª.191.H
Phlegmone vteri non contingit multum diſtentio, & conuulſio.in 6m.de morb.vul.com.1°. 3ª.153.B
in Phlegmone os vteri conniuet.3°.de nat.fac. 1ª.303.A
in Phlegmõe vteri, et pudẽdi mẽſes nõ ſunt puocãdi.13°.m.m. 7ª.82.A
Phlegmone vteri menſes non ſunt prouocandi.13°.meth.med. 7ª.83.A
ad Phlegmonas vteri valet calamus odoratus.7°.de ſim.me.f. 5ª.48.E
Phlegmone laborantem matricem, & orificium eius iuuat ſuccus cẽtaureæ.de virt.cent. Sp.94.B
Phlegmonas vteri ſanat decoctũ leucoij.7°.de ſimp.med.fac. 5ª.54.D
ad Phlegmonem vteri.7°.de com.med.per ge. 5ª.273.G
in Phlegmone pudendorũ vomitus conuenit.13°.meth.med. 7ª.83.A
ad Phlegmonas pudendorum circa initia valet infrigidans Galeni.10°. methodi medendi. 7ª.65.A
in Phlegmone circa ſedem non eſt purgandũ.13°.meth.med. 7ª.82.A
Phlegmonas ani, & pudendorũ iuuat aloe.6°.de ſimp.med.fa. 5ª.42.C
Phlegmonas ani mitigat ſuccus centaureæ.de vir.cent. Sp.93.E
Phlegmonarum ſedis non inſtrenuum remedium eſt galla cocta. 7°. de ſimp.med.fac. 5ª.51.B
Phlegmonas ppetiẽtia ſedis vlcera mitigat lac.10°.de ſim.m.f. 5ª.73.H
ad Phlegmonas in ſede cũ vlcere, aut rugis, & ad eas quæ in pudendis teſtibusq;, & vberibus conſiſtunt, vtilis eſt plumbi ſuccus.9°. de ſimplic.medic.fac. 5ª.70.F
in Phlegmone crurum quid agendum.13°.meth.med. 7ª.82.A
cum Phlegmone vlcera caua qũo curanda.11°.meth.me. 7ª.70.G
Phlegmonem, & œdematum cataplaſma.4°.meth.me. 7ª.27.E
à Phlegmone ſecura vulnera recte glutinat diachylon Damocratis ex Menecrate.7°.de comp.me.per ge. 5ª.268.B
Phlgemonas ſine vlceribus factas iuuans medicamen. 6°. de compoſitione medicamentorum per ge.258.G| 5ª.260.C
cum Phlegmone vulneris ſymptomata.7°.de com.me.p ge. 5ª.268.B
ad Plegmonas nõdũ vehemẽter dolẽtes.7°.de com.me.p ge. 5ª.268.A
ad Phlegmonas eriſipelatodes.1°.de com.me.per ge. 5ª.211.G
ad Phlegmonas curandas.1°.de comp.med.per gene.210. H|211.C|2°. 225.B|5°.247.F|6°.5ª.262.B|de med.fac.par. 7ª.171.H
Phlegmone, vide inflammatio.
PHLEGMONODES *tumorum ſpecies.de bo. & vit.ſuc.* 2ª.34.A
Phlegmonodes durities hẽt duplicẽ ſcopũ.7°.de cõ.me.per ge. 5ª.263.G
Phlegmonodes eryſipelas quid.14°.meth.me. 7ª.87.C
PHLEGMONODES *laſſitudo cur ita vocata.4°.de ſa.tu.* 2ª.87.E
Phlegmonoſa laſſitudo quæ.in 1m.prorrh.com.2°. 4ª.169.B
Phlegmonodes laſſitudo qualis. & vnde fiat.3°.de ſan.tuen. 2ª.79.A
Phlegmonodes laſſitudo ex quo fit.4°.de ſanitate tuenda. 2ª.82.F
Phlegmonodes laſſitudo non fit ab abundantia.4°.de ſan.tuen. 2ª.82.F
Phlegmonodes laſſitudo quibus contingat.3°.de ſan.tuen. 2ª.79.D
Phlegmonodes laſſitudo facit corpus, quàm pro natura amplius. 3°. de ſanitate tuenda. 2ª.79.A
Phlegmonodes laſſitudo ſola attollit muſculos ſupra naturalem habitũ. 3°.de ſanitate tuenda. 2ª.79.D
Phlegmonodes laſſitudinis curatio.3°.de ſan.tuen.79.D|4°. 2ª.87.F
in Phlegmonode laſſitudine cibi glutinoſi ſunt prohibendi.3°.de ſanitate tuenda. 2ª.79.G
in Phlegmonode laſſitudine non debemus vti aquis medij temperamẽti.

3°.de ſan.tuenda. 2ª.79.H
in Phlegmone laſſitudine venam incide ſi vires conſtant. de curan.rat. per ſang.miſſ. 6ª.17.E
à Plegmonode laſſitudine liberant ſanguis à naribus, & ſudor effuſus. 4°.de ſan.tuen. 2ª.87.F
PHLIAE ad quid in organis.de machi. 7ª.309.H
Phlia media.de machin. 7ª.309.H
φλιαὶ ligna ſunt in Hippocratis ſcamno.de machin. 7ª.318.H
PHLISTION, Dioſcorides, & Euriphon de ſubſtitutis medicinis ſcripſere.de conſtitutis med. 5ª.84.B
PHLISTONICVS antiquus medicus.de nat.huma.com.2°. 7ª.183.E
PHLOGINVS lapis quid.de ſimp.med. Sp.86.H
Phloginus lapis illinitus ſenium facere dicitur.de ſimp.med. Sp.86.H
Phloginum medicamentum.4°.de comp.me.ſec.loc. 5ª.153.E
PHLOGOSIS quid.2°.de diff.reſp.65.H/de morb.temp. 3ª.86.A
Phlogoſis quid ſit apud antiquos.13°.meth.med. 7ª.80.D
Phlogoſis apud antiquos phlegmone.3°.de diff.reſp. 3ª.71.D
PHLOMI id eſt verbaſci duæ ſpecies, & quales.8°.de ſimplicium medicamentorum facul. 5ª.63.C
Phlomi albæ & nigræ folia digerẽdi vim hn̄t.8°.de ſim.me.fac. 5ª.63.C
Phlomi albæ, & nigræ radix fluxionis affectibus prodeſt, ad dentiũ dolores colluitur.8°.de ſimp.med.fac. 5ª.63.C
PHLONITIS quid ſit.8°.de ſimp.me.fa. 5ª.57.C
PHLYCTAENA in oculo quid.introd. Iſa.58.H
φλυκταίναι. de vic.rat.in mor.acu.com.4°. 7ª.142.E
PHLYCTIDES quid.fin.med. Iſa.46.C
Phlyctides affectus totius corporis.introd. Iſa.59.D
PHLYCTIS vlceratio oculorum.fin.med. Iſa.48.D
Phlyctis affectus iridis oculorum.intro. Iſa.58.D
φλυζάκια quid vocent.de vic.ra.in mor.acu.com.4°. 7ª.142.E
PHOCAE inter cetacea nnmerantur.3°.de ali.fac. 2ª.32.E
Phoca pulmonẽ hẽt, & plus caloris quã reliq piſces.de vti.reſ.Sp.64.C
Phocæ quo modo parantur.3°.de alim.fac. 2ª.31.F
Phocæ coagulum vires habet caſtorei.10°.de ſimp.med.fac. 5ª.74.C
PHOENICEVS color an à palma dictus ſit.in prog.com.2°. 4ª.201.G
Phœnicei coloris quouſque euadãt partes ſpongijs fouendæ ſunt, & ita deinceps ſcarificandæ.de cucur.ſcar. 6ª.3.C
PHOENICINVM emplaſtrum vnde dictum, & quale ſit.1°.de comp. med.per ge. 5ª.210.H
Phœnicinum optimũ contra rheumatica.1°.de comp.me.per ge.5ª.215.C
PHOENICITES lapis.de med.par.fac. 7ª.168.H
PHOENICOBALANORVM Thebaicorum fit mentio.8°.de compoſi. med.ſec.loc. 5ª.189.F
ex Phœnicobalanis adſtringens moderatũ pro gargariſmis.6°. de com. med.ſec.loc. 5ª.172.F
in PHOENICA vina tenuia reperit Galenus. de vict. ratio.in morbis acu.commen.3° 7ª.127.C
PHOENICES amatores affici ita perhibentur vt cibari nolint.6°.de locis affectis. 4ª.40.F
Phœnix, id eſt palma.8°.de ſimp.med.fac. 5ª.63.C
PHOENIX collyrium Hieracium.4°.de comp.med.ſec.loc. 5ª.156.B
φοινηγμὸς rubrificationem ſignificat.7°.meth.med. 7ª.44.A
PHONASCI ἀναφωνήσεις appellant-vociferationes. 5°. de ſanitate tuenda. 2ª.93.A
ad Phonaſcos ante, & poſt certamen.7°.de com. me.ſec.lo 5ª.181.C/D
ad Phonaſcos.7°.de comp.med.ſec.loc 177.A/ 5ª.180.A
in φωνῆς genere eſt λόγος.in 1^m.prorrh.com.2°. 4ª.177.A
PHORBIVM tenuium eſt partium attrahit, & digerit.8°.de ſim.medic.facul. 5ª.63.D
Phorbij ſemen ad leucomata & albugines applicatur, & ſpicula attrahere creditur.8°.de ſimp.me.fac. 5ª.63.D
PHORIMON alumen vilis pretij, & parabile.6°.de compoſitione medicamentorum ſec.loc. 5ª.168.G
PHORONEVS, & Deucalion primi hoĩes fuere.3°.met.me. 7ª.20.H
PHORTES, ſeu Frontinus curatus à Galeno. 7°. de compoſi. medicamen.per ge. 5ª.273.B
φωτὶ quid ſignificet.de mach. 7ª.311.E
φοξοὶ acuti capite dicuntur.in 6^m.de mor.vul.cõ.1°. 3ª.154.F
φρένες, νοῦς, & διάνοια idem.in 1^m.prorrh.com.1°. 4ª.163.A
Phrenes quæ ſecundum Platonem.5°.de ana.admi. 1ª.86.H
Phrenes quid.8°.de decre.Hippo. 1ª.278.G
Phrenes, vel ſeptũ trãſuerſum dicere nihil refert.6°.de ana.ad. 1ª.91.B
Phrenes cur dictum ſeptum tranſuerſum.5°.de loc.aff. 4ª.31.E/H
Phrenes cur non oriãtur in ſummis coſtis nothis.7°.de vſu par. 1ª.163.H
ĩ Phrenũ ſubſidiũ cõſtructi sũt muſculi ĩtercoſtales.5°.de vſ.p. 1ª.147.C
Phrenes inſtrumenta animæ.2°.de motu muſc. 1ª.316.A
à Phrenibus fit reſpiratio.2°.de motu muſc. 2ª.314.H
Phrenes qũo agant.2°.de motu muſc. 1ª.316.A
PHRENITICI obſcuri qui.in 1^m.prorrh.Hippo.com.1°. 4ª.168.A
Phreniticorum differentiæ.4°.de loc.aff. 4ª.22.D
Phreniticorum proprium eſt vigilia ταραχώδης. i. turbulenta. in 1^m. prorrhe.com.1°. 4ª.163.H
Phrenitici non ſunt comate laborantes.de comate. 3ª.49.A
Phrenitici ſimiles lethargicis.de comate. 3ª.50.A
in Phreniticis rõne deprauata aliqd in vite emittit. 2°.de m.m.1ª.314.F
Phrenitici ex acutis faucium morbis.in 1^m.prorrh.cõ.1°. 4ª.164.F
Phreniticus fieri põt quis corde affecto.13°.meth.med. 7ª.85.D
Phrenitici inditiũ.in 1^m.de mor.vul.cõ.3°.3ª.121.G/5°.de lo.aff. 4ª.31.F
Phreniticum ſignum.in 1^m.prorrh.com.2°. 4ª.169.A
in Phreniticis futuris ſomnia fiunt.in 1^m.prorrh.com.1°. 4ª.163.G
Phreniticorũ aſpectus qui.in 1^m.prorrh.com.1°. 4ª.166.A
Phrenitici ſymptomata.de comate. 3ª.49.B
Phreniticorũ ſymptomata.de vic.ra.in mor.acu.com.4°. 7ª.139.F
Phrenitici multum loquuntur in 3^m.de mor.vulg.com.3°. 3ª.151.F
in Phreniticis cur viſa ſint varia.4°.de loc.aff. 4ª.22.F
Phreniticorum, & melancholicorum proprium cooperiri.in 3^m.de mor, vulg.com.3°. 3ª.151.F
Phreniticis fiunt conuulſiones.in 1^m.de mor.vul.com.2°. 3ª.112.H
Phrenitica ſigna non in vrinis, neque in ſputis, neque in ſudoribus, neq; in vomitibus.in 1^m.prorrh.com.1°. 4ª.162.G
Phrenitici cur non hn̄t ſitim, & ſint timidi.in 1^m.prorrh.c.1°. 4ª.165.G
Phrenitici oculi pulueruleuti.in 1^m.prorrh.com.1°. 4ª.165.H
Phreniticorum febris qualis.in 6^m.de mor.vul.com.1°. 3ª.159.E
Phreniticorũ pulſus qualis.de pul.ad Tyr.4ª.45.G/cõp.pulſ. Sp.65.G
Phreniticorum pulſus rariſſime eſt vndoſus.4°.de cau.pulſ. 4ª.102.B
Phreniticorum ſpiratio qualis.5°.de loc.aff. 4ª.31.H
Phreniticæ ſunt linguæ denſæ, & aridæ.in 1^m.prorrh.com.1°. 4ª.162.C
Phrenitici habent vomitum faſtidioſum in 1^m.prorrh.com.1°. 4ª.165.H
Phrenitici quæ vomunt.in 1^m.de mor.vul.com.2°. 3ª.112.H
in Phreniticis qñ vomitus niger.in 1^m.prorrh.Hipp.com.1°. 4ª.167.E
Phrenitici, & peripneumonici ſi qui non ſint, an poſſint contingere ſputa ſubrubra.in 3^m.de mor.vul.com.1°. 3ª.127.G
Phreniticis apparentes vrinæ albæ perſpicuæ improba. de vrinæ ſignificatione ex Hipp. Sp.78.G
Phrenitica vrina alba aut ſubliuida ſignificat mortem.de dyna.Sp.35.D
Phreniticum nullum ſeruatum vidit Galenus, in quo vrina aquoſa, alba ſ.& perſpicua apparuiſſet.com.4°.apho.72°. Ex.35.E
in Phreniticis alba deiectio, mala.in 1^m.prorrh.com.1°. 4ª.165.A
Phreniticis damus cholagoga.de dyna. Sp.20.G
Phreniticis datur lapis armenus.de dyna. Sp.21.C
Phreniticis capiti remedia applicantur.3°.de loc.af. 4ª.17.B
Phreniticorum capiti imponunt ſerpillum, Caſtoreum, & cucurbitam. 13°.meth.meden. 7ª.85.D
Phreniticorũ capitis fomẽtationibus adhibeť ſpillus.de ſim.m.Sp.84.B
Phreniticorum capiti oxyrhodinũ applicatur.13°.meth.me. 7ª.85.D
Phreniticis cur valeat acetum.2°.de comp.medic.ſec.loc. 5ª.134.B
in Phreniticis mentis alienationem generoſe ſedauit Theriaca ſomnum inducens.de ther.ad Piſ. 5ª.96.A
Phreniticis ſomnum ſuauiter præſtat triphera magna.de dyn. Sp.26.D
Phrenitico, qui loquelam amiſit, quid proſit.de dyn. Sp.24.D
Phrenitici caſus qui habebat læſam cogitationem, & ſenſus.4°. de locis affectis. 4ª.22.D
Phrenitici caſus.in 3^m.de mor.vul.com.3°. 3ª.149.C
de PHRENITIDE varia Hippocratis dicta.de comate. 3ª.50.C
Phrenitis à parte patiente nomen habuit.1°.de arte cu.ad Glau.7ª.95.F
Phrenitis, & pipneumonia quid noĩetur.in 1^m.de mor.vul.c.3°.3ª.118.H
Phrenitis quæ vocetur.in 1^m.prorrh.com.1°. 4ª.163.A
Phrenitis quid.fin.med.47.A/intro.Iſa.55.F/de ocul. 7ª.187.D
Phrenitis quid in epidemijs.in 1^m.prorrh.com.1°. 4ª.161.A
Phrenitides ſunt ægritudines capitis.de virt.noſt.corp.diſpen. Sp.60.B
Phrenitis eſt ex cauſa calida, & facit phlegmonem in cerebro, & inuolucris.2°.de ſymp.cauſ. 3ª.24.C
Phrenitides ſunt deliria cum febre.2°.de ſymp.cau. 3ª.24.C
ex Phrenitide, & melancholia deliriũ.in 3^m.de mor.vul.cõ.3°.3ª.151.E

in Phrenitide

in Phrenitide à cerebro, & ſepto tranſuerſo delirium perpetuū. 5°.de locis affectis. 4^a.31.G
Phrenitis fit in ſepto tranſuerſo.intro. Iſa.55.F
à Phrenitide q̄uo differat deliriū ſepti tranſuerſi.5°.de lo.af. 4^a.31.H
Phreneſis, & inſania ſolū febre differūt.in 3^m.de mor.v.cō.3°.3^a.144.F
Phrenitis eſt cum febre.3°.de loc.aff. 4^a.17.A
Prenitis, peripneumonia vt plurimum habent febres tertianas. commētario 1°.apho.12°. Ex.5.D
Phrenitis affectio hectica.in 1^m.prorrh.com.1°. 4^a.168.C
Phrenitis eſt morbus acutus.fin.med.45.F/introd.Iſa.55.E/de vict.rat. in morb.acu.com.1°. 7^a.108.G
Phrenitis, & lathargus ſunt morbi acuti, & periculoſi.in 1^m.de morbis vulg.com.3°. 3^a.117.C
Phrenitidis cauſa.intro.Iſa.55.F/1°.de ſymp.cau. 3^a.19.C
Phrenitis q̄uo fiat.in 1^m.de mor.vul.com.2°.109.G/ 3^a.114.G/H
Phrenitis accidit cerebro affecto, aut per ſe, aut per conſenſum. 17°. de vſu partium. 1^a.222.F
in Phrenitide mens primo læſa eſt.2°.de loc.aff. 4^a.13.F
Phrenitides à quibus fiant.in 6^m.de mor.vul.com.2°. 3^a.167.F
Phrenitis poteſt fieri ab intemperie.3°.de loc.aff. 4^a.20.B
Phrenitis exquiſita ex quo humore fiat.in 1^m.prorrh.com.1°. 4^a.161.D
Phrenitidem, & ardentem febrem idem facit humor.in 1^m.de mor. vul. commenta.2°. 3^a.114.G
Phrenitides, & cauſi ab eadem cauſa.de comate. 3^a.49.F
Prenitis à flaua bile.in 1^m.prorrh.com.1°.4^a.162.C/de ſper. Sp.38.B
Phrenitis à bile fit, & vnde.4°.de cauſ.pulſ. 4^a.102.B
Prenitis à flaua bile in corde.2°.de lo.aff. 4^a.13.H
Phrenitim facit ſanguis, & flaua bilis.de vti.reſp. 1^a.226.B
Phrenitides inducunt calidi, & bilioſi morbi.3°.de loc.aff. 4^a.16.F
Phrenitis fit à vaporibus.de vtil.reſp. 1^a.226.C
Phrenitim facit pulmonis inflammatio à calido humore vapore multos mittens ad cerebrum.com.1°.aph.12°. Ex.5.D
Prenitidum genus catochi.fin.med. Iſa.47.B
Prenitidis, & lethargus quando mixta.de comate. 3^a.50.A
inter Phrenitidem, & lethargum morbi deſcriptio [hunc nos mazuchi morbum appellamus.] 4°.de cauſ.pulſ. 4^a.102.C/D
Phrenitidis affectus per ſe ardens febris, per accidens ſopor. in 3^m. de morb.vulg.com.3°. 3^a.145.F
Phrenitis calida, et ſicca in actionibus practicis maximum habet robur. 3°.de ſymp.cauſ. 3^a.29.C
Pren tidis ex ſiccitate dolor letalis eſt.12°.meth.med. 7^a.80.B
in Phrenitide vehemēti cōuulſioni cōtrariū euenire ſolet.de pal.3^a.56.C
in Phreniſi quid conuulſionem ſignificet.in 1^m.prorrh.cō.1°. 4^a.167.A
in Phrenitidibus quæ egimus cur in poſterum non recordamur.2°. de motu muſculorum. 1^a.315.B
Phrenitis a pulmonis inflammatione malum.com.7°.aph.12°. Ex.54.G
Phrenitis quę mitior, & quæ vehementior.3°.de lo.aff. 4^a.18.B
Phrenitis quo lunæ aſpectu fiat.de decu.pgn.ex mat.ſciētia. Sp.12.G/H
Phrenitis q̄uo fieri cognoſcatur. in 3^m. de mor. vulg.com. 3°.3^a.151.G/in 1^m.prorrh.com.1°. 4^a.161.A
Phrenitides cur iuuenibus potius quam conſiſtentibus accidant commētario 3°.apho.30°. Ex.26.E
Phrenitidis ſigna.intro. Iſa.55.F
Phrenitidis proprium.in 3^m.de mor.vul.com.3°. 3^a.144.G
Phrenitidis propria, & præcipua nota.5°.de lo.aff. 4^a.31.F
Phrenitidis ſigna inſeparabilia quæ.in 1^m.prorrh.com.1°. 4^a.163.E
Phrenitim quæ vrinæ ſignificent.in 1^m.prorrh.com.1°.162.E/ 4^a.163.F
Phrenitim oſtēdi ab vrinis aquoſis, vt q̄ ſigñent nō ſolū magnā cruditatem, ſed flauā bilē totā ad caput rapi collige.c.4°.aph.72°. Ex.35.F
Phrenitim, & paracopem, & dementiam, ſiue cardiacam ſignificat vrina tenuis maxime ſi dolor capitis, & ſcapularum, & inſomnia affuerint.de dynam. Sp.34.E
Phrenitim oſtendit vrina nigra, tenuis cum nebulis.de dyn. Sp.34.B
Phrenitim ſignificat vrina roſea, & obſcura in febribus.de dy.Sp.35.F
Phrenitis in cauſonide qua vrina ſignificatur.de vrinis. 4^a.123.C
in Phrenitim incedit homo de ſynocho.de dyna. Sp.35.E
Phrenitim, aut paracopem venturam oſtendit in ſynocha, vrina quæ veluti florem vini ſupernatantē habuerit.de dyna. Sp.34.F
Phrenitim futuram in ſynocha denuntiat vrina colore liuida, & tenuis conſtitutione.de dy. Sp.34.C
Phrenitim, aut mortem, aut ſpaſmum in ſynocha ſignificat vrina tenuis cum nebulis non bonis.de dyna. Sp.34.C
Phrenitim futuram denunciat in ſynocha vrina rubra, & ſpiſſa ſi fuerit egeſta frequentius, & ſi dolor capitis, & ſcapularum affuerit, & auditum patiens obtuſum habuerit, & hypochondriorum dolorem ſenſerit.de dyn. Sp.34.D
Phrenitim purgat in ſynocha vrina alba, & aquoſa, & nebulam bonam habens, & cum odore bono egeſta.de dynam. Sp.34.D
Phrenitim vētură oſtēdit in ſynocha vrina valde lucida.de dy. Sp.34.F
Phrenitim futură nunciat vrina tenuis, & ſanioſa in pleuriticis ſi in initio ægritudinis venerit.de dyna. Sp.34.H
Phrenitim cum morte ſignificat vrina nigra per varios colores frequenter mutata cum nebulis non bonis, & veluti conciſis, & ſeparatis, & frequenter in nigrum colorem conuerſa.de dyn. Sp.34.E
in Phrenitide aurium tinnitus, & caligato cur fiat.in 1^m.prorrhe.commentario 1°. 4^a.166.A
Prenitim in veternum verti malum.in 6^m.de mor.vul.cō.6°. 3^a.197.E
Phrenitis veternū tollit.in 6^m.de mor.vul.com.6°. 3^a.197.E
in Phrénitibus apparet animā affici malis corporis.ꝙ an.mo. 1^a.319.A
Phrenitidæ capti quarto decimo finiunt.2°.de die.decre. 4^a.156.F
Phrenitidis acutiſſimæ exemplum qua omnes infra ſeptimam diem mortui ſunt.in 3^m.de mor.vul.com.3°. 3^a.149.D
Phrenitidis admirandæ meminit.in 3^m.de mor.vul.com.3°. 3^a.149.D
in Phrenitide q̄uo deprehēdaī ſyncope futuræ.de pul.ad Tyr. 4^a.45.G
Phrenitis poteſt prohiberi.4°.de loc.aff. 4^a.22.E
Phrenitides in capite ſanantur.1°.de ſymp.cau. 3^a.19.B
Phrenitim ſudoribus ſoluit criticus rigor.in 1^m.prorrh.com.1°.4^a.165.C
PHRENITIDIS curatio.intro.Iſa.55.F/de dyn. Sp.24.D
in Phrenitide ſtatim ab initio vena ſecanda eſt.13°.met.med. 7^a.85.E
in Phrenitide poplitem ſecari oportet, & in talis venas. præſag.exp. confir. Sp.78.C
in Phrenitide, & lethargo, cucurbitæ.13°.met.me. 7^a.85.F
in Phrenitide caput radebant.13°.met.med. 7^a.85.D
Phrenitidis cauſæ debet applicari oxyrhodinum.2°.de lo.aff. 4^a.13.H
in Phreneſis principio oxyrhodinum.3°.de ſim.med.fac. 5^a.18.E
in Phrenitide imponebat capiti ſpondylium.13°.meth.med. 7^a.85.D
Phrenitim opium curat.de ther.ad Piſ. 5^a.94.B
Phrenitim infantium ſanat emplaſtrum diachryſu.de dyna. Sp.32.B
ſi Phrenitis loquēdi impotētiā induxerit quod remediū.de dy. Sp.35.H
ad Phrenitim.de dyn.52.E/ſecret. Sp.97.C
φρενιτίζειν quid ſit.in 1^m.prorrh.com.1°. 4^a.161.A
φρικώδης febrem horridam appellat.de morb.temp. 3^a.87.E
φρυκτὴ reſina quæ.4°.de ſan.tuen. 2^a.87.C
Phrycte, & colophonia melior terebinthina.1°. de compoſitione medicamentorum per genera. 5^a.215.D
PHRYGIAE Aſiatice vltimum oppidum Dorylc.1°.de ali.fa. 2^a.12.E
PHRYGIVM canere.5°.de decre.Hipp. 1^a.257.H
Phrygium canebat tibicina temulentis, & inſanis quæ iuſſu Damonis muſici mutauit in Dorium, ac ceſſarunt tumulenti ab illa inſania.5°. de decr.Hippo. 1^a.257.H
PHRYGIVS lapis quid.de ſim.med. Sp.86.G
Phrygius lapis nimiū ſtringit, & exulcerare ſolet.de ſimp.me.Sp.86.G
Phrygio lapide vſto ſemꝑ vſus eſt Galenus.9°.de ſimp.med.fa. 5^a.67.G
ex Phrygio lapide collyriū ſiccum, & eius vſus.6°.de ſan.tu.2^a.100.B
PHRYGES omnes ex igne nondum genito calamitates acceperunt.an animal ſit. 1^a.328.F
Phrygum multa nomina cur collegit Galenus.ad Thra. 2^a.107.A
Phryges ſerui.1°.meth.med. 7^a.2.E
Phrygum more panis dicitur βέκος.2°.de diff.pulſ. 4^a.54.G
PHRYNAE iuſſu cum facies lauiſſent fucatæ mulieres. in oratione ſuaſoria. Iſa.4.E
PHTHARTICAS facultates phthoropæas, & deleterias dicere nihil intereſt.5°.de ſimp.med.fac. 5^a.36.H
φθεῖρες vnde nomen habuere.de ther.ad Piſ. 5^a.97.E
PHTHIRIASIS quid.introd. Iſa.58.G
Phthiriaſis vbi ſit.1°.de comp.med.ſe.lo. 5^a.128.F
Phthiriaſis oculi, & genarum quid.fin.med. Iſa.48.F
Phthiriaſis affectus partium exteriorum palpebrarum.intro. Iſa.58.D
Phthiriaſis affectus circa genas, & angulos oculorū.fin.med.Iſa.48.F
PHTHIROPHAGI. 6°.de com.me.per ge. 5^a.259.D
PHTHISICA puella naturaliter vnde ſit.de ſper. Sp.38.C
Phthiſicis fit flux⁹ capillorū, & deiectiōes humidæ.c.7°.a.16°.Ex.55.B
Phthiſicis profluuium capillorum fit propter ſiccitatē, fluxus aūt ꝑpter potentiæ imbecillitatem.com.7°.aph.16°. Ex.55.B

Phthiſicorũ pulſus qualis.de pulſi.ad Ty.45.E/4°.de cau.p. 4ª.101.F
Phthiſico non dandum œnelæum.de med.fac.par. 7ª.171.D
Phthiſicum quid iuuet.de cathar. Sp.95.C
ad Phthiſicos braſſica.de med.par.fac. 7ª.172.C
Phthiſicis dandum lac mulieris.5°.meth.med. 7ª.35.A
Phthiſicis lac ſugendum è mamma.de marc. 3ª.48.D
pro Phthiſicis Tabiæ locus Neapoli.5°.meth.med. 7ª.34.G
Phthiſicis prodeſt raphanus.de ſimp.me. Sp.85.F
Phthiſicis ſubuenit diapenidion magnum.de dyna. Sp.26.D
Phthiſicis prodeſt electarium diantu.de dyna. Sp.26.D
ad Phthiſicos in principio.5°.de com.med.per ge. 5ª.251.B
ad Phthiſicos ſuppuratos.8°.de comp.med.ſec.lo. 5ª.191.E
ad Phthiſicos.7°.de comp.med.ſec.loc.182.F/183.D/184.E/F/185.D/F/ 5ª.186.A/B/de med.par.fac.165.G/ 7ª.178.C/G
Phthiſici caſus.4°.de loc.aff. 4ª.28.C
Phthiſicus lege Tabidus.
PHTHISIS græce tabes latine.com.4°.aph.8°. Ex.28.E
Phthiſicis in oculo quid.intro.Iſa.59.E/10°.de vſu par. 1ª.179.F
Phthiſis affectus pupillæ.intro. Iſa.58.D
Phthiſes tres.de vic.ra.in mor.acu.com.1°. 7ª.108.H
Phthiſis eſt morbus longus.com.1°.aph.12°. Ex.5.D
Phthiſis vnde oriatur.fin.med. Iſa.47.E
Phthiſi afficitur pulmo.3°.de præſag.ex pulſ. 4ª.116.C
Phthiſis pulmonis vlcera inſanabilia conſequitur, & totius corporis cũ parua febre inflammationes.com.7°.aph.16°. Ex.55.A
Phthiſis ex bile in ſtomacho quo fiat.de ſper. Sp.36.H
ad Phthiſim inclinati qui.in 1^{m}.de mor.vul.com.1°. 3ª.105.G
in Phthiſim ſunt inclinati qui habent pectus anguſtũ. commentario 2°. aphoriſmo 34°. Ex.11.D
Phthiſis habet febrem quotidianã,&magis noctu.c.1°.aph.12°.Ex.5.D
cum Phthiſi ſunt febres acutæ præter naturam.in 6^{m}. de morbis vulg. commentario 1°. 3ª.105.H
Phthiſis à puris ſputo,ꝙ ſi ſputum retineatur, moriuntur.commentario 7°.aphoriſmo 16°. Ex.55.A
in Phthiſi vrina rubra prædicit futuram mortem.de dyn. Sp.35.D
ad Phthiſim valet Theriaca.de the.ad Piſo. 5ª.91.G
ad Phthiſim valens antidotus.2°.de antid. 5ª.111.E
ad Phthiſim.de med.fac.par. 7ª.165.G
Phthiſim incipientem.7°.de comp.med.ſec.loc. 5ª.183.B
Phthiſis, Lege Tabes.
PHTHOE quid.fin.med.Iſa.47.E/in 1^{m}.de mor.vul.com.1°. 3ª.105.F
Phthoen Athenienſes dicunt, quam phthiſim Hippocrates nominat.cõmen.7°.aph.16°. Ex.55.A
Phthoe laborantes iuuat armenica terra.9°.de ſimp.med.fac. 5ª.66.H
pro Phthoe lac mulieris optimum.7°.meth.me. 7ª.44.G
PHTHOROPEAS facultates phtharticas, & deleterias dicere nihil intereſt.5°.de ſimp.med.fac. 5ª.36.H
Phthoropius dinames.i.facultates corruptionẽ inducentes attrahere poteſt cucurbitula.de cucur.ſcar. 6ª.3.F
PHV quid, & eius vires.de ſimp.med. Sp.84.D
Phu calidum eſt, & acre, vrinam ciens.5°.de ſimp.med.fac. 5ª.35.D
Phu vires habet excalfactorias, & diureticas.de ſimp.med. Sp.84.D
Phu nardo ſimilis viribus.8°.de ſimp.med.fac. 5ª.63.D
Phu vrinas mouet plus quam indica, aut ſyriaca nardus.8°. de ſimplicium med.fac. 5ª.63.D
Phu ponticum Theriacam ingreditur.de ther.ad Piſ. 5ª.92.F
Phu ponticum quale ſit.9°.de compoſit.medica.ſec.loc. 5ª.202.A
Phu ponticum accipi iubet. 8°. de comp.med.ſec.loc.195. A/ 9°.198.E/ 200.H/ 5ª.202.A/C/H
Phu valet in phlegmone gibbæ partis iecoris.13°.met.med. 7ª.83.H
Phu radix ad neruos vulneratos.3°.de comp.me.per ge. 5ª.234.B
pro Phu Carpeſium.1°.de antid. 5ª.106.E
PHYCOS id eſt alga. 8°.de ſimp.med.fac. 5ª.63.D
Phycos ex ceruſſa quo.9°.de ſimp.med.fac. 5ª.71.F
Phycos.9°.de ſimp.med.fac. 5ª.71.B
PHYCVM medicamẽtũ paratũ ex metallis.9°.de ſimp.me.fa.5ª.68.E
PHYGETHLON quid.fin.med.Iſag.49.B.1°.de arte curatiua ad Glauconem. 7ª.101.A
Phygethlon & bubo quid.de tum.præt.natu. 3ª.84.F
Phygethlon morbus euidens.de diff.morb. 3ª.3.D
Phygethlon adenarum paſſio.2°.de arte cur.ad Glau. 7ª.101.D
Phygethla ſunt inflammationes.2°.de arte cu.ad Glau. 7ª.100.C/H
Phygethla calida ſunt.1°.de ſimp.med.fac. 5ª.5.H
Phygethla calefaciunt corpus.de cau.morb. 3ª.6.F
Phygethla excitant febrem.de cau.morb. 3ª.6.F
Phygethlon affectus totius corporis.intro. Iſa.59.D
Phygethla ex commixtis humoribus.de cau.mor. 3ª.8.B
Phygethlæ curatio qualis.2°.de arte cur.ad Glau. 7ª.102.B
ad Phygethla ſpiſſa, & parua, & rubicunda capitis valet ſuccus centaureæ.de vir.cent. Sp.93.B
Phygethlis incipientibus cataplaſmatis ritu illinitur elxine.6°.de ſimp. medic.facul. 5ª.47.C
Phygethlis, & phlegmonis incipientibus gliſcentibus, & emollibus etiãnum, ac veluti feruentibus atriplex, & malua hortenſis ſunt commodiores quam ſylueſtres.6°.de ſimp.med.fac. 5ª.44.C
Phygethlis conuenit ceratum humidum.1°.de ſimp.med.fac. 5ª.3.C
ad Phygethla.5°.de compoſitio.medicam.per genera. 5ª.247.F
PHYLACI fit mentio.5°.de com.med.per ge. 5ª.249.C
PHYLLITIS eſt qualitas acerba.8°.de ſim.med.fac. 5ª.63.E
Phyllitis diarrhęas, ſiue profluuia, & dyſenterias iuuat.8°.de ſimplicium med.fac. 5ª.63.E
PHYLLON malabathru.8°.de ſimp.med.fac. 5ª.63.E
PHYMA vnde habuit nouem.2°.meth.med. 7ª.9.F
Phymata & tubercula vnde dicta, & quid proprie ſint.in 6^{m}.de mor. vulg.commen.1°. 3ª.157.C
Phyma quid ſit.2°.de arte cu.ad Glau. 7ª.101.D
Phymata ſunt inflammationes.2°.de arte cur.ad Glau. 7ª.101.C
Phymata morbus euidens de diff.mor. 3ª.3.D
Phyma affectus totius corporis.intro. Iſa.59.D
Phyma adenarum paſſio.2°.de arte cur.ad Glau. 7ª.101.D
Phymata affectus partium exteriorum palpebrarũ.introd. Iſa.58.D
Phymatum differentiæ.1°.de compo. medicamen.per ge. 5ª.216.B
Phymata purulenta affectus inguinum.introd. Iſa.59.D
Phymata quo modo fiunt.13°.meth.med. 7ª.81.C
Phymatum curatio qualis.2°.de arte cur.ad Glau. 7ª.102.B
Phymata in alis exciduntur.introd. Iſa.59.H
Phymatibus conueniunt acria.de atten.vic. 2ª.43.G
Phymata digerit Abrotonon tritum, ac coctum cum farina hordeacea. 6°.de ſim.med.fac. 5ª.40.D
in Phymatum augumento, & ſtatu, folia Ephemeri congruunt.6°.de ſimp.med.facul. 5ª.47.G
Phymata digerit Hypotami cutis.de ther.ad Piſ. 5ª.93.F
Phymata iuuat Lupinorum farina.6°.de ſimp.me.fac. 5ª.48.D
Phymata digerunt folia Onobrychis.8°.de ſimp.me.fac. 5ª.57.C
Phymata curant Paliuri folia.8°.de ſimp.med.fac. 5ª.57.G
ad Phymata valet Panacis Aſclepij flores.8°.de ſimp.me.fa. 5ª.57.H
Phymata diſcutiunt Pycnocami folia.8°.de ſimp.med.fac. 5ª.59.D
Phymata digerit Sordes circa ſtatuas exiſtẽs.8°.de ſim.me.fa. 5ª.59.H
Phymata ſanat Vrtica.6°.de ſimp.me.fac. 5ª.41.C
Phymata diſcutiens.5°.de com.me.per ge. 5ª.250.B
ad Phymata auferenda.5°.de comp.med.per ge. 5ª.215.G
ad Phymata.1°.de comp.me.per ge.211.C/2°.223.A/226.C/ 5ª.246.E/ 247.D/F/6°. 5ª.256.H
PHYMI differentiæ.fin.med. Iſa.49.C
PHYSEMA quid proprie.2°.de compo. medic.per ge. 5ª.223.C
Phyſema pityinon.i.germinatio picea.3°.de comp.med.per ge.5ª.230.C
Phyſema Pityinon quale.2°.de com.me.per gen. 5ª.219.E
Phyſema quo modo lauandum.1°.de comp.me.per ge. 5ª.213.H
PHYSICAM Hippocratis adducit author libro de ſpermate, quam Hippo.nunquam ſcripſit.de ſper. Sp.40.D
PHYSICVS qui ſolus, & verę habendus.11°.de vſu par. 1ª.191.B
Phyſicam ſpeculationem ſcire oportet.de ſect. Iſa.18.F
Phyſica problemata qualia.15°.de vſu par. 1ª.210.G
Phyſica problemata intricata.1°.de ſimp.med.fac. 5ª.6.E
PHYSIOGNOMIA quid.de decub.progn.ex math.ſcientia. Sp.12.D
Phyſiognomica euidentia vnde.5°.de decr.Hip. 1ª.257.B
Κατὰ φύσιν quid ſignificet.14°.meth.me. 7ª.91.B
Φυταλία hyemis pars.in 1^{m}.de mor.vul.com.1°. 3ª.102.A
PHYTICOS. i.nutrix animæ pars.de ſper. Sp.37.H
PIAE matris nomina.9°.de ana.adm. 1ª.103.H
Pia mater eſt ſub dura matre.de ana.par. Sp.43.D
PICA eſt appetitus peſſimus in grauidis, qui fit læſo ore ventriculi. com.5°.apho.61°. Ex.43.E

Pica quo modo fiat prægnantibus.fin.med. Iſa.49.H
Pica ex ore ventriculi.5°.de loc.aff. 4ª.32.H
Pica quo modo viris accidat.1°.de ſymp.cauſ. 3ª.18.D
PICATIO citta.1°.de ſymp.cauſ. 3ª.18.C
Picatio fit toti corpori.1°.de com.med.ſec.loc. 5ª.127.G
non PICATVM vas fictile.10°.de comp.med.ſec.lo. 5ª.209.A
Picata dolia vina ſyncera diutius ſeruāt.in 6ᵐ.de mor.v.c.4°.3ª.183.A
Picata medicamenta.de ijs, quæ in med.fiunt.com.3°. 7ª.215.D
Picatum ceratum quod.de fract.com.1°. 7ª.222.D
Picatū ceratū.de frac.cō.3°.241.C/245.B/de art.com.2°. 7ª.267.E
PICEAE cortex qualis.8°.de ſimp.med.fac. 5ª.58.F
Piceæ cortex intertrigenes ſanat, ventrem ſiſtit, ambuſta cicatrice inclu dit.8°.de ſimp.med.fac. 5ª.58.F
Piceæ germinatio.3°.de comp.me.per ge. 5ª.230.D
Piceæ & tedæ folia vlcerum glutinatoria.8°.de ſimp.med.fac. 5ª.58.F
Picearum fructus Pityides.8°.de ſimp.med.fac. 5ª.58.F
Picearum fructus thoracis ac pulmonis expuitionibus cōfert.8°. de ſim plicium medica.fac. 5ª.58.F
Picea reſina qualis.8°.de ſimp.med.fac. 5ª.59.F
Piceæ fuligo qualis.8°.de ſimp.med.fac. 5ª.58.F
Piceæ fuligo accōmoda eſt ad pilos ſuperciliorū ad angulos oculorū eroſos lippientes, & lachrymantes.8°.de ſimp.med.fac. 5ª.58.F
PICEVM quod vocatur in Cilicia capnelęo.in 6ᵐ.de morbis vulgarib. commentario 6°. 3ª.196.C
PICINVM oleum refrigeratos calefacit.2°. de ſimplicium medicamentorum facul. 5ª.15.A
Picra Romæ dicitur Hiera.8°.de comp.med.ſec.loc. 5ª.188.D
Picræ compoſitio q̃ Romæ præparant.6°.de ſan.tuen. 2ª.99.C
Picræ aliæ duæ compoſitiones, & quales.6°.de ſan.tuen. 2ª.99.C
Picra quæ.de dyn. Sp.18.H
Picra vocata cur inuenta.6°.de ſan.tuen. 2ª.99.C
Picra vocata quas habeat vires.6°.de ſan.tuen. 2ª.99.C
PICRA cum ſcammonio bilis euacuatur. 2°. de compoſitione medicamentorum ſecundum locos. 5ª.136.H
Picra antidoto bilis euacuatur.2°.de compoſit.medica.ſec.loc.5ª.136.H
Picra ex aloe purgandus cui bilioſus humor in ventre colligitur. 6°. de ſanitate tuenda. 2ª.99.A
Picra dialoes modice purgat.6°.de ſan.tuen. 2ª.98.A
Picra ex aloe quantum purgat.6°.de ſan.tuen. 2ª.99.A
Picra aſſidue vti non debemus.6°.de ſan.tuen. 2ª.99.C
Picræ meminit.de dyna. Sp.32.F
PICROCHOLAE naturæ quæ ſm Hippocratem.de vict.ratio.in mor. acu.com.3°. 7ª.130.H
Picrocholi qui ſint.8°.meth.med.50.G/de vict.rat.in mor. acu. com.3°. 126.C/de fract.com.3°. 7ª.248.D
Picrocholi parte ſuperiori qui ſint.de vict.ra.in mor.ac.c.2°. 7ª.120.D
Picrocholis toto habitu q̃ cōtingūt.de vi.ra.in mor.ac.c.2°. 7ª.120.D
Picrocholus ſanguis, eſt ſanguis cum amara bile mixtus. 10°. de ſimplicium medicamen.facul. 5ª.72.F
Picrocholi qui non prandent, quæ incidant.de victus ratione in morbis acutis, com.2°. 7ª.120.A
Picrocholis non dandum vinum dulce.de vic.ra.in mor.acu.commē. 3°. 7ª.125.F/de vinis. Sp.76.E
in Picrocholis melicratum, & mulſa non ſunt idonea.de vi.ra. in mor. acut.com.3°. 7ª.127.C
Picrocholis prodeſt aceti acredo.de vic.ra.in mor.acu.cō.3°. 7ª.130.G
PICTORES ſunt in ſecunda ſede prope Deum Mercurium. in oratione ſuaſo. Iſa.2.F
Pictores faciunt quæ pulcherrima in ſpecie medium aſpicientes.1°. de tē peramentis. 1ª.15.A
ad Pictorē dicebat Quintus pertinere noſſe vrinas.3°.de ſa.tu.2ª.81.H
PICTVRA ars nobilis.in oratione ſua. Iſa.5.G
Pictura in medicis neceſſaria.1°.meth.med. 7ª.6.H
Picturæ floriditas.de cauſ.procatar. 3ª.96.E
PIESMA myrobolani pro iecoris phlegmone.11°.methodi medendi. 73.A/13°. 7ª.83.G
PIETAS ſequitur ad dominium pituitæ.de ana.viuo. Sp.45.E
PIGMENTO nardino lanæ manipulum inunctum apponendum ori ventriculi q̃n non eſt facta coctio.de præg.ad Poſth. 4ª.219.A
PIGROS quid faciat.quod animi mor. 1ª.320.C
PIGRITIES fit à cauſa frigida.2°.de lo.aff. 4ª.14.B
Pigritia in motu ſequitur ad dominium phlegmatis.de ana.viu.Sp.45.E
Pigrities mentis, profunditas ſomni, puſtulæ ſignificant pituitam. commentario 4°.aph.2°. Ex.27.F
Pigritia cur fiat ab auſtro.com.3°.aph.5°. Ex.20.C
Pigritiam ad actiones vel pectoris dolores non eſt neceſſarium ſequi ſi quis male concoxit.3°.de ſymp.cauſ. 3ª.30.B
Pigritiem qui ſentiunt tamen ſani.de cu.ra.per ſang.miſſ. 6ª.16.E
PILA quid ſit.de ar.com.1°. 7ª.255.C
Pila vel parua, vel magna fatigare corpus eſt exercitatio.2°.de ſanitate tuenda. 2ª.73.G
Pila qui exercere inſtituit σφαιριστικὸν vocant.2°.de ſan.tuen. 2ª.75.E
Pilæ paruę optimus luſor Epigenes.de par.pil.exer. 2ª.48.G
Pilæ paruæ exercitatio omnes alias antecedit.de par.pil.exer.2ª.48.F
Pilæ paruæ luſus non indiget apparatu.de par.pil.exerc. 2ª.48.H
Pilæ paruæ exercitatio tutiſſima.de par.pil.exerc. 2ª.49.G
ꝑ Pilam exercitatio fit celeriter, & p̄ter robur.2°.de ſa.tuen. 2ª.74.F
Pilæ paruæ exercitatio mouet totū corpus.de par.pil.exerc. 2ª.49.A
Pilæ paruę exercitatio ſupernę partes potius exercentur.6°. de ſanitate tuenda. 2ª.100.F
in Pilæ paruæ ludo q̄uo exerceatur, caput, ceruix, latera, thorax, & venter.de par.pil.exerc. 2ª.49.A
in Pilę paruæ luſu, q̄uo exerceantur crura.de par.pil.exerc. 2ª.49.A
in Pilæ paruæ luſu exercitatio brachiorū q̄.de par.pi.cxerc. 2ª.49.B
in Pilæ paruæ luſu q̄uo oculi exercentur.de par.pil.exerc. 2ª.49.B
Pila qui exercet̄ quos motus ſciat, & quos ignoret.2°.de ſa.tu. 2ª.75.E
poſt Pilæ paruæ luſum frictionibus ex oleo, & balneis calidis vtebantur.de par.pil.exerc. 2ª.49.E
PILOSELLA, & melangia cuius vſus.de dyna. Sp.35.F
Piloſella pro vlcere.de dyna. Sp.35.E
Piloſellæ meminit.de dyna. Sp.31.F
PILOSI cur euadant plurimi melancholicorum.de melancholia ex Galeno, Ruſo, & Poſſ. Sp.109.E
ad Piloſa ſupercilia.de med.fac.par. 7ª.163.C
Piloſa cutis vnde habet neruos pro ſenſu.9°.de vſu par. 1ª.176.D
Piloſa pars minus prompte ſecatur quā depilis.3°.de ana.adm.1ª.73.A
PILVLAE ex Aloe, colocynthide, & ſcammonio exceptæ ſucco braſſicæ.1°.de comp.med.ſec.loc. 5ª.131.F
Pilulæ Galeni, ex aloe, ſcāmoneo, & colocynthide.14°.me.me. 7ª.89.C
Pilulæ ad Alopeciam, & ophiaſim.de remed.par.fac. 7ª.154.G
Pilulæ ad Dyſenteriam probatæ.de dyna. Sp.28 A
Pilulæ Galeni ad purgandas multas materias.5°.meth.med. 7ª.35.G
Pilulæ ad Hemicraniam.de dyn. Sp.23.G
Pilulæ ad Hydropem ſecretorum. Sp.101.C
Pilulæ Laxatiuæ.de dyna. Sp.27.E
Pilulæ Marrubij.7°.de comp.med.ſec.lo. 5ª.185.H
Pilulæ ad Ophiaſin.de remed.par.fac. 7ª.154.G
Pilulæ purgantes Pituitam.de med.fac.par. 7ª.173.F
Pilulæ Platani deſiccant.8°.de ſimp.me.fac. 5ª.58.G
Pilulę ad Tuſſim probatæ.de dyn. Sp.26.C/F
Pilulæ ad omnem Ventris ſolutionem.de dyn. Sp.27.G
Pilulas nouem, & viginti dat.de med.fac.par. 7ª.173.F
PILVS quid.fin.med. Iſa.44.D
Pili animalium ſunt ex his, quæ familiaria ſunt animalibus.11°.de ſimp. med.fac. 5ª.81.C
Pili cutis, vngues cur in extremis partibus ſint genita.in ti.Pl.1ª.286.G
Pilorum radices cōplectit̄ cutis, vt gingiuę dentes.in tim.Pla.1ª.286.H
Pilus ſiccus eſt.1°.de temp. 1ª.12.G
Pilus ſicciſſimus eſt.2°.de temp. 1ª.18.A
Pilus ſicciſſimus, & frigidiſſimus eſt.1°.de temp. 1ª.15.C
Pilos, & capillos generare naturæ opus eſt.14°.met.med. 7ª.93.C
Pili cur à natura multiplicentur.de ana.viuo. Sp.45.C
Pilorum generatio comparatur terræ naſcentibus, & quo modo. 1°. de compoſitione medicamen.ſec.loc. 5ª.121.C
Pili quibus comparentur herbis.5°.de compoſi.me.ſe.lo. 5ª.121.C
Pili ſenum vt herbæ quæ naſcuntur vere, & in æſtate perſeuerant.2°. de temperamentis. 1ª.21.A
Pili cōparantur arboribus valentes radices h̄ntibus.2°.de temp.1ª.21.B
Pili quo modo generantur.2°.de temp. 1ª.19.E
Pili ex quo fiant, & creſcant.14°.meth.med. 7ª.93.C
Pili vnde originem habeant.1°.de ſan.tuen. 2ª.67.H
Pilorum origo duplex, & à prouidentia Dei: à loci natura. 11°.de vſu partium. 1ª.190.A
Pili indicant raritatem cutis.com.5°.aph.69°. Ex.45.D

Pili fiunt ab humiditate.7°.de ſim.me.fa. 5ª.51.E
Pili ex fumis q ex capite,& ex toto corpore aſcẽdũt.2°.de tẽp. 1ª.19.D
Pilos faciens excrementum quale.2°.de temp. 1ª.21.B
Pilorũ gñatio vbi neceſſaria,& vbi nõ debet eẽ.17°.de vſu p. 1ª.222.B
Pili magis naſcuntur in ſiccis,& calidis.2°.de temp. 1ª.18.G
Pili in quibus non oriantur.2°.de temp. 1ª.18.G
Pilos non facit cutis nimis humida,& nimis ſicca.in 6m. de morbis vulgaribus,commen.3°. 3ª.170.A
Pilis nuda temperamenta frigida.2°.de temp. 1ª.18.G
Pilus niger quo modo fiat.2°.de temp. 1ª.19.E
Pilus flauus quo modo fiat.2°.de temper. 1ª.19.E
Pilus albus quo modo fiat.2°.de temp. 1ª.19.E
Pilus rufus quo modo fiat.2°.de temp. 1ª.19.E
Pili criſpi propter quid fiant.2°.de temp. 1ª.19.E
Pili quales ſunt in radice,tales ſunt per totum.2°.de temp. 1ª.19.C
Pili æthiopum quo modo ſe habeant.2°.de temp. 1ª.19.C
Pili arabum quo modo ſe habeant.2°.de temp. 1ª.19.C
Pili indorum quo modo ſe habeant.2°.de temp. 1ª.19.C
Pili eorum qui calidam,& ſiccam habitãt regionẽ quo modo ſe habeãt. 2°.de temperamentis. 1ª.19.C
Pili habitantium inter calidas , & frigidas regiones quales ſint. 2°. de temperamentis. 1ª.19.C
Pili ſm naturam,& ætatis temperamentum.2°.de temp. 1ª.19 D
Pili in naturis comparantur ętati,& regioni.2°.de temp. 1ª.19.D
Pili quare ſint ſubrufi.2°.de temp. 1ª.19.D
Pili cur ſubrufi,boni crementi,& modice craſſi.2°.de temp. 1ª.19.D
Pilos qui imbecillos habent,& canos propter quid.2°.de temp. 1ª.19.E
Pili frequentes,& nigri bonam temperaturam in cerebro ſignificant. 2°.de temperamentis. 1ª.20.F
Pili cur denſantur in vigentibus,& non in pueris.fin.med. Iſa.44.E
Pili plures ſunt in calidis.11°.de vſu par. 1ª.190.B
Pili nulli,aut pauci in frigidis.11°.de vſu par. 1ª.190.B
Piloſus in iuuenta non eſt melancholicus , nec in ſenio ſed in declinante ætate.2°.de temperamentis. 1ª.21.B
Pili aliquibus permanent vſq; in ſenium,aliquibus non.2°.de tẽ.1ª.21.B
Pili mutant colores arte,& fiunt longi,& criſpi.1°.de compoſitione medicamentorum ſec.loc. 5ª.126.B
Pili cedunt ſed non ſunt molles.5°.de ſimp.me.fac. 5ª.32.G
Pili non dolent,quia non ſentiunt.de conſt.ar. Iſa.38.C
Pili non ſentiunt acum.1°.de elem. 1ª.2.H
Pili qui innaſcuntur nobis.2°.de temp. 1ª.19.D
Pilorum in corpore iuuamentum.de ana.viuo. Sp.53.D
Pili ſunt plurimi incrementi in capite , axillis , & pudendis.11°. de vſu partium. 1ª.190.A
Pili ſunt in capite pro ornamento.fin.med. Iſa.44.D
Pili capitis,& maxillarum cur creſcant.11°.de vſu part. 1ª.189.F
Pili augentur in longum.1°.de vſu par. 1ª.115.H
Pili cur in ſupercilijs.11°.de vſu par. 1ª.189.A
Pili in genis,& ſupercilijs ad vtilitatem.fin.med. Iſa.44.D
Pili ſuperciliorum vtilitatem magnam animalibus pariunt. 1°. de compoſi.me.ſec.loc. 5ª.121.D
in Pilorum ſuperciliorum creatione quæ intentio.de ana.viu. Sp.45.C
Pili capitis,ciliorũ,& ſuperciliorũ non vt herbæ,ſed vt ſtirpes naſcuntur.2°.de temp. 1ª.19.D
Pili cur circa oculos.introd. Iſa.53.A
Pilis qui in oculis naſcuntur prodeſt lentiſcus.de ſimp.med. Sp.86.B
Pili palpebrarum ſunt in omnibus calidis,humidis,frigidis,et ſiccis.11°. de vſu partium. 1ª.190.B
Pili palpebrarum vtilitatem magnam pariunt animalibus.1°. de comp. med.ſec.loc. 5ª.121.D
Pili palpebrarum faciunt ad ſanitatem.1°.de cõp.me.ſe.lo. 5ª.126.B
Pili palpebrarum cur ſemper æquales.11°.de vſu par. 1ª.189.F
Pili palpebrarum difficilius defluunt,q̃ capilli.11°.de vſu par. 1ª.190.B
Pili ſuperciliorum, aut palpebrarum non defluunt niſi in magnis ægritudinibus.11°.de vſu par. 1ª.190.B
abſq; Pilis ſupercilia eſſe indecorum eſt.1°.de compoſitione medicamentorum ſecundum locos. 5ª.126.B
Pili ex cilijs quomodo reſtaurantur.14°.meth.med. 7ª.93.E
ad Pilorum in ſupercilijs incrementum valet armeniacum.9°.de ſimp. med.ſec.loc. 5ª.68.F
Pili in palpebra quandoque cadunt.de ocul. 7ª.186.H
ad Pilos palpebrarum deciduos in principio.1°.de compoſitione medicamentorum ſecundum locos. 5ª.123.E
ad Pilos cadentes palpebrarum.de ocul. 7ª.190.E
Pili palpebrarũ adglutinãtur albumine oui.11°.de ſimp.med.fa. 5ª.81.F
Pilorum in ſupercilijs præter naturam glutẽ eſt munus cochlearum.11°. de ſimp.med.fac. 5ª.78.G
Pilorum agglutinatoria.4°.de comp.med.ſec.loc. 5ª.153.C
ad Pilos pungentes in palpebris enaſcentes. 4°. de compoſitione medicamentorum ſec.loc.153.B/C/ 5ª.158.B
Pili in palpebra inuerſi.de ocul. 7ª.186.H
ad Pilos palpebrarum.4°.de comp.med.ſec.loc. 5ª.158.A
de Pilorum ablatione ab oculis.de ocul. 7ª.190.E
ad Pilos palpebris innatos oculum infeſtantes.de rem.par.fa.7ª.156.G
Pilos non ſinere renaſci in palpebris lac caninum eſt falſum.10°. de ſim. med.facul. 5ª.74.A
Pili ad malas quid agant.11°.de vſu par. 1ª.189.D
Pili cur non in naſo,& malis.11°.de vſu par. 1ª.189.D
Pili cur non in fronte.11°.de vſu par. 1ª.189.E
Pili menti parum habent vtilitatis.1°.de comp.med.ſec.loc. 5ª.121.D
ad Pilorum menti caſum.de med.fac.par. 7ª.173.E
Pili agranones qui ſint.de ſper. Sp.36.E
Pili cur circa pudenda.11°.de vſu par. 1ª.190.C
Pili pudendorũ parum habent vtilitatis.1°.de com.med.ſec.lo.5ª.121.D
Pilorum in pudendis exortum reprimere lac caninum eſt falſum.10°. de ſimp.med.fac. 5ª.74.A
Pilis nudum pedis veſtigium qui muſculus faciat.de muſc.diſ. 1ª.52.A
Pilos conſeruans medicamentum.1°.de comp.med.ſec.loc. 5ª.126.D
PILORVM affectus nouem.fin.med. Iſa.48.B
Pilorum affectus qui.introd.Iſa.59.E/1°.de comp.med.ſec.loc.5ª.121.D
Pili quomodo corrumpantur.14°.met.med. 7ª.93.C
Pili ob quas cauſas corrumpantur.1°.de comp.med.ſec.loc. 5ª.121.E
Pilos corrumpentia pharmaca.1°.de comp.med.ſec.loc. 5ª.127.E
Pilos tollit auripigmentum.de ſimp.med. Sp.80.B
Pilorum Pſilothra.1°.de comp.med.ſec.loc. 5ª.127.E
Pilos aufert Pſilothrum.de dyna. Sp.23.G
Pilis glabram cutem efficit filicula.6°.de ſimp.med.fac. 5ª.46.D
Pilos tollit ſuccus tithymalli inunctus.8°.de ſimp.med.fac. 5ª.62.D
Pilos tollit tithymallum quaſi pſilothrum.de ſimp.med. Sp.91.E
Pilis nudat Hederæ lachryma.7°.de ſimp.me.fac. 5ª.51.F
Pilos ſub alis euulſos creſcere non ſinere adipem viperarum , & etiam ſuffuſionum initia ſanare falſum eſt.11°.de ſimp.med.fac. 5ª.79.D
Pilos non prohibet ſanguis ranarũ viridiũ.10°.de ſimp.me.fac.5ª.73.D
Pilos quæ diſperdant.1°.de comp.med.ſec.loc. 5ª.128.A
Pili ablati vt nunquam renaſcantur.de dyna. Sp.23.G
Pilos ne pueri faciant in pube.7°.de ſimp.me.fa. 5ª.53.E
Pilos naſci prohibent tellinæ ſalſæ vſtæ.11°.de ſimp.med.fac. 5ª.82.D
Pili quibus non oriuntur,quibus medicamentis vſus ſit Galenus. in 6m. mor.vul.com.2°. 3ª.160.H
Pilorum attenuatio quibus conueniat.1°.de comp.med.ſec.loc.5ª.127.F
Pilorum attenuatoria.1°.de comp.med.ſec.loc.127.E/ 5ª.128.B
Pilos attenuantibus medicus vti poteſt.1°.de comp.me.ſec.loc. 5ª.128.B
Pilos attenuant exterſoria.1°.de comp.med.ſec.loc. 5ª.128.B
Pilos extirpantia.1°.de comp.med.ſec.loc. 5ª.127.E
ad Pilos naſci faciendos.ſecretorum. Sp.97.A
Pili vt naſcantur vbi volueris præſidia.de dyna. Sp.23.F
Pili vt mirifice renaſcantur.de theria.ad Piſo. 5ª.93.F
Pilos defluentes cohibet lotus arbor.7°.de ſimp.med.fac. 5ª.55.A
Pilos defluere prohibentia ſunt ſicca , & adſtringentia quodammodo. 7°.de ſimp.me.fac. 5ª.55.A
ad Pilis denudatam partem quamuis valet auripigmentum.9°.de ſim. med.facul. 5ª.68.H
Pili quomodo naſcantur in Alopecia.1°.de comp.me.ſec.loc. 5ª.124.C
Pilos reſtituit Alcyonium.7°.de ſimp.med.fac. 5ª.53.D
Pilos reſtituit cæpa.7°.de ſimp.me.fac. 5ª.53.D
Pili quibus cadebant.in 3m.de mor.vul.com.3°. 3ª.142.E
PILI circa vlcus indicant prauos humores confluere , qui vlcus erodunt.com.6°.aph.4°. Ex.46.G
Pilis vulnera vacantia praua ſunt.com.6°.apho.4°. Ex.46.G
Pilus impedit partes vniendas.ars med. Iſa. 69. H/4°. meth.med. 7ª. 23.C/com.6°.aph.4°. Ex.46.G
Pilos radit in vulneribus capitis.2°.de comp.me.ſe.loc. 5ª.138.E
Pili auferendi à parte incidenda.4°.de ana.admi. 1ª.80.C
Pili facile accenduntur,tamen non calefaciunt.1°.de ſim.me.fa. 5ª.4.E

Pilos quale alcyonium vrere poteſt.11°de ſimp.me.fac. 5ª.83.C
PILI vſti quales.11°.de ſimp.me.fac. 5ª.81.C
Pili vſti excitant ſtrangulatus vteri olfactu.9°.de compoſitione medicamentorum ſecun.locos. 5ª.205.G
Pili caprarum,& vrſorum.1°.de comp.me.ſec.loc. 5ª.124.F
ex Pilis leporum molliuſculis medicamentum ad ſanguinem ſiſtendũ. de cura.rat.per ſang.miſ. 6ª.21.F
Pilis leporis excepta thuris pars vna,& aloes partis vnius ſemiſſæ cũ oui candido miſta,medicamentum optimum ad ſanguinem ſupprimendum.5°.meth.med. 7ª.30.H
Pili ouis ad quid utiles.1°.de comp.med.ſec.loc. 5ª.124.H
Pilum Suillum in fiſtulam ponebat.1°.de compo.med.per gen. 5ª.213.B
ex Pilis,uel ſetis pannus cõpoſitus.3°.de comp.me.ſec.loc. 5ª.149.A
PILIS ſimilia in vrina.6°.de loc.aff. 4ª.37.E
Pili qui exeunt per vrinas in venis oriuntur.6°.de loc.aff. 4ª.37.D
Pilorum inſtar minutæ carunculæ vrinis craſſis aduenientes,à renibus excernuntur.de urinæ ſign.ex Hipp. Sp.78.H
Pili quo modo naſcantur in vrina, & quo modo curetur illa affectio.6°. de locis affectis. 4ª.37.E
Pilis ſimilia in abſceſſibus inueniuntur.de tum.præter naturã.3ª.83.G/ 14°.methodi medendi. 7ª.92.D
PINDEMONTIS meminit.de dynam. Sp.35.F
PINAE animalia qualia.de fœt.for. 1ª.323.F
PINEA nux qualis.7°.de comp.med.ſec.loc. 5ª.179.A
Pinea nux videtur dura ſed elixa eſt mollis.de bon.& vit.ſuc. 2ª.36.F
Pinea nux difficulter coquitur.2°.de alim.fac. 2ª.19.D
Pinea nux non eſt mali ſucci,ſed craſſi.de bon.& uit.ſuc. 2ª.35.F
Pinea nux boni ac craſſi ſucci eſt,& multum nutrit.2°.de alimentorum facultatibus. 2ª.19.D
Pineæ nuces ad ſtomachi ardorem cum ſyncope.8°.de compoſitione medicamentorum ſecundum locos. 5ª.191.H
Pineæ nuces in inflammationum arteriæ principijs leniſſimæ.7°.de compoſitione medicamentorum ſecundum locos. 5ª.177.H
Pineæ nuces toſtę.6°.de comp.med.ſec.loc.171.C/ 5ª.182.B
Pineam ſyncomiſtem quam vocet Galenus.3°.de compoſitione medicament.per genera. 5ª.233.D
Pinea nucleus,& galbanũ ex melle attico pro eclegmate in pleuritide. de vict.rat.in morb.acut.com.4°. 7ª.144.C
Pineæ cor aſſimilatur.de anat.viu. Sp.46.C
Pinea reſina qualis.8°.de ſimp.med.fac. 5ª.59.F
Pinea reſina humida pro terebinthina.6°.meth.med. 7ª.37.G
Pinea colophonia,& fricta reſina pro eodem accipiuntur.7°.de compo. med.per genera. 5ª.264.B
Pinea reſina.4°.de ſan.tuen.2ª.87.B/2°.de ſimp.med.fa. 5ª.15.A
Pinea ſpatula.7°.de comp.med.per genera. 5ª.268.E
PINEALIS glandulæ ſuppoſitæ cerebro iuuamentum. de anatomia viuorum. Sp.44.D
PINGVEDO quid.fin.med. Iſa.44.D
Pinguedo,& adeps differunt.2°.de ſimp.me.fac. 5ª.12.C
Pinguedo,& adeps quomodo differant.10°.de ſimp.me.fac. 5ª.78.H
Pinguedo,& adeps confunduntur.11°.de ſimp.med.fac. 5ª.78.H
Pinguedo terreſtris dicitur ſepum.de vtil reſp. Sp.64.F
in Pinguedine,& ſepo abundãs animal omne, abundat & in medulla. de anat.viu. Sp.44.E
Pinguedo cuius ſit temperiei.2°.de ſimp.med.fac. 5ª.14.D
Pinguedo calida,quia ea vice olei vtimur.4°.de vſu par. 1ª.137.D
Pinguedo oleoſa.3°.de alim.fac. 2ª.27.D
Pinguedo humida quædam res eſt oleo lõga vetuſtate incraſſato ſimilis. 3°.de alim.fac. 2ª.27.D
Pinguedo ſenſu caret.de mult.3ª.77.G/de vtil.reſp. Sp.62.H
de Pinguedinis genere ſunt glandulæ.de util. reſp. Sp.62.H
Pinguedinem quæ faciant.2°.de temp. 1ª.18.B
Pinguedo in his eſt,qui bene nutriuntur.11°.de ſimp.med.fac. 5ª.78.G
Pinguedine abundant ocioſi.6°.de anat.adm. 1ª.92.B
Piuguedo quas partes obducere ſoleat.4°.de anat.adm. 1ª.80.D
Pinguedo cur in neruoſis partibus ſit magis.6°.de anat.adm. 1ª.92.B
Pinguedo ſuper omnia neruos occultat.4°.de anat.adm. 1ª.80.D
Pinguedo quandoq; vaſa conſcendit.6°.de anat.adm. 1ª.92.B
Pinguedines propter quid in corpore ſint.de vtil.reſp. Sp.62.H
Pinguedo cur in oculis circunfuſa.10°.de vſu par. 1ª.181.H
Pinguedo muſculorum in oculis cur ſit.de anat.ocul. Sp.57.G
Pinguedine ſupra vẽtriculum ablata ventriculus redditus eſt frigidus. de vtilit.reſpir. Sp.62.H
Pinguedo quid agat in omento.4°.de vſu par. 1ª.137.D
Pĩguedo omẽti nõ ſinit mulieres pĩgues cõcipe.cõ.5°.aph.46°.Ex.41.H
Pinguedo cauſa cur ſemen non contineatur.de aere,aqu.& loc. 2ª.5.G
Pinguedo renum.de anat.viu. Sp.44.D
Pinguedo non habet robuſtas vires.de cur.rat.per ſang.miſſ. 6ª.17.H
Pinguedine abundantes nimis non ſunt purgandi.de dynam. Sp.20.F
Pinguedo eſt pauci nutrimenti.3°.de alim.fac. 2ª.27.D
cur Pinguedo parum nutriat.de diſſ.cont. Sp.73.F
Pinguedo qualibet carne ſui generis eſt deterior.de victus rat.in morbis acutis,com.4°. 7ª.147.C
Pinguedinis paucæ leuis carnis ſaliti piſces ſunt ſibi ſalſi diſſoluentes,ac attenuantes.de diſſ.cont. Sp.72.F
Pinguedinem multam nõ habentes piſces parui teneri ſunt boni chymi, & ſubtilis.de diſſ.cont. Sp.73.H
Pinguedo eſt potius carnium condimentum,quàm alimentum.3°.de alimentorum facultatibus. 2ª.27.D
cum Pinguedine, vel oleo dat panes calidos in Hydrope.de uict.rat.in morb.acut.com.4°. 7ª.152.E
Pinguedo omnis calfacit,& humectat.11°.de ſimp.med.fac. 5ª.79.A
Pinguedinis ſuũ caliditas talis eſt, qualis eſt in nobis.11°.de ſimplicium medicamentorum facultatibus. 5ª.79.B
Pinguedo ſuum largius humectat,ſed non calfacit vt oleum.11°.de ſimplicium medicamentorum facultatibus. 5ª.79.B
Pinguedo ſuum omnium humidiſſima propinqua oleo.11°.de ſimplicium medicamentorum facultatibus. 5ª.78.H
Pinguedinem multam cur habet ſus. 11°. de ſimp.me.fac. 5ª.78.H
Pinguedo mitigans eſt.2°.de ſimp.med.fac. 5ª.12.H
Pinguedo ſuis ad phlegmonas.11°.de ſimp.med.fac. 5ª.78.H
Pinguedo anſeris,& gallinacei calidior,& ſiccior eſt,q̃ ſuum,& tenuior,& minimum terreſtris.4°.de ſimp.med.fac. 5ª.25.E
ex Pinguedine anſeris, & oleo ſabino clyſter ad morſus.8°.methodi medendi. 7ª.53.F
pro Pinguedine anſeris pinguedo gallinacea. 8°.methodi medendi. 53.F/12°. 7ª.79.F
pro Pinguedine gallinacea pinguedo caprina.8°.metho.med. 7ª.53.F
Pinguendines nondum vllam nactæ ſunt acrimoniam, emplaſticam & illinendi poros facultatem obtinent.4°.de ſimp.med.fac. 5ª.25.E
Pinguedo collinit,& mitigat acres mordicationes.10°.de ſimpliciũ medicamentorum facultatibus. 5ª.73.F
Pinguedo tauri, & hirci acrimoniam, & multam,& igneam poſſidet. 4°.de ſimp.med.fac. 5ª.25.E
Pinguedines diuerſorum animalium quo modo digerunt, & emolliunt. 7°.de comp.med.per genera. 5ª.264.A
Pinguedo cur adhibẽda in frictionibus,& copioſe.2°.de ſa.tu.2ª.77.A
Pinguedo à calore liqueſcit.6°.de anat.adm. 1ª.92.B
Pinguedo quo modo liquefiat calore.in 3ᵐ.de morb.vulg.c.3°.3ª.147.H
Pinguedo cur celeriter in igne liqueſcit.11°.de ſimp.med.fac. 5ª.78.H
Pinguedo à frigiditate conſeruatur.6°.de anat.adm. 1ª.92.B
Pinguedinem oleaceam.i. ἐλαιώδης vrina habens mortem minatur.de tot.morb.temp. 3ª.88.G
Pinguedines ſuperne vrinis innatantes araneoſas licebit improbare. de vrinæ ſignificatione ex Hipp. Sp.78.G
Pinguedinoſa,& alba urina peripneumoniam ſignificat.de dy. Sp.35.E
Pinguedinoſa urina, alba,uel iumentina ſignificat dolorem renum,& ueſicæ,& capitis aliquantum.de dynam. Sp.35.E
Pinguedo q̃uo fiat in fructibus.4°.de ſimp.med.fac. 5ª.26.F
Pinguedo quibus mala.com.2°.aph.44°. Ex.18.F
PINGVEFACIT exercitatio tarda. in 6ᵐ. de morbis vulgaribus, commentario 3°. 3ª.170.E
PINGVESCIT in matrice viri ſemen muliebri aſſociatum cum ſpiritu quodam in ea receptum.de ſperm. Sp.36.B
PINGVE, & oleoſum idem.1°.de ſimp.med.fac. 5ª.8.H
Pingue ſignificat etiã dulce.in 6ᵐ.de morb.vulg.cõ.5°.191.G/ 3ª.196.G
Pingue dulce eſt.4°.de ſimp.med.fac. 5ª.26.H
Pinguia quæ ſint.4°.de ſimp.med.fac. 5ª.26.H
quæ Pinguia efficiantur vetuſtate.4°.de ſimp.me.fac. 5ª.26.G
Pingue abdomen habentia corpora non rubeſcunt ob frictionem. de cucurbitulis & ſcarificatione. 6ª.3.C
Pingue ob craſſitiem dicitur adeps.4°.de ſimp.med.fac. 5ª.25.E
Pingue agninum.7°.de comp.med.per gen. 5ª.272.D
Pingui nõ tm̃ nutritur flãma,ſed ẽt ab aere vicino.de util.reſp.Sp.62.D

ex Pinguibus rebus exit fuligo.8°.de dec.Hipp. 1ª.275.H
Pingue Suillum quale.7°.de comp.me.per gen. 5ª.269.F
Pingue Taurinum oīum maxime ſiccat.4°.de cōp.me.per ge. 5ª.241.D
Pingue Vituli marini.7°.de comp.me.per gen. 5ª.270.H
℘ Pingui vituli marini medulla Cerui vetuſtiſſima.7°. dc compoſitione medicamentorum per gen. 5ª.270.H
Pinguium,& iuuenum Auium axillæ facilius digeruntur quam axillæ macrarum,& antiquarum.de diſſ.cont. Sp.73.C
Pinguibus cibis dulcibus,& nulla vehementi qualitate præditis delectant̄,qui naturaliter ſe habent.in.6^{m}.de mor.vul.com.5°. 3ª.191.G
Pingue nihil ad guſtum attinet.1°.de ſimp.me.fac. 5ª.8.H
Pinguia gratiſſima guſtui,& cōuenictia naturæ.1°.de ſym.cau. 3ª.17.D
Pinguia quid agant in linguam.1°.de ſimp.me.fac. 5ª.9.A
Pinguia quid faciant.1°.de ſymp.cau. 3ª.17.D
Pinguia non roborant ſtomachum.1°.de alim.fac. 2ª.15.D
Pinguia ſi offerantur ante reliqua edulia tollunt famem caninam. commentario.2°.aphoriſmo.21°. Ex.14.H
ex Pingui alimēto bilis ℘creatur.in 6^{m}.de mor.vul.com.5°. 3ª.191.G
Pinguia & dulcia ſupra modum calefacta in amaram bilem vertūtur. 1°.de criſibus. 4ª.130.A
Pinguia mouent tuſſim.2°.dc ſimp.me.fac. 5ª.13.D
Pinguia quomodo tuſſim excitant.2°.de ſimp.me.fac. 5ª.13.F
Pinguia leniunt.1°.de ſymp.cau. 3ª.17.D
Pingues cur deiectiones.in 3^{m}.de mor.vul.com.3°. 3ª.146.G
Pinguia quædam in difficultatibus inteſtinorum exeunt primo.com.4°. aphoriſmo.26°. Ex.30.C
Pinguæ Excrementum quid ſignificet.1°.de criſ. 4ª.129.E
Pinguia qui excreant phlegmagogis ſunt purgandi.de dyna. Sp.21.C
PINGVE *humorum ſpecies in animalibus, plantis, & in terra.1°.de nat.huma.com.1°.* 1ª.31.H
Pingue omne inuehitur humoribus.in 3^{m}.de mor.vul.com.3°. 3ª.147.G
Pinguia omnia,& viſcoſa educit lapis armenus.de dyn. Sp.21.C
Pinguia phlegmata multum,& frequēter pinguentibus dāda phlegmagoga.de dyna. Sp.21.C
Pinguis pituitæ oculorum præſidium.de dyna. Sp.24.H
Pingues homines qui.2°.de ſimp.me.fac. 5ª.14.E
Pingues homines fiunt locis frigidis,graciles vero calidis. 2°. de ſimp. med.fac. 5ª.14.E
Pingues natura qūo diſtinguātur à pinguib⁹ occaſione.2°.de tēp. 1ª.18.C
Pinguis habitus cum venarum anguſtia.2°.de temp. 1ª.18.C
Pinguium cutis qualis.in 6^{m}.de mor.vul.com.3°. 3ª.176.E
ad Pinguem hominem attenuandum.de dyna. Sp.30.B
Pingues homines extenuans medicamen.de med.exper. Sp.104.H
Pingues multi redditi graciles.2°.de temp. 1ª.18.B
Pinguē qūo Galenus breui duxerit ad mediocritatē.6°.de ſa.tu. 2ª.98 C
Pingues mulieres nō habent purgationes lunares vt eſt neceſſe. de aere, aquis & locis. 2ª.5.G
pro Pinguibus vina qualia eſſe debent.14°.met.me. 7ª.91.F
Pingues non concipiunt.de aere,aquis,& locis. 2ª.5.G
Pingues.lege craſſi.
Pinguia ſint an lenta vel leuia non ſunt conſideranda quæ calefacere, refrigerare,exiccare,vel humectare corpus humanum debent. 1°. de ſimplic.med.facul. 5ª.2.E
PINGVIVS *vocatur à recentibus Medicamentum emollientius,quod & humidius quoq; eſt.7°.de comp.me.per ge.* 5ª.264.C
Pinguia ſunt materia apta ad emplaſtra,& qualia.6°.de compoſitione medica.per ge. 5ª.255.C
Pinguia pharmaca vitamus in capitis,& aliarum partium oſſibus denudatis,ſiccis ſolis vtimur.5°. de comp.me.per gen. 5ª.253.D
Pinguis galli compoſitio.9°.de comp.me.ſec.loc. 5ª.204.C
Pinguis cōpoſitio ad achoras,et ad pſoras.9°.de cōp.me.ſ.l. 5ª.204.H
Pinguia quæ refrigeratos calefaciunt.2°.de ſimp.me fac. 5ª.15.A
Pīguia mēbra nō diſtēdunt̄,nec cōtrahūt̄.ī 6^{m}.đ mor.mul.c.1°. 3ª.153.B
non Pinguibus locis propinquis affectis applicandæ hirudines. de cucurbitulis ſcarificatione. 6ª.4.D
ad Pingui Mucore obſeſſa.10°.de comp.me.ſec.loc. 5ª.207.G
Pingui re,et oleo vtitur ī capitis fractura.6°.de cōp.me.℘ge. 5ª.255.G
Pinguis Regio q̄ à veteribus appellata.in 6^{m}.de mor.vul.c.5°. 3ª.191.G
Pinguis Sanguine,& vnctuoſo nutritur calor vitalis, qui eſt in corde. de vtil.reſp. Sp.62.D
Pinguis ſapor,& vnctuoſus à Theopraſtro additus. 1°. de ſimplicium medic.facul. 5ª.8.G
Pinguis,& dulcis terra aquam bonam facit.de bon.aquæ. Sp.76.B
Pinguis Vrina ſignificat conſumptionem.in progn.com.2°. 4ª.201.C
Pinguis vrina,vel alui excremētum fit ex colliquatione adipis.com.7°. aphoriſmo.35°. Ex.56.F
Pingue inſidens ſignificat vitium renum acutum.c.7°.aph.35°. Ex.56.E
Pinguis hypoſtaſis,& accumulata quid ſignificet.de vrinæ ſignificatione ex Hippocrate. Sp.78.H
Pinguis vrina ſine febre ſenibus eueniēs apoplexiā facit. đ dy. Sp.34.B
Pinguis vrina ſine febre ſenibus eueniēs ſoluta apoplexia,caliginē oculorū cito tranſeuntē,& delectationem cibi oſtendit.de dyn. Sp.34.B
Pinguis vrina,& rufa in pleuriticis mortem futuram oſtendit. de dynamidijs. Sp.34.H
Pinguis vrina in cauſo mortem ſignificat.de dyna. Sp.34.B
PINGVITVDO *eſt qualitas guſtus.de nat.hu.com.1°.* 1ª.28.H
PINNAE *ſunt craſſi admodum ſucci.de bon.& vit.ſucc.* 2ª.35.E
Pinnarum ſuccus ducit aluum non ſecus ac lactis ſerum.de bonitate,& vitio ſuccorum. 2ª.35.E
PINNAE *narium à lato muſculo mouentur.4°.de loc.aff.* 4ª.23.D
Pinnæ narium cur contrahantur in inſpiratione.4°.de loc.aff. 4ª.26.H
Pinnæ naris qūo conuellantur.de vict.rat.in mor.acu.cō.4°. 7ª.141.G
Pinnæ narium cur dilatentur in ſpiratione.4°.de loc.aff. 4ª.25.A
PINNAE *commodæ ad verrucas tollendas.14°.met.me.* 7ª.93.A
ſuper PINNACVLI *apicem incedens timet, & pedes eius tremunt. de mot.man.& obſc.* Sp.69.D
PINNVLA *quid.ſin.med.48.G/intro.* Iſa.53.A
Pinnula oculorum vlceratio.ſin.med. Iſa.48.D
PINI *grana cibus craſſius,& cur.de diſſ. cont.* Sp.72.H
pro Pini fructu Pityides quandoq;.8°.de ſimp.me.fac. 5ª.58.F
Pini cortex qualis.5°.met. me. 7ª.36.E
Pini cortex vnum ex medicamentis miſtionem contrariorum non habētibus.1°.de comp.me.ſec.loc. 5ª.129.E
Pini cortex adſtringens leue.5°.met.me. 7ª.31.G
Pini cortex arefacta.9°.de comp.me.ſec.loc. 5ª.203.D
Pini cortex vlceribus humectioribus conuenit. 9°. de compoſitione medicamentorum ſecundum locos. 5ª.205.D
Pini corticis decoctum reprimit. de remed. par.fac. 7ª.157.G
Pini reſina humida.4°.de ſan. tu. 2ª.87.C
pro Pini reſina terebintina.4°.de ſan. tu. 2ª.86.H
Pini reſina fricta.9°.de comp.me.ſec. loc. 5ª.199.A
PIPER *quid,& eius ſpecies.8°.de ſimpli.med.facul.* 5ª.58.A/*de ſimplic.med.* Sp.88.F
Piperum trium differentiæ colliguntur.4°.de ſan.tu. 2ª.85.A
vt Piper tenuium partium eſt zingiber.6°.de ſimp.me.fac. 5ª.47.H
PIPERIS *Albi,piperis nigri,& zingiberis differentia.6°. de ſimplicium medicamentorum facul.* 5ª.47.H
Piper album eſt fructus omphax.8°.de ſimp.me.fac. 5ª.58.B
Piper album calidum eſt,quamuis album.1°.de ſimp.me.fac. 5ª.7.C
Piper album pulueri zatum in potibus,& cibis aſſumat ſenex,qui cibis obſtruentibus ſit vſus.5°. de ſan.tu. 2ª.91.D
Piper pulueri zatum attrahitur ab arterijs ſimul cum aere. 1°. de ſimp. med.facul. 5ª.4.D
Piper album in roborando ventre alia excedit.4°.de ſan.tu. 2ª.85.A
Piper album melius eſt,& aptius ſtomacho.6°.de ſan.tu. 2ª.99.B
Piper album commodius ſtomacho,et acrius eſt quàm nigrum.9°.de cō med.ſec.loc. 5ª.201.D
ex Pipere albo,melle,ſucco cydoniorum, zingibere,& aceto medicamentum ad appetentiam deiectam.2°.de ali.fac. 2ª.20.D
Piper album digerit.1°.de comp.me.per gen. 5ª.214.B
ex Pipere album emplaſtrum.1°.de comp.me.per gen. 5ª.214.B
PIPER *Longum eſt fructus immaturus piperis.8°. de ſimplicium medicamentorum facultatibus.* 5ª.58.B
Piper longum eſt maturo humidius.8°.de ſimp.me.fac. 5ª.58.B
Piper longum quo modo probetur.4°.de ſan.tu. 2ª.85.C/D
Piper longum facile perforari ſolet.4°.de ſan.tu. 2ª.85.C
Piper longum cur perforatur.6°.de ſim.me.fac. 5ª.47.H
Piper longum dupliciter alteratur.4°.de ſan.tu. 2ª.85.C
Piper longum quo modo adulteratur. 1°. de antido. 105. A/de theriaca ad Piſonem. 5ª.94.H
Piper longum adulteratum quo modo cognoſcatur.4°.de ſanitate tuenda.2ª.85.D/1°.de anti. 5ª.105.A
Piper longum guſtum viſcide mordet,& calefacit.de ſim.me. Sp.88.F
Piper longū dandū cruditatū copiam habentibus.4°.de ſan.tu. 2ª.85.A

Piper longum quid agat.4°.de ſan.tu. 2ª.85.A
PIPER *Nigrum quo modo probetur.4°.de ſan.tu.85.D/* 2ª.86.D
Piper nigrum optimum quale.4°.de ſan.tu. 2ª.85.A
Piper nigrum purgat nares.de cathar. Sp.95.B
Piper graue, quale.1°.de anti. 5ª.106.G
Piper rotundum.3°.de comp.me.ſec.loc. 5ª.145.A
Piper frictum.4°.de comp.me.ſec.loc. 5ª.152.D
Piperis radix coſto ſimilis.8°.de ſimp.me.fac. 5ª.58.B
Piper quale.6°.de comp.me.ſec.loc. 5ª.170.E
Piper acre.de vict.rat.in mor.acut.com.4°. 7ª.135.C
Piper acre eſt.9°.de ſimp.me.fac. 5ª.64.C
à Pipere experimentum ſumendum de acredine. 4°. de ſimplicium medicamentorum facul. 5ª.26.B
Piper proportione reſpondet aeri calidiori.2°.de ſimp.me.fac. 5ª.15.G
Piper omne ſyncere ſtringit, & excalfacit, & totum corpus vehementer commouet.de ſimp.med. Sp.88.F
Piper tam cibus, quam medicamentum calidum.3°.de temp. 1ª.24.D
Piper calefaciendo iuuat.de opt.ſect. Iſa.23.H
Piper valenter calefacit.3°.de temp. 1ª.24.F
Piper magis agit in nrm corpus quã patiatur ab illo.3°.de tẽp. 1ª.23.H
Piper quo modo applicatum extra calefacit.1°.de ſimp.me.fac. 5ª.4.E
Piper integrum nullam caliditatem præſtat, ſed in puluerem redactum manum etiam calefacit.1°.de ſimp.me.fac. 5ª.4.A
Piper cõminutũ in minimas partes calefacit.1°.de ſimp.me.fac. 5ª.4.C
Piper fortiter dum guſtatur excalfacit.4°.de ſimp.me.fac. 5ª.29.D
Piper adiectum temperamento calido facit febrem.præſagium experiẽtia confirmatum. Sp.77.D
cũ Pipere ficus ante cibum quando conueniant.2°.de ali.fa. 2ª.17.F
Piper miſcendum in piſcium præparatione.de atten.vic. 2ª.45.E
qui Piperis, alteriuſue perinde calidi medicamenti multum, & ſemel liberaliter ſumpſerunt, deinde ſuper id calidam potionem biberunt ſingultum incidunt.3°.de ſymp.cau. 3ª.25.F
Piper ſi quis deglutiuerit cum melle, & bibat vinum mixtum aqua calida, ſingultit.com.6°.aph.39°. Ex.50.H
Piper ad ſubtiliſſimã puluerem redactum facit maiorem ſingultum.3°. de ſymptomatum cauſis. 3ª.25.F
ex Pipere nimium ingeſto ſingultus contingebat Galeno.3°. de locis affectis. 4ª.20.A
Pipere, & vino ſingultiebat Galenus.8°.de comp.me.ſec.loc. 5ª.190.E
Piper ponitur in theriaca.de theria.ad Piſo. 5ª.92.E
Piper quibus conuenit.4°.de ſan.tu. 2ª.84.F
Piper confert medio tẽperamento ventrem hñti.6°.de ſan.tu. 2ª.101.C
Piper ventriculo auxiliatur.3°.de ali.fac. 2ª.29.G
Piper prodeſt illis, qui frigiditatem in ventriculo ſentiũt.1°. de arte curatiua ad Glauconem. 7ª.99.C
Pipere inſperſum vinum dandum his, qui non concoxere. de præcognitione ad Poſth. 4ª.219.A
Piper communiter concoquere facit.4°.de ſan.tu. 2ª.85.A
Piper pro ventriculo in quo pituita frigida ſit aceruata.1°. de arte curatiua ad Glauco. 7ª.99.D
Piper mundificat, & ſubtiliat.de diff.cont. Sp.74.H
Piper attenuat humores.de atten.vic. 2ª.44.G
Piper quidam dixere adſtringere.9°.de ſimp.me.fac. 5ª.64.C
Piper iuxta Herodotum adſtringebat.1°.de ſimp.me.fac. 5ª.7.H
Piper cur ptiſſanæ quandoq; miſcetur.de atten vic. 2ª.44.G
cũ Pipere ptiſſanæ ſuccus datur in Tertiana non legitima.1°. de arte curatiua ad Glauco. 7ª.97.E
cũ Piperis polline ptiſſana.5°.de ſan.tu. 2ª.92.D
Piper aqua miſtum quibus bibere liceat.6°.de ſan.tu. 2ª.99.B
Piper cum aqua pro potu in quartana.1°.de arte cur.ad Glau. 7ª.97.F
Piper purgat caput.de cathar. Sp.95.B
Piper, & niger elleborus in pleuritide.de victus ratione in morbis acutis.commen.4°. 7ª.144.C
Piper purgat pulmonem, & thoracem.de cathart. Sp.95.B
cũ Pipere mel per ſedẽ impoſitũ in coli dolore.12°.met.me. 7ª.78.G
cũ Pipere cremor cocti fœnugræci in coli dolore.12°.met.me. 7ª.79.G
Piper prouocat menſtrua.de cathar. Sp.95.D
Piper vlceribus non conuenit.4°.de comp.me.per gen. 5ª.236.H
ex Piperibus duobus ad Tuſſim.7°.de comp.me.ſec.loc. 5ª.182.E
Piperum diatrium duplex compoſitio.4°.de ſan.tu. 2ª.85.B
Pipereon diatrium ſimplex compoſitio qualis natura ſit.4°. de ſanitate tuenda. 2ª.85.B
Pipereon diatrion compoſitioni quæ miſcenda.4°.de ſan.tu. 2ª.87.D
Pipereon diatrion poteſt eſſe in continuo vſu.6°.de ſan.tu. 2ª.99.C
ex Piperibus tribus medicamẽtũ quibus cõueniat.4°.de ſa.tu. 2ª.85.B
Pipereon diatrion ſimplex aſſumant qui egent concoctione.4°.de ſanitate tuenda.86.F/6°. 2ª.97.H
Pipereon diatrion dať cruditatibus ĩ primis venis.4°.de ſa.tu. 2ª.87.D
Pipereon diatrion eget pituita in ventrem defluens.6°.de ſa.t. 2ª.99.D
Pipereon diatrion nõ perfertur per totũ corpus.4°.de ſan.tu. 2ª.85.E
Pipereon diatrion iecoris obſtructiones expedit.6°.de ſan.tu. 2ª.97.H
Pipereon diatrion aſſumat ſenex qui cibis obſtruentibus ſit vſus.5°.de ſanitate tuenda. 2ª.91.D
ex Piperibus tribus medicamentum ex aqua vel vino accipitur.1°.de locis affectis. 4ª.5.F
PISCATIO *eſt vitæ ratio, ſiue genus, vt cætera quæ corpore exercentur.3°.de ſymp.cau.* 3ª.25.B
Piſcatio eſt exercitatio.2°.de ſan.tu. 2ª.73.G
PISCATORES *duri, & aridi.6°.de comp.me.ſec.loc.* 5ª.176.F
Piſcatores ignorant vires motuum quos exercent.2°.de ſan.tu. 2ª.75.E
Piſcatores cur ſtupeſcunt ex torpedine.de vtil.reſp. 1ª.225.D
Piſcatorũ vlcera ſicca, ac ſi forent ſalita [loquitur de piſcatoribus maris.] 1°.de ſimp.me.fac. 5ª.3.D
Piſcatoris emplaſtrum.5°.de comp.me.per ge. 5ª.247.E
PISCATORIAE *naſſæ, (κύρτους vocant) exemplum. in Timæum Platonis.* 1ª.288.D
PISCES *ſecuit Galenus.6°.de anatom. admin. 89. G/8°. de decretis Hippocratis.* 1ª.274.A
in Piſcibus ſquamarum iuuamentum.de ana.viu. Sp.53.D
Piſcibus non oriuntur pili. 2°.de temp. 1ª.19.G
Piſces habent caput, non collum.8°.de vſu par. 1ª.164.H
Piſces cur non habent collum, neq; crura.11°.de vſu par. 1ª.187.D
Piſces cur non habent collum vel breue ex duabus vertebris. 8°.de vſu partium. 1ª.165.B
in Piſcibus albugo eſt valde dura.de vtil.reſp. Sp.63.D
Piſcium oculi non diſcernunt inter medios colores. de ana.vi. Sp.49.B
Piſces habent multiplicem ordinem dentiũ, ſed eiuſdem generis.de anatomia viuorum. Sp.49.D
Piſces cor habent in thorace.6°.de vſu par. 1ª.148.A
Piſces vel carent ſanguine, vel parũ ſanguinis hñt.6°.de vſu p. 1ª.150.H
Piſces non habent dextrũ cordis ventriculũ.8°.de dec.Hip. 1ª.274.A
Piſces ſunt natura frigidiores, ideo eorum cor non eget magna refrigeratione.6°.de vſu par. 1ª.150.H
ad Piſcium cor aer peruenit, & non aqua.de vtil.reſp. Sp.63.B
Piſces habent branchias ꝑ refrigeratione cordis.7°.de vſu pa. 1ª.158.A
Piſces reſpirant vaporem per branchias.de ana.viu. Sp.48.C
Piſcibus reſpirantibus ſatis eſt paucus vapor.de ana.viu. Sp.48.C
Piſces non habent pulmonem.8°.de dec.Hipp. 1ª.274.A
Piſces habent branchias vice pulmonis.6°.de vſu partium. 1ª.150.H/ *de ana.viuo.* Sp.48.C
ad Piſces vt branchia ſe habẽt ita pulmo ſe habet ad terreſtria.de anatomia viuorum. Sp.53.B
Piſcium pori in branchijs ſunt adeo tenues, vt non recipiant niſi aerem. de vtilitate reſpirationis. Sp.64.C
Piſces ſunt ſine voce quia pulmone carent.6°.de vſu par. 1ª.148.A
Piſcibus cur nulla vocis vtilitas.6°.de vſu par. 1ª.150.G
Piſces qui habent pulmonem.de vtril.reſp. 63.B/ Sp.64.C
Piſces pulmonẽ habentes multo plus habẽt caloris quam cæteri piſces, vt delphini, & phoca, & canis, & cete omnia.de vti.reſp. Sp.64.C
Piſces maiores ſpirare aerem extra aquam conſtat. de vti.reſp. Sp.63.B
cur Piſces aliqui ſpirant extra aquam. de vtil.reſp. Sp.64.C
in Piſcibus quibuſdam ſtomachus peruenit vſque ad os.de motibus manifeſtis, & obſcuris. Sp.71.B
in Piſcibus duplex hepar.vnde. de ana.viuo. Sp.48.B
ex Piſcibus, & auibus cognoſcitur quod magnitudine vaſorum ſpermaticorum in mare natura prouiderit.14°.de vſu par. 1ª.208.G
in Piſcibus cur vaſa ſpermatica ſunt iuncta diaphragmati.14°. de vſu partium. 1ª.208.G
in Piſcibus vaſa ſpermatica longa.14°.de vſu par. 1ª.208.G
Piſces aliqui cur gignunt oua ſine mare.2°.de ſem. 1ª.338.D
Piſces multum differũt humiditate, & ſiccitate.3°.de compoſitione medicamentorum per gen. 5ª.230.C
Piſces non pauci qui ſunt ſicciore temperatura oua gignere ſine maris concubitu ſolent.2°.de ſem. 1ª.338.D

Piſces omnes etiam ignoti quo modo probentur an ſint boni ſucci.de bonitate,& vitio ſuccorum. 2ª.34.H
de Piſcibus ignotis quæ conſideranda.3°.de ali.fa. 2ª.31.C
Piſces vbi ſint capti quærendum eſt.de bon.& vitio ſuc. 2ª.37.H
Piſces meliores qui ad Boream.3°.de ali fac. 2ª.30.C
in Piſcibus cunctisq; animalibus bonum ſuccum facit exercitatio.3°. de alimentorum facultatibus. 2ª.30.C
Piſces ſunt tanto peiores, quanto minus exercitantur, & ſunt in mari quieto.3°.de ali.fac. 2ª.30.A
Piſces ſecundum alimenta ſunt peiores,& meliores.3°.de ali.fac.30.B| de bon.& vitio.ſucc. 2ª.37.H
Piſces ex paſtu probantur odore,& guſtu.de bon.& vitio ſuc. 2ª.37.H
Piſces experiendi guſtu,& olfactu.de bon.& vitio ſucc. 2ª.37.H
Piſces malarum aquarum quales.de bon.& vitio ſuc. 2ª.37.H
Piſces,qui ſunt de ſordidis aquis thermarum ſunt multarum ſuperfluitatum.de diſſol.cont. Sp.73.E
Piſces mali qui.de diſſol.cont. Sp.73.H
Piſces in fluminibus vrbium quales.3°.de ali.fac. 2ª.30.B
Piſces praui,qui in fluminibus ſunt vbi vrbiũ ſordes quæcunq; defluũt. de bonitate,& vitio ſuccorum. 2ª.37.G
Piſces degentes in immundis,ac turbidis fluminibus ſunt mali ſucci.de bonitate,& vitio ſuccorum. 2ª.37.G
Piſces peſſimi gignũtur in oſtijs fluuiorum, qui latrinas purgant,aut culinas,aut balnea aut ſordes.3°.de ali.fac. 2ª.31.B
Piſces pauci fluuiales ingrediuntur mare.3°.de ali.fac. 2ª.30.D
Piſces in fluuijs,& ſtagnis ingredientes mare habent plures paruas ſpinas.3°.de alim.fac. 2ª.30.D
Piſces tyberini,quales.3°.de alim.fac. 2ª.31.B
Piſcium in ſtagnis degentium natura.3°.de alim.fac. 2ª.30.C
Piſces quo modo in ſtagnis capiantur.8°.de ſimp.me.fac. 5ª.62.E
Piſces marini non habent paruas ſpinas.3°.de ali.fac. 2ª.30.D
Piſcium marinorum differentia à fluuialibus, & ſtagnantibus in numero ſpinarum.3°.de ali.fac. 2ª.30.D
Piſces omnes marini gaudent fluuijs.3°.de ali.fac. 2ª.30.D
Piſces qui viuunt aqua ſalſa,& dulci.de bon.& vitio ſuc. 2ª.37.H
Piſces qui viuunt in mari,& fluminibus inter congeneres ſunt differentes,& quo modo.3°.de alim.fac. 2ª.31.A
Piſces in mari mortuo moriuntur.4°.de ſimp.me.fac. 5ª.30.F
Piſces ex puro mari quales.de bon.& vitio ſucc. 2ª.37.H
Piſces bonos,& malos facit mare purum.3°.de alim.fac. 2ª.30.G
Piſcis omnis deterior eſt,qui propè lacum,qui mari cõiungitur, aut magni fluminis oſtium paſcit.8°.met.me. 7ª.51.B
Piſces qui meliores ex aquis.de bon.& vitio ſucc. 2ª.37.G
Piſces marini præſtantiſſimi quales.3°.de ali.fac. 2ª.30.B
Piſces marini non immiſcentes ſe aquæ dulci ſunt innoxij.de bonitate,et vitio ſuccorum. 2ª.37.G
Piſces ponti quales.3°.de ali.fac. 2ª.30.C
Piſces pelagij qui dicantur.3°.de ali.fac. 2ª.30.E
Piſces pelagij inter congeneres nullum habent diſcrimen. 3°. de alimentorum facultatibus. 2ª.30.H
Piſces pelagij neq; craſſi,neq; tenues ſunt.de bon.& vit.ſuc. 2ª.34.H
Piſces pelagij ſunt propingui pani bene præparato,& perdici.3°.de alimentorum facul. 2ª.30.E
ex Piſcibus pelagijs fit ſanguis laudatiſſimus.3°.de ali.fac. 2ª.30.E
Piſces littorales neq; craſſi,neq; tenues ſunt.de bo.& vit.ſuc. 2ª.34.H
Piſces ſaxatiles qui,& vnde dicantur.3°.de ali.fac.30.G|de atten.vic. 2ª.45.D|8°.met.me.50.B|de ren.aff.dig.& med. 7ª.195.F
Piſces ſaxatiles inter congeneres nullum habent diſcrimen.3°.de alimẽtorum faculta. 2ª.30.H
Piſces ſaxatiles ſemper optimi.3°.de ali.fac. 2ª.31.B
Piſces ſaxatiles vbi praui.8°.met.me. 7ª.51.B
Piſces ſaxatiles facillimæ coctiõis.2°.de tẽp.1ª.20.E|1°.de ali.f. 2ª.8.G
Piſces ſaxatiles cur aliqui difficilius concoquant,quàm bubulam carnẽ 1°.de alimento.faculta. 2ª.78.G
Piſces ſaxatiles cur difficilius digerantur, quàm bouinæ carnes ab aliquibus.de conſue. 2ª.60.H
Piſces ſaxatiles neq; craſſi,neq; tenues ſunt.de bo.& vit.ſuc. 2ª.34.H
Piſces ſaxatiles quos humores faciant.com.2°.aph.18°. Ex.14.B
ex Piſcibus ſaxatilibus ſanguis habet mediam conſiſtentiam. 3°. de alimentorum facul. 2ª.30.H
ex Piſcibus ſaxatilibus alimentum ſaluberrimum,& quale.3°.de alimentorum facul. 2ª.30.H
Piſces ſaxatiles ſunt boni ſucci,& non glutinoſi.4°. de ſan.tu. 2ª.86.C
Piſces ſaxatiles detergunt.4°.de ſan.tu. 2ª.84.F
Piſces ſaxatiles pñt guſtari in victu attenuante.de atten.vic. 2ª.45.D
Piſces ſaxatiles vtiles in calidis,& ſiccis.8°.met.me. 7ª.51.B
Piſces ſaxatiles in ſiccitate dantur.7°.met.me. 7ª.45.C
Piſces ſaxatiles pro nimia humiditate.de præcogn.ad Poſth. 4ª.217.H
Piſces petroſi pro cibo in cancro.2°.de arte cur.ad Gla. 7ª.107.E
Piſces petroſi dandi his,quibus dolet caput.2°.de compoſitione medicamentorum ſec.loc. 5ª.133.E
Piſces ſaxatiles dat in febre,ſi petat carnem.4°.de ſan.tu. 2ª.87.G
Piſces ſaxatiles dãdi pro cibo in Tertiana.1°.de arte cur.ad Gl.7ª.97.C
Piſces ſaxatiles conueniunt ſiccitati præter renum noxam.6°.de ſantitate tuenda. 2ª.99.G
Piſces ſaxatiles valent in renũ affectu.de ren.aff.dig.& med. 7ª.195.F
Piſces ferè omnes boni ſucci cenſentur.de bon. & vit.ſucc. 2ª.37.G
Piſces dant alimentum humens.de ptiſſ. 2ª.48.B
ex Piſcibus alimentum tenuius eſt,quàm ex pedeſtribus animalibus. 3°.de alimento.faculta. 2ª.30.E
Piſcium quorum frequens vſus tutiſſimus.de bon.& vitio ſuc.2ª.37.G
Piſces qui facilius cæteris conficiantur.3°.de ali.fac. 2ª.31.A
Piſces molles carne qui.3°.de ali.fac. 2ª.31.A
Piſces mollem teſtam habentes.de ren.aff.dig.& med. 7ª.195.F
Piſces molles accommodati ocioſis ſenibus,imbecillis, & ægrotis.3°.de alimentorum facul. 2ª.31.E
Piſces parui,quibus nõ eſt pinguedo multa,& ſunt teneri,ſunt boni chymi,& ſubtilis.de diſſ.cont. Sp.73.H
Piſcium paruorum caro eſt cibus ſubtilians.de diſſ.cont. Sp.72.D
Piſces omnes non duræ carnis,nec multæ viſcoſitatis ſunt temperati. de diſſolutione continua. Sp.73.A
Piſces non cum duritie,nec multæ viſcoſitatis generant humorem bonum inter tenuem,& craſſum.de diſſ.cont. Sp.73.H
Piſces duræ carnis qui ſint.3°. de ali.fac. 2ª.31.E
Piſces duri,& viſcoſi ſunt craſſi,& cur.de diſſo.cont. Sp.72.H
Piſces duræ carnis ægrius coquũtur q̃ mollis carnis.3°.de ali.fa.2ª.31.G
Piſces duræ carnis ægre conficiuntur,& pariunt ſuccos craſſos, & ſalſos.3°.de alim.facul. 2ª.31.F
Piſces craſſæ,& viſcoſæ carnis nutriunt eum qui digerit illos nutrimento multo craſſo.de diſſ.cont. Sp.73.E
Piſces duri,quibus dominatur viſcoſitas,generant phlegma. de diſſolutione continua. Sp.74.B
Piſces duræ carnis ſuccum craſſum generant.3°.de ali.fa. 2ª.31.H
Piſces qui perdurãt magis à putredine illæſi.de bon.&vit.ſuc.2ª.37.H
Piſces ſeruat nix.de bon.& vitio ſucc. 2ª.37.H
Piſces duri quo modo fiant friabiliores.de bo.& vit.ſucc. 2ª.37.H
Piſcium viſcoſitatem remouet furfur hordei.de diſſ.cont. Sp.73.H
Piſcium viſcoſitatem ſal remouet.de diſſ.cont. Sp.73.H
Piſces crudi ſunt inutiles,cocti vtiles ſunt, & nutrimenta. de theriaca ad Piſonem. 5ª.97.D
Piſces molles quo meliori modo coquantur.3°.de ali.fac. 2ª.31.E
Piſces parantur aut beta trita,aut iure albo,vel porro,vel pipere.de attenuante vic. 2ª.45.E
in Piſcium intinctus garus frequẽtiſſime adhibetur.3°.de ali.f. 2ª.31.E
Piſcibus magnis acre condimentum adhiberi debet, & quale. de attenuante vic. 2ª.46.B
Piſces qui indigent aceto,aut ſinapi,aut origano, & qui non. 3°. de alimentorum facul. 2ª.31.D
Piſces cur oleo inũgantur anteq̃ aſſentur.2°.de ſimp.me.fac. 5ª.11.A
Piſcibus mollibus carne quidam frixis in ſartagine veſcũtur,alij aſſant, aut in patinis condiunt.3°.de alimen.fac. 2ª.31.D
Piſces frixi quid expetant ſimul.3°.de ali.fac. 2ª.31.D
Piſcium quædam frixio ex vino,& garo.3°.de ali.fac. 2ª.31.E
Piſces frixos poſſunt edere ſani.3°.de ali.fac. 2ª.31.D
Piſces in craticula ſecundo loco poſſunt edere ſani.3°.de ali.fac. 2ª.31.D
Piſces nutriunt multum.de ven.ſect.aduer.Eraſ. 6ª.14.C
Piſces faciunt victum plenum.com.1°.aph.4°. Ex.4.C
Piſces parum nutriunt,& cur.de diſſ.cont. Sp.73.F
Piſcium caudæ cur magis nutriant.de theria.ad Piſo. 5ª.93.D
Piſces apti,& inepti ad ſaliendum qui.3°.de ali.fac. 2ª.33.C
Piſces mollis carnis ad ſaliendum non ſunt accommodi.3°. de alimentorum facultatibus. 2ª.33.C
Piſces quãdo ſunt ſaliti leuis carnis,& paucæ pinguedinis ſunt cibi ſalſi diſſoluentes,ac attenuantes.de diſſ.cont. Sp.72.F

Piſces ſalſi faciunt melancholicum humorem.3°.de locis affc. 4ª.18.E/ *de diſſolutione continua.* Sp.74.B
Piſcium ſalſorum ſalſugo accommodatur ad putredines. 11°. *de ſimplic. medica.facul.* 5ª.83.H
Piſces ſecundo loco comedebat Protas rethor.2°.de ali.fac. 2ª.20.A
Piſces poſt ptiſſanam.12°.met.me. 7ª.78.H
Piſces ex iure albo dandi in ptiſſanæ faſtidio.de victus ratione in morb. acutis,commen.1°. 7ª.113.C
Piſces languẽtibus dari cõſueuerũt.de vict.rat.ĩ mor.ac.cõ.1°. 7ª.113.C
Piſces qui eligendi pro attenuante victu.de atten.vic. 2ª.46.B
Piſces aridi,atq; exucci humores craſſos,ac lentos vehemẽter attenuãt de attenuante vic. 2ª.46.B
Piſces qui conueniunt ex balneis redeunti.de bon.& vit.ſuc. 2ª.39.C
Piſces dat in catharro,& ſputo ſanguinis .5°.met.me. 7ª.35.F
Piſces qui molli carne ſunt pro obſonio in cubiti fractura. de fracturis, commentario.1°. 7ª.230.G
*Piſces qui conueniãt epilepticis.de pue.epil.*7ª.180.G/*de dy.* Sp.24.A
Piſces elixos dat febrientibus,non febrientibus aſſos.de victus ratione in morb.acu.com.4°. 7ª.149.B
Piſces dat in febre ex obſtructione.8°.met.me. 7ª.50.B
Piſces quartanariorum,quales.1°.de arte cur.ad Glau. 7ª.97.F
Piſces coctos dat in pleuritide.de vic.rat.in mor.acut.cõ.4°. 7ª.138.D
Piſces qui valent in renum affectu.de ren.aff.dig.& med. 7ª.195.F
Piſces conuenientes ſtomachicis.8°.de comp.me.ſec.loc. 5ª.192.C
Piſces retibus,& hamo captans ars inter acquiſitiuas numeratur. ad Thraſybulum. 2ª.106.D
Piſcium diuerſæ qualitates.de vtil.reſp. 1ª.225.D/E
Piſces qui ſoporem inferunt.de vtil.reſp. 1ª.225.E
Piſcis callionymus.4°.de comp.me.ſec.loc. 5ª.151.H
Piſcis pagri fel.4°.de comp.me.ſec.loc. 5ª.153.C
Piſcium adeps ad ſuffuſiones.11°.de ſimp.me.fac. 5ª.79.E
ad Piſcium ſæuorum ictus.3°.de cõp.me.per ge.235.B/5°. 5ª.248.H
PISCIS, *ſcorpio,cancer,aquatici ſunt,frigidi,humidi ſeptentrionales de ſpermate.* Sp.38.H
Piſcium natura,quæ.de decub.progn.ex mat.ſcien. Sp.15.G
PISISTRATVS *nondũ natus,& erat tyrãnus.an aĩal ſit.* 1ª.328.F
PISA *vrbs.9°.de comp.me.ſec.loc.* 5ª.201.E
Piſa id eſt pix.8°.de ſimp.me.fac. 5ª.58.E
PISSANTHOS *quid ſit.1°.de comp.me.ſec.loc.* 5ª.126.G
Πίσσανθος *picis flos dicitur. 2°.de ſimp.me.fac.* 5ª.15.A
PISSAELEVM *quid ſit.8°.de ſimp.me.fac.58.E/1°.de comp. med.ſec. locos.126.G/2°.* 5ª.135.F
PISTACIA *inter nuces numerantur.3°.de comp.me.per ge.* 5ª.228.F
Piſtacia vberiora in Berrhœa vrbe Syriæ.2°.de ali.fac. 2ª.21.C
Piſtacia non ſunt improbanda.de atten.vic. 2ª.45.H
Piſtacium tenuis ſubſtantiæ.8°. de ſimp.me.fac. 5ª.58.F
Piſtacia parum nutriunt.2°.de ali.fac. 2ª.21.C
Piſtacia qualitatem habent aromaticam ſub amaram, & ſub adſtringẽtem.2°.de ali.fac. 2ª.21.C
Piſtacium ſub amarum odoratum.8°.de ſimp.me.fac. 5ª.58.F
Piſtacia ad hepar roborandum,& ſuccos in ipſius vijs infarctos purgãdos vtilia ſunt.2°.de ali.fac. 2ª.21.C
Piſtacium obſtructiones iecoris,thoracis, & Pulmonis liberat.8°.de ſimpl.me.facul. 5ª.58.F
Piſtacia neq; proſunt,neq; obſunt ventriculo.2°.de ali.fac. 2ª.21.C
Piſtacia neq; aluum deyciunt,neq; ſiſtunt.2°.de ali.fac. 2ª.21.C
PISTILLVM *ligneum.6°.de comp.me.per ge.* 5ª.262.A
Piſtillo vel mortario plumbeo vtitur.1°.de comp.me.ſec.loc. 5ª.130.C
Piſtillus cyprino inungitur.7°.de comp.me.per ge. 5ª.265.B
PISTORES *publici lolium tritico miſcent in penuria.1°. de alimentorum facultatibus.* 2ª.15.H
Piſtor dulciarius comparatur naturæ.1°.de ſem. 1ª.330.B
PISVM *inter cerealia ſemina numeratur. de victus ratione in morbis acutis,commen.1°.* 7ª.111.B
Piſum habet ſiliquas.1°.de ali.fac. 2ª.15.A
Piſa quomodo expertus eſt Galeni pater.de bon.& vit.ſuc. 2ª.36.G
Piſa ſumuntur vt fabæ,& parum differunt in ſubſtantia.1°. de alimentorum facultatibus. 2ª.14.A
Piſa præſtantiora fabis in omnibus.de atten.vic. 2ª.45.A
Piſa minus flatulenta,quàm fabæ.1°.de ali.fac. 2ª.14.A
Piſum inflatione caret.de bon.& vitio ſucc. 2ª.37.D
Piſis ſatius eſt veſci quam fabis.de atten.vic. 2ª.45.A
Piſum exterendi vim non habet vt faba.de bon.& vit.ſucc. 2ª.37.D
Piſa non detergunt.1°.de ali.fac. 2ª.14.A
Piſa tarde excernuntur.1°.de ali.fac. 2ª.14.A
Piſa deteriores ochri,& dolichi.de bon.& vit.ſucc. 2ª.37.D
Piſum conuenit epilepticis.de puero epil. 7ª.180.H
Πιθηκοειδῆ *quæ.6°.de anat.adm.* 1ª.90.F
Πίουρος*.4°.de diff.pulſ.* 4ª.65.G
PITHIONIS *emplaſtrũ ad fracturas.2°.de cõp.me.per ge.* 5ª.225.D
Pithionis caſus.in 3ᵐ.de mor.vul.com.1°. 3ª.127.C
PITHIVS *dedit leges Lacedemonijs.an animal ſit.* 1ª.328.E
PITVITA *quid ſit.in prognoſt. Hipp.* 4ª.192.G
Pituita,& atra bilis quid ſint,& quos pariant morbos ſecundum Platonem.contra Iulianum. Ex.67.E
Pituitæ genus crudus humor.de mul. 3ª.81.F
Pituita,& ſucci crudi idem.4°.de ſan.tu. 2ª.84.B
Pituita cur eſt ſuccus crudus,frigidus,& non craſſus.1°. de alimento. facultatibus. 2ª.10.C
Pituita differt à ſucco crudo.3°.de ali.fac. 2ª.32.C
Pituitæ omnimoda cruditas q̃uo intelligenda.2°.de nat. fac. 1ª.302.B
Pituitæ ſpecies.de mult.3ª.81.F/3°.de loc.affe. 4ª.18.A
Pituitæ innumeræ ferè ſpecies.4°.de ſan.tu. 2ª.84.C
Pituitarum differentiæ.1°.de ali.fac. 2ª.8.A
Pituitæ tres differentiæ.fin.me.Iſa.44.C/de victus ratione in morbis acutis,com.4°. 7ª.136.E
Pituitæ tres numero d̃riæ,acida,dulcis, & ſalſa.de atra bile. 1ª.34.E/ *2°.de diff.feb.3ª.37.G/de victus ratione in morbis acutis, com.4°. 7ª.136.E/contra Iulianum.* Ex.67.D
Pituita mõ dulcis,modo acida,modo ſalſa.4°.de ſimp.me.fa. 5ª.29.A
Pituita acida,ſalſa,dulcis,inſipida, vnde generentur.de na.hu.com.1°. 1ª.31.H aphoriſmo.12°.com.3°. Ex.21.F
Pituitæ acidæ,& ſalſæ.quod animi mor. 1ª.319.A
Pituita acida,ſalſa,praua.2°.de nat.fac.1ª.302.B/in 6ᵐ.de morb.vulg. commentario.2°. 3ª.167.G
Pituita acida qualis.2°.de diff.feb. 3ª.37.F
Pituita acida eſt maxime frigida.com.4°.aph.12°. Ex.28.E
ex Pituitæ gñe eſt ſalſus humor.de vic.rat.in mor.acu.c.4°. 7ª.136.A
Pituita ſalſa qualis,& vnde fiat.2°.de diff.feb. 3ª.37.F
Pituitã ſalſam morboſum humorẽ eſſe perſpicuũ eſt.d̃ atra bile. 1ª.34.E
Pituitæ ſpecies eſt dulce quod in lingua.1°.de ſymp.cau. 3ª.17.D
ex quo Pituitæ genere ſit ſaliua,quæ neq; fluida admodũ eſt,neq; aquoſa.3°.de loc.aff. 4ª.18.A
Pituita dulcis quæ non eſt frigida exquiſite.2°.de diff.feb. 3ª.37.F
Pituita dulcis ſalutaris,& naturalis.2°.de nat.fac. 1ª.302.B
Pituita vitrea.3°.de loc.aff. 4ª.18.A
Pituita vitrea fortè acidum participat.2°.de diff.feb. 3ª.37.G
Pituita alba.de nat.hum.com.1°. 1ª.28.E
Pituita alba leucophlegmatia à Græcis d̃r.com.7°.aph.76°. Ex.60.G
Pituitæ natura.fin.me. Iſa.44.B
Pituitæ qualitas.fin.me. Iſa.44.B
Pituita qualis.2°.de diff.feb. 3ª.39.C
*Pituita qualis ſecundum Hippocratem.bre.denot.dogm.Hipp.*1ª.231.B
Pituitæ humor cur albus.8°.de decre.Hipp. 1ª.277.C
Pituita qualitatis expers.de atra bile. 1ª.34.E
Pituita vt aqua in ſapore.de atra bile. 1ª.34.E
Pituita frigida.de inæq.temp. 3ª.43.H
Pituita tangentibus frigida ſentitur in quacunq; ſit corporis parte.3°. de temperamentis. 1ª.23.G
Pituita frigida,& humida.de natura humana, com.1°.32.D/8°. de dec. Hipp.1ª.275.D/de diff.mor.5.G/ 3ª.8.B
Pituita frigida,humidaq́; poteſtate.2°. de nat.fac. 1ª.301.C
Pituita humidiſſima eſt,& frigidiſſima.1°.de temp.15.C/2°. 1ª.18.B
Pituita frigidiſſima.de nat.hu.com.1°. 1ª.31.H
Pituita oĩum,q̃ in corpe ſunt,frigidiſſima.8°.de dec.Hipp. 1ª.276.D/E
Pituita frigida,& humida eſt,ac veluti ex dimidio coctum nutrimentũ 2°.de naturalibus facul. 1ª.302.A
poſt Pituitam atra bilis frigida.de inæq.intemp. 3ª.43.H
Pituitæ atra bilis affinis.de ſperm. Sp.38.B
Pituita humida.1°.de temp. 1ª.12.G
Pituitæ genus minus humidum,q̃ pituita.4°.de ſan.tu. 2ª.84.B
Pituita quo modo frigida,& humida,tamen habet in ſe etiam ignem.de natura humana,com.1°. 1ª.33.A
ad Pituitã reducitur humor frigidus,et humidus.2°.de dif.fe. 3ª.37.E

Pituita eſt, & ex pituitæ genere id, quod in corpore frigidum eſt, & humidum, etiam ſi ſit valde craſſum frigidumq́ᵹ. de cau. mor. 3ª.8.C
Pituita correſpondet aquæ. 8°. de dec. Hipp. 1ª.275.D
Pituitæ proprium non gelaſcere. de atra bile. 1ª.34.E
Pituita omnium tenaciſſima. 8°. de dec. Hipp. 1ª.276.E
Pituitæ ſerum, quale. in 6^{m}*. de mor. vul. com. 2°.* 3ª.167.F
Pituitæ ſerum quid faciat. in 6^{m}*. de mor. vul. com. 2°.* 3ª.167.G
Pituita quando generetur. in 1^{m}*. de mor. vul. com. 2°.* 3ª.110.A
Pituita qua tempeſtate plurimum generetur. cõ. 3°. apho. 12°. Ex.21.G/ *de natura, & ord. cuiuſ. corp.* Sp.41.D
Pituita, & phlegma fiunt in temporibus pluuioſis. commentario. 3°. aphoriſmo. 7°. Ex.20.F
Pituita frigidiſſimus humor hyeme frigidiſſima tempeſtate abundat. 8°. de decr. Hipp. 1ª.276.D/ *in* 1^{m}*. de mor. vul. com.* 1°.100.H/ 3ª.104.B/ *commenta. 3°. aph. 20°.* Ex.24.B
Pituitæ plus hyeme medicamentis euacuatur. 1°. de nat. fac. 1ª.294.C
Pituita cur maior hyeme. de nat. hu. com. 1°. 1ª.32.C/D
Pituita imbecilliſſima in æſtate. de natura humana, com. 1°. 32.C/ *8°. de decr. Hippocratis.* 1ª.276.E
Pituita in quibus redundat ſin. med. Iſa.44.D
Pituita abundat in ſenectute, & hyeme. bre. de not. dog. Hipp. 1ª.231.B
Pituita eſt in ſenibus plurima, tamen non facit febrem, & cur. commentario. 3°. aphoriſmo. 30°. Ex.26.F
Pituitæ plus ſeni medicamentis euacuatur. 1°. de nat. fac. 1ª.294.C
Pituita quibus horis dominetur. de nat. & ord. cuiuſ. corp. Sp.41.E
Pituita ex quibus fiat. 3°. de ſimp. me. fac. 5ª.17.D
Pituita fit ex cibis non ex corpore. 2°. de temp. 1ª.21.C
Pituita in prima mutatione ciborum gñatur. de nat. hum. com. 1°. 1ª.33.C
Pituita ex pituitoſis cibis fit ĩ pría coctiõe vẽtriculi. đ atra bi. 1ª.37.A
Pituitæ generatio in cibis pituitoſis, antecedit cibum. de victus ratione in morbis acutis, com. 2°. 7ª.120.F
Pituitam cibi generantes. de nat. hum. com. 1°. 1ª.32.E
Pituitam facit caro pecudis. de diſſ. cont. Sp.74.A
Pituitam facile generat vinum nouum. de nat. hu. com. 1°. 1ª.32.E
Pituita ex ſanguine nondum cocto. 4°. de ſan. tu. 2ª.84.B
in Pituitam qui cibi primo tranſeunt, poſtea in ſanguinem. de vict. rat. in mor. acut. com. 2°. 7ª.120.F
Pituita temporis proceſſu coquitur, & ſanguis efficitur. de vict. rat. in morb. acut. com. 2°. 7ª.120.F
Pituita cocta corpus nutrire põt. de vic. rat. ĩ mor. acu. c. 2°. 7ª.122.H
Pituita in ſanguinem vertitur. 5°. de ſimp. me. fac. 5ª.37.E
in Pituitæ & ſanguinis medio eſt lac. 5°. de ſimp. me. fac. 5ª.37.F
Pituitã aggregãt aliqui, quocũq; gñe victus vtãtur. đ atra bile. 1ª.35.H
in Pituitam deſciſcunt amara cum ab aceto in ſublime attolluntur. de vict. rat. in mor. acu. com. 3°. 7ª.130.G
Pituita adiuuat cibos ſibi ſimiles ad excernendũ. 1°. de ali. fa. 2ª.8.A
Pituita alba abundantes ſunt frigidi. in 3^{m}*. de mor. vul. cõ. 3°.* 3ª.146.D
in Pituita, et ſanguine ſuba caloris naturalis. 8°. de dec. Hip. 1ª.277.F
Pituita nullum inſtrumentũ habet quo purgeť. 2°. de nat. fac. 1ª.302.A
Pituita quo modo cognoſcatur præualere. 6°. de compoſi. med. ſec. loc. 5ª.176.E/ *com. 4°. aph. 2°.* Ex.27.F
Pituita ſuperante homines fiunt albiores. 4°. de ſan. tuenda. 2ª.84.A/ *de multitudine.* 3ª.81.E
Pituitam ſignificat tumor ſubalbidus laxus. 14°. met. me. 7ª.89.D
Pituitã ſignat de niue, glacie, & grãdine ſomniũ. de pc. ex ĩſo. 4ª.213.C
Pituita alba quid quandoq; ſignificet. com. 7°. aph. 29°. Ex.56.A
Pituita qnid faciat in humano corpore. bre. deno. dogm. Hipp. 1ª.231.C/ *3°. de ſymptomatum cauſis.* 3ª.26.B
Pituita quos faciat mores. de nat. & ord. cuiuſ. corp. Sp.41.E
Pituitæ natura nihil facit ad parandos mores & cur. de natura humana commentario. 1°. 1ª.33.C
Pituitæ pulſus qui. de mult. 3ª.82.A/ *4°. de præſag. ex pulſ.* 4ª.121.A/ *de natura, & ord. cuiuslibet corp.* Sp.41.F
Pituitam qui motus ſequantur. de ana. viu. Sp.45.E
de Pituitæ morbis ſecundum Platonem. 8°. de dec. Hipp. 1ª.276.A
Pituitæ morbi. 8°. de decr. Hipp. 1ª.275.F
ex Pituita morbi frigidi. 2°. de nat. fac. 1ª.300.D
Pituita morbos longos parit. intro. Iſa.55.E/ *cõ. 2°. aph. 19°.* Ex.14.C
Pituita craſſa, & lenta quos morbos faciat. com. 7°. aph. 42°. Ex.57.E
Pituita vitiligines procreat, cuius ſpecies ſunt leuce, & alphi. contra Iulianum. Ex.67.E
è Pituita procreatur tumor laxus. de diff. morb. 3ª.5.F
ex Pituita œdema quo modo curetur. 2°. de arte cur. ad Glau. 7ª.103.F
Pituitæ ebullitio qualis. 2°. de diff. feb. 3ª.40.D
Pituita non facit febrem niſi putreſcat. 2°. de diff. feb. 3ª.37.D
Pituita quandoq; puris imaginem refert. de nat. hu. com. 1°. 1ª.30.H
Pituitæ putrefactio in humorem bilioſum conuertitur. commentario. 7°. aphoriſmo. 42°. Ex.57.E
ex Pituita quo modo febris exquiſita. 2°. de diff. feb. 3ª.37.A
ex Pituitæ putredine quotidiana febris fit. 2°. de diff. feb. 3ª.36.E
Pituita redũdat in quotidiana febre laborantibus. 2°. de criſi. 4ª.134.G
ex Pituita ſalſa febris qualis. 2°. de diff. feb. 3ª.37.F
à Pituita ſalſa quando fit quartana. de ſpermate. Sp.40.A
Pituitam ſalſam quando mixtam habeat ſynocha. de ſperm. Sp.40.A
Pituita abundantibꝰ fiunt febres ardẽtes, ſi æſtas pluuioſa ſit, & auſtro multũ pfletur & autumnus ſimilis ſequatur. de ae. aq. & lo. 2ª.4.C
ex Pituita ſalſa febris ardens non petit balneum. de victus ratione in mor. acut. com. 3°. 7ª.133.E
Pituita acida, & vitrea quales faciant febres. 2°. de diff. feb. 3ª.37.G
à Pituita vitrea fit rigor. de palp. 3ª.55.F
Pituita dulcis quo modo faciat febrem. 2°. de diff. feb. 3ª.37.G
ex Pituitæ, & bilis commiſtione febris qualis. 2°. de diff. feb. 3ª.37.H
ex Pituita febres per abſceſſus magis quàm per excretiones ſoluuntur de vict. rat. in morb. acut. com. 4°. 7ª.136.C
ex Pituitæ putredine quæ fiat febris. 2°. de diff. feb. 3ª.37.A
ex Pituita dulci ſomnolẽti, ex acida famelici, ex ſalſa ſiticuloſi, ex cruda minime appetentes. de mult. 3ª.81.G
Pituita acida, ſalſa & dulcis vomitũ pparãt. 3°. de ſympt. cau. 3ª.27.B
Pituita exuberat in capite. intro. Iſa.55.B
Pituita in qua parte cerebri dominetur. de ana. viu. Sp.45.E
Pituita à cerebro maxime generatur. com. 3°. aph. 12°. Ex.21.G
Pituita in capite dominatur. de nat. & ord. cuiuſ. corp. Sp.41.D
Pituita qũo cognoſcitur in capite corrumpi. de reme. par. fac. 7ª.154.F
Pituita a cerebro non eſt pituita. 2°. de nat. fac. 1ª.302.A/B
Pituita à capite deſcendens ructum acidum facit. 2°. de temp. 1ª.20.E
Pituita acida facit ructus acidos. com. 6°. aph. 1°. Ex.46.A
Pituita fons diſtillationis. 8°. de dec. Hipp. 1ª.276.A
Pituitæ deſtillationibus prodeſt ſtyrax. 8°. de ſimp. me. fa. 5ª.61.E
Pituita à capite in ventriculum ſæpe confluit. 2°. de temp. 1ª.20.C
Pituita ex capite defluit quibus in fluxibus excrementa ſpumoſa ſunt. com. 7°. aph. 30°. Ex.56.A
Pituita à capite ad ventrem fluens facit fluxum. c. 3°. aph. 12°. Ex.21.F
Pituita ſalſa eſt ea potiſſime quæ facit fluxum. cõ. 3°. aph. 12°. Ex.21.F
Pituita facit comitialem morbũ, & quo modo. 3°. de loc. aff. 4ª.18.B/C/ *commentario. 3°. aph. 16°.* Ex.23.A
Pituita plenus ſi exerceatur periculum imminet morbi comitialis, aut apoplexiæ, aut morbi alicuius inſanabilis ob vas in pulmone ruptũ. commen. 3°. aph. 20°. Ex.24.C
Pituita facit apoplexiam, conuulſionem, cæcitates oculorum, & etiam fiunt à melancholico humore. com. 6°. aph. 56°. Ex.53.D
à Pituita fit lethargus. 4°. de cauſ. pulſ. 4ª.102.B
à Pituita frigida cur ad lethargum trahamur neſciuit Galenus. quod animi mores. 1ª.318.A
Pituitam à capite purgat hiera ex colocynthide. 1°. de compoſitione medicamentorum ſec. loc. 5ª.121.F
non Pituita tantum, ſed & alij humores purgantur hiera ex colocynthide. 1°. de comp. me. ſec. loc. 5ª.121.F
Pituitam, & bilem à toto corpore, & à capite educunt catapocia ex aloe, ſcamonia, & colocynthide. 1°. de comp. me. ſec. loc. 5ª.121.F
Pituita quo mõ ex capite detrahatur mãducatu. de me. fac. pa. 7ª.170.F
Pituitam à capite extrahens medicamentum per manducationem. de medicinis facile parandis. 7ª.171.F
Pituitam per os euocantia in quibus ſit euitanda. 13°. met. me. 7ª.83.A
Pituita oculorum quid, & vnde. in prognoſt. com. 1°. 4ª.192.G
Pituitam pinguem oculorum quid tollat. de dyna. Sp.24.H
Pituita exiccata ob magnum calorem facit lentores circa dentes. commen. 4°. aph. 53°. Ex.33.D
Pituita quæ facit dentes torpeſcere. 3°. de loc. aff. 4ª.18.H
Pituita & ſputo miſcentur cibi. 3°. de nat. fac. 1ª.304.B
Pituita & ſputum in ore lichenum eſt remediũ. 3°. de nat. fac. 1ª.304.B
Pituita ſuperabundantes raro à morbo laterali offenduntur, præſertim ſi ſit ſalſa, aut acida. com. 6°. aph. 33°. Ex.50.A
Pituita facit ſputa ſpumoſa. com. 6°. aph. 33°. Ex.50.A
Pituita ſi abundat ſputũ eſt ſpumoſum, & cãdicãs. 5°. de lo. af. 4ª.29.H

Pituitæ proprium vas eſt pulmo.de ana.viu. Sp.52.G
Pituita abundat in pulmone ex accidenti deſcendens quaſi pluuia à capite ad eum.de anatomia viu. Sp.52.H
ex Pituitæ ſuperfluitate fit aſthma.de ſperma. Sp.37.C
ex Pituita deſtillãte arteriæ laborãtis remedia.ð med.fa.pa. 7ª.171.F
Pituita poteſt cauſare ſtrangulationem ſine dolore, & quo modo.commentario.4°.aph.34°. Ex.31.E
Pituita in fundo ventriculi magis colligatur.2°.de compoſitione medicamentorum ſecun.loc. 5ª.135.D
Pituita in ventriculo, & in inteſtinis qualis.2°.de nat.fac. 1ª.302.B
Pituitæ in ventriculo proprietas.de anat.viu. Sp.45.E
Pituita plenus vẽtriculus quæ ſymptomata faciat.5°.ð vſu p. 1ª.143.A
Pituita multa vbi in ventriculo fuerit aceruata, quid agendũ.1°.de art. curatiua ad Glauconem. 7ª.99.D
Pituita quando hyeme in ventre generatur vomitibus expurganda.de ſalubri diæta. 2ª.41.E
ad Pituitæ vomitum citandum.de med.fac.par. 7ª.173.F
Pituita in ſtomacho calido quid faciat, & quibus mundificetur. de diſſolutione continua. Sp.74.F
Pituita plenus ventriculus quo modo abſtergatur.in 6^{m}.de morb. vul. commentario.2°. 3ª.160.H
Pituitam cibi incidentes mundificant ſtomachum, & qui ſint.de diſſolutione continua. Sp.74.D
Pituitæ pleno ſtomacho victus ratio quæ.de med.fac.par. 7ª.175.H
à Pituita aceruata in ore ventriculi, ſinapi, porrum, & beta liberarũt quendam.1°.de ali.fac. 2ª.8.G
Pituitam in ventriculo detergit poſt ſuccum ptiſſanæ vomitus.1°.de alimentorum facultatibus. 2ª.12.B
Pituitam diſſecat, & detergit oximeli.6°.de ſan.tu. 2ª.99.D
Pituitæ vitio oxymeli bibunt, & edunt cremorem ptiſſanæ.de vict.rat. in mor.acut.com.4°. 7ª.136.E
pro Pituita lenta diſſecanda ſyrupos.dat.7°.met.me. 7ª.48.D
Pituita in ventrem defluens dia trion pipereon, diacalaminthe, & diaſpolitico medicamento eget.6°.de ſan.tu. 2ª.99.D
ad Pituitã extenuandã diaſpoliticon medicamentũ.6°.de ſa.t.2ª.99.D
Pituita attenuata nũquàm adeo tenuis eſt vt attenuata bilis.2°. de ſymptomatum cauſis. 3ª.23.C
Pituita tenuis in ventriculo quando fuerit, abſinthium in mulſa coctum conuenit.7°.met.me. 7ª.48.D
Pituita pleno ventri frigido non conducit aloe.6°.de ſan.tu. 2ª.99.C
Pituitam in ventre exiſtentẽ capparis ſubducit.2°.de ali.fac. 2ª.21.F
Pituita quando plenus eſt ſtomachus quæ ponenda extra.8°.de compoſitione me.ſec.loc. 5ª.192.A
Pituitam cur nunquàm recipiat ſeptum tranſuerſum.4°. de præſagitione ex pulſibus. 4ª.120.C
Pituita inter ventriculũ, & ſeptum tranſuerſum poſita faciens dolorem quo modo tranſeat per venas ad veſicam, & ſoluat morbum. cõmẽ. 7°.apho.54°. Ex.58.F
à Pituita alba aqua inter cutem ſuperuenit.com.7°.ap.70°. Ex.60.G
Pituita alba eſt quandoq; in vaſis, & in toto corporis habitu. commen. 7°.aphoriſmo.70°. Ex.60.G
Pituita collecta facit ileũ, lienteriã, & teneſmõ.5°.de vſu par. 1ª.143.B
ex Pituita frigida, & acri teneſmus.in 3^{m}.de mor.vul.cõ.3°.3ª.146.H
Pituita frigida facit leuitatem inteſtinorum.com.3°.aph. 30°. 26.F/cõmentario.4°.aph.12°. Ex.28.E
Pituita in ventriculo, aut inteſtinis, leuitatem inteſtinorum facit. com. 6°.aphoriſmo.1°. Ex.46.A
Pituita cur facit difficultatem inteſtinorum, & cholera non ita.commẽ. 3°.aphoriſmo.12°. Ex.21.G
Pituita alba qui detinentur fortis ſi ventris fluxus fiat, liberantur.cõmentario.7°.apho.29°. Ex.55.H
Pituita liuida.com.7°.aph.29°. Ex.56.A
Pituita ſyncera quid ſignificet.in prognoſt.com.2°. 4ª.201.F
Pituita vitrea facit tormina.2°.de diff.feb. 3ª.37.F
Pituita facit menſes decolores.com.5°.aph.36°. Ex.40.G
Pituita ſi ſit multa in acetabulis vteri menſtrua ſunt pauca.commenta. 5°.aphoriſmo.45°. Ex.41.G
Pituita aquoſa deſcendit cum vero ſpermate.de ſperm. Sp.36.F
Pituita per nares deſcendit.2°.de ſem. 1ª.340.C
Pituita nonnunquam cum melancholico humore influit dum varices generantur.4°. de comp.me.per gen. 5ª.237.B
Pituita quando euacuanda, & quando bilis in podagra, & in arthritide.quos purg.opor.quib.med.& quo temp. 5ª.88.D
ex Pituita lapides quales.de ren.affec.dig.& med. 7ª.192.E
cũ Pituita bilis erit, ſi bilioſus fuerit color vrinæ, hypoſtaſis autem alba.de vrinæ ſignificatione ex Hipp. Sp.79.D
Pituita, & bilis qñ mixta quid faciant.in 1^{m}.pror.com.1°. 4ª.161.D
Pituita purganda cum vincit.4°.met.me. 7ª.28.E
Pituita ſalſa purganda.de conſt.ar. Iſa.42.F
Pituita acida alteranda eſt.de con.ar. Iſa.42.F
Pituita dulcis facilius concoquitur.de conſt.ar. Iſa.42.F
Pituita non debet euacuari, ſed coqui.2°.de nat.fac. 1ª.302.A
Pituita non eſt euacuanda niſi cocta.quos purgare oportet quibus medicamentis, & quo tempore. 5ª.88.G
Pituita in venis non debet euacuari.2°.de nat.fac. 1ª.302.B
Pituita quibus educi debeat per multas partes. quos purgare oportet quibus medicamentis, & quo tempore. 5ª.88.E
Pituita quando per ſuperiora debeat purgari.quos purgare oportet quibus medicamentis, & quo tempore. 5ª.88.E
Pituitam elicientia ſunt apophlegmatiſmata.6°.de ſan.tu. 2ª.100.B
Pituita ꝑ iſeriora excernĩt.quos pur.opor.qb.med.& quo tẽp. 5ª.88.E
Pituita cur ꝑ inteſtina facilius euacuẽt.2°.de comp.me.ſec.loc.5ª.135.D
Pituita mordet inteſtina, et irritata ad deiectionẽ.c.6°.ap.33°. Ex.50.B
Pituitam educentia quæ.de cathar. Sp.94.F
Pituitam aquoſam quæ educant.de dyna. Sp.22.B
Pituita pinguis quo modo detrahatur.de med.fac.par. 7ª.171.H
Pituitam, & aquoſos humores educit Aeris ſquamma.de dy.Sp.22.A
Pituitam Allium educit.de dyna. Sp.21.H
Pituita tentatos gallinaceos ſanant allia, & cæpe.2°.met.me. 7ª.12.D
Pituitam euacat cõmanſa Anemone.6°.de ſimp.me.fac. 5ª.43.B
Pituitam, & choleram purgat Ariſtolochia rotunda.de dyna. Sp.21.G
Pituitam educit Edelium.de dyna. Sp.22.A
Pituitam purgat Chamælea. de dyna. Sp.22.B
Pituitam educit Chamepitys.de dyna. Sp.22.A
Pituitam mediocriter purgat Cnicus.de dyna. Sp.21.G
Pituitæ ſimile Cnicum ſed efficacius.3°.de ſimp.me.fac. 5ª.23.D
Pituitam educit Cnidium granũ, & cnicum.3°.de ſimp.me.fac. 5ª.23.C
Pituitam, & aquoſos humores ducit Coccus cnidius.de theriaca ad Piſonem.5ª.90.F/de dyna. Sp.21.F
Pituitam non trahunt cnicus, coccus cnidius, & hippophaes, ſecundũ Aſclepiadem ſed augent.1°.de nat.fac. 1ª.294.B
Pituitam educit Cucumerus agreſtis, & qua doſi.de dyn. Sp.21.G
Pituitam, & bilem purgat Ciclamen.de dyna. Sp.21.H
Pituitam & bilem purgat Elaterium.de dyna. Sp.21.F
Pituitam & bilem educit Empetron.6°.de ſimp.me.fac. 5ª.47.D
Pituitam maxime aquoſam educit Euphorbium.de dyn. Sp.22.B
Pituitam purgant Gallæ grana quadraginta excoriata ſi comedãtur.de dynamidijs. Sp.22.A
Pituitam purgat Hiera ſola.1°.de comp.me.ſec.loc. 5ª.121.E
Pituitam magis purgat Lathiris q̃ Cnicus.de dyn. Sp.21.G
Pituitam purgant Oliuæ radices.de dyna. Sp.22.A
Pituitam expurgat Papauer herculeum.7° .de ſimp.me.fa. 5ª.55.H
Pituitam educit Peplium.de dyna. Sp.21.A
Pituitam purgant Pyrethri radices.de dyna. Sp.22.A
Pituitam educit Styrax cum terebinthina.de dyn. Sp.21.H
Pituitam & bilem purgat Thymus.de dyn. Sp.21.H
Pituitam educit Tithymalum.de dyn. Sp.21.E
Pituitam purgat Yſion.de dna. Sp.21.E
Pituitam detrahentia Aeneæ.2°.de comp.me.ſec.loc. 5ª.139.E
Pituitam purgantes pilulæ.de med.fac.par. 7ª.173.F
Pituita in quibus morbis euacuanda.com.6°.aph.47°. Ex.52.B
in Pituitam quibus reſoluuntur ſolidæ corporis partes, ijs pituita per multas ptes educi debet.quos pur.opor.qb.med.& quo tẽ. 5ª.88.E
Pituitæ euacuationẽ exigunt morbus comitialis, attonitus, & difficultas anhelitus.quos purg.opor.quib.med.& quo temp. 5ª.88.C
Pituitam educente medicamẽto purgantur comitiales morbi.quos purgare oportet quibus med.& quo temp. 5ª.88.F
Pituitam medicamentum educens quo ordine trahat alios humores.2°. de elementis. 1ª.9.E
Pituitã trahẽs medic^{m} eſt pituitoſum, nõ pituita.3°.de ſim.me.f.5ª.23.E
Pituitã trahẽs medicamẽtũ nõ iuuat arquatos.1°.de na.fa. 1ª.294.B
Pituitam educens medicamentum ſi icterico detur quid agat.1°.de naturalibus facultatibus. 1ª.294.A
Pituitam educens medicamentum non eſt dandum iuueni gracili, calido

qui non vixit in ocio, nec in ciborum ſacietate tempore æſtatis, aliter multum lædet, ſed debet dari medicamentum bilem euacuans. 1°. de naturalibus faculatibus. 1ª.294.C
Pituita purgata non facit ſitim. com. 4°. aph. 19°. Ex.29.C
PITVITOSI cibi non facit mentionem ſed tantummodo melancholici, bilioſi, & aquoſi. 3°. de ſymp. cau. 3ª.26.B
Pituitoſam naturam habentes cibi febrem quotidianam generant. 2°. de differentijs febrium. 3ª.36.D
Pituitoſa, & frigida eſt citri caro. 7°. de ſimp. me. fac. 5ª.56.A
Pituitoſum vel aquoſum facit humorem alteratrix potentia frigida. 3°. de ſymptomatum cauſis. 3ª.26.C
Pituitoſum humorem generant humida. 3°. de ali. fa. 2ª.27.A
Pituitoſi humores generantur in humidis temporibus, & longi morbi. commentario. 3°. aph. 16°. Ex.22.H
Pituitoſi humores qui proprie. 3°. de loc. aff. 4ª.17.H
Pituitoſum ſuccum gignunt ocioſi. 4°. de ſan. tu. 2ª.83.G
Pituitoſus humor q̄nq; viſit̄ ſupernatans ſanguini. de atra bile. 1ª.34.D
Pituitoſi ſucci omnes albi, & crudi. 4°. de ſan. tu. 2ª.84.B
Pituitoſus humor viſcoſus cur in epiglottide generetur. de voce, & anhelitu. Sp.61.C
Pituitoſi humores craſſi in capitibus muſculorum, & tendinum. 5°. de ſimplic. medica. fac. 5ª.35.H
Pituitoſus humor quæ faciat. de vict. rat. in mor. acu. cō. 4°. 7ª.136.E
Pituitoſa materia facit comitiales morbos. com. 5°. aph. 7°. Ex.38.A
ex Pituitoſo humore vbi fit lethargus. 4°. de cauſ. pul. 4ª.101.H
Pituitoſus, & bilioſus humor cum abundauerit fit vigilans ſopor. 3°. de locis affectis. 4ª.16.H
Pituitoſus humor facit ventoſitatem. com. 5°. aph. 72°. Ex.45.F
Pituitoſi humores in neruis faciūt cōuulſionē. cō. 5°. apho. 70°. Ex.45.E
Pituitoſus humor ſæpe in articulis aceruatur. cō. 6°. apho. 59°. Ex.53.G
Pituitoſi humoris in thorace inditia. 4°. de locis affe. 4ª.27.G
Pituitoſus humor cur in pleuritide qualis. de conſt. ar. Iſa.40.H
Pituitoſi ſucci in ventrem calidiorem decidentes difficulter curantur. 6°. de ſanitate tuenda. 2ª.99.B
Pituitoſi humores ſi diu ī vētre maneāt corrūpunt̄. 6°. de ſa. tu. 2ª.99.B
Pituitoſi humores in uētre corrupti quid mali agāt. 6°. de ſa. tu. 2ª.99.B
Pituitoſus humor à capite in ventrem frigidum decidens remouetur ex diatrion pipereon. 6°. de ſan. tu. 2ª.99.B
Pituitoſus humor nunquam facit furorem. com. 6°. aph. 56°. Ex.53.E
Pituitoſum humorem quæ mulieres aggregent in vtero. commentario. 5°. aphoriſmo. 62°. Ex.43.G
Pituitoſum ſuccum abundare indicat corpus ſolito albius effectum. 4°. de ſanitate tuenda. 2ª.84.B
Pituitoſi humoris purgationem fieri debere indicat color cutis albidior q̄ pro naturæ habitu. 14°. met. me. 7ª.93.D
Pituitoſorum humorum duplex ſanatio. com. 5°. aph. 70°. Ex.45.E
Pituitoſi humores calefiunt, & extenuantur, & reſoluuntur à febre. cōmen. 6°. aph. 51°. Ex.52.H
Pituitoſus humor non euacuatur per cutim vt bilioſus. de vict. rat. in morbis acutis, com. 3°. 7ª.133.F
Pituitoſa ſubſtantia aggregata à venis per renes expurgatur. com. 4°. aphoriſmo. 76°. Ex.36.D
Pituitoſus humor inteſtinis adhęrens nūquàm debet per ſuperiora purgari. com. 4°. aph. 12°. Ex.28.E
Pituitoſi ſucci debent detergi. 4°. de ſan. tu. 2ª.84.E
Pituitoſum ſuccum habentibus quod medicamentum dandum. 4°. de ſanitate tuenda. 2ª.85.B
pro Pituitoſa materia reſoluenda fomentum ex aqua, & aceto. 14°. methodi medendi. 7ª.87.F
Pituitoſus ſanguis eſt ſanguis cum pituita miſtus. 10°. de ſimplicium medicamentorum facul. 5ª.72.F
Pituitoſus ſanguis ex deſidia. de mul. 3ª.78.H
Pituitoſus ſanguis facit pituitoſam carnem. 3°. de ſymp. cau. 3ª.26.C
ex Pituitoſo ſanguine nutritur cutis. in prognoſt. com. 2°. 4ª.198.B
Pituitoſo ſanguine aliqua membra indigent. 1°. de ſem. 1ª.332.E
Pituitoſus ſanguis quod ſputum faciat. 2°. de loc. aff. 4ª.13.B
Pituitoſus ſanguis tardius corrumpitur. 2°. de diff. feb. 3ª.42.B
Pituitoſus ſanguis eſt per totum corpus in anaſarca, & leucophlegmatia. 5°. de loc. affe. 4ª.33.H
Pituitoſum ſanguinem habentibus cibi calidi & ſicci exhibendi ſunt. de bonitate, & vitio ſucco. 2ª.38.A
Pituitoſa caro non idem eſt quod caro. 3°. de ſymp. cau. 3ª.26.D
Pituitoſa caro qualis ſit. 3°. de ſymp. cau. 3ª.26.H
Pituitoſi muci hyeme. 8°. de dec. Hipp. 1ª.276.E
Pituitoſum excrementum in ſenibus colligitur. 5°. de ſan. tu. 2ª.92.E
Pituitoſum excrementū in ventriculo generatur. 5°. de vſu par. 1ª.143.F
Pituitoſum magis eſt ſputum in peripneumonia. 2°. de loc. aff. 4ª.13.B
Pituitoſæ fluxiones et ſanguineæ modeſtæ, bilioſæ vero difficiles. in prognoſt. commen. 2°. 4ª.202.D
Pituitoſi, & frigidi morbi q̄ ſymptomata faciāt. 3°. de loc. affe. 4ª.16.F
Pituitoſis morbis mel amicum. 2°. de nat. fac. 5ª.300.H
ad Pituitoſos morbos q̄ñ valcat venus. ī 6ᵐ. de mor. vul. c. 5°. 3ª.192.F
Pituitoſa febris quæ ſequatur. 2°. de diff. feb. 3ª.37.B
Pituitoſa febris quibus accidat. 1°. de arte cur. ad Glau. 7ª.96.C
Pituitoſa exquiſita intermittens qūo incipiat. 2°. de diff. feb. 3ª.37.A
Pituitoſæ miſta tertiana, quæ facilis cognitu, & quę difficilis. 2°. de differentijs febrium. 3ª.37.H
Pituitoſa continua, & tertiana continua ſimul miſtæ quando ſint. 2°. de differentijs febrium. 3ª.39.D
Pituitoſæ febris pulſus qualis. 2°. de diff. feb. 3ª.37.A
in Pituitoſa febre intermiſſio percipitur. 2°. de diff. feb. 3ª.37.B
Pituitoſæ febris calor qualis. 2°. de diff. feb. 37.B| 3ª.40.C
in Pituitoſis febribus fumoſa eſt caliditatis ſubſtantia. de victus ratione in morb. acut. com. 4°. 7ª.136.B
Pituitoſa febris quo modo accenditur. 2°. de diff. feb. 3ª.40.C
in Pituitoſa febre minus euacuatur, q̄ ī quartana. 2°. de diff. fe. 3ª.37.C
Pituitoſam ſuperante tertiana quid contingat. 2°. de diff. feb. 3ª.39.C
Pituitoſæ febres quo modo ſanentur. 3°. de criſi. 4ª.139.E
PITVITOSI vnde quidam ſint, quidam bilioſi, quidā ſanguinei, quidam melancholici. de ſperm. Sp.37.B
Pituitoſus infans quibus horis efficiatur. de ſper. Sp.38.A
Pituitoſum frigidumq; qui motus efficiant. 1°. de ſan. tu. 2ª.65.F
Pituitoſorum indicia. 2°. de temp. 1ª.20.C
Pituitoſi molles. 4°. de comp. me. per gen. 5ª.236.F
Pituitoſus qui bilem euomebat. ars med. Iſa.66.H
Pituitoſus qui habebat multā bilem in ventriculo. 2°. de temp. 1ª.20.C
Pituitoſi quidā bilioſi exiſtimātur ꝑꝑ vomitū bilis. 2°. de temp. 1ª.20.C
Pituitoſarū carniū mulieres ꝑ vterū purgantur. 6°. de loc. aff. 4ª.41.D
Pituitoſi inediam facilius ferūt. de vic. rat. in mor. acu. cō. 2°. 7ª.120.E
Pituitoſi cur facilius inediam ferunt bilioſis. de victus ratione in morbis acutis, commentario. 2°. 7ª.120.F
Pituitoſi melius ſe habent æſtate. com. 3°. aph. 18°. Ex.23.H
Pituitoſi qua difficultate inteſtinorū capiātur. cō. 3°. aph. 12°. Ex.21.F
Pituitoſis quando magis ſuperueniunt febres. com. 3°. aph. 11°. Ex.21.A
ſi Pituitoſi cauſum, et ſynochā incidant quid agendū. de ſper. Sp.39.G
Pituitoſos humores his euacuare conuenit qui pituitoſas ægritudines incidere conſueuerunt. com. 6°. aph. 47°. Ex.52.B
Pituitoſis qui cibi conueniant. de diſſ. con. Sp.71.E
Pituitoſis acria conueniunt. 2°. de ali. fac. 2ª.25.E
Pituitoſis, excrementoſisq; ſtomachis apta ſunt auſtera humida. 7°. de ſimplicium. med. fac. 5ª.50.H
Pituitoſo ventriculo agnum dat. de med. fac. par. 7ª.176.A
Pituitoſo mel ſalubre. 2°. de nat. fac. 1ª.300.H| 1°. de alim. fac. 8. F| 9.H de bonitate, & vitio ſuccorum. 2ª.39.A
Pituitoſis quod vinum conueniat. de bon. & vitio. ſucc. 2ª.38.E
Pituitoſo morbo non eſt facies Hippocratica. in progn. cō. 1°. 4ª.191.F
PITYIDES fructus picearum. 8°. de ſimp. me. fac. 5ª.58.F
Πιτυΐδων meminit. de reme. par. far. 7ª.157.H
PITYINON phyſena, id eſt picea germinatio. 3°. de compoſitione medicamentorum per gen. 5ª.230.C
Pityinon phyſema quale. 2°. de comp. me. per gen. 5ª.219.E
PITYLAE non fiunt ab eodē opifice quo modo. de fœt. for. 1ª.326.B
Πιτυλίζειν quid ſit. 2°. de ſan. tu. 2ª.74.F
PITYOCAMPAE quales. 11°. de ſimp. me. fac. 5ª.82.F
Pityocampes minimum ſi ſumatur lædit. 5°. de ſimp. me. fac. 5ª.37.C
Pityocampe genere non quantitate obeſt. 5°. de ſimp. me. fac. 5ª.37.C
Pityocampis veſcuntur viperæ. de theria. ad Piſo. 5ª.95.D
Pityocampe ſcepticum medicamentum. 5°. de ſimp. me. fac. 5ª.36.B
Pityocampe valet ad depilationem. 11°. de ſimp. me. fac. 5ª.82.F
Πιτυρίαι qui panes ſint. 1°. de ali. fac. 2ª.9.F
PISYROIDES i. furfurea farina quid ſignificet. de vri. 4ª.124.E
Pitys, id eſt picea. 8°. de ſimp. me. fac. 5ª.58.F
PITYVSA ſpecies tithymalli putatur, quoniam lac habet, & purgat. 8°. de ſimp. me. fac. 5ª.58.G

PIX qualis.4°.de comp.me.per gen. 5ª.240.F
Pix poteſtate calida.3°.de temp.21.G| 1ª.23.D
Pix ſicca qualis.8°.de ſim.med.fac. 5ª.58.E
Pix vt calidior, ita acrior cera.de fract.com.3°. 7ª.244.B
Pix,& reſina paulum excedunt ceram.5°.de ſimp.med.fac. 5ª.34.C
Pix,& reſina calefaciunt applicata parti.2°.de diff.feb. 3ª.41.A
Pice mediocriter calida fit calfactio mẽbrorum.2°.de diff.feb. 3ª.41.F
Pix cito ignem accipit.3°.de temp. 1ª.22.F
Pix humida.com.1°.aph.14°. Ex.7.F
Pix à calore extrinſeco in ſpiritum ſoluitur.com.4°.aph.70°. Ex.35.B
Pix congelatur.1°.de ſimplic.medicamento.facul. 5ª.5.E
Pix optima quæ.3°.de com.med.per ge. 5ª.233.C
Pix Arida qualis.4°.de comp.me.per gene. 5ª.240.H
Pix arida glutinãdis vulneribus magis cõgruit.8°.de ſim.me.fa. 5ª.58.E
Picis aridæ meminit.2°.de comp.me.per ge. 5ª.226.E
Pix Brutia qualis.7°.de comp.medic.per gen. 5ª.264.B
Pix brutia pellucida ſicca.5°.de compoſitione medic.ſec.loc. 5ª.162.B
Pix brutia arida.9°.de comp.med.ſe.lo. 5ª.199.A
Pix brutia liquida.5°.de compoſitio. medica.ſecundum locos. 161.E/7°. 185.F/10°. 5ª.208.F
Picis brutiæ meminit.3°.de comp.me.ſe.lo.147.D/8°.192.H/9°.199.E/ 200.C/10°.207.F/2°. de compoſitione medicamentorum per genera. 225.E/227.D/4°.243.E/244.G/7°. 5ª.266.C
Picem crudam accipit.3°.de comp.med.ſec.loc.149.A/5°. 5ª.161.D
Picis Flos πισσανθος vocatur.2°.de ſimp.med.fac. 5ª.15.A
Pix Humida minus ſiccat.8°.de ſimp.me.fac. 5ª.58.E
Pix humida aſthmaticos,& purulentos adiuuat.8°. de ſimplicium medicamentorum facult. 5ª.58.E
Pix humida ſanat vulnera ouium.7°.de ſimplic.medi.fac. 5ª.50.F
Pici Liquidæ ſimilis ſanguis.in 6^{m}.de morb.vulg.com.3°. 3ª.176.D
Pix liquida calida,& viſcoſa.2°.de ſimp.med.fac. 5ª.14.D
Pix liquida calefacit,& exiccat.2°.de ſimp.med.fac. 5ª.16.D
Pix liquida quo loco reponatur inter calida,quæ conueniunt alopecijs. 1°.de com.me.ſec.lo. 5ª.122.D
Pix liquida pro capillis illinendis.1°.de comp.med.ſec.loc. 5ª.126.G
Pix liquida cum fermento pro vulnere neruorum.3°. de compoſitione medicamentorum per genera. 5ª.229.H
Pix liquida loco laurini olei.1°.de com.med.ſec.loc. 5ª.122.D
Picis liquidæ mentionem facit.in 6^{m}. de morb.vulg.com. 6°.3ª.196.C/ 6°.meth.med. 7ª.38.G
Pix non poteſt per anguſta tranſire,niſi liquida.in 6^{m}. de morbis vulgaribus,commentario 3°. 3ª.173.D
Picis liquidæ fuligo qualis.7°.de ſimp.med.fac. 5ª.54.F
Pix Nigrum medicamentum.2°.de comp.med.per gen. 5ª.221.E
ex Pice nigra oleum quale.6°.de ſimp.med.fac. 5ª.46.H
vt Pix,& bitumen nigra & ſplendens eſt atra bilis.de tumoribus præter naturam. 3ª.83.H
Pix Nitida.7°.de compo.med.per genera. 5ª.267.D
Pix Pinguis vnde apportetur.3°.de comp.me.per ge. 5ª.233.G
Picis Serum.3°.de comp.med.ſec.lo. 5ª.144.H
Pix Sicca,& non ſicca.2°.de ſim.me.fac. 5ª.15.A
Pix ſicca glutinatoria eſt in corporibus admodum duris, quæ vulnus habent aut ſinum.6°.de ſimp.med.fac. 5ª.42.E
Pix Vinaria vnde accipiatur.2°.de comp.medica.per ge. 5ª.225.H
Pix vinaria.2°.de comp.me.per gen. 5ª.225.H
ex Pice fricatio.de præcogn ad Poſth. 4ª.217.G
Pix emollit.7°.de com.me.per ge. 5ª.268.A
Pice delinendi ſunt macilenti.14°.meth.med. 7ª.91.F
Pice totum corpus illinitur pro gracilitate.6°.de ſan.tuen. 2ª.98.B
Pici nullum remedium põt æquari pro gracilitate.6°.de ſan.tu. 2ª.98.B
Pices leproſos vngues eximunt,lichenas detergunt,duros,& crudos tumores concoquunt.8°.de ſimp.med.fac. 5ª.58.E
Pix commoda eſt pro ceratis,& malagmatibus.9°. de compoſitione medicamentorum ſec.loc. 5ª.188.D
Pix cerati conſiſtentiam ſeruat.3°.de comp.me.per ge. 5ª.233.C
Pix non poteſt oſtendi in tetrapharmaco, tamen propter hoc non eſt dicendum,quod non inſit.de nat.hum.com.1°. 1ª.27.B
Pix valet in medicamẽtis quæ pus mouẽt.4°.de com.me.p ge.5ª.240.F
Pix quo modo mouet pus.5°.de ſimp.med.fac. 5ª.34.C
Pix maturat.de ocul. 7ª.188.E
Pix ad carnem reſtaurandam optima.14°.meth.med. 7ª.91.F
ex Pice,reſina fricta,cera,& euphorbio emplaſtrum Galeni pro neruis vulneratis.6°.meth.mod. 7ª.37.F
Pix fugienda in vlceribus.3°.meth.med. 7ª.21.C
Pice quæ plus exiccent.4°.de comp.me.per ge. 5ª.240.H
Pix,& oleum mixta qualia.6°.de com.me.ſe.lo. 5ª.173.H
ex Pice,reſina,terebinthina,& adipe leonino,atq; taurino medicamentum.2°.de arte cur.ad Glauc. 7ª.104.H
Pix,reſina & oleum lauantur,& dealbãtur.2°.de ſimp.me.fa.5ª.12.H
Pix quo modo lauanda.1°.de comp.me.per ge. 5ª.213.H
Pice,vel gypſo obturanda vaſa vinaria,ne vinũ aceſcat.de vi. Sp.77.B
pro Pice reſina fricta.10°.de compoſi.med.ſec.loc. 5ª.207.F
PLACENTARVM ars.9°. de decr. Hipp. 1ª.280.G
Placentæ azimæ ex melle.1°.de alim.fac. 2ª.10.E
Placentæ ex butyro,& ſimilagine ſunt peſſimi cibi,niſi mel recipiant. 5°.de ſanitate tuenda. 2ª.91.F
Placenta ex lacte,& caſeo craſſi ſucci eſt.de bon.& vit.ſuc. 2ª.35.D
Placenta ex lacte,& caſeo iecoris meatus obſtruit. de bonitate, & vitio ſuccorum. 2ª.35.D
Placenta dicta maza modice nutrit.in 6^{m}.de mor.vul.com.3°.3ª.170.F
Placentæ ex ſolo oleo quo conficiuntur.1°.de alim.fac. 2ª.10.D
Placenta ex oleo craſſi ſucci ventrem cohibet, & crudos ſuccos gignit 1°.de alimentorum facul. 2ª.10.D
Placenta ex oleo,& itrijs facile corrumpitur.1°.de loc.aff. 4ª.5.C
Placentis,& panibus miſcent papaueris ſemen.de atten.vic. 2ª.44.E
Placentis,& edulijs lætantur palatum explere cupientes. de cognoſcendis curandisq́, animi morbis. 2ª.53.D
Placenta in omnium conſpectu non eſt auidius deuoranda. de cognoſcendis curandisq́, animi morbis. 2ª.53.C
PLACENTVLA ad tuſſientes.7°.de comp.me.ſec.loc. 5ª.182.B
PLACINI diuitis maxillæ hiando luxatæ caſus.de articulis, commentario 2°. 7ª.263.G
PLACITIS cadmia quæ.9°.ſimp.me.fac. 5ª.69.E
PLACITORVM librum fecit Alexander Philalethes. 4°. de differentijs pulſuum. 4ª.66.F
Placitorum diuerſitas.3°.de loc.aff. 4ª.16.D
Placita ſua omnes volunt defendere.1°.de diff.pulſ. 4ª.52.B
Placitis noſtris non debemus fauere.in 6^{m}.de mor.vulg.cõ.3°. 3ª.177.D
PLADAROTES quid.introd. Iſa.58.F
Pladarotes affectus partium interiorum qui.introd. Iſa.58.D
Πλάδον quid ſignificet.de vict.rat.in mor.ac.c.2°.121.D/c.3°. 7ª.130.C
Πλάδον nimia humiditas vnde.in 1^{m}.de morb.vulg.com.2°. 3ª.109.C
PLAGAE ſunt,quæ ſiunt ab alto in terram ruptiones.3°. de ſymptomatum cauſis. 3ª.26.H
Plagarum diuerſitas.de virt.cent. Sp.93.F
ex Plaga inflammatio fit.2°.de comp.med.ſec.loc. 5ª.133.G
Plagæ curandæ intentiones.2°.de comp.med.ſe.loc. 5ª.133.G
Plagarum curatio.de med.fac.par. 7ª.173.A
in Plaga ſanguis mittendus.4°.meth.med. 7ª.27.H
Plaga numeratur inter cauſas extrinſecas doloris capitis.2°. de comp. med.ſec.loc. 5ª.131.H
ad Plagam capitis remedia.de dynam. Sp.31.G
ad Plagam ſanguinantem remedium.de dynam. Sp.31.F
ad Plagas ſuperficiales.de vir.cent. Sp.93.F
ad Plagas profundas.de virt.cent. Sp.93.F
ad Plagam profundam ex lancea.de dyna. Sp.31.H
ad Plagas internarum partium.8°.de ſimp.med.fac. 5ª.188.G
ad Plagam in partu factam.de paſſ.mul. Sp.96.B
ad Plagas ſuccus centaureæ.de virt.cent. Sp.93.F
Plagas veteres,& fiſtulas cõſolidat emplaſtrũ barbarũ.de dy. Sp.35.F
ad Plagam compoſitio.de dynam. Sp.35.F
ad Plagam ſanandam emplaſtrum.de dyna. Sp.32.A
ad Plagam ſanandam potio.de dynam.31.G/ Sp.32.A
ad Plagam omnem Tractum.de dyna. Sp.32.C
ad Plagas vnguenta.de dyna. Sp.31.F
ad Plagam remedium.de dynam. Sp.31.F
ad Plagas qualeſcunq;.1°.de comp.med.per ge. 5ª.211.F
ad Plagas reptilium omnium.8°.de comp.med.ſec.loc. 5ª.191.E
ad Plagas ferarum.8°.dc compoſi.me.ſe.lo. 5ª.195.B
PLAGELLA. de dynam. Sp.33.E
Πλάγιον quid nominat Galenus.2°.de ſan.tuen. 2ª.70.B
PLAGVLAE quę ſint.de ijs,quæ in med.fi.com.3°. 7ª.214.C
Plagulæ & ſplenia idem.de frac.com.1°. 7ª.228.D

Plagulæ quantę eſſe debent.de fract.com.3°. 7ª.244.F
Plagulæ quõ aſciatim ligandæ.de ijs, quæ in med.ſi.com.2°. 7ª.208.G
Plagulæ vino madeſcunt.de fract.com.3°. 7ª.241.C
PLANCI qui ſint.de art.com.3°. 7ª.278.H
PLANETAE quibus facti.de hiſt.philo. Sp.4.E
Plalanetas cæteros ſuperat luna vicinitate non potentia. 3°. de diebus decretorijs. 4ª.157.B
ſm Planetarum rationẽ ſunt ſeptem mundi climata.de ſper. Sp.39.D
de Planetarum errantium ſeptem climatum qualitate, & efficacia.de ſpermate. Sp.40.B
Planetis,& ſignis elementa reguntur.de ſperm. Sp.40.B
in Planetis,& in ſignis,quatuor quæ elementorũ noxibus iuncta eſt, & ligata oĩs ſubſtãtia corpea aĩata teſte Hippocrate.de ſper. Sp.38.H
ſm Planetas homo mutatur.de ſperm. Sp.37.D
ſm Planetas bruta non mutantur.de ſperma. Sp.37.D
ſm Planetarum, & Lunæ ſtationes homines bene,& male ſe habẽt.3°. de diebus decretorijs. 4ª.157.H
ſm Planetam,diem,& horam ægritudinis cognitio.de ſperm. Sp.40.B
de Planetarum ætate in embrione.de cõp.mẽb.ſiue de nat.hu. Sp.59.F
Planetę ſeptem quo modo in embrione dominentur.de compagine membrorum,ſiue de nat.hum. Sp.59.F
Planetæ ſeptem quid faciant ſingulatim in formatione.de compagine mẽbrorum,ſiue de na.hum. Sp.59.F
Planetis cõparantur ſeptẽ mẽbra regalia,& famoſa.de an.vi. Sp.56.A
ſm Planetarum motus Rex quidã cũ vxore cõcubuit.de ſper. Sp.38.G
PLANTA eſt corpus vegetabile.1°.de ſem. 1ª.331.G
Plantę,ſemina,& animalia tantum viuere dicuntur.de marc. 3ª.45.B
Plantarum,& animalium differentia.4°.de vſu par. 1ª.136.E
in Plãtis,et ĩ aĩalibus diuerſo mõ facit opa Ariſtoteles.1°.de ſe. 1ª.331.B
Plantæ ex quatuor elementis componuntur.1°.de elem.5.F| 1ª.7.F
Plantas,& aĩalia fingens facultas nunquàm ſiſtit.de fœt.for. 1ª.334.F
Plantas,& animalia fingens facultas omnes partes ſimul fingit. de fœtuum formatione. 1ª.324.F
à Plantis ad aĩal cum incedit natura habet gradus.2°.de ſe. 1ª.339.G
de Plantis,et herbis quantum loquutus eſt Galenus.10°.de ſimplicium medicamentorum facul. 5ª.72.A
Plantæ ſemen terra indiget.1°.de ſemi. 1ª.331.G
Plantis terra eſt vt mater.2°.de ſem. 1ª.338.E
Plantarum ſemina ſi producere debeant indigent externo humore,& calore moderato.de nat.hum.com.1°. 1ª.29.C
Plantæ in terra humida creſcunt altiſſimæ.11°.de vſu par. 1ª.190.A
Plantæ in terra petroſa paruæ ſunt ac duræ.11°.de vſu par. 1ª.190.A
Plantæ cur in terra dura & arida habent generationem difficilem, & interitum difficilem.11°.de vſu par. 1ª.190.B
Plantæ ſemen qñ ſeminatur quõ germinet.6°.de decre.Hipp. 1ª.262.A
Plantæ ſemen radices facit.1°.de ſem. 1ª.331.G
in Plantis radicis officium.6°.de decre.Hipp. 1ª.262.B
quod Plãtis in inferiori parte radicatio eſt,id eſt in fœtu arteriarum,et venarum chorij,vuluæ inherentia.1°.de ſem. 1ª.331.F
Plantarum,& arteriarum comparatio.8°.de decre.Hipp. 1ª.273.G
Plantæ habent quatuor virtutes attractricem,retentricem,alteratricẽ, & excretricem.4°.de vſu partium. 1ª.136.E
Plantæ quo modo nutriantur.4°. de vſu partium. 1ª.136.E
Plantæ terræ ſuccum nutriunt.2°.de ſemine. 1ª.338.E
Plantæ trahunt à terra humorem ſibi amicum.de na.hum.cõ.1°. 1ª.31.G
Plantæ trahunt nutrimentum ex terra.3°.de ſimplic.medic.fac. 5ª.17.G
Plantæ,& animalia habent ſimile alimentũ.6°.de dec.Hipp. 1ª.264.G
in Plantis ſenſus genus diuerſum eſt.de ſubſ.fac.nat. 1ª.230.F
Plantarum ſenſus in quo conſiſtat.de ſubſ.fac.nat. 1ª.230.F
Plantæ hñt ſenſum propriorum,& alienorum.de ſubſ.fac.na. 1ª.230.C
Plantæ habent ſenſus rerum cognatarum & externarum.de ſub.facultat.natur. 1ª.230.G
Plãtæ an ſentiãt inutile ſcire ad moralẽ philoſophiã.de ſub.fa. 1ª.230.H
in Plantis,& in nobis vis concupiſcibilis eſt.in Tim.Pla. 1ª.287.C
Plantę principium in ſe motus habent.de ſubſ.facul.nat. 1ª.230.C
Plantæ habent motum internum.de ſubſ.fac.nat. 1ª.230.G
Plantæ proprium habent motum,externũ minime.in tim.Pla. 1ª.287.E
Plantæ habent motum progreſſiuum.in Tim.Pla. 1ª.287.E
Plantæ à natura reguntur.contra Iulianum. Ex.68.A
Planta perfecta quæ.de mar. 3ª.46.B
Plantæ ſunt numeroſiſſimæ.6°.de ſimp.med.fa. 5ª.39.F
à Plantis alimenta ſumuntur.2°.de alim.facul. 2ª.16.A
Plantæ cibi omnium animalium.1°.de elem. 1ª.7.F
Plantæ integræ comeduntur.2°.de alim.fac. 2ª.22.B
Plantæ prius probandæ guſtu,& olfactu quam comedantur. 2°. de aliment.facul. 2ª.24.E
de Plantæ tẽperamẽto indicant odor,& ſapor.2°.de alim.fac. 2ª.24.E
de Plantæ tẽperamento indicant ſuccus, & conſiſtentia.2°.de alimentorum facultatibus. 2ª.24.E
Plantarum ſucci guſtandi.2°.de alim.fac. 2ª.24.E
Plantarum ſingulæ partes examinandæ ſunt.2°.de alim.fac. 2ª.24.E
Plãtę aliæ hñt vim in caulæ,ac ſtipite,aliæ in radicæ.2°.de al.f. 2ª.24.D
Plantæ agreſtes quæ.2°.de alim.fac. 2ª.21.H
Plantę agreſtes ſunt praui ſucci.2°.de alim.fac. 2ª.22.C
Plantæ ſpinoſę quæ.2°.de alim.fac. 2ª.22.C
Plantæ domeſticæ ſunt longa experientia à nobis comprobatæ. 2°. de alimentorum facul. 2ª.22.C
à Plãtis poſtq̃ fuerint collectę ac repoſitæ primo defluit quicquid aquoſum eſt,ac tenue,poſt ẽt aliquid humidi naturalis.1°.de ali.fa. 2ª.11.F
Plantarum ſucci habent duplex excrementum tenue,aereum, craſſum, & terreſtre.2°.de ſimpli.medicamen.facul. 5ª.13.F
in Plantis,& metallis ſunt recrementa.4°.de ſimp.med.fac. 5ª.24.H
Plantę in muriã vel acetũ ſeruatæ ꝓuocãt appetẽtiã.2°.de ali.f. 2ª.22.C
Plantarum fructus ſunt ab arboribus.2°.de alim.fac. 2ª.16.D
in Plantarum folijs mel oritur.3°.de alim.fac. 2ª.32.F
Plantę mannæ, & melli dant aliquid.3°.de alim.fac. 2ª.32.F
Plantę medicamentoſæ habent radices folijs præſtantiores.2°. de alimẽtorum facult. 2ª.24.D
Plantæ viridis corona ob æſtum.de cauſ.procatar. 3ª.96.A
in Plantis quo modo vermes.an animal ſit. 1ª.328.B
PLANTA quæ.introd. Iſa.53.E
Planta in pede quid ſit.de oſſibus. 1ª.43.G
Planta ex quibus compoſita.de oſſibus. 1ª.43.G
Plantæ pars prima dicitur tarſus.de muſc.diſſ. 1ª.52.B
Plantæ pedum cutis eſt iuncta muſculis.11°.de vſu partium. 1ª.190.D
ad Plantam ſpica.de faſcijs. 7ª.306.B
PLANTAGO quid & eius vires.de ſimp.med. Sp.89.A
Plantago ex quibus compoſita.3°.de com.med.ſec.lo. 5ª.146.H
Plantago eſt frigida,& ſicca in ſecũdo ordine.6°.de ſim.me.fa. 5ª.43.G
Plantago excedit omnia medicamenta refrigerantia, & adſtringentia. 6°.de ſim.med.facul. 5ª.43.G
Plantaginis ſuccus refrigeratorius eſt.8°.de com.med.ſec.loc. 5ª.189.A
Plantaginis ſuccus pro dolore capitis calido.de rem.par.fac. 7ª.153.E
Plantago ad conſtringendum.de dynam. Sp.35.F
Plantago adſtringens leue.5°.meth.med. 7ª.31.G
Plantaginis ſuccus ſiſtit ſanguinem.introd.Iſa.56.F|5°.met.me. 7ª.31.G
Plantaginis ſuccus sãguinẽ excreãtibus vtiliter dat.de ſim.m. Sp.89.A
plãtagis folia cõtrita cũ pane ĩpoſita ſtrigũt,et ſiccãt.de ſim.m. Sp.89.A
ex Plantagine cataplaſma reprimit,& ſimul digerit carbunculos.14°. meth.me. 7ª.90.B
Plantago diſcutit.de remed.par.fac. 7ª.155.E
Plantagini ſimile in viribus ſedum.de ſimp.med. Sp.91.A
PLANICIES in homine quæ.introd. Iſa.53.F
PLANI pedes qui ſint.de art.com.3°. 7ª.278.H
PLANA eſt intrinſecus figura cordis qñ dilatatur.de ana.viuo. Sp.56.C
Plani oſſa qualia.3°.de vſu partium. 1ª.130.C
PLANA organa quæ ſint.de machi. 7ª.309.D
cur Plana collocantur organa.de mach. 7ª.310.E
Plana ſcala quo modo collocanda.de machin. 7ª.313.G
in Plana ſcala ad humeri caput reſtituendum quando in alam excedit. de machina. 7ª.313.G
PLASTAE in ſecundo ordine prope Mercurium iuxta veterem picturam.in orat.ſuaſo. Iſa.2.F
Plaſtæ faciũt quę pulcherrima in ſpẽ mediũ aſpiciẽtes.1°.de tẽ. 1ª.15.A
PLASTICE ars nobilis.in orat.ſuaſ. Iſa.5.G
Γλατανίσινον malum vocatum,& cur.2°.de alim.fac. 2ª.19.H
PLATANVS arbor frigida ꝑ capite.2°.de comp.med.ſec.loc. 5ª.132.H
Platanus humida.& frigida parum recedit à mediocritate.8°. de ſimp. med.fac. 2ª.19.H
Platani folia habent guſtum pomi.2°.de alim.fac. 5ª.58.G
Platani foliorum puluis arteriam offendit,& omnes ſenſus.8°.de ſimp. med.fac. 5ª.58.G
Platani cortex vlcera vetera,& ſordida ſanat.8°.de ſim.me.f. 5ª.58.G
Platani cortex ad dentiũ dolores adhibetur.8°.de ſimp.med.fa. 5ª.58.G

Platani cortex ambuſtus lepras ſanat.8°.de ſimp.med.fac. 5ª.58.G
Platani pilulæ ad vlcera ambuſta adhibētur.8°.de ſim.med.fac.5ª.58.G
PLATO fuit poſt Homerum.6°.de decre.Hippo. 1ª.267.D
Plato philoſophorum eminentiſſimus. 3°.de decre.Hipp. 1ª.244.B
Plato Socraticus.de hiſt.philoſ. Sp.2.E
Plato confirmauit dogma ſtoicum.4°.de decret.Hippo. 1ª.253.H
Plato,& Hippocrates dedere exempla ad artes, & vitæ actiones.9°. de decretis Hippocratis. 1ª.280.C
Plato imitator Hippocratis.1°.de vſu partium. 1ª.114.E
Plato aduerſatur Hippocrati.8°.de decre.Hipp. 1ª.278.B
Plato,& Hippocrates ponunt tria principia.6°.de dec Hipp.1ª.260.E
Plato nusq̃ recedit ab Hippocratis placitis.contra Iulianum. Ex.67.D
Plato habet diuerſam familiam cum Hippocrate.3°.de vſu par.1ª.133.C
Plato multa docuit non ſcripta.de nat.hum.com.1°. 1ª.30.H
Plato cur Timæo Timæum applicauit, & Parmenidem Parmenidi,& Zenoni,& non Socrati.9°.de decret.Hipp. 1ª.284.D
Plato ſenex Timæum ſcripſit.8°.de decret.Hipp. 1ª.277.A
ſm Platonē aer ambiens corpus thoracem replet.in tim.Pla. 1ª.289.F
Plato,& Hippocrates primi omnium de anima recte ſenſerunt.5°. de decretis Hippocratis. 1ª.258.D
Plato inuenire vult naturam animæ, vt Hippocrates inuenit naturam corporis.1°.methodi medendi. 7ª.3.D
Platonis teſtimonium librum de natura humana eſſe Hippocratis. de natura humana,com.1°. 1ª.33.G
Plato aīarum facultates vocat animarum ſpecies.in tim.Pla. 1ª.287.D
Platonis opinio de animæ partibus.5°.de decret.Hipp. 1ª.258.E
Plato tres animæ partes poſuit.de hiſt.philoſ. Sp.5.A
Plato,& Ariſtoteles de partibus animæ non multum differunt.7°.de decretis Hippocratis. 1ª.268.C
Platoni viſum non eſt eandem eſſe ſubſtantiam rationalis partis animæ, & iraſcibilis,ac concupiſcibilis.in tim.Plat. 1ª.287.C
ſm Platonem animæ pars appetitrix,& concupiſcibilis vbi ſit ſita.6°. de decretis Hippocratis. 1ª.267.A
ſm Platonem pulchritudo animæ quæ.5°.de decret.Hipp. 1ª.256.A
Plato ſemper dicit animalia animata.de ſubſt.fac.nat. 1ª.230.B
Plato appellat lapides,herbas,& ligna inanimata.de ſub.fa. 1ª.230.B
ſm Platonem morbus animi qui.5°.de decre.Hipp. 1ª.256.A
Plato pertractauit quæ pertinerent ad remedia perturbationum animi. de cog.cur.animi morb. 2ª.50.D
Plato fecit ſimilitudinē animæ ad fabuloſa aīalia.in tim.Plat.1ª.287.D
Plato vocauit aquæ ductū ſanguinis lationē p venas.in ti.Pla.1ª.288.C
ſm Platonem ars,τριβὴ,id eſt exercitatio,experientia in quo cōſiſtāt. aduerſ.emp.med. Iſa.35.E
Plato quid ſentiat de bile,& quos gignat morbos.contra Iul. Sp.67.F
Plato vtitur calido,frigido,humido,ſicco alijs veluti agentibus, alijs veluti patientibus.2°.de nat.fac. 1ª.299.G
Plato vocat calorem ignem.8°.de decre.Hipp. 1ª.277.E
Plato vocat ignem caliditatem in corpore.in tim.Plat. 1ª.288.C
Platonis colluſtratio quid ſit.de hiſt.philoſ. Sp.9.D
Platonis libri de definitione.4°.de diff.pulſ. 4ª.67.D
Platonis diuiſiua via.1°.de arte curat.ad Glauc. 7ª.94.E
Platone elimatius egit de duro,& molli Ariſtoteles.3°.de dif.p.4ª.63.E
Plato dicebat expirationē,& receptionē aeris p inſenſibiles meatus fieri per duos ſemicirculos,Eraſiſtratus p circulū.in tim.Pl. 1ª.290.A
Plato idem cum Hippocrate ſentiret ſi poneret attractionem,& non circumpulſionem.in tim.Plat. 1ª.290.C
Platonis errores in febribus,& humoribus.8°.de dec.Hippo. 1ª.277.B
Plato gymnaſticā nō ſalubrē,ſed exercitatoriā vocat.ad Thr.2ª.107.D
Plato magis pædotribam,quā gymnaſtam appellabat.ad Thr.2ª.107.B
Plato ſolus ideas introduxit.de hiſt.philo. Sp.3.G
Platonis error de inſpiratione.8°.de decret.Hipp. 1ª.278.D
Platonis logicam adducit author libri de ſpermate.de ſperm. Sp.40.D
Plato poſuit recti motus genera ſex.de hiſt.philo. Sp.8.F
Plato quo modo tractet res naturales.de ſubſ.facul.nat. 1ª.230.B
Plato de nominibus nō eſſe habendam curam cui multarum ac magnarū rerum inueſtigatio præponitur dicit.2°.de diff.feb. 3ª.38.C
Plato paſſionē noīat oēm motū ab altero in alterū.de ſymp.diff. 3ª.10.D
Plato de perſpiratione,non de reſpiratione egit.8°.de decr. 1ª.278.A
Plato quid ſentiat de pituita,& atra bile,& quos pariant morbos.contra Iulianum. Ex.67.E
ſm Platonem potus fertur ad pulmonem.8°.de decre. Hipp.1ª.278.H
Plato egit de cura victus prægnantis.5°.de decr.Hipp. 1ª.257.D
Plato egit de puerorum in vtero formatione, & de cura cum orti ſunt Plato egit.5°.de decret.Hippo. 1ª.257.D
Plato optime tractauit de ſimili,& diſſimili.9°.de decr.Hipp.1ª.280.F
Plato,& Hippocrates inuentores aſcenſus,& deſcenſus ſimilium,& diſſimiliū ab vniuerſali & gn̄aliſſimo ad ſingulare.9°.de d. 1ª.283.G/H
ſm Platonem ſtirpes ſentiunt.in Tim.Pla. 1ª.287.C
Plato vocauit venas maximas dorſales.in Tim.Pla. 1ª.287.G
Plato Ariſtoteles,& Chryſippus de virtutum differentia diſcrepāt,ſed conueniunt in concluſione.5°.de decr.Hipp. 1ª.258.F
Plato dicit vngues eſſe munimentum.1°.de vſu partium. 1ª.114.F
Plato mire errat in vnguium vtilitate.1°.de vſu partium. 1ª.114.E
Plato nominat voluptatem paſſionem.de ſymp.diff. 3ª.10.D
Plato quo modo laudetur à Galeno.3°.de decr.Hipp. 1ª.244.B
Platonem non ſemper probat Galenus.de ſubſ.facul.nat. 1ª.230.C
Plato in quibus negligens.8°.de decr.Hipp. 1ª.277.A
Platonis error.8°.de decre.Hipp. 1ª.277.G
Platonis catapotium.7°.de compoſitione medic.ſec.loc. 5ª.182.C
Platonis catapotium ex Marrubio.7°.de comp.med.ſe.lo. 5ª.182.C
PLATYCORIASIS affectus pupillæ.introd. Iſa.58.D
πλατὺ os id eſt latum,pars ſpinæ.12°.de vſu par.196.G/13°. 1ª.201.E
PLATYSMA quid.2°.de cōp.me.per gene.226.C/4°.237.G/5ª.245.B
Platyſma emplaſtrum à latitudine.4°.de com.med.per ge. 5ª.237.G
PLAVSTRVM quot lignis parandum.9°.de decret. 1ª.284.F
PLEBEIORVM, & doctorum inter ſe ipſos pugna.3°.de ſanitate tuenda. 2ª.79.G
Plebeius ſecundum naturam ſe habens opiniones habet quouis ſophiſta meliores.8°.meth.me. 7ª.54.A
Plebei quæ non intelligunt admirātur.de victus ratione in morbis acutis,commentario 4°. 7ª.142.A
πλέγμα δικτυοειδὲς, hoc eſt plexus retiformis.4°.de vſu p.1ª.139.B
πλειάδα,,& πλειάδας in vtroq; numero Vergilias græci appellāt. in 1ᵐ.de morb.vul.com.1°.101.H/com.2°. 3ª.107.G
Pleiadum ortus quando.de dynamidijs. Sp.20.C
Pleiadum ortus eſt principium æſtatis.com.3°.aph.14°. E8.22.F
Pleiadum occaſus quando de dynamidijs. Sp.20.C
Pleiadum occaſus eſt principium hyemis.com.3°.apho.14°. Ex.22.F
Pleiadū occaſus cōſiderādus ad morborū criſes.de aere,aq.& l.2ª.4.D
cum PLENILVNIO principium menſis habet proportionem æſtatis ad hyemem.3°.de diebus dec. 4ª.158.B
Plenilunij breues mutationes.3°.de dieb.decre. 4.157.C
PLENITVDO, & multitudo noīa cognita apud medicos, & ignorata.de mult. 3ª.76.B
de Plenitudine liber ante librum de curandi ratione per ſanguinis miſſionem legendus.de curandi rat.per ſag.miſſ. 6ª.16.D
de Plenitudine Galeni opinio.de mult. 3ª.76.H
Plenitudo continens cauſas morborum ſm Iulianum.cōtra Iu.Ex.68.D
Plenitudo morborū continens cauſas ſm Theſſalum.cōtra Iul. Ex.68.E
Plenitudo cauſa antecedens.contra Iulianum. Ex.68.G
Plenitudo ſm Aſclepiadem nunq̃ eſt cauſa continens.con.Iul.Ex.68.H
Plenitudini contraria eſt euacuatio.de opt.ſect. Iſa.25.F
Plenitudo duplex.de curan.rat.per ſang.miſſ. 6ª.16.E
Plenitudo duplex quo ad vires,& quo ad cauitatem vaſorum. de natura humana,com.2°.7ª.181.F/contra Iulianum. Ex.69.A
Plenitudinis qualitas vnde cognoſcatur.de cur.rat.per ſan.miſ.6ª.17.C
Plenitudinis ventris ſenſus non eſt idem apud omnes.de mul. 3ª.76.F
Plenitudo quo ad vaſa qũo aucta cognoſcat̄.de cur.ra.p ſan.m. 6ª.17.C
Plenitudo quo ad vaſa ſtatim euacuanda,& quas facere poſſit ægritudines.de curan.rat.per ſang.miſſ. 6ª.17.B
Plenitudo quoad vires quomodo aucta cognoſcatur. de cur.rat.6ª.17.C
Plenitudine vaſa robuſtiora non fiunt.de mult. 3ª.78.D
Plenitudo quo ad vires facile in putredinem vertitur.de curandi ratione per ſang.miſſ. 6ª.17.A
Plenitudo quo ad vires inanitione non diſſoluitur.contra Iul. Ex.69.F
Plenitudo in quo ſit.de mult. 3ª.81.G
Plenitudo quibus magis aggregatur,& qñ,& vbi.de mult. 3ª.82.D
ob Plenitudinem ſanguinis ſolum venæ rumpūtur.5°.de lo.af. 4ª.32.D
Plenitudo aliorum humorum à ſanguine quæ ſit.2°.de compoſitio. medica.ſecundum locos. 5ª.132.D
Plenitudo humorū crudorum qualis.de curan.rat.per ſang.miſ.6ª.18.F
Plenitudo ad ἔγχυμα ideſt infuſionem.de mult. 3ª.78.D
Plenitudinē boni habitus ſenes nō poſſunt ſuſcipere.2°.de loc.af.4ª.11.F
Plenitudo à morbis quid faciat.3°.de ſymp.cau. 3ª.25.C

Plenitudo varios parit morbos.com.6°.apho.47°. Ex.52.B
à Plenitudine grauitas, & diſtentio vaſorum eſt.de opt.ſect. Iſa.23.B
Plenitudine diſtendi ac rũpi, ipſorũ continentium vaſorũ eſt affectus; nõ aũt cuiuſpiã ex quatuor ꝑticularũ ꝑtiũ facultatibus.de mul. 3ª.77.E
in Plenitudine Thorax vehementer dilatatur.4°.de loc.aff. 4ª.27.A
Plenitudinem antecedere grauitatem, & plenitudinem ſequi grauitatẽ differunt.de mult. 3ª.77.H
à Plenitudine virtutem velut onere aggrauante & ad officia inualidã efficiente fit tremor.de trem.palp. 3ª.52.H
in Plenitudine ſuffuſioni ſimilia ſymptomata.4°.de loc.affe. 4ª.22.D
ex Plenitudine morbus quo modo in iecore.5°.de loc.affect. 4ª.33.H
à Plenitudine dolores quales.3°.de loc.affect. 4ª.20.F
ob Plenitudinẽ veſicæ vrina quãdoq; ſupprimitur.6°.de lo.af.4ª.38.H
ex Plenitudine laborantium cura.introd. Iſa.55.E
Plenitudo quibus exhauriatur.de curan.rat.per ſang.miſſi. 6ª.18.E
in Plenitudine vtraq; opus eſt euacuatione.de cur.ra.ꝑ ſan.m.6ª.16.E
in Plenitudine cur purgatio non facienda ante venę ſectionem. de ren. affect.dign.& med. 7ª.193.E
Plenitudo venæ ſectione euacuatur. de ven.ſect. aduerſ.Eraſ.6ª.15.A| commentario 6°.apho.47°. Ex.52.B
pro Plenitudine ſola demenda in vere quę vena ſecanda.de curan. rat. per ſang.miſſ. 6ª.21.A
Plenitudo crudorum humorum nunquam eſt tanta, vt venæ ſectionẽ prohibere poſſit.de curan.rat.per ſang.miſſ. 6ª.19.D
PLENIVS pro fortius.com.4°.aph.9°. Ex.28.B
pro PLENO τὸ ναστόν. 4°.de dignoſc.pulſ. 4ª.84.A
de Pleno.3°.de diff.pulſ. 4ª.62.B
Plenum, & vacuum quæ ſint vocabula.4°.de dignoſ.pulſ. 4ª.85.C
Plenum contrarium laxo.4°.de dign.pul. 4ª.85.C
Plenum quid ſignificet.4°.de digno.pulſ. 4ª.84.F
Plenum quid ſit.3°.de diff.pulſ. 4ª.62.B
Plena loca quæ dicantur.3°.de diff.pul. 4ª.62.B
Plena, & vacua loca quæ.4°.de dign.pul. 4ª.85.B
Plenum vinum quod dicatur.3°.de diff.pul. 4ª.62.C
Plena, & vacua vina quæ.4°.de dign.pul. 4ª.85.B
Pleni homines quomodo intelligantur.3°.de diff.pulſ. 4ª.62.C
Pleni magis pauperibus ſunt diuites.11°.meth.med. 7ª.72.B
Pleni videntur quibus naſcitur morbus in veſica.de dyna. Sp.19.H
Plenæ, & graues ſunt venæ temporum edito hoĩ, ſi conceptũ fuerit ſperma à muliere in tribus horis ſanguinis.de ſpermate. Sp.37.B
Plenas venas habet conceptus in horis bilis.de ſpermate. Sp.37.C
in Plenorum vrinis eſt ſubſidentia multa.1°.de criſibus. 4ª.120.C
Plena vrina, & ſubnigra ſuperius, & inferius claritatem habens inferius dolorem renum, & ſuperius grauitatem capitis ſignificat obturationemq́, aurium, & narium.de dynamidijs. Sp.35.D
de Pleno pulſu ſecundum Galenum.4°.de digno.pulſ. 4ª.85.D
Plenus, & vacuus pulſus qui. 3°. de diff.pulſ.62.D|4°.de dignoſc.pulſ. 4ª.84.E|comp.pulſ. Sp.65.H
Plenus, & humidus pulſus à ſanguine fit.de dynamidijs. Sp.19.F
Plenus pulſus, honeſtus, & æqualis à phlegmate fit.de dyna. Sp.19.F
Pleni quę appetant.4°.de ſimp.med.fa. 5ª.26.H
Plenum corpus quid expetat.de ſim.me.fac. 5ª.32.H
Pleno corpori cur non debent applicari digerẽtia.13°.meth.me. 7ª.86.C
Plenis crudis humoribus adeo vt robur virium abſit non eſt ſecanda vena.de curan.rat.per ſang.miſſ. 6ª.18.C
Pleni qui ſunt debent venæ ſectione purgari, non pharmaco.commentario 6°.aphoriſmo 47°. Ex.52.B
Pleni in peſtilentia purgandi.1°.de diff.feb. 3ª.32.E
Plenũ corpus carne carens quomodo ab aquæ calidę mediocri perfuſione tractetur.de ijs, quæ in medicat.fiunt.commen.3°. 7ª.215.H
non Plenum corpus carne carens quo modo ab aquę calidæ mediocri perfuſione tractetur.de ijs, quæ in med.fi.commentario 3°. 7ª.215.H
PLEONASMO figura vſum eſſe Hippocratem indicat Galenus. commentario 4°.apho.48°. Ex.33.D
PLETHORA quid ſignificet ſm Eraſiſtratæos.2°.de com. medica.ſec. locos. 5ª.132.D
Plethora ab Eraſiſtrato dr̃ multitudo in venis.de cauſ.procat. 3ª.99.D
Plethora quo modo ab empiricis intelligatur.de mult. 3ª.79.H
Plethora quid.3°.de ſanitate tuenda.81.A|6°.2ª.100.D|4°.methodi medendi.25.B|13°. 7ª.81.H
Plethora propria quæ.contra Iulianum. Ex.69.G
Plethora eſt ſanguinis abundantia.13°.meth.med. 7ª.80.H
Plethoræ meminit.11°.meth.med.73.E|13°.80.H| 7ª.81.H
Plethora qui affectus ſit.de mult. 3ª.78.D
Plethora & cacochymia differunt.de mult. 3ª.81.E
Plethora ex recentibus cruditatibus.1°.de arte cur.ad Glauc.7ª.98.A
Plethoram cito incurrunt aliqui ex carnibus ſuillis, & panibus, & ex caſeo.1°.de alim.facul. 2ª.10.B
Plethoris quæ laſſitudo ſuperuenit.4°.de ſan.tuen. 2ª.82.F
ĩ Plethora cur iflãmatiões, Eriſipelata, & herpetes.2°.de di.f. 3ª.40.G
à Plethora qñq; fit febris.6°.de vſu par.1ª.155.E|1°.de dif.feb. 3ª.31.C
Plethoram qui vult cognoſcere quid agere debet.de mul. 3ª.78.C
Plethoræ inditia.in 3^{m}.de morb.vulg.com.3°. 3ª.151.A
Plethora quibus curetur.13°.meth.med. 7ª.81.H
in Plethora quomodo procedendum.de conſt.ar. Iſa.42.E
in Plethora primo totũ euacuandũ, quã pars laxetur.de ſect. Iſa.18.D
in Plethora cucurbitularum vſus non conuenit.de cuc.ſca. 6ª.3.B
in Plethora sãguis mittiẽ ꝑ venã, & ꝑ ſcarificationẽ.13°.me.m.7ª.81.B
in Plethora vena ſecanda eſt.de remed.par.fac. 7ª.160.C
Plethora non exiſtente venam ſecat Hippocrates in coſtarum ictu.de artic.commentario 3°. 7ª.275.G
Plethora non exiſtente vena quandoq; ſecanda.de artic.cõ.3°.7ª.275.G
Plethora etiam abſq; ſanguinis miſſione ſanatur. de victus ratione in morbis acutis, com.4°. 7ª.136.H
Plethora vel cachochimia quando non adſunt ſtatim deueniendũ ad localia remedia.6°.de com.med.ſec.loc. 5ª.166.H
Plethoram, & cruditatem habentes non ſunt in balneo inungendi.2°.de ſimplicium medicamentorum facultatibus. 5ª.15.H
PLETHORICVM corpus quid ſit.7°.meth.med. 7ª.48.A
Plethoricum quod corpus breui fiet.de cauſ.morb. 3ª.7.F
Plethorici ignaui, & pigri ad motum ſunt. 2°.de ſan.tuen. 2ª.73.E
Plethorica diſpoſitio quando fiat.1°.de diff.feb. 3ª.31.F
Plethorici facile ex morſu phlegmonem recipiunt. 4°. de compoſitione medic.per genera. 5ª.236.F
Plethoricos morbos facit incidere vacuatio ſanguinis retenta.in 1^{m}.prorrhe.commentario 3°. 4ª.185.D
Plethoricus morbus vt ſit phlegmone quid exit.contra Iulia. Ex.69.D
Plethoricum corpus multi cibi calefaciunt.de victus ratione in morbis acutis, commentario 4°. 7ª.145.D
Plethoricis diſpoſitionibus ſomni caput implentes aggrauant cerebrum. commen.4°.apho.67°. Ex.34.F
Plethoricum.com.6°.apho.31°.com.4°.apho.73°.35.H| Ex.49.F
in Plethorico morbo non eſt facies ab Hippocrate in prognoſticis deſcripta.in prognoſt.commenta.1°. 4ª.191.F
Plethorici caſus ſunt tubercula, & dolores articulorum. commentario 4°.aphoriſmo 45°. Ex.32.G
Plethorico an vena ſecanda.de ſubfig.emp. Iſa.32.E
Plethoricũ, vel cacochimũ qñ fuerit corpus ſtatim vtimur venę ſectione, purgationibus, clyſteribus, ac inedia.6°.de com.me.ſe.lo. 5ª.166.H
Plethoricis morbis qui corripiuntur æſtate, illis vere vena ſecanda.de curandi rat.per ſang.miſſ. 6ª.17.E
ex Plethorica vocata ſyndrome ſanguinis mittendi quantitas ſumitur. de curan.rat.per ſan.miſſ. 6ª.18.D
abſq; Plethorica ſyndrome quando ſanguis detrahitur.de victus ratione in morbis acutis, com.4°. 7ª.136.H
Plethoricus febricitans qbus curãdus, & quibus nõ.13°.me.m. 7ª.82.A
Plethoricis non ſunt tuta medicamenta nihil repulſoriæ facultatis habẽtia.1°.de compoſitio.medicam.per genera. 5ª.215.H
ad Plethoricos.1°.de comp.me.per ge. 5ª.214.B
PLETHOS eſt cum inter ſe ſucci æqualiter ſunt adaucti.13°.methodi medendi. 7ª.81.H
PLETHRVM quid ſit.2°.de ſan.tuen. 2ª.74.F
Plethrum dicitur ſexta ſtadij pars.2°.de ſan.tuen. 2ª.73.F
PLEVRITICI, peripneumonici dicuntur qui laborant pleuritide, & peripneumonia, & licet habeant febrem, non dicuntur febrientes. com.4°.apho.73°. Ex.35.H
Pleuriticis quibuſdam cur dolet iugulum.2°.de loc.affect. 4ª.11.C
Pleuriticorum dolor cur quandoq; ad præcordia.2°.de loc.aff. 4ª.11.C
Pleuritica febris.in 6^{m}.de morb.vulgaribus, com.1°. 3ª.159.D
Pleuriticorum ſpiritus qualis.3°.de diff.reſp. 3ª.72.B
Pleuriticorum pulſus qualis.de pulſ.ad Tyr. 45. A|B|4°.de cauſ. pulſ. 4ª.100.F|de dyna.34.H|comp.pulſ. Sp.65.G
Pleuriticorum proprius eſt pulſus ſerrans.de pulſ.ad Tyro. 4ª.45.C
Pleuritici cur pulſum duriorem habeant peripneumonicis. 4°. de præſagitione

gitione ex pulſibus. 4ª.120.B
Pleuriticorũ vrina pinguis, et ruſa mortẽ futurã oñdit.de dyn. Sp.34.H
Pleuriticorũ vrina alba, & ſubliuida mortẽ demõſtrat.de dy. Sp.34.H
Pleuriticorum vrina tenuis habens veluti limum liuidum indigeſtionem aut mortem nunciat.de dynamidijs. Sp.34.H
Pleuriticorũ vrina tenuis, & ſanioſa ſi in initio ægritudinis venerit & per multos dies manſerit phrenitim futuram nunciat.de dy. Sp.34.H
in Pleuriticis vrina alba aut ſubliuida ſignificat mortẽ.de dy. Sp.35.D
Pleuriticorum ſputa qualia & quid ſignificent.2°.de criſibus. 4ª.137.F
Pleuriticis vna ſalus eſt virium robur.10°.me.meth. 7ª.63.H
Pleuriticum ſi quid fuerit quid fieri debeat.præſag.exper.confir. 78.E/ de catharticis. Sp.95.C
Pleuriticorũ tm̃ cibus eſt chõdrus.de vic.ra.in morb.acu.cõ.1°.7ª.115.D
Pleuriticorum tantum medicamentum eſt oxymeli. de victus ration.in morbis acutis, commentario 1°. 7ª.115.D
Pleuriticis damus cholagoga.de dynamidijs. Sp.20.G
Pleuritico medic^m purgans.de vict.rat.in morb.acu.com.4°. 7ª.144.C
Pleuriticæ facultates.5°.de ſimp.med.fac. 5ª.32.B
Πλευριτικὰ medicamenta quæ dicantur.introd. Iſa.55.G
Pleuritica cur dicta medicamenta.5°.de ſimp.med.fac. 5ª.38.E
Pleuritico puero & ſeni non eſt ſecanda vena.de ſubfig.emp. Iſa.32.E
Pleuritici ſenes valde non phlebotomandi.de ſect. Iſa.18.B
in Pleuriticis, & peripneumonicis affectibus expuitionibus ex pulmone confert butyrum.16°.de ſimp.med.fac. 5ª.74.D
Pleuriticis prodeſt diapenidion magnum.de dynamidijs. Sp.26.D
Pleuriticis datur Theriaca Euclidis Palatiani.2°.de antid. 5ª.116.B
ad Pleuriticos.7°.de com.med.ſec.lo.181. F/185.B/8°.195.E/9°.202. D/ 203.C/5°.de comp.med.per ge.249.B/7°. 5ª.265.G
Pleuritici natura ſicci & pleuritici natura humidi, caſus.de vict.rat. in morbis acutis, commen.1°. 7ª.115.A
de PLEVRITIDE potiſſimum agit Galenus. de vict.ratio.in morbis acutis, commen.3°. 7ª.133.C
Pleuritis vnde nomen ſortita.2°.me.meth. 7ª.9.D
Pleuritis à parte patiente nominatur.1°.de arte cur.ad Glauco.7ª.95.F
Pleuritis quid.fin.med.47.C/intro.Iſa.55.G/4°.de cau.pul. 4ª. 100.G/ 2°.de arte cur.ad Glau. 7ª.101.D
Pleuritis, & peripneumonia quo modo differant.de vict.ratione in morbis acutis, commentario 3°. 7ª.133.A
Pleuritidis, peripneumoniæ, & anginæ concurſus quomodo differant. 4°.de locis affectis. 4ª.24.D
Pleuritidi, & peripneumoniæ communia.de ſubfig.emp. Iſa.32.E
Pleuritis eſt morbus acutus.introd.Iſa.55.E/de vict. rat.in morb. acut. com.1°.7ª.108.G/com.1°.aph.12°. Ex.5.D
Pleuritis eſt inflãmatio.de ar.cur.ad Gl.7ª.100.C/c.1°.aph.12°.Ex.6.C
Pleuritidis cauſa.introd. Iſa.55.G
Pleuritis ex ſanguine.4°.de cauſ.pul.4ª.100.H/de ſperm. Sp.38.B
Pleuritim faciens humor vbi colligatur.de anat.par. Sp.43.A
Plẽuritis affectio quæ, & qualis caſus.2°.de loc.affect. 4ª.14.G
Pleuritides faciunt aquæ paludoſæ hyeme.de bon.aquæ. Sp.75.D
Pleuritis nõ addiſcitur in Dione pleuritico nec artes addiſcuntur in particulari.2°.de diff.pulſ. 4ª.57.B
Pleuritis quo modo fiat.de vict.rat.in mor.acu.com.1°. 7ª.113.H
Pleuritis habet notas perfectas.12°..me.met. 7ª.79.A
Pleuritidem quatuor perficiunt.2°.de diff.reſp. 3ª.66.E
Pleuritidis ſigna propria.2°.de def.reſp.3ª.66.C/1°.de criſ. 4ª.126.H
in Pleuritide ſymptomata neceſſaria.de conſt.ar. Iſa.40.E
Pleuritis exquiſita vbi fiat.5°.de loc.affe. 4ª.29.G
Pleuritis cur non facta in conſtitutione frigida, & humida.in 1^m. de morbis vulgaribus, commentario 2°. 3ª.108.H
in Pleuritide diuerſi decubitus.de conſt.ar. Iſa.40.E
in Pleuritide cur dolor.de conſt.ar. Iſa.40.D
Pleuritidẽ non ſtatim ſignificat dolor in coſtarũ notharum loco, & quando eſt iudicandus pleuriticus.2°.de loc.aff. 4ª.13.D
in Pleuritide q̃ pars patiatur, & qđ genus doloris.2°.de criſ. 4ª.137.E
in Pleuritide membrana cingens coſtas eroſa.5°.de loc.affect.4ª.29.H
à Pleuritide diuerſi ſunt dolores laterum.5°.de loc.aff. 4ª.31.D
quæ Pleuritis afficiat partes inferiores, & quæ ſuperiores.de vic.rat. in morb.acu.commentario.2°. 7ª.117.C
Pleuritis mittit dolorẽ ad iugulũ, vel præcordia.5°.de loc.eff. 4ª.31.D
Pleuritis quæ ad iugulum, & quæ ad præcordia.5°.de loc.aff. 4ª.29.G
in Pleuritide cur dolor quandoq; ad hypocondrium, quandoq; ad claviculam.de conſt.ar. Iſa.40.F
Pleuritis ad clauiculam.2°.de diff.pulſ. 4ª.57.B
Pleuritis ad præcordia.2°.de diffe.pulſ. 4ª.57.B
Pleuritidis dolores qñ deſinunt.de vic.ra.in mor.ac.commẽ.1°. 7ª.113.B
Pleuritis habet febrem acutam.de cauſ.pulſ. 4ª.100.G
in Pleuritide cur febris.de conſt.ar. Iſa.40.D
Pleuritides diuerſas hñt febres.de vic.rat.in morb.ac.com.2°.7ª.121.F
Pleuritis, & phrenitis vt plurimum habent tertianas febres. commentario 1°.aphoriſmo 12°. Ex.5.D
in Pleuritide quando febris vehemens, & cur.5°.de loc.aff. 4ª.29.G
in Pleuritide cur pulſus alteratur.de conſt.ar. Iſa.40.E
Pleuritidis pulſus qualis, & quid ſignificet.2°.de criſi. 4ª.137.G
in Pleuritide ſemper caput læditur.4°.de cauſ.pulſ. 4ª.100.H
ex Pleuritide fiunt deliria.5°.de loc.affec. 4ª.31.F
in Pleuritide cur fiant deliria.2°.de diff.reſp. 3ª.66.G
in Pleuritide cur ſpiratio ægra.de conſt.ar. Iſa.40.D
in Pleuritide ſpiritus paruus ac creber.de conſt.ars. Iſa.40.E
in Pleuritide, & peripneumonijs denſus, & magnus fit ſpiritus. 3°. de difficultate reſpirationis. 3ª.71.C
Pleuritis pernitioſa qualem habet reſpirationẽ.1°.de diff.reſp. 3ª.60.H
Pleuritis quando præceſſit humores in pulmone.4°.de loc.aff. 4ª.27.F
Pleuritis quando dicitur incipere.1°.de criſi. 4ª.127.F
in Pleuritide ſecũda acceſſio vt plurimũ fit tertia die.1°.de cri.4ª.127.G
in Pleuritide principium quantum duret.1°.de criſibus. 4ª.132.D
in Pluritide, & Peripneumonia ſputum tenue ſignificat principium.de tot.morb.temp. 3ª.88.G
in Pleuritide augumentum quando.1°.de criſibus. 4ª.132.D
in Pleuritide ſtatus quando.1°.de criſi. 4ª.132.E
in Pleuritide inclinatio quando.1°.de criſi. 4ª.132.E
Pleuritis magna quæ, & quæ parua.1°.de criſibus. 4ª.126.A
Pleuritidis magnæ omnia ſymptomata habet ſeptum tranſuerſum affectum.4° de præſag.expulſ. 4ª.120.C
in Pleuritide quando dolet ſeptum tranſuerſum.2°.de loc.affe. 4ª.11.C
in Pleuritide q̃uo dolor augetur.de vic.ra.in mor.acut.cõ.2°.7ª.116.C
in Pleuritide grauitas q̃uo fiat.de vic.rat.in mor.acut.cõ.2°. 7ª.117.C
Pleuritis quot diebus habeat iudicationem.com.1°.aph.12°. Ex.6.B
Pleuritis magna, & breuis quo modo iudicetur.2°.de criſi. 4ª.137.G
in Pleuritide quando citius, & quando tardius fiat iudicatio. de victus rat.in morb.acut.com.1°. 7ª.112.G
in Pleuritide qui obeũt ſeptimo die.de vic.ra.in mor.a.cõ.1°.7ª.114.A
Pleuritis quæ ſigna habeat concoctionis.com.1°.aph.12°. Ex.6.B
Pleuritis quo modo finiat.3°.de cri. 4ª.139.E
Pleuritis facit tuſſim.2°.de ſymp.cauſ. 3ª.21.G
in Pleuritide cur ſtatim tuſſis adeſt nõ tñ ſtatĩ ſputa.2°.de cri.4ª.137.F
in Pleuritide cur multũ aliqui expuunt, alij parũ.de conſt.ar.Iſa.40.G
in Pleuritide primo ſputa, deinde vrinæ conſiderandæ, quia pleuritis eſt cum febre.1°.de criſi. 4ª.128.D
in Pleuritide, & pulmonis paſſionibus ſputa comparantur vrinæ ſubſidentijs.1°.de criſi. 4ª.132.D
in Pleuritide cur ſputũ ſanguinolẽtũ, & billioſum.de cõſt.art.Iſa.40.G
in Pleuritide cur ſputum cruentum.de conſt.ar. Iſa.40.G
in Pleuritide humor ſanguineus cur æquiſſimus.de conſt.ar. Iſa.40.H
in Pleuritide cur ſputum flauum.de conſt.ar. Iſa.40.G
in Pleuritide ſputum magis bilioſum.2°.de loc.aff. 4ª.13.B
in Pleuritide cur humor bilioſus, & pituitoſus medij ſint inter bonos, & prauos.de conſt.ar. Iſa.40.H
in Pleuritide cur ſputum ſpumoſum.de conſt.ar. Iſa.40.G
in Pleuritide cur ſputum nigrum.de conſt.ar. Iſa.40.G
ĩ Pleuritide cur ꝑnitioſiſſimus humor melãcholicus.de cõſt.ar.Iſa.40.H
in Pleuritide cur ſputa varia.2°.de diff.feb. 3ª.40.B
in Pleuritide ſputa varia quid ſignificent.2°.de diff.feb. 3ª.40.C
Pleuritidis moroſæ ſignum eſt ſputum glutinoſum. de vict.rat. in morb. acutis, commentario 1°. 7ª.113.H
in Pleuritide ſputa lætalia quæ.de tot.morb.temp. 3ª.89.G
in Pleuritide ſputa mitiora, & exitialia.2°.de criſi. 4ª.137.G
Pleuritidis exitialis ſignum.4°.de præſag.expulſ. 4ª.120.C
in Pleuritide nihil expuere exitiale eſt.de conſt.ar. Iſa.40.H
in Pleuritide facile expuere, & ſine dolore optimum, & potiſſimum ſi coctum ſit ſputum.de conſt.ar. Iſa.40.H
Pleuritis ſicca q̃.2°.de cri.4ª.137.F/de vic.rat.in mor.ac.c.1°. 7ª.112.F
Pleuritis ſine ſputo quæ.5°.de loc.affect. 4ª.31.D
Pleuritides, et peripneumoniæ grauiſſimæ ſunt in quibus nihil expuitur. in 3^m.de morb.vul.commen.1°. 3ª.128.A

in Pleuritide

in Pleuritide cruditas extrema eſt nihil expuere, & eſt vt in vrinis aquoſum.1°.de criſibus. 4ª.132.D
Pleuritides incertæ quæ.5°.de locis affectis. 4ª.31.D
Pleuritis quo modo finiat quandoq;.1°.de criſibus. 4ª.139.E
ex Pleuritide iuuenes raro moriũt.ſenes aũt raro euadũt.de dy.Sp.35.e
in Pleuritide quid agendũ.de vict.rat.in morb.acu.com.4°.7ª.137.A
Pleuritidis curatio.introductio. Iſa.55.G
in Pleuritide q̃ conſiderãda.de vict.rat.in mor.acu.com.4°. 7ª.143.F
in Pleuritide curanda Medicorum diuerſitas.9°.de decre. 1ª.282.F
in Pleuritide antiquorum differentia in victu inſtituendo.9°. de decretis Hippocratis. 1ª.283.A
in Pleuritide quidam cibum non mutant.9°.de decre.Hippo. 1ª.282.F
in Pleuritide cibandi ordo.de vict.rat.in morb.acu.com.1°. 7ª.115.H
in Pleuritide quo modo cibandum poſt ſeptimam.de victus ra. in mor. acutis,commen.4°. 7ª.143.H
in Pleuritide oxymeli valet.de vict.ra.in mor.acu.com.3°. 7ª.129.D
in Pleuritide dat oxymeli in potu.de vict.rat.in mor.ac.c.4°.7ª.138.D
in Pleuritide ſi vires conſtent vſque ad vigorem oxymeli & aqua mulſa danda.de victus rat.in mor.acut.com.1°. 7ª.115.D
in Pleuritide dat piſces coctos.de vict.ra.in mor.acu.com.4°.7ª.138.D
in Pleuritide vinum aliquibus dandum, aliquibus non. 9°. de decretis Hippocratis. 1ª.282.G
in Pleuritide quando dandum vinum dulce. de victus ratione in morb. acutis,commenta.3°. 7ª.126.B
in Pleuritide dat vinum.de victus rat.in mor.acu.com.4°. 7ª.138.D
in Pleuritide quando obſunt vinum, mulſa, & oxymeli accepta ante euacuationem.de vict.rat.in morb.acut.com.1°. 7ª.114.B
in Pleuritide quando abſtinendum à ſorbitione.de victus rat.in morbis acutis,commentario 1°. 7ª.114.E
Pleuritis,& ſputum ſanguinis quo modo curentur, cum ſint morbi contrarij.commen.1°.aph.16°. Ex.9.A
in Pleuritidis principio fomentis calidis experiũdũ.9°.de dec.1ª.282. G
in Pleuritide tentandum eſt reſoluere in principio fomentis. de vict.ra. in morbis acutis,commentario 2°. 7ª.116.B
in Pleuritide hyſſopus ex aqua mulſa datur.5°.de loc.aff. 4ª.34.H
in Pleuritide quandoq; balnea.9°.de decr.Hippo. 1ª.282.G
in Pleuritide ſedatio doloris per ſanguinis miſſionem, vel per medicamentum non eſt curatio ſymptomatis.12°.meth.me. 7ª.74.G
in Pleuritidibus ſanguinẽ mittẽdũ pſuaſit Gal.de cu.ra.p ſan. 6ª.18.E
in Pleuritide quando vena ſecanda.de victus rat.in morbis acutis,commentario 2°.117.C/de med.fac.par. 7ª.165.H
in Pleuritide vena ſecanda viribus,anni tempore, & ætate non prohibentibus.in 6m.de morb.vulg.com.3°. 3ª.179.B
in Pleuritide quando vena brachij interna ſecanda.de victus ratione in morbis acutis,commen.4°. 7ª.143.G
in Pleuritide ſanguis ab eodem latere mittendus.de curan.rat.per ſan. miſſ.6ª.20.A/de vict.rat.in mor.acu.com.4°.7ª.143.G/ Sp.78.B
in Pleuritide ſanguinis mittendi quantitas. de vict. ra. in mor.acutis, commen.2°.117.C/com.4°. 7ª.143.G
in Pleuritide Hippocrates ſecuit octaua die venam in cubito.commentario 1°.aphoriſmo 12°. Ex.6.A
in Pleuritidem qui prompte incidunt illis vere vena ſecanda.de curan. rat.per ſang.miſſ. 6ª.17.E
in Pleuritide an medicamentum dandum ſit in principio.de vict.ratione in morbis acutis,commenta.4°. 7ª.144.A
Pleuritici q̃n ſint purgandi.de vict.ra.in mor.acu.commẽ.4°.7ª.143.H
in Pleuritide quando dandũ medicamentum.de med.fac.par.7ª.165.H
in Pleuritide quomodo ſubducendus venter.de victus.rat.in mor.acutis,commentario 2°. 7ª.117.H
in Pleuritide hiera ex collocynthide quæ habet elleborum, & non ſcamonium.de vict.rat.in morb.acu.com.2°. 7ª.118.C
in Pleuritide dat Hippocrates veratrum nigrum,& peplium. de vict. rat.in morbis acutis,commentario 2°. 7ª.117.H
de Pleuritidis medicamento Hippocratem reprehendit Galenus.de vi. rat.in morb.acu.commentario 2°. 7ª.118.B
ad Pleuritidem valet Theriaca.de ther.ad Piſo. 5ª.91.G
cõtra Pleuritim lenticula ex aceto.de vic.rat.in mor.ac.cõ.1°.7ª.113.C
pro Pleuritide tenericula.de dynamidijs. Sp.35.F
in Pleuritide vtitur ceromate.de vict.rat.in mor.ac.cõ.4°. 7ª.144.B
in Pleuritide electarium.de med.fac.par. 7ª.166.A
in Pleuritide vnguentum bonum.de med.fac.par. 7ª.166.A
in Pleuritide vnctiones.de victus rat.in morb.acu.com.4°. 7ª.144.B
ad Pleuritidas.7°.de comp.med.ſe.lo.184.H/9°.5ª.201.A/de me.fac. par.7ª.165.G/de dynam. Sp.33.E
Pleuritis vide lateralis morbus.
PLICATVRAE fœtus naturales.de anatom.viuo. Sp.52.D
πλιχάδα quid appellet Hippocrates. de fract. com.2°. 241.B/com.3°. 247.D/de artic.commen.4°. 7ª.289.E
πλίνθα quid ſignificet.de fract.com.3°. 7ª.247.D
πλήμνην quid appellent Iones.de frac.com.2°. 7ª.237.A
πλημμυρίς ſignificat humidi cuiuſpiam copiam. de victus ratione in morbis acutis,commentario 3°. 7ª.131.D
PLINTHII laquei ratio qui dicitur etiam quadruplex circulus.de laqueis. 7ª.308.C
Plinthium Nilei ad quid factum,& q̃uo factum.de machin. 7ª.311.A
PLISTONICVS medicus grauiſſimus.8°.de decretis. 1ª.276.B
Pliſtonicus de medicamentis ſcripſit.6°.de ſimp.med.fa. 5ª.39.H
πλῆθος quid ſignificet.4°.de dign.pulſ. 4ª.86.B
PLORANTES pueri inſpirant inſpiratione interrupta, & quare. commen.6°.aphoriſmo 54°. Ex.53.C
PLORATVS quomodo ſedatur.4°.de decre.Hipp. 1ª.253.D
non PLORANT philoſophi.13°.meth.med. 7ª.84.B
PLVMA vtitur ad illinendum.de remed.par.fac. 7ª.158.B
PLVMBAGO per cocturã fit melior.6°.de comp.med.ſec.loc.5ª.168.E
Plumbago lithargyri vires habet.9°.de ſimp.me.fa. 5ª.70.D
per PLVMBEVM canalem deriuata aqua fit dyſenteria.7°. de compoſit.medica.ſec.loc. 5ª.180.H
per Plumbeum canalem deriuata aqua fugienda [& ideo aquę à lambico fugiendæ].7°.de comp. med.ſec.loc. 5ª.180.H
Plumbea galea p remedio in melancholicis.de mel.ex Gal.R. Sp.109.C
Plumbeum mortarium cum piſtillo plumbeo reddit res frigidiores. 9°. de ſimp.med.fac. 5ª.70.E
Plumbeo mortario & piſtillo vtitur.1°.de comp.med.ſec.loc. 5ª.130.C
Plumbeo mortarto vtitur.1°.de com.me.ſe.lo.125.B/127.H/9°.5ª.205.E
Plumbea pixis cuius vſus.1°.de comp.med.ſec.loc.126.E/3°.148. C/2°. de com.me.per ge. 5ª.224.F
Plumbeum vas quod non reſpiret.7°.de comp.me.per ge. 5ª.271.C
Plumbeum vas.3°.de comp.med.ſec.lo. 5ª.148.C
Plumbea ſtatuarum vincula creſcunt.9°.de ſimp.me.fac. 5ª.70.E
PLVMBVM eſt ſubſtantia aereæ.9°.de ſimp.me.fac. 5ª.70.E
Plumbum quale.9°.de ſimp.me.fac.5ª.70.E/de ocul. 7ª.188.H
Plumbum frigidum eſt,& humidum.9°.de ſimp.med.facul. 5ª.70.E
Plumbi colorem aliqui habent.4°.de ſan.tuen 2ª.84.B
Plumbum cur celeriter fundatur.9°.de ſim.med.fac. 5ª.70.E
Plumbum quo modo coaleſcit cum alio.3°.de ſymp.cauſ. 3ª.29.A
Plumbo adulteratur ſtamnum.1°.de antid. 5ª.104.D
Plumbum rumpit adamantem.de incant.adiur.& ſuſp. 7ª.182.D
Plumbum oculis conuenit.de ocul. 7ª.188.G
Plumbi bractea ganglio illigata ipſum diſſipat.9°.de ſim.me.fa.5ª.70.F
Plumbi lamina ſupra lumbos refrigerat.9°.de ſimp.med.fac. 5ª.70.F
Plumbi lamina ſuper renes nocturnas imagines inhibet, & quibus.6°. de ſan.tuen.2ª.100.G/9°.de ſimp.med.fac. 5ª.70.F
Plumbum vſtum,& cera tyrrhenica ex eadem materia ſunt.4°.de cõp. med.per gen. 5ª.240.E
Plumbum vſtum quale ſit poſt vſtionem,& lotionem.4°.de compoſitione medicamentorum ſec.loc. 5ª.150.A
Plumbum vſtum bonum eſt ad vlcera rebellia.9°.de ſimp. me.fac. 70. G/4°.de comp.med.per ge. 5ª.236.F
Plumbum vſtum lotum.3°.de compoſi.med.ſec.loc.148. C/D/ 4°.152.F/ 154.E/9°. 5ª.204.H
Plumbum incenſum.de ocul. 7ª.191.D
Plumbum lotum optimum eſt medicamen ad vlcerum impletionem, & ad eadem cicatrice obducenda.chironiis vlceribus, cancroſis omnibus,& putredinoſis conuenit.9°.de ſimp.med.fac. 5ª.70.G
in Plumbo pinſum oleum fit nigrum.1°.de comp.med.ſec.loc. 5ª.130.C
Plumbi ſuccus ad phlegmonas in ſede cũ vlcere,aut rugis,& ad eas, q̃ in pudendis,teſtibusq; & vberibus conſiſtunt, ſimiliter aduerſus omnes fluxiones incipientes, quæ in inguina,aut pedes decumbunt,& vlceribus rebellibus vtilis eſt.9°.de ſimplicium med.fac. 5ª.70.F
Plumbum liquefactum q̃uo adhibeatur.5°.de comp.me.ſec.loc.5ª.160.B
Plumbi recrementũ q̃uo fiat leuiſſimũ.3°.de comp.med.ſec.loc.5ª.148.C
Plumbi recrementũ ad vlcera maligna.4°.de comp.me.per ge.5ª.236.F
Plumbum contundendo alterat̃,at eius ſpecies non mutatur, vt mutantur in ventre cibi alterantes.3°.de ſim.med.fac. 5ª.17.D

Plumbo non ſunt imponenda antidota.1°.de antid. 5ª.104.D
PLVRIMA *ſigna non ſunt ſemper paucioribus potentiora.1°.de criſibus.* 4ª.130.G
PLVS *ad aliquid.com.2°.apho.17°.* Ex.13.A
Plus,& minus quo modo vſurpẽtur,& recte.com.1°.apho.14°. Ex.7.C
PLVVIA *quid.de hiſt.philoſ.* Sp.7.H
Pluuia congelata fit grando.de vtil.reſp. Sp.62.E
Pluuia quando ex luna cognoſcatur.de dieb.decre. 4ª.157.F
Pluuiæ fiunt oriente arcturo.in 1^{m}.de morb.vulg.com.1°. 3ª.103.B
Pluuiæ Auſtro flante fiunt,& quales.in 1^{m}.de morb.vul.c.1°. 3ª.101.H
cum Pluuijs magnis aquilo.in 1^{m}. de morb. vulg.com.2°. 3ª.113.E
Pluuia ſub caniculæ ortu nõ ita ſperatur,vt hyemali ſolſtitio.6°.de compoſi.me.per gene. 5ª.257.B
Pluuiæ quo modo dicantur multæ.in 1^{m}.de mor.vul.com.2°. 3ª.107.H
Pluuiæ multæ tribus modis fiunt.in 1^{m}.de mor.vulg.com.1°. 3ª.103.G
Pluuiæ multæ vbi.de aer.aqu.& loc. 2ª.6.B
Pluuiæ multæ,continentes,lenes.in 1^{m}.de morb.vulg.com.1°. 3ª.101.H
Pluuię largæ quæ.in 1^{m}.de morb.vul.com.2°. 3ª.107.H
Pluuiæ mutatiões ſentiũtur in ſẽie & in gñatione.de ae.aq.& lo. 2ª.6.B
in Pluuijs aquæ quales.de bon.aquæ. Sp.75.G
Pluuia infrigiditati caſus.4°.de loc.affe. 4ª.25.D
Pluuiæ.lege Imbres.
PLVVIALIVM *aquarum melior eſt tonitrualis quam procellaris.de bonit.aquæ.* Sp.75.G
Pluuialis aqua non probatur à Galeno.4°.de ſan.tuen. 2ª.85.G
Pluuiales aquas cur ſumme laudat.de bon.aquę. Sp.75.F
Pluuialis aquæ incommoda quæ.de bonit.aquæ. Sp.75.F
Pluuialis aqua cur putreſcat citiſſime omnium.de bon.aquæ. Sp.75.F
Pluuialis aqua quæ bona,& quæ nõ.in 6^{m}.de mor.vul.cõ.4°. 3ª.184.E
Pluuialis aqua medicamentis oculorum adhibetur.in 6^{m}.de morbis vulgaribus,commentario 4°. 3ª.184.F
ex Pluuiali aqua fit medicamentum aqueum.in 6^{m}.de morbis vulgaribus,commentario 4°. 3ª.184.F
Pluuialis aqua aliquo modo adſtringit.7°.de comp.me.ſec.loc. 5ª.178.D
Pluuiali aqua cur vtatur auctor.7°.de compoſit. medi.ſec.loc. 5ª.178.D
Pluuiali aqua vtitur.de med.fac.par. 7ª.170.E
PLVVIVS *annus auſtrinus ſine ventis. in 3^{m}. de morbis vulgaribus commentario 3°.* 3ª.140.F
Pluuioſum id eſt auſtrinum.com.3°.aph.11°. Ex.21.A
Pluuioſa tempora ſunt inſalubriora ſiccis.com.3°.aph.11°. Ex.21.A
in Pluuioſis temporibus fiunt plures morbi, & magis mortiferi quàm in ſiccis.commen.3°.aph.7°. Ex.20.F
Pluuioſa tempora faciunt morbos longos.com.3°.aph.7°. Ex.20.F
Pluuioſis temporibus fiunt humores pituitoſi,& longi morbi. commentario 3°.aphoriſmo 16°. Ex.22.H
in Pluuioſis temporibus fiunt longæ febres,& alui fluxus, & putredines.com.3°.aph.11°. Ex.21.A
Pluuioſa tempora.lege tempora pluuioſa,& humida tempora.

MNEVMATICA *id eſt ſpirabilia de cuiuſque animi peccat. not.atq; med.* 2ª.57.B
Pneumaticus canalis qui.de nat.& ord.cuiusl.corp. Sp.41.H
Pneumaticus canalis colli quem ſpiritualem latini vocant.de compagine memb.ſiue de nat.hum. Sp.58.F
PNEVMATICA *ſecta.3°.de diff.pulſ.* 4ª.60.A
de Pneumatica ſecta qui erit cenſendus.3°.de diff.pulſ. 4ª.63.C
Pneumatici qui.introd.Iſa.52.G/3°.de diff.pulſ. 4ª.62.D
Pneumatici qui fuerint.4°.de diff.pulſ. 4ª.68.E
Pneumaticæ ſectæ Athenæus.2°.de ſympto.cauſ. 3ª.21.H
Pneumatici quid ſentiant de pulſu.4°.de diff.pul. 4ª.65.E
Pneumaticorum deſcriptiones complectitur Architectonica.de cuiuſq; animi pec.not.atq; med. 2ª.57.B
PNEVMATODES *qui.3°.de diff.reſp.3ª.75.A/de vict.ratione in morbis acutis commen.4°.* 7ª.151.A
PNEVMATOMPHILI *qui dicantur.introd.* Iſa.60.A
Πνευματωθέντες *qui.de vict.ra.in morbis acutis,com.4°.* 7ª.142.C
Πνευματουμένους *quos vocet.in 1^{m}.prorrh.com.3°.* 4ª.188.D
PNEVMOMPHALON *eſt dilatatio vmbilici.fin.med.* Iſa.49.B

POCVLVM *ex thamariſco pro ſpleneticis. de dynamidijs.* Sp.26.G
Pocula aquoſiora qualia.de victus rat.in morb.acu.com.4°. 7ª.145.B
Pocula meraciora quid faciant.de vict.rat.in mor.ac.com.4°. 7ª.145.B
Pocula multa neruis,& cerebro obſunt.in 3^{m}.de mor.vul.c.3° 3ª.151.G
Poculum balneum,quomodo necant.4°.de ſimp.med.fac. 5ª.24.E
PODAGRA *vnde nomen habuit.2°.meth.med.* 7ª.9.D
Podagra quid.fin.med.47.H/introd. Iſa.57.F
Podagra affectus ſummæ partis pedis.introd. Iſa.59.D
Podagra ex genere arthritidis.10°.de comp.med.ſe.lo. 5ª.206.G
Podagra quomodo differat ab articulorum doloribus quomodo cum his conueniat.introd. Iſa.57.F
Podagra quo modo differat à coxarum doloribus, & quo modo cum his conueniat.introductio. Iſa.57.F
Podagra morbus longus intrinſecus.introd. Iſa.56.B
Podagra morbus hæreditarius cur.com.6°.apho.28°. Ex.49.B
Podagræ morbus ſenum.5°.de ſan.tuen. 2ª.92.B
Podagra ſenes ad mortem comitatur.com.2°.aph.40°. Ex.18.A
Podagra per totam vitam durat.6°.de ſan.tuen. 2ª.98.A
Podagras non vidit in pueris Galenus ſed plenitudinis morbos. commentario 6°.aphoriſmo 30°. Ex.49.C
Podagra nõ laborabant eunuchi tempore Hippocratis. commẽtario 6°. aphoriſmo 28°. Ex.48.H
Podagra laborabãt mulieres añ mẽſtrua qñq;.c.6°.apho.29°. Ex.49.B
Podagram qui debent pati,hi pedibus debent eſſe natura imbecilliores. comment.6°.aphoriſ.28°. Ex.49.A
ad Podagras non ſufficit debilitas pedum,ſed requiruntur humores defluentes.comment.6°.aph.28°. Ex.49.A
Podagra turpe eſt virum robuſtum ægrotare.5°.de ſan.tuen. 2ª.88.H
Podagræ cauſa.introd. Iſa.57.F
Podagra vnde fit,à quo modo,in qua parte,& ex quo humore.commentario 6°.aphoriſmo 49°. Ex.52.D
ad Podagram diſpoſitis quæ noceant,& quæ podagram facere poſſint, & quod vna cauſa intenſa ſit ſatis.com.6°.aph.28°. Ex.49.A
Podagræ vnde proueniant.de bon.& vitio ſucc. 2ª.39.D
Podagra quibus fiat humoribus.10°.de comp.me.ſe.lo. 5ª.206.H
Podagra propter otium immodicum propter victum intemperatum.cõmenta.6°.aphoriſmo 28°. Ex.48.H
Podagræ erãt ꝑpe modũ infinitæ tꝑe Galeni.cõ.6°.aph.28°. Ex.49.A
Podagra p̃cedit vt plurimũ morbũ articularẽ.cõ.6°.aph.28°. Ex.49.B
in Podagris quo modo cognoſcantur humores peccantes.10°. de compoſitio. medica.ſecundum locos. 5ª.206.H
Podagra quandoque incipit ab vno articulo,& tendit in omnes. 10°. de comp.med.ſec.loc. 5ª.206.G
in Podagra quando humores tranſmittuntur ad membrum nobile ſequitur mors.de natu.hum.com.2°. 7ª.183.B
in Podagra quando humores tranſmittuntur ad membrum nobile ſpes ſalutis eſt reuocare humores ad pedes.de nat.hum.com.2°. 7ª.183.B
PODAGRAE *curatio.introductio.* Iſa.57.F
Podagræ calidæ quibus curẽtur.in 6^{m}.de morb.vul.com.6°. 3ª.196.B
Podagræ ſuſpitio qbus ineſt quę vina bibere debẽt.5°.de ſan.tu. 2ª.91.C
Podagram quo modo quis vitare poterit.com.6°.apho.28°. Ex.49.A
Podagræ quibus ſanentur,& fiant.10°.de com.me.ſec.lo. 5ª.208.H
in Podagra principiũ curationis ab eũone.10°.de cõp.me.ſ.l. 5ª.207.A
in Podagra quando bilis,quando pituita euacuanda. quos purg. oport. quibus med.& quo temp. 5ª.88.C
à Podagra multos ſanauit Galenus eos ineunte vere euacuãs.quos pur. opor.quibus med. 5ª.88.B
Podagram incipientem per multos annos qũo prohibuit Galenus.cõmentario 6°.aphoriſ.47°. Ex.52.B
in Podagræ dolore multũ prodeſt ſectio iſchiadicæ.de ana.vi. Sp 55.H
Podagras tollunt varices.in 6^{m}.de morb.vulg.com.6°. 3ª.197.F
Podagra à coitu leditur.in 6^{m}.de mor.vul.com.5°. 3ª.193.B
Podagræ generationem prohibet quis ſi venere non vtatur. commentario 6°.aphoriſmo 30°. Ex.49.C
Podagra ſi quis laboret catharticis vtimur.de dynamidijs. Sp.20.E
Podagris facit cucumer erraticus.de ſimp.med. Sp.83.A
à Podagra penitus liberauit theriaca.de theria.ad Piſo. 5ª.96.C
Podagræ,& arthritidi cur ꝑfricãt oleũ cũ ſale.2°.de ſim.me.fa. 5ª.13.H
ad Podagræ exacerbationem.de reme.par.fac. 7ª.160.E
pro Podagræ dolore remedium.de dynamidijs. Sp.30.B
ad Podagram calidam remedium.de dynamidijs. Sp.30.B
Podagram frigidæ cauſæ quid diſſoluat.ſecretorum. Sp.101.F
ad Podagra toto corpore diſtortos.7°.de comp.medic.per ge. 5ª.271.D
ad Podagram malagma Nicoſtrati.7°.de comp.me.per ge. 5ª.267.A
Podagræ præſidium ſuſpenſum.de incant.adiur.ſuſp. 7ª.182.C

ad Podagras.1°. de cōp.med.per ge. 211.C/2°.226.C/227.G/6°.5ª.261. B/G/de medic.fac.par. 7ª.178.B/D/ſecretorum.102. H/ de medicinis expertis.107.G/ Sp.108.E
PODAGRICORVM morborum eſt quaſi genus morbus articularis. commentario 6°.apho.55°. Ex.53.D
Podagrici dolores vere, & autumno magna ex parte mouentur.commē tario 6°.aphoriſ.55° Ex.53.D
Podagrici habent pedes imbecilliſſimos.de nat.hum.com.2°. 7ª.182.G
Podagricæ non ſunt mulieres ratione menſtruorum euacuationis. commentario 6°.aphoriſ.29°. Ex.49.B
Podagrici patres filios gñant podagricos.com.6°.apho.28°. Ex.49.B
Podagricum pati conuulſionē nunq̄ viſum eſt.com.6°.ap.49°. Ex.52.E
Podagricorum dolor vnde ſit.10°.de com.med.ſec.lo. 5ª.206.G
Podagrici quibus neglectis fiant.de dynamidijs. Sp.19.H
Podagrici morbi ſedata inflammatione in quadraginta diebus finiuntur. commentario 6°.apho.49°. Ex.52.D
Podagrici purgari debent in principio veris.quos pur.op.quib.5ª.88.D
Podagrici in principio veris euacuandi vel ſectione venæ, vel medicamē to.de curan.rat.per ſang.miſſ. 6ª.17.F
Podagricis vnde ſecanda vena.de curan.rat.per ſang.miſſ. 6ª.20.H
Podagricis ſanguinē mittendū perſuaſit Galenus.de cur.ra.per.6ª.18.E
PODAGRICAE facultates.5°.de ſimp.med.fac. 5ª.32.B
Podagrica antidota à Nephreticis differūt, et q̄uo.6°.de ſa.tu.2ª.99.H
Podagricos iuuat Antidotus Mithridatis Eupatoris Diaſcinci nominata.2°.de antidotis. 5ª.115.C
Podagricos iuuans Antidotus.2°.de antidotis. 5ª.116.D
Podagricis idonea eſt Ariſtolochia rotunda, ſi cum aqua bibatur. 6°. de ſimp.med.facul. 5ª.43.E
Podagricis ſunt commoda Balnea propter febrē.11°.meth.me.7ª.74.A
Podagrico dolore non moleſtabitur qui vtetur puluere Cirico. de dynamidijs. Sp.30.B
Podagrico conferens Collinitio.7°.de comp.med.per ge. 5ª.270.G
ad Podagricos Epithema.10°.de com.me.ſe.lo. 5ª.208.H
Podagricis remedium ex Faba.7°.de ſim.me.fac. 5ª.53.D
Podagricos in acceſſionibus mitigat fimus omnis.de ſimp.med. Sp.84.E
ad Podagricas arthritides fimus colūbinus.10°.de ſim.me.fa.5ª.76.H
Podagricis lenticula prodeſt cum polline miſta.de ſimp.med. Sp.86.B
ad Podagricos Malagma.10°.de comp.med.ſec.loc. 5ª.209.C/D
Podagricis quolibet tempore conferens Medicamentum. 1°. de compoſi. medicam.per genera. 5ª.211.D
Podagricorum medicamenta, quæ prohibent humores ferri ad pedes, ipſos faciunt ire ad pulmonem, & ſuffocant.de ther.ad Piſo. 5ª.96.C
Podagrici medicamenti laudator.1°.de ſimp.med.fac. 5ª.7.B
ad Podagricorum medicamentū vinū vtilius.4°.de ſan.tuen. 2ª.87.A
Podagricis medicamentis ebibitis carnoſi, craſſi, & pingues nullum ſentiunt incommodum.6°.de ſan.tuen. 2ª.99.G
Podagricis auxiliatur Milui caput.de theria.ad Piſo. 5ª.93.E
Podagricos mitigans Helleſpantia Heræ.6°.de com.me.per ge.5ª.259.F
contra Podagricos cinis Muſtelæ.11°.de ſimpl.medicamen.fac.5ª.82.D
ad Podagricos Paſtillus.10°.de comp.me.ſe.lo. 5ª.209.B
Podagricos Pſyllium remediat.de ſimp.med. Sp.89.A
Podagricis optimum fomentum eſt Rapa.de ſimp.me. Sp.89.F
Podagricos adiuuat Theriaca.de theria.ad Piſo. 5ª.96.C
Podagricis cur alia medicamenta obſint præter Theriacam.de theriaca ad Piſonem. 5ª.96.C
ad Podagricas fluxiones valet Terra ſamia.9°.de ſim.me.fa. 5ª.65.H
ad Podagricos.8°.de compoſi.me.ſec.loc.191.F/2°. de compo. medica. per gene.225.H/5°.248.E/6°.255.A/256.A/262. B/7°.268.D/269. H/270.H/271.D/5ª.273.G/de cura lap. Sp.112.G
Podagrici caſus.1°.de ſimp.med.fac. 5ª.7.B
Podagrici Hiſtoria.1°.de ſimp.med.fac. 5ª.7.B
PODANITAE ad Diſpnœam.7°.de comp.med.ſec.loc. 5ª.187.A
PODARCE. 7°.de comp.med.per gen. 5ª.270.H
ad PODICIS inflammationes.8°.de comp.med.ſec.loc. 5ª.188.G
ad Podicis vlcera.1°.de comp.med.per gen. 5ª.211.E
ad Podicem prolabentem.9°.de comp.medica.ſec.loc. 5ª.205.A/C
POETA per excellentiam Homerus intelligitur.quòd animi mores. 1ª.317.E/1°.de dieb.decret. 4ª.149.B
Poetæ volunt reddere auditores attonitos mira narrantes.3°.de vſu partium. 1ª.127.G
Poetæ volunt delectare, non docere.3°.de vſu partium. 1ª.127.G
Poetis quæ metaphoræ non conueniant.3°.de diff.pulſ. 4ª.63.A
Poetæ cognoſcnnt venam maximam.de nat.hum.com.2°. 7ª.183.G
ex Poetis Chryſippus probabat argumenta.2°.de decr. 1ª.234.E
Poetę non poſſunt probare.2°.de decre.Hippoc. 1ª.234.E
Poetæ quid parum probant.2°.de decret.Hipp. 1ª.234.E
Poetæ non aduertendi.3°.de decre.Hippoc. 1ª.247.G
Poetæ non ſunt adducendi in teſtimonium.6°.de decr.Hipp. 1ª.267.C/in 6^{m}.de morb.vul.com.2°. 3ª.166.D
à Poetis argumenta ſunt propinqua captioſis.2°.de decr. 1ª.235.H
POETICA muſa miraculo indiget vt mirum quid ac inauditum canens delectet.3°.de vſu partium. 1ª.127.G
POETRIA per excellentiam Sappho intelligitur.φ ani.mo. 1ª.317.E
POLEMONIVM deſiccans tenuium partium. 8°. de ſimplicium medicamen.facul. 5ª.59.A
Polemonij radix ad Iſchiadicos, dyſenteriam lienemq́ induratum exhibetur.8°.de ſimplic.medic.fac. 5ª.59.A
POLENTA quomodo fiat.de dynamidijs. Sp.23.A
Polentæ magnitudo qualis ſit.4°.de comp.me.ſec.lo. 5ª.152.D
Polenta ex hordeo.de vict.rat.in morb.acut.commen.4°. 7ª.149.D
Polenta ex hordeo frixo.de atten.vic. 2ª.44.H
Polenta ex hordeo frixo exiccat.1°.de alim.fac. 2ª.11.D
Polenta ex hordeo optimo, ac recenti habente ariſtam non admodum ſiccam inſuaue olentiſſima eſt.1°.de alim.fac. 2ª.11.G
Polenta ex alijs etiam præter hordeum fit.1°.de alim.fac. 2ª.11.G
Polenta qualis ratione panum.de atten.vic. 2ª.44.H
Polenta magis ſicca quàm panis ex hordeo.de atten.vic. 2ª.44.H
Polenta plus deſiccat hordeo.7°.de ſimp.me.fac. 5ª.53.A
Polenta ex tritico.de vict.rat.in morb.acu.com.4°. 7ª.149.D
Polenta non habet lentorem.1°.de alim.fac. 2ª.12.B
Polenta ποταίνιαι, quæ.de vict.rat.in morbis acu.com.2°. 7ª.121.C
Polentæ recentes quid agant.de vict.rat.in morb.acu.com.2°. 7ª.121.B
Polenta tenuis.de remed.par.fac. 7ª.156.C
Polentæ quæ miſceantur.1°.de alim.fac. 2ª.11.H
Polenta cum vino auſtero ventrem deſiccat.1°.de ali.fa. 2ª.11.H
Polenta cum vino.8°.de comp.me.ſec.loc. 5ª.192.A
Polentæ nutrimentum quale, & quibus.1°.de alim.facul. 2ª.11.H
Polenta plus nutrit Crimnon.7°.de ſimpl.medic.fac. 5ª.53.A
Polenta pro pane vtuntur ruſtici Cyprij.1°.de alimentorum fac.2ª.11.H
Polenta dabatur militibus.1°.de alim.fac. 2ª.11.H
Polentam damnant Romani.1°.de alim.fac. 2ª.11.H
ex Polenta frixa fiunt mazæ.1°.de alim.fac. 2ª.11.H
Polenta exiccat humores.2°.de alim.fac. 2ª.20.E
Polenta quomodo paranda in diaria cū profluuio.8°.meth.me. 7ª.53.D
Polentā coctā dat in cōuulſione.de vict.ra.in mor.ac.com.4°.7ª.144.E
cum Polenta coriandrum pro eryſipelate.14°.meth.med. 7ª.87.E
cum Polenta roſarum ſuccus frigidus.10°.meth.med. 7ª.65.B
Polenta punici ſucco aſperſa cardialgiā ſanauit.2°.de alim.fac.2ª.20.E
Polenta triticea miſta hordeacea ad tormina ſine febre.de victus ratione in morbis acutis, commen.4°. 7ª.149.C
Polentæ farina.4°.de comp.me.ſec.loc.153.E/9°. 5ª.204.A
Polentæ farinæ flos.4°.de comp.med.ſec.loc. 5ª.157.D
Polentæ tenuiori puluere vſus eſt Galenus in neruorum vulneribus.3°. compoſit.med.per genera. 5ª.229.H
Polentę meminit.1°.de alim.fac.2ª.10.G/10°.meth.med. 7ª.65.A
POLITICAE aſſimilantur particulæ perfectæ.an om.ani. 1ª.326.F
POLIVM quid.de ſimp.med. Sp.89.A
Polium non adulteratur.1°.de antid. 5ª.107.A
Polium in Italia naſcitur, & quando eſt optimum.1°.de antid. 5ª.105.D
Polium Romæ inuenit Galenus.1°.de antid. 5ª.102.B
Polium amarum.3°.de alimentorum facultatibus. 2ª.32.A
Polium amarum eſt, & modice acre.8°.de ſimp.me.fa. 5ª.59.A
Polium medicamentarium eſt & calidum facultate. 9°. de compoſitione medicamentorum ſecundum locos. 5ª.197.F
Polium numeratur inter ea quæ minus ſunt calida cum hoc quod incidere valeant.5°.de ſimp.med.fac. 5ª.35.E
Polium minus calidum eſt in ſecundo ordine ſiccum in tertio.8°.de ſimp. medic.facul. 5ª.59.A
Polij minoris vſus ad antidotos.8°.de ſimp.med.fac. 5ª.59.A
Polium ingreditur Theriacam.de theria.ad Piſo. 5ª.92.F
Polium omnem viperam fugat, & venenoſa extinguit, laxat ſtomachū caput purgat, vrinam & ventrem mouet.de ſimp.med. Sp.89.A
Polium lac purgat, & multiplicat.5°.de ſimp.med.fac. 5ª.37.G
Polium oſtructione liberat viſcera omnia, vrinam, menſeſq́ ciet.8°.de ſimp.

ſimp.medica.facul. 5ª.59.A
Polium vrinam ciet.14°.met.me. 7ª.91.D
Polium vrinam bene prouocat.5°.de ſimp.me.fac. 5ª.35.E
Polij radix tenuiũ partiũ eſt abſq; morſu, & lapidẽ atterit in renibus, & auriũ meatus obturatione liberat.3°.de comp.me.ſec.lo.5ª.141.B
Polium digerit.14°.met.me. 7ª.91.E
Polium viride magna vlcera glutinat.8°.de ſimp.me.fac. 5ª.59.A
Polium aridum vlcera rebellia ſanat.8°.de ſimp.me.fac. 5ª.59.A
Polium vlcera exiccat.4°.de comp.me.per gen. 5ª.236.G
Polium numeratur inter herbas quibus vlcera maligna curari debent. 5°.de comp.me.per gen. 5ª.246.A
Polium ad neruos vulneratos valet.3°.de comp.me.per gen. 5ª.234.B
POLLICEM Hippocrates Μέγαν nominat.1°.de vſu par. 1ª.120.A
Pollex cur vocatur ἀντίχειρα.1°.de vſu par. 1ª.120.A
Pollex qui.intro. Iſa.53.C
Pollice manus cur maior pedis pollex.3°.de vſu par. 1ª.130.C
Pollex quo modo annexus poſt brachiali.de oſſi. 1ª.43.C
Pollex quot habet oſſa.de oſſib. 1ª.43.C
à Pollice multum diſtare debebat index.1°.de vſu par. 1ª.117.G
Pollex cur in latere extrinſeco connexus.1°.de vſu par. 1ª.116.G
Pollex conuenienter alijs digitis oppoſitus.1°.de vſu par. 5ª.115.B
Pollex cur nõ eſt poſitus ĩ ordine aliorũ digitorũ.2°.de vſu p. 1ª.124.A
Pollex quomodo moueatur.1°.de ana.adm. 1ª.65.F
Pollex cur verſus indicem, & non verſus auricularem digitum poſitus eſt.2°.de vſu par. 1ª.124.A
Pollicem, indicẽ, & mediũ digitũ mouẽtes muſculi.de muſc.diſ. 1ª.48.E
Pollicẽ, indicẽ, & mediũ vnus muſculus mouet.1°.de ana.adm. 1ª.65.C
Pollicem obliq; mouens muſculus.de muſc.diſſ. 1ª.48.D
Pollex ad nullam aliam actionem flectendus eſt, niſi quando alijs curuatis illum ſuper inijcimus.1°.de vſu par. 1ª.117.F
Pollicis articulatio qualis.2°.de vſu par. 1ª.124.B
Pollicis duo articuli ſuperiores quando agunt.1°.de vſu par. 1ª.117.F
de Pollicis tendonibus.1°.de vſu par. 1ª.117.F
Pollicem mouentis tendonis caput cur in media cauitate manus. 1°.de vſu partium. 1ª.118.A
Pollicis tendo it modo perſimili iugorum habenis.1°.de vſu p. 1ª.118.A
Pollicis tendo cur ſuper alio.1°.de vſu par. 1ª.118.A
Pollex in conſtrictione manus duo agit, & à quibus tendonibus fiant. 1°.de vſu partium. 1ª.119.H
Pollice perdito quæ actiones perduntur.1°.de vſu par. 1ª.120.C
inter Pollicem & indicem vena ſecta vetuſtum dolorem ſanat.præſag. exper.confir. Sp.78.C
inter Pollicem & indicem arteria ſecatur.de ana.viu. Sp.55.H
in POLLINEM tenuiſſimum ſunt redigenda lapidoſa & teſtacea. 11°. de ſimp.me.fac. 5ª.80.G
ex Polline pharmacum quale.3°.de comp.me.ſec.loc. 5ª.146.F
ex Polline emplaſtica pro ſanguine ſiſtendo.5°.met.me. 7ª.30.G
POLLVX & Caſtor quæ ſtellæ.de hiſt.philo. Sp.6.F
POLLYAEMA vulnera.de ſimp.med. Sp.83.F
POLYARCHION malagma ad quid valeat.8°.de compoſi. medi.ſec. loc.5ª.196.D/de cura icteri. Sp.111.C
ex Polyarchi epiſtola malagma ad omnia interna.8°.de comp. me.ſec. loc.193.D/7°.de comp.me.per gen. 5ª.266.D
Polyarchi pharmacum.8°.de comp.me.ſec.loc. 3ª.193.C
POLYBVS diſcipulus Hippocratis.de fœt.for. 1ª.322.C
Polybus non diſcedit ab Hippocratis via.de na.hu.com.1°. 1ª.26.F
Polybi liber de valentium victu fuit ſimul poſitus cum libro de natura humana Hippocratis.de nat.hu.com.2°. 7ª.181.D
Polybi non eſt liber de venarum ſectione.6°.de dec.Hipp. 1ª.262.E
Polybi liber.de ſal.diæta. 2ª.39.G
Polybus nunq̃ dixit ὄυρημα, ſed ὄυρα.de na.hu.com.2°. 7ª.180.G
POLYCLETVS bonus artifex.15°.de vſu par. 1ª.213.B
Polycletus naturæ imitator.17°.de vſu par. 1ª.221.F
Polycletus librum fecit de corporis congruitate, & fecit ſtatuam.5°.de decretis Hippocratis. 1ª.255.H
Polycleti ſtatua canon appellata.1°.de temp. 1ª.15.A
Polycleti ſtatua regula appellata.17°.de vſu par. 1ª.221.F
Polycleti liber, & ſtatua vocata norma.5°.de decr.Hipp. 1ª.255.H
vt Polycleti regula eſt pulſus naturalis.2°.de cauſ.pulſ. 4ª.94.B
POLYCNEMON calidum eſt & ſiccum in ſecundo ordine.8°.de ſimp. medica.facul. 5ª.59.A
Polycnemon vlcera glutinat.8°.de ſimp.me.fac. 5ª.59.D
POLYCHRESTOTATA medicamenta quæ ſint.1°.de compoſi. med. per genera. 5ª.210.G
Polychreſta quæ ſint medicamenta.8°.de comp.me.ſec.loc.5ª.188.G/5°. de comp.me.per gen. 5ª.245.E
Polychreſtũ medicamentum.2°.de cõp.me.per ge.221.H/5°. 5ª.252.B
Πολυχρόνιος morbus.3°.de dieb.decre. 4ª.160.C
POLYDAMAS erat Milone maior.2°.de dignoſ.pul. 4ª.76.F
Polydamas iracundiæ dominabatur.3°.de decr.Hipp. 1ª.242.G
POLYGALVM lac generat, & eſt calidum & humidum. 8°. de ſimpl. medica.facul. 5ª.58.H
POLYGONATON. 7°.de ſimp.me.fac. 5ª.54.C
Polygonatum habet amaritatem faſtidioſam.8°.de ſimp.me.fa.5ª.58.H
Polygonatum vulneribus illinitur.8°.de ſimp.me.fac. 5ª.58.H
Polygonatum næuos in facie ilico detergit.8°.de ſimp.me.fac. 5ª.58.H
POLYGONOIDES 7°.de ſimp.me.fac. 5ª.51.G
POLYGONIVM læuigatum ex lactis crema pro dolore capitis.de reme.par.fac. 7ª.154.B
Polygonij, id eſt ſanguinariæ ſuccus pro dolore capitis calido.de remed. paratu facilibus. 7ª.153.E
Polygonium quibus doloribus capitis conueniat.2°.de compoſi. medic. ſecundum locos. 5ª.138.C
Polygonon refrigerans.2°.de comp.me.ſec.loc. 5ª.132.H
Polygonon in ſecundo ordine refrigerat.8°.de ſimp.me.fac. 5ª.58.G
vt Polygonon adſtringit, & refrigerat Potamogitum. 8°.de ſimpliciũ medic.facul. 5ª.59.A
Polygonum eſt minus frigidum Portulaca.2°.de compoſi.medicament. ſecundum locos. 5ª.136.C
Polygoni ſuccus frigidus eſt.6°.de ſan.tu. 2ª.100.G
Polygoni ſuccus oleo roſaceo addendus.2°.de comp.me.ſec.lo. 5ª.132.F
Polygonõ ꝓdeſt ijs qbus ſtomachus æſtu feruet, eryſipelata, ac calidas phlegmonas iuuat, & fluxiões repcutit.8°.de ſimp.me.fac. 5ª.58.H
Polygonon herpetum & vlcerum bonum eſt remedium & efficaciſſimum eſt in inflãmmatis partibus, & eſt cruentorum vulnerum glutinatorium, aurium vlceribus prodeſt, profluuium muliebre, dyſenteriam, & ſanguinis eiectiones ſiſtit, vrinam prouocat, exhibitum ſtillicidio, & ſtranguria affectis.8°.de ſimp.me.fac. 5ª.58.H
Polygonum vitãdũ in herpete exedẽte.2°.de ar.cu.ad Gla. 7ª.102.B
Polygoni duo ramuli cur eſſe debent in capitis dolore. 2°. de compoſiti. medicamen.ſecundum loc. 5ª.138.C
POLYIDE medicamentum vlceribus protractis in longum tempus conuenit.2°.de arte cura.ad Glau. 7ª.102.C
Polyidæ paſtillo vlcera in naris meatibus à Galeno curata.3°.de comp. medicam.ſec.loc. 5ª.148.G
Polyidæ paſtillorum vſus eſt ad vlcera contumacia. 9°. de ſimplicium medicamentorum facultatibus. 5ª.65.F
Polyidæ paſtillis vtendum in ſanguinis profluuio ex eroſione.5°.methodi medendi. 7ª.31.H
Polyidæ paſtillus ad neruos.3°.de comp.me.per ge. 5ª.229.D
Polyidæ paſtillus.3°.de compoſi.med.ſecundum locos.5ª.141.F/6°.methodi medendi. 7ª.38.C/E
Polyidæ ſphragis.5°.de comp.me.per gen.251.C/ 5ª.252.B
Polyidæ ad putreſcentia trociſci.2°. de art.cur.ad Glau. 7ª.107.A
Πολύμορφον quid.introd. Iſa.54.G
Polymorphi vnum os.introd. Iſa.54.F/G
POLYPHARMACVS quid.1°.de comp.me.per gen. 5ª.210.A
POLYPODIVM quid.de ſimp.me. Sp.89.C
Polypodium deſiccat citra morſum.8°.de ſimp.me.fac. 5ª.59.B
Polypodij radix guſtu ſtyptica eſt, ventrem ſoluit, bilem diſtrahit. de ſimplic.medicam. Sp.89.C
Polypodium purgat hepatis ſimam.de cathar. Sp.95.C
Polypodium educit atram bilem.de dyna.21.B/de cathar. Sp.94.F
Polypodium purgat ſplenem.de cathar. Sp.95.C
Polypodij doſis, & quibus miſcendum.de dyna. Sp.21.B
Polypodes piſces.de vti.reſp. Sp.63.B
POLYPI inter aquatilia mollia numerantur.de bo.& vi.ſucc. 2ª.35.E
Polypi molles.3°.de ali.fac. 2ª.32.D
Polypi mouentur ſine oſſibus.1°.de vſu.par. 1ª.115.H
Polypodis caro qualis.3°.de ſymp.cauſ. 3ª.26.D
Polypodes cibi multi ſeminis.5°.de ſimp.me.fac. 5ª.38.C
Polypi acetabula corripiunt quicquid attigerint.1°.de ſem. 1ª.331.B
POLYPVS morbus vnde dictus.2°.met.me. 7ª.9.E
Polypus quid.tum.præter naturam. 3ª.38.H

Polypus qui, & quomodo curetur.3°.de comp.me.ſec.loc. 5ª.147.H
Polypodes qui in naribus.3°.de comp.me.ſec.loc. 5ª.147.F
Polypus quomodo differat a ſarcomate.ſin.me. Iſa.48.G
Polypus obſtruens nares vocem impedit.4°.de loc.aff. 4ª.26.F
de Polypo.de med.fac.par. 7ª.163.D
Polypi qui in naribus naſcitur curatio.intro. Iſa.59.H
Polypi & Ozenæ curatio communis.3°.de comp.me.ſec.loc. 5ª.147.F
in Polypo tunica in naſo exciditur.14°.met.me. 7ª.90.G
in Polypis Galeni probatiſſima cõpoſitio.3°.de cõp.me.ſec.lo. 5ª.148.E
in Polypis, & ozænis ſternutatoria.3°.de comp.me.ſec.loc. 5ª.148.B
ad Polypos, Antipatri.3°.de comp.me.ſec.loc. 5ª.148.C
Polypodas, & cancros eliquare creditus eſt Dracunculi fructus.6°.de ſimplicium med.facul. 5ª.46.D
ad Polypum, & carnem in naribus excreſcentem.3°.de compoſi.med. ſecundum locos. 5ª.148.D
ad Polipodas.3°.de compoſi.med.ſecun. locos.148.A/B/ de rem.par. fac.155.F/ 7ª.163.G
ad Polypos, & ozænas.3°.de comp.me.ſec.loc. 5ª.147.H
in Polypo caſus eunuchi, qui nihil poterat ferre, & roſis ſanatus eſt. 3°.de comp.me.ſec.loc. 5ª.148.F
POLYSPASTON *machinamentum ita appellant, quoniam multis orbiculorum circuitionibus facilitatem præſtet. de machin.* 7ª.310.G
POLYSTOMI *medicamen.6°.de comp.me.per gen.* 5ª.261.F
POLYSTRICHON *lapidẽ cõminuit.de ren.de ren.aff.dig.* 7ª.194.C
Polytrichi meminit.de rem.par.fac. 7ª.179.D
POLYXENA *cum decoro cadere ſtuduit.de the.ad Piſ.* 5ª.93.B
POMORVM *differentia.aduerſus Lycum.* Ex.63.G
Poma quæ in arbore non matureſcunt, ab iis, quæ matureſcunt multum differunt.de puero epil. 7ª.180.D
Poma debent in arbore matureſcere.2°.de ali.fac. 2ª.19.H
Poma immatura quid habeant incommodi.2°.de ali.fac. 2ª.19.H
Poma poſſunt conſeruari.de puero epil. 7ª.180.D
Poma matura ſeruantur in hyemem, & ver.2°.de ali.fac. 2ª.19.H
Poma omnia habere recrementitiã, frigidam humiditatem probatur. 7°.de ſimp.me.fac. 5ª.55.H
Pomorum ſucci non poſſunt durare.7°.de ſimp.me.fac. 5ª.55.H
Pomorum ſucci omnes aceſcunt ob humiditatẽ.2°.de ali.fac. 2ª.20.C
Pomorum ſuccus feruet vt muſtum.4°.de ſimp.me.fac. 4ª.28.A
Poma ſunt humida.2°.de ali.fac. 2ª.17.D
Poma ſunt frigida.de diſſ.cont. Sp.74.D
Poma non faciunt ad ſanitatem.de atten.vic. 2ª.45.H
Poma in morbis multum iuuant.2°.de ali.fac. 2ª.19.H
Poma in aquæ bullientis vaporibus coquuntur.2°.de ali.fa. 2ª.19.H
Poma poſt cibum dari debent.2°.de ali.fac. 2ª.19.H
Poma cum pane iuuant quibus appetentia deiecta eſt & vomitu diarrhœa & dyſenteria infeſtatur.2°.de ali.fac. 2ª.19.H
Poma acerba valẽt ad vomitum diarrhœam, & dyſenteriam.2°. de alimentorum facul. 2ª.19.H
Poma acetõſa ſi inueniunt in ſtomacho humorem malum, & craſſum incidunt, & expellunt, & leniunt ventrem, ſin mundum inueniunt, ſtringunt.de diſſ.cont. Sp.75.C
Poma pontica tarde deſcendunt.de diſ.cont. Sp.74.H
Poma adſtringentia.13°.met.me. 7ª.83.G
Pomum adſtringens ſanat ſymptomata ſcãmonij.2°.de ali.fa. 2ª.20.C
Poma adſtringentia quibus ſubducunt ventrem.2°.de ali.fa. 2ª.20.A
Poma auſtera cocta amittunt adſtrictionem.2°.de ali.fa. 2ª.19.H
Poma auſtera ſubducebant.2°.de ali.fac. 2ª.20.A
Poma auſtera cocta idem valent quod aquea.2°.de ali.fac. 2ª.19.H
Poma ceſtiana quomodo coquenda.2°.de comp.me.ſec.loc. 5ª.133.D
Poma ceſtiana adſtringunt.6°.de comp.me.ſec.loc. 5ª.176.F
Pomum coctum ad ventriculum ſubuerſum.de rem.par.fa. 5ª.153.H
Poma cur parum nutriunt.de diſſ.cont. Sp.73.F
Poma ſi comedant matura generãt chymũ frigidũ.de diſ.cõt. Sp.74.B
Poma gñant viſcoſos, craſſos, et frigidos humores.de pue.ep. 7ª.180.D
Poma non danda epilepticis niſi raro.de pue.epil. 7ª.180.D
Poma pro ſyncopa mediocri.1°.de arte.cur.ad Glau. 7ª.99.E
Pomi folia ſternenda ad refrigerandum.de rem.par.fac. 7ª.153.E
Pomi guſtum habent platani folia.2°.de ali.fac. 2ª.19.H
Pomorum ſucco excipiunt ſimplicia medicamenta pilularum ad alopeciam, & ophiaſim.de rem.par.fac. 7ª.154.G
cũ Pomis eandẽ hñt facultatem pira, & punica.2°.de ali.fa. 2ª.20.D
Pomorum vſui ſimilis pirorum vſus.2°.de ali.fac. 2ª.20.E
Pomorum vſui ſimilis punicorum vſus, & in quo diſcrepat.2°. de alimentorum faculta. 2ª.20.E
POMPEVS *ſabinus.7°.de comp.me.per gen.* 5ª.271.D
Pompei prætioſa.7°.de comp.me.per gen. 5ª.270.H
POMPHOLYX *maſculino, & fœminino genere dicitur.3°.de compoſi. medic.per gen.* 5ª.234.F
Pompholix quid.de ſimp.med. Sp.88.G
Pompholix quo modo fiat.9°.de ſimp.me.fac. 5ª.70.H
Pompholyx adulteratur.9°.de ſimp.me.fac. 5ª.69.C
Pompholygem ex cypro aſportauit Galenus.1°.de anti. 5ª.100.C
Pompholyx qualis.5°.met.me. 7ª.36.E
Põpholyx qualis ſit.4°.de cõp.me.ſe.lo.5ª.149.F/3°.met.me. 7ª.18.A
Pompholyx tenuiũ partiũ citra calorẽ.3°.de comp.me.per ge. 5ª.228.F
Pompholyx medicamentum præſtantiſſimum omnium ſiccans ſine morſu elota.9°.de ſimp.me.fac. 5ª.70.H
Pompholyx adſtringens ſiccum.5°.met.me. 7ª.32.E
Pompholyx acoribus conuenit.1°.de comp.me.ſec.loc. 5.128.H
Pompholyx carnem producit.3°.metho.med.18.A/2°.de arte curatiua ad Glauconem. 7ª.107.E
Pompholyx in extrinſecis vlceribus vſui eſt, in intrinſecis ſumi non debet.4°.methodi medendi. 7ª.28.H
Pompholyx ad ulcera cancroſa idonea eſt, & ad alia omnia maligna, inditur collyrijs, quæ ad oculorũ imponunt fluxiones, & ad pudendorũ, ac ſedis vlcera optimũ eſt medicamẽ.9°.de ſimp.me.fa. 5ª.70.H
Pompholyx cruda.4°.de comp.me.ſec.loc. 5ª.155.F
Põpholyx lota mordicitas expers, & lenis.4°.de cõ.m.ſe.lo. 5ª.149.F
Pompholyx lota deobſtruit.4°.de comp.me.ſec.loc. 5ª.150.A
Pompholyx vſta, & lota.4°.de comp.med.ſec.loc. 5ª.154.B
Pompholyx poſt vſtionem, & lotionem qualis.4°.de compoſi. medicamentorum ſecun.loc. 5ª.150.A
Põpholyx elota emplaſticũ eſt medicamẽtũ.4°.de ſimp.me.fac. 5ª.25.D
Pompholyx elota medicamen.11°.de ſimp.me.fac. 5ª.81.E
Pompholyx elota pro neruo nudato.6°.met.me. 7ª.38.C
ex Pompholyge in roſaceo medicamentum pro neruo detecto.6°. methodi medendi. 7ª.38.B
Pompholyx omniũ maxime dolorẽ ſedat.9°.de cõp.me.ſec.lo. 5ª.205.D
ex Pompholyge anodyna medicamenta.10°.de ſimp.me.fa. 5ª.73.H
Pompholyge fit album emplaſtrum.1°. de comp.me. per gen. 5ª.217.C
Pompholygem cum haberet Galenus nunq̃ vſus eſt antiſpodio.9°. de ſimp.medica.facul. 5ª.70.H
PONDERALIS *libra quid ſit apud Romanos.1°. de compoſitione medi.per genera.* 5ª.214.C
PONDEROSIVS *tanto eſt vinũ quanto fortius.de vti.reſp.* Sp.64.F
ad PONDVS *collatio virtutis.in progno.com.2°.* 4ª.198.E
Ponderis comparatio ad hominem.de cu.ra.per ſang.miſſ. 6ª.16.E
ob Pondus aliqua ægre mouentur.2°.de ſan.tu. 2ª.72.F
Ponderis ſenſus quando incidit.in progn.com.2°. 4ª.204.C
ob Pondus tremor.2°.de ſymp. cau. 3ª.20.D
ex Pondere vas ruptum in pulmone.5°.met.me. 7ª.30.C
Pondus abortus cauſa.3°.de nat.fac. 5ª.305.H
ad Pondus ani remedium.de dyna. Sp.28.A
PONDVS *quomodo iudicatur.de pond.& menſ.* 5ª.275.B
Pondere q̃ iudicari debent, per lancẽ iudicent.cõ.5°.aph.26°. Ex.39.H
Pondera ſunt in varijs regionibus diuerſa.de pond.& menſ. 5ª.275.B
Ponderũ æquiuocatio apud Romanos.1°.de cõp.me.per gen. 5ª.214.C/F
Ponderat Romanorum more.1°.de comp.me.per ge. 5ª.214.A
Pondera in duodecim diuidunt.de cuiuſq; animi pecc.not.atq;. 2ª.58.D
Pondera non equaliter reſpondent menſuris propter materiæ differentiam.de pond.& menſ. 5ª.275.H
Pondere, guſtu, ſtatione, & virtute differunt aquæ.de aer.aq. 2ª.2.C
Pondus in aqua vnde accipiatur.com.5°.aph.26°. Ex.39.H
Ponderis eiuſdem eſt acetũ, & aqua pluuialis.de põd.& mẽſ. 5ª.277.C
de Pondere mellis.de pond.& menſ.275.F/ 5ª.277.D
Ponderum notæ.de pond.& menſ. 5ª.277.F
non Ponderum notis, ſed integris vocabulis eſſe ſcribenda medicamenta voluit Menecrates.1°.de antid. 5ª.102.C
Pondera medicinarum ſyncerius ſeruantur ſi carmine ſcribãtur.2°.de antidotis. 5ª.118.G
Ponderis victorialis fit mentio.de dyna. Sp.32.D
PONITIVM *quomodo fiat & eius vires.de ſimp.med.* Sp.88.F
Πόνος quid hic ſignificet.de vict.rat.in mor.acu.com.2°. 7ª.124.B
PONTICITAS *quibus cibis adſit.de diſſ.cont.* Sp.75.B

cũ Ponticitate,& ſtypticitate vẽtrẽ ſtringẽtia quæ.de diſ.cõ. Sp.75.B
Ponticus,& acetoſus ſapor quo cõueniãt,et quo differãt.ð oc.7ª.188.B
Ponticus ſapor qualis ſit.de ocul. 7ª.188.A
Pontici qualitates,& operationes.de ocu. 7ª.188.A
Pontica ſunt,& conſtrictiua multum terreſtria.de ocul. 7ª.188.A
Ponticum linguam conſtringit, & exiccat.de ocul. 7ª.188.B
Pontica victui attenuanti contraria.de atten.vict. 2ª.45.H
Põtica vẽtriculo ĩbecilli,et vẽtris fluxui cõueniũt.de attẽ.vic.2ª.45.H
Ponticum Abſinthium veſicam purgat.de cathar. Sp.95.D
Ponticum abſinthium.6°.de ſimp.me.fac. 5ª.40.F
Põticas Auellanas quo expt° eſt Galeni pater.de bo.& vi.ſu. 2ª.36.G
Pontica cera alba vel attica.10°.met.me. 7ª.65.A
Pontici fructus in principio quo modo poſt dulceſcunt.de ocu. 7ª.188.D
Pontici fructus quomodo dulceſcunt,quomodo pontici reſtent,quo fiant acetoſi,& quomodo fiant vnctuoſi.de ocul. 7ª.188.B
Pontici fructus ac duri omnes praui.de atten.vic. 2ª.46.A
Pontica Granata ſunt frigida.de diſſ.cont. Sp.74.D
Pontici Homines pingues.2°.de ſimp.me.fac. 5ª.14.E
Ponticum Medicamentum Arrhabiani.7°.de comp.me.ſe.lo. 5ª.184.C
Ponticę Nuces quales.de atten.vic. 2ª.45.H
Pontica nux Doſis nomen.9°.de comp.me.ſec.loc. 5ª.202.D
Põticũ Oleũ rectificat ſtomachũ mollẽ,& debilem.de diſ.cõt. Sp.74.D
Põticæ oliuæ ſi cũ aceto poſt cibũ edant quid faciãt.de diſ.cõt. Sp.75.A
Pontica Pira,& poma tarde deſcendunt.de diſ.cont. Sp.74.H
Pontica pira parum nutriunt,& cur de diſſ.cont. Sp.73.F
Pontica Punica mala ventriculum iuuant.de atten.vic. 2ª.46.A
Ponticum Vinum vbi copioſe proueniat.de atten.vic. 2ª.46.E
Ponticum vinum ſolemne,& quale de atten.vic. 2ª.46.E
Ponticum vinum euidenter nutrit.de atten.vic. 2ª.46.E
Ponticum vinum quando non inflet.de diſſ.cont. Sp.74.F
Ponticum vinum albũ eſt minus calidũ vino albo.de diſſ.cont.Sp.74.D
Ponticum vinum ſubtilis odoris rectificat ſtomachum debilem, & mollem.de diſſ.cont. Sp.74.E
Ponticum vinum mundificat ſtomachum.de diſſ.cont. Sp.74.E
Ponticum vinum,nouum,nigrum,craſſum velociter aceſcit in ſtomacho & incenſionem facit.de diſſ.cont. Sp.74.E
Ponticũ vinũ,dulce,craſſum,nouũ,tarde deſcendit.de diſſ.cõ.Sp.74.H
Ponticum vinum ſtringit ventrem cum ſtypticitate, & ponticitate. de diſſ.cont. Sp.75.B
Ponticum vinum nimis eſt abominabile.de diſ.cont. Sp.73.B
Ponticæ Vuæ cur parum nutriunt.de diſſ.cont. Sp.73.F
PONTIFICIVM ſex menſium in Pergamo Galeni patria.3°. de compoſi.me.per genera. 5ª.231.C
Pontificium inſcriptum malagma.8°.de comp.me.ſec.loc. 5ª.193.B
PONTVS regio frigida & humida, præterquam in locis maritimis. com.3°.aph.14°. Ex.22.E
de Ponto radices odoriferæ expurgãt in icteris.de cura icteri.Sp.111.B
PONTI piſces quales.3°.de ali.fac. 2ª.30.C
ex Ponto myli præſtantiſſimi adferuntur.3°.de ali.fac. 2ª.31.G
ex Ponto plurimæ pelamides aduehuntur.3°.de ali.fac. 2ª.31.G
POPLES quid ſignificet apud antiquos.de frac.com.2°. 7ª.240.D
Poples quid proprie ſignificet.de frac.com.2°. 7ª.240.C
Poplites qui.introd. Iſa.53.E
Poplitis flexura leuis & infirma.2°.de ana.adm. 1ª.70.E
à Poplite preſuram qui nerui incedant.16°.de vſu par. 1ª.218.B
Poplitem ſecari oportet in phrenitide.præf.exper.conf. Sp.78.C
circa Poplitem,aut talos venæ ſecantur in iſchia.10°.de compoſi.med. ſecundum locos. 5ª.207.A
Poplitis vena potius incidenda,quam malleoli in iſchia. de curandi ratio.per ſang.miſſ. 6ª.20.F
à Poplite ſectio venæ in vtero.de trem.palp. 3ª.53.A
Poplitis venæ maxime prouocant mẽſes.de cur.ra.p ſan.miſ. 6ª.301.D
Poples quomodo ligetur.de iis,quæ in med.fi.com.2°. 7.208.H
Poples,et cubiti gibbus diſſimili mõ implent.de frac.cõ.2°. 7ª.240.B
Poples,et cubiti gibbus diuerſo mõ flectũtur.de frac.cõ.2°. 7ª.240.C
Poplitis morbi qui. intro. Iſa.59.D
POPVLI folia qualia.2°.de comp.me.ſec.loc. 5ª.136.F
Populi albę fructus qualis.2°.de comp.me.ſec.loc. 5ª.136.F
Populus alba abſtergit.7°.de ſimp.me.fac. 5ª.54.D
Populus nigra pro ſampſuco.7°.de comp.me.per gen. 5ª.271.D
ex Populi floribus medicamentum.4°.de ſan.tu. 2ª.86.H
ex Populo medicamentum.7°.de comp.me.per gen. 5ª.270.H
ex Populi flore oleum.3°.de comp.me.per gen. 5ª.235.A
Populus arbor nocet capiti.de ſubfig.emp. Iſa.32.C
ex Populo nõ debẽt fieri lecti nec fores,nec vaſa.de ſubf.cmp. Iſa.32.C
PORCELLORVM carnes quales.de vic.ratio. in morbis acutis, commentario.4°. 7ª.147.B
Porcellorũ paruulorũ caro excremẽtis ſcatet.ð bo.& vit.ſuc. 2ª.37.C
Porcelli habent carnem magis excrementoſam ſuibus, & magis humidam.3°.de alim.fac. 2ª.25.H
Porcelli minus nutriunt ſuibus.3°.de ali.fac. 2ª.25.H
Porcelli caro æſtate debet eſſe occiſa eadem die.7°.met.me. 7ª.46.A
Porcelli abſq; cute edendi ſunt.de vic.rat.in mor.acut.c.4°. 7ª.147.C
Porcellorum pedes in ptiſſana meliores.3°.de ali.fac. 2ª.26.E
ex Porcellorum pedibus ptiſſana fit melior.3°.de ali.fac. 2ª.26.E
Porcellus inuentus ſine liene inuentus eſt ex potu triduano cuiuſdam medicamenti.9°.de comp.me.ſec.loc. 5ª.198.H
PORCINVS adeps molliſſimus tempore acrimoniam acquirit.3°. de comp.med.per gene. 5ª.233.H
Porcinus adeps emplaſticam vim habet.5°.de ſimp.me.fac. 5ª.34.D
Porcinus pulmo intertrigines à calciamentis ſanat.11°. de ſimplicium medicamentorum facul. 5ª.79.H
Porcina vulua qualis de diſſect.vul. 1ª.108.E
PORCOS diſſecuit Galenus pro inſtrumentis vocis. de præcogn. ad Poſthum. 4ª.216.B
Porci domeſtici caſtrati ſimilem habent temperaturam cũ homine. 10°. de ſimp.me.fac. 5ª.75.D
Porcorum gena inferior maximo.11°.de vſu par. 1ª.185.A
Porcorũ muſculus maxius,ſed nõ æque neruoſus.11°.de vſu p.1ª.184.F
Porcorum caro in quartana euitanda.1°.de arte cu.ad Gla. 7ª.97.F
Porcorum extremæ mandenda.de atten.vic. 2ª.45.F
Porci extremæ partes boni ſucci.ſunt.de rem.par.fac. 7ª.159.C
Porci ne ægrotent quid fieri debet.de rem.par.fac. 7ª.173.A
Porci caſtrati fel.3°.de comp.me.ſec.loc. 5ª.143.D
Porci virginis axungia.de paſſ.mul. Sp.95.G
Porcorum adipes præſertim in vlceribus vitandi.4°.de compoſi.medicamen.per gene. 5ª.236.H
Porci adeps in capite vlcerato.de rem.par.fac. 7ª.154.H
Porcinum ſeuum maturat.de ocul. 7ª.188.E
PORIASIS affectus partium interiorum palpebrarũ.intr. Iſa.58.D
POROCELE affectus ſcroti.introd. Iſa.59.D
Porocele tumor ſcroti.fin.med.49.C|intro. Iſa.60.B
Porocele laborantium curatio.introd. Iſa.60.B
POROMPHALON quid.fin.med. Iſa.49.B
POROPOEIA quid.4°. met.me. 7ª.26.D
POROSIS articulorum affectus.introd. Iſa.59.E
Poroſa ſubſtantia in aure.1°.de ſymp.cauſ. 3ª.15.F
PORPHYRIANORVM philoſophorum ſcrutatio.de ſper. Sp.37.E
PORPHYRII opinio de cõiunctione aïæ cũ corpore.de ſper. Sp.37.F
Porphyrij Iſagogarum intentio.de ſperm. Sp.37.F
PORRVM an dictũ à colore,vel è cõtrario.in pgn.cõ.2°. 4ª.201.G
Porri,& ampeloproſis differentia.2°.de ali.fac. 2ª.25.E
Porrum calidum eſt,& acre.de cauſ.morb. 3ª.6.G
Porrum nunquam erit frigidum,ſed plus,minus ve calidum.de bonitate & vitio ſuccorum. 2ª.38.H
Porri cibus calidus eſt.de diſſ.cont. Sp.74.D
Porra calefaciunt.2°.de ali.fac. 2ª.25.E
Porrum immoderatè ſumptum,vt et reliqua acria febrem facit. de cauſis morborum. 3ª.6.G
Porrum acre eſt.2°.de alim.fac.25.E|3°.32.A| de atten. vic. 2ª. 43.H| 9°.de ſimp.me.fac. 5ª.64.C
Porrum habet radicẽ caule,& folijs acriorẽ 2°. de ali.fac. 2ª.24.D
Porra quomodo deponant acritudinem.2°.de ali.fac. 2ª.25.E
Porrum eſt cibus acutus incidens,& aperiens.de diſſ.cont. Sp.72.E
Porrum aperitiuũ eſt,& facit excernere.cõ.2°.aph.20°. Ex.14.D
Porra tenuant craſſos humores,& lentos incidunt.2°. de alimentorum. fac.2ª.25.E|de diſ.cont. Sp.74.G
Porrum attenuat.de atten.vic. 2ª.43.H
Porrum exiccat.3°.de ali.fac. 2ª.26.D
Porra parum alunt.2°.de ali.fac. 2ª.25.E
Porri cibus prauus eſt.1°.de diſſ.feb. 3ª.31.G
Porra quando comeduntur cruda non bene nutriunt, ſed quando coquũtur in cibis nutriunt nutrimento pauco bono.de diſſ.cont. Sp.73.G
Porra non nutriunt,niſi coquantur.2°.de ali.fac. 2ª.19.D

Porri radices malum ſuccum gignunt.de bon.& vit ſucc. 2ª.37.G
Porra ſi bis elixentur ſucci prauitatem deponunt.2°.de ali.fa. 2ª.25.E
Porrum bis coctum quale.2°.de ali.fac. 2ª.23.A
Porrum inter obſonia connumeratur.2°.de ali.fac. 2ª.23.F
Porrum potius p obſonio comedit̃,q̃ p alimento.2°.de ali.fac. 2ª.22.H
Porrum miſcendum in piſcium præparatione.de atten.vic. 2ª.45.E
cum Porro,& anetho ius album.12°.met.me. 7ª.78.A
Porrum addendum farri.4°.de ſan.tu. 2ª.84.E
Porrum expetit ptiſſana.1°.de ali.fac. 2ª.13.F
Porri ſuccus poſt aduſtionem.2°.de arte cu.ad Glau. 7ª.107.A
Porrum conuenit epilepticis.de puero epil. 7ª.180.C
Porrum,& braſſicam dat in arteriæ affectione.7°.de compoſi. medicamen.ſecundum locos. 5ª.178.A
Porri coma in ſanguinis profluuio.de opt.ſect. Iſa.23.H
Porrum,ſinapi,& beta quendam liberarunt,qui de ore ventriculi querebatur ob aceruatam pituitam.1°.de ali.fac. 2ª.8.G
Porrum pruritum mouet.de cathar. Sp.95.D
Porri capita purgant thoracem,& pulmonem.de cathar. Sp.95.C
Porri capitati ſuccus ſanguinẽ purgat.de dyn.22.C/de cath. Sp.94.G
PORTA *nomen accepit à viro quodam antiquo perito.4°. de vſu partium.* 1ª.135.H
Porta ſtomachi quæ,& vbi.de compag.memb. Sp.58.H
PORTA *vena propter quid dicta ab antiquis.de ven.art.* 1ª.56.B
Portæ vena quo modo ducit materiam à capite ad inteſtina. cõmen.7°. aphoriſmo.30°. Ex.56.B
PORTANS *dẽt eſſe firmius,et fortius portato.3°.de vſ.p.* 1ª.135.C
PORTENTA *à non nullis contemnebantur.1°.de nat.fac.* 1ª.293.A
PORTONARIVM *quod,& quo nomine dicat̃.5°.de vſu p.* 1ª.142.E
Portonarium inteſtinum vbi ſit.de ana.parua. Sp.43.A
*Portonarium inteſtinum ſiue duoderum primũ eſt.de ana.viu.*Sp.50.B
Portonarium cur in dextris.5°.de vſu par. 1ª.142.F
PORTVLACA *quid,& eius vires.de ſimp.med.* Sp.81.A
Portulaca aquea auſtera parum.6°.de ſimp.me.fac. 5ª.43.A
Portulaca frigida eſt aquoſæ ſubſtantiæ.2°.de comp.med.ſe.lo. 5ª.136.C
Portulacæ ſunt frigidæ.de diſ.cont. Sp.74.D
Portulaca frigida eſt in tertio ordine,ſicca in ſecundo.6°.de ſimplicium medicamen.facul. 5ª.43.A
Portulaca,& pſyllium ſunt indurantia frigida,& humida.5°.de ſimpl. medicamen.facul. 5ª.34.G
Portulaca minus frigidum eſt Polygonõ.2°.de comp.me.ſe.lo. 5ª.136.C
Portulacæ ſuccus frigidus.6°.de ſan.tu. 2ª.100.G
Portulaca facile in ſuccum non ſoluitur.9°.de ſimp.me.fac. 5ª.70.F
Portulaca quomodo ſuccum remittat.6°.de ſan.tu. 2ª.100.G
Portulaca refrigerat.5°.de ſim.me.fa.5ª.32.A/14°.met.me. 7ª.87.D
*Portulacæ ſuccus refrigerat,& adſtringit.1°.de ar.cu.ad Gla.*7ª.99.C
Portulacæ ſuccus pro ore ventriculi ſuper calefacto. 1°. de arte curatiua ad Glauconem. 7ª.99.C
Portulaca infrigidat inflammationes.6°.de comp.me.ſec.loc. 5ª.176.F
Portulaca euitãda in Herpete exedẽte.2°.de arte cu.ad Gla. 7ª.102.B
Portulacæ ſuccus pro dolore capitis calido.de rem.par.fac. 7ª.153.E
Portulacæ ſuccus oleo roſaceo adhibẽdus.2°.đ cõp.me.ſec.loc. 5ª.132.F
Portulacæ ſuccus cur ſolus non debet accipi,& quo modo debet accipi. 1°.de comp.me.per gene. 5ª.211.G
Portulaca condenſat.5°.de ſimp.me.fac. 5ª.35.G
Portulaca indurat.de ocul. 7ª.188.E
Portulaca viſcide ſtringit.de ſimp.me. Sp.81.A
Portulaca adſtringit,& reprimit.de rem.par.fac. 7ª.156.D
Portulaca fluxiones repellit,æſtuantes adiuuat tum ventris oſculo impoſita,tum totis hypocondrijs,maxime in febribus hecticis,& dentium ſtupores ſanat. 6°. de ſimp.me.fac. 5ª.43.A
Portulaca vtiliter datur dyſentericis,& profluuio muliebri, & ſanguinis reiectionibus.6°.de ſimp.me.fac. 5ª.43.B
Portulaca maſticata ſanat dentium offenſam, quæ ab immaturis fit. de ſimplicibus medicaminibus. Sp.81.A
Portulaca medetur ſtupori dentium.de ſect. Iſa.16.H
Portulacam ſtuporem dentium ſoluere.de opt.ſect.21.E/ Iſa.22.E
Portulacam ſoluere ſtuporem dentium obſeruatum eſt ſine cognitione cauſæ.de opt.ſect. Iſa.22.E
Portulaca ſuo lentore morſus experte ſanat ſtuporem. 2°. de alimentorum facultatibus. 2ª.23.C
Portulaca non ſanat ſtuporem dentium à vomitu,diſtillatione, & obſonitum ſerræ ſecantis.de opt.ſect. Iſa.22.H
Portulaca eſt de cibarijs medijs.de diſſ.cont. Sp.74.D
Portulaca vt cibus parum nutrit.2°.de ali.fac. 2ª.23.C
Portulaca media in bonis,& malis ſuccis.de bon.& vit.ſuc. 2ª.37.F
Portulaca cur parum nutrit.de diſſ.cont. Sp.73.G
Portulacæ alimentum frigidum & lentum.2°.de ali.fac. 2ª.23.C
Portulaca infrigidat,poſtea concocta calefacit.3°.de temp. 1ª.24.C
Portulaca calefaciendi vim non habet.de bon.& vit.ſuc. 2ª.38.H
Portulacæ admiſtus cremor ſucci ex vuis immaturis qualis. 3ª.48.B
Portulacæ meminit.10°.met.me. 7ª.65.A
PORTVM *latine dicas λιμένα.ad Thraſ.* 2ª.107.A
PORI *quid ſint.de vti.reſp.* Sp.64.D
Pori quod ſint venæ ſubtiliſſimæ vnde pateat.de vti.reſp. Sp.62.F
*Pori ſunt venæ ſubtiliſſimæ per quas effluit calor.de vtil.reſp.*Sp.62.F
Poris plenum eſt totum corpus & tota cutis.1°.de ſan.tu. 2ª.67.G
*p Poros carnis inſpirationẽ etiam fieri probatur.de vtili.reſp.*Sp.63.B
p Poros corporis quàm ob cauſam exeat ſudor.de vti.reſp. Sp.64.D
Poros qui habent occluſos. in 1m.de mor.vulg.com.2°. 3ª.115.E
Pori obſtructi faciunt calorem augeri.de vti.reſp. Sp.62.F
Poros purgans medicamentũ quale eſſe debet.5°.de ſim.me.fa. 5ª.34.H
Poros purgantia nitroſa,& amara ſunt.5°.de ſimp.me.fa. 5ª.35.A
Porus ab Herophilo vocatur neruus à cerebro ad oculum. de ſymptomatum differentijs. 3ª.14.D
Pori cur dicti oculorum meatus.10°. de vſu par. 1ª.182.A
Pori oculorum cur variant ſuas productiones.10°.de vſu pa. 1ª.182.A
Pori oculorum cur non eunt directi.10°.de vſu par. 1ª.182.A/B
Pororum oculorum mutua coitio quid faciat.10°.de vſu par. 1ª.183.D
Pororum conniuentia vnde.3°.de ſymp.cau. 3ª.28.G
Pori cordis impceptibiles ſunt ob ſui paruitatẽ.de vtil.reſp. Sp.64.D
Pori propter quid ſint in veſica bilem recipiente.4°.de vſu pa. 1ª.138.F
Pori qui ſunt in branchijs piſcium ſunt adeo tenues,vt non recipiant niſi aerem.de vti.reſp. Sp.64.C
p Poros cineris influens aer ignitur ad reſtaurationem euaporationis ignis.de vtilitate reſpirationis. Sp.64.A
Poros metallorum non intrat aer,ſed ignis.de vti.reſp. Sp.64.A
per Poros ventoſæ exit ignis.de vtil.reſp. Sp.64.D
POROS *tophos appellant.6°.de ſan.tu.* 2ª.99.F
Pori ſunt toto genere præter naturam.de dif.mor. 3ª.4.F
Poros quando maxime fit in oſſe.6°.met.me. 7ª.41.D
Pori,id eſt calli.14°.met.me. 7ª.93.C
πῶρος,id eſt tophus q̃uo in renibus gignatur.1°.de ali.fac. 2ª.10.G
πῶροι, id eſt tophi in arthritide.1°.de ali.fac. 2ª.10.G
Pori ſubſidens tubercula fieri ad craſſam venam ſignificant. de natura humana,com.2°. 7ª.180.F
POSCA *quo modo fiat.de dyna.* Sp.23.B
Poſca quando potui danda.5°.met.me. 7ª.32.H
Poſca fouet oculos.de rem.par.fac. 7ª.155.H
Poſca ſiſtit ſanguinem.introd. Iſa.56.F
Poſca lauandum vlcus humidum.4°.met.me. 7ª.23.E
POSITIO *neceſſario eſt accidens.1°.de vſu par.* 1ª.115.E
Poſitio mẽbrorũ quot modis accipiat̃.de ijs q̃ in me.ſi.cõ.3°. 7ª.216.A
Poſitio ſitualis membri qualis ſit.de ocul. 7ª.189.E
Poſitio mollis,æqualis,& ſurſum verſa ſemper eſt bona. de ijs, quæ in med.ſi.com.3°. 7ª.216.A
Poſitio inæqualis cur mala.de ijs,quæ in med.ſi.com.3°. 7ª.216.A
Poſitio obliquæ partis duplex.2°.de vſu par. 1ª.125.B
Poſitionem obliquam habentes quid agant.16°.de vſu par. 1ª.216.H
Poſitio infantis in vtero.de na.& ord.cuiuſ.cor. Sp.42.C
à Poſitione cordis quæ argumenta ducant̃.2°.de dec.Hipp. 1ª.236.A
POSITVRA *eſt in organis.2°.met.me.* 7ª.13.D
ex Poſitura loci indicatio ſumitur.4°.met.me. 7ª.29.B
ex Poſitura indicatio quarta in ventriculo.7°.me.me. 7ª.49.A
à Poſituræ partis vicinitate argumentum quod ducatur. 2°. de decretis Hippocratis. 1ª.240.C
à POSITV, *& figura indicatio.4°.met.me.* 7ª.28.G
à Poſitu indicatio qualis.2°. de arte cur.ad Gla. 7ª.102.F
Poſitus ſignificat partem affectam.1°.de loc.aff. 4ª.6.B
in Poſitu ægritudines quæ euariant compoſiturã ſecundum naturam. de differentijs morborum. 3ª.5.C
ex Poſitu ac formatione deſumitur partium,quæ phlegmone laborant ſanatio.de conſt.ar. Iſa.41.D
POSSESSIO *hominum qualis eſſe debet.7°.met.me.* 7ª.43.B
POSSIDONIVS *ab ineunte ætate in Geometria verſatus.4°.de decretis*

decretis Hippocratis. 1ª.250.F
Poſſidonius eruditiſſimus,& in geometria exercitatus. 8°. de decretis Hippocratis. 1ª.273.D
Poſſidonius erubuit de contradictionibus quas dicebat.4°.de decretis Hippocratis. 1ª.250.F
Poſſidonius appellat animæ facultates, quas Plato partes, & ſpecies. 6°.de decre.Hippocratis. 1ª.261.D
Poſſidonius quid ſentiat de ratiocinatrice parte iraſcibili, & concupiſcibili.5°.de dec.Hippocra. 1ª.259.F
Poſſidonius librum fecit de affectibus.5°.de dec.Hipp. 1ª.257.F
Poſſidonius iubet,ſi eductione ſanguinis in melãcholia qs ĩdigeat,primo ſecãdã venã poſtea euacuãdũ.de mel.ex Ga.Ru.& Poſſ. Sp.109.H
POST cur flecti non poſſumus,et an poſſumus.12°.de vſu pa. 1ª.197.C
POST brachialis cum brachiali motus latens eſt,& obſcurus,de muſculorum diſſectione. 1ª.49.D
POSTERIORES debent eſſe acutioris ingenij & priorũ ſcripta examinare.2°.de comp. me.ſec.loc. 5ª.135.A
Poſteriores medici prioribus addere debent.2°.de compoſi. medicamẽtorum ſecum.loc. 5ª.135.C
Poſteriorum & priorum libros vnum eſſe librum in duas partes diſtinctum collige.4°.de diff.pul. 4ª.69.H
Poſteriorũ libri ſecunda reſolutoria dicunt̃.2°.de dec.Hipp. 1ª.235.D
in Poſteriori parte cur cerebrum ſit durius.de ana.vi. Sp.53.H
Poſterioris partis capitis grauitati confert ſectio venæ frontis. de anatomia viuorum. Sp.55.A
in Poſteriorum partiũ capitis vlceribus fit venarum ſectio poſt aures de anatomia viuorum. Sp.55.A
in Poſteriora trahens fœmur & exacte extendens muſculus. de muſculorum diſſectione. 1ª.50.H
Poſteriora neruoſa ſunt.com.5°.aph.65°. Ex.45.A
in Poſteriore parte corporis cur fiãt rigores.cõ.5°.aph.69°. Ex.45.D
in Poſterioribus partibus neruoſis cur fiunt conuulſiones, & diſtentiones.com.5°.aph.65°. Ex.45.A
Poſteriora dolentia anteriora inciſa curant.com.5°.aph.68°. Ex.45.D
Poſteriora diuertunt ab anterioribus.com.5°.aph.68°. Ex.45.D
in Poſteriora reuellendæ ſunt fluxiones quæ inclinant in priora. de cucurbitulis ſcarificationibus. 6ª.4.G
Poſteriora cominus ſolum trahunt alimentum.3°.de nat.fac. 1ª.308.A
POSTES quid.de arti.com.4°. 7ª.290.B/F
POSTHIA quid.introduct. Iſa.58.F
Poſthia coronæ affectus.intro. Iſa.58.D
Poſthiæ,& crithæ ſunt hi abſceſſus,qui vulgo dicuntur horzaroli. 4°. de comp.me.ſec.loc. 5ª.153.C
ad Poſthias.4°.de comp.me.ſec.loc. 5ª.158.D
POSTPOSITIO multa ſignificat declinationẽ.1°.de criſi. 4ª.126.A
POSTVLATA quæ ſint.de vict.ra.in mor.acu.com.2°. 7ª.119.B
POTABILES aquæ carnes corrumpunt,& putrefaciunt.2°.de naturalibus facultati. 1ª.301.C
POTAMOGETVM adſtringit & refrigerat vt Polygonon. 8°. de ſimplic.medic.facul. 5ª.59.A
Potamogeton habet quid refrigeratiuũ.2°.de comp.me.ſec.lo. 5ª.132.G
POTANT celeriter & crebro ſitientes.1°.de cauſ.pulſ. 4ª.87.D
ad POTATIONEM aquarum metalla nocua ſunt. de bonitate aquæ. Sp.75.E
Potatione debemus intelligere nõ aquæ,ſed vini potionem. commen.7°. aphoriſmo.7°. Ex.54.D
Potationes implent caput plurimo ſanguine,& ſpiritu calido.commentario.7°.aph.7°. Ex.54.D
à Potatione multa rigor,& deſipiẽtia,malũ.cõ.7°.apho.7°. Ex.54.D
ob Potationem vini meri dolori capitis confert ſuccus centaureæ. de virtute centaureæ. Sp.93.B
POTATVRIS alliũ eſt optimum.de vic.rat.in mor.ac.c.4°. 7ª.145.C
POTENTES quomodo ſint animæ brutorum.de mot.man. Sp.67.E
POTENTIA & facultas idem.9°.de decr.Hipp. 1ª.286.C
de Potentijs nemo ante Galenũ exacte egit.3°.de nat.fac. 1ª.305.D
Potentia eſt vna genere,plures ſpecie.com.2°.aph.16°. Ex.12.H
Potentias quatuor habet quælibet animalis pars.de cau.mor. 3ª.8.D
Potentia res facit.9°.de decr.Hippo. 1ª.286.C
Potentia,& habitus adſunt in anima irrationali.7°.de dec. 1ª.268.C
Potentia,qua animalia reguntur,quæ ſit.com.2°.aph.17°. Ex.13.A
Potentia noſtrum regens corpus de quibus dicatur. com. 2°. apho.17°. 13.B/aphoriſ.31°. Ex.16.H
Potentia animalis regitiua ſemper ſeruãda eſt.cõ.2°.aph.16°. Ex.12.H
Potentiæ vitalis eſſentia eſt naturalis calor.in 6ᵐ.de morbis vulgarib. commentario.3°. 3ª.174.B
Potẽtia ſanguifica eſt illa,q̃ digerit ĩ vẽtriculo.c.2°.aph.17°. Ex.13.A
Potentia retentiua inteſtini,aut ventriculi,leuitatem inteſtinorum facit com.6°.aph.1°. Ex.46.C
Potentia excretiua vna eſt ex potentijs corpis.cõ.6°.aph.55°. Ex.53.D
Potẽtia primo eſt actionis,deinde opis ex accidẽti.1°.de na.f. 1ª.291.D
Potentia propria ratione iuuat,& obeſt.de vic.rati.in morbis acutis, commentario.3°. 7ª.125.F
Potẽtiæ robur minus diuturnas facit acceſſiones.2°.de diff.fe.3ª.42.A
Potentiæ imbecillitas in longius tempus producit acceſſiones. 2°. de differentijs febrium. 3ª.42.A
ſm Potentiam quid ſit.ars med. Iſa.69.D
Potentia tale quot modis diſtinguatur.3°.de ſimp.me.fac. 5ª.17.B
Potentia quandoq; aliquid debere ſubintelligi in dictis Hippocratis collige.com.7°.aph.11°.54.G/18°. Ex.55.C
POTENTIA ciuilis quærebatur tempore Galeni.1°.met.me. 7ª.2.C
POTENTILLA. de dyna. Sp.31.B
POTENTIORA non ſunt ſemper paucioribus ſignis plurima. 1°.de criſibus. 4ª.130.G
POTERIVM deſiccat abſq; morſu.8°.de ſimp.me.fac. 5ª.56.H
Poteriũ neruos inciſos glutinare credit̃.8°.de ſimp.me.fac. 5ª.57.A
Poterij radicis decoctum ijs adhibetur,quibus affecti ſunt nerui.8°. de ſimp.med.facul. 5ª.57.A
POTESTATE quod eſt debet conſiderari ab eo,quod eſt per ſe, & nõ per accidens.3°.de temp. 1ª.23.D
Poteſtate quod dicitur eſt ad aliquid.3°.de temp. 1ª.25.D
Poteſtate tale eſſe quid.3°.de temp. 1ª.21.F/G
Poteſtate quod eſt imperfectũ eſt tñ habile perfici.3°.de temp. 1ª.21.F
Poteſtate ſunt materiæ,quæ debẽt tranſire in aliud.3°.de temp. 1ª.21.G
Poteſtatũ nos regentium dignitates.in 6ᵐ.de mor.vul.cõ.4°. 3ª.188.E
ποτὶ Hippocrates quandoq; vtitur pro præcipue, & maxime. de articulis,commen.3°. 7ª.268.H
POTIONES tempore differunt.in 1ᵐ.de mor.vul.com.3°. 3ª.138.C
Potiones ſint frigidæ æſtate.12°.met.me. 7ª.76.C
Potiones ſint calidæ hyeme.12°.met.me. 7ª.76.E
Potiones calidæ.quæ.de dyna. Sp.32.F
Potio ſit mediocris.2°.de ſan.tuen. 2ª.69.D
Potio temperata.1°.de ſan.tu. 2ª.64.B
pp Potionis immodicam copiam coctio ab extrinſeco impeditur.3°. de ſymptomatum cauſis. 3ª.24.H
Potiones pariunt morbos.de na.hu.com.2°. 7ª.182.B
pp Potionis qualitatem alienam incongruũ ordinem & intempeſtiuitatem coctio ab extrinſeco impeditur.3°.de ſymp.cauſ. 3ª.24.H
à Potionis penuria ſiccitas inducta qũo corrigatur.3°.de ſa.t. 2ª.81.G
Potiones quæ abominandæ.10°.de ſimp.me.fac. 5ª.72.B
Potiones medicamenti quæ proprie ſint apud Hippocratem. commentario.7°.apho.25°. Ex.55.G
Potio eadem quater in anno data oſtendit diuerſos euomi humores.8°. de decretis Hippocratis. 1ª.276.F
Potiones ſanant vulnera intrinſeca.com.6°.aph.18°. Ex.48.B
Potiones pro morbis acutis.de vic.rat.in mor.acut.com.3°. 7ª.131.G
Potio antipatri.7°.de comp.me.ſec.loc. 5ª.182.G
Potio Cletij abaſcanti.7°.de comp.me.ſec.loc. 5ª.183.C
Potio ad eas quæ non Concipiunt,& quibus menſtrua non apparent.de dynamidijs. Sp.29.G
Potio Dauit ad Iliacos.de dyn. Sp.28.D
Potio ad Epilepſiam.de dyna. Sp.24.B
Potio probata ad Frigiditatem & febrem.de dyna. Sp.32.D
Potio ictericorum.de cura icteri. Sp.111.A/B
Potio probata ad Ilij dolorẽ,& ad lapidem frangendũ.de dyn. Sp.28.B
Potio probatiſſima ad ilij dolorem, ad petram rumpendam ad eos qui meiunt difficulter.de dyna. Sp.28.D
Potio ad matricis ſuffocationem.de paſſ.mul. Sp.95.G
Potio Opopyri.de dyna. Sp.31.C
Potio ſancti Pauli paralyticis,arthriticis ſuccurit.de dyn. Sp.31.C
Potio ad Paralyſim Ioannis filij Ligoris medici.de dyn. Sp.31.C
Potio ad petram frangendam probata mirabiliter de dyna. Sp.28.D
Potio ad Plagam ſanandam.de dyna. Sp.32.A
Potio ad Plagatos.de dyna. Sp.31.G
Potio rubra.de dyna. Sp.32.D/F

non POTANT aues quædam, & cur. de ana. viu. Sp.47.F
POTVS eſt cibo oppoſitus. 3°. de ali. fac. 2ª.33.A
Potus vnus ex ſex rebus non naturalibus. ars med. Iſa.68.B
Potus, & cibus ſignificant p viuēdi rationem. de nat. hu. c. 2°. 7ª.182.D
Potus neceſſario noſtro corpori occurrit. ad Thraſ. 2ª.104.D
Potus, & cibus quare ſint neceſſarij. de mo. man. & obſ. Sp.71.C
Potu quid reſarciamus in nobis. 1°. de ſan. tuen. 2ª.62.G
Potus, & cibus ſupplēt locū eius quod diſſoluitur. de mo. man. Sp.71.C
Potus gignunt humores. 1°. de elem. 1ª.7.E
Potus maxime nutrit, & qui potus. com. 2°. aph. 11°. Ex.12.D
Potibus cōuenientibus vires roborant. de ren. aff. dig. & me. 7ª.199.F
Potus valet ad animi virtutem, quòd animi mor. 1ª.317.C
Potus materia rei medicæ. ad Thra. 2ª.106.A
Potus, & cibus quomodo ſint medicinalia. 2°. de ſan. tu. 2ª.68.B
Potus natura debet ſciri ſecundum rationales. de ſect. Iſa.16.D
Potuum ratio habenda. 6°. de ſan. tu. 2ª.101.A
Potus quomodo deſideratur. 6°. de loc. aff. 4ª.38.A
Potus defectum percipit ventriculus per neruū. 9°. de vſu pa. 1ª.174.G
Potum, & cibum appetens ventriculi cupiditas animale officium eſt. 6°. de locis affectis. 4ª.37.H
Potus appetitus habet tot ſpecies quot fames. 1°. de ſymp. cau. 3ª.18.D
Potus paucioris appetitus oſtēdit futurā ęgritudinē. ars med. Iſa.67.F
Potus pluris appetitus oſtendit futurā ægritudinem. ars med. Iſa.67.F
Potus quando magis deſideratur. 1°. de ſymp. cau. 3ª.18.B
Potū cur appetāt plurimū melācholici. de mel. ex G. R. & P. Sp.109.D
Potus inappetentia quæ. 1°. de ſymp. cau. 3ª.18.D
Potus diminuta appetentia quæ. 1°. de ſymp. cau. 3ª.18.D
Potus vitioſa appetentia quæ. 1°. de ſymp. cau. 3ª.18.D
Potus facultatis fatiſcentis. de pulſ. ad Tyro. 4ª.44.F
Potum, aut cibum non petunt animo vacillantes. 1°. de dif. reſp. 3ª.60.A
de Potu ſomnium quid ſignificet. de præſag. ex inſom. ſum. 4ª.213.D
Potus, et cibus trahūtur à vētriculo villis rectis. 4°. de vſu p. 1ª.137.A
Potus ſeruari poteſt longo tempore in vētriculo. 6°. de lo. af. 4ª.38.A
Potus diutius quàm par eſt in ventriculo manere poteſt ſiti infeſtatis. 6°. de locis affectis. 4ª.38.B
Potus qui et cur facit remorari excremēta ī vētre. 1°. de ſa. t. 2ª.68.A
Potus, et cib⁹ expellūt à vētriculo villis trāſuerſis. 4°. đ vſ. 1ª.137.A|B
Potus, & cibus per fauces deſcendit. 2°. de ſem. 1ª.340.C
Potus it per collum. 11°. de vſu par. 1ª.186.B
Potus ſi ingredit guttur ſtrāgulatiōes, et tuſſes excitant. intr. Iſa.54.C
Potus qui ſumitur quomodo non eat in thoracem. 4°. de vſu pa. 1ª.137.B
Potus ad pulmonem fertur ſm Platonem. 8°. de dec. Hipp. 1ª.278.H
Potus aliqua portio exudat ad pulmonem. 8°. de dec. Hipp. 1ª.278.H
Potus ſemper percolatur per aſperam arteriam ad pulmonem vel parū vel multum. 2°. de ſimp. me. fac. 5ª.13.E
Potus affatim influens tuſſire facit. 2°. de ſimp. me. fac. 5ª.13.E
Potus cur venit in nares. in 3^{m}. de mor. vul. com. 2°. 3ª.136.C
Potus exit per inteſtina. 6°. de loc. aff. 4ª.37.G
añ Potū, & cibū clara eſt vox poſt minus clara. de vo. & anh. Sp.61.G
ob Potum fit vox rauca. de voc. & anhel. Sp.61.G
Potus modus. ars med. Iſa.68.F
Potibus in congrua menſura vtendum. de aſſuetud. 2ª.61.G
Potus hyemis quantus, & qualis. de ren. affe. dig. & med. 7ª.195.B
Potus veris. de ren. aff. dig. & med. 7ª.195.C
Potus æſtatis. de ren. affect. dig. & med. 7ª.195.C
Potus multus dandus eſt his, qui habent aluum ſiccam, è contra his qui humidam. com. 4°. aph. 83°. Ex.37.B
Potus an debeat dari ſitientibus, & qñ et qūo. c. 5°. aph. 27°. Ex.40.A
Potum accipiat corpus exiccatum. ad Thraſ. 2ª.104.F
Potus modus in ſiccis qualis. 7°. met. me. 7ª.45.G
Potus quomodo alteret corpus. fin med. Iſa.68.C
à Potu quomodo abſtinendum temperato. 2°. de ſan. tu. 2ª.73.F
à Potu per quindecim dies abſtinuerunt quidam Galeni vſu. in 6^{m}. de mor. vulga. com. 4°. 3ª.180.G
Potu multo ſe explentes quid incurrant. 8°. de comp. me. ſe. lo. 5ª.191.D
Potu qui ſe repleuerunt illis caſeus eſt deterrimus. de vict. rat. in morbis acutis, com. 4°. 7ª.145.D
Potus validus qui. in 6^{m}. de morb. vul. com. 5°. 3ª.192.G
Potus ſm naturam vtentium dari debet. de bon. & vi. ſuc. 2ª.38.H
Potus diuerſi in diuerſis hominibus. 7°. met. me. 7ª.46.C
Potus conſuetus minus moleſtat inconſueto. com. 2°. aph. 50°. Ex.19.B
Potus conſueti etiam praui facile feruntur. de vict. rat. in morb. acutis, commentario. 2°. 7ª.121.A
Potus inconſueti etiam boni difficulter feruntur. de victus rat. in mor. acu. commenta. 2°. 7ª.121.A
Potus naturam aduentitiā efficit in ſtomacho. cō. 2°. aph. 50°. Ex.19.B
Potus aquæ pulſus qui. de pul. ad Tyro. 4ª.44.E
Potum frigidum qui cauere debent. 1°. de arte cu. ad Glau. 7ª.99.A
Potum frigidum qui ſumere debent. 1°. de arte. cu. ad Glau. 7ª.99.A
Potus lactucarum ſomnum conciliat. 2°. de loc. af. 4ª.14.A
Potus calidarum aquarum ſomnum conciliat. 2°. de loc. aff. 4ª.14.A
Potus habentium calidum ventrem inferiorem cum acribus deiectionibus. de vic. rat. in morb. acu. com. 4°. 7ª.149.C
Potus minor copia datur aluum ſupra modum humidum habentibus in quibus vero ſiccior eſt contra. com. 4°. aph. 83°. Ex.37.B
Potus vini pulſus qui. de pulſ. ad Tyro. 4ª.44.E
Potus vini intempeſtiuus quos pulſus faciat. 1°. de digno. pul. 4ª.73.C
in Potu ſtomachicis vinum prodeſt quod vnuſquiſq; libenter bibit. 8°. de comp. me. ſec. loc. 5ª.192.D
Potus lactis equini. de aer. aqu. & loc. 2ª.5.D
in Potibus piper album pulueri zatum aſſumat ſenex qui cibis obſtruētibus ſit vſus. 5°. de ſan. tu. 2ª.91.D
Potus qui non conueniant à balneo. de ren. aff. dig. & med. 7ª.196.C
Potus crudos reddit vigilia fortis. de vic. ra. ī mor. acu. cō. 2°. 7ª.125.B
à Potu & a cibo morbi quales. in 1^{m}. de mor. vul. com. 1°. 3ª.101.D
ex Potibus, aere, & cibis quid habeat iecur. 10°. met. me. 7ª.64.F
Potus dulces obſunt iecori, & lieni inflammatis. 2°. de ali. fac. 2ª.17.F
Potus poteſt facere profluuium alui. com. 6°. aph. 16°. Ex.47.G
Potus quam leuitatem inteſtinorum ſanet. com. 6°. aph. 1°. Ex.46.A
Potus recenter aſſumptus corrigitur ab euacuatione. ars med. Iſa.70.D
Potus habent vim emplaſticam. 5°. met. me. 7ª.31.E
Potus ſolus qñ dat in acutis. de vic. ra. in mor. acu. com. 3°. 7ª.133.D
Potus tenuiſſimi victus apud Hippocratē qui. de frac. com. 2°. 7ª.235.H
Potus ſalubris ad ſanitatem perpetuam. de dyna. Sp.20.B
Potui quæ narcotica ſunt non ſunt danda. 5°. de ſimp. me. fac. 5ª.37.C
Potibus venenoſis reſiſtit agaricum. de ſimp. me. Sp.80.E
pro Potu ſyrupus de melle. ſecretorum. Sp.102.E
ex Potu aliquid tendit cum ſanguine, quod & per vrinas, & per ſudorem, & per inſenſibilem tranſpirationē meat. de atra bile. 1ª.34.D
Potus qualis ad vrinam ciendam. 5°. de ſan. tu. 2ª.91.C
Potui quandoq; ſimilis eſt vrina. in 6^{m}. de mor. vul. com. 5°. 3ª.192.A

PRAECEDENTES cauſæ quæ. itro duct. Iſa.52.B| 4°. de ſanitate tuenda. 2ª.82.E

PRAECEPTOR qualis eſſe debet. de cuiuſq; animi pec. not. 2ª.57.C
ex Præceptoribus addiſcere melius, quā ex libris. 3°. de loc. aff. 4ª.15.A
ſub Præceptoribus malis tempus perditur. 8°. met. me. 7ª.52.B
in Præceptores peſſimos incidentium infelicitas dolenda. de bonitate & vitio ſuccorum. 2ª.34.B
à Præceptoribus quæ dantur diſcipulis ſunt examinandæ. de cuiuſq; animi pecc. not. atq; med. 2ª.57.C
Præceptorem in re medica habere oportet expertū. 2°. de criſ. 4ª.133.G
Præceptor Galeni Pelops. de muſc. diſſec. 1ª.46.E
Præceptores Galeni Quintus & Satyrus. in 3^{m}. de morbis vulgaribus, commentario. 1°. 3ª.134.D
Præceptorem interrogauit Galenus adoleſcens. de mult. 3ª.80.B
Præceptores multos contēpſit Galenus adoleſcens. de cuiuſq;. 2ª.57.C
Præceptorem in quibus arguit Galenus. de mul. 3ª.80.B
PRAECEPTA in quibus conſiſtunt. de opt. ſect. Iſa.20.B
Præcepta ad pricipia referunt vt ſubditi ad principē. đ opt. ſec. Iſ.19.G
Præcepta vtlia ſi ſint vera, multa paucis docēt. 2°. de alim. fac. 2ª.24.C
Præcepta vtlia ſi ſint falſa multū ſunt pnitioſa. 2°. de ali. fac. 2ª.24.C
Præcepta medica omnia debent eſſe vera, vtilia, conſentanea principijs. de opt. ſect. Iſa.19.F|G
Præceptum vtile quo modo cognoſcatur. de opt. ſect. Iſa.20.A
Præceptorū oīum ſalutariū ſemita eſt Hippocrates. 7°. met. me. 7ª.43.C
Præcepta illa vera eſſe aſſerunt empirici, quæ conſtituuntur ab experiētia. Galeno vero adeo numeroſa præcepta inuenta eſſe ratione videntur, quorum tamen de veritate iudicium facimus, pro vt ſtabiliuntur ab experimentis, & fidem accipiunt. in 1^{m}. de mor. vul. c. 1°. 3ª.101.G
Præcepta eadem in iiſdem rebus intelligenda eſſe colligitur. in prognoſtica commentario. 2°. 4ª.198.E
PRAECINCTVS quidam, & acribus vſus priapiſmo laborauit. 6°. de locis affectis. 4ª.42.F

PRAECISIO ſpecies diuiſionis chirurgiæ.introd. Iſa.59.E
Præciſio in quibus fiat locis.introd. Iſa.59.E
ad PRAECLVSIONEM veſicæ probatiſſima antidotus. de dynamidijs. Sp.29.A
PRAECONES indigent vehementi īſpiratione.2°.de mo.muſ. 1ª.316.C
Præcones præparant materiam voci.8°.de ana.adm. 1ª.101.F
Præcones cur multis vtantur balneis,& cibos lenes,& laxantes edāt. 7°.de comp.me.ſec.loc. 5ª.177.E
PRAECOGNITIO an ſit.de conſt.ar. Iſa.41.G
Præcognitio futurorum in quibus.de conſt.ar. Iſa.41.H
Præcognitio duplex ex ſignis iudicatorijs.com.1°.aph.12°. Ex.6.D
ad Præcognitionem capita magna.com.4°.aph.71°. Ex.35.C
Præcognitiones fiunt diligentiores ſi medicus ſeparet quod ab extrinſeca cauſa fit,& non ratione morbi.com.3°.aph.5°. Ex.20.C
ad Præcognitionem eorum quæ circa ægrum futura ſunt, quid exigat. com.6°.aph.5°. Ex.46.G
Præcognitio,& curatio exterioribus rumpitur.cō.1°.aph.1°. Ex.3.B
Præcognitiones cur non ſunt certæ.com.2°.aph.19°. Ex.14.C
Præcognitio certa nō fit à caſibus extrinſecis.c.4°.aph.41°. Ex.32.D
Præcognitiones in acutis non omnino ſunt certæ, ſed bene in longis morbis.com.2°.aph.19°. Ex.14.C
PRAECOGNOSCENS bonus medicus raro aberrat.commētario.2°. aphoriſmo.19°. Ex.14.C
PRAECORDIA, & ſeptum tranſuerſum idem appellauerunt antiqui in prognoſt.com.1°.4ª.194.H/de na.& ord.cu. Sp.42.A
Præcordia quæ.3°.de dec.Hip.241.G/6°.266.H/7°.267.A/8°.1ª.278. C/1°.de diff.feb. 3ª.34.G
Præcordia ꝓprie,& improprie quæ.in 3m.de mor.vul.c.2°. 3ª.128.E
Præcordia vbi ſita.6°.de dec.Hipp.263.F/8°. 1ª.278.G
inter Præcordia & vmbilicū pars qualis cēſenda.6°.de dec. 1ª.261.D
Pręcordiorum muſculi mouentur ad motum reſpiratoriorum organorū. 1°.de diff.reſp. 3ª.59.H
Præcordiorum Abſceſſus.6°.de comp.me.per gen. 5ª.262.F
in Præcordijs exiſtentem multam aquam nequeunt curare malagmata.8°.de comp.me.ſec.loc. 5ª.197.B
Præcordia celerius pertranſiens aqua optima eſt.1°.de ſan.tu.2ª.67.A
Præcordiorum Conſenſus vnde.in 3m.de mor.vul.com.2°. 3ª.135.D
Præcordia trahūt ī cōſenſum cerebrū.de mel.ex G.R.et Po. Sp.109.B
Præcordiorum ſubmollis Contētio quo modo intelligatur.in 1m.de morbis vulgaribus,com.3°. 3ª.121.G
Præcordiorū cōtentio ſubmollis qd.in 3m.de mor.vulg.cō.1°. 3ª.130.D
ad Præcordiorum diſtentiones.7°.de comp.me.ſec.loc.185.H/8°.193. A/9°.199.A/E/10°. 5ª.207.F
ad Præcordia,vel iugulū mittit dolorē pleuritis.5°.de loc.aff. 4ª.31.D
ad Præcordia pleuritis.2°.de diff.pulſ. 4ª.57.B
ad Præcordia cur qn̄q; attingit dolor pleuriticorū.2°.de loc.af.4ª.11.C
Præcordia cum dolore extenſa quid ſignificent.3°.de criſi. 4ª.144.F
ſupra Præcordia dolores indicant purgationes per ſuperiora fieri debere,infra per inferiora.com.4°.aph.18°. Ex.29.B
ad Præcordiorum dolores.7°.de comp.me.ſec.loc.182.G/7°. de compoſi.me.per gen. 5ª.266.G
ad Præcordia indurata viſceris īflāmatiōe.6°.đ cōp.m.ꝑ gen.5ª.263.B
Præcordiorū duritiē tollens.6°.de comp.me.per ge. 5ª.263.B
Præcordia quo modo eleuantur in cruditatibus cibos poſtridie eructantibus.de ſal.die. 2ª.43.A
ex Præcordijs febres malæ.in 3m.de mor.vul.com.2°. 3ª.135.A
in Præcordijs vbi eſt Grauitas, cappares ex oxymelite conueniunt. 14°.methodi medendi. 7ª.91.H
in Præcordiorum dextera parte reſpirādi grauitas quid ſignificet.2°. de locis affectis. 4ª.12.H
Præcordia Inflāmata quid faciant.in 1m.de mor.vul.com.3°. 3ª.121.G
Præcordiorum muſculorum phlegmon ab ignaris exiſtimatur iecoris, & ita relaxantia adhibent.11°.meth.me. 7ª.72.F
Præcordiorum muſculi inflammati non poſſunt in ferre mortem.in prognoſtica.comm.1°. 4ª.196.B
circa Præcordia pellicula aliqua,aut muſculus, quibus inflammatus eſt,his paruus,& denſus fit ſpiritus.2°.de diff.feb. 3ª.65.H
Pręcordia quomodo ſe habent in inflammatione ſepti tranſuerſi.in 1m. de mor.vul.com.3°. 3ª.121.G
in Pręcordijs inflāmatio qūo curetur.2°.de comp.me.ſec.lo. 5ª.137.G
ad Pręcordiorum phlegmonas æſypi ceratum.14°.met.me. 7ª.88.G
ſub Pręcordijs inflāmationes quomodo finiant.3°.de criſi. 4ª.139.E
ad Pręcordia inflammata.8°.de comp.me.ſec.loc. 5ª.193.B
Pręcordiorum īflatione vexatis epithymū dabis.de ſim.me. Sp.84.A
Pręcordia Intenduntur cerebro affecto.5°.de loc.aff. 4ª.31.H
in Pręcordijs œdema quo modo curetur.13°.met.me. 7ª.88.D
in Pręcordijs Palpitationes ſunt motus nō naturales. de ijs, quę in me. ſi.commen.3°. 7ª.222.E
Pręcordiorū palpitatio ſignū delirij.in 1m.de mor.vul.cō.3°. 3ª.121.G
Pręcordia Retracta indicationis ſignū.1°.de art.cu.ad Glau. 7ª.100.D
Pręcordiorum Sudores à partu.de med.fac.par. 7ª.169.B
ad Pręcordiorum Tenſiones.7°.de comp.me.per gen. 5ª.265.B
Pręcordiorum dextrę partis Tumor ſignificat iecinoris affectum, ſiniſtrę vero lienis.5°.de loc.aff. 4ª.6.B
ex Pręcordijs morituri quibus cognoſcantur.de dyna. Sp.26.C
ī Pręcordijs cucurbita ſiſtit ſanguinē nariū.5°.me.me.30.E/15°. 7ª.85.B
Pręcordiorū muſculis nō sūt admouēda adſtrīgētia.11°.met.me.7ª.73.B
Pręcordijs ſemper calida applicanda.intro. Iſa.55.F
Pręcordia calefacere quibus tutū,& quibus nō.11°.met.me. 7ª.72.A
circa Pręcordia calefactio iuuat in tertianis.1°. de arte curatiua ad Glauconem. 7ª.97.E
Pręcordijs impoſitum refrigerans facit difficultatem reſpirandi.10°.methodi medendi. 7ª.65.C
Pręcordia ſiccat panis ex melle.10°.meth.me. 7ª.64.B
ad Pręcordia epithema in febre ſynocha.de dyna. Sp.33.C
Pręcordiorum vnctio in febre ſynocha.de dyna. Sp.33.C
Pręcordia vnguento nardino confricauit Galenus.de pręcognitione ad Poſthumium. 4ª.217.F
Pręcordiorum cura in melancholicis.de mel.ex G.R.& Poſ. Sp.110.B
ꝓ Pręcordijs fomenta in melancholicis.de mel.ex G.R.& P. Sp.110.B
ad Pręcordia.8°.de comp.me.ſec.loc. 5ª.196.D
ad Pręcordiorum paſſiones remedia.de dyna. Sp.26.C
PRAECOCIA armeniacis pręſtantiora.2°.de ali.fac. 2ª.19.E
Pręcocia humida,& aquoſa.1°.de ali.fac. 2ª.8.C
Pręcocia non poſſunt ſiccari.de bon.& vi.ſuc. 2ª.36.H
Pręcocia refrigerata exhibentur.de bo.& vitio ſuc. 2ª.39.B
Pręcocia non faciunt ad ſanitatem.de atten.vic. 2ª.45.H
Pręcocia conueniunt epilepticis.de puero epilep. 7ª.180.C
PRAECVSTODIA dicta curatio eſt quodam mō.1°.de diff.fe. 3ª.32.F
PRAEDICAMENTA diuidere eſt logicę initium.2°.met.me. 7ª.15.E
in Prędicamētis hō ſit exercitatus ꝓ pulſibus.2°.de dif.pulſ. 4ª.57.H
in Prędicamētis quę ſint,& quo mō differant.2°.de diff.pulſ. 4ª.58.G
Prędicamentum qualitatis quibus commune.2°.de diff.pulſ. 4ª.58.A
Prędicamento ad aliquid quę attribuanī in pulſu.2°.de dif.p. 4ª.58.A
PRAEDICIMVS illa quę ſunt in anima.in 1m.pror.cō.1°. 4ª.160.G
Prędicere glorioſum & ſplendidum eſt.de art.com.3°. 7ª.281.D
Prędicere debet medicus,& tūc eſt īmunis à culpa.12°.me.m.7ª.75.H
Prędicere quo modo debeat Medicus.de conſt.ar. Iſa.41.H
Prędicenda non ſunt quę iterum dici debent.com.1°.aph.12°. Ex.6.F
quæ Prędicēdi anſam medico prędent.de na.& ord.cuiusl. Sp.42.E
Prędicere quomodo faciunt oblata.in 1m.de mor.vul.com.3°. 3ª.117.C
Prędicebat Galenus diuinandi arte,non medicinę ſcientia. 2°. de differentijs febrium. 3ª.38.B
in Prędicēdo ſemꝑ debemus eē cōpotes voti.in 1m.pror.c.2°. 4ª.169.D
PRAEDICTIO quid.fin.me.Iſ.46.A/in 1m.pror.cō.1°. 4ª.160.G
Prędictio quid proprie ſit.in 1m.prorh. com.1°. 4ª.160.G
Prędictio,& pręnotio ſunt ad artem neceſſaria ſecundum Hippocratē. bre.denot.dogm.Hipp. 1ª.231.D
Prędictiones cur vtiles.in 6m.de mor.vul.com.4°. 3ª.180.G
Prędictionis vſus qui ſit.in prognoſt.com.3°. 4ª.208.A
de Prędicationibus liber nō ē Hippocratis.de pręco.ad Poſth.4ª.215.E
Prędictionum liber,& prędictiones coacę ſcatent erroribus. in 3m. de mor.vul.com.2°. 3ª.134.G
in Prędictionum libro quid agat Hippocrates.3°.de dif.feb. 3ª.73.F
Prędictio oſtendit Medicum vacare culpa.de conſt.ar. Iſa.41.A
Prędictio debet eſſe aut ſemper vera,aut mentiri raro.in 6m. de morbis vulg.commenta.1°. 3ª.157.H
Prędictiōes verę sūt eclipſiū,horologiorū,clepſidarū.de lib.p. Iſa.13.F
Prędictio abſceſſus ab vrinis quando.de vri.ſign.ex Hipp. Sp.78.H
PRAEDICTIVA pars honoratiſſima.1°.de dign.pulſ. 4ª.70.C
PRAEFATIONIBVS non vtitur Hippocrates. in prognoſtica.commentario.1°. 4ª.189.C
PRAEFERRENT cur cœnā prandio antiqui.de diſ.cont. Sp.72.B
PRAEFOCATIO matricis quomodo fiat.de vti.reſp. Sp.63.B

Præfocatio fit magis à ſemine retento q̃ à mẽſtruis.6°.de lo.af.4ª.39.G
Præfocationis ſymptomata qualia,& cur.6°.de loc.aff. 4ª.41.B
Præfocationis pulſus qualis.de pulſ. ad Tyro. 4ª.46.C
Præfocationis vteri curatio.de paſſ.mul. Sp.95.F
PRAEFOCATAE infrigidantur vniuerſim.6°.de loc.aff. 4ª.39.F
ĩ Præfocatis mulieribus cur corp⁹ refrigerẽt.6°.de l.a.34.F/ 4ª.40.D
in Præfocatis cur ſpiratio impediatur.6°.de loc.aff. 4ª.41.A
Præfocatæ an ſpirent vt deprehendatur lanæ flocculi ponuntur ante os, & poculum ponunt ſuper ventriculum.6°.de loc.aff. 4ª.39.E
PRAEFOCANTVR viduæ potiſſimum.6°.de loc.aff. 4ª.39.F
Præfocentur cur viduæ.6°.de loc.aff. 4ª.39.F
PRAEGNANTES quæ mulieres poſſint fieri,& quæ non.commentar. 5°.aph.62°. Ex.43.E
in Prægnantibus an reſtet ſemen.1°.de ſem. 1ª.328.H
Prægnans mulier quo modo cognoſcatur.com.5°.aph.61°. Ex.43.D
Prægnantis notæ.6°.de loc.aff. 4ª.41.B
Prægnantem fœminam aliquantum ſignificat vrina alba ſine febribus. de dynamidijs. Sp.35.D
Prægnantium pulſus qui.de pulſ.ad Tyr.44.C/3°.de cauſ.p. 4ª.97.D
Prægnantium ſpiratio quæ.6°.de loc.aff. 4ª.40.E
Prægnans habet os vteri compreſſum.com.5°.aph.54°. Ex.42.F
in Prægnantibus quo modo compreſſio vteri differt ab inflammatione. com.5°.aph.54°. Ex.42.F
Prægnantes in principio conceptus ſentiunt vterum in ſe ipſum concurrere.3°.de nat.fac. 1ª.302.H
Pręgnans habet tumorem,qui extenditur vſq; ad ilia,tamen non habet ileon.com.6°.aph.44°. Ex.51.D
in Prægnante tumor vteri quandoq; inteſtina gracilia poteſt comprimere atq; anguſtare.com.6°.aph.44°. Ex.51.D
Prægnantis matricis collum ne ſpecilli quidem acumen ingreditur.15°. de vſu partium. 1ª.213.A
in Prægnante nec ſtyli mucro os vteri ĩgrederet̃.2°.de ſymp.c. 3ª.21.B
in Prægnãtibus q̃uo ſe habent muſculi epigaſtrij.2°.de mo.m. 1ª.316.F
Prægnans ſi marem gerat,bene colorata eſt,è contra ſi fœminam. commen.5°.aph.42°. Ex.41.D
in Prægnantibus nunquã eſt ſanguis ille purus ſed alijs humoribus miſtus.de nat.hum.com.1°. 1ª.31.D
à Prægnantis venis alimentum auget ipſum fœtũ.2°.de ſem. 1ª.338.G
de Prægnante ſanguis optimus cur tendit ad fœtum, & non ad lac.1°. de ſanitate tuenda. 2ª.66.B
in Prægnantibus lac quo modo.14°.de vſu par. 1ª.207.C
Prægnantes quales mammas habere debent.com.5°.aph.52°. Ex.42.B
Prægnantes quæ nondum fuerunt mulieres cur mammæ illis contractæ. 6°.de locis affectis. 4ª.42.H
in Prægnantibus cur mãmæ q̃nq; implentur.14°.de vſu par. 1ª.207.C
in Prægnantibus cur mãmæ q̃nq; graciles̃cant.14°.de vſu pa.1ª.207.C
Prægnante nutrice nihil deterius.1°.de ſan.tu. 2ª.66.B
Prægnantes quæ appetant.4°.de ſimp.me.fac. 5ª.26.H
Prægnantes cur extranea appetant.1°.de ſym.cauſ. 3ª.18.C
Prægnantes edunt cibos præter naturam. 6°.de lo.aff. 4ª.41.B
in Prægnantibus quomodo fiat pica.fin.med. Iſa.49.H
Prægnantes quanto tempore habent cittam.1°.de ſymp.cauſ. 3ª.18.C
Prægnantes cur prauis humoribus implentur.in 3m.de morbis vulgaribus.commen.3°. 3ª.148.D
de Prægnantis victu egit Plato.5°.de dec.Hip. 1ª.257.D
Prægnantes ægræ quomodo cibandæ.in 1m.de mor.vul.cõ.3°. 3ª.126.F
Prægnãs ob plures cauſas põt aborſum pati.com.7°.aph.27°. Ex.55.H
Prægnans ſolo tonitruo,& horribili ſpectaculo viſo infantem eiecit.de theria.ad Piſonem. 5ª.94.D
Prægnantes tenues præter naturam abortiunt priuſquam craſſeſcant. com.5°.aph.44°. Ex.41.F
Prægnans miſſo ſanguine ex vena abortit,præſertim ſi fœtus ſit maior. com.5°.aph.31°. Ex.40.D
Prægnans habet periculum aborſus ſi aluus plurimum profluat. commentario.5°.aph.34°. Ex.40.E
Pręgnans ſi habeat mammas graciles,repente abortit. commẽtario.5°. aphoriſmo.37°. Ex.40.H
Prægnans quæ geminos gerat ſi mamma dextra gracilis fiat abortit marem,ſi ſiniſtra,fœminam.com.5°.aph.38°. Ex.41.A
Prægnantes quæ corrupturæ ſunt fœtus ijs mammæ extenuantur ſi vero rurſus duræ fiant,dolor aut mammas,aut coxas, aut oculos, aut genua infeſtabit,& non corrumpent.com.5°.aph.53°. Ex.42.C
Prægnanti ſi tentio ſupuenerit,facit aborſum.cõ. 7°.aph.27°. Ex.55.E
Pręgnantes qua tempeſtate maxime patiuntur aborſum.commenta. 3°. aphoriſmo.12°. Ex.21.F
Prægnans quę ſecundo,tertio, aut quarto menſe abortit propter quid abortiat.6°.de loc.aff. 4ª.41.E
Prægnantes quæ abortiunt ſine occaſione manifeſta,habent in acetabulis vteri muccorem.com.5°.aph.45°. Ex.41.G
Prægnantes quæcunq; à febribus corripiuntur & fortiter caleſiunt ſine occaſione manifeſta,difficulter pariunt,& cum periculo aut abortum facientes periclitantur.com.5°.aph.55°. Ex.42.G
Prægnãtẽ capi ab aliquo acuto morbo letale eſt.c.5°.aph.30°. Ex.40.C
ſi Prægnãtis in vtero ſit eryſipelas letale eſt.cõ.5°.aph.41°. Ex.41.E
Prægnantis quæ non eſt aborſa,cum multis ſymptomatibus vexaretur caſus.in 1m.de mor.vul.com.3°. 3ª.126.E
Prægnantes cur quandoq; ſanguinem excernãt.6°.de loc.aff. 4ª.41.D
Prægnans ſi multum purgetur, impoſſibile eſt fœtum eſſe ſanum. com. 5°.aph.60°. Ex.43.D
Pręgnantes quare,& quando ſint purgandæ.cõ.4°.aph.1°. Ex.27.A
Prægnantes purgare turgente materia à quarto menſe vſq; ad ſeptimũ minus vero has,recentiores autem,& ſeniores vereri oportet. commen.5°.aph.29°. Ex.40.C
Prægnantibus medici non poſſunt aliquod validum auxilium adhibere, aut exquiſita victus ratione in ipſis vti.com.5°.aph.55°. Ex.42.G
Prægnantis caſus.in 1m.de mor.vul.com.3°. 3ª.122.F
Prægnans,lege Grauida.
ad PRAEGNATIONEM optimum fomentum eſt rapa. de ſimplic. medicam. Sp.89.F
PRAEIMMORARI quid ſignificet.4°.de dec.Hipp. 1ª.253.B
PRAEINCIPIENS, ſiue procatarctica cauſa quę.1°.de differentijs febrium. 3ª.33.D
PRAEIVDICANTVR difficulter morbi longi. in prognoſtica. commentario.3°. 4ª.207.E
Præiudicantur facile acuti morbi. in progno.com.3°. 4ª.207.E
Præiudicari poſſunt quartanæ,vt tertianæ.in prog.com.3°. 4ª.207.F
PRAEMIGENES primus peripateticus.5°.de ſan.tu. 2ª.93.F
Præmigenes Mitylenæus niſi lauiſſet,febricitabat.5°.de ſan.tu.2ª.93.E
PRAEMISSAE debent ſemper probari.2°.de decr. 1ª.238.F
PRAENOSCERE ſanguinem fluxurum quibus non eſt difficile. 1°.de arte cu.ad Glauc. 7ª.100.E
Prænoſcendæ ſunt affectiones futuræ.in progno.com.1°. 4ª.189.D
Prænoſcendæ ſunt cauſæ procatarcticæ,& accidentia euidentia. in prognoſtica.commen.1°. 4ª.189.D
Prænoſcendus quo modo ſit ſudor criticus.præſag.exper.conſ.Sp.77.F
PRAENOTIONIS diuiſio ſm Hipp.bre.den. dogm. 1ª.231.D
Prænotionis optimum principium.1°.de criſ. 4ª.125.G
Prænotionis verba propria ſunt expectare,ſperare,timere.3°. de differentijs reſpirationibus. 3ª.73.E
Prænotiones non ſunt ex numero eorum,quæ raro fiunt,ſed quæ ſemper vel plurimum.de vic.rat.in mor.acut.com.4°. 7ª.141.F
Prænotionis vſus potiſſimum in his quæ mouentur per tertium. ad eos qui de typ.ſcripſ. 3ª.92.B
Prænotio,& prædictio ſunt ad artem neceſſaria ſecundum Hippocratẽ bre.denot.dogm.Hipp. 1ª.231.D
Prænotio ad curationẽ neceſſaria eſt.de vic.ra.in m.acu.c.1°. 7ª.108.D
Prẹnotio eſt propter curationẽ.de vic.ra.in mor.acu.cõ.1°. 7ª.108.D
Prænotionẽ,& dignotionem curatio conſequit̃.10°.met.me. 7ª.64.B
Prænotio vel dignotio non eſt finis artis, ſed curatio.de victus ratione in morbis acut.com.1°. 7ª.108.E
ad Prẹnotionem nihil facit ſcire qui & quot muſculi moueant linguã. 17°.de vſu partium. 1ª.221.E
Prẹnotionum liber eſt Hippocratis.3°.de dif.reſp. 3ª.69.E
Prẹnotionum liber quibus careat.3°.de diff.reſp. 3ª.73.C
PRAEPARANDA eſt materia, potiſſimum ſi elleborum dederis, & quomodo.quos purg.opor.quib.med.& quo temp. 5ª.88.D
Prẹparandum primo corpus venę ſectione,medicamento, vel vtroque. 4°.de comp.me.per gen. 5ª.236.C
Prẹparanda quomodo ſit pars ſcarificanda.de cucur.ſcar. 6ª.3.F
Prẹparandus q̃uo ſit locus cui applicãdę hirudines.de cuc.ſcar. 6ª.4.C
PRAEPARATIONVM differentia.3°.de ali.fac. 2ª.26.C
Prẹparatio quę facit ſubſtãtiã tenuem.6°.de comp.me.per ge.5ª.256.F
Prẹparatio ante purgationem qualis fieri debet ĩ craſſis humoribus. de dynamidijs. Sp.20.D

Præparatio ſumpturi elleborum.quos.purg.opor.quib.med. 5ª.88.D
Præparatio fieri nõ põt materia vrgente.quos purg.op.qui.me. 5ª.88.H
Præparatio, & rectificatio ſpiritus antequã cor ingrediatur fit in pulmone.de ana.viuo. Sp.47.C
PRAEPARATORIAE *exercitationis continui, & vehementes motus ſunt proprij.3°.de ſan.tuen.* 2ª.77.E
Præparatoria exercitatio corpus cogit.3°.de ſan.tuen. 2ª.81.E
Præparatoria exercitatio ſola raritati medetur.3°.de ſan.tuen. 2ª.81.E
PRAEPARATA *materia non exiſtente ſi quis purget quæ mala ſequuntur.quos purg.opor.* 5ª.88.D
Præparata male non coquuntur probe in corpore.4°.de ſa.tu. 2ª.88.B
Præparat medicamentũ ſub canicula.4°.de com.med.per ge. 5ª.241.D
PRAEPOLLENT *dextræ partes læuis,ſuperiores inferioribus ſecundũ Hippocratem.bre.denot.dogm.Hipp.* 1ª.231.C
PRAEPONENDI *ſunt in fundo ſtomachi cibi duræ, & tardæ digeſtionis.de diff.cont.* Sp.71.H
PRAEPVTIVM *quod.intr.* Iſa.53.D
Præputiũ mariũ in fœminis muliebrẽ cunnũ efficit.2°.de ſem. 1ª.339.D
Præputium cur circa pudenda.11°.de vſu par. 1ª.190.C
Præputium occluſum quibus aperiatur.5°.de ſimp.med.fac. 5ª.35.G
Præputium quot cauſis ſit breuius.14°.meth.med. 7ª.92.A
Præputium quando deeſt quid agendum.14°.meth.med. 7ª.91.H
in Præputio quæ ſunt inueterata ea probe cicatrice includit anethum.6°.de ſimp.me.fa. 5ª.43.B
pro Præputij fulcimento charta vtebat̃ Galenus.14°.me.me. 7ª.96.A
Præputijs pudendorum accidentibus vlceribus conuenit cucurbita vſta ſicca.6°.de ſimp.med.fac. 5ª.40.H
Præputium non poteſt conſolidari.3°.meth.med. 7ª.16.F
Præputium quando incidendum.introd. Iſa.60.A
Præputium quandoq; aufertur.de diff.mor. 3ª.4.G
PRAESAGIRE *vnde poterimus.1°.de loc.aff.* 4ª.5.C
Præſagiſſe de quibus Galenus ſe iactat.3°.de diff.pul. 4ª.60.G
de Præſagiendo ſcripſit Hippocrates.5°.de ſan.tuen. 2ª.93.C
Præſagienda quõ ſint præſentia, præterita, & futura. in 1^{m}. de morbis vulg.com.2°. 3ª.112.E
ad Præſagiendũ multũ facit loci forma.in 1^{m}.de mor.vul.c.3°. 3ª.117.E
ad Præſagiendum facit conſuetudo.in 1^{m}.de mor.vulg.com.3°. 3ª.117.F
in Preſagiendo, & curando ſemper Galenus ſe exercuit.in 6^{m}.de mor.vulg.com.2°. 3ª.167.A
Præſagitionis sũma in morituris,et cõualituris q̃.in prog.c.2°. 4ª.198.D
ad Præſagiẽdũ valet diſtẽtio princeps pars pulſus.2°.de dig.p. 4ª.75.A
PRAESAGIA *putabãt diuinationem medici qdam.de cau.pro.* 3ª.95.E
Præſagia liber proprius Hippocratis.in 3^{m}.de mor.vul.com.1°. 3ª.131.C
de Præſagijs liber Hippocratis exactum opus.in 6^{m}.de morb. vulgar. commen.2°. 3ª.169.B
de Præſagijs ex pulſibus liber præcedit librum prognoſticorum. in prognoſt.com.1°. 4ª.191.H
poſt Præſagiorum librum liber de diebus decretorijs ſequitur. in prognoſtica com.1°. 4ª.196.C
Præſagium de ægrotante.de med.fac.par. 7ª.174.H
Præſagia vera quas habeant conditiones.de conſt.ar. Iſa.41.H
Præſagia ex aeris temperamento.in 1^{m}.de morb.vulg.com.3°. 3ª.117.D
Preſagia ex victus ratione ſumuntur.in 1^{m}.de mor.vulg.cõ.3°. 3ª.117.F
Præſagia dant vitæ inſtituta.in 1^{m}.de mor.vul.com.3°. 3ª.117.F
Preſagia faciunt ſomnia, vigiliæ, & inſomnia.in 1^{m}. de morbis vulgari. commen.3°. 3ª.117.H
Præſagium in febricitantibus.de med.fac.par. 7ª.172.D
Præſagia ex pulſibus vnde.2°.de dignoſ.pulſ. 4ª.77.F
PRAERVBRVM *à ſubrubro differt.in 1^{m}.prorrh.com.1°.* 4ª.167.F
PRAESCIENDA *quæ de futuris.4°.de præſ.ex pulſ.* 4ª.121.F
ad Præſcienda futura qui peritiſſimus.4°.de præſ.ex pul. 4ª.121.H
PRAESCIENTIA *eſt de præſentibus, & futuris.1°.de preſag.ex pulſibus.* 4ª.104.B
PRAESCIRE *& prædicere quæ futura ſunt debet qui remedio magno vti vult.10°.meth.med.* 7ª.64.B/C
de PRAESENTIBVS, *præteritis, & futuris, eſt præſcientia, & prognoſticatio.1°.de præſ.ex pul.* 4ª.104.B
de Præſentibus eſt dinotatio.in progn.com.1°. 4ª.190.H
Præſentia, præterita, & futura quo modo præſagienda. in 1^{m}. de morb. vulg.com.2°. 3ª.112.E
tanquam Præſentia vates dicit præterita.in prog.com.1°. 4ª.189.H
Preſentia preſentium ſigna.fin.med. Iſa.46.B
Præſentia præteritorum ſigna.fin.med. Iſa.46.B
Præſentia futurorum ſigna.fin.med. Iſa.46.B
Præſentium cognitio eſt affectuũ inuentio.4°.de præſ.ex pulſ. 4ª.121.F
Preſentis rei eſt curatio.4°.meth.med. 7ª.24.B
Præſentium eſt hiſtoria.de opt.ſect. Iſ.23.A
PRAESENTIRE *vnde dicatur in prog.com.1°.* 4ª.189.F
Præſenſio quid.in 1^{m}.pror.com.1°.160.G/in progn.com.1°. 4ª.189.C
Præſenſio quid apud medicos.in progn.com.1°. 4ª.190.B
Præſenſio eſt prouidentia, & vnde dicatur.in progn.com.1°. 4ª.189.F
Præſenſio duplex.in progn.com.1°. 4ª.190.A
Præſenſio maxime ex tribus.de conſt.ar. Iſa.42.B
in Præſenſione continetur ſenſio.in progn.com.1°. 4ª.190.A
PRAESEPIOLA. *quid fin.med.* Iſa.44.D
PRAESERVATIO *quid proprie ſit, ex quibus conueniat. commenta. 2°.apho.22°.* Ex.15.C
Preſeruationi, & curatiõi nõ habemus nomẽ cõe.cõ.2°.ap.22°. Ex.15.C
in Preſeruatione venæ ſectio fiat vere.præſag.exper.conſ. Sp.78.D
Præſeruatiua pars medicinæ ſalubris.de ſubſ.emp. Iſa.32.A
Præſeruatiua cauſa triplex.ars med. Iſa.71.D
Præſeruatiua euacuatio quæ vocetur.de aſſuet. 2ª.62.A
Præſeruatrix quæ.introd. Iſa.51.C
Præſeruare quid ſit.4°.meth.med. 7ª.24.E
Præſeruauit Galenus plures, qui ſingulis annis ægrotabant, vere eos euacuans.com.6°.aph.47°. Ex.52.B
in PRAESIDIORVM *materiæ viribus conſiſtit omnis affectionis prouidentia.5°.de ſan.tuen.* 2ª.91.H
Preſidijs morbi ſunt præoccupandi.de cur.rat.per ſang.miſſ. 6ª.18.B
Præſidiorum materiam oportet inuenire primo ſcopo curationis inuento.de marc. 3ª.47.C
Præſidiorũ indicatio vnde ſumeretur ab antiquis.2°.meth.med. 7ª.11.C
Præſidiorum quantitas artificioſa coniectura eget. de victus ratione in morb.acu.com.2°. 7ª.122.A
ad Preſidia tempus conducit.de tot.morb.temp. 3ª.88.E
Præſidia non ſunt infamanda apud vulgus.11°.meth.med. 7ª.70.B
Præſidia non facienda morituris.11°.meth.med. 7ª.70.B
Preſidiũ vnũ mitigans, curatiuũ, & prognoſticũ.6°.de loc.aff. 4ª.36.G
Præſidia contra capitis dolorem, & calorem.de dynam. Sp.23.C
PRAESSIONIS *prauæ pulſus.4°.de cauſ.pul.* 4ª.103.H
PRAESSE *partes difficulter euacuantur.ars med.* Iſa.70.H
PRAESVCCVM *gaziricũ conuenit ictericis.de cura ict.* Sp.111.C
PRAESTIGIATORES *per erectum lignum repunt & tenuem funiculum ingrediuntur.9°.de decre.Hip.* 1ª.280.C
PRAESTIGIA *vocat loqui de nominibus.3°.de dif.pul.* 4ª.59.C
Præſtigia.de med.fac.par. 7ª.176.F
PRAETER *naturã cõtrariũ ei quod eſt ſm naturã.11°.met.me.* 7ª.71.B
Preter naturã quæ ſunt in duplici differẽtia ſunt.11°.met.me. 7ª.70.H
Præter naturam dupliciter dicitur.com.5°.aph.44°. Ex.41.F
Preter naturam quæ ſint.3°.de preſ.ex pulſ. 4ª.114.F
Preter naturam quæ ſunt in animali ſunt aut morbus, aut cauſa, aut ſymptoma.1°.meth.med. 7ª.8.G
Præter naturam quatuor ſunt, morbus, actio leſa, cauſa morbi, & ſymptoma.2°.meth.med. 7ª.12.E
à Præter naturã quæ ſunt indicationes ſumũtur.11°.meth.med. 7ª.71.E
Præter naturaliũ affectionũ cauſas cognoſcat medicus, qui ratione curaturus eſt, vt illas è corpore eijcere poſſit.de voc.inſtr.diſſ. 1ª.106.B
Præter rationem quomodo dicatur.in 1^{m}.prorrh.com.2°. 4ª.172.F
PRAETEREA *quid ſignificet.de artic.com.3°.* 7ª.268.H
PRAETERFVSIO. *8°.de comp.med.ſe.lo.* 5ª.194.A
PRAETERITORVM *eſt hiſtoria.de opt.ſect.* Iſa.23.A
de Præteritis, præſentibus, & futuris eſt præſcientia, & prognoſticatio.4°.de præſ.ex pul. 4ª.104.B
Præterita dicit vates tanquam præſentia.in progn.com.1°. 4ª.189.H
Præterita, pñtia, & futura quõ p̃ſagiẽda.in 1^{m} de mor.vul.c.2°. 3ª.112.E
Præteritorum prognoſticatio cui vtilis.in progn.com.1°. 4ª.189.H
Præteritorum cognitio eſt inuẽtio cauſarũ affectus.4°.de preſ. 4ª.121.F
Præterita præteritorum ſigna.fin.med. Iſa.46.B
Preterita preſentium ſigna.fin.med. Iſa.46.B
Præterita futurorum ſigna.fin.med. Iſa.46.C
PRAETERMITTERE *nihil multi volunt, & pauca addiſcere. 2°. de criſi.* 4ª.136.B
Prætermittere qd iuuatiuũ p̃pter guſtũ ingñoſũ ẽ.de cur.icte. Sp.111.A
PRAETEXTAE *quæ ſint.de ijs quæ in med.fi.com.2°.* 7ª.211.F

PRANDENT panem, & cenant carnes luctatores. de victus ratio.in mor.acu.com.1°. 7ª.111.H
de Prãdere cõſuetis q nõ prãdẽt.de vict.ra.in mor acu.cõ.4°.7ª.145.B
Prandere qui non conſueti,et prandent,quæ incidant diſcrimina.de vic.rat.in mor.acu.com.2°.7ª.119.C/de diff.cont. Sp.72.C
non Prãdentes picrocholi quæ incidãt.de vic.ra.in m.a.c.2°.7ª.120.A
cur PRANDIO preferretur cæna ab antiquis.de diff.cont. Sp.72.B
Prandium ſimile quomodo eſſe debet.5°.de ſan.tuen. 2ª.90.G
ante Prandium bis balneum adhibet.8°.meth.med. 7ª.50.D
poſt Prandium difficulter inſpirant,& expirant rotundum ſtomachum habentes.de ana.viuo. Sp.49.G
poſt Prandium pulſus rarior.de vſu pulſ. 1ª.227.G
PRAMNIVM vinum.6°.de com.med.ſec.lo. 5ª.171.D
PRASINAE, id eſt porri colorem præſeferentis choleræ meminit Galenus.com.7°.apho.6°. Ex.54.D
Praſini,& Veneti ſtudioſi ſectatores,equorum ſtercora, quò intelligant quemadmodum alimenta concoxerint,odorantur,tanquàm ex eo omnem eorum bonam habitudinem cognituri.7°.meth.med. 7ª.45.A
PRASIONIS paſtillorum vſus valet ad vlcera contumacia.9°.de ſimplic.medicamen.fac. 5ª.65.F
PRASSIVVM. 8°.de ſimplicium medicamentorum facul. 5ª.59.B
Praſſii ſuccus educit atram bilem.de cathar. Sp.94.G
Praſſium purgat thoracem,& pulmonem.de cathar. Sp.95.B
PRASII morſibus confert centaurea.de vir.cent. Sp.93.G
PRATENSIA loca caua habitantes quales.q animi morb. 1ª.320.A
PRAVITAS omnis eſt extra naturam.de ſperm. Sp.40.D
Prauitas tãta eſt ĩ rebus,quãtũ recedũt à natura.c.7°.a.63°.Ex.60.A
PRAVE imbuti duobus indigent laboribus.7°.meth.med. 7ª.43.H
PRAVVM & non prauum ad aliquid.1°.de comp.me.per ge. 5ª.216.H
Praui dupliciter praui fiunt preter voluntatem.q animi mor. 1ª.321.A
Prauum non omne eſt pernitioſum.in 1m.prorrh.com.2°. 4ª.171.D
Praua aqua quo modo bona efficiatur.de bon.aquæ. Sp.76.A
Praua aqua quando eſt cocta bibenda eſt calida.de bo.aquæ. Sp.76.A
PRAXAGORAS cous princeps ſectæ rationalis.intro. Iſa.51.D
Praxagoras ab Aeſculapio originem traxit.1°.meth.med. 7ª.4.F
Praxagore diſcipulus Herophilus.4°.de diff.pul. 4ª.66.D
Praxagoræ laus.de palp. 3ª.51.C
Praxagoras medicus grauiſſimus. 8°. de decre. Hip. 1ª.276.B
Praxagoras callebat totam artem corpori præſidẽ.ad Thraſ. 2ª.109.E
Praxagoras interpretatus eſt Hippocratem,& Platonem.2°. de naturalibus facul. 1ª.300.H
Praxagoras antiquus ſcriptor anatomiæ.de nat.hum.com.1°. 1ª.36.H
Praxagoras ignorauit vaſorum ſeminalium coniunctionem in muliere. de diſſol.vul. 1ª.109.C
Praxagoras auctor legitime gymnaſtice.ad Thraſ. 2ª.108.A
Praxagoras librũ ſcripſit de vſu inedie.de ven.ſec.aduer.Eraſ. 6ª.8.C
Praxagoras librum fecit de aſſidentibus.com.6°.aph.1°. Ex.46.C
Praxagoras de medicamentis ſcripſit.6°.de ſim.med.fac. 5ª.39.H
Praxagoras fecit librum de naturalibus com.5°.aph.45°. Ex.41.G
Praxagoras librum fecit de ſuperuenientibus.com.6°.aph.35°.50.C/cõmen.7°.apho.15°. Ex.55.A
ſm Praxagoram reſpiratio eſt corroboratio . de vtil.reſp. 1ª.223.C
Praxagoras vtitur calido,frigido,humido,ſicco alijs veluti agentibus, alijs veluti patientibus.2°.de nat.fac. 1ª.299.G
Praxagoras putauit arterias tranſmutari in neruos.1°. de decretis Hippocratis. 1ª.232.C
Praxagoras negat humores eſſe in arterijs.4°.de dign.pul. 4ª.84.H
ſm Praxagoram ſalſus ſuccus fit ex his,que ſupra modum coquuntur. 3°.de alim.fac. 2ª.31.H
Praxagoras ſalſum humorem ex diuturniori coctione fieri arbitrabatur.3°.de alim.fac. 2ª.31.H
Praxagoras quem ſuccũ vitreum appellabat. 4°.de ſan.tuen. 2ª.84.B/2°.de diff.feb.3ª.37.E/3°. de locis affect.18°. A/1°.de præſag. ex pul. 107.F/in 1m.prorrh.com.1°. 4ª.168.F
PRAXITELIS, Phidiæ,& naturæ differentia in condendis rebus. 2°. de nat.facul. 1ª.297.D
PRAYNTICAE facultates.i.lenientes.5°.de ſimp.med.fac. 5ª.37.A
PRETIOSVM valde eſt in antidotis cinnamũ.de ſim.me.Sp.83.A
Pretioſum pharmacum.7°.de comp.med.per ge. 5ª.271.D
PRIAMVS obſtrictus,Dyoniſiusq; corinthi prouerbiũ.in or.ſu.Iſ.2.F
PRIAPISCI pars organorum.de machin. 7ª.309.E
Priapiſcus quid,& ad quid in organis.de machin. 7ª.310.E
Priapiſci in organis immobiles ſunt.de machin. 7ª.310.F
PRIAPISMVS vnde dicatẽ.6°.de loc.aff.4ª.41.F/2°.me.med. 7ª.9.E
Priapiſmus quid ſit.6°.de loc.aff. 4ª.41.F
Priapiſmus eſt de genere inflationum.14°.meth.med. 7ª.88.H
Priapiſmus quid ſit & quo modo fiat.9°.de com.med.ſec.loc. 5ª.205.E
Priapiſmus quo modo fiat,& cur.6°.de loc.aff. 4ª.42.E
Priapiſmus cuius loci eſt affectus.6°.de loc.aff. 4ª.41.H
Priapiſmus eſt naturalis pudendorum diſtentio non deſiſtens.de tumoribus præter naturam. 3ª.84.E
Priapiſmus quibus contingat maxime.14°.meth.med. 7ª.89.B
in Priapiſmo fiunt augumenta.de diff.mor. 3ª.5.B
Priapiſmus vnde ſit.3°.de ſymp.cau. 3ª.29.H
Priapiſmo aliqui vexati ob abſtinentiam à coitu.6°.de loc.aff. 4ª.42.F
in Priapiſmo quæ danda.14°.meth.med. 7ª.89.B
in Priapiſmo vomitorijs vtaris.14°.meth.med. 7ª.89.C
pro Priapiſmo medicamentum ex chamæmelo.14°.meth.med.7ª.89.B
PRIAPVS ex quibus componatur.de ana.viuo. Sp.52.E
Priapus habet omnes bonas conditiones.14°.de vſu par. 1ª.204.E
in Priapo ſunt duo meatus.de ana.viuo. Sp.52.E
Priapo comparatur collum matricis.de ana.viu. Sp.51.D
in Priapo idem contingit quod in collo matricis.de ana.viuo. Sp.52.E
Priapi diuerſitas.de ana.viuo. Sp.51.F
in Priapo arteriæ magnæ.6°.de loc.aff. 4ª.41.H
Priapi,& linguæ arterie ſunt maiores quã in reliquis membris. de motibus manifeſtis,& obſc. Sp.67.H
in Priapo duo paria muſculorum.de ana.viuo. Sp.52.E
Priapus per quas partes augeatur.de mot.man.& obſc. Sp.68.B
Priapus cur maxime creſcat.de mot.man.& obſc. Sp.69.E
Priapus longitudo quanta eſſe debet.de ana.viuo. Sp.52.E
Priapi motus difficilis eſt.de mot.man.& obſ. Sp.67.D
Priapi erectio eſt voluntaria.de mot.man.& obſ. Sp.67.H
Priapus quo modo erigatur.de mot.man.& obſc. Sp.67.F
Priapi extenſionis cauſa.6°.de lo.aff. 4ª.42.A
Priapus cur erigitur.14°.met.me.7ª.89.A/de mo.ma.et obſ. Sp.67.H
Priapum qui muſculi faciant erigere.de ana.viuo. Sp.52.E
Priapus quo modo erigatur in amantibus . de compagine membrorum ſiue de nat.huma. Sp.59.C
in Priapo extenditur neruus fiſtuloſus.6°.de loc.aff. 4ª.42.D
Priapi muſculorum qui nerui.de ana.viuo. Sp.54.D
Priapus fiſtuloſus præter glandem.6°.de loc.aff. 4ª.41.H
Priapũ extẽdere cur faciat decubitus ſupinus.6°.de loc.aff. 4ª.42.A
Priapus à ſpiritu in tumorem attollitur.6°.de loc.aff. 4ª.41.H
in Priapo etiã magnificato glans ſemp eſt æqualis.6°.de lo.af.4ª.41.H
Priapi per nimium coitum exiccati curatio.14°.de vſu par. 1ª.208.D
PRIMARIOS affectus ipſe vocat proprios.1°.de loc.aff. 4ª.6.D
PRIMATIBVS, & exercituum ducibus conuenit theriaca. de theriaca ad Piſonem. 5ª.91.D
ex PRIMIONIS collectaneis medicamentum ad deſperata. 4°.de cõpoſi.me.per ge. 5ª.239.D
PRIMITIVAE cauſe quæ.1°.meth.med. 7ª.7.H
Primitiuo audacter vti poterit qui deriuatiuũ inuenerit.in 3m.de morb. vulg.com.2°. 3ª.138.F
PRIMOGENITA que vocat Plato, Ariſtoteles vocat ſimilaria. quod animi mor. 1ª.317.F
PRIMVM, ſimplex,& elementum idem ſunt. 3°.met.med. 7ª.22.F
Primum,per ſe,& nullo medio,idem.3°.de temp. 1ª.25.C
Prima cauſa vocis eſt epiglottis.de ana.viuo. Sp.49.E
Primus dies quo modo decernat in morbis.1°.de die.decr. 4ª.148.H
Primo die partim,& partim ſecundo diariæ febres ſoluuntur.1°.de diebus decretorijs. 4ª.149.A
Prima figura eſt figura cordis.de ana.viuo. Sp.47.B
Primum & vniuerſale inſtrumentum omnium ſenſuum eſt cor. de vtilitate reſpirationis. Sp.62.F
Primum inſtrumentum formationis vocis eſt canna pulmonis. de anatomia viuorum. Sp.53.D
Prima iudicia mittendi ſanguinis.præſag.exper.conſ. Sp.77.H
Primum membrum quod in vtero generatur.de hiſt.phil. Sp.11.B
Prima membra poſt cor.de ana.viuo. Sp.47.B
Primus motus eſt cordis.de ana.viuo. Sp.47.B
Primum quod mouetur motu voluntario eſt cerebrum. de motibus manifeſtis, & obſcuris. Sp.66.G
Primæ,& maximæ partes medicinæ.de par.art.med. Sp.17.E

Primæ,propriæ,& maximæ medicatiuæ partes.de par.ar.me.Sp.17.H
Primus,& melior theſaurus naturę.de ana.viuo. Sp.45.A
PRINCIPES cur creati.ad Thraſ. 2ª.104.C
Principes habeant ſemper ſuſpectos omnes qui ſecum loquuntur ne ſint adulatores.de cogn.cur.animi mor. 2ª.51.D
Principes & diuites cauſæ malorum.de præcog.ad Poſth. 4ª.214.B
Principum mores diuites imitantur vel imitari videri volunt.1°.de anti dotis. 5ª.101.F
PRINCIPALE membrum eſt vnum ſecundum Ariſtotelem.ſ.cor.de anat.viuo. Sp.56.B
Principalia membra ſunt duo ſecundum aliquos,cerebrũ,et cor.de anatomia viuorum. Sp.56.A
Principalia mẽbra non etiã principaliſſima tria.de ana.viuo. Sp.45.D
Principalia membra ſunt quatuor ſecundum aliquos,cerebrum,cor,hepar,& ſtomachus.de ana.viuo. Sp.56.A
minus Principalia mẽbra ſunt renes,veſica,teſticuli.de an.vi.Sp.56.A
Principalia mẽbra nouẽ ſphæris comparat Galenus.de ana.vi. Sp.45.C
Principale inſtrumentum reſpirationis eſt ſolum diaphragma.de vtilitate reſpirationis. Sp.64.A
Principali parte inflammata febris accidit.com.6°.aph.50°. Ex.52.F
Principalia membra ſecũ trahit ad cõpaſſionem os ventris, & quæ ſymptomata faciat.de vict.rat.in mor.acu.com.2°. 7ª.123.H
à Principali parte ad minus principalem fieri diuerſionẽ bonum eſt, cõtra vero malum.com.6°.apho.25°. Ex.48.F
à Principalibus partibus ad cutem paſſiones transferri cõfert.com.6°. aphoriſ.37°. Ex.50.D
ex Principalibus partibus quę vena velociſſime & plurimũ euacuat. de vict.rat.in mor.acu.com.4°. 7ª.137.F
PRINCIPALISSIMA membra quatuor.de ana.viuo. Sp.45.D
Principaliſſimum ſpiritualium membrorum eſt cor. de compagine mẽb. ſiue de nat.hum. Sp.58.G
PRINCIPATVS appetitus eſt animi affectus. de cognoſcendis curandiſq; animi mor. 2ª.53.G
Principatus animę in cerebro.comment.7°. aph. 14°. & commenta.6°. apho.50°.52.F| Ex.54.H
de PRINCIPIIS longus ſermo habendus.1°.de ſimp.med.fac.5ª.6.B
Principium quid ſit.6°.de decr.Hipp. 1ª.264.F
Principium,& cauſa quo modo differunt.de hiſt.phil. Sp.4.A
Principij,& elemẽti differẽtia.1°.de elem.6.G|de nat.hu.cõ.1°. 1ª.28.B
Principium,& elementum quomodo differunt.de hiſt.philo. Sp.4.B
Principium in animantium corporibus aer.in 3m.de morbis vulgaribus, comment.1°. 3ª.129.C
Principia generationis vnde ſint.de ana.viuo. Sp.47.D
Principia generationis quo ad materiã quæ ſint.de curandi ratione per ſanguinis miſſ. 6ª.16.D
Principia duo exiguntur vt animal fiat.1°.de ſem. 1ª.331.H
Principium hominis eſt ex ſanguine,& ſpermate.ſecre. Sp.96.G
à Principijs tribus diſpenſatio conſiſtens generatio eſt. de virtutibus noſtrum corpus diſpenſ. Sp.60.C
PRINCIPIA vniuerſi corporis quæ ſint.2°.de arte cur. 7ª.103.B
Principia tria,cerebrum,cor,& iecur,& quarum ſint operationum. in 1m.prorrh.com.2°. 4ª.169.F
Principia tria,& alia membra quo tempore in fœtu videantur.1°.de ſemine. 1ª.331.E
Principiorum trium progerminationes in fœtibus ſunt qualis truncus in plantis.1°.de ſemine. 1ª.331.F
Principia regalia,quæ.de ana.viuo. Sp.45.G
ad Principium vnum reducendæ ſunt vitales virtutes operationes naturales.de ana.viuo. Sp.45.G
Principium regale eſt vnum ſolum.cor.ſ.de ana.viuo. Sp.45.G
Principium vniuerſale ad omnia membra eſt cor.de ana.viuo. Sp.56.H
Principia debẽt ſe obſequi,& inter ſe cõmunicare.6°.de vſu p. 1ª.155.G
Principio vno affecto afficiũtur alia.de vic.ra.in mor.a.cõ.2°. 7ª.123.H
Principium vtrumq; afficit os ventriculi.1°.de ſymp.cau. 3ª.18.B
Principiũ leſum oſtendunt colli dolor,& manus tremulæ.in 1m.prorrhetici,com.3°. 4ª.178.H
Principium à leſæ actionis inſtrumento.1°.de loc.aff. 4ª.4.A
Principia quæ ablata,alia auferunt.in 1m.prorrh.com.2°. 4ª.169.F
Principiũ neruorũ nõ eſſe cor contra Ariſt.1°.de decre.Hipp. 1ª.232.C
Principium neruorum cor ponens Ariſtoteles quo modo errauerit.1°.de decr.Hipp.233.H| 1ª.234.A
Principium neruorũ quod vocet Galenus. in 6m. de morbis vulgaribus, commentario 1°. 3ª.153.B
Principium neruorum eſt caput.commen.5°.aph.69°. Ex.45.D
Principium neruorum,volũtariorumque motuum,ac quinque præterea ſenſuum eſt in cerebro.in Tim.Plat. 1ª.287.D
Principium neruorum eſſe cerebrũ collige.com.6°.apho.26°. Ex.48.F
Principium neruorum & ſpinalis medullæ cerebrum eſſe dicendum eſt. de neruo.diſſect. 1ª.53.B
Principiũ arteriarum,& innatę caliditatis,pulſusq;,ac iræ eſt in corde. in Tim.Plat. 1ª.287.D
Principium caliditatis eſſe ijs,quæ ſecundum partem particulis,& arterijs motionis pulſatilis eſt,dependet à corde.de virtutibus noſtrũ corpus diſpenſantibus. Sp.60.D
Principiũ aliorũ calorũ eſt calor naturalis cordis.de ana.vi. Sp.45.G
Principium motus eſt anima.in Tim.Plat. 1ª.287.B
Principia tria placet Galeno vt dicantur,non tres facultates animæ,nec tres animæ.in Tim.Plat. 1ª.287.B
Principium motus cordis eſt virtus motiua.de ana.viuo. Sp.56.D
Principium motus in ſe ipſis habent ſtirpes.in Tim.Pla. 1ª.287.B
Principium motus,& ſenſus ſecundum Ariſtotelem eſt à corde. de vtilitate reſpirationis. Sp.63.D
Principium ſenſus,& motus eſt cerebrum.de ana.viuo. Sp.45.H
Principiũ ſenſus,& motus nõ eſſe cor ꝓbat Galenus.de ana.vi.Sp.45.H
Principium ſenſus & motus eſſe cor probatur contra Galenum.de anatomia viuorum. Sp.45.H
Principium ſanguinis & venarum,nutriendique corpus, ac familiarem ſubſtantiam agnoſcendi eſt in iecore.in Tim.Plato. 1ª.287.D
Principium primum ſanguinis mediatum eſt cor,hepar immediatum.de anatomia viuo. Sp.50.G
Principiũ ſanguinis eſt cor ſm Ariſtotelem,& cur.de ana.viu.Sp.50.F
Principium venarum non eſſe hepar,ſuadetur.de ana.viuo. Sp.56.F
Principium venarum, & arteriarum eſſe cor tribus rationibus probatur ſecundum Ariſtotelem.de ana.viuo. Sp.56.E
Principium venarum non eſſe cor probatur.de ana.viuo. Sp.56.E
Principium nutricationis ſecũdũ Galenũ eſt hepar.de ana.viu. Sp.45.H
Principium digeſtionis quomodo ſit hepar,& cor.de ana.viuo.Sp.56.H
Principium vocis cur ſit vuula.de vtil.reſp. Sp.63.F
PRINCIPIVM quid ſignificet.1°. de criſ.127.D|in 1m.prorrheti.com. 1°.161.D|in prognoſt.com.1°. 4ª.192.D
Principium quot habet ſignificata.1°.de criſ. 4ª.128.D
Principium in morbis tripliciter dicitur.1°.de criſibus.4ª. 133. A|commenta.1°.apho.12°. Ex.5.B
Principium an determinatum.1°.de criſ. 4ª.128.B
Principiũ ſecundum latitudinem,& ſine artificio.1°.de criſ. 4ª.128.D
Principiũ ad quartũ vſq; diem extẽditur.in 1m.prorrh.cõ.1°. 4ª.161.D
Principiũ morbi quid ſit.1°.de criſ.4ª.126.D|de vict. rat.in morb.acut. comment.2°. 7ª.123.D
Principium,& augumentum non videntur quandoque diſtingui poſſe. de totius morbi temporibus. 3ª.89.D
Principium dari in morbis probat.de mor.temp. 3ª.85.F
Principium quando apud Hippocratem.de mor.temp. 3ª.86.E
Principium morbi vnde ſumendum.1°.de dieb.decr.147.E|2°. 4ª.151.G
Principium decubitus qualis.1°.de dieb.decr. 4ª.147.E
Principium morbi quale intelligendum.1°.de dieb.decr. 4ª.147.F
Principium,augumentum,ſtatum,& declinationẽ quãdoque morbi habent.de tot.morb.temp. 3ª.89.D
Principium febris non eſt vbi capite doluit, ſed vbi febricitans cogitur decumbere.1°.de dieb.decr. 4ª.147.F
Principium tertianæ quid.de mor.temp. 3ª.86.B
Principium febris quando.2°.de diff.feb. 3ª.42.D
in Principio febris quid conſiderandum.11°.meth.med. 7ª.74.D
Principium febris cum horrore obſtruit.10°.meth.med. 7ª.61.G
Principij, et remiſſiõis frigus multũ differũt.i 1m.de m.vul.c.3°.3ª.118.B
in Principijs morborũ accidẽtia ſunt debiliora.c.2°.aph.29°. Ex.16.G
Principium acceſſionis quõ fiat.de vict.rat.in mor.acu.com.1°.7ª.115.G
ſine Principij inditijs millies fit inſultus.de mor.temp. 3ª.87.B
Principium quo modo cognoſcatur.1°.de criſ. 4ª.132.A
Principium ægritudinis ſcire eſt præcipuum.de victus rat.in mor.acut. comment.4°. 7ª.141.D
Principiorum cognitio.1°.de criſ. 4ª.132.B
Principium vnde cognoſcitur.1°.de criſ. 4ª.132.C
Principij cognitionem oſtendit in longis morbis quodam exemplo. 1°. de criſibus. 4ª.132.C

Principium quo

Principium quo modo ex coctione præcognoſcatur.1°.de criſ. 4ª.133.B
Principium eſt morbi cruditas.de tot.morb.temp.3ª.88.E/1°.de criſib. 4ª.128.G/com.4°.apho.22°. Ex.29.G
Principij finem quæ vrina ſignificat.de vrin. 4ª.132.D
Principium determinatur ſignis coctionis.1°.de criſi. 4ª.128.D
Principium eſſe perfectum coctione cognoſcitur.1°.de criſi. 4ª.133.B
Principium exquiſite nõ cognoſcit̃ añ ſigna coctionis.1°.de criſ. 4ª.128.E
in *Principio nihil debet iudicari.de vic.ra.in mor.ac.com.2°.* 7ª.123.E
in *Principio colliquefactionis vrina qualis.queſ.in Hipp.* Sp.113.C
Principiũ melãcholiæ qđ ex cruditate.de mel.ex G.R.& P. Sp.109.C
Principij acceſſionis pulſus qui.3°.de præſag.ex pul.118.A/G/de præcogni.ad Poſth. 4ª.219.C
in *Principio ſi quid excernitur, nihil tũc excernitur naturæ ratione, ſed ſunt caſus p̃ter naturalẽ diſpoſitionẽ corporis.cõ.4°.a.22°.* Ex.29.G
Principio quæ apparent nunq̃ per criſim decernũt.1°.de criſi. 4ª.128.C
in *Principio non fit criſis.3°.de criſ.* 4ª.143.D
in *Principio ſudare exitioſum ſymptoma in ardentibus.in 1m.de morb. vulg.com.2°.* 3ª.115.A
in *Principijs vomitus, & ſanguis narium quandoque fiunt.quos purgare opor.quib.med.& quo temp.* 5ª.88.G
in *Principio deiectiones nigræ ſunt malæ.com.4°.apho.21°.* Ex.29.E
in *Principio morbi ſi atra bilis vel ſupra vel infra exierit letale eſt.comment.4°.apho.22°.* Ex.29.F
in *Principio quo modo moriantur ægri.3°.de criſi.* 4ª.142.G
in *Principio, ſtatu, & augumento mors fit.3°.de criſi.* 4ª.142.E
in *Principio aliud agendum, aliud in augumento.de opt.ſect.* Iſa.22.C
in *Principijs acceſſionum cur interiora calent, & exteriora frigent.comment.4°.apho.48°.& aph.22°.29.G/* Ex.33.B
in *Principijs acceſſionum cerebrum refrigeratur.2°.de lo.af.* 4ª.14.C
in *Principijs acceſſionum ſomni cur, & q̃uo fiant.2°.de lo.aff.* 4ª.14.C
in *Principijs morborũ vel acceſſionũ cur vigilãdũ.c.2°.ap.1°.* Ex.11.A
in *Principio cuiuſq; morbi ſubtrahendum eſt ſecundum methodicos.de optima ſecta.* Iſa.28.G
in *Principio nihil porrigendũ.de vic.rat.in mor.acu.com.4°.* 7ª.139.F
Principijs acceſſionum nihil dandum, nec ante principia ſtatim.commentario 1°.apho.19°. Ex.9.F
in *Principijs cibi obſunt.de vict.rat.in mor.acu.com.1°.* 7ª.115.G
in *Principijs diuerſorum morborum victus ratio inuenienda eſt.1°.de criſibus.* 4ª.131.F
in *Principio acceſſionis quidam ſunt cibandi.10°.meth.med.* 7ª.62.G
in *Principio febrium qui debent cibari.10°.meth.med.* 7ª.63.H
in *Principio horroris cibauit Galenus.10°.meth.med.* 7ª.63.B
in *Principio cibandum potius, quàm ante indicationem.de vict.ratio.in mor.acu.com.2°.* 7ª.118.F
ĩ *Prĩcipio error minus grauis q̃ ĩ vigore.de vi.ra.ĩ mor.a.c.2°.* 7ª.122.C
in *Principio morbi q humores euacuãdi, & q nõ.cõ.1°.a.22°.* Ex.10.B
in *Principio quando humores ſunt purgãdi.com.4°.apho.1°.* Ex.27.B
à *Principio nebuloſas vel craſſas vrinas habentes ſunt purgandi.de vrinis ſignificatione ex Hip.* Sp.79.A
à *Principio ſoluendum in morbis acutis, ſi humores ſint concitati.quos purg.opor.quib.med.& quo temp.* 5ª.88.H
Principio, id eſt, primo die in acutis eſt euacuandum, vel non poſt ſecundum.com.1°.apho.24°. Ex.10.G
in *Principio in acutis ſolum datur occaſio purgandi.in 1m.prorrhetici.commentario 2°.* 4ª.174.D
in *Principio morbi nulla facta coctione euacuari debent tenues, et aquoſi humores.quos purg.opor.quib.med.& quo temp.* 5ª.88.F
in *Principio clyſtere vtimur, & purgamus, ſi opus ſit, & ſecamus venam.de tot.morb.temp.* 3ª.88.E
à *Principio ſi tenues fuerint vrinæ medicamentum ne præbeto.de vrinæ ſignificatione ex Hipp.* Sp.79.A
nec in *Principio, nec in augumẽto cur balneũ fiat.10°.meth.me.* 7ª.65.E
in *Principio, & augumento mittitur ſanguis.de opt.ſecta.* Iſa.27.G
PRINCIPIVM *inflammationis inquiri fingit.de totius morbi temporibus.* 3ª.88.E
Principium non videtur habere inflammatio.de mor.temp. 3ª.85.D
Principium in pleuritide quantum.1°.de criſi. 4ª.132.D
Principium in pleuritide & peripneumonia ſputum tenue ſignificat.de totius morbi temp. 3ª.88.G
in *Principijs quibus vti debemus.1°.de compoſitio.med.ſec.loc.130.B/5°.159.C/6°.* 5ª.167.A
in *Principijs fluxionũ ſemper repercutiẽtibus vti nõ debemus in omni loco.10°.de compoſitione medicament.ſec.loc.* 5ª.207.A
in *Principio repellentibus vtendum eſt.de cucur.& ſcar.* 6ª.3.B
in *Principio phlegmõis cur repercutiẽtibus vtimur.13°.me.m.* 7ª.84.D
in *Principio adſtringentibus, & repercuſſorijs vti oportet.4°.de cõp.med.ſec.loc.* 5ª.157.D
in *Principijs cur idonea adſtringẽtia, & reprimẽtia.11°.me.m.* 7ª.72.D
in *Principijs repellendum, refrigerandum potius, quàm calefaciendum, vel laxandum.3°.de ſimp.med.fa.* 5ª.18.F
in *Principio ſale vti non debemus ad columellam inflammatam.6°.de comp.med.ſec.loc.* 5ª.174.D
in *Principio q̃uo Diamorovterẽt Galenus.6°.de com.me.ſe.l.* 5ª.167.D
in *Principio affectuũ capitis vſus aceti, & roſacei.11°.me.me.* 7ª.73.E
in *Principijs acetum non ſit valde acre.5°.de comp.me.ſe.lo.* 5ª.159.C
poſt *Principium capiti dolenti apponit repercutientia.2°.de compoſi.med.ſec.loc.* 5ª.133.C
Principijs relaxantia non ſunt adhibenda.11°.meth.med. 7ª.72.D
in *Princiqijs reuulſio & euacuatio fiat.de cur.ra.per ſan.miſ.* 6ª.20.F
in *Principio phlegmones cucurbitula nõ dẽt apponi.13°.m.m.* 7ª.85.A
in *Principio cucurbitulis vti non debemus vbi cerebrum, & eius membranæ phlegmone laborãt, nec in vlla alia parte phlegmone laborante.de cucur.& ſcar.* 6ª.3.B
PRINCIPIVM *dimidium totius.9°.de decre.Hippoc.279.C/1°.de ſemine.* 1ª.330.D
Principium bonum quo modo dimidium totius.5°.de anat.adm. 1ª.87.F
Principium totum eſt poteſtate.1°.de ſem. 1ª.330.D
Principijs male poſitis nõ põt quis recte ratiocinari.6°.de vſu p. 1ª.153.C
Principium quomodo debet inuenire.9°.de decre.Hipp. 1ª.279.C
Principia inuentionis, & demonſtrationis quæ.1°.de ſim.me.fa. 5ª.8.E
Principijs ſuis multum attribuit Ariſtoteles.1°.de ſem. 1ª.330.D
Principia Aſclepiadis quæ.in 3m.de mor.vul.com.1°. 3ª.129.B
Principiũ ſemp noſcẽdũ de quo p̃poſita eſt quæſtio.1°.meth.me. 7ª.4.E
Principium optimum dicendorum eſt notitia rei, quæ inquiritur.in 1m.prorrhetici, com.1°. 4ª.163.A
circa *Principia primo in dialectica exercitãdũ.2°.de diff.pul.* 4ª.58.B
Principiorũ demonſtrationis varia nomina.1°.de ſimp.med.fa. 5ª.4.C
Principia demonſtrationis, & omnium rerum quę.1°.meth.me. 7ª.5.F
Principia demonſtrationum à ſenſibus.2°.de ſimp.med.fac. 5ª.9.G
Principia demonſtrationum certiora ſunt his, quæ demonſtrantur.2°.de ſimplicium medicamen.facultatibus. 5ª.9.H
Principia demonſtrationum ex ſe noſcũtur.2°.de ſimp.med.fac. 5ª.9.H
Principium vnum prauorum dogmatum quod.2°.de temp. 1ª.17.A
Principia artis vulgo ignota.de opt.ſec. Iſa.20.B
Priorum, poſteriorumq; analycticorũ libri ſunt vnus liber in duas partes diſtinctus collige.4°.de diff.pul.65.A/ 4ª.69.H
Priora ſunt componentia compoſito.de ana.viuo. Sp.50.F
Priora non probantur ex poſterioribus.2°.de temp. 1ª.17.C
Priora poſſunt trahere eminus alimẽtum poſteriora cominus duntaxat.3°.de nat.fac. 1ª.308.A
Priores muſculi tibiæ tres ſecundum antiquos, tamen Galenus ſeptẽ eſſe ponit.de muſ.diſſ. 1ª.52.C
in *Priora reuellendæ ſunt fluxiones, quæ retro inclinant.de cucurbitulis ſcarificatione.* 6ª.4.G
in *Priora ſi inclinãt, fluxiones, in poſteriorẽ regionem abducendæ ſunt.de cucur.ſcar.* 6ª.4.G
Prioribus poſteriores addere debent.2°.de com.me.ſe.lo. 5ª.133.C
per PRIVATIONEM *et per negationẽ eſt idẽ.4°.de ſim.m.f.* 5ª.28.E
p̃ *Priuationẽ, & negationẽ aliqd dici multũ differt.1°.de loc.aff.* 4ª.5.B
Priuatio defectus, et amiſſio actionis in omnium ſymptomatũ genere.3°.de ſymp.cau. 3ª.25.A
PRIVATVR *particula ſenſu, ac motu ſtatim, ſi neruus inciſus fuerit.de ner.diſſ.* 1ª.53.B
PROAVIS *quandoq; ſimiles ſunt filij, non ſolum parentibus.de theriaca ad Piſonem.* 5ª.94.E
Proauus ſectæ Archigenis Chryſippus.2°.de diff.pul. 4ª.58.F
Πρόβατα *quæ.de art.com.1°.* 7ª.256.F
PROBABILIA *lẽmata apud Ariſtotelẽ q̃ ſint.2°.de diff.pul.* 4ª.54.D
PROBABILITATIS *cauſa quibus deficit illa non ſunt tollenda.2°.de ſemine.* 1ª.338.A
pro *Probabilitate æquitas.de frac.com.3°.* 7ª.246.D
PROBATIO *propria melior, quàm illa, quæ ab externo.3°.de temperamentis.* 1ª.25.D
PROBLEMATVM *differentia ſm̃ Ariſtotelem.8°.de vſu par.* 1ª.165.G

Problema dialecticum nihil facit ad rem.1°.de loc.aff. 4ª.7.B

Problemata hypothetica.de marc. 3ª.46.E

Problemata phyſica qualia.15°.de vſu par. 1ª.210.G

Problemata phyſica intricata.1°.de ſimp.med.fac. 5ª.6.E

PROBOSCIS *elephanti ad quid.17°.de vſu par.* 1ª.221.D

per *Proboſcidem reſpirat elephas.17°.de vſu par.* 1ª.221.D

Proboſcidis meatus quò tendat.17°.de vſu par. 1ª.221.D

Proboſcide elephas accipit numiſma.17°.de vſu par. 1ª.221.D

PROBI *Deo noti & amici.de pręcog.ad Poſth.* 4ª.214.B

Probus qui vult fieri quid agere debet.de cog.cur.animi mor. 2ª.50.F

Probi viri quid agere debent.de præcog.ad Poſth. 4ª.214.B

Probus eſſe non poteſt inſatiabilitatem in animo habens.de cognoſcendis curandiſq; animi morbis. 2ª.55.F

Proborum collegium ſuadet quę probentur ſcripta recentiorum. contra Iulianum. Ex.66.C

PROCATARCTICA *cauſa externa, non tamen primaria ac per ſe. 1°.de ſymp.cau.* 3ª.17.F

Procatarcticæ cauſæ,id eſt initiatrices.6°.de loc.aff. 4ª.38.G

Procatarctica ſiue præcipiens cauſa quę.1°. de diff.feb. 3ª.33.D

Procatarcticæ cauſæ quæ.intro.Iſa.52.B/4°.de ſan.tuen. 2ª.82.E

Procatarctica cauſa eſt extrinſeca.2°.de compoſi.med.ſec.loc. 5ª.131.H

Procatarcticæ cauſæ ſunt prænoſcendę.in prognoſt.com.1°. 4ª.189.D

Procatarcticę cauſæ multum faciunt ad cognitionem morbi.2°. de compoſitione medicament.ſec.loc. 5ª.132.A

Procatarcticæ cauſæ doloris capitis quæ. 2°. de compoſitione medicam. ſecundum locos. 5ª.131.H

PROCACIS *hominis quid eſt.8°.de decre.Hipp.* 1ª.278.F

PROCEDERE *idem quod oriri.4°.de ana.adm.* 1ª.83.G

PROCELLA *quid.in 1m.de mor.vulg.com.2°.* 3ª.108.A

Procellari aqua melior eſt tonitrualis.de bon.aquæ. Sp.75.G

PROCELLOSA *aqua quæ horæa, id eſt temporaria dicitur.in 6m. de mor.vulg.com.4°.* 3ª.184.E

PROCESSVS *muſculorum trahentium ſcapulas ad caput. de muſculorum diſſect.* 1ª.45.A

Proceſſus muſculi,qui ſcapularũ baſem è directo capitis attollit. de muſculorum diſſect. 1ª.45.A

Proceßus muſculi à prima vertebra.de muſc.diſſ. 1ª.45.B

Proceſſus muſculorum qui retro abducũt ſcapulam.de muſ.diſſ. 1ª.45.C

Proceſſus muſculorũ qui dãt capiti propriũ motũ.de muſ.diſſ. 1ª.45.D

Proceſſus muſculorum qui ligant os hyoeides maxillæ inferiori. de muſculorum diſſect. 1ª.46.D

Proceſſus muſculorum qui faciunt obliquum linguæ motum.de muſculorum diſſect. 1ª.46.F

Proceſſus muſculorum mouentium linguam.de muſc.diſſ. 1ª.46.G

PROCIDENTIA *in oculo quid.fin.med.* Iſa.48.E

Procidentia vlceratio oculorum.fin.med. Iſa.48.E

Procidentia pertinet ad ragoidem.de diff.mor. 3ª.5.H

Procidentia affectus communis toti palpebræ.introd. Iſa.58.D

Procidentia in oculo totum oculum exercet.introd. Iſa.58.D

Procidere oculi cuidam cui caput fuerat vario vinculo deligatum.de faſcijs. 7ª.293.D

PROCIDENTIA *vuluæ affectus.introd.* Iſa.59.D

Procidentia ſedis affectus.introd. Iſa.59.D

ad *Procidentias ſedis,& vuluæ idoneus eſt lentiſcus.8°.de ſimp.medicament.facul.* 5ª.61.H

Procidentiarum ſedis non inſtrenuum cataplaſma eſt galla cocta. 7°. de ſimplic.med.facul. 5ª.51.B

PROCLVS *methodicę ſectæ auctor.introd.* Iſa.51.E

PROCREENT *quæ mulieres,& qui viri,& qui quandoque. com. 5°. aphoriſmo 62°.* Ex.43.F

PRODENDA *potius ciuitas,quàm opinio iuxta ſectam Archigenicã. 2°.de diff.pul.* 4ª.58.F

PRODICVS *ſolus curioſus in nominibus.de art.com.4°.* 7ª.284.G

Prodicus in libro de natura hominis.2°.de diff.feb. 3ª.37.F

Prodici meminit.8°.de decr.Hipp.277.C/2°.de nat.fac. 1ª.301.C/D

προδιῆθεν *quid ſignificet.in 1m.prorrh.com.2°.* 4ª.178.A

PRODROMI, *& Eteſiæ differunt. in 3m. de morbis vulgaribus commentario 3°.* 3ª.141.D

PRODVCI *quid ſignificet.in 6m.de mor.vul.com.5°.* 3ª.189.F

PROETI *filiæ à Melãpode helleboro purgatæ.de atrab.* 1ª.36.E

per quos PROFECERIMVS *fatendum.2°.de diff.reſp.* 3ª.63.H

Proficere minime corpus eſt corporis affectus.cõ.2°.apho.31°. Ex.16.H

PROFITENTVR *omnia intrepide ſectam ſequentes. 4°. de locis affectis.* 4ª.25.E

PROFLVENTIA *omnia adſtringunt acerba multum. 6°. de ſimplic. med.fac.* 5ª.48.E

PROFLVVIVM *quid ſit ſecundum methodicos.de ſecta.* Iſa.18.G

Profluuium & adſtrictionem in eodem eſſe foramine qui temere dicant. de ſecta. Iſa.18.H

Profluuium à varijs partibus poteſt oriri.de ſecta. Iſa.18.F

ad *Profluuium capillorum.1°.de comp.med.ſec.loc.* 5ª.123.E

Profluuium & vomitum facit cibus ſupra modum ſumptus.2°.de differentijs febrium. 3ª.40.G

Profluuij hepatici,& dyſenteriæ differentia.6°.de loc.aff. 4ª.36.E

Profluuijs frequenter ſurgere febrem auget.8°.meth.med. 7ª.53.B

Profluuium alui phlegmonem oculorum ſanat.in 6m.de morb. vulgari. commen.6°. 3ª.197.E

Profluuio longo laborantes hectica capti.1°.de diff.feb. 3ª.35.F

Profluuium ab atra bile lætale.de atra bile. 1ª.35.F

Profluuium ab flaua bile difficile.de atra bile. 1ª.35.F

Profluuium alui & vomitum faciunt excrementa tenuia,quæ in ventre defluunt in animæ defectu.de art.com.2°. 7ª.264.H

Profluuiorũ validorũ ventris pulſus qualis.de pul.ad Tyro. 4ª.44.H

Profluuiorũ vẽtris diuerſæ cauſæ variãt curationẽ.de me.ex. Sp.103.H

ex *Profluuio alui animi defectus quo modo curetur.1°.de arte curatiua ad Glauconem.* 7ª.98.G

cum *Profluuio ventris febris non eget euacuatione,aliter obeſt.1°.de arte cur.ad Glauc.* 7ª.98.B

ad *Profluuium ventris immoderatum adſtringentium vſus conuenit. de victus ratio.in mor.acu.com.1°.* 7ª.111.G

Profluuium ventris ſanat Adiantum.6°.de ſimp.med.fac. 5ª.41.E

Profluuio ventris prodeſt Amylum.de ſimp.med. Sp.80.A

Profluuium ſanant folia Anchuſæ onocleæ pota cum vino.6°.de ſimpli. medic.fac. 5ª.41.D

ad *Profluuia ventris, vteriq; vſi ſunt Balauſtio omnes medici. 6°.de ſimp.medic.facul.* 5ª.44.F

Profluuia ventris iuuat Bromus.6°.de ſimp.med.fac. 5ª.45.D

Profluuio ventris humoris,& ſanguinis Chalcitis vtiliſſima eſt. de ſim. medicaminibus. Sp.81.G

Profluuijs Clematis daphnoides prodeſt.7°.de ſimp.me.fa. 5ª.51.G

Profluuio omni vtiliſſimum habetur Coagulum.de ſim.med. Sp.83.C

Profluuio vtiliſſimum eſt Cornu ceruinum.de ſimp.med. Sp.83.C

in *Profluuijs alui Ferrũ cãdẽs debet poni in lac.10°.de ſim.m.f.* 5ª.73.G

Profluuium ventris reprimit Hypociſthis.de ſimp.med. Sp.92.E

Profluuium omne Myrta ſtringit.de ſimp.med. Sp.87.E

Profluuium omne confeſtim tenet Omphax.de ſimp.med. Sp.88.B

Profluuia iuuat Phyllitis.8°.de ſimplicium med.facul. 5ª.63.E

ad *Profluuium ventris idonea remedia ſunt Rubi fructus,& flos.6°.de ſimp.med.fac.* 5ª.44.G

Profluuiũ oẽ idonee ſtringũt flos,folia,& mora rubi.de ſim.m. Sp.89.E

ad *Profluuia vẽtris cõpetit armenica Terra.9°.de ſim.me.fa.* 5ª.66.G

Profluuio omni fortiter prodeſt terra ſamia.de ſimp.med. Sp.84.H

Profluuiũ alui qdã habuere,qdã euomuere in peſtilẽtia.5°.m.m. 7ª.35.B

ad *Profluuiũ alui ſupprimendum.de med.fac.par.* 7ª.170.A

Profluuium alui,lege Alui profluuium.

Profluuium ſeminis vtero non affecto.6°.de loc.aff. 4ª.41.D

Profluuium geniturę cohibet lactuca.6°.de ſimplic.medic.fac. 5ª.48.E

PROFLVVIORVM *menſium pulſus qualis de pul.ad Tyr.* 4ª.44.H

in *Profluuijs menſiũ immodicis fiunt pulſus vermiculantes. 2°.de præſagitione ex pul.* 4ª.113.A

in *Profluuijs ſanguinis ab vtero fiunt pulſus vermiculantes.2°. de præſagitione ex pul.* 4ª.113.A

ex *Profluuijs muliebribus fit defectus animi.1°.de arte cur.* 7ª.98.E

Profluuium muliebre aquæ intercutem cauſa.5°.de loc.aff. 4ª.33.H

ad *Profluuia ſanguinis ex vtero valent Aer ſamius, & terra lemnia. 9°.de ſimplicium medicamen.facul.* 5ª.65.H

ad *Profluuium muliebre Caprinum ſtercus.10°.de ſimplicium medicamentorum facul.* 5ª.76.F

ad *Profluuium muliebre,potiſſimum rubrum, optimum remedium eſt Cauda equina.6°.de ſimplic.med.fac.* 5ª.48.F

Profluuium mulierum curat Idea radix.6°. de ſimplicium medicamentorum facul. 5ª.48.E

Profluuium muliebre deſiccat Iuncus læuis. 8°. de ſimplicium medicamentorum facul. 5ª.62.A

ad Profluuium

ad Profluuium muliebre ſiſtentes facultates adhibentur Lapides.9°.de ſimp.med.fac. 5ª.67.G
Profluuium muliebre iuuat Lemonij fructus.7°.de ſimp.me.fac. 5ª.54.B
Profluuio muliebri Lens vtiliſſima.1°.de alim.fac. 2ª.13.E
Profluuio muliebri accommodantur Loti lignorum aſſulæ deraſæ.7°. de ſimp.med.fa. 5ª.55.A
Profluuium muliebre ſanare dicitur coagulum Leporis.10°. de ſimp.medicamen.fac. 5ª.74.D
Profluuio muliebri adhibetur Lycium.7°.de ſimp.med.fa. 5ª.54.H
Profluuium muliebre ſanat Lyſimachios.7°.de ſimp.me.fa. 5ª.54.H
Profluuium muliebre cohibet Medion.7°.de ſimp.med.fac. 5ª.55.F
Profluuio muliebri medetur Nymphea, quæ candidam radicem habet. 8°.de ſimp.med.fa. 5ª.57.A
Profluuium muliebre ſiſtit Poligonon.8°.de ſimp.med.fac. 5ª.58.H
in Profluuio muliebri vtiliter editᷓ Portulaca.6°.de ſim.me.fa. 5ª.43.B
ad Profluuium muliebre commoda eſt membrana, quæ ſub cortice Roboris eſt, & ſub glande eius.6°.de ſimplicium medi.fac. 5ª.46.E
ad Profluuium muliebre congruit Sideritis achilleis. 8°. de ſimplicium medic.facul. 5ª.60.D
Profluuium muliebre iuuat radix Spinæ ægyptiæ.6°. de ſimplicium medicamentorum facul. 5ª.41.H
ad Profluuium muliebre exhibetur Symphytum petræum. 8°. de ſimplicium med.fac. 5ª.61.G
ad Profluuium muliebre.de med.fac.par.169.C| 7ª.176.D
ad Profluuium ſanguinis poſt partum. de paſſ.mul. Sp.96.B
Profluuium in partu dictum ab antiquis purgatio.de atra bile. 1ª.36.H
Profluuij menſtruorum caſus.de præcog.ad Poſt. 4ª.216.D
PROFLVVIVM *ſanguinis ſimpliciter intelligitur de naribus, in alijs partibus additur nomē partis.in 6m.de mor.vulg.com.3°.* 3ª.175.F
Profluuij ſanguinis ſigna.3°.de criſ. 4ª.144.E
ex Profluuio ſanguinis narium iudicatio futura quo modo cognoſcatur ex pulſu.4°.de præſag.ex pul. 4ª.122.F
Profluuium ſanguinis narium aut abſceſſum qui capitis dolor ſignificet. in progn.com.3°. 4ª.208.F
Profluuium ſanguinis narium ſignificant lachrimæ ſpontaneæ. in 1m. de mor.vulg.com.2°. 3ª.116.A
Profluuium ſanguinis eſt ardentium febrium familiare. in 1m. de morbis vulg.com.2°. 3ª.115.C
Profluuia ſanguinis quando in principio apparent nunquam per criſim decernunt.1°.de criſibus. 4ª.128.E
ad Profluuia ſanguinis ex naribus.5°.de comp.med.per gen. 5ª.254.E
Profluuium ſanguinis quibus fiat modis.5°.meth.med. 7ª.30.B
Profluuium ſanguinis quando bonū, & qn̄ non bonū.1°.de criſ. 4ª.128.B
Profluuiū ſanguinis, & phlegmonas incitat ſuper omnia dolor. 5°. methodi medendi. 7ª.31.A
Profluuium ſanguinis malum.com.1°.apho.21°. Ex.10.A
Profluuiorum ſanguinis pulſus qualis.de pul.ad Tyr. 4ª.44.H
in Profluuijs sāguinis fiūt pulſus vermiculātes.2°.de p̄ſ.ex pul. 4ª.113.A
Profluuium ſanguinis cur ſit bilis faciat ardentem febrem.in 1m.de mor. vulg.com.2°. 3ª.114.C
ex Profluuio sāguinis, & euacuatiōe ſuffocatio.1°.de die.de. 4ª.146.F
Profluuia ſanguinis quomodo ſiſtantur.1°.de arte cur.ad Glau. 7ª.98.H
Profluuiū ſanguinis ex eroſione quibus curandū.5°.meth.med. 7ª.31.H
in Profluuio ſanguinis vena ſecanda.in 1m.prorrh.com.3°. 4ª.186.E
in Profluuio ſanguinis narium vena ſecanda ab eodem latere.5°. methodi medendi. 7ª.30.E
in Profluuio ſanguinis ligatura q̄uo facienda.5°.meth.med. 7ª.31.A
in Profluuio ſanguinis particula ſit ſupina.5°.meth.med. 7ª.31.A
ad Profluuia ſanguinis conueniunt medicamenta, quę cum eo, quod refrigerant, vnà adſtringunt.6°.de ſim.me.fac. 5ª.43.E
Profluuium ſanguinis ex cerebri inuolucris ſupprimentibus medicamentis miſcetur albumen oui.11°.de ſimp.med.fac. 5ª.81.D
in Profluuio ſanguinis cruſtæ non ſunt temerè remouendæ. 5°. methodi medendi. 7ª.31.D
Profluuio ſanguinis prorumpenti è naribus prodeſt caudę equinę ſuccus.6°.de ſimplic.medic.fac. 5ª.48.F
Profluuijs ſangu nis cōpetere videtur flos gallij.6°.de ſim.m.f. 5ª.45.D
Profluuia ſanguinis curat Idæa radix.6°.de ſimp.med.fac. 5ª.48.E
Profluuio laborantibus partibus vtiliter illinitur Iſatis.6°. de ſimpliciū medic.facul. 5ª.48.G
in Profluuio ſanguinis porri coma.de opt.ſec. Iſa.23.H
ad Profluuium ſanguinis thus quale eſſe debet.5°.meth.med. 7ª.31.A
ad Profluuium ſanguinis.2°.de antid.113.H|5°. de comp.medi.per gen. 5ª.254.H|de dynam. Sp.29.F
Profluuia ſanat ſemen lapathi, oxylapathi, & Hippolapathi.7°.de ſim. med.facul. 5ª.54.B
Profluuium ſanguinis.lege Sanguinis fluxus.
Profluuium vrinæ peſſimum quod.1°.de criſ. 4ª.129.H
PROFVNDATIO *ſudoris quæ dicatur.de ana.viu.* Sp.52.C
PROFVNDITAS *non eſt magnitudo.2°.de diff.pul.* 4ª.56.F
Profunditas in corpore eſt ante, & retro.com.5°.apho.65°. Ex.44.H
Profunditatem ſuperat longitudo.2°.de cau.pul. 4ª.94.A
Profunditas ſuperat latitudinem.2°.de cau.pul. 4ª.94.B
Profunditas ſomni, pigrities mentis, & puſtulę ſignificant pituitam.cōmentario 4°.apho.2°. Ex.27.F
PROFVNDI *fontes cur hyeme calidiſſimi ſint, æſtate frigidiſſimi. de bon.aquæ.* Sp.75.H
à Profundis partibus ad extra fieri motū bonum, è contra malum. commen.6°.aph.25°. Ex.48.F
in Profundis medicamēta fortiora ſunt applicāda.4°.met.me. 7ª.29.C
à Profundis trahūt p̄polis, ſagapenū, & oponax.6°.meth.me. 7ª.37.D
in Profundo reſidentia cæteris reſinis magis attrahit Terebinthina. 8°. de ſimplicium medic.fac. 5ª.59.F
à Profundo ſine morſu trahunt terebinthina, & euphorbium.6°.methodi medendi. 7ª.37.D
à Profundo quæ ſaniem trahere poſſunt.6°.meth.med. 7ª.37.D
quæ in Profundo ſunt ad ſuperficiem transferre poteſt cucurbitula.de cucur.ſcar. 6ª.3.F
ad Profundas plagas.de virt.cent. Sp.93.F
PROFVSIO *quod vitium ſit.de cogn.cur.animi mor.* 2ª.54.G
ad Profuſiones ſanguinis thuris cortice vtitur.13°.meth.med. 7ª.81.F
Προγάσορες *id eſt ventre prominulo.1°.de alim.fac.* 2ª.8.D
PROGNOSTICA, *& prorrhetica ars differunt.in 1m.prorrhetici, cōmenta.2°.* 4ª.177.D
PROGNOSTICANDI *artem tradidit Hippocrates. de præcognitio. ad Poſth.* 4ª.213.H
Prognoſticanda quæ ſint à doctis.3°.de diff.reſp. 3ª.73.B
Prognoſticari debet medicus.in progn.com.1°. 4ª.189.C
Prognoſticaturus quid agere debet.in progn.com.3°. 4ª.211.D
PROGNOSTICATIO *q̄uo fieri debeat.in 1m.pror.com.1°.* 4ª.161.G
Prognoſticatio portentū eſſe videtur aliquibus qui eam negant. de præcognitione ad Poſth. 4ª.213.H
Prognoſticatio eſt de præſentibus, pręteritis, & futuris.de præſagit.ex pulſ.104.B|in progn.com.1°. 4ª.190.H
Prognoſticatio præteritorum cui vtilis.in progn.com.1°. 4ª.189.H
Prognoſticatio quid boni faciat.in progn.com.1°. 4ª.189.C
Prognoſticationes quo modo ratæ ſint.in progn.com.3°. 4ª.212.H
ex Prognoſtico quæ ægrotatio grauis, & quę non.in 1m. de morb. vulg. commentario 3°. 3ª.117.C
Prognoſtica morborū ex lumine, & lunæ curſu.de decub.prog. Sp.12.E
Prognoſticatio ex ſudore.in progn.com.1°. 4ª.195.C
quę Prognoſticant vrinam.de diff.cont. Sp.75.B
in Prognoſticis in q̄bus oportet eē exercitatū.in 1m.pror.c.1°. 4ª.162.H
Prognoſticorum librum præcedere debet liber de diebus decretorijs. in progn.com.1°.190.E|2°.203.E|3°.206.D|H| 4ª.210.D
Prognoſticorum librū præcedit liber de iudicationibus, & de præſagijs ex pulſibus.in progn.com.1°. 4ª.191.H
Prognoſticorum librum præcedit liber de curandi ratione. in prognoſt. commen.1°. 4ª.190.H
an̄ Prognoſticos libri epidemici ſcripti ſunt.2°.de die.decr. 4ª.154.C
poſt Prognoſticorum librū ſequitur liber de morbis vulgaribus. in prognoſt.com.1°.190.G|3°. 4ª.212.B
in Prognoſticis doctrina ab Hippocrate tradita optima eſt.ĩ 3m.de mor vulg.commen.1°. 4ª.128.H
Prognoſtica Hippocratis relegenda ſunt.1°.de dieb.decr. 4ª.149.F
Prognoſticorum libri intentio.in prog.com.3°. 4ª.213.A
in Prognoſticis quid agat Hippocrates.2°.de dieb.decr. 4ª.154.A
in Prognoſticis q̄uo intelligendus Hippocrates.1°.de cri. 4ª.129.E
Prognoſticorum liber de ſolis morbis acutis.1°.de criſ. 4ª.128.A|B
in Prognoſticis loquitur Hippocrates de acutis, & longis, qui ex acutis dependent.2°.de dieb.decre. 4ª.155.H
in Prognoſticis cur ſexageſimus inter acutos numeratus. 2°. de diebus decretorijs. 4ª.156.A
Prognoſticorum libri ſigna ſunt vera in libya, in Delo, in Scythia. in prognoſt.

prognoſt.com.3°. 4ª.212.G

Prognoſticorum librum expoſuit Galenus ante librum de ratione victus acutis.de vict.rat.in mor.acut.com.2°. 7ª.123.E

Prognoſtica ſigna.de ſubſ.emp.32.D|ſin.med. Iſa.46.A

Prognoſticum Galeni.de præcog.ad Poſth. 4ª.218.D

Prognoſticum,mitigans,& curatiuũ præſidiũ.6°.de loc.aff. 4ª.36.G

PROGRESSIVVM motum habent plantæ.in Tim.Plat. 1ª.287.E

PROHIBENDVM quo modo ſit ne hirudines amplius trahant. de cu-cur.ſcarifi. 6ª.4.C

Prohibentes reſpirationem muſculi.de voc.inſtr.diſſ. 1ª.107.F

Prohibentia lapidis generationem.de cura lap. Sp.112.B

Prohibitio vocis quo modo fiat.de voce & anhel. Sp.61.B

Πρoηγούμενα. i.antegrediẽtia.de vict.rat.in mor.ac.cõ.4°. 7ª.134.G

PROLAPSIO quid in oſſibus.de fract.com.3°. 7ª.248.E

Prolapſiones oſſium in genu benigniores.de fract.com. 3°. 7ª.248.E

ad Prolapſus oculorum.4°.de comp.me.ſec.loc.154.F| 5ª.155.C|D|F

PROLATIONIS vocum quę cauſa ſit.de vtil.reſp. Sp.63.E

ad Prolationem ſpiritus.7°.de compoſi.med.ſec.loc. 5ª.182.B

Prolatu difficiles voces ſphynx,et ſtrox.in 6^{m}.de mo.vul.c.5°.3ª.188.G

PROLEM aliquam volentes conſeruare ſi aliquis coniugatorum erat ſterilis,faciebant diuortium.com.5°.apho.59°. Ex.43.C

de PROLIXITATE ſe excuſat Galenus.in 1^{m}.pror.c.1°. 4ª.165.E

Prolixitatem reprehendit Galenus.3°.de decr.Hipp. 1ª.243.E

cur PROLIXVS ſit Lyci liber de muſculorum diſſectionibus. de muſculorum diſſect. 1ª.44.C

Prolixis febribus affligentibus catharticis vtimur.de dynam. Sp.20.E

PROLOQVIA quæ ſint.de vict.rat.in mor.acu.com.2°. 7ª.119.B

PROLVVIES ventris quid ſit.in 1^{m}.prorrh.com.1°. 4ª.162.B

Proluuies bilioſa quæ.in 1^{m}.prorrh.com.1°. 4ª.162.B

Proluuies ventris rubra cur mala.in 3^{m}.de mor.vulg.com.2°.3ª.139.H

Proluuies rubra quid ſignificet.in 1^{m}.prorrh.com.1°. 4ª.162.A

Proluuiẽ rubidã excernẽtis adoleſcẽtis caſus.in 1^{m}.pror.cõ.2°.4ª.171.F

PROMINENTES oculos cur habent melancholici. de melanchol.ex Gal.Ru.& Poſſ. Sp.109.E

ad Prominentias ani internas.de med.par.fac. 7ª.178.H

ad Prominentias ani interiores,& exteriores.de me.fa.pa.7ª.179.A

PROMPTE quid ſignificet.in progn.com.2°. 4ª.201.A

Prõpte inijciẽdũ eſt vinculũ vt vbiq; ſit in prõptu.de faſcijs. 7ª.294.B

PROMPTITVDO ad ablata bonum ſignum c.2°.aph.33°. Ex.17.B

PROMPTI magis ſumus ad laudem benefactorum,quàm ad vituperationem peccatorum.1°.de vſu par. 1ª.119.H

Promptus ſpiritus pro ſublimi.in 1^{m}.prorrh.com.1°. 4ª.166.E

PRONERVATIONES, id eſt muſculorum neruoſæ partes τένοντες vocant.de fract.com.3°. 7ª.249.C

Proneruationes.i. ἀπονευρώσεις quas vocent.de ar.com.2°. 7ª.263.B

Proneruatio neruoſa,& carnoſa quæ.de art.com.2°. 7ª.263.B

PRONIORES in venerem euadunt pleriq; melancholici.de melancholia ex Gal.Ru.& Poſſ. Sp.109.C

PRONVBA ars quæ ſit.com.5°.aph.59°. Ex.43.D

PRONVS nemo quicquam molitur.3°.de vſu par. 1ª.128.A

in Pronam radium circumagere quorum muſculorum eſt officium. de muſc.diſſect. 1ª.48.F

in Pronum cum declinatione qui muſculus flectat brachiale. de muſc. diſſectione. 1ª.48.G

tanq̃ in Pronũ radij os qui muſculus circumagat.de muſc.diſſ.1ª.49.A

in Pronum flectens brachiale apud magnum digitum muſculus.de muſculorum diſſect. 1ª.49.A

ad PROPAGATIONEM generis generantur ab aliquibus partibus animalis aliqui humores.com.5°.aph.39°. Ex.41.B

PROPE quæ ſunt largius vñr.de cõp.memb.ſiue de nat.hum. Sp.58.C

PROPENSIVS quid ſignificet.in progn.com.3°. 4ª.207.H

PROPHANIS imperabantur in ſermonibus myſticis, vt aures obturarent.12°.de vſu par. 1ª.194.C

Προφάσεις cauſas quas vocet Hippocrates.in 1^{m}.de mor.vul.com.1°. 3ª.104.H|de vic.rat.in mor.acut.cõ.1°.114.A|c.4°.141.C| 7ª.150.G

PROPHYLACTICE, id eſt præſeruatoria medicinæ pars.ad Thraſy. 2ª.106.F|11°.meth.med. 7ª.68.D

Prophylactice quæ pars artis.11°.meth.med. 7ª.68.D

Prophylactice prima pars artis.de cõſ.ar.42.C|4°.meth.me.7ª.24.E|F

Prophylactice medicinæ pars quid agat.6°.de ſa.tuen. 2ª.100.A

PROPINABANT inuicem tempore Galeni.1°.meth.med. 7ª.2.D

vt in PROPINQVAS ita ĩ remotas ptes agit calor.de ana.v.Sp.49.H

in Propinquas tantum partes agit tactus.de ana.viuo. Sp.49.H

PROPOLIS quid.de ſimp.med. Sp.88.H

Propolis quando eſt in melle eſt malum.7°.meth.med. 7ª.44.H

Propolis Attica.5°.de comp.med.per ge. 5ª.250.H

Propolis qualis ſit.3°.de comp.me.per ge.230.F|5°. 5ª.246.C

Propolis calida eſt in ſecũdo ordine cõpleto.8°.de ſimp.med.fac.5ª.59.B

Propoleos eſſentia attrahens ſponte natum.5°.de ſimp.me.fac. 5ª.36.E

Propolis trahit à profundis.6°.meth.med. 7ª.37.D

Propolis pinguis omnẽ reſinã excedit.3°.de comp.me.per ge. 5ª.230.E

Propolis vetuſta quo modo fiat noua.3°.de comp.med.per ge.5ª.229.H

Propolis liqueſcit igne.3°.de comp.med.per ge. 5ª.233.F

Propolis in neruorũ vulneribus vſui eſt.3°.de com.me.per ge.5ª.229.G

cum Propoli eandem vim habet gutta ammoniaci. 7°. de compoſi.medica.per ge. 5ª.264.C

PROPORTIO communis quid.3°.de decr.Hipp. 1ª.241.E

Proportio multiplex in pulſu.1°.de pulſ.diff. 4ª.48.G

Proportio à qbus etiã ex tpe colligit.in 1^{m}.de mor.vul.com.1°. 3ª.103.C

PROPOSITIONVM demonſtrationis varia nomina.1°.de ſimplicium medicamen.facul. 5ª.4.C

Propoſitiones ęquipollentes quæ.de ſubſ.emp. Iſa.33.A

ad Propoſitiones indemonſtrabiles in medicina peruenienẽdum.1°.meth. medendi. 7ª.5.B

Propoſitiões medicorũ magna ex parte veræ ſunt.c.4°.a.44°. Ex.32.F

de Propoſitis librum vocat librum problematum.in 6^{m}. de mor. vulg. commentario 3°. 3ª.172.A

Propoſitum,& finis quo modo differant.ad Thraſyb. 2ª.103.E

Propoſiti conſecutio eſt finis.ad Thraſyb. 2ª.103.E

Propoſitum quælibet ars appetit.ad Thraſ. 2ª.103.E

in PROPRIE, & in improprie diſtinctio.1°.de diff.pul. 4ª.47.A

PROPRIETAS naturæ eſt inconuertibilis.de ſper. Sp.37.B

Proprietates quatuor à tota ſubſtãtia.in 6^{m}.de mor.vul.c.6°.3ª.196.H

à Proprietate ſubſtantiæ agentium librum promittit Galenus ſe facturum.11°.de ſimplicium med.facul. 5ª.82.A|G

à Proprietate ſubſtantiæ quæ agunt experientia iudicantur.1°.de compo.med.per ge. 5ª.216.A

à Proprietate agentibus non magna fiducia adhibenda. de renum affe. dign.& med. 7ª.194.H

à Proprietate ſubſtantiæ agit ſtercus bubulum.10°.de ſimplicium medicamentorum facul. 5ª.76.G

à Proprietate ſubſtantiæ cancri agunt contra canis rabidi morſum. 11°. de ſimplic.medic.fac. 5ª.82.A

ſm Proprietatem temperamenti particula agit.5°.de loc.aff. 4ª.35.F

Proprietates rerũ particulares vnde certæ.4°.de ſim.me.fac. 5ª.28.D

Proprietas aeris faciunt diſcrimen in maribus,& fœminis.breuis denotatio dogmatum Hipp. 1ª.231.C

Proprietates bonarum aquarum.de bon.aquæ. Sp.75.H

Proprietates ſanguinis.de ana.viuo. Sp.45.D

Proprietas eſſentię eſt inditium partis affectæ.6°.de loc.affe. 4ª.39.B

PROPRIA ratione,& per conſenſum eadem pars poteſt laborare. 1°. de loc.affect. 4ª.4.H

Propria nunquã,aliena ſemper ſpectamus.de cogn.cur.aĩ mor. 2ª.50.F

Proprium omne eſt inſeparabile.2°.de diff.reſp. 3ª.64.E

ex Propriorum à communibus diſtinctione ars oritur.de vict. ratio.in mor.acu.com.1°. 7ª.109.G

Propria ſunt in primo vſu,communia in ſecũdo.1°.de arte cur. 7ª.94.C

Proprio ignorato ad cõmune cõfugiẽdũ.1°.de ar.cu.ad Glau. 7ª.94.D

Proprio ſermone explicari nõ poſſunt.1°.de arte cur.ad Glau. 7ª.94.C

Propria homini q̃ inſunt ſoli ſpeciei,& nõ oĩ.2°.de diff.reſp. 3ª.64.E

Proprium ratione eſt.2°.de diff.reſp. 3ª.64.E

Proprios affectus vocat primarios.1°.de loc.aff. 4ª.6.D

Propria figura linguæ.de ana.viuo. Sp.49.C

PROPTOMA affectus iridis oculorum.intro. Iſa.58.D

PTOPTOSIS quid.introd. Iſa.58.E

PROPVLTRIX facultas quieſcit cum retentrix agit. 3°. de naturalibus facul. 1ª.302.G

PRORITATIO quid ſignificet.de vic.ra.in mor.ac.cõ.2°. 7ª.124.H

PROROGATIONIS febriũ triplex cauſa.in progn.cõ.3°. 4ª.209.F

PRORRHETICA, & prognoſtica ars differunt. in 1^{m}. prorrhetici, commen.2°. 4ª.177.D

Prorrheticæ doctrinæ proprium quid.in 1^{m}.prorrh.com.3°. 4ª.186.E

Prorrhetica non ſunt, quæ raro fiunt.in 1^{m}.prorrh.com.3°. 4ª.180.H

Prorrheticus liber non eſt Hippocratis.in 1^{m}. prorrheti. com. 1°.162.E| 165.G|com.3°.

165.G/com.3°. 4ª.180.H
Prorrhetici liber cuius ſit authoris.in 1ᵐ.prorrh.com.2°. 4ª.171.G
Prorrhetici liber ex particulari obſeruatione factus. in 1ᵐ. prorrhetici commentario 1°. 4ª.165.G
Prorrhetici doctrina nō hēt vniuerſale.in 1ᵐ.prorrh.com.3°. 4ª.179.G
in Prorrhetici libro ſunt inuſitatæ dictiões.i.1ᵐ.prorr.cō.3°. 4ª.179.E
Prorrhetici libri tota ferè intentio.in 1ᵐ.prorrh.com.3°. 4ª.182.F
Prorrhetici libri interpretes.in 1ᵐ.pror.c.3°.180.F/H/184.D/ 4ª.188.F
PRORVMPERE quid ſignificet apud Hippocratem. contra Iulianum. Ex.66.F
Prorſus vocabuli expoſitio.de nat.hum.com.1°. 1ª.27.B
ἐκ προσαγωγῆς, id eſt ſenſim.de vict.rat.in mor.ac.com.1°.7ª.112.D
PROSARTESIS, id eſt appenſio quid.fin.med. Iſa.48.H
προσεχῆ græce dicuntur particulæ alijs proximæ.de inæ.intēp. 3ª.43.C
πρόσφυσις quid.3°.de nat.fac. 1ª.307.B
Proſphyſis affectus angulorum oculi.introd. Iſa.58.D
Proſphyſis cibi aſſumpti fit virtute proueniente ex hepate. de virtutibus noſtrum corp.diſpenſ. Sp.60.B
πρόσθεσις quid.3°.de nat.fac. 1ª.307.B
PROSTATORIA ars vocabulum nuper inuentum à Galeno.ad Thraſybulum. 2ª.109.A
PROTAE Peluſiotæ medicamentum.10°.de com.med.ſe.loc.5ª.207.D
Protæ rhetoris caſus.2°.de alim.fac. 2ª.20.A
PROTAGORAS primus oratoriam facultatem philoſophiæ coniunxit.de hiſt.philoſ. Sp.2.G
προταριχεύσαντες.i.exiccātes.de vict.ra.in mor.acu.cō.2°. 7ª.122.G
PROTEVS incōparabile collyrium.4°.de comp.med.ſec.lo. 5ª.157.A
Proteus dictum excoriatorium.5°.de compoſi.med.ſec.loc. 5ª.162.B
PROTEI transformationes.an quali.incorp.ſint. Iſa.10.A
PROTORRHYTOS reſina quæ.3°.de com.med.per genera. 5ª.233.D
PROTOTOMI meminit.10°.de compoſitione medic.ſec.loc.5ª.206.G
PROTRAHI cur poſſint vox abſq; interpollatione.de vti.re. Sp.64.B
PROTROPVM paſſum.3°.de compoſitione medica.ſec.loc. 5ª.143.G
Protropū vinū.de atten.vic.2ª.46.E/7°.dc compoſi.me.ſe.lo. 5ª.184.E
PROVECTI qui.de art.com.4°. 7ª.283.D
PROVERBIVM de Aſini vmbra.3°.de diff.pul. 4ª.59.D
Prouerbium dulce bellum inexperto.dc diff.pulſ. 4ª.69.G
Prouerbium ex libro gubernare.3°.de comp.me.per ge. 5ª.231.F
Prouerbium Moyſi,& Chriſti ſchola.2°.de pulſ.diff. 4ª.54.D
Prouerbium in puteo opprimi.2°.de diff.pul. 4ª.58.F
Prouerbium ſecare glaciem.4°.de digno.pul. 4ª.85.E
Prouerbium in puncto temporis mutata pelle.2°.de diff.pul. 4ª.53.F
Prouerbiū cū aqua ſuffocet qd inclamabimus.2°.de diff.pul. 4ª.54.C
PROVIDENTIAE nomen quid ſignificet.in prog.com,1°. 4ª.189.F
Prouidentia quid.in prognoſt.com.1°. 4ª.189.C
Prouidentia eſt ipſa præſentio,& vnde dicat.in prog.com.1°. 4ª.189.F
Prouidentia de quibus ſit.8°.meth.med. 7ª.51.D
Prouidentia eſt rei futuræ.4°.meth.med. 7ª.24.B
Prouidentia & arte quod fit contrariū eſt ei, quod caſu & fortuito fit. 11°.de vſu par. 1ª.186.E
Prouidētię contraponitur fortuna,vel caſus.in pro.com.1°. 4ª.189.G
Prouidentia Dei erga nos.9°.de decre.Hipp. 1ª.284.E
Prouidentia vniuerſi non eſt malorum.in progn.com.1°. 4ª.189.H
Prouidentiæ laude quo ſuperari poſſit nihil à natura relictum eſt.de vocalium inſtr.diſſ. 1ª.106.F
Prouidentia indagare confert.9°.de decr.Hipp. 1ª.284.C
PROVISIO quomodo ſit miſta cum medendo.12°.meth.med. 7ª.74.G
PROVOCANTIA menſtrua quæ.de cathar. Sp.95.D
Prouocant menſtrua drachmæ duæ aſſari.de med.exper. Sp.106.E
Prouocat menſtrua decoctio iuniperi.de med.exper. Sp.106.F
Prouocant menſtrua drachmæ tres maioranæ cum duabus drachmis rubię.de med.exper. Sp.106.E
Prouocans menſtrua confectio.ſecret. Sp.99.C
Prouocans menſtrua decoctio.de med.exper.105.D/ Sp.107.C
Prouocat menſtrua electarium laccæ.de med.exper. Sp.107.A
Prouocans menſtrua,& vrinam electarium.de med.exper. Sp.107.D
ad Prouocationem menſtruorum valens medicina.de medicinis exper. 104.H/106.H/ Sp.107.H
ad Prouocandos menſes.de paſſ.mul.96.B/de medicinis exper.108.A/ de cura lapidis. Sp.112.H
Prouocantia ſudorem quæ.de cathar.95.D/ de melancholia,ex Galeno, Rufo,& Poſſ. Sp.110.B
Prouocantia ſudorem per os,quæ.de cathar. Sp.95.D
Prouocantia ſudorem per ſuffumigationem,quæ.de cathar. Sp 95.D
PROVOCATVR ad mingendum,egerendum, ad pandiculationes videns talia agentem.de mot.man.& obſ. Sp.69.D
PROVOCAT lotium decoctio Abſinthij.de melancholia ex Galeno Rufo,& Poſſ. Sp.110.A
Prouocat vrinam Chamęmelum pulueriʒatum,et malaxatum cum melle.de med.exper. Sp.106.D
Prouocant vrinam Dactyli ad ſanguinem vſq;.de cura icteri. Sp.111.D
Prouocat vrinam Galbanum.de med.exper. Sp.106.F
Prouocat vrinam decoctio Squinanti.de med.exper. Sp.107.A
Prouocans vrinam electarium.de med.exper.107.A/G/ Sp.108.B
Prouocans vrinam compoſitio.ſecre. Sp.101.H
Prouocans vrinam decoctio.de med.exper. Sp.107.C
Prouocans vrinam medicina.de med.exper.104.A/E/F/H/105.B/C/D/ 106.F/107.G/ Sp.108.F
Prouocat vrinā,& mēſtrua fortiter decoctio aſari.de me.ex.Sp.104.D
Prouocat vrinam,& menſtrua forti ter decoctio carui, & feminis apij. de med.exper. Sp.104.D
Prouocat vrinā,& menſtrua electariū iridis.de med.exper. Sp.105.E
Prouocās vrinā fortiter,& mēſtrua electarium.de me.exper.Sp.105.F
Prouocans vrinam,& menſtrua medicamen.de med.exper. Sp.106.B
PROXENI confectio quæ fuit in vſu Antonij muſæ. 7°. de compoſitio. medic.ſec.loc. 5ª.182.D
PROXIMO ſuccurrendum eſſe.de mot.man.& obſc. Sp.69.B
PROXIMAM fore mortem qñ prædicendum.quæſ.in Hip. Sp.113.C
PRVDENTES quō ſint brutorum animę.de mot.man. Sp.67.E
Prudentem vocat Archigenem.3°.de diff.pulſ. 4ª.59.F
Prudens quo modo effectus Chryſippus.quod animi mor. 1ª.318.F
ad Prudentem virum ſpectat diuidere in minima, & paruos exceſſus obſeruare.2°.de diff.pul. 4ª.57.F
Prudentes homines non parum lucrantur ſi incidāt in libros nō obſcure conſcriptos.5°.de comp.med.ſec.loc. 5ª.166.G
Prudentes quæ didicerunt ſciunt referre, vel ſcribere. de cuiuſq; animi pecc.not.atq; med. 2ª.56.G
Prudentibus vera dicēda in morbis.in 6ᵐ.de mor.vulg.cō.2°. 3ª.168.F
Prudentibus pauca dicenda.2°.de ſymp.cau. 3ª.21.A
Prudens,& modeſtius audacter reſpondens iudicandus amens.in 6ᵐ.de mor.vulg.com.2°. 3ª.168.G
PRVDENTIA quid.fin.med. Iſa.45.D
Prudentia virtus animi.fin.med. Iſa.45.D
Prudētia ſola eſſet,ſi eſſet ſola aia rationalis.7°.de decr.Hip. 1ª.267.G
ad Prudētiā iuuātur aliqui ex tēperatione locorū.qd ai mor. 1ª.320.D
ad Prudentiam agitur animus à ſiccitate.quod animi mor. 1ª.318.D
Prudentię in tantum minus nocumentum afferunt vina dulcia in quantū deficiunt à vehementi caliditate.de vinis. Sp.76.E
Prudentiæ nocent vina vehementer calida.de vinis. Sp.76.E
ad Prudentiā,& acrimoniā ai valet theriaca.de theri.ad Pi.5ª.96.H
προῦμνον appellant prunum ſylueſtrem.2°.de alim.fac. 2ª.21.H
Prumnum quæ planta dicatur in Aſia.7°.de ſimp.med.fac. 5ª.51.H
PRVNA, & flamma ignis genera.4°.de ſimp.med.fac. 5ª.24.G
Pruna,& flamma quo modo differant.3°.de temp. 1ª.21.H
Pruna fit terra accenſa.4°.de ſimp.medicament.facul. 5ª.24.G
Pruna non fit nec flamma ipſa aqua, quamuis vehementem accipiat caliditatem.4°.de ſimp.medic.facul. 5ª.24.G
Prunarum ignis ſine fumo eſt.11°.de ſimp.med.fac. 5ª.81.E
ſupra Prunas coquere quid ſit.7°.de comp.med.ſe.lo. 5ª.179.C
ad Prunas ardentes medicamenta non ſunt facienda.7°.de compoſitio. med.ſec.loc. 5ª.179.C
Prunarum ignis lentus.4°.de ſan.tuen. 2ª.86.H
Pruna non nimis acri coquitur Argenti ſpuma. 6°. de compoſit.medic. per genera. 5ª.257.A
à Prunis extinctis fœtore cur ſuffocamur.de vti.reſp. 1ª.225.D
PRVNELLAE fit mentio.de dyna. Sp.27.G
PRVNVS ſylueſtris planta agreſtis.2°.de alim.fac. 2ª.21.H
Prunus qualis.7°.de ſimp.med. 5ª.51.H
Pruna habēt acorem,acerbitatem,& amarorem ante maturitatem.2°. de alim.fac. 2ª.21.C
Pruna raro acida,vel auſtera,vel inſuauia poſt maturitatem.2°. de aliment.facul. 2ª.21.C
Pruna agreſtia adſtringunt.7°.de ſimp.me.fa. 5ª.51.H
Pruna optima magna,laxa,mediocriter adſtrigētia.2°.de al.f. 2ª.21.D

Pruna praua

Pruna praua exigua, dura, & acerba. 2°. de alim. fac. 2ª.21.D
Pruna quando idonea. de bon. & vit. ſuc. 2ª.39.B
de Prunis ſeruandis. de bon. & vit. ſucc. 2ª.36.H
Pruna quæ vocantur damaſcena põt cõſeruari. de puero epil. 7ª.180.D
Pruna parũ nutriunt. 2°. de ali. fac. 2ª.21.C/de diff. cont. Sp.73.F
Pruna ſm locũ habent inter fructus minus noxios. de attẽ. vic. 2ª.45.H
Pruna elixa minus obſunt. de atten. vic. 2ª.44.A
Pruna ſunt frigida. 4°. de ſimp. me. fac. 5ª.26.D/de diff. cont. Sp.74.D
Pruna ſunt humida, frigida, & pituitoſa, potiſſimum ſi cruda, & elixa mandantur. de atten. vic. 2ª.44.A
Pruna humectant, & refrigerant ventrem. 2°. de ali. fa. 2ª.21.C
Pruna minus ſiccant q̃ amygdalæ et terebĩthi ſemẽ. 5°. de ſa. tu. 2ª.92.C
Pruna ſubducũt ventrẽ humiditate, & lẽtore. 2°. de ali. fa. 2ª.21.D
Pruna humida & ſicca quando infunduntur in aqua mellis leniunt ventrem. de diſſol. conti. Sp.75.A
Pruna ventrem ſubducunt. 7°. de ſimp. me. fac. 5ª.51.H
Pruna damaſcena omnium præſtantiſſima. 2°. de alim. fac. 2ª.21.D
Pruna damaſcena ſubducunt. 7°. de ſimp. me. fac. 5ª.51.H
Pruna damaſcena, & Iberica præmanduntur hydromeliti incocta ſubducendi gratia. de atten. vic. 2ª.45.B
Prunis æſtate ſoluenda aluus in ſenibus. 5°. de ſan. tu. 2ª.92.E
in Prunis Damaſcenis Galenus reprehendit Dioſcoridem. 7°. de ſimplicium medicamen. facul. 5ª.51.H
Pruna hiſpanica qualia. 2°. de alim. fa. 2ª.21.D
Pruna iberica, id eſt catalonica ſubducunt magis. 7°. de ſimplicium medicamentorum facul. 5ª.51.H
Pruna hiſpanica maxime deijcere faciunt. 2°. de alim. fac. 2ª.21.D
Pruna hiſpana ad deijciendam aluum meliora damaſcenis. 5°. de ſanitate tuenda. 2ª.92.E
Pruna cocta in melicrato deijcere faciunt. 2°. de ali. fac. 2ª.21.D
poſt Pruna vinum dulce deijcere faciunt. 2°. de alim. fa. 2ª.21.D
Pruna ſiccata habent vſum ficus. 2°. de ali. fac. 2ª.21.D
PRVNORVM gummi lapides confringit. 7°. de ſimp. me. fac. 5ª.51.H
Prunorum gummi puerorum lichenas ſanat. 7°. de ſimp. me. fa. 5ª.51.H
PRVRIENTIVM ſuccus qualis. 2°. de ſymp. cau. 3ª.23.H
Prurientes aures curat myrta. de ſimp. med. Sp.87.E
PRVRIGINOSI ſunt humores ſi modice mordeant. de mul. 3ª.79.E
Pruriginoſus ſenſus in ſuperficie eſt, & qũo. 2°. de loc. aff. 4ª.11.H
Pruriginoſus ſenſus quo humore fiat. 2°. de loc. aff. 4ª.11.H
Pruriginoſos curat ciricus puluis. de dyna. Sp.30.B
ad Pruriginoſos, & circum roſos oculorũ angulos & viſum obtuſum. 4°. de comp. me. ſec. loc. 5ª.152.G
PRVRIGINIS ſenſus quando fiat, & quo modo procedat, & ſequatur vlceratum ſenſum. 2°. de loc. aff. 4ª.11.G
Pruriginem intolerabilem facit ſcylla. de ſimp. med. Sp.90.H
Prurigini valent putrefactiua. de ocul. 7ª.189.C
ad Pruriginem ceratum picatum. de frac. com. 3°. 7ª.243.G
Prurigini matricis quid proſit. de paſſ. mul. Sp.96.A
PRVRIVNT calida moderate. in 6m. de mor. vul. com. 2°. 5ª.165.G
nõ Pruriũt multũ puſtulæ latæ. in 6m. de mor. vulg. com. 2°. 3ª.165.F
PRVRITVS ex quo genere ſymptomatum ſit. de ſymp. diff. 3ª.11.E
Pruritus eſt ſenſus pituitoſorũ excrementorũ. 2°. de ſymp. cau. 3ª.23.G
Pruritum mouentia quæ ſint. de cathar. Sp.95.D
Pruritum concitat bilis. de dyna. Sp.19.D
Pruritum faciunt ſalſa, nitroſa, & amara, vrtica, muria, ſcilla, mare. 2°. de ſymptoma. cau. 3ª.23.H
Pruritu exercentur illoti, ſordidi, cruditate laborantes, & edentes nutrimenta mali ſucci. 2°. de ſymp. cau. 3ª.23.H
Pruritu cur excitentur ſcabioſi, & leproſi, & non iuuentur etiam ſi excorientur. 2°. de ſymp. cau. 3ª.23.H
Pruritus perfricationem concitat. de dyna. Sp.19.D
Pruritu crebro an ſit affectus laſſitudine laborans percunctandum eſt. 4°. de ſan. tuenda. 2ª.83.B
ex Pruritu vlcus cacoethes factum. 4°. met. me. 7ª.25.F
Pruritum oculorum & pituitam pinguem quid curet. de dyn. Sp.24.H
ad Pruritus oculorum valet ſuccus centaureæ. de vir. cent. Sp.93.B
ad Pruritus oculorum. de ocul. 190.D/ 7ª.191.E
ad Pruritus intenſos oculorum. 4°. de compoſitione medicamentorum ſecundum locos. 156.H/ 5ª.157.A/B
ad Pruritum faciei. 5°. de comp. med. ſec. lo. 5ª.160.E
ad Pruritum teſticulorum. ſecret. Sp.100.B
ad Pruritum ani. 9°. de comp. me. ſec. loc. 204.F/ 5ª.205.C
Pruritus quo modo fiat in vlceribus. de fract. com. 1°. 7ª.230.B
Pruritus cur fiat in primis diebus fracturę maior, poſt minor. de fracturis commentario. 1°. 7ª.230.B
Pruritus non debet creari ſub ligatura oſſis. 6°. met. me. 7ª.41.D
ad Pruritus quæ faciant. de ocul. 7ª.179.C
Pruritum ſanat aphronitrum. 9°. de ſimp. me. fac. 5ª.68.H
ad Pruritum cõueniũt balani recremẽta. 6°. de ſimp. me. fac. 5ª.44.D
Pruritus quæ balnea ceſſare faciant. de cura icteri. Sp.111.C
Pruritus prohibet herbum. de ſimp. me. Sp.85.B
ad Pruritum. de med. fac. par. 172.C/ 7ª.175.F
ad Pruritum vnguentum. de dyna. 30.C/ſecret. Sp.97.G
PSALTRIAE quæ conceperat, caſus. 1°. de ſemine. 1ª.330.A
PSELLIZESTHAE, id eſt balbutire, eſt vitium prolationis, non vocis. com. 6°. aph. 32°. Ex.49.G
Ψέφαι tenebræ. in 1m. pror. com. 3°. 4ª.182.H
PSEVDOBVNIVM adſimilis caliditatis eſt Bunio. 6°. de ſimplicium medica. faculta. 5ª.45.B
Pſeudobunij fit mentio. 8°. de comp. me. ſec. loc. 5ª.196.C
PSEVDOCASIA qũo diſtinguatur à caſia. de ther. ad Piſ. 5ª.94.H
PSEVDOCINNAMOMVM. 7°. de ſimp. me. fac. 5ª.51.C
PSEVDODIALECTICVS. 2°. de diff. pul. 4ª.57.H
PSEVDODICTAMNVM habet vim dictami imbecillam. 8°. de ſimp. medic. facul. 5ª.64.A
PSILOTHRVM qd. 6°. de ſim. me. fa. 5ª.42.F/de ſim. me. Sp.80.B
Pſilothra quæ vocentur. 1°. de comp. me. ſec. loc. 5ª.127.F
Pſilothrum valet ad auferendos pilos. de dyna. Sp.23.G
Pſilothra pilorum. 1°. de comp. me. ſec. loc. 5ª.127.E
Pſilothra quo modo adhibenda. 1°. de comp. me. ſec. loc. 5ª.128.A
Pſilothra Critonis. 1°. de comp. me. ſec. loc. 5ª.127.H
Pſilothrum Heraclidæ. 1°. de comp. me. ſec. loc. 5ª.127.H
Pſilothrum Paridis ſaltatoris. 1°. de comp. me. ſec. loc. 5ª.127.H
Pſilothrum bibentibus quid vtile ſit. 2°. de anti. 5ª.114.D
PSIMYTIVM, id eſt ceruſſa. 9°. de ſimp. me. fac. 5ª.71.F
Pſimythium præparatur arte. 9°. de ſimp. me. fac. 5ª.71.B
PSITTACES medicamentum. 4°. de comp. me. ſec. loc. 5ª.153.F
Pſittacinum Scribonij Largi. 4°. de comp. me. ſec. loc. 5ª.155.B
PSOAE nominati muſculi. de muſcu. diſſect. 1ª. 49. G/de articulis. commentario. 3°. 7ª.272.E/H
Pſoę lumbus haud exiguus muſculus eſt, & vnde oriatur ac deſinat. de muſculorum diſſectione. 1ª.50.G
PSORA affectus cutis. introd. Iſa.59.D
Pſora morbus contagioſus. 4°. de diff. pulſ. 4ª.64.D
Pſora quæ affectiones ſint leuiores. 6°. de ſimp. me. fac. 5ª.44.E
Pſoræ à quibus fiant humoribus. 11°. de ſimp. me. fac. 5ª.78.E
in Pſoram facile tranſeunt lichenes. 5°. de comp. me. ſec. loc. 5ª.160.C
Pſora quo modo curetur. 5°. de comp. me. ſec. loc. 5ª.160.C/H
Pſoras quæ Alcyoniæ ſpecies ſanent. 11°. de ſimp. me. fac. 5ª.83.C
Pſoras extergit Amaritas. 6°. de ſimp. me. fac. 5ª.47.E
ad Pſoram conueniunt Balani recremẽta. 6°. de ſimp. me. fac. 5ª.44.D
Pſoras excoriant caulis, & folia virentia Batrachij. 6°. de ſimplicium medicamentorum facul. 5ª.44.G
Pſoris congruentibus facultatibus miſcentur Cantharides. 11°. de ſimp. medic. facul. 5ª.82.E
ad Pſoras Caprinum ſtercus. 10°. de ſimp. me. fac. 5ª.76.E
Pſoras detergit Cardamomum. 7°. de ſimp. me. fac. 5ª.50.A
ad Pſoras adhibetur Chameleontis radix. 8°. de ſimp. me. fac. 5ª.63.F
Pſoras extergit Cicerum genus orobiæum appellatum. 6°. de ſimpliciũ medica. facul. 5ª.47.E
ad Pſoras accõmodi ſunt vtriq; Ellebori. 6°. de ſimp. me. fac. 5ª.47.C
Pſora extergitur Liliorũ radice cũ melle. 7°. de ſimp. med. fac. 5ª.53.B
Pſoras iuuat Lupinus. 6°. de ſimp. med. fac. 5ª.48.D
ad Pſoras valet Sepiarum teſta. 11°. de ſimp. me. fac. 5ª.81.A
ad Pſoris valet Sulphur. 9°. de ſimp. me. fac. 5ª.69.D
Pſoras ſanat Terebinthina. 8°. de ſimp. me. fac. 5ª.59.F
Pſoras detergunt Tithymalli. 8°. de ſimp. me. fac. 5ª.62.D
Pſoram ſanat Vitis alba. 6°. de ſimp. me. fac. 5ª.42.F
Pſoras detergit Vrina humana. 10°. de ſimp. me. fac. 5ª.75.D
ad Pſoras accommoda eſt Vua agreſtis. 6°. de ſimp. me. fac. 5ª.44.B
ad Pſoras curãdas citra exulceratiõẽ. 10°. de cõp. me. ſe. l. 5ª.208.A
Pſoras. 5°. de comp. me. ſec. loc. 162.D/9°. 5ª.204.C
PSORIASIS quid. fin. med. Iſa.49.D

Pſoriaſis coronæ affectus.intro. Iſa.58.D
PSORICVM quid ſit.4°.de comp.me.ſec.loc. 5ª.151.G
Pſoricum præparatur arte.9°.de ſimp.me.fac. 5ª.71.B
Pſoricum quo modo fiat.9°.de ſimp.me.fac. 5ª.71.G
Pſorici eſſentia eſt attrahens natum ex putrefactione.5°.de ſimplicium medicamentorum facul. 5ª.36.E
Pſoricis facultatibus miſcetur ſalamandræ cinis.11°.de ſimplicium medicamentorum facul. 5ª.82.F
Pſoricum medicamentum.intro. Iſa.60.D
Pſoricum medicamentũ paratũ ex metallis.9°.de ſimp.me.fa. 5ª.68.E
Pſoricum eſt tenuium partium citra calorem manifeſtum.3°.de comp.med.per genera. 5ª.228.F
ad Pſoricos affectus.1°.de comp.me.per gene. 5ª.217.A
PSORODEIS vngues ſanant cantharides.11°.de ſimplicium medicamentorum facul. 5ª.82.E
PSOROPHTALMIA ſcabiei palpebrarũ ſpẽs.de ocul. 7ª.186.H
Pſorophtalmia totum oculum exercet.intro. Iſa.58.D
ad Pſorophtalmiam.de remed.par.fac. 7ª.156.F
PSYCHROPHOBVS quid ſignificet.9°.met.me. 7ª.58.B
Pſychrotrophum quid.7°.de ſimp.me.fac. 5ª.51.A
PSYCTICA quæ.de dyna. Sp.18.H
de PSYDRACIIS de med.fac.par. 7ª.161.G
Pſydracion quid.intro. Iſa.58.H
Pſydracion affectus albi oculorum.intro. Iſa.58.D
Pſydraces, myrmeciæ, acrochordones, epigmytides notæ ſunt.de tum. præter naturam. 3ª.84.F
ad Pſydracas.1°.de compoſitione medicamento.ſec.loc.131.F/131.E/F 5ª.251.F/6°. 5ª.256.A
PSYLLIVM quid.de ſimp.med. Sp.89.A
Pſyllium dicitur herba pulicaris.de ſimp.med. Sp.89.A
Pſyllium quale.8°.de comp.me.ſec.loc. 5ª.190.F
Pſyllium frigidus eſt in ſecundo ordine, & temperatum in paſſiuis qualitatibus.8°.de ſimp.me.fa. 5ª.64.A
Pſyllij ſuccus frigidus.6°.de ſan.tu. 2ª.100.G
Pſyllii ſuccus frigidus, & viſcoſus.2°.de ſimp.me.fa. 5ª.14.D
Pſyllium refrigerat.14°.met.me. 7ª.87.D
Pſyllium refrigerat efficaciter, & ſtringit, oculis lachrymantibus cito prodeſt, dyſentericis, & podagricis remedium eſt, capitis dolorem ſedat.de ſimpl.med. Sp.89.A
Pſyllium, & portulaca ſunt indurantia frigida, & humida.5°.de ſimpl. medic.facul. 5ª.34.G
Pſyllium indurat.de ocul. 7ª.188.E
Pſyllij ſuccus oleo roſaceo adhibendus.2°.de comp.me.ſec.loc. 5ª.132.F
Pſyllium euitandũ in Herpete exedẽte.2°.de arte cur.ad Gl. 7ª.102.B
Pſyllij muccilago quomodo fiat.7°.de comp.me.ſec.loc. 5ª.184.F
Pſyllium pro ſolano.1°.de comp.me.per gen. 5ª.211.G
PSYLLI quæ gens.2°.de antid. 5ª.119.A
PTARMICE à ſternutamento dicta.8°.de ſimp.medica.facul. 5ª.59.C
Ptarmice calida eſt, & ſicca in ſecundo, & in tertio ordine.8°.de ſimp. medic.facul. 5ª.59.C
PTELEA quid.8°.de ſimp.me.fac. 5ª.59.C
Ptarmice ſugillata, & ecchymoſes ſanat.8°.de ſimp.me.fac. 5ª.59.C
Ptarmici meminit.de dyna. Sp.24.F
de PTERYGIIS. de med.fac.par. 7ª.162.H
Pterygia quid ſint.4°.de compoſitio.medi.ſecundum locos.5ª.151.H/de med.fac.par. 7ª.162.H
Pterygion vocant græci vnguem in oculo.de diff.morb. 3ª.4.F
Pterygion affectus angulorum oculi.introd. Iſa.58.D
Pterygia in qua fiant tunica.de ana.ocul. Sp.57.C
Pterygion affectus albi oculorum.intro. Iſa.58.D
Pterygia prima ratione pupillam obtenebrant.1°.de ſymp.cau. 3ª.15.E
Pterygia in oculis ſunt vlcera ſpecie ambigua.14°.met.me. 7ª.90.G
Pterygium à ſanitatis habitu alienum eſt.14°.met.me. 7ª.93.F
Pterygia quæ ſanent.4°.de comp.me.ſec.loc. 5ª.151.B/H
Pterygiorum, ſeu vnguium oculorum idoneum remedium illitu eſt Glycyrizæ radix ſicca.6°.de ſimp.me.fac. 5ª.45.G
Pterygia attenuare poteſt Thyites lapis.9°.de ſimplicium medicamentorum faculta. 5ª.67.F
Pterygia auferunt tithymalli.8°.de ſimp.me.fac. 5ª.62.D
ad Pterygia oculorum.4°.de comp.me.ſec.loc. 5ª.158.D
ad Pterygia.5°.de comp.med.per gene.251.B/252.E/F/G/5ª.254.F/de rem.par.fac. 7ª.156.H
πτερυγώδεις habent ſcapulas modum alarum.in 3m. de morb.vulga. commentario.3°. 3ª.146.G
πτερυγοειδεῖ oſſa id eſt alaria.de art.com.2°. 7ª.263.D
PTERYGOMATA affectus aurium.intro. Iſa.59.C
PTERYGODEIS explanationes in modum alarum.de oſſib.1ª.40.D
PTERIS. i.Filix.8°.de ſimp.me.fac. 5ª.59.C
πτέρνη calcaneum.3°.de vſu par. 1ª.129.D
ad PTILEA vocata vtuntur fuligine acriori.7°.de ſimplicium medicamentorum facul. 5ª.54.F
πτίλοι qui nominetur.14°.met.me. 7ª.93.E
PTILOSIS qui morbus ſit, & quo modo differat ab aphiaſi, alopecia, myrmecia, leuce, vitiligine, ſphacelo, elephante, ſcabie, & lepra 4°.methodi medendi. 7ª.92.C
Ptiloſis quid.fin.med.48.G/intro Iſa.58.G/de med.fac.par. 7ª.163.B
Ptiloſis coronæ affectus.intro. Iſa.58.D
in Ptiloſi amittitur particula vtilis.14°.met.me. 7ª.93.C
de PTISSANA inſcriptus liber.de victus ratio.in morbis acutis.cõmentario.1°. 7ª.109.G
de Ptiſſana Hippocrates obſcurius loquutus eſt.de ptiſ. 2ª.47.H
Ptiſſana, ptiſſana cocta, & hordeacea ptiſſana, idem ſignificat.de vict. rat.in morb.acut.com.1°. 7ª.113.B
de Ptiſſana quæ conſideranda.de ptiſ. 2ª.46.H
Ptiſſanæ confectio.1°.de ali.fac. 2ª.11.D
Ptiſſanæ confectio apud quoſdam eſt alica.1°.de ali.fac. 2ª.10.H
Ptiſſana alicæ cibus ægrorum ſecundum aliquos.1°.de ali.fac. 2ª.10.H
Ptiſſana triticea eſt alica ſecundum Dioclem, & Philotimum.1°.de alimentorum facultatibus. 2ª.10.H
Ptiſſana à coquis cur male paretur.1°.de alim.fac. 2ª.11.D
Ptiſſanã nõ coquunt coqui diuitũ.de vi.ra.in mor.acutis.c.1°. 7ª.112.A
Ptiſſana quo modo fiat.de dyna. Sp.22.H
Ptiſſana quo modo præparanda.5°.de ſan.tu. 2ª.92.D
Ptiſſanæ præſtantiſſima præparatio qualis.de ptiſ. 2ª.47.D
Ptiſſana optima quo conficienda.de vict.rat.in mor.acut.c.1°. 7ª.113.D
Ptiſſana quæ probatiſſima, & quæ non.de bon.& vit.ſuc. 2ª.36.G
Ptiſſana peſſima quæ.1°.de alim.fac. 2ª.11.E
Ptiſſana non bona quo modo probetur.de bon.& vit.ſucc. 2ª.37.D
ad Ptiſſanam conficiendam aqua qualis.de atten.vic. 2ª.46.H
ꝓ Ptiſſana cõficienda hordeũ integrũ ſumi debet.de attẽ.vic. 2ª.47.C
ad Ptiſſanam conficiendã quidã conterunt hordeum.de ptiſ. 2ª.47.D
Ptiſſanæ quidã addunt amylũ, ciminũ, mel, & ſapam.de ptiſ. 2ª.47.D
Ptiſſanę aliqua miſcet Galenus.1°.de ali.fac. 2ª.11.D
Ptiſſana cum amylo flatulenta.1°.de ali.fac. 2ª.11.D
Ptiſſana expetit porrum, & anethum.1°.de ali.fac. 2ª.13.F
Ptiſſanæ quandoq; miſcetur piper.de atten.vic. 2ª.44.G
Ptiſſanæ mel non miſcendum niſi in thorace, & pulmone contenta expectorare velimus.de atten.vic. 2ª.44.G
Ptiſſana fit melior ex pedibus porcellorum.3°.de ali.fac. 2ª.26.E
Ptiſſana petit ſuillam carnem recentem.1°.de ali.fac. 2°.13.F
Ptiſſana debet eſſe valde cocta.de vict.rat.in mor.acu.cõ.1°. 7ª.112.A
Ptiſſanæ laus.8°.metho.medẽ.51.A/de victus ratione in morbis acut. com.1°.109.H/ 7ª.113.E
Ptiſſana quibus præferatur.de vict.rat.in mor.acu.c.1°. 7ª.111.B
Ptiſſana habet vim cibi, & med.de vict.rat.in mor.acu.cõ.1°. 7ª.115.D
Ptiſſana omnia excedit, quæ vel tanquam alimentum, vel medicamentũ dantur.de ptiſ. 2ª.48.B
Ptiſſana cur videatur lenta.de ptiſ. 2ª.47.E
Ptiſſana lenis quo modo.de ptiſ. 2ª.47.E/F
Ptiſſana perfecte cocta humectat.1°.de ali.fac. 2ª.11.D
Ptiſſana non diligenter cocta ventoſa eſt.de puero epil. 7ª.180.H
Ptiſſana detergit.1°.de alim.fac.13.H/4°.de ſan.tuen.2ª.84.F/8°.methodi medendi. 7ª.52.G
Ptiſſana quæ magis detergit.1°.de ali.fac. 2ª.11.E
Ptiſſana detergit ſine acrimonia.7°.de comp.medica.ſec.loc.5ª.177.F/13°.methodi medendi. 7ª.83.D
Ptiſſana quomodo magis abſterſiua.de ptiſ. 2ª.47.D
Ptiſſanę ſuccus ſordes eluit, quæ in cute ſunt.1°.de ali.fac. 2ª.12.B
Ptiſſana per ſe abſtergit ſine hyſſopo.de atten.vic. 2ª.44.G
Ptiſſanæ de hordeo relaxare poſſunt.de ſimp.med. Sp.90.A
Ptiſſana cur humida, & flaccida.de ptiſ. 2ª.47.F
Ptiſſana cur ſitim reprimit.de ptiſ. 2ª.47.F
Ptiſſana plus quam aqua ſitim reprimit.de ptiſ. 2ª.67.F

Ptiſſana cur

Ptiſſana cur blandi ſaporis.de ptiſ. 2ª.47.F
Ptiſſana dulcis blanda ægrotantibus.de ptiſ. 2ª.47.F
Ptiſſana magis coctu facilis,q̃ typha,& auena.de atten.vic. 2ª.44.H
Ptiſſana in imbecillum ventriculum demiſſa ab eo non ſuperatur.3°. de temperamentis. 1ª.23.G
Ptiſſana cibis omnibus omni noxa vacat immo prodeſt.de bonitate, & vitio ſuccorum. 2ª.37.D
Ptiſſana magis patiť à nr̃o corpore,q̃ agatur in illud.3°.de tẽp. 1ª.23.H
Ptiſſanæ ſuccus cibus eſt qui nulla indiget contritione.7°. de compoſitione medicamen.ſecun.loc. 5ª.187.H
Ptiſſana boni ſucci.2°.de ſimp.me.fac.12.F/H/ 2°. de compoſi. medica. ſecundum locos. 5ª.133.D
Ptiſſana eſt boni ſucci,& non glutinoſi.4°.de ſan.tu. 2ª.86.C
Ptiſſana boni ſucci,& non calefacit.de reme.par.fac. 7ª.153.G
Ptiſſana probè coctus cibus optimus.de bon.& vit.ſuc. 2ª.37.D
Ptiſſana etiam quotidie ſumpta non impedit boni ſucci generationem. de bon.& vic.ſucc. 2ª.37.D
ex Ptiſſana, panæ, & lente fit ſanguis, pituita, bilis tum flaua, tum atra,& ſpecies vna in aliam per alterationem calidi,frigidi, humidi ſicci.3°.de ſimp.me.fac. 5ª.17.D
ex Ptiſſana,& faba quæ caro generatur.1°.de alim.fac. 2ª.13.G
cũ Ptiſſana faba pro gladiatoribus.1°.de ali.fac. 2ª.13.G
Ptiſſana minus nutrit,quàm panis.de bon.& vit.ſucc. 2ª.37.D
Ptiſſana minus efficax pane.de ptiſ. 2ª.47.F
Ptiſſana in robur,& alimẽtũ corporis maxime cõfert.de ptiſ. 2ª.48.C
Ptiſſanæ ſucco,& oleribus ſi vtatur ſe exercens cito labefactatur.1°. de alim.fac. 2ª.10.B
Ptiſſana reuocat lac in mamillis.de cathar. Sp.95.B
vt Ptiſſana humectat,& ſecat aqua mulſa,non tamen roborat. de victus rat.in morb.acu. com.1°. 7ª.113.C
Ptiſſana non minus q̃ mulſa valet ad vomitum.8°.met.me. 7ª.51.A
Ptiſſana mulſa poſterius exhibẽda.de vic.ra.ĩ mor acu.c.4°. 7ª.140.C
Ptiſſanæ cremor, & aqua mulſa detergunt humorem in ventre infarctum.de vic.rat.in morb.acu.com.1°. 7ª.111.E
Ptiſſanæ cremor in pituitæ vitio pro alimento.de victus ratione in morbis acutis.com.4°. 7ª.136.E
Ptiſſanæ,& aquæ mulſæ comparatio.8°.met.me. 7ª.51.B
Ptiſſana cum cremore complicata.de ptiſ. 2ª.46.H
Ptiſſanæ cremor quæ ſorbitio ſit.de vict.rat.in mor.acu.c.3°. 7ª.130.F
Ptiſſanæ cremor quomodo conficiatur.10°.met.me. 7ª.67.A
Ptiſſanæ cremor qualis.de ptiſ. 2ª.48.C
Ptiſſanæ cremor qualis in ventriculo.4°.de ſan.tu. 2ª.84.E
Ptiſſanæ ſuccus cur apparet lentus.1°.de alim.fac. 2ª.12.B
Ptiſſanæ cremor frigidus,& humidus.10°.met.me. 7ª.67.A
Ptiſſanæ cremore condita alica cibus eſt frigidus,& humidus.10°.methodi medendi. 7ª.67.A
Ptiſſanæ cremor calefacit,& euacuat.11°.met.me. 7ª.69.G
Ptiſſanæ cremor morſu caret.12°.met.me. 7ª.80.A
Ptiſſanæ cremor eluit.in 6m.de mor.vul.com.6°. 3ª.196.C
Ptiſſanæ ſuccus nihil habet glutinoſum, neq; emplaſticum, ſed contra deterſorium,& inciſorium.1°.de alim.fac. 2ª.12.B
poſt Ptiſſanæ ſuccum acceptum, ſi quis euomat, pituita detergebitur quæ in ventriculo eſt.1°.de alim.fac. 2ª.12.B
Ptiſſanæ ſuccus nutrit cito,ſed non multum.com.2°.aph.18°. Ex.13.H
Ptiſſanæ ſuccus in quo genere victus ſit.com.1°.aph.4°. Ex.4.B
de Ptiſſanæ vſu quæſtiones vnde ortæ.9°.de dec.Hipp. 1ª.283.H
Ptiſſanæ cremor cui dandus.4°.de ſan.tu.2ª.84.E/de victus ratione in morb.acut.com.1°. 7ª.112.B
Ptiſſana cocta qui vti debet.de vict.rat.in morb.acu.com.1°. 7ª.112.B
Ptiſſana cruda pro vitijs cutis.de vict.rat.in mor.acu.com.1°. 7ª.111.E
Ptiſſanam qui debet accipere.de vict.rat.in mor.acu.com.1°. 7ª.113.B
Ptiſſana cibandi ſunt craſſos,& multos humores in primis venis habentes.4°.de ſan.tu. 2ª.84.H
Ptiſſanæ ſuccus exhibendus in febre continua quibus non aceſcit in vẽtriculo.1°.de arte cur.ad Glau. 7°.98.A
Ptiſſana in quibſdam facile aceſcit.7°.met.me. 7ª.46.D
Ptiſſanæ ſuccus ęſtate citius aceſcit quã hyeme.4°.de ſim.me.f.5ª.28.C
Ptiſſanæ ſuccus ſeruatur in locis frigidis.4°.de ſimp.me.fac. 5ª.28.C
à Ptiſſanæ cremore vomitus.7°.met.me. 7ª.48.D
Ptiſſana etiam tempore Galeni nauſeã faciebat.7°.met.me. 7ª.46.D
in Ptiſſanæ faſtidio piſces dãdi ex iure albo. de victus ratione in morbis acutis.com.1°. 7ª.113.C
poſt Ptiſſanam piſces.12°.met.me. 7ª.78.H
ex Ptiſſanæ ſucco ſtomachus vni mordetur,alteri non. 2°. de ſimpliciũ medicamentorum facul. 5ª.12.E
Ptiſſanæ ſuccus epiceraſticus.2°.de ſimp.me.fac. 5ª.12.F
Ptiſſanæ cremor frigidus,& humidus in febribus cõuenientiſſimus.8°. methodi medendi. 7ª.51.A
Ptiſſanæ cremor conuenit ſiccitati p̃ter renũ noxã.6°.de ſa.tu. 2ª.99.G
Ptiſſanæ cremore quando vtendum.11°.met.me. 7ª.71.F
Ptiſſanæ ſucci exhibendi ordo.de ptiſ. 2ª.48.C
Ptiſſanæ cremorem quando tranſeundum. de victus ratione in morbis acutis com.2°. 7ª.124.H
Ptiſſanæ cremorem dat per horam poſt cibum.9°.met.me. 7ª.56.H
Ptiſſanam dat frigidam.7°.met.me. 7ª.44.B
Ptiſſanæ quantitas danda.de ptiſ. 2ª.47.H
Ptiſſanæ quantum in principijs dãdum.de victus ratione in morbis acutis.commentario.1°. 7ª.112.D
Ptiſſanæ cremoris dandi quãtitas.de vict.ra.in mor.acu.c.1°. 7ª.112.D
Ptiſſanæ cremor prohibeť ægro ꝑ quantitate.2°.de dig.pulſ. 4ª.76.G
Ptiſſana tota quibus porrigatur.de vict.rat.in mor.acut.c.3°. 7ª.133.C
Ptiſſana pro ſemel tantum in die comedentibus. de victus ratione in morbis acutis.com.4°. 7ª.145.B
Ptiſſana in ſiccitate.7°.met.me. 7ª.45.C
Ptiſſanæ cremor ſatis fuit Galeno æſtus,& calores perpeſſo. de bonitate,& vitio ſuccorum. 2ª.39.C
poſt Ptiſſanam alica in calidis,& ſiccis.8°.met.me. 7ª.51.B
cur poſt Ptiſſanæ ſorbitionem non eſt ſumenda mulſa,ſed ante. de vict. ratione in morbis acutis.com.3°. 7ª.129.C
Ptiſſana in febre danda eſt.4°.de ſan.tu. 2ª.87.G
Ptiſſana melior eſt mulſa in febribus.de vic.ra.ĩ mor.acu.c.1°. 7ª.111.E
Ptiſſanæ cremore vtemur in colliquationibus.de victus ratione in morbis acutis.com.1°. 7ª.128.E
Ptiſſana fermentaceis pręferenda in acutis.de victus ratione in morbis acutis.com.1°. 7ª.109.H
Ptiſſana nõ eſt danda in acutis morbis ſine diſtinctione.de ptiſ. 2ª.47.H
Ptiſſanam non colatam quidam in acutis dant.de victus ratione in morbis acutis.com.1°. 7ª.109.D
Ptiſſanæ ſuccus dandus ꝑ cibo in tertiana.de arte cur.ad Gla. 7ª.97.C
Ptiſſanæ ſuccus cũ pipere ĩ tertiana notha.1°.de ar.cur.ad Gl. 7ª.97.E
Ptiſſana cur febribis ardentiſſimus accommodata. de ptiſ. 2ª.47.F
Ptiſſanæ cremor quando pro aqua mulſa.12°.met.me. 7ª.75.H
Ptiſſanæ cremor in ſyncopa pro mulſa,vel alica.12°.met.me. 7ª.76.A
Ptiſſanæ cremore nutriendi, qui ſyncope ex tenuibus humoribus correpti ſunt.12°.met.me. 7ª.78.A
Ptiſſanæ cremore quos cibauit Galenus vſq; ad ſeptimum diem.10°.methodi medendi. 7ª.63.H
Ptiſſana conuenit in epilepſia.de puero epil. 7ª.180.H
Ptiſſana quando nõ eſt danda in lateris dolore.de victus ratione in morbis acutis.com.1°. 7ª.113.H
Ptiſſana thoraci conuenit.de ptiſ. 2ª.47.F
Ptiſſanæ miſceri debent medicamenta thoracis,& pulmonis.5°.de ſimplic.medic.facul. 5ª.35.C
Ptiſſanæ cremor eſt inter mediocria,quæ pus educunt è thorace.13°.methodi medendi. 7ª.84.H
Ptiſſana facit expuere.de vict.rat.in mor.cut.c.3°. 7ª.126.B
Ptiſſana qũo in thoracis morbo danda,& augenda.de ptiſ. 2ª.48.B
Ptiſſana,& lac,& chondrus cibi tabidorum.de marc. 3ª.48.E
Ptiſſana,lac,& chõdrus aſperitati medenť.2°.de ſimp.me.fac. 5ª.12.G
Ptiſſana,& chondrus cur acetum recipere debent.de marc. 3ª.48.E
vt Ptiſſana præparata alica in diaria ſiſtẽte fluxu.8°.met.me. 7ª.53.E
Ptiſſana in plegmone glandularum,& artuum.13°.met.me. 7ª.83.D
in Ptiſſana coctus veratri nigri cortex in iecoris phlegmone.13°.methodi medendi. 7ª.84.A
ĩ Ptiſſana coctæ amygdalę amarę expurgãt ictericos.đ cu.ict. Sp.111.B
Ptiſſana cur poſt medicamẽtũ deť.de vic.ra.in mor.acu.c.2°. 7ª.118.D
Ptiſſanæ ſuccus pro cibo in cancro.2°.de arte cur.ad Gla. 7ª.107.E
Ptiſſana quibus non danda.de ptiſ. 2ª.47.H
Ptiſſana in aridioribus morbis non danda.de ptiſ. 2ª.47.H
Ptiſſana quando interficit hominem. de ptiſ. 2ª.48.C
Ptiſſanæ ſuccus ex aqua decoctus ꝑ aluũ purgat.de art.c.2°. 7ª.267.H
Ptiſſana,lac,& chõdrus per ſedẽ inijciuntur.2°.de ſimp.me.fa. 5ª.12.G
in Ptiſſana cnicum ſoluit aluũ in ſenibus.5°.de ſan.tu. 2ª.92.F
in Ptiſſana modicũ ſcãmoneum parciſſime ducit.1°.de ali.fac. 2ª.8.D

inter PTOLEMAEVM & Attalum regẽ fuit certamen de libris comparandis .de nat.hum.com.2°. 7ª.181.D
Ptolemæi Euergetis liber epidemiorum.ĩ 3^{m}.de mor.vul.c.2°. 3ª.136.F
Ptolemæi medicamentum.5°.de comp.me.per gen. 5ª.253.G
Ptolemæi familiaris medicamentum.7°.de comp.me.ſec.loc. 5ª.185.G
Ptolemæi celebris medicamentum ad vlcera curatu difficilia.5°.de compoſi.medi.per gen. 5ª.253.G
PTYAS aſpis qualis.de theria.ad Piſo. 5ª.93.A
πτυελίζειν quid ſignificet.in 1^{m}.pror.com.1°. 4ª.167.E
PTYELON ſiue ſielon.i.ſaliua.10°.de ſimp.me.fac. 5ª.75.F
πτύελον.i.peluis.9°.de vſu par. 1ª.172.A
PVBERES incipiunt minus augeri. commentario. 3°.apho.9°. Ex.26.B
Puberes cur minus,& rarius inſpirant.de vtil.reſp. 1ª.225.F
Puberes quos pilos faciunt.2°.de temp. 1ª.19.D
Puberes incipiunt ſuperabundare ſanguine.com.3°.aph.27°. Ex.25.H
Puberibus ſanguis mitti poteſt.13°.met.me. 7ª.82.H
Puberes quos morbos incidant.com.3°.aph.28°. Ex.26.A
PVBERTAS quando incipiat.com.3°.apho.26°. 25. D/ commento. 5°. aphoriſmo.7°. Ex.38.A
Pubertatis non eſt vnus omnium terminus.com.3°.aph.27°. Ex.25.H
in Pubertate magna fiunt mutationes corporis,præſertim in mulieribus quibus erumpunt menſes.com.3°.aph.28°. Ex.26.A
in Pubertate vox acuta fit grauior.in 6^{m}.de mor.vul.c.4°. 3ª.186.H
ante Pubertatem cur moriuntur qui gibbi ex aſthmate, & tuſſi fiunt. com.6°.aph.46°. Ex.51.G
PVBES quid proprie ſignificet.in 1^{m}.pror.com.2°. 4ª.174.C
Pubes quæ.intro. Iſa.53.D
Pubem tarde faciunt gibbi circa lumbos.de art.com.3°. 7ª.269.H
in PVBE quõ fornix oſſeus magnus.14°.de vſu par. 1ª.208.H
Pubis oſſa quæ.intro. Iſa.54.H
Pubis oſſis cur magnum foramen.16°.de vſu par. 1ª.218.D
per Pubis oſſis foramen venæ.de venæ ar.diſſect. 1ª.58.E
Pubis oſſa quæ incidẽda ꝓ vidẽdis ſedis muſculis.6°.de ana.ad.1ª.93.F
Pubis oſſium muſculi neruis indigent.16°. de vſu par. 1ª.218.D
ad Pubis oſſa à Thorace muſculi medij quo tendant. in 1^{m}. pror.commentario.3°. 4ª.186.D
à Pubis oſſibus corpus neruoſum cauum,& omni humore vacuum venit quale pudendo conuenit.15°.de vſu par. 1ª.210.E
in Pubis oſſe ẽ corpus neruoſũ cauũ,& vacuũ.15°.de vſu pa. 1ª.210.E
Pubis oſſi multa caro ſupereſt.6°. de ana.adm. 1ª.93.G
ſupra Pubem cur non debeat eſſe pudendum.15°.de vſu par. 1ª.210.C
in Pube ne pueri faciant pilos.7°.de ſimp.me.fa. 5ª.53.E
in Pube cucurbitula qñ menſes ꝓuocare volumus.13°.met.me. 7ª.85.B
Pubes,& pudenda leuiſſime putreſcũt.in 3^{m}.de mor.vul.c.3°. 3ª.142.F
in Pube ſi tumor ſit,& nõ emittat̃ vrina qd ſigñt.1°.de lo.aff. 4ª.2.G
Pubes parum dolentes purgandi nõ ſunt.in 1^{m}.pror.cõ.2°. 4ª.174.B
PVBESCERE quando incipiunt pueri.cõ.3°.aph.27°. Ex.25.H
Pubeſcere incipiunt aliqui vbi quartum decimum annum expleuerunt. 6°.de ſan.tuen. 2ª.95.F/G
Pubeſcunt facile calidi,frigidi difficulter.com. 3°. aph.27°. Ex.25.H
PVBLICE quibus dicere permittitur.1°.met.me. 7ª.3.A
Publici morbi qui græce ἔνδημοι.in 1^{m}.de mor.vul.c.1°. 3ª.101.E/G
PVBLII præceptoris medicamentũ.5°.de comp.me.per ge. 5ª.254.A
vt Publius in putiolo & Apollonio Colica.9°.de compoſitione medicamentorum ſecun.loc. 5ª.202.D
Publij emplaſtrum ex vino.2°.de comp.med.per ge. 5ª.225.B
Publij ad nomas.5°.de comp.me.per ge. 5ª.253.A
PVDENDVM ineſt mulieri vt viro.14°.de vſu par. 1ª.205.F
Pudendum viri quo modo vocetur.14°.de vſu par. 1ª.208.E
Pudenda in mulieribus quæ ſint,& ꝙ diſtinguantur ab vtero. commẽ. 5°.aphoriſmo.46°. Ex.41.H
in Pudendum mulieris deſit collũ matricis.14°.de vſu par. 1ª.204.F
Pudenda viri vertendo fiunt fœminæ pudẽda,& quo modo. 14°.de vſu partium. 1ª.205.F
Pudendi fabrica admirabilis eſt.15°.de vſu par. 1ª.210.A
Pudendum habet oẽs bonas conductiones.14°.de vſu par. 1ª.204.E
Pudendum cur viris factum.14°.de vſu par. 1ª.207.H
Pudendæ partes ad generis inſtaurationem.14°.de vſu par. 1ª.204.C
Pudenda viri,& mulieres in loco ſunt cõmodiſſimo,& non poſſunt etiã minimum tranſponi.15°.de vſu par. 1ª.210.B
Pudendum cur non in dextra parte,vel ſiniſtra,potius quàm in medio eſt ſitum.5°.de vſu partium. 1ª.210.G
Pudendum quod nõ habeat eſſe ſupra pubem, vel ad hypogaſtrium.15°. de vſu partium. 1ª.210.C
Pudendi virilis corpus propriũ durũ,& cauũ.15°.de vſu par. 1ª.210.F
Pudendi virilis corpus ex oſſe emergit, vt alia ligamenta. 15°. de vſu partium. 1ª.210.F
Pudendum virile cur emergit ab oſſe.15°.de vſu par. 1ª.210.F
Pudendorum oſſium compoſitio mirabilis.14°.de vſu par. 1ª.208.H
ad Pudendi virilis confectionẽ,neq; caro,neq; glandula,neq; os,neq; carthilago vtilis.15°.de vſu par. 1ª.210.D
Pudendum non debuit venoſum.15°.de vſu par. 1ª.210.C
Pudendũ an ex ullo neruorũ gñe fieri potuerit.15°.de vſu par. 1°.210.D
in Pudendo vbi ſit neruus.15°.de vſu par. 1ª.210.H
in Pudendis nerui mediocres.14°.de vſu par. 1ª.209.B
ad Pudendum nerui vtilitas.14°.de vſu par. 1ª.209.D
Pudendi muſculi duo obliqui quales, & vbi ſint.de muſ.diſſ. 1ª.50.D
in Pudendo duo muſculi vbi.15°.de vſu par. 1ª.210.H
ad Pudẽdũ muſculus qui deducit vrinã a veſica.5°.de vſu p. 1ª.147.G
in Pudendis cur venæ, & arteriæ maximæ, & duplices, & quorſum eant.14°.de vſu par. 1ª.209.B
Pudendi arteriæ cur ampliores.6°.de loc.aff. 4ª.42.E
Pudendæ partes mulierum,& virorum quibus vaſis nutriuntur. 14°. de vſu partium. 1ª.209.B
Pudendi extremi cutis qualis.11°.de vſu par. 1ª.189.C
circa Pudendum cur præputium.11°.de vſu par. 1ª.190.C
in Pudendi finibus epiphyſes cutis cur in mulieribus, & viribus. 15°. de vſu partium. 1ª.211.A
Pudendo germina adnaſcuntur vt in aure naribus ſede cæteriſq; extrinſecus.3°.de ſymp.cau. 3ª.28.D
in Pundendo cur glandulæ.14°.de vſu par. 1ª.208.C
in Pudẽdorũ glãduloſis ꝑtibus humor qd agat.14°.de vſu p. 1ª.208.B
Pudẽdi virilis glãduloſos meatꝰ Herophilus appellabat παραστάτας. 14°.de vſu par. 1ª.208.C
in Pudẽdi partibus inferioribus meatus ſeminis.15°.de vſu p.1ª.210.H
ad Pudendum maris deſcendere ſemen à dorſali medulla arbitratur Hippocrates.in tim.Plat. 1ª.287.H
Pudendum viri cur longum,tale.14°.de vſu par. 1ª.206.B
Pudendum viri quod non debeat ſemper eſſe oblongum, & intenſum. 15°.de vſu par. 1ª.210.B/C
circa Pudenda cur pili.11°.de vſu par. 1ª.190.C
in Pudendis pili ſunt plurimi incrementi.11°.de vſu par. 1ª.190.A
Pudendorum pili parum habent vtilitatis.1°.de compoſitione medicamentorum ſecundum locos. 5ª.121.D
in Pudendis pilorum exortum reprimere lac caninum eſt falſum. 10°. de ſimp.me.fac. 5ª.74.A
Pudendum quo modo erigatur ſcire ſpectat ad ſpeculationem naturalẽ. 15°.de vſu par. 1ª.210.H
Pudendum cur intenditur nobis volentibus.15°.de vſu par. 1ª.210.G
Pudendum cur abſq; noſtra voluntate intendit̃.15°.de vſu par.1ª.210.G
ad Pudendi tenſionem fortis, & neruoſa ſubſtantia requiritur.15°.de vſu partium. 1ª.210.C
Pudendũ intendit̃ ex ſpiritu iplẽte cauũ neruũ.15°.de vſu par. 1ª.210.G
Pudendo qui muſculi dant rigiditatem.de muſc.diſſ. 1ª.50.E
Pudendum cur tenſum eſſe oportet in coitu.15°.de vſu par. 1ª.210.H
Pudenda habent maiorem ſenſum,q̃ cutis,propterea,& delectatio maior eſt in coitu,q̃ in pruritu ſcalpendo.14°.de vſu par. 1ª.207.E
Pudendi per nimium coitum exiccati curatio.14°.de vſu par. 1ª.208.D
Pudenda in embryo non generantur ſtatim.14°.de vſu par. 1ª.206.E
Pudendorum ſatyriſmus.de tum.præter naturam. 3ª.84.E
cũ Pudendi tenſione gonorrhea cur ſit.3°.de ſymp.cau. 3ª.29.H
Pudendorũ nexus ĩmodici in quo genere ægritudinis.de diff.mor.3ª.5.C
Pudenda intendit cicer.de vict.rat.in morb.acut.cõ.4°. 7ª.146.F
ad Pudẽdi erectionẽ vtit̃ pudẽdi ceruini ſcobe.de med.fac.ꝑ.7ª.169.E
Pudenda intendunt renes ſcincorum.11°.de ſimp.me.fac. 5ª.80.D
Pudenda laxat ſemen lactucæ.11°.de ſimp.me.fac. 5ª.80.D
Pudenda laxat lenticulæ decoctũ cũ melle.11°.de ſimp.med.fa. 5ª.80.D
Pudenda elixa, & rugoſa ſenes habent,qui venere non vtuntur. 6°. de loc.affect. 4ª.42.G
cur Pudẽdũ retractũ ẽ fœtui frigidiori,et hũidiori. 2°.de ſem. 1ª.339.C
PVDENDA, & pubes leuiſſime putreſcunt.in 3^{m}.de morbis. vulgaribus.commen.3°. 3ª.142.F
Pudenda cur leui de cauſa putreſcant.5°.met.me. 7ª.31.D

Pudenda ſunt calida,& humida.9°. de ſimp.me.fac. 5^{a}.69.B
Pudenda facit multum humida Galenus.5°.met.me. 7^{a}.31.D
Pudendis putredine affectis infunditur vrina humana.10°.de ſimpliciũ medicamentorum facul. 5^{a}.75.E
Pudendis calidum amicum frigidum inimicum.c.5°.apho.22°.Ex.39.D
Pudenda habẽt eandẽ indicationẽ cũ vrinæ vaſis.13°.met.me. 7^{a}.83.A
ad Pudendorũ affectus centaureæ ſuccus.de vir.cent. Sp.93.D
Pudendum vbi affectum eſt quæ vena ſecanda.13°.met.me. 7^{a}.83.B
ad Pudendi dolores.9°.de comp.me.ſec.loc. 5^{a}.205.D
ad Pudendum intumeſcens.9°.de comp.med.ſec.loc. 5^{a}.205.D
ad Pudendorum tubercula.9°.de comp.me.ſec.loc. 5^{a}.205.D
Pudendorũ,& ani phlegmonas iuuat aloe.6°. de ſimp.me.fac.5^{a}.42.C
ad Pudendorum phlegmonas circa initia valet infrigidãs Galeni.10°. methodi medendi. 7^{a}.65.A
ad Pudendorum phlegmonas vtilis eſt plumbi ſuccus.9°. de ſimpliciũ medicamentorum facul. 5^{a}.70.F
in Pudendorum phlegmone vomitus conuenit.13°.met.me. 7^{a}.83.A
ad Pudendorum inflammationes.9°.de comp.med.ſec.loc. 5^{a}.205.E
in Pudendi phlegmone mẽſes nõ ſunt ꝓuocandi.12°.met.me. 7^{a}.82.A
Pudendi exulcerati cognitio.9°.de comp.me.ſec.loc. 5^{a}.205.C
Pudendi exulcerationes qũo cognoſcantur,et quibus diſtinguantur.9°. de comp.me.ſec.loc. 5^{a}.205.D
Pudendarum partium vlcera quo indigeant.5°.met.me. 7^{a}.36.D
Pudendorum vlcera requirunt ſuauiſſima medicamenta. 11°. de ſimpli. medic.facul. 5^{a}.81.E
Pudendorum, & oris vlcera gaudent ſimilibus medicamentis. 9°. de ſimplicium medicamentorum facul. 5^{a}.69.B
Pudendorum vlcera ſanat aloe.6°. de ſimp.me.fac. 5^{a}.42.C
ad Pudendorum vlcera omnia valet dyphriges poſt cadmiã repertus. 9°.de ſimp.me.fac. 5^{a}.69.A
ad Pudendorum vlcera valet lac.10°.de ſimp.me.fac. 5^{a}.73.H
ad Pudẽdorum,ac ſedis vlcera optimum eſt medicamen Pompholyx. 9°.de ſimp.me.fac. 5^{a}.70.H
ad Pudendi vlcera.7°.de comp.me.ſec.loc. 5^{a}.180.A
ad Pudend rimas.9°.de comp.me.ſec.loc. 5^{a}.205.C
ad Pudendorum fiſſuras,& rimas.9°.de compoſitione medicamentorum ſecundum locos. 5^{a}.205.E
Pudendis ſectis tutius eſt vrere.2°.de arte cur.ad Gla. 7^{a}.107.A
PVDICVM circulum vocat anum.de comp. memb. Sp.59.G
Pudicus circulus quomodo formetur.de comp.memb. Sp.59.E
PVELLAE in vmbra degunt.ars med. Iſa.65.F
Puellis virginibus mãmæ increſcunt.in 6^{m}.de mor.vul.c.4°. 3^{a}.186.H
Puellæ,cui cum menſes primo prouenerunt iudicata eſt, caſus. in 3^{m}. de morb.vul.com.3°. 3^{a}.150.H
Puella ſi ſit concepta in horis ſanguinis,& parentes in horis phlegmatis quid ſequetur.de ſperm. Sp.38.D
Puella ſi concepta ſit in horis phlegmatis, parentes in horis ſanguinis quid ſequatur.de ſperm. Sp.38.D
Puella naturaliter phlegmatica,debilis,quotidianaria liẽterica,phthiſica,cephalalgica,dolens in omni membro,in renibus, in matrice vnde fit.de ſpermate. Sp.38. C
Puella naturaliter,melancholica,paralytica, ſplenitica, quartanaria, epileptica,ſtulta,& iners vnde.de ſper. Sp.38.B
à PVELLVLIS quomodo indicetur dolor.1°.de ſan.tu. 2^{a}.65.H
PVELLI admoti ventriculo faciunt perfectam concoctionem. 5°. de ſimp.med.facul. 5^{a}.33.D
PVERORVM diuerſæ appellationes.de cog.cur.aĩ morb. 2^{a}.54.A
Pueros appellat Galenus infantes vſq; ad pubertatem,& infra com.3°. aphoriſmo.24°. Ex.25.A
Pueri quando tranſeunt in adoleſcentiam.in 6^{m}.de morbis vulgaribus. commentario.4°. 3^{a}.186.H
de Puerorum in vtero formatione,& de cura cũ orti ſunt, Plato egit. 5°.de decr.Hipp. 1^{a}.257.D
Pueri camiſia quæ.de ana.viu. Sp.52.C
Puerum ſtellæ alterant in conceptu.de ſperm. Sp.38.G
Pueri concepti in horis ſanguinis natura.de ſper. Sp.37.B
Pueri concepti in horis bilis natura.de ſper. Sp.37.C
Puer in dextra parte ſi ſit conceptus in horis phlegmatis omnium,quid euenit.de ſperm. Sp.38.C
Puer conceptus ſi fuerit in horis phlegmatis in ſiniſtra matricis parte, parentes in horis ſanguinis,quid ſequatur.de ſperma. Sp.38.D
Puer ſi ſit conceptus in horis choleræ nigræ,pater in horis choleræ rubræ mater in horis ſanguinis,quid ſequatur.de ſperm. Sp.38.D
Puer ſi conceptus ſit in horis ſanguinis,vel phlegmatis, & parentes in horis bilis,quid ſequatur.de ſperm. Sp.38.D
Puer in partu conuertit ſe in caput.de ana.viu. Sp.52.D
Pueri nati in leone figura.de ſperma. Sp.38.G
Puer aui figuram retinet quando habet principium ab horis ſanguinis ſi ſicut auus eius de ſperm. Sp.38.F
Pueri parui cur non habent pilos.2°.de temp. 1^{a}.19.D
Pueri cur in faſcijs retineantur.2°.de motu muſc. 1^{a}.315.F
Puerorum natiuus calor qualis.de ſal.diæta. 2^{a}.40.E
Puerorum calor qualis.2°.de temp. 1^{a}.17.D
Pueri calor ſalubris eſt.com.1°.aph.14°. Ex.7.B
Puerorum calor halituoſior eſt.3°.de ſymp.cau. 3^{a}.29.C
à Pueri calore iuuatur ventriculus.7°.met.me. 7^{a}.47.B
Pueri admoti ventriculo calor ſuperat omnem calorem fomẽtorum.5°. de ſimp.me.fac. 5^{a}.33.D
Pueri an calidiores iuuenibus.2°.de temp. 1^{a}.16.D
Puerorum calor differt qualitate à calore iuuenum.2°.de temp. 1^{a}.17.C
Puer plus habet caloris inſiti,q̃ iuuenis.2°.de temp. 1^{a}.17.F
Pueri calidiores adoleſcentibus.de vtil.reſp. 1^{a}.225. F
Puer quomodo iuuene calidior,& è cõtrario.in 6^{m}.de mor. vul.cõmentario.1°.154.H/com.3°. 3^{a}.173.A
Pueri minus ſunt calidi adoleſcẽtibus ſm aliquos.de vtil.reſp. 1^{a}.225.F
Pueri calor in quo ſit inæqualis cum iuuenili.2°.de temp. 1^{a}.17.F
de Puerorum,& iuuenum caloribus exemplum.2°.de temp. 1^{a}.17.D
Pueri quibus excedant iuniores,& quibus excedantur.in progno.commentario.3°. 4^{a}.211.B
Pueri quando quo ad qualitates ſimul comparantur debent ſimiles ſimilibus comparari.2°.de temp. 1^{a}.17.A
Pueri habent plurimum ſanguinis .in progn.com.3°. 4^{a}.210.C
in Pueris dominatur phlegma ab ineunte ætate vſq; ad quatuordecim annos.de nat.& ord.cuiuslibet corp. Sp.41.E
Puerorum ætas temperata.1°.de temp. 1^{a}.11.C
Pueri nuper nati maxime hñt corpus humidum.c.3°.aph.24°. Ex.25.B
Pueri humidi.9°.de ſimp.med.fac. 5^{a}.69.F
Pueri cur humidi.de ſal.diæta. 2^{a}.40.E
Pueri quo modo humidi.1°.de ſimp.med.fac. 5^{a}.3.G
Pueri molles.4°. de comp.med.per gen. 5^{a}.236.F
Pueri humidi,& molles.6°.de comp.me.ſec.loc. 5^{a}.176.F
de Pueris quæ dicuntur poſſunt transferri ad eunuchos, mulieres, humidos,& molles.de ijs,quæ in me.ſi.com.3°. 7^{a}.218.B
Pueri,eunuchi,& mulieres ſimilem habent cuticulam mollem. 1°.de cõpoſitione medicamen.ſec.loc. 5^{a}.123.B
Puerorum oſſa potius cerea quàm lapidea videntur. commentario. 3°. aphoriſmo.24°. Ex.25.B
Pueri tolerant nimiam extenſionẽ.de ijs,quæ in med.ſi.cõ.3°. 7^{a}.218.A
Puerorum ſubſtantia omnium humidiſſima.9°.met.me. 7^{a}.60.H
Puerorum ætas calida eſt,& humida.1°.de temp. 11. C/ 1^{a}. 12. D/ 1°. de ſan.tuenda. 2^{a}.66.G
Pueri calidi.& humidi cur.de ren. aff.dig.& med. 7^{a}.195.D
Puerorum temperies calida.& humida facile abſumitur.de curan.rat. per ſang.miſſ. 6^{a}.19.F
Puerorum ſubſtantia omnium facillime digeritur.9°.met.me. 7^{a}.60.H
in Pueris,vt cauſa reſolutionis eſt ſubſtantia mollis, ita in regionibus, et anni tẽporibus res habet.de vict.rat.in mor.acu.cõ.1°. 7^{a}.115.F
Pueri ſunt propenſi ad ſuccos corporis exhalandos, & digerendos. 9°. methodi medendi. 7^{a}.57.H
Pueri raritas naturalis.eſt.de opt.ſecta. Iſa.26.B
in Pueris denſitas eſt præter naturam.de opt.ſect. Iſa.26.B
in Pueris capitis cutis humida eſt.in 6^{m}.de mor.vul.com.3°.3^{a}.170.A
Pueri quamuis humidi,cur tamen non ſiccandi.de ſal.dięta. 2^{a}.40.F
Pueri in nimia humiditate ſunt ſiccandi.1°.de ſan.tu. 2^{a}.65.C
Pueri humidi,& tenelli paucis frictionibus molleſcunt. 2°. de ſanitate tuenda. 2^{a}.73.D
Pueris natis membra non creſcunt ſupra naturalem quãtitatem niſi raro,ſed frequentius minuuntur.de diff.morb. 3^{a}.5.B
Pueri trahendi vim vigentibus habent imbecilliorẽ,ſed tamen ad vſum ſuum ſufficientem.3°.de ſymp.cau. 3^{a}.29.B
Pueri habent retentricem,& expultricem vim debiliorem q̃ ætate vigentes.3°.de ſymp.cau. 3^{a}.29.B
Puerorum alteratix facultas eſt fortior q̃ etate vigentium. 3°. de ſymptomatum cauſis. 3^{a}.29.B

Pueri propter incrementũ vehementer cõcoquunt.de vſu pul. 1ª.229.E

Puerorum coctio in humilis,& mollibus rebus eſt vt vigentium,in duris vero deterior.3°.de ſymp.cau. 3ª.29.C

Pueri diductionis,ſiue digeſtionis inſtrumenta habent imbecillia,ſed ſufficientia.3°.de ſymp.cau. 3ª.29.A

in Pueris cur actiones naturales adauctæ.5°.de ſimp.me.fac. 5ª.33.H

Pueri actionibus corporalibus magis vigẽt,animalibus vero proxima deinde ætas.6°.de ſan.tu. 2ª.95.F

Pueri cur plurimo egeant nutrimento.com.1°.aph.13°. Ex.6.H

Pueris cur cibos multos concedit Galenus.de puero epil. 7ª.180.F

Pueris natura conſuluit lac dando.1°.de ſan.tu. 2ª.65.C/D

Pueri lac matris exugentes conſucto, & proprio vtuntur alimento.1°. de ſanitate tuenda. 2ª.65.C

Pueris quæ edulia competunt. 3°.de ſymp.cau. 3ª.29.C

Pueri nates mango breui craſſas reddidit.14°.met.me. 7ª.91.G

Pueri qñ primum per ſe moueri debent.1°.de ſan.tu. 2ª.65.E

Pueri cur non ſunt cogendi immature moueri.1°.de ſan.tu. 2ª.65.E

Pueri cur ſæpius vomunt,atq; deijciunt quàm ætate florẽtes.3°.de ſymptomatum cauſis. 3ª.29.C

Puero,viro,ſeni,mulieri,æſtate, hyeme in loco calido, in loco frigido non æque conueniunt capilli.11°.de vſu par. 1ª.189.F

Puerorum ætas vere,& æſtatis principio maxime viget.commentario 3°.aphoriſmo.18°. Ex.23.G

Pueris febres fiunt æſtate,ſi hyems borealis,& ſicca fuerit, & ver auſtrinum.de aere aqu.& loc. 2ª.4.C

Pueri cur plus & frequentius inſpirant.de vtil.reſp. 1ª.225.F

Pueri in reſpiratione cur excellant.de vſu pul. 1ª.229.E

Pueri cur vocem habent acutam.in 1m.pror.com.2°. 4ª.170.E

Pueri pulſus qualis.3°.de cauſ.pul. 4ª.96.D

Pueris ſunt pulſus parui.2°.de digno.pul. 4ª.77.E

in Pueris pulſus intermittẽtes nõ ꝑiculoſi.1°.de ꝑſag.ex pul. 4ª.110.F

Pueri dormiunt maiori parte temporis.c.3°.aph.24°. Ex.25.A

Pueris cur apparent idola à ſomno.de ſymp.cau. 3ª.15.A

Pueri dentientes plorant.1°.de ſan.tu. 2ª.65.H

Pueri plorantis deſiderium perſpexit Galenus.1°.de ſan.tu. 2ª.66.A

Pueri plorãtes cur ĩſpirãt ĩſpiratione ĩterrupta.c.6°.aph.54°. Ex.53.C

Pueri cur balbutiunt,& cur nequeant crura firmiter ſtabilire.com.6°. aphoriſmo.32°. Ex.49.H

Pueri cur ſingultiant maxime.8°.de comp.me.ſec.loc. 5ª.190.F

Pueri nuper nati quos morbos patiantur.c.3°.aph.24°. Ex.25.A

Pueri quot mala patiantur.com.3°.aph.26°. Ex.25.E

Pueri ſunt ad ſentiendum admodũ habiles.4°.de cõp.me.ꝑ ge. 5ª.236.B

Puerorum partes molles,nec tactum,nec lac,præſertim in ore ſuſtinẽt, maxime ſi lac habeat multum ſerum.com.3°.apho.24°. Ex.25.A

ad Puerorum cruſtas in faucibus.de med.fac.par. 7ª.165.D

Pueri multos habent catarrhos.com.3°.aph.26°. Ex.25.E

Pueri neruos habent infirmos.in 1m.de mor.vul.com.2°. 3ª.110.B

Pueri propter infirmitatem ſimul ac neruoſi generis mollitiem ſunt conuulſionibus opportuniſſimi.in 1m.de mor.vul.com.2°. 3ª.113.C

Pueris conuulſio quaudo & cur accidat.in progn.com.3°. 4ª.211.B/C

Puerorum comitiales morbi vnde.in 6m.de mor.vul.com.1°. 3ª.154.G

Puerorum comitialis cur finiat in pubeſcentia.in 6m.de morbis vulgaribus.commen.1°. 3ª.154.G

ad Puerorum epilepſiam.de incant.adiur.& ſuſp. 7ª.182.C

Pueri à crure comitialẽ morbũ patientis caſus.3°.de loc.aff. 4ª.19.E

Puerorum dolores à quibus cauſis fiant.1°.de ſan.tu. 2ª.65.H

in Pueris ſinciput dolẽtibus quid agendũ.2°.de cõp.me.ſe.lo. 5ª.134.D

Puerorum furunculi pane maſticato non tritico ſanantur.10°. de ſimpl. medicamentorum facul. 5ª.75.A

Puerorum lichenæ ſaliua ſanantur.10°.de ſimp.me.fac. 5ª.75.F

Pueri gibbi cur non creſcunt in ſpina.de art.com.3°. 7ª.269.C

Pueris gibbis ſupra ſeptum non creſcunt coſtæ in latitudinem. de art. commentario.3°. 7ª.269.C

Pueri thoracem quomodo Galenus deduxit per artem ad ſymmetriam. 5°.de ſanitate tuenda. 2ª.92.H

Pueri prius moriuntur q̃ patiuntur tonſillas,& luxationem vertebræ. com.3°.aph.26°. Ex.25.D

Puerorum morbus eſt lithiaſis veſicæ.de ren.aff.dig. & me. 7ª.192.F/ *com.3°.aph.26°.* Ex.25.F

Pueris creatur in veſica lapillus ſed haud ita multos, vt ſacer morbus inuadit.in 6m.de mor.vul.com.5°. 3ª.193.B

Pueris cur lapis in veſica fiat.in 6m.de mor.vul.commẽ.3°. 3ª.173.B/*de ren.aff.dig.& med.* 7ª.192.E

Pueri cur patiuntur lapidem veſicæ non renum.in 6m. de mor. vulgar. commentario.3°. 3ª.173.D

Pueris cur calculi naſcunt̃.đ na.hu.c.2°. 7ª.184.H/*in ꝓ.c.2°.* 4ª.206.C

in Pueris cauſa efficiens calculi.de nat.hu.com.2°. 7ª.180.B

Puerorum vrinæ craſſæ.de ren.aff.dig.& med. 7ª.192.F

Pueris vrinæ craſſiſſimæ fiunt.in 6m.de mor.vul.com.3°. 3ª.173.B

in Puerorum vrinis eſt ſubſidentia multa.1°.de cri. 4ª.130.C

Puerorum vrinæ cur craſſæ.in 6m.de mor.vul.com.3°. 3ª.173.D

in Pueris vrinæ peſſimæ.quæ.1°.de criſi. 4ª.130.F

in Pueris vrina aquoſa deterrima.in prog. com.2°. 4ª.201.B

Puerorum vrina optima quæ ſit.de vrinis. 4ª.125.B

Pueri venerem expertis vrina cuius vſus.9°.de comp. med. ſecun.loc. 5ª.200.F/ *de med.fac.par.* 7ª.170.E

in Pueris cur cruditates.in progn.com.3°. 4ª.210.C

Pueri cur crudos aceruant humores.in prog.com.2°. 4ª.206.C

Pueri quia voraces crudum humorem colligunt.de nat.hu.c.2°. 7ª.180.B/*com.3°.aph.26°.* Ex.25.F

Pueri ſunt voraciores.1°.de criſi. 4ª.130.C

Pueri vt bruta ſaturitati vacant.5°.de dec.Hipp. 1ª.258.G

Pueri cur nutrimenta ſæpe corrũpunt.in 3m.de mor.vul.cõ.3°. 3ª.145.B

Pueris increſcunt teſtes.in 6m.de mor. vul.com.4°. 3ª.186.H

Puerorũ teſticuli impuberes ſeruantur.1°.de cõp.me.ſec.loc. 5ª.127.E

Pueri impuberes ſeruantur hyacintho.8°.de ſimp.me.fac. 5ª.62.H

Pueri ne faciant pilos in pube.7°.de ſimp.me.fac. 5ª.53.E

Pueris quando aduenit hircire.in 6m.de mor.vul.com.3°. 3ª.175.F

Puerorum,& amantium ſatyriaſis quæ.de mot.man.& obſ. Sp.67.D

Pueri qui inuitus excernebat muſculo derepente circa ſedem reſolutus caſus.1°.de locis affectis. 4ª.7.H

Pueri quibus temporibus habeãt iudicia morborum longorum.com.3°. aphoriſmo.28°. Ex.26.A

Puerorũ diſpoſitiones facile alterantur,tũ propter corporis humiditatẽ tũ propter imbecillitatem naturalis potentiæ.c.3°.aph.26°. Ex.25.F

Pueris cito morbi coquuntur.in 1m.de mor.vul.com.2°. 3ª.116.G

Pueri qua tempeſtate maxime moriant̃.cõ.3°.aph.11°/12°. Ex.21.D/F

Pueri nutriendi ſtatim inuadente morbo.intro. Iſa.55.E

Pueri non ſunt purgandi.de dyna. Sp.20.F

pro Pueris quo modo lac purgatorium reddatur. in 6m. de morb. vul. commentario.5°. 3ª.193.G

Pueri parui non ſunt phlebotomandi.de ſecta.Iſa.16. E / de vict.rat. in morb.acut.com.4°. 7ª.137.H

Pueri cur ſanguis non mittendus vſq; ad annum quartum decimum prę ſag.exper.confir. Sp.77.H

in Puero quatuordecim annorum ſanguis non eſt mittẽdus, & cur.11°. methodi medendi. 7ª.71.F

Puero quando ſanguis mittendus.de curan.rat. per ſang.miſſ. 6ª.19.D/ *præſag.exper conf.* Sp.77.H

Pueri ualde non ſunt phlebotomandi.de ſectis. Iſa.18.B

Puero cotyla ſanguinis primo auferẽda.de cur.ral.ꝑ ſan.miſ. 6ª.19.D

Pueris quæ conueniant in vlceribus.4°.de comp.me.per gen. 5ª.236.B

Puer denudato corde ſalutem conſequutus eſt.1°.de decr. 1ª.231.F

Pueri quæ medicamenta requirant.1°.de comp.me.per gen. 5ª.212.C

Pueris quæ adſtringentia conueniant.6°.de comp.me.ſec.loc. 5ª.176.F

Pueris ſatis eſt butyrum ad parotidas.3°.de comp.me.ſec.lo. 5ª.146.H

Pueris cadmia confert.9°.de ſimp.me.fac. 5ª.69.F

in Pueris vehemens infrigidatio non eſt inducenda.2°.de compoſitione medicamentorum ſecun.loc. 5ª.132.E

PVERORVM *natura.de cog.cur.animi morb.* 2ª.53.H

in Pueris natura ad vitã ꝑficiendã plurimũ põt.de cog.cur.aĩ. 2ª.53.H

Puerorum vt etiam virorum ingenia plurimum diſtant.de cogn.curan. animi morbis. 2ª.53.H

Pueri fiunt ſenes.1°.de diff.feb. 3ª.34.F

Pueri differunt ſubſtantijs animarum.quod animi mor. 1ª.317.C

Pueri duo eiuſdem ætatis quantum differant.1°.de ſan.tu. 2ª.64.D

in Puerorum diuerſorum comparationibus eiuſdem ętatis quot ſunt cõſideranda.2°.de temp. 1ª.17.B

de Puerorum animorum diſpenſatione.5°.de dec.Hipp. 1ª.256.G

Pueri ratione minimum vtuntur.3°.de dec.Hipp. 5ª.245.G

Pueri ratione carent.5°.de dec.Hipp. 1ª.260.C

Pueri habent rationem,quæ ab ira vincitur.3°. de dec.Hipp. 1ª.242.F

Pueri cupiditatibus,& iræ,quaſi beſtiæ ſeruiunt. 3°. de decretis Hipp. 245.G/5°. 1ª.260.B

Pueri timent in tenebris,& ex adultis non conſueti.de melancholia ex Galeno,Rufo,& Poſſ. Sp.109.D
Pueros blandos,moderatos,formoſos efficit ſanguis.de dyn. Sp.19.E
Pueros acutos,ingenioſos,& leues,macilentos,comedentes multum fa cit cholera rubra.de dyna. Sp.19.E
Pueri optimis moribus inſtituendi.de cog.cor.animi morb. 2ª.54.B
Puerorum natura diuerſa.de cogno.curan.animi morb. 2ª.54.B
Pueri quæ attenderint imitantur.de cog.cur animi.mor. 2ª.54.C
Pueri fugiunt quæ cũ moleſtia inſpexerint.de cog.cur.aĩ morb. 2ª.54.C
in Pueris duplex malorum cauſa.5°.de dec.Hipp. 1ª.257.A
Pueri cur non habent odio vitia.5°.de dec.Hipp. 1ª.257.A
Pueri qua neceſſitate illiciuntur à voluptate, tanquam à bono aliquo. 5°.de dec.Hipp. 1ª.257.A
Pueri cur lætentur honoribus,& laudibus.5°.de dec.Hipp. 1ª.257.A
Pueri debent doceri artem,ad quam natura ſunt propenſi.9°.de decre- tis Hippocratis. 1ª.284.D
Puerorum diſcendi ordo qualis.de aſſuet. 2ª.61.E
Pueris conuenit paruæ pilæ luſus.de paruæ pil.exer. 2ª.49.E
Pueri exercentur in paleſtra,vt per funem manibus aſcendãt ad robur 2°.de ſan.tuenda. 2ª.74.D
Pueri non debent exerceri in labore.1°.de ſan.tu. 2ª.66.G
Pueri cur à pædotribis oleo inungantur, & ante, & poſt exercitia.2°. de ſimp.me.fac. 5ª.11.B
Pueris vinum alieniſſimum.5°.de ſan.tu. 2ª.90.H
Pueri non guſtent vinum niſi poſt decimum octauum annum. quod ani- mi mores. 1ª.320.G
Pueris cur non dandum vinum.1°.de ſan.tu. 2ª.66.G
Pueri grãmatici caſus,q ob vinũ incidit in vigilias.2°.d lo.af. 4ª.14.A
Puer bibere non debet poſt cibum, quando balneum excipiet illum.1°. de ſan.tuenda. 2ª.66.E
Pueri non prohibendi à frigida potione.1°.de ſan.tu. 2ª.66.H
Puerorũ ad diuerſa loca miſſorũ exẽplum.3°.de digno.pul. 4ª.79.G
PVERILI *ætate abundat ſanguis ſm Hippocratem. breuis denotatio dogmatum Hippocratis.* 1ª.231.B
Puerilem ætatem calidiorẽ iuuenili dicẽtes falſa dicũt.2°.de tẽ. 1ª.17.C
in Puerili ætate febres quotidianæ fiunt.2°. de diff.feb. 3ª.36.D
Puerilis ætas cur morbis extenuetur.com.2°.aph.28°. Ex.16.D
Puerilis caloris æqualitas,& differentia cũ iuuenili.2°.de tẽp. 1ª.17.F
Puerilis morbus qui ſit,& vnde ortus.com.3°.aph.29°. Ex.26.B
Puerilis affectus dictus ſacer morbus ĩ 6m.de mor.vul.c.5°. 3ª.193.A
Puerilis morb° cur dictus comitialis.ĩ 6m.de mor.vul.cõ.6°. 3ª.197.C
ad Puerilia corpora aptatur paleſtricus modus reponendi luxata.de machinamentis. 7ª.309.C
PVERITIA *quæ,& ꝙ pueri minus poſſunt tolerare famem.com.1°. aphoriſmo.13°.* Ex.6.G
Pueritia propter humorem ſomnolenta eſt.3°.de loc.aff. 4ª.16.F
in Pueritia cur dentes renaſcantur.de ana.viu. Sp.44.G
in Pueritia renum morbus non fit.in 6m.de mor.vul.cõ.1°. 3ª.155.C
in Pueritia lapis veſicæ.in 6m.de morb.vul.com.1°. 3ª.155.C
in Pueritia quantum valeat exercitatio.2°.de ana.adm. 1ª.68.F
à Pueritia diſciplinas didiciſſe,& ingenioſum eſſe multum præſtat ad artes addiſcendas.2°.de comp.me.ſec.loc. 5ª.134.H
in Pueritia ars numerorũ addiſcenda.ad eos,qui de typ.ſcrip. 3ª.93.F
PVERPERARVM *vrinæ quales.in 3m.de mor.vul.c.3°.* 3ª.148.E
in Puerperis nõ incipit à febre dierũ numeratio.in pg.c.3°. 4ª.208.F
à PVERPERIO *ſanguis vt plurimum eſt melancholicus. in 3m.de mor.vul.com.3°.* 3ª.148.E
PVERVLIS *quo poſſunt obeſſe obſtetrices.de cauſ.mor.* 3ª.8.F
Puerul° cũ audit panis vocẽ mirũ quo illud exprimat.de fœ.fo. 1ª.325.D
Puerulus binus cognoſcit panẽ nõiatim.in 6m.de mor.vul.c.5°. 3ª.188.F
Pueruli maiores quomodo regendi.1°.de ſan.tu. 2ª.65.F
Pueruli qui incipiunt parere monitis quo tempore debent fricari, & la uari.1°.de ſan.tu. 2ª.66.D
Pueruli temperati ne guſtent vinum.1°.de ſan.tu. 2ª.66.G
in Puerulis,& mollibus oſſa vniuntur.6°.met.me. 7ª.40.D
Pueruli poſſunt coaleſcere.ars med. Iſa.69.H
PVGILES. *1°.de alim.fac.* 2ª.10.B
Pugil ſtrenuus Epeus.ad Thraſy. 2ª.107.C
PVGILATVS *genus exercitij.2°.de ſan.tu.* 2ª.33.G
PVGNARE *aduerſus euidentia eſt maxima vituperatio. aduerſus em pi.med.* Iſa.35.C
PVLCHRVM *quõ impropriè accipiatur.de fract.cõ.3°.* 7ª.248.E
Pulchrum omne ordinatum,& artificioſum ex Deo, & cœlo eſt. 2°. de dieb.decre. 4ª.151.H
Pulchrum nihil fit caſu.de hiſt.philo. Sp.4.G
Pulchrũ eſſe ĩterficere ſe qdã exiſtimãt.de mel.ex G.R.&.P. Sp.109.E
Pulchri qui.fin.med. Iſa.45.C
PVLCHRITVDO *qui.fin.med.* Iſa.45.C
Pulchritudo virtus corporis.fin.med. Iſa.45.C
Pulchritudo,robur,& ſanitas ſunt bona corporis.ad Thra. 2ª.103.F
Pulchritudo corporum in quo conſiſtat.5°.de decr.Hipp. 1ª.255.H
Pulchritudo quibus integretur.ad Thra. 2ª.103.F
Pulchritudo quantum laudanda.in oratione ſuaſ. Iſa.3.E
Pulchritudo vera quæ.1°.de vſu par. 1ª.115.C
Pulchritudo vera quibus indicatur.1°.de vſu par. 1ª.115.C
Pulchritudo vera ad vtilitatis ſucceſſum,ac bonitatem refertur. 11°. de vſu partium. 1ª.189.C
Pulchritudo naturalis quæ.1°.de comp.me.ſec.lo. 5ª.126.B
Pulchritudo adulterina quæ.1°.de vſu par. 1ª.115.C
Pulchritudo acquiſititia.1°.de comp.me.ſec.lo. 5ª.126.B
Pulchritudo actio,& ſanitas quõ ſe habent inuicẽ.ad Thra. 2ª.104.A
circa Pulchritudinẽ,et actionem ſecũdo verſat̃ ars.ad Thra. 2ª.104.B
Pulchritudo animæ quæ ſecundum Platonem.5°.de dec.Hip. 1ª.256.A
PVLEGIVM *amat edita,& ſicca loca.4°.de ſan.tu.* 2ª.86.D
Pulegium potiſſimum ex Creta.4°.de ſan.tu. 2ª.86.D
Pulegij ſemen fuluum.4°.de comp.me.ſec.loc. 5ª.157.F
Pulegium ſemen non gerens.7°.de comp.me.ſec. loc. 5ª.186.E
Pulegiũ potius ꝓ obſonio comedit̃ q̃ pro alimento. 2°. de ali.fa. 2ª.22.H
Pulegium tã cibus,quam medicamentum calidũ.3°.de temp. 1ª.24.D
Pulegium obſonium eſt ſponte proueniens.2°.de ali.fac. 2ª.25.D
Pulegium expetit lens.1°.de ali.fac. 2ª.13.F
cũ Pulegio ficus ante cibum quando.2°.de ali.fac. 2.17.F
Pulegium acre.de atten.vic.2ª.43.H/9°.de ſimp.me.fac.5ª.64.C/13°. methodi medendi. 7ª.84.H
Pulegium acre, & ſubamarum eſt.6°.de ſimp.me.fac. 5ª.45.F
Pulegium cum aliqua acrimonia calefacit,dureticum eſt,menſtrua pro uocat,partum expellit,tuſſientibus prodeſt,odore nauſeam prohibet de ſimp.med. Sp.88.H
Pulegium incidit.de curan.rat.per ſang.miſſ. 6ª.19.A
Pulegium attenuat.de atten.vic.2ª.43.H/cõ.1°.aph.24°. Ex.10.G
Pulegium exiccat.3°.de alim.fac. 2ª.26.D
Pulegium ſiccum.5°.de comp.me.ſec.loc. 5ª.165.H
Pulegium excreatu facilia facit craſſa,& lenta,quæ ſunt in thorace,& pulmone menſeſq; mouet.6°.de ſimp.me.fac. 5ª.45.F
Pulegium menſes prouocat.5°.de ſimp.me.fac.5ª. 38. A/ de curan.rat. per ſang.miſſ. 6ª.20.F
Pulegium vrinas prouocat. 5°.de ſimp.med.fac. 5ª.38.A
Pulegium veſicam purgat.de cathar. Sp.95.D
ex Pulegio oxymel pro animi dfectu ex obſtructione.1°. de arte cur ad Glauconem. 7ª.99.F
Pulegiũ ĩ aceto coctũ naribus applicãdũ ĩ lethargo.13°.met.me.7ª.85.F
Pulegium coctum in melicrato pro potu in animi defectu ex multitudi- ne.1°.de arte cur.ad Glau. 7ª.99.B
Pulegium,& acetum odoranda,ne animi deliquiũ ſequatur in balneis. 9°.de comp.me.ſec.loc. 5ª.199.B/F
Pulegij decoctum in aqua mulſa eſt diſcuſſorium parabile moderatum. 6°.de comp.me.ſec.loc. 5ª.169.G
cũ Pulegio caſtoreũ ꝓ ſuffumigationẽ ꝓuocat ſudorẽ.de catha. Sp.95.D
Pulegium per os prouocat ſudorem.de cathar. Sp.95.D
Pulegium illitum rubrificat.6°.de ſimp.me.fac. 5ª.45.F
cum Pulegio ſal glebofus medicamentum apophlegmaticũ.de remedijs paratu facilibus. 7ª.154.F
ex Pulegij coma oleũ euacuat,et diſſoluit.1°.d arte cu.ad Gl. 7ª.100.B
Pulegium educit atram bilem.de dyna. Sp.21.C
Pulegij doſis.de dyna. Sp.21.C
Pulegium pro origano.6°.de comp.me.ſec.loc. 5ª.168.F
PVLICES *non diſſecuit Galenus.6°.de anat.adm.* 1ª.89.G
Pulicis crus præſtantius omni ſculptura.17°.de vſu par. 1ª.222.E
Pulices fugat myricæ ſuccus.de ſimp.med. Sp.87.G
ad Pulices fugandos.de med.fac.par. 7ª.174.C
ad Pulices,& vermiculos in auribus.3°.de cõp.me.ſec.loc. 5ª.145.H
PVLICARIS *herba,& pſyllium idem.de ſimp.med.* Sp.89.A
PVLLORVM *caro eſt cibus ſubtilians.de diff.cont.* Sp.72.D
Pullorũ carnes cur aliqui nõ digerãt ſed bouinas.de diff.cont. Sp.72.C

Pullorum hepata ſunt temperata.de diff.cont. Sp.73.A
Pullorum axillæ ſunt temperatæ.de diff.cont. Sp.73.A
Pullorum anſerum caro eſt multarum ſuperfluitatum præter axillas, de diff.cont. Sp.73.B/E
Pulli anſerum ſunt tardæ digeſtionis.de diff.cont. Sp.73.D
Pullorum anſerum hepata,& earum axillæ ſunt velocis digeſtionis. de diſſolutione continua. Sp.73.C
Pulli columborum ſunt boni chymi,& ſubtilius.de diff.cont. Sp.73.H
Pullorum columbarum caro generat ſanguinem calidiorem,& craſſiorem ſanguinem temperato.de diff.cont. Sp.73.A
Pulli colũbarũ dandi his qbus dolet caput.2°.de cõp.me.ſe.lo. 5ª.133.E
Pullorum pennarum ſuccus expreſſus ſupra oculos iuuat.10°.de ſimpl. medic.facul. 5ª.72.H
PVLMENTA *ictericorum.de cura icteri.* Sp.111.C
PVLMO *non habet nomẽ propriũ ſubſtãtiæ.8°.de vſu par.* 1ª.166.D
Pulmo quid.fin.med. Iſa.43.H
Pulmo quid,& qualis.de ana.viu. Sp.53.A
Pulmo inter inſtrumentales partes numeratur.de diff.morb. 3ª.2.E
Pulmo,hepar,cerebrum,ſtomachus,prima membra poſt cor. de anatomia viuorum. Sp.47.B
Pulmonẽ hñt animalia ambulabilia,& ſanguinea.de ana.viu. Sp.48.B
Pulmo ſe habet ad animalia ambulantia, vt branchæ piſcium ad ipſos piſces.de anato.viu. Sp.53.B
Pulmonem magnum neceſſarium fuit habere omne animal habens calorem magnum.de ana.viu. Sp.47.F
Pulmonẽ paruũ hñt aues cũ ſint frigidioris naturæ.de ana.vi. Sp.47.F
Pulmonẽ nõ hñt aquatica & ex aere nõ reſpirant.6°.de dec. 1ª.263.F
Pulmonem non habent piſces.8°.de dec.Hipp. 1ª.274.A
*Pulmone carent piſces propterea ſunt ſine voce.6°.de vſu pa.*1ª.148.A
*Pulmonis vice piſces habent branchias.6°.de vſu par.*1ª.150.H/ *de anatomia viuorum.* Sp.48.C
Pulmonis loco ſunt canales in aĩalibus quibuſdam.de ana.vi. Sp.48.C
Pulmonem habent quidam piſces.de vtil.reſp. Sp.63.B
Pulmonem habentes piſces qui.de vtil.reſp. Sp.64.C
Pulmonem habentes piſces multo plus habent caloris quam cæteri piſces.de vtil.reſp. Sp.64.C
ſine Pulmone,& corde cur uiuant aĩalia quædã.de vtil.reſp. Sp.63.B
Pulmonem non habentia non habent collum.8°.de vſu par. 1ª.164.H
PVLMO *poteſt videri extra animal.4°.de ana.adm.* 1ª.81.H
de Pulmonis anatomia.de ana.viu. Sp.53.A
Pulmonis deſcriptio.de ana.viu. Sp.47.G
Pulmo figuram vnguis bubulæ.habet.intro. Iſa.54.A
Pulmo eſt in ventre ſuperiori.com.7°.aph.38°. Ex.57.A
Pulmo eſt in dextera parte.de ana.parua. Sp.42.H
Pulmonis gibboſitas eſt à parte dorſi.de ana.viu. Sp.48.A
Pulmonis concauitas reſpicit anteriora magis.de ana.viu. Sp.48.A
Pulmo,& cor quilibet in ſua capſula continet.de ana.parua. Sp.42.H
in Pulmonis capſula colligitur materia,quæ facit peripneumoniam.de anatomia parua. Sp.42.H
Pulmoni coniungitur gula.de nat.& ord.cuiuslibet cop. Sp.41.H
Pulmo cur ruber in his,qui geruntur vtero,poſtea ſubalbus.15°. de vſu partium. 1ª.212.F
Pulmo cur albus.de ana.viu. Sp.47.H
Pulmonis magnitudo quanta.13°.de vſu par. 1ª.201.D
Pulmo collapſus,et exiguus apparet poſt mortẽ.7°.de ana.ad. 1ª.97.B
Pulmonis magnitudinẽ ſeqt thoracis magnitudo.13°.d vſu.p. 1ª.201.D
Pulmonem,& cor thorax ambit.6°.de vſu par. 1ª.148.D
*Pulmo implet cauitatem thoracis.7°.de vſu par.*159.E/13°. 1ª.201.D
Pulmo circundatur à thorace.6°.de vſu par. 1ª.149.H
Pulmo an thoraci iunctus,vel diſiunctus .8°.de ana.ad. 1ª.103.B
Pulmo qua ſectione videtur iunctus thoraci.8°.de ana.adm. 1ª.103.C
Pulmo in omni morte videt ſeiunctus à ſepto.8°.de ana.adm. 1ª.103.D
Pulmo tribus vaſis contexitur.7°.de vſu par. 1ª.159.E
Pulmonis caro ĩter primas partes quæ generant.1°.de nat.fa. 1ª.291.G
Pulmonis caro quomodo vocetur.10°.met.me. 7ª.67.D
*Pulmonis caro qualis.7°.d vſu p.*1ª.159.E/2°.*de art.cu.ad G.* 7ª.102.F
Pulmonis ſubſtãtia talis,vt ĩ nullo alio talis repiat.6°.d dec. 1ª.266.B
Pulmonis carnis vtilitas.de ana. viu. Sp.47.H
Pulmo cur nõ habet carnẽ ſimilẽ alijs viſceribus.15°.de vſu p. 1ª.212.G
in Pulmone eſt caro rufa,ſeu roſea.de ana.viu. Sp.44.D
Pulmonis caro flammeola eſt.de ana.viu. Sp.55.H
Pulmo quomodo deprehenditur coloratus.8°.de dec.Hipp. 1ª.278.H
Pulmonis caro quam habeat naturam.2°.de temp. 1ª.17.H
Pulmonis caro mollis eſt.de ana.viu. Sp.55.H
Pulmo cur mollis.de ana.viu. Sp.47.H
Pulmonis corpus leue,& rarum eſt.6°.de vſu par. 1ª.151.D
*Pulmo cur leuis & rarus.15°.de vſu par.*1ª.212.F/*de ana. viuo.*47.H/ *de vtil.reſp.* Sp.63.H
Pulmo omni in parte eſt rarus & laxus.com.6°.aph.33°. Ex.50.A
Pulmo mollis,& laxus.2°.de motu muſc. 1ª.316.F
Pulmonis caro laxiſſima.4°.de vſu par. 1ª.140.C
Pulmo molliſſimus,& leuiſſimus oĩum viſcerũ.2°.de mo.muſ. 1ª.316.D
Pulmo eſt cauernoſus.de ana.parua. Sp.43.A
Pulmonum caro minus humida eſt,quã adeps.1°.de temp. 1ª.15.D
Pulmo humidus eſt propè adipem.2°.de temp. 1ª.17.G
Pulmonis corpus,vt ſpuma ſanguinis.6°.de vſu par. 1ª.151.D
Pulmonẽ ſpongiam comparat.de ana.viu. Sp.47.H
Pulmo comparatur cineri.de vtil.reſp. Sp.63.H
Pulmonis caro cur ita.7°.de vſu par. 1ª.158.G
Pulmonis caro dat qualitatem ſpiritui.7°.de vſu par. 1ª.159.A
*Pulmonũ ſtructura eadẽ aĩalium trahentiũ aerẽ.7°.de ana.ad.*1ª.96.H
Pulmonis diſtinctiones quæ,& quot.de ana.viu. Sp.53.B
Pulmonis diuiſionis in duas partes vtilitas.de ana.viu. Sp.47.H
in Pulmone diuiditur in duos canales ſpiritualis canalis. de cõp.mẽb. ſiue de natura humana. Sp.58.F
Pulmo vaſis plurimis eſt contextus,vt hepar.7°.de vſu par. 1ª.157.B
Pulmonis vaſa tria.7°.de vſu par. 1ª.157.B
in Pulmone vas exiguum quod.15°.de vſu par. 1ª.212.G
Pulmonis vas occæcatur in natis.15°.de vſu par. 1ª.212.F
Pulmonis lobi quales.7°.de vſu par. 1ª.157.B
Pulmo cur in lobos diſtinctus.7°.de vſu par. 1ª.159.H
Pulmonis quintus lobus propter quid factus.6°.de vſu par. 1ª.148.H
Pulmo ambit cor ſuis lobis veluti digitis.6°.de vſu par. 1ª.149.H
Pulmonis diuiſiones tanquam digiti.de ana.viu. Sp.48.A
Pulmonis lobi in omni animali ſunt plures in dextera parte, quàm in ſiniſtra.de vſu par. 1ª.149.A
Pulmonis quinq; diſtinctiones quæ.de ana.viu. Sp.53.B
Pulmonis partes quæ.de ana.viu. Sp.47.G
Pulmoni in dextera parte cur aliquid adiectũ ſit.de ana.viu. Sp.48.A
Pulmo quo loco ſit craſſior,& ſpiſſior,& pp quid.de ana.vi. Sp.48.B
Pulmonis fibræ in oĩ animante æquales numero.7°.de ana.ad. 1ª.97.A
Pulmonis quintæ fibræ locus.7°.de ana.adm. 1ª.97.A
Pulmonem cingens mẽbrana dura,& neruoſa.5°.de loc.aff. 4ª.30.H
ad Pulmonis vas mẽbrana inſtar operculi.15°.de vſu par. 1ª.212.G
in Pulmone mẽbrana,q̃ mirabiliter coaleſcit.15°.de vſu par. 1ª.212.G
Pulmonis mẽbrana coaleſcit tempore.15°.de vſu par. 1ª.212.H
Pulmonis membranæ quo loco ſuſpendantur.4°.de loc.aff. 4ª.27.E
Pulmo requirit operimentum,ſed tenue.6°.de vſu par. 1ª.148.F
Pulmonis cooperimentum quale,& cur.de ana.viu. Sp.48.A
Pulmonibus quod ſeptum circundatum.6°.de vſu par. 1ª.148.D
Pulmo quibus alligatur.6°. de vſu par. 1ª.148.F
PVLMO *quomodo nutriatur.4°.de vſu par.* 1ª.140.C
*Pulmoni nutriẽdi rõ cõtraria ẽ ac oĩb⁹ ptibus aĩalis.6°.de vſ.p.*1ª.151.E
Pulmonis alimenta quæ. 4°. de vſu par. 1ª.140.D
Pulmo nutrit tenui,leui,& vaporoſo alimento.6°.de vſu par. 1ª.151.D
Pulmo puriſſimo,& tenuiſſimo ſanguine nutrit.15°.de vſu par. 1ª.212.F
Pulmo nutritur calido,& ſicco ſanguine.de ana.viu. Sp.52.G
è Pulmone ſanguis exiens ſpumoſus eſt.4°.de loc.aff. 4ª.25.G
in Pulmone eſt ſpumoſus humor quo nutritur.cõ.5°.aph.39°. Ex.41.C
in Pulmone ſanguis cur ſpumoſus.15°.de vſu par. 1ª.212.F
Pulmo vaporoſo ſanguine indiguit.6°.de vſu par. 1ª.155.E
in Pulmonem nulla vena tranſit à vena magna quæ ſpinæ incumbit.5°. de locis affectis. 4ª.30.G
pro Pulmonis nutrimento tria alimenta.6°.de vſu par. 1ª.151.E
Pulmo ab arterijs nutritur.6°.de vſu par. 1ª.155.C
Pulmonis propria particula arteria eſt.7°.de vſu par. 1ª.158.A
Pulmonis generatio ſequitur arteriam.13°.de vſu par. 1ª.201.D
ad Pulmones duæ arteriæ quales.de art.diff. 1ª.58.H
Pulmonis arteriæ quomodo ſe habent.7°.de ana.adm. 1ª.94.F
in Pulmone arteriæ radici arboris comparantur.6°.de dec. 1ª.262.B
*Pulmones ſparſæ arteriæ ſunt veluti radices.de ven.art.diff.*1ª.55.G
in Pulmones arteria magna cur deriuetur.de ven.ar.diff. 1ª.58.H
ad Pulmonem latæ venæ magnã arteriam nectẽs vas ſemper tenuius efficitur.15°.de vſu par. 1ª.212.H

in Pulmone

in Pulmone arteria venoſa,& vena arteriaca.6°.de vſu par. 1ª.151.A
ad Pulmonem tendens arteria minor eſt illa, quę eſt in corde. 6°.de vſu partium. 1ª.155.D
in Pulmonē quædā arteria venit à magna arteria.5°.de lo.af. 4ª.30.G
in Pulmone arteria tenuis.6°.de vſu par. 1ª.151.A
Pulmonis arteriæ vnde oriantur.2°.de decr.Hipp. 1ª.236.A
Pulmonis arteriæ factæ ſunt à natura ex venoſis cordis partibus. 6°. de vſu partium. 1ª.133.B
in Pulmone arteriarum tunica cur tenuis.7°.de vſu par. 1ª.159.D
*in Pulmonis arterias quomodo deueniat ſanguis.6°.de vſu par.*1ª.151.H
in Pulmone vena eſt craſſa.6°.de vſu par. 1ª.151.A
Pulmonis venæ factæ ſunt à natura ex arterioſis cordis partibus. 6°. de vſu partium. 1ª.153.B
Pulmo nutritur à corde.6°.de vſu par.150.H/ 1ª.152.C
Pulmoni præparat alimentum cor.6°.de vſu par. 1ª.155.E
*ad Pulmonē cor tranſmittit per venā arterialē.2°.de na.fa.*1ª.296.H
Pulmoni ſubminiſtratur ſanguis ex corde per venam magnam.de natura humana.com.2°. 7ª.184.A
Pulmo habet venam magnam.16°.de vſu par. 1ª.220.G
in Pulmone venæ,& arteriæ ſe contingunt.9°.de vſu par. 1ª.172.H
Pulmonis cannæ quæ compoſitio.de ana.viuo. Sp.53.C
circa Pulmonem pelles duas plenas venis,& arterijs faciunt vena,et arteria quæ veniunt à corde de vtil.reſp. Sp.64.C
ad Pulmonem à corde vena minor eſt, q̃ illa quę cordi inſeritur. 6°. de vſu partium. 1ª.155.D
Pulmo ſanguinem recipit à dextro cordis ventriculo per vnum os.5°.de loc.aff. 4ª.30.G
Pulmonis gratia factus dexter cordis ventriculus. 6°. de vſu partium. 105.F/G/ 1ª.152.D
cū Pulmone generari,& interire dextrum cordis ventriculum certum eſt.6°.de decr.Hip. 1ª.263.F
cum Pulmone cur oriatur, & intereat ſiniſter cordis ventriculus. 8°. de decr.Hipp. 1ª.274.A
Pulmo cor ambit.6°.de vſu par. 1ª.148.D
Pulmo cur circa cor.1°.de ſymp.cau. 3ª.19.B
Pulmo ſubſternitur cordi ſicut culcitra ſuſtentās, & leniens ipſum. de ana.viuo. Sp.48.A
verſus Pulmonem poſitus eſt ſiniſter ventriculus cordis attrahēs ab eo. de anat.viuo. Sp.56.C
Pulmonem non habentia animalia non habent duos ventriculos in corde.6°.de vſu par. 1ª.152.D
Pulmonem nutriens vena cur à natura ducitur à corde, & non à iecore.6°.de decr.Hipp. 1ª.263.D
*Pulmonē ambientes mēbranæ vnde nutriātur.6°.de decr.Hip.*1ª.263.B
Pulmonem & cor qui neruus intret.de voce & anhel. Sp.61.H
Pulmoni diſtribuuntur nerui à cerebro.16°.de vſu par. 1ª.215.E
Pulmo,ac cor à ſexta cōiugatione quandam neruorum portionem in collo ſuſcipiunt.de ner.diſſ. 1ª.54.D
in Pulmonē nerui duo tenues ſunt à ſexta coniugatione deducti ſuperficiarij,vnde pulmo non ſentit.4°.de loc.aff. 4ª.25.G
Pulmo cur habet aliquos paruos neruos.6°.de vſu par. 1ª.155.G
Pulmoni melius fuit habere neruos minimos.7°.de vſu par. 1ª.159.H
p Pulmonis totū corpus nullus neruus diſperſus eſt.2°.de lo.af. 4ª.9.B
in Pulmone non eſt pulſatio, quia non habet neruum diſperſum per totum.2°.de loc.aff. 4ª.9.A
PVLMO *calidus eſt,& ſiccus.de ana.viuo.* Sp.52.G
Pulmo ex accidenti eſt frigidus,& humidus.de ana.viuo. Sp.52.G
Pulmo cur à Deo genitus frigidum membrum.de ana.viuo. Sp.45.E
Pulmo frigidus vel calidus facit appetentes calidum vel frigidum. ars medicinalis. Iſa.66.D
Pulmo calidus facit ſitibundos. ars med. Iſa.66.D
Pulmonis frigidi ſigna.ars med. Iſa.66.E
Pulmo frigidus facit minime ſitientes.ars med. Iſa.66.D
Pulmo,& totus thorax frigidus,& ventriculus calidus ſunt morbis obnoxij.3°.de alim.fac. 2ª.28.F
Pulmonis ſicci ſigna.ars med. Iſa.66.E
Pulmonis ſicci pulſus qui.4°.de præſ.ex pul. Iſa.119.H
Pulmonis humidi pulſus.4°.de præſ.ex pul. 4ª.119.H
PVLMONIS *miniſterium neceſſarium eſt.7°.meth.med.* 7ª.49.B
Pulmo pars propria ad vitam.fin.med. Iſa.45.E
Pulmo propter quid factus.6°.de vſu par. 1ª.150.G
Pulmo cur ſit factus.de ana.vi.47.F/ Sp.53.A
Pulmonis officium quod.de vtil.reſp. Sp.63.H
Pulmo exigitur propter aerem.de ana.viuo. Sp.47.D
Pulmo inſtrumentum eſt.de nat.hum.com.1°. 1ª.26.C
Pulmo inſtrumentum ſpiritus.7°.de ana.adm. 1ª.94.B
Pulmo cur dicitur receptaculum ſpiritus.de vtil.reſp. Sp.64.B
Pulmo vocis,ac reſpirationis inſtrumentum.6°.de vſu par. 1ª.148.A
*Pulmo reſpirationis inſtrumentum. 3°. de vſu par.*1ª.202.E/4°.de præſag.ex pul. 4ª.119.F
Pulmonē habent animalia reſpirantia per os,nares.& pharyngam. 6°. de vſu partium. 1ª.150.F
Pulmo recipit aerem.an omnes animalis par. 1ª.326.E
p Pulmonē mediū aerē immitti fuit neceſſariū.6°.de vſu par. 1ª.148.C
Pulmonis actiones non valde manifeſtę ſunt.1°.de vſu par. 1ª.114.G
Pulmonis actio perpendenda quæ ſpiritum attrahit, & humores expellit.5°.de loc.aff. 4ª.30.F
Pulmo eſt inſenſibilis in ſe.de ana.viuo. Sp.48.A
Pulmo eſt immobilis ſm ſeipſum,& inſenſibilis.de vtil.reſp. Sp.63.G
Pulmo ſenſum non habet.2°.de loc.af. 4ª.9.A
Pulmo non ſentit vel difficulter.in prog.Hip.com.3°. 4ª.210.F
Pulmo ferè eſt ſenſus expers.1°.de diff.reſp. 3ª.59.G
Pulmonis caro eſt inſenſibilis.de vtil.reſp. Sp.62.H
Pulmo,& iecur q̃uo ſentiant.de mul. 3ª.77.G
Pulmonis paniculus eſt ſenſificans.de ana.viuo. Sp.55.F
Pulmo habet ſenſum in ſuperficie.de ana.viuo. Sp.44.C
PVLMO *ex ſeſe expers motus.6°.de vſu par.* 1ª.151. C/ *de anatomia viuorum.48.A/* Sp.53.B
Pulmo an habeat aliquem motum.de motu thor. 1ª.316.G/H
Pulmo motu perpetuo agitur.6°.de vſu par. 1ª.148.G
Pulmonis quatuor motus.de hiſt.phil. Sp.10.B
Pulmo nullum motum proprium habet.5°.de loc.aff. 4ª.31.C
Pulmo cur ex ſe non mouetur.de ana.viuo. Sp.53.F
Pulmo nullum habet motum innatum, ſed mouetur à thorace. de motu thoracis. 1ª.316.G/H
Pulmonis motus à thorace. 6°. de vſu par. 148. A/ 151. C/155.E/de vtil. reſp.226.B/2°.de decre.1ª.236.G/6°.de diff.reſp. 3ª.61.B
Pulmo q̃uo moueatur à thorace.de motu thor. 1ª.316.H
Pulmonem mouent thoracis muſculi.de cau.reſp. 1ª.226.H
*Pulmo mouetur ad motum thoracis.7°.de vſu par.*1ª.159.F/1°. *de diffe. reſp.*3ª.57.D/*de ana.viuo.* Sp.47.H
Pulmo mouet̃ ad dilatationē,et cōſtrictionē thoracis.de an.vi. Sp.47.H
Pulmo q̃uo dilatetur,& conſtringatur.5°.de loc.aff. 4ª.31.C
*in Pulmonis dilatatiōe,q̃ 1° ingrediant̃,et q̃ poſtea.7°.de vſu p.*1ª.159.F
è Pulmone aliquid ſpiritus in amplam thoracis capacitatem pertrāſit. 8°.de ana.adm. 1ª.103.E/G
Pulmones in ſpiritu recipiendo dilatantur.de vſu pul. 1ª.228.F
Pulmo dilatatur cum pectore.de inſtr.odor. 1ª.111.F
Pulmonem dilatat,& contrahit pectus.2°.de ſymp.cau. 3ª.21.G
Pulmo q̃uo mouetur cum diaphragmate.de vtil.reſp. Sp.63.G
Pulmo non mouetur in vtero collige.15°.de vſu par. 1ª.212.F
Pulmo quid agat in reſpiratione.de cauſ.reſp. 1ª.226.H
ad Pulmonem aeris attractio eſt per cannam magnam, & per canales naſi.de ana.viuo. Sp.47.C
Pulmo poſitus eſt in protectione, & cuſtodia cordis:vt folium in cuſtodia,& protectione fructus.de ana.viuo. Sp.48.B
Pulmo cui aſſimilatur in reſpiratione.de vtil.reſp. 1ª.224.H
Pulmo comparatur ad folles fabri Ferrarij.de na.& ord.cu. Sp.42.A
Pulmo ſimilis folli in actionibus.intro. Iſa.54.A
*in Pulmonē attrahēdi ſpūs rō primaria,& ſecūdaria.q̃ de vo.*1ª.106.F
Pulmo requirit plus cæteris aerē refrigerantem.10°.met.me. 7ª.64.G
Pulmo indiget vehementi refrigeratione:vt ſplen purgatione.4°.de vſu partium. 1ª.140.D
Pulmo refrigeratus cauſa necis in aliquibus.11°.de vſu par. 1ª.188.D
Pulmo parat ſpiritum cordi.6°.de vſu par. 1ª.148.D
in Pulmone fit præparatio,& rectificatio ſpiritus,antequam cor ingrediatur.de ana.viuo. Sp.47.C
p Pulmonē frigidū peruenit ad cor,nō per cutim.10°.met.me. 7ª.64.E
Pulmo dat ſpiritum cordi.fin.med. Iſa.50.C
à Pulmone attrahit cor.de vtil.reſp. 1ª.226.E
ex Pulmonis omni parte cor trahit ſpiritum.6°.de vſu par. 1ª.148.D
*à Pulmone cor trahit ſpūm, & in ipſum immititt.6°.de vſu p.*1ª.148.C
à Pulmone cor attrahit ſpiritum.de vtil.reſp. 1ª.64.D
à Pulmone cor trahit vbi diſtenditur.de vtil.reſp. 1ª.224.B

in Pulmonem à corde, non à pulmone in cor tranſit ſpiritus in embrione.6°.de vſu par. 1ª.156..A
à Pulmone, & à capite vno impulſu ſp̃us emittit.2°.de ſymp. 3ª.21.F
Pulmo celerrimã, ex maxima noxã dat cordi.4°.de p̃ſ.ex pul. 4ª.119.F
ob Pulmonẽ refrigerati cordis pulſus.4°.de præſ.ex pul. 4ª.119.G
in Pulmonis carne primo cõficitur ſpiritus tractus ab aſperis arterijs. 7°.de vſu par. 1ª.159.B
in Pulmone per quàm arteriam trahunt ſpiritum animalia cuncta. 8°. de vſu par. 1ª.165..A
in Pulmone & collo aſperæ arteriæ.8°.de vſu par. 1ª.164.H
Pulmonis motui ſeruiunt aſperæ arteriæ.7°.de vſu par. 1ª.159.G
Pulmo quæ agat per aſperam arteriam.7°.de vſu par. 1ª.158.G
Pulmonis caro q̃n, & quo loco tegat aſperã arteriã.13°.de vſu. 1ª.201.D
in Pulmõe cur venæ nõ dilatãtur, nec cõprimãtur.7°.de vſu p. 1ª.159.D
ad Pulmonem fertur potus ſecũdũ Platonẽ.8°.de decr.Hip. 1ª.278.H
in Pulmonem quomodo tendat potus.8°.de decre.Hipp. 1ª.278.F
in Pulmonem potus aliqua portio exudat.8°.de decr.Hipp. 1ª.278.H
ad Pulmonem ſi debeant deferri medicamenta quæ exigant.7°.de compoſit.medi.ſec.loc. 5ª.184.B
ad Pulmonem tendens medicamẽtũ per quot partes trãſeat.2°. de arte cur.ad Glauc. 7ª.103..A
Pulmonis exercitationes quæ.2°.de ſan.tuen. 2ª.74.H
de PVLMONIS affectibus & potiſſimum de pleuritide agit Galenus. de vict.ra.in mor.acu.com.3°. 7ª.133.C
Pulmo q̃bus affectibus vitiat̃, et quẽ pulsũ habet.3°.de p̃ſ.ex p. 4ª.116.C
Pulmo quo modo afficiatur.3°.de loc.aff. 4ª.14.H
Pulmonis affectus ex ſola intemperie æquali, & non ęquali, quomodo cognoſcatur.4°.de loc.aff. 4ª.27.H
in Pulmonis morbis quæ ſigna conſideranda.3°.de criſibus. 4ª.139.D
ex Pulmonis morbo lingua fit atra.4°.de præſag.ex pul. 4ª.119.G
Pulmonis paſſiones cur fiant hyeme.com.3°.apho.23°. Ex.24.H
Pulmo, & thorax frigore laborãt.in 1m.de mor.vul.com.1°. 3ª.104.B
ad Pulmonem à capite deſtillat humor quaſi pluuia, & ideo ex accidenti in illo abundat pituita.de ana.viuo. Sp.52.G
Pulmo ſedes propria phlegmatis.de ſper.36.H|de ana.viuo. Sp.52.G
Pulmo eſt propria ſedes aquę.de ana.viuo. Sp.47.H
in Pulmonis canalibus quid agat phlegma.de ana.viuo. Sp.45.E
Pulmo patit̃ ex materia deſcendẽte à cerebro.cõ.6°.aph.2°. Ex.46.F
in Pulmonẽ à capite deſtillatio tripliciter cõtingit.5°.me.med. 7ª.35.G
ad Pulmonis arterias quo modo materiæ tranſeant, quæ à capite deſcẽdunt.com.7°.aph.30°. Ex.63.B
Pulmo prompte ſuſcipit omne humores.com.6°.apho.33°. Ex.56.B
Pulmo prõptiſſimus eſt ad recipiẽdas fluxiones.de cu.ra.p ſan.6ª.18..A
Pulmo & membrana ſubcingens nõ æque, ſunt apta ſuſcipere humores. commen.6°.apho.33°. Ex.50..A
ad Pulmonem ſi potæ humiditatis pauxillũ per aſperã arteriã dilaberet̃ pulmo quo ad hoc non ægrotaret.com.2°.aph.17°. Ex.13.B
Pulmo effundit̃ à deſtillatiõe, q̃ fit pp frigus.cõ.5°.apho.24°. Ex.39.G
ad Pulmonem, & Pariſthmia, & Palatum cur à capite materia tranſmittatur.2°.de diff.feb. 3ª.40.H
in Pulmonem fluxio quo modo cognoſcatur.4°.de loc.aff. 4ª.27.F
in Pulmone humores craſſi quomodo cognoſcãtur.4°.de lo.af. 4ª.27.F
in Pulmonis bronchijs q̃n ſint humores craſſi.4°.de lo.af. 4ª.27.F
in Pulmone deſtillationis pulſus.4°.de præſ.ex pul. 4ª.119.H
in Pulmonem fluxionum omnium communis eſt pulſus inæqualitas.4°. de præſag.ex pul. 4ª.119.H
in Pulmonem à capite deſtillationes quæ malignę.in 6m.de morbis vulgaribus, commen.3°. 3ª.174.B
ad Pulmonem per quàm viam mittantur excrementa fuliginoſa.6°.de vſu partium. 1ª.154.D
ad Pulmonem faciunt ire humores medicamenta quæ prohibent humores ferri ad pedes.de ther.ad Piſo. 5ª.96.C
in Pulmonem ex Thorace materiæ deducuntur.5°.de lo.aff. 4ª.30..A
in Pulmone humores q̃n præceſſit pleuritis.4°.de loc.aff. 4ª.27.F
à Pulmone in quibus ad teſticulos peruenit materia.in 1m. de mor. vul- commentario 1°. 3ª.105.C
Pulmo cum ex capite ægrotat q̃uo curandus.6°.de ſan.tuen. 2ª.100..A
Pulmo recipit abbeate.com.6°.aph.12°. Ex.47.E
PVLMONIS tenſione vexatis pecoribus præſtat lixiuium lauri.de ſimplic.med. Sp.85.H
in Pulmone grauitatis ſenſus fit.de mult. 3ª.77.G
Pulmo vñ ſentiat grauitatẽ ex tumoribus p̃ter naturã.2°.de l.af.4ª.9.B
Pulmonẽ degrauantia purgat Myrrhis.7°.de ſimp.medic.fac. 5ª.56.E
PVLMONIS dolores quales.4°.de loc.aff.25.G| 4ª.27.E
circa Pulmonem, & Thoracem dolor qui non deſerit quid ſignificet. in progno.com.2°. 4ª.203.D
Pulmonis dolor.ſecr. Sp.100.H
Pulmone dolente vena cubiti ſecanda.de curã.ra.per ſan.miſ. 6ª.20..A
ad Pulmonis dolorem.7°.de compoſi.med.ſec.loc. 5ª.182.G
ex Pulmonis affectu deliria.in progn.Hipp.com.2°. 4ª.205.G
PVLMONIS inflammationem patientes peripneumonici dicuntur. cõ. 4°.aph.73°. Ex.35.H
Pulmonis inflammatio fit ex calido humore in aliquo loco cũ febre cõtinua.com.2°.aph.19°. Ex.14.B
Pulmonis inflammatio à calido humore vapores multos mittit ad cerebrum, phrenitimq; facit.com.1°.apho.12°. Ex.5.D
Pulmonis inflãmatio q̃uo fiat ex morbo laterali.cõ.7°.ap.11°. Ex.54.F
Pulmonis inflãmatio quibus inditijs deprehẽdatur.4°.de lo.af.4ª.27.H
Pulmonis inflammatione quo modo, & cur plus capiuntur conſiſtentes, quam iuuenes.com.3°.apho.30°. Ex.26.E
Pulmonis inflammatio quid faciat.de pul.ad Tyro. 4ª.45.B
Pulmone inflammato quid ſequatur.in prog.Hipp.com.2°. 4ª.203..A
ad Pulmonis inflãmationẽ ſequitur orthopnæa.2°.de loc.aff. 4ª.13..A
Pulmonis inflãmatione laborãs q̃uo deprehẽdatur.2ª.de lo.aff.4ª.13..A
Pulmonis inflammationes, pulmonis paſſiones, partium ſeruientiũ inſpirationi paſſio faciunt ſpirandi difficultatẽ.cõ.4°.aph.50°. Ex.33.C
à Pulmonis inflammatione phrenitis malum.com.7°.aph.12°. Ex.54.G
Pulmonis inflãmationẽ habentes rarius expuunt ſpumoſum, & quare. commen.7°.aph.30°. Ex.56.B
in Pulmonibus, & laterum inflammationibus in acceſſionum principijs tumores increſcũt, in declinationibus autem euaporant ac ſubmittuntur.2°.de diff.feb. 3ª.40.F
Pulmonis inflammatio habet breue tempus.1°.de cri. 4ª.126.F
Pulmonis phlegmone eſt cum periculo mortis.in 6m.de mor. vul. cõ.2°. 3ª.162.H|10°.meth.med. 7ª.63.H
in Pulmonis inflammatione cur in principio interdicatur cibus. de optima ſecta. Iſa.28.G
in Pulmonis phlegmone nõ vtendũ adſtringẽtibus.11°.met.me.7ª.73.D
in Pulmonis inflammatione cucurbitula.11°.meth.med. 7ª.73.E
in Pulmonis inflammatione extrinſece fortiora applicari debent.2°.de arte cur.ad Glauc. 7ª.102.B
ad Pulmonum inflammationes.de med.fac.par. 7ª.176.C
Pulmonis Eryſipelas quibus ĩditijs deprehẽdatur.4°.de lo.af.4ª.27.H
Pulmonem refrigerat vua radicitus dempta.de diff.mor. 3ª.4.H
PVLMONIS ſputum purulentum malignum exiſtit. commentario 7°. aphoriſmo 15°. Ex.55..A
ex Pulmone quæ exeunt probantur igne ex odore.in 6m. de mor.vulg. commen.5°. 3ª.191..D
inter Pulmonem, & thoracem pus effunditur in morbo laterali. com. 5°.aphoriſmo.8°. Ex.38.C
inter Pulmonis, & thoracis ſpatium pus ſuppuratorum cõtinetur.com. 5°.aphoriſmo 15°. Ex.38.F
per Pulmonem pus in empyis tranſit.5°.meth.med. 7ª.32.F
in Pulmonẽ & latera q̃uo pus facile demittatur.5°.de loc.aff. 4ª.30.F
in Pulmonem q̃uo pus recipiatur q̃n eſt in thorace.5°.de lo.af. 4ª.31.B
Pulmo exedit̃ ex pure in p̃ceſſu tp̃is putreſcẽte.cõ.5°.aph.15°. Ex.38.G
in Pulmonis putredine à nimia humiditate fiunt pulſus vermiculantes. 2°.de præſag.ex pul. 4ª.113..A
inter Pulmoem, & thoracem concreſcit ſanguis.de atra bile. 1ª.34.D
inter Pulmonem, & pectus ſanguis collectus facit tabem.8°. de decretis Hippocratis. 1ª.275.F
in Pulmone concreſcit ſanguis.de atrab. 1ª.34.D
ad Pulmonis reiectiones ſanguinis.2°.de antid. 5ª.113.C
PVLMONIS vlcus quomodo differat ab vlceribus aſperæ arteriæ. 4°. de locis affectis. 4ª.28.B
Pulmonis vlcera ſine dolore.4°.de lo.aff. 4ª.28.B
Pulmonis vlcus facit tabem, cui prodeſt lac.cõ.5°.aph.64°. Ex.44.G
in Pulmone vlcus habentibus lac conuenit.3°.de alim.fac. 2ª.28.H
Pulmonis vlcera ſolum lac ſanat.de bon.& vitio ſucc. 2ª.36..A
Pulmõis vlcera h̃ntes lac muliebre ſugere debẽt.de bo.et vi.ſuc.2ª.36.A
Pulmonis vlcera curantur per ea, quæ comeduntur, & bibuntur. 5°.methodi medendi. 7ª.34.D
Pulmoni omni lac vtile.3°.de alim.fac. 2ª.27.E
Pulmonis vlceroſas diſpoſitiones tabes nominãt.cõ.5°.aph.11°. Ex.38.D

Pulmo facit

Pulmo facit quandoq; hecticam.10°.meth.med. 7ª.64.F
Pulmone, iecore, & vẽtriculo affectis febres ardẽtes.5°.de l.af.4ª.33.D
Pulmo cauſum quarto loco facit.de vict.ra.in mor.ac.cõ.4°. 7ª.134.E
in Pulmone ſedẽ habẽtes cauſi quales.de vi.ra.in mor.a.c.4°.7ª.136.C
Pulmonem exulcerat lepus marinus.de theriaca ad Piſonem. 91.A/1°. comp.med.per ge. 5ª.205.H
à Pulmone febres malæ.in 3ᵐ.de mor.vul.com.2°. 3ª.135.A
Pulmonis vlcus cũ habet phlegmonẽ difficulter curat.5°.me.me.7ª.33.B
Pulmonis vlcera cur difficilia.5°.meth.med. 7ª.34.E
in Pulmone vlcera an ſanẽtur.4°.de lo.aff.4ª.25.H/5°.met.me. 7ª.32.E
Pulmonis vlcus cur non poſſit curari.5°.meth.med. 7ª.33.A/F
Pulmonis vlcera inſanabilia conſequitur totius corporis cũ parua febre inflammatio.com.7°.aph.16°. Ex.55.A
in Pulmone cur vlceratio ſine animalis morte.1°.de loc.aff. 4ª.2.C
ad Pulmonis vlcera medicamenta qualia.5°.meth.med. 7ª.34.D
ad Pulmonis vlcera.7°.de compoſit. medi.ſec.loc.179.D/ 5ª.181.E
Pulmonis fluxus inclinat ad tabem.com.3°.apho.13°. Ex.22.B
Pulmo, & pectus anguſtum notant naturam inclinatam ad tabem. commenta.4°.apho.8°. Ex.28.B
ad Pulmonem in quibus angina conuerſa eſt in ſeptem diebus pereunt, & ſi hos effugerint, ſuppurantur.com.5°.apho.10°. Ex.38.D
in Pulmone puſtulæ ex bile in ſtomacho quomodo.de ſperm. Sp.36.H
in PVLMONE venarũ ora quõ aperiantur.4°.de loc.aff. 4ª.28.A
in Pulmone venarum eroſio quo modo fiat.4°.de loc.aff. 4ª.28.B
in Pulmone venæ ruptionis cauſæ præcedentes.4°.de loc.aff. 4ª.27.H
Pulmonis vas propter exercitium in pleno poteſt rumpi.commenta.3°. aphoriſmo 20°. Ex.24.C
in Pulmone vas ruptum ex clamore, ex pondere, ex curſu, & ex ſaltu. 5°.meth.med. 7ª.30.C
in Pulmone vene ruptio quomodo cognoſcatur.4°.de lo.aff. 4ª.27.H
ex Pulmone non indicatur ſanguinem fluere ex multitudine, vel paucitate.com.5°.aph.13°. Ex.38.E
ex Pulmonis vaſe quomodo cognoſcatur fluere ſanguis.commentar.5°. aphoriſmo 13°. Ex.38.E
Pulmone omnino nõ expuit ſpumoſum ſanguinẽ.cõ.7°.aph.30°.Ex.56.B
Pulmone nihil patiente quandoque eſt ſputum ſanguinis ex ſola coſtarũ affectione.de artic.com.3°. 7ª.275.D
in Pulmone vas ruptũ eſt lætale nocumentum.de ve.ſec.ad.Er.6ª.9.E
in Pulmone rupto aliquo vaſe fiunt morbi inſanabiles.commentario 3°. aphoriſmo 20°. Ex.24.C
in Pulmone vas ruptum quando curauit Galenus.5°.met.me. 7ª.36.B
è Pulmone exiens ſanguis ſanatus.5°.meth.med. 7ª.32.G
è Pulmone ſanguis dolorem non facit.4°.de loc.aff. 4ª.25.G
ex Pulmone ſanguinem tuſſientibus adſtringentia aduerſantur.de conſtitutione art. Iſa.41.F
Pulmonis affectus incurabilis qui.4°.de loc.aff. 4ª.28.C
Pulmonis ſuppuratio rupta quõ cognoſcatur.cõ.7°.apho.8°. Ex.54.E
inter Pulmonem atq; thoracem media regio plena cauſat anguſtiã anhelitus.com.4°.aph.34°. Ex.31.B
inter Pulmonem, & thoracem ſpatium plenum ſtrangulat hominem, ſed longo tempore.com.4°.aph.34°. Ex.31.C
in Pulmonis cauernis inflammatio cauſat anguſtiam anhelitus.com.4°. aphoriſmo 34°. Ex.31.B
Pulmo quo modo ſuffocat.de vtil.reſp. 1ª.224.H
Pulmonis abſceſſus diuturna eſt ſtrangulatio.com.4°.aph.34°. Ex.31.D
Pulmonis abſceſſus fit in bile abundantibus.de aere, aq. & loc. 2ª.4.C
Pulmo non poteſt pati abſceſſum.1°.de loc.aff. 4ª.6.D
in Pulmonis apoſtemate ſecantur iugulares.de ana.viuo. Sp.55.A
in Pulmone tuberculum quem ſpiritum facit.4°.de loc.aff. 4ª.27.A
in Pulmone tuberculi crudi indicia.4°.de loc.aff. 4ª.27.F
Pulmo propter quid quandoq; coarctatus non poteſt multum aerem ſuſcipere.1°.de diff.reſp. 3ª.59.F
Pulmonis affectus quibus impeditur ſpiratio.4°.de loc.aff. 4ª.27.F
circa Pulmonem ſtranguloſa vexatus anguſtia quo modo ſit curatus.de cucur.ſcar. 6ª.4.A
per Pulmonis viam expurgatur pectus.13°.meth.med. 7ª.84.H
Pulmonis pericula vbi inſideant puero ſanguis detrahendus.præſagium exper.conf. Sp.78.A
è Pulmone ſanguinis curatio.5°.meth.med. 7ª.32.H
Pulmonis excrementa deorſum trahi debent.3°.de ſan.tuen. 2ª.77.B
Pulmonis excrementa non ita facile exeunt, vt excrementa ventris.3°. de ſanitate tuenda. 2ª.77.B
Pulmo habet oĩa quæ ptinẽt ad celerẽ vacuationẽ.16°.de vſu. 1ª.220.G
in Pulmone exiſtens materia quomodo euacuetur.10°. de ſimp.medic. fac.5ª.76.C/2°.de arte cur.ad Glau. 7ª.102.H
Pulmo per aſperam arteriam, et fauces purgatur.7°. methodi medendi. 49.D/11°. 7ª.73.F
Pulmo per aluum, & renes purgatur raro.6°.de loc.aff. 4ª.39.C
à Pulmone ad aluum via.6°.de loc.af. 4ª.39.C
à Pulmone per renes pus quandoque exit.6°.de loc.aff. 4ª.39.C
ex Pulmone in renes via.6°.de loc.aff. 4ª.39.C
Pulmonis pus cur ſæpe non it per vrinam.6°.de loc.af. 4ª.39.C
in Pulmone contenta per tuſſim educuntur.ars med. Iſa.70.A
Pulmo, & pectus purgantur per tuſſim.com.4°.apho.2°. Ex.27.D
in Pulmone materia per tuſſim euacuatur.de conſt.ar.41.D/Iſa. 42.B/ com.7°.apho.37°. Ex.56.H
Pulmo per tuſſim expurgare à craſſis & glutinoſis humoribus.de victus rat.in mor.acu.com.3°. 7ª.126.A
per Pulmonem cur non expurgentur humores tenues.de vi.ra.in mor. acu.com.3°. 7ª.126.A
Pulmo per tuſſim ſolam expurgatur.5°.meth.med. 7ª.33.A
in Pulmone cõtẽta indicãt tuſſes.in 1ᵐ.de mor.vulg.com.2°. 3ª.112.A
ĩ Pulmõis affectibus ſputa cõparãtur vrinæ ſubſidẽtijs.1°.de c. 4ª.132.D
in Pulmone ac pectore cum tuſſitur talis eſt actio, qualis expultricis facultatis in ventre cum euomitur.2°.de ſymp.cau. 3ª.21.D
per Pulmonem quæ ſputa eijciantur.4°.de loc.aff. 4ª.25.G
in Pulmonis morbo quid ſignificet ſcreatio flaua cum pauco ſanguine. in progn.com.2°. 4ª.203.A
inter Pulmonem, & thoracem humor exiſtens in ſuppuratis per tuſſim exit.com.7°.aph.54°. Ex.58.G
Pulmonis pars quandoque expuitur.4°.de locis affectis.4ª.28. B/3°. de præſ.ex pul. 4ª.116.C
Pulmonis particulæ eiectæ cum ſanguine.4°.de loc.aff. 4ª.25.G
de Pulmone quod expuitur, bronchion appellant.1°.de lo.affe. 4ª.2.C
per Pulmonem quæ medicamenta trahant craſſos humores. de vic.ra. in mor.acu.com.3°. 7ª.126.A
in Pulmone contenta ab attenuantibus educũtur.ars med. Iſa.70.D
ex Pulmone expuitionibus in pleuriticis, et peripneumonicis affectibus confert butyrum.10°.de ſimp.med.fac. 5ª.74.D
Pulmonis medicamenta quibus paranda.5°.de ſim.me.fa. 5ª.35.C
Pulmo non indiget adſtrictione.11°.meth.med. 7ª.73.B
PVLMONEM, & thoracem purgantia quæ.de cathar. Sp.95.B
Pulmonẽ, & pectus expurgãt Amara.8°.de ſimpl.medic.fac. 5ª.59.B
ex Pulmone ſuccos craſſos, & lentos educunt Amigdalæ amaræ.2°.de alim.fac.21.B/6°.de ſimp.me.fac. 5ª.42.G
ex Pulmone humiditates vt aliquis ſpuat adiuuant amygdalæ propriæ amarę.de diff.cont. Sp.74.G
Pulmoni benigna erit Aqua bona, ſi modicũ vino permiſcueris.de bonitate aquę. Sp.75.F
Pulmoni aquæ autumnales. & æſtiuæ non bonæ.de bon.aquæ. Sp.75.F
Pulmonem expurgat Betonica.7°.de ſimplic.medic.fac. 5ª.51.A
Pulmo vbi affectus eſt ponũtur Calida tenuiũ partiũ, cum tamen ſint infeſtiſſima ſanguinis reiectioni.7°.de comp.me.ſe.lo. 5ª.183.E
Pulmonum vitia mundant Caricæ.de ſimp.med. Sp.84.C
Pulmonis affectus iuuat Caſtorei ſuffitus.11°.de ſimp.med.fac. 5ª.80.D
Pulmõis canales mũdificat decoctio corticis Fiſtici.de me.ex.Sp.104.D
Pulmonem expurgat Marrubium.8°.de ſimp.med.fac. 5ª.59.B
in Pulmonis, & thoracis medicamentis Mel miſceri debet.4°. methodi medendi. 7ª.29.A
in Pulmone contenta ſi expectorare velimus mel ptiſſanæ addendum. de atten.vic. 2ª.44.G
Pulmoni & interioribus omnibus per totum mel leniendo medetur.de ſimp.med. Sp.87.A
Pulmonem mollit Mulſa.de victus ratione in morbis acutis, commentario 3°.127.E/ 7ª.128.A
Pulmonis humores craſſos expurgat Orobus.1°.de alim.fac. 2ª.15.D
Pulmo cum habet humores craſſos da Oxymeli meracius. de victus ratione in mor.acu.com.4°. 7ª.140.G
Pulmonis pectoriſq; excretionibus auxiliatur Paliuri fructus.8°.de ſimplic.med.facul. 5ª.57.G
ex Pulmone tuſſi confert Papauer.1°.de alim.fac. 2ª.15.E
Pulmonis, thoracisq; morbis ex craſſitudine viſcoſitateque humorũ prouenientibus conuenit Peucedanum.8°.de ſimp.med.fac. 5ª.58.D
Pulmonis expuitionibus confert Picearũ fructus.8°.de ſim.m.f.5ª.58.F

Pulmonis obſtru-

Pulmonis obſtructiones liberat Piſtachiū.8°.de ſimp.med.fac. 5ª.58.F
Pulmonem mundificat Secaniabin.de diſſ.cont. Sp.74.F
Pulmonis pus expurgat Symphytū petræū.8°.de ſimp.med.fac.5ª.61.F
ex Pulmōe thoraceq; educēdis cōfert Thymū.6°.de ſim.me.f.5ª.48.E
Pulmonis affectibus conducunt Vuæ paſſæ.de atten.vic. 2ª.46.A
Pulmo à Vinis craſſi nō læditur.de vic.ra.in mor.acu.com.3°.7ª.126.A
ex Pulmone humiditatem vt aliquis ſpuat adiuuat vinum ſubtile aquoſum.de diſſol.cont. Sp.74.G
in Pulmonis affectibus vina craſſa,& dulcia iuuant,ſi cum medicamentis attenuantibus adhibeantur.de atten.vic. 2ª.46.D
Pulmonem non lædunt lagana cum melle.1°.de alim.fac. 2ª.10.F
Pulmonis ſiccitati proprie confert butyrum.de ſim.med. Sp.81.D
Pulmo fortibus indiget pharmacis.7°.de comp.med.ſec.loc. 5ª.178.E
p Pulmōe exiccādo medicamētū hedychroū vtile.4°.de lo.aff. 4ª.28.E
Pulmonis vitio laborātibus ſubueniens antidotus.2°.de antid. 5ª.116.D
à Pulmone ſuperflua mundificans electarium.de med.exper.Sp.107.G
ad Pulmonis vitium electarium.de dyna. Sp.26.C
ad Pulmonis affectus longos ſine febre.de atten.vic. 2ª.46.D
ad Pulmonis inueteratas affectiones.7°.de comp.me.ſec.loc. 5ª.179.C
in Pulmones incidentes calli,quos poros necant eſt morbus,qui ante nō fuit.14°.meth.med. 7ª.93.C
in Pulmone quomodo vulnus eſſe cognoſcatur.5°.meth.med. 7ª.32.G
Pulmonis fibra ſi exeat Thorax eſt vulneratus.1°.de loc.affec. 4ª.2.F
Pulmonis fibra ſæpius exit in vulneribus pectoris.de cau.mor. 3ª.9.E
Pulmonis fibra per magna vulnera procidit.5°.de locis affect. 4ª.31.C
ad Pulmonē vulnus habentē valet Cyphi antidotus.2°.de anti. 5ª.111.E
in Pulmone affectus rari caſus.4°.de loc.aff. 4ª.28.D
Pulmone affecto quæ vena ſecanda.de conſt.ar.Iſa.41.E|13°.meth.me. 7ª.83.E|præſag.exper.conſ. Sp.78.B
à Pulmone non extrahuntur tela.4°.de anatom.adm. 1ª.79.F
PVLMO facilius coquitur iecore,& liene.3°.de alim.fac. 2ª.27.E
Pulmo parum nutrit & cur.de diſſ.cont. Sp.73.F
Pulmo minus nutrit iecore.3°.de alim.fac. 2ª.27.E
Pulmo habet pituitoſum alimentum.3°.de alim.fac. 2ª.27.E
Pulmo Agninus intertrigenes à calciamentis factas ſanat.11°.de ſimp.med.fac. 5ª.79.H
Pulmo Caprinus vſtus.5°.de comp.me.ſec.loc. 5ª.159.G
Pulmonis Ouilli pars ſupra nares.de artic.com.2°. 7ª.267.G
Pulmo porcinus ītertrigenes à calciamētis fcās ſanat.11°.d ſim.5ª.79.H
Pulmo Vulpinus ſi bibatur reſiccatus aſthmaticos iuuat.11°.de ſimplicium medic.facul. 5ª.79.H
in PVLMONIAM conuerti varices malum.in 6m.de mor.vulgarib.commen.6°. 3ª.179.E
Pulmoniam ſanat lateris phlegmone.in 6m.de mor.vul.cō.6°. 3ª.197.E
Pulmonia morbus ſiccus.de ptiſſ. 2ª.48.A
in Pulmonia maxilla fit rubicunda.in progn.com.1°. 4ª.189.D
in Pulmonia ſanguis qualis.in progn.com.2°. 4ª.203.A
in Pulmonia in vtraq; parte pus colligitur.in progn.cō.2°. 4ª.204.D
ex Pulmonia abſceſſus quomodo erupturi cognoſcuntur.in prognoſtic.commentario 2°. 4ª.205.A
in Pulmonia abſceſſus quando bonus,& quando malus.in prognoſtica commentario 2°. 4ª.205.D
ex Pulmonia qui abſceſſus infeſtant.quandoq; ad aures,quandoq; deorſum eunt.in prog.com.2°. 4ª.205.H
à Pulmonia habito alui pfluuiū aduenies malū.c.6°.aph.16°.Ex.47.F
ex Pulmonia qui purulēti ſunt,ſi maiores natu fuerint,potius intereūt,per alias vero ſuppurationes minores natu potius moriuntur.in prognoſt.com.2°. 4ª.205.G
PVLMONICI & peripneumatici affectus quàm reſpirationem faciāt.1°.de diff.reſp. 3ª.59.D
PVLS non fit ex ciceribus.1°.de alim.fac. 2ª.72.H
Pultes cur ſint craſſi cibi.de diſſ.cont. Sp.72.H
vt Puls fabacea ſedimen in vrinis.de mul. 3ª.81.F
PVLSANDI eandem rationem habent cor,& arterię.de pulſibus ad Tyrones. 4ª.43.B
Pulſandi facultas à corde in arterias.1°.de ſemine. 1ª.335.B
PVLSANS viſcus dicitur cor.7°.de ana.adm. 1ª.94.F
Pulſantia vaſa ſunt arteriæ.7°.de anat.admi. 1ª.94.F
Pulſans omne eſt arteria.7°.de ana.admi. 1ª.94.G
PVLSATILIS virtus à corde.1°.de vſu par. 1ª.117.B
Pulſatilis motionis arteriarū principiū qđ.de vir.no.cor.diſ. Sp.60.D
Pulſatilis vena,& vena quieta ſiut coniunctæ.de ana.viuo. Sp.56.E
Pulſatilis vena in mēbris interioribus ſuperpoſita eſt venæ quietæ,in exterioribus ſuppoſita eſt.de ana.viuo. Sp.56.E
Pulſatiles aliæ ſunt venæ capitis quæ phlebotomātur,aliæ quietæ.de anatomia viuorum. Sp.55.A
à Pulſatili inflammatione dolor non ſanatur à calidis.3°.de comp.medica.ſec.loc. 5ª.141.C
non Pulſatiles inflammationes moderatæ quibus curentur.3°.de comp.med.ſec.loc. 5ª.141.C
PVLSATILITATES malę dependent à corde.de vir.noſtrum corpus diſpenſ. Sp.60.B
PVLSATIO cordis quid.de ana.viuo. Sp.46.H
Pulſatio non eſt in Hepate,renibus,& pulmone,quia non habent neruū diſperſum per totum.2°.de loc.aff. 4ª.9.E
Pulſationem non habent mēbranę cutis,& adenes.2°.de lo.aff. 4ª.9.B
Pulſationem habet phlegmone.14°.meth.med. 7ª.87.A
Pulſatio vbi vehemens,ibi particula ſuppuratur.2°.de lo.aff. 4ª.9.A
PVLSATIVVS dolor à quo fiat.2°.de loc.aff. 4ª.9.A
Pulſatiuus dolor eſt in inflammatione.2°.de loc.aff. 4ª.9.H
Pulſatiui dolores quid ſignificent.2°.de comp.med.ſec.loc. 5ª.137.C
PVLSENT quomodo arteriæ.4°.de diff.pulſ. 4ª.64.F
Pulſant citra dolorem arteriæ ſolæ.4°.de loc.aff. 4ª.8.G
Pulſent qui cordis ventriculi.4°.de diff.pul. 4ª.64.F
Pulſant tempora à potu meri,& in ardente febre,& in capitis doloribus.4°.de diff.pul. 4ª.64.C
cur Pulſent tēporū venæ in capitis dolore.in 1m.pro.cō.3°. 4ª.180.D
Pulſant quandoq; venę iugulares.in 1m.prorrh.com.3°. 4ª.180.E
PVLSVS Hippocrates primus nominauit.1°.de pul.diff. 4ª.47.A
Pulſus nomen quid ſignificet.1°.de pul.diff. 4ª.47.A
Pulſus quid ſignificent.6°.de decre.Hipp.1ª.260.G|de vic.ra.in morb.acu.com.4°. 7ª.138.A
Pulſum homonymum eſſe quis putarit.4°.de diff.pul. 4ª.68.G
Pulſus ſignificat dolorem quendam.2°.de loc.aff. 4ª.8.H
Pulſus quid ſit ſecundum antiquos.4°.de diff.pul. 4ª.64.D
Pulſus quid apud veteres,& apud recentes.2°.de lo.aff. 4ª.8.H
Pulſum qui attribuant cerebro.4°.de diff.pul. 4ª.64.E
Pulſus nō pōt dari definitio eſſentialis,vel eſt lōga.4°.de dif.p. 4ª.65.B
Pulſus deſcriptiones.4°.de diff.pul. 4ª.65.C
Pulſus definitiones Agathini.4°.de diff.pul. 4ª.68.F
Pulſus definitiones Alexandri philalethis.4°.de diff.pul. 4ª.66.F
Pulſus definitio Aſclepiadis & diſcipulorum.4°.de diff.pul. 4ª.69.C
Pulſus definitio Archigenis.4°.de diff.pul. 4ª.68.H
Pulſus definitio Ariſtoxeni.4°.de diff.pul. 4ª.67.C
Pulſus definitio Athenæi.4°.de diff.pul. 4ª.69.B
Pulſus definitio Bacchij.4°.de diff.pul. 4ª.67.B
Pulſus definitio Chryſermi.4°.de diff.pul. 4ª.67.H
Pulſus definitiones Demoſthenis philalethis.4°.de diff.pul. 4ª.66.G
Pulſus definitio diſcipulorum Eraſiſtrati.4°.de diff.pulſ. 4ª.69.D
Pulſus definitio Heraclidis erythrei.4°.de diff.pul. 4ª.68.A
Pulſus definitio Heraclidis Tarentini.4°.de diff.pul. 4ª.66.B
Pulſus quid apud Herophilum.4°.de diff.pul. 4ª.65.H
Pulſns definitio Magni.4°.de diff.pul. 4ª.69.B
Pulſus definitio Moſchionis correctoris.4°.de diff.pul. 4ª.69.D
de Pulſu quid ſentiant Pneumatici.4°.de diff.pul. 4ª.65.E
Pulſus definitio Zenonis.4°.de diff.pul. 4ª.67.E
Pulſus quid.fin.med.Iſa.44°.H|de vſu pulſuū.1ª.228.F|de tumore præter naturam.3ª.84.A|comp.pulſ. Sp.65.B|C
Pulſus ineſt animali quando eſt in ventre.de fœt.for. 1ª.323.F
Pulſus dum fit eſt.de diff.pul. 4ª.67.H
de Pulſibus quot ſcripſere.4°.de dign.pul. 4ª.86.A
de Pulſuum qua parte philoſophi tractarunt.1°.de dign.pul. 4ª.70.C
de Pulſu,& palpitatione ſcripſit Aegimius.4°.de diff.pul. 4ª.68.G
de Pulſu,& reſpiratione ſcripſit Aſclepias.4°.de diff.pul. 4ª.69.C
de Pulſibus liber Archigenis.2°.de locis aff.9.H|12.H|2°.de differ.pulſ.54.B|55.F|4°.68.H|4°.de dignoſ.pulſ.85.C|de pręcogn.ad Poſt.4ª.219.B|8°.met.med. 7ª.52.A
de Pulſibus ſcripſit Athenæus.3°.de diff.pul. 4ª.62.D
de Pulſibus librum ſcripſit Galenus.2°.de dign.pul. 4ª.75.D
Pulſuum libri Galeni.1°.de diff.feb. 3ª.34.B
de Pulſibus libri in quot partes diuidantur.3°.de diff.pul. 4ª.59.D
de Pulſibus librorum ordo.1°.de præſ.ex pul. 4ª.104.C
de Pulſibus quas notiones tradat Galenus.3°.de diff.pul. 4ª.63.C
de Pulſibus librum fecit Heraclides contra Herophilum.4°.de differētijs pulſuum.

tijs pulſuum. 4ª.66.F
de Pulſibus ſcripſit Herophilus.2°.de diff.pul. 4ª.55.E
de Pulſibus nihil dicit Hippocrates.1°.de pul.diff.47.A/de præcogni. ad Poſth. 4ª.219.E
de Pulſibus ſcripſit Magnus.3°.de diff.pul. 4ª.59.D
Pulſuum ſcientiã q vult addiſcere qd agere debet.1°.de cau.p. 4ª.86.H
Pulſuum difficultates.2°.de dign.pul. 4ª.77.G
Pulſum optimum conſiderandi methodus.2°.de dign.pul. 4ª.77.H
de Pulſibus dignoſcendis digni nihil ſcripſere antiqui.4°. de dignotione pulſuum. 4ª.83.H
ante Pulſuum cognitionem quæ prius ediſcenda. de pulſ. ad Tyrones. 44.A/2°.de dign.pul. 4ª.78.A
in Pulſibus dignoſcẽdis quo procedẽdũ.1°.de præſ.ex pul. 4ª.107.B
de Pulſibus liber ſciendus.1°.de diff.feb. 3ª.34.B
de Pulſibus liber.de præcogn.ad Poſth. 4ª.218.C
Pulſus ignorantia quid faciat.de mor.temp. 3ª.87.C
ad Pulſuũ cognitionẽ requirit tota humana vita.1°.de dig.p. 4ª.70.E
pro Pulſibus homo ſit exercitatus in prædicamentis.2°. de differentijs pulſuum. 4ª.57.H
in Pulſu quæ attribuãtur prædicamẽto ad aliqd.2°.de diff.p. 4ª.58.A
pro Pulſibus opus eſt tactu exercitato. 1°.de dig.p. 70.D/2°. 4ª.75.H
Pulſus frequenter tangendus in ſanitate,et in quiete tum animi,tum cor poris.de pul. 4ª.44.A
Pulſus quo modo debent tangi.1°de dign.pul. 4ª.73.C
Pulſus bis tangendus cur.1°.de præſ.ex pul. 4ª.107.H
Pulſus qui ſint leniter tangendi.3°.de dign.pul. 4ª.81.H
Pulſus qui in brachio tangitur cuius ſit arteriæ.3°.de ana.adm. 1ª.77.F
Pulſus in quibus ſentiatur,& non ſentiatur à medicis.1°.de dignoſcẽdis pulſuum. 4ª.73.E
pro Pulſu ſentiendo experimentum.1°.de dign.pul. 4ª.73.G
Pulſus per experientiam quo cognoſcatur.2°.de dign.pul. 4ª.77.B
Pulſus qui vario modo didicerint adoleſcentium duorum caſus. 4°. de differentijs pul. 4ª.69.F
Pulſus vnde conſtet.comp.pul. Sp.65.C/H
Pulſus partes.fin.med. Iſa.44.H
Pulſus quatuor partes,& quo modo.3°.de dign.pul. 4ª.82.B
Pulſus ſimiliter generat cũ animali,& moritur cũ eo.cõp.pul. Sp.65.C
Pulſus quo modo fiat.comp.pul. Sp.65.C
Pulſus quomodo fiat,& nutriatur.de nat.& ord.cuiusl. Sp.42.A
Pulſus à vitali fit.4°. de præſ.ex pul. 4ª.122.C
per Pulſus quid excernat vis vitalis.4°.de præſ.ex pul. 4ª.122.C
Pulſus fit circa arterias ſolum,& cor.comp.pul. Sp.65.C
Pulſuum organum arteria.1°.de diff.reſp. 3ª.58.G
Pulſus fit arterijs repletis corde euacuato.comp.pul. Sp.65.D
Pulſus,& arteriarum origo.de marc. 3ª.46.G
Pulſus origo cor.de vſu pul. 1ª.228.F
Pulſum habemus in ipſo corde,& omnibus arterijs virtute prouenientè ex corde.de vir.noſt.corp.diſp. Sp.60.B
Pulſus proprius motus cordis.6°.de decr.Hip. 1ª.260.G
Pulſuum fons cor.2°.de decr.Hip.237.A/in Tim.Plat. 1ª.287.D
in Pulſibus cordis motus eſt operatio.6°.de decr.Hip. 1ª.260.G
Pulſus à corde & arterijs.8°.de decr.Hip. 1ª.278.B
Pulſum nõ facit cor pro alio mẽbro ſed pro ſe.de mot.m.et ob.Sp.68.A
ad Pulſus motum cor non indiget cerebro.2°.de de decr.Hip. 1ª.239.C
Pulſus vis vitalis quæ à corde emanat eſt effectrix reſpirationis animalis quæ à cerebro procedit.de vſu pul. 1ª.229.B
Pulſus mutat nõ ſolũ cor,ſed et vicina cordi.3°.de præſ.ex pul.4ª.117.B
in Pulſibus apparet elementum aereũ in homine.8°.de decr. 1ª.275.D
Pulſuum cum reſpiratione põt ſeruari ſimilitudo.de vſu pul. 1ª.229.D
Pulſus ac reſpirationis vnus vſus,& finis.de vſu pul. 1ª.228.D
Pulſus id dat oĩbus partibus qd reſpiratio dat cordi.de vſu p. 1ª.228.D
Pulſui quæ reſpiratio ęqualis.4°.de præſ.ex pul. 4ª.119.H
Pulſus,& reſpiratio quæ habeat communia.1°.de diff.reſp. 3ª.57.H
à Pulſu quomodo differt reſpiratio.4°.de diff.pul. 4ª.66.H
Pulſus cui actioni comparentur expiratio, & reſpiratio.1°.de differentijs reſpirat. 3ª.57.H
in Pulſu,& reſpiratione caliditas acuta quid faciat.1°. de differẽtijs reſpirationis. 3ª.56.E
Pulſui non adequatur inſpiratio, aliter multæ perirent operationes.de ana.viuo. Sp.48.B
ex Pulſu,& reſpiratione nutritur ſpũs animalis.de vſu pul. 1ª.228.D
Pulſus,& reſpiratio mutantur iiſdem cauſis.de vſu pul. 1ª.227.G
Pulſus,& reſpiratio non poſſunt in totum perire donec ſuperſuerit animal.1°.de diff.reſp. 3ª.58.E
Pulſus,& palpitatio hñt aliquid cõe.in 3ᵐ.de mor.vul.c.2°. 3ª.129.H
Pulſus differt à palpitatione.6°.de decre.Hip. 1ª.265.D
Pulſum arterijs attribuit Praxagoras palpitationẽ,tremorem,& conuulſionem arteriarum affectus putat.de palp.trem. 3ª.52.E
pro Pulſu comparatio iter agentium.1°.de cau.pul. 4ª.89.B
ad Pulſus virgarum tenellarum comparatio.2°.de cau.pul. 4ª.93.D
Pulſus comparatur ſpondeo.comp.pul. Sp.65.E
in Pulſu multiplex proportio.1°.de pul.diff. 4ª.48.G
ex Pulſuum functionibus cognoſcũtur vires debiles, vel robuſtæ in arterijs,vel corde.de cur.rat.per ſang.miſſ. 6ª.17.D
Pulſus quod ſignificet vires robuſtas.de curã.rat.per ſang.miſ.6ª.19.E
à Pulſu non parua ſigna futurorũ ſumũtur.4°.de diff.pul. 4ª.67.A
de PVLSVVM nominibus.comp.pul. Sp.65.H
Pulſuum varia nomina. 3°. de differentijs pulſuum. 61. F/ 4°. 66.E/4°. de dign. pul. 4ª.84.H
Pulſus abſurda nomina quæ.3°.de diff.pul. 4ª.61.D
Pulſus quomodo conſiderandus.de ſper. Sp.39.F
de Pulſibus tractatio quo modo ordinanda.3°. de differ.pul. 61. H/ 4°. 64.B/1°.de dign.pul.70.C/ 4ª.86.D
Pulſus Abolitio differt a pulſu deficiente.2°.de cau.pul. 4ª.92.A
quos Pulſus faciat Abſceſſus.2°.de cau.pul.4ª.91.F/de dyna.Sp.35.C
de Pulſus æqualitatibus,& inæqualitatibus.1°.de pul.diff. 4ª.49.D
Pulſus ęqualitas quid.fin.med. Iſa.46.F
Pulſus æquales qui.de pul.ad Tyr. 4ª.43.H
Pulſus æqualis.& inæqualis nõ habet mediũ.de pul.ad Tyro. 4ª.43.H
Pulſus æqualitas,& inæqualitas in quo conſiſtant.de pulſibus ad Tyr. 43.E/1°.de pul.diff. 4ª.48.H
Pulſus æqualitas,et inæqualitas quot fiãt modis.1°.de pul.dif.4ª.48.H
Pulſum ſuum habet quælibet Aetas.1°.de pul.diff. 4ª.48.G
Pulſus diuerſarum ætatum qualis.de pul.ad Tyr. 4ª.77.E
Pulſuum ſecundum ætates diuerſorum cauſæ.3°.de cau.pul. 4ª.96.D
Pulſus dicitur Albus, & niger,ſicuti vox dicitur alba, & nigra.3°.de differen.pul. 4ª.62.H
Pulſus à quibus Alterantur.de vſu pul. 1ª.229.E
Pulſus alterare valent,non efficere humorum craſſitudo, abundantia, et lentor,et acredo,item balneum frigidũ,balneum calidum,hyems, & æſtas.1°.de cau.pul. 4ª.86.G
Pulſus Altus qui.2°.de diff.pul.56.A/1°.de dign.pul. 4ª.71.A
Pulſus altus anguſtusq́ quomodo fiat.3°.de dign.pul. 4ª.81.C
Pulſus alti cauſæ.2°.de cau.pul. 4ª.93.H
Pulſus cur altus & celer in contractione promittat decretorias excretiones.4°.de præſ.exp. 4ª.122.B
Pulſus altus quid ſignificet.1°.de præſag.ex pul.106.F/4°. 4ª.122.D
Pulſus altus quid ſignificet in criſi.3°.de criſi. 4ª.144.D
Pulſus altus,& latus quid ſignificet.1°.de præſag.ex pul. 4ª.106.F
Pulſus qui alti tantum,& qui ſimul magni.2°.de cau.pul. 4ª.94.C
Pulſus altiſſimi,& maximi quibus affectibus fiant.de vſu pul. 1ª.229.C
Pulſus Amarus dici non poteſt.3°.de præſ.ex pul. 4ª.117.G
Pulſus Amoris nullus proprius.in prog.com.1°. 4ª.192.B
Pulſus Amantis.de præcogn.ad Poſth. 4ª.216.F/G
Pulſus Anaſarcæ qualis.4°.de cau.p.103.E/2°.de præſ.ex pul.4ª.112.H
Pulſus Anginæ qualis.de pul.ad Tyr.46.B/4°.de cau.pul. 4ª.102.H
Pulſus morientium in angina qualis.4°.de cau.pul. 4ª.102.H
Pulſus Anguſtus qui.de pul.ad Tyr. 4ª.43.D
Pulſus anguſtus latitudine.1°.de præſ.ex pul. 4ª.106.H
Pulſus anguſti cauſæ.2°.de cau.pul. 4ª.93.H
Pulſus anguſtus,altus quid ſignificet.1°.de præſ.ex pul. 4ª.106.H
Pulſus in Animo perturbato immutatur.de præcog.ad Poſth. 4ª.216.G
Pulſus potus Aquæ qui.de pul.ad Tyr. 4ª.44.E
Pulſus Arachnoides qui.fin.med. Iſa.46.H
Pulſus Arteriarum compoſitus motus.2°.de ſymp.cau. 3ª.20.C
in Pulſu quantum dilatatur arteria.2°.de dign.pul. 4ª.79.D
Pulſum quem faciat arteria dura,& frigida.1°.de cau.pul. 4ª.89.D
Pulſus quales facit arteria calida,& mollis.1°.de cau.pul. 4ª.89.E
Pulſus quales facit arteria calida,& dura.1°.de cau.pul. 4ª.89.E
Pulſus quales facit arteria mollis,& frigida.1°.de cau.pul. 4ª.89.F
Pulſus quales facit arteria mollis cũ imbecillitate facultatis.1°. de cau ſis pulſuum. 4ª.89.H
Pulſus quales facit arteria mollis cum facultate imbecilli.1°. de cauſis pulſuum. 4ª.89.H

Pulſus quales facit arteria dura cũ facultate imbecilli.1°.de cauſis pulſuum. 4ª.89.H
Pulſus duræ arteriæ qualis.1°.de præſag.ex pul. 4ª.107.C
in Pulſu à ſede arterię inæqualitas quæ.1°.de diff.pul. 4ª.51.G
Pulſus arteriarum ſentitur cum dolore in inflammatione Eryſipelate,et abſceſſu.2°.de locis affectis. 4ª.8.H
Pulſus maiores partium arterioſarum,& venoſarum.4°. de præſagitione ex pulſibus. 4ª.121.E
Pulſus arteriæ in dorſo quando ſentitur.1°.de dign.pul. 4ª.73.G
Pulſus Arhythmi quo modo intelligantur.1°.de pul.diff. 4ª.48.G
Pulſus arhythmus qui.1°.de pul.diff. 4ª.48.G
Pulſus arhythmi tres differentiæ,& quæ.1°.de pul.diff. 4ª.48.G
Pulſus Aſcitis qualis.4°.de cau.pul. 4ª.103.E
Pulſus Aſperitas cum tenſione, & dolor lateris pungitiuus pleuritem indicat.de ſubfi.emp. Iſa.32.E
Pulſus Atræ bilis.de mult.3ª.81.H/de nat.& ord.cuiusl.cor. Sp.41.F
Pulſus Attonitorum quales.de pul.ad Tyro. 4ª.46.B
Pulſus Balnearum frigidarum qualis.de pulſibus ad Tyrones.44. E/3°. de cau.pul. 4ª.98.G
Pulſus balnearum calidarum quales.de pul.ad Tyr. 4ª.44.D
Pulſuum mutatio ex balneis calidis.3°.de cau.pul. 4ª.98.F
Pulſus qui à balneis.3°.de diff.pul. 4ª.61.F
Pulſus Bilis flauæ.de mul.3ª.81.H/de natura,& ord.cuiusl. Sp.41.E
Pulſus qui non boni ſunt ſimpliciter.1°.de pręſag.ex pul. 4ª.111.D
Pulſus bis Feriens eſt vnus.1°.de pul.diff. 4ª.50.G
Pulſus bis feriens cuius ſymptoma ſit.3°.de præſ.ex pul. 4ª.116.A
Pulſus bis feriẽtis,et dicroti differẽtia quæ. 3°.de præ.ex pul.4ª.116.A
Pulſus bis feriens vnde.1°.de præſ.ex pul. 4ª.112.E
Pulſus bis pulſantis differentię.1°.de pul.diff. 4ª.50.H
Pulſus breuis quis.de pul.ad Tyro.43.D/3°.de dig.pul. 4ª.80.E
Pulſus breues habent corpulenti.1°.de præſag.ex pul. 4ª.106.B
Pulſus breuis cauſę.2°.de cau.pul.93.H/ 4ª.94.H
Pulſus breuis quid ſignificet.1°.de præſag.ex pul. 4ª.106.H
Pulſus breuis latus,& altus quid ſignificet.1°.de præſ.ex p. 4ª.106.H
Pulſus breuis latus, & humilis quid ſignificet. 1°. de præſagitione ex pulſibus. 4ª.106.H
Pulſus breuis,& altus quid ſignificet.1°.de præſag.ex pul. 4ª.106.H
Pulſus breuis,anguſtus,& humilis quid ſignificet.1°.de præſ.4ª.107.A
de Pulſu Cachectici.de dynam. Sp.35.A
Pulſus proprij in Cacochimijs.de mul. 3ª.81.H
Pulſus Calidiorũ natura.de pul.ad Ty.44.A/3°.de cau.pul. 4ª.96.A
Pulſus eius qui calefit.1°.de præſ.ex pul. 4ª.105.G
Pulſus à calore facti qui.1°.de cau.pul. 4ª.87.C
Pulſus quos faciat.calor.1°.de cau.pul. 4ª.88.E
Pulſus caliditatis creſcentis,& facultatis.1°.de cau.pul. 4ª.89.A
Pulſus defectus natiui caloris quales.1°.de cau.pul. 4ª.87.F
Pulſus caloris diuerſi à natiuo.3°.de præſag.ex pul. 4ª.115.B
Pulſus intemperiei caloris quales.3°.de præſ.ex pul. 4ª.114.G
Pulſus Caninæ famis qualis.de pul.ad Ty.46.D/4°.de cau.p. 4ª.103.C
de Pulſu Caprizante.1°.de diff.pul. 4ª.52.D
Pulſus caprizans.fin.med.Iſa.46.H/de pul.ad Tyr. 4ª.43.G
Pulſus caprizantis cauſæ.2°.de cau.pul. 4ª.93.B
Pulſu caprizante deterior qui nomine caret.2°.de cau.pul. 4ª.93.B
Pulſus caprizans quid ſignificet. 1°. de præſ. ex pul. 4ª.112. C/de victus rat.in mor.acu.com.4°. 7ª.140.A
Pulſus caprizans præſentẽ mortẽ denuntiat.1°.de præſ.ex pul. 4ª.111.G
quibus Pulſatus Capitis,febriũ vertigines & vrina tenuis à principio ſunt, eis expectanda eſt ad criſes febris acumine augeri. de vri.ſign. ex Hippoc. Sp.78.H
cum Pulſu dolor capitis ſignificat inflammationem.1°.de arte curatiua ad Glauconem. 7ª.99.H
Pulſus Cardiacorum.de dyna.34. H/ comp.pul. Sp.65.G
Pulſus Cathocorum qualis.de pulſibus ad Tyrones. 45. H/4°.de cauſis pulſuum. 4ª.102.D
Pulſus catoryctus id eſt defoſſus vel deciduus.de dyna. Sp.34.G
in Pulſuum Cauſis vſus exercitationis.1°.de cau.pul. 4ª.90.G
Pulſum variantes cauſæ quæ ſint.1°.de cau.pul. 4ª.86.G
Pulſus cauſa efficiens quæ.4°.de dif.pul. 4ª.65.F
Pulſus cauſæ materiales quæ.4°.de diff.pul. 4ª.65.F
Pulſuum cauſæ naturales.3°.de cau.pul. 4ª.95.C
Pulſuum cauſæ præter naturam.3°.de cau.pul. 4ª.95.C
Pulſuum cauſæ non naturales.3°.de cau pul. 4ª.95.C
Pulſuum cauſæ primæ,& continentes quæ.3°.de præſ.ex pul. 4ª.119.D
Pulſuum cauſa continens.1°.de cau.pul. 4ª.86.G
Pulſuum generationis tres continentes cauſæ.2°.de cau.pul. 4ª.91.B
Pulſus cauſa continens ex inſtrumentis.1°.de cau.pul. 4ª.87.B
in Pulſibus cauſarum continentiũ cõplexiones.1°.de cau.pul. 4ª.89.H
Pulſuum faciens cauſa ignota.1°.de cau.pul. 4ª.87.A
Pulſus Celer qui.fin. med. Iſag.46.F/ de pulſibus ad Tyro. 43. H/2°.de dignoſ.pul.75.B/3°. 4ª.79.G
Pulſus celeres qui & vnde.1°.de cau.pul. 4ª.88.E
Pulſus celeritas vnde.1°.de cau.pul.87.C/ 4ª.88.D
Pulſus celerrimi à quibus fiant.1°.de cau.pul. 4ª.87.E
Pulſus celerrimi creberrimiq; vnde.1°.de cau.pul. 4ª.89.F
Pulſus celeritas ad quæ pertinet.de pul.ad Tyro. 4ª.43.D
Pulſus vt celeriter fiat vel magnus quid exigat.1°.de cau.pul. 4ª.87.D
Pulſus celeritas facultati validæ peculiaris eſt.3°.de cau.pul. 4ª.99.C
ad Pulſus celeritatem iter facientis comparatio.1°.de cau.pu.4ª.88.G
Pulſuũ cõtinuorũ, ſed diſparis celeritatis cauſæ.2°.de cau.pul.4ª.92.F
Pulſus ratio reſpirationis celeris eadem.1°.de cau.pul. 4ª.88.G
Pulſus celer, & tardus quid ſignificet. 1°. de præſagitione ex pulſibus. 108.D/2°. 4ª.109.E
Pulſus celerior calidius tẽperamẽtũ declarat.1°.de præſ.ex p.4ª.108.D
Pulſum celeriorem frequentiorem,& maiorem qui habeant. de vſu pulſuum. 1ª.227.F
Pulſus celeris caſus.1°.de cau.pul. 4ª.90.G
Pulſus caliditatis Cerebri.4°.de præſ.ex pul. 4ª.120.G
Pulſus cerebri calidi,& ſicci.4°.de præſ.ex pul. 4ª.120.G
Pulſus in membranis cerebri eſt motus naturalis. de ijs qui in me.fiunt. commen.3°. 7ª.222.D
Pulſus quando menynges ſunt affectę qui.4°.de præſ.ex pul. 4ª.121.B
Pulſus Certantis de aliqua re.de præcog.ad Poſth. 4ª.216.F
Pulſus Choleræ qualis.de pul.ad Tyr. 4ª.44.H
Pulſus mutationis Cibi qualis.3°.de cau.pul. 4ª.98.H
Pulſus cibi largi.qui.de pul.ad Tyro. 4ª.44.E
Pulſus cibi modici qui.de pul.ad Tyro. 4ª.44.E
Pulſus cibi modiciſſimi qui.de pul.ad Tyro. 4ª.44.E
Pulſus Circumnuentes in quo ſint genere.1°.de diff.pul. 4ª.51.E
Pulſus circumnuentes qui.de pul.ad Tyro. 4ª.45.D
Pulſuum circumnuentium cauſæ.2°.de cau.pul. 4ª.93.F
in Pulſu quid ſit Collectiua.1°.de pul.diff. 4ª.48.H
in Pulſu collectiuæ inæqualitatis differentię.1°.de pul.diff. 4ª.49.D
Pulſus Coli inflammati qualis.de pul.ad Tyr. 4ª.45.A
Pulſus Comatoſi hominis qui.4°.de pręſ.ex pul. 4ª.121.A
Pulſus deſipientium cum comate qualis.in 1m.prorr.com.1°. 4ª.168.B
Pulſus Comitialium quales.de pul.ad Tyr. 4ª.46.B
Pulſus Comitialium,& attonitorum qualis.4°.de cau.pul. 4ª.102.G
Pulſus Contentus qui.3°.de diff.pul. 4ª.61.H
Pulſus Contractio quid.1°.de præſ.ex pul. 4ª.109.F
in Pulſu Contractio interuallumue quid ſit.1°.de pul.dif. 4ª.48.C
Pulſus contractionis finis non ſentitur.1°.de dign.pul.73.E/ 4ª.74.H
Pulſus contractio quo modo inuenta à Galeno.1°.de dign.pul. 4ª.72.B
Pulſus contractio declaratur per alia vaſa.1°.de dign.pul. 4ª.72.C
Pulſus contractio in languido non ſentitur.1°.de dign.pul. 4ª.72.G
Pulſus habentes contractionem manifeſtam.1°.de dign.pul. 4ª.72.H
ad Pulſus contractionem percipiendam durities aliquid facit.1°. de dignoſcendis pul. 4ª.73.B
Pulſus contractio excernit.2°.de cau.pul. 4ª.95.B
Pulſus contractio quibus eueniat.præſ.exper.conf. Sp.78.E
de Pulſu Conuulſiuo.1°.de diff.pul. 4ª.52.C
Pulſus cõuulſorũ qualis.de pul.ad Tyr.45.H/4°.de cau.pu. 4ª.102.F
in Pulſu conuulſiuo q̃uo percipiatur diſtentio.1°.de dign.pul. 4ª.71.C
Pulſus conuulſiui cur violenter tactũ feriunt.4°.de dig.pul. 4ª.83.C
Pulſus conuulſiui cauſæ.2°.de cau.pul. 4ª.93.G
Pulſus cordis motus diuerſus eſt à motu voluntario.2°.de dec.1ª.240.D
Pulſum quem facit cordis corpus qualitate extranea affectũ.1°.de pręſagitione ex pul. 4ª.107.D
Pulſus frigidæ intemperiei cordis qualis.3°.de pręſ.ex pul. 4ª.115.F
Pulſus cordis ob pulmonem refrigerati. 4°.de præſ.ex pul. 4ª.119.G
Pulſus cordis calidi,& arteriarũ frigidarum.3°.de pręſ.ex p. 4ª.115.C
Pulſus mutatio ex ſiccitate,& humiditate cordis,& arteriarum.3°. de præſag.ex pul. 4ª.119.B
Pulſus Craſſus,turgidus.2°.de cau.pul. 4ª.94.H
Pulſus Creber qui de pul.ad Tyro. 4ª.43.E/H

Pulſus creber

Pulſus creber eſt pulſus paruus.1°.de pręſ.ex pul. 4ª.109.C
Pulſus creberrimi à quibus fiant.1°.de cau.pul. 4ª.87.E
Pulſus crebritas peculiaris imbecillæ facultati.3°.de cau.pul. 4ª.99.C
Pulſus creberrimi,celerrimiq; vnde.1°.de cau.pul. 4ª.89.F
Pulſus crebri,tardi,& parui vnde.1°.de cau.pul. 4ª.89.H
Pulſus crebritas,& raritas qd ſignificent.1°.de præſ.ex pul. 4ª.109.H
Pulſus crebri quid ſignificent.1°.de præſ.ex pul. 4ª.111.A
Pulſum crebrum habent febres ardentes.1°.de pręſ.ex pul. 4ª.111.B
Pulſus crebri ſunt in ſyncopa.1°.de præſ.ex pul. 4ª.111.B
Pulſus Creſcentium qualis.comp.pul. Sp.65.E
Pulſus ſemper debilis eſt periculoſior quandoq; debili,& quandoq; non debili.de vrinis. 4ª.123.H
Pulſus qui in Decretorijs expulſionibus.2°.de cau.pul. 4ª.94.C
Pulſus Decurtati in quo ſint genere.1°.de pul.diff. 4ª.51.E
Pulſus decurtati reciproci qui vocentur.2°.de cau.pul. 4ª.91.H
Pulſus decurtati vnde.2°.de cau.pul.91.H| 4ª.93.E
Pulſus decurtati quid ſignificent.2°.de præſ.ex pul. 4ª.113.B
Pulſus deficiens qui.fin.med.Iſa.46.H|2°.de cau.pul. 4ª.92.A
Pulſus deficientes decurtati qui.1°.de pul.def. 4ª.49.D
à Pulſu deficiente differt abolitio pulſus.2°.de cau.pul. 4ª.92.A
Pulſus dicrotus qui.fin.med.Iſa. 46.H| de pul. ad Tyr.43.G|1°.de pul. diff.4ª.50.G|comp.pul. Sp.66.A
Pulſus dicroti differentia.1°.de pul.diff. 4ª.50.H
Pulſus dicrotus vibratus qui.2°.de cau.pul. 4ª.93.A
Pulſus quidam dicrotus vibratus.1°.de præſ.ex pul. 4ª.112.D
Pulſus dicroti,& collectiuæ inæqualitatis differentia. 1°.de pulſuum differentijs. 4ª.51.A
Pulſus dicrotus quando facile oritur.3°.de præſ.ex pul. 4ª.116.A
Pulſuum dicrotorum cauſæ.2°.de cau.pul. 4ª.92.G
Pulſus dicroti cauſæ continentes.3°.de præſ.ex pul. 4ª.116.B
Pulſus dicrotus quid ſignificet.1°.de præſ.ex pul. 4ª.112.C
de Pulſuum Differentijs libri Titulus.2°.de diff.pul. 4ª.58.H
Pulſus differentia quæ.4°.de diff.pul. 4ª.65.F
Pulſuum primæ differentiæ tot,quot cauſarum.1°.de cau.pul. 4ª.87.B
in Pulſuum differentijs oportet medicum eſſe exercitatum. 2°.de criſibus. 4ª.133.G
Pulſuum differentiæ difficulter cognoſcuntur.de mor.temp. 3ª.86.A
Pulſus differentiæ in arteriæ corpore.1°.de pul.diff. 4ª.48.B
Pulſus differentiæ ab infuſione arteriæ.1°.de pul.diff. 4ª.48.B
Pulſuum differentiæ collectiuæ duæ.1° de pulſ.diff. 4ª.47.D
Pulſus differentiæ in contentione.1°.de pulſ.diff. 4ª.48.B
Pulſus differentiæ à dimenſionibus.1°.de pul.diff. 4ª.47.E
Pulſus differentiæ in tribus dimenſionibus ſunt viginti ſeptem.1°. de pulſuum differ. 4ª.47.E
Pulſuum dimenſionum propria quæ.3°.de dign.pul. 4ª.80.F
de Pulſuum differentijs in diſtentione.1°.de præſ.ex pul. 4ª.108.H
Pulſus differentia ex infuſione.4°.de dign.pul. 4ª.84.G
Pulſus differentiæ à motu.1°.de pulſ.diff. 4ª.47.D
Pulſus differentiæ in tempore quietis.1°.de pul.diff. 4ª.48.C
Pulſus Diſtentio quid.1°.de præſ.ex pul. 4ª.109.F
Pulſus diſtentionis initium non ſentitur.1°.de dign.pul. 4ª.73.E
Pulſus diſtentionis principium non ſentitur.1°.de dign.pul. 4ª.74.H
Pulſus diſtentio eſt pars maxime princeps, & plurimam habet cognitionis varietatem, plurimum etiam ad præſagiendum ex ſe pręſtat vſum.2°.de dign.pul. 4ª.75.A
Pulſus diſtentio intro trahit.2°.de cau.pul. 4ª.95.A
Pulſus diſtentionis dimenſiones non ſemper tantæ apparent,quãtæ ſunt. 1°.de præſag.ex pul. 4ª.106.A
in Pulſu quanta diſtentionis,& contractionis pars non ſentiatur.1°. de dignoſ.pul. 4ª.74.E
Pulſus,qui vna diſtentione habent duos ictus,quid ſignificent. 1°. de præſagitione ex pul. 4ª.111.G
Pulſus Diuturnus,& tardus differunt.1°.de cau.pul. 4ª.88.C
Pulſus Doloris.de pul.ad Tyro. 4ª.44.H
Pulſum qui dolor variet.de pul.ad Tyro. 4ª.44.H
Pulſus ex dolore qualis.4°.de cau.pul. 4ª.100.A
Pulſus dolorum in parte prædita ſenſu.de pul.ad Tyro. 4ª.45.B
Pulſus cum dolore factus quid ſequatur.2°.de loc.affect. 4ª.8.H
Pulſus Dorcadizon qui.comp.pul. Sp.66.A
Pulſus Dormientium quo modo differat à pulſu vigilantium.3°. de cauſis pulſuum. 4ª.97.H
Pulſus Dulcis,& amarus.3°.de diff.pul. 4ª.62.H
Pulſus Duplus quo modo apparet.de vtil.reſp. 1ª.224.A
Pulſus Durus qui.fin.med.46.F|1°.de dign.pul. 4ª.71.A
Pulſus durities in quo conſiſtat.de pul.ad Tyr. 4ª.43.D
Pulſus durus qualis non putridis.1°.de diff.feb. 3ª.34.C
Pulſum durum quæ faciant.1°. de diff.feb.3ª.34. B| 1°. de cau.pul.87.B| 1°.de præſ.ex pul. 4ª.107.F
Pulſus duri cauſa continens.1°.de præſag.ex pul. 4ª.109.A
cum Pulſibus duris crebritas.1°.de cau.pul. 4ª.89.D
Pulſus durus cuius proprium.1°.de dif.feb. 3ª.34.C
Pulſus durities vnde in hecticis.2°.de diff.feb. 3ª.35.E
Pulſus durities nulla apparet in peripneumonia.5°.de lo.aff. 4ª.29.H
Pulſum duriorem peripneumonicis cur habeant pleuritici.4°.de præſagitione ex pul. 4ª.120.B
Pulſus duriſſimus maxime eſſe nõ poteſt.1°.de dig.pul. 4ª.72.F
Pulſuum ſolum duo genera violenter tactum feriunt duri,& vehementes.4°.de dign.pul. 4ª.83.C
Pulſus durus vomitum futurum ſignificat.3°.de criſi. 4ª.144.D
Pulſus Dyſentericorum,& iliacorum.de dyna. Sp.35.A
Pulſus quos habent Dyſpneæ.4°.de præſ.ex pul. 4ª.120.A
Pulſus Ecrhythmus qui.1°.de pul.diff. 4ª.48.G
Pulſus Elephãtiaſis qualis.de pul.ad Tyr.46.D|4°.de cau.p. 4ª.103.F
Pulſus magis Eleuati in humili quàm in ſuperbo quo caſu eſſent.de anatomia viuo. Sp.47.B
Pulſus Epilepticorum qui.comp.pul. Sp.65.H
Pulſus Erythoides inflammatæ qui.4°.de præſag.ex pul. 4ª.121.E
Pulſus Eterorhythmus qui.fin.med.46.G|1°.de pul.diff. 4ª.48.G
Pulſus Eurhythmus qui.1°.de pul.diff.4ª.48.G|comp.pul. Sp.65.H
Pulſus quos habeant Excretiones peſſimæ.4°.de præſ.ex p. 4ª.122.E
Pulſus Exercitantium ſe.de pul.ad Tyr. 4ª.44.D
Pulſus ab exercitationibus qui.3°.de diff.pul. 4ª.61.F
Pulſus mutatio pro exercitationibus.3°.de cau.pul. 4ª.98.E
Pulſus quales eorum qui Expergiſcantur. de pulſibus ad Tyron. 44.C| 3°.de cau.pul. 4ª.98.B
Pulſus Facultatis imbecillæ qualis.1°.de præſag.ex pul. 4ª.107.C
Pulſus à debili facultate,& caliditate.1°.de cau.pul. 4ª.88.G
Pulſus ab imbecilli facultate,& refrigeratione.1°.de cau.pul. 4ª.88.H
Pulſus infirmæ facultatis,& maioris vſus.1°.de cau.pul. 4ª.90.E
Pulſum quem faciat facultas grauata.4°.de cau.pul. 4ª.103.D
Pulſus facultatis depreſſæ.de pul.ad Tyr. 4ª.44.F
Pulſus facultatis diſſolutæ à penuria.de pul.ad Tyr. 4ª.44.G
Pulſus ex facultate robuſta,& deficiente calore.1°.de ca.pul.4ª.89.A
Pulſus facultatis concitatæ qualis.4°.de cau.pul. 4ª.103.H
Pulſus facultatis ruentis qualis.4°.de cau.pul. 4ª.103.H
Pulſus Febris eſt iudex.de dy. Sp.34.A
ex Pulſibus,et vrinis febricitantiũ maxima ſigna ſumuntur.1°.de arte cur.ad Glauc. 7ª.94.H
per Pulſus quo modo febres dignoſcantur.3°.de præſ.ex pul.4ª.117.H| præſag.exper.conf. Sp.77.E
Pulſus qui eſt febris nota qui.de marc. 3ª.46.H
Pulſus febrium quid commune habent.1°.de arte cur.ad Glauc.7ª.96.B
in Pulſu febris quælibet habet celeritatem.3°.de præſ.ex pul. 4ª.115.E
Pulſus febricitantium ſecundum tempus febris qui.comp.pul. Sp.65.F
Pulſus principij acceſſionis qui.3°.de præſag.ex pul. 4ª.118.A|G
Pulſus principij qualis.de præcogn.ad Poſth. 4ª.219.C
Pulſus declinationis optimæ qualis.3°.de criſi. 4ª.142.E
Pulſus declinationis mortalis qualis.3°.de criſi. 4ª.142.E
ex Pulſu q̃uo cognoſcat̃ febris prima die.3°.de præſ.ex pul. 4ª.118.D
Pulſus ephemeræ qualis.1°.de diff.feb. 3ª.33.D| 3°. de præſ.ex pulſ. 4ª.117.H|1°.de arte cur.ad Glauc.7ª.94.H|de dyn. Sp.33.H
Pulſus ephemeræ ex triſtitia,& cupiditate.de dyn. Sp.33.H
Pulſus ephemeræ ex iracundia.de dy. Sp.33.H
Pulſus in quibus ephemeris ſint minores.1°.de arte cur.ad Gla.7ª.95.D
Pulſus durus in ephemeris quando.1°.de diff feb. 3ª.34.C
Pulſus ĩ ſola ephemera ad naturalẽ reuertũt.1°.de ar.cu.ad G.7ª.95.A
Pulſus febriũ leniũ,vt ex bubonibus,quales.2°.de cau.pul. 4ª.91.B
Pulſus febrium ex inflammatione inguinũ.1°.de ar.cur.ad Gla.7ª.95.D
Pulſus in febre ex inguinum dolore quis.de dyn. Sp.34.A
Pulſus febrium ex aduſtione quales.2°.de cau.pul. 4ª.91.B
Pulſus ex frigore qualis.de marc. 3ª.46.H
Pulſus febrium ex frigore quales.2°.de cau.pul. 4ª.91.B
in Pulſu quando non eſt putredinis ſenſus cruditatis,nec in vrinis in febre ex obſtructione.8°.meth.med. 7ª.52.E

Pulſus febrium

Pulſus febrium putridarum. 1°. *de differentijs febrium.* 3ª.34.A/3°. *de præſag.ex pul.* 4ª.117.H
*Pulſus durus in putridis quando.*1° *de diff.feb.* 3ª.34.C
Pulſus febrium vrentium.de vſu pulſ. 1ª.227.F
Pulſus febriũ acutarum,exitialium,& ſyncopalium.de pulſ. 4ª.44.G
*Pulſus qui in febrium magnarũ initijs.*2°.*de præſ.ex pul.* 4ª.114.A
Pulſus,& ſymptoma tertianæ.de typ. 3ª.90.F
*Pulſus ſyncerarum tertianarum quales.*2°.*de cauſ.pulſ.* 4ª.91.B
Pulſus tertianarum.de dynam. Sp.34.F
Pulſus principij tertianæ.de mor.temp. 3ª.85.G
*Pulſus tertianarum in principio,& in progreſſu.*2°.*de criſi.* 4ª.134.G
Pulſus augumenti in tertiana.de mor.temp. 3ª.85.H
*Pulſus intermiſſionis febris qualis in tertiana.*2°.*de diff.feb.* 3ª.36.H
Pulſus in integritate naturali.de mor.temp. 3ª.85.H
*Pulſus tertianæ,quartanæ,& quotidianæ differentiæ.de typis.*3ª.91.A/ *de dynamidijs.* Sp.34.F
*Pulſus ſynochi qualis.*9°.*meth.med.* 7ª.56.D
Pulſum habent ſynochæ cõſimilẽ cauſum,& ſynochus.de dyn. Sp.34.B
*Pulſus poſt quartanam qualis.*1°.*de arte cur.ad Glauc.* 7ª.96.B
Pulſus quartanæ febris.de dyna. Sp.34.F
*Pulſus quartanarum in principio,& in proceſſu.*2°.*de criſi.* 4ª.134.G
Pulſus quartanæ eſt inequalis.de præcogn.ad Poſth. 4ª.214.D
Pulſus quotidianæ.de dyna. Sp.34.G
*Pulſus pituitoſæ febris qualis.*2°.*de diff.febr.* 3ª.37.A
*Pulſus q febris hecticæ.*2°.*de pſ.ex pulſ.*113.A/3°.115.E/117.H/ 4ª.118.F
*Pulſus qui in febribus cum cor calidius ſit quã vicina frigida.*3°.*de præſa gitio.ex pul.* 4ª.117.B
*Pulſus cũ cor frigidius & vicina calidiora.*2°.*de præſa.ex pul.* 4ª.117.B
*Pulſus Formicans qui fin.med.Iſa.*47.A/*de pulſ. ad Tyron.* 4ª. 43.G/ 2°.*de dig.pul.* 4ª.76.A
*Pulſus formicans vnde ſit.de pul.ad Tyro.*44.G/1°.*de dif.pul.* 4ª.52.B
*Pulſus formicans quibus conſtet ſm Galenum.*2°.*de dign.pul.* 4ª.75.C
Pulſus formicantis pueri,reſpectu pulſus iuuenis valentis. 2°. *de digno-ſcendis pul.* 4ª.75.H
*Pulſus formicantes quando prodibunt.*3°.*de cau.pul.* 4ª.98.G
*Pulſus formicantes quæ ſequuntur.*3°.*de cau.pul.* 4ª.99.D
*Pulſus formicans exigit tactum exercitatum.*2°.*de dign.pul.* 4ª.75.C
*Pulſus formicinus non facit ſentire quietem.*2°.*de ſymp.cau.* 3ª.20.C
*Pulſui formicino ſimilis tremor.*2°.*de ſymp.cau.* 3ª.20.C
a Pulſu Forti in vlceribus,ſanguinis profluuiũ.cõ. 7°.*aph.*21°.*Ex.*55.D
*Pulſus quos faciat Frigus.*1°.*de cau.pul.* 4ª.88.F
*Pulſus quos faciant frigidi affectus.*4°.*de præſag.ex pul.* 4ª.121.D
*Pulſus frigefactorum ex itinere.*1°.*de præſag.ex pul.* 4ª.107.E
*Pulſuum Genera,ſpecies, qualitates,et differentiæ idem.*1°. *de pulſuum differentijs.* 4ª.47.B
Pulſuum genera,& differentias dici negabant quidam. 2°. *de differen-tijs pulſuum* 4ª.55.B
*Pulſus genus quid.*4°.*de dif.pul.* 4ª.65.F
*in Pulſibus genera quæ.*2°.*de diff.pul.*4ª.55.C/*comp.pul.* Sp.65.H
Pulſuum genera vniuerſalia 1°.*de pul.diff.* 4ª.47.C
in Pulſu quid Γαγγαινώσις.2°.*de præſag.ex pul.* 4ª.114.A
*in Pulſu quid faciat Gracilitas.*2°.*de præſ.ex pul.* 4ª.113.F
*Pulſus graciliorũ natura.de pul.ad Ty.*44.A/3°.*de cau.pul.* 4ª.96.C
*Pulſus gracilium corpore cum iraſcuntur.*2°.*de cau.pul.* 4ª.94.F
*Pulſus gracilis qui quadratus euaſerit.*3°.*de cau.pul.* 4ª.98.D
*Pulſus Grauis non datur.*3°.*de diff.pul.* 4ª.60. H
*Pulſum grauem,ſpiſſum,& ſordidũ habet homotonus.de dyna.*Sp.34.C
Pulſus Habitudinum aſcititiarum quales.de pulſ.ad Tyro. 44.D/3°. *de cauſis pul.* 4ª.98.D
*Pulſus pro temperamentis aſcititijs.*3°.*de cau.pul.* 4ª.98.D
*Pulſus Hecticus vnde dicatur.*4°.*de cau.pul.* 4ª.101.F
*Pulſus hecticus qui.de pul.ad Tyro.*43.G/ 4ª.45.D
*Pulſus hecticus qualis,& quorum.*4°.*de cau.pul.* 4ª.101.B
*Pulſus hectici.*1°.*de diff.feb.* 3ª.35.E
*Pulſus hectici tabidi.*1°.*de diff.feb.* 3ª.34.G
*Pulſus debilitas vnde in hecticis.*1°.*de diff.feb.* 3ª.35.E
Pulſus Humidus qui.fin.med. Iſa.46.F
Pulſus Humilis qui.de pulſ.ad Tyr. 4ª.43.D
*Pulſus humilis cauſe.*2°.*de cau.pul.* 4ª.93.H
*Pulſus humilis quid ſignificet.*1°.*de præſ.ex pul.* 4ª.106.G
Pulſus Humorum quales.de dyna. Sp.19.F
Pulſus habentium humores crudos.de curan.rat.per ſang.miſſ. 6ª.18.F
Pulſus Hydropicorum in omni ſpetiẽ qualis.de pul.ad Tyro. 4ª.46.E
*Pulſus Ictericorũ qualis.de pul.ad Ty.*46.D/4°.*de cau.pul.* 4ª.103.F
*Pulſus Ictus quid.de pul.ad Tyro.*43.E/ 4ª.48.C
Pulſus ictuum interuallum, quies, & contractio idem ſunt.de pulſibus ad Tyrones. 4ª.43.E
*in Pulſu quo modo cognoſcatur ictus.*4°.*de dig.pul.* 4ª.82.H
*in Pulſu ictus,& diſtentio à tactu ſentitur.*1°.*de dign.pul.* 4ª.71.D
*in Pulſu robur ictus in quo conſiſtat.*3°.*de diff.pul.* 4ª.60.A
*in Pulſibus multis cur ictus violẽtus,et in quibus.*4°.*de dig.p.*4ª.82.H
*Pulſus qui ſequuntur Iecur affectum.*4°.*de præſ.ex pul.* 4ª.120.B
Pulſus Iecoris inflammati qualis.de pul.ad Tyro. 4ª.45.A
Pulſus Iliacorum.de dynam. Sp.35.A/B
*in Pulſu Iliorum cur fiat delirium.in progn.com.*1°. 4ª.195.G/H
*Pulſus in Ilijs quid ſignificent.in progn.Hipp.com.*1°. 4ª.195.H
*Pulſus Imbecillus tactu amittitur.*3°.*de diff.pul.* 4ª.62.A
*Pulſus Impares non ſunt inæquales.*2°.*de cau.pul.* 4ª.91.C
Pulſus Inæqualitas quid.fin.med. Iſa.46.F
*in Pulſu inæqualitas collectiua quæ.*2°.*de cau.pul.* 4ª.91.B
*Pulſus inæqualis qui.fin.med.*46.F/*de pul.ad Tyro.* 4ª.43.H
Pulſus inæqualis & æqualis non habet mediũ.de pul.ad Tyr. 4ª.43.H
*de Pulſu inæquali in crebritate, & raritate rhythmi in diuerſis pulſi-bus.*1°.*de diff.pul.* 4ª.52.D
*de Pulſu inæquali in crebritate,& raritate rhythmi in vno pulſu.*1°.*de differ.pul.* 4ª.52.E
Pulſus inæquales celeritate, & tarditate oriuntur ex qualitate motus. 3°.*de dign.pul.* 4ª.80.C
Pulſus inæqualis raro ordinatus.de pulſ.ad Tyr. 4ª.45.F
*Pulſuũ ĩæqualiũ quot differẽtiæ ſũt tot reſpirationũ.*1°.*de dif.re.*3ª.60.G
*in Pulſu inæqualitatis vitalis cõtẽtiõis differẽtia.*1°.*de diff.p.* 4ª.51.E
*Pulſuum inæqualitatis motus tres differentiæ.*1°.*de pul.diff.* 4ª.49.G
*Pulſus,& reſpirationis inæqualitates vnde.*1°.*de diff.reſp.* 3ª.60.H
*de Pulſuum inæqualium cauſis.*2°.*de cau.pul.* 4ª.91.B
*Pulſus inæquales quo modo faciant inſtrumenta.*2°.*de cau.pul.* 4ª.91.E
*de Pulſus vnius inæqualitatis cauſis.*2°.*de cau.pul.* 4ª.92.B
*de Pulſus vnius inæqualitatis differentijs.*1°.*de pul.diff.* 4ª.49.F
*Pulſus vnius inæqualitatis cauſa duplex cur lateat.*2°.*de præſ.*4ª.113.F
*in Pulſu omnigena inæqualitas cur.*4°.*de loc.af.* 4ª.28.F
*Pulſus inæqualitas ex ſitu arteriæ.*2°.*cau.pul.* 4ª.93.G
*Pulſus inæquales ob facultatis offenſionem.*2°.*de cau.pul.* 4ª.91.H
*Pulſus fiũt inæquales ſtomacho grauato,ac morſo.*3°.*de cri.* 4ª.144.E
*Pulſus inæquales diuerſarũ partiũ in vna diſtẽſione.*1°.*de pul.* 4ª.51.C
Pulſus vnius inæqualitas in quo conſiſtat.de pul.ad Tyr. 4ª.43.F
*in Pulſu quæ inæqualium inæqualitatũ differentiæ.*1°.*de pul.* 4ª.49.E
*Pulſuũ cõpoſitę inæqualitates in quibus cõſiſtãt.de pul.ad Tyr.*4ª.43.G
Pulſuum inæqualitatum inæqualium in vna parte differentiæ. 1°. *de pulſuum diff.* 4ª.50.B
*Pulſuum in vna parte inæqualiũ tertia differẽtia.*1°.*de diff.p.* 4ª.50.G
*Pulſus inæquales deficientes qui.*1°.*de pul.diff.* 4ª.49.E
Pulſus inæqualitas eſt cõis oĩum fluxionũ in pulmone.de præſ. 4ª.119.H
*in Pulſu inæqualitatis oĩ genus quid ſignificet.*4°.*de loc.aff.* 4ª.28.F
*Pulſus inæqualis quid ſignificet, & vnde ſit.*1°.*de præſag.* 4ª.110.C
*Pulſus inæqualis quid ſignificet in criſi.*3°.*de criſi.* 4ª.144.D
inter Pulſus inæquales cur peſſimus pulſus intermittens. 1°. *de præſagi tione ex pul.* 4ª.110.E
Pulſus Inanis.qui.fin.med. Iſa.46.F
Pulſus Incorporeus qui.comp.pul. Sp.65.G
*Pulſus infantis qualis.*3°.*de cau.pul.* 4ª.96.D
*Pulſus in Inflammatis partibus motus non naturalis eſt. de ijs quæ in medic.ſi.com.*3°. 7ª.222.D
*Pulſus inflãmationis.de pul.ad Tyr.*45.A/2°.*de cau.pul.*4°. 4ª.100.B
*Pulſus partium inflammatarum.*1°.*de differẽ.reſp.*3ª.58.F/4°. *de cauſis pulſuum.* 4ª.100.D
*Pulſus inflammationis diuerſarũ partiũ.*4°.*de præſag ex pul.* 4ª.121.C
Pulſus in toto corpore,& in partibus inflãmatis. 4°. *de diff.p.*4ª.64.C
*à Pulſu habẽt inditiũ firmũ,& ſolidũ in inflãmationibus iecoris,mem-branę tegentis coſtas,& talium partium.*2°.*de loc.aff.* 4ª.13.E
*Pulſus diuerſus in inflammatione Iecoris, & membranæ coſtas ſuccin-gentis.*2°.*de loc.aff.* 4ª.13.D
Pulſus inflammationis marcidæ.de pulſ.ad Tyr. 4ª.45.E
*Pulſus eſt in magnis inflammationibus.in progn.com.*1°. 4ª.195.G
*Pulſus in vlceribus inflãmatis quid ſit,& cur.cõ.*7°.*apho.*21°. *Ex.*55.D
Pulſus inflammationum omnium cum febre.de pul.ad Tyr. 4ª.45.A

Pulſus Inguinum

Pulſus Inguinum & alarum affectarum.4°.de præſ.ex pulſ. 4ª.120.F
in Pulſibus Initiatis quid agendum.3°.de cauſ.pulſ. 4ª.95.D
Pulſus Innaturales qui.6°.de decr.Hipp. 1ª.260.G
Pulſus Innuentes in quo ſint genere.1°.de diff.pulſ. 4ª.51.E
Pulſus innuentes qui.de pulſ.ad Tyro. 4ª.45.D
Pulſuum innuentium cauſæ.2°.de cau.pulſ. 4ª.93.F
Pulſus Inordinatus qui.de pulſ.ad Tyro. 4ª.43.F
Pulſus inordinat⁹,& ordinat⁹ nõ habet mediũ.de pulſ.ad Ty.4ª.43.H
Pulſus inordinati cauſa.2°.de cauſ.pulſ. 4ª.94.H
Pulſus mollitiei Inſtrumenti qualis.1°.de cauſ.pulſ. 4ª.89.C
Pulſus duritiei inſtrumenti qualis.1°.de cauſ.pulſ. 4ª.89.C
Pulſus Intercidens qui.fin.med.Iſa.46.H/comp.pulſ. Sp.66.A
Pulſus Intercurrens qui.1°.de pulſ.diff. 4ª.49.E
Pulſus intercurrens in quo fiat.1°.de præſ.ex pul. 4ª.111.B
Pulſus intercurrentes quid ſignificent.1°.de præſag.ex pul. 4ª.111.A
Pulſus Intermittens qui.fin.med.Iſa.46.H/1°.de pul.diff. 4ª.49.E
Pulſuum intermittentium differentiæ.2°.de cau.pul. 4ª.92.A
Pulſus intermittens cui proprius.4°.de cauſ.pul. 4ª.102.A
Pulſus intermittens in vno quid ſignificet.1°.de præſag.ex pul. 4ª.111.E
Pulſus intermittentes in pueris nõ periculoſi.1°.de præſ.ex.p. 4ª.110.F
Pulſus intermittentes in iuuenibus piculoſi.1°.de præſ.ex pul.4ª.110.F
Pulſus intermittentes in ſenio non pernitioſi.1°.de præſa.ex p. 4ª.110.F
Pulſus intermittentes pernitioſiſſimi.1°.de præſag.ex pul. 4ª.111.A
Pulſus ĩtermittẽs cur inter in æquales peſſimus.1°.de præſ.ex.4ª.110.F
ad Pulſum intermittentẽ quõ ſequatur mors.1°.de præſ.ex p.4ª.110.H
Pulſus interrupti motus differentiæ.1°.de pulſ.diff. 4ª.51.D
Pulſus interuallum quid.de pulſ.ad Tyr. 4ª.43.E
Pulſus motus comparatio ad Iram.6°.de dec. Hip. 1ª.260.H
Pulſus iratorum qui.2°.de ſymptomat.cau.3ª.23.D/ de pulſ. ad Tyro. 44.H/3°.de diff.pul.61.F/2°.de cau.pul.91.D/94.C/4°. 4ª.99.F
Pulſus iratorum altus.2°.de cau.pul. 4ª.94.D
Pulſus qui ſequanĩ in ira,& exercitationibus.1°.de cau.pul. 4ª.87.H
Pulſus reprimentis iram.1°.de præſag.ex pul. 4ª.105.A
ex Pulſibus ſigna Iudicationis non poſuit Hipp.3°.de cri. 4ª.144.E
quo Pulſu iudicetur iudicatio optima.4°.de preſag.ex pul. 4ª.122.B
ex Pulſu quomodo cognoſcatur iudicatio ex profluuio ſanguinis nariũ. 4°.de præſag.ex pul. 4ª.122.F
ex Pulſu iudicatio futura per abſceſſum quo modo cognoſcatur. 4°. de præſag.ex pul. 4ª.122.E
Pulſus iuuenum qualis.3°.de cau.pul. 4ª.96.D
Pulſus iuuenis valentis reſpectu formicãtis pueri.2°.de dign. 4ª.75.H
Pulſus iuuenis currentis qualis.1°.de præſag.ex pul. 4ª.111.D
Pulſus eorum qui ex Labore ſudantes deficiũt,& frigeſcunt,qui. de dynamidijs. Sp.34.H
Pulſum habet maiorem,& laſſiorem qui nimia fatigatione fuerint laſſi. de dynamidijs. Sp.34.A
Pulſus letitiæ qui.de pulſ.ad Tyro.44.H/4°.de cauſ.pul. 4ª.99.G
Pulſus Languidus qui.3°.de diff.pul. 4ª.62.A
Pulſus languidus nunquam altus.4°.de præſ.ex pul. 4ª.122.A
Pulſus languidus vnde.1°.de cau.pul. 4ª.88.H
Pulſus languidi cauſa continens.1°.de præſag.ex pul. 4ª.109.A
Pulſus languidi cauſa continẽs eſt cauſa infirma.1°.de cauſ.pul.4ª.88.C
Pulſus languidus immotus videtur premendo.1°.de dign.pul. 4ª.71.A
Pulſus languidi ſenſum fugiunt cum premuntur.1°.de digno.p. 4ª.72.E
Pulſus Latus qui.de pulſ.ad Tyro.43.D/H/2°. de diff. pul. 55. H/3°. de digno.pul. 4ª.80.E
Pulſus latus quomodo fiat.3°.de digno.pul. 4ª.81.C
Pulſus lati cauſæ.2°.de cau.pul. 93.H/ 4ª.94.F
Pulſus latus humilis quid ſignificet.1°.de præſag.ex pul. 4ª.106.F
Pulſus latior in carpo quid ſignificet.2°.de præſ.ex pul. 4ª.113.G
Pulſus Lethargicorum qualis de pulſ.ad Tyron.45.F/1°.de digno.pulſ. 71.A/3°.80.D/4°.de cau.pul.101.H/4°. de præſag. ex p. 4ª. 121.A/ comp.pul. Sp.65.G
Pulſus Lienis inflammati qualis.de pul.ad Tyro. 4ª.45.A
Pulſus Longus qui.de pul.ad Tyro.4ª.43.D/H/2°.de differ. pul.55.H/ 3°.de dignoſc.pul. 4ª.80.E
Pulſus longos habent graciles.1°.de præſ.ex pul. 4ª.106.B
Pulſus longitudo optima quæ.3°.de dign.pul. 4ª.80.G
Pulſus longi cauſæ.2°.de cau.pul.93.H/ 4ª.94.G
Pulſus longus quid ſignificet.1°.de præſag.ex pul. 4ª.106.D
Pulſus longus,& latus quid ſignificet.1°.de præſa.ex pul. 4ª.106.B
Pulſus longior effectus,& latior qd ſignĩet.1°.de præſ.ex pul. 4ª.106.B
Pulſus longus,& altus quid ſignificet.1°. de præſ.ex pul. 4ª.106.D
Pulſus longus,& humilis quid ſignificet.1°.de præſa. ex pul. 4ª.106.C
Pulſus longus,anguſtus,& altus quid ſignĩet.1°.de præſ.ex p.4ª.106.E
Pulſus longus,& anguſtus quid ſignificet.1°.de præſ.ex pul. 4ª.106.E
Pulſus lõgus,anguſtus,et humilis quid ſignĩet.1°.đ præſ.ex p. 4ª.106.F
Pulſus lõgus,anguſtus,humilis ĩ lõgis morbis.1°.de præſ.ex. 4ª.107.E
Pulſus Magni nomen ab omnibus probatur.1°.de pulſ.diff. 4ª.47.H
Pulſus magnus quot dicitur modis.1°.de præſag.ex pul. 4ª.105.D
Pulſus magnus qui.fin.med.Iſag.46.E/de pul.ad Tyro. 43. D/G/1°. de digno.pulſ.71.A/2°.de cau.pulſ.94.D/1°. de præſagitione ex pulſiſibus.4ª.106.D/comp.pul. Sp.65.H
Pulſus magnus à quibus cauſis fiat.1°.de cauſ.pulſ.88.D/1°. de præſagitione ex pulſibus. 4ª.104.F
Pulſus magni ſunt proprij validarum virium.3°.de cau.pul. 4ª.95.G
Pulſus magni,celeriſq; cauſa.4°.de præſag.ex pul. 4ª.122.C
Pulſus magnos,& celeres facit vſus.1°.de cau.pul. 4ª.90.H
Pulſus magnus ob inſtrumentum vnde.1°.de cau.pul. 4ª.89.C
Pulſus magnus quomodo ob iram.1°.de præſ.ex pul. 4ª.104.H
Pulſum habet magnum inflammatio.de tum.præt.nat. 3ª.84.A
Pulſus magnus ex multo ĩteruallo,patiẽte cerebro.c.4°.a.50°. Ex.33.C
Pulſus magnus quo modo cognoſcitur.4°.de dig.pul. 4ª.83.B
Pulſus magnus languidus quo modo cognoſcatur.3°.de dig.pul.4ª.81.H
Pulſus magnus quid ſignificet in criſi.3°.de criſi. 4ª.144.D
Pulſus maiores,celeriores,& crebriores vnde.2°.de cau.pul. 4ª.91.C
Pulſum iuſtũ maiorem habentis ægri caſus.1°.de præſ.ex pul. 4ª.105.E
Pulſus uarij ſi Manus ſit prona vel ſupina.1°.de digno.pul. 4ª.74.B
Pulſus Marſcentiũ qualis.de pul.ad Tyro.45.D/4°.de cauſ. 4ª.101.C
Pulſus Maximi à quibus fiant.1°.de cau.pul. 4ª.87.E
Pulſus affectus ex phrenitide, & lethargo quem nos vocamus malum Mazuchi.4°.de cau.pul. 4ª.102.C
Pulſus mazuchi morbi deprehenditur.de pul.ad Tyro. 4ª.45.H
Pulſus auctus à Medicamento quomodo cognoſcitur, & quomodo differat ab acceſſione.1°.de præſag.ex pul. 4ª.105.B
Pulſus Medius qui.fin.med. Iſa.46.E/F
Pulſus medi⁹ ĩter vehemẽtẽ,et lãguidũ ẽ naturalis.1°.de ca.p.4ª.87.G
Pulſus Minimi vnde.1°.de cau.pul. 4ª.90.B
Pulſus minimus intermittens,& deficiens vnde.1°.de cau.pul.4ª.88.H
Pulſus minor ſolito vnde.1°.de præſag.ex pul. 4ª.105.F
Pulſus minor à quibus fiat cauſis.1°.de præſag.ex pul. 4ª.107.C
Pulſus Moderatus eſt prior immoderato intelligentia,& cognitione.3°. de digno.pul. 4ª.79.F
Pulſus moderatæ naturæ qualis.2°.de digno.pul. 4ª.78.B
Pulſus moderatus ſolus naturalis eſt.1°.de præſag.ex pul. 4ª.109.A
Pulſus moderatos habent quadrati.1°.de præſag.ex pul. 4ª.106.B
Pulſus moderatus ſimpliciter quid ſignificet.1°.de præſ.ex p. 4ª.106.G
Pulſus Mollis qui.fin.med.Iſa.46.F/de pul.ad Tyro. 4ª.43.H
Pulſus mollitudo in quo conſiſtat.de pul.ad Tyro. 4ª.43.D
Pulſus mollis vnde.1°.de cau.pul. 4ª.87.B
Pulſus molles vnde ob œdemata.4°.de præſ.ex pul. 4ª.120.A
Pulſum cur emolliant œdemata.4°.de præſag.ex pul. 4ª.120.A
cũ Pulſibus mollibus raritas.1°.de cau.pul. 4ª.89.D
Pulſus mollis cauſa continens.1°.de præſag.ex pul. 4ª.109.A
Pulſus mollis cauſæ præcedẽtes,& externæ.1°.de præſ.ex p. 4ª.109.D
Pulſus mollis nũquam fit ex Thoracis,vel Iocinoris tumore.4°. de præſagitione ex pulſibus. 4ª.120.B
Pulſus mollis,& vndoſus ſudorem ſignificat.3°.de criſ. 4ª.144.D
Pulſus molliſſimus periculoſus perinde vt duriſſimus.1°.de præſagitione ex pulſibus. 4ª.111.D
de Pulſus Motu ſentit Galenus cum Athenæo.4°.de dif.pul.4ª.69.A
Pulſus motus videtur voluntarius.fin.med. Iſa.44.H
Pulſus à quo moueatur.1°.de cau.pul. 4ª.86.H
Pulſus ex contrarijs partibus conſtitutus geminum motum habet ſemper.1°.de pulſ.differt. 4ª.47.C
Pulſus Mulierum qualis.3°.de cauſ.pul. 4ª.95.D
Pulſus Muris modo qui comp.pul. Sp.66.A
Pulſum minus intẽdũt,& indurant Muſculi affecti.5°.de l.af. 4ª.29.H
Pulſus triplex Mutatio.de pulſ.ad Tyro. 4ª.43.H
Pulſus per quot cauſas mutetur.de ſan.tu. 2ª.75.A
ad Pulſus mutantes cauſas tria conſideranda inſtrumentum, vſus,& facultas.3°.de præſag.ex pul. 4ª.118.A
Pulſum multat animi perturbatio.in progno.com.1°. 4ª.192.B
Pulſus mutatio quæ eſt diuturna,quæ non.1°.de præſ.ex pul. 4ª.104.H

Pulſus quo modo mutetur colore acuto,et diminuto.2°.de ſa.t.2ª.75.A
Pulſus mutatio per accidens quæ.2°.de.dign.pulſ. 4ª.77.C
Pulſus mutati euacuationis terminũ obtinẽt.đ ven.ſe.adu. Era.6ª.7.H
Pulſus Myrmechizon qui.de comp.pulſ. Sp.66.B
Pulſus Myurus qui.fin.med.Iſa.46.H/1°.de pulſ.diff. 4ª.49.D
Pulſus Naturales qui.1°.de cau.pulſ. 4ª.87.F
Pulſus naturales ſunt medij inter exceſſus.1°.de cau.pulſ. 4ª.89.G
Pulſus naturalis eſt ſolus moderatus.1°.de præſ.ex pulſ. 4ª.109.A
Pulſus proprius naturæ conſiderandus non quem ſciamus.2°.de dignotione pulſuum. 4ª.77.A
Pulſus natiui cognitio neceſſaria eſt ad pulſus noſcendos. 2°. de præſag. ex pulſ. 4ª.113.H
Pulſus naturalis eſt regula Polycleti.2°.de cau.pulſ. 4ª.94.B
Pulſus naturaliter quomodo debeat comparari.1°.de cau.pul. 4ª.87.H
Pulſus naturalis nota.2°.de cau.pulſ. 4ª.94.A
Pulſus quando natura aggreditur eijcere id quod corpus lædit. de præcognitione ad Poſth. 4ª.215.D
Pulſus Nephriticorum.de dyna. Sp.35.C
Pulſus Neruoſarum partium.de pulſ.ad Tyro. 4ª.45.A
Pulſus aut paruos,aut nullos faciunt partes neruoſæ.4°.de p̃ſ. 4ª.121.F
Pulſus Obliquatus qui.fin.med. Iſa.46.G
Pulſus Obſcurus qui.fin.med. Iſa.46.F
ex Pulſu quomodo cognoſcatur Obſtructio membri pĩcipalis.1°.de arte cura.ad Glauconem. 7ª.99.F
Pulſus Oedematis qui.4°.de præſag.ex pul. 4ª.121.B
Pulſus œdematum diuerſarum partium.4°.de præſ.ex pul. 4ª.121.C
Pulſus Opiſthotonicorum,& emproſthotonicorum. de dyna. Sp.35.D
Pulſus ex Oppletione qui.de frac.com.3°. 7ª.243.D
Pulſuum Opera quomodo diſtinguenda.3°.de diff.pul. 4ª.61.A
Pulſus Ordo qui.fin.med. Iſa.46.F
Pulſus ordinatus qui.de pulſ.ad Tyro. 4ª.43.H
Pulſus ordinatus, et iordinat⁹ nõ habet mediũ.de pul.ad Ty. 4ª.43.H
Pulſus ordinati cauſa.2°.de cau.pul. 4ª.94.H
Pulſus ordo & perturbatio.de pulſ.ad Tyro. 4ª.43.F
Pulſus ordo & pturbatio ordinis quot fiãt modis.1°.de diff.p. 4ª.48.H
Pulſus ordo,& perturbatio quid ſignificent.2°.de præſ. 4ª.114.C
Pulſus perturbatio ordinis.de pul.ad Tyro. 4ª.45.F
Pulſus ordinis priuatio.fin.med. Iſa.46.F
Pulſus ordine carens.fin.med. Iſa.46.F
Pulſus Orthopneæ qualis.de pul.ad Tyr.46.B/4°.de cau.p. 4ª.103.A
Pulſum tenet mitiorem Paracmaſticus in ſecundo vel tertio die cum declinatione quam homotonus,& acmaſticus,quamuis in principio vehemens fuerit.de dyna. Sp.34.C
Pulſus Paraliticorũ qualis.de pul.ad Tyr.46.A/4°.de cau. 4ª.102.G
*Pulſus Pararrhythmus qui.1°.de pul.diffe.4ª.48.G/cõp.pul.*Sp.65.H
Pulſus Parui nomen ab omnibus probatur.1°.de pul.diff. 4ª.47.B
Pulſus paruus qui.fin.med.Iſa.46.E/de pul.ad Tyro. 4ª.43.D
de Pulſuum commutatione in paruitate.1°.de præſ.ex pul. 4ª.105.F
Pulſus paruos habent mulieres,tamẽ habent arterias molles.3°.de cauſis pulſuum. 4ª.95.H
Pulſus paruitas vnde proueniat.1°.de ſymp.cau. 3ª.18.F
Pulſus paruus ob inſtrumentum vnde.1°.de cau.pul. 4ª.89.C
Pulſus paruus eſt creber.1°.de præſag.ex pul. 4ª.109.C
Pulſus parui ſunt pueris.2°.de digno.pul. 4ª.77.E
Pulſus parui tardi,& crebri vnde.1°.de cau.pul. 4ª.88.G/H
*Pulſus nullus paruus põt in partes duas diſſecari.2°.de cau.p.*4ª.92.C
Pulſus parui,& imbecilli q̃uo debeant tangi.3°.de digno.pul. 4ª.80.H
Pulſum paruum cur habent craſſi.1°.de digno.pul. 4ª.74.A
Pulſus Peripneumaticus raro dicrotus.4°.de cau.pul. 4ª.102.B
Pulſus Peripneumonicorum.de pul.ad Tyro.45.A/F/4°.de cauſis pul. 100.H/4ª.101.F/de dyna. Sp.35.A
Pulſus in Pede vnde ſit.3°.de ana.adm. 1ª.79.D
Pulſus Peſſimi qui,& eorum inter ſe ordo.1°.de præſ.ex pul. 4ª.111.D
Pulſuum peſſimus primo eſt languidiſſimus,tardiſſimus, rariſſimus, deinde minimus, molliſſimus, duriſſimus, Tertio creberrimus.2°.de præſag.ex pul. 4ª.111.D
*Pulſus Peſtilentiæ maximæ tempore Galeni.3°.de præſa.ex p.*4ª.115.D
Pulſus Phreniticorũ qualis de pul.ad Tyro.4ª.45.G/cõp.pul. Sp.65.G
Pulſus phreniticorum rariſſime vndoſus.4°.de cau.pul. 4ª.102.B
Pulſus Phtiſicorum qualis.de pul.ad Tyr.45.E/4°.de cau.p. 4ª.101.C
Pulſus Pituitæ.de mul.3ª.82.A/de nat.& ord.cuiusl.corp. Sp.41.F
Pulſus abundantis pituitæ qui.4°.de præſag.ex pul. 4ª.121.A
de Pulſu Pleno,& vacuo.4°.de dign.pulſ. 4ª.83.F
de Pulſu pleno ſecundum Galenum.4°.de dign.pul. 4ª.85.D
Pulſus plenus qui.fin.med.Iſa.46.E/1°.de pul.diff.48.B/4°.de digno.pulſ.84.E/comp.pulſ. 4ª.65.H
Pulſus plenus,& humidus à ſanguine fit.de dyna. Sp.19.F
Pulſus cur alteretur in Pleuritide.de conſt.ar. Iſa.40.E
Pulſus Pleuriticorum qualis.de pul.ad Tyro.45.A/B/4°.de cauſ.pul. 4ª.100.F/de dyna.34.H/comp.pulſ. Sp.65.G
Pulſus poſt prandium rarior.de vſu pul. 1ª.227.G
Pulſus præfocationis qualis.de pul.ad Tyro. 4ª.46.C
Pulſus Prægnantium qui.de pul.ad Tyr.44.C/3°.de cau.pul. 4ª.97.D
ex Pulſibus Præſagia vnde.2°.de dign.pul. 1ª.77.F
ex Pulſu quo modo maxime præſagimus.de vſu pul. 1ª.227.E
*ex Pulſu p̃dicit,vt ex curuis,et nigris vnguibus mors.đ vſu p.*1ª.227.E
ex Pulſibus præſagiorum liber præcedit librũ prognoſticorum. in prognoſt.commen.1°. 4ª.191.H
de Pulſus præſagitione cum librum fecit Galenus peſtilentia adhuc vigebat.3°.de præſag.ex pul. 4ª.116.H
Pulſus Preſſionis prauæ.4°.de cau.pul. 4ª.103.H
Pulſus Priuatio quid.1°.de præſag.ex pul. 4ª.106.A
Pulſus priuatio vnde proueniat.1°.de ſymp.cau. 3ª.18.F
Pulſu quomodo priuabis crura,& brachia.de vſu pul. 1ª.227.D
Pulſu adempto non adimitur motus,& ſenſus.de vſu pul. 1ª.227.D
Pulſus Profluuiorum ſanguinis qualis.de pul.ad Tyro. 4ª.44.H
Pulſus Profluuiorum menſium qualis.de pul.ad Tyro. 4ª.44.H
Pulſus profluuiorum validorũ ventris qualis.de pul.ad Tyr. 4ª.44.H
Pulſus Profundus qui de pul.ad Tyro. 4ª.43.D/H
Pulſus puerorum nuper genitorum qualis.comp.pul. Sp.65.D
Pulſus pueri qualis.3°.de cau.pul. 4ª.96.D
Pulſus cum pulmo calefacit cor.4°.de præſag.ex pul. 4ª.119.G
Pulſus pulmonis ſicci qui.4°.de præſag.ex pul. 4ª.119.H
Pulſus humidi pulmonis.4°.de præſag.ex pul. 4ª.119.H
*Pulſum quẽ habet pulmo in diuerſis morbis.3°.de præſ.ex pul.*4ª.116.C
Pulſus deſtillationis in pulmone.4°.de præſag.ex pul. 4ª.119.H
ex Pulſu,vrina,& calore cognoſcitur Putredo an ſit in ſuccis.10°.methodi medendi. 7ª.63.D
Pulſus Quies quid.de pulſ.ad Tyro. 4ª.43.E
*Pulſus quies ictuum interuallum,& contractio idẽ ſunt.de pul.*4ª.43.E
in Pulſu duplex quies,& quo modo.1°.de pul.diff. 4ª.47.C
in Pulſu quiete ſunt partes per accidens.1°.de dig.pul. 4ª.74.F
in Pulſu,quiete tres differentiæ ſunt rarus,creber,& medius.1°.de differ. pulſuum ad Tyrones. 4ª.48.F
in Pulſu quies ſentitur.2°.de ſymp.cau. 3ª.20.C
Pulſus quies ſupra tactu percipitur.1°.de pul.diff. 4ª.48.F
Pulſus quies infera non ſentitur.1°.de pulſ.diff. 4ª.48.F
Pulſus quies externa quomodo ſentiatur.1°.de digno.pulſ. 4ª.74.F
Pulſus quies interna quomodo cognoſcatur.1°.de dign.pul. 4ª.74.F
Pulſuum quies quæ longa,& quæ breuis.1°.de præſ.ex pul. 4ª.110.G
Pulſus rarus qui.de pulſ.ad Tyro. 4ª.43.E
Pulſum rarum,& tardum efficit triſtitia.de ana.viu. Sp.47.A
*Pulſum rariorẽ,tardiorẽ,ac minorẽ habẽt algẽtes.de vſu pul.*1ª.227.F
Pulſus rari pernitioſi qui.1°.de præſag.ex pul. 4ª.111.A
*Pulſus raritas,& crebritas quid ſignificent.1°.de præſ.ex p.*4ª.109.H
Pulſus raritas quibus grauis.1°.de præſag.ex pul. 4ª.110.G
Pulſus raritas nunquam vacat periculo.1°.de præſ.ex pul. 4ª.111.G
Pulſus Reciproci decurtati qui.1°.de pulſ.diff. 4ª.49.D
Pulſus reciproci deficientes qui.1°.de pulſ.diff. 4ª.49.F
Pulſus Recurrens qui.fin.med. Iſa.46.H
Pulſus eius qui Refrigeratur q̃uo mutetur.1°.de præſ.ex pul. 4ª.105.H
Pulſus varij diuerſarum Regionum.de pulſ.ad Tyro. 4ª.44.C
Pulſuum mutatio ex regionibus,& ſtatibus.3°.de cau.pul. 4ª.97.D
Pulſus Remiſſio in quo conſiſtat.de pul.ad Tyro. 4ª.43.D
Pulſus eorum qui Renibus patiuntur.de dyna. Sp.35.B
Pulſus renum inflammatorum qualis.de pulſ.ad Tyro. 4ª.45.A
Pulſus Repletionis immodicæ.de vſu pulſuum. 1ª.227.F
Pulſus retracti ac inordinati quo lunæ aſpectu fiant.de decu.progn. ex mathematica ſcientia. Sp.12.G
Pulſus retracti fiunt Luna in coniunctione ſolis, Saturno in tetragono. de decub.progn.ex math.ſcientia. Sp.13.A
in Pulſibus Rhythmi quid ſignificent.1°.de præſag.ex pul. 4ª.110.B
in Pulſu quid ſit rhythmus.1°.de pulſ.diff. 4ª.48.D
de Pulſuum rhythmis egit abũde Herophilus.1°.de præſ.ex. 4ª.110.B

in Pulſu

in Pulſu rhythmorum differentiæ.1°.de pul.diff. 4ª.48.G
in Pulſibus ſolis vehemẽtiſſimis rhythmi noſcunt̃.3°.đ dig.p.4ª.82.A
in Pulſibus rhythmorum mutatorum cauſæ.2°.de cauſ.pul. 4ª.95.A
Pulſus ſanguinis.de mult.3ª.82.A|de nat.& ord.cuiusl.corp.Sp.41.E
Pulſus ſanguis.de mul.3ª.82.A|de nat.& ord.cuiusl.corp. Sp.41.E
Pulſum quem faciat ſanguinis copia.2°.de cau.pul. 4ª.91.G
Pulſum quem faciat ſanguis in arterijs quãdoque craſſus,& lentus.2°. de cauſis pulſuum. 4ª.91.G
Pulſus tangendus dum ſanguis mittitur.de cur.ratione per ſang. miſſionem.6ª.19.B|præſ.exper.conf. Sp.77.H
Pulſus quos faciat Scyrrhus.2°.de cau.pul. 4ª.91.F
Pulſus ſcirrhorum diuerſarum partiũ.4°.de præſ.ex pul. 4ª.121.C
Pulſus Senioris qualis.3°.de cau.pul. 4ª.96.D
Pulſus ſenum quibus conſtet temporibus.comp.pulſ. Sp.65.E
Pulſus Septi tranſuerſi affecti.4°.de præſ.ex pul. 4ª.120.B
Pulſus ſerrans. de pulſ.ad Tyro. 4ª.45.A
Pulſus ſerrantis proprius pleuriticorum.de pulſ.ad Tyro. 4ª.45.C
Pulſus Siccus qui.fin.med. Iſa.46.F
in Pulſibus Siſtole quid.de vſu pulſ. 1ª.229.D
Pulſuum mutatio ex Somno.3°.de cau.pulſ. 4ª.97.H
Pulſus in ſomnis.in progn.Hipp.com.1°. 4ª.192.A
Pulſus ſoporum profundorum qualis.de pul.ad Tyro. 4ª.45.F
Pulſus ſoporis ex imbecillitate.in 3m.de morb.vul.com.1°. 3ª.131.H
Pulſus cum Spaſmo qui.comp.pulſ. Sp.65.H
Pulſus ſpiſſus eſt qui continue per eundẽ locũ deuenit.cõ.pulſ. Sp.65.H
Pulſus Status quales.1°.de diff.reſp. 3ª.58.D
Pulſus ſtomachi affecti qualis.de pul.ad Ty.46.C|4°.de cau. 4ª.103.C
Pulſus ſtomachicorum affectuum.2°.de digno.pulſ. 4ª.76.A
Pulſus Stupidus ſignificat diſpoſitionem eſſe in neruis muſculi, et ad paralyſim tendit.2°.de locis affectis. 4ª.8.H
Pulſus Sudoris qui.præſ.exper.conf. Sp.77.F
Pulſus Suppuratorum qualis.de pulſibus ad Tyrones.45.D|4°. de cauſis pulſuum. 4ª.101.A
Pulſuum ſymptomata manifeſtant morbos.de conſt.ar. Iſa.40.H
de Pulſu Synanchicorum.de dyna. Sp.34.G
ex Pulſu quo modo cognoſcatur Syncopa.4°.de cau.pul. 4ª.102.C
Pulſum quem habet ſyncope.4°.de cau.pulſ. 4ª.100.H
Pulſus habentium Syncopem cum cruditate.12°.met.me. 7ª.35.E
Pulſus ſyncopis cardiacæ.de pul.ad Tyro. 4ª.44.H
Pulſus ſyncopis ex corde, vel ſtomacho.de pulſ.ad Tyro. 4ª.45.E
ex Pulſu qũo cognoſcatur ſyncopis periculum.4°.de præſ. 4ª.122.E
Pulſus Tardus quid ſit.2°.de digno.pul.75.B|3°. 4ª.79.G
Pulſus tardi qui,& vnde.1°.de cau.pul. 4ª.88.E
Pulſus tardus,& diuturnus differunt.1°.de cauſ.pul. 4ª.88.C
Pulſus tarditas ad quæ pertinet.de pulſ.ad Tyro. 4ª.43.D
Pulſus tardi,parui,& crebri,vnde.1°.de cau.pul. 4ª.89.H
Pulſus tarditas quid ſignificet.1°.de præſ.ex pul. 4ª.109.E
Pulſus tardior frigidius tpamẽtũ declarat.1°.de p̄ſa.ex pul. 4ª.108.D
Pulſus tardus,& ſegnis fit à cholera nigra.de dyna. Sp.19.F
Pulſus tardiſſimi,lãguidiſſimi,& minimi vnde.1°.de præſ.ex.4ª.110.H
Pulſu tardo ſecurior eſt pulſus velox.1°.de præſag.ex pul. 4ª.111.D
in Pulſu quid faciat Tempus.2°.de dig. pul. 4ª.75.A
Pulſus temporum anni quo modo varient.de pul.ad Tyro. 4ª.44.B
Pulſus diuerſarum partium anni.2°.de dignoſ.pul. 4ª.78.E
Pulſus oẽs non afficiuntur ab anni temporibus.2°.de dign.pul. 4ª.78.F
Pulſuum mutatio pro temporibus anni.3°.de cau.pul. 4ª.97.A
Pulſus in temporum arterijs cum dolore maximo eſt motus non naturalis.de ijs quæ in med.ſi.com.7°. 7ª.222.D
in Pulſibus Temporum vinum euitandũ.1°.de arte cu.ad Gla. 7ª.95.F
Pulſus Tenuuior aſper percutiens à cholera rubra fit.de dyn. Sp.19.F
Pulſus Teſtium affectorum.4°.de præſag.ex pul. 4ª.121.E
Pulſus affectus Thoracis qui.4°.de præſag.ex pul. 4ª.120.B
Pulſus Timentium qui.2°.de ſymp.cau.3ª.23.D|de pul.ad Tyro.44.H| 2°.de cau.pul.91.D|4°. 4ª.99.H
Pulſus Tremulus quando appareat.2°.de præſag.ex pul. 4ª.114.B
Pulſus tremulus quid ſignificet.2°.de præſ.ex pul. 4ª.114.B
Pulſus Triſtitiæ qualis.4°.de cau.pul. 4ª.99.H
Pulſus turgidus qui.1°.de digno.pul. 4ª.71.A
Pulſus Tympanitis qualis.4°.de cau.pul. 4ª.103.E
Pulſus Vacuus qui.1°.de pul.diff.48.B|4°.de digno.pul. 4ª.84.E
Pulſus vacuus,& plenus qui.3°.de diff.pul. 4ª.62.D
de Pulſu vehementi,& languido.4°.de dign.pul. 4ª.84.F
Pulſus vehementiæ nomina antiquorum.3°.de diff.pul. 4ª.59.G
Pulſus vehemens qui dicatur à varijs.de pul.diffe. 4ª.46.D
Pulſus vehemens qui.fin.med.Iſa.46.F|de pulſ.ad Tyro.43.H|1°.de digno.pul.71.A|3°.de diff.pul. 4ª.61.H
Pulſus vehementia in quo conſiſtat.de pulſ.ad Tyro. 4ª.43.D
in Pulſibus vehementibus percipiemus motus initium, ſed non quantitatem.3°.de digno.pul. 4ª.81.G
Pulſus vehementis cauſa ſecũdum antiquos quæ.3°.de dif.pul.4ª.59.H
Pulſus vehementſſimi,& maximi vnde.1°.de cau.pul. 4ª.89.A
Pulſus vehementis cauſa continens.1°.de præſ.ex pul. 4ª.109.A
Pulſus vehementis cã continens eſt facultas valens.1°.de cau. 4ª.88.C
Pulſus vehemens quo modo cognoſcitur.3°.de diff.pul.60.E| 4ª.62.A
Pulſus vehemens cognoſcitur præmendo.1°.de dig.pul. 4ª.70.H
Pulſus vehementes ſoli premi.debent.3°.de dig.pul. 4ª.81.B
Pulſus vehementes violenter tactum feriunt.4°.de dig.pul. 4ª.83.C
in Pulſu vehemẽtia requiritur vt tactũ repellat.4°.đ dig.pul. 4ª.83.C
Pulſus vehementes habent contractionẽ ſenſibilẽ.1°.de dig.p. 4ª.72.E
Pulſum vehementem,& magnum qui habent.1°.de dig.pul. 4ª.73.A
Pulſum vehementem,& inſignem habent graciles.1°.de dign. 4ª.74.B
Pulſus ꝑ bonas iudicationes fiunt vehementes.4°.de cauſ.pul.4ª.99.G
Pulſus vehemens cum humiditate quomodo fiat.3°.de diff.pul. 4ª.61.E
Pulſus Velox eſt qui in paruo tp̃e longitudinẽ explet.cõp.pul. Sp.65.H
in Pulſu velocitatis,& ſpiſſitudinis differentia.comp.pul. Sp.65.H
Pulſus velox vnde fiat.1°.de diff.reſp. 3ª.57.E
Pulſus velox Securior tardo.1°.de præſag.ex pul. 4ª.113.C
Pulſus Ventriculi inflammati qualis.de pul.ad Tyro. 4ª.45.A
Pulſus ventriculi affecti.4°.de præſ.ex pul. 4ª.120.D
Pulſus affectorum locorum nutritionis dempto ventriculo.4°.de præſagitione ex pulſibus. 4ª.120.E
Pulſus eorum qui Veratrum ſumpſerunt.de pulſibus ad Tyron.46.D| 4°.de cauſis pulſuum. 4ª.103.G
de Pulſu Vermiculante.1°.de diff.pulſ. 4ª.51.H
Pulſus vermiculans qui.de pul.ad Tyro.4ª.43.G|cõp.pul. Sp.66.B
Pulſus vermiculans qui,& vnde ſit.de pulſ.ad Tyro. 4ª.44 H
Pulſus vermiculãtis,& vndoſi differentia,& cauſę.2°.de cau.4ª.93.C
Pulſus vermiculans cæteris tardior.2°.de dign.pulſ. 4ª.76.A
Pulſus vermiculans quomodo fiat.de pulſ.ad Tyro. 4ª.46.D
Pulſus vermiculantes vnde.2°.de præſ.ex pul. 4ª.113.A
Pulſus vermiculantes quæ ſequuntur.3°.de cau.p.99.D|4°. 4ª.103.D
Pulſus vermiculans quid ſignificet.2°.de præſ.ex pul. 4ª.112.G
Pulſus Veſicæ inflammatæ qualis.de pulſ.ad Tyro. 4ª.45.A
de Pulſu Vibrato.1°.de diff.pul. 4ª.52.C
Pulſus vibratus cur violenter feriat.4°.de dign.pulſ. 4ª.83.C
Pulſuum vibratorum cauſæ.2°.de cau.pul. 4ª.92.G
Pulſus vibratus dicrotus vnde.3°.de præſag.ex pul. 4ª.116.A
Pulſus vibratus quid ſignificet.1°.de præſag.ex pul. 4ª.108.A
Pulſus carens vibratione quid ſignificet.1°.de præſag.ex pul.4ª.108.A
Pulſus dura vibratione longior, anguſtior, & humilior quid ſignificet. 1°.de præſag.ex pulſ. 4ª.108.A
Pulſum Vigentem, & ſordidum ſine intermiſſione habet Acmaſticus. de dynamidijs. Sp.34.C
à Pulſu Vigilantium quo modo differat pulſus dormientium.3°. de cauſis pulſuum.4ª.97.H|de ana.viu. Sp.45.H
Pulſus quales faciat Vindictæ cupiditas.2°.de cau.pul. 4ª.91.D
Pulſus potus Vini qui.de pul.ad Tyro. 4ª.44.E
Pulſus qui ſequatur vino potato.1°.de cauſ.pulſ. 4ª.87.H
Pulſuum mutatio ex vino qualis.3°.de cauſ.pul. 4ª.99.C
Pulſus quos faciat vini intempeſtiuus potus.1°.de dign.pulſ. 4ª.73.C
Pulſum quem facit à vino noxa.1°. de præſag.ex pul. 4ª.107.G
Pulſus Virorum qualis.3°.de cauſ.pul. 4ª.95.D
Pulſus virorum reſpectu mulierum.de pul.ad Tyro. 4ª.44.A
de Pulſu Vndoſo.1°.de diff.pulſ. 4ª.51.H
Pulſus vndoſus qui.de pul.ad Tyro. 4ª.43.G
Pulſus vndoſi,& vermiculãtis differẽtia,et cã.2°.de cau.pul. 4ª.93.C
Pulſum vndoſum qui morbi habeant.2°.de præſag.expulſ. 4ª.112.G
Pulſus vndoſi vnde.2°.de præſag.ex pulſ. 4ª.113.A
Pulſus vndoſus quid ſignificet.2°.de præſag.ex pulſ. 4ª.112.G
Pulſus vndoſus,& mollis ſudorem ſignificat.3°.de criſibus. 4ª.144.D
Pulſuum Vſus qui.de vſu pulſ.229.G|4°.de differ. pulſ. 65. E| F|1°.de præſagitione ex pulſibus. 4ª.104.E
Pulſuum,& reſpirationis vſum eundem eſſe putant omnes medici, & philoſophi.de vſu pulſ. 1ª.227.D

Pulſus,& reſpirationis quod non idem vſus.de vſu pulſ. 1ª.227.D
Pulſus Vteri ſuffocati qualis.4°.de cau.pulſ. 4ª.103.B
Pulſum ὑγρόφανῆ quem vocent Græci.3°.de diff.pul. 4ª.62.D
PVLTICVLA Athera dicitur.14°.met.me. 7ª.90.F
PVLVERIZARI debent adſtringentia cur,& quo modo.2°.de comp. me.per genera. 5ª.225.C
Pulverizatam,& malaxatam cum melle chamæmelũ quis dabat ad dolorẽ ventris,& rerũ ꝑpter humores frigidos.de med.exp.Sp.106.D
PVLVERVLENTA vrina,& maxime ſi frigus,& lippitudo oculorũ fuerit,& caligo,& ſuperiores partes in ſudorem veniant venturum ſpaſmum denuntiat.de dyna. Sp.34.D
in Puluillum redigi quid ſit.4°.de comp.me.ſec.loc. 5ª.152.D
PVLVINO magis quàm canali tibia collocanda.de fra.c.2°. 7ª.239.B
PVLVERE alto vtebantur in palæſtra.2°.de ſan.tu. 2ª.74.E
Puluere quando vtendum temperato.2°.de ſan.tu. 2ª.76.B
Puluere qui vtuntur lauari debent.2°.de ſan.tu. 2ª.76.B
Puluere Athletæ ſuffocati.11°.de vſu par. 1ª.188.E
Pulueris quo antiquitus vtebantur differentiæ.5°.de ſan.tu. 2ª.90.D
Puluis habet vim emplaſticam,refrigeratoriam,et repercuſſoriam.8°. de ſimp.me.fac. 5ª.60.A
ex Puluere contingunt aſperitates.de cauſ.mor. 3ª.9.C
Puluis ab aliquo animali edi non poteſt.4°.de comp.me.fac. 5ª.30.C
Puluis ad cancrum.de dynamidijs.30.G| Sp.31.A
Puluis Ciricus vtilis eſt ad pingues hoĩes attenuandos, curat leproſos hernioſos,pruriginoſos,ſcabioſos,hoc ſi quis vſus fuerit podagrico, vel arthritico,vel alio dolore non moleſtabitur.de dyna. Sp.30.B
Puluis Gariophilorum confert debilitati virtutis digeſtiuæ. de medicinis expertis. Sp.106.E
Puluis Ireos cum mulſa vomitum facit.de cathart. Sp.95.C
Puluis pro Menſibus ciendis debet eſſe tenuiſſimus. de curandi ratione per ſangu.miſſ. 6ª.20.F
Puluis Nitroſus extenuat.5°.de ſan.tu. 2ª.90.D
Puluis Pinguis qui.5°.de ſan.tu. 2ª.90.D
Puluis ſupra folia Platani arteriam offendit,& omnes ſenſus.8°.de ſimplic.me.facult. 5ª.58.G
Puluis Punicoſus extenuat.5°.de ſan.tu. 2ª.90.D
Puluis Triconizatus.de dyna. Sp.32.B
Puluis ad ſtringendam Vuluam.de dyn. Sp.29.C
Pulueres melli quando miſcendi.2°.de arte cur.ad Glauc. 7ª.106.H
Pulueres per linteolum concernit.6°.de comp.me.ſec.loc. 5ª.175.D
Puluis per arundinem in nares inſufflatus.2°. de compoſitione medicamentorum ſecundum locos. 5ª.139.B
Pulueres ſeruandi ne tranſpirent.8°.de comp.me.ſec.loc. 5ª.191.A
Puluerem expuunt, & emungunt qui ambulant per puluerem. 11°. de vſu partium. 1ª.188.E
PVMEX quid.de ſimp.med. Sp.88.H
Pumex in quo ſit genere.9°.de ſimp.me.fac. 5ª.68.F|G
Pumex qualis.9°.de ſimp.me.fac. 5ª.67.C
Pumex cur leuis.1°.de ſimp.me.fac. 5ª.4.G
Pumex διάκενη fiſtulis plena,non κενὴ id eſt vacua.3°.de diff.4ª.62.C
in Pumice non eſt vacuum.in.6ᵐ.de mor.vul.com.4°. 3ª.182.H
Pumex ad dentifricia facit,& ſcriptoribus vſui eſt ad calamos temperandos,in malagmata ponitur.abradit, & ſua aſperitudine leuigat. de ſimplic.medicaminibus. Sp.88.H
Pumex dentes extergit,& ſplendorem conciliat.9°.de ſimplic.medica. facul.69.G|11°. 5ª.81.A
Pumex ſarcotica eſt.9°.de ſimp.me.fac. 5ª.69.G
Pumex vſtus qualis.9°.de ſimp.me.fac. 5ª.67.C
Pumex vſtus.5°. de comp.me.ſec.loc. 5ª.164.A
Pumex torrefactus vino reſtrictus.5°.comp.me.per gene. 5ª.253.G
Pumex pro vlceratis tuberculis.in 6ᵐ.de mor.vul. com.1°. 3ª.161.A
ex Pumice collyrium.4°.de comp.me.ſec.loc. 5ª.150.E
PVMICOSVS puluis extenuat.5°.de ſan.tu. 2ª.90.D
in PVMILIVM fructibus aquea eſſentia.4°.de ſimp.me.fac. 5ª.28.G
PVNCTIO quid ſit.de ocul. 7ª.187.H
Punctiones ſunt q̃n hydropici ꝑforantur.com.6°.aph.27°. Ex.48.G
PVNCTIO in capite quid ſignificet.2°. de comp.me.ſe.lo. 5ª.135.H
Punctio à quo fiat.2°.de ſymp.cauſ. 3ª.22.C
Punctionis calor.de ſimp.med. Sp.80.H
Punctioni ſimilis dolor mẽbranarũ,et qualis.đ cu.rat.ꝑ ſan.m. 6ª.21.F
Punctiones in acceſſionibus diſcutit thlaſpi.de ſimp.med. Sp.91.G
ad Punctionem in ſtomacho.ſecretorum. Sp.102.F
ad PVNCTIONVM ſuffuſionum artem quæ requirantur. de par. art.med. Sp.18.D
Punctorius dolor qui ſit,& vnde ſit.2°.de loc.affect. 4ª.11.H
Punctorius dolor qualis.2°.de loc.affe. 4ª.9.G
Punctorius dolor eſt in morbo laterali.2°.de loc.aff. 4ª.9.H
PVNCTVRA quid.de conſt.ar. Iſa.37.D
in Puncturis neruorum vtaris acrioribus, quæ vulnus ſeruent apertum.3°.de comp.mc.per gen. 5ª.234.F
in Puncturæ nerui initio ſine phlegmone quæ conueniant. 3°.de compo. me.per genera. 5ª.235.A
in Puncturis neruorum quæ ſint digerẽtia.3°.de cõp.me.ꝑ g. 5ª.235.A
ad Puncturas neruorum.2°.de comp.me.per ge. 5ª.226.D
in Punctura nerui caſus.6°.met.me. 7ª.37.B
ad Puncturam ſub vbere remedium.de dyna. Sp.27.G
ad Puncturam ventris.ſecretorum. Sp.99.G
Puncturis mortiferis valens electarium de med.exper. Sp.107.A
Puncturis mortiferis omnibus valẽs electarium.de med.exp.Sp.107.B
ad Puncturas ſcorpionis.de med.exper. Sp.104.F
contra Puncturam tyri electarium.de med.exper. Sp.107.A
PVNCTVM quid.de conſt.ar.Iſa.37.D|de hiſt.philo. Sp.4.C
Punctum cũ ſupꝑficie quæ figura egregie coniungat.de ana.viu. Sp.52.F
Puncto ſignum accipitur.de ſept.par. 1ª.341.C
PVNCTI in brachio pueri emplaſtico curati qui perijt caſus.3°.de cõpoſi.me.per genera. 5ª.231.G
Puncto capite nerui fit conuulſio,quæ vt ſanetur debet fieri alter morbus.3°.met.me. 7ª.21.H
Punctorum neruorum curatio.6°.met.me. 7ª.37.C
Puncto neruo metalla non conueniunt,niſi præparata.3°.de compoſitione me.per genera. 5ª.235.A
in Punctis neruis mitigatoria.3°.de comp.me.per gen. 5ª.235.A
Puncti acu in cute caſus.6°.met.me. 7ª.36.H
Punctorum,& grauatorum duorum hominum caſus.de mult. 3ª.79.D
ex PVNCTV, & morſu animalis dolor quomodo curetur. 12°. methodi medendi. 7ª.82.C
ad Punctus neruorum.3°.dc comp.me. per gen. 5ª.235.E
ad Punctus omnes.5°.de comp.me.per gen.147.C| 234. H| 246. E|6°. 256.H|258.H|7°.5ª.269.C|de reme.par.fac. 7ª.163.F
PVNGENS aut mordens moleſtum dicimus.de mult. 3ª.79.E
Pungentia quo modo faciant dolorem.1°.de ſymp.cauſ. 3ª.16.G
ad Pungendam cutim quo modo colligandæ ſunt acus. 1°. de compoſi. medica.ſecundum locos. 5ª.124.D
Pungentes cibi qui.de diſſ.cont. Sp.74.H
Pungentes,& lenientes cibi dari debent ſi ſuperflua ciborum tarde deſcendant.de diſſ.cont. Sp.74.H
Pungit ſtomachum mel in copia,& facit inciſionẽ.de diſſ.cõt. Sp.74.F
PVNICORVM multiplex genus.2°.de alim.fac. 2ª.19.F
Punicorum malorum differentiæ. 3°.de compoſiito. medica. ſecundum locos.5ª.148.E|aduerſus Lycum. Ex.63.G
Punicorum malorum tres differentiæ.6°.de cõp.me.ſec.loc. 5ª.168.H
Punicorum tria genera quæ quandoq; Galenus miſcuit ſimul, & cur. 6°.de comp.me.ſec.loc. 5ª.171.F
Punicorum differentiæ ex ſaporibus.2°.de alim.fac. 2ª.20.D
Punica ſatiua.de reme.par.fac. 7ª.156.E
Punica aquea ideſt qualitatis expertia carent vi roborandi.2°.de alim. facultatibus. 2ª.20.E
Punica ſunt humida.2°.de alimen.fac. 2ª.17.D
Punica mala frigida.4°.de ſimp.me.fac. 5ª.26.D
Punicum malum adſtringit.13°.met.me. 7ª.83.E
Punicũ adſtringens ſanat ſymptomata ſcãmonij.2°.de ali.fac. 2ª.20.C
Punica auſtera magis adſtringunt.6°.de comp.me.ſec.loc. 5ª.168.H
Punici mali grana auſtera.2°.de loc.affe. 4ª.12.D
Punicum auſterum. 12°.met.me. 7ª.79.A
Punica dulcia ſuauiora.6°.de comp.me.ſec.loc 5ª.168.H
Punica acida fortiora.6°.de comp.me.ſec.loc. 5ª.168.H
Punica acida pro duris,& pro mollibus auſtera.3°.de compoſi. medic. ſecundum locos. 5ª.148.E
Punica eandem facultatem habent cum pomis.2°.de alim.fac. 2ª.20.D
Punicorum vſus pomorum vſui ſimilis,& in quo diſcrepat.2°.de alimẽtorum facultatibus. 2ª.20.E
Punica parciſſime alunt.2°.de ali.fac. 2ª.20.E
Punicis vtimur vt medicamento non vt alimento.2°.de ali.fa. 2ª.20.E
Punicis vtimur vt medicamentis.de bon.& vitio ſucc. 2ª.37.F

Punicis vtimur ad ſtomachi ventriſq́; firmitatem,ac robur.de bonitate & vitio ſuccorum. 2ª.37.F
Punica mala pontica ventriculum iuuant.de atten.vic. 2ª.46.A
Punica roborant ſtomachum.6°.de ſan.tu. 2ª.99.E
Punicum malum optimus cibus bilioſo ſtomacho.10°.met.me. 7ª.62.E
Punicum malum ad ventriculum ſubuerſum.de rem.par.fac. 7ª.153.H
Punici mali nucleo carentis grana conuenientia ſtomachicis in cibo.8°. de comp.me.ſec.loc. 5ª.192.C
Punicum malum carens nucleo accipi iubet.3°. de comp.me. ſecundum locos.145.H| 5ª.148.D
Punicum nucleum non habens.8°.de comp.me.ſec.loc. 5ª.191.H
Punica ſumenda poſt olera ex oleo & garo.3°.de ſymp.cau. 3ª.24.H
cũ Punici granis alica.12°.met.me. 7ª.79.A
Punica mala pro ſyncope mediocri.1°.de arte cur.ad Glau. 7ª.99.E
Punicũ malũ in phlegmone glandularũ,& artuũ.13°.met.me. 7ª.83.D
Punica mala vitanda ſunt in ſiccitate.7°.met.me. 7ª.44.C
Punica ſuccum copioſiorem habent,piris,& pomis,& guſtu ſuauiorẽ. 2°.de alim.facul. 2ª.20.E
Punica mala quomodo exprimenda.6°.de comp.me.ſec.loc. 5ª.169.A
*Punicorum ſuccus in vaſe æneo ponitur.3°.de comp.me.ſe.lo.*5ª.147.G
Punici mali ſuccum ſeruat in vaſe ſtamneo.3°.de cõp.me.ſe.l. 5ª.148.E
*Punicũ malũ ſemp in vas æreum ponit.3°. de comp.me.ſec.lo.*5ª.148.D
Punici ſuccus ventriculum roborat.2°.de ali.fac. 2ª.20.E
Punici mali ſuccus ad ſtomachi ardorem cum ſyncope.8°. de compoſit. medicamen.ſec.loc. 5ª.191.H
Punici ſucco polenta aſperſa cardialgiã ſanauit.2°.de ali.fac. 2ª.20.E
Punicorum cortices quando ſeruandi.6°.de comp.me.ſec.loc. 5ª.168.H
*Punicorũ cortices adſtringũt ſufficiẽter.6°.de comp.me.ſec.lo.*5ª.168.H
Punica cum corticibus tundit,vt magis adſtringant.6°. de comp.medi. ſecundum locos.170.C| 5ª.171.F
ex Punicis malis medicamentum.6°.de comp.me.ſec.loc. 5ª.168.H
ex Punicis medicamẽtũ quibus cõueniat.6°. de cõp.me.ſe.l. 5ª.169.E
ex Punicis ſtomatichũ Andromachi.6°.de comp.me.ſe.lo. 5ª.170.A
ex Punicis ſtomatichum Critonis.6°.de comp.me.ſec.loc. 5ª.170.B
Punicorum cytini internis vlceribus opitulantur.4°.met.me. 7ª.28.H
*Punicorum acidorum acerborũ cytini.6°.de comp.me.ſec.loc.*5ª.168.H
Punicorum malorum putamina vlcera glutinare non poſſunt.1°.de ſimplicium medicamen.facul. 5ª.7.H
PVNIVNTVR *per membra quæ peccarunt.6°.de decr.* 1ª.267.D
PVPILLA *quæ ſit apud quoſdam.de fract. com.2°.* 7ª.238.C
Pupilla quæ.introd. Iſa.53.A
vt Pupilla ſe hẽt ad oculũ,ita foramẽ auris ad aurẽ.de ana.vi.S.48.H
ad Pupillam tunicæ foramen quale.11°.de vſu par. 1ª.179.B|C
à Pupilla diſtare corneam apparet ex acu in ſuffuſionibus impoſita. 10°.de vſu partium. 1ª.179.C
in Pupilla craſſus humor quid faciat.1°.de loc.aff. 4ª.4.A
Pupilla continet ſpiritum.10°.de vſu par. 1ª.179.D
ante Pupillam cornea quid faciat ad viſionem.1°.de ſymp.cau. 3ª.15.C
Pupilla nihil videtur niſi directum.10°.de vſu par. 1ª.180.E
Pupillam non ingreditur magnitudo rei viſæ.7°.de decr.Hipp. 1ª.172.B
Pupilla vna compreſſa aut ſurſum aut deorſum adducta duplicia apparent quæ ſimplicia videbantur.10°.de vſu par. 1ª.182.E
Pupilla deorſum tracta facit videre rem deorſum, & è contra. 10°. de vſu partium. 1ª.183.A
cũ Pupillam ad maiorem aut minorem angulum adducimus, facimus vt quod cernitur ſiniſtrum aut dextrum.10°.de vſu par. 1ª.183.B
Pupillæ quo nigræ reddantur.4°.de comp.me.ſec.loc. 5ª.153.B
PVPILLAE *affectiones introd.* Iſa.58.D
Pupillæ affectus nonnulli.10°.de vſu par. 1ª.179.F
Pupillæ quatuor modis offendit.de ſymp.diſ.3ª.14. D|de ocul. 7ª.186.B
Pupillæ anguſtia quæ.de ocul. 7ª.186.B
Pupillæ anguſtia quando bona.de ocul. 7ª.186.C
Pupilla arcta cur quandoq; proficit.de ſymp.diff. 3ª.14.F
Pupillæ paruitas naturalis bona.de ſymp.diff. 3ª.14.G
Pupilla diminuta ab ortu acutiſſimũ viſum facit.de ſym.diff. 3ª.14.E|D
Pupilla parua præter naturam eſt mala.de ſymp.diff. 3ª.14.G
Pupilla ob morbum minor cur minus videat.de ſymp.cau. 3ª.14.E
Pupillam minorem quid ſequatur.1°.de ſymp.cau. 3ª.15.D
Pupillæ largitas quæ.de ocul. 7ª.186.B
Pupillæ laxitas ſemper mala.de ſymp.diff.3ª.14.G|de ocul. 7ª.186.C
Pupilla lata cur ſemper noxia.de ſymp.diff. 3ª.14.D
in Pupilla laxitas minus mala paruitate.de ſymp.diff. 3ª.14.G
Pupillæ nimia dilatione quàm mydriaſin appellant,afficiuntur qui opio vtuntur.3°.met.me. 7ª.17.E
Pupillæ corrugatione,quam rhetidoſin appellant, afficiuntur qui opio vtuntur.3°.met.me. 7ª.17.E
Pupillæ mutatio ad locum qualis.de ocul. 7ª.186.C
Pupillam prima ratione obtenebrant chymoſes,& pterigia.1°. de ſymptomatum cauſis. 3ª.15.E
Pupillam obtenebrat vnguis.de diff.morb. 3ª.4.F
Pupillam offuſcãtia abſq; phlegmone purgat,& abſtergit Thyites. 9°. de ſimp.me.fac. 5ª.67.F
Pupillas offuſcãtia extergere credit ebenus.6°.de ſimp.me.fa. 5ª.46.F
Pupillas expurgat Geodes lapis.9°.de ſimp.me.fac. 5ª.67.D
ad Pupillas offuſcantia vtuntur ſucco ſalicis dum floret.6°. de ſimpli. medicam.facul. 5ª.48.H
Pupilla poteſt pati conuulſionem.de diff.morb. 3ª.5.H
iuxta Pupillam panniculorum morbi.de ocul. 7ª.186.C
Pupillæ ſuppuratio quid.introductio. Iſa.59.B
Pupillæ abruptio quid.introd. Iſa.59.B
Pupillæ coincidentia quid.introductio. Iſa.59.B
in Pupillæ prætenſa cornea vulnus introrſum deſcẽdens magna ex parte occæcat.1°.de ſymp.cauſ. 3ª.15.D
in Pupilla puncti pueri qui tamen conualuit caſus rarus.1°. de ſymptomatum cauſis. 3ª.15.D
Pupilla læſa manifeſta apparet,ſed cauſa latet.4°.de loc.aff. 4ª.22.F
PVPILLARIS *ſedes.de artic.com.4°.* 7ª.292.A
PVRGANDVM *non eſt & ſimul vena ſecanda. de ren. affect. digno. & med.* 7ª.193.E
Purgandum æſtate per ſuperius,hyeme per inferius magis. commentario.4°.aphoriſmo.4°. Ex.27.H
Purgandum in principio acutorum morborum.de dyna. Sp.20.D
Purgandũ prima die in pacutis ſi materia turget.c.4°.ap.10°. Ex.28.C
Purgandum ſi vrinæ ſint nebuloſæ,& craſſæ.de vict.rat.in morbis acutis,commen.4°. 7ª.140.B
Purgandum non eſt in principio ſi vrina ſit tenuis.de victus rat.in morbis acutis,com.4°. 7ª.140.B
Purgãdum eſt totum corpus ante quemcunque particularem affectum. 6°.de comp.me.ſec.loc. 5ª.166.H
Purgandum eſt totum antequam pars remedijs ſubijciatur.4°. methodi medendi.26.F|de reme.par.fac. 7ª.154.F
Purgandum eſt primo totum corpus deinde caput,pro curandis oculis. 14°.methodi medendi. 7ª.92.B
ad Purgãdum pectus drachmæ duæ lilij cœleſtis.de med.ex.Sp.106.D
Purgãdũ nõ ẽ in vẽtriculi,& ĩteſtinorũ phlegmone.13°.me.m.7ª.83.A
Purgandum non eſt in phlegmone circa ſedem.13°.met.me. 7ª.82.A
Purgandum quo modo ſi cauſus ſuperuenerit liquidam aluum habenti. de vict.rat.in mor.acut.com.4°. 7ª.139.E
*Purganda eſt bilis,atra bilis,& pituita cũ vincunt.4°.me.me.*7ª.28.E
Purgandum in quibus vlceribus.4°.met.me. 7ª.28.B
Purgandum in oſſe fracto.6°.met.me. 7ª.41.E
Purgandi qui non ſint.in 1ᵐ.pror.com.2°. 4ª.174.B|E
Purganda non ſunt ſana corpora,& cur.de dyna. Sp.20.D
Purgandi nõ ſunt nimis pingues,neq; nimis graciles, neq; multo ſanguine abundantes,neq; frequẽter deficientes,neq; vix curabiles,neq; ꝑ qualibet occaſione cito mouentes,neq; pueri,neq; ſenes,neq; mulieres quæ habẽt fortiter mẽſes,neq; valde purũ corpus habentes,neq; qui bene ſe rexerint,neq; quibus valde reſtringit venter ſm naturã, neq; dyſenterici,neq; qui colica leuiter capiuntur.de dyn. Sp.20.F
Purgandi non ſunt imbecilli.in 1ᵐ.pror.com.2°. 4ª.174.E
Purgandi non ſunt exoluti.in 1ᵐ.pror.com.2°. 4ª.174.E
Purgandi ſunt qui ægrotaturi ſunt ineunte vere. quos purg. op. quibus med.& quo temp. 5ª.88.B
Purgandi ſurſum ſunt graciles,& facile vomentes,vitandos hyemem. de cathar. Sp.94.C
Purgandi ſunt deorſum difficile vomentes, & mediocriter craſſi æſtatẽ vitando. de cathar. Sp.94.C
Purgandi humores in ictero.de cura icteri. Sp.111.F
Purgandi quando ſint pleuritici.de vict.rat.in mor.ac.cõ.4°. 7ª.143.H
Purgandi ſunt à principio qui habent vrinas nebuloſas, vel craſſas de vri.ſign.ex Hipp. Sp.79.A
Purgandi occaſio datur ſolum in principio in acutis. in 1ᵐ. pror. commentario.2°. 4ª.174.D
Purgãdi qui ſint veratro,& in quo caſu.ĩ 6ᵐ.de mor.vul.c.1°. 3ª.156.B

Purgandi tempus, ver, & autumnus.de dyna. Sp.20.G
Purgandi eſſe homines vere collige, & quod ita multos Galenus ſeruaue rit.com.6°.apho.47°. Ex.52.B
Purganda eſt mulier quæ habet menſes decolores, nec ſolito tempore ve nientes.com.5°.aph.36°. Ex.40.G
Purganda per renes gibba iecoris pars.13°.met.me. 7ª.84.F
Purganda per aluum caua iecoris pars. 13°.met.me. 7ª.84.F
ꝑ Purganda materia quot ſint conſideranda.de cathar. Sp.94.H
Purgandi vim habet aloe.quod animi mor. 1ª.317.D
ad Purgandas multas materias pilulæ Galeni.5°.met.me. 7ª.35.G
ad Purgandum, Tractum.de dyna. Sp.31.F
Purgãdi, & glutinãdi qũo ſint ſitus.de iјs quæ in me.ſi.cõ.2°. 7ª.211.H
PVRGANTI contrarium eſt adſtringens.3°.de ſimp.me.fa. 5ª.20.E
Purgans medicamentum quid ſit.de fract.com.3°. 7ª.247.D
Purgantia medicamenta ſunt inter venena.in 6^{m}.de morbis vulgarib. commentario.6°. 3ª.196.G
Purgantia medicamenta, & deleteria quomodo differant.in 6^{m}.de mor bis vulga.com.6°. 3ª.196.G
Purgantia omnia latentem caloris excitandi poteſtatem habent. quos purg.op.quibus med. 5ª.58.G
Purgantia medicamenta quæ intro.57.H/Iſa.58.A/de ſal.die. 2ª.41.E
Purgantium quæ non purgant alia nutriunt, alia nocent.3°.de ſimp.me-dicamen.facul. 5ª.23.F
nõ Purgantia medicamenta in venenum mutantur. quos purg. oport. quibus med. & quo temp. 5ª.89.B
Purgantia medicamenta quędam purgant, aliqua offendunt, aliqua ve-nenant.3°.de ſimp.me.fac. 5ª.23.C
de Purgantium medicamentorum facultatibus librum fecit Galenus. 13°.methodi medendi. 7ª.82.B
Purgantis medicamenti facultas eſt pars, vel ſpecies vis attrahentis. de purgan.med.facul. 5ª.87.H
Purgantia trahendi vim habent omnia.5°.de ſimp.me.fac. 5ª.37.E
Purgantia medicamenta qũo attrahant.5°.de ſimp.me.fac. 5ª.36.F
Purgantia proprias ſibi qualitates attrahunt.1°.de nat.fac. 1ª.295.A
Purgantia medicamenta quos humores per ordinẽ trahunt. 3°.de ſimp. medicamen.facul. 5ª.23.G
Purgantia medicamenta ſunt familiaria humoribus, quos purgant.3°. de ſimp.me.fac. 5ª.23.D
Purgantia medicamenta ſunt efficaciora humoribus, quos purgant, vt magnes ferro.2°.de ſimp.me.fac. 5ª.23.D
Purgãtia non poſſunt ante experientiã cognoſci.de atten.vic. 2ª.44.D
de Purgantibus medicamentis caput vniuerſum nõ ſine modeſtia euer tit Eraſiſtratus.de purgand.medic. 5ª.86.C
Purgãtia medicamenta cur ventriculũ lædũt, & potiſſimũ os eius.quos purg.op.quib.med.5ª.89.C/de vict.ra.in mor.acu.cõ.2°. 7ª.118.A
Purgãtia medicamẽta ſunt cacoſtomachica pręter aloẽ.de dy.Sp.20.H
Purgantibus medicamentis cur olentia admiſceãtur, & qualia olentia. quos purg.opor.quibus med. 5ª.89.C
Purgantibus medicamentis quæ ſint miſcenda odorata aromata. 8°. de comp.me.ſec.loc. 5ª.190.B
Purgantia medicamenta coctionibus aduerſantur.de vict.rat.in morb. acutis, commenta.4°. 7ª.140.E
Purgãtia medicamẽta acria et calida.đ vic.rat.ĩ mor.ac.c.4°. 7ª.135.C
Purgantium medicamentorum acritudinem non fert natura exuſta tem pore æſtatis.com.4°.aph.5°. Ex.28.A
Purgantibus medicinis aliqui magis propenſi ſunt quàm venæ ſectioni. de purgan.med.fac. 5ª.86.D
Purgantia per vomitum medicamẽta quæ, & qualia.de cath. Sp.94.F
Purgans per vrinam medicamentum.9°.de comp.me.ſec.loc.5ª.200.G
Purgantia per ſeceſſum medicamenta quæ, & qualia.de cath.Sp.94.F
Purgans Phlegma viſcoſum electarium.de med.exper. Sp.107.D
Purgantia bilem flauam quæ.de cathar. Sp.94.F
Purgans choleram rubeam pharmacum primo dandum in eryſipelate, poſt phlebotomia fienda ſi opus eſt.de ocul. 7ª.189.G
Purgans choleram medicamen.de med.exper. Sp.105.A
Purgantia crudos humores.de cathar. Sp.95.C
inter Purgãtia mitius eſt lac aſinæ.de vic.ra.in mor.ac.c.4°.7ª.148.F
Purgans aniceton.6°.de comp.me.per gen. 5ª.256.D
Purgantia caput quæ.de cathar. Sp.95.B
Purgantia pulmonem, & thoracem quæ.de cathar. Sp.95.B
Purgantia ventrem ſuperiorem quæ.de cathar. Sp.95.C
Purgantia inteſtina tenuia quæ.de cathar. Sp.95.C
Purgantia ſimam hepatis partem quæ.de cathar. Sp.95.C
Purgantia ſplenem quæ.de cathar. Sp.95.C
Purgantia ventrem quæ.de cathar. Sp.95.D
Purgantia renes quæ.de cathar. Sp.95.C
Purgantia veſicam quæ.de cathar. Sp.95.D
Purgans vrinam electarium.de med.exper. Sp.105.B
Purgantia matricem quæ.de cathar. Sp.95.C
Purgans matrices mulierum decoctio.de med.exper.105.D/ Sp.107.B
Purgans matrices electarium.de med.exper. Sp.107.D
ob Purgantia medicamenta ſubinſpici in oculis dormiẽtium quoddam album, collige.com.6°.aph.52°. Ex.53.A
Purgantia medicamenta ſiccant totũ corpus.com.6°.aph.52°.Ex.53.A
Purgans medicamentum quando dandum.6°.met.me. 7ª.37.C
Purgãs medicamentũ pleuritico.de vict.rat.in mor.ac.cõ.4°.7ª.144.C
Purgans medicamentum ponit ſupra vlcus.de frac.com.2°. 7ª.244.B
PVRGATIO qui ſecundum antiquos.de purgan.med.fac. 5ª.86.D
Purgatio dictum ab antiquis profluuium in partu.de atra bile. 1ª.36.H
Purgatio dicta ab Eraſiſtrato menſium excretio.de atra bile. 1ª.36.H
Purgatio eſt λοχίæ.in 1^{m}.pror.com.2°. 4ª.175.D
Purgatio, & euacuatio eſt menſtruũ.in 3^{m}.de mor.vul.cõ.3°. 3ª.148.E
Purgationis tempore per vrinam menſtrua nigra.de atrab. 1ª.37.A
Purgationes quæ ſint in mulieribus habentibus vteros frigidos. commẽ tario.5°.aph.62°. Ex.43.G
Purgationes menſtruæ minores, & intempeſtiuæ cauſa ſunt non conti-nendi ſemen.de aere, aquis, & locis. 2ª.5.H
ĩ Purgationibꝰ mẽſtruis cur refrigerẽt mulieres.14°.de vſu p.1ª.204.H
ad Purgationes nõ habẽtes à partu.7°.de comp.me.ſec.loc. 5ª.185.F
ex Purgatione à partu retẽta mortua.in 1^{m}.de mor.vul.c.3°. 3ª.122.D
PVRGATIO quid apud Hippocratem.com.2°.aph.17°. Ex.13.D
Purgatio quid ſignificet apud Hippocratem, & Thucydidem. in 6^{m}. de morb.vulg.com.4°. 3ª.138.C
Purgatio quid.com.1°.apho.2°. Ex.3.E
Purgationes in plurali quid ſignificent.com.5°.aph.60°. Ex.43.D
Purgatio vnũ ex auxiliјs morbi.de vic.rat.in mor.acut.cõ.1°. 7ª.115.C
Purgatio quomodo ſit ſecundum genus, & non ſecundum ſpeciem. com mentario 6°.apho.47°. Ex.52.B
Purgationes quæ faciunt, ſunt contraria his, quæ ſiſtunt. commentario 4°.aphoriſmo.15°. Ex.28.H
Purgationes ſunt contrariæ coctioni humorum.de victus ratio. in mor. acutis, com.4°. 7ª.140.E
Purgatio eſt euacuatio.14°.met.me. 7ª.89.A
Purgationes ſunt euacuationes communes.ars ars med. Iſa.71.E
Purgatio, & euacuatio quomodo differant. in 1^{m}. pror.com.3°. 4ª.182. A/com.2°.aph.17°.& aph.16°.12.H/ Ex.13.D
Purgatio, & medicatio quo modo differunt.com.2°.aph.37°. Ex.17.G
Purgationem aliquam eſſe cum medicamento, aliquando non collige.cõ mentario.6°.aphoriſmo.47°. Ex.52.B
Purgationem diſtinguit contra vomitum.com.2°.aph.9°. Ex.12.B
Purgatio quomodo fiat à ſimili, & à contrario.de cathar. Sp.94.D
ad Purgationem quo modo ſe habent anni tempora, ętates, & regiones quos purg.opor.quibus med. 5ª.88.E
Purgatio vna vere aliquibus ſatis eſt.6°.de ſan.tu. 2ª.100.E
Purgationes duas aliqui expetunt, vnã ſcilicet vere, alteram vero au-tumno.6°.de ſan.tu. 2ª.100.E
Purgationẽ debere fieri in principiјs ex his Galeni verbis Vt coctiones citius eueniãt melius eſt in principiјs euacuare, quo minorẽ iam fa-ctã materiã facilius natura poſſit cõcoquere.c.2°.a.29°. Ex.16.F/G
Purgationes raro ſunt in vſu in acutis morbis.c.1°.aph.24. Ex.10.F
Purgatio per ſuperius eſt contraria ei, quæ per inferius. commenta.4°. aphoriſmo.9°. Ex.28.B
Purgatio ꝑ ſupiora quæ, & quando agenda.com.4°.aph.17°. Ex.29.A
Purgationibus per ſuperiora obſiſtit hyems.com.4°.aph.6°. Ex.28.A
Purgatio qũo fieri debet ꝑ ſupiora.de vict.rat.in mor.ac.c.4°.7ª.151.A
Purgationes in tabidis ſuperiores malæ.com.4°.aph.8°. Ex.28.B
Purgatio quando per inferiora fieri debeat colligi poteſt.com.4°. apho-riſmo.2°. Ex.29.C
in Purgationibus ꝑ inferiora cauẽda eſt æſtas.c.4°.aph.7°. Ex.28.B
Purgatiões ſunt difficiles ſub cane, et ante canẽ.cõ.4°.aph.5°. Ex.28.A
Purgationes æſtate diſſoluunt corpora, faciunt febres, & trahunt humo res in contrarium caloris ambientis.com.4°.aph.5°. Ex.28.A
Purgatio male toleratur, ſi partes corporis ſunt tenues, bene ſi craſſæ. commen.2°.aph.35°. Ex.17.E

ad Purgationem inepti.quos purg.opor.quibus med. 5ª.88.H
ad Purgationes inepti ſigna.com.1°.aph.24°. Ex.10.G
in Purgationibus vt qs ſit aptus,tria requirũt.c.1°.aph.24°. Ex.10.G
Purgatione non indiget morbus,qui non eſt à cacochimya. de victus ratione in morb.acu.com.4°. 7ª.150.H
ſolũ Purgatione indigentes debent purgari.cõ.4°.aph.18°. Ex.29.B
Purgationem cur ægri deſiderant.4°.met.me. 7ª.28.A
Purgationem qui affectus deſiderant.de cur.rat.per ſang.miſſ.6ª.16.F
Purgationes ſunt vtiles corporibus in multa humorum copia. in 6^{m}.de morb.vulga.com.2°. 3ª.165.G
Purgatione vtimur ſtatim cum corpus fuerit plethoricum , vel cacochymum.5°.de comp.me.ſec.loc. 5ª.166.H
Purgatio euacuat bilioſa in venis.de conſt.ar. Iſa.42.E
Purgationib⁹ qñq; vti debet humidũ tẽperamẽtũ.6°.de ſan.tu.2ª.96.G
de Purgatiõe,& ſanguis miſſiõe indicat morbi vis.4°.me.m. 7ª.28.D
Purgatio per ſpiritus detentionem qualis. 3°.de diff.reſp. 3ª.74.B
Purgatio per aluũ fiat capite vitiato.in 6^{m}.de mor.vul cõ.2°. 3ª.162.C
Purgationes per aluum quibus fiant.de artic.com.2°. 7ª.267.H
in Purgationibus quæ præexigantur.com.1°.aph.24°. Ex.10.G
poſt Purgationem vniuerſalem facienda eſt particularis per os ex apo phlegmatiſmis.1°.de comp.me.ſec.loc. 5ª.121.F
Purgatio prius mollienda q̃ ad cutem te conferas.14°.met.me. 7ª.93.D
Purgatio ſi fiat ſine digeſtione, quæ accidentia ſequantur. commentario 2°.aphoriſmo.9°. Ex.12.B
Purgatio nunquàm fieri debet niſi ſit factum fluidum corpus. commentario.2°.aph.9°. Ex.12.B
Purgationem præcedit venæ ſectio.10°.de comp.me.ſec.lo. 5ª.207.A
Purgatio tantum ſanat quæ corrupta ſunt, & non venæ ſectio.commentario.6°.aphoriſmo.47°. Ex.52.B
Purgatio, & venæ ſectio vtraq; agẽda.10°.de comp.me.ſe.l. 5ª.207.A
ante Purgationem vena ſecanda.de ren.affect.dign.& med. 7ª.193.E
ad Purgationem à miſſione ſanguinis quantum tempus interponendũ. de ren.affect.dign.& med. 7ª.193.F
ante Purgationem fomenta capiti.4°.de loc.aff. 4ª.22.E
Purgatio cur non facienda ante venæ ſectionem in plenitudine de ren affect.dign.& med. 7ª.193.E
Purgationes aluum ſubducentes ſunt remedia lippitudinum.commẽ.6°. aphoriſmo.17°. Ex.47.H
Purgatio totius corporis quas diſpõnes ſanat.cõ.5°.aph.36°. Ex.40.G
Purgatio affectum adimit non ſymptoma.12°.met.me. 7ª.75.D
Purgatione ſanauit Galenus oculorum dolores.3°.met.me. 7ª.17.D
Purgatione ſola qui morbi ſint ſanati.de purgan.med.fac. 5ª.87.G
Purgatione ſola defluuiũ capillorũ ſanauit Galen.de purg.med. 5ª.87.G
Purgatione ſola curata alopecia.1°.de cõp.me.ſec.loc. 5ª.121.G
qñ Purgatione indiget morbus lateralis,& non phlebotomia.com.6°. aphoriſmo.5°. Ex.46.G
Purgatio medicamentum morbi lateralis.9°.de dec.Hipp. 1ª.282.F
Purgatio neceſſaria eſt ad icteri curam.de cura icteri. Sp.110.G
Purgatio ad icteri curam eſt magis neceſſaria quando bilis peccat.de cura icteri. Sp.110.H
Purgatio ventris rheumatiſmos ſtringit.de dyna. Sp.20.E
Purgatio quando fienda calculoſis.de ren.affect.dig.& med. 7ª.194.F
Purgatio niſi facta fuiſſet cuidam melancholiam patiebatur ſingulis annis.quos purg.opor.quibus med. 5ª.88.C
Purgatione quomodo prohibuit Galenus cancrum in mamilla aduentantem.quos purg.opor.quib.med. 5ª.88.C
Purgationibus vndè proueniat vaſorum imbecillitas , & mordicatio, & apertio vaſorum.3°.de ſimp.me.fac. 5ª.23.H
in Purgationis initio ob veratrum eſt periculum ne homo ſtranguletũ. com.5°.aph.1°. Ex.37.C
in Purgationib⁹ validis fiũt pulſus vermiculãtes.2°.de præſ.4ª.113.A
Purgationes ſuperfluæ oſtendunt medicamenta trahere proprium humorem.2°.de ali.fac. 1ª.9.E
in Purgatione cur ſanguis ſit ſemp̃ vltimus qui exeat.2°. de ele.1ª.9.G
ex Purgationibus ſuperfluis nullus mortuus ex vno ſolo humore purgato.1°.de elem. 1ª.4.D
ex Purgationibus aĩ defectus qũo curãdus.1°.ð ar.cur.adGl.7ª.99.F
Purgatio diminuta quomodo ſit adiuuanda.præſag.exper. Sp.78.D
Purgationis adſtrictiões ĩ tabidis ſequit̃ mors.c.7°.aph.74°. Ex.60.H
Purgationem quæ prohibeant.quos purg.opor.quib.med. 5ª.89.B
Purgatione indigenti ptiſſana non danda.de ptiſſ. 2ª.47.H
Purgatio dũ ſit nihil dãdũ.de vic.ra.ĩ m.ac.c.2°.118.E/cõ.4°.7ª.143.H
Purgatio cũ incipit nihil edendum.quos p urg.opor.quib.med. 5ª.89.B
Purgatio cum eſt facta minus dandum q̃ conſuetum ſit.de victus ratione in morbis acutis,com.2°. 7ª.118.E
poſt Purgationem tantum balneo,& relaxantibus vtitur Galenus in febre putrida.11°.met.me. 7ª.73.D
Purgatio.lege Medicatio,Euacuatio.
PVRGATORIA facultas duo ſignificat.5°.de ſimp.me.fac. 5ª.37.D
Purgatoria pharmaca faciunt ſpeciem euacuationis manifeſte differentem.com.4°.aph.2°. Ex.27.D
Purgatoriũ oẽ medicamẽtum attrahit aliquẽ humorẽ.1°.de ele. 1ª.9.E
Purgatoria medicamenta quibus partibus danda.de cathar. Sp.94.G
Purgatoriũ qũo reddatur lac pro pueris.ĩ 6^{m}.de mor.vul.c.5°.3ª.193.G
Purgatoria eſt humoris phlegmatici lacterida.de cathar. Sp.95.B
Purgatorias vires habet lapis magnes.de ſimp.med. Sp.86.G
Purgatorium valentſſimum eſt veratrum.in 6^{m}.de morbis vulgaribus com.5°.3ª.193.B/de ſimpl.med. Sp.91.H
Purgatoriјs miſcetur apium.de ſimpl.med. Sp.80.D
in Purgatoriјs,& in antidotis mittitur careum. de ſimp.med.Sp.82.C
Purgatoriјs miſcetur ſilphis radix.de ſimpl.med. Sp.90.D
Purgatoriũ medicamentũ qñ dari põt,& debet.cõ.2°.aph.8°.Ex.12.A
Purgatorium medicamentum ictericorum.de cura icteri. Sp.110.H
Purgatoriũ alui medicamentũ ano imittendũ.de med.fac.par.7ª.167.E
PVRGATI ſani quæ incidant mala.quos purg.opor.quib.m. 5ª.88.B
Purgati ſupra modum ſunt ſiſtendi.præſ.exper.conf. Sp.78.C
Purgati non quieſcunt priuſquam ſitiant.com.4°.aph.19°. Ex.29.C
Purgati nimiũ ex quocũq; pharmaco cur cõuellũt.c.5°.ap.4°. Ex.37.F
Purgato ſupra modũ ſingultus ſupueniẽs,malũ.c.7°.aph.43°. Ex.57.C
Purgatis nimis qualis clyſter conueniat.præſag.exper.confir.Sp.78.D
Purgatis oua,& alicam,& ſorbitiones,& vinum dulce tuto exhibere expedit.præſag.exper.conf. Sp.78.D
Purgatis ſolum debẽt apponi cucurbitulæ.de Hirud.reuulſ.cuc. 6ª.2.E
nõ Purgatum ſi aliquid ſteterit in continuis febribus,malum.commẽ. 7°.aphoriſmo.65°. Ex.60.E
p̃ PVRGARI quid intelligat Hippocrates.cõ.5°.aph.8°. Ex.38.B
Purgatur quo modo corpus.3°.de ſan.tu. 2ª.77.F
per quæ Purgantur oculi.de cathar. Sp.94.G
per quæ Purgatur os.de catharticis. Sp.94.G
Purgantur mammillæ per lac.de cathart. Sp.94.G
Purgatur thorax per tuſſim,& ſputum.de cathart. Sp.94.G
Purgatur per aluum Iecoris cauum.13°.met.me. 7ª.83.H
Purgatur per vrinam iecoris gibba pars.13°.met.me. 7ª.83.H
Purgatur lien ſolum per aluum.13°.met.me. 7ª.84.G
Purgatur per inteſtina lien , & iecoris pars caua.13°.met.me.7ª.84.H
Purgantur partes aliquæ per hepar.5°.de loc.affe. 4ª.35.D
Purgatur ſanguis per hepar.de ſpermate. Sp.37.G
Purgat totum corpus ſtranguria.in 1^{m}.de mor.vul.com.2°. 3ª.111.F
Purgantur vt plurimum per vterum mulieres laxarum carnium,& pituitoſarum.6°.de loc.aff. 4ª.41.D
Purgantur per os ſuperiores partes laborantes.13°.met.me. 7ª.84.G
Purgentur quæ partes p̃ ea,quæ per os ſumuntur.13°.met.me. 7ª.84.G
Purgantur p̃ clyſteres inferiores partes laborantes.13°.met.m.7ª.84.G
Purgari debent ſucci vitioſi.13°.met.me. 7ª.81.B
Purgari in principio æſtatis debẽt morbi flauæ bilis.quos purg. 5ª.88.C
Purgari in principio veris debẽt morbi ab humorũ craſſitie, vt podagrici,arthritides,& melancholici.quos purg.op.quibus med. 5ª.88.D
Purgari hyeme malum eos,qui laborant leuitate inteſtinorum. commẽ. 4°.aphoriſmo.12°. Ex.28.E
Purgari quæ debeãt p̃ ſuperiora,& quæ p̃ ĩferiora.quos purg. 5ª.88.E
Purgari per ſuperiora debet humor acris & tenuis,ſed non hyeme.cõmentario.4°.aph.7°. Ex.28.B/C
Purgatur deorſum humor melancholicus.de cathart. Sp.94.C
Purgentur cur feces deorſum.de voc.inſtr.diſſ. 1ª.106.F
Purgentur cur ſpiritus per ſuperiora.de voc.inſtr.diſſ. 6ª.106.F
Purgare magis & minus faciunt humores tenues , & humores craſſi, & ſucci familiaritas.3°.de ſimp.me.fac. 5ª.23.H
Purgar̃ ſi qs voluerit corp̃a,oportet fluida facere.c.7°.a.66°.Ex.60.E
Purgamus in principio ſi opus ſit.de tot.morb.temp. 3ª.88.E
Purgare debemus quando in diſpoſitionibus oculorũ dolentiũ humores aliј præter ſanguinem infeſtant.com.6°.aph.31°. Ex.49.G
Purgari qui debent,his ante dari nõ debet ptiſſana nec cremor. de vict. ratione in morb.acu.com.1°. 7ª.112.B
Purgari non debet æger cum inedia.com.2°.aph.16°. Ex.12.H

Purgari debet æger per aluum ĩ capitis affectibus.13°.me.me. 7ª.83.A
Purgaueris ſi minime aluum, quãto plures dederis ſorbitiones, tãto magis nocebis.com.7°.aph.64°. Ex.60.A
Purgar̃ ſi vis p vomitũ, ſiſte aluũ, ſi ĩfra humecta.c.7°.a.66°.Ex.60.E
Purgent̃ ſi inflãmata qd ſequatur.de vict.rat.in mor.ac.cõ.4°.7ª.137.E
ſi Purgentur qualia oportet, confert, & leuiter ferunt, contraria vero grauiter.com.4°.aph.3°. Ex.27.H
quæ nõ Purgantur mulieribus ſcarificatio prodeſt, & quantum ſanguinis educendum ſit.de cucur.ſcarif. 6ª.4.A
Purgant à propinquiori medicamenta promptius.4°.met.me. 7ª.28.C
Purgant quæ corpora Adſtringentia.3°.de ſimp.me.fac. 5ª.20.C
Purgat Aeris ſquama.3°.de ſimp.me.fac. 5ª.20.B
Purgat, & adſtringit corpora ſquãma æris.3°.de ſimp.me.fac.5ª.20.C
Purgat minus ſquamma aeris elota.3°.de ſimp.me.fac. 5ª.20.C
Purgat & adſtringit corpora Aes vſtum.3°.de ſimp.me.fac. 5ª.20.C
Purgat minus æs vſtum elotum.3°.de ſimp.med.fac. 5ª.20.C
Purgat Aloe & adſtringit corpora.3°.de ſimp.me.fac. 5ª.20.C
Purgat minus Aloe elota.3°.de ſimp.me.fac. 5ª.20.C
Purgat Centaurea ventrem.de ſimp.med. Sp.82.A
Purgat choleram cum melicrato ſuccus centaureæ, & ſoluit craſſos, & viſcoſos humores.de virt.cent. Sp.94.A
Purgat ventrem Chamælea.de ſimp.med. Sp.85.F
Purgat Clematis phlegma, & deorſum deducit.de ſimp.med. Sp.83.B
Purgat totum ventrem Cnicum.de ſimp.med. Sp.83.B
Purgat vehementer Coccum cnidium.de ſimp.med. Sp.82.C
cur Purget caput Colocynthis.de cathar. Sp.94.F
Purgat colocynthis caput, & phlegma.de cathar. Sp.95.A
Purgat ventrem colocynthis.de ſimp.med. Sp.89.C
Purgat caput Cyclaminos.de ſimp.med. Sp.82.C
Purgat Ficus arbor.8°.de ſimp.me.fac. 5ª.61.F
Purgat vt Elleborus ſeſamoides.8°.de ſimp.me.fac. 5ª.60.D
Purgauit totum corpus Hiera.1°.de comp.me.ſec.loc. 5ª.121.E
Purgat in cauſo lac aſinæ.de vict.rat.in morb.acut.com.4°. 7ª.135.C
Purgat maxime ſemen Lathiris.7°.de ſimp.me.fac. 5ª.54.A
Purgat ventrem viſcide lathyris.de ſimp.med. Sp.86.E
Purgat Peplij ſemen.8°.de ſimpl.med.fac. 5ª.58.A
Purgat peplos vt tithymallus.8°.de ſimp.me.fac. 5ª.58.A
Purgat Pithyuſa, & lac habet, vnde tithymalli ſpecies putatur.8°.de ſimplic.med.fac. 5ª.58.G
Purgat caput Polium.de ſimp.med. Sp.89.A
Purgat viſcide ventrem ſcammonium.de ſimp.med. Sp.90.D
Purgat ſcammonia corpus ſuperius & inferius, & caput, & phlegma cum cholera.de cathar. Sp.95.A
PVRGAT vulnera erbum. de ſimp.med. Sp.85.B
Purgat, & glutinat vulnera lenticula.de ſimp.med. Sp.86.B
PVRPVRAE quales ſint.3°.de comp.me.ſec.loc. 5ª.147.B
Purpuræ hñt carnẽ durã.3°.de alim.fac.32.B/de bo.& vit.ſuc. 2ª.35.E
Purpuræ ſunt admodum craſſi ſucci.de bon.& vitio ſucc. 2ª.35.E
Purpuræ sũt craſſi ſucci, ſed nõ glutinoſi, et tenacis.đ bo.et vi.ſ. 2ª.35.F
Purpuræ conueniunt ſtomachicis.8°.de comp.me.ſec.loc. 5ª.192.B
Purpurarum opercula qualia.11°.de ſimp.me.fac. 5ª.81.B
Purpurarum teſta qualis.11°.de ſimp.me.fac. 5ª.80.G
Purpurarũ teſtæ vſtę p vlceribus exiccãdis.4°.de cõp.me.p g.5ª.236.F
Purpuræ concrematæ quales.1°.de comp.me.per gen. 5ª.216.E
Purpuræ vſtæ.3°.de comp.me ſec.lo. 5ª.146.G
Purpuris fit album Emplaſtrum.1°.de comp.me.per gen. 5ª.217.C
Purpuræ laconicæ tomenta.4°.de comp.me.ſec.loc. 5ª.152.E
Purpura infecta lana vtitur.3°.de comp.me.ſec.loc. 5ª.143.E
Purpuræ lana.3°.de comp.me.ſec.loc. 5ª.142.F
Purpuræ marinæ meminit.6°.de ſimp.me.fac. 5ª.45.H
ex Purpura marina panniculus.8°.met.me. 7ª.53.C
ex Purpura Tyria panniculus.8°.met.me. 7ª.53.C
Purpura Tyria adſtringit.7°.met.me. 7ª.46.H
Purpura modicam adſtringendi vim habet.8°.met.me. 7ª.53.C
Purpura tyria.9°.de comp.me.per gen. 5ª.259.G
Purpura excipit vnguentum.7°.met.me. 7ª.46.H
Purpuræ fit mentio.de ijs, quæ in med.ſi.com.2°. 7ª.211.F
PVRPVREAM lanam accipiebant forte ob chermes.de præcogno. ad Poſth. 4ª.219.A
Purpureo panno vtitur.de dyna. Sp.27.H
Purpurea eſt hepatis caro.de anatom.viu.44.D/ Sp.55.H
Purpurea vena cuius ſit ramus.de anatomia viuorum. Sp.54.E
Purpurea vena ſiue nigra vna eſt ex quinque venis, quæ in brachio ſecantur.de anato.viuo. Sp.54.G
Purpurea appellata vaſa fictilia Alexandrotica.1°.de comp.medicam. ſecundum locos. 5ª.128.B
PVRPVRISSVM quid.de ſimp.medic. Sp.88.G
Purpuriſſum vires habet aliquantum ſtypticas.de ſimp.med. Sp.88.G
PVRVLENTI qui ſint.in progno.com.2°. 4ª.204.D
Purulenti quibus inditijs cognoſcantur.in progno.com.2°. 4ª.204.D
in Purulentis cur puſtulæ erumpant.in progn.com.2°. 4ª.204.F
Purulenti cur non expuant.in prognoſt.com.2°. 4ª.204.E
in Purulentis cur rubeant genæ.in progn.com.2°. 4ª.204.E
in Purulentis cur vngues curuantur.in progn.com.2°. 4ª.204.E
Purulentorum pedes cur tumidi.in progn.com.2°. 4ª.204.E
Purulenti qui ex angina.in progn.com.3°. 4ª.209.D
Purulenti ex pulmonia ſm ætates iudicatio.in prog.cõ.2°. 4ª.205.G
Purulenti qui ſuperſunt.in prognoſt.com.2°. 4ª.204.G
Purulenti qui moriuntur.in progn.com.2°. 4ª.204.G
Purulentis quæ conueniant.de vict.rat.in morb.acu.com.4°. 7ª.152.F
Purulenta reſiccat alumen ſciſſile, & fortiter adſtringit.3°.de compoſi. medica.ſecundum locos. 5ª.143.A
Purulentis accomodus eſt coni fructus.7°.de ſimp.me.fac. 5ª.54.A
Purulentos adiuuat pix humida.8°.de ſimp.me.fac. 5ª.58.E
ad Purulenta ſputa.de med.fac.par. 7ª.165.G
PVRI qui intelligendi.2°.de diff.pulſ. 4ª.54.D
Pura debet eſſe aqua, & non laxa ſecundum colorem, neq; malam habere hypoſtaſim.de bonit.aquæ. Sp.75.H
Puriores aquæ ſunt in ſummitatibus.de bon.aquæ. Sp.75.E
non Pura corpora non ſunt nutrienda.com.1°.aph.10°. Ex.4.H
Purum valde corpus habentes non ſunt purgandi.de dyna. Sp.20.F
Purum ſanguinem, mundum, & clarum non generãt cibi non temperati.de diſſ.cont. Sp.74.A
non Puri admodũ panes ad ſeceſſiones faciunt.de cura icteri. Sp.111.C
PVS dicitur crudus humor vbi admiſerit coctionem.de natura humana, commentario.2°. 7ª.180.C
Pus quomodo differat à crudis humoribꝰ.de nat.hum.c.2°. 7ª.180.D
Pus quomodo diſtinguat̃ in vrinis à crudo ſucco.1°. de alim.fac.2ª.10.C
Pus dicitur ab Eraſiſtrato ſubſidẽtia in vrinis.de na.hu.c.2°. 7ª.180.C
Pus quandoq; accipitur pro hypoſtaſi alba.de vrin. 4ª.125.C
Pus quid ſit, & quomodo cineri in aduſtione reſpondens.3°. de præſagitione ex pulſibus. 4ª.119.A
Pus eſt toto genere præter naturam.de diff.mor. 3ª.4.F
Pus aliquid habet præter naturam.in progn.com.1°. 4ª.197.C
in Pus conuerſio eſt ex naturalibus opibus.5°.de ſimp.me.f. 5ª.34.A
Pus alteratio media facit.5°.de ſimp.me.fac. 5ª.33.C
Pus quo modo fiat.4°.met.me.7ª.27.C/com.2°.aph.47°. Ex.18.H
Pus qũo fiat natura vincẽte.1°.de diff.feb.33.B/de tum.pter nat.3ª.83.E
Pus ex ſanguine ortum habet.com.2°.aph.47°. Ex.18.H
Pus cum fit, cur dolores excitentur.com.2°.aph.47°. Ex.18.H
in Pus generatione cur febres fiant.com.2°.aph.47°. Ex.18.H
Pus quomodo expellitur.de tum.præter naturam. 3ª.83.E
Puris generatio in inflãmatione eſt terminus vigoris.de tot.m.3ª.89.H
Pus quando eſt in phlegmone quid agendum.13°.met.me. 7ª.81.D
Pus quandoque fit ex abſceſſu diſrupto bene expurgans partes. commen.4°.aph.47°. Ex.33.A
Pus in phlegmone quomodo coctum dicatur.de vict.rat.in morb. acut. commentario.2°. 7ª.122.H
Pus quando emittimus in abſceſſu diſtento, & dolore pulſante, non eſt curatio ſymptomatis.12°.met.me. 7ª.74.G
Pus in oculis quo modo digerendum.14°.met.me. 7ª.93.G
Pus quomodo ab oculo euacuatur.14°.met.me. 7ª.93.G
Pus exiens per nares, aut os, aut aures dolenti caput morbus ſoluitur. com.6°.aph.17°. Ex.47.C
Pus quibus in pectus influit ſuppurantur.de nat.hu.com.2°. 7ª.184.G
Puris multitudinis in thorace inditium.4°.de loc.affe. 4ª.27.G
Puris ex Thorace expuitioni quæ contraria.5°.de ſimp.me.fac.5ª.35.D
ad Pus educendum è thorace quæ ſint mediocria.13°.met.me.7ª.84.H
ad Pus educendum è thorace quæ valentiora.13°.met.me. 7ª.84.H
ad Pus educẽdũ è thorace medicamẽtũ valde ĩcidẽs.13°.m.m. 7ª.85.A
Pus è thorace valde educit oxymeli ex marubio.13°.met.me. 7ª.85.A
Pus thoracis ac pulmonis expurgat ſymphytum petræum.8°.de ſimplicium medica.facul. 5ª.61.F
Pus qũo facile inter latera, & pulmonẽ demittat̃.5°.de lo.aff.4ª.30.A

Pus effunditur

Pus effunditur inter thoracem, & pulmonem, in morbo laterali. commẽtario 5°. aphoriſmo 8°. Ex.38.B
ad Pus tranſmutatio fit in morbo laterali niſi in quatuordecim diebus ſanentur. com. 5°. apho. 8°. Ex.38.B
Pus habentes inter pectus, & thoracem, ſuppurati dicuntur. cõmẽt. 6°. apho. 27°. 48.G/com. 7°. aphor. 45°. Ex.57.F
ſi Pus purum, & album iis fluxerit quicunq; ſuppurati, aut vruntur, vel ſecantur euadunt, ſi vero ſubcruentum, & fæculentum, & fætidum, pereunt. com. 7°. apho. 44°. Ex.57.F
ſi Pus aut aqua vniuerſi effluxerit iis qui ſuppurati, aut aquã inter cutẽ patiẽtes vrunt aut ſecant, oẽs moriũtur. cõ. 6°. aph. 27°. Ex.48.G
Pus totũ cum exit abſceſſum fit aĩ defectus. 1°. de art. cu. ad Gl. 7ª.98.G
Pus quõ in pulmonem recipiatur qñ eſt in thorace. 5°. de loc. af. 4ª.31.B
Pus è pulmone educunt amari ſapores. 4°. de ſimplicium me. fa. 5ª.29.G
Pus quomodo eat à coſtis ad os. 5°. de loc. aff. 4ª.30.G
Puris purgatio ſupra in ſanguinis vomitu. com. 7°. apho. 74°. Ex.60.H
Puris ſputum à ſanguinis ſputo. com. 7°. apho. 15°. Ex.55.A
Puris ſputum in ſputo ſanguinis, cum ſputum retinetur, moriuntur. commentario 7°. apho. 74°. Ex.60.H
Pus expuentes extra febrem ſpontaneis ægritudinibus affligũtur. de natura humana, com. 2°. 7ª.184.G
Pus expuentes extra febrẽ quõ viuere debent. de na. hu. cõ. 2°. 7ª.184.G
qui Puris plurimum habent quod nõ poteſt per ſputitiones excerni vſtione indigent. com. 6°. aphoriſ. 27°. Ex.48.G
Pus in ſuppurationibus hepatis quale eſt his, qui moriuntur, & qui ſanantur. com. 7°. aphor. 45°. Ex.57.F
Pus veluti amurca in ſuppuratione hepatis aduſta, letale. commentario 7°. aphoriſmo 45°. Ex.57.F
ad Puris & ſanguinis reiectiones. 7°. de comp. med. ſe. lo. 5ª.179.D
Pus miſtum ſanguini quõ ſecernatur tacuit Eraſiſtr. 5°. de lo. af. 4ª.30.G
Puris mictio vnde ſit, & per quæ loca. com. 7°. apho. 15°. Ex.55.A
Pus in vrina quid ſignificet. 6°. de locis affectis. 4ª.37.E
Pus vel ſanguinẽ ſi quis mingat qd ſigñet. de vrin. ſign. ex Hip. Sp.78.H
Pus ſi quis mingat, eſt ſignum malæ affectionis inſtrumentorum deſeruientium vrinæ. com. 4°. aphor. 81°. Ex.36.A/H
Pus è renibus purgatur per veſicam. com. 5°. aphor. 58°. Ex.43.B
Pus à qua parte cognoſcatur fluere quando per renes purgatur. 6°. de locis affectis. 4ª.39.A
Pus pulmonis cur ſępe non it per vrinam. 6°. de loc. aff. 4ª.39.C
Pus exiguum cum ſanguine excretum cur. 3°. de ſymp. cauſ. 3ª.28.B
Pus cum vrina excernitur quandoq;, iecore aut renibus languentibus & ſubſidendo fallit minus acutum artificem. de vrinæ ſign. Sp.79.C
Pus quõ, & cur exit cum vrina, & ſine vrina. cõ. 4°. aph. 75°. Ex.36.A
Puris cum vrinæ miſcella conſideratio. 6°. de loc. affec. 4ª.39.B
Pus quibus in vrina citra dolorem ſubſidet, ſpontaneis ægritudinibus affliguntur. de natu. hum. com. 2°. 7ª.184.G
Puris eſt particeps grauiter olens vrina. de vrin. ſign. ex. Hipp. Sp.79.C
ex Pure vrinę ſuppreſſio. 6°. de loc. affect. 4ª.38.H
Pus quomodo cognoſcatur obſtruxiſſe meatũ vrinæ. 1°. de loc. aff. 4ª.3.B
Puris deiectiones faciunt inteſtina ſuppurata. com. 7°. aph. 8°. Ex.54.E
in Pus raro vertitur œdema ſub vmbilico. in prog. com. 1°. 4ª.196.F
Pus ex vtero & veſica ſponte exit. 5°. meth. med. 7ª.33.A
Pus quomodo cognoſcatur fluere à ſuperioribus excrementis, & quomodo ab inferioribus. 6°. de loc. affec. 4ª.39.B
Puris craſſitudo eſt cauſa cur non cognoſcatur ſuppuratio aliqua in corpore. com. 6°. aphoriſmo 41°. Ex.51.A
pro Pure vel ſanguine expellendo quinquefolia. de dynam. Sp.35.F
Pus vt exire poſſit emplaſtra. 2°. de arte cur. ad Glauc. 7ª.106.D
Pus acre corrodit. in prognoſt. com. 2°. 4ª.204.G
Puris acritudo ora quorundã vaſorũ adapit. cõ. 6°. apho. 27°. Ex.48.H
Pus extrahens pyulcon græce dicitur. 5°. meth. med. 7ª.32.G
Pus trahentia medicamenta. 2°. de com. me. per ge. 5ª.221.G
Pus educens paſtillus. 5°. de com. me. per ge. 5ª.251.H
Pus educens medicamentum. 5°. de com. med. per ge. 5ª.253.B
Pus educens celerrimę medicamentũ. 5°. de com. med. per ge. 5ª.246.E
Pus euacuans ſine ruptura. 6°. de comp. medicamen. per ge. 5ª.261.F
Pus quibus iam eſt in vaporem digerens. 6°. de com. me. per ge. 5ª.259.G
Pus an ſpirando, vel quieſcendo attrahatur. 5°. de loc. affect. 4ª.31.B
Pus quando expirat, & quando exit. de tum. præter naturam. 3ª.83.E
Pus in intermediis muſculorum per halitum digerit pyrites lapis. 9°. de ſimplicium medicamentorum facul. 5ª.67.F
ad Pus diſcutiendum. 6°. de compoſitione med. ſec. loc. 5ª.261.D
Pus putreſcit in proceſſu temporis. com. 5°. aph. 15°. Ex.38.G
Puris gñatio ſequitur ad corruptionem oſſis. com. 6°. apho. 45°. Ex.51.G
Pus in vlcere eſt magnum ſecuritatis ſignum. com. 5°. aph. 22°. Ex.39.D
Pus optimum quale. 1°. de diff. feb. 3ª.33.C/in prog. com. 1°. 4ª.197.A
Pus minime fætidum eſſe debet. in prog. com. 1°. 4ª.197.B
Pus cur candidum. in prog. com. 1°. 4ª.197.D
in Pure color & odor vnde. in prog. com. 1°. 4ª.197.C
Puris color debet eſſe ſemini ſimilis. in progn. com. 1°. 4ª.197.D
Puris color cineris eſt. de fract. com. 2°. 7ª.236.D
Puris imperfecti diuerſitas. 1°. de diff. feb. 3ª.33.C
ad Pus medicamenta extrinſecus. introd. Iſa.58.A
Pus mouẽs medicamentum dicitur eſſe emplaſticum. 5°. de ſim. medicamentorum facul. 5ª.33.G
à Pus mouẽtibus quo mõ differant emollientia. 5°. de ſim. me. fa. 5ª.33.F
Pus mouens medicamentum quale eſſe debet. 5°. de ſim. me. fac. 5ª.33.D
Pus mouentium natura qualis in genere. 5°. de ſimplic. med. fac. 5ª.34.C
in Pus quod verti debet ocyſſime concoquunt medicamenta ſimillima hominis temperaturæ. 5°. de ſimp. med. fac. 5ª.33.G
Pus mouens medicamentum ſingulatim hominis cuiuſq; proprium eſt. 5°. de ſimp. med. fac. 5ª.33.D
Pus mouens medicamentum in calido homine quale eſſe debet. 5°. de ſimplic. med. facultatibus. 5ª.33.D
Pus mouetur ex iis, quæ ſunt craſſę ſubſtantiæ. 11°. meth. med. 7ª.72.H
Pus mouentia ſunt calida & humida. 5°. de ſimp. med. fa. 32.D/ 5ª.34.B
Pus mouentia medicamenta humorem per halitum digerunt. 5°. de ſimplicium medicamentorum facultatibus. 5ª.33.C
Pus mouentia medicamenta. 4°. meth. med. 7ª.27.D
Pus quomodo breui tempore moueatur. de remed. par. fac. 7ª.155.F
Pus maturans. 6°. de comp. med. per ge. 5ª.259.E
Pus mouent adeps vitulinus, & ſuillus. 5°. de ſimp. med. fac. 5ª.34.B
ad Puris generationem aptiſſima eſt aqua temperata, aqua & oleum temperata. 5°. de ſimp. med. fac. 5ª.34.A
Pus mouetur cera liquefacta ex oleis calidis. 5°. de ſimp. me. fa. 5ª.34.C
Pus quando adeſt hordeacea farina. 2°. de arte cur. ad Glauc. 7ª.101.H
Pus faciunt farina tritici & panis tritici. 5°. de ſim. me. fac. 5ª.34.A
ad Pus ducendum cataplaſma, ex farina, oleo, & aqua. 2°. de arte cur. ad Glauconem. 7ª.102.A
Pus mouet, concoquit, & carnem gignit Manna thuris. 2°. de comp. medica. per ge. 5ª.221.E
Pus mouẽt calidis oleis, ſi ſit frigidus abſceſſus. 5°. de ſim. me. fa. 5ª.34.C
Pus mouens cũ pluri, & minori olei quid faciat. 5°. de ſim. me. fa. 5ª.34.B
in Pus mouentibus medicamẽtis pix valet. 4°. de cõ. me. per g. 5ª.240.F
Pus quomodo moueat pix. 5°. de ſimp. med. fac. 5ª.34.C
Pus mouet thus. 4°. de com. med. per gen. 5ª.239.G
Puris quantitas quanta viſa à Galeno. 5°. de loc. aff. 4ª.30.H
PVSILLANIMITAS *accidit per melancholiam. de anato. vi.* Sp.45.F
PVSILLANIMI *ac timido cor deeſſe dicunt. 3°. de loc. af.* 4ª.16.E
PVSILLA *etiam non ſpernenda. in 6^{m}. de mor. vulg. cõ. 2°.* 3ª.165.B
PVSIONES, *& qui habent humidum & calidum corpus, concoquũt, apponunt, agglutinant, & nutriunt præ aliis optime. 3°. de ſymptomatum cauſ.* 3ª.29.A
PVSTVLARVM *ortus. 14°. meth. me.* 7ª.90.A
Puſtulæ fiunt à calido, humores humiles à frigido. c. 6°. aph. 9°. Ex.47.C
Puſtulas inſtar ſcabiei, ac lepræ in corpore contraxerunt qui prauos cibos comederunt. 1°. de diff. feb. 3ª.31.G
Puſtulæ cur erumpant in purulentis. in prog. com. 2°. 4ª.204.E
Puſtularum aliquæ ſublimes, aliquæ humiles. com. 6°. aph. 9°. Ex.47.C
Puſtulas turgere quõ cognoſcatur. in 6^{m}. de morb. vul. com. 2°. 3ª.165.G
Puſtulæ acutæ ex quo ſucco fiat. in 6^{m}. de morb. vulg. com. 2°. 3ª.165.G
Puſtulæ latæ ex quo ſucco. in 6^{m}. de morb. vulg. com. 2°. 3ª.165.G
Puſtulæ latæ cur Simoni ſint factę. in 6^{m}. de mor. vulg. com. 2°. 3ª.165.F
Puſtulæ latæ non multum pruriunt. in 6^{m}. de morb. vulg. cõ. 2°. 3ª.165.F/ commen. 6°. aph. 9°. Ex.47.C
Puſtulæ vlceroſę cur fiant vere. com. 3°. apho. 20°. Ex.24.A
ad Puſtulas vlceroſas. 1°. de compoſi. med. ſec. loc. 5ª.131.F
ad Puſtulas vlceroſas in toto corpore habentis caſus. de purgantium medicamentorum facult. 5ª.87.F
Puſtulę bilioſæ p totũ corpus notant cholerã. com. 4°. apho. 2°. Ex.27.F
Puſtulę nigræ fiunt ex atra bile, ideo atram bilem ſignificant. com. 4°. aphoriſmo 2°. Ex.27.F
Puſtulæ nigræ in peſtilentia tempore Galeni, & veluti ſquamma decidebat. de atra bile. 1ª.35.B

Puſtulæ in

Puſtulæ in peſtilentia per totum corpus nigræ, & ſanabantur.5°.methodi medendi. 7ª.35.B
Puſtulæ nigræ.in 1m.de morb.vulg.com.3°. 3ª.124.G
Puſtulas liuidas habentes in ſuperficie optime purgat colocynthis.de dynamidijs. Sp.21.D
Puſtulę milliares ſenſibiliter exaſperantur & cur.in 6m. de morbis vulgaribus,commen.2°. 3ª.160.H
Puſtulæ crebræ an male habuerint laſſitudine laborantem percunctandum eſt.4°.de ſan.tuen. 2ª.83.C
Puſtulæ quæ terebinthus dicuntur,quare ita dicantur. in 6m. de morbis vulgaribus,commen.3°. 3ª.178.E
Puſtulę,profunditas ſomni pigrities mentis ſignificant pituitam. comment.4°.aphor.2°. Ex.27.F
cum Puſtulis febres quę.in 6m.de morb.vulg.com.1°. 3ª.159.D
in Puſtulis cancroſis cur adſit febris.14°.meth.med. 7ª.90.A
in Puſtula cruſtę color.14°.meth.med. 7ª.90.A
ex Puſtula & pruritu factum vlcus.4°.meth.med. 7ª.25.F
Puſtulæ ad cutem enatæ,deinde intro regredientes.in 1m. prorrhet. commentario 1°. 4ª.161.F
Puſtulas quæ probibent.de ocul. 7ª.189.C
Puſtulas quomodo curet Galenus.de fract.com.3°. 7ª.247.E
contra Puſtulas craſſas quę faciant.de ocul. 7ª.189.C
in Puſtulis vena incidenda primo.14°.meth.med. 7ª.90.B
Puſtulas iuuat lupinus.6°.de ſimp.med.fac. 5ª.48.D
ad Puſtulas vnguentum.de dynam. Sp.30.E
PVSTVLA *in oculo quid.fin.med.* Iſa.48.D
PVSTVLA *vlceratio oculorum.fin.med.* Iſa.48.D
Puſtulæ oculorum quibus indigeant medicamentis. 4°. de compoſitione medicamentorum ſecundum locos. 5ª.151.B
contra Puſtulas oculorum quæ valeant.de ocul. 7ª.189.C
ad Puſtulas in cornea naſcentes.de ocul. 7ª.190.H
ad Puſtulas oculorum accommoda eſt ebenus miſta remedijs ocularibus.6°.de ſimpliciũ medicamentorum facultatibus. 5ª.46.F
ad Puſtularum oculorum eruptiones.4°.de comp.me.ſe.lo. 5ª.154.E
ad Puſtulas oculorum.4°. de compoſitione medic.ſec.loc. 154.F/H/5ª.155.A/B/C/D/F/H/*de ocul.* 7ª.191.D/E
Puſtulis oris confert ſectio venarum labiorum.de anato.viuo. Sp.55.B
ad Puſtulas quas habet infans in manibus, & pedibus vltra modum. de dynamidijs. Sp.30.F
ad Puſtulas oris.6°.de com.me.per ge. 5ª.260.B
Puſtulæ in pulmone ex bile in ſtomacho.de ſperm. Sp.36.H
Puſtulas in combuſtis fieri prohibet terra cimolia.de ſimpl.me. Sp.85.B
PVTAMINA *nucum & conorum terrena ſunt.9°.de ſimplicium medicamentorum facultatibus.* 5ª.64.H
Putaminis nucis ſucco cur fullones vtuntur.7°.de ſimp.me.fac. 5ª.50.B
PVTEOLI *dicearchia eſt.1°.de comp.med.per ge.* 5ª.214.C
Puteoli habentur,ęrugo,ceruſſa,æs vſtum, & æris ſquamma.1°.de antidotis. 5ª.100.D
Puteolis ceruſſa alba fiebat.1°.de comp.med.per gene. 5ª.214.C
PVTEORVM *aqua hyeme tepida videtur. 3°. de ſimplicium medicamentorum facultatibus.* 5ª.19.D
Puteorum aquæ quare hyeme calidæ.3°.de ſim.med.fac. 5ª.18.C
in Puteo aqua duplr refrigeratur.in 6m.de morb.vulg.cõ.4°. 3ª.185.D
Putei in Pytho abundant aqua in æſtate, & non in hyeme.de bonitate aquæ. Sp.75.H
ex Puteis profundis videntur ſtellæ interdiu,modo nõ ſit meridies.10°. de vſu partium. 1ª.179.A
in PVTIOLIO, *& Apollonio Colica vt Publius.9°.de comp.medic. ſecundum locos.* 5ª.202.D
PVTO *verbum cur ab Hippocrate ponatur.in 6m. de morbis vulgaribus,commen.3°.* 3ª.171.F
PVTREDINOSAS *facultates corrigit cinnamomum. 8°. de compoſitione med.ſec.loc.* 5ª.194.E
PVTREDO *affectus totius corporis.introd.* Iſa.59.D
Putredinis duplex genus.1°.de diff.feb. 3ª.33.B
Putredo non fit à frigido, & ſicco.1°.de temp. 1ª.12.B
Putredines non fiunt flante Borea.1°.de temp. 1ª.12.B
Putredines fiunt flante auſtro.1°.de temp. 1ª.12.B
Putredines inducunt auſtrinæ tempeſtates diuturnæ.in 1m.de mor.vulg. commentario 1°. 3ª.105.D
Putredinis materia quæ ſit.11°.meth.med. 7ª.70.A
Putredo ex materia humida fit.in 3m.de mor.vulg.com.3°. 3ª.141.A
Putredines fiunt magis temporibus humidis.com.3°.aph.16°. Ex.23.A
Putredines fiunt in temporibus pluuioſis.com.3°.apho.11°. Ex.21.B
Putredini maxime dediti ſunt calidi, & humidi.8°.meth.med. 7ª.54.B
ad Putredinem facit locus.in 1m.de morb.vulg.com.1°. 3ª.103.F
Putredo ſola non eſt ad generandum ſufficiens,ſed indigemus magno calore.com.3°.apho.26°. Ex.25.F
Putredinis cauſa efficiens eſt calor extraneus. in 3m. de morb. vulgaribus,commentario 3°. 3ª.141.A
Putredo ab aliena caliditate oritur.2°.de different.feb.40.A/ 5ª.41.C/ *commentario 3°.* 3ª.142.D
ex Putredine accenditur calor.de cauſ.mor. 3ª.6.D
Putredo humorum igneum calorem accendit.cõ.7°.apho.42°. Ex.57,D
ex Putredine quomodo fiat caliditas.de cauſ.morb. 3ª.6.D
in Putredine calor qualis.2°. de diff.feb. 3ª.41. D/*de cur. rat. per ſanguinis miſſionem.* 6ª.16.H
Putredinis caliditas poteſt eſſe vehementiſſima,tamẽ naturalis erit,vel nulla,vel pauca com.4°.apho.37°. Ex.32.C
Putredo in qua ſit parte,pars calidior eſt.de cur.rat.p ſan.miſ. 6ª.16.H
Putredo humorum in vaſis qualis.1°.de diff.feb. 3ª.33.B
ob Putredinẽ cibi craſſi, & glutinoſi cauſę febriũ.1°.de diff.fe. 3ª.32.A
ex Putredine febris vnde.1°.de diff.feb. 3ª.31.H
ob Putredinem fit febris & quomodo.præſag.exper.conf. Sp.77.D/E
ex Putredine fumi tendunt ad cor.1°.de diff.feb.32.D/2°. 3ª.41.C
Putredinis humorum comes acuta febris.in 3m. de morbis vulgaribus, commentaaio 1°. 3ª.127.D
à Putredine per totum corpus ſynochus.11°.meth.med. 7ª.69.G
Putredinis cauſam habet febris quæ continuat.10°.meth.med. 7ª.61.B
Putredinem cauſam effectricem,et febrem inter ſe conferre difficile eſt. 11°.methodi medendi. 7ª.70.A
ex Putredine febris quomodo differat ab his,quæ ſunt ex inguinum tumoribus.1°.de diff.feb. 3ª.32.G
per Putredinis excellentiam differt peſtilentis febris calor ab aliarum calore.in 6m.de morb.vulg.com.1°. 3ª.159.F
Putredinis principium in peſtilentia vnde.1°.de diff.feb. 3ª.32.B
ſine Putredine febris ex ſiccitate ſanatur frigidis, & humidis. 10°.methodi medendi. 7ª.64.D
in Putredinem facile vertitur plenitudo quò ad vires.de curan.ra.per ſang.miſſ. 6ª.17.A
Putredo humorum eſt cauſa anteccdens.11°.meth.med. 7ª.70.C
Putredo cauſa, & effectus ſimul.11°.meth.med. 7ª.71.C
Putredo maligna hũorũ facit morbos piculoſos.c.4°.aph.43°. Ex.32.F
Putredo humorum videtur corrumpere propinqua capitis terribiliter. in 3m.de morb.vulg.com.3°. 3ª.142.E
Putredo ab eryſipelate.com.7°.aph.20°. Ex.55.D
in Putredinem vel in gangrenam terminatur inflãmatio.de totius morbi temporibus. 3ª.89.H
Putredo circa vlcera quando ſignificetur in difficultatibus inteſtinorũ. commen.6°.apho.3°. Ex.46.F
Putredo poteſt eſſe abſque vlcere.com.6°.apho.45°. Ex.51.F
Putredo viridis χλωρὰ.*in 1m.prorrh.com.3°.* 4ª.180.A
Putredo an ſit in ſuccis cognoſcitur ex pulſu, vrina, & calore.10°.methodi medendi. 7ª.63.D
Putredinis inditium eſt graueolentia.in progn.com.1°. 4ª.197.B
à Putredine indicatio quæ, & vnde ſumatur.11°.meth.med. 7ª.69.D
à Putredine indicationes duæ.11°.meth.med. 7ª.70.D
Putredo antequam incipiat vena incidenda.9°.meth.med. 7ª.56.G
Putredo non curatur per ſanguinis miſſionem.11°.meth.med. 7ª.71.G
Putredini quid contrarietur.11°.meth.med. 7ª.71.E
ad Putredines conueniunt medicamenta,quæ cum eo quod refrigerant vnà adſtringunt.6°.de ſim.med.fac. 5ª.43.E
Putredines ſanat ariſtolochia rotunda.6°.de ſimp.med.fac. 5ª.43.E
ad Pntredines valet aſpalathos.6°.de ſimp.med.fac. 5ª.44.A
Putredines purgat diapenidion minus.de dynam. Sp.26.D
ad Putredines valet lycium.7°.de ſimpli.med.fa. 5ª.54.G
Putredines curat ſuccus mororum.de ſimp.med. Sp.87.G
Putredines curat raphanus.de ſimp.me. Sp.89.F
Putredinibus cõuenit ſabina,vt cupreſſus.6°.de ſimp.med.fac. 5ª.45.B
Putredo in quibus ſuſpecta eſt,in his valet ſalis vſus. 11°. de ſimplicium medicamentorum facultatibus. 5ª.83.D
ad Putredines accõmodat ſalſugo piſciũ ſalſorũ.11°.de ſim.m.f. 5ª.83.H
Putredinem purgans.5°.de compoſi.me.per ge. 5ª.246.E
Putredo in oculo totum oculum exercet.intro. Iſa.58.D

ad Putredines narium confert ſuccus centaureæ.de virt.cent.Sp.93.C
Putredo cur cito fiat in ore.6°.dc com.me.ſe.lo. 5ª.171.G
Putredinibus oris confert ſuccus centaureæ.de virt.cent. Sp.93.D
ad Putredines oris.6°.de com.me.ſe.loc.171.D/ 5ª.172.D
*ad Putredines partium quarundam.5°.de compo.med.per ge.*5ª.253.H
Putredines ani mitigat ſuccus centaureæ.de virt.cent. Sp.93.E
ad Putredines.6°.de com.med.ſe.loc.172.D/5°. de comp.me.per gene. 246.E/254.D/6°.255.C/256.D/257.A/ 5ª.259.B
ad Putredinem factum medicamentum extemplo in neruo vulnerato. 6°.meth.med. 7ª.37.F
PVTREFACIENDI *vim habent aliqua medicamina. de cauſis morborum.* 3ª.9.D
ad Putrefaciendum extra os, & ſedem aptum eſt aconitum pardalianches.6°.de ſimp.med.fac. 5ª.42.A
PVTREFACIENTIA *ſunt calida poteſtate.3°.de temp.* 1ª.23.F
Putrefacientes ſunt acres ſapores.4°.de ſimplic.medic.fac. 5ª.29.G
PVTREFACIT *cauſa præter naturam.in progn.com.1°.* 4ª.197.C
Putrefacit humores auſter, & qn̄.in 1m.de morb.vul.com.2°. 3ª.114.A
non Putrefacit calor abſq; humiditate.3°.de com.me.per ge. 5ª.228.D
Putrefaciūt citra dolorem carnem mollem calida in quarto ordine, quæ ſunt tenuium partium.7°.de ſimp.med.fac. 5ª.50.D
Putrefaciunt mollia dolorē leuantia.3°.de comp.med.per ge. 5ª.331.G
*Putrefacit carnē mollem cedrea ſine dolore.7°.de ſim.med.fac.*5ª.50.D
Putrefacere non debet medicamentum applicandum vlceri in cancro. commen.6°.apho.38°. Ex.50.E
Putrefacit farina triticea cum ole o.6°.meth.med. 7ª.37.F
Putrefacit veſtes immobilitas.in 3m.de morb.vulg.com.3°. 3ª.141.A
PVTREFACTIO *ex quibus fiat.4°.meth.med.* 7ª.27.D
Putrefactio alteratio præter naturam.5°.de ſimp.med.fac. 5ª.33.C
Putrefactio tarde fit in frigidis, breui antem fit in calidis hepatis tempe raturis.8°.de comp.med.ſe.lo. 5ª.194.A
Putrefactionē nō fieri ab aliquo humido, collige.c.6°.aph.38°. Ex.50.E
*Putrefactio ſequit̄ obſtructionē.8°.de com.me.ſec.loc.193.H/*5ª.194.G
Putrefactio cur fiat in inflammatione.2°.de criſ. 4ª.138.B
Putrefactio facit impedimentum in motibus.1°.de mot.muſc. 1ª.308.G
à Putrefactione leuat farina erui cum lixiuio.6°.meth.med. 7ª.37.F
à Putrefactione leuat farina hordeacea cū lixiuio.6°.me.me. 7ª.37.F
ex Putrefactione partium diminutio.de cau.mor. 3ª.9.D
in Putrefactione ſectionis ordo.5°.de anat.adm. 1ª.87.B
Putrefactiones corrigit Aſpalathus, & crocus.8°.de compoſitione medicamentorum ſecundum locos. 5ª.194.F
ad Putrefactiones oris, & reliqui corporis.5°.de com.me.ſec.loc.165. H/6°.de comp.me.ſe.lo. 5ª.172.D
*contra Putrefactionem valens medicamentū.de med.exper.*Sp.104.H
PVTREFACTIVA *potentia eſt vna ex potentijs medicinarum oculi. de ocul.* 7ª.189.A
Putrefactiua qualia.de ocul. 7ª.188.F
Putrefactiua valent ſcabiei vetuſtæ aſperitati, vngulæ vetuſtæ, & prurigini.de ocul. 7ª.189.C
Putrefactiua curatio quomodo incedat.contra Iulianum. Ex.68.G
in PVTREFACTO *ſanguine an febres contingant. 2°. de differentijs febrium.* 3ª.40.A
PVTREFIVNT *promptiſſime calida & humida in locis calidis, niſi difflentur ac refrigerentur.1°.de diff.feb.* 3ª.31.H
Putrefit dupliciter ſanguis.2°.de diff.feb. 3ª.41.D
ad PVTRESCENDVM *paratos humores ſi habeamus ægri tempore peſtilenti non ſunt nobis viſendi, ne & nos inficiamur, collige.1°.de differentijs febrium.* 3ª.32.B
*Putreſcentia nō p̄nt dici cōcoqui.de vict.rat.in mor.acu.c.5°.*7ª.122.H
Putreſcentia quæ ſint.11°.de ſimp.med.fac. 5ª.83.D
Putreſcentia qualia eſſe debent.9°.meth.med. 7ª.56.D
*Putreſcentia oīa caliditatem acquirunt.4°.de ſimp.med.facul.*5ª.24.H
Putreſcentia vnde id patiantur.3°.de com.me.per ge. 5ª.228.C
Putreſcens ſanguis tranſit in alteram naturam, in bilem flauā, vel atrā. 2°.de diff.feb. 3ª.42.F
à Putreſcentibus ſol euitandus.de ijs, quæ in med.ſi.com.1°. 7ª.202.A
Putreſcentium curatio.6°.dc comp.med.per ge. 5ª.255.G
Putreſcentia curari debent ſiccantibus, & refrigerantibus.3°.de comp. med.per ge. 5ª.228.D
Putreſcens pars cataplaſmate ex lixiuia ſtillatitia, & farina hordei fomenta in contuſionibus neruorum.3°.de comp.me.per ge. 5ª.229.A
ad Putreſcentes muſculos, & carthilagines in alto corpore.5°. de compo.med.per ge. 5ª.250.G
ad Putreſcentia vtilia.2°.de arte cur.ad Glauco. 7ª.106.H
ad Putreſcentia.4°.de compoſitio.med.ſec.loc. 5ª.152.D
PVTRESCIBILE *ſemper ad continua habet diſpartitam caliditatē. 1°.de diff.feb.* 3ª.32.H
PVTRESCERE *eſt corrumpere.2°.de diff.feb.* 3ª.40.A
Putreſcunt quæ.in prog.com.1°.4ª.197.C/5°.de ſimp.med.fac. 5ª.36.B
Putreſcunt res quot modis.de inæqu.intemp. 3ª.44.D
Putreſcunt quæ facile.de tum.præter naturam. 3ª.83.C
Putreſcunt quæ corpora.11°.meth.med. 7ª.68.G
Putreſcunt omnia medicamenta putredine necantia non ſtatim in vētre ſed temporis ſpatio, at contrario modo ſe habent refrigerantia, tempo r:s enim ſpatio debilitantur.3°.de ſimp.med.fac. 5ª.22.B
Putreſcunt promptiſſime calida, & humida niſi difflentur ac refrigeren tur.1°.de diff.feb. 3ª.31.H
Putreſcunt omnia magis cum fuerit humidior locus, & calidior.3°. de ſimplic.med.fac. 5ª.22.B
Putreſcunt facilę calida humida in locis calidis.de curan.rat.per ſangui nis miſſionem. .6ª.16.G
cum Putreſcunt calida, fiunt calidiora.de cur.ra.per ſan.miſ. 6ª.16.H
Putreſcunt res & à quibus.de cau.mor. 3ª.9.C
ne Putreſcant veſtes cum tempus eſt humidum et calidum quatiuntur. in 3m.de morb.vulg.com.3°. 3ª.141.A
Putreſcit cibus nō ſup̄atus à naturali calore.dę cu.ra.p̄ ſan.mi. 6ª.16.H
Putreſcit neceſſario, ſcilicet peritoneum omentum ſi excidat. commentario 6°.aphor.58°. Ex.53.F
*Putreſcunt leuiſſime pubes, et pudenda.in 3m.de mor.vul.c.3°.*3ª.42.F/ *5°.methodi medendi.* 7ª.31.D
Putreſcant qn̄ diſtillantes humores.in 1m.de mor.vul.com.1°. 3ª.105.F
Putreſcit humor non benc difflatus.1°.de diff.feb. 3ª.32.A
Putreſcunt humores quandoque in toto corpore, quandoq; in ſolis vaſis. commen.4°.aph.37°. Ex.32.B
Putreſcit neceſſario quandoq; ſanguis.2°.de diff.feb. 3ª.40.A
cur Putreſcunt materię in inflammationibus.2°.de dif.feb. 3ª.41.C
Putreſcunt oſſa & quomodo.de fract.com.3°. 7ª.246.H
Putreſcere quę non poſſunt.11°.dc ſimp.med.fac. 5ª.83.D
Putreſcit nihil penitus ſiccum.in 3m.de morb.vulg.com.3°. 3ª.141.A
Putreſcunt tardius frigida.in 3m.de mor.vulg.com.3°. 3ª.141.A
Putreſcere corpus facientibus medicaminibus aduerſatur ſcordium.1°. dc antidotis. 5ª.105.F
cur Putreſcat aqua pluuialis citiſſime omnium.de bon.aquæ. Sp.75.F
PVTRIDORVM *ciborum odores varij & cur.3°.de ſym.cau.*3ª.25.D
Putridas ſuperfluitates generant ſiccę ficus.de diſſ.cont. Sp.74.B
PVTRIDARVM *febrium differentiæ.11°.meth.med.* 7ª.69.D
Putridarum febrium ſex differentiæ.2°.de diff.feb. 3ª.39.F
in Putridarū genere ſunt febres ob inflāmationē.10°.met.me. 7ª.64.C
Putridarum febrium tot differentiæ, quot formæ in vrinis apparent.1°. de diff.feb. 3ª.33.C
Putridæ ſunt lypiriæ, & hepialæ.1°.de diff.feb. 3ª.34.A
Putrida febris ardens.1°.de diff.feb. 3ª.34.A
à Putridis ephemeræ differentia quæ.1°.de diff.feb. 3ª.33.D
in Putridam poteſt tranſire diaria.9°.me.mcd. 7ª.55.G
*in Putridā trāſit diaria ex obſtructione ſi ſequatur.9°.met.me.*7ª.58.B
in Putridam cur tranſeat diaria.10°.meth.med. 7ª.61.E
in Putridam febris ephemeræ conuerſa ſigna.1°.de diff.feb. 3ª.33.F
Putridarum febrium inditia.1°.de diff.feb. 3ª.33.F
Putridarum febrium caliditas qualis.1°.de diff.feb. 3ª.33.H
Putridum expirantium conſuetudo non ſecura.1°.de diff.feb. 3ª.31.C
Putridarum febrium pulſus. 1°. de differentijs febrium. 3ª.33.H/3°.de *præſag.ex pulſ.* 4ª.117.H
in Putridis pulſus durus quando.1°.de dif.feb. 3ª.34.C
Putridarum febrium vrinæ.1°.de diff.feb. 3ª.34.A
in Putrida febre indicatio.11°.meth.med. 7ª.69.D
*in Putridis agēdorum indicatio à tribus ſumitur.10°.meth.me.*7ª.61.E
Putridæ habent prouiſionē, quæ cauſam remouet.11°.meth.me. 7ª.68.D
in Putrida ſanguis mittendus conſtantibus viribus.11°.me.me. 7ª.71.F
in Putrida febre non vtitur balneo, & relaxantibus Galenus, niſi poſt purgationem.11°.meth.med. 7ª.73.D
Putrida coniuncta hecticæ balneum prohibet.10°.meth.med. 7ª.66.G
in Putrida febre exemplum medicationum.11°.meth.med. 7ª.68.G
Putridi humores in cinerem vertuntur.2°.de diff.feb. 3ª.41.D
*Putrid° ſanguis eſt ſanguis cū putredine miſtus.10°.de ſim.m.f.*5ª.72.F

Putridis

Putridis morbis & carbunculis quę vrbes ſint obnoxiæ.in 1^{m}*.de morbis vulg.commen.*1°. 3ª.103.F
*Putrida pars debet incidi.*13°*.meth.med.* 7ª.81.E
Putrida præciſa inurebant.in 3^{m}*.de morb.vulg.com.*3°. 3ª.142.F
*Putrida vlcera quæ ſint,& quid,& quo modo,& ex quo fiant.com.*6°*. aphoriſmo* 45°. Ex.51.F
*ad Putrida vlcera.*3°*.de comp.med.ſe.lo.* 5ª.148.A
*ad Putrida quę conueniant.*4°*.de com.med.per ge.* 5ª.242.F
*Putrida adiuuant anagallides.*6°*.de ſimp.med.fac.* 5ª.42.H
PVTRILAGO *in humidis naſcitur corporibus.*4°*.de ſimplicium medicamentorum facultatibus.* 5ª.30.C
PVTREM *particulam habentis caſus.*6°*.meth.med.* 7ª.37.F

PYCNOCOMI

*vires quales.*8°*.de ſimplic. med.facul.* 5ª.59.D
*Pycnocomi folia phymata,& furunculos diſcutiunt,palos,& alia id genus infixa ad extimam cutem elicit.*8°*.de ſimp.med.fa.* 5ª.59.D
*Pycnocomi radix bilem flauam purgat.*8°*.de ſim.med.fac.* 5ª.59.D
πυκνωτικὰ *medicamenta.i.condenſantia.*5°*.de ſimp.me.fa.* 5ª.35.H
πυκνοῦ,& ταχέως *vſus.de vict.rat.in morb.acut.com.*3°. 7ª.132.E
PYELI *qui.*7°*.meth.med.* 7ª.44.E
PYLIDES *ſedis affectus.introd.* Iſa.59.D
πυλωρὸν *quid vocent græci.intro.* Iſa.54.D
*Pyloron imus terminus ventriculi.*6°*.de anat.adm.* 1ª.91.F
*Pyloron locus quo ventriculus cum inteſtino coniungitur.*3°*.de naturalibus facultatibus.* 1ª.303.E
Pyloron inferior terminus ventriculi ſitum habet prope iecur ad dexteram.de ven.art.diſſ. 1ª.55.H
*Pyloron quid faciat ventriculo.*8°*.de vſu par.* 1ª.170.D
*Pyloros in vẽtriculo factus eſt,qui retardet deſcenſum chyli.*4°*. de vſu partium.* 1ª.139.B
*Pyloron aperit ventrem cum eſt ſatur,& ſuperfluum tranſmittit.*4°*.de ſanita.tuen.* 2ª.88.B
*Pyloron clauſum eſt,vt os vteri quando cibus eſt in ventriculo.*3°*.de naturalibus facultatibus.* 1ª.303.E
ad Pyloron mittitur alimentum introd. Iſa.54.E
*ad Pyloron bilis meatus ex veſica.*6°*.de anat.adm.* 1ª.93.C
PYOSIS *affectus iridis oculorum.intro.* Iſa.58.D
PYRACINVM. 7°*.de comp.med.per ge.* 5ª.273.C
PYRAMIDIS *forma ex quibus compoſita.*8°*.de decre.* 1ª.274.G
PYRENOIDES *vertebra.de oſſi.* 1ª.41.H
PYRETHRVM *quid.de ſimp.med.* Sp.88.H
*Pyrethrum cur vocet Nauplion euboicum.*9°*.de com.me.ſe.l.*5ª.201.C
*Pyrethri aſparagus eſt humidior,q̃ folia.*2°*.de alim.fac.* 2ª.24.A
*Pyrethrum obſonium ſponte proueniens.*2°*.de alim.fac.* 2ª.25.D
Pyrethrum manditur vt cibus.de atten.vic. 2ª.44.A
*Pyrethrum fame comeditur.*2°*.de alim.fac.* 2ª.22.C
*Pyrethrum à ruſticis in muria,vel aceto ſeruatur.*2°*.de ali.fac.* 2ª.22.C
*Pyrethrum parum nutrit.*2°*.de alim.fac.* 2ª.22.C
*Pyrethrum proportione rñdet aeri calidiori.*2°*.de ſimp.med.fa.* 5ª.15.G
*Pyrethrum calidum.*3°*.de temp.* 1ª.21.G
*Pyrethrum nobis admotum videtur calidum.*3°*.de temp.* 1ª.21.H
*Pyrethrum vim habet calefaciendi.*1°*.de ſimp.med.fac.* 5ª.2.C
*Pyrethrum acre.de atten.vic.*2ª.43.H/6°*.de com.me.per ge.* 5ª.256.F/ *de vict.rat.in morb.acut.com.*4°. 7ª.135.C
*à Pyrethro experimẽtũ ſumẽdũ de acredine.*4°*.de ſim.me.fac.*5ª.26.B
Pyrethrum ad quid vtile.de cucur.& ſcar. 6ª.4.F
*Pyrethrũ habet facultatẽ icidẽdi vbi cõmaturuerit.de att.vi.*2ª.44.A
Pyrethrum attenuat.de atten.vic. 2ª.43.H
*Pyrethrum fortiter calfacit dum guſtatur.*4°*.de ſimp.med.fac.*5ª.29.D
Pyrethrum guſtu excalfacit vehementer, ſaliuam copioſam prouocat, efficaciter relaxat,& calefacit acriter.de ſimp.med. Sp.88.H
*Pyrethrum excalfacit.*5°*.de ſimp med.fac.* 5ª.32.A
*Pyrethrum exiccat.*2°*.de ſimp.med.fac.* 5ª.16.C
Pyrethrum dentes refrigeratos mitigat, ſtupidos & reſolutos adiuuat. 8°*.de ſimp.med.fac.* 5ª.59.D
*Pyrethrum mordicat carnem.*4°*.de ſimp.med.fac.* 5ª.29.D
Pyrethrum diſcutit nec ſumptuoſum eſt diſcuſſorium pro pauperibus. 6°*.de comp. med.ſec.lo.* 5ª.169.D
Pyrethrum & piper palpitationis remedia.de trem.& palp. 3ª.52.G
*Pyrethrum ad rigores cum oleo.*8°*.de ſimp.med.fac.* 5ª.59.D
*Pyrethri radix cauſtica.*8°*.de ſimp.med.fac.* 5ª.59.D
*Pyrethrum vrere poteſt.*5°*.de ſimp.med.fac.* 5ª.38.F
Pyrethri radices pituitam purgant.de dynam. Sp.22.A
Pyrethri doſis & quibus miſcetur.de dynam. Sp.22.A
Pyrethrum purgat caput & nares.de cathart. Sp.95.B
Pyrethrum medicamentum apophlegmaticũ.de rem.par.fa. 7ª.154.F
πυρετὸς *quomodo fiat.de curan.rat.per ſang.miſſ.* 6ª.17.A
PYRIASTEN *lac quod vocent.*3°*.de alim.fac.* 2ª.28.G
PYRICAVTON *dictum medicamentum.*2°*. de compoſitione medicamentorum per genera.* 5ª.224.D
πυρηνοειδὴς *productio quæ.*12°*.de vſu par.* 1ª.194.E
πυρίνων. *i.nucleorum.de remed.par.fac.* 7ª.158.D
πυριφλεγῆ *quid ſignificet.de vict.rat.in mor.acu.com.*4°. 7ª.142.E
Pyrion meminit.de remed.par.fac. 7ª.163.E
PYRITES *lapis quid,& eius vires.de ſimp.med.* Sp.86.F
Pyrites lapis acres vires habet confert proprie ad oculorum claritatẽ. de ſimp.med. Sp.86.F
*Pyritis lapidis vſus & aptatio.*2°*.de arte cur.ad Glauc.* 7ª.104.C
*ex Pyrite lapide in fornacibus fit cadmia.*9°*.de ſimp.med.fa.* 5ª.69.E
*Pyrites in Emplaſtro digerente ponitur.*9°*.de ſimp.med.fac.* 5ª.67.F
*Pyrites lapis pus & conſiſtentia grumoſa in ſpatijs intermedijs muſculorum nata per halitum digerit.*9°*.de ſimp.med.fac.* 5ª.67.F
*Pyrites lapis extinctus in aceto pro magnis ſcirrhis.*13°*.me.me.* 7ª.88.B
*Pyrites lapis.*2°*.de arte cur.ad Glauc.* 7ª.104.B
pro Pyrite lapis molaris. 13°*.meth.med.* 7ª.88.B
PYRITIS *dicta nardus quæ.*8°*.de ſimp.med.fac.* 5ª.56.H
PYRRHO *auctor philoſophiæ ſepticæ.de hiſt.philoſ.* Sp.2.F
Pyrrhonis laus.de ſubfi.empi. Iſa.34.E
Pyrrhon totus integer.de ſubfi.empi. Iſa.34.D
PYRRHONII *qui.de ijs,quæ in med.fi.com.*1°. 7ª.199.H
*Pyrrhonij heſitatores erant.*2°*.de nat.fac.* 1ª.301.B
Pyrrhonis dubium quod ſenſus non percipiant propria ſenſibilia. 2°*. de temperamentis.* 1ª.16.H
*Pyrrhonea dubitatio.*1°*.de dieb.decr.* 1ª.146.A
Pyrrhonei negant haberi ſcientificã oſtenſionẽ.de cuiuſ.aĩ pec. 2ª.56.D
Pyrrhonij rudes.de præcogn.ad Poſt. 4ª.216.C
Pyrrhonica ruſticitas tanquam aſſylum ad quod confugiunt ignari. an ſang.in arte. 1ª.62.C
*Pyros.i.triticum.*8°*.de ſimp.med.fac.* 5ª.59.D
*Pyri fructus pyrum dicitur.*2°*.de alim.fac.* 2ª.16.C
*Pyrorum multiplex genus.*2°*.de alim.fac.* 2ª.19.F
*Pyrorum differentiæ ex ſaporibus.*2°*.de alim.fac.* 2ª.20.D
Pyra ſunt frigida.de diſſ.cont. Sp.74.D
*Pyra humida ſunt.*2°*.de alim.fac.* 2ª.17.D
*Pyra ſylueſtria acerba ſunt.*1°*.de ſimp.med.fac.* 5ª.9.A
*Pyri agreſtis fructus acerbus,& dulcis eſt.*4°*.de ſimp.me.fac.*5ª.26.F
*Pyra ſylueſtria acerba dulcedine participant.*4°*.de ſim.me.fa.*5ª.26.H
*Pyra ſylueſtria quo magis coques eo dulciora efficies, & decoctum fit acerbum.*3°*.de alim.fac.* 2ª.32.A
*Pyra acerba,& ſicca ſunt nuper enata,vbi maturuerint dulcia,& progreſſu temporis humidiora redduntur.*4°*.de ſimp.med.fac.* 5ª.25.F
Pyrorum acerborum decoctum adſtringens moderatũ pro gargariſmis. 6°*.de compoſi.med.ſec.loc.* 5ª.172.F
Pyra pontica parum nutriunt.de diſſol.cont. Sp.73.F
Pyra pontica tarde deſcendunt.de diſſ.cont. Sp.74.H
*Pyrum adſtrictionis particeps.*3°*.de ſimp.med.fac.* 5ª.21.E
*Pyri adſtrictio ſuauis eſt.*3°*.de ſimp.med.fac.* 5ª.20.D
*Pyra adſtringentia quibus aluum ſubducunt.*2°*.de alim.fac.* 2ª.19.H
*Pyra auſtera ſubducebant.*2°*.de alim.fac.* 2ª.20.A
*Pyra auſtera comedebat Protas rhetor.*2°*.de alim.fac.* 2ª.20.A
*Pyri auſteri meminit.*12°*.meth.med.* 7ª.79.A
*Pyra magna nutriunt.*2°*.de alim.fac.* 2ª.20.F
Pyra ſi comedãtur matura generant chymũ frigidũ.de diſſ.cõ. Sp.74.B
*Pyra gñant viſcoſos,craſſos,& frigidos humores.de pue.epil.*7ª.180.D
*Pyra matura dicuntur pepera.*2°*.de alim.fac.* 2ª.17.A
*Pyra aquea,terrea,inæqualia.*6°*.de ſimp.med.fac.* 5ª.43.D
*Pyra aquea.i.qualitatis exptia carẽt vi roborãdi.*2°*.de ali.fa.* 2ª.20.E
*Pyra tarentina.*9°*.de comp.med.ſec.lo.* 5ª.203.A
*Pyra eandem hab ent facultatem cum pomis.*2°*.de ali.fac.* 2ª.20.D
*Pyrorum vſus pomorum vſui ſimilis.*2°*.de alim.fac.* 2ª.20.E
Pyris vtimur vt medicamentis.de bon.& vit.ſuc. 2ª.37.F
Pyra elixa minus obſunt.de atten.vic. 2ª.44.A
Pyra quo modo ſeruentnr exiccata,poſtea elixantur. 2°*. de alimentorũ facultatibus.* 2ª.20.F

Pyra ſitim

Pyra ſitim prohibent, deſiccant, & modice refrigerant. 6°. de ſimpliciũ medicamentorum facultatibus. 5ª.43.D
Pyra adſtringunt.6°.de comp.me.ſe.lo. 5ª.176.F
Pyra quædam adſtringunt euidenter.1°.de ſimp.me.fac. 5ª.7.H
Pyra ſylueſtria adſtringunt, & exiccant. 6°. de ſimp.med.fac.5ª.43.D/ de vict.rat.in morb.acut.com.1°. 7ª.111.D
Pyra ſtringunt ventrẽ cũ ſtypticitate, & ponticitate.de diſſ.cõ.Sp.75.B
Pyrum adſtringens ſanat ſymptomata ſcammonij.2°.de ali.fac.2ª.20.C
Pyra ſtomacho grata.6°.de ſim.med.fac. 5ª.43.D
Pyris vtimur ad ſtomachi ventriſq́; firmitatem ac robur.de bonitate, et vitio ſuccorum. 2ª.37.F
Pyra roborant ſtomachum.2°.de ſan.tuen.2ª.99.E/2°. de compoſitione medic.ſec.loc. 5ª.133.D
Pyrum ad ventriculum ſubuerſum.de remed.par.fac. 7ª.153.H
Pyrorum cremoris ſorbitio ad ſtomachi ardorem cũ ſyncope.8°. de compo.med.ſec.loc. 5ª.191.H
Pyra pro ſyncopi mediocri.1°.de arte cur.ad Glauc. 7ª.99.E
Pyris vulnus glutinauit Galenus.6°.de ſimplic.med.fa. 5ª.43.D
Pyra ſylueſtria maiora vulnera glutinant, fluxuſq́; repellũt. 6°. de ſim med.fac. 5ª.43.D
ex Pyrorũ ſylueſtrium ſucco medicamentũ.6°.de cõ.me.ſe.l.5ª.169.A
Pyra non danda epilepticis niſi raro.de puero epile. 7ª.180.C
Pyrus planta agreſtis.2°.de alim.fac. 2ª.21.H
Pyro ſylueſtri ſimilis oxyacanthos.8°.de ſimp.med.fac. 5ª.191.H
Pyri folia auſtera.6°.de ſimp.med.fac. 5ª.43.D
Pyri ſemina tria aut quatuor grana.2°.de alim.fac. 2ª.16.C
PYSSELAEVM.7°.de com.me.per ge. 5ª.272.D
PYTHAGORAS Italicæ philoſophiæ princeps.de hiſt.ph.Sp.2.G
Pythagoras inſtituit dogma ſtoicum.4°.de decr.Hipp. 1ª.253.H
Pythagoræ dogma ſcitur ex diſcipulorum ſcriptis.5°.de decr. 1ª.258.D
Pythagoras nihil reliquit ſcriptum. de nat.humana. com.6°. 30. H/6°. de decret.Hippoc. 1ª.258.D
Pythagoras primus inuenit Zodiaci obliquitatem.de hiſt.phil. Sp.6.C
Pythagoras haruſpicinam tantum improbat.de hiſto.philoſ. Sp.10.C
PYTHIONIS caſus.in 3m.de morb.vulg.com.3°. 3ª.148.G
PYTHICVM inſcriptum librum fecit Damocrates.5°. de compoſi.medic.ſec.loc. 5ª.165.B
Pythij ad dentes motos.5°.de com.me.ſec.loc. 5ª.165.C
in PYTHO putei ſunt abundantes aqua æſtate, & non hyeme. de bonitate aquæ. Sp.75.H
PYTIA. i.coagulum.10°.de ſimplic.med.fac. 5ª.74.D
τὸ πυτιλίζειν eſt exercitatio.2°.de ſan.tuen. 2ª.73.G
PIVLCON quaſi ſignificet.5°.meth.med. 7ª.32.G
Pyulca.i.medicamenta trahentia pus.2°.de comp.med.per ge.5ª.221.G
Pyulcum inſtrumentum.2°.de arte cur.ad Glauc. 7ª.105.H
PYXACANTHON. 7°.de ſim.me.fa. 5ª.54.G
PYXIDIS æreæ meminit.2°.de compoſi.med.ſec.loc.139.B/4°.152.H/153.A/ 5ª.158.C
Pyxis æris cyprij.5°.de com.me.ſe.loc. 5ª.161.F
Pyxis æris rubri.de med.fac.par. 7ª.162.G
Pyxidis argenteæ fit mentio.7°.de comp.med.ſec.loc.179.E/ 5ª.186.A
Pyxis cornea.2°.de compoſitio.med.ſec.loc.139.A/4°. 5ª.153.C
Pyxis ilicea.4°.de com.med.ſe.loc. 5ª.152.H
Pyxis lignea ad quæ medicamenta ſeruãda.6°.de com.me.ſe.l.5ª.172.C
Pyxis lignea.4°.de comp.med.per ge. 5ª.243.G
Pyxis lignea irino illita.5°.de comp.med.per gene. 5ª.250.E
Pyxis plumbea, ilicea, vel cyprina.1°.de com.me.ſe.loc. 5ª.126.E
Pyxidis plumbeæ meminit.3ª.de comp.med.ſecundum locos.148. C/2°. de comp.medicamen.per ge. 5ª.224.F
Pyxis rubra.6°.de compoſi.me.per ge. 5ª.257.B
Pyxidis vitreæ fit mẽtio.7°.de cõp.med.ſec.lo.179. E/186.A/5ª.274.F
PYZARCATVM. de med.fac.par. 7ª.176.G

QVADRAGENArij caſus, qui in inteſtinis noxam contraxerat ex ſcammonea.11°.meth.med. 7ª.78.G
QVADRAGESIMVS & octogeſimus dies ſunt decretorij.in 3m.de morb.vulgar.commentario 3° 3ª.123.A
à Quadrageſimo die infra ponit ordinem dierum indicatoriorum.cõ.4.a.36°. Ex.32.A
Quadrageſimus dies eſt initium morborum longorum, qui non iudicantur per ſudorem.com.4°.apho.36°. Ex.32.B
poſt Quadrageſimos Hippocrates videtur deſpicere dies.1°.de diebus decretorijs. 4ª.149.D
Quadrageſimus dies qualis ſit.1°.de die.decr. 4ª.149.C
Quadrageſimo die qui morbi nõ citius finiant.1°.de dieb.dec. 4ª.151.D
poſt Quadrageſimum diem quo modo morbi ſoluantur.1°.de diebus decretorijs. 149.D/4ª.151.D
QVADRANS vncias tres continet.3°.de com.med.per ge. 5ª.233.G
Quadrantis fit mentio.3°.de compoſitione medic.ſec.loc.147. E/4°.153. D/7°.185.E/9°. 5ª.199.D
QVADRATVM quibus conſtat.8°.de decre.Hipp. 1ª.274.G
QVADRATI hñt pulſus moderatos.1°.de præſag.ex pulſ. 4ª.106.B
Quadratus factus gracilis, aſſimilis eſt gracilibus natura. 3°. de digno. pulſuum. 4ª.98.D
QVADRATI acopon.7°.de comp.me.per ge. 5ª.272.A
QVADRATVS lapis quid.de ſimp.med. Sp.86.G
Quadrat⁹ lapis vires habet viſcidas, et adſtringẽtes.de ſim.me.Sp.8.G
QVADRATA cochlea quæ.de machin. 7ª.310.C
Quadrata cochlea quõ teſtudinem habeat.de machin. 7ª.310.C
QVADRIGA dicitur ab aliquibus duplex ſpica.de faſ. 7ª.301.D
QVADRVPEDIA & volatilia dum ambulant habent eandẽ figurã, quam habent homines ſedentes.3°.de vſu par. 1ª.128.D
Quadrupedia, & volatilia nunq̃ ſtant recta.1°.de vſu par. 1ª.128.D
Quadrupedum carnibus velocius digeruntur carnes auium de diſſolutione continua. Sp.73.C
Quadrupedum carnes vitent epileptici.de puero epilep. 7ª.180.G
Quadrupedum pedes & genua ſunt cibi ſuperfluitates non habentes.de diſſolutione continua. Sp.73.E
ad Quadrupedum morſus.6°.de comp.med.per ge.259.G/ 5ª.260.C
ad Quadrupedum ictus & morſus.5°.de comp.med.per ge. 5ª.248.H
QVADRVPLEX circulus dicitur laqueus Plinthij.d laqueis.7ª.308.C
QVAERENDVM potius quomodo quę fiunt, fiant, quam negare quod fiant.3°.de loc.aff. 4ª.31.B
QVAESITVM inuenire docet logica.1°.metho.med. 7ª.4.F
Quæſita quomodo paulatim inueniuntur.1°.de dign. pulſ. 4ª.70.G
Quęſitum quodlibet diſcutere ſciunt rationalem contemplationem diligenter tractantes.ad Thraſy. 2ª.102.A
QVAESTIONES quæ logicę & dialecticæ ſint, & quæ non. 3°.de locis affectis. 4ª.14.E
Quæſtiones dialecticæ.3°.de loc.aff. 4ª.14.E
Quæſtio quædã logica quę ſit.de vict.rat.in morb.acut.cõ.1°. 7ª.109.D
Quęſtiões logicas & obſcuras ſcribebat Archigenes.1°.de lo.af.4ª.3.C
Quęſtio de quo propoſita eſt cognoſcere id oportet.eſtq́; vnum hoc principium optimum de re qualibet.1°.metho.med. 7ª.4.E
ad Quæſtiones publicas reſpondere quotidie mos antiquus Romæ.de venæ ſect.aduer.Eraſ. 6ª.10.A
in Quæſtiõibus ĩprouiſis piculũ fecit Galenus ſępe.4°.de pulſ. 4ª.69.G
Quæſtionis inuentio duplex.in 1m. de morb.vulg.com.3°. 3ª.120.H
in Quæſtionem venientia, habent duo organa rationem, & experientiam.de curan.rat.per ſang.miſſ. 6ª.16.B
Quæſtionem quamlibet perperam pertractantes quibus vtantur rationibus.2°.de decre.Hippo. 1ª.234.D
Quęſtionem ſatis ſolutam putabat Chryſippus, ſi cauſam ſe ignorare fateretur.4°.de decr.Hipp. 1ª.253.D
Quæſtiones de anima quæ ſciendæ.de motu man.& obſ. Sp.67.G
Quęſtione dignũ eſt quod ab Hippocrate hoc loco ꝓponĩ, quãuis logicã ſpeculationem ſapere videatur.de vic.rat.in mor.ac.cõ.1°.7ª.109.D
Quęſtiones vanæ quę.de vict.rat.in mor.acut.com.1°. 7ª.110.G
QVALI rei attribuitur quanti nomẽ à Medicis.1°.de diff.feb. 3ª.30.H
Quale, & qualia ſignificant qualitatem, & non quantitatem.commẽ.1°. aphoriſmo 2°. Ex.3.C
ad Qualia ſint, vel ad aliquid, magnum, & paruum diſputatur. 2°. de diff.pulſ. 4ª.52.E
ſi Qualia purgari oportet purgentur confert, & leuiter ferunt, contra grauiter.com.4°.apho.3°. Ex.27.H
Qualitatem & quantitatem ſimul confundunt antiqui medici. com. 6°. aphoriſmo 5°. Ex.46.H
Qualitatis prædicamentum quibus ſit cõmune.2°.de diff.pulſ. 4ª.57.H
in Qualitate quantitates dicuntur.3°.de com.med.per gen. 5ª.228.H
in Qualitatibus magnũ, & paruũ dicũtur.3°.de cõ.me.per g. 5ª.228.H
Qualitates quo mõ poſſint dici magnæ, vel paruæ.c.1°.aph.14°. Ex.7.D

Qualitas eſt triangulare.2°.de pulſ. 4ª.58.H
Qualitas non ſumitur ſine ſubſtantia.1°.de elem. 1ª.7.B
Qualitate prius eſſentia rei requiritur.3°.de dignoſ.pulſ. 4ª.81.H
Qualitatē pro elemento q̄nq; intelligit Hippocrates.1°.de elem. 1ª.7.C
Qualitates,& differentiæ elementorum.de ſpermate. Sp.40.H
Qualitates primę elementorum quatuor ſunt.3°.de ſimplicium medicamentorum facultatibus. 5ª.17.D
Qualitates quę.ſin.med. Iſa.48.C
Qualitates primæ ſunt caliditas,frigiditas,humiditas,et ſiccitas.3°. de ſimp.med.fac. 5ª.17.C
Qualitates ſolas quandoque ſignificant calidum,frigidum,humidum,ſic cumq;, quandoque vero & ſubiecta quæ ſuſcipiunt qualitates.1°. de temperamentis. 1ª.13.G
Qualitates elementorum vnde.de ſpermate. Sp.38.H
Qualitates ex atomis fiunt ſ̄m Democritum.1° de elem. 1ª.2.E
Qualitates an ſint corpora quod qualitates incorporeæ ſint. Iſa.8.H
ex Qualitatibus aliquibus aer bonus.1°.de ſan.tuen. 2ª.67.B
Qualitates ſunt contrariæ.1°.de elem. 1ª.7.B
in Qualitate,& in loco motus.2°.meth.med. 7ª.10.A
Qualitates quatuor elementorum vocat agentes Galenus. 10°. de ſimp. med.fac. 5ª.71.H
Qualitates effectrices ſunt caliditas,& frigiditas.2°.de ſem. 1ª.339.A
Qualitates effectrices nominantur caliditas,frigiditas, humiditas, & ſiccitas.de curan.rat.per ſang.miſſ. 6ª.16.C
Qualitates actiuæ ſunt humiditas,& ſiccitas.3°.meth.med. 7ª.18.F
Qualitates q̄uo poſſint dici actiuæ,& paſſiuæ.1°.de nat.fac. 1ª.291.C
in Qualitatē contrariā nihil totū ſimul migrat.1°.de nat.fac. 1ª.304.B
Qualitatum amicitia & pugnantia eſt in omni re. 3°. de ſimplicium medicamentorum facultatibus. 5ª.17.H
Qualitates quatuor quæ poſſunt in ſe inuicem agere,& pati. 1°. de temperamentis. 1ª.10.H
Qualitates omnes in ſe agunt.3°.de ſim.me.fac. 5ª.22.A
Qualitates præter caliditatem, frigiditatem, humiditatem, & ſiccitatem,non alterant tota.de conſt.ar. Iſa.38.E
Qualitates vt citius penetrent facit raritas.3°.de ſimp.med.fac. 5ª.21.B
Qualitatibus quatuor mutat̄ ſuba g̃nabilis.de mot.man.et obſ. Sp.67.G
in Qualitatibus mutatur ſubſtantia generabilis.ſecretorum. Sp.96.F
Qualitates ſolæ totā ſubſtantiam tranſmutantes quæ.1°.de elem. 1ª.7.A
Qualitates quatuor eſſe à quibus omnia gignuntur,& pereunt,quæ generationi,corruptioniq; obnoxia ſunt, primus omnium Hippocrates demonſtrare tentauit.1°.de nat.fac. 1ª.291.A
Qualitates quæ per ſe agunt quo modo cognoſcantur.1°.de ſimplic.med. facultatibus. 5ª.2.F
Qualitatibus duabus vel tantum vna, quædam agunt,& patiuntur in ſe ſe mutuo, quædam vero à tota ſubſtantia.1°.de ſimp.med.fac.5ª.2.G| 11°.meth.med. 7ª.82.C
Qualitates contrariæ vel omnino multum differentes à nulla re recipiuntur,niſi per media prius iter fecerint.4°.de vſu part. 1ª.138.E
per Qualitatis vim res quędam ſolo tactu quæ eis vicina ſunt alterare poſſunt.6°.de locis affectis. 4ª.40.A
Qualitates primas quatuor miſceri totas per totas primus inuenit Hippocrates.1°.de nat.fac. 1ª.291.A
Qualitates quatuor in omni parte dant certam quandam temperaturā. 1°.de vſu par. 1ª.115.D
Qualitates ſequentes complexionem quæ.ſecret. Sp.96.F
Qualitates, ſeu naturæ corporum nouem ſunt, octo intemperatæ, vna temperata.de ſpermate. Sp.41.A
Qualitates quomodo ſint in miſtis.1°.meth.med. 7ª.3.F
Qualitatū quatuor miſtio eſt ſ̄m naturę ſubſtātiā.1°.de vſu par. 1ª.115.D
Qualitatem intendere,& ſubſtantiam augere non idem ſunt.5°.de ſimp. med.fac. 5ª.33.B
ex Qualitatibus miſtionem conſequuntur neceſſario odores. 1°. de vſu partium. 1ª.115.D
ex Qualitatibus conſequuntur miſtionū ſapores.1°.de vſu par. 1ª.115.D
Qualitates quæ guſtu ſentiuntur.1°.de compoſi.me.per ge. 5ª.212.F
Qualitas guſtabilis quibus partibus præſtetur.de compa.mēb. Sp.58.D
Qualitatem guſtabilem ſentit lingua præ oībus.de cōpag.mēb. Sp.58.D
Qualitas guſtabilis cur ſit frigida,& humida.dę compag.mēb. Sp.58.D
Qualitatum guſtabilium medium eſt aqua.4°.de ſimp.med.fa. 5ª.25.D
Qualitate inſigni carens eſt frigidum aqueum.5°.de ſimp.me.fa.5ª.38.H
Qualitatis expertia ἄποια dicuntur.2°.de alim.fac. 2ª.16.F
Qualitate nulla inſigna q̄ ſunt p̄dita varie cōdiūtur.2°.de ali.fa.2ª.25.B
Qualitates non dulces multę.4°.de ſimp.med.fac. 5ª.28.G
Qualitas amara ſiccat corpora.com.4°.apho.13°. Ex.28.G
Qualitates omnes exoluit aqua admiſta.4°.de ſimp.med.fac. 5ª.31.C
ex Qualitatibus miſtionem conſequuntur colores.1°.de vſu par.1ª.115.D
Qualitas viſibilis vnde adueniat oculis.de compag.memb. Sp.58.C
Qualitas viſibilis cur ſit calida,& ſicca.de comp.memb. Sp.58.C
ex Qualitatibus miſtionem conſequuntur durities, mollities. 1°. de vſu partium. 1ª.115.D
Qualitas audibilis eſt calida,& humida.de compag.memb. Sp.58.B
Qualitatum tangibilium,guſtabilium,viſibilium, & audibilium habemus nomina.2°.de locis affectis. 4ª.12.E
Qualitates quæ ſolæ tactiles.1°.de elem. 1ª.8.A
Qualitates tactiles impropriæ quæ.1°.de elem. 1ª.8.A
Qualitas tactibilis toti corpori præſtatur.de compag.memb. Sp.58.E
Qualitatū oīum fermè media eſt natura tactilis.de cōpag.mēb. Sp.58.E
Qualitates quæ habent molliſſimas, & iucundiſſimas non adſtringunt. 1°.de ſimp.med.facultatibus. 5ª.7.H
Qualitates ſecundas habent medicamenta à primis agentibus. 10°. de ſimplicium medic.facul. 5ª.71.H
Qualitates medicamētorū quatuor diſtinctæ.1°.de cōp.me.p g. 5ª.210.C
Qualitatū medicamētorū ordines quatuor.7°.de ſimp.med.fa. 5ª.49.C
Qualitatum gradus vnde ſumendi.1°.de com.me.per ge. 5ª.210.E
Qualitatum gradus verbis exprimi non poſſunt.1°.de antid. 5ª.100.F
Qualitates multæ circa vnam eſſentiam vbi fuerint, ibi & proprietatē fieri contingit,vt in guſtatu patet,ineffabilis illa quidem,ſi vnico nomine velis eam explicare,ſed tamen quæ per ſingulas qualitates diſcurrendo dici poſſit.2°.de loc.aff. 4ª.12.E
Qualitatum quantitas eſt ineffabilis,niſi per latitudinem explicetur.2°. de locis aff. 4ª.12.E
Qualitas ſimplicium quibus probetur.de dynam. Sp.18.H
Qualitates,& facultates medicamentorum non ſunt quærendę ex conſiſtentia,colore,odore,ſapore,grauitate,& leuitate.3°.de ſimplic.medica.fac. 5ª.17.C
Qualitates in pharmacis q̄uo noſcendæ.1°.de com.med.ſe.lo. 5ª.122.C
Qualitates medicamentorum probandi experientia. 1°. de ſimplicium med.fac.6.F|3°. 5ª.18.E
Qualitates æquales quo modo faciant miſta medicamenta.1°. de compo. me.per ge. 5ª.210.E
Qualitates expertia medicamenta quæ.4°.de com.me.ſe.lo. 5ª.150.B
Qualitates quæ inſunt cibis,non ac ſi ſint alimenta,ſed tanq̄ ſint medicamenta quales.1°.de alim.fac. 2ª.14.D
Qualitates ſunt lentitia,& craſſities.11°.meth.med. 7ª.71.D
Qualitas fortis quæ ſit poteſt colligi.com.4°.aph.13°. Ex.28.G
Qualitates primas inuenire tractationis eſt tertij libri de ſimplicium medicamentorum facultatibus.3°.de ſimplicium medi.fac. 5ª.17.C
Qualitates ſunt noſcendæ ad minima,non in genere.1°.de ſimplicium medicamentorum facul. 5ª.6.G
in Qualitatibus rerum ordo noſcendus.3°.de ſimpli.med.facul.5ª.19.G
Qualitates rerum inueniendi vna eſt ſola regula,& quæ.3°. de ſimp.medica.fac. 5ª.17.H
pro Qualitatibus dignoſcendis in omni generatione quęrenda media. 1°.de temperamentis. 1ª.12.H
Qualitates ad mediam tēperiem referendæ.3°.de ſimp.med.fa. 5ª.19.F
in Qualitate materia ſuperflua.de cauſ.morb. 3ª.8.D
in Qualitate redundantia quæ.11°.meth.med. 7ª.71.C
Qualitates ex applicatione ad noſtrum corpus iudicantur.1°.de ſimplic. med.fac. 5ª.2.F
Qualitates non ſolum ſimplices nos attingentes, ſed & per totam ſubſtātiam iuuamenta, & noxæ corporibus noſtris, adueniunt. in 6m.de morbis vulg.com.6°. 3ª.196.H
ob Qualitatū intēperiē īſtrumētorū fit imbecillitas.de diff.mor.3ª.3.H
ex Qualitatum quatuor intemperie fit morbus primus in ſimilaribus partibus.2°.meth.med. 7ª.12.E
à Qualitatibus omnia membra patiuntur,etiam ſi illas nō ſentiant.3°. de ſimp.med.fac. 5ª.21.B
Qualitatis acqſite primo occurſu corpus ſenſu afficit.3°.de tēp. 1ª.24.G
ob Qualitatis alicuius penuriā ſuffocātur aīalia.de vtil.reſp. 1ª.224.D
Qualitatis alteratio q̄uo fiat in corpore cōtinuo.7°.de decre. 1ª.270.G
ob Qualitatem malam fit dolor. 6°. de decr. Hipp. 1ª.271. H| de fract. commen.3°. 7ª.246.E
Qualitas praua eſt ſolutio continui:ideo dici poterit omnem dolorem eſſe ſolutionem continui.de frac.com.3°. 7ª.246.E

Qualitates

Qualitates extraneæ virtutes diſſoluere poſſunt. 2°. de arte curatiua ad Glauconem. 7ª.103.C
Qualitas humorum ſi peccet, videtur ſecũ afferre quantitatẽ, quia inqt Galenus, ꝙ enim dicitur qualia ſuperabundantiã ſignificat ſupfluitatũ ſua qualitate infeſtantium ægrotantẽ.com.4°.apho.2°. Ex.27.E
ad *Qualitates humorum cognoſcendas conducunt inſomnia. de digno. ex inſomn.* 4ª.213.D
Qualitates quomodo ſe habere ad curationem debeant.3°.de ſimplicium medicamentorum facultatibus. 5ª.19.B
per *Qualitates curatio q̃uo facienda.1°.de compoſi.me.per ge.* 5ª.210.C
à *Qualitatis vnicæ indicatione nõ ſequitur curatio perfecta. de ren. af. dign.& med.* 7ª.194.G
Qualitate ſimplici curatur intemperies ſimplex.2°.de arte curatiua ad Glauconem. 7ª.103.D
Qualitas cibi offerendi febricitantibus.com.1°.aph.16°. Ex.8.H
Qualitas mala, egeſtas, & copia humores occupant.de mul. 3ª.79.C
Qualitas euacuationis quæ, & quomodo.com.1°.apho.2°. Ex.3.C
Qualitas nõ prodeſt vbi quãtitate labefactet.de par.pil.exer. 2ª.49.F
Qualitatem genitoris infans trahit.de ſperm. Sp.37.A
Qualitatem trahit quandoq; infans ex lacte matris.de ſperm. Sp.37.A
Qualitas potius bonitatem, ac perfectionem intellectus parit, quã multitudo ſpiritus animalis.4°.de vſu par. 1ª.170.D
Qualitas partium ſolidarum ex quibus ſit.11°.meth.med. 7ª.68.B
Qualitas vuulæ, & organorum reſpirationis.de compag.mem. Sp.58.F
Qualitas cordis.de compag.memb. Sp.58.G
de *Qualitate ſtomachi.de compag.memb.* Sp.58.H
ex *Qualitatibus contrarijs iuſto modo natura temperauit collum matricis ad contrarias vtilitates, & quomodo.14°.de vſu par.* 1ª.204.G
Qualitates, gña, ſpẽs, & differẽtię pulſuũ ſunt.1°.de pulſ.diff. 4ª.47.B
Qualitates duodecim ſignorum.de ſperm. Sp.38.H
de *Qualitate, & efficacia errantium planetarum ſeptem climatum.de ſpermate.* Sp.40.B
QVAMMINIME *quid ſignificet.in prog.com.1°.* 4ª.197.D
in QVANDO *gñe eſt tardius, & maturius.2°.de pulſ.diff.* 4ª.55.F
QVANTITATEM, *& qualitatem ſimul confundunt antiqui medici. com.6°.apho.5°.* Ex.46.H
Quantitates in qualitate quomodo dicãtur, quãuis non ita proprie.3°.de com.me.per ge. 5ª.228.H
Quantitatem ſignificant magnum, & paruum, & ſunt ad aliquid.2°. de pulſ.diff. 4ª.55.G
Quantitas indefinita eſt magnum.2°.de digno.pulſ. 4ª.76.E
Quantitatis alia continua, alia diſcreta.de diff.morb. 3ª.5.A
Quãtitas oĩs in multitudinẽ innumerabilẽ ſecari põt.ad Thra. 2ª.106.E
Quantitatem cur ſolus viſus ſentiat.de ocul. 7ª.185.A
in *Quantitate cõtrarietas eſt, quæ oppoſitio ſm Ariſtotelem dicitur, nõ contrarietas, & quænam hæc ſit.11°.meth.med.* 7ª.71.B
in *Quantitate contrarietas ẽſt, & qualis.11°.meth.med.* 7ª.71.B
Quantitas partium ſolidarũ ſemper eadẽ manet.11°.meth.med. 7ª.68.B
Quantitas infantis vnde fiat.de ſpermate. Sp.36.D
Quantitate redundantia quæ.11°.meth.med. 7ª.71.C
in *Quantitate materia ſuperflua.de cau.morb.* 3ª.8.D
ex *Quantitate alterum, alterum vero ex ſui qualitate ex extraneum in omnibus entibus.2°.de diff.feb.* 3ª.40.F
ad *Quantitatis præparamentum pertinet paſſio ad numerum, ct ad magnitudinem.de diff.morb.* 3ª.5.A
Quantitatis partium errores.ars med. Iſa.69.A
in *Quantitate morbus in totis organis ſpectatur.2°.meth.med.* 7ª.13.D
Quantitas ciborũ nocet, & non qualitas, collige.c.2°.aph.17°. Ex.13.B
Quantitas prȩſidiorum artificioſa coniectura eget.de vict. ra. in morb. acut.commen.1°. 7ª.122.A
Quantitate ptiſſanæ cremor ægro prohibetur quandoq;, quia ſupra mediocritatem.2°.de dignoſ.pul. 4ª.76.G
Quantitas euacuationis, quæ, & quomodo.com.1°.apho.3°. Ex.3.G
Quantitas euacuationis reſpicit virtutẽ, & humorẽ.c.1°.ap.3°. Ex.3.G
Quantitas ſanguinis ſcarificatione educendi in mulieribus quæ non purgantur.de cucurb.ſcar. 6ª.4.A
Quantitas excretionis ab hirudinum excretione conſpicitur . de cucurbitulis ſcarificatione. 6ª.4.E
Quantitas hieræ amarȩ ſumenda à melancholico.de melancholia ex Galeno, Rufo, & Poſſ. Sp.109.H
Quantitas hieræ, Rufi, Archigenis, Iuſti.de melancholia ex Galeno, Rufo, & Poſſidonio.109.H| Sp.110.A
Quantitas ſeri ſumẽdi in melancholicis.de mel.ex Ga.R.et P. Sp.110.A
Quantitas ſolis.de hiſt.philo. Sp.6.F
Quantitas orbis lunæ.de hiſto.philo. Sp.7.A
QVANTI *nomẽ rei quali attribuit, nõ tñ ꝓprie.1°.de diff.feb.* 3ª.30.A
Quanta eſſe debeat longitudo priapi.de anat.viuo. Sp.52.E
Quanta ſit materia purganda conſiderandum eſt.de cathar. Sp.94.H
QVARTANA *febris quæ.fin.med.46.A|introd.* Iſa.55.D
Quartanus, & quotidianus typus qui.de typ. 3ª.90.F
Quartanus typus qui.de typ.90.F| 3ª.91.C
Quartanæ tres circuitus quandoq; habent.2°.de criſ. 4ª.136.A
Quartana morbus eſt intermittens.fin.med. 45. F|intro.Iſa.55.D|2°.de diff.feb. 3ª.36.E
Quartanæ veniunt ad integritatem.in 1^{m}.de mor.vulg.com.3°. 3ª.118.D
Quartana exquiſita intermittens quæ.2°.de diff.feb. 3ª.37.C
Quartana exquiſita.2°.de criſ. 4ª.135.B
Quartana febris exquiſita, quæ, et quæ ſpuria.1°.de ar.c.ad G. 7ª.96.H
Quartana exquiſita longa eſt.1°.de arte cur.ad Glauc. 7ª.96.H
Quartanæ continuæ raro fiunt. de diff.feb. 36. G| de morb.temp.87.A| in 1^{m}.de morb.vulg.com.3°. 3ª.118.E
Quartana intermittens raro aduenit quin patiatur os ventriculi. 1°. de arte cur.ad Glauc. 7ª.95.H
Quartana non inuadit à principio, ſed alias ſequitur.1°.de arte curatiua ad Glauconem. 7ª.95.G
Quartana ſequitur erraticas febres.1°.de arte cur.ad Glauc. 7ª.95.H
Quartanæ multis ab initio incipiunt.in 1^{m}.de morb.vulg.c.2°. 3ª.110.A
ad *Quartanam propius accedit quotidiana, & quo modo differat. 2°. de criſibus.* 4ª.134 D
Quartanæ cauſa.introd.Iſa.55.D|de nat.hum.com.2°. 7ª.180.H
Quartanæ quibus neglectis fiant.de dynam. Sp.19.H
Quartana febris melancholicus affectus eſt.3°.de alim.fac. 2ª.25.G
Quartanȩ febres ab humore melãcholico fiũt.de bo.& vit.ſuc. 2ª.39.D
Quartana ex bile nigra fit.2°.de differ.feb.3ª.36.E|com.3°. aphoriſ.11°. com.4°.apho.2°.21.D| Ex.27.F
Quartana fit ab atra bile.de nat.hum.com.2°. 7ª.181.A
in *Quartana febre atra bilis redundat.2°.de criſ.* 4ª.134.G
Quartana grauiſſime ex liene aliqui laborarunt, & collecta aqua inter cutem tandem obierunt.in 1^{m}.de morb.vulg.com.3°. 3ª.118.H
Quartanæ quibus ætatibus contingant.in prog.com.3°. 4ª.210.C
Quartana ex ſplene male affecto gñatur.1°.de arte cur.ad Gla. 7ª.95.H
Quartana quo tempore, & qua ætate capimur.de nat.hu.c.2°. 7ª.181.A
Quartana febris contingit ſenioribus.in progn.com.3°. 4ª.210.D
Quartanæ paſſiões cõtingũt cõceptis in hora melãcholię.đ ſper. Sp.37.D
Quartana contingit conceptis in hora phlegmatis.de ſperm. Sp.37.C
Quartanæ cur in autumno contingant.in prog.com.3°. 4ª.210.B
Quartana ex terræ abundantia excitatur.de natu.huma.cõ.2°. 7ª.181.B
Quartana q̃uo deprehenditur eſſe ex bile aduſta.de ſperma. Sp.39.H
Quartana quando à ſalſa pituita.de ſper. Sp.39.H
Quartana quomodo tranſit in tertianam.de ſpermate. Sp.39.H
Quartana propria, & firma, quæ non mutabitur.de ſper. Sp.40.A
in *Quartanam quando vertatur tertiana.de ſperma.* Sp.40.A
in *Quartanam q̃uo deſcendit continua.in progn.com.3°.* 4ª.210.A
in *Quartanam quando tranſeat ſynocha.de ſperm.* Sp.40.A
in *Quartanam deſinunt abſceſſus.in 1^{m}.de mor.vul.com.2°.* 3ª.110.A
Quartana ſi in horis ſanguinis acuitur, qualis.de ſperm. Sp.38.H
Quartanæ febris inditia quæ.1°.de arte cur.ad Glauc. 7ª.96.A|E
Quartanam febrem inuadentem q̃uo cognoueris.2°.de criſi. 4ª.135.C
Quartanam primo die nouit Galenus.1°.de criſi. 4ª.133.E
Quartanam, & tertianam in prima acceſſione nouit Galenus. 1°. de diebus decretorijs. 4ª.150.H
Quartanæ calor qualis.2°.de diff.feb. 3ª.37.C
in *Quartanis, & tertianis cur fiat rigor.de trem.& palp.* 3ª.55.F
Quartanarũ rigor diuerſus ẽ à rigore tertianarũ.2°.de diff.feb. 3ª.36.E
Quartanæ, & tertianæ faciunt cum rigore acceſſionem, & quomodo differant.1°.de arte cur.ad Glauc. 7ª.95.G
Quartanæ rigor qualis.2°.de differ.febr.36. E| 3ª. 37. C|1°. de arte cur. ad Glauconem. 7ª.95.H
Quartanarũ rigor miſtus ẽ ex frigore, & calore.2°.de ſymp.ca. 3ª.23.C
Quartanȩ rigor vehemens qualis.de trem.& palp. 5ª.56.A
Quartanæ rigor cui ſimilis.de trem.& palp. 3ª.56.A
Quartana primo die non adeſt cum rigore vehementi, ſed in proceſſu.2°. de criſibus. 4ª.134.G
Quartanarum frigus quale.2°.de criſ. 4ª.134.G

poſt Quartanam

poſt Quartanā pulſus qualis.1°.de ar.cu.ad Gl.7ª.96.B/de dy.Sp.34.F
Quartanæ pulſus eſt inæqualis.de præcog.ad Poſth. 4ª.214.F
Quartanæ,& quotidianæ,et tertianæ pulſus differētiæ.de typ.3ª.91.A
Quartanæ,quotidianæ,& tertianæ pulſuū cōparatio.de dyna. Sp.34.F
Quartanarū pulſus in principio,& in pceſſu quales.2°.de cri.4ª.134.G
Quartanarum vrinæ quales.2°.de criſ.4ª.135.D/1°. de arte curatiua ad Glauc.7ª.96.D/de dynam.34.F/quæſita in Hippo. Sp.113.C
Quartanam nunciat vrina nigra.de dynam. Sp.34.G
Quartanis vrina craſſa alba fit.in 6^{m}.de morb.vulg.com.4°. 3ª.179.F
in Quartanis febribus quæ vrinæ obſtructionem hepatis indicent.1°. de vrinis. 4ª.123.B
Quartanarum declinantium vrina qualis.1°.de vrinis. 4ª.123.F
Quartana, et quotidiana laborantes,non vomunt bilem,nec ſudant,nec habent vrinas bilioſas,nec excrementa.2°.de diff.feb. 3ª.36.D
Quartanæ febris acceſſio, temporis ſpacia ſimilis eſt tertianæ nonnunquam & longior,& quare.2°.de diff.feb. 3ª.37.C
Quartana eſt diuturna.in 1^{m}.de morb.vul.com.3°. 3ª.117.C
Quartana morbus omnium longiſſimus.com.2°.aph.25°. Ex.16.A
Quartani circuitus horarū ſunt ſeptuaginta duorū.de mor.tēp. 3ª.85.G
Quartanæ cur longæ.in 1^{m}.de morb.vulg.com.2°. 3ª.110.A
Quartanæ cur longiores aliquæ.2°.de diff.feb. 3ª.37.C
Quartana in quibus ætatibus,& quo anni tempore ſit breuior.de natura humana,com.2°. 7ª.181.A
Quartana febris longior,ſed non periculoſa quantum in ſeipſa eſt. 1°. de arte cur.ad Glauc. 7ª.96.E
Quartanæ præiudicari poſſunt vt tertianæ.in prog.com.3°. 4ª.207.F
Quartana ſecuriſſima.in 6^{m}.de mor.vul.com.6°. 3ª.196.E
Quartana,& tertiana ſunt ſine periculo.in 1^{m}. de mor.vul.com.3°. 117. C/118.H/in 3^{m}.com.3°. 3ª.147.B
in Quartana ſæpe munia propria obimus.in 1^{m}.de mor.v.c.3°.3ª.118.H
Quartana liberat ab alijs morbis.in 1^{m}.de mor.vulg.com.3°. 3ª.118.H
Quartana ſuperueniens liberat magnos morbos.in 6^{m}.de morb.vulgar. commentario 6°. 3ª.196.D
Quartana comitialem morbum ſanat.in 6^{m}.de mor.vul.cō.6°.3ª.196.E
Quartana comitial' morbus fuit expulſus.ī 1^{m}.de mor.vul.c.3°.3ª.118.H
Quartana multi periere,et quo tpe.in 3^{m}.de mor.vul.com.3°.3ª.147.A
Quartanæ febres quomodo finiant.3°.de criſ. 4ª.139.G
Quartanæ non ſanantur, niſi rigor ceſſauerit. in 6^{m}. de morb. vulgari. commentario 1°. 3ª.156.F
Quartana qua tempeſtate in aqua intercutem terminatur. commentario 3°.apho.11°. Ex.21.D
Quartanę curatio.intro.Iſa.55.H/1°.de arte cur.ad Glauc. 7ª.97.E
Quartanæ auxilium.intro. Iſa.56.G
in Quartanæ ſtatu qūo procedendum.1°.de arte cur.ad Glauc.7ª.97.F
in Quartana victus qualis inſtituendus.1°.de arte cur.ad Gla.7ª.97.F
in Quartana vinum quale.1°.de arte cur.ad Gla. 7ª.97.F
in Quartana male dat anſeres, et anates auctor libri de dynamidijs.de dynamidijs. Sp.33.A
in Quartana euitanda caro porcorum,omniaq; edulia tenacia, & quæ refrigerant,& exiccant.1°.de arte cur.ad Glauc. 7ª.97.F
Quartanarij nō ſunt penitus prohibendi à frictionibus, ambulationibus, & balneis.1°.de arte cur.ad Glauc. 7ª.97.F
in Quartana pro potu piper cum aqua exhibendum.1°.de arte curatiua ad Glauconem. 7ª.97.F
in Quartanis conueniunt dia trion pipereon,& dioſpoliticom.1°.de arte cur ad Glauc. 7ª.97.F
ad Quartanas diſpoſita eſt periſtercon herba.de ſimp.me. Sp.89.C
in Quartana clyſteres quales.1°.de arte cur.ad Glauc. 7ª.97.F
in Quartanis viſcera vngenda,et emplaſtranda.1°.de arte curatiua ad Glauconem. 7ª.97.G
ad Quartanam vnguentum.de dynam. Sp.33.B
in Quartana ſanguis in principio mittendus ſi abundet, et quantum ſanguinis mittendum.1°.de arte cur.ad Glauc. 7ª.97.F
in Quartana quæ vena ſecanda.1°.de arte cur.ad Glauco. 7ª.97.F
in Quartanis febribus vtimur cathartbicis.de dynam. Sp.20.E
in Quartana nullum forte medicamentum exhibendum à principio. 1°. de arte cur.ad Glauc. 7ª.97.F
in Quartana nunq̄ purgādū,niſi facta coctione.1°.de ar.c.ad G.7ª.97.G
in Quartana copioſius euacuatur, quā in pituitoſa.2°.de dif.fe.3ª.37.C
in Quartana elleborus albus dandus, primo radicibus miſtus, poſtea per ſe.1°.de arte cur.ad Glauc. 7ª.97.G
in Quartana vomitus poſt cibū conuenit.1°.de ar.cur.ad Gla. 7ª.97.G
in Quartana ſuccus cyrenaicus optimus.1°.de arte cu.ad Gl. 7ª.97.G
ad Quartanam febrē pulchre cōuenit Theriaca.de ther.ad Pi.5ª.96.D
in Quartana Theriaca danda.1°.de arte cur.ad Glau. 7ª.97.G
Quartana quo die ventura erat dabant Theriacam. de præcogn. ad Poſthu. 4ª.214.G
Quartanā duplicauit Theriaca,& cur.de præcog.ad Poſt. 4ª.214.F/G
in Quartana Theriaca ante ſtatum hominem necauit.1°.de arte cur. ad Glauconem. 7ª.97.H
in Quartanę principio qui medicamenta calida dedere, quæ diſcrimina fecerint.1°.de arte cur.ad Glauc. 7ª.97.G
ad Quartanam vinum vetus triſaginem incoctam habens, ter potui datum confert.de med.fac.par. 7ª.177.E
ad Quartanam maxime facit hydropoton.de dynàm. Sp.32.D
ad Quartanam febrem trociſci.ſecretorum. Sp.101.B
Quartanis ſummæ præſentaneū remedium qđ.de trem.& palp.3ª.55.H
ad Quartanam cum typo remedium.de dynam. Sp.33.A
ad Quartanam febrem.de med.fac.par.7ª.170.H/ſecretorū. Sp.98.G
ad Quartanam duplicem remedium.de dynam. Sp.33.A
à Quartanis tribus non liberantur ſenes in hyeme profunda.de præco. ad Poſthu. 4ª.215.E
Quartanas tres habuit Eudemus.in 1^{m}.de morb.vul.com.3°. 3ª.120.F
Quartanam nunquam habuit Galenus.de trem.& palp. 3ª.56.A
QVARTANARII ex atra bile.de ſperma. Sp.38.B
Quartanaria naturaliter puella vnde.de ſperm. Sp.38.B
Quartanarium quendam primo nouit Galenus. de præcogn.ad Poſthumum.214.F/ 4ª.215.H
Quartanarij nō capiunt magno morbo.in 6^{m}.de mor.vul.c.6°. 3ª.197.C
Quartanarijs aues,& piſces quales cōueniāt.1°.de ar.c.ad Gl. 7ª.97.F
ad Quartanarios antidotus Arpuli.2°.de antid. 5ª.116.F
ad Quartanarios valet Theriaca Euclidis Palatiani.2°.de an. 5ª.116.B
Quartanarijs qūo theriaca exhibenda.de theria.ad Pi. 5ª.96.D
Quartanarijs electarium conferens.de dynam. Sp.32.D
ad Quartanarios.7°.de com.med.ſe.loc.182.G/ 5ª.185.C
QVARTARIVS habet vncias quatuor & ſemis. de ponderibus & menſuris. 5ª.277.D
QVARTVS inſtituit viperas arte capere.11°.de ſim.med.fa. 5ª.78.A
QVARTAE tres ſunt Denarij quindecim. 5°. de compoſitione medicamentorum per genera. 5ª.250.E
ad QVARTAM partem quid coquatur,& in quo caſu.8°. de compoſitio.med.ſec.loc. 5ª.196.B
Quarto quoque die,vel quotidie fiunt acceſſiones in acutis. 3°. de diebus decretorijs. 4ª.158.G
Quarto die omnis ſpecies morbi cognoſcitur.2°.de criſ. 4ª.136.E
Quartę diei potentia quæ.in 1^{m}.prorrh.com.1°. 4ª.161.E
Quartus dies quid agat.in prog.com.3°. 4ª.206.F
Quartus iudex eſt ſeptimi ſua natura.1°.de die.dec. 4ª.149.G
Quartus indicat de ſexto,& de ſeptimo.1°.de dieb.decr. 4ª.147.B
Quartus dies non videtur ferè computari inter iudicatorios.commē.4°. aphoriſmo 36°. Ex.32.A
in Quarto finiunt ſynochi per criſim.3°.de criſ. 4ª.140.D
Quarto die rariſſime fit criſis.3°. de criſ. 4ª.140.D
Quarto die raro vidit Galenus iudicari peracutos morbos,ſed vt plurimum in quinto per ſudorem ſolui.com.4°.aph.36°. Ex.31.H
Quartus & tertius dies qn̄ habent grauia ſymptomata, breui expectandum iudicium.in 1^{m}.de morb.vulg.com.3°. 3ª.121.B
Quartæ diei criſis cur tranſmutatur ad tertium, & ad quintum.3°.de criſibus. 4ª.140.D
Quarto die qui ſanatur,& qui moriatur.1°.de dieb.decre. 4ª.150.H
QVARTODECIMO, & ſeptimo proximi ſunt dies hi:nonus,vndecimus,& vigeſimus.1°.de dieb.decre. 4ª.147.B
Quartusdecimus imitatur naturam ſeptimi.1°.de dieb.decre. 4ª.147.B
Quartusdecimus dies, & quartus quorum ſunt indices, & iudicatiui. com.4°.apho.71°. Ex.35.E
Quartodecimo die,vel decimo ſeptimo, quando fiet criſis. 1°. de diebus decretorijs. 4ª.151.B
Quartodecimo die iudicantur phrenitide capti.2°.de die.decr. 4ª.156.E
Quartusdecimus dies bonus ſi ſudores, vel alia appareant. commentario 4°.apho.36°. Ex.32.A
Quartidecimani ſudores boni.prēſag.exper.conf. Sp.77.G
QVASSANTIA qūo faciant dolorem.1°.de ſympt.cau. 3ª.16.G
QVASSATIO quid.fin.med. Iſa.48.C
Quaſſatio vnus eſt pilorum affectus.fin.med. Iſa.48.B

Quaſſatio quid ſit in vertebris.de art. com.3°. 7ª.268.H
Quaſſationes aurium mitigat ſuccus centaureæ.de vir.cent. Sp.93.C
Quaſſationes ani mitigat ſuccus centaureæ.de vir.cent. Sp.93.E
QVATERNARIVM *conficitur duplicato binario.de cognoſcendis curan.animi mor.* 2ª.54.G
Quaternarius non eſt integrorum dierum.in prog.com.3°. 4ª.207.C
Quaternarij circuitus qui dicantur.de morb.temp. 3ª.85.G
Quaternarij bene conſiderandi in morbis.1°.de criſ. 4ª.133.C
Quaternarij ſinguli conſiderandi,& quare.1°.de criſ. 4ª.131.H
per *Quaternarios numeratio ſubſequẽs eſt digeſtioni circuitionum per ſeptenarios.in progn.com.3°.* 4ª.206.G
per *Quaternarios quo primo iudicationes,poſtea per ſeptenarios, vigenarios,& menſes fiant.in progn.com.3°.* 4ª.208.C
in QVATERNIONE *ſecundo qui morbus erit in ſtatu,& qui vltra. 1°.de dieb.decre.* 4ª.150.H
in *Quaternionibus paruas fiunt mutationes.3°.de dieb.dec.* 4ª.158.H
QVATRITVNICALIS *cur videatur arteria.de partibus arti. medic.* Sp.16.H
QVATVOR *tutius,& fortius mouẽt quã duo.2°.de vſu p.* 1ª.126.C
Quatuordecim diebus ardentes febres quomodo iudicabantur. in 1m.de morbis vul.com.2°. 3ª.116.G
Quatuordecim annis finiunt aliqui morbi.1°. de dieb.decr. 4ª.149.D
QVERCINVS *cinis qualis.8°.de ſimp.me.fac.* 5ª.62.C
QVERCVS *eſt planta agreſtis.2°.de alim.fac.* 2ª.21.H
Quercus ſicca,& tepida.6°.de ſimp.me.fac. 5ª.46.E
Quercus eſt acerba.8°.de ſimp.me.fac. 5ª.62.C
Quercus adſtringit.6°.de ſimp.me.fac. 5ª.46.D
Quercus folij vulnus glutinauit Galenus,& quomodo.6°.de ſimpliciũ medicamentorum facul. 5ª.46.E
Quercubus agnoſcitur viſcus.11°.de ſimp.me.fac. 5ª.81.C
QVERIMONIIS *non vocat ſenũ ſanitas.6°.de ſan.tu.* 2ª.95.G
in QVERNIS *glandibus,acylis,& caſtaneis priuatim pro arborum diuerſitate non multum ineſt diſcriminis in fructu.de bonitate,& vitio ſuccorum.* 2ª.36.D
Querna caries ad quid vtilis.de med.fac.par. 7ª.170.B
QVIES *quid ſignificet.in 6m.de morb.vul.com.3°.* 3ª.170.D
Quies eſt otium,& ab exercitatione vacatio.c.4°.aph.13°. Ex.28.F
Quies an contraria motui,vel priuatio.1°.de ſymp.cau. 3ª.17.C
Quietem inter omnes duos motus contrarios interuenire neceſſe eſt. de anatomia viuorum. Sp.46.H
Quies vnum eſt ex rebus ſex non naturalibus.ars med. Iſa.68.B
Quies neceſſario noſtro corpori occurrit.ad Thraſ. 2ª.104.D
Quies eſt laboris remedium.com.2°.aph.48°. Ex.19.A
Quies ſtatim laſſitudines aufert.com.2°.aph.48°. Ex.19.A
Quiete quomodo ſoluatur laſſitudo.3°.de ſan.tu. 2ª.79.H
Quies in eodem ſtatu conſeruat.com.4°.aph.14°. Ex.28.G
Quies quo modo alteret corpus.ars med. Iſa.68.C
Quies corpora humectat quos pur.opor.qb.med.& quo tẽp. 5ª.88.D
Quies humectat corpora per accidens. com. 4°.aph.13°. Ex.28.F
Quies diuturnior moleſta eſt.1°.de ſan.tu. 2ª.65.H
Quies maxime obeſt ſanitati.de bon.& vitio ſucc. 2ª.35.A
Quies reddit membra imbecilla.de ijs,quæ in med.fi.cõ.3°. 7ª.220.B
Quiete membra omnia fiunt tenuia.de frac.com.2°. 7ª.238.G
Quies immodica cauſa eſt frigidorum morborũ.de cauſ.mor. 3ª.7.B
Quies mors eſt ſubſtantiæ ſemper mobilis. de trem.palp. 3ª.54.G
Quies ſi ſiſtit vomitum,motus ipſum facit.com.4°.aph.15°. Ex.28.H
Quies præter conſuetudinem non eſt repente mutanda.de victus ratione in morb.acut.com.2°. 7ª.124.C
in *Quietem mutatio ex motu minus lædit,quàm à contrario. de victus ratione in morb.acut.com.2°.* 7ª.124.G
Quies ſemicoctos humores perficit.4°.de ſan.tu. 2ª.83.E
per *Quietem concoquuntur quæ in ventriculo, & in iecore. in 6m.de morbis vulgaribus,com.5°.* 3ª.194.A
Quies melãcholicæ naturæ cõdonãda eſt.de mel.ex G.R.& P. Sp.110.E
Quiete indigent dolores aurium.3°.de comp.me.ſec.loc. 5ª.145.D
Quietes tres in brachio quo modo à diuerſis fiant, & ita in alijs membris.2°.de ſymp.cau. 3ª.20.B
Quies quæ præcedit receptum ſpiritus,qualis.de vſu pul. 1ª.228.F
in *Quiete reſpirationis leſiones quæ,& quare contingant.1°.de difficultate reſpirationis.* 3ª.58.D
Quies duplex in reſpiratione.4°.de diff.pulſ. 4ª.66.H
QVIETES *in pulſu ſunt partes per accidens.1°.de dign.pul.* 4ª.74.F
Quies duplex in pulſu,& quo modo.1°.de pul.diff. 4ª.47.C
Quies in pulſu externa quomodo ſentiatur.1°.de dign.pul. 4ª.74.F
Quies pulſus interna quomodo cognoſcatur.1°.de dign.pul. 4ª.74.F
Quies pulſus quæ ſupera dr̃ tactu percipitur.1°.de dif.pul. 4ª.48.F
Quies pulſus infera nõ ſentitur tactu,& quare.1°.de diff.pul. 4ª.48.F
Quies exigua eſt in motu cordis.4°.de vſu par. 1ª.150.E
Quies in tertianis iuuat.1°.de arte cu.ad Glau. 7ª.97.E
Quies primo febrienti iniungenda.in 6m.de mor.vul. cõ.3°. 3ª.178.A
Quiete indigent ſananda.3°.met.me. 7ª.32.E
QVIESCENTIVM *reſpiratio qualis.1°.de diff.reſp.* 3ª.58.D
in *Quieſcẽtibus nõnullis nullus fit grauitatis ſenſus,cum autẽ moueri voluerint,membrũ vel corpus vniuerſum grauant.de mul.* 3ª.78.B
Quieſcente maxilla mouetur tota cutis frontis.de muſc.diſſ. 1ª.44.F
Quieſcens caro non velocis exercitij eſt multarum ſuperfluitatum. de diſſolutione continua. Sp.73.E
QVIESCERE *quid.1°.de nat.fac.1ª.290.G/de ſal.diæ.* 2ª.43.C
Quieſcere dupliciter intelligitur.in 6m.de morb.vul.com.3°. 3ª.165.C
Quieſcere naturaliter conuenit calido.de ſal.diæta. 2ª.43.C
Quieſcere eſt bonum ſignum in morbis.com.2°.aph.27°. Ex.16.C
Quieſcere,& eſſe plenum facit tormina.com.5°.aph.41°. Ex.41.D
Quieſcere opus eſt ſi quid ſanari debeat.com.6°.aph.6°. Ex.47.B
Quieſcant quæ partes.de ijs.quæ in med.fi.com.2°. 7ª.209.B
QVIETAE *aues ſunt peiores,& imundiores.de diſſ.cõt.* Sp.73.A
Quiete aliæ ſunt venæ capitis,quæ phlebotomantur, aliæ pulſatiles.de anatomia viuorum. Sp.54.H
Quieta vena eſt vena frontis quæ inter duo exiſtit ſupercilia. de anatomia viuorum. Sp.55.A
Quieta vena,& pulſatilis ſunt coniunctæ.de ana.viu. Sp.56.D
Quieta vena in membris interioribus pulſatili ſuppoſita eſt in exterioribus ſuperpoſita.de ana.viu. Sp.56.D
QVINQVAGESIMVM *annum attingere menſes in mulieribus colligitur ex Galeno.2°.de arte cur.ad Glau.* 7ª.107.E
vt QVINQVE *calidum ponit.1°.de comp.me.per gen.* 5ª.210.E
QVINQVEFOLIVM *ingreditur in theriacam. de theriaca ad Piſonem.* 5ª.92.F
Quinq; folia pro expellendo ſanguine vel pure.de dyna. Sp.35.F
QVINTANVS *typus qui.de typ.* 3ª.90.F
Quintana febris eſt intermittens.fin.med.45.F/introd. Iſa.55.D
Quintanarum coniugationes quæ.ad eos qui de typis ſcrip. 3ª.94.A
de *Quintanis,& ſeptimanis dicit Galenus Hippocratẽ in aphoriſmis nõ meminiſſe,tñ de ipſis ibi meminit.in 1m.de mor.vul.c.3°.* 3ª.120.G
Quintanam non vidit Galenus.in 6m.de morb.vul.com.3°. 3ª.120.A
Quintanam non vidit Galenus nec putat Hippocratem vidiſſe. in 3m.de morbis vulg.com.3°. 3ª.145.G
Quintanam vidit Galenus obſcuram.in 1m.de mor.vul.com.3°. 3ª.118.E
Quintana peſſima omnium.in 1m.de morb.vul.com.3°. 3ª.120.A
QVINTANI *ſudores boni.præſag.exper.conf.* Sp.77.G
QVINTVS *ordo & receſſus à medio planè diſcernendus eſt, & cognoſcendus in ſimplicibus medicamentis.1°.de ſimp.me.fac.* 5ª.6.G
Quintus dies qualis.2°.de dieb.decr. 4ª.154.F
Quinta die ſi quid terrificum videatur in febribus quid ſignificet.de victus rat.in mor.acut.com.4°. 7ª.141.H
Quintus dies eſt iudicatiuus,& non quartus in tardioribus morbis.cõmentario.4°.aph.36°. Ex.31.H
Quintus dies quo modo decernat.3°.de dieb.decr. 4ª.158.D
Quintus cur decernat.3°.de dieb.decr. 4ª.158.H
Quinto die criſis plurimis contingit.11°.met.me. 7ª.72.C
in *Quinto vt plurimum per ſudorẽ ſoluuntur peracuti morbi, ſed quartum diem raro vidit Galenus iudicare.com.4°.aph.36°.* Ex.32.A
ad *Quintum,& ad tertium cur tranſmutantur quartæ diei criſes.3°. de criſibus.* 4ª.140.D
Quintus dies eſt prope nonum,vndecimum,& vigeſimum.1°.de diebus decretorijs. 4ª.147.B
poſt *Quintũ,& decimũtertiũ ẽ quartus dies.1°.de dieb.dec.* 4ª.147.B
in *Quinto quando homo moriatr̃ ex errore.1°.de dieb.decr.* 4ª.150.C
QVINTVS *Galeni præceptor fuit.in 3m.de mor.vul.c.1°.* 3ª.134.D
Quintus interpres Hippocratis non planè illius ſententiam aſſequutus fuit.de ordine librorum ſuorum. Iſa.15.C
Quĩtus medicus Roma pulſus fuit,et quare.de pcog.ad Poſt. 4ª.214.A
Quintus nullum reliquit ſcriptum.de nat.hu.com.1°. 1ª.30.H
Quintus vt diſſectionum nullum,ita nec vllum alium ſcripſit librum.de natura humana.com.2°. 7ª.183.F

Quinti ſalſum reſponſum quod.4°.de ſan.tu. 2ª.81.H
Quintus dicebat ptinere ad pictorẽ noſſe vrinas.4°.de ſan.tu. 2ª.81.H
ſm Quintum balnearum nomina.4°.de ſan.tu. 2ª.81.H
QVID eſt quærendum poſt quæſtionem ſi eſt ſecundum Ariſtotelem. in 6^{m}.de mor.vul.com.3°. 3ª.153.F
Quid ſit quod quæritur, primo noſcendum.ad Traſ. 2ª.101.F
QVI ſint in prima ſede apud Deum Mercurium.in or.ſuaſ. Iſa.2.F
Qui ſint in ſecunda ſede ex ijs qui in Mercurij choro continentur.in oratione ſuaſoria. Iſa.2.F
Qui ſint in tertia ſede ex choro Mrcurij.in ora.ſuaſ. Iſa.2.F
QVOMODO quid ſignificet.de ijs, quæ in med.ſi.c.1°. 7ª.200.G
Quomodo incedere debet cauſas inquirens.aduer.empir.med. Iſa.35.C
Quomodo quæ fiunt fiant quærendum potius, quàm negare quod fiant. 5°.de locis affectis. 4ª.31.B
QVOTIDIANI circuitus qui.de mor.tẽp.83.F/90.F/ 3ª.91.C
Quotidianus, & quartanus typus.de typ. 3ª.90.F
Quotidianis febribus tertianarum circuitus comparatus quantus ſit. de morb. temp. 3ª.87.H
Quotidiani circuitus ſunt horarũ vigintiquatuor.de mor.tẽp. 3ª.85.F
Quotidiana Cathemerina à Iunioribus medicis proprio nomine appellatur.2°.de diff.pul. 2ª.38.B
Quotidianam quãcunq; febrem non eſſe, quæ quotidie quolibet modo acceſſionem faciat, colligitur.ad eos qui de typis ſcrip. 3ª.91.G
Quotidiana febris quæ.fin.med. Iſa.46.D
Quotidiana febris morbus eſt intermittens. fin. med.45.F/introd. Iſa. 55.D/2°.de differentijs febrium. 3ª.36.E
Quotidiana febris intermittens longior eſt, ſed non ſine periculo. 1°. de arte curatiua ad Glauc. 7ª.96.E
Quotidiana febris exquiſita quæ, & q̃ ſpu.1°.de arte cu.ad Gl.7ª.96.H
Quotidiana quæ longiſſima.2°.de diff.feb. 3ª.37.E
Quotidianæ cum tertiana diſtinctio.2°.de criſ. 4ª.135.D
cũ Quotidianis tertianarum duplex coniunctio.2°.de diff.feb. 3ª.37.H
Quotidiana propius accedit ad quartanam, & quo modo differat.2°.de criſibus. 4ª.135.D
Quotidiana febris à quo humore fiat, & q̃uo.de nat.hu.c.2°. 7ª.95.H
Quotidiana febris ex pituitæ putredine fit.2°.de diff.feb. 3ª.36.E
Quotidianæ febres ex phlegmate fiunt.8°.de decr. Hip. 1ª.277.B
Quotidiana febris pituita abundat.2°.de criſ. 4ª.134.G
Quotidianæ paſſiones contingunt conceptis in hora melancholiæ. de ſpermate. Sp.37.D
Quotidiana inducit humiditatem.1°.de arte cu.ad Gla. 7ª.96.C
Quotidianæ febres ex aeris redundantia excitantur.8°.de decretis Hippocratis. 1ª.277.B
Quotidiana febris ex aeris abundantia excitatur ſecundum quoſdam veteres.de nat.hum.com.2°. 7ª.181.B
Quotidianæ ſub veſperam inuadunt.2°.de criſ. 4ª.135.E
Quotidiana nocturna.in 3^{m}.de morb.vulg.com.3°. 3ª.145.G
Quotidianæ febres quo modo fiant.2°.diff.feb. 3ª.36.D
Quotidianæ febris interminentis inditia.1°.de arte cu.ad Gla. 7ª.96.C
Quotidianam primo die nouit Galenus.1°.de criſ. 4ª.133.E
Quotidianarum rigor quo modo fiat.2°.de criſ. 4ª.134.G
Quotidiana, & quartana laborantes non vomunt bilem, nec ſudant, nec habent vrinas bilioſas, nec excrementa.2°.de diff.feb. 3ª.36.D
Quotidianarũ febrium vrinæ, quales.1°.de arte cur.ad Glau. 7ª.96.D
Quotidianæ quibus ſuperueniant, & quæ habent ſymptomata.2°.de criſibus. 4ª.135.D
Quotidianæ ſymptomata quæ.de morb.temp. 3ª.87.E
Quotidianæ febris rigor qualis.1°.de arte cur.ad Glau. 7ª.95.H
Quotidianæ pulſus, & vrina. de dyna. Sp.34.F
Quotidianæ, quartanæ, & tertianæ pulſuũ cõparatio.de dyna. Sp.34.F
in Quotidiana lien dureſcit.de typ. 3ª.90.F
Quotidiana ſi acuitur, & mutatur in horis choleræ rubræ cito vertitur in tertianam.de ſpermate. Sp.39.H
in Quotidianam quando mutabitur ſynocha.de ſperm. Sp.40.A
in Quotidianam mutabitur tertiana phlegmatica, quæ acuitur in horis bilis, de quotidiana in quartanam.de ſperm. Sp.40.A
Quotidianæ febres quo modo finiant.3°.de criſ. 4ª.139.G
Quotidianæ febris curatio.1°.de arte cur.ad Glau. 7ª.97.H
in Quotidianis febribus catharticis vtimur.de dyna. Sp.20.E
in Quotidiana vomitus poſt cibum conuenit.2°.de arte cur. 7ª.97.H
in Quotidianæ febris declinatione decoctio.de med.exper. Sp.105.D
in Quotidianæ fine valens electarium.de med.exper. Sp.108.D
ad Quotidianam febrem facit hydropoton.de dyna. Sp.32.D
ad Quotidianam febrem trociſci.ſecret. Sp.101.A
ad Quotidianas acutas in æſtate remedium.de dyna. Sp.32.D
ad Quotidianam.de dyna.32.D/ſecret. Sp.99.E
cũ Quotidiana tertianæ intermittentis caſus.2°.de diff.feb. 3ª.37.H
in Quotidiana, & tertiana caſus adoleſcentis.2°.de diff.feb. 3ª.38.C
QVOTIDIANARIA puella vnde. de ſperm. Sp.38.C
Quotidianarijs electarium conferens.de dyna. Sp.32.D
QVOTIDIE creari animas ſtoici dicebant.de ſperm. Sp.38.A
Quotidiæ, vel quarto quoq; die fiunt acceſſiones in acutis. 3°. de diebus decretorijs. 4ª.158.G

cũ P litera græca finientia emplaſtra recenſere ſibi propoſitum eſſe dicit Galenus.1°.de comp.me.per gen. 5ª.213.E

RABIDI canis morſus periculoſiſſimus eſt.1°. de compoſitione med.per gen. 5ª.216.A
Rabidi canis morſus quo modo inficiat.in 3^{m}. de morb.vulg.com.3°. 3ª.149.D
à Rabido cane morſi poſt quatuor, vel ſex menſes, vel longius tempus pereunt. in 2^{m}. prorrhetici.com.2°. 4ª.171.E
à Rabido cane morſi quando non poſſunt curari.in 2^{m}.prorrhe.commenta.2°. 4ª.171.E
à Rabido cane vlcus illatũ quo modo tractandũ.de vir.cent. Sp.93.H
ex Rabidi canis morſu vlcus cicatricem ducere non ſinens medicamentum quod.3°.de comp.me.per ge. 5ª.233.G
Rabidi canis morſus ſanatur à centaurea.de virt.cent.92.G/ Sp.93.H
ad Rabidos morſus album piper.1°.de comp.me.per gen. 5ª.216.C
Rabidos morſus ſanãs ex Aſclepiade.1°.de comp. me. per ge. 5ª.217.A
à Rabido cane morſorum medicamentum ex cancris à Galeno probatum.6°.de comp.me.per ge. 5ª.216.A
ad Rabidorum morſus candidum emplaſtrum.1°.de compoſitione medicamentorum per gen. 5ª.215.F
ad Rabidi canis morſum electarium.de med.expe. Sp.106.H
à Rabido cane morſui facto medicina conferens.ſecret. Sp.97.A
ad Rabidi ex canis morſu aquam expaueſcentes.1°.de compoſitione medicamen.per gen. 5ª.215.F
ad Rabidi canis morſum.ſecret. Sp.102.B
ad Rabidorum morſus.1°.de comp.me.per ge. 5ª.214.E
Rabidam profluuiem excernentis adoleſcentis caſus.in 1^{m}. prorrhetici, commentario.2°. 4ª.171.F
RABIENTIS canis morſum ſanare dicitur terra lemnia in vino diluto epota.9°.de ſimp.me.fac. 5ª.65.E
RABIE afficitur ſolus canis, & quid ſit rabies.6°. de loc.aff. 4ª.40.C
Rabiem excitare poteſt canis ſputum.6°.de loc.aff. 4ª.40.C
ad Rabiei virus comparatio lignorum.in 2^{m}.pror.c.2°. 4ª.171.E
Rabies poſt ſex menſes quandoq; detergitur.6°.de loc.aff. 4ª.40.C
Ρ᾽αχίται muſculi qui.12°.de vſu par. 1ª.195.C
RADICALI humido aſſimilantur duo vaſa, in quorum vnum defluat alterius humor.ad Thraſ. 2ª.104.F
RADICATIO quid.6°.de decr.Hipp. 1ª.262.G
RADICVLA agreſtis quid dicatur.2°.de ali.fac. 2ª.22.B
Radiculæ aſparagus eſt humidior quã folia.2°.de ali.fac. 2ª.24.A
Radicula habet radicẽ caule, & folijs acriorẽ.2°.de ali.fac. 2ª.24.D
Radicula acris eſt.2°.de alim.fac. 2ª.25.D
Radiculæ caulis in aqua acrimoniam deponit.2°.de ali.fac. 2ª.25.A
Radicula cuius ſit facultatis.8°.de ſimp.me.fac. 5ª.59.E
Radiculæ caulis, & folia non niſi cum neceſſitate manduntur.2°. de alimentorum facul. 2ª.25.D
Radicula nutrimur ſed non vt carne.1°.de na.fac. 1ª.292.E
Radiculæ, & carnis differentia in nutriendo.1°.de nat.fac. 1ª.292.E
Radiculæ caulis vere magis nutrit, quã radicula.2°.de ali.fac. 2ª.25.A
Radicula potius pro medicamento, quam pro cibo habenda.de attenuãte victu. 2ª.45.G
Radicula obſonium potius eſt quã alimentum.2°.de ali.fac. 2ª.25.D
Radicula pro obſonio ruſticis.2°.de alim.fac. 2ª.25.D
Radicula tota paulo minus excrementoſa eſt.1°.de nat.fac. 1ª.292.E
ex Radicula exiguus ſanguis nec in totũ vtilis.1°.de nat.fac. 1ª.292.E
Radicula inter cibos, qui prius aſſumebantur.2°.de ali.fac. 2ª.18.G
Radicula primo comedebatur ante alios cibos.2°.de ali.fac. 2ª.20.A
Radicula cruda cum garo, & aceto ante cibum ſumpta facit deijcere. 2°.de alimen.

2°.de alimen.facul. 2ª.25.D
Radicula poſt cœnam ſumpta non adiuuat coctionem, vt multi putarũt. 2°.de alimento.facul. 2ª.25.D
Radiculæ radices concoctu difficiles ſunt, & turbant ventriculum. 2°. de alimento.facul. 2ª.24.C
Radicula in aliquibus non coquitur.1°.de loc.aff. 4ª.5.C
à Radicula poſt cœnã ſumpta multi ſunt læſi.2°.de ali.fac. 2ª.25.D
ex Radicula, & oxymeli vomitus prouocatur. 5°. methodi medendi. 34.E/7°. 7ª.48.D
Radicula ex oxymelite glutinoſa detergit.8°.met.me. 7ª.51.B
Radicula calefacit,& attenuat.2°.de alim.fac. 2ª.25.D
RADIVS quod os ſit.de fract.com.1°. 7ª.227.B
Radius os eſt quod cubito ſubeſt.de oſſi. 1ª.43.A
Radius eſt os paruum in cubito.2°.de vſu par. 1ª.121.B
Radius os eſt paruum vlnæ.2°.de mot.muſc. 1ª.313.F
Radij oſſe longus eſt cubiti os.de frac.com.1°. 7ª.224.E
Radij conſtructio differt à conſtructione fibulæ.3°.de vſu par. 1ª.134.E
Radij conformatio qualis.2°.de vſu par. 1ª.125.A
Radij poſitio qualis.2°.de vſu par. 1ª.125.A
Radius cum vlnæ incumbit.2°.de vſu par. 1ª.125.B
in Radij medio partes cur tenuiores.2°.de vſu par. 1ª.125.B
Radij finis in carpo craſſior eſt.2°.de vſu par. 1ª.125.B
Radij officium quod.2°.de mot.muſc. 1ª.313.F
Radium mouentes ſunt obliqui muſculi.2°.de vſu par. 1ª.122.F
Radium in obliquum vertentes muſculi.qui.2°.de vſu par. 1ª.126.E
in Radio oſſe venæ rami duo figuram facere videntur ſimilem tertiæ grecorum literæ γ,& vbi.3°.de ana.adm. 1ª.76.F
Radium in pronam circumagere quorum muſculorum ſit officium.de muſculorum diſſectione. 1ª.48.F
inter Radium,& cubitum mediam regionem totam replentes muſculi. de muſculorum diſſectione. 1ª.48.H
Radiũ mouentiũ obliquorũ muſculorũ exortus.de muſcul.diſſ.1ª.49.A
Radij os tanquã in pronũ circũagens muſculus.de muſ.diſſ. 1ª.49.A
Radio inuiolato cubitus per ſe lædi poteſt.de machin. 7ª.320.D
Radius,& cubitus quo modo reſtaurentur.de machin. 7ª.313.D
RADIVS aeris rubri ad medicamenta agitanda.3°.de compoſi. medicamen.ſecun.locos. 5ª.148.A
RADICIS officium in plantis quod.6°.de decr. Hip. 1ª.262.B
Radix,& truncus quo modo ex magnæ alicuius arboris ſemine fiant proceſſu temporis.6°.de dec.Hipp. 1ª.262.A
Radix in hyeme magna vere cum ſemen parat producere caulem profert.2°.de alim.fac. 2ª.24.D
Radicum exciſores inter miniſtros ignobiliores medicinæ numerantur in 6^m.de morb.vul.com,5°. 3ª.188.D
Radices quo modo mundentur.7°.de comp.me.ſec.loc. 5ª.181.F
Radices quales eſſe debent.1°.de anti. 5ª.107.D
Radicibus facultates ineſſe alias à caulibus, quemadmodum folijs, & fructibus,& ſeminibus alias quo modo Mneſitheus oſtenderet.1°. de alimentorum facul. 2ª.7.E
Radicis Acori ſuccus claritatẽ oculis mirifice facit.de ſim.m. Sp.81.A
Radices Aſphodeli combuſtæ,& in cinerem reductæ alopeciam emendant,& maculas albas.de ſimp.med. Sp.81.B
Radix cucumeris agreſtis hydropicis vtiliſſima eſt.de dyn. Sp.23.A
Radices Dracontij purgant veſicam.de cathar. Sp.95.D
Radicis dulcis decoctum leniſſimum & commodum in inflammationiũ arteriæ principijs.7°.de comp.me.ſec.loc. 5ª.177.H
Radices Ellobori quõ dentur,& quæ miſcenda illis.de dyna. Sp.21.A
Radix colchici ſeu Ephemeri, dicitur vicem fungi ſtrangulatoris facere & ferro præciſos ſanare linita.de ſimp.med. Sp.83.B
Radix Eringij vrinam mouet.de cura icteri. Sp.111.D
Radix Erythrodani ad quid valeat.de cura icteri. Sp.111.B
Radicis Glycyrhizæ ſuccus dulcis.6°.de ſimp.me.fac. 5ª.45.F
Radices Glycyrhizæ ſitim ſedant, renum & veſicæ dolorem mitigant, prouocant vrinam & menſtrua, omnem tumorem placant. de ſimplicibus medicaminibus. Sp.84.G
Radicum Lapathij decoctio prouocat menſtrua, frangit lapidem renum, & veſicæ.de cathar. Sp.95.D
Radicis Lilij cœleſtis drachme tres ad purgandum pectus.de medicinis expertis. Sp.106.D
Radicem diureticam habet Lonchitis.de ſimp.med. Sp.86.D
Radix Lupinorum vrinam mouet.de ſim.med. Sp.86.C
Radices Meu excalefacientes ſunt.de ſimp.med. Sp.87.F
Radices Odoriferæ de pòto expurgãt in icteris.de cura icteri. Sp.111.B
Radix Palmæ eſt frigida & humida.de diff.cont. Sp.74.D
Radix Polypodij ſtyptica guſtu eſt.de ſimp.med. Sp.89.C
Radices Rapi concoctu difficiles & turbant.2°.de ali.fac. 2ª.24.C
Radix Rhodia eſt in ſecundo ordine calida, & digerentis eſt facultatis. 8°.de ſimp.me.fac. 5ª.59.G
Radicis corticibus Rumicis hortenſis vtitur, quo modo, & in quo caſu. 5°.de comp.me.ſec.loc. 5ª.161.A
Radicum Rumicis ſilueſtris corticibus vtitur.5°.de compoſitione medicamento.ſecun.locos. 5ª.161.C
Radix Sacra ad quid vtilis.de reme.par.fac. 7ª.160.E
Radices molles Smyrnij expurgant in icteris.de cura icteri. Sp.111.B
Radices Staphylini expurgant in icteris.de cura icteri. Sp.111.B
Radices quæ theriacam ingrediuntur.1°.de anti. 5ª.107.D
Radix Tithymalli cũ caricis ſiccata in vmbra repoñi.de dyna. Sp.21.E
ex Radicibus oleum dicitur oleum abuſiue.3°.de ſan.tu. 2ª.79.B
Radices quæ efficaciter euaporent.4°.de ſan.tu. 2ª.87.B
Radices quæ ſuſpectæ eſſe debent.de atten.vic. 2ª.45.G
Radices quandoq; manduntur ob neceſſitatẽ.2°.de alim.fac. 2ª.22.B
Radices habent plurimum humoris crudi ſecundum Mneſitheum. 2°.de alimentorum facul. 2ª.24.D
Radices ꝙ non habeant crudum humorem contra Mneſitheum.2°.de alimentorum faculta. 2ª.24.D
Radices quæ manduntur craſſos habent ſuccos,& ſunt difficilis coctionis.de puero epil. 7ª.180.D
Radices q̃ nõ generant craſſos humores quales.de puero epi. 7ª.180.D
Radices tarde digeruntur.de diſſol.cont. Sp.73.E
à Radicibus, quæ mandi ſolent, debet abſtinere epilepticus. de puero epileptico. 7ª.180.D
RADICES ſtirpium comparat cordi.de ana.viu. Sp.47.B
Radix,& baſis virtutum moralium eſt cor.de ana.viu. Sp.46.B
Radix vltima erectionis totius animalis eſt cor.de ana.viu. Sp.47.B
Radicibus ſtirpiũ cõparant venæ ventriculi.1°.de ſymp.cau. 3ª.16.H
p Radices vt arbor à terra, ita cibum per meſeraicas trahit Iecur à ventriculo.6°.de locis aff. 4ª.37.G
Radix venæ, vaſis,& arteriæ quæ.5°.met.me. 7ª.30.G
Radices pilorũ cõplectiũ cutis, vt gingiuæ dẽtes.in Tim.Pla. 1ª.286.H
Radicis vice fungitur Meſenterium.de vtil.reſp. Sp.64.D
Radices capillorum à vitioſis humoribus corrumpuntur. commen. 6°. aphoriſmo.34°. Ex.50.B
Radices plures hñt dẽtes maiores, minores è cõtrà.de ana.vi. Sp.49.D
ad Radicem linguæ confert ſuccus centaureæ.de vir.cent. Sp.93.D
in Radice canna non eſt ſonora, quia carnoſa & humida eſt. de voce & anhelitu. Sp.61.F
RADICES pars organum.de machin. 7ª.309.E
Radices aereæ, vel ferreæ comparantur.de machin. 7ª.309.D
Radices ad quid in organis.de machin. 7ª.309.G
Radices in organis ſemper immobiles manent.de machin. 7ª.310.F
Radices quas habeant cancri.com.6°.aph.38°. Ex.50.F
RADEBANT qui caput in phrenitide.13°.met.me. 7ª.85.D
Radit pilos in vulneribus capitis Galenus.2°.de cõp.me ſe.loc.5ª.138.E
Radit,& ſecat capillos Galenus in inueteratis capitis doloribus,& affectionibus,& diuerſis vtitur in his.2°.de cõp.me.ſec.loc.5ª.133.A
Radi nouacula quidam timent.1°.de comp.me.ſec.loc. 5ª.127.G
ad RAGADES ani intumeſcentes mitigatoria.1°. de compoſitione medic.ſec.loc. 5ª.130.C
Ῥαγοειδὴς tunica quæ.intro. Iſa.53.H
ad RAGOIDEM pertinet procidentia.de diff.morb. 3ª.6.A
Ragoidis procidentia eſt morbus in oculo.de diff.morb. 3ª.6.A
RAIA ſunt dura,& concoctu difficilia.3°.de ali.fac. 2ª.32.E
Ῥαιβὸς, id eſt varus.de fract.com.3°. 7ª.240.G
RAMEX ſcroti eſt affectus.fin.med. Iſa.49.C
Ramices in inguine.de tum.præter naturam. 3ª.8.G
Ramex teſticulorum.ſecre. Sp.100.B
Ramex, œdema, ſtruma, melliceris magna ſimilitudine conueniunt, tamen curam diſſimilem habent.de optima ſecta. Iſa.24.A
Ramex quo modo fiat.5°.de ana.adm. 1ª.87.C
Ramices quõ fiant,& qui muſculi patiantur. de tum. ꝑter.nat.3ª.84.G
Ramex quo modo curandus.14°.met.me. 7ª.92.C
ad Ramicem aquoſum.de reme.par.fac. 7ª.174.F
RAMENTA quædam fiunt in difficultatibus inteſtinorum poſt pinguia excrementa.com.4°.aph.26°. Ex.30.C

Ramentum in dyſenteria ſi excernatur ſignificat inteſtinum læſum.6°. de locis affectis. 4ª.36.E
Ramenta etiam in vrina expelluntur.6°.de loc.aff. 4ª.37.D
*Ramenta vrinarũ ex veſica exeſa,vel reſoluta.c.4°. aph.76°.Ex.*36.C
Ramentum eſt inditium vlceris.6°.de loc.aff. 4ª.39.B
Ramenta qũ miſcentur his,quæ expuuntur.4°.de loc.aff. 4ª.25.H
Ramenta facit oxymeli parum acre,& inteſtini vnam partem humidã reddit,& quo modo.de vict.rat.in morb.acut.com.3°. 7ª.130.C
quæ Ramenta eluere ſolet affectio,quarum ſit partium vlceratio. de victus.rat.in morb.acut.com.3°. 7ª.130.B
RAMIFICATIO *tibiæ pulmonis quomodo fiat.de ana.viu.* Sp.53.C
RAMIFICARI *quid apud Hippocratem.1°.de ſem.* 1ª.331.F
RAMVLI *extremi pariunt malos ſuccos.de bon.& vit.ſucc.* 2ª.33.G
RAMI *quomodo in priſtinum tendant locum.de diff.pulſ.* 4ª.51.A
Ramo qũo comparetur conuulſio particularis.3°.de loc.aff. 4ª.17.D
RANAE *magnæ rubetæ.7°.de comp.me.per gen.* 5ª.271.B/E
℘ *Ranis rubetis magnis paruæ ſumuni.7°.de cõp.me.per ge.* 5ª.271.B
Ranæ minimæ ad quid viles.1°.de comp.me.ſec.loc. 5ª.123.D
Ranarum viridium ſanguis non prohibet pilos.10°.de ſimplicium medicamentorum facul. 5ª.73.D
Ranarũ viridiũ ſanguis ad quid vtilis.4°.de cõp.me.ſec.loc. 5ª.158.B
Ranæ ſanguis cuius vſus.de reme.par.fac. 7ª.163.C
Rana habens longa crura.de reme.par.fac. 7ª.160.F
Ranæ vſtæ meminit.de reme.par.fac. 7ª.160.G
*Ranarum cinis ſanguinis eruptionem ſanat.11°.de ſimp.me.fac.*5ª.82.D
Ranarum cinis alopecias ſanat.11°.de ſimp.me.fac. 5ª.82.D
Ranæ.7°.de comp.me.per gen. 5ª.271.D
RANVNCVLI *parui.1°.de comp.me.ſec.loc.* 5ª.123.G
RAPAE *oleraceum eſt quod terra extat,radix autem quæ terra cõtinentur.2°.de alim.fac.* 2ª.24.E
Rapæ quo modo ſeruentur in totum annum.2°.de ali.fac. 2ª.24.F
Rapæ habent radicem,quæ habet plus virium,quam folia.2°.de alimẽtorum facultatibus. 2ª.24.D
Raparum folia,& caules abijciuntur & quandoq; in penuria comeduntur.2°.de alimen.facul. 2ª.22.B
Rapæ caulis quo modo comeditur.2°.de ali.fac. 2ª.25.D
Rapæ quales.de atten.vic. 2ª.45.G
Rapæ aſparagus eſt humidior q̃ folia.2°.de ali.fac. 2ª.24.A
Rapas videtur facere calidas,enumerans eas inter cibos calidos.de diſſolutione continua. Sp.74.C
Rapa ſatiua cibus eſt hyemis.de nat.hum.com.1°. 1ª.32.F
Rapa eſt cibus ſubtilians ſecundi generis.de diff.cont. Sp.72.E
Rapa cur cibus craſſus.de diſ.cont. Sp.72.H
Rapæ ſunt mali chymi.de diff.cont. Sp.74.C
Rapæ ſunt cibi peſſimi.de puero epil. 7ª.180.D
Rapæ quando non valde coquuntur & ſunt malæ ſtomachus cur.de diſſolutione continua. Sp.74.E
Rapa dura eſt,niſi coquatur,& non eſculenta.2°.de ali.fac. 2ª.24.F
Rapa crudior difficulter coquitur.2°.de ali.fac. 2ª.24.F
Rapa longa indiget coctione.2°.de alim.fac. 2ª.24.F
Rapa minus nutrit alijs congeneribus.2°.de ali.fac. 2ª.24.F
Rapæ à ruſticis in aceto,vel muria ſeruantur.2°.de alimentorum facultatibus.22.C/23.H/ 2ª.24.F
Rapa bis coquenda.2°.de ali.fac. 2ª.24.F
Rapæ tarde digeruntur.de diſſol.cont. Sp.73.E
Rapa facit crudum ſuccum. 2°. de alim.fac. 2ª.24.F
Rapę nutriunt eum qui digerit eas nutrimento multo,craſſo. de diſſolutione continua. Sp.73.E
Rapa neq; deijcit aluum neq; ſiſtit.2°.de ali.fac. 2ª.24.F
Rapa flatulenta eſt,& ſtomacho noxia.2°.de ali.fac. 2ª.24.F
Rapa nonnumquàm ventrem mordicat.2°.de ali.fac. 2ª.24.F
Rapa inflationes facit, & multũ carnis eſt eius aqua podagricis, & ad prægnationem optimum fomentum eſt.de ſimp.med. Sp.89.F
Rapa quomodo vulneroſos curet.de ſimp.med. Sp.89.F
Rapa ſanat perniones.de optima ſecta. Iſa.23.H
Rapa vrinam mouet.de cura icteri. Sp.111.D
RAPARA. *de med.fac.par.* 7ª.176.B
RAPVM *ſiue tuber terræ cuius facultatis. 7°. de ſim.me.fa.* 5ª.53.E
RAPHANEDON *dicta ſciſſura in oſſe quæ. 6°.met.me.* 7ª.40.C
RAPHANINVM *oleum vetuſtate fit calidius,& tenuius.11°.de ſimp. med.facul.* 5ª.79.C
Raphaninum oleum calidum pro doloribus bonũ.in 6ᵐ.de morbis vulgaribus,commentario.6°. 3ª.196.B
Raphaninum oleum in Aegypto habetur.3°.de ſan.tu. 2ª.81.C
Raphanini olei meminit.2°.de ſimp.me.fac. 5ª.11.F
RAPHANINVM *vnguentum habetur Alexandriæ copioſe.3°. de cõpoſitione med.per gen.* 5ª.233.H
RAPHANIS *calida eſt in tertio ordine , ſicca in ſecundo.8°. de ſimpli. med.facul.* 5ª.59.E
Raphanis digerendi vim habet,ad ſugillata, & ad alia id genus liuida accomoda exiſtit.8°.de ſimp.me.fac. 5ª.59.E
Raphanis vrinam mouet.de cura icteri. Sp.111.D
ex Raphanidæ fit oleum.4°.de ſimp.me.fac. 5ª.26.G
Raphanides expurgant ictericos.de cura icteri. Sp.111.B
Ῥάφανον antiquitus vocant braſſicam.2°.de ali.fac. 2ª.23.B
Raphanus aeris eſt.de atten.vic. 2ª.43.H
Raphani vires quæ.de ſimp.med. Sp.89.F
Raphanus eſt cibus calidus.de diſ.cont. Sp.74.C
Raphanus eſt cibus ſubtilians ſecundi generis.de diſ.cont. Sp.72.E
Raphanus incidit phlegma,& mũdificat ſtomachũ.de diſ.cõt. Sp.74.E
Raphanus incidit,& attenuat humores craſſos.de diſ.cont. Sp.74.G
Raphanus attenuat.de atten.vict. 2ª.43.H
Raphanus cur parum nutrit.de diſ.cont. Sp.73.G
Raphanus eſt mali chymi.de diſ.cont. Sp.74.C
Raphani non generant craſſos humores.de puero epil. 7ª.180.E
Raphanorum ſuccus per aluum purgat.de art.com.2°. 7ª.267.H
Raphanus,in quo veratri albi ſurculi fuerint,ſi poſtero die ſolus,aut ex aceto mulſo comedẽdus p̃beatur,quid efficiat.de art.c.2°. 7ª.267.H
ex Raphano vomitus quando bonus.2°.de cõp.me.ſec.loc. 5ª.133.A
à Raphano vomitus conuenit in dolore capitis ex craſſis, & glutinoſis humoribus in ſtomacho.2°.de comp.me.ſe.lo. 5ª.137.A
Raphanus pruritum mouet.de cathart. Sp.95.D
Raphano cur non ſanantur perniones.de opt.ſect. Iſa.23.H
Raphanus an conueniat ſugillatis.5°.de comp.me.ſec.lo. 5ª.158.H
Raphanus oblique conciſus qui faciat.1°.de comp.me.ſec.loc. 5ª.123.G
Ῥαφὴ quæ pars colis ſit.intro. Iſa.53.D
Raphis marinus piſciculus.de med.fac.par. 7ª.179.B
RAREFACIENDVM *non eſt corpus prius quam ſit euacuatũ. 11°.methodi medendi.* 7ª.69.G
Rarefaciendi non ſunt immodice ægri.11°.met.me. 7ª.77.E
Rarefaciendi vim habet anthemis.6°.de ſimp.me.fac. 5ª.43.C
RAREFACIENTIVM *natura qualis.5°.de ſimp.me.fa.* 5ª.35.F
*Rarefacientia calefaciunt,& qualia eſſe debent.5°.de ſim.m.f.*5ª.36.A
Rarefacientia quæ ſint.5°.de ſimp.me.fac.35.F/ 5ª.36.A
Rarefacientia,& diſcutientia olea quæ.6°.de comp.me.ſe.lo. 5ª.197.E
Rarefacientes vnctiones prohibet febris magnitudo,qualis eſt in continuis.11°.met.me. 7ª.69.H
Rarefacientia quid faciant.7°.met.me. 7ª.46.H
Rarefacientibus quando vti debemus.11°.met.me. 7ª.70.A
RAREFACERE, *& aperire denſata mediocriter calefaciendo oportet.in 6ᵐ.de morbis vulg.com.2°.* 3ª.160.F
RAREFACIANT *quæ.5°.de ſimp.me.fac.* 5ª.35.F
Rarefaciunt quæ ſunt tenuium partium.6°.de ſimp.me.fac. 5ª.40.H
Rarefacit onobrychis.8°.de ſimp.me.fac. 5ª.57.C
RAREFACTIO *qũo fiat.in 6ᵐ.de morb.vulg.com.5°.* 3ª.190.D
Rarefactio humorum in capite qũo faciat ſternutamentum. commentario.7°.aphò.52°. Ex.58.C
Rarefactio eſt omni febri vtiliſſima.10°.met.me. 7ª.65.H
Rarefactio cauſa eſt morborum frigidorum.de cau.mor. 3ª.7.B
ad RARIBARBOS *bonum quid.de reme.par.fac.* 7ª.173.E
RARIORA *ſunt alia membra,alia denſiora,quæ indigent vario modo euacuationis.14°.meth.med.* 7ª.88.A
RARITAS, *& denſitas ſunt nomina exceſſuum in paruis ſpiramentis.10°.met.me.* 7ª.71.A
iuxta Raritatem,& denſitatem vna ſola ſpirandi difficultas conſiſtit in ceſſationibus,& quare.1°.de diff.reſp. 3ª.60.F
ex Raritate ſpirituum ſubſtantia digeritur.11°.met.me. 7ª.77.E
Raritas cum mollibus pulſibus hæret.1°.de cau.pul. 4ª.89.D
Raritas corporis in calidioribus,& humidioribus prouenit temperaturis,quæ potiſſimum plurimo ſemine,& fœcundiſſimo abundant.commen.5°.aph.63°. Ex.44.C
Raritas pueri naturalis eſt,ſenum violenta. de opt.ſec. Iſa.26.B
Raritas cutis vnde ſit.de ven.ſec.aduerſ.6ª.8.H/de ana.viu. Sp.45.C
Raritas cutis euacuat,non media.de ven.ſec.aduerſ.Eraſ. 6ª.8.H

Raritas pulmonis quare,& eius vtilitas.de ana.viu. Sp.47.H
Raritas membri qualis ſit.de ocul. 7ª.189.C
Raritas facit vt qualitates citius penetrent.3º.de ſimp.me.fac. 5ª.21.B
Raritas affectus membranarum introd. Iſa.58.D
Raritati ſola medetur exercitatio præparatoria.3º.de ſan.tu. 2ª.81.E
RARO *ab Hippocrate notatur pro particula non valde. commentario 6º.aphoriſmo.32º.* Ex.49.H
Raro eueniens pronunciat Hippocrates quãdoq;,& id,quod crebro euenit,deſpicit.2º.de dieb.decr. 4ª.156.E
Raro quæ fiunt non ſunt prorrhetica.in 1^{m}.pror.com.3º. 4ª.180.H
Raro cõtingunt quidã morbi,& quidã frequẽter.3º.de loc.aff. 4ª.15.B
Raro euenĩetes diſpõnes negligũt experimẽtatores.3º.de lo.aff. 4ª.15.B
Raro euenientes affectus qũo deprehendantur.3º.de loc.aff. 4ª.15.B
Raro euenientium rationem habere non poſſunt experimentatores.5º. de locis affectis. 4ª.35.E
RARVM *quid ſit,& quid ſignificet.2º.de ſan.tuen.2ª.72.F/1º. de ſimplicium medic.fac.* 5ª.4.F
Rarum denſo contrarium eſt.10º.met.me. 7ª.71.B
Rarum cum denſo non habet ſocietatem.11º.de vſu par. 1ª.191.F
Raram eſſe rem oſtendit leuitas.1º.de ſimp.me.fa. 5ª.4.G
Rari duplex vſus.2º.de ſan.tu. 2ª.72.F
Rarum,& ſiccum prompte accenditur.3º.de temp. 1ª.22.E
Rarũ corpus facilius q̃ ſpiſſum accẽdit,& cur.1º.de ſimp.me.fa. 5ª.4.F
Rara,& craſſa,quæ facile alterantur ab ignæ,à noſtro calore non facile alterantur,nec recalefaciunt nos.1º.de ſimp.me.fac. 5ª.4.G
Rarum,& molle corpus facile patitur.de conſue. 2ª.61.D
Raro & mollia quæ à frigore patiantur.4º.de ſimp.me.fac. 5ª.24.D
Raro habitu exiſtentes propenſi ſunt ad digerendos ſuccos corporis.8º. methodi medendi. 7ª.58.E
Rarum corpus habentes cum humorum tenuitate in febre extenuantur. com.2º.aph.28º. Ex.16.E
Rara cutis cognoſcitur ex pilis.com.5º.aph.69º. Ex.45.D
Rara cutis facit ſudores colligere inde.com.5º.aph.71º. Ex.45.F
Rari cur ſint nerui.de ana.viu. Sp.53.G
Rarus cur ſit pulmo.de vtil.reſp. Sp.63.H
Rarũ ẽ vnũ genus affectuũ ĩ iſtrumẽtalibus ꝑtibus.2º.de ſa.tu. 2ª.72.G
Rarum corpus quibus ſit nutriendum.de diff.cont. Sp.71.E
Raram habentia ſubſtantiam velocius digeruntur quã habentia ſpiſſam de diſſolutione continua. Sp.73.C
Rarus,celer,tardus,& creber pulſus quid ſint, & vnde accipiantur. de differentijs pulſuum. 4ª.48.D
Rarum pulſum efficit triſtitia.de ana.viu. Sp.47.A
Rara ſint,an denſa medicamẽta cõſiderãda ſunt.1º.de ſimp.me.f. 5ª.4.F
Rara non admirabilia vulgus admiratur.6º.de loc.aff. 4ª.42.C
Rara inutilia ad ſcientiam.de vict.rat.in morb.acu.com.4º. 7ª.142.H
ad RASA. *4º.de comp.me.per gen.* 5ª.241.D
RASCETA *quid.de mot.man.& obſ.* Sp.66.D
RASIO *ſpecies diuiſionis chirurgiæ.intro.* Iſa.59.E
Raſio vtilis in oſſibus.intro. Iſa.59.E
RASORIA *inſtrumenta chirurgica.de ijs,quæ in me.fi.c.1º.* 7ª.200.H
RASVRA *facit ſtatim capillos creſcere.1º.de cõp.me.ſec.loc.* 5ª.123.H
Raſuram quodammodo habens vrina, & arenã, & in nebulis quaſi ſanguinem colliquationem renum oſtendit.de dyn. Sp.34.G
Raſura naualis ad quid vtilis.7º.de comp.me.per gen. 5ª.272.D
RATIO *& anima non ſunt idem.5º.de dec.Hippo.* 1ª.255.F
Ratio eſt iudicium naturale.9º.de dec.Hipp. 1ª.279.D
Ratio ꝙ iudicium ſit.com.1º.aph.1º. Ex.2.C
à Ratione *ſola iudicium in rebus fit.de ſect.* Iſa.17.F
Ratio duplex.de cogn.cur.animi mor. 2ª.53.E
Ratio,mens & intellectus communiter dicitur ab hominibus.de ijs,quæ in med.fi.com.1º. 7ª.199.B
Ratio vltima gignitur,tamen omnibus imperat.de fœt.for. 1ª.324.A
Ratio quando completur.de hiſt.philo. Sp.9.B
Ratio ex ſuperioribus prouenit.de ſperm. Sp.40.E
Ratio communis eſt hominibus & Dijs.2º.de ſimp.me.fac. 5ª.9.G
Ratio quando fœlix,& infœlix.de fœt.for. 1ª.324.A
Ratione,& manibus oĩa aĩalia domat homo.11º.de vſu par. 1ª.184.H
Rationes vſum an habeant ſenſu prædita.de hiſt.philo. Sp.11.E
Rationis particeps eſt omne animal & quo modo hoc intelligendum. in oratione ſuaſoria. Iſa.2.B
Ratio aliqua an inſit brutis.in ora.ſuaſ. Iſa.2.B
Ratio vbi ſit.de ocul. 7ª.183.G
Rationem non eſſe in corde ratio probans.5º.de loc.aff. 4ª.29.E
Rationis propria ſedes eſt caput.3º.de loc.aff. 4ª.16.E
Rationibus quibus efficias aliquid ſcire magnum eſt,non quid fieri oporteat,ſiquidem omnibus hoc natura ineſt.6º.met.me. 7ª.37.A
Ratione læſa memoria ſimul læditur.3º.de loc.aff. 4ª.16.E
Ratio,& memoria lædũtur in morbo comitiali.3º.de loc.aff. 4ª.17.G
Ratio,& memoria amittunt̃ in lethargo,& ſopore.3º.de lo. af. 4ª.16.E
Ratio,& memoria læduntur ob laborem in ſtudijs, atq; vigilias.3º.de locis affectis. 4ª.17.A
Rationem,& memoriam vitiatam habuit agricola ob laborem in colendis vitibus & ob tenuem victum.3º.de loc.aff. 4ª.17.A
Ratione deprauata in phreniticis aliquid ſuperfluitatum inuite emittit̃. 2º.de motu muſculorum. 1ª.314.F
Rationis expers in nobis animi vis duplex.de cog.cur.aĩ mor. 2ª.53.A
Rationem abſolutam quiſq; ſe habere putat.3º.de ſan.tu. 2ª.79.H
Ratio præter ſua negocia,& ſuos terminos amplius redundare non poteſt.4º.de dec.Hipp. 1ª.249.F
Ratione minime vtuntur pueri.3º.de dec.Hipp. 1ª.245.G
Ratione qui plurimum vtuntur,minimum afficiuntur cupiditatibus, & ira.3º.de dec.Hipp. 1ª.245.G
Ratio quando reſiſtit affectui.4º.de dec.Hipp. 1ª.249.D
à Ratione *iracundiã differre per ſe notũ eſt.5º.de dec.Hipp.* 1ª.260.D
Ratio,& iracundia ſe habent vt eques,& equus,& vt venator, & canis.3º.de dec.Hipp. 1ª.242.F
Rationis,& iracundiæ certamen.3º.de dec.Hipp. 1ª.242.G
Ratio poteſt cohibere iram.3º.de dec.Hipp. 1ª.242.F
Ratio cur trahatur ab ira.3º.de dec.Hipp. 1ª.242.F
Ratio quæ ab ira vincitur quibus inſit.3º.de dec.Hipp. 1ª.242.F
Ratione vincitur ira à Græcis,& eruditis.3º.de dec.Hipp. 1ª.243.B
Ratio in iraſcibilem partem quandoq; maxime imperat, ſed hoc rariſſimum eſt,& in quibus hoc eueniat.3º.de dec.Hipp. 1ª.243.B
Ratio ſequitur concupiſcibilem ſponte.5º.de dec.Hipp. 1ª.259.G
cũ Ratione *iraſcibilis accedit.5º.de dec.Hipp.* 1ª.259.G
Rationi vt opitulet̃ iracundia data à natura.5º.de dec.Hipp. 1ª.260.A
Rationi quando opitulatur iracundia.5º.de dec.Hipp. 1ª.260.A
Ratione homini prædito non eſt magno vſui habere denſum tergus.1º. de ſantitate tuenda. 2ª.66.F
Ratione,& ſenſu comprehenduntur omnia,quæ in cognitionem veniunt an ſang.in art.natura cont. 1ª.61.F
Ratio dux eſt,& ſenſus ſequitur.de theria.ad Piſo. 5ª.93.E
Ratio cur eſt ars artium.1º.de vſu par. 1ª.113.G
Ratio inſtrumentum ad remedia capeſſenda.com.1º.aph.1º. Ex.2.C
Ratione inuenienda ſunt,quæ poſſunt inueniri.de ther.ad Piſ. 5ª.90.E
Ratio eſt inſtrumẽtũ ad inuẽtionẽ quorũdã prologorũ.1º.de elem. 1ª.2.H
Rationem aliqui ſatis eſſe volunt in re medica.de ſect. Iſa.15.H
Ratio quæ inuenire non poteſt,ſenſuum experientia iudicamus.de theriaca ad Piſonem. 5ª.90.E
Ratio,& experientia duo ſunt inſtrumenta inuentionis.1º. methodi medendi.4.F/3º. 7ª.16.G
Ratio & experimentũ duo ſunt inſtrumenta inueniendi quæ ſpectant ad artem in progn.com.2º.4ª.208.D/8º.de comp.me.ſe.lo. 5ª.187.C
Ratio,& experientia vt duo crura ſunt,quibus medicina innititur. 8º. de comp.me.ſec.loc. 5ª.193.F
Ratio cum experientia ſequenda.com.1º.aph.17º. Ex.9.C
Rationem ſequitur experientia.6º.met.me. 7ª.37.E
Ratione multa ſunt inuenta præcepta,experientia aliqua.in 1^{m}.de morbis vulgaribus,com.1º. 3ª.101.G
Ratione aliqua quando non mouetur Hippocrates, ſed ſola experientia. com.6º.aph.31º. Ex.49.C
Ratio quid magni faciat ad experientiam vel ornandam,vel corrumpendam.2º.met.me. 7ª.13.B
Ratione,& experientia oĩa inueniẽda,ſed diſtincte.3º.met.me. 7ª.16.D
quæ per Rationem,*& quæ per experientiam inuenta ſunt, non confundenda ſimul,ſed cum ſeorſum fuerint tractata,tunc poſtea iungenda ſimul.2º.meth.me.* 7ª.13.C
Rationi quandoq; adſtipulatur experientia.com.6º.aph.45º. Ex.51.F
per Rationem *quæ inueniuntur quo modo inueniantur.de venę ſectione aduerſ.Eraſ.6ª.16.D/1º.met.me.* 7ª.4.H
Ratio ex quibus procedat.de ven.ſect.aduerſ.Eraſ. 6ª.16.D
Rationis ordo.4º.de ana.adm. 1ª.79.G
Ratio inueſtigat quod fama eſt fieri.in 6^{m}.de mor.vul.c.3º. 3ª.174.F
Ratio ꝑcipit ꝓperare ad finẽ,& ab eo artes iudicare.ad Thr. 2ª.106.B

in Rationibus ſimilitudines decipiunt.de cuiuſ.an.pec.not. 2ª.56.F
per Rationem inuentum medicamentum præſtat illi quod per experientiam eſt inuentum.6°.de comp.me.ſec.loc. 5ª.166.G
Rationem naturarum negligunt empirici.de ther.ad Piſ. 5ª.90.E
Rõni nulli credēdũ,ſed experiētiæ ſm empiricos.1°.de nat.fac.1ª.294.B
Ratione inuenta conantur empirici deſtruere.1°.de ali.fac. 2ª.7.D
Rõne remota,ars conſtitui non põt obſeruatione.2°.de dig.pul. 4ª.77.G
Rõnē eorũ q̃ raro fiũt nõ pñt habere experimētatores.5°.đ lo.af.4ª.35.E
Ratio rem humidam iudicat.1°.de temp. 1ª.18.B
Ratio,& tactus iudices ſunt corporis humidi & ſicci.2°.de tēp. 1ª.17.F
Ratio non eſt iudex rerum euidenter apparentium,ſed experiētia.in 6^{m}. de mor.vulg.com.3°. 3ª.164.F
Ratione non ſenſu motus cognoſcitur.3°.de dign.pul. 4ª.8.B
Ratione & ſenſu motus deprehenditur.4°.de diff.pul. 4ª.66.B
Ratione non ſenſu cognoſcuntur reſolutio neruorum,conuulſio, & rigor 3°.de locis affectis. 4ª.20.G
Ratio coniuncta ſenſui quid iudicet de occurſu arteriæ in pluribus aut paucioribus partibus.3°.de dign.pul. 4ª.81.B
Rationem præuertit ſenſus euidentia.4°.de ſimp.me.fac. 5ª.29.D
Ratio niſi iuſſerit non excernimus.4°.de vſu par. 1ª.141.E
Ratione debet vti medicus p̃ter experientiã.9°.de dec.Hippo.1ª.283.B
Ratione curare volens medicus cauſas cognoſcat actionum naturalium & affectionum præter naturam.vt illas ſeruare, has è corpore eijcere poſſit.modos item ſecundum quos actio fit & locos in quibus,& inſtrumenta per quæ.de voc.inſtr.diſſ. 1ª.106.B
Rõ oſtēdit ſcopũ curationis oĩum affectionũ.1°.de cõp.me.ſe.lo.5ª.132.A
Ratio victus facit diſcrimē in maribus,& fœminis.bre.denot. 1ª.231.C
Rationis vinciendi diuerſitas.de faſcijs. 7ª.293.H
Ratio primaria & ſecundaria attrahendi ſpiritus in pulmonem.de vocalium inſtrumentorum diſſectione. 1ª.106.F
Ratio nominis quæ apud Antiquos.2°.met.me. 7ª.15.G
Ratio vera breuis quæ euadat.8°.de dec.Hipp. 1ª.273.F
ſine Ratione authoritatibus nõ credendum.2°.met.me. 7ª.12.B
Ratione volentes res probare quales eſſe debeant.1°.de ali.fac. 2ª.7.C
Ratio ſoretes dicta quo modo confecta.1°.de loc.aff. 4ª.2.C
RATIOCINANDI anima vbi ſit.7°.de dec.Hipp. 1ª.267.F
Ratiocinãdi operationē hēt aĩa in cerebri corpe.3°.de loc.aff. 4ª.17.G
RATIOCINATIO quæ ſit.de hiſt.phil. Sp.9.B
Ratiocinatio eſt pars rectricis actionis.de ſymp.diff. 3ª.11.D
Ratiocinatio inuenit quod quæritur.5°.de ſan.tu. 2ª.93.G
Ratiocinatio mouetur à viſu.8°.de vſu par. 1ª.167.E
Ratiocinationem affectam phreneticus habet.de ſymp.diff. 3ª.11.H
RATIOCINATIVAE ignaros damnat.aduerſ.Lycũ. Ex.65.H
RATIOCINATORES inter rationales numerantur. de cuiuſ. animi pecc.not.atq; med. 2ª.58.B
RATIOCINATORIA indiget multa exercitatione. 9°. de decretis Hippocratis. 1ª.28.C
Ratiocinatoriã vt prorſus non attingas in morali ciuiliq; contemplatione fieri non poteſt,& quare.9°.de dec.Hipp. 1ª.284.D
RATIOCINATRICEM animã quidã negarũt.1°.de na.fa.1ª.293.A
Ratiocinatrix anima quæ ſit.quod animi mor. 1ª.317.D
de Ratiocinatrice parte quid ſentiant Ariſtoteles,& poſſidonius.5°.de decretis Hippocratis. 1ª.259.E
Ratiocinatrix anima ĩmortalis ſm Platonem.quod animi mor. 1ª.317.F
Ratiocinatrix anima mortalis ſm Galenum.quod animi mor. 1ª.317.G
Ratiocinatrix anima eſt quoddam cerebri temperamentum & eſt mortalis.quod animi mor. 1ª.317.G
Ratiocinatrix anima in cerebro eſt.9°.de vſu par.172.E/17°. 1ª.222.F
Ratiocinatrix anima habet plures facultates.qđ animi mor. 1ª.317.E
Ratiocinatricis functionis quæ veluti paralyſis eſt anœa ſiue amentia dicitur.de ſymp.diff. 3ª.11.G
Ratiocinatricis functionis læſio quæ veluti deficiens motus eſt, moria, moroſis,ſiue fatuitas dicitur.de ſymp.diff. 3ª.11.G
Ratiocinatricis functionis læſio quæ veluti errans eſt paraphroſyne,ſiue delirium dicitur.de ſymp.diff. 3ª.11.G
RATIOCINIA dicunt̃ cogitationes.in 6^{m}.de mor.vul.c.5°. 3ª.191.A
Ratiocinium quibus fiat inſtrumentis.ad eos,qui de typ.ſcrip. 3ª.91.H
RATIOCINARI & loqui ſunt conuenientiores actiones homini. de mot.man.& obſc. Sp.67.F
RATIOCINAMVR virtute p̃ueniēte ex capite.de virtutibus noſtrũ corp.diſpenſ. Sp.59.H
RATIONABILE eſt eſtimare vnum potius errare,quam omnes alios 2°.de vſu partium. 1ª.121.E
RATIONALIS anima vna cum ſit, habet multas facultates. 9°. de dec.Hipp. 1ª.286.D
Rationale proprium hominis eſſe ſumi poſſe videtur.de ſoph. Iſa.8.A/ 2°.de diff.reſp. 3ª.64.E
Rationalis,& irrationalis animæ partes.5°.de dec.Hipp. 1ª.259.D
Rationalis ſola in Dijs reperitur.6°.de dec.Hipp. 1ª.261.F
Rationalis aĩa ſi eſſet ſola,ſola prudētia eſſet.7°.de dec.Hipp. 1ª.267.G
Rationalis,iraſcibilis,concupiſcibilis,tres facultates animæ ſunt.in Timæum Platonis. 1ª.287.C
Rationalis partis aĩæ,& iraſcibilis,ac cõcupiſcibilis eãdē eſſe ſubſtãtiã Platoni non eſt viſum.5°.de dec.Hip.259.G/in Tim.Pla. 1ª.287.C
Rationali facultati aduerſus concupiſcibilem in corpore habitantem iraſcibilis opitulatur.in Tim.Plat. 1ª.287.C
in Rationali anima adeſt ſcientia.7°.de dec.Hipp. 1ª.268.C
Rationalem animam eſſe in corde argumentum commune antiquorum probans.2°.de dec.Hipp. 1ª.240.E
Rationalis vis in cerebro.3°.de loc.aff. 4ª.16.D
Rationalis eſt ſecunda cerebri diuiſio.de compag.memb. Sp.58.B
inter Rationalem & phantaſiam panniculus habet carnem aliquam. de compagine memb. Sp.58.B
Rationalis animæ actiones principales vocantur.3.de loc.aff. 4ª.16.G
Rationalis anima quæ habet opera.8°.met.me. 7ª.58.H
Rationalis anima mittit ſemen in cerebrum.12°.de vſu par. 1ª.193.E
ex Rationali vi trahimur ad honeſtatem.5°.de dec.Hipp. 1ª.256.H
Rationalis,& irrationalis facultatis bellũ.5°.de dec.Hipp. 1ª.258.H
Rationalem iraſcentem priorem eſſe non indiget multa probatione.5°. de dec.Hippocratis. 1ª.260.D
Rõnalē aĩæ ptē hebetē,& turbidã reddit vinũ.1°.de ſan.tu. 2ª.66.H
Rõnali vi,& irrationali q̃uo vtant̃ currētes.4°.de dec.Hip. 1ª.249.E
Rationales artes quæ.de cuiuſ.animi.pecc.not.atq; med. 2ª.60.B
Rõnales artes multi tractãt,q nõ ĩtelligũt qđ dicãt.9°.de dec. 1ª.284.D
Rationalem contemplationem diligenter tractantes quodlibet quæſitum diſcutere ſciunt.ad Thraſ. 2ª.102.A
Rationalis diſciplina.i.logica non deſpicienda.an ſang.in arte. 1ª.62.D
Rationalis ſcientiæ ignorantia quid faciat. 1°.de diff.feb. 3ª.31.C
RATIONALIS vna ex tribus ſectis medicorum.intro. Iſa.51.A
Rationalis ſecta quæ.fin.med. Iſa.43.E
Rõnales medij ſunt inter Methodicos,& empiricos.de op.ſe. Iſa.20.G
Rationales vnde.de ſect. Iſa.16.A
de Rationali ſecta Galeni dictum.de ſal.diæta. 2ª.42.A
Rationalis ſecta quatuor cognoſcitur.introd. Iſa.51.A
Rationalis quid complectatur.de ſect. Iſa.16.A
Rationalis ſectæ principes qui.introd. Iſa.51.D
Rationales q̃uo differant ab empiricis. 8°.de comp.me.ſe.lo. 5ª.188.C
Rationales diſſentiunt ab empiricis in ratione inueniendi methodos. de ſect. Iſa.16.F
Rationalis methodi munus quod.ad Thraſ. 2ª.104.G
Rationalis methodus quantum valeat ad medicamentorum copiam parandam.6°.de comp.me.ſec.loc. 5ª.166.G
Rationales vnde ſumunt indicationem.de ſect. Iſa.16.F
Rationalis indicatio ditior eſt nuda experientia citra methodum. 2°. de comp.me per genera. 5ª.229.G
Rationalis concurſus accidentium indicat euacuationē.de ſect.Iſa.16.F
Rationales diſpoſitiones dicunt̃ concurſus.cõ.6°.aph. 31°. Ex.49.C
Rationales vtuntur eadem medela cum empiricis.de ſect. Iſa.16.F
Rationales quid laudent.de ſect. Iſa.17.A
Rationalis quid dicat de medicamentis.2°.de ſimp.me.fac. 5ª.11.F
Rationales qui venæ ſectionem exercuere.de ven.ſec.aduerſ. 6ª.6.G
Rationalis medicus facilius cognoſcit cõmunia & propria q̃ ille qui experientiæ tantum meminerit.de ijs,quæ in med.ſi.com.1°. 7ª.198.G
RAVCEDINE capiuntur ſenes.1°.de temp. 1ª.16.D
Raucedines ſunt morbus ſenum.5°.de ſan.tu. 2ª.92.B
Raucedo cur ſenibus contingat.de voc.& anhel. Sp.61.G
Raucedines quomodo non maturentur in valde ſenibus,& q̃ ſunt ægritudines conuenientes ſenibus.com.2°.apho.40°. Ex.17.H
Raucedo quando fiat.de voc.& anhel. Sp.61.E
Raucedines fiunt hyeme,quando æſtas fuit ſicca, & autumnus pluuioſus.commentario.3°.aph.13°. Ex.21.H
Raucedines cur & quomodo hyeme fiant.com.3°.aph.23°. Ex.24.H
Raucedines cur fiant vere cũ ſint morbi hyemis.c.3°.aph.20°.Ex.24.B
Raucedines qua tempeſtate fiant.de aere,aquis,& locis. 2ª.4.C

Raucedo quo modo fiat.de voce,& anhel.60.G| Sp.61.G
ſine Raucedine quo modo fiat vox.de voce,& anhel. Sp.61.G
Raucedo accidit qñ muſculi colli extenduntur,& inchordantur,vt extẽduntur in aſſumptione cibi,& potus.de voce,& anhe. Sp.60.F
Raucedo accidit qñ humeſcit epiglottis.de voce,& anhel.. Sp.61.F
Raucedo vnde.in 1^{m}.de morb.vulg.com.1°. 3ª.105.C
Raucedinis cauſa eſt iter.de vict.rat.in mor.acut.com.4°. 7ª.144.H
Raucedinem facit vuula inciſa, aut ablata.de ana.viu. Sp.49.E
Raucedinibus prodeſt ſtyrax.8°.de ſimp.me.fac. 5ª.61.E
ad Raucedinem remedium.de dyna. Sp.26.C
in Raucedine vocis minuuntur venæ iugulares.de anat.viu. Sp.55.A
RAVCITAS quid.introd. Iſa.56.E
Raucitas eſt morbus longus intrinſecus.introd. Iſa.56.B
Raucitatis cauſa.introd. Iſa.56.E
poſt Raucitates,& grauedines febris adueniens illas concoquit.in 6^{m}. de morb.vul.com.3°. 3ª.171.E
Raucitatis curatio.introd. Iſa.56.E
Raucitas,id eſt branchas quid.3°.de ſymp.cau. 3ª.29.F
RAVCI qũo fiant,& ſanent.de vic.rat.in morb.acut.c.4°. 7ª.150.H
Raucæ voces quorum ſymptomata ſint.de ſymp.diff. 3ª.13.E
Raucæ voces vñ ĩ 1^{m}.pr.c.1°.162.D/4ª.166.B/de vo.& anhe. Sp.61.F
Rauca fit vox ob potum.de vo.& anhel. Sp.61.G
Raucam faciunt vocem deſtillationes.4°.de loc.aff. 4ª.26.C
Raucã vocẽ hẽt hõ cõceptus in tribus horis ſanguinis.de ſper. Sp.37.B
Raucis nõ eſt medicamẽtũ exhibẽdũ.đ vic.ra.ĩ mor.acut.c.4°.7ª.150.F
Raucos emendat ouum crudum potatum.de ſimp.med. Sp.88.E
ſi RECALESCANT in ſudoribus vigiles,malum. in 1^{m}.prorrhetici,com.2°. 4ª.174.A
RECALEFACIENDA & fouẽda eſt pars ab hirudinibus tracta,quia refrigeraſcit.de cucur.ſcar. 6ª.4.D
RECENTIORVM qui ſcriptis examinatis quæ bona ſunt in publicũ exponant,mala vero quæcũq; fuerint perdant collegium proborum doctorũq; hominũ apud nos oportuit eſſe.contra Iulianum. Ex.66.C
Recentia cicera ſunt multarum ſuperfluitatum.de diſſ.cont. Sp.73.E
Recẽtes dolores circa latera tollit ſcarificatio crurũ.de cuc.ſcar.6ª.4.B
in Recentium vulnerum profundo poſitus cinis ſanguinem ſtatuit à curſu.de ſimp.med. Sp.86.A
Recentia vulnera glutinat cytinus.de ſimp.med. Sp.87.C
ad Recentia vulnera oĩa facit emplaſtrũ Barbarũ.de dyna. Sp.35.F
ad Recentia vitia quibus vtendum.de remed.par.fac. 7ª.154.H
Recens cũ eſt medic^{m} eo vti nõ debemus.7°.de comp.me.ſec.lo.5ª.183.C
Recentia magis emolliunt inueteratis.5°.de ſimp.me.fac. 5ª.34.F
RECEPTACVLVM & locus quomodo differant.de hiſt.phil. Sp.5.C
Receptacula ſanguinis & ſpũs ſunt vena,neruus,pellis.de vtil.Sp.63.C
Receptaculum ſpiritus cur dicitur pulmo.de vtil.reſp. Sp.64.B
Receptaculũ amoris ẽ sãguis terreſtris plurimũ calidus.đ vti.Sp.64.E
vt Receptaculum vocis eſt os.de voc.inſtr.diff. 1ª.106.E
RECESSVS & acceſſus maris quomodo fiant.de hiſt.phil. Sp.8.G
RECIDIVAS facere conſueuerunt quæ relinquũtur in morbis poſt iudicium.com.2°.aph.12°. Ex.12.D
Recidiuam faciunt quæ ſine ratione leuant.in prog.c.2°. 4ª.209.F
Recidiua in quibus morbis timenda.1°.de dieb.dec. 4ª.145.B
in Recidiuas deflectũt cruda & ĩcõcocta.in 1^{m}.de m.vul.c.3°.3ª.123.E
Recidiuæ multæ fiunt in tẽporibus incõſtãtibus.c.3°.aph.8°. Ex.20.G
Recidiua fit ſi ſexta die iudicium fiat.cõ.3°.aph.8°. Ex.20.G
Recidiuæ ſymptomata quæ.in 3^{m}.de mor.vul.com.1°. 3ª.132.F
RECIDIVARE ſolet febricitans,niſi diebus imparibus febris reliquerit.com.4°.aph.61°. Ex.34.A
Recidiuauit quando febris.in progn.com.2°. 4ª.209.E
Recidiuauit in febrẽ ſæpe Boethi filius et q caſus.de ꝑc.ad Poſt.4ª.16.H
RECIPROCI deficientes pulſus qui.de pulſ.diff. 4ª.49.F
RECLVDATVR cur facile imbecillũ,molle, & tenue. 3°. de ſymptomatum cauſis. 3ª.27.A
Recludatẽ cur difficulter firmũ,craſſũ,& durũ.3°.de ſym.cau. 3ª.27.A
RECLVSIO eſt morbus inſtrumentalium.de ſym.diff. 3ª.13.E
Recluſio quo modo fiat.de ſymp.diff. 3ª.13.E
Recluſio vaſorum quibus fiat cauſis.3°.de ſymp.cau. 3ª.27.B
ad RECOLLIGENTES ſe ægre ex morbo.8°.de compoſitione medicamento.ſec.loc. 5ª.195.G
RECORDATIO quid.fin.med. Iſa.45.B
Recordationis fons,& radix eſt ſenſus.1°.de elem. 1ª.3.H
Recordationes rerum ſunt diſciplinæ.de theria.ad Piſõ. 5ª.89.H
RECORDANTVR, & cognoſcunt aſini.2°.met.me. 7ª.14.B
RECREMENTORVM natura in oleo eadem eſt tum in lacte tum in alijs omnibus ſuccis,multoq; magis in totis plantis, metalliciſq; omnibus.4°.de ſimp.me.fac. 5ª.24.H
Recrementa fuliginoſa,fauilloſa,ac fumoſa,oĩa ſunt terrea ac veluti ſemicocta cũ ĩnato calore,vt fumus cũ igne.1°.de diff.reſp. 3ª.62.A
Recrementa ſemper facit caliditas in animalis corpore,quæ indiget euacuatione.in 6^{m}.de mor.vulg.com.6°. 3ª.195.F
Recrementorum inſtrumenta quæ.6°.de ana.adm. 1ª.90.C
RECRVDESCENTIA vitia maligna appellantur.de fracturis commentario.2°. 7ª.235.G
RECRVDESCANT quæ minimæ.de frac.com.2°. 7ª.236.A
RECTE quid ſe habet.4°.met.me. 7ª.23.G
Recte intelligit inictum,quod confert.de faſcijs. 7ª.293.E
Recte viuere,recteq; meditari volentes debent cerebri temperiem ſeruare.de virt.noſt.corp.diſpenſ. Sp.60.C
RECTIFICATIO, & præparatio ſpiritus antequam cor ĩgrediatur in pulmone fit.de ana.viu. Sp.47.C
RECTIFICAT aquã ducere illam de loco ad locũ.de bo.aq. Sp.76.B
in RECTITVDINE, duobus dicitur modis,& quibus. de ijs, quæ in med.fi.com.1°. 7ª.202.F
ſm Rectitudinem partes ſitæ,plus inter ſe communicant, ac fruuntur. 14°.de vſu par. 1ª.206.G
Rectitudo ſm Hippocratẽ κατ' ἴξυν noĩat.in 6^{m}.đ m.vul.c.1°.3ª.152.H
Rectitudinem non vult eſſe ſeruãdã Galenus in affectibus, in quibus difficile aut nullo modo cognoſcitur mẽbri languentis rectitudo,vultq; Hippocratem præcepiſſe rectitudinem conſiderandam in quibus ipſam dignoſcere licet.in 6^{m}.de morb.vul.com.2°. 3ª.163.A
ſm Rectitudinẽ diſtẽtiones vẽtris docẽt an in dextrã,vel ſiniſtrã corporis partẽ abſceſſus morbi ſit futurus.in 6^{m}.de m.vul.c.2°. 3ª.163.F
Rectitudo membri in abſceſſibus à ſuperioribus ad inferiora an ſemper ſeruanda.in 6^{m}.de morb.vulg.com.2°. 3ª.162.F/G
Rectitudinem loci patientis ſeruat in cucurbitulis Galenus. de remed. paratu facilibus. 7ª.163.D
de RECTRICE virtute dicitur natura.ſecret. Sp.96.F
Rectrix actio in quot partes diuiditur.de ſymp.diff. 3ª.11.D
Rectricis actionis ſymptomata quæ,& quot.2°.de ſymp.cau. 3ª.24.B
Rectricis actionis amiſſio conſiſtit in ſtoliditate,& obliuione. 2°.de ſymptomatum cauſis. 3ª.24.B
RECTVM in omnibus eſt medium.4°.met.me. 7ª.23.G
Rectum eſt iudex ſui & obliqui.de opt.doc.gen. Iſa.31.A
Recti cur magis ſpina laboramus,quàm ſedentes,aut iacentes.2°.de motu muſculorum. 1ª.315.G
Rectum ad coſtas brachium extendens muſculus.de muſ.diſſ. 1ª.47.G
Recta ceruix quo modo moueatur.de muſc.diſſ. 1ª.47.A
Rectam cubiti extenſionem qui muſculus faciat.de muſc.diſſ. 1ª.48.B
Rectum cur ſit duodenum.de ana.viu. Sp.50.C
Rectum inteſtinum videtur diſtingui ab inteſtinis.de fœt.for. 1ª.322.H
Rectum inteſtinum vnde dicatur.1°.de ſan.tu. 2ª.67.F
Rectum inteſtinum eſt ſextum in ordine.5°.de vſu par. 1ª.142.E
Rectum inteſtinum quomodo generatur.de fœt.for. 1ª.322.H
Rectum inteſtinum cur habet villos rectos.4°.de vſu par. 1ª.141.C
in Recto inteſtino qui muſculi ſunt.1°.de ſan.tu. 2ª.67.F
Recti inteſtini os habet muſculos in orbem.4°.de vſu par. 1ª.141.E
Recto itinere ſanguinem fluere cõmendandum.in ꝓgn.cõ.1°. 4ª.196.C
Rectum cur ſit longaon.de ana.viu. Sp.50.E
Recti motus genera ſex ſecundum Platonem.de hiſt.phil. Sp.8.F
Recti muſculi & obliqui adſunt vbi eſt vnũ os.6°.de ana.adm. 1ª.9.A
Rectus eſt motus capitis ſi muſculi duo agant.de muſ.diſſ. 1ª.45.H
Recti muſculi ex ijs,qui totam ceruicem occupant rectum caput abnuendo mouent.de muſ.diſſ. 1ª.45.H
Rectus muſculus quo modo eleuandus.5°.de ana.adm. 1ª.88.A
Rectam attollendo tibiam qui muſculus illam introrſum inuertat.de muſculorum diſſectione. 1ª.51.D
Rectus oculus ad alteram partem.de faſcijs. 7ª.297.G
à Recta via recedere non debemus.com.2°.aph.52°. Ex.19.D
RECVRVATIONES comitantur ſenes ad mortem.commentario.2°. aphoriſmo.40°. Ex.18.A
REDARGVTIO, et methodus qd.in 6^{m}.de m.vul.c.3°.3ª.174.H
REDOLENTIA bene oĩa nõ ſunt calida.2°.de ſimp.me.fa. 5ª.10.C
REDVNDANS quod eſt in corpore ad partes imbecillas ſemper deſcendit.

ſcendit.1°.de alim.fac. 2ª.10.H
Redundantem in corpore materiam minuere vbi volumus, ſcarificatione vtimr.de cucur.ſcar. 6ª.3.F
REDVNDANTIA in quantitate & qualitate quæ.10°.methodi medendi.71.C/ 7ª.72.A
Redundantia ſanguinis eorũ eſt quæ abſolute dñr.2°.met.me. 7ª.10.A
Redundantiæ morbis tentantur calidi,& ſicci.6°.de ſan.tu. 2°.93.F
Redundantiæ vitijs ſi quid abundet,quid agẽdũ.6°.de ſan.tu. 2ª.97.D
Redundantiæ morbi vnde oriantur.6°.de ſan.tu. 2ª.97.D
Redundantiæ morbi quo modo curentur.6°.de ſan.tu. 2ª.97.D
REDVNDANT quæ.14°.met.me. 7ª.93.B
REDVPLICATIO, & repetitio quid.de morb.temp. 3ª.87.E
REDVVIAE affectus digitorum.introd. Iſa.59.C
REFECTIO quid.de marc. 3ª.48.C
Refectione indiget non medela,qui à morbo graui conualeſcit. ad Thraſybulum. 2ª.102.D
Refectiones corporibus extenuatis quãtæ eſſe dñt.c.2°.aph.7°. Ex.11.H
Refectiones cum extremæ fuerint, & euacuationes quæ ad extremum deducunt periculoſæ ſunt.com.1°.aph.2°. Ex.3.E
REFECTORIA victus ratio qualis,& quibus conueniat.7°.methodi medendi. 7ª.45.H
Refectoria victus rõ qũo in ſiccis eſt facienda.7°.met.me. 7ª.45.H
REFECTRIX medicinæ pars,analeptice à nonnullis dicitur. ad Thraſybulum. 2ª.106.E
Refectrix ars quæ.de conſt.ar. Iſa.42.G
REFICIENDA quæ ſint.14°.meth.me. 7ª.91.C
Reficiendi quo modo extenuati.14°.met.me. 7ª.91.G
Reficiendi qũo ſint qbus venæ exinanitæ.đ vi.r.ĩ mor.ac.c.1°. 7ª.120.B
REFICIENS pars artis ad quos pertinet.ars med. Iſa.71.F
Reficientes corpus fortibus catharticis vtimur.de dyn. Sp.20.H
ad Reficientes ſe ex infirmitate potio iuuãs.8°.de cõp.me.ſe.l. 5ª.195.B
Reficiens male curata Cyzicenũ Heræ.5°.de comp.me.per ge. 5ª.250.B
REFICIVNTVR carnoſa.14°.met.me. 7ª.93.B
Reficiant qũo emaciata corpa mãgones.in 6^{m}.de m.vul.c.3°. 3ª.176.D
Reficit quod è corpore dilapſum eſt,ciborum aſſumptio. in 6^{m}.de morb. vulgaribus,com.5°. 3ª.190.F
Refici qui dñr,illis debet dari vinũ,niſi febricitẽt.7°.met.me. 7ª.45.E
Reficiuntur qui facile.8°.met.me. 7ª.54.F
Reficiunt cũ ægre mẽbra,Thapſia ex melle cõuenit.14°.me.me.7ª.91.H
REFLEXIO ad anteriora quare fiat in duris mediocriter extentis. cõmen.6°.aph.46°. Ex.51.H
REFRICTIO quid ſit.de ijs,quæ in med.ſi.com.3°. 7ª.218.E
REFRIGERASCIT pars ab hirudinibus tracta ideo fouenda, & recalfacienda eſt.de cucur.ſcar. 6ª.4.C/D
REFRIGERANDI, & humectandi materiæ ſex.10°.methodi medendi. 7ª.64.D
ad Refrigerandum & humectandum cur ſolo aceto non vtimur.10°. methodi medendi. 7ª.64.H
Refrigerando repellitur.ars med. Iſa.70.G
Refrigerando,& adſtringendo repelli debẽt morbi ex influxu humorũ. 1°.de comp.me.ſec.loc. 5ª.121.F
Refrigerandum & repellendum eſt in principijs,potius quàm calefaciẽdum,vel laxandum.3° de ſimp.me.fac. 5ª.18.F
Refrigeranda eſt calida diſpoſitio. 1°.de loc.aff. 4ª.5.E
Refrigerandum quantum ſit in eryſipelate,& in phlegmone.13°. methodi medendi. 7ª.82.E/F
Refrigerandi ſunt omni ratione hectici.10°.met.me. 7ª.66.E
p Refrigerando capite,mali punici acidi ſuccus præſtantior eſt q̃ alius ſuccus adſtringentium,& quare.2°.de comp.me.ſec.loc. 5ª.132.G
p Refrigerando capite,cucurbitæ ramentis ex ſuccatis qũo Ruri quandoq; vſus fuerit Galenus.2°.de comp.me.ſec.loc. 5ª.132.G
ad Refrigerandũ quæ folia debent ſterni.de reme.par.fac. 7ª.153.E
Refrigerando qñq; prodeſt coitus.in 6^{m}.de morb.vul.com.5°. 3ª.192.B
REFRIGERANTES cauſæ tot ſunt, quot calefacientes.1°.de præſag. ex pulſ. 4ª.105.H
Refrigerantium diuerſitas quæ.11°.met.me. 7ª.70.C
Refrigerantia ſunt frigida poteſtate.3°.de temp. 1ª.23 F
Refrigerantia quæ ſint.14°.met.me. 7ª.87.D
Refrigerantia,& adſtringentia quæ.4°.de cõp.me.per gen. 5ª.237.A
Refrigerantes & adſtringentes ſucci.1°.de arte cur.ad Gla. 7ª.99.C
Refrigerãtia qũo cognoſcantur p adſtrictionẽ.4°.de ſimp.me.f. 5ª.26.B
Refrigerans cibus eſt melca.7°.met.me. 7ª.44.B
Refrigerãs tenuiũ ptiũ ẽ acetũ,iõ penetrat.2°.de cõp.me.p ge. 5ª.228.D
Refrigerantes bene vires habet cuculus.de ſimp.me. Sp.83.C
Refrigerantes vires habet hyoſciamus.de ſimp.med. Sp.92.D
Refrigerantes vires habet mandragora.de ſimp.med. Sp.87.C
Refrigerantes vires habet œnanthe.de ſimp.med. Sp.85.E
Refrigerãtia,et adſtrigẽtia oĩa excedit plãtago.6°.de ſim.m.fa.5ª.43.G
Refrigerantes vires habet ſedum.de ſimp.med. Sp.91.A
Refrigerãtia ĩmoderate lædunt facile cerebrum.de inſtr.odor. 1ª.112.F
Refrigerãtia ſupramodũ natiuũ calorẽ extinguũt.2°.de ar.cu. 7ª.103.C
Refrigerans multum medicamentum qũo ſit.9°.de ſimp. me.fa.5ª.70.E
Refrigerans medicamentum qũo efficies.10°.met.me. 7ª.65.A
Refrigerantia ſine adſtrictione etiam repellunt.14°.meth.me. 7ª.92.G
Refrigerantia caput calidius,ex arboribus & fructibus quæ cõueniãt. 2°.de comp.me.ſec.loc. 5ª.132.H
Refrigerantia quæ capiti adhibentur, non debent multum adſtringere. 2°.de comp.me.ſec.loc. 5ª.132.F
Refrigerantibꝰ vti debemus in vomitu ſanguinis.c.7°.ap.37°. Ex.56.H
Refrigerãtibus,et dẽſantibus vẽtris fluxus augẽt.1°.đ arte cu.7ª.99.B
Refrigerãtibus & adſtringẽtibus curãda diapedeſis.5°.me.m.7ª.32.A
Refrigerantia,& vnà adſtringentia medicamẽta,ad vlcera rebellia omnia ſunt,& ad fluxiones,& ad putredines conueniunt, ac proinde et ad dyſenterias.6°.de ſimp.me.fac. 5ª.43.G
Refrigerantibus,& ſiccantibus debent curari putreſcentia.2°.de compoſitione me.per gen. 5ª.228.C
Refrigerantibus,quibus os ventriculi ſuper calefactũ curetur.1°.de arte curatiua ad Glau. 7ª.99.C
Refrigerantibus & vim corroborandi habẽtibus,exolutiones curãtur, quæ ex nimio calore accidunt.1°.de arte cur.ad Glau. 7ª.99.D
Refrigerans præcordijs impoſitum,facit difficultatem ſpirandi.10°.methodi medendi. 7ª.65.C
Refrigerantia valde cauenda ſunt in orthopnœa,& aſthmate.7°. de cõpoſitione me.ſec.loc. 5ª.186.G
Refrigerantẽ aerẽ plus cæteris requirit pulmo.10°.met.me. 7ª.64.G
Refrigerantia humectantiaq; deſiderat febris.8°.met.me. 7ª.53.G
Refrigerantia ſine vehementi adſtrictione in febre hectica conueniunt. 10°.methodi medendi. 7ª.64.G
Refrigerantia tenuis ſubſtantiæ citra adſtrictionem febri conueniunt hecticæ.10°.met.me. 7ª.64.H
Refrigerantia,& exſiccãtia euitãda in quartana.1°.de arte cu.7ª.97.F
Refrigerationis cã putant quidã aerẽ eſſe neceſſariam ad conſeruationẽ ignis,ſed falſo cum ſit nutrimenti cã.de vtil.reſp. Sp.64.A
Refrigeratione nõ indiget vitalis calor,ſed nutrimẽto.de vtil. Sp.64.B
Refrigeratio cordis cõparat̃ refrigerationi ſtomachi.de ana. Sp.47.G
Refrigeratio extremorũ quibus eueniat.præſa.exper.conſ. Sp.78.E
inter Refrigerationẽ,& rigorẽ medius ẽ horror.2°.de diff.fe. 3ª.39.B
Refrigerationes ex rigore malæ.in 1^{m}.pror.com.2°. 4ª.173.G
Refrigeratio cum duritie mala.in 1^{m}.pro.com.2°. 4ª.175.B
Refrigeratio per humida qualis.in 6^{m}.de morb.vul.cõ.4°. 3ª.184.D
Refrigeratio inſignis eſt ſtupor.2°.de loc.aff. 4ª.8.E
Refrigeratio cõpleta,& ſenſum,& motũ tollit.2°.de loc.aff. 4ª.8.E
Refrigeratio ſoporem inducit.3°.de loc.aff. 4ª.16.F
ex Refrigeratione fatuitas,et obliuio puenit.2°.de ſymp.cau. 3ª.24.B
Refrigeratio cur parui tẽporis ſit,& periculoſa.10°.met.me. 7ª.64.D
Refrigeratione non egent itinerantes.10°.met.me. 7ª.66.C
Refrigeratio cui proprie adhibẽda.in 6^{m}.de mor.vul.cõ.6°. 3ª.196.B
Refrigeratio cur proprium ſit remediũ febriũ 10°.met.me. 7ª.65.D
Refrigerationẽ protinus ab initio vſtio deſiderat.8°.met.me. 7ª.51.E
Refrigerationis indicationem,vincit vacuationis indicatio in phlegmone & eryſipelate.13°.met.me. 7ª.82.E
Refrigeratio & repletio eſt cã fluxus ſanguinis in iuuenibus. com. 3°. aphoriſmo.29°. Ex.26.C
Refrigeratio capitis fieri non debet,ſanguine è naribus proflučte. 5°.methodi medendi. 7ª.31.H
Refrigeratio ad Thoracem, & ad ventriculum in ſanguine profluente obeſt.5°.met.me. 7ª.31.H
Refrigeratio in ſanguinis profluuio qñ facienda.5°.met.me. 7ª.32.A
Refrigeratio optima capitis ex roſaceo.2°.de comp.me ſec.loc. 5ª.132.E
Refrigeratio fit omotribæ.i.omphacino oleo.2°.đ cõp.me.p ge. 5ª.220.F
Refrigeratio extrinſeca ventrẽ ſiccat.in 6^{m}.de mor.vul.cõ.5°. 3ª.193.C
Refrigeratio intrinſeca vẽtrem humectat,& lenit.in 6^{m}.de morbis vulgaribus,com.5°. 3ª.193.C
Refrigeratio veſicæ quomodo fiat.in 1^{m}.pror.com.2°. 4ª.171.C

Refrigeratione raro vtimur pro doloribus ſoluendis. in 6^{m}. de morbis vulg.com.6°. 3ª.196.A
Refrigeratio vehemens nõ eſt inducẽda in fœminis, eunuchis, pueris, & mollibus carne, & albis colore.2°.de comp.med.ſec.lo. 5ª.132.E
REFRIGERATORIA, & emplaſtica eſt ceruſſa.9°.de ſimplic.med. facul. 5ª.71.G
Refrigeratorius eſt plãtaginis ſuccus.8°.de comp.med.ſec.loc. 5ª.189.A
Refrigeratoriam, repercuſſoriam, & emplaſticam vim habet puluis.8°. de ſimp.med.fac. 5ª.60.A
REFRIGERARE & replere plurimum & repente cur nocuum ſit. com.2°.aph.51°. Ex.19.C
Refrigerant quæ.1°.de præſ.ex pul. 4ª.105.H
Refrigerant quædam dum concoquuntur.3°.de temp. 1ª.24.B
Refrigerare, calefacere, exiccare. & humectare corpus humanum, quæ debent non eſt conſiderandum an pinguia, vel lenta, vel leuia ſint. 1°. de ſimp.med.fac. 5ª.2.E
Refrigerant & exiccant acerba.7°.method.med. 7ª.46.H
Refrigerat, & calfacit Acetum.1°.de ſimp.med.fac. 5ª.6.B
Refrigerat valde acetum.3°.de ſimp.med.fac. 5ª.18.A
Refrigerãt vehementer Adſtringentia.1°.de comp.me.ſec.loc. 5ª.125.E
Refrigerat Aer inſpiratus.de vtil.reſp. Sp.63.B
Refrigerat altercum potentia non actu.1°.de ſimp.med. 5ª.2.C
Refrigerat ſemper, & humectat aqua.1°.de com.me.per ge. 5ª.212.H
Refrigeret & calefaciat quomodo aqua calida. de ÿs, quæ in medicatr. fiunt.com.2°. 7ª.215.H
Refrigerant ſtatim Balnea frigida.3°.de cau.pul. 4ª.98.G
Refrigerant potentia balnea calida.1°.de arte cur.ad Glauc. 7ª.97.B
Refrigerat quomodo calidum.in 6^{m}.de mor.vul.com. 2°.161.F/ com. 5°. 3ª.194.F/2°.de arte cur.ad Glau. 7ª.103.D
Refrigerat Ceratum Chamæmelinum.9°.de comp.med.ſe.loc. 5ª.205.E
Refrigerat Coriandrum, & ſtringit viſci.de ſimp.med. Sp.82.E
Refrigerat Diphryges in modum niuis.de ſimp.med. Sp.83.D
Refrigerat Faba.7°.de ſimp.med.fac. 5ª.53.D
Refrigerat mediocriter faba ægyptia.de vic.ra.in m.a.c.4°. 7ª.149.D
Refrigerat cutaneas ptes Frigidũ exterius.in 6^{m}.de m.v.c.6°. 3ª.195.G
Refrigerat Haſeg.de ſimp.med. Sp.85.C
Refrigerat, & exiccat in primo ordine Hordeũ.7°.de ſim me.f. 5ª.53.A
Refrigerat leuiter, & repercutiendi vim habet Lac recens coagulatum. 10°.de ſimp.med.fac. 5ª.74.C
Refrigerat, & exiccat Lini ſemẽ.de vic.rat.in mor.ac.cõ.4°. 7ª.149.D
Refrigerare corpa Luna imminuẽte piculoſum.de dec ꝓg.ex.m.Sp.16.F
Refrigerant etiã extrinſece Medicamenta ſtupida.2°.de lo.af. 4ª.8.E
Refrigerat metus diuturnus.1°.de præſag.ex pul. 4ª.105.H
Refrigerat, & ſiccat Miliũ.de vict.rat.in mor.acu.com.4°. 7ª.149.D
Refrigerat omne Nutrimentũ influẽs id quod nutrit.de vti.re. Sp.63.C
Refrigerat Opium circumlinitum.de ſimp.med. Sp.88.A
Refrigerant & ſiccant ex Papaueris ſucco, & alterco medicamẽta.11°. meth.med. 7ª.79.C
non Refrigerant citra damnum papauer, & mandragora. 2°. de comp. medica.ſecun.locos. 5ª.132.C
Refrigerant modice Pira.6°.de ſimp.med.fac. 5ª.43.D
Refrigerat in ſecundo Polygonon.8°.de ſimp.med.fac. 5ª.58.C
Refrigerat, & adſtringit potamogitũ, vt polygonõ.8°.de ſim.me.5ª.59.A
Refrigerat Pſyllium.de ſimp.med. Sp.89.A
Refrigerat & reparat febricitantes ſuccus Ptiſſanæ, ſi oleum roſaceum admiſceas.de ſimp.med. Sp.90.A
Refrigerat Roſa ſuauiter.de ſimp.med. Sp.89.E
Refrigerare roſaceum elicitur.11°.de ſimp.med fac. 5ª.80.D
Refrigerat, & adſtringit in tertio ordine Solanũ hortenſe.8°. de ſimplic. med.fac. 5ª.62.G
Refrigeret quomodo Somnus.in 6^{m}.de mor.vul.com.4°. 3ª.184.A
Refrigerat aliquatenus Spuma argenti.de ſimp.med. Sp.90.F
Refrigerat Stibium.de ſimp.med. Sp.90.A
Refrigerant potius, quam calefaciãt Sudores, qui noctu perfunduntur. 7°.meth.med. 7ª.47.B
Refrigerat mediocriter Terra ſamia.9°.de ſimp.med.fac. 5ª.65.H
Refrigerat Triſtitia.4°.de cau.pul. 4ª.99.H
Refrigerat vniuerſum corpus Venæ ſectio frequẽter eodem anno facta. de Hirud.reuulſ.cucur.& ſcarif. 6ª.2.G
Refrigerat ex accidente ſanguinis miſſio.10°.meth.med. 7ª.65.E
Refrigeret cur Vigilia.in 6^{m}.de mor.vul.com.4°. 3ª.183.H
REFRIGERARI pro nudari accidit.de frac.com.3°. 7ª.243.H
Refrigerari, & accendi ſunt contraria.de vtil.reſp. 1ª.224.C
Refrigerari, & congelari quo modo differant.1°.de ſimp.me.fac. 5ª.5.B
Refrigerat aqua in puteo dupliciter.in 6^{m}.de mor.vul.cõ.4°. 3ª.184.D
Refrigeratur quomodo aqua in Alexandria, et Aegypto.in 6^{m}.de mor. vul.com.4°. 3ª.182.B
Refrigeretur cur aqua calefacta.in 6^{m}.de mor.vul.com.4°. 3ª.182.C
Refrigerari quo modo aliquid poſſit.10°.meth.med. 7ª.65.A
Refrigeratur cur corpus in præfocatis.6°.de loc.aff. 4ª.39.F
qñ Refrigeratur corpus quo pulſus eius mutet.de præſ.ex p. 4ª.105.H
Refrigeratur quibus caput ruri.2°.de comp.med.ſec.loc. 5ª.132.G
Refrigerantur cur extrema in morbo maligno. de vict.rat.in mor.acut. commentario 4°. 7ª.136.B
Refrigerant qui in principÿs acceſſionũ, & ãi defectũ patiũtur ob inflãmationis magnitudinem, aut febris malignitatem quomodo tractandi.1°.de art.cur.ad Glau. 7ª.99.E
Refrigerari quantum debet eryſipelas.14°.meth.med. 7ª.87.D
REFRIGERATI minus inſpiramus.de vtil.reſp. 1ª.224.E
Refrigeratis fiũt inæquales intẽperies ſine materia.de inæ.intẽ. 3ª.43.B
ad Refrigeratos quid conferat.de remed.par.fac. 7ª.159.G
Refrigeratos calefaciũt pinguia.2°.de ſimp.me.fa. 5ª.15.A
in Refrigeratis oleo roſaceo vti licet.2°.de ſimp.me.fac. 5ª.10.A
Refrigeratos à papaueris ſucco ſanat vinũ.3°.de ſimp.med.fac. 5ª.22.F
Refrigeratis purgatio ſiſtenda.de præſ.exper.conſ. Sp.78.C
Refrigerati non rubeſcunt.de cucur.ſcarif. 6ª.3.C
REGALIA principia quæ ſint.de ana.viuo. Sp.45.G
Regalia organa quæ.de ana.viuo. Sp.45.D
Regalia membra intrinſeca ſeptem.de ana.viu. Sp.45.D
Regalia membra, & famoſa ſeptem planetis comparata ſunt cerebrum, cor, hepar, ſtomachus, renes, veſica, teſticuli.de ana.viuo. Sp.56.A
REGIBBVM opponitur gibbo, & quòd ſit ſpinæ paſſio.commenta. 6°. aphoriſmo 46°. Ex.51.G
REGINA compoſitio quam reparatricem dicimus qualis.4°.de comp. medic.ſec.loc. 5ª.152.A
Reginæ Cygnus inſcriptus ad maximos dolores, & affectiones.4°. de cõ. med.ſec.loc. 5ª.154.G
REGIO, & tẽpus anni cõtinent ſub aeris tẽperie.8°.me.me. 7ª.58.A
Regionum diuerſitates per qualitates.com.3°.aph.14°. Ex.22.E
Regio temperatiſſima quæ.com.3°.aph.14°. Ex.22.E
Regio Galeni temperata.2°.de temp. 1ª.20.A
Regionis temperatæ deſcriptio.quòd animi mor. 1ª.319.G
in Regione temperata debent intelligi qualitates omnes tẽpeſtatum de quibus loquitur Hippocrates.com.3°.aph.13°. Ex.22.B
Regiones bñ tempate quod tps habeãt cõueniẽs.cõ.3°.apho.18°. Ex.23.G
Regiones quas tempora exigant.com.3°.aph.18°. Ex.23.H
Regio æqualiſſima vbi.de aere, aquis, & locis. 2ª.4.G
Regio media inter frigidum, & calidũ fertiliſſima eſt.de aer.aq. 2ª.4.E
Regiones irriguas faciunt imbres, & niues.de aere, aq.& loc. 2ª.4.E
Regio agreſtis & maximè inæqualis vbi.de aer.aq.& loc. 2ª.4.F
Regionum aliquarum venti proprÿ.de aere, aquis, & locis. 2ª.2.E
Regionis naturã formæ, & homines ſequũtur.quòd animi mo. 1ª.320.B
Regionum ſitus facit differentiam in maribus & fœminis. breuis denotatio dogma.Hipp. 1ª.231.C
Regionẽ altam leuẽ, ventoſam colẽtes quales ſint.ꝙ ani. mor. 1ª.320. B/ de aere, aquis & loc. 2ª.6.D
Regionem nudam habitantes, niue oppreſſam, vel ſole exuſtam, quales. quod animi mores.1ª.320.C/de aer.aq.& loc. 2ª.6.E
Regio temperata facit mores temperatos.quod ani.mor. 1ª.319.H
Regionem temperatã incolentes ſunt corpore, animi moribus, ingenio, prudentia, præſtantiores alÿs.quòd ani.mor. 1ª.320.D
Regiones faciunt ad timiditatem, & audaciam.5°.de decre. 1ª.257.B
Regiones quæ ob inertiam bellicam, atq; otium à pleriſq; relinquãtur de aere, aquis, & loc. 2ª.5.B
Regionis naturæ compares ac ſimiles ferè ſemper ſunt hominum forma, & mores.de aere, aq.& loc. 2ª.5.B
Regio in qua quis nutritur, & potiſſimum temporum varietates naturã permutant.de aer.aq.& loc. 2ª.6.E
ſm Regionem in qua iam diu habitat habet medium proprium vnus homo.3°.de alim.fac. 5ª.33.D
Regio intemperata mutat cutem.ars med. Iſa.68.F
in Regione frigida, vt ſub vrſa ex cute non poteſt iudicari de temperatura.2°.de temp. 1ª.20.A
in Regione calida vt in meridie ex cute non poteſt iudicari de temperatura.2°.de temp. 1ª.20.B
in Regionibus intemperatis nõ pñt gigni tẽperati.2°.de ſan.tuẽ.2ª.73.B

ſm Regionem,& colorem differunt aquæ.de bon.aquæ. Sp.76.A
in Regionibus calidis gignuntur vina craſſa,odora, & fortia.de victus rat.in mor.acu.com.3°. 7ª.127.B
ĩ Regiõibus nõ valde calidis palmæ nõ matureſcũt.2°.de ali.fa.2ª.20.H
ad Regiones Boream verſus eſtate adeundũ de cau.procatar. 3ª.93.F
Regio notat humorem peccantem.com.4°.aph.2°. Ex.27.E
Regiones calidiores ſunt bilioſæ.2°.de nat.fac. 1ª.300.D
Regiones frigidiores ſunt pituitoſæ.2°.de nat.fac. 1ª.300.D
Regio frigida facit pituitam.com.1°.aph.2°. Ex.3.D
in Regionibus calidioribus morbi calidi magis generãtur, et minus ſunt periculoſi magis quæ ſanæ ſunt in frigidis regionibus ætates calidiores,& in alijs proportionaliter.com.3°.apho.3°. Ex.20.B
Regionibus calidis cõuenientiores ſunt morbi calidi,frigidis frigidi, ſiccis ſicci,humidis humidi,com.2°.apho.34°. Ex.17.C
Regiones quæ extenuant corpora.com.2°.aph.28°. Ex.16.D
Regionum caliditas eſt cauſa exolutionis virium.de vict.rat.in mor.ac. commentario 1°. 7ª.115.F
Regio facit ad auxiliorum inuentionem.8°.meth.med. 7ª.58.G
Regio coindicat.13°.meth.med. 7ª.84.D
Regio conſideranda in omni cibo.1°.de alim.fac. 2ª.13.F
Regio oſtendit victus rationem.7°.meth.med. 7ª.46.D
Regio cõfert ad cognoſcendã euacuationẽ.cõ.4°.aph.2°. Ex.27.E
Regiones,anni tempora,& ætates, quo modo ſe habeãt ad purgationes. quos purg.opor.quib.med. 5ª.88.E
Regio ꝑ ſanguine mittẽdo cõſiderãda eſt.de cur.rat.per ſang. 6ª.18.B
in Regione valde frigida,& valde calida etiam in febre acuta non eſt ſecanda vena.de ſect. Iſa.16.E
in Regionibus diuerſis febricitantium duorũ caſus.8°.met.me.7ª.55.A
Regio mutat pulſus.de vſu pul. 1ª.229.E
in Regionibus varijs pulſus varij.de pul.ad Tyr. 4ª.44.C
ex Regionibus,& ſtatibus pulſuũ fit mutatio.3°.de cau.pul. 4ª.97.D
Regiones mutant reſpirationem.de vtil.reſp. 1ª.225.G
in Regione quadam vinũ ſuſpenſum ad ignẽ in vtribus indureſcit in modum ſalis euaporante aqua.de vtil.reſp. Sp.64.F
Regiões quot ꝑagratus ſit Galen.collige.de vi.ra.in m.ac.c.3°. 7ª.127.B
REGIONALES morbi in quo differant à paſſim graſſantibus.in 1m. de mor.vul.com.1°. 3ª.100.G
Regionales ægritudines docet Hippocrates libro de aquis,aere,& locis. de mor.vul.com.1°. 3ª.100.G
REGIIS fœminis nihil negandum.1°.de comp.med.ſec.loc. 5ª.126.B/H
REGIVS morbus icteros dicitur.de ſymp.diff. 3ª.12.A
Regius morbus quid.fin.med. Iſa.47.D
Regius morbus eſt morbus acutus.introd. Iſa.55.C
Regij morbi quatuor gñã ſm Cnidios.de vic.ra.in m.ac.c.1°. 7ª.108.H
Regius morbus quando fit.2°.de arte cur.ad Glauc. 7ª.101.A
Regius morbus quomodo generetur.com.4°.aph.64°. Ex.34.D
Regius morbus vnde.3°.de ſymp.cau. 3ª.30.D
Regio morbo laborãtes id hẽnt à flaua bile.đ ijs,q̃ in m.fi.c.1°. 7ª.197.E
Regius morbus accidit ex bile.com.4°.aph.2°. Ex.27.F
Regius morbus quando bilem amarã comitat̃.3°.de ſymp.cau. 3ª.26.B
in Regio morbo laborantibus bilis augetur.2°.de diff.feb. 3ª.36.C
Regius morbus fit quando ad cutem per totum corpus flaua bilis effertur iudicatione.com.4°.apho.62°. Ex.34.B
Regius morbus in omnibus partibus corporis fit.3°.de loc.aff. 4ª.18.D
Regius morbus corporis colorem alterat.3°.de ſymp.cau. 3ª.30.A
Regij morbi paſſionibus diuturnę, & melancholicæ ſplenis ægritudines & fœdi in toto corpore colores reſpondent.2°.de diff.feb. 3ª.37.D
Regius morbus reſpondet cancris,& phagedenis.2°.de diffe. 3ª.37.D
Regio morbo laborantes vident oĩa pallida & quare.1°.de ſymp.3ª.15.C
Regius morbus an ſemper à Iecore fiat.5°.de loc.aff. 4ª.34.A
Regius morbus fit quandoq;,quando hepar male ſe habet,quod tripliciter cõtingit,vel propter tumorẽ durum, vel propter inflammationẽ vel propter obſtructionem.com.4°.apho.62°. Ex.34.B
Regius morbus fit vario modo per oppilationem,& per inflammationẽ, com.6° aph.42°. Ex.51.A
Regius morbus ex duro tumore longus eſt morbus, vel ſequitur longum morbum.com.4°.aph.62°. Ex.34.C
Regius morbus ex inflammatione & obſtructione poteſt fieri repente, com.4°.apho.62°. Ex.34.B
Regius morbus ab atra bile caret nomine.3°.de ſymp.cau. 3ª.30.H
Regij morbi alia ſpecies.5°.de loc.aff. 4ª.35.G
Regius morbus à liene niger eſt.2°.de nat.fac. 1ª.301.E
Regius morbus à liene procedens nigrior.6°.de loc.aff. 4ª.36.B
Regius morbus ſi ſit ante ſeptimum,ſit aut ex obſtructione,vel inflammatione.com.4°.apho.62°. Ex.34.C
Regius morbus ante diẽ ſeptimũ ĩ febribus malũ.c.4°.aph.62°.Ex.34.B
Regius morbus ẽt poſt ſeptimũ ꝑiculo nõ vacat.c.4°.aph.62°. Ex.34.C
Regio morbo aliqui afficiebantur ſexto die, & quibus iuuari illos contingeret.in 1m.de mor.vul.com.2°. 3ª.114.B
Regius morbus cum rigore,in febre bilioſa ante ſeptimum diem febrem ſoluit.de vict.ra.in mor.acu.com.4°. 7ª.143.D
Regius morbus q̃n ſupueniat.de vict.rat.in mor.acut.cõ.4°. 7ª.143.D
Regius morbus quibus in febribus nono,vndecimo, quartodecimo ſuperueniet,bonũ,niſi dextrũ iliũ obduruerit.cõ.4°.apho.64°. Ex.34.D
Regio morbo q laborãt nõ multũ ſunt ventoſi.cõ.4°.aph.2°. Ex.27.E
Regio morbo cõtrarius eſt vẽtus qui fit ex pituita.c.4°.ap.2°. Ex.27.F
Regio morbo laborantes habent quandoq; partes imi ventri imbecilles. com.4°.aph.2°. Ex.27.E
Regio morbo laborãtib° ſi fiat hepar durũ,malũ.c.6°.aph.42°.Ex.51.A
in Regio morbo deiectiones albæ q̃n fiunt.in 1m.pror.cõ.1°. 4ª.165.A
in Regio morbo ꝓprietas excremẽtorũ cõſideranda.5°.de lo.af.4ª.35.G
Regio morbo laborãtes habẽt ſudorẽ amarũ.4°.de ſan.tuen. 2ª.83.G
Regius morbus indicat bonas excretiones.com.4°.aph.47°. Ex.33.A
Regio morbo affecti quando febricitant.2°.de diff.feb. 3ª.37.D
Regio morbo laborantes cum febre qui,& qui ſine febre.9°.de compoſi. med ſec.loc. 5ª.197.F
ex Regio morbo fatuitas mala.in 1m.prorrh.com.1°. 4ª.167.F
Regius morbus ſine febre dextra præcordiorum parte grauata, quomodo curetur.5°.de loc.aff. 4ª.35.H
in Regio morbo q̃n euacuãdũ ſit.quos pur.opor.quibus.med. 5ª.88.F
Regio morbo proſunt medicamẽta trahẽtia flauã bilẽ.de atrab. 1ª.36.B
Regio morbo laboranti ſi medicamentum bilem educens dederis, plurimum bilis educet.1°.de elemen. 1ª.9.A
Regio morbo laborantibus non eſt medicamentum exhibendũ niſi ſuperuicerint,& cur.de vict.rat.in mor.acu.com.4°. 7ª.150.F
Regio morbo laborãs vna purgatione ſanatus.de pur.med.fac. 5ª.86.F
Regio morbo laborantes ſanat Agaricum.6°.de ſim.med.fac. 5ª.41.E
Regio morbo laborãtibus bonũ ẽ elateriũ,et q̃n.8°.de ſim.m.f.5ª.60.E
Regio morbo laborãtibus exhibet̃ Hyacinthus.8°.de ſimp.me.f.5ª.62.E
Regium morbum Nepita emendat.de ſimp.med. Sp.87.H
in Regio morbo valet Roſmarinus.7°.de ſimp.med.fac. 5ª.54.E
Regio morbo laborantem liberabit Scorpius,& inteſtinum terræ,et quo modo.de ther.ad Piſ. 5ª.93.F
Regio morbo prodeſt Spondylium.de ſim.med. Sp.91.A
ad Regium morbum valet Theriaca. de theriaca ad Piſo. 91. F/ de vſu Theria.ad Pamph. 5ª.98.G
ad Regiũ morbũ Vella cum melle optime facit.de ſimp.med. Sp.92.A
Regium morbum emendat Vrtica.de ſim.med. Sp.92.A
ad Regium morbum.9°.de comp.med.ſec.loc.5ª.197.H/ de remedijs paratu facilibus.159.E/ 7ª.175.F/G
REGIVM myracopon.7°.de comp.med.per ge. 5ª.271.G
REGIA ſcopa quid,& eius vires.de ſimp.med. Sp.91.C
REGIVM eſt vinculum tantum.de faſcijs. 7ª.293.H
Regium vinculum quale.de faſcijs. 7ª.296.A
REGITIVA actio per ſe ſolum tribus modis eſt.de ocul. 7ª.183.G
REGNI maxima pars eſt cõmunis ſalus.de ther.ad Piſo. 5ª.90.C
REGVLA Polycleti quæ.2°.de cau.pul. 4ª.94.B
vt Regula Polycleti eſt pulſus naturalis.2°.de cau.pul. 4ª.94.B
Regulæ quatuor ciborum prębendorum.dc diſſ.cont. Sp.71.G
REGVLAE pars organorum.de machin. 7ª.309.E
REIECERE quid ſignificat.3°.de decr.Hipp. 1ª.244.G
ad Reiectantes viſcoſum.& glutinoſum echlegma Nicerati.7°.de com. med.ſec.loc. 5ª.185.E
ad REIECTIONES Cyphoides ex libris Galli.8°.de compoſitione med.ſec.loc. 5ª.194.H
ad REIICIENTES cibum ex Mantiæ compoſitionibus Attalicæ.8°. de com.med.ſec.loc. 5ª.191.C
RELATIVA ad ſingulorũ naturã accõmodant̃.de bo.hab.1ª.39.C
Relatiua nõ ſentiũtur vt huiuſmodi ſed ipſa quæ ad aliquid referuntur, ſed ſenſibus conſpicua.de opt.ſect. Iſa.21.A
RELAXANDO, & remittendo mitigans medendi ratio. 4°.methodi medendi. 7ª.28.G
Relaxantes vires habet Cardamomum.de ſimp.med. Sp.82.F
Relaxantes,& acres vires habet Chamædrys.de ſimp.med. Sp.82.G
Relaxare acriter,& efficaciter poteſt Chiſien.de ſimp.med. Sp.82.H
Relaxantes acriter vires Cridrium habet.de ſimp.med. Sp.83.E

Relaxantes leniter vires habet Fœnum græcum.de ſimp.med. Sp.84.G
Relaxantes vires habet Filix.de ſimp.med. Sp.84.D
Relaxantes vires habet Gentiana.de ſimp.med. Sp.84.G
Relaxantes vires Ladanum habet.de ſimp.med. Sp.86.D
Relaxantes vires habet Lapis batrachites.de ſimp.med. Sp.87.A
Relaxantes vires habet Laurus.de ſimp.med. Sp.85.H
Relaxantes efficaciter vires Marubium habet.de ſimp.med. Sp.87.D
Relaxantes vires habet Meu.de ſimp.med. Sp.87.F
Relaxantes vires Ocimum habet.de ſimp.med. Sp.88.E
Relaxãtes cũ aliqua acrimonia vires Oeſipũ habet.de ſim.me.Sp.92.A
Relaxans eſt Oleum ſabinum.7°.de comp.med.per ge. 5ª.269.F
in Relaxantium oleorum aliquo quando remittere aliquid anethi conuenit,& quomodo eo vtamur poſtea.11°.meth.me. 7ª.75.F
Relaxantes vires habet Origanum.de ſimp.med. Sp.88.E
Relaxantes leniter vires habet Sertula.de ſimp.med. Sp.90.H
Relaxantes vires habet Stocchas.de ſimp.med. Sp.90.F
Relaxantes vires habet Thlapſi.de ſimp.med. Sp.91.G
Relaxans viribus eſt Vella.de ſimp.med. Sp.92.A
RELAXANTIA quæ vocẽtur medicamẽta.7°.de cõ.m.ꝑ ge.5ª.267.F
Relaxantia medicamenta(quæ Chalaſtica græce dicuntur) quorum ſint remedia.4°.met.med. 7ª.29.C
Relaxantia hẽt cerati ſpeciem.7°.de comp.me.per ge. 5ª.268.A
Relaxans cataplaſma quod.5°.meth.med. 7ª.36.D
Relaxans paſtillus.5°.de comp.med.per ge. 5ª.251.H
Relaxantia quid proprie agant.7°.de comp.med.per gen. 5ª.267.F
Relaxantia quid mali faciant.11°.meth.med. 7ª.74.A
Relaxantia quod in præcordijs faciunt, id balneum in toto efficit corpore.10°.meth.med. 7ª.73.H
Relaxantibus aliqui putant ſe curare phlegmonẽ Iecinoris, qui in agnitione falluntur,& quare.10°.meth.med. 7ª.72.F
Relaxantia in principijs non ſunt adhibenda.10°.meth.med. 7ª.72.D
Relaxãtibus,& balneo nõ vtitur Galenus in febre putrida, niſi poſt purgationem.10°.meth.med. 7ª.73.D
Relaxantia non conueniunt oculis.4°.de comp.med.ſec.loc. 5ª.150.C
Relaxantibus ſolis curantur bubones.13°.meth.med. 7ª.83.F
RELAXATIO eſt ita oppoſita tenſioni,vt duritiei mollities.3°.de ſanita.tuen. 2ª.79.C
Relaxatio eſt omni febri vtiliſſima.10°.meth.med. 7ª.65.H
Relaxatio palpebræ quomodo fiat.de ana.ocul. Sp.57.G
ad Relaxationem columellę,& inflãmationẽ.de rem.par.fa. 7ª.158.A
RELAXATVM, & contentum contraria ſunt.in 6^{m}.de mor.vul.commentario 1°. 3ª.160.B
Relaxatum contrarium contracto.10°.meth.med. 7ª.71.B
Relaxatæ partes facile euacuantur.ars med. Iſa.70.H
Relaxatam vuluam curat ſuccus centaureæ.de vir.cent. Sp.93.D
RELAXARE non ſolum, ſed ex abſynthio mediocriter perfundere, quando liceat,ſi febris non ſit magna.11°.meth.med. 7ª.76.A
Relaxat,aperit,& dilatat aqua temperata.7°.meth.med. 7ª.75.F
Relaxat Artemiſia.de ſimp.med. Sp.80.F
Relaxat duritiem aſparagus.de ſimp.med. Sp.80.G
Relaxat ſtricturas Bdelium.de ſimp.med. Sp.81.C
Relaxat Git.de ſimp.med. Sp.84.F
Relaxat & mollit duritiem & rigorem Ibiſcus.de ſimp.med. Sp.85.E
Relaxat viſcide Lapis aſius.de ſimp.med. Sp.86.F
Relaxãt acriter Lipſiani.de ſimp.med. Sp.86.C
Relaxat durities,& tumores Medulla omnis.de ſimp.med. Sp.87.D
Relaxant penitus excalfactoriæ vires Olei.de ſimp.med. Sp.88.D
Relaxat ſtricturas leniendo oleum.de ſimp. Sp.88.D
Relaxat oleum ſabinum.11°.meth.med. 7ª.75.F
Relaxat efficaciter Opobalſamum.de ſimp.med. Sp.88.C
Relaxant Ptiſſanæ de hordeo.de ſimp.med. Sp.90.A
Relaxat efficaciter Pyretrum.de ſim.med. Sp.88.H
Relaxat ventrem Raphanus.de ſimp.med. Sp.89.F
Relaxat efficaciter omnis Reſina.de ſim.med. Sp.89.D
Relaxat Roſmarinus.de ſim.med. Sp.89.E
Relaxat acriter Sapo.de ſimp.med. Sp.90.G
Relaxat viſcidiſſime Staphyſagria.de ſimp.med. Sp.90.C
Relaxat leniter Styrax.de ſimp.med. Sp.90.E
Relaxat viſcide ſulfur.de ſimp.med. Sp.90.C
Relaxat acriter Syrum.de ſimp.med. Sp.90.H
Relaxat Xilobalſamum.de ſimp.med. Sp.92.C
Relaxãtur quæ repletiõe intẽta ſi euacuent.de ijs,q̃ in me.c.3°.7ª.215.G
Relaxantur,& molliuntur minus muſculi cum extenduntur.de vict.ra. in mor.acu.com.3°. 7ª.132.C
RELEVANTIBVS non ſecundum rationem non habenda fides.in 3^{m}. de mor.vul.com.1°. 3ª.132.C
Remediũ quod nam dicatur.fin.me.Iſa.46.B/11°.meth.med. 7ª.68.A
Remedia quæ.de ſect. Iſa.15.H
Remediorum exteriorum vndecim ſpecies.introd. Iſa.58.A
Remediorũ nã neceſſaria ad cõſtitutionẽ artis curatricis.de cõ.Iſa.40.B
de Remediorum inuentione primus Hippocrates recte dixit poſt eum Ariſtoteles recte interpretatus eſt.2°.de nat.fac. 1ª.297.H
in Remedijs morborũ inueſtigandis duo cogitauit Galenus, an logica demõſtratiõe ĩdigeret,an illis q̃ ab expiẽtia habẽt.3°.de lo.af. 4ª.14.H
Remedia per duo inſtrumenta inueniuntur per rationem, & experientiam.com.1°.apho.1°. Ex.2.C
Remediorum inuentio,quæ ex vera demonſtratione procedit, experientiæ præſtat.3°.de loc.aff. 4ª.15.B
Remedijs experiẽtia nõ inuentis curati ſunt morbi.3°.de lo.aff. 4ª.15.B
Remedia vnde inueniantur.3°.meth.med. 7ª.16.C
Remedia quæ inuenire docent.8°.meth.med. 7ª.39.G
Remedia omnium morborum vnde inuenienda.4°.meth.med. 7ª.25.E
Remediorum indicatio vnde.5°.de ſanitate tuenda. 2ª.93.B/5°.methodi medendi.29.H/11°. 7ª.68.B
Remediorũ indicationes,& morborũ differẽtias vt medicus cognoſcat, Rõnalẽ eũ cõtemplationẽ exercere oportet.ſi quis opt.med. Iſa.6.G
Remediorum materiæ quæ.de conſt.ar. Iſa.40.A
Remediorũ materia eſt morbi cognitio, non ipſorum cognitio. 1°. de alimentorum facul. 2ª.9.D
Remedia à morbo ſumuntur.1°.de alim.fac. 2ª.9.D
Remediorum indicatio nõ ſumit̃ à differẽtia morborũ.1°.me.me. 7ª.3.H
Remedia applicantur morbo non læſæ actioni.2°.meth.med. 7ª.10.E
Remedia nota corporis intẽperies.5°.de ſan.tuen. 2ª.93.B
ad Remediorum inuentionem multam indicationem faciunt loci affecti cum affectione.2°.de comp.med.ſec.loc. 5ª.134.C
Remedia ex paratu facillimis compoſita pauperculis magis conueniunt quàm ſumptuoſa.3°.de comp.me.per ge. 5ª.234.D
Remedium nullum inuenitur ſine noxa.11°.meth.med. 7ª.70.G
Remedia non ſunt infamanda apud vulgus.11°.meth.med. 7ª.70.B
Remediorum vſus ſ͠m Hippocratem qui.bre.denot.dogm. 1ª.231.D
Remedijs vtendi modi qui.in 6^{m}.de mor.vul.com.6°. 3ª.196.D
Remedijs non poteſt vti quiſq̃ vt Plato de nõibus.11°.met.me. 7ª.69.A
Remedia eẽ cõtraria cõtrariorũ cõis ẽ ſcopus.d̃ ijs q̃ in m.c.2°.7ª.213.G
Remedia varia ſ͠m varia fiunt tempora.introd. Iſa.55.E
Remedia fiunt potiſſimũ in declinationibus.de opt.ſect. Iſa.28.B
Remedia õia noctu,& quocũq; t͠pe fiũt.de cur.ra.per ſan.miſſ. 6ª.19.B
Remediorum vniuerſalium tempora deſcribi poſſunt, non autem particularium.de opt.ſect. Iſa.28.B
Remedia partialia quæ.1°.de comp.med.ſec.loc. 5ª.128.H
Remedium locale quod.in 6^{m}.de mor.vul.com.2°. 3ª.161.C
Remedia eadem nõ poſtulat idem affectus in diuerſis locis.in 6^{m}. de morbis vul.com.6°. 3ª.196.D
Remedia cui parti applicanda ſcire valde confert ad curandi rationem. 2°.de locis aff. 4ª.13.G
Remedia cui parti corporis admouenda, conueniens eſt, & neceſſarium ſcire.de fœt form. 1ª.324.B
Remedia cui parti adhibenda quando per conſenſum fit affectio.2°.de locis affectis. 4ª.13.G
Remedia facile applicantur in laterali morbo,colica,Iecoris,ſplenis, & præcordiorum inflammatione.3°.de loc.aff. 4ª.16.B
Remedia quando Iecori,& q̃n meſenterio aptãda.5°.de loc.aff. 4ª.35.C
Remedia cui parti applicẽtur,in cõuulſiõe vniuerſali.3°.de l.af.4ª.17.D
Remedium præſentaneum elephantiaſis quod.intro. Iſa.57.G
Remedia qualia eſſe debent.3°.de loc.aff. 4ª.15.C
à Remedijs maioribus inchoandum,vbi morbus eſt maximus.5°.methodi medendi. 7ª.162.H
Remedijs valẽtioribus indiget hebetioris ſenſus pars.4°.met.m.7ª.28.F
Remedia q̃uo applicãda carne mollibus.de remed.par.fac. 7ª.154.E
Remedio magno qui vult vti debet præſcire, & prædicere quæ futura ſunt.10°.meth.med. 7ª.64.B
Remedia quod nõ debeãt eẽ penitus intẽſa.5°.de cõ.me.ſe.lo. 5ª.162.H
Remedia duo ad impetum morborum.de dyna. Sp.20.A
REMIGANTIVM naturalis habitus qui.ad Thraſy. 2ª.102.H
Remigantibus præſto adſunt laſſitudines, niſi apotherapia deuitentur. 3°.de ſan.tuen.

3°.de ſa.tuen. 2ª.76.F

REMIGATIO eſt exercitatio & opus.2°.de ſan.tuen. 2ª.73.G

Remigatio mouet eruptionem ſanguinis.introd. Iſa.52.B

REMINISCENTIA opus animæ.2°.de loc.aff. 4ª.13.F

Reminiſcẽtia actio eſt depẽdens à capite ꝑ ſe.de virt.noſt.cor. Sp.60.C

ad Reminiſcentiam fecit Hippocrates ſextũ librum epidemiorum, non vt ederetur.in 6^{m}.de mor.vul.com.4°. 3ª.184.E

REMITTENDO, & relaxando mitigans medendi ratio quibus tutò adhibeatur.4°.meth.med. 7ª.28.G

Remittens, calefaciẽs, & emolliens cõfectio.7°.de cõ.m.per.g. 5ª.272.G

REMITTI quid ſit in febribus.in 1^{m}.de mor.vul.com.2°. 3ª.110.F

Remitti de quibus dicatur.2°.de ſan.tuen. 2ª.72.F

Remiſſionis, & principij frigus multum differunt.in 1^{m}.de mor. vulgar. commentario 3°. 3ª.118.B

Remiſſio non datur in declinatione.de mor.temp. 3ª.86.G

REMOLLIT, & laxat durities cera omnis.de ſimp.med. Sp.82.B

Remollit veteres durities fimus omnis.de ſimp.med. Sp.84.E

Remollit leniter fœniculum de ſimp.med. Sp.84.C

Remollit efficaciter omnis reſina.de ſimp.med. Sp.89.D

REMOVERE poteſt cucurbitula animi defectiones.de cuc.ſca. 6ª.3.F

REMOTIONEM ſui penitus indicantia quæ.14°.meth.med. 7ª.90.F

in REMOTAS vt in propinquas partes agit calor.de an.vi.Sp.49.H

REMORVM extremitates in triremibus ad æqualitatem vnam perueniunt, cum omnes tamen ipſi non ſint æquales.2°.de vſu par.1ª.120.E

RENASCVNTVR ex ſanguine generata.de ana.viuo. Sp.44.F

cur Renaſcuntur dentes in pueritia.de ana.viuo. Sp.44.G

RENALIS morbi ſignum.com.7°.aph.35°. Ex.56.E

Renalis morbus & longus ſignificatur à bullis in vrinis inſidentibus. cõmen.7°.aph.34°. Ex.56.E

Renali morbo laborantibus abſceſſus exterius & interius futuros quo modo cognoſcatur.com.7°.aph.36°. Ex.56.G

Renalis dolor factus ob clauſas euacuationes hæmorrhoidarum.de ren. ſect.aduer.Eraſ. 6ª.7.E

Renalem dolorem eſſe dolorem in inteſtinis putauit Galenus. 2°. de locis affectis. 4ª.9.E

Renales hñtes affectus, qũo curandi.de ven.ſect.aduer.Eraſ. 6ª.14.E

Renales confectiones ab Andromacho conſcriptæ.10°. de comp. medic. ſecundum locos. 5ª.206.A

ad Renales affectiões Antidotus Biennitę.10°.de com.me.ſ.l. 5ª.206.F

RENES à quibuſdã inter viſcera numerantur.3°.de alim.fac.2ª.27.E

Renes, veſica, teſticuli, ſunt mẽbra minus principalia.de an.v.Sp.56.A

Renes ſunt ex inſtrumentalibus partibus.de nat.hum.com.1°. 1ª.26.C

Renes inter glandulas ab aliquibus numerãtur.3°.de alim.fa.2ª.27.A| de vtil.reſp. Sp.63.A

Renum natura conſideranda inteſtinis exemptis.6°.de ana.ad. 1ª.192.B

Renes poſſunt videri extra animal.4°.de ana.adm. 1ª.81.H

RENVM ſectio.6°.de ana.admi.1ª.93.C|de ana.viuo. Sp.51.B

Renes cur prima die ſecaret Galenus.5°.de ana.ad. 1ª.87.B

Renum conſideratio.6°.de ana.admi. 1ª.93.C

Renum ſitus qui.de nat.& ord.cuius.cor. 42..A|de ana.viu. Sp.51.B

Renum ſitus cur talis.16°.de vſu par. 1ª.219.B

Renum ſitum, & meatus ſciunt coqui.1°.de nat.fac. 1ª.293.B

Renes in dorſo ſuſpenduntur per panniculum.de ana.viu. Sp.55.F

Renes quomodo inteſtino lõgo iũgãtur.in 6^{m}.de mor.vul.c.1°. 3ª.155.E

Renes cur duo.1°.de vſu par.1ª.144.D|de ana.viuo. Sp.51.B

Renes duos nõ vnũ cur natura fecit.de ren.aff.dig.& med. 7ª.192..A

Renum figura quæ.de ren.aff.dig 7ª.191.H|de ana.viu. Sp.51.D

Ren vnus cur altero altior.5°.de vſu partium. 1ª.144.C| de ren. affec. dig.& med. 7ª.192..A

Ren dexter eminet in omnibus animantibus.6°.de ana.admi. 1ª.93.C

Ren dexter cur ſuperior ſiniſtro.5°.de vſu par. 1ª.144..A|D

Ren dexter adiacet ad dextram venæ cauæ, & qua parte.14°. de vſu partium. 1ª.106.E

Ren ſiniſter adiacet ad leuam venæ cauæ paulo infra quam dexter. 14°. de vſu par. 1ª.206.E

Ren ſiniſter q̃nq; dextero ꝓpinquior ẽ iecori.14°.de vſu par. 1ª.206.E

in Renes vaſa ſeminaria quomodo infigantur.14°.de vſu par. 1ª.206.F

Renum partes quales.6°.de loc.aff. 4ª.39.B

Renum caro quomodo vocetur.10°. meth.med. 7ª.67.D

Renũ caro eſt inter primas partes quæ generãtur.1°.de nat.fa. 1ª.291.G

Renum caro qualis ſit.2°.de arte cur.ad Glau.102.F|de renum affectuũ dign.& med. 7ª.191.H

Renum ſubſtantia qualis, & cur.de ana.viuo. Sp.51.C

Renũ ſubſtãtia talis, vt in nullo alio talis reperiat̃.6°.de dec. 1ª.266..A

Renes carnoſi ſunt, & carne conſtant friabiliore.fin.med. Iſa.44..A

Renum caro quàm habet naturam.2°.de temp. 1ª.17.H

Renum caro quomodo humida & calida ſit.2°.de temp. 1ª.17.H

Renum caro cute eſt humidior.1°.de temp. 1ª.15.D

in Renibus ſemen mutatur in frigidum & ſiccum.de ſper. Sp.36.H

in Renibus cholera habet poteſtatem.de ſper. Sp.36.G

Renum ſpiſſitudinis cauſæ.5°.de vſu par. 1ª.144.F

Renum pinguedo.de ana.viuo. Sp.44.D

Renes cur generati.de ana.viuo. Sp.51.B

Renum duo vaſa vnde oriantur.5°.de vſu par. 1ª.144.H

Renes propter quid inſtrumenta concaua.4°.de vſu par. 1ª.136.D

Renum duplex os.de ana.viuo. Sp.51.C

ad Renes ſunt meatus quidam nõ ſolum à vena hepatis, immo etiam ab arteria.de vtil.reſp. Sp.64.G

Renum arteriæ omnium maximæ, quæ à magna arteria deducuntur.2°. de nat.facul. 1ª.298.B

Renis dextri arteria vnde.16°.de vſu par. 1ª.219.B

ad Renes arteriæ quæ deueniant cur, & quo modo.de renum affectum, dign.& med. 7ª.192..A

in Renibus cur tam magnæ arteriæ.5°.de vſu par. 1ª.144.B

ad Renes arteria quæ peruenit vnde.16°.de vſu par. 1ª.219..A

in Renum arterijs ſanguis continetur.5°.de vſu par. 1ª.144.C

Renum arteriarum ora quomodo aperiãtur.com.7°.aph.34°. Ex.56.E

in Renibus venæ, & arterię ſe contingunt.9°.de vſu par. 1ª.172.H

Renum venę quæ & vnde oriantur.de ven.art.diſſ. 1ª.58.C

Renum venæ cur latæ.16°.de vſu par. 1ª.22.H

ad Renes deſcendunt rami à vena concaua, & ab arteria magna.6°. de locis affectis. 4ª.39.C

Renum venæ ampliſſimę quæ à caua propagantur.de ven.art. 1ª.58.C

in Renes venæ cauæ dilatatio quid agat.6°.de loc.aff. 4ª.37.F

ad Renes venæ non mittunt ſanguinem.1°.de nat.fac. 1ª.295.D

Renes ipſi trahunt, venæ non mittunt.1°.de nat.fac. 1ª.295.E

Renum venæ tanquam ſtomachi attrahentes.16°.de vſu par. 1ª.221.H

Renũ à caua vena attractio, primę deglutiõi ſĩlis.6°.de lo.af. 4ª.38..A

RENES ſani quid agant.3°.de ſymp.cau. 3ª.28.E

Renum officium quale.1°. de ſanitate tuenda. 2ª.67.G| de renum affect. dign.& med. 7ª.192.B

Renes ſunt inſtrumenta nutritionis.4°.de præſ.ex pul. 4ª.119.F

Renes alio mẽbro non indigent pro ſua functione.de fœt.for. 1ª.324.G

Renum opus, cum quibus partibus ſit commune.7°.meth.me. 7ª.49.B

Renum opus eſt indeſinens.com.6°.aph.6°. Ex.47.B

Renum deſiderium naturale eſt, & quod.6°.de loc.aff. 4ª.37.H

Renes expurgant ſubſtantiam quam venæ aggregant. commentario 4°. aphoriſmo 76°. Ex.36.C

ad Renes mittitur aquoſus humor poſtq̃ ſuo officio functus eſt.4°.de vſu partium. 1ª.136.D

ad Renes ð aquoſitate tẽdẽte opinio Lyci macedõis.1°.de na.f.1ª.295.D

Renes quid attrahant.in 6^{m}.de mor.vul.com.1°. 3ª.155.G

Renes trahunt ad ſe ſanguinis ſerum.5°.de loc.aff. 4ª.35.F

à Renibus purgatur ſerum ſanguinis.5°. de vſu par. 144.C|F|6°.de decretis Hippocratis. 1ª.263.C

Renes excipiunt quod aquoſum eſt, & ſeroſum. 6°. de ana.adminiſtra. 1ª.90.C|3°.de ſymp.cau. 3ª.26.A

Renes ſecernunt vrinam à ſanguine.1°.de nat.fac. 1ª.293.B

Renes habent qualitatem trahendi vrinam.1°.de nat.fac. 1ª.295.D

Renes trahunt vrinam.4°.de vſu par. 1ª.139.A

Renes trahunt vrinam.1°.de ſem. 1ª.335.B

Renes quo modo vrinam trahant.6°.de loc.aff. 4ª.37.G

ad Renes vrina per quas venas veniat.de ana.par. Sp.43.B

Renes trahũt præter aquã multũ bilis, et ſanguinis.5°.de vſu p.1ª.144.G

Renes non ſunt inſtrumenta coctionis vrinæ.de vri. 4ª.124.E

Renũ nutrimẽti excremẽtũ vrinã eẽ dicẽtes errãt.5°.de vſu p. 1ª.144.C

Renes expurgant hepar.com.1°.apho.21°. Ex.10.A

per Renes purganda eſt gibba iecoris pars.13°.meth.med. 7ª.84.F

per Renes euacuatur quandoq; totum corpus.6°.de loc.af. 4ª.41.D

per Renes, & per veſicam totum corpus repurgatur. in 1^{m}. de morbis vulg.com.1°.109.B|com.2°. 3ª.111.F

Renes purgant totũ corpus à ſupfluitatibus.cõ.4°.aph.69°. Ex.34.H

ꝑꝑ Renes, & veſicam vrina acris, fœtida, & biolioſa redditur.in prog. commen.2°. 4ª.201.E

per Renes vis pertranſeunt vrinæ craſſæ.com.4°.apho.69°. Ex.35.A
à Renibus fit, ſi vrina craſſa ſit, & veluti carunculæ exeant, aut veluti capilli vnà exeant.com.4°.aph.76°. Ex.36.C
ex Renibus, & veſica ramenta cũ vrina eijciũtur.4°.de lo.af. 4ª.25.H
à Renibus excernitur ſi vrinã ſit craſſa, & carunculæ paruæ in ipſa ſint.com.4°.aph.76°. Ex.36.C
Renum ſubſtantia ſunt carunculæ paruæ.com.4°.aph.76°. Ex.36.C
à Renibus excernitur quibus in vrina craſſa exiſtente minutæ carunculæ tanquam pili adueniunt.de vrin.ſign.ex Hipp. Sp.78.H
Renes nõ poſſunt diſſolui i partes veluti capillos.c.4°.aph.76°.Ex.36.C
ex Renibus ægritudinem ſignificant bullæ in vrinis inſidentes. de vrin. ſign.ex Hipp. Sp.78.H
Renes ſentiunt in ſuperficie, nõ in cauitate.de ren.aff.dig.& me. 7ª.193.A/de anat.viu. Sp.44.C
Renum panniculus eſt ſenſificans.de ana.viuo. Sp.55.F
Renibus cur ſenſus paruus datus eſt.5°.de vſu par. 1ª.147.F
Renes vnde habent ſenſum.de ana.viuo. Sp.51.D
in Renibus an ſint nerui, dubitatur.de mul. 3ª.77.G
Renibus diſtribuũtur nerui propagines à cerebro.16°.de vſu p. 1ª.215.E
ad Renes, ventrem, viſcera, iecur, lienem perueniunt nerui à cerebro à prima, tertia, & ſexta coniugatione.de ner.diſſ. 1ª.54.D
Renes cur habent aliquos paruos neruos. 6°.de vſu par.155.F/7°.159.H/ 14°.1ª.209.D/in 6ᵐ.de mor.vul.com.1°. 3ª.155.D
in Renibus nerui quõ in mẽbrana diſpergantur.2°.de loc.aff. 4ª.9.B
in Renibus nerui quõ in mẽbrana diſpergantur.2°.de loc.aff. 4ª.9.B
in Renibus non eſt pulſatio, quia non habent neruum diſperſum per totum.2°.de loc.aff. 4ª.9.A
ad RENES & hepar dirigitur materia à corde, quæ his vitã defert. de anat.viuo. Sp.51.C
Renes quo nutriantur.de ren.aff.dign.& med. 7ª.192.A
Renes non egent multo alimento.16°.de vſu par. 1ª.220.H
Renum alimẽtum eſt ſanguis attractus cũ vrina.5°.de vſu par.1ª.144.G
Renes non habent interius venas, ſed nutriuntur à ſanguine, quem attrahunt per canales cum aquoſa ſuperfluitate.de ana.viuo. Sp.51.D
Renes ſanguinem rubrum quaſi ſimilem in colore, & natura magis appetunt.de ana.viuo. Sp.44.D
Renes vnde expurgentur.2°.de loc.aff. 4ª.13.C
Renes expurgantur per vrinæ meatum.10°.meth.med. 7ª.74.F
in Renibus cõtenta per vrinas exeunt.de cõſt.ar.42.B/ars me. Iſ.71.E
Renes ſi multos habent ſuccos prauos per ſeceſſum euacuantur, ſi paucos per vrinam.7°.meth.med. 7ª.49.D
è Renibus non trahit veſica.6°.de loc.aff. 4ª.37.G
ex Renibus quæ educantur.de cathar. Sp.94.G
per Renes quando pus expurgatur, à qua parte cognoſcatur fluere.6°. de locis affect. 4ª.39.A
Renibus aut iecore languentibus quandoq; pus cum vrina excernitur, et ſubſidẽdo fallit etiã minus acutũ artificẽ.de vri.ſig.ex Hip.Sp.79.C
per Renes quandoque pus ex pulmonibus expurgari poteſt. 6°. de locis affectis. 4ª.39.C
ad Renes via pulmonis.6°.de loc.aff. 4ª.39.C
Renũ partes ſuperiorũ exercitatione iuuãtur.5°.de ſan.tuen. 2ª.90.B
Renibus ſi benigna erit aqua bona eam vino miſce, as.de bo.aq. Sp.75.F
Renibus quæ aues non aduerſentur.6°.de ſa.tuen. 2ª.99.G
Renibus proſunt caricæ.de ſimp.med. Sp.84.C
ad Renes valet Solãnum alicacabum.8°.de ſimp.med.fac. 5ª.62.G
Renes ſunt in medio eorum membrorum, quæ indigent adſtrictione, & eorum quæ minimæ.10°.meth.med. 7ª.73.B
RENES quomodo introrſum quandoque, quandoq; extrorſum habeãt abſceſſum.com.7°.ap.36°. Ex.56.G
Renum abſceſſus quo modo cognoſcantur.6°.de loc.aff. 4ª.36.D
ex Renum abſceſſu vermes.de ſpermate. Sp.36.H
Renem Affectum quomodo ex teſticulo cognoſcamus.de ren.affect.dig. & med. 7ª.192.H
in Renum affectibus, vrina cruenta quando.in 6ᵐ.de mor.vulgaribus, commen.1°. 3ª.155.G
Renum affectorum curatio.intr. Iſ.57.A
Renũ affectibus vtilis eſt radix anchuſæ onocleæ.6°.de ſim.m.f. 5ª.41.C
in Renũ affectibus quod vinũ conuenit.de ren.aff.dig.& med.7ª.195.G
in Renum affectu, quando vomitus prouocandus.de ren.aff. 7ª.193.D
in Renum affectu, qñ aluus prouocandus.de re.aff.dig.& me.7ª.193.D
in Renum affectu cur ſanguis non eſt copioſe mittendus. de ren.aff. dig. & med. 7ª.193.D
in Renum affectu, quæ venæ ſecandæ.13°.methodi medendi. 7ª.83.B/ de ren.aff.dign.& med. 7ª.193.F
ad Renes affectos medicamenta.intr. Iſa.57.H
ad Renum affectiones ex Archigene.10°.de com.med.ſec.loc.5ª.106.F
ad Renum affectus longos.8°.de comp.med.ſec.loc. 5ª.196.H
ad Renum affectus inflammationis participes potio.de remedijs paratu facilibus. 7ª.160.B
ad Renum affectiones.10°.de comp.med.ſec.loc. 5ª.206.A
in Renum affectibus hectica ſequitur.1°.de diff.feb. 3ª.35.F
Renibus affectis quando ſit hectica.10°.meth.me. 7ª.64.F
in Renibus quomodo fiant Arenulæ & lapides.in 6ᵐ.de mor. vulgari. commen.1°. 3ª.155.G
Renes Calefaciens electarium.de med.exper.107.H/ Sp.108.C
ad Renum Calloſas concretiones Oneſidemi compoſitio.10°. de compo. med.ſec.loc. 5ª.206.D
à Renibus fit Capillitiũ quo modo, & quid ſit, & à quibus fiat, & quo modo curetur.com.4°.aph.76°. Ex.36.D
Renũ capillitiũ patiẽtes vrinã habẽt craſſam.cõ.4°.apho.76°.Ex.36.D
Renum Colliquationem ſignificat vrina velut raſuram habens, & in nebulis quaſi ſanguinem.de dyn. Sp.34.G
Renum colliquatus adeps qũo cognoſcitur.com.7°.apho.35°. Ex.56.E
Renes affecti dolores magnos pariunt introd. Iſa.56.H
inter Renes, & veſicam dolor acutus, cum calculus tendit in veſicã. 1°. de nat.facul. 1ª.293.C
in Renem dolor grauis, primus Hippoc.dixit.2°.de lo.aff.9.B/ 4ª.12.C
in Renibus cur grauiſſimi dolores contingãt.de ren.aff.dign. 7ª.191.H
in Renibus cur dolor vehementiſſimus fiat.de ren.aff.dign. 7ª.193.B
Renum dolores, & rigores non ſequuntur neceſſario male cõcoquentem. 3°.de ſymp.cau. 3ª.30.C
Renũ dolores qũo fiant.in 6ᵐ.de mor.vul.com.1°. 5ª.155.C/D
in Renibus dolens puella vnde naturaliter ſit.de ſper. Sp.38.C
Renum dolor quibus neglectis fiat.de dyn. Sp.20.A
Renũ dolor contingit conceptis in horis melancholi .de ſper. Sp.37.C
Renum duorum doloris meminit.ſecr. Sp.100.H
Renum dolor quo modo fiat.de ren.aff.dig.& med. 7ª.193.A
in Renibus petra, ſpma iuiſcatũ, dolor fit ex ſupfluo bilis.de ſp.Sp.36.G
Renum dolores ſunt morbi longi.1°.de criſi. 4ª.126.F
Renum, & coli dolores deſipiunt medicos nec requirũt multa varia præſidia.6°.de loc.aff. 4ª.36.F
Renum, & coli comminucatio in ſymptomatibus.6°.de lo.aff. 4ª.36.G
Renũ ſymptomata, & differentię conſiderari debent, & quare. 6°. de locis affectis. 4ª.36.F
Renum dolorem, & indignationem ſignificat in ſynocha vrina colore alba, & conſtitutione tenuis cum nebulis non bonis.de dyna. Sp.34.C
Renum dolorem inferius, capitis grauitatem aurium, & narium obturationem ſuperius ſignificat vrinam inferius claritatem habẽs ſuperius ſubnigra, & plena.de dyn. Sp.35.D
Renum dolorem, & veſicæ, & capitis aliquantum ſignificat vrina alba pinguedinoſa, vel iumentina.de dyn. Sp.35.D
Renum dolorẽ aliqñ ſignificat vrina alba ſine febribus.de dyn. Sp.35.D
Renum dolorem ſignificat vrina, quæ ſuperius claritatem habuerit, inferius nebuloſa ſit, & ſubliuida.de dyna. Sp.35.D
Renum dolores ob craſſos viſcoſos; humores ſanant amygdalæ amaræ. 6°.de ſimp.me.fac. 5ª.42.G
pro Renum dolore cataplaſma.de ren.aff.dig.& med. 7ª.194.A
in Renum dolore balneum calidũ valet.de ren.aff.dig.& me.7ª.196.D
ad Renum dolorem propter frigidos humores chamæmelum pulnerizatum, & malaxatum cum melle.de med.exper. Sp.106.D
in Renum dolore, clyſteres faciendi, & cur.de ren.aff.dig. 7ª.193.G
ad Renum dolorem.clyſter.de dyn. Sp.27.G
ad Renes dolentes fomentum.de med.fac.par. 7ª.179.D
Renum dolorem mitigant Glychyrhizæ radices.de ſimp.me. Sp.84.G
Renibus doxioſos emundant folia helenij.de ſimp.me. Sp.83.H
in Renum dolore lotiones quales.de ren.aff.dig.& med. 7ª.194.B
in Renum dolore, quando ſtupefacientibus vti debemus.de renum affectuum dignotione, & med. 7ª.194.B
ad Renum dolores valet Theriaca.de Ther.ad Piſ. 5ª.91.G
ad Renum dolorem.de dyn.28.B/ſec.97.B/ Sp.99.E
in Renum parte ſæpe dolentis caſus, qui febre cum horrore correptus eſt.6°.de locis aff. 4ª.39.A
Renes Exaſperantur ſtercore.de ren.aff.dig.& med. 7ª.193.G
ad Renum Frigus.ſecre. Sp.101.E

Renũ ægritudines frigidæ quibus cognoſcãtur.cõ.7°.apho.34°. Ex.56.E
in Renibus grauitatis ſenſus fit.de mult. 3ª.77.F
Renes vñ ſentiãt grauitatẽ ex tumoribus pter naturã.2°.de l.af. 4ª.9.B
in Renibus grauitatem vel dolorem non nunq̃ facit alicæ,& ſuillæ carnis vſus vberior.de bon.& vitio ſucc. 2ª.34.B
Renum Indignationem ſignificat vrina phlegmatica, ſi apparuerit ſicut ſol in limpidis coloribus.de dyna. Sp.34.G
Renum Inflammatio quid faciat.de pul.ad Tyr. 4ª.45.B
Renũ inflãmatiõis dolor qualis,& ĩ qua pte acutus.c.6°.a.5°. Ex.46.H
Renibus inflammatis pulſus qualis.de pul.ad Tyr. 4ª.45.A
in Renũ inflãmatione nõ ſemp dãda,q̃ vrinã ꝓuocãt.13°.me.m. 7ª.82.A
in Renibus vbi eſt inflãmatio,medicamenta vrinã cientia non ſunt exhibenda.13°.meth.med. 7ª.83.B
ex Renibus Lapis dicitur non quia ſit ſubſtantia renum,ſed quia in ipſis conſiſtit:ita de capillitio.com.4°.aph.76°. Ex.36.C
in Renũ cauitate an ĩ carne lapides oriãtur.ĩ 6m.de m.vul.c.1°.3ª.155.C
in Renum lapides ſit generatio ſubſtantiæ, quæ prius non fuerat.14°. meth.med. 7ª.93.C
in Renibus lapides q̃uo gignantur.de bo & vit.ſucc.2ª.34.G|in 6m.de mor.vul.com.1°.3ª.155.F|7°.de comp.me.per ge. 5ª.267.H
Renum lapides cur fiant.14°.meth.med. 7ª.87.H
Renum lapides quibus generentur.3°.de alim.fac. 2ª.28.F
Renes calorem igneum habentes faciunt tophum.1°.de alim.fac.2ª.10.G
Renũ lapides gignũt ſatietas,& cruditas.de ren.aff.dign. 7ª.194.A
Renum lapides q̃uo & cur generẽtur in ſenibus.cõ.3°.aph.31°. Ex.26.G
Renum lapidis quatuor cauſæ.de ren.aff.dign.& med. 7ª.192.B
in Renibus quo victu generantur lapides.14°.meth.med. 7ª.91.G
in Renibus lapis gñatur ex cõtinuo vſu ciborũ acutorũ.de diff.Sp.72.F
Renũ lapides gignit caſeus.3°.de alim.fac.2ª.28.F|de diff.cont.Sp.74.G
in Renibus lapides ex caſei ſucco fiunt.3°.de alim.fac. 2ª.28.H
in Renibus lapides gignunt itria ex ſimilagine.1°.de alim.fac. 2ª.10.E
in Renibus lapis fit ex vſu lactis.5°.de ſa.tu.2ª.91.B|de diff.cõt.Sp.75.B
Renum lapides gignit lac elixum.3°.de alim.fac. 2ª.28.B
in Renibus lapides gignũt edulia ex triticea farina,& lacte.11°. de alimentorum facul. 2ª.10.G
in Renibus lapidem facit vinum dulce.de diff.cont. Sp.74.H
in Renibus vel veſica lapidem eſſe q̃uo cognoſcĩt.1°.de loc.aff. 4ª.2.F
Renum lapidis ſignum proprium.de ren.aff.dig.& med. 7ª.192.G
Renum lapis, vel veſicæ ſignificatur ſi quis mingat arenoſa.commen.4°. aphoriſmo 29°. Ex.36.H
Renum lapides acuti,& aſperi exulcerationem ſignificant.commen.4°. aphoriſmo 75°. Ex.36.B
in Renũ lapidibus cur ſanguis mingitur.in 6m.de mor.vul.c.1°.3ª.155.G
Renũ lapis emittitur ante mictũ.in 6m.de mor.vul.com.3°. 3ª.173.C
in Renũ lapide cur crura doleãt.in 6m.de mor.vul.com.1°. 3ª.155.H
in Renũ lapide q̃uo fiat ſtupor in crure.de ren.affe.dign. 7ª.192.H
Renum lapides cur magna ex parte minores ſunt, æquales & molliores. de ren.aff.dig.& med. 7ª.193.B
à Renũ lapide præſeruatio qualis.de ren.aff.dig.& me. 7ª.194.D
in Renibus q̃uo nõ generabitur lapis.in 6m.de mor.vul.cõ.1°. 3ª.156.H
Renũ lapides quid expetant.5°.de ſimp.me.fac. 5ª.38.B
Renũ lapidẽ qui habet exerceri debet.in 6m.de mor.vul.cõ.1°. 3ª.155.H
ꝑ Renũ lapide,& dolore quæ cõueniãt.de re.aff.dig.& med. 7ª.193.H
in Renũ lapide cibi cõueniẽtes.de ren.affec.dig.& me. 7ª.194.B|C
in Renũ lapide nihil æque conducit, quam ventrem leuẽ habere.de ren. aff.dig.& med. 7ª.195.E
in Renũ lapide quædã agunt à proprietate.de ren.aff.dig. 7ª.194.H
in Renũ lapide ſubito inuadente quid agendũ.de ren.aff.dig. 7ª.196.C
Renibus q̃bus ĩeſt lapidis ſuſpitio,quo vino vti debeãt.5°.de ſa.t.2ª.91.C
Renũ calculo phaſiani adeps cõfert,& q̃uo.de re af.dig.et m. 7ª.193.H
Renes degrauatos lapidibus expurgat carpeſiũ.7°.de ſim.me.fa.5ª.50.C
contra Renum lapidem datur caſtoreum.de med.exper. Sp.106.E
pro Renũ lapide panis furfuraceus conuenit.de ren.aff.dig. 7ª.195.E
pro Renũ lapide cucurbitulæ faciunt.de ren.aff.dig.& med. 7ª.193.H
in Renũ lapide quæ decocta conueniant.de re.aff.dig.& me. 7ª.196.D
pro Renum lapide fomenta conueniunt.de ren.affe.dig. 7ª.193.H
pro Renum lapide fomentum quale.de re.aff.diff.& med. 7ª.194.A
in Renum lapide quãdo vena ſecãda.in 6m.de mor.vul.cõ.1°. 3ª.156.A
Renes an ſint ſuperiores vel inferiores,& quæ vena pro ipſis ſecanda.de cur.rat.per ſang.miſſ. 6ª.302.G
Renũ lapidẽ quæ potenter frangunt.de re.aff.dig.& med. 7ª.196.D
Renum lapides confringit althææ ſemen.6°.de ſim.med.fac. 5ª.46.F
Renum lapides frangere apparet bdellium arabicum,& vrinas ciere in potu ſumptum.6°.de ſimp.me.fa. 5ª.44.H
in Renibus lapides rumpit Betonica.7°.de ſimp.me.fac. 5ª.51.A
Renibus prodeſt peculiariter Betonica.de ther.ad Piſo. 5ª.91.A
Renum lapidem comminuunt cicera parua nigra.1°.de alim.fac.2ª.14.B
in Renibus generatum lapidem frangũt cicera nigra.de diff. Sp.74.G
Renum lapides confringit decoctũ ciceris.6°.de ſimp.me.fac. 5ª.47.E
in Renibus conſtitutos lapides comminuit Damaſonium aqua in qua de coctum fuerit epota.6°.de ſimp.med.fac. 5ª.46.A
ad Renum lapides proficit lapis indicus.9°.de ſimp.med.fac. 5ª.67.F
in Renum lapide facit lapis iudaicus ſecr. Sp.102.D
Renum lapides rumpunt lapides in ſpongijs reperti. 9°. de ſimp.medica. facultatibus. 5ª.67.C
Renibus lapide infeſtatis ſemẽ peponis cõuenit.2°.de alim.fac. 2ª.16.H
Renum lapides comminuit rubi radix.6°.de ſimp.me.fac. 5ª.44.G
Renum lapides expurgat Theriaca.de ther.ad Piſo. 5ª.96.B
Renum & veſicæ lapidem quæ educunt.de cathar. Sp.95.D
è Renibus lapides extrahens Antonij Muſæ Panacea. 7°. de compoſit. med.ſec.loc. 5ª.186.B
ad Renum,& veſicæ lapidem valens medicamen.de me.exp.Sp.105.G
ad Renum lapidem.ſecretorum.99°.H|de med.exper. Sp.105.C
Renes quorum ſunt appoſiti gignendis lapidibus ij alicæ vſum vitare debent.1°.de alim.fac. 2ª.10.H
Renes lapidi obnoxij q̃bus aqs lædanẽ.in 6m.de morb.vul.c.4°.3ª.182.D
Renibus aquæ autumnales,& æſtiuæ non bonæ.de bon.aquæ. Sp.75.F
Renes calculoſos offendit lac caſeoſum.3°.de alim.fac. 2ª.28.A
Renibus mali ſunt omnes cibi dulces.de diff.cont. Sp.74.G
Renum,& inteſtinorum leuitatis differentia.6°.de loc.aff. 4ª.38.A
Renum quatuor morbi ſecundum Cnidos.de victus ratione in mor. acut. commentario 1°. 7ª.108.H
Renum morbus eſt diuturnus.fin.med. Iſa.45.F
Renum morbus non contingit in pueritia, ſed in declinante potius ætate. in 6m.de mor.vul.com.1°. 3ª.155.B
Renũ morbi non nullis ſuperueniũt quibus gibber eſt infra ſeptũ. de arti. commenta.3°. 7ª.269.G
Renum morbo vexatos antidotus Zopyria.2°.de antid. 5ª.115.B
in Renum morbis quæ vena ſecari debeat.præſag.exper.conf. Sp.78.C
Renes facile obſtruuntur ſenibus,ſi craſſum humorem facientibus vtantur.5°.de ſan.tuen. 2ª.91.B
Renes obſtruunt cibi craſſi ſucci.de bon.& vitio ſuc. 2ª.36.B
Renes obſtruunt alica,& ſuilla caro.de bon.& vitio ſucc. 2ª.34.E
in Renibus qui panis faciat obſtructiones.5°.de ſan.tuen. 2ª.91.F
Renum obſtructionem quæ vrina ſignificet.de vrin. 4ª.123.B
ob Renum,aut iecoris oppilationem mingitur vrina tenuis. quæſita in Hippocratis Sp.113.C
ad Renum obſtructionem.de remed.par.fac. 7ª.160.H
Renum paſſio quæ Nephritis dicitur,comitatur ſenes ad mortem, & fit frigido humore.com.2°.aph.40°. Ex.18.A
Renũ qs nã patiſ,oſtendit ſtupor cruris.de re.aff.dig.& me. 7ª.192.H
Renes patientes quid agant.3°.de ſymp.cau. 3ª.28.E
ob Renes patientum qualis pulſus.de dyn. Sp.35.B
Renes pati demonſtratur ab vrina.com.4°.aph.77°. Ex.36.E
Renum paſſiones oſtenduntur ab vrina mediocri ſi intus aliquid habeat. com.4°.apho.77°. Ex.36.E
Renũ paſſiõibus æmorrhoides ſupueniẽtes bonũ.c.6°.apho.11°.Ex.47.D
Renibus,& veſicæ diu patiẽtibus vtilr daẽ colocynthis.de dyn.Sp.21.D
in Renibus generationem phlegmatis timenti conueniunt cibi ſubtiliantes.de diff.cont. Sp.72.D
Renes Purgantia quæ.de cathar. Sp.95.C
Renes,& iecur expurgãt acria,& ſubamara.6°.de ſim.me.fa.5ª.45.H
Renes expurgat amaritas.6°.de ſimp.med.fac. 5ª.47.E
Renes in farctu liberat aſparagus.6°.de ſimp.med.fac. 5ª.44.A
Renes purgat cardui decoctum.de ren.aff.dig.& med. 7ª.194.F
Renes expurgant caricæ. 2°. de alim fac. 2ª.17.F
Renes mundificant cicera nigra.de diff.cont. Sp.74.G
Renes expurgat cicerũ genus orobieũ appellatũ 6°.de ſim.m.f. 5ª.47.E
Renes mũdificãt,et abſtergũt ficus humidæ.& ſiccæ.de diſ.cõt.Sp.74.G
Renes purgat Iuniperi fructus.2°.de alim.fac. 2ª.19.C
Renes obſtructos expurgat peoniæ radix.6°.de ſimp.me.fac. 5ª.45.H
Renes Purulenti,& renum paſſiones ſunt cauſæ ſtillicidij vrinæ,& cur. com.5°.aph.58°. Ex.43.B
Renum Rigorem remollit meu.de ſimp.med. Sp.87.F

in Renibus Sanguis craſſus exuſtus facit ſedimina in modum orobi, & in quibus febribus.com.4°.aph.76°. Ex.36.E
Renes cum lateant, tactum effugiunt, facile tamen ſcyrrhis illos deprehẽdi ratio docet.13°.meth.med. 7ª.84.C
Renum ſiccatio ex bilis ſuperfluo prouenit.de dyna. Sp.36.H
in Renibus quo modo cognoſcatur eſſe Suppuratio.6°.de lo.af. 4ª.39.B
Renes quas habeant Venas quo modo diſtinguantur à venis veſicæ, & quomodo rumpi poſſint.com.4°.aph.78°. Ex.36.G
in Renibus venam rumpi ſignificatur ſi quis mingat ſanguinem ſponte. com.4°.aph.78°.Ex.36.F/de vrin.ſign.ex Hipp. Sp.78.H
Renum vena ſiſtenda, frigida non danda & quare. de ren. affect. dignotione & med. 7ª.192.H
Renum vitium Nephritis dicitur.com.7°.aph.35°. Ex.56.F
Renum vitia quæ.introd. Iſa.57.A
Renum vitia quibus vrinis ſignificentur.de vrin.ſign. Sp.78.H
in Renibus vitium, aut morbum articularem ſignificat carunculæ cum vrina craſſa in ſpeciem pilorum.de nat.hum.com.2°. 7ª.180.G
Renum vitium acutum ſignificatur his, quibus inſidens pingue, ac ſimul totum.com.7°.aph.35°. Ex.56.E
Renum vitia longa ſunt.com.6°.aph.6°. Ex.47.B
Renum vitia in valde ſenibus difficulter ſanantur.c.6°.ap.6°. Ex.47.B
Renes ſi vitio careant vinum dulce aſſumat qui refici indiget.de bonitate & vitio ſucc. 2ª.38.D
in Renũ vitijs quæ ſunt miſcenda medicamẽtis.4°.meth.med. 7ª.29.A
Renum vitio laborantibus ſubueniens antidotus.2°.de anti. 5ª.116.D
ad Renum vitia clyſter.de rem.par.fac. 7ª.173.B
Renum vitijs prodeſt Theriaca.de vſu ther.ad Pamph. 5ª.98.H
ad Renum vitia.de med.fac.par.7ª.175.G/de dynam. Sp.28.B
in Renibus exiſtentia Vlcera quomodo diſtinguantur ab vlceribus veſicæ.1°.de loc.aff. 4ª.2.D
Renum exulceratio quibus ſignificatur, & quo modo à veſicæ exulceratione diſtinguatur.com.4°.aph.75°. Ex.36.B
Renum vlceratarum vrina.de dyna. Sp.35.C
Renum, & veſicæ Vlceratio quam vrinam faciat.de vrin.ſig. Sp.78.H
Renũ exulceratio vel veſicæ ſignificatur ſi quis ſanguinem vel pus mingat.com.4°.apho.75°. Ex.36.A
inter Renes, & veſicam partes exulceratæ ſanguinem aut pus mittunt. com.4°.aph.75°. Ex.36.B
Renum magna exulceratio læditur ab extenuantibus & incidentibus, & in victu humido.com.4°.aph.76°. Ex.36.C
Renes iuuans antidotus.2°.de antid. 5ª.111.F
ſupra Renes plumbi lamina inhibet nocturnas imagines.6°. de ſanitate tuenda. 2ª.100.G
ſub Renibus roſæ pro imaginibus nocturnis ſubſternunt. 6°. de ſanitate tuenda. 2ª.100.G
RENES *ſunt mali chymi.de diſſ.cont.* Sp.74.B
Renes ſunt praui ſucci, & coctu.difficiles.3°.de alim.fac. 2ª.27.A
Renes ſunt craſſi ſucci.de bon.& vitio ſucc. 2ª.35.F
Renes ſapiunt neſcio quid vrinæ.3°.de alim.fac. 2ª.27.A
Renes gallinaceorum, præſertim altilium ſunt boni ſucci. de bonitate & vitio ſuccorum. 2ª.35.F
Renes ſcincorum pudenda intendunt.11°.de ſimp.me.fa. 5ª.80.D
ex Renibus aliquæ partes inferiores imbecilliores redduntur. 6°.de ſanitate tuenda. 2ª.100.B
in RENIBVS *ictus quid ſignificet.4°.de dign.pul.* 4ª.85.G
RENITENS *quid ſit.5°.de ſimp.me.fac.* 5ª.32.G
Renitens opponitur molli.com.5°.aph.67°. Ex.45.C
Renitẽtes diſpoſitiones corporũ difficulter lædũtur.1°.de diff.fe. 3ª.32.D
ad RENVTRIENDVM *ligatura qualis.6°.meth.med.* 7ª.41.B
ad RENVTRITIONEM *nihil melius conducit quam ſanguinis per ſcarificationem exhauritio.de cucur.ſcar.* 6ª.4.B
RENVTRITORIA *victus ratio quo modo in ſiccis eſt facienda. 7°. meth.med.* 7ª.45.H
REPANDITAS *quid ſit.de art.com.3°.268.F/* 7ª.273.E
REPARATIONI *ſuæ intendit membrum oẽ.de mot.man.* Sp.68.A
REPELLENDI, *nec trahendi, nec tenẽdi vim habet, qđ ita eſt molle vt tum humidum ſit, tũ fluxibile & nulli innitẽs.3°.de ſym.ca.* 3ª.28.H
Repellendum primo à parte poſt diſpergendum.ars med. Iſa.70.G
Repellendum, et refrigerandum in principijs, potius quàm calefaciendũ, vel laxandum.3°.de ſimp.me.fac. 5ª.18.F
REPELLENTIA *medicamenta in principio ſunt frigida. 6°. de comp. med.ſec.loc.* 5ª.167.A
Repellentibus in principio vtendum eſt.de cucur.ſcar. 6ª.3.B
Repellentia adduntur abſtergentibus vt eorum facultatem in profundũ ducant.2°.de comp.me.per ge. 5ª.125.C
Repellentia acerba, adſtringentia non recte ſine diſcrimine iunguntur diſcuſſorijs.6°.de compoſi.med.ſec.loc. 5ª.176.A
cur Repellentia adduntur cephalicis.2°.de comp.med.per ge. 5ª.225.C
Repellẽtia in vlceribus qñ conueniunt.2°.de comp.med.per ge. 5ª.220.B
Repellentia cur in principio exhibeantur vlceribus.1°.de compoſi.med. per genera. 5ª.214.A
Repellens, & digerens emplaſtrum qđ.2°.de comp.me.per ge. 5ª.221.A
REPELLI *debent refrigerando, & adſtringendo morbi ex influxu humorum.1°.de comp.med.ſe.loc.* 5ª.121.F
Repellant quæ.1°.de arte cur.ad Glauco. 7ª.100.A
Repellit acetum, & digerit.14°.meth.med. 7ª.88.G
Repellunt magis adſtringentia.6°.de comp.med.ſec.loc. 5ª.167.A
Repellit lens impoſita inflammationibus per modũ cataplaſmatis.in 6ᵐ. de mor.vul.com.5°. 3ª.194.C
Repellunt, & refrigerant ſine adſtrictione quæ.14°.meth.me. 7ª.92.G
Repellit & concoquit roſaccum.2°.de comp.med.per.ge. 5ª.220.G
Repellit vinum nigrum auſterum.14°.meth.med. 7ª.88.G
Repellant quæ in capitis doloribus.2°.de comp med.ſec.loc. 5ª.137.D
Repentia vlcera herpetes ab antiquis quid ſint, quo modo ex quoque in qua parte.com 6°.apho.45°. Ex.51.F
REPENTINA *mutatio ad contraria maxime in autumno, iam magni fiunt morbi.com.3°.aph.22°.* Ex.24.G
Repentinæ mutationes acutorum ſunt.3°.de criſi. 4ª.139.F
REPERCVSSIO *ex oppletione oritur.de frac.com.3°.* 7ª.243.D
REPERCVSSORIVM *eſt gypſum vſtũ.9°.de ſimp.me.fac.* 5ª.69.A
Repercuſſorijs quando vti debemus.1°.de comp.med.ſec.loc. 5ª.130.B
Repercuſſorijs, & adſtringentibus in principio vti oportet.4°. de comp. med.ſec.loc. 5ª.157.D
REPERCVTIENDI *& leuiter refrigerandi vim habet lac recens coagulatum.10°.de ſimp.med.fac.* 5ª.74.C
Repercutiendum in principio fluxus.1°.de comp.me.per ge. 5ª.212.D
Repercutiendum in principio doloris capitis.2°.de com.me.ſ.l. 3ª.132.D
REPERCVTIENTIBVS *ſolis, aut ſolis diſcuſſorijs raro indiget affectio.6°.de ſim.med.fac.* 5ª.173.C
Repercutientia adduntur abſtergentibus, vt eorum facultatem in pfundum ducant.2°.de cõp.me.per ge. 5ª.225.C
Repercutientibus quòd in omni loco non ſemper vti debemus in principijs fluxionum.10°.de comp.med.ſec.lo. 5ª.207.A
Repcutiẽtibus cur vtamur in phlegmonis principio.13°.me.m. 7ª.84.D
Repercutientibus cur non vtamur in phlegmonis vigore.13°.methodi medendi. 7ª.84.E
Repercutientia Galenus capiti dolenti apponit etiam poſt principiũ.2°. de comp.med.ſec.loc. 5ª.133.C
Repercutientibus non vtimur in oculis.13°.met.med. 7ª.86.C
Repercutientibus non eſt vtendum in iſchia, & quare. de remedijs paratu facilibus. 7ª.160.D
Repercutientibus vtimur in pedibus, & manibus, non autem in coxa, et cur.10°.de comp.med.ſec.loc. 5ª.207.A
Repercutientia quæ, & qualia ſint.5°.de ſimp.me.fac. 5ª.36.E
Repercutientes, & adſtringentes herbæ quæ.4°.dc cõ.me.ſe.lo. 5ª.157.D
Repcutiẽtia, & digerẽtia optima medicamẽta q̃.9°.de ſim.m.f. 5ª.67.F
REPERCVTI *& digeri debent phlegmones incipiẽtes, potiſſimum in neruoſis partibus.9°.de ſimp.med.fac.* 5ª.67.A
Repercutere vis eſt adſtringentium.5°.de comp.med.per ge. 5ª.249.E
Repercutiunt adſtringentia.4°.de comp.med.per ge. 5ª.235.H
Repercutiunt quæ vehementius.5°.de ſimp.med.fac. 5ª.36.E
Repercutiunt frigida mediocriter.1°.de comp.me.per ge. 5ª.213.A
Repercutit fluxiones galla.7°.de ſimp.med.fac. 5ª.51.B
Repercutit fluxiones Polygonon.8°.de ſimp.med.fac. 5ª.58.H
Repercutiunt plus, digerunt minus ſordes exercentium ſe in palæſtris ſine ſudore, & cũ ſudore multum digerunt.10°.de ſimp.me.fa. 5ª.75.C
Repercutit, & elidit quod in loco eſt ſpongia aqua frigida humens.1°. de comp.med.per ge. 5ª.213.A
REPETENDA *quæ ſunt maxime neceſſaria vt Hippocrates fecit. 10°. meth.med.* 7ª.63.E
Repetẽda ſunt neceſſaria.7°.me.m.7ª.47.A/cõ.4°.aph.22°. Ex.28.F
Repetẽda bis, & ter vtilia & cur.4°.de comp.me.per ge. 5ª.237.D
REPETITIO *& Reduplicatio quid.de mor.temp.* 3ª.87.E
quæ Repetũtur ſemel, atq; iterum intelliguntur licet ſemel lecta nõ percipiantur.

cipiantur.de fract.com.1°. 7ª.227.B
Repetit ſepe Galenus.10°.meth.med. 7ª.71.D
ad REPLENDVM eſt os quod ſupra ſpōdylū excreſcit.de an.Sp.55.C
Replenda non ſunt intemperanter viſcera, & vaſa totius corporis, & quare.de cucur.ſcar. 6ª.3.H
REPLENTIBVS quando vtendum.introd. Iſa.58.B
REPLERI denuo deſiderat, quod eſt inanitū.de ve.ſec.ad.Er. 6ª.9.A
Replere plurimum, atque repēte nocuum eſt com.2°.apho.51°. Ex.19.C
Replet thoracem ambiens corpus aer.in Tim.Pla. 1ª.289.F
Replet & mitigat in omnibus extrinſecis ſuccus centaureæ. de virtute centaureæ. Sp.94.A
REPLETIO quid.com.2°.apho.17°.& com.1°.aph.3°. Ex.3.H
Repletio quæ dicitur ab Hippocrate.3°.de loc.aff. 4ª.17.E
Repletionem parit otium.de nat.hum.com.2°. 7ª.181.H
Repletio non eſt morbus.de nat.hum.com.2°. 7ª.181.F
Repletio multa, & ſubita euitatur ab Hippocrate.de victus rat. in mor. acu.com.1°. 7ª.112.E
Repletio, & euacuatio præter modum noxia eſt. in 6^{m}.de mor. vulgari. com.3°.3ª.170.H/com.1°.aph.3°. Ex.3.G
Repletio & indigentia ꝑpter quid ictericis male.de cura icte. Sp.111.D
Repletio quò ad vaſa quæ habet ſymptomata.8°.meth.med. 7ª.57.C
à Repletione immodica reſpirationes cur minores, & pulſus maiores videantur.de vſu pul. 1ª.227.F
ob Repletionem aliqua ægre mouentur.2°.de ſan.tuen. 2ª.72.F
Repletio tardū reddit articulorū motū.in 6^{m}.de mor.vul.c.5°.3ª.190.H
Repletio quo modo dolorē faciat.in 6^{m}.de mor.vulg.com.6°. 3ª.196.F
Repletio facit ſingultū, & conuulſionem.com.6°.apho.39°. Ex.50.G
Repletio facit genus ſpaſmi.com.4°.apho.57°. Ex.33.F
ex Repletione, & euacuatione fit cōuulſio.8°.de cō.me.ſe.lo. 5ª.190.E
ex Repletione conuulſio quomodo fiat.de palp. 3ª.56.D
ex Repletione conuulſio curatur, & quo modo.de palp. 3ª.56.D
Repletio conuulſionem facit ſanabilem, & qūo.com.5°.ap.1°. Ex.37.C
ex Repletionibus febres cur cito fiant.1°.de diff.feb. 3ª.31.H
ex Repletione, & otio febricitantes ſi ſanitati reſtitui debent, plurimū ſubſideat in vrinis neceſſe eſt.1°.de criſ. 4ª.130.C
ex Repletione vt plurimum fiunt inflammationes quæ febres faciunt. de ven.ſect.aduer.Eraſ. 6ª.12.F
Repletionem multam ſignificat, ſi quis habeat febrem magnam, & non contabeſcat.com.3°.apho.28°. Ex.26.C
Repletio, et refrigeratio eſt cauſa fluxus ſanguinis in iuuenibus.com.3°. aphoriſmo.29°. Ex.26.C
Repletiones plus nocent conſiſtentibus quàm iuuenibus.commentar.3°. aphoriſmo 30°. Ex.26.D
Repletione deprauatur figura.de cauſ.mor. 3ª.8.H
Repletio immodica, immodica euacuatione ſanatur.ars med. Iſa.70.D
à Repletione dura quomodo curentur.5°.de ſimp.me.fac. 5ª.32.G
ex Repletione intēta quæ euacuata relaxātur.de ijs, quæ in medicatrina fiunt, commenta.3°. 7ª.215.G
Repletio in vulneribus duplex.in 6^{m}.de mor.vul.com.5°. 3ª.191.B
ad Repletionem.de med.exper. Sp.108.E
REPLETVS venter infrigidatur.de ana.viuo. Sp.47.G
ſi Repleti fuerint cibo cōualeſcētes, rōnabile ē eos incidere in caſus plethoricos, in tubercula, & articulorū dolores.c.4°.aph.45°. Ex.32.G
Repleti cur non habeant inſomnia.in 1^{m}.prorrh.com.1°. 4ª.163.G
in Repletis particulis, & vbi eſt corrupta materia incidēdæ ſunt cucurbitulæ.de cucur.& ſcar. 6ª.3.B
REPLICANDAE ſunt cucurbitulæ ſi non ſit ſatis euacuatum. de cucur.& ſcar. 6ª.3.D
quò REPVNT humores per opportuna loca, per ea euacuandum.cō. 6°.aph.22°. Ex.48.E
REPONI in ſuum locum quæ deſiderent.3°.meth.med. 7ª.16.C
REPREHENDENS ſedulo quæ nulla ſunt digna ſedulitate, ſe ipſum afficit contumelia.in 3^{m}.de mor.vul.com.1°. 3ª.130.D
in REPREHENSIONIBVS quorum verba ſunt attendenda.de cur. animi mor. 2ª.51.E
pro Reprehenſione apprehenſio ſumitur ab Hippocrate ſecundum Galenum.de artic.com.3°. 7ª.274.F
REPRESSIO fit cum infrigidantibus, & adſtringentibus medicamētis.com.5°.aph.66°. Ex.45.C
Reprimēdi, & adſtringēdi quæ vim habēt.de re par.fa.155.D/ 7ª.157.G
REPRIMENTIA medicamenta extrinſecus quæ.intr. Iſa.58.A
Reprimentia infrigidant.com.6°.aph.31°. Ex.49.E
Reprimentibus quando vtendum.intro. Iſa.58.B
Reprimentia adhibentur in phlegmone incipiēte.de opt.ſect. Iſa.22.D
per Reprimentia quandoq; phlegmones incipientes deſinunt.de optima ſecta. Iſa.29.E
Reprimentia cur in principijs ſint idonea.10°.meth.med. 7ª.72.D
Reprimentia Galenus in principio habuit ſuſpecta in doloribus oculorū. com.6°.apho.31°. Ex.49.E
Reprimentia non poſſunt reprimere vehemētes fluxiones in oculis. commen.6°.aph.31°. Ex.49.E
Reprimentia quæ ſimul digerunt carbunculos.14°.meth.med. 7ª.90.B
REPRIMERE, & reſilire verba vetera ſunt.de palp. 3ª.54.H
Reprimit, incidit, & diſcutit acetum.1°.de comp.med.ſec.loc. 5ª.128.H
Reprimunt ſanguinem gallæ combuſtæ.7°.de ſimp.med.fac. 5ª.51.B
REPTILIA valent ad confectionem.6°.de ana.adm. 1ª.89.F
in Reptilibus vbi ſcindatur vena caua.6°.de decre.Hipp. 1ª.263.F
Reptilia quæ veris tempore gignuntur, & habent colorem herbarum viridiūm.3°.de ſymp.cau. 3ª.26.D
ad Reptilium omnium ictus antidotus Dorothei.2°.de antid. 5ª.118.D
ad Reptilium morſus Antidotus Heraclidis.2°.de antid. 5ª.117.G
ad Reptilium quorumcunq; ictum valens antidotus.2°.de ant.5ª.117.D
ad Reptilium ictus.2°.de ant. 5ª.117.G
ad Reptilium omnium ictus Emplaſtrum.2°.de antid. 5ª.117.H
ad Reptiliū plagas Antonij Muſæ Panacea.7°.de cōp.m.ſ.lo. 5ª.186.B
ad Reptilium omnium plagas.8°.de comp.med.ſec.loc. 5ª.191.E
ad Reptilium morſus valet antidotus Zopyria.2°.de anti. 5ª.115.A
ad Reptilium morſus.2°.de antid. 5ª.117.H
ob REPVLSAM animi perturbatio.de cog.cur.animi mor. 2ª.50.E
REPVLSORIA exiccant.5°.de comp.med.per ge. 5ª.247.C
Repulſoria pharmacis parotidibus deſtinatis admiſceri non debent.3°. de comp.med.ſec.loc. 5ª.146.H
REPVLSVRA tractura, & tentura aliquid eorum actionem cum loci mutatione neceſſe eſt fieri.3°.de ſymp.cau. 3ª.28.H
REPVRGANTIA medicamenta extrinſecus.introd. Iſa.58.A
de Repurgantibus, & extergentibus.4°.de comp.med.ſec.lo. 5ª.149.G
Repurgantia, & extergentia non differunt.5°.de ſimp.me.fac. 5ª.35.A
Repurgantia, & extergētia quæ.1°.de comp.med.ſec.loc. 5ª.129.H
Repurgans ſufficienter catapotium Scribonij largi.7°. de comp.medica. ſecundum locos. 5ª.185.F
Repurgantia collyria quæ.4°.de comp.med.ſec.loc. 5ª.151.A
Repurgans cyzicenum quale.5°.de comp.med.per ge. 5ª.250.B
Repurgantibus quando vtendum.intro. Iſa.58.B
REPVRGATIONEM impediunt ſimplicia medicamenta craſſi ſucci. 7°.de comp.med.ſec.loc. 5ª.179.A
REPVRGATVR totum corpus per renes, & per veſicam.in 1^{m}. de mor.vulg.com.2°. 3ª.109.B
pro REQVIE multo tempore indiget cerebrum. 1°. de ſymptomatū cauſis. 3ª.19.A
Requies memoriæ conuenit.de ocul. 7ª.183.H
pro Requie multo tempore non indiget.cor.de ſymp.cau. 3ª.19.A
RES, vox, & ſermo differunt.4°.de loc.aff. 4ª.26.B
Res quid ſit, dici poteſt de notitia ſola, & de eſſentia.ad Thra. 2ª.101.F
Rerum omnium eſt cauſa affectrix quæ eſtimatur in collatione ad aliqd. quod animi mores. 1ª.317.D
Res ſenſui euidentes aliæ per ſe innoteſcunt, aliæ non per ſe. de optima ſecta. Iſa.19.G
Res ſenſum latentes aliæ intellectui perſpicue, aliæ per oſtenſionem cognoſcuntur.de opt.ſect. Iſa.19.G
à Rebus euidētibus iudiciū quod fit in rebus cōe eſt oībus.de ſec.Iſ.17.F
Res naturalis duobus eſt modis.de ocul. 7ª.185.D
Res naturales ſunt ſeptem.de ocul. 7ª.185.E
Res non naturales conſiderandæ ſunt.1°.de comp.med.per ge. 5ª.210.D
Res non naturales ſex ſunt, & quæ.ars med.Iſa.68.C/de ocul. 7ª.185.E
Res non naturales quando ſalubres & quando non.ars med. Iſa.68.C
Res extra naturam duplex eſt.de ocul. 7ª.185.E
Res extra naturam tres.de ocul. 7ª.185.E
Res adherentes eſſentiæ proprietatem obtinent.1°.de loc.aff. 4ª.2.E
Rerum, non nominum ſunt definitiones.2°.de pul.diff. 4ª.53.H
Res quot ſunt, tot ſunt diffinitiones.2°.de pulſ.diff. 4ª.54.H
Res poſitæ in generatione, ſi definiantur, definitio recipit cauſam efficiētem.4°.de pul.diff. 4ª.67.H
Res nulla incerta natura habet demonſtrationem.de ſect. Iſa.17.B
propter Res nominibus vti neceſſe eſt.2°.meth.med. 7ª.9.D

Res difficilius conficitur, quã verbis explicatĩ.10°.de vſu par. 1ª.210.E
Res cum particulares ab antiquis ignorarentur alias non nominarunt, alias non recte de ſymp.diff. 3ª.12.D
ad Rei corruptionem nomen corrumpitur.de ſophiſ. Iſa.7.G
à Re non à nomine doctrina ſcientifica ꝓuenit.14°.met.me. 7ª.89.D
Res, intelligendæ, & de nominibus nõ contendendũ.1°.de loc. affe.4ª.6.D/10°.meth.med. 7ª.71.B
ad Res properandum, & de nominibus ſemper conueniendum. de ſymptomatum differentijs. 3ª.10.D
in Rebus conſiſtit opus, non in nominibus.de ſymp.diff. 3ª.10.E
Res maiori ſtudio inquirenda eſt quã nomina.de opt.noſt.cor. 1ª.38.A
Res pertracta, & nomina contemne.14°.met.me. 7ª.89.E
Res conſiderantes non conſiderant voces.de ijs quæ in medicatrina fiũt. commentario.1°. 7ª.200.E
Res negligunt, & de nominibus contendunt ſophiſtæ, & contumelijs diſputant. 2°.de diff.pul. 4ª.53.D
Rei natura indaganda eſt cuius artẽ inuenire volumus. 9°.de decretis. Hippocratis. 1ª.283.H
in Rebus inueniendis q̃uo incedebat Hippocrates.de fœt.for. 1ª.322.C
Rerum memoria aſſiduam requirit conſuetudinẽ.1°.de ana.ad. 1ª.63.H
ex Rerum diſtincta & indiſtincta cognitione oritur diſſidentia artis per experientiam iudicantis ſua theoremata. de victus ratione in morbis acutis, com.1°. 7ª.110.C
Res nulla ſenſibilis cognoſcitur exquiſite, & ſubito, niſi ſæpius viſa.3°. de anatomicis adminiſtrationibus. 1ª.77.A
de Re bis aut ſemel viſa, non eſt dubitandum pronunciare ſecundum aliquos, quod tamen Galeno non placet.de fœt.for. 1ª.322.C
Rerum quæſitarum veritas q̃uo poteſt inueniri.9°.de decr. 1ª.279.B
Rerũ quæſitarũ initium primo debet cognoſci.9°.de decr. 1ª.279.B
Rei initium ſi ignores, in multos incidis errores.2°.de decr. 1ª.279.C
à Rei quæſitæ ſubſtantia lẽmata ſumi debent.2°.de decr.Hip. 1ª.235.A
à Rei ſubſtantia quæ quæritur abſunt captioſa, & cauillatoria argumẽta.2°.de dec.Hippo. 1ª.235.D
in Rebus quæ veniunt in cõtrouerſiam, vnde veniat deceptio.9°.de decretis Hippocratis. 1ª.286.C
Res apud philoſophos difficiles, apud medicos faciles ſunt. 2°. de ſimplicium medicamentorum facultatibus. 5ª.11.F
de Rebus medicinalibus nihil ferè ĩter medicos cõuenit.đ op.ſe.Iſ.23.D
Res omnes habent multas vires.2°.de ſimp.me.fac. 5ª.12.E
de Rebus experiẽtia nõ debet fieri citra limitationẽ.1°.de ali.fa.2ª.7.E
Res agit ex potentia quam habet.9°.de decr.Hipp. 1ª.286.C
Res patitur non ex potentia, ſed ex imbecillitate potius. 9°. de decretis Hippocratis. 1ª.286.C
REIPVBLICAE gubernatoria ars eſt conſeruatrix. ad Thraſybulum. 2ª.104.C
in Republica adminiſtranda viris occupatis præcepta quæ ſeruanda. de bonitate, & vitio ſuccorum. 2ª.39.C
Reſpublica bene inſtituta odit artẽ Athleticã, & luctã.ad Th.2ª.109.B
RESARCIVNT cor diſtemperatum, coralli, margaritæ, hiacinthi.de anatomia viuorum. Sp.56.A
RESICCANDI & calefaciendi vim habet myrrha. 2°. de compoſit. medicamen.ſecundum locos. 5ª.134.F
RESICCANTIVM natura, & diuiſio.8°. de compo. medicamentorũ ſecundum locos. 5ª.188.A
Reſiccantia adſtringentia ſine morſu quæ.7°.de cõp.m.ſe.lo. 5ª.183.E
Reſiccans emplaſtrũ Chalcidei quale.5°.de comp.me.per ge. 5ª.249.A
RESICCATORIA confectio.7°.de comp.me.ſec.loc. 5ª.185.B
Reſiccatoria ad aures.3°.de comp.me.ſec.loc. 5ª.144.H
RESICCAT valde medicamentum ex charta.9°.de compoſi. medica. ſecundum locos. 5ª.205.D
Reſiccat humores, & diſcutit citra adſtrictionem myrrha.4°.de comp. medi.ſecun.locos. 5ª.151.D
RESIDENTIA in vrinis diuerſa in bilioſis morbis, & in cruditatibus.de tot.morb.temp. 3ª.89.G
Reſidentia, lege Hypoſtaſis, Sedimen, Sublimamentum, Nubes.
RESILIRE & reprimere ſunt verba vetera.de palp. 3ª.54.H
Reſilientem hominem inſpicere eſt Iudicationis ſignum.1°. de arte curatiua ad Glauconem. 7ª.100.D
RESIMANS pedem muſculus.de muſ.diff. 1ª.52.E
RESIMI poſſunt eſſe ex vi formatrice, et non ex temperamento.2°.de temperamen. 1ª.20.G
Reſimi humidi ſecundum aliquos, quod non placet Galeno, & quare.2°. de temperamentis. 1ª.20.G
RESINA quid.de ſimp.med. Sp.89.D
Reſinarum ordo in bonitate.de ſimp.med. Sp.89.D
de Reſinis contra Dioſcoridem quid ſentiat Galenus. 3°. de compoſitio. medicamen.per gen. 5ª.230.D
Reſinarum differentiæ.7°.de comp.me.per gen. 5ª.269.F
Reſinarũ differentia in acri, & molli.3°.de comp.me.per ge. 5ª.232.F
Reſinarũ differentia ſecundum calorẽ.3°.de comp.me.per ge. 5ª.230.D
Reſinarũ differentiæ in odore, & calore.3°.de comp.me.per ge.5ª.233.E
Reſinæ multum differunt humiditate, & ſiccitate.3°.de cõpoſitione medica.per genera. 5ª.230.C
Reſinarũ differẽtiæ penes ſiccitatẽ quæ.3°.de comp.me.per ge. 5ª.230.C
Reſinarũ differentiæ in emolliendo.7°.de comp.me.per gen. 5ª.264.B
Reſina quæ ſponte ſua emanat quæ.2°.de comp.me.ſec.lo. 5ª.135.F
Reſina poteſtate calida eſt.3°.de temp.21.G/ 1ª.23.E
Reſina calida, & viſcoſa eſt.2°.de ſimp.me.fac. 5ª.14.D
Reſinæ ſiccæ, & calidæ ſunt.8°.de ſimp.me.fac. 5ª.59.F
Reſinæ non ſunt oleoſæ.4°.de comp.me.per gen. 5ª.237.F
Reſina Abietina qualis.8°.de ſimp.me.facul.59.F/ 2°. de compoſitione medica.per gen. 5ª.219.E
Reſina abietina pro terebinthina quando ſumatur.7°.met.me. 7ª.37.G
Reſinæ abietinæ meminit.4°.de ſan.tu. 2ª.87.B
Reſina Arida ad quid vtilis.2°.de comp.me.per ge.221.D/ 5ª.222.F
Reſina græce vocatur αὐτόῤῥυτος & quare.2°.de ſimp.me.f. 5ª.15.A
Reſinæ authorrhytæ quæ.3°.de comp.me.per gen. 5ª.233.D
Reſina quomodo Coquatur.7°.de comp.me.ſec.loc. 5ª.181.E
Reſinæ coctæ probatio.de dyna. Sp.23.B
Reſina Colophonia quæ & qualis.2°.de comp.me.per ge. 5ª.219.E
Reſina cupreſſi non nihil adſtringit.3°.de comp.me.per ge. 5ª.230.D
Reſina cypariſſina qualis.8°.de ſimp.me.fac. 5ª.59.G
Reſina quæ habetur in Fictilibus.4°.de ſan.tu. 2ª.87.C
Reſina φρυκτὴ quæ dicatur.4°.de ſan.tu. 2ª.87.C
Reſina fricta pinea, & colophonia pro eodem accipiuntur. 7°. de comp. med.per gen. 5ª.264.B
Reſina fricta id eſt colophonia omnium reſinarum ſicciſſima eſt. 3°.de comp.med.per gene. 5ª.230.C
ex Reſina fricta, euphorbio, cera, & pice emplaſtrum Galeni pro neruis vulneratis.6°.met.me. 7ª.37.F
Reſina fricta ad fracturam conuenit quæ glutinari non poteſt & q̃uo. de reme.par.fac. 7ª.154.A
Reſinæ frictæ fit mentio.5°.de comp.me.ſec.loc.161. H/ 8°. 193. C/D/9°. 200.B/10°.207.F/209.C/2°.de comp.me.per gen.220.G/ 221.C/224 C/225.C/ 5ª.227.D/G/H
Reſina Frixa quomodo fiat.de dyna. Sp.23.B
ex Reſina frixa emplaſtica.5°.met.me. 7ª.30.G
Reſina Humida eſt.com.1°.aph.14°. Ex.7.F
Reſina humida quæ in vaſis fictilibus continentibus pineam reſinã ſubſidet.2°.de comp.me.per gen. 5ª.219.F
Reſina aliqua humida non acris accipiatur, deficiente medulla vitulina. 4°.de comp.me.per gen. 5ª.240.A
Reſina Laryx dicta duplex eſt.2°.de comp.me.per gen. 5ª.219.F
Reſina laricina humidiſſima oĩum eſt.2°.de comp.me.per gen. 5ª.219.F
Reſina laricina mitiſſima eſt.1°.de comp.me.per gen. 5ª.213.H
Reſina laricis eſt Terebinthinæ ſimilis.2°.de comp.me per ge.5ª.219.A
Reſina laricis pro Terebinthina quando ſumi poſſit.1°. de compoſi.medicamen.per gene. 5ª.215.D
Reſina quæ laryx vocatur valet ad vlcera maligna.1°.de compoſi.medicamen.per gen. 5ª.217.D
Reſina quo modo Lauanda.1°.de comp.me.per gen. 5ª.213.H
Reſina, & oleũ q̃uo lauantur, & dealbantur.2°.de ſimp.me.fa. 5ª.12.H
Reſina Lentiſcina maſtiche eſt, & primas omnium obtinet. 8°. de ſimp. medicamen.facul. 5ª.59.F
Reſina lentiſcina ſtomachi, ventris, & iecoris ĩbecillitatibus, & phlegmonis confert.8°.de ſimp.me.fac. 5ª.59.F
Reſina Lignoſa cuius vſus.6°.de comp.me.per ge. 5ª.262.B
Reſina nõ põt ꝑ anguſta trãſire niſi liquata.ĩ 6^m.đ m.vul.c.3°. 3ª.173.D
Reſina Liquatur igne.3°.de comp.me.per ge. 5ª.233.F
Reſinis liquidis ſi vtaris, oleum potes dimittere.2°. de compoſitione medica.per gen. 5ª.220.F
Reſina liquida.2°.de comp.me.per gen. 5ª.220.H
Reſina liquida pro Thure q̃n vſus Galenus.de arti.com.2°. 7ª.267.A
Reſinæ Mitiſſimæ quæ.1°.de comp.me.per gen. 5ª.213.H

Reſina Millicina malthacodes grecæ dr̄.4°.de cōp.me.per ge. 5ª.238.C
Reſina Pinea qualis.8°.de ſimp.med.fac. 5ª.59.F
Reſina pinea humida eſt.4°.de ſan.tu. 2ª.87.B
Reſina pinea humida pro terebinthina qñ ſumatur.6°.met.me. 7ª.37.G
Reſina pinus fricta.9°.de comp.me.ſec.lo. 5ª.199.A
ꝑ Reſina pini ponitur Terebinthina.4°.de ſan.tu. 2ª.86.H
Reſina Pityina ſicca.2°.de comp.me.per ge.222.D| 5ª.223.A
Reſinæ Protorrhytæ quæ.3°.de comp.me.per gen. 5ª.233.D
Reſinæ ſiccæ pauco indigent oleo.3°.de comp.me.per gen. 5ª.230.C
Reſina non debet eſſe ſicca nec antiqua.2°.de cōp.me.per ge. 5ª.219.B
Reſinæ ſiccæ fit mentio.10°.de comp.me.ſec.loc.207.G| H| 2°. de comp. med.per gen. 5ª.220.H
Reſina Strobilina qualis.8°.de ſimp.med.fac. 5ª.59.F
Reſina ſtrobilina oīum eſt calidiſſima.2°.de cōp.me.per ge. 5ª.219.E
Reſina ſtrobilina in duris tantū corporibus conuenit.6°.me.m. 7ª.37.G
Reſina Terebinthina qualis & vnde.4°.de ſanitate tuenda.2ª. 87.C|1°. de antidotis. 5ª.107.A
Reſinarum optima Terebinthina quomodo intelligi debet.3°. de compo. medi.per gene. 5ª.230.D
Reſina terebinthina mitiſſima.1°.de comp.me.per gen. 5ª.213.H
Reſina terebinthina magis digerit, quàm maſtiche & cur.8°. de ſimpli. medica.facul. 5ª.59.F
Reſina terebinthina pſoras ſanat, & quæ in profundo ſunt, ceteriſq; reſinis magis attrahit.8°.de ſimp.me.fac. 5ª.59.F
Reſina terebinthina valet ad vlcera maligna.1°.de cōp.m.ꝑg. 5ª.217.D
Reſina terebinthina fricta.3°.de comp.me ſec.loc. 5ª.149.B
cū Reſinæ vſtæ parum habente cerato roſaceo roſa ſicca quando conferat ſtomacho.8°.de comp.me.ſec.loc. 5ª.192.H
Reſinæ vſtæ fit mentio.8°.de comp.me.ſec.loc. 5ª.196.E
Reſina congelatur.1°.de ſimp.me.fac. 5ª.5.B
Reſina habet quid mordax.1°.de comp.me.per ge. 5ª.213.G
Reſinæ omnes calefaciunt.1°.de comp.me.per ge. 5ª.210.C
Reſina calefacit, & exiccat.2°.de ſimp.me.fac.16.D|de compoſit.medica.per gene. 5ª.219.E
Reſina, & pix calefaciunt applicatæ parti.2°.de diff.feb. 3ª.41.A
Reſina ſi perungas membrum aliquod calefit, et in tumorem attollitur, & quare.2°.de diff.feb. 3ª.41.A
Reſina à calore extrinſeco in ſpiritū ſoluitur.cō.4°. aph. 70°. Ex.35.B
Reſina omnis efficaciter relaxat, & remollit.de ſimp.med. Sp.89.D
Reſinæ emolliunt.7°.de comp.me.per gen. 5ª.268.A
Reſina pro doloribus conuenit.in 6m.de morb.vul.com.6°. 3ª.196.B
Reſina concoquit.intro.Iſa.58.B|de oculis. 7ª.188.E
Reſina quomodo mouet pus.5°.de ſimp.me.fac. 5ª.34.C
Reſina propter quid ponitur in medicamentis ad vlcera. 4°. de compo. medica.per genera. 5ª.237.H
Reſigna glutinatoria eſt in corporibus admodum ſiccis, quæ vulnus habent aut ſinum.6°.de ſimp.me.fac. 5ª.42.E
Reſinæ in vlceribus vitandæ.4°.de compoſi.med.per gen.5ª. 236.H|3°. methodi medendi. 7ª.21.C
Reſina, & pix paulum excedunt ceram.5°.de ſimp.me.fac. 5ª.34.C
Reſinæ, & ceræ in quo emplaſtro non debet eſſe æqualis portio.1°.de cōpoſi.med.per gen. 5ª.215.D
ex Reſina, æſypo, & cera cerata qualia.7°.de cōp.me.per ge.5ª.264.E
Reſinæ cur ponantur in medicamenta.3°.de cōp.me.per gen. 5ª.230.E
Reſina cur adiūcta medicamēto.3°.de cōp.m.ꝑgen.223.C|4°. 5ª.241.G
Reſina cur ponitur in medicamento, & cur liquida. 1°. de compoſitione medica.per gene. 5ª.213.G
Reſinæ omnes agglutinant medicamenta humiditate, & viſcoſitate.4°. de compoſi.med.per gene. 5ª.240.A
Reſina cōmoda ꝑ ceratis et malagmatibus.9°.de cōp.m.ſe.lo.5ª.198.D
Reſina ad emplaſtropæiam facit.6°.de comp.me.per gen. 5ª.258.B
Reſina ponitur pro forma emplaſtri in emplaſtris . de compoſitio. med. per genera. 5ª.246.B
Reſinæ quæ debent poni in emplaſtris.1°.de comp.me.per gen. 5ª.213.H
Reſina nō eſt emplaſtica, & qualis ſit.6°.de comp.me.per ge. 5ª.255.D
Reſina quid faciat in vnguentis.4°.de ſan.tu. 2ª.87.B
Reſinæ doſis in vnguentis.4°.de ſan.tu. 2ª.87.B
ex Reſina, pice, & terebinthina, adipe leonino, atq; taurino medicamē tum.2°.de arte cura.ad Glau. 7ª.104.H
Reſina non poteſt oſtendi in tetrapharmaco , tamen propter hoc non eſt dicendum quod non inſit.de nat.hu.com.1°. 1ª.27.B
ex Reſina, & pice inunctio.de præcog.ad Poſth. 4ª.217.G
ex Reſinis medicamentū qđ hēt vim euaporandi.4°.de ſan.tu. 2ª.87.C
Reſina vinis immittitur, ne aceſcant.2°.de ali.fac. 2ª.18.E
Reſinam omnem excedit propolis pinguis. 3°. de compoſitione medica. per genera. 5ª.230.E
Reſinæ quæ in defectu aliarum ſumuntur.4°.de ſan.tu. 2ª.87.C
ꝑ Reſina melle quando vtendum.de arti.com.2°. 7ª.267.A
ꝑ RESOLVENDA materia quando caput dolet, quę capitis facienda 1°.de arte cura.ad Glau. 7ª.100.B
ꝑ Reſoluenda materia pituitoſa fomentum ex aqua, & aceto conuenit. 14°.meth.med. 7ª.87.F
ad Reſoluendum.2°.de comp.me.per gen. 5ª.222.G
RESOLVENTIA adhibentur poſt reprimentia in phlegmone.de opt.ſect. Iſa.22.D
Reſoluens compoſitio corruptas humiditates.ſecretorum. Sp.101.H
Reſoluens phlegma à ſtomacho & in iuncturis cōpoſitio.ſecr. Sp.101.H
RESOLVI de quibus dicatur.2°.de ſan.tu. 2ª.72.F
Reſoluit althea.2°.de arte cura.ad Glau. 7ª.105.F
Reſoluit fortiter draconty radix.2°.de art.cur.ad Glau. 7ª.105.F
Reſoluit febris phlegma.com.6°.aph.51°. Ex.52.H
Reſoluit plurimū hordeacea farina.2°.de arte cur.ad Glau. 7ª.105.F
RESOLVATVR aduſtione lentus humor ſi medicamentis non poteſt de artic.com.3°. 7ª.276.C
qñ Reſoluitur tumor, ne aliquid duri remaneat, quid agendū. 2°.de arte cura.ad Glau. 7ª.105.F
Reſoluantur quibus vires.10°.met.me.62.B|11°.met.me. 7ª.77.D
Reſoluantur qui ægri, niſi frequentius nutriantur.11°.met.me. 7ª.77.F
Reſoluuntur partes inferiores ſpinali medulla affecta in vertebra. 1°.de locis affectis. 4ª.7.E
Reſoluitur interdum totum crus.3°.de loc.aff. 4ª.20.H
Reſoluuntur cum fracturæ à medicis aqua calida perfunduntur. de yſ, quæ in med.fiunt, com.3°. 7ª.215.F
RESOLVTIO quæ ſit ſecundum quoſdam philoſophos.de cuiuſq; animi.pecc.not.atq; med. 2ª.58.A
Reſolutione quæ inueniantur.de cuiuſq; ani.pec.not.atq; me. 2ª.58.C
ex Reſolutione domus cognoſcitur ab eo, qui illam vult accuratius cognoſcere qualis nam ſit.de conſt.ar. Iſa.36.G
in Reſolutione quod eſt vltimum, id eſt primū in curatione. 10°.methodi medendi. 7ª.70.D
de Reſolutione librum fecit Eraſiſtratus.in 1m.pror.comp.2°. 4ª.175.F
in RESOLVTIONE Tumoris quæ addenda. 2°.de arte cura ad Glauconenm. 7ª.105.E
in Reſolutionibus duritierum ꝙ mollientia ſemper miſcenda.2°.de arte curatiua ad Glauconem. 7ª.105.F
Reſolutio neruorum quæ propria.3°.de loc.aff. 4ª.21.C
Reſolutio, palpitatio, & conuulſio noxæ ſunt inſtrorū.de palp. 3ª.53.C
Reſolutiones affectus ſunt frigiditate vincente.de palp. 3ª.54.D
Reſolutio neruorū eſt volūtariæ potentiæ leſio.2°.de ſymp.cauſ.3ª.19.G
Reſolutiones ex Apoplexia in partem aliquam decūbētes paraplexias vocat Hippo.ſm Galenum.in 3m.de morb.vulg.com.2°. 3ª.113.D
in Reſolutionem membri paraplegia decumbit.in 1m.de morbis vulgaribus.com.2°. 3ª.112.G
inter Reſolutionem & integram valetudinem media eſt ſtuporis diſpoſitio.2°.de loc.aff. 4ª.8.H
Reſolutionis cā vt in pueris eſt ſubſtantia mollis, & humida ita in regionibus & anni tēporibus res ſe habet.de vict.ra.ī m.ac.c.1°.7ª.115.F
Reſolutio poteſt fieri ab intemperie.3°.de loc.aff. 4ª.20.B
in Reſolutionibus cur tremor.fiat.de palp. 3ª.51.F
Reſolutio ē vna ſpēs vlcerationis ī oculis ſine pcuſſione.ſi.me. Iſa.48.D
Reſolutiòne quomdo infeſtatur facies.3°.de lo. aff. 4ª.21.A
Reſolutiones ſepe curauit Theriaca.de theria.ad Piſo. 5ª.96.D
ad Reſolutionē neruorum prius tentatos Baſſi pharmacum.7°.de compoſi.med.per genera. 5ª.270.E
Reſolutionibus diutinis acopon bonum.10°.de comp.me.ſec.lo. 5ª.215.C
ad Reſolutionē neruorū viride Acopon.7°.de cōp.me.ꝑge. 5ª.273.B
ad Reſolutiones.10°.de comp.me.ſec.loc. 5ª.208.G
RESOLVTORIA via admirabilis eſt.de cuiuſ.ani.pec. 2ª.58.F
Reſolutoriæ facultatis præſtātia.de cuiuſq; aī pec.not.atq;.m. 2ª.58.G
Reſolutoria ſpeculatio diſtinguitur à Dialectica.1°.met.me. 7ª.4.G
Reſolutoria ſecūda dicuntur libri poſteriorum.2°.de dec.134.E|1ª.235.D
Reſolutoria nō ſolus Ariſt.ſcripſit, ſed multi aly.2°.de decr. 1ª.235.D
RESOLVTIS purgatio ſiſtenda eſt.præſ.exper.conf. Sp.78.C
Reſoluta frigida ſunt omnia.de palp. 3ª.53.D

Reſolutæ particulæ tamen ſentiunt.1°.de ſymp.cauſ. 3ª.16.E
q̃n Reſoluta eſt dimidia pars vniuerſi corporis,remedia primis vertebris adhibenda.3°.de loc.aff. 4ª.17.C
Reſoluti in omnibus partibus,præter quàm in facie,& reſpiratione,caſus.3°.de loc.aff. 4ª.21.B
Reſoluti in oĩbus partibus,dẽptis manibus,caſus.3°.de loc.af. 4ª.21.B
Reſoluta in qua angina manus.4°.de loc.aff. 4ª.24.C
*Reſoluta crura ſanata p̄ medicamẽtũ aptatũ lũbis.4°.de de l.a.*4ª.24.C
Reſoluta non ſemper ſunt crura ob ſpinam.5°.de lo.aff. 4ª.35.C
vt Reſoluta manus,& crura iactare quid ſignificet.de ijs,quæ in medicat.fiunt,com.1°. 7ª.198.B
Reſoluto ani muſculo de repente circa ſedem pueri inuitus exercuit,caſus.1°.de loc.aff. 4ª.7.H
in Reſolutis valet coſtum.7°.de ſimp.me.fac. 5ª.52.F
Reſolutos adiuuat Pyrethrum.8°.de ſimp.me.fac. 5ª.59.D
ad Reſolutos paralyſi Aſter appellata confectio.7°.de compo.medica.ſecundum locos. 5ª.185.A
RESPIRANDI *primum inſtrumentum naſus.11°.de vſu par.*1ª.188.F
Reſpirandi ſecundum inſtrumentum os quando naſus eſt affectus.11°.de vſu partium. 1ª.188.F
Reſpirandi grauitas in dextra præcordiorum parte quid ſignificet.2°.de locis affectis. 4ª.12.H
RESPIRANS *minusq́, oportet non poteſt per minimam diei partem viuere.1°.de diff.reſp.* 3ª.60.B
Reſpirãtes ſi habẽt diſpõnẽ,qualẽ flẽtes,q̃d ſit.cõ.6°.aph.54°. Ex.53.D
Reſpirantibus piſcibus ſatis eſt paucus vapor.de ana.viu. Sp.48.C
RESPIRATIO *tota quandoq; vocatur ſpiritus.de victus ratione in morbis acutis.com.1°.* 7ª.113.G
p̄ Reſpiratione ſpiritus ſumitur ab Hippocrate.in 6ᵐ.de morb.vulga.commentario.4°. 3ª.79.H
Reſpiratio quid ſit.fin.med.Iſa.44.G/8°.de dec.Hipp.1ª.278.C/de ſal.die.2ª.40.B/6°.de loc.aff. 4ª.39.F
Reſpiratio,& inſpiratio quomodo differant.in tim.Plat. 1ª.289.E
Reſpiratio eſt animæ g̃natio ſ̃m Aſclepiadem.de vti.reſp. 1ª.223.B
Reſpiratio eſt corroboratio quædã ſ̃m Praxagorã.de vti.reſp. 1ª.223.C
Reſpiratio eſt innati caloris ventilatio ſecundum Philiſtionem,& Dioclem.de vtilitate reſpirationis. 1ª.223.C
Reſpiratio eſt nutritio,& refrigeratio ſ̃m Hippo.de vtil. 1ª.223.C
Reſpiratio naturale opus eſt,non animale.8°.de ana.adm. 1ª.99.F
Reſpiratio eſt motus voluntarius.2°.de mot.muſc. 1ª.314.H
Reſpiratio eſt noſtra actio ſemper ſeruiens voluntati animalis.7°.de vſu partium. 1ª.159.G
Reſpirationem nemo poteſt cohibere [ex quo elice non eſſe motum voluntarium] com.3°.aph.23°. Ex.24.H
*Reſpirationẽ ſponte continens ſeruus mortuus eſt.2°.de mo.mu.*1ª.315.D
Reſpiratio actio eſt compoſita.introd. Iſa.55.C
Reſpiratio à quibus fiat,& quomodo.8°.de decr.Hipp. 1ª.278.C
Reſpiratio quo modo fiat.de hiſt.philo. Sp.10.A
Reſpiratio,& inſpiratio quo modo fiant.de vtil.reſp. Sp.63.H
Reſpiratio,& diſſlatio vnde.in 6ᵐ.de morb.vul.com.5°. 3ª.185.E
Reſpiratio per totum corpus propter quid effecta.in 6ᵐ.de mor.vulga.commentario.6°. 3ª.195.E
Reſpiratio refertur ad vitam.de vtil.reſp. 1ª.223.B
Reſpiratione aereã igneãq; ſubſtantiam tuemur.1°.de ſan.tu .2ª.62.G
ex Reſpiratione,& pulſu nutritio fit ſp̃us aĩalis.de vſu pul. 1ª.228.D
Reſpiratio an nutriat ſpiritum animalem.de vtil.reſp. 1ª.225.G
in Reſpiratione q̃uo ſe habeant cor,& arteriæ.8°.de decr. 1ª.278.D
Reſpiratio fit propter cor,ſed non ab illo.2°.de dec.Hipp. 1ª.237.A
Reſpirationem à corde fieri demonſtrantes quo modo errent.2°.de decretis Hippocratis. 1ª.237.B
Reſpiratione quantum indiget cor.de vtil.reſp. 1ª.226.B
Reſpiratio quod dat cordi,id dat calori,qui in toto eſt animali pulſus.de vſu pulſuum. 1ª.228.D
Reſpiratio,& pulſus quæ habent communia.1°.de diff.reſp. 3ª.57.H
Reſpiratio quo modo differt à pulſu.4°.de pulſ.diff. 4ª.67.A
in Reſpirationibus apparet in hoĩe elemẽtũ aereũ.8°.de decr. 1ª.275.D
Reſpiratio,& pulſus non poſſunt in totũ perire.1°.de diff.reſp. 3ª.58.E
Reſpirationis actio,an ſp̃us attractio,& redditio.de vſu pulſ. 1ª.229.A
ex Reſpiratione vtilitatis capita.7°.de vſu par. 1ª.163.F
ſine Reſpiratione animal viuere non poteſt.4°.de loc.aff. 4ª.27.D
Reſpiratio q̃uo vrgeat nos operari ſ̃m ipſam.2°.de motu mu. 1ª.315.E
Reſpiratio quo modo percipiatur in ægro.3°.de diff.reſp. 3ª.74.D
Reſpirationes Aetatum quæ.1°.de diff.reſp. 3ª.58.C
Reſpiratio in Angina quæ.in 3ᵐ.de mor.vul.com.2°. 3ª.136.C
Reſpiratio in aqua intercute qualis.1°.de diff.resp. 3ª.59.C
Reſpiratio ob Ardorem cordis qualis g̃netur.1°.de diff.resp. 3ª.59.A
Reſpiratio ex Balneis tum calidis tũ frigidis qualis.1°.de diff. 3ª.58.D
Reſpiratio Bilis vbi ſit.de ana.viu. Sp.45.F
Reſpirationem qualẽ faciunt Calor,& frigus.2°.de diff.resp. 3ª.65.C
Reſpiratio quomodo ſe habet caliditate abundante,& frigiditate.1°.de difficulta.respi. 3ª.58.C
*in Reſpiratione,& pulſu caliditas acuta quid faciat.1°.de diff.*3ª.58.A
in Reſpiratione caliditas ĩminuta quid faciat.1°.de diff.resp. 3ª.58.B
Reſpirationem quã faciat fumoſa caliditas.1°.de diff.resp. 3ª.62.A
Reſpirationis Cauſæ.1°.de diff.resp. 3ª.57.D
Reſpirationis cauſæ tres in genere.de cauſ.resp. 1ª.226.H
Reſpirationis tria principalia ſunt cauſarũ g̃na.1°.de diff.resp. 3ª.62.G
Reſpirationis cauſam efficientem qui deprǽhendit,differentiam offenſionis cognoſcit,& curandi modum.de cauſ.reſp. 1ª.226.G
Reſpirationis cauſæ quæ priores.de cauſ.reſp. 1ª.226.H
Reſpirationis celeris eadem ratio quæ in pulſu.1°.de cau.pul. 4ª.88.G
Reſpirationem celeriorem,frequentiorem,& maiorem qui habeant.de vſu pulſuum. 1ª.227.F
in Reſpiratione ceſſatio duplex.1°.de diff.resp. 3ª.63.A
Reſpiratio Deficiẽs ſuffocationẽ ĩdicat.ĩ 3ᵐ.de mor.vul.cõ.2°. 3ª.136.C
Reſpiratio Deliriorum qualis apud Hippocra.2°.de diff.resp. 3ª.64.H
Reſpiratio in delirijs qualis.1°.de diff.resp. 3ª.61.G
Reſpiratio propria in delirijs magna ac rara.1°.de diff.resp. 3ª.62.G
Reſpiratio Denſa quid ſignificet.1°.de diff.resp. 3ª.62.D
Reſpirationis Differentiæ quot ſint.3°.de diff.resp. 3ª.70.B
Reſpirationum tot ſunt differentiæ,quot pulſuum inæqualium.1°.de difcultat.respirationum. 3ª.60.G
Reſpirationis difficultates ſ̃m Hippocrat.quæ.3°.de diffe. 3ª.68.F
Reſpirationis læſio eſt reſpirandi difficultas.1°.de diff.resp. 3ª.56.F
Reſpirandi difficultas in quibus conſiſtat.1°.de diff.resp. 3ª.56.G
Reſpirationis difficultas ſimplex quæ.1°.de diff.resp. 3ª.56.H
Reſpirationis difficultas compoſita quæ.1°.de diff.resp. 3ª.56.H
Reſpirationis difficultas ob ardorem qualem efficiat ſpiritum.1°.de difficulta.respira. 3ª.59.A
Reſpiratio difficilis ob dolorem,& ardorem.1°.de diff.resp. 3ª.59.A
Reſpirationis difficultas ex frigore qualem ſpiritum efficiat.1°.de difficulta.respi. 3ª.59.A
Reſpirationis vna ſola difficultas iuxta raritatem,& denſitatẽ in Ceſſationibus.1°.de diff.respira. 3ª.60.F
de Reſpirandi difficultatibus compoſitis.1°.de diff.resp. 3ª.60.F
Reſpiratio cur hominibus difficilis ſit,præcipue gibbis ante pubertatẽ.com.6°.aph.46°. Ex.51.H
Reſpiratio in affectibus cum Dolore qualis.1°.de diff.resp. 3ª.59.F
Reſpirationem qualem faciunt dolor,& delirium quando iunguntur.2°.de diff.resp. 3ª.65.E
Reſpiratio propria dolorum,parua,& denſa.1°.de diff.resp. 3ª.62.G
Reſpirationem quam faciat in organis dolor.1°.de diffi.resp. 3ª.61.G
Reſpiratio Exercitatorum quæ.1°.de diff.resp. 3ª.58.D
Reſpiratio cur ampla & vehemens fiat in exercitationibus.de vtilitate reſpirationis. 1ª.225.E
Reſpiratio in febribus & morbis qualis.1°.de diff.resp. 3ª.58.E
Reſpiratio in febribus vrentibus qualis.de vſu pul. 1ª.227.F
Reſpiratio cur ampla & frequens fiat in febribus æſtuoſis.de vtilitate reſpirationis. 1ª.225.F
Reſpiratio offendens in febribus conuulſionem ſignificat.commentario.4°.aphoriſmo.68°. Ex.34.G
in Reſpiratione frequenti quæ partes exſiccentur.de vict.rat.in morb.acutis.commen.1°. 7ª.113.G
Reſpiratio frequens quid ſignificet.4°.de loc.affe. 4ª.27.C
Reſpirationem quam faciant hepatis,splenis,& coli tumores.1°.de difficulta.reſpirationibus. 3ª.59.C
Reſpirationes propriæ Humorum.de nat.& ord.cuiusl.cor. Sp.41.E
Reſpiratio Ignauorum qualis.1°.de diff.resp. 3ª.61.B
Reſpiratio ſimpl'r duplices habet Immoderantias.1°.de dif.re. 3ª.56.G
Reſpiratio inæqualis quo modo fiat.1°.de diff.resp. 3ª.61.C
Reſpirationis,& pulſus inequalitates vnde.1°.de diff.resp. 3ª.60.H
Reſpiratio eximium quiddam habet inæqualitatis generationem præter pulſuum rationem.1°.de diff.resp. 3ª.61.D
Reſpirationis inæqualitas ob deliria quæ et qualis.1°.d̃ dif.r. 3ª.61.D/E

Reſpirationis inæqualitas ex doloribus qualis.1°.de diff.reſp. 3ª.61.E
Reſpiratio iratorum qualis.3°.de diff.reſp. 3ª.74.B
Reſpiratio Laborioſorum qualis.1°.de diff.reſp. 3ª.61.B
Reſpiratio qualis ſi ea affuerint propter quæ ſæpe tum in poſteriorem, tum anteriorem partem luxantur quæ circa ſpinam ſunt, & in obliquum etiam torquentur.1°.de diff.reſp. 3ª.59.D
Reſpirationis magnitudo, & velocitas vnde.1°.de diff.reſp. 3ª.58.A
Reſpirationis magnitudo per ſe quædam eſt reſpirandi difficultas, & quæ.1°.de diff.reſp. 3ª.62.D
Reſpiratio magna, & frequens neceſſario ſequitur ad caloris multitudinem.de vtilitate reſpirationis. 1ª.225.F
Reſpiratio magna, & parua reſpiratio differunt iuxta quantitatem diſtinctionis organorum reſpirationis.1°.de diff.reſp. 3ª.57.A
Reſpirationum magnarum differentia quæ.4°.de loc.aff. 4ª.27.C
Reſpirationis magnæ duæ differentiæ.4°.de loc.aff. 4ª.27.B
Reſpiratio maior & denſior eſt in calidis.de vtil.reſp. 1ª.225.G
Reſpiratio in Mente captis qualis. 1°.de diff.reſp.60.B/ 3ª.62.F
Reſpiratio Minor eſt crebrior.de vſu pulſ. 1ª.227.F
Reſpiratio minor & frequentior, idem valet quod maior infrequentior. de vſu pulſuum. 1ª.227.G
de Reſpirationis Motu qui notior viſus eſt veteribus.de motibus manifeſtis & obſcuris. Sp.66.H
Reſpiratio habet duplicem motum, inſpirationem, quæ eſt tractio ſpiritus ad interiora, & expirationem, quæ eſt motus ſpirituum ad exteriora, com.4°.aph.68°. Ex.34.G
p Reſpirationem motus ſufflando accenditur.de vtil.reſp. 3ª.224.A
Reſpirationis in motu læſiones.5°.de diff.reſp. 3ª.57.D
Reſpiratio Multa, aut modica ob ſpatium dicitur.1°.de dif.reſp. 3ª.57.A
Reſpiratio, & pulſus Mutantur eiſdem cauſis.de vſu pulſ. 1ª.227.G
Reſpiratio à quibus mutatur.de vtil.reſp. 1ª.225.G
Reſpirare ſummis Naribus, quid.in 3m.de mor.vul.com.2°. 3ª.136.A
Reſpiratio per nares & os.in tim.Plat. 1ª.288.G
ad Reſpirationem multa Organa neceſſaria.de cauſ.pulſ. 1ª.226.B
Reſpirationis organa cerebri, cordis, et totius corporis.de vti.re. 1ª.226.C
in Reſpiratione quibus aſſimilentur cor, pulmones, & ſanguis. de vtilitate reſpirationis. 1ª.224.H
Reſpirationis organum quod.7°.de vſu par. 1ª.158.A
Reſpirationis organorum qualitas. de compag.memb. Sp.58.F
Reſpiratio per quas partes fit.7°.de vſu par. 1ª.158.H
ad Reſpirationem primum mouet vis animalis.1°.de diff.reſp. 3ª.61.B
in Reſpiratione quid agat voluntas.de cauſ.reſp. 1ª.226.H
in Reſpiratione voluntas ſimilis eſt equiti.de cau.reſp. 1ª.227.B
Reſpirationi duæ ſunt ſeruientes partes.4°.de præſag.exp. 4ª.119.F
in Reſpiratione quæ partes moueant.de vi.ra.in mor.ac.c.1°. 7ª.113.G
Reſpirationis proprium organum quod.5°.de loc.aff. 4ª.29.F
Reſpirationis organum principaliſſimum qd.2°.de diff.reſp. 3ª.67.G
Reſpirationis principale organum ſolum eſt diaphragma.de vtilitate reſpirationis. Sp.64.A
Reſpirationis organum eſt ſeptum tranſuerſum.de cauſ.reſp. 1ª.226.H/ de vtilitate reſpirationis. Sp.63.F
Reſpiratio fit à phrenis, & thoracis muſculis.2°.de mot.mu. 1ª.314.H
Reſpirationis, & vocis organum pharynx.8°.de vſu par. 1ª.165.B
Reſpirationis organum eſt Thorax poſt partũ.1°.de ſemine. 1ª.331.D
Reſpiratorium organum eſt thorax.1°.de diff.reſp. 3ª.58.G
Reſpiratio in Thoracis pulſibus motus naturalis eſt.de ijs, quæ in med. ſi.commenta.3°. 7ª.222.D
Reſpirationis organum eſt thorax, vt pulmones qui in eo continentur. 13°.de vſu partium. 1ª.202.C
Reſpirationem per thoracem efficit cerebrum.4°.de loc.aff. 4ª.27.E
Reſpirationis organum ſunt pulmones.6°.de vſu par. 1ª.148.A
in Reſpiratione quid agant pulmones.de cauſ.reſp. 1ª.226.H
Reſpirationi muſculi ſubſeruientes viginti duo.de cauſ.reſp. 1ª.226.H
Reſpirationis opifices ſunt muſculi.5°.de ana.adm. 1ª.86.C
in Reſpiratione muſculi ſimiles equis.de cauſ.reſp. 1ª.227.B
Reſpirationem prohibentes muſculi.de voc.inſt.diff. 1ª.107.F
de Reſpirationis neruis.de cauſ.reſp. 1ª.227.B
in Reſpiratione nerui ſimiles habenis.de cauſ.reſp. 1ª.227.B
Reſpirationem quam, & quomodo faciant organorum affectiones præter dolorem.1°.de diff.reſp. 3ª.59.B
Reſpiratio ob organorum affectus qualis.1°.de diff.reſp. 3ª.59.C
Reſpiratio qualis ſit quando affectus principio propinquus eſt.1°.de dif. reſpirat. 3ª.59.C
Reſpirationis organa à frigore, et hyeme læduntur.c. 3°.aph.23°. Ex.24.H
Reſpirationi ſeruientium partium paſſio, ſpirandi difficultatem facit.commen.4°.aph.50°. Ex.33.C
Reſpirationi ſeruientia organa intemperata faciunt ſiccam tuſſim. commen.4°.aph.54°. Ex.33.E
Reſpirationis organa patiuntur patiente hepate, & ècontra.commenta. 6°.aphoriſmo.16°. Ex.47.G
Reſpirationis organorum laborem cur ſpiritus frequens ſignificet. 4°. de locis affectis. 4ª.27.D
Reſpiratio in Orthopnea qualis.1°.de diff.reſp. 3ª.59.D
Reſpirationis partes quatuor.de cau.reſp. 1ª.227.A
Reſpirationis partes quæ.3°.de diff.reſp. 3ª.70.A
Reſpirationis duæ ſunt ptes inſpiratio, et expiratio.1°.de diff.re. 3ª.56.H
Reſpirationis Paruitas, velocitas, & denſitas quibus mutentur de cauſis.1°.de diff.reſp. 3ª.59.E
Reſpiratio parua cur.de vict.rat.in morb.acut.com.4°. 7ª.139.B
Reſpirationem paruam, tardam, ac raram creat frigida intemperies non aliter, atq; pulſus.4°.de præſag. ex pulſ. 4ª.119.H
Reſpirationis paruitas quid ſignificet.1°.de diff.reſp. 3ª.62.D
Reſpiratio parua, & frequens in quibus ſit.de vtil.reſp. 1ª.225.G
in Reſpirationibus paruis quo neruo aĩal vtatur.8°.de ana.ad. 1ª.101.D
Reſpiratio in peripneumonia & ſuppuratione qualis.in 3m.de morb.vulgaribus, commenta.2°. 3ª.136.A
Reſpirationem qualem habet Pleuritis pernitioſa.1°.de dif.re. 3ª.60.H
Reſpiratio cur minor, & rarior in puberibus.de vtil.reſp. 1ª.225.F
Reſpiratione Pueri cur excellant.de vſu pul. 1ª.229.E
Reſpiratio cur ampla & frequens ſit in pueris.de vtil. reſp. 1ª.225.F
Reſpirationem quã faciant affectus Pulmonici, & peripneumonici.1°. de diff.reſpira. 3ª.59.D
Reſpiratio Quieſcentium quæ.1°.de diff.reſp. 3ª.58.D
in Reſpiratione quies duplex.4°.de pul.diff. 4ª.66.H
Reſpirationis in quiete læſiones.1°.de diff.reſp. 3ª.57.D
Reſpirationem Rariorem, tardiorem, ac minorem habent algentes. de vſu pulſuum. 1ª.227.F
Reſpirationis raritas, & denſitas in quo cõſiſtãt.1°.de dif.re. 3ª.57.A
Reſpiratio rara crebra vnde appellentur.4°.de dif.pulſ. 4ª.66.H
Reſpiratio rara, quid ſignificet.1°.de difficultate reſpirationis. 3ª. 62.D/ 4°.de loc.affe. 4ª.27.C
Reſpiratio Repletionis immodicæ quæ.de vſu pulſ. 1ª.227.F
in Reſpiratione Rythmus quid.1°.de diff.reſp. 3ª.62.B
Reſpiratio in Somnis conſideranda & quare.1°.de diff.reſp. 3ª.38.D
Reſpiratio qualis, quãdo periculum imminet ne animal ſuffocetur.1°. de difficul.reſpirationis. 3ª.61.F
Reſpiratio Suppuratorum qualis.1°.de diff.reſp. 3ª.59.E
Reſpirent quomodo ſuſpirioſi.in 3m.de morb.vul.com.2°. 3ª.136.C
Reſpirationis Tarditas, & paruitas vnde.1°.de diff.reſp. 3ª.58.A
Reſpiratio tarda, & velox iuxta temporis quantitatem dicitur. 1°.de diff.reſpira. 3ª.56.A
Reſpirationes Thoracis coarctati quales.1°.de diff. reſp. 3ª.59.D
Reſpiratio Vtero geſtantium qualis.1°.de diff.reſp. 3ª.59.C
Reſpirationis Vtilitas maxima.de vti reſp. 1ª.226.E
Reſpirationis vſus qui.7°.de vſu partium.159. D/ de vtil. reſp. 1ª. 226. D/1°.de diff.reſp. 3ª.57.E
Reſpirationis, & pulſus eundem eſſe vſum medici omnes, & Philoſophi putant.de vſu pulſ. 1ª.227.B
Reſpirationis & pulſus vnus vſus, & finis.de vſu pulſ. 1ª.228.D
Reſpirationis, & pulſus quod non eſt idem vſus.de vſu pulſ. 1ª.227.C
Reſpiratio propter quid comparata à natura.in 6m. de morb. vulgarib. commentario.5°. 3ª.188.E
Reſpirationis vſus duplex.de vſu pulſ. 1ª.227.G
Reſpirationis vtilitas ad ventilationem facit.11°.met.me. 7ª.68.G
Reſpiratio fit propter cor.6°.de vſu.par. 1ª.148.B
Reſpiratione ſola ſeruatur cordis calor.de vſu pulſ. 1ª.228.C
Reſpiratio eſt inſtituta vt cordis calor in quadam moderatione ſeruetur. de inſtrum.odor. 1ª.112.E
Reſpiratio moderatur caliditatem ingenitam.in 6m. de morbis vulgari, commenta.5°. 3ª.190.B
Reſpiratio fit gratia frigerationis.de vtil.reſp. 1ª.224.D
p Reſpirationem dupliciter frigeſcit cor.8°.de vſu par. 1ª.165.E
Reſpirationis vtilitas extremum eſt votum.de vtil.reſp. 1ª.227.B
de Reſpirationis vſu duæ finiæ, quorũ alia ad ſubſtantiam aeris qui inſpiratur, alia ad qualitatem reſpicit.de vtilitate reſp. 1ª.223.D

circa Reſpirationem

circa Reſpirationem errores vnde procedant.2°.de diff.reſp. 3ª.64.F
Reſpiratio læditur ex ſpinæ affectu, thorace nihil laborante.5°. de locis affectis. 4ª.29.F
Reſpiratione quot modis priuatur cor.de fœt.for. 1ª.324.H
Reſpirationem nõ priuat arteria ſecta ſed obeſt voci.1°.de lo.af.4ª.7.A
Reſpiratio demitur ex vulnere facto in vtraq; thoracis parte.6°.de vſu partium. 1ª.148.C
in Reſpirationis priuatione cur animal pereat.de victus ratione in morbis acutis,commen.4°. 7ª.139.C
Reſpiratio quo modo reſtituatur.8°.de anat.adm. 1ª.100.D
ad RESPIRATORIORVM organorum motum,quæ membra mouẽtur.1°.de diffe.reſp. 3ª.59.H
RESPIRATVS, & odoratus facultatem habet naſus.1°. de ſymptomatum cauſis. 3ª.15.H
Reſpiratum quid vocat Galenus.de ſymp.diff. 4ª.13.C
Reſpiratæ ſubſtantiæ ꝓ cura habenda.11°.met.me. 7ª.77.E
RESPIRARE nuſquam à quoquam diſcimus, ſed ſtatim à principio in nobis facultates habemus quæ hoc perficiũt.1°.de ſan.tu. 2ª.62.G
Reſpirant propter quid animalia.de vtil.reſp. 1ª.225.A
an Reſpirant animalia, quæ degunt in cauernis.4°.de loc.affe. 4ª.27.D
Reſpirant vaporem per branchias delphinus,lepus marinus, et animalia alia,quæ ſunt cõmunia terræ, & mari quæ arabice cenalia dicuntur,& piſces.de ana.viu. Sp.48.C
Reſpirare,& trãſglutire non fiunt eodẽ tẽpore.7°.de vſu par. 1ª.158.D
Reſpirant difficulter plures ægri,prope iudicationem vt plurimum.commenta.4°.apho.71°. Ex.35.C
Reſpirent quo pacto qui ſuffocantur.in 1m.pror.com.2°. 4ª.176.C
RESPONDET qui modeſte,& eſt ferox, in quem morbum ſperetur eum venturum eſſe.in 1m.pror.com.2°. 4ª.170.C
RESPONSIONIS velocitas ſequitur ad dominiũ bilis. de anatomia uiuorum. Sp.45.F
Reſponſionis taciturnitas ſequitur ad dominium phlegmatis. de anatomia viuorum. Sp.45.G
Reſponſio ferox in hõie modeſto malum.in 1m.pror.cõ.2°. 4ª.170.C
RESPVERE quid ſignificat.3°.de dec.Hippo. 1ª.244.G
ad RESTAVRANDAM carnem,pix optima.14°.met.me. 7ª.91.F
RESTAVRATIO duplex.1°.de elemen. 1ª.7.B
Reſtauratio circumtendit cutim,poſtea laxat.in 6m.de morbis vulgaribus,commentario.3°. 3ª.177.A
RESTAVRATORES oſſium ignari tempore Galeni.de articulis,cõmentario.1°. 7ª.256.B
RESTAVRATIS cibo corpus ſanguinoſius redditur.in 6m.de morbis vulgaribus,commenta.3°. 3ª.177.B
Reſtaurati eſt ſubruber color.in 6m.de morb.vulg.com.3°. 3ª.177.B
Reſtaurari minime corpora etiã ſi bene cibẽtur.cõ.2°.aph.31°.Ex.16.H
Reſtaurare ex additione quid ſit.de fract.com.1°. 7ª.230.G
RESTITVI quæ non poſſunt.14°.met.me. 7ª.93.B
RESTITVTIO quid.fin.med. Iſa.50.C
RESTRINGENTIA fluxum quæ.de remed.par.fac. 7ª.156.F
Reſtringentia non deleteria quæ.7°.ſimp.ma.fac. 5ª.56.E
RESTRINGIT dentes agitatos gagates lapis.de ſim.me. Sp.86.G
RESVMPTIVA pars eſt medicinæ ſalubris.de ſub.emp. Iſa.32.A
Reſumptiua,& geroco mica medicę artis partes.de par.ar.m.Sp.18.A
ex RESVPINANTIVM genere eſt vomitus.8°. de comp. medicam. ſecundum locos. 5ª.196.H
RESVPINATIO quid ſit.de fracturis.com.2°. 7ª.235.B
RETARDATIONIS motum in lingua qui muſculi faciant. de anatomia viuorum. Sp.49.C
RETIBIS & hamo piſces captans ars inter acquiſititias numeratur. ad Thraſybulum. 2ª.106.D
RETE quæ in oculo.de ocul. 7ª.183.A
RETE mirabile non eſt ſimplex rete.9°.de vſu par. 1ª.172.C
Rete mirabile ex quo fit.de ve.art.diſ.59.B/9°.de vſu par. 1ª.172.C
Rete mirabile vnde naſcatur.de ocul. 7ª.183.G
Rete mirabile arteriam habet ſine vena.de ven.art.diff. 1ª.59.H
in Rete mirabili belle cõficitur ſpiritus,et qũo.9°.de vſu par. 1ª.172.G
RETENTIO eſt motus naturalis.de ana.viu. Sp.44.G
Retentio,& attractio nodi gutturis vnde ſit.de mot.mu.et ob. Sp.70.F
in Retentione anhelitus clauditur cooperculum epiglotidis. de voc. & anhelitu. Sp.61.C
Retentioni tranſpirabilium quid contrarietur.10°.meth.me. 7ª.71.D
Retentio tranſpirabilis excrementi ſymptoma, ſimul & cauſa eſt.10°. methodi medendi. 7ª.72.A
Retentio quomodo fiat.6°.de loc.aff. 4ª.41.G
Retentionis cauſæ contrariam cauſam adhibe.1°.de ſan.tu. 2ª.68.F
ad Retentionem vrinæ.ſecretorum. Sp.98.D
Retentio menſium vnde,& quot fiat cauſis.3°.de ſymp.cauſ. 3ª.29.F
ad Retentionem menſium,& dolores.ſecretorum. Sp.102.H
ad Retentionem menſtruorum.ſecretorum. Sp.99.B
RETENTIVA eſt potentia in omni particula corporis. commenta.1°. aphoriſmo.22°. Ex.10.C
Retẽtiua,& expulſiua quo mõ,et in quibus fiãt.c.2°.aph.20°.Ex.14.E
Retentiua vis oĩbus imbecillior eſt expultrice cur.de ſymp.cau.3ª.29.B
Retentiua virtus in iuuenibus fortis.com.2°.aph.20°. Ex.14.F
Retentiua fit humiditate debilior,& fortior ſiccitate. commentario.2°. aphoriſmo.20°. Ex.14.F
Retentiua eſt imbecillis in frigidioribus,& humidioribus inſtrumẽtis. 3°.de ſympmatum cauſis. 3ª.29.D
Retentiua vis fortis calidioribus,& ſiccioribus inſtrumentis eſt validior.3°.de ſymptomatum cauſis. 3ª.29.D
Retentiua potentia debilis & expulſiua fortis faciunt multa excernere com.2°.aph.20°. Ex.14.E
Retentiua potentia debilis facit leuitatem inteſtinorum,& quo modo cognoſcatur.com.6°.aph.1°. Ex.46.A
Retentiuæ virtutis veſicæ imbecillitas cauſa ſtillicidij vrinæ.commẽ.3°. aphoriſmo.16°. Ex.23.D
Retentiuam virtutem confortans medicamẽ.de med.exper. Sp.106.D
Retentiui villi ſunt in monoculo.de ana.viuo. Sp.44.H
RETENTRIX vis quæ.3°.de nat.fac. 1ª.302.F
Retentrix actio eſt naturalis.de nat.hum.com.2°. 7ª.182.F
Retentricem vim inueniendi methodus.3°.de nat.fac. 1ª.302.F
Retentrix vis eſt in ventriculo.3°.de nat.fac. 1ª.203.B
Retentricis vis ventriculi ſymptomata.3°.de ſymp.cauſ. 3ª.25.D
Retẽtrix vis clarius vr̃ in vtero,q̃ in vẽtriculo.3°.de nat.fac. 1ª.302.G
Retentricis virtutis vteri opus quod.3°.de nat.fac. 1ª.302.H
ꝓ Retentrix vis ſit in inteſtinis colligitur.6°.de loc.aff. 4ª.37.A
Retentricem vim habet veſica.1°.de criſi. 4ª.129.H
Retentrix vis in omni cauitate.3°.de nat.fac. 1ª.303.F
Retentrix vis neceſſaria eſt.3°.de nat.fac. 1ª.302.F
Retentricis facultatis finis.3°.de nat.fac. 1ª.303.H
Retentrix vis,& expultrix,quo modo ſe habent.5°.de loc.aff. 4ª.35.E
Retentrix vis cum agit quieſcit propultrix.3°.de nat.fac. 1ª.302.G
Retentrici cedit expulſoria,& è contra,quando eſt opus.3°. de naturalibus facultatibus. 1ª.302.H
Retentricis officium quod.5°.de loc.aff. 4ª.35.B
Retentrix ſibi trahit quod optimum eſt in cibis.3°.de nat.fac. 1ª.303.H
Retentrix vis diuturna eſt.3°.de ſymp.cauſ. 3ª.29.B
Retentrix,& expultrix fortiores in iuuenibus ſunt,quàm in pueris.3°. de ſymp.cauſ. 3ª.29.B
Retentrix vix imbecillior eſt in puero.3°.de ſymp.cauſ. 3ª.29.B
Retentricis imbecillitas quando fiat.de ſymp.diff. 3ª.12.D
Retentricis imbecillitas quid faciat.11°.met.me. 7ª.77.H
Retentricis facultatis priuatio quando contingit.de ſymp.diff. 3ª.12.D
Retentrix vis habet duo ſymptomata.de ſymp.diff. 3ª.12.B
Retentricis virtutis,& expultricis morbi,& ſymptomata ſimul miſcẽtur.3°.de ſymp.cauſ. 3ª.25.E
RETICVLARIS plexus vbi,& à quo fiat.7°.de decr. 1ª.269.D
Reticularis plexus cur in cerebro.7°.de decr.Hipp. 1ª.269.E
Reticularis plexus vtilitas.de vſu pulſ. 1ª.227.H
RETICVLATAM carnem eſſe pelliculis valde ſubtilibus, quæ à craſſis venis procedunt,& ab eis deportant ſubtilem ſanguinem ad nutrimentum carnis.de vtil.reſp. Sp.63.D
RETIFORMIS plexus qui, & vbi. 9°. de vſu partium.172.C/16°. 1ª.220.C
Retiformis plexus cur in loco tutiſſimo.16°.de vſu par. 1ª.220.C
Retiformis plexus ex quibus generetur arterijs.16°.de vſu par.220.C/1°.de dec.Hipp.& Pla. 1ª.233.A
in Retiformi plexu venæ,& arteriæ plicãtur.16°.de vſu par. 1ª.219.C
Retiformis plexus etiam ex venis fit.16°.de vſu par. 1ª.220.C
Retiformis tunica quæ ſit.de ana.ocul. Sp.57.E
Retiformis tunica vnde.8°.de vſu par. 1ª.167.D
Retiformis propter quid in cerebro ſit.de vir.noſt.cor.diſp. Sp.60.C
RETINA tunica vnde ſit dicta.de ana.ocul. Sp.57.F
Retina quæ tunica ſit,& vnde naſcatur.de ana.viu. Sp.48.E

Retina eſt panniculus quidam oculi, qui vitreum humorem circundat quaſi rete.de ocul. 7^{a}.182.H
Retina partes habet innumerabiles.de ana.viu. Sp.48.E
ad RETINENDAS feces longaon habet quatuor lacertos. de anatomia viuorum. Sp.50.C
RETINENTES villi qui.de ana.viu. Sp.44.H
RETINENT villi tranſuerſales.de ana.viu. Sp.55.H
Retinet vis vitalis.4°.de præſag.ex pulſ. 4^{a}.222.C
quæ Retinentur præter naturam in corpore,ſymptomata dicuntur.2°. methodi medendi. 7^{a}.9.H
quod Retinetur,non eſt affectus.2°.met.me. 7^{a}.9.H
RETRACTIO ab vtero quõ fiat.2°.de arte cur.ad Glau. 7^{a}.102.F
RETRAHENTES os lãbdoides muſculi.de muſc.diſſ. 1^{a}.46.E
Retrahẽs os hyoides ſurſum ad maxillã muſculus q.de muſ.di. 1^{a}.46.F
RETRAHVNTVR humores fluentes.2°.de art cu.ad Glau. 7^{a}.102.F
Retrahi qui quidam dolentes videntur.2°.de loc.aff. 4^{a}.12.F
RETRO partes ſunt neruoſę,ideo conuulſiones,& diſtentiones in ipſis fiunt.com.5°.aph.65°. Ex.44.H
Retro ſi inclinant fluxiones,in priora reuellẽdæ ſunt.de cuc.ſc. 6^{a}.4.G
Retro diuertunt ab anterioribus.com.5°.aph.68°. Ex.45.D
RETROCEDERE in tumoribus quid ſit.in progn.c.2°. 4^{a}.205.F
RETRORSVM dilatantes dearticulationem muſculi.de muſ. 1^{a}.46.B
Retrorſum,& introrſum femur abducens muſculus.de muſ.diſ. 1^{a}.50.F
Retrorſum magis femur abducens muſculus ad alterum femur leniter abducens,& aliæ eius actiones.de muſ.diſſ. 1^{a}.50.H
Retrorſum parumper & introrſum ſimul femur agens muſculus. de muſculorum diſſect. 1^{a}.51.F
Retrorſum totũ pedẽ vnà cũ oſſe abducẽs muſculus.de muſ.diſ. 1^{a}.52.A
Retrorsũ,ſimulq; extrorſum pedẽ abducẽtes muſculi.de muſ. 1^{a}.52.B
REVELLENDVM qñ ſit.in 6^{m}.de mor.vul.com.2°. 3^{a}.165.E
Reuellenda quæ ſint.in 6^{m}.de mor.vulg.com.2°. 3^{a}.165.E
Reuellendum ſemper ad contraria fluxione procedente & valenter irruente.4°.met.me. 7^{a}.28.C
Reuellendũ à parte ad quã fluit materia lõgiſſime.13°.met.me. 7^{a}.83.A
Reuellẽdæ ſunt in priora fluxiones quæ retro inclinãt.de cuc.ſc. 6^{a}.4.G
Reuellendæ ſunt in Poſteriora fluxiones quæ vergunt in priora.de cucurbitulis ſcarificationis. 6^{a}.4.G
Reuellendæ ſunt per vrinas,ac ſudores inclinationes ad ſuperiorem ventrem,& ad inferiorem.de cucur.ſcar. 6^{a}.4.G
pro Reuellendo ab vtero concurbitula ſub mammis apponenda.5°.methodi medendi. 7^{a}.30.E
in Reuellendo venæ ſectio præſtantior, & efficacior alijs. de ven. ſect. aduerſ.Eraſ. 6^{a}.8.D
Reuellendo euacuatur inflammatio,incipiens ab inueterata ex affectis partibus,vel ſaltem ex vicinis.de cur.rat.per ſang.miſſ. 6^{a}.20.G
REVELLVNT vincula brachiorũ,& crurũ.de cucur.ſc. 6^{a}.4.F
Reuellunt à capite,& viſceribus medicamenta acria.de Hirud. reuul. cucurb.& ſcarif.2.E/de cucur.ſcar. 6^{a}.4.G
Reuellunt acres clyſteres quod per vomitũ exit.de cucur.ſcarif. 6^{a}.4.F
Reuelles vrinas ad ſudores,& ad alui deiectiones.de cuc.ſcar. 6^{a}.4.G
Reuellit immodicas per vterum irruptiones affigere cucurbitulas hypocondrijs.de cucurb.ſcarif. 6^{a}.4.G
REVERSIVAE febres quales.in 6^{m}.de mor.vul.cõ.2°. 3^{a}.164.A
Reuerſiui nerui vnde oriantur.de voc.& anhel. Sp.61.B
Ρ'ευμα quid vocant græci.3°.de ſan.tu. 2^{a}.78.A
REVOCANTIA lac in mammillis quæ ſint.de cathar. Sp.95.B
REVOCARE poteſt appetentiam cucurbitula.de cuc.ſcar. 6^{a}.3.F
Reuocant ad contrarium frictio,& vinculo ſtricta.5°.met.me. 7^{a}.30.F
REVOMENTES nigra,purgandi non ſunt.in prog.c.2°. 4^{a}.174.B
de REVVLSIONE. de Hirud.reuulſ.cucurb.ſcar. 6^{a}.2.D
de Reuulſione,ex libris Galeni.de cucurb.ſcarif. 6^{a}.4.F
Reuulſio quid ſit.in 6^{m}.de morb.vulg.com.2°. 3^{a}.161.C
Reuulſio à quibus fiat partibus.de Hirud.reuulſ.cuc.ſcarif. 6^{a}.2.E
Reuulſio per quæ loca fiat.5°.met.me. 7^{a}.30.E
Reuulſio ad quas ꝑtes fieri debet.đ Hir.re.c.6^{a}.2.D/5°.me.m. 7^{a}.30.F
Reuulſio debet eẽ ad mẽbra ignobiliora.ĩ 6^{m}.de mor.vul.c.2°.3^{a}.166.B
Reuulſio ad exteriora fiat vbi ĩtrorſum vergunt ſucci.đ cuc.ſc. 6^{a}.4.G
Reuulſio ad ĩteriora fiat,vbi extrorſum vergũt ſucci.de cuc.ſc. 6^{a}.4.G
Reuulſio fiat in ſiniſtrã ſi dextrorſum inclinant ſucci.de cuc.ſc. 6^{a}.4.G
Reuulſio fiat ad dextrã,ſi ſiniſtrorſum vergant ſucci.de cuc.ſc. 6^{a}.4.G
Reuulſio deorſum fiat vbi ſucci ad ſuperiora vergunt,ſurſum vbi ad inferiora.de cucurb.ſcarif. 6^{a}.4.G
Reuulſio,et euacuatio in principijs fiãt.de cur.rat.per ſan.m. 6^{a}.20.G
Reuulſione cohibẽtur fluxiones vehementes.de Hiru.reu.cuc. 6^{a}.2.D
Reuulſionis cauſa cucurbitula imponenda eſt.de cucurb.& ſcar.6^{a}.3.B
Reuulſio ꝑ ſectionẽ venæ confeſtim confert.præſag.exp.cõſ. Sp.78.A
Reuulſio per ſanguinis miſſionem, quomodo reiteranda.de curan. rat. per ſang.miſſ. 6^{a}.21.C
Reuulſio à capite quibus fiat.2°.de comp.me.ſec.loc. 5^{a}.137.D
Reuulſionem ſi vereamur facere,ſanguis deriuandus, et totum corpus inaniendum.in 6^{m}.de morb.vul.com.2°. 3^{a}.166.C
REVVLSIVA venæ ſectio,non eſt euacuatiua.in 1^{m}. prorrhetici.commentario.3°. 4^{a}.186.F
REVVLSORIA præſidia quæ ſint.de cucur.ſcar. 6^{a}.4.F
Reuulſoriũ præſidiũ eſt cucurbitula iuxta mãmas.de cuc.ſca. 6^{a}.4.F/G
Reuulſorijs cohibẽtur fluxus ſuccorũ vehemẽtiſſimi.de cuc. ſca.6^{a}.4.F
Reuulſorijs præſidijs qñ vti oportet.in 6^{m}.de mor.vul.cõ.2°. 3^{a}.161.D
REX poteſt alia ſcire extra artem regiam.in 6^{m}. de morbis vulgaribus.commenta.5°. 3^{a}.187.D
Rex qui cum vxore concubuit ẜm motus planetarũ.de ſper. Sp.38.G
ſub Regibus maxima Aſiæ pars.de aere aqu.& loc. 2^{a}.6.C
ſub Regum poteſtate hoĩes non ſunt ſolliciti qũo ſe ad bellũ apparent. ĩmo in id magis incumbunt vt bellicoſi non videantur.de aer. 2^{a}.5.B
Regi aſſimilatur ſeptimus dies,& quare.1°.de dieb.decre. 4^{a}.146.G
RHA miſtæ qualitatis eſt particeps. 7°. de ſimplic. medicamentorum facul. 5^{a}.59.E
Rha conuulſis,ruptis,& orthopnoeæ prodeſt,liuentia, & lichenas ſanat ſanguinem expuentibus,cœliacis,& dyſentericis confert.8°.de ſimplicium medicam.facul. 5^{a}.59.E
RHACOSIS quid.fin.med. Iſa.49.D
RHAGAS quid.fin.med. Iſa.49.C
ad Rhagadias digitorum emplaſtrum ex chamæleonte.2°. de comp.medica.per genera. 5^{a}.223.D
ad Rhagadias in ore matricis.de paſſ.mul. Sp.96.C
ad Rhagadias ani.4°.de comp.me.per ge. 5^{a}.241.B
ad Rhagadas,& nomas ani.5°.de comp.me.per gen. 5^{a}.251.H
Rhagadas abſq; roſione quid perſanet.6°.de comp.me.per ge.5^{a}.260.B
ad Rhagadas paſtillus Gilui Hieracis Thebani.5°.de compoſi.medicamentorum per genera. 5^{a}.251.F
ad Rhagadas Meneſthei Pharmacum.5°.de comp.me.per ge. 5^{a}.251.G
ad Rhagadas Menati ẽplaſtrũ coloris aurei.2°.đ cõ.me.ꝑ ge.5^{a}.223.A
ad Rhagadas Moſchionis catagmaticũ.3°.de comp.me.per ge.5^{a}.235.C
ad Rhagadas Moſchionis pharmacũ.2°.de comp.me.per gen.5^{a}.225.E
ad Rhagadas aliud Petronij paſtillus,qui virtus appellatur.5°.de compoſi.med.per genera. 5^{a}.251.H
ad Rhagadas contumaces,4°.de comp.me.per ge. 5^{a}.243.C
ad Rhagadas 1°.de comp. me.per ge. 5^{a}.215.G
ad Rhagadas.2°.de comp.me.per ge.225.B/5°.251.F/ 5^{a}.252.H
RHAGOIDES tunicę pars,& particula eſt,non autem inſtrumentũ. 1°.methodi medendi. 7^{a}.6.D
Rhagois ideſt vuea eſt panniculus oculi qui Albuginæo coniungitur,eũque circundat.de ocul. 7^{a}.182.H
Rhagaoidis tunica cur nigra,& cerulea.de ſympt.cauſ. 3^{a}.14.G
Rhagoidis tunicæ affectus qui.de ſymp.cauſ. 3^{a}.14.E
Rhagoidis foramen quatuor modis impeditur.de ſymp.cauſ. 3^{a}.14.D
Rhagoidis ampliatio ſemper incommodat.de ſymp.cauſ. 3^{a}.14.D
ꝙ Rhagoide procidente viſus non ſit impeditus.de ſymp.cau. 3^{a}.14.D
Rhagoidis tenſio dupliciter fit.de ſymp.cau. 3^{a}.14.G
Rhagois quo modo ex accidenti tendatur.de ſymp.cau. 3^{a}.14.G
in Rhagoide vnitatis diuiſio.de ſymp.cau. 3^{a}.14.H
Rhagoide vulnerata,quid ſequatur.de ſymp.cau. 3^{a}.14.H
Rhagoidis ruptura quid faciat.de ſymp.cau. 3^{a}.15.B
Rhagoidi auris comparatur.1°.de ſymp.cau. 3^{a}.15.F
RHAMNVS ſiccus eſt & digerens exceſſu ſecundo refrigerat in primo completo aut ſecundo incipiente.8°.de ſimp.me.fac. 5^{a}.59.E
Rhamni ſemen quale.de reme.par.fac. 7^{a}.174.G
Rhamnus herpetes ſanat,& eryſipelata non magnopere calida.8°.de ſimp.med.fac. 5^{a}.59.E
RHAPHANINVM oleum quomodo ſe habebat ad alia comparatũ.6°. de ſimp.me.fac. 5^{a}.46.H
Rhaphaninum oleum tenue eſt.7°.de ſimp.me.fac. 5^{a}.40.H
Rhaphaninum oleum rarefacit.5°.de ſimp.me.fac. 5^{a}.35.F
cũ Rhaphanino oleo abrotonõ ad alopecias valet.6°.đ ſim.m.f.5^{a}.40.H
RHAZANI. de med.fac.par. 7^{a}.177.H

Rhegmata quæ græci vocent.4°.met.me. 7ª.29.B
Rhegma quid.fin.med. Iſa.50.D
Rhegma id eſt ruptum.2°.met.me. 7ª.16.E
Rhegma quod genus morbi.4°.met.me. 7ª.23.B
Rhegma appellatur ſolutio continui in vaſe.4°.met.me. 7ª.23.B
RHETIDOSIS *corrugatio vocatur.3°.met.me.* 7ª.17.E
RHETHINE *cuius ſint facultatis.8°.de ſimp.me.fac.* 5ª.59.F
RHETORES *inter rationales numerantur.de cuiuſq; animi pecc.not. atq; med.* 2ª.58.B
*Rhetoris munus de nominibus diſputare q̃uo.1°. de dieb.dec.*4ª.146.H
Rhetori non cõueniunt argumẽta per trãslationẽ.3°.de dec. 1ª.244.H
RHETORICA *ars nobilis.in oratione ſuaſoria.* Iſa.5.G
Rhetorica ars eſt coniecturalis . introd. Iſa.51.F
Rhetoricam tractaturus quid agere debet.9°.de dec.Hipp. 1ª.280.A
Rhetorica indiget multa exercitatione.9°.de decr.Hipp. 1ª.280.B
Rhetorica nõ debet̃ ſola expientia & exercitatione.9°.de dec. 1ª.282.C
Rhetoricam quando quis erit executus.9°.de dec.Hipp. 1ª.282.B
Rhetoricæ.dialecticæ, & grãmaticæ nullam cognitionem habebãt medici tempore Galeni.1°.de dieb.decr. 4ª.146.H
RHETORICI *qui dicantur.1°.de nat.fac.* 1ª.295.G
Rhetorica epicheiremata in dicto, & ſententia.4°.de dign.p. 4ª.85.H
RHEVM *cuius ſit tẽperaturæ, & facultatis.8°.de ſimp.me.f.* 5ª.59.E
Rheum adſtringit.9°.de ſimp.me.fac. 5ª.64.C
Rheum vehementer adſtringit.1°.de anti. 5ª.106.G
Rheum inter arida adſtringentia fortiora ponitur.6°.de cõpoſitione medica.ſecun.locos. 5ª.172.G
Rheum ponitur in Theriaca.de theria.ad Piſo. 5ª.92.E
Rheum elixant, vt ſuccum faciant.1°.de antidotis. 5ª.106.G
Rheum adulteratum quo modo cognoſcatur.1°.de anti. 5ª.106.G
Rheum vlcera exſiccat.4°.de comp.me.per ge. 5ª.236.G
RHEVMA *ſiccum per corpus ſæpe currit homini concepto in bilis horis.de ſpermate.* Sp.37.C
ex Rheumate ſicco naſcitur homini in bilis horis concepto gutta, paſſiones vẽtris, dolores, vt dyſenteria, trãſuerſio ventris, lienteria fiũt in ſomnis pauor, in frõte dolor, ambulatio acuta.de ſpermate. Sp.37.C
Rheuma q̃n frequẽter nocet auribus, vel naribus, vel oculis, vel ſtomacho vel ori, vel oĩ ſuperficiei vtimur catharticis.de dyna. Sp.20.E
ad Rheuma omne deſcendens à capite ad thoracem electarium expertum.de dyna. Sp.26.C
Rheumata vteri cur contingant.3°.de ſymp.cauſ. 3ª.29.G
Rheuma ex ſanguine patiuntur concepti in tribus horis ſanguinis . de ſpermate. Sp.37.B
RHEVMATICA *facta mulier.de paſſ.muli.* Sp.96.A
Rheumaticus affectus à fluxionibus appellat̃.2°.de diff.feb. 3ª.40.G
Rheumatici affectus vnde proueniant.de cur.rat.per ſan.miſ. 6ª.17.H
Rheumatici affectus q̃uo curentur.2°.de arte.cur.ad Glau. 7ª.103.E
Rheumaticis affectibus q̃ medicamẽta cõueniãt.7°.de ſim.m.f. 5ª.50.G
Rheumaticis affectibus quæ medentur, ijs miſcetur cẽtaurei minoris radix.7°.de ſimp.med.fac. 5ª.50.G
Rheumaticis affectionibus quo medicamine vſus fuerit Galenus, et quo modo.1°.de comp.me.per ge. 5ª.213.C
ad Rheumaticas affectiones plures quo medicamento ſanauerit Galenus.1°.de comp.me.per gen. 5ª.212.B
cõtra Rheumatica phœnocinũ optimũ, et q̃uo.1°.de cõp.me.p g. 5ª.215.C
Rheumaticis vtiliſſima eſt Thriphera magna.de dyna. Sp.26.D
ad Rheumaticos affectus.1°.de comp.me.per ge. 5ª.211.C
ad Rheumatica.6°.de comp.me.per gen. 5ª.261.H
RHEVMATISMI *ſubtiles qui ad oculos deſcendũt, vt conſtringantur quid fiat.de ana.viu.* Sp.55.B
ad Rheumatiſmum faucium ſuffumigium.de dyna. Sp.35.G
ad Rheumatiſmum ſtomachi, & inteſtinorum Malagma.7°. de compo. medi.per genera. 5ª.266.E
Rheumatiſmi articulorum affectus.introd. Iſa.60.D
Rheumatiſmi affectus genu.intro. Iſa.59.D
Rheumatiſmos ſtringit ventris purgatio.de dyna. Sp.20.E
ad Rheumatiſmum album, vel aquoſum, vel rubrum, vel ſanguineum, aut nigrum.de paſſ.mul. Sp.96.B
Rheumatiſmum vulnerum emendant caricæ.de ſimp.med. Sp.84.C
Rheumatiſmum vulnerum ſanat myrta.de ſimp.med. Sp.87.E
RHEVMATIZANTIBVS *oculis bdeliũ p̃prium eſt.de dyn.*Sp.22.A
Rheumatizantibus mulieribus danda phlegmagoga.de dyna. Sp.21.C
Rheumatizantibus mulieribus dantur hydragoga.de dyna. Sp.22.A
Rheumatizantibus venoſitatibus craſſis vtile eſt omphacomeli . de dynamidijs. Sp.21.C
RHEXIX *quid.introd.* Iſa.59.A
RHINEMA, *hoc eſt lima inſcriptum collyrium quo modo conficiatur.4°.de comp.me.ſec.loc.* 5ª.156.C
Rhinion ideſt limula Phædri.4°.de comp.me.ſec.loc. 5ª.152.H
RHIPALI *potio quæ Menodorios, & Ambroſia appellatur.7°. de cõpoſi.me.ſec.loc.* 5ª.182.F
RHIZA *rhodia cuius ſit facultatis.8°.de ſimp.me.fac.* 5ª.59.G
RHODIA *radix eſt in ſecundò ordine calida aut certe in tertio incipiente.8°.de ſimp.me.fac.* 5ª.59.C
RHODIACVM *medicamentum ſecundum Aſclepiadem. 1°. de comp. medi.per genera.* 5ª.217.B
RHODODAPHNE *frutex venenoſus, quare pernitioſus, ſi intro in corpore ſumatur.8°.de ſimp.me.fac.* 5ª.57.A
Rhododaphne tota eſſentia ſua eſt venenũ hominibus, & brutis quibuſdam.8°.de ſimp.me.fac. 5ª.59.G
Rhododaphne calida ẽ in tertio, et ſicca ĩ primo.8°.de ſimp.m.f. 5ª.59.G
Rhododaphnis terga dirũpuntur athletis.in oratione ſuaſoria. Iſa.4.G
RHODOS *cuius ſit facultatis.8°.de ſimp.me.fac.* 5ª.59.G
RHODOSACARA *ad omnes acutas febres.de dyna.* Sp.32.H
in RHODOSCOMATE *guttatim impoſitum valet ad tumoris calidi dolorem.de ocul.* 7ª.191.F
in RHODO *Coo, Cnido, & Italia certabant medici honeſto certamine 1°.methodi medendi.* 7ª.2.F
RHOEA *cuius ſit facultatis. 8°. de ſimp.me.fac.* 5ª.59.G
Rhoeas fructus acidus tantum, frigidus eſt.4°.de ſimp.me.fac. 5ª.25.B
Rhoeas papauer alterũ dicitur, & quare.9°.de ſimp.me.fac. 5ª.55.F
RHOEAS *quid.introd.* Iſa.58.G
Ῥοιὰς in oculo quid.10°.de vſu partium. 1ª.181.G
RHOEAS *affectus eſt angulorum oculi.intro.* Iſa.58.D
Rhoeada vocant diminutionem angulorum in oculo.de diff.mor. 3ª.5.C
Rhoeadæ quæ vocent in maiore oculi angulo.14°.met.me. 7ª.92.B
Rhoeas in oculo ægritudo eſt.de diff.mor. 3ª.6.B
ad Rhoeadas hoc ẽ angulos antroſos oculorũ.4°.de cõp.m.ſ.l. 5ª.156.A
AHOGME *quid.intro.* Iſa.48.C
Rhogme genus fracturæ capitis.intro. Iſa.59.F
Rhogme eſt vna fractura caluariæ.intro. Iſa.59.C
RHONBALE *interuallum quid.de art.com.2°.* 7ª.266.D
RHOMBO *adſimilis citharus.3°.de ali.fac.* 2ª.31.D
Rhombus in patinis coquitur.3°.de ali.fac. 2ª.31.D
RHOMBVS *deligationis ſpecies.de ijs, quæ in me.fi.c.2°.* 7ª.205.E
Rhombus vinculi nomen . de faſc. 7ª.295.B
Rhombus ſimplex.de faſc. 7ª.302.E
Rhombus duplex ad idem.de faſc. 7ª.302.F
Rhombus ad medium membrum.de faſc. 7ª.305.D
Rhombus multipliciter ad vnicum membrum.de faſc. 7ª.305.E
Rhombus æqualium crurum.de faſc. 7ª.305.G
Rhombo vtimur in capite.de ijs, quæ in med.fi.com.2°. 7ª.206.B
RHOPALOSIS *quid.fin.med.* Iſa.48.B
Rhopaloſis pilorum eſt affectus, & qualis affectus.fin.med. Iſa.48.B
Rhopopolæ qui à grecis vocentur.2°.de comp.me.per ge. 5ª.228.G
RHOPOPOLAE *de primo loco in medicina certant.1°.met.me.*7ª.2.E
RHV *quid, & eius vires.de ſimp.me.* Sp.89.E
Rhus maſculino an fœminino genere vocetur nihil refert.6°. de compoſ. medi.ſec.loc. 5ª.169.C
Rhus duplex.6°.de comp.me.ſec.loc. 5ª.169.C
Rhus qualis.6°.de comp.me.ſec.loc. 5ª.170.E
Rhus frigida in ſecundo ordine, ſicca in tertio.8°.de ſimp.me.f. 5ª.59.H
Rhus acerbum.2°.de loc.aff. 4ª.12.D
Rhus ſumme acerbum eſt.4°.de ſimp.me.fac. 5ª.27.H
in Rhu et galla deprehenditur adſtrictio.4°.de ſimp.me.fac. 5ª.25.C
Rhus adſtringit.9°.de ſimp. me.fa. 5ª.64.C
in Rhu ſucco adſtricto conſideranda.4°. de ſimp.me.fac. 5ª.26.A
Rhus vires habet efficaciter adſtringẽtes, ĩflationẽ ſiccat, vulnera glutinat, sãguinis abũdãtiã reprimit, mittit̃ ĩ antidotis.d̃ ſim.m. Sp.89.E
Rhus adſtringit vehementer.5°.de ſimp.me.fac. 5ª.39.B
Rhus eſſe adſtringens vehemens iudicat Galenus.5°.met.me. 7ª.31.G
Rhus adſtringens ſummum.3°.de ſimp.me.fac. 5ª.21.E
Rhus habet diuerſum effectum ab alijs adſtringentibus.3°.de ſimpli.medicamen.fac. 5ª.20.D
*Rhus fructuoſa planta, deſiccat, & adſtringit.8°.de ſimp.me.f.*5ª.59.H

ex Rhu,& melle medicamentũ adſtringit. de præc.ad Poſth. 4ª.219.C
Rhu ſiccum, cum melle adſtringit, & abſtergit, ſiſtit, & euacuat.3°.de ſimp.med. fac. 5ª.20.A
Rhus adſtringens pro dyſenteria conuenit. 11°.de ſimp.me.fac. 5ª.81.E
Rhus exſiccat non tñ ſumme,& non vrit.5°.de ſimp. me.fac. 5ª.39.B
Rhus βυρσοδεψικὴ id eſt excoriaria vocat̃.8°.de ſimp.me.fa.5ª.59.H
Rhus Coriariorum,& rhus obſoniorũ differũt.de reme.par.f.7ª.158.A
Rhus Culinarius,& coriarius inter adſtringentia parabilia connumerãtur.6°.de comp.me.ſec.loc. 5ª.169.F
Rhois Culinarij,& coriarij decoctum inter adſtringentia fortiſſima pro gargariſmis eſt generoſiſſimum.6°.de comp.me.ſec.loc. 5ª.172.G
Rhus obſoniorum ſiue culinarius inter arida adſtringentia fortiora collocatur.6°.de comp.me.ſec.loc. 5ª.172.G
Rhus pro medicamento potius q̃ cibo eſt in vſu.4°.de ſimp.m.f.5ª.27.H
Rhus pro cibis Erythros dicitur.11°.de ſimp.me.fac. 5ª.81.E
Rhois eupatoricæ ſuccus.7°.de comp.me.ſec.loc. 5ª.180.F
Rhu Ponticum adſtringit.de ſubf.emp. Iſa.33.D
Rhuponticum deiectionibus ſanguinis confert.de ſubf.emp. Iſa.33.C
Rhuponticæ radix.8°.de comp.me.ſec.loc. 5ª.195.G
Rhois Ponticæ ſuccus.7°.de comp.me.ſec.loc. 5ª.180.F
Rhuponticum.7°.de compoſi.me.ſec.loc.181. G/182. H/184. F/185.C/8°. 191.C/9°. 5ª.203.B
de Rhu Rubum.3°.de comp.me.ſec.loc. 5ª.48.B
Rhois Syriacæ,ac coriariæ cremor ad qđ vtilis.6°.đ cõ.me ſ.l.5ª.173.G
Rhus ſyriacus cũ melle ad quid conferat.6°.de comp.me.ſe.lo.5ª.172.B
Rhois ſyriacæ ſuccus.7°.de comp.me.ſec.loc. 5ª.184.E
Rhois ſyriacæ,& coriariæ mentio.9°.de comp.me.ſec.loc. 5ª.203.C
Rhus ſyriacus culinarius.8°.de comp.me.ſec.loc.191.C/9°. 5ª.204.E
Rhois ſyriacæ fit mentio.8°.de comp.me.ſec.loc.189.E/9°. 203.A/B/C/G/204.A/B/C/D/ 5ª.205.A
Rhois ſuccus ad quid vtilis.5°.met.me. 7ª.34.B
Rhois ſuccus internis vlceribus opitulatur.4°.met.me. 7ª.29.B
Rhois cremor pro potu cui fuerit,datus à Galeno.11°.met.me.7ª.79.A
Rhois ſuccus euitandus eſt in ſiccitate.7°.met.me. 7ª.44.C
Rhus q̃uo accipiatur in compoſitione.6°.de comp.me.ſec.loc. 5ª.169.F
Rhu in emplaſtro apponendum in principio inflammationum. 2°. de arte cura.ad Glauco. 7ª.101.F
ex Rhu paſtillus.5°.de comp.me.per ge. 5ª.252.B
Rhois ſuccus pro omphacio qñ ſumi poſſit.6°.de cõp.me.ſe.lo. 5ª.168.D
RHVBARBARVM fert ad debilitatem hepatis de frigida cauſa. de medicinis expertis. Sp.106.E
Rhubarbari electarium.de med.exper. Sp.105.E
Rhubarbari electarium.de med.exper. Sp.108.A
Rhubarbari fit mentio.de med.par.fac. 7ª.171.C
RHYAS oculi,& genarum affectus eſt.fin.med. Iſa.48.F
Rhyas oculorum eſt morbus.in 6m.de mor.vul.com.2°. 3ª.166.B
RHYEMATA tempore Galeni ab antiquis itria dicebantur. de bonitate,& vitio ſuccorum. 2ª.35.D
Rhyemata ſunt itriorum ſpecies.1°.de ali.fac. 2ª.10.E
Ῥυήματα ſunt alimenta quæ hyeme aſſumuntur, & quæ nam ſic vocata alimenta.de nat.hu.com.1°. 1ª.32.F
Rhyemata ex tritico ſine fermentatione,ſiue caſeo ſunt craſſioris ſucci. de bonitate.& vitio ſuccorum. 2ª.35.D
Rhyemata ſunt craſſi ſucci.3°.de ali.fac. 2ª.28.B
RHYPODE quæ græce appellata emplaſtra à ſimilitudine ſordium.2°. de comp.me.per ge. 5ª.218.C
RHYPHOS. quàm Vim obtineat.8°.de ſimplicium medicamentorum facultatibus.59.H/10°. 5ª.77.E
RHYPTICON græce, latinæ deterſiuum interpretatur.10°.methodi medendi. 7ª.71.D
Rhyptica quæ ſint.5°.de ſimp.me.fac. 5ª.35.A
Rhyptica quæ ſint,& quod valeant ad cicatrices craſſas.4°.de compo. medica.ſecun.loc. 5ª.151.G
RHYTHMVS quid.fin.med. Iſa. 46. F/ de pulſ. diffe. 48. F/3°. de dignoſc.pulſ. 4ª.82.B
Rhythmus in reſpiratione quid ſit.1°.de diff.reſp. 3ª.62.B
Rhythmi in pulſibus quid ſignificent. de pulſ. diff. 48.D/2°. de præſagit.ex pulſ. 4°.110.B
Rhythmus in quo conſiſtat.3°.de dignoſc.pulſ. 4ª.81.F
Rhythmorum in pulſu differentiæ.de pulſ.diff. 4ª.48.G
de Rhythmi pulſus inæqualitate in crebritate, & raritate in diuerſis pulſibus.de diff.pulſ. 4ª.51.E
de Rhythmi pulſus inæqualitate in crebritate,& raritate, in vno pulſu.2°.de pulſuum different. 4ª.52.E
de Rhythmis dignoſcendis.3°.de dignoſ.pulſ. 4ª.81.E
Rhythmi in ſolis vehementiſſimis pulſibus noſcũtur.3°.dig.p. 4ª.8.A
Rhythmorum in pulſibus mutatorum cauſæ.2°.de cauſ.pul. 4ª.95.A
de Rhythmis in pulſibus abunde Herophilus ſcripſit,& quo modo.2°. de præſagitione ex pulſ. 4ª.110.B
de Rhythmis duæ ſectæ.3°.de cauſ.pulſ. 4ª.96.H
RHYTIDOSIS affectus pupillæ.intro. Iſa.58.D
RICINI fructus qualis.7°.de ſimplicium medicament. facul. 5ª.51.C
Ricini facultatem valde non eſt expertus Galenus. 2°. de compoſitione medicamen.ſec.loc. 5ª.132.G
Ricinum non adulteratum.2°.de comp.me.per gen. 5ª.226.F
Ricininum vnguentum habetur Alexandriæ copioſe. 3°.de compo.medica.per genera. 5ª.233.H
ex Ricino efficitur oleum.4°.de ſimp.me.fac. 5ª.26.G
Ricininum oleum quale.7°.de ſimp.medic.facul.51.C/2°. de compoſitio. medica.ſecun.loc. 5ª.32.G
Ricininũ oleũ calidũ pro doloribus.in 6m.de mor.vul.cõ.6°. 3ª.196.B
Ricininum oleum emollit.6°.de comp.me.per gen. 5ª.258.G
Ricinino oleo vtendum,vbi durities in vlcere fit.4°.de compoſi. medic. per genera. 5ª.237.A
ex Ricinino oleo,& gutta ammoniaci medicamentum quale. 6°.de cõpoſi.medica.per genera. 5ª.258.B
pro Ricinino oleo oleum vetus.6°.de comp.me.per gen. 5ª.256.H
Ricini à cane fœmina adempti ſanguis cuius ſit vſus. 4°. de compoſi.medica.ſecun.locos. 5ª.158.B
ad Ricinos ouium cedrea valet.7°.de ſimp.me.fac. 5ª.50.F
RIDICVLVM eſſe,& falſum eſſe differunt.8°. de dec. 1ª.278.E
RIGARI quid ſit.9°.de ſimp.me.fac. 5ª.66.A
RIGENTES aliqui cur frigeant.2°.de ſymp.cau. 3ª.23.F
Rigentes ſi non calefiant,malum.de palp. 3ª.55.A
Rigentes cur ſudent.2°.de ſymp.cau. 3ª.22.F
Rigentium dolores quales.2°.de ſymp.cau. 3ª.23.F
Rigentes cur tecti,non lædantur.de vtil.reſp. 1ª.225.C
Rigentes quo modo moueantur.2°.de ſymp.cauſ. 3ª.22.G
Rigentes prohibendi à motu.2°.de ſymp.cau. 3ª.22.D
RIGERE, horrere, & frigefieri, non ſunt idem in ægrotantibus. de palp. 3ª.53.G
Rigent qui.de palp.trem. 3ª.55.C
Rigent ambuſti,& execti ex vſtione,& inciſione.in 6m. de morb.vulgaribus.com.3°. 3ª.174.D
Rigere facit pharmacum acre,vlceri ſuppoſitum.in 6m. de morbis vulgaribus,com.3°. 3ª.174.D
Rigent ſtomachici,& cardiaci valde frigefacti.de palp. 3ª.53.D
Riguerit ſi quis vehemẽter huic cutis adſtringitur.de cauſ.mor. 3ª.6.F
RIGIDITATEM pudendo qui muſculi dent.de muſc.diſſ. 1ª.50.E
RIGOR quid ſit.4°.de ſan.tu.2ª.82.G/de palp.53.D/ 3ª.54.C
Rigor eſt motus,quo natura intendit ſuperflua expellere. commen.6°. aphoriſmo.39°. Ex.50.H
Rigor excrementis motus fit.2°.de ſymp.cau. 3ª.22.H
Rigor expultricis virtutis eſt validus motus.2°.de ſymp.cauſ. 3ª.23.G
Rigoris,cõuulſionis,tremoris,palpitationis,horroris,ſingultus,tuſſis, ructus,ſternutationis,pandiculationis,oſcitationis, Tryſmu.i.dentium concuſſionis genus commune eſt motus illegitimus, & quomodo hæc in genere differant.2°.de ſymp.cau. 3ª.19.H
Rigor conuulſio,& palpitatio q̃uo fiant,& differant.in 1m.de mor. vul. commentario.3°. 3ª.119.G
Rigor quomodo ſit motus miſtus.de palp. 3ª.54.G
Rigoris motus, vt in verecundia,& lauatione frigida,non vt in timore. 2°.de ſymp.cauſ. 3ª.23.F
inter Rigorẽ,et refrigerationẽ medius eſt horror.2°.de diff.fe. 3ª.39.B
Rigor maior eſt q̃ horror.2°.de ſym.ca.22.D/E/de mor.tẽp. 3ª.85.G
Rigor dicitur horror auctus.de mult. 3ª.79.F
Rigores pauciſſimos habet horror.in 1m.de mor.vul.cõ.2°. 3ª.110.F
in Rigorem quando tranſeat horror.2°.de ſymp.cau. 3ª.23.H
Rigor ſymptoma eſt & ſignum.2°.de ſymp.cauſ. 3ª.22.E
Rigor quale ſymptoma ſit nullus añ Galenũ dixit.1°.de ſym.ca. 3ª.19.D
Rigoris naturas quod antiqui non nouerunt. & quod nouerunt. 2°.de ſymp.cauſ. 3ª.22.C
Rigores quos non viderint antiqui,& quare.de palp. 3ª.55.H

Rigor natiui caloris affectus eſt.de palp. 3ª.53.H
in Rigore q̃uo fiat affectus dolorificus.de palp. 3ª.54.G
Rigorem, qui interpretati ſunt tremorem eſſe cum perfrictione, aberrarunt.de palpitatione. 3ª.53.D
Rigor & tremor idem ſunt apud Platonem: quamq̃ id non probatur à Galeno.de palp. 3ª.53.D
Rigores, paſſiones à corde prouenie͂tes.de vir.noſt.corp.diſp. Sp.60.B
Rigor cui comparetur.de palp. 3ª.54.F
Rigoris cauſa q̃.1°.de ſymp.cau.19.D/in 6^{m}.de mor.vul.cō.5°. 3ª.193.H
Rigoris cauſa effectrix quę.de palp. 3ª.55.B
Rigor fit ſine voluntate mouendi partes.de palp. 3ª.53.E
Rigoris agitatio non poteſt contineri.de palp. 3ª.53.D
Rigor vibrat totum corpus.2°.de ſymp.cau. 3ª.22.G
Rigor fit ab inæquali intemperie.de inæq.intemp. 3ª.44.D
Rigorem facit frigus, & calor mordax.2°.de ſymp.cau. 3ª.22.E
Rigor eſt cum ſenſu frigoris.de palp. 3ª.53.F
Rigor quæ frigiditas ſit.de palp. 3ª.54.D
Rigor non eſt frigidus ſimpliciter.de palp. 3ª.53.F
Rigor non eſt frigidus ſimpliciter.de palp. 3ª.53.D
in Rigore quę partes refrigere͂tur, & quare.2°.de ſymp.cau. 3ª.23.C
in Rigoribus cur extremæ partes frigeant.2°.de ſymp.cau. 3ª.23.F
Rigore͂ nō eſt neceſſe ſequi ſi quis male concoxit.3°.de ſym.cau. 3ª.30.C
Rigor ab acri ſucco in multis fit.de palp. 3ª.55.B
Rigor ex mordentibus fit excrementis, & quo modo differat ab horrore.2°.de ſymp.cau. 3ª.22.D
Rigorem, horrorem, & febrem faciunt excrementa ſubcalida & putrida.4°.de ſan.tuen. 2ª.82.H
Rigoris ſuccus qualis.2°.de ſymp.cau. 3ª.23.H
Rigor a bile quandoq; fit.de palp. 3ª.55.B
Rigor à bile vehementer mota, fit.3°.de criſ. 4ª.144.C
Rigores fiunt ob flauam bilem velociter motam ſupra membra ſentientia.com.4°.apho.58°. Ex.33.G
Rigor quo modo fiat.in 1^{m}.de mor.vulg.commen.2°. 3ª.116.H
Rigor quot modis fiat. 2°.de criſ. 4ª.134.F
Rigores fiũt bile per oe͂m corporis habitũ mota.c.4°.apho.63°. Ex.34.C
Rigor eſt corporis vniuerſi.de palp. 3ª.53.D
Rigor facit bilis vomitum.in progn.com.2°. 4ª.210.G
Rigor ex vitreo humore fit.de inęq.intemp. 3ª.44.F
Rigor à pituita vitrea fit.de palp. 3ª.35.G
Rigor incitatur frigida aqua infuſa, nudo corpore, & balneo frigido.2°. de ſymp.cau. 3ª.22.F
Rigor nō ex frigida ſolũ, ſed ex calida cauſa ꝓuenit.2°.de ſy.cau. 3ª.22.F
Rigor qui nunquam à ſuccis fiat frigidis.2°.de ſymp.cau. 3ª.23.B
Rigorem ſolum, qui nunquum à frigidis fit ſuccis, qui ordine præcedunt motus in corpore.2°.de ſymp.cau. 3ª.23.B
Rigorem facit cauſa calida.4°.de ſan.tuen. 3ª.82.G
Rigor & calor q̃uo eodem te͂pore ſentiuntur.de inæq.intemp. 3ª.44.F
Rigorem fecere palmulæ recentes.de palp. 3ª.55.G
Rigores qui ægre caleſiũt, inducunt palmæ immaturæ.2°.de al.f. 2ª.20.B
Rigor q̃nq; ſequitur timorem.2°.de ſymp.cau. 3ª.23.D
Rigor & horror à ſpectaculis horridis.de palp. 3ª.55.B
Rigoris initium vnde incipiat.in 6^{m}.de mor.vul.com.5°. 3ª.193.H
Rigores qua parte incipiunt viris, & qua parte mulieribus.commen.5°. aphoriſmo 69°. Ex.45.D
Rigores mulieribus à lũbis magis incipiũt.ĩ 6^{m}.de mor.v.c.3°. 3ª.174.D
Rigor, & horror quibus accidant.de palp. 3ª.55.F
Rigor quibus magis contingit.de palp. 3ª.55.A
Rigor mulieribus magis q̃ viris, & his qui degunt ocioſius præterea his, qui poſt cibos balneis vtuntur, magis accidere ſolet.de palp. 3ª.55.G
Rigor quibus ex deſidia, hi non ſunt mente conſtantes. in 1^{m}. prorrhetic. commentario 1°. 4ª.168.D
in Rigore caſus mulieris in Aſia.de palp. 3ª.55.H
Rigoris caſus in iuuene.de palp. 3ª.55.G
Rigorem quæ fecerint & horrorem in quodam adoleſcente in Alexandria.de palp. 3ª.55.G
Rigores Aeſtuoſi pernitioſi.in 1^{m}.pror.com.2°. 4ª.173.H
Rigor Anacthermanton qui vocetur.in 6^{m}.de mor.vul.com.1°. 3ª.156.F
Rigor breuis, quanto maior.2°.de ſymp.cau. 3ª.23.F
Rigorem Concutientem vocat cum venia.2°.de ſymp.cau. 3ª.21.B
Rigor concutiens palpitationi aſſimilatur.2°.de ſymp.cau. 3ª.21.A
Rigor concutiens eſt compoſitus ex re præter naturam, & virtute animali.2°.de ſymp.cau. 3ª.21.A
de Rigore concutiente medicos reprehendit Athenæus. 2°. de ſymptomatum cauſis. 3ª.21.B
in Rigore, in morbis concuſſio q̃uo fiat.in 3^{m}.de mor.vul.c.1°. 3ª.129.G
Rigores concutientes etiam ſine febre fiunt.2°.de ſym.cau. 3ª.23.B
Rigorem concutientem facit horroris affectus quando vehementior eſt. 2°.de ſymp.cau. 3ª.22.D
Rigoris concutientis cauſæ quæ.1°.de ſymp.cau. 3ª.19.D
Rigor Criticus q̃uo ſoluit phreniſim.in 1^{m}.prorrh.com.1°. 4ª.165.C
Rigor criticus q̃uo cognoſcatur.in 6^{m}.de mor.vul.com.1°. 3ª.156.G
Rigor Magnus in morbis eſt malum ſiguũ.com.2°.aph.27°. Ex.16.C
Rigoris Maximi, & minimi differentia cur.2°.de ſymp.cau. 3ª.23.H
Rigor Morbidus qui.de palp. 3ª.53.H
Rigores Spontanei, qui.in 1^{m}.de mor.vul.com.3°. 3ª.122.G
Rigores Valentes in quibus fiant.2°.de ſymp. cau. 3ª.23.B
Rigor Vehemens ſudores facit.de palp. 3ª.54.H
Rigor ratione, non ſenſu cognoſcitur.3°.de loc.aff. 4ª.20.G
Rigor in ſanis alio modo euenit, q̃ in ægrotantibus.de palp. 3ª.53.G
Rigor ſine febre poteſt contingere.2°.de diff.feb. 3ª.37.E
Rigor ſine febre q̃uo.de inæq.intemp. 3ª.44.G
Rigorum ſine febre cauſa.2°.de ſymp.cau. 3ª.23.B
Rigor ſine febre cur non fuit antiquitus.de inæqu.intemp. 3ª.44.G
Rigores ſine febre non incidebant antiqui, quia viuebant moderate.2°. de ſymp.cau. 3ª.23.B
Rigor ſine febre raro contingit.2°.de inæq.intemp. 3ª.44.G
Rigorem ſine febre vidit Galenus & alij quoq;.de inæq.inte͂p. 3ª.44.G
Rigore͂ ſine febre qui hoi͂es incidãt, & ꝑꝑ quid.de inæq.inte͂p. 3ª.44.G
Rigoris humidam cauſam concomitatur febris.2°.de ſymp.cau. 3ª.23.A
Rigori febre͂ ſupuenire cur medici antiqui dixere.de inæq.inte͂. 3ª.44.G
Rigoris comes febris.in 1^{m}.de mor.vul.com.3°. 3ª.122.G
Rigori febris ſemper ſucceditur vt vetus eſt ſermo, quod tamen non eſt omnino verum.2°.de ſym.cau. 3ª.23.A
Rigores, quos ſequantur febres, quales.2°.de ſymp.cau. 3ª.23.B
Rigor & febris à diuerſis fiunt cauſis.2°.de diff.feb. 3ª.37.G
Rigores febriles fiunt ex frigido.cō.5°.aph.17°.38.H/aph.20°. Ex.39.A
cum Rigore febris à quo humore fiat & qualis ſit.in 1^{m}.de morb.vulg. comment.3°. 3ª.119.B
Rigores quales à diuerſis humoribus.in 6^{m}.de mor.vul.cō.1°. 3ª.156.F
Rigor quem non ſequitur febris, ex quo humore fiat.in 1^{m}.de mor. vulg. commen.3°. 3ª.122.G
Rigorem habent tertianæ.2°.de ſymp.cau. 3ª.22.E
Rigor poſt horrorem in tertianæ principio fit.de mor.temp. 3ª.85.G
Rigor eſt nota in tertianis.de palp. 3ª.55.A
Rigor tertianarũ e͂ diuerſus à rigore quartanarũ.2°.de diff.fe. 3ª.36.E
Rigor tertianarũ qualis.2°.de diff.feb.3ª.36.E/1°.de criſi.4ª.134. G/1°. de arte cur.ad Glau. 7ª.95.H
Rigore͂ vehemente͂ cur habet tertiana ex flaua bile.1°.de criſ. 4ª.134.F
Rigor validus ſignificat tertianam.1°.de arte cur.ad Glau. 7ª.95.H
Rigor tertianæ cui ſimilis.de palp. 3ª.56.A
Rigore͂ in cauſo quid de neceſſitate ſequatur.de vict. rat. in morbis acu. comment.3°. 7ª.135.F
Rigor ſtatim à primo proprium malignitatis eſt in arde͂tibus, & quare. in 1^{m}.de mor.vul.com.2°. 3ª.115.A
Rigor iudicat in ardentibus.in 1^{m}.de mor.vul.com.2°. 3ª.115.A
Rigor nō ſanat arde͂tem febrem permutationem ad habitum contrariũ, & cur.2°.de ſymp.cau. 3ª.22.F
Rigores iudicatorij, q̃uo fiant in ardentibus febribus.in 6^{m}. de morbis vul.com.1°. 3ª.157.A
Rigor in quartanis & tertianis cur fiat.de palp. 3ª.155.F
Rigor quartanarum qualis.2°.de diff.feb.36.E/3ª.37.C/1°. de arte cura. ad Glauconem. 7ª.95.H
Rigor vehemens quartanæ qualis.de palp. 3ª.56.A
Rigor quartanarũ miſtus e͂ ex frigore & calore.2°.de ſymp.cau. 3ª.23.C
Rigor quartanæ cui ſimilis.de palp. 3ª.56.A
Rigoris agitatio in febre quartana excernit humores craſſos.comme͂.5°. aphoriſmo 70°. Ex.45.E
Rigor niſi ceſſauerit, quartanæ nō ſananť.ĩ 6^{m}.de mor.vul.c.1°. 3ª.156.F
Rigor paruus poteſt eſſe in continuis.1°.de arte cur.ad Glau. 7ª.95.H
Rigoris humidę cauſæ ſanatio, eſt euacuatio, & quandoq; concoctio.2°. de ſymp.cau. 3ª.23.A
Rigor in febre continua nec mortem nec bonum ſignificat. commen. 4°. aphoriſ.46°. Ex.32.G
Rigor quotidianarum quando fiat.1°.de criſ. 4ª.134.G

Rigores quibus

Rigores quibus accidunt in febribus quotidie, quotidie etiā febres ſolum tur.com.4°.aph.63°. Ex.34.C
Rigores ſuperuenientes febri, eam ſoluunt.com.4°.aph.58°. Ex.33.G
Rigor ſi incidat febrilis non deficiente ægro iam debili, letale eſt.cō.4°. aphoriſ.46°. Ex.32.G
Rigor cur letalis in febre non intermittente.2°.de ſymp.cau. 3ª.23.C
Rigoris agitationem nō pōt ferre vis imbecillis.c.4°.aph.46°. Ex.32.H
Rigorem quando neceſſario ſequitur mors.2°.de ſymp.cau. 3ª.23.C
Rigor ſi non ſit nec febris in muliere, cui defuerint menſtrua, & faſtidium habeat, eſt prægnans.com.5°.aph.61°. Ex.43.D
Rigor fit ſuppurantibus vlceribus & abſceſſibus.in 6m.de morb. vulga. commen.3°. 3ª.174.D
Rigor quomodo fiat in ſuppuratione.in prog.com.2°. 4ª.204.A
Rigor cum eſt in febribus, non fiunt abſceſſus, & cur.in 6m.de mor.vul. commentaria 1°. 3ª.157.A
Rigor oritur in laſſitudine vlceroſa.3°.de ſan.tuen. 2ª.78.G
Rigor quando expectandus.præſag.exper confir. Sp.77.F
in Rigoribus, & conuulſionibus qui articulus primum incipere conſpiciatur, & ſignificationem faciat.de art.com.2°. 7ª.263.F
Rigores qū faciūt bonū iudiciū, & qū non.com.4°.aph.29°. Ex.30.D
Rigores in febribus ſexto die difficile iudiciū notāt.c.4°.a.29°. Ex.30.D
cum Rigore vrinæ retentio quid ſignificet.in 1m.pror.com.3°. 4ª.181.H
ex Rigore quid ſequatur.in 1m.pror.com.3°. 4ª.186.H
Rigorem ſolet ſequi euacuatio, quod ſi non ſequatur eſt ſignum debilitatis virtutis.com.4°.aph.46°. Ex.32.H
Rigores ſequuntur alui ſolutiones, ſudores, vomitus bilioſi. commen. 4°. aphoriſmo 58°. Ex.33.G
Rigorem ſudor comitatur.in 1m.de mor.vul.com.2°. 3ª.114.B
Rigor ſine ſudore malus.in 1m.pror.com.2°. 4ª.73.D
Rigorem ſequuntur vomitus bilioſi, & deiectiones bilioſæ.in 1m.de mor. vul.com.2°. 3ª.114.B
cū Rigore ignorantia & obliuio mala.in 1m.pror.com.2°. 4ª.173.F
ex Rigore refrigerationes malæ.in 1m.pror.com.2°. 4ª.173.G
Rigor ex multa potatione malum, & quare.c.7°.aph.7°. Ex.54.D
Rigores miteſcunt prope ſtatum.in 6m.de mor.vul.com.1°. 3ª.156.E
ad Rigorem quid faciendum.de med.fac.par. 7ª.175.B
Rigoris ex frigore remedium quale.2°.de ſymp.cau. 3ª.23.A
Rigores per circuitum recurrentes ex craſſis aut viſcoſis humoribus natos ſanat Agaricum.6°.de ſimp.me.fac. 5ª.41.E
contra Rigores per circuitum repetentes adhibetur Calamintha. 7°.de ſimp.med.fac. 5ª.49.C
Rigores ſoluit Calor.com.5°.aph.22°. Ex.39.D
Rigores ſanat Conyzæ oleum.7°.de ſimplicium medic.facul. 5ª.52.B
Rigoribus finem imponere pōt Cucurbitula.de cucur.ſcar. 6ª.3.F
Rigoribus vtilia ſunt diatrion pipereon, Diacalaminthes tū ex cyrenaico ſucco & ex caſtoreo compoſitio.de palp. 3ª.55.H
Rigori omni prodeſt fœnum græcum.de ſimp.med. Sp.84.G
ad Rigores Gleucini confectio.7°.de comp.med.per ge. 5ª.272.G
Rigorem mollit & relaxat Ibiſcus.de ſimp.med. Sp.85.E
Rigorem veſicæ remollit Meu.de ſimp.med. Sp.87.F
ad Rigores cum oleo valet Pyretrum.8°.de ſimp.med fac. 5ª.59.D
ad Rigorem valde idonea eſt Sampſucus.de ſimp.med. Sp.90.G
ad Rigore per circuitum infeſtatos.7°.de comp.me.ſe.loc. 5ª.186.B
Ῥῖγος eſt inæqualis totius corporis concuſſio.10°.met.med. 7ª.63.A
Ῥῖγος cōcuſſio totius corporis à græcis noiat.1°.de die.dec. 4ª.148.A
Ῥῖγη græce dicūt inæquales totius corpis cōcuſſiones, quas mordēs halitus, ſuccusq; facit, vbi p ſenſibilia corpa fert.10°.me.med.7ª.62.H
Ῥῖγη. i.concuſſiones faciunt mordicantia.10°.met.med. 7ª.65.G
RIMAS ac fiſſuras ſedis.1°.de comp.me.ſec.loc. 5ª.130.C
RINGENS. i. σεσηρὼς de labijs oris dicitur qd.de fr.c.3°.7ª.247.D
à RIPHEIS montibus ſpirat boreas.de aere aq.& loc. 2ª.5.D
Ῥιπτάζονται. i.implacidi, & inquieti fiūt hoīes in malignis, maleficisq; bilioſis deiectionibus.de vic.rat.in mor.acu.com.3°.7ª.128.D
RISOR propter ſplenem à quo procedit riſus eſt conceptus in horis melancholiæ.de ſperm. Sp.37.C
RISVS an ſit motus volūtarius, vel naturalis.de mo.m.et ob.Sp.69.H
in Riſu quis motus clibani pectoris.de mot.man.& obſ. Sp.69.G
Riſus procedit à ſplene.de ſperm. Sp.37.C
Riſus proprietas eſt ſanguinem conſequens.de ana.viuo. Sp.45.D
cum Riſu quæ fiunt deſipientiæ ſecuriores ſunt.c.6°.aph.53°. Ex.53.A
RIVARE, græce ὀχετεύειν eſt per riuos ducere.de cuc.ſca. 6ª.4.F
in RIVIS quæ herbæ naſcantur.de bon.aqua. Sp.75.E
à Riuis ad latera deductio eſt deriuatio.de cucur.ſcar. 6ª.4.F
Riuis in hortis comparat venas & nutrimētū aquæ.in Ti.Pla.1ª.287.F
Riui qui ſint.de art.com.3°. 7ª.275.E
ROBORANTIA ſtomachum & corrugantia quæ.de diſſolutione continua. Sp.74.D/E
ROBORATIO corporis in fluxionibus fieri debet non euacuatio.de ven.ſect.aduer.Eraſ. 6ª.300.D
Roboratio eſſe debet.de ijs, quæ in med.ſi.com.3°. 7ª.220.C
ROBORARE imbecillitatem quid ſit.2°.met.me. 7ª.11.D
Roborare in quibus volumus vehementibus cucurbitulis vtendum eſt. de cucur.& ſcar. 6ª.3.C
Roborare ſtomachum imbecillum, & exolutum poteſt cucurbitula.de cucur.ſcar. 6ª.3.F
Roborant mēbrum affectū adſtringētia.1°.de comp.med.ſec.lo.5ª.128.D
Roborant ventriculum vina auſtera.de vinis. Sp.76.G
Roborat oīa membra abſinthium.1°.de arte cur.ad Glau. 7ª.99.D
Roborāt panis, & chondrus, non tamen humectāt, nec ſecant.de victus rat.in mor.acu.com.1°. 7ª.113.C
Roborare viſcera oīa, et totū corpus pōt ſtœchas.8°.de ſim.m.f.5ª.61.D
Roborat motus.in 6m.de mor.vul.com.3°. 3ª.170 D
quæ Roborent cor diſſolutum.de ana.viuo. Sp.46.D
ROBORIS fructus acerbus, & dulcis.4°.de ſimp.med.fac. 5ª.26.F
Roboris partes omnes adſtringentes ſunt, quāq; aliquæ magis alijs. 6°. de ſimplic.medic.facul. 5ª.46.D
ſub Roboris cortice mēbrana valde adſtringit.6°.de ſim.me.f. 5ª.46.D
Robore vehementius adſtringit Fagus.6°.de ſimp.me.fac. 5ª.46.E
Robore vehementius adſtringit Ilex.6°.de ſim.med.facul. 5ª.46.E
an Roboris genera ſint fagus, & Ilex vel toto genere ab illo differant, non determinat Galenus.6°.de ſimp.med.fac. 5ª.46.E
ROBVR quid.ad Thraſ. 2ª.103.G
Robur virtus eſt corporis.ſin.med. Iſa.45.D
Robur eſt bonum corporis.ad Thraſy. 2ª.103.F
Robur qui actionū perfectionem nominant, defectiue enunciant & quare.ad Thraſy. 2ª.103.H
ex Robore virium actionum firmitas ſequitur, non ex corporis incremento.de mul. 3ª.78.H
Robur ad quid referatur.de vict.rat.in mor.acu.com.4°. 7ª.137.G
Robur quibus comparetur.ad Thraſ. 2ª.103.G
Robur membrorum cauſa quæ ſm Ariſtotelem.1°.de ſem. 1ª.334.G
Robur, & perpetuitatem dant teſtes.1°.de ſem. 1ª.334.B
Robur partium quo exercetur, & firmatur.2°.de ſan.tuen. 2ª.74.D
Robur à qbus cauſis augeat, & opprimat.1°.de pſag.ex pul. 4ª.109.C
Robur creſcit ſanguine cum viribus creſcente.de mult. 3ª.78.H
Robur ſignificat ſanguinis copia.de vict.rat.in mor.ac.c.4°. 7ª.137.G
Robur auget exercitium.de conſuet. 2ª.61.E
Robur quo augeatur luctantibus.2°.de ſan.tuen. 2ª.74.E
ad Robur, & nixum facit ſiccitas.3°.de ſymp.cau. 3ª.29.E
Robur firmum exigunt actiones firmæ.de mult. 3ª.7.G
Robur viriū quæ lotio facit.de vict.rat.in mor.acu.commē.3°.7ª.132.D
Robur & firmitatē dant adſtringentia.2°.de comp.med.ſec.lo.5ª.139.H
Robur addunt adſtringentia.8°.de compo.med.ſec.loc. 5ª.187.C
Robur per cibū efficitur in ſanis, è cōtra in ægris.c.7°.aph.62°. Ex.59.G
Robur qto augēt cibi, tāto actiōes ipediūt.1°.de arte cu.ad Gla. 7ª.97.D
Robur additur corpori ab Aquilone.commen.3°.aph.14°. Ex.22.D
Robur à Leone tenuit Alexander.de ſper. Sp.38.G
Robur, & infirmitates eluceſcūt in oculis.in 6m.de mor.v.c.4°.3ª.187.A
Robur ſolui in ventriculo, & iecore eſt piculoſum.10°.meth.me.7ª.73.B
Robur vteri pōt eſſe cā paucorū menſtruorū.com.5°.aph.57°. Ex.43.A
Robur potētiæ maius, diuturnas facit acceſſiōes.2°.de dif.feb.3ª.42.A
Robur virium exoluit emollitio, & laxatio immoderata.de renum affectuum dignotione & med. 7ª.193.H
Robur corpis exoluit vinū dilutū.de vic.ra.in mor.acu.c.1°. 7ª.120.C
Robur quarū partium phlegmonem habentium non ſit conſiderandum. 13°.meth.med. 7ª.84.E
Robur membri ſemper ſeruandum.4°.meth.med. 7ª.28.G
ad Robur ſeruandum, quid agendum.11°.met.med. 7ª.79.C
quò ad Robur, & ad vaſa multitudo cum ſpectetur, erunt multitudinis duæ differentiæ.de mult.76.H| 3ª.77.A
ad Robur deperditum idonea remedia ſunt rubi flos, & fructus. 6°. de ſimp.med.fac. 5ª.44.G
Robur medicamēto fit ab oleo veteri.3°.de com.me.per ge. 5ª.230.F

ROBVSTE, & valenter dicere nihil refert.2°.de ſan.tuen. 2ª.74.C
ROBVSTIVS, & valentius idem.de mul. 3ª.78.F
ROBVSTA eſſe debent inſtrumenta motura membra animalis.1°.de decre.Hipp. 1ª.234.A
Robuſtam facultatem plus & celerius attollere arterias.infirmam autē parum,& tardius probabile eſt.1°.de cau.pul. 4ª.88.A
Robuſtorum oculi quales.in 6^{m}.de mor.vul.com.4°. 3ª.187.B
Robuſtis quid accidat ſi aqua frigida lauentur.com.1°.aph.15°. Ex.8.B
Robuſtos calefacit coitus.in 6^{m}.de mor.vul.com.5°. 3ª.192.F
Robuſtis concumbentibus corpora rareſcunt.3°.de ſa.tuen. 2ª.81.E
Robuſti concumbentes q̃uo corrigantur.3°.de ſanitate tuenda. 2ª.81.E
Robuſtum vinũ quibus morbis turpe eſt ægrotare.5°.de ſa.tu. 2ª.88.H
Robuſti qui ſani viuũt, piclitãtur in morbis.2°.de pſag.ex pul. 4ª.110.E
Robuſti,quibus multum ſudor calidus,vel frigidus,debent per ſuperius euacuari.com.7°.aph.62°. Ex.59.G
Robuſtis virtute præbenda cathartica.de dyna. Sp.20.F
Robuſtum ſtomachum habentibus cathartica damus.de dyna. Sp.20.F
Robuſtum inſcriptum medicamentũ.5°.de comp.med.per ge. 5ª.253.H
RODENS quid ſit.2°.de ſim.me.fa. 5ª.12.H
Rodentia ſunt calida poteſtate.3°.de temp. 1ª.23.F
Ῥοικοειδὴς τρόπος qui.de art.com.3°.272.C| 7ª.275.E
ROMAM compendium, & breuiarium orbis terrarum appellauit Polemo orator.de art.com.1°. 7ª.256.A
Roma,& Alexãdria alit multitudinẽ hoĩum.de par.art.med. Sp.16.G
Romę boni non fiunt mali,ſed mali qui prius fuerãt materiam male agẽdi Romæ nanciſcuntur.de præcog.ad Poſt. 4ª.215.E
Romæ vicus ſutorum erat.de præcog.ad Poſth. 4ª.215.E
Romæ fontiũ elegãtia admirabilis.in 6^{m}.de mor.vul.com.4°. 3ª.182.F
Romæ aquæ,tyburtinæ crudiuſculæ.in 6^{m}.de mor.vul.cõ.4°. 3ª.182.F
Romæ frigidi fontes multi.2°.de comp.me.ſe.loc. 5ª.132.F
Romæ præparabant aquam frigidam niue.7°.met.med. 7ª.44.B
Romæ niuis vbertas,& in pergamo.2°.de comp.me.ſec.loc. 5ª.132.F
Romæ Caſeus præſtantiſſimus,& q̃uo appellet̃.3°.de alim.fac. 2ª.29.A
Romæ maximi dies,ac noctes paulo maiores quindecim æquinoctialibus horis,ſunt:contra minimi paulo intra nouem.6°.de ſa.tuẽ. 2ª.97.B
Romæ ſimplicia optima habentur.1°.de antid. 5ª.101.F
Romæ quas herbas inuenit Galenus.1°.de antid. 5ª.102.B
Romam è creta ſingulis annis mittuntur vaſa herbarum plena.1°.de antidotis. 5ª.10.D
Romæ melior,quam in Creta eſt chamepitys,& chamedrys.1°. de antidotis. 5ª.107.A
Romæ habetur lithargyrium.1°.de antid. 5ª.100.D
Romæ vnguentarij cognoſcunt ſuccorũ fraudes.1°.de antid. 5ª.100.D
Romæ crematus eſt liber de Catharticis.de cathar. Sp.94.D
Romæ romano more viuendum.6°.meth.med. 7ª.42.H
Romã bis profectus eſt Galenus primo naui, poſtea pedeſtri itinere.9°.de ſimp.me.fac. 5ª.65.B
Romæ præceptores habuit Galenus.de vſu Theria.ad Pamph. 5ª.98.H
Romæ ſemitertiana frequentiſſima & familiariſſima.in 1^{m}. de mor.vul.commen.2°. 3ª.110.E
Romæ ſemitertianæ peculiares.de mor.temp. 3ª.87.F
contra ROMANOS belli hiſtoria cum nouo telorũ genere. de theriaca ad Piſonem. 5ª.91.C
Romanorum annus eſt duodecim menſium.in 1^{m}. de morbis vulgaribus.commen.1°. 3ª.102.D
Romani in duodecim partes hereditates diſtribuunt.de cuiuſ. animi pec. notitia atque medela. 2ª.58.D
Romanus cibus eſt aphrogala.7°.met.med. 7ª.44.B
Romani damnarunt polentam.1°.de alim.fac. 2ª.11.H
Romanorum more ponderat.1°.de com.me.per ge. 5ª.214.A
Romani ſalis.ſecr. Sp.98.G
ROMANI irinis experimentum.de med.exper. Sp.104.F
Ῥοώδεις affectus quos vocent græci.8°.de ſimp.med.fac. 5ª.57.D
ROPVS. de remed.par.fac. 7ª.173.C
ROS eſt nebula decidens.in 1^{m}.de mor.vul.com.1°. 3ª.104.C
Ros quidam eſt humiditas in omni aĩalis parte.7°.met.me. 7ª.44.D
ex Roris ſpecie eſt intemperatum quoddã quod intẽperiẽ efficit, & quo modo.2°.de ſymp.cau. 3ª.22.A
Roris meminit.de dyna. Sp.28.B
ROSA quid.de ſimp.med. Sp.89.F
Roſæ babilonicæ.de dyn. Sp.26.E
Roſæ quales.6°.de compoſi.med.ſec.loc.170.H|7°.183.H|8°.5ª.190.F|de ocul. 7ª.188.H
Roſæ quales,& quæ colligendæ.1°.de antid. 5ª.105.D
Roſa eſt diſſimilaris ſubſtantiæ,& de eius partibus.4°.de ſimplicium medic.facul. 5ª.31.B
Roſa miſtæ facultatis,& qualis.4°.de comp.med.ſec.loc. 5ª.151.F
Roſa partim temperata partim paulum recedit à media temperie.3°.de ſim.med.facul. 5ª.19.B
Roſa frigida eſt.3°.de ſimp.me.fac. 5ª.17.G
Roſæ frigidæ ſunt in primo ordine, & tepidæ caliditatis. 6°. de ſimplic.medic.facul. 5ª.44.C
Roſa oleo eſt frigidior.3°.de ſimp.med.fac. 5ª.19.D
Roſa q̃uo probetur frigida.3°.de ſimp.med.fac. 5ª.18.E
Roſas q̃uo quidam probabant calidas.3°.de ſimp.me.fac. 5ª.17.G
Roſæ quod non calidæ,quoniam rubrę.2°.de ſimp.med.fac. 5ª.10.B
Roſa non calida quoniam rubra.de theria.ad Piſo. 5ª.90.E
in Roſæ natura aliud guſtantibus acerbum eſt, quod terrenũ, craſſum, frigidumq́; ſit neceſſe eſt,aliud vero amarũ quod tenue eſt,& calidũ, 4°.de ſimp.med.fac. 5ª.31.C
Roſa dulcis & amara.3°.de ſimp.me.fac. 5ª.20.F
Roſa mordicat ferè.3°.de ſimp.med.fac. 5ª.20.G
Roſæ odor ſuauiſſimus eſt.4°.de ſimp.med.fac. 5ª.30.H
Roſarum odor ſanat laborantes exuſtione ſolis.de inſtr.odor. 1ª.112.E
Roſa cur odorata,& cur celerrime exiccatur. 4°.de ſimplicium medicamentorum facul. 5ª.31.C
Roſæ cum exiccantur minores fiunt, quia exhalat ex eorum ſubſtantia pars humidior.de inſtr.odor. 1ª.110.F
ex Roſis coronæ in conuiuijs fiebant.de cau.procatar. 3ª.96.A
ex Roſis corona refrigerat.3°.de ſim.med.facul. 5ª.18.E
ex Roſis corona pro capitis dolore.de rem.par.fa. 7ª.154.B
Roſa manſa adſtringit.3°.de ſimp.med.fac. 5ª.20.F
Roſa adſtrictionis eſt particeps.3°.de ſimp.med.fa. 5ª.21.E
in Roſa minimum eſt quod adſtringit.3°.de ſimp.me.fac. 5ª.21.E
Roſæ parum adſtringunt.4°.de comp.med.ſec.loc. 5ª.151.C
Roſarum folia,flores,& ſuccus mediocriter adſtringunt. 4°. de compo.med.ſec.loc. 5ª.149.G
Roſarum decoctum adſtringens moderatum pro gargariſmis.6°. de compoſi.med.ſec.loc. 5ª.172.F
Roſæ inter adſtringentia parabilia numerantur.6°.de compoſitione medicamentorum ſec.loc. 5ª.169.F
Roſæ inter adſtringentia moderatæ arida numerantur.6°.de comp.med.ſec.loc. 5ª.172.G
Roſa ſuauiter ſtringit & refrigerat.de ſimp.med. Sp.89.E
Roſę exigue adſtringunt,& diſcutiunt.5°.de comp.me.ſec.loc. 5ª.59.B
Roſarum flos adſtringit magis,quàm roſa, & exiccat.8°.de ſimplicium medic.facul. 5ª.59.G
Roſa inflammationibus hypochondriorum conueniret, niſi adſtringeret.3°.de ſim.me.fa. 5ª.18.H
Roſa medela eſt inflammationum in principio & augmento.3°. de ſimp.med.facul. 5ª.21.E
Roſa ſtomachum confirmat.de med.fac.par. 7ª.175.H
Roſæ oculis conueniunt.de ocul. 7ª.188.G
Roſæ flos,frondes foliũ aut lignũ oculis conuenit.de ocul. 7ª.188.G
Roſa prohibet humorẽ fluentẽ,puſtulas,& vulnera.de ocul. 7ª.189.C
Roſis conſternebant pauimenta,cum herbis frigidis indigebant.1°. de arte cur.ad Glau. 7ª.99.B
Roſæ plurimę ſternẽdæ in cubiculo febricitãtiũ.10°.meth.med. 7ª.64.E
Roſæ ſub renibus ꝑ imaginibus nocturnis cõueniunt.6°.de ſa.t.2ª.100.G
Roſas accipit vel ſiccas vel virides ſine diſcrimine in quo caſu.4°.de cõpoſi.med.ſec.loc. 5ª.135.D
Roſarum viridium aut ſiccarum non facit differentiam. 2°. de comp.medic.ſec.loc. 5ª.138.G
Roſarum viridium reſecat extremitates in quo caſu.4°.de comp.medic.ſec.loc. 5ª.153.H
Roſis viridibus vngues reſecat & in quo caſu.4°. de comp.med.ſec.loc.153.D|8°. 5ª.189.F
Roſarum comæ.5°.de com.med.ſec.lo. 5ª.166.B
Roſę ſiccæ odoratas reddunt compoſitiones.1°.de com.me.ſe.lo.5ª.128.C
Roſæ ſiccæ folia ponuntur in theriaca.de theria.ad Piſo. 5ª.92.D
Roſa ſicca cum roſaceo cerato parum reſinæ vſtæ habẽte ad quid valeat.8°.de comp.med.ſec.loc. 5ª.192.B
Roſis aridis q̃uo ſanatus Eunuchus in Polypo, qui nullum poterat ferre medicamentum.3°.de compoſitione medicamento.ſec.loc. 5ª.148.F

pro Roſarum

pro Roſarum folijs, flore roſarum vſus eſt quãdoq; Galenus, & in quo caſu. 4°. de comp. med. ſe. loc. 5ª.155.D
Roſæ ſuccus tres habet partes immo quatuor. 3°. de ſim. me. fac. 5ª.120.F
Roſarum ſucci tria excrementa. 4°. de ſimp. med. fac. 5ª.31.C
Roſæ ſuccus quo modo ſeruetur. 3°. de ſimp. med. fac. 20. F/ 4°. de ſimp. med. fac. 5ª.31.C
Roſarũ ſuccus tenuis ſubſtãtiæ, & exqſitæ. 3°. de ſimp. md. fac. 5ª.18.G
Roſarum ſuccus frigidus eſt in ſecundo. 3°. de ſimp. med. fac. 5ª.19.F
Roſarum ſuccus omnes odores obſcurat cur. 3°. de ſimp. med. fac. 5ª.18.G
Roſarũ ſuccus frigidus vna cũ polẽta ad qd cõferat. 10°. met. me. 7ª.65.B
cũ Roſarũ ſucco refrigerat opobalſamum. 3°. de ſimp med. fac. 5ª.18.E
Roſarum ſuccus internis vlceribus opitulatur. 4°. meth. med. 7ª.28.H
Roſarum electarium. de med. exper. Sp.108.D
è Roſis paſtillorum confectio. 2°. de antid. 5ª.113.D
Roſæ comparatur os matricis. de ana. viuo. Sp.51.E
ROSACEVM ceratum, cui aliquid calcis immixtum, non eſt Eryſipelatis medela priuſquàm mutatum ab eo quod fuerat, contrarium euadat. 14°. meth. med. 7ª.87.E
Roſaceum ceratum valet in dyſentericorum deiectionibus, vbi vehementer rodunt. 11°. meth. med. 7ª.74.H
ex Roſaceo ſimplici ceratũ fit pro priapiſmo. 14°. meth. med. 7ª.89.B
Roſaceæ coronę iuuant ad capitis dolorem ex ardore. 2°. de compoſitio. med. ſec. loc. 5ª.138.C
ROSACEVM oleum, & roſaceum vnguentum in quo differant. 4°. de comp. me. per ge. 5ª.239.H
Roſaceum oleum vbi cum aromatibus præparatur, vnguẽtum efficitur. 6°. de ſim. me. fac. 5ª.138.C
Roſaceum oleum ex roſis ſine frondibus. 6°. de ſan. tuen. 2ª.98.H
Roſaceum oleum quod optimum. 2°. de comp. med. ſec. loc. 5ª.132.E
Roſaceũ oleũ pfectũ quale, & qũo fiat. 2°. de comp. me. per ge. 5ª.220.A
Roſaceum oleum bonum, quale eſſe debet. 2°. de com. me. ſe. lo. 5ª.141.A
Roſaceum oleum debet eſſe recens. 2°. de comp. med. ſec. loc. 5ª.132.E
Roſaceum oleum quo modo odoratum per multum tempus maneat. 2°. de comp. med. ſec. loc. 5ª.141.A
Roſaceum quale eſſe debet, & quo modo fiet magis frigidum. 8°. methodi medendi. 7ª.51.F
Roſaceum omphacinum citra ſalem confectum, in quo caſu conueniat. 10°. meth. med. 7ª.65.A
Roſaceum cur terræ ſamiæ, & lemniæ miſceatur. 9°. de ſimp. medicamẽtorum facul. 5ª.65.H
Roſaceum ſimplex quid ſit. 10°. meth. med. 7ª.65.B
Roſaceum oleum quale ſit. 2°. de comp. med. ſec. loc. 5ª.136.C
Roſaceum vt in medio eorum conſiſtit, ex quibus eſt confectum, ita vtilitatem præbet in medio tempore. 3°. de ſimp. med. fac. 5ª.21.E
Roſaceum & acetum quo modo neutra. 1°. de ſimplic. medic. fac. 5ª.6.B
Roſaceum oleum tenuis eſt ſubſtantiæ, & tepidę. 3°. de ſimplicium medicament. facul. 5ª.21.G
Roſaceum an calefaciat, vel refrigeret, ambiguum. 5°. de ſimplicium medicamen. facul. 5ª.32.A
Roſaceum frigidum eſt in primo ordine. 3°. de ſimp. med. fac. 5ª.19.F
Roſaceum refrigerare elicitur. 11°. de ſimp. med. fac. 5ª.80.D
Roſaceum refrigerat, & calefacit. 1°. de ſimp. med. fac. 5ª.6.B
Roſaçeũ oleũ qũo calefacit, & refrigerat. 3°. de ſimp. med. fac. 5ª.19.B
Roſaceo, proximum oleum chamæmelinum, quando vehementem frigiditatem inducere nolumus. 2°. de compoſitione med. ſe. loc. 5ª.132.E
Roſaceum in quibus præfertur chamæmelo. 3°. de ſimp. med. fac. 5ª.18.H
Roſaceum in quo excellit myrteum. 2°. de comp. me. per ge. 5ª.224.A
Roſaceum oleum purum adſtringit. 3°. de ſimp. med. fac. 5ª.21.F
Roſacei adſtrictio quo modo penetrare faciat. 3°. de ſim. med. fac. 5ª.21.G
Roſaceum frigidum ſenſit Galenus in ſe ipſo penetrare. 13°. methodi medendi. 7ª.85.H
Roſaceum penetrat, & humectat magis, quam oleum. 3°. de ſimpli. medicamen. facul. 5ª.21.F
Roſaceum oleum humectat. 9°. de ſimp. med. fac. 5ª.65.H
Roſaceo teruntur prædenſæ coriaceæ tunicæ, quas neq; oleum, neq; hydrelæum mollire potuere. 3°. de ſimp. med. fac. 5ª.21.F
Roſaceum quando eſt potius oleo. 6°. de cõp. me. per ge. 5ª.255.E
Roſaceum concoquit, & repellit. 2°. de comp. med. per ge. 5ª.220.G
Roſaceum repellit. 1°. de arte cur. ad Glau. 7ª.100.A
Roſaceum repellit in capitis doloribus. 2°. de com. med. ſec. loc. 5ª.137.D
ex Roſaceo oleo, & paſſo, ac pauca cęra, quæ in vtroq; ſit liquefacta cõficiuntur quæ dolorem mitigant, & quo modo hæc excipiantur. 2°. de arte cur. ad Glau. 7ª.101.G
ex Roſaceo oleo, pane, & arnogloſſo cataplaſma dolorem mitigans. 2°. de arte cur. ad Glau. 7ª.101.G
Roſaceo vtitur in capitis dolore ex plaga. 2°. de com. med. ſec. lo. 5ª.133.F
Roſaceũ oleum immaturũ quãdo ſumi debet in capitis dolore conuenit. de remed. par. fac. 7ª.153.E
Roſaceũ oleũ, in principio in dolore capitis calido conuenit & in qua parte ponendum. 2°. de com. medica. ſec. locos. 5ª.132.D
Roſaceo optima capitis refrigeratio. 2°. de com. me. ſec. lo. 5ª.132.E
Roſacei olei menſura in refrigerando caput, vnde ſumenda. 2°. de compoſitione medic. ſec. loc. 5ª.132.F
Roſaceo admiſceri non debet ſuccus mali punici, mali, meſpili, & ſolani qñ caput refrigerare volumus, & quare. 2°. de cõ. me. ſec. lo. 5ª.132.G
Roſaceum oleum quo modo refrigerandum in affectu calido. 2°. de comp. med. ſec. loc. 5ª.132.F
Roſaceum oleum quo modo refrigerat in calidis locis. 2°. de compoſitio. medic. ſec loc. 5ª.132.F
Roſacco oleo quæ frigida adhibeantur in regionibus calidis. 2°. de comp. med. ſec. loc. 5ª.132.F
Roſaceum cum aceto inflammationibus incipientibus conuenit. 2°. de cõpoſi. med. ſec. loc. 5ª.134.C
Roſacei, & aceti vſus in principijs affectuum capitis conuenit. 10°. methodi medendi. 7ª.73.E
Roſaceum infundit ſupra caput in febre ex obſtructione, ante declinationem. 8°. meth. med. 7ª.51.F
Roſaceum in inflammationum augmentis optimum eſt remedium. 3°. de ſimp. med. fa. 5ª.21.E
Roſaceum ſolum in vigore valet. 2°. de comp. med. ſec. loc. 5ª.134.C
Roſaceo, & aceto vtimur in lethargicis, & phreniticis. 2°. de compoſit. med. ſec. loc. 5ª.134.A
cum Roſaceo acetum conuenit auri. 13°. met. med. 7ª.83.C
Roſaceum oleum purgat aures. de cathar. Sp.95.B
Roſaceum pro capite vlcerato conuenit. de remed. par. fa. 7ª.154.H
Roſaceũ, & acetũ in capite vulnerato cõuenit. 2°. de cõ. me. ſ. l. 5ª.134.A
Roſaceum oleum ſupra craſſam mẽbranam nudam ponitur leniter tepefactum, & in quo caſu. 2°. de comp. me. per ge. 5ª.134.B
Roſaceum conuenit in fractura cranei ſuper meningam, vt columbæ ſanguis. 9°. de ſimp. medicam. facul. 5ª.72.H
Roſaceo oleo cũ aceto vtimur qñ ſalua exiſtẽte caluaria, volumus roſaceũ ad mẽbranã cerebri peruenire. 2°. de comp. med. ſe. lo. 5ª.134.B
Roſaceo oleo nihil melius in fractura cranei, ſi ſit optimũ roſaceum. 10°. de ſimp. med. fac. 5ª.72.H
ex Roſaceo cũ melino caro procreatur. 2°. de com. me. per. ge. 5ª.222.C
Roſaceum ex chalcitide ad fluxiones valet. 2°. de arte cur. 7ª.101.H
Roſaceum oleoſum. 2°. de comp. me. per ge. 5ª.220.F
Roſaceũ oleoſum mitigat medicamenta. 2°. de com. me. per ge. 5ª.220.D
Roſaceum acredinem remouet. 7°. de ſimplic. medic. facul. 5ª.51.F
Roſaceo contẽperanda ſunt medicamenta æſtate. 6°. met. med. 7ª.38.E
Roſaceũ vinũ infrigidat vrinã procurat & vẽtrẽ. de ſimp. med. Sp.92.C
Roſaceum vinum album. 2°. de anti. 5ª.116.F
Roſaceum vinum. 2°. de antid. 5ª.120.F
Roſaceum vnguentum. 3°. de comp. med. ſec. loc. 5ª.145.C
Roſaceo vnguento pectus æſtate vngendum. 5°. met. me. 7ª.32.H
ROSEVM ſaccharum. de med. fac. par. 7ª.175.H
Roſea caro in pulmone. de ana. viuo. Sp.44.D
Roſea vrina, & obſcura in febribus phrenitim ſignãt. de dyna. Sp.35.E
ROSIO in ventriculo auget febrem. 8°. met. med. 7ª.53.B
ad Roſiones ſtomachi facit ſium. de ſimp. med. Sp.91.D
contra Roſionem in dyſenteria quæ valeant. 11°. meth. med. 7ª.74.H
Roſionis curatio in dyſenteria, non eſt curatio ſymptomatis. 11°. methodi medendi. 7ª.74.G
ROSMARINVS quid. de ſimp. med. Sp.89.D
Roſmarinus quid differat à cachry. de ſimp. med. Sp.89.D
Roſmarinum montanum. 10°. de comp. med. ſec. loc. 5ª.206.F
Roſmarinus ad quid valeat. de cura icteri. Sp.111.B
Roſmarinus efficaciter ſtringit & relaxat, vrinã mouet, antidotis contra maligna admiſcetur. de ſim. med. Sp.89.E
Roſmarinus valet in regio morbo. 7°. de ſim. med. fac. 5ª.54.E
Roſmarina herba eſt oleo coquenda. 4°. de ſan. tuen. 2ª.87.B
pro Roſmarino quæ accipi poſſunt. 4°. de ſan. tuen. 2ª.87.B
ROSTRVM magnum cur ineſt gruibus, & ciconijs. 11°. de vſu partium. 1ª.187.D

Roſtra ſicciſſima ſunt.2°.de temp. 1ª.18.A
Roſtra quo modo mandantur.3°.de alim.fac. 2ª.26.E
Roſtrorum variæ conditur æ.3°.de alim.fac. 2ª.26.C
Roſtra ponit pro bono nutrimento inter carnes conuenientes ſtomachis.8°.de comp.med.ſec.loc. 5ª.192.C
Roſtris ſuillis licet veſci,ei,qui ſe exerceat.de atten.vic. 2ª.45.D
à ROTIS *deraſa axũgia & manu emollita ad quid iuuet,& quomodo.1°.de comp.med.ſe.loc.* 5ª.124.G
ROTVLA *ſupra genu quid ſit & cur.3°.de vſu par.* 1ª.134.F
Rotula à genu euulſa fuit in quodam adoleſcẽte,& quo modo.3°.de vſu partium. 1ª.134.F
Rotulæ.de dynam. Sp.29.F
ROTVNDITAS *cito pati non poteſt.de ocul.* 7ª.182.G
ROTVNDA *figura impatibilis eſt & capaciſſima.7°.de vſu partium.* 1ª.158.A
Rotundum eſt remotiſſimum ab iniurijs.11°.de vſu par. 1ª.189.B
Rotunda facies, & inflata magis apparere deberet in triſtitia, quàm in ira ſecundum aliquos.de ana.viuo. Sp.47.A
Rotundus cur ſit ſtomachus.de ana.viu. Sp.49.G
Rotundum ſtomachum habentes poſt prandium difficulter inſpirant & expirant.de ana.viuo. Sp.49.G
Rotunda ariſtolochia aſthmatico data.de med.exper. Sp.104.C
Rotundi lumbrici de ſtomacho educuntur.de cathar. Sp 94.G
Rotundos lumbricos quid excludat.de cathar. Sp.95.C
RVBEDO *eſt viſus qualitas.de natura humana cõmentario 1°.* 1ª.28.H
ad Rubedinem & dulcedinem declinans vinum eſt magis nutritiuum.de diſſol.cont. Sp.73.F
in Rubedinem tendunt capilli ſi conceptus homo ſit in tribus horis ſanguinis.de ſperm. Sp.37.B
Rubedo faciei in longo morbo, ſignificat futurum abſceſſum. in 6m. de mor.vul.com.2°. 3ª.163.F
Rubedo in vrinis quid ſignificet,& cur.com.4°.apho.71°. Ex.35.C
Rubedo nebularum quid ſignificat,& quo modo ſe habeat.commen. 4°. aphoriſmo 71°. Ex.35.C
RVBENS *color calidum temperamentum ſignificat. in 3m. de morbis vulg.com.3°.* 3ª.146.D
Rubens eſt conceptus in horis bilis.de ſperm. Sp.37.C
Rubens color nocet ſanguinem expuentibus.de ſubſ.emp. Iſa.32.B
Rubens ſanguis exiens per os,malus,per inferiora,bonus.comment. 4°. aphoriſmo 25°. Ex.30.A
Rubẽs deiectio mala in omnibus morbis.in 1m.prorrh.com.1°. 4ª.161.F
à RVBRO *in albiorem quantum color flauus recedit, tantum à flauo pallidus.de vic.ra.in mor.acu.com.1°.* 7ª.119.E
Rubrum fit flauũ vna ſimplici alteratione.1°.de nat.fac. 1ª.292.D
Rubrum valde procliue ad melancholiã.in 1m.prorrh.cõ.2°. 4ª.170.H
Rubrum omne non eſt calidum.1°.de ſimp.med.fac.2.E/2°. 5ª.10.B
Rubrum ex partibus corporis,vel humoribus nihil eſt præter ſanguinẽ, & carnem.de tum.præter nat. 3ª.82.H
Rubra eſt caro communis.de ana.viuo. Sp.55.H
Rubra caro eſt vt in pluribus membris.de ana.viuo. Sp.44.D
Rubrũ,peculiaris ſanguinis Color eſt.in 1m.de mor.vul.com.3°. 3ª.121.C
Ruber color à quo gignatur in ſanguine ſecundum Platonem. 8°. de decretis Hipp. 1ª.277.H
Ruber color cur vere fiat.de nat.hum.com.1°. 1ª.32.B
Ruber eſt color lotis.1°.meth.med. 7ª.7.G
Ruber color familiaris in febribus.in 6m.de mor.vul.com.1°. 3ª.159.G
Rubra qui videre ſe putent.1°.de ſymp.cau. 3ª.15.C
Rubræ vt res appareant,faciunt venæ ex plaga ruptæ in prima tunica. 1°.de ſymp.cau. 3ª.15.C
Rubra facies ẽ hominis cõcepti in tribus horis ſanguinis.de ſper. Sp.37.B
Ruber eſt editus homo ſi conceptũ ſperma fuerit à muliere in tribus horis ſanguinis.de ſper. Sp.37.B
à Rubro colore faciei, ſignificatur ſanguis è naribus, & abſceſſus poſt aures.in 1m.prorr.com.2°. 4ª.171.A
Rubræ & impetiginoſæ faciei remedium.de dyna. Sp.25.E
ad Rubras Maculas preſidium.de dynam. Sp.25.E
Rubra Mẽbra rubrificant materiã quã cõuertũt.de ana.viuo. Sp.44.D
Rubra Potio.de dynam. Sp.32.D/F
ad Rubrum Rheumatiſmum.de paſſ.mul. Sp.96.B
Rubrum Sanguinem magis appetunt ſplen & renes quaſi ſimilem in colore,& natura.de ana.viuo. Sp.44.D
Rubri ſanguinis ſtilla nunquàm viſa eſt in exitiali morbo ſed atri.in 1m. de morb.vul.com.3°. 3ª.121.C
Rubrum eſt Sputum,ſi ſanguis abundat.5°.de loc.aff. 4ª.29.H
Rubra ſputa ex ſanguine fiunt.com.6°.aph.33°. Ex.50.A
Ruber Tumor ſignificat ſanguinem.14°.meth.med. 7ª.89.D
Rubra Vina ſunt craſſiora flauis & rutilis.de bon.& vi ſuc. 2ª.38.D
inter Rubra vina ſunt craſſiora, quæ ad nigrum vergunt. de bonitate, & vitio ſuccorum. 2ª.38.D
Rubrũ vinũ craſſum dulce magis eſt nutritiuũ.de diſſ.cont. Sp.73.F
Rubrũ vinum craſſum aſperum in nutriendo quale.de diſſ.cont. Sp.73.F
Rubra,& ſubrubra Vrina differunt.in 1m.prorrh.com.2°. 4ª.173.A
Rubram & obſcuram vrinam habet hepatis vitium.de dynam. Sp.35.E
Rubra vrina mala,quæ.in 1m.prorrh.com.2°. 4ª.172.H
Rubra vrina in quibus affectibus prædicat futurã mortẽ.de dy. Sp.35.D
Rubra vrina,& ſpiſſa cum ſudore in febrium ſynocharum augumento mortem ſignificat.de dyna. Sp.34.C
Rubra vrina mortẽ ſignificat in Phthiſi, Hidrope, Apoplexia, Epilepſia, Peripleunomia, Paralyſi, Cholica, Dyſenteria.de dyn. Sp.35.D
Rubra vrina & ſpiſſa frequentius egeſta in ſynocha phrenitim denunciat.de dynam. Sp.34.D
RVBESCAT, *& tumeſcat prius pars cui apponenda cucurbitula eſt. de cucur.ſcar.* 6ª.3.C
quæ non Rubeſcant corpora ex frictione.de cucur.ſca. 6ª.3.C
Rubeſcunt multi ante abſceſſus, præſertim poſt aures. in 6m. de morbis vulg.com.2°. 3ª.163.F
RVBETAE *ranę magnæ.7°.de com.me.per ge.* 5ª.271.D/E
contra Rubetas valet theriaca.de ther.ad Piſo. 5ª.91.F
ex Rubetis ranis acopon.7°.de comp.med.per gen. 5ª.271.B
RVBIA *tinctorũ acerba eſt & amara.6°.de ſimp.me.fac.* 5ª.47.F
Rubiæ radix lienem,& iecur expurgat,vrinas craſſas multas q; & nõ nun quã,ſanguinolentas mouet,menſes & vitiligines albas iuuat,et Iſchiadicis exhibetur.6°.de ſimp.med.fac. 5ª.47.F
Rubia vrinam craſſam ducit.de ren.aff.dig.& med. 7ª.196.D
Rubię drachmæ duæ, & maioranæ drachmæ tres prouocant menſtrua. de med.exper. Sp.106.E
Rubia valet ad dyſenteriam.de vict.ra.in mor.acu.com.4°. 7ª.152.F
RVBICVNDIVS *ſolito corpus effectum ſanguinis abundantiam indicat.4°.de ſan.tuen.* 2ª.84.B
Rubicundior ſanguis qualis.1°.de cri. 4ª.130.B
RVBICVNDA *caro eſt in corde.de ana.viu.* Sp.44.D
Rubicunda eſt caro cordis.de ana.viuo. Sp.55.H
Rubicũdi,molles,& corpulẽti quo victu nutriẽdi.de ſal.diæ. 2ª.40.D
Rubicũdi,molles & corpulenti vnde habẽt hoc.de ſal.diæta. 2ª.40.D
Rubicundos oculos curat ſuccus centaureæ.de vir.cen. Sp.93.B
ad Rubicũda,parua,& ſpiſſa phygethla capitis valet ſuccus cẽtaureæ. de vir.cent. Sp.93.B
ad Rubicunda,parua, & ſpiſſa vlcuſcula capitis valet ſuccus centaureæ.de vir.cent. Sp.93.B
RVBIDVS *color eſt indicium conuulſionis, & quid ſignificet. in prognoſt.com.2°.* 4ª.211.C
RVBIEN *& eſt ſepia.ſecret.* Sp.97.F
RVBIGINOSVS *humor quõ fiat.in progn.com.2°.* 4ª.202.E
Rubiginoſa bilis.in prog.com.2°. 4ª.199.F
Rubiginẽ cito cõtrahũt vaſa ex nõ puro argẽto.1°.de antid. 5ª.104.D
à Rubigine quo modo ferrum præſeruetur.de machin. 7ª.309.E
RVBIFICANTIA *in melancholicis qñ.de mel.ex Gal.Ru.* Sp.110.C
Rubificãs ſinapiſmus qbus cõficiatur.de mel.ex Gal.R.& Po. Sp.110.B
Rubificat ſanguinem hepar.de ana.viu. Sp.44.D
Rubificat pulegium illitum.6°.de ſimp.med.fac. 5ª.45.F
RVBOR *corporis quid ſignificet.de mul.* 3ª.81.C
Rubor quid ſignificet in membro.de frac.com.2°. 7ª.235.G
Ruborem præſefert ſanguinis copiam.de mul. 3ª.81.E
Rubor ex multo calore exoritur.de frac.com.3°. 7ª.243.D
Rubor floridus exit in frictione.2°.de ſan.tuen. 2ª.69.H
Ruborem facit acetum.1°.de ſimp.med.fac. 5ª.6.E
Rubores aurium mitigat ſuccus centaureæ.de vir.cent. Sp.93.C
Rubor oculorum à vomitu malum.com.7°.aph.3°. Ex.54.B
Rubor malarũ in muliere fuit quæ cum antea febre acuta oppreſſa fuiſſet ſexto die ſopore premebatur, faſtidioſa horrens, & quare.in 1m. de mor.vul.com.3°. 3ª.126.H
Rubores faciei quibus eueniant.pr.ſ.exper.conſ. Sp.78.E
Rubor in pectore veniẽs ab angina habito,bonũ.c.7°.ap.49°. Ex.58.A

Rubor eſt

Rubor eſt in parte phlegmonis.13°.met.me. 7ª.80.E
RVBREFACIENDO *quæ curari debent.4°.meth.med.* 7ª.25.E
RVBRICA *lemnia quid.9°.de ſimp.med.fac.* 5ª.65.A
Rubrica lemnia quo modo differat à terra lemnia.9°.de ſimplicium medicamentorum facul. 5ª.65.B
Rubrica lemnia qualis & vnde.1°.de antid. 5ª.107.B
Rubrica ſinopis.5°.de com.med.ſec.loc. 5ª.160.G
*Rubrica lẽnia,ſinopica qñ vti poſſimus.7°.de com.med.ſec.loc.*5ª.183.F
RVBRIFICANTIA *trahunt,vt cucurbitula à toto corpore. 4°. methodi medendi.* 7ª.25.E
RVBRIFICATIO *eſt commune remedium ventriculi imbecillitati. 7°.meth.med.* 7ª.44.A
Rubrificatio quibus fiat.7°.meth.med. 7ª.44.B
RVBVS *quid.de ſimp.med.* Sp.89.E
Rubus frutex eſt ſylueſtris.2°.de alim.fac. 2ª.21.H
Rubum fruticem in colle Tabiano reperiri ſupponit vt indicet lac à paſcuis alterari.5°.meth.med. 7ª.35.A
*Rubus pro lẽticula in quibus ſumat̃.9°.de comp.med.ſec.loc.*5ª.204.A
Rubus nunquàm feret vuam.de cog.cur.animi mor. 2ª.54.B
Rubus qualis.6°.de compoſitione med.ſec.loc. 5ª.176.D
Rubum vnum ex medicamentis miſtionem contrariorum non habentibus.1°.de comp.med.ſec.loc. 5ª.129.E
Rubi folia ſubſtantiæ aqueæ ſunt, & adſtringunt parum. 6°.de ſimplic. medic.facul. 5ª.44.F
Rubi folia,& germina recens nata aphthas, & alia oris vlcera ſanant ſi mãdãtur,ac alia vulnera glutinare valẽt.6°.de ſim.me.f. 5ª.44.F
Rubi canini folia in Herpete exedẽte adhibẽda.2°.de arte cur. 7ª.102.B
Rubi folia,flos,& mora ad vuulã & fauces euidenter faciũt omne profluuium idonee ſtringunt.de ſimp.med. Sp.89.E
Rubi folia ſternenda ad refrigerandum.de remed.par.fac. 7ª.153.E
Ruborum ſumitates ſternendæ in cubiculo febricitantium. 10°. methodi medendi. 7ª.64.E
Rubi germina muria, vel oxyhalme condita ſanguinem melancholicum gignunt.3°.de loc.aff. 4ª.18.F
Rubi germina inter oĩum prẹſtãtiſſima numerãtur.2°.de ali.fa. 2ª.24.C
*Rubi tenera germina quibus incoquẽda,& quare.13°.met.med.*7ª.83.G
Rubi germinorũ decoctum eſt adſtringens leue.5°.meth.med. 7ª.31.G
Rubi ſummorum decoctum adſtringit.4°.meth.med. 7ª.28.H
Rubi aſparagi auſteri & adſtringentes.de atten.vic. 2ª.44.D
Rubi ramuli conuenientes ſunt ſtomachicis in cibo. 8°. de compoſitione med.ſec.loc. 5ª.192.C
Rubi ramuli pro ſpatula.9°.de comp.med.ſec.loc. 5ª.204.A
Rubi fructus quo modo appelletur.6°.de comp.med.ſec.loc. 5ª.167.F
Ruborum fructum βάτινον appellant.2°.de alim.fac. 2ª.19.B
Rubi fructus immaturus acerbus eſt, & valde exiccat. 6°.de ſimpliciũ medic.facul. 5ª.44.G
*Rubi fructus maturus eſt calidus temperatus.6°.de ſim.me.f.*5ª.44.G
Rubi fructus exiguum habet alimentum.2°.de alim.fac. 2ª.22.A
Rubi fructus eſt praui ſucci.2°.de alim.fa. 2ª.22.B
Rubi canini fuluo fructu comeſto,probe iuuantur qui in febribus incidũt in morbum regium.9°.de com.me.ſe.lo. 5ª.198.A
ex Rubi fructu medicamentum quod.5°.meth.med. 7ª.34.C
Rubi mora innoxia ſi edantur.6°.de comp.med.ſec.loc. 5ª.169.A
Rubi mororum ſuccus habet aliquid quo roborat ſtomachum.6°.de cõ. med.ſec.loc. 5ª.169.A
Rubi mororum ſuccus qualis.6°.de comp.med.ſec.lo. 5ª.171.F
Rubi acinus acidus tantum,frigidus eſt,quicquid enim eſt acidũ tãtum, id plane & frigidum.4°.de ſim.med.fac. 5ª.25.B
Rubus caninus adſtringit.1°.de comp.med.ſec.loc. 5ª.130.B
Rubus multum adſtringit.6°.de ſimp.med.fac. 5ª.44.F
Rubus inter adſtringentia parabilia numeratur. 6°. de compoſitione medicamen.ſec.loc. 5ª.169.F
Rubi canini decoctum adſtringens moderatum pro gargariſmis.6°.de cõpoſi.me.ſe.lo. 5ª.127.F
Rubi radices incidentes ſunt minus calidæ.5°.de ſim.med.fac. 5ª.35.E
Rubi radix lapides renum comminuit.6°.de ſimp.med.fac. 5ª.44.G
*Rubis ſpinis ac hamis Galenus ſophiſmata cõparat.de cau.pcat.*3ª.95.H
RVCTANTES *bilioſa,non ſunt lauandi.de vict.rat. in mor. acut. commen.3°.* 7ª.133.A
Ructantes acidum ventriculi vitio iuuat antidotus Zopyria. 2°. de antidotis. 5ª.115.A
Ructantibus acidum,auxilio eſt betonica.7°.de ſimp.med.fac. 5ª.51.A
RVCTVOSIS *prodeſt lentiſcus.de ſimp.me.* Sp.86.B
RVCTVS, *rigoris,conuulſionis,tremoris,palpitationis,horroris,ſingultus,tuſſus ructus,ſternutationis,pandiculationis,oſcitationis,dentium concuſſionis(triſmon græci vocant)genus commune eſt motus illegitimus,& q̃uo hæc in genere differant.2°.de ſymp.cau.* 3ª.19.E
Ructus eſt in genere ſpirituum.in 1ᵐ.de mor.vul.com.3°. 3ª.118.C
Ructus ſymptoma dici poteſt.2°.de ſymp.cau. 3ª.21.E
Ructus vnde creatur.3°.de ſymp.cau. 3ª.27.F
Ructus excernit ventum flatuoſum.com.5°.aph.72°. Ex.45.F
per Ructus exit flatus inutilis.4°.de vſu par. 1ª.138.A
in Ructibus,& deiectionibus naturæ prouidentia conſpicitur.in 6ᵐ.de mor.vul.com.5°. 3ª.189.D/E
Rectus Acidi quo modo fiant.4°.de ſim.me.fa. 5ª.28.B
Ructus acidus q̃uo fiat,& ex qua materia.com.6°.aph.1°. Ex.45.H
Ructus acidi quo modo ex frigore.3°.de ſymp.cau. 3ª.25.D
Ructus acidi propter quid fiant.de vict.rat.in mor.acu.cõ.1°. 7ª.119.E
Ructus acidi quid ſignificent.2°.de temp. 1ª.20.B
Ructus acidus ſignificat pituitam.com.4°.aph.2°. Ex.27.F
Ructus acidus in longis leuitatibus inteſtinorum,bonum.commenta. 6°. aphoriſmo 1°. Ex.45.G
Ructum acidum habentes non valde morbo laterali corripiuntur. com. 6°.aphoriſmo 33°. Ex.50.A
ex Ructu acido cruditates nunquàm conſequitur febris diaria. 8°. methodi medendi. 7ª.53.G
ad Ructũ acidũ,& ſalſum valet acetũ ſcillinũ.de me.fa.par. 7ª.178.C
ad Ructibus acidis ægrotantem ſtomachum Aſter inexuperabilis pharmacum accommodatum.8°.de compoſit.medicam.ſec.loc. 5ª.191.E
Ructũ acidũ habẽtes coriãdro ſanãtur.8°.de com.med.ſec.loc. 5ª.191.G
Ructus Fœtidos facit raphanus.de ſim.med. Sp.89.F
in Ructu fœtoris ſymptoma adeſt quando.de ſymp.diff. 3ª.13.D
Ructus fœtentes non ſentiunt ructantes.3°.de loc.aff. 4ª.20.G
Ructus Fumoſus vnde proueniat.1°.de loc.aff. 4ª.5.D
Ructus Fumoſi & acidi in diuerſis fiunt.1°.de loc.aff. 4ª.5.F
Ructus fumoſus ſign̄at igneũ calorẽ eſſe in vẽtriculo.1°.de lo.af. 4ª.5.D
Ructum fumoſum ſi quis ſenſit vt ab ouis frictis, indicatur non bene eſſe concoctos cibos.1°.de loc.aff. 4ª.5.C
Ructui malo ab ardore ſtomachi electarium vtile.de dyn. Sp.26 C
Ructus nidoroſi quibus contingat.2°.de alim.fac. 2ª.17.C
Ructus nidoroſi & fumoſi quid ſignificent.2°.de temp. 1ª.20.B
Ructus docet bonitatem caſei.3°.de alim.fac. 2ª.29.B
Ructus plures oſtendunt futuram ægritudinem.ars med. Iſa.67.F
Ructus mouendi inflatum habentibus ventrem.in 6ᵐ.de mor.vulgarib. commen.2°. 3ª.166.C
*Ructus q̃uo moueĩ ex vaſculo anguſti oris.in 6ᵐ.de m.v.cõ.2°.*3ª.166.D
RVDES *ijdem & formoſi deſpiciendi,& quare.in or.ſuaſ.* Iſa.3.F
Rude Læde.de remed.par.fac. 7ª.157.E
RVDICVLA *pharmaca ſupra prunas poſita in olla agitantur. 5°. de comp.med.ſec.loc.* 5ª.165.H
*quod Rudiculã eſſe palmẹ ramũ laudat.4°.de com.me.per ge.*5ª.239.G
RVFVS *color qui ſit.1°.de cri.* 4ª.130.B
Rufum colorem habet ſandaraca.in 6ᵐ .de mor.vul.com.1°. 3ª.155.F
Rufum nõ ſignificat cinereũ colorẽ.in 6ᵐ.de mor.vul.com.1°. 3ª.155.G
Rufum & flauũ eſſe diſtincta,poteſt colligi.com.4°.aph.2°. Ex.27.E
Rufum eſt albius flauo.1°.de criſ. 4ª.130.B
Rufis ſunt colore finitimo flaui.de ſal.diæta. 2ª.40.E
Rufi non ſunt temperamento ſicco.de ſal.diæta. 2ª.40.E
Rufi ſemper ferè vti debent victu humidiori.de ſal.diæta. 2ª.40.D
Rufa aliquando fit bilis amara,& q̃uo.1°.de criſ. 4ª.130.B
Rufa caro in pulmone.de ana.viu. Sp.44.D
Rufus color in toto corpore,vt regius morbus notat choleram peccare. com.4°.aph.2°. Ex.27.E
de Rufis & gallorum criſtis inſomnium, quid ſignificet. in 1ᵐ. de morb. vul.com.3°. 3ª.117.H
Rufum Excrementum quid ſignificet.1°.de cri. 4ª.129.D
Rufa Sputa fiunt ex bilioſis humoribus in morbo laterali.commenta.6°. aphoriſ.33°. Ex.50.A
Rufum Vinum auſterum quale.9°.de decr.Hipp. 1ª.283.F
Rufa Vrina in quibus inueniatur.de dyna. Sp.34.B
Rufa magis fit vrina, quando ſine cibo manemus.1°.de criſ. 4ª.130.A
Rufum non poteſt eſſe cum vrina tenui.de vrin. 4ª.124.G
Rufa vrina quid ſignificet.quæſ.in Hipp. Sp.113.B
Rufa nebula in vrina ſignum coctionis.com.4°.aph.71°. Ex.35.D

Rufa vrina, & craſſa cum hypoſtaſi rufa quid ſignificet. quæſita in Hippocratem. Sp.113.B
Rufa ſi fuerit hypoſtaſis color autem vrinæ albicans quid fieri debeat. de vri. ſign. ex Hipp. Sp.79.D
Rufa vrina ſubalbida, & ſpumoſa in ſynocha mortem ſignificat. de dynamidijs. Sp.34.C
Rufa vrina dolentibus caput ſi ſanguis de naribus fluxerit huius doloris fiet ſolutio. de dynam. Sp.34.G
Rufa, & pinguis vrina in pleuriticis mortem futuram oſtendit. de dynamidijs. Sp.34.H
Rufa quæ ſint medicamenta. 2°. de comp. me. per ge. 5ª.221.E
Rufum, cicatricem ducens. 5°. de comp. me. per ge. 5ª.253.G
RVFVS *interpres Hippocratis. ord lib. ſuo.* Iſa.15.C
Rufus Epheſius diligentiſſime fuit verſatus in Hippocratis libris. in 6^{m}. *de morb. vulg. com. 1°.* 3ª.156.G
Rufus Epheſius ſcriptor ſimplicium fuit. 1°. de antid. 5ª.100.B
Rufus quid de herbis verſibus ſcripſerit. 6°. de ſimp. med. fac. 5ª.39.H
Rufus Epheſius optime ſcripſit. de atra bile. 1ª.34.C
Rufi hieræ melancholicis exhibendæ quantitas. de melancholia. ex Galeno, Rufo, & Poſſ. Sp.109.H
Rufi potio ſedans dolorem. 7°. de comp. med. ſe. loc. 5ª.185.B
Rufi hiera ſcabioſis, & leproſis vtiliſſima eſt. de dyna. Sp.30.D
ad RVGAS *de facie tollendas. de dynam.* Sp.25.G
RVGOSITAS *arteriæ, auget numerum corporum impoſitorum rugis cutem conduplicans. 1°. de præſag. ex pul.* 4ª.106.D
Rugoſum corpus qđ dicitur à græcis. in 6^{m}. *de morb. vul. cō. 3°.* 3ª.177.A
Rugoſa cutis quæ dicitur à græcis. in 6^{m}. *de mor. vulg. cō. 3°.* 3ª.177.A
Rugoſi cur ſenum oculi. in 6^{m}. *de mor. vul. com. 1°.* 3ª.158.D
Rugoſa eſt figura cordis intrinſecus qñ conſtringit. de ana. vi. Sp.56.C
ad RVGITVS *ventris valens antidotus. 2°. de antid.* 5ª.111.H
ad Rugitum ſtomachi remedium. de dyna. Sp.26.H
ob RVINAS *laceſſiti quid dicant. 3°. de decre. Hipp.* 1ª.244.F
RVMEX *medius in bonis & malis ſuccis. de bon. & vi. ſuc.* 2ª.37.F
Rumex ex oleribus cōuenit illis, qui ſemel tantum in die comedunt. de victus rat. in morb. acu. com. 4°. 7ª.145.B
RVMINANTIA *animalia habent tantū dentes inferiores. de articulis, com. 1°.* 7ª.256.G
Ruminantia animalia an habeant quatuor ventriculos ſenſus iudicat. de natura humana. com. 2°. 7ª.183.D
Ruminantia habent ſextum locū inter animalia pro diſſectione facienda. 6°. de ana. admi. 1ª.90.D
RVMINATIO *in ruminante animali cuius ſit actio. de motibus manifeſtis, & obſc.* Sp.68.F
RVMINANT *cur animalia. 6°. de ana. adm.* 1ª.90.D
Ruminant hœdi. 6°. de loc. af. 4ª.42.B
ad RVMPENDVM *apoſtema præſidium. de dyna.* Sp.30.E
Rumpentia qualia ſint. 5°. meth. med. 7ª.30.B
Rumpens emplaſtrum Aniceton dictum. 6°. de cōp. me. per ge. 5ª.256.D
Rumpens Helleſpontia Herę. 6°. de comp. me. per ge. 5ª.259.E
cur RVMPATVR *facile tenue. 3°. de ſymp. cau.* 3ª.77.A
Rumpitur æs conflatile facilius ductili. de machi. 7ª.309.E
Rumpi venam facit vox vehemens. 4°. de lo. aff. 4ª.27.H
Rumpantur cur partes quædam luctatoribus. 4°. de loc. aff. 4ª.28.A
RVPTIO *Rhegma dicitur. 3°. meth. med.* 7ª.16.E
Ruptio quid ſit. de cau. mor. 3ª.9.F/3°. meth. med. 7ª.16.E
Ruptio eſt morbus partium ſimilarium. de ſymp. diff. 3ª.13.E
Ruptio eſt ſolutio continuitatis in partibus carnoſis. de diffe. morb. 5. D/ de cauſ. morb. 3ª.9.H
Ruptio & vlcus ſunt in muſculis. 6°. meth. med. 7ª.36.G
Ruptio appellatur ſolutio continui in oſſe. 4°. meth. med. 7ª.23.B
cū Ruptione & cōtuſione plurimū fit Ecchymoſis. 4°. met. med. 7ª.23.B
Ruptio vnde proueniat. 11°. meth. med. 7ª.78.F
Ruptiones in thorace ſuſcitat aqua dura, & frigida. de bon. aq. Sp.75.G
Ruptionis venæ cauſa. 4°. de loc. aff. 4ª.28.A
Ruptio venæ in Pulmonibus qūo cognoſcatur. 4°. de loc. aff. 4ª.27.H
Ruptio intus ſuppurationis quo modo ſecūdum varias partes diſtinguatur. com. 7°. aph. 8°. Ex.54.D
Ruptione ſanguis videtur in loco collectus, qui per diſceſſionem ſanatur. com. 6°. aph. 22°. Ex.48.D
Ruptione intus è tuberculi exolutio, vomitio, aut animi defectio fit. comment. 7°. aph. 8°. Ex.54.D
ad Ruptiones confert ſuccus centaureæ. de vir. cent. Sp.94.A
RVPTVRA *quid ſit. de cau. mor.* 3ª.9.F
Ruptura eſt affectus iridis oculorum ac membranarū. intro. Iſa.58.D
Ruptoris inflammatio qūo fiat, & cur. de fract. com. 3°. 7ª.249.G
Ruptura cauſat dolorem. com. 2°. aph. 6°. Ex.11.G
Rupturę quibus dolorem afferant. in 3^{m}. *de mor. vul. com. 3°.* 3ª.149.F
Rupturæ quibus ligantur ligamentis. 1°. de comp. med. per ge. 5ª.211.F
Rupturas perſanare apparet bdelliū arabicū. 6°. de ſim. me. f. 5ª.44.H
RVPTVM *quid & quo modo. com. 6°. aph. 22°.* Ex.48.D
Ruptū in muſculoſis partibus quid vocetur. de conſt. ar. Iſa.37.D
Ruptum eſt in parte carnoſa muſculi. com. 6°. aph. 22°. Ex.48.D
in Ruptis ſunt plures indicationes. 4°. meth. med. 7ª.29.B
ad Rupta Aelij Galli theriaca bona. 2°. de antid. 5ª.116.A
ad Rupta Antidotus. 2°. de antid. 5ª.116.C
ad Rupta Antidotus Ariſtarchi. 7°. de comp. med. ſec. loc. 5ª.186.A
ad Rupta Antonij muſæ Panacea. 7°. de comp. med. ſec. loc. 5ª.186.B
Ruptis idonea eſt Ariſtolochia rotunda. 6°. de ſimp. md. fac. 5ª.43.E
Rupta curat Betonica. 7°. de ſimp. me. fac. 5ª.51.A
Ruptis auxiliatur Capparis cortex. 7°. de ſimp. med. fac. 5ª.41.G
Ruptis conuenit Centaurium maius. 7°. de ſimp. med. fac. 5ª.50.F
ad Rupta reſiccatoria Confectio. 7°. de comp. med. ſec. loc. 5ª.185.B
ad Rupta congruit Coſtus. 7°. de ſim. me. fac. 5ª.52.F
ad Rupta Emplaſtrum. 2°. de com. me. per ge. 5ª.226.E
Ruptis prodeſt Helenium. de ſimp. med. Sp.83.H
ad Rupta potui exhibeatur Oloſtium. 8°. de ſimp. med. fac. 5ª.57.C
Ruptis prodeſt Rha. 8°. de ſimp. med. fac. 5ª.59.E
Rupta ſanat Scordion. 8°.. de ſimp. med. fac. 5ª.60.H
ad Rupta cum oxymelite bibitur Symphitum petræum. 8°. de ſimplic. medic. fac. 5ª.65.G
Rupta quæcunq; ex dorſo ad cubitum deſcendunt, venę ſectio ſoluit. commentario 6°. aph. 22°. Ex.48.D
Ruptum deſcendere eſt impoſſibile. com. 6°. aph. 22°. Ex.48.D
ad Rupta. 8°. de cō. me. ſe. lo. 188. G/7°. de comp. me. per ge. 5ª.271.G
RVRSVS *duo ſignificat. com. apho. 53°.* Ex.42.E
RVRI *faba comeditur cum ouilla, & caprina carne. 1°. de alimentorum facul.* 2ª.14.A
Ruri tempore æſtiuo manens aliquis quos humores coaceruet. in 1^{m}. *de mor. vul. com. 3°.* 3ª.117.F
Ruri quibus caput refrigeretur. 2°. de compoſitione med. ſe. loc. 5ª.132.G
Ruri qūo curauit ſe Eraſiſtratus. 6°. de comp. med. ſec. loc. 5ª.167.E
Ruri quid agebat hyeme Galenus. 2°. de ſan. tuen. 2ª.73.H
RVSTICANVS *quidam cibus apothermus. 1°. de alim. fac.* 2ª.12.H
RVSTICIS *cutis ſpiſſeſcit ex ratione vitæ. de opt. ſecta.* Iſa.26.B
Ruſtici ſemper peiora comedunt. 1°. de alim. fac. 2ª.12.G
apud Ruſticos cibi fiunt ex farina milij & panici lacti incocta. 1°. de alimentorum facul. 2ª.13.C
Ruſtici tritico elixo offenduntur. 1°. de alim. fac. 2ª.11.B
Ruſtici Cyprij polenta pro pane vtuntur. 1°. de alim. fac. 2ª.11.H
Ruſtici lini ſemine qūo vtantur. 1°. de alim. fac. 2ª.13.E
Ruſtici caſus in coli dolore. 11°. meth. med. 7ª.79.E
Ruſtici fortiſſima medicamēta petūt. 2°. de arte cur. ad Glau. 7ª.107.A
RVSTICVS *Iſidori familiaris fuit. 2°. de comp. med. per. ge.* 5ª.222.F
Ruſtici medici antidotus ad morſus viperæ. 2°. de antid. 5ª.118.B
à Ruſtico ſedis medicamentum quo vtitur Galenus. 9°. de compoſitione medic. ſec. loc. 5ª.204.G
RVTA *gerens ſemen. 8°. de com. med. ſec. loc.* 5ª.189.B
Ruta viridis, & arida multū differūt. 2°. de com. med. ſec. loc. 5ª.136.D
Ruta viridis qualis. 10°. de com. medica. ſec. locos. 5ª.207.C
Ruta cur debeat eſſe parum ſicca. 4°. de ſan. tuen. 2ª.85.A
Rutæ folia viridia ad quid vtilia. 7°. de comp. me. per ge. 5ª.272.D
Ruta humida ſubamara eſt. 6°. de ſimp. med. fac. 5ª.41.A
Ruta ſicca exacte amara, & acris eſt. 6°. de ſimp. med. fac. 5ª.41.A
Rutæ ſemen amarum. 4°. de ſimp. med. fac. 5ª.26.E
Rutam præſefert cinnamomum manſum. de theria. ad Piſo. 5ª.94.H
Ruta eſt tam cibus, quam medicamentum calidum. 3°. de tem. 1ª.24.D
Ruta eſt cibus calidus. de diſſ. cont. Sp.74.C
Ruta eſt cibus acutus, incidens, aperiens. de diſſ. cont. Sp.72.F
Ruta anethum, & cæpa inter ea, quæ eduntur, differunt caliditate. 1°. de comp. med. per ge. 5ª.210.C
cū Ruta, caricæ, & nuces ſi edantur ante cibum, valent contra medicamenta lætalia. 2°. de alim. fac. 2ª.21.A
Rutæ, & centaureæ decoctio datur contra morſum rutelæ. de medicinis expertis. Sp.106.E

Ruta calida eſt cũ ſubtili ſubſtantia.2°.de arte cur.ad Glau. 7ª.104.G
Rutæ vires.de ſimp.med.Sp.89.D/de remed.par.fac. 7ª.174.G
Rutæ ſemen exiccat.5°.de ſimp.med.fac. 5ª.38.C
Ruta calefacit,incidit,& attenuat.de atten.vic. 2ª.44.B
Rutæ præſertim ſyluestris ſemẽ incidit corpulẽtiã.14°.met.me. 7ª.91.D
Ruta ſtomachũ erigit,tuſſiẽtibus prodeſt,colli dolorẽ ſedat, vrinã et mẽ ſtrua prouocat,partũ ſi plus ſumat expellit.de ſimp.med. Sp.89.D
Ruta vrinas mouet,flatus extinguit,& ad inflationes competit.8°.de ſim.med.fac. 5ª.58.D
Ruta inflationem ſedat.14°.meth.med. 7ª.88.F
Ruta minuit inflationem.de diſſ.cont. Sp.74.G
Ruta digerit inflationem.de ren.aff.dig.& med. 7ª.194.B
Ruta excitat ſtrangulatus vteri,olfactu.9°.de com.me.ſec.lo. 5ª.205.G
Ruta pro doloribus internis ex frigore facit quia medetur frigori.2°.de ſimp.med.fac. 5ª.12.C
Ruta valet in frigida diſpõne dolẽtis partis.2°.de arte cur. 7ª.104.G
Rutę frondes ſternendę pro his qui nocturnas habent veneris imagines.6°.de ſan.tuen. 2ª.100.G
Rutæ ſemen pro priapiſmo.14°.meth.med. 7ª.89.B
Rutæ ſuccus eſt oculorum cenoticus.de cathar. Sp.95.B
Ruta in oleo coquitur,atq; eo pro clyſteri vtitur Galenus in dolore ex flatu,& humore.11°.met.med. 7ª.80.A
ex Ruta compoſitio qualis,& ad quẽ vſum.9°.de cõ.me.ſ.l. 5ª.204.H
Ruta facit dolere caput.de diſſ.con. Sp.74.E
Ruta pruritum mouet.de cathar. Sp.95.D
RVTA *ſylueſtris eſt moly,& Beſanũ.8°.de ſim.med.fac.* 5ª.58.E
Ruta ſylueſtris cuius ſit virtutis.7°.de ſimplic.medic.facul. 5ª.56.F
Rutæ ſylueſtris ſemen calidiſſimum.10°.de compoſi.me.ſe.lo. 5ª.207.C
Rutæ ſemen fortiſſimum vt medicamentum.de atten.vic. 2ª.44.E
Rutæ ſylueſtris ſemine vtitur.7°.de comp.med.ſec.lo.185.C/5ª.186.G/H
Rutæ ramulo vtitur pro ſpatula.7°.de compoſitione medicamen.ſec.loc.180.A/182.A/9°. 5ª.202.E
RVTABVLVM *ferreũ quare delinendum.1°.de antid.* 5ª.107.G
RVTACEVM *oleum flatus ſanat.8°.meth.med.* 7ª.53.F
Rutaceum oleum pro capitis dolore ex frigore bonum. de remedijs para tu facilibus. 7ª.153.H
Rutaceo oleo in quo dolore vtatur Galenus.2°.de loc.aff. 4ª.9.D
Rataceum oleum facit ad dolores coli.11°.meth.med. 7ª.79.A
Rutaceum per ſedem impoſitũ in coli dolore quid effecerit.11°.methodi medendi. 7ª.78.H
contra RVTELAE *morſum datur decoctio rutæ,& centaureæ. de medicinis exper.* Sp.106.F
RVTILA *vina flaua ſunt mediocriter dulcia.de bonitate, & vitio ſuccorum.* 2ª.38.C
Rutila,& tenuis vrina quid ſignificet.de vri.ſign.ex Hip. Sp.78.G
ΡΥΜΜΑΤΟΣ. *8°.de ſimplicium medicamentorum facultatibus.* 5ª.60.F

SABANIS *balnei fit mentio.de dy.Sp.29.D/G*
SABERNIO *valenti compoſita podarx cui titulus eſt Pompei pretioſa.7°.de compoſit.med.per ge.* 5ª.270.H
SABINA *calida & ſicca eſt tertio ordine.6°.de ſimp.med.fac.* 5ª.45.C
Sabina aromatica eſt.6°. de ſimp. medicam. facul. 5ª.45.C
Sabina fortiter exiccat vt cupreſſus.6°.de ſimp.med.fa. 5ª.45.A
q̃ Sabina magis adſtringit cupreſſus.6°.de ſimp.med.fac. 5ª.45.C
Sabina cõuenit putredinibus vt cupreſſus.6°.de ſimp.med.fac. 5ª.45.C
Sabina carbunculos ſoluit,mẽſes prouocat,& ſanguinem per vrinas mouet,fœtum etiam viuentem interficit,& mortuum educit.6°. de ſimpli.med.fac. 5ª.45.C
Sabina menſes,& vrinas prouocat.5°.de ſimp.med.fac. 5ª.38.A
Sabina matricem purgat.de cathar. Sp.95.C
Sabina gleucino vnguento inditur.6°.de ſimp.med.fac. 5ª.45.C
Sabina cur ingrediat̃ in multas antidotos.6°.de ſimp.me.fa. 5ª.45.C
Sabinæ duplum pro cinnamomo quidam ſubijciunt.6°.de ſimplicium medicamentorum facul. 5ª.45.C
Sabinæ herbæ meminit.de remed.par.fac. 7ª.156.E
SABINVM *oleum optimum vbi.2°.de comp.med.ſec.loc.* 5ª.133.B
Sabinum oleum tenue eſt.6°.de ſimp.med.fac. 5ª.40.H
Sabinum oleum tenuium partium eſt.1°. de compoſitione medicamentorum ſecundum locos.122.A/3°.5ª.140.F/10°. methodi med. 65. A/11°.72.G/14°. 7ª.88.B
Sabinum oleum tenuiſſimum eſt omnium.6°.meth.med. 7ª.37.D
Sabinum oleum non adſtringit.3°.de ſan.tuen. 2ª.79.B
Sabinum oleum dilatans eſt.8°.meth.med. 7ª.51.D
Sabinum oleum habet vim relaxandi.4°.de ſan.tuen. 2ª.86.H
Sabinum oleum in Italia relaxat.3°.de ſan.tuen. 2ª.81.B
Sabinum oleum vetus melius eſt.3°.de ſan.tuen. 2ª.81.C
Sabinum oleum pro vetere.10°.de compoſit.medicam.ſec.loc. 5ª.209.C
Sabino oleo contemperanda medicamenta hyeme.6°.met.me. 7ª.38.E
cũ Sabino oleo abrotonum ad alopecias conuenit.6°.de ſimplicium medicamen.facul. 5ª.40.H
Sabini olei meminit.1°.de comp.med.ſec.loc. 5ª.131.A/B
Sabino oleo quod ſimile.4°.de ſan.tuen. 2ª.86.H
SABINVM *vinum nobile appellat.7°.met.med.* 7ª.45.F
Sabinum vinum quale.4°.de ſan.tuen.85.G/5°.2ª.90. H/1°. de antidotis.5ª.100.H/12°.meth.med.76.D/2°.de arte cur.ad Glau. 7ª.102.E
Sabinum vinum auſterum & dulce eſt.4°.de ſimp.med.fac. 5ª.26.F
Sabinum vinum pauciferum.de vinis. Sp.76.D
Sabinum vinum imbecillum in Italia.de vinis. Sp.76.D
Sabinum vinum in Italia aquoſum eſt.2°.de comp.med.ſec.lo. 5ª.133.D
Sabinum vinum aquoſum facile fit acidum,et amarũ.de vinis. Sp.77.A
Sabinũ vinũ in Italia pro ſiccis bonũ eſt,& quale ſit.7°.me.m. 4ª.45.E
ex Sabinis vinis non nulla tutò bibuntur.de bon.& vit.ſuc. 2ª.38.F
ex Sabinis vinis nõ nulla ſunt oĩno exinanita.de bon.& vit.ſuc. 2ª.38.F
Sabinum vinum eſt aptiſſimum cõpoſitioni mellis.5°.de ſan.tu. 2ª.91.C
Sabino vino ſimilia ſunt Titacazenũ,& Ariuſiũ.2°.de ſan.tu. 2ª.90.H
SABINVS *interpres fuit Hippocratis.de or.lib.ſuo.* Iſa.15.C
Sabinus,& Metrodorus Hippocratis interpretes, & quales. in 3^{m}. de mor.vul.com.1°. 3ª.129.D
Sabinus in Hippocratis libris diligentiſſime verſatus fuit.in 6^{m}.de mor.vulg.com.1°. 5ª.156.G
Sbini Põpei pretioſum quod inſcribitur.7°.de com.me.per ge. 5ª.271.D
Sabini pannus.ſecre. Sp.97.E
SACCHAR *vnde vehatur.7°.de ſimp.med.fac.* 5ª.55.E
Sacchar minus dulce melle eſt.7°.de ſimp.med.fac. 5ª.55.E
Sacchar non eſt inimicum ſtomacho, nec facit ſitim vt mel facit.7°.de ſimp.med.fac. 5ª.55.E
Saccharum eſt inter detergentia.8°.meth.med. 7ª.52.G
de Saccharo meminit.de ren.aff.dign.& med. 7ª.196.D
Sacchar tritum.de med.fac.par. 7ª.174.A
de Saccharo ſyrupus.de cura lap. Sp.112.B
Saccharum cautium.de med.fac.par. 7ª.175.C
Saccharum roſeum.de med.fac.par. 7ª.175.H
SACCVLI *à medicis vocati.9°.de decr.Hip.* 1ª.282.F
Sacculi pleni milio calido cuius ſint vſus.de ijs,q̃ in me.fi.c.3°. 7ª.222.E
per SACCVM *colat.9°.de com.med.ſec.loc.* 5ª.202.E
SACCVS *inteſtinum vbi ſit.de ana.parua.* Sp.43.A
SACRA *herba acetoſula.de cura icteri.* Sp.111.B
SACER *ignis à qua materia fiat.in 3^{m}.de mor.vul.com.3°.* 3ª.141.F
Sacrum ignem facit fluxio.in prog.com.2°. 4ª.202.D
Sacro igni proprie facit coriandrum.de ſimp.med. Sp.82.E
Sacrum ignem curant folia myrtæ.de ſimp.med. Sp.87.F
ad Sacrum ignem illinitur terra cimolia.de ſimp.med. Sp.85.B
ad Sacrum ignem remedium.de dyna. Sp.30.D
ad Sacrum ignem,vel calorem membrorum remedium.de dy. Sp.30.E
SACRVM *medicamentum ex dictamno virtute mirandum.5°. de compoſitio.med.per ge.* 5ª.249.A
Sacrum ex dictamno vocatum.2°.de com.me.per ge. 5ª.223.F
Sacrum ex vulcani templo in Memphi.5°.de cõp.me.per ge. 5ª.246.H
SACER *morbus cur dictus morbus comitialis.in 6^{m}.de morb.vulgar.commen.6°.* 3ª.197.D
de Sacro morbo liber eſt Hippocratis.in prog.com.1°. 4ª.190.D
SACRVM *os coccygem græci appellant.2°.de ana.admi.* 1ª.71.A
Sacrum os quod etiam latum dicitur.6°.de ana.adm. 1ª.93.G
Sacrum os quale.de oſſi. 1ª.42.D
Sacrum os eſt ſpinæ pars.12°.de vſu par. 1ª.196.G
Sacri oſſis ſpina ſimilis alijs.de oſſ. 1ª.42.D
Sacrum os quibus compoſitum.de oſſ. 1ª.42.D
Sacrum os ex quatuor ſpondylis, vel oſſibus eſt conſtitutum.12°. de vſu partium. 1ª.196.G

Sacrum os vnde oriatur.13°.de vſu par. 1ª.201.E
Sacri oſſis ligamentum quale.13°.de vſu par. 1ª.201.G
Sacri oſſis cum alijs iunctio.14°.de vſu par. 1ª.208.H
Sacri oſſis dearticulatio, & epiphyſis vbi eſt.13°.de vſu par. 1ª.201.F
Sacri oſſis vtilitates quot ſint.13°.de vſu par. 1ª.201.E
Sacrum os cur maximum, & infernum.12°.de vſu par. 1ª.197.H
SACRIFICIORVM mos.2°.de dec.Hipp. 1ª.236.H
Sacrificijs quæ ſint meliora ſcire, & edocere.3°.de vſu par. 1ª.133.C
Sacrificiorum cibis curabãt medici altarium.de med.exper.Sp.104.A
Sacrificiorũ cibis curãtes medicos altariũ nõ dãnat.d me.ex. S.104.A
SACRILEGIS in admiratione eſt Salmoneus.1°.met.me. 7ª.3.G
SADIB .i.folia nucellæ.de dyna. Sp.24.B
SEPENVMERO quid ſignificet apud Galenum. 5°. de ſimplicium medicamentorum facul. 5ª.36.D
SAGADINVM opobalſamum cur dictum.1°.de anti. 5ª.101.F
SAGAPENI quid.de ſimp.me. Sp.90.B
Sagapenum quomodo adulteratur.de ſimp.med. Sp.90.B
Sagapenum chalbano adulteratur, & quomodo cognoſcitur adulteratum, & quid ſit ſagapenum.1°.de anti. 5ª.105.A
in Sagapenum tranſit chalbani pars quædam quæ ſpumoſa, & leuis eſt 1°.de antidotis. 5ª.105.A
ſm Sagapenum, cinnamomum, & opocalpaſum, quædam proueniunt, quæ neq; chalbanum, neq; myrrha, neq; caſia ſunt, tñ non ſunt perfecte ſagapenum, opocalpaſum, aut cinnamomum.1°.de ant. 5ª.105.B
Sagapenum è chalbano quomodo cognoſcatur, & in quo differt à vero ſagapeno.de antidotis. 5ª.105.C
inter Sagapenum, & chalbanum quid interſit.1°.de anti. 5ª.105.C
Sagapeni eſſentia attrahens eſt, & ſponte nata.5°.de ſimp.me.f. 5ª.36.E
Sagapenum attrahit.de ocul. 7ª.188.F
Sagapenum trahit à profundo.6°.met.met. 7ª.37.D
Sagapenum quale.8°.de ſimp.me.fac.5ª.60.A/de ocul. 7ª.188.G
Sagapenum pro ſucco cyrenaico ſumitur, & eſt tenuium partium, & calidum.3°.de comp.me.per ge. 5ª.228.E
Sagapeni liquor acris eſt. 4°.de comp.me.ſec.loc. 5ª.149.F
Sagapenum cum acrimonia viſcide laxat.de ſimp.med. Sp.90.B
Sagapeni ſuccus ad quid vtilis.in 6^{m}.de mor.vul.com.6°. 3ª.196.B
Sagapenum oculis conuenit.de ocul. 7ª.188.G
Sagapenũ oculorũ cicatrices expurgat, & extenuat, ſuffuſionibus & hebetudinibus ob humorũ craſſitiẽ remediũ ẽ.8°.de ſim.me.f.5ª.60.A
Sagapenum maturat.de ocul. 7ª.189.C
Sagapenum ingreditur theriacam.de theri.ad Piſo. 5ª.92.F
Sagapenum liquatur aqua, aceto, & vino.3°.de compoſitione medicamẽtorum per genera. 5ª.233.F
SAGAX vir qua vna diſtinctione reddetur peritus demonſtrandi. 9°. de dec.Hippo. 1ª.285.G
in SAGINATIS bene cutis eſt diſtenta.in 6^{m}. de morbis vulgaribus commentario.3°. 3ª.176.E
SAGINAT boues erbum.de ſimp.med. Sp.85.B
ex SAGITTIS ad plagas quid proſit.de virt.cent. Sp.93.G
pro Sagittis eximẽdis opus eſt noſcere partium vtilitatem. 17°.de vſu partium. 1ª.222.G
SAGITTANDI arti præſunt Apollo & Aeſculapius.in oratio.ſuaſoria. Iſa.2.C
Sagittandi ars coniecturalis eſt intro. Iſa.51.F
Sagittandi artis ad medicinam comparatio.2°.de criſi. 4ª.134.A
SAGITTARIVS, aries, leo ſunt planetæ orientales calidi, ignei, & ſicci.de ſperma. Sp.39.A
Sagittarius calidus eſt in primo gradu, ſiccus ĩ ſecũdo.de ſper. Sp.38.H
Sagittarij natura circa ægritudines.de dec.prog.ex math.ſci.Sp.15.B/C
SAL eſt genus terræ.de vtil.reſp. Sp.64.F
Sal eſt terra incenſa.de vtil.reſp. Sp.64.F
Sal quomodo fiat ex incenſis calamis.de vti.reſp. Sp.64.F
Salis in modum indureſcit vinum ſuſpenſum ad ignem in vtribus euaporante aqua in quadam regione.de vtil.reſp. Sp.64.F
in Sale calor egit.de vtil.reſp. Sp.64.F
à Sale qũo differãt nitri ſpuma, et laxũ aphronitrũ.3°.de ali.fa.2ª.33.C
inter Salem, & aphronitrum eſt aphrolitrum.9°.de ſimplicium medicamentorum facul. 5ª.68.G/H
in Salis, & aphrolitri medio eſt nitrum.11°.de ſimp.me.fac. 5ª.83.E
Salis differentiæ quæ.4°.de ſimp.me.fac.30.G/9°. 5ª.68.F
Salis Albi meminit.6°.de comp.me.per gen. 5ª.262.G
Salem Amarum habet mare mortuum.4°.de ſimp.me.fac. 5ª.30.C
Sal Ammoniacum quale ſit.de ocul. 7ª.188.H
Sal ammoniacus acris eſt.6°.de comp.me.per gen. 5ª.256.F
Sal ammoniacum extrahit, & digerit.2°.comp.me.per gen. 5ª.221.B
Sal ammoniacus qualis ad vlcera.6°.de comp.me.per gen. 5ª.255.C
Sal ammoniacum oculis conuenit.de ocul. 7ª.188.G
Sal ammoniacum valet contra vngulas, ſcabies palpebrarũ, pruritus & craſſas puſtulas.de ocul. 7ª.189.C
Salis Armoniaci fit mentio.de ſimp.med. Sp.90.A
Sal Aſſatum.5°.de comp.me.ſec.loc. 5ª.160.E
Salis flos, & ſpuma qualis.11°.de ſimp.me.fac. 5ª.83.E
Salis flos qualis.2°.de arte cura.ad Glau. 7ª.104.D
Salis flos aquæ marinæ miſtus pro corpulentis, & hydropicis idoneus eſt.14°. met.me. 7ª.91.E
Salis flos ſanat ſplenes duros.2°.de arte cura.ad Gla. 7ª.104.D
Salis flos cuius vſus.3°.de cõp.me.ſec.loc.143.D/8°.193.A/7°. de compo.me.per gen.275.H/5ª.266.C/6°.met.me. 7ª.37.G
Sal Foſſitius vel foſſilis. 6°. de compoſi.medica.per genera. 261.E/H/262.A/D/ 5ª.271.A/D/F/H
Sal foſſilis inter metalla numeratur.9°.de ſimp.me.fac. 5ª.68.F
Sal foſſilis qui.de ſimp.med. Sp.89.H
Sal foſſilis qualis.4°.de ſimp.me.fac. 5ª.30.F
Sal quiſque ſiue foſſilis ſit, ſiue è Mari oriundus adſimilem habet vim. 9°.de ſimp.me.fac. 5ª.68.F
Salis foſſilis meminit. 3°.de comp.me.ſec.loc. 5ª.148.B
Sal foſſitius.7°.de comp.me.per gen. 5ª.267.B
Sal Gleboſus cum pulegio quo modo medicamentum eſt apophlegmaticum.de reme.par.fac. 7ª.154.F
Sale Hiſpano vtitur.9°.de comp.me.ſec.loc.200.C/5°. de comp. medi. per gene.251.E/6°. 5ª.261.F
Salis Inquinatis meminit.7°.de comp.me.per gen. 5°.270.G/H
Sale Loto vtitur.5°.de comp.me.ſec.loc. 5ª.166.A
Salis Marini, & foſſilis differentiæ.11°.de ſimp.me.fac. 5ª.83.C
Sal marinus qualis.4°.de ſimp.me.fac. 5ª.30.F
Salis Romani.ſecret. Sp.98.G
Salem Sodomenum qualem eſſe dicat.4°.de ſimp.me.fac. 5ª.30.F
Sal ex ſtagnis qui naſcitur eiuſdem ſpeciei eſt cum marino.11°.de ſimpli. med.fac. 5ª.83.C
Sal, & anethum miſcenda in coctione viperæ pro Theriaca.de theriaca ad Piſonem. 5ª.95.F
Sal qñ ponendum in viperarum coctione, & qñ non.1°.de anti.5ª.104.B
Sal theriacæ cur imponitur.11°.de ſimp.me.fa. 5ª.78.D
Sal aufert venenum viperæ.de theria.ad Piſo. 5ª.94.A
Sal venenis aduerſatur, & qũo.in 6^{m}.de mor.vul.com.6°. 3ª.196.G
Sal theriacum quo modo conficiatur.de ſubfi.empi.Iſa.34. B/11°.de ſimplicium medicamen.faculta. 5ª.78.D
Sales theriaci quomodo conficiuntur, & quando eorum coctura perfecta.de ther.ad Piſonem. 5ª.97.F
Sales theriaci quales.de Ther.ad Piſo. 5ª.97.D
Sales theriaci ad quæ conferant.de ther.ad Piſo. 5ª.97.D
Sal ex viperis potenter extenuat.14°.met.me. 7ª.91.E
Sal theriacum ſanat elephantiaſim.de ſubfi.empi. Iſa.34.B
Sale Torrefacto vtitur.5°.de comp.me.ſec.loc. 5ª.164.A
Sal Tragaſius qualis.11°.de ſimp.me.fac. 5ª.83.C
Sal Vſtus qualis.11°.de ſimp.me.fac. 5ª.83.E
Sal Vſtus in his conuenit in quibus putredo ſuſpecta. 11°. de ſimplicium medicamentorum facul. 5ª.83.D
Salis vſti meminit.de med.fac.par. 7ª.174.A
SAL quale ſit.de ocul. 7ª.188.H
Salis facultas quæ.3°.de ali.fac.2ª.33.C/de ſimp.med. Sp.89.H
Sal non excedit fines tuendæ ſanitatis.1°.de ſan.tu. 2ª.68.H
Sal, & omphacium contraria.6°.de comp.me.ſec.loc. 5ª.174.D
Sal calefacit valde & adſtringit parum.6°.de cõp.me.per ge. 5ª.256.B
Sali omni ineſt vis quædã adſtringendi obſcura.4°.de ſim.me.f. 5ª.30.F
Sal adſtringit.9°.de ſimp.me.fa. 5ª.68.G
Sal adſtringit potius q̃ purget.2°.de comp.me.per ge. 5ª.222.A
vt Sal ſiccant, & non habent vim adſtringendi Aſiæ petræ flos, nitrũ, & aphronitrum.2°.de comp.me.per gen. 5ª.222.A
Sal orexim facit faſtidiũ, auertit, nauſeã prohibet.de ſimp.me.Sp.89.H
Sal omnibus cibis admiſtus conuenit.de ſimp.med. Sp.89.H
Salis loco medicamentum ad obſonia.4°.de ſan.tu. 2ª.86.E
cum Sale ſunt comedenda cerebra.de diſ.cont. Sp.74.F
cum Sale coctum ouum, habet partibus facultates diuerſas.de victus

ratione in morbis acutis, com.1°. 7ª.111.H
Sal in qbus cibis poſitũ eſt, ſi diſſoluũt, ac attenuãt.de diff.cõt. Sp.72.F
Sal miſtum cum attenuantibus, auget illis vim.de atten.vic. 2ª.44.C
Sale guctato q̃ guſtãtur ſalſa vidẽtur.in.6^{m}.de mor.vul.cõ.5°. 3ª.192.C
Salis minimũ in aqua dulciſſima ſi bulliat fit ſalſior.3°.de ali.fa. 2ª.32.B
Salis & anethi parum habet alica.8°.met.me. 7ª.51.B
cũ Sale tenuato, aceto, & garo pręparatis ficubus vulgo veſcuntur, et quare.2°.de ali.fac. 2ª.17.F
Sal quando debet poni in iuſculis.2°.de comp.me.ſec.loc. 5ª.133.E
Sal debet addi in pane.de bon.& vitio.ſucc. 2ª.34.E
Salem debet recipere panis ſenum.5°.de ſan.tu. 2ª.91.E
Salem pani addebant.8°.de ſimp.me.fac. 5ª.59.D
Salis modus in pane qui.1°.de ali.fac. 2ª.10.G
de Sale in pane quomodo iudicet guſtus.1°.de ali.fac. 2ª.10.G
Salem in pane ponit etiam in ſiccitate.7°.met.me. 7ª.45.C
cum Sale panis ſumendus ante balneum.6°.de ſan.tu. 2ª.96.G
Sal non eſt balneis inſpergendũ, & quare.1°.de arte cur.ad Gl. 7ª.97.B
Sale cur inſpergendus infantulus.1°.de ſan.tu. 2ª.65.A
ex Salium eſu pediculi exeunt.de ther.ad Piſo. 5ª.97.E
Sal cur carnes ſeruet.4°.de ſimp.me.fac. 5ª.30.F
ob Salem temperaturam mutat caro.11°.de ſimp.me.fac. 5ª.78.E
Sal remouet viſcoſitatem piſcium.de diff.cont. Sp.73.H
Sal lacti admiſcetur, ne fiat caſeus in ventriculo.3°.de ali.fac. 2ª.27.G
Sal facit ne lac coaguletur in ventriculo.10°.met.me. 7ª.67.B
Salis aliquid & mellis miſcendum lacte aſinæ.de victus ra. in mor.acutis, commentario.4°. 7ª.138.E
cum Sale lac ad aluum citius deſcendit.5°.met.me. 7ª.35.A
Sal, & mel q̃n maxime admiſcent caſeo lenit ventrẽ.de diff.cõ.Sp.75.A
Sale, & melle conditum ſerum lactis citat aluũ, & valet ſuſpenſis ilijs. com.5°.apho.64°. Ex.44.F
Sal & mel ſimul, qualia ſint.6°.de comp.me.ſec.loc. 5ª.174.D
Sal, mel, & aloe ventrem purgant.de cathar. Sp.95.D
ex Sale vel nitro vel aphronitro cum mulſa fit clyſter pro phlegmone cauæ partis iecoris inter initio.13°.met.me. 4ª.84.A
Sal euacuat ſcybala.de cathar. Sp.95.D
ex Sale emplaſtrum digerens.6°.de comp.me.per gen. 5ª.258.G
ex Sale emplaſtrum ad extrahẽdũ.6°.de comp.me.per ge. 5ª.261.C
Sal digerit.intro. Iſa.58.B
Sal diſcutit cum pauca adſtrictione.6°.de comp.me.ſec.loc. 5ª.173.E
ex Sale diſcuſſoria Damocratis.6°.de comp.me.per ge. 5ª.262.G
Sal medicamentum fortiſſimum eſt ad achoras.1°.compoſitione medicamentorum ſecun.locos. 5ª.129.D
ex Sale fotus quales.de vict.rat.in morb.acut.com.2°. 7ª.116.F
ex Salibus fomẽta cur nõ bona ĩ capite.2°.de cõp.me.ſe.lo. 5ª.137.F/G
Sal capiti imponendum pro reſoluenda materia, quando dolet.1°.de arte cur.ad Glau. 7ª.100.B
ex ſale, & milio fomentum.5°.de comp.me.ſec.loc. 5ª.163.F
ex Sale, & milio fomentũ quale.de vic.rat.in mor.acu.c.2°.7ª.117.A
ex Sale fricto fomenta ad dentium dolorem.de rem.par.fac. 7ª.157.D
ex Sale calefacto fomenta fiunt in dolore mediocri.2°. de arte cura. ad Glauconem. 7ª.104.G
citra Salem debet eſſe confectum oleum.10°.met.me. 7ª.65.A
ex Sale oleum dicitur oleum abuſiue.3°.de ſan.tu. 2ª.79.B
Salem ponunt aliqui in oleum roſatum.6°.de ſan.tu. 2ª.98.H
cum Sale oleum pro œdemate facit, ſi his perfricentur crura & in quo genere œdematis.14°.met.me. 7ª.87.F
cũ Salem habẽte oxyrhodino confert ꝑfricare crura in œdemate quod multitudinis ẽ, quæ hoĩem premit, ſymptoma.14°.me.me. 7ª.87.F
ex Sale iniecto oxyrhodino, œdema in prauis affectibus curatur.2°.de arte cur.ad Glauc. 7ª.103.F
ex Sale, & oleo frictio œdema in prauis affectibus curat.2°. de arte cura.ad Glauconem. 7ª.103.F
Sal ad gangrenas quomodo confert.2°.de arte cur.ad Glau. 7ª.107.A
Salem adde ſi phlegmon ſit ſcirrhoſior.12°.met.me. 7ª.81.D
Salis vſus quando in phlegmone conueniens.13°.met.me. 7ª.81.B
Sale in principio vti non debemus in quo caſu.6°.de compoſitione medicamentorum ſecun.loc. 5ª.174.D
Sales quomodo iuuent ad exiccandum vehementius tumorem.2°. de arte cur.ad Glauconem. 7ª.105.E
SALAMANDRA animal eſt frigidum, & frigida indicatur ab omnibus.3°.de ſimp.me.fac. 5ª.17.H
Salamandra eſt frigida.3°.de temp. 1ª.21.G
Salamandra ad certum tempus non vritur ab igne, poſtea vritur ſi longiori tempore igni admoueatur.3°.de temp. 1ª.23.H
Salamandræ cinis quibus valeat.11°.de ſimp.me.fac. 5ª.82.F
Σαλεύω quid ſignificet.de art.com.3°. 7ª.279.E
SALIENTIBVS viſcera præcipue agitantur.2°.de ſan.tu. 2ª.75.G
SALINAE halæ à græcis dicuntur.9°.de ſimp.me.fac. 5ª.68.F
Saliti caſei aqua eſt cibus ſalſus diſſoluẽs, ac attenuãs.de diff.cõ.S.72.F
Salitæ carnes potius ſiccant q̃ recentes.5°.de ſan.tu. 2ª.92.D
Salitæ carnes ſunt tarde & paulatim nutriẽtes.cõ.2°.aph.18°. Ex.13.G
Saliti piſces leuis carnis, & paucę pinguedinis ſunt cibi ſalſi diſſoluẽtes ac attenuantes.de diff.cont. Sp.72.F
Saliti piſces & antiqui generant melancholiam.de diff.cont. Sp.74.B
Salita omnia recentibus meliora ſunt pro ſenibus.5°.de ſan.tu. 2ª.91.D
à Salitis abſtinendum in tertiana.1°.de arte cur.ad Gl. 7ª.97.D
Salita plura comedunt Alexandrini.2°.de arte cur.ad Glau. 7ª.107.E
SALIVA eſt pituita & quot genera pituitæ.3°.de loc.affe. 4ª.18.A
Saliua excernitur in corpore humano.intro. Iſa.55.B
Saliuæ generatio numeratur inter ea, quæ prouide à natura fiunt.in 6^{m}. de morb.vulg.com.5°. 3ª.189.B
Saliua vnde feratur.2°.de ſemi. 1ª.340.C
Saliuam in os cur mittant glandulæ.2°.de ſem. 1ª.340.D
Saliuæ hauritorium dicitur glandula quæ poſita eſt in radice linguæ.dè anat.viuo. Sp.55.H
Saliuam generantes glandulæ ſunt magno vſui.14°.met.me. 7ª.90.C
Saliuæ qualitas circa linguam mutatur.de ſymp.diff. 3ª.13.C
Saliua eſt in lingua, & ipſam ſibi aſſimilat.com.5°.aph.39°. Ex.41.C
Saliuam copioſam prouocat Pyrethrum.de ſimp.med. Sp.88.H
Saliuam expuere facit glacies.8°.de comp.me.ſec.loc. 5ª.192.H
per Saliuam purgatur os.de cathar. Sp.94.G
Saliuæ copia oſtendit temperamentum cerebri.2°.de temp. 1ª.20.F
Saliua quas vires det rebus maſticatis.5°.de comp.me.ſec.loc.5ª.159.C
Saliuæ differentiæ.10°.de ſimp.me.fac. 5ª.75.F
Saliua quando imbecilla, quando valida.10°.de ſimp.me.fac. 5ª.75.F
Saliua ꝙ iuuet, probatur.10°.de ſimp.me.fac. 5ª.75.G
Saliua ſanantur lichenæ puerorum.10°.de ſimp.me.fac. 5ª.75.F
Saliua multa in aphthis quid ſignificet.6°.de comp.me.ſec.loc. 5ª.175.F
Saliua aduerſa eſt tota ſubſtantia venenoſis beſtijs. 10°. de ſimpliciũ medicamentorum facultatibus. 5ª.75.G
Saliua hominis viperam necat.de inæq.intemp. 3ª.44.C
Saliua eſurientium cito necat ſcorpionem.10°.de ſimp.me.fac. 5ª.75.G
Saliua quando eſt amara.de paſſ.mul. Sp.95.F
Saliuam ſalſam habẽt ieiunantes, amaram plus ieiunantes.4°. de ſimp. medica.faculta. 5ª.29.A
Saliua matutina vtitur, & ad quid faciendum.4°. de compoſitione medicamentorum ſec.loc. 5ª.158.B
Saliuæ venenatorum animalium minimum ſi ſumatur, lædit.5°.de ſimp. med.facul. 5ª.37.C
Saliua venenatorum animalium, genere, non quantitate obeſt.5°. de ſimplicium med.fac. 5ª.37.C
Saliua vtitur ad medicamentum humectandum, & coniungendum. 5°. de comp.me.per genera. 5ª.253.H
Saliuam multam qui in ſtomacho aggregant, quomodo curandi.8°.de cõpoſi.med.ſec.loc. 5ª.192.A
ad Saliuam nimiam ex ventriculo.de rem.par.fac. 7ª.159.B
SALIVNCAE fit mentio.de dy. Sp.31.D
SALIX ſicca ſine morſu eſt.6°.de ſimp.me.fac. 5ª.48.H
Salicis folijs ad vulneris cruenti glutinationem vti poſſumus.6°.de ſimplic.med.fac. 5ª.48.H
ex Salice medicamentum quale.5°.met.me. 7ª.34.B
ex Salice medicamentum exiccatorium.6°.de ſimp.me.fac. 5ª.48.H
Salicis ſuccus dũ floret, ad ea quæ pupillas offuſcant valet.6°. de ſimp. medica.facul. 5ª.48.H
Salicis ſuccus dum floret, qualis.6°.de ſimp.me.fac. 5ª.48.H
Salicis corticis cinere vtuntur aliqui ad clauos, quos vocant callos, & myrmecias tollendas.6°.de ſimp.me.fac. 5ª.48.H
ex Salicibus emplaſtrum.5°.de comp.me.per gen. 5ª.248.F
ex Salicibus lite, vt Herodotus.5°.de comp.me.per gen. 5ª.248.G
SALMONEVS Iouem eſt imitatus.1°.met.me. 7ª.3.G
Salmoneus in admiratione eſt ſacrilegis.1°.met.me. 7ª.3.G
SALOME melinum.2°.de comp.me.per ge. 5ª.222.E
SALSAMENTA ſardica omnium præſtantiſſima ſunt. 3°. de alimentorum facultatibus. 2ª.33.D

cũ Salſamentis ex ponticis illis quæ μῆλα appellãtur apparata cucur bita ſit cibus ſuauiſſimus.2°.de alim.fac. 2ª.16.G
Salſamentum ventrem mollit.de puero epil. 7ª.180.C
Salſamenta omnia pruritum mouent.de cathar. Sp.95.D
Salſamentũ citra panẽ edat ſpleniticus.9°.de cõp.me.ſec.lo.5ª.199.B/F
SALSEDO vna quædam qualitas eſt.fin.med. Iſa.50.B
Salſedo eſt qualitas guſtus.de nat.hum.com.1°. 1ª.28.H
Salſedo maris quomodo fiat.de hiſt.philo. Sp.8.F
ob Salſedinem nimiam in mari mortuo nihil viuit.de atra bile. 1ª.34.G
in Salſedine nimia nullum animal viuit.de atra bile. 1ª.34.G
Salſedo in cibis quid faciat. de diff.cont. Sp.75.A
SALSILAGINOSA & ſalſa differunt.aduerſus Lycum. Ex.63.G
Salſilaginoſi & ſalſi ſapores.aduerſus Lycum. Ex.63.G
SALSITATES differentiam faciunt in diſſimilaribus partibus.3°.de ſimpli.me.facul. 5ª.20.G
SALSIVS decoctum,non mutata aqua fit amarum.3°. de alimentorũ facultatatibus. 2ª.31.H
SALSVGINOSVM, & ſalſum pro diuerſis accipit.2°. de præſagitio. ex pulſ. 4ª.117.E
Salſuginoſæ febres quæ.in 6m.de mor.vul.com.1°. 3ª.159.A
SALSVGO moderata ad ſaliendum eſt,quando in ea videtur ouum ſupernatare.4°.de ſimp.me.fac. 5ª.30.D
Salſugo piſcium ſalſorum garo ſimilis eſt.11°.de ſimp.me.fac. 5ª.83.H
Salſugine ſalſorum ſilurorum,& mænidum maximè vtebantur antiqui 11°.de ſimp.me.fac. 5ª.83.H
Salſugo piſcium ſalſorum ad quæ valeat.11°.de ſimp.me.fac. 5ª.83.H
Salſugo ſilurorum,& mænidũ ad quæ valeat.11°.de ſim.me.fa. 5ª.83.H
Salſugo,& ſerum lactis,mordicationes q̃q; ſanãt, & ſalſuginoſa ſunt. 2°.de ſimp.me.fac. 5ª.12.B
SALSA aqua medicamẽtoſa eſt.de vict.rat.in mor.acu.c.3°. 3ª.131.B
Salſa vnde cognoſcantur.de vict.rat.in mor.acut.com.4°. 7ª.135.C
Salſæ Aquæ rectificant ſtõm debilem,& mollem.de diſſ.con. Sp.74.D
Salſæ aquæ,præter mare palpitationis remedia.de trem.palp. 3ª.52.G
Salſæ aquæ balneum non debet fieri febrienti.11°.met.me. 7ª.69.H
Salſæ aquæ balnea ducunt plus bilis,ſed multo minus proſunt q̃ potabilis.1°.de arte cura.ad Glau. 7ª.97.B
Salſam Carnem ſuillam expetit lens.1°.de ali.fac. 2ª.13.F
Salſæ carnes g̃nant ſanguinẽ craſſum melancholicũ.1°.de ali.fac.2ª.13.F
Salſæ carnes & piſces faciunt melancholiam.3°.de loc.aff. 4ª.18.F
Salſa carne quibus vtendum,& quibus non.1°.de ali.fac. 2ª.13.F
Salſi cibi diſſoluunt ac attenuant,& qui ſint.de diſſ.con. Sp.72.F
Salſi cibi mundificant ſtomachum & inteſtina & leniunt naturam. de diſſolutione continua. Sp.72.F
Salſus cibus exiccat.com.4°.aph.13°. Ex.28.G
Salſa amara exiccant abſterguntq;.7°.de ſimp.me.fac. 5ª.52.H
Salſa magis ſiccant acribus.de vict.rat.in mor.acut.com.4°. 7ª.135.C
Salſa cur grata.1°.de ſimp.me.fac. 5ª.8.E
Salſa ſtomacho inimica.6°.de ſimp.me.fac. 5ª.40.G
Salſa vellicant gulam.3°.de loc.aff. 4ª.32.D
Salſa ad coquendũ difficillima, quæ & q̃ facilia.3°.de ali.fa. 2ª.33.C/D
cũ Salſo cucurbita ſalſos ſuccos generat.2°.de ali.fa. 2ª.16.G
Salſis debent miſceri aquea.2°.de ali.fac. 2ª.16.H
Salſa faciunt pruritum.2°.de ſymp.cauſ. 3ª.23.G
Salſa lac prohibent.de med.fac.par. 7ª.166.B
ex Salſorũ vſu immoderato cauſus factus eſt.de vict.rat.in mor.acut. commentario.4°. 7ª.134.F
Salſis cibis vtendum in quartana.1°.de arte cur.ad Gla. 7ª.97.F
Salſum Emplaſtrum ad multa.6°.de comp.me.per ge. 5ª.261.A
Salſæ febres quæ.in 6m.de mor.vul.com.1°. 3ª.159.E
Salſus Humor ex g̃ne pituitæ eſt.de vic.rat.in mor.acu.c.4°. 7ª.136.A
Salſum humorem,nitroſum appellant Philotimus,& Praxagoras. 3°. de alim.fac. 2ª.31.H
Salſum humorem cur generant cibi duri ſecundum Philotimum & Praxagoram.3°.de ali.fac. 2ª.31.H
Salſa Medicamenta non conueniunt oculis.4°.de compoſitione medicamentorum ſecun.loc. 5ª.150.C
Salſus Odor non dicitur.4°.de ſimp.me.fac. 5ª.31.A
Salſa exactè non habent odorem.4°.de ſimp.me.fac. 5ª.31.B
Salſæ,& ſalſilaginoſæ pituitæ meminit.contra Iulianum. Ex.67.D
Salſa pituita ſpecies pituitæ eſt.2°.de diff.feb. 3ª.37.F
Salſum eſt aliquod phlegma.de nat.& ord.cuiuſ.corp. Sp.41.D
Salſa pituita qualis,& vnde fiat.2°.de diff.feb. 3ª.37.F
Salſa pituita eſt vitioſa.in 6m.de mor.vul.com.2°. 3ª.167.G
Salſum phlegma vertitur in bilem aduſtam, quæ vertitur in melancholiam.de ſpermate. Sp.40.A
Salſa pituita ſuperante, ſiticuloſi fiunt.de mult. 3ª.81.F
Salſa pituita quomodo vomitum prouocat.3°.de ſymp.cau. 3ª.27.B
à Salſa pituita quando fit quartana.de ſperma. Sp.40.A
ex Salſa pituita febris ardens non petit balneum.de vict.rat. in morb. acutis,com.3°. 7ª.133.E
Salſam pituitam miſtam quando habeat ſynocha.de ſperm. Sp.40.A
Salſa pituita non eſt cauſa lateralis morbi.com.6°.aph.33°. Ex.50.A
Salſæ pituitæ meminit.φ animi mor. 1ª.318.H
Salſa pituita deſcendens à capite, difficultates inteſtinorum facit.com. 6°.aphoriſmo.2°. Ex.46.E
Salſa Qualitas dicitur fortis.com.4°.aph.13°. Ex.28.G
Salſa qualitas digerit,& contrahit.11°.de ſimp.me.fac. 5ª.83.D
ad Salſum Ructum valet acetum ſcillinum.de me.fac.par. 7ª.178.C
Salſus Sapor qualis ſit,& vnde oriatur.de ocul. 7ª.188.A
Salſus ſapor fit ex miſcella calidi,frigidi,humidi,& ſicci.1°.de alimentorum facultatibus. 2ª.9.A
Salſum quid faciat.5°.de ſimp.me.fac. 5ª.39.A
Salſum,terreſtre,calidum nondũ tñ igneum eſt.5°.de ſim.me.fa.5ª.38.H
Salſa calida & ſicca ſunt,& quomodo. de ocul. 7ª.188.C
Salſus ſapor eſt propinquus amaro ſi quidem calidi & terreni ambo differunt tamen.4°.de ſimp.me.fac. 5ª.30.G
Salſum ſuper calefactum amarũ redditur.4°.de ſimp.me.fac. 5ª.30.E
Salſus ſapor aut nitroſo imbecillior eſt,aut adſtrictionis quoq; aſſumẽs aliquid.1°.de ſimp.me.fa. 5ª.8.G
Salſus habet aliquid adſtrictionis.1°.de ſimp.me.fac. 5ª.8.G
Salſus adſtringentibus oppoſitus eſt.1°.de ſimp.me.fac. 5ª.8.G
Salſi ſaporis operationes.de ocul. 7ª.188.B
Salſum ſaporem habentia incidunt.de atten.vic. 2ª.44.B
Salſum ſaporem habentia plurima aluũ deijciunt.de atten.vic. 2ª.44.B
Salſa quomodo adſtringunt & euacuant.3°.de ſimp.me.fac. 5ª.20.A
SALSVM frigidum calidumq́, non dant, vt aliquod aluum aut vrinam moueat.1°.de ali.fac. 2ª.7.D
Salſus Succus ex quibus fit ſecũdum Philotimum,& Praxagoram.3°. de alimentorum facul. 2ª.31.H
Salſo ſucco & bilioſo ventrem mordẽte potus magis deſideratur quàm cibus.1°.de ſymp.cau. 3ª.18.B
Salſus ſuccus facit ſitim,ſi in ventris venis ſit.de ſymp.cau. 3ª.18.D
Salſos,& bilioſos ſuccos abſtergit,& abluit acerba qualitas amaritudini miſta.6°.de ſimp.me.fac. 5ª.41.B
SALTANTIBVS erumpit ſanguis.3°.de ſymp.cauſ. 3ª.26.H
Saltantium ruptiones tenſione fiunt.3°.de ſymp.cau. 3ª.26.H
SALTATOR qui eſt in ſaltu exercitatus.2°.de ſan.tu. 2ª.75.G
Saltatores ignorant vires motuum, quos exercent.2°.de ſa.tu. 2ª.75.E
Saltatoribus facile flectitur crus.2°.de motu. 1ª.315.F
SALTARE eſt vehemens exercitatio.2°.de ſan.tu. 2ª.74.G
Saltare eſt cauſa fluxus ſanguinis in iuuenibus.c.3°.aph.29°. Ex.26.C
Saltare eſt cauſa abortus.com.4°.apho.1°.27.A/cõ.5°.apho.45°.41.G/ aphoriſ.53°. Ex.42.D
SALTVS, ſpaſmus, tremor pulſui ſimilia, & eorum differentia. comp.pul. Sp.65.B
Saltus eſt exercitatio.2°.de ſan.tu. 2ª.73.G
Saltus,tremor,ſpaſmus,palmos,circa quas fiat particulas. compendiũ pulſuum. Sp.65.B
Saltus fit circa muſculos & neruos.comp.pulſ. Sp.65.C
Saltus quid mali fecerint.de par. pi.exer. 2ª.49.G
Saltus vehemens facit mictum ſanguinis.com.4°.aph.78°. Ex.36.G
ex Saltu vas ruptum in pulmone,ad actionis violentiam refertur.5°. methodi medendi. 7ª.30.C
in Saltibus loci affecti nullum adeſt ſignum.3°.de loc.aff. 4ª.16.B
SALVATELLA vena cuius fit ramus.de ana.viu. Sp.54.F
Saluatella in quibus affectibus ſecatur.de ana.viu. Sp.54.H
ex Saluatellæ ſectione lien iuuatur. præſ.exper.conf. Sp.78.A
SALVBERRIMI qui maxime ægrotarunt.5°.de ſa.tu. 2ª.88.H
SALVBER vocatur,& profeſſor artis.ad Thra. 2ª.108.B
Saluber à ſubiecta materia nominatum eſt.ad Thaſ. 2ª.108.F
Salubria,quæ.de ſect. Iſa.15.H
Salubre dicitur de corpore,de cauſa,de ſigno.ars me. Iſa.62.A
Salubre ſimpliciter corpus,quid.ars med. Iſa.62.C
Salubre nunc corpus,quid.ars med. Iſa.62.C

Salubre ſimpliciter ſemper, quid ars med. Iſa.62.C
Salubre ſimpliciter vt multum, quid ars me. Iſa.62.C
in Salubri, & morbida natura diſtantia magna. de diff. mor. 3ª.2.H
Salubri ſalutare obſonium ars culinaria concinnat. ad Thraſ. 2ª.109.B
Salubribus quod ad ſanitatem bonum eſt luctatoria adipiſcitur. ad Thraſybulum. 2ª.109.B
Salubria ſigna quæ. ars. med. 62.F| Iſa.67.H
Salubris habitus totus quomodo ſit. de ſal. diæ. 2ª.42.H
Salubris ſtatus habet latitudinem. 6°. de ſan. tu. 2ª.97.A
Salubris pars vt potior ei quæ medetur præponit. intro. Iſa.52.C
Salubre quomodo ſalubrius. in progn. com. 2°. 4ª.199.H
SALVBRE an pars medicinæ. ad Thraſ. 2ª.102.F
Salubris eſt vna pars totius artis. ad Thraſ. 2ª.108.C
Salubris dicitur ars ſanis conſulens. ad Thraſ. 2ª.108.C
Salubris medicinæ pars inter Euecticem, & Analepticem collocatur. ad Thraſy. 2ª.106.E
Salubris pars minus parua caſtigat q̃ euectice. ad Thraſy. 2ª.106.E
Salubris eſt pars medicinæ ex vna diffinitione, ex altera non. ad Thraſybulum. 2ª.102.A
Salubris pars medicinæ, i quot partes diuidatur. de ſubfi. emp. Iſa.32.A
Salubris pars an ad medicum, an ad gymnaſticum pertineat. ad Thraſybulum. 2ª.106.G
de Salubri diæta liber ferè caret vitio. de ſal. diæta. 2ª.39.G
Salubris victus caput quod. in 6^{m}. de mor. vul. com. 4°. 3ª.185.G
Salubris victus duplex ſcopus eſt & reficere quod eſt exhauſtum, & excrementa expellere. 1°. de ſan. tu. 2ª.63.A
in Salubri victu duo præcipue obſeruanda, ne cibus ſit mali ſucci, & ne faciat obſtructiones. de bon. & vitio ſucc. 2ª.37.D
Salubris cibus cui curæ eſt, quid agere debet. de atten. vic. 2ª.45.G
Salubrium ciborum exacta cura non habetur, niſi corporum naturæ cognoſcantur. de bon. & vit. ſucc. 2ª.38.A
Salubrem viuendi rationem ignorantes, citius pereunt q̃ pro naturæ ratione. 6°. de ſan. tu. 2ª.95.B
Salubria medicamina tenuãdi poteſtatẽ hñt. de bo. & vit. ſuc. 2ª.39.A
cũ Salubribus noxia non ſunt miſcenda. 5°. de ſan. tu. 2ª.91.E
SALVBRITATEM ſed longitudinem ſignificat vrina ſubrubra, & ſedimentum ſubrubrum. in prog. com. 2°. 4ª.200.E
SALVIA agreſtis, & Eupatoriũ pro eodẽ ponunt. de dyna. Sp.28.E
Saluia ſanguinem purgat. de dyna. Sp.22.C
Saluia colorem expurgat, & ſudorem mouet. de cura icteri. Sp.111.C
Saluia pro paralyſi. de dyna. Sp.35.E
SALVICVLA quid, & eius vires. de ſimp. med. Sp.89.H
SALVS communis, regni maxima pars eſt. de ther. ad Piſo. 5ª.90.C
Salus dubia debet potius accipi, quam dimitti. 10°. met. me. 7ª.66.D
de Salute, & morte vnde coniectandum. 3°. de criſi. 4ª.140.C
ad Salutem magnã vim obtinet modus loquendi Hippocratis in ſignis ſalutaribus. in progno. com. 2°. 4ª.203.F
Salutem ſignificant coctionis ſigna non tamen per criſim neceſſario. 1°. de criſibus. 4ª.128.C
Salutem promittit vrinæ bonus color. in 1^{m}. de mor. vul. cõ. 3°. 3ª.125.A
Salutis ſpes, ex quibus ſputis habeatur in morbo laterali. commen. 6°. aphoriſmo. 33°. Ex.50.A
Salutis omnia ſigna habentis ægri, exemplum. 3°. de criſ. 4ª.140.D
Salutem conſequutus eſt puer denudato corde. 1°. de dec. Hipp. 1ª.231.F
SALVTARIVM omnium preceptorum ſemita eſt Hippocrates. 7°. methodi medendi. 7ª.43.C
Salutaris admodum eſt modus loquendi Hippocratis, & quãdo ea vtat in progn. com. 2°. 4ª.203.F
de Salutarib⁹ librũ fecit Eraſiſtratus. de venæ ſect. aduer. Era. 6ª.8.E
Salutaris eſt color ruber in vrina. com. 4°. aph. 71°. Ex.35.D
SALVTATIONIBVS ſimul omnes occupati erant mane Galeni tempore. 1°. met. me. 7ª.2.D
SALVTATORIVS digitus. de med. fac. par. 7ª.166.C
SALVTANTES mane medici tempore Galeni veſperi ebrij erant. 1°. methodi medendi. 7ª.8.H
SAMBVCATVM vinum ventrem procurat, choleram rubram temperat. de ſimp. med. Sp.92.C
SAMBVCELAEON mundificat. de ocul. 7ª.188.E
SAMBVCVS ſiccus conglutinatiuus & digerens eſt. 6°. de ſimplicium medicamentorum facultatibus. 5ª.42.A
Sambucus educit aquas. de dyna. Sp.22.C
Sambuci doſis. de dyna. Sp.22.C
SAMITHRE medicamentum ad multa commodum. 9°. de compoſitione medi. ſecun. locos. 5ª.204.G
SAMIVS aſter deobſtruit, & eſt magis tenuium partium, q̃ ſamia terra. 4°. de comp. me. ſec. loc. 5ª.150.A
Samius aſter emplaſticum eſt elotum. 4°. de ſimp. me. fac. 5ª.25.D
Samius aſter leuiſſimus eſt in principijs inflammationum in arteria. 7°. de comp. med. ſec. loc. 5ª.177.G
Samius aſter. 7°. de comp. me. ſec. loc. 5ª.183.E
Samius aſter tenax & viſcoſus eſt. 9°. de ſimp. me. fac. 5ª.66.A
SAMIA terra quid, & eius vires. de ſimp. med. Sp.84.H
Samia terra non debet lauari. 9°. de ſimp. me. fac. 5ª.65.H
Samia terra mediocriter refrigerat. 9°. de ſimp. me. fac. 5ª.65.H
Samia terra internis vlceribus opitulatur. 4°. met. me. 7ª.28.H
SAMIVS circulator qua antidoto vtebatur. 2°. de anti. 5ª.117.H
SAMPSYCHINVM vnguentum ad quid valet, & quo anni tempore commodum. 4°. de ſan. tu. 2ª.87.B
SAMPSVCVS quid. de ſimp. med. Sp.90.G
ex Sampſuco acopon. 7°. de comp. me. per genera. 5ª.272.A
Sampſucus viribus acris eſt, & excalfactoria, ad omnem duritiem, vel rigorem valde idonea. de ſimp. med. Sp.90.G
Sampſucus adſtringens & repercutiẽs eſt. 4°. de cõp. me. ſe. lo. 5ª.157.D
ex Samſuco malagma ad multa. 7°. de comp. me. per gen. 5ª.266.B
Sampſucus pro populo nigra qñ ſumat. 7°. de comp. me. per ge. 5ª.271.C
pro Sampſuco populus nigra. 7°. de comp. me. per ge. 5ª.271.D
SAMPSYCHON habet vim adſtringendi & reprimendi. de remedijs paratu facilibus. 7ª.156.D
Sampſychon deſiccat & calefacit ordine. 3°. de ſimp. me. fac. 5ª.60.A
SAMVS inſula eſt in mari ægæo, quæ vnam ſolam habet ciuitatem ex nomine inſulæ. 9°. de ſimp. me. fac. 5ª.65.C
ad SANABILIA vix, Cephalicum melanchlœron. i. ex nigro viride. 4°. de comp. me. per gen. 5ª.243.H
SANATIO quid ſit. 9°. met. me. 7ª.60.C
Sanatio quomodo fiat. 4°. de ſan. tu. 2ª.82.H
Sanationes è quibus conſiſtant. de dyna. Sp.18.H
Sanatio de quibus ſit. 8°. met. me. 7ª.51.D
Sanatio celeriter facta eſt cum delectatione. 1°. de ſymp. cau. 3ª.17.F
Sanatio paulatim facta inſenſibiliter fit. 1°. de ſymp. cau. 3ª.17.F
Sanatio per epicraſim quæ. 12°. met. me. 7ª.79.C
SANATI nulli ſubito ſine criſi, ſed bñ mortui. 3°. de criſi. 4ª.142.F
Sananda quæ ſunt, quiete indigent. 5°. met. me. 7ª.32.E
ad Sanandum hædera terreſtris. de dyna. Sp.35.E
SANCTI Pauli potio paralyticis, arthriticis ſuccurrit. de dy. Sp.31.C
Sancti Petri electarij confectio, & ad quæ valeat. de dyna. Sp.26.F
SANDALOS non cognouit Galenus, ideo liber de dynamidijs non eſt Galeni. de dyna. Sp.23.D
SANDALVS dictus laqueus quo inijciatur. de laqueis. 7ª.307.C
SANDARACHA quid, & eius vires. de ſimp. med. Sp.90.A
Sandaracha flaua eſt & rufa. 2°. de comp. me. per ge. 5ª.221.E
Sandaracæ color, eſt rufus color. in 6^{m}. de mor. vul. com. 1°. 3ª.155.F
Sandaracha qualis. 9°. de ſimplicium med. fac. 70.H| 4°. de comp. me. per genera. 5ª.242.D
Sandaracha vehemẽter calefacit, & exiccat. 2°. de ſimp. me. fa. 5ª.16.D
Sandaracha ſepticum medicamentum eſt. 5°. de ſimp. me. fac. 5ª.36.B
Sandaracha adurit. intro. Iſa.58.B| 1°. de compo. me. ſec. loc. 5ª.127.F| 2°. de arte cur. ad Glau. 7ª.102.D
Sandaracha erodit. 4°. de comp. me. ſec. loc. 5ª.149.G
Sandaracha fortiter ſtringit. de ſimp. me. Sp.90.A
Sandaracha in vulneribus neruorũ valet. 3°. de cõp. me. per g. 5ª.230.G
Sandaracæ ſimiles hypoſtaſes quid ſignificent. de vrinis. 4ª.124.F
SANDIX eſt medicamentum paratum ex metallis. 5°. de ſimpliciũ medicamen. facultatibus. 5ª.68.E
in Sandicem tranſit ceruſſa aduſta. 9°. de ſimp. me. fac. 5ª.71.G
Sandix qua ſit facultate prædita, vbi dicturus Galenus. 9°. de ſimpliciũ medicamentorum facultatibus. 5ª.71.A
Sandix valet ad formæ decorem, quod elegantiæ potius artis, q̃ medicinæ proprium videtur intro. Iſa.58.C
ex Sandice collyrium. 5°. de comp. me. ſec. loc. 5ª.158.G
ex Sandice medicamẽto ĩ herpete vſus eſt Galen⁹. 14°. me. me. 7ª.92.F
SANGVIFICATIO quid ſit. 2°. de nat. fac. 1ª.298.A
Sanguificatio eſt mutatio alimenti in ſanguinem. fin. med. Iſa.44.F
de Sanguificatione, Aſclepiadis opinio. 1°. de nat. fac. 1ª.293.H
ĩ Sanguificatiõe quot ſint humorũ drĩæ et ſuccorũ. 4°. de ſan. tu. 2ª.84.C

Sanguificatio cibi aſſumpti fit virtute proueniente ex hepate.de virtuti bus noſtrum corp.diſp. Sp.60.B
Sanguificatio fit bona,ſi partes corporis ſint craſſæ, mala ſi tenues. cō. 2°.apho.35°. Ex.17.E
Sanguificationi prodeſt calor mediocris in motibus remiſſioribus.de ſalubri diæta. 2ª.41.A
Sanguificatio vitiatur,iecore vitiato.5°.de loc.aff. 4ª.33.F
Sanguificatio vitiata eſt in ſenibus.2°.de temp. 1ª.16.D
SANGVIFICA facultas quæ vocetur.5°.de loc.aff. 4ª.34.D
Sanguifica facultas in venis eſt.1°.de nat.fac. 1ª.291.D
Sanguifica virtus eſt ea quæ concoquit,& in ſanguinis naturam tranſmutat alimentum.com.2°.aph.17°. Ex.13.A
Sanguifica vis propter quid data.in 6^{m}.de morb.vul.com.5°. 3ª.188.E
de SANGVINALI herba corona pro capitis dolore ex ebrietate,vel ſolis æſtu valet.de reme.par.fac. 7ª.154.B
Sanguinariæ ſuccus pro dolore capitis calido valet,& quo modo de reme.par.fac. 7ª. 153.E
ad SANGVINANTEM plagam remedium. de dyna. Sp.31.F
Sanguinantis ficus remedium.de dyna. Sp.28.H
SANGVINARIA emplaſtra.2°.de comp.me.per ge. 5ª.226.H
Sanguinarium medicamentum enæmon à græcis dicitur.3°. de compoſi. medi.per genera. 5ª.228.C
SANGVINEA Aegritudo mutationi temporum concordare ſolet. de ſpermate. Sp.39.F
Sanguineæ ægritudines & fluxiones modeſtæ habentur. in progn. commetario.2°. 4ª.202.D
Sanguineorū Aīalium propriū elementorū genus qđ.2°.de elem. 1ª.8.F
Sanguineis omnibus animantibus cōmunia quæ.6°.de ana.ad. 1ª.92.G
Sanguinea omnia animalia pedeſtria quę homini ſimilia habent quatuor pedes.3°.de vſu par. 1ª.128.C
Sanguinea,& ambulabilia aīalia pulmonem hn̄t.de ana.viu. Sp.48.C
Sanguineæ Carnoſæ partes longius tempus requirunt ad generationem. de fœtuum formatione. 1ª.322.G
Sanguineæ Dyſenteriæ quibus contingant.3°.de ſymp.cau. 3ª.27.H
Sanguineæ Gingiuæ ſunt ſi conceptum ſperma ſit à muliere in tribus horis ſanguinis.de ſperm. Sp.37.B
Sanguinei vnde quidam homines ſint,quidam melancholici, quidam pituitoſi,quidam bilioſi.de ſperm. Sp.37.B
Sanguineus naturaliter eſt iracundus, tn̄ iram deponit à corde procedētem naturaliter,aliqua occaſione ſuperueniente.de ſper. Sp.37.B
Sanguineo qui cibi conueniant.de diſſ.cont. Sp.71.E
Sanguineo & cholerico cauſus & ſynochus in æſtate ſunt infirmitates naturaliter.de ſperma. Sp.39.G
Sanguineus infans quibus horis efficiatur.de ſper. Sp.38.A
Sanguineus Humor cur equiſſimus in pleuritide.de conſt.ar. Iſa.40.H
Sanguinei Oculi ſunt ſi ſperma conceptum à muliere fuerit in tribus ſanguinis horis.de ſperm. Sp.37.B
in Sanguinea Paralyſi quid agendum.de cura lap. Sp.112.F
ad Sanguineum Rheumatiſmum.de paſſ.mul. Sp.96.B
Sanguineas Spuitiones ſuſcitat aqua dura et frigida.de bo.aquę.S.75.G
ad Sanguinea ſputa.de med.fac.par. 165.G/171.D/G/ 7ª.173.H
abſq; Sanguinea Subſtātia nullū mēbrū fieri pōt.de fœt.for. 1ª.322.F
Sanguineus Sudor quomodo fiat.de vtil.reſp. Sp.64.D
Sanguinea Vrina cur contingat. de ana. viu. Sp.51.B
ad Sanguineum lotium.de med.fac.par. 7ª.178.F
Sanguinea vrina cum dolore capitis & hypochondrij dextræ partis ſtatim ſubitaneam mortem ſignificat.de dyna. Sp.34.B
Sanguineam quaſi nebulam habens vrina, quæ velut raſuram & arenā habuerit renum oſtendit colliquationem.de dyna. Sp.34.F
Sanguinea vrina ſynochon cauſon ſignificat.de dyna. Sp.35.E
SANGVINOLENTI oculi præſidium.de dyna. Sp.24.G
Sanguinolentis gingiuis prodeſt ſuccus centaureæ.de vir.cent.Sp.93.D
Sanguinolēta excretio ī quadruplici differētia ē.3°.de ſym.cau. 3ª.28.B
Sanguinolenta excrementa quid ſignificent apud antiquos . commentario.6°.aphor.1°. Ex.46.C
Sanguinoſos oculos curat ſuccus centaureæ.de vir.cent. Sp.93.B
SANGVIS & humor pro eodem ſumuntur à Galeno . de mult . 78.E/ 3ª.80.H
Sanguis nomine quid ſit intelligendum.10°.de ſimp.me.fac. 5ª.72.F
Sanguis complectitur omnes humores.1°.de elem. 1ª.9.A
Sanguis ſignificat oēs humores ī vaſis.in 6^{m}.de mor.vul.c.4°. 3ª.187.C
Sanguis nunq̄ eſt exquiſitus in venis.de mult. 3ª.80.H
Sanguis melancholicus,picrocholus,pituitoſus , ſeroſus , & putridus, eſt ſanguis cum his miſtus.10°. de ſimp.me.fac. 5ª.72.F
Sanguis participat pituitam,& utranq; libem.1°.de elem. 1ª.8.G
Sanguinem ſolum in nobis eſſe quidā putarunt.de nat.hu.cō.1°.1ª.27.H
Sanguinē quidam putarunt ſolū eſſe in hoīe.8°.de dec.Hipp. 1ª.276.D
Sanguinem eſſe vnum humorem tantum poteſt colligi.com.4°.aph.25°. 30..A/aph.64°. Ex.34.D
Sanguis diſtinctus eſt ab alijs humoribus.8°.de dec.Hipp. 1ª.276.B/C
Sanguinem non eſſe humorem diſtinctum ab alijs tribus ſimul miſtis videtur colligi.com.4°.aph.2°. Ex.27.D
Sanguis dicitur duobus modis.in 6^{m}.de mor.vul.com.2°. 3ª.167.F
Sanguinis differentiæ.de inæq.intemp. 3ª.44.H
Sanguis duplex exiens venas & miſtus alijs humoribus & purus diſtinctusq; ab alijs humoribus. de nat.hu.com.1°. 1ª.31.D
Sanguis vocatur qui ex venis effunditur.de atra bile. 1ª.34.D
Sanguis vocatur qui ex arterijs exit.de atra bile. 1ª.34.D
Sanguis primum gignitur in venis.2°.de decr.Hipp. 1ª.240.F
Sanguis ex venis,qui.de atra bile. 1ª.34.D
Sanguis ex arterijs.de atra bile. 1ª.34.D
Sanguis multus,ac ſpiſſus eſt in vena.de vtil.reſp. Sp.64.E
Sanguinis differentia in venis.2°.de nat.fac. 1ª.299.F
Sanguis venæ non poteſt coagulari in ceruo,& lepore,quia tenuius eſt. de vtil.reſp. Sp.64.F
Sanguis cur apparet ſolus in venis.8°. de dec.Hipp. 1ª.275.A
Sanguinis receptaculum eſt vena.de venæ ſect.aduer.Eraſ. 6ª.5.G
Sāguinis,et ſpūs receptacula ſunt vena neru° pellis.de vti.reſp. S.63.C
Sanguis in arterijs continetur.de vſu pul. 1ª.228.G
Sanguis naturaliter continetur in arterijs.4°.de vſu par. 1ª.141.H
Sāguine vacuā arteriā magnā eē dicētes errāt.7°.de ana.adm.1ª. 98.D
Sanguinē eſſe in arterijs qūo oſtēditur p ſectionē.7°.de ana.ad. 1ª.98.H
Sanguinem eſſe in arterijs , experimento deprehenditur . an ſan in ar. nat.cont. 1ª.61.H
Sanguinē eſſe in arterijs,qūo deprehēditur.an ſan.in ar.nat.cōt.1ª.61.H
Sanguis in arterijs paucior eſt q̄ in venis.fin.med. Iſa.44.B
Sanguis in arterijs qualis.de vſu pul.1ª.228.A/de inæq. intemp. 3ª.43. G/5°.meth.med. 7ª.32.C
Sanguis arteriarū eſt calidior illo venarū.de tum.præt.nat. 3ª.84.D
Sanguis arteriarum eſt calidior & ſubtilior venarum ſanguine eſt.de ſemine. 1ª.331.C
Sanguis arte[illegible]arum ſubtilior eſt,& vaporoſior, quàm venarum.4°.de vſu partium. 1ª.140.B
Sanguis arteriæ liquidior eſt quam venæ.de vtil.reſp. Sp.64.E
Sanguinem tenuiſſimū,& calidiſſimū hn̄t arteriæ.6°.de dec. 1ª.266.D
Sanguis tenuis propter quid in arterijs.6°. de vſu par. 1ª.155.C
Sanguis arteriarum eſt fomentum ſpiritus.6°.de vſu par. 1ª.155.C
Sanguini miſtus eſt aer in arterijs.1°.de diff.feb. 3ª.31.A
Sanguis continetur in arterijs renum.5°.de vſu par. 1ª.144.C
Sanguis in arterias ex venis fertur.3°.de nat.fac. 1ª.307.G
Sanguis in arterias transfertur.de venæ ſect.aduer.Era. 6ª.5.G
Sanguis quomodo intret arteriam.de vtil.reſp. Sp.64.F
Sanguis arteriarum vbiq; ſimilis eſt etiam in corde.6°.de dec.1ª.263.C
Sanguis qualis qui in arteria venali defertur.de ana.viu. Sp.47.E
Sanguine prædita ſunt animalia calidiora.2°.de nat.fac. 1ª.300.C
SANGVINIS natura quæ.fin.med. Iſa.44.B
Sanguis ex oībus elementis procreatus eſt.8°.de dec.Hipp. 1ª.277.H
in Sanguine plus aqueæ ſubſtantiæ & terreæ. 1°.de ſan.tu. 2ª.63.E
Sanguis qualis ſm Hippocratem.bre.den.dogm.Hipp. 1ª.231.B
Sanguis qualis ſit.10°.de ſimp.me.fac. 5ª.73.E
Sanguis calidus & humidus eſt.2°.de tēp.16..A/de nat.hu.cō.1°.32.D/ bre.denot.dogm.Hip.1ª.231.B/de diff.morb.3ª.5.G/de dyn. Sp.19.E
Sanguis calidus & humidus poteſtate eſt.2°.de nat.fac. 1ª.301.C
Sanguis non eſt calidus & humidus,ſed temperatus,ſi ver ſit temperatum.de nat.hu.com.1°. 1ª.32.D/E
Sanguis poſt bilem calidus maxime eſt.de inæq.intemp. 3ª.43.H
Sāguis calidiſſimus eſt non tamē humidus vt pituita.1°.de tēp .1ª.15.C
Sanguis debet eſſe calidus,ſed non nimis.de vtil.reſp. 1ª.226.B
Sanguis quem habet calorem.5°.de ſimp.me.fac. 5ª.37.F
Sanguis humidus eſt.1°.de temp. 1ª.12.G
Sarguis eſt feruens humidus,et dulcis.de na.et ord.cuiuſ.corp.Sp.41.D
Sanguis cur humidus dicatur.1°.de ſan.tu. 2ª.62.E
Sanguis humidus & ruber eſt.6°.de dec.Hipp. 1ª.226.C
Sanguinis color peculiaris rubor eſt.in 6^{m}.de mor.vul.cō.3°. 3ª.121.C

Sanguis naturalis ruber eſt.in 3^{m}.de morb.vul.com.1°. 3^{a}.133.G
Sanguinis humor cur ruber.8°.de dec.Hipp. 1^{a}.275.H
præter Sanguinem & carnem nihil rubrum ex partibus corporis.de tum.præter naturam. 3^{a}.82.H
Sãguis ruber & purus vt ignis i humido videtur.4°.de vſu p.1^{a}.136.C
Sãguis i qua vena ſit plenus humore aquoſo et tenui.4°.d vſ.p.1^{a}.136 C
Sanguis qui proprie dicitur non poteſt habere alium colorem, q̃ rubrũ. in 6^{m}.de morb.vul.com.4°. 3^{a}.187.C
Sanguis non ſemper ruber, & qualis.in 6^{m}.de mor.vul.cõ.1°. 3^{a}.155.H
in Sanguine color ruber à quo gignatur.8°.de dec.Hip. 1^{a}.277.H
Sanguis rubicundior, qualis.1°.de criſ. 4^{a}.130.B
Sanguis flauior, qualis.1°.de criſ. 4^{a}.130.B
Sanguis ſiccior eſt flauior.6°.de dec.Hipp. 1^{a}.266.C
Sanguis humidus ruber eſt.6°.de dec.Hipp. 1^{a}.266.C
Sanguis antiquus non habet colorẽ floridum.cõ.5°.aph.23°. Ex.39.G
Sanguis idem non põt eſſe ruber, & niger.com.4°.aph.21°. Ex.29.E
Sanguis eſt carne mollior, & calidior.2°.de elem. 1^{a}.8.G
Sanguis eſt bonus humor.com.5°.aph.64°. Ex.44.G
Sanguis optimus eſt ſuccus.1°.de temp. 1^{a}.18.A
Sanguis dulcis eſt.de nat.hum.com.1°. 1^{a}.28.E
Sanguis in totum dulcis videtur.de atra bile. 1^{a}.34.E
Sanguis dulciſſimus eſt cum eſt naturalis.4°.de ſimp.me.fac. 5^{a}.29.A
Sanguis temperatiſſimus qui.de nat. hu.com.1°. 1^{a}.33.B
Sanguis quomodo in medio aliorum humorum.4°.de ſan.tu. 2^{a}.84.B
Sanguis attenuatus & abſolutus eſt gradu tertio tenuiſſimum & leniſſimum eorum quæ in corpore ſunt.3°.de nat.fac. 1^{a}.307.F
Sanguis bonus quando.in 6^{m}.de mor.vul.com.4°. 3^{a}.186.D
Sanguis optimus qui.de atra bile. 1^{a}.34.D
Sanguis optimus vnde naſcatur.1°.de ſan.tu. 2^{a}.66.B
Sanguis exquiſitus quomodo gignatur.8°.de dec.Hipp. 1^{a}.275.E
Sanguis cũ ſit optimus inter omnes humores, vbi eſt frigefactus, cur multa pathemata inferat, conſiderandum.de bo.& vit.ſuc. 2^{a}.35.C
Sanguis laudatiſſimus ſm conſiſtentiam, qualis.3°.de ali.fac. 2^{a}.30.E
Sanguis medius in conſiſtentia, qui.3°.de ali.fac. 2^{a}.30.H
Sanguinem quæ gignãt moderatæ coſiſtẽtiæ.de bo.& vit.ſucc. 2^{a}.36.E
SANGVIS ex quibus fiat.3°.de ſimp.me.fac. 5^{a}.17.D
Sãguis bonus gñatur ex cibariis recte cõfectis.cõtra Iulianũ. Ex.69.F
Sanguinis cõplexioni vicina non indigent magna conuerſione ſanguinis ad ſui nutritionem contra quæ remota ſunt.de ana.viu. Sp.44.G
Sanguinis conuerſione multa indigent ad ſui nutritionem ſpermata à ſanguinis conuerſione remota.de ana.viu. Sp.44.G
Sanguinem bonum ſed viſcoſum generant alica, & bouinæ carnes. de puero epil. 7^{a}.180.H
Sanguis fit panis.1°.de nat.fac. 1^{a}.291.B
Sanguis laudatiſſimus ex pane optime præparato & animalibus volucribus.3°.de alim.fac. 2^{a}.30.E
Sanguis quomodo fit ex pane.1°.de nat.fac. 1^{a}.292.D
Sanguis facile fit ex carne.1°.de nat.fac. 1^{a}.292.D
Sanguis laudatiſſimus fit ex perdica.3°.de ali.fac. 2^{a}.30.E
Sanguis laudatiſſimus fit ex piſcibus pelagiis.3°.de ali.fac. 2^{a}.30.E
Sanguis ex piſcibus ſaxatilibus generatus habet mediam cõſiſtentiam. 2°.de ali.fac. 2^{a}.30.H
ad Sanguinẽ creandum prodeſt vinũ.in 6^{m}.de mor.vul.cõ.4°. 3^{a}.185.C
Sanguinem nutrit vinum nigrum dulce.de ſim.med. Sp.92.C
Sãguinẽ augẽt vina pallida, vel flaua pinguis ſubæ.5°.de ſan.tu. 2^{a}.91.B
Sanguinem plurimum gignit vinum nigrum ſed ſuperfluum, & melancholicum.de vict.rat.in morb.acut.com.4°. 7^{a}.149.A
Sanguine craſſo venas implent vina craſſa, nigra, & dulcia.de atten.vic. 2^{a}.46.C
Sanguis craſſus qui.in prog.com.2°. 4^{a}.202.E
Sanguinem purum, mundum, & clarum non generant cibi non temperati.de diff.cont. Sp.74.A
Sanguinem calefaciunt calefactione nimia cibi acuti, & redit plurimũ eius cholera citrina.de diff.cont. Sp.72.F
Sanguinem non admodum probũ gignunt caricæ.2°.de ali.fac. 2^{a}.17.E
Sanguinem calidiorem & craſſiorem temperato generat caro pullorum columbarum, & paruarum auium.de diff.cont. Sp.73.A
Sanguis ciborum inopia areſit, & denſior ſeipſo redditur.de venæ ſectione aduer.Eraſ. 6^{a}.11.A
Sanguis purus excrementoſo eſt calidior.14°.de vſu par. 1^{a}.206.F
Sanguinem craſſum, & nigrum generantia quæ.de atra bile. 1^{a}.35.A
Sanguinem craſſum cum bono ſucco quæ faciant carnes.in 6^{m}. de morb. vulgaribus, commenta.3°. 3^{a}.175.C
Sanguinem craſſum generant milium, & panicum.de diff.cõt. Sp.74.B
in Sãguinẽ vertit mel à natura, et ætate frigida.2°.de nat.fa. 1^{a}.300.G
SANGVINIS generandi cauſa.2°.de nat.fac. 1^{a}.301.C
Sanguis non fit in ieiuno.intro. Iſa.54.D
Sanguinem gñare venarũ tunicas dicentes, errant.6°.de decr.1^{a}.265.G
Sanguis non poteſt generari in veſica fellis.4°.de vſu par. 1^{a}.138.D
Sanguinis principium eſt hepar ſm Galenum.de ana.viu. Sp.50.F
Sanguinem à iecore non fieri contra Galenum.de ana.viu. Sp.46.B
Sanguinis poteſtas in hepate.de ſper. Sp.36.G
Sanguinis propria ſedes eſt hepar.de ſper. Sp.36.H
Sanguinis alentis principium iecur eſt.6°.de dec.Hipp. 1^{a}.264.C
Sanguinis gñandi primũ inſtrumentũ in iecore eſt.4°.de vſu p. 1^{a}.138.D
Sanguinis generatio eſt actio hepatis.de virt.noſt.corp.diſp. Sp.60.D
Sanguinem generare proprium iecoris eſt.5°.de loc.aff. 4^{a}.34.D
Sanguinis prima generatio in iecore fit.fin.med. Iſa.43.H
Sanguinis principium eſt in iecore.in Tim. Plat. 1^{a}.287.D
Sanguis in iecore perficitur.intro. Iſa.54.D
Sanguis in iecore, & venis coqutur.in 6^{m}.de mor.vul.com.5°. 3^{a}.188.B
Sanguis ex mora in vaſis coquitur.1°.de ſemi. 1^{a}.333.F
Sanguinis generandi inſtrm eſt iecoris caro.4°.de vſu par. 1^{a}.138.E
Sanguinis generãdi primũ inſtrm eſt caro hepatis.4°.de vſu p. 1^{a}.138.E
ad Sanguinis generationem caro iecoris conueniens eſt. 6°. de decretis Hippocratis.265.H| 1^{a}.266.C
in Sanguinem cibus mutatur à carne hepatis.7°.de vſu par. 1^{a}.159.A
Sanguis craſſus videtur caro iecoris.4°.de vſu partium.138.E|6°.de decre.Hippocra. 1^{a}.265.H
Sanguinem rubrificat hepar.de ana.viu. Sp.44.D
ob Sanguinem exigitur hepar.de ana.viu. Sp.47.C
Sãguis, & bilis in iecore dominãtur.de nat.et ord.cuiuſ.corp. Sp.41.D
in Sanguinem alteratio, actio naturæ eſt.intro. Iſa.55.B
Sãguis mutatio i iecoris ſubam ẽ naturæ opatio.6°.d dec.Hip. 1^{a}.266.C
Sanguinis concoctio, generatio, diſtributio, adiectio agglutinatio, aſſimilatio, ſemper fiunt à natura.com.1°.apho.2°. Ex.3.D
Sanguis qui perficitur in iecore, præparatur in venis meſeraicis. 4°.de vſu partium. 1^{a}.135.H
Sanguis in venis generatur.1°.de vſu par. 1^{a}.117.B
Sanguis in omnibus venis etiam coquitur.4°.de vſu par. 1^{a}.140.F
in Sanguinem cibos vertunt venæ.de ther.ad Piſo. 5^{a}.96.H
Sanguinẽ p totũ corpus trãſmitti facit theriaca.de ther.ad Piſ.5^{a}.96.H
Sanguis pertinet ad primam generationem & non ad ſecundam. 8°. de decretis Hippocra. 1^{a}.275.G
Sanguinẽ nõ facit iecur propter õia mẽbra.de mo.man.et obſ. Sp.68.A
Sanguinem vtiliorem iecur ſibi ſeruat ad nutrimẽtum.de comp.memb. ſiue de nat.huma. Sp.58.H
Sanguinis eius vtilioris, quẽ ad ſuũ nutrimentum ſeruat hepar, quod tenuis eſt cordi miniſtrat.de comp.memb. Sp.59.B
Sanguis eſt nutrimentũ hepatis, & in ipſo eſt.cõ.5°.aph.39°. Ex.41.C
Sanguis iecoris non eſt ſpirituoſus.6°.de dec.Hipp. 1^{a}.266.D
an Sanguis perfectus recurrat per illas venas, per quas fertur nutrimentum ad hepar.4°.de vſu par. 1^{a}.141.F
Sanguinem in hepate generari collige.com.6°.aph.16°. Ex.47.G
Sanguinis maior copia gñatur, q̃ aliorũ humorũ.8°.de dec. 1^{a}.275.A
Sanguinis generatio eſt magis neceſſaria animali, q̃ ventriculo operatio. 6°.de decr.Hipp. 1^{a}.264.F
Sanguinis generatione ablata, aufertur vita.6°.de decr. 1^{a}.264.F
Sanguis quot modis fruſtretur.3°.de ſymp.cau. 3^{a}.25.C
in Sanguinis generatione quæ ſymptomata fiãt.3°.de ſym.dif. 3^{a}.12.A
Sanguis à cauo iecoris, ad gibbũ aſcendit.4°.de vſu par. 1^{a}.136.C
Sanguinem ſuperaſſantis iecoris ſignum quod.5°.de loc.aff. 4^{a}.34.E
Sanguinis gñatio ſi non fiat, aqua intercus fit.cõ.6°.aph.12°. Ex.47.E
Sanguinem bonum non gigni, vel nutrimentum in ventre probe in chylũ verti, non eſt paris momenti.2°.de nat.fac. 1^{a}.299.E
Sanguinis praui generationis ordo quidam.5°.de loc.aff. 4^{a}.34.E
Sanguis non eſt vnum quid exquiſite.2°.de elem. 1^{a}.9.A
Sanguis, & bilis contrariis generantur.2°.de nat.fac. 1^{a}.300.H
in Sãguinẽ vertit hepar phlegma virtute fellis, & qũo de ſper. Sp.36.B
ĩ Sãguinẽ trãſit pituita ĩ media cibi.de vic.ra.ĩ mor.ac.c.2°. 7^{a}.120.F
Sãguinẽ efficit pituita tpis pceſſu.de vic.rat.ĩ mor.acu.cõ.2°. 7^{a}.120.F
in Sãguinẽ cur nulla bilis trãſire põt.de vic.ra.ĩ mor.ac.c.2°. 7^{a}.120.F
ex Sanguine plus calefacto bilis flaua generatur.de vict. rat. in morbis acutis, com.2°. 7^{a}.120.F

ex Sanguine

ex Sanguine aſſato craſſo, & aduſto fit atra bilis. de vict° rat. in morb. acutis, commentario. 2°. 7ª.120.F
Sanguinem antecedit pituitæ generatio in cibis pituitoſis. de victus rat. in morb. acut. com. 2°. 7ª.120.F
in Sanguine pars quæ eſt liquor ſanguinis qualis. 2°. de elem. 1ª.8.H
Sanguis purgatur per hepar. de ſperm. Sp.37.G
à Sanguine bilem ſegregat iecur. de ther. ad Piſo. 5ª.96.H
Sanguis qua bile indigeat. 2°. de nat. fac. 1ª.302.A
Sanguinem cholericum falſo vocat illum, qui in ueſica fellis continetur, auctor libri de anatonia viuorum. de anat. viu. Sp.50.G
Sanguis bilioſus qualis. 10°. de comp. me. ſec. loc. 5ª.206.H
à Sanguine tres ſuperfluitates exeunt, & quæ. de ana. viu. Sp.50.H
SANGVIS *omnium quæ in corpore ſunt maxime familiaris eſt nobis. 6°. de loc. aff.* 4ª.38.H
Sanguis eſt nobis amicus. com. 5°. aph. 64°. Ex.44.G
Sanguis eſt melior theſaurus naturæ. de ana. viu. Sp.46.B
de Sanguine ſollicita eſt natura. de anat. viu. Sp.46.C
Sanguis quo calore fiat. 2°. de criſ. 4ª.138.D
Sanguis eſt corpus calidum innatum. aduer. Lycum. Ex.65.D
Sanguis generatur à calore naturali, quia calore deficiente non fiet ſanguis. com. 6°. aph. 12°. Ex.47.E
Sanguinem gignit calor natiuus temperatus. in 3^{m}*. de morb. vulgaribus commentario. 3°.* 3ª.142.D
Sanguis à mediocri calore fit. 2°. de nat. fac. 1ª.300.C
Sanguis & ſpiritus ſunt materia in qua habitat calor naturalis, collige. com. 2°. aph. 1°. 3. D/com. 3°. aph. 2°. Ex.11.B
ex Sanguine & pituita ſubſtantia caloris naturalis conſiſtit. 8°. de decretis Hippocratis. 1ª.277.E
in Sanguine & venis caliditatem habet animal omne, veluti fontem ignis. in Tim. Plat. 1ª.289.H
Sanguis anima eſt ſecundum aliquos. 2°. de decr. Hipp. 1ª.240.H
Sanguis cur anima exiſtimatus. 8°. de decre. Hipp. 1ª.276.D
Sanguine alitur anima ſecundum aliquos. 2°. de decr. Hipp. 1ª.240.H
Sanguis regit animam. de dynam. Sp.19.D
Sanguis quos faciat mores. de nat. & ord. cuiuſ. corp. Sp.41.E
Sanguis facit pueros moderatos, blandos, & formoſos. de dyn. Sp.19.E
Sanguine vitiatur animus de dynam. Sp.19.D
à Sanguine proficiſcuntur ſimplicitas & ſtoliditas animi de natura humana, commentario. 1°. 1ª.33.B
Sanguine quomodo fiat deſipientia. in 1^{m}*. pror. com. 3°.* 4ª.184.C
Sanguine plurimo, & ſpiritu calido pleno capite diſipientiæ fiunt. comment. 7°. aphor. 7°. Ex.54.D
SANGVIS *ad quid vtilis. de cucur. ſcar.* 6ª.3.G
Sanguis quid faciat in animali. de cur. rat. per ſang. miſſ. 6ª.16.G
Sanguis quid agat in corpore humano. bre. denot. dogm. Hipp. 1ª.231.C/ *ſecretorum.* Sp.96.G
Sanguinis vires quæ. de ſimp. med. Sp.90.B
Sanguis vltimum alimentum eſt. q animi mor. 1ª.312.F
ex Sanguine fit nutritio. 2°. de dec. Hipp. 1ª.240.H
Sanguis bonus nutrit corpus. com. 2°. aph. 47°. Ex.18.H
Sãguis q deferĩ p alimẽto, nõ eſt ſimilis vſquequaq;. 2°. de dif. f. 3ª.41.H
Sanguis diuerſus in diuerſorũ mẽbrorũ nutritione. 8°. de decr. 1ª.275.G
Sanguinis nutrientis diuerſitas. 3°. de nat. fac. 1ª.307.H
Sanguis tenuis facilius trahentem ſequitur. 3°. de nat. fac. 1ª.308.D
ſm Sãguinẽ nutrientẽ particularũ diuerſitas oritur. de conſuet. 2ª.61.B
Sanguinis vas ſi eſſet vnum, omnes partes ſimili alimento nutrirentur. 6°. de vſu partium. 1ª.155.B
Sanguinem puriorem exigunt aliqua membra. 1°. de ſemi. 1ª.332.F
Sanguinem ſeroſiorem exigunt aliqua membra. 1°. de ſem. 1ª.332.F
Sanguis in perfectis animalibus accipitur ex ſanguineis inſtrumentis. 6°. de vſu partium. 1ª.156.E
Sanguis in imperfectis animalibus et fœtibus accipitur ex ſpirituoſis inſtrumentis. 6°. de vſu partium. 1ª.156.E
Sanguis confectus in venis datur arterijs. 6°. de vſu par. 1ª.155.C
Sanguis optimus nullo inquinatus humore, quem vaporem faciat. 3°. de cauſ. mor. 3ª.7.F
Sanguis bonus ob calorẽ fumoſos uapores emittit. de vtil. reſp. 1ª.226.C
Sãguinis euaporatiõe ad nutritionẽ ſpũs aĩalis ĩdiget. de vtil. r. 1ª.226.B
Sanguinis benigni exhalatio eſt ſpiritus animalis. 6°. de vſu par. 1ª.155.C
Sanguis optimus venit ad nutriendum vẽtriculum in longis ieiunijs. de atra bile. 1ª.36.G
Sanguinem cur attrahunt partes. 13°. meth. med. 7ª.80.F
Sanguinem ſibi familiarem trahunt omnes corporis partes. 9° de comp. med. ſec. loc. 5ª.198.C
ex Sanguine debet nutriri caro. de anat. viu. Sp.49.H
Sanguinem caro trahit, vt magnes ferrum. 3°. de ſimp. med. fac. 5ª.23.E
Sanguinis poteſtate caro eſt. 3°. de temp. 1°.21.F
Sanguis attrahitur p tunicã vaſorũ in nutritione. 6°. de vſu pa. 1ª.151.D
SANGVINEM *in cerebro non contineri experimentum. 1°. de decretis Hipp. & Plat.* 1ª.231.F
Sãguinẽ in cerebri ſinibus qũo inuenies. 1°. de dec. Hip. & Plat. 1ª.231.F
Sanguis non poteſt venas meningum ſubintrare, niſi fuerit plurimum digeſtus. de vtil. reſp. Sp.63.A
Sanguinis principiũ eſt cor ſm Ariſtotelẽ, & cur. de anat. vi. Sp.50.F
Sanguinis primum principium mediate eſt cor. de anat. viu. Sp.50.G
Sanguinis alentis principium non eſt cor. 6°. de dec. Hipp. 1ª.264.C
Sanguinis alicuius cor eſt initium, & cuius. 6°. de decr. Hipp. 1ª.264.C
cuius Sanguinis ſit initium cor. 3°. de decr. Hippo. 241. F/6°. 1ª.266.D
Sanguinis cuiuſdã. i. arteriarũ principium eſt cor. 6°. de decr. 1ª.266.D
Sanguis in corde, non diſſimilis eſt ab illo iecoris. 6°. de decr. 1ª.263.C
Sanguis cordis, flauior eſt Sanguine iecoris. 6°. de decr. Hipp. 1ª.266.C
Sanguis cordis ſpirituoſus eſt. 6°. de decr. Hipp. 1ª.266.D
Sanguis perfectus fit in corde. de anat. viu. Sp.46.B
Sanguinis virtus eſt circa cor. de dynam. 1ª.19.E
Sanguis à corde ſuum accipit calorem. 1°. de temp. 1ª.15.C
Sãguis gñatur in vẽtriculis cordis ſm Ariſtotelẽ. de vtil. reſp. Sp.62.F
Sanguis exuberat in corde. intro. Iſa.55.B
Sanguine nihil vtilius cordi ad nutritionẽ. 6°. de vſu par. 1ª.154.A
Sanguine attracto, & ſpiritu cibatur cor. de anato. viu. Sp.56.D
Sanguis flauior in ſiniſtro cordis vẽtriculo gignĩ. 6°. de decr. 1ª.266.C
Sanguinem flauiorem habet viſcus calidius. 6°. de decr. Hipp. 1ª.266.C
Sanguis ſiniſtri ventriculi cordis ſemp calidior eſt. 6°. de decre. 1ª.263.C
Sanguis ſiniſtri cordis ventriculi qñq; tenuior & flauior, qñq; craſſior, nigriorq́; eſt. 6°. de decr. Hipp. 1ª.263.C
Sanguis ſemp ĩ ſiniſtro cordis ſinu adeſt aĩali mortuo. 1°. de dec. 1ª.231.F
Sanguine plenum eſt cor in vtriſq; ſinibus dũ aĩal viuit. 1°. đ de. 1ª.231.F
Sanguine plenũ eſſe ſiniſtrũ cordis ventriculũ pbat. 1°. de decre. 1ª.231.G
Sanguine pleno ſiniſtro cordis ventriculo, animal moritur. an ſan. in ar. nat. cont. 1ª.61.B
Sanguis eſt copioſior in dextro cordis ventriculo. 6°. de vſu p. 1ª.154.H
Sanguinem habent in aliquo ventriculo boues vulnerati in dorſi medullæ exortu. 1°. de decret. Hipp. 1ª.231.G
Sanguinem attrahit cor ab hepate. de vtil. reſp. Sp.64.D
à Sanguine venæ cauæ nutritur cor. 6°. de vſu par. 1ª.155.C
Sanguine pingui, & vnctuoſo nutritur calor vitalis qui eſt in corde. de vtil. reſp. Sp.62.C
Sanguis eſt humidus quo alitur vita. de dynam. Sp.19.D
ex Sanguine, & inſpirãdo nutritur ſpũs vitalis. 12°. meth. med. 7ª.77.C
Sanguinis vitalis & nutrimentalis differentia. de anat. viu. Sp.53.A
in Sanguinẽ habentibus eſt vis vitalis. 4°. de præſa8. ex pul. 4ª.122.C
ex Sãguinis penuria cor refrigeratur. ĩ 6^{m}*. de mor. vul. cõ. 4°.* 3ª.186.F
Sanguinem præparatum miniſtrat cerebro cor. de compa. memb. ſiue de natura humana. Sp.59.B
Sanguis vnde deducatur per totum corpus. intro. Iſa.54.E
Sanguis vnde eat à corde ad ſuperiores partes. intro. Iſa.54.D
Sanguis habet poteſtatem eundi per totum corpus. de ſperm. Sp.37.A
Sanguis ſubminiſtratur pulmoni ex corde per venam magnam. de natu. humana, com. 2°. 7ª.184.A
Sanguine calido, & ſicco nutritur pulmo. de anat. viu. Sp.52.G
Sãguis quomodo deueniat in arterias pulmonis. 6°. de vſu par. 1ª.151.D
Sanguine puriſſimo, & tenuiſſimo nutritur pulmo. 15°. de vſu p. 1ª.212.F
Sanguis cur ſpumoſus in pulmone. 15°. de vſu par. 1ª.212.F
Sanguinẽ ire ad mẽbra, quæ indicia. de ijs, quæ in med. ſi. cõ. 3°. 7ª.216.C
Sanguinem in totum corpus vna vena riuat, ex qua multæ educuntur venæ. de nat hum. com. 2°. 7ª.184.B
Sanguis qui per totum corpus eat. 2°. de nat. fac. 1ª.302.A
Sanguis ea ratione fertur per omnes animalis partes, qua per renes vrina in veſicam. 2°. de nat. fac. 1ª.296.G
Sanguis craſſior ad quas partes deferatur. 5. de loc. affec. 4ª.33.H
Sanguis non eſt in neruis, tñ nutriuntur, & qũo. 2°. de nat. fac. 1ª.298.E
Sanguinis fece nutritur lien, & ex ea fit atra bilis. 9°. de compoſitione medic. ſec. loc. 5ª.198.C
Sanguinem rubrum magis appetunt renes, & ſplen quaſi ſimilem in colore & natura. de anat. uiu. Sp.44.D

Sanguine nutriuntur renes.de anat.viu. Sp.51.C
Sanguis per quandã decoctionẽ in mamillis vertit̃ ĩ lac.de ſper. Sp.36.E
in *Sanguinis medio & pituitæ eſt lac.5°.de ſimp.med.fac.* 5ª.37.F
Sanguis dealbatus ad nutrimentum cerebri defertur ad teſtes. de anat. viuorum. Sp.51.G
Sanguis acris ſeroſus debet ire ad teſticulos.14°.de vſu par. 1ª.209.B
Sanguis albeſcit in venis,& arterijs teſtium.1°.de ſemi. 1ª.332.G
Sanguis quomodo fiat albus.14°.de vſu par. 1ª.207.G
Sanguis cur in ſolis teſtibus fiat albus.14°.de vſu pa. 1ª.207.G
ex *Sanguine principaliter fit ſperma, ſecundario ex alijs humoribus. de ſpermate.* Sp.36.F
Sanguis vbi fit ſperma, & quomodo.de ſperm. Sp.36.E
ex *Sanguinis ſubtilitate fit ſperma.de ſperm.* Sp.37.A
ex *Sanguine exacte cocto gñantur ſemẽ,& lac.16°.de vſu p.* 1ª.219.C
Sanguis & ſpiritus ad ſpermatis generationẽ vbi præparantur,& eius vſus.9°.de vſu par. 1ª.172.A
Sanguis eſt ſemen viri.de nat.& ord.cuiuſ.corp. Sp.42.C
Sanguis cũ ſit ſpma ipſum,cur albũ.de nat.& ord.cuiuſ.corp. Sp.42.C
Sanguis terreſtris plurimum calidus eſt pro eo, quod eſt receptaculum amoris.de vtil.reſp. Sp.64.E
Sanguine pituitoſo nutritur cutis.in prog.com.2°. 4ª.198.B
SANGVINIS *parum habent frigida.6°.de vſu par.* 1ª.150.H
Sanguinis paruitas ſigñat frigiditatẽ tẽperaturæ.6°.de vſu p. 1ª.150.H
Sanguine carent piſces,vel parum habent.6°.de vſu par. 1ª.150.H
Sanguis qbus differẽtijs diuerſus ſit in aĩalibus.5°.de dec.Hip. 1ª.257.B
Sãguinẽ frigidũ et aquoſum hñtia aĩalia timida ſunt.de vtil.re. Sp.64.E
Sanguis qui nimiũ dilutus eſt,facit aĩalia timidiora.ꝙ aĩ mor. 1ª.319.D
Sanguinis liquidioris homines ſunt timidi, & boni ſenſus, quia molles carne de vtil.reſp. Sp.64.F
Sanguis dilutior eſt frigidior.ꝙ animi mor. 1ª.319.C
in *Sanguine liquido nulli inueniuntur neruuli.de vtil.reſp.* Sp.64.F
Sanguis qui terrenus eſt,nimirum coit,cum humor euaporatur. ꝙ animi mores. 1ª.319.C
in *Sanguine ſpiſſo inueniuntur neruuli.de vtil.reſp.* Sp.64.F
Sanguis aliquis habet fibras,aliquis non.ꝙ animi mor. 1ª.319.C
in *Sanguine fibræ ſunt terræ opificium.ꝙ animi mor.* 1ª.319.D
cũ *Sanguine tenui aĩalia ſunt ſapientiora.ꝙ animi mor.* 1ª.319.D
Sanguinem tenuẽ habẽt mulieres albæ.de cur.ra.per ſang.miſ. 6ª.18.G
Sanguinem non habentia animalia quædam prudentiora ſunt aliquibus ſanguinem habentibus.ꝙ animi mor. 1ª.319.D
Sanguinem melancholicum dari.com.6°.aph.38°. Ex.50.F
inter *Sanguinem melancholicum,& atram bilem ponit differentiam. 5°.de locis affectis.* 4ª.34.E
Sanguinem melancholicũ quẽ appellet Galenus.3°.de loc.aff. 4ª.18.A
Sanguinem melancholicum magis admiſtum cum bile pallida habent virides,& nigri.in 6^{m}.de mor.vul.com.3°. 3ª.175.A
Sanguis cholericus eſt alia ſuperfluitas ſanguinis quæ continetur in ciſti fellis.de anato.viu. Sp.50.F
Sanguis in longis vigilijs efficitur bilioſior.com.7°.aph.18°. Ex.55.C
Sanguinem humorem copioſiorem habẽt rubri & virides.in 6^{m}.de morbis vul.com.3°. 7ª.175.A
Sanguis craſſus & niger in ſiccorum calidorumq; corporum naturis cõſpicitur.de atra bile. 1ª.35.A
Sanguinẽ melãcholicũ hñtibus q cibi exhibẽdi.de bo.et vi.ſuc. 2ª.38.A
Sanguinem plus iuſto melancholicum habentes alimentis egent calidis, & humidis.de bon.& vit.ſuc. 2ª.38.A
Sanguinẽ bilioſum hñtibus qui cibi exhibendi.de bo.et vit.ſuc. 2ª.38.A
Sanguis pituitoſus ex deſidia generatur.de mult. 3ª.78.H
Sanguis pituitoſus carnem facit pituitoſam.3°.de ſym.cauſ. 3ª.26.C
Sãguinẽ pituitoſum hñtibus qui cibi exhibẽdi.de bo.& vi.ſuc. 2ª.38.A
Sanguinem Ichoroidea quẽ appellet Hippocrates. in 6^{m}. de morbis vulgaribus,commenta.2°. 3ª.167.E
Sanguis aquoſus quã carnẽ gignat.in 6^{m}.de mor.vul.com.1°. 3ª.156.D
Sanguine probato abundantes quo modo nutriendi.de bonitate,& vitio ſuccorum. 2ª.38.B
in *Sanguine redundante congruus cibus qui.de art.com.4°.* 7ª.288.E
Sanguinis locus qui.de ana.viu. Sp.45.D
Sãguinis proprietates.de ana.viu. Sp.45.D
Sanguis quot modis mutatur de ſperm. Sp.39.H
SANGVINIS *horæ quæ.de ſpermate.* Sp.38.A
Sanguis quibus horis dominetur. de nat.& ord.cuiusl.corp. Sp.41.D
Sanguis dominatur ab hora noctis nona uſque in horam diei tertiam.de dynamidijs. Sp.19.E
in *Sanguinis horis concepti pueri natura. de ſpermate.* Sp.37.B
in *Sanguinis horis tribus cõceptũ ſperma quid efficiat.de ſper.* Sp.37.B
in *Sanguinis naturam mutatur,& informatur à muliere cõceptũ ſperma in tribus horis ſanguinis. de ſpermate.* Sp.37.B
in *Sanguinis horis ſi in ſiniſtra parte matricis conceptus maneat, quid ſequatur.de ſpermate.* Sp.38.A
in *Sanguinis horis in dextra matricis parte ſi ſit infans cõceptus,quid ſequatur.de ſpermate.* Sp.38.B
in *Sanguinis horis ſi ſit concepta puella,parentes vero in horis phlegmatis quid eueniat.de ſpermate.* Sp.38.C
in *Sanguinis vel phlegmatis horis ſi puer ſit conceptus, parentes in horis bilis,quid ſequatur.de ſpermate.* Sp.38.D
in *Sanguinis horis ſi ſit cõceptio omniũ,quid ſequatur.de ſper.* Sp.38.D
Sanguinis infantis hora ſi pater & auus infans vel puer concepti ſunt quid contingat.de ſpermate. Sp.38.E
Sanguinis horis ſi pater ſemen fuderit mater vero concepta ſit in eiſdẽ horis quid ſequatur.de ſperm. Sp.38.F
à *Sanguinis horis quando principium habet puer ſicut auus eius, retinet ab eo figuram.de ſpermate.* Sp.38.F
in *Sanguinis horis ſynocha quæ acuitur qualis ſit.de ſperm.* Sp.39.H
in *Sanguinis horis quartana quæ acuitur qualis.de ſperm.* Sp.39.H
Sanguinis incrementum duplex.de mult. 3ª.81.B
Sanguinis commoditas ex qualitate & quantitate exacte ſecundum naturam exiſtit.de mult. 3ª.80.F
Sanguis quantus eſſe debeat.2°.de temp. 1ª.19.E
ex *Sanguinis copia,carnis abundantia vel corpulentia naſcitur. 2°. de temperamentis.* 1ª.18.D
Sanguinis abundantia nutrimenti copiæ ſoboles eſt.introd. Iſa.52.C
Sãguis qui vtilis ad implendum carnem.4°.met.me. 7ª.23.D
Sanguinem tuentur carne implentia.2°.de comp.med.per ge. 5ª.227.A
Sanguine cum viribus creſcente,robur creſcit.de mul. 3ª.78.H
Sanguinis copiã ſignificat robur.de vict.rat.in mor.ac.c.4°. 7ª.137.H
Sanguis bonus facit vt calorẽ & frigus facile feramus.de dy. Sp.19.D
Sanguis craſſior,& calidior efficacior ad robur eſt ex Ariſtotele. quòd animi mores. 1ª.319.C
Sanguis tenuior,& frgidior habet pleniorem vim ſentiendi, & intelligẽdi.ꝙ animi mores. 1ª.319.C
inter *Sanguinem habentia ingenioſiora ſuis contrarijs ſunt, quæ habẽt ſanguinem tenuiorem & frigidiorem.ꝙ animi mores.* 1ª.319.C
SANGVIS *dupliciter fit inutilis.9°.met.me.* 7ª.59.D
Sanguinis ſi ſit redundantia abſolute dicitur.2°.met.me. 7ª.10.A
Sanguis dicit̃ abũdare cũ humores oẽs æque abũdãt.de cu.rat. 6ª.17.F
Sanguis ex quibus abundat & corrumpitur.de dyn. Sp.19.D
Sanguis quo tempore creſcat.de nat.& ord. cuiusl.corp. Sp.41.D
Sanguis temperatiſſimus humorum,vere quidem, in temperatiſſima cõſtitutione abundat.in 1^{m}.de mor.vul. com.1°. 3ª.100H
Sanguis vere redundat.8°.de decr.Hipp. 1ª.276.D
Sanguis cur in vere abundat.8°.de decr.Hippo.1ª.276.E| in 1^{m}. de morbis vulgaribus,com.1°. 3ª.101.C
Sanguis etiam in æſtate abundat.8°.de dec.Hipp. 1ª.276.E
Sanguine, & flaua bile æſtate peruſtis atra bilis abundat autumno.in 1^{m}.de mor.vul.com.1°. 3ª.100.H
Sanguis habet partem humidam,& aquoſam,quæ in æſtate abſumitur. com.3°.aph.14°. Ex.22.D
Sanguis cur paucus in autumno fiat.de nat.hum.com.1°. 1ª.32.B
Sanguini contrarius autumnus.de nat.hu.com.1°. 1ª.32.B
Sanguis & ſpiritus quibus abundat.com.2°.aph.44°. Ex.18.F
Sanguis in quibus redundat.fin.med. Iſa.44.G
Sanguis plurimus qua ætate abundet.in progn.com.1°. 4°.196.C
Sanguinis plurimum quæ ætas gignit.in progn.com.3°. 4ª.210.C
Sanguinis plurimum habent pueri.in progn.com.3°. 4°.210.C
Sanguis quibus adoleſcentibus.in progn.com.3°. 4ª.210.C
Sãguis incipit ſupabũdare in ætate pubertatis.cõ.3°.aph.27°. Ex.25.H
Sanguine non abundant conſiſtentes.com.3°.aph.30°. Ex.26.D
Sanguinis magna pars dominatur ab anno trigeſimo vel quadrageſimo vſq; in ſuam ætatem cum nigra colera.de dyn. Sp.19.E
Sanguinis maxima pars cũ choleris nigris dominatur ab anno vigeſimo quinto vſq; in annos quadrageſimũ ſecũdũ.de nat.& ord. Sp.41.E
Sanguine plenior eſt mas fœmina.in 6^{m}.de mor.vul.cõ.2°. 3ª.169.F
Sãguine aliqui graciliſſimi abundant.in 6^{m}.de mor.vul.cõ.3°. 3ª.176.C
Sanguine carent aliqui craſſi.in 6^{m}.de mor.vul.com.3°. 3ª.176.C

Sanguis gymna-

Sanguis gymnaſticorum qui.de atrab. 1ª.35.C
Sanguis athletarum qui de atrab. 1ª.35.C
Sanguinis plenę venæ quibus videntur.1°.de diff.feb. 3ª.36.A
Sanguis ſi præualeat, quales ex eo pulſus.de mult. 3ª.82.A
Sanguinis copia quem pulſum faciat.2°.de cauſ.pulſ. 4ª.90.G
Sanguinis pulſus qui.de nat.& ord.cuiusl.corp. Sp.41.E
Sanguis facit pulſum plenum, & humidum.de dynamidijs. Sp.19.F
Sanguis in arterijs quandoq; craſſus, & lentus, quem faciat pulſum. 2°. de cauſis pulſuum. 4ª.90.G
Sanguis cui aſſimilatur in reſpiratione.de vtil.reſp. 1ª.225.A
Sanguinis fuligo euacuatur per expirationem.de vtil.reſp. 1ª.225.A
Sanguis quo mō cognoſcatur præualere.6°.de com.med.ſec.lo. 5ª.176.E
Sanguinem homini abundare quando iudicandum ſecundum Galenum. de multitudine. 3ª.82.B
Sanguinis abundantia ruborem præſefert.de mult. 3ª.81.E
Sanguinis abundantiam ſignificat corpus ad rubicundius, q̃ pro natura eſt, mutatum.4°.de ſanitate tuenda. 2ª.84.B
Sanguis in facie abundans ſatis euidenter non apparet in nigrioribus natura.in 6^{m}.de morb.vul.com.2°. 3ª.163.F
Sanguis abundantia eſt plethora.13°.methodi medendi. 7ª.80.H
Sanguinis ſolius plethora eſt.2°.de comp.med.ſec.loc. 5ª.132.D
Sanguinis euacuatio retenta, facit incidere in morbos plethoricos. in 1^{m}. prorrh.commentario 3°. 4ª.185.D
Sanguis in plethoricis diſpoſitionibus quid poteſt, quod alij humores non poſſint.de mult. 3ª.81.H
Sanguis abundans valetudinem vitiat.de dynamidijs. Sp.19.D
Sanguinis multitudo præcipua eſt cauſa morborum.de ve.ſect.aduerſus Eraſiſtratum. 6ª.9.H
ex *Sanguinis ſuperfluo qui affectus fiant.de ſpermate.* Sp.36.G
à *Sanguine fiunt morbi acuti ferè & à flaua bile.introd.* Iſa.55.E
à *Sanguine, & bile fieri vt plurimum morbos acutos inquit Hippocrates.bre.deno.dogm.Hipp.* 1ª.231.D
Sanguis ſæpe conuulſione cauſa eſt.de opt.ſect. Iſā.24.C
Sanguis quomodo pōt eſſe cauſa lætaliū morborum.8°.de decr. 1ª.275.E
Sanguis facit nouos dolores plerūq;.in 6^{m}.de mor.vul.com.1°. 3ª.156.E
Sanguinis multitudo, & ſpiritus flatuoſus faciunt capitis dolorem. commentario 6°.apho.16°. Ex.47.D
Sanguis probus in loco collectus dolorem parit vehementem.2°. de arte cura.ad Glauconem. 7ª.100.H
Sanguis quando faciat morbos.de dynamidijs. Sp.19.D
Sanguine abundantes, ſi corpus exerceant, incidunt in apoplexiam, morbum comitialem, vel vaſis alicuius in pulmone fractionem. commētario 3°.aphoriſmo 20°. Ex.24.C
Sanguinis abundantia non poteſt rumpere venā veſicæ ſicut renum.commentario 4°.apho.73°. Ex.35.G
Sanguis pituitoſus per totum corpus eſt in anaſarca, & leucophlegmatia.5°.de locis affectis. 4ª.33.H
Sanguinis redundantia vbi ſit, quid agendum.4°.de ſani.tuen. 2ª.87.E
Sanguine exuberante, quomodo procedendum.de conſt.ar. Iſa.42.E
ex *Sanguinis abundantia factus dolor qūo ſanet̄.12°.meth.me.* 7ª.79.B
Sanguine multo abundantes non ſunt purgandi.de dyna. Sp.20.F
Sanguis ſi abundet, mittendus eſt ſanguis.6°.de ſan.tuen. 2ª.100.E
Sanguis abundans minuendus eſt.de cucurb.ſcar. 6ª.3.G
Sanguis corruptus alterandus eſt.de cucurb.ſcar. 6ª.3.G
Sanguinis culpa ſi fuerit ægritudo, da ei frigida & ſicca & amara.de dynamidijs. Sp.19.F
Sanguinis abundantiam reprimit hypocyſthis.de ſimp.med. Sp.92.E
Sanguinis abundantiam valde ſtringit menta.de ſimp.med. Sp.87.D
Sanguinis abundantiam reprimit Rhu.de ſimp.med. Sp.89.E
Sanguine plenæ particulæ caſus.ars med. Iſa.70.E
ex *Sanguinis penuria ſiccitas quæ.7°.meth.med.* 7ª.44.D
Sāguinē deficere ſigñant febres liuidæ.in 6^{m}.de mor.vul.cō.1°. 3ª.159.G
Sanguinem multum calidum habentes, melancholici facile fiūt. in 3^{m}. de morbis vulgaribus, commentario 3°. 3ª.146.G
Sanguinis multum habentibus, & pituitoſis cibi parcitas laſſitudinem tollit, & ſitim extinguit.in 6^{m}.de morb.vulg.commen.3°. 3ª.176.A
Sanguinis defectu laborantibus, & bilioſis cibi parcitas neq; laſſitudinē tollit, & neq; ſitim extinguit.in 6^{m}. de morb.vul.com.3°. 3ª.176.A
Sanguis quōs tumores faciat ſm ſuam diuerſitatem.de ocul. 7ª.189.E
SANGVINEM *ſignificat tumor rubeus.4°.meth.med.* 7ª.89.D
à *Sanguine fit inflammatio.de differentijs morborum.5.G/1°.de differ. feb.3ª.32.A/13°.meth.med.* 7ª.81.E
à *Sanguine proprie fit inflammatio.2°.de criſi.* 4ª.138.C
Sanguinem in inflammatione eſſe probat.de tum.præt.nat. 3ª.83.B
ex *Sanguinc bono fit inguinis inflammatio.2°.dc criſi.* 4ª.138.C
ex *Sanguine, & flaua bile inflammatio.6°.de cōp.me.ſec.loc.* 5ª.176.E
ex *Sanguine phlegmones quo modo fiant.13°.met.med.* 7ª.80.E
Sanguis quo modo influat in locum phlegmonis.13°.meth.med. 7ª.80.F
Sanguis trahitur ad locum patientem.com.4°.aph.48°. Ex.33.B
Sanguinem ad ſe trahit dolor, & facit inflammationem ſine plenitudine. de cur.rat.per ſang.miſſ. 6ª.17.G
Sanguis, & ſpiritus illuc tendunt quò natura expellit violenter, vnde ibi fiunt inflammationes.com.5°.aph.53°. Ex.42.D
Sanguis, & ſpiritus ſunt duo inſtrumēta, quibus natura vtitur, & expellit per vim ea quæ infeſtant.com.5°.apho.63°. Ex.44.C
Sanguis, & ſpiritus cōcurrunt in omni naturali motione.de ren.affectuū dignotione, & medela. 7ª.192.H
Sanguinis inſtr̄m diuerſum eſt ab inſtrumento ſpūs.6°.de vſu p. 1ª.154.H
Sanguis in inflammationibus diſpartitur per minimas partes ad cauitates quæ ſunt in muſculis.com.6°.apho.20°. Ex.48.C
Sanguis crudior antea rubrior, & flauior efficitur in Phlegmone.de curan.ratio.per ſang.miſſ. 6ª.19.E
Sanguinis inhibitio fit prius quàm euacuatio in phlegmone, quę fit, & adhuc eſt in generatione.12°.meth.med. 7ª.81.G
SANGVIS *quomodo alteratur duplici.de cauſa.2°.de diff.* 2ª.42.B/C
Sanguis quomodo inhibeatur.12°.meth.med. 7ª.81.G
Sanguinis alteratio fit per ſimilitudinem ad vinum quod acceſſit.commētario 2°.aphoriſmo 22°. Ex.15.C
Sanguis quomodo humidior ſeipſo redditur.de mult. 3ª.82.A
Sanguis quomodo calidior efficitur.de mult. 3ª.82.A
Sanguis quomodo frigidior fit.de mult. 3ª.82.A
Sanguis quomodo ſiccior redditur.de mult. 3ª.82.A
Sanguis eſt flatulentus aliquando.de mult. 3ª.81.A
Sanguinem habet caliditas materiā vnde accēdit̄.de vtil.reſ. 1ª.224.H
Sanguinem calefacit bedarus calefactione forti.de diſſ.cont. Sp.74.C
Sanguis arteriarum cur primo calefiat.de inæq.intempe. 3ª.43.G
Sanguine maxime ſiniſtri ſinus in corde inflammato efficitur inæqualis corporis intemperies.1°.de inæq.intemp. 3ª.44.A
Sanguis neceſſario quandoq; putreſcit.2°.de diff.feb. 3ª.40.A
Sanguis dupliciter putrefit.2°.de diff.feb. 3ª.41.D
Sanguis duplicem ob cauſam corrumpitur in inguinum tumoribus, & inflammationibus.2°.de diff.feb. 3ª.40.B
Sanguinem opprimit calor extrinſecus qūo.2°.de diff.feb. 3ª.40.A
Sanguis corrumpitur aceruatus aliqua in parte, & quot modis, & quomodo.2°.de diff.feb. 3ª.40.B
SANGVINE *putrefacto an febres contingant.2°.de dif.feb.* 3ª.40.A
Sanguis corrumpitur, & facit febrem.2°.de diff.feb. 3ª.42.B
Sanguis pituitoſus tardius corrumpitur.2°.de diff.feb. 3ª.42.B
Sanguinis coagulatio extra, eſt via ad putredinem.6°.de dec. 1ª.266.B
Sanguis incidens in arterias inter alas & inguina, febrem facit. an ſan. in ar.nat.cont. 1ª.61.B
Sanguis in febribus quo mō calefiat, & vſquequo.de inæq.intē. 3ª.44.A
ex *Sanguine putreſcente quę fit febris bilioſa quodammodo eſt. 2°. de criſibus.* 4ª.138.D
ex *Sanguine febres ſimpliciores fiunt quàm ex alijs humoribus. 2°. de differentijs febr.* 3ª.40.B
ex *Sanguinis tranſmutatione conſequuntur febres quæ calorem habent mitiorem, & ſimpliciores ipſæ ſunt.2°.de diff.feb.* 3ª.40.C
in *Sanguinis febre calor mitis eſt qualitatis.2°.de differ.feb.* 3ª.40.C
ex *Sanguine calor febris, eſt vt calor balnei.2°.de differ.febr.* 3ª.40.C
Sanguis quomodo comparetur lignis humidis.2°.de differ.feb. 3ª.42.C
ex *Sanguine febres ſunt valde rubentes. in 6^{m}. de morbis vulgaribus, commentario 1°.* 3ª.159.G
ex *Sanguine febres, & aliorum humorum, ſolum differunt bonitate, & malitia.2°.de diff.feb.* 3ª.40.C
Sanguinis febres ſimiles ſunt tertianæ.2°.de diff.feb. 3ª.40.B
ex *Sanguine putrido ſynochus accēdit.in 6^{m}.de mor.vul.c.1°.* 3ª.153.D
ex *Sanguinis abundantia ſynochus.9°.meth.me.* 7ª.56.F
Sanguinis vi excitatarū febriū cōtinuarum vrinæ.quæſ.in Hip. Sp.113.B
ex *Sanguine putrido febris fit complicata, & ex ſuperfluitate putrida, & quo modo.2°.de diff.feb.* 3ª.42.C
Sanguis cum putreſcit trāſit in alteram naturam, vel in bilem flauam, vel in atram.2°.de diff.feb. 3ª.42.F
Sanguis quo modo in bilem, & atrā bilem tranſeat.2°.de criſ. 4ª.138.D

ex Sanguine ſupra modum cocto bilis fit.4°.de ſan.tuen. 2ª.84.C
cum Sanguis aſſatur tenuis vertitur in flauam bilem, craſſus vero in atram.2°.de differentijs febrium. 3ª.40.C
à Sanguine naſcitur bilis acida,& amara quæ dicitur mater morborũ. de dynamidijs. Sp.19.D
Sanguis q nõ purgat̃ bileſcit,& in qbus.de vic.ra.ĩ m.ac.c.2°. 7ª.123.B
Sanguis fit bilis ferarum morſu.5°.de loc.affect. 4ª.34.A
Sãguis humanus quẽ attigerũt virulẽtæ beſtiæ,necat.de th.ad P. 5ª.93.G
Sanguinẽ niſi attigerint venena ſpiculorũ nõ necãt.de th.ad Piſ. 5ª.93.G
Sanguini atra bilis contraria eſt.de nat.hum.com.1°. 1ª.32.C
Sanguis qui facillime bilis nigra efficitur.13°.meth.med. 7ª.84.C
Sanguis,& bilis tranſeunt in melancholiam.de ſpermate. Sp.40.G
in Sanguinem non tranſit melancholia.de ſpermate. Sp.40.G
ex Sanguine quomodo atra bilis fiat.3°.de ſymp.cauſ. 3ª.28.B
ex Sanguine craſſo fit atra bilis.in primum prorrh.com.1°. 4ª.164.D
Sanguis craſſus facit humorẽ melancholicum.cõ.3°.aph.22°. Ex.24.F
Sanguis melancholi cus craſſus eſt.de cur.rat.per ſang.miſſ. 6ª.18.E
Sanguis quomodo craſſior,& nigrior redditur.2°.de nat.fac. 1ª.301.F
Sanguinis veluti ſedimentum,ac fex eſt atra bilis.2°.de temp. 1ª.18.A
Sanguinis fex eſt humor melancholicus.com.4°.aphoriſ.77°. Ex.36.F| *commentario 6°.apho.53°.* Ex.53.B
Sanguinis veluti fex vt in vinis nigris craſſis conſiſtentibus fex, eſt imago atræ bilis.com.4°.aphor.21°. Ex.29.D
in Sanguine pars quæ eſt veluti lutum & fex,caſeo proportione reſpondet.2°.de elemen. 1ª.8.H
in Sanguine eſt quædam pars veluti lutum.2°.de elem. 1ª.8.H
Sanguis quandoq; liquidæ pici ſimilis eſt.de atrab. 1ª.34.D
Sanguis niger liquidæ pici ſimilis.in 6m.de mor.vul.com.4°. 3ª.186.E
Sanguis liquidæ pici ſimilis viſus fuit Galeno largiter euacuandus in quadam muliere.in 6m.de morb.vul.com.3°. 3ª.176.D
Sanguinis fex omnis non eſt atra bilis.de tum.prȩter nat. 3ª.84.C
Sanguis niger,& ſplendens vnde.3°.de ſymp.cau. 3ª.28.A
Sanguine ſplendidior quo modo ſit nigra bilis.3°.de ſymp.cau. 3ª.28.A
ex Sanguinis aduſtiõe melãcholica fiunt tẽperamẽta.2°.de tẽp. 1ª.21.B
Sanguis miſtus nigræ bili qualis.3°.de ſymp.cau. 3ª.28.A
Sanguis niger quo mõ differat ab atra bile.com.4°.apho.23°. Ex.29.H
Sanguis ſit niger cum calorem amittit.6°.de decre.Hip. 1ª.266.B
Sanguis niger feci vini aſſimilatur.14°.meth.med. 7ª.89.D
Sanguis decolor qualis.in 3m. de morb.vul.com.1°. 3ª.133.G
Sanguis merus frequentius ſolet appellari niger.in 3m. de morbis vulgaribus,commentario 3°. 3ª.133.G
Sanguis craſſus ater,quos morbos faciat.de atrab. 1ª.35.C
Sanguis melancholiæ facit atram bilem.de vtil.reſp. 1ª.226.C
Sanguis flauæ bilis facit phrenitim.de vtil.reſp. 1ª.226.C
ex Sanguine calido ad atræ bilis naturam conuerſo carbunculi fiunt.1°. de differentijs febrium. 3ª.32.A
ex Sanguine nondum cocto pituita fit.4°.de ſan.tuen. 2ª.84.C
Sanguine naſcitur pituita quæ nauſeam facit.de dyna. Sp.19.D
ex Sanguine ſupra modum efferueſcente,& ad atram bilem tranſmutato,fiunt carbunculi.2°.de diff.feb. 3ª.40.C
ad Sanguinis eductionẽ vt Herophilus.7°.de cõp.med.ſec.loc. 5ª.183.H
Sanguis craſſus qñ eſt materia apoſtematis cum vulnere.de oc. 7ª.189.E
Sanguis extreme prauus ſm conſiſtentiam qualis.3°.de alim.fa. 2ª.30.E
Sanguis prauus vt plurimum niger.de atrab. 1ª.36.H
Sanguis prauus quomodo fiat.in 6m.de morbis vul.com.4°. 3ª.186.D
Sanguis quo modo fit vitioſus.3°.de ſymp.cauſ. 3ª.27.A
Sanguis quo modo fit vitioſus à vitioſis cibis.com.2°.apho.36°. Ex.17.F
Sanguis malus vbi ſit in corpore.4°.de ſan.tuen. 2ª.83.G
Sãguinem prauũ non trahũt venæ[cuius contrarium habet in principio quarti de victu acutorum.]in 6m.de morb.vul.com.4°. 3ª.186.E
Sanguis qualis in peſtilenti tempore.de bon.& vitio ſuc. 2ª.33.H
à Sanguine craſſo apoſtema,quomodo curetur.de ocul. 7ª.189.G
Sanguinis craſſi auxilia quæ ſint.commentario 2°.apho.9°. Ex.12.C
Sanguis qui in cerebro dupliciter alteratur.3°.de loc.affect. 4ª.18.E
Sanguis qui in cerebro cõtentus eſt qñq; ſolus alteratur reliqui corporis ſanguine prorſus innocuo exiſtente.3°.de loc.aff. 4ª.18.E
Sanguis melancholicus ſi in vniuerſo corpore ſit, curatio debet incipere à ſectione venæ,ſi in cerebro ſolum, non eſt opus quatenus ſpectat ad talem diſpoſitionem.3°.de loc.aff. 4ª.18.E
Sanguis melancholicus an ſit in toto corpore, vel in cerebro, quomodo cognoſcatur.3°.de locis affectis. 4ª.18.E
Sanguis permiſtus quos faciat morbos.2°.de criſi. 4ª.138.C
Sanguis,& bilis æqualiter miſta quid faciant.de tum.præt.nat. 3ª.84.B
Sanguini an mixti humores quomodo noſcendum.de mult. 3ª.82.B
Sanguinem eſſe cauſam morbi cognoſcimus à grauitate quæ ſymptoma eſt ſubſequens.de opt.ſect. Iſa.22.F
Sanguinis ægritudo quo modo curanda.de nat.& ord.cu.corp. Sp.41.E
Sanguinis diapedeſis quid.3°.de ſymp.cau. 3ª.27.B
SANGVIS *in ſomno refugit ad interiora.in 6m. de morbis vulgaribus, commentario 5°.* 3ª.193.H
Sãguis ad viſcera ſe recipiens reddit aliquas partes præſertim extremas frigidas.commentario 7°.aph.1°. Ex.54.B
Sanguis quando & quo modo relinquit extremas corporis partes,& in ſe contrahitur.com.7°.aph.26°. Ex.55.G
SANGVIS *extra venas ſentitur à lingua, vt extrinſeca quæ admouentur.1°.de ſymptomatum cauſ.* 3ª.17.D
Sãguis extra ſedẽ,nõ põt ad priſtinã remeaȓ naturã.ĩ ꝑg.c.1°. 4ª.197.C
Sanguis extra propria vaſa dureſcit.de atrab. 1ª.34.E
Sanguis extra vaſa concreſcit.de atrab. 1ª.34.D
Sanguis extra venas eſt concretus.1°.de ſeminc. 1ª.329.F
Sanguis in quibus locis etiam intra concreſcit.de atrab. 1ª.34.D
Sanguis concreſcit in regionibus ventriculi.de atrab. 1ª.34.D
Sanguis concreſcit in pulmone.de atrab. 1ª.34.D
Sanguis concreſcit in aſpera arteria.de atrab. 1ª.34.D
Sanguis concreſcit inter thoracem & pulmonem.de atrab. 1ª.34.D
Sanguis concreſcit in regionibus inteſtinorum.de atrab. 1ª.34.D
Sanguis concreſcit in vteris in mulieribus.de atrab. 1ª.34.D
Sanguis quandoque concretus in abſceſſibus inuenitur.2°. de art.curat. ad Glauconem. 7ª.105.B
Sanguinis grumus oſtendit particulam affectam.1°.de loc.affect. 4ª.2.F
Sanguis coactus difficulter diſcutitur.5°.de comp.med.ſec.loc. 5ª.158.F
Sanguinẽ cõgelatũ in ſtõ,& veſica quid diſſoluat.de cura lap. Sp.112.H
Sãguinẽ ĩ vẽtre cõcretũ diſſoluit coagulũ leporis.10°.de ſim.m. 5ª.74.D
Sanguinis grumos liquare ac ſoluere creditur amaranthum.6°.de ſimplicium medic.facult. 5ª.42.C
ad Sanguinis ſolutionem.ſecretorum Sp.99.B
ad Sanguinis concretiones.de med.fac.par. 7ª.174.D
Sanguis ob oleum non exhalabit,& quare.6°.de ſan.tuen. 2ª.98.C
Sanguinis multum digerit calor febrilis.de cur.rat.per ſan.miſ. 6ª.19.F
SANGVIS *melancholicus in cerebro quandoque fit,quando recipit ab alia parte.de mel.ex Gal.Ruf.& Poſſ.* Sp.109.B
Sanguine plenæ oculorum venæ, & ſqualidi oculi, ſi doleant,vini potatione ſanantur.com.6°.aph.31°. Ex.49.D
Sanguinem,& vulnus oculorum quid tollat.de dynamidijs. Sp.24.E
Sanguinis,& doloris oculorum præſidium.de dynamidijs. Sp.24.G
Sanguinis,& pani oculorum remedium.de dynamidijs. Sp.24.H
Sanguinem,& caliginẽ,& tumorẽ oculorũ quid tollat.de dy. Sp.24.H
ad Sanguinis ex auribus eruptiones ex Heraclida Tarentino remedia. de compoſitione medicament.ſec. lo. 5ª.144.B
SANGVINIS *lationem per venas Plato aquȩductum vocauit. in Timæum Platonis.* 1ª.288.C
Sanguis venæ cauæ comparatur fluuio.de nat.hum.com.2°. 7ª.184.B
Sanguis qui ex vena caua fluit in membra, comparatur canali.de natura humana,commentario 2°. 7ª.184.B
ad Sanguinis ad interiora defluxum.de med.fac.par. 7ª.165.G
SANGVINIS *emiſſio ſpecies eſt euacuationis.ars med.* Iſa.69.E
Sanguis vitioſum vnde expellatur à natura.de atrab. 1ª.35.C
Sanguis poteſt per multa loca euacuari.com.5°.aph.33°. Ex.40.E
Sanguis per tres locos educitur.introd. Iſa.56.E
Sanguis exit aliquibus per varias partes.7°.meth.med. 7ª.48.A
Sãguis p quȩ ſigna cognoſcat̃ è varijs ptibus exire.4°.de lo.af. 4ª.25.F
Sanguis qñ à varijs locis exit,quõ prouidendũ.de med.fac.par. 7ª.165.G
Sanguis cur exeat quandoq; per ſudorem.de vtil.reſp. Sp.62.F
Sanguis qui exit ex affectu corporis,vnde.3°.de ſympto.cauſ. 3ª.26.H
Sanguis qui exit ex affectu corporis, eſt à toto genere præter naturam. 3°.de ſymp.diff. 3ª.26.H
SANGVINIS *profluuium,opponitur alimento quod accipitur in tertia ſignificatione.1°.de ſan.tuen.* 2ª.69.A
Sanguinis profluuia omnia ſunt prȩter naturam, præterquàm menſium profluuium.3°.de ſymp.cau. 3ª.26.H
Sanguinis profuſio eſt à toto gñe præter naturã.de ſymp.dif. 3ª.13.E|H
Sanguinis eruptio morbus longus intrinſecus eſt.introd. Iſa.56.B
Sanguinis profluuium ponitur inter morbos vere apparentes.5°.de ſanitate tuenda. 2ª.94.D

Sanguinis profluuia cur fiant in vere.com.3°.apho.20°. Ex.24.A
Sanguinis profluuia cur vere & æſtate cōtingāt.de nat.hu.c.1°.1ª.32.A
Sanguinis inſultus quo aſpectu fiant Martis cum luna. dc decub.progno. ex mathematica ſcientia. Sp.12.H
Sanguis qua ætate fluat.in progn.Hipp.com.1°. 4ª.196.C
Sanguinis fluxus cur in pubertate fiant.com.3°.apho.27°. Ex.25.H
Sanguinis fluxus cur fiant iuuenibus, & per quas cauſas.commentario 3°.aphoriſmo 29°. Ex.26.B
Sanguinis profluuium vnde proueniat.3°.de ſympt.cau. 3ª.26.H
Sanguinis profluuium quibus fiat modis.5°.methodi medendi. 7ª.30.B
Sanguis duobus modis erumpit.fin.med. Iſa.50.A
Sanguis p eroſionem quandoq; erumpit.de cur.rat.p ſan.miſſ. 6ª.20.H
Sanguinis vaſe erupto,incidit ſanguinis effuſi.de ſympt.diff. 3ª.13.E
Sanguinis effuſio vnde proueniat.de ſympt.diff. 3ª.13.E
Sanguis fluit vaſis diruptis ex frigore.com.5°.aph.24°. Ex.39.G
Sanguinis ruptionem promouet remigatio.introd. Iſa.52.B
Sanguis ſaltantibus erumpit.3°.de ſympt.cauſ. 3ª.26.H
Sanguis repente ſignificat apertionem vaſis.de art.com.4°. 7ª.288.D
Sanguis ex ruptione in loco collectus diſcuſſione ſanatur. commentario 6°.aphoriſmo 22°. Ex.48.D
*Sanguinis fluxus fit ex calore,ad quā ſequitur mors.c.5°.a.16°.*Ex.38.G
*Sanguis quibus fluit,aut fluxurus eſt calidum nocet.c.5°.a.19°.*Ex.39.A
*Sanguinis pfluuiū,et phlegmonæs incitat ſup oīa dolor.5°.m.m.*7ª.31.A
Sanguis ſine alijs hūoribus fluēs qualis nā ſit.2°.de ar.c.ad Gl. 7ª.103.E
Sanguinis eruptio qūo ſignificetur.in 1m.pror.com.3°.185. F/ 4ª.186.F
Sanguinis profluuij ſigna.3°.de criſi. 4ª.144.E
Sanguis qūo poſſit cognoſci fluxurus multus.de præcog.ad Po. 4ª.219.F
Sanguinis profluuium vbi futurus eſt aut vomitus, apparent ſymptomata interdum ſuffuſioni ſimilia.1°.de locis affectis. 4ª.3.H
Sanguinis fluxum imminere oſtendit vrina nigra,tenuis,cum aurium obtuſione, & inſomnia.de dynamidijs. Sp.34.B
Sanguis ſm directum debet fluere.3°.de criſibus. 4ª.144.F
Sanguinem fluere recto itinere cōmendādum.in prog.com.1°. 4ª.196.C
Sanguinis profluuia tritica ex qua vi fiant.com.7°.apho.21°. Ex.55.E
*p Sāguīs fluorē vel ſudorē,acutis qn̄q; fit declinatio.de tot.m.t.*3ª.89.c
Sanguis ater erumpit in morbis ardentibus.de atrab. 1ª.36.A
per Sanguinis profluuium, & ſudorem,iudicatus qui fuerit die quinto. in 1m.de morbis vulgaribus,com.3°. 3ª.123.D
Sanguinis pfluuia ī principio nunq̄ p criſin diſcernūt.1°.de cri. 4ª.128.E
Sanguinis profluuiū ſupueniens, liberat hoīem habentem vaſa diſtenta, & oppreſſa grauitate,ab inſtante noxa.de opt.ſect. Iſa.23.B
*Sanguinis eruptiones quæ bonæ,quæue malæ.in 1m.prorrh.c.3°.*4ª.185.E
Sanguis ex vaſis ſuis effuſus,quorū malorū ſit cauſa.de tum.p. 3ª.38.H
Sanguinis profluuia mala.com.1°.apho.21°. Ex.10.A
Sanguinis fluxus & ſudor plurimus faciunt corpora extenuata.commētario 2°.apho.28°. Ex.16.E
*Sāguinis profluuiū ſi aliquē debilitet non pōt cōcoquere cibos, nec ſanguificare,nec diſtribuere,vnde fiūt alui humidæ.c.4°.a.27°.*Ex.30.C
Sanguinis eruptio vires euertit.de vict.rat.in mor.ac.com.3°. 7ª.128.E
*in Sanguinis profluuijs fiunt pulſus vermiculantes.2°.de preſ.*4ª.113.A
ex Sanguinis ſuperfluo fluxu color mutatus.ſecretorum. Sp.98.G
ex Sanguinis copioſo fluxu tremor fit.de trem.palp.conuulſ. 3ª.52.G
*àSangui nis pfluuio deſipiētia,ac cōuulſio,malū.cō.7°.ap.9°.*Ex.54.E
Sanguis plurimus vbi fluxerit,ſingultus aut conuulſio ſuperueniens,malum.commentario 5°.aphor.3°. Ex.37.F
Sanguinis fluxus abortum facit.com.5°.aph.45°. Ex.41.G
ex Sanguinis profluuio largo, & euacuatione immoderata, cōtingit ſuffocatio.1°.de dieb.decret. 4ª.146.F
ex Sanguinis rheumate paſſiones cōtingunt homini,ſi in tribus horis ſanguinis conceptum ſperma fuerit à muliere.de ſperma. Sp.37.B
Sanguis quibus locis exiens difficulter ſiſtatur.fin.med. Iſa.50.A
Sanguis quibus ętatibus difficulter reprimatur.fin.med. Iſa.50.A
Sanguis quibus habitibus difficulter compeſcatur.fin.med. Iſa.50.A
Sanguis quo anni tempore difficulter compeſcatur.fin.med. Iſa.50.B
Sanguinis profluuium ex eroſione quibus curandū.5°.meth.me. 7ª.31.H
SANGVINEM *ſiſtentia quæ.intro.Iſa.56.F/de vict.rat.in morbis acutis,com.4°.152.F/de med.fac.par.* 7ª.163.F
Sanguinis profluuia quo modo ſiſtātur.1°.de arte cur.ad Glau. 7ª.98.H
Sanguis intrinſecus quibus ſiſtatur.5°.meth.med. 7ª.31.E
Sanguis ſiſtitur ex appoſito contrario.5°.meth.med. 7ª.30.H
Sanguinis eruptiones prohibet cucurbitula.de Hirud.reuulſ.cucurb. & ſcar.2.F/de cucurb.ſcar. 6ª.3.F

in Sāguinis pfluuio capiti cucurbitulam apponit.de med.fa.p. 7ª.163.F
in Sanguinis eruptione,vena ſecanda.in 1m.prorrh.com.3°. 4ª.186.B/E
Sanguinis immodicę profuſioni prodeſt venæ ſectio.in 6m.de morb. vulgaribus,commentario 3°. 3ª.175.A
in Sanguinis profluuio frontis venam ſecat.de med.fac.par. 7ª.163.F
Sanguinem obturat vinculū iniectū vaſis pfluentibus.5°.me.m. 7ª.30.F
Sanguinis vaſorum deligatio eſt de genere obturantium, & claudentium remediorum.5°.meth.med. 7ª.30.F
in Sanguinis profluuio ligatura quomodo facienda.5°.met.m. 7ª.31.A
ad Sanguinē fundētia venarū capita vinciēda laqueus.de la. 7ª.307.G
in Sanguinis profluuio particula ſit ſupina.5°.meth.med. 7ª.31.A
Sanguinem ſiſtit digiti compreſſio ſine dolore.5°.meth.med. 7ª.30.G
Sanguinis impetus irrationabiles ſæpius ligatis coxis retinemus.de catharticis. Sp.94.G
*in Sāguinis pfluuio pēnis extremū papyro ligandū.de med.fa.*7ª.163.F
pro Sanguine ſiſtendo emplaſtica faciunt.5°.meth.med. 7ª.30.G
Sanguis potius ſiſtendus emplaſticis,quàm cruſtam facientibus, & quare.5°.methodi medendi. 7ª.30.H
in Sanguinis profluuio cruſtæ non ſunt temerè remouendæ. 5°. methodi medendi. 7ª.31.D
Sanguinis ſuppreſſio multis fieri non potuit cruſta ablata.5°.methodi medendi. 7ª.31.C
*Sanguinem reuocant plerunq; ſternutamenta.de med.fac.par.*7ª.163.F
Sanguis ſubcruentus iuuatur à frigido.com.5°.apho.23°. Ex.39.G
in Sanguine profluente obſunt refrigerantia ad thoracem, & ventriculum applicata.5°.meth.med. 7ª.31.H
Sanguinem comprimens facultas.5°.de comp.me.per ge. 5ª.252.E
Sanguinis profluuia ſiſtunt medicamenta quæ cum eo quod refrigerant vna adſtringunt.6°.de ſimp.med.fa. 5ª.43.G
*Sanguinis fluxum prohibet Acetum adſtringens.1°.de ſim.me.fa.*5ª.5.F
pro Sanguinis eruptione aqua pluuialis frigida conuenit. 3°. de compoſitione medicament.ſec. lo. 5ª.148.H
Sanguinis humoris, & ventris profluuio Chalcitis vtiliſſima eſt. de ſimplic.medica. Sp.81.G
Sāguinis profluuijs videtur cōpetere flos Gallij.6°.de ſim.me.f. 5ª.45.D
*ad Sāguinem ſiſtendum qūo paretur Galla.7°.de ſimp.med.fa.*5ª.51.A
ad Sanguinis eruptionem valet Gypſum.9°.de ſimplicium medicamen. facultatibus.5ª.69.A/de ſimp.med. Sp.84.H
ad Sanguinis eruptiones congruit Hideritis achilleis. 8°. de ſimplicium medicamen.facul. 5ª.60.D
Sanguinis profluuia curat Idæa radix.6°.de ſimp.med.fac. 5ª.48.E
ad Sanguinem ſiſtentes facultates Lapides adhibentur, & quo modo. 9°.de ſimp.med.fac. 5ª.67.G
Sanguinis eruptionem ſupprimit cinis Lignorum acerborum.8°.de ſimp. med.fac. 5ª.62.B
Sanguinis eruptiones ſiſtit Liſimachios.7°.de ſim.me.fac. 5ª.54.H
ad Sanguinis fluorem valent Myſis & ſquama.intro. Iſa.58.B
Sanguinis eruptione affectis partibus imponitur Perſea. 8°. de ſimplic. med.fac. 5ª.58.B
in Sanguinis profluuio Porri coma vtūtur Empirici.de op.ſec. Iſ.23.H
Sanguinis eruptionē ſanat Ranarum cinis.11°.de ſimp.med.fac. 5ª.85.D
ad Sanguinis eruptiones ſpongia valet, & quo modo.11°. de ſimplicium medicamentorum facultatibus. 5ª.83.G
Sanguinem inhibent ſpongiæ combuſtæ cinis.de ther.ad Piſo. 5ª.97.E
Sanguinem erumpentem ſupprimit Stœbe.8°.de ſimp med.fac. 5ª.61.D
ad Sanguinis eruptiones valet Stratiotes.8°.de ſimp.med.fac. 5ª.61.D
Sanguinem cohibet Taurini cornu raſura.de ther.ad Piſo. 5ª.93.E
Sanguinem, & aluum cohibent tauri femora vſta.de the.ad Pi. 5ª.93.E
Sanguinem quando multum ſiſtit terra lemnia.5°.meth.med. 7ª.32.D
in Sanguinis profluuio Thus quale eſſe debet.5°.meth.med. 7ª.31.B
ad Sanguinis profuſiones thuris cortice vtitur.12°.met.med. 7ª.81.F
ad Sanguinis eruptiones Andromachi medicamentum.4°.de compoſi. med.ſec.loc. 5ª.149.B
Sanguinem cohibens Aphrodæ medicamētū.5°.de cō.me.p ge. 5ª.252.F
Sanguinem ſiſtens Aſclepiadis Lucij præceptoris medicamentum. 5°. de de comp.med.per gene. 5ª.254.E
Sanguinem quo modo ſuppreſſit Galenus.de præcog.ad Poſt. 4ª.219.F
ad Sanguinem erumpentem cohibendum conuenit Nigrum emplaſtrū. 2°.de com.me.per ge. 5ª.227.E/F
Sanguinem ſupprimens magna.5°.dc com.me.per ge. 5ª.252.F
*ad Sanguinem ſiſtendum medicamenta apta.de cur.ra.per ſan.*6ª.21.F
*ad Sanguinem ſupprimendū medicamentū optimū.5°.met.me.*7ª.30.H

ad Sanguinem ſiſtendum medicamentū ſupra omnia.5°.met.me.7ª.31.B
pro Sanguine ſiſtendo, ad ſanguinis fluxum, & ad ſanguinē mingentes. 7°.de comp.med.ſec.loc. 5ª.183.G
contra Sanguinis ruptiones lauacrum.de ven.ſec.aduer.Eraſ. 6ª.8.F
ad Sanguinem cobibendum.5°.de com.me.per.gene.5ª.247.F/de med. fac.par. 7ª.174.H
ad Sanguinem ſtringendum remedium.de dynamidijs.27.B/ Sp.29.E
ad Sanguinem ſtringendum vndecunque exeat.de dynam. Sp.30.D
ad Sanguinis profluuium.2°.de antid.5ª.113.H/de dynamidijs.Sp.29.F
ad Sanguinis eruptiones Antidotus.2°.de antid. 5ª.113.A
ad Sanguinis eruptionem.5°.de comp.me.per ge. 5ª.245.H
ad Sanguinis, & puris reiectiones.7°.de comp.medic.ſec.loc. 5ª.178.F
ad Sanguinis eruptiones, et ſanguinem ſiſtens, medicamentum. 5°.de cō poſi.med.per ge. 5ª.254.E
ad Sanguinis violentas eruptiones.de med.fac.par. 7ª.172.H
ad Sanguinis omnem fluxum. 8°. de compoſitione medicament.ſec. loc. 5ª.191.E/de med.fac.par. 7ª.165.G
ad Sanguinis omnem eruptionem.7°.de com.med.ſec.lo. 5ª.182.G
ad Sanguinis ex qua vis parte eruptionem.de med.fac.par. 7ª.174.A
Sanguinis emanantis probibitio quocnnq; vaſe diſrupto.8°.de anatomicis adminiſtrationibus. 1ª.101.G
in Sanguinis fluxu cauteria candentia applicantur, & quare.1°. de ſimpli.med.facul. 5ª.5.E
Sanguinis fluxui quo mō adhibeantur ferramēta cādētia.intr. Iſa.59.F
in Sanguinis fluxibus, vinū quale cōueniat.1°.de ar.cu.ad Gl.7ª.99.A
Sanguinis eruptio meningum periculoſa eſt.10°.de ſimp.med.fa. 5ª.73.B
Sanguinis profluuium ex cerebri inuolucris, ſupprimentibus medicamentis miſcetur vitellus oui.11°.de ſimplic.medic.facul. 5ª.81.C
Sāguinē ſupra exire, qcunq; ſit ille ſanguis vel ſpumoſus, vel rubeus, vel flauus, vel niger, vł aquoſus, vł craſſus, malū ē.c.4°.a.25°. Ex.30.A
Sanguis p nares reſpirationē babet.de dyn.19.E/de nat.& ord. Sp.41.E
per SANGVINIS profluuium ſimpliciter intelligit Hippocrates profluuium ex naribus.in 1^{m}.de morb.vul.com.1°. 3ª.104.G
Sanguinis profluuium ſimpliciter intelligitur de naribus. in alijs partibus additur nomen partis.in 6^{m}.de morbis vulgari.com.3°. 3ª.175.F
Sanguinem profundi, intelligitur è naribus.in 1^{m}.prorr.cō.3°. 4ª.185.G
Sanguis ſine noxa euacuatur per nares.com.5°.aph.33°. Ex.40.E
Sanguis quibus facile è naribus fluat.1°.de art.cur.ad Glauc. 7ª.100.E
Sanguis ſæpe fluit à naribus ſi ſperma ſit conceptum è muliere in tribus boris ſanguinis.de ſpermate. Sp.37.B
Sanguis è naribus fluit adoleſcentibus.com.3°.aph.29°. Ex.26.B
Sanguis è naribus adoleſcentibus cur profluat, ex ratione patet.in 1^{m}.de morb.vulg.comment.2°. 3ª.114.C
Sanguis è naribus multis ſtillat per acceſſiones.quos purg.op. 5ª.88.G
Sanguis à naribus aliquibus quidem defluit per quaſdam periodos, hoc tamen illis non confert ex conſuetudine.de conſue. 2ª.61.H
Sanguinis profluuium è naribus non multum habet homo albus.in 6^{m}. de morb.vul.commentario 3°. 3ª.175.A
Sanguinis ex naribus defluuia homines vere, & æſtate patiuntur. 8°. de decretis Hippocratis. 1ª.276.E
Sanguinem per nares euocantia quæ.de med.fac.par. 7ª.163.E
Sanguinem trabit per nares crocodilij radix.7°.de ſimp.med.fa. 5ª.53.C
ad Sanguinem extrabendum de naribus.de med.fac.par. 7ª.163.D
Sanguis è naſo quibus neglectis erumpat.de dynamidijs. Sp.19.H
Sanguis è naribus cur effluat in febribus acutis.de victus ratione in morbis acutis.commentario 4°. 7ª.135.D
Sanguinis repentina deſtillatio in acutis quid ſignificet in æſtate, & in autumno.de vict.rat.in morb.acut.com.4°. 7ª.142.H
Sanguinis profluuium è naribus, peculiare eſt febrium vehementium ardentium.in 1^{m}.de morb.vul.com.1°.104.E/com.2°. 3ª.115.C
Sanguinis per nares profluuij iudicari, ardentium febrium peculiare eſt. in 1^{m}.de morbis vulgaribus, com.2°. 3ª.114.A
Sanguis è naribus in ardentibus febribus quando profluit.in 1^{m}.de morbis vulgaribus, commentario 1°. 3ª.113.A
Sanguis è naribus cur in ardentibus febribus exeat.in 1^{m}. de morbis vulgaribus, commentario 2°.109.G/ 3ª.113.B
Sanguinis profluuium non eſt in ardentibus mitibus febribus. in 1^{m}. de morbis vulgaribus, com.1°. 3ª.104.G
Sanguinis profluuium febres ardentes lenes habent.in 3^{m}. de mor.vulgaribus, commentario 3°. 3ª.144.A
Sanguis profluuium cur fit, ſi bilis faciat ardentem febrem.in 1^{m}.de morbis vulgaribus, commentario 2°. 3ª.114.C
per Sanguinis eruptionem fit febrium ardētium indicatio.in 1^{m}. de morbis vulgaribus, com.1°. 3ª.104.F
p Sanguinis nariū fluxū ſoluitur cuſus.de vi.ra.in m.ac.c. 4°. 7ª.135.D
Sanguinis narium fluxu ſanatus quidam fuit à delirio ſed non recordabatur præteritorum.2°.de motu muſc. 1ª.315.C
in Sanguinis profluuiū abſceſſus fiebāt Antiphontis Critobuli filio circiter quartum, & vigeſimū diē.in 1^{m}.de morb.vul.com.2°.3ª.114.D
Sanguis merus affatim profluxit è dextra nare Metoni die quinto.in 1^{m}. de morbis vulgaribus, com.3°. 3ª.123.D
Sanguis è naribus Philiſco quinto die effluxit, & qualis.in 1^{m}. de morb. vulgaribus, commentario 3°. 3ª.121.A
Sanguinis quatuor libræ & ſemis exiere è naribus cuiuſdam. de præcogn.ad Poſtb. 4ª.219.F
Sanguis quo modo è naribus profluet ſi in febribus crura ſint tuberculis affecta.de vict.rat.in morb.acut.com.4°. 7ª.142.C
Sanguis è naribus fluens liberat à laſſitudine phlegmonodes.4°.de ſanitate tuenda. 2ª.87.F
Sanguis è naribus fluens quando aures obſorduerunt ſoluit morbum. cōmentario 4°.aphoriſmo 6°. Ex.34.C
Sanguinis profluuium è naribus quando bonum, & quando non bonum. 1°.de criſibus. 4ª.128.B
Sanguinis ſtillatio è naribus ſemper malum ſignum cur. in 1^{m}. prorrhet. commentario 1°. 4ª.161.F
Sanguinis è naribus ſtillationes ſemper malæ.de vict.rat. in morbis acutis, commentario 4°. 7ª.142.H
Sāguis è naribus exiēs inſtar fluoris letale.in 1^{m}.prorr.cō.3°. 4ª.186.A
pro Sanguine è naribus fluente aures obturandæ, & extrema conſtringenda.de rem.par.fac. 7ª.155.G
Sāguis è narib9 fluxurus ex quo gñe ſymptomatū ſit.3°.de ſym.c.3ª.15.B
Sanguinis per nares profuſio ex toto genere præter naturam eſt. de ſymptomatum different. 3ª.13.G
SANGVIS à qua nare fluxurus ſit, prænoſcendum. 1°. de arte curati. ad Glauconem. 7ª.110.E
Sanguinē fluxurū è naribus quæ indicēt.1°.de ar.cu.ad Glau. 7ª.100.D
Sanguinis fluxus dolor capitis eſt inditium inſeparabile.1°.de arte curatiua ad Glauconem. 7ª.100.B
Sāguinis narium profluuium, aut abſceſſum, qui capitis dolor ſignificet. in prog.Hipp.com.3°. 4ª.208.F
Sanguinem de naribus fluxurum, qui dolor capitis ſignificet. in progno. commentario 3°. 4ª.211.A
Sanguinis fluxum, & vomitum ſignificans dolor capitis, quomodo curādus.1°.de arte cur.ad Glauconem. 7ª.100.B
Sanguis è naribus fluxurus ſignificatur à colore rubro faciei.in 1^{m}. prorrhet.commentario 2°. 4ª.171.A
Sāguinis narium profluuium ſignificant ſpontaneæ lachrymæ. in 1^{m}. de morbis vulgaribus, com.2°.3ª.116.A/in prog.com.3°. 4ª.211.A
Sāguis è naribus fluct, ſi manus tremulæ.de vi.ra.in m.a.c.4°.7ª.141.F
Sanguinem exeuntem per nares neceſſe malum colligi poteſt. commentario 4°.aphoriſmo 30°. Ex.30.A
Sāguis è naribus liberat ab articulorū abſceſſu.c.4°.aph.74°.Ex.35.H
Sanguis fluens per nares, aut os, aut aures ſanat dolorem capitis, commentario 6°.aphoriſmo 10°. Ex.47.C
Sanguis ſi è naribus fluxerit caput dolentibus, vrina rufa, huius doloris fiet ſolutio.de dynamidijs. Sp.34.G
Sanguis ex naribus fluens menſtruis deficientibus bonum. commentario 5°.aphoriſmo 33°. Ex.40.E
SANGVIS narium qūo ſiſtatur.1°.de arte cur.ad Glauc. 7ª.99.A
in Sanguine è naribus fluente duplex auerſio.5°.meth.med. 7ª.32.A
in Sanguine è naribus profluente, cucurbita ſuper ceruicem confert.5°. methodi medendi. 7ª.32.A
à Sanguine narium reuellit cucurbitula appoſita hypochondrijs. de hirud.reuulſ.cucurb.& ſcarifi.6ª.2.E/5°.meth.med.30.E/13°. 7ª.85.B
Sanguinis ad nares impetum potenter reuellunt cucurbitulæ quæ hypochondrijs affiguntur, quemadmodum etiam immodicas per vterum eruptiones.de cucur.ſcar. 6ª.4.G
Sanguis fluens ex liene, & ex iecore ſanatur per cucurbitulas ſupra locum poſitas.1°.de arte cur.ad Glauc. 7ª.100.F
in Sanguinis narium profluuio vena ſecanda eſt ab eodem latere.5°.methodi medendi. 7ª.30.E
Saguinis pfluuiū è naribus ſanatū venæ ſectiōe.de cu.r.per ſan. 6ª.18.G
Sanguinis profluuium irreſtinguibile vena ſecta eſt ſedatum. de venæ ſectione aduerſus Eraſiſtratum. 6ª.8.H

in Sanguinis profluuio quando refrigeratio faciēda.5°.me.me. 7ª.32.A
Sanguine è naribus exeunte, capitis refrigeratio fieri non debet. 5°.methodi medendi. 7ª.31.H
in Sanguine narium infirma ſunt medicamenta, quæ in frontem, & in nares ponuntur.de curan.rat.per ſang.miſſ. 6ª.18.G
Sanguis è naribus quibus profluit, ij non ſunt lauandi.de vict.ra.in morbis acutis,commen.3°. 7ª.133.A
in Sanguinis fluxu balnea obſunt.1°.de arte cur.ad Glauc. 7ª.99.A
Sanguis è naribus quibus fluit non eſt medicamentum exhibendum. de vic. ratione in morbis acutis,com.4°. 7ª.150.F
Sanguinis profluuio è naribus prodeſt ſuccus caudæ æquinæ. 6°. de ſimplicium medicamen.facul. 5ª.48.F
Sanguinis narium fluxum ſiſtit ſuccus centaureæ.de vir.cen. Sp.93.C
Sanguinem ex naribus profluentem emplaſtri modo illita reprimit lyſimachios.7°.de ſimp.med.facul. 5ª.54.H
ad Sanguinis eruptiones è naribus Aſclepiadæ pharmaca.3°.de comp. med.ſec.loc.148.G| 5ª.149.A
Sanguinis profluuia comprimens medicamentum & ad ſanguinis ex naribus profluuia valens.5°.de comp.me.per ge. 5ª.254.E
ad Sanguinis fluxum è naribus. de medic.fac.par.163. D|E|172. C|H| 7ª.155.G|de dynamidijs.25.B|ſecretorum. Sp.98.B
ad Sanguinis eruptiones è naribus quæ ſupprimi nequeunt.de medic.facil.paratu. 7ª.163.E
SANGVIS cur plerumq; exeat in palato,naribus.de ana.ad.Sp.44.C
Sanguine incenditur hominis os.de dynamidijs. Sp.19.D
Sanguine fœtet os hominis.de dynamidijs. Sp.19.D
Sanguine guttur impeditur ſi in tribus horis ſanguinis conceptum fuerit ſperma à muliere.de ſpermate. Sp.37.B
Sanguis per os dulcis ſalſus amarus aliquibus videtur.de ſymptomatū differentijs. 3ª.13.C
Sanguis morbidus amarus,aut ſalſus eſt.4°.de ſimp.med.fa. 5ª.29.A
Sanguis quandoq; ſalſus eſt.de atrab. 1ª.34.E
Sanguis ſalſus eſt morboſus humor.de atrab. 1ª.34.E
Sanguis qui ex ore exit,diſtinguēdus ab eo qui venit ex vētre.in.Iſ.61.B
Sanguis qui ex ore fluit diſtinguendus ab eo qui venit ex ventriculo. introductio. Iſa.61.B
Sanguis qui ex ore exit,diſtinguendus ab eo qui venit ex partibus ſpiritualibus.introductio. Iſa.61.B
Sanguis è faucibus qualis.in prog.Hipp.com.2°. 4ª.203.A
ad Sanguinis ex ore profuſionem.de med.fac.par. 7ª.165.F
Sanguis quot modis per tuſſim expuatur.4°.de loc.affect. 4ª.27.H
SANGVINIS ſputum cur fiat iuuenibns.com.3°.apho.29°. Ex.26.B
Sanguis non omnino à pulmone expuitur.com.7°.aph.30°. Ex.56.B
Sanguis quo modo diuerſus in ſputis.2°.de loc.af. 4ª.13.B
Sanguis ſi abundat,ſputum eſt rubrum.5°.de loc.affect. 4ª.29.H
Sanguis bilioſus quem ſputum faciat.2°.de loc.affect. 4ª.13.B
Sanguis pituitoſus quem ſputum faciat.2°.de loc.aff. 4ª.13.B
Sanguis melancholicus quem ſputum faciat.2°.de loc.aff. 4ª.3.B
Sanguis purus quem ſputum faciat.2°.de loc.aff. 4ª.13.B
Sanguinis ſputum quandoq; eſt ex ſola coſtarum affectione pulmone nihil patiente.de artic.com.3°. 7ª.275.D
Sanguinem plurimum bene coloratum vidit Galenus expui cū tuſſi quandoq;,& cur. commen.5°.aphoriſ.13°. Ex.38.E
Sanguinem floridum expuentis caſus.5°.met.med. 7ª.35.A
Sanguis quomodo liuidus efficiatur.quæſita in Hipp. Sp.113.E
Sanguinis in terrā effuſi colores cur fiāt varij.de frac.com.2°. 7ª.236.C
in Sanguine varij aſpiciuntur colores,& quare.2°.de elem. 1ª.8.H
Sanguis ſæpe in cadentibus,calcitratis,in paleſtra percuſſis viſus eſt Galeno cum tuſſi expuī.com.5°.aph.13°. Ex.38.F
Sanguinis inſtrumentorum ruptio vnde.3°.de ſym.cau. 3ª.26.H
ob Sanguinis ſolam plenitudinem venæ rumpūtur.5°.de lo.af. 4ª.32.E
Sanguinem fundentibus ex ruptura venæ remedium.de dyna. Sp.27.C
Sanguis propria cauitate in aliam quācumq; cauitatem peruenerit non remanet ſanguis.commentario 6°.aphoriſmo 20°. Ex.48.C
Sanguis extra venas,vel ſuppuratur,vel liueſcit, vel in grumos vertitur.commentario 6°.apho.22°. Ex.48.D
in Sanguine vnius mutatiōis nomē ē ſuppurari.c.6°.aph.20°.Ex.48.C
Sanguine in grumos concreto,ſi is vel in vulnus defluat,vel ventrē, aut inteſtinorum aliquod exoluuntur homines, & refrigeſcunt, pulſusq; tum parui,tum mali euadunt.de bon.& vit.ſuc. 2ª.35.C
Sanguis diſruptus in magna copia & non paulatim exit. commentario 4°.aphoriſmo 25°. Ex.30.B
Sanguinis eiectio per eroſionē fit dolore præcedente.5°.de lo.aff.4ª.32.E
Sanguinis plures heminæ eiectæ ſunt ab aliquibus per ſputum cum tuſſi 5°.methodi medendi. 7ª.32.F
Sanguinis duas cotylas tuſſiendo quidam eiecit, & quo modo ſanatus. de ven.ſect.adu.Eraſ. 6ª.13.C
Sanguinis ſputum ſequitur tabes.commen.3°.aph.29°. Ex.26.B
in Sanguinis ſputo,puris ſputum,& fluxus,cum vero ſputum retinetur moriuntur.com.7°.apho.74°. Ex.60.H
Sanguis à cerebro,& gurgulīoe qnq; expellit tuſſiēdo.5°.de l.a.4ª.25.F
Sanguis tuſſiendo quo modo eijciatur.4°.de loc.aff. 4ª.25.F
Sanguinē frequēter expuētis inter tuſſiendū,caſus.4°.de lo.af. 4ª.25.F
Sāguis nō expuitur menſibus erūpentibus.de ven.ſect.adu.Eraſ.6ª.11.B
Sanguinis ſputum in retentione menſtruorum.ſecre. Sp.99.A
in Sanguinis ſputo qui nunquam ſanantur.5°.meth.med. 7ª.35.F
Sanguinis ſputū qui timet,quæ debet euitare.de ve.ſec.ad.Era. 6ª.9.A
in Sanguinis ſputo multū refert à principio curare.5°.met.me.7ª.33.A
Sāguinis ſpuitiones incipientes quomodo prohibuit Galenus. commentario 6°. aphoriſmo 47°. Ex.52.B
Sanguinem expuentes quid maxime facere debent.5°.meth.me. 7ª.35.G
in Sanguinis ſputo venā ſecuit Galenus,& pluries.5°.meth.me.7ª.35.E
in Sanguinis ſputo piſces dat in catharro,faciles tamen coctu.5°. methodi medendi. 7ª.35.F
in Sāguinis ſpuitiōe q̄ medicamēta mollibus ſint ſatis.5°.me.m.7ª.33.A
in Sanguinis ſputo valens antidotus.2°.de antidotis. 5ª.111.F
Sanguinem expuentibus Amara ſunt cōtraria.4°.de ſim.mē.f. 5ª.29.G
ad Sāguinē ſpuētes Aromatica Mithridatis.7°.de cō.m.ſ.l.5ª.181. D|E
Sanguinem expuentibus,nocet color rubeus.de ſubſ.empi. Iſa.32.B
Sanguinem excreantibus mirè proficit Corallus.de ſimp.med. Sp.83.C
Sanguinem expuentibus Electarium vtile.de dyna. Sp.26.C
Sanguinē ſpuētibus conuenit Ferulæ medulla.8°.de ſimp.me.fa.5ª.56.H
Sāguinis expuitioni competit Hæmatites.9°.de ſimp.med.fac. 5ª.68.C
Sanguinē ſpuētibus exhibetur Lemonij fructus.7°.de ſim.me.fa. 5ª.54.E
ad Sanguinis expuitiones valet Lentiſcus.8°.de ſimp.med.fac. 5ª.61.H
Sanguinem excreantibus Myrtha remedium eſt.de ſimp.med. Sp.87.E
Sāguinē ſpuētibus nō eſt aduerſum Phaſiolū.6°.de ſim.med.fa.5ª.48.H
Sanguinē excreatibus vtiliter dat Plātaginis ſuccus.de ſim.m. Sp.89.A
ad Sanguinis expuitiones commoda eſt membrana quę eſt ſub cortice Robonis & ſub glande eius.6°.de ſimpli.medicamen.facul. 5ª.46.E
ad Sanguinis expuitionem idonea remedia ſunt Rubi flos,et fructus.6°. de ſimplic.medic.facul. 5ª.44.G
Sanguinem excreantibus ad reſtringendum Symphytum datur.de ſimp. medicamin. Sp.90.F
ad Saguinis expuitiōes cōpetit terra Armenica.9°.de ſim.m.f.5ª.66.H
ad Sanguinis expuitiones valent aſter ſamius, & terra lemnia, & ad ſanguinis ex vtero profluuia.9°.de ſimp.med.fac. 5ª.65.H
ad Sanguinē ſpuentes.8°.de compoſitione medicament.ſec. loc.5ª.191. D|de med.fac.par.7ª.165.H|ſecre.99.A|B| Sp.100.H
ad Sanguinis ſcreatum.de med.fac.par. 7ª.171.D
cum Sanguinis ſputo tuſſis ortæ ex frigore,caſus.5°.meth.med. 7ª.35.E
SANGVIS extra propria vaſa, & inter pectus, & pulmonem collectus,tabem facit.8°.de decr.Hippoc. 1ª.275.E|F
Sanguis à capite in os delatum per palati foramina videtur à pulmone quandoq; procedere.introductio. Iſa.56.E
Sanguis ex pulmone aliqui extuſſierunt.de mult. 3ª.76.H
Sanguis qui è longinquo venit qualis.5°.methodi medendi. 7ª.32.F
Sanguis qui non procul venit qualis.5°.meth.med. 7ª.32.F
Sanguis ex Thorace quomodo in arteriam aſperam tranſmittatur.5°.methodi medendi. 7ª.32.G
Sanguinis in pectus,& pulmonem declinantis exemplum.in 6m.de morbis vulgaribus,com.3°. 3ª.179.A
Sanguinem ex thorace tuſſientes,quales.4°.de loc.affec. 4ª.25.G
Sanguis in pulmonia eueniens qualis.in progn.Hipp.com.2°. 4ª.203.A
Sanguis ex pulmone exiens eſt ſpumoſus.4°.de loc.aff. 4ª.25.G
Sanguis à pulmone cur ſit ſpumoſus.de vtil.reſp. Sp.64.C
Sāguis qui ex pulmone educit ſimilis viſceri.cō.2°.apho.43°. Ex.18.D
Sanguis ſpumoſus quo modo fit.com.7°.aph.30°. Ex.56.B
Sanguis ſpumoſus poteſt eſſe multus & paucus.cō.5°.apho.13°. Ex.38.E
Sanguis vel multus vel paucus non atteſtatur ſupra pulmonem. commētario 5°.aphoriſmo 13°. Ex.38.E
Sanguis è pulmone erumpens dolorem non facit.4°.de loc.aff. 4ª.25.G
cum Sanguine pulmonis particulæ eiectæ fuere ab aliquibus. 4°.de locis affectis. 4ª.25.E

Sanguis cur

Sanguis cur exeat ex deſtillatione in thoracẽ acri & ſalſa.intro. Iſ.56.E
Sanguinem qui a pectore reiecerunt debent phlebotomari.de curandi ratione per ſang.miſſ. 6ª.17.E
Sanguis cum ex locis circa ſtomachũ educitur non indiget calidis tenuiũ partium.7°.de comp.med.ſec.loc. 5ª.183.F
Sanguinis è ſtomacho eductio quomodo curetur.introd. Iſa.57.C
Sãguis ne profluat, qũo incidendum in pectore.7°.de anat.ad. 1ª.97.D
Sanguinis profluuium perturbat ſectionem.7°.de anat.admini. 1ª.97.C
Sanguinis è pulmone exeuntis curatio 5°.meth.med. 7ª.32.H
Sanguinem qui expuiſſent, illis perſuaſit Galenus ſanguinem mittendũ. de cur.rat.per ſang.miſſ. 6ª.18.E
Sanguinem ex pulmone tuſſientibus adſtringentia aduerſantur, & quare.de conſt.art. Iſa.41.F
Sanguinem è pectore, & pulmone reijcientibus conuenit theriaca.de vſu theriacæ ad Pamphil. 5ª.98.G
Sanguis è pulmone exiens ſanatus.5°.meth.med. 7ª.32.F
de SANGVINIS *reiectione librum fecit Eraſiſtratus, & de febribus. de ven.ſect.aduerſ.Eraſ.* 6ª.8.A
de Sanguinis reiectatione, & quot modis reiectatur.7°. de cõpoſi.med. ſec.loc. 5ª.183.D
Sanguinem reiectantes ex fractura, apertione, aut eroſione, ſi etiam habeant ſinguli eandem tuſſim, & ſanguinis copiam æqualem, tamen curatio eſt diuerſa.de opt.ſect. Iſa.24.B
Sanguinis eruptiones quæ cœperunt, & protinus deſierunt, peſſimæ. in 1^{m}*.prorrhe.com.1°.* 4ª.161.F
Sanguinem reijcientes per tria ſeruantur.5°.metho.med. 7ª.35.H
Sanguinem ex catharro reiecentes quomodo curandi.5°.me.me. 7ª.35.C
Sanguinem ex catharro reiecentis caſus.5°.meth.med. 7ª.35.C
Sanguinis reiectione affectis ſectio venæ conuenit.de curandi ratione per ſanguinis miſſionem. 6ª.17.G
*Sãguinis reiectiones cohibet Acantha leuce.6°.de ſimp.me.fa.*5ª.41.H
in Sanguinis reiectationibus vtitur Aqua pluuia.7°.de comp.medica. ſec.loc. 5ª.183.F
ad Sanguinem reijcientes vſi ſunt Balauſtio omnes medici.6°. de ſimp. med.fac. 5ª.44.F
*ad Sanguinis reiectationem valet Cauda equina.6°.de ſim.m.f.*5ª.48.F
Sanguinem reijcientibus prodeſt Centaurium.7°.de ſim.me.fac. 5ª.50.F
ad Sanguinis reiectiones efficax remedium eſt Hypociſtis. 7°. de ſimp. med.fac. 5ª.51.D
Sanguinem reijcientibus prodeſt Lentiſcus.de ſimp.med. Sp.86.B
Sanguinis ex thorace reiectiones Leporinum coagulum ſupprimere prodiderunt.10°.de ſimp.med.fac. 5ª.74.D
Sanguinis reiectiones ſanat Lyſimachios pota.7°.de ſim.me.fa. 5ª.54.H
Sanguinis recentes reiectiones reprimit Menta ſua acerbitate.6°.de ſimplic.med.fac. 5ª.48.B
Sanguinem reijcientibus offertur Myrta.de ſimp.med. Sp.87.E
Sanguinis eiectiones ſiſtit Polygonon.8°.de ſimp.med.fac. 5ª.58.H
in Sanguinis reiectionibus vtiliter editur Portulaca, quanq̃ efficacior ſuccus eius.6°.de ſim.med.facul. 5ª.43.B
Sanguinem expuentibus confert Rha (ſic enim Rhæum quidam nuncupant.) 8°.de ſim.me.fac. 5ª.59.E
*Sanguinem reijcientibus exhibetur Schini flos.8°.de ſim.me.fa.*5ª.61.H
in Sanguinem è pectore, vel pulmone reiecentibus quidã Romæ co vtitur remedium.quod è ſubere conſtat.de vſu ther.ad Pamp. 5ª.98.H
Sanguinis reiectatio offenditur Sulfure viuo, euphorbio, & baccis lauri. 7°.de comp.med.ſe.lo. 5ª.183.C
Sanguinis eiectionibus auxiliat Symphytũ petræũ.de ſim.me.f. 5ª.61.F
ad Sanguinem reijcientes vt Acacios.7°.de com.med.ſec.lo. 5ª.184.A
ad Sanguinis reiectationem quæ ab Andromacho ſcripta.7°. de compoſitione medic.ſec.loc. 5ª.183.F
ad Sanguinem reijcientem valens antidotus.2°.de antid. 5ª.116.C
Sanguinem reijcientibus auxiliatur antidotus Athanaſia mithridatis. 2°.de antidotis. 5ª.114.H
Sanguinẽ reijcientes iuuat antidotus Zopyria.2°.de antid. 5ª.115.A
*Sanguinẽ reiectãtibus cõmode cõfectiones.7°.de com.me.ſe.lo.*5ª.184.G
*ad Sanguinis reiectationẽ eclegma Amarãthi.7°.de c.m.ſe.l.*5ª.184.D
Sanguinem reijcientes admodum iuuat theriaca.de the.ad Pi. 5ª.96.A
Sanguinẽ reijciẽtibus dat theriaca Euclidis palatiani.2°. de an. 5ª.116.B
ad Sanguinis reiectationem, eductionem, & eruptionem.7°.de com.medica.ſec.locos.183.H/185.D/F/186.A/ 5ª.190.F
ad Sanguinis reiectionem, expuitionemq́; de remed.par.fac. 7ª.158.D
ad Sanguinem reijcientes è ventre, gutture, pectore, & pulmone quid conferat.2°.de antidotis. 5ª.113.C
in Sanguinis reiectionem.7°.de com.med.ſec.loc.182. E/184. D/E/8°.5ª. 188.G/de med.fac.par. 7ª.171.C
Sanguini miſtum pus quo modo ſecernatur.5°.de loc.affe. 4ª.30.G
pro Sanguine vel pure expellendo quinquefolia.de ſper. Sp.35.F
Sanguis in aſpera arteria facit tuſſim, & eiectionem ſanguinis per os.7°. de vſu partium. 1ª.159.A
SANGVIS *in ventriculũ effuſus vomitũ facit.3°.de ſymp.cau.* 3ª.27.C
Sanguis ater, & craſſus quandoq; euomitur, quandoque concreſcit, & eſt acidus & acerbus.de atrab. 1ª.34.E
Sanguinis vomitus vnde fiat.com.7°.apho.37°. Ex.56.H
Sanguinis vomitus, & ſputum contingit ob clauſas euacuationes hæmorrhoidarum.de ven.ſect.aduerſ.Eraſ. 6ª.7.E
Sanguinis ex ventriculo vomitus qualis.5°.de locis affect. 4ª.33.B
Sanguinẽ quicũq; euomũt ſi ſine febre quidẽ, ſalutare, ſi vero cum febre malũ, curatur vero acerbis, & refrigerãtibus.c.7°.ap.37°. Ex.56.H
à Sãguinis vomitu tabes et puris purgatio ſupra.c.7°.a.74°. Ex.60.H
Sanguinem euomenti mulieri menſtrua erumpentia ſoluunt.commentario 5°.aphoriſmo 32°. Ex.40.D
Sanguinis vomitus quibus curetur.com.7°.apho.37°. Ex.56.H
Sanguinem vomentibus vtile ſcliroſmon.de dynamidijs. Sp.28.C
ad Sanguinem vomentes.de med.fac.par. 7ª.173.F
ad Sanguinis vomitum & ſputum.9°.de com.med.ſec.loc. 5ª.201.A
Sanguinem craſſum, & pituitam cur nunquam recipiat ſeptum tranſuerſum.4°.de præſag.ex pulſ. 4ª.120.C
Sanguis emanat à iecore, ergo ab eo gignitur.6°.de decr.Hip. 1ª.262.H
SANGVINE *qui eſt in hepate, & bile translata ex eius venis ad meatus bilẽ recipiẽtes ſi obſtructio fuerit in locis, ad quę transfertur, ſiue inflãmatio aliqua, vel durus tumor, neceſſarium oĩno eſt nõ expurgari ſanguinem, & vnà cum ipſo bilem per totum corpus deferri, hincque morbum regium generari.com.4°.apho.64°.* Ex.34.D
Sanguis in hepaticis cur excernitur.8°.de comp.med.ſec.loc. 5ª.194.B
à Sanguine quale initium habent plurimę hepaticæ affectiones.8°.de cõpo.med.ſec.loc. 5ª.194.C
Sanguis a Iecore exiens qũo cognoſcatur.de art.com.4°. 7ª.288.D
Sanguinem nigrum q̃nq; excernunt hepatici.14°.meth.med. 7ª.89.D
Sanguis multus emanat in vulneribus hepatis, ideo prius moriuntur quã ſanantur.com.6°.aphoriſmo 18°. Ex.48.A
SANGVINIS *eruptio diuerſa liene tumefacto mala eſt. in* 1^{m}*. prorrhetic.com.2°.* 4ª.184.E
Sanguis fæculentus de ſplene educitur.de cathar. Sp.94.G
Sanguinis ſuperfluitas eſt ſanguis melancholicus, qui continetur in ſplene.de anatomia viuorum. Sp.50.F
Sanguinis fæces ad ſe trahit ſplen.5°.de loc.af.4ª.35.F/commentario 4°. aphoriſmo 21°. Ex.29.D
*Sanguinem melancholicum trahere lienis officiũ eſt.6°.de lo.a.*4ª.36.A
Sanguis purgatur atra bile à liene.2°.de nat.fac. 1ª.301.E
Sanguine melancholico ñutritur lien.6°.de loc.affec. 4ª.36.B
Sanguinem melancholicum continet ſplen.de anat.viuo. Sp.50.A
*Sanguis melancholicus, quo modo faciat appetitũ.de ana.viu.*Sp.50.A
*Sanguinis fex inferius reſidet, q̃ melancholia appellatur.de an.*Sp.50.H
Sanguinẽ ſemper tentat natura defecare, et expurgare.de atrab. 1ª.35.C
Sanguinem expurgant renes, & veſica fellis.6°.de dec.Hip. 1ª.263.C
Sanguis cur impurus nõnunq̃ fiat ex veſica fellis.5°.de loc.aff. 4ª.35.F
SANGVINIS *ſuperfluitas de renibus educitur.de cathar.* Sp.94.G
Sanguinis ſerum purgatur à renibus.5°.de vſu partium. 1ª.144. C/F/5°. *de loc.affe.* 4ª.35.F
Sanguinis multum trahunt renes.5°.de vſu partium. 1ª.144.G
*Sanguis attractus cum vrina, eſt alimentũ renũ.5°.de vſu par.*1ª.144.G
Sanguis cur mingitur in renũ lapidibus.in 6^{m}*.de mor.vul.c.1°.*3ª.155.H
Sanguinem per renes purgant vina alba tenuia.de atten.vic. 2ª.46.C
cum Sanguine aliquid tendit ex potu, quod & per vrinas & per ſudorem, & per inſenſibilem tranſpirationem meat.de atrab. 1ª.34.D
Sanguinis vna ſuperfluitas eſt vrina, quæ continetur in veſica. de anatomia viuorum. Sp.50.F
Sanguinis triplex ſeparatio ab aquoſitate.de anat.viuo. Sp.51.B
Sanguinis ſeroſa ſuperfluitas tingit vrinas rubras.1°.de criſ. 4ª.130.F
Sãguis qui in vaſis cõtinetur qualis ſit vrina oſtẽdit.4°.de ſa.t. 2ª.83.H
Sanguinis ſerum quale.in 6^{m}*.de morb.vulg.com.2°.* 3ª.167.F
Sanguinis ſeroſos humores exugens epithema.10°. de compoſitione medic.ſec.loc. 5ª.209.B
Sanguis ſi климатbilioſus, eius ſerum eſt bilioſum.4°.de ſa.tuen. 2ª.83.H

Sanguis ſi pitui-

Sanguis ſi pituitoſus, eius ſerũ eſt pituitoſum. 4°. de ſan. tuen. 2ª.83.H
Sanguis ſi atrabilarius, eius ſerũ eſt atrabilariũ. 4°. de ſan. tuen. 2ª.83.H
Sanguis dum coquitur, qualis debet eſſe vrina. 1°. de criſi. 4ª.130.B
Sanguine cocto, qualis debet eſſe vrina. 1°. de criſ. 4ª.130.B
Sanguis ſi ſit coctus, qualis nubecula appareat in vrina. 4°. de ſanitate tuenda. 2ª.83.H
Sanguis vbi concoctus quæ in vrina apparent. 4°. de ſa. tuen. 2ª.83.H
Sanguis ſi ſit crudus, vrina apparet tenuis, & aquoſa ſine hypoſtaſi. 4°. de ſan. tuen. 2ª.83.H
Sanguinem abundare crudiorem, & ſeroſiorem ſignificat vrina rubra. in 3m. de morbis vulgaribus, com. 3°. 3ª.131.C
Sanguinem incoctum vocat cruorem. de vrin. 4ª.124.B
in Sanguinis vaſis cruditas accidit, & quæ eius exempla. 3°. de ſymptomatum cauſis. 3ª.24.H
Sãguinẽ ꝑ vrinas q purgare voluerit, qbus vti debet. de att. vi. 2ª.44.E
ad Sanguinem vſq; vrinam prouocant dactili. de cura icteri. Sp.111.D
Sanguinem educit per vrinam erbum. de ſimp. med. Sp.85.B
Sanguinem per vrinas euocat eruum. 8°. de ſim. med. fac. 5ª.57.E
Sanguinem per vrinas mouet Sabina. 6°. de ſimp. med. facul. 5ª.45.C
Sanguinem ſuper vrinam inducit ſauina. de ſimp. med. Sp.85.C
SANGVIS ob quas cauſas mingatur. 6°. de loc. affect. 4ª.37.D
Sanguinis mictio poſt quod medicm ſequat. 9°. de com. me. ſe. lo. 5ª.199.C
Sanguinis mictio vnde, & quid importet. com. 4°. apho. 75°. Ex.36.B
Sanguis quando vniuerſim exit per vrinam, & quando guttatim, quid ſignificet, commen. 4°. aph. 73°. Ex.35.G
Sanguinis tenuis ſanies qñ mingit, quis affectus ſit. 6°. de loc. af. 4ª.37.F
Sanguinem vel pus ſi quis mingat quid ſignificet. de vrin. ſign. Sp.78.H
Sanguinem aut pus ſi quis mingat renum, aut veſicæ exulcerationem ſignificat. com. 4°. aph. 75°. Ex.36.A
Sanguinis mictus & ſtillicidium vrinæ, ſignificant laborem aliquorum inſtrumentorum vrinæ, vel vlcus veſicæ. com. 4°. aph. 80°. Ex.36.H
Sanguinem ſi quis minxerit in grumos, & ſtillicidio laboret, & dolor inciderit in femur, & imum ventrem pectinemq́;, quæ circa veſicã male ſe habere ſignificatur. commentario 7°. aphoriſmo 39°. Ex.57. A| de vrinæ ſign. ex Hipp. Sp.78.H
Sanguis quibus ſponte mingentibus exit, eis venulæ à renibus fractura ſignificatur. de vrin. ſign. ex Hipp. Sp.78.H
Sanguis, & pus in quibus exeant cum vrinis, & in quibus non. commentario 4°. aphoriſmo 75°. Ex.36.B
Sanguis craſſus exuſtus in renibus, aut hepate facit carunculas in vrina, & ſedimina ſimilia orobo. com. 4°. aphoriſmo 77°. Ex.36.F
Sanguis contentus in veſica exuſtus ardenti febre facit furfura in vrina. commentario 4°. aphoriſmo 77°. Ex.36.F
Sanguinem mingentis ex caſu, caſus. 6°. de loc. affect. 4ª.38.H
ad Sanguinis profluuia ex veſica. 10°. de comp. med. ſec. loc. 5ª.206.A
ad Sanguinis mictum. de med. fac. par. 7ª.178.E
SANGVINIS craſſioris obſtructio facit vrinæ difficultatem, & quomodo ſanetur. commen. 7°. apho. 48°. Ex.58.A
Sanguinis grumus vrinam ſupprimit. 6°. de loc. affect. 4ª.38.H
Sanguis concretus thrombus grece dicitur. 3°. de ſymp. cau. 3ª.28.B
Sanguis concretus in grumos ſi in vulnus defluxerit facit vt proxime partes celeriter putreſcant. de bon. & vitio ſucc. 2ª.35.C
ad Sanguinem coagulatum in veſica. de cura lap. Sp.112.F
SANGVIS cur non eſt in ventre, & inteſtinis. 1°. de ſemine. 1ª.333.C
Sanguis præter naturam, ſi in ventrem infunditur neceſſe eſt ſuppurari. commen. 6°. aphoriſmo 20°. Ex.48.C
Sanguis in ventre, & inteſtinis inflationem facit. 5°. de comp. med. ſec. locos. 5ª.149.A
Sanguis ex ventre, qualis. comment. 2°. aph. 43°. Ex.18.D
Sanguis concretus in ventre quid faciat. 8°. de decre. Hippoc. 1ª.275.F
Sanguinis excretio differt a reiectione ſanguinis. introd. Iſa.56.E
Sanguinis euacuatio quandoq; fit per inteſtinum abſque exulceratione. commen. 5°. apho. 65°. Ex.45.A
Sanguis per inteſtina certis periodis vacuatur. 3°. de nat. fac. 1ª.306.E
Sanguinis deiectio eſt ex toto genere præter naturam. de ſymp. 3ª.13.G
Sanguis exiens per inteſtina quo modo differat ab hæmorrhoidibus. de artic. commen. 4°. 7ª.288.A
Sanguis fluens ad aliquod inteſtinum, quando paucus minus eſt malus q̃ quando multus. com. 4°. aph. 25°. Ex.30.B
Sanguis exiens tarde denigratur. com. 4°. apho. 25°. Ex.30.B
cum Sanguine excrementa quid faciant. 3°. de ſymp. cauſ. 3ª.26.C
Sanguinis guttas habens ſtercus cur quandoque excernitur. 3°. de ſymptomatnm cauſis. 3ª.28.C
Sanguinis excretio qualis, & quanta fiat in quarta ſanguinolentæ excretionis ſpecie, & ꝙ non raro etiam exiguum quid puris excernitur. 3°. de ſympt. cauſ. 3ª.28.B
cum Sanguine quandoq; cruſtæ vlcerum excernuntur in quarta ſanguinolentæ excretionis ſpecie. 3°. de ſymp. cauſ. 3ª.28.B
Sanguis ex ẽs ꝑ inferiora bonus. i. nõ ita malus. c. 4°. apho. 25°. Ex.30.A
Sanguinis excretiones in febribus non intermittentibus malæ, cum vero bene excernuntur, per ventrem, & per veſicam bonæ. commentario 7°. aphoriſmo 65°. Ex.60.E
Sanguis niger deſubter exiens extenuatis eſt ſignum mortis. commentario 4°. aphoriſ. 23°. Ex.29.H
Sanguis cum merus dicitur, ſemper eſt prauus. in 1m. de morbis vulgaribus, commentario 3°. 3ª.121.C
præter Sanguinem quilibet humor ſyncerus, eſt malus. in prognoſtica. commentario 2°. 4ª.202.E
Sanguis ſyncerus à quibus mulieribus deijciatur. 5°. de loc. aff. 4ª.35.D
Sanguinem ſi deiecerint aliqui in acutis ex nigris deiectionibus, pernitioſum. in 1m. prorrhe. com. 3°. 4ª.185.B
poſt Sãguinis vehemẽtes ꝓfuſiões cur tormina fiãt. de ar. c. 4°. 7ª.288.C
Sanguinis excretionem ſanat cornu ceruinũ. 11°. de ſim. me. fac. 5ª.79.H
Sanguinis deiectionibus, rhaponticũ confert. de ſubſ. emp. Iſa.33.D
Sãguinis excretiões immoderatas cohibet theriaca. de th. ad Pi. 5ª.96.B
Sanguinis multæ deiectioni nocet lac. com. 5°. aph. 64°. Ex.44.D
SANGVIS redundans cur in partes genitales mulierum feratur. 2°. de ſemine. 1ª.339.G
Sanguis menſtruus quo modo ſit præter naturam, & quo modo non. 3°. de ſympto. cau. 3ª.27.A
ex Sanguine menſtruo oẽ membrũ fit ſm Ariſtotelẽ. 1°. de ſem. 1ª.325.G
Sanguis menſtruus materiale principiũ aĩalis eſt. 2°. de na. fac. 1ª.297.F
Sanguis menſtruus non eſt prima neq; propria materia gignẽdi animal. 14°. de vſu par. 1ª.204.F
ex Sanguine, & ſemine prima conſtitutio aĩalis fit. 2°. de temp. 1ª.16.A
Sanguis menſtruus, & ſemen principium ex quo generatio. aduerſus Lycum. Ex.65.E| ſecretorum. Sp.96.G
ex Sanguine & genitura fœtus fit in prima ſui formatiõe. intr. Iſa.52.E
Sãguis, & ſemẽ gñonis nr̃æ primordia ſunt, & q̃uo. 1°. de ſa. tu. 2ª.62.E
ex Sanguine menſtruo, & ſpermate homo animal immortale. 3°. de vſu partium. 1ª.133.D
Sãguis qui eſt generationis hominis materia, eſt ex quatuor humoribus, ſed à prædominio dicitur ſanguis. 8°. de decre. Hipp. 1ª.275.A
ex Sanguine qui ex quatuor humoribus conſtat, ortum habentes, principio lacte educamur. 8°. de decre. Hipp. 1ª.275.B
ex Sanguine vteri conſtat ſanguini noſtro generatio ſm Ariſtotelem. ꝙ animi mor. 1ª.319.C
Sanguis per quæ coquatur in mulieris vtero, & vbi ſit. 14°. de vſu partium. 1ª.207.G
Sanguine puro matrices nutriuntur. 14°. de vſu partium. 1ª.209.E
Sanguis prouenit ad vterum, ſed non poteſt ad interna ipſius ingredi. 6°. de locis affectis. 4ª.40.G
Sanguis qui à matre confluit ad Maris ſemen quo modo ſe habeat. 2°. de naturalibus facultatibus. 5ª.297.D
Sanguis per orificia attrahitur à ſemine & quomodo. de ſem. 1ª.330.G
in Sanguinem vertitur ſperma per matricis calorem. de ſper. Sp.36.B
Sanguis qui trahitur à ſemine, qualis eſſe debet. 2°. de nat. fac. 1ª.297.F
Sanguis grauidæ deterior fit rationabiliter, & quare. 1°. de ſa. t. 2ª.66.B
Sanguis ſolus purus nunq̃ eſt in prægnãtibus. de natu. hum. cõ. 1°. 1ª.31.D
Sanguinem optimum vis formatrix in vtero trahit. de atrab. 1ª.36.H
Sanguis optimus in prægnante cur tendit ad fœtum, & non ad lac. 1°. de ſanitate tuenda. 2ª.66.B
Sanguine nutrimur in vtero. 1°. de ſan. tuen. 2ª.65.C
Sanguis ad fœtum nutriendum vnde veniat. de anatom. viuo. Sp.52.C
Sanguis ex toto corpore manat ad vterum pro nutriendo fœtu. commentario 5°. aphoriſmo 60°. Ex.43.D
Sanguis per quas partes tendat ad fœtum. introd. Iſa.54.E
Sanguis motus quando eſt ad vterum, mammæ fiunt graciles. commentario 5°. aphoriſmo 53°. Ex.42.D
Sanguinis defectus ſignificatur ꝑ mãmas tenues. c. 5°. aph. 52°. Ex.42.B
Sanguine vteri nutritur conceptus. de ven. ſect. aduerſ. 6ª.6.H
Sanguis deputatus eſt ad alimentũ cõceptus. cõ. 5°. aph. 44°. Ex.41.F
Sanguinis quod dulciſſimum eſt trahit infans. com. 5°. aph. 37°. Ex.41.A
Sanguis vnde trahatur à fœtu. 1°. de ſemine. 1ª.331.C

Sanguis ex venis attrahitur à fœtu dum augetur, 3°.de ſemine. 1ª.330.H
Sanguinis vaſa ſunt primæ partes quę formantur. 2°.de temp. 1ª.16.A
Sanguine matris, omnes animalium ſanguineæ partes ſunt genitę. 2°. de elementis. 1ª.8.G
Sanguine ſola caro fit.de nat.hum.com.1°. 1ª.31.D
Sanguine generantur & nutriuntur carnea membra.1°.de ſem.1ª.335.D
ex Sanguinis parte membra.de anatom.viuo. Sp.45.D
è Sanguine non fiunt vena, neruus, & arteria.1°.de ſemine. 1ª.330.C
è Sanguine venarum & arteriarum corpus primam generationem habet.de fœt.forma. 1ª.322.G
ex Sanguine menſtruo tunica gñata eſt & qũo.1°.de nat.fac. 1ª.291.G
Sanguinem purgat grauior illa pars ſanguinis ex qua fiunt oſſa. de ſpermate. Sp.36.C
ex Sanguinis natura grauiore principaliter, et quatuor humoribus oſſa fiunt.de ſpermate. Sp.36.C
ex Sanguine quomodo fiat os.1°.de nat.fac. 1ª.292.D
Sanguis ſi debet fieri os indiget multo tpe & labore.1°.de nat. 1ª.292.D
ex Sanguine facta pñt renaſci.1°.de ſem.1ª.335.E/de ana.viuo.Sp.44.F
Sanguinis ichores educuntur ex matrice.de cathart. Sp.94.G
Sanguinis aggrauatum corpus propter malum habitum ſi ad venas vteri mittatur, cauſat fluxum menſtruorum.com.5°.aph.57°. Ex.43.A
Sãguinẽ retrahunt à parte ſuperiori mẽſtrua.cõ.5°.aph.32°. Ex.40.D
Sãguis mẽſtruus qũo ſupfluus, & qbus de cauſis.3°.de ſym.ca. 3ª.27.A
Sanguis è vulua quandoque periculoſus eſt.5°.met.med. 7ª.31.G
in Sanguinis ab vtero profluuijs fiunt pulſus vermiculantes.2°. de præſagitione ex pulſ. 4ª.113.A
Sanguis multus ex vtero mulieris, vel ex venis, aut ex vlcere, aut ex hæmorrhoidibus exiens multas lædit opatiões.cõ.2°.a.22°. Ex.15.B
Sanguinem vulvæ ſiſtit plantaginis ſuccus.5°.meth.med. 7ª.31.G
pro Sanguine vteri ſuperfluo, cucurbitula ad mammillas poſita cõfert. 13°.meth.med.7ª.85.B/de cathar. Sp.94.G
ad Sanguinis ex vtero eruptiões valet lẽtiſcus.8°.de ſim.me.f.5ª.61.H
ad Sanguinis profluuium muliebre.de med.fac.par. 7ª.176.D
ad Sanguinis matricis effuſionem.de paſſ.mul. Sp.96.B
in Sanguinis fluxu in mulieribus pupillæ mammarum deligandæ papyro.de medicam.fac.par. 7ª.163.F
Sanguis ad mammas veniens, & qui ſanguis ſignificat furorem.commẽtario 5°.aphoriſmo 40°. Ex.41.C
SANGVINIS craſſitudo eſt cauſa retentionis menſtruorum. commentario 5°.aphoriſ.28°. Ex.40.B
Sanguinis craſſitudo vel frigiditas facit paruitatem menſtruorum.commentario 5°.aphoriſmo 57°. Ex.43.A
Sãguinẽ extenuare eſt intẽtio in citãdis mẽſtruis.c.5°.ap.36°. Ex.40.G
Sanguis quibus extenuetur ac ſecernatur.5°.de ſimp.medic.fac.5ª.35.D
SANGVIS exit in partu ruptis cotylidonibus.de ana.viuo. Sp.52.D
ad Sanguinis profluuium poſt partum.de paſſ.mul. Sp.96.B
Sanguis melancholicus eſt vt plurimum qui à puerperio euacuatur in mulieribus.in 3ᵐ.de morbis vulg.com.3°. 3ª.148.E
SANGVIS hæmorrhoidarum qualis.de atra bile. 1ª.35.C
Sanguis craſſus euacuatur per hæmorrhoidas miſtus humori melancholico.commentario 6°.aphoriſ.12°. Ex.47.D
Sanguinem per hæmorrhoidas futurum ſignificãt lumbi dolentes. in 1ᵐ. prorrh.commentario 3°. 4ª.185.B
Sanguinis effuſio per hæmorrhoidas, oſtendit futuram ęgritudinem. ars medicinalis. Iſa.68.F
Sanguis exiens per hæmorrhoidas bonus.com.4°.aph.25°. Ex.30.B
Sanguis p hæmorrhoidas ſeruat hoĩem ſanũ.de ven.ſect.adu.Er.6ª.7.B
Sanguis ex hæmorrhoidibus eſt potiſſimum remedium melancholiæ, imo eam prohibet futuram.com.4°.aph.25°. Ex.30.B
Sanguis ex hæmorrhoidibus neq; in totum ſiſtendus, neq; ſupra modum euacuandus.commen.4°.apho.25°. Ex.30.B
ad Sanguinem per hæmorrhoidas fluentem.de dynami. Sp.28.F
SANGVIS qui exit per anũ qũo diſtinguatur.de art.cõ.4°. 7ª.288.D
ad Sanguinẽ reprimendũ ſi anus procidat cũ ſanguine.de dy. Sp 27.H
Sanguinem è ſede perfundentibus non eſt medicamentum exhibendum. de victus ratione in morbis acu.com.4°. 7ª.150.F
Sanguinem cur mittunt partes.13°.metho.med. 7ª.80.F
Sanguis qui emittitur, quo modo ab humoribus nominetur.in 6ᵐ.de morbis vulgaribus, commentario 2°. 3ª.167.F
de SANGVINIS detractione ex venis.præſ.exper.confir. Sp.77.G
de Sanguinis miſſione loquentes, quid agere debent.de cur.rat. 6ª.15.G
de Sanguinis euacuatione librũ fecit Eraſiſtratus.5°.de lo:aff.4ª.30.A
de Sanguinis eductione Eraſiſtratus ſcripſit.de lib.prop. Iſa.11.B
Sanguinem nolebat extrahi Eraſiſtratus.4°.de ſan.tuen. 2ª.87.E
Sanguinis miſſio quomodo nomen mutat.11°.meth.med. 7ª.68.A
Sanguinis miſſio euacuatio eſt.14°.meth.me. 7ª.89.A
Sanguinis detractio emittit ſuccos è vaſis.4°.de ſan.tuen. 2ª.87.H
Sanguinis miſſio quæcunq;, & quouis modo eſt euacuatio æqualiter, totum corpus euacuans.com.4°.aph.2°. Ex.27.C
Sanguinis miſſio excellentior è medicamento cur.de curã.ratio.6ª.18.H
Sanguinẽ poteſt medicus ſiſtere qñ vult.de ve.ſect.aduer.Eraſ.6ª.7.G
Sanguinem à venis quibus mittere confert, his ſecare opus vere venam. commen.7°.aphoriſmo.58°. Ex.58.E
Sanguis quando minuendus, & quomodo, & ꝙ non debeamus ita facile venam ſecare.com.2°.aph.8°. Ex.12.A
Sanguis multum mittit vena ligata.de ven.ſect.aduerſ.Eraſ. 6ª.5.C
Sanguinis mittendi ſcopi.de cur.rat.per ſang.miſſ.6ª.21.B/.9°. methodi medendi.60.H/de vict.rat.in morb.acu.com.4°.136.E/ 7ª.143.G
Sanguinis mittendi primi ſcopi.de cur.rat.per ſang.miſſ. 6ª.19.C
Sanguinis mittendi prima iudicia.præſ.exper.conf. Sp.77.H
Sanguinis mittendi rationes.4°.meth.med. 7ª.27.H
Sanguinis mittendi primi ſcopi, vis & morbi magnitudo. de curandi ratione per ſang.miſſ. 6ª.18.B
in Sanguinis miſſione cum magnus ſit morbus conſyderantur ab Hippocrate ætas, & ægri vires.in 3ᵐ.de morb.vul.com.1°. 3ª.127.E
pro Sanguine detrahendo ad vires reſpiciendũ.9°.me.med. 7ª.59.D
pro Sanguine trahendo temperies naturalis conſideranda. de curandi ratione per ſanguinis miſſionem. 6ª.19.D
pro Sanguine mittendo regio conſideranda.de cur.rat.per ſan. 6ª.18.B
Sanguinis miſſionẽ, et purgationẽ indicat morbi vis.4°.met.me.7ª.28.C
Sanguinis miſſionem indicat magnus morbus.de cur.ra.p ſang. 6ª.18.E
Sãguinis detractio fit in magnis morbis.de vi.ra.in mor.a.c.4°.7ª.136.F
Sanguis detrahendus eſt ſanguine redundante.de trem.palp. conuulſione.3ª.53.A/4°.met.me.7ª.28.E/com.6°.aph.31°. Ex.49.F
Sanguinis miſſio præſtans eſt remedium in obſtructione ea, quam copia facit.10°.methodi medendi. 7ª.62.A
Sanguis mittẽdus eſt in multitudinis morbo.quos purg.op.quib.5ª.88.B
Sãguis mittiẽ in plethora p venã, vel p ſcarificationẽ.13°.me.me.7ª.81.B
Sanguinis miſſione plethora curatur.12°.meth.med. 7ª.81.H
abſq; Sanguinis miſſione plethora etiam ſanatur. de victus rat.in morbis acutis, commentario 4°. 7ª.136.H
Sanguis non ſemper mittendus, ſed per alias vias euacuatur, cum ſanguis abundat.4°.meth.med. 7ª.27.H
Sanguis quando detrahitur abſq; ſyndrome plethorica. de victus ratione in morbis acutis, commentario 4°. 7ª.36.H
Sanguis vbi feruet, venam ſeca.de cur.rat.per ſang.miſſ. 6ª.19.B
Sanguinem mittendum vrina ſuadens. de dyna. Sp.32.D
Sanguinem mitte ſi color vrinæ albicans fuerit, hypoſtaſis rufa. de vri. ſign.ex Hippoc. Sp.79.D
in Sanguinis ciſterna ſe ſomniabat paleſtrita ob copiã ſanguinis. de præſag.ex inſom.ſum. 4ª.213.D
qui Sanguis debeat euacuari.com.1°.aph.2°. Ex.3.D
Sanguinis miſſione multum iuuantur Parij ſecundum aliquos. in 3ᵐ.de morbis vulgaribus, com.3°. 3ª.147.F
Sanguinis miſſionem cur non nominauit Hippocrates in tot ęgris, inueſtigandum eſt.in 3ᵐ.de morb.vulg.com.3°. 3ª.147.F
Sanguis debebat detrahi ab Hippocrate ĩ Pythionis morbo, niſi aliquid obſtaret.in 3ᵐ.de morbis vulgaribus. com.1°. 3ª.127.E
Sanguinis miſſionem prohibet magna copia crudorum humorum, & quo modo.de curan.rat.per ſang.miſſ. 6ª.18.D
Sanguinis detractione malo prius occurrendũ eſt.4°.de ſa.tuen.2ª.87.F
Sanguis propter quid detrahitur.fin.med. Iſa.48.H
Sanguinis miſſione qui morbi indigent, et in quibus ſi prius euacuabis errabis.de vict.rat.in morb.acutis, com.4°. 7ª.137.A
Sanguinem ex vena detrahito p acutos morbos.præſ.exp.conf. Sp.78.E
Sanguinis detractione egent quidam morbi longi.de victus.rat. in morbis acutis, commentario.4°. 7ª.136.G
Sanguinis detractio conuenit in Affectionibus inueteratis.2°. de compoſitio.medic.ſec loc. 5ª.137.H
Sanguis quando mittendus Calculoſis. de ren.aff.dig. & med.7ª.194.F
Sanguis mittendus in Cancris. 2°.de arte cur.ad Glauc. 7ª.107.E
Sanguis mittendus in Caſu ab alto, & in plaga.4°.meth.med. 7ª.27.H
Sanguis quibus habentibus Deſtillationem mittendus, & quibus non.5°. meth.me. 7ª.35.H

*Sanguis mittendus ĩ Dolore ex ſanguinis abũdãtia.*12°.*me.me.*7ª.79.B
*Sanguinis miſſione oculorũ grauiſſimos dolores ſanauit Galenus.*3°.*methodi medendi.* 7ª.17.D
Sanguis miſſus in parte oppoſita ſanat oppoſite dolorem.commentario. 5°.*aphoriſmo.*68°. *Ex.*45.D
*Sanguis detrahẽdus in ĩflãmatione,vel dolore mitigato.pſ.ex.Sp.*77.H
*à Sanguinis miſſione qñ primũ cepiſſe conuenit.*11°.*met.me.* 7ª.69.*A*
*Sanguinis miſſio primo longinquo fit,poſt ab ipſa parte exulcerata faciẽda.*4°.*methodi medendi.* 7ª.28.E
Sanguis mittendus in Elephante ante purgationem. 2°. *de arte cura.ad Glauconem.* 7ª.107.E
Sanguinis opportuna miſſione interdum egent, qui ante cibum exerceri nõ poſſunt,nec cibũ aptis tẽporibus ſumere.de bo.et vi.ſuc. 2ª.34.E
Sanguine miſſo Febris ex obſtructione nunquam tranſit in putridam. 9°.*methodi medendi.* 7ª.57.B
Sanguis in putrida febre mittendus eſt conſtantibus viribus. 11°.*methodi medendi.* 7ª.71.F
Sanguis mittendus in quartana à principio,ſi abundet. 1°. *de arte cura. ad Glauconem.* 7ª.97.F
*Sanguis cum apparet flauus vel tenuis non amplius mittendus in quartana febre.*1°.*de arte cura.ad Glau.* 7ª.97.F
Sanguinem ſi detrahis febricitantibus aduertas vigorem acceſſionis ceſſantem.præſag.exper.conf.66.G| *Sp.*77.H
Sanguinẽ auferto Hæmorrhoidibus ſuppreſſis.de cu.ra.p ſang. 6ª.18.F
*Sanguinẽ detrahere in Hydrope potius obeſt q̃ proſit.de atrab.*1ª.37.E
*Sanguinis miſſione quæ Hydrops curari poteſt.de victus ratione in morbis acutis,com.*4°. 7ª.148.D
*Sanguis quando mittendus Laſſatis.*4°.*de ſan.tu.* 2ª.83.E
*Sanguis mittendus non eſt viribus exiſtentibus imbecillibus.*4°. *de ſanitate tuenda.* 2ª.83.E
*cũ Sanguĩs copia ſi vitioſus humor laſſitudinẽ creans cõſiſtat,aut vena incidẽda,aut aliqđ qđ tantũdẽ valet agendũ.*4°.*de ſan.tu.* 2ª.83.F
Sanguis in laſſitudine quando euacuandus temperatis, & quando non. 4°.*de ſanitate tuenda.* 2ª.84.D
*Sanguis niſi trahatur in laſſitudine phlegmonodes,accendit febrem.*4°. *de ſanitate tuenda.* 2ª.87.E
Sanguinis detractio cur iteranda in laſſitudine phlegmonodes. 4°.*de ſanitate tuenda.* 2ª.87.H
*Sanguis etiam tertio mittendus in laſſitudine phlegmonodes.*4°.*de ſanitate tuenda.* 2ª.87.H
Sanguis vnde trahendus Liene patiente.de curan.p ſan.miſſ. 6ª.19.H
Sanguinis libra demenda lienoſis.de cur.rat.per ſang.miſſ. 6ª.20.*A*
*Sanguis conſuetus reſtrictus facit Melancholiã.*3°.*de loc.aff.* 4ª.18.F
Sanguis qñ mittendus in melancholia.de mel.ex Gal.R. *Sp.*109.F|H
*Sanguinis miſſione ſoluuntur ſpirituum interceptiones in melancholicis de victus rat.in morb.acut.*4°. 7ª.144.D
*Sanguis mittendus cum humor melancholicus abundat, aut vtendum medicamento atram bilẽ euacuante.de cur.rat.per ſang.mi.*6ª.18.E
*Sanguine melancholico abundante,cubiti venam mediam ſecato.*3°. *de locis affectis.* 4ª.18.G
*in Sanguine melancholico ſi ſanguis qui exit non videatur melancholicus,ſiſtendus eſt.*3°.*de locis affectis.* 4ª.18.G
per Sanguinis miſſionem non curatur Obſtructio,neq; putredo. 11°. *methodi medendi.* 7ª.71.G
*Sanguinis miſſio Palpitantium præſidium eſt.*5°.*de loc.aff.* 4ª.29.E
*Sãguinis miſſio medicamẽtũ pleuritidis ẽ ſm aliquos.*9°.*đ dec.*1ª.282.F
Sanguis ab eodem latere mittendus in pleuritide.de cur.rat. 6ª.20.C
*Sanguinis miſſio in pleuritide quando debeat fieri,& quando purgatio. commen.*6°.*aphoriſ.*5°. *Ex,*46.G
Sanguis quando in pleuritide mittendus.de med.fac.par. 7ª.165.H
*Sanguinis detrahendi quantitas in pleuritide.de victus ratione in morbis acutis,com.*2°.117.C| *com.*4°. 7ª.143.G|H
*per Sanguinis miſſionem,vel per medicamentũ ſedatio doloris in pleuritide,non eſt curatio ſymptomatis.*12°.*met.me.* 7ª.74.G
*Sanguinis miſſio in Priapiſmo quibus ſalutaris.*14°.*met.me.* 7ª.89.B
Sanguis cur non copioſe mittendus in Renum affectu. de ren. affect. dignot.& med. 7ª.193.D
*Sãguinis euacuatione curatur Spaſmus.de ven.ſect.aduerſ.Era.*6ª.7.B
*Sanguinis multum non eſt mittendum in neruorum diſtentione, cum indigent miſſione Sanguinis,& quare.*1°.*de arte cur.ad Glau.* 7ª.98.B
Sanguis mittendus in Synanche et pipneumonia.đ ve.ſe.ad Er. 6ª.7.D
*Sanguinis miſſione indiget Tetanus lumborũ.de victus ratione in morbis acutis,commentario.*4°. 7ª.144.D
Sanguinem mitte vbi thorax prauam habet ſtructuram.de curandi ratione per ſang.miſſ. 6ª.158.F
*Sanguinis copia ſi in thorace,vena incidẽda eſt.de ve.ſec.ad.Er.*6ª.8.H
Sanguis non mittendus in tremore,hydrope,in frigido affectu & quare.de ven.ſect.aduerſ.Eraſi. 6ª.6.F
*Sanguis mittendus in omni Vlcere.*4°.*met.me.* 7ª.28.D
*Sanguinis miſſio quando facienda in vlcere.*4°.*met.me.* 7ª.27.F
*Sanguis per venam mitti debet quando mulier vomit ſanguinem, quia ita naturam imitamur,recte agentem.com.*5°.*aph.*32°. *Ex.*40.D
*Sanguinis miſſio ex vena abortum facit.com.*5°.*aph.*31°. *Ex.*40.D
*Sanguinem detraxit mulierculæ macilentæ, cui octo menſibus menſes defecerunt.in 6ᵐ.de morb.vulg.com.*3°. 3ª.176.C
Sanguis matutino tempore eſt detrahendus.præſ.exper.conf. *Sp.*77.H
Sanguis detrahendus cũ hõ vigilauerit p horã.præſ.exp.cõf. *Sp.*77.H
Sanguis è vena detrahẽdus poſt aliqua cõſueta exercitia.præſ. *S.*77.H
*Sanguis mittendus ſi in vẽtre nõ ſit cibus crudus in acutis. in 3ᵐ.de morbis vulgaribus,com.*1°. 3ª.127.D
Sanguis poteſt detrahi in omni hora quando oportet.præſ. *Sp.*77.G
Sanguis eſt noctu mittendus quandoq;.de cur.rat.p ſang.miſſ. 6ª.19.B
Sanguinem qua hora quidã mittebãt.de cur.rat.per ſang.miſſ. 6ª.19.B
in Sanguinis miſſione dierum numerus non attendendus. de curandi ratione per ſanguinis miſſionem. 6ª.21.*A*
Sanguis,& quinto & ſexto die trahendus,imo & vigeſimo vbi aderũt ſcopi.de cur.rat.per ſang.miſſ. 6ª.21.B
*Sanguis mittitur octauo die, ſed prius eſt commodius. in 3ᵐ. de morbis vulgaribus.com.*1°. 3ª.127.E
Sanguis mittitur in principio,& augumẽto morbi.de opt.ſec. *Iſa.*27.G
Sanguis quando ſit mittendus ſanis.de cur.rat.per ſang.miſſ. 6ª.18.B
*Sanguis quando mittendus,& quando non.*4°. *de ſan. tu.* 2ª.84.C|6°. *methodi medendi.* 7ª.37.C
*Sãguis qbus mittẽdus,& quibus nõ.in 6ᵐ.de mor.vul.cõ.*3°.3ª.179.*A*
*Sanguis quibus eſt mittendus.*9°.*meth.me.*58.*A*|11°. 7ª.71.G|F
Sanguis quibus copioſius,& quibus parcius trahendus. de curandi ratione per ſanguinis miſſionem. 6ª.19.D|F
*Sanguinis parum cui detrahendum.*11°.*met.me.* 7ª.71.G
*Sanguinis parũ habẽtibus in euacuatione parcẽdũ eſt.præſ.ex.Sp.*77.H
*Sanguinis miſſionem non admittunt diuites.*11°.*met.me.* 7ª.72.B
*Sanguinem qui nolũt ſibi mitti,qũo euacuandi.*4°.*de ſan.tu.* 2ª.84.C
Sanguinem mittere quæ prohibeant.de præcog.ad Poſth. 4ª.219.E
*Sanguis quibus non detrahendus.*9°.*met.me.*57.H|58|*A*|12°. 7ª.75.E
Sanguinis miſſione indigenti nõ danda ptiſſana eſt.de ptiſſ. 2ª.47.H
Sanguis non eſt mittendus frigidis,et quibus modis euacuant̃. de curan. rat.per ſan.miſſ. 6ª.17.D
Sanguinis detractio facienda eſt in ætatibus ſupra quartumdecimum annum,ſicuti infra annos ſexaginta.præſ.exper.conf. *Sp.*78.D
*Sanguis nõ detrahẽdus puero,cur.de vict.rat.in m.ac.cõ.*4°. 7ª.136.F
Sanguis puero nõ mittendus,nec ante quatuordecimũ annum.de curan. ratione per ſang.miſſ. 6ª.19.D
*Sanguis cur non mittendus pueris,& ſenibus.de vict.rat.in morbis acutis,commenta.*4°. 7ª.137.H
Sanguis cur pueris non ſit mittendus vſq; ad quartumdecimum annum. præſ.exper.conf. *Sp.*77.H
*Sanguis non mittendus etiam in ſynocho in puero qui quartumdecimum annum nondum attigit,& quare.*11°.*met.me.* 7ª.71.G
Sanguis quando,& qũo puero detrahendus ſit.præſ.exp.cõf. *Sp.*78.*A*
Sanguinis cotyla primo puero auferenda.de cur.rat.per ſang. 6ª.19.D
Sanguinis mediocris detractio ẽ triũ heminarũ.đ ve.ſec.ad.Er. 6ª.8.*A*
*Sanguis non eſt extrahendus extenuatis.*2°. *de elem.* 1ª.90.C
Sãguinis ſenibus cur minor copia detrahẽda.de cur. rat.p ſan. 6ª.19.D
*Sanguis quo tẽpore,& qua regione nõ mittendus.*11°.*met.me.* 7ª.71.G
*Sanguis mittendus nõ eſt ſi locus ſit ſupra modũ calidus, & tẽpus cõſentiat,qđ ſi vnũ ſolũ ſit tale,parũ mittẽdũ.*1°.*de art.cu.ad Gl.* 7ª.98.C
Sanguis mittendus non eſt in locis ſupra modum calidis aut frigidis. 1°. *de arte cura.ad Glau.* 7ª.98.C
*Sanguis tempore calido,& ſicco non mittendus.de victus rat.in morbis acutis,com.*4°. 7ª.136.H
*Sanguis cur non demittatur in æſtate,vel parum detrahatur, rationem collige.*9°.*met.me.* 7ª.60.H
Sanguis ex ſecta vena,in diebus canicularibus cauſa mortis fuit. 1°. *de te cura.ad Glau.* 7ª.98.C
*Sanguinis copia in frigore nõ eſt educẽda cur.de præſ.exp.cõf.Sp.*78.*A*

Sanguis, ſi natura vult eum tranſmittere, non eſt arte mittendus.de præ cog.ad Poſth. 4ª.219.F
Sanguinem mittendi vſus verno tempore.5°.met.me. 7ª.32.C
Sanguis quo modo trahendus vere, & quare.5°.de ſan.tu. 2ª.94.D
Sanguis nõ eſt trahẽdus aluo fluẽte.de vic.ra.in mor.ac.cõ.4°. 7ª.151.C
Sanguis puberibus mitti poteſt.12°.met.me. 7ª.82.H
Sanguinis miſſio quibus vtilis.9°.met.me. 7ª.59.D
Sanguinẽ mittendũ qbus pſuaſerit Galenus.de cur.rat.p ſang. 6ª.18.D
Sanguis quando debet ex ſuperioribus venis duci, & quãdo ex inferioribus.com.6°.aphoriſ.36°. Ex.50.D
Sanguinis mittendi tres loci ex cubito.de cur.rat.p ſang.miſſ. 6ª.20.A
Sanguinis parum mittunt venæ angulorum magnorũ oculi. de cur. rat. per ſan.miſſionem. 6ª.19.G
Sanguinis parũ mittunt venæ ſub lingua.de cur.rat.per ſang. 6ª.19.G
Sanguis quando detrahendus eſt ex vena interiori brachij dextri.præſag.ex per.conſ. Sp.78.E
ad Sanguinẽ mittendum vena cõmodiſſima in pede.de ven.ar. 1ª.58.G.
Sanguinis quãtũ trahendũ per venæ ſectionẽ.de ven.ſec.ad.Er. 6ª.12.E
Sanguinis quantitas educẽdi quãta ſit.de cur.rat.per ſan.miſſ.6ª.18.G
Sanguinis euacuandi copia, quanta eſſe debet.8°.met.me.52.G/ de vict. ratione in morbis acutis com.4°. 7ª.137.G
in Sanguine trahendo menſura facilius deprehenditur, q̃ in alijs quibuslibet auxilijs.de ven.ſect.aduerſ.Eraſ. 7ª.7.G
Sanguinis euacuandi quãtitas coniecturalis eſt cur.de cur.rat.6ª.19.F
Sanguinis mittendi quantitas vnde ſumatur.de cu.rat.per ſan.6ª.18.D
Sanguis debet mutari in venæ ſectione ſed non quia acutus, & quare.de vict.rat.in mor.acu.com.4°. 7ª.143.G
in Sanguine q̃uo intelligitur coloris mutatio.de vẽ.ſect.ad.Era.6ª.7.G
Sanguis quando ad mutationem trahendus.de curã.rat.per ſang.miſſionem.6ª.19.E/de vict.rat.in morb.acut.com.2°. 7ª.117.H
Sanguinis mutatio vbi expectanda eſt, & vbi non.de curan.rat.per ſanguinis miſſionem. 6ª.19.F
Sanguis liuidus in ea quæ à rubido fit ad nigrum tranſmutatione mediũ obtinet.de vict.rat.in mor.acut.com.2°. 7ª.117.H
Sanguinis fluẽtis vigor labeſcens vacuationis terminũ obtinet. de ven. ſect.aduerſ.Eraſ. 6ª.7.G
Sanguis vſq; ad viriũ imbecillitatẽ qñ mittendus.9°.met.me. 7ª.57.C
Sanguis, qñ ad animi defectum educi debet.4°.de ſa.tu.2ª.87.F/ de vic. rat.in mor.acut.com.4°. 7ª.143.H
Sanguis ad animi deliquium mittẽdus in febre acutiſſima.de curan.rat. per ſanguinis miſſionem. 6ª.19.A
Sanguinẽ ducere vſq; ad animi defectũ eſt pſidiũ, quo maius nullũ eſt in maximis inflãmationibus, et in maximis doloribꝰ.præſ.ex.Sp.77.H
Sãguinis detracti quãtitas cotylæ ſex in quodam.de curã.rat. 6ª.19.A
Sanguinis primo tres libras exhauſit Galenus poſtea vnam.de curandi ratione per ſan.miſſ. 6ª.20.C
Sanguis detractus fuit quandoq; vſq; ad ſex libras.de cur.ra. 6ª.19.G
Sanguinis ſex libris eductis quo caſu æger confeſtim ſanatus eſt. præſa. exper.conf. Sp.78.A
Sanguinis euacuatio vſq; ad animi deliquium, quid boni fecerit. de cur. ratione per ſang.miſſ. 6ª.19.B
Sanguis non mittendus vſque ad animi deliquium niſi in magna neceſſitate de curandi rat.per ſang.miſſ. 6ª.19.B
Sanguis per plures vices cur trahendus.de cur.rat.per ſan. 6ª.19.B
Sanguis quando eſt iterandus, quo tẽpore fieri debet.de cur.ra. 6ª.21.C
per Sanguinis miſſionẽ reuulſio qñ reiterãda.de cu.rat.p ſan. 6ª.21.C
Sanguis bis die mittendus quando.4°.de ſan.tu. 2ª.87.F
Sanguis vbi detractus non eſt, prouidentia eorum quæ in medio ſunt corpore maximi plane mali eſt cauſa.11°.met.me. 7ª.72.D
in Sanguinis detractione quæ cautio adhibenda.præſ.exper. Sp.78.D
Sanguis nõ eſt mittẽdus ægris ſimul cũ inedia.cõ.2°.aph.22°. Ex.15.B
Sanguis longiſſime ab arteria detrahendus.3°.de ana.adm. 1ª.77.C
Sanguis longiſſime mittendus à loco in quo didiciſti fieri poſſe dolorem, & colligi ſanguinem.de nat.hum.com.2°. 7ª.184.F
Sanguis dum mittitur, pulſus tangẽdus.de curandi ratio. per ſanguinis miſſionem.6ª.19.B/præſ.exper.conf. Sp.77.H
Sanguinis miſſio affectum adimit, nõ ſymptoma.12°.met.me. 7ª.75.D
à Sanguinis euacuatione refrigeratur corpus.qđ animi mor. 1ª.317.H
Sanguinis miſsio ex accidente refrigerat.10°.met.me. 7ª.65.E
Sanguinis miſsio quando necat.9°.met.me. 7ª.59.A
Sanguinis lõga euacuatio cur necat, ſi aĩa ẽ ĩmortalis.ꝙ ani.m. 1ª.317.H
Sanguis ex ſecta vena habet tenuem humiditatem quæ ſupernatat, de atrabile. 1ª.34.D
Sanguini qñq; videtur ſupernatãs pituitoſus humor.de atrab. 1ª.34.D
à Sanguinis miſsione clyſter exhibendus quod ſecundum Galenum accipiendum videtur cũ additione.ſi non probe, & ſponte deijciat aluus. de victus ratione in mor.acut.com.4°. 7ª.143.H
à Sanguinis miſsione ad purgationem quantum temporis interponendũ de ren.affect.dig.& med. 7ª.193.F
Sanguinem mittebat Galenus, poſtea dabat medicamentum, expectata coctione.11°.de ſimp.me.fac. 5ª.78.A
poſt Sanguinis miſsionem homo reficiendus.de victus ratione in morbis acutis, commen.4°. 7ª.138.E
cũ Sanguinis miſsione, quæ valeant tantundem.4°.de ſan.tu. 2ª.83.F
Sãguinem exhaurire poſſunt clyſteri, inedia, frictio, & ſudor.de venæ ſectione aduerſ.Eraſ. 6ª.8.A
Sanguinis miſsio, quæcunque rupta ex dorſo ad cubitum deſcendunt ſoluit.com.6°.aph.22°. Ex.48.E
SANGVINIS quantum educendũ ſcarificatione ſit in mulieribus quæ non purgentur.de cucurb. ſcarif. 6ª.4.A
SANGVINIS vacuationẽ in quibus cucurbitulis conſiderare eſt opus vitreæ fiant.de cucurb.ſcarif. 6ª.3.C
SANGVIS dandus eſt pro nutrimento hirudinibus nuper captis, ita enim earum virulentia reſpirabit.de cucurb.ſcarif. 6ª.3.C
Sanguinem vbi guſtarũt hirudines illũ auidius trahũt.de cuc.ſc. 6ª.4.E
Sanguinem quem trahãt hirudines.de hir.reuulſ.cuc.& ſcar. 6ª.2.D
Sanguinem quo modo trahunt hirudines.de cucurb.ſcar. 6ª.4.D
Sanguis ex hirudinibus non debet quãtumlibet effluere permitti. de hiru.reuulſ.cucurb.& ſcarif. 6ª.2.D
Sanguis cum nimis effluat ex hirudinibus, quo modo ſiſtendus.de hirud. reuulſ.cucurb.& ſcarif. 6ª.2.C
Sanguis quibus ſiſtendus in hirudinibus.de cucurb.ſcarif. 6ª.4.C
Sanguis ab hirudinibus tractus, non eſt frigidis ſiſtendus quando nimis fluit, ſed adſtringentibus, & emplaſtricis.de cuc.ſcar. 6ª.4.D
Sanguis fluens ab hirudinibus, digito ſiſtitur.de cuc.ſcar. 6ª.4.E
ꝙ SANGVIS trahatur à pharmaco qñ non adſunt alij humores poteſt colligi, nota ꝙ ſanguis vr̃ eſſe ſecundũ Galenũ vnus humor diſtinctus ab alijs, contra illos qui dicunt eſſe tantũ tres humores, & ſanguinẽ nihil aliud eẽ q̃ illos humores in vnũ miſtos.c.2°.aph.35°. Ex.17.F/G
Sanguinem & carnes colliquant medicamenta, quando nõ adeſt humor euacuandus.quos purg.op.quib.med. 5ª.88.B
Sanguis vi medicaminis alteratus tranſit in biles.de atrab. 1ª.37.D
Sanguinis corruptiua educuntur à ſcamonio. de dyna. Sp.21.A
Sanguis in ſuperpurgationibus poſtremus effunditur.3°. de ſimp. medicamento.faculta. 5ª.23.G
Sanguis ſemper vltimus exit in purgationibus, quia naturæ familiariſsimus.de natura humana.com.1°. 1ª.31.F
Sanguinem educit aliquod medicamentum, ſed eo vti non debemus, venenum nanque eſt.de purg. med.fac. 5ª.87.C
de Sanguinem trahente herba, & homine qui multos necarat hiſtoria. de pur. med.fac. 5ª.87.D
Sanguinẽ trahẽtia medicamẽta ſunt reticenda.de pur.med.fac. 5ª.87.D
Sanguinem quæ educunt.de cathar. Sp.94.G
Sanguinem trahit ſerpens hæmorrhus.de opt.ſect. Iſa.21.F
Sanguinem purgat ſuccus porri capitati.de dyna. Sp.22.C
Sanguinem purgat mercurialis, albæ violæ, agreſtis maluæ, & ſaluia. de dynamidijs. Sp.22.C
Sanguis bonus quo modo fiat à theriaca.de vſu the.ad Pamph. 5ª.98.D
Sanguinem mundificans medicamentum.ſecretorum. Sp.101.G
SANGVINIS profluuium potiſsimum ex arterijs prouenit. 7°. de anatomicis admin. 1ª.97.C
Sanguis per arterias vacuatur, ſi vulnerentur.6°.de vſu par. 1ª.155.A
Sanguis exit, arteria quæcũq; vulnerata.an.ſan.in ar.nat.cõ. 1ª.60.B
Sanguinem totum emittunt arteriæ vulneratæ.de vſu pulſ. 1ª.228.G
Sãuis totus inciſa arteria illuc currit, niſi ſupprimatur.an ſan. 1ª.61.A
Sanguis arteriarum quo modo exit.de tum.præt.nat. 3ª.84.D
Sanguis quomodo cognoſcatur exire ab arteria.1°.de loc.aff. 4ª.2.E
Sanguinem eiaculatur arteria perforata tenuiſsima acu.an ſangui.in arter.nat.con. 1°.60.E
Sanguine repletur arteria vulnerata tenuiſsima acu. ſm Eraſiſtratum. an.ſan.in ar.nat.con. 1ª.60.H
Sãguis ĩmodicus ex arteria, & ex vena q̃uo curetur.3°.me.me.7ª.21.H
Sanguinis profluuium quod ſedari non poteſt fit, cum medici ignari magnas arterias ſecant.3°.de ana.adm. 1ª.73.F

Sanguis quando

Sanguis quando effunditur, & quando non effunditur in animali iugulato vel mortuo in vaſorum ſectionibus.de ana.adm. 1ª.91.G
Sanguis qui exeat primo iugulatis & q deinceps.de nat.hu.c.1°. 1ª.31.F
Sanguis exit ab vlcere.8°.de dec.Hipp. 1ª.276.C
de SANGVINIS fluxu è vulnere.de rem.par.fac. 7ª.160.G
Sanguinem mittunt vulnera recentia.de tum.præt.nat. 3ª.83.A
Sanguinis profluuiũ à forti in vulneribus pulſu.cõ.7°.aph.21°.Ex.55.D
Sanguine manantia vulnera, quo medicamento curentur.2°.de arte curatiua ad Glauconem. 7ª.106.F
Sanguis quomodo comprimitur in vlceribus.de tum.præt.nat. 3ª.83.A
Sanguis quãdo retinetur, & ſanies exit in vulneribus.de tum p.3ª.83.B
Sanguinem ſtatuit à curſu cinis in profundum vulnerum recentium poſitus.de ſimp.med. Sp.86.A
Sanguine manãtia loca ſinapis exſiccat, & extringit.de ſimp. Sp.90.G
Sanguine ſanies naſcitur quæ in vulneribus.de dyna. Sp.19.D
Sãguine tenuior & ſpiritu craſſior eſt ſanies.de tum.præt.nat. 3ª.83.A
Sanguis craſſus in fracti oſſis callo effunditur.5°.met.me. 7ª.32.G
Sanguis in quibus locis non indiget calidis tenuium partium.7°. de compoſitione medica.ſec.loc. 5ª.183.F
SANGVIS omnium animalium cur vitandus.de attc.vict. 2ª.45.F
Sanguis oĩs ad coquendum difficilis eſt.3°.de alim.fac.30.A/ 2ª.29.B
Sanguis craſſus melãcholicus difficulter coquitur.3°.de ali.fa. 2ª.29.B
Sanguis oĩs excremẽtitius eſt quocũq; mõ paretur.3°.de ali.fa.2ª.30.A
Sãguis foris illinitus ſtiptic⁹ iuenit, & oculis ꝓdeſt đ ſimp.me.Sp.90.B
SANGVINEM Agnorum epilepſiæ cõuenire Galenus negat.10°. de ſimp.me.fac. 5ª.73.B
Sanguis agninus non incidit.10°.de ſimp.me.fac. 5ª.73.C
Sanguis Anatis aduerſatur omnibus venenoſis, & mortiferis.de medicinis fac.para. 7ª.169.F
Sanguis Bubulus craſſus, & melancholicus.3°.de ali.fac. 2ª.29.B
Sãguis Caprarũ in cibo iucũdus eſt apud Homerũ.3°.de ali.fac.2ª.29.C
Sanguis caprarum aqua intercutem laborãtibus exhibetur.10°.de ſimpli.medicam.facul. 5ª.73.B
Sanguis caprarum toſtus ad dyſenteriam & ventris fluxum, vt medicamen.conuenit.10°.de ſimp.me.fac. 5ª.73.B
Sanguis Cimicum quid faciat.4°.de comp.me.ſec.loc. 5ª.158.B
Sanguis cimicis ad pilos palpebris ĩnatos oculos infeſtantes. de remed. paratu facilibus. 7ª.156.G
Sanguis Columbinus qualis.2°.de comp.me.per gen. 5ª.223.C
Sanguis columbæ, an columbi, vel pulli, vel adultę debeat poni ſupra duram meningam, controuerſia fuit.10°.de ſimp.me. fa. 5ª.72.H
Sanguis columbæ ſupra duram membranam in fractura cranei effundi ſolet.10°.de ſimp.me.fac. 5ª.72.H
Sanguis columbæ ex pennis teneris in cruentis oculis inſtillandus. 4°. de comp.med.ſec.loc. 5ª.157.G
Sanguine columbæ ad hypoſphagmata in oculis exiſtentia quidam vtuntur, & quo modo.10°.de ſimp.me.fac. 5ª.72.H
Sanguis colũbæ inſtillatus ad noctylopas valet.de rem.par.f.7ª.156.H
cũ Sanguine columbino fœnugræci ſuccus ad ophthalmias oculorum. 10°.de ſimp.me.fac. 5ª.72.H
Sanguinis columbæ ad petiam oculi valet.de ocul. 7ª.190.D
Sanguine conchilij vtitur.3°.de comp.me.ſec.loc. 5ª.143.E
Sãguis Crocodili terreſtris nõ acuit viſũ, vt ferẽ.10°.đ ſim.m.f.5ª.73.D
Sanguis Equi admiſſarij non facit cruſtam, nec ſepticus eſt, vt quidam dicunt.10°.de ſimp.me.fac. 5ª.73.D
Sanguis fulicæ ad quid vtilis.de med.fac.par. 7ª.179.C
Sanguinem Galli & gallinæ ad hæmorrhagiam meningum non probat Galenus.10°.de ſimp.me.fac. 5ª.73.B
Sanguis Hircinus purgat renes.de cathar. Sp.95.C
Sanguis hircorum frãgit lapidem renum, & veſicæ de cathar.Sp.95.D
Sanguis hircinus à tota ſubſtãtia agit in renum calculum. de ren. affec. dign.& med. 7ª.194.H
Sanguis Hædorũ quo modo ꝓſit hæmoptoicis.10°.de ſimp.me.f.5ª.73.C
Sanguinem Leporinum comedebant.in 1ᵐ.pror.com.1°. 4ª.165.A
Sanguis leporinus cũ iecore, & alijs viſcerib.elixat.3°.de ali.f.2ª.29.B
Sanguis leporinus vt ſuauiſſimus celebratur.3°.de alim.fac. 2ª.29.B
Sanguis Murium domeſticorum fertur verrucas decidere facere.10°. de ſimp.me.fac. 5ª.73.D
Sanguis Muſtellæ curioſum remediũ eſt.3°.de comp.me.ſec.lo. 5ª.147.C
Sanguis Noctuæ ad difficulter ſpirantes, quo modo aliquibus in vſu fuerit.10°.de ſimp.me.fac. 5ª.73.A
Sanguis Palumbi ſupra duram membranam in fractura cranei conuenit.10°.de ſimp.me.fac. 5ª.72.G
Sanguis Pauonis ad petiam oculi confert.de ocul. 7ª.190.D
Sanguis Pediculi canini ad pilos palpebris innatos, oculos infeſtantes. de reme.par.fac. 7ª.156.G
Sanguine Ranarum viridium ad quid vteretur Papias Laodicenſis Medicus.4°.de comp.me.ſec.loc. 5ª.158.B
Sanguis viridiũ ranarum non prohibet pilos.10°.de ſimp.me.f. 5ª.73.D
Sanguis ranæ.de med.fac.par. 7ª.163.B
Sanguis Ricini à cane fœmina adempti ad quid valeat.4°.de compoſiti. medi ſecundum locos. 5ª.158.B
Sanguis Suum humidus, nimis calidus, & humano ſimilis.10°. de ſimplicium med.facul. 5ª.72.G
Sanguis ſuum iuniorũ, & ſeniorũ caſtratorũ edit.3°.de ali.fa. 2ª.29.C
Sanguis ſuillus pro humano accipiendus.10°.de ſimp.me.fac. 5ª.72.G
Sanguis Tauri venenoſus eſt.de vtil.reſp. Sp.64.E
Sanguini taurino quid ſit remedium.2°.de anti. 5ª.114.D
Sanguis Teſtudinis qualis.1°.de comp.me.ſec.loc. 5ª.129.G
Sanguis teſtudinis terreſtris.7°.de comp.me.per gen. 5ª.271.B
Sanguis teſtudinum plurium.7°.de comp.me.per gen. 5ª.271.D
Sanguis teſtudinum decem.7°. de comp.me. per gen. 5ª.261.D
Sanguis decẽ teſtudinũ terreſtrium.7°.de comp.me.per ge. 5ª.271.D/E
Sanguis teſtudinum quindecim.7°.de comp.me.per ge. 5ª.271.D
Sanguis Turturis ſupra duram membranam, qñ caluaria eſt fracta, ꝓfundi ſolet in tota ferè Aſia.10°.de ſimp.me.fac. 5ª.72.G
Sanguis Veſpertilionis ad quid bonus, & quo modo.4°.de comp. med. ſecundum locos.153.C/ 5ª.158.B
Sanguis vrſorum abſceſſus concoquit.10°.de ſimp.me.fac. 5ª.73.D
ex Sanguinibus antidotus cęteris melior ad venena.2°.de ant.5ª.112.C
SANGVISVGA quãdoq; nares ingreditur.4°.de loc.aff. 4ª.26.A
Sanguiſugam in naſo quidam habebat.4°.de loc.aff. 4ª.26.A
Sanguiſugam quidam ebibit.4°.de loc.aff. 4ª.26.A
Sanguiſuga epota, ex vẽtriculo cruor euomitur.4°.de loc.aff. 4ª.26.A
SANICENA ideſt herba ſanctæ mariæ.de dyna. Sp.26.E
SANIES in corpore fit ex aqueo & igneo elemẽto inter ſe commixtis, & quomodo.8°.de decr.Hipp. 1ª.275.F
Sanies ſanguine tenuior ẽ, & ſpiritu craſſior.de tum.præt nat. 3ª.83.A
Sanies fit ex omni humore.8°.de dec.Hipp. 1ª.276.B
Saniei differentia ex humoribus.5°.de loc.aff. 4ª.29.H
Sanies quæ in vulneribus ex ſanguine naſcitur.de dyna. Sp.19.D
Sanies aquoſa tenuis apparet loco circum cruento apparente in inflammationibus cum vlceribus.de tum.præt.nat. 3ª.83.A
Saniem a profundo quæ poſſint trahere.6°.met.me. 7ª.37.D
ad Sanie acri infeſtata vlcera optimũ eſt ſerũ.10°.de ſim.me.f. 5ª.73.G
Sanies in cancris ſaltem abluenda eſt.com.6°.aph.38°. Ex.50.E
Sanies quibus abluenda in cancris.com.6°.aph.38°. Ex.50.E
Sanies decidens à capite, quid faciat.6°.de ſan.tu. 2ª.98.F
Sanies corneæ propria paſſio eſt.de cul. 7ª.187.A
Sanie manantibus auribus confert ſuccus centaureę.de vir.cẽ.Sp.93.C
ad Saniem aurium.de ocul. 7ª.191.D
Sanies vitioſa ex ſplene in ventriculum tendit in flatu ex hypocondriaco.5°.de locis affectis. 4ª.32.H
Saniei ſputum in retentione menſtruorum.ſecretorum. Sp.99.A
Saniẽ abſq; mordicatione extenuat myrrha ĩ collyrijs.1°.đ ant.5ª.105.C
Sanies in thorace quo modo expuatur.5°.de loc.affe. 4ª.29.H
Sanies ſanguinis tenuis qñ mingit, quis affectus ſit.6°.de lo.af. 4ª.37.F
Sanies cruoris tenuis ſimilis ablutioni carnium euidentiſſimum eſt affecti Iecinoris indicium.5°.de locis affectis. 4ª.34.G
in Saniem prauã trãſit caro colliqueſcẽs.4°.de cõp.me.per ge. 5ª.237.C
in Saniem ſeroſam ſolutis ſuccis qui in venis habentur, ſerum Renes à venis expurgant.3°.de ſymp.cau. 3ª.28.E
Sanies, & pus ex vtero & veſica ſponte exeunt.5°.met.me. 7ª.33.A
p Saniẽ et ſordẽ an medicamẽtũ bñ ſiccauit probat.3°.met.me. 7ª.18.E
ad SANIOSA vulnera.de ocul. 7ª.191.D
ad Sanioſam labem pectoris valet Theriaca đ theria.ad Piſo. 5ª.91.H
Sanioſæ vrinæ in ſolutione phlegmonis quales.de cauſ.procat. 3ª.98.C
Sanioſæ vrinæ in ſolutione phlegmonis non ſunt ſimiles ijs, quæ ſolutis febribus excernuntur, & quales ſint.de cauſ.procathar. 3ª.98.C
Sanioſa vrina, & plurimũ egeſta, et velut coagulata aut aliquã eruptionẽ ĩ renibus aut calculi initiũ in ꝓxĩo vẽturũ oſtẽdit.de dyn.Sp.35.C
SANITATEM ſignificat.y.in 3ᵐ. de mor. vulg. com. 1°. 130. G/commentario.2°. 3ª.136.E
Sanitas, & morbus contraria ſunt & quæ ſint, & quod circa idem.1°.

methodi medendi. 7ª.6.G
Sanitas quo modo diſtinguitur à morbo.de ſymp.diff. 3ª.10.E
Sanitatem quam vocamus.1°.de ſan.tu. 2ª.63.G
Sanitas quid.fin.med.Iſa.45.C/1°.de ſan.tu.63.C/2ª.64.A/de ſympt. diff.3ª.10.F/1°.met.me.5.G/7ª.8.D/ſecret. Sp.96.G
Sanitas quid ſecundum Chryſippum.5°.de dec.Hipp. 5ª.255.B
Sanitas,& morbus quid ſecundum Olympicum.1°.met.me. 7ª.7.A
inter Sanitatem, & ægritudinem eſſe medium dicentem Olympicum quare Galenus derideret.1°.met.me. 7ª.7.B
Sanitas non eſt abſolute elementorum ex quibus conſtamus medium tē peramentum,aut debita conuenientia.1°.de ſan.tu. 2ª.63.C
Sanitas non eſt abſolute medium temperamentum elementorum.1°.de ſanitate tuenda. 2ª.63.C
Sanitas non eſt abſolute debita conuenientia elementorum ex quibus conſtamus.1°.de ſan.tu. 2ª.63.C
Sanitate potimur ex commoda temperie elementorum.de natura huma na.commentario.1°. 1ª.30.D
Sanitas quid ſit proprie.in 1m.de mor.vul.com.1°. 3ª.112.D
Sanitas eſt corporum ſymmetria.in 1m.de mor.vul.com.1°. 3ª.100.H
Sanitas eſt ſymmetria quædam.1°.de ſan.tu. 2ª.63.D
Sanitas eſt ſymmetria quædam ſm omnes ſectas.1°.de ſan.tu. 2ª.63.E
Sanitatis ſymmetria duplex eſt.1°.de ſan.tu. 2ª.63.D
Sanitas eſt quædam moderatio,& quorum ſit.de diff.morb. 3ª.2.D
Sanitas eſt in quadam moderatione.ad Thraſybulum.2ª.107.G/in 1m. de morb.vulg.com.1°.3ª.101.A/com.2°.aph.4°. Ex.11.F
Sanitas eſt temperies naturalis.com.4°.aph.39°. Ex.32.D
Sanitas eſt corpori naturalis modus.ad Thraſy. 2ª.105.F
Sanitas eſt virtus corporis.fin.med. Iſa.45.D
Sanitas eſt vnum bonum corporis.ad Thraſy. 2ª.103.F
Sanitas ſiue appelletur naturalis omnium partium corporis conſtitutio,ſiue operationum cauſa,idem dicitur.de dif.mor. 3ª.2.C
Sanitas morbum præcedit dignitate & tempore.1°.de ſan.tu. 2ª.62.D
Sanitas quo modo ſit antiquior ægritudine.ſecre. Sp.96.F
Sanitas ſecundum naturam eſt.fin.med. Iſa.45.D
Sanitas eſt ex genere permanentium.2°.met.me. 7ª.10.B
Sanitati quæ accidunt.fin.med. Iſa.45.F
Sanitas,mors,& morbus,vt differunt,ita naturalis motus immobilitas,& prauus motus.2°.de præſag.ex pul. 4ª.111.B
Sanitas vnum medicinæ propoſitum eſt.de opt.ſect. Iſa.20.E
Sanitas primo à medico diſcenda quid ſit.ſecretorum. Sp.96.G
circa Sanitatem primo verſatur ars.ad Thra. 2ª.103.B
Sãitas ipſa mediciæ finis ē q qeſcēte medico demõſtrat.ad Th. 2ª.105.H
Sanitas ſiue ſanũ artis medicæ finis.de ijs,quæ in med.fi.c.1°. 7ª.197.F
Sanitatis conſequutio eſt vnius finis medicinæ,huius verò conſequutionis plures ſunt modi.de opt.ſect. Iſa.20.E
Sanitas vna eſt ſimplex optima.1°.de ſan.tu. 2ª.63.C
Sanitas optima,eſt bona habitudo.de bon.hab. 1ª.39.C
Sanitas q̃uo differat à bono habitu.fin.me.Iſa.45.C/ad Thra. 2ª.103.C
Sanitas quomodo perfecta.ad Thraſy. 2ª.102.E
Sanitas alia eſt deficiens.1°.de ſan.tu. 2ª.63.C
Sanitas ſm habitum & ſm affectionem,quæ.ad Traſ. 2ª.102.E
Sanitas in affectione producit actiones debiles.ad Thraſy. 2ª.102.E
Sanitas in habitu nondum quidem firmas, non amplius autem debiles actiones producit.ad Thra. 2ª.102.E
Sanitas deficiens habet latitudinem.1°.de ſan.tu. 2ª.63.C
Sanitas habet latitudinem.2°.de temp.19.E/de opt.noſ.corp.conſ.1ª. 38.E/6°.de ſan.tu. 2ª.97.A
Sanitas amplam habet latitudinem.de bon.hab.39.B/ 1ª.64.A
Sanitatis latitudo ampla eſt.1°.de ſan.tu. 2ª.95.G
Sanitatis latitudo quantum habeat interuallum.2°.de temp. 1ª.18.F
Sanitatis latitudo in tres partes diuiditur.ars med. Iſa.62.H
Sanitas habet latitudinem adeo vt in illa ſint multæ pro magis, & minus differentiæ.de conſt.ar. Iſa.38.H
Sanitatē habere magis & minus ꝓbatum ætate.1°.de ſan.tu. 2ª.63.D
inter Sanitatem exactam & morbum ſenſibilem conſiſtunt intemperatæ naturæ.5°.de ſanitate tuen. 2ª.93.D
Sanitatē habere magis & minus ſecanda ꝓbatio.1°.de ſan.tu. 2ª.63.E
inter Sanitatem exactam, & quæ iam ægrotant corpora, quæ media. 6°.de ſanitate tuenda. 2ª.99.H
Sanitatem latã facere ſatius eſt,q̃ omnes homines perpetuo morbis premi.1°.de ſanitate tuenda. 2ª.63.G
Sanitas eſt vna ſecũdũ aliquos,nec habet latitudinē.1°.de ſa.t. 2ª.63.D
Sanitas dubia quæ.8°.meth.med. 7ª.51.H
Sanitas inæqualis in quibus.ars med. Iſa.64.B
Sanitas culpata, non eſt morbus vbi non eſt illuſtris offenſio actioniis. de natura humana.com.1°. 1ª.30.E
Sanitas primorum corporum quæ.in 1m.de mor.vul.com.1°. 3ª.101.C
Sanitas ſimiliarium partium in quo conſiſtat.1°.de ſan.tu. 2ª.62.D/3°. methodi medendi. 7ª.17.G
Sanitas inſtrumentalium in quo conſiſtat.1°.de ſan.tu. 2ª.63.C
Sanitas in quibus conſiſtat.5°.de dec.Hipp.255.H/9°.1ª.284.A/1°.de ſan.tu.2ª.64.C/de ſymp.diff.10.E/in 1m.de morbis vulgaribus.com. 2°.3ª.108.E/contra Iulia. Ex.67.B
Sanitas in duobus conſiſtit.de diff.morb. 3ª.2.C
Sanitas conſiſtit in temperamenti qualitate.1°.de ſan.tu. 2ª.93.D
Sanitas quæ eſt finis,in quibus conſiſtit.ad Thraſ. 2ª.106.B
Sanitas ex quibus efficitur.8°.de dec.Hipp. 1ª.274.G
Sanitatis cauſæ quæ dicantur.11°.met.me. 7ª.68.A
Sanitatis cauſæ quo modo ſint ars,& fortuna.11°.met.me. 7ª.68.A
Sanitatis cauſa quomodo ſunt ars,& artifex.11°.met.me. 7ª.68.A
Sanitatis cauſa eſt medicus.de cauſ.procathar. 3ª.96.B
Sanitatem quæ cauſæ poterunt corrumpere.de conſt.ar. Iſa.42.G
Sanitas,& morbus quibus fiant.de hiſt.philo. Sp.12.B
Sanitatis & morborum authores ſunt quatuor humores.in 3m.de morbis vulgaribus,com.1°. 3ª.129.C
Sanitatem cur requirimus.1°.de ſan.tu. 2ª.63.G
Sanitatem mutilam nemo cupit.ad Thraſ. 2ª.103.B
Sanitate egemus propter actionem naturalem.2°.met.me. 7ª.10.D
Sanitas nihil refert an ponatur in genere conſtitutionum vel functionũ. 1°.de ſanitate tuenda. 2ª.64.D
Sanitas diſcernitur per functiones.1°.de ſan.tu. 2ª.63.C
Sanitatem qui nolunt eſſe affectum corporis, vnde actio proficiſcatur ſed ipſas actiones,doctrinam de actionum leſione debent tradere, in morborum doctrina.de ſymp.diff. 3ª.11.C
Sanitas eſt cõmunis apud omnes ſcopus,cuius cauſa fiunt omnes actiones.ad Thraſybulum. 2ª.105.B
Sanitatis actionis cõis nõia idem ſignificantia,quæ.ad Thraſ. 2ª.105.H
Sanitas nõ operatione ſed potentia diffinienda.de diff.morb. 3ª.2.C
ad Sanitatis diuturnitatem,prior eſt ſecuritas, poſterior actio.12°.de vſu partium. 1ª.196.C
Sanitas actionis cauſa eſt.de ſymp.diff. 3ª.13.A
Sanitas,actio,& pulcritudo q̃uo ſe habēt ad inuicē.ad Thr. 2ª.104.A
Sanitatis actio quibus nominibus ſignificetur.ad Thra. 2ª.105.H
in Sanitate ſenſus debet eſſe iudex,non rerũ natura.ars med.Iſa.63.A
Sanitatis operationes cognoſcere,eſt principium inueniendi quæ nocent virtutibus.3°.de ſymp.cauſ. 3ª.24.F
Sanitatem inueniendi maxima pars ſumitur ab aſſuetudinibus.de conſuetudine. 2ª.60.C
Sanitatis tuendæ omnia habent prouidentiam.6°.de ſan.tu. 2ª.95.B
Sanitatem cur homo procurare debet.6°.de ſan.tu. 2ª.95.B
Sanitas omnibus præponenda eſt.de ſal diæ. 2ª.42.G
Sanitati corporis,& animæ,honor,gloria,diuitiæ,& authoritas, aliaquæ huiuſmodi poſt ponenda videntur.2°.de alim.fac. 2ª.17.F
Sanitatum corporis ſimul & animi Attici ſermonis affectatores pro nihilo ducunt.2°.de alim.fac. 2ª.18.F
Sanitatis tuendæ ratio eſt medicinæ pars.introd. Iſa.51.H
Sanitatis tuendæ pars ad medicum ſpectat.ad Thra. 2ª.109.E
Sanitatem medicina intendit.de ſect. Iſa.15.H
Sanitas quo modo medicinæ finis.ad Thraſy. 2ª.102.G
Sanitas eſt finis ſeptem artium,quę ſunt circa corpus humanũ.ad Thraſybulum. 2ª.103.A
de Sanitate tuenda librum fecit Eraſiſtratus.ad Thraſy. 2ª.108.A
de Sanitate tuenda qui ſcripſerunt,errarunt nullo facto naturę diſcrimine.5°.de ſan.tu. 2ª.93.D
de Sanitate tuenda in libris finis qui.9°.met.me. 7ª.59.A
de Sanitate ſeruanda cur primo tractandum.1°.de ſan.tu. 2ª.62.D
Sanitatis tuendę ars,an ſpectet ad rem medicam, an ad exercitatoriam pars q̃ illius ſit.ad Thraſ. 2ª.101.G
de Sanitate tuenda medicorum,& gymnaſtarum differentię.3°.de ſanitate tuenda. 2ª.76.D
Sanitatem qui tuetur neq; medicus neq; gymnaſtes dici debet.2°.de ſanitate tuenda. 2ª.73.H
Sanitatē tuendã qui profitet ὑγιεινὸς appellãdus.2°.de ſan.tu. 2ª.73.H
Sanitatis tuēdę perfectus artifex qualis eſſe debet,ad Thr. 2ª.104.E

pro Sanitate tuenda quod ſit vitam tuetur.9°.met.me. 7ª.59.A
Sanitati tuendæ quæ ars præſidet, ſanitatem conſtaturam promittit ijs qui ſibi paruerint.6°.de ſan.tu. 2ª.98.A
Sanitatis tuendæ præceptis cur aliqui vti nolint.6°.de ſan.tu.2ª.98.A
Sanitatis tuendæ non eſt poſtrema pars intemperiem corrigere. aduerſus Lycum. Ex.62.B
Sanitatis tuendæ ſcopus qui.1°. de ſan.tu. 2ª.64.C
Sanitatis cuſtos optimus qui.1°. de ſan.tu. 2ª.62.E
Sanitatis tuendæ artis quo modo peritus fuerit.5°.de ſan.tu. 2ª.89.E
Sanitatis tuendæ ſtudium, in quibus conſiſtat.1°.de ſan.tu. 2ª.68.G
ad Sanitatis tuendæ partem an ſpectent ſymptomata morboſa. 4°. de ſanitate tuenda. 2ª.82.D
ad Sanitatis tuendæ artificem non pertinent extrinſecus occurrentia. 1°.de ſan.tuenda. 2ª.65.E
ad Sanitatis tuendæ artem quid faciat.1°.de ſan.tu. 2ª.63.A
ad Sanitatem nihil facit animæ eſſentia.de ſub.fac.nat. 1ª.230.F
Sanitas duobus cuſtodienda.de moti.manif.& obſc. Sp.71.D
in Sanitate tuenda quo modo valent ſigna, corpora, & cauſæ. 1°.de ſanitate tuenda. 2ª.68.H
Sanitatis tutela per ſimilia perficitur.de inæq.intemp. 3ª.44.C
Sanitas cauſa quæ.com.2°.aph.3°.&.4°. Ex.11.E/F
Sanitas à contraria viuendi ratione quo modo cõſeruetur.in 1ᵐ. de morbis vulgaribus, com.1°. 3ª.101.A
ad Sanitatẽ q̃ faciunt, ſunt hoĩbus neceſſaria.de bo.& vi.ſuc.2ª.36.D
Sanitati ſtudentes quid agere debent.de bon.& vitio ſuc. 2ª.35.A
Sanitas quibus cuſtodiatur.de ocul. 7ª.185.D
Sanitati conueniens victus ratio cur ab omnibus ſeruari non poteſt.de bonit.& vit.ſucc. 2ª.36.D
ad Sanitatem cibi accommdatſſimi qui.de bon.& vitio ſuc. 2ª.36.E
ad Sanitatem conferunt cibi molles, & friabiles.3°.de ali.fac. 2ª.31.E
Sanitatem cuſtodire poteſt vinum ſi cum modica aqua bibatur. de ſimplic.medicamen. Sp.92.B
Sanitatis tuẽdę gratia, acetũ mulſum vtiliſſimũ.de bo.et vit.ſ. 2ª.39.A
ad Sanitatẽ corporis cõſeruãdã valet acetoſus ſyrupus.ſerc.Sp.103.D
Sanitatis magnum adiumentum eſt raphani radix à ieiunio comeſta. de ſimp.medicamen. Sp.89.F
Sanitatis tuendæ ratio in ſenibus, conatur ſenum ſanitatem ſeruare.6°. de ſanitate tuenda. 2ª.95.G
in Sanitatis conſeruatione ſenex non indiget alio, ſi vtatur remedio.ſecretorum. Sp.101.F
Sanitatis tuẽdæ fines medicamẽta nõ excedẽtia quæ.1°.đ ſa.tu.2ª.68.H
ad Sanitatis tuendæ artem, qui motus ſpectant.2°.de ſan.tu. 2ª.75.E
ad Sanitatis tuẽdæ rationẽ quæ actiones cõueniũt.7°.met.me.7ª.48.E
ad Sanitatem confert exercitatio, quamuis multi negarint.1°.de ſanitate tuenda. 2ª.65.E
ad Sanitatẽ multũ facit exercitiũ moderatũ.de bo.et vitio ſuc.2ª.35.A
Sanitati ante cibum exercitatio maximum affert commodum. de bonitate, & vitio ſuccorum. 2ª.35.A
Sanitatis tuẽdæ artis magna portio ẽ exercitatio.4°.de ſa.tu. 2ª.82.D
Sanitatis tuendæ artis magna portio eſt laſſitudines præcauere. 4°.de ſanitate tuenda. 2ª.82.D
Sanitati maxime obſunt quies, & otium.de bon.& vitio ſucc. 2ª.35.A
Sanitatẽ quidã tuentur in perpetua quiete degẽtes.5°.de ſan.tu.2ª.93.E
Sanitatis ſumpto cibo qualiſcũq; motus obnoxi⁹.đ bo.et vi.ſu.2ª.35.A
ad Sanitatem calicem idoneum ſtruere admonetur ab arte corporis gubernatrice.ad Thraſ. 2ª.109.B
circa Sanitatem medicus, & exercitator verſantur, tamen non habẽt commune nomen.ad Thra. 2ª.107.E
circa Sanitatem quid faciat gymnaſtica.ad Thra. 2ª.107.G
Sanitatem quæ ars per accidens ſeruet.ad Thra. 2ª.104.C
ad Sanitatẽ qđ bonũ ẽ ſalubrib⁹ luctatoria adipiſcit.ad Th. 2ª.109.B
Sanitatem ſuam in carcere tuentes pereunt ex prohibitione vnctionis & lotionis.5°.de ſan.tu. 2ª.94.A
in Sanitate quos Galenus ſeruaſſet.5°.de ſan.tu. 2ª.94.A
ad Sanitatis conſeruationem tum ad eiuſdem recuperationem optimũ præſidium eſt ſcarificatio in cruribus.de cucurb.ſcarifi. 6ª.3.H
ad Sanitatem oculi conſeruandam alchohol ſecretorum. Sp.97.F
Sanitas quo modo ægris timidis prædicenda. in 6ᵐ.de morbis vulgaribus, commenta.2°. 3ª.168.F
Sanitatis ſigna cauſæ dici poſſunt dies iudicatorij.1°.de dieb. 4ª.147.C
Sanitas quo modo cognoſcatur futura.4°.de præſa g.ex pul. 4ª.121.G
Sanitatem ſignificat vrina alba, & ſpiſſa.de dyna. Sp.33.H
Sanitatem futuram oſtendentia, oſtendunt præſentem ægritudinem, quare ſalubria & ægra dicentur & quomodo.ars med. Iſa.67.D
Sanitatẽ certã ꝑmittũt cõcoctiones.in 1ᵐ.de mor.vul.cõ.3°. 3ª.124.E
Sanitas quo modo maxime ſequitur.2°.de diff.feb. 3ª.42.E
Sanitatis tempus quando.4°.de præſag.ex pulſ. 4ª.121.G
Sanitas quando ſit.de ana.viuo. Sp.46.H
Sanitate optima quando fruemur.de ſal.diæ. 2ª.40.H
Sanitatem morbo pulſo inducere, eſt actio ſanitatis.ad Thra. 2ª.105.H
ad Sanitatem ab ægritudine progreſſio quomodo, et qualis ſit. ad Thraſybulum. 2ª.102.E
Sanitas quando inducetur.de decub.progn.ex math.ſcientia. Sp.12.F
Sanitas quomodo infirmo redditur.de ocul. 7ª.185.D
Sanitas reducitur per contraria.3°.meth.me. 7ª.18.B
Sanitas perpetua quomodo habenda.de dyna. Sp.20.A
Sanitatem ſtabilem facit theriaca.de vſu theri.ad Piſo. 5ª.98.C
in Sanitate vtendum theriaca.de ther.ad Pſo. 5ª.96.H
Sanitatem quo mõ qñq; inducit calor febrilis.cõ.6°.aph.40°. Ex.51.A
Sanitas vbi induci non põt, vita proroganda eſt.5°.met.me. 7ª.35.F
Sanitas nõnullis noĩata panacea heræ.5°.de comp.me.per ge. 5ª.245.H
Sanitas inſcriptum emplaſtrum.6°.de comp.me.per ge. 5ª.261.F
SANARE, ſanitatem facere, ſanitatis effectionem ac ſanationem dicere, idem ſignificant.ad Thra. 2ª.105.H
Sanare poteſt medicus magnus.9°.met.me. 7ª.59.C
Sanari non poſſunt ægri omnes.in progn.com.1°. 4ª.189.D
Sanantur plures q̃ moriantur, præter in peſtilenti morbo. commentario 2°.aphoriſmo.13°. Ex.12.E
Sanari quando poſſunt ęgri, & quãdo non.com.2°.aph.16°. Ex.12.H
Sanantur facile imbecilli q ſæpe ægrotãt.2°.de præſ.ex pul. 4ª.110.E
Sanantur ſua ſponte qui.de nat.hum.com.2°. 7ª.180.D
Sanantur quæ ex morbis mortiferis.in 6ᵐ.de mor.vul.cõ.2°. 3ª.169.G
Sanetur qui quarto die, & qui moriatur.1°. de deb.decr. 4ª.150.H
Sanare recte morbos vnde habeat.de vict.rat.in mor.ac.c.1°.7ª.109.D
Sanentur quo modo ægri.1°.met.me. 7ª.5.H
Sanari qui debent in morbis longis, habent appetitum vehementem.cõmentario.7°.aph.6°. Ex.54.D
Sanari quod debet quiete indiget.com.6°.aph.6°. Ex.47.B
Sanari non dicuntur morbi qui alterum faciunt morbum.commentario. 6°.aphoriſmo.26°. Ex.48.G
Sanare maraſmum habentes non eſt tentandum.10°.met.me. 7ª.66.E
Sanatur à centaurea morſus canis rabidi.de vir.cent. Sp.92.H
SANSVGIVM quomodo fiat.de anatom.p. Sp.42.H
SANTONICVM & abrotonõ differunt.6°. de ſimp.me.fa. 5ª.40.F
Santonicum abſynthium vna eſt Abſynthij ſpecies.6°.de ſimpliciũ medicamen.facul. 5ª.40.F
SANTONICI qui de nat.& ord.cuiusl.corp. Sp.41.G
SANI qui dicantur.6°.de ſan.tu. 2ª.97.A
Sanus homo qui ſit.introductio. Iſa.15.C
Sanum eſt moderatum, ægrum vero ĩmoderatum.de conſt.ar. Iſa.39.C
Sanum per excellentiam commoderatum eſt.de conſt.ar. Iſa.39.B
Sani ſecundum naturam ſe habent.contra.Iulia. Ex.68.B
Sanis omnia ſunt ſm naturam.ars med. Iſa.67.D
Sanis addenda verba ſm naturam.1°.de ſan.tu. 2ª.64.A
Sanum ægrotanti diſſimile.9°.de dec.1ª.281.B/c.7°.ap.64°. Ex.59.H
Sanũ & ægrũ medium habere, poteſt colligi.com.2°.aph.4°. Ex.11.F
Sanos cognoſcere debet medicus quos ægros curaturus eſt.de ijs, quæ in med.fi.com.1°. 7ª.198.A
Sanos oculos cognoſcere debet q illos eſt curaturus.de ana.ocu. Sp.57.B
ex Sanis argumentum ſumitur ægrorum.de victus ratione in morbis acutis, com.2°. 7ª.119.A
Sanum propter quod exiſtit organum, per id ipſum lęditur ægrum. 1°. de differ.reſp. 3ª.61.C
Sanorum ſcientia quando habetur.de conſt.ar. Iſa.39.B
Sanum quomodo ſit animal.de de diff.morb. 3ª.2.H
Sanũ quãdo eſt animal.de atrab.1ª.35.E/de trem.palp.cõuulſ. 3ª.54.C
Sanus quando quis degat.de natura.hu.com.1°. 1ª.28.G
Sanum eſt aĩal, cum denſum, & rarum moderate eſt op.ſec. Iſa.26.B
Sanus habet integras operationes.de conſti.ar. Iſa.38.H
Sanos eſſe qui omnes operationes neceſſarias exercere poſſunt, eſt principium ab omnibus approbatum.de diff.mor. 3ª.2.C
Sanum corpus non eſt vnum tantum.ars med. Iſa.68.A
Sanum habet magis, & minus, vt album.1°.de ſan.tu. 2ª.63.D
Sanum, & ægrum corpus vnde ſit.de ſpermate. Sp.40.C

Sanus nemo penitus eſt.de ſan.tu. 2ª.97.A
Sanus erit nullus,ſi conſideremus ſanitatem ex qualitate,& non ex ſenſibili læſione.ars med. Iſa.69.C
Sanis quandoq; fortiores ſunt ægri cur.3°.de dieb.decre. 4ª.158.F
ſi Sanus nullus noſtrum eſt,quid futurum.1°.de ſan.tu. 2ª.63.E
Sanum corpus quid agat.2°.de ſan.tu. 2ª.73.G
Sani ſanos generant,de aere,aquis,& locis. 2ª.4.G
in Sanis duplex finis.8°.met.me. 7ª.154.G
Sanis conſulens ars ſalubris dicitur.ad Thra. 2ª.108.C
Sanis,& ægris vnus cibandi ſcopus,& qui nam ſit.de victus ratione in morbis acutis,com.1°. 7ª.115.C
Sani quo modo debeant cibari. com.1°.aph.17°. Ex.9.D
in Sanis integre debemus probare quæ nutriunt cito, & quæ velociter [ex quo elice ex ſanis eſſe probanda quæ pertinent ad victum] commentario.2°.apho.18°. Ex.13.F
Sanis conuenit habere iecoris meatus apertos.2°.de ali.fac. 2ª.17.F
Sani iuuantur caricis quomodo.2°.de ali.fac. 2ª.17.F
Sanis,& ægris hordeum dandum.1°.de ali.fac. 2ª.9.A
Sano cibus robur eſt.com.7°.aph.62°. Ex.59.G
Sani cum diu à cibo abſtinuerint præſertim cholerici, quæ mala incurrunt.com.6°.aph.51°. Ex.52.A
Sanis ſi repentinæ ciborum mutationes læſionē afferūt, ergo & ægris. de vic.rat.in morb.acut.com.2°. 7ª.119.A
in Sano non eſt neceſſe fieri mucum.8°.de vſu par. 1ª.168.C
Sanis ſanæ,ægris malæ ſunt lunæ ſtationes.3°.de dieb.decre. 4ª.158.A
Sanis,& ægris poteſt pronūciare dies quales futuri ſint, luna.3°.de diebus decretorijs. 4ª.157.H
Sani καθ' ἕξιν ne à vehemēti quidē cā alterantur.5°.de ſan.tu. 2ª.90.F
Sani qui viuunt robuſti periclitant in morbis.2°.de præſ.ex. 4ª.110.E
Sani hominis vrina qualis.de dyna. Sp.19.G
Sanorum vrina optima qualis.de vrin.ſign.ex Hipp. Sp.79.A
in Sanorum vrinis ſucci crudi conſpiciuntur.1°.de alim.fac. 2ª.10.C
in Sanis vrina oleoſa,et in morbi fine.in 3m.de morbis vulgaribus,cōmentario.3°. 3ª.147.G
Sanis ſimilia ſi ſint quæ per veſicam excernuntur,minime ſunt morboſa,quæ vera diſſimilia,morboſa.com.7°.aph.63°. Ex.59.H
Sanis ſimilia in toto corpe bona,diſſimilia mala.c.7°.aph.93°. Ex.59.H
Sanorum excrementa cur ſint bile infecta.5°.de vſu par. 1ª.143.G
Sana corpora ſiue ἀπονίαν ſiue ἀνωδυνίαν ſiue ἀοχλησίαν proprium habent perpetuum.in 1m.de morbis vulgaribus,com.1°. 3ª.112.C
Sani indigent ea arte quæ docet ſeruare ſanitatem .de victus ratione in morbis acutis.com.1°. 7ª.110.E
circa Sana corpora actionibus accommodatis omnibus communis cōſeruatio eſt.ad Thra. 2ª.108.F
Sanum moderate corpus non debet mutari.ad Thra. 2ª.104.E
Sani exquiſite non ſunt moleſtandi re aliqua.6°.de ſan.tu. 2ª.100.A
Sanus & longæuus quibus erit homo.1°.de ſan.tu. 2ª.63.A
Sani qui ſemper erunt.de bon.& vitio ſucc. 2ª.34.G
Sanū hoiem ſuat sāguis p hæmorrhoidas exiēs.de ve.ſe.ad.Er. 6ª.7.B
Sanus homo exercitijs conſuetis eſt conſeruandus.introd. Iſa.55.C
Sanorum gymnaſtica eſt.ad Thra. 2ª.108.A
Sanis non ſunt præcipienda exercitia ſimul cum inedia. commentario.2°.aphoriſmo.16°. Ex.12.H
à Sano moderate corpus deficiens ſecūdum defectum mutari debet. ad Thraſybulum. 2ª.104.E
Sanorum intemperies quo modo curandæ.5°.de ſan.tu. 2ª.93.C
Sani habentes corpus exhauſtū,oleo inungendi.2°.de ſim.m.fa. 5ª.15.H
in Sanis vocant accidētia,quæ ſymptomata in ægris.1°.me.me. 7ª.8.D
in Sanis q̄nq; fit palpitatio cordis,& q̄uo ſanetur.5°.de lo.af. 4ª.29.E
in Sanis rigor qui.de trem. palp.conuulſ. 3ª.53.F
Sani quicunque dolore capitis repente capiuntur , & ſtatim muti fiunt, & ſtertunt,in ſeptem diebus pereunt niſi febris apprehenderit. commen.6°.aph.51°. Ex.52.G
ana corpora non ſunt purganda,& cur.de dyna. Sp.20.D
Sanis helleborus periculoſus eſt,quia conuulſiones facit. commentario. 4°.aphoriſmo.16°. Ex.28.H
cur Sani exoluunt in euacuationibus.com.2°.aph.16°. Ex.12.H
Sani ſi purgentur quæ incidant mala.quos purg.op.quib.me. 5ª.88.B
Sanus ſi purgetur quę accidentia incurrat.com.2°.aph.16°. Ex.12.H
Sani qui debent fieri ęgri,ſi indigent purgatione , vel ſectione venę debent purgari,vel vena incidi.com.6°.aph.47°. Ex.52.B
à Sano viro aquoſa exhibunt,ſi hydragoga ſumet.de atrab. 1ª.37.D
in Sano corpore nonnulli putarunt non generari atram bilem , ſed ſolū in corpore male affecto.de atrab. 1ª.37.D
Sanis quando ſit mittendus ſanguis.de cur.per ſan.miſſ. 6ª.18.B
Sano quomodo prodeſt theriaca.de theria.ad Piſo. 5ª.96.C
Sanę ſunt aquę paludoſę Aegypti,& cur.de bon.aquę. Sp.75.D
in Sano & luxato,ala brachij quomodo ſe habeat.9°.de decr. 1ª.281.B
SAPA *quid.de atten.vic.* 2ª.46.B
Sapa hepſema dicitur,vel ſyreum.3°.de comp.me.per gen. 5ª.229.D
Sapa vinum ſireon dicitur.de atten.vic. 2ª.46.B
Sapa qualis ſit.7°.de comp.me.ſec.loc. 5ª.177.F
Sapa qualis,& quo modo fiat.de vict.rat.in mor.acu. cō.3°. 7ª.125.G/ *de dynamidijs.* Sp.22.F
Sapa ex poſtremo fluore fiat,& ad quàm cocturam coquenda.3°.de cōpoſit.medicam.per gen. 5ª.232.D
Sapa,loco quorum vinorum ponenda.14°.met.me. 7ª.90.B
Sapa ſedat dolorem magis,quā dulcia vina.3°.de cōp.me.ſ.l. 5ª.140.H
Sapa,& ſi mel ęquet dulcedine,tñ nō vellicat ſensū.1°.de ant. 5ª.100.E
vt Sapa craſſa vina quę.12°.met.me. 7ª.76.F
Sapa incraſſat.1°.de alim.fac. 2ª.13.F
Sapa conuenit in deſtillatione tenui.7°.de comp.me.ſec.loc. 5ª.181.A
Sapa liquor eſt quo liquantur papaueris ſuccus & caſtoreum. 12°. metodi medendi. 7ª.79.G
Sapa lenit.3°.de comp.med.ſec.loc. 5ª.145.H
Sapā quando addit diamoro,eſt in declinatione.6°. de compoſi. medica. ſecundum locos. 5ª.167.E
Sapam quidam addunt ptiſſanę.de ptiſ. 2ª.47.C
Sapę mixta lens,cur peſſima,& quid mali agat.1°.de alim.fac. 2ª.13.F
Sapam & lentem corrigit mel.1°.de alim.fac. 2ª.13.F
ex Sapa & origano confectum medicamentum.de cucurb.ſcar. 6ª.4.E
in Sapa origanum feruefaciendum iubet, & ſtomachico pharmaco addendum.6°.de comp.me.ſec.loc. 5ª.168.F
Sapa in neruorū vulneribus valet.3°.de comp.me.per gen. 5ª.232.C
Sapa detergenda ſunt vulnera neruorum.6°.met.me. 7ª.38.D
Sapa ad inflationes muſculorum q̄uo vtendum.14°.met.me. 7ª.88.F
SAPHENA *cuius venę ſit ramus.de anato.vit.* Sp.54.G
Saphenę ramus eſt vena ſupra calcaneum.de ana.viu. Sp.54.H
Saphena quando ſecanda ſit.de ana.viuo. Sp.54.H
SAPHIRI *roborant cor diſſolutum.de ana.viu.* Sp.46.D
Saphyrus potus ictos à ſcorpio iuuat.9°.de ſimp.me.fac. 5ª.67.E
SAPIDVS *ſapor qualis ſit,& vnde oriatur.de ocul.* 7ª.188.A
Sapido propinqui ſunt fructus à terra ſublimes.de ocul. 7ª.188.A
Sapidi cibi,dulces,ſubtiles,abſtergunt,& qui ſint. de diſſ.con. Sp.72.E
SAPIENTES *non ſunt homines.de co.cu. ani.mor.* 2ª.51.B
Sapiens ſimilis Deo eſt.de cog.cur.animi mor. 2ª.51.B
Sapiens eſt ſine peccato.de cog.cur.animi mor. 2ª.51.G
Sapientes non habent perturbationem.5°.de dec.Hipp. 1ª.254.D
Sapientes abundant atrabile.2°.de nat.fac. 1ª.301.D
Sapientis liber ſi mēdaciū habeat potius debemus noſtrę intellectioni attribuere,& autorē excuſare,q̄ ipſi derogare.cō.6°.a.34°. Ex.50.B
SAPIENTIAM *artificis non ſolum homo,ſed omne animal clare oſtēdit,& quanto ipſum minus fuerit,tanto maiorem admirationem excitare ſolet.17°.de vſu par.* 1ª.222.D
Sapientia ſumma quę.de vſu par. 1ª.133.D
Sapientiam perfectam non admittit ſubſtantia,qua fiunt animalia. 14°. de vſu partium. 1ª.204.D
Sapientia vera,ac prima eſt diuinarum humanarumq; rerum ſcientia. 1°.methodi medendi. 7ª.2.C
Sapientię inanis cauſa qui bona aut mala conſtituunt maxime peccant. de cu.animi pecc.not.atq; med. 2ª.56.F
Sapientię amor aufert contentionem.3°.de diff.pulſ. 4ª.59.B
Sapientię ſtudium qui quęrebat tempore Galeni, inſanus putabatur.1°. methodi medendi. 7ª.2.C
SAPIENTISSIMVS *ſolus ſeipſum perfecte cognoſcit. de cog. cur. animi mor.* 2ª.50.E
SAPERE *eſt in capite.de vict.rat.in morb.acut.com.3°.* 7ª.131.F
Sapis tu,ille vero eſt ignarus,quo modo vno carmine ab homero exprimatur.2°.de diff.pulſ. 4ª.56.D
quę SAPIVNT, *& appetuntur ſunt velocioris coctionis. de diſſolutione continua.* Sp.73.B
SAPO *quo modo fiat,& eius vires.de ſimp.med.* Sp.90.G
Sapo omnis acriter relaxat,omnē ſordē de corpore abſtergit vel de pannis,& exſiccat,mittitur & in cauſtica.de ſimp.med. Sp.90.G

Sapo maxime

Sapo maxime detergit.8°.meth.med. 7ª.52.H
Sapo pro abſtergendis varis facici conuenit.de reme.par.fac. 7ª.157.B
Sapo gallicus.5°.de comp.me.ſec.loc.5ª.160.E/F/de medic.fac.par.7ª. 167.E/de dynamidijs. Sp.28.H
Sapo ſancus.de med.fac.par. 7ª.173.C
Saponē ſpatarēticū accipi iubet pro hæmorrhoidibus.de dyna.Sp.28.G
Sapo ſpatulanus.de dynamidijs. Sp.31.C
ex Sapone balanus in quo caſu.de med.fac.par. 7ª.167.E
Sapone vtitur,et in quo caſu,ac qūo.2°.de comp.me.ſec.loc. 5ª.139.D
Saponis miſtra forte eſt lixiū quoddā.3°.de comp.me.per gen. 5ª.228.F
Saponarij prima gutta eſt miſtra ſaponis.de dyna. Sp.23.A
Saponis ius primum ad quid vtile.de med.fac.par. 7ª.70.G
SAPOR ſentitur quid ſit.de ocul. 7ª.183.F
Sapor ab antiquis dictus eſt chymus.de ocul. 7ª.183.F
Sapores conſequuntur mixtionem ex qualitatibus.1°.de vſu pa.1ª.115.D
Saporum ſpecies enumerantur & inueniuntur.de ocul. 7ª.188.A
Saporum nouem ſpecies.de comp.memb. Sp.58.D
Sapores qui dulces,qui non.4°.de ſimp.me.fac. 5ª.31.A
Sapor ponticus qualis.de ocul. 7ª.188.A
Sapores ſalſi,& ſalſilaginoſi.aduerſus Lycum. Ex.63.G
Sapores non ſunt alienæ qualitatis expertes.3°.de ſimp.me.fac. 5ª.32.B
Sapor medius inter ſapores qualitatis expers dici poteſt, & quare.2°. de alimen.facul. 2ª.16.F
in Saporum medio eſt aqua.2°.de alim.fac. 2ª.19.G
Sapores omnes retundit aquea humiditas.4°.de ſimp.me.fac. 5ª.26.F
Sapores ſunt ſciendi à Medico.1°.de alim.fac. 2ª.9.A
in Saporibus cognoſcendis quid agendum.4°.de ſimp.me.fac. 5ª.25.C
Sapores vt guſtatu,ita febres tactu depræhendunt. in 6m.de mor.vulg. commentario.1°. 3ª.159.E
Sapores cur lingua percipit.2°.met.me. 7ª.10.F
Saporum nunciæ venulæ tenduntur à lingua ad cor ſecundum Platonē. 1°.de ſimp.me.fac. 5ª.8.D
Sapores diſcernunt dentes cum lingua,non aliter quam aliæ oris partes 19°.de vſu partium. 1ª.215.A
Sapores quomodo lingua vitioſe ſentiat.1°.de ſymp.cauſ. 3ª.15.G
Sapores qui continuitatem diuidant.1°.de ſymp.cauſ. 3ª.16.H
Sapores varios habent vinum,& liquores alij ex terra ſibi admixta.de vtilitate reſpirationis. Sp.64.F
Sapores diuerſi ſunt ī varijs alicuius fructus ptibꝰ.de att.vic.2ª.46.A
ex Saporibus malorum ſpecies habentur.2°.de alim.fac. 2ª.19.F
Sapores diuerſarum aquarum.de bon.aquæ. Sp.75.E
Sapore non ſunt quærendæ qualitates rerum.3°.de ſimp.me.fac.5ª.17.C
Sapore eodē,odore,caloreq;,aut huiuſmodi alio prædita omnia q exiſtimant vires eaſdem obtinere,fallūtur,& quare.1°.de ali.fac. 2ª.7.D
Sapor indicat de temperamento plantæ. 1°.de alim.fac. 2ª.24.E
ſine Saporibus medicamentorum vires cognoſcuntur. 4°. de ſimp.medicamentorum facul. 5ª.26.C
Sapor innuit virtutem medicinæ.de ocul. 7ª.187.G
Saporibus maxime oſtenduntur vires medicinæ,de ocul. 7ª.187.G
pp Saporē malū quæ miſcenda medicamentis.3°.de ſimp.me.fa.5ª.20.C
Saporis boni,& dulcia cur miſceanī medicinis.de med.exp. Sp.108.G
Saporem abominabilē habentia,tarde digeruntur.de diff.cont.Sp.73.D
de Sapore communi coitus.de compag.memb. Sp.59.D
SAPROTES xylon,id eſt caries lignorū,quæ particeps eſt adſtrictionis & abſterſionis,ad quid valeat.8°.de ſimp.me.fac. 5ª.60.A
Σάρακον quid appellant Attici.1°.de alim.fac. 2ª.15.G
SARACENI gummi. de dynamidijs. Sp.27.B
Σκεράζω quid ſignificet.de arti.com.1°. 7ª.256.G
SARCEVTHITAE emplaſtrum ad extrahendum.6°.de comp. medi. ſecundum locos. 5ª.261.B
SARCOCELE quid.de tum.præt.nat. 3ª.84.F
Sarcocele eiuſdem eſt generis cum ſcirrhis.14°.met.me. 7ª.92.C
Sarcocele affectus ſcroti.introd.59.D/ Iſa.60.B
SARCOCELICORVM curatio.introd. Iſa.60.B
SARCOCOLLA quid.de ſimp.med. Sp.89.G
Sarcocolla quibus adulteretur.de ſimp.med. Sp.89.G
Sarcocolla qualis.4°.de comp.me.ſec.loc.5ª.151.D/de ocul. 7ª.188.H
Sarcocolla emplaſtica & amara eſt.8°.de ſimp.me.fac. 5ª.60.B
Sarcocolla medicamentum mite eſt.4°.de comp.me.per gen. 5ª.238.G
Sarcocolla citra morſum ſiccat.8°.de ſimp.me.fac. 5ª.60.B
Sarcocolla oculis conuenit.de ocul. 7ª.188.G
Sarcocolla ſtringit lachrymā,hilarē viſum facit.de ſimp.med. Sp.89.G
Sarcocolla glutinare vlcera valet.8°.de ſimp.me.fac. 5ª.60.B
Sarcocolla ad vlcera maligna valet.4°.de comp.me.per gen. 5ª.236.F
Sarcocolla maturat.de ocul. 7ª.189.D
SARCOEPIPLOCELE eſt tumor ſcroti compoſitus.intr. Iſa.60.B
SARCOMA quid.fin.med. Iſa.48.G
Sarcoma quomodo differt à polypo.fin.med. Iſa.48.G
SARCOMPHALON quid.fin.med. Iſa.49.B
SARCOPHAGON appellant lapidem aſium.de ſimp.med. Sp.86.F
Sarcophagi Theudæ emplaſtrum.6°.de comp.me.per gen. 5ª.261.A
SARCOSIS quid fin.med. Iſa.50.A
Sarcoſis eſt affectus partium interiorum palpebrarum.introd.Iſa.58.D
SARCOTICAE facultates quæ.5°.de ſimp.me.fac. 5ª.32.C
Sarcotica quæ ſint.3°.met.me. 7ª.16.G
in Sarcotica medicamenta pumex ponitur.9°.de ſimp.me.fac. 5ª.69.G
SARDA terra qua tinctores vtunī.4°.de comp.me.per gen. 5ª.242.H
SARDAE ad ſaliendum appoſitæ ſunt.3°.de ali.fac. 2ª.33.C
circa SARDES aer peſtilens ſępenumero habet.1°.de ſan.tu.2ª.67.A
Sardis copioſæ oriuntur caſtaneæ vnde & ſardianæ dictæ. de bonitate & vitio ſuccorum. 2ª.36.C
SARDENAE ad ſaliendum appoſitæ ſunt.3°.de alim.fac. 2ª.33.C
SARDICA ſalſamēta oīum ſunt præſtantiſſima.3°.de ali.fa. 2ª.33.D
ex SARDINIA plurimæ palamides adferuntur.3°.de alim.f. 2ª.31.G
SARDONIVS lapis.de med.fac.par. 7ª.168.G
Sardonyches nō recte tāto ſtudio appetunī.de cog.cur.an.mo. 2ª.54.H
Sardous lapis quarum ſit virium.de incant.adiu.ſuſp. 7ª.182.A
SARMENTORVM oliuæ cinis qualis.de ſimp.med. Sp.86.A
Σαρωά id eſt marcida.de fract.com.3°. 7ª.247.G
in SARTAGINE parata conſiderandum an qualitatis vehementiam deponant.2°.de alim.fac. 2ª.24.H
in Sartagine frixa ſunt ſicciora.3°.de alim.fa. 2ª.29.D
in Sartagine frixa quale nutrimentum dant.3°.de ali.fac. 2ª.26.C
SARXIPHAGON vocant ceſtrum herbam.5°.de ſan.tu. 2ª.91.C
SATIETAS ad quid pertinet.de mul. 3ª.77.F
Satietas quæritur in omni particula in libro de multitudine à Galeno. de multitudine. 3ª.77.F
Satietatis arteriarum ſcientifica indicia vbi à Galeno tradita. de multitudinc. 3ª.77.F
Satietatis quæ ad venas refertur, ſignum nullum inuenit Galenus. de multitudine. 3ª.77.F
Satietas nimia naturales operationes impedit.de cauſ.mor. 3ª.8.F
Satietas calculos renum gignit.de ren.aff.dig.& med. 7ª.194.D
SATIS vnum faciunt modica multa.in 6m.de morbis vulgaribus commentario.2°. 3ª.165.A
SATVRI cito ſentiuntur quibus naſcitur morbus in veſica. de dynamidijs. Sp.19.H
SATVREIA quid,& eius vires.de ſimp.med. Sp.91.A
ſupra Satureiam ſuperfluum quod naſcitur purgat, vt epithymum,licet debilius.de dyna. Sp.21.B
Satureia exſiccat.3°.de alim.fac. 2ª.26.D
Satureia attenuat.de atte.vic. 2ª.43.H
Satureia obſonium eſt ſponte proueniens.2°.de ali.fac. 2ª.25.D
cū Satureia ficus ante cibum quando conueniant.2°.de ali.fa. 2ª.17.F
Satureiam aut pulegium poſtulat Edulium quod phacoptiſſana vocatur 1°.de alimentorum facul. 2ª.13.F
SATVRELI, id eſt aceti acetoſi fit mentio.ſecret. Sp.98.F
SATVRITATI vacant pueri,vt bruta.5°.de dec. 1ª.258.H
ad Saturitatem non vtendum ſericis nec ſorbis.de atten.vic. 2ª.45.D
SATVRNVS frigidus eſt,& ſiccus.de comp.memb. Sp.59.F
ſub Saturni poteſtate eſt terra illa quæ eſt frigida & ſicca in quarto gradu.de ſpermate. Sp.40.C
Saturnus quæ appetere faciat.de decub.prog.ex.math.ſcient.Sp.13.A
Saturni quo aſpectu æger eſt in vitæ diſcrimine.de decub.progno.ex mathematica ſcientia. Sp.12.F
Saturnum efficere affectiones frigidas,et rheumaticas.de decub.prog. ex mathem.ſcientia. Sp.12.H
SATYRIASIS quid.fin.med. Iſa.47.H
Satyriaſis ex quo genere ſit.de cauſ.morb. 3ª.8.B
Satyriaſis puerorum & amantiū quæ.de moti.man.& obſcu. Sp.67.D
Satyriaſi laborantibus cathartica adhibemus.de dyna. Sp.20.E
ad Satyriaſim.ſecretorum. Sp.100.A
SATYRICVM medicamentū multi ſeminis eſt.5°.de ſim.me.f.5ª.38.C
SATYRISMVS quæ affectio,& vnde dicta.de tum.pr. 3ª.84.E

Satyriſmi à ſimilitudine nominantur.2º.met.me. 7ª.9.E
Satyriſmus pudendorũ q̃d ab aliquibꝰ vocet̃.de tum.præt.nat. 3ª.84.E
SATYRIVM quid & eius vires.de ſimp.med. Sp.91.B
Satyrium humidũ,& calidũ tẽperatura eſt.8º.de ſimp.me.fac.5ª.60.B
Satyrium potata venerea prouocat,lippitudines optime curat. de ſimplicibus medicaminibus. Sp.91.B
Satyrium erythraicum.de ſimp.med. Sp.91.B
SATYRI quomodo pinguntur & iudicantur.in 6ᵐ.de mor.vul. commentario.3º. 3ª.172.G
SATYRVS nouus ſcriptor anatomiæ.de nat.hu.com.2º. 7ª.183.F
Satyrus ſumendus pro anatomia.6º.de ana. adm. 1ª.89.F
Satyrus præceptor fuit Galeni.de ord.li.ſuo.Iſa.15. D/de ana. 1ª. 63.D/ in 3ᵐ.de mor.vul.cõ.1º.3ª.134.D/in 1ᵐ.pror.Hipp.com.1º. 4ª.163.F
Satyrus magiſter Galeni, & quid diceret eſſe ex facetijs Quinti.1º. de antidotis. 5ª.106.C
ſub Satyro quo tempore ſtuderet Galenus.1º.de ana.adm. 1ª.64.A
SAVICH ſicca eſt cibus ſiccus.de diſſ.cont. Sp.74.D
Sauich ordei ſtringit ventrem cum ſiccitate.de diſſ.cont. Sp.75.B
SAVINA quid.de ſimp.med. Sp.85.C
Sauina acres vires habet,& excalfactorias,partum expellit ſuper vrinam ſanguinem inducit.de ſimp.med. Sp.85.C
Sauina menſes valenter ciet.de cur.rat.per ſang.miſſ. 6ª.20.F
SAVRA chalcidica ſuũ ipſius ictũ ſanat.11º.de ſimp.me.fac. 5ª.82.G
Saurarũ caput palos,& ſpicula extrahit.11º.de ſimp.me.fac. 5ª.79.G
Saurarum caput myrmecias,acrochordonas & clauos extrahit.11º.de ſimp.me.fac. 5ª.79.G
SAVROMATAE fœminæ æquites ſunt.de aer.aq.& lo. 2ª.5.C
in Sauromatibus eſt locus ſuper quem neq; auis volare poteſt.de bonitate aquæ. Sp.76.A
SAXATILES piſces qui,& vnde vicant̃.3º.de ali.fa. 2ª.30.H
Saxatiles piſces inter cõgeneres nullũ hñt diſcrimẽ.3º.de ali.fa.2ª.30.H
inter Saxatiles ſcarus præſtantior eſt. 3º.de ali.fa. 2ª.31.A
Saxatiles piſces ſemper optimi.3º.de alim.fa. 3ª.31.C
Saxatiles piſces cur perpetuo optimi.3º.de alim.fa. 2ª.31.B
Saxatiles piſces cæteris præſtantiores ſunt de boni.& vit. ſuc. 2ª.37.G
Saxatiles piſces optimi ſunt ad detergendum.4º.de ſan.tu. 2ª.84.F
Saxatiles piſces ſunt boni ſucci & non glutinoſi.4º.de ſan.tu. 2ª.86.B
Saxatiles piſces non ſunt craſſi neq; tenues.de bon.& vit.ſuc. 2ª.34.H
Saxatiles piſces non ſunt ad ſaliendũ accõmodi.3º.de ali.fac. 2ª.33.C
ex Saxatilibus piſcibus alimentum ſaluberrimum,& quale.3º. de alimentorum facul. 2ª.30.H
Saxatiles piſces quos humores generant.com.2º.aph.18º. Ex.14.B
ex Saxatilibus piſcibus ſanguis generatus habet mediam conſiſtentiã 3º.de alim.fac. 2ª.30.H
Saxatiles piſces coctu faciles ſunt.1º.de ali.fac. 2ª.8.G
Saxatiles piſces quidam difficilius concoquunt quàm carnem bubulam. 1º.de alimen.fac.7.G/ 2ª.8.G
Saxatiles piſces cur difficilius cõcoquãt q̃ bubulã.1º.de alim.fa. 2ª.7.G
Saxatiles piſces in albo iure bene elixos dat in febre,ſi carnẽ petãt. 4º. de ſanitate tuenda. 2ª.87.G
Saxatiles piſces conueniunt ſiccitati præter renum noxam.6º. de ſanitate tuenda. 2ª.99.G
ex Saxatilibus piſcibus obſonium pro ſiccis conueniens eſt. 7º.methodi medendi. 7ª.45.C
SAXATINA ad ſaliendum appoſita ſunt.3º.de ali.fac. 2ª.33.C
SAXIFRAGIA lienem iuuat peculiariter.de the.ad Piſo. 5ª.91.A
Saxifragia lapidem renum frangit. 7ª.192.C
Saxifragia frangit lapidem renum,& veſicæ.de cathar. Sp.95.D
SAXA habent plurimum terræ.9º.de ſimp.me.fac. 5ª.64.G
Saxa à mõtibus deuoluta cur nõ ſiſtãt niſi in plano.4º.de dec. 1ª.249.C
Saxum candens è cœlo decidit.de hiſt.philo. Sp.6.D
SCABRAE affectiones oculorum quibus ſanentur. 4º.de comp.me.ſec.loc. 5ª.151.B
SCABIES quid.introductio. Iſa.57.G
Scabies eſt morbus euidens.de diff.morb. 3ª.3.D
Scabies fit in ſuperiori cute,& etiam in veſica, & venis , & quomodo ab inuicem diſtinguantur.com.4º.aph.77º. Ex.36.F
Scabies,Myrmecia,Leuce,vitiligo,Sphacellõ,Elephas,et Lepra ex mutatione ſolidarum partium conſiſtunt.14º.met.me. 7ª.92.C
in Scabie lepra,atq; lichenibus cutis ſuperficies tenue quiddam remittit,quale eſt quod ſerpẽtũ ſenectã nominamꝰ.cõ.4º.ap.77º.Ex.36.F
Scabies eſt affectus melancholicus.3º.de alim.fac. 2ª.25.G
Scabies numerat̃ inter paſſiones melãcholicas.cõ.7º.aph.40º. Ex.57.B
Scabies,lepra,& elephas melancholici affectus ſunt.de tum. 3ª.84.E
Scabies vnde proueniat.introductio. Iſa.57.G
Scabies ab humore melancholico fit.de bon.& vitio ſucc. 2ª.39.D
in Scabiẽ facile trãſeunt lichenoſi tumores.5º.de cõp.me.ſe.l.5ª.160.C
Scabies non eſt quæ fit ex impetigine.1º.de cõp.me.ſec.loc. 5ª.121.F
Scabiem incidebant qui malos cibos ob annonam ederant.de boni.& vitio ſuccorum. 2ª.33.G
Scabies quomodo fiat propter exercitium. com.3º.aph.20º. Ex,24.C
Scabies ſæpe affectus eorum eſt, qui facile malum ſuccũ congerunt. 4º. de ſanitate tuenda. 2ª.83.B
Scabiei inſtar, ac lepræ,puſtulas in corpore cõtraxerunt aliqui,qui prauos cibos comederunt.1º.de diff.feb. 3ª.31.G
Scabiẽ habere medicũ eſt turpiſſimũ.in 6ᵐ.de mor.vul.cõ.4º. 3ª.181.H
vt Scabies,& lippitudo peſtilentia contagioſa eſt.1º.de dif.feb. 3ª.31.B
Scabiei curatio.introd. Iſa.57.H
Scabie laborantibus cathartica adhibemus.de dyna. Sp.20.E
Scabiei vetuſtæ putrefactiua valent.de ocul. 7ª.189.C
Scabiei prodeſt fomentatio aquæ in qua decocti ſint lupini.de ſimp.medicament. Sp.86.C
ad Scabiem oleum frumenti.de dyna. Sp.30.D
ad Scabiẽ ſmegma,& ad ſcabiem cutis.1º.de cõp.me.ſe.lo. 5ª.131.A/B
ad Scabiem cur optimum ſulphur.9º.de ſimp.me.fac. 5ª.69.D
ad Scabiẽ ſanandam.2º.de comp.me. per gene.5ª. 224. E/de med. fac. par.172.E/7ª.179.B/de dyn. Sp.30.E/H
ad Scabiem equorum.de med.fac.par. 7ª.173.B
SCABIES morbus eſt palpebræ ſuperioris.de ocul. 7ª.186.H
Scabies palpebræ quotuplex.de ocul. 7ª.186.H
contra Scabiem palpebrarum quæ valeant.de ocul. 7ª.189.C
ad Scabiem palpebrarum collyrium.de ocul. 7ª.191.D
SCABIES effectus eſt circa genas & ãgulos oculorũ.fin. m.Iſa.48.F
Scabies oculi,& genarum quid.fin. med. Iſa.48.F
ad Scabiem pruriginoſam oculorum à Sole,& puluere ortam.de remedijs paratu facilibus. 7ª.156.F
ad Scabies duras oculorum.de ocul. 7ª.190.H
ad Scabiem oculorum.de ocul. 7ª.191.E
ad SCABIEM vnguium.de med.fac.par. 7ª.176.G
SCABIES eſt affectus ſcroti. fin.med. Iſa.49.C
SCABIES veſicæ quomodo fiat.de dyna. Sp.29.A
Scabies veſicæ qua vrina ſignificetur.de dynamidijs.35.C/de vrinæ ſign. ex Hippoc. Sp.78.H
SCABIOSIS cur pruritus excitetur,& non iuuantur etiam ſi excorientur.2º.de ſymp.cau. 3ª.23.H
Scabioſorum ſuccus qualis.2º.de ſymp.cauſ. 3ª.23.H
Scabioſis vtiliſſima eſt hiera ruffina.de dynamidijs. Sp.30.D
Scabioſos curat puluis ciricus.de dyna. Sp.30.C
ad Scabioſos affectus,candidum quod magnum dicitur, accommodatũ eſt medicamentum.2º.de comp.me.per gen. 5ª.224.D
ad Scabioſos affectus.5º.de comp.me.per ge. 5ª.251.H
SCALAE compoſitio ad humerum reſtituendum in alam prolapſum.de machinam. 7ª.311.F
ſupra Scalas quomodo æger ſit ligandus.de machin. 7ª.311.F
Scala plana quomodo collocanda.de mahin. 7ª.313.G
ĩ Scala plana ad hũeri caput reſtituẽdũ,qñ ĩ alã excidit.đ mac.7ª.313.H
ꝑ Scalam humeri repoſitio.de artic.com.1º. 7ª.254.G
Scalis vtitur ad vertebras aptandas.de artic.com.3º. 7ª.270.E
SCALMVS quid,& ad quid in organis.de machin. 7ª.310.E
SCALPELLVS inſtrumenti nomen.6º.de ana.adm. 1ª.92.H
Scalpellus qualis eſſe debet.8º.de ana.adm. 1ª.101.A
Scalpelli forma.6º.met.me. 7ª.39.D
Scalpelli mirtei forma ad neruos intercoſtales inuiolato ſeruandos. 8º. de anatom.admin. 1ª.101.A
Scalpello quæ abſoluuntur.ad Thraſ. 2ª.104.H
Scalpelli quales in fractura ſimplici ad cerebri membranas peruenienſte.6º.methodi medendi. 7ª.42.B
Scalpellis anguſtis indigent ſimplices fracturæ , quæ ad ſecundam vſq; laminam perueniunt.6º.met.me. 7ª.42.A
Scalpello magno & valenti quando opus eſt.7º.de ana.adm. 1ª.95.D
Scalpello celerius aperuit locum abſceſſus emplaſtrum. de theriaca ad Piſonem. 5ª.90.D
Scalpello id eſt ſmilio quandoq; euacuandum.de cucur.ſcar. 6ª.4.A
Scalpello in quibus non indigemus.ad Thraſ. 2ª.104.H

Scalpello in

Scalpello in quibus vti non licet.5°.de compoſit.medic.per ge. 5ª.250.B
SCALPRVM eſt inſtrumentum chirurgicum.de iis,quæ in medicatrina fiunt,com.1°. 7ª.202.H
Scalprum habet lenticulę ſpeciem.6°.meth.med. 7ª.42.D
Scalprum ad Myrtacei folij ſpeciem formatum.14°.meth.med.7ª.92.H
Scalpra exciſoria caua Cycliſcus græce vocant.6°.meth.med.7ª.42.A
SCALPTVRA per acutum cœlum quo tempore aſſidue fiat, & in quo caſu.1°.de comp.med.ſec.loc. 5ª.124.C
SCALPTVS quid ſit.in 6^{m}.de morb.vul.com.5°. 3ª.189.E
SCAMMONIVM quid de ſimp.med. Sp.90.D
Scammonium quo modo adulteretur.de ſimp.med. Sp.90.D
Scammonium multi poſſunt guſtare & intueri,tamen vtilitates,& mala quæ ex illo eueniunt,ignorant.1°.de elem. 1ª.5.H
Scammonium aut mulſam bibere nulla ſocietate participant. ad Thraſybulum. 2ª.105.A
Scammonio purgare,inter primas actiones numerat.ad Thra.2ª.108.F
Scammoniũ eſt leuiſſimũ & facile ad corpus attrahit.de dyn. Sp.20.H
Scammonij operationẽ plerũq; febrilis impedit calor.de dyna. Sp.20.H
Scammonium aluum purgare oĩbus notũ eſt.de ſub.fac.nat. 1ª.230.D
Scammonium plerunq; purgat ventrem.de ſubfi.emp. Iſa.32.D
Scãmoniũ ſubducit vẽtrẽ,quia medicamẽtoſum eſt.1°.de alim.fa.2ª.8.D
Scãmoniũ in ptiſſana parciſſime poſitũ aluũ ſubducit.1°.de ali.fa.2ª.8.D
ex Scammonio lac ſolutiuum fit.5°.de ſan.tuen. 2ª.91.H
Scammonium in ſero clam poſuit Galenus,vt inuitam purgaret mulierẽ.14°.meth.med. 7ª.92.F
Scammonium purgat corpus ſuperius,& inferius,& caput, & phlegma cum cholera.de cathar. Sp.95.A
Scammonium bilem flauam educit.de ther.ad Piſo.90.F/2°.de compoſitione medica.ſec.loc.5ª.136.H/de din.20.H/de cathar. Sp.94.F
ex Scammonio hiera flauã bilẽ purgat.1°.de compoſi.me.ſe.lo.5ª.121.E
Scãmoniũ dãdũ vbi bilis peccat.de vict.rat.in mor.acu.cõ.4°.7ª.142.F
Scãmonia bilẽ non attrahit ex arquatorũ corpore ſm Aſclepiadẽ,& bonũ ſanguinẽ vertit in bilẽ,colliquando corpus.1°.de nat.fac.1ª.294.B
Scammonium educit ſanguinis corruptiua.de dynamidijs. Sp.21.A
Scammonium quibus dandum.de dyna. Sp.20.H
Scammonio addito elleborus niger fit fortior.de dynam. Sp.21.A
Scãmonij,& veratri cõparatio cũ pane & carnibus.2°.de diff. 4ª.53.C
Scammonij doſis quanta debeat eſſe.de dyn. Sp.21.A
Scammonium inſuaue eſt,& grauiter olens.de dyna. Sp.20.H
Scãmoniũ præ omnibus catharticis eſt cacoſtomachũ.de dyn. Sp.20.H
Scammonium ſtomacho maxime dolorem infert.de dyn. Sp.20.H
Scãmoniũ ſtomachũ euertit,vẽtrẽ viſcide purgat.de ſimp.me. Sp.90.D
Scammoniom effugiant qui habent ſtomachum debilẽ.de dyn. Sp.20.H
Scammonio quę miſcenda.de dyna. Sp.21.A
Scãmonium in malo cydonio quo modo præparetur.1°.de alim.f. 2ª.9.B
Scãmoniũ propter quid non datur ſed cydonium.1°.de alim.fac. 2ª.9.B
Scammonium in cydonio non obeſt ſtomacho.1°.de alim.fa. 2ª.9.B
Scammonium non dabant antiqui,ſed malum cui inditum eſſet Scammonium.3°.de ſimplicium medicamen.facul. 5ª.20.C
Scammonium valde ſitim facit.de dyn. Sp.20.H
ex Scammonio noxam in inteſtinis habentis quadragenarij caſus.12°.methodi medendi. 7ª.78.G
Scammonij ſuccus quid fecerit.2°.de alim.fac. 2ª.20.B
Scammonij ſymptomata,pira,poma punica auſtera aſtringentia ſanant.2°.de alim.fac. 2ª.20.F
ex Scammonio affectui facto theriaca conuenit.12°.met.med.7ª.79.A
ex Scammonio,aloe,& colocynthide pilulæ ſucco braſſicæ exceptę quo caſu conueniant.1°.de compo.me.ſec.loc. 5ª.131.F
ex Scammonio aloe, & colocynthide pilulæ Galeni, & quomodo illis vſus ſit in prętumida lingua.14°.meth.med. 7ª.89.C
ex Scammonio,aloe,& colocynthide æqualiter contritis et ſucco braſſicæ exceptis catapotia Galeni fiunt,& ꝙ valeant ad Achoras.de remed.par.fac. 7ª.154.D
Scammonij & aloes partes duæ medullæ colocynthidos pars vna, & ſucci abſinthij pars vna ſucco pomorum excepta pilulas faciunt ad alopeciam,& opliaſin.de remed.par.fac. 7ª.154.G
SCAMNVM Hippocraticum quid medici poſteriores vocant. de articulis commen.1°. 7ª.251.D
Scamni figura & compoſitio qualis.de machin. 7ª.311.E
Scamnum Hippocratis quo modo confectum.de machin. 7ª.318.H
in Scamno Hippocratis ligna quæ dicuntur φλιαὶ.de mach. 7ª.318.H
Scamnum Hippocratis ad articulos reponendos per ſe ſatis eſt.de machinamentis. 7ª.310.G
per Scamnum Hippocratis repoſitio humeri capitis in alam prolapſi.de machinamentis. 7ª.319.D
SCANDIX olus in genere agreſtium eſt.8°.de ſimp.me.fac. 5ª.60.G
Scandix calida & ſicca eſt in ſecundo,aut in tertio ordine incipiente. 8°.de ſimplicium medicamentorum facul. 5ª.60.G
Scandix vrinam valenter ciet,& viſcera obſtructione liberat.8°.de ſimplic.medic.fac. 5ª.60.G
Scandix vrinam mouet.de cura icteri. Sp.111.D
Scandix eſt vitioſiſſimi ſucci.de bon.& vitio ſuc. 2ª.37.G
Scandicen comedunt homines fame adacti.2°.de alim.fac. 2ª.22.B
SCAPHA eſt vinculum tantum.de faſcijs. 7ª.293.H
Scapha,ſeu tholus,diocleus quo modo fiant.de faſcijs. 7ª.295.F
Scapha,vel tholus vinculum ad caluariam.de faſcijs. 7ª.295.C
Σκαφία ruſtica inſtrumenta appellat Hippocrates Ligones. de fract.commenta.2°. 7ª.232.C
Σκαφοειδὲς quid vocetur.de fract.com.2°.233.B/ 7ª.234.C
Scaphoidis figura quæ.introd. Iſa.55.A
Scaphoides os quod.de oſſibus. 1ª.43.F
SCAPVLAS Græci ὠμοπλάτας nominant.13°.de vſu par. 1ª.202.D
Scapulæ quæ.de oſſibus. 1ª.42.G
Scapulę quibus componantur.de oſſibus. 1ª.42.G
de Scapularũ ꝑtibus,& cur ita neceſſario diſpoſitæ.13°.de vſu. 1ª.202.E
in Scapulis cur ſpõdyli multi,& diſpoſiti vt ſunt.13°.de vſu. 1ª.202.F
Scapulæ ceruix quid.de oſſibus. 1ª.42.G
in Scapularum & humerorum extremitatibus chartilagines quædã poſitæ ſunt:vt in hora percuſſionis minor fiat læſio.de ana.vi. Sp.55.D
Scapulæ os paruum chartilaginoſum neq; in ſimijs, neq; in alijs quibuſdam reperitur,& cur ſit in homine.13°.de vſu par. 1ª.203.B
Scapularũ latũ os iuxta iugulũ quo vinculo ſit deligandũ.de fa.7ª.301.E
Scapulæ cauitas cur ſuperficiaria,& ſupina.15°.de vſu par. 1ª.203.C
Scapularũ diuiſio à thorace quare à Galeno fiat.5°.de ana.adm. 1ª.84.F
Scapulas in modum alarũ habent πτερυγώδεις.in 3^{m}.de morbis vulg.commen.3°. 3ª.146.G
Scapulæ in morẽ alarũ tabidis fiunt.in 3^{m}.de mor.vul.com.3°. 3ª.146.C
Scapularum vtilitates quales.13°.de vſu par. 1ª.202.E
Scapulæ quibus venis nutriantur.de vict.rat.in mor.ac.cõ.2°. 7ª.117.E
de Scapulæ motu.13°.de vſu par. 1ª.204.A
Scapula magnis motibus agitur.4°.de ana.adm. 1ª.82.D
de Scapulæ muſculo.13°.de vſu par. 1ª.204.A
Scapularum gratia muſculus qui natura formatus.4°.de anato.1ª.82.D
Scapularum muſculi qui.4°.de ana.admin. 1ª.83.H
Scapularum muſculi lati ſunt.16°.de vſu par. 1ª.216.A/G
Scapularum muſculi quo modo ſecandi.8°.de ana.adm. 1ª.101.E
Scapulas qui muſculi moueant.de muſc.diff.46.E/4°.de anat. 1ª.84.D
Scapulam vtranque mouentes muſculi ſunt ſeptem, & qui nam ſint.de muſculorum diſſect. 1ª.45.B
Scapulis ſex muſculi ſunt peculiares,& qui.4°.de ana.adm. 1ª.84.D
Scapulas ad caput trahentes muſculi vnde oriantur & procedant, & quales ſint.de muſ.diſſ. 1ª.45.A
Scapulam in priorem regionem ceruicis verſus propriũ principium adducens muſculus qui.de muſ.diſſ. 1ª.45.C
Scapulam totam ex inferiori, & priori parte deorſum, ac in priora ad ſeipſum trahens muſculus.de muſ.diſſ. 1ª.45.C
Scapulam retro abducentes muſculi vbi,et eorum proceſſus ac exortus.de muſ.diſſect. 1ª.45.C
circa Scapulas actio muſculorum quomodo haberi, & cognoſci poſſit.1°.de diſſ.reſp. 3ª.62.H
Scapulæ attolluntur in inſpirationibus.2°.de decr.Hipp. 1ª.236.E
Scapularũ dolorẽ in maſculis ſignificat Aſterica vrina.de dyn. Sp.35.D
ad Scapularum dolores inueteratos ſtercus columbinum confert.10°.de ſim.me.fac. 5ª.77.A
ad Scapularum dolores.6°.de comp.me.per ge. 5ª.256.A
SCARABEI non habent collum neque caput.8°.de vſu par. 1ª.164.H
Scarabei vbi habent oculos.1°.de vſu par. 1ª.166.F
Scarabeorum cutis inſenſibilis eſt.3°.de vſu par. 1ª.134.A
Scarabeus aurium dolores finit.de ther.ad Piſo. 5ª.93.F
Scarabeus potui datus.de dyna. Sp.28.E
SCARIFICANDI ſunt loci aliqui vbi hirudines applicandæ, quę vbi ſanguinem guſtarint,illum auidius trahunt.de cucur.ſcar. 6ª.4.E
Scarificandum & incidendum animal in fame, & ſiti eſt affligendum.de motibus manifeſtis,& obſc. Sp.70.D

Scarificandum quando

Scarificandum quando ſit.2°.de arte curat.ad Glauc. 7ª.102.G
Scarificanda pars,quomodo ſit præparanda.de cucur.ſcar. 6ª.3.F
Scarificandi quí ſint tumores.14°.meth.med. 7ª.90.C
Scarificanda crura vbi hemorrhoides deſunt.de hir.reuul.cuc. 6ª.2.F
SCARIFICANTES miniſtri ſunt medicorum.in 6ᵐ.de morbis vulga rib.com.5°. 3ª.188.D
de SCARIFICATIONE ſeu cutis inciſione & quæ ſcarificandæ corporis partes.de hirud.re.cucur.& ſcar. 6ª.2.F
de Scarificatione ex Autyllo.de cucurb.ſcar. 6ª.3.F
de Scarificatione ex libris Apollonij.de cucur.ſcar. 6ª.3.G
Scarificatio non κατὰ πληγὴν ideſt per percuſſionẽ ſed κατὰ σύρμον. ideſt per tractum eſt facienda.de cucurb.ſcar. 6ª.3.G
Scarificatione nihil melius cõducit ad renutritionẽ.de cuc.ſcari. 6ª.4.B
p Scarificationẽ,vel p venã ſanguis mittitᵣ ĩ plethora.13°.m.m. 7ª.81.B
Scarificatio in quibus facienda partibus,& qñ.de hir.re.cucur. 6ª.2.F
Scarificatio quanta eſſe debet.2°.de arte cur.ad Glau. 7ª.105.C
Scarificationum ſectionibus diſſoluimus vetuſtiores dolores capitis,& faucium inflammationes.præſag.exper.conf. Sp.78.C
Scarificatione in quibus vtamur affectibus.de cucurb.ſcar. 6ª.3.F
Scarificatio in cruribus ad quid ſit vtilis.de cucur.ſcar. 6ª.3.H
Scarificatione crurum qui affectus ſanentur.de cucur.ſcar. 6ª.4.B
Scarificatio crurum à peſtilentia liberat.de cucur.ſcar. 6ª.4.B
Scarificatio crurum quibus mulieribus conuenit.de cur.rat.p. 6ª.18.G
Scarificatio mulieribus quæ non purgantur,prodeſt,& quantum ſanguinis educendum ſit.de cucur.ſcar. 6ª.4.A
Scarificatio tali prouocat menſes.de cur.rat.per ſang.miſſ. 6ª.20.F
Scarificatio Iſchiadicis nihil prodeſt.de cur.rat.per ſang.miſſ. 6ª.20.F
Scarificatio fit in gangrenis.2°.de art.cu.ad Glauc. 7ª.106.H
Scarificatio venę ſup vlcus qñ cõmoda.4°.de comp.me.per ge. 5ª.237.B
Scarificatio adhibenda in alopecia.1°.de compoſit.med.ſec.loc. 5ª.123.D
Scarificatio quando facienda in vlcere.4°.meth.med. 7ª.27.F
Scarificatio in vlcere quandoq; ſatis eſt.4°.de com.med.per ge.5ª.236.C
in Scarificatione quomodo cibandum.de cucur.ſcar. 6ª.4.B
SCARIFICATA crura capiti proſunt.de hirud.re.cuc. 6ª.2.F
SCARIFICAMVS partes affectas phlegmone,vel ſcirrho. de cucurb. ſcarific. 6ª.3.F
Scarificari,& euacuari debet locus quando glandulæ ſunt phlegmone diſtentæ,aut aliqua alia pars.13°.meth.med. 7ª.81.C
Scarificetur tẽſio cutis inflãmata parte.2°.de arte cur.ad Gl. 7ª.105.C
Scarificamus crura capite affecto.de cucur.ſcar. 6ª.3.F
Scarifica crura manu laborante.13°.meth.med. 7ª.81.B
Scarifica alium locum crure laborante.13°.meth.med. 7ª.81.B
Scarificamus crura ſuppreſſis hæmorrhoidibus.de cucur.ſcar. 6ª.3.F
Scarificari quando poſſunt malleoli in menſtruis ſuppreſſis.de curã.rat. per ſang.miſſ. 6ª.18.F
SCARVS piſcis ſaxatilis eſt.3°.de ali.fa.30.H/31.F/de att. 2ª.45.D
Scarus ſuauiſſimus inter ſaxatiles piſces eſt.3°.de alim.fac. 2ª.30.H
Scarus inter molles carne,& inter ſaxatiles præſtantior eſt.3°.de alimẽtorum facul. 2ª.31.A
Scari piſces duræ carnis ſunt.3°.de alim.fac. 2ª.31.E
SCATARIGINOSAE aquæ quales,& quæ.bon.aqu. Sp.75.D
SCELESTOS cur occidimus.quod animi mor. 1ª.321.C
Σκέλετος quid ſignificet.de artic.com.3°. 7ª.268.F
Sceletos dicitur omnium oſſium cõpago.de oſſib.39.H/ 1ª.43.G
SCELOTYRBE quid.fin.med Iſa.47.H
SCELERA maxima cur antiqui legiſlatores multa reliquere. de purgand.med. 5ª.86.B
Σκέπαρνος quæ deligatio.de artic.com.2°. 7ª.266.D
Σκεπάσρα vocat operculũ ex faſcia lata triũ capitũ.de fa. 7ª.294.H
SCEPTICI philoſophi vnde dicti.de ſubſi.empir. Iſa.31.C
Sceptici qui fuere.de hiſt.philo. Sp.3.B
Scepticę philoſophiæ author fuit Pyrrho.de hiſt.philoſ. Sp.2.F
Scepticus Pyrrhon qualis in omnibus vitæ muneribus,ſcepticus talis fuit in Medicina empyricus.de ſubſ.emp. Iſa.34.D
Sceptici nolunt poſſe cognoſci facultatis eſſentiam.1°. de ſimplicium medicament.facul. 5ª.2.D
Σκεθρὸν exquiſitum ab Ionibus dicitur.de fract.com.1°. 7ª.230.E
Σκεσηρίαι quæ dicantur.de laqueis. 7ª.307.G
Σκεσηρία quaſi decuſſorum dicitur inſtrumentum vt prætentus funis in curriculis,quo carceres ſtatuunt.de artic.com.2°. 7ª.263.H
Σκάται quid ſignificet.de artic.com.2°. 7ª.263.H
Σχίδιον quid appellet Hippocrates.de machin. 7ª.318.H
SCHEMATA lunæ in Geminis.de decub.progn.ex mat.ſcien. Sp.13.D
SCHEROMA quid.fin.med. Iſa.48.B
SCHESIS qui affectus.8°.meth.med. 7ª.51.H
ἐν Σχέσει græce vocantur affectus qui facile diſcutiuntur. 8°. methodi medendi. 7ª.49.G
SCHIDACEDON quæ ſciſſura in oſſe.6°.meth.med. 7ª.40.B
SCHISTON lac à quibuſdam dicitur.10°.de ſimp.med.fac. 5ª.76.A
Schiſton lac,quod ſchiſton non eſt.10°.de ſimp.medic.facul. 5ª.76.A
Schiſtos qualis.9°.de ſimp.me.fa. 5ª.68.D
SCHISTVS lapis quid.de ſimp.med. Sp.86.F
Schiſtus lapis qualis.4°.de comp.med.ſe.lo. 5ª.151.D
Schiſtus lapis viſcide ſtringit.de ſimp.med. Sp.86.F
SCHOLAE tres medicorum certantium.1°.meth.med. 7ª.2.F
Scholæ Coæ fortuna optimos dedit diſcipulos.1°. meth.med. 7ª.2.F
SCIAE dolori mire confert ſectio venæ Iſchiadicæ.de ana. Sp.54.H
SCIAMACHIAE ſunt brachiorum & manuum propriæ exercitationes.2°.de ſan.tuen. 2ª.74.H
Σκιαρὰ id eſt vmbroſa quæ à græcis appellentur.in 3ᵐ. de morbis vul. commen.3°. 3ª.141.C
SCIENDA eſt diuerſitas ciborum & naturarum. de motibus manifeſtis & obſc. Sp.71.D
Sciendæ quæſtiones de anima,quæ.de mot.man.& obſc. Sp.67.G
cum SCIENTE & diſcere volente vno potius agendum eſt quàm cũ mille oppoſitis.1°.de dign.pul. 4ª.70.G
SCIENTIA, notio,notitia,theorema idem.de par.art.me. Sp.17.B
Scientiæ nomen accipitur communiter proprie.ars med. Iſa.62.A
Scientia quid.fin.med. Iſa.43.D
Scientia eſt principalis animi facultas.de hiſt.phil. Sp.3.D
Scientia eſt actio dependens à capite per ſe.de virt.noſt.corp. Sp.60.C
Scientia eſt virtus.7°.de decr.Hipp. 1ª.268.C
Scientia eſt virtus in anima rationali.7°.de decr.Hip. 1ª.268.B
Scientia in anima rationali eſt hęc ſiquidem ſola animę pars eſt ſcientię capax.7°.de decr.Hipp. 1ª.268.C
Scientia vna virtus ſola animę ſecundum Ariſtonem,& quo modo.7°. de decr.Hipp. 1ª.268.D
Scientia quæ prudentia ab Ariſtone nominetur.7°.de decr. 1ª.268.D
Scientia vna eſt virtus.7°.de decr.Hipp. 1ª.268.E
Scientia in anima conſiſtit,& quomodo deliria fiant in morbis thoracis. 2°.de loc.aff. 4ª.13.E
Scientia diuinarum humanarumq; rerum eſt ſapientia vera ac prima. 1°.meth.med. 7ª.2.C
Scientiarum quatuor genera ſunt,& quomodo ordinanda.2°. de decretis Hippocratis. 1ª.240.A
in Scientia omni,& arte eſt ordo.2°.de diff.pul. 4ª.58.B
in Scientijs quo ordine debent poni argumẽtationes.2°.de decr.1ª.235.B
Scientiam facientia lemmata,differũt à dialecticis,oratorijs,& captioſis.2°.de decr.Hipp. 1ª.235.F
ad Scientiam rara ſunt inutilia & quare.de vict. ratio. in morbis acutis,commentario 4°. 7ª.142.H
in Scientia quod à natura principium conſtitutum eſt,id à ſe fieri doctrinam etiam cogit.6°.de decr.Hipp. 1ª.264.A
Scientiæ & ignorantiæ cauſæ ſunt ſimilitudo & diſſimilitudo.9°. de decretis Hippo. 1ª.286.C
Scientiæ effectrices paucæ.2°.de decr.Hipp. 1ª.240.A
Sciẽtiæ effectrix ẽ demõſtro,ex natura rei pgrediẽs.7°.de dec. 1ª.268.B
Sciẽtiæ affectrix vna ſola ratio à ſubſtãtia rei ąſitę.8°.de dec. 1ª.273.B
Scientiæ vaticinatoriæ.de præcog.ad Poſth. 4ª.215.B
Scientiæ quo modo ſe habent circa tempus.4°.de decr.Hipp. 1ª.253.H
Scientiæ incumbendum neglectis nominibus.6°.de ana.admi. 1ª.93.D
in Scientijs non curat atticã locutionẽ Galenũs.de ord.lib.ſuo. Iſa 15.F
Scientia oĩbus cõicanda,ne nobiſcum pereat,2°.de ana.adm. 1ª.68.G
Scientia reguntur bene cognoſcentes,& agentes.6°.de decr. 1ª.268.D
SCILLA quid.de ſimp.med. Sp.90.H
Scillæ quo tempore colligendæ ſunt.de vſu ther.ad Pamph. 5ª.99.D
Scilla quo modo eſt colligẽda,& qñ eſt ſatis aſſa.1°.de antid. 5ª.104.E
Scilla quanto albior eſt tanto minus calida.4°.de ſimp.med.fac. 5ª.31.D
Scillę radices præſtantiores folijs ſunt,& plus virium habent.2°. de alimẽnt.fac. 2ª.24.D
Scilla vires acerrimas,& excalfacientes habet tuſſientibus, et hydropicis vtiliter dat,prurigiñe intolerabilẽ facit.de ſimp.med. Sp.90.H
Scilla in ſecũdo ordine calida eſt et multũ incidẽs.8°.de ſim.m.f.5ª.60.H
Scilla purgat pulmonem & thoracem.de catbar. Sp.95.B

Scilla mire

Scilla mire conuenit orthopnoicis & aſthmaticis.7°. de compoſi.medic. ſecundum locos. 5ª.186.E
Scillæ orbiculi diſſecti quomodo faciunt pro purulentis.de victus ratione in mor.acu.com.4°. 7ª.152.F
Scillæ medicamento epilepſia ſanatur in quadraginta diebus. de puero epileptico. 7ª.180.H
Scilla pruritum facit.2°.de ſymp.cau. 3ª.23.H
Scillæ morſus oleum ſanat.2°.de ſimp.medicamen.fac.11.A| 5ª.12.E
Scillæ qualitas difficillime eluitur.2°.de alim.fac. 2ª.24.H
Scilla cruda.3°.dc comp.me.ſe.lo. 5ª.186.E
Scilla quo modo paranda.de vict.rat.in mor.ac.com.4°. 7ª.152.F
Scilla quæ in paſtillis theriacæ ponitur quomodo coquenda.de theriaca ad Piſonem. 5ª.92.G
Scilla ſumi debet aſſa aut elixa, & quare.8°.de ſimp.med.fac. 5ª.60.H
Scilla quomodo aſſetur.9°.de comp.me.ſec.lo. 5ª.198.H
Scilla aſſata purgata vtitur.9°.dc compoſi.med.ſec.loc. 5ª.198.H
Scillæ aſſatę meminit.9°.de com.me.ſec.lo. 5ª.198.F
ex Scilla cōfectū acetū incidēs ē,& minus calidū.5°.de ſim.m.f.5ª.35.E
ex Scilla cōfectū acetū bene vrinā prouocat.5°.de ſim.me.fac. 5ª.35.E
pro Scilla pancratium ab aliquibus ſumitur, quando non adeſt, quamq̄ longe imbecillius operatur quam illa.8°.de ſimp.me.fa. 5ª.57.G
Scillæ ſimile eſt ſymphytum.8°.de ſimp.med.fa. 5ª.61.G
Scillæ ſuccus quo modo conficiendus.de puero epilep. 7ª.181.B
Scillæ electarium.de med.exper. Sp.108.D
Scillacium medicamentum eueſtigio ſoluens Inflammationes.4°.de cōp. med.ſec.loc. 5ª.154.D
SCILLITICI aceti confectio.de dyna. Sp.26.G
Scilliticum mel qua quantitate dandum.de puero epilep. 7ª.181.C
Scillitici paſtilli q̄uo fiant, & ſcylla q̄uo paretur.de ther.ad Piſo.5ª.95.C
Scilliticorum paſtillorum compoſitio qualis. de vſu theria. ad Piſonem. 99.B|1°.de antid. 5ª.104.C
Scillitici paſtilli quo loco ſeruandi.1°.de antid. 5ª.104.E
SCINCVS quid.de ſimp.med. Sp.91.A
Scincus medicamentum multiſeminis eſt.5°.de ſimp.med.fac. 5ª.38.C
Scincus ad venerea facit.de ſimp.med. Sp.91.A
Scincorum renes pudenda intendunt.11°.de ſimp.med.fac. 5ª.80.D
SCIENDI appetitus eſt communis omnium ſtudioſorum. 3°. de differ. reſpirationis. 3ª.69.C
abſq; SCIENTIA non eſt credendum experimentatoribus. de medicinis exper. Sp.103.H
Scientiam oſtendunt medicorum conuenientiæ.de vict.rat.in morb.acu. commentario 1°. 7ª.109.H
Sciētia curatiua minimas debet habere pticulas.de par.ar.me.Sp.18.D
Scientia conſtitutionum conueniens vulneribus illatis & partibus mulierum.de decub.progn.ex math.ſcien. Sp.16.B
in Scientia mala eruditi, diſcere erubeſcunt.8°.meth.med. 7ª.52.B
SCIENTIFICA doctrina eſt à re & non à nomine.14°.m.m.7ª.89.D
ad Sciētificas demr̄ones, inductiones nō ſunt adhibēdæ.ad Th. 2ª.102.C
SCHINANTVM quid.1°.de antid. 5ª.106.F
SCHINVS quid.de ſimp.med. Sp.87.D
Schinos ex qua eſſentia compoſitus, & cuius temperaturæ. 8°. de ſimplicium med.fac. 5ª.61.H
Schini florem cur recipiant hæmoptoica medicamenta.8°.de ſimplicium medi.fac. 5ª.61.H
Schini flos vrinam mouet, menſes ciet, iecoris ſtomachi ac vētris phlegmonis prodeſt, hæmoptoicisq;, ſiue ſanguinem reijcientibus medicinis commiſcetur.8°.de ſimplic.medic.fac. 5ª.61.H
Schinos leia duplex eſt, & qua temperie vtraque conſtet, & ad quid valeat.8°.de ſimp.med.fac. 5ª.62.A
Schœnos qualis, & vnde.1°.de antid. 5ª.106.F
SCINDAPSON frigidum natura, ac humidum humorem permittit appellari Galenus, adeo parua eſt illi nominū cura.2°.de diff. 3ª.37.F
Σκινδαψὸς nihil ſignificat. 3°. de differen.pul.61.D| 2°. de præſag.ex pulſibus. 4ª.117.G
SCINDENS humores craſſos decoctio.de med.exper. Sp.107.B
Scindens humores craſſos medicina.de med.exper. Sp.106.G
Scindens phlegma viſcoſum electarium.de med.exper. Sp.107.D
SCINTILLAE ignis in ſanum infuſę faciunt horrores.2°.de ſymptomatum cau. 3ª.22.E
SCIRE debet medicus tēperiē cauſas, et accidētia.de me.ex.Sp.103.H
Sciat & ſi multa Galenus, quid tamen ſeruet.8°.meth.med. 7ª.52.A|E
Scire tunc omnia animus præſefert, quū vſus poſtulat.de ther. 5ª.90.A
Scimus diſciplinas quando illis vtimur.de theria.ad Piſo. 5ª.90.A
Σκιώδ'ι quid apud græcos, qui Aſiam incolunt, ſignificet.in 3m.de mor. vulg.commen.3°. 3ª.141.C
τὸ Σκιομαχεῖν eſt exercitatio.2°.de ſan.tuen. 2ª.73.G
SCIRRHOMA ſurę affectus eſt.introd. Iſa.59.D
SCIRRHOSIS quid.introd. Iſa.58.D
Scirrhoſis affectus eſt totum oculum exercens.intro. Iſa.58.D
SCIRRHOSI humores qui.14°.meth.med. 7ª.89.E
Scirrhoſi humores, aut pituitoſæ aut atrabilariæ ſubſtantiæ ſunt. 5°.de ſimp.med.fac. 5ª.34.D
Scirrhoſus phlegmon, ſcirrhus phlegmonoſus, & ſcyrrhus quid ſignificent.7°.de comp.med.per gen. 5ª.263.F
Scirrhoſa inflammatio quæ.de tum.præt.nat. 3ª.84.B
Scirrhoſa quando eſt phlegmon Iecoris, quæ miſcenda in declinatione. 13°.meth.med. 7ª.84.A
Scirrhoſior ſi ſit phlegmon adde ſalem.12°.meth.med. 7ª.81.D
Scirrhoſum eryſipelas quod.14°.meth.med. 7ª.87.E
Scirrhoſa vitia proritant cibi dulces, & craſſi ſucci.de bonitate, & vitio ſuccorum. 2ª.36.E
Scirrhoſis pathos frigidum eſt, & quomodo curetur. 5°. de ſimplicium medic.fac. 5ª.33.E
Scirrhoſis omnibus aptiſſimus eſt leonis adeps. 11°.de ſim.me.f. 5ª.79.B
Scirrhoſis medentibus medicamētis miſcetur taurinus adeps.11°.de ſim. med.facul. 5ª.79.B
Scirrhoſi tendones quibus indigeant, & quo modo vſus aceti illis conuenit.14°.metu.med. 7ª.88.A
Scirrhoſa particula oleo perfundenda quando, & quali oleo.14°.methodi medendi. 7ª.88.B
Scirrhoſa corpora emollit medulla.11°.de ſimp.med.fac. 5ª.79.F
ad Scirrhoſos omnes tumores ſtercus bubulum à quo adhiberetur. 10°. de ſimplic.med.facul. 5ª.76.H
ad Scirrhoſos viſcerum affectus.7°.de compo.med.per gen. 5ª.271.G
Scirrhus qui vocetur.14°.meth.med. 7ª.88.D
Scirrhus quid.ſin.med.48.B|Iſa.49.A|1°.de ſan.tuen. 2ª.68.C
Scirrhi qui.14°.meth.med.88.E| 7ª.89.E
Scirrhi qui proprie ſint.in 6m.de mor.vul.com.1°. 3ª.152.H
Scirrhus eſt morbus.1°.de ſan.tuen. 2ª.68.H
Scirrhus morbus eſt inſtrumentalium partiū.1°.de ſymp.cau. 3ª.14.G
Scirrhus morbus inſtrumentalis eſt.3°.de ſymp.cau. 3ª.24.G
Scirrhus quo modo futurum ſit vt nō dicatur morbus.1°.me.me.7ª.7.D
Scirrhus ſpecies tumoris eſt.de bon.& vitio ſucc. 2ª.34.A
Scirrhus qui tumor ſit.de vict.rat.in mor.acu.com.4°. 7ª.137.C
Scirrhon, durum tumorem appellant.de diff.mor. 3ª.5.B
Scirrhos græci vocāt tumorē abſq; dolore durū.cō.4°.a.34°. Ex.31.C
Scirrhus & œdema quid habent commune.de tum.præt.nat. 3ª.84.C
Scirrhus exquiſitus qui ſit, & qui nō exquiſitus.2°.de arte curatiua ad Glauconem. 7ª.103.H
Scirrho propinqua ſunt quæ effuſa vocantur, & nigriores ſenibus maxime contingentes colliſis venis.de tum.præt.nat. 3ª.84.C
Scirrhus quomodo oriatur.5°.de ſimp.med.fac.5ª.33.E|de cur.ratio. per ſang.miſſ. 6ª.17.A
Scirrhum facit fluxio.in progn.com.2°. 4ª.202.D
Scirrhi quando ex phlegmone fiunt, & quando non.7°. de comp.medic. per genera. 5ª.267.H
Scirrhi ex phlegmone.7°.de comp.me.per gen. 5ª.267.H
Scirrhus inflammatorius qui.de tum.præt.nat. 3ª.84.B
in Scirrhum verſę phlegmones molliuntur.in 6m. de morbis vulgarib. commen.2°. 3ª.161.A
Scirrhus, & phlegmon in multis perſimiles ſunt, tamen curam habēt diuerſam.de opt.ſec. Iſa.24.A
Scirrhi ex eryſipelatis immodice refrigeratis ſæpe oriuntur, curantium inſcitia.7°.de comp.med.per ge. 5ª.267.H
Scirrhus ex quibus fiat.1°.de ſymp.cau.3ª.14.G|14°.met.me. 7ª.87.H
Scirrhus, eryſipelas, inflāmatio, & œdema à quo fiant humore.dc tum. præter naturam. 3ª.84.B|C
Scirrhorum genus alterum efficit pituita craſſa, & glutinoſa.de tumore præter naturam. 3ª.84.C
Scirrhi vt efficiuntur quomodo cauſa eſt cutis dura.in 6m.de mor. vulg. commenta.3°. 3ª.172.H
Scirrhus eorum eſt morborum, qui nec locum affectum nec cauſam efficientem nomine repreſentant.2°.meth.med. 7ª.9.E
propter Scirrhos vaſorum anguſtia.1°.de ſan.tuen. 2ª.68.C|D

Scirrhus facit impedimentum in moribus.1°.de motu muſ. 1ª.308.G

ob Scirrhum aliqua ægre mouentur.2°.de ſan.tuen. 2ª.72.F

Scirrho inato ĩ muſculo, aut tẽdone interno mẽbri pars flexa nõ extẽdit ãplius, è cõtrario res ſe habet, ſi fuerit in externo.1°.de mo. 1ª.310.G

Scirrhus fit tanquam ligamentum muſculo.1°.de motu muſ. 1ª.310.G

in Scirrhis arteriarum motus nõ faciunt dolorem.2°.de lo.aff. 4ª.8.H

Scirrhus quos pulſus faciat.2°.de cau.pul. 4ª.90.F

Scirrhus à græcis dictus, id eſt durus tumor & ſiccitas durum efficiunt pulſum.1°.de diff.feb. 3ª.34.B

Scirrhorum diuerſarum partium pulſus.4°. de præſ.ex pul. 4ª.121.C

ob Scirrhum non fit febris.de vict.rat.in mor.acu.com.3°. 7ª.128.A

SCIRRHO in naribus orto, per os inſpirare coguntur animalia.11°.de vſu par. 1ª.188.F

SCIRRHVS in ſubcingente membrana non facit febrem. de conſtitutione ar. Iſa.40.D

SCIRRHIS apta eſt iecinoris ſubſtantia.13°.meth.med. 7ª.84.C

Scirrhus iecinoris facile deprehenditur.5°.de loc.aff. 4ª.33.F

Scirrhus iecoris quo modo deprehenditur.de tot.morb.temp. 3ª.89.D

Scirrhum iecoris aqua intercutem ſequitur.5°.de loc.aff. 4ª.33.F

ad Scirrhũ iecinoris ſequitĩ neceſſario hydrops.4°.de pſ.ex. 4ª.121.E

ad Scyrrhum iecoris, & lienis, ſequitur aqua inter cutem. 2°. de arte cur.ad Glauco. 7ª.104.D

Scyrrhus iecoris an poſſit ſanari.2°.de arte cur.ad Glauc. 7ª.104.D

Scirrhum hepatis quæ ſanant.2°.de arte cur.ad Glauco. 7ª.104.D

SCIRRHOS patitur lienis ſubſtantia, quæ tamen eſt rarior iecore.13°.meth.med. 7ª.84.C

Scyrrhus lienis qui.ſin.med. Iſa.47.E

ad Scirrhum lienis magnum, non ſemper conſequitur hydrops. 4°. de præſ.ex pul. 4ª.121.E

ad Scirrhum lienis quæ opportuniſſima.13°.meth.med. 7ª.84.A

Scirrhus lienis quo modo curatur.13°.meth.med. 7ª.84.F

Scirrho lienes induratos ſoluit theriaca.de theria.ad Piſo. 5ª.96.A

SCIRRHIS tentantur renes.13°.meth.med. 7ª.84.C

Scirrhos in cruribus ab initio ſine inflammatione vidit Galenus tribus et quatuor annis paulatim augeſcẽtes abſq; manifeſto neceſſariarũ cruris actionum impedimento.de tot.mor.temp. 3ª.89.C

Scirrhus ex iecoris humore in crure.de tot morb.temp. 3ª.89.D

Scirrhi tendonum quibus curentur.2°.de arte cur.ad Glauco. 7ª.104.B

Scirrhi qui curantur, & qui non.7°. de comp.me.per gen. 5ª.267.G

Scirrho ſumme indurata, ſumme inſanabilia ſunt.7°. de compoſi.medic. per genera. 5ª.267.G

Scirrhus penitus ſine ſenſu inſanabilis eſt.14°.metho.med. 88. D/ 2°. de arte cur.ad Glauc. 7ª.103.H

Scirrhi quibus curandi.14°.meth.med. 7ª.87.H

Scirrhi quibus vere curandi.2°.de arte cur.ad Glauc. 7ª.103.H

in Scirrho euacuatione indigemus.5°.de ſimp.me.fac. 5ª.33.E

Scirrho affectę partes ſcarificamus.de cucur.ſcar. 6ª.3.F

Scirrho quæ conueniant in principio.7°.de comp.me.per ge. 5ª.267.G

ad Scirrhum medicamenta mollificantia conferunt. 2°. de arte curatiua ad Glauconem. 7ª.103.H

Scyrrhis quæ conueniant molliendo digerentia.14°.meth.med. 7ª.87.H

in Scirrho Aceto vtaris.11°.meth.med.73.C/14°. 7ª.88.B

in Scirrhis quando vti debemus cataplaſmate ex Althea.14°. methodi medendi. 7ª.88.C

Scirrhis quando Armoniacum confert.14°.meth.med. 7ª.88.C

Scirrhi in morem induratis tumoribus, aptiſſimus eſt adeps leonis.11°.de ſimp.med.fac. 5ª.79.B

Scirrhus quòd non debet ſolis Calidis curari, ſed humidis, & mollibus. 14°.meth.med. 7ª.87.H

in Scirrho cur non valeant calefacientia valida.5°.de ſimp.m.f.5ª.33.E

Scirrhus non debet vehementer Diſſolutiuis curari, aliter fit lapis.2°. de arte curat.ad Glauc. 7ª.103.H

Scirrhum Emollientia quæ ſint.5°.de ſimp.me.fac. 5ª.33.F

in Scyrrho cur non valeant Exiccantia fortiter.5°.de ſim.me.f.5ª.33.E

Scirrhos non ſanat Glaucium.14°.meth.med. 7ª.87.G/H

ad Scyrrhum maluæ ſylueſtris folia quõ cõferãt.14°.meth.me.7ª.88.C

Scirrho obſeſſis nocent quæ cũ melle parantur.1°.de alim.fac. 2ª.10.F

pro Scirrhis quæ incoquenda oleo.14°.meth.med. 7ª.88.B

Scirrhis Tendonum, & Ligamentorum conuenit Pyrithes lapis extinctus in aceto.14°.meth.med. 7ª.88.B

SCISSILE ſimpliciter ſignificat alumen.4°.de cõp.me.ꝑ ge.5ª.239.G

Sciſſilis aluminis fit mentio.5°.de comp.med.per ge. 5ª.249.E/F

SCISSIONES hyeme faciunt aquæ paludoſæ.de bo.aq. Sp.75.D

SCISSVRA, qua ſanguis è vaſis profluit, quibus modis claudatur. 5°. meth.med. 7ª.31.E

Sciſſurarum oſſium varia nomina ſunt.6°.meth.med. 7ª.40.B

Sciſſura in oſſe cauledon dicta, quæ.6°.meth.med. 7ª.40.B

Sciſſura in oſſe ſchidacedon vocata, quæ.6°.meth.med. 7ª.40.B

Sciſſura in oſſe rhaphanedon dicta, quæ.6°.meth.med. 7ª.40.C

SCISSVRAE labiorũ cõfert ſuccus centaureæ.de vir.cent. Sp.93.D

Sciſſuris gingiuarũ confert ſectio venarũ labiorum.de ana.viuo. Sp.55.B

ad Sciſſuras in ſede.de med.fac.par. 7ª.170.B

ad Sciſſuras pedum.de med.fac.par. 7ª.178.A

ad Sciſſuras altiores.de med.fac.par. 7ª.164.A

SCISSAE faſciæ ſunt quę ex vno linteo extremis partibus, vel alibi ſciſſo conficiuntur.de faſcijs. 7ª.293.F

Sciſſum linteum ad ſummum caput, & ei proximam regionem quo modo fieri debeat.de faſcijs. 7ª.294.D

Sciſſum linteũ ad frontem, & partes quę iuxta ſunt.de faſc. 7ª.294.E

Sciſſum linteum ad totum caput.de faſcijs. 7ª.294.F

Sciſſum operculum in partes octo ad caput.de faſcijs. 7ª.294.G

Sciſsum linteum ad naſum.de faſcijs. 7ª.298.A

Sciſſum linteum in quatuor partes ad aures.de faſcijs. 7ª.299.E

Sciſſum linteum in partes ſex ad regionẽ iuxta aurẽ.de faſc. 7ª.299.G

Sciſſa funda in partes quatuor ad labrum inferius.de faſcijs.7ª.300.A/ eadem ad labrum ſuperius.B

Sciſſa funda in partes quatuor ad occipitium.de faſcijs. 7ª.300.E

Sciſſum vinculum ad ſcrotum.de faſcijs. 7ª.304.F

SCITALIS quid.de oſſibus. 1ª.43.C

Σκιθάλιον quid ſit.de machin. 7ª.310.A

Σκιθάλιον & καλάθον communiter parata ſunt, vt epipigma ferant. de machinamentis. 7ª.310.A

SCITV difficile quid ſit.11°.meth.med. 7ª.69.H

SCIVRI adeps in ſtrigili tepefactus inſtillatus quibus conueniat.3°. de comp.me.ſec.loc. 5ª.142.G

SCLERIASIS quid.intro. Iſa.58.F

SCLIROS panniculus oculi eſt.de ocul. 7ª.182.H

SCLIROSMON faciens nephriticis, dyſentericis, ſanguinem vomentibus ad dolorẽ ſtomachi, arthriticis, & iſchiadicis.de dyna. Sp.28.C

SCLEROPHTALMIA eſt affectus totum oculum exercens.introductio. Iſa.58.D/E

Sclerotica, quę tunica ſit, & vnde oriatur.de ana.viuo. Sp.48.F

SCRIPAE ſunt vermes in vitibus.9°.de ſimp.me fac. 5ª.66.E

SCOBES ebeni collyrijs miſcentur, & ad vulnera polyema. de ſimp. medicaminibus. Sp.83.F

Σκοληκοειδὸς quid.8°.de vſu par. 1ª.170.E

Σκολίωσις quid apud græcos.de artic.com.3°. 7ª.268.C

Σκολιώσις pro omni ſpinę diſtortione ſumitur.de ar.c.3°. 7ª.273.E

Σκολιώτης quid ſignificet.de vic.rat.in mor.acu.com.4°. 7ª.141.E

SCOLOPENDRA corpore pręlongo eſt, ob multitudinem crurum quã habet.1°.de vſu par. 1ª.128.C

Scolopendræ morſibus confert centaurea.de vir.cent. Sp.93.H

SCOLOPENDRIVM & hemionitis dicitur aſplenum.9°.de compoſi. medic.ſec.loc. 5ª.198.E/H

Scolopendria quid.de ſimp.med. Sp.91.C

Scolopendria ſplenem curat, calculos expellit, vires habet diureticas. de ſimpl.medic. Sp.91.C

Scolopendrium quale lieni eſt medicamentũ, tale eupatorium iecori.13°. meth.med. 7ª.84.F

Scolopendrium ad ſplenem iure cõuenit.2°.de arte cu.ad Gl. 7ª.104.C

Scolopendrium lienis obſtructiones fortes curat.5°.de ſim.me.f. 5ª.35.C

Scolopendrium purgat ſplenem.de cathar. Sp.95.C

Scolopendrię dictum electarium.de med.exper. Sp.108.C

SCOLOPENDRVS marinus ad aurium dolores valet.11°. de ſimplic. medic.fac. 5ª.82.G

SCOLOPOMACHAERIVM quale inſtrumentum.8°. de anatomicis adminiſt. 1ª.101.G

Scolopomachęrion ferramentum.14°.meth.med. 7ª.92.H

SCOLIMOS ſpinoſa planta.2°.de alim.fac.22.C/ 2ª.23.D

Scolimi radix calida eſt in ſecundo aut tertio incipiente, & ſicca in ſecũdo.8°.de ſimplicium med.facul. 5ª.60.H

Scolimi ſuccus purgat.8°.de ſimp.med.fac. 5ª.60.H

Scolimus vrinam graue olentem, elicit, et graue olentiam ſanat, tum alarum, tum totius corporis.8°.de ſimp.med.fac. 5ª.60.H

SCOPA regia quid & eius vires.de ſimp.med. Sp.91.C
Scopa regia vires habet acres,& diureticas.de ſimp.med. Sp.91.C
Scopus quo modo differt à fine.introd. Iſa.51.G
Scopi quo modo inueniantur.6°.de comp.medi.per gen. 5ª.255.H
Scopi tres primi in conſtruendis partibus aĩalis.14°.de vſu p. 1ª.204.C
Scopi in partibus ſimilaribus qui.de conſt.ar. Iſa.39.H
Scopi in his quæ ad numerum ſpectant,qui.de conſt.ar. Iſa.39.H
Scopi in his quæ formationis ſunt,qui.de conſt.ar. Iſa.39.H
Scopus in compoſitionis morbo,qui.de conſt.ar. Iſa.40.A
Scopus in ſolutione continui,qui.de conſt.ar. Iſa.40.A
Scopus artis medicæ,qui.de vict.rat.in mor.acu.com.1°. 7ª.108.C
Scopũ in oĩbus docuit Hippocrates.de vi.ra.in mor.ac.com.1°. 7ª.115.C
Scopi primo curationis inueniendi,poſtea materiam præſidiorum inuenire oportet.de marc. 3ª.47.C
Scopus cõmunis totius curationis qui.de ijs,quę in me.ſi.c.1°. 7ª.197.G
Scopum ſimplicem habet inflãmatio,duplicem phlegmonodes durities. 7°.de comp.med.per gen. 5ª.263.G
Scopus omnium inſanabilium.6°.de compo.medic.per genera. 5ª.255.D
SCORDIVM vnde dictum.8°.de ſimplicium medic.fac. 5ª.60.H
Scordium in Creta eſt optimum.1°.de antid. 5ª.105.E
Scordiũ habet varios ſapores & facultates.8°.de ſim.med.fac. 5ª.60.H
Scordium ſimile allio eſt in acrimonia.8°.de ſimp.med.fac. 5ª.60.H
ſupra Scordium exiſtentia cadauera non cõputruere.1°.de ant. 5ª.105.F
Scordium quibus aduerſetur.1°.de antid. 5ª.105.F
Scordium prædicabat̃ contra ictus venenoſorũ.9°.de ſim.me.f. 5ª.65.C
Scordium ponitur in theriaca.de theria.ad Piſo. 5ª.92.E
Scordiũ expurgat et excalfacit viſcera,mẽſes,vrinãq; prouocat,pterea cõuulſa rupta & laterũ dolores ab obſtructione & frigore natos ſanat,magna vulnera conglutinat,viride ſordida purgat, & contumacia aridum.8°.de ſimplic.medic.fac. 5ª.60.H
SCORIA argenti helcyſma dicitur.9°.de ſimp.med.fac. 5ª.71.A
Scoria ferri qualis.9°.de ſimplicium med.fac. 5ª.71.A
Scoria ferri ad aures quæ longo tempore pure fluxerunt, valet. 9°. de ſimplicium medicamentorum facul. 5ª.71.A
Scoria ferri quibus à Galeno adhibita,& quomodo.5°.met.me. 7ª.34.B
SCORODI vires.de ſimp.med. Sp.90.H
Scorodon vires habet acres,diureticas,ad viperas facientes.de ſimpl. medicaminibus. Sp.90.H
Scorodon exiccat,& calefacit quarto exceſſu.8°.de ſim.m.fa. 5ª.60.H
SCORODOPRASSON quale.8°.de ſimplicium medic.facul. 5ª.61.A
SCORPIOIDES calida in tertio ordine,ſicca in ſecundo. 8°. de ſimplicium medi.fac. 5ª.61.A
SCORPIONES nõ fiunt ab eodẽ opifice quo homo.de fœt.for. 1ª.326.B
Scorpiones non manſueſcunt.de cog.cur.animi mor. 2ª.54.C
Scorpionis venenum eſt frigidum.4°.meth.med. 7ª.24.B
Scorpij ictus totum corpus quomodo afficit.3°.de loc.aff. 4ª.19.F
Scorpionis ictus maxima facit ſymptomata,& q̃.6°.de lo.aff. 4ª.40.D
à Scorpione ictus.quibus ſymptomatibus vexabat̃.3°.de lo.af. 4ª.19.F
Scorpiones cur necamus.quòd animi mores. 1ª.321.C
Scorpij ictus quo modo curandi.3°.de loc.aff. 4ª.19.G
à Scorpione ictus ſanat Aſcalabota.11°.de ſimp.med.fa. 5ª.82.G
contra Scorpionis morſum Aſſa fœtida.de med.exper. Sp.106.D
à Scorpione ꝑcuſſis aſiracus arefactus exhibet̃.11°.de ſim.m.f. 5ª.82.G
Scorpionis morſibus confert Centaurea.de vir.cent. Sp.93.H
Scorpionum morſus curant Laureolæ drachmæ quatuor cum aceto.de med.exper. Sp.106.E
Scorpionum morſibus prodeſt Myrta,ſi imponatur, aut potui detur.de ſimp.med. Sp.87.E
Scorpij ictum ſanant Mures domeſtici.11°.de ſimp.med.fac. 5ª.82.G
à Scorpione ictus Saphyrus potus iuuat.9°.de ſimp.med.fac. 5ª.67.E
Scorpij ictum ſanat ſcorpius,& quomodo.11°.de ſimp.med.fac. 5ª.82.G
Scorpius ſanat à vipera morſos.11°.de ſimp.med.fac. 5ª.82.G
Scorpius contra veſicæ calculos quomodo valeat.de ther.ad Pi. 5ª.93.F
Scorpius regio morbo laborantem liberat, & podagricorum inflammationibus medetur.de ther.ad Piſ. 5ª.93.F
Scorpionem cito necat Saliua eſurientium.10°.de ſimp.me.fa. 5ª.75.G
Scorpios necat ſputum.3°.de nat.fac. 1ª.304.B
Scorpionem interficientem incantationem quidã Galeno pollicitus eſt, quam dicebat eſſe ter in ſcorpionem expuens.10°.de vſu par. 5ª.75.G
Scorpio immobilis redditur, & perimitur à Stellione, ſi ipſum videat. de theria.ad Piſ. 5ª.93.F
ad Scorpionis morſum quæ ſuſpẽſa valeãt.de inc.adi.& ſuſp. 7ª.182.C
contra Scorpium valet Theriaca.de theriaca.ad Piſo. 5ª.91.E
ad Scorpionis ictus Aellij Galli Theriaca optima.2°.de anti. 5ª.116.A
à Scorpione percuſſis quæ extra ponenda.2°.de antid. 5ª.117.F
ad Scorpionum ictus antidotus,etiã quando in periculum deuenere.2°. de antidotis. 5ª.117.C
cõtra Scorpiões Scorpiaca antidot⁹,et ſcorpiaca herba.2°.d̃ an. 5ª.117.E
pro Scorpionis punctura antidotus Zoili.2°.de antid. 5ª.117.E
ad Scorpionum ictus antidotus.2°.de ant.117.G| 5ª.118.E
ad Scorpionis morſum,electarium.de med.exper. Sp.106.G
Scorpij venenum trahens medicamentum eſt à non nullis Iſis.5°. de compoſi.me.per ge. 5ª.246.E
ad Scorpionis ictus Thebani medicamentum.2°.de antid. 5ª.117.F
contra Scorpionem.2°.de antid. 5ª.118.C
Scorpij puncturam ſanans medicina.2°.de antid. 5ª.118.G
ad Scorpionis percuſſiones.7°.de comp.med.ſe.loc.183.A| de com.me. per ge. 5ª.246.H|de me.ſa.par. 7ª.176.F|de me.ex.104.F|Sp.110.H
ad Scorpionis morſum valẽs medicamẽ.de med.ex.106.B|C| Sp.108.D
à Scorpione morſi caſus.3°.de loc.aff. 4ª.19.F
SCORPII piſces durę carnis ſunt.3°.de alim.fac. 2ª.31.E
Scorpius cum ſinapi manditur.de atten.vic. 2ª.45.E
Scorpij marini inferior eſt bilis hyęnarum.10°.de ſim.med.fac. 5ª.74.H
Scorpij marini fel ad oculos valet.10°.de ſimp.med.fa. 5ª.74.H
SCORPIO, cancer, piſcis, aquatici ſunt frigidi humidi ſeptentrionales de ſper. Sp.39.A
Scorpio humidus eſt in primo gradu,calidus in ſecũdo.de ſper. Sp.38.H
Σκοτηδινος,ideſt tenebricoſa vertigo.de vi.ra.in mo.a.c.4°. 7ª.139.H
Scotidinos ex quibus fiat.de vict.rat.in mor.acu.com.4°. 7ª.139.D
SCOTOMATA vertigines Gręci vocant.5°. de ſanitate tuenda. 90. A|6°. 2ª.100.A
ad Scotomata inueterata ſtercus columbinum valet.10°. de ſimp.med. facultatibus. 5ª.77.A
SCOTOMATICI qui.fin.med. Iſa.47.D
Scotomaticis atram bilem educimus.de dyna. Sp.21.B
SCOTOMIA quæ ſit,& quo modo fiat.3°.de loc.aff. 4ª.20.C
Scotomiæ letalis ſigna.de dyna. Sp.23.H
Scotomię curatio.de dyna. Sp.23.H
in Scotomia cum quis vexatur,vtimur catharticis.de dynam. Sp.20.E
Scotomiæ valens electarium.de med.exper. Sp.107.D
SCOTOSIM infert vinum nigrum dulce.de ſimp.med. Sp.92.B
ad SCREANDVM quæ vtilia.de ocul. 7ª.188.G
SCREANTIBVS ægre datur theriaca Euclidis palatiani. 2°. de antidotis. 5ª.116.B
SCREATIO qualis eſſe debet in doloribus coſtarum.in prognoſti. commenta.2°. 4ª.202.C
Screatio debet habere permiſtam flauã bilẽ.in prog.com.2°. 4ª.202.C
Screatio crocea rubea cum minori periculo eſt, & quando. in prognoſt. commen.2°. 4ª.203.C
Screatio flaua ſyncera praua eſt.in 1m.prorrh.com.1° 4ª.202.D
Screatio flaua cum pauco ſanguine in morbo pulmonis, quid ſignificet. in progn.com.2°. 4ª.203.A
Screatio cãdida glutinoſa rotunda inutilis eſt.in prog.cõ.2°. 4ª.202.D
Screatio viſcoſa quid ſignificet.in progn.com.2°. 4ª.202.A
Screatio viridis ſpumoſa,mala.in prog.com.2°. 4ª.202.D
Screatio ſpumans quomodo fiat.in progn.com.2°. 4ª.202.E
Screatio ſyncera nigra peſſima eſt.in progn.com.2°. 4ª.202.G
Screatio mala quæ non ſedat dolorem.in progn.com.2°. 4ª.203.B
SCREATVS flauus rufus multo poſt ab initio doloris malum. in prognoſt.com.2°. 4ª.202.C
Screatus frequens vnde.in 1m.prorrh.com.1°. 4ª.164.H
Screatus qui ſignificet cogitationem læſam in progn.com.2°. 4ª.163.H
in Screatu bilioſo quæ ſuppurant̃ qd ſignificent.in ꝑg.com.2°. 4ª.203.D
Screatus ſangui expellitur ex faucibus & gurgulione. 4°. de locis affectis. 4ª.25.F
ad Screatum ſanguinis de med.fac.par. 7ª.171.D
SCRIBAE Hermionis ſacri medicamentum vocatum. 5°. de compoſit. me.per gen. 5ª.246.F
SCRIBENTES neceſſario in multis peccant.2°. de compoſi. medicamen.ſec.loc. 5ª.135.A
Scribentes vera qui ſecundum aliquos Empiricorum.de op.ſec. Iſa.23.C
Scribentium bene,& viam à rubis,& ſpinis emundantium comparatio, de cau.procatar. 3ª.95.H
à Scribente quæ medicamẽta cõſiderãda.6°.de com.me.per g. 5ª.175.F

Scribere paſſim

Scribere paſſim omnibus licet contra Iulianum. Ex.66.C
Scribere pro arbitrio in obſcuris vnicuique licitum eſt, cum nulla lex ſit tranſcribentibus poſita.com.7°.aph.64°. Ex.60.D
Scribere facillimum quicquid libeat.in prog.com.1°. 4ª.190.C
Scribũt quædã quæ nũquam videre, et ẽ cõtrario, quæ ſepius cõſpexere, nunquam videri aiũt qui ſectæ alicui addicti.4°.de loc.aff. 4ª.25.F
Scribere multa non autem docere multa, quid ſit.8°.meth.me. 7ª.52.A
Scripſit cur Galenus.iu 3^{m}*.de mor.vul.com.2°.* 3ª.136.G
ex SCRIBONIO *Largo, Aſclepios machaonis, ad veteres affectiones, & oculos ſuppuratos.4°.de com.me.ſe.loc.* 5ª.155.H
Scribonij Largi catapotium.7°.de comp.med.ſecundum locos. 5ª.185.F
vt Scribonius colica.9°.de compoſitio.med.ſec.loc. 5ª.202.B
Scribonij Largi compoſitio.4°.de comp.me.ſe.lo. 5ª.158.B
vt Scribonius ad digerendum.6°.de comp.me.per ge. 5ª.261.E
Scribonij largi eclegma.7°.de com.me.ſec.lo. 5ª.185.F
Scribonij largi ad extuberantia omnia pharmacum.3°. de comp. medic. ſecundum locos. 5ª.148.B
Scribonij largi hypogloſſis conferens ad vocem interceptam.7°. de com. me.ſec.loc. 5ª.181.E
Scribonij largi pſittacinum inſcriptum pharmacum.4°.de comp.medic. ſecun.loc. 5ª.155.B
Scribonij largi confectio ex ſalice.9°.de com.med.ſec.lo. 5ª.202.E
Scribonij pharmacum ad tuſſim.7°.de com.med.ſec.loc. 5ª.182.H
SCRIPTORES *calamos ſibi pumice temperantes bene ſcribunt. de ſimp.med.* Sp.88.H
Scriptores celeres erant antiquitus.de præcog.ad Poſth. 4ª.216.E
à Scriptoribus omittuntur innumera.in prog.com.2°. 4ª.202.H
Scriptores debent eſſe modeſti.in prog.com.1°. 4ª.190.A
Scriptores ex ſe ipſis debere declarari, collige.4°.de dig.pul. 4ª.85.B
Scriptores omnes mordentur.2°.de criſi. 4ª.136.C
SCRIPTORIVM *ſpecillum.de med.fac.par.* 7ª.163.F
SCRIPTVRAS *veteres ſemper elegit Galenus & ſi difficilius explanentur.in* 6^{m}*.de mor.vul.com.3°.* 3ª.177.H
Scripturas veteres Rectores pro arbitratu mutabant in obſcuris libris. in 1^{m}*.prorrh.com.3°.* 4ª.182.D
Scripturarum paruarum cauſæ.de cau.procatar. 3ª.96.F
SCRIPTIS *ꝙ mala tradenda non ſint.10°.de ſimp.me.fac.* 5ª.72.E
Scripta proborum virorum, modo non multum diſcrepẽt, ab optima doctrina non ſunt reprehendenda.1°.de ana.admin. 1ª.65.D
SCROPHVLAE. *de virt.cent.* Sp.93.G
Scrophulas abſq; plaga curare docet.de dyn. Sp.35.F
ad Scrophulas radices acetoſę, & ar[illegible]gloſſæ [illegible] ſæ[illegible]lent. de incanta.adiur.& ſuſpenſ. 7ª.182.B
Scrophulas emollit lenticula.de ſimp.med. Sp.86.B
ad Scrophulas lotio.de dyna. Sp.25.G
Scrophulas accidit lupinus in modum cataplaſmatis impoſitus.de ſimp. medicam. Sp.86.C
Scrophulas diſſoluit marubiaſtrum.de ſimp.med. Sp.87.G
Scrophulas diſſoluens medicamen.de med.exper. Sp.104.D
ad Scrophulas.de med.fac.par. 7ª.162.G
ad Scrophulas remedium.de dyn.25.G/de med.exper. Sp.105.D
SCROTVM *quod.introd.* Iſa.53.D
Scrotum cum intus ſubſideat factum eſt matricum ſubſtantia, & inſtrumentum aptum ſemini recipiendo, ac retinendo.de vſu par. 1ª.206.B
Scroti morbi qui.introd. Iſa.59.D
circa Scrotum tres fiunt affectus.fin.med. Iſa.49.C
Scroti tumores qui fin.med. Iſa.49.C
Scroti tumores ſeptem.introd. Iſa.60.B
ad Scroti dolores.9°.de comp.med.ſec.lo. 5ª.205.D
in Scroto vlcera à ſudoribus facta, quomodo curanda. 9°. de compoſi. med.ſec.loc. 5ª.205.D
in Scrotum facile deſcẽdit cæcum inteſtinum ſolutum. in 6^{m}*. de morbis vulg.com.4°.* 3ª.179.G
in Scrotum quod iam decidit inteſtinum reponi in ſuũ locum deſiderat. 3°.meth.med. 7ª.16.C
in Scroto luxatio quo modo curanda.ars med. Iſa.71.C
in Scroto inteſtinum quo modo curandum.ars med. Iſa.71.D
ad Scrotum vinculum ſciſſum.de faſcijs. 7ª.304.F
ad Scrotum iunctura ex tribus capitibus.de faſcijs. 7ª.304.G
SCRVPVLVS *quid, & quomodo figuretur. de ponderibus & menſuris.275.C/E/276.A/D/.* 5ª.277.B
Scrupuli tres doſis.7°.de comp.me.ſec.loc. 5ª.187.A
SCVLPTORES ſunt in ſecunda ſede apud Deum Mercurium.in oratione ſuaſoria. Iſa.2.F
SCVLPTVRAE *in annulis an ſignificent aliquid, & proſint.9°. de ſimplic.med.fac.* 5ª.67.D
SCVRRILLAE *qui dicant.1°.de nat.fac.* 1ª.295.G
SCVTIFORMIS *chartilago quæ.de voc.inſtr.diff.* 1ª.106.G
Scutiformem chartilaginẽ qui muſculi coniungant.de muſ.diff. 1ª.46.B
Σκύβαλα excrementa quæ græci vocent.de victus rat.in morb. acut. commen.4°. 7ª.136.D
Scybala, & lũbrici lati educunt ex maioribus inteſtinis.de ca. Sp.94.G
SCYBELITES *vinum quale.5°.de ſa.tuen.* 2ª.91.B
Scybelites vinum nigrum eſt.de bo.& vitio ſuc. 2ª.38.C
Scybelites vinũ craſſum eſt, & valde nutriẽs.de bo.& vit.ſuc. 2ª.38.C
Scybelites vinum non valde craſſum eſt nec valde dulce.de vi. Sp.76.H
Scybelites vinum dulce ſolum eſt.4°.de ſimp.med.fac. 5ª.26.F
Scybelites vinum abſolutæ dulcedinis eſt.de bo.& vitio ſucc. 2ª.38.C
Scybelites vinum adſtringit mire.1°.de dign.pul. 4ª.70.H
SCYPHORVM *menſura.de med.fac.par.* 7ª.173.E
Scyphi cærei ad quem vſum eſſent præparati, & à quibus, et quòd ſinguli erant ſexta pars heminæ.de opt.ſect. Iſa.23.B
SCVTHAE *intenſo frigore opprimuntur.de aer.aq.& loc.* 2ª.5.C
Scythis hyems ferè perpetua eſt.de aeræ, aquis, & loc. 2ª.5.E
Scythis pauciſſimis diebus æſtas.de aer.aq.& loc. 2ª.5.E
Scythis idem victus, & amyct° hyems, et æſtate.de aer.aq.& lo. 2ª.5.E
Scythæ bibũt aquam reſolutam à niuibus & glacie.de ae.aq.et l. 2ª.5.E
Scythæ non exercentur, & quare.de aere, aq.& loc. 2ª.5.F
apud Scythas nec per ſomnium quidem inuenies temperatum.2°. de ſanitate tuenda. 2ª.73.B
Scythæ ſunt humidi temperamento non tamen frigidi. in 3^{m}*. de morbis vulg.com.3°.* 3ª.146.F
Scythæ mulieres formis ſunt corporum ad mirãdũ vſque fluxis.de aere, aquis & loc. 2ª.5.F
Scytharum corpora cur lata & fluida.2°.de aere, aq.& loc. 2ª.5.E
Scytharum cutis qualis.de temp. 1ª.20.A
Scytharum color rufus.1°.de ſan.tuen. 2ª.64.A
Scythæ fului propter frigus ingens, ſunt.de aer.aq.& loc. 2ª.5.F
Scythæ oĩum hoĩm minime valẽtes ad coitũ ſunt.de aere aq.et l. 2ª.6.A
Scythæ plurimi eunuchi.2°.de aer.aq.& loc. 2ª.5.G
Scythę nihil prius ſibi aliud faciendum putant, q̃ vt euirati fiant.de aer. aquis, & loc. 2ª.6.B
Schythæ feri ſunt.1°.de ſan.tuen. 2ª.66.F
Scytæ habent rationem quę ab ira vincitur.1°.de decre.Hip. 1ª.242.F
Scythæ iracundi, audaces ſunt, & præcipitis cõſilij.2°.de tẽp. 1ª.20.A
apud Scythas vnus tantum vir philoſophus extitit poſt hominum memoriam.quod animi mores. 1ª.321.H
SCYTHIAE *ſitus.de aere aq.& loc.* 2ª.5.D
Scythia frigida eſt.in progn.Hip.com.3°. 4ª.212.H
ad Scythiam quantum accedat ſol.de aere aq.& loc. 2ª.5.E
Scythiæ montes cur inhabitabiles.de aer.aq.& lo. 2ª.5.E
in Scythia non ſpirat venti calidi.de aere aq.& loc. 2ª.5.E
in Scythia perpetuo vẽti frigidi ab vrſis ꝓcedũt.de aer.aq.& lo. 2ª.5.E
Scythia non eſt fęcunda regio.de aer.aq.& lo. 2ª.5.D
Scythia non parit feras magnas.de aer.aq.& loc. 2ª.5.D/E
Scythiæ habitatores quales.de incant.adiur.& ſuſpen. 7ª.181.F
in Scythia non fit Elephas morbus.2°.de arte cur.ad Glau. 7ª.107.E
in Scythia vera ſunt ſigna libri ꝓgnoſticorum.in progn.cõ.3°. 4ª.212.G
Scythicum genus hominum in Europa circa paludem Meotim habitat. de aere aq.& loc. 2ª.5.C
Scythica planities qualis.de aer.aq.& loc. 2ª.5.C
SEIPSVM *omnium maxime quiſque diligit. de cogn. cur.animi mor.* 2ª.50.F
Seipſum cognoſcere vel ætatis maturæ viris difficile eſt, ne dum pueris. de cog.cur.animi mor. 2ª.54.C
Seipſum indicans & coronans, ab aliorum iudicum omnibus ſuffragijs condemnabitur.de cur.animi.pec.not.atq; med. 2ª.60.B
Seipſum perfecte cognoſcit ſapientiſſimus.de cog.cur.ani.mo. 2ª.50.E
in Seipſis eſſe quid.4°.de decr.Hip. 1ª.252.F
apud Seipſos eſſe quid.4°.de decr.Hipp. 1ª.252.F
per Se idem quod primum ſignificat.de ſymp.diff. 3ª.10.G
per Se cur diſtinguendum à per accidens.de ſymp.diff. 3ª.10.F
SECANDA *ſimia, & excorianda debet in aqua ſuffocari. de muſculorum diſſectione.* 1ª.44.D

Secandi tres modi in animali viuo.7°.de anato.adm. 1ª.97.G
Secandi modus ſecundus ſine ſanguine.7°.de ana.adm. 1ª.97.D
Secandi modus tertius ſine ſanguine.7°.de ana.admin. 1ª.97.E
Secando alteratur.3°.de ſimp.med.fac. 5ª.17.D
Secandæ venæ in brachio tres.præſ.exper.conf. Sp.78.B
quando Secandæ venæ poſt aures.de ana.viuo. Sp.55.A
quando Secandæ ſunt arteriæ poſt aures.de ana.viuo. Sp.55.B
Secandæ non ſunt temerè arteriæ poſt aures.de ana.viuo. Sp.55.B
quando Secandæ iugulares venę.de ana.viuo. Sp.55.A
Secandæ quando ſint venæ labiorum.de ana.viuo. Sp.55.A
Secanda quando ſit vena ſub lingua.de ana.viuo. Sp.55.B
Seçanda quando ſit vena inter mentum,& labium.de ana.viu. Sp.55.B
Secanda quando ſit vena furculæ.de ana.viuo. Sp.55.B
Secanda quando eſt ſaphena.de ana.viuo. Sp.55.H
Secãdæ in quibus affectibus ſint venæ pedum.præſ.exper.cõf. Sp.78.D
Secandæ qñ ſunt venæ pedum obliquæ.præſag.exper.conf. Sp.78.D
Secandæ venæ ſecundum varias ægritudines.ſecret. Sp.97.D
Secanda vena in melancholicis,& quæ.de mel.ex G.Ruf. Sp.109.G/H
Secandam eſſe venam primo, poſtea euacuandum iubet Poſſidonius in melancholicis.de mel.ex Gal.Ru.& Poſſ. Sp.109.H
Secanda eſt vena in oculorũ doloribus,& quæ.præſ.exper.cõf. Sp.78.B
Secanda eſt vena in mulieribus atrabilarijs quibus menſes defecerunt. de mel.ex G.R.& Poſſ. Sp.109.H
Secanda quæ vena ſit in morbis veſicæ,vuluæ,& renum. pręſagium ex perientia confir. Sp.78.C
SECANIABIN incidit & attenuat.de diſſ.cont. Sp.72.F
Secaniabin tenuat,& incidit humiditatẽ craſſam,& aperit oppilationẽ hepatis,& ſplenis,mũdificat pectus & pulmonẽ.de diſ.cõ.Sp.74.H
Secaniabin facit quandoque tineſmon in inteſtinis.de diſſ.cont. Sp.75.B
à SECANTIBVS & digerentibus craſſi & lenti humores euacuantur,& qualia eſſe debeant.7°.de ſimp.med.fac. 5ª.52.E
ad SECESSIONES faciũt panes nõ multũ puri.de cu.icte. Sp.111.C
per SECESSVM vel per vrinam euacuandum eſſe notat vrina magis bilioſa.de vri.ſign.ex Hipp. Sp.79.D
per Seceſſum purgãtia medicamenta quæ,& qualia.de cath. Sp.94.F
per Seceſſum, renes, veſica, & Iecinoris gibba pars ſi multos habent prauos ſuccos,euacuantur.7°.meth.med. 7ª.49.D
per Seceſſum euacuãda eſt iecoris caua pars.2°.de arte cura. 7ª.102.G
per Seceſſum qui nã exeũt humores.in 6ᵐ.de mor.vul.cõ.4°. 3ª.187.E
per Seceſſum educenda eſt bilis,ſi deorſum repat.1°.de arte curatiua ad Glauconem. 7ª.97.B
per Seceſſum deorſum vergentia, euacuantur.2°.de alim.fac. 2ª.19.E
nec per Seceſſum,nec per vomitũ euacuãdi ſunt humores qui per cutim euacuandi.in 6ᵐ.de mor.vul.com.2°. 3ª.165.G
per Seceſſum & vomitum iudicata quo modo fuerit Epicratis vxor.in 1ᵐ.de morb.vul.com.3°. 3ª.122.G
SECANTVR in brachio venę quinq;,nigra ſiue purpurea baſilica,funis brachij,& axillaris,ſceilem,& cephalica.de ana.viuo. Sp.54.G
Secare baſilicam cur periculoſum eſt.de ana.viuo. Sp.54.G
cum Secas baſilicam tende verſus branchium.de ana.viuo. Sp.54.G
Secari debet ſuper iuncturam vena baſilica,axillaris, & cephalica.de anatomia viuo. Sp.54.G
Secetur in quibus affectibus baſilica.de ana.viuo. Sp.54.H
Secetur in quibus affectibus cephalica.de ana.viuo. Sp.54.G
Secetur in quibus affectibus nigra vena.de ana.viuo. Sp.54.H
Secetur in quibus affectibus vena funis brachij.de ana.viuo. Sp.54.H
Secetur in quibus affectibus ſaluatella.de ana.viuo. Sp.54.H
Secetur ſaluatella in dextra in doloribus hepatis,& quæ in ſiniſtra in doloribus ſplenis.de ana.viuo. Sp.54.H
Secantur etiam venæ duæ ſuper ventrem,vna ſupra iecur, alia ſuper lienem.de ana.viuo. Sp.55.B
quando Secantur venæ duæ ſupra ventrem.de ana.viuo. Sp.55.C
quando Secantur arteriæ temporum.de ana.viuo. Sp.55.B
Secat̃ arteria manus quę eſt inter pollicẽ,& indicẽ.de ana.vi. Sp.54.H
Secare opus eſt vere venam his,quibus ſanguinem à venis mittere confert.com.7°.aph.53°. Ex.58.E
Secare venam oportet homine accumbente,ne fiat defectus animi commentario 1°.aph.23°. Ex.10.E
Secare venas ſępius eodem anno non eſt idoneum.de cucur.ſcar.6ª.3.H
Secare oportet poplitem,& in talis venas in phrenitide.pręſagium experientia conf. Sp.78.C
Secantur quandoque ſuppurati.com.6°.apho.27°. Ex.48.G
Secuere quidam tumorem in quo nihil inuenere,niſi ſpiritum qui per totã carnem erat diſſeminatus.de vict.rat.in mor.ac.com.4°.7ª.137.C
Secant,& extergunt amara cum manifeſta caliditate. 4°. de compoſit. med.ſec.loc. 5ª.205.H
SECAT & humectat aqua mulſa,vt ptiſſana, non tamen roborat. de vict.rat.in mor.acu.com.1°. 7ª.113.C
in SECORDIA & ocio quid degerant,quando moriebantur. in 1ᵐ.de mor.vulg.com.2°. 3ª.115.D
SECORDES dicunt ἀκαρδίους.3°.de decre.Hip. 1ª.243.D
Secors quid ſignificet.3°.de decr.Hipp. 1ª.245.B
Secors qui.3°.de decr.Hipp. 1ª.243.D
SECRETIO ex genere diuidentium eſt.1°.de ſymp.cau. 3ª.16.H
Secretio quo modo fiat.6°.de loc.aff. 4ª.41.G
SECRETORIA vis quid reijciat.1°.de nat.fac. 1ª.293.B
SECTA quid fin.med.Iſa.43.E/de hiſt.phil. Sp.3.A
Sectarum differentiæ quæ.de opt.ſect. Iſa.20.G
Sectę philoſophorum diſtinctæ,quatuor.de ordine librorum ſuorum.14. F/fin.med. Iſa.43.E
Sectę quatuor generales.de hiſt.phil. Sp.3.A
Sęctarum diſſidia vndę orta.in 6ᵐ.de mor.vul.com.2°. 3ª.165.B
Sectæ ſtoicę author Zeno Citieus.de hiſt.phil. Sp.2.E
Secta Cyrenaica vnde.de hiſt.phil. Sp.2.E
Sectę tres in re medica.contra Iulianum. Ex.68.C
Sectarum trium nomina.de propr.lib. Iſa.11.A
Sectę tres celebres in medicina[rationalis,empirica,methodica.]de optima ſecta. Iſa.20.F
Sectarum trium authores,& principes qui.introd. Iſa.51.D
Secta rationalis quæ.fin.med. Iſa.43.E
Sectę rationalis principes qui.intr. Iſa.51.D
de Secta rationali Galeni dictum.de ſal.diæ. 2ª.42.A
Sectę empiricę quæ.fin.med. Iſa.43.E
Sectæ empiricę principes quid.intro. Iſa.51.D
Secta empirica quibus inſtituatur.de opt.ſect. Iſa.24.E
Secta methodicorum definitio quæ.de ſect. Iſa.17.D
Sectæ methodica quæ.fin.med. Iſa.43.E
Secta pneumatica quæ.3°.de diff.pul. 4ª.60.A
de Secta pneumatica qui erit.3°.de diff.pul. 4ª.63.C
Sectæ omnes in quibus conſentiant.de opt.ſect. Iſa.20.G
Secta optima quid faciat.de cu.animi pecc.not.atque med. 2ª.57.G
de Secta aliqua quõ quis poſſit iudicare an vera ſit.8°.met.me. 7ª.52.C
Sectam nouam erigere volentes, labefactant antiquam. 2°. de decretis Hippocrat. 1ª.234.D
Sectarum ambitio malum indelebile eſt.1°.de nat.fac. 1ª.293.D
Sectarum ambitio quauis ſcabie ad ſanandum rebellionem.1°. de naturalibus facul. 1ª.293.D
Sectæ alicuius principatum ſibi arrogantes quædam ſcribunt quæ nunq̃ viderunt ac ſi vidiſſent & è contrario 4°.de loc.aff. 4ª.25.F
Sectæ alicuius principatum ſibi arroganter vſurpantes omnia intrepide profitentur.4°.de loc.aff. 4ª.25.F
Sectarum ſectatores non adhibent mentem etiam ſi falſa dicant per ſua ſententia contra aliam.9°.de decre.Hipp. 1ª.284.B
Sectæ vnum addicti cur mentiantur.3°.de loc.aff. 4ª.15.A
Sectis addicti nolunt à falſitate ſectę dimoueri.3°.de diff.pul. 4ª.60.H
Sectæ alicui qui ſe addixere,difficulter reuocantur.8°.de compoſi. med. ſecundum locos. 5ª.187.C
Sectam nullam ſequebatur Galenus,& omnes optime callebat.3°. de locis affectis. 4ª.15.A
in Sectarum omnium ſcientia nemini ſe poſt habendum eſſe oſtendit Galenus.3°.de loc.aff. 4ª.15.A
SECTA vena iuuat difficultatẽ vrinę,ſecare autem interiores.com.6°. aphoriſmo 36°. Ex.50.D
Secta vena ad duas libras peſtilentiam minuit.præſ.exper.cõ.Sp.78.C
Secta vena inter pollicem, & indicem vetuſtum dolorem ſanat. pręſag. exper.confir. Sp.78.C
Sectarum in cruribus venarum adiumento non parum leuantur inflammationes in vuluis.pręſ.exper.conf. Sp.78.C
Secta parte emortua,et putrida tutius erit adurere id,qđ velut radix ſanę parti eſt adiumẽtũ,vt in pudẽdis fit.2°.de ar.cu.ad Gl. 7ª.107.A
SECTIONVM librum ſcripſit Eraſiſtratus.com.6°.aph.50°. Ex.52.G
SECTIO per ſerram eſt ſpecies diuiſionis chirurgiæ.intro. Iſa 59.E
Sectio vñ incipiẽda,& quo ingenio peragenda.4°.de ana.admi. 1ª.80.C
Sectio mediocris quæ.3°.de ana.adm. 1ª.74.B

Sectionem nihil magis perturbat quàm ſanguinis profluuium. 7°.de anatomicis adminiſtra. 1ª.97.C

Sectio viui animantis qualis fieri debet 7°.de ana.admin. 1ª.97.D

ad Sectionem animalium differentiæ.6°.de ana.admi. 1ª.90.G

ad Sectiones omnes quas adminiſtrare neceſſarium, citra neruorum læſionem, quæ totum thoracem efficit immobilem vnum animal ſufficit. 8°.de ana.admi. 1ª.102.F

Sectio quanta fieri debet ne membrũ reſtet turpe.12°.met.med. 7ª.81.E

Sectionis ordo pro putrefactione.5°.de ana.admi. 1ª.87.B

per Sectionem quo modo oſtenditur ſanguinem eſſe in arterijs.7°.de an. adminiſt. 1ª.98.H

Sectionibus ſcarificationum diſſoluimus vetuſtiores dolores capitis, & faucium inflammationes.præſ.exper.conf. Sp.78.C

SECTIO venæ creditur euacuare totum corpus æqualiter. cõmentario 4°.apho.2°. Ex.27.D

Sectio venæ præſtantiſſimum eſt remediũ.de ven.ſect.adu.Eraſ. 6ª.5.C

à Sectione fit partium diminutio.de cau.mor. 3ª.9.D

Sectio partis abundantis quomodo exercenda.ars med. Iſa.71.B

in Sectione venæ vires imbecillę penitus obſeruandæ ſunt.præſag. exp. confirmatum. Sp.78.D

à Sectione venæ famẽ qui diutius tolerare debet, periculum eſt ne diſſoluatur.de venæ ſect.aduerſ.Eraſ. 6ª.5.D

in Sectione venæ aliqui deficiunt animo.com.1°.apho.23°. Ex.10.D

Sectio venæ vſq; ad animi defectũ qbus cõueniat.14°.met.med.7ª.90.B

Sectio venę propter quid facit membrum ſtupidũ.3°.de ana.ad.1ª.78.A

Sectio venæ facit abortum.de ſper. Sp.36.D

pro Sectione venæ quæ agantur.5°.meth.med. 7ª.25.C

Sectio venæ à communibus ſemper facienda.de trem.palp. 3ª.53.B

Sectio venæ non prodeſt ſed obeſt, ſi fiat in venis quæ nullã habent communitatem cum parte affecta.de trem.palp.conuulſ. 3ª.53.B

per Sectionẽ venæ reuulſio confeſtim cõfert.præſ.exper.conf. Sp.78.A

Sectio reuulſiua non euacuatiua quæ.in 1m.prorrh.com.3°. 4ª.186.F

ante Sectionem venæ fiat clyſter.præſ.exper.conf. Sp.78.D

poſt Sectionẽ venæ, cibus illico dandus ſi inediam non ferat ægrotans. de optima ſecta. Iſa.28.B

Sectionem venæ quidam in omni morbo faciebant.de atra bi. 1ª.36.C

Sectio quando fieri debet.in 6m.de morbis vulgaribus, commentario 6°. 3ª.196.A/ſecret. Sp.97.D

Sectio venæ fit in declinatione, & quare.de opt.ſec. Iſa.28.B

Sectio venæ in initio a recẽtibus vſq; ad tertiũ diem ſtatuit.intr. Iſ.55.E

Sectio venæ à veteribus poſt tertiũ diem ſtatuitur ſi vires adſint, & morbus poſtulet.introd. Iſa.55.E

Sectio venæ quibus decet, fiat, & pſertim in vere.c.6°.ap.47°. Ex.52.C

Sectio venę in præſeruatione fiat vere.præſ.exper.conf. Sp.78.D

Sectio venæ quo vis tempore fiat.præſ.exper.conf. Sp.78.D

Sectio venæ quo tempore prohibenda.præſ.exper.conf. Sp.78.D

Sectio venæ non eſt facienda in regione valde frigida, vel valde calida. de ſecta. Iſa.16.E

Sectio venæ non debet fieri in anni tempore multum calido, & multum frigido, etiam in febre acuta.introd. Iſa.16.H

Sectio venæ non debet fieri pro ſene, & puero pleuritico. de ſubfiguratione empirica. Iſa.32.F

Sectio venæ bis, terue quando facienda.5°.meth.med. 7ª.32.H

Sectio qñ fieri debet, & quando non in Cãcris.cõ.6°.apho.38°. Ex.50.E

Sectio cuius venę in capite affecto bona.de conſt.ar. Iſa.41.E

Sectio cuius venæ in Collo affecto fieri debet.de conſt.ar. Iſa.41.E

Sectio venæ ſanat Dolores oculorum. commentario 6°. aphoriſmo 31°. 49.C/com.7°.aph.46°. Ex.57.G

Sectione venæ ſanauit Galenus Elephantem incipientem.commenta.6°. aphoriſmo.44°. Ex.52.C

Sectione venæ quandoq; Flatuoſus ſpiritus, & craſſi humores ſanantur, & euacuantur.com.6°.apho.22°. Ex.48.D

Sectio venæ in fronte inuenta à fortuna.contra Iulianum. Ex.66.E

Sectio venæ frontis cui conuenit.de ana.viuo. Sp.55.A

Sectio cuius venæ conueniat in Iſchia.de conſt.ar. Iſa.41.E

ex Sectione ſaluatellæ Lien iuuatur.præſag.exper.conf. Sp.78.A

Sectio venæ in Melancholia vſq; ad animi deliquium.de melanch.ex Galeno Rufo, & Poſſ. Sp.110.F

Sectio venę debet fieri quando ſubijciuntur Plenitudinis paſſionibus.cõmenta.6°.aph.47°. Ex.52.B

Sectio venę eſt commune auxilium his quæ fiunt ex plenitudine paſſionibus.com.6°.aph.47°. Ex.52.C

Sectio venæ in Pleuritide fiat ab eodem latere.præſ.exp.conf. Sp.78.B

Sectio venæ in pleuritide quando debeat fieri, & quando purgatio.commentario 6°.apho.5°. Ex.46.G

Sectio cuius venæ in Thorace, & pulmone affecto facienda. de conſtitutione artis med. Iſa.41.E

Sectio cuius venæ in Vteri affectiõe fieri debeat.de cõſt.ar. Iſa.41.E

Sectio venæ à pede fieri debet qñ vterus eſt male affectus.de tre. 3ª.53.A

Sectio venæ pedum quo modo fieri debeat.de ana.viuo. Sp.55.H

Sectio venæ pedis magis debilitat quã venæ brachij.de ana.vi.Sp.55.A

Sectio venę in poplite aut circa Talum fieri debet Vtero affecto. de tremore palp.conuulſ. 3ª.53.A

SECVNDAE ſunt idem quod choria, quæ & loci, & vteri dicuntur. cõm.5°.apho.35°. Ex.40.F

Secundæ ſunt purgamenta.de ven.ſect.aduer.Eraſ. 6ª.6.G

Secundæ ex quibus conſtent.fin.med. Iſa.49.H

Secũdę ſunt cauitates ampliſſimę inter ptes aĩalis.3°.de na.fac. 1ª.302.F

Secundę ſunt ex multis arterijs, & venis propinquis, & præterea membrana tenui media inter has, ſpacia cõtexente.8°.de vſu p. 1ª.168.G

Secundæ vnde pendeant.com.5°.aph.49°.42.A/aph.60°. Ex.43.D

Secundarum fit mentio.de trem.palp.conuul. 3ª.53.A

ad Secundas ab vtero nullus neruus peruenit.6°.de decret. 1ª.265.A

in Secundis nullus neruus apparet.6°.de decre.Hipp. 1ª.265.A

circa Secundas quæ ſunt, habent originem à vena iecoris. 6°.de decretis Hippocratis. 1ª.265.A

Secundas eijcit ſtachys.8°.de ſimp.med.fac. 5ª.61.C

Secundæ per ſternutationem emittuntur.com. 5°. aph.35°. 40. F/aphoriſmo 49°. Ex.42.A

Secundas eijciens antidotus.2°.de antid. 5ª.116.D

Secundas retentas trahit antidotus Mitridatis Eupatoris Diaſcinci nominata.2°.de antid. 5ª.115.C

Secundas trahit antidotus Zopyria.2°.de antid. 5ª.115.B

ad Secundas deducendas. 7°. de compoſi.med.ſec.loc. 5ª. 185. E/H/de med.fac.par. 7ª.169.A

SECVNDINA quæ.de ana.par. Sp.43.C

Secundina panniculus eſt oculi.de ocul. 7ª.182.H

SECVNDA vocis canna eſt vuula.de ana.viuo. Sp.49.E

Secundæ digeſtionis vas veſica eſt.de ana.viuo. Sp.51.D

Secũdus dies, & primus q̃uo decernũt in morbis.1°.de die.dc.4ª.148.H

Secundo die partim, & partim primo, diarię febres ſoluũtur.1°.de diebus decretorijs. 4ª.149.A

de Secũdo loco enumerato prius agat, & de priori poſterius. de ijs, quæ in med.ſi.com.1°. 7ª.201.C

SECVNDI athletæ caſus, ex imbecillitate ſepti tranſuerſi. 4°. de locis affectis. 4ª.25.A

SECVRIDACAE ſemen proijcitur.1°.de alim.fac. 2ª.14.H

SECVRINVM in lente naſcitur.1°.de alim.fac. 2ª.15.H

SECVRITATIS gratia neruorum miſtiones natura mollita eſt.16°.de vſu par. 1ª.217.H

Securitas eſt prior actiõe ad ſanitatis diuturnitatẽ.12°.de vſ.p.1ª.196.C

Securitatis magnum eſt indicium calidum in omni vlcere.commenta.5°. aphoriſmo 22°. Ex.39.D

Securitatem ſalubrem, celeritatemq; indicij protendunt concoctiones.in 1m.de mor.vul.com.1°. 3ª.112.B

SEDENTES quo modo dormiant.2°.de motu muſ. 1ª.314.D

Sedentium ſomnus hedręon dicitur.in 6m.de mor.vul.com.4°. 3ª.183.H

SEDERE facit ad vires recreandas.8°.meth.med. 7ª.50.B

Sedere ſi velint ægri, malum.in progn.com.1°. 4ª.194.A

SEDES aquæ pulmo.de ana.viuo. Sp.47.G

Sedes melancholiæ in ſplene.de ana.viuo. Sp.45.F

Sedes virtutis concupiſcibilis eſt iecur.in tim.Plat. 1ª.287.C

Sedes quę afficiatur vel alteri conſentiat conſiderandum, primo actione vitiata conſiderata.3°.de loc.aff. 4ª.15.D

Sedem affectam qui ſcire vult in quibus libris debet exercitari.1°. de locis affectis. 4ª.7.G

Sedes affecta vnde dignoſcatur.3°.de loc.aff.13.C/ 4ª.15.D

Sedes affecta quomodo facile inueniatur.4°.de loc.aff. 4ª.25.D

Sedem affectam quo modo maxime oſtendunt oculi, & lingua. 2°. de locis affectis. 4ª.13.C

ad Sedem affectam inueniendam non ſolum ſymptomata præſentia conſideranda, ſed etiam pręterita.6°.de loc.aff. 4ª.39.A

Sedes affecta à rebus contentis deprehenditur.1°.de loc.aff. 4ª.2.E

Sedes affecta ab excremẽtorum natura cognoſcitur eſſe dupliciter.1°.de locis affectis.

locis affectis. 4^a.4.G
*Sedis affectæ nota accipitur ex illis & quæ adnaſcũtur.*1°.*de l.af.* 4^a.2.F
Sedes ſi coaluerint præter naturam ad quam ægritudinis differentiam attinent.de diff.morb. 3^a.5.D
*Sedes occluſa quibus aperiatur.*5°.*de ſimp.me.fac.* 5^a.35.D
SEDEM *appellat Hippocrates abſcedenti corpori ſubiectam partem. de ijs quæ in med.ſi.com.*2°. 7^a.212.A
SEDES *eſt pars neruoſa.com.*5°.*aph.*22°. Ex.39.E
*Sedes ſiccior carne eſt.*5°.*met.me.* 7^a.36.D
in *Sede muſculorum conſideratio.*6°.*de ana.adm.* 1^a.93.G
in *Sede muſculorum ſectio.*6°.*de ana.adm.* 1^a.93.G
pro *Sedis muſculis videndis, quomodo diſſecãda ſunt pubis oſſa.*6°.*de anatomicis adminiſt.* 1^a.93.G
*Sedis muſculi circularis diſſectio.*6°.*de ana.adm.* 1^a.93.H
in *Sede muſculus eſt vnus vel plures vniti.*1°.*de motu muſc.* 1^a.309.F
in *Sede quo duo muſculi obliqui, & quid agant.*5°.*de vſu par.* 1^a.146.E
Sedis muſculus dici poteſt cuticuloſus muſculus vel carnoſa cutis. de muſculorum diſſectione. 1^a.50.E
*Sedis muſculi quomodo mouentur.*1°.*de motu muſc.* 1^a.309.F
Sedem qui muſculi ſurſum attollunt.de muſc.diſſ. 1^a.50.E
*Sedem qui circulariter ambit muſculus, quomodo quandoq; cauſa ſit, vt excrementũ reuertatur.de vict.rat.in mor.acu.c.*3°. 7^a.130.D
*Sedis muſculo ſubito reſoluto pueri qui inuitus excernebat, caſus.*1°.*de locis affectis.* 4^a.7.H
*Sedis venarum purgatio & ſulphurata balnea euacuant æqualiter totum corpus.com.*4°.*aph.*69°.& *com.*7°.*aph.*46°.35.A/ Ex.57.G
Sedis venæ fluor in mulieribus deriuandus eſt ad venas vteri.de cucurbitulis ſcarificatio. 6^a.4.F
*Sedi calidum amicum, frigidum inimicum.c.*5°.*aph.*22°. Ex.39.D
p *Sedẽ frigidũ, & calidũ aſcẽdunt in ventrẽ.cõ.*5°.*aph.*22°. Ex.39.E
per *Sedem, vel vterum tranſmittenda, quæ per vrinas fluunt.* 5°. *methodi medendi.* 7^a.30.E
per *Sedem digito in rectum inteſtinum immiſſo quomodo deprehendatur lapidem eſſe in veſica.introd.* Iſa.57.B
de SEDIS *affectibus, & cur difficillime curentur.*9°.*de compoſitione medic.ſec.loc.* 5^a.204.E
Sedis morbi qui.introductio. Iſa.59.D
in *Sede vel in ſinu mulieris exiſtens Cancer non venit ad cicatricem. com.*6°.*aph.*38°. Ex.50.E
ad *Sedes Depaſtas.*5°.*de comp.me.ſec.loc.* 5^a.251.F
ad *Sedis Dolores erodentes, pruritus, & rimas.*9°.*de cõpoſitione medicamentorum ſecun.loc.* 5^a.205.C
ad *Sedis Eminẽtias internas ſciſſuras et ficos ĩ ſede.de me.f.*7^a.170.B
*Sedem Euerſam coercere torpedinem eſt proditũ.*11°.*de ſimplicium medicamentorum facultatibus.* 5^a.82.F
ad *Sedis fiſſuras capitibus Menidum ſale inueteratas vſtis quidã vtebatur.*11°.*de ſimp.me.fac.* 5^a.79.F
*Sede, & veſica frigefacta in quodam, excrementum retinere non poterat.*4°.*de locis affectis.* 4^a.25.C
per *Sedem Fluxibilitas quomodo fiat.*11°.*met.me.* 7^a.73.F
in *Sede Germina adnaſcuntur.*3°.*de ſymp.cau.* 3^a.28.D
Sedis Hæmorrhoidas aperit Theriaca.de theria.ad Piſon. 5^a.96.B
ad *Sedem Inflammatã ac prolapſam.*9°.*de comp.med.ſec.lo.*5^a.205.C
in *Sede inflatis prodeſt achanta ægyptia.*6°.*de ſimp.me.fac.* 5^a.42.A
ad *Sedis Obturatiões et ad alia vitia, cõpõ.*9°.*de cõp.me.ſe.l.*5^a.204.B
in *Sedis phlegmone non eſt purgandũ per aluum.*12°.*met.me.* 7^a.82.A
*Sedis phlegmonarum, & procidentiarum non ſtrenuum cataplaſma eſt galla cocta.*7°.*de ſimp.me.fac.* 5^a.51.B
ad *Sedis phlegmonas valet lycium.*7°.*de comp.me.ſec.loc.* 5^a.54.G
ad *Sedis vuluæq; procidentias dandus eſt lentiſcus.*8°.*de ſimplicium medicamentorum facul.* 5^a.61.H
ad *Sedem procidentem.*9°.*de comp.med.ſec.loc.* 5^a.205.A
ad *Sedem procidentem infantium.de med.fac.par.* 7^a.174.F
ad *Sedis Rimas, fiſſuras, vlcera dolentia, & vitia.*1°.*de compoſi.medicamentorum ſecun.loc.* 5^a.130.C/F
per *Sedem Sanguinem fluentem nõ eſſe malum ex Galeno colligi poteſt com.*5°.*aph.*33°. Ex.40.E
à *Sede ſanguinem perfundentibus non eſt medicamentum exhibendũ. de victus ratione in mor.acu.com.*4°. 7^a.150.F
ad *Sedis tumores phlegmonodes.*1°.*de comp.me.per gen.* 5^a.211.E
*Sedis Vlcera requirũt ſuauiſſima medicamẽta.*11°.*de ſim.me.fa.*5^a.81.D
*Sedis vlcera nullum cataplaſma deſiderant.*5°.*met.me.* 7^a.36.D
Sedis vlcera Phlegmonas aut Stolidas propetientia mitigantur lacte. 11°.*de ſimp.me.fac.* 5^a.73.H
ad *Sedis vlcera optimum eſt medicamen, pompholyx.* 9°. *de ſimpliciũ medicamen.facul.* 5^a.71.A
ad *Sedis Vitia.*2°.*de comp.me.per gen.*224. D/5°. 5^a.251.C
ad *Sedis Vlcera ſtomaticum Critonis ex Muſto.*6°.*de compoſitione medicamentorum ſecun. loc.* 5^a.170.C
*Sedis medicamenta ab Andromacho conſcripta.*9°. *de comp. medicamentorum ſecun.loc.* 5^a.204.F
Sedis medicamentum ex cerebellis, & à ruſtico medicamentum aliud. 9°.*de comp.me.ſec.loc.* 5^a.204.G
*Sedi conueniens emplaſtrum.*2°.*de comp.me.per gen.* 5^a.224.D/E
Sedes, Lege Anus.
SEDILIA *pars organorum.de machin.* 7^a.309.E
Sedile in organis immobile eſt.de machin. 7^a.310.F
Sedilia in organis ſemper immobilia manent.de machi. 7^a.310.F
Sedile quid in Fabri organa.de machin. 7^a.317.A
*Sedile Theſſalicum.de arti.com.*1°. 7^a.255.E
SEDIMEN *ꝙ ſignificet hypoſtaſim, collige.c.*4°.*aph.*69°. Ex.35.A
*Sedimen non eſt bonum ſignum in aliquibus vrinis, ſcilicet in principio morbi.com.*4°.*aph.*69°. Ex.35.A
*Sedimen non habẽtes vrinæ, ſi virtus conſtet, longus eſt morbus, ſin minus, mortale.com.*4°.*aph.*69°. Ex.35.A
*Sedimina bilioſa ſupra tenuia acutum morbum ſignificant. commentario.*8°.*aphoriſmo.*32°. Ex.56.D
*Sedimen bilioſum, & ſuperfluitans aquoſum nunquàm vidit Galenus. com.*7°.*aph.*32°. Ex.56.D
*Sedimen craſſum habentes vrinæ, ſolutum iri morbum ſignificant.commentario.*4°.*aph.*69°. Ex.35.A
*Sedimina in vrinis febricitantium veluti farina craſſior longam ægritudinem fore ſignificant.com.*7°.*aph.*31°. Ex.56.C
Sedimen fabaceæ pulticulæ ſimilæ in quibus vrinis.de mult. 3^a.81.F
*Sedimina ſimilia orobis viſa ſunt à Galeno ĩ aliquibus febribus, & quo modo fiant.com.*4°.*aph.*71°.& 76°.35.D/ Ex.36.E
*Sedimen ſubrubrum, & leue, & vrina ſubrubra notant longum morbũ ſed valde ſalubrem.com.*4°.*aph.*71°. Ex.35.D
SEDIMENTVM *primo conſiderandum in vrinis.in prognoſtica. com mentario.*2°. 4^a.200.C
Sedimenti forma eſt maximum momentum in vrina.in 1^m. *de mor. vul. commentario.*3°. 3^a.123.C
Sedimenta docent modum & menſuram coctionis.de vri. 4^a.124.A
*Sedimenti concocti proprium quod.in progn.com.*2°. 4^a.200.F
Sedimento quo indicetur virtutis debilitas.de vrin. 4^a.123.G
in *Sedimento quatuor conſideranda.de vrin.* 4^a.124.B
de *Sedimenti colore.de vrin.* 4^a.124.B
Sedimentũ Albũ, craſſum in vrina quid ſignificet.de vrin. 4^a.124.H
Sedimentum album, ſupremũ, planum, & inæquale, quid ſignificet.de vrinis. 4^a.123.G
Sedimentum album non planum quid ſignificet.de vrin. 4^a.123.G
Sedimentum Arenoſum quando fit.de ren.aff.dig.& med. 7^a.192.D
*Sedimentũ Candidũ tenue quid ſignificet.in progn.com.*2°. 4^a.200.E
*Sedimentum cur candidum in vrina.in progn.com.*1°. 4^a.197.D
*Sedimentum quando Copioſum, & qñ non.in progn.cõ.*2°. 4^a.200.D
Sedimentũ Craſſum, & nigrũ in vrina quid ſignet.de vrin. 4^a.124.H
*Sedimentum craſſum vt farina quid ſignet.in prog.com.*2°. 4^a.200.E
*Sedimentum furfureum quid ſignificet.in prog.com.*2°. 4°.200.E
Sedimentum Liuidum quid ſignificet.de vrin. 4^a.124.C
Sedimentum Nigrum quid ſignificet.de vrin. 4^a.124.C
*Sedimentum Optimum quod.*1°.*de diff.feb.* 3^a.33.C
*Sedimentum Peſſimum quod.*1°.*de diff.feb.* 3^a.33.C
Sedimentum non planum æquale quid ſignificet.de vrin. 4^a.123.H
Sedimentum non planum inæquale quid ſignificet.de vrin. 4^a.123.H
Sedimentum Rubrum quid ſignificet.de vrin. 4^a.124.B
Sedimentũ rubrũ groſſum in vrina quid ſignificet.de vrin. 4^a.124.H
*Sedimentũ inſtar ſquãmularũ quid ſignet. in progn.cõ.*2°. 4^a.200.E
*Sedimentum ſubrubrum, & vrina ſubrubra ſignificant ſalubritatem, ſed longitudinem.in progn.com.*2°. 4^a.200.E
*Sedimẽtũ ſuſpenſum, albũ, æquale, & planũ qd ſignet.de vrin.*4^a.123.H
*Sedimentum ſecundum Victum.in in progn.com.*2°. 4^a.200.D
SEDITIO *morbus animæ eſt.*5°.*de decr.Hipp.* 1^a.256.C
*Seditionibus ægrotant ciuitates.*5°.*de dec.Hipp.* 1^a.255.C
SEDITIOSOS *efficit cholera nigra.de dyna.* Sp.19.F

SEDARE, *ſubſiſtere eſt,& eſſe in quiete.de dif.pul.* 4ª.47.C
*Sedandi doloris vim habentia quæ.*11°.*de ſimp.med.fac.* 5ª.83..A
Sedant laſſitudinem balnea.de mel.ex Gal.Ruf.& Poſſ. Sp.110.D
Sedat capitis dolorem menta.de ſimp.med. Sp.87.D
Sedat ſtœchas vitia toracis.de ſimp.med. Sp.90.G
SEDVM *quid.de ſimp.med.* Sp.91..A
Sedum ſtringentes vires,& refrigerantes habet,ſimilis eſt plantagini. de ſimpli.medicam. Sp.91..A
Sedi,& ſereos ſuccus cuti illitus quid faciat.de mar. 3ª.48.B
SEGETVM *differentiæ per ſuã ſubſtantiã,quæ.*1°.*de ali.fa.*2ª.13..A
SEGNIS, *& tardus pulſus fit à cholera nigra.de dyn.* Sp.19.F
SEGNITIES *fit ex frigore.*13°.*met.me.* 7ª.85.E
Segnitiem parit ſimilitudo perpetua.de aere,aquis,& locis. 2ª.6.C
Segnities quibus multa.de aere,aquis,& locis. 2ª.6.E
SEGREGATIO *actio naturæ eſt.introd.* Iſa.55.B
Σεληνὸς *ſiue lunaticus.in* 3^{m}.*de mor.vul.com.*1°. 3ª.128.G
Σειρίος *eſt canicula ſtella.in* 1^{m}.*de mor.vul.c.*1°. 3ª.102..A
Σελάχια *id eſt cartilaginea,in epilepſia vitanda.de pue.* 7ª.180.H
SELEVCIDES *aues edunt locuſtas,& per anum celeriter emittunt.* 6°.*de locis affectis.* 4ª.37.H
SELIBRA *vncias ſex continet.*1°.*de comp.me.per ge.*211.C/ 5ª.217.B
Σελίγνις *non eſt nomen Græcum.*1°.*de ali.fac.* 2ª.9.G
SELINON *adeo eſt calidum,vt vrinam & menſes cieat.*7°.*de ſimpli. medica.facul.* 5ª.60.B
SELINVSIA *terra quid & eius vires.de ſimp.med.* Sp.85..A
*Selinuſia terra qualis,& quòd ad ambuſta vlcerum remedia pulcherrima eſt.*9°.*de ſimp.me.fac.* 5ª.66..A
*Selinuſiæ terræ fit mentio.*1°.*de comp.me.ſec.loc.* 5ª.127..A/H
cum SEMINE *creatore vniuerſi inſita eſt anima vt corpus gubernet. an animal ſit.* 1ª.327.F
SEMEN *quo nomine dicitur à græcis.*6°.*de loc.aff.* 4ª.41.G
*Semen quid.fin.med.*44.E/Iſa.49.E/*de hiſt.philo.* Sp.10.D
Seminis diffinitio per ſuam vim.fin.med. Iſa.44.E
Semen differt à genitura fin.med. Iſa.49.E
Semen an corpus ſit.de hiſt.philo. Sp.10.D
*Semen eſt ſanguis exquiſite confectus.*2°.*de ſem.* 1ª.337.E
Semen viri ſanguis eſt.de nat & ord.cuiusl.corp. Sp.42.C
Semen eſt ſpiritus excretio.in 6^{m}.*de morb.vul.com.*3°. 3ª.172..A
Semen conſtat ex ſeroſa humiditate,& ſpiritu aduerſus Lycũ. Ex.65.D
*in Semine ſpiritus qualis.*1°.*de ſem.* 1ª.331.D
*in Semine ſpiritus eſt,vt motus principiũ.*14°.*de vſu par.* 1ª.204.F
*in Semine humor eſt materia ad gñationẽ fœtus.*14°.*d vſu p.* 1ª.204.F
*Semen ſpumoſum,& ſpirituoſum eſt.*14°.*de vſu par.* 1ª.207.F
*Semen ſpumæ comparatur,& quomodo.*1°.*de ſemine.* 1ª.330.E
*Semen plenum eſt ſpiritu vitali.*1°.*de ſem.* 1ª.330.E
*in Semine plus eſt igneæ ſubſtantiæ,& aereæ.*1°.*de ſan.tu.* 2ª.62.E
*Semen ſanguine ſiccius,tñ & ipſum eſt humidũ.*1°.*de ſan.tu.* 2ª.62.E
*Semen habet paucam terrenam ſubſtantiam.com.*1°.*aph.*14°. Ex.7.D
Semen qui ſpiritus conuertit in carnem.de ſpermate. Sp.36.B
*Semen nihil habet præter naturã permiſtũ.in progn.com.*1°. 4ª.197.D
*Semen eſt facultas & materia.*2°.*de ſem.* 1ª.337.D
*Semẽ ſm Hippocratẽ habet vim materialẽ et effectiuã.*1°.*de ſe.*1ª.328.H
*Semen ſm Ariſtotelem habet ſolum vim effectiuam.*1°.*de ſem.*1ª.328.H
*Semen quomodo fiat à natura.*7°.*de dec.Hipp.* 1ª.269.E
*Semẽ fit ex materia,& ex vi qua concoquitur.cõ.*5°.*aph.*63°.Ex.44.C
Seminis procreatrix facultas quid.de hiſtoria philo. Sp.9.H
*Semen generatur ex ſanguine exacte cocto.*16°.*de vſu par.* 1ª.219.C
*Semẽ cur extra fit minus,& facile exſiccatur.*14°.*de vſu pa.* 1ª.207.F
*Semen cito & multum efficiunt teſtes.*1°.*de ſem.* 1ª.335..A
*Semen paucũ & tarde efficiunt venę & arteriæ.*1°.*de ſem.* 1ª.335..A
Seminis venæ quatuor vbi ſint.de ſpermate. Sp.36.G
*Seminis meatus in partibus pudẽdis ĩferiorib⁹ ẽ.*14°.*de vſu p.*1ª.210.H
*Semen inferius exit.*17°.*de vſu par.* 1ª.222.B
Semen quomodo à cerebro deducatur.de comp.memb. Sp.59.C
Semen à dorſali medulla deſcendere ad maris pudendũ arbitratur Hippocrates.in tim.Hipp. 1ª.287.H
Semen ab omnibus corporis mẽbris procedit.de aere,aq.& lo. 2ª.4.G
Semen quomodo à toto decidatur.de ſpermate. Sp.36.G
Semen vbi coquitur & accipit formã ſeminis.de comp.memb. Sp.59.C
*Semen genitale gñantes glãdulæ,magno vſui ſunt.*14°.*met.me.* 7ª.90.C
*Semen in teſtibus ſolum fit ſecundum aliquos.*1°.*de ſemine.* 1ª.333.C
*Semen cur fiat album & quomodo.*12°.*de vſu par.* 1ª.207.G
*Semen album vbi fiat.*9°.*de vſu par.* 1ª.172.E
*Semen eſt in teſticulis,& eo nutriuntur.com.*5°.*aph.*39°. Ex.41.C
ad Seminis generationem nihil faciunt teſtes ſecundum Ariſtotelem. 1°.*de ſemine.* 1ª.332.G
*ad Seminis generationem non multum faciunt teſtes ſecundum Herophilum.*1°.*de ſemine.* 1ª.333.E
*Semen cur candidum.in progn.Hipp.com.*1°. 4ª.197.D
*Semini ſimilis eſſe debet puris color.in progn.com.*1°. 4ª.197.C
*vt Semen genitale,cito mutatur lac.*7°.*met.me.* 7ª44.F
Semen albificat oua.de dyna. Sp.44.D
*Semen calidum & humidum.*2°.*de temp.* 1ª.16..A
*Seminis vaſa refert a ſemine in quibus inueniantur,& in quibus minime.*1°.*de ſemine.* 1ª.335.C
Seminis vena vna ꝓpria q̃ ab alijs quatuor recipit ſemẽ.de ſp. Sp.36.G
Semen genitale ad quid ſit vtile.bre.den.dogm.Hipp. 1ª.231.C
Semen ex calfactione viri & mulieris emittitur.de ſpermate. Sp.36.B
*Semen vt excernatur bruta coeunt.ſicut etiam mingunt & cacant ſua pte natura mota.*6°.*de locis affectis.* 4ª.39.H
*Semen recipiunt aliquæ partes ſicut aliquæ ſunt ad illud excernendum accommodatæ.*14°.*de vſu par.* 1ª.210.B
*Semen quod in coitibus excernitur.*1°.*de ſemine.* 1ª.335.B
*Semen mas debet foras eiaculari.*14°.*de vſu par.* 1ª.207.H
*Semen eiaculatur.*1°.*de ſemine.* 1ª.333.G
*Semen longinque eiaculatur in coitu.*15°.*de vſu par.* 1ª.210.H
*Semen vnde extra ciaculatur.com.*5°.*aph.*63°. Ex.44.D
*in Seminis emiſſione fit vehementiſſima contentio.*1°.*de ſem.* 1ª.335.F
*Semen quod primo exit viribus ſpiritu,& calore longe præcellit, quod vero ſecunda tertia aut quarta emiſſione profunditur contrarijs qualitatibus eſt præditum.*2°.*de ſemine.* 1ª.338.F
*Semẽ emittitur in comitiali morbo,& in cõuulſione.*6°.*de l.af.*4ª.41.G
*Semen cur emittatur in epilepſiis vehemẽtibus.*14°.*de vſu p.*1ª.208..A
*Semen retardant venæ,& arteriæ quæ multipliciter ante teſticulos inuoluuntur.*4°.*de vſu par.* 1ª.139.H
Semine emiſſo nõ ſemper fit impregnatio.de nat.& or.cuiusl. Sp.42.C
*Semen non emiſſum ad os,& ſpiſſitudo humoris ſunt cauſa in viris ſterilitatis,lege Galenum improbantem.com.*5°.*aph.*63°. Ex.44.C
*Semen per eandem viam recipitur ab vtero, qua fœtus expellitur.*3°. *de nat.facul.* 1ª.306.B
*Semen repente ſumi debet in ſinus matricis.*14°.*de vſu par.* 1ª.204.G
*Semen vnde accipitur in mulieribus.*1°.*de ſemine.* 1ª.335.H
*Semen ſuccus eſt familiariſſimus matrici.*14°.*de vſu par.* 1ª.208.D
*Semẽ trahũt cõplectũtur,et cõtinẽt,vulua,& vteri.*1°.*de ſem.*1ª.329.B
*ad Semen cum tendit vterus quo eat.*1°.*de ſemine.* 1ª.329.H
*Semen complecti mirifice appetunt vuluæ partes.*1°.*de ſem.* 1ª.331..A
*Semen cur non poſſit totam vuluam aſpergere.*1°.*de ſem.* 1ª.330.H
Semen maris vipera per os accipit.de theria.ad Piſo. 5ª.93.C
*Semẽ cũ eſt in vtero,vterus claudit ſpatiũ et os cõ.*5°.*aph.*51°. Ex.42.B
*Semen an reſtet in fœminis prægnantibus.*1°.*de ſemine.* 1ª.329..A
*Semen an in brutis retineatur,Galeni obſeruatio.*1°.*de ſem.* 1ª.329..A
*Semen maris debet manere in matricibus ſi mulier debet cõcipere.*14°. *de vſu partium.* 1ª.208.B
*Semen continens animal degrauidum eſt.*1°.*de ſemine.* 1ª.329.H
*Semen exercens animal,nullum concipit.*1°.*de ſemine.* 1ª.329..A
Semen cur non contineatur cauſæ ſunt pinguedo & humiditas.de aere, aquis,& locis. 2ª.5.G
Semen ſuſcipere non poteſt os ventriculi præ pinguedine clauſum.de aere,aquis,& locis. 2ª.5.G
Semen non continendi cauſa ſunt purgationes menſtruæ quę non eueniũt vt eſt neceſſe,ſed minus & intempeſtiue.de aer.aq.& loc. 2ª.5.G
*Semen in quod primo firmetur.*2°.*de nat.fac.* 1ª.297.G
*Seminis ſpecies adhuc apparet in primo tempore in fabrica fœtus.*1°.*de ſemine.* 1ª.331.D
*Semen poſt tres aut quatuor dies excidit membrana circunuolutum mulieri.*1°.*de ſemine.* 1ª.330..A
*Semen propter quid excidit.*1°.*de ſemine.* 1ª.330.B
Semen propter quod non excidat.de ſem. 1ª.330.C
Semen continere faciũt exercitium,& carnis gracilitas.de aere, aquis & locis. 2ª.5.G
*Semen vbi conceperint mulieres,quid ſentiant.*1°.*de ſem.* 1ª.329.B
*Semen niſi extendatur ad vteri cauitatem,mulier non concipit.commẽtario.*5°.*aph.*62°. Ex.44..A
*Seminis hũiditas q̃uo agglutinet tunicis matricũ.*14°.*de vſu.* 1ª.204.F

Seminis humiditas craſſa viſcoſa eſt, & ſpiritu vitali plena. 14°. de vſu partium. 1ª.207.F
in Semine idem motus maris & fœminæ. 14°. de vſu par. 1ª.206.C
Semen maris quomodo ſe habet in generatione. 2°. de nat. fac. 1ª.297.D
Semen maris habet facultates naturæ quibus format, auget, & nutrit animal. 2°. de naturalibis faculta. 1ª.298.H
Semen viri ſolum ingredi vterum vt menſtruo det principium motionis poſtea excerni, putarunt quidam peripatetici. 1°. de ſem. 1ª.329.C
Semen maris motus principium eſt. 14°. de vſu par. 1ª.206.D
Seminis motus vbi ſint. 1°. de nat. fac. 1ª.293.F
Semẽ in vuluis diſſolui et in ſpũm ire vult Ariſto. 1°. de ſem. 1ª.329.D/E
Semen viri eſt principium effectiuũ animalis. 14°. de vſu par. 1ª.206.B
Semen principium eſt animalis efficiens. 2°. de nat. fac. 1ª.297.F
Semen habet rationem opificis. de fœt. form. 1ª.324.F
Semen maris eſt principium membranarum ac vaſorum omnium. 14°. de vſu partium. 1ª.207.B
Seminis pars quæ attingit vterũ, fit membrana. 1°. de ſemine. 1ª.330.G
SEMEN *an depromatur è fœmina vt à mare. fin. med.* Sp.49.E
Semen an afferat fœmina. de hiſt. philo. Sp.10.D
Semen à fœmina non emitti quidam putarunt. 2°. de ſemi. 1ª.337.A
Semen à fœmina emitti quidã putarũt, ſed infœcũdũ. 2°. de ſe. 1ª.337.A
Semen habere fœminam ſenſibus credendum eſt. 2°. de ſemine. 1ª.338.B
Semen cur conſeruatur in fœmina. 2°. de ſem. 1ª.338.B
Semen excernunt mulieres inſomnis, vt viri. 2°. de ſemine. 1ª.136.D
ĩ Seminis effuſiõe in ſomnis quo tẽdat ſemẽ muliebre. 2°. de ſe. 1ª.336.C
Semen tenet fœmina in ſeipſa. 14°. de vſu par. 1ª.207.H
Semine ſolo in ſeipſam emiſſo mulier nõ gignit. 14°. de vſu par. 1ª.206.C
Semen mulieris humidius, & frigidius eſt. 14°. de vſu par. 1ª.206.B
Semen mulieris eſt tenuius et frigidius ſemine viri. 1°. de ſem. 1ª.331.A/ *6°. de loc. affectis.* 4ª.39.G
Semen fœminæ non eſt exiſtimandum fœcundius ſemine maris. 2°. de ſemine. 1ª.337.B
Semen mulieris cur minus coctum. 14°. de vſu par. 1ª.207.G
Semen in teſtibus mulierum, & humor in glandoſis partibus, ſunt ſimillima, & cur. 14°. de vſu par. 1ª.208.B
Semen muliebre vnde effundatur. 2°. de ſemine. 1ª.336.C
Semen fœminæ aliquid confert ad generationẽ. 14°. de vſu p. 1ª.206.E
Semen fœminæ ad quid vtile. 14°. de vſu par. 1ª.208.A
Seminis fœminei vſus in fœtu qui. 2°. de ſemine. 1ª.338.C
ex Semine mulieris fit tunica ἀλλαντοειδής. *14°. de vſu p.* 1ª.208.B
Semen mulieris facit inteſtinale inuolucrũ. 2°. de ſem. 336.D/ 1ª.338.C/F
à Semine primo quæ mẽbrana fit cur perforata. 1°. de ſemine. 1ª.330.H
Semen fœminæ quid confert ad generationem. 14°. de vſu par. 1ª.208.B
Semen fœmineum propria ſua progreſſione membranulas efficit, & ad quem vſum & quando. 1°. de ſemine. 1ª.331.A
ex Semine ſolo cerebrum ortum eſt. de ſemine. 1ª.331.C
Seminum membra veterũ animalium ſunt ſicciſſima. 2°. de tẽp. 1ª.16.A
è Semine fiunt vena, neruus, & arteria. 1°. de ſemine. 1ª.330.C
in Seminis ſubſtantia inueniuntur omnia quæ ſunt neceſſaria ad generationem neruorum, venarum, & arteriarum. 1°. de ſemine. 1ª.330.E
Semen accommodatum alendæ arteriæ & venæ. 1°. de ſemine. 1ª.325.G
ex Semine facta non poſſunt renaſci, niſi ſit vena, quod eſt raro. 1°. de ſemine. 1ª.335.E
ex Semine fiunt multæ particulæ tanquàm ex materia, quæ denuo fieri non poſſunt. de conſt. ar. Iſa.39.F
ex Semine q̃ fecit natura, non poteſt iterũ illa facere. de cõ. ar. Iſ.39.G
Semen fœmininum maſculo confert. 14°. de vſu par. 1ª.209.H
Seminis nutrimentum quod & quale. 2°. de nat. fac. 1ª.297.G
Semen mulieris eſt nutrimentũ ſeminis viri. 2°. de ſem. 336.D/ 1ª.338.C
Semen maris nutritur ſemine fœminæ, tanquàm re magis familiari, quã ſanguis ſit. 14°. de vſu par. 1ª.207.B
Semen mulieris cur alimentum ſeminis viri. 1°. de ſemine. 1ª.331.A
Seminis prima facultas eſt trahere ſanguinem ſibi proprium. 2°. de natural. facul. 1ª.297.F
Semen, quod continetur, habet vires attrahendi, accommodandi, continendi, & parandi ſibi cibum. 1°. de ſemine. 1ª.330.G
ad Semen maris confluit ſanguis à matre, & quomodo ſe habeat. 2°. de natural. facul. 1ª.297.D
Semen habet facultatem trahendi ſanguinem, vt magnes ferrũ. 2°. de naturalibus facultatibus. 1ª.297.F
à Semine ſanguis qui trahitur, qualis eſſe debet. 2°. de nat. fa. 1ª.297.F
Semen mulierum commiſcetur cum virili. 1°. de ſem. 1ª.331.A
de Seminum miſcella Empedoclis opinio. 2°. de ſemine. 1ª.337.F
ex Seminum vtrorumq; commixtione fit fœtus. 2°. de ſem. 1ª.337.H
Semen maris, & fœminæ ſimul mixta requiruntur ad generationẽ. 14°. de vſu partium. 1ª.206.C
ex Semine viri & mulieris fit ſemen perfectum. 2°. de ſem. 1ª.336.D
Semen viri perfectum eſt. 14°. de vſu par. 1ª.207.H
Semen mulieris imperfectum eſt. 14°. de vſu par. 1ª.207.H
Semen viri, & ſemen fœminæ eodem modo mouentur ad generationem. 14°. de vſu par. 1ª.206.B
ex Seminis motione forma habetur. 2°. de ſemine. 1ª.339.H
Semini muliebri abſque virili comparat oua ſine galli ſemine. 14°. de vſu partium. 1ª.206.D
ex Semine, & ſanguine prima conſtitutio animalis fit. 2°. de tẽ. 1ª.16.A/ *1°. de ſanitate tuenda.* 2ª.62.E/ *aduerſus Lycum.* Ex.65.B
Semine, & ſanguine mẽſtruo nobis ineſt calidũ inatũ. adu. Lyc. Ex.61.H
Semen eſt, ſed nutritur à ſanguine, & ampliatur, propterea dici poteſt, omnes partes à ſanguine fieri. de nat. hum. com. 1°. 1ª.31.D
Semen genitale aliqui calidũ, & copioſum hñt. 6°. de ſan. tu. 2ª.100.E
Semen copioſum vnde. com. 5°. apho. 63°. Ex.44.C
Seminis multi quæ medicamenta, qui cibi, & cibi ſimul, & medicamenta. 5°. de ſimp. me. fac. 5ª.38.B
Semen generant quæ ſpiritum flatuoſum prouocant. 6°. de ſimpl. medicamento. facul. 5ª.46.A
Seminis plurimum quæ pariunt alimenta, excitant ad libidinem. 6°. de locis affectis. 4ª.42.E
Semen ſanguinẽ, & ſpiritũ p̃ orificia trahit, & q̃uo. 1°. de ſem. 1ª.330.G
Semen prouocantia habent quandam affinitatem cum ijs quæ prouocãt ſedantq; menſes, & lac. 5°. de ſimp. me. fa. 5ª.37.F
Semen quæ generent, & quæ extinguant. 5°. de ſimp. med. fac. 5ª.38.B
Semen augent bulbi. 2°. de alim. fa. 2ª.25.A
Semen auget cicer. de bon. & vitio ſucco. 2ª.37.D
ad Semẽ generãdũ aptũ eſt cicer legumen. 6°. de ſimp. me. fac. 5ª.47.E
Semen generat eruca & ad coeundum excitat. 2°. de alim. fac. 2ª.23.G
Semen quibus prouocetur. 5°. de ſimp. me. fac. 5ª.37.F
Semen elicit cedrea pudendo circumlita. 7°. de ſimp. me. fa. 5ª.50.E
Semen copioſiſſimũ & craſiſſimũ in quibus reperiat̃. 1°. de ſem. 1ª.335.C
Seminis copia non parua conſpicitur in ijs quæ conceperunt iam diu. 2°. de ſemine. 1ª.335.H
Semen fœcundiſſimum fit in calidioribus & humidioribus temperaturis. com. 5°. aph. 63°. Ex.44.C
Semẽ quale eẽ debet, ſi debet eſſe fœcũdũ. 1°. de ſem. 325.D/ *2°.* 1ª.338.E
Semine quod animat eſt plenum. 1°. de ſem. 1ª.335.C
Semen quæ ſupprimunt, tñ nõ corrũpunt. 5°. de ſim. me. fa. 5ª.38.C
Semen quæ exſiccent. 5°. de ſimp. me. fac. 5ª.38.C
Semẽ quod facit marem, & fœminã ſ̃m Stratonicũ. 2°. de ſem. 1ª.338.H
ex Semine viri & partim à matre cauſam habet quod conceptum eſt vt mas vel fœmina fiat. 14°. de vſu par. 1ª.206.E
Semẽ maris quod requirat̃ ad g̃natiõẽ fœminæ. 14°. de vſu p. 1ª.206.C
Semen viri frigidũ concipere facit fœminas. cõ. 5°. aph. 42°. Ex.41.E
Seminis caloris vi ſubacta pro fœmina maſculus fit fœtus ſed raro. 14°. de vſu partium. 1ª.207.A
Semen genitale calidum, & copioſum proritat ad ſui expulſionem. 6°. de ſanitate tuenda. 2ª.100.E
Semẽ mordax & calidum quomodo corrigitur. 6°. de ſan. tu. 2ª.100.E
Semen mordax, & calidum cuiuſdam, quomodo à mulieribus ſentiretur. 6°. de ſan. tu. 2ª.100.F
Semen torretur & aſſatur propter calorem. cõ. 5°. aph. 63°. Ex.44.D
Semen ſiccius qui habeant. com. 6°. aph. 2°. Ex.46.E
Semen ſiccum, & humidum quomodo cognoſcatur per maiorem & minorem eiaculationem. com. 5°. aph. 62°. Ex.43.G
Semen aduritur ſiccitate. com. 5°. aph. 62°. Ex.43.G
Semen extinguitur in humiditate. com. 5°. aph. 62°. Ex.43.H
Semen qui habent humidum ſunt minus ſani. com. 6°. aph. 2°. Ex.46.E
in Semine ſentiuntur mutationes eſtatis, hyemis, pluuiæ, & ſiccitatis. de aere, aquis, & locis. 2ª.6.B
in Seminis genitalis mixturam lac compactionem, tẽpora ſimilia non faciunt corruptiones neq; malignitates. de aere, aq. & loc. 2ª.5.E
à Semine radix eſſentiæ prouenit in fœtu. an animal ſit. 1ª.328.D
Semina parentũ ſi æqualia ſint, & ſana, quid ſequatur. de ſper. Sp.38.E
Semen ſi fuderit pater in horis ſanguinis, quid ſequat̃. de ſper. Sp.38.F
à Semine ſi fit formatio, ſemp̃ fœtus erit ſimilis patri. 2°. đ ſe. 1ª.336.H
Semen ſalubre à ſalubribus prouenit. an animal ſit. 1ª.327.B

Semen morboſum à morboſis exit.an animal ſit. 1^{a}.327.B
Semina iacta vitioſam habentia quantitatem, & qualitatem fœtus tales faciunt.an animal ſit. 1^{a}.328.C
Semen vitiatum in patre & auo generat malas diſpoſitiones in filijs. cõmentario.6°.apho.28°. Ex.49.B
Semen ebriorum eſt vitioſum.11°.de vſu par. 1^{a}.188.B
Semen mutant morbi.de aere,aq.& loc. 2^{a}.5.F
ex Semine retento viri etiam læduntur.6°.de loc. aff. 4^{a}.39.H
Seminis retentio quid faciat diuerſis hominibus.6°.de loc.affe. 4^{a}.39.G
Seminis retenti ſymptomata.6°.de loc.aff. 4^{a}.41.A
à Semine retẽto fit magis præfocatio,q̃ à mẽſtruis.6°.de lo.a. 4^{a}.39.G
Semen retentum valde infeſtat,tamen hæc infeſtatio non poteſt comparari delectationi eiectionis.1°.de ſymp.cau. 3^{a}.17.G
ob Semen retentum mulieris affectæ caſus.6°.de loc.aff. 4^{a}.40.A
Semine retento caſus duo.6°.de loc.affe. 4^{a}.39.G
Semen exiens facit voluptatem etiam ſine viro,cum ſponte exit.2°. de ſemine. 1^{a}.336.C
Semen quale,& quomodo effluxerit in muliere,quæ vteralibus vexabatur morbis,& conuulſa videbatur.2°.de ſemine. 1^{a}.336.C
Semen ſiue per inſomnia,ſiue alio pacto immodice proſluẽs retinet nymphea ſemen.8°.de ſimp.me fac. 5^{a}.57.A
SEMINA omnia ex quatuor ſunt elementis.de nat.hu.cõ.1°. 1^{a}.30.B
Semina plantæ & animalia tantum viuere dicuntur.de marc. 3^{a}.45.B
pp Semina viuunt fructus.de marc. 3^{a}.45.C
Semina,ſtirpes,arbores prius fuere agreſtia,quæ nunc ſunt domeſtica. in Timæum Plato. 1^{a}.286.H
Semina eligendo agricolæ ſeminant & homines non conſiderant ſua ſemina.11°.de vſu par. 1^{a}.188.C
Semen ſeminatum quid agat.1°.de nat.fac. 1^{a}.291.E
Semina pleraq; non menſe ſed anno etiam ſupprimuntur.de natura humana.commentario.1°. 1^{a}.29.C
ex Seminum putredine calor generatur.de cau.morb. 3^{a}.6.D
Semina ſunt ſimilia facultate ſuæ plantæ.de atten.vic. 2^{a}.44.D
Semina facultate in quo differant planta.de atten.vic. 2^{a}.44.D
Semina,radices,caules,fructus, folia habẽt diuerſas facultates in vno. 1°.de alimen.fac. 2^{a}.7.E
à Semine differt fructus.2°.de alimen.fac. 2^{a}.16.C
Semen durum,& arbor tenella cur.de marc. 3^{a}.46.C
Seminum differentiæ per ſuam ſubſtantiã,quæ.1°.de ali.fac. 2^{a}.13.A
Semina q̃ intumeſcunt fructuſq;,ſi qdẽ priſtinã duritiẽ,& ſiccitatẽ cito exuãt,ac mollitiẽ et hũiditatẽ acqrãt,meliora oĩa hñr.de bo. 2^{a}.36.F
ex Seminibus quæ minime tument, & priſtina duritiem retinent, ſunt deteriora.de bon.& vitio ſucco. 2^{a}.36.F
Semina parua mole,quæ multam habent ſubſtantiam,craſſam, viſcidã, ſunt optimi ſucci,ac multi alimenti,tamen cito non deſcendunt,cõtraria contrario modo ſe habent.3°.de ali.fac. 2^{a}.13.A
Semina manduntur quarundam herbarum quorum herbæ non manduntur.de atten.vic. 2^{a}.44.E
Semina comeduntur vrgente neceſſitate.2°.de ali.fac. 2^{a}.22.B
Semina oĩa,quibus veſcunt̃ homines,ſua natura ad ſiccius, & calidius magis quàm herbæ ipſæ,ſemper ſunt propẽſa.de atten.vic. 2^{a}.44.E
Semina non coquebat Galenus,ſed macerabat.4°.de ſan.tu. 2^{a}.87.B
Semina qualia eſſe debent.1°.de anti. 5^{a}.107.D
Seminũ omnium inditium cõmune bonitatis quod.1°.de ali.fac. 2^{a}.11.F
à Seminibus poſtq̃ fuerint collecta ac repoſita primo defluit quicqd eſt aquoſum,ac tenue,poſt aliqd ẽt humidi naturalis.1°.de ali.f. 2^{a}.11.F
Semina diutiſſime repoſita vires habẽt imbecilliores.1°.de ali.f. 2^{a}.11.F
Semina corrumpuntur quia non diſſlantur.2°.de diff.feb. 3^{a}.40.B
Semen Almaru ſecretorum. Sp.102.A
Semina Amara quæ.4°.de ſimp.me.fac. 5^{a}.26.E
Semen Apij renes purgat.de cathar. Sp.95.C
Seminis apij,& carui decoctio prouocat vrinam & menſtrua fortiter, ſubtiliat humores craſſos.de med.exper. Sp.104.D
Semen Balſami per ſuffumigationẽ prouocat ſudorẽ.de cath. Sp.95.D
Semen balſami purgat veſicam.de cathar. Sp.95.D
Semen Bauciæ.de dynamidijs. Sp.27.A
Semina Cerealia quæ.de atten.vic.2^{a}.44.F/ de vict. ratione in morbis acutis,commeniario.1°. 7^{a}.111.B
Semen Fœniculi reuocat lac in mamillis.de cathar. Sp.95.B
Semen fœniculi purgat renes.de cathar. Sp.95.C
à Seminibus Frigidis,& humidis cauendum eſt in diæta attenuante. de atten.vict. 2^{a}.44.E
quæ Semina Frumentaria tenuium partium, & calida parum ſint.3°. de comp.me.per gen. 5^{a}.228.F
Semen Hippomarathri vrinam mouet.de mel.ex Gal.Ruf. Sp.110.B
Semen Lini calorem temperatum habet.11°.met.me. 7^{a}.73.C
Semen lini purgat pulmonem,& thoracem.de cathar. Sp.95.B
Semen lini frangit lapidem renum,& veſicæ.de cathar. Sp.95.D
Semen Liquiritiæ purgat veſicam.de cathar. Sp.95.D
Semen Maluæ quid faciat.de mel.ex Gal.Ruf.& Poſſ. Sp.110.A
Semina Odorata tenuium partium vrinam cientia,quæ.9°. de compoſitio.medi.ſec.loc. 5^{a}.200.H
Semen Oleris atri frãgit lapidem renum,& veſicæ.de cathar. Sp.95.D
Semen Tithymalli purgat indigeſtibiles ſuccos,& lumbricos rotũdos excludit.de cathar. Sp.95.C
Semen Vrticæ,& lini,toſtum.7°.de comp.me.ſec.loc. 5^{a}.182.A/G
ex Seminibus confectio ſedans dolorem.7°.de comp.me.ſe.lo. 5^{a}.184.H
ex Seminibus malagma.7°.de comp.me.per gen. 5^{a}.266.A
de Seminibus paſtillus ad tuſſientes.de med.fac.par. 7^{a}.173.D
ex Seminibus tuſſiculares compoſitiones.9°.de cõ.me.ſe.lo. 5^{a}.200.H
SEMENTEM, anni partem Galenus vocat.in 1^{m}. de morbis vulgaribus,commentario.1°. 3^{a}.102.A
vt SEMIASIANVS & ſemideus nomẽ tale ſortiuntur,ita & Hemitritæus.2°.de diff.feb. 3^{a}.38.E
per SEMICIRCVLOS duos dicebat Plato fieri expirationem, & receptionem aeris per inſenſibiles meatus.in tim.Plat. 1^{a}.290.A
SEMIGONGIVS libras quinq; habet.de pond.& menſ. 5^{a}.277.C
SEMICOTYLE menſura eſt.10°.de ſimp.me.fac. 5^{a}.73.C
Σεμίδαλις Græcum nomen,& antiquum eſt.1°.de ali.fac. 2^{a}.9.G
Semidalis quid vocetur.de med.fac.par. 7^{a}.163.H
Semidalis primo in pituitam poſt in ſanguinem trãſit. de victus ratione in morbis acutis.com.2°. 7^{a}.120.F
Σεμιδαλίτης panis ſimilaceus dicitur.1°. de ali.fac. 2^{a}.9.G
SEMIDEI vocis meminit.2°. de diff.feb. 3^{a}.38.E
SEMIMEDIMNVS quid.de pond.& menſ. 5^{a}.275.F
SEMINALIS in ſecundo eſt ordine medicaminum refrigerantium,aut etiam quodammodo in initio tertij.8°.de ſimp.me.fac. 5^{a}.58.G
in SEMINALIBVS membris mulierũ,non eſt adhibenda fides Atheneo.2°.de ſemine. 1^{a}.336.C
Seminale vas ſeminis vas eſt.1°.de ſemine. 1^{a}.335.C
Seminalibus meatibus teſtes quomodo iungantur.1°.de ſemine. 1^{a}.335.F
Seminalium meatuũ radix & origo eſt ſupergeminalis.1°.de ſe.1^{a}.335.F
Seminalis meatus in accenſis in Venerẽ,eſt plenus ſemine, & vacuus poſt coitum.2°.de ſemine. 1^{a}.335.H
SEMINARIA vaſa ſunt ea, quæ ſemen emittunt: commentario.5°. aphoriſmo.63°. Ex.44.D
Seminaria vaſa antecedentia,& conſequentia,quæ.de ana.vi. Sp.51.G
Seminarijs vaſis non motis,poſſunt eximi teſtes.1°.de ſemine. 1^{a}.333.H
Seminaria vaſa dependent à teſticulis.ars med. Iſa.63.B
Seminaria vaſa quomodo inſigantur in renes,& vnde oriantur.1°.de vſu partium. 1^{a}.206.E
Seminariorum vaſorum licet minus ſpacium habeant aues, tñ quia ſunt in loco calidiori celerem ſemini gñationẽ præſtãt.1°.de ſem. 1^{a}.333.H
Seminaria vaſa qualia in viris,& mulieribus,& cur.de ana. Sp.51.G
Seminaria vaſa ſunt in vuluæ cornibus.1°.de ſemine. 1^{a}.331.A
Seminarium vas cur inuolutum,& magnum.1°.de ſemine. 1^{a}.333.E
Seminaria vaſa ſunt plena,cum animal non vtitur venere,& vnde hoc habent.1°.de ſemine. 1^{a}.335.E
Seminaria vaſa in fœminis non tantum reperiuntur plena ſemine,ſed ẽt teſtes earum.2°.de ſemine. 1^{a}.336.D
in Seminarijs meatibus omnes fęminæ habẽt ſemẽ.2°.de ſem. 1^{a}.336.D
Seminaria membra cur non renaſcantur.1°.de ſemine. 1^{a}.333.A
SEMIOBOLVS habet pondere ſiliquã & ſemis.de ponderibus et mẽſuris.276.A/D 5^{a}.277.B
Semiobolus Atticus.de pond.& menſ. 5^{a}.276.D
SEMIRHOMBVS deligatio q̃.de ijs,quæ in med.fiunt,cõ.2°.7^{a}.205.F
Semirhombus vinculum.de faſcijs. 7^{a}.295.C
Semirhombus,nauicula,lepus ſine auribus idem genus vinculi de faſcijs. 7^{a}.296.G
SEMISEXTVM habet choas 2 chęninas 4.de ponde. 5^{a}.276.B
SEMISSE. 3°.de comp.med.ſec.locos.147.E/ 9°.198. H/de ponderibus & menſuris. 5^{a}.275.H
SEMITERTIANA vocabulum Galeni eſt.de mor.tẽp. 3^{a}.87.F
Semitertiana vnde dicta.de ty.90.H/i 1^{m}.de mor.vul.com.3°. 3^{a}.119.F

de Semitertianis Agathinus ſcribens primum cõſumpſit librum in declarando vocabulum ſemitertiana quid ſignificaret.in 1^{m}. de morbis vulgaribus,com.2°. 3ª.110.D
Semitertianæ quæ vocentur ab ignaris.2°.de criſi. 4ª.137.B
Semitertianæ natura.in 1^{m}.de mor.vul.com.3°. 3ª.118.E
Semitertiana non eſt in intermittentibus numeranda.in 1^{m}.de mor.vul. commentario.3°. 3ª.119.D
Semitertiana modo continua,modo intermittens eſt. introd. Iſa.55.D
Semitertiani typi quales.de typi. 3ª.90.G/H
Semitertiana febris q̃.fi.me.Iſa.46.E/in 1^{m}.de mor.vul.cõ.3°.3ª.119.D
Semitertiana nõ eſt ſine diſcrimine.in 6^{m}.de mor.vul.cõ.2°. 3ª.164.D
Semitertianæ differentiæ. de typ. 3ª.90.H
Semitertiana quo cognoſcatur,& q̃uo miſta.2°.de criſi. 4ª.136.E
Semitertianæ complicatio qualis.2°.de criſi. 4ª.136.E
Semitertiana cũ horrore venit & q̃uo.in 1^{m}.de mor.vul.c.2°. 3ª.110.E
Semitertianæ horror qualis,et cur horrida à Galeno dicta.de morborũ temporibus. 3ª.87.E
Semitertianus modus quando erat,& qualis.in 3^{m}. de morbis vulgaribus,commenta.1°. 3ª.106.B
Semitertiana ex quibus fiat.de morb.temp. 3ª.87.E
Semitertiana ex quo humore conſiſtit.in 1^{m}.de mor.vul.cõ.1°.3ª.106.B
Semitertianæ,& aliæ febres iunguntur.de morb.temp. 3ª.87.E
Semitertiana quos inuadat,& quo tempore.de typ. 3ª.90.H
Semitertianæ Romæ plurimæ fiunt.de morb.temp. 3ª.87.F
Semitertiana Romæ frequentiſſima,& familiariſſima eſt.in 1^{m}. de morbis vulgaribus,com.2°. 3ª.110.E
Semitertianæ periculum quod.de typ. 3ª.90.G
Semitertiana quando lætalis.in 1^{m}.de mor.vul.com.3°. 3ª.118.H
Semitertianæ febris meminit.in 6^{m}.de mor.vul.com.1°. 3ª.160.A
Semitertianæ quomodo finiant.3°.de criſi. 4ª.139.F
de Semitertiana,caſus.2°.de criſi. 4ª.136.F
SEMIVNCIA eſt denarĳ quatuor.2°.de comp.me.per ge. 5ª.223.D
SEMPERVIVVM non facit multũ ſuccũ.1°.de cõ.me.per ge. 5ª.211.G
Semperuiui ſuccus frigidus eſt.6°.de ſan.tu. 2ª.100.F
Semperuiuum refrigerat.14°.met.me. 7ª.87.D
Semperuiuũ eſt indurans frigidũ,& humidũ.5°.de ſimp.me.fa. 5ª.34.G
Semperuiuũ deſiccat tenuiter,mediocriterq; adſtringit, & in eo aquea eſſentia abundat,& tertio ordine refrigerat.6°.de ſim.me.f.5ª.41.F
Semperuiuum condenſat.5°.de ſimp.me.fac. 5ª.35.G
Semperuiui ſuccus q̃uo debet accipi.1°.de comp.me.per gen. 5ª.211.G
Semperuiuum quale ad achoras.1°.de comp.me.ſec.loc. 5ª.129.G
Semperuiuum in emplaſtro apponendum in principio inflammationum. 2°.de arte cura.ad Glauco. 7ª.101.F
Semperuiuum euitandum in Herpete exedente. 2°. de arte curatiua ad Glauconem. 7ª.102.B
Semperuiui fit mentio.10°.met.me. 7ª.65.A
SEMPITERNAE quatuor res præter Deum,atomi, infinitum, vacuũ ſimilitudines.de hiſto.philo. Sp.4.G
SENECION vbi naſcatur.8°.de comp.me.ſec. loc. 5ª.196.B
SENECTA anguis ad quid valeat & quomodo. 3°. de compoſitione medica.ſecun.loc. 5ª.142.F
Senecta ſerpentis dentiũ doloribus medetur.11°.de ſimp.me.fa.5ª.80.E
in SENECTA affectiones animæ & corporis ſedari dicentes,abſurda afferunt.in 6^{m}.de morbis.vulgaribus,com.5°. 3ª.190.D
de Senectæ admirabili euitatione ſecundum editionem philoſophus quidem fecit.de marc. 3ª.45.F
SENECTVS ætas eſt in qua diminuitur animal, ac deficit, & quare. fin.med. Iſa.44.G
Senectus non eſt,vt augeri,ac nutriri,ſecundum naturam, & quare.de marc. 3ª.45.E
Senectus duplex, & qui ſenes poſſint tolerare ieiunium. commenta.1°. aphoriſmo.13°. Ex.6.H
Senectutis ætas prima,quæ.5°.de ſan.tu. 2ª.94.G
Senectutis ætas media quæ.5°.de ſan.tu. 2ª.94.G
Senectutis ætas tertia quæ.5°.de ſan.tu. 2ª.94.G
Senectus quomodo fiat.de hiſto.philo. Sp.12.B
Senectus non accideret homini,ſi nihil deflueret,vacuareturque.16°.de vſu partium. 1ª.220.F
Senectus ne mature͂t difficile e͂ mediocritate͂ ſeruare.6°.d ſa.t. 2ª.96.F
Senectutem quale͂ nonnulli eſſe putauerunt.com.3°.aph.31°. Ex.26.G
Senectus frigida,& humida quomodo fit,& intelligi debeat. commen. 3°.aphoriſmo.31°. Ex.26.H
Senectus fit arida.de marc. 3ª.45.G
Senectus arbori ſiccæ comparata eſt.1°.de diff.feb. 3ª.34.F
in Senectute abundat pituita ſecundũ Hippocratem.bre. deno. dogm. Hipp.1ª.231.B/com. 1°. aph.2°. Ex.3.D
Senectus extrema minimum ſanguinis obtinet aduerſus Lycũ. Ex.65.C
Senectus neq; certa eſt ægritudo,neque integra ſanitas.de partibus artis medicæ. Sp.17.E
Senectus ipſa morbus eſt.1°.de ſan.tu. 2ª.63.H
Senectus aliquibus viſa eſt morbus.2°.de ſan.tu. 2ª.95.F
Senectus ineuitabilis eſt, & qui in ea Marcor cõtingit.de mar.3ª.45.D
Senectus quæ ægritudo ſecundum Philippum.11°.de diff.feb. 3ª.34.F
Senectus quæ proprie ſit.5°.de ſan.tu. 2ª.92.G
Senectus propria eſt vigilia.com.3°.aph.31°. Ex.26.H
Senectus plena curarum.com.3°.aph.31°. Ex.26.H
Senectus ex morbo febrili quandoq; accidit.5°.de ſan.tu. 2ª.92.H
Senectuti obliuioſæ cõme͂tarios ſibi fecit Galenus.3°.de dif.p. 4ª.60.H
in Senectute qui non calueſcant.1°.de temp. 1ª.19.H
in Senectute͂ ex ægritudine pueri quoq; incidunt.1°.de diff.feb.3ª.34.F
ad Senectutis ethicam.ſecretorum. Sp.101.H
SENESCENTIA corrumpuntur.de marc. 3ª.46.B
Seneſcentibus cur teſtes laxi reddantur.1°.de ſemine. 1ª.334.E
SENESCERE cur ſit neceſſe.6°.de ſan.tu. 2ª.96.F
Seneſcimus calido innato,& ſeneſcentia corrũpuntur.de mar. 3ª.46.B
Seneſcunt celeriter frigidi, & ſicci.5°.de ſan.tu. 2ª.94.D
Seneſcit cito,qui cito peruenit ad incrementum ſummum.6°. de ſanitate tuenda. 2ª.96.E
Seneſcerent cur nunquàm homines.10°.met.me. 7ª.66.E
Seneſceret animal nunquàm,quomodo.de marc. 3ª.46.C
SENEX pro Hippocrate ſumitur à Galeno.3°.de dif.reſp. 3ª.74. G/11°. methodi medendi. 7ª.71.C
SENEX non eſt,qui vires habet integras.11°.met.me. 7ª.70.A
Senum natura quæ.fin.med. Iſa.44.G
Senum inter ſe nõ parua differentia eſt,& qualis.5°.de ſan.tu. 2ª.93.B
Senes à ſenioribus ab aliquibus diſtinguuntur ſed Galenus eos reprehendit.commen.3°.aph.31°. Ex.26.G
Senis vt ſenex eſt,quid proprium.5°.de ſan.tu. 2ª.92.G
Senes quales ſint,& cur.de ren.affect.dign.& med. 7ª.191.D
Senes habent frigida corpora. com.1°.aph.2°. Ex.3.D
Senes frigidi,& ſicci ſunt.3°.de ſymp.cau. 3ª.29.D
Senum proprium temperamentum frigidum, & ſiccum eſt acquiſititiũ vero humidum.de ſal.diæ. 2ª.40.G
Senum temperamento ſimilium eſt ſiccum,& frigidum temperamentũ. 5°.de ſanitate tuenda. 2ª.94.D
in Senibus ſiccitas,& frigiditas nimis abundãt.1°.de ſan.tu.2ª.64.D
Senes frigidiores multo ſunt tum pueris, tum etiam adoleſcentibus.de vtilitate reſpirationis. 1ª.225.G
Senes quomodo poſſint dici frigidi,& humidi,cum non ſint. 6°. de ſanitate tuenda. 2ª.96.E
Senes non ſunt humidi.de marc. 3ª.45.G
Senes cur humidi videantur.5°.de ſan.tu. 2ª.92.D
Senes quomodo ſint humidi,& quomodo ſicci.de ſal.diæt. 2ª.40.F
Senes humidi,molles,frigidiq; ſunt.de ſal.diæt. 2ª.40.E
in Senibus pituitoſum,& ſeroſum excrementum colligitur. 5°. de ſanitate tuenda. 2ª.92.E
Seni plus pituitę medicamentis ĳſdem trahitur, iuueni autem plus bilis ſecundum Aſclepiadem.1°.de nat.facul. 1ª.294.C
Senes cur ſemp aceruãt humiditates.in 3^{m}.de mor.vul.cõ.3°. 3ª.142.D
Senes aquoſo excremento abundant.5°.de ſan.tu. 2ª.91.B
Senex quomodo humidus.2°.de temp.1ª.16.C/1°.de ſimp.me.fa. 5ª.3.G
Senes quomodo ſicci,& humidi,& vbi.5°.de ſan.tu. 2ª.92.C
Senes quomodo ſiccus.2°.de temp. 1ª.16.C
Senes ſunt ſicci,non quia non abundant humiditate,ſed quia membra ſeminum ſicca ſunt.2°.de temp. 1ª.16.C
Senum corpus,duris pellibus ſimiliter rigens eſt.5°.de ſan.tu. 2ª.92.G
Senex his partibus eſt ſiccus,in qbus puer eſt humid⁹.2°.de te͂p.1ª.16.C
Senes non habent aduſtos humores. 6°.de ſan.tu. 2ª.96.F
in Senibus denſitas naturalis eſt,& innata.de opt.ſect. Iſa.26.B
Senum raritas violenta eſt non naturalis.de opt.ſect. Iſa.26.B
Senes habent minimum carnis.aduerſus Lycum. Ex.65.D
Senum caro quibus rationibus praua.3°.de ali.fac. 2ª.29.D
Senibus cuncta exanguia.aduerſus Lycum. Ex.65.D
Senes nõ poſſunt boni habitus plenitudine͂ ſuſcipere.2°.de lo.af. 4ª.11.F

in Senibus & nuper natis, euidentius conſpiciuntur nerui & fibrę.4°. de ana.admi. 1ª.80.D
in Senibus fœminis quomodo ſint vuluæ.de diſſ.vul. 1ª.109.B
Senex vitijs affectus, nõ debet deterreri quin poſſit fieri probus.de cog. cur.animi mor. 2ª.51.E
Senex conſulendus de moribus, & vitijs.de cog.cur.ani.mor. 2ª.53.G
Senes ad æſtatem melius ſe habent.com.3°.aph.3°. Ex.20.B
in Senibus cerebrum ſicceſcens diſtat à caluaria.in 6ᵐ.de mor.vulga. commentario.3°. 3ª.170.A
Senes habent aluos humidas, ſi iuuentute ſint ſiccæ, & è contra. commentario.2°.aph.53°. Ex.19.E
Senum pulſus quibus conſtet temporibus.comp.pulſ. Sp.19.E
Senum ætas habet ſiſtolem tardam, & minorem.de vſu pul. 1ª.229.E
in Sene pulſus intermittẽtes nõ ſunt pnitioſi.2°.de præſ.ex. 4ª.110.E
Senes minus, & rarò reſpirant.de vtil.reſp. 1ª.225.G
SENI qui medicus conueniat.5°.de ſan.tu. 2ª.92.H
Senes quomodo regendi.5°.de ſan.tu. 2ª.89.F
Senes vt conualeſcentes debent in victu curari.5°.de ſan.tu. 2ª.90.F
ad Senes pertinet pars artis reficiens, & inſtaurans.ars med. Iſa.71.F
Senibus ſanitatis tuendæ ratio conatur ſenum ſanitatem ſeruare. 6°. de ſanitate tuenda. 2ª.95.G
Senes quomodo ſeruandi.de marc. 3ª.47.A
Seni viro, puero, mulieri, æſtate, hyeme, in loco calido, in loco frigido, non æque conueniunt capilli.de vſu par. 1ª.189.F
Senes diætandi duplex indicatio.de ſal.diæt. 2ª.40.F
Senes an exſiccandi vel humectandi, & vbi.5°.de ſan.tu. 2ª.92.C
Senes qui calefaciendi & humectandi.5°.de ſan.tu. 2ª.93.B
Senũ cibus & potus humidus & calidus eſſe debet.de ſal.diæ.2ª.42.G
Senibus potiora ſunt quæ humectent.5°.de ſan.tu. 2ª.92.D
Senibus, ſi humectatione nõ indigẽt, quæ nõ pſint.5°.de ſa.tu. 2ª.92.D
Senes ſiccior victus plerunq; decet, & quare.de ſal.diæt. 2ª.40.E
Senibus quidã dant cibos qui potius exiccent.5°.de ſan.tu. 2ª.92.C
Senibus qui cibi dandi vt exſiccent ſm aliquos.5°.de ſan.tu. 2ª.92.C
Seni qui panis commodus.1°.de alim.fac. 2ª.10.A
Senum panis qualis eſſe debet.5°.de ſan.tu.91.E| 2ª.92.D
Senibus obſtructiones in iocinore liene & renibus facit panis ſuas dotes non habens. 5°.de ſan.tu. 2ª.91.F
Seni quæ aues commodæ.5°.de ſan.tu. 2ª.91.D
Senex à quibus carnibus abſtinere debet.5°.met.me. 2ª.90.D
Senibus piſces molles accommodati.3°.de ali.fac. 2ª.31.E
Senex ab his quæ teſta teguntur abſtineat.5°.de ſan.tu. 2ª.91.D
Senibus vinum bibendum vt iuueneſcant.quòd animi mores. 1ª.320.G
contra Senum auſteritatem vinũ medicina eſt.quòd animi m. 1ª.320.G
Senes cur auſteri, tedij pleni, & duri, quòd animi mor. 1ª.320.G
pro Senibus vinum quomodo eligendum.5°.de ſan.tu. 2ª.91.A
Senibus aptiſſimum vinum eſt.5°.de ſan.tu. 2ª.90.H
Seni vina calidiora, & vrinas mouẽtia, cõmoda.5°.de ſan.tu. 2ª.92.A
Senes cur vinis vrinas cientibus indigeant.5°.de ſan.tu. 2ª.91.B
Seni apta non ſunt vina quæ in ventre morantur.5°.de ſan.tu. 2ª.91.B
Seni ægrotanti vinum aquoſum quotidie quomodo exhiberet Galenus. de vict.rat.in mor.acu.com.3°. 7ª.131.D
Senibus conueniunt vina dulcia pallida.5°.de ſan.tu. 2ª.91.C
Seni quod vinum dulce optimum.5°.de ſan.tu. 2ª.91.C
Senibus vinum quæ bona faciat.5°.de ſan.tu. 2ª.91.B
Senes caput valentius non habentes, quæ vina bibere poſſunt.5°. de ſanitate tuenda. 2ª.90.H
Senex quando vinũ album bibere debet à balneo.5°.de ſan.tu. 2ª.91.C
Senibus inutilia ſunt vina nigra.5°.de ſan.tu. 2ª.91.B
Senes vina nigra craſſa bibentes, incidunt in aquam intercutem vel calculum.5°.de ſan.tu. 2ª.91.B
Senes vinis melle conditis quando potiſſimum vti poſſunt.5°.de ſanitate tuenda. 2ª.91.C
Seni mel ſalubre.2°.de nat.fac. 1ª.300.H
Senes comedant mel.1°.de alim.fac. 2ª.8.F
Senibus mel accommodum eſt.3°.de alim.fac.32.H|de bonitate, & vitio ſuccorum. 2ª.39.A
in Senibus mel vertitur in ſanguinem.2°.de nat.fac. 1ª.300.B
Seni quando dandum far cum melle & aceto.5°.de ſan.tu. 2ª.92.D
Senibus præ ceteris autumnalibus fructibus fici maturi eligendi. 5°.de ſanitate tuenda. 2ª.92.D
Senibus hyeme caricæ eligendæ.5°.de ſan.tu. 2ª.92.D
pro Senibus omnia ſalita meliora recentibus.5°.de ſan.tu. 2ª.91.D
Senes debent moueri vt iuuenes.5°.de ſan.tu. 2ª.89.F
Senes nec debent quieſcere, nec moueri nimium.5°.de ſan.tu. 2ª.89.F
Senis motus qualis eſſe debet.5°.de ſan.tu. 2ª.89.G
Senes indigent moderato motu.5°.de ſan.tu. 2ª.92.D
Senum exercitium quale.5°.de ſan.tu. 2ª.89.H
Senibus quod genus exercitationis vtiliſſimũ.de par.pi.exer. 2ª.49.E
in Senibus conſuetudo multum facit ad exercitationis ſpeciem eligendam.5°.de ſan.tu. 2ª.89.H
Senes conſueto opere exercitari debent, etiam ſi modice noxium ſit. 5°. de ſanitate tuenda. 2ª.93.A
Senum exercitatio vnde ſumatur.5°.de ſan.tu. 2ª.89.H
Senes non debent attingere illa, quæ indigent arte.5°.de ſan.tu. 2ª.89.H
Senes omnes conſuetis laboribus exercendi, ſed eorum vehementia remiſſa.5°.de ſan.tu. 2ª.90.A
Senes non exerceant partes imbecilles.5°.de ſan.tu. 2ª.90.A
Senum partes imbecillæ non ſunt roborandæ, ſed feriari illas permittere vtilius videtur.5°. de ſan.tu. 2ª.93.A
Seni an exercenda frictio.5°.de ſan.tu. 2ª.90.F
Senum exercitatio vna eſt frictio cum oleo.5°.de ſan.tu. 2ª.89.G
Senis corpus vbi nudatur, qualis debet eſſe locus.5°.de ſan.tu. 2ª.90.F
Senes indigent ſomno.5°.de ſan.tu. 2ª.92.D
Senes ob ariditatem vigilant.3°.de loc.aff. 4ª.16.G
Senes magis vigilant quando ſunt ſani.com.3°.aph.31°. Ex.26.H
Seni à cibis obſtruentibus cauendum.5°.de ſan.tu. 2ª.91.F
Senibus facile obſtruuntur iecur, lien, & renes, ſi craſſum humorem facientibus vtantur.5°.de ſan.tu. 2ª.91.B
Senex ſi cibis obſtruentibus ſit vſus, quibus vti debet protinus. 5°.de ſanitate tuenda. 2ª.91.D
Senex centenarius quo victu ſit vſus.5°. de ſan.tu. 2ª.91.F
Senex octogenarius nullã artẽ diſcere debet, & quare.5°.de ſa. 2ª.93.B
Senex cur non debet mutare conſuetudinem.5°.de ſan.tu. 2ª.93.B
Senex quid vti debeat vt non indigeat alio ad conſeruationem ſanitatis. ſecretorum. Sp.101.F
Senes & ſi habeant multam pituitam, cur non faciat febrem. commen. 3°.aphoriſmo.30°. Ex.26.E
in Senibus ſi propter pituitã opus eſt aliquid incidẽs & diſſeccãs petere, ad humectãtem victũ reuertendũ ſtatim eſt.5°.de ſan.tu.2ª.92.D
Senes ſunt ſani ſanitate ſenili.5°.de ſan.tu. 2ª.95.F
SENVM corpus ad omnem fermè actionem male comparatum eſt.3°. de ſymp.cau. 3ª.29.C
in Senibus quæ actiones vitiatæ.2°.de temp. 1ª.16.D
Senes habent ſenſus vitiatos.2°.de temp. 1ª.16.D
Senes habent motus vitiatos.2°.de temp. 1ª.16.D
Senes nulli habent robur.de curan.ran.per ſang. miſſ. 6ª.18.C
Senes inepti ad actiones voluntarias ſunt.1°.de ſan.tu. 2ª.64.D
Senes habent appetentiam vitiatam.2°.de temp. 1ª.16.D
Senes pp quid non habeant appetitum.com.2°.aph.20°. Ex.14.E|F
Senibus deficiunt humores cholerici.com.2°.aph.20°. Ex.14.E|F
in Senibus concoctio vitiata eſt.2°.de temp. 1ª.16.D
Senes cur non concoquunt.3°.de ſymp.cau. 3ª.29.C
Senes habent ſanguificationem, appoſitionem, & nutritionem vitiatam. 2°.de temperamen. 1ª.16.D
Senes cur non nutriuntur commode.3°.de ſymp.cau. 3ª.29.C
Senum totum corpus frigidum eſt, nec potens alimentum trahere, nec conficere nec nutriri.5°.de ſan.tu. 2ª.89.F
Senum digeſtio qualis.3°.de ſymp.cau. 3ª.29.C
Senes multos habent crudos humores propter debilitatem virtutis digeſtiuæ.com.3°. aph. 76°. Ex.25.F
Senes habent contentiuã virtutẽ imbecillẽ.com.3°.aph.30°. Ex.26.E
Senum vis expultrix qualis.3°.de ſymp.cau. 3ª.29.C
Senes cõſueta melius tolerãt iuuenibus inſuetis.cõ.2°.ap. 49°. Ex.19.B
ad Senem iuuenis comparatio in motu.1°.de cau.pul. 4ª.88.A
Senes non ſunt comparandi adoleſcentibus.3°.dc alim.fac. 2ª.26.B
cur Senes iuuenibus plurimũ minus ægrotant.cõ.2°.aph.39°. Ex.17.H
Senes poſſunt dici neutri.5°.de ſan.tu. 2ª.95.G
Senum ſanitas non abſolute ſanitas eſt.5°.de ſan.tu. 2ª.95.G
Senum ſanitas querimonijs non vacat.5°.de ſan.tu. 2ª.95.G
Senes faciles morbos incurrunt.5°.de ſan.tu. 2ª.90.F
Senes minima cauſa mouet.5°.de ſan.tu. 2ª.90.F
Senes à cibis facile læduntur.5°.de ſan.tu. 2ª.90.F
Seni imbecillo ter dandum in die exiguum cibi.5°.de ſan.tu. 2ª.90.F
Senes magni efficiuntur gibbi, & qui.com.2°.aph.54°. Ex.19.E

in Senibus diuturnos morbos vt plurimum fieri inquit Hippocrates. bre.denot.dom.Hipp. 1ª.231.D
Senibus morbi longi qui accidant magna ex parte eos ad mortem comitantur.com.2°.aph.39°. Ex.17.H
Senes quibus morbis comitentur ad mortẽ.com.2°.aph.40°. Ex.18.A
Senes quos morbos difficulter concoquant.com.2°.aph.40. Ex.17.H
Senes crudi qui.in prog.com.2°. 4ª.205.G
Senes quos morbos incidant.5°.de ſan.tu. 2ª.92.B
Senes quibus morbis frigidis capiantur.2°.de temp. 1ª.16.D
Senes capiuntur apoplexia.2°.de tẽp.1ª.16.D/cõ.6°.aph.57°. Ex.53.E
Senibus eueniẽs vrina piguis ſine febre apoplexiã facit.de dy. Sp.34.B
Senes capiuntur apoplexia,neruorum reſolutione,ſtupore,tremore,conuulſione,deſtillatione,raucedine.2°.de temp. 1ª.16.D
Senes cur tremuli.de trem.palp.conuulſ. 3ª.51.E
Senes cur tremunt ſub ponderibus.2°.de ſymp.cauſ. 3ª.20.D
Senes habent raucedines & grauedines peculiares.commentario.2°.apho.34°.&.40°. Ex.17.H
Senibus cur contingat raucedo.de voc.& anhel. Sp.61.G
Seniores qua tempeſtate diſtillationes incidant ſubito perimentes.com.3°.aphor.12°. Ex.21.H
Senibus frigidæ fluxiones non concoquuntur.com.3°.aph.12°. Ex.21.H
Senes non faciunt lapides,quia non habent calorem magnum.com.3°.aphoriſmo.26°. Ex.25.F
Senum oculi cur rugoſi.in 6^{m}.de mor.vul.com.1°. 3ª.158.D
Senibus cur cornea corrugata.10°.de vſu par. 1ª.180.F
Senes cur cæci nonnunquã fiant.in 1^{m}.de mor.vul.com.1°. 3ª.113.D
Senes vltimi quare non videant.1°.de ſymp.cau. 3ª.15.D
Senibus quod Marcoris genus proprium.de pul.ad Tyro.45.E/4°.de cauſis pulſuum. 4ª.101.E
Senes quomodo maraſmo afficiantur.de marc. 3ª.45.C
Senibus qbus iã ætate declinante inflari magis ventrẽ cõtingat cũ venere vtunt̃,& coitũ aſſidue appetere.in 6^{m}.de mor.vul.cõ.3°.3ª.171.G
Senibus contingunt effuſa & nigriores colliſis Venis.de tumoribus præter naturam. 3ª.84.C
in Senis habitu potius viuendũ,quã illico mori.10°.met.me. 7ª.66.F
Senex et ægrotus debet ſperare valetudinẽ.de cog.cur.ani.mor.2ª.51.F
in Senibus quotidie vrinæ mouendæ,& quibus.5°.de ſan.tu. 2ª.92.E
in Senibus quotidie ſoluenda aluus,& quibus.5°.de ſan.tu. 2ª.92.E
Senes non ſunt purgandi.de dyna. Sp.20.F
Senes ſi alternis diebus egerant nihil medicamentoſum illis dandum.5°.de ſanitate tuenda. 2ª.92.F
Senes quibus ſolui debeant.5°.de ſan.tu. 2ª.92.F
Seni non danda aloes.5°.de ſan.tu. 2ª.92.E
Senioribus ſupra modum purgatis ſingultus ſi ſuperuenerit,non bonũ.com.7°.aph.41°. Ex.57.C
Senes in ſenium longe prouecti,nõ ſunt phlebotomandi.de ſect. Iſa.16.E
Senibus non eſt ſecanda vena.1°.de arte cur.ad Gla. 7ª.98.D
cur Seni ſanguis non eſt detrahendus.de victus ratione in morbis acutis.commen.4°.136.F/ 7ª.37.H
Seni pleuritico non eſt ſecanda vena.de ſubfig.emp. Iſa.32.F
Senes valde pleuritici exiſtentes nõ ſunt phlebotomãdi.de ſect. Iſa.18.B
Senibus qñ venã ſecat Galenus.de curandi ratione p ſang.miſ. 6ª.19.D
Senibus cur in minori copia quàm iuuenibus etiam in eadem affectione ſanguis detrahendus.de cur.rat.per ſang.miſſ. 6ª.19.D
Senes raro euadunt è pleuritide.de dyna. Sp.35.E
Senes in hyeme profunda non liberantur à tribus quartanis.de præcog.ad Poſth. 4ª.217.B
Senis inuitus excernentis caſus.1°.de loc.aff. 4ª.7.H
ad Senum vlcera.1°.de comp.me.per gen.214.C/D/ 5ª.222.A
Senibus conueniens medicamen.de med.exper. Sp.108.A
Senum calorem naturalẽ confortãs medicamen.de med.exp. Sp.108.A
Senis medicamen.de med.exper. Sp.104.D
in SENILEM ſiccitatem ſicci natura cito proueniunt.6°.de ſanitate tuenda. 2ª.96.E
Senili ætati familiariſſimus morbus eſt apoplexia.cõmentario.3°.aphoriſmo.31°. Ex.26.H
in Senili ætate febres quotidianæ fiunt.2°.de diff.feb. 3ª.36.E
i Senili ætate partes extremas frigeſcere nõ malũ.cõ.7°.a.1°. Ex.54.A
SENIORA animalia carnes modicas & aridas habent,& reliquas partes.4°.de ana.admi. 1ª.80.D
Seniorum animalium partes duræ ſiccæ,& cõcoctu difficiles ſunt.de bonit.& vitio ſucco. 2ª.35.H
Seniorum complexio imperfecta,& quare.de incãtatione adiuratione,& ſuſpenſione. 7ª.181.F
Senioris infra dignitatem eſt diſputare cum adoleſcente.de venę ſect.aduerſus Eraſi. 6ª.10.A
Snioris pulſus qualis.3°.de cauſ.pul. 4ª.96.D
Senioribus contingentes morbi qui.in progn.com.3°.4ª.210.D/commẽ.3°.aphriſmo.31°. Ex.26.G
q Seniores aſſidue coitum appetant.in 6^{m}.de mor.vul.cõ.3°. 3ª.171.G
Senioribus omnia mala ſunt peiora propter ætatis debilitatem.commẽ.7°.aphoriſmo.41°. Ex.57.C
Seniores difficulter ſanantur à veſicæ & renũ vitijs,& longis morbis.com.6°.aph.6°. Ex.47.B
Senium quando ſerpentes deponunt,et quale ſit.de ther.ad Piſ. 5ª.95.D
Senium in ſtirpibus quid ſit.1°.de ſan.tu. 2ª.62.F
Senium in animalibus quid ſit.1°.de ſan.tu. 2ª.62.F
Senium in ætatibus quid.de marc. 3ª.46.F
Senium quid.de marc. 3ª.45.E
Senium quid ſit proprie.5°.de ſan.tu. 2ª.89.A
Senium quid exiſtimetur à diuerſis.de marc. 3ª.46.E
Senium indubitato frigidum eſt.5°.de ſan.tu. 2ª.92.B
Senium non indubitato ſiccum,quia aliqui dixere humidum eſſe.5°.de ſanitate tuenda. 2ª.92.C
Senium humidum eſt ſecundum aliquos antiquos celebres,& cur.2°.de temperamentis. 1ª.16.B
Seniũ quidã humidũ,& frigidum eſſe arbitrati ſunt.de marc. 3ª.46.D
Senium frigidum & ſiccum.5°.de ſan.tu. 2ª.89.E
Senium eſt intemperies quædam ad frigidius,& ſiccius conuerſa.2°.de ſymptomatum cauſis. 3ª.20.E
Seniũ quod eſt in ſanis,ſicca intẽperies eſt in ægris.7°.met.me.7ª.44.D
Senium non eſt corporis intemperies,ad quam primum omne remediorum conſilium dirigitur.5°.de ſan.tu. 2ª.93.B
Senium ætas frigidiſſima eſt.2°.de temp. 1ª.16.D
Senium quomodo ſecundum naturam ſit.de marc. 3ª.45.E
Senium an morbus vel ſanitas vel medium vocetur,parum refert.5°.de ſanitate tuenda. 2ª.90.E
Senium quidam eſſe morbum volunt.de marc. 3ª.46.E
Senio carens quo nã modo quis perpetuo permanere poſſit,philoſophus quidam tempore Galeni in libro quem conſcripſit,oſtendit quod tamen ipſe euitare non potuit.de marc. 3ª.45.E
in Senio caro impenſe ſicca eſt.6°.de ſan.tu. 2ª.96.D
Senium eſt via ad interitum.2°.de temp. 1ª.16.D
Senium eſt veluti quædam tabes mortis.2°.de temp. 2ª.16.D
Senium facere dicitur lapis phloginus illinitus.de ſimp.med. Sp.86.H
Senium cur conſideratur.5°.de ſan.tu. 2ª.93.B
Senium quicquid ſit nihil refert.5°.de ſan.tu. 2ª.90.E
Senium quomodo poſſit euitari de marc. 3ª.46.F
Senium corrigi non poteſt.7°.met.me. 7ª.45.H
Senium marceſcenti ſtypi aſſimilatur ab Ariſtotele.2°.temp. 1ª.16.C
in Senio facies ab Hippocrate in acutis deſcripta,nõ eſt exitioſa.in progno.commen.1°. 4ª.191.E
in Senio quid fiat.1°.de ſan.tu. 2ª.63.F
Senium facit obliuionem.2°.de ſymp.cau. 3ª.24.B
Senij notæ ſunt excrementa humida.de marc. 3ª.46.E
Senium qui melius tolerent,& qui facilius ad ipſum perueniant.com.2°.aphoriſmo.49°. Ex.19.B
ad Senium cur cito veniunt animalia.6°.de ſan.tu. 2ª.96.F
Senium ex morbo,quid.1°.de præſag.ex pul. 4ª.107.F
Senium corrigitur per calefaciẽtia & humectãtia.5°.de ſan.tu.2ª.89.E
Seniũ ex morbo q Marcor à Philippo dicat̃.4°.de ca.expul. 4ª.101.C
Seniũ vel maraſmus ſiccitatẽ præceſſiſſe debet.3°.de ſymp.cau. 3ª.25.D
Senio ſimili affectu detenti,maraſmo afficiuntur.de marc. 3ª.45.C
Senio ſimilis maraſmus frigidus quibus fiat.de marc. 3ª.47.C
Senium ex morbo,eſt altera maraſmi ſpecies.10°.met.me. 7ª.66.F
Senij maraſmus poteſt prolongari,non euitari.de marc. 3ª.46.E
SENSIBILIORES ſunt nerui molles de ocul. 7ª.183.E/F
Senſibiliora corpora magis dolores ſentiunt.in 6^{m}.de morbis vulgarib.commentario.1°. 3ª.153.E
Senſibile quod.fin.med. Iſa.45.A
Senſibilia quæ ſint.de ijs.quæ in med.fin.com.1°. 7ª.199.B
Senſibilia improprie quæ.de ijs,quæ in med.fi.com.1°. 7ª.199.B
Senſibiles res ꝙ non fiant temere.17°.de vſu par. 1ª.221.E
Senſibilium cognitio in quot ſit differentijs.3°.de dig.pul. 4ª.80.G

Senſibilium cognitio ſedula inſpectione confirmatur.3°.de compoſitione medic.per genera. 5ª.228.E
Senſibilis animæ actio in quinq; ſenſus diuiditur.de diff.ſymp. 3ª.11.D
Senſibilia diuerſa immutat ſenſus.8°.de vſu par. 1ª.167.D
Senſibile nihil eſt de corpore præter venas, & arterias,pelliculas, & neruos.de vtil.reſp. Sp.62.G
non *Senſibile,ſed ſenſuum organum à natura factum eſt cerebrum.de vir.noſtr.corp.diſp.* Sp.60.C
Senſibilis facultas per neruos ad inſtrumenta propria defertur.7°.de dec.Hippocratis. 1ª.270.F
Senſibilis quidem meatus intus aperte ſolis oculorum neruis adeſt.de neruorum diſſectione. 1ª.53.D
Senſibile eſt maxime os ſtomachi.de ana.viu. Sp.49.G
Senſibiles partes hepatis & ſplenis.de vtil.reſp. Sp.62.H
Senſibiles motus in ſanis animantium corporibus duplices ex arbitrio & impetu,& qui vitales dicuntur.de tremo.palp.conuul. 3ª.51.D
in *Senſibilibus partibus eſt dolor.12°.met.me.* 7ª.78.C
à *Senſibilibus magnis dolent guſtus,& tactus.de ſymp.diff.* 3ª.11.E
Sẽſibilibus quale debet exhiberi medicamẽtũ.3°.đ cõ.me.p g. 5ª.232.G
SENSIBILITATEM *auri præſtans panniculus vbi ſit.de anatomia viuorum.* Sp.48.H
SENSIFICANS *eſt panniculus quidam,vt pulmonis hepatis, ſplenis renum.de ana.viu.* Sp.55.F
SENSIFICI *nerui quales & qui.3°.de dec.Hipp.* 1ª.270.F
SENSIO *continetur in Præſenſione.in prog.com.1°.* 4ª.190.A
SENSITIVVM *primo in ſomno deprehenditur.commẽtario.2°.apho riſmo.3°.* Ex.11.E
SENSORIVM *quod.fin.med.* Iſa.45.A
Senſorium primum,& ſenſus cõmunis idem.7°.de dec.Hipp. 1ª.272.F
Senſoria omnia poſcunt neruum mollem.8°.de vſu par. 1ª.166.G
Senſoria omnia cur prope cerebrum.8°.de vſu par. 1ª.167.A
Senſoria oĩa pp cerebrũ in capite poſita ſunt.8°.de vſu par. 1ª.167.A
ad *Senſoria inſtrumenta differentiæ proceſſuum neruorum.8°.de vſu partium.* 1ª.167.D
Senſoria tactus quæ,& quæ viſus,& quæ guſtus.1°.de ſimplicium medicamentorum facultatibus. 5ª.8.C
Senſoriũ qđ debet colores recipere,quale eẽ debeat.8°.de vſ.p. 1ª.167.E
Senſorium viſus,quale eſſe debeat.8°.de vſu par. 1ª.167.E
Senſoriũ quo tranſmittitur ad viſum à cerebro.8°.de vſu par. 1ª.167.E
Senſorium olfactus habet vaporoſum ſpiritum.8°.de vſu par. 1ª.168.A
Senſorij olfactus natura quæ.8°.de vſu par. 1ª.168.A
Senſoria oblectãtia debẽt dari ægris.in 6^{m}.de mor.vul.c.4°. 3ª.181.A
SENSVALE *fieri corpus contingit in multis particularibus alterationibus elementorum, ſuppoſitis his vim ſenſualem non habere, ſed poſſe inuicem agere,& pati multiformiter.1°.de elem.* 1ª.3.D
SENSVS *quid.fin.med.Iſa.45.A/de hiſt.philo.* Sp.9.A
Senſus eſt aliud à coloribus,ſaporibus,& vaporibus.1°.de elem. 1ª.3.F
de *Senſibus animalibus.de comp.memb.ſiue de nat.hum.* Sp.59.B
Senſus communis eſt hominibus & animantibus rationis expertibus.2°.de ſimp.medica.faculta. 5ª.9.G
Senſus genus diuerſum eſt in plantis quàm in animalibus, & quale.de ſubſtantia facultatum naturalium. 1ª.330.G
Senſus proprij animaliũ ſunt & opera animæ.1°.de fac.nat. 1ª.291.G
Senſus,& affectus in qua ſint animæ parte.de hiſt.philo. Sp.10.B
Senſus pauciores Dei habent quã bruta.de hiſt.philo. Sp.9.B
Senſu prædita an rationis habeant vſum.de hiſt.philo. Sp.11.E
Senſus quot ſint.de hiſt.philo. Sp.9.A
Sẽſus ſunt quinq; & q nã ſinguli.fi.med.Iſa.45.B/aduer.Lyc. Ex.63.H
Senſus cur quinq;,& elementa ſolum quatuor.7°.de dec. 1ª.271.C
Senſu vno quæ ſentiuntur,non ſentiuntur alio.7°.de dec. 1ª.271.C
Senſuum partes ſm Chryſippum.3°.de dec.Hipp. 5ª.241.F
Senſus quomodo fiat.7°.de decr.Hipp. 1ª.272.F
Senſus quomodo excitetur.in 6^{m}.de morb.vul.com.2°. 3ª.161.A
Senſus eſt in patiendo.16°.de vſu par. 1ª.215.A
Senſuum alterationes pathemata ſiue paſſiones appellantur.de ſymptomatum differentijs. 3ª.10.D
Senſus eſt alterationis dignotio,non alteratio ipſa,vt quidam putãt.7°.de dec.Hippocra. 1ª.271.H
Senſus in patiendo,motus vero in faciẽdo aliquid fit.1°.de lo.af. 4ª.7.D
Senſus per medium veluti per baculum fit.de cauſ.pro catar. 3ª.100.C
Senſus quo ſentiant quæ in ſe ipſis ſunt.1°.de ſymp.cau. 3ª.17.D
Senſuum ordo ſecundum perfectionem.de ocul. 7ª.183.F
Senſus primus eſt viſus,& qualis ſit de ocul. 7ª.183.F
Sẽſus alij rẽ ſentiẽdã ad ſe expectãt,viſus ad illa accedit.đ oc. 7ª.185.A
Senſus immutat ſenſibilia diuerſa.8°.de vſu par. 1ª.167.D
Senſibus alijs craſſior eſt tactus.de ocul. 7ª.183.F
Senſu tactus qui ſint excellentiores ſenſus.16°.de vſu par. 1ª.215.A
Senſum tactus habent nerui omnes.de ocul. 7ª.183.F
Senſum vnum duntaxat habẽt oſtrea,tactũ ſcilicet.de ana.viu. Sp.45.G
Senſus oẽs particulares ad cõem ſenſum reducunt.de ana.viu. Sp.45.G
Senſum communem ponit Galenus.de ſymp.diff. 3ª.11.F
Senſus cõmunis,& primum ſenſorium,idem.7°.de dec.Hipp. 1ª.272.F
Senſus communis cur in cerebro.7°.de dec.Hipp. 1ª.272.E
Senſus vnde habeatur in animalibus.7°.de dec.Hipp. 1ª.169.F
Senſus & motus origo vnde ex voluntate exiſtit,is principatus eſt animæ.8°.de dec.Hipp. 1ª.273.B
Senſus principiũ eſt cerebrũ.3°.de vſu par.133.C/7°.de dec. 1ª.272.F
Senſuum quinq; principium eſt in cerebro.in Tim.Plat. 1ª.287.D
Senſus & motus vniuerſis corporis partibus à cerebro ſuppeditantur.5°.de locis affectis. 4ª.28.H
Senſus & motus principium eſt cerebrũ.de ana.viu.45.H/de vir.noſt.corp.diſp. Sp.60.C
Senſus,& voluntarij motus principium eſt cerebrũ.ĩ 6^{m}.de mor.vulg.com.5°.3ª.189.G/de voce,& anhel. Sp.61.G
ad *Senſum faciendum in animali cerebrum non indiget corde.2°.de decretis Hippocra.* 1ª.239.C
Senſum & motum ſpina accipit à cerebro.3°.de loc.aff. 4ª.20.H
Senſui meatus patens,in ſpinalis medullæ ortu, ſicut etiam in viſorijs neruis eſt.7°.de dec.Hipp. 1ª.270.C
Senſus,& motus principium eſt cor contra Galenũ.de ana.vi. Sp.45.H
Senſus,& motus principium eſt à corde.de vtil.reſp. Sp.63.D
Senſuũ oĩum primũ et vniuerſale ĩſtrumẽtũ eſt cor.de vtil.reſp. Sp.72.F
Senſus & motus principium non eſſe cor probat.de anat.viu. Sp.45.H
Senſuum inſtrumenta cur duo.10°.de vſu par. 1ª.177.E
Senſuũ inſtrumẽtis cur natura facit cooperimẽtũ.11°.de vſu p. 1ª.188.H
Senſus non debet habere tegmentum,vt aures,nares,& quare, quamq; oculis operimenta data,quia mollis odor.de inſtr.odor. 1ª.112.A
Senſus inſtrumenta quomodo ſentiant.1°.de ſymp.cau. 3ª.18.H
Senſuum inſtrumenta neruis indigent.16°.de vſu par. 1ª.215.A
Senſus & motus inſtrumenta nerui ſunt.3°.de dec.Hipp. 1ª.245.D
Senſum ac motum omnes nerui habent.16°.de vſu par. 1ª.214.H
Senſum accipit corpus à neruis poſt motum.12°.de vſu par. 1ª.193.D
Senſus per neruos mittitur ad oẽs particulas.1°.de ſymp.cau. 3ª.18.H
Senſus in nulla eſt animantis parte ſine neruo.de ner.diſſ. 1ª.53.B
Senſus non fit,niſi neruus afficiatur.3°.de dec.Hipp. 1ª.270.F
Senſus & motus omnis,influens influit per neruũ.de ana.vi. Sp.48.A
Senſum ac motum exhibens nominatur neruus aut tendo.1°.de decretis Hippocratis & Platonis. 1ª.233.G
Senſum,et nõ motũ hñt partes q̃ recipiũt neruos.16°.de vſu p. 1ª.214.H
ad *Senſum nerui molles apti.3°.de ana.adm.* 1ª.96.D
pro *Senſu nerui molles dati.16°.de vſu par.* 1ª.215.A
Senſus quinq; faciunt nerui molles.de ocul.183.F/ 7ª.184.H
Senſus oẽs habent neruos magnos & molles.16°.de vſu par. 1ª.215.D
pp *Sẽſum partes q̃dã corporis hñt magnos neruos.5°.de vſu p.* 1ª.145.C
Senſuum nerui quanti.de inſtr.odor. 1ª.110.G
ad *Senſum tantũ idonei ſunt nerui molles.de dec.Hip.& Pla.* 1ª.233.G
Senſus neruus cur mollior.7°.de dec.Hipp. 1ª.270.F
ad *Senſum non conuenit durum.12°.de vſu par.* 1ª.193.A
ꝑ *Senſu,& motu nerui duri,& molles effecti.16°.de vſu par.* 1ª.215.A
circa *Senſus quo ſe hñt mẽbra durorũ neruorũ.1°.de ſymp.cau.* 3ª.16.E
Senſum,& motũ partium qui muſculi faciant.1°.de loc.affe. 4ª.7.E
Senſum & motũ q dent muſculi,ſemp indigẽt neruis.1°.de lo.af. 4ª.8.B
Senſus ineſt particulis q̃ ſentiũt,ẽt ſine muſculis.1°.de mo.muſ. 1ª.309.C
Senſus diuerſus particulis datus eſt.de mul. 3ª.77.F
Senſum dantes panniculi qui.de ana.viu. Sp.55.F
Senſum exactiorẽ quibus partibus dat natura.16°.de vſu par. 1ª.215.A
Senſum acerrimũ habet oculus.13°.met.me.86.A/de ocul. 7ª.189.C
Senſum exactiorem debent habere naſus,palatum,& dẽtes.16°.de vſu partium. 1ª.215.D
Senſum gingiuis,& cuti faciei qui muſculi præſtent.de ner.diſſ. 1ª.53.F
Senſum habentia membra in ſuperficie quæ.de ana.viu. Sp.44.C
Senſum vnde habeat cutis.de ana.viu. Sp.45.C
per *Senſus tãtum gratia cutis piloſa propagines paucas tenues raras, & ægre conſpicuas inſtar filorum cuiuſdã araneæ ex ſubiectis omnibus*

bus partibus recipit.9°.de vſu par. 1ª.176.D
Senſum vnde habeat pellis caput ambiens.4°.de loc.aff. 4ª.25.D
Senſus cutis imbecillitas vnde.de ana.viuo. Sp.45.C
Senſum dant nerui per cutem manus diſperſi.3°.de loc.aff. 4ª.21.C
Senſum exactiſſimum habet os ventris.1°.de ſymp.cau. 3ª.17.G
Senſum potiorem omnibus partibus propter quid habet os ventriculi. 3°.de loc.aff.4ª.18.C/de vo.& anhel. Sp.61.H
citra Senſum noſtrum non eſt ventriculi cupiditas, qua cibum & potũ appetit.6°.de loc.aff. 4ª.37.G
Senſum & motum diaphragmati qui neruus det.de ana.viuo. Sp.53.F
Senſum magnum vnde habeat matrix.de ana.viuo. Sp.51.F
Senſuum diſtributio in fœtum.an animal ſit. 1ª.327.F
Senſus cur paruus in renibus,in veſica vrinæ,& veſica fellis.5°. de vſu partium. 1ª.145.F
Senſum vnde habent renes.de ana.viuo. Sp.51.C
Senſu caret particula,ad quam neruus non peruenit.de mult. 3ª.77.G
Senſu carent oſſa,pinguedo,adenes,& medullæ.de mult. 3ª.77.G
Senſu caret os capitis.13°.meth.med. 7ª.86.A
Senſus cur non ineſt glandulis.15°.de vſu par. 1ª.214.H
Senſu vacat copula.de decre.Hipp.& Pla. 1ª.233.H
Senſu priuatum membrum omne congelatum terreſtre ex melancholia eſt.de ana.viuo. Sp.45.F
Senſus eſt ferè expers pulmo.1°.de diff.reſp. 3ª.59.G
Senſum non habet pulmo,quia duo tantum nerui tenues in ipſo ſunt, & ſuperficiarij.4°.de loc.aff. 4ª.25.G
Senſu caret caro circa gibbam iecoris partem.de mul. 3ª.77.G
Senſus inteſtinorum obtuſus cuius ſit.in 6ᵐ.de mor.vul.com.5°.3ª.193.F
Senſum non habet pulſus.2°.de loc.aff. 4ª.9..A
à Sẽſibus quõ differãt pedes,& ſummæ manus.16°.de vſu par.1ª.215.E
Senſus duas ſpecies tantum habent animales actiones.de ocul.7ª.186..A
Senſui ratio coniuncta eſt.3°.de dign.pul. 4ª.80.B
Senſus ſequitur,ratio dux eſt.de ther.ad Piſo. 5ª.90.F
Senſus aduerſus cogitationem loqui quo modo finxit Democritus. aduer ſus empir.med. Iſa.35.C
Senſus boni ſunt homines liquidioris ſanguinis, eò quod molles carne.de vtil.reſp. Sp.64.F
SENSVS quidam negabat poſſe experiri de rebus.1°. de ſimplicium me dic.facul. 5ª.7.C
Senſus qui dicunt non percipere propria ſenſibilia, in Pyrronis dubium turpiter incidunt.2°.de temp. 1ª.16.H
Senſus iudex ad omnia vitæ munia eſt nobis .1° .de ſan. tuen. 2ª.64.B
in Senſibus conſiſtunt iudicia naturalia.9°.de decre.Hip. 1ª.279.D
Senſus iudicium naturale eſt.9°.de decre.Hip. 1ª.279.D
Senſus iudicium rerũ eſt,quę ſenſu ſubijciuntur.9°.de decre. 1ª.279.D
Senſui euidentium & non per ſe cognitorũ iudex obſeruatio eſt.de opti- ma ſecta. Iſa.19.H
Sẽſui res euidẽtes aliæ per ſe innoteſcũt,aliæ nõ per ſe.de opt.ſe. Iſ.19.G
Senſum res latentes aliæ ntellectui perſpicuę & ſunt, & dicũtur, aliæ per oſtenſionem cognoſcuntur.de optima ſecta. Iſa.19.G
Senſui nota eſſe vſui,cõceſſum eſt ab oĩbus medicis.de opt.ſec.Iſa.20.H
Senſui nota,ſunt principium inuẽtionis præceptorum,ſed non artis prin- cipium ſunt.de opt.ſec. Iſa.20.B
Senſus euidentia præuenit rationis fidem.8°.de ſimp.med.fac. 5ª.29.D
de Senſui euidentibus rebus qui demonſtratione aliqua ſententiam fer- re conantur deridendi,& quare.de opt.ſec. Iſa.19.H
Senſibus nõ eſt habenda fides ſm Aſclepiadem.1°.de nat.fac. 1ª.294.B
Senſui qui non credit, explodendus eſt.9°.de decr.Hip. 1ª.279.E
Senſibus quæ fides habenda ſit probatur.2°.de ſimp.med.fac. 5ª.9.G
de Senſuum certitudine.2°.de ſimp.med.fac. 5ª.9.H
Senſuum & imaginationum veritas.de hiſt.philo. Sp.9..A
Senſu partim,& partim demonſtratione, ſoluuntur artium controuer- ſiæ.de nat.hum.com.2°. 7ª.183.C
Sẽſu vident quæ ſpectãt ad medicos.de vict.ra.in mor.ac.c.1°.7ª.109.E
Senſibus ſubiecta nõ tractat Galenus in libris de locis affectis.5°.de locis affectis. 4ª.29 G
Senſum quæ effugiũt,non indigent breui methodo.de ſec. Iſa.18.F
Senſibus aliqua ſi non percipiantur, non creduntur, quæ tamen tentata certificant.de incant.adiur.& ſuſp. 7ª.182.D
Senſu opus eſt ad iudicãdũ,non demonſtratione.de na.hu.c.2°. 7ª.183.D
Senſu non videtur minimum.1°.de elem. 1ª.2.C
Senſus non eſt iudex verorum elementorum.1°.de elemen. 1ª.2.C
Senſu quæ iudicantur.de op.ſec. Iſa.19.H
Senſum experientia iudicamus quæ ratio non poteſt inuenire. de theria. ad Piſonem. 5ª.90.E
Senſus iudicat pugnantia.1°.de ſimp.me.fa. 5ª.2.F
Senſu cognoſcimus durum,& molle.4°.de dig.pul. 4ª.83.D
Senſus iudicat ſimplicem,& compoſitã particulam.de diff.morb.3ª.3.B
non Senſu,ſed rõne qui motus deprehendatur.4°.de diff.pul. 4ª.66 C
Senſu non cognoſcitur motus,ſed ratione.3°.de dig.pul. 4ª.80.B
Senſus iudicant, an animalia ruminantia habeant quatuor ventriculos. de nat.hum.com.2°. 7ª.183.C
Senſus iudicat,an animalia vtrinq; dentata habeant vnum ventriculũ. de nat.hum.com.2°. 7ª.183.C
ex Senſu iudicium certum,exactumq́; fieri poteſt de medicamentis,quæ adhibentur.3°.de temp. 1ª.24.F
ex Senſu iudicium ſi nõ fiat, omnia externa ſunt conferẽda quæ ab ipſa quæſitæ rei ſubſtantia ſint deſumpta & ex ipſis iudicandum. 3°. de temperamentis. 1ª.24.F
Senſibus quid attendendum.1°.de ſimp.medicam.fac. 5ª.8.C
Senſu probantur medicamenta ſimplicia.de ther.ad Piſo. 5ª.90.F
ſine Sẽſu nõ ſecure probatur medicamẽti vis.1°.de ſimp.me.fa. 5ª.7.F
Sẽſus manifeſti motus dicũtur motus liqdi.de mot.mã.& obſc.Sp.66.D
Sẽſu iudicatur eucraſia, & diſcraſia.1°.de ſan.tuen. 2ª.64.B
Senſus debet eſſe Iudex in ſanitate, & ægritudine, non rerum natura. introd. Iſa.63.A
à Senſu vt facilius dignoſcatur affectio facit imbecillitas.4°.de locis af fectis. 4ª.25.E
Senſibus oĩbus contingunt delectatio & dolor.1°.de ſymp.cau. 1ª.16.F
Senſus radix & fons doloris eſt.1°.de elem. 1ª.3.H
Senſum exigit dolor.1°.de elem. 1ª.3..A
Senſus radix & fons eſt recordationis,phantaſiæ, voluptatis & memo riæ.1°.de elemen. 1ª.3.H
cur Senſus oẽs vigẽt in tẽpeſtate aquilonia.com.3°.apho.17°. Ex.23.F
Senſus vt in ſuis actionibus detineantur,natura ſemper intenta.de inſtru mento odoratus. 1ª.112.B
Senſus oriantur in ſomno.com.4°.aph.15°. Ex.28.H
Senſus non bene ſentiunt in ſomno.de inſtr.odor. 1ª.112.C
Senſus ſemper ſentiunt ſi vigilamus,& habent ſenſibilia propria.de in- ſtrumento odor. 1ª.112.C
Senſus inſtrumentum cum eſt male affectum,eſt ſymptoma in ſentiendi actione.1°.de ſymp.cau. 3ª.14.B
Senſus noxæ quæ.de ſymp.diff. 3ª.11.D
Senſus vitioſus eſt ex communibus omnium ſentiendi actionum noxis,et qui ſit.de ſymp.diff. 3ª.11.D
Senſus vitiati ſunt in ſenibus.2°.de temp. 1ª.16.D
in Senſu quolibet duplex vitium eſt.de ſymp.diff. 3ª.11.E
Senſus facilitas,& difficultas qd faciat.2°.de ar.cur.ad Glau. 7ª.103.C
Senſus difficultas dyſæſtheſia dicitur.de ſymp.diff. 3ª.11.B
Senſus hebetatio poteſt fieri ab intemperie.3°.de loc.aff. 4ª.20.D
Senſum difficilem inuehit frigefactio.de diff.mor. 3ª.4.E
Senſus torpeſcere faciunt infrigidantia.com.6°.aph.31°. Ex.49.E
Senſus hebetantur ex frigido, & ita ex torpore dolor non ſentitur. com. 5°.aphor.25°. Ex.39.H
Senſus ſimilitudine aqua frigida vocat̃ mordax, [ex quo elice per ſimili tudinem aliquas qualitates attribui vni, quæ tamen non ſunt ipſi pro priæ.]com.5°.aph.20°. Ex.39.B
Senſum auferentia,ſunt frigida poteſtate.3°.de temp. 1ª.23.F
Senſum,& motum tollit refrigeratio completa.2°.de loc.aff. 4ª.8.E
Senſum quæ amiſerunt, & ſentientia male frigida ſunt omnia. de trem. palp.conuul. 3ª.53.D
à Senſus hebetudine & acuitate indicatio quæ.7°.meth.med.7ª.49.D
Senſum difficilem habentia ferunt acria medicamenta.2°.de arte curat. ad Glauconem. 7ª.103.D
Senſus noſtros purgãtia ac mordicãtia,acria ſunt.de atte.vic. 2ª.43.G
Senſus hebetioris pas, valẽtioribus indiget remedijs.4°.met.m.7ª.28.F
Senſus nimius quid faciat.3°.de ſymp.cau. 3ª.27.E
Senſus acuti pars,ſine dolore curanda eſt.4°.meth.med. 7ª.28.F
Senſus acuti qđ ẽ,et ĩbecillũ,leniſſima ex cã dolet.2°.de ſym.ca.3ª.22.D
Senſus facilis, quod non eſt & valentiſſimum fuerit, magnam cauſam requirit ad hoc vt doleat.2°.de ſymp.cau. 3ª.22.D
Senſus facilius,particularũ robur,atq; ĩbecillitas, & cruditatis magni tudo,& dĩa,diuerſa gignunt ſymptomata.3°.de ſymp.cau. 3ª.30.C
Senſui euidens dolor eſt.1°.de elem. 1ª.3.H
Senſui tactus contingunt maximi dolores.de ſymp.diff. 3ª.11.E

Senſus alij

Senſus alij habent dolorem præter tactum, ſed eſt ab externis illis incidens.de ſymp.diff. 3ª.11.E
Senſus tonodes qui.de mul. 3ª.77.G
Senſus grauis, triſtis, & dolorificus idem.1°.de ſymp.cau. 3ª.16.G
Senſus triſtis ex quot cauſis fiat.com.7°.aph.21°. Ex.55.D
Senſus ponderis quando incidit.in prog.com.2°. 4ª.204.B
Senſus grauitatis circa pulmonē & ſiniſtrū latus fit, Luna in coniunctione Solis permanens, Saturnus autem in tetragono.de decub. prog.ex math.ſcien. Sp.13.A
Senſus pruriginis quo modo fiat, & quo modo præcedat, & ſequatur vlceratum ſenſum.2°.de loc.aff. 4ª.11.H
Senſus pruriginoſus in ſuperficie eſt, & quomodo.2°.de loc.aff. 4ª.11.G
Senſus vlceroſus ad intima etiam extenditur.2°.de loc.aff. 4ª.11.G
Senſus vlceroſus qui.de mul. 3ª.79.F
Senſus tantum propemodum non motus videtur quem inæqualitas ciet motus.2°.de ſymp.cau. 3ª.23.G
Senſum non motum habet laſſitudo vlceroſa.2°.de ſymp.cau. 3ª.23.G
Senſus omnes quo modo offendit puluis ſupra folia platani exiſtens. 8°. de ſimp.med.fac. 5ª.58.G
Senſus auditus affectiones quæ rationali inueſtigatione non indigēt. 4°. de loc.aff. 4ª.23.B
de Senſu odorandi læſo, caſus.de inſtr.odor. 1ª.107.A
Senſus non adimitur membris pulſu adempto.de vſu pul. 1ª.227.D
Senſus & motus defectus ex ebrietate quō fiat.de cau.mor. 3ª.7.D
Senſus amiſſio quæ.3°.de loc.aff. 4ª.21.C
Senſus & motus cur ſm antiquos deperdantur.4°.de loc.aff. 4ª.25.D
abſq; Senſu omni, & motu fit homo compreſſis quibuſdam venis colli. de vtil.reſp. Sp.63.G
Senſus & motus priuationē facit cerebrū.3°.de decr.Hip. 1ª.245.D
Senſus amittitur ſi cerebrum detractis oſſibus aperueris, & aliquem ex eius ventriculis compreſſeris.2°.de decre.Hipp. 1ª.236.H
Senſus totus quō amittitur per cōpreſſionē ſupra cerebrum factam. 2°. de loc.aff. 4ª.13.F
Senſus & motus amittit̄ vētriculo cerebri cōpreſſo.1°.de dec. 1ª.232.A
Senſus amittit̄ ex vulnere vētriculorū ſpūs cerebri.de vtil.reſ. 1ª.225.G
Senſus non amittitur ſi incidas cerebrum niſi vulnus penetret ad aliquē ventriculum cerebri.7°.de decre.Hip. 1ª.269.C
Senſu motuq; priuantur partes infernæ ſpina inciſa ex tranſuerſo, ſi tota fuerit defecta.3°.de loc.aff. 4ª.20.H
Senſum, & motum non amiſit is, cui compreſſum forcipe fuit cor, tamē arteriæ non mouebantur.1°.de decre.Hip. 1ª.232.B
Senſus quibus affectibus demit neruo affecto.1°.de motu muſ.1ª.309.A
Senſum & motum tollunt nerui funiculo religati.de vſu pul. 1ª.227.D
Senſu ac motu ſtatim priuatur particula, ſi neruus inciſus fuerit.de neruorum diſſectione. 1ª.53.B
Senſus qui iuuant nerui, ijdē vitiati offenduntur.1°.de ſymp.cau.3ª.16.E
Senſu pereunte cur qn̄q; motus non pereat rationes vanæ ab aliquibus afferuntur.4°.de loc.aff. 4ª.25.E
Senſus trium digitorum amiſſi ſeruato motu, caſus, & curatio.1°.de locis affectis. 4ª.7.B
Senſum minimorū digitorum ſiniſtræ manus amiſerat Pauſanias, caſum conſidera.3°.de loc.aff. 4ª.21.C
Senſum digitis auferunt nerui primi à ſeptima vertebra inflammati.1°. de loc.aff. 4ª.7.C
Senſum, & motum brachiorum perdere facit quinta vertebra vitiata in ſpina.1°.de ſymp.cau. 3ª.16.D
Senſus quomodo pereat ſeruato motu.1°.de loc.aff. 4ª.7.D
Senſus, & motus in partibus faciei qn̄ amittitur.4°.de loc.aff. 4ª.22.H
Senſus cernendi quibus cauſis amittitur.4°.de loc.aff. 4ª.21.G
Senſus & cogitationē læſam phrenitici aliq hn̄t.4°.de lo.aff. 4ª.22.D
Senſus, intellectus, & memoria perduntur in epilepſia.de comp. memb. ſiue de nat.hum. Sp.58.E
Senſu priuatis oleum valet.2°.de ſimp.med.fac. 5ª.11.E
Senſum difficilem aut deperditum, oleum nec iuuat nec lædit.2°.de ſimp. med.fac. 5ª.15.C
Senſus vegetes facit theriaca.de vſu ther.ad Pamphi. 5ª.98.C
SENTENTIA quid ſignificet.de ijs, quæ in med.fi.com.1°. 7ª.199.F
Sententia in pectore ſecundum Poetam.3°.de decre.Hip. 1ª.242.E
Sententię Cnidiæ Euriphonti attributæ.in 6ᵐ.de mor.vul.c.1°. 3ª.159.F
Sententias Cnidias qui conſcripſerunt, quæ tradiderint, & omiſerint in re medica.de vict.rat.in mor.acu.com.1°. 7ª.108.C
Sententiæ, non verba, ſunt conſiderandæ.de vtil.reſp. 1ª.223.C
Sententiam mutabat Galenus pro melioribus.1°.de antid. 5ª.104.C
Sententiam mutabat ſæpe Iulianus in ſuis ſcriptis.1°.meth.med.7ª.6.H
Sententiam aliquā eſſe alicuius auctoris vel non, poteſt ex re ipſa & modo loquendi probari.com.7°.apho.64°. Ex.60.D
SENTIENDI operationem habet anima in corpora cerebri. 3°.de loc. affect. 4ª.17.H
Sentiendi facultas à cerebro in neruos diffunditur.1°.de ſem. 1ª.335.B
ad Sentiendum admodum habiles qui.4°.de com.med.per ge. 5ª.236.C
ad Sentiendum inſigniter habilia corpora facile morſum recipiunt. 4°. de compoſitione medicamen.per ge. 5ª.236.F
in Sentiendi pleniorem vim habet ſanguis tenuior & frigidior. ꝙ animi mores. 1ª.319.C
ex Sentiendi acrimonia, & hebetudine indicatio.7°.met.me. 7ª.49.A
Sentiendi & mouendi vim ſolis habentibus partibus interdum hoc accidit: vt ipſis non affectis, eorum pereat actio.1°.de loc.aff. 4ª.8.B
Sentiendi facultas cum eſt male affecta, eſt ſymptoma in ſentiendi actione.1°.de ſymp.cau. 3ª.14.B
Sentiendi inſtrumento ſubſeruientium cum aliquid male habet, eſt ſymptoma in ſentiendi actione.1°.de ſymp.cau. 3ª.14.B
in Sentiendi actione triplex ſymptoma contingit.de ſymp.cau. 3ª.14.B
Sentiendi vis digitis non influit, ſpina læſa.3°.de loc.aff. 4ª.14.F
nō SENTIENS in tota vita ſua quod crebro omnes inuadit, malum, fortunatus eſt.de multitudine. 3ª.77.G
ex Sentientibus & patientibus vel ſenſu carentibus ſed tranſmutabilibus fiunt corpora.1°.de elem. 1ª.3.F
Sētiētia facile acria medicamēta nō ferunt.2°.de ar.cu.ad Gla.7ª.103.C
Sentientia male, & ſenſum quæ amiſerunt, frigida ſunt omnia. de trem. palp.conuulſ. 3ª.53.E
Sentientibus ægre oleum valet.2°.de ſim.me.fac. 5ª.11.E
Sentientia membra ſuſcipientia flauam bilem faciunt rigorem. com. 4°. aphoriſmo 58°. Ex.33.G
SENTINAM quare nauis opifex moliatur.an aīal ſit. 1ª.327.F
SENTIVNT ſtirpes ſm Platonem.in tim.Plat. 1ª.287.C
Sentire ſtirpes ſuadet.in Tim.Pla. 1ª.287.B
Sentit mens ſm Hippocratem.de ijs, quæ in med.fi.com.1°. 7ª.199.E
Sentiēs facultas à cerebro per neruū mittit̄.1°.de ſymp.cau. 3ª.14.B
Sentiunt partes quæ mouentur per neruum.1°.de ſymp.cau. 3ª.16.E
Sentire quæ poſſunt ſentit cerebrum.1°.de ſymp.cau. 3ª.18.H
Sentimus virtute proueniente ex capite.de vir.noſtr.cor.diſp. Sp.60.B
Sentiuntur quæ per accidens.7°.de decr.Hipp. 1ª.271.G
Sentiunt maxime tactum manus.de comp.mēb.ſiue de nat.hu. Sp.58.E
Sentit maxime omnium tactum vola manus.de comp.memb. Sp.58.E
Sentiūt aliquæ cutes magis, aliquæ minus.4°.de cōp.me.ꝑ ge. 5ª.237.F
Sentit lingua præ omnibus guſtabilem qualitatē.de cōp.mēb. Sp.52.H
Sentiunt muti.com.6°.apho.51°. Ex.52.H
Sentiūt diuerſo mō vētriculus, vena, arteria, & neruus.de mul.3ª.77.F
Sētiat cur valēter os vētriculi.1°.de ſym.c.3ª.17.H|in ꝑg.c.3°.4ª.210.F
Sentiunt in ſuperficie non in cauitate cor, iecur, & renes, & quare.de ren.aff.dig.& med. 7ª.192.H
non Sentit pulmo, vel difficulter.in prog.com.3°. 4ª.210.F
Sentiat quomodo pulmo, & iecur.de mul. 3ª.77.G
Sentiens facile pedis veſtigium qui muſculus facit.de muſc.diſ. 1ª.52.A
non Sentiunt ligamenta.6°.meth.med. 7ª.38.G
Sentit̄ grauitas ſola in peripneumonia, & non dolor.de vti.reſ.Sp.63.G
Sentiunt cur aliqui rigentes.2°.de ſymp.cau. 3ª.23.F
Sentit quō ſtupidum membrum.2°.de lo.aff. 4ª.8.F
Sentiant tantum cur partes reſolutæ.1°.de ſym.cau. 3ª.16.E
Sentit muſculus qui mouetur, [nota].11°.de ſym.cau. 3ª.16.F
Sentire non poteſt quod conſtat ex impatibilibus & inſenſibilibus elemētis.1°.de elemen. 1ª.3.B
Sentire nihil, guſtus ſymptoma eſt.1°.de ſymp.cau. 3ª.15.G
non Sentire legitimæ, guſtus ſymptoma eſt.1°.de ſymp.cau. 3ª.15.G
Sentire non legitimæ, dupliciter contingit.1°.de ſymp.cau. 3ª.15.G
cur Sētiant̄ dolores magis in nocte q̄ in die.de mot.man.& obſ.Sp.69.F
SEORSVM excrementum à proprijs medicamentis euacuatur. de cur.rat.per ſang.miſſ. 6ª.18.H
SEPARATIO ſanguinis triplex ab aquoſitate.de ana.vi. Sp.51.B
Separationis excrementorū à ſanguine fruſtratio quid agat. 3°. de ſymptomatum cauſis. 3ª.30.D
Separantia multum & non multum qualia ſint.de ocul. 7ª.187.H
Separationis iuncturæ cauſa triplex & quomodo fiat.de ocul. 7ª.185.H
SEPARATVR anima à corpore ſine corruptione.de ſper. Sp.37.H

Separentur

Separentur q̃uo compoſita ex materijs diuerſæ naturæ. in 6ᵐ. de morbis vulg.com.4°. 3ª.182.E
SEPIA quid.de ſimp.med. Sp.90.C
Sepiæ inter aquatilia mollia numerantur.de bon.& vit.ſuc. 2ª.35.E
Sepiæ molles ſunt.3°.de alim.fac. 2ª.32.D
Sepiæ piſces cõueniętes ſunt ſtomachicis.8°.de cõp.me.ſec.loc. 5ª.192.C
Sepiæ atramentum.1°.de comp.med.ſec.loc. 5ª.124.F
Sepiarum teſta qualis.11°.de ſimp.med.fac. 5ª.81.A
Sepiarum teſta vſta ad vitiligines,ephelin,lentes,pſoras, vtimur & foſſili ſali miſta oculorum vngues eliquat, dentibus ſplendorem affert, vlceraq; deſiccat & ad ingentes oculorum aſperitates, quas ſycoſes vocant,valet.11°.de ſimp.med.fac. 5ª.81.A
Sepiæ teſtæ pro tuberculis vlceratis conueniunt.in 6ᵐ. de mor. vulgar. commen.2°. 3ª.161.A
Sepia collyrijs admiſcetur:dentifriciũ eſt optimũ.de ſimp.med. Sp.90.C
ex Sepiæ parte oſſea fit albũ emplaſtrũ.1°.de comp.me.per ge. 5ª.217.C
per SEPTEM dies quibus cibum non dedit Galenus, tamen dedit mulſam.10°.meth.med. 7ª.63.G
in Septem menſibus aliqui morbi finiunt.1°.de dieb.decre. 4ª.149.D
in Septem annis aliqui morbi finiunt.1°.de die.decre. 4ª.149.D
Septem receptacula ſpermatis in matrice.de ſperm. Sp.36.D
SEPTENARIVS non eſt integrorũ dierũ.in prog.commẽ.3°. 4ª.207.C
per Septenarios,vigenarios,& menſes,et primo per quaternarios q̃uo iudicationes & ſolutiones morborũ fiant.in prog.com.3°. 4ª.208.C
Septenarius eſt validior circuitus decretoriorum dierum in prognoſt. commen.3°. 4ª.206.F
extra Septenarium primum qui nequit extendi,morbus niſi præcognoſcat à medico ſecũdo ſaltẽ die,p multũ eſt erraturus.1°.de cr. 4ª.131.F
Septenarij tertij finis vigeſimus eſt dies.in prog.com.3°. 4ª.206.G
SEPTENES quo motu debent moueri.1°.de ſan.tuen. 2ª.65.E
ad SEPTENTRIONEM montes ſunt auerſi à ſole.5°.methodi medendi. 7ª.34.H
Septentrionem verſus fluentes aquæ dulces quidẽ ſunt,in frigiditate autem excedunt.de bon.aquæ. Sp.75.E
ad Septentrionem ſitæ vrbes,& ad auſterum differunt,& ad orientem & occidentem.de aere aq.& loc. 2ª.2.C
ſub Septentrione viuentes,oppoſiti ſunt viuentibus ſub Zoa torrida. ꝙ animi mores. 1ª.320.D
ad Septentrionẽ degentes, agreſtes mores habent.ꝙ animi mo. 1ª.319.H
Septentrionis incolæ,non patiuntur phlebotomiam.de ſect. Iſa.18.B
SEPTENTRIONALES ſunt cancer,ſcorpio,piſcis. de ſpermate. Sp.39.A
SEPTICA medicamenta quæ vocentur 7°.de ſimp.med.fac. 5ª.50.D
Septica medicamenta quæ ſint.1°.de comp.med.per gen. 5ª.210.C
Septica medicamenta quæ proprie ſint,& quæ improprie. 5°. de ſimplicium medic.facul. 5ª.36.B
Septica medicamenta qualia ſint.5°.de ſimp.med.fac. 5ª.36.B
Septicis facultatibus miſcentur canthárides.11°.de ſimp.me.fa. 5ª.82.E
Septicam vim habet filicula.6°.de ſimp.med.fa. 5ª.46.D
Septicis miſcetur lixiuum.9°.de ſimp.med.fac. 5ª.69.G
Septicis facultatibus miſceť ſalamandræ cinis.11°.de ſim.me.fa. 5ª.82.F
Septicus non eſt vt quidam dicunt ſanguis æqui admiſſarij. 10°. de ſimp. medic.facul. 5ª.73.D
de SEPTIMANIS librum fecit Diocles.com.2°.apho.34°. Ex.17.C
de Septimanis liber nõ eſt Hippocratis.in 6ᵐ.de mor.vul.c.5°. 3ª.189.G
Septimana integris ſeptẽ diebus non conſtat.3°.de dieb.decr. 4ª.159.D
in Septimanis magnæ fiunt mutationes.3°.de dieb.decr. 4ª.158.H
per Septimanas luna mutatur.3°.de die.decr. 4ª.157.D
per Septimanas à luna mutatur menſis.3°.de dieb.dec. 4ª.157.E
Septimanæ quomodo numerentur.in prog.com.3°. 4ª.206.F
per Septimanas tres ſingulas,dies decrctorij qui.in ꝑg.c.3°. 4ª.206.G
Septimana prima cur à ſecunda ſeparata, & ſecunda tertiæ iuncta.3°. de dieb.decre. 4ª.160.B
Septimanæ dant indicium ſeptimanarum, & menſes menſium,& anni annorum.com.3°.apho.28°. Ex.26.A
Septimana in acutis comparatur mutationi temporum anni in cronicis & diuturnis morbis.3°.de die.decre. 4ª.158.B
Septimana q̃uo numeretur in morbis, & q̃uo principium vnius ad alteram ſe habeat.com.2°.aph.23°. Ex.15.F/G
per Septimanas criticorum dierum ordo.1°.de die.decr. 4ª.154.G
Septimani ſunt,& lunæ modo incedentes circuitus qui numero quodam dierum conſtant.3°.de dieb.decre. 4ª.158.A
SEPTIMANVS typus qui.de typ. 3ª.90.F
SEPTIMANI ſudores boni.preſag.exper.conf. Sp.77.G
SEPTIMANA febris intermittens eſt.introd. Iſa.55.D
de Septimanis,& quintanis dicit Galenus Hippocratem in aphoriſmis non meminiſſe,tñ de ipſis meminit.in 1ᵐ.de mor.vul.c.3°. 3ª.120.F
Septimanã,& nonanã nunq̃ vidit Galen°.in 1ᵐ.de mo.vul.c.3°. 3ª.118.E
Septimanam,& nonanam eſſe non indicat Galenus.in 1ᵐ.de morb.vulg. commen.3°. 3ª.120.A
de SEPTIMESTRI partu.de ſeptim.par. 1ª.340.H
Septimeſtris fœtus editionis primus terminus eſt tempus anni dimidij.de ſeptim.par. 1ª.340.H
Septimeſtres quot diebus pariant.de ſeptim par. 1ª.341.A
Septimeſtris infans poſſet oriri in minori tempore q̃ dimidio anni. de ſeptim.par. 1ª.341.D
Septimeſtris fœtus quo tempore perfectus.de ſeptim.par. 1ª.341.D
Septimeſtres partus cur viuant.de hiſt.phil. Sp.11.C
SEPTIMVS, & ſeptimus decimus dies iudicant.cõmentario 4°. aphoriſmo 36°. Ex.31.G
Septimus dies primus eſt dierum iudicatoriorum, numero,ordine potentia,& dignitate.1°.de dieb.decre. 4ª.146.E
Septimi naturam quartus decimus imitatur.1°.de dieb.decre. 4ª.147.B
prope Septimum,& quartum decimum ſunt nonus, vndecimus,& vigeſimus.1°.de dieb.decret. 4ª.147.B
Septimus dies quomodo iudicet.1°.de dieb.decre. 4ª.147.B
Septimus dies facile ad criſim paratur.1°.de arte cur.ad Gla. 7ª.100.C
Septimi quartus eſt index ſua natura.1°.de die.dec.149.G/2°. 4ª.154.F
Septimo die fit criſis ſi quarta habuerit vrinam habentẽ nubeculam rubram.com.4°.apho.71°. Ex.35.D
Septimo die ſi appareant exeuntia rubra, quartodecimo ſunt iudicati. com.4°.apho.71°. Ex.35.E
Septimus dies,quando vrina eſt rubra,non poteſt eſſe iudicatiuus vndecimi.com.4°.apho.71°. Ex.35.E
Septimus dies ſemper bene iudicat.1°.de die.dccr. 4ª.145.F
Septimo die criſim eſſe tutam,ſimul ac perfectam quo argumento probet.2°.de dieb.decre. 4ª.151.H
Septimus dies quibus iudicijs præcognoſcitur futura boni iudicij.cõ. 4°. aphoriſmo 71°. Ex.35.C
Septimus dies eſt fortiſſimus decretoriorum.2°.de dieb.decr. 4ª.154.F
Septimus dies regi aſſimilatur.1°.de dieb.decre. 4ª.146.G
Septimum vnde antiqui laudabant.3°.de dieb.decr. 4ª.160.A
in Septimo die quidam moriuntur.1°.de die.decre. 4ª.146.E
Septimo die q in pleuritide obeut.de vict.rat.in mor.acu.c.1°. 7ª.114.A
in Septimo ſi adhuc adſit cruditas,non poteſt morbus finire vigeſimo die.1°.de dieb.decre. 4ª.151.C
añ Septimũ diẽ q in ſtatu ſunt,q̃uo cibãdi.1°.de arte cu.ad Gl. 7ª.97.H
ad Septimũ vſq; diem quãdo abſtinẽdum à cibo.1°.de dieb.de. 4ª.155.E
ad Septimum vſq; diem abſq; cibo æger continendus,ſi virtus nõ debet deficere,& quando.11°.meth.med. 7ª.74.C
ad Septimum vſq; diem ſolo cremore ptiſſanę quos traxit Galenus.10°. meth.med. 7ª.63.G
poſt Septimum vel nonum diem cibus dandus.de vict.rat.in mor. acu. commen.1°. 7ª.114.H
poſt Septimũ diẽ q in ſtatu ſunt q̃uo cibãdi.1°.de arte cu.ad Gl. 7ª.97.H
poſt Septimum quomodo cibandum in pleuritide.de vict.rat.in morbis acutis.com.4°. 7ª.143.H
Septimo die iudicati cuiuſdam caſus.de præcog.ad Poſt. 4ª.219.H
in Septimo caſus criſis.1°.de die.decr. 4ª.148.F
Septimodecimo die iudicãtur alij,alij ſexto.2°.de die.decre. 4ª.152.C
in Septimodecimo qñ fit criſis,et qñ in 4° decimo.1°.de die.de. 4ª.151.B
Septimo menſe qui naſcantur.de comp.memb. Sp.59.E
Septimo menſe cur viuere poſſit infans.de comp.memb. Sp.59.G
SEPTISTELLA vrſa.3°.de dieb.decr. 4ª.159.H
SEPTVAGENARIIS quando venam ſecat Galenus. de cur. rat.per ſang.miſſ. 6ª.19.D
de SEPTO tranſuerſo.5°.de ana.admi. 1ª.88.D
Septũ trãſuerſum vel phrenas dicere nihil refert.6°.de ana.ad. 1ª.91.B
Septum tranſuerſum cur dictum phrenum.5°.de loc.affe. 4ª.31.E/H
Septum à Platone diaphragma vocari incœpit.5°.de loc.aff. 4ª.31.E
Septum tranſuerſum ab Ariſtotele dr̃ ſuccintura.5°.de loc.aff. 4ª.31.E
Septum et præcordia idem appellauerũt maiores.in prog.c.1°. 4ª.194.H
Septum tranſuerſum vocatur viſcus.3°.de nat.fac. 1ª.304.B
Septum tranſuerſum eſt neruoſum, ſeparans viſcera, quæ in thorace ab

ijs,quæ

ijs, quæ ſub thorace.fin.med. Iſa.43.H
Septi tranſuerſi forma, & ſubſtantia quæ.de cau.reſp. 1ª.226.H
Septũ tranſuerſum eſt muſculus ſubſtãtia & vſu.8°.de ana.ad. 1ª.99.F
Septi tranſuerſi ſubſtantia, eſt muſculus.7°.de vſu par. 1ª.163.H
Septi ſectio quomodo adminiſtranda.5°.de ana.admi. 1ª.88.D
Septi tranſuerſi origo.introd.Iſag.53.G/8°.de ana.admi. 1ª.99.E
Septum tranſuerſum vnde incipiat.in 1^{m}.prorrhe.com.2°. 4ª.170.D
Septum tranſuerſum finis thoracis demiſſior omni animantium generi. 8°.de ana.admi. 1ª.99.C
Septi tranſuerſi duæ ſunt tunicæ.7°.de vſu par. 1ª.163.H
Septi duo foramina.5°.de ana.admi. 1ª.88.D
infra Septum trãſuerſum mẽbra ſunt ſupra dimidiũ.6°.de de. 1ª.263.B
Septi tranſuerſi nerui vnde oriantur.4°.de loc.aff. 4ª.23.H
ſupra Septum partibus arteria longiſſime ſuper vertebras exporrigitur.in tim.Plato. 1ª.287.H
Septum tranſuerſum à caua vena nutritur.6°.de decre.Hip. 1ª.263.B
ſub Septo omnia inſtrumenta veſtiuntur aliqua tunica, habente initium à peritonæo.4°.de vſu par. 1ª.141.C
ſub Septo viſcera quibus concutiantur.2°.de ſan.tuen. 2ª.75.C
ſub Septo viſcera, q̃uo expurgentur.3°.de ſan.tuen. 2ª.77.B
Septũ poſuit natura, ne qd in vẽtriculũ aſcẽderet.5°.de vſu par. 1ª.147.C
Septũ ob ſaxa quæ ſub mari latitant effectum an animal ſit. 1ª.327.F
Septum tranſuerſum eſt organum reſpirationis.de cau.reſp. 1ª.226.H
Septum tranſuerſum ſpirationis inſtrumentũ eſt.5°.de loc.affe. 4ª.31.F
Septum tranſuerſum ſolum facit ſpirationem.4°.de loc.affect. 4ª.23.H
Septum motu perpetuo agitur.6°.de vſu par. 1ª.148.G
Septi tranſuerſi motus, & q̃uo poſſit videri.1°.de motu muſc. 1ª.309.H
in Septo tranſuerſo adeſt palpitatio.2°.de ſymp.cau. 3ª.20.F
Septũ trãſuerſum vna cũ muſculis thoracẽ dilatat.de muſ.diſſ. 1ª.49.F
Septum tranſuerſum q̃n indiget alijs muſculis.4°.de loc.affect. 4ª.26.G
Septum tranſuerſum habet partem neruoſam, quæ poteſt affici.4°.de præſag.ex pul. 4ª.120.C
Septum tranſuerſum valde aridum eſt in tẽperie.6°.de loc.aff. 4ª.40.F
ex Septi trãſuerſi ĩbecillitate ſecũdi athletæ caſus.4°.de lo.a. 4ª.25.A
Septo tranſuerſo grauitas ſæpenumero percipitur. de cur.rat.per ſang. miſſionem. 6ª.16.F
Septi tranſuerſi affecti ſigna.10°.meth.med. 7ª.64.F
Septi tranſuerſi affecti pulſus qualis.4°.de præſag.ex pul. 4ª.120.C
Septum tranſuerſum quando in pleuritide dolet.2°.de lo.aff. 4ª.11.C
circa Septum tranſuerſum dolorẽ habẽt nõ nulli, in quibus pus à renibus expurgatur.6°.de loc.aff. 4ª.39.A
circa Septum tranſuerſum ſi dolor extet, ſpiritus denſus, & paruus fit. 3°.de diff.reſp. 3ª.71.C/D
ſupra Septum dolorem & inflammationem ſignificat ſpiritus frequens. in 3^{m}.de mor.vul.com.3°. 3ª.148.H
Septo trãuerſo, in qua parte cõmittitur iecur, dolor infixus, q̃uo extinctus.de cur.rat.per ſang.miſſ. 6ª.21.F
Septo ſuperiores dolores ſanguinis miſſione prius indigẽt q̃ euacuatione. de vict.rat.in mor.acu.com.4°. 7ª.137.B
Septo tranſuerſo languẽte q̃ vena ſecãda ſit.de pſag.exp.cõſ. Sp.78.B/F
Septo trãſuerſo dolẽte, vena cubiti ſecãda.de cu.ra.p ſan.miſ. 6ª.20.A
Septi tranſuerſi dolore affectis prodeſt panax ex vino & melle. de vict. rat.in mor.acu.com.4°. 7ª.144.C
Septum tranſuerſum deorſum trahit, quando aliquis hydrops fuerit in totum euacuatus.com.6°.apho.27°. Ex.48.H
Septũ trãſuerſum quot modis tẽditur.in 3^{m}.de mor.vul.cõ.2°. 3ª.135.D
Septi tranſuerſi intenſio ſanguinis miſſione prius indiget, q̃ euacuatione.de vict rat.in mor.acu.com.4°. 7ª.137.B
Septo vicinarũ partiũ cõuulſio qd faciat.in 3^{m}.de mor.vul.c.2°. 3ª.135.D
in Septi tranſuerſi inflammatione quo modo ſe habent præcordia.in 1^{m}. de mor.vul.com.3°. 3ª.121.G
Septi tranſuerſi inflammatio, quid faciat.de pul.ad Tyro. 4ª.45.B
ſupra Septum phlegmonem eſſe ſignificat ſpiritus creber.in 6^{m}.de mor. vulg.com.2°. 3ª.162.D
Septum tranſuerſum inflãmatum ſtomachusue aut venter inducunt difficilem reſpirationem.2°.de diff.reſp. 3ª.65.H
Septo tranſuerſo conſentit cerebrum.in prog.com.1°. 4ª.196.A
Septum tranſuerſum indicat bonas ac malas cerebri conſtitutiones. cõ. 2°.apho.33°. Ex.17.B
Septo tranſuerſo affecto fiunt ſpirandi difficultas, & delirium. 10°. metho.med. 7ª.64.G
à Septi tranſuerſi vitio deliria qualia fiant.5°.de loc.aff. 43ª.1.G
à Septi trãſuerſi vitio deliriũ parũ diſtat à cõtinuo.5°.de lo.af. 4ª.31.H
à Septi tranſuerſi vitio deliriũ factum quo modo differat à phrenitide. 5°.de loc.aff. 4ª.31.H
à Septo delirium vbi oritur, ſpiratio qualis.5°.de lo.aff. 4ª.31.H
ad Septi tranſuerſi regiones infernas abſceſſum expectare debent, quibus vrinæ tenues, & crudæ minguntur diuturnæ, ſi alia ſigna tanquã euaſuris affuerint.de vrinæ ſign.ex Hipp. Sp.78.G
inter Septum, & ventriculũ pituita repoſita, cauſans dolorem, quo modo ſanetur.com.7°.apho.54°. Ex.58.F
inter Septum, & ventrem ſecundum Marinum Hippocratis interpretẽ non videtur pituitam poſſe firmari.com.7°.apho.54°. Ex.58.F
Septum tranſuerſum cur nunq̃ recipiat ſanguinem craſſum, & pituitã. 4°.de præſag.ex pul. 4ª.120.C
in Septo tranſuerſo maraſmum non vidit Galenus: vidit tamen hecticã. 10°.meth.med. 7ª.64.F
Septi tranſuerſi vulnera quæ curatu facilia ſint, & quæ curari non poſſint.5°.meth.med. 7ª.33.B
Septum tranſuerſum ſi diſciſſum ſit, letale.com.6°.aph.18°. Ex.47.H
Septi neruoſa pars non poteſt ſanari.com.6°.apho.18°. Ex.47.H
Septum tranſuerſum non poteſt conſolidari.3°.meth.med. 7ª.16.E
Septum non ſanatur ex iugi motu.com.6°.aph.18°. Ex.48.A
Septo tranſuerſo deperdito, an aliud gignatur.de conſt.ar. Iſa.39.G
à Septo in omni morte pulmo ſeiunctus videtur.8°.de ana.ad. 1ª.103.D
SEPVLCHRI ſancti, Petræ meminit [propterea collige non eſſe Galeni librum de dynamidijs.] de dynam. Sp.24.B
SEPI vires quæ.de ſimp.med. Sp.90.B
Sepum dicitur pinguedo terreſtris.de vtil.reſp. Sp.64.F
Sepi diuerſitates adipi communes.de ſim.med. Sp.90.B
Sepum mollit durities omnes.de ſimp.med. Sp.90.B
Sepo & pinguedine abundans animal omne, abundat & in medulla.de anat.viuo. Sp.44.D
Sepum cur mutat colorem.in prog.com.2°. 4ª.199.G
SEQVENS ab aliquo tanq̃ à cauſa, eſt ſignũ.5°.de loc.aff. 4ª.35.C
Sequentia neceſſario alia omittit Hippocrates.in prog.com.1°. 4ª.195.D
SEQVITVR in quo ſenſu accipiendum. de ijs, quæ in med.fiunt.commenta.2°. 7ª.211.B
SERAPIACVM phanion-medicamentum inſcriptum quod. 4°. de comp.me.ſec.lo. 5ª.154.E
SERAPIO vnus fuit ex primis empiricis.de ſubfi.empi. Iſa.31.C
Serapio empiricus.10°.de comp.me.ſec.lo. 5ª.207.G
Serapion temerarius qui contra Hippocratẽ medicæ artis exornatorem impudenter auſus eſt oblatrare.de ſubfi.empi. Iſa.34.F
Serapionis emplaſtrum.6°.de compo. medica.per gene. 5ª.256.G
Serapionis melinum ad vulnera & ad reſoluendum.2°. de compoſi.medicam.per genera. 5ª.222.H
SERAPIS herba.2°.de comp.med.per gen. 5ª.221.A
Serapis.5°.de comp.me.per ge. 5ª.253.E
SEREMBLEGI meminit.ſecret. Sp.103.B
SERENITATEM, & frigus facit Boreas.3°.de ſymp.cau. 3ª.27.F
SERENVM videt ſignificare perturbationẽ.cõ.3°.apho.8°. Ex.20.G
Serenum cum pluuioſo componit Hippocrates, & cum auſtrali. com.3°. aphoriſmo 12°. Ex.21.E
Serena tempeſtas quæ.in 3^{m}.de mor.vul.com.3°. 3ª.140.H
SERICA fructus infantium effrœnatorum edulium eſt & mulierum. 2°.de alim.fac. 2ª.21.D
Serica exigui alimenti eſt, & concoctu difficilis. 2°. de alimentorum facultatibus. 2ª.21.D
Serica non iuuat ſtomachum.2°.de alim.fac. 2ª.21.D
Sericis non vtendum eſt in victu extenuante.de atte.vic. 2ª.45.H
SERICA materia indigent ex longis regionibus importata. de cognoſcendis curandisq́ animi morbis. 2ª.54.H
Sericum filum pro arteria deliganda bonum.13°.meth.med. 7ª.86.F
SERIPHVM abſynthio ſimile eſt tum ſpecie, tum guſtu: attamen diſcrepat.8°.de ſimp.med.fac. 5ª.60.C
Seriphum calidum eſt in ſecundo ordine, & ſiccum in tertio.8°. de ſimp. medicamen.fac. 5ª.60.C
Seriphum abſinthium ſtomacho inimicum eſt, & quare.6°. de ſimpliciũ medic.facul. 5ª.40.D/G
Seriphum cum cibo, potuq́ ſumptum, meatus purgat. 5°. de ſimplicium medica.facul. 5ª.35.C
Seriphum lumbricos necat.8°.de ſimp.med.fa. 5ª.60.C
SERIS Cichorium aliqui vocant, cuius ſit temperaturæ.8°. de ſimplic. medi.fac.

med.facul. 5ª.60.C
Seris à quibuſdam chondrila dicitur.8°.de ſimp.med.fa. 5ª.63.H
Seris in cibis editur,& qualis ſit.8°.de comp.me.ſec.loc. 5ª.195.B
Seris eſt vitioſiſſimi ſucci.de bon.& vi.ſuc. 2ª.37.G
Sereos,& ſedi ſuccus cuti illitus quid faciat.de marc. 3ª.48.B
Sereos ſuccus refrigerat,& adſtringit.1°.de arte cur.ad Glauc. 7ª.99.C
Seridis ſucco caput refrigerari poteſt ruri.2°.de com.me.ſe.lo. 5ª.132.G
Seris vnum eſt ex oleribus crudis,quæ ſtomachicis conueniunt.8°. de cõpoſi.med.ſec.loc. 5ª.192.C
Sereos ſuccus bonus eſt pro ore ventriculi ſuper calefacto.1°. de arte curatiua ad Glauc. 7ª.99.C
Seri qua parte iuuetur iecur.8°.de cõ.med.ſec.loc. 5ª.195.C
Seris q̃uo iecoris frigidas affectiones non magnopere lædat.8°. de comp. me.ſec.lo. 5ª.195.C
Seris iecori præbet robur.8°.de comp.me.ſec.loc. 5ª.195.C
Seris infrigidat inflammationes.6°.de com.med.ſec.loc. 5ª.176.F
Seris euitanda eſt in Herpete exedente.2°.de arte cur.ad Clau. 7ª.102.B
SERMO quid apud antiquos.in 3^{m}.de mor.vul.com.3°. 3ª.149.B
Sermo habet eſſe in fieri.2°.meth.med. 7ª.10.A
Sermo,vox,& res differunt.4°.de loc.aff. 4ª.26.B
Sermo ex voce fit.de voce & anhel. Sp.61.A
Sermonibus neceſſario eſt omiſſio longæ vocis.de ana.viuo. Sp.48.B
Sermo vt diutinus eſſet abſq; continua inſpiratione,quid effectum. 7°.de vſu partium. 1ª.159.E
ad Sermonem muſculus conferens & maſticationem, anatomicis ignotus fuit.11°.de vſu par. 1ª.190.H
Sermone mens explicanda eſt.2°.de pul.diff. 4ª.53.D
Sermone expreſſa doctrina eſt principiũ expiẽtiæ.de pul.ad Ty. 4ª.45.C
in Sermonibus optimum eſt quod ſeruat mediocritatem.commenta. 7°. aphoriſmo 22°. Ex.55.E
Sermone qui optime vtantur.2°.de diff.pul. 4ª.53.D
Sermo in omni re eſt de optimo in ſuo genere.3°.de alim.facul. 2ª.28.A
Sermo iuſtus,æquusq;.de vict.rat.in mor.acu.com.4°. 7ª.135.F
Sermonum apparatus,oportet eſſe opiparus.2°.de diff.reſp. 3ª.168.E
Sermo cõis de re cõmuni ſemel faciẽdus.in 6^{m}.de mor.vul.c.1°. 3ª.152.F
in Sermonibus myſticis, imperabant prophanis vt aures obturarent. 12°.de vſu par. 1ª.194.C
Sermones longi q̃uo adducendi.com.6°.apho.25°.& 26°. Ex.48.F
in Sermone diligentia exquiſita,quæ.de fract.com.2°. 7ª.240.D
Sermonis dictiones conſiderandæ ſunt.com.1°.apho.14°. Ex.7.C
Sermones quoſdam vniuerſales ponit Hippocrates tanq̃ exempla, & è contra.com.6°.apho.25°.& 26°. Ex.48.F
in Sermonibus oĩbus quid ſubaudire opus eſt.com.7°.aph.22°. Ex.55.E
Sermones obſcuri quid faciant.com.7°.apho.64°. Ex.60.C
Sermo falſus vacuus dicitur,& quomodo.3°.de diff.pul. 4ª.61.D
Sermonis falſitas,& non obſcuritas cogit addere prius inuẽtis.com.7°. aphoriſmo 64°. Ex.60.C
Sermo acephalus.i.ſine capite rei.de vic.rat.in mor.ac.c.4°. 7ª.145.A
Sermo improuiſus caret diligentia.ꝗ quali.in corp.ſint. Iſa.8.G
ex Sermone ingeniũ ægri cognoſcimus.in 6^{m}.de mor.vul.c.2°. 3ª.169.G
Sermones medicorum cum ægrotantibus quales debeant eſſe. in 6^{m}. de mor.vulg.com.4°. 3ª.181.F
SERMOCINANDI artem vocat Logicam.2°.de diff.reſp. 3ª.64.F
SEROSITAS, amara bilis, & atra, ſunt excrementa in concoctione venarum.3°.de ſymp.cau. 3ª.26.A
SEROSA humiditas in lacte q̃uo inſit.in 6^{m}.de mor.vul.c.2°. 3ª.167.F
Seroſum lac nihil habet periculi.3°.de alim.fac. 2ª.28.A
Seroſus ac tenuis liquor eſt in omni humore,& differt.vt differunt humores.in 6^{m}.de mor.vul.com.2°. 3ª.167.F
Seroſi humoris ſubſtantiam ſm Ariſtotelẽ gignunt arteria, & vena. 1°. de ſemine. 1ª.332.G
Seroſus ſanguis eſt ſanguis cũ ſero miſtus.10°.de ſimp.med.fac. 5ª.72.G
Seroſum excremẽtũ colligitur in ſenibus.5°.de ſan.tuen. 2ª.92.E
Seroſa ſupfluitas ſemp ẽ miſta choleræ in vomitu.c.6°.ap.50°. Ex.52.F
Seroſa excrementa quid agant.3°.de ſymp.cau. 3ª.26.C
Seroſa ſuperfluitas in venis eſt.com.5°.aph.58°. Ex.43.B
Seroſa ſuperfluitas eſt gratia diſtributionis.com.3°.aphor.15°. Ex.22.H
Seroſum excrementum renes purgant.3°.de ſymp.cau. 3ª.26.B
Seroſa ſupfluitas ſanguinis p vrinas purgat̃.cõ.4°.a.2°.& 3°. Ex.27.D
Seroſa ſanguinis ſupfluitas tingit vrinas ſubrubras.1°.de cri. 4ª.130.F
Seroſi humoris in thorace indicia.4°.de loc.aff. 4ª.27.G
Seroſum humorem trahunt teſtes.1°.de ſem. 1ª.335.B
Seroſa ſunt quæ ſunt in ſiniſtro teſticulo.com.5°.apho.48°. Ex.42.A
à Seroſo humore nutriuntur teſtes.1°.de ſem. 1ª.335.A
ex Seroſo humore q̃ nutriuntur,ex eodẽ ſunt genita.1°.de ſem. 1ª.333.A
Seroſi humores nullã relinquunt ſuperfluitatem.2°.de diff.feb. 3ª.41.E
Seroſa ſuperfluitas debet euacuari,ſi homo conſuetus eſt ægrotare.com. 6°.aphoriſmo 47°. Ex.52.B
Seroſi humores in quibus difficulter remouentur cuti admodum inſidentes.1°.de comp.med.ſec.loc. 5ª.121.H
Seroſos humores ſanguinis exugens epithema quo pro cucurbitis, & hirudinibus vtimur.10°.de comp.me.ſec.loc. 5ª.209.B
Seroſi humores & albi ſunt in fracturis.de fract.com.1°. 7ª.229.G
Seroſi & albi humores indigent difflatione, & perſpiratione. de fract. commen.1°. 7ª.229.G
ex Seroſa humiditate callus non gignitur,ſed ex craſſa,& quali.6°.methodi medendi. 7ª.41.F
Seroſo humore omnes animalis partes qñ priuantur.1°.de ſem. 1ª.335.D
Seroſa ſanies.3°.de ſymp.cau. 3ª.28.E
de SERPENTIBVS librum fecit Heraclides.2°.de antid. 5ª.118.D
Serpentes ſunt proniſſimi.3°.de vſu par. 1ª.128.F
Serpentibus non oriuntur pili.2°.de temp. 1ª.18.H
Serpentes cur linguam habent diuiſam.11°.de vſu par. 1ª.187.H
Serpens paucum cor habet, & tamẽ eſt audax:quia calidum cor habet. de ana.viuo. Sp.53.A
de Serpentis ouis exemplum,quo declaratur naturas animalium à nullo doceri.1°.de vſu par. 1ª.113.F
Serpentes oculos fricant marathro.de ther.ad Piſo. 5ª.92.A
Serpentum ſenectus quid.com.4°.apho.77°. Ex.36.F
Serpentis ſenecta dentiũ doloribus medetur.11°.de ſimp.me.fac. 5ª.80.E
Serpentis ſenium.de med.fac.par. 7ª.167.H
Serpẽtẽ quis cõſpectũ videns,tremens reddit̃.2°.de ſymp.cau. 3ª.20.D
Serpentẽ vidẽs ſubito homo fit pallidus.de motib.man.& ob. Sp.69.D
Serpentes in Aegypto comeduntur.3°.de ali.fac. 2ª.26.D
Serpens ſub cane furiunt.2°.de loc.aff. 4ª.14.B
Serpens hæmorbus ſi quempiam mordeat,ſanguinẽ facit largius effluere.de op.ſec. Iſa.21.F
Serpentum venena,aliqua educunt eo modo,quo magnes ferrum trahit. 1°.de nat.fac. 1ª.295.A
Serpentem de cauernis ſpiritu ſuo trahit ceruus.de cathar. Sp.94.H
Serpens ſpiritu ſuo mures ad ſe trahit.de cathar. Sp.94.H
Serpentibus quæ aduerſantur,amara ſunt.1°.de antid. 5ª.102.B
Serpentis morſui facit li[illegible] de ſimp.med. Sp.86.D
Serpentes fugant conizæ folia.de ſimp.med. Sp.83.A
Serpentes fugat cornu ceruinum.de ſim.med. Sp.83.C
Serpentem omnem fugat gentiana.de ſimp.med. Sp.84.G
Serpentum acceſſum fugat opopanax.de ſimp.med. Sp.88.B
Serpentes fugat origanum.de ſimp.med. Sp.88.E
Serpentes fugat Peucedanum.de ſimp.med. Sp.89.B
ad Serpentes abigendos.de med.fac.par. 7ª.174.B
Serpentes occidit dictamnum.de ſimp.med. Sp.83.D
à Serpentibus aut ferro venenato vulneratorum communis curatio.2°. de antidotis. 5ª.122.B
ad Serpẽtiũ noxas remedia ab Aſclepiade ſcripta.2°.de ant. 5ª.116.F
cõtra Serpentiũ ictus antidotus Cæſari à Gallo data.2°.de ant. 5ª.118.F
Serpentum morſum curat dictamus.de dyn. Sp.35.F
Serpentum morſibus vtile eſt marubiaſtrum.de ſimp.med. Sp.87.G
ad Serpentum morſus ſmyrnium facit.de ſim.med. Sp.91.B
à Serpente vulneratis efficax remedium theriaca eſt. de vſu theriacæ ad Pamphilianum. 5ª.98.E
à Serpẽtibus percuſſis dat̃ theriaca Euclidis Platiani.2°.de an. 5ª.116.B
Serpentium ictus ſanans antidotus.2°.de antid. 5ª.116.E
ad Serpentium percuſſiones.2°.de antid. 5ª.113.E
ad Serpentis cuiuslibet ictum.4°.de comp.me.per ge. 5ª.243.D
ad Serpentium morſus.6°.de compoſi.medicam.per genera. 5ª.260.C/de med.fac.par. 7ª.174.B/D
ad SERPENTES. i.vermes in ventre.ſecr. Sp.97.B
in SERPENTIBVS vlcerum naturales colores mutantur. de ſymptomatum diff. 3ª.13.B
ad Serpentia vlcera Threpti paſtillus.5°.de comp.med.per ge. 5ª.251.E
ad Serpentia vlcera.3°.de comp.me.ſec.loc. 148.A/5°. de compo. medica.per ge. 5ª.251.E/F
SERPIGINES à flaua bile fiunt.8°.de decre.Hip. 1ª.275.F
ad Serpiginem remedium.de dyn. Sp.25.G

ad Serpiginem vnguentum.de dyna. Sp.30.G
SERPILLVM quid.de ſimp.med. Sp.84.B
Serpillum viride,& aridum multum differunt.2°.de compoſitio.medic, ſecundum locos. 5ª.136.E
Serpillum obſonium ſponte prouenienſ eſt.2°.de alim.fac. 2ª.25.D
Serpillum quale ſit.2°.de compoſi.med.ſec.loc. 5ª.136.E
Serpillum multum acre eſt,menſeſq; & vrinas mouet.6°.de ſimplicium medic.facul. 5ª.47.F
Serpillum vrinam,& menſtrua prouocat.de ſimp.med. Sp.84.B
Serpillũ adſtringẽs & repercutiens eſt.4°.de comp.me.ſec.lo. 5ª.157.D| de remed.par.fac. 7ª.156.D
Serpillum detergit.8°.meth.med. 7ª.52.G
Serpillum ad quid valeat.de cura icteri. Sp.111.B
Serpillis quis ſit vſus in affectibus capitis.11°.meth.med. 7ª.73.E
Serpillum capiti phreniticorum imponunt. 13°. metho.med. 7ª.85.D| de ſimp.med. Sp.84.B
Serpillum ſi in oleo incoxeris & diſſolues,& quod craſſius etiam eſt eua cuabis.1°.de arte cur.ad Glauco. 7ª.100.A
SERRAE vſus vtilis in oſſibus.intro. Iſa.59.F
ob Serræ ſonitum ſecantis ſtuporem dentium factum portulaca non ſanat.de op.ſec. Iſa.22.H
SERRANS pulſus in quibus.de pul.ad Tyr. 4ª.45.A
Serrantes pulſus proprium ſunt ſignũ in primis pleuriticorum. de pulſ. ad Tyro. 4ª.45.C
SERRATA cur commiſſura eſt.9°.de vſu par. 1ª.171.F
Serratos dẽtes hñtia aĩalia magnas habẽt vertebras.de ner.diſ.1ª.54.E
SERTORIVS clemens curatus quo emplaſtro.6°.de compoſi.medica. per genera. 5ª.261.B
SERTVLA quid,& eius vires.de ſimp.med. Sp.90.H
Sertula vires habet acriter relaxantes, oculorũ tumorem ſedat,neruoſis & delicatis partibus confert.de ſimp.med. Sp.90.H
in SERVANDIS quibus folia lauri ſicca ponenda & cur.11°.de ſimp. medic.facul. 5ª.79.F
Seruandæ quæ in ædibus ſiccis,ac æditis, & planè humoris expertibus. 11°.de ſimp.med.fa. 5ª.79.F
SERVILIA mẽbra q̃ extrinſeca,& intrinſeca.de ana.viuo. Sp.45.D
SERVIANT qui.2°.de ſan.tuen. 2ª.69.C
SERVITVTES quæ ſolæ exiſtimantur.2°.de ſan.tuen. 2ª.69.C
Seruitute animi oppreſſi non libenter pro alijs ſe periculis exponunt. de aere aq.& loc. 2ª.6.C
SERVAVIT multos Galenus, qui longo ante tempore ſingulis annis ægrotabant.com.6°.apho.47°. Ex.52.B
SERVM quid ſit.1°.de nat.fac. 1ª.295.D
Serum q̃uo à lacte ſeparetur.de vict.rat.in mor.acu.com.4°. 7ª.135.C
Serum frigidum & humidum eſt.4°.de ſimp.medicamen.fac. 5ª.29.C
Serum eſt humidum.3°.de alim.fac. 2ª.27.G
Seri humiditatem non fugiunt Medici ſed acrimoniam cum ſero conſumpto rurſus aquam infundunt.3°.de alim.fac. 2ª.27.G
Serum eſt humiditas extergens.10°.de ſimp.med.fac. 5ª.73.F
Serum extergit.4°.de compoſi.medic.ſec.loc. 5ª.150.D
Serum habet vim abſtergendi.com.3°.aph.24°. Ex.25.A
Serũ p clyſteres extergit & abluit ſine morſu.10°.de ſim.m.fa. 5ª.73.G
Serum multum in lacte facit aphtas pueris.com.3°.apho.24°.Ex.25.A
Serũ lactis & ſalſugo,mordicatiões q̃nq; ſanãt.2°.de ſim.me.fa. 5ª.12.B
Serũ optimũ eſt ad vlcera q̃ acri ſanie infeſtanĩ.10°.de ſim.m.f. 5ª.73.G
Sero præſtat diluere medicamẽta quæ digerere ſolent ecchymomata & atra.10°.de ſimp.med.fac. 5ª.73.G
Serũ ad ſugillata & hypoſphagmata q̃uo cõfert.10°.de ſim.m.f. 5ª.73.G
Serum lactis pro cibo in cancris abundanter exhibendum.2°.de arte cu. ad Glauconem. 7ª.107.E
Sero vti poteris in cauſo.de vict.rat.in mor.acu.com.4°. 7ª.135.C
cum Sero lac minus nutrit.3°.de alim.fac. 2ª.28.G
Serum tenues ſuccos gignit,& aluum ducit.3°.de alim.fac. 2ª.28.B
cũ Sero qui lac comedũt,ſubducitur ijs aluus magis,vel minus proportione quantitatis ſeroſi humoris.3°.de alim.fac. 2ª.28.G
Serum euacuat.3°.de ſimp.med.fac.20.A|de ther.ad Piſo.5ª.90.H|de mel.ex G.R.& Poſſ. Sp.110.A
Serum aluum mouet egregie.de bon.& vit.ſuc. 2ª.35.D
à Sero habet lac quod deijciat.3°.de alim.fac. 2ª.27.G|H
Sero vſi ſunt antiqui ad deijciendum.3°.de alim.fac. 2ª.27.H
Sero vtebãtur Cnidij in nõ acutis.de vict.rat.in mor.ac.cõ.1°. 7ª.108.F
Seri magnã copiã offerebãt antiqui pro purgatione.de ſal.diæ. 2ª.41.G
in Sero lactis epithymo melãcholicus humor quo modo euacuetur.14°. meth.med. 7ª.89.G
Serũ qđ nã ĩ melãcholicis magis cõueniẽs.de mel.ex G.R.et P. Sp.110.A
Serum q̃uo fieri debet pro melãcholicis.de mel.ex G.R.& P.Sp.110.A
Serum ſumẽdi quãtitas in melãcholicis.de mel.ex G.R.& P.Sp.110.A
Serum lactis,& melle conditum citat aluum,& valet ſuſpenſis.com.5°. aphoriſmo 64°. Ex.44.F
in Sero quantum mellis ponendũ vt deijciatur.3°.de alim.fac.2ª.27.H
in Sero quantum ſalis miſcendum.3°.de alim.fac. 2ª.27.H
Serum quomodo multum educet.3°.de alim.fac. 2ª.27.H
in Sero Scammoniũ p purgãda muliere poſuit.14°.meth.med. 7ª.92.F
q̃n SERVM picis infundendum in auribus. 3°. de compoſitione medic. ſecundum locos. 5ª.144.H
SERI g̃na ſunt diuerſa,ſm diuerſitatẽ humorũ.2°.de nat.fa. 1ª.301.H
Seri genera quæ ſunt in corpore,ſunt excrementa, & ab ipſis debet liberari animalis corpus.2°.de nat.fac. 1ª.301.H
Serum atræ bilis quale.in 6^{m}.de mor.vul.com.2°. 3ª.167.F
Serum bilis quale.in 6^{m}.de mor.vul.com.2°. 3ª.167.F
Serum pituitæ quale.in 6^{m}.de mor.vul.com.2°. 3ª.167.F
Serum pituitæ quid faciat.in 6^{m}.de mor.vul.com.2°. 3ª.167.F
Serum ſanguinis quale.in 6^{m}.de mor.vul.com.2°. 3ª.167.F
Serum ſanguinis purgatur à renibus.5°.de vſu par. 1ª.144.C|F
Serum ſanguinis ad ſe trahunt renes.5°.de loc.aff. 4ª.35.E
Serum ſanguinolentum quo modo mingatur ex renum, & iecoris imbecillitate.3°.de ſymp.cau. 3ª.27.B
Serum humorum in venis contentorum eſt vrina.in 3^{m}.de morb.vulga. commentario 1°. 3ª.131.D
Serũ aquoſum aliter euacuaĩ,q̃ flaua & atra bilis.de conſt.ar.Iſa.42.E
SERVI è quibus prouincijs emebantur.1°.meth.med. 7ª.2.E
Seruorum verſutorum exemplum,quo declarantur verſutia Aſclepiadis,& impudentia.1°.de nat.fac. 1ª.296.B
Seruorum Menandri exemplum.1°.de nat.fac. 1ª.296.B
Serui qui ter fallunt herum,aliter nihil agunt.1°.de nat.fac. 1ª.296.B
Serui fugitiui quomodo deprehendantur.1°.de dign.pul. 4ª.70.H
Seruorũ fugitiuorũ crura adurebãt,& lacerabãt.6°.de dec. 1ª.267.D
Serui ſi puniãtur ab heris q̃n iraſcantur,& q̃n nõ.5°.de dec. 1ª.260.A
Seruorum tuorum quenq̃ peccantẽ nunq̃ tuis manibus corriges.de cogn. cur.animi mor. 2ª.52.B
Seruũ nũq̃ verberauit Galenus,nec eius pater.de co.cu.aĩ mor. 2ª.51.G
Seruo oculũ eruit Adrianus Ipator ſuo ſtylo.de co.cu.aĩ mor.2ª.51.H
Seruus ſi interiret dño præſente,debebat eſſe illi pena impoſita.de cogn. cur.animi mor. 2ª.52.A
Serui nunquam bibant vinum.quòd animi mor. 1ª.320.H
Serui habentis ſtatum corporis inculpatũ in latitudine, qui ad extremũ diem ſit liber victus ratio.6°.de ſan.tuen. 2ª.97.B
Seruus mortuus eſt reſpirationẽ ſpõte cõtinẽs.2°.de motu muſ. 1ª.315.D
Seruo librorũ quo modo fiunt aliqui.in 6^{m}.de mor.vul.cõ.2°. 3ª.165.A
SESAMINA oſſa quæ.de ana.viuo. Sp.49.C
SESAMINVM oleum quale.8°.de ſimp.me.fac. 5ª.60.D
Seſaminum oleum acopon.7°.de comp.me.per ge. 5ª.269.E
Seſaminum oleum.6°. de ſimplicium med.facul. 5ª.46.H
Seſaminum dulce vinum in Lydia.1°.de dig.pul. 4ª.70.H
Σησαμοειδῆ oſſa quæ,& vnde dicta.2°.de vſu par. 1ª.124.H
SESAMOIDES anticyricos elleborus appellatur,& quare.8°. de ſimplic.med.fac. 5ª.60.D
Seſamoidis albi ſemen quale.8°.de ſimpl.medic.fac. 5ª.60.D
Seſamoides miſcetur veratris.de vict.rat.in mor.acu.com.4°.7ª.152.F
Seſamoides purgat vt elleborus.8°.de ſim.me.fa. 5ª.60.D
Seſamoides ventrem ſuperiorem purgat.de vict.ratio.in morbis acutis. commen.4°. 7ª.152.F
SESAME minuta ſpecies leguminis.2°.de vſu par. 1ª.124.H
SESAMVS pinguis eſt,& eius vſus.1°.de alim.fac. 2ª.15.D
Seſamum eſt vnctuoſum multum.de diſſ.cont. Sp.73.C
Seſamus calidus eſt.1°.de alim.fac. 2ª.15.D
Seſamum eſt cibus calidus.de diſſ.cont. Sp.74.C
Seſamum cibus craſſus,& cur.de diſſ.cont. Sp.72.H
Seſamo q̃uo veſcantur homines.1°.de alim.fac. 2ª.15.D
Seſamum cur ſtomacho malum.de diſſ.con. Sp.74.E
Seſamum tarde digeritur.de diſſ.cont. Sp.73.D
Seſamum tarde deſcendit.de diſſ.cont. Sp.74.H
Seſama immutata deiecta oſtendunt nullã eſſe cruditatẽ, ſicut dixit Eraſiſtratus.1°.de lo.aff. 4ª.5.B

Seſamus ſitim excitat,& quare.1°.de alim.fac. 2ª.15.D
Seſamum vrinam mouet.de cura icteri. Sp.111.D
Seſama alba quo conuenientia pro purulentis.de vict.rat. in morb.acu. commenta.4°. 7ª.152.F
Saſamon emplaſticum & emolliens eſt.8°.de ſimp.med.fac. 5ª.60.D
Seſama in inflammationum arteriæ principijs leuiſſima. 7°. de compoſi. medic.ſec.loc. 5ª.177.H
ex Seſamo fit oleum.4°.de ſimp.med.fac. 5ª.26.G
SESELI *quid.de ſimp.med.* Sp.90.D
Seſeli maſſilienſe probatiſſimum eſt.4°.de ſan.tuen. 2ª.86.D
Seſeli maſſilienſe.8°.de com.med.ſec.lo.191.F/9°. 5ª.202.D
Seſeli fructus qualis.8°.de ſimp.med.fac. 5ª.60.C
Seſeli ſemen odoratum tenuium partium eſt,vrinam ciens. 7°. de comp. med.ſec.loc. 5ª.200.H
Seſelos ſemẽ calidũ eſt cũ ſubtili ſubſtãtia.2°.de ar.cur.ad Gl. 7ª.104.G
Seſeli calidum & acre eſt,vrinã ciens,ſanguinem extenuat,& ſecernit. 5°.de ſimp.med.fac. 5ª.35.D
Seſeli diureticum eſt,tñ plurima antidota mittitur proprie ad colicũ dolorem facit.de ſimp.med. Sp.90.D
Seſeli menſtrua prouocat.de ocul. 7ª.188.G
Seſeli ingreditur theriacam.de ther.ad Piſo. 5ª.92.F
Seſeli ſi ſit crudum,longo tẽpore in ventre durat.4°.de ſan.tuẽ. 2ª.85.B
Seſeli miſcetur medicamẽtis purgãtibus.8°.de cõp.me.ſec.loc. 5ª.190.B
Σεσηρὸς. *i.ringens.de fract.com.3°.* 7ª.247.D
SESQVICYATHVS. *3°.de comp.med.ſec.loc.143.D/9°.* 5ª.205.A
SESQVIHEMINA. *1°.de comp.med.ſec.loc.* 5ª.131.A
SESQVIOBOLVS. *3°.de comp.me.ſec.loc.* 5ª.143.D
SESQVISEXTARIVM. *3°.de comp.me.ſec.loc.* 5ª.144.A
SESQVIVNCIA *drachmas xij.facit.4°.de comp.me.ſec.lo.* 5ª.152.C
SESSIO *quid ſit.de fract.com.2°.* 7ª.240.A
Seſſio in homine quomodo fiat.3°.de vſu par. 1ª.128.E
ex SETIS *& pilis cõpoſitus pannus.3°.de cõ.med.ſec.loc.* 5ª.149.A
SETACEVS *pannus.de med.fac.par.* 7ª.175.E
SETEFVSIAE *meminit.ſecre.* Sp.97.A
SEVERI, *qui ſe ipſum mutato nomine Antoninum vocauit tempore,Galenus erat Romæ.ad eos qui de typ.ſcrip.* 3ª.91.H
Seuerus in imperij cõionẽ Luciũ accepit.ad eos q de typ.ſcrip. 3ª.91.H
Seuero Imperatori theriacam fecit Galenus.1°.de antid. 5ª.105.H
SEVVM *malthacodes.i.mollicinum dicitur. 4°. de compoſitione medicamen.per ge.* 5ª.238.E
Seuum liquatur igne.3°.de compo. medica.per gene. 5ª.232.F
Seuum non poteſt per anguſta tranſire, niſi liquidum. in 6ᵐ. de morbis vulg.com.3°. 3ª.173.D
Seuo,& oleo delibuta & aqua madefacta coria laxa fiũt.in 6ᵐ.de mor. vulg.com.3°. 3ª.177.A
Seuo vtitur.14°.meth.med. 7ª.90.E
Seuũ iniectũ in deiectionibus alui,dolorẽ mitigat.13°.me.med. 7ª.86.A
Seuum qñ ponendum ad vlcera.4°.de comp.med.per gen. 5ª.242.A
Seuũ Anſeris eſt tenuiũ partiũ,& altius deſcẽdit.14°.met.me. 7ª.93.E
Seuũ anſeris in clyſteri incoli dolore ponitur.12°.meth.med. 7ª.79.F
Seuum anſerinum.7°.de compoſi.medicam.per genera. 5ª.270.D
Seuum Camelinum maturat.de ocul. 7ª.188.E
Seuum Caprinum vel vitulinum indifferenter accipitur. 5°. de compoſi. med.per ge. 5ª.249.E
Seuũ Galli eſt tenuiũ partiũ,& altius deſcendit.14°.meth.med. 7ª.93.E
Seuũ Gallinaceũ pro anſerino qñ ſumitur.14°.meth.med. 7ª.88.C
Seuum Hircinum molliendo digerit.14°.meth.med. 7ª.87.H
Seuum hircinum valet in dyſentericorum deiectionibus,vbi vehemẽter rodunt.12°.meth.med. 7ª.74.H
Seuum Leoninum molliendo digerit.14°.meth.med. 7ª.87.H
Seuum Suillum maturat.de ocul. 7ª.188.E
Seuum ſuillum pro Galinaceo.14°.meth.med. 7ª.88.C
Seuum Taurinum molliendo digerit.14°.meth.med. 7ª.87.H
Seuum taurinum odoramẽtis conditũ.7°.de comp.med.per ge. 5ª.272.E
Seuum Vitulinum mollit & concoquit.2°.de com.med.per ge. 5ª.221.D
Seuum vitulinum curatum. 4°.de comp.me.per gen. 5ª.243.H
Seuo vitulino vtitur.2°.de comp.me.per ge. 5ª.225.G
SEVO *qd ſimile inuenitur in ipſis ſteatomatis.de tum:pt.nat.* 3ª.83.G
Seuũ pingue quaſi exiſtens apoſtema qũo generetur.de ocul. 7ª.189.G
SEXAGENARIVS *qui ſit denſo pilo, non eſt calidus & ſiccus nunc,ſed fuit ante.2°.de tem.* 1ª.21.A
Sexagenario,qui denſo ſit pilo,eo modo conſiſtunt prius geniti pili, quo herbæ,quæ naſcũtur vere,& in æſtate perſeuerãt.2°.de tẽp.1ª.21.A
SEXAGESIMVS *dies cur inter decretorios numeratur in prognoſticis. 1°.de dieb.dec.* 4ª.156.A
Sexageſimum diem terminum quandoque ſint acuti ex decidentia.1°.de dieb.decre. 4ª.156.D
Sexageſimum diem ex vigeſimo ſæpius aucto fieri contingit. 1°. de dieb. decretorijs. 4ª.154.H
SEXTANS *Pendet vncias duas.4°.de compo.med.per gen.* 5ª.244.H
Sextans.3°.de comp.me.ſec.loc. 5ª.147.E
SEXTARIVS *nomen Romanum.1°.de comp.med.per gen.* 5ª.215.D
Sextarium Romanum[Athenienſes hoc non habebant.] 1°. de compoſitione medicamentorum per genera. 5ª.215.H
Sextarios ſex Romanos ſignificat Cõgius.6°.de com.me.ſe.lo. 5ª.170.A
Sextarius Romanus.6°.de ſan.tuenda.2ª.101.B/3°.de compoſitione medicamentorum per genera. 5ª.233.G
Sextarius habet vncias octo.9°.de com.me.ſec.lo. 5ª.198.H
Sextarium pendet vncias tres.6°.de comp.me.per gen. 5ª.262.B
Sextarij Italici meminit.11°.de ſim.me.fa.82.H/de põd.& mẽ.5ª.275.E
Sextariorum diuerſitas.1°.de comp.medica.per ge. 5ª.216.A
Sextarij meminit.2°.de antid.117.A/1°.de compoſitio. medica. ſecundũ locos.130.F/3°.144.A/9°.200.D/2°.de comp.med.per ge.224.G/de pond.& menſ.275.E/F/276.B/H/ 5ª.277.C
SEXTVS *empiricam ſectam exacte corroborauit introd.* Iſa.51.D
Sexti caſus,qui incidit in morbum acutum, & qũo prædixerit Galenus nõ poſſe morbũ ptendi vltra ſeptimũ diẽ.de pco.ad Poſth. 4ª.218.C
SEXTO *die quidam,alij decimoſeptimo iudicantur.2°. de diebus decretorijs.* 4ª.152.C
Sextus dies quomodo iudicet.1°.de dieb.decre. 4ª.147.B
Sexti naturã nullus aliorũ dierũ exacte imitat.1°.de die.decr. 4ª.147.B
Sextæ diei criſis qualis. 1°. de dieb. decre. 145. F/146.G/4ª.154.G/1°.de arte cur.ad Glauc. 7ª.100.C
Sexto die iudiciũ malum,& caſus difficiles.cõ.4°.aph.29°. Ex.30.D
Sextus dies Tyranno aſſimilatur.1°.de dieb.decr. 4ª.146.G
Sextus cur male iudicat.in progn.Hipp.commen.3°. 4ª.206.G
Sextus dies quãdoque necat:etiam ſi ſit facta acceſſio in diebus imparibus propter morbi celeritatem.1°.de dieb.decr. 4ª.149.F
Sexto die qui moriebantur.in 1ᵐ.de mor.vul.com.2°. 3ª.115.A
in Sexto pauci iudicãtur,& peruerſe,& qũo.1°.de die.dec. 4ª.146.E
Sextus dies iudicauit fideliter morbum in virgine quadam.in 3ᵐ.de morbis vulg.com.3°. 3ª.150.H
de Sexto iudicat quartus dies.1°.de dieb.dec. 4ª.147.B
in SEXTODECIMO *morbi nõ ſoluuntur.1°.de die.decre.* 4ª.147.B
in Sextodecimo neminem vidit iudicatum Galenus.1°. de diebus decretorijs.145.F/ 4ª.146.G
in Sextodecimo iudicati caſum ſupponit,vt vim decretoriorum dierum oſtendit.1°.de dieb.decr. 4ª.148.E
SEXVNX *eſt menſura.1°.de compoſitione medicament.ſec. lo.* 5ª.131.E
ΣΙΑΛΟΧΟΟΥΣ *glandulas quas vocent. in 1ᵐ. prorrhe. com.1°.* 4ª.162.C
SICCANDO *quæ lædunt,aut corrumpunt ſanitatem non omnibus nota.1°.de ſan.tuen.* 2ª.63.B
Siccandi vehementer vim habens medicamentum.1°.de compoſi. medi. per genera. 5ª.273.B
Siccandum eſſe vnde ſumatur.5°.meth.med. 7ª.34.D
Siccandum caput ſpongia.de vict.rat.in mor.acu.com.3°. 7ª.132.F
SICCANTIA *quæ propriẽ ſint,& quæ per accidens.1°.de comp.med. per genera.* 5ª.213.A
Siccantia ſine morſu quæ.9°.de ſimp.med.fac.5ª.64.E/de art.commentario 2°. 7ª.268.A
Siccans ſine morſu præſtantiſſimum omnium medicamentum eſt pompholyx elota.9°.de ſim.me.fac. 5ª.70.H
Siccans modice in primo ordine,& detergens medicamentum eſt,quod carnem producit.3°.meth.med. 7ª.18.A
Siccantia modice quæ. 4°. de comp.me.per ge. 5ª.236.D/3°.metho.medendi.20.A/5°. 7ª.34.C
Siccans mediocriter medicamentum.1°.de com.me.per ge. 3ª.213.A
Siccantia tertio ordine vehementer quidem,maxime tamen nõ exiccãt. 5°.de ſimp.me.fa. 5ª.39.B
Siccantia quarto ordine vrunt.5°.de ſimp.med.fac. 5ª.39.B
Siccantia euidenter quæ.4°.de comp.me.per ge. 5ª.249.H
Siccantia ſtrenue quę.5°.meth.med. 7ª.34.C
Siccantia vehementius medicamenta quæ.3°.meth.med. 7ª.20.A

Siccans vehementiſſime medicamentum quod.5°.meth.med.7ª.34.A|B
Siccantia calefacientia quomodo exiccent.1°.de ſan.tuen. 2ª.68.C
Siccantibus quando vti debemus.3°.de comp.medic.per ge. 5ª.229.D
Siccantia medicamenta in longis fracturis oſſium conueniunt.6°.methodi medendi. 7ª.41.G
Siccantibus, & refrigerantibus debent curari putreſcentia.3°.de compoſit.med.per genera. 5ª.228.C
Siccãtia detergentia mũdificãt vlcera.4°.de comp.me.per ge. 5ª.237.C
Siccãtia nõ debẽt poni inter molliẽtia.7°.de comp.med.per ge. 5ª.264.B
SICCATIO corporum quo modo fiat citra congelationem.5°.de ſimp. med.fac. 5ª.32.G
Siccatio renum prouenit ex bilis ſuperfluo.de ſper. Sp.36.H
SICCATVM humectantia poſcit remedia.5°.de ſimp.med.fa. 5ª.32.H
SICCESSIMVS omnes in ętatis ſucceſſione.6°.de ſan.tuen. 2ª.96.E
Siccescentibus frictio pinguiter fit.7°.met.med. 7ª.45.A
SICCIOR, & calidior eſt bilis omni humore [vbi dubitandum de atra bile, quæ eſt ſiccior.] 1°.de arte cur.ad Glau. 7ª.97.B
Siccior eſt calor vigentium.3°.de ſymp.cau. 3ª.29.C
Siccius temperamentum reddit calor multus, dum calorem abſumit. 6°. de ſan.tuen. 2ª.95.H
Sicciora redduntur corpora animalium per ſqualores. in 1^{m}. de morbis vulg.commen.1°. 3ª.104.B
Licciores temperaturæ ſunt ſalubriores.com.3°.apho.11°. Ex.21.B
Sicciora quæ membra corporis ſint.13°.meth.med. 7ª.21.E
Sicciora carne ſunt penis, & ſedes.5°.meth.med. 7ª.36.D
Sicciora quanto ſunt nerui, tendones, muſculi, & ligamenta, tanto ſunt valentiora.3°.de ſymp.cau. 3ª.29.D
Sicciora fiunt attrita vaſa & veſtes.in 6^{m}. de mor.vulg.cõ.3°. 3ª.170.B
Sicciora mẽbra facilius patiũtur à cauſis ſiccis.de na.hu.c.2°.7ª.182.H
Siccior dulci oleo vngendus, & q̃uo fricandus.3°.de ſan.tuen. 2ª.82.A
Siccioribus naturis conuenientiores morbi ſunt ſicciores.commenta. 2°. aphoriſmo 34°. Ex.17.C
Siccior morbus q̃uo noſcatur.de vict.rat.in mor.acu.com.1°. 7ª.112.F
in Siccioribus vlcera magis ſiccentur.3°.meth.med. 7ª.18.B
Sicciora vulneribus nõ cõueniũt, & quare.6°.de ſimp.med.fa.5ª.46.D
Sicciora poſtulant ij, quibus ſiccius eſt corpus.3°.de ſymp.cau. 3ª.29.C
Siccius quanto aliquod eſt membrum, tanto magis exiccantem poſtulat curationem.de art.com.2°. 7ª.267.G
Siccius, & frigidius tritico amylum eſt.8°.de ſimp.med.fac. 5ª.59.D
Siccior, & calidior anſeris pinguedo eſt q̃ ſuũ.4°.de ſimp.med.fa. 5ª.5.F
SICCISSIME, & frigidiſſime arbores.4°.de ſimp.medi.fac. 5ª.26.F
Sicciſſimus, & calidus ſtatus non fit niſi æſtate.10°.meth.med. 7ª.63.E
Sicciſſimis medicamentis indiget auris ſicciſſima.5°.meth.med. 7ª.34.B
SICCITAS, humiditas, caliditas, & frigiditas ſunt qualitates primæ.3°.de ſimpl.medicamen.fac. 5ª.17.C
Siccitas, & humiditas magis materiales ſunt qualitates, quam caliditas, & frigiditas.7°.meth.med. 7ª.44.D
Siccitas eſt qualitas agens.de nat.hum.com.1°.1ª.28.H|de cur.rat.per ſang.miſſ.6ª.16.C|3°.meth.med. 7ª.18.G
Siccitas quo loco reponatur inter efficaciſſimas qualitates. de conſtitutione artis. Iſa.38.E
Siccitas quid faciat.1°.de ſymp.cau. 3ª.19.C
Siccitas alterat totam admotam ſubſtantiam, ſed non pari cum alijs effectionis qualitalibus celeritate.de conſt.ar. Iſa.38.E
Siccitas alterat totum per totum.1°.de elem. 1ª.7.H
Siccitas eſt differentia terræ.de ſper. Sp.41.B
Siccitas diutina apud hominum genus in Europa, diſſimile à Scythis. de aere, aquis, & locis. 2ª.6.B
cũ Siccitate frigiditatem eſſe non poſſe, non nulli putabant, & quare.1°. de temperamentis. 1ª.10.D
Siccitas, & humiditas mouent temperiem ſimplicium. 8°. de ſimpliciũ medic.fac. 5ª.59.C
Siccitas cõſequitur extergẽtia, & glutinãtia.de ſimp.me.fac. 5ª.45.A
cum Siccitate ventrem ſtringentia quæ.de diff.cont. Sp.75.B
Siccitates differentiam faciunt in diſſimilaribus partibus.3°. de ſimp.medicam.fac. 5ª.20.G
ſm Siccitatis gradus animalia cõparantur.11°.de ſimp.med.fa.5ª.78.E
Siccitatem in ſummo nullum animal habet.1°.de temp. 1ª.10.C
Siccitas ad robur, & nixum facit.3°.de ſymp.cau. 3ª.29.E
ob Siccitatem, & frigiditatem ſubiectum eſt conſtãs, & ſtabile.9°. methodi medendi. 7ª.60.H
Siccitas facit virtutem retentiuam fortem.com.2°.apho.20°. Ex.14.C
Siccitas agit animum ad prudẽtiam ſm Platonẽ.q animi mor. 1ª.318.D
Siccitas ſoluit morbum comitialem.com.5°.apho.7°. Ex.38.A
Siccitas perducit vlcera ad cicatricem.com.6°.aph.8°. Ex.47.C
SICCITAS corporum quadruplex eſt.7°.meth.med. 7ª.44.D
Siccitatem quę faciant.1°.de ſan.tuen. 2ª.68.C
Siccitas vnde fiat.1°.de diff.feb. 3ª.34.D
Siccitatẽ & colorẽ cõſequit corpus ex bilis dominio.de ana.vi.Sp.45.F
Siccitas fit ob defectũ, vel ſequitur ad ipſum.cõ.5°.aph.57°. Ex.42.H
Siccitas ex ſanguinis penuria, quæ.7°.meth.med. 7ª.44.D
ex Siccitate aſperitas oritur.in 1^{m}.de mor.vul.com.2°. 3ª.115.F
Siccitate, & caliditate oſſa citius concreſcunt.2°.de ſem. 1ª.339.A
Siccitas mire obeſt auctioni.de ren.aff.dign.& med. 7ª.191.D
Siccitatis indicium non eſt ſimpliciter paruitas, & quare. de optima noſtris corp.conſt. 1ª.38.H
in Siccitate generantur pauciores humores.com.3°.aph.7°. Ex.20.F
Siccitatem inducit tertiana.1°.de arte cur.ad Glauc. 7ª.96.C
Siccitas habitus quid indicet.5°.de ſan.tuen. 2ª.89.D
Siccitas nimis abundat in ſenibus.1°.de ſan.tuen. 2ª.64.D
ad Siccitatẽ progreſſum effugere non licet.6°.de ſan.tuen. 2ª.96.F
Siccitatẽ debet vel ſeniũ, vel maraſmus p̃ceſſiſſe.3°.de ſym.cau. 3ª.25.D
à Siccitate quæ ſunt corrupta, à maraſmo, & tabe arripi dicuntur.de marc. 3ª.45.C
Siccitatem quam habeant tabidi.in 1^{m}.pror.com.1°. 4ª.167.H
in Siccitatibus multus vapor emanat è corpore noſtro, in humiditatibus paucus.in 1^{m}.de mor.vul.com.1°. 3ª.104.C
Siccitas, & frigiditas nõ facile p̃ halitũ digerunt̃.aduer.Lycũ.Ex.65.D
Siccitas quarta ægritudo ſimplex eſt p̃tiũ ſimilariũ.de diff.mor. 3ª.2.H
Siccitatis magna mutatio morbos facit.com.3°.aph.1°. Ex.19.H
Siccitas cauſat acutos morbos.cõ.3°.aph.7°.20.F|apho.16°. Ex.22.H
Siccitas generat choleram.com.3°.aph.16°. Ex.22.H
Siccitates generant tabitudines, lippitudines, articulorum dolores, ſtillicidia vrinæ, & difficultates inteſtinorum.cõ.3°.aph.16°. Ex.23.A
Siccitas in febribus vehemẽtibus cõuulſionẽ facit.c.4°.a.66°.Ex.34.E
ex Siccitate febris ſine putredine ſanatur frigidis, & humidis.10°. methodi medendi. 7ª.64.D
Siccitates pluuijs ſunt ſalubriores.c.3°.ap.11°.21.B|aph.15°. Ex.22.G
in Siccitatibus aues bñ habẽt & quare.in 6^{m}.de mo.vul.c.4°.3ª.186.H
Siccitas facit profluuium capillorum.com.7°.aph.16°. Ex.55.B
Siccitatem eſſe cauſam caluitij [collige] quia humiditas eſt cauſa oppoſiti.com.6°.apho.28°. Ex.48.H
Siccitas nimia nocet palpebris.10°.de vſu par. 1ª.181.G
à Siccitate fiunt vigiliæ.de vict.rat.in mor.acu.com.4°. 7ª.134.G
Siccitas fit propter vigilias, quæ deinde faciunt deſipientiam ac conuulſionem.com.7°.apho.18°. Ex.55.C
Siccitas cauſa vigiliæ, & repreſentationis ſomniorum eſt.in 1^{m}.prorrh. comment.1°. 4ª.163.F
ob Siccitatẽ melancholicis videntur phantaſmata in ſomnis.in 1^{m}.pror. commen.1°. 4ª.163.G
Siccitas eſt cauſa catalepſis, id eſt deprehenſionis.c.2°.aph.3°. Ex.11.E
Siccitas quo modo viſui obeſt.de ocul. 7ª.186.E
Siccitas linguæ magna cauſat balbutiem.com.6°.aph.32°. Ex.49.H
ex Siccitate linguæ cognoſcuntur morbi ſicci venarum, & arteriarum. de vict.rat.in mor.acu.com.1°. 7ª.112.F
à Siccitate fit vox ſonora, & acuta.in 3^{m}.de mor.vulg.cõ.3°. 3ª.143.E
p̃p̃ Siccitatem ſuperfluam muſculorũ gutturis intrinſecorũ ſupra modum extenti impoſſibile non eſt meatum reddi anguſtiorem. com.4°. aphoriſmo 34°. Ex.31.E
Siccitas vnde fiat in arteria.1°.de præſag.ex pul. 4ª.107.F
ob Siccitatem pulſus fit durus in ephemeris.1°.de diff.feb. 3ª.34.D
ob Siccitatem durities aduenit arterijs.1°.de diff.feb. 3ª.34.D
ſine Siccitate hecticæ ſæpius conſiſtunt, cum non tranſmutantur ad tabem.1°.de diff.feb. 3ª.35.C
Siccitatis non frigoris ratiõe durities fit.in 6^{m}.de mor.vul.c.5°.3ª.193.F
Siccitas, & durus tumor [à græcis ſchyrrhus dictus] durum efficiunt pulſum.1°.de diff.feb. 3ª.34.B
Siccitas q̃uo differat à phlegmone.de vict.ra.in mor.ac.c.2°. 7ª.125.A
ob Siccitatem aliqua ægre mouentur.2°.de ſan.tuen. 2ª.72.F
Siccitate durum quomodo curetur.5°.de ſim.me.fac. 5ª.32.G
à Siccitate & frigore quę induruere, quibus curanda.5°. de ſimplicium med.facul. 5ª.32.H
ob Siccitatem intenta q̃uo laxãtur.de ijs, quæ in me.fi.cõ.3°. 7ª.215.G
Siccitas neruorũ facit connulſionẽ, & diſtẽtionẽ.c.7°.ap.13°. Ex.54.H

ex Siccitate

ex Siccitate conuulſio quomodo fiat.de trem.palp.& conuulſ. 3ª.56.C
Siccitas facit ſpaſmũ,q difficulter remouetur.c.2°.aph.26°. Ex.16.B
ex Siccitate conuulſio lætalis eſt.de trem.palp.& cõuulſ.3ª.56.D/12°. met.me.7ª.80.B/com.4°.aph.57°.33.F/cõ.5°.aph.1°. Ex.37.D
pp Siccitatem tremor inſanabilis eſt.in progn.com.1°. 4ª.192.H
Siccitas partium ſolidarum corrigi non poteſt.7°.methodi medendi.45. H/10°.66.E/12°. 7ª.80.B
Siccitatibus ſolidorũ,ſi ꝑdurẽt,ſuccedũt frigiditates.7°.me.m. 7ª.46.F
Siccitas non poteſt ſola permanere.7°.met.me. 7ª.46.F
cũ Siccitate vel humiditate frigus facit torporẽ.3°.de ſym.ca. 3ª.29.D
Siccitas conſumata inſanabilis eſt,& quæ non ſit.7°.met.me. 7ª.44.D
Siccitas magna cur difficulter curatur.7°.met.me. 7ª.46.F
Siccitas difficulter remouetur.com.2°.aph.26°. Ex.16.B
Siccitatis curatio longi temporis eſt,& minus periculo expoſita,q̃ refrigeratio.10°.met.me. 7ª.64.D
ex Siccitate dolor curatu difficilis eſt,vel etiam omnino curari non poteſt,ſi febris occaſione eſt contractus.12°.met.me. 7ª.80.B
ex Siccitate doloris curatio quæ.12°.met.me. 7ª.80.B
ex Siccitate qui dolor phrenitidi lætali ſuccedit.12°.met.me. 7ª.80.B
Siccitas quæ ſanatu facillima ſit.7°.met.me. 7ª.46.E
Siccitas ſuccedit calori.2°.de temp. 1ª.21.D
Siccitas caliditati paucæ coniuncta,quo curetur.7°.met.me. 7ª.47.C
cũ Siccitate caloris curatio quæ.7°.met.me. 7ª.47.F
Siccitatis,& caliditatis affectus febri proportione reſpondet.7°.methodi medendi. 7ª.47.C
Siccitas,& frigiditas quomodo curentur.7°.met.me. 7ª.46.F
in Siccitate,& humiditate non poſſunt ventriculi adeo intemperantes eſſe,vt breui actionem amittant.3°.de ſymp.cauſ. 3ª.25.E
Siccitatis curatio in ventriculo,quæ.7°.met.me. 7ª.44.E
Siccitati pulmonis proprie confert butyrum.de ſimp.med. Sp.81.D
Siccitas immodica prohibet prandium integrum, & cænam differt.3°. de ſanitate tuenda. 2ª.82.B
Siccitas quibus male habet,veſpertina frictio vtilis ẽ.3°.d̄ ſa.t.2ª.82.B
Siccitates omnes quæ balnea deſiderant.de marc. 3ª.47.H
Siccitates omnes calidas & frigidas iuuant balnea. de marc.3ª.47.H
Siccitas cutis eſt cauſa cur non ſudemus.com.5°.aph.71°. Ex.45.F
ex Siccitate animi defectus,quo curãdus.1°.de arte cu.ad Gl. 7ª.99.E
Siccitas & ſpiſſitudo vteri ſunt cauſæ ne mulier concipiat. commen.5°. aphoriſmo.62°. Ex.43.E
Siccitas adurit ſemen.com.5°.aph.62°. Ex.43.E
Siccitatis mutationes ſentiuntur in ſemine.de aere,aqu.& lo. 2ª.6.C
Siccitas nimia quo modo cauſa eſt conniuentiæ, per quam clauditur collum veſicæ.3°.de ſymp.cauſ. 3ª.28.D
Siccitas inducta ab ira,& à penuria potionis,quo modo corrigatur.3°. de ſanitate tuenda. 2ª.81.G
Siccitas præter renum noxam,qua victus ratione poſſit corrigi. 6°. de ſanitate tuenda. 2ª.99.F
Siccitati medetur humidum nutrimentum.3°.de ſan.tu. 2ª.80.A
in Siccitate dabat lac aſininum ab vbere.7°.met.me. 7ª.44.F
in Siccitate ptiſſana,& alica præparata vt ptiſſana conueniunt.7°.methodi medendi. 7ª.45.C
in Siccitate qualis panis dandus.7°.met.me. 7ª.45.C
in Siccitate etiam ponit ſalem in pane. 7°.met.me. 7ª.45.C
in Siccitatibus alas,& teſtes gallinaceorum lacte altorum dat.7°.methodi medendi. 7ª.45.D
Siccitatem nimiam habentes cibi parum nutriunt.de diſſo.cont.Sp.73.F
in Siccitate quæ aſtringentia vitanda.7°.met.me. 7ª.44.B
Siccitatibus ſunt contraria auſtera.7°.met.me. 7ª.44.D
SICCAMVR ſemper de marc. 3ª.46.D
Siccatur tabidis cor,& cur.de marc. 3ª.45.D
quæ Siccantur & quæ refrigerantur concreſcunt.de vict.rat.in morb. acut.commen.4°. 7ª.138.C
Siccat corpora quæ contingit acetum,licet ad imaginationem ſit humidum.10°.met.me. 7ª.64.H
Siccant violenter adſtringentia.7°.met.me. 7ª.46.H
Siccant magis amara magis.8°.de ſimp.me.fac. 5ª.63.G
Siccant vt ſal & non habent vim adſtringendi, Aſiæ petrę flos,nitrum, & aphronitrum.2°.de comp.me.per gen. 5ª.222.A
Siccant continuo ſi contactæ ſubſtantiæ quippiam digerant Calfacientia niſi quid naturæ fuerit humidum,vt oleum,& aqua.11°.de ſimpliciũ medic.facul. 5ª.80.B
Siccat valde medicamẽtũ ex Cartha papyracea vſta.5°.me.m. 7ª.36.D
Siccat valde medicamentũ ex Cucurbita ſicca vſta.5°.met.me. 7ª.36.D
Siccent quæ plus Emplaſtra.2°.de comp.me.per gen. 5ª.223.F
Siccat corpora Fames.com.2°.aph.16°. Ex.12.G
Siccat digerit & attrahit Gladiolus.8°.de ſimp.me.fac. 5ª.57.B
Siccat Haſeg.de ſimp.med. Sp.85.C
vt Siccent ſine mordicatione Metalla oĩa,ſint elota.6°.met.m.7ª.38.C
Siccat & refrigerat Miliũ.de vict.rat.in mor.acut.cõ.4°. 7ª.149.D
Siccat genas proprietate Minium.de ſimp.med. Sp.81.C
Siccantur præcordia ex Pane & melle.10°.met.me. 7ª.64.A
Siccant & refrigerant medicamenta ex Papaueris ſucco & alterco. 12°.methodi medendi. 7ª.79.C
Siccat minus Pix humida.8°.de ſimp.me.fac. 5ª.58.E
Siccant & ſtringunt Plãtaginis folia contrita cũ pane impoſita. de ſimplic.med. Sp.89.A
Siccat ventrẽ Refrigeratio extrinſeca.in 6ᵐ.de mor.vul.c.5°. 3ª.193.C
Siccat inflationem Rhu.de ſimp.med. Sp.89.E
Siccant Salſa magis quã acria.de vict.ra.in mor.acu.com.4°. 7ª.135.C
Siccat citra morſum Sarcocolla.8°.de ſimp.me.fac. 5ª.60.B
Siccat Sori vulnera,quæ luxuriantur.de ſimp.med. Sp.90.F
Siccat omnium maxime Taurinum pingue.4°.de compoſitione medicamentorum per genera. 5ª.242.A
Siccat totum corpus Vigilia.7°.met.me.46.D/de vict.rat.in morb.vulga.com.2°. 7ª.125.B
Siccãt immodice Vina amara.7°.met.me. 7ª.47.B
Siccat adeo viperarum caro, vt ſitim ĩducat.11° de ſimp.me.fa.5ª.78.B
Siccat digerit & attrahit xyiris.8°.de ſimp.me.fac. 5ª.57.B
SICCANT quæ ad plenũ vlcera ſanant.4°.de cõp.me.ꝑ.ge.5ª.249.H
Siccare opus eſt omnia vlcera,& qui ſit terminus exiccationis.commẽta.6°.aph.45°. Ex.51.G
Siccare præſertim opus,vbi os vitiatum eſt.com.6°.aph.45°. Ex.51.G
Siccentur magis vlcera in ſiccioribus.3°.met.me. 7ª.18.B
Siccentur minus vlcera in humidioribus.3°.met.me. 7ª.18.B
SICCAVIT an bene medicamentum per ſordem, & ſaniem, probatur.3°.met.med. 7ª.18.E
Siccat in ſole.8°.de comp.me.ſec.loc. 5ª.196.B
Siccat ĩ vmbra.8°.de cõp.me.ſe.l.192.G/4°.de cõp.me.ꝑ gen.5ª.243.H
SICCVM nomen à qualitatibus eſt.1°.de ſan.tu. 2ª.62.E
Siccum quot modis dicatur.3°.de ſimp.me.fac. 5ª.17.A
Sicci duo ſignificata,quæ.1°.de temp. 1ª.12.G
Siccum à natura duplex,à terra,& ab igne.de marc. 3ª.46.C
de Sicco,humid[illegible] de quo modo tractent philoſophi, ac medici.3°.de ſimp.me.fac. 5ª.17.E
Siccum,humidum,calidum,& frigidum elementa vocat Hippocrates ab effectricibus qualitatibus.8°.de decr.Hip. 1ª.275.D
Siccum,humidum,calidum,frigidũq; cauſas ponit Hippocrates . in 3ᵐ. de morb.vulg.com.1°. 3ª.129.C
Siccum,humidum,calidum,& frigidum primus Hippocrates inuexit. 1°.methodi medendi. 7ª.3.E
Siccum,humidum,calidum,frigidum quæ agant & patiantur inter ſe. 2°.de nat.fac. 1ª.297.H
Sicco,humido,frigido,calido,alijs veluti agẽtibus,alijs veluti patientibus q̃ in corpe aĩalis ſunt oĩa gubernari dicãt.2°.de na.fac.1ª.299.G
Sicco,humido,calido,& frigido conſtant animalium corpora, non tamen æqualiter.1°.de temp. 1ª.10.B
ex Sicci,humidi,calidi,& frigidi miſcella fiunt ſalſum, dulce, amarũ, auſterum,acerbum,& acre.1°.de alim.fac. 2ª.9.A
Siccum in elementis ſyncerum eſt,in reliquis rebus in medio conſiſtit cõtrariorum,vel eſt ad alterum magis propenſum.1°.de temp.1ª.14.A
Sicco opponitur liquidum.de iis,quæ in med.fi.com.3°. 7ª.215.E
Sicci,& duri differentia.5°.de ſimp.me.fac. 5ª.34.G
Siccũ,& durũ quod eſt,nihil in ſe ingredi ſinit, prius q̃ ipſum ex aliqua parte diuiſum ſit,ac veluti exulceratum.3°.de ſymp.cauſ. 3ª.29.A
Sicca parum liquida videntur humida.3°.de temp. 1ª.23.D
Sicca quæ ſint.in 3ᵐ.de morb.vul.cõ.3°.3ª.141.A/8°.met.me. 7ª.51.A
Siccum energia vel actu quomodo intelligatur.3°.de temp. 1ª.21.G
Siccum actu ac tactu diſcerni poteſt.2°.de temp. 1ª.16.H
Sicci corporis iudices ſunt tactus,& ratio.2°.de temp. 1ª.17.F
Sicci iudicium vnde ſumatur.3°.de temp. 1ª.24.F
Siccum facit pathemata in tactu.de ſymp.diff. 3ª.10.D
Sicca melius ſonant q̃ madida.7°.de vſu par. 1ª.158.F
Sicca moderate,melius ſonant.q̃ ſicciſſima.7°.de vſu par. 1ª.158.F
Sicca ſunt clarioris vocis quam humida.de voce & anhel. Sp.61.G

Sicca res ſi talem ſenſum faciat, qualẽ præbet aqua oĩs qualitatis exps, qũo ſe habeat in qualitatibus primis.4°.de ſimp.me.fac. 5ª.25.D
Sicca natura ſunt ſtiptica.1°.de ſan.tu. 2ª.68.A
Sicca natura remoratur cibum in ventre.1°.de ſan.tu. 2ª.68.A
Sicci cibi quibus conueniant, & qui ſint.de diff.cont. Sp.74.D
Siccis & melancholicis cibis abſtinendũ in autuno.1°.de ali.fac.2ª.13.G
Siccis & melancholicis cibis vtendum hyeme.1°.de ali.fac. 2ª.13.G
Sicca immodice, cur non ſalienda.3°.de ali.fa. 2ª.33.D
Sicca corpora ſalita qualia.3°.de alim.fac. 2ª.33.D
Sicca tarde digeruntur.de diff.cont. Sp.73.D
Sicca dura tarde deſcendunt.1°.de ali.fac. 2ª.14.D
Siccæ res ſi coquuntur firmius alunt q̃ humidæ.2°.de ali.fac. 2ª.24.B
ex Siccis animalibus omne quod eſt paruum, velocius digeritur quã magnum.de diff.cont. Sp.73.C
Siccos cibos digerunt humidi.de diff.cont. Sp.73.C
Sicca eſt atra bilis.de nat.& ord.cuiuſ.corp. Sp.41.D
Siccum præualet in partibus durioribus cute.1°.de temp. 1ª.14.G
Sicca nimis cutis non facit pilos.in 6m.de mor.vul.c.3°. 3ª.170.A
Sicca ſunt oſſa ſubſtinent laborem.de dyna. Sp.19.D
Siccum cur ſit.de comp.memb. Sp.58.B
Sicca & ſolida eſt caro cordis.de ana.viu. Sp.46.C
Siccum inſtrumentum non debet habere ſiccum nutrimentum.3°.de ſymptomatum cauſis. 3ª.29.D
Sicca ſi ſit ꝑticula, & morbus ſit humidus, qd agẽdũ.3°.me.me.7ª.21.F
Siccum durum magis offenditur q̃ molle.de vſu pulſ. 1ª.229.G
Siccum durum habet habitum valentiorẽ, quàm mollius & humidius. de vſu pulſ. 1ª.229.G
ad Siccum ſemper tendunt temperati.1°.de ſan.tu. 2ª.64.F
Siccum fit in ætatis vigore, calidum corpus quod temperatum in paſſiuis.6°.de ſan.tuenda. 2ª.96.E
Siccos oculos habet conceptus in horis melancholiæ.de ſper. Sp.37.C
Sicca & amara ſemper habet conceptus in horis bilis guttur, os, & ſputum.de ſperm. Sp.37.C
Sicci ſunt quibus crura ſunt macra, ſi totius corporis temperies pari ratione ſe habeat.2°.de temp. 1ª.20.H
Sicci natura ſunt graciles.de art.com.1°. 7ª.256.E
Sicca aluus in iuuentute, efficitur in ſenectute humida, & è contra.commen.2°.aph.53°. Ex.19.E
Sicca aluus vnde fit.com.2°.aph.20°. Ex.14.C
Sicca temperies ſemper facit animal calidius in augmento, in decremento ſiccum & frigidum.6°.de ſan.tu. 2ª.95.E
Siccæ temperaturæ nihil per nares emittunt.com.6°.aph.2°. Ex.46.E
Sicca intemperies oĩum peſſima eſt in ſimplicibus.7°.met.me. 7ª.47.H
Sicca temperatura cur peſſima.6°.de ſan.tu. 2ª.96.G
Sicci natura, cito in ſenilẽ ſiccitatem perueniunt.6°.de ſan.tu. 2ª.96.E
Sicca intẽperies eſt ĩ ægris, quod ſeniũ eſt in ſanis.7°.met.me. 7ª.44.D
Siccis & carne oppletis maior ſuperuenit inflammatio, q̃ humidis & macilentis.de art.com.1°. 7ª.256.G
Sicca corpora ſiccis nutriuntur.intro. Iſa.68.G
Sicci, & temperati in actiuis qualitatibus, quarto loco ſunt ad febrem proni.8°.meth.med. 7ª.54.E
Siccum ſi ſit corpus, quid conſiderandum.5°.de ſan.tu. 2ª.89.D
ex Sicco alteratio difficulter curatur.7°.met.med. 7ª.44.D
Sicca intẽperies cur indiget longo tp̃e ꝓcuratiõe.7°.met.me. 7ª.44.D
Sicca ventriculi intemperies ſolida parte nunquam ſanabitur.7°.methodi medendi. 7ª.46.D
in Siccis affectibus commode nunq̃ finitur acceſſio, niſi lauacro, aut humido victu humectatio acceſſerit.10°.met.me. 7ª.63.E
Siccis ſicca ſunt apta.6°.de ſan.tu. 2ª.96.C
Sicca ſiccis citius aſſimilantur.6°.de ſan.tu. 2ª.96.C
Sicca præter naturam corpora curantur, humiditate admota. de natura humana, com.1°. 1ª.28.H
Sicca humiditate corrigi debẽt, & corrigunt.4°.de ſim.me.fa. 5ª.28.H
Siccæ naturæ humidis ſanantur.com.3°.aph.3°. Ex.20.B
Sicca intemperies carnis aqua corrigitur.4°.met.me. 7ª.23.E
Siccis conueniunt balnea natatoria.7°.met.me. 7ª.44.E
Siccis lauatio quam frequenter fieri debet.7°.met.me. 7ª.45.B
in Siccis non deſiderat balnei aerem Galenus.7°.met.me. 7ª.44.F
in Siccis quomodo faciẽda ſit ratio victus renutritoria, & refectoria. 7°.methodi medendi. 7ª.45.H
in Siccis qualis modus ciborum.7°.met.me. 7ª.45.G
Siccis cibus quomodo dandus.7°.met.me. 7ª.45.G
Sicci ſæpe & parum cibandi.7°.met.me. 7ª.46.A
Siccorum obſonia quæ conuenientia.7°.met.me. 7ª.45.D
Sicci digerunt cibos humidos.de diff.cont. Sp.73.C
Siccis cur non detur ſuilla caro.7°.met.me. 7ª.45.D
Siccis quando dandæ ſuillæ carnes.7°.met.me. 7ª.45.H
Siccis, qui ſanantur, dantur ſuum pedes, & crura.7°.met.me. 7ª.45.H
ꝑ Siccis hominibus aues quæ conueniant in cibo.7°.met.me. 7ª.45.D
Siccis quæ aues ſint accommodæ, & renibus non aduerſentur. 6°.de ſanitate tuenda. 2ª.99.G
in Siccis qualis modus potus.7°.met.me. 7ª.45.G
ꝑ Siccis vina quæ conueniant.7°.met.me. 7ª.45.E
Sicci natura quæ vitare debent.6°.de ſan.tu. 2ª.96.E
Siccis mel inſalubre eſt.1°.de alim.fac. 2ª.10.A
Siccis temperamentis venus inimiciſſima eſt.6°.de ſan.tu. 2ª.96.E/H
Siccorum domus qualis eſſe debet.7°.met.me. 7ª.46.C
ex Sicca ventriculi intemperie gracilem quo modo Galenus curauerit..7°.methodi medendi. 7ª.44.E
Siccam pellem cur quis ſe habere putaret. de melancholia ex Galeno, Rufo, & Poſſidonio. Sp.109.D
Sicci natura hoĩs pleuritici caſus.de vic.ra.in mor.acu.cõ.1°.7ª.115.A
Sicca corpora, ita in peſtilentia ſeruanda.1°.de diff.feb. 3ª.32.E
in Sicco abunde flauæ vrinæ fiebant & mordentes.8°.met.me.7ª.50.C
Siccæ materiæ quomodo cognoſci poſſint.com.6°.aph.2°. Ex.46.E
Sicca loca quales homines gignant.2°.de ſan.tu. 2ª.73.B
in Siccis locis paſcua habens caro velocioris eſt coctionis, quam caro cuius paſcua ſunt in locis humidis.de diff.cont. Sp.73.C
in Siccis & diſertis locis paſcua habentia animalia, cibi ſunt ſuperfluitates non habentes.de diff.cont. Sp.73.E
Siccum.i.auſtrale.com.3°. aph.11°. Ex.21.A
Siccum, ſqualidũ, inaquoſum idem ſignificant.cõ.3°.aph.14°. Ex.22.C
Siccæ conſtitutiones corpora neruoſa violentius exiccant, ideo fit conuulſio.com.6°.aph.39°. Ex.50.G
à Sicco corruptiones oẽs metaphorice maraſmi ſunt.de marc. 3ª.45.G
Siccum exiccat.1°.de temp. 1ª.10.D
Siccum nihil penitus putreſcit.1°.de temp.1ª.12.B/in 3m.de morb. vulg. commentario.3°. 3ª.141.A
Siccum exuperans, eſt morbus.1°.de temp. 1ª.11.B
Siccum multum exuperans, eſt mors.1°.de temp. 1ª.11.B
Sicci morbi in partibus corporis qui vocentur.de vic.rat.in morb.acu. commentario.1°. 7ª.112.F
Sicci morbi venarum, & arteriarum cognoſcuntur ſiccitate linguæ, & ariditate corporis.de vict.rat.in mor.acu.com.1°. 7ª.112.F
Siccus affectus facit durum habitum.5°.de ſan.tu. 2ª.89.D
Siccæ ægritudines ſine materia aliquæ ſunt.de diff.morb. 3ª.3.G
Siccæ febres quæ.aduerſus Lycum. Ex.62.A
à Sicco dolor prouenit, & quomodo, quamq́; ſiccatione etiam aliqui ſedant dolores.de nat.hu.com.1°. 1ª.28.G
Siccum rheuma per corpus ſæpe currit concepto in bilis horis. de ſpermate. Sp.37.C
ex Sicco rheumate naſcitur gutta homini concepto in horis bilis, paſſiones vẽtris, dolores vt dyſenteria, trãſuerſatio vẽtris, liẽteriæ fiũt in ſomnis pauor, in fronte dolor, ambulatio acuta.de ſperm. Sp.37.C
ad Siccam tuſſim.ſecret. Sp.97.C
Sicca peripneumonia quæ de vict.rat.in mor.ac.cõ.1°. 7ª.112.F
Sicca pleuritis quæ.de vict.rat.in mor.acut.com.1°. 7ª.112.F
Sicco indiget natura humida.3°.met.me. 7ª.18.B
Siccorum caliditas qualis.6°.de ſimp.me.fac. 5ª.47.H
Siccorum, & calidorum ciborum paucitate aſſueta vita tertianas incurrit.2°.de diff.feb. 3ª.36.D
Sicca, & calida cibaria prætermittamus, licet cõueniant in reliquo corpore, qñ caput eſt calidum, ſuſcipiens vapores.de diff.cont. Sp.71.G
Siccum & calidum ſunt ex genere bilis.de cau.mor. 3ª.8.C
Siccus & calidus humor bilis pallida æſtate gignitur. in 1m. de morbis vulg.commen.1°. 3ª.104.C
Sicci, & calidi qui ſint appellandi.10°.met.me. 7ª.63.D
Sicci, & calidi homines quales.8°.met.me. 7ª.50.F
Siccum, & calidum eſt cor.de comp.memb. Sp.58.G
Siccum, & calidum eſt cor ſm Galenum.de ana.viu.46.D/ Sp.56.B
Siccus, & calidus eſt pulmo.de anato.viu. Sp.52.G
Sicco, & calido ſanguine nutritur pulmo.de ana.viu. Sp.52.G
Siccum, & calidum tẽperamentũ quæ faciant.14°.met.me. 7ª.91.C
Sicca, & calida intemperies facile cognoſcitur.10°.met.me. 7ª.63.D

Siccus, &

Siccus, & calidus erit cito piloſus, & quare.2°.de temp. 1ª.21.B

in Siccis, & calidis vrinæ bilioſæ fiunt.8°. met.me. 7ª.50.F

Sicca, & calida temperatura, à ſiccis & calidis nunq̃ ducetur in bonã temperaturam.ars med. Iſa.68.G

Sicci & calidi quibus tenentur in pueritia.6°.de ſan.tu. 2ª.96.F

Siccis & calidis inimiciſſima inedia eſt.10°.met.me. 7ª.63.D

in Siccis, & calidis qui cibi vtiles.8°.met.me. 7ª.51.B

Siccæ, & calidæ naturæ ad hyemem melius, ad æſtatem peius, ſe habẽt .com.3°.aph.2°. Ex.20.A

Sicci, & calidi temperamenti quomodo quies fiet.8°.met.me. 7ª.54.H

Sicci, & calidi ad febres opportuniſſimi ſunt.8°.met.me. 7ª.54.E

Sicco, & calido temperamento iuuenis caſus, qui correptus eſt febre. 10°.methodi medendi. 7ª.62.C

Sicci, & calidi, qui febre corripiũtur, ex ſiccitate, & caliditate poſſunt in principio acceſſionis cibari.10°.met.me. 7ª.62.G

Siccum, & calidum corpus febricitans, nõ poteſt eſſe viribus valentibus.10°.met.med. 7ª.63.H

Siccum, & calidum corpus febricitans, ſi phlegmone laboret, morietur 10°.methodi medendi. 7ª.63.H

in Sicca, & calida intemperie quæ Galenus adhibeat. 2°.de compoſitione medic.ſec. loc. 5ª.138.A

in Siccis, & calidis ex volatilibus quę conueniunt.8°.met.me. 7ª.51.B

Siccis, & calidis fructus debent dari refrigerati æſtate . de bonitate & vitio ſuccorum. 2ª.39.B

Siccis, & calidis æſtate danda lactis ſpuma.de bon.& vit.ſuc. 2ª.39.B

Siccis, et calidis æſtate, cibaria ex lacte exhibẽda.ð bo.et vit.ſ. 2ª.39.B

Siccis, & calidis æſtate, ficus, & cucurbitæ frigidæ exhibendæ. de bonitate & vitio ſuccorum. 2ª.39.B

Sicci, & calidi ab euacuationibus plenis offenduntur.1°.de arte curati. ad Glauconem. 7ª.98.C

Siccus, & calidus vehementer ventriculus, nõ poteſt ſanari.7°.methodi medendi. 7ª.47.F

Siccus, & calidus ventriculus, non debet temere refrigerari. 7°.methodi medendi. 7ª.47.G

Sicci, & calidi ventriculi caſus.7°.met.me. 7ª.47.C/E

Siccæ, & calidæ naturę ſunt animalia omnia, quæ pectinatim inſerunt dentes de atra bile. 1ª.36.A

Siccorum, calidorumq́; animalium lien niger eſt, & vix poteſt comedi. de atra bile. 1ª.36.E

Siccum, & calidum eſt tempus ęſtiuum, quocunq; tempore ſit. de vict. rat.in mor.acut.com.3°. 7ª.134.B

Sicca, & calida eſt ęſtas.bre.denot.dogm.Hipp. 1ª.231.B

Sicca, calidaq́; vltra modum eſt ęſtas.in 1m.de morb.vul.cõ.1°. 3ª.101.C

Sicca, & calida vnde ſit ęſtas.de ſperm. Sp.39.B

in Sicco, & calido aere ſectio venę non debet fieri.1°.de arte curati.ad Glau.98.C/de vict.rat.in morb.acut.c.4°. 7ª.136.H

Siccus, & calidus eſt Mars.de comp.memb. Sp.59.F

Siccus, & calidus minus Marte eſt Sol.de comp.memb. Sp.59.G

Siccus eſt Aries in tertio gradu, calidus in ſecundo.de ſper. Sp.38.H

Siccus eſt, calidus Leo in quarto gradu.de ſperm. Sp.38.H

Siccus eſt in ſecũdo gradu Sagittarius, calidus in prĩo.de ſper. Sp.38.H

Sicca, & calida eſt qualitas viſibilis, & cur.de comp.memb. Sp.58.C

Siccę, & calidę regiones.com.2°.aph.26°. Ex.16.B

SICCVS, *ac frigidus victus febrem quartanam generat. 2°. de differentijs febrium.* 3ª.36.E

Sicca, & frigida ſunt oſſa.de ana.viu. Sp.44.E

Sicca, & frigida eſt cerebri meninx.de comp.memb. Sp.58.B

Siccum, & frigidum os auri ſupponitur.de comp.memb. Sp.58.B

Siccę, & frigidę ſunt tunicę narium.de comp.memb. Sp.58.C

Siccus, & frigidus eſt æſophagus.de comp.memb. Sp.58.H

Siccus, & frigidus eſt ſplen.de ana.viu. Sp.50.A

Sicci, & frigidi ſenes ſunt.3°.de ſymp.cauſ. 3ª.29.D

Siccum & frigidum temperamentum, ſenum temperamento ſimillimũ eſt.5°.de ſan.tu. 2ª.94.D

Sicci & frigidi celeriter ſeneſcunt.5°.de ſan.tu. 2ª.94.D

Siccum minime eſt maxime diuturnum.6°.de ſan.tu. 2ª.96.G

Siccus, & frigidus ab initio non eſt melancholicus, ſed pituitoſus ab excremento.2°.de temp. 1ª.21.C

Siccus, & frigidus ex habitu melancholicus eſt.2°.de temp. 1ª.21.C

Sicca, & frigida intemperantia peſſima eſt.6°.de ſan.tu. 2ª.95.D

Sicca, & frigida intemperies omnium peſſima eſt in compoſitis. 7°. methodi medendi. 7ª.47.H

Sicca, frigidaq́; corpora peſſime nutriuntur.3°.de ſymp.cau. 3ª.29.A

Sicci, & frigidi, quarto loco difficulter febriunt.8°.met.me. 7ª.54.E

Siccis, & frigidis venus aduerſiſſima eſt.6°.de ſan.tu. 2ª.96.H

Sicci, & frigidi, tarde ad temperiem veniunt.8°.met.me. 7ª.54.F

Siccæ, & frigidę naturę ęgre p̃ halitũ digeruntur.9° .met.me. 7ª.60.H

Sicci, & frigidi quomodo curentur.6°.de ſan.tu. 2ª.96.G

Sicci, & multum frigidi, quomodo curandi.7°.met.me. 7ª.47.A

Sicci, & parũ frigidi victus ratio qualis eſſe debet.7°.met.me. 7ª.46.G

Siccos, & frigidos opobalſamo perungit.7°.met.me. 7ª.46.H

Siccus, & frigidus qñ eſt vẽter, nardino inungẽdus.7°.me.me. 7ª.46.G

pro Siccis, & frigidis multum conuenit vnguentum nardinum.7°.methodi medendi. 7ª.47.A

Siccis, & frigidis cur obſint calida fomenta.7°.met.me. 7ª.47.B

Siccus, & frigidus venter qũo pice illinendus.7°.met.me. 7ª.47.B

Siccus, & frigidus eſt autumnus.bre.denot.dom.Hipp. 1ª.231.B

Siccum, & frigidum in autumno dominantur, licet inęqualis ſit. in 1m. de morb.vulg.com.1°. 3ª.101.C

Siccus & frigidus vnde ſit autumnus.de ſperm. Sp.39.B

Siccus, & frigidus ſtatus, & partim inęqualis proponitur ab Hippocrate.in 1m.de mor.vulg.com.2°. 3ª.113.E

Sicca, & frigida terra in quarto gradu eſt ſub potentia Saturni.de ſpermate. Sp.40.C

Siccus, & frigidus eſt Saturnus.de comp.memb. Sp.59.F

Siccus eſt Taurus in ſecundo gradu, frigidus in tertio.de ſper. Sp.38.H

Siccus eſt Capricornus ĩ tertio gradu, frigidus ĩ ſecũdo.de ſper. Sp.38.H

Sicca eſt Virgo in tertio gradu, frigida in ſecundo.de ſper. Sp.38.H

Sicci & frigidi ſunt, Taurus, virgo, Capricornus, de ſper. Sp.39.A

SICCO *in quo prępolleat humidum.1°.de ſan.tuen.* 2ª.62.E

Siccum & humidum contingunt corpus ſine violentia, ſi abſint calefactio & frigefactio.1°.de ſymp.cauſ. 3ª.16.G

cũ Sicco et hũido ſtat cõcoctio, mõ habeat calorẽ.3°.de ſym.c. 3ª.29.D

Siccum & humidum an poſſit fieri corpus.de cauſ.mor. 3ª.8.C

Siccum & humidum non poſſunt eſſe in eodem.1°.de temp. 1ª.10.G

Siccus, humidus, frigidus & calidus ęque eſt Mercurius. de comp. memb.ſiue de natura humana. Sp.59.G

Siccum & humidum paſſiua ab aliqb⁹ dicuntur.1°.de nat.fac. 1ª.291.C

Sicca & humida intemperies ſecundam facultatem ſibi vendicat quatenus pertinet ad vigilias ſoporesq́; p̃ morbos.3°.de loc.aff. 4ª.16.G

in Sicco & humido qui modice ſe habent, & calidius temperamentum ſortiti ſunt, quales.6°.de ſan.tu. 2ª.95.H

Siccis & humidis nutrimentis nutritur natura.an animal ſit. 1ª.327.D

à Sicco, & humido tenduntur chordę, & qũo.2°.de loc.aff. 4ª.11.A

in Sicco, & humido temperati, & frigidi qũo curent̃ & qũo ſe habeãt ad corporis robur & ſanitatem.6°.de ſan.tu. 2ª.96.H

SICCAS *non virides herbas cognoſcunt vnguentarij.1°. de antidotis.* 5ª.102.B

Sicca & viridia quã qualitatẽ mutẽt.8°.de ſimp.me.fa.60.G/5ª.62.A

Siccum omne viridi valentius eſt.de atten.vic. 2ª.43.H

Sicca herba accipitur, qñ recẽs nõ habetur.1°.de cõp.me.p̃ gen. 5ª.211.F

Siccum primi ordinis quod, quod ſecundi, quod tertij, & quod quarti. 5°.de ſimp.me.fac. 5ª.39.B

Siccum & frigidum Acetum eſt.1°.de ſimp.me.fac. 5ª.6.F

Sicca & adſtringentia ſunt quodammodo pilos defluere prohibentia. 7°.de ſimp.me.fac. 5ª.55.A

Sicca & frigida eſt in ſecundo ordine Alga.8°.de ſimp.me.fac. 5ª.63.D

Siccũ & calidum in quarto ordine Allium eſt.8°.de ſim.me.fa. 5ª.60.H

Siccis corporibus ineſſe Amarum ſaporem vnde colligitur. 4°.de ſimpli.med.facul. 5ª.30.C

Sicca ſunt omnia amara.4°.de ſimp.me.fac. 5ª.30.C

Sicca quo modo ſit Aqua marina, cũ maiorem partem humidi habeat. 3°.de ſimp.me.fac. 5ª.17.E

Sicca aqua marina qũo eſt quò ad hoĩem.3°.de ſimp.me.fac. 5ª.17.E

Sicco quo modo probetur aqua marina per fomenta. 3°. de ſimplicium medica.facul. 5ª.17.F

Sicca, & calida eſt in tertio ordine Chamędris.8°.de ſim.me.fa. 5ª.63.E

Sicca in ſecundo ordine temperata in actiuis qualitatibus eſt auricula muris.7°.de ſimp.me.fac. 5ª.56.D

Siccum & calidũ eſt Bitumẽ in mari mortuo.11°.de ſimp.me.fa. 5ª.83.F

Sicca eſt Cadmia, & temperata in actiuis qualitatibus.9°. de ſimpliciũ medicamento.facultatibus 5ª.69.F

Sicca in primo ordine, & calida in tertio eſt Chamęleuce.8°. de ſimplic. medic.facul. 5ª.63.F

Sicca in tertio ordine, & calida in ſecundo eſt Chamæleontis radix.8°. de ſimp.me.fac. 5ª.63.F
Sicca in tertio ordine,& calida in ſecundo eſt Chamætitys.8°. de ſimpl. medicamen.facul. 5ª.63.F
Siccum & calidum eſt in tertio ordine Chelidonium maius.8°.de ſimpl. medic.facul. 5ª.63.G
Siccū in ſecundo ordine,et frigidū Cichoriū eſt.8°.de ſim.me.f. 5ª.60.C
Siccum & frigidum Citrij ſemen eſt.7°.de ſimpl.med.fa. 5ª.56.A
Siccus in ſecundo ordine eſt Citrij cortex in actiuis qualitatibus temperatus.7°.de ſimp.me.fac. 5ª.56.B
Sicca & calida eſt Colocynthis in tertio ordine.de cathar. Sp.94.E
Siccum & calidum eſt Crocodilij ſemen.7°.de ſimp.me.fac. 5ª.53.C
Siccus in primo ordine,& calidus in ſecundo eſt Crocus. 7°. de ſimpli. medicamen.facul. 5ª.53.C
Sicca & calida Cyperi radix eſt.7°.de ſimp.me.fac. 5ª.53.H
Sicca,& calida ſunt Epithymum & elleborus,atram bilem educentia. de catharticis. Sp.94.E
Sicca,& frigida ī primo ordine eſt Eruangina.8°.de ſimp.me.fa.5ª.57.E
Siccū in ſecūdo ordine,calidū in primo Eruū eſt.8°.de ſim.me.f. 5ª.57.E
Siccę Ficus sūt cibi dulces,ſapidi,ſubtiles,abſtergētes.đ diſ.cō.Sp.72.E
Siccæ,& humidæ ficus maturæ ſunt cibaria media.de diſſ.cōt. Sp.74.C
Siccæ ficus non inflant.de diſſ.cont. Sp.74.F
Siccæ ficus generant pediculos.de diſſ.cont. Sp.74.B
Siccæ ficus generant putridas ſuperfluitates.de diſſ.cont. Sp.74.B
Siccæ,& humidæ ficus renes mūdificāt,& abſtergūt.de diſ.cō.S.74.G
Siccū ī ſecūdo ordine,et calidū ī tertio Galbanū ē.8°.đ ſim.me.f. 5ª.63.E
Siccū in prīo ordine et calidū ī tertio Fœniculū ē.7°.de ſim.me.f.5ª.55.B
Siccum multum non eſt fœniculum,quoniam lac procreat.7°. de ſimpli. medicamen.facul. 5ª.55.B
Siccum in primo ordine,& calidum in ſecundo fœnugræcum eſt. 8°. de ſimp.med.fac. 5ª.62.D
Siccum,& calidum multum eſt Garus.11°.de ſimp.me.fac. 5ª.83.G
Siccus in primo ordine,& frigidus in ſecundo Hyacinthus eſt.8°.de ſimplicium medicamen.facul. 5ª.62.H
Siccum & calidum eſt Hypericum.8°.de ſimp.me.fac. 5ª.63.A
Siccū & calidū in tertio ordine Hyſſopum eſt.8°.de ſimp.me.f. 5ª.63.B
Siccæ in ſecundo ordine temperatæ in actiuis qualitatibus ſunt Lentes. 8°.de ſimp.me.fac. 5ª.63.B
Sicca eſt Lens.in 6m.de mor.vulg.com.5°. 3ª.194.C
Siccæ natura ſunt lenticulæ.de diſſ.cont. Sp.73.B
Siccus in ſecundo ordine & temperatus in actiuis qualitatibus Lentiſcus eſt.8°.de ſimp.me.fac. 5ª.61.H
Sicca,& calida in tertio ordine Leucas eſt.7°.de ſimp.me.fac. 5ª.54.C
Sicca & calida in ſecundo ordine Lychnis coronaria eſt. 7°. de ſimplicium medic.facul. 5ª.54.H
Siccum in ſecundo ordine & temperatum in actiuis qualitatibus Lyciū eſt.7°.de ſimp.me.fac. 5ª.54.G
Siccum in tertio ordine in actiuis qualitatibus temperatum Macer eſt cortex quidam qui ex India vehitur.7°.de ſimp.me.fac. 5ª.55.A
Sicca in tertio ordine & calida eſt Maiorana.8°.de ſim.me.fa.5ª.60.A
Siccum in tertio ordine & calidum in ſecundo eſt Marrubium.8°.de ſimplic.med.fac. 5ª.59.B
Sicca & calida in ſecundo ordine Maſtiche eſt.7°.de ſimp.me.f. 5ª.55.C
Siccum & calidū in ſecūdo ordine Mel eſt.7°.de ſimp.me.fac. 5ª.55.D
Siccum in ſecundo ordine & calidum in tertio eſt Meum.7°. de ſimplic. medicamen.facul. 5ª.56.B
Siccum ex primo ordine Muſtū eſt,vt calidū.8°.de ſimp.me.fa. 5ª.57.B
Sicca,& calida in ſecundo ordine eſt Myrrha.8°.de ſim.me.fa.5ª.61.A
Siccum,& calidū in quarto ordine Napy eſt.8°.de ſimp.me.f. 5ª.56.H
Sicca & calida in tertio ordine Nigella eſt.7°.de ſimp.me.fac. 5ª.55.C
Siccæ Nuces,qñ mollificant̄ in aqua,leniunt ventrē.de diſſ.cō.Sp.75.A
Siccum in ſecundo ordine & calidum in tertio eſt Opopanax. 8°.de ſimplic.med.facul. 5ª.57.G
Sicca in ſecundo ordine Orchis ſerapias eſt.8°.de ſimp.me.fa. 5ª.57.F
Siccus calidus extenuās & incidēs Origanus eſt.8°.de ſim.m.f.5ª.57.E
Sicca in tertio ordine & calida ſubſtātiæq; tenuis paronychia eſt, ita ab effectu nominata.8°.de ſimp.me.fac. 5ª.58.A
Sicca ex tertio ordine minimū habens euidētis caliditatis eſt Pētaphylli radix.8°.de ſimp.me.fac. 5ª.58.A
Siccū & calidū in tertio ordine Petroſelinon ē.8°.de ſim.me.fa. 5ª.58.C
Sicca in tertio ordine & calida in ſecundo Peucedani radix eſt. 8°. de ſimpli.medica.facul. 5ª.58.D
Sicca & calida in ſecūdo ordine Pix ſicca eſt.8°.de ſimp.me.fa.5ª.58.E
Siccū ī tertio,et cal̄m in ſcđo ordīe ē Poliū minꝰ.8°.de ſim.m.f.5ª.59.A
Siccū & cal̄m in ſcđo ordine eſt Polycnemon.8°.de ſim.me.fa. 5ª.59.A
Sicca Pruna qñ īfundunt̄ ī aqua mellis,leniūt vētrē.de diſ.cō. Sp.75.A
Sicca & calida in ſecundo,& tertio ordine Ptarmice eſt. 8°. de ſimpli. medic.facul. 5ª.59.C
Siccus digerens in ſecūdo ordine Rhamnus eſt,& frigidus in primo.8°. de ſimp.med.facul. 5ª.59.E
Sicca in ſcđo ordine,et cal̄a ī tertio Raphanus ē.8°.de ſimp.m.f. 5ª.59.E
Siccæ & calidæ Reſinæ omnes ſunt.8°.de ſimp.me.fac. 5ª.59.F
Sicca ī prīo ordine,et cal̄a ī tertio Rhododaphne ē.8°.đ ſim.m.f.5ª.59.G
Sicca adſtringens Rhus planta eſt.8°.de ſimp.me.fac. 5ª.59.H
Siccum in tertio ordine,& frigidum in ſecundo medicamentum ex fructu,vel ſucco plantæ quæ Rhus dicitur.8°.de ſimp.me.fac. 5ª.59.H
Siccum rhu cum melle ſi mixtum fuerit quod ex ambobus cōficitur quā facultatem habet.3°.de ſimp.me.fac. 5ª.20.A
Sicca & calida in quarto ordine ruta agreſtis ē.8°.de ſim.me.f. 5ª.58.D
Sicca Sauich eſt cibus ſiccus.de diſſ.cont. Sp.74.D
Sicca & calida in ſecundo ordine Sandix eſt aut in tertio incipiente.8°. de ſimp.me.facul. 5ª.60.G
Sicca & calida quomodo ſunt Salſa.de ocul. 7ª.188.C
Siccus et calidus in ſecūdo ordine Solymos eſt.8°.de ſim.me.f. 5ª.60.H
Sicca in ſecūdo ordine cal̄a ī tertio Scorpioides ē.8°.de ſim.m.f.5ª.61.A
Siccum in tertio ordine & calidum in ſecundo Seriphum eſt.8°.de ſimp. medicamen.facul. 5ª.60.C
Siccum in tertio ordine & calidum eſt Siſymbrium quando eſt ſiccum, in ſecundo autem quando viride. 8°.de ſimp.me.fac. 5ª.60.G
Siccū & calidū in tertio ordine Smyrniū eſt.8°.de ſimp.me.fac. 5ª.61.B
Siccum in tertio ordine & frigidum in ſecundo Solanum manicum eſt. 8°.de ſimp.me.fac. 5ª.62.H
Siccus et viridis Sonchꝰ varias habet facultates.8°.de ſi.me.f. 5ª.61.B
Sicca in ſecūdo ordine cal̄a in prīo ē ſpica nardi.8°.de ſim.me.fa.5ª.56.G
Siccum eſt Stercus bubulum.10°.de ſimp.me.fac. 5ª.76.G
Siccū bouis ſtercus ꝑ melācholicis,et qūo.de me.ex G.R.et P.Sp.110.C
Siccum in tertio ordine Stœbe eſt.8°.de ſimp.me.fac. 5ª.61.D
Siccū & cal̄m in quarto ordine Struthion eſt.8°.de ſimp.me.fa. 5ª.61.D
Siccū et cal̄m in ſecundo ordine Telephiū eſt.8°.de ſimp.me.fac. 5ª.62.C
Siccus & calidꝰ ī ſecūdo ordine Terebinthus ē.8°.de ſim.me.f.5ª.62.A
Siccum & frigidū extreme corpus eſt Terra.9°.de ſimp.me.f. 5ª.64.G
Sicca eſt citra morſum cimolia terra.9°.de ſimp.me.fac. 5ª.66.E
Siccum in tertio ordine & calidum in ſecundo eſt Teucrium.8°.de ſimp. medica.facul. 5ª.62.B
Siccū in primo ordine eſt Thus,calidū in ſecūdo.7°.de ſim.me.f.5ª.54.D
Siccus in ſecundo ordine thuris cortex eſt.7°.de ſimpl.me.fac. 5ª.54.D
Siccus & calidꝰ ī tertio ordine ē thuris ramus.7°.de ſim.me.f. 5ª.54.E
Siccus multum & parū frigidus eſt Tribolus.8°.de ſimp.me.fa.5ª.62.F
SICCA ſimplicia ceræ mixta in mortario contundantur bene. 4°. de comp.me.per gen. 5ª.244.H
ad Sicca liquenda quæ oleoſa valeant.7°.de cōp.me.per gen. 5ª.264.B
Siccū medicamētū quod natura dicat̄.4°.de cōp.me.per gen. 5ª.240.F
Sicca potētia quæ medicamēta dicantur.2°.de arte cur.ad Gl. 7ª.106.F
Sicca Andromachi medicamenta quæ.4°.de cōp.me.per gen. 5ª.242.C
Siccum medicamentū fit ex charta.2°.de comp.me.per gen. 5ª.221.H
Sicca,& calida ſunt digerentia per halitum.14°.met.me. 7ª.89.A
Sicca & calida emollientia.5°.de ſimp.med.fac. 5ª.34.F
Siccum & temperatum in actiuis medicamentum neruorum eſt. 3°. de comp.med.per gene. 5ª.228.C
Sicca magis exhibenda ſunt duris corporibus.2°.de compoſitio. medicamentorum per gene. 5ª.220.D
Sicca multum vulnera glutinantia.7°.de ſimp.med.fac. 5ª.56.D
Sicca minus flatum generant.7°.de ſimp.me.fac. 5ª.53.D
Sicca,frigida,& amara ſunt danda,ſi culpa ſanguinis fuerit ægritudo. de dynamidijs. Sp.19.F
Sicca,& calida Venerem cohibent.8°.de ſimp.me.fac. 5ª.57.F
a Siccis,& calidis laſſitudo non ſoluitur.2°.de ſimp.me.fac. 5ª.16.D
Sicco indiget vlcus humidum.3°.met.me. 7ª.18.B
Sicca pars magis ſiccanda eſt.5°.met.me. 7ª.29.H
Siccis ſolis vtimur in oſſibus capitis,et aliarum partium, pinguia vero pharmaca euitamus.5°.de comp.me.per gen. 5ª.253.D
in SICILIA natus Chryſippus non habebat græcam linguam, & legem græcis de nominibus dare voluit.2°.de diff.pul. 4ª.58.G
SICLIVM .i.ſicilicus eſt vnciæ dimidium.de pon.& menſ. 5ª.276.H

SICLA *eſt cibus ſalſus diſſoluens, ac attenuans. de diſ.cont.* Sp.72.F
Sicla cur eſt mala ſtomacho.de diſſ.cont. Sp.74.E
Sicla cur parum nutrit.de diſſ.cont. Sp.73.G
Sicla lenit ventrem.de diſſ.cont. Sp.75.A
Sicla aperit oppilationem hepatis.de diſſ.cont. Sp.74.G
Siclum ad abolendum colorem è facie icterici de cura icteri. Sp.111.F
Siclum vrinam mouet.de cura icteri. Sp.111.D
SICVLA *in ſcripta colica.9°.de comp.me.ſec.loc.* 5ª.202.G
SICYONIVM *oleum prouocat ſudorem.de cathar.* Sp.95.D
Sicyonium oleum digerens in puncturis neruorum conuenit.3°.de compoſi.med.per gene. 5ª.235.A
*cũ Sycionio oleo abrotonũ ad alopecias cõuenit.6°.de ſim.m.f.*5ª.40.H
Sicyonium oleum tenue eſt.6°.de ſimp.me.fac. 5ª.46.H
SICYOS *quam facultatem habet.8°.de ſimp.me.fac.* 5ª.60.E
Sicyos agrios ad quid conferat, et quam vim obtineat.8°.de ſimplicium medicamentorum facultatibus. 5ª.60.E
SIDERATIO *quid ſit.de fra.c.2°.235.A/de art.c.4°.* 7ª.284.H
Sideratio quomodo de naribus etiam dicitur.de ar.com.2°. 7ª.267.C
Sideratio carnis.de art.com.4°. 7ª.286.C
Sideratio oſſium.de art.com.3°. 7ª.275.A
Siderationes oſſis fiunt à carne mucoſa.de art.com.3°. 7ª.276.A
Sideratio coſtarum.de art.com.3°. 7ª.275.E
in Sideratione calcis quæ febres fiant.de fract.com.2°. 7ª.235.C
SIDERATI *qui ſint.de vict.rat.in mor.acut.com.1°.* 7ª.114.B
Sideratum os q̃uo dicatur.de art.com.3°.276.C/com.4°. 7ª.292.E
Sideratum femur.de ar.com.3°. 7ª.279.B
SIDERITIS *qualis ſit.8°.de ſimp.me.fac.* 5ª.60.D
Sideritis quam vim habet.6°.de ſimp.me.fac. 5ª.47.C
Sideritis achilleis qualis.8°.de ſimp.me.fac. 5ª.60.D
Sideritis phlegmonem ſedat & glutinat.8°.de ſimp.me.fac. 5ª.60.D
Sideritis achilleis ad ſanguinis eruptiones, dyſenterias, et muliebre profluuium congruit.8°.de ſimp.me.fac. 5ª.60.D
Sideritis herba quomodo proſit capiti dolenti, quando aliqua adeſt fractura.de rem.par.fac. 7ª.154.A
Sideritis terra quæ.9°.de ſimp.me.fac. 5ª.66.D
SIDERARI *quid ſit.de art.com.1°.* 7ª.260.F
Siderentur quomodo oſſa.de fract.com.2°. 7ª.235.A
Sideratur os calcis.de fract.com.2°. 7ª.235.A
SIDIA, *vel malicorium quid.de ſimp.med.* Sp.87.C
Sidia ſunt putamina granatorum.8°.de ſimp.me.fac. 5ª.59.H
Sidia, hoc eſt mali granati putamina adſtringũt dyſenteriam.11°.de ſimplic.med.fac. 5ª.81.E
à Sidere percuſſorum curatio.de reme.par.fac. 7ª.162.C
SIEF *ad ophthalmiam.ſecret.* Sp.97.E
ad SIGILLVM *vt comparatur cera, ita inſtrumentum generationis mulieris ad virum.de ana.viu.* Sp.51.D
SIGILLVM *lemnium.9°.de ſimp.me.fac.* 5ª.65.A
Sigillum Dianæ habebat terra lemnia.9°.de ſimp.me.fac. 5ª.65.A
Sigillum lemnium adſtringens leue eſt.5°.met.me. 7ª.31.G
Sigillum lemnium internis vlceribus opitulatur.4°.met.me. 7ª.28.H
SIGIAE *græce meminit.de dyna.* Sp.31.A
Sigia emollit & in quo gradu ſit.de ocul. 7ª.188.D
*Σιγμωειδεῖς cartilagines quæ, et quare ſic vocatę.7°.de vſu p.*1ª.157.D
Sigmois cartilago vbi ſit.4°.de loc.affe. 4ª.26.D
Σιγμοειδεῖς membranæ intus foras ſpectantes in vena arterioſa quæ pulmonem alit cur appellatæ.6°.de vſu par. 1ª.153.F
SIGNATIVA *medicinæ artis pars.de part.art.med.* Sp.17.G
SIGNIFICATIO *quid ſit apud Hippocratem, & quomodo fiat. de ijs, quæ in med.fi.com.1°.* 7ª.198.H
de Significatione ſudorum.præſag exper.confir. Sp.77.F
SIGNIFICATIVA *quæ ſint apud recentes.de ijs, quæ in med.fi. commentario.1°.* 7ª.197.G
Significatiua medicinæ pars.de part.art.med. Sp.16.F
Significatiuæ partes.de part.art.med. Sp.18.A
SIGNINVM *vinum quale.5°.de ſani.tuenda.90.H/2ª.91.B/1°. de anti.5ª.100.H/12°.met.me.* 7ª.76.D
Signinum vinum in Italia quale.4°.de comp.me.per gene. 5ª.236.D
*Signinum vinũ in Italia plurimo tẽpore inueteraſcit.de vinis.*Sp.77.A
SIGNVM *quid ſit.de hiſt.philo.* Sp.3.C
Signum quod.fin.med.Iſa.46.A/5°.de loc.aff. 4ª.35.C
Signum accipitur pro puncto.de ſeptim.par. 1ª.341.C
Signorum obſeruatio eſt medicinæ pars.intro. Iſa.51.H
Signa propter quid neceſſaria ſint.intro. Iſa.51.H
inter Signa Hippocrates vtitur vocibus cauſarum, & corporum.de victus.rat.in mor.acut.com.3°. 7ª.128.D
Signorum differentiæ.in 1^{m}.pror.com.1°. 4ª.163.E
Signorum diuerſitas.de ren.aff.dig.& med. 7ª.192.G
Signa ſalubria quæ.ars med. Iſa.62.F
Signa inſalubria quæ.ars med. Iſa.62.F
Signa neutra quæ.ars med. Iſa.62.F
Signa prænunciatiua quæ.ars med. Iſa.62.F
*Signa prænunciatiua, & ĩdicatiua in magno vſu ſunt.ars med.*Iſa.62.F
Signa eadem oſtendunt ſanum, neutrum, & ægrum.ars med. Iſa.67.E
Signa quomodo in tuenda ſanitate valent.1°.de ſan.tu. 2ª.68.G
Signa indicant.de vict.rat.in morb.acut.com.3°. 7ª.128.D
à Signo indicium certum τεκμήριον græci dicunt, differt. in prognoſt. commentario.3°. 4ª.212.C
Signum & indicium q̃uo accipiantur.in progno.Hipp.com.3°. 4ª.212.C
Signum de quibus dicatur, de quibus tamen non dicitur indicium.in progno.Hipp.commen.3°. 4ª.212.D/F
Signa ſimul, & indicia quæ.in prog.Hipp.com.3°. 4ª.212.F
Signum indicatiuum quod.fin.med. Iſa.46.B
à Signo nullo fideliter indicantur tempora.1°.de criſi. 4ª.130.G
*Signũ vnũ forte q̃nq; multis debilibꝰ fidelius exiſtit.1°.de criſ.*4ª.130.G
Signa eiuſdem ſpeciei quæ.in 1^{m}.pror.com.1°. 4ª.161.G
Signorũ diuerſarũ ſpẽrum cõmiſtio inutilis eſt.in 1^{m}.pr.c.1°. 4ª.161.H
Signa quibus medicus fidere non debet, quæ à Galeno dicuntur infida. com.2°.aph.27°. Ex.16.C
Signorum genus quod nec decretorium eſt, neq; fidum, neq; infidum.1°. de criſibus. 4ª.131.D
*Signa aſſidentia quæ.in 3^{m}.de morb.vulga.commẽ.3°.*3ª.143.H/*com.1°. aphoriſmo.12°.* Ex.6.F
Signa paſſionis quæ.com.1°.aph.12°. Ex.6.F
Signa patognomonica quæ.in 1^{m}.pror.com.1°. 4ª.163.D
Signis patognomonicis remotis an affectus poſſit ſeruare ſpeciem ſuam. in 3^{m}.de morb.vulg.com.3°. 3ª.143.H
Signum ſuggerens memoriæ quod ſ̃m empiricos.fin.med. Iſa.46.B
Signa p̃ſentia præſentium ſunt affectuũ indicatiua oĩa.fin.me. Iſa.46.B
Signa præſentia præteritorum quæ fin.med. Iſa.46.B
Signa præſentia futurorum quæ.fin.med. Iſa.46.B
Signa ſuperuenientia præſentium quæ.fin.med. Iſa.46.B
Signa præterita præteritorum quæ.fin.med. Iſa.46.B
Signa præterita præſentium quæ.fin.med. Iſa.46.B
Signa mox apparentia quæ.com.1°.aph.12°. Ex.6.G
Signa auxiliaria quæ fin.med. Iſa.46.B
Signa & caſus idem.com.1°.aph.12°. Ex.5.G
vt Signũ & vt cauſa ſymptoma quod prauũ.in 1^{m}.pror.cõ.3°. 4ª.183.B
Signum & ſymptoma eſt rigor.2°.de ſymp.cau. 3ª.22.E
Signa decretoria ſunt in genere accidentium.in prog.com.3°. 4ª.212.G
*Signa iudicatoria quæ & quot, et ꝙ nõ ſemꝑ bona.c.1°.aph.12°.*Ex.6.D
Signorum triplex genus.1°.de criſi. 4ª.131.A
Signa triplicia in quibus cognoſci debeant.1°.de criſ. 4ª.131.B
Signum aliquod modo eſt criticum, modo prauum.1°.de criſ. 4ª.131.B
Signa decretoria nunq̃ male apparent.1°.de criſi. 4ª.128.D
Signa indicatiua criſis non ſtatim apparent in primo morbi tempore.1°. de criſi. 4ª.128.E
Signa decretoria in ſtatibus apparent.1°.de criſ. 4ª.128.D
Signa ſanitatis dies ſunt iudicatorij.1°.de die.decr. 4ª.147.C
Signa iudicatoria duplicẽ præcognitionẽ faciũt.cõ.1°.aph.12. Ex.6.D
de Signis quæ ſæpe conſideranda.1°.de criſi. 4ª.130.H
Signa diagnoſtica, & prognoſtica quæ.de ſubfi.empi. Iſa.32.D
Signa libri prognoſticorum vera ſunt in Libya, in Delo, & in Scythia. in progn.Hipp.com.3°. 4ª.212.G
Signa multa in numero impari potius q̃ pari fiunt.de vict.rat.in morbis acutis, com.4°. 7ª.142.D
abſq; Signis ſolutorijs nõ ſanat̃ morbus magnus.1°.de di.dec. 4ª.145.C
Signa morborum.com.1°.aph.12°. Ex.5.D
Signum morbi epidemici.de nat.hu.com.2°. 7ª.182.C
Signum ꝙ morbus ſit ab aere.de nat.hu.com.2°. 7ª.182.C
Signa morborum ex plenitudine quæ.intro. Iſa.55.D
Signa morborum ex indigentia quæ.intro. Iſa.55.D
Signa bona in morbis, et mala q̃uo ſint ĩtelligẽda.c.2°.aph.35°. Ex.17.E
Signa bona in quouis morbo quæ.com.2°.aph.33°. Ex.17.B
Signa omnia ſalutis habentis ægri, exemplum.3°.de criſi. 4ª.140.D

de Signis ſalutaribus, qui Hippocratis loquendi modus:in prognoſtica commentario.2°. 4ª.205.D
Signum nullum affecti loci in quibus morbus non ſit.3°,de lo. af.4ª.16.B
Signa Colliquefactionis in vrina quæ.de vrinæ ſign.ex Hipp. Sp.78.G
Signa Coctionis ſemper bona ſunt.com.1°.aph.12°. Ex.5.H
Signa coctionis nunq̃ male apparent.1°.de criſi. 4ª.128.D
Signa inter debilis & pfectæ coctionis indicia,quæ.1°.de criſi. 4ª.132.C
Signa cruditatis longum morbum ſignificant,com.1°.aph.12°. Ex.5.H
Signa cruditatis in principio.com.1°.aph.12°. Ex.5.F
Signa digeſtionis nunq̃ in principio apparent,ſed in augmento vniuerſali.com.1°.aph.12°. Ex.5.C
de Signis Febris librum ſcripſit Archigenes.3°.de diff.pulſ. 4ª.64.A
Signa febricitantium ſecundum varia tempora,quæ.intro. Iſa.55.D
Signa febris futuræ.præſ.exper.conſ. Sp.77.E
Signa futurorũ nõ parua,ex pulſu dep̄hendunt.4°.de dif.pul. 4ª.67.A
Signa non bona imminere ſignificat vrina nigra cum ſudore in ſynocha. de dynamidijs. Sp.34.D
Signum non bonum eſt vrina alba ſpumoſa,& nebuloſa.de dy. Sp.34.D
Signum non bonum in ſynocha eſt vrina lactea ſi in initio ægritudinis iuuenibus euenerit.de dyna. Sp.34.D
Signum non bonum ſignificat in ſynocha vrina ſine nebula turbulenta. de dynamidijs. Sp.34.E
Signa mortẽ ſignificãtia cito oñdũt q̃d fieri debeat.c.1°.aph.12°. Ex.5.H
Signa aliqua ſunt vtroq; modo parua,tum quia ſigna,tum quia cauſæ.in progno.commen.2°. 4ª.202.G
Signa mortifera,ſi per cutem vapor calidus exeat, cum prius per expirationem anhelitus fuerit redditus frigidus. in 6m. de mor. vulgari. commentario.4°. 3ª.187.C
Signum peſſimum eſt,ſi nares vnguibus reſciſſæ ſanguinem nõ effundũt. in 6m.de morb.vulg.com.6°. 3ª.197.B
Signum mortis in cephalea.de dyna. Sp.23.C
Signa letalis epilepſiæ.de dyna. Sp.23.H
Signa letalia hemicraniæ.de dyna. Sp.23.G
Signa Hepaticorum.de dyna. Sp.27.D
Signa flatus hypochondriaci.de mel.ex Gal.Ru.& Poſſ. Sp.109.B
Signa communia melancholiæ.de mel.ex Gal.Ru.& Poſſ. Sp.109.D
Signa letalis ſciatomiæ.de dyna. Sp.23.H
Signa letalia in ſplenetica paſſione.de dyna. Sp.27.D
Signa ſtomachi inflammationis.introd. Iſa.57.C
Signa exulcerationis ſtomachi.introd. Iſa.57.C
Signum maniæ eſt calor cordis ſuperexcellens.de anato.vi. Sp.53.A
Signum audaciæ eſt calor excellens cor... ana.vi. Sp.53.A
Signa ventoſitatis matricis.de paſſ.mul. Sp.96.A
Signa matricis plenæ humoribus.de paſſ.mul. Sp.96.B
Signa hydropicæ matricis.de paſſ.mul. Sp.96.A
Signa cancri matricis.de paſſ.mul. Sp.96.A
Signa arenalis mictus.de dyna. Sp.28.H
Signa mingentis furfures.de dyna. Sp.29.A
Signa lapidem maiorem habentis in veſica.de dyna. Sp.29.A
Signa inflammationis veſicæ quæ.intro. Iſa.57.A
Signa exulcerationis veſicæ quæ.intro. Iſa.57.B
Signa languoris veſicæ quæ.intro. Iſa.57.B
SIGNORVM duodecim qualitates.de ſperm. Sp.38.H
de Signorum alteratione.de ſperm. Sp.39.D
à Signis,& planetis elementa reguntur.de ſperm. Sp.40.B
in Signis & planetis & quatuor elementorũ nexibus iũcta eſt,& ligata,teſte Hippocrate ſubſtantia oĩs corporea aĩata.de ſperm. Sp.38.G
SIGONIS colica.9°.de comp.me.ſec.loc. 5ª.202.F
SILENTIVM ſimile quid eſt in auditu, vt in viſu tenebra.1°. de ſymp.cauſ. 3ª.17.C
Silentium an vocis cõtrarium vel priuatio in quæſtionem venit.1°. de ymptomatum cauſis. 3ª.17.C
SILENI caſus febris ardentis.in 1m.de morb.vulg.com.3°. 3ª.121.E
in SILICE ignis eſt,quãuis non vrat.an animal ſit. 1ª.327.D
Silices coquit in lacte.8°.de comp.me.ſec.loc. 5ª.192.B
SILIGINEVS panis puriſſimus eſt.1°.de alim.fac. 2ª.9.G
Σιλιγνίτης panis puriſſimus.i.ſiligineus.1°.de alim.fac. 2ª.9.G
SILIGOTRITICI ventrem ſtringit,& ardorem, & corruptionem de ſimp.med. Sp.90.A
Siligo pro amylo.7°.de comp.me.ſec.loc. 5ª.177.H
SILIQVA quid ſit,& quorum.1°.de alim.fac. 2ª.14.H
Siliquæ dulces ceratia dictæ.de rem.par.fac. 7ª.159.H
Siliquæ quæ ſemina continent, vbi exaruerint, ſunt inutiles hominibus. 2°.de alimentorum facultatibus. 2ª.16.C
Siliqua ſola lobi eſt eſculenta.2°.de alim.fac. 2ª.16.C
Siliqua tot° dolichi fructus appellaĩ,& qua de cã.1°.de ali.fa.2ª.15.A
Siliquæ hñt eandem facultatem cum dolichis.1°.de alim.fac. 2ª.15.B
Siliquarum decoctum adſtringens moderatum pro gargariſmis. 6°.de comp.me.ſec.loc. 5ª.172.F
SILIQVA nomen ponderis.de pond.& menſ. 5ª.276.D
Siliqua & chalcus idem.de pond.& menſu. 5ª.277.B
Siliqua habet atticos æreos duos, & duas tertias partes alterius ærei. de pond. & menſuris. 5ª.276.A/D
Siliquæ meminit.1°.de comp.me.per gen. 5ª.215.F
Siliquæ,& ſiliquæ magnæ.9°.de comp.me.ſec.loc. 5ª.203.A
SILIQVATA apud Theophraſtum elloba quæ vocentur.2°.de alimẽtorum facultatibus. 1ª.16.C
Silo quod commendaret emplaſtrum.6°.de comp.me.per ge. 5ª.261.C
SILPHIVM quid.de ſimp.med. Sp.90.D
Silphij ſuccus acer eſt.in 6m.de morb.vulg.com.5°. 3ª.192.G
Silphiũ calidiſſimũ medicamentũ eſt. 10°.de comp.me.ſec.lo. 5ª.207.C
Silphij liquor calidiſſimus eſt.8°.de ſimp.me.fac. 5ª.60.F
Silphium habet magnam incidendi facultatem, vbi commaturuerit. de atten.vic.rat. 2ª.44.A
Silphiũ fortem habet facultatẽ.de vict.rat.in mor.acu.c.2°. 7ª.121.C
Silphij radix viroſæ & acriter excalfacit & veſicam lædit, antidotis & purgatorijs admiſcetur,& ſale condita ſuauiter facit. de ſimplicibus medicaminibus. Sp.90.C
Silphium manditur vt cibus.de atten.vic. 2ª.44.A
Silphium ventriculum offendit.de vict.rat.in morb.acut.c.2°.7ª.121.B
Silphium ad quid valeat.de cura icteri. Sp.111.B
Silphium ad aurium dolores valet.11°.de ſimp.me .fac. 5ª.82.G
ex Silphio malagma Iſchiadicis valde commodum.10°. de compo. me. ſecundum locos. 5ª.208.B
SILVRORVM ſalſorum & mænidum ſalſugine maxime vtebantur antiqui,& ad quæ.11°.de ſimp.me.fac. 5ª.83.H
SIMIAE habent primum locum inter animalia pro diſſectione. 6°. de ana.adm. 1ª.90.D
Simijs ſimilia hñt ſecundũ locũ pro diſſectione.6°.de ana.adm. 1ª.90.D
in Simia anatomiam facere cur Galenus elegerit.de muſc.diſ.46.F/1°. de ana.adm. 1ª.63.G
Simiæ quæ eligendæ pro anatomia.1°.de ana.adm. 1ª.63.H
in Simijs diſces hominum anatomen.3°.de comp.me.per gen. 5ª.231.F
in Simia exerceri iubet Galenus.3°.de ana.adm.1ª.77.A/3°.de comp. med.per genera. 5ª.232.A
in Simia exercet anatomiam Galenus.5°.de ana.adm. 1ª.87.B
in Simijs exercitati.6°.de ana.adm. 1ª.90.F
in Simijs exercitati prompte ſingulas partes deteget in ſectione humani corporis.3°.de ana.adm. 1ª.77.B
Simiam diſſecuit Galenus.de ar.com.3°. 7ª.279.H
Simia quando non adeſt, alia animalia accipienda ſunt pro anatomen. 1°.de ana.adm. 1ª.64.B
Simiarũ,et aliorum aĩalium anatomẽ fecit Galenus.5°.de lo.af. 4ª.33.E
Simijs pro hominibus vtitur.de art.com.3°. 7ª.268.F
Simiæ figura propinqua homini ſunt accipiendæ pro anatomia facienda. 1°.de ana.adm.63.G/6°. 1ª.89.A
Simiæ figura propinqua homini quæ ſint.1°.de ana.adminiſt. 63. G/11°. de vſu partium. 1ª.184.G
Simias cynocephalas laudat p anatomia.de motu ma.& obſ. Sp.70.E
Simia in oĩbus ſilis hoĩ eſt,qa,et oſſa ſunt ſimilia.1°.de ana.adm.1ª.63.E
Simijs cum hominibus exacta eſt ſimilitudo.de ven.art.diſſ. 1ª.57.G
in Simijs videntur omnia quæ in homine.de ven.art.diſſ. 1ª.56.F
Simia homini ſimilis eſt extrinſece.de ana.parua. Sp.42.G
Simia binis cruribus incedit.1°.de ana.adm. 1ª.63.E/G
Simia incedit manibus,& pedibus.15°.de vſu par. 1ª.213.D
Simia vtitur prioribus artubus pro manibus.1°.de ana.adm. 1ª.63.E
Simia quomodo vtatur cruribus.3°.de vſu par. 1ª.135.F
Simia cur apprehendat manibus.15°.de vſu par. 1ª.213.D
Simiæ manum ſæpe diligenterq́, incidi debere conſulit Galenus, & quare.3°.de ana.adm. 1ª.78.A
Simiarum,& hominis differentia quæ.1°.de anato.adm. 1ª.63.G/H
Simiæ in quo diuerſæ.de ven.ar.diſſ. 1ª.55.H
in Simia tota manus non eſt penitus ſimilis ei,quæ ĩ homine.15°. de vſu partium. 1ª.213.D

Simiæ pedis

Simiæ pedis & humani differentia.2°.de ana.adm. 1ª.72.A
Simiæ pes cur multum differt ab humano.3°.de vſu par. 1ª.130.H
Simiæ pedum digiti cur diducti.15°.de vſu par. 1ª.213.D
Simia non poteſt bene ſedere,ſtare,& currere.3°.de vſu par. 1ª.130.H
Simia currens à longe,ſimilis homini videbitur.6°.de ana.ad. 1ª.89.D
Simia cur velociſſime manibus apprehendit.3°.de vſu par. 1ª.130.H
Simia cur ſublimia conſcendat.2°.de ana.adm. 1ª.72.A
Simia cur vt mures,aſcendit.3°.de vſu par. 1ª.131.A
Simia cur ambulet,vt infantes faciunt.15°.de vſu par. 1ª.213.D
Simiæ articulus coxæ ex prope conſimilis articulo hominis. 15°. de vſu partium. 1ª.213.D
Simia eſt ridicula hominis ſimulatio.4°. de ana. adm. 79. F.11°. de vſu par.185.A/15°. 1ª.213.D
Simia cur ridicula hoîs imitatio in pleriſq; eſt.13°.de vſu par. 1ª.202.H
Simiæ natura dedit corpus ridiculum, vt anima eſt ridicula. 1°. de vſu partium. 1ª.120.A
Simia humanos omnes actus imitari ſatagit.1°.de vſu par. 1ª.120.B
Simia ſpectaculum eſt odioſum.8°.de ana.adm. 1ª.102.E
Simia apud pueros pulchra eſt.1°.de vſu par. 1ª.20.A
Simia quomodo formoſa.de bona hab. 1ª.39.C
de Simia ſectio.1°.de ana.adm.166.B/2°. 1ª.169.H
Simiæ ſectio qualis fieri debet.4°.de ana.adm. 1ª.80.B
Simiam ſecuit Galenus.de ven.art.diſſ. 1ª.55.F
de Simia inciſa meminit Galenus.de ner.diſſ. 1ª.54.A
Simia debet in aqua ſuffocari in qua fieri debet ſectio & excoriari. de muſc.diſſ.44.D/1°.de ana.adm. 1ª.64.G
Simias ſuffocat Galenus in aqua,ne aliquod colli inſtrumentum offendatur.4°.de ana.adm. 1ª.80.B
Simiam ſecandi ordo.1°.de ana.adm. 1ª.64.G
Simiam excoriare cuilibet non eſt concedendum ne muſculos lacerent. de muſc.diſſ. 1ª.44.D
in Simia et hoîe oſſiũ natura primo ſpectãda eſt.1°.de ana.ad. 1ª.64.B
Simiarum oſſa pro humanis oſtendit Galenus.de art.com.2°. 7ª.262.H
Simia excepto homine,ex omni animantium genere breuiſſimam habet maxillã pro corporis portione,deinde lynces, et Satyri ita ſe habẽt, poſtea & cynocephali,gradiuntur hæc omnia binis innixa pedibus. 4°.de anat.adm. 1ª.80.G
Simiæ habent genam inferiorem minimam.11°.de vſu par. 1ª.185.A
in Simijs oîbus nõ eſt euidens maxillæ cõmiſſura.4°.de anat.ad.1ª.81.F
Simiæ homini ſimillimæ ſunt in collo.de ner.diſſ. 1ª.54.E
Simiæ differentia & aliorum animalium, quæ longiora colla obtinent. 4°.de ana.adm. 1ª.80.F
in Simijs reſpicit rectitudinem ceruicis.de ar.com.3°. 7ª.273.B
in Simijs os paruũ ſcapulæ eſt,nõ cartilaginoſum.13°.de vſu p.1ª.203.A
Simiæ collum ex ſeptem ſpondylis eſt.13°.de vſu par. 1ª.201.A
Simiæ habent vertebras paruas.de ner.diſſ. 1ª.54.E
in Simijs lumbus longior eſt q̃ in alijs aîalibus.de art.com.3°.7ª.273.B
Simia pectus maius alijs aîalibus hẽt,excepto hoîe.ꝺ art.c.3°.7ª.272.C
in Simia nõ ſunt videndi oculi,ſed in maioribus animalibus.4°. de anatomicis adminiſtrationibus. 1ª.81.H
Simiæ linguam diſſecuit Galenus pelops bubulam.de muſc.diſſ. 1ª.46.B
Simia eſt inter animalia parua voce prædita.de voce inſtr.diſſe.107.A/7°.de vſu par. 1ª.160.D
in Simia muſculorum diſſectionem exercet.de muſc.diſſ. 1ª.44.D
Simia habet muſculos tẽporales debiles & exiles.11°.de vſu p. 1ª.184.F
Simiæ hominibus ſimiles,habent muſculos temporales hominibus ſimiles,diſſimiles vero,diſſimiles.11°.de vſu par. 1ª.184.G
in Simijs et hoîbus muſculus tẽpalis exiguus eſt.16°.de vſu p.1ª.217.A
in Simijs & hominibus aurium ſubſtantia ferè immobilis eſt. 16°. de vſu partium. 1ª.217.A
Simiæ hñt in cubito alios muſculos q̃ alia animalia.de muſc.diſſ.1ª.48.B
Simiæ muſculi mouentes articulationem coxæ cur multum deſcendunt. 15°.de vſu par. 1ª.213.D
in Simiarum diſſectione octo muſculi ignorabantur ab antiquis. 1°. de anatomicis adminiſtrationibus. 1ª.64.E
Simiarum anatomia in quibus muſculis fecerit errare.de motibus manifeſtis & obſcuris. Sp.70.E
in Simia,ablata membrana,non videntur venæ vel nerui ob tenuitatẽ. 3°.de anat.adm. 1ª.74.D
Simiæ multo ſanguine abundantis venæ cuti ſubiacentes omnibus apparent.3°.de ana.adm. 1ª.74.D
in Simijs vena quomodo ſit.de ven.art.diſſ. 1ª.56.C
in Simijs omnibus partim cõmune quidã nactæ ſunt venæ, quæ ad teſtes deferunt,partim in ſingulis proprium.de ven.art.diſſ. 1ª.58.C
in Simia nerui duo,qui in ſue tres.8°.de ana.adm. 1ª.102.F
in Simia digitus magnus mutilus eſt.4°.de ana.admi. 1ª.79.F
Simia non habet pollicem niſi vanũ & ridiculũ.1°.de vſu par. 1ª.120.A
Simia ſola & homo tentantur hernia.6°.de ana.adm. 1ª.91.D
Simiæ exemplum.de ven.art.diſſ. 1ª.57.E
Simiæ caſus quæ quotidie emaciabatur ob tumorem in tunica cordis.5°. de locis affectis. 4ª.29.D
de Simia meminit.3°.de ana.adm.74.H/ 1ª.77.A
SIMILAE *panis multum nutrit.de diſſ.cont.* Sp.73.F
Similæ panis bñ paratus ex arte ẽ boni ſucci,ac ſubtilis.de diſ.Sp.73.G
Simile panis bene paratus,& ex arte coctus,generat chymum bonum, & craſſum.de diſſol.cont. Sp.74.A
Simila eſt craſſi ſucci,& boni,et humorum acrimoniã infrenat.de vict. rat.in morb.acut.com.4°. 7ª.149.D
Simila daẽ ad tormina ſine febre.de vict.rat.in mor.ac.c.4°. 7ª.149.C
SIMILACEVS *panis* σεμιδαλίτης *dicitur.1°.de ali.fac.* 2ª.9.G
SIMILAGO *multum alit.de atten.vic.* 2ª.44.F
Similago cibus eſt craſſi ſucci.3°.de alim.fac. 2ª.28.B
Similago cibus eſt hyemis.de nat.hu.com.1°. 1ª.32.F
Similago nihil detergit.1°.de alim.fac. 2ª.13.H
ex Similagine & lacte placenta,aut vbi lagani, vel rhematis quicquã admiſtum,eſt cibus craſſus,& qui meatus Iecoris infarciat.de bonitate & vitio ſuccorum. 2ª.35.D
ex Similagine,& butyro placentæ ſunt peſſimi cibi,niſi mel recipiant. 5°.de ſanitate tuenda. 2ª.91.E
ex Similagine itria qualia.1°.de alim.fac. 2ª.10.E
Similagine,& carnibus concuſſis inteſtina implebant coqui.de fracturis,commenta.3°. 7ª.245.H
SIMILARIA *vocat Ariſtoteles,quæ Plato vocat primogenita.ꝗ animi morb.* 1ª.317.G
Similares res quo modo eſſe dicantur.1°.de loc.affe. 4ª.4.D
Similares partes quæ.8°.de dec.Hipp. 1ª.275.B
Similaria membra quæ.de nat.hum.com.1°. 1ª.26.C
Similares partes quæ ſint.de inæqu.intẽp.3ª.43.D/1°.met.me. 7ª.6.D
Similares partes primæ,& ſimpliciſſimæ quantum ad ſenſum, quæ.1°. de elementis. 1ª.6.E
Similares partes quæ vocantur,ſunt propriæ & minime particulæ hominis.2°.de elementis. 1ª.8.F
in Similaribus eſt prima compoſitio.de diff.morb. 3ª.2.F
Similares partes ſunt per [illegible] diſcendæ.1°.de nat.fac. 1ª.291.F
Similare membrum primum,eſt os.de ana.viuo. Sp.43.G
Similare membrum ſecundum,eſt chartilago.de ana.viu. Sp.43.G
Similarium corporum tria genera in animalibus ſunt quæ exanguia, & ſinu carentia videntur.in 6m.de mor.vul.com.1°. 3ª.153.A
Similarium membrorum materia,quæ.de ana.viu. Sp.44.F
Similariũ partiũ ſubſtãtia nulla ferè inuenitur.4°.de ſim.m.f. 5ª.24.H
Similares partes ex humoribus factæ ſunt.1°.de elem. 1ª.7.E
Similaria ex tumoribus & meatibus conſtructa eſſe volentes,falſa ſupponunt.de cauſ.morb. 3ª.9.B
in Similaribus partibus q̃ qualitates d'riam faciãt.3°.ꝺ ſim.m. 5ª.20.G
in Similaribus ſolis partibus quod differt,non eſt ſpecies.6°.de decretis Hippocratis. 1ª.261.C
ex Similaribus partibus fit inſtrumentum primum, ac ſimpliciſſimum efficitur.1°.de elemen. 1ª.7.F
Similaris corporis forma anima eſt.quòd animi mores. 1ª.318.G
à Similaribus corporibus perueniunt actiones.2°.met.me. 7ª.13.D
in Similaribus functionum cauſæ quæ 1°.de ſan.tu. 2ª.64.D
Similaribus vſum præſtant inſtrumenta.2°.met.me. 7ª.13.D
à Similaribus corpibus actiões primę pueniũt.de cu.ra.p.ſ.m.6ª.16.E
Similarium partium ſanitas in quo conſiſtit.1°.de ſan.tu. 2ª.62.D
in Similaribus ſanitas in quibus conſiſtat.3°.met.me. 7ª.17.G
Similares partes quando habent ſuum robur.de diff.mor. 3ª.2.G
ex Similaribus indicatio quæ ſit.12°.met.me. 7ª.82.E
in ſimilaribus,& in inſtrarijs ſunt diuerſi morbi.2°.met.me. 7ª.12.G
Similarium partium morbi quo modo cõſiderentur.de diff.morb.3ª.2.F
in Similaribus partibus duæ ægritudines reperiuntur,& quæ.3°.de differentijs morborum. 3ª.3.C
in Similaribus morbus primus fit ex intemperie quatuor qualitatum. 2°.methodi medendi. 7ª.12.F
in Similaribus ſunt intemperantiæ.2°.met.me.13.D/9°. 7ª.61.B

Similaris partis intēperies quorũ ſymptomatũ ſit cã.de ſym.ca.3ª.13.D
Similariũ, & inſtrumentalium ſymptoma quod.3°.de ſym.cau. 3ª.25.B
Similarium intemperies paruæ, paruam noxam actioni afferunt.1°.de ſymptoma.cauſ. 3ª.15.B
Similares partes ſiccatas difficilius eſt humectare, quàm humectatas ſiccare.1°.de ſymp.cau. 3ª.14.G
Similariũ partiũ morbi sũt vulneratio, ruptio, & eroſio.de ſym. 3ª.13.E
Similarium partium ægritudines nunq̃ poſſunt curari, niſi fuerit primorum elementorum animaduerſio adiuncta.de diff.morb. 3ª.3.H
Similaria corpora non poſſunt curari, niſi cognoſcas, an ſint ſimplicia, vel compoſita.de nat.hum.com.1°. 1ª.26.C
Similaribus, & inſtrarijs cõis eſt vnitatis ſolutio.2°.met.me. 7ª.13.D
SIMILATIO cibi fit ſpatio temporis.in progno.com.1°. 4ª.197.B
SIMILIA quæ apud Græcos.9°.de decr.Hipp. 1ª.281.H
Similiũ, et diſſimiliũ iuẽtores Plato et Hippocrates.9°.de dec.1ª.283.G
de Simili et diſſimili Plato et Hipp.recte tractarũt.9°.ð dec.1ª.281.F
Simile, & idem differunt.3°.de ſimp.me.fac. 5ª.23.E
Simile duobus modis dr̃ ſm aliquos.de ijs, quæ in med.fi.c.1°.7ª.200.C
Similia ſpecie quæ.4°.de ana.adm. 1ª.81.A
Similia genere quæ.4°.de ana.adm. 1ª.81.A
Similia, & diſſimilia primo in medicina ſunt inſpicienda. de ijs, quæ in medic.fi.commen.1°. 7ª.197.F
Similium geminorum exemplum.3°.de comp.me.per gen. 5ª.228.F
Similes duo ab inſuetis non cognoſcuntur, ſed à ſuetis. quare hinc apparet q̃ facile viſa ſæpius cognoſcantur.3°.de ana.adm. 1ª.77.A
Similis cum non eſt infans parentibus.de ſpermate. Sp.38.G
Similis hoĩ eſt ſimia extrinſece, ſus intrinſece.de ana.par. Sp.42.G
Simile erit ſibi quod prorſus æquale eſt.de faſcijs. 7ª.293.E
Simile ad ſibi ſimile natura fertur.2°.de ſemine. 1ª.337.H
Simile ad ſuum ſimile tendit naturaliter.de vtil.reſp. Sp.64.A
Simile eſt congruum, & amicum.de inæqu.intemp. 3ª.44.C
Simile ſimili notum ac familiare.8°.de vſu par. 1ª.167.E
Similia ſimilibus Deus adiungit.de Theria.ad Piſo. 5ª.90.G
Similia ſimilibus natura in nobis adiungit.de theria.ad Piſo. 5ª.90.G
à Similibus etiam quod eſt, conſeruatur.com.3°.aph.18°. Ex.23.G
Similia ſeruantur ſimilibus.3°.met.me. 7ª.21.D
Similibus ſeruatur quod temperatum eſt ſecundum naturam.3°. de alimen.fac.2ª.33.D/8°.met.me. 7ª.54.G
Similibus res ſeruatur.1°.de ſan.tu.2ª.65.B/3°.met.me. 7ª.18.B
à Sil̃ibus augẽt qdq;, ac nutriũt.de inæq.3ª.44.C/cõ.1°.aph.16°.Ex.8.H
Simile fit omne nutrimẽtũ ei, cuius eſt nutrimẽtũ.de vtil.reſp. Sp.63.H
Similium adunatio quomodo fiat in nutrimento.de vtil.reſp. Sp.64.A
Similia aggregat calor.de vtil.reſp. Sp.64.A
Similia ſubſtantia facile inter ſe mutantur.3°.de nat.fac. 1ª.308.C
Similia poſſunt efficere ſimilia.10°.de ſimp.me.fac. 5ª.72.G
Similia corpa nõ accipiũt mutationẽ à ſeipſis.2°.de ſimp.me.fa. 5ª.15.G
Similes naturæ, & ætates, et tempora ad ſimilia male ſe habẽt, præterq̃ ſi ætas tẽperata & victui, & regioni, & loco temperato cõparetur, hoc.n.ſolo mõ ſimiles à ſimilibus bñ afficiuntur.c.3°.ap.3°. Ex.20.B
Similia faciũt morbos, ſanãt diſſimilia ſm Dioclẽ.c.2°.ap.34°. Ex.17.C
Similes morbi fiunt naturis ſimilibus.com.2°.aph.39°. Ex.17.H
Similium indicatio ſumitur ſemper à conſuetudine, quòad ægrotent homines.8°.meth.med. 7ª.55.B
ꝑ Similia fit indicatio præſidiorum à tota natura, & à partibus. 4°. de comp.me.per gen. 5ª.240.G
Similium exhibitionem indicat cuſtodia.11°.met.me. 7ª.69.E
ad Simile trãſitione vtuntur empirici.2°.de comp.me.ſec.loc.5ª.134.E
ad Simile tranſitus quot modis fiat ſm Empiricos.de opt.ſect.Iſa.23.G
Similia gñe cur in cõpõnibus miſceant empirici.3°.de cõp.me.5ª.230.G
à Simili, & à contrario purgatio quomodo fiat.de cathar. Sp.94.D
Similia pulſus ſunt ſpaſmus, ſaltus, tremor.comp.pulſ. Sp 65.B
SIMILITVDO quid.9°.de decr.Hipp. 1ª.283.G
Similitudines, & diſſimilitudines enunciatorũ in exercitatis, & impræmeditatis errorem exhibent.9°.de decr.Hipp. 1ª.286.C
Similitudo et æqualitas ꝑpetua parit ſegniciem.de ae.aqu.& lo.2ª.6.C
Similitudines ĩ philoſophis difficultatẽ pariũt.de cu.aĩ pec.not. 2ª.56.F
Similitudines in rationibus quos decipiunt.de cui.an. pecc.not.2ª.56.F
ex Similitudinibus fiunt errores.9°.de decr.Hipp. 1ª.279.H
in Similitudinibus rerũ diſcernendis hõ exercẽdus.9°.de dec.1ª.280.B
Similitudines qui exacte noſcunt.de cu.ani.pec.not.atq; med. 2ª.57.D
Similitudines bonos etiam medicos in errores ducunt.de cui. animi pec. not.atq;.med.2ª.56.F/com.4°.aph.2°. Ex.27.E
Similitudo filiorum parentibus vnde.de hiſt.philo. Sp.10.G
Similitudo natorum ex ſpecie totius ſubſtantiæ magis prouenit à matre, q̃ à patre.de ſemine. 1ª.338.D
Similitudo cur qñq; ad matrẽ, qñq; ad patrẽ ſpectet.2°.de ſem. 1ª.337.B
qũo Similitudinẽ facit diſſimilitudo.in 6^{m}.de mor.vul.cõ.3°. 3ª.174.G
SIMITAS in quibus proprie, & per translationem.de ijs, quæ in medicatrina fiunt.com.2°. 7ª.205.H
Simitas quæ, & quo modo fiat.in 6^{m}.de morb.vulg.com.1°. 3ª.154.G
Simitas in naſo quæ.de ijs, quæ in med.fi.com.2°. 7ª.205.H
SIMONIS caſus.in 6^{m}.de mor.vul.com.2°. 3ª.165.F
Simoni cur puſtulæ latæ ſint factæ.in 6^{m}.de mor.vul.com.2°. 3ª.165.F
SIMPLEX primum, & elementum ſunt idem.3°.met.me. 7ª.22.F
Simplex quid ſignificet.in progn.com.3°. 4ª.207.A
Simplicibus compoſita ſemper poſteriora ſunt.1°.de diff.reſp. 3ª.56.H
Simplex omne prius compoſito eſt.4°.de ſan.tu. 2ª.86.B
Simplex prius eſt quã compoſitũ.de ijs, quæ in med.fi.com.1°. 7ª.203.E
Simplicia conſtant ex primis elementis.de diff.mor. 3ª.2.F
Simplex pure, nullum corpus eſt.9°.de ſimp.me.fac. 5ª.66.C
Simplex corpus neq; intenditur, neq; minuitur.de diff.morb. 3ª.2.D
Simplices partes quæ.8°.de decr.Hipp. 1ª.275.B
Simplicem & compoſitam particulam iudicat ſenſus.de dif.mor.3ª.3.B
Simplicia vocata membra, cum tñ ſint completa.de ana.viu. Sp.44.G
Simplicia membra quæ.de anato.viu. Sp.43.F
Simplicium membrorum diuerſitas.de anato.viu. Sp.55.G
Simplicium, id eſt cõſimilium membrorum cauſa materialis eſt ſperma, præterq; carnis, & adipis.de ana.viu. Sp.55.G
Simplices partes habent particulas fibroſas, membranoſas, & carnoſas.10°.met.me. 7ª.67.D
Simplices partes quomodo conſiderandæ.5°.met.me. 7ª.29.F
Simplicia inſtrumenta corporalia quæ ſint.de ana.viu. Sp.55.B
Simplex, & inculpatum eſt regula culpati, & non ſimplicis.2°.de ſanitate tuenda. 2ª.69.C
Simplex & inculpatum quid ſit in corporibus.2°.de ſan.tu. 2ª.69.C
Simplex, & inculpatũ quid ſit in generibus vitæ. 2°.de ſan.tu. 2ª.69.C
Simplicis particulæ ægritudines quæ.de diff.mor. 3ª.3.B
Simpliciũ corporũ primæ ægritudines, duplices, et q̃.de dif.mor. 3ª.2.F
in Simpliciũ partiũ numero quæ ægritudines fiãt.de diff.morb. 3ª.4.E
Simplicibus, & compoſitis particulis ſimul nulla egritudo propria eſt. de differentijs morborum. 3ª.4.B
in Simplicibus ſicca intẽperies omniũ peſſima eſt.7°.met.me. 7ª.47.H
SIMPLICIA medicamẽta à græcis hapla dicuntur.de cath. Sp.95.A
Simplicia qũo dicuntur medicamenta.in 6^{m}.de mor.vul.c.5°. 3ª.194.C
Simplicia quæ videntur eſſe medicamenta, compoſita ſunt.3°.de ſimplicium medicamen.fac.19.H/ 5ª.21.D
Simplicia medicamenta cur dicantur, cum ſint compoſita.5°. de ſimplicium medica.facul. 5ª.31.G
Simplicia debet noſcere, qui compoſita facturus eſt.7°. de compoſitione medica.ſecun.loc.177.G/ 5ª.178.C
ſine Simpliciũ notitia, medicamẽtũ cõponi nõ põt.1°.de ſim.m.f.5ª.6.E
Sĩplicia q nouit, habet vbiq; medicamẽta.6°.de cõp.me.ſe.lo. 5ª.167.E
Simplicia qui nouit, ſolus recte vtitur compoſitis.7°. de compoſi. medi. ſecundum locos. 5ª.178.B
ex Simplicibus vis eſt compoſitorũ medicamẽtorũ.1°. de ant. 5ª.102.C
ꝑ Simplicium variationem fit medicamentorum differentia. 7°.de compoſitione medica.per gen. 5ª.264.F
ex Sĩplicibus qũo cognoſcaĩ vis medicamẽti.6°.de cõp.m.ꝑg.5ª.257.F
Simplicia ſcienda ſunt.8°.de comp.me.ſec.loc.188.A/1°.de cõp.me.per gen.210.A/2°.5ª.220.A/4°.met.me. 7ª.24.B
Simplicia non ſunt noſcenda calida vel, frigida, ſed quantum calida vel frigida.1°.de comp.me.per gen. 5ª.210.B
Simplicia debent ſæpe tractari.1°.de anti.105.E/3°.de comp. medicamẽ. per genera. 5ª.228.F
Simplicia quæ ſcienda.2°.de comp.me.per gen. 5ª.219.E
Simplicia diſcere à præceptoribus facile fit, à libris difficulter. 1°.de antidotis. 5ª.100.B
ad Simplicium loca accedendum, & inde aſportandum quantum ſatis eſt in vita.1°.de antidotis. 5ª.100.B
ob Simplicium medicamentorum cognitionem, ad varia loca nauigauit Galenus.1°.de antidotis. 5ª.100.C
Simplicia ad Galenum ſingulis annis ferebantur ex omni natione.3°.de comp.me.per genera. 5ª.228.G
Simplicia è quibus locis habuerit Galenus.1°.de anti. 5ª.100.C

Simplicium optimorum loca veriſſime ſcripſit Dioſcorides. 1°. de antidotis. 5ª.100.C
Simplicia optima aliqua quæ in regionibus ſint.1°.de antid. 5ª.105.E
de Simplicibus egit ſecundum genus,& non exquiſite Dioſcorides. 2°. de compoſitione medicamen.per genera. 5ª.218.F
Simplicia non cognoſcenda vt Dioſcorides ſcripſit,ſed vt Galenus.2°. de com.me.per ge. 5ª.218.F
Simplicium optima quæ ſint in vno quoq; genere.1°.de antid. 5ª.105.D
Simplicia quo ad quantitatem quæ meliora.1°.de antid. 5ª.105.F
Simplicia ſemper odoratoria ſumenda.1°.de antid. 5ª.105.D
contra Simpliciũ mercatores & herbarios.3°.de com.me.ꝑge.5ª.228.G
Simplicium adulteratores qui.3°.de comp.med.per ge. 5ª.228.G
Simplicia medicamenta à vẽditoribus adulterãtur.1°.de antid. 5ª.100.B
Simplicium facultates non ignorandæ.3°.de comp.med.per ge. 5ª.230.C
Simplicium facultates quę primę, quæ ſecundæ, quæ tertię. 6°. de ſimpl. med.fac. 5ª.258.B
de Simplicium medicamentorum facultate libri quot ſint. 1°. de comp. med.per gen. 5ª.210.A
de Simplicium medicamentorum facultate libri ſunt vndecim.6°.de cõpoſit. medicamentorum per genera. 5ª.257.B
de Simplicium medicamentorum facultatibus liber, cur accurate legendus, & ad quid valeat eius doctrina.1°.de ſymp.cauſ. 3ª.17.D
in Simplicium libris quid egerit Galenus.6°.de cõp.me.per g.5ª.254.H
Simplicium medicamentorum primi quinq; libri diſci debent.10°.de ſimplic.med.fac. 5ª.71.H
in Simplicium libro ſexto, ſeptimo, & octauo quid agat Galenus.7°. de compoſi.med.ſec.loc. 5ª.178.H
de Simpliciũ medicamentorũ facultate liber præcedit methodũ medendi.3°.de cõ.me.ſe.l.141.H/8°.5ª.188.A/3°.me.m.20.A/4°. 7ª.24.C
de Simplicibus liber primo legendus eſt, poſt methodũ medẽdi, tertio libro de compoſitione medicamentorũ.8°.de com.me.ſec.lo. 5ª.193.F
Simplicium liber ponendus ante librum de compoſitione medicamentorum per genera.2°. de comp.me.per gene. 5ª.218.G
de Simplicibus medicamentis librum fecit Crito.6°.de compo.medicamentorum per genera. 5ª.255.A
Simplicium ſcriptores qui.1°.de antidotis. 5ª.100.B
Simplicium qualitas quibus probatur.de dynamidijs. Sp.18.H
de Simplicibus experientia quomodo ſumenda.2°.de ſim.m.fa. 5ª.11.H
Simplex guſtu & olfactu medicamentum, excellens eſt, & validius alijs ſui generis.1°.de antidotis. 5ª.100.E
Simplex optimum quò ad guſtum.1°.de antid. 5ª.105.E
Simplicia quo modo probanda circa morbos.7°.de ſimp.med.fa.5ª.52.D
ex Simplicibus paucioribus, et paratu facillimis eligenda medicamẽta. 2°.de com.med.per ge. 5ª.220.D
ex Simplicibus quæ habentur medicamenta componenda.4°. de comp. med.per ge. 5ª.239.H
Simplicia quæ multis in locis reperiantur.1°.de antidotis. 5ª.102.B
Simplici quædam non dant vim medicamentis, ſed commoditatem. 1°.de comp.med.per ge. 5ª.212.E
Simplicia ſicca in mortario cõtũdãtur bene.4°.de cõ.me.ꝑge.5ª.244.H
Simplicia ex ſuccis & liquoribus quæ facile leuigentur. 4°. de compoſi. med.per ge. 5ª.237.H
Simplicia minutiſſima, quæ ingrediuntur compoſitionem, prouocant vrinam.4°.de ſanitate tuenda. 2ª.86.D
Simplicia craſſi ſucci ĩpediũt repurgationẽ.7°.de com.me.ſe.l.5ª.179.A
Simplici alicui quandoque apponuntur obtundentia, quandoq; ſuauiora reddentia.1°.de com.me.per ge. 5ª.210.B
Simplicia illigat linteolo, & facit ebullire ſoranus. 7°. de cõpoſitione medicamentorum ſecundum locos. 5ª.180.G
Simplicis vnius medicamenti vitiũ oĩa corrũpit.de the.ad Piſ. 5ª.95.A
ex Simplicibus commiſtis tritis, nullum integrum ſeruatur in compoſitione.1°.de elementis. 1ª.5.C
Simplicia in compoſitione ſecundum aliquos corrumpuntur poteſtate.1°. de compo.med.per ge. 5ª.210.A
Simplicia in miſto virtualiter ſunt.de ther.ad Piſo. 5ª.94.C
in Simplicium cõmiſtis ſpeciebus non ſeruatur actio ſuæ cuiuſq; ſubſtãtiæ.3°.meth.med. 7ª.16.H
Simplicium vis exoluitur, quando debet penetrare in profundum.2°. de compoſitione medic.ſecundum locos. 5ª.134.A
Simplicia qũo cõpoſitiones ingredi debeãt.7°.de com.me.ſe.lo. 5ª.179.C
Simplicium ordo in compoſitionibus.1°. de comp.med.per ge. 214. C/2°. 222.H/223.H/225.E/226. E/3°.233.G/4°.243. D/245.C/H/5°.246. H/248. F/6°. 255. C/256. H/260. E/262. E/7°. 265. F/271. B/E/ 273.E/ 5ª.274.D
Simplex cũ non habemus, cõpoſito vtimur.2°.de cõp.med.ꝑg. 5ª.218.G
Simplicium diuerſitas ad achoras.1°.de com.me.ſe.lo. 5ª.129.E
Simplicia quę valẽt in neruorũ vulneribus.3°.de cõp.me.ꝑge. 5ª.230.H
SIMPLEX ſpecies vinculi debet eſſe orbicularis.de faſc. 7ª.293.E
Simplex oculus, vel tenue vinculum ocularium.de faſcijs. 7ª.297.D/ idem ab inferiori parte ſurſum ibidem.
Simplex rhombus vinculi genus.de faſcijs. 7ª.295.B
Simplex rhombus.de faſcijs. 7ª.302.E
Simplex vinculum ad ceruicem.de faſcijs. 7ª.302.D
Simplex nodus dictus laqueus qua rõne adhibeatur.de laqu. 7ª.307.F
Simplex charcheſius qua via implicetur.de laqueis. 7ª.307.C
ex Simplici charcheſio quo modo fiat duplex.de laqu. 7ª.308.A
Simplex cochlea quæ de machinam. 7ª.310.D
SIMPLICITAS animi proficiſcitur à ſanguine. de natura humana, commentario 1°. 1ª.33.B
SIMPLICITER quid.in progn.Hipp.com.3°. 4ª.207.A
Simpliciter dicere & ſuperlatiue dicere nõ idẽ ſunt.1°.de criſ. 4ª.131.G
Simpliciter quod dicitur, & ſine addito, de medijs corporibus intelligitur.1°.de ſimplicium medicamentorum faculta. 5ª.74.C
vt SIMVLACHRA funiculis mouentur: ita Tendones omnes qui ad carpum apparent à cubiti muſculis ad digitos natura extendens inſeruit in ſingulos articulos, & quomodo.1°.de vſu partium. 1ª.117.D
Σιμὸν quid appellat Galenus.2°.de ſan.tuen. 2ª.70.B
ex Simo hepatis humores per ventrem educendi ſunt.de cat. Sp.94.G
Simæ hepatis parti danda cathartica.de cathart. Sp.94.G
Simam hepatis purgantia quæ.de cathart. Sp.95.C
Sima eſt aſcia.de faſcijs. 7ª.293.E
Σινάμωρα ſæpe numero appellauit Hippocrates nocua more ionico. de victus ratione in morbis acutis, com.3°. 7ª.128.C
SINAPI Alexandrinum.9°.de com.me.ſe.lo. 5ª.199.B/E
Sinapi aſparagus eſt humidior quàm folia.2°. de alimen.facul. 2ª.24.A
Sinapis eſt ſicca.de diſſ.cont. Sp.74.D
Sinapi quo loco reponatur inter calida, quæ conueniunt al petijs.1°. de compoſitione med.ſec.loc. 5ª.122.D
Sinapi acre eſt.6°.de comp.med.per gene.5ª.256. F/ de victus ratione in morbis acutis, com.4°. 7ª.135.C
Sinapi vires habet acriter & viſcide diſtinguentes, vitia longinqua eliminat, loca ſanguine manantia exiccat, & extringit, & corroborat ſimul ſtomachum.de ſimp.med. Sp.90.G
Sinapi manditur vt cib[illegible]n.vic. 2ª.44.A
Sinapi caulis cum oleo, aceto, & garo manditur.2°.de alim.fac. 2ª.25.D
Sinapis eſt cibus calidior.de diſſol.cont. Sp.74.C
Sinapis eſt cibus acutus incidens & aperiens.de diſſol.cont. Sp.72.E
Sinapi habet magnã ĩcidẽdi facultatẽ, vbi cõmaturuerit.de at.2ª.44.A
Sinapi incidit phlegma, & mundificat ſtomachum.de diſſ.con. Sp.74.E
Sinapi contritum quomodo eſt medicamentum apophlegmaticum. de remed.par.fac. 7ª.154.F
cum Sinapi, betam, & porum ſumens quidã liberatus eſt, qui de ore vẽtriculi quærebatur ab aceruatam pituitam.1°.de alim.fac. 2ª.8.G
Sinapi & beta non leuarunt hominem poſt mordicationem in ventriculo ob cibos acres.1°.de alimen.fac. 2ª.8.G
Sinapi diſcutit.6°.de compoſit.med.ſec.loc. 5ª.169.D
Sinapi attenuat.de atten.vict. 2ª.43.H
cũ Sinapi cucurbitæ ſuccus fiet acris cũ caliditate.2°.de ali.fa. 2ª.16.G
Sinapis caliditate vlcus facit.6°.de compo.medic.per genera. 1ª.256.B
Sinapi vlceribus non conuenit.4°.de compoſi.me.per ge. 5ª.236.H
Sinapi quo modo refrigerabit.1°.de comp.medicamen.per ge. 5ª.209.H
cum Sinapi manditur ſcorpius.de atte.vic. 2ª.45.E
cum Sinapi ſunt comedenda cerebra.de diſſol.cont. Sp.74.F
Sinapi cur parum nutrit.de diſſol.cont. Sp.73.G
Sinapi ſemen conuenit in dieta attenuante.de atten.vic. 2ª.44.E
Sinapi qui ventriculi oris ſenſus non ferat.3°.de loc.affec. 4ª.20.G
Sinapi cum mulſa vomitum facit.de cathar. Sp.95.C
Sinapi adiectum temperamento calido facit febrem.præſ.exp. Sp.77.D
à Sinapi abſtinendum in tertiana.1°.de arte cur.ad Glauc. 7ª.97.D
Sinapi non eſt balneo inſpergẽdũ, & quare.1°.de arte cu.ad Gl. 7ª.97.B
Sinapi vtendum in quartana.1°.de arte cur.ad Gla. 7ª.97.F
Sinapi vetuſtum in quo caſu conueniat, & quomodo.4°. de comp.medi. ſecun.loc. 5ª.157.H
Sinapi facit dolere caput.de diſſ.cont. Sp.74.E

Sinapi caput replet & inflammat.de puero epilep. 7ª.180.B
Sinapi purgat caput.de cathar. Sp.95.B
Sinapi oculorum cenoticum eſt.de cathart. Sp.95.B
Sinapi vti nõ debemus in fluxionibus acribus oculorũ.13°.m.m. 7ª.86.D
Sinapi purgat nares.de cathart. Sp.95.B
Sinapi germen vrinam mouet.de cura icteri. Sp.111.D
Sinapi capiti imponendum eſt pro reſoluenda materia, quando caput dolet.1°.de arte cur.ad Glauc. 7ª.100.B
Sinapi in lethargo quando vſus bonus.13°.meth.med. 7ª.85.F
ex Sinapi medicamentũ pro comitiali q̃uo cõuenit.3°.de lo.af. 4ª.19.H
Sinapi cur dimittendum in epilepſia.de puero epilep. 7ª.180.E
Sinapi fit rubrificatio.7°.meth.med. 7ª.44.A
ex Sinapi & aceto expimẽtũ fit an vlcus ſit in gula.5°.me.me. 7ª.34.F
ex Sinapi conſtans medicamentum.de cucur.ſcar. 6ª.4.E
ex Sinapi medicamẽto qdã vtũtur ad oĩa capitis vitia.3°.de ſa. 2ª.98.G
Sinapi duplum pro cardamomo quando accipiendum, et in quo caſu. 7°.de compoſi.med.ſec.loc. 5ª.182.B
SINAPINVM *oleum.6°.de ſimplic.medic.fac.* 5ª.46.H
Sinapinum oleum ocopum.7°.de compo.med.per ge. 5ª.269.E
Sinapinũ oleũ pro doloribus cõuenit.in 6m.de mor.vulg.cõ.6°. 3ª.196.B
SINAPISMVS *rubificans quibus cõficiatur.de mel.ex G.R.* Sp.110.C
Sinapiſmus vehementiſſimum medicamentum eſt.3°.de loc.aff. 4ª.15.H
Sinapiſmi vice lepidium, & iberis.10°.de com.me.ſe.loc. 5ª.208.A
SINCIPVT *quod.introd.* Iſa.52.H
Sinciput deſcribitur.in 6m.de morb.vulg.com.3°. 3ª.169.H
Sinciput ſicciſſimum eſt omnium partium capitis.2°.de temp. 1ª.19.E
in Sincipite ſuturæ latiſſimæ.in 6m.de morb.vulg.com.1°. 3ª.153.E
in Sincipite caluaria eſt ſubtiliſſima, plures habens meatus. in 6m. de morb.vulg.com.1°. 3ª.153.E
per Sinciput halituoſa cerebri extrementa difflantur. in 6m. de morbis vulgaribus, commen.1°. 3ª.153.E
Sinciput iuxta coronalem ſuturam facile recipit alterationes.2°. de compoſi.med.ſec.loc. 5ª.132.E
Sinciput pars infirmiſſima eſt.in 6m.de morb.vulg.com.1°. 3ª.153.A
in Sincipite plurima pars cerebri.in 6m.de morb.vul.com.1°. 3ª.153.A
Sinciput cur magis doleat.in 6m.de morb.vulg.com.1°. 3ª.152.H
Sinciput cur maxime dolet in abortientibus.in 6m. de morbis vulgarib. commentario 1°. 3ª.153.E
in Sinciput dolentibus pueris quid agendũ.2°.de com.me.ſe.l. 5ª.134.D
Sincipitis oſſis fracti caſus.6°.meth.med. 7ª.42.G
SINCOPEM *faciens materia colligitur in capſula cordis. de anatomia parua.* Sp.42.H
SINDONIBVS *ſiccis caput perfricãdum pro reſoluenda materia quando dolet.1°.de arte cur.ad Glauc.* 7ª.100.B
SINE *cibo quæ animalia perdurent.com.1°.apho.15°.* Ex.8.B
Sine ſanguine optimo, corpus nutriri non valeret.in 6m.de morbis vulgaribus, commentario 3°. 3ª.177.C
Sine pari vena vbi ſit, & quomodo per Thoracem extẽdatur. de victus rat.in morbis acutis, com.2°. 7ª.117.D
Sine pari vena nutriũtur octo coſtæ inferiores.de victus ratione in morbis acutis, com.2°. 7ª.117.D
Σίνεα quid apud Hippocratẽ.de vict.rat.in mor.acu.com.3°. 7ª.128.C
Σίνεαν quid apud Iones.de vict.rat.in morb.acut.com.3°. 7ª.128.C
ex SINGVLARIBVS *vniuerſalia fieri.in 6m.de morbis vulgaribus, commentario 3°.* 3ª.174.G
Singularia conducunt ad vniuerſalium cognitionem.in 1m.de morb.vulgaribus, commentario 3°. 3ª.120.H
ad Singulare ab vniuerſali & generaliſſimo deſcenſus fuere inuentores Plato & Hippocrates.9°.de decre Hipp. 1ª.283.H
Singularia, & vniuerſalia colligenda in Hippocratis libris.in 1m.de morbis vulgaribus, commen.3°. 3ª.120.H
in Singularibus ſemper exercenda eſt medica ars.in 1m.de morbis vulgaribus, commentario 1°. 3ª.101.G
Singularibus exẽplis ꝓbãda ẽ medicina.in 1m.de mor.vul.c.1°. 3ª.101.G
ex Singularibus experientiam fieri volebant empirici, aduerſus quos argumentatur Galenus.adu.emp.med. Iſa.35.E
SINGVLTIENS *venter q̃uo cibos complectatur.3°.de ſymp.* 3ª.25.F
Singultientibus, & vomentibus non idem motus eſt quia neq; idem affectus.3°.de ſympt.cauſ. 3ª.25.E
Singultientibus quę conueniant.8°.de com.me.ſec.loc. 5ª.192.E
Singultientibus idonea eſt ariſtolochia rotunda.6°.de ſim.m.fa. 5ª.43.F
Singultientibus exhibetur ſiſymbrium.8°.de ſim.med.fac. 5ª.60.G
ad Singultientes.de med.fac.par. 7ª.159.D
cur SINGVLTIVNT *pueri crebro.com.6°.apho.13°.* Ex.47.E
Singultiebat Galenus ex pipere, & vino.8°.de com.med.ſe.lo. 5ª.190.E
Singultiunt cur quandoq; frigidam aquam potantes.de conſuet. 2ª.60.E
Singultiũt atq; ſtercus aſcendit qui hñt ileum.cõ.7°.apho.10°. Ex.54.F
SINGVLTVOSAE *febres.de fract.com.3°.* 7ª.248.A
SINGVLTVOSAE *febris curatio. de victus ratione in morbis acutis, commentario 4°.* 7ª.143.C
Singultuoſa febre acetum formidandum, de victus ratione in morbis acutis, commentario 4°. 7ª.143.E
SINGVLTVS *vocatur eructatio ſecundum aliquos. in 6m. de morbis vulgaribus, com.2°.* 3ª.166.D
Singultus qui ſint, & q̃uo fiant.de vic.rat.in mor.acut.cõ.4°. 7ª.143.C
Singultus quid.3°.de ſympto.cauſ. 3ª.25.F
Singultus motus non naturalis eſt.de ijs, quæ in med.fi.com.3°. 7ª.222.D
Singultus, conuulſionis, tremoris, palpitationis, rigoris, horroris, tuſſis, ructus, ſternutationis, pandiculationis, oſcitationis, tryſmu, ideſt dentium concuſſionis genus commune eſt, motus illegitimus, et quomodo hæc in genere differant.2°.de ſymp.cauſ. 3ª.19.E
Singultus eſt facultatis opus.2°.de ſymp.cauſ. 3ª.19.F
Singultus expultricis virtutis validus motus eſt.2°.de ſymp.ca. 3ª.23.G
Singultum tuſſis ſimilitudine quadam imitatur, cum ſit naturale accidens.5°.de locis affectis. 4ª.31.C
Singultus eſt motus quidam magnus cum generibus vomitus.commentario 6°.aphoriſmo 39°. Ex.50.G
Singultus oritur ex gula affecta.de fract.com.2°. 7ª.235.C
Singultus in ventriculo, & gula fieri contingit.2°.de ſymp.ca. 3ª.24.A
Singultus ſunt affectus oris ventriculi.5°.de loc.affect. 4ª.32.H
Singultus eſt cõuulſio ſtõi, vel põt ita appellari.c.6°.aph.39°. Ex.50.G
Singultus talis ſtomacho eſt qualis cõuulſio neruis.c.7°.aph.3°. Ex.54.B
Singultus eſt conuulſio ſtomachi.com.5°.aph.4°. Ex.37.F
Singultus quomodo conuulſio ſit.3°.de ſympto.cauſ. 3ª.25.E
Singultus frequenter fit affecto ſtomacho.3°.de loc.affect. 4ª.20.H
Singultus cur fiat in ore ventriculi.com.5°.apho.1°. Ex.37.D
Singultus aliquibus videtur prouenire ex conuulſione muſculorum, qui inſpiratum faciunt.2°.de ſymp.cauſ. 3ª.19.H
de Singultus ſpeciebus.de rem.par.fac. 7ª.159.A
Singultus vnde fiunt.2°.de ſymp.cauſ. 3ª.24.A
Singultus quot fiat de cauſis.3°.de ſymp.cauſ. 3ª.25.F
Singultus quibus fiat cauſis.de vict.rat.in morb.acut.com.4°. 7ª.143.C
Singultus quot modis fiat, & curetur.de med.fac.par. 7ª.176.H
Singultus quibus fiat cauſis, & an fiat ob nimiam euacuationem, & cur maxime pueri ſingultiant.8°.de comp.me.ſe.lo. 5ª.190.E
Singultus cur fiat.in 6m.de morb.vulg.com.5°. 3ª.189.B
Singultus ex quibus fiat.11°.de ſimplicium medicamentorum fac. 80.C/ 8°.de com.me.ſec.loc. 5ª.189.H
Singultus quo modo poſſit excitari.com.6°.apho.39°. Ex.50.H
Singultus quomodo fiant.in 1m.prorrh.com.1°.166.E/2°. 4ª.177.G
Singultus quo modo fiat.com.7°.apho.17°. Ex.55.B
Singultus ob inanitionem incurabilis.de victus ratione ĩ morbis acutis, commentario 4°. 7ª.143.C
Singultus ex plenitudine, & inanitione fit, ſed magna ex parte ex repletione.com.6°.aphor.13°. Ex.47.E
cur Singultus contingebat Galeno ob piperis immodicam qualitatẽ ſumptam.3°.de locis affectis. 4ª.20.A
Singultum & conuulſionem per totum corpus efficere poteſt acris humor.3°.de loc.affec. 4ª.20.A
Singultus non poteſt cognoſci futurus.in 1m.prorrh.com.2°. 4ª.178.A
cum Singultu aphoniæ peſſimæ.in 1m.prorrh.com.1°. 4ª.166.E
in Singultu, & vomitu quæ deijciantur.3°.de ſymp.cauſ. 3ª.25.F
Singultus ex hepate inflammato ſuperuenit propter neruorum communitatem.com.5°.aph.58°. Ex.43.C
Singultus fit hepate patiente per compaſſionem ſtomachi. commentario 6°.aphoriſmo 16°. Fx.47.G
Singultus quomodo fiat per compaſſionem.com.7°.apho.17°. Ex.55.B
Singultus in hepatis inflammatione malum.com.7°.aph.17°. Ex.55.B
Singultus ex ſuperflua purgatione malus.com.5°.apho.4°. Ex.37.F
Singultus cur non ſit bonus omnibus ſupra modum purgatis. commentario 7°.aphoriſmo 41°. Ex.57.C
Singultus in ſenioribus ſupra modum purgatis, ſi ſuperuenerit, non bonum.com.7°.aph.41°. Ex.57.C
Singultus à vomitu, & oculorũ rubor, malũ.com.7°.apho.3°. Ex.54.B

Singultus ab ileo malum.com.7°.apho.10°. Ex.54.F
Singultus malus eſt poſt plurimũ fluxũ ſanguinis.cõ.5°.aph.3°. Ex.37.F
Singultus ſanatur longa detentione ſpiritus.3°.de diff.reſp. 3ª.74.A
Singultum ſanat ſpiritus retentio.de med.fac par. 7ª.178.A
Singultus ſedare ſternutamento tẽporc facto.de med.fac.par.7ª.159.A/ com.5°.aphoriſ.35°. Ex.40.F
Singultui cui conueniat ſternutatio.de med.fac.par. 7ª.178.A
Singultus qui ſanetur ex ſternutatione.com.6°.aph.13°. Ex.47.E
Singultus remediũ q̃uo ſit ſternutatio ex accidẽti.2°.de ſym.c.3ª.24.A
Singultui cui rimedio ſit vomitus.de med.fac.par. 7ª.177.H
Singultus ceſſat ex vomitu.de med.fac.par. 7ª.159.A
Singultus terrore ſanatur.de med.fac.par. 7ª.166.D
Singultus aceto ſanatur.de med.fac.par. 7ª.159.A
Singultus ex repletione ſanatur caſtoreo.11°.de ſimp.med.fac. 5ª.80.C
Singultus ex vẽtre flatu diſtẽto adiuuat caſtoreũ.11°.d ſim.m.f. 5ª.80.D
Singultus reprimit menta.de ſimp.med. Sp.87.D
ad Singultum pharmacum ab Aſclepiade ſcriptum. 8°. de cõpoſitione medicamentorum ſecundum locos. 5ª.189.H
ad Singultum.9°. de compoſi.med.ſec.loc. 5ª.201.A/de med.fac.par. 159.A/166.C/7ª.167.D/de dynamidijs.27.C/ſecretorum. Sp.100.F
ad Singultus intenſos.8°.de com.me.ſec.lo. 5ª.190.D/H
Σίνη nocumenta, & leſiones vocat.de fractu.com.2°. 7ª.234.B
SINIGMATA quæ.de ſimp.med. Sp.79.F
SINIMPHA.de dynamidijs. Sp.31.E
SINISTRIS, dextra contraria ſunt.in 6m.de morbis vulgaribus,commentario 3°. 3ª.174.E
Siniſtra pars corpis diſſidet cũ dextra eiuſdẽ corpis.ꝑ ani.mor. 1ª.319.C
Siniſtra, & dextra mundi pars.de hiſt.philoſ. Sp.6.B
Siniſtri, vel dextri cerebri partes nõ ſunt conſiderandæ in furore. in 6m. de morbis vulgaribus,com.2°. 3ª.162.H
in Siniſtra parte cor.de anat.par. Sp.42.H
ad Siniſtrã partẽ magis eſt declinatio cordis.de ana.vi.48.A/ Sp.56.C
Siniſtram partem verſus, cur ſit cor.de anato.viuo. Sp.52.G
à Siniſtris cur ponitũ cor ab aliquibus.in 6m.de mor.vul.c.2°. 3ª.169.C
Siniſter ventriculus cordis eſt minor dextro, & ſuperior verſus pulmonem poſitus, attrahens ab eo.de anat.viuo. Sp.56.B
in Siniſtro cordis ſinu ſemper adeſt ſanguis animali mortuo.1°.de decretis Hippocratis, & Plato. 1ª.231.F
Siniſtrũ cordis ventriculũ eſſe ſanguine plenũ ꝓbat.1°.de decre.1ª.231.G
in Siniſtro cordis latere quæ ſint.de anat.viuo. Sp.46.E
è Siniſtro cordis ſinu oritur maxima arteria.1°.de decre.Hip. 1ª.232.D
in Siniſtro cordis ventriculo eſt arteria magna, à qua omnes arteriæ oriuntur.1°.de decre.Hippo. 1ª.233.C
in Siniſtra parte cordis ſunt arteriæ.de anat.viuo. Sp.46.F
Siniſtri ventris cordis calor à quo nutriatur.de vtilita.reſp. Sp.63.A
Siniſtrum hepar eſt lien ſecundum Ariſtotelem.de vtil.reſp. Sp.64.G
Siniſter ſi addatur lieni eſt, ac ſi lacti addetur albũ.in 6m. de morbis vulgaribus,com.6°. 3ª.197.C
Siniſtra pars an calidior ſit dextera.in 6m.de mor.vulg.cõ.2°. 3ª.169.C
Siniſtra pars ẽ magis frigida dextera, & quare.c.5°.apho.48°. Ex.41.H
Siniſtra pars q̃uo dextera frigidior.14°.de vſu partium. 1ª.206.F
in Siniſtro vteri latere fœminę generantur ſm Hipp.bre.den. 1ª.231.C
in Siniſtra parte fiunt fœminæ.com.5°.aph.48°.Ex.41.H/de ſpermate. 36.E/de nat.& ord.cuiusl.corp. Sp.42.D
in Siniſtris vteri cur concipitur fœmina.in 6m. de morbis vulgaribus, commentario 2°. 3ª.169.B
in Siniſtra ꝑte vteri fœminæ gñant, ideo ſiniſtra mãma gracilis oſtẽdit fœminæ abortũ, ſi mulier geminos vtero gerat.c.5°.a.38°. Ex.41.A
Siniſtræ ꝑtis præcordiorũ tumor, ſignat lienis affectũ.de loc.aff. 4ª.6.B
in Siniſtra parte matricis in horis ſanguinis ſi conceptus maneat, quid ſequatur.de ſpermate. Sp.38.A
in Siniſtra parte matricis ſi ſit puella, quid ſequatur.de ſper. Sp.38.C
in Siniſtra matricis parte ſi ſit conceptus puer horis phlegmatis, parentes horis ſanguinis, quid ſequatur.de ſpermate. Sp.38.D
Siniſtra manu vti vult, & ad quid faciẽdũ.3°.de com.me.ſe.lo.5ª.142.G
de Siniſtra manu herba colligẽda ſuperſtitio.9°.de cõ.me.ſe.l. 5ª.198.G
Siniſtra diuertunt à dextris.com.5°.apho.68°. Ex.45.D
SINISTRORSVM ſi vergant ſucci reuulſio ad dextram facienda eſt. de cucurb.ſcar. 6ª.4.G
SINONIS ſemen calidum eſt cum ſubtili ſubſtantia.2°. de arte curatiua ad Glauconem. 7ª.104.G
Sinonis ſemen flatus ſanat.8°.meth.med. 7ª.53.F
Sinon Hiſpanum.9°.de compoſitione medic.ſecundum locos. 5ª.202.G
Sinon ſyriacum.9°.de compoſitione med.ſec.loc. 5ª.202.D/F
Sinon.7°.de com.me.ſe.lo.185.G/9°. 5ª.202.B
SINOPICA pro lemnia rubrica.7°.de com.me.ſe.lo. 5ª.183.G
SINOPIS quid.de ſimp.med. Sp.91.D
Sinopis vires habet efficaciter ſtringentes.de ſimp.med. Sp.91.D
Sinopis.6°.methodi medendi. 3ª.37.F
SINVS cum format natura quid agat.2°.de ſemi. 1ª.339.F
Sinu carentium corporum ſimilarium quot genera in animabus.in 6m. de morbis vulgaribus,com.1°. 3ª.153.A
in Sinibus cerebri quo modo ſanguinẽ inuenies.1°.de dec.Hip. 1ª.231.F
in Sinu cordis ſiniſtro ſemper adeſt ſanguis animali mortuo.1°. de decretis Hippocratis. 1ª.231.F
in Sinibus vtriſq; cor ſanguine plenum eſt dum animal viuit. 1°. de decretis Hippocratis. 1ª.231.F
è Sinu cordis ſiniſtro oritur maxima arteria.1°.de dec.Hip. 1ª.232.D
Sinus duos habet vterus.in 6m.de morb.vulg.com.2°. 3ª.169.C
in Sinu mulieris exiſtens cancer, non venit ad cicatricem.commentario 6°.aphoriſmo 38°. Ex.50.E
SINVS quid ſit.de tum.preter nat.3ª.83.F/2°.de loc.aff. 4ª.11.H
Sinus, & abſceſſus differentia.de ijs, quæ in med.fi.com.2°. 7ª.212.A
Sinus non eſt diuiſio ſimplex.2°.de arte cur.ad Glauc. 7ª.106.B
Sinus rectus qui.de ijs, quæ in medicatrina fiunt,com.2°. 7ª.212.B
Sinus obliquus qui.de ijs, quæ in med.fi.com.2°. 7ª.212.B
Sinus callũ cõtrahit niſi quis celeriter eum curet.de tu.pręt.na. 3ª.83.F
Sinus quid ſit, & eius curatio.2°.de arte cur.ad Glauc. 7ª.105.H
Sinum diuerſa curatio.de ijs, quæ in med.fiunt,com.2°. 7ª.212.H
Sinus integri quibus medicamentis curandi. in 6m. de morbis vulgaribus,commentario 2°. 3ª.160.H
Sinus qui ſunt deligandi.de ijs, quæ in med.fi.com.2°. 7ª.212.B
in Sinibus quomodo debet fieri ligatura.2°.de com.med.per ge. 5ª.223.H/de ijs, quæ in med.fi.com.2°. 7ª.213.B
Sinus cubiti quomodo ſanatus.de ijs, quæ in med.fi.com.2°. 7ª.212.C
Sinus in femore quo modo ſanatus.de ijs, quæ in me.fi.com.2°. 7ª.212.C
Sinus in poſteriore carnoſa tibiæ parte quomodo ſanatus. de ijs, quæ in medicatrina fiunt,com.2°. 7ª.212.C
in Sinum quidam lixiuium imponunt.2°.de arte cur.ad Glau.7ª.106.C
Sinus q̃uo purgandi, & cõglutinãdi.de ijs, quæ in me.fi.cõ.2°. 7ª.211.H
Sinibus apponenda ſunt puluinaria, vt expurgentur melius. 2°. de arte curatiua ad Glauconem. 7ª.106.C
Sinus profundos expurgat melicratum.2°.de arte cur.ad Gl. 7ª.106.C
Sinus indigẽt liquidioribus medicamẽtis.2°.de com.me.per ge.5ª.221.H
Sinus exiccans eſt Telamonis pharmacũ.2°. de com.me.ꝑge. 5ª.224.E
Sinus contrahens medicamentum.9°.de ſimpl.med.fac. 5ª.68.A
Sinus quomodo carne implentur, & quomodo opplendi. 2°. de compoſitione medicamen.per gene. 5ª.221.B
ad Sinus glutinandos quæ valeant.2°.de arte cur.ad Glauc. 7ª.106.G
Sinus glutinant medicamenta quę cum eo quod refrigerant, vna adſtringunt.6°.de ſimplicium medicamentorum faculta. 5ª.43.G
Sinus glutinat aloe.6°.de ſimp.med.facul. 5ª.42.C
ad Sinus glutinandos valet medicamentum quod Pamphilion dicitur. 2°.de comp.med.per ge. 5ª.224.E
Sinus conglutinans quid.2°.de com.me.per ge. 5ª.223.H
ad Sinus conglutinandos.5°.de compoſi.med.per ge.248.C/ 5ª.249.A
in Sinum q̃uo iniciat emplaſtica medicamenta cũ veſica ſuilla, & fiſtula directum foramen habente.2°.de arte cur.ad Glauco. 7ª.105.H
Sinus iungens emplaſtrum.6°.de comp.med.per ge. 5ª.262.A/B
Sinus iungit Andreæ emplaſtrum.4°.de comp.me.per ge. 5ª.243.A
Sinus iungens Fuſcum medicamentum. 6°. de compo.medicamentorum per genera. 5ª.259.B
ad Sinus iungendos.2°.de comp.me.per gene. 5ª.221.A
ad Sinus.5°.de compoſitione medicamentorum per genera. 5ª.246.E
Sinus profunda pars, an bene cõglutinata ſint inditia.2°.de arte curatiua ad Glauconem. 7ª.106.D
ad Sinus veteres.2°.de compoſitio.med.per ge. 5ª.223.A
ad Sinus diuturnos.2°.de comp.med.per ge.223.C/231.C/ 5ª.234.D
ad Sinus callo vndiq; circundatos.5°.de com.med.per ge. 5ª.248.E
SION lauer à Latinis dicitur. 9°. de compoſitione medicamentorum ſec.loc. 5ª.200.F
Sion habet caulem inutilem poſt ſemen effuſum.2°.de ali.fac. 2ª.24.B
Sion numeratur inter obſonia.2°.de alim.fac. 2ª.23.F
Sion quale.8°.de ſimp.med.fac. 5ª.60.F

Sion digerit,

Sion digerit,vrinam mouet, calculos renum frangit, & menſes euocat. 8°.de ſim.med.fac. 5ª.60.F
Sion mouet vrinas,ſed minus in vſu eſt q̃ Apium.2°.de alim.fa. 2ª.23.E
Sion inſuaue ſtomacho eſt.2°.de alim.fac. 2ª.23.E
Sion coctum manditur,& quare.2°.de alim.fac. 2ª.23.F
Sion comedunt homines fame adacti.2°.de alim.fac. 2ª.22.B
Sion lac purgat,& multiplicat.5°.de ſimplic.medic.fac. 5ª.37.G
Σηπεδονώδη medicamenta quæ vocata.3°.de ſimp.med.fac. 5ª.22.H
SIPHAC & girbus panniculi epatis.de anat.par. Sp.43.B
Siphac ſubtilis panniculus ſuper hepar.de anat.par. Sp.43.B
SIPHONE immiſſo in hydrocele humor euacuatur.14°.methodi medendi. 7ª.90.G
SIPHTHERIVM arundinis cortex ſuperior ab Aegyptijs appellatur. 1°.de com.me.ſec.loc. 5ª.123.G
SIRAEVM hepſema dicitur in Aſia Galeni. in 6m. de morb.vulgarib, commenta.6°. 3ª.195.G
Sirçon quid.de atten.vic.2ª.49.B/3°.de compo.med.per ge. 5ª.232.C
Siræon vinum ſapa dicitur.de atten.vict. 2ª.46.B
Siræum dicitur pingue.in 6m.de morb.vulg.com.6°. 3ª.195.G
in Siræo & melle deprehenditur dulcedo.4°.de ſimp.med.fac. 5ª.25.C
Σησαμίδας quid vocent.1°.de alim.fac. 2ª.15.D
SISAMI ſemen ſuccum craſſum & lentum gignit.de atten. 2ª.44.E
SISARI radix eſt calida in ſecundo.8°.de ſimplicium med.fa.5ª.60.G
Siſarij vires quæ.de ſimp.med. Sp.91.C
Siſarium vires habet diureticas.de ſimp.med. Sp.91.C
Siſari radix cocta grata ſtomacho eſt.8°.de ſimp.med.fac. 5ª.60.F
Siſarum ſtomacho gratum,& vnum ex oleribus eſt quæ cocta ſtomachicis conueniunt.8°.de com.me.ſec.loc. 5ª.192.C
SISON qualis & ad quid conferens.8°.de ſimp.med.fac. 5ª.60.F
Siſon vrinam mouet,menſes prouocat, & omnes viſcerum obſtructiones deijcit.8°.de ſimplicium medicamentorum facul. 5ª.60.F
SISTENDI ſunt purgati ſupra modum, refrigerati,reſoluti,conuulſi. præſag.exper.confir. Sp.78.C
Siſtendus non eſt ſanguis tractus ab hirudinibus ſi nimis fluat frigidis, ſed adſtringentibus,& emplaſticis.de cucur.ſcar. 6ª.4.D
Siſtendus quibus ſit ſanguis in hirudinibus.de cucurb.ſcar. 6ª.4.C
SISTATVR quomodo euacuatio.præſag.exper.conf. Sp.78.C
Siſtitur digito ſanguis fluens ab hirudinibus.de cucurb.ſcar. 6ª.4.E
Siſtit viſcide orobum.de ſimp.med. Sp.88.F
SISYMBRIVM quid.de ſimp.med. Sp.91.B
Siſymbrium calidum & ſiccũ eſt in tertio ordine.8°.de ſim.m.f.5ª.60.G
Siſymbrium cardaminẽ vocant aliqui calidum,& ſiccum in tertio ordine cum ſiccum eſt,viride autem in ſecundo.8°.de ſim.me.fa. 5ª.60.G
Siſymbrium ſingultientibus,et tormina patiẽtibus exhibetur.8°. de ſimplic.med.fac. 5ª.60.G
Siſymbrium excalfactoriũ eſt,& diureticũ, & ad apicularum & ſimiliũ animalculorũ puncturam confert præſidium.de ſimp.me.Sp.91.B
Siſymbrium per os prouocat ſudorem.de cathart. Sp.95.D
Siſymbrium attenuat.de atten.vic. 2ª.43.H
Siſymbrij comam ſi in oleo incoxeris non diſſolues modo, ſed quod etiam craſſius eſt,euacuabis.1°.de arte cur.ad Glauc. 7ª.100.A
ex Siſymbrio parata repellunt.1°.de arte cur.ad Glauc. 7ª.100.A
SITANIVM nomen rarum eſt apud Antiquos.1°.de ali.f.2ª.10.H
Σητάνιον quid appelletur.de artic.com.2°. 2ª.267.B
Sitanium communi nomine triticum vocatur.1°.de alimen.fac. 2ª.10.H
SITIBVNDI cur cito fiant aliqui,aliqui vero tarde.commentario 4°. aphoriſ.19°. Ex.29.C
Sitibundi admodum non ſunt ij, quos in ardentibus febribus tuſſes aridæ parum irritant.in 6m.de morb.vulg.com.2°. 3ª.164.E
Sitibũdus nõ admodum in ardenti febre fuit Hermocrates.in 3m.de morbis vulgaribus,commentario 1°. 3ª.130.H
Sitibundi dolentis caſus.12°.meth.med. 7ª.79.A
SITICVLOSI fiunt,ſi ſalſa pituita ſuperauerit.de mult. 3ª.81.F
Siticuloſus,ſi biberit vinum habens aquam marinam, eius corpus incenditur.de vic.ra.in morb.acu.com.4°. 7ª.134.D
Siticuloſis nocet lac.commentario 5°.apho.64°. Ex.44.D/F
Siticuloſis non eſt medicamentum exhibendum.de victus ratione in morbis acutis,commentario 4°. 7ª.150.F
SITIENTES & non ſitientes aliqui cur eſſent.in 3m.de mor. vulgaribus,commen.3°. 3ª.141.H
Sitientes primum in acutis,propter quid poſtea non ſitiunt.in 1m.de morbis vulgaribus,commentario 2°. 3ª.115.B
Sitientibus valde potus eſt dandus,& quando aqua dari debeat,& quãdo vinum.commen.5°.apho.27°. Ex.40.A
Sitientibus remedium eſt aqua dulcis.1°.de ſimp.med.fac. 5ª.3.E
à Sitientibus hominibus aqua ſentitur attrahi,quãdo balnea ingrediuntur.in 6m.de morb.vul.com.6°. 3ª.194.E
Sitientes celeriter ac crebro potant.1°.de cauſ.pulſ. 4ª.87.D
Sitientibus admodum qui noctu bibere appetũt, ſi perdormierint bonũ. commen.5°.aph.27°. Ex.40.A
Sitientibus propter choleræ abundantiam aloẽ damus.de dyn.Sp.20.H
ad Sitientes.9°.de comp.me.ſe.lo. 5ª.198.B
non Sitientes,& non appetentes in febre propter quid aliqui ſint.in 3m. de morbis vulgaribus,commen.1°. 3ª.133.A
Sitientibus minime ꝑ qñq; ſit dandus potus.com.2°.apho.21°. Ex.14.H
SITIRE perpetuo ardentium proprium,& inſigne eſt.in 3m. de morb. vulg.com.3°. 3ª.143.G
Sitiant quo modo à viperis morſi.11°.de ſimp.med.fac. 5ª.78.B
Σιτίον quid.1°.de aliment.facul. 2ª.8.B
SITIS eſt caſus.commen.2°.aph.30°. Ex.16.H
Sitis ſuperficialis quę.in 6m.de morb.vulg.com.4°. 3ª.185.G
Sitis rara ex humiditate,& caliditate prouenit.1°.de ſimplicium medicamentorum facultatibus. 5ª.7.E
Sitis ex quot cauſis fieri poſſit,et quod fit etiam ex potu vini. commentario 5°.aphoriſmo 27°. Ex.40.A
Sitis duplici de cauſa prouenit.1°.de ſimp med.fac. 5ª.7.E
Sitis ingentis cauſa quę.6°.de loc.affect. 4ª.38.B
Sitim eidem aliquando infert Acetum,aliquando ſedat.1°.de ſimp.medicamen.fac. 5ª.7.E
Sitim Acria facere debẽt,aliter malũ.in 1m.de mor.vul.cõ.1°. 3ª.106.F
Sitim augent aquæ non dulces.1°.de ſimplic.med.facul. 5ª.3.E
Sitis quæ in aquæ intercutem effuſionibus nonnunquam contingit. 1°. de ſimp.med.fa. 5ª.7.E
Siti carentes ſitiunt à Balneo.de marc. 3ª.48.A
Sitim continuam facit Bilis in ventriculo.2°.de nat.fac. 1ª.300.H
Sitim & vigilias faciunt Bilioſa.in 1m.de morb.vulg.com.3°. 3ª.123.B
Sitis eſt vnũ ſignũ oſtẽdens bilioſum humorem.cõ.4°.apho.2°. Ex.27.E
Sitim maiorem excitat Cæpa,quàm allium.12°.meth.med. 7ª.79.E
Sitim operantur Caricæ.de ſim.med.fac. Sp.84.C
Siti qui vexentur ex cibis Calefactis.3°.de ſympt.cauſ. 3ª.25.C
Sitis oritur,vbi Deſiccamur.de nat.hum.com.1°. 1ª.28.H
Sitim validam infert Euphorbium.de dyn.22.B/de ſimp.med. Sp.83.F
Sitis in quibus Febribus fiat.1°.de arte cur.ad Glauc. 7ª.96.C
Sitis,& ardor propriũ ardẽtis febris.in 1m.de mor.vulg.cõ.2°.3ª.115.A
Sitis quando fuerit in Philiſco,& febris acuta vna cum ſudore inuadẽs. in 1m.de mor.vulg.com.3°. 3ª.121.A
Sitis ſi adſit habenti febrem continuam, cui partes interiores vrantur, & exteriores frigeſcant,eſt letale.com.4°.apho.48°. Ex.33.A
Sitis mala in morbis malignis.in 1m.prorrh.com.2°. 4ª.170.B
Siti carens febris ardens cur praua.in 1m.de mor.vulg.com.1°. 3ª.106.F
Sitis quæ ſoluitur in acutis pręter rõnẽ,mala.in 1m.pror.cõ.2°.4ª.172.B
Sitis permutatio in contraria celeriter facta,mala.in 1m. prorrhetici,cõmentario 2°. 4ª.170.F
Sitis cur abſit in ardente cum lingua exuſta ſit.in 3m. de morbis vulgaribus,commentario 1°. 3ª.131.B
Sitim qui non habent,lingua arida exiſtente,moriuntur & quomodo.in 3m.de morbis vulgaribus,com.1°. 3ª.132.H
ſine Siti lingua arida in quo fuerit.in 1m.de morbis vulgaribus,commentario 3°.125.D/commenta.1°. 3ª.132.G
Siti non moleſtantur qui in febribus ardentibus ſiccas tuſſes habent.cõmentario 4°.aphoriſmo 58°. Ex.33.G
Sitim non facit vt mel,ſaccar,nec eſt inimicum ſtomacho.7°.de ſim. medic.facult. 5ª.55.E
Siti qui caruit in ardente.in 1m.de morb.vulg.com.3°. 3ª.123.A
Sitis,& dolor lateris in Melancholia qũo curetur.de dynam. Sp.24.E
Sitis ex Pituita ſalſa,quæ.1°.de ſimp.med.fac. 5ª.7.E
Sitim facit Salſus & bilioſus ſuccus,ſi in ventris venis ſit.1°.de ſymptomatum cauſis. 3ª.18.D
Sitim magnam excitat Scammonium.de dynam. Sp.20.H
Sitim excitant Seſamus,& eryſimum.1°.de alim.fac. 2ª.15.D
Sitim creſcere facit Dinum, ſi acetum & vinum ſeorſum ſumantur, & per ſe.1°.de ſimp.me.fac. 5ª.7.E
Sitim facit vinum meracius epotum & quomodo.in 6m. de morb. vulg. commentario 4°. 3ª.185.H

Sitis Galeno acuta fuit ex potu vini veteris meracioris. de victus ratione in morbis acutis,com.4°. 7ª.134.D
Sitim facit ad ebrietatem vinum vetus hauſtum.1°.de ſymp.ca. 3ª.18.E
Sitim facit vinum dulce.de vict.rat.in morb.acu.com.3°. 7ª.125.G
Sitim cur faciãt vina dulcia.de vict.rat.in mor.acu.com.3°. 7ª.126.B
Sitim inducit viperarum caro,adeo ſiccat.11°.de ſimp.med.fac. 5ª.78.B
Siti vehemẽti cruciatus fuit qui viperã comederat.1°.de ſym.c. 3ª.18.D
Sitis à quibus non fiat.com.4°.apho.19°. Ex.29.C
Sitis inexplebilis in quibus fuerit.1°.de ſymp.cau. 3ª.18.D
Siti infeſtati pñt quatuor ſymptomata incurrere.6°.de lo.aff. 4ª.38.A
Sitis dolorem facit.de nat.huma.com.1°. 1ª.28.H
Siti immodica infeſtati,habent linguam tardam ad motus.11°.de vſu partium. 1ª.188.A
Siti,labore,& fame q̃uo mutetur vrina.10°.de ſim.med.fac. 5ª.74.G
Siti,& fame eſt affligendum animal incidendum, & ſcarificandum. de motibus manifeſtis,& obſ. Sp.70.H
Sitim qui voluit pertinaciter ferre,multũ paſſus eſt.1°.de ſym.c. 3ª.18.E
quæ Sitim pati,potius moriendum quidam ſibi propoſuerat.7°. methodi medendi. 7ª.47.D
Sitim non pati finis eorum quę poſſidentur.de cog.cur.ani.mo. 2ª.54.F
propter Sitim inſtar ſorbientium totum calicem exhaurire non decet. de cog.cur.animi mor. 2ª.53.C
ſine Siti vt quis diu ſeruetur.de med.fac.par. 7ª.170.A
Sitis extinguenda in febre.in 6ᵐ.de morb.vulg.com.3°. 3ª.178.A
SITIS *quomodo extinguatur.in 6ᵐ.de morb.vulg.com.3°.* 3ª.178.B
Siti moleſtati cibos & labores minuant.de ſal.diæt. 2ª.43.B
Siti moleſtati vinum dilutum & frigidiſſimũ bibant.de ſal.diæt. 2ª.43.C
Sitim quam ſanet acetum,& quam non.1°.de ſimp.med.fac. 5ª.7.E
Sitis febrium ardentium aqua & aceto aufertur.1°.de ſimp.me.f. 5ª.7.E
Sitim extinguit Aloe[an verum ſit ambigo]de ſimpl.med. Sp.80.A
Sitim leuant Balnea.de marc. 3ª.48.A
Sitim ex ardore extinguentia Catapotia.de remed.par.fac. 7ª.159.A
Sitim extinguit,& laſſitudinem tollit cibi parcitas pituitoſis, & ſanguinis multum habentibus.in 6ᵐ.de morbis vulgaribus,cõ.3°. 3ª.176.A
Sitim non extinguit,neq; laſſitudinem ſedat cibi parcitas,ſanguinis inopia laborantibus,& bilioſis.in 6ᵐ.de morb.vul.com.3°. 3ª.176.A
cõtra Sitim Cucurbitula valet,eam.n.propellit.7°.de ſim.m.f. 5ª.52.A
Sitim prohibent Ficus nimium comeſtæ.de ſimp.med. Sp.84.C
Sitim ſedant Glycyrhizæ radices. 6°. de ſimplicium medic.facul. 5ª.45.G|*de ſimplic.medicam.* Sp.84.G
contra Sitim eſt Lactuca.6°.de ſimp.med.facultatibus. 5ª.48.E
ꝑ Siti ĩ pleuritide Melicrato,& aqua vtẽdũ.de vi.r.ĩ m.a.c.1°. 7ª.114.F
Sitim prohibet Ouum ſi crudum bibatur.de ſimp.med. Sp.88.E
Sitim ſedat Oxymeli non valde dulce.de puero epilep. 7ª.180.F
Sitim prohibent Pira.6°.de ſimplicium medicamentorum fac. 5ª.43.D
Sitis medela eſt Somnus.in 6ᵐ.de mor.vul.com.4°. 3ª.185.G
Sitis à sõno ſedatur,& à vigilia,et q̃uo.ĩ.6ᵐ.de mor.vul.c.4°. 3ª.185.G
Siti liberantur æſtate qui per tres horas ante balneum bibunt ſola aqua Polentam conſperſam.1°.de alim.fac. 2ª.11.H
Sitim extinguit Symphytum petreum.8°.de ſimplic.medica.fac. 3ª.61.G
Sitim magnopere ſedat Theriaca.de vſu ther.ad Pamp. 5ª.98.G
Sitim intolerabilem temperant Triaſandali.de dynam. Sp.26.E
ad Sitim ſedandam ſolum ſumendum eſt Vinum.de diſſ.cont. Sp.72.A
ad Sitim extinguendã.8°.de com.med.ſec.loc. 5ª.189.G|*ſecr.* Sp.98.E
Σἶτον *græce quid ſignificet.de vict.rat.in morb.acu.com.1°.* 7ª.111.B
SITVANDAE *q̃uo ſint partes,quibus ponẽdæ cucurbitulæ.de c.* 6ª.3.D
SITVS *terræ.de hiſt.philoſ.* Sp.8.C
Situs regionũ facit diſcrimẽ in viris,& mulieribus.pre.den.do. 1ª.231.C
Situs adipis.de ana.viuo. Sp.55.G
Situs tunicæ ſecundinæ.de ana.viuo. Sp.48.E
Situs humoris albuginei.de ana.viuo. Sp.48.E
Situs labrorum muſculi qui.de muſc.diſſ. 1ª.44.E
Situs muſculorum ad vocem.de voc.& anhel. Sp.61.A
Situs fibrarum thoracem contrahentium.de muſc. diſſ. 1ª.49.E|F
Situs cordis.de ana.viuo. Sp.46.E
Situs ſtomachi.de ana.viuo. Sp.49.H
Situs Meſaraicarum.de vtil.reſp. Sp.64.D
Situs renum.de anatomia viuorum. Sp.51.B
Situs veſicæ fellis.de ana.viuo. Sp.50.H
Situs matricis.de ana.par.43.C|de anat.viu. Sp.51.F
Situs fœtus ſ̃m plicaturas naturales qualis ſit.de anat.viuo. Sp.52.D
Situs vuluæ.de anat.par. Sp.43.C

ad Sitim ſpectantia inſtrumentorum ſigna.ars med. Iſa.66.F
Situs quatuordecim muſculorum tibię.de muſc.diſſ. 1ª.51.H
in Situ partium errores qui.ars med. Iſa.69.A
in Situ errores quo modo corrigendi.ars med. Iſa.69.B
Situs non nihil indicat ad euacuationem.7°.meth.med. 7ª.49.D
à Situ indicatio quæ Indicatio præbeatur.7°.meth.med. 7ª.49.D
à Situ loci indicatio,inuenit remedium ſalubre.ars med. Iſa.69.G
à Situ & formatione ſimul,inuenitur remedium.ars med. Iſa.69.G
ad Situs ac figuræ variationẽ ꝑtinebit q̃n fibra cuiuſpiã viſceris exciderit ob vehementiores caſus aut afflictationes.de cau.morb. 3ª.9.E
Situs ſuis anatomizandi.de anat.var. Sp.42.G
Situs vulnerati in abdomine qualis eſſe debet.6°.meth.med. 7ª.39.D
Situs chirurgici qualis eſſe debet.de ijs,quæ in med.fi.com.1°. 7ª.202.F
SIVM *in riuis plurimum naſcitur.de boni.aquæ.* Sp.75.F
Sium aquas iuuat.de bon.aquę. Sp.75.F
SIVM *quid,& eius vires.de ſimp.med.* Sp.91.D
Sium viſcide excalfactorium ad inflationes,& roſiones ſtomachi,et cholerę propriæ facit de ſimp.med. Sp.91.D
Sium attenuat.de atten.vic. 2ª.43.H

SMARAGDINAE *oliuæ. de dyna.* Sp.24.B
SMARAGDVS *defendit ab epilepſia,collo ſuſpenſus,vel in digito habitus.de incant.adiur.& ſuſp.* 7ª.182.A
pro SMEGMATE *terra nigra aliqui vtentes ſe confricant. 3°. de com.med.ſec.lo.* 5ª.146.B
Smegma ad decorem.5°.de compoſit.med.ſec.loc. 5ª.164.H
Smegma gingiuis contrahendis.5°.de compoſitione med.ſec.loc. 5ª.165.C
Smegmate q̃uo fiãt albi dẽtes,& odorati.6°.de com.me.ſe.lo. 5ª.166.B
Smegma dentiũ quomodo efficacius reddatur.11°.de ſimp.me.f. 5ª.81.A
Smegma taxitatem mollitiemq́; gingiuarum deſiccans & vlcera putreſcentia,quomodo adiuuet.11°.de ſimplicium med.fac. 5ª.81.A
Smegma ad varos.5°.de comp.medic.ſecun.loc. 5ª.160.F
Smegma.1°.de compoſi.med.ſec.loc. 5ª.131.C
Σμηκματιῶδες *vnde deducit.de vic.ra.in mor.acu.com.3°.* 7ª.127.E
Σμηκτικὴ *quæ facultas dicitur.de vic.ra.in mor.ac.com.3°.* 7ª.127.E
SMILAX *venenoſa eſt.8°. de ſimplicium medi.fac.* 5ª.61.A
Smilacis decoctum eſt inter adſtringentia moderata pro gargariſmis.6°. de compoſitione medic.ſec.loc. 5ª.172.G
SMILE *ſutorius culter eſt.de fœt.for.* 1ª.325.G
SMILINVS *Apollonij Archiſtratoris paſtillus.5°.de compoſit. medicamentorum per genera.* 5ª.252.D
SMILIVM *appellatum pharmacum quale.3°.de compoſitione medicamentorum ſecundum locos.* 5ª.146.F
SMILIO *quandoq; euacuandum eſt.de cucur.ſcar.* 6ª.4.A
SMIRIS *lapis quid.de ſimp.med.* Sp.87.A
Smiris lapis viſcide ſtringit,in cauſtica mittitur.de ſimp.me. Sp.87.A
Smiris qualis,& gingiuas laxas et mollities fluuidas curantibus additur.9°.de ſimplicium medicamentorum facul. 5ª.67.C
Smiris miſcetur cauſticis,& deſiccantibus medicamentis.9°. de ſimpli. med.facul. 5ª.67.C
Smiris qualis,& quod dentes puros efficit 9°.de ſimp.med.fa. 5ª.68.B
Smiris ſplendorem inducit.9°.de ſimp.med.fac. 5ª.69.G
SMIRNA *ampla vrbs.de art.com.1°.* 7ª.255.H
Smirnę in ionia ſpectaculũ mirabile & incredibile.8°.de vſu p. 1ª.169.D
Smyrnæ ioniæ vidit Galenus cerebro vulneratum ſanare. commentario 6°.aphoriſmo 18°. Ex.48.A
SMYRNA *quam vim habeant.8°.de ſimp.med.fac.* 5ª.61.A
Smyrnidis meminit.de dynamidijs. Sp.28.C
SMYRNIVM *Romæ olus atrum dicitur.2°.de alim.fa.* 2ª.23.F
Smyrnium quid.de ſimp.med. Sp.91.B
Smyrnium non eſt inuſitatum.2°.de alim.fac. 2ª.23.F
Smyrnium numeratur inter obſonia.2°.de alim.fac. 2ª.23.F
Smyrnij caulis vere manditur.2°.de alim.fac. 2ª.23.F
Smyrnium comedendi modus.2°.de alim.fac. 2ª.23.F
Smyrnium in eodem genere cum apio & petroſelino, & menſes mouet. 8°.de ſimp.med.fac. 5ª.61.B
Smyrnium acre.de atten.vic.2ª.43.H|9°.de ſimp.me.fa. 5ª.64.C
Smyrnium eſt acrius apio & calidius.2°.de alim.fac. 2ª.23.F
Smyrnium calidum & ſiccum eſt in tertio ordine.8°. de ſimplicium medicamentorum facultatibus. 5ª.61.B
Smyrnium non multum differt à petroſelini viribus.8°. de ſimpliciũ medicamen.facul. 5ª.58.C

Smyrnium vires

Smyrnium vires habet acres, ſudorem ſuſcitantes, tuſſientibus ſuſpirioſis, hydropicis, coxioſis prodeſt, ad ſerpentum morſum facit. de ſimplicibus medicam. Sp.91.B
Smyrnij ſemen, calidum, & acre vrinam ciens, ſanguinem extenuat, & cernit. 5°. de ſimplicium medicamentorum facul. 5ª.35.D
Smyrniũ mouet vrinas. 2°. de alim. fac. 2ª.23.F| de cura icteri. Sp.111.D
Smyrnium vrinas mouet, & indurata digerere poteſt, & eius ſemen ad aſthma ſiue anhelationes valet. 8°. de ſimp. med. fac. 5ª.61.B
Smyrnium mouet menſes. 2°. de alim. facul. 2ª.23.F
Smyrnium lac purgat, & multiplicat. 5°. de ſimplic. medic. fac. 5ª.37.G
Smyrnium ordine ſecundo attenuat. de atten. vic. rat. 2ª.43.H
Smyrnium epilepticis conuenit. de puero epilep. 7ª.180.C
Smyrnium pro phlegmone gibbæ partis iecoris quando conueniens. 13°. methodi medendi. 7ª.83.H
Smyrnium caput replet & inflammat. de puero epilep. 7ª.180.C
SOBOLIS dilectio. 1°. de naturalibus facultatibus. 1ª.293.A
SOBRIVS, cogitabundus, peruigil, & natura loquax, ſi tardus, & torpens in loquutione, & reſponſione appareat mentem læſam eſſe ſignificat. in 6^{m}. de morb. vulg. com. 2°. 3ª.168.G
SOCCVS genus eſt calciamenti. de artic. com. 4°. 7ª.284.C
Socci lutigradi qui. de artic. com. 4°. 7ª.284.C
Socci luticalci qui. de artic. com. 4°. 7ª.284.C
SOCIETATEM quam cum proximis habet particula, debet cognoſcere medicus ex anatome. 1°. de locis affectis. 4ª.3.E
à Societate cum vicinis partibus indicatio quæ. 13°. meth. med. 7ª.84.F
SOCIONIS medicinę. de med. exper. Sp.105.C
SOCRATIS deſcriptio. 2°. meth. med. 7ª.15.B
Socrates moralis inuentor. de hiſt. philoſ. Sp.2.C
Socrates inuentor Dialecticæ. de hiſt. philoſ. Sp.2.C
Socrates ſemper immiſcebat ſeria iocis. 1°. de vſu partium. 1ª.115.D
Socrates nihil reliquit ſcriptum. de nat. hum. com. 1°. 1ª.30.H
Socratem lacerat Ariſtophanes in nebulis. in 6^{m}. de morbis vulgaribus, commentario 5°. 3ª.191.A
SODAE generatæ ex humoribus frigidis. ſecretorum. Sp.101.E
SODALIVM incontinentium conſuetudo vitanda. de bonitate & vitio ſuccorum. 2ª.34.C
SODOMA quę. 4°. de ſimplicium medic. fac. 5ª.30.F
Sodominę aquæ quales. 11°. de ſimp. med. fac. 5ª.83.D
Σοειδεῖς quæ vocabat Herophilus. 14°. de vſu part. 1ª.208.C
SOLEM eſſe, nõ põt cõprehendi ſm Fauorinũ. de opt. dog. gen. Iſ.31.B
Sol & luna veluti oculi mundi ſunt. an animal ſit. 1ª.327.B
Sol primo admirandus eſt. 17°. de vſu partium. 1ª.222.C
Solem putat Galenus meliorẽ anima & mente. 17°. de vſu par. 1ª.222.C
Sole nihil præſtantius eſt. 3°. de vſu partium. 1ª.133.F
Sol quid ſit & eius quantitas. de hiſt. philoſ. Sp.6.F
Sol cur de medio eſt ſtellarum errantium. 3°. de vſu partium. 1ª.133.F
Solis magnitudo quæ. de hiſt. philoſ. Sp.6.G
ad Solis magnitudinem cognitionem peruenit demonſtratio geometrarum. de cur. rat. per ſang. miſſ. 6ª.16.C
Solis figura quæ. de hiſt. philoſ. Sp.6.H
Sol diuerſus à forma humana eſt. in 3^{m}. de mor. vul. com. 3°. 3ª.149.B
Soles duo cur quandoq; appareant. de hiſt. philoſ. Sp.8.A
Solis diſtantia ad nos. de hiſt. philoſ. Sp.7.D
Sol, & ignis actu ſunt calida. 3°. de temper. 1ª.22.A
Sol minus marte calidus eſt, & ſiccus, & animã, & cor, et hepar creat, & cerebrum. de compag. memb. Sp.59.G
Solis conuerſio. de hiſt. philoſ. Sp.6.H
Sol nullo indiget aſtro. 3°. de dieb. decr. 4ª.157.A
Solis opera maiora ſunt operibus lunæ. 3°. de dieb. decr. 4ª.157.A
Sole indiget luna. 3°. de dieb. decre. 4ª.157.A
cum Sole quando accidit luna. 3°. de dieb. decre. 4ª.157.C
Sol author eſt quatuor temporum anni. 3°. de diebus decre. 4ª.156.H| de ſpermate. Sp.40.E
ad Solẽ referuntur circuitus mẽſibus cõſtantes. 3°. de die. de. 4ª.158.A
Solis non lunæ rõne cõputandi menſes. in 1^{m}. de mor. vul. cõ. 1°. 3ª.102.D
Sol facit horas anni, non curans Diagoræ, Anaxagoræ, neq; Epicuri calumnias. 12°. de vſu partium. 1ª.194.D
Sol omnibus rebus quas illuminat ſplendorẽ affert. 1°. de loc. affe. 4ª.8.B
Solis fulgor ſenſitiuus eſt. 7°. de decret. Hippo. 1ª.272.E
Solis lumen aerem mutat in inſtanti. de ocul. 7ª.185.C
à Sole aer ſumit lucem & vim. 17°. de vſu partium. 1ª.222.D
Solis ſplendor in aqua, & aere quo impeditur. 1°. de ſympt. cauſ. 3ª.16.C
vt Solis radij per aquam vel aerem, ita virtus tranſit per neruos meatus non habentes. 1°. de ſympto. cauſ. 3ª.16.C
SOLIS defectus reponitur inter ea, quæ manifeſto apparent. de cur. animi pecc. not. atq; med. 2ª.57.B
Solis defectus. de hiſt. philoſ. Sp.7.A
Solis deliquium non poteſt præcognoſci, niſi ſcieris numeros, & lineas. de conſt. ar. Iſa.38.F
in Solis eclypſi cur ſtellę apparent. 10°. de vſu partium. 1ª.178.H
in Solis defectibus obcæcati ſunt multi, & quo. 10°. de vſu p. 1ª.179.A
Sol viſui inimicus eſt. 1°. de ſymp. cauſ. 3ª.17.A
Sol cur viſum offendat. 1°. de ſympt. cauſ. 3ª.17.B
Solem nictando intuentibus quod contingat. 1°. de ſymp. cau. 3ª.14.F
Solis aſpectus cur excitat ſternutamenta. de inſtr. odor. 1ª.112.E
à SOLIS ortu ad auroram Aſiæ ſitus eſt. de aere, aq. & loc. 2ª.4.E
à Solis ortu ad auroram omnia habentur magna, & benigna. de aere, aquis, & locis. 2ª.4.B
à Solis ortu æqualitas per omnia viget. de aere, aq. & loc. 2ª.4.E
ad Solis ortus hyberni dextram habitantes vſq; ad Mæotidem paludẽ, quales. de aere, aq. & loc. 2ª.4.F
Sol quantum accedat ad Scythiam. de aere, aquis, & locis. 2ª.5.E
à Sole ſunt auerſi montes ad ſeptentrionem. 5°. meth. med. 7ª.34.H
Solis ardoribus extinguuntur flammæ. de vtil. reſp. 1ª.224.F
Sole exuſtam regionem habitantes, quales. quod animi mor. 1ª.320.C
ſub Sole cur velociter ambulandum. de ſal. diæt. 2ª.40.H
SOL quomodo in nos agat. de conſue. 2ª.61.C
Soli oppoſitum corpus quid patiatur. 7°. de decre. Hipp. 1ª.270.E
Soli expoſitus permutat indicia quæ ex colore, & mollitie, ac duritie ſumuntur. ars med. Iſa.65.F
ſub Sole per puluerem iter longum diſpoſitionem ſqualidam efficit. 1°. de differentijs febrium. 3ª.34.F
Solẽ qui debet perferre quid agere debet. 2°. de com. me. ſe. loc. 5ª.132.H
ſub Sole facturus iter quid agere debet. de med. fac. par. 7ª.164.A
ad Solis exuſtionem impediendam. de med. fac. par. 7ª.164.A
Sol lora & neruoſa corpora exiccat. com. 6°. apho. 39°. Ex.50.G
Sole vſti quid patiantur. 1°. de diffe. fe. 3ª.36.A
in Sole æſtiuo cur nigri fiant homines. in progn. com. 2°. 4ª.200.H
ex Sole nigritia non eſt morbus. 1°. de ſan. tuen. 2ª.64.A
Sole vtebantur ad dealbandum. 1°. de compoſit. medic. per ge. 5ª.214.D
ad Sole maculatam faciem. de med. fac. par. 7ª.163.H
ad Solis maculas. de med. fac. par. 7ª.163.G
Solis aduſtio in qua morborũ differẽtia collocanda. 3°. de diff. mor. 3ª.3.D
in Solis deuſtionibus calor extrinſecus ſanguinem opprimit. 2°. de differentijs febrium. 3ª.40.A
ſub Sole mora generat bilem. in 6^{m}. de mor. vulg. com. 1°. 3ª.157.A
Soli æſtiuo caput exponere quid faciat. de cau. procathar. 3ª.96.B
Sol vitãdus eſt in capitis dolore ab ardore. 2°. de com. me. ſe. lo. 5ª.132.C
in Sole qui fuit, & in capitis dolorẽ incidit, cuiuſdã caſus. de c. 3ª.98.A
ex Solis æſtu capitis dolor quomodo curetur. de rem. par. fac. 7ª.152.E
ex Solis æſtu capitis dolor quomodo tollatur amuletis dictis remedijs ſecundum Archigenem. de remed. fac. par. 7ª.154.A
ob Solis aduſtionem multam capitis dolori confert ſuccus centaureæ. de virtute centaureæ. Sp.93.B
à Sole vſti, quomodo tractandi. de marc. 3ª.47.D
p Solẽ qui iter fecerit niſi lauerit ſe, quid ſequatur. 10°. me. m. 7ª.66.A
Soli feruenti expoſitus quo balneo iuuatus ſit. 10°. meth. med. 7ª.66.A
à Sole calefacti balneo frigeſcunt. de marc. 3ª.47.H
Solem ingreſſi qui horruere. 2°. de ſymp. cauſ. 3ª.22.D
Solis exuſtione laborantes, ſanat roſarum odor. de inſtr. odor. 1ª.112.E
Sole exuſtis nec falernũ nec tmolites fuluũ, et dulce, nec ariuſium, nec leſbiũ illud qđ odorũ ac fuluũ æque, ac pdicta, ẽ, cõuenit. de vi. Sp.76.G
in Sole verſari inimicũ eſt ijs, quibus mordax calor natura eſt. 5°. de ſanitate tuenda. 2ª.94.C
in Sole mora quomodo calefaciet. de cauſ. morb. 3ª.6.F
ex Solis ardoribus aliqui febricitant. 1°. de diff. feb. 3ª.31.B
in Sole ſi moratus quis fuerit quomodo fiat febris. de cauſ. mor. 3ª.6.F
ex Sole ephemeræ quo modo fiant. 1°. de diff. feb. 3ª.32.G
ex Solis calore ephemeræ inditia. 1°. de diff. feb. 3ª.36.A
ob Solis nimium feruorem fit pulſus durus in ephemeris. 1°. de differentijs febrium. 3ª.34.C
in Solis incendijs vita aſſueta faciliter tertianas incurrit. 2°. de differentijs febrib. 3ª.36.D

in Sole nudari tentandum in longa icteritia.de cura icteri. Sp.111.E
Sol,& exercitia valida efficiunt validiora corpora calida, & robuſta. 4°.de ſimp.med.fac. 5ª.28.A
Sol euitandus in putreſcentibus.de iis,quæ in med.ſi.com.1°. 7ª.202.A
Sol educit,& rapit quod eſt ſubtiliſſimum.de bon.aquæ. Sp.75.F
Soli æſtiuo ſe exponentes poſt vehementes motus quicquid vitiatum eſt, in habitum corporis recipiunt.1°.de diff.feb. 3ª.31.H
Sol excrementa quieta calefaciendo,attenuando,& in ſpiritum vertendo,excitat ad motum.2°.de ſymp.cauſ. 3ª.22.D
ad SOLEM exiccat.5°.de comp.med.ſec.lo.166.A/8°. 5ª.196.B
abſq; Sole ſiccantur herbæ.5°.de compoſi.med.ſec.loc. 5ª.165.G
Sol pro medicamentis concinnandis,& emolliẽdis,vel ignis cũ ſol abeſt, conueniens eſt.4°.de com.me.per ge. 5ª.237.D
in Sole æſtiuo,vel aere calido fieri iubet medicamentum. 9°. de comp. med.per ge. 5ª.245.B
in Sole ſub cane conficit medicamẽtum.4°.de cõ.me.per ge. 5ª.244.A
Sole præparantur metalla melius quàm igne.4°. de compoſitione medicamen.per genera. 5ª.241.D
in Sole metalla præparanda.3°.de com.med.per ge. 5ª.232.B/C
in Sole quę leuigentur.6°.de comp.medi.per gen. 5ª.255.B
SOLIS ſponſa.de dynam.27.H/ Sp.29.E
SOLANO vtimur vt medicamento non vt alimento. 2°. de alimentorum facul. 2ª.23.D
Solanum eſt exigui alimenti.2°.de alim.fac. 2ª.23.D
Solani ſuccus frigidus eſt.6°.de ſan.tuen. 2ª.100.F
Solanum refrigerat.5°.de ſimplicium medicamentorum faculta.5ª.31.H/ 14°.meth.med. 7ª.87.D
Solanum eſt indurans frigidum & humidum.5°.de ſim.med.fac.5ª.34.G
Solanum indurat.de ocul. 7ª.188.E
Solanum habet vim mediam inter ſiccum,& humidum.5°.de ſimpl.medicamen.facul. 5ª.34.G
Solanum hortenſe refrigerat,et adſtringit in tertio.8°. de ſimplicium medicamentorum facultatibus. 5ª.62.G
Solanum adſtringit & infrigidat.2°. de alimen.facul.2ª.23.D/1°.de arte curatiua ad Glauconem. 7ª.99.C
in Solano adſtrictio conſideranda eſt.4°.de ſimp.med.fac. 5ª.26.A
Solanum tantum habet craſſæ,& terreæ ſubſtãtiæ,quantum adſtringit. 2°.de compoſitione medicamentorum ſecundum locos. 5ª.136.C
Solanum adſtringit ſupra omnia olera.2°.de alim.fac. 2ª.23.D
Solanum adſtringens leue eſt.5°.meth.med.31.G/10°. 7ª.65.B
Solanum habet vim adſtringendi & reprimẽdi.de rem.par.fa.7ª.156.D
Solanum exiccat mediocriter.2°.de arte cur.ad Glauc. 7ª.102.B
Solani ſuccus ad cancrum valet.2°.de arte cur.ad Glauc. 7ª.107.E
Solanum infrigidat inflammationes.6°.de comp.med.ſec.lo. 5ª.176.F
Solani ſucci aut nihil penitus,aut paululum quandoq; roſaceo adhibendum,quando caput refrigerare volumus,& quare.2°.de compoſitione medic.ſecundum locos. 5ª.132.F
Solani ſuccus pro ore ventriculi ſupercalefacto conuenit.1°. de arte curatiua ad Glauconem. 7ª.99.C/D
Solani ſuccus quid faciat parti inflammatæ.3°.de ſimp.me.fac. 5ª.21.B
cum Solano chamemęlum quid faciant in inflammatione. 3°. de ſimplicium medica.facul. 5ª.21.C
Solano chamemęlum contrarium eſt.3°.de ſimp.med.fac. 5ª.21.C
Solani ſuccus herpeti ſupficiario cõuenit.2°.de arte cu.ad G. 7ª.102.D
Solanum euitandum in herpete exedẽte.2°.de arte cur.ad Gl. 7ª.102.B
Solanum hypnoticum quale & vnde dictũ.8°.de ſimp.med.fac.5ª.62.G
Solani hypnotici ſemen vrinæ ciendę poteſtatem habet.8°.de ſimplicium med.fac. 5ª.62.G
Solanum halicacabum in foliorum facultate hortenſi ſolano ſimile eſt, & quo modo ciendæ vrinę eſt idoneum,ad iecur quàm veſicam,& renes valens.8°.de ſimp.med.fac. 5ª.62.G
Solani ſuccus expurgat in icteris.de cura icteri. Sp.111.B
Solanum manicum quale.8°.de ſimp.med.fac. 5ª.62.G
à Solano qũo fiat demẽtia,& in qua quãtitate.8°.de ſim me.f.5ª.62.G
Solanum manicum ſiccum eſt in tertio ordine,et frigidum in ſecundo.8°. de ſimp.med.fac. 5ª.62.H
Solanum manicum genere non quantitate obeſt.5°.de ſim.me.fa. 5ª.37.C
Solani manici minimum ſi ſumatur,lædit.5°.de ſimp.med.fac. 5ª.37.C
Solani manici quatuor drachmæ mortẽ inferũt.8°.de ſim.m.fa.5ª.62.H
Solanum manicum vlcera cacoethe,& nomode ſiue paſcentia curat.8°. de ſimp.med.fa. 5ª.62.H
Solani ſuccorum vtitur.4°.de com.me.ſe.lo. 5ª.158.D
pro Solano pſyllium ſumitur.1°.de comp.med.per gen. 5ª.211.G
à SOLARI calore prouenit fructibus maturatio.4°.de ſimplicium medicamentorum facul. 5ª.27.D
Solaria horologia qualia.de cui.ani.pec.not.atq; med. 2ª.58.C
Solaria horologia aqua probãtur.de cui.ani.pec.not.atq; med. 2ª.58.C
SOLEA inter piſces molles.3°.de alimen.fac. 2ª.31.D
Solea,& paſſer ſunt ſimilia,ſed diuerſæ ſpeciei.3°.de alim.fac. 2ª.31.D
Solea ſuauior,& præſtantior paſſere eſt.3°.de alim.fac. 2ª.31.D
Solea vtilis in calidis & ſiccis pro cibo.8°.meth.med. 7ª.51.B
SOLENAS græci vocant inſtrumenta, quæ cruribus ſupponitur. 6°. meth.med. 7ª.41.G
Solena mechanicum.6°.methodi medendi. 7ª.41.H
SOLENARIVM quid.14°.methodi medendi. 7ª.92.A
SOLERTES ad artes qui homines.de aere aq.& locis. 2ª.6.E
Solertes omnes non ſunt,vt ex vniuerſalibus ſolis præceptis poſſint ſingularia inuenire,niſi ducantur.5°.de ſan.tuen. 2ª.92.C
Solertes ſoli obſeruãt quę longo vſu cognoſcũtur.2°.de ali.fac. 2ª.18.H
SOLERTIA ſequitur ad dominium bilis.de anat.viuo. Sp.45.F
Solertiam naturalem debet habere homo.9°.de decre.Hippo. 1ª.284.D
SOLICITVDINES faciunt melancholiam.3°.de loc.aff. 4ª.18.E
Solicitudines maximæ vitent ſicci natura.6°.de ſan.tuen. 2ª.96.E
à Solicitudine fit conuulſio ex ſiccitate.3°.de loc.aff. 4ª.17.F
Solicitudo naturæ duplex.de anat.viuo. Sp.47.C
SOLICITA eſt natura de ſanguine.de anat.viuo. Sp.46.C
Solicita eſt natura de membro nobili.de anat.viuo. Sp.45 C
SOLIDATIO vlcerum quomodo fiat,& quando.in 6m.de morbis vulgaribus,commen.2°. 3ª.161.A
SOLIDATIVVM,conſtrictiuum,& confortatiuum eſt vinum mixtum cum lico,& nitro.de ocul. 7ª.189.G
ſine SOLIDITATE nihil tactile eſt.7°.de decre.Hipp. 1ª.271.H
circa SOLIDA etiam verſantes Geometræ dicuntur ad Thr.2ª.109.D
Solida quæ.ſin.med. Iſa.43.G
Solidum nihil ſine terra.7°.de decre.Hippo. 1ª.271.H
Solidum,& terreum multum nutrit.2°.de alim.fac. 2ª.16.E
Solidum corpus cur ſiſtit aluum.1°.de alim.fac. 2ª.7.G
Solidi corporis ſenſus eſt tactus.1°.de ſymp.cau. 3ª.17.C
Solidæ partes quomodo ab Hippocrate vocentur.de trem.pal. 3ª.52.D
Solida quę ſint apud Hippocratem.bre.denot.dogm.Hipp. 1ª.231.B
de Solidorum natura vbi diſſeruerit Hippocrates.bre.den.d. 1ª.231.B
Solidorum compactionis,& formationis,Hippocrates probabiles ſequutus rationes,caput originem facit.bre.deno.dogm.Hipp. 1ª.231.B
Solidis,humidis,& ſpiritibus conſtant animalia.& homo.bre.denotatio dogmat.Hippoc. 1ª.231.A
Solidæ partes ſolæ rectæ partes vocantur.de ſal.diæt. 2ª.40.G
Solidæ corporis particulæ quæ vocantur.1°.de nat.fac. 1ª.292.A
Solida membra è ſemine generantur,& nutriuntur.1°.de ſem. 1ª.335.D
Solidæ partes in prima formatione fœtus ex quatuor humoribus ortum habent.de nat.humana,com.1°. 1ª.30.C
Solida,& ſicca eſt caro cordis.de anat.viuo. Sp.46.C
Solidum pedis veſtigium qui muſculus faciat.de muſcu.diſſ. 1ª.52.A
Solidorum corporum ſubſtantia craſſiſſima eſt.1°.de diff.feb. 3ª.31.B
Solidarum partium qualitas ex quibus ſit.11°.meth.med. 7ª.68.B
Solida corpora habent certam quantitatem.12°.meth.med. 7ª.77.C
Solidarum partium quantitas ſemper cadẽ manet.11°.met.me. 7ª.68.B
per Solida corpora natura eſt protenſa,quæ eſt illorum virtus. in 1m.de morbis vulgaribus,com.1°. 3ª.112.C
ex Solidis corporis partibus operationes ãialis ſunt.c.4°.a.13°.Ex.28.G
Solidorũ corporũ natura eſt virtus.in 1m.de morb.vul.com.1°. 3ª.112.C
à Solidis corporibus ſanis fit cõcoctio.in 1m.de mor.vulg.cõ.1°.3ª.112.C
Solidæ partes quomodo cuſtodiantur.11°.meth.med. 7ª.68.E
Solida corpora pro viribus quo modo ſeruanda.12°.meth.med. 7ª.77.F
Solida corpora in morbis quomodo cuſtodienda.12°.meth.me. 7ª.77.A
Solida corpora cum ægrotant,morbus eſt in habitu.in 1m.de morb.vulg. commentario 1°. 3ª.112.D
Solidæ corporis particulæ quibus reſoluũtur in pituitam, iis pituita per omnes partes educi debet.quos purg.opor.quib.med. 5ª.88.E
Solidarum partium ſiccitas non poteſt ſanari.10°.meth.med. 7ª.66.E
Solidorum corporum ſiccitas eſt inſanabilis.12°.meth.med. 7ª.80.B
Solidorum corporum ariditas quibus reparetur.de marc. 3ª.48.D
Solidæ partes animalis quomodo humectẽtur per ſe, et qũo per accidẽs. com.4°.apho.13°. Ex.28.G
Solidæ rei vapores quales.com.1°.aph.14°. Ex.7.D/E

Solidis partibus conuenit fuſio æqualis.10°.meth.med. 7^{a}.65.H
de Solidis membris dicitur mollire.in 6^{m}.de morb.vulg.cō.1°. 3^{a}.156.B
SOLIPEDA *ſunt ambidentata.de artic.com.1°.* 7^{a}.256.H
Solipeda habent quintū locum pro diſſectione.6°.de anat.adm. 1^{a}.90.D
SOLITVDO *ſequitur ad dominium melancholiæ.de ana.* Sp.45.F
SOLOECISMVS *in voce committitur.2°.de decr.Hipp.* 1^{a}.38.C
Solæciſmus ab Hippocrate committi videtur. in 3^{m}. de morbis vulgar. commentario 3°. 3^{a}.127.C
Solæciſmus.in 1^{m}.prorrh.com.3°. 4^{a}.179.C
SOLOECOPHANES *quę figura ſit.com.7°.aph.56°.59°.* Ex.59.A
Solæcophanes.in 1^{m}.prorrh.com.1°. 4^{a}.162.E
SOLOECI *figuræ in dictione in prorrhetic.lib.vſus eſt frequens, adeo vt aliqui ob id ſuſpicati ſint non eſſe hunc Hippocratis librum. in 1^{m}. prorrh.com.1°.* 4^{a}.162.E
Solæcum non habent aphoriſmi,& ſi breues.in 1^{m}.pror.cō.1°. 4^{a}.162.E
Solæcę figurę.in 1^{m}.prorrh.com.3°. 4^{a}.178.E
SOLSTITIA *& æquinoctia cur eadem in varijs regionibus, & ortus ſyderum varius.in 1^{m}.de morb.vulg.com.1°.* 3^{a}.101.H
à Solſtitio hyemali ſecundus menſis eſt februarius,et ita vide quomodo ſolſtitium erat in fine decembris, beneq́; conſidera, qm̄ cum Chriſtus natus eſt vigeſimo ſecūdo die decembris,erat ſolſtitium.in 1^{m}. de morbis vulgaribus,comment.1°. 3^{a}.102.D
SOLVENDVM *à principio in morbis acutis, ſi humores ſint concitati. quos purg.op.quib.med.* 5^{a}.88.G
SOLVIMORBIA *medicamenta & febrifigia ſecūdum Aſclepiadem. 2°.de antidotis.* 5^{a}.113.H
non SOLVVNTVR *morbi in duodecimo in ſextodecimo, in decimo nono,in octauo,& in decimo die.1°.de dieb.decre.* 4^{a}.147.B
Soluuntur qui morbi ſine criſi.3°.de criſi. 4^{a}.141.F
Soluere circuitus poteſt cucurbitula.de cucurb.ſcarif. 6^{a}.3.F
Soluere dolorem poteſt cucurbitula.de cucur.ſcar. 6^{a}.3.F
Soluunt aluum catapotia ex caſtoreo.de ven.ſect.aduer.Eraſ. 6^{a}.11.C
ad Soluendum ventrem catapotia Galeni.de dynamidijs. Sp.27.F
Soluit ventrem polypodium.de ſimp.med. Sp.89.C
Soluit ventrem ſpondylium acrimonia ſua.de ſimp.med. Sp.91.B
Soluit ventrem decoctio ſquinanthi.de med.exper. Sp.107.B
ad Soluendum ventrem pannus.de dynamidijs. Sp.27.F
ad Soluendum ventrem aliud remedium.de dynamidijs. Sp.27.F
Soluit craſſos & viſcoſos humores ſuccus centaureæ cum melicrato.de virt.centaureæ. Sp.94.A
Soluens ventoſitates medicamen.de med.exper. Sp.105.F
Soluit virtutem dolor etiam imbecillus.~~de curā~~ lap. Sp.111.G
Soluant quæ continuum.12°.meth.med. 7^{a}.78.E
SOLVTIO *naturalis contingit conceptus in hora phlegmatis. de dynamidijs.* Sp.37.C
Solutio ventris ſuperflua ſignum infrigidati,& humectati corporis .ſecretorum. Sp.98.G
ad Solutionem omnem ventris pillulæ.de dynam. Sp.27.G
ad Solutionem nimiam ventris clyſter vtile.de dynamidijs. Sp.27.G
ad Solutionem ventris.ſecretorum.98.D/ Sp.99.B
ad Solutionem ſanguinis.ſecretorum. Sp.99.E/F
ad Solutionem omnem antidotum vtile.de dynamidijs. Sp.27.G
ad Solutionis virium imbecillitatem.de ther.ad Piſon. 5^{a}.94.H
SOLVTIO *in morbo quid ſignificet.1°.de dieb.decre.* 4^{a}.149.A
Solutio morbi ſimpliciter,quid.3°.de criſ. 4^{a}.141.F
Solutio ſimplex quæ criſis dici non debet.3°.de criſ. 4^{a}.139.B
Solutio qualis in octauo & decimo die fiat.1°.de dieb.decre. 4^{a}.147.B
Solutionis modus qui.in 6^{m}.de morb.vulg.com.5°. 3^{a}.190.D
Solutionis morbi primus modus.3°.de criſibus. 4^{a}.141.F
Solutionis morbi ſecundus modus.3°.de criſ. 4^{a}.141.F
Solutiones morborum ſubitæ, excretionem euidentem requirunt,vel abſceſſum.1°.de dieb.decr. 4^{a}.147.A
Solutionē ægritudinis in ſynocha ſign̄at vrina alba ſpumoſa, & nebuloſa,ſi in critico die,aut poſt criticū diem ſuperuenerit.de dy. Sp.34.D
Solutio eſt ęgritudo partis in qua eſt.de diff.morb. 3^{a}.3.C
SOLVTIONEM *continui morbum ſimilaribus, & inſtrumentalibus cōem primus appellauit Galenus.9°.meth.med.61.A/13°.* 7^{a}.80.D
Solutio continui eſt morbus communis partibus ſimilaribus et inſtrumētarijs.ars med.Iſa.69°.C/2°.methodi medendi. 7^{a}.13.D
Solutio vnitatis & ſolutio continuitatis idem ſunt, & in quibus ſint partibus.5°.methodi medendi. 7^{a}.29.H
Solutio continuitatis eſt quintum genus ęgritudinis.de diff.mor. 3^{a}.5.D
Solutio continui in omni parte animalis contingit,tamen non eſt vnū nomen in omnibus.4°.meth.med. 7^{a}.23.B
Solutio continui quo modo fiat.de vict.rat.in morb.acut.cō.2°. 7^{a}.116.C
Solutio continui in oſſe catagma dicitur, & eſt omnibus fere qui græce loqui norunt vocabulum tritum.6°.meth.med. 7^{a}.40.B
Solutionis continui in oſſe proprium nomen apagma eſt apud medicos, plebi vero inuſitatum,& quæ nam ſic ab illis ſolutio appellatur. 6°. methodi medendi. 7^{a}.40.B
Solutio vnitatis in oſſe quid ſit.3°.meth.med. 7^{a}.16.D
Solutio vnitatis in carne quid ſit.3°.meth.med. 7^{a}.16.E
Solutio continui dolores facit.de conſt.ar.Iſag.38.C/12°.methodi medendi.78.E/de fract.com.3°. 7^{a}.246.E
Solutio continuitatis,& intemperies ſunt cauſæ generales dolorum. 3°. de com.med.ſec.loc. 5^{a}.141.G
Solutio cōtinui,et alteratio duæ ſpēs doloris ſunt.2°.de loc.aff. 4^{a}.9.C
p Solutionē continui & alterationē ſimul,dolor fit.2°.de lo.aff. 4^{a}.9.C
Solutionem continui efficit qualitas,& repentina mutatio in temperatura:ideo dici poterit omnem dolorem eſſe ſolutionem continui . de fractu.commentario 3°. 7^{a}.246.E
in Solutione continui ſcopus.de conſt.ar. Iſa.40.A
in Solutione continui quid agendum.ar.med. Iſa.69.G
Solutio vnitatis vnitionem poſtulat.3°.meth.med. 7^{a}.16.D
SOLVTIOR *excretio quæ.in prog.Hipp.com.2°.* 4^{a}.205.B
abſq; SOLVTORIIS *ſignis nō ſanatur morbus magnus.1°. de diebus decret.* 4^{a}.145.C
ad SOLVTOS *7°.de compoſit. medicamentorum per genera.269.H/270.D/F/* 5^{a}.271.A/F/G
SOMNIANTIBVS *venerea plumbi lamina prodeſt.9°.de ſimplicium medicamentorum fac.* 5^{a}.70.F
SOMNICVLOSVM *genus Catochi eſt.fin.med.* Iſa.47.B
SOMNIFERA *creditur mandragora.de ſimp.med.* Sp.87.C
Somnifera medicamenta qualia,& quos faciant morbos.1°. de ſymptomatum cauſis. 3^{a}.19.B
Somnifera danda melancholicis.de mel.ex Gal.Ruff.& Poſſ. Sp.110.F
Somnifera dantur hæmoptoicis.7°.de compoſi.med.ſec.loc. 5^{a}.191.E
SOMNIABAT *quidam ſe lauare, inſtante criſi per ſudorem . de dign. ex inſom.* 4^{a}.213.D
Somniabat palæſtrita ſe eſſe in ciſterna ſanguinis,ob copiā ſanguinis . de dign.ex inſom. 4^{a}.213.D
Somniare ſe volare quid ſignificet.de dign.ex inſom. 4^{a}.213.D
Somniare ſe currere quid ſignificet.de dign.ex inſom. 4^{a}.213.D
Sōniare eſſe in cœno in ſtercore, quid ſignificet.de dign.ex in. 4^{a}.213.D
ne Somniet noctu homo,remedium de med.fac.par. 7^{a}.173.B
SOMNIA *præſagia faciunt.in 1^{m}.de morb.vulg.com.3°.* 3^{a}.117.H
Somnia cōducunt ad cognoſcēdas humorū qualitates.de dign. 4^{a}.213.E
Somnia quæ incerta.de dignoſ.ex inſom. 4^{a}.213.D
Somnium incendij ſignificat bilē abundare.de dign.ex inſom. 4^{a}.213.C
Somnium fumi ſignificat atram bilem vexare.de dig.ex inſ. 4^{a}.213.C
Sōniū caliginis,& tenebrarum,ſign̄at atrā bilē.de dign.ex inſ. 4^{a}.213.C
Somnia imbrium ſignificant humiditatem.de dign.ex inſ. 4^{a}.213.C
in Somnio nix,glacies,vt grādo ſign̄ant pituitā.de dig.ex inſ. 4^{a}.213.C
Somnium rerum bene olentium quid ſignificet.de dign.ex inſ. 4^{a}.213.E
Somnium de potu,de eſu,aut de venere, quid ſignificet.de dignoſ.ex inſom. 4^{a}.213.D
in Somnio quidam videbat crus ſibi lapideum, qui paralyticus fiebat. de dign.ex inſom. 4^{a}.213.D
Somnia fiunt in phreniticis futuris.in 1^{m}.pror.com.1°. 4^{a}.163.H
Somnia morborum quid ſignificent.de dign.ex inſom. 4^{a}.213.C
Sōnijs libidinoſis qui vexant̄,lactuca exhibetur.6°.de ſim.m.f. 5^{a}.48.E
Somnium Galeni.de anat.viuo. Sp.55.H
per Somnium admonitus fuit pater Galeni vt illi iniungeret medicinam addiſcere.de præcogn.ad Poſth. 4^{a}.214.E
SOMNOLENTIA *quibus multa.de aere,aq.& loc.* 2^{a}.6.E
Somnolentia quomodo fit in ſenibus.com.3°.aph.31°. Ex.26.H
Somnolentia eſt nuntius febris.præſ.exper.conſ. Sp.77.E
SOMNOLENTAE *diſpoſitiones ſunt ſomnus longus ſecundum prædictos.com.2°.aphoriſ.3°.* Ex.11.E
Somnolenta eſt pueritia propter humorem.3°.de loc.affect. 4^{a}.16.G
Somnolenti fiunt ex dulci pituita.de mult. 3^{a}.81.G
Somnolenti ægroti quo lunæ aſpectu fiant. de decu. progn. ex mathematica ſcientia. Sp.12.G
de SOMNO *& vigilia,& qn̄ fieri debeant.in prog.com.2°.* 4^{a}.198.H

Somnus quid

Somnus quid.fin med. Iſa.45.C
Somnus eſt vnũ ex ſex rebus non naturalibus.ars med.68.C| Iſa.69.D
Somnus neceſſarjo noſtro corpori occurrit ad Traſ. 2ª.104.D
Somnus quomodo alterat corpus.ars med. Iſa.68.C
Somnus ſub quarta medicinæ parte continetur.ad Traſ. 2ª.108.D
Somnũ quandam eſſe epilepſiam dicit Ariſtoteles.de vti.reſp. Sp.63.F
Somno alto comparatur epilepſia.1°.de ſymp.cauſ. 3ª.19.C
Sõnus,& epilepſia in eodẽ loco, & ſimili cauſa.de vtil.reſp. Sp.63.F
in Somno fit ephialtes quæ eſt epilepſia quædam.de vtil.reſp. Sp.63.F
in de Sõno ſermone q̃uo claudicauerit Ariſtot.1°.de ſym.cau. 3ª.19.A
Somnus quomodo fiat.de vtil.reſp. Sp.63.E
Somnus,& mors quomodo fiant.de hiſt.philoſ. Sp.11.G
Somnus quomodo mortis frater dicatur.3°.de cuuſ.pul. 4ª.97.E
Somnus ex oppilatione fit de vtil.reſp. Sp.63.E
Somnus vnde fiat.1^{m}.pror.com.2°. 4ª.173.F
Somnus & vigilia vnde accipiantur.com.2°.aph.1°. Ex.11.C
Somnus ad quod genus cauſæ ducendus.1°.de ſan.tu. 2ª.68.H
Sõnus fit è frigore primo,ab humiditate ſecũdario.3°.de lo.af. 4ª.16.G
Somni fiunt à cauſa frigida.2°.de loc.affe. 4ª.14.A
Somnos longiores inducunt ſucci frigidi.4°.de ſan.tu. 2ª.84.E
Somnum non faciunt frigida ſed coma & carum.1°.de ſym.cau. 3ª.19.B
Somnum ſignificat coma.de com. 3ª.48.H
Somnus obſtupidus coma interpretatur in prog.com.1°. 4ª.192.A
Somnus altus,& coma propria humiditatis cerebri ſymptomata ſunt. 4°.de præſag.ex pulſ. 4ª.120.G
Somnus profundus,& caros differunt.in 1^{m}.ꝑgn.Hipp.cõ.2°. 4ª.173.E
Somnum ex pulmonis humoribus potius fieri dicendũ, quàm vt dixit Ariſtoteles.1°.de ſymp.cauſ. 3ª.19.B
Somnum naturalem inducit cerebrũ,vt quieſcat.1°.de ſym. 3ª.19.B
ad Somnum requiritur humor.1°.de ſymp.cau. 3ª.19.B
Somnum vehementiorem faciunt humida.1°.de ſymp.cau. 3ª.19.A
Sõnus ꝓfundus ob humiditatẽ.de vic.rat.in morb.acu.cõ.4°. 7ª.134.G
Somnos profundos longos facit humiditas abũdans vel ſola vel cum materia.3°.de locis affectis. 4ª.16.G
Somni profundi ſunt vnũ ſignum pituitæ.com.4°.aph.2°. Ex.27.F
Somnus an naturale opus,vel affectio ſit,indicare difficile eſt.de inſtrumento odoratus. 1ª.112.C
Somni quomodo ſint præter naturam.de pul.ad Tyro. 4ª.44.F
Somnum in qua figura corporis capimus.2°.de motu.muſc. 1ª.314.C
Somnus ſedẽtium hedreon dicitur, & vnde in 6^{m}. de morbis vulgarib. commentario.4°. 3ª.183.H
Somnum capiat in frigido cubili qui calidæ eſt naturę in calido tempore. in 6^{m}.de morbis vulg.com.4°. 3ª.185.E
Somnus ineſt pueris pro maiori parte.com.3°.aph.24°. Ex.25.A
Somno indigent ſenes.5°.de ſan.tu. 2ª.92.D
ex Somno & vigilijs capiuntur indicia ſucci redundantis.4°. de ſanitate tuenda. 2ª.84.E
Sõnus cauſa & ſignũ ſperatæ vtilitatis quando ſit.4°.de ſan. 2ª.84.E
in Somno animalis vis quieſcit,& maxime viget naturalis.1°.de ſymptomatum cauſis. 3ª.18.H
in Somno ſenſus non bene ſentiunt.de inſtr.odor. 1ª.112.C
in Sõno cur ſeruatur motus muſculorũ thoracis.5°.de loc.af. 4ª.29.B
in Somnis cur non recordamur.2°.de mot.muſ. 1ª.315.B
in Somno calor naturalis eſt maior.com.2°.aph.1°. Ex.11.C
in Sõno naturalis calor intro fert̃ potius quã extra de vſu pa.1ª.229.E
in Sõno calor extra eſt,in vigilia intus.ĩ 6^{m}.de mor.vul.c.5°. 3ª.191.A
in Sõno ſanguis refulgit ad interiora.in 6^{m}.de mor.vul.cõ.5°. 3ª.193.G
Somnus ſemper nocet,quia trahit magis ad intra,ſed plus adfert vtilitatis ad concoctionem materiæ.com.4°.aph.67°. Ex.34.G
Somnus quid faciat in viſceribus.in 6^{m}.de morb.vul.com.5°. 3ª.190.H
in Somnis viſcera exercitantur.in 6^{m}.de morb.vulg.cõ.5°. 3ª.190.H
Somnus potius facit indolentiam,quàm dolorem.in 6^{m}.de morbis vulgaribus,commen.5°. 3ª.190.H
Somnus confert ad naturæ opera.com.1°.aph.15°. Ex.8.A
Somni coctionem faciunt vtilem.com.4°.aph.67°. Ex.34.G
Somnus concoquit.12°.met.me.7ª.75.G/cõ.5°.aph.27°. Ex.40.B
Somnus quomodo concoquit.in 6^{m}.de mor.vul.com.4°. 3ª.185.B
Somni profundi faciunt ad coctionem.1°.de alim.fac. 2ª.10.B
Somnus à balneo ſupra omnia concoquit,quæ concoqui poſſunt, & malos ſuccos per halitum digerit.4°.de ſan.tu. 2ª.84.D
in Somno cur coctiones meliores fiunt.3°.de cau.pulſ. 4ª.97.E
Somnus ſemicoctos humores perficit.4°.de ſan.tu. 2ª.83.E
ꝑ Somnũ exiguũ coctio ab extrinſeco impeditur.3°.de ſymp. 3ª.24.H
Somnus in quibus non ſinat digeri ſuccos crudos, & viſcera grauiora reddat.12°.met.me. 7ª.75.G
Somnus humectat, ſpiritumq; & effluuia cohibet.de victus ratione in morbis acutis,com.2°. 7ª.125.B
Somnus ſemper humectat non tamen calefacit vel refrigerat. in 6^{m}.de morb.vulg.com.4°. 3ª.184.A
Somnus quomodo refrigeret,& calfaciat.in 6^{m}.de morbis vulgaribus commentario.4°. 3ª.184.B
Somnus eſt medela ſitis in 6^{m}. de mor.vul.com.4°. 3ª.185.G
à Somno,& à vigilia ſedatur ſitis.in 6^{m}.de mor.vulg.com.4°. 3ª.185.G/com.5°.aph.27° Ex.40.B
in Somnis reſpiratio qualis.1°.de diff.reſp. 3ª.58.D
ex Somno pulſuum mutatio fit.3°.de cau.pul. 4ª.97.E
in Somnis mulieres excernunt ſemen vt viri.2°.de ſemine. 1ª.336.D
in Somnis ſemen muliebre quo tendat.2°.de ſem. 1ª.336.C
poſt Somnum cur maxime fiat pandiculatio.2°.de ſymp.cau. 3ª.22.B
à Somno fricari omnes non deſiderant.5°.de ſan.tu. 2ª.89.F
Somnus conſuetus magis toleratur inconſueto.cõ.7°.aph.67°. Ex.34.F
Somnus nõ cõſueto tẽpore oſtẽdit futurã ægritudinẽ.ars med. Iſa.67.E
Somnus ſit mediocris.2°.de ſan. tu. 2ª.69.D
Somni mediocritas quæ.ars med. Iſa.68.D
Sõnus moderari oportet ad viriũ modũ reſpiciẽdo.de ſal.diæ. 2ª.40.A
Somnus mediocris adhibendus eſt temperato.2°.de ſan.tu. 2ª.75.H
Somnus,& vigilia,vtraq; modum excedentia,morbus, commentario. 7°.aphoriſmo.67°. Ex.60.F
Somnus apud aliquos antiquos excedens ſemper eſt bonus vt ſignum. & vt cauſa.com.2°.aph.3°. Ex.11.E
Somnus dupliciter excedit modum,& quomodo.cõ.2°.aph.3°. Ex.11.E
Somnus longus eſt qui excedit modũ naturæ,ſed non habet difficilem expergefactionem.com.2°.aph.3°. Ex.11.E
Somnus grauis eſt qui difficilem habet expergefactionem.commentario 2°.aphoriſmo.3°. Ex.11.E
Somnos graues infert vinum nigrum dulce.de ſimp.med. Sp.92.B
Somnus granis quaſi macri corporis inditium.de dyna. Sp.19.H
Sõni multitudo eſt proprietas ſanguinẽ cõſequens.de ana.viu. Sp.45.D
Somni multi quid faciant.9°.met.me. 7ª.60.D
Somnus multus an lædat.in 1^{m}.pror.com.3°. 4ª.181.H
Somni multi inter cauſas numerantur quæ mollem pulſum & arteriam efficiunt.1°.de præſag.ex pulſ. 4ª.109.D
Somnus altior bene exercitatos præmit.1°.de ſymp.cau. 3ª.19.A
Somnus à quibus nutrimẽtis fiat intenſior.1°.de ſymp.cau. 3ª.19.A
Somnus poſt cibum quid faciat.de diſſ.cont. Sp.72.A
ad Sõnũ conuerſis poſt cibũ caput impletur.cõ.4°.aph.67°. Ex.34.F
Somni multi poſt cibum digerunt,& nutriunt corpus nutrimẽto plurimũ adhærẽte,et cõfortãt cõformatione plurima.de diſſ.cõt. Sp.72.G
in Somnum propenſio quid.in 3^{m}.de mor.vul.com.1°. 3ª.131.G
in Somnũ ab inclinatione excitare põt cucurbitula.de cuc.ſcar. 6ª.3.F
Somnus fortis corpus diſſoluit,& capitis grauitatem facit.de victus ratione in morbis acutis,com.2°. 7ª.125.A
Somno noxio grauato quomodo exhibendum medicamentum.2°. de antidotis. 5ª.116.C
Somnos turbatos & imaginibus inquietos efficiunt ſucci calidi & mordaces.4°.de ſan.tu. 2ª.84.E
in Somnis pauor fit conceptis in bilis horis.de ſpermate. Sp.37.C
per Somnum imaginationes terribiles fiunt pueris, & his qui habent os ventriculi plenum multis,& vitioſis humoribus, qui mordicant. com.3°.aph.24°. Ex.25.B
in Somno cur pueris idola apparent.1°.de ſymp.cau. 3ª.15.A
Somni tumultuoſi fiunt propter humorem vitioſum coaceruatum in ore ventriculi.5°.de loc.aff. 4ª.32.H
in Sõnis repreſentationis cauſa ſunt vigiliæ.in 1^{m}.pror.cõ.1°. 4ª.163.G
in Somnis phantaſmata videntur melancholicis ob ſiccitatem. in 1^{m}. pror.commenta.1°. 4ª.163.G
in Somnis phantaſmata videntur cibatis parce,& ieiunis .in 1^{m}.pror. commentario.1°. 4ª.163.G
Somnos multum turbulẽtos inducit ſtyrax multus potatus.2°.de comp. me.ſecundum locos. 5ª.137.B
Somni imaginationibus abundantes,oſtendunt futuram ægritudinẽ. ars med. Iſa.67.F
Somni implexas imaginationes theriaca.de ther.ad Piſo. 5ª.96.A
in Somno terribilia quis non videbit.de incan.adiur.& ſuſp. 7ª.182.A

Somni varietates quomodo malæ.com.2°.aph.1°. Ex.11.C
ad Somnum fractum vocis arteriaca Charixenis.7°.de compoſi. med. ſecundum locos. 5ª.181.C/D
in Somno turbulentæ excitationes quid ſignificent.3°.de cõp. 5ª.182.A
Somni graues ſigna ſunt indicatiua criſis.1°.de criſi. 4ª.128.E
Somni graues quando boni,& quando non boni.1°.de criſi. 4ª.128.B
Somni parui tenues q̃uo fiant.in 3^{m}.de morb.vulg.com.3°. 3ª.145.F
Somnus q̃n eſt paucus & leuis,ſubtilibus nutriat̃.de diff.cont. Sp.71.G
Somnum impediri à curis collige.com.3°.aph.31°. Ex.26.H
Somnus qnomodo inducatur.10°.met.me.64.E/12°. 7ª.75.G
Somnus infantulis tribus conciliatur.1°.de ſan.tu. 2ª.65.D
Somnum prouocantia & deſiccantia inferna qualia.8°. de ſimp.medicmen.facul. 5ª.62.A
Somnum conciliat Anethum.6°.de ſimp.me.fac. 5ª.43.B
Somnos conciliare poteſt Cucurbitula.de cucurb.ſcarif. 6ª.3.F
ad Sõnũ cõciliandũ valet Diacodion.7°.de comp.me.ſec.loc. 5ª.181.A
Somnum facit Hydropoton.de dyna. Sp.32.D
Somnum facit imbecillitas.de aere,aq.& loc. 2ª.5.H
Somnum affert Iuncus leuis.8°.de ſimp.me.fac. 5ª.62.A
Somnum conciliant Lactucæ,potus ipſarum calidarum aquarum,& vinum modice dilutum.2°.de ſimp.me.fac. 5ª.14.A
Somnum grauem inducit lactuca.3°.de loc.affe. 4ª.16.F
℘ Somno inducẽdo Odoramentũ.4°.de comp.me.ſec.lo. 5ª.157.F
Somnum facit Opium.de ſimp.med. Sp.88.B
Somnum conciliat Papaueris ſatiui ſemen.7°.de ſimp.me.fac. 5ª.55.F
Somnum profundum inducit papaueris ſemen.1°.de alim.fac. 2ª.15.E
Somnum è veſtigio inducens pharmacũ.4°.de comp.me.ſec.lo. 5ª.153.G
Somnum inducens pharmacum.7°.de comp.me.ſec.loc. 5ª.182.B
ad Somnum inducendum pharmacum accommodatum.8°.de compoſi. me.ſecundum locos. 5ª.191.E
Somnum accerſit Solanum hypnoticum.8°.de ſimp.me.fac. 5ª.62.G
Somnum inducit Theriaca.de theria.ad Piſo. 5ª.96.A
Somnum ſuauiter præſtat Thriphera magna,phreniticis, et mulieribus quæ ex melancholia de matrice inſomnia patiunt̃.de dyn. Sp.26.E
Somnum faciunt Venæ poſt aures inciſæ. de aere, aquis,& loc. 2ª.5.H
Somnum conciliat Vinum.4°.de ſan.tu. 2ª.83.E
Somnum conciliat vinum liberalius ſumptum,& balneum calidum capitis.1°.de ſymp.cau. 3ª.19.A
ad Somnum conciliandum in acuta febre remediũ.de dyn. Sp.32.G
ad Somnum conciliandum.8°.de comp.me.ſec.lo.5ª.188.H/ de me.fac. par.169.F/173.B/7ª.175.E/de dyna. 23.D/ Sp.24.E
ex Somno medicamentum inuenit quidam.11°.de ſimp.me.fac. 5ª.78.B
SOMNVS lædens ægrotantẽ mortalis eſt.cõ. 4°.aph.67°. Ex.34.F
Somni cur,& q̃uo in principijs acceſſionum.2°.de loc.affe. 4ª.14.C
Somnus in principio acceſſionum lædit,& quantum lædat.commen. 2°. aphoriſmo.1°. Ex.11.A
Somnus in principijs acceſſionum non lædit,ſed facit carẽtiã vtilitatis. com.2°.aph.1°. Ex.11.B
Somnus in principio acceſſionum facit creſcere inflammationes circa viſcera,nec humores tunc coquuntur qui ad ventrem fluunt,& febris magis prorogatur.com.2°.aph.1°. Ex.11.C
Somnus in cauſa eſt,vt febres ad conſiſtentiam non perueniant,vel vix. com.2°.aph.1°. Ex.11.D
Somnus vtilis eſt in declinatione.com.2°.aph.1°. Ex.11.C
Sõnus vtilis ẽ in vltima parte augmẽti,et in ſtatu.cõ.2°.aph.1°.Ex.11.C
Somni qui ſint lædentes magis,& pernitioſi.com.2°.aph.1°. Ex.11.C
Somnus quas læſiones faciat.com.2°. aph.1°. Ex.11.C
Somnus in morbis exitialibus labores,timores , & conuulſiones quandoq; facit.com.4°.aph.67°. Ex.34.F
ex Somnis in febribus vehementibus conuulſiones vel timores malũ. com.4°.aph.67°. Ex.34.E
Somnus quomodo timores,quomodo labores, quomodo conuulſiones faciat.com.4°.aph.67°. Ex.34.F
in Somnis cum humor infeſtus peruenit ad cerebrum,tunc magis intra quàm extra natura mota.com.4°.aph.67°. Ex.34.F
in Somnis magis euaporant humores,ideo tunc os ventriculi patitur. com.4°.aph.67°. Ex.34.G
ex Somno factus ſudor multus abſq; cã manifecta corpus vti plurimo cibo ſignificat,ſi vero non accipienti cibum hoc accidat,ſcire oportet ꝙ euacuatione indiget.c.4°.aph.41°.Ex.32.D/præſ.ex ꝑ. Sp.77.G
Somnus ſedans delirium bonus.com.4°.aph.67°. Ex.34.F
Sõnus aliquis eſt qui nõ ſedat deliriũ.ſed facit.cõ.4°.aph.67°.Ex.34.F
in Somno ſi oculorum candidum apparet, quid ſignificet. in prognoſti. commentario.1°. 4ª.193.B
SONCHVS editur vt olera,& qualis ſit.8°.de ſimp.me.fa.5ª.61.B
SONITVS quomodo Tymbauli vocati vtuntur,qualis.3°.de ſymptomatum cauſis. 3ª.27.G
Sonitus quorum ſit ſymptoma.de ſympto.diff. 3ª.13.E
Sonitus quot modis fieri poteſt in auribus, & qualis in febribus. 3°. de comp.me.ſecun.loc. 5ª.144.D
Sonitus q̃uo in auribus fiat, q̃n nihil extra ſonet.1°.de ſymp.cau.3ª.15.H
ad Sonitus aurium confert ſuccus centaureæ.de vir.cent. Sp.93.C
ad Sonitus auriũ intra ſe ipſas & acres dolores. de re.par.f. 7ª.162.D
ad Sonitus ex profundo in auribus.de med.fac.par. 7ª.162.E
Sonitus aurium diuturni præſidium.de dyna. Sp.25.A
Sonitus inteſtinorum vnde.3°.de ſymp.cau. 3ª.27.F
Sonitus fluctuantis humoris,eſt ſymptoma ventris imbecillis. 3°. de natural.facul. 1ª.303.B
Sonitus obflatus in ijs qui circa Ieiunum ſunt locis maxime conſiſtunt. 3°.de ſymptoma.cauſis. 3ª.27.F
ex Sonitu præditorum differentia.3°.de ſymp.cau. 3ª.27.G
Sonitus quod nam genus ſit borborygmon.3°.de ſymp.cau. 3ª.27.G
Sonitus qui tryſmos dicitur,qualis, & ex quali ſpiritu conficiatur. 3°. de ſymptomatum cauſis. 3ª.27.G
SONORAM habentes vocem quando moriebantur. in 1^{m}. de morbis vulgaribus,commen.2°.. 3ª.115.D
nõ Sonora ẽ cãna in radice qa carnoſa,& humida.de vo.et an.Sp.61.F
Sonoræ fluctuationes in ventre fieri abſq; potu non poſſunt. 3°. de ſymptomatum cauſis. 3ª.25.E
SONVS aerẽ ꝑcuſſus,ſiue aeris quædã ꝑcuſſio.8°.de vſu par. 1ª.167.G
Sonus diuerſus quomodo accidat.3°.de ſymp.cauſ. 3ª.27.F
Sonorum dignotioes ſunt operationes auris.5°.de decr.Hip. 1ª.255.F
ex Sono magno aures dolent.de ſymp.diff. 3ª.11.E
Sonum ædit exiguum ſed nec prorſus acutum,nec tenuẽ ſpiritus flatuoſior redditus.3°.de ſymp.cau. 3ª.27.F
Sonum acutum,& tenuem reddit ſpiritus per vacuum , & prorſus anguſtum inteſtinum delatus.3°.de ſymp.cau. 3ª.27.F
Sonorum ſymptomata à quo morbo pendeant.de ſymp.diff. 3ª.13.D
SOPHISMATVM ſex modi in dictione.de ſophiſ. Iſa.7.B
Sophiſmata quid faciant,& qualia ſint.de cui.ani.pec.not. 2ª.57.D
Sophiſmata cõparat Galenus vepribꝰ,ſpinis,et hamis.de ca.ꝑ.3ª.95.H
Sophiſmata ſuccedunt omnibus q̃ vel in artibus cũtis,vel in vitæ actionibus perperam geruntur.1°.de temp. 1ª.12.D
Sophiſmata odio habere iuſtum eſt.de cauſ.procat. 3ª.95.E
Sophiſmate aliquis à ſe ipſo capitur.de ſectis. Iſa.18.F
Sophiſmata facile ſoluuntur.de cau.procatar. 3ª.97.E
Sophiſmata neſcientes diſſoluere,putant præceptores deos.de cauſis pro catarcticis. 3ª.90.D
SOPHISTAE differunt à philoſophis, oratoribus , demonſtratoribus, & dialecticis.3°.de decr.Hipp. 1ª.241.H
Sophiſtæ,& loquaces qui.4°.de dign.pul. 4ª.83.H
Sophiſtarum quid.in progno.com.3°. 4ª.208.E
Sophiſtarum duplex genus.de cau.procatar. 3ª.97.C
Sophiſtarum mores.1°.de nat.fac. 1ª.293.E
Sophiſtæ nihil norunt recti,nec dignãtur diſcere.1°.de nat.fac. 1ª.293.E
Sophiſtæ quid tractent.3°.de loc.affe. 4ª.15.H
Sophiſtæ quid faciant.2°.de diff.reſp.63.G,in 1^{m}.de morb.vulg. com.3°. 3ª.119.C/1°.de dieb.decret. 4ª.147.C
Sophiſtarum importunitate meminit.1°.de pulſ. 4ª.47.A
Sophiſtæ habent curam gloriæ non veritatis.10°.de vſu par. 1ª.181.A
Sophiſtæ barbam nutriebant,& tetrici erant,quod habebatur pro grauitate.2°.de diff.pulſ. 4ª.53.G
Sophiſtæ miſeri.2°.de diff.pulſ. 4ª.53.E
Sophiſtæ deſpiciunt inuenire rerum differentiam.ars med. Iſa.71.F
Sophiſtæ in nominibus conterunt tempus.ars med. Iſa.71.F
Sophiſtæ de nominibus contendunt,neglectis rebus , & contumelijs diſputant.2°.de pulſ.diffe. 4ª.53.D
Sophiſtis quæ dant occaſionem garriendi.com.8°.aph.65°. Ex.60.C
Sophiſtæ de ijs contendunt,quæ neq; per ſomnium quidem viderunt ac ſi ſexcenties vidiſſent.de diff.reſp. 3ª.60.C
Sophiſtæ artis optima conſpurcant.1°.de dieb.decre. 4ª.148.E
Sophiſtæ nihil poſſunt facere in re medic.2°.de ana.adm. 1ª.73.D
Sophiſta diſputans contra Galenũ quid dicebat.1°.de nat.fac. 1ª.293.E
Sophiſtæ interrogati indignantur.de mul. 3ª.77.D

Sophiſta fuit probans eſſe aues.& non eſſe aues ſtruthocamelos. 3°. de alimen.facul. 2ª.29.E
Sophiſtarum cauillationes dimittendæ.4°.de ſan.tu. 2ª.82.C
SOPHISTICA quæ ſint.in 1^{m}.pror.com.1°. 4ª.168.C
ad Sophiſticā ptinet diſciplinā,vel definire oïa.4°.de dif.pul.4ª.69.G
Sophiſtica,& logica diſputatio quæ.9°.met.me. 7ª.58.C
Sophiſticæ apparentiæ ab ipſis quoq; dialecticis non facile ſoluuntur de ſubfig.empir. Iſa.34.D
Sophiſtica ars in Alexandria docetur.in 6^{m}.de mor.vul.cō.1°. 3ª.153.C
Sophiſticam artem ſequebantur Galeni tempore medici. in 6^{m}. de morbis vulg.com.3°. 3ª.176.C
Sophiſticā artē odio habuit Galenus.in 6^{m}.de mor.vul.c.2°. 3ª.167.A
Sophiſtica demittenda,& artis opera perquirēda.in 6^{m}.de morbis vulgaribus,com.5°. 3ª.191.F
Σοφιζομένοι qui dicantur.de fract.com.1°. 7ª.225.B
SOPHOCLIS libri quantum pignorati.in 3^{m}.de morbis vulgaribus, commentario.2°. 3ª.137.A
SOPITI & dementes vnde fiant.in 3^{m}.de mor.vul.cō.3°. 3ª.144.F
SOPOR eſt res difficilis ſcitu.in 3^{m}.de mor.vulg.com.1°. 3ª.131.G
Sopor circa primum ſenſorium,quod commune eſt omnibus,conſiſtit.de ſympt.differen. 3ª.11.F
Sopor quando,& quomodo fiat.4°.de loc.affect. 4ª.22.H
Soporis cauſæ.in 3^{m}.de mor.vul.com.1°. 3ª.131.H
Sopor fit ſi medius cerebri ventriculus ſit contuſus, oſſe terebra perforato.4°.de locis.affectis. 4ª.23.A
Soporem facit maxime ventriculus medius cerebri compreſſus ab oſſe Caluariæ vehementer attrito.4°.de loc.affec. 4ª.23.A
Sopor fit à cauſa frigida.2°.de loc.affect.14.A/3°. 4ª.16.F
Sopor fit ob ſolum frigus.in 3^{m}.de morb.vulg.com.1°. 3ª.131.H
Soporem efficiunt pituitoſi & frigidi morbi.3°.de loc.affect. 4ª.16.F
Soporem ſtuporemq; faciunt,frigiditas,& humiditas intenſæ.3°.de locis affectis. 4ª.16.G
Sopor nonnullis ebrijs cur eueniat.in 3^{m}.de morb.vul.com.1°. 3ª.131.H
Soporis aliæ cauſæ.in 3^{m}.de morb.vulg.com.1°. 3ª.132.A
Sopor ob imbecillitatem virium fit in 3^{m}.de morb.vul.com.1°. 3ª.131.H
Soporis pulſus ex imbecillitate quales.in 3^{m}.de mor.vul.cō.1°.3ª.131.H
Sopor potiſſimū fit læſis muſculis temporalibus.11°.de vſu par.1ª.185.H
Sopores fiunt ob oris ventriculi affectum.5°.de loc.affe. 4ª.32.E
Sopor vigilans quid.in 3^{m}.de mob.vulg.com.3°. 3ª.144.C
Sopor coniunctus cum vigilijs & delirijs vnde prouenit.4°. de præſag. ex pulſ. 4ª.120.G
Sopor vigilans fit,cum pituitoſus,& bilioſus humor abundauerint.3°. de locis affectis. 4ª.16.H
Soporis vigilantis, cathochi catalepſis,cari, apoplexiæ,& comitialis morbi differentiæ.4°.de loc.aff. 4ª.23.A
Sopor vigilans lædit vocem.4°.de loc.affe. 4ª.26.D
Sopor lædit vocem.4°.de loc.affe. 4ª.26.D
Sopor phrenitidis per ſe,ardentis febris per accidēs, eſt affectus.in 3^{m}. de morbis vulgaribus,com.3°. 3ª.145.F
Sopor cur fit quandoq; in acutis, poſt ſequitur vigilia. in 3^{m}. de morb. vulg.commentario.3°. 3ª.143.G
Sopor vigilijs vacans à qua materia fiat.in 3^{m}. de morbis vulgaribus, commentario.3°. 3ª.142.A
Sopori non confuſæ vigiliæ à qua materia fiant.in 3^{m}.de morbis vulgaribus.commentario.3°. 3ª.142.A
Sopores alti qui.13°.met.me. 7ª.85.F
Sopor grauis qui.in 3^{m}.de mor.vulg.com.3°. 3ª.145.F
Sopores graues facit vltima ſtipatio.de cau.morb. 3ª.7.D
Sopor ſtupidus qui.2°.de loc.affe. 4ª.14.A
Sopor ſtupidus ex percuſſione forti ſequi videtur.2°.de loc.af. 4ª.13.G
Sopor quid ſignificet.in 3^{m}.de morb.vulg.com.1°. 3ª.131.G
Sopor quid faciat.de arti.com.2°. 7ª.264.G
in Sopore ratio & memoria amittuntur.3°.de loc.affe. 4ª.16.F
in Sopore quomodo ſpiritus habeatur.4°.de loc.aff. 4ª.27.E
in Soporibus profundis pulſus qui.de pulſ.ad Tyro. 4ª.45.F
in Sopore nullum adeſt affecti loci ſignum.3°.de loc.affe. 4ª.16.B
SOPORANS torpor quid ſignificet.in 1^{m}.de morbis vulgaribus, commentario.2°. 3ª.117.G
SOPORARIAE arteriæ falſo dictæ vbi,& quorſum tendant.1°. de decre.Hippo.& Plato. 1ª.232.H
SOPORATIVA quæ.de ocul. 7ª.189.D
Soporifera ſunt balnea qm̄ caput madefaciunt.3°.de loc.affe. 4ª.16.G
Soporifera lactuca eſt.de atten.vic. 2ª.44.E
Soporifera eſt mandragora.7°.de ſimp.me.fac. 5ª.55.B
Soporiferum eſt opium etiam partibus extrinſecis applicatum. 9°. de compoſi.med.ſec.loc. 5ª.201.G
Soporiferum papauer eſt.de atten.vic. 2ª.44.E
Soporifera ſunt vini moderata potio,& cibi humectantes.3°.de locis affectis. 4ª.16.G
Soporifera medicina quid faciat.de ocul. 7ª.189.D
Soporifera viſum minuunt.de ocul. 7ª.189.D
Soporifera exigit deſtillatio tenuis.7°.de comp.me.ſec.loc. 5ª.182.D
Soporiferi morbi in cerebro fiunt.3°.de loc.affe. 4ª.20.C
SORANVS epheſius in methodica ſecta princeps fuit.intr.Iſa.51.E
Soranus ſcripſit de medicamentis.3°.de comp.me.per gen. 5ª.234.H
Soranus ad achoras pharmaca quædā tradidit & eius liber quomodo inſcriptus.1°.de comp.me.ſec.loc. 5ª.131.D
Sorani medicamenta ad alopecias.1°.de comp.me.ſec.loc. 5ª.124.D
Sorani ad anginam.6°.de comp.me.ſec.loc. 5ª.172.C
Sorani ad columellas pharmacum.6°.de comp.me.ſec.loc. 5ª.175.A
Sorani diacodion.7°.de comp.me.ſec.lo. 5ª.180.F
ex Sorano iunctura ad mentum.de faſcijs. 7ª.300.G
SORBENDVM vel bibendum non eſt confeſtim à balneo. de vict. ratione in morbis acu.com.3°. 7ª.132.G
SORBITIO ex alica eſt cibus qui nulla indiget contritione.8°.de compoſi.medi.ſec.loc. 5ª.187.H
Sorbitio ex alica eſt cibus boni ſucci.2°.de comp.me.ſec.loc. 5ª.133.D
Sorbitionem facit ex amygdalis.7°.de comp.me.ſe.loc. 5ª.177.H
Sorbitio eſt ptiſanæ cremor & q̄.de vic.rat.in mor.acu.cō.3°. 7ª.130.F
Sorbitiones concoqui faciles iuuant in tertianis.1°. de arte curatiua ad Glauconem. 7ª.97.C
Sorbitiones quo tpe febris dādæ.de vic.rat.in mor.acu.cō.4°.7ª.139.E
Sorbitio quando danda.de vic.rat.in mor.acut.com.1°. 7ª.115.F
à Sorbitione quando temperādum in pleuritudine. de victus ratione in morbis acutis,com.1°. 7ª.114.E
Sorbitiones purgatis tuto exhibentur.præſ.exper.conf. Sp.78.C
Sorbitiones aluo non purgata quanto plures dederis, tanto magis lædes com.7°.aph.65°. Ex.60.A
Sorbitiones ad ſtomachi ardorē cū ſyncope.8°.de cōp.me.ſe.lo.5ª.191.H
Sorbitiones aliquando aceſcunt, & innatant.10°.met.me. 7ª.62.E
SORBITIVVM ad ilij dolorem,& ad frangendum lapidem.de dynamidijs. Sp.28.C
SORBA quomodo antiquitus nominabantur.2°.de ali.fac. 2ª.20.F
Sorba epheſina.9°.de comp.me.ſec.lo. 5ª.203.A
Sorba ſuauiora meſpilis ſunt.2°.de ali.fac. 2ª.20.F
Sorbis parce veſcendum,& quare.2°.de alim fac. 2ª.20.F
Sorbis non vtendum ad ſaturitatem.de atten.vic. 2ª.45.H
Sorbis non vtendum eſt ad victum attenuantem.de atte.vic. 2ª.45.H
Sorbis indigemus vt medicamēto,nō vt alimēto.2°.de ali.fa. 2ª.20.F
Sorborū ſuccus acerbus ſine vlla acerbitate eſt.2°.de alim.fa.2ª.20.F
Sorba adſtringunt.2°.de ali.fac.2ª.20.F/6°.de cōp.me.ſec.loc.5ª.176.F
Sorba adſtringunt euidenter.1°.de ſimp.me.fac. 5ª.7.H
Sorbus minus ſtringit quā meſpilus.8°.de ſimp.me.fac. 5ª.57.B
Sorborum decoctum adſtringens moderatū pro gargariſmis. 6°. de compoſi.med.ſec.loc. 5ª.172.F
ex Sorbis aqua quibus danda.de vict.rat.in mor.acu.cō.4°.7ª.149.B
SORDES eſt ex ſymptomatum genere.3°.met.me. 7ª.22.E
Sordes hominum qualis.10°.de ſimp.me.fa. 5ª.77.E
Sordes in ſummo corpore collecta eſt craſſius excrementum.3°.methodi medendi. 7ª.17.H
Sordes cutis expelluntur ſuperflua.de compag.mem. Sp.59.B
Sordes omnes de corpore abſtergit aphronitrū.de ſimp.med. Sp.80.C
Sordē oēm de corpore abluit,et abſtergit fel omne.de ſimp.m. Sp.84.E
Sordem omnem de corpore,vel de pannis abſtergit ſapo, et exſiccat. de ſimp.medicam. Sp.90.G
Sordes aurium qui habent quales.in 6°.de morb.vul.com.1°. 3ª.154.F
ad Sordes omnes cutis.1°.de comp.me.ſec.loc. 5ª.131.B
Sordes aurium obſtruunt meatum.1°.de ſymp.cau. 3ª.15.F
Sordes aurium paronychijs conferunt.10°.de ſimp.me.fac. 5ª.77.E
ad Sordes aurium.3°.de comp.me.ſec.loc. 5ª.145.H
Sordem thoracis purgant caricæ.de ſimp.med. Sp.84.C
Sordes in vlceribus quid, & quid agant.3°.met.me. 7ª.17.H
cum Sorde vlcus quomodo tractandum.5°.met.me. 7ª.29.G
Sordē vulnerū mel adhibitū comedit adiūcto ſale.de ſim.m.Sp.87.A/B

Sordes vlceris quando expurgare volumus quid addendum medicamẽto.4°.de comp.me. per gen. 5ª.237.F

Sordi balnei ſimile quid videtur in abſceſſibus. 2°. de arte curatiua ad Glauconem. 7ª.105.A

Sordes glutinationem prohibet.4°.met.me. 7ª.23.C

Sordẽ & ſaniẽ an medicamẽtũ bene ſiccauit ꝓbaĩ.3°.met.me. 7ª.18.E

Sordes balneorũ excernuntur aphronitro.9°.de ſimp.me.fac. 5ª.68.H

ex Sorde balnei & calce medicamẽtũ.2°.de arte cur.ad Gla. 7ª.105.A

Sordes circa ſtatuas gymnaſiorum quã vim obtinet. 8°. de ſimplicium medicamentorum facultatibus. 5ª.59.H

Sordes in paleſtris qualis.8°.de ſimpl.med.fac. 5ª.59.H

Sordes digerit.8°.de ſimp.med.fac. 5ª.60.A

Sordes palæſtritarum ſine ſudore plus repercutiunt minus digerunt, cũ ſudore autem multum digerunt.10°.de ſimp.me.fac. 5ª.75.C

Sordes lanarum ouium qualis.10°.de ſimp.me.fac. 5ª.77.E

Sordes lanarum concoquunt, vt butyrum.10°.de ſimp.me.fac. 5ª.77.E

Sordes barbæ hircinæ in quibus affectionibus conueniunt.1°. de compo. medica.ſecundum locos. 5ª.125.C

Sordes ſolæ phlegmonis vberum efficaciori ſunt remedio.10°.de ſimplicium medicam.facul. 5ª.75.C

Sordes ad bubonem quomodo vſui ſunt.10°.de ſimp.me.fac. 5ª.75.C

à Sordiũ ſilitudine rhypode dicta ẽplaſtra q̃.2°.de cõp.me.ꝓge.5ª.218.C

ad Sordium craſſitudinem confici iubet medicamẽtum.1°.de comp.me. per gen.215.G/2°.223.G/224.F/3°.232.C/6°.255.B/5ª.262.C/E/5°.me. me.34.B/6°.37.G/8°.53.C/14°.90.B de reme. par. fac. 7ª. 154. B/C/ 167.D/169..A/170.F/171.D/ 7ª.173.D

SORDIDAE veſtes vrina expurgantur.10°.de ſimp.me.fac. 5ª.75.D

Sordidi pãniculi ꝓbe calefacti pro ſomẽto.5°.de cõp.me.ſec.lo. 5ª.163.F

Sordidi pruritu excitantur.2°.de ſymp.cau. 3ª.23.H

Sordidi panes qui.1°.de alim.fac. 2ª.9.H

Sordidum quibus fieri poteſt vlcus, & quomodo cognoſcendum. 4°. de comp.me.per genera. 5ª.237.C

Sordidum vlcus facit cæra.2°.de comp.me.per gen. 5ª.218.G

Sordida vlcera quibus curentur.2°.de comp.me.per gen. 5ª.218.F

Sordida vlcera deſiccans euidenter purganſq; medicamentum requiritur.2°.de comp.me.per gen. 5ª.220.C

Sordida vlcera Anemone purgat.6°.de ſimpl.med.fac. 5ª.43.B

Sordida vlcera repurgat ariſtolochia rotũda.6°.de ſimp.me.f. 5ª.43.F

Sordida vulnera expurgat cadmia, & ad cicatricem perducit. de ſimplicibus medicaminibus. Sp.81.F

Sordida poſſunt purgari carne naturalem ſtatum non ſeruante, & quare.3°.met.me. 7ª.21.B

Sordida vulnera lauanda ſunt acriore lixiuia.de ſimp.me. Sp.85.H

Sordida longo tempore vulnera ad ſanitatem perducit lixiuiũ de ſimpl. medicami. Sp.86.A

Sordida vulnera purgat ſcordiũ aridũ illitũ.8°.de ſimp.me.fa. 5ª.60.H

Sordida purgans medicamentũ ex ſilphio.5°.de cõp.me.ꝓgen. 5ª.253.D

Sordida purgans citra eroſionem medicamentum Arei. 5°. de compoſi. medica.per genera. 5ª.254.A

ad Sordida vlcera.3°.de comp.me.ſec.loc. 5ª.148.A

Sordidũ pulſum, ſpiſſum, & grauem habet homotonus.de dy. Sp.34.C

Sordidum pulſum ſine intermiſſione & vigentem habet acmaſtichus.de dynamidijs. Sp.34.C

SORETICA ratio, ambigua quæ fuerit à quibuſdam vocatur. de ſubfig.emp. Iſa.31.F

Soretica ratio quomodo confecta.1°.de loc.aff. 4ª.4.D

Soretica dubitatio qualis.2°.de diff.feb. 3ª.39.G

Soreticalis.de marc. 3ª.46.D

Soretica dubitatio.1°.de diebus decret.146.B/156.D/in prognoſtica.cõmentario.3°. 4ª.208.C

SORI quid, & eius vires.de ſimp.med. Sp.90.F

Sori quale ſit, & quomodo funditur.1°.de comp.me.per ge. 5ª.212.F

Sori, miſy, & chalcitis ſponte naſcuntur.9°.de ſimp.me.fac. 5ª.71.E

Sori chalcitidi genere cognatum eſt.4°.de comp.me.per ge. 5ª.236.E

Sori, chalcitis & miſy quomodo in vno ſint loco.9°.de ſimplicium medicamentorum facultatibus. 5ª.70.B

Sori, chalcitis, & miſy, earundem ſunt virium, differunt tenuitate, & craſſitudine.9°.de ſimp.me.fac. 5ª.70.B

Sori ex Cypro Galenus aſportauit.1°.de antidotis. 5ª.100.C

Sori ægyptium.3°.de comp.me.ſec.loc.147.H/5°. 5ª.163.D

Sori calidum eſt.3°.de ſimp.me.fac. 5ª.22.G

Sori adurit, & eſcharas efficit.9°.de ſimp.me.fac. 5ª.70.D

Sori guſtu ſtipticum eſt, odore nauſeoſum eſt, vomitum quibuſdam mouet, vires valde ſtipticas habet, & acres, alienationes continet, & vulnera quæ luxuriantur exſiccat.de ſimp.med. Sp.90.F

Sori adſtringit, & mordicat.4°.de ſimp.me.fac. 5ª.26.A

Sori adſtringens eximium eſt.4°.de comp.me.per ge. 5ª.259.F

Sori adſtringens, noxium eſt deuoratum.13°.met.me. 7ª.85.C

Sori per eroſionem interimit.4°.de ſimp.me.fac. 5ª.30.B

Sori extergit & repurgat.4°.de comp.me.ſec.loc. 5ª.149.G

Sori ut argenti ſpuma lauatur.1°.de comp.me. per ge. 5ª.213.E

Sori combuſtum ad vlcera maligna confert.4°. de compoſitione medic. per genera. 5ª.236.F

SORTES vitæ alterant pulſus.de vſu pulſ. 1ª.229.E

SOSICRATIS ad orthopnæam.7°.de comp.me.ſec.loc. 5ª.187.A

SOSTRATI καρχύνιος.de faſcijs. 7ª.302.G

Soſtrati parua ara.de faſcijs. 7ª.302.H

Soſiſtrati paruum templum.de faſcijs. 7ª.302.H

SOTIRA dictũ medicamentũ aſthmaticis auxiliat̃ de dyn. Sp.26.F

SPADONES cur vocem habent acutam.in 1^{m}.pr rhet.commen.2°. 4ª.170.E

Spadonibus qui nam humor exiens voluptatem afferat in coitu. 14°. de vſu partium. 1ª.208.C

ad SPANOPOGONAS ideſt raribarbos.de med.fac.par. 7ª.173.E

SPANTHAEI fit mentio.de med.fac.par. 7ª.173.F

SPANTOS ad roborandum ſtomachum accipi iubet. de medicinis facile parand. 7ª.177.G

SPARGANIVM exſiccat.8°.de ſimp.me.fac. 5ª.61.C

ad SPARSAM ictericiam.ſecretorum. Sp.101.C

ex SPARTO nectuntur iumentis ſoleæ.1°.de alim.fac. 2ª.11.D

Sparti fructus cuius ſit facultatis.8°.de ſimp.me.fac. 5ª.61.C

SPASMA ideſt conuulſum.2°.met.me. 7ª.9.F

Spaſma conuulſio dicitur. & quod ad neruoſas partes ſpectat. 3°. methodi medendi.16.E/6°. 7ª.36.G

SPASMOSVS ex balneo qui effectus fuerit.de cau.proca. 3ª.97.F

Spaſmoſa vlcera vbi fiant.4°.met.me. 7ª.28.B

Σπασμοτρομώδης quid ſignificet.in 1^{m}.pror.com.3°. 4ª.188.B

Spaſmus ideſt conuulſio nomen eſt ægritudinis à ſymptomate. 2°.methodi medendi. 7ª.9.D

Spaſm⁹, ſaltus, tremor palmos circa quas fiãt ꝑticulas.cõp.p. Sp.65.B

Spaſmus fit circa muſculos, & neruos.comp.pulſ. Sp.65.C

Spaſmos, aut tetanos generant neruoſæ partes.4°.de loc.affe. 4ª.121.F

Spaſmum facit neruus inflammatus.1°.de motu muſc. 1ª.309..A

Spaſmum, neruorum diſtentionem vocant Græci.de diff.morb. 3ª.3.E

Spaſmus muſculorum paſſio quæ.de ocul. 7ª.187.F

Spaſmus caninus cuius muſculi affectio ſit.de muſc.diſſ. 1ª.44.E

Spaſmus eſt morbus peracutus.com.1°.aph.12°. Ex.5.F

Spaſmus oculorum quotuplex ſit, & quomodo fiat.de ocul. 7ª.187.E

Spaſmi in oculo cauſa quæ de ana.ocul. Sp.57.G

Spaſmus naſcitur ex ſuperfluitate ſanguinis.de ſperma.36.G/ Sp.38.B

Spaſmum inducit frigida ebibita.de conſue. 2ª.60.E

Spaſmos ſuſcitat aqua dura, & frigida.de bon.aquæ. Sp.75.G

Spaſmus quomodo ex periptoſi oculo adueniat.de anat.ocul. Sp.57.G

Spaſmus cauſa eſt laſſitudinis.com.2°.aph.5°. Ex.11.G

Spaſmus ſaltus tremor pulſui ſimilia, & eorũ differẽtia.cõp.p. Sp.65.B

Spaſmo corripiẽdus muſculus latus primo intẽdit.de muſc.diſ. 1ª.44.D

cũ Spaſmo pulſus qui.comp.pulſ. Sp.65.H

in Spaſmis loci affecti nullum adeſt ſignum.3°.de loc.aff. 4ª.16.B

Spaſmum ſignificat vrina æruginoſum habens colorem.de dy. Sp.34.B

Spaſmum, phrenitim, aut mortem in ſynocha ſignificat vrina tenuis cũ nebulis non bonis.de dyua. Sp.34.C

Spaſmum venturum denuntiat in ſynocha vrina pulueruIenta, & maxime ſi frigus, & lippitudo oculorum fuerit, & caligo, & ſuperiores partes in ſudorem veniant.de dyna. Sp.34.E

Spaſmum aut mortem ſignificat vrina non bonum colorem habens, & ſi non fuerit digeſta, vel conſtitutionem vrinæ animalis ſimilem habuerit, & miſſa in calice cito reſederit & amẽs patiens fuerit, & in ſomniam ſenſerit.de dyna. Sp.34.E

Spaſmus ſanguinis euacuatione curatur.de ven.ſec.aduer.Eraſ. 6ª.7.B

in Spaſmo debet incidi neruus.1°.de motu muſc. 1ª.309..A

cõtra Spaſmum ex ſiccitate datur oleũ viride.de med.exper. Sp.106.E

Spaſmo conferens ſyrupus de calaminthe.ſecretorum. Sp.103.E

ad Spaſmum faciei.ſecretorum. Sp.102.D

ad Spaſmum & torturam oris odoramentum.ſecretorum. Sp.103.D

ad Spaſmum

ad Spaſmum tendonum valet theriaca.de theria.ad Piſo. 5ª.91.G
Spaſmo valens medicamen.de med.exper. Sp.104.E
Spaſmus Lege, Conuulſio.
SPATANA ideſt acorus.de med.exper. Sp.104.E
Spatana quid valeat in medicamentis.de med.exper. Sp.104.B
Spatanæ meminit.de med.exper. Sp.104.A
SPATARENTICVM ad quid vtile.de dyna. Sp.28.G
SPATHA ad quid in organis.de mechina. 7ª.309.F
Spatha proprie adhibetur ad cubitum reſtituendum.de mach. 7ª.318.G
Spatha ferrea.1°.de comp.me.per gen. 5ª.216.D
Spatha vnguentaria bene detergenda, & quare.7°. de compo. medicamentorum per genera. 5ª.273.A
Spatha vtitur.7°.de comp.me.per gen. 5ª.272.E/G
SPATHOMELE inſtrumenti nomen.6°.de ana.adm. 1ª.92.H
Spathomela inſtrumentum.1°.de comp.me.per ge. 5ª.211.H
Spathomela ferramentum.introd. Iſa.59.G
SPATHA quid ſit, & ꝙ & ipſa debeat habere vim adiuuandi medicamenta.1°.de comp.me.per gen. 5ª.211.B
SPATHVLA quod inſtrumentũ.5°.de comp.me.ſec.loc. 5ª.161.F
Spathula debet habere vim adiuuandi medicamenta.1°.de compoſi. medica.per genera. 5ª.211.C
Spathula parua.7°.de comp.me.per gen. 5ª.273.F
ꝑ Spathula radix arundinis viridis.4°.de comp.me.per gen.5ª.243.D
ꝑ Spathula croci faſciculus ſumitur.9°.de comp.me.ſec.loc. 5ª.202.F
Spathula lignea.6°.de comp.me.per gen. 5ª.257.A
Spathula ex palma.1°.de comp.me.per gen. 5ª.211.B
Spathula pinea.7°.de comp.me.per gen. 5ª.268.E
ꝑ Spathula rubi ramuli.9°.de comp.me.ſec.loc. 5ª.204.A
ꝑ Spathula, rutæ ramulo vtitur.7°.de compoſitione medicamentorum ſecundum locos.180.A/9°. 5ª.202.E
Spathula ex tæda.5°.de comp.me.ſec.loc.163.D/F/5°.de comp. medica. per genera. 5ª.247.C
Spathula.de artic.com.2°. 7ª.267.D
Σπατίλη id eſt alui leuitas.de vict.rat.in mor.acu.com.2°. 7ª.119.E
SPATHVLANVS ſapo ad quid vtilis.de dyna. Sp.31.C
SPATIOSITATES quæ formationes habent intus, & quæ non. 2°. de arte cur.ad Glauco. 7ª.102.E
SPATIVM, & tempus à motu locali ſunt inſeparabilia.1°.de differentijs reſpira. 3ª.57.A
Spatia complura ſunt inter particulas tum ſimilares tum inſtrumentales.de inæqu.intem. 3ª.43.D
Spatia oſtendunt particulæ duræ & ſiccæ.de inæqu.intem. 3ª.43.D
Spatia ſua non oſtendunt molles particulæ, & quare.de inæq. 3ª.43.D
Spatia ſua oſtendunt oſſa.de inæqu.intem. 3ª.43.D
ob Spatium quomodo denſa vel rara redditur Reſpiratio.1°. de differentijs reſpir. 3ª.57.B
in Spatio alieno quæ continentur, notitiam faciunt affectæ particulæ. 1°.de locis affectis. 4ª.2.G
SPECARIVM ꝙ implet carnem quid nominetur. 11°. de ſimpliciũ medicamen.facul. 5ª.80.H
SPECIALIA in generalibus continentur.de victus ratione in morbis acutis, commen.2°. 7ª.124.G
à Specialiſſimis deſcendimus ad generaliſſima.9°. de dec.Hippocratis & Platon. 1ª.282.A
SPECIEM, formam, & differentiam quòd dicas, nihil refert, nã ſemper idem eſt.in 1ᵐ.de morbis vulg.com.3°. 3ª.117.G
Species, genus, forma, & natura pro eodẽ ſumuntur. ad eos qui de typ. ſcripſ. 3ª.93.B
Species nomẽ generis qñq; accipiunt.2°.de arte cur.ad Gla. 7ª.101.A
Species genera, qualitates, an differentias pulſuũ dicas, nihil refert. 1°. de differentijs pulſuum. 4ª.47.B
Spẽs vel differẽtias phrenitidis dicas, nihil refert.4°.de lo.af. 4ª.22.D
Speciem, genus, vel differentiam quis dicat quomodo, nihil refert.3°.de locis affectis.4ª.19.E/9°.de ſimp.me.fac.5ª.64.H/de ijs, quæ in medica.ſin.com.2°. 7ª.206.F
Species, genus, differentia, idem ſignificant in quodam caſu.6°.de comp. medicamen.ſecun.locos. 5ª.169.A
Species, differentia, modus, & facies idem ſunt.de vict.rat.in mor.acu. com.4°.141.B/.de ijs, quæ in med.ſi.com.1°. 7ª.201.E
Specie, genere, & numero idem dicitur.2°.met.me. 7ª.14.C/H
Species & pars idem in anima ſm Platonem.9°.de dec.Hip. 1ª.286.C
Species animarum vocat Plato facultates animæ.in tim.Pla. 1ª.287.D
Specierum ſunt, & non indiuiduorum ideæ.2°.met.me. 7ª.13.H
Speciebus nomina imponuntur.2°.met.me. 7ª.14.A
Specierum differentia detur à ſubſtantia.1°.met.me. 7ª.4.B
ad Speciem non conducit omnis differentia generi addita, & quæ conducat.1°.met.me. 7ª.4.C
Species enumerandæ cum quæritur de animali.1°.met.me. 7ª.4.A
Speciei ſoli & non omni quæ inſunt propria homini dicuntur, non tamen inſeparabilia.2°. de diff.reſp. 3ª.64.E
Species animalis cur ad matrem magis ſpectat.2°.de ſemine. 1ª.337.B
Speciei prouenit forma ex mare.2°.de ſemine. 1ª.337.D
Specie manente vbi eſt auctio ibi duarum ſignificationum præceptio non eſt.de mult. 3ª.78.F
Species non dicit̃ in ſimilaribus partibus id quod differt, ſiue ſit carnis, ſeu venæ pars.6°.de decr.Hipp. 1ª.261.A
Species quælibet eſt pars non è conuerſo.6°.de dec.Hipp. 1ª.261.C
Species dentium tres.de ana.viu. Sp.49.D
Specie ſimilia quæ.4°.de ana.adm. 1ª.81.A
in Speciebus & generibus poſitæ ſunt artes.2°.de diff.pulſ. 4ª.57.B
Species omnes & genera morborum cognoſcere debet verus medicus. ſi quis opt.med. Iſa.6.F
ꝑ Speciebus non ſunt adducendæ.diff.morb.1°.met.me. 7ª.4.B
Species vna eſt cataphoræ, quæ ſeruat nomen generis.de com. 3ª.50.C
de Specie in ſpeciem mutatio qualis.3°.de ſimp.me.fac. 5ª.17.D
SPECIES diſſoluentes ventoſitatem.de diff.cont. Sp.74.G
SPECIFICAE quædam ſunt differentiæ, quædam genericæ, quædam magis ſpecificæ, & quædam magis genericæ. 2°.de diff.p. 4ª.58.C
à Specificis differentijs per genera deſcenditur.2°.de pulſ.diff. 4ª.56.C
de SPECIOSITATE fœminarum formãda librum fecit Cleopatra. de incant.adiur.& ſuſp. 7ª.181.H
Specilla inſtrumenti nomen.6°.de ana.adm. 1ª.92.H
Specillum inſtrumentum.3°. met.me. 7ª.20.C
Specillum inſtrumentum tenue eſt.6°.de ana.adm. 1ª.93.D
Specilla fabricantes, in re medica, ſunt inter miniſtros ignobiliores. in 6ᵐ.de morb.vulg.com.5°. 3ª.188.D
Specillorum differentiæ.de artic.com.1°. 7ª.257.B
Specilla leuiter vtrinq; acuminata dicũtur dipyrena.2°.de ſe. 1ª.135.H
Specillum auricularium.3°.de comp.me.ſec.loc.142.B/ 5ª.145.G
Specilla aurifuſoria.3°.de comp.me.ſec.loc. 5ª.140.H
Specillum concauum.4°.de comp.me.ſec.loc. 5ª.150.E
Specillum linitorium.de artic.com.1°. 7ª.259.A
Specillum latum.de arti.com.1°. 7ª.259.A
Specillum oricularium eſt ſyringa.de opt.ſect. Iſa.25.B
Specillum ſcriptorium.de med.fac.par. 7ª.163.F
Specilla ad formam ſpathæ in vacuum ponuntur.2°.de ſemi. 1ª.336.A
Specilli extremum dicitur nucleus.3°.de comp.me.ſec.loc. 5ª.148.C
Specillũ duos nucleos habẽs, vel cuſpides.3°.de cõp.me.ſe.lo. 5ª.148.F
Specilli nucleus.4°.de comp.me.ſec.loc. 5ª.153.B
Specilli cuſpis.de cur.rat.per ſang.miſſ. 6ª.20.C
Specilli mucro non ingreditur os vteri dum eſt prægnãs mulier.3°. de natural.facul. 1ª.302.H
Specilli latus mucro.12°.met.me. 7ª.81.G
Specilli mucro.12°.met.me.81.F/de reme.fac.par. 7ª.156.B
Specillo concretus in naribus ſanguis quomodo abſtergendus.de reme. par.facil. 7ª.154.G
Specilli meminit.3°.de compoſi.medi.ſecun.loc.5ª.145.H/de articulis. commentario.2°. 7ª.267.D
SPECIOSVM vinculum.de faſcijs. 7ª.295.H
SPECTACVLO horribili viſo à ſolo tonitruo prægnans infantem eiecit.de theria.ad Piſo. 5ª.94.H
SPECVLARES lapides oſtijs antiquitus apponebantur. 9°. de anatom.admin. 1ª.105.A
SPECVLATIO quid poſſit in artibus.8°.de comp.me.ſe.lo. 5ª.193.F
Speculationis profeſſores quid agant.de fœt.for. 1ª.324.C
Speculatio vulneraria.3°. de comp.me.per ge. 5ª.232.A
SPECVLATIVA pars philoſophiæ.9°.de dec.Hipp. 1ª.285.E
ad Speculatiuã philoſophiam quæ pertineant.9°.de dec.Hip.1ª.284.C
in SPECVLIS viſio quomodo fiat.7°.de decr.Hipp. 1ª.272.B
in Speculo cur videtur figura.de ocul. 7ª.185.A
in Speculis cur nos, & alios videmus.7°.de decr.Hip. 1ª.272.B
Speculorum imagines quomodo fiant.de hiſt.philo. Sp.9.D
in Speculis ſolus color reflectitur, ſed forma & magnitudo non. 7°. de dec.Hippocratis. 1ª.272.B

Speculo facile diſcernitur eclipſis.de hiſt.philo. Sp.7.A
Speculis vrentibus triremes combuſtæ fuere ab Archimede.3°. de temperamentis. 1ª.22.E
in SPECVBVS graueolentibus cur ſuffocamur.de vti.re. 1ª.225.D
Σπείρειν quid ſignificet.in 1ᵐ.de morb.vul.com.1°. 3ª.100.G
Sperma ex omni corporis humore deciditur.de ſper. Sp.36.A
Sperma fit ex ſubtiliori natura quatuor humorum.de ſper. Sp.36.B
Sperma principaliter fit ex ſanguine,ſecundario ex alijs humoribus.de ſpermate. Sp.36.B
Sperma vbi fiat ex ſanguine,& quomodo.de ſper. Sp.36.E
Sperma fit ex ſanguinis ſubtilitate.de ſper. Sp.37.A
ad Spermatis generationem ſpiritus,& ſanguis vbi, & quæ eius generatio.9°.de vſu partium. 1ª.172.F
Sperma cur album cum ſit ſanguis.de nat.& ord.cuius.corp. Sp.42.C
Sperma,& lac,quæ generent.de ocul. 7ª.188.G
Spermatis organa ſunt arteriæ,& venæ.de ſpermate. Sp.36.E
Sperma habet neruos,& venas proprias , quæ trahunt à toto corpore ad teſticulos.de ſpermate. Sp.36.B
Spermatis nerui,& venæ diuerſi ſunt à neruis,& venis vrinæ. de ſpermate. Sp.36.B
Sperma ducentes venæ,quales.de nat.& ord.cuiusl.corp. Sp.42.B
Sperma purgant & attrahunt adenes duo teſticulorũ.de ſper. Sp.36.F
Spermatis vaſorum orificia habent formam alarum.de comp. Sp.59.C
Spermatis pars ꝑpter qd trãſeat ad glãdes oſchei.de ana.viu. Sp.56.A
Sperma deducitur ex cerebro.de nat.& ord.cuiusl.corp. Sp.42.B
Spermatis iter.de ſpermate. Sp.36.E
Sperma cum deſcendit à capite,quid fiat.de ſpermate. Sp.36.H
cũ Spermate vero deſcendit aquoſa pituita.de ſper. Sp.36.F
Sperma quot mutationes faciat in diuerſis membris.de ſper. Sp.36.H
Sperma à capite obturat nares,& aures.de ſper. Sp.36.F
Sperma intrat per viam,per quam exit vrina.de anato.viu. Sp.51.H
Sperma habet poteſtatẽ exeundi abſq; hoïs voluntate.de ſper.Sp.37.A
Sperma animatũm emittitur.de ſpermate. Sp.36.B
Sperma quando animatum venit in vterum.de ſper. Sp.38.A
Sperma viri comparatur coagulo.de ana.viu. Sp.55.H
Sperma mulieris comparatur lacti.de ana.viu. Sp.55.H
Sperma q̃uo ſit cauſa ſm Ariſtotelem & Galenum.de ana.vi. Sp.55.H
Sperma viri fortius eſt & calidius muliebri.de ſper. Sp.36.B
Sperma mulieris humidius eſt,& frigidius.1°.de vſu par. 1ª.26.A
Sperma quid efficiat in homine.ſecretorum. Sp.96.G
de Spermatis coniunctione.de compag.memb. Sp.59.E
Sperma viri aſſociatur ſpermati mulieris.de ſperma. Sp.36.B
Sperma viri muliebri aſſociatum recipitur cum quodam ſpiritu in matrice,& ibi pingueſcit calore matricis.de ſper. Sp.36.B
in Sperma mulieris quid faciat ſperma viri.de ana.viu. Sp.51.H
Sperma muliebre nutrimẽtũ eſt ſpermatis virilis.de ſper.36.B| S.37.A
Sperma viri eſt principiũ effectiuũ animalis.14°.de vſu par. 1ª.206.B
Sperma viri quid faciat in ſperma muleris.de ana.viu. Sp.51.H
Spermatis intentio quæ.de ana.viu. Sp.44.F
Sperma maris naturaliter intendit imprimere formam eius,à quo deciditur.de ana.viu. Sp.51.H
Sperma mulieris intendit ſuſcipere formam de ana.viu. Sp.51.H
Spermata quæ concipiantur.de comp.memb. Sp.59.E
Sperma hominis cur non recipitur ab aqua.7°.de vſu par. 1ª.127.G
Sperma aſini recipitur ab equa.3°.de vſu par. 1ª.127.G
Sperma equi recipitur ab aſina.3°.de vſu par. Sp.127.G
Sperma canis recipitur à lupa.3°.de vſu par. Sp.127.G
Sperma lupi recipitur à cane.3°.de vſu par. 1ª.127.G
Sperma vulpis recipitur à cane.3°.de vſu par. 1ª.127.G
Sperma canis recipitur à vulpe.3°.de vſu par. 1ª.127.G
Sperma cerui ad quid vtile.de dyna. Sp.28.C
Spermatis receptacula ſeptem in matrice.de ſper. Sp.36.D
Sperma quomodo in vtero diſponatur.de comp.memb. Sp.56.E
Sperma viri ſicut poteſtatem habet in toto corpore , ita natura poteſtatem habet in matrice.de ſpermate. Sp.37.A
Sperma vertitur in ſanguinem per matricis calorem.de ſper. Sp.36.B
Sperma quomodo,& per quot dies in embrione terminatur. de compagine membrorum. Sp.59.E
in Spermate generantur veſicæ tres.de ana.viu. Sp.51.H
ex Spermate & ſanguine menſtruo animal immortale conſtitui poſſe videtur.3°.de vſu par. 1ª.33.D
ex Spermate,& ſanguine eſt principium hominis.ſecre. Sp.96.G
ex Spermate muliebri & virili fit fœtus.de ana.par. Sp.43.C
Sperma eſt cauſa materialis membrorum conſimilium prȩter quam carnis & adipis.de ana.viu. Sp.55.G
Sperma cõceptũ in tribus horis ſanguinis quid efficiat.de ſper. Sp.37.B
Sperma ſi abundet & ſanum ſit,quid infanti cõtingat.de ſper. Sp.38.E
Sperma patris ſi ſuperabundet,infans plus figurã habet patre , ſi ſperma matris abundat,plus a matre.de ſpermate. Sp.38.E
Sperma quod facit marem,quodq́; fœminam.de ſper. Sp.36.E
Sperma retentum id agit quod venenum.de ſperma. Sp.36.F
Sperma inuiſcatum & dolor in renibus generatur ex ſuperfluo bilis. de ſpermate. Sp.36.H
SPERMATICA vaſa quæ dicantur , licet vere non ſint. 14°.de vſu partium. 1ª.208.C
Spermaticorum vaſorũ ſitus in maribus.14°.de vſu par. 1ª.209.A
Spermaticum vas quale in viro.14°.de vſu par. 1ª.207.H
Spermaticum vas quale in muliere.14°.de vſu par. 1ª.207.H
de Spermaticorum vaſorum magnitudine,& de ſuo inceſſu,cur ita longe eant.14°.de vſu par. 1ª.208.H
Spermatici meatus in maribus maiores ſunt.14°.de vſu par. 1ª.208.E
Spmatica vaſa in mare q̃uo maiora q̃ in fœmina.14°.de vſu p. 1ª.208.E
Spermatica vaſa magna in mare,ex piſcibus , & auibus cognoſcuntur. 14°.de vſu partium. 1ª.208.G
Spermatica vaſa in piſcibus & auibus cur iuncta diaphragmati.14°.de vſu partium. 1ª.208.G
Spermatica vaſa in piſcibus,& auibus longa.14°. de vſu par.1ª.208.G
Spermatica vaſa breuiora in homine quàm ĩ quocũq; alio animali. 14°. de vſu partium. 1ª.208.G
Spermaticum vas cur varicoſum.14°.de vſu par. 1ª.208.A
Spermaticũ vas cur nõ in teſtes locauit natura.14°.de vſu p. 1ª.209.G
Spermatica vaſa virorum,ſunt duriora vaſorum ſpermaticorum mulierum.14°.de vſu par. 1ª.209.H
Spermatica vaſa ſola afficiuntur gonorrhoea.14°.de vſu par. 1ª.208.A
Spermatici ſpiritus tres virtutes.de ſpermate. Sp.37.F
Spermatica à ſanguinis complexione remota indigent multis conuerſionibus ſanguinis ad ſui nutritionem.de ana.viu. Sp.44.G
SPERARE, timere,& expectare verba ſunt prænotionis propria.3°. de differen.reſpir. 3ª.73.E
SPHACELATVM cerebrum,id eſt corruptũ quibus eſt in tribus diebus pereunt,ſi vero hi euaſerint,ſani fiunt.c.7°.aph.56°. Ex.58.B
SPHACELARE quid ſignificet apud Hip.c.7°.aph.50°. Ex.58.B
SPHACELOS quid ſignificet.2°.de locis affectis. 4ª.10.D
Sphacelum etiam antiqui gangrenã noïabant. cõ.7°.aph.50°. Ex.58.B
Σφάκελον quid.7°.de ana.adm.1ª.97.F|6°.met.me.41.A| de frac.cõ. 2°.7ª.235.A|com.7°.aph.50°. Ex.58.B
Sphacelus oſſium affectus eſt.introd. Iſa.59.D
Sphacelus qui morbus ſit,& q̃uo differat ab ophiaſi , alopecia , ptiloſi, mirmecia,leuce,vitiligine,elephãte,& lepra.14°.me.me. 7ª.92.C
ob Sphacelũ(id eſt cariẽ)exciſa coſta eſt aliquãdo.5°.de lo.af. 4ª.29.H
SPHAERA quid ſin.med.Iſa.49.G|de frac.com.2°. 7ª.245.E
Sphæra maxima eſt omnium figurarũ ſolidarum , habentium æqualem menſuram.4°.de vſu par. 1ª.136.G
Sphæræ animalia ſunt.de hiſt.philo. Sp.4.G
Sphæræ duæ.de fract.com.3°. 7ª.245.E
Σφαιριστικὸν vocant,qui pila exercere inſtituit.2°.de ſan.tu. 2ª.75.E
SPHAERITIS & quod genus cupreſſi ſit , & ad quid valeant illius folia,& quomodo.1°.de comp.me.ſec.lo. 5ª.124.F
Σφαιρώματα, quæ.introductio. Iſa.53.E
Σφαγιτίδες iugulares venæ à græcis nominantur.introd. Iſa.54.D
SPHAGNVM cuius vſus.7°.de comp.me.per gen. 5ª.272.F|G
SPHENDAMNVM ad quid vtile.8°.de comp.me.ſec.loc. 5ª.195.D
SPHENOIS os quoddam eſt,quod à nonnullis inter capitis, ab alijs inter maxillæ ſuperioris oſſa numeratur,& quare.de oſſib. 1ª.40.F
SPHINCTER muſculus ani eſt.3°.de ſymp.cau. 3ª.25.H
Sphĩcter(.i.cõſtrictorius)ẽ ad finẽ recti Inteſtini.9°.ð di vul. 1ª.108.C
SPHINCTERI nerui priapi veſicæ,matricis.de ana.vi. Sp.54.D
Σφιγκτῆρα quid appellent.de artic.com.3°. 7ª.272.G
SPHINX & ſtrax voces difficiles prolatu.in 6ᵐ.de morbis vulgarib. commentario.5°. 3ª.188.G
SPHRAGIS appellata eſt terra lẽnia.7°.de cõp.me.ſe.lo. 5ª.183.E
Sphragis lemnia quid à quibuſdã appellet.9°.de ſimp.me.fac. 5ª.65.A
Sphragis lemnia adulteratur.9°.de ſimp.me.fac. 5ª.69.B
Shragis lemnia ſiccat modice.4°.de comp.me.per ge. 5ª.236.D

Sphragis quod medicamentum ab aliquibus vocatum.4°.de compoſiti. medi.ſecundum locos. 5ª.154.A/B
SPHRAGIS dicta Compoſitio ad quæ conferat.7°. de compoſi. medic. ſecundum locos. 5ª.185.A
Sphragis inſcribitur paſtillus ex Mandragora.7°. de compoſi. medica. ſecundum locos. 5ª.185.G
Sphragis Polyidæ.5°.de comp.me.per gene.251.C/ 5ª.252.B
SPICAE quid ſint,& quorum.1°.de ali.fa. 2ª.15.A
Spica Iatri.de ocul. 7ª.191.D
SPICA nardi quæ nominanda.9°.de comp.me.ſec.loc. 5ª.201.D
Spica nardi quid.de ſimp.med. Sp.89.G
Spica nardi cur nominetur.1°.de antid. 5ª.106.F
à Spica nardi diſtingui nardum celticam [collige].7°. de comp.medi. ſecundum locos. 5ª.182.H
Spica celtica vtitur.8°.de comp.me.ſec.loc. 5ª.196.E
Spica indica qualis.8°.de ſimp.me.fac. 5ª.56.H
Spica nardi inter aromata ponitur.7°.met.me. 7ª.44.A
Spica nardi quid agat in medicamentis.de med.exper. Sp.104.B
Spica nardi,celtica,indica,& montana odoratas reddit compoſitiones 1°.de comp.me.ſec.loc. 5ª.128.C
Spica nardi à quo medicamento non demenda.4°.de ſan.tu. 2ª.85.B
Spica nardi qualis.8°.de comp.me.ſec.loc.5ª.190.F/de ocul. 7ª.88.H
Spica nardi ſicca eſt in ſecundo ordine, calida in primo. 8°. de ſimpliciũ medicamen.facul. 5ª.56.G
Spica nardi vires habet ſuauiter ſtypticas, & leniter ex calfactorias. de ſimp.medi. Sp.89.G
Spica nardi adſtrictionis particeps eſt.3°.de comp.me.per gen.5ª.234.F
Spica nardi mediocriter adſtringit.4°.de comp.me.ſec.loc. 5ª.149.H
Spica nardi oculis conuenit.de ocul. 7ª.188.G
Spica nardi ad iecur,et ad ſtomachũ rõnabiliter cõuenit,vrinã ciet,morſus ſtomachi ſanat,in ventre ac inteſtinis conſiſtentes fluxiones deſiccat,& ẽt eas quæ in capite ſunt,et in thorace.8°.de ſim.m.f. 5ª.56.G
ex Spica nardi vnguentum iecori inflammato apponitur.2°. de arte curatiua ad Glauconem. 7ª.104.D
Spica nardi vim habet ciendi vrinam.1°.de arte cura.ad Glau. 7ª.99.F
Spicæ nardi aliqd inijcit vino ꝑ calculoſis ab aliqbus.5°.de ſan. 2ª.91.C
Spica maturat.de ocul. 7ª.189.C
Spicę nardi ſimillimũ ẽ malabathrũ quò ad facultatẽ.7°.đ ſimp.5ª.55.A
Spicæ electarium.de med.exper. Sp.107.F
SPICA Glauci vnde dicta.de faſcijs. 7ª.300.G
Spica Glauci media primum iniecta.de faſc.7ª.300.H/eadẽ in vtramq; partem ducta.301.A
Spica duplex quæ.de faſcijs. 7ª.301.D
Spica duplex ab aliquibus dicitur quadriga.de faſcijs. 7ª.301.D
Spica ad plantam.de faſcijs. 7ª.306.B
SPICATVM oleum valet in defluuio capillorum.1°.de compo. medic. ſecundum locos. 5ª.125.F
SPICATVM vinum.9°.de comp.me.ſec.loc. 5ª.200.G
SPICATVM vnguentũ quod Romæ.3°.de comp.me.per gen. 5ª.234.E
Spicata vnguẽta Romæ à diuitibus mulierib⁹ fiebãt.6°.de ſan.2ª.100.C
Spicata pretioſa mulierũ vnguẽta qd faciãt.3°.de cõp.m.ſe.l. 5ª.141.A
Spicata vnguenta pretioſa.4°.de loc.affe. 4ª.28.D
Spicatum vnguentum nardino preſtantius eſt.6°.de ſan.tu. 2ª.99.A
Spicato vnguento ſolum diuites vti poſſunt.6°.de ſan.tu. 2ª.99.A
Spicatum vnguentum calidum eſt.2°.de comp.me.ſec.loc. 5ª.133.A
Spicatum vnguentum quas habeat vires.6°.de ſan.tu. 2ª.99.A
Spicatũ apud Romanos vocatũ,quibus ꝓſit.3°.de cõp.me.ſe.l. 5ª.140.F
Spicata vnguenta roborant aures.6°.de ſan.tu. 2ª.100.C
Spicata vnguẽta valẽt ad ventriculi os imbecillius.8°.met.me. 7ª.53.D
Spicati vnguenti fit mentio.8°.de comp.me.ſec.loc. 5ª.187.D
SPICVLORVM venena non necant, niſi ſanguinem attigerint. de theriaca ad Piſo. 5ª.93.H
à Spiculis venenatis cerui trucidantur,tamen caro ipſorum non eſt venenata.de theriaca ad Piſo. 5ª.93.H
Spicula defigentium animalium virus ſunt toto genere præter naturã. de conſtitutione artis. Iſa.42.E
ob Spicula infixa cognoſcere oportet neruum omnium muſculorum.3°. de anatomicis adminiſtrationibus. 1ª.77.H
Spicula extrahit ariſtolochia rotunda.6°.de ſimp.me.fac. 5ª.43.E
Spicula extrahit cancer.de ther.ad Piſo. 5ª.93.F
Spicula educere aiũt hælurorũ ſalitorũ carnẽ.11°.de ſimp.me.f. 5ª.78.F
Spicula extrahit phorbium.8°.de ſimp.me.fac. 5ª.63.D
Spicula & palos extrahit ſaurarum caput.11°.de ſimp.me.fac.5ª.79.G
SPINAE ægyptiæ fructus ſiccus,& terreſtris eſt.4°.de comp.medica. per genera. 5ª.237.H
Spinæ Aegyptiæ fructus adſtringens leue eſt.5°.met.me. 7ª.31.G
Spinæ ægyptiæ fructus eſt ex adſtringentibus parabilibus. 6°. de comp. medica.ſecundum locos. 5ª.169.F
Spinæ ægyptiæ decoctũ ẽ inter adſtringentia.6°.de cõ.me.ſe.lo.5ª.172.G
Spinæ ægyptiæ fructus eſt inter arida adſtringentia fortiora.6°.de compoſi.medi.ſecun.locos. 5ª.172.G
Spina ægyptia adſtringit,& exſiccat.6°.de ſimp.me.fac. 5ª.41.H
Spinæ ægyptiæ fructus modice ſiccat.3°.met.me. 7ª.20.A
Spinæ ægyptiæ fructus vlcera exſiccat.4°.de comp.me.ꝑ gen.5ª.236.G
Spinæ ægyptiæ fructus cicatrici inducendæ ſunt medicamina.5°. de ſimplic.med.facul. 5ª.36.C
Spinæ ægyptiæ fructus adhibetur vuæ inflammatæ.de ſect. Iſa.18.C
Spina ægyptia columellæ prodeſt,& in ſede inflatis,tum vlcera ad cicatricem ducit.6°.de ſimp.me.fac. 5ª.42.A
Spinæ ægyptiæ radix ꝓfluuiũ muliebre iuuat.6°.de ſim.me.fa.5ª.42.A
Spinæ ægyptiæ ſemine quædam mulier ſeruata fuit,quæ ſeruari debebat lyſimachia.11°.de ſubſti.me. 5ª.84.B
SPINA alba ſpinoſa planta.2°.de alim.fac.22.C/ 2ª.23.D
Spinæ albæ radix deſiccatoria,& adſtringẽs eſt.6°.de ſim.m.f.5ª.41.H
Spinæ albæ ſemen tenuis eſſentiæ,& calidũ eſt.6°.de ſim.me.f.5ª.41.H
Spinæ albæ fructus ſtringunt ventrem cum ſtypticitate, & ponticitate. de diſſolutione continua. Sp.75.B
Spina alba iuuat cœliacos,et dyſentericos,ſanguinis deiectiones cohibet œdemata illitu contrahit,dentes dolentes iuuat, & illis qui conuellũtur conuenit.6°.de ſimp.me.fac. 5ª.41.H
SPINA arabica cuius ſit facultatis.6°.de ſimp.me.fac. 5ª.41.H
SPINAE cœruleæ lachryma ingredit theriacã.de the.ad Piſo. 5ª.92.F
SPINA vulgaris quã facultatẽ obtinet.6°.de ſimp.me.fa. 5ª.41.H
Spinæ teneræ manduntur cum aceto,& garo.2°.de alim.fa. 2ª.22.B
Spinis teneris coctis,& crudis vtuntur aliqui.2°.de ali.fa. 2ª.22.C
Spinæ aſparagus aluum deijcit.de atten.vic. 2ª.44.D
Spinæ adſtringunt.5°.de comp.me.per ge. 5ª.247.C
Spinarum cinis.5°.de comp.me.per gen. 5ª.253.B
Spinis,rubis,ac hamis comparat ſophiſmata Galenus.de cau. 3ª.95.H
in Spinis eſt virus.de theria.ad Piſo. 5ª.92.C
Spinas de corpore extrahit gladiolum.de ſimp.med. Sp.84.H
ad Spinam de gutture extrahendam.ſecretorum. Sp.97.H
SPINA quid ſignificet in vertebris.de arti.com.3°. 7ª.271.D
Spina quæ ſit.introductio. Iſa.53.E
Spina proprie quæ ſit.12°.de vſu par.1ª.197.F/3°.de loc.aff. 4ª.20.H
Spinæ os fundamentum eſt.de anato.viuo. Sp.55.C
Spinæ forma quæ.12°.de vſu par. 1ª.197.G
Spinam comparat fornici Galenus,& quare.12°.de vſu par. 1ª.197.G
Spina eſt veluti carina in homine.12°.de vſu par.128.D/ 1ª.196.A
Spina in brutis facit angulum rectum.3°.de vſu par. 1ª.128.D
Spina in hominibus eſt linea recta.3°.de vſu par. 1ª.128.D
Spina cũ femore facit angulũ rectũ dũ ſedemus.3°.de vſu par. 1ª.128.D
ꝑꝑ Spinam recti ambulamus.12°.de vſu par. 1ª.196.A
in Spina qđ ꝓpius eſt flexioni,eſt doloris expers.2°.de mo.m. 1ª.315.F
Spinæ medium non rectum eſt,ſed aliquantum curuum, & quare.2°.de motu muſcul. 1ª.315.G
Spina cur magis laboramus recti,quàm ſedentes,aut iacentes.2°.de motu muſculorum. 1ª.315.G
Spina quomodo,& ex quo fiat.1°.de ſemi. 1ª.331.D
Spina harmoniam habet.com.7°.aph.59°. Ex.59.C
Spina cur longior in dorſo.12°.de vſu par. 1ª.197.H
Spina cur breuior in alijs partibus quàm in dorſo.12°.de vſu. 1ª.197.H
Spinæ quatuor partes ſunt,& quæ.12°.de vſu par.196.G/ 1ª.197.H
Spinæ partes cur nõ habent æqualiter ſpõdylos.12°.de vſu pa.1ª.198.A
Spina eſt æqualiter diuiſa à natura, quæ conſiderauit ſpondylorum molem,non numerum.13°.de vſu par. 1ª.199.A
Spinæ vertebræ quomodo intelligantur.de arti.com.3°. 7ª.268.F
Spinæ pars eſt vertebra in ceruice.in progno.com.1°. 4ª.193.E
Spinæ vertebra quæ,vnde pars dẽtiformis ꝓcedit.4°.de loc.af. 1ª.23.G
Spina quot habeat vertebras.de oſſibus. 1ª.41.G
Spinæ vertebræ vigintiquatuor.12°.de vſu par. 1ª.194.A
in Spina præter os latum quatuor & viginti oſſa ſunt in hominibus. 12°.de vſu par. 1ª.196.F
Spinæ quinq; ſpondyli quomodo facti.13°.de vſu par. 1ª.201.E

Spina oſſis ſacri ſimilis aliјs.de oſſibus. 1ª.42.D
Spinæ os vltimum cur maximum.12°.de vſu par. 1ª.197.B
Spinæ fibræ quæ,& quomodo.12°.de vſu par. 1ª.197.A
Spinæ chartilago qualis.12°.de vſu par. 1ª.197.F
Spinæ ligamentum quale.12°.de vſu par. 1ª.197.F
Spinæ cur non eſt vnum os continuum.12°.de vſu par. 1ª.196.B
Spinæ cur non duæ.8°.de vſu par. 1ª.169.E
Spinæ quatuor ſunt vtilitates & quæ.12°.de vſu par. 1ª.196.F
ex Spinæ lateribus oriuntur nerui.13°.de vſu par. 1ª.202.D
Spina accipit à cerebro ſenſum & motum.3°.de loc.aff. 4ª.20.H
in Spina loca vnde exeunt nerui,qualia.12°.de vſu par. 1ª.197.E
à Spina ſuggeruntur nerui partibus ſub facie exceptis inteſtinis, viſceribus,& vocis inſtrumentis.16°.de vſu par. 1ª.215.E
à Spina neruorũ coniugationes ꝓdeũtes,quales.13°.de vſu p. 1ª.199.H
ex Spinæ primis vertebris ad caput aſcendunt nerui quatuor.4°.de locis affectis. 4ª.25.D
Spinæ muſculi quid efficiant.12°.de vſu par. 1ª.197.A
Spina quomodo incuruetur,& extendatur.de muſ.diſſ. 1ª.49.G
Spinæ ſuperior pars quibus muſculis flectatur.5°.de ana.adm.1ª.89.A
Spinam flectentes muſculi vbi oriãtur ac deſinant.de muſ.diſſ. 1ª.49.G
Spinam muſculi flectentes.6°.de ana.adm. 1ª.89.A
ad Spinam q̃uo feratur vena caua cũ arteria.16°.de vſu par. 1ª.219.E
inter Spinam & cor breuiſſimum quod eſt interuallũ, arteria occupat. 6°.de vſu partium. 1ª.149.F
Spinæ inhærens arteria,veluti truncus eſt.an ſang.in art. 1ª.61.E
ꝑ Spinam quot arteriam coniugationes.16°.de vſu par. 1ª.219.D
Spina propinquior ſtomacho eſt q̃ pectorale os.16°.de vſu par. 1ª.218.G
Spinæ incumbit gula.5°.de loc.aff. 4ª.32.D
Spina eſt propugnaculum ventriculi.4°.de vſu par. 1ª.137.C
Spinæ ſuperponitur cataplaſma pro gula.13°.met.me. 7ª.84.G
Spinæ partium tranſuerſarum exercitatio quæ.2°.de ſan.tu. 2ª.74.H
SPINAE imbecillitas vnde.4°.de loc.affe. 4ª.24.G
Spina habet proprias paſſiones,gibbum,regibbum,cauum, concauum, obliquum,concuſſum com.6°.aph.46°. Ex.51.G
in Spina cur non creſcant pueri gibbi.de arti.com.3°. 7ª.269.B
Spina vnde fiat gibba.com.6°.aph.46°. Ex.51.H
Spina ſinuata fuit cuidam ob caſum.6°.de loc.aff. 4ª.38.G
Spina gibba ex ictu quomodo reſtituatur.de mach. 7ª.314.H
in Spina excauatio lordoſis dicitur.4°.de loc.aff. 4ª.23.H
ꝑ Spinæ omni diſtortione Σκολιώσις ſumitur.de artic.cõ.3°. 7ª.273.E
Spina diſtorquetur,& quomodo.2°.de cau.pulſ. 4ª.93.G
Spinæ diſtortio in anteriorem partem fit ex panis, & tuberculis immaturis in ſpina exortis.de artic.com.3°. 7ª.268.F
Spinæ peruerſio ſanari non poteſt.introd. Iſa.60.G
Spinæ curuitas ſanari non poteſt.introd. Iſa.60.G
Spinæ inclinatio ſanari non poteſt.introd. Iſa.60.G
Spinæ tortuoſitas ſanari non poteſt.introd. Iſa.60.G
Spinæ luxatio anguloſa quæ,& quid ex ea incommodi ſequatur. 4°. de locis affectis. 4ª.24.B
Spina luxata quomodo reſtituatur.de mach. 7ª.320.H
Spinæ vertebræ q̃n concuſſionem recipiant.cõ.7°.aph.58°. Ex.59.C
Spinæ euerſiones fiunt tuberculis crudis intra ipſam conſtitutis.commẽtario.4°.aphoriſmo.35°. Ex.31.F
Spinæ tubercula quot modis,& quomodo ab inuicem differant. commẽtario.6°.aphoriſmo.46°. Ex.51.H
Spinæ,& læſionis neruorum differentiæ.1°.de loc.aff. 4ª.7.F
à Spina orti nerui non poſſunt aliquam imbecillitatem veſicæ inferre, vt vrina propterea ſupprimatur.6°.de loc.aff. 4ª.38.D
Spinæ muſculi dolentes in morbo renali quãdo indicant futurum abſceſſum intus,& quando extra.com.7°.aph.36°. Ex.56.H
Spinæ affectus non poſſunt aliquam imbecillitatem veſicæ inferræ. 6°. de locis affectis. 4ª.38.D
circa Spinã æſtus ſignat menſes erupturos.in 1m.pror.cõ.3°. 4ª.186.B
ꝑꝑ Spinæ inflammationem crurum reſolutio,aliud ſymptoma facit qua meatus a cerebro deſcendens obſtructus.1°.de loc.aff. 4ª.6.G
Spina læſa difficile eſt cognoſcere exquiſite in qua vertebra ſit affecta, & quare.1°.de loc.aff. 4ª.7.E
in Spinæ principio q̃uo cognoſcatur eſſe affectio.3°.de loc.aff. 4ª.21.B
Spina in quinta vertebra vitiata,facit perdere ſenſum & motum brachiorum.1°.de ſymp.cau. 3ª.16.D
Spina in ſexta vertebra leſa,quid ſequatur.1°.de ſymp.cauſ. 3ª.16.D
Spina in ſeptima vertebra vitiata quid ſequat̃.1°.de ſymp.cau. 3ª.16.D
Spina in octoua vertebra læſa,quid ſequatur.1°.de ſymp.cauſ. 3ª.16.D
ex Spĩæ affectu reſpiratio lædit̃,thorace nihil laborãte.5°.de lo.4ª.29.F
Spina in collo vitiata aufert vocem.1°.de ſymp.cau. 3ª.16.D
Spina tota quomodo lædatur.5°.de ſan.tu. 2ª.89.H
Spina quomodo inciſa in cauſa ſit,vt infernæ partes ſenſu motuq; priuẽtur.3°.de locis affectis. 4ª.20.H
ob Spinam non ſemper reſoluta ſunt crura.5°.de loc.aff. 4ª.35.C
Spina læſa vis ſentiendi digitis non influitur.3°.de loc.aff. 4ª.14.F
ex Spina medulla etiam accipitur,& qualis.11°.de ſim.me.f. 5ª.79.F
SPINALIS medulla νωτιαῖον μυελὸν nominatur, & eſt principaliſſima omnium quæ in ſpina partium.12°.de vſu par. 1ª.196.D
Spinalis medulla cur ita dicta.3°.de alim.fac. 2ª.27.C
Spinalis medulla quomodo appellata ob proprium ſubſtantiæ nomen.5°. de locis affectis. 4ª.31.E
Spinalis medulla an ſit medulla,& eius iuuamẽtũ.de ana.vi. Sp.44.E
Spinalis medulla quæ propria ſit.3°.de loc.aff. 4ª.20.H
Spinalis medullæ principium vnde.ars med. Iſa.63.D
Spinallis medulla cerebro continua eſt.3°.de alim.fac. 2ª.27.C
Spinalis medulla diuerſa eſt à medulla aliorũ oſſiũ.8°.de vſu p.1ª.166.D
Spinalis medulla eſt eiuſdem naturæ cũ cerebro.1°.de temp. 1ª.17.H
Spinalis medulla eiuſdẽ generis eſt cum cerebro.3°.de alim.fac. 2ª.27.C
Spinalis medulla ſimilis eſt cerebro compacto.2°.de mot.mu. 1ª.308.H
Spinalis medullæ ſuperabũdantia non eſt cerebrũ.8°.de vſu p. 1ª.170.B
Spinalis medulla cute humidior eſt,& frigidior.1°.de temp. 1ª.15.C
Spinallis medulla dependet à cerebro.ars me.Iſa.63.B/de ocu.7ª.183.F
Spinalis medullæ,& neruorum principium eſſe cerebrum credendũ eſt. de neruorum diſſect. 1ª.53.B
Spinalis medulle principium eſt cerebrum.1°.de vſu par. 1ª.117.B
Spinalis medulla à cerebro producitur.15°.de vſu par. 1ª.214.F
Spinalis medulla eſt tanquam aliud cerebrum ſub collo & capite.12°. de vſu partium.196.E/ 1ª.197.F
Spinalis medulla colli principium eſt.16°.de vſu par. 1ª.217.C
à Spinali medulla nõ vident̃ differre nerui molles.1°.de mo.m.1ª.308.H
ad Spinalem medullam vbi coniungitur cerebrum fit durius,cum incipiatur molle in partibus anterioribus.9°.de vſu par. 1ª.174.F
Spinalis medullæ diſſectio.8°.de ana.admi. 1ª.101.G
Spinallis medulla ẽ cõueniẽtior ĩ loco ĩ quo ẽ q̃ alibi.12°.de vſu.1ª.196.E
Spinalis medulla tutior ẽ in loco ĩ quo eſt,q̃ alibi.12°.de vſu p. 1ª.196.D
Spinalis medulla munitur à ſpondilis.8°.de vſu par. 1ª.165.B
Spinalis medulla ne contunderetur quid egit natura in ſecunda vertebra.12°.de vſu par. 1ª.194.F
Spinalium totorũ proceſſus q̃uo conſiderandus.5°.de ana.adm. 1ª.89.B
Spinalis medullæ oſſa habent motus vehemẽtes.13°.de vſu pa.1ª.201.H
Spinalis medulla nec maior nec minor fieri debuit.12°.de vſu. 1ª.197.E
Spinalis medulla eſt veluti truncus.12°.de vſu par. 1ª.193.D
Spinali medullæ quæ tunica eſt circundata.13°.de vſu par. 1ª.201.H
Spinalis medulla tegitur pelle duplici,vt cerebrum.de vti.reſ.Sp.62.G
Spinalis medullę duplex pellis quando infletur.de vtil.reſp. Sp.63.D
Spinalis medullæ mẽbranæ quã habent qualitatem.2°.de tem. 1ª.17.H
Spinalis medulla cur habet membranas.7°.de decr.Hippo. 1ª.272.G
Spinalis medulla cur facta.12°.de vſu par. 1ª.197.D
in Spinalis medullæ ortu meatus patens ſenſui eſt.7°.de decr. 1ª.270.C
Spinalis medulla ſuperne deorſum fertur.8°.de vſu par. 1ª.165.A
Spinalis medulla quanto magis deſcendit, tanto magis dureſcit. 9°. de vſu partium. 1ª.174.G
Spinalis medulla tm̃ dureſcit quãtũ à cerebro diſcedit.3°.de ali.2ª.27.C
Spinalis medulla paulatim fit durior.9°.de vſu par. 1ª.175.D
Spinalis medulla,cerebrũ,& muſculi cõicant.1°.de mot.mu. 1ª.308.H
Spinalis medulla in quibuſdam habet quædam communia cum cerebro, & quædam propria.13°.de vſu par. 1ª.201.G
Spinali medullæ & cerebro communia quæ.13°.de vſu par. 1ª.201.H
Spinalis medulla,& cerebrum ſenſum obtinent.de mul. 3ª.77.G
Spinali medullæ propria quæ.13°.de vſu par. 1ª.201.H
Spinalis medulla non pulſat.13°.de vſu par. 1ª.201.H
Spinalis medulla ad partes gulæ per neruos & ligamenta habet quandã ſocietatem,& ad membranas ambientes, & ad oſſa vertebrarum. com.4°.aphoriſmo.35°. Ex.31.F
à Spinali medulla & cerebro ꝓprie nerui prodeũt.15°.de vſu. 1ª.210.D
à Spinali medulla neruos alios oriri,alios ex cerebro ipſo, dicendũ eſt. de neruorum diſſect. 1ª.53.C
à Spinali medulla quidã nerui oriunt̃,q̃dã à cerebro.de mo.m.Sp.66.F
Spinalis medulla eſt principium neruorum. 1°. de vſu partium. 117. B/de ner.

de ner.diſſ.1ª.53.B/C/3°.de compo.me.per ge. 5ª.231.E
Spinalis medulla eſt principiũ neruorũ duriorũ.9°.de vſu p. 1ª.176.A
à Spinali medulla nerui duri plus procedunt.de ocul. 7ª.183.G
Spinalis medullæ & cerebri medium, vbi ſcilicet ambo coniungunt̃, eſt principium neruorum mediorum.9°.de vſu par. 1ª.176.A
à Spinali mella orientium neruorũ anatomia.de anat.viuo. Sp.53.H
à Spinali medulla nullus neruus oritur nõ cõiugatur.de ner.diſſ.1ª.53.E
à Spinali medulla nerui iuſtiſſime diſtributi ſunt.16°.de vſu. 1ª.217.A
Spinalis medulla diuidit̃ ĩ qnquaginta octo neruos.12°.de vſu p.1ª.197.E
à Spinali medulla triginta paria neruorũ ꝓcedũt,& q̃.de ana.Sp.53.H
à Spinali medulla præter triginta paria neruorum,oritur vnus neruus ſine pari.de ana.viuo. Sp.53.H
à Sipinali medulla,quæ in collo eſt,orientium neruorum prima coniugatio quomodo procedat.de ner.diſſ. 1ª.54.D
à Spinali medulla nerui quibus partibus ſuggerant̃.16°.de vſu.1ª.215.E
Spinalis medulla dat neruos oĩbus ꝑtibus ſub capite.15°.de vſu. 1ª.214.F
à Spinali medulla aut cerebro peruenit neruus ad vnumquenq; muſculum.de voce & anhelitu. Sp.60.F
à Spinali medulla ſolum veniunt nerui ad muſculos, qui ſunt inter coſtas.de voce & anhel. Sp.62.A
ex Spinali medulla non eſt natum ligamentum.1°.de vſu par. 1ª.117.B
Spinalis medulla & ſeptum tranſuerſum indicant bonas,& malas cerebri conſtitutiones.com.2°.apho.33°. Ex.17.B
Spinalium muſculorum genus duplex.com.7°.apho.36°. Ex.56.G
Spinalium muſculorum fibræ cur obliquæ.12°.de vſu par. 1ª.196.A
Spinales muſculi incipiũt à ſecũda ceruicis vertebra,et quod ſint.de muſculorum diſſect. 1ª.49.F
Spinalibus muſculis ventriculus calefit.4°.de vſu par. 1ª.137.C
in Spinalem medullam arteriȩ prorũpẽtes quæ.16°.de vſu p. 1ª.219.D
à Spinali medulla ſumuntur robur ac vires in infernis partibus. 6°. de vſu partium. 1ª.216.F
de Spinalis medullæ affectibus.4°.de loc.aff. 4ª.23.E
Spinalis medullæ ſymptomata.4°.de loc.aff. 4ª.24.A
Spinalis medulla quando laborauerit.com.7°.aph.58°. Ex.59.C
Spinalis medullæ frigidum inimicum.com.5°.apho.18°. Ex.39.A
Spinalis medulla frigida eſt.com.5°.aph.69°. Ex.45.D
Spinali medulla læſa quid ſequatur.1°.de ſymp.cau. 3ª.16.D
ad Spinalis medullæ,& cerebri lȩſionem anginæ cõparatio.1°. de ſymptomatum cau. 3ª.16.D
Spinali medulla læſa quot partes lædantur.1°.de ſymp.ca. 3ª.16.D
in Spinali medulla an ſit affectus vertebræ vt ſciatur, in quibus oporteat exerceri.1°.de loc.aff. 4ª.7.F
Spinali medulla abſciſſa vſq; ad tertium ſpõdylum quid ſequatur. de voce,& anhelitu. Sp.62.B
Spinali medulla læſa pro parte quid ſequatur.1°.de loc.aff. 4ª.7.F
Spinali medulla inciſa,qđ inferius eſt amittit vires.1°.de mot.1ª.309.A
Spinali medulla tota affecta in vertebra aliqua,inferiores partes omnes roſoluuntur.1°.de loc.aff. 4ª.7.F
Spinalis medulla quid agat,ſi ſpõdylus exciderit.12°.de vſu p.1ª.196.H
Spinali medulla læſa quando omnino lȩdetur vox,et exufflatio.de voce, & anhelitu. Sp.62.A
ex Spinali medulla vox animalis impedita.de mot.man.et ob. Sp.67.C
Spinali medulla fracta in coſtis non amittitur anhelitus,neq; vox. de voce & anhelitu. Sp.60.F
SPINALI medulla fracta curare non licet medico quomodo vertebram dirigat.de artic.com.3°. 7ª.273.C
Spinalis medulla feorſum reponenda.11°.de ſimp.med.fac. 5ª.79.F
Spinalis medulla non eſt pinguis.3°.de alim.fac. 2ª.27.C
Spinalis medulla nauſeã non prouocat,& quare.3°.de alim.fa. 2ª.27.C
Spinalis medulla ſi probe conficiatur,non exiguum dat corpori alimentum.3°.de alim.fac. 2ª.27.C
Spinalis medulla qualis circa generationem humorum.de bonit.et vitio ſuccorum. 2ª.35.H
SPINOSAE plantæ quæ ſint.2°.de alimen.fac.22.C/ 2ª.23.D
Spinoſæ plantȩ quȩ in muria,vel aceto à ruſticis ſeruantur.2°. de alimentorum facul. 2ª.22.C
Spinoſȩ plantæ parum nutriunt, & prauum gignunt ſuccum. 2°. de alimentorum facul. 2ª.22.C
Spinoſarũ plantarũ tenellarũ vſus in cibo qualis.2°.de alim.fa. 2ª.23.D
Spinoſa olera ſtomachum mediocriter iuuant.2°.de alim.fac. 2ª.23.D
SPIRAMENTORVM tenuium ſymmetriã in affectibus intelligens ex vtraque parte duo immodica,quæ inter ſe ſint contraria inueniet.11°. meth.med. 7ª.71.A
SPIRANDI facilitas magnam habet vim ad ſalutem in omnibus morbis acutis.com.2°.apho.23°. Ex.15.E
Spirandi difficultas,quæ aſthma dicitur ab Hippocrate,qualis ſit.c.6°. adhoriſmo 46°. Ex.51.H
Spirandi difficultas à cerebro qualis ſit.& qũo.cõ.4°.aph.50°. Ex.33.C
Spirandi difficultas nulla oritur à corde.5°.de loc.aff. 4ª.29.F
Spirandi difficultas,& delirium fiunt ſepto tranſuerſo affecto. 10°.methodi medendi. 7ª.64.G
Spirandi difficultas à partibus reſpirationi ſeruientibus qualis.com.4°. aphoriſmo 50°. Ex.33.C
Spirandi difficultas in febre cõtinua lȩtalis.cõ.4°.apho.50°. Ex.33.C
Spirandi difficultate,vel ingenti dolore ægrum occupãte,ſi nihil expuit, letale ſignum eſt.de tot.morb.temp. 3ª.89.G
Spirandi difficultas eſt ſignum indicatiuum criſis.1°.de criſi. 4ª.128.E
Spirandi difficultatem facit refrigerans medicamentum præcordijs impoſitum.10°.meth.med. 7ª.65.C
Spirandi difficultas victu attenuante ſanata eſt.de atten.vic. 2ª.43.G
Spirãdi partes,ſi ex capite ægrotẽt,qũo curandæ.6°.de ſa.tu. 2ª.100.A
in Spirandi difficultate ſecantur iugulares.de ana.viuo. Sp.55.A
Spirandi difficultati cõuenit centauriũ maius.7°.de ſim.me.fac.5ª.50.F
ad Spirandum aerem ꝙ conferat thorax.5°.de loc.aff. 4ª.29.A
inter Spirandũ thoracẽ totũ mouere,qd ſignet.4°.de loc.aff. 4ª.24.G
SPIRANS difficulter,quomodo examinandus,& quæ in eo conſideranda.4°.de loc.aff. 4ª.26.G
ad Spirantes ægre.7°.de comp.med.ſecundum locos.182.C/G/5ª.187.A
Spirantes difficulter lienoſos iuuant fructus & folia volucri maioris.8°. de ſimpli.med.fa. 5ª.58.H
ad Spirantes difficulter ſanguis noctuæ.10°.de ſimp.med.fac. 5ª.73.A
Spirãtibus ægre,et difficulter ꝓdeſt theriaca.de vſu ther.ad P.5ª.98.H
Spirantis difficulter ex calcitro equi caſus.4°.de loc.aff. 4ª.25.B
ad Spirantes recta ceruice.de med.fac.par. 7ª.165.F
Spirans ſemi quomodo redditur animal.8°.de ana.adm. 1ª.100.D
Spirantes qui ſuffocari videntur adiuuans antidotus.2°.de ant. 5ª.116.D
SPIRATIO à vita. & vita à ſpiratione ſeparari non poſſunt. 6°. de locis affectis. 4ª.39.E
ſine Spiratione animal viuere non poteſt.4°.de loc.aff. 4ª.27.D
abſq; Spiratione cur aliquis perduret.de vtil.reſp. Sp.64.B
Spiratio poteſt effugere ſenſum,ſed non abeſſe.6°.de loc.aff. 4ª.39.F
Spirationis maximus vſus qui.6°.de loc.aff. 4ª.39.F
Spiratione ſeruata,& in facie non reſolutus,in alijs vero partibus reſolutus viſus quidam fuit à Galeno.3°.de loc.aff. 4ª.21.B
Spiratio non eſt à corde.2°.de decr.Hipp. 1ª.237.B
Spiratiõis Ablatio ob vterum qui nam affectus ab aliquibus vocetur. 6°.de loc.affect. 4ª.39.D
Spiratio quo modo aboletur.8°.de ana.admi. 1ª.100.D
Spirationem qua vertebra læſa.amittat animal.8°.de ana.ad.1ª.103.A
Spiratio nõ amittitur corde detecto,et cõpreſſo.2°.de dec.Hip.1ª.236.H
Spiratio Breuis iuxta actionẽ,& quietẽ breuis eſt.2°.de diff. 3ª.64.D
Spiratio Crebra quid ſignificet.in prog.com.1°. 4ª.194.H
Spiratio Delirij ex ſepto qualis.5°.de loc.aff. 4ª.31.H
Spiratio Denſa quo modo fiat à corde.5°.de loc.aff. 4ª.29.F
Spiratio Difficilis accidit thorace etiã nõ affecto.3°.de loc.aff. 4ª.13.E
Spiratio difficilis ſequitur ad hepar inflammatum, & ad ſplenem inflãmatum,& ad peritonæum.2°.de diff.reſp. 3ª.65.G
Spirationem habent difficilem ægri propter iudicationem. comment.4°. aphoriſmo 70°. Ex.35.B
Spiratio difficilis malum eſt ſignum.com.2°.aph.27°. Ex.16.C
Spiratio Exigua quomodo fiat à corde.5°.de loc.aff. 4ª.29.F
Spiratio Facilis quid ſignificet.in prog.com.1°. 4ª.194.H
Spiratio frigida quid ſignificet.in progn.com.1°. 4ª.194.H
Spiratio ob viriũ ĩbecillitatẽ qũo differat à magna.4°.de lo.aff.4ª.27.B
Spiratio impedita ſignificat lȩſionem in cerebro.3°.de loc.aff. 4ª.20.B
Spiratio quæ contingat quando calor et anguſtia eſt in ſpiritalibus inſtrumentis.4°.de loc.aff. 4ª.26.H
Spirationis inſtrumentũ ſeptum tranſuerſum eſt.5°.de loc.aff. 4ª.31.F
Spirationẽ ſolũ facit ſeptũ tranſuerſum.4°.de loc.aff. 4ª.23.H
in Spiratione ſi oẽs muſculi mouẽtur,qd ſequat̃.4°.de loc.aff. 4ª.26.G
Spirationis Interceptio vnde.4°.de loc.aff. 4ª.27.D
Spirationẽ quæ partes affectæ lȩdant.in progn.Hipp.com.1°. 4ª.195.A
Spiratione Longa ſanatur oſcitatio continua.3°.de diff.reſp. 3ª.74.A
Spiratio magna & tarda quid ſignificet.in prog.Hip.cõ.1°. 4ª.194.H

Spiratio magna quo modo ſiat à corde.5°.de loc.aff. 4ª.29.F
Spiratio Naturalis,ideſt facilis.in prog.Hipp.com.1°. 4ª.195.A
ex Spirationis Noxa quo modo cognoſcitur magnitudo affectionis in Apoplexia.3°.de loc.aff. 4ª.21.A
Spiratio parua & rara non eſt alia à frigida.3°.de diff.reſp. 3ª.72.H
Spiratio quæ in Peripneumonia.4°.de loc.aff. 4ª.26.H
Spiratio Peſſima quæ.3°.de loc.affe. 4ª.21.B
Spiratio Phreniticorum qualis.5°.de loc.affect. 4ª.31.H
Spiratio ægra cur in Pleuritide fiat.de conſt.ar. Iſa.40.E
Spiratio Prægnantium quæ.6°.de loc.aff. 4ª.40.E
Spiratio cur impediatur in Præfocatis.6°.de loc.aff. 4ª.41.A
Spiratione cur priuatur animal in præfocatione.6°.de lo.af. 4ª.40.D
Spiratione non Priuaretur animal corde detecto & manu apprehenſo 2°.de decr.Hipp. 1ª.236.H
Spiratio quibus Pulmonis affectibus impediatur.4°.de loc.aff. 4ª.27.F
Spiratio Rara quomodo fiat à corde.5°.de loc.aff. 4ª.29.F
Spiratio in Sano à quo fiat,& in ægro.4°.de loc.aff. 4ª.24.H
Spiratio Sublimis quæ vocetur à Galeno.4°.de loc.aff. 4ª.27.B
Spiratiõe Vehemẽtiſſima qñ ĩdigemus,qd cõcurrat.4°.de lo.af.4ª.23.H
Spiratio quæ fiat pleno ventriculo.6°.de loc.aff. 4ª.40.E
Spiratione cur pinnæ narium dilatantur.4°.de loc.aff. 4ª.25.A
SPIRITALES quid.introd. Iſa.54.A
SPIRITVALI aere & terreſtri grauitate admiſta medicamenta purgant ventrem ſuperiorem & inferiorem.de cathar. Sp.94.F
Spiritualis ſpiritus quando fiat,& ad quem finem.de ana.viu.Sp.52.A
Spiritualis ſpũs intendit ad generationem cerebri.de ana.viuo. Sp.52.D
Spirituales venæ cerebri.de nat.& ord.cuiusl.corp. Sp.41.G
in Spiritualem vitam mutatur ſpiritus à corde.de ſper. Sp.37.F
Spiritualis canalis,& pneumaticus idem.de comp.memb. Sp.58.F
Spiritualis canalis qui,& qualis,& q̃uo ſe habet.de cõp.mẽbr.Sp.58.F
Spũalis canalis in pulmone in duos diuiditur canales.de cõ.mẽ. Sp.58.F
Spiritualẽ canalem aperit lingua quando loquimur,claudit quãdo manducamus.de nat.& ord.cuiusl.cor. Sp.41.H
Spiritualis ſubſtantia,quam habent arteriæ,facit ad animalem ſpiritum generandum.4°.de diff.pul. 4ª.65.E
in Spiritualibus inſtrumentis quando calor & anguſtia,quæ ſymptomata contingant,& quæ ſpiratio.4°.de loc.aff. 4ª.26.H
Spũaliũ inſtrumẽtorũ anguſtia q̃uo deprehẽdat.4°.de loc.aff. 4ª.26.H
ex Spiritualium inæquali intẽperie,cur tuſſis fiat.2°.de ſym.c. 3ª.21.H
Spiritualium inſtrumentorum vlcerationem oſtendit ephelcis tuſſiendo eiecta.1°.de loc.aff. 4ª.2.F
ex Spiritualibus partibus tuſſi eijcitur ſanguis.4°.de loc.aff. 4ª.25.F
ſupra Spiritualia ſignificant ſputa.1°.de criſi. 4ª.128.A
ex Spiritualibus nihil ſine tuſſi expuitur.4°.de loc.aff. 4ª.25.H
Spiritualium membrorũ principaliſſimũ eſt cor.de cõp.mẽb. Sp.58.G
à Spiritualibus diuidit nutritiua diaphragma.de ana.viuo. Sp.55.F
SPIRITVOSI qui ſint.de vict.rat.in mor.acu.com.4°. 7ª.151.A
Spirituoſi qui moriuntur.de vict.rat.in mor.acu.com.4°. 7ª.141.H
Spirituoſis non eſt medicamentũ exhibendum. de victus ratione in mor. acutis,com.4°. 7ª.150.F
Spirituoſus humor facit excrementa ſpumoſa,& quomodo. commẽ. 7°. aphoriſmo 30°. Ex.56.A
ex Spirituoſis inſtrumentis accipitur ſanguis in imperfectis animalibus & fœtibus.8°.de vſu par. 1ª.156.E
SPIRITVS eſt quid leuiſſimũ & tenuiſſimum omnium quæ ſunt in corpore humano.3°.de natural.facul. 1ª.307.F
Spiritus quid ſignificet.in 1ᵐ.de morbis vulgaribus, com.3°. 3ª.118.C/in prognoſt.commentario 1°.4ª.194.H/de vict.ratio.in morbis acutis, commen.4°. 7ª.139.B
Spiritus quid quandoq; ſignificet.3°.de diff.reſp. 3ª.75.F
Spiritus quid ſint.de vti.reſp. Sp.63.D
Spũs primus ĩ mũdo eſt,qui multis noĩbus vocatur.an aĩal ſit.1ª.327.A
Spiritus toti mundo infuſus Deus eſt.de hiſt.phil. Sp.4.G
Spiritus eſt aer.de dyna. Sp.19.D
Spiritus vocat̃ aer in nobis,& eſt vocis materia.de voc.inſtr. 1ª.106.D
Spiritus,& aer idem.1°.de diff.feb. 3ª.31.B
Spiritui quędam aeris qualitas eſt familiaris & amica quædam contraria.7°.de vſu par. 1ª.159.B
Spiritibus,ſolidis,& humidis cõſtãt aĩalia,& hõ.bre.den.dog.1ª.231.A
Spiritus qui.fin.med. Iſa.43.G
Spũ craſſior,& ſanguine tenuior ſanies eſt.de tum.præt.nat. 3ª.83.A
Spiritus vbi eſt,alter ſpiritus ingredi nõ poteſt.de inſtr.odor. 1ª.111.B
Spiritus principia quæ.2°.de decr.Hipp. 1ª.240.F
Spiritus elemẽta ſunt calidũ,& frigidum.5°.de decr.Hipp. 1ª.255.H
Spiritus habet duo elementa.5°.de decr.Hipp. 1ª.255.H
Spiritus elementa ſunt aer,& ignis.5°.de decr.Hipp. 1ª.255.H
Spiritus tres quando fiant,& ad quem finem.de ana.viuo. Sp.51.H
Spirituum minera vbi ſit.de ana.viuo. Sp.52.G
Spiritus duplex.intr. Iſa.55.B
Spiritus duo,animalis,& naturalis.intr. Iſa.52.F
Spirituum ſitus.introd. Iſa.55.B
SPIRITVS animalis nomenclatura & potentia vbi diſcenda.3°. de locis affectis. 4ª.17.H
Spũs animalis qui.de vtil.reſp.1ª.225.G/1°.de preſ.ex pul. 4ª.104.E
Spũs animalis eſt exhalatio ſanguinis benigni.6°.de vſu par. 1ª.155.C
Spũs animalis multũ diſcrepat ab alijs ſpiritibus.16°.de vſu p. 1ª.219.C
Spiritus animalis vbi oriat̃.2°.de dec.Hip.1ª.240.F/de ocu. 7ª.183.G
Spiritus in cerebro eſt animalis. 7°. de decre. Hippocratis. 1ª.269.D/de vir.noſt.corp.diſpenſ. Sp.50.B
Spiritus animalis fons,eſt cerebrum.12°.meth.med. 7ª.77.B
Spiritus animalis quomodo conficiatur.8°.de vſu par. 1ª.168.D
Spiritus animalis,ex qua materia fiat.7°.de decr.Hip. 1ª.269.E
Spũs aĩalis gñatio habet ſpũm vitalẽ ꝓpriã materiã.9°.de vſu.1ª.172.E
Spũs aĩalis ex vitali elaborato habet generationẽ.de vir.corp. Sp.60.C
Spũs aĩalis à qbus venis & arterijs nutriatur.6°.de vſu par. 1ª.219.C
Spũs animalis fit ex aere & arterijs attracto.8°.de decr.Hipp.1ª.278.C
Spiritus animalis qualitatis proprietatem ex ſui ipſius coctione adipiſcitur.9°.de vſu par. 1ª.172.F
Spiritus tractus in aſperas arterias primo in carne pulmonis cõficitur, deinde in corde & arterijs,poſtea in rete mirabili,demum in ventriculis cerebri.7°.de vſu par. 1ª.159.C
Spiritus belle conficitur in rete mirabili,& q̃uo.9°.de vſu par. 1ª.172.G
Spiritus in capite retinẽtur à plexu arteriarum retiformi, qui adeſt ſub dura meninge.4°.de vſu par. 1ª.139.C
Spiritus præparatio & rectificatio,antequam cor ingrediatur,fit in pulmone.de ana.viuo. Sp.47.C
ex Spiritu elaborato quicquid maxime neceſſarium eſt,ad ſiniſtrũ cordis ventriculum defertur.introd. Iſa.54.B
Spiritus receptaculum cur pulmo dicatur.de vtil.reſp. Sp.64.B
Spiritui dat qualitatẽ pulmonis caro.7°.de vſu par. 1ª.159.A
Spiritus in pulmonem attrahendi ratio primaria & ſecundaria.de vocalium inſtr.diff. 1ª.106.F
Spiritus per quã arteriã attrahitur in pulmonẽ.8°.de vſu p. 1ª.165.A
Spiritus animalis vnde oritur & nutritur.12°.meth.med. 7ª.77.B
Spũs animalis per totum cerebrum continetur.1°.de vſu par. 1ª.170.C
Spiritus in cerebri ventriculis oritur.7°.de dec.Hipp. 1ª.269.D
Spiritu animali pleni ſunt ventriculi cerebri .de vſu pul. 1ª.227.H
Spiritus fit exacte animalis in vẽtriculis cerebri.7°.de vſu p. 1ª.159.C
Spiritus eſt in cerebro qui omnes operationes facit.3°.de loc.aff.4ª.17.H
Spiritus eſt principalis facultas.de hiſt.phil. Sp.3.D
Spiritus animalis eſt primum animæ inſtrumentum.7°.de dec.1ª.269.E/ 4°.de loc.aff. 4ª.23.A
Spũs eſt primũ inſtrumẽtũ an᾽mæ.in 6ᵐ.de mor.vul.com.5°. 3ª.189.G
Spiritus qui in cerebri ventriculis eſt primum animæ domicilium,ſi aĩa eſt incorporea,videri poſſet,nõ eſt tñ,& quare.7°.de decr. 1ª.269.C
Spiritus qui in ventriculis cerebri eſt vel animæ ſubſtantia, vel primum organum.de vtil.reſp. 1ª.226.D
Spiritus ſubſtantia eſt aĩæ ſecundum aliquos.2°.de decr.Hip. 1ª.240.H
Spiritus dicitur anima à quibuſdam.de mot.man.& obſc. Sp.67.G
Spiritus idem quod anima.de ſper. Sp.37.G
Spũm eẽ aĩam & naturã volũt ſtoici,& quomodo. ꝙ animi mo.1ª.318.E
Spiritus ipſe videt̃ eſſe aĩa,ſi aĩa corporea ſit.7°.de decr.Hip. 1ª.269.C
Spiritus animalis multitudini non videtur potius tribuenda bonitas,& pfectio intellectus q̃ quãtitati,& bonæ tẽperiei.8°.de vſu p.1ª.170.C
Spiritus eſt corporeus ſecundum plures.de ſper. Sp.37.G
Spiritus tranſit per omnia organa animę.de vtil.reſp. 1ª.226.A
Spiritu nutritur anima.an animal ſit. 1ª.327.D
Spiritus animalis quomodo ſit in omni parte.5°.de ſim.me.fac.5ª.34.A
Spiritus animalis q̃uo penetret ad membra.de ocul. 7ª.184.F
Spiritus it per collum.11°.de vſu par. 1ª.186.B
Spiritus eſt per ſe mobile animalis principium.1°.de ſem. 1ª.331.D
Spiritus inſtrumenta quæ.5°.de ana.admi. 1ª.94.A
Spũs inſtrumẽtũ eſt diuerſũ ab inſtrumẽto ſanguinis.6°.de vſu.1ª.154.H
Spiritus nutrimentum quid nam.de ſper. Sp.37.F

Spiritus animalis nutritur, & ex quo nutriatur, & per quem locum. de vtilit.reſp. 1ª.225.G
Spiritus animalis alimentum, quod.de vſu pul. 1ª.228.A
ad Spiritus nutrimentum eſt aer.de ana.viuo. Sp.47.F
Spiritus animalis an nutriatur à reſpiratione.de vtil.reſp. 1ª.225.G
Spiritus animalis nutritur ex inſpiratiõe per nares.de vtil.re.1ª.226.A
Spũs per os, & nares fortiores emittũt viri q̃ fœminæ.de ſper.Sp.36.D
Spiritus ſuperius per nares ingredit̃ in corpus.17°.de vſu par. 1ª.222.B
Spiritus per nares ad cerebrum attrahitur.de vſu pul. 1ª.227.G
Spiritus per nares, & os, partim ad cerebrum, partim ad cor accedit.de cau.reſp. 1ª.226.H
Spũs ãialis nutritio, eſt ex pulſu, & reſpiratione.de vſu pul. 1ª.228.D
Spiritus ãialis nutritio eſt ſecũda vtilitas reſpirationis.de vtil.1ª.226.E
Spũs ãialis ĩdiget ſanguinis euaporatiõe ad nutritionẽ.de vtil. 1ª.226.B
Spiritus animalis imbecillitates cerebri ingentem intemperiem comitantur.4°.de præſ.ex pul. 4ª.121.G
Spiritus animalis conſumitur in motu voluntario.de vſu pul. 1ª.227.H
à Spiritu neruus mouetur, à neruo autem muſculus, et à muſculo tibia. de multitudine. 3ª.78.A
Spiritus animalis ſi euacuetur, quid ſequatur.7°.de decr. Hip. 1ª.269.E
Spũs animalis qualis in oculo, & qualis eſſe debet.1°.de ſym.cau. 3ª.15.C
Spũs multus ãialis in oculo æthereus quid faciat.1°.de ſymp.ca. 3ª.15.C
Spiritus paucus purus quid faciat.1°.de ſymp.cau. 3ª.15.C
Spũs humidus multus in oculo quẽ faciat viſum.1°.de ſymp.cau. 3ª.15.C
Spiritus lucidus per neruos oculorũ tranſmeat.7°.de de.Hip. 1ª.269.H
Spiritus oculorum fulgidus eſt.7°.de decr.Hip. 1ª.272.E
Spiritum ſplendidum à cerebro defluentem habet viſus inſtrumẽtũ. 16°. de vſu partium. 1ª.215.D
Spiritus animalis luminoſus à cerebro ad oculum proficiſcitur.in 6^{m}. de mor.vulg.com.4°. 3ª.187.B
Spiritus quo modo à cerebro ad oculum eant.1°.de ſymp.cau. 3ª.14.D
Spiritus animalis copia in oculo maior continetur, quàm in alio inſtrumento.7°.de decr.Hipp. 1ª.270.H
Spiritus quid faciant in oculo.10°.de vſu par. 1ª.180.F
Spiritus quidam adeſt in neruis.7°.de decr.Hip. 1ª.269.G
Spiritum capientes venulas habet neruus.de vtil.reſp. Sp.63.C
Spiritus, & ſanguinis receptacula ſunt vena, neruus, & pellis.de vtilitate reſpirationis. Sp.63.C
Spiritus receptaculum eſt arteria.de ven.ſect.aduer.Eraſ. 6ª.5.G
Spiritus, auditus & viſus ſunt partes oculi & auriũ.5°.de dec.1ª.255.G
Spiritus viſorius.vt pote ſplẽdens, ſibi medium aſſimilat cryſtalloeidis, & pupillæ humorem tenuem, ac mundũ.in prog.com.1°. 4ª.194.E
Spiritus viſiuus vnde naſcatur.de ocul. 7ª.184.E
Spiritus ſubſtantialiter tranſeunt per oculos.de ocul. 7ª.184.F
Spiritus viſiui iunguntur oculo.de ocul. 7ª.184.G
Spiritus viſiuus per quas partes tendat.de ana.ocul. Sp.57.D
Spiritus qui ad oculos fertur cum aere ambiente vnitur primo incurſu. 7°.de decr.Hip. 1ª.70.C
Spiritus viſibilis lumen aerem mutat in inſtanti.de ocul. 7ª.185.C
Spiritus viſiuus gaudet colore cyaneo. de ana.ocul. Sp.57.E
Spiritum continet pupilla.10°.de vſu par. 1ª.179.D
Spiritus viſiui accidentia.de ocul. 7ª.186.E
Spũs ãialis præſtat auribus virtutẽ audiẽdi.de compag.memb. Sp.58.B
Spiritus odorabilis vnde feratur.de comp.memb. Sp.58.C
SPIRITVS duplex natiuus vel vitalis, & aereus, vel materialis. 4°. de dign.pul. 4ª.84.E
Spiritus cordis vitalis dicitur.de virt.noſt.corp.diſpen. Sp.60.B
Spiritus vitalis vbi oriatur.2°.de decr.Hipp. 1ª.240.F
Spiritus vitalis vbi ſit.de ocul.7ª.183.G/de ana.viuo. Sp.56.C
Spiritus vitalis ex qua materia fiat.7°.de decre.Hip. 1ª.269.E
Spiritus vitalis intendit ad generationem cordis.de ana.viuo. Sp.52.A
ad Spũm, & calorẽ cõparat̃ cor: vt ad ignẽ fornax.de ana.vi.Sp.46.D
Spiritus in arterijs vitalis eſt.7°.de decre.Hip. 1ª.269.D
Spiritus vitalis in corde, & in arterijs gignitur.7°.de decr. 1ª.269.D
Spiritus vitalis in corde & arterijs.12°.meth.med. 7ª.77.C
Spiritus vitalis in arterijs, & corde generatur, & habet materiã gñationis inſpiratione, & humorũ vapore.de vir.noſt.corp.diſp. Sp.60.C
Spiritus in qua parte cordis generetur.de ana.viuo. Sp.52.G
Spũs copioſior eſt in ſiniſtro cordis ventriculo.6°.de vſu par. 1ª.154.H
Spiritus euacuato ſiniſtro cordis ventriculo animal moritur. an ſangui. in art. 1ª.61.B
Spiritus qui contineatur in arterijs.4°.de dign.pul. 4ª.84.G
Spũs nõ ſunt ſolũ in arterijs: vt Eraſiſtratei putarũt.6°.de lo.af.4ª.39.C
Spũm arteriarũ altera introducit, altera educit.6°.de decr. 1ª.263.D
Spiritus in arterijs quo modo clarificetur.de ſper. Sp.37.G
Spiritus alimentum eſt ſanguis arteriarum.6°.de vſu par. 1ª.155.C
Spiritus à quibus arterijs effluat, & à quibus nõ.9°.de vſu p. 1ª.172.G
Spiritus à corde mutatur in calorem naturalem, & in ſpiritualem vitã. de ſpermate. Sp.37.F
Spiritus duo quo modo à cordis amantis exeãt.de comp.mem. Sp.59.C
à Spiritu in tumorem attollitur priapus.6°.de loc.aff. 4ª.41.H
Spiritu vitali ſemen plenum eſt.1°.de ſem. 1ª.330.E
Spiritus & ſanguis ad ſpermatis generationem vbi, & eius vſus. 9°. de vſu partium. 1ª.172.F
Spiritus miſcetur cum ſemine.com.5°.aph.63°. Ex.44.C
Spiritus in ſemine qualis.1°.de ſem. 1ª.331.D
Spiritus excretio eſt ſemen.in 6^{m}.de mor.vul.com.3°. 3ª.172.A
Spiritus qui conuertit ſemen in carnem.de ſper. Sp.36.B
Spiritus duplex in matrice, & vnde.de ſper. Sp.36.B
Spiritus exterior matricis nõ ſinit interiorem exire.de ſper. Sp.36.B
Spiritus per orificia attrahitur à ſemine, & q̃uo.1°.de ſem. 1ª.330.G
Spũs ꝑ quæ coquat̃ in muliere in vtero, & vbi ſit.12°.de vſu p. 1ª.207.G
in Spũm abire ſemen in vuluis affirmat Ariſtoteles.1°.de ſem.1ª.329.F
in Spũm ſi genitura difflat̃, cur vterus non intumeſcit.1°.de ſe.1ª.329.F
cum Spiritu quodam recipitur in matrice viri ſemen muliebri aſſociatum.de ſpermate. Sp.36.B
Spiritus in ſemine eſt: vt motus principium.14°.de vſu par. 1ª.204.F
Spiritus raritas, & ſpiſſitudo humoris ſunt cauſę in viris ſterilitatis, (lege Galenum improbantem.) com.5°.apho.63°. Ex.44.D
Spiritus ſpermatici tres virtutes.de ſper. Sp.37.F
Spiritus ex arterijs attrahit̃ à fœtu, dum augetur.1°.de ſem. 1ª.330.H
Spiritus vnde trahatur à fœtu.1°.de ſem. ª.331.C
Spiritus qui oritur à corde quorſum tendat.de ſper. Sp.37.F
Spiritus per quas vias à corde in totum tranſmittatur corpus. de com. membro. Sp.58.G
Spiritu & ſanguine attracto cibatur cor.de ana.viuo. Sp.56.D
Spiritu nihil familiarius ad cordis refrigerationẽ.6°.de vſu p. 1ª.154.A
Spiritum attrahit cor à pulmone.de vtil.reſp. Sp.64.D
Spiritus attractus vbi excoquatur.de comp.memb. Sp.58.F
Spũm & humores attrahit ac expellit actio pulmõis.5°.de lo.a.4ª.30.F
Spiritus aliquid ex pulmone in thoracẽ ꝑmeat.8°.de anat.ad. 1ª.103.E
Spiritus aliquid è pulmone in amplam thoracis capacitatem pertranſit. 8°.de ana.admi. 1ª.103.F
Spũs per vulnus exiẽs ſignat thoracẽ eſſe vulneratũ.1°.de lo.aff. 4ª.2.E
Spiritu arteriæ non implentur à corde.an ſan.in ar.nat.cont. 1ª.62.D
Spũs trahit̃ in arterias & à corde & vndequaq;.an ſang.in ar. 1ª.62.F
Spiritus nõ fertur per arterias tanq̃ per canales lapideos.an ſang. in ar: nat.cont. 1ª.62.F
Spiritu à corde allato, non eget cerebrum.de vtil.reſp. 1ª.226.A
Spiritus vitalis nutrit̃ in ſpirãdo, & ex ſanguine.12°.met.med. 7ª.77.C
Spiritus naturalis intẽdit ad gñationem hepatis.de ana.viuo. Sp.52.A
Spiritus naturalis ſi eſt in iecore, & in venis eſt.12°.meth.me. 7ª.77.C
Spiritus adſunt in venis.fin.med. Iſa.43.G
Spiritus natiuus eſt calor innatus.5°.de ſimp.med.fac. 5ª.33.H
Spiritus innatus primum inſtrumentum animæ eſt, ſi non eſt animæ eſſentia.5°.de ſim.me.fac. 5ª.34.A
Spiritus intus ſeruãdus, qñ aliquid cõcoquẽdus.5°.de ſim.m.fa.5ª.34.A
Spiritus innatus ſecũdũ Ariſtotelem cauſa roboris membrorum eſt.1°. de ſemine. 1ª.335.G
Spiritus, & ſanguis concurrunt in omni naturali motione. de ren. affec. dign.& med. 7ª.192.H
in Spũ & ſanguine habitare calorẽ naturalẽ (collige à Galeno) vbi inq̃t ſpũs & ſanguis atq; caloris qui in eis.com.2°.aphoriſ.1°. Ex.11.B
Spiritus, & ſanguis ſunt duo inſtrumẽta, quibus natura vtitur cum expellit ea, quæ infeſtant.com.5°.aph.53°. Ex.42.D
Spiritus & ſanguis illuc tendunt quò natura expellit violenter, vñ fiunt inflammationes.com.5°.apho.53°. Ex.42.E
Spiritus multi exeunt tum excrementis puris, vnde periclitãtur qui vniuerſim euacuantur.com.6°.aph.27°. Ex.48.H
Spiritus ob duo patitur.de vtil.reſp. 1ª.226.D
Spiritus ſubſtantia extenuata quid faciat.12°.meth.med. 7ª.77.D
Spirituum ſubſtantia ex raritate digeritur.12°.meth.med. 7ª.77.E
Spiritus ſubſtantia variatur.11°.meth.med. 7ª.68.B
Spiritus vitalis excretus facit exolutionem, & animi defectionem.commentario 7°.

mentario 7°.aph.8°. Ex.54.E
Spiritu omni emiſſo, animalia nõ poſſunt viuere.an.ſang.in ar. 1ª.60.F
Spiritu vitali omnes animalis partes q̃n priuantur.1°.de ſem. 1ª.335.D
ob Spiritus læſos cur mors ſequatur.de vtil.reſp. 1ª.226.D
Spiritus ſubſtantia in morbis q̃uo cuſtodienda.12°.meth.med. 7ª.77.B
Spiritus quo modo cuſtodiatur.11°.meth.med. 7ª.69.E
Spiritus difflationes per omne corpus vocantur ſecundum aliquos eructationes.in 6m.de mor.vul.com.2°. 3ª.166.D
SPIRITVS pro reſpiratione ſumitur ab Hippocrate. in 6m. de morb. vulg.com.4°. 3ª.179.H
Sp̃us vocat̃ q̃nq; tota reſpiratio.de vict.rat.in mor.acu.cõ.1°. 7ª.113.G
Spiritus attractio, an reſpirationis actio ſit.de vſu pul. 1ª.229.B
Spiritu ſuo mures ad ſe trahit ſerpens.de cathar. Sp.94.H
Spiritus protenſi qui ſunt.de vict.rat.in mor.acu.com.4°. 7ª.137.D
Spiritus organa ſunt muſculi pectoris.de ſper. Sp.36.G
Spiritus it ad ventriculũ nobis tranſglutientibus.6°.de vſu p. 1ª.154.H
Spiritus cur per ſuperiora purgantur.de voc.inſtr.diſſ. 1ª.106.F
in Sp̃u trahẽdo dilatãtur os, & nares ſecũdũ aliquos.de vſu p. 1ª.228.D
in Sp̃u trahẽdo dilatãtur fauces pulmones et pectus.de vſu p.1ª.228.D
Spiritum receptũ quæ præcedit quies, qualis.de vſu pul. 1ª.228.F
ad Spiritus prolationẽ & Tuſſim.7°.de compoſi.med.ſec.loc. 5ª.182.B
Spiritum quomodo non recipiat guttur.3°.de loc.aff. 4ª.14.G
Spiritus vię obſerãtur, ſi tabidus nõ poſſit expuere.c.7°.a.16°. Ex.55.B
Sp̃um acutũ q̃ exercitia & gymnaſia reddãt.9°.de cõ.me.ſe.l.5ª.199.C
Spiritum acutum ſplenicis quæ exercitia & gymnaſia faciunt.9°.de compoſitione medic.ſec.loc. 5ª.199.F
Spiritus per vtranq; narem ęqualis, ſignificat conuulſionem.de vic. ra. in mor.acu.com.4°. 7ª.141.G
in Spiritu Alteratio quomodo fiat.12°.meth.med. 7ª.77.C
Spiritus eſt promptus ad alterandum, & cur.de inæq. intemp. 3ª.43.H
Spiritus in Angina qualis.4°.de loc.aff. 4ª.25.A
Spiritus in angina qui.3°.de diff.reſp. 3ª.72.E
Spiritus quo modo habeatur in apoplexia in ſopore, comitiali, & catalepſi.4°.de loc.aff. 4ª.27.E
Spiritum quomodo habent Aſthmatici, & orthopnæici.in 3m. de morb. vulg.com.2°. 3ª.126.C
Spiritus Breuis qui.in 3m.de morb.vul.com.3°. 3ª.148.H
Spiritus calidus quando ſit.4°.de loc.aff. 4ª.26.H
Spiritus calidior quid faciat.de vtil.reſp. 1ª.226.A
Spiritus Catalepſis, id eſt cohibitio quomodo fiat.ꝑ ani.mor. 1ª.316.D
Sp̃us Cohibitio, nõ exigua portio eſt apotherapiæ.3°.de ſa.tuen. 2ª.77.B
Spiritus cohibitio ad apotherapiam idόnea.3°.de ſan.tuen. 2ª.77.D
Spiritus cohibitio quo modo fiat.3°.de ſan.tuen. 2ª.77.B
Spiritus cohibitio quando fiat & quot modis.de voc.inſtr.diſſ.1ª.107.G
Spiritus quo modo cohibetur.7°.de vſu par. 1ª.160.H
Spiritus cohibet, facta tenſione muſculorum coſtis inſidentium, & abdomini.3°.de ſan.tuen. 2ª.77.C
Spiritus cohibitionem interponunt inter ipſam exercitationem optimi gymnaſtæ.3°.de ſan.tuen. 2ª.77.E
Spiritus cohibitio, exercitatio eſt muſculorum in abdomine, & thorace. 2°.de ſan.tuen. 2ª.75.C
Spiritus cohibetur faſcicula circa collũ.2°.de comp.med.ſe.lo.5ª.138.A
Spiritus cohibitio ad quid valet.3°.de ſan.tuen. 2ª.77.E
Spiritus cohibitionem caput opplere ex dictis Galeni reprehendi poteſt vt dixit Aſclepiades.3°.de ſan.tuen. 2ª.77.G
Spiritus cohibitio quomodo auget calorem in ſpiritualibus, & tuſſim ſedat.2°.de ſymp.cau. 3ª.21.H
Spiritum & effluuiam cohibet ſomnus, & humectat.de vict.in mor.ac. commen.2°. 7ª.125.B
Spiritus Corruptio quo modo fiat.12°.meth.med. 7ª.77.C
Spiritus in cerebro corruptus, mortem inducit.in 6m. de morbis vulgar. commen.5°. 3ª.189.H
Spiritus Craſſus in quibus partibus contineri poſſit.2°.de arte curatiua ad Glauconem. 7ª.104.F
Spiritus Creber phlegmonem in partibus ſupra ſeptum ſignificat. in 6m. de mor.vul.com.2°. 3ª.162.D
Spiritus crudi flatuoſiq; copia, dolorem facit.4°.de loc.aff. 4ª.27.D
à Spirituum crudorum craſſitie dolores curat ariſtolochia rotunda. 6°.de ſim.me.fac. 5ª.43.E
Spiritus Currentium qualis.in 6m.de morb.vul.com.2°. 3ª.136.B
Spiritus hõis Delirantis, & nondũ delirãtis, qualis.5°.de loc.aff.4ª.31.F
Spiritus proprij delirij nõ t̃n inſeparabiles, quales.2°.de diff. 3ª.64.E
Sp̃us Denſus, & frequens qui ſit.de vic.rat.in morb.acu.cõ.1°.7ª.114.B
Spiritus denſus, & paruus quibus ſit.3°.de diff.reſp. 3ª.71.C
Spiritus denſus & paruus fit his, quibus venter inflammatus eſt, et magis ſi os, & ſtomachus eius, & quibus pellicula aliqua, aut muſculus circa præcordia, aut ipſum, ſeptum trãſuerſum, & inteſtinum aliquod gracile.2°.de diff.feb. 3ª.65.H
Spiritus denſus cur fiat.1°.de diff.reſp. 3ª.59.B
Spiritus longa Detentione ſanatur ſingultus.3°.de diff.feb. 3ª.74.A
per Spiritus detentionem purgatio.3°.de diff.reſp. 3ª.74.B
Spiritus difficultatem quòd partes poſſint facere.de op.ſect. Iſa.22.F
ad Spiritus difficultatem à ſtomacho.de med.fac.par. 7ª.171.G
ad Spiritus Difficultatem.de med.fac.par.165.F/ 7ª.173.G/H
Spiritus in Diſpnœa qualis.4°.de loc.aff. 4ª.25.A
Spiritus Doloris inflammationis quid.in prog.Hip.com.1°. 4ª.194.H
Spiritus Erumpens prohibet alui humiditatem his, ſi quibus ilia ſuſpenſa obmurmurãtia ſunt lũborũ dolor ſupueniat.c.4°.a.70°. Ex.35.B
Spiritus velox foras expulſio propria eſt in totius ſimul ſpiritus efflatu. 3°.de ſan.tuen. 2ª.77.C/D
Spiritus citatiorem motũ perficit Exercitatio.2°.de ſan.tuen. 2ª.69.F
Spiritus vt facile ducat̃, facit acetũ ſcillinum.de med.fac.par. 7ª.178.C
Sp̃um facilem reddit balneum.de vict.ra.in mor.acu.com.3°. 7ª.132.H
Sp̃us Flatuoſus, qualis ſit, & cui cõparatus.2°.de ar.c.ad Gl. 7ª.104.E
Spiritus flatuoſi cũ flatibus cõueniunt.in 1m.de mor.vul.cõ.3°. 3ª.118.C
Spiritus flatuoſus quo modo gignatur.8°.de decr.Hipp. 1ª.275.F
Spiritus flatuoſus à qua materia oriatur.in 1m.pror.com.1°. 4ª.168.F
Spiritum flatuoſum quæ ꝓuocãt, ſemẽ g̃nant.6°.de ſim.me.fa. 5ª.46.A
in Spiritum ſtatim vertitur quicquid concretum, craſſum, et modice frigidum fuerit in humoribus.5°.de ſan.tuen. 2ª.94.D
Spiritum flatuoſum non neceſſarium eſt ſequi, ſi male quis concoxit. 3°. de ſymp.cau. 3ª.30.B
Spiritus flatuoſus eſt cauſa cõtẽtiua pituitæ.com.7°.apho.30°.Ex.56.A
Spiritus flatuoſus quomodo facit bullas.com.7°.aph.34°. Ex.56.E
cum Spiritu flatuoſo dolores grauiſſimi ex craſſis, & glutinoſis ſuccis fiunt.12°.metho.med. 7ª.79.C
Spiritus flatuoſus ad caput fertur vna cum calore, & facit rem capitis. com.4°.apho.70°. Ex.35.B
Sp̃us flatuoſus g̃natus in capite facit dolorẽ capitis.c.4°.a.70°. Ex.35.B
Spiritus flatuoſus facit capitis dolorem.com.6°.aph.10°. Ex.47.D
Sp̃us flatuoſus facit dolorem capitis in ſanis.com.6°.apho.51°. Ex.52.H
Spiritus flatuoſus qui non poſſit egredi in inflammatione hepatis, dolorem auget.com.6°.apho.5°. Ex.46.H
Spiritus flatuoſus facit tormina.com.4°.apho.11°. Ex.28.D
Spiritus flatuoſus, qui non habet facilem exitum, facit tormina. com.5°. aphoriſmo 41°. Ex.41.D
Sp̃us flatuoſus facit ſuſpẽſionẽ iliũ dupl̃r, & q̃uo cõ.4°.a.73°. Ex.35.G
ex Spiritu flatuoſo dolor quo modo curetur.12°.meth.med. 7ª.79.B
ex Spiritu flatulento dolor quomodo curetur.12°.meth.med. 7ª.82.B
ex Spiritu flatuoſo dolor curatur cucurbitula cum flamma copioſa.12°. methodi medendi. 7ª.79.H
Spiritus flatuoſior redditus ſomnum edit exiguũ, ſed nec prorſus acutũ nec tenuem.3°.de ſympto.cau. 3ª.27.F
Spiritus ſi acutũ, & tenue ſonat per vacuum, & prorſus, anguſtũ inteſtina delatus, eſtq; tum purior tũ magis aereus.3°.de ſymp.cau. 3ª.27.F
Spiritus ſonus cum nec magnus, nec multus eſt dicitur murmur.com.4°. aphoriſmo 73°. Ex.35.G
Spiritus flatuoſus cum vrinis excretis ſignificat frigidam renum ægritudinem.com.7°.apho.34°. Ex.56.E
Sp̃us flatuoſus facit vrinæ difficultatem.com.7°.aph.48°. Ex.58.A
in Sp̃um flatuoſum ſoluũtur vrinæ iumentorũ.cõ.4°. apho.70.Ex.35.B
Spiritus tranſit veſicam ſimul cum humore.com.4°.apho.73°.Ex.35.G
Spiritus flatuoſus, & craſſi humores per ſectionem venæ quandoq; ſanantur, & euacuantur.com.6°.aph.22°. Ex.48.D
Spiritus flatuoſi in carnoſis partibus quo modo curentur, & quibus.2°. de arte cur.ad Glauc. 7ª.104.H
Sp̃us flatuoſus dupliciter diſcutitur.in 6m.de mor.vulg.cõ.6°.5ª.196.D
Spiritus flatuoſus reſoluitur à calore febrili.com.6°.apho.51°. Ex.52.H
ex Sp̃u flatuoſo tumor q̃uo curetur.2°.de arte cur.ad Glau. 7ª.104.F
Spiritu tumorem quidam ſecuerunt.de vict.ratione in morbis acu.commentario 4°. 7ª.137.C
ob Sp̃us copiam venæ rũpuntur.in 1m.de mor.vulg.com.1°. 3ª.104.G
ob Spiritus copiam dolia, & vtres in muſtis rumpuntur.in 1m. de mor. vulg.com.1°. 3ª.104.G

Spiritus quo modo habeatur in Febribus:de util.reſp. 3ª.226.B
Spiritus in ardentibus febribus qualis.4°.de loc.aff. 4ª.25.A
ad Spiritus Fœtorem.7°.de comp.med.ſecundum locos. 5ª.181.D
Spiritus Frequens,vel magnus offendens in ea quæ ſurſum fit Aeris latione quibus contingat.de vict.rat.in mor.acu.com.2°. 7ª.122.F
Spiritum frequentem facit ſputum retentum,& è contra. de vict.rat.in mor.acu.com.1°. 7ª.114.C
Spiritus frequens ſignificat dolorem & inflammationem ſupra ſeptum. in 3^{m}.de mor.vul.com.3°. 3ª.148.H
Spiritus frequens,cur laborem inſtrumentorum reſpirationis ſignificet. 4°.de loc.aff. 4ª.27.D
Spũs frequens quid mali faciat.de vict.rat.in mor.acu.cõ.1°. 7ª.113.C
Spiritũ Halituoſorũ generatio vnde fiat.3°.de ſymp.cau. 3ª.27.E
Spũs halituoſus fit à craſſis glutinoſis cũ calefiũt.12°.me.me. 7ª.79.D
Spiritus halituoſi cur exire non poſſint.12°.meth.med 7ª.79.D
Spiritus halituoſi per oſſa colatoria emittũtur.2°.de ſymp.cau. 3ª.21.G
Spiritus halituoſus quandoq; in iecore cõcluditur.5°.de loc.aff. 4ª.33.C
Spiritus noſter ex motu igneſcit.de trem.palp.conuulſ. 3ª.54.H
Spiritus faciliter ab humoribus accenditur,non è contrario. 1°. de differentijs reſpirat. 3ª.31.A
Spiritus in pectus quid boni faciat.2°.de ſan.tuen. 2ª.69.F
Spiritus non videtur in inflammatis partibus,vt in alijs tumoribus multis.de tum.prẹt.nat. 3ª.82.H
Spiritus Inflantes ſunt cauſa tenſionis nerui.de vti.reſp. Sp.63.D
Spiritu inflante neruum cauũ,pudendũ intendit.15°.de vſu par.1ª.210.G
Spiritus Interceptio quæ ſit.de vict.rat.in mor.acu.com.4°. 7ª.144.D
Spirituum interceptiones in melancholicis ſanguinis miſſione ſoluuntur. de vict.rat.in mor.acu.com.4°. 7ª.144.D
Spiritus Magnus cur ſit cũ ſpiritus retinetur.1°.de diff.reſp. 3ª.60.B
Spiritus eſt magnus,& ex multo interuallo , ideſt magnus , & rarus,ſi cerebrum patiatur.com.4°.apho.50°. Ex.33.C
Spiritus magnus longo interuallo factus , ſignificat delirium. in 6^{m}. de mor.vul.com.2°. 3ª.162.D
Spiritus magnus delirium ſignificat.4°.de loc.aff. 4ª.27.B
Spiritus ex longis interuallis qui.in 1^{m}.prorrh.com.1°. 4ª.163.C
Spiritus magnus & denſus in quibus fiat morbis.3°.de diff.reſp. 3ª.71.C
Spiritus magnus,& denſus quando.1°.de diff.reſp. 3ª.63.A
Spiritum quem facit Mentis affectio.in 1^{m}.de mor.vul.com.3°. 3ª.121.D
Spiritus noſtri quomodo Nebuloſi.in 1^{m}.de mor.vul.com.1°. 3ª.104.C
Spiritus q̃n ſimilis nebulæ & caligini.in 1^{m}.de mor.vulg.cõ.1°.3ª.104.C
Spiritus Obſcurus qui.3°.de diff reſp. 3ª.75.G
Spiritus Offendens qui.de vict.rat.in mor.acu.com 4°. 7ª.137.D
Spiritus offendens apud Hippocratem quid.2°.de ſymp.cau. 3ª.19.H
Spiritus offendens quomodo fiat.de vict.rat.in mor.ac.com.2°. 7ª.123.C
Spiritus offendens,id eſt interruptus exiſtens ſiue in motu ad intus vel ad extra,vel ad vtraq;.com.4°.aph.68°. Ex.34.G
Spiritus offendens in febribus malum,cõuulſionẽ enim ſignificat. cõ.4°. aphoriſmo 68°. Ex.34.G
Spiritus Paruus & denſus qui.1°.de diff.reſp. 3ª.59.H
Spiritus paruus cur.1°.de diff.reſp. 3ª.59.B
Spiritus paruus ac creber in pleuritide fit.de conſt.ar. Iſa.40.E
Spiritus paruus rarus quid ſignificet.in 3^{m}.de mor.vul.cõ.3°. 3ª.148.H
Spiritus paruus,& denſus quid ſignificet.1°.de diff.reſp. 3ª.59.H
Spiritus paruus,& denſus in quibus fiat.2°.de diff.reſp.67.G/ 3ª.71.C
Spiritus quibus paucus,& quibus multus.com.2°.aph.44°. Ex.18.F
Spiritus Peripneumoniæ qualis.4°.de loc.aff. 4ª.25.A
Spiritus promptus dicitur ab Hippocrate,qui alias ſublimis , & elatus eſt vocatus.in 1^{m}.pror.com.1°. 4ª.166.E
Spirituum Protenſiones ſanguinis miſſione prius indigẽt quàm euacuatione.de vict.rat.in mor.acu.com.4°. 7ª.137.B
Spiritus Rarus qui.in 1^{m}.de mor.vul.com.3°.121.D/in 3^{m}.cõ.3°. 3ª.151.F
Spiritus rarus,& paruus vnde.3°.de diff.reſp. 3ª.72.H
Spiritus rarus & magnus iuxta actionem,& quietem longus eſt. 2°. de diff.reſp. 3ª.64.D
Spũm rarũ & magnũ delirãtes habent.in 1^{m}.de mor.vul.cõ.3°.3ª.121.G
Spiritus Philiſco fuit perpetuo quaſi reuocanti,rarus magnus. in 1^{m}. de mor.vul.com.3°. 3ª.121.B
Spiritus rarus propriũ & inſeparabile deſipientiæ ſignũ eſt. in 1^{m}. prorrhet.com.1°. 4ª.163.C
Spiritus rarus quid ſignificet.4°.de loc.aff. 4ª.27.D
Spiritus Redditio,an reſpirationis actio ſit.de vſu pul. 1ª.227.B
Spiritus cum Retinetur,cur magnus efficitur.1°.de diff. 3ª.60.B
in Spũs retẽtione,attollunt iecur,liẽ,& vẽtriculus.3°.de ſa.t. 2ª.77.B
in Spiritus retẽtione,leuiter contrahuntur muſculi abdominis.3°.de ſanitate tuenda. 2ª.77.B
Spiritus retentio ſingultum ſanat.de med.fac.par. 7ª.178.A
Spiritus Reuocans qui.in 1^{m}.de mor.vul.com.3°. 3ª.121.D
in Spiritũ genere Ructus quoq; ſunt.in 1^{m}.de mor.vul.cõ.3°. 3ª.118.C
Spiritus quomodo habeat in Stupore attonito.de vtil.reſp. 1ª.226.B
Spiritus ſublimis qui apud Hippocratem.4°.de loc.aff. 4ª.27.C
Spũs ſublimis qui,& cur.in 3^{m}.de mor.vul.com.2°. 3ª.136.A
Spũs ſublimior in exercentibus eſt.9°.de com.me.ſec.loc. 5ª.198.C
Spirituum Tarde recipientes iuuant caricę.de ſimp.med. Sp.84.C
Spiritum non Trahunt excernere volentes.5°.de vſu par. 1ª.147.C
Spiritum quem faciat Tuberculum in pulmone.4°.de lo.aff. 4ª.27.A
Spiritus Turbidus qui.in 1^{m}.prorrh.com.2°. 4ª.169.E
Spiritus turbidus quid ſignificat.in 1^{m}.prorrh.com.2°. 4ª.177.F
Spiritus Validus qui.in 1^{m}.prorrh.com.2°. 4ª.169.D
Spũm Vertiginoſũ parit cerebri inæqualis intẽpies.3°.de lo.af. 4ª.20.D
non SPIRARE viuentem,et ſpirantem non viuere,eſt impoſſibile. 6°. de loc.aff. 4ª.39.E
Spirare quia non poſſunt apopletici,moriuntur.3°.de loc.aff. 4ª.21.B
Spirãt dormiẽtes,quãuis nihil aliud agãt à cõſilio.3°.de lo.aff. 4ª.20.B
Spirare non videntur animalia occluſa latebris.6°.de loc.aff. 4ª.39.F
Spirare aerem extra aquam piſces maiores conſtat.de vtil.reſ. Sp.63.B
Spirent cur piſces aliqui extra aquam.de vtil.reſp. Sp.64.B
Spiretur quomodo aſperis arterijs plenis.4°.de loc.aff. 4ª.26.H
Spirent quomodo ſuppurati.4°.de loc.aff. 4ª.26.H
an Spirent præfocatæ vt deprehẽdatur,lanę flocculi ponũtur ãn os , & poculum quæ ponunt ſupra ventriculum.6°.de loc.aff. 4ª.39.E
Spirare bene facit acetum ſcilliticum.de med.fac.par. 7ª.178.C
SPISSAMENTA vocantur ſtymmata.2°.de compoſi.medicam. per genera. 5ª.220.D
ad Spiſſamentum malorum.9°.de compoſi.med.ſec.loc. 5ª.203.E
Spiſſandis capillis remedium.de dyna. Sp.23.E
SPISSIOR & craſſior quo loco ſit pulmo.& pp quid.de ana.Sp.48.B
SPISSITVDO arteriacæ.9°.de comp.med.ſec.loc. 5ª.202.F
Spiſſitudinis & velocitatis in pulſu differentia.comp.pul. Sp.65.H
ad Spiſſitudinẽ cerati.5°.de comp.me.ſe.lo.160.E/9°.199.F/3°.de compoſi.me.per ge. 5ª.232.H
Spiſſitudo cerati humidi.3°.de com.med.per gen.230.A/7°. 5ª.271.C
Spiſſitudo liq̃di cerati qualis,et qualis emplaſtri.3°.de c.m.p g.5ª.230.C
Spiſſitudo cerati liquidi.4°.de com.me.per ge. 5ª.244.E
Spiſſitudo emplaſtri vnde ſumatur.7°.de com.me.per ge. 5ª.264.G
Spiſſitudo emplaſtri.1°.de com.med.per ge.212.F/7°. 5ª.268.E
Spiſſitudo emplaſtri liquidi.9°.de comp.med.ſec.loc. 5ª.199.B
ad Spiſſitudinẽ nõ inquinantem coctura.1°.de com.me.per ge. 5ª.211.C
ad Spiſſitudinẽ ſordium.2°.de comp.med.per gene.224.F/3°.232.C/6°. 5ª.262.E/6°.meth.med.37.G/de remed.par.fac. 7ª.154.C
ad Spiſſitudinem ſordium balnei.de med.fac.par. 7ª.173.D
ad Spiſſitudinem ſtigmentitiã.5°.de comp.med.ſe.loc.161.B/9°.200. F/ 4°.de compoſitione medicamen.per gene.245.C/7°. 5ª.273.C
SPISSA qui habẽt Corpora,lõgiorẽ vitã viuũt.de hiſt.phil. Sp.12.B
Spiſſo rarũ facilius accenditur,& cur.1°.de ſimplic.med.fac. 5ª.4.F
Spiſſum corpus cum humoribus craſſis nõ ſinunt extenuari febricitãtẽ. com.2°.apho.28°. Ex.16.F
Spiſſa tarde digeruntur.de diſſ.cont. Sp.73.D
Spiſſa Cutis vnde.de ana.viuo. Sp.45.C
ad Spiſſa,parua,& rubicunda Phygethla capitis valet ſuccus centaureæ.de vir.centau. Sp.93.B
Spiſſum Pulſum grauẽ,& ſordidũ habet homotonus.de dyna. Sp.34.C
Spiſſus pulſus eſt,qui cõtinue p eundẽ locũ deuenit.comp.pul. Sp.65.H
Spiſſus ſanguis ac multus eſt in vena.de vtil.reſp. Sp.64.E
in Spiſſo ſanguine inueniuntur neruuli.de vtil.reſp. Sp.64.F
Spiſſam Subſtantiam habentibus velocius digeruntur raram habentia ſubſtantiam.de diſſ.cont. Sp.73.C
Spiſſa quæ debeant eſſe Vaſa.de ana.viuo. Sp.45.A
ad Spiſſa,parua,& rubicũda Vlcuſcula capitis valet ſuccus cẽtaureæ. de vir.cent. Sp.93.B
Spiſſa vrina & alba bonam ſignificat ſanitatem.de dyna. Sp.33.H
Spiſſa vrina,& rubra cum ſudore in febrium augumento mortem cito futuram ſignificat.de dyna. Sp.34.D
Spiſſa vrina,& rubra ſi fuerit egeſta frequentius futurã phrenitim denunciat.de dyna. Sp.34.D

Spiſſa vrina

Spiſſa vrina crocea in ſynocha laborē, grauitatē, dolorem, ſiue mortem oſtendit.de dyn. Sp.34.E
Spiſſa vrina & cholerica in ſynocha, ſi fuerit, in augumento febris, mortem ſignificat.de dyna. Sp.34.E
Spiſſa vrina in cardiacis, ſi ſpiſſitudo velut ſciſſa apparet, paralyſim ſignificat.de dyn. Sp.34.E
Spiſſum, Lege, Denſum,
SPLACHNVM *muſcū interpretať.7°.de cōp.me.p ge.* 5ª.272.H
Splanchnon quā vim obtinet, ac facultatē.6°.de ſim.me.fac. 5ª.45.D
SPLEN *inter partes inſtrumentales numeratur.de diff.mor.* 3ª.2.F
Splenis figura.de nat.& ord.cuiusl.corp.42.A/de ana.viuo. Sp.51.A
Splen eſt mēbrū oblongū in ſiniſtro latere poſitum.de ana.par. Sp.43.B
Splen eſt eleuatus orbiculari gibboſitate.2°.de diff.reſp. 3ª.67.F
Splen eſt hepar ſiniſtrum ſecundum Ariſtotelem.de vtil.reſp. Sp.64.G
Splen propter quid in ſiniſtra parte eſt.4°.de vſu par. 1ª.136.B
Splen cur inferius ſit iecore.4°.de vſu par. 1ª.136.G
Splen cur eſt inter duo membra calida.de ana.viuo. Sp.51.A
de Splenis, & veſicæ fellis anatomia.de ana.viuo. Sp.50.H
Splenis corpus quale.4°.de vſu par. 1ª.140.D
Splenis corpus παρέγχυμα, *id eſt affuſio, nominatur à non nullis.4°.de vſu par.* 1ª.140.B
in Splene caro ſubnigra ſeu nigra eſt.de ana.viuo. Sp.44.D
Splenis caro nigra eſt.de ana.viuo. Sp.55.H
Splen eſt melancholicæ complexionis.de ana.vino. Sp.51.A
Splen eſt frigidus, & ſiccus.de ana.viuo. Sp.50.A
Splenis caro laxa eſt.4°.de vſu par. 1ª.140.C
Splenis caro rarior, & leuior eſt carne iecoris.4°.de vſu par. 1ª.140.C
Splen cur laxus & rarus.5°.de vſu par. 1ª.144.G
Splen minime doloroſum viſcus eſt.2°.de diff.reſp. 3ª.67.F
Splen non premit diaphragma.2°.de diff.reſp. 3ª.67.F
Splenis compoſitio ex quibus, & cur.de ana.viuo. Sp.51.A
Splen duos habet meatus, & qui, & cur.de anat.viuo. Sp.51.A
in Splene nulla eſt arteria ſecundum Ariſtotelem.de vtil.reſ. Sp.64.G
in Splenis curuatura inueniunť tā arteriæ quā venæ.de vti.reſ. Sp.64.G
Splen cur habet magnas arterias.4°.de vſu par. 1ª.140.A
in Splene non ſunt ſimul vena & arteria.de vtil.reſp. Sp.64.G
in Splenis gibbo nec vena eſt, nec arteria.de vtil.reſp. Sp.64.H
ad Splenem vena quæ fertur, vnde naſcatur.4°.de vſu par. 1ª.141.G
ad Splenem protenditur vena à corde: quemadmodum ad hepar, p quā cor attrahit ſibi ſuccum cibi à ſplene.de vtil.reſp. Sp.64.G
Spleni diſtribuuntur nerui propagines q̄ cerebro.16°.de vſu p. 1ª.215.E
Splen habet ſenſum in ſuperficie.de ana.viuo. Sp.44.C
in Splene inſenſibili quæ ſint ſenſibilia.de vtil.reſp. Sp.62.H
Splenis panniculus eſt ſenſificans.de ana.viuo. Sp.55.F
Splen, & ſtomachus mouentur ad motum reſpiratoriorum organorum.1°.de diff.reſp. 3ª.59.H
Splenis vtilitates, quæ.de ana.viuo. Sp.50.H
Splē, & iecur cōſiderāda, qn̄ de coctione ſermo fit.1°.de loc.aff. 4ª.5.E
Splenis officium quod.4°.de vſu par. 1ª.140.A
Splen in omni parte ſuam faceret actionem.6°.de loc.aff. 4ª.42.D
Splen habet quatuor facultates.3°.de nat.fac. 1ª.305.C
Splen trahit ad ſe ſanguinis fecem.5°.de loc.aff. 4ª.35.F
Splen trahit humorem melancholicum, qui eſt quaſi fex ſanguinis.c. 4°.aphoriſmo 21°. Ex.29.D
Splen attrahit craſſum & limoſum.4°.de vſu par. 1ª.136.B
Splen expurgat hepar.com.4°.aph.21°. Ex.29.D
ob Splenem contingit error ſecundæ coctionis.de ana.viuo. Sp.51.A
Splen ſi non bene expurget limum ſanguinis, & hepar, viſcera magis debilitantur.com.4°.aph.21°. Ex.29.D
ad Splenem ab hepate q̄uo procedat melancholia.de ana.par. Sp.43.B
ex Splene vitioſa ſanies in ventriculum irruit in flatu hypochondriaco.5°.de loc.aff. 4ª.32.H
Splenis alimenta, quæ.4°.de vſu par. 1ª.140.D/C
Spleni alimentum efficitur quod fuerit in ſuccum ſibi cōuenientē trāslatum, quòd vero inutile fuerit, ad ventriculum mittitur, & per quam viam.4°.de vſu par. 1ª.140.A
Splen appetit ſanguinem rubrum quaſi ſibi ſimilem in colore, et natura.de ana.viuo. Sp.44.D
Splen atra bile nutritur.2°.de arte cur.ad Glauc. 7ª.107.C/ *commē.4°.aphoriſma 21°.* Ex.29.D
in Splene dominatur atra bilis.de nat.& ord.cuiuſ.corp. Sp.41.D
Splen propria ſedes choleræ nigræ.de ſper.36.H/de ana.viuo. Sp.45.F
Splen eſt proprium vas melancholiæ.de ana.viuo. Sp.51.A
Splen continet vnam corporis ſuperfluitatem, fecem, ſiue ſanguinem melancholicum.de ana.viuo. Sp.50.A
in Splene continetur ſanguis melancholicus, qui eſt alia ſanguinis ſuperfluitas.de ana.viuo. Sp.50.F
in Splene manet atra bilis quò ad deijciatur.de ana.viu. Sp.51.A
Splen expellit totam ſuperfluitatem, poſtquàm nutritus eſt, ad inteſtina.com.4°.aph.21°. Ex.29.D
Splen trahit ſuccum cibi ab inteſtinis.de util.reſp. Sp.64.G
Splen immutat humores, quos habet.4°.de uſu par. 1ª.140.A
Splen humores attractos in uētriculū trāſmittit.4°.de uſu pa. 1ª.140.A
ex Splene quæ educantur.de cathar. Sp.94.G
à Splene procedit riſus.de ſper. Sp.37.C
SPLEN *habet morbos longos.com.2°.apho.40°.* Ex.18.A
in Splenis paſſione cur patitur ſtomachus.de ana.uiuo. Sp.51.A
Splenis aut hepatis affectus ſæpe febrem attulit.2°.de diff.feb. 3ª.37.F
Splene male affecto quartana generatur.1°.de arte cur.ad Gl. 7ª.95.H
Splenis uitio Aqua intercutē qn̄q; euenire cōſueuit.6°.de lo.af. 4ª.36.C
in Splene affectus cognoſcitur colorum uitijs.3°.de loc.aff. 4ª.18.E
Splenis uitio fiunt colores nigriores.5°.de loc.aff. 4ª.34.B
Splenis ægritudines cancris & phagedenis rn̄dent.2°.de diff. 3ª.37.D
ad Splenis affectus aquoſos.6°.de com.me.per ge. 5ª.263.A
Splenis Craſſities auget lac, ſi ſolum comedatur.de diff.cont. Sp.74.H
Splenem craſſum reddit uinum dulce.de diff.con. Sp.74.H
Splen, & iecur à dulcibus uinis lęduntur.de uinis. Sp.76.D
Splenem aut hepar, aut aliud quoddā ex prędictis membris dolore uexatum habentes difficulter ſpirant.1°.de diff.reſp. 3ª.59.H
circa Splenis caput, aut ſeptum trāſuerſum, ſi dolor extet, ſpiritus denſus, & paruus fit.3°.de diff.reſp. 3ª.71.C
Splenis doloribus cōfert ſectio ſaluatellæ in ſiniſtra.de ana.ui. Sp.54.H
ad Splenis dolorem.ſecr.98.E/ Sp.100.H
Splenis Durities ex flatu q̄uo cognoſcitur, & curatur.2°.de arte curatiua ad Glauconem. 7ª.104.D
Splenis indurati curatio.2°.de arte cur.ad Glauc. 7ª.104.C
pro Splene duro quæ coquenda in aceto, & oximelite, ut fiat potio. 2°.de arte cur.ad Glauc. 7ª.104.C
Splenes duros ſanat ſalis flos.2°.de arte cur.ad Glauc. 7ª.104.D
ad Splenis duritiem electarium.de med.exper. Sp.108.B
ad Splenis duritiem emplaſtrum.ſecr. Sp.99.E
ad Splenis duritiē remediū.de dy.26.G/ſecr.99.E/de me.ex. Sp.105.D
Splenem durum curans medicamen.de med.exper. Sp.104.D
Splenis duritiei medicamen bonum.de med.exper. Sp.106.B
ad Splenis duritiem, & oppilationem.de med.exper. Sp.108.B
ad Splenis induratas affectiones.9°.de compoſi.med.ſec.loc. 5ª.199.B
ad Splenis affectiones inueteratas & induratas. 9°. de compoſitione med.ſec.loc. 5ª.199.E
ad Splenem quibus it fluxio, q̄uo curandi.de uen.ſec.ad.Eraſ. 6ª.14.E
ad Splenem ceratum in Ictero.de cura icteri. Sp.111.A
Splenis & iecinoris Imbecillitas.3°.de ſymp.cau. 3ª.30.A
Splenis, & iecoris Inflammationes unde.2°.de diff.feb. 3ª.40.H
in Splenis inflammationibus, reſpiratio qualis.de util.reſp. 1ª.225.G
ad Splenem inflāmatū ſequitur ſpiratio difficilis.2°.de dif.reſ. 3ª.65.H
Splenis aut hepatis partes infernæ quomodo denſum ac paruum efficiunt ſpiritum.3°.de diff.reſp. 3ª.71.D
ad Splenis recentes inflāmationes, epithemata, & emplaſtra.9°.de cōpoſi.med.ſec.loc. 5ª.198.H
Splene inflammato, ſeca uenam interiorem ſiniſtræ manus.2°.de arte curatiua ad Glauc. 7ª.102.G
Splenis inflāmationibus facile applicātur remedia.3°.de loc.af. 4ª.16.B
ex Splenis Oppilatione accedit faſtidium.de ana.uiuo. Sp.51.A
Splenis, & iecoris obſtructio deprehenditur ex dolore loci. quęſita in Hippocratem. Sp.113.C
Splenis oppilationes aperiūt amygdalę proprie amaræ.de dif. Sp.74.G
Splenis oppilationē timēti, cōueniūt cibi ſubtiliātes.de dif.cōt. Sp.72.D
Splenis oppilationibus ualens electarium.de med.exper. Sp.107.B
Splenis oppilationem aperit lac, ſi edatur cum mentaſtro ſylueſtri, origano, & pipere.de diff.cont. Sp.74.H
Splenis oppilationem aperit ſecaniabin.de diff.cont. Sp.74.H
Splenis, hepatis, & coli Tumores quam reſpirationem faciant.1°.de differen.reſp. 3ª.59.C
pro Splene affecto flatuoſo tumore, quo modo alumen conueniat. 2°. de arte cur.ad Glau. 7ª.104.D

Splenis tumorem eliquans paſtillus.9°.de com.me.ſe.lo. 5ª.198.G
ad Splenem eliquandum Malagma ex Cedria. 9°. de compoſi. medica. ſecundum locos. 5ª.199.D
Splenem tumentem eliquans & conſumens medicamentum.9°.de com. med.ſec.loc. 5ª.198.H
ad Splenis tumorem eliquandum.9°.de com.me.ſe.lo. 5ª.159.C
ad Splenem quæ iure conueniant.2°.de arte cur.ad Glauc. 7ª.104.C
Spleni pdeſt modicũ bonæ aquę ſi vino miſcueris.de bon.aquę. Sp.75.F
ad Splenem cõuertuntur aquæ paludoſæ hyeme.de bon.aquæ. Sp.75.D
Splenem lædunt ſtagnantes & olentes aquæ.de aere aq.& loc. 2ª.6.D
ad Splenem pharmaca potabilia ab Aſclepiade conſcripta.9°. de com. med.ſec.loc. 5ª.198.G
Splenem videtur conſumere acori ſemen potum.de ſimp.med. Sp.81.A
Splenis in vitio prodeſt peplium.de dyna. Sp.21.A
Splenem minuit raphanus.de ſimp.med. Sp.89.F
Splenem curat ſcolopendria.de ſimp.med. Sp.91.C
ad Splenem Philonis antidotus.9°.de com.me.ſe.lo. 5ª.201.A
ad Splenem antidotus.de dynam.26.F/de med.exper. Sp.105.C
ad Splenem medicamen experimentatoris.de med.exper. Sp.104.D
Splenis ægritudinibus oĩbus conferens medicamentum.ſecre. Sp.101.G
ad Splenem probatum remedium.de dyna.27.E/ſecret. Sp.97.B
ad Splenis omnem affectionem.9°.de com.me.ſe.lo. 5ª.198.F
in Splenis ægritudinibus ſecantur iugulares venæ.de ana.viu. Sp.55.A
in Splenis ægritudinibus ſecatur vena ſupra ventrem in ſiniſtra. de anatomia viuo. Sp.55.B
Spleni quando apponendæ cucurbitulæ.9°.de com.me.ſe.lo. 5°.200.A/ 2°.de arte cur.ad Glauc. 7ª.102.G
Spleni danda cathartica.de cathar. Sp.94.G
Splen indiget vehementi purgatione.4°.de vſu par. 1ª.140.D
vt Splẽ,fortia medicamẽta nõ fert Iecur.2°.de ar.cu.ad Gl. 7ª.104.D
Splenem purgantia quæ.de cathar. Sp.95.C
Splen non poteſt euacuari per ventoſam.de cura icteri. Sp.111.A
Splen aſininus.1°.de ſimp.med.fac. 5ª.124.H
Splen,Lege,Lien.
SPLENDENS album viſui inimicum eſt.1°.de ſymp.cau. 3ª.17.A
Splendidiſſimo minus obeſt viſui nigerrimum,& quare.1°.de ſymptomatum cauſis. 3ª.17.A
Splendidiſſima multa frigidiſſima ſunt.2°.de ſimplic.med.fac. 5ª.9.F
Splẽdidũ,et albũ corp⁹ oppõĩt cito,et velociter colorib⁹.de oc. 7ª.182.G
Splendidum λαμπῶδες dicitur.in 1ᵐ.prorrh.com.2°. 4ª.178.B
Splendidum tenuium eſt partium.1°.de ſymp.cau. 3ª.17.A
Splendidum viſus inſtrumentum eſt.1°.de ſymp.cauſ. 3ª.17.A
Splendidus color nocet lippientibus.de ſubfi.emp. Iſa.32.B
Splendidi vbi viuant hoĩes,& incolumes.de aere,aq.& loc. 2ª.6.D
Splendidũ corpus reddunt cucumis & pepon.8°.de ſimp.me.fa. 5ª.60.E
Splendidam cutem fact ichthiocolla.de ſimp.med. Sp.85.E
Splendidam cutem facit terra chia.de ſimp.med. Sp.85.A
SPLENDOR ſiccus animus ſapientiſſimus ſm Heraclitum. quòd animi mores. 1ª.318.G
Splendorem affert Sol rebus quas illuminat.1°.de loc.aff. 4ª.8.B
Splendore quantum aer eſt craſſior, tantum aere eſt craſſior halitus.1°. de ſymp.cau. 3ª.17.D
Splendoris ſenſus viſus eſt.1°.de ſymp.cau. 3ª.17.C
à Splendore magno corrumpitur viſus.1°.de ſymp.cau. 3ª.16.H
Splendorem videre ſiquis immaginetur, ſanguinem è naribus fluxurum eſt ſignum.1°.de arte cur. ad Glauc. 7ª.100.D
Splẽdores Lucis incerti qũo fiant.de vict.rat.in mor.ac.cõ.2°. 7ª.123.A
Splendores lucis incerti, & diſcurrentes quorum oculis obijciantur.de vict.rat.in mor.acu.com.2°. 7ª.122.F
Splendorem conciliat pumex.9°.de ſimp.medica.fac. 5ª.69.G
Splendorem inducit ſmiris,& teſta.9°.de ſimp.med.fa. 5ª.69.G
SPLENIA vnde dicta.de ijs,quæ in med,fiunt.com.3°. 7ª.214.C
Splenia,& plagulæ idem.de fract.com.1°. 7ª.228.D
SPLENICAE à Liene facultates.5°.de ſimplicium medi.fac. 5ª.32.B
Splenica cur dicta ſint medicamenta.5°.de ſimp.me.fa. 5ª.38.E
ad Splenicum epithema.de rem.par.fac. 7ª.159.F
Splenicus paſtillus.9°.de comp.med.ſec.loc. 5ª.198.G
Splenici qui.2°.de comp.med.ſec.loc. 5ª.135.C
Splenici qui proprie ſint,& pro eis medicamenta potabilia ab Andromacho.9°.de comp.med.ſec.loc. 5ª.198.E/F/G
Splenici ex flatu hypochondriaco plures ſunt.5°.de loc.aff. 4ª.32.H
Splenicis quæ exercitia & gymnaſia faciunt ſpiritum acutum.9°.de cõ. medic.ſec.loc. 5ª.199.F
Splenicus bibat vinum mari miſtũ.9°.de comp.med.ſec.loc. 5ª.199.C/F
pro Splenicis lien aſini,aut equi ſylueſtris conuenit, & quo modo.9°. de comp.med.ſec.loc. 5ª.198.G
ad Splenicos ſtercus caprinum valet.10°.de ſimp.med.fa. 5ª.76.E
pro Splenicis vulpis hepar qũo conuenit.9°.de com.me.ſe.lo. 5ª.199.H
ad Splenicos catapotium.9°.de com.me.ſec.loc. 5ª.198.G
ad Splenicos emplaſtrum.9°.de comp.med.ſec.loc. 5ª.200.C
ad Splenicos malagma.9°.de comp.med.ſec.loc. 5ª.199.C
ad Splenicos Antonij Muſæ Panacea.7°.de comp.med.ſe.lo. 5ª.186.A
ad Splenicos pharmacum inſperſile.9°.de comp.med.ſec.loc. 5ª.198.G
ad Splenicos per vnam diem ſanans.9°.de comp.med.ſec.loc. 5ª.199.B
ad Splenicos.7°.de compoſi.med.ſec.loc.181.F/9°.198. H/199.B/D/G/ 200.B/10°.207.E/F/ 5ª.208.G
ad Splenicos inueteratos.9°.de comp.med.ſec.loc. 5ª.202.F
Splenicus Lege Lienoſus.
SPLENIVM quid.4°.de comp.med.ſec.loc. 5ª.157.G
Splenium.1°.de comp.med.ſec.loc. 5ª.124.G/H
Splenij forma trita faba in vino macerata donec diſſoluatur in quo caſu conueniat.5°.de comp.med.ſec.loc. 5ª.159.B
Splenium attrahens pus.6°.de compo.me.per ge. 5ª.259.E
SPLENITICI ab atra bile.de ſper. Sp.38.B
Splenitica puella quomodo naturaliter ſit.de ſper. Sp.38.B
Spleniticæ paſſionis ſigna letalia.de dyna. Sp.27.D
Spleniticorum vrina qualis.de dyna. Sp.35.B
Spleniticis damus cholagoga.de dyn. Sp.20.G
Splenitico dantur drachmę tres ammoniaci.de med.exper. Sp.106.D
Spleniticis prodeſt aqua,vbi cocti fuerint lupini.de ſimp.me. Sp.86.C
Spleniticis prodeſt centaurium minus.de dyna. Sp.21.C
Spleniticos curat ſuccus centaureæ.de vir.cent. Sp.94.A
Spleniticis prodeſt raphanus.de ſimp.med. Sp.89.F
Splenicus edat ſalſamentũ citra panẽ.9°.de cõp.med.ſec.lo. 5ª.199.B/F
pro Spleniticis poculum ex tamariſco.de dyna. Sp.26.G
Spleniticum mire curat emplaſtrum diachryſu.de dynam. Sp.32.B
ad Spleniticos Malagma Nilo inſcriptũ.8°.de cõp.me.ſec.lo. 5ª.193.A
ad Spleniticos.8°.de comp.med.ſec.loc. 5ª.195.G
SPODIVM quid.de ſimp.med. Sp.88.G
Spodium quid,& quomodo fiat.9°.de ſimp.med.fac. 5ª.70.G
Spodium fit per fornaces.9°.de ſimp.med.fac. 5ª.71.E
Spodium ex cypro aſportauit Galenus.1°.de ant. 5ª.100.B
Spodium cyprium.4°.de compoſiti.med.ſec.loc.152.D/153.H/154.B/155. B/E/F/H/156.A/5°. 5ª.164.A
Spodium quale ſit.4°.de comp.med.ſec.loc. 5ª.149.F
Spodium quale poſt vſtionem & lotionẽ.4°.de cõp.me.ſe.lo. 5ª.150.A
Spodium tenuium partiũ eſt citra calorẽ.3°.de com.me.per ge. 5ª.228.E
Spodiũ ſtypticas vires habet,& quæ ſiccare poſſunt.de ſimp. Sp.88.G
SPODOS quid ſit.9°.de ſimplicium medicamentorum facul. 5ª.70.H
SPONDEO comparatus pulſus qui.comp.pul. Sp.65.E
SPONDYLIVM quid,& eius vires.de ſimp.me. Sp.91.A
Spondylij ſemen calidum eſt cum ſubtili ſubſtantia. 2°. de arte curatiua ad Glauconem. 7ª.104.G
Spondylij ſemina amara.4°.de ſimpli.med.facul. 5ª.26.E
Spondylij fructus qualis ſit,& qđ ad aſthma,comitialẽque morbũ aptũ eſt,aurigini prodeſt,callos tollit,& ad diuturniora aurium vlcera cõuenit.8°.de ſimplicium med.fac. 5ª.61.G
Spondylium bilem detrahit,ventrem ſolũit acrimonia ſua,regio morbo, tuſſi,ſuſpirioſis videtur prodeſſe.de ſimp.med. Sp.91.A
Spondylium capiti imponebat in phrenitide.13°.meth.med. 7ª.85.D
Spondylij vſus cũ aceto & roſaceo quãdo cõuenit.11°.meth.me. 7ª.73.E
Spondylion ſi in oleo incoxeris,etiam quod craſſum ſit,euacuabis.1°. de arte cur.ad Glauc. 7ª.100.A
SPONDYLI cur diſtincti.& quare non eſt vnum os continuum ſpinæ. 12°.de vſu par. 1ª.196.B
Spondylos cur non æqualiter hñt ſpinæ partes.12°.de vſu par. 1ª.198.A
Spondyli cur perforati.13°.de vſu par. 1ª.199.E
Spondyli omnes cur intus excauati.12°.de vſu par. 1ª.196.A
Spondylorum locus poſterior in tres partes diuiditur, & quales & quo modo.13°.de vſu par. 1ª.198.E
Spondylorum productionum varietates.12°.de vſu par. 1ª.198.B
Spondylorũ oĩum pductiones p ordinẽ.13°.de vſu par.198.H/1ª.199.A
Spondyli aliqui cur habent productiones longas, & duplices. alij breues & ſimplices.13°.de vſu par. 1ª.198.E

Spondylorum aliæ productiones q̃uo ſe habeant.13°.de vſu p. 1ª.198.G
Spondylus medius totius ſpinæ, qualem productionem habeat poſteriorem.13°.de vſu par. 1ª.199.A
Spondyli cur parui.12°.de vſu par. 1ª.197.B
Spondyli inferiores cur maiores effecti.12°.de vſu par. 1ª.197.B
Spondyli quo modo ſimul iungantur.12°.de vſu par. 1ª.198.D
Spondylorum primorum oſſa valde ſuperãtur ab oſſe capitis.12°.de vſu partium. 1ª.195.H
Spondyli primi cur parui.12°.de vſu par. 1ª.197.B
Spõdyli primi cur ĩtus lati,et corpis mole tenues.12°.de vſu p.1ª.197.D
Spondyli primi cauitas cur duplex.12°.de vſu par. 1ª.194.E
in Spondylis cur duo foramina.16°.de vſu par. 1ª.219.D
Spondylo primo ſoli effecta ſunt foramina obliqua, per quæ nerui à ſpinali Medulla excidunt,& quare.13°.de vſu par. 1ª.199.E
Spondyli ſeptem ſunt in collo.12°.de vſu par.196.G/13°. 1ª.201.F
ex Spõdylis ſeptẽ cur collũ multis aĩalibus factũ.13°.de vſu p. 1ª.201.C
ad Spondylum ſupremum colli procedunt magna vena & arteria à duobus ventriculis cordis.de vtil.reſp. Sp.62.G
Spõdyli cur in ſcapulis multi,& diſpoſiti,vt ſunt.13°.de vſu p. 1ª.202.F
Spondyli cur inter caput,& thoracem.8°.de vſu par. 1ª.165.B
poſt Spondylum ſeptimum oritur thorax.13°.de vſu par. 1ª.201.A
Spondyli duodecim in dorſo.12°.de vſu par. 1ª.196.G
ex Spondylis duodecim thorax conſtat.13°.de vſu par. 1ª.201.F
Spondyli duodecim cur requirũtur in thorace.13°.de vſu par. 1ª.201.E
Spondylorum thoracis vtilitas.12°.de vſu par. 1ª.198.B
Spondyli quinq; in lumbo.12°.de vſu par.196.G/13°. 1ª.201.F
Spondyli in lumbis quales.12°.de vſu par. 1ª.199.G
Spondylorum lumborum conſideratio.13°.de vſu par. 1ª.200.A
ex Spondylis quatuor eſt ſacrum os.12°.de vſu par. 1ª.196.G
Spondyli quinq; ſpinæ quomodo facti.13°.de vſu par. 1ª.201.E
ad Spondylum quintũ pertinet arteria magna.6°.de vſu par. 1ª.149.E
Spondyli decimi dorſi & ſequentium natura.13°.de vſu par. 1ª.199.E
Spondyli quid agãt dũ erigimur,& flectimur.13°.de vſu par. 1ª.199.A
in Spondyli primo cur neruum tutum non eſſet producere neq; ex ſuperioribus neq; ex ĩferioribus partibus neq; ex lateralibus.13°. de vſu partium. 1ª.200.D
à Spondylis nerui qui deducantur.16°.de vſu par. 1ª.217.D
Spondylorum ligamenta qualia.13°.de vſu par. 1ª.200.C
ad Spondylum duodecimum pectoris ꝓcedit gula.de ana.vi. Sp.49.F
in Spondyli duodecimo eſt os ſtomachi.de ana.viuo. Sp.49.F
per Spondylos ſtomachi inceſſus qui.6°.de vſu par. 1ª.149.G
Spondylis inuectus ſtomachus ab initio per totum collum fertur.16°. de vſu partium. 1ª.218.G
in Spondylis oſſa ſunt facta propter motum.11°.de vſu par. 1ª.191.C
Spondyli muniunt ſpinalem medullam.8°.de vſu par. 1ª.165.B
Spondyli paulatim augentur.13°.de vſu par. 1ª.201.E
Spondylos tunicæ colligãti ineſt humor viſcoſus.13°.de vſu p. 1ª.201.H
in Spõdylorũ articulis humiditas craſſa et viſcoſa ẽ.13°.de vſu.1ª.201.G
prope Spondylos inter coſtas læſis neruis deſtruetur vox,et anhelitus. de voce,& anhel. Sp.60.F
ad Spondylum tertiũ vſque,ſi ſpinalis medulla ſit abſciſſa, quid ſequat̃. de voce,& anhel. Sp.62.B
SPONGIA δ'ιάκενα ideſt fiſtulis inanibus cauernoſa eſt, non κενὰ ideſt vacua.3°.de diff.pul. 4ª.62.C
Spongię comparatio ad pulmonem.de ana.viuo. Sp.47.G
in Spõgia exemplum,quo declaratur Raritatem foraminũ non eſſe vnicam cauſam educendæ materiæ.de ſect. Iſa.19.A
de Spongia exemplum.de ſect. Iſa.19.D
Spongia plena melle aut pice nihil effundit,& quare.de ſect. Iſa.19.D
Spongia cruda pice imbuta,& ſpongia Africana.4°. de cõpoſitione medicamentorum ſecundum locos. 5ª.149.A
Spongię conſtringuntur,cum humor omnis fuerit expreſſus vinculis circumdatis.3°.de alim.fac. 2ª.26.H
Spongia qualis.11°.de ſimp.med.fac. 5ª.83.F
Spongia ſicca cur leuis.1°.de ſimplicium medicamentorum facul.5ª.4.G
Spõgia cõbuſta ad muliebre ꝓfluuiũ q̃uo cõferat.de me.fa.pa. 7ª.169.C
Spongiæ combuſtæ cinis ſanguinem inhibet.de ther.ad Piſon. 5ª.97.E
in Spongijs reperti lapides quales.9°.de ſimpl.med.fac. 5ª.67.C
Spongiæ lapis.10°.de com.me.ſec.lo. 5ª.206.E
Spongia non eſt vt lana ad accipiendos humores irrigandos, ſed & ipſa deſiccat.11°.de ſimp.med.facul. 5ª.83.G
Spongia aqua frigida humẽs repercutit, & elidit ad vicina quod in loco eſt.1°.de com.med.per ge. 5ª.213.A
Spongia ſiccandum caput.de vict.rat.in mor.acu.com.3°. 7ª.132.F
Spongijs ꝓ ſtrigili vtaris in balneis.de vic.ra.in mor.acu.c.3°. 7ª.132.E
Spongijs vtebantur ad detergendũ in balneo.10°.meth.med. 7ª.67.A
per Spongias fomenta.3°.de compoſi.med.ſec.loc. 5ª.145.D
ex Spongia fomentum.de vict.ra.in mor.acu.com.2°. 7ª.116.G
Spõgia q̃n faciebat Galen.fomẽta oculis dolẽtibus.c.6°.a.31°. Ex.49.F
p Spongiã mollem non per ſacculos,& cataplaſma oculis fomenta adhibenda ſunt,& quæ.in 6m.de mor.vul.com.6°. 3ª.196.A
Spongia ocularis Melle cocto,atque adhuc calido imbuta, quibus auxilietur.3°.de compoſitione medic.ſecundum locos. 5ª.142.E
Spõgia quæ in nares ponitur filo ligetur.3°.de comp.med.ſe.lo.5ª.148.H
Spongiæ filum lineum vertit,ne nimis aſcẽdat per nares. de remedijs paratu facilibus. 7ª.155.G
Spõgijs faciẽda fomẽtatio ĩ lateris dolore ſm aliquos.9°.de de.1ª.282.F
ex Spongia,& aqua dulci fomento mitiga,phlegmonem,quando irritata eſt.13°.meth.med. 7ª.81.D
Spongia in aqua,quæ parum aceti habeat,curat œdema ex pituita in loco.2°.de arte cur.ad Glauco. 7ª.103.F
Spongia ſupra inflammationem ponenda in aqua & vino acerbo,cũ modico aceti intincta.2°.de arte cur.ad Glauc. 7ª.101.G
Spongia quomodo deliganda ſupra œdema.14°.meth.med. 7ª.87.F
Spongia noua pro fomento in œdemate.14°.meth.med. 7ª.87.G
Spongia noua pro fomento vtitur.14°.meth.med.88.F/2°. de arte cura. ad Glauconem. 7ª.106.C
Spongia noua,& candida in quo caſu vtitur.de med.fac.par. 7ª.171.G
Spongiæ nouæ etiam veteris vſus.11°.de ſimp.med.fac. 5ª.83.G
Spongia pro fomento ſit noua, quod ſi noua non adſit, quid agendũ.2°. de arte cur.ad Glauc. 7ª.103.F
Spõgiæ noue defectu,vtaris nitro, aphronitro, vel lixiuio ad detergendum.14°.meth.med. 7ª.87.G
Spongia noua ſi non adſit,melius eſt elychnium accipere quod ſit molle, quale eſt Tarſicum,ſiquidem hoc etiam vtilius videtur ad curandum œdema,quàm ſit ſpongia.14°.meth.med. 7ª.87.G
Spõgiam vlceri applicat madidam vino aut aqua,vultq; ſpongiam permanere frigidam.14°.de com.me.per ge. 5ª.236.H
Spõgijs partes fouẽdæ ſunt,quouſq; coloris euadãt punicei, & ita deinceps ſcarificandæ.de cucur.ſcar. 7ª.3.C
Spõgijs fouendus eſt locus,vbi hirudo fuerit aut cucurbitula, vt virus extrahat,admouenda eſt.de cucurb.ſcar. 6ª.4.C
Spongia abſtergendus eſt mucor hirudinum.de cucur.ſcar. 6ª.4.C
Spongiæ medicamentum quo modo ad auditum obtuſum conferat. 3°.de compoſitione med.ſec.loc. 5ª.145.D
SPONGIOSVS, & calidus cum ſit pulmo,vim habet attractiuam.de vtilit.reſp. Sp.64.D
Spongioſa carne plenæ pelliculæ ſunt intra nares, in quibus ſit olfactus. de vtilit.reſp. Sp.63.D
Spõgioſæ carũculæ duę iacẽt in oſſis naſi cõcauitate.de an.vi. Sp.49.A
Spongioſum & molle Stœbe comparat Galenus.7°.de vſu par. 1ª.158.G
SPONGOEIDVM oſſium vſus qui.8°.de vſu par. 1ª.168.E
SPONGOS cuius ſit facultatis.11°.de ſimplicium med.fa. 5ª.83.F
Sponſę ſolis.de dyna.27.H/ Sp.29.E
SPONTANEVM quid.com.6°.aph.14°. Ex.47.F
Spontaneum,& naturale.4°.de diff.pul. 4ª.67.B
Spontaneæ euacuationes quæ,& quare.com.4°.aph.2°. Ex.27.C
Spontanei labores qui ſint,& quid cauſent.cõ.6°.apho.28°. Ex.49.A
Spontaneę laſſitudines tres,& quę.com.2°.apho.5°. Ex.11.G
SPONTE quandoque ſignificat ſine cauſa exteriori, quando repente. com.4°.aph.78°. Ex.37.F
Σποραδικάς ægritudines quas vocet Hippocrates. in 1m. de morbis vulg.commentario 1°. 3ª.100.G
Sporades morbi qui ſint.de vict.rat.in mor.acu.com.1°. 7ª.109.B
Sporadici morbi ſunt frequẽtes.de vict.rat.in mor.acu.cõ.1°. 7ª.109.B
SPORTVLAE quomodo fabricentur.ad Thraſ. 2ª.105.F
Sportulis fit expreſſio.7°.de com.me.per ge. 5ª.273.A
ad SPVENDVM iuuat mel.de diſſ.cont. Sp.74.G
ad Spuendum humiditatem ex pectore,& pulmone,adiuuant amygdalæ proprie amaræ.de diſſ.cont. Sp.74.G
ad Spuendũ humiditatem ex pulmone adiuuat vinum ſubtile aquoſum. de diſſ.cont. Sp.74.H
SPVENTIBVS ſanguinem conuenit ferulæ medulla.8°.de ſimplicium medicamentorum facul. 5ª.56.H

Spuentibus ſanguinem exhibetur lemonij fructus.7°. de ſimplicium medicamentorum facultatibus. 5ª.54.B
ad Spuentes ſanguinem.7°.de comp.me.ſec.lo.181.D/E/8°. 5ª.191.D
SPVITIONES ſanguis ſunt morbus longus.c.6°.aph.47°. Ex.52.B
Spuitiones ſanguineas ſuſcitat aqua dura, & frigida.de bo.aq. Sp.75.G
Spuitiones ſanguinis incipiētes ꝓhibuit Galenus.c.6°.ap.47°. Ex.52.B
in Spuitione ſanguinis quæ medicamēta ſint ſatis mollibus corporibus. 5°.methodi medendi. 7ª.33.A
SPVMA quid.de vtil.reſp. Sp.63.F
Spuma habet plurimum aerem.de vtil.reſp. Sp.62.E
Spumæ generatio vnde ſit.com.2°.aph.43°. Ex.18.C
Spuma quot fiat modis.de vict.rat.in morb.acut.com.3°. 7ª.128.A
Spumæ duplex generatio.com.2°.aph.43°. Ex.18.C
Spuma fit propter frigiditatem, & caliditatē.in 1m.pr.cō.1°. 4ª.166.D
Spuma qūo fiat in his quæ elixātur, et in mari.cō.7°.aph.30°. Ex.56.B
Spuma quomodo fiat.in progn.com.2°. 4ª.202.E
Spuma quomodo fiat in mari.com.2°.aph.43°. Ex.18.D
Spuma in mari, cur celeriter ſoluat̄.in progn.Hipp.com.2°. 4ª.202.E
Spumam albam facit vinum nigrum cōmotū.de nat.& ord. Sp.42.C
Spumam albam facit mare viride.de nat.& ord.cuiusl.corp. Sp.42.C
ex Spumarum generatione color albus.8°.de dec.Hipp. 1ª.277.D
ex Spuma Venus orta eſt.1°.de ſemine. 1ª.330.F
Spuma quomodo fiat in lebetibus.com.2°.aph.43°. Ex.18.D
Spumam cur accipiat bilis.de vic.rat.in morb.acut.com.3°. 7ª.127.H
Spumæ comparatur ſemen.1°.de ſemine. 1ª.330.E
Spuma quomodo fiat in epilepſiis.com.2°.aph.43°. Ex.18.D
Spuma circa os cur in epilepſia.de vtil.reſp. Sp.63.E
Spuma è pulmone quomodo diſtinguatur.com.2°.aph.43°. Ex.18.D
Spuma oris quando ſignum mortis.com.2°.aph.43°. Ex.18.D
SPVMA argenti quid.de ſimp.med. Sp.90.F
Spuma argenti quomodo funditur.1°.de comp.me. per gen. 5ª.212.F
Spuma argenti quomodo cito liqueſcat.1°.de comp.me.per gen.5ª.217.E
Spuma argenti ſi cum oxelæo coquatur citius liquæſcit.1°. de compoſit. medi.per genera. 5ª.212.F
Spuma argenti chryſitis.1°.de comp.me.per gen.215.G/2°. 5ª.223.A
Spuma argenti qualis.1°.de comp.me.per gen.212. E/ 4°. 240. H/5°.5ª. 247.D/5°.met.me. 7ª.36.D
Spuma argenti qualis, & eius vſus duplex in emplaſtris.6°.de compo. medica.per gen. 5ª.257.F
Spuma argenti venenum eſt.in 6m.de morb.vulg.com.6°. 3ª.197.A
Spumam argenti haurientibus, quid proſit.2°.de anti. 5ª.114.D
Spuma argenti ſtringit aliquatenus, & refrigerat.de ſimp. Sp.90.F
Spuma argenti cruda quid agat, quomodo roſione carebit, & quomodo lauanda ſit.1°.de comp.me.per gen. 5ª.213.D
ex Spuma argenti cruda & oleo, acopū.7°.de cōp.me.ꝑ ge. 5ª.264.H
Spuma argenti per cocturam fit melior.6°.de comp.me.ſe.lo. 5ª.168.E
Spuma argenti fit nigrior coctione.6°.de comp.me.per gen. 5ª.257.H
Spuma argenti torrefacta vtitur.5°.de comp.me.ſec.loc. 5ª.162.B
Spumæ argenti, & ceruſſæ comparatur molybdæna.1°. de comp. medi. per genera. 5ª.215.A
Spuma argenti, & molybdæna ad eoſdem vſus adhibentur, & quomodo differant.1°.de comp.me.per gen. 5ª.213.F
Spuma argenti ad diſcutiendum melior quàm Molybdæna.1°.de comp. medi.per genera. 5ª.213.G
ex Spuma argenti & ceruſſa emplaſtra alba fiunt. 1°. de compoſitione medica.per genera. 5ª.213.G
cū Spuma argenti quando eſt ceruſſa quomodo ponenda in emplaſtrū. 1°.de comp.me.per gen. 5ª.215.G
ex Spuma argenti, & ænelæo emplaſtrum præparatur.1°.de compoſi. medica.per genera. 5ª.213.C
ex Spuma argēti, & oleo emplaſtrum.1°.de comp.me.per ge.5ª.213.A
vt Spuma argenti quæ lauentur.1°.de comp.me. per ge. 5ª.213.E
Spuma argenti acoribus conuenit & mordacitatem aufert ex charta. 1°.de comp.me.ſec.loc. 5ª.128.D
pro Spuma argenti ceruſſa vti abſurdum eſt.1°.de cōp.me.ſ.l. 5ª.130.B
SPVMA nitri, nitrum, & aphrolitrum diuerſa ſunt. 3°. de compoſitio. medica.ſec.loc. 5ª.141.B
Spuma nitri media eſt inter aphronitrū & ſalē.9°.de ſim.m.f. 5ª.68.G
Spuma nitri tenuem habet ſubſtantiā.3°.de comp.me.per ge. 5ª.228.E
Spuma nitri quo loco reponatur inter calida, quæ valent alopecijs. 1°. de comp.me.ſec.loc. 5ª.122.D
Spuma nitri diſcuſſoriū parabile fortius eſt.6°.de cōp.me.ſe.l.5ª.169.G
Spuma nitri cum cibo potuq; ſumpta meatus purgat.5°.de ſimpliciū medicamen.facul. 5ª.35.C
Spuma nitri adhuc magis detergit.8°.met.me. 7ª.52.H
Spuma nitri in articularia medicamenta miſcetur.3°. de compo. medic. ſecundum locos. 5ª.141.B
Spuma nitri.6°.de comp.me.ſec.loc.168.E/10°. 5ª.207.C
Spuma Salis qualis.11°.de ſimp.me.fac. 5ª.83.E
SPVMANS ſcreatio quomodo fiat.in progno.com.2°. 4ª.202.E
Spumans ſputum quid ſignificet.de tot.morb.temp. 3ª.89.G
Spumans, & viridis ſcreatio mala eſt.in progn.com.2°. 4ª.202.D
SPVMEVS humor eſt in carne pulmonis, & eo nutritur. commen.5°. aphoriſmo.39°. Ex.41.C
SPVMOSVS ſanguis eſt ſpēs ſanguinis.cō.4°.aph.25°. Ex.30.A
Spumoſa ſuperfluitas ſanguinis ſuperius calida & ſicca, cholera appellatur.de ana.viuo. Sp.50.H
Spumoſus ſanguis quomodo ſit.com.7°.aph.30°. Ex.56.B
Spumoſus ſanguis poteſt eſſe multus, & paucus.cō.5°.aph.13°.Ex.38.E
Spumoſus ſanguis è pulmone exit.4°.de loc.aff.4ª.25. G/ commentario 5°.aphoriſmo.13°. Ex.38.E
Spumoſus ſanguis nō oīno ex pulmone expuit̄.cō.7°.aph.30°. Ex.56.B
Spumoſus cur ſit ſanguis à pulmone.de vtil.reſp. Sp.64.C
Spumoſum raro expuitur in morbo laterali.com.7°.aph.30°. Ex.56.B
Spumoſum, & cādicans eſt ſputū, ſi pituita abūdat.5°.de lo.af.4ª.29.H
Spumoſæ tenues, & nigræ deiectiones in quo fuerint tertio die. in 3m.de morb.vulg.com.1°. 3ª.133.H
Spumoſa excrementa vnde ſint, & qūo fiant.cō.7°.aph.30°. Ex.56.A
Spumoſa deiectio quæ.in 1m.pror.com.3°. 4ª.178.E
Spumoſa deiectio ad quid ſequatur.com.6°.aph.1°. Ex.46.C
Spumoſæ & ſyncerræ deiectiones prauæ ſunt.in 1m.pr.cō.2°. 4ª.171.B
Spumoſæ albicantes deiectiones malæ.in 1m.pror.com.2°. 4ª.171.G
Spumoſa deiectio naturis eſt omnibus mala.in 1m.pror.cō.2°. 4ª.171.H
Spumoſæ deiectiones damnandæ.de vic.rat.in mor.acu.cō.3°. 7ª.128.C
Spumoſæ deiectiones puræ bilioſæ habent graues offenſas. de vict.ratione in morbis acutis, com.3°. 7ª.128.C
Spumoſa deiectio quid ſignificet.in progn.com.2°. 4ª.199.G
Spumoſa excrementa quibus in alui profluuijs ſunt, his ex capite pituita defluit.com.7°.aph.30°. Ex.56.A
Spumoſa vrina alba nebuloſa in ſynocha nō bonū ſignat.de dy.Sp.34.D
Spumoſa vrina, ſubalbida, aut ruffa mortem ſignificat in ſynocha.de dynamidijs. Sp.34.D
Spumoſa vrina, alba, nebuloſa ſi critico die, aut poſt criticum diem ſuperuenerit, ſolutionem ægritudinis oſtendit.de dyna. Sp.34.D
Spumoſa vrina ſuperius ſignificat ſtomachi ventoſitatem, & aliquando veneris deſiderium, & tuſſim & frigiditatem.de dyna. Sp.35.E
SPVERE concoctionis inditium eſt in pectoris aut pulmonis morbis. in 6m.de morb.vulgaribus.com.2°. 3ª.163.E
in SPVTATIONE elleborus dandus. de victus ratione in morbis acutis.commen.4°. 7ª.144.G
SPVTVM proprie quid.1°.de criſi. 4ª.126.H
Sputa vnde fiant.in 1m.pror.com.1°. 4ª.163.H
per Sputa expelluntur ſuperflua.de com.memb. Sp.59.B
Sputa ſupra quid ſignificent.in 1m.pror.Hipp.com.1°. 4ª.161.G
Sputa ſupra ſpiritualia mēbra quid ſignificent.1°.de criſi. 4ª.128.A
Sputa in pleuritide, & pulmonis paſſionibus, comparantur vrinarum ſubſidentijs.1°.de criſi. 4ª.132.B
Sputa primo, deinde vrinæ conſiderandæ in pleuritide, quia pleuritis eſt cum febre.1°.de criſi. 4ª.128.C
Sputa cur non ſtatim adſunt in pleuritide, & tamen tuſſis adeſt ſtatim. 2°.de criſi. 4ª.137.F
per Sputa euacuatio fit in morbo laterali.com.5°.aph.8°. Ex.38.B
Sputo expurgat̄ humor noxius in laterali morbo, ſtrangulat vero ægrū in pernitioſis, antequā coſtæ patiantur.com.7°.aph.11°. Ex.54.G
Sputum oſtendit cauſam morbi lateralis.com.6°.aph.8°. Ex.50.A
Sputum oſtendit terminum morbi lateralis.com.1°.aph.12°. Ex.6.A
Sputa pleuriticorum qualia, & quid ſignificent.2°.de criſi. 4ª.137.F
inter Sputa quæ mitiora, & quæ exitialia.2°.de criſi. 4ª.137.G
Sputa ſemper ſignificant iudicationes, ſed nō ſemper bonas. commētar. 4°.aphoriſmo.71°. Ex.35.D
ex Sputis ſumuntur concoctiones.de tot.morb.temp. 3ª.88.G
quod Sputum indicat bonam coctionem.com.1°.aph.12°. Ex.6.B
Sputum debilis coctionis quod.com.1°.aph.12°. Ex.6.B
Sputa qualia ſequant̄ cruditatē.de vic.rat.in mor.acu.cō.2°. 7ª.123.B

Sputum crudum quale.1°.de criſi. 4ª.127.D
Sputa quæ liquida,& tenuia,ſignificant aliquam coctionem mediocrẽ. in 6^{m}.de morb.vul.com.2°. 3ª.163.E
Sputum tenue ſignificat principium in pleuritide,& peripneumonia.de tot.mor. tempe. 3ª.88.G
Sputo tenui plenũ os vomituris eſſe videt̃.in 1^{m}.pror.com.1°. 4ª.167.E
Sputum craſſum perfectam coctionem ſignificat. in 6^{m}. de morbis vulgaribus,com.2°. 3ª.163.E
Sputa cocta quæ ſint.de victus rat.in mor.acut.com.4°. 7ª.143.B
Sputum bonum.com 1°.aph.12°. Ex.6.C
Sputum facile,& ſine dolore in pleuritide optimũ.de cõ.ar. Iſa.40.H
Sputa quæ facile expuantur.4°.de loc.affect. 4ª.27.G
Sputum glutinoſum,ſignum eſt moroſæ pleuritidis.de vict.rat.in morb. acutis.com.1°. 7ª.113.H
ad Sputum glutinoſum quid requirat̃. de victus ratione in morbis acutis,commentario.3°. 7ª.127.F
Sputum craſſum tenuat mel.de diſſ.cont. Sp.74.G
Sputa peſſima quæ.in 1^{m}.de morb.vulg.com.1°. 3ª.106.E
Sputum mortis.com.1°.apho.12°. Ex.6.C
de Sputa letalia in pleuritide,et pipneumonia.de tot.mor.tẽp. 3ª.89.G
Sputum amarum vehementer vel ſpumãs,vel admodũ fœtidum minat̃ mortem in pleuritide,& peripneumonia.de tot.mor.tẽp. 3ª.89.G
Sputum coloratum eſt commune pleuritidi & peripneumoniæ.de ſubfiguratione empirica. Iſa.32.E
Sputum magis pituitoſum in peripneumonia ſequi conuenit. 2°. de locis affectis. 4ª.13.B
Sputum amarum ſemper,& ſiccum habet conceptus in horis bilis.de ſpermate. Sp.37.C
Sputorum diuerſitates ex coloribus quæ.2°.de loc.affec. 4ª.13.B
Sputi differentia ex humoribus.5°.de loc.affe. 4ª.29.H
Sputa quibus inditijs ſignificent humores.in 6^{m}.de morbis vulgaribus, commentario.4°. 3ª.180.B
Sputum cur flauum in pleuritide.de conſt.art. Iſa.40.G
Sputum pallidum bilioſum eſt.in 6^{m}.de morb.vulg.com. 3°. 3ª. 179.A| 5°.de loc.affe.4ª.29.H|com.6°.aph.33°. Ex.50.A
Sputũ magis bilioſum in pleuritide fieri conſueuit.2°.de loc.aff. 4ª.13.B
ex Sputis bilioſis lateris dolor ſi abſq; ratione euanuerit, quid futurũ. in 1^{m}.pror.com.3°. 4ª.179.B
Sputum cur ſpumoſum in pleuritide.de conſt.ar. Iſa.40.G
Sputum ſpumans pituitoſum eſt.in 6^{m}.de mor.vulg.com.3°. 3ª. 179.A| 5°.de loc.affe.4ª.29.H|com.6°.aph.33°. Ex.50.A
Sputum cur nigrum in pleuritide.de conſt.ar. Iſa.40.G
Sputum nigrum eſt,ſi atra bilis abundat.5°.de loc.aff. 4ª.29.H
Sputum nigrum melancholicum eſt.in 6^{m}.de mor.vul.cõ.3°.3ª.179.A| com.6°.aph.33°. Ex.50.A
Sputum nigrum in principio morborum malum ſignificat.de ijs, quæ in medic.ſi.com.1°. 7ª.198.C
Sputum nigrum letale eſt.1°.de criſi. 4ª.127.D
Sputum cur rubrum in pleuritide.de conſt.ar. Iſa.40.G
Sputum rubrum ſanguineum eſt.in 6^{m}.de morb.vul.com.3°.3ª.179.A| 5°.de loc.4ª.29.A|com.6°.aph.33°. Ex.50.A
in Sputis quomodo diuerſus ſanguis.2°.de loc.affe. 4ª.13.B
Sputa ſubrubra an poſſint contingere alijs,qui non ſint pleuritici, atque peripneumonici.in 3^{m}.de morb.vulg.com.1°. 3ª.127.F
Sputa ſubrubra & colore pallida citra febrem in duobus vidit Galenus in 3^{m}.de morb.vulg.com.1°. 3ª.127.H
Sputa varia ſubrubra in Pythione fuere die ſexto.in 3^{m}. de morbis vulgaribus,com.1°. 3ª.127.F
Sputa in pleuritide cur varia.2°.de diff. feb. 3ª.40.B
Sputa in pleuritide varia quid ſignificent.2°.de diff.feb. 3ª.40.B
Sputum cur cruentum in pleuritide.de conſt.ar. Iſa.40.G
Sputus cruentus ex pulmone exit.2°.de præſ.ex pulſ. 4ª.116.C
Sputa cruenta quando ſunt in morbo laterali, eſt mitis morbus. in 6^{m}. de morb.vulg.com.3°. 3ª.179.C
Sputum cur ſanguinolentum,& bilioſum in pleuritide fiat. de conſtitutione artis medicæ. Iſa.40.G
Sputa cruenta quando impediant ſanguinis miſſionem,& propter quas cauſas.in 6^{m}.de morb.vulg.com.3°. 3ª.179.C
ad Sputum cruentum.de med.fac.par. 7ª.173.H
Sputa exſiccata quid mali faciant.de atten.vic. 2ª.46.H
ſine Sputo pleuritis quæ.5°.de loc.aff. 4ª.31.D
Sputa ſi non reddat æger,ingenti dolore, vel ſpirandi difficultate ipſum occupante, letale eſt ſignum.de tot.morb.temp. 3ª.89.G
Sputum retentum facit ſpiritum frequentem,& è contra.de vict.ratio. in morb.vulg.com.1°. 7ª.114.C
cũ Sputo frequenti à tuſſicula tolluntur parotides.ĩ 1^{m}. prorrhetici. cõmentario.3°. 4ª.188.G
Sputũ maturat,& educit balneũ.de vic.rat.in mor.acu.c.3°. 7ª.132.H
pro Sputo educendo butyrum cum melle,& amygdalis amaris conuenit.10°.de ſimp.me.fac. 5ª.74.D
Sputũ mediocriter educit mulſa.de vict.rat.in mor.acu.cõ.3°.7ª.127.D
Sputũ educit magis mulſa dilutior.de vict.rat.in mor.ac.c.3°. 7ª.128.H
per Sputa exit aqua mulſa tuſſiendo in affectibus thoracis, ſi in thoracis ſpatium infundat.5°.de loc.aff. 4ª.29.H
Sputa mouet vinũ dulce cæteris apti°.đ vic.rat.ĩ mor.ac.c.3°.7ª.126.E
Sputum educit vinum aquoſum poſt dulce.de victus ratione in morbis acutis,commen.3°. 7ª.126.F
ad Sputum.de med.fac.par. 7ª.176.G
Sputa florida ab initio in muliere quadam quid ſignificarent. 3°.de differentijs reſpirationum. 3ª.75.F
neq; in Sputis neq; in ſudoribus,neq; in vrinis, neque in vomitibus ſigna ſunt phrenitica.in 1^{m}.pror.com.1°. 4ª.162.H
Sputa rotunda qũo delirium ſignãt.in 6^{m}.de morb.vul.cõ.3°. 3ª.178.C
Sputorũ rotundorũ cauſa materialis.in 6^{m}.de mor.vul.cõ.3°. 3ª.178.C
Sputorũ rotundorũ cauſa effectrix.in 6^{m}.de morb.vulg.cõ.3°. 3ª.178.C
per Sputum fructum grandinis grano perſimile à quodã eiectum,magna ex parte æquabat erui magnitudinem.4°. de loc. aff. 4ª.28.D
Sputum ſalſum difficile.5°.met.me. 7ª.35.F
Sputi vitioſi eroſione vlcus in pulmone habentes,& Salſuginem quãdã in Sputo ſentientes,inſanabiles ſunt,& quare.5°.met.me. 7ª.35.F
Sputa quæ per pulmonem eijciantur.4°.de loc.affe. 4ª.25.G
Sputum ſanguinis cur fiat iuuenibus.com.3°.aph.29°. Ex.26.C
Sputum ſanguinis quandoq; eſt ex ſola coſtarum affectione, pulmone nihil patiente.de arti.com.3°. 7ª.275.D
Sputum ſanguinis,& lateralis morbus quomodo curentur, cum ſint cõtrarij Galeni.com.1°.aph.16°. Ex.9.A
Sputum ſanguinis & ſaniei in retentione menſtruorũ ſecret. Sp.99.A
Sputum ſanguinis euenit ob clauſas euacuationes hæmorrhoidarum.de ven.ſect.aduer.Eraſ. 6ª.7.E
in Sputo ſanguinis qui nunquam ſanantur.5°.met.me. 7ª.35.F
Sputũ ſanguinis qui timet,quę debet euitare.de ve.ſec.ad Eraſ.6ª.9.A
in Sputo ſanguinis venam ſecuit.5°.met.me. 7ª.35.E
in Sputo ſanguinis pices dat in catharro.5°.met.me. 7ª.35.F
Sputo ſanguinis valens antidotus.2°.de anti. 5ª.111.F
ad Sputũ ſanguinis Philonis Antidotus.9°.de cõp.me.ſe.lo.5ª.201.A
ad Sputa ſanguinea.de medic.facil.parã.165.G|H|171.D|G|7ª.173.H| ſecretorum.99.A|B| Sp.100.H
cũ Sputo ſanguinis tuſſis ortæ ex frigore caſus.5°.met.me. 7ª.35.E
à Sputo ſanguinis puris ſputum.com.7°.aph.15°. Ex.55.A
Sputũ ſanguinis ſequens habet ſputũ purulentũ.cõ.7°.aph.15°.Ex.55.A
à Sputo puris phthiſis. com.7°. aph.16°. Ex.55.A
Sputum tabiorum ſi ſupra carbones poſitũ graue oleat, & capilli fluãt, letale eſt.com.5°.aph.11°. Ex.38.D
Sputum tabiorum grauiter olet.com.5°.aph.11°. Ex.38.D
ad Sputa purulenta.de med.fac.par. 7ª.165.G
in Sputo ſanguinis puris ſputum,et fluxus, cũ vero ſputũ retinetur moriuntur.com.7°.aph.74°. Ex.60.H
Sputũ ſi retineatur in phthiſicis,moriuntur.com.7°.aph.16°. Ex.55.B
Sputum,& pituita in ore,lichenum remediũ eſt.3°.de nat.fac.1ª.304.B
Sputum necat ſcorpios.3°.de nat.fac. 1ª.304.B
Sputo & pituita miſcentur cibi manſi.3°.de nat.fac. 1ª.304.B
Sputo & cinere argentum viuum extingui.de dyna. Sp.30.F
SPYRALODI excrementa vnde dicta.de victus ratione in morbis acutis.com.4°. 7ª.136.D
Σπυράδους quid Græci nominent.10°.de ſimp.me.fac. 5ª.76.E
Σπυράδους caprarum deiectiones vocant.in 1^{m}.pror.cõ.2°.4ª.169.H
SQVALLIDVS et auſtrinus ſtatus.in 1^{m}.de morbis vul.cõ.1°. 3ª.104.B
Squallidi oculi ſi doleãt,vini potatione ſanant.cõ.6°.aph. 31°. Ex.49.F
Squallida febris quomodo curetur.de marc. 3ª.47.F
ad Squallidos.2°.de antid. 5ª.113.D
SQVALLOR quid vocetur apud Hippocratem.in 1^{m}.de morbis vulgaribus,com.1°. 3ª.103.H
Squallor quomodo accipitur.in 1^{m}.de morb.vulg.com.1°. 3ª.104.A

per

per Squallores ſicciora redduntur animalium corpora in 1m.de morbis vulgaribus,com.1°. 3ª.104.B
SQVAMARVM in piſcibus iuuamentum.de ana.viu. Sp.53.D
SQVAMA ſimpliciter ſignificat ſquamam æris. 4°. de compoſi. medi. per genera. 5ª.239.G
Squama æris qualis.4°.de comp.me.ſec.loc.151.E/6°.255.C/ 5ª.258.C
Squama æris qualis,et ꝙ debet cribrari.3°.de cōp.me. per ge. 5ª.232.B
Squamæ æris,& ferri quales.9°.de ſimp.me.fac. 5ª.69.H
Squama eris medicamentum forte eſt,& quomodo eius eroſio miteſcat 2°.de comp.me.per gen. 5ª.219.G
Squama æris vt argenti ſpuma lauatur.1°. de comp.me.per ge. 5ª.213.E
Squama æris cyprij,& ſquama cypria.5° .de compoſitione medicamentorum ſecun.locos.161.H/ 5ª.162.A
Squamæ Cypriæ meminit.4°.de comp.me.per gen. 5ª.245.D
Squama æris cypria lota.4°.de comp.me.ſec.loc. 5ª.155.H
Squama æris calida eſt tenuium partium,& parum adſtringens.3°.de comp.me.per gen. 5ª.228.E
Squama æris ad ſcabritiem oculorum facit.introductio. Iſa.58.C
Squama valet ad fluorem ſanguinis.introductio. Iſa.58.B
Squama æris adſtringens,eſt vicina vrentibus.5°.de ſim.me.fa. 5ª.39.B
Squama æris adſtringit,& mordicat.4°.de ſimp.me.fac. 5ª.26.A
Squama eris adſtringens,noxiaq́ deuorata.13°.meth.me. 7ª.85.C
Squama æris adſtringit,& mēbra repurgat.de opt.ſect. Iſa. 23. H/4°. de comp.me.ſec.loc. 5ª.149.G
Squama æris æuidenter ſiccat,vehementerq́ exſiccat & abſtergit. 4°. comp.me. per gen. 5ª.249.H
Squama æris quantum exſiccet.3°.met.me. 7ª.20.A
Squama æris vlcerum carnes ſupercreſcentes adſtringit,& exſiccat de theriaca ad Piſonem . 5ª.90 .H
Squama æris vlcera vix ſanabilia curat.2°.de cōp.me.per ge. 5ª.220.E
Squama æris in intrinſecis vlceribus ſumi nō debet.4°.met.m.7ª.28.H
Squama æris per os ſumpta aluum ducit.de theria.ad Piſo. 5ª.90.H
Squama æris educit pituitam,& aquoſos humores.de dyna. Sp.22.B
Squamæ æris doſis,& quibus miſcetur.de dyna. Sp.22.B
Squama æris nigra eſt.2°.de comp.me.per gen.223.G/4°. 5ª.245.C
Squama ęris parum obeſt candori emplaſtrorum alborum.1°.de comp. me.per genera. 5ª.217.C
Squama rubra.2°.de comp.me.per gen.225.E/ 5ª.226.B
Squama eris debet leuigari aliquo humido.6°.de cō.me.per g.5ª.259.H
Squama æris torrefacta.4°.de comp.me.ſec.loc. 5ª.156.C
SQVAMA chalbani qualis.6°.de comp.me.per gen. 5ª.256.A
SQVAMA ferri,& ſtomomatis,ad vlcera maligna valet. 4°. de compoſi.medi.per genera. 5ª.236.F
Squama ferri lota.4°.de comp.me.ſec.loc. 5ª.153.C
Squama helitis omnes ſuperat in deſiccando,& ſquama ferri adſtringit ſupra alias.9°.de ſimp.me.fac. 5ª.69.H
SQVAMA ſtomomatis qualis.9°. de ſimp. medicamen. faccul. 69.D/ 4°.de comp.me.ſec.loc. 5ª.151.A
Squamæ ſtomomatis purgatæ.4°.de comp.me.ſec.loc. 5ª.155.B
Squamæ in qua morborum differentia ponendæ.de diff.morb. 3ª.3.E
Squama eſt affectus calcis.Introd. Iſa.59.D
ad Squamas tollēdas à capite ſine foratione.6°.de cō.me.ꝑg.5ª.255.B
Squamas ſeparans.2°.de comp.me.per gen. 5ª.234.C
Squamas ab oſſibus detrahunt quæ valide deſiccant. 8°. de ſimplicium medicamentorum facul. 5ª.58.D
Squamas tollens Aridum Cephalicum.5°.de comp.me.per ge.5ª.253.D
Squamas celerrime ab oſſibus detrahit peucedani radix.8°. de ſimpli. medicamen.facul. 5ª.58.D
Squamas ſiſtens.5°.de comp.me.per gen. 5ª.254.F
ad Squamarum abſceſſus.5°.de comp.me.per gen. 5ª.248.B
SQVAMAE in vrina indicant veſicam reſolutam, aut extenſam. commen.4°.apho.76°. Ex.36.C
Squamas veluti habent hypoſtaſes vrinæ petaloides.de vrin. 4ª.124.E
SQVAMATA ſunt nudata pilis.2°.de temp. 1ª.18.H
SQVAMOSAE cōmiſſuræ quæ.in 6m.de mor.vul.com.3°. 3ª.169.H
SQVAMVLARVM inſtar ſedimentum in vrina quid ſignificet.in progno.com.2°. 4ª.200.E
Squamulæ in vrina indicant veſicam reſolutam,aut extenſam.commentario.4°.aph.76°. Ex.36.D
Squamulæ in vrina exulcerationem propriæ veſicæ ſignificant.commentario.4°.aph.81°. Ex.36.H
Squamulæ circa vlcus prauos humores confluere notant vlcus erodentes.com.6°.aphoriſmo.4°. Ex.46.G
Squalētibus & aridis dānoſe præbet lens,& quare.1°.de ali.fa.2ª.13.E
SQVATINA dura,& concoctu difficiliora ſunt.3°.de ali. 2ª.32.E
Squatina habent alimentum copioſius quàm torpedo, & paſtinaca.3°. de alimentorum facultatibus. 2ª.32.E
Squatinæ fractio vſq; ad ſanguinem.1°.de comp.me.ſec.loc. 5ª.123.H
SQVILITA dictum medicamen.de med.exper. Sp.106.C
SQVILLA lumbricos educit.de ther.ad Piſon. 5ª.93.F
Squillæ piſces conuenientes ſunt ſtomachicis.8°.de cōp.me.ſ.l. 5ª.192.C
Squillæ duræ digeſtionis.com.2°.aph.18°. Ex.13.F
SQVINANTVM purgat hepatis gibbā partem.de cath. Sp.95.C
Squinantum purgat renes.de cathar. Sp.95.C
Squinanti decoctio valet ad febres chronicas,aperit oppilationes, prouocat vrinam,ſoluit ventrem.de med.exper. Sp.107.B
Squinanti decoctio valet ad dolorem mulieris poſt partum de medicinis expertis. Sp.106.F
STABILIMENTVM quid ſignificet.de ijs, q̄ in medic.fiunt,com.3°. 7ª.222.D
Stabilimēta,et fulcimēta qūo differant.de ijs,q̄ in m.fi.cō.3°. 7ª.222.E
Stabilimento quæ indigent.de ijs quæ in med.fi.com.3°. 7ª.222.E
STABILIRI membrū quid.de ijs,quæ in med.fi.cō.3°. 7ª.222.D
Stabilit,& reſtringit dētes q agitant gagates lapis.de ſim.me.ſ Sp.86.G
STABILITAS terræ.de hiſt.philoſo. Sp.8.D
Stabilitas ī opinionib9 oſtēdit frigidā cerebri ſubſtātiā.ars me. Iſ.63.E
ad Stabilitatē accōmodata ē altera ex cōpoſitionib9 oſſiū.intra.Iſ.54.F
Stabilitatis ſpecies tres.introductio. Iſa.54.F
STACHYS nardus quibus conſtet facultatibus,& quàm vim habeat. 8°.de ſimp.me.fac. 5ª.56.G
Stachys eſt calida in tertio,menſes prouocat abortum affert, & ſecundas eijcit.8°.de ſimp.me.fac. 5ª.61.C
STACTE quid.de ſimp.med. Sp.87.B
Stacte myrrha.3°.de comp.me.ſec.loc. 3ª.148.B
Stacte refrigeratos calefacit.2°.de ſimp.me.fac. 5ª.15.A
Stacte in vulneribus neruorum quomodo vſus Galenus.3°. de compoſi. medicamento.per genera. 5ª.229.H
de STADIIS, & nauigatione Galenus ex induſtria ſcripſit. 9°. de ſimp.medi.facul. 5ª.65.C
Stadij ſexta pars dicitur plethrum.2°.de ſan.tu. 2ª.74.F
STAGNANTES aquæ à Sole putreſiunt & augentur ab imbribus. de aere,aq.& loc. 2ª.4.H
Stagnantes aquas calidas qui bibant.de aere,aquis, & locis. 2ª.4.H
Stagnantes aquæ lædunt ventrem & ſplenem.de aere,aq.& lo. 2ª.6.D
STAGNANTISSIMVS omnium fluuiorum Phaſis eſt, & lentiſſimo curſu profluit.de aere,aq.loc. 2ª.4.H
STAGNA quæ peiora,& quæ peſſima.3°.de ali.fac. 2ª.30.A
Stagnorum differentiæ.3°.de ali.fac. 2ª.30.B
Stagnorum,& maris ratione qui piſces peiores.8°.met.me. 7ª.51.B
ex Stagnis venti ſpirantes quales.1°.de ſemine. 1ª.329.F
Stagnorum halitus euitandi ſunt.12°.met.me. 7ª.77.E
Stagnorum reſpirationes ſunt morborum epidemicorum cauſæ.de natura humana.com.2°. 7ª.182.D
ob Stagnū vicinū,aer nebuloſus,peſtilensq; fit.1°.de ſan.tu. 2ª.67.A
extra Stagna aues degentes ſunt commodæ ſeni.5°.de ſan.tu. 2ª.91.D
STALTICAE facultates quæ.5°.de ſimp.me.fac. 5ª.38.F
Staltica quæ.de dynamidijs. Sp.18.H
Stalticis,& chatarticis, & acerrimis rebus curatur cancroſa cauſa. de dynamidijs. Sp.19.A
STANNEVM vas vnguentarium exiguum.7°.de compoſi. medicamētorum per genera.272 F/H/ 5ª.273.F
Stanneum vas pro ſeruando medicamento.6°.de cō.me.ſe.lo.5ª.171.A
in Stanneo vaſe mali punici ſuccum ſeruant.3°.de compoſi.medicamentorum ſecun.locos. 5ª.148.E
Stanneum vas in quo theriaca qūo ex flatu ruptum.de mult. 3ª.79.D
Stanneo vaſe vtitur.3°.de comp.me.ſe.lo.143.E/148.E/7°. de comp.medi.per gene.5ª.269.G/de ocul. 7ª.191.F
STANNVM plumbo adulteratur.1°.de anti. 5ª.104.D
STAPHYLE vua vocatur à Græcis,gigniturq́ huiuſmodi vua cum in gargarionem fluxio procumbat.3°.de ſymp.cauſ. 3ª.29.F
Staphyli quid ſit.5°.de comp.me.ſec.lo. 5ª.172.F
STAPHILINVS quā facultatē obtinet.6°.de ſimpl.me.fac. 5ª.46.A
Staphilinus quā vim habet.8°.de ſimp.med.fac. 5ª.61.C

Staphylinus vrinam & menſes ciet.6°.de ſimp.me.fac. 5ª.46.A
STAPHILOMA à ſimilitudine nominatur.2°.met.me. 7ª.9.E
Staphyloma quid.fin.me.48.E/intr.Iſa.59.A/de tu.præt.nat.3ª.84.H
Staphyloma oculi & genarum affectus eſt.fin.med. Iſa.48.F
Staphyloma eſt affectus iridis oculorum.introd. Iſa.58.D
Staphyloma eſt vlceratio quædam oculorum.fin.med. Iſa.48.D
Staphylomata oculorum affectus manu indigens.introd. Iſa.59.G
Staphylomata præciduntur.introd. Iſa.59.G
Staphilomata ad ipſas radices per medium tranſiuit.introd. Iſa.59.G
ad Staphylomata oculorum.4°.de compoſi.medicamen.ſecundum loc. 154.H/155.D/G 5ª.158.C
ad Staphylomata.4°.de comp.me.per gen. 5ª.243.C
STAPHISAGRIA quid,& eius vires.de ſimp.med. Sp.90.C
Staphiſagria ad quid vtilis.de decurb.ſcar. 6ª.4.F
Staphiſagria viſcidiſſime relaxat,pediculos ex oleo leuigata,& corpori illinita occidit.de ſimp.med. Sp.90.C
Staphiſagria detergens,& concoquens eſt.6°.de cõp.me.p.ge. 5ª.256.F
Staphiſagria carnẽ colliquare poteſt.4°.de ſimp.me.fac. 5ª.29.F
Staphiſagria purgat caput.de cathar. Sp.95.B
Staphiſagria per os prouocat ſudorem.de cathar. Sp.95.D
Staphilini radices expurgant in icteris.de cura icteri. Sp.111.B
STARNAE caro eſt cibus ſubtilians.de diſſol.cont. Sp.72.D
Starnæ ſunt velocis digeſtionis.de diſſol.cont. Sp.73.C
STATER pendit drachmas quatuor vnde Tetradrachmon dicitur.de pond.& menſ. 5ª.276.D
Σθατμία pondera quæ.de frac.com.2°. 7ª.232.E
STATIM quid ſignificet.1°.de criſi. 4ª.128.B
ſm STATIONES lunæ,& planetarum,homines bene & male ſe habent.3°.de dieb.decret. 4ª.157.H
Stationes lunæ tetragonæ,& diametræ in principijs bonis,bonas faciũt alterationes,in malis malas.3°.de dieb.decre. 4ª.158.A
STATIO crurum actio eſt.15°.de vſu par. 1ª.213.F
Statio quomodo fiat.15°.de vſu par. 1ª.213.E
STATVA Polycleti regula appellata eſt.17°.de vſu par. 1ª.121.E
STATVARII æqualitatem difficulter aſſequuntur, etiam multis inſtrumentis.17°.de vſu par. 1ª.121.F
Statuarij ad Eraſiſtratum comparatio.5°.met. me. 7ª.36.C
STATVENTI contraria euidentibus quis credat de rebus obſcuris. aduerſ.empir.med. Iſa.35.D
STATVS qd ſit ſm Hippocratẽ.in 3^{m}.de mor.vul.cõ.3°. 3ª.140.E
Status quilibet anni habet naturale temperamentum. in 3^{m}. de morbis vulgaribus,com.3°. 3ª.140.F
ſub Statu cæli cõprehẽdit aeris tẽperiẽ.9°.met.me.57.H/10°. 7ª.63.D
Status temperati ſunt temperatis corporibus ſalubres.in 1^{m}.de morbis vulgaribus,com.2°. 3ª.108.E
Status auſtrinus,& tranquillus.in 3^{m}.de morb.vul.com.3°. 3ª.140.G
Status humidi,& calidi temperamenta calida & humida offendunt.in 1^{m}.de morb.vulg.com.2°. 3ª.108.F
Status calidus,& ſicciſſimus non fit niſi æſtate.10°.me.me. 7ª.63.E
Status frigidus,& humidus nõ fit niſi hyeme.10°.met.me. 7ª.63.E
Status humidi & frigidi maxime lædunt corpora humida,& frigida.in 1^{m}.de morbis vulgaribus.com.2°. 3ª.108.F
Status frigidus,& ſiccus partim,& inæqualis deſcribit.in 1^{m}.de morbis vulgaribus,com.2°. 3ª.113.E
Status cæli facit ad auxiliorum inuentionem.9°.met.me. 7ª.58.G
Statũ morboſum auferunt æthesiæ.in 3^{m}.de mor.vul.cõ.3°. 3ª.147.C
in Statu omni ætas & natura conſyderanda.in 1^{m}.de morbis vulgaribus,com.2°. 3ª.108.E
Status leuis corporis comparatur maris tranquillitati.in 3^{m}. de morb. vulgaribus,com.3°. 3ª.177.B
Statũ vitioſum in melius mutãdi facultatẽ hẽmus.2°.de nat.f. 1ª.300.B
STATVS quid ſit.com.1°.aph.7°. Ex.4.E
Status vehementiſſima pars morbi eſt.1°.de criſi. 4ª.128.D
Statum inclinationem,principium,& augmentum quicunque morbi habent.de tot.morb.tempe. 3ª.89.E
Status morbi extrema appellat Hippocrates ſecundum Galenum.1°.de diebus decretorijs. 4ª.151.A
Status partes quatuor ſunt.de morb.temp. 3ª.86.F
Status ſemper eodem modo aliquãdiu permanẽt. de morb.tem. 3ª.87.B
Status inæquales trifariam fiunt.6°.de ſan.tu. 2ª.98.D
Statu ſimili opus non eſt ad alterandi actionem,atq; ad negociorum functionem.3°.de ſymp.cauſ. 3ª.28.G
Status poteſt præcognoſci.1°.de criſi. 4ª.131.F
Statum futurũ cognoſcere eſt officiũ medici gñoſi.1°. de criſi. 4ª.126.D
ante Statum augmentum non cognoſcitur.1°.de criſi. 4ª.128.F
Status ſemper primo cognoſcendus.1°.de criſi. 4ª.128.F
Status morbi cur præcognoſcendus.3°.de criſi. 4ª.141.A
Status quomodo cognoſcantur.com.1°.aph.12°. Ex.5.D
Status tempore fit coctio exquiſita.3°.de criſi. 4ª.141.A
in Statu ſomnus bonus.com.20°.aph.1°. Ex.11.B
in Statu ſemper fit criſis.3°.de crib. 4ª.141.B
Statum quando criſis expectabit.3°.de criſi. 4ª.141.E
ad Statum niſi quis reſpiciat,quid mali ſequatur.1°.de criſi. 4ª.131.A
Statu ignorato,quæ ignorantur.3°.de criſi. 4ª.141.D
ſine Status præcognitione,victus ratio inſtitui recte non poteſt.1°. de diebus decretorijs. 4ª.150.G
Statu ignorato, cognoſci non poteſt an æger debeat mori vel ſuperuiuere.3°.de criſi. 4ª.141.G
in Statu, in principio & in augmento mors contingit.3°.de criſibus. 141.E/ 4ª.142.F
in Statu,& augmento moriuntur ægri.de tot.morb.temp. 3ª.88.G
in Statu mori ægros collige.com.4°.aph.34°. Ex.31.D
in Statu deiectiones nigræ non præ ſe ferunt mortem.commentario.4°. aphoriſmo.21°. Ex.29.D
in Statu eorum qui debent ſanari,non ſunt magis ſæua accidentia. commentario.2°.aph.29°. Ex.16.G
in Statu etiam accidentia, & morbus ipſe ſunt fortiora. cõmentario. 2°.aphoriſmo.29°. Ex.16.G
Statu elapſo nullum eſt mortis periculum.3°.de criſi. 4ª.141.B
Status quandoq; momẽtaneus eſt,vt nõ cognoſcat.1°.de criſi. 4ª.126.G
Status quomodo ex acceſſionibus accipiatur.com.1°.aph.12°. Ex.5.E
Status acceſſionis qũo fiat.de vict.rat.in morb.acu.com.1°. 7ª.115.G
Status in acutis raro habet tres acceſſiones.1°.de criſi. 4ª.128.H
Status in longis habet multas acceſſiones.1°.de criſi. 4ª.128.H
Status finitur per maximas acceſſiones,& qñ.de tot.mor.tẽp. 3ª.89.G
prope Statũ miteſcunt rigores validi.in 6^{m}.de mor.vul.cõ.1°. 3ª.156.E
in Statu qui morbus erit in ſecundo quaternione,& qui vltra.1°.de diebus decretoriis. 4ª.151.A
Statum longum habet ſynochus febris.3°.de criſi. 4ª.140.C
Status in qua febre per quatuor horas.2°.de criſi. 4ª.136.G
Status inflammationis qualis.de tot.mor.temp. 3ª.88.F
Status in pleuritide quando.1°.de criſi. 4ª.132.D
Status qui fuerit,& quantus in caſu Anaxionis.1°.de criſi. 4ª.132.F
ex Statibus et regionibus pulſuum mutatio fit.3°.de cau.pul. 4ª.97.D
ſm Statum quales pulſus.1°.de diff.reſp. 3ª.58.D
in Statu colliquefactionis vrina qualis.quæſ.in Hipp. Sp.113.C
à Statu victus ratio tota ſumitur.1°.de criſi. 4ª.126.D
in Statu nihil poteſt dari,nec euacuare,nec ſecare venam. commentario.2°.aphoriſmo.29°. Ex.16.G
in Statu quando cibandum.11°.met.me. 7ª.74.D
in Statu quandoq; nutrimus.com.1°.aph.9°. Ex.4.H
in Statu quibus vti debemus.6°.de comp.me.ſec.loc. 5ª.167.C
in Statu tenuiſſimo victu vtaris.1°.de arte cur.ad Glauconẽ. 7ª.97.H/ com.1°.aphor.7°. Ex.4.F
in Statu qui ſunt ante ſeptimã qũo cibãdi.1°.de arte cu.ad Gl. 7ª.97.H
in Statu q ſunt poſt ſeptimã qũo cibãdi.1°.de arte cur.ad Gla. 7ª.97.H
Status,lege,Conſiſtentia,Vigor.
STEATOCELE affectus ſcroti.intro. Iſa.59.D
Steatocele tumor ſcroti.introd. Iſa.60.B
Steatocele laborantium curatio.introductio. Iſa.60.B
STEATOMA nomen eſt ægritudinis ſumptum à ſimilitudine ad aliquid extra poſitum.2°.met.me. 7ª.9.E
Steatoma quid.fin.med. Iſa.48.H
Steatoma eſt affectus iuncturarum cubiti.introductio. Iſa.59.C
Steatoma quid,& vnde.14°.met.me. 7ª.90.E
Steatomata ſunt ceruicis affectus.intro. Iſa.59.C
Steatomata quid.de tum.præt.nat. 3ª.83.G
Steatomata affectus ſunt poplitis.introd. Iſa.59.D
Steatomata ſunt à toto genere præter naturam.de diff.morb. 3ª.4.F
Steatomata enumerantur inter morbos qui oriuntur cum prius non eſſent.14°.methodi med. 7ª.92.C
in Steatomate morbo ſubſtantiæ fit generatio quæ non fuit. 14°.methodi medendi. 7ª.93.C
Steatomata ex fluxionibus humorum fiunt.de cauſ.morb. 3ª.8.B

Steatomata diuerſo modo tãgunt̃, q̃ reliqui tumores.ad Thra. 2ª.105.A
Steatomata indicant ſui ablationem.3°.met.me. 7ª.16.C
in Steatomatibus inutile abijcitur à natura.de cauſ.morb. 3ª.9.D
Steatoma ſola manus opera curatur, nec putreſcit, nec digerit̃. 14°.methodi medendi. 7ª.90.E
Steatomatum in ceruice curatio.introd. Iſa.59.H
Στεγνὸν quid ſit.5°.de ſimp.me.fac. 5ª.35.H
Στέγνωσιν quid appellat Galenus.3°.de ſan.tu. 2ª.80.F
Stegnoſis quid ſit, & quomodo fiat.3°.de ſan.tu. 2ª.81.B
STEGNOTICA quæ ſint.5°.de ſimp.me.fac. 5ª.35.H
STELACHIEA quæ vena.6°.de anatomicis adminiſt.1ª. 92.H/6°. de locis affectis. 4ª.39.C
STELLA quid ſignificet.in 1m.de morb.vulg.com.1°. 3ª.101.H
Stellæ ac cœlũ aĩal immortale, & ratione prędità.de hiſt.phil. Sp.11.E
Stellæ cœleſtes Deus.de hiſt.phi. Sp.4.F
Stellæ quibus conſtent.de hiſt.philo. Sp.6.D
Stella cuius rei deſiderio tenetur, eadem reficitur.de decub. progno. ex mathematica ſcientia. Sp.13.A
Stellarum figura quæ.de hiſt.philo. Sp.6.D
Stellarum ordo qui.de hiſt.philo. Sp.6.E
Stellarm motus qui.de hiſt.philo. Sp.6.E
Stellarum lux vnde.de hiſt.philo. Sp.6.E
circa Stellas fixas & errantes quicquid apparet, reponitur inter ea quæ manifeſto apparent.de cui.anim.pecc.not.atq; med. 2ª.57.B
Stellæ videntur interdiu, modo non ſit meridies, ex puteis profundis. 10°.de vſu partium. 1ª.179.A
Stellæ cur apparent in ſolis eclypſi.10°.de vſu par. 1ª.178.H
Stellæ diſcurrentes quid.de hiſt.philo. Sp.7.F
Stellæ, aut luna, ſi vno oculo videantur, in alio videntur de loco ad locũ tranſilire.10°.de vſu par. 1ª.183.A
Stellæ fulgentes ſiccæ, & prudentes Subſtantia animæ pro certa quadã Aeris, ac ignis tẽperatura ſit ex Stoicorũ ſciẽtia.ꝙ ani.mor.1ª.318.F
Stella σείριος eſt canicula.in 1m.de morb.vulg.com.1°. 3ª.102.A
Stellarum ſignificatio qualis.de hiſt.philo. Sp.6.F
Stellæ alterant puerum in conceptu.de ſperma. Sp.38.G
STELLA de faſcijs. 7ª.302.A
Stella à poſteriori parte ſe oſtendens.de faſcijs. 7ª.302.B
STELLIONES ſemper ſunt proni, & omnia quæcunq; ſunt bræuium crurum.3°.de vſu par. 1ª.128.F
Stellio à ſcorpionibus viſus ipſos ſubſtringit, & ita perimit. de theriaca ad Piſonem. 5ª.93.G
Stellionis caput.3°.de comp.me.ſec.loc. 5ª.144.G
Στεμφυλίτις lora appellatur ab Atticis.2°.de alim.fac. 2ª.18.C
Στέμφυλα oliuarum partes ſolidas Attici vocant cum oleum fuerit expreſſum.2°.de alim.fac. 2ª.18.C
Στεμφίλος quid.2°.de alim.fac. 2ª.18.A
Στενυγροχωρία quid ſignificet.de arti.com.1°. 7ª.261.B
STENYGRON dicitur anguſtum à Ionibus.in 6m. de morbis vulgaribus commentario.2°. 3ª.160.F
Στεφαναια quid.introductio. Iſa.54.F
Στεφανιαῖα tertia ſutura, quæ, & vbi, & cur.9°.de vſu par.1ª.173.E
Στεφανιαῖος genus vinculi, & quod.de faſcijs. 7ª.295.A
STEPHANON quem locũ in oculo aliq vocent.14°.met.me. 7ª.93.G
STERCVS quid.fin.med. Iſa.44.A
Stercus an fiat in tenui inteſtino.3°.de nat.fac. 1ª.306.A
Stercus in tenuibus inteſtinis creatur.3°.de natu.fac. 1ª.304.C
Stercus excernitur in corpore humano.introd. Iſa.55.B
Stercoris, vrinæ, & genituræ euacuatio naturalis eſt. in 6m. de morbis vulgaribus, com.3°. 3ª.173.H
Stercoris magna copia cur ex furfure fiat.1°.de alim.fac. 2ª.12.A
Stercus quando emittitur.1°.de ſan.tu. 2ª.67.F
Stercus exire qui muſculi adiuuant.1°.de ſan.tu. 2ª.67.F
Stercus à voluntate per ſedem emittitur.2°.de decr.Hipp. 1ª.237.F
Stercus exiens ex panno ſuper Inguina ſuppurato ac inciſo, ſignificat abſceſſum in colo veſicæ.1°.de loc.affect. 4ª.2.E
Stercus quomodo præter voluntatem excernatur.in 6m. de morbis vulgaribus.com.3°.3ª.173.H/6°.de loc.affe. 4ª.38.F
Stercus effluit inuitis nobis ani muſculo exciſo.2°.de mot.muſ.1ª.315.H
Stercus in recto inteſtino collectum, facit dolorem.de mul. 3ª.76.F
Stercora quorum ſint notæ.6°.de loc.affe. 4ª.41.E
Stercus exiẽs ꝑ vulnus ſignificat ĩteſtinũ vulneratũ.1°.de lo.af.4ª.2.E
Stercora vnde fiant in ſtomacho.de ana.viuo. Sp.50.E
Stercus in quibus doloribus euomatur.6°. de loc.affe. 4ª.37.A
Stercus euomitur in voluulo.in 1m.pror.com.3°. 4ª.187.F
Stercus reuoluitur in voluulo.8°.de comp.me.ſec.loc. 5ª.190.B
Stercus per os emitti faciũt inteſtina tenuia affecta.ĩ 6m.de morbis vulgaribus, com.2°. 3ª.139.A
Stercus cum euomitur ileũ dicitur, ideſt voluulus.6°.de lo.af.4ª.37.A
Stercus ſiccum facit ileum.com.6°.aph.44°. Ex.51.G
Sterus aſcendit, atq; ſingultiunt, qui hñt ileũ.cõ.7°.aph.10°. Ex.54.F
Stercus euomitur in ileo.com.6°.aph.44°. Ex.51.C
Stercus cur euomatur in ileo.3°.de natural.facul.1ª.306. F/3°. de ſymptoma.cauſ. 3ª.25.H
ex Stercus euomentibus vix unquam aliquis potuit ſanari.6°. de locis affectis. 4ª.37.A
ad Stercus ſurſum euomentes.9°.de comp.me.ſec.loc. 5ª.202.B
ad Stercus vomentes.de med.fac.par. 7ª.166.E
Stercora dura nõ bona, & quid cõſiderãdũ indicẽt.7°.me.me.7ª.45.A
Stercus durum quid faciat.3°.de ſymp.cau. 3ª.25.H
Stercus retentum ſubito ſuffocat.3°.de ſymp.cau. 3ª.28.E
à Stercore duro obſtructio, quomodo emendatur.ars med. Iſa.70.C
Stercora duriſſima ſubducẽs vnguentũ ꝑ vngẽdo ano.de dy. Sp.27.G
Stercora tantũ mouentia medicamenta coprotica dñr.de cath.Sp.95.A
Stercorum eductiua pharmaca.7°.de comp.me.ſec.loc. 5ª.178.F
Stercus expellit linozoſtis ideſt mercurialis.de dyna. Sp.21.H
Stercora humida olentia, & plena flatus, oſtendunt malam coctionem. 7°.methodi medendi. 7ª.44.A
Stercus nigrum malum eſt propter colorẽ.in 3m. de morbis vulgaribus commentario.1°. 3ª.134.C
Stercus quandoq; excernitur habẽs guttas ſanguinis, & cur. 3°.de ſymptomatum cauſis. 3ª.28.C
Stercus quod ſupernatat.6°.de loc.affe. 4ª.36.G
in Stercore eſſe ſomniare quid ſignificet.de præſ.ex inſom. 4ª.213.E
Stercorum conſideratio quò ad attractionẽ.5°.de ſimp.me.fac. 5ª.36.F
STERCORA laudat.de theria.ad Piſo. 5ª.93.F
Stercora per os dabat Aſclepias.10°.de ſimp.me.fac. 5ª.75.H
Stercus nõ comedẽdũ quãuis valeat in angina.10°.de ſimp.m.f.5ª.72.C
Stercus edere nunq̃ patitur Galenus.10°.de ſimp.me.fac. 5ª.72.C
Stercoribus vti non debemus, cum alia multa habeantur.10°.de ſimplicium medicamen.facul. 5ª.76.F
Stercus nullum refrigerat & humectat.10°.de ſimp.me.fac. 5ª.76.F
Stercus maxime digerit.10°.de ſimp.me.fac. 5ª.75.G
Stercore renes exaſperantur.de ren.affect.dign.& med. 7ª.193.G
Stercora omnia qualia.6°.de comp.me.ſec.loc. 5ª.170.G
Stercus Anſerinum, accipitrinum, & aquilarum, ob nimiam acrimoniã inutile.10°.de ſimp.me.fac. 5ª.77.B
Stercus Aſini recens.4°.de comp.me.ſec.loc. 5ª.158.D
Stercus Bubulum ſiccum, & à proprietate ſubſtantiæ agit.10°.de ſimplicium medicamen.facul. 5ª.76.G
Stercore bubulo quomodo aqua inter cutem ſanetur.10°. de ſimplicium me.facul.76.G/de theria.ad Piſo. 5ª.93.F
Stercus bouis armentariæ in hydrope, & caprinum quomodo conueniunt.9°.de comp.me.ſec.loc. 5ª.200.F
Stercus armentariæ bouis aridum vino coctum quibus conueniat. 8°.de comp.me.ſec.loc. 5ª.192.C
Stercus Bubulum ad choeradas, & tumores omnes ſcyrrhoſos à quo ad biberetur.10°.de ſimp.medi.facul. 5ª.76.H
Stercus bouis ſiccum pro melancholicis, & quomodo. de melancholia ex Gal.Ruf.& Poſſ. Sp.110.C
Stercus bubulum, aptum, veſparumq; morſus iuuat, vt hinc cognoſcas attractoriam ipſum vim habere.10°.de ſimp.me.fac. 5ª.76.G
Stercus bubulum partibus ruſticorum phlegmone obſeſſis aptari debet. 10°.de ſimpl.me.fac. 5ª.76.G
Stercore canino Muſa primus uſus eſt.6°.de comp.me.ſec.loc. 5ª.172.B
Stercore canino vtitur, & vſum laudat.6°.de comp.me.ſe.lo. 5ª.172.B
Stercus caninum quomodo paretur, quomodo ad anginam, & quomodo ad diſenteriam.10°.de ſimp.me.fac. 5ª.76.A
Stercus caninum album dat.9°.de comp.me.ſec.loc. 5ª.198.B
Stercus caninum quomodo in vlceribus malignis medicamentum ſit mirabile.10°.de ſimp.me.fac. 5ª.76.A
Stercus Caprinũ bibere qui homines digni.10°.de ſimp.me.fac.5ª.76.F
Stercus caprinum quale.10°.de ſimp.me.fac. 5ª.76.D
Stercus caprinum vſtum ad alopecias, lepras, pſoras, & lichenas confert.10°.de ſimp.me.fac. 5ª.76.E

Stercus caprinum ad aquam intercutem,& ad ſplenicos valet.10°.de ſimplicium medica.facul. 5ª.76.E
Stercore caprino ad genu tumorem habens inueteratum vſus eſt Galenus,& quomodo.10°.de ſimp.me.fac. 5ª.76.E
Stercus caprinum ad parotidas,& bubones,ad viperarum morſus, ad auriginẽ,& profluuiū muliebre valet.10°.de ſimp.me.fac. 5ª.76.F
cū Stercore caprino quale ſit acetum.7°.de comp.me.per gen.5ª.265.F
Stercus Ciconiarum epilepſiæ mederi quidam falſo dicunt. 10°.de ſimpli.medicamen.facul. 5ª.77.B
Stercus Columbarum non eſt fœtidum,maxime arefactum.10°. de ſimplicium medica.facul. 5ª.77.A
Stercus Columbinum probatur eſſe calidū.3°.de ſimp.me.fac. 5ª.22.G
Stercus agreſtium columbarum accẽditur,& plurimo tempore durat. 6°.de ſimp.me.fac. 5ª.48.A
ex Stercoris putredine calor generatur.de cauſ.morb. 3ª.6.D
Stercus columbinum acre eſt.6°.de comp.me.ſec.lo. 5ª.256.F
Stercus columbinum ad pilorum ablationem ab oculis quomodo valet. de oculis. 7ª.190.E
ex Stercore columbarū medicamentū,& quale ſit ſtercus colūbarū,et ꝙ eſt minus ſubtile euphorbio.3°.de comp.me.per gen. 5ª.234.A
Stercus columbarum ad rubrificandū valet.1°.de ſimp.me.fa. 5ª.76.H
Stercus columbarum ad coxendicem,hemicraniam,ſcotomata, vertigines,cephaleam inueteratam,ad dolores ĩueteratos laterum, ſcapularum ceruicis & lumborum,ad hæc,ad nephridides, affectus cœliacos,& podagricas,arthritides valet.10°.de ſimp.me.fac. 5ª.77.A
Stercus columbinum quale ſumi debet.2°.de comp.me.ſec.loc.5ª.139.F
Stercus columbarum domeſticarum imbecillius eſt ſtercore mõtanarū. 10°.de ſimp.me.fac. 5ª.77.B
Stercore columbarum vtitur.3°.de comp.me.per gen. 5ª.231.A
Stercus Crocodilorum terreſtrium facit cutem tẽſam, & ſplendentem. 10°.de ſimp.me.fac. 5ª.77.D
Stercus crocodilorum terreſtrium à facie ephelen tollit, vitiliginem,& lichenas.10°.de ſimp.me.fac. 5ª.77.D
ex Stercore odorato equorum quidam intelligebant quomodo alimenta concoxerant,vt agnoſcerent bonam habitudinem eorum. 7°. methodi medendi. 7ª.45.A
Stercus Felis quomodo valet ad Alopecias.1°.de cõp.me.ſ.l. 5ª.124.E
Stercus Gallinarum concluſarum minus efficax eſt ſtercore non concluſarum.10°.de ſimp.me.fac. 5ª.77.B
Stercus gallinaceum pro his qui à fungis ſuffocantur bonum.10°.de ſimplicium medica.facul. 5ª.77.A
Sercus citrinum Gallinæ.de med.fac.par. 7ª.162.G
Stercus Leporinum quomodo Columellæ vitijs, & ſpiritus difficultati opitulatur.de med.fac.par. 7ª.171.B
Stercus humanum cur habeat plures differentias alijs.10°.de ſimpliciū medicamen.facul. 5ª.76.G
Stercus humanum abominandū.6°.de comp.me.ſe.loc. 5ª.172.B
Stercus humanū ob fœtorem abominandū.10°.de ſimp.me.fac. 5ª.75.H
Stercus hominum canibus ſuauiſſimum.3°.de nat.fac. 5ª.305.D
Stercus humanū potui dare ijs qui ꝓpe ſuffocãtur.đ med.fa.p. 7ª.165.C
Stercus humanū ad gutturis phlegmonẽ quomodo conferat.10°.de ſimplicium medic.facul. 5ª.76.A
Stercore vtitur humano,& in quo caſu.6°.de comp.me.ſec.lo.5ª.172.B
Stercus Lacertæ tollit Albugines.4°.de comp.me.ſec.loc. 5ª.158.C
Stercora Luporum oſſa comedentium quam vim habeant.de incanta.ad iur.& ſuſp. 7ª.182.A
Stercus lupinum in colicis mirabile,& quale eſſe debeat.10°. de ſimplicium medicamen.facul. 5ª.76.C
Stercus lupinum quo loco apponeretur inguinibus ꝓ colica.10°.de ſimplic.medic.facul. 5ª.76.D
Stercus Murium quo loco reponatur inter calida quæ valent alopecijs. 1°.de comp.me.ſec.loc. 5ª.122.D
Stercus murium ad alopecias valet.10°.de ſimp.me.fa. 5ª.77.D
Stercus murium cum aceto tritū alopecias ſanat.de the.ad Piſ.5ª.93.F
Stercus muriū cõtritū ex aceto ad quid valeat.đ rem.par.fa. 7ª.154.H
Stercore muriū pro balano quidã eſt vſus.10°.de ſimp.me.fac. 5ª.77.D
Stercora quæ non grauiter olent.10°.de ſimp.me.fac. 5ª.75.H
Stercus Ouillum ad quæ valet.10°.de ſimp.me.fac. 5ª.76.H
ex Stercore Palumbium medicamento ſupra caput matronæ habentis catharrum vſus eſt Galenus,nonnullis tamen prius peractis. 5°. methodi medendi. 7ª.35.C
Stercore Paſſerum vtitur.8°.de comp.me.ſec.loc. 5ª.192.B
Stercus Palumbi.6°.de comp.me.per gen. 5ª.261.G
Stercus Sturnorum comedentium orizam,pro mulierum cute tendẽda & ſplendida reddenda,bonum.10°.de ſimp.me.fac. 5ª.77.D
STERILIS mulier quæ ſit.com.5°.aph.59°. Ex.43.C
Steriles quæ mulieres,& quæ non,& quæ ſemper generabunt, & quæ non,& itá de viris.com.5°.apho.62°. Ex.43.G
Steriles ob humiditatem & pinguedinem ſunt mulieres Scythę.de aere, aquis & locis. 2ª.5.G
Sterilis ſi facta ẽ quę prius fœcũda fuerat qd agẽdū.de paſſ.m.Sp.96.C
Sterilis an ſit mas,vel fœmina,qũo dignoſcẽdum.de me.fa.p. 7ª.175.B
Steriles lege Infœcundi.
STERILITAS mularum vnde proueniat.de hiſt.phil. Sp.11.A
Sterilitatem facit epimedium potum.6°.de ſimp.me.fac. 5ª.47.D
Sterilitatẽ bibẽtibus affert ſemẽ volucri maioris.8°.de ſim.m.f.5ª.58.B
Sterilitatem pariunt venæ poſt aures ſectæ.de aere,aq.& loc. 2ª.5.H
STERNENDA quæ ſint in cubiculo febricitantium. 10°. methodi medendi. 7ª.64.E
STERNVTAMENTVM Tuſſis cum ſit naturale accidens ſimilitudine quadam imitatur, nam & ſternutamentum videtur eſſe naturale accidens.5°.de locis affectis. 4ª.31.C
Sternutamẽtū motus nõ naturalis eſt,de ijs quæ,in m.ſi.c.3°. 7ª.222.D
Sternutamentum ex quot cauſis fieri poteſt.com.7°.aph.52°. Ex.58.C
Sternutamenta ex quo humore fiant.com.7°.aph.52°. Ex.58.D
Sternutamentum quomodo fiat.com.7°.aph.52°. Ex.58.C
Sternutamenta cur excitant̄ ꝑ aſpectū in Solẽ.de inſtru.odor. 1ª.112.E
Sternutamentum ſequitur grauedines.in progn.com.2°. 4ª.202.H
Sternutamentum expurgat narium meatus.com.7°.aph.52°. Ex.58.C
Sternutamenta faciunt exire muccum craſſum,& glutinoſum ex cerebro.de inſtru.odor. 1ª.112.E
Sternutamẽtū leuãs caput quod,& qđ nõ leuãs.cõ.7°.ap.52°. Ex.58.D
Sternutamenta quando bona,& qñ mala.in prog.com.2°. 4ª.202.G
Sternutamenta plura oſtendunt futuram ægritudinẽ.ars med. Iſa.68.F
Sternutamenta quomodo grauedini capitis medẽtur.de inſt.od.1ª.112.D
Sternutamenta prouocanda in caro & lethargo.de inſtru.odo. 1ª.112.D
à Sternutamentis quæ medicamentis mouentur,non minimum curationis recipit carus.de inſtru.odor. 1ª.112.D
à Sternutamentis quæ medicamentis mouentur curatur lethargus.de inſtru.odor. 1ª.112.D
Sternutamẽto tẽpore facto ſingultus ſedatur.đ med.fac.par. 7ª.159.A
Sternutamenta plerũq; ſanguinem reuocant.de med.fac.par. 7ª.163.F
à Sternutamento dicta ptarmice.8°.de ſimp.me.fac. 5ª.59.C
STERNVTATIO appellatur eructatio ſecundum aliquos. in 6m.de morbis vulgaribus,com.2°. 3ª.166.D
Sternutatio qui motus ſit.2°.de ſympt.cauſ. 3ª.22.H
Sternutationis,ſingultus conuulſionis,tremoris,palpitationis,rigoris, horroris,tuſſis,ructus,pandiculationis,oſcitationis,tryſmu,ideſt dẽtium cõcuſſionis genus commune eſt motus illegitimus, & quomodo hæc in genere differant.2°.de ſymp.cauſ. 3ª.19.F
Sternutatio cuius motus,& ad quid inſtituta.2°.de ſymp.cau. 3ª.21.D
Sternutatio eſt facultatis opus.2°.de ſymp.cauſ. 3ª.19.F
Sternutatio an motus naturalis vel volũtarius.de mot.man. Sp.69.H
Sternutatio ſymptoma facultatis voluntariæ eſt. 2°.de ſym. ca.3ª.21.G
Sternutatio opus naturæ,& ſymptomata,quod eſt præter naturam,& quare.2°.de ſymp.cau. 3ª.21.D
Sternutatio non ſimiliter vt tuſſis apparet præter naturam. 2°. de ſymptomatum cauſis. 3ª.21.E
Sternutatio eſt motus,quo natura conatur motu violentiore expellere. com.6°.aph.39°. Ex.50.H
Sternutatio expultricis virtutis validus motus eſt.2°.de ſymp.3ª.23.G
Sternutatio habet maiorem vim ſpiritus,quã tuſſis.2°.de ſymp. 3ª.21.F
Sternutatio opus naturæ eſt,ſed ab affectibus morboſis prouenit. in 6m. de morb.vulg.com.5°. 3ª.189.A
in Sternutatione qui motus clibani pectoris.de mo.m.& obſ.Sp.69.G
Sternutatio cuius ſymptoma ſit in ſymptomatū cauſis diſſeritur de ſymptoma.different. 3ª.11.G
Sternutationes vnde fiant.2°.de ſymp.cau. 3ª.24.A
Sternutatio fit naribus laceſſitis.2°.de ſymp.cau. 3ª.22.H
Sternutatio moueť à vehemẽter deſiccãtibus.6°.de ſimp.m.f. 5ª.44.H
Sternutationẽ ꝓuocat radix arefacta batrachij.6°.de ſim.m.f. 5ª.44.G
Sternutationem prouocant ſtruthium,& calida omnia guſtu acria. 8°. ſimpli.med.facul. 5ª.61.E
Sternutatio propter quid à natura tributa.2°.de ſimp.me.fac. 5ª.13.E

Sternutatio bonū ſignum, cauſa, & remedium.cō.5°.aph.35°. Ex.40.F
Sternutatio ſignificat naturam ad opus accingi, & inde mortuum reuiuiſcere.com.5°.aph.35°. Ex.40.F
Sternutationis iuuamentum. com.5°.aph.35°. Ex.40.F
Sternutatio expurgat vias, & tibiæ expurgantur, & fiſtulæ ab opificibus.2°.de ſymp.cauſ. 3ª.21.D
Sternutatio humores in arteria adhærentes magis expellit, quàm tuſſis 2°.de ſymp.cauſ. 3ª.21.F
Sternutatio quomodo capitis dolorem leuat.in 6^{m}*.de morbis vulgarib. commentario.6°.* 3ª.196.G
Sternutationes ſi ex catharro non fiunt, ſunt remedium maximum halitu repleti capitis.2°.de ſympto.cauſ. 3ª.21.F
Sternutatione ſingultus ſanatur.commētario.5°.aphoriſmo. 35°. 40.G/ *com.6°.apho.13°.* Ex.47.E
Sternutatio cui ſingultui conueniat.de med.fac.par.7ª.178.A/commentario.6°.apho.13°. Ex.47.E
Sternutatio qūo ex accidēti ſingultus remetiū. 2°.de ſym.ca. 3ª.24.A
Sternutationem mouerunt quidam, vt materias à thorace educeret.2°. de ſymp.cau. 3ª.22.H
Sternutatio ex accidenti eſt remedium humorum in pulmone exiſtentiū 2°.de ſymp.cauſ. 3ª.24.A
Sternutatio ſuperueniens mulieri, quæ vterinis moleſtatur, aut difficulter parit, bonum.com.5°.aph.35°. Ex.40.F
Sternutatio non prodeſt vteri exulcerationibus inflammationibus eryſipelatis neq; abſceſſibus.com.5°.aph.35°. Ex.40.F
Sternutatio pro vteri ſuffocatione de paſſ.mul. Sp.95.G
Sternutatio ad tormina, & omnia interna vitia proficit.de medic. facile parandis. 7ª.167.D
STERNVTATORIA *qualia ſint.de remed.fac.par.* 7ª.156.B
de Sternutatorijs caput purgantibus.2°.de comp.me.ſec.loc. 5ª.139.B
Sternutatoria in capitis dolore cōueniunt.2°.de cōp.me.ſe.lo. 5ª.157.H
Sternutatoria Ptolemæi ad veterem capitis dolorem.2°. de compoſitio. medicam.ſecun.locos. 5ª.139.B
Sternutatorijs vtendum in lethargo.13°.met.me. 7ª.85.F
Sternutatoria in ozænis & polypis.3°.de comp.me.ſec.loc. 5ª.148.B
Sternutatorium.2°.de comp.me.ſec.loc. 5ª.139.F
STERNVTARE *copioſe facit ſyrici radix tunſa, & cribrata, & in naribus impoſita.de ſimp.med.* Sp.90.C
Στέρνον *quod . introductio.* Iſa.53.C
Στέρνον *quid proprie ſit.de arti.com.1°.* 7ª.261.B
STEREOMETRA *nullus Galeni tpe dicebatur.ad Th.* 2ª.109.D
ad STERTENTES. *de med.fac.par.* 7ª.163.F
STERTERE *vnde fiat.de voce & anhel.* Sp.60.H
Stertunt qui dormiunt in bronchum.de arti.com.3°. 7ª.269.E
Stertant cur dormientes & apoplectici.com.6°.aph.51°. Ex.52.H
Stertere eſt indicium fortis apoplexiæ.com.6°.aph.51°. Ex.52.H
Stertere ſignū exolutionis ebrietatis & ignauiæ eſt.2°.de mo. 1ª.314.D
Stertit ſæpe conceptus in hora phlegmatis. de ſpermate. Sp.37.C
Stertit Delphinus.de anato.viu. Sp.48.C
STERTOR *propter quid fiat.2°.de motu muſ.* 1ª.314.D
STERTOROSI *qui fiant, & difficulter ſpirantes.3°. de differentijs reſpirationum.* 3ª.72.D
STESIANI *caſus habentis in profundis muſculis abſceſſum.5°. de locis affectis.* 4ª.34.B
STIBIVM *quid.de ſimp.med.* Sp.90.A
Stibium vires habet ſtypticas refrigerare, & ſtringere, & lachrymas veluti oppilare poteſt.de ſimp.med. Sp.90.A
Stibium extergit & repurgat.4°.de comp.me.ſec.loc. 5ª.149.G
Stibiū magis adſtringit, & ſiccat q̄ ſori.4°.de comp.me.per g. 5ª.236.E
Stibio mulieres antiquæ oculis gratiā cōciliabāt.6°.de ſan.tu. 2ª.100.B
Stibiū vſtū & lotum.3°.de comp.me.ſe.lo.148.D/4°.154.C/5°. 5ª.157.B
Stibium lotum, & non lotum quale.4°.de comp.me.ſec.loc. 5ª.151.D
Stibiū cōbuſtū ad vlcera maligna cōducit.4°.de cōp.me.per g. 5ª.136.F
Stibium vſtum.4°.de comp.me.ſec.loc. 5ª.152.F
STICVS *medicamentum quod ab aliquibus inſcribatur.7°. de comp. medica.ſecun.loc.* 5ª.182.C
STILISCVS *quid, & ad quid in organis.de machi.* 7ª.310.E
de STILLIS *quæ per imbres cadunt qui futura prædicunt dictas eſſe pemphyngas aiunt.in* 6^{m}*.de morb.vulg.com.1°.* 3ª.159.C
Stilla de naribus prauū eſt ſignū.in 3^{m}*.de morb.vulg.cō.3°.* 3ª.144.A
STILLATIO *è naribus comatoſis quibus pernitioſa eſt, & quando. in* 1^{m}*.pror.com.1°.* 4ª.160.H
Stillatio ſanguinis è naribus cur ſemper malum ſignum ſit. in 1^{m}*. pror. commentario.1°.* 4ª.161.F
STILLICIDIO *aquæ aſſiduo lapis excauatur.3°. de ſimplicium medicamen.facul.* 5ª.22.A
Stillicidium ab alto ſupra caput magis imprimit.13°.met.me. 7ª.85.H
Stillicidium ſupra oculos fieri non debet.13°.met.me. 7ª.86.A
STILLICIDIVM *vrinæ qd ſit, & vnde ſit.cō.5°.aph.58°.* Ex.43.B
Stillicidiū vrinæ p quot cauſas et qd ſignificet, cō.7°.aph.48°. Ex.57.H
Stillicidium quot fiat modis.6°.de loc.affe. 4ª.38.C
Stillicidium quando eſt accidens veſicæ.6°.de loc.affe. 4ª.38.C
Stillicidium vrinæ ſignificat laborem aliquorum inſtrumētorum vrinæ, vel vlcus veſicæ.com.4°.aph.8°. Ex.36.H
ex Stillicidio vrinæ quibus ileos ſuperuenerit in ſeptem diebus pereūt, niſi febre ſuperueniente, ſatis vrina fluxerit.cō.6°.ap.44°. Ex.51.C
Stillicidio affectis vrinā prouocat polygonon.8°.de ſimp.me.fa. 5ª.58.H
ad Stillicidium veſicæ Catapotia Heraclidæ Tarentini conferunt.10°. de comp.me.ſec.loc. 5ª.206.E
Stillicidium vrinæ.de med.fac.par.178.F/ 7ª.179.A/B
STIMMI *quale.9°.de ſimp.me.fac.* 5ª.71.A
Stimmi ocularibus medicinis miſcetur, & collyrijs ſiccis.9°. de ſimpli. medicam.facul. 5ª.71.A
STIMVLANS *dolor aliquis eſt com.6°.aph.5°.* Ex.47.A
Stimulans dolor eſt ſpecies doloris.com.6°.aph.5°. Ex.47.A
Stimulans dolor ſm Archigenem, vbi.2°.de loc.affe. 4ª.11.H
STIMVLVS *infixus carni minus ſtimulat quā dentes quando fiunt. com.3°.aph.25°.* Ex.25.C
STIPATIO *quot modis fiat.9°.met.me.* 7ª.56.H
Stipatio meatuum prohibet tranſpirationem.9°.me.me. 7ª.58.A
ex Stipatis augetur caliditas.de cauſ.morb. 3ª.6.D/E
Stipatio ſola meatuum poteſt febrem acccendere.8°.met.me. 7ª.50.A
Stipatio vltima quid faciat.de cauſ.morb. 3ª.7.D
Stipatio ſæpius eſt refrigerationis cauſa.de cauſ.morb. 3ª.7.G
Stipatio cauſa eſt frigidæ ægritudinis. de cauſ.morb. 3ª.7.B
STIPATA *cute ſtatim febricitant calidi, & humidi. 8°. methodi medendi.* 7ª.54.C
STIPES *in arboribus perpetuo manet & cui proportioni reſpondeat. 2°.de alim.facul.* 2ª.24.C
Stipiti comparatur matrix in conceptione fœtus.de ana.viu. Sp.51.E
Stipites ſmyrnij vrinam mouent.de cura.icteri. Sp.111.D
Stipites & hærētia corporibus extrahit tragiō.8°.de ſim.me.f. 5ª.62.E
STIPENT *quæ cutem.8°.met.me.* 7ª.51.C
Stipant offendentia.7°.met.me. 7ª.44.F
STIRPS *quid ſignificet.in* 6^{m}*.de morb.vulg.com.6°.* 3ª.196.C
Stirpis genus eſt ſupra animal.1°.de temp. 1ª.13.C
Stirpium natura qualis.bre.denot.dogm.Hipp. 1ª.231.A
Stirpes, arbores, ſemina prius fuere agreſtia, quæ nūc effecta ſunt domeſtica.in Timæum Plat. 1ª.286.H
Stirpes an animalia.de hiſt.philo. Sp.11.H
Stirpes cur vocata animalia.in Timæum Plat. 1ª.287.B
Stirpes quid habeant minus animalibus.de ſub.fac.nat. 1ª.230.C
in Stirpibus ſola concupiſcibilis anima reperitur ex Platone.6°. de decretis Hippocratis. 1ª.261.F
Stirpes ſm Platonem ſentiunt.in Timæum Plat. 1ª.287.C
Stirpes ſentire ſuadet.in Timæum Plat. 1ª.287.B
cū Stirpibus nobis cōmunis anima eſt ea, quæ ad nutriēdum animal neceſſaria, neq; refert animā hāc an facultatē voces.9°.me.m. 7ª.58.H
Stirpes nōn habent vim vitalem.4°.de præſ.ex pulſ. 4ª.122.C
Stirpes à ſola natura reguntur.1°.de nat.fac. 1ª.291.G
Stirpes quatuor habent naturales vires, quibus gubernantur. 2°. de different.feb. 3ª.40.F
Stirpes qui dixerint moueri.4°.de diff.pulſ. 4ª.66.B
Stirpes principium motus in ſeipſis habent in tim.Plat. 1ª.287.B
Stirpes quomodo augeantur.de hiſt.philo. Sp.11.H
Stirpibus cur ſit ſemper appetentia.1°.de ſan.tu. 2ª.62.G
Stirpibus vt terra, ita venter animalibus eſt tanquam penul. 1°.de ſymptoma.cauſ. 3ª.18.A
Stirpium radicibus cōparantur venæ vētriculi.1°.de ſym.cau. 3ª.18.A
Stirpium radices comparat cordi.de ana.viu. Sp.47.B
Stirpes, & herbæ tranſportatæ alterantur.3°.de ſymp.cauſ. 3ª.26.E
Stirpium mollium & durarum exemplum.de vſu pulſ. 1ª.229.F
Stirps quando bene ſe habere dicitur.1°.de temp. 1ª.13.D
Stirpes duplici de cauſa corrumpuntur.14°.met.me. 7ª.93.C

Stirpes quomodo pereant penuria alimenti.1°.*de ſymp.cauſ*. 3ª.18.A
in Stirpibus maraſmus quidam conſpicitur.5°.*de ſan.tu*. 2ª.92.H
in Stirpibus ſenium quid ſit.1°.*de ſan.tu*. 2ª.62.F
Stirpium omnium peritiam habeat medicus .1°.*de antid*. 5ª.102.B
Stirpes quæ è terra ſtatim prodeunt peritis tantum ruſticis notæ.14°. *methodi medendi*. 7ª.89.G
Stirpium ſucci ſunt pro medicina dolorũ.in 6ᵐ. *de morbis vulgaribus, commentario*.6°. 3ª.196.B
ex Stirpibus paſtillus inſcriptus.5°.*de comp.me.per gen*. 5ª.251.D
STOEBE *herba qualis*.1°.*de antid*. 5ª.101.B
Stœbe antiquitus implebant,& obturabant.de fœt.form. 1ª.323.D
Stœbe herba cur lagænas vino plenas tum multa tum calida contexit pater Galeni.1°.*de antidotis*. 5ª.101.A
Stœbe adſtringit ſine morſu,eſt ſiccum in tertio,dyſentericis, & aurib⁹ pure fluentibus inijcitur,vulnera magna conglutinat, erumpentem ſanguinem ſupprimit, & oculorũ ex ictu ſuffuſiones iuuat.8°.*de ſimpli.med.facul*. 5ª.61.D
Stœbes ſemine in vino cocto,in quo caſu vtamur.3°. *de compoſi. medic. ſecundum locos*. 5ª.144.H
Stœbe herbæ ſuccus.1°.*de comp.me.ſec.lo*. 5ª.124.F
Stœbe comparat Galenus molle,& ſpongioſum.7°.*de vſu par*. 1ª.158.G
Stœbe.de med.fac.par. 7ª.167.G
STOECHAS *quid,& eius vires.de ſimp.med*. Sp.90.G
Stœchas qualis,& quo loco ſumenda.1°.*de antid*. 5ª.106.G
Stœchas qualis.8°.*de ſimp.me.fac*.61.D/9°.*de cõp.me.ſe.lo*.5ª.202.A
Stœchas citrinus.de med.fac.par. 7ª.161.D
Stœchas vires habet relaxantes,menſtrua prouocat, vitia thoracis ſedat in antidotis miſcetur.de ſimp.medica. Sp.90.G
Stœchas obſtructiõe liberare,& roborare viſcera, & totum corpus poteſt.8°.*de ſimp.me.fac*. 5ª.61.D
Stœchas ingreditur theriacam.de theria.ad Piſo. 5ª.92.E
STIPTERIA *oculorum cenotica.de cathar*. Sp.95.B
STOICAE *ſectæ author Zeno citieus.de hiſt.philo*. Sp.2.E
Stoicorum pater Zeno.2°.*de decre.Hipp*. 1ª.237.E
Stoicum dogma à Pythagora inſtitutum,& à Platone confirmatũ fuit. 3°.*de decr.Hipp*. 1ª.253.H
Stoici exercitati in inutilibus & in vtilibus inexercitatiſſimi.2°. *de decretis Hippocratis*. 1ª.235.F
Stoici contentioſi ſunt .4°.*de decre.Hipp*. 1ª.254.D
ex Stoicis aer frigidus eſt,ob ignẽ ſit tẽperatus.ꝙ animi mor. 1ª.318.E
Stoicorum commẽtitia gutta quæ cum toto mari commiſcetur.7°.*de decretis Hippocratis*. 1ª.270.D
Stoicus nihil vacuũ in mundo ponebat,ſed extra mundum vacuum eſſe aſſerebat.de cuiuſq; animi pec.not.atq; med. 2ª.60.A
Stoici dicebant omne corpus nouum,& temporaliter creatum eſſe mortale.de ſpermate. Sp.38.A
Stoici dicebant animas quotidie creari.de ſpermate. Sp.38.A
Stoici volunt animam eſſe ſpiritum quẽdam,& naturam, & quomodo. quòd animi mores. 1ª.318.E
ſm Stoicos animæ peculiaris materia,quæ.ꝙ ani.mor. 1ª.318.E
Stoici quatuor animæ partes poſuere.de hiſt.philo. Sp.5.B
à Stoicis contentrix facultas inuenta eſt.de mul. 3ª.77.C
STOLIDITAS *animi proficiſcitur à ſanguine*.1°. *de natura humana, commentario*.1°. 1ª.33.B
in Stoliditate,& obliuione cõſiſtit amiſſio rectricis actionis.2°. *de ſymptomatum cauſis*. 3ª.24.B
STOLIDAS *aut phlegmonas perpetientia ſedis vlcera prę ſaniei acrimonia mitigat lac*.10°.*de ſimp.me.fac*. 5ª.73.H
STOLONES *manduntur vt cibus.de atten.vict*. 2ª.44.A
Stolones habent magnam incidendi facultatem,vbi commaturuerint.de atten.vict. 2ª.44.A
STOMACHICI *qui vocentur,& quod habeant ſignificata*.8°.*de compo,med.ſecun.locos*. 5ª.188.C
ex Stomachicis diſpoſitionibus quomodo plures incidunt in melancholiam.de conſt.art. Iſa.41.B
Stomachici dicunt appetitũ caninũ hñtes.8°. *de comp.me.ſe.lo*.5ª.188.C
Stomachici,& cardiaci valide quidem algent, non tamen rigorem patiuntur.de trem.palp.conuulſ. 3ª.53.D
Stomachica affectio in quo.8°.*de comp.me.ſec.loc*. 5ª.193.G
in Stomachicis affectibus pulſus qualis.2°.*de dign.pulſ*. 4ª.76.A
Stomachici affectus proſternũt vim vitalẽ.4°.*de præſ.ex p*. 4ª.121.G
Stomachici,& cardiaci defectus robur vitale diſſoluunt.de tremo.palpe.conuulſ. 3ª.52.H
in Stomachicis affectionibus ſuffuſionis imaginatio oculis incidit.1°.*de ſympto.cauſ*. 3ª.15.H
Stomachicũ affectũ vocãt eũ,qui ſyncopim inducit.de præſa. 4ª.109.C
Stomachica ſyncope quæ.6°.*de locis affectis*. 4ª.41.B
Stomachica animi deliquia quæ,& qui ſtomachici.2°.*de compoſi.medi. ſecundum locos*. 5ª.135.C
Stomachicæ ſyncopæ ad quæ ſequantur.5°.*de loc.affect*. 4ª.29.C
Stomachica ſyncope in quibus periculum ſit ne ſuccedat. de victus ratione in morbis acutis,com.3°. 7ª.133.B
Stomachicæ ſyncopes cuius ſint.1°.*de ſympt.cauſ*. 3ª.17.H
Stomachicæ ſyncope quid faciant.1°.*de motu muſc*. 1ª.313.A
Stomachicæ ſyncopæ,qd ſignẽt.de vict.rat.in mor.ac.cõ.2°. 7ª.123.B
Stomachice anima linqui quid ſignificet.13°.*met.me*. 7ª.84.G
Stomachicis quæ in cibo conueniant.8°.*de comp.me.ſe.loc*. 5ª.192.C
Stomachicorum panis qualis eſſe debet,& quæ olera cruda eis conueniant,quæ cocta,quæ carnes,qui piſces,quæ teſtacea.8°. *de compoſi. medicamen.ſecundum locos*. 5ª.192.C
Stomachicæ,& cœliacæ affectioni comparatur hepatica affectio. 8°.*de compoſi.medi.ſecun.loc*. 5ª.194.C
ad Stomachicis dolorem eximendum.8°.*de comp.me.ſec.lo*. 5ª.192.D
Stomachicis bibendus lapis alabaſtites.9°.*de ſimp.me.fac*. 5ª.68.B
Stomachicis prodeſt ſuccus centaureæ.de vir.cent. Sp.94.A
Stomachicis gallinæ ventris tunicam iuuare vanum eſt.11°.*de ſimpliciũ medicamen.facul*. 5ª.80.A
ad Stomachicos qua hiera vſus Andromachus.8°.*đ cõ.m.ſ.l*. 5ª.188.B
ad Stomachicos hiera Antipatri.8°.*de comp.me.ſec.loc*. 5ª.189.A
Stomachicis conueniens quid.6°.*de comp.me.ſec.loc*. 5ª.170.H
Somachicos quid iuuet.de cathar. Sp.95.C
ad Stomachicos ex Mantiæ compoſitionibus Attalica.8°. *de compoſi. medica.ſecundum locos*. 5ª.191.C
ad Stomachicos paſtillus amarus.8°.*de comp.me.ſec.loc*. 5ª.188.H
ad Stomachicos.7°.*de compoſi.medicamen.ſecundum locos*.185.D/8°. 193.A/B/C/195.B/9°. 5ª.202.B
ad Stomachicos ardorem ſentientes.8°.*de comp.me.ſec.loc*. 5ª.190.H
Stomachica cur dicta ſint medicamenta.5°.*de ſimp.me.fac*. 5ª.38.E
Stomachica medicamẽta qua craſſitudine ꝑparari ſolẽt ad Th. 2ª.101.B
in Stomachicis medicamentis qualitas adſtrictoria prædominatur.8°. *de comp.me.ſec.loc*. 5ª.193.A
Stomachicus aſter quomodo præparetur, & quibus conueniat. 8°.*de comp.med.ſecun.locos*. 5ª.191.D
Stomachicis epithematis cõmiſcet hypociſthis.7°.*ſimp.me.fac*. 5ª.51.D
ad Stomachica medicamenta mororum ſucccus eſt vtilis.7°.*de ſimplicium medicam.fac*. 5ª.56.C
Stomachicis facultatibus miſcetur palmæ dococtum. 8°. *de ſimplicium medicamen.facul*. 5ª.63.D
Stomachicis valet thuris cortex.7°.*de ſimp.me.fac*. 5ª.54.E
ad Stomachica Galli.de comp.me.ſec.loc. 5ª.189.B
Stomachica vt Nicoſtratus.8°.*de comp.me.ſec.loc*. 5ª.189.B
Stomachicum optimum medicamentum.de med.par.fac. 7ª.157.H
STOMACHVS *quid ſignificet*.1°.*de ſymp.cau*.3ª.17.G/13°. *met. med*. 84.G/*de victus ratione in morbis acutis,com*.1°. 7ª.111.F
Stomachus quid ſit,& quæ affectiones in eo fiant.8°. *de compoſitio.medicamen.ſecundum locos*. 5ª.187.F
Stomachus quid quandoq; dicatur.2°.*de loc.affect*. 4ª.12.H
Stomachus os ventriculi à medicis vocatur.2°.*de alim.fac*. 2ª.20.G
Stomachus ventris os dicitur non modo à medicis, ſed ab alijs hominibus etiam.6°.*de ſan.tu*.2ª.100.E/3°.*de loc.affect*. 4ª.20.A
Stomachus os ventris.2°.*de ali.fac*.2ª.20.B/12°.*met.me*. 7ª.80.A
Stomachum vulgus os ventriculi vocauit.4°.*de cau.pulſ*. 4ª.103.C
Stomachus dicitur os ventriculi per abuſum.de cur.rat.per ſang. miſſ. 6ª.15.G/*com*.7°.*apho*.56°. Ex.59.A
Stomachus vocabatur tẽpore Galeni os ventriculi.5°.*de lo.aff*. 4ª.32.F
Stomachus quando dicitur ventriculi os.6°.*de locis affectis*. 4ª. 41.B/ *de ven.ſect.aduerſ.Eraſiſtr*. 6ª.14.G
Stomachus eſt os ventriculi.de pulſ.ad Tyr.4ª.46.C/ 2°. *de cõp. medi. ſec.loc*.5ª.135.C/*de vict.rat.in morb.acu.com*.4°. 7ª.141.G
Stomachus qui,& eius locus.introd. Iſa.54.C
Stomachus,hepar,cor,cerebrum ſunt membra quatuor magis principalia.de ana.viu. Sp.56.A
Stomachus,hepar,pulmo,cerebrum ſunt prima membra poſt cor. de anatomia viuorum. Sp.47.B

Stomachus non eſt particula abiecta.6°.de vſu par. 1ª.149.F
de Stomachi anatomia.de ana.viuo. Sp.49.G
de Stomachi qualitate.de comp.memb. Sp.58.H
Stomachi ſitus.de ana.viuo. Sp.49.H
Stomachus ſuperne deorſum fertur.8°.de vſu par. 1ª.165.A
Stomachus ſuper hepar cur ſit,& ad quid.de ana.viuo. Sp.47.D
Stomachus cur non iunctus pectori.6°.de vſu par. 1ª.218.G
ante Stomachi os chartilago poſita eſt ad defenſaculum nocumenti extrinſecus aduenientis.de ana.viuo. Sp.55.D
Stomachi os vbi incipit.de ana.par. Sp.43.D
Stomacho ſpinã pꝑpinquior eſt pectorali oſſe.16°.de vſu par. 1ª.218.G
Stomachus ab initio per totum collum ſpondylis inuectus fertur.16°. de vſu partium. 1ª.217.G
Stomachi inceſſus per ſpondylos.6°.de vſu par. 1ª.149.G
Stomachi os in duodecimo ſpondylo eſt.de ana.viuo. Sp.49.F
Stomachus in quibuſdam piſcibus peruenit vſque ad os.de mot.manifeſtis & obſcuris. Sp.71.A
Stomachus diaphragma non penetrat.16°.de vſu par. 1ª.218.H
Stomachus ventri coniunctus eſt.de nat.& ord.cuiusl.corp. Sp.42.A
Stomachus eſt principium ventris,& inteſtinorum.introd. Iſa.57.C
Stomachus quale,& cur ita.de ana.viuo. Sp.49.G
Stomachus cur rotundus.de ana.viu. Sp.49.G
Stomachum rotundum habẽtes,poſt prandiam difficulter inſpirant, & expirant.de ana.viuo. Sp.49.G
Stomachus cur concauus & oblongus.de ana.viuo. Sp.49.G
Stomachus quibus conſtet.de comp.memb. Sp.58.H
Stomachus componitur ex duobus panniculis,& qui nam ſint.de anatomia viuo. Sp.49.G
Stomachi pãniculus exterior componitur ex filis latitudinalibus.de ana tomia viu. Sp.49.H
Stomachi panniculus interior componitur ex quibuſdam filis longitudinalibus,& ex quibuſdam tranſuerſis.de ana.viuo. Sp.49.G
Stomachus habet magis de villis tranſuerſalibus, & latitudinalibus, quam de alijs.de ana.viuo. Sp.55.H
Stomachi panniculus quibus,& quo nutriatur.de ana.viuo. Sp.45.H
Stomachi ſubſtantia cur talis.de ana.viuo. Sp.45.B
Stomachus,os,ventriculusq; vna tunica iungũtur.7°.de vſu p. 1ª.157.D
Stomachus habet tunicas duas.de ana.viu. Sp.56.A
Stomachi tunicæ quales.5°.de vſu par. 1ª.145.H
in Stomacho tunicarum ordinis ratio.de ana.viuo. Sp.45.B
Stomachi cur vna tunica interna continua.4°.de vſu par. 1ª.137.B
Stomachi partes internæ cur duriores, & denſiores partibus inteſtinorum.4°.de vſu par. 1ª.137.B
Stomachi duplex os,& eorum natura.de ana.vi. Sp.49.G
Stomachus cur magis neruoſus interius,q̃ exterius.de ana.vi. Sp.49.H
Stomachus habet ſenſum excellentem.8°.de compoſitione medicam.ſec. locos. 5ª.189.H
Stomachi os præcipuum habet ſenſum.com.3°.aph.24°. Ex.25.A
Stomachi os cur ſit maioris ſenſus,q̃ mẽbra alia.de vo.& anh. Sp.61.H
Stomachi os qd ſentiat,& quod ſenſibile maxime.de ana.viu. Sp.49.G
Stomachus neruoſus eſt,& arterioſus,& cuius ſit inſtrumentum.finitiones medicæ. Iſa.44.A
Stomachi os eſt magis neruoſum gula.de ana.viuo. Sp.49.G
Stomachi nerui vnde deducuntur.in 3ᵐ.de mor.vulg.com.1°. 3ª.130.C
Stomacho diſtribuũtur nerui pꝑpagines à cerebro.16°.de vſu p. 1ª.215.E
Stomachum qui neruus intret.de voce & anhel. Sp.61.H
ad Stomachum eſt alter ex duobus meatibus,ſuperior ſcilicet.5°.de vſu partium. 1ª.147.A
Stomachi meatus quantus.11°.de vſu par. 1ª.188.G
Stomachi porta quæ,& vbi.de compag.memb. Sp.58.H
Stomacho quanto principalior arteria eſt ad vitam,tanto ſedem tutiorẽ obtinuit.6°.de vſu par. 1ª.218.H
Stomachus & arteria aſpera comparantur tibiæ.in tim.Plat. 1ª.288.F
ad Stomachum ita ſe habent hepatis additamenta,vt digiti ad manum. de ana.viuo. Sp.50.G
vt Stomachus ad hepar ita ſe habet ad Cryſtallinum humorem humor vitreus.de.ana.viuo. Sp.48.D
ad Stomachũ paucæ vel nullæ veniunt meſaraicæ.de ana.viu. Sp.50.D
ad Stomachum et inteſtina meſaraicas euntes ab Hepate recipiunt glãdulæ quædam.de ana.viuo. Sp.44.D
vt Stomachus quæ venæ attrahunt.16°.de vſu par. 1ª.220.H
ad Stomachũ ita ſe habet monoculũ,vt veſica ad hepar.de an. Sp.50.F
Stomachi motus qui.introd. Iſa.54.C
Stomachus & ſplen mouentur ad motum reſpiratoriorum organorum. 1°.de diff.reſp. 3ª.59.H
Stomachi orificium inferius dilatando,& conſtringendo mouetur,horis tamen determinatis.de ana.viuo. Sp.56.E
Stomachi quę pars calidior.de ana.viuo. Sp.50.A
Stomachi officia quæ.intr. Iſa.54.B
Stomachi oris actio eſt deſiderium.de mot.man.& obſ. Sp.70.H
Stomachum inſatiabiliter cibum appetentẽ propter lumbricos inteſtina occupantes liberat Theriaca.de ther.ad Piſo. 5ª.96.A
Stomachus & æſophagus obediũt volũtati.de mot.man.et obſ. Sp.68.E
Stomachi,& inteſtinorum virtus naturalis.de mot.man. Sp.69.C
Stomachus naturaliter deducit in ventriculum.15°.de vſu par. 1ª.213.B
Stomachus vas eſt nutrimenti.intr. Iſa.54.B
Stomachus habet triplex nutrimentum.de ana.viuo. Sp.50.A
Stomachus vnde alatur.com.2°.aph.17°. Ex.13.A
in Stomacho vertitur cibus in lacteum ſuccum.de comp.mem. Sp.58.H
Stomachus non digerit vt nutriat oĩa mẽbra.de mo.m.& obſ. Sp.68.A
in Stomachi fundo ſunt preponendi cibi duræ & tardę digeſtionis. de diſſ.cont. Sp.71.H
Stomachus amplectitur cibos qui illi placent,& melius digerit:vnde ex malis ſiunt boni quandoq;.com.2°.apho.38°. Ex.17.G
in Stomacho natans cibus non digeritur.de diſſ.cont. Sp.71.H
in Stomacho ſi cibus natet,quibus cibandum.de diſſ.cont. Sp.71.F
in Stomacho qui cibi velociter corrumpantur.de diſ.cont. Sp.74.H
in Stomacho qui cibi corrumpantur vti venenum.de diſſ.con. Sp.75.A
in Stomacho ciborũ qui velociter non corrumpuntur, qui meliores.de diſſol.cont. Sp.75.A
de Stomacho ſi cibus ante digeſtionẽ deſcẽdat,qd agẽdũ.de diſ. Sp.75.A
Stomachus quando ante coctionem facit deſcendere cibum, quid agẽdũ. de diſſ.cont. Sp.71.F
de Stomacho & inteſtinis qñ difficulter deſcẽdit ſupfluitas cibi, indigemus his quæ deſcẽdere faciãt,& vẽtrẽ mollificẽt.de diſſ.cõ. Sp.71.G
de Stomacho cibum facit deſcendere vinum.de diſſ.cont. Sp.72.A
Stomachi vis expulſiua naturalis eſt,non voluntaria.de mot. Sp.68.G
ꝑ Stomachũ deteriꝰ excremẽta q̃ ꝑ anũ trãſmittunt.5°.de vſu. 1ª.147.A
ad Stomachum octo muſculi ita compreſſione ſua pellunt, ſicuti ad anũ. 5°.de vſu par. 1ª.147.A
Stomachus per quas partes expurgat.2°.de arte cur.ad Gl. 7ª.102.H
de Stomacho quæ educantur.de cathar. Sp.94.G
STOMACHVS *cur patiatur maxima ſymptomata.1°.de ſym.* 3ª.18.E
in Stomacho velociter Aceſcunt, & incenſionem faciunt medullæ, & vinum nouum craſſum nigrum ponticum.de diſſ.cont. Sp.74.F
Stomachi acetoſiati,& punctioni quid conferat.ſecr. Sp.102.E
Stomachi Aduſtioni quid proſit.ſecr. Sp.98.E
Stumacho Aeſtuoſo quid agendum.8°.de com.me.ſe.lo. 5ª.192.A
Stomacho ijs,qui exuruntur quid cõmodũ.8°.de comp.med. 5ª.189.G
Stomachi æſtu feruentibus prodeſt Polygonõ.8°.de ſim.me.fa. 5ª.58.H
ad Stomachum æſtuantem valet theriaca.de ther.ad Piſon. 5ª.91.F
Stomachi Affectiones variæ,quales.de pul.ad Tyr. 4ª.46.D
Stomachi affecti pulſus qualis.de pulſibus ad Tyrones. 46. D| 4°. de cau.pul. 4ª.103.C
ad Stomachi affectus hectica ſequitur.1°.de diff.feb. 3ª.35.F
in Stomachi affectibus,& cœliacis cur datur opium.8°. de comp.med. ſec.loc. 5ª.190.B
ad Stomachi affectus longos.8°.de compoſ.med.ſec.loc. 5ª.196.H
Stomachi Ardore æſtuantis admodum vtile epiplaſma eſt cotyledon.7°. de ſim.med.fac. 5ª.52.F
ad Stomachi ardorẽ oriza cum butyro conuenit.8°.de compoſi.medicamentorum ſecundum locos. 5ª.192.A
ad Stomachi ardorẽ cũ ſyncope,ſorbitiões.8°.de com.me.ſe.l. 5ª.191.H
ad Stomachi ardorem Adipſon catapotiũ ſitim extinguẽs.8°.de comp. med.ſec.loc. 5ª.189.G
ad Stomachi ardorem.8°.de compo.medicam.ſecundum lo. 5ª.189.G
Stomachi ardore ructui malo electarium vtile.de dyn. Sp.26.C
Stomachus vnde fiat Aſper.de cau.mor. 3ª.9.C
Stomachi aſperitatibus medetur ouum.11°.de ſimplic.med.fac. 5ª.82.G
in Stomacho Bilis quid faciat.de ſper.36.H|de ana.viu. Sp.45.F
in Stomacho quando generatur bilis velociter multa cõueniunt, quę extinguunt acuitatem choleræ,aut quod prætermittantur res generantes ipſam.de diſſ.cont. Sp.71.F
Stomacho bilioſo malũ punicũ eſt optimus cibus.10°.meth.med. 7ª.62.E

ad Stomachi

ad Stomachi Calidã,& humidã affectionẽ.8°.de cõp.me.ſe.l. 5ª.189.G
ad Stomachũ calidiorẽ affectionẽ habẽtẽ.8°.de cõp.me.ſe.lo.5ª.189.A
in Stomacho calido pituita quid faciat,& quibus mundificetur.de diff. continua. Sp.74.E
Stomacho & reliquo corpe calido cõueniũt cibi acetoſi.de diff. Sp.72.F
in Stomacho Carnoſa naſcuntur,quæ impediũt viã.3°.de ſym. 3ª.25.G
Stomachnm Comburunt ficus nimium comeſtę.de ſimp.med. Sp.84.C
Stomachi combuſtioni quid conferat.ſec. Sp.98.D
Stomachi vitium facit Comitialem morbum carum, comã, catalepſim, delirium,& melancholiam.1°.de ſympt.cau. 3ª.18.F
Stomachus ad hepar qũo quandoque cõpatitur.cõ.7°.aph.17°. Ex.55.D
Stomachus cõpatit̃ patiẽte hepate & è contra.cõ.6°.aph.16°. Ex.47.F
Stomachus cur patiatur in paſſione ſplenis.de ana.viuo. Sp.51.A
ad Stomachi Compreſſionem.de med.fac.par. 7ª.176.D
Stomachum Corrumpit vomitus frequens.de dyn. Sp.19.H
Stomacho laborãtibus abſtinẽdũ à vomitu 10° quoq; die.de dy.Sp.19.H
Stomachus intẽdẽs expellere quæ ſunt in fundo expellit per vomitũ,quę aũt in ore per ſingultum,& iſta ſunt penitiora.cõ.6°.a.39°.Ex.50.G
Stomachi Conuulſio eſt ſingultus.com.5°.aph.4°. Ex.37.F
circa Stomachum Cruditates faciunt multos affectus.8°.de compo. medicamentorum ſec.loc. 5ª.191.G
Stomachi Debilitas ſignũ humectati & infrigidati corporis.ſe. Sp.98.G
Stomachus debilis quibus ſit nutriendus.de diff.cont. Sp.71.F
Stomachũ debilẽ & mollẽ rectificant cibaria ſtyptica.de diff. Sp.74.D
Stomachum debilem confortans electarium.de med.exper. Sp.108.A
Stomachum debilem confortans medicina.de med.exper. Sp.105.A
ad Stomachi debilitatem,& ventoſitatem.de dyna. Sp.27.C
ad Stomachi debilitatem.8°.de com.me.ſec.loc.5ª.189.G| de med.fac. par.7ª.166.D|ſecret. Sp.98.D
Stomachis cibos nõ Digerẽtibus valet diatriõpipereũ.de dyn. Sp.26.H
in Stomachi Diſtentione venæ ſectio conuenit. 8°.de compoſi.medi.ſecun.loc. 5ª.192.D
in Stomachi diſtentione aluum ſoluit glande per ſuppoſitũ.8°. de comp. me.ſe.loc. 5ª.192.D
Stomacho Dolorem maxime infert ſcammonium.de dyna. Sp.20.H
Stomachum quibus doloroſa affectio infeſtat,illis paruus & denſus ſpiritus eſt.1°.de diff.reſp. 3ª.59.H
circa Stomachum aut ſplenis caput,aut ſeptũ trãſuerſum,ſi dolor extet, ſpiritus denſus & paruus fit.3°.de diff.reſp. 3ª.71.C
Stomachi dolorẽ multũ in fœmina ſignat vrina acterica.de dyn.Sp.35.D
Stomachi dolorẽ ſupius,& genus,& coxæ,& renũ ſignat vrina ſi ſupi⁹ claritatẽ habuerit,et iferi⁹ nebuloſa,et ſubliuida fuerit.de dy.Sp.35.D
Stomachi dolores ſignificant lũbi dolentes.in 1m.pror.cõ.3°. 4ª.185.B
Stomachi oris dolores quando boni,& qñ nõ boni.1°.de criſ. 4ª.128.B
Stomachi dolores quibus leniuntur.8°.de comp.med.ſec.loc. 5ª.192.A
Stomachi dolores mitigatorium.de med.fac.par. 7ª.159.C
ad Stomachi dolorem maſtiche.de med.exper. Sp.106.D
Stomachi,& capitis dolorem tollens electarium.de dyn. Sp.23.D
ad Stomachi dolorẽ ex frigiditate facit triphera magna.de dy. Sp.26.D
Stomachi doloris,& rugitus,remedia.de dyna. Sp.26.H
ad Stomachi dolorẽ et cõcuſſionẽ cũ vẽtris dolore,rem.de dy. Sp.27.A
ad Stomachum dolentes.8°.de comp.me.ſe.lo. 5ª.188.G
ad Stomachi dolores, & diſplicentias ſedandas bonũ quid ſit. 8°.de cõpoſi.me.ſec.loc. 5ª.192.B
ad Stomachi dolores.7°.de com.me.ſec.lo.182.G|7°.de cõp.me.per ge. 5ª.266.G|de med.fa.par.166.D|7ª.176.C|ſecr.98.E| Sp.99.E|G
ad Stomachi dolorem faciens ſcliroſmon.de dyn. Sp.28.C
ad Stomachi & hepatis dolorem,remedium.ſecr. Sp.97.B
Stomacho laborantibus caput dolere ſolet,cum ſurgunt è lecto. de rem. par.fac. 7ª.153.G
ex Stomacho dolor capitis quomodo fiat.2°.de com.me.ſec.lo.5ª.135.A
ex Stomacho capitis doloris curatio.2°.de com.me.ſec.loc. 5ª.136.H
Stomachus ſi ex capite ægrotet,qũo curãdus.6°.de ſan.tuen. 2ª.100.A
ad Stomachũ cur à capite materia trãſmittat.2° de diff.feb. 3ª.40.H
Stomacho inanito fit Epilepſia.de ven.ſect.aduerſ.Eraſ. 6ª.14.F
pp Stomachi vitiũ q vexãtur epilepſia.de ve.ſect.aduer.Eraſ.6ª.14.G
Stomacho Exoluto,& nauſeabundo facto quid conueniat.8°. de compoſitio.med.ſec.loc. 5ª.192.B
Stomacho qui exoluuntur cum exolutione,aut animi deliquio, aut appetentia perdita,quid exhibendum.8°.de comp.medic.ſec.lo. 5ª.191.H
Stomachum exolutum,& languidum roborare poſſunt mala auſtera, et acida.7°.de ſimplicium medicamentorum facult. 5ª.55.H
Stomachi Exulcerationis ſigna.intro. Iſa.57.C
Stomachi exulcerationis curatio.intro. Iſa.57.C
Stomachus Faſtidiũ patitur,ſi venæ,hepar,meſaraicæ,inteſtina oppilationem patiuntur.de ana.viuo. Sp.49.G
Stomachi faſtidia creat,non nutrire.4°.de ſan.tuen. 2ª.84.E
Stomachi faſtidia ἄσσαι Græci vocant.4°.de ſan.tuen. 2ª.84.E
Stomachi faſtidio & debilitate vtile eſt omphacomeli.de dyna. Sp.22.C
Stomachum faſtidientem habuit Galenus.2°.de loc.aff. 4ª.12.G
in Stomacho Flãmam habentibus medicina cõferens.de me. Sp.104.H
ex Stomacho Flatuoſo ad capitis dolores.2°.de cõp.med.ſe.lo. 5ª.135.C
Stomachi fluxibilitati valens electarium.de med.exper. Sp.108.B
ad Stomachi fluxionem.7°.de compoſiti.med.ſec.loc. 5ª.185.A
Stomachi fluxus reſiccat graminis herbæ ſemen, quę in Parnaſo naſcitur.6°.de ſim.me.fac. 5ª.41.C
Stomacho fracto,& cibos faſtidienti conuenit medicamentũ ex prunis. 6°.de compoſitione medic.ſecundum locos. 5ª.169.A
ex Stomacho qũo Frigeſcant cerebrum,& cor.1°.de ſymp. 3ª.18.G
Stomachus,& hepar qñ ſunt frigidi,q cibi ſummẽdi.de diff.cõ. Sp.71.F
Stomacho frigido valens medicamen.de med.exper. Sp.104.E
ad Stomachi frigidi infirmitatem valens medicamen.de med. Sp.105.H
ad Stomachi frigidos affectus.8°.de compoſi.med.ſec.loc. 5ª.189.D
ad Stomachi frigiditatem,& humiditatem.de med.exper. Sp.107.E
ad Stomachi frigus,& eius corruptionem.ſecre. Sp.98.G
Stomachi fumum quando caput recipit,fit ſectio venarum poſt aures.de ana.viuo. Sp.55.A
à Stomacho aſcẽdẽte fumo craſſo,fit qñq; epilepſia.de vtil.re. Sp.63.F
Stomacho Grauato ac morſo,pulſus fiũt iæquales.3°.de criſ. 4ª.144.E
Stomachum grauant cibi multi nutrimenti.de diff.cont. Sp.73.E
Stomachi Humiditatis curatio.introd. Iſa.37.C
pro Stomacho ob multam humiditatẽ & exoluto pharmacũ conueniẽs. 8°.de comp.medic ſec.loc. 5ª.191.D
ad Stomachi humiditatem,medicamen.de med.exper. Sp.108.A
in Stomachum imbecillum habentibus fit vt venter deijciat cum poſtremis epulis adſtringẽtiũ quidpiã ſumpſerint.2°.de alim.fac. 2ª.20.C
Stomacho imbecilli abſynthium conuenit.de opt.ſec. Iſa.23.H
Stomachum imbecillum & exolutum roborare poteſt cucurbitula.de cucurbi.ſcarif. 6ª.3.F
circa Stomachum cucurbitulæ ſtomachicos iuuant in dolore. 8°.de compo.med.ſec.loc. 5ª.192.D
ad Stomachi imbecillitatẽ oẽm valet diatriõ pipereõ.de dyn.Sp.26.H
Stomachi imbecillitatibus conuenit reſina lentiſcina.8°.de ſimplic.med. facultat. 5ª.59.F
ad Stomachi imbecillitates.de med.fac.par. 7ª.166.C
in Stomacho Inciſionem facit batheca.de diff.cont. Sp.74.F
ad Stomachum Infirmum,Antidotus.2°.de antid. 5ª.113.D
Stomachi Inflammationis ſigna.intro. Iſa.57.C
Stomachus aut venter inflammatus aut ſeptum tranſuerſum inducunt difficilem ſpirationem.2°.de diff.reſp. 3ª.65.H
Stomachi inflammationis magnitudine qui febricitant, ijs in principijs acceſſionũ aduertit animi defectus.1°.de arte cur.ad Glau. 7ª.98.F
ex Stomachi inflammatione exit aliquid.13°.meth.med. 7ª.84.H
Stomachi,& iecoris inflammatio indurata,quibus curetur.8°.de comp. med.ſec.loc. 5ª.187.E
Stomacho inflammato cum humectatione,quid faciendum.8°.de comp. med.ſec.loc. 5ª.192.B
Stomachi inflammationibus cõpetit maſtiche.7°.de ſim.med.fac.5ª.55.C
Stomachis phlegmonis prodeſt Schini flos.8°.de ſimp.med.fa. 5ª.61.H
Stomachi inflationis curatio.intr. Iſa.57.C
Stomacho inflatis,& diſtentis quæ conueniant.8°.de cõpoſi.medicamentorum ſec.loc. 5ª.192.C
Stomacho inflato ob bilem atram quid conueniat.8°.de compoſi.medic. ſec.loc. 5ª.192.B
Stomachi Inflatiões,et tẽſiones petroſelinũ remediat.de ſim.m.Sp.89.C
Stomachi Languorem vinum abſynthio medicatum epotum abſtulit. de theria.ad Piſonem. 1ª.90.D
in Stomacho quid faciat Melancholia.de ana.viuo. Sp.45.F
Stomachum valde mordicat cedri fructus.2°.de alim.fac. 2ª.19.C
Stomachum Mordet iuniperi fructus.2°.de alim.fac. 2ª.19.C
Stomachi morſum,nauſeam,& vomitum bilioſum faciunt fracturæ capitis.3°.de loc.aff. 4ª.18.C
Stomachus vni mordetur,alteri nõ ex ſucco ptiſſanæ,pane loto,& chõdro.2°.de ſimp.med.fac. 5ª.12.E

Stomabi mor-

Stomachi mordicationi ſymptoma ſuccedens verbū καρδιώττειν ſignificat.2°.de alim.fac. 2ª.20.E
Stomachi morſus ſignū eſt futuri vomitus.in 1m.pror.cō.1°. 4ª.168.E
Stomachus mordens oleo dulciſſimo eſt ſanatus.2°.de ſimplicium medic. facultatibus. 5ª.12.E
Stomachi morſus ſanat ſpica nardi.8°.de ſim.med.fac. 5ª.56.G
ad Stomachi morſum ſentientes.8°.de com.me.ſe.lo. 5ª.191.G
Stomachi oris mordicationibus cōfert ſectio furculæ.de ana.vi. Sp.55.B
Stomachum Mundum ſi inueniunt poma, & granata acetoſa ſtringunt ventrem.de diſſ.cont. Sp.75.B
Stomachum quæ aliquando mundificant.de diſſ.cont. Sp.75.B
Stomachus quo abſtergatur, & mundificetur.de diſſ.cont. Sp.74.G
Stomachū mūdificāt cibi incidētes pituitā, & q ſint.de diſ.cōt. Sp.74.E
Stomachum mundificant cibi ſalſi.de diſſ.cont. Sp.72.F
Stomachi Paralyſis quod nā ſymptoma vocat.3°.de ſymp.cau. 3ª.25.G
ad Stomachi Paſſionē valet lapis coralli ſuſpēſus ſuper ſtomachū. de incant adiur.& ſuſpen. 7ª.182.C
in Stomacho quando generatur Phlegma, oportet ipſum lauare, & abſtergere.de diſſ.cont. Sp.71.F
in Stomacho, ac reliquo corpore cū phlegma generatur ex craſſitie ciborum aſſumptorum, aut ex multitudine eorum, conueniunt cibi acetoſi.de diſſ.cont. Sp.72.G
in Stomacho pituitæ pleno, victus ratio.de med.fac.par. 7ª.175.H
Stomachis pituitoſis excrementoſisq; auſtera acida ſunt apta.7°. de ſimplic.med.fac. 5ª.50.H
Stomachus quibus phlegmate abundat, iis phlegmagoga danda ſunt.de dynamidiis. Sp.21.C
in Stomacho quod ex phlegmate incraſſatur, qd reſoluat.ſecr. Sp.101.F
in Stomacho phlegma reſoluens compoſitio.ſecr. Sp.101.H
Stomachi pituitā detrahēs medicamētū lauatū.de med.fa.par. 7ª.178.E
Stomachum pituitæ plenum, & capiti dolorem inferentem roborantia. quæ.de med.fac.par. 7ª.175.H
Stomacho quæ ponuntur extra, quando eſt plenus pituitæ.8°.de compoſitione medicam.ſec.loc. 5ª.192.A
Stomachū Pungit mel in copia, & facit inciſionē.de diſſ.con. Sp.74.F
Stomachum purgans, vnguentum.de dyna. Sp.23.D
Stomachi Refrigerationi cōparatur refrigeratio cordis.de ana. Sp.47.F
ad Stomachū refrigerādū, & corroborādū.8°.de cō.me.ſe.lo. 5ª.189.G
in Stomacho fit Relaxatio.de mul. 3ª.78.G
Stomachum relaxat polium.de ſimp.med. Sp.89.A
Stomacho Rheuma nocet.de dyna. Sp.20.E
ad Stomachi rheumatiſmū malagma.7°.de comp.med.per g. 5ª.266.E
Stomachus Robuſtus per quæ cognoſcatur.de conſt.ar. Iſa.42.B
Stomachum robuſtum habentibus cathartica damus.de dyna. Sp.20.F
ad Stomachi Roſionem ſium facit.de ſim.med. Sp.91.D
in Stomacho Saliuam multam qui aggregant, quomodo curandi. 8°. de compoſi.med.ſec.loc. 5ª.192.A
in Stomacho ſanguinem congelatū, quid diſſoluat.de cur.lap. Sp.112.H
Stomacho affecto, Singultus frequenter fit.3°.de loc.aff. 4ª.20.A
Stomacho ſingultus talis eſt, qualis cōuulſio neruis.cō.7°.a.3°.Ex.54.B
Stomacho Spiritus difficultatis remedia.de med.fac.par. 7ª.171.G
in Stomacho vnde fiant Stercora.de ana.viuo. Sp.50.D
Stomachum Stringi ab omnibus dicitur, & quid ſit.2°.de lo.af. 4ª.12.G
ad Stomachi Subuerſiones, & quid ſit ſtomachi ſubuerſio.8°. de comp. med.ſe.lo.189.E/F/G/ 5ª.190.H
Stomachi ſubuerſio fit aut propter calorem, aut propter anxietatē, ſiue propter aliquam infirmitatem.de dyna. Sp.20.H
Stomachum ſupinant languentibus aqua, melicratum, clondrus, et oua. de vict.rat.in mor.acu.com.1°. 7ª.111.E
Stomachum non euertit agreſtis cucumerus.de dyna. Sp.21.H
Stomachum ſubuertit fœnu græcum.1°.de alim.fac. 2ª.14.E
Snomachum ſubuertunt graueolentia.8°.de comp.med.ſec.lo. 5ª.190.B
Stomachum ſubuertunt iniocunda.6°.de com.me.ſe.lo. 5ª.168.C
Stomachū ſubuertunt, reſupinant, & vomitum cient inſuauia.2°.de alimentorum facul. 2ª.19.E
Stomachum euertit ſcammonium.de ſimp.med. Sp.90.D
Stomachi ſupinitates quibus curentur.8°.de compoſi.medicamentorum ſecundum locos. 5ª.189.H
Stomachus quando ſubuertitur ex aquæ potu, da malum punicum. 2°. de com.med.ſe.loc. 5ª.133.D
Stomachi ſubuerſio quibus fit, aloem damus.de dyna. Sp.20.H
ad Stomachi ſubuerſiones Origeniæ catapotia bona. 8°. de comp.med. ſecundum locos. 5ª.189.F
ad Stomachi ſubuerſionem.7°. de compoſit.medicam.ſecundum locos. 186.A/8°.192.G/9°. 5ª.203.A
ad Stomachi ſubuerſiones doloreſq;, & inflammationes.8°. de compoſ. med.ſec.loc. 5ª.192.G
ad Stomachi ſubuerſiones voluuloſas.8°.de cōp.me.ſe.lo. 5ª.150.A/D
ex Stomacho affecto oculi infeſtantur affectibus ſimilibus Suffuſioni. 3°.de locis affectis. 4ª.14.E
ex Stomacho fiunt ſymptomata ſuffuſorum.2°.de compoſi.medicamen. ſecundum locos. 5ª.135.A
Stomachi ſuffuſio quomodo cognoſcatur.de ocul. 7ª.187.D
Stomachus Supinus quid, & quo modo fiat, & quo modo.8°. de compoſitione medic.ſec.loc. 5ª.189.D
Stomachi vitio Syncope qualis.5°.de loc.aff. 4ª.32.H
ex Stomacho vel corde affecto ī ſyncopis pulſus, q.de pul.ad. 4ª.45.E
ex Stomachi ſyncopa licet manus ſint imbecilles, tamen non habēt affectum.5°.de loc.aff. 4ª.35.C
Stomachi vitio ſyncope facta qūo mori cōtingat.5°.de loc.aff. 4ª.29.B
in Stomacho afflicto ſyncope qūo curetur.11°.meth.med. 7ª.70.F
Stomachus loco facit ſitim.de victus rat.in mor.acu.com.4°. 7ª.134.E
ad Stomachi tenſionem, remedium.de dyn. Sp.27.H
Stomacho Turbationem infert vinū nigrū dulce.de ſimp.med. Sp.92.B
in Stomacho Ventoſitatem generat lac & mel, quando non coquuntur. de diſſ.cont. Sp.74.G
Stomachi ventoſitatem ſignificat vrina ſuperius.de dyna. Sp.35.E
ad Stomachi ventoſitatem, & dolorem, remedium.de dyna. Sp.26.H
Stomachi vitia, quæ.introd. Iſa.57.C
ad Stomachi vitia valet antidotus Archiuij quæ Ambroſia, & ſacra dicitur.2°.de antidotis. 5ª.115.H
Stomachi vitiis mederi ſolet theria.de ther.ad Piſo. 5ª.96.A
Stomachi vitiis thymus aptiſſimus.de ſimp.med. Sp.91.G
ad Stomacho laborantes.6°.de comp.med.per gene. 5ª.256.A/ de med. fac.par.166.C/172.E/173.F/G/175.G/7ª.176.D/de dyn. Sp.26.H
ad Stomachi præcordiorūq; vitio laborātes.de med.fac.par. 7ª.166.C
ad Stomachi voluuloſas affectiones.8°.de comp.med.ſec.loc. 5ª.190.H
ad Stomachum.de med.fac.par. 7ª.175.D/E
Stomacho quæ inimica.6°.de ſimplic.med.fac. 5ª.40.D
Stomachi oris ſenſus qui nō fert Acetū, & ſinapi.3°.de lo.aff. 4ª.20.G
Stomacho infeſta eſt Amaranthum.6°.de ſimplic.med.fac. 5ª.42.E
Stomacho nocet Ampelopraſum.6°.de ſimp.med.fac. 5ª.42.E
Stomacho inimicum eſt Aphronitrum.9°.de ſimp.med.fa. 5ª.70.A
Stomachum non iuuat ſuccus Aqueus, & qualitatis expers in omnibus fructibus.2°.de alim.fac. 2ª.19.G
Stomacho infenſus eſt Arbutus.7°.de ſimp.med.fac. 5ª.52.A
Stomacho noxiū eſt Atramētū ſutoriū.6°.de comp.me.ſe.lo. 5ª.169.A
Stomacho valde obeſt atramentum ſutorium, & eſt contrarium humanæ naturæ.8°.de compoſit.medic.ſec.loc. 5ª.190.A
Stomacho cur malum eſt Cathaſ.de diſſ.cont. Sp.74.E
Stomacho mala ſunt Cerebra oīa, & cū qbus edēda.de diſſ.cō. Sp.74.F
Stomacho minus grata ſunt Dulcia, & quæ ſunt in inteſtinis magis ſubducunt.7°.de ſimp.med.fac. 5ª.50.H
Stumacho ingratus Epimelis fructus, et capitis dolorem facit.6°. de ſimplicium me.facultatibus. 5ª.47.D
cur Stomacho malum eſt Fœnum grecum.de diſſ.cont. Sp.74.E
Stomachū afficiunt fungi, bupreſtes, cerufſa, gypſum, & lac coagulatū. 1°.de ſymp.cau. 3ª.18.G
Stomacho Lac eſt malum propter velocitatē immutationis eius nature. de diſſ.cont. Sp.74.F
in Stomacho ne caſeetur lac, quid agendum.de diſſ.con. Sp.73.H
Stomachum ledit, non Nutrire.4°.de ſan.tuen. 2ª.84.E
Stomacho cur malum eſt Olus Iamenum.de diſſ.cont. Sp.74.E
Stomachus vbi male affectus, vitandum eſt Opium & caſtoreum. 7°.de comp.med.ſec.loc. 5ª.178.E
Stomacho cur Rapæ ſunt male, qn̄ nō valde coquunt.de di.cō. Sp.74.E
Stomacho non eſt inimicum Sacchar, nec facit ſitim vt mel.7°.de ſimp. med.fac. 5ª.55.E
Stomacho non obeſt Scammonium in cydonio.1°.de alim.fac. 2ª.9.B
Stomacho Seſamum cur eſt malum.de diſſ.cont. Sp.74.E
Stomacho Sicla cur eſt mala.de diſſ.cont. Sp.74.E
Stomachum labefactat Venus.in 3m.de mor.vul.com.1°. 3ª.130.C
in Stomacho, & corde ſemen mutat in calidū & ſiccū.de ſper. Sp.36.H
Stomacho quæ qualitates conueniant.8°.de ſim.me.fa. 5ª.56.H

Stomachū iuuantia ſunt mediocris facultatis.de atten.vict. 2ª.44.D
Stomachum quæ roborent.6°.de ſan.tuen.2ª.99. D/8°. de com.med.ſecundum locos. 5ª.191.G
Stomachum roborantia,& corrugantia.de diſſ.cont. Sp.74.E
pro Stomachi ore quæ faciant.8°.de compoſi.med.ſec.loc. 5ª.187.D
Stomachi ſummum remedium eſt Abſinthium ex melicrato, vbi infeſta uerit bilis.1°.de arte cur.ad Glauc. 7ª.97.B
Stomacho grata ſunt Adſtringentia.3°.de ſimp.medicam.fac. 20.C/6°. 42.F/ 5ª.45.E
Stomacho grata ſunt adſtringentia amara.8°.de ſim.med.fa 5ª.60.G
Stomachum roborandi vires habet Aloe.quòd ani.mor.1ª.317.D/8°. de com.me.ſe.lo.5ª.188.F/de cathar. Sp.94.E
Stomachi os confortant drachmæ duæ aloes.de med.exper. Sp.106.E
Stomacho grata ſunt Amara & ſubacerba.6°.de ſimp.me.fac.5ª.48.B
Stomachum iuuans antidotus.2°.de antid. 5ª.111.F
Stomacho gratus eſt ſuccus Auſterus.2°.de alim.fac. 2ª.20.G
Stomachum magis iuuāt Autumnales fructus melopeponibus.2°. de aliment.facul. 2ª.17.B
Stomacho Caricæ vtiles ſunt.de ſimp.med. Sp.84.C
Stomachū qūo cortex Citri alleuiat,& aggrauat.de diſſ.cont. Sp.74.E
Stomacho quæ Craſſa ſint apta.7°.de ſimp.med.fa. 5ª.50.H
Stomachum confortans Electarium.de med.exper.107.B/ Sp.108.C
Stomachum confortat decoctio corticis Fiſtici.de med.exper.Sp.104.D
Stomachus quomodo roboratur Fumoterræ.7°.de ſim.me.fa. 5ª.49.G
Stomacho amicum Gingidium eſt.6°.de ſimplic.med.facultat. 5ª.45.E
Stomachum adhęſum adiuuat Iaſpis viridis.9°.de ſimp.med.f.5ª.67.D
Stomachum corroborat Lens bis cocta.1°.de alimen.fac. 2ª.13.E
Stomacho optimum Lentiſcum.de ſimp.med. Sp.86.A
Stomacho vtile eſt Libiſticum.de ſimp.med. Sp.85.H
ad Stomachi firmitatem,& robur,vtimur Malis, Piris, Meſpilis,& Punicis,vt medicamentis.de bon.& vitio ſucc. 2ª.37.F
Stomacho valent mala ceſtiana cocta:cruda enim ſunt auſtera.2°.de cōpo.me.ſec.loc. 5ª.133.D
Stomachum erigit Malum granatum.de ſimp.med. Sp.87.C
Stomacho commoda Maſtiche eſt.8°.de comp.med.ſec.loc. 5ª.189.A
Stomachū debilem cōfortat decoctio maſtiches.de me.exper. Sp.104.D
Stomachum calefacit maſtiche.de med.fac.par. 7ª.175.H
Stomachum confortans Medicamen.de med.exper. Sp.105.G
Stomacho Menta valde apta eſt.de ſimp.med. Sp.87.D
Stomacho conueniens eſt Myrta.de ſimp.med. Sp.87.E
Stomachū roborāt Mororū rubi ſuccus.6°.de com.me.ſec.loc.5ª.169.A
Stomachum non roborat mororū ſuccus.6°.de com.me.ſe.lo.5ª.169.A
pro Stomacho medicamentū ex Nucibus.7°.de ſimp.med.fac. 5ª.50.B
Stomachum corroborant Odorata.de comp.med.ſec.loc. 5ª.190.B
Stomacho conferentes vires habet Oenanthe.de ſimp.me. Sp.85.E
Stomachū mediocriter iuuant Olera ſpinoſa.2°.de alimen.fac. 2ª.23.D
Stomachum roborant Oliuæ cum oleo repoſitæ,& appetentiā excitant. 2°.de alim.fac. 2ª.20.H
Stomacho virtutem præſtat Ouum ſemicoctum.de ſimp.med. Sp.88.E
Stomacho gratum eſt Pelecini ſemen.6°.de ſimp.medic.fac. 5ª.48.B
Stomacho melius & aptius eſt album Piper,& ad quem vſum.2°. de ſanitate tuenda. 2ª.99.B
Stomacho cōmodius, & acrius piper album quàm nigrum.9°. de compoſitione medicamentorum ſecundum locos. 5ª.201.D
Stomacho grata ſunt Pira.6°.de ſimp.med.fac. 5ª.43.D
Stomacho gratum Protropum eſt.8°.de compoſi.med.ſec.loc. 5ª.190.C
Stomachum confirmat Roſa.de med.fac.par. 7ª.175.H
Stomachum erigit Ruta.de ſimp.med. Sp.89.D
Stomachum corroborat Sinapis.de ſimp.med. Sp.90.G
Stomacho gratum Siſarum eſt.8°.de compoſ.med.ſec.loc. 5ª.192.C
Stomacho Siſari radix cocta grata eſt.8°.de ſimplic.medic.fac. 5ª.60.G
ad Stomachū rationabiliter cōuenit Spica nardi.8° de ſim.m.f.5ª.56.G
Stomacho omnia Suauia grata.2°.de alim.fac. 2ª.19.E
Stomachum corroborat vinum violaceum.de ſimp.med. Sp.92.B
Stomachum corroborat vinum cum pipere.de ſimp.med. Sp.92.C
Stomachū roborSt Duæ paſſæ,& pira.2°.de com.me.ſe.lo. 5ª.133.D
Stomachum confirmat,& corroborat zingiber.de ſimp.med. Sp.90.E
ad Stomachum roborandum.de med.fac.par. 7ª.176.G
Stomachum cuiuſdam qūo roborauit Galenus.6°.de ſan.tuen.2ª.100.H
Stomachus quomodo roboratus fuerit habenti aſſidue comitialem ſpaſmum.6°.de ſan.tuen. 2ª.100.H
ad Stomachū facile deſcendunt medicamēta.7°.de cō.me.ſe.l.5ª.184.B
ad Stomachum electarium.de dyna. Sp.27.C
Stomatho quo tempore apponenda malagmata,& inunctiones.8°.de cōpoſi.medicamentorum ſec.loc. 5ª.196.H
Stomacho commodum pharmachum.9°.de comp.med.ſec.loc.5ª.198.F
Stomachi vnctiones ſint modice adſtringentes, & quæ. 6°. de ſanitate tuenda. 2ª.99.A
Stomachus ſui domeſtici epilepticis conuenit.de puero epil. 7ª.180.G
Stomachus vide Ventriculus.introd. Iſa.57.H
STOMATICA medicamenta quæ.5°.meth.med.34.C/12°. 7ª.83.C
Stomatica quæ proprie appellentur.6°.de comp.med.ſec.loc. 5ª.169.G
Stomatica cur dicuntur medicamenta ad os ſpectantia.6°. de comp.medic.ſec.loc. 5ª.166.H
Stomatica per ordinē enumerat.6°.de com.me.ſe.lo. 5ª.167.F
Stomatica cōponēdi ratio ex ſuccis.6°.de compo.med.ſec.loc. 5ª.169.B
pro Stomaticis manſuetiſſima ſunt crocus,myrrha, & alumen. 6°. de ſimplicium medicam.facul. 5ª.171.E
Stomaticum efficit medicamentnm Rhus vterque muſto incoctus.6°. de compoſitione medic.ſecundum locos. 5ª.169.C
Stomatica illitio ad Anginas ex Beſaſa.6°.de cōp.me.ſe.lo. 5ª.170.F
in Stomaticis medicamentis in quibus hoc & illud ponitur, conſiderare oportet quid redundat.6°.de compoſiti.med.ſec.loc. 5ª.170.D
Stcmatica medicamenta fiunt ex cornis, & brabylis, ac prunis. 6°. de compoſitio.med.ſec.loc. 5ª.169.B
vt Stomaticum adſtringens vehementiſſimum faciat, punica cum corticibus tundit.6°.de com.me.ſec.loc. 5ª.171.F
Stomaticum Ariſtoclis.de compoſi.medic.ſec.loc. 5ª.170.D
Stomaticum Andromachi ex punicis.6°.de com.me.ſec.lo. 5ª.170.A
Sttomaticū Andromachi ex muſto.6°.de comp.med.ſec.loc. 5ª.170.B
Stomaticum Andromachi.6°.de comp.me.ſec.loc. 5ª.171.B
Stomaticū Aſclepiadæ ex hirundinibus.6°.de comp.me.ſe.lo. 5ª.171.A
Stomaticæ illitiones Aſclepiadæ.6°.de ſimplic.med.fac. 5ª.171.D
Stomaticum Critonis ex muſto.6°.de compoſi.med.ſec.loc.. 5ª.170.C
Stomaticū Critonis ex punicis.6°.de comp.med.ſecun.locos. 5ª.170.B
Stomaticum medicamentū id eſt ori gratum quod διὰμόρων dicitur.2°. de alim.fac. 2ª.18.G
Stomaticū medicamentum efficaciſſimum.6°.de ſimpli.me.fa. 5ª.45.D
Stomatica Galeni pro delicatis.6°.de ſimp.med.fac. 5ª.171.E
Stomaticum Harpocratis ex hirundinibus.6°. de compoſi. medicamentorum ſec.loc. 5ª.171.B
Stomaticum Meliti.6°.de ſim.med.fac. 5ª.171.D
Stomaticum Menecratis.6°.de ſimp.med.fa. 5ª.171.D
Stomaticum nullum conuenit oculis.12°.med.meth. 7ª.83.C
Stomatica quæ mulieres & qui viri nō ferāt.6°.de ſim.me.fac.5ª.171.E
STOMOMA quale.6°.de compoſitio.medicam.per genera. 5ª.258.C
Stomoma ferri vlcera vix ſanabilia curat.2°.de cō.me.per ge.5ª.220.B
Stomomatis ſquama qualis.9°. de ſimplicium medicamentorum facult. 69.H/4°.de com.me.ſe.loc. 5ª.151.E
Stomomatis ſquama ad vlcera maligna confer.4°. de compoſi.med.per genera. 5ª.236.F
Stomomatis purgatæ ſquamę.4°.de com.me.ſe.loc. 5ª.155.B
STORAX eſt odorata res & calida.com.5°.aph.59°. Ex.43.C
STRABILISMI ſunt eorum.qui in oculis habentur, muſculorum conuulſiones.2°.de ſymp.cau. 3ª.19.H
STRABISMVS quid.fin.med. Iſa.48.E
Strabiſmus oculorum vlceratio quædam.fin.med. Iſa.48.D
Strabiſmus eſt affectus totum oculum exercens.intro. Iſa.58.D
Strabiſmi in oculo quæ cauſa ſit.de anat.ocul. Sp.57.G
Strabiſmus in generatione qno modo fiat.de ana.ocul. Sp.57.G
STRANGVLANS minus proprie laqueus quomodo fiat.de la.7ª.308.F
Strangulantis laquei propria ratio.de laqueis. 7ª.308.G
STRANGVLATIO quid ſit, & vnde,& quomodo fiat.commentario 4°.apho.34°. Ex.31.B
Strangulationis anguſtia vnde ſit,& qūo.com.4°.aph.34°. Ex.31.B
Strangulatio ceruicis eſt affectus.introd. Iſa.59.C
Strangulatio ſuperueniens repente febricitanti, tumore non exiſtente in faucibus,letale.com.4°.aph.34°. Ex.31.B
Strangulatio repente cum magna febre ſemper interficit. comment.4°. aphoriſmo 34°. Bx.31.B
Strangulatio repente fit ſolum in gutture.com.4°.aph.34°. Ex.31.B
Strangulatio quando fiat tarde.com.4°.aph.34°. Ex.31.D
Strangulatio ſine dolore quomodo fieri poſſit. commentario 4°. aphoriſmo 34°. Ex.31.C

Strangulatio fit,

Strangulatio fit, ſi tuſſis fiat in hydrope, & tuſſis ſuperueniat. commentario 6°.apho.31°.& com.5°.aph.35°. Ex.40.F
Strangulatio quo modo fiat æſtate, ſi hyems aquilonia, & autumnus auſtralis fuerit.com.3°.aph.11°. Ex.21.A
Strangulationes excitantur, ſi cibus & potus guttur ingrediuntur. intro ductio. Iſa.54.C
ad Strangulationem ex fungis.ſecretorum. Sp.102.C
ad Strãgulationem à fungis deuoratis factã.de rem.par.fa. 7ª.160.H
STRANGVLATIO vterina quæ.com.5°.apho.35°. Ex.40.F
Strangulatio vuluæ quomodo cognoſcatur.de victus rat.in mor.acutis, commentario 4°. 7ª.152.G
in Strangulatu vteri quæ excitẽt olphatũ.9°.de cõ.me.ſe.lo. 5ª.205.G
ad Strangulationes vteri antidotus Apollodori.2°.de antid. 5ª.117.G
ad Strangulationes vuluæ Colica Sigonis valet.9°.de comp. medicam. ſec.loc. 5ª.202.G
ad Strangulationes vteri.7°. de compoſitione medicam.ſec.loc. 5ª.182. G/de med.fac.par.169.B/ 7ª.174.H
STRANGVLATORIS fungi vicem facere dicitur radix ephemeri. de ſimp.med. Sp.83.B
STRANGVLATI quibus ſpuma circa os fuerit non referuntur. com. 2°.apho.43°. Ex.18.C
Strangulati moriuntur, quibus ab angina ad pulmonem materia trãſit. com.5°.apho.10°. Ex.38.D
Strangulati paucam habent inſpirationem.com.4°.apho.34°. Ex.31.B
STRANGVLAT multitudo humorum: ideo extremas partes frigidas reddit.com.7°.aph.26°. Ex.55.G
Strangulat ſæpius ſu ppuratio pulmonis.com.7°.aph.8°. Ex.54.E
Strangulantur tabidi qui non poſſunt expuere.cõ.7°.apho.16°. Ex.55.B
Strangulat quandoq; veratrum album.de fract.com.2°. 7ª.235.F
à STRANGVLOSA circa pulmonem anguſtia vexatus crurum ſcari ficatione ſanatus eſt.de cucur.ſcar. 6ª.4.A
STRANGVRIA quid, & vnde dicta.fin.med. Iſa.44.B
Stranguria quid.fin.med. Iſa.47.G
Stranguria quæ.6° de loc.aff. 4ª.38.C
Stranguria ſymptoma eſt.2°.de ſymp.cau. 3ª.21.E
Stranguria in quo genere ſymptomatum ſit.de ſymp.diff. 3ª.13.F
Stranguriæ quatuor morbi ſecundum Cnidios medicos. de victus ratione in mor.acu.com.1°. 7ª.108.H
Stranguria quibus neglectis fiat.de dyn. Sp.20.A
Stranguria vnde fiat.3°.de ſymp.cau. 3ª.28.E
Strangurię cauſa.intr. Iſa.57.B
Strãguria ab acribus fit excremẽtis.in 3^{m}.de morbis vulg.c.1°.3ª.128.D
in Strãguria veſica qũo det vrinã in 3^{m}.de mor.vul.com.1°. 3ª.128.D
Stranguriam ſignificat vrina æruginoſa.de dyna. Sp.34.B
Stranguria ſi affligat, ſanguinẽ meiat & grumos, dolorq́; ad perinæũ ac epigaſtriũ incidat, ſignat circa veſicã ægritudinẽ eſſe.de vr.Sp.78.H
Stranguria repurgat totum corpus.in 1^{m}.de mor.vul.com.1°. 3ª.111.G
Stranguria in morbo peſtilenti bonum.in 1^{m}.de mor.vul.com.1°.3ª.111.F
Stranguria affectis vrinã ꝓuocat polygonon.8°.de ſim.me.fa. 5ª.58.H
Stranguriam curat drachma vna aſari.de med.exper. Sp.106.D
Strangurias ſanant folia onobrychis.8°.de ſimp.med.fac. 5ª.57.C
ad Stranguriam, quæ ex phlegmate fit, electariũ vtile.de dy. Sp.26.C
ad Stranguriam remedi um.de dyna. Sp.28.C
STRANGVRIOSVS, & nephriticus differunt.in 3^{m}. de morbis vul. commen.1°. 3ª.128.D
STRATIOTES qualis.8°.de ſim.me.fac. 5ª.61.D
Stratiotes aquaticus frigida & humida qualitate eſt. 8°. de ſimplicium med.fac. 5ª.61.D
Stratiotes niliacus quiddam refrigeratiuum habet.2°. de compoſi.med. ſec.loc. 5ª.132.G
Stratiotes terreſtris vlcera glutinare poteſt, ad ſanguinis eruptiones, & fiſtulas valet.8°.de ſimpl.med.fac. 5ª.61.D
Stratiotẽ dictũ librũ fecit Heraclides.4°.de cõp. med.per ge. 5ª.242.A
STRATONICVS præceptor Galeni.de atra bil. 1ª.35.D
ſm Stratonicum fœmina ex fœminæ, mas ex maris ſemine inualeſcente procreatur.2°.de ſem. 1ª.338.H
Στρεβλὸς id eſt tortus.de fract.com.2°. 7ª.240.G
STRENVVM quodpiam & audax animal non deſtituit nudum natura.1°.de vſu par. 1ª.113.C
STREPITVS quid ſignificet.in 6^{m}.de mor.vulg.com.3°. 3ª.172.B
STRICTOR qui.introd. Iſa.53.E
STRICTVRAS relaxat bdelium.de ſimp.med. Sp.81.C
Stricturas oleum relaxat leniendo.de ſimp.med. Sp.88.D
Stricturas mollit opopanax.de ſimp.med. Sp.88.B
ad Stricturam anhelitus.ſecretorum.98.E/de cura lap. Sp.112.B
STRICTI loci maris.in 3^{m}.de mor.vulg.com.3°. 3ª.140.H
Stricta vinculo reuocant ad contrarium.5°.meth.med. 7ª.30.F
STRIDERE dentibus ex natura cui affectui ſimile. in prognoſt. commentario 1°. 4ª.194.C
Stridere dentibus ex natura accidens eſſe nouit Galenus. in prognoſtica commenta.3°. 4ª.211.G
STRIDOR nomen poeticum eſt, non ciuile, neq; vulgare.3°.de different.pul. 4ª.60.B
Stridores quorum ſint ſymptomata.de ſymp.diff. 3ª.13.E
Stridor dentium quo modo fiat.in progn.com.1°. 4ª.194.B
Stridores dentium quibus eueniant.præſ.exper.conf. Sp.78.E
Stridor dentium malus, quibus non eſt ſanitatis tempore aſſuetus. in 1^{m}. prorrh.com.2°. 4ª.170.G
Stridor dentium inſaniam ſignificat.in prog.com.1°. 4ª.194.B
STRIGILE quod inſtrumentum ſit.de med.fac.par. 7ª.165.C
Strigile habebat concauitatem.5°.de loc.aff. 4ª.35.G
Strigilis forma qualis eſſe debeat.10°.de ſimp.med.fac. 5ª.75.C
per Strigilem veratrum album cum roſaceo tritum tepidum auribus inſtillat.3°.de comp.med.ſec.lo. 5ª.142.E/G
Strigili lauabantur Galeno tempore.4°.de ſan.tuen. 2ª.83.G
Strigili ſudor auferabatur.5°.de loc.aff. 4ª.35.G
Strigili detergebant ſudorem in balneis.13°.meth.med. 7ª.87.A
Strigili vtebantur.1°.de comp.med.ſe.lo. 5ª.128.A
Strigili ſpõgijs vtaris in balneis.de vict.rat.in mor.acu.cõ.3°. 7ª.132.E
STRIGMENTOSA ſordes rhypode dicta.2°.de compoſitione medicamentorum per genera. 5ª.218.C
Strigmentoſum.1°.de comp.me.per ge. 5ª.131.D
Strigmento ſum emplaſtrum.5°.de comp.me.per ge. 5ª.249.C
STRIGMENTA quibus ſubſiſtunt in deiectionibus, ſi pauca, paucus eſt morbus, ſi multa, multus: his confert alui purgatio, quòd ſi dederis ſorbitiones aluo non purgata, quanto plures dederis tanto magis lædes.com.7°.apho.64°. Ex.60.A
Strigmentum purum.2°.de comp.me.per ge. 5ª.224.H
Strigmentum puriſſimum.6°.de com.med.per ge. 5ª.262.A
Strigmenta balneorum emolliunt.6°.de ſimp.med.fac. 5ª.45.F
Strigmenta balneorũ ad ſicca liquanda.7°.de cõp.me.per gen.5ª.264.B
Strigmenti craſſitudo.1°.de comp.medica.ſec.loc. 124.B/126. C/127.A/ 131.F/2°.133.B/139.C/E/3°.146.B/148.C/4°.157.G/5°.161. B/E/F/6°. 168.E/169.G/172.A/7°.181.G/9°.200.F/203.F/205.E/4°. de comp. med.per ge.245.C/7°. 5ª.273.C
ad STRINGENDAM nauſeam vel fluxum.de dyna. Sp.27.H
ad Stringendum vomitum remedium.de dyn.27.H/ Sp.35.F
ad STRINGENDVM ventrem ex quacunq; cauſa antidotum.de dynamidijs. Sp.27.G
ad STRINGENDAM vuluam puluis.de dyna. Sp.29.C
ad Stringendam vuluam quaſi virgo ſit.de dyn. Sp.29.C
ad Stringendam vuluam confectio.de dyna. Sp.29.C
ad STRINGENDVM ſanguinem vndecunq; exeat.de dyn. Sp.30.D
ad Stringendum ſanguinem excreantibus datur ſymphytum. de ſimpl. medicam. Sp.90.F
ad Stringendum ſanguinem remedium.de dyn.27.E/ Sp.29.E
STRINGENDAE fiſtulæ remedium.de dyna. Sp.27.B
STRINGENS vocabulum generale eſt.2°.de loc.aff. 4ª.12.D
Stringentia ventrem ob craſſitiem, quæ.de diff.cont. Sp.75.B
Stringentia ventrem cum ſiccitate, quæ.de diff.cont. Sp.75.B
Stringẽtia vẽtrẽ cũ ſtypticitate, & põticitate, quæ.de diff.cont.Sp.75.B
Stringentes viribus ſunt radiculæ Anagallidis.de ſimp.med. Sp.80.G
Stringentes acriter vires, & quodammodo cauſticas Canum habet. de ſimp.med. Sp.83.C
Stringentes vires & acriter calfacientes habet Caſia fiſtula omnis. de ſimp.med. Sp.82.H
Stringentes acriter vires habet Chryſocolla.de ſimp.med. Sp.82.E
Stringentes vires habet Cornu ceruinum.de ſimp.med. Sp.83.C
Stringentes acriter vires habet omne Coſtum.de ſimp.med. Sp.82.G
Stringentes & bñ refrigerantes vires habet Cuculus.de ſim.m.Sp.83.C
Stringentes aliquatenus vires habet Cyperus.de ſimp.med. Sp.82.C
Stringentes leuiter vires Dictamum habet.de ſimp.med. Sp.83.D
Stringentes valde vires habet Huſtolex.de ſimp.med. Sp.85.C
Stringentes vires habet Hyoſcyamus.de ſim.med. Sp.92.D

Stringentes vires habet Mandragora.de ſimplic.med. Sp.87.C
Stringentes vires habet lapis Quadratus.de ſimplic.med. Sp.86.G
Stringentes vires habet Sedum.de ſimp.med. Sp.91.A
Stringentes efficaciter vires habet Sinopis.de ſimp.med. Sp.91.D
Stringentes valde vires habet terra erethria.de ſimp.med. Sp.85.A
STRINGI ſtomachum ab oĩbus dicitur,& qd ſit.2°.de lo.aff.4ª.12.G
Stringit Argenti ſpuma.de ſimp.med. Sp.90.F
Stringunt ventrem Caricæ.de ſimp.med. Sp.84.C
Stringit viſcide Calcanthum optimum.de ſimp.med. Sp.81.H
Stringit vehementer ſine mora Chalcitis.de ſimp.med. Sp.81.G
Stringere poteſt Coagulum.dc ſimp.med. Sp.83.C
Stringit Coriandrum,& refrigerat viſcide.de ſimp.me. Sp.82.E
Stringit Cryſtallus lapis.de ſimp.med. Sp.86.H
Stringit efficaciſſime Cytinus.de ſimp.med. Sp.87.C
Stringere viſcidiſſime poteſt Diphriges.de ſimp.med. Sp.83.D
Stringere acriter poteſt Eleliſphacos.de ſim.me. Sp.84.A
Stringit lachrymam oculorum Erythrodanum.de ſimp.med. Sp.84.B
Stringit vehementer Galla omnis.de ſimp.med. Sp.84.F
Stringit Glaucĩũ impetum lippitudinis,& lachrymas.de ſim. Sp.84.E
Stringit fluxum ſanguinis Gypſum.de ſimp.med. Sp.84.H
Stringit viſcide lapis Hematites.de ſimp.med. Sp.86.F
Stringit ventrem ſuccus Hordei immaturi.de ſimp.med. Sp.90.A
Stringentes acriter vires habet Hypericon.de ſimp.med. Sp.92.E
Stringit vehementiſſime Hypociſthis.dc ſimp.med. Sp.92.E
Stringit ventrem Hypericon.de ſimp.med. Sp.92.E
Stringere poteſt Ichthiocolla.de ſimp.med. Sp.85.E
Stringit ventrem Lenticula.de ſimp.med. Sp.86.B
Stringit viſcide Lep:s.de ſim.me. Sp.85.F
Stringit ventrem Malum granatum.de ſimp.med. Sp.87.C
Stringit Menta valde ſanguinis abundantiam.de ſimp.med. Sp.87.D
Stringit efficaciter lapis Morochthus.de ſimp.med. Sp.86.H
Stringunt fortiter Mora ſyluatica.de ſimp.med. Sp.87.H
Stringit ventrem apte ſuccus mororũ ſyluaticorũ.de ſimp.me. Sp.87.H
Stringit omne profluuium Myrta.de ſim.med. Sp.87.E
Stringit potenter Omphax.de ſimp.med. Sp.88.B
Stringit lachrymam collyrijs admiſtum Opium.de ſimp.med. Sp.88.B
Stringere viſcide pōt cũ aliqua acrimonia Pelecinus.de ſim.m. Sp.89.B
Stringit alienationes Periſtereon.de ſimp.med. Sp.89.C
Stringit nimium lapis Phrygius.de ſimp.med. Sp.86.H
Stringit ſyncere Piper omne.de ſimp.med. Sp.88.F
Stringunt,& ſiccant Plantaginis folia contrita cum pane impoſita. de ſimp.medic. Sp.89.A
Stringunt ventrem Poma, & granata acetoſa, ſi inueniunt ſtomachum malis,& craſſis humoribus mundum.de diſſ.cont. Sp.75.B
Stringit viſcide Portulaca.de ſimp.med. Sp.81.A
Stringit Pſyllium.de ſimp.med. Sp.89.A
Stringit efficaciter Rhu.de ſimp.med. Sp.89.E
Stringit Roſa ſuauiter.de ſimp.med. Sp.89.E
Stringit efficaciter Roſmarinus.de ſimp.med. Sp.89.D
Stringunt profluuium oẽ flos folia,& mora Rubi.de ſimp.me. Sp.89.E
Stringit fortiter Sandaracha.de ſimp.med. Sp.90.A
Stringit lachrymam Sarcocolla.de ſimp.med. Sp.89.G
Stringit viſcide Schiſtus lapis.de ſim.med. Sp.86.F
Stringit viſcide Smiris.de ſimp.med. Sp.87.A
Stringit minus Sorbus quàm meſpilus.8°.de ſimp.med.fac. 5ª.57.B
Stringit Stibium.de ſimp.med. Sp.90.A
Stringit viſcide Symphytum.de ſimp.med. Sp.90.F
Stringit efficaciter Terra chia.de ſimp.med. Sp.85.A
Stringit inſtantius Terra ſamia.de ſimp.med. Sp.84.H
Stringit fortiter Thus.de ocul. 7ª.189.C
Stringentes vires Thymus habet.de ſimp.med. Sp.91.G
Stringit magis Tragacantha quàm ſarcocolla.de ſimp.med. Sp.91.D
Stringit ventrem Tritici ſiligo.de ſimp.med. Sp.90.A
Stringit ſanguinem ex vtero ventoſa in mammis.de cathar. Sp.94.G
Stringit ventrem botrus vuæ immaturæ.de ſimp.med. Sp.92.B
STROBILINA reſina qualis.8°.de ſimp med.fac. 5ª.59.F
Strobilina reſina omnium calidiſſima eſt.2°.de com.me.per ge. 5ª.219.E
Strobilina reſina in duris tantum corporibus cõuenit.6°.meth. 7ª.37.G
Στρόβιλος quid ſignificet apud recentiores medicos. de victus rat. in morbis acutis,com.4°. 7ª.143.D
Στρόβιλον quid græci vocent.2°.de alim.fac. 2ª.19.D
Strobilon nucem pineam Grȩci vocarunt.de bon.& vitio ſucc. 2ª.35.F
Strobilon coni fructus quibus qualitatibus prȩditus.7°.de ſimplic.med. facultatibus. 5ª.53.H
Strobili in inflammationum arteriæ principijs leuiſſimi.7°.de com.med. ſecundum locos. 5ª.177.H
STRONGYLAE. 9°.de ſim.me.fac. 5ª.71.A
Στροφὴ quid.17°.de vſu par. 1ª.222.H
Στροφώματα quæ dicantur.de mach. 7ª.309.G
STROPHOS & ſortes tortiones inferuntur ob colocynthim.de dynamidijs. Sp.21.D
STROX & ſphinx voces difficiles prolatu. in 6ᵐ. de morbis vulgarib. commentario 5°. 3ª.188.G
STVRINAE ideſt ſcrophulȩ.de ſimp.med. Sp.87.G
ex STRVCTVRA faſciarum differentia.de faſcijs. 7ª.293.G
STRVMA quid.fin.med. Iſa.49.B
Struma,& choleras quid.de tum.præter.nat. 3ª.84.F
Strumæ ſunt morbus euidens.de diff.mor. 3ª.3.D
Strumæ ceruicis affectus.intro. Iſa.59.C
Struma non dicitur primarius morbus,& quare.1°.de loc.aff. 4ª.4.H
Strumæ quomodo fiant,& ex qua materia,& propter quid pueris.comment.3°.apho.26°. Ex.25.G
de Strumis,& quomodo curentur.14°.meth.med. 7ª.90.C
Struma quæ fit in adenibus.13°.meth.med. 7ª.81.A
Struma quantum creſcat.de diff.mor. 3ª.5.C
Struma,œdema,ramex,& melliceris magna ſimilitudine inter ſe conueniunt,in curatione verò maxime differunt.de opt.ſect. Iſa.24.A
Strumarum curatio.2°.de arte curat.ad Glauco. 7ª.107.F
Strumæ quomodo ſanentur.3°.de compoſi.med.ſec.loc. 5ª.147.C
Strumarum in ceruice curatio.intro. Iſa.59.H
Strumæ in alis exciduntur.introd. Iſa.59.H
Strumas quidam incidens,læſit neruos recurrentes, & mutum reliquit hominem.1°.de loc.aff. 4ª.7.A
ob Strumas inciſas vocis amiſſionis caſus.1°.de loc.aff. 4ª.7.A
Strumas cũ eregmo ſiue lamẽto diſcutit coriãdrũ.7°.de ſim.m.f.5ª.52.E
Strumæ à refrigerantibus medicamẽtis non poſſunt diſcuti,ſed à calidis. 7°.de ſimp.med.fa. 5ª.52.E
Strumas digerentibus commiſcetur ſuccus cyclaminis. 7°. de ſimpliciũ med.fac. 5ª.53.E
Strumas digerit adiantum.6°.de ſim.me.fa. 5ª.41.E
ad Strumas muſtella valet.de med.par.fac. 7ª.162.B
ad Strumas quæ ab Hera conſcripta.2°.de compoſitione medicamentorum per genera. 5ª.223.A
Strumas diſcutiens viride Alcimonis,vel Nicomachi. 5°. de compoſit. me.per ge. 5ª.249.D
ad Strumas contumaces.6°.de com.me.per ge. 5ª.262.H
ad Strumas non veteres.6°.de com.med.per ge. 5ª.262.D
ad Strumas,Minutiani.6°.de compoſi.me.per ge. 5ª.261.E
ad Strumas.4°.de compoſitio.medicam.per genera. 242.H/5°.246.E/G/6°.255.A/C/256.A/259.E/261.A/B/G/H/ 5ª.262.B
ad Strumas diſſipandas.5°.de compoſi.medicam.per genera. 5ª.250.B
STRVTHION medicamentarium & calidum facultate eſt.9°.de compo.me.ſec loc. 5ª.197.F
Struthion calidum eſt.3°.de temp. 1ª.21.G
Struthium calidum & ſiccum eſt in quarto, & ſternutationẽ prouocat. 8°.de ſimp.med.fac. 5ª.61.E
à Struthio experimentum ſumendum de acredine. 4°. de ſimplic.medicamen.facultatibus. 5ª.26.B
Struthion exiccat.2°.de ſimp.med.fac. 5ª.16.C
Struthiũ in auricularia medicamenta miſcetur.3°.de c.me.ſe.l.5ª.141.B
Struthium purgat nares.de cathar. Sp.95.B
Struthion p nares attractum,qũo iuuet in capitis dolore ex vaporibus. de remed.par.fac. 7ª.153.F
Struthion ad quid valeat.de cura icteri. Sp.111.B
Struthij germina vrinam mouent.de cura icteri. Sp.111.D
è Struthio ad digerendum.6°.de comp.me.per gene. 5ª.261.E
STRVTHIA in Aſia quæ mala vocentur.6°.de ſan.tuen. 2ª.101.B
Struthia mala adſtringunt.13°.methodi medendi. 7ª.83.G
Struthia mala inter adſtringentia optima.6°.de com.me.ſe.lo.5ª.167.F
Struthiorũ ſuccus cũ melle coctus cur durat.7°.de ſim.med.fa. 5ª.55.H
STRVTHIOMELORVM ſuccus diu ſeruatur cum melle coctus.2°. de alim.fac. 2ª.20.D
Struthiomelorum ſuccus inuentus poſt ſeptennium optimus.2°.de alimẽtorum facul. 5ª.20.D

Struthiomelorũ & cydoniorũ ſuccorũ differẽtia.2°.de alim.fa. 2ª.20.D
Struthiomela adſtringunt mire.2°.de alim.fac. 2ª.20.C
ex Struthiomelorum ſucco medicamentum.2°.de alim.fac. 2ª.20.D
Στρουθοκαμήλων eſt nomen inſolens.3°.de alim.fac. 2ª.29.D
Struthocamelos eſſe aues & non eſſe aues ſophiſta quidam probabat.3°. de alim.fac. 2ª.29.E
Struthocameli quales.de bon.& vitio ſuc. 2ª.37.B
Struthocamelorum oua deteriora ſunt phaſianarum, & gallinarũ ouis. 3°.de alim.fac. 2ª.29.G
Struthocameli caro excrementitia eſt,& coctu difficilis.3°. de alimento rum facul. 2ª.29.E
Struthocamelorum alæ non ſunt cęterorum alis deteriores.3°. de alimen torum facul. 2ª.29.E
Struthocameli ventriculus falſo laudatur ceu medicamentum quod iuuat coctionem.3°.de alim.fac. 2ª.29.G
Struthocameli ventriculus epotus ad quid conferat,& quo modo.de me dicament.fac.par. 7ª.167.G
STRYCHNON quid,& eius vires.de ſimp.med. Sp.83.C
Strychnon quidam vocant Trychnon:in hortis naſcit̃,et ad omnia eo vti mur quæ refrigerari,adſtringiq; poſtulãt.8°.de ſim.me.fac. 5ª.62.G
Στριφνὰ vocant græci quæ valenter adſtringunt.8°.met.me. 7ª.51.A
Stryphnon quid ſit.4°.meth.med.28.H/7°. 7ª.46.H
STVDENTIVM mores.2°.de criſi. 4ª.136.C
STVDIOSI ſequũtur demonſtrationes.de nat.hu.com.1°. 1ª.29.A
Studioſorum omnium cõmune eſt appetere ſcire.3°.de diff.reſp. 3ª.69.C
STVDIA diuerſa ſequuntur homines & quæ.1°.meth.med. 7ª.2.D
Studia artium non ſunt contemnenda propter genus gloriam aut formã. in orat.ſuaſoria. Iſa.3.G
Studia quæ nam ſint artes.in oratione ſuaſoria. Iſa.4.A
Studia abolent vitia,& pariunt virtutem.quòd animi mor. 1ª.321.A
Studium durum per metaphoram dicitur.3°.de diff.pul. 4ª.63.F
de Studijs bonis actum eſſe dicit Galenus ſuo tempore,niſi fiat humanarum rerum mutatio.2°.meth.med. 7ª.12.D
Studijs humanis imbutos eſſe quanti referat.2°.de pul.diff. 4ª.56.C
Studijs deditus in quæ incurrat.5°.de ſan.tuen. 2ª.93.F
ob Studiorũ laborẽ atq; vigilias memoria et rõ lædit̃.3°.de l. 4ª.17.A
Studia vitæ indicant quid conducat.de ſect. Iſa.16.E
STVLTITIA quæ ſit,& quæ nominetur.3°.de lo.aff. 4ª.16.E
Stultitia eſt intellectus amiſſio.3°.de loc.aff. 4ª.16.H
Stultitia poteſt fieri ab intemperie.3°.de loc.aff. 4ª.20.B
Stultitiam inducit frigiditas ſine humore,& nocet memoriæ.3°. de locis affectis. 4ª.16.G
Stultitia ab atra bile.de ſper. Sp.38.B
Stultitia cur fiat cicuta epota neſciuit Galenus.quòd ani.mor. 1ª.31.A
Stultitia ab abſceſſu in morbis facto non raro accidit. 2°. de ſymptomatum cauſis. 3ª.24.B
STVLTI ad cribrum quid.1°.meth.med. 7ª.8.B
Stulti ꝑpter quid effecti filij Hippocratis comici ſm Stoicos.quòd animi mores. 1ª.318.F
Stulta naturaliter puella quo modo fiat.de ſpermate. Sp.38.B
Stultorũ animus qualis in perturbationibus.5°.de decre.Hip. 1ª.254.E
STVPAE cito ignem accipiunt.3°.de temp. 1ª.22.E
STVPEFACIENTIA enumerantur,& cur eis vtimur in colicis. 7°. de compoſitione medicam.ſec.loc. 5ª.184.H
Stupefacientium diuerſitas.12°.meth.med. 7ª.75.C
inter Stupefacientia videtur ſtyracem numerare. in 6ᵐ. de morbis vulga.commen.5°. 3ª.191.E
Stupefacientia quædam.in 6ᵐ.de mor.vul.com.6°. 3ª.196.E
Stupefacientia tres ſcopos habere debẽt.9°.de cõp.med.ſe.lo. 5ª.201.F
Stupefacientia ſunt propria eorum,qui contra ſymptoma purgant. 12°. meth.med. 7ª.75.D
Stupefacientibus in quibus vtamur.3°.de comp.med.ſec.loc. 5ª.140.G
Stupefacientia infeſtiſſima cur dentur hæmoptoicis.7°. de comp.medic. ſec.loc. 5ª.183.F
Stupefacientibus in quo dolore vti debeamus.12°.meth.med. 7ª.79.C
Stupefacientibus quando vti debemus in renum dolore.de renum affec. dignot.& med. 7ª.194.B
Stupefacientibus in quibus vti non debemus.12°.meth.med. 7ª.79.D
Stupefacientia euitanda ſunt in oculis quantũ fieri poteſt.ſecr. Sp.97.B
Stupefacientia dolores impatibiles faciunt,prę ſertim in oculis. com.6°. aphoriſmo 31°. Ex.49.E
Stupefacientia quæ demunt dolorem, vim viſoriam offendunt. com.6°. aphoriſmo 31°. Ex.49.E
Stupefacientia quæ medicamenta in coli dolore obſint. in 6ᵐ. de morbis vulg.com.5°. 3ª.191.E
Stupefacientium vſus quid faciat.12°.meth.med. 7ª.79.D
Stupefacientia quid mali faciant.in 6ᵐ.de mor.vul.com.2°. 3ª.161.B
Stupefacientia habitum lædunt.12°.meth.med. 7ª.75.B
à Stupefacientium vſu abhorret Galenus.12°.meth.med. 7ª.75.C
Stupefacientia quando dat Galenus.12°.meth.med. 7ª.75.C
Stupefacientibus quando vtendum,& cur.12°.meth.med. 7ª.79.G
Stupefacientium quando vſus erit.12°.meth.med. 7ª.75.B
Stupefacientiũ tempus quo illis vti debemus.2°.de arte cur. 7ª.104.H
Stupefacientia compoſita poſt annum dentur.12°.meth.med. 7ª.75.C
cum Stupefacientibus cur ponantur calida.8°.de cõ.me.ſe.lo. 5ª.190.G
STVPEFACIVNT omnia medicamenta ex papaueris ſucco.3°.de cõpo.med.ſec.loc. 5ª.142.B
Stupefacere quando cerebrum oportet.13°.meth.med. 7ª.85.F
STVPEFACTIO quibus fiat,& quando.in 6ᵐ.de mor.vul.commentario 2°. 3ª.161.B
STVPEFACTORIIS medicamentis quomodo vti debemns.in 6ᵐ.de mor.vul.com.6°. 3ª.196.E
in STVPEO ſacculo crocum bullit.7°.de comp.me.ſe.lo. 5ª.181.C
STVPIDA, & ſenſum quæ amiſerint, & ſentientia male,frigida ſunt omnia.de trem.palp.conuul. 3ª.53.D
Stupidi ſunt quorũ vena in cubito non pulſat.quòd animi mor. 1ª.320.C
Stupidus ſopor ex percuſſione forti ſequitur.2°.de loc.aff. 4ª.13.G
Stupidus ſopor qui.2°.de loc.aff. 4ª.14.A
Stupidus tactus qui.de ocul. 7ª.185.H
Stupidus pulſus in quibus ſignificat diſpoſitionem eſſe in neruis muſculi: atque ita vt ad paralyſim tendant.2°.de loc.aff. 4ª.8.H
Stupidus dolor vnde.2°.de loc.aff. 4ª.8.E
Stupidum membrum quomodo ſentit.2°.de locis aff. 4ª.8.F
Stupida quæcunq; facta ſunt pro vetuſtate, lixiuij virtute auferuntur. de ſimp.med. Sp.86.A
Stupidis aliqua parte valet oleum calidum.2°.de ſim.me.fac. 5ª.11.E
Stupidus adiuuat pyrethron.8°.de ſimp.med.fac. 5ª.59.D
Stupidos animos excitant exempla.2°.meth.med. 7ª.10.G
STVPOR quid ſit,& quomodo fiat in crure,& in renum lapide. de renum affect.dign.& med. 7ª.192.H
Stupor græcæ ἔκληξις quid ſit.com.7°.aph.14°. Ex.54.H
Stupor eſt refrigeratio inſignis.2°.de loc.aff. 4ª.8.E
Stupor proprie eſt totius corporis inſenſibilitas, & immobilitas repẽtina.com.5°.apho.5°. Ex.37.G
Stuporis diſpoſitio inter reſolutionẽ & integram valetudinẽ eſt media. 2°.de loc.aff. 4ª.8.H
Stupor fieri poteſt in omni parte,& in quibus ſolum appareat.2°.de locis affectis. 4ª.8.G
Stupor quomodo fiat.com.5°.apho.5°. Ex.37.G
Stupor quomodo corpus mutet.de incant.adiur.& ſuſp. 7ª.181.G
Stupor mentis contingit conceptis in horis melãcholiæ.de ſper. Sp.37.D
Stupore ſi aliqua pars corporis elanguit,tale eſt melancholicum. cõ.7°. aphoriſmo 40°. Ex.57.B
Stupor alicuius partis non antecedit melancholiam. commen.7°. aphoriſmo 40°. Ex.57.B
Stuporem corporis ſignificant in morbis melancholicis periculoſi decubitus.com.6°.aph.56°. Ex.53.D
Stupor fit à re frigida,& in quibus partibus.2°.de loc.aff. 4ª.8.D
Stuporem,& ſoporem inducunt frigiditas, & humiditas intenſæ.3°.de locis affectis. 4ª.16.G
Stupor à torpedine animali etiam prouenit,& q̃uo.2°.de loc.aff. 4ª.8.F
Stupore capiuntur ſenes.2°.de tem. 1ª.16.D
Stupor fit in animo ex his quæ audiuntur.4°.de ſan.tuen. 2ª.86.A
Stupor eſt diſpoſitionis indicium,non loci affecti.2°.de loc.aff. 4ª.8.F
Stupor totius corporis inditium morbi à veſica.de dyna. Sp.19.H
Stupor cruris oſtendit renem qui patitur.de re.aff.dig.& me. 7ª.192.H
in Stupore attonito ſpiritus quomodo habeatur.de vtil.reſp. 1ª.226.B
Stupor in ictu capitis malum.com.7°.apho.14°. Ex.54.H
Stupor moderatus dolorem ſoluit.in 6ᵐ.de morb.vul.com.2°. 3ª.161.B
Stupor mediocris dolorem ſoluit.6°.de com.me.per ge. 5ª.255.C
ad Stuporem quid faciat.ſecre. Sp.96.H
STVPOR dentium ſymptoma tactus eſt.1°.de ſymp.cau. 3ª.16.B
Stuporem dentium quæ faciant.2°.de loc.aff. 4ª.9.H
Stupor dentium quomodo fiat.6°.de ſimp.med.fac. 5ª.43.A

Stuporis dentium

Stuporis dentium non habet aliquid ſimile dolor membranarum. 2°. de locis affectis. 4ª.9.H
Stuporem dentium faciunt acida & acerba.de optima ſecta. Iſa. 22.H| 1°.de ſymp.cau. 3ª.16.B
Stupori dentium medetur portulaca.de ſect.16. H| de op.ſec. Iſa.21.E| 6°.de ſimplic.med.fac. 5ª.43.A
Stuporem dentium portulacam ſoluere obſeruatũ eſt ſine cognitione cauſę.de op.ſec. Iſa.22.E
Stuporem dentium à vomitu aut à deſtillatione vel ob ſtridorem ſerræ ſecantis factum portulaca non ſanat.de opt.ſect. Iſa.22.H
STVRNI ſunt calidi.3°.de ſimp.med.fa. 5ª.17.H
Sturnum non refrigerat ſtatim cicuta.1°.de ſimp.me.fa. 5ª.2.D
Sturnos cur cicuta non necat.3°.de ſim.me.fac. 5ª.22.C
Sturni veſcuntur cicuta.2°.de alim.fac. 2ª.17.C
Sturnos nutrit, & calefacit cicuta.3°.de ſimp.me.fa. 5ª.17.H
Sturnum nutrit cicuta, non etiam nutrit hominẽ.1°.de ſim.me.fa. 5ª.2.D
Sturnos nutrit cicuta, & homines necat.de theria.ad Piſo. 5ª.91.A
Sturni ſunt accommodi ſiccis.6°.de ſan.tuen. 2ª.99.G
Sturni non aduerſantur renibus.6°.de ſan.tuen. 2ª.99.G
Sturnorũ comedentium orizam ſtercus pro mulierum cute tendenda, et ſplendida reddenda, vtile.10°.de ſimplicium medi.fac. 5ª.77.D
STYLOEIS os quod.de oſſibus. 1ª.40.H
Styloειδεις proceſſus qui de oſſibus.43.A|de muſc.diſſ. 1ª.46.D
Στύλον quid ſignificet.1°.de alim.fac. 2ª.15.B
Stylo humili ſe ſcripſiſſe librum de venæ ſectione aduerſus Eraſiſtrateos conqueritur Galenus.de ven.ſect.aduer.Eraſ. 6ª.10.B
STYLVS.de remed.par.fac. 7ª.155.G
Stylos quinq; vidit Galenus à magnete dependere.1°.de na.fa.1ª.294.E
STYMMATA ſeu ſpiſſamenta ponuntur odoris gratia, vel vt confecta diutius ſeruentur.2°.de compoſi.medicam.per genera. 5ª.220.D
STYMMI vt argenti ſpuma lauatur.1°.de compoſi.me.per ge. 5ª.213.E
STYPHON quid ſit.4°.meth.med. 7ª.28.H
Στύφον nomen eſt commune acerbi, & auſteri.1°.de alim.fac.2ª.9.A
Στύφον auſterum nominat Plato.1°.de ſimp.medica.fac. 5ª.8.F
Στύφον adſtringens à nobis dicitur.1°.de ſimp.med.fac. 5ª.8.E
STYPTERIA, ſchiſte, ſtrongyle, & hygra.9°. de ſimplic.medicamen. facultatibus. 5ª.71.A
STIPTICITAS quibus cibis adſit.de diſſ.cont. Sp.75.B
cũ Stypticitate, & ponticitate ventrem ſtringẽtia quę.de diſſ. Sp.75.B
Stypticus ſapor qualis ſit, & vnde oriatur.de ocul. 7ª.188.A
Sptyptica quæ.de dyna. Sp.18.G
Styptici cibi qui ſint.de diſſ.cont.74.D| Sp.75.B
Sptyptica cibaria rectificãt ſtomachũ debilẽ, et mollẽ.de diſ.c. Sp.74.D
ante Stypticum leniens cibus, & è contrario, quid agant.de diſſolutione continua. Sp.71.G
Styptica prouocant appetitum.de ana.viuo. Sp.50.A
Styptica eſt omnis Cadmia, & vehementer ſtringere poteſt. de ſimplic. medicaminibus. Sp.81.F
Stypticis viribus eſt Calamus aromaticus.de ſimp.med. Sp.82.G
Stypticas vires habet Ceruſa.de ſimp.med. Sp.81.F
Styptica res, & acris eſt Cinis.de ſimp.med. Sp.86.A
Stypticas leniter vires habet Crocum omne.de ſimp.med. Sp.81.E
Stypticus eſt vehementiſſime Cytinus.de ſimp.med. Sp.87.C
Stypticas aliquatenus vires Ebenum habet.de ſimp.med. Sp.83.F
Styptica eſt valde Hyacinthus.de ſimp.med. Sp.92.E
Stypticas vires habet Lentiſcus.de ſimp.med. Sp.86.B
Stypticas, & acres vires habet Lixiuia.de ſimp.med. Sp.86.A
Styptico guſtu Omphax eſt.de ſimp.med. Sp.88.B
Sptyptica eſt omnis Myrrha.de ſimp.med. Sp.87.B
Styptica ſunt myrrha, caſtoreũ, & Thus maſculinũ.de ocul. 7ª.190.C
Stypticas valde vires habet Myrta.de ſimp.med. Sp.87.E
Stypticã virtutẽ affert Oleũ ſemini lentiſci miſtũ.de ſimp.med. Sp.88.D
Sptypticum inuenitur oleũ, vbi cydonia maduerint.de ſim.me.Sp.88.D
Stypticus inuenitur vitellus Oui extrinſecus illinitus.de ſim.m.Sp.88.E
Stypticus à Terentio inſcriptus Paſtillus. 5°. de compoſitio.medicam. per genera. 5ª.251.D
Stypticum tyrſulum habet Periſtereon.de ſimp.med. Sp.89.C
Styptica guſtu eſt radix Polypodij.de ſimp.med. Sp.89.C
Stypticas aliquantum vires habet Purpuriſſum.de ſim.me. Sp.88.G
Stypticus eſt Sanguis foras illinitus.de ſimp.med. Sp.90.B
Stypticum eſt Sori guſtu.de ſimp.med. Sp.90.F
Stypticas valde vires habet ſori.de ſimp.med. Sp.90.F
Stypticas ſuauiter vires habet Spica nardi.de ſimp.med. Sp.89.G
Stypticas vires habet Spodium.de ſimp.med. Sp.88.G
Stypticas vires habet Stibium.de ſimp.med. Sp.90.A
Styptica aperitiua extra poſita non aperiunt, ſed potata viſcerum aperiunt obſtructionem.de ocul. 7ª.189.E
Styptica medicamenta extrinſece etiam refrigerãt.2°.de lo.af. 4ª.8.D
Styptica oculis appoſita quid agant.de ocul. 7ª.189.B
STYRACINVM oleum.7°.de com.med.per ge. 5ª.270.F|H
Styracinum fit in Cyzico.2°.de comp.med.ſecundum locos. 5ª.135.E
Styracinum primum.7°.de com.me.per ge. 5ª.271.G
STYRAX quid.de ſimp.med. Sp.90.E
Styrax valenter emollit, & vbi naſcatur, & de eius colore, & de ſpecie perfectiori.7°.de com.me.per ge. 5ª.264.A|C
Styrax qualis accipiendus.1°.de antid. 5ª.107.B
Styracis adulteratio quo modo fiat.de ſimp.med. Sp.90.E
Styrax inter aromata numeratur.7°.meth.med. 7ª.44.A
Styracis odor capitis dolorem facit.3°.de loc.aff. 4ª.20.G
Styracem videtur inter ſtupefacientia numerare. in 6^{m}. de morbis vul. commentario 5°. 3ª.191.E
Styrax inter anodyna numeratur, in quibus errant medici.12°. methodi medendi. 7ª.75.B
Styrax paucus potatus triſtitiã vultus diſcutit, multus vero ſomnos multum turbulentos inducit.2°.de com.me.ſec.loc. 5ª.137.B
Styrax ſi largius bibatur, aut dementat, aut mortem infert.5°.de ſimpl. med.fac. 5ª.37.C
Styrax alexiterias antidotus ingredi poteſt.5°.de ſimp.me.fa. 5ª.37.C
Styrax debet prius macerari q̃ ponatur in antidoto.7°.de compoſi.med. ſec.loc. 5ª.179.E
Styrax qualis, & quòd tuſſibus, catarrhis, pituitæ deſtillationibus, & raucedinibus prodeſt, & menſes prolicit, & eius fuligo ſimilis fuligini thuris eſt.8°.de ſimp.med.fa. 5ª.61.E
Styrax leniter relaxat, calefacit, & lenit durities, & mollit.de ſimplic. medicaminibus. Sp.90.E
Styrax emollit.5°.de ſimp.med.fac. 5ª.34.B
Styrax molliendo digerit.14°.meth.med. 7ª.88.A
Styrax emollit ſcirrhum.5°.de ſimp.med.fac. 5ª.33.F
Styrax malacticus vlceribus nõ cõuenit.4°.de com.me.per g.5ª.236.H
Styrax quare vlcera oculorum expurgat.7°.de ſimp.med.fac. 5ª.54.E
Styrax cum terebinthina educit pituitam.de dyn. Sp.21.H
Styracis doſis.de dyna. Sp.21.H
Styrax ingreditur theriacam.de ther.ad Piſon. 5ª.92.F
Styracis fuligo qualis.7°.de ſimp.med.fa. 5ª.54.E
Styracis malum ad quid vtile.de dyna. Sp.24.B

SVADEANT

SVADEANT qui alijs facilius.in 6^{m}. de morbis vulg.com.4°. 3ª.180.G
SVAVE quid ſit.1°.de ſim.me.fac. 5ª.8.E
Suauia omnia grata ſtomacho ſunt.2°.de alim.fac. 2ª.19.E
Suauius quod eſt facilius coquitur, æque ſalubri, quòd ſit inſuauius.2°. de alim.fac. 2ª.20.H
Suauiora reddentia quandoq;, et quandoq; obtundentia virium alicuius ſimplicis vehemẽtiã adijciũtur medicamẽto.1°.de cõ.m.p̃g.5ª.210.F
Suauiſſime vrinam mouentia olera.de cura icteri. Sp.111.D
SVAVITER, & perfecte educere.de dynam. Sp.20.H
SVBALBIDA vrina, & ſpumoſa aut rufa: & ſi ex cholerico humore ipſa ægritudinata fuerit, mortem ſignificat.de dyna. Sp.34.D
SVBAMARVM piſtacium & odoratum fructum habet. 8°. de ſimplic. med.fac. 5ª.58.E
Subamara, & acria expurgant iecur, et renes.6°.de ſim.me.fa.5ª.45.G
Subamara & ſubſalſa ventrem deijciunt.7°.de ſimp med.fac. 5ª.52.H
SVBBILIOSVS color eſt extenuati.in 6^{m}.de morbis vulgaribus, cõmentario 3°. 3ª.177.C
SVBCHARTILAGIA appellat Hypochondria.introd. Iſa.53.D
SVBCRVENTVM ſanguinem iuuat frigidum, vel aqua frigida. com. 5°.apho.23°. Ex.39.F
SVBDISIVNCTIVA coniunctio, non diſiunctiua in quibus ſit ſermonibus.de mult. 3ª.78.C
SVBDITVM pro balano, & pro peſſo accipitur. in 1^{m}. de morbis vulga.commen.3°. 3ª.122.H
SVBDOLOS facit cholera nigra.de dyna. Sp.19.F
SVBDVCIT gallorum ius.11°.de ſimp.med.fac. 5ª.82.C
SVBDVCTIO & excretio euacuatio differãt.cõ.2°.aph.18°.Ex.14.B
Subductio fit ſolum per ſeceſſum.com.2°.aph.18°. Ex.14.B

SVBER

SVBER *ex dolo vini falerni vſtum.9°.de comp.me.ſec.loc.* 5ª.203.H
Suber vſtum cuius vſus.9°.de comp.me.ſec.loc.203.G/5°.de compoſi. me.per genera. 5ª.254.F
Suberis meminit.1°.de comp.me.ſec.loc. 5ª.127.A
SVBFASCIATIO *quid ſignĕt.de ijs,quæ in me.fi.com.2°.* 7ª.211.C
SVBHVMERATIO *quid.de artic.com.1°.* 7ª.254.C
SVBIECTVM *quod fuerit in qõne,vnũ à Platone dicitur, ſiue habeat ſubſtantiam,ſiue proprium accidens.9°.de decret.* 1ª.286.C
SVBINTELLIGENDA *ſunt in authoribus aliqua, licet ab ipſis non dicantur.com.4°.aph.41°.* Ex.32.D
SVBINTRANTES *febres quomodo fiant.2°.de criſi.* 4ª.137.B
SVBITANEAM *mortem ſignificat vrina ſanguinea cum dolore capitis,& hipochondrij dextræ partis. de dyna.* Sp.34.B
SVBIVGALIA *naturaliter veniunt ad herbas,paleas,fenum,& hordeum.de conſue.* 2ª.59.G
SVBLATIO *indicat exhibitionem cõtrariorum.11°.met.me.* 7ª.69.E
Sublatio in vrina modo fiat.de vrin.ſign.ex Hipp. Sp.79.D
Sublatio,& nebula vel ſubnebula ſi atra ſint minus malum quàm hypoſtaſis.quæſita in Hippocratis. Sp.113.E
SVBLATA *quibus ſunt hypochondria murmurantia,ilium dolore accedente,ijs alui humectantur,niſi flatus erumpant, vel vrinæ proueniat copia.de vrin.ſign.ex Hipp.* Sp.78.H
SVBLIGAMEN *quid ſignificet.de ijs,quæ in med.fiunt.cõ.2°.*7ª.211.C
Subligamina duo linteorum.de ijs,quæ in med.fi.com.3°. 7ª.214.E
Subligamina faſciæ dicuntur ab Hippocrate. de ijs, quæ in medicatri. fiunt,com.3°. 7ª.214.E
SVBLIGATIO *quid ſignificet.de ijs,quæ in me.fi.com.2°.* 7ª.211.C
Subligatio quorum ſit cauſa.de ijs,quæ in med.fi.com.2°. 7ª.211.C
SVBLIMAMENTVM *quid ſit.in progn.com.2°.* 4ª.200.D
Sublimamentum in vrina eſt nubecula apud Hippocratem.in prognoſt. com.2°.200.G/ 4ª.201.D
Sublimamentum ſimile genituræ quod vocat Hippocrates. in prognoſt. commentario.2°. 4ª.201.D
Sublimamentũ bene conſiderandũ in vrinis.2°.de præſ.ex p. 4ª.116.G
Sublimamentum album æquale atq; conſiſtens ſignificat bonum iudiciũ futurum,& cito.com.4°.aph.71°. Ex.35.D
SVBLIME *in vrinis,occultato dolore coxæ, ſignificat delirium. in 1^{m}. pror.commen.2°.* 4ª.168.G
Sublimes dolores qui ſint,& qui non ſublimes.cõ.6°.aph.7°. Ex.47.B
Sublimes puſtulæ quæ,& vnde.com.6°.aph.9°. Ex.47.C
pro Subl.mi ſpiritus promptus ſumitur ab Hippocrate.in 1^{m}. prorrhe. commentario.1°. 4ª.168.E
Sublime quod fertur excrementũ,quale.2°.de præſag.ex p. 4ª.118.H
Sublimia in vrinis quid ſignificent.in 1^{m}.pror.com.1°. 4ª.167.G
SVBLIMITAS *in vrina quomodo fiat.de vrinæ ſign.* Sp.79.B
SVBLINITORIVM *quid ſignificet.de artic.com.2°.* 7ª.267.D
SVBLIVENS *deiectio ventris mala.in 1^{m}.pror.com.3°.* 4ª.181.F
SVBLIVIDA *vrina aut alba in quibus affectibus mortem ſignificet. de dynamidijs.* Sp.35.D
Subliuida,& alba vrina ĩ pleuriticis mortẽ demõſtrat.de dy. Sp.34.H
Subliuida,& nebuloſa inferius vrina,ſi ſuperius claritatem habuerit, ſignificat dolorem,renum,coxę,& genu.de dyna. Sp.35.D
SVBLAXATIO *cur non fit in humero, & coxa.de artic. commentario.4°.* 7ª.283.B
SVBMORDENS *guſtus eſt vella.de ſimp.med.* Sp.92.A
SVBNEBVLA *in vrina quomodo fiat.de vrinæ ſign.* Sp.79.C
SVBNIGRA *ſeu nigra eſt caro in ſplene,& in vua.de ana.* Sp.44.D
Subnigra vrina ſuperius,& plena,& inferius claritatem habens, inferius dolorem renum ſignificat,& ſuperius grauitatem capitis,obturationem aurium,& narium.de dynamidijs. Sp.35.D
SVBORTVS *eſt trichiaſis differentia quædam.fin.med.* Iſa.48.F
SVBPALLIDA *vrina quid ſignificet.1°.de criſi.* 4ª.130.A
SVBRVBRVM *non perinde quidem ac album frigidum denotat temperamentum,non tamen etiam calidum ſignificat. in 3^{m}. de morbis vulgaribus,com.3°.* 3ª.146.D
Subruber color eſt reſtaurati.in 6^{m}.de mor.vul.com.3°. 3ª.177.C
à Subrubro differt prærubrum.in 1^{m}.pror.com.1°. 4ª.168.F
Subrubra,& rubra vrina differunt.in 1^{m}.pror.com.2°. 4ª.173.A
Subrubra vrina,& hypoſtaſis ſubrubra,& leuis quid ſignificẽt.de vrinæ ſign.ex Hippocra. Sp.78.F
Subrubra vrina notat longum morbum, ſed valde ſalubrem. commen. 4°.aphoriſmo.71°. Ex.35.D
SVBRVFA *vrina quid ſignificet.1°. de criſi.* 4ª.130.A
Subrufa deiectio ſit,nec graue olens.in progn.com.2°. 4ª.199.E
SVBSALSA *& ſubamara ventrem deijciunt.7°.de ſimplicium medicamentorum facultatibus.* 5ª.52.H
SVBSELLIVM. *de machinamentis.* 7ª.311.H
SVBSICCANEA *membra quæ vocentur. de ijs, quæ in medicatrina fiunt,com.3°.* 7ª.214.D
SVBSIDENS,*& inſidens quõ differant.com.7°.aph.35°.* Ex.56.F
Subſidens in vrina farinæ craſſiori ſimile fuit die decimo in Sileno.in 1^{m}. de morbis vulgaribus,com.3°. 3ª.121.F
SVBSIDENTIA *vrinæ quid ſit.in progn.com.1°.* 4ª.197.D
Subſidentia quo modo conſideranda.1°.de criſi. 4ª.130.E
Subſidentiarum vrinarum colores varij vnde.in 6^{m}.de morbis vulgaribus,commenta.1°. 3ª.155.F
ad Subſidentias arenoſas Paſtillus Chariclis.10°.de compoſi.medica. ſecundum locos. 5ª.206.E
Subſidentia veluti farina hordei quid ſignificet.1°.de criſi. 4ª.130.D
Subſidentia fœtida quid ſignificet.1°.de criſi. 4ª.130.D
Subſidentia veluti furfur quid ſignificet.1°.de criſi. 4ª.130.D
Subſidentia liuida quid ſignificet.1°.de criſi. 4ª.130.D
Subſidentia multa eſt in vrinis puerorum,otioſorum virorum,& plenorum.1°.de criſibus. 4ª.130.C
Subſidentia nigra quid ſignificet.1°.de criſi. 4ª.130.D
Subſidẽtiæ oroboides in vrinis quales.in 6^{m}.de morb.vul.c.1°. 3ª.155.F
Subſidentiæ Sandaracodes in vrinis, quæ ab aliquibus appellentur. in 6^{m}.de morbis vulg.com.1°. 3ª.155.F
Subſidentiæ ſquamis ſimiles quid ſignificent.1°.de criſi. 4ª.130.C
Subſidentia ſubrubens quid ſignificet.1°.de criſi. 4ª.130.F
cum Subſidentia ſanantur febricitantes ex otio,& repletione.1°. de criſibus. 4ª.130.C
Subſidentia viridis quid ſignificet.1°.de criſi. 4ª.130.D
Subſidentijs vrinarum comparantur ſputa in pleuritide, & pulmonis paſſionibus.1°.de criſi. 4ª.132.D
SVBSIDENTIA *quid ſit.de morb.temp.3ª.86.D/de ijs, quæ in med. fi.commentario.1°.* 7ª.203.F
Subſidentia aboletur cauitas.de cauſ.morb. 3ª.9.A
SVBSIDERE *quid ſit.de ijs,quæ in med.fi.com.1°.* 7ª.203.F
SVBSIDIVM *quid ſignificet.de cog.cur.an.mor.* 2ª.50.C
SVBSOLANVS *ventus ab ortu flat.5°.met.me.* 7ª.34.H
SVBSTANTIA *multis modis dicitur.2°.de ſem.* 1ª.337.C
Subſtantia communis ſumpta quid ſignificat.7°.de decr. 1ª.268.B
Subſtantiæ,& naturæ nomen quando ſignificet.ꝙ ani.mor. 1ª.317.C
Subſtantia,nomine,forma,& materia, & vtraque ſimul dicũtur.quòd animi mores. 1ª.318.E
Subſtantia & materia idem ſunt.2°.de ſem. 1ª.337.C
Subſtantia quid ſit.9°.de decr.Hipp. 1ª.286.D
Subſtantiæ diuiſio in genera,& ſpecies.1°.de temp. 1ª.13.F
Subſtantia prima non genita & perpetua,eſt ſubiectaq; omnibus corporibus generabilibus & corruptibilibus.de na.hu.com.1°. 1ª.25.G
*de Subſtãtia corruptibili et ĩcorruptibili duæ ſectæ.1°.de nat.*1ª.292.H
Subſtantia omnis corporea animata ex elementis eſt.de ſper. Sp.39.A
Subſtantia omnis corporea animata,teſte Hippocrate,iniuncta eſt,& ligata ĩ planetis et ſignis quatuorq; elẽtorũ noxibus.de ſper. Sp.38.G
Subſtantia veris humiditas.de ſper. Sp.41.B
Subſtantia terræ humiditas.de ſperma. Sp.41.B
Subſtantia aeris tenuiſſima eſt.1°.de diff.feb. 3ª.31.B
ad Subſtantiam Aeris qui inſpiratur reſpicit vna ſententia de vſu reſpirationis.de vtil.reſp. 1ª.223.C
ad Subſtantiam via eſt generatio abſolute.2°.met.me. 7ª.10.B
Subſtantia ſubiecta generationi,& corruptioni,quæ.de mult. 3ª.77.B
Subſtantia alteratur in generatione.1°.de nat.fac. 1ª.291.E
Subſtãtia gñabilis quatuor qualitatibus mutatur.de mot.ma. Sp.67.H
Subſtantia generabilis mutatur in qualitatibus.ſecretorum. Sp.96.F
ex Subſtãtia vnde genitum eſt aĩal,fit animalis ſpẽs.2°.de ſem. 1ª.337.C
ex Subſtantia habetur animalis genus.2°.de ſemine. 1ª.339.H
Subſtantia qua fiunt animalia,non admittit perfectam ſapientiam.14°. de vſu partium. 1ª.204.D
Subſtantia ea qua primo genitum eſt vnum quodq;,ea etiam, ali perpetuo conſueuit.1°.de ſemine. 1ª.335.E
Subſtantia incorporea quomodo corporeæ copuletur.de ſper. Sp.37.E
Subſtantia incorporea non nutritur à corpore,nec è contrario. de ſpermate. Sp.40.G

Subſtãtia caloris nõ cõtrariat̃ rõne molis corpis.adu.Lycũ. Ex.65.A
Subſtantia quæ ex mole indicari debet,& quæ nõ.aduer.Lyc. Ex.65.D
Subſtantia ſpiritus variatur.11°.met.me. 7^{a}.68.B
Subſtantia virtutis animæ an plures vel vna,perſcrutandum.7°.de decretis Hippocratis. 1^{a}.268.B
Subſtantia vna eſt humanæ animæ facultates tres,ſcilicet rationalis,iraſcibilis,& concupiſcibilis.in tim.Plat. 1^{a}.287.C
Subſtantiam totam penetrat natura incorporea.de ſpermate. Sp.40.F
Subſtantia ferè nulla inuenitur ad amuſſim ſimilarium partium. 4°. de ſimpli.me.facul. 5^{a}.24.H
Subſtantia humorum media eſt.1°.de diff.ferb. 3^{a}.31.B
Subſtantia ſolidorum corporum craſſiſſima eſt.1°.de dif.feb. 3^{a}.31.B
Subſtantia dura quid habeat.16°.de vſu par. 1^{a}.220.G
Subſtantia mollis humida quid habeat.16°.de vſu par. 1^{a}.220.G
Subſtantia carnis magnitudo variatur.11°.met.me. 7^{a}.68.B
Subſtantia muſculoſa,vel muſculoſa natura poteſt dici muſculus latus ſub cute in collo.de muſ.diſſect. 1^{a}.44.D
Subſtantia muſculi lati ſub colli cute,quæ.de muſc.diſſe. 1^{a}.44.D
Subſtantia chordarum qualis.de ana.viu. Sp.43.H
Subſtantia ſola craſſeſcunt nerui & quali.16°.de vſu par. 1^{a}.216.F
Subſtantia ſimilis neruis vbi,& qualis.16°.de vſu par. 1^{a}.216.F
Subſtantia cerebri vt conſeruetur,indiget corde & hepate. de motibus manifeſtis & obſcuris. Sp.66.G
Subſtantia aurium cordis.de ana.viuo. Sp.46.E
Subſtantia ſtomachi cur talis.de anato.viu. Sp.45.B
Subſtantia renum qualis,& cur.de anato.viu. Sp.51.B
Subſtãtiæ portio quotidie defluit ob calorẽ naturalẽ.1°.de ſa.t. 2^{a}.62.H
Subſtantia defluens,quomodo ſeruetur.1°.de ſan.tu. 2^{a}.62.H
Subſtantiæ aſſiduo fluore homo tendit ad interitũ.1°.de ſan.tu. 2^{a}.63.A
Subſtantiã familiarẽ agnoſcẽdi principiũ eſt in iecore.in tim. 1^{a}.287.D
per Subſtantiæ defluxum in locũ,qui morbi fiant.de diff.morb. 3^{a}.3.D
in Subſtantia facultatis noxæ,quæ.3°.de ſymp.cauſ. 3^{a}.24.G
Subſtantia tenuis promptius alterat,quàm craſſa.1°.de diff.feb.3^{a}.31.B
Subſtãtia tenuium partiũ tranſpirationes facit.de victus ratione in morbis acutis,com.3°. 7^{a}.131.B
Subſtantiæ rõne conſideratur cibus vt nutrit.de vtil.reſp. 1^{a}.223.D
Subſtantia rarum habentia digerũtur velocius,quàm habentia ſpiſſam. de diſſolut.cont. Sp.73.C
per Subſtantiam totam,non ſolum per ſimplices qualitates nos attingẽtium iuuamenta,& noxæ corporibus noſtris adueniũt.in 6^{m}.de morbis vulg.com.6°. 3^{a}.196.H
ex Subſtantia tota proprietates progenitæ,aut corporibus noſtris congruentes,aut alienæ quatuor materijs cõtinentur,& quæ ſint.in 6^{m}. de morbis vulgaribus,com.6°. 3^{a}.196.H
Subſtantijs totis quædam contraria ſunt,quędam ſolis qualitatibus.12°. methodi medendi. 7^{a}.82.C
Subſtãtia tota cõtraria p expcrientiam ſunt inuẽta.12°.met.m. 7^{a}.82.C
à Subſtantiæ proprietate quæ agunt,experientia indicantur. 1°. de cõpoſi.med.per genera. 5^{a}.216.A
à Subſtantia tota,quædam agunt,quædam ab vna,vel duabus qualitatibus.1°.de ſimp.me.fac. 5^{a}.2.G
Subſtantia tota aliqua agunt,ad quæ deſcendendunt,& quando.de ren. affectuum dignot.& med. 7^{a}.194.H
Subſtantijs contrarijs cibi quõ turbent ventrem.1°.de ali.fac. 2^{a}.8.A
Subſtantia ſua tota quæ medicamẽta educãt.de theria.ad Piſo. 5^{a}.90.F
à Subſtantia tota agentia medicamenta non ſecundum qualitatem vnã aut alteram.8°.de comp.me.ſecun.loc. 5^{a}.195.F
Subſtantia ſimilia facile inter ſe mutantur.3°.de nat.fac. 1^{a}.308.C
Subſtantiam augere,& qualitatem intendere,non idem ſunt.5°. de ſimpli.medi.facul. 5^{a}.33.B
Subſtantiam frigidam,& terreſtrem habent epithymum, & elleborus de catharticis. Sp.94.F
Subſtantia lenticularum ſtringit ventrem cum ſtypticitate, & ponticitate.de diſſol.cont. Sp.75.B
à Subſtantia rei exordiri debent,aliquid demonſtrare volentes. 2°. de ſymptomatum cauſis. 3^{a}.21.H
à Subſtantia rei quæſita debent ſumi lemmata ad rem accõmodata. 2°. de decre.Hippoc. 1^{a}.235.A
à Subſtantia rei quæ quæritur,abſunt cauillatoria, & captioſa argumenta.2°.de decr.Hippo. 1^{a}.235.D
à Subſtantia rei ſolum tres indicationes.9°.met.me. 7^{a}.59.D
Subſtantiam vrinæ quam vocet auctor de vrinæ ſignificatione ex Hippocrate.de vrinæ ſign.ex Hippo. Sp.78.F
Subſtantiarum craſſarũ in vrinis tres differentiæ.quæſ.in Hip. Sp.113.E
Subſtantiæ defectus in vrinis eſt alijs deterior.de vrin. 4^{a}.123.H
SVBSTANTIALES ſunt infirmitates quibuſdam.de ſp. Sp.39.H
de SVBSTITVTIS medicinis ſcripſere Dioſcorides, Philiſtion, & Euriphon.de ſubſt.de ſubſt.me. 5^{a}.84.B
Subſtitutæ medicinæ quæ, & earum vtilitas.de ſubſt.med. 5^{a}.84.B
SVBTERRANEAE domus quæ quærendæ.10°.met.me. 7^{a}.64.D
SVBTILIANDI humores q̃ vim habeant.com.1°.aph.24°. Ex.10.G
ad Subtiliandum apoſtema.de dynami. Sp.30.E
SVBTILIANTIVM ciborum tria genera, & quæ. de diſſolutione continua. Sp.72.D
cũ Subtiliãtibus,& mũdificãtibus qd faciat lac.de diſſ.cont. Sp.74.H
Subtilians humores medicamentum.de med.exper.104.G/ Sp.108.E
Subtilians phlegma medicamentum.ſecretorum. Sp.101.G
SVBTILIATIVA, & aquoſa,vel craſſa,& terreſtria ſunt conſtringentia.de ocul. 7^{a}.188.A
SVBTILIAT caſeus.de diſſo.cont. Sp.74.G
Subtiliat humores craſſos decoctio carui, & ſeminis apij. de medicinis expertis. Sp.104.D
Subtiliora craſſioribus præcellunt.4°.de comp.me.per gen. 5^{a}.236.G
SVBTILIVS eſt lac aſinæ lacte camelle.de diſſol.cont. Sp.73.F
SVBTILIVM partium quæ ſint.3°.de comp.me.per gen. 5^{a}.228.E
Subtilium partiũ aliquid eſſe quõ probetur.6°.de ſimp.me.fac.5^{a}.47.H
Subtilium partium quæ ſunt æqualia intemperatura plus valent, quam quæ craſſorum.11°.de ſimp.me.fac. 5^{a}.80.A
Subtilia,& ignea ſunt Acuta.de ocul. 7^{a}.188.A
Subtilium partium amara necant fœtum,quando ſunt calida.8°.de ſimplicium medicamen.facul. 5^{a}.60.E
Subtilis Ariſtolochia ad quid valeat.de cura icteri. Sp.111.B
Subtilia Cibaria,& media de ſe ſunt velocis digeſtionis.de diſſ. Sp.73.C
Subtiles cibi ſunt pauci nutrimenti.de diſſol.cont. Sp.73.E
Subtiles cibi ſapidi dulces abſtergunt,& qui ſint.de diſſo.cont. Sp.72.E
Subtilibus eſt nutriendum,quando ſomnus eſt paucus,& leuis. de diſſolutione continua. Sp.71.G
Subtilium Humorum non meminit in ſermone de digeſtione. commenta. 2°.aphoriſmo.9°. Ex.12.B
Subtilia primo euacua,poſt euacua parum,deinde mediocriter, deinde fortius.de med.exper. Sp.108.H
Subtile Lac,& multæ aquoſitatis lenit ventrem.de diſſ.cont. Sp.75.A
Subtile vinum in nutriendo,quale.de diſſ.cont. Sp.73.F
Subtile album vinum minus eſt nutritiuum.de diſſol.cont. Sp.73.F
Subtile vinum aquoſum adiuuat ad ſpuẽdum humiditatem ex pulmone. de diſſol.cont. Sp.74.H
Subtilia,& aquoſa vrina cum vrina ciunt, pauciſſimum nutrimentum præbent corpori.de vinis. Sp.76.D
Subtilia vina craſſum humorẽ hñtib9 i venis,vtilia.de vinis. Sp.76.G
Subtilia vina alba ſubſtyptica nõ valde antiqua optima ictericis.de cura icteri. Sp.111.D
Subtilem vocem,non altam habet conceptus in horis melancholiæ.de ſpermate. Sp.37.C
SVBTILISSIMVS omnium terreſtrium eſt Aſiæ petræ flos. 3°. de cõpoſi.me.per genera. 5^{a}.228.E
SVBTILITAS ſequitur ad dominium bilis.de anato.viu. Sp.45.F
SVBTVSILLAE fit mentio.de dyna. Sp.30.F
SVBVENTANEA & Zephyria oua quæ.2°.de ſem. 1^{a}.337.F
SVBVERSIO quid ſit.8°.de comp.me.ſec.loc. 5^{a}.187.F
Subuerſio ſtomachi fit aut propter calorem, aut propter anxietatem, vel propter aliquam infirmitatem.de dyna. Sp.20.H
ad Subuerſiones ſtomachi,& quid ſit ſtomachi ſubuerſio. 8°. compoſi. medi.ſec.loc.189.C/E/F/G/ 5^{a}.190.H
Subuerſiones voluuloſæ quæ.8°.de comp.me.ſec.loc. 5^{a}.190.A
ad Subuerſiones ſtomachi voluuloſas.8°.de comp.me.ſe.lo. 5^{a}.190.A
ad Subuerſiones ſtomachi, Aſclepiadæ remedium.8°. de compoſi. medicamentorum ſecun.loc. 5^{a}.192.G
ad Subuerſiones ſtomachi Origeniæ.8°.de comp.me.ſec.loc. 5^{a}.189.F
SVBVERTO quid ſignificet.in progn.com.3°. 4^{a}.210.F
Subuertit oleum appetentiam hirudinum.de cucur.ſcarif. 6^{a}.4.D
SVBVIRIDIA quomodo fiant.de fract.com.2°. 7^{a}.236.A
SVCCENSA febris.in 6^{m}.de mor.vulg.com.1°. 3^{a}.160.A
Succẽſiuæ aut hemitriteæ febres quos hñt caſus.1°.de dif. febr. 3^{a}.34.A
in SVCCESSIONIBVS qd faciat melãcholia.de ana.viu. Sp.45.F

in Succeſſione ad id quod vacuatur prius ſequitur id quod leuius eſt.3°. de nat.facul. 1ª.307.F
SVCCIDA *eſt lana non lota.14°.met.me.* 7ª.88.F
Succida lana tenera vtitur.5°.de cōp.me.ſec.loc. 5ª.165.C
SVCCINGENS *pellicula eſt peritonæo ſimilis.7°.de anatomicis admi niſtrationibus.* 1ª.94.B
Succingentis mēbranæ & peritonæi differentia.7°.de ana.ad. 1ª.94.C
Succingēs membrana obducitur omnibus intro thoracem inſtrumentis. 7°.de anato.adm. 1ª.94.C
Succingentis membranæ ſectio.7°.de ana.adm. 1ª.94.C
Succingente membrana inflāmata, quid ſequatur.2°.de loc.aff. 4ª.13.B
in Succingentis membranæ inſtammatione, febris vnde oritur.2°.de lo cis affectis. 4ª.13.B
Succingens membrana, patitur ſi in latcribus magnus ſit dolor. commē tario.6°.aph.5°. Ex.46.G
Succingens membrana habet dolorem paucum, nec periculoſum. commentario.6°.aph.5°. Ex.46.G
SVCCINTE *ideſt expedite.de ijs, quæ in med.fi.com.1°.* 7ª.202.F
SVCCINTVRA *ab Ariſtotele dicitur ſeptum tranſuerſum.5°.de locis affectis.* 4ª.31.E
SVCCINVM *quomodo trahat feſtucas ſecundum æpicurum.1°.de naturalibus facultatibus.* 1ª.294.D
Succinum frangit lapidem renum, & veſicæ.de cathar. Sp.95.D
ex Succino paſtillus in quibus cōueniat.7°.de comp.me.ſe.lo. 5ª.184.E
SVCCVRRENDVM *eſſe proximo collige.de mot.man.* Sp.69.B
SVCCVS *quid ſimpliciter ſignificet.6°.de comp.me.ſec.loc.* 5ª.173.D
Succus apud Galenum quid ſignificet.2°.de ali.fac. 2ª.24.G
Succus quid ſit.8°.de ſimp.me.fac. 5ª.57.E
Succus, & liquor ſub humore comprehenduntur.in 6^{m}. de morbis vulgaribus, commen.6°. 3ª.196.C
Succus ater, & atra bilis quomodo differant.2°.de nat.fac. 1ª.301.G
Succus eſt proprium ſenſibile guſtus.7°.de decr.Hipp. 1ª.271.A
Succi boni & dulcis quæ ſunt, Græci vocant ἐυχυμα γλυκύχυμα. 2°. de ſimp.me.fac. 5ª.12.G
Succus bonus, ideſt ſanguis.com.5°.aph.64°. Ex.44.G
Succi boni quæ ſint.2°.de ſimp.me.fac. 5ª.12.G
Succos bonos faciunt quæ probe cocta ſunt.2°.de ſimp.me.fac. 5ª.12.E
Succi boni quæ ſunt, eadē detergunt, nec ſunt glutinoſa, nec craſſum ſuccum efficiunt, nec valenter nutriunt.4°.de ſan.tu. 2ª.83.F
Succus crudus ex quibus cibis fiat.de bon. & vit.ſucc. 2ª.36.G
Succos crudos gignit placēta ex oleo craſſi ſucci.1°.de ali.fac. 2ª.10.C
Succus crudus qui proprie ſit.1°.de ali.fac. 2ª.10.C
Succus crudus qui.3°.de alim.fac. 2ª.28.E
in Succum lacteum vertitur cibus in ſtomacho.de compagine membro rum, ſiue de natura humana. Sp.58.H
ad SVCCORVM *generationem plurimum valet calidum.2°.de natu ralibus facultatibus.* 1ª.299.G
Succorum generatio ſi à calido innato.2°.de nat.fac. 1ª.298.A
Succos auget tempeſtas vnaquæq; pro ratione ſuæ temperaturæ, ac nō propter rumen.in 1^{m}.de mor.vulg.com.1°. 3ª.100.H
Succorū abundantiam parit humida victus ratio.6°.de ſan.tu. 2ª.96.G
Succos proprios trahunt membra, quæ aluntur.4°.de ſan.tu. 2ª.87.H
Succum ſibi accōmodatū à venis accipiunt mēbra.1°.de ſemine. 1ª.335.B
Succo quàm ſimillimo nutriuntur membra.6°.de decr.Hipp. 1ª.266.C
Succum cibi attrahit cor ab inteſtinis, aliunde, quàm per hepar ideſt per mediam arteriam.de vtili.reſp. Sp.64.D
Succum cibi attrahit cor à ſplene per venam quæ protenditur à corde ad ſplenem.de vtil.reſp. Sp.64.H
Succum cibi trahit hepar ab inteſtinis.de vtil.reſp. Sp.64.D
Succum cibi non omnino tranſmitti ad venam hepatis, immo etiam partim ad arteriam.de vtili.reſp. Sp.64.G
Succum, qui in gibbo iecoris fit ſanguis, coquunt meſaraicæ. de compag. membrorum ſiue de nat.hu. Sp.59.A
Succorum differentiæ quot ſint in ſanguificatione.4°.de ſan.tu. 2ª.84.C
Succum cibi trahit ſplen ab inteſtinis.de vtil.reſp. Sp.64.G
Succus ſi alium, & alium mutet locum, non fit agglutinatio, & aſſimilatio.3°.de nat.facul. 1ª.302.E
Succi cum omnino ſunt crudi, actionis priuatio in venis eſt.3°. de ſymptomatum cauſis. 3ª.25.A
Succi cū ſunt ſemicocti, actio deficiēs in venis eſt.3°.de ſym.ca. 3ª.25.A
Succi cum ſunt vitioſi, actio praua in venis eſt.3°.de ſymp.cau. 3ª.25.B
Succi malum adauget, non nutrire.4°.de ſan.tu. 2ª.84.E
Succi ſemicocti coquuntur, & vtiles redduntur.4°.de ſan.tu. 2ª.83.E
Succi crudi debent coqui.4°.de ſan.tu. 2ª.84.D
à Succis prouenit color.4°.de ſan.tu. 2ª.84.A
Succorum notitiam quando dat color.4°.de ſan.tu. 2ª.84.A
Succi crudi in vrinis ſanorū etiā conſpiciuntur.1°.de ali.fac. 2ª.10.C
Succus crudus in vrinis videtur pus, quò ad craſſitiem & colorem.1°. de alimentorum facul. 2ª.10.C
Succus crudus q̄uo diſtinguatur à pure in vrinis.1°.de ali.fac. 2ª.10.C
Succi mali corrupti, qui concoqui non poſſunt, per ſudorem, & vrinam expelluntur.4°.de ſan.tu. 2ª.83.E
Succus qualis in corpore, tale eſt eius ſerum.4°.de ſan.tu. 2ª.83.G
Succorum, qui in vaſis continentur, nota eſt vrina.4°.de ſa.tu. 2ª.83.H
Succorum totius corporis notus eſt ſudor.4°.de ſan.tu. 2ª.83.G
Succi redundantis inditia ex ſomno, & vigilijs capiuntur.4°. de ſanitate tuenda. 2ª.84.E
Succorum abundantiam minuit exercitatio. in 6^{m}. de morbis vulgaribus, commentario.3°. 3ª.170.C
Succos detrahit velox curſus, & exercitatio.in 6^{m}.de morbis vulgaribus, commentario.3°. 3ª.170.E
Succos è vaſis emittit venæ ſectio.4°.de ſan.tu. 2ª.87.H
Succus exiguus in vna parte contentus, maxima facit ſymptomata.6°. de locis affectis. 4ª.40.A
Succi pituitoſi omnes albi ſunt, & crudi.4°.de ſan.tu. 2ª.84.B
Succi crudi ſunt de genere pituitæ, minus tamen humiditatis habent, quam quæ publice dicitur pituita.4°.de ſan.tu. 2ª.84.B
SVCCIS *malis pleni horreſcunt, cum caleſiunt.in 6^{m}.de morb.vulgaribus, commen.3°.* 3ª.175.G
Succo vitioſo laborantes facile ex morſu phlegmonem recipiunt.4°. de comp.me.per gen. 5ª.236.F
Succi frigidi marcorem, & ſomnos longiores inducunt. 4°. de ſanitate tuenda. 2ª.84.E
Succi frigidi qui.6°.de ſan.tu. 2ª.100.F
Succi frigidi quo modo cognoſcantur habere aliquam caliditatem.2°.de alimen.facul. 2ª.25.B
Succi calidi & mordaces inducunt viglias.4°.de ſan.tu. 2ª.84.E
Succi calidi, & mordaces, quando dormitur, efficiunt ſomnos imaginibus inquietos & turbatos.4°.de ſan.tu. 2ª.84.E
à Succo vitioſo intrinſece fit eroſio.4°.met.me. 7ª.23.B
Succi qui continuitatem diuidant.1°.de ſymp.cauſ. 3ª.16.H
Succi excalfacti vehementius, in omnem corporis partem feruntur.4°. de ſanitate tuenda. 2ª.83.H
Succi quomodo nec intus, nec ad cutem tendunt.4°.de ſan.tu. 2ª.84.A
Succi craſſi & glutinoſi tremorem faciunt.2°.de ſymp.cau. 3ª.20.E
Succi craſſi & glutinoſi debent detergi.4°.de ſan.tu. 2ª.84.F
Succos craſſos ac lentos diſſecat, & detergit cinnamomum.6°. de ſanitate tuenda. 2ª.99.C
Succi vitium ſi ſit, quid agendum.6°.de ſan.tu. 2ª.97.D
Succi vitioſi debent purgari.13°.met.me. 7ª.81.C
Succi acres, & mordaces ſunt educendi.4°.de ſan.tu. 2ª.84.D
Succi vitioſi non æque educuntur ex vna parte, vt ex alia.4°.de ſanitate tuenda. 2ª.83.A
Succi familiaritas facit magis & minus purgare.3°. de ſimpl. medicamen.facul. 5ª.23.H
Succos prauos habentium commune auxilium eſt alui deiectio. 6°. de ſanitate tuenda. 2ª.96.E
Succorum qui accipiuntur quantitati reſpondet quantitas excrementorum.2°.de cauſ.pulſ. 4ª.95.B
Succos crudos multos intus habentes, & foris laſſitudinis ſenſus, quo modo curandi.4°.de ſan.tu. 2ª.86.B
Succi ſi fluant ad oculos, vel aures, deriuandum per nares, & os, & quibus.de cucurb.ſcarif. 6ª.4.E
Succorum influxus vehementiſſimi reuulſorijs cohibentur. de cucurbitulis ſcarificationibus. 6ª.4.F
Succi vbi ad ſuperiora vergunt, deorſum fiat reuulſio, vbi ad inferiora, ſurſum.de cucurb.ſcarif. 6ª.4.G
Succos ad caput & viſcera vergentes reuellunt acria medicamenta manibus, & pedibus impoſita.de cucurb.ſcar. 6ª.4.G
Succi vbi introrſum vergunt, ad exteriora facienda eſt reuulſio vbi extrorſum, ad interiora.de cucurb.ſcarif. 6ª.4.G
Succi ſi dextrorſum inclinant, in ſiniſtram, & ſi ſiniſtrorſum, ad dextrā reuulſio facienda eſt.de cucurb.ſcar. 6ª.4.G
Succi crudi non ſunt foras trahendi.4°.de ſan.tu. 2ª.85.H

Succi mordaces cauendum ne intro reuocentur.4°.de ſan.tu. 2ª.85.H

Succi non ſemper eſt vtilis fuſio.10°.met.me. 7ª.65.H

Succorum fuſorum ſymptoma.de ſymp.cauſ. 3ª.18.B

Succi tripliciter eſſe poſſunt in ventriculo.7°.met.me. 7ª.48.E

Succi praui qui à toto corde defluunt, ſi confluunt in ſuperiorem partem ventriculi, per vomitum vacuantur, qui autem tendunt in partem inferiorem, pariunt diarhœam.2°.de ali.fac. 2ª.19.E

Succum frigidum in ventre habentes, ſunt ſegnes ad motum.2°. de ſanitate tuenda. 2ª.73.D

Succus frigidus in toto corporis habitu, facit ſegnes ad motum. 2°.de ſanitate tuenda. 2ª.73.E

Succi mordaces cum ſint in inteſtinis, quid agendum. in 6m. de morbis vulgaribus, com.6°. 3ª.196.C

Succi vitioſi in vlceribus, ſignum.4°.met.me. 7ª.24.D

Succo mellito, & mucoſa ſimilia in abſceſſibus inueniuntur. de tumore præter naturam. 3ª.83.G

SVCCVS *indicat de temperamento plantæ.2°.de ali.fac.* 2ª.24.E

Succi vires quæ.de ſimp.med. Sp.90.A

Succorum differentiæ quò ad ſapores.2°.de ali.fac. 2ª.24.E

Succus aqueus & qualitatis expers in omnibus fructibus ſtomachum non iuuat.2°.de alim.fac. 2ª.19.G

Succum aqueum & tenuem habentia, ſunt pauci alimenti.2°. de alimentorum facul. 2ª.16.G

Succus frigidus poſtulat acria, non acida.2°.de alim.fac. 2ª.19.G

Succus dulcis ſi acrimoniam, & craſſitiem habuerit, citius ſubducitur. 2°.de alimen.facul. 2ª.19.G

Succus dulcis celerius diſtribuitur, cum eſt ſine acrimonia, & craſſitie. 2°.de alimen.facul. 2ª.19.G

Succus radicis Acori claritatẽ oculis mirifice facit.d ſim.me. Sp.81.A

Succus Abſinthij marrubio miſcet, cũ adulterat.1°.de antid. 5ª.100.H

Succus abſinthij in aqua infuſus cum nardo quibus conueniat. de cura icteri. Sp.111.A

Succus Agiolæ ad quid vtilis.de dyna. Sp.24.H

Succus Alicæ quid operetur.de ſimp.med. Sp.90.A

Succus Anagallidis ad claritatẽ oculorum facit.de ſimp.me. Sp.80.G

Succus Betæ purgat aures, & nares.de cathar. Sp.95.B

Succus Cæpæ eſt oculorum cenoticus.de cathar. Sp.95.B

Succus cæpæ cũ adipe plurimo, purgat aures & nares.de cat. Sp.95.B

Succus Cantabri.de dyna. Sp.33.C/D

Succus Carpaſi.5°.de comp.me.ſec.loc. 5ª.164.C

Succus Caulis expurgat in icteris.de cura icteri. Sp.111.B

Succus Centaureæ quõ extrahatur, & cõſeruetur.de vir.cẽt. Sp.93.A

Succi centaureæ vis, quæ.de virt.cent. Sp.93.A

Succus cẽtaureæ ad multos affectus capitis valet.de vir.cent. Sp.93.B

Succus centaureæ valet ad aurium affectus.de vir.cent. Sp.93.B

Succus centaureæ valet ad affectus oris, & partium eius. de virtute cẽtaureæ. Sp.93.C

Succus centaureæ valet ad narium paſſiones.de vir.cent. Sp.93.C

Succus centaureæ valet ad hypopia, id eſt liuiditates oculorum. de virtute centaureæ. Sp.93.D

Succus centaureæ valet ad pudendorum affectus.de vir.cent. Sp.93.D

Succus centaureæ valet ad ani affectus.de vir.cent. Sp.93.E

Succus centaureæ valet ad vngues conquaſſatas, & apoſtematas.de virtute centaureæ. Sp.93.E

Succus centaureæ valet ad combuſtos.de vir.cent. Sp.93.F

Succus centaureæ valet ad vlcera antiqua.de vir.cent. Sp.93.F

Succus centaureæ valet ad plagas.de vir.cent. Sp.93.F

Succus centaureæ ad apoſtemata inciſa parua.de vir.cent. Sp.93.H

Succus centaureæ valet ad feras venenoſas.de vir.cent. Sp.93.H

Succus centaureæ œdemati conuenit.de vir.cent. Sp.94.A

Succus Chelidoniæ eſt oculorum cenoticus.de cathar. Sp.95.B

Succus chelidoniæ bibitur in icteritijs citrinis, & nigris.de ſimplicibus medicaminibus. Sp.82.B

Succª Cyclamini ad abolẽdũ colorẽ è facie icterici.de cura ict. Sp.111.F

Succus Cyrenaicus quo modo augetur aqua.3°.de compoſi. medicamentorum per genera. 5ª.232.H

Succorum cyrenaici, & medici eſſentia numeratur inter attrahentia, ſponte nata.5°.de ſimpl.me.fac. 5ª.36.E

Succus cyrenaicus tenuiſſimæ ſubſtãtiæ calidæ eſt, & pro eo ſuccus medicus, & ſagapenum ſumuntur quandoq; ob inopiam. 3°. de compo. medicamen.per genera. 5ª.228.E

Succus cyrenaicus diſcutit generoſe induratas inflammationes. 6°.de compoſitione medicamentorum ſecun.loc. 5ª.169.D

Succus cyrenaicus per halitũ maxime digerit, calidusq;, & tenuis eſt. 8°.de ſimp.me.fac. 5ª.57.D

Succus cyrenaicus ĩ vrinã ſtatim mittit ſuã qualitatẽ.1°.de ſe. 1ª.335.A

Succi cyrenaici fit mẽtio.4°.de cõ.me.ſ.l.156.F/5°.164.C/7°. 5ª.186.B

Succus Fœniculi conuenit oculo inflammato.de opt.ſect. Iſa.21.G

Succus Glycyrizæ pro ipſa radice ex creta portabatur. 7°. de compoſi. medi.ſecun.locos. 5ª.181.A

Succus herbæ heliotropij purgat choleram.de cathar. Sp.94.F

Succus hordei ĩmaturi vẽtrẽ ſtringit, & infrigidat.de ſim.m. Sp.90.A

inter Succos Laurinus ſimul cum eo quod calefacit valide tenuis eſt.3°. de comp.me.per genera. 5ª.228.F

Succus Lybicus.10°.de comp.me.ſe.loc. 5ª.206.E

Succus Medicus in vrinã ſtatim mittit ſuã qualitatẽ.1°.de ſem. 1ª.335.A

Succo medico vtitur.4°.de comp.me.ſec.loc. 5ª.155.F

Succus Mororum debilis eſt.6°.de comp.me.ſe.loc. 5ª.171.F

Succus mororum curat ſynanche laborantes.de ſimp.med. Sp.87.G

Succus mororũ ſylueſtriũ apte ventrem ſtringit.de ſimp.me. Sp.87.H

Succus mororũ vulnera attritiões vel putredies curat.d ſim.m. S.87.G

Succus Myricæ pediculos occidit, culices, & pulices fugat. de ſimplicibus medicamen. Sp.87.G

Succus ex corticibus nucum, quamuis non ſit in guſtu acerbus, nullo minus eſt fortis.6°.de comp.me.ſec.loc. 5ª.171.F

Succus Orizæ quid operetur.de ſimp.me. Sp.90.A

Succus Plãtaginis ſanguinẽ excreãtibus vtiliter dat.de ſimp. Sp.89.A

Succi Pomorum non poſſunt durare.7°.de ſimp.me.fac. 5ª.55.H

Succus Porri capitati ſanguinem purgat.de dyna. Sp.22.C

Succus porri educit ſanguinem.de cathar. Sp.94.G

Succus Praſij educit atram bilem.de cathar. Sp.94.G

Succus Ptiſſanæ de hordeo, ſi oleum roſaceum admiſceas, febricitantes refrigerat, & reparat.de ſimp.me. Sp.90.A

Succus rubi mororum fortior eſt.6°.de comp.me.ſec.loc. 5ª.171.F

Succus Rutæ eſt oculorum cenoticus.de cathar. Sp.95.B

Succus ſolatri expurgat in icteris.de cura icteri. Sp.111.B

Succus qui ex Syria affertur, eſt ex adſtringentibus parabilibus. 6°. de comp.me.ſec.loc. 5ª.169.F

Succus Syriacus.5°.de cõ.m.ſ.l.164.C/7°.5ª.186.B/de m.f.p. 7ª.174.D

Succus Tithymali vlcerat linguam.de dyna. Sp.21.E

Succus tithymali cum caricis.de dyna. Sp.21.E

Succus tithymali virginalis antidotum in cephalea.de dyna. Sp.23.C

Succus iari contra maculam oculorum.de med.expert. Sp.106.D

Succos exprimit per linteum.3°.de comp.me.ſec.loc. 5ª.145.B

in Succis, oleo, & in lacte recrementa ſunt.4°.de ſimp.me.fa. 5ª.24.H

Succi plantarum duplex excrementum habent.2°.de ſimp.me.f. 5ª.13.F

Succi quales eſſe debeant.1°.de anti. 5ª.107.D

Succorum fraudes Romæ cognoſcunt vnguentarij.1°.de anti. 5ª.100.H

Succi cur vino macerentur.1°.de anti. 5ª.107.E

ex Succis, & liquoribus ſimplicia quæ facile leuigentur. 4°.de compo. medica.per genera. 5ª.273.H

Succi debent ebulliri, ſi ſeruandi ſint.3°.de ſimp.me.fac. 5ª.20.F

Succi corrumpuntur ſine melle.6°.de comp.me.ſec.loc. 5ª.172.H

Succus ad mel quintuplus multitudine in quo pharmaco eſſe debet pro ſeruanda ſymetria.6°.de comp.me.ſec.loc. 5ª.168.C

Succi nimis cocti exiccantur.6°.de comp.med.ſec.loc. 5ª.172.H

Succi ad ſolem ſiccati quales.6°.de comp.me.ſec.loc. 5ª.172.H

Succi qui tempore dureſcunt.6°.de comp.me.ſecun.loc. 5ª.172.H

Succus quõ accipiatur in os p arundinẽ.6°.de comp.me.ſec.lo. 5ª.174.B

Succi ſtirpiũ p medicina dolorũ faciũt.ĩ 6m.de mor.vul.cõ.6°. 3ª.196.B

ex Succis appellatũ medicamẽtũ.7°.de cõp.me.p ge.268.A/ 5ª.269.B

SVCTVS *ventris tertium ſymptoma eſt oris ventriculi pro fame inducenda.1°.de ſymptom.cauſ.* 3ª.18.A

Suctus ventris ſenſus, quartum ſymptoma eſt oris ventriculi pro fame inducenda.1°.de ſymp.cauſ. 3ª.18.A

SVCCVLAM, *& axem ſignificat aſellus.de arti.com.3°.* 7ª.270.H

Succulæ quæ inſtrumenta ſint.de fractu.com.3°. 7ª.247.B

Sudamina genus puſtularũ qd ſint, et quõ fiãt.c.3°.aph.21°. Ex.24.D/E

SVDANTES *refrigerant potius, quã calefaciũt.7°.met.me.* 7ª.47.B

Sudantis ratione accidentis, caſus.in progn.com.1°. 4ª.189.E

Sudãs qs frigidior efficiĩ poſtea recaleſcit, mal.ĩ 1m pror.c.2°. 4ª.173.G

SVDOR *quid ſit.1°.de ſan.tu.67.D/de trem.palp.conuulſ.3ª.54.H/de vtil.reſpir.62.F/* Sp.64.D/G

Sudor an naturæ lege incidat.de ſymp.diff. 3ª.13.H

Sudorem non eſſe naturalem voluit Diocles.de ſymp.diff. 3ª.13.H
Sudores excernuntur in corpore humano.introd. Iſa.55.B
Sudores,& lachrymæ ex quibus conſtent.de hiſt.philo. Sp.11.F
Sudor ex aquoſa,& ſeroſa humiditate prouenit.de atrabile. 1ª.34.F
de Sudoribus nihil,aut ſupuacua ſcripſer̃ medici.10°.d̃ ſim.m.f. 5ª.75.C
Sudores ſunt euacuationes communes.ars med. Iſa.71.E
Sudores ex cute euacuãtur.cō.4°.aph.37°.Ex.32.B/de cath. Sp.94.G
Sudor quam ob cauſam exeat per poros corporis.de vtil.reſp. Sp.64.C
ꝑ Sudorem quæ euacuentur.ars med. Iſa.71.E
ꝑ Sudores totius corporis excrementa cognoſcunt̃.de cōſt.ar. Iſa.92.B
ꝑ Sudorem aliquid,& per vrinas, & per inſenſibilem trãſpirationem meat,quod cum ſanguine ex potu tendit.de atra bile. 1ª.34.D
Sudor habet eandem materiam cum vrina.10°.de ſimp.me.fa.5ª.75.A
Sudores purgant tenuia in toto habitu.de conſt.art. Iſa.42.E
ꝑ Sudores mittuntur ſuperflua tenuis ſubſtantiæ.de atrab. 1ª.35.C
Sudor poteſt ſanguinem exhaurire.de ven.ſect.aduer.Eraſ. 6ª.8.A
ꝑ Sudorem cur exeat quandoq; ſanguis.de vtil.reſp. Sp.62.F
Sudor ſanguineus quomodo fiat.de vtil.reſp. Sp.64.D
ꝑ Sudorem qui nam humores à natura expellantur.in 6^{m}.de morbis vulgaribus,com.4°. 3ª.187.E
ꝑ Sudorem,& vrinam expelluntur mali ſucci corrupti, qui concoqui non poſſunt.4°.de ſan.tu. 2ª.83.E
Sudor mittit̃ ab oībus venis,& arterijs corporis.de vtil.reſ. Sp.64.G
Sudores,& eiectiones interdum vt ſuperfluitatis humorum in corpore malorum ſymptomata,excerni,interdum expurgante natura.in 3^{m}. de morbis vulgaribus,com.3°. 3ª.144.D
Sudoris qualitas quomodo cognoſcatur ex colore.4°.de ſan.tu.2ª.83.G
Sudorum differentiæ.10°.de ſimp.me.fac. 5ª.75.B
Sudor ſalſus guſtu percipitur quomodo, & nolentibus.10°.de ſimplic. medicamen.facul. 5ª.75.B
Sudor quandoq; amarus.10°.de ſimp.med.fac. 5ª.75.B
Sudorem amarum habẽt regio morbo laborantes.4°.de ſan.tu. 2ª.83.G
Sudor modice pallidus.10°.de ſimp.me.fac. 5ª.75.B
Sudor habet aliquid bilioſi miſti.10°.de ſimp.me.fac. 5ª.75.A
cum Sudore exit bilis aquoſa.13°.met.me. 7ª.87.A
Sudor in balneis eſt coloris vrinæ.13°.met.me. 7ª.87.A
Sudores excremento quod euacuatur odorem coloremq́; ſimilem habẽt. 3°.de ſymp.cauſ. 3ª.28.F
Sudor quandoq; guſtatur.de ſympto.diff. 3ª.13.C
Sudorem ſuum guſtare ægrotantẽ iubet medicus.4°.de ſan.tu.2ª.83.H
Sudor propriam qualitatem indicat in os deſcendens ægrotantis.de ijs, quæ in med.fi.com.1°. 7ª.199.D
Sudor eſt nota ſuccorum totius corporis.4°.de ſan.tu. 2ª.83.G
Sudores fœtent in calidis,& humidis.8°.met.me. 7ª.54.B
Sudoris profundatio quæ dicatur.de ana.viu. Sp.52.C
Sudor exercitationũ ſignum eſt.in 6^{m}.de mor.vul.com.3°. 3ª.171.B
Sudores exercitiorum mediocrium balneorum,& caloris æſtiui quales. 3°.de ſympto.cau. 3ª.28.F
Sudor ex magno exercitio aliquid trahit boni.3°.de ſymp.cau. 3ª.28.F
de SVDORVM ſignificatione.præſag.exper.conf. Sp.77.F
Sudor omnis quid ſignificat.in 1^{m}.pror.com.3°. 4ª.184.F
Sudor tanquã ſymptoma quid ſignificet.in 1^{m}.pror.com.3°. 4ª.179.D
Sudoris prognoſticatio quomodo ſumenda.in progno.com.1°. 4ª.195.C
Sudores vbi ſunt,ibi morbum eſſe ſignificatur. commentario.4°.aphoriſmo.38°.Ex.32.C/præſ.exper.conf. Sp.77.G
Sudor ſignificat affectus ꝑ totum aīalis habitum.4°.de ſan.tu.2ª.84.A
Sudores non iudicant morbos longos.com.4°.aph.36°. Ex.31.H
per Sudores raro inueniemus iudicare trigeſimum primum, & trigeſimũ quartũ,& añ ipſos vigeſimũ ſeptimũ.cō.4°.aph.36°. Ex.32.B
Sudore iudicantur morbi acuti plurimi tertia, & quinta die magiſquã quarta.com.6°.aph.36°. Ex.32.A
Sudores critici ex qua vi fiant.com.7°.aph.21°. Ex.55.D
ꝑ Sudorem vel ſanguinis fluorem in acutis morbis quandoq; fit declinatio.de tot.morb.temp. 3ª.89.E
Sudor criticus quando expectandus.præſag.exper.conf. Sp.77.F
Sudorem ſtatim venturum demonſtrat vrina tenuis in critico die ſi aſpera facta fuerit.de dyna. Sp.34.E
Sudoris pulſus qui.præſag.exper.conf. Sp.77.F
Sudorem ſignificat pulſus vndoſus,& mollis.3°.de criſi. 4ª.144.D
per Sudorem inſtante criſi,quidam ſomniabat ſe lauare.de præſag.ex inſom.ſum. 4ª.213.D
Sudor criticus quid ſignificet.3°.de ſymp.cauſ. 3ª.28.F
Sudores quando boni & quando non boni.1°.de criſi. 4ª.128.B
Sudores quarto die cum ratione apparentes bonum iudicium in ſeptimo oſtendunt ſecundum antiquos.com.4°.aph.71°. Ex.35.C
Sudores proprij febribus omnibus ſunt,& præcipue incendentibus.3°. de criſibus. 4ª.139.F
cũ Sudore,& ſine ſudore febres qñ fiant.in ꝓgn.Hip.cō.3°. 4ª.212.B
Sudor cur in tertiana fiat.2°.de ſympt.cauſ. 3ª.22.E
Sudores ſoluunt febrem tertianam.com.4°.aph.59°. Ex.33.H
per Sudorẽ & vomitum cur tertianæ finiantur.2°.de criſi. 4ª.134.E
Sudor quomodo in tertianis nuntiatur.2°.de criſi. 4ª.134.H
per Sudores iudicatorios ſoluitur cauſus.de victus ratione in morbis acutis,com.4°. 7ª.135.D
per Sudorem quomodo cognoſcatur febrem debere ſolui.præſag.exper.conf. Sp.77.F
Sudor quando prædicendus in febre.10°.met.me. 7ª.63.C
Sudores febricitanti ſi inceperint in quibus diebus ſint boni, & in quibus ſignificent laborem,& longitudinem morbi,& recidiuam.commentario.4°.aph.36°. Ex.31.G
Sudores in principio nunquam critici.1°.de criſ. 4ª.128.E
ſi a Sudoribus febricitãtibus fuerit initiũ boni,et tertiani,et quintani, & ſeptimani,& nonani,& vndecimani,& quartidecimani, et vigeſimi ſeptimani,& trigeſimi quartani.præſag.exper.conf. Sp.77.G
Sudor ſuperueniens febricitãti,ſi nō ſoluat morbũ, longitudinẽ morbi ſignificat.cō.4°.aph.36°.Ex.33.F/præſag.exper.conf. Sp.77.G
Sudores quas febres iuuant.com.7°.aph.42°. Ex.57.D
per Sudores ſanatæ.de victus ratione in morb.acutis,cō.4°. 7ª.135.E
Sudor effuſus liberat à laſſitudine phlegmonodes.4°.de ſan.tu. 2ª.87.F
Sudorem in quibus facerent febres cum horrore.in 1^{m}.de morbis vulgaribus,com.1°. 3ª.106.H
Sudores facit rigor vehemens.de trem.palp.conuulſ. 3ª.54.H
Sudor rigorem comitatur.in 1^{m}.de morb.vulg.com.2°. 3ª.114.B
Sudoribus phreniticorum morbum ſoluit criticus rigor.in 1^{m}.pror.commentario.1°. 4ª.165.C
ſine Sudore rigor,malus.in 1^{m}.pror.com.1°. 4ª.173.C
neq; in Sudoribus,neq; in ſputis,neq; in vrinis,neq; in vomitibus,ſigna phrenitica ſunt.in 1^{m}.pror.com.1°. 4ª.162.H
Sudores multi qñ expectãdi ſunt in febribus.com.3°.apho.6°. Ex.20.E
Sudor multus quando conſequatur.præſ.exper.conf. Sp.77.F
Sudor in quibus maximus fit,& quando.2°.de dif.feb. 3ª.42.D
Sudor amplus quandoq; valentibus incidit.de ſymp.dif. 3ª.13.G
Sudor tam copioſus à Galeno in aliquibus viſus fuit, vt plumas madefaceret,tamen non erat ſedandus,& quare.de opt.ſect. Iſa.18.E
Sudores plures oſtendunt futuram ægritudinem.ars med. Iſa.67.F
Sudores pauciores oſtendunt futuram ægritudinem.ars med. Iſa.67.F
Sudoris copia vnde proueniat.3°.de ſymp.cau. 3ª.28.F
Sudor minor aut frigidior notat corpus exhauriri,refrigerari, & ſiccari.2°.de ſan.tu. 2ª.76.A
Sudoris inopia vnde.3°.de ſymp.cauſ. 3ª.28.G
Sudoris tum retentio,tum expulſio incidit ex imbecillitate virtutis in carne.3°.de ſympt.cauſ. 3ª.28.G
per Sudorem qui iudicatus,& per ſanguinis profluuium potiſſimum. in 1^{m}.de morbis vulgaribus,com.3°. 3ª.123.D
Sudore qdã fuit ſanatus fluxu ſanguinis ꝑ nares copioſo præcedente, ſed nō meminerat earum,quæ ſibi acciderant.2°.de motu muſc. 1ª.315.C
per Sudorem iudicatus eſt Herophon die nono.in 1^{m}.de morbis vulgaribus,commen.3°. 3ª.122.B
Sudore iudicatus qui octogeſimo die.in 1^{m}.de mor.vul.com.3°. 3ª.123.B
ꝑ Sudorem iudicatus qui fuerit,et qñ.in 3^{m}.de mor.vul.cō.1°.3ª.134.D
ꝑ Sudorẽ iudicatio in quo fuerit facta.in 3^{m}.de mor.vul.c.2°. 3ª.135.E
ꝑ Sudorem iudicata quæ fuerit.in 1^{m}.de morb.vul.com.3°. 3ª.126.E
ꝑ Sudorem iudicata eſt Melidia,& quando.in 1^{m}.de morbis vulgaribus,commenta.3°. 3ª.126.H
Sudores fiunt quandoq; ſine iudicatione,com.4°.aph.42°. Ex.32.E
Sudor per totum morbum ſine iudicio,malum.in 1^{m}.de morbis vulgaribus,commen.3°. 3ª.124.F
SVDORES mali qui ſint.de vict.rat.in morb.acu.cō.4°. 7ª.143.B
Sudores circa collum praui.de vict.rat.in morb.acu.com.2°. 7ª.122.F
Sudor malus exiſtit,qui morbum non ſoluit.com.4°.aph.56°. Ex.33.F
Sudore qui non ſoluuntur in febribus ad hypocondria dolores ſine voce, mali.in 1^{m}.pror.com.2°. 4ª.176.H
Sudores non boni,qui non remouent caliditatem hypochondriorũ.in 1^{m}. pror.com.1°. 4ª.164.B

Sudores qui ceperunt & protinus defuerunt peſſimi. in 1m. pror. commentario.1°. 4ª.161.F
*in Sudoribus prauis fiunt pulſus vermiculãtes.2°.de præſag.*4ª.113.A
Sudores morbis crudis non proſunt,nec ſunt bonum ſignũ.in 1m.de morbis vulgaribus,com.1°. 3ª.110.G
cũ Sudore facies flammans,mala.in 1m.pror.com.2°. 4ª.173.H
in Sudoribus qui recaleſcunt,malum.in 1m.pror.com.2°. 4ª.174.A
Sudor multus ex ſomno factus abſq; cauſa manifeſta corpus vti pluri cibo ſignificat,ſi vero non accipiente cibum hoc accidat,ſcire oportet ꝙ euacuatione indiget.com.4°.aph.41°. Ex.32.D
Sudor in ſomno ſine cauſa ſumpſiſſe plurimum cibum ſignificat. præſagium exper.conf. Sp.77.G
Sudor multus fit vel propter ciborum tunc ſumptorum immoderantiã, vel propter eos qui antea.com.4°.aph.41°. Ex.32.E
Sudores ĩmodici vel retenti cuius ſymptomata ſint.de ſym.diff. 3ª.13.F
Sudor ſuperfluens quid ſignificet.com.7°.aph.69°. Ex.59.F
Sudor ſuperfluus noxius eſt.in 6m.de morb.vulg.com.2°. 3ª.166.F
*Sudor immodicus vires euertit.de vict.rat.in mor.acut.cõ.3°.*7ª.128.E
ex Sudoribus immoderatis in robuſtiori corpore fit animi defectus.1°. de arte cur.ad Glauco. 7ª.98.F
ob Sudoris multitudinem animi defectui balnea obſunt.1°.de arte curatiua ad Glauconem. 7ª.99.A
Sudor reſoluto corporis habitu proueniens,paſſionem inducit, quæ dicitur ſyncope.3°.de ſymp.cau. 3ª.28.F
Sudor plurimus facit corpora extenuata.com.2°.aph.28°. Ex.16.B
Sudor multus in acutis,malus.in 1m.pror.com.2°. 4ª.172.G
cum Sudore multo qui obeunt,ij craſſius excrementum faciunt. 4°.de ſanitate tuenda. 2ª.83.G
ſine Sudore qui pereunt magis tenue excrementum faciunt.4°. de ſanitate tuenda. 2ª.83.G
Sudor multus non fit propter virium imbecillitatem, vel propter corporis raritatem.com.4°.aph.41°. Ex.32.E
Sudor multus frigidus vel calidus,frigidus magis calidus minus ſignificat morbum.com.4°.aph.42°. Ex.32.E
Sudor multus calidus vel frigidus ſuperfluens humorem abduci robuſto quidem ſupra,debili vero infra ſignificat.c.7°.aph.61°. Ex.59.F
Sudores frigidi quo modo fiant,& an in ea parte,in qua febris.commẽtario.4°.apho.37°. Ex.32.B
*Sudores frigidi in acutis febribus cur letales.com.4°.aph.37°.*Ex.32.B
Sudores frigidi cum acuta febre mortem, cum ardore morbi longitudinem ſignificãt [corruptus eſt textus] præſ.exper.conf. Sp.77.F
Sudores frigidi quo modo poſſint fieri in acuta febre,quę eſt calidiſſima. com.4°.aph.37°. Ex.32.B
Sudores frigidi ſi eſſent in partibus calidiſſimis,eſſent calefacti.com.4°. aphoriſmo.37°. Ex.32.B
Sudores frigidi in mitioribus febribus longitudinem morbi ſignificant. com.4°.aph.37°. Ex.32.B
*Sudor frigidus in Philiſco qñ fuerit.ĩ 1m.de morb.vulg.com.3°.*3ª.121.B
Sudores ꝑpetuo frigidi in Philiſco.in 1m.de morb.vulg.com.3°. 3ª.121.B
Sudores in carnis colliquatione quo modo ſuperueniãt. 3°. de ſymptomatum cauſis. 3ª.28.F
Sudor quando prouocetur.de melanch.ex Gal.Ruf.& Poſſ. Sp.110.B
Sudorem quæ moueant.de cura icteri. Sp.111.C
*Sudores ciendi vim habẽt acria tenuis eẽntiæ.4°.de ſimp.me.f.*5ª.29.G
Sudores graue olentes prouocant acria.de atten.vict. 2ª.43.G
ad Sudores faciunt balnea aquæ calidæ.de cura.icteri. Sp.111.C
*Sudoris vias aperit balneum,tamen non calefacit.11°.met.me.*7ª.70.E
Sudor ex balneo frigidæ quando fiat.10°.met.me. 7ª.66.B/C
Sudores ciet calamintha.7°.de ſimp.me.fac. 5ª.49.C
ad Sudores valet ſuccus centaureæ.de vir.cent. Sp.93.E
Sudorem prouocat chamæmelus.de ſimp.med. Sp.82.G
Sudore maxime cyclamen educit bilem & pituitam.de dyna. Sp.21.H
Sudorem prouocant ficus nimium comeſtæ.de ſimp.med. Sp.84.C
Sudorem prouocat hydropoton.de dyna. Sp.32.D
Sudores elicit cum oleo iuncta onobrythis.8°.de ſimp.me.fac. 5ª.57.C
Sudorem ſuſcitat ſmyrnium.de ſimp.med. Sp.91.B
per Sudores euacuat vinum.1°.de ſan.tu. 2ª.66.G
Sudorem promouet vinum.4°.de ſan.tu. 2ª.83.E
ad Sudorem citandum.de med.fac.par.172.A/ 7ª.178.G
vt Sudor febris exeat,epithema.de dyna. Sp.32.D
Sudorem mouens antidotus.8°.de comp.me.ſec.loc. 5ª.194.H
Sudores excitans.6°.de comp.me.per gen. 5ª.263.B
ad Sudores fœtidos.de med.fac.par. 7ª.166.C
ad Sudores capitis confert centaureæ ſuccus permiſtus cum vino. de virtute centaureæ. Sp.93.B
ad Sudorem & deiectionẽ alui reuocatur vrinæ fluxus. de hir. reuulſ. cucur.ſcar.2.D/de cucur.ſcar. 6ª.4.F
*ad Sudorem & vrinã reuocandæ fluxiones, quibus vrgentur ſuperior atq; vna ĩferior vẽter.de hir.re.cuc.& ſcar.2.D/de cuc.ſca.*6ª.4.F
p Sudorẽ,& vrinã diuertenda eſt bilis.1°.de arte cur.ad Gl. 7ª.97.B
Sudor ſtrigili auferebatur.5°.de loc.aff. 4ª.35.G
Sudorem in balneis detergebant ſtrigili.13°.met.me. 7ª.87.A
ſine Sudore plus repercutiunt,& minus digerunt ſordes palæſtritarũ, cum ſudore multum digerunt.10°.de ſimp.me.fac. 5ª.75.C
Sudor ſordibus in palæſtris,Coniſalon Attice dicitur à quibuſdam.10°. de ſimpl.med.fac. 5ª.75.C
Sudor digerit.8°.de ſimp.me.fac.60.A/10°. 5ª.75.C
Sudor cum ſordibus in palæſtris tumores præter naturam in halitum digerit.10°.de ſimp.me.fac. 7ª.75.C
à Sudore factam maculam lapathium tollit.de ſimp.med. Sp.86.C
SVDENT *qui ſecundum naturam.in 1m.pror.com.3°.* 4ª.182.E
Sudent cur rigentes.2°.de ſymp.cauſ. 3ª.22.F
Sudare non ſemꝑ cõuenit à balneo.de vict.rat.in mor.ac.c.3°. 7ª.132.E
nõ Sudant quotidiana,& quartana laborantes.2°.de diff.fe. 3ª.36.D
Sudare in principio exitioſum ſymptoma eſt in ardentibus.in 1m.de morbis vulg.com.2°. 3ª.115.A
Sudauit primo die Philiſcus febrem habens acutam.in 1m.de morb. acutis,commen.3°. 3ª.121.A
*Sudare,ſed non toto corpore,& extremitates multum frigidas habere, ſymptomata ſunt malignarũ febriũ.in 1m.de mor.vul.cõ.1°.*3ª.106.C
Sudare caput incipit,ſi morbus ſit à thorace.de dyna. Sp.19.H
Sudare nares pernitioſum eſt in ardentibus febribus.in 1m. de mor.vul. commentario.2°. 3ª.115.C
Sudant quidam iudicatorie per totum diem,& non ſuffocantur, & quo modo ſuffocantur.de vtil.reſp. 1ª.225.C
SVENDI *modus antiquorum.3°.de comp.me.per gen.* 5ª.231.D
Suendi abdominis ratio.6°.met.me. 7ª.39.F
SVFFITVS *quid proprie ſignificet.com.5°.aph.59°.* Ex.43.C
Suffitus aromatum caput grauat.com.5°.aph.28°. Ex.40.B
Suffitus aromatũ valet in omni diſpoſitione frigida & humida,niſi grauaret caput.com.5°.aph.28°. Ex.40.B
Suffitus aromatum muliebria educit,& quæ.cõ.5°.aph.28°. Ex.40.B
Suffitus ad ægre parientes.de med.fac.par. 7ª.168.G
Suffitus ad Tuſſim.de med.fac.par. 7ª.165.E
SVFFOCANDO *lucernæ flamma tollitur.de vtil.reſp.* 1ª.224.H
SVFFOCATIO *qũo ſequatur ſꝫm Eraſiſtratũ.de vtil.reſp.* 1ª.223.E
Suffocationis periculũ in lucta.de vict.rat.in morb.acu.c.4°. 7ª.137.F
Suffocationis periculũ nullũ excipit ſola intẽperies.4°.de pſ. 4ª.120.A
Suffocationis cauſa fortis.de vict.rat.in mor.acut.com.4°. 7ª.137.G
Suffocatio ex largo ſanguinis profluuio,& euacuatione immoderata cõtingit.1°.de dieb.decre. 4ª.146.F
Suffocatiõis ĩditiũ ẽ reſpiratio deficiẽs.in 3m.de mor.vul.c.2°. 3ª.136.C
SVFFOCATIO *vteri quid.6°.de loc.aff.* 4ª.39.D
Suffocatio matricis.de vtil.reſp. Sp.63.B
Suffocationis vteri differentiæ.9°.de comp.me.ſec.loc. 5ª.205.F
Suffocationis vteri ſymptomata,quæ.6°.de loc.aff. 4ª.39.D
in Suffocatione matricis quæ accidentia fiant.de paſſ.mul. Sp.95.F
in Suffocatione vteri quæ contingant.9°.de comp.me.ſec.loc. 5ª.205.F
Suffocationis vteri pulſus qualis.4°.de cau.pulſ. 4ª.103.B
Suffocatione vteri periclitantes, iuuant purpurarum opercula.11°. de ſimp.med.fac. 5ª.81.B
ad Suffocationem matricis ſuffumigium.de paſſ.mul. Sp.95.F
ad Suffocationem matricis potio.de paſſ.mul. Sp.95.G
ꝑ Suffocatione vteri ſternutamentum.de paſſ.mul. Sp.95.G
ꝑ Suffocatione vteri peſſarium.de paſſ.mul. Sp.95.G
*ob Suffocationẽ matricis aphoniæ quid ſuccurrat.de paſ.mul.*Sp.95.G
ad Suffocationes vteri.8°.de comp.med.ſec.loc. 5ª.191.F
Suffocationis medela eſt expirare. de vtil.reſp. 1ª.224.A
contra Suffocationem viperæ ſuffocatæ collum quo modo valet. de incant.adiur.& ſuſp. 7ª.182.B
*ad Suffocationes cõfectio Aſter appellata.7°.de cõp.me.ſe.l.*5ª.185.A
ad Suffocationem.de med.fac.par. 7ª.165.C
SVFFOCATIS *ſuſpendio hominibus, cor priuatur reſpiratione. de fœt.for.* 1ª.324.H

Suffocatum aïal aqua, non habet membra maculata.1°.de decr. 1ª.231.G
Suffocatis venæ ſectio & clyſteres conueniunt mire. 6°. de compoſitio. medicamentorum ſecun.locos. 5ª.174.C
SVFFOCARI *extreme moleſtum eſt.2°.de motu muſ.* 1ª.315.E
Suffocatur quomodo animal ſm Eraſiſtratum.de vtil.reſp. 1ª.223.G
Suffocamur magis cum plus inſpiramus.de vtil.reſp. 1ª.224.A
qñ Suffocat animal reſpiratio.1°.de diff. reſp. 3ª.61.F
Suffocantur animalia, non quia deſit ſubſtantia aeris, ſed ob aliud quippiam.de vtil.reſp. 1ª.224.A
Soffocãtur aïalia ob penuriã alicuius qualitatis.de vtil.reſp. 1ª.224.D
Suffocantur quomodo homines ſm Galenum.de vtil.reſp. 1ª.224.H
Suffocantur aliqui ob immoderatam caliditatem.de vtil.reſp. 1ª.226.D
Suffocetur à quibus affectibus vis vitalis.4°.de præſa.ex pul. 4ª.121.G
Suffocant primo die anginæ. in 3^{m}*.de morb.vul.com.2°.* 3ª.137.B
Suffocantur qui à peripneumonia, ab angina, & ſuppuratione pennas narium mouent.in 3^{m}*.de morb.vul.com.2°.* 3ª.136.A
Suffocentur cur ſuppurati.4°.de loc.affe. 4ª.27.A
Suffocatur vere, qui hyeme multum edit.de venæ ſec.adu.Eraſ. 6ª.9.F
Suffocat ſubito retentum ſtercus.3°.de ſymp.cauſ. 3ª.28.E
Suffocari in aqua debet ſimia, in qua fieri debet ſectio, & excoriari. de muſc.diſſec. 1ª.44.D
qui Suffocantur, quo pacto reſpirent.in 1^{m}*.pror.com.2°.* 4ª.174.C
SVFFVF *ad lapidem.de cura lap.* Sp.112.D
de SVFFVMIGIIS *& vnguentis documenta ſunt extra medicinam. 1°.de comp.me.ſec.loc.* 5ª.127.E
Suffumigium quomodo factum ad diſſoluendum Scyrrum.2°. de arte cura.ad Glauconem. 7ª.104.B
Suffumigium ad vuulæ deſtillationem.de dyna. Sp.35.G
Suffumigium ad rheumatiſmum faucium.de dyna. Sp.35.G
Suffumigium ad lienteriam.de dyna. Sp.28.B
Suffumigium ad ſuffocationem matricis.de paſſ.mul. Sp.95.F
de SVFFVSIONIBVS *humorum.4°.de comp.me.ſec.loc.* 5ª.158.C
Suffuſio quid ſecundum aliquos.de ijs, quæ in med.fi.com.1°. 7ª.203.E
Suffuſio quid.fin.med.48.G/intro. Iſa.59.A
Suffuſio eſt affectus pupillæ.introd. Iſa.58.D
Suffuſio oculorum eſt vlceratio quædam.fin.med. Iſa.48.D
Suffuſio quomodo à glaucomate differt.fin.med. Iſa.48.G
Suffuſione tempore affecti fuere, qui opio vſi ſunt.3°.met.me. 7ª.17.E
Suffuſio eſt à toto genere præter naturam.de dif.morb. 3ª.4.F
Suffuſio ægritudo quomodo eſt totius inſtrumenti.de diff.morb. 3ª.6.A
Suffuſiones vbi ſint.10°.de vſu par. 1ª.177.F
Suffuſio in oculo.de dif.morb. 3ª.5.H
Suffuſione laborant oculi ſoli.1°.de loc.af. 4ª.6.C
Suffuſionis initium in oculo eſſe poteſt alijs etiam malis vna oculum infeſtantibus.de dif.morb. 3ª.5.H
Suffuſio quibus obſtructionibꝰ ꝓportione reſpõdeat.7°.de dec. 1ª.271.G
in Suffuſionem, ſi oculi conſentiũt, qui nam incidant, & qua de cauſa. de conſt.ar. Iſa.41.B
Suffuſio quo modo fiat.in prognoſt.com.1°. 4ª.194.E
Suffuſio quot modis fiat, & quo modo, & quid ſit, & quomodo prædicẽda.de ocul. 7ª.187.C
in Suffuſionibus humor tenuis eſt effectus craſſus.de ſym.cau. 3ª.14.H
in Suffuſionibus qui humor coaguletur.de ana.ocul. Sp.57.F
Suffuſionum accidentia quomodo appareant.4°.de loc.affe. 4ª.22.B
in Suffuſionem incidere ſolent qui lucem noctu vident in ſomnis, patefactis ſubito palpebris.7°.de dec.Hipp. 1ª.270.B
in Suffuſione quo nam ſigno deprehendatur, an ſalua ſit videndi facultas, aut non.7°.de dec.Hipp. 1ª.270.A
Suffuſio cerebri quomodo cognoſcatur.de ocul. 7ª.187.D
ante Suffuſionem apparent cimices & flammæ.de ocul. 7ª.187.C
per Suffuſiones accidentia qualia oculis contingãt, & quomodo etiam ab ore ventriculi induci poſſint.5°.de loc.aff. 4ª.32.E
Suffuſorũ ſymptomata ex vapore ichorũ oriũtur.6°.de ſan.tu. 2ª.98.H
Suffuſioni ſimilibus affectibus oculi infeſtantur ſtomacho affecto. 3°. de locis.af.14.E/ 4ª.18.B
Suffuſionis ſpeciem faciũt ſtomaticæ affectiones.1°.de ſymp.ca. 3ª.15.H
Suffuſio ſtomachi quomodo cognoſcatur.de ocul. 7ª.187.D
Suffuſiones imaginariæ in oculis vnde proueniant. 3°. de compoſitione medicamentorum ſec.loc. 5ª.144.D
Suffuſiones cur fiant in ſenibus.com.3°.aph.31°. Ex.26.H
Suffuſionis ſpeciem habent glaucedines.com.3°.aph.31°. Ex.26.H
Suffuſioni ſimilia quædam videntur in ore ventriculi collecto tenui excremento, & quibus hoc contingat.1°.de loc.af. 4ª.3.F/H
Suffuſioni ſimilia ſymptomata apparent, vbi ſanguinis profluuium futurum eſt, aut vomitus.1°.de loc.af. 4ª.3.H
Suffuſioni ſimilia viſa quomodo fiant.in progn.com.1°. 4ª.194.F
vt in Suffuſionibus viſa tenebricoſa vnde ꝓueniãt.ĩ ꝓg.cõ.3°. 4ª.210.F
Suffuſiones curabiles & incurabiles quæ.de ocul. 7ª.187.D
Suffuſionum curatio.4°.de comp.me.ſec.loc. 5ª.158.C
Suffuſio requirit curationẽ lõgiorẽ.de ijs, quæ in med.fi.cõ.1°. 7ª.201.A
Suffuſionis curatio quibus indigeat.de part.art.med. Sp.17.B
Suffuſionis intentio.14°.met.me. 7ª.90.F
ad Suffuſionem quæ agenda.de ocul. 7ª.191.A
ad Suffuſiones piſcium adeps laudat.11°.de ſimp.me.fac. 5ª.79.E
Suffuſionum principia adiuuant caules chamæſyces.8°.de ſimpliciũ medicamentorum facultatibus. 5ª.63.G
Suffuſiones diſſipat cyclaminos ſup oculos inũctus.de ſimp.me. Sp.82.D
ad Suffuſiones valet hirundinis cerebrum.de ther.ad Piſo. 5ª.93.E
Suffuſiones diſcutit fel hyennæ quomodo.de ther.ad Piſo. 5ª.93.F
Suffuſiones oculorum adhuc tenues aufert myrrha, in collrijs. 1°. de antidotis. 5ª.105.C
Suffuſionibus ob humorum craſſitiem remedium eſt ſagapenum. 8°. de ſimp.me.facul. 5ª.60.A
Suffuſiones oculorum ex ictu iuuat ſtœbe.8°.de ſimp.me.fac. 5ª.61.D
Suffuſionum vitia ſanare adipem viperarum eſt falſum.11°.de ſimpliciũ medicamentorum facultatibus. 5ª.79.D
ad Suffuſiones Collyrium Rhinema, hoc eſt lima inſcriptum. 4°. de compo.med.ſec.loc. 5ª.156.C/E
in Suffuſionum principio quæ conueniant.4°.de cõp.me.ſe.lo. 5ª.151.B
ad Suffuſionem incipientem Hermophili Collyrium Thalaſſerum. 4°. de comp.me.ſec.loc. 5ª.156.E
ad Suffuſionem incipientem collyrium.4°.de compoſitione medicamentorum ſec.loc.156.E/ 5ª.157.A
Suffuſiones inueteraſcentes.de med.fac. par. 7ª.170.E
ad Suffuſiones Aelij galli compoſitio.4°.de comp.me.ſec.loc. 5ª.153.A
ad Suffuſiones.de med.fac.par. 7ª.163.C
ad Suffuſionem, mirabile.de med.fac.par. 7ª.170.B
Suffuſiones qua actione detrahimus.ad Thraſ. 2ª.104.E
Suffuſiones ſunt oculorum morbus, & manu indigent.introd. Iſa.59.G
Suffuſionum punctionis arti quæ requirantur.de part.ar.med. Sp.18.C
in Suffuſione appungere vnde inuentum.intro. Iſa.50.G
Suffuſiones vbi & quomodo pungantur.10°.de vſu par. 1ª.179.C
in Suffuſionibus ex acu impoſita apparet corneam diſtare multũ à pupilla.10°.de vſu par. 1ª.179.C
ob Suffuſionem muſculi inciduntur.de ana.adm. 1ª.64.D
in SVFFVSIS *viſiua vis foris ſe iudicat videre ea quæ in ipſis oculis inſunt.1°.de ſymptomatum cauſis.* 3ª.15.H
Suffuſis cur appareãt muſcæ, culices, & idola.1°.de ſymp.cau. 3ª.15.A
Suffuſorum viſa quædam aliter apparent ſolo vapore per oculos tranſeunte, aliter caput dolet eleuatis ad ipſum humoribus in ventriculo contentis.1°.de loc.affe. 4ª.6.G
Suffuſi aliqui videntur, cum viſum perfectiſſimum habeant, & quare. 1°.de ſymp.cauſ. 3ª.15.B
Suffuſi aliqui videntur cũ non ſint ob ventriculũ.1°.de ſymp.cau. 3ª.15.B
Suffuſis ſimilia ſymptomata quo modo à ventriculo contingant.3°. de locis affectis. 4ª.19.B
Suffuſorũ ſymptomata fiunt ex ſtomacho.2°.de cõp.me.ſec.loc. 5ª.135.B
Suffuſis ſilia ſymptomata ꝓpter quas cauſas fiãt.4°.de lo.af. 4ª.22.A
Suffuſi qño cognoſcantur an debeant ſanari.1°.de ſymp.cau. 3ª.14.D
pro Suffuſis pharmacum quod erat in precio tempore Galeni.4°. de cõpoſi.med.ſec.loc. 5ª.151.H
Suffuſis prodeſt cæpæ ſuccus.7°.de ſimp.me.fac. 5ª.53.D
Suffuſis cum melle illitus competit cyclaminis ſuccus.7°. de ſimplicium medic.facul. 5ª.53.E
Suffuſis auxiliatur fœniculum.7°.de ſimp.me.fac. 5ª.55.B
SVGGERERE *menſium circuitus poteſt cucurbitula. de cucurbitulis ſcarificatione.* 6ª.3.F
SVGILLATIO *quid ſit & quo modo curetur.5°.de compoſitione medicamentorum ſecun.loc.* 5ª.158.F
Sugillationibus quibus muria fugienda.5°.de comp.me.ſe.lo. 5ª.159.A
SVGILLATA *qualia eſſe debent.de fract.com.2°.* 7ª.235.G
Sugillata digerit Calamintha.7°.de ſimp.me.fac. 5ª.49.D
Sugillata digerit Hydropiper.8°.de ſimp.me.fac. 5ª.62.H
ad Sugillata valet Lycium.7°.de ſimp.me.fac. 5ª.54.G

Sugillatis quo valet Nux antiqua oleoſa.5°.de cōp.me.ſec.loc.5ª.159.H
Sugillata digerit Ptarmicæ.8°.de ſimp.me.fac. 5ª.59.C
ad *Sugillata accōmoda exiſtit Raphanus.8°.de ſimp.me.fac. 5ª.59.E*
ad *Sugillata Archigenis pharmaca, et an ſugillatis conueniat raphanus.5°.de comp.me.ſec.loc. 5ª.158.H*
ad *Sugillata Serum valet.10°.de ſimp.me.fac. 5ª.73.G*
ad *Sugillata recentia liuida pharmaca ab Apollonio conſcripta.5°. de comp.me.ſec.loc.158.H| 5ª.159.E*
ad *Sugillata inueterata.5°.de comp.me.ſec.loc. 5ª.159.E*
ad *Sugillata cum tumore,cum inflammatione & cum pertuſione.5°.de comp.me.ſec.loc. 5ª.159.E*
ad *Sugillationes profundas & liuores.5°.de comp.me.ſec.loc.5ª.159.F*
ad *Sugillata Heræ medicamentum.5°.de comp.me.ſec.loc. 5ª.159.H*
ad *Sugillata digerenda.10°.de ſimp.me.fac. 5ª.75.G*
ad *Sugillatos.4°.de comp.me.ſecun.loc. 5ª.157.G*
ad *Sugillata.1°.de comp.me.per gen.215.F|2°. 5ª.224.E*
SVILLVS *ſanguis pro humano accipiendus.10°. de ſimplicium medicamentorum facultatibus. 5ª.72.G*
Suillarū maxillarū oſſa vſta ad qd valeant.1°.de cōp.me.ſec.lo.5ª.123.F
Suilla cutis qualis.de bon.& vit.ſucc. 2ª.35.H
Suilla caro eſt in magno vſu.2°.de ali.fac. 2ª.16.B
Suilla caro qualis.de vi.rat.ī mo.ac.c.4°.145.A|ī rē.aff.dig. 7ª.195.F
Suillæ carnis cum humana eſt magna ſimilitudo.3°.de alim.fac.2ª.25.H
Suilla caro denſa eſt,& conſtricta.1°.de ali.fac. 2ª.13.G
Suilla caro eſt probatiſſimus cibus.de bon.& vit.ſucc. 2ª.37.C
Suillæ carnes ſunt cibus hyemis.de nat.hu.com.1°. 1ª.32.F
Suilla caro laudatur,& in quo caſu.de ren.aff.dig.& med. 7ª.195.F
Suillarum carnium optima montana eſt.8°.met.me. 7ª.51.B
Suillam carnem ſalſam expetit lens.1°.de alim.fac. 2ª.13.F
Suillam carnem recentem,expetit ptiſſana.1°.de ali.fac. 2ª.13.F
Suillæ carnes validæ & ægre coctiles ſunt.in 6^{m}.de morbis vulgaribus commentario.4°. 3ª.180.C
Suilla caro multum nutrit.in 6^{m}.de morb. vulga. com.3°.3ª.170. F|8°. de comp.me.ſec.loc. 5ª.192.E
Suilla caro maxime nutrit,ſed coctu non eſt facilis, & generat ſuccum craſſum & glutinoſum.7°.met.me. 7ª.45.D
Suilla caro difficulter cōcoquit,reſpectu carnis auiū.3°.de tēp. 1ª.22.C
Suilla caro duræ coctionis eſt.2°.de temp. 1ª.20.E
Suilla caro facilius concoquitur,quàm piſces ſaxatiles ab aliquibus.2°. de temperamentis. 1ª.20.E
Suilla caro,ſi à ventriculo coquatur, & à iecore in ſanguinem vertatur probatiſſimos humores gignit, ſed parum glutinoſos. de bonitate & vitio ſuccorum. 2ª.34.F
Suilla caro eſt cibus craſſi ſucci.de bon.& vit.ſucc. 2ª.34.F
Suilla caro quos faciat humores.com.2°.aph.18°. Ex.13.F
Suillæ carnes gnant ſanguinē boni,ſed viſcoſum.de pue.epil. 7ª.180.H
Suillæ carnes faciunt ſanguinē craſſum.in 6^{m}.de mor.vul.c.3°.3ª.175.A
Suilla caro generat carnē compactam,& firmam.2°.de ali.fac. 2ª.17.E
Suilla caro magis lenta eſt bubula.3°.de alim.fac. 2ª.25.H
Suilla caro obſtruit iecur.& renes quia viſcidi neſcio quid retinet.de bonitate & vitio ſuccorum. 2ª.34.F
Suillam carnem in quo ordine ciborum comederet Protas rhetor.2°.de alim.facul. 2ª.20.A
Suilla carne vtuntur athletæ.3°.de ſan.tu. 2ª.77.G
Suillis carnibus cur ſoli athletæ veſcantur.1°.de ali.fac. 2ª.10.B
Suilla carne nutriti copiam plurimam aceruant.6°.de ſan.tu. 2ª.96.E
Suillis carnibus & pane ex caſeo veſcentes multi incidunt plectoram, & quare.1°.de ali.fac. 2ª.10.B
Suilla carne nutriti quibus indigeant.6°.de ſan.tu. 2ª.96.E
Suilla caro à quibus demenda.6°.de ſan.tu. 2ª.96.E
à *Suillæ carnis multo eſu abſtineat ſenex.5°.de ſan.tu. 2ª.91.D*
Suilla carnæ quo veſcendum in victu attenuante.de atten.vict.2ª.46.B
Suille carnes in febre à quo darentur,& quo modo ægrum ad vomitum compellerent.de opt.ſect. Iſa.23.A
Suilla caro cur non detur ſiccis.7°.met.me. 7ª.45.D
Suillæ carnes ſiccis quando dandæ.7°.met.me. 7ª.45.H
Suillos pedes ſumat à balneo rediens.de bon.& vitio ſuc. 2ª.39.A
Suilla caro toſta cur danda,cum nimis detractum eſt.in 6^{m}.de mor.vulgaribus,commen.3°. 3ª.171.A
Suillæ carnis ius & lac calidū ſorbeat, Bupreſtin qui ebiberit,poſtquam paſſum multum hauſerit,& euomuerit.2°.de antidotis. 5ª.114.D
SVILLAE *glandulæ lacte plenæ à guloſis maxime expetuntur.5°. de alimentorum facultatibus. 2ª.26.H*
SVILLVM *iecur quando caricis nutritur,eſt boni ſucci.de bonitate et vitio ſuccorum. 2ª.35.F*
Suillus lien minus obeſt.de bon.& vitio ſucc. 2ª.35.G
SVILLVS *adeps qualis.7°.de comp.me.per gen. 5ª.263.F*
Suillus adeps in quo ordine inter acopa ponendus.7°.de compoſi. medicamentorum per genera. 5ª.279.F
in *Suilli & anſerini adipis medio eſt adeps gallorum et gallinarum.11°. de ſimp.me.fac. 5ª.79.A*
Suillo adipe calidior eſt anſerinus.11°.de ſimp.me.fac. 5ª.79.A
Suillus adeps p anſerino,et gallinaceo ſumit.2°.de ar.cu.ad G.7ª.105.F
Suillus adeps pro gallinaceo ſumitur, niſi habeatur. 1°. de compoſitione medicamentorum per genera. 5ª.215.A
iter Suillū et leoninū adipē medius eſt taurinus.11°.de ſim.m.f. 5ª.79.B
Suillo adipe calidior,& ſiccior ē adeps taurorū.11°.de ſim.m.f.5ª.79.B
Suillus adeps antiquus pro vitulino quando ſumatur.4°.de compoſitio. medicamen.per genera. 5ª.239.E
Suillo adipe cur potius imponatur adeps caprinus in tineſmis,& dyſenterijs.11°.de ſimp.me.fac. 5ª.78.H
Suillus adeps antiquus.10°.de comp.me.ſec.loc. 5ª.208.A
Suillus adeps quæ iuuet,& quibus obſit.11°. de ſimp.me.fac. 5ª.79.B
Suillus adeps laxat.7°.de comp.me.per gen. 5ª.264.E
Suillus adeps mouet pus,et eſt familiariſſimus phlegmonibus.5°.de ſimplicium medicamen.facul. 5ª.34.B
SVILLVM *ſeuum pro Gallinaceo.14°.met.me. 7ª.88.C*
SVILLO *acrius eſt fel ouium.10°.de ſimp.me.fac. 5ª.74.H*
Suillum fel.1°.de comp.me.ſec.loc. 5ª.124.G
SVILLVM *ſtercus vincitur à columbino in attrahendo. 5°. de ſimplic. medicamen.facul. 5ª.36.F*
in SVITIONE *vlcerum quale eſſe debet filum.6°.met.me. 7ª.39.F*
SVLPHVR *quale.9°.de ſimp.me.fac.69.C|10°. 5ª.207.C*
Sulphur calidum tenuium partium eſt.3°.de comp.me.per gen.5ª.228.E
Sulphur calidum eſt.1°.de ſimp.me.fac. 5ª.6.G
Sulphur quo loco reponatur inter calida, quæ conueniunt alopecijs. 1°. de comp.me.ſec.loc. 5ª.122.D
Sulphur caliditate vlcus facit.6°.de comp.me.per gen. 5ª.256.B
Sulphur viuum quale.7°.de comp.me.per gen. 5ª.265.G
Sulphur viuū diſcuſſoriū parabile fortiſſimū ē.6°.de cō.m.ſ.l. 5ª.169.G
ex *Sulphure viuo pharmacū ad diſpnoicos.7°.de cōp.me.ſe.lo. 5ª.186.F*
Sulphure viuo offendit ſanguinis reiectatio.7°.de cōp.me.ſe.l. 5ª.183.C
Sulphuris viui meminit.6°.de comp.me.ſec.loc. 5ª.168.E
Sulphuris vires quæ.de ſimp.med. Sp.90.C
Sulphur viſcide relaxat.de ſimp.med. Sp.90.C
Sulphur purgat pulmonem,& thoracem.de cathar. Sp.95.B
Sulphur cum ouo ſorptum expurgat in icteris.de cura icteri. Sp.111.B
ex *Sulphure & alumine conſtans medicamētum ſplenis duritiei ex ſtatu conuenit.2°.de arte cur.ad Glau. 7ª.104.C*
Sulphur aduerſus turturem marinum & draconem valet, & ad multa venenatorum animalium reſiſtit,pſoras,lichenas, & lepras ſanat. 9°.de ſimp.medicam. 5ª.69.C
Sulphur cur optimum ad ſcabiem.9°.de ſimp.me.fac. 5ª.69.D
Sulphur valet ad neruorum vulnera.3°. de compoſi.medi.per gene.5ª. 230.F|6°.methodi medendi. 7ª.37.E
Sulphuris aqua non eſt frigida.1°.de ſimp.me.fac. 5ª.2.H
SVLPHVREA *aqua & aluminoſa cauſarum eſt præcedentium, quæ arterias indurant.2°.de præſag.ex pulſ. 4ª.119.C*
Sulphureæ & nitroſæ aquæ quæ ex terra calidæ profiliunt, & marina calefacta ſunt palpitationis remedia.de trem.palp.conuulſ. 3ª.52.G
Sulphureum balneum fieri non debet febrienti.11°.met.me. 7ª.69.H
Sulphurea balnea euacuāt æqualr totū corpus.cō.4°.aph.2°. Ex.27.D
Sulphureæ aquæ balnea ducunt plus bilis,ſed multo minus proſunt quā potabiles.1°.de arte cura.ad Glau. 7ª.97.B
Sulphureæ aquæ exiccant.1°.de ſan.tu. 2ª.65.C
Sulphureæ aquæ prauæ ſunt.de ptiſ. 2ª.47.B
SVLPHVROSA *aqua eſt miſta.1°.de ſimp.me.fac. 5ª.3.A*
Sulphuroſa aqua ex pugnantibus qualitatibus compoſita eſt.1°. de ſimplicium medica.facul. 5ª.6.F
Sulphuroſa aqua,ab aqua ad calidius receſſit.1°.de ſimp.me.fac. 5ª.5.C
Sulphuroſa aqua medicamentoſa eſt.7°.de comp.me.per gen. 5ª.264.D
Sulphuroſa aqua,aut bituminoſa,aut marina, aut muria ſi Eryſipelas perfundas,adures partem.1°.de ſimp.me.fac. 5ª.3.A
Sulphuroſæ aquæ quibus malæ.6°.de ſan.tu. 2ª.98.G

SVLPHVRVLENTA *balnea fortius reſiccant.7°.de compoſitio.med. ſecun.locos.* 5^{a}.177.E
SVMEN *vbi ſit.de anat.par.* Sp.43.B
in SVMMITATIBVS *ſunt aquæ meliores, & aquæ puriores.de bonitate aquæ.* Sp.75.E
in SVMMAM *colligit frequenter Hippocrates.in 1^{m}.de morb.vulgaribus,commentario 1°.* 3^{a}.107.D
ad *Summũ caput & ei ꝓximã regionẽ linteum ſciſſum.de fa.* 7^{a}.294.D
SVMPTIONES *quæ ſint.de vict.rat.in mor.acu.com.2°.* 7^{a}.119.B
Sumptionum quatuor genera.2°.de decr.Hippoc. 1^{a}.237.E
Sumptionum quatuor differentiæ.3°.de decr.Hip. 1^{a}.241.B
Sumptiones veræ à quibus ſumantur.2°.de decr.Hip. 1^{a}.238.A
SVEBANT *inciſas partes.2°.de com.me.per ge.* 5^{a}.226.H
Suuntur aut ligantur vlcera magna.4°.methodi medendi. 7^{a}.28.B
in SVPERBO *minus eleuati pulſus quàm in humili ſecundum quos eſſe deberent.de anat.viuo.* Sp.47.A
SVPERCALEFACTIO *totius corporis inordinata. de decub.progn. ex math.ſcientia.* Sp.13.A
SVPERCILIA *quę.introd.* Iſa.52.H
Supercilia propter quid facta.10°.de vſu partium. 1^{a}.180.A|*de natura & ord.cuiusl.corp.* Sp.41.G
in *Supercilijs pilorum generatio eſt neceßaria.17°.de vſu par.* 1^{a}.222.B
in *Supercilijs cur pili effecti.11°.de vſu partium.* 1^{a}.189.A
Superciliorum pili propter quid facti.10°.de vſu partium. 1^{a}.180.D| *de anatomia viuorum.* Sp.45.C
Superciliorum pili magnam vtilitatem animalibus pariunt.1°.de cõpoſitio.med.ſec.loc. 5^{a}.121.C
Superciliorum pilis ſi quid addideris, aut abſtuleris,illorum vtilitatem corrumpes.11°.de vſu partium. 1^{a}.189.G
Supercilia cur ſtent recta,& æqualia.11°.de vſu partium. 1^{a}.189.G
Supercilia non debent eſſe multũ denſa,vel longa.11°.de vſu p. 1^{a}.189.G
à *Superciliorum ſitu quæ indicia ſumantur.quòd animi mor.* 1^{a}.319.F
Supercilia ſi in rectum porriguntur, mollem animum ſignificant. quòd animi mores. 1^{a}.319.F
Supercilia iuxta naſum inflexa,auſterum & acerbum notant.quòd animi mores. 1^{a}.319.F
Supercilia iuxta tempora inflexa deriſorem, & diſſimulatorem notant. quòd animi mores. 1^{a}.319.F
Supercilia in totum demiſſa notam inuidię habent.ꝙ animi mo. 1^{a}.319.F
Supercilia grauia habet homo,ſi ſperma conceptum ſit à muliere in tribus horis ſanguinis.de ſpermate. Sp.37.B
Superciliorum pili cadunt,& quid conueniat.in 6^{m}.de morbis vulgaribus,commentario 2°. 3^{a}.160.H
Superciliorum pili non defluunt,niſi in magnis ægritudinibus.11°. de vſu partium. 1^{a}.190.B
Supercilia quibus amplificentur.de vict.ra.in mor.acu.cõ.2°. 7^{a}.122.F
ad *Supciliorũ pilorũ icremẽtũ valet armeniacũ.9°.de ſim.m.f.* 5^{a}.68.G
ad *Superciliorum raritatem pilorum.1°.de comp.med.ſec.lo.* 5^{a}.124.H
in *Supercilijs pilorum præter naturam gluten eſt mucus cochlearum. 11°.de ſimplicium me.facultatibus.* 5^{a}.78.G
ad *Supercilia piloſa.de med.fac.par.* 7^{a}.163.B
Superciliorum magnas aſperitates extergunt auferuntq́; collyria facta ex flore æris.9°. de ſimp.med.fac. 5^{a}.71.F
Supercilijs exaſperatis conuenit hæmatites.9°.de ſimp.med.fac. 5^{a}.68.C
inter *Supercilia duo eſt vena frontis.de anatom.viuo.* Sp.55.A
Supercilia,& quæ circa ipſa ſunt,vnde accipiant neruos.9°. de vſu partium. 1^{a}.176.C
in *Supercilijs fit palpitatio.de trem.palp.conuulſ.* 3^{a}.52.B
Superciliorum palpitatio vnde eueniat,& in quibus fiat.2°.de ſymptomatum cauſis. 3^{a}.20.F
Supercilium ſi peruertatur in febre continua, homine debilitato,lætale. com.4°.apho.49°.33.B|com.7°.apho.66°. Ex.60.F
Supercilium cur ſupertendatur,& quod malum.in 6^{m}.de morbis vulgaribus,commen.1°. 3^{a}.158.C
inter *Supercilia,vel medium naſum vbi deligare opus ſit vinculum. de faſcijs.* 7^{a}.299.B
SVPERCOMPOSITIVA *quarta ſecta medicinæ quam inueniſſe videtur Agathinus Lacedęmonius,eſt nominata.fin.med.* Iſa.43.E
SVPERCRESCENTIA *poſſunt minui ſine naturæ ope, & quare.3°. methodi medendi.* 7^{a}.21.B
SVPERFICIALES *fontes mutantur in horas.de bo.aq.* Sp.75.H
cum SVPERFICIE *punctum quę figura egregie coniungat. de anatomia viuorum.* Sp.52.F
Superficies plana quid.10°.de vſu par. 1^{a}.182.C
ad *Superficiem transferre quæ in profundo ſunt poteſt cucurbitula. de cucur.ſcar.* 6^{a}.3.F
SVPERFLVITATES *rei originẽ illius circũſtãt.de an.viuo.* Sp.50.F
Superfluitatem multam habentia.de diſſ.cont. Sp.73.D|E
Superfluitatum plurium eſt caro pullorum anſeris.de diſſ.cont. Sp.73.C
Superfluitates multas generant paluſtria.de puero epil. 7^{a}.180.H
Superfluitates putridas generant ſiccę ficus.de diſſ.cont. Sp.74.B
Superfluitatem multam hñtes cibi,facile nutriunt.de diſſ.cont. Sp.73.F
Superfluitatibus carentes cibi,qui.de diſſ.cont. Sp.73.E
ex *Supfluitatibus natura iuuamentũ accipit,& q̃uo.de ana.vi.* Sp.53.D
Superfluitates tres à ſanguine exeuntes,& quę ſint.de ana.vi. Sp.50.H
Supfluitas ſanguinis eſt vrina quæ cõtinetur in veſica.de an.vi. Sp.50.F
Superfluitas ſanguinis de renibus educitur.de cathar. Sp.94.G
Superfluitas alia ſanguinis eſt ſanguis cholericus, qui continetur in ciſti fellis.de anat.viuo. Sp.50.F
Superfluitas ſpumoſa ſanguinis ſuperius calida & ſicca cholera appellatur.de anat.viuo. Sp.50.H
Superfluitas alia ſanguinis eſt ſanguis melancholicus qui continetur in ſplene.de anatomia viuorum. Sp.50.F
Superfluitas ſanguinis aquoſa quæ admiſta ſanguini, phlegma appellatur.de anatomia viuorum. Sp.50.H
Superfluitas humoris cryſtallini eſt albugineus.de anat.viuo. Sp.48.E
Superfluitatem paucam habent humores craſſi.2°.de diff.feb. 3^{a}.41.E
Superfluitatem nullã relinquunt humores feroſi.2°.de diff.feb. 3^{a}.41.E
Superfluitatibus vacat homo,qui bene concoquit,et mediocre facit exercitium.com.6°.apho.28°. Ex.49.A
Superfluitates corporis ab aquilone cõſumũtur.cõ.3°.aph.17°. Ex.23.E
Superfluitas acris, & mordax vnde.1°.de diffe.feb. 3^{a}.31.F
Superfluitatibus phlegmaticis abundantibus mulieribus optimum medicamen.de med.exper. Sp.108.F
Superfluitates partium propinquarum mittuntur ad loca læſa.com. 6°. aphoriſmo 50°. Ex.52.F
Superfluitates contentæ in vno loco,intentio eſt ablatio vel tranſpoſitio. ars medicinalis. Iſa.71.C
Superfluitates eo ꝙ vergant ducendæ per conuenientem regionem. commentario 4°.aph.2°. Ex.27.G
Superfluitatũ fluxiões ꝑ muſculos cuſtodiuntur.2°.de mo.muſ. 1^{a}.314.F
Superfluitates cur emittuntur quandoque inter dormiendum.2°.de motu muſculorum. 1^{a}.314.F
Superfluitas cibi quando eſt difficilis deſcenſus de ſtomacho, & inteſtinis,indigemus his quæ deſcendere faciunt,& ventrem mollificent.de diſſolutione continua. Sp.71.F
Superfluitates educere vbi neceſſe eſt, & clyſtere pro aliqua occaſione intromittatur,aloe vtimur.de dynam. Sp.20.H
SVPERFLVVM *quid ſit.1°.de dign.pulſ.* 4^{a}.71.F
Superfluum eſſe melius eſt,quam diminutum.de atra bile. 1^{a}.39.B
à *Superfluo facile eſt demere.de atra bile.* 1^{a}.39.B
Superflua derelinquuntur à potentia naturali alteratiua. commentario 5°.aphoriſmo 39°. Ex.41.B
Superfluus humor duplicem habet ſpeciem in craſſitie, & tenuitate.in 3^{m}.de morb.vulg.com.3°. 3^{a}.144.G
Superfluum in quibus locis faciat dolorem.de mult. 3^{a}.76.F
Superfluorum receptacula quæ & qualia.5°.de vſu par. 1^{a}.146.C
Superflua recipiunt adenes & glandulæ.13°.meth.med. 7^{a}.80.H
ad *Superflua recipienda q̃uo præparetur membrum.de ocul.* 7^{a}.189.E
Superfluũ quod eſt membro,excernitur.1°.de ſem. 1^{a}.335.E
Superfluũ omne euacuare conuenit,diſtinctione adhibita, an vt quantũ, an vt quale, an vt vtrunq; ſit ſuperfluum.de conſt.ar. Iſa.42.E
Superfluum omnes partes expellere conantur.3°.de nat.fac. 1^{a}.306.F
Superflua quomodo expellantur.3°.de nat.fac. 1^{a}.306.E
Superflua per quas vias excernantur.de comp.memb. Sp.59.B
Superfluorum viæ quæ & quales.5°.de vſu par. 1^{a}.146.C
Superflua expirando expellimus.8°.de vſu par. 1^{a}.168.F
ad *Superfluorum emiſſionem proprij meatus debent fieri fluxibiles.11°. methodi medendi.* 7^{a}.73.F
Superflua ciborũ,ſi tarde deſcendant,dari debent cibi lenientes, & pungentes.de diſſo.cont. Sp.74.H
Superflua exeunt inuito homine reſolutis ani muſculis. 4°. de vſu partium. 1^{a}.141.E
Superfluum euacuatum alleuiat animal.com.4°.aph.2°. Ex.27.C

Supflua à pulmone, & pectore mũdificãs electariũ.de me.ex. Sp.107.G
SVPERGEMINALIS *quid ſit.1°.de ſem.* 1ª.333.E
Supergeminalis radix & origo meatuũ ſeminalium eſt.1°.de ſe. 1ª.335.F
Supergeminalis exhaurit in ſe ſemẽ ex toto teſticulo.1°.de ſemi. 1ª.335.F
Supergeminalis cur pars addita.1°.de ſem. 1ª.335.F
Supergeminalis ſemine plena in quibus ſit propria.1°.de ſemi. 1ª.335.C
SVPERGEMINALE *quid vocetur.de fract.com.3°.* 7ª.249.G
SVPERHVMERALE *quid ſit.de art.com.1°.* 7ª.252.C
Superhumerales muſculi tres ſunt.de art.com.1°. 7ª.252.H
à SVPERIORIBVS *originem capiunt inferiora.3°. de diebus decretorijs.* 4ª.157.H
à Superioribus gubernantur inferiora.de ſperm. Sp.40.B
Superiora gubernantur virtute Dei.de ſperma. Sp.40.B
à Superioribus ratio & quid faciat.de ſperm. Sp.40.D
Superius & inferius ſunt relatiua.in 6^{m}*.de morb.vul.com.2°.* 3ª.162.G
Superiora & inferiora quæ dicãtur.in 6^{m}*.de mor.vulg.cõ.2°.* 3ª.162.G
Superius & inferius in genere vbi ſunt.2°.de pulſ.diff. 4ª.55.F
Supiores partes quę dicãtur, & quæ inferiores.3°.de dig.pulſ. 4ª.81.A
Superior pars corporis diſſidet cum inferiore.quòd animi mor. 1ª.319.C
Superiora inferioribus contraria.in 6^{m}*.de mor.vul.com.3°.* 3ª.174.E
Superiores partes inferioribus præpollent, ſm Hippocratem.bre.denot. dogm.Hipp. 1ª.231.C
Superius labrum quo ſurſum trahatur, quo ad latus, & quo deorſum.de muſcu.diſſe. 1ª.44.E
Superior venter eſt domus cordis.de anat.viuo. Sp.47.C
Superiora frigida, & inferiora calida habent, lienem decliuem habẽtes. in 6^{m}*.de morb.vulg.com.2°.* 3ª.167.H
Superiorum partium exercitatio q̃n maior.de par.pi.exer. 2ª.49.F
per Superiora quæ educenda & quæ per inferiora.quos purg.op.quib. me.& quo temp. 5ª.88.E
per Superiora cur ſpiritus purgantur.de voce inſtr.diſſ. 1ª.106.F
Superiora tria inteſtina cur gracilia.de ana.viuo. Sp.50.B
Superiori ventri danda cathartica.de cathar. Sp.94.G
Superioribus inteſtinis danda cathartica.de cathar. Sp.94.G
Superiores partes laborantes per os purgãtur.13°.meth.med. 7ª.84.G
Superiora æſtate purganda, hyeme inferiora.cõ.4°.apho.4°. Ex.27.H
Superiora purganda gracilibus cholericis ad vomendum facilibus, cauẽtes hyemem.com.4°.aph.6°. Ex.28.A
Superiores purgationes tabidis conueniunt.com.4°.apho.8°. Ex.28.B
Superius, & inferius corpus purgat ſcammonia.de cath. Sp.95.A
Superiorem ventrem purgantia quæ.de cathar. Sp.95.C
ad Superiorem & ad inferiorem ventrem inclinationes per vrinas ac ſudores ſunt reuellendæ.de cucur.ſcar. 6ª.4.F
*ad Superiora vbi vergũt ſucci, fiat reuulſio deorſum.de cuc.ſca.*6ª.4.G
per Superius euacuatio eſt contraria ei, quę per inferius.commentario 4°.aphoriſmo 9°. Ex.28.B
Superioribus & dextris partibus, æſtate in iuuenibus impares dies criticos eſſe inquit Hip.in contrarijs pares.bre.deno.dogm.Hip. 1ª.231.D
in Superioribus abſceſſus ſunt difficiliores. in 6^{m}*.de morb. vulgaribus, commentagio 2°.* 3ª.162.H
SVPERLATIVE *dicere, & ſimpliciter dicere, non idem ſunt. 1°. de criſibus.* 4ª.131.G
SVPERNATANTIA *per vomitum eijciuntur. 2°.de ali.fac.* 2ª.19.E
SVPERNATAT *oleũ in vino quanto eſt fortius.de vtil.reſp.* Sp.64.F
SVPERNE *quæ feruntur deorſum.8°.de vſu par.* 1ª.165.A
SVPERPVRGATIO *quando ſit.3°.de ſimp.med.fac.* 5ª.23.F
in Superpurgationibus ſanguis poſtremus.3°.de ſim.med.fac. 5ª.23.F
SVPERSTITIO *ad dentis molaris dolorem. de medicinis facile parandis.* 7ª.164.D
Superſtitio ad mulieris libidinem excitandam.de dyna. Sp.30.A
Superſtitio eſt coquere cancros in aqua in qua nati ſunt. 9°. de compoſi. medic.ſec.loc. 5ª.200.F
Superſtitio ex luna.de med.par.fac. 7ª.162.B
Superſtitio de herba colligenda ſiniſtra manu ante Solis ortum.9°. de cõpoſitio.med.ſec.loc. 5ª.198.G
Superſtitio eſt habere acũ in manu de qua re fit mentio.de dyn. Sp.27.E
Superſtitio ad excutiendam è gutture rem deuoratam & ſtrangulantẽ. de med.fac.par. 7ª.165.D
*Superſtitio de venæ ſectione in aure ſiniſtra.9°.de cõ.me.ſe.l.*5ª.200.A
Superſtitionem nota.10°.de com.me.ſec.loc. 5ª.206. C| *de med.par.fac.* 162.A|163.B|F|165.C|D|166.D|167.A|B|H|168|A|B|E|G|H|169.D|F|171.B|E|172.B|D|173.A|D|175.B|D|176.F|178.B|F| *de incant. adiur.& ſuſp.* 7ª.182.B
SVPERVACVVM *duplex eſt, quantitate, & qualitate.de ſymptomatum differentijs.* 3ª.12.G
Superuacuum nihil fit à vi formatrice.1°.de nat.fac. 1ª.291.H
Superuacuum cur dictum quod ſuperfluit.1°.de ſan.tuen. 2ª.63.A
*Superuacua mittũt partes valẽtiores ad ĩbecilliores.13°.me.m.*7ª.80.H
Superuacua quibus cauſis excernuntur.3°.de ſymp.cauſ. 3ª.27.H
de SVPERVENIENTIBVS *librum fecit Praxagoras.commen.6°. aphoriſmo 35°.* Ex.50.C
Superuenientia ſigna quæ.fin.med. Iſa.46.C
Superueniẽs verbũ cur ab Hippocrate ponatur.c.7°.apho.52°. Ex.58.E
SVPERVENIRE *paſſiones paſſionibus quid antiqui medici intelligãt. com.6°.apho.35°.* Ex.50.C
SVPERVIVERE *an debeat æger, non poteſt cognoſci, ſtatu ignorato. 3°.de criſi.* 4ª.141.C
SVPINE *cubare quam noxam faciat pectori.in prog.cõ.1°.*4ª.194.A
SVPINITAS *ſtomachi q̃uo fiat.8°.de com.me.ſec.lo.* 5ª.189.D
Supinitates ſtomachi quibus curentur.8°.de com.me.ſec.lo. 5ª.189.H
SVPINENT *quæ ventriculum.de vict.rat.in mor.acu.cõ.1°.* 7ª.111.F
*Supinat os ventriculi chondri ſorbitio.de vic.ra.in mor.ac.c.1°.*7ª.111.F
SVPINVM *reſpicere ſm Platonem quid.3°.de vſu par.* 1ª.128.G
Supinus aut pronus nemo quicquam molitur.3°.de vſu par. 1ª.128.F
Supini non poſſunt tranſglutire.5°.de loc.aff. 4ª.32.B
*ad Supinũ cũ ĩclinatiõe brachiale q muſculus flectat.de muſ.diſ.*1ª.48.G
in Supinum circumagens manum muſculus.1°.de muſc.diſſ. 1ª.49.A
Supinum iacere quid ſignificet.de ijs, quæ in med.fi.com.1°. 7ª.198.B
Supinum iacere eſt ſignum reſolutionis.2°.de motu muſ. 1ª.314.D
Supinum cubare non bonum.in prog.com.1°. 4ª.195.E
Supinum iacere damnat Hippocrates.2°.de motu muſ. 1ª.214.D
Supinum iacere ſignum exolutionis, ebrietatis, & ignauiæ eſt.2°.de motu muſculorum. 1ª.214.D
*Supinus decubitus cur faciat extendere priapum.6°.de lo.aff.*4ª.42.A
de SVPPASCENTIA. *5°.de com.me.per ge.* 5ª.246.H
SVPPELLEX *duplex ſatis eſt.de cog.cu.animi mor.* 2ª.54.H
SVPPLICIVM *patitur membrum peccans.3°.de dec.* 1ª.246.C
cõtra SVPPOSITIONES *dialecticas arguũt empirici.de ſe.*Iſ.17.B
SVPPOSITORIA *acria, & acria clyſteria mouent inteſtina.de dynamidijs.* Sp.20.E
in SVPPRESSIONE *vrinę, ſi à calculo proueniat talis ſuppreſſio, calculoſum incidimus.de op.ſec.* Iſa.21.D
in Suppreſſione vrinæ, ſi ab vrinæ copia proueniat, fiſtulam demittim⁹. de opt.ſec. Iſa.21.D
in Suppreſſione vrinæ, ſi à phlegmone procedat, cataplaſma addimus. de opt.ſec. Iſa.21.D
Suppreſſis hæmorrhoidibus ſcarificamus crura.de cucur.ſcar. 6ª.3.F
non SVPPVRABILIS *dolor qui ſit, & quòd à frigido fiat.commen. 5°.aphoriſmo 20°.* Ex.39.B
non Suppurabilia vlcera quæ ſint.com.5°.aph.22°. Ex.39.D
SVPPVRANTIS *inflammationis indicium eſt rigor inuadens vnà cũ febre.1°.de loc.aff.* 4ª.6.D
Suppurantibus vlceribus, & abſceſſibus rigor fit.in 6^{m}*. de morbis vul. commentario 3°.* 3ª.174.D
Suppurans pharmacum ex fermento & ex polline.3°.de compoſi.med. ſecun.loc. 5ª.146.F
SVPPVRATIO *quid apud Hippocratem.in prognoſt.Hip.commentario 1°.* 4ª.196.H
Suppurationes quæ ſunt conſuetæ nominari apud Hippocratem.com.7°. aphoriſmo 44°. Ex.57.F
Suppurationem appellat tuberculum Galenus.cõ.7°.apho.8°. Ex.54.D
Suppuratio quid.5°. de ſimplicium medic.facultatibus. 5ª.32.H
Suppuratio quid ſit, & quomodo fiat.com.5°.aph.8°. Ex.38.B
Suppuratio quomodo fiat.de vict.rat.in mor.acut.com.2°. 7ª.117.B
Suppurationibus humiditas alteratur.5°.de ſim.me.fac. 5ª.33.C
Suppuratio ſequitur ingentes inflammationes.2°.de loc.aff. 4ª.9.A
Suppurationis terminus apud Hippocratem.in prog.com.3°. 4ª.208.D
Suppuratio in oculo quid.fin.med. Iſa.48.E
Suppuratio eſt differentia quædã vlcerationis oculorũ.fin.me. Iſ.48 D
Suppuratio corneæ viſum impedit.1°.de ſymp.cau. 3ª.15.E
citra Suppurationem parotidas curatas eſſe per inferiora rariſſimum eſt.in 1^{m}*.de mor.vulg.com.2°.* 3ª.116.F
Suppuratio fit ſi ſeptima die non pereant quibus ab angina materia tranſiuit in pulmonem.com.5°.aph.10°. Ex.38.D

Suppuratio in thorace eſt morbus longus intrinſecus.intro. Iſa.56.B
Suppuratio morbus chronicus.com.1°.apho.12°. Ex.5.D
ad Suppurationem venit morbus lateralis.com.5°.aph.8°. Ex.38.E
Suppuratio quo ſigno cognoſcatur eſſe in vno latere, vel altero.in prog. commentario 2°. 4ª.204.B
Suppuratio pulmonem afficit.2°.de præſag.ex pulſ. 4ª.116.C
Suppuratio in thorace qualẽ habeat reſpirationẽ.de diff.reſp. 3ª.60.H
à Suppuratione qui ſuffocantur pinnas narium mouent.in 3^{m}. de morb. vulg.commen.2°. 3ª.136.A
Suppurationes habent acceſſiones quotidie.com.1°.aph.12°. Ex.5.D
Suppuratio à ventris dolore diuturno.com.7°.aph.22°. Ex.55.E
Suppuratio breuis & longa quid.in prog.com.2°. 4ª.204.C
Suppuratio quæ optima,& quę non.in prog.com.1°. 4ª.196.H
Suppuratio introrumpens bona,quæ.in prog.com.1°. 4ª.197.A
Suppuratio interior quomodo cognoſcatur.com.7°.apho.8°. Ex.54.E
Suppuratio in pectore,pulmone,ſtomacho,inteſtinis,quomodo cognoſcatur,& quomodo differant.com.7°.apho.8°. Ex.54.E
Suppuratio non innoteſcit,vel propter craſſitudinem puris,vel loci.comment.6°.apho.41°. Ex.51.A
Suppurationes quando rumpuntur.in prog.com.2°. 4ª.203.H
Suppurationum cur aliquæ citius, aliquę tardius rumpuntur. in progn. commentario 2°. 4ª.204.A
Suppuratio quæ facilius rumpitur, quibus ſignis noſcatur. in prognoſt. commentario 2°. 4ª.204.C
Suppuratio ſi ſit difficilis,notat humores compactos,craſſos, glutinoſos. 2°.de arte cur.ad Glauc. 7ª.105.D
Suppurationis initia qũo conſideranda.in prog.com.2°. 4ª.204.A
in Suppuratione quomodo fiat rigor.in progno.com.2°. 4ª.204.A
Suppuratio infra vmbilicũ non fit.in 6^{m}.de mor.vulg.cõ.2°. 3ª.168.A
Suppurationem eſſe in veſica qñ cognoſcatur.6°.de loc.aff. 4ª.39.B
Suppurationem qñ in renibus eſſe cognoſcatur.6°.de loc.aff. 4ª.39.B
Suppurationem habentis in nate caſus.8°.de loc.af. 4ª.25.B
Suppurationes in febribus qũo fiunt.in 1^{m}.de mor.vul.cõ.1°. 3ª.104.H
ad Suppurationem ꝑducit vlcera natiuus calor.c.5°.aph.20°. Ex.39.B
Suppuratio fit ſi tumores in vlceribus repente euaneſcant.commentario 5°.aphoriſmo 65°. Ex.44.H
Suppuratio dolor & febris in tumore cum abſunt, pars putreſcit adeo, vt cogamur qñq; ſolidã præcidere.in 3^{m}.de mor.vul.cõ.1°. 3ª.132.D
Suppurationem ponit narciſſi bulbus.de ſimp.med. Sp.87.H
ad Suppurationem citius perducit cataplaſma ex aqua,oleo,& farina, quam ex pane.2°.de arte cur.ad Glauc. 7ª.105.C
Suppurationẽ prohibet hordeacea farina.2°.de arte cur.ad Gl.7ª.105.C
Suppuratio cũ tarde fit cataplaſma ex caricis in aqua decoctis cõuenit. 2°.de arte cur.ad Glauc. 7ª.105.D
ad Suppurationem perducẽs emplaſtrũ.6°.de com.me.per g.5ª.255.A
Suppuratio fieret celerrime, ſi manus ſuperimpoſitas aſſidue ſeruare poſſemus.5°.de ſimplic.medic.fac. 5ª.33.G
Suppuratio ab Eryſipelate.com.7°.aph.20°. Ex.55.D
Suppuratione facta & eruptione ijs ſoluitur dolor qbus in vrinario meatu tubercula fiunt.com.7°.aph.57°. Ex.59.B
SVPPVRATORIA mirè eſt frumenti farina cum caricarum decocto & oleo.3°.de comp.me.ſe.lo. 5ª.146.F
Suppuratoriam vim habet lens.in 6^{m}.de mor.vulg.com.5°. 3ª.194.C
SVPPVRATI qui appellẽtur ab Hippocrate.c. 6°. aphor. 27°.48.G/ com.7°.apho.44°. Ex.57.F
Suppurati qui,& quomodo fiant.4°.de cauſ.pulſ. 4ª.101.A
Suppurati cum tuſſi expuunt materiam inter thoracem & pulmonem. commen.7°.aph.55°. Ex.58.H
Suppurati quomodo pus paulatim mittant.com.7°.aph.55°. Ex.58.H
Suppurati in quadraginta diebus iudicantur.com.5°.apho.15°. Ex.38.G
Suppurati qui vruntur,vel ſecantur,ſi pus purum fluxerit,& albũ euadunt,ſi vero ſubcruentũ,& fœtidũ,pereũt.c.7°.apho.44°. Ex.57.F
Suppurati qui ægeant vſtiõe,& qui inciſione.cõ.6°.apho.27°.Ex.48.G
Suppuratorum reſpiratio qualis.1°.de differ.reſp.59. E/ in 3^{m}.de morbis vul.com.2°.3ª.136.C/4°.de loc.aff. 4ª.26.H
Suppuratis cur anhelitus difficilis fit.7°.de comp.med.ſec.loc. 5ª.186.C
Suppurati cur ſuffocentur.4°.de loc.aff. 4ª.27.A
Suppuratorũ pulſus qualis.de pulſ.ad Ty.45.D/4°.de cau.p.4ª.101.A
Suppurati ſi vrantur,aut ſecentur,& pus totum exeat,omnes moriuntur,& quare.com.6°.apho.27°. Ex.48.H
Suppurata membra facile curantur.6°.de loc.aff. 4ª.41.C
ad Suppuratas aures.5°.de comp.medic.per ge. 5ª.251.E
ad Suppuratos in profundo.7°.de com.me.ſec.loc.182.A/184.E/185.E/ G/186.A/B/179.C/8°.191.E/10°. 5ª.207.G
de Suppuratis tumoribus.2°.de arte cur.ad Glauc. 7ª.105.G
pro Suppurato tumore medicamentum ex fermento, & oſtreis. 2°. de arte cur.ad Glauc. 7ª.105.G
SVPPVRARI nomen eſt vnius mutationis in ſanguine. commentario 6°.aphor.20°. Ex.48.C
Suppuratur ibi particula,vbi vehemens pulſatio.2°.de loc.aff.4ª.9.A
Suppurantur qui ex laterali morbo ad tabem tranſeunt, ſi in quadraginta diebus non purgantur.com.5°.aph.15°. Ex.38.F
Suppurãtur quæ in ſcreatu bilioſo,quid ſignẽt.in prog.c.2°. 4ª.203.D
Suppurari neceſſe eſt,ſi ſanguis præter naturam in ventrem effundatur. com.6°.apho.20°. Ex.48.C
Suppurantur qñ aliqui propter abſceſſum vel phleborrhagiam vel incõtinentiam vel aliam quampiam fortem cauſam,illis elleborus non eſt dandus.de vict.rat.in mor.acut.com.4°. 7ª.144.G
Suppurantur gibbi ex tuſſi & aſthmate, ideo cito moriuntur. com.6°. aphoriſmo 46°.51.H/ Ex.52.A
Suppuretur facile cur œdema ſub vmbilico.in prog.com.1°. 4ª.196.F
cum Suppurantur abſceſſus bonum eſt manere humorem intus, & quare.de ijs,quæ in med.ſi.com.2°. 7ª.212.G
Suppurare eſt maximum ſignum in vlceribus ad ſecuritatem. comm.5°. aphoriſmo 22°. Ex.39.D
Suppurat vlcera,& prohibet qñq; color.com.5°.apho.22°. Ex.39.D
Suppurare faciunt & concoquunt dolores mitigantia.3°.de compoſitio. medic.ſec.loc. 5ª.146.C
Suppurari qui citiſſime debent,ijs valet farina hordei & aqua.3°. de cõpoſi.med.ſec.lo. 5ª.147.D
Suppurat multum farina triticea.2°.de arte cur.ad Glauc. 7ª.105.G
Suppurat plurimum triticea farina.2°.de arte cur.ad Glauc. 7ª.106.E
in SVPPVRATIONE methodus qualis. de cui. animi pec. not.atq; medela. 2ª.57.B
in Suppuratione cognoſcunt vulgares homines ſe nullam ſuppurandi peritiam habere,& tamen demonſtrationis vſum ſibi temerè arrogãt, de qua re miratur maxime Galenus.2°.de decr.Hip. 1ª.235.E
SVPPVTATOR quid agat.2°.de decr.Hip. 1ª.235.D
SVPRA exire ſanguinem,id eſt, per os.com.4°.aph.25°. Ex.30.A
Supra,infra qũo intelligatur,de ijs,quæ in med.ſi.com.3°. 7ª.222.D
Supra aduerbium quomodo accipiatur.com.7°.apho.32°. Ex.56.D
Supra ſi vis purgare,ſiſte aluum.com.7°.apho.66°. Ex.60.E
SVRA quid.intro.Iſa.53.E/de oſſi.1ª.43. D/ de artic. com. 4°.283.F/ de fract.com.2°. 7ª.236.E
Suræ os vocat oſſa tibiæ.de art.com.4°. 7ª.285.F
Sura qualis.de oſſ. 1ª.43.E
per Suram à poplite qui nerui incedant.16°.de vſu par. 1ª.218.C
Suram muſculus efficiens non eſt vnus.1°.de ana.adm. 1ª.65.B
Surarum muſculi frequẽter conuelluntur patientibus choleram.com.5°. aphoriſmo 1°. Ex.37.D
Suræ morbi qui.introd. Iſa.59.D
Suræ quomodo iungantur.de fract.com.2°. 7ª.236.F
SVRCVLI manduntur qñq; ob neceſſitatem.2°.de ali.fac. 2ª.22.B
Surculos aliqua educunt.1°.de nat.fac. 1ª.295.B
Surculum euulſum fuiſſe è pede iuuenis medicamento teſtatur Galenus. 1°.de nat.fac. 1ª.295.A
Surculos euellẽtia ꝓprias ſibi qualitates attrahũt.1°.de na.fa.1ª.295.A
Surculos,& ſpinas de corpore extrahit gladiolũ.de ſim.med. Sp.84.H
SVRDASTRI quo modo fiant,& quare purgandi.3°. de compo.med. ſec.loc 5ª.145.B
Surdaſtri indigent motu vehementi,et contrarijs præſidijs his qui doloribus aurium vexantur.3°.de com.me.ſec.loc. 5ª.145.D
SVRDITAS eſt affectus aurium.intro. Iſa.59.C
Surditas vnde fiat.1°.de ſymp.cau. 3ª.15.F
Surditas aliqua ex habitu eſt.com.4°.aph.28°. Ex.30.D
Surditas quomodo fiat.in 1^{m}.prorr.com.1°. 4ª.167.H
Surditas à quibus fiat ſuccis.in 1^{m}.prorh.com.3°. 4ª.188.G
Surditas fit ſi bilioſa excrementa detineantur,et ad caput tranſeant.cõmentario 4°.apho.60°. Ex.34.A
Surditas in febribus recurrente cholera ad meatus auditorios quandoque fit.com.4°.apho.28°. Ex.30.D
Surditas in acutis mala.in 1^{m}.prorrh.com.1°. 4ª.167.H
Surditas ſi adſit in febre continua, virtute debili, letale. commentario 4°.aphoriſmo 49°. Ex.33.C

Surditas ſuperueniens deijcienti bilem, deiectio bilis ceſſat, & cur. com mentario 4°.apho.28°. Ex.30.D
Surditas facit ceſſare bilioſas deiectiones.com.4°.aph.2°. Ex.27.H
*Surditas q̃ à deiectionibus ſoluatur, & è cõtra.c.4°.apho.28°.*Ex.30.D
Surditas ſoluitur aduenientibus bilioſis excrementis, & fluxu ſanguinis narium.com.4°.apho.60°. Ex.34.A
Surditas.1°.de ſymp.cau. 3ª.16.B
ad *Surditatem quæ Archigenes ſcripſit, & quomodo ex capitis dolore proueniens ſanetur.3°.de comp.med.ſec.loc.* 5ª.145.F
Surditas aurium remedium.de dynam. Sp.25.A
ad *Surditatem naturalem.de remed.par.fac.* 7ª.162.E
ad *Surditatem.de med.fac.par.* 7ª.170.A
SVRDVS *vetuſtiſſimus quomodo emendetur.de dynam.* Sp.25.B
SVRRENTINVM *vinum contendit cum falerno, & quale ſit.1°.de antidotis.* 5ª.100.H
Surrentinum vinum quale.4°.de ſanitate tuenda.85.G/5°.2ª.90.H/12°. meth.med. 7ª.76.D
Surrentinum vinum auſterũ, & dulce eſt.4°.de ſimpli.med.fac.5ª.26.F
Surrentini vini ætas.1°.de antid. 5ª.100.H
Surrentinum vinum valde calefacit.7°.meth.med. 7ª.44.B
Surrentino vino ſimiles vires habet vinũ myſium.5°.de ſan.tu. 2ª.90.H
SVRGERE *frequenter in profluuijs febrẽ auget.* 8°.meth.me. 7ª.53.B
SVRRECTIONES *bene ſe habentes in quarta, bonũ iudicium faciũt in ſeptima ſecundum antiquos.com.4°.apho.71°.* Ex.35.C
SVRSVM *quo muſculo trahatur ſupius labrũ.de muſ.diſſ.* 1ª.44.E
Surſum ad maxillas retrahẽs os hyoeides muſculus q.de muſ.di.1ª.46.F
Surſum oblique introrſumq; digitos mouentes muſculi quinq; de muſculorum diſſectione. 1ª.49.A
Surſum trahentes primas coſtas fibræ.de muſ.diſſ. 1ª.49.E
Surſum attollentes teſtem muſculi.de muſc.diſſ. 1ª.50.D
Surſum attollentes ſedem muſculi.de muſ.diſſ. 1ª.50.E
Surſum ſimul, & extrorſum femoris caput trahens muſculus. de muſculorum diſſectione. 1ª.51.B
Surſum tollens caput femoris, & vnà ad interiora inuertens muſculus. de muſculorum diſſectione. 1ª.51.B
Surſum tibiam altam quo quomodo attollens muſculus, & illam ad interiora ſimul flectens.de muſc.diſſ. 1ª.51.D
Surſum oblique leniter trahens magnum digitum, muſculus. de muſculorum diſſectione. 1ª.52.D
Surſum tendens totum pedem muſculus.de muſ.diſſ. 1ª.52.D
Surſum ferri & eleuari non idem.de trem.palp.conuul. 3ª.52.C
Surſum calida materia decumbit.in 1^{m}.de mor.vul.cõ.1°. 3ª.105.A
Surſum fiat reuulſio, vbi ſucci ad inferiora vergũt.de cucur.ſca.6ª.4.G
inter SVEM & *vrſum aĩal mediũ in Lucania.3°.de alim.fa.2ª.26.C*
Sues ſyali qui.de vict.rat.in mor.acut com.4°. 7ª.147.B
Suis Arcadicæ fabula.9°.de comp.me.ſe.lo. 5ª.201.B
Sues hñt quartum locum pro diſſectione.6°.de anat.adm. 1ª.90.D
in *Sue magno ꝑpter quid vult exerceri anatomẽ.8°.de an.ad.* 1ª.100.C
Sus anatomizandus quo modo debet ſituari.de ana.par. Sp.42.F
ĩ *Suibus ſectis q̃ ſpectarit Galenus potius q̃ ĩ Simia.8°.de an.ad.1ª.102.E*
Sues habent oſſium ſubſtantiam minus duram ac denſam canibus, lupis, & pardialis.11°.de vſu par. 1ª.191.D
Sus homini ſimilis intrinſece.de anat.par. Sp.42.G
Sues à natura hõis non longe alienę in fœtu ſunt.de fœt.for. 1ª.322.E
ĩn *Suibus vuluarũ differẽtia à vuluis mulierũ.9°.de diſſ.vul.* 1ª.108.E
Sues habent teſtes adſtrictos ad ventrem.1°.de ſem. 1ª.334.F
Suibus cur teſtes eximantur.3°.de ali.fac. 2ª.27.A
Sues caſtratæ non amplius appetunt coitum.2°.de ſemi. 1ª.338.C
Sues caſtrant in Aſia.1°.de ſemi. 1ª.333.C
Sues habent muſculum temporalem maximum.11°.de vſu par.1ª.184.G
ĩ *Sue tres nerui ſunt, qui ĩ ſimia duo, et qnã hi ſint.8°.de an.ad.* 1ª.102.F
Suum veſicæ quomodo à pueris extendantur.1°.de nat.fac. 1ª.292.A
Suum natura qualis.in 6^{m}.de morb.vulg.com.4°. 3ª.186.H
Sues frigidi & pingues ſunt.2°.de ſimp.med.facu. 5ª.14.E
Sues natura humidi ſunt.de bon.& vit.ſuc.2ª.36.A/8°.me.me. 7ª.51.B
Sus inferior eſt omnibus in caliditate & ſiccitate. 11°. *de ſimplicium medicamentorum facultatibus.* 5ª.79.A
Sus ſiccior eſt ouis.11°.de ſim.me.fa. 5ª.78.E
Suibus quæ animalia ſint magis terrena, & calidiora.4°. de ſimplicium medic.facultatibus. 5ª.25.E
Suum ſanguis humidus minus calidus eſt, & humano ſimilis. 10°.*de ſimplic.medicament.fac.* 5ª.72.G
Suum iuniorũ ſanguis, & ſeniorũ caſtratorũ editur.3°.de ali.fa. 2ª.29.C
Suum caro hominibus conuenit.de bonitate & vitio ſuccorum. 2ª.37.C/ 10°.*de ſimplicium medicam.facul.* 5ª.72.G
pro *Suum carnibus qui hoſpites, & coqui carnes humanas vendidere.* 10°.*de ſimp.med.fac.* 5ª.72.G
Sues habent carnem boni ſucci.3°.de alim.fac. 2ª.25.H
Suum quorum caro ſit optima, & quorum deterrima. de victus ratione in morbis acutis, com.4°. 7ª.147.C
Sues qui apti ad ſaliendum, & qui non.3°.de ali.fac. 2ª.33.C
Suum domeſticorum carnes ſupra prunas colliquatur, ſed non ſylueſtrium.10°.methodi medendi. 7ª.67.E
Sues comedere Ruſtici initio hyemis, & poſtea cibum ſuum, glandes .ſ.in penuria.2°.de alim.facul. 2ª.22.B
Sues ſylueſtres quibus fructibus veſcantur.2°.de alim.fac. 2ª.22.B
Suibus erant pabulum glandes.2°.de ali.fac. 2ª.22.A
Sus ſylueſter ſiccior domeſtico eſt.11°.de ſim.med.fac. 5ª.78.E
Suũ domeſticorum caro omnium aliorum ciborum firmiſſime nutrit.de atte.vict. 2ª.45.D
Suum caro potentiſſime nutrit.3°.de alim.fac. 2ª.25.H
Suum carne veſcebantur athletæ.3°.de alim.fac. 2ª.25.H
Suis domeſtici extremitates et ſtomachus epilepticis conueniunt.de pue ro epileptico. 7ª.180.G
Suum caſtratorum caro ſuauior.3°.de ali.fac. 2ª.27.A
Suum caro vt alijs præſtantior, ita & ſuum teſtes ſunt alijs præſtãtiores. 3°.de alim.fac. 2ª.27.A
Suum caro qualis ſecundum ætates.de bon.& vi.ſuc. 2ª.37.C
Suũ iuniorũ & ætate florẽtiũ carnes qbus cõueniant.3°.de ali.f.2ª.25.H
Sues ſenes quandoque habent carnem ſiccam.3°.de ali.fac. 2ª.26.A
Suum pedes & crura dentur ſiccis qui ſanantur.7°.meth.me. 7ª.45.H
Suum pedes dandi pro cibo in tertiana.1°.de arte cur.ad Glau. 7ª.97.C
Suum pedes meliores ſunt roſtro.3°.de alim.fac. 2ª.26.F
Suum cerebrũ dandũ pro cibo in tertiana.1°.de arte cu.ad Gla. 7ª.97.C
Suis cerebrum diligenter aſſum in ſyncope ex tenuibus ſuccis conuenit. 12°.meth.med. 7ª.78.A
Suũ paruorũ caro liquefacta in tertiana cõuenit.1°.de ar.cura. 7ª.97.C
Suis ſylueſtris carnibus vniuerſis veſci põt epilepticus.de p.e.7ª.180.G
Suũ viſcera ſuauiora aliorũ aĩaliũ viſceribus ſunt.3°.de ali.fa. 2ª.27.D
SVVM *viſcera caricas comedentium meliora.3°.de alim.fac.* 2ª.27.D
Suis alti ficubus iecur ficatum dicitur.de boni.& vit.ſuc. 2ª.35.F
Suum hepar ex caricarum paſtu pr æparatũ ſuaue.3°.de ali.fac.2ª.29.F
Suum lien in cibo non ineptus.de atra bi. 1ª.36.E
Suum lien non valde niger.de atra bile. 1ª.36.A
Sus habet lienem albicantem.6°.de ana.adm. 1ª.92.G
Sus habet inteſtinum equo ſimillimum.6°.de ana.adm. 1ª.92.F
poſt *Sues hædi quibus prębeantur à Galeno.8°.meth.med.* 7ª.51.B
SVS *cur multam habeat pinguedinem.10°.de ſim.me.fac.* 5ª.78.H
Suum pinguedo omnium humidiſſima eſt, & propinqua oleo.11°. de ſimpli.med.fac. 5ª.78.H
Suum pinguedinis caliditas talis eſt, qualis in nobis. 11°.*de ſimplicium medicam.facult.* 5ª.79.B
Suis adeps cataplaſmatis commiſcetur, quæ accommodantur ad phlegmonas.11°.de ſim.med.fa. 5ª.78.H
Suis pinguedo oleo magis tũ emollit, tũ cõcoquit.11°.de ſim.m.f. 5ª.78.H
Suum pinguedo largius humectat, ſed non calefacit vt oleum.11°.de ſimplic.me.fac. 5ª.79.A
SVIS *fel omnium moderatiſſimum.1°.de comp.med.ſec.loc.* 5ª.129.D
Suis fel imbecillum.10°.de ſimp.med.fa. 5ª.74.H
Suis quæ non peperit fel pari melle attico admixtum conuenit in dolore aurium.3°.de compoſitio.med.ſec.loc. 5ª.143.F
Suum biles ad vlcera aurium.10°.de ſimp.medicam.fac. 5ª.74.H
SVIS *feræ maſculę vrina.3°.de com.me.ſec.lo.* 5ª.148.A
SVVM *domeſticorum caſtratorum vrina omnium eſt imbecilliſſima.* 10°.*de ſimp.medic.facul.* 5ª.75.D
Suis talus inflatos & tormina ſanat.11°.de ſimp.med.fac. 5ª.80.E
Suſceptiuum quot modis diuidatur, & ſubdiuidatur.ars med. Iſa.62.B
SVSINVM *oleum acopum eſt.7°.de comp.med.per ge.* 5ª.269.F
Suſinum oleum laxat.7°.de compoſi.medicam.per genera. 5ª.264.E
Suſinum vnguentum optimum eſt.3°.de ſan.tuen. 2ª.81.C
Suſinum vnguentum eſt calidius, & magis quàm gleucinum relaxans. 3°.de ſanitate tuenda. 2ª.81.C
Suſinum vnguentum.3°.de comp.med.ſec.loc.142.B/5°. 5ª.164.G
SVSIS *eſt aqua, quam ſi quis biberit moritur.de bon.aquæ.* Sp.76.A

SVSPECTIO *quid,& vnde.in progn.com.1°.* 4ª.193.B
SVSPENDENS *vinculum ſex habens capita.de faſcijs.* 7ª.303.E
*Suſpendens vinculum ſeu pectē ad colē.de faſcijs.*7ª.303.H/altr.304.A
SVSPENDICVLVM *quid ſit.2°.de ſemine.* 1ª.339.D
SVSPENDIO *ſuffocatis hominibus, cor reſpiratione priuatur. de fœtuum formatione.* 1ª.324.H
SVSPENDVNTVR *renes in dorſo per pāniculū.de ana.vi.* Sp.55.F
Suſpenditur nubecula propter flatus.de vrinis. 4ª.124.A
Suſpenduntur quæ collo qūo vocentur.de remed.para.fac. 7ª.154.A
SVSPENSE *agitari eſt exercitationis genus.de bo.& vi.ſuc.* 2ª.35.A
SVSPENSIO *ilium quæ,& qūo.com.4°.aphor.73°.* Ex.35.F
SVSPENSIONES *diſperſæ in vrinis non ſubſidentibus in Clazomenio quando fuerint.in 1^{m}.de morb.vulg.com.3°.* 3ª.125.A
Suſpenſiones nubiloſas continebat vrina tenuis,et decolor.in 3^{m}. de morbis vulgaribus,commen.1°. 3ª.127.F
Suſpenſiones nubiloſæ in vrinis quæ ab Hippocrate appellentur.in 3^{m}.de morbis vulgaribus,com.1°. 3ª.128.C
Suſpenſio in vrinis tenuibus pellucidis geniture ſimilis in Philiſta fuit.in 3^{m}.de morb.vulg.com.2°. 3ª.135.C
Suſpenſiones vrinarū deliriū ſignificāt.in 3^{m}.de mor.vul.cō.3°. 3ª.151.B
Suſpenſiones an prodeſſe poſſint ſe oſtenſurum pollicetur Galenus. de incant.adiur.& ſuſpenſ. 7ª.181.F
SVSPENSORES *muſculi qui.de muſc.diſſ.* 1ª.50.D
Suſpenſoria aliorum corporum.de anat.viuo. Sp.44.C
vt *Suſpenſorium carnium inferiorū poſitæ ſunt chartilagines quædam. de anatomia viuorum.* Sp.55.D
SVSPENSI *qui dicantur hoïes.de vic.ra.in mor.acu.cō.4°.* 7ª.151.C
Suſpēſa cur ſit vuula palato.de cōp.memb ſiue de natu.huma. Sp.58.F
Suſpenſarū nebularū in vrinis ſignificatio.de vrin.ſin.ex Hip. Sp.78.G
Suſpenſa collo quomodo adiuuant.de incant.adiur.& ſuſp. 7ª.182.H
Suſpenſæ operant ſubſtantiæ,non verba,& voces barbaræ,vt præſtigiatores faciunt.10°.de ſimplic.medic.fac. 5ª.76.D
Suſpenſi lapides an iuuent.9°.de ſimplic.med.fac. 5ª.67.E
SVSPIRIOSI *quomodo euadant.de art.com.3°.* 7ª.269.D
Suſpirioſi quomodo reſpirent.in 3^{m}.de morb.vulg.com.2°. 3ª.136.E
Suſpirioſis facit centaurea.de ſimplicib.medicamen. Sp.82.A
Suſpirioſis prodeſt hyſſopum.de ſimplicib.medica. Sp.92.E
Suſpirioſis prodeſt marubiaſtrum.de ſimp.med. Sp.87.G
Suſpirioſis prodeſt origanum.de ſimplicib.medicam. Sp.88.E
Suſpirioſis prodeſt ſmyrnium.de ſimp.med. Sp.91.B
Suſpirioſis prodeſt ſpondilium.de ſimplic.medicament. Sp.91.A
Suſpirioſos iuuat theriaca.de ther.ad Piſo. 5ª.96.A
SVSPIRIA *luctuoſa in acutis paſſionibus quæ cum febre,malū.com. 6°.aphoriſ.54°.* Ex.53.B
Suſpirium ſi qui patiuntur,his da epithymum.de ſimp.med. Sp.84.A
Suſpirium diſtillationem ſanat.in 6^{m}.de morb.vul.com.6°. 3ª.197.E
SVSPIRENT *qūo hoïes ob mœrorē,& luctū.2°.de diff.reſp.*3ª.65.A
SVSTENTAMENTVM *ſenſus & motus ſunt oſſa pedum, tibiarum, & crurum.de anatom.viuo.* Sp.55.C
SVTORES *& fabri medicinam exercent.1°.meth.med.* 7ª.2.E
Sutores ignorant vires motuum,quos exercent. 2°.de ſan.tuen. 2ª.75.E
Sutorum lapis quo vtūtur ad calciamenta muliebria expolienda.6°. de comp.med.ſec.loc. 5ª.172.G
SVTORIVS *vicus Romæ.de præcogn.ad poſthu.* 4ª.215.E
Sutorium atramentum adſtringit.1°.de alim.fac. 2ª.9.B
SVTVRAE *cur ita dictæ.9°.de vſu partium.*1ª.171. F/ *de ijs quę in medicatrina fiunt,commentario 3°.* 7ª.222.F
Sutura quid ſignificet.de oſſibus. 1ª.41.A
Sutura quid ſit.de oſſibus. 1ª.40.B
Sutura ſpecies eſt ſtabilitatis.introd. Iſa.54.F
Suturarum capitis diuiſio.in 6^{m}.de morb.vulg.com.3°. 3ª.169.H
Suturarum modi & conſtitutiones & figuræ.de oſſibus. 1ª.40.E
Suturæ capitis tres.de oſſibus. 1ª.40.D
Suturæ capitis in maſculis quinq;.de nat.& ord.cuiuſ.corp. Sp.41.G
Suturam vnam rectam,& duas per tranſuerſum in capite eſſe rectum fuit.9°.de vſu partium. 1ª.176.H
Sutura labdois ad quid facta. 9°.de vſu par. 1ª.173.B
Sutura à vertice ad frontem cur à natura addita.9°.de vſu p. 1ª.173.E
Sutura coronalis ſtephaniæa à græcis dicitur.6°.de anat.admi. 1ª.89.E
Sutura coronaria.in 6^{m}.de morb.vulg.commen.3°. 3ª.169.H
in *Sutura coronali craniū tenuiſſimū & rariſſimum.13°.me.m.*7ª.85.H
Suturæ latiſſimæ in ſincipite ſunt.in 6^{m}.de mor.vulg.com.1°. 3ª.153.E
*Suturarum numerum & poſiturā variat figura capitis.de oſſi.*1ª.40.D
Suturarum capitis diuerſitas in hominibus.13°.meth.med. 7ª.85.H
Suturæ capitis rotundi quam figuram hñt.9°.de vſu partium. 1ª.177.A
*Suturæ capitis nō hñtes eminētiā ī occipitio quales.9°.de vſu.*1ª.177.A
per *Suturas quid euacuetur.9°.de vſu partium.* 1ª.171.F
Suturæ capiti niſi eſſent medicamenta extrinſecus applicata nihil proficerent.13°.methodi medendi. 7ª.85.G
Sutura potiſſimum coronaria intromittit qualitates, & ſubſtantiam, ſi tenuis ſit,ſuppoſiti medicamenti.13°.metho.med. 7ª.85.G
Suturæ coronali capitis medici apponunt infuſiones.13°.me.m. 7ª.85.H
ſupra *Suturā coronalem qūo ponēda medicamēta.3°.met.me.* 7ª.85.H
per *Suturas linamentū qn̄ imponendum.2°.de com.me.ſe.lo.* 5ª.138.E
Suturæ lapidoειδεις vel conglutinationes à ſquāmæ ſilitudine,à nō nullis ſunt appellatę,non aūt ſimpliciter ſuturæ,& quare.de oſſ. 1ª.40.E
Suturæ naſi quot.de oſſibus. 1ª.41.C
ꝑ *Suturas multa corpa ſenſibilia euadūt.in 6^{m}.de mor.v.c.1°.* 3ª.153.E
*Suturarum diſtentio inter quos capitis affectus numeretur.int.*Iſa.59.C
ad *Suturas vbi dehiſcunt vinculum.de faſcijs.* 7ª.295.B
SVTVRA *abdominis quæ.6°.de anato.admini.* 1ª.40.H
*Suturæ abdominis ſeu vētris vocātur gaſtrorhaphiæ.de muſ.diſ.*1ª.50.C
SVTVRAE *vtiles ad vnionem,& applicationem partium diſtantium ſunt.ars medicinalis.* Iſa.69.G
Sutura qn̄ fieri debet in vulneribus.3°.de com.med.per ge. 5ª.231.E
Suturis in quibus vlceribus vtendum.7°.meth.med. 7ª.22.G
Sutura non indigent vlcera per longitudinem muſculorum facta.3°.methodi medendi. 7ª.22.G
ſine *Suturis inæqualibus cur debeant eſſe faſciæ.de faſcijs.* 7ª.293.G
Suturæ ꝙ altæ fieri debent,& ꝙ tendones non ſuuntur ſine periculo. 3°. de comp.med.per gene. 5ª.231.E
Suturarum interuallum quantum eſſe debeat.6°.metho.med. 7ª.39.F
Suturarum quando vſus.2°.de arte curatiua ad Glauc. 7ª.106.B
SYALI *Sues qui apud veteres.de vict.rat. in morb. acut. commentario 4°.* 7ª.147.B
SYBARIS *fluuius viros infœcūdos facit.de bonitate aquę.*Sp.76.A
SYBATES *vinum in Cilicia quale.5°.de ſan.tuen.* 2ª.91.B
SYCA *cuius facultatis.8°.de ſimp.medic.fac.* 5ª.61.E
SYCAMINA *& mora eodem nomine appellātur.2°.de ali.fa.* 2ª.19.B
Sycamina celerrime pertranſeunt,& alijs cibis pręeunt, ſi in ventriculum purum inciderint.2°.de alimen.fac. 2ª.18.H
Sycamina poſt alios cibos sūpta,celerrīe corrūpunt.2°.de ali.f. 2ª.18.H
Sycaminum.i.mororum ſuccus eſt aptus ad refrigerandum caput. 2°. de compoſitione medicamen.ſecun.locos. 5ª.132.G
SYCE *cuius temperaturę.8°.de ſimp.med.fac.* 5ª.61.F
SYCOMORVS *dicitur,quiá medius inter ficum, & morum eſt. 2°. de alimentorum facultatibus.* 2ª.21.F
Sycomorus naſcitur è ramis & ſtipitibus.2°.de alim.fac. 2ª.21.F
Sycomorus humidior & frigidior eſt moro.2°.de alim.fac. 2ª.21.F
Sycomorus vnum eſt ex medicamentis miſtionem contrariorum non habentibus.1°.de comp.me.ſe.lo. 5ª.129.E
Sycomorus fructū habet paruæ ficui albæ adſilēm.2°.de ali.fac. 2ª.21.F
Sycomorus nō hēt acrimoniā,tn̄ eſt ꝑ uæ dulcedinis.2°.de ali.fa. 2ª.21.F
ex *Sycomoro medicamen.14°.methodi medendi.* 7ª.88.H
SYCOSIS *à ſimilitudine nomen habet.2°.meth.med.* 7ª.9.E
Sycoſis quid.introductio. Iſa.58.F
Sycoſis eſt affectus partium interiorum palpebrarum.intro. Iſa.58.D
Sycoſεις vocant magnas aſperitates ſuperciliorū.9°.de ſi.me.f. 5ª.71.F
Sycoſεις ingētes oculorum aſperitates appellari conſueuerunt.11°.de ſimpli.me.fac. 5ª.81.B
Sycoſis ſcabiei palpebræ ſpecies eſt.de oculis. 7ª.186.H
*Sycoſis q̄ ſint,& quibus ſanētur in oculis.4°.de cō.me.ſ.l.*5ª.151.A/B/H
in *Sycoſi oculorum quæ conueniant.4°.de comp.me.ſe.lo.* 5ª.151.B/E
ad *Sycoſεις quę adſtringentia valeant.4°.de com.me.ſec.lo.* 5ª.151.F
ad *Sycoſεις oculorum confert ſuccus centaureæ.de virt.cent.* Sp.93.B
ad *Sycoſim.4°.de compoſi.medic.ſec.loc.* 5ª.152.D
SYCOTON *iecur ſuis alti ficubus dr̄.de bon.& vit.ſucco.* 2ª.35.F
Συκωτόν *iecur præſtātiſſimū,& qūo nā tale dicat.3°.de ali.f.* 2ª.27.D
Συκωτὰ. *i.ficata ex caricarum eſu propter quod ſunt ſuauiſſima.de victus ratione in morbis acutis,com.3°.* 7ª.127.H
Συκυοπέπων *pepon cucumeralis vocatur ſecundum quoſdā medicos. 2°.de alimentorum facultatibus.* 2ª.17.A
SYDERATIO *quid vocetur apud Galenū.de tum.præ.na.*3ª.84.D
Syderationum ſpecies quædam eſt gangrena.de tum.prę.nat. 3ª.84.D

SYDVS

SYDVS quid ſit.in 1^{m}.de morb.vulg.com.1º. 3ª.101.H
Sydera diuerſa à forma humana.in 3^{m}.de morb.vulga.com.3º.3ª.149.B
Sydera non conſtant eadem ſubſtantia,qua & nos.3º.de vſu p. 1ª.143.C
Sydera illuſtria.in 1^{m}.de morbis vulgaribus,com.1º. 3ª.102.F
Sydera tertio loco admiranda.17º.de vſu partium. 1ª.222.C
Sydera putat meliora anima & mente.17º.de vſu partium. 1ª.222.C
Syderum ortus,& occaſus ſcire medicus debet in omni regione.in 1^{m}.de morbis vulgaribus,commentario 1º. 3ª.99.B
Syderum ortus cur varius in regionibus varijs,& cur ſolſtitia, & æquinoctia eadem.in 1^{m}.de morbis vulgaribus,commen.1º. 3ª.101.H
Syderum ortus et occaſus quibus cões.in 1^{m}.de morb.vul.c.1º.3ª.101.H
Sydus canis quid ſit.in 1^{m}.de morb.vulgaribus,commen.1º. 3ª.102.A
de SYLLABIS et nõibus argumẽtant recẽtes.1º.de pul.dif.4ª.46.G
ad Syllabas grammaticas comparatio pulſus.comp.pulſ. Sp.65.E
SYLLOGISMVS quid.fin.med.Iſa.43.F/de hiſto.philo. Sp.3.C
Syllogiſmorum diuiſio.de hiſtoria philoſophica. Sp.3.E
Syllogiſmorum variæ ſpecies.2º.de decretis Hippocratis. 1ª.235.E
Syllogiſmi qui cõſtãt ex tribus ꝑpõnibus de mõ.2º.de dec.Hip. 1ª.235.E
Syllogiſmi ex quarta poſitione.2º.de decretis Hippocratis. 1ª.235.E
Syllogiſmorum conditionalium ſpecies ſeptem.de hiſto.philo. Sp.3.E
Syllogiſmorum complexio quid.2º.de decretis Hippocratis. 1ª.235.E
SYLLOGISTICA q̃uo ſit coniunctio hæc,igitur.de comp. 3ª.50.F
SYLVANAE barbæ meminit.de dynam.24.C/ Sp.29.G
SYLVESTRIA domeſticis efficaciora ſunt.7º.de ſim.med.fac.5ª.52.H
Syluestrium plantarum fructus mali ſunt.de bonit.& vit.ſuc. 2ª.37.F
Syluestre mentaſtrum mundificat & ſubtiliat.de diſſol.cont. Sp.74.H
cum Sylueſtri mentaſtro comedenda ſunt cerebra.de diſſ.con. Sp.74.F
Syluestres carnes domeſticis meliores.de cura icteri. Sp.111.D
Syluestres carnes elixę magis q̃ aſſæ edẽdæ ſunt.de cura icteri. Sp.111.D
Sylueſtris hirci caro mala.de diſſolutione continua. Sp.74.B
Sylueſtris,lege Agreſtis.
SYMMETRIAM corporum, quæ ſanitas eſt,aer nos continens,ſi immoderatius calefiat vel frigeſcat,humeſcat,vel frigeſcat,cõfundit, interturbat,& corrũpit.in 1^{m}.de morbis vulgar.com.1º. 3ª.100.H
Symmetria quibus perficiatur.1º.de ſanitate tuenda. 2ª.63.D
Symmetriam egreſsũ tẽperamentũ eſt morbo ꝓpinquũ.8º.m.m. 7ª.51.H
SYMPATHIA. 5º.methodi medendi. 7ª.29.H
per Sympathiam patitur principium neruis & tendonibus affectis.3º. de com.me.per ge. 5ª.231.E
ad Sympathiam omnem neruorum Diaſmyrnon apolophonion. 7º. de compoſitione medicamen.per gene. 5ª.265.B
Συμπεπτικὸν δὲ hoc eſt concoquens.7º.de ſimp.med.fac. 5ª.51.E
SYMPHONOS & lexopyretos appellatur confectio quædam Proxeni.7º.de comp.med ſec.lo. 5ª.182.D
Σύμφυαδα quid vocent.de fracturis, commen.3º. 7ª.250.D
SYMPHYSIS naturalis vnio oſſium.de oſſibus. 1ª.40.H
Symphyſis duplex.de oſſibus. 1ª.40.C
SYMPHYTVM quid.de ſimplicibus medicamentis. Sp.90.F
Symphyti petræi vires quales.8º.de ſimp.med.fac. 5ª.61.F
Symphytum petræum pus in thorace pulmoneq́; expurgat, eiectionibus ſanguinis auxiliatur, ſitim extinguit, & arteriæ aſperitates ſanat. 8º.de ſim.med.fac. 5ª.61.F
Symphytum petræum enterocælijs imponitur, ad conuulſa & rupta cũ oxymelite bibitur,ad muliebre profluuium exhibetur, & ad nephritim.8º.de ſim.me.fa. 5ª.61.G
Symphytum ad reſtringendum ſanguinem execrantibus datur, viſcide ſtringit & glutinat.de ſimplicibus medicaminibus. Sp.90.F
Symphytum vtile ad ſinus glutinãdos.2º.de arte cur.ad Gla. 7ª.106.G
Symphyton inter illas herbas eſt,quibus vel ſolis poſſunt vlcera maligna curari.5º.de comp.med.per gene. 5ª.246.A
Symphytum magnum quale.8º.de ſimp.med.fac. 5ª.61.G
Symphytum eſt ſimile ſcillę.8º.de ſimplicium medicam.fac. 5ª.61.G
in SYMPOSIIS lyra & cithara ſolebant pulſari.1º.me.me. 7ª.2.D
in Sympoſiis qui ſermones habendi.1º.meth.med. 7ª.2.D
SYMPTOMA etiam epigennema dicitur.de ſympt.diff. 3ª.10.C
Symptoma quid.de ſubfig.emp.32.C/ſi.med. Iſag.46.B/de ſympto.diff. 3ª.11.B/H/1º.meth.med.8.E/11º. 7ª.71.D
Symptoma quid ſit,per exempla oſtendit.2º.methodi medendi. 7ª.9.H
Symptomata quæ vocet.de ſymptomatum differentijs. 3ª.11.A
Symptoma quid ſecundum Theſſalum.1º.meth.med. 7ª.8.F
Symptoma quid ſecundum Olympicum.1º.methodi medendi. 7ª.8.F
Symptomata quæ ab aliquibus dicantur.12º.methodi medendi. 7ª.74.F
Symptomata vocãtur in ægris,quę accidẽtia in ſanis.1º.me.med.7ª.8.D
per Symptoma cõmuniter quid intelligendum.de ſympt.diff. 3ª.11.C
Symptoma proprie quid.de ſymptomatum differentijs. 3ª.11.C
Symptomata quæ ſint.1º.methodi medendi.7.H/2º. 7ª.10.C
Symptomata quæ proprie.de ſymptomatum differentijs. 3ª.11.H
Symptomata quæ vere ſint.2º.methodi medendi. 7ª.9.D
Symptomatis propria diffinitio.de ſympto.differen. 3ª.11.A
Symptoma eſt vnũ ex tribus g̃nibus præter naturã.de conſt.ar. Iſ.40.C
Symptoma eſt vnum ex g̃nibus præter naturam.de conſt.ar. Iſa.42.C
Symptoma vnũ eſt ex illis q̃ ſunt ꝑter naturã in aĩali.1º.me.me. 7ª.8.G
Symptoma eſt eorum quæ corporibus noſtris à naturæ ſuæ modo egreſſis accidunt.2º.methodi medendi. 7ª.9.B
Symptomata ſunt actionũ læſiones.de ſympto.differentijs.3ª.13.A/H/1º. methodi medendi. 7ª.7.H
Symptoma peſſimum læſę actionis.3º de ſymptom.cauſ. 3ª.26.H
Symptoma proprium cuiuſcunq; partis eſt noxa propriæ actionis qualiſcunq; ſit ſpeciei.2º.de locis affectis. 4ª.10.H
Symptomata ſunt actionis amiſſio,actionis læſio,& actionis in aliam ſpeciem mutatio.2º.de ſymptomatum cauſis. 3ª.24.B
in Symptomatibus q̃d docetur de actionũ lęſione, in morborũ doctrina illi tradere debent,qui nolunt ſanitatem eſſe affectum corporis, vnde actio proficiſcatur,ſed ipſas actiones.de ſympt.differ. 3ª.11.C
Symptomatũ nõia ignorantes dicunt ſe habere faſtidiũ.de mult.3ª.76.F
Symptomata cõmuni nomine ſunt,quę excernũtur immodice, quæ præter naturam retinentur,& vitia functionum.2º.meth.me. 7ª.9.H
Symptoma eſt ex genere permanentium.2º.meth.med. 7ª.10.B
Symptoma à ſymptomate, quatenus ſymptoma, non differt. aduerſus Lycum. Ex.62.G
Symptomatum diſtinctio.1º.methodi medendi. 7ª.7.H
Symptoma duplex.1º.methodi medendi. 7ª.8.G
Symptomatum triplex differentia.de ſympt.differ. 3ª.11.B
Symptomatum tria g̃na.de conſt.ar.Iſa.40.C/1º.de ſymp.cau. 3ª.14.B
Symptomatum tres differentię.12º.meth.me. 7ª.74.F
de Symptomatum & morborum differentijs liber, ante librum methodi legendus eſt.2º.meth.me. 7ª.9.G
Symptomatum omnium natura morbos pręcedit.de ſympto.diff.3ª.13.F
Symptomata quandoq; ſibi inuicem ſuccedunt.de ſymp.diffe. 3ª.13.F
Symptomata ab operibus debent bene diſtingui.de ſymp.differ. 3ª.13.G
Symptoma & opus ſunt inter ſe ſimilia.de ſympto.differ. 3ª.13.G
Symptoma & paſſio quandoq; ſunt eædem res.de ſymp.diff. 3ª.11.A
Symptomatis & paſſionis differentia.de ſymp.differ. 3ª.11.B
Symptomatis & morbi differentia.de ſymp.diffe. 3ª.11.B
Symptomatis proprium quid ſit.de ſymp.differentijs. 3ª.11.A
Symptomata ꝓpria morbi,ſimul cũ morbo incipiũt.1º.de criſ. 4ª.126.G
Symptomata mox apparentia quæ.1º.de criſi. 4ª.126.G
Symptoma põt habere vnam cauſam,& plures.de ſympt.differ.3ª.13.F
ſub Symptomate quomodo ſint morbi & cauſa. de ſympt.diff. 3ª.11.B
Symptomatis cauſæ,& morbi proprium quod,et quod commune.2º.methodi medendi. 7ª.10.C
Symptoma quandoq; habet locum cauſæ.12º.meth.med. 7ª.74.G
Symptoma ſimul & cauſa quid ſint.11º.meth.med. 7ª.71.C
Symptoma quod non tantum,vt ſignum,ſed etiam ut cauſa prauum eſt. in 1^{m}.prorrh.commentario 3º. 4ª.183.B
de Symptomatum cauſis libri inſtitutum eſt indicare methodum per generales ſermones.1º.de ſymptomatum cauſis. 3ª.15.E
de Symptomatum cauſis liber non eſt legendus ab hebetioribus. 2º.de ſymptomatum cauſis. 3ª.22.A
de Symptomatũ cauſis librũ præcedit liber de virtutibus naturalibus. 2º.de ſymptomatum cauſis. 3ª.21.B
in de Symptomatum cauſis libro nullam opinionem refellit Galenus.2º. de ſymptomatum cauſis. 3ª.21.B
in de Symptomatum cauſis primo,ſecundo, & tertio libro quid faciat Galenus.2º.de ſymptomatum cauſis. 3ª.24.B
de Symptomatum & morborũ cauſis & differentijs liber, debet librũ methodi præcedere.2º.meth.med. 7ª.12.H
Symptomata ſunt dolor & ſordes.3º.meth.med. 7ª.22.E
Symptomata omnia vnde proueniant.3º.de ſymp.cauſ. 3ª.29.E
Symptomatum aliqua cauſas,alia locos paſſos,alia facultates,alia ægrotantes ſequuntur.de opt.ſec. Iſa.24.B/D
Symptomatum omnium cauſę ſunt morbi.de ſympt.diff. 3ª.13.A
ꝙ Symptomata morbus præcedat ex rerum eſſentia colligitur. de ſymptomatum differentijs. 3ª.13.A

Symptomata diuerſa gignuntur pro cruditatis magnitudine ac differentia, naturaq́; hominis facili, aut difficili ſenſu, ac ſingularum corporis particularum robore, aut imbecillitate.3°.de ſympt.cauſ. 3ª.30.C

ad Symptomata facit natura hominis.1°.de ſympt.cau. 3ª.30.C

Symptoma ex natura eſſe q̃uo cognoſcatur.in prog.com.3°. 4ª.211.H

ad Symptomatum diuerſitatem faciunt male concoctorum differentię.3°.de ſymptomatum cauſis. 3ª.30.C

Symptomatum cognitio vtilis eſt.introd. Iſa.52.B

Symptomata morborum neceſſario ſciri debent.de conſtit.ar. Iſa.40.G

circa Symptomata medicus quæ ſcire debeat.3°.de ſymp.cau. 3ª.25.B

Symptomata inutilia ab inutilibus diſtinguere oportet.de op.ſe. Iſ.24.C

in Symptomatibus inueniẽdis exercitari debemus.3°.de ſym.c. 3ª.24.F

Symptomata quæ magis & clarius videantur, et quæ non.2°.de ſymptomatum cauſis. 3ª.21.E

Symptomata pulſuum manifeſtant morbos.de conſt.art. Iſa.40.H

Symptomata in membris quomodo conſideranda.11°.meth.me. 7ª.73.C

Symptomata præſentia & præterita in quocunq; debet medicus conſiderare, & quomodo.1°.de loc.aff. 4ª.2.G

Symptomata non ſolum præſentia, ſed & præterita conſideranda ſunt, ad ſedem affectam inueniendam.6°.de loc.aff. 4ª.39.A

Symptomata ſuperuenientia quę.de vict.rat.in mor.ac.cõ.4°. 7ª.142.B

Symptomata pathognomonica quæ.de conſt.art. Iſa.40.D

à Symptomatibus morbus cognoſcitur.de conſt.ar. Iſa.40.C

Symptomata rara habent habitus rari.6°.de loc.aff. 4ª.39.D

Symptomata multa.2°.de ſympto.cauſis. 3ª.21.E

Symptomata ſunt magna ob magnitudinẽ paſſionis & morbi.2°.de ſymptomatum cauſis. 3ª.15.B

Symptomata oĩa quę modum ſeruent.in 1m. de mor.vulg.cõ.3°. 3ª.120.B

Symptoma quo fit modus deducitur ad genus cauſę effectricis.3°.de ſymptomatum cauſis. 3ª.25.B

Symptoma vnum aliud ſequitur.de ſymp.diff. 3ª.12.E

in Symptomatibus aliquibus cur concurſus variant, et in aliquibus nõ.de optima ſecta. Iſa.24.B

Symptoma ſymptomatis cauſa eſt.de ſymp.diff. 3ª.12.G

Symptomata cognata, & quæ affinia.de ſubſt.emp. Iſa.32.D

Symptomata quomodo à morbis dependeant.de conſt.art. Iſa.40.C

Symptoma ab ægritudine diſtingui debet à medico.de ſubſt.emp. Iſ.32.C

Symptomatum quorum morbi ſunt cauſę.de ſympt.diff. 3ª.13.A

Symptomata quæ in corporis conſiſtunt affectibus, quot diſtinguãtur differentijs.de ſymptomatum diff. 3ª.13.B

Symptomatum vitæ ratio cauſa eſt.3°.de ſymp.cauſis. 3ª.25.B

Symptoma inſtrumentaliũ & ſimilarium partium.3°.de ſym.ca. 3ª.25.B

à Symptomatibus morbi nominati ſunt aliqui.2°.meth.med. 7ª.9.D

Symptomata ex influẽte humore morbos quoq; ſuę generationis cauſam habent.de ſymptomatum diff. 3ª.13.D

cum Symptomatibus febres quid ſint.12°.meth.med. 7ª.74.F

Symptomata & pulſus tertianæ.de typis. 3ª.90.F

Symptomata exitioſa in ardentibus.in 1m.de mor.vul.com.2°. 3ª.115.A

Symptomata cauſum indicantia parognomonica dicta.de victus ratione in morbis acutis, com.4°. 7ª.134.H

Symptomata quotidianæ.de typis. 3ª.90.F

Symptomata maraſmi ſyncopoſi, quæ.de mar. 3ª.48.F

Symptomata morboſa an ad artem medicam vel ad ſanitatis tuendę partem, vel ad artem aliam ſpectent.4°.de ſa.tuen. 2ª.82.D

Symptomata quæ cerebrum & oculos afficiunt, ſequuntur vaporationẽ vitioſorum humorum.5°.de loc.aff. 4ª.32.H

Symptoma proprium deſipientiæ, quod.2°.de diff.reſp. 3ª.63.H

Symptomata phrenitici quæ.de comate. 3ª.49.A

Symptoma non morbus eſt cataptoſis.de tot.morb.temp. 3ª.89.C

Symptomata naturalium functionum, & animalium inueniendi eadem ratio.3°.de ſymp.cauſ. 3ª.24.F

Symptomata maxima patitur ſtomachus, & cur.1°.de ſym.cau. 3ª.18.E

Symptomata ventriculi q̃n vehementiora.1°.de ſymp.cau. 3ª.18.F

Symptomata tria habet vẽtris tractrix facultas.3°.de ſym.ca. 3ª.25.G

Symptomata retentricis ventriculi facultatis.3°.de ſymp.cau. 3ª.25.D

Symptomata rectricis facultatis q̃, & quot gña.2°.de ſym.cau. 3ª.24.B

Symptomata & morbi expultricis virtutis, & retentricis ſimul miſcentur.3°.de ſymp.cau. 3ª.25.E

quodnam Symptoma accidat ijs, quibus ventriculus eſt perfrigeratus.3°.de ſymp.cau. 3ª.25.F

Symptoma in nutriendi actione.3°.de ſymp.cau. 3ª.25.B

Symptomata particularum trahentium cibum.3°.de ſym.cau. 3ª.26.A

Symptomata ſuffuſioni ſimilia oculos infeſtant, cum in ore ventriculi excrementa fuerint collecta.1°.de loc.aff. 4ª.3.F

Symptomata ſuffuſioni ſimilia interdum apparent, vbi ſanguinis profluuium futurum eſt, aut vomitus.1°.de loc.aff. 4ª.3.H

Symptomata coloris vnde inducantur.3°.de ſymp.cau. 3ª.30.D

Symptoma coctiõis ẽ vẽtriculi fruſtratio ĩ alterãdo.3°.de ſym.c. 3ª.24.F

Symptoma nullum cruditatem neceſſario ſequitur.3°.de ſym.c. 3ª.30.D

Symptomata maiora & plura facit magna cruditas, parua autem contra.3°.de ſympto.ca. 3ª.30.C

Symptoma q̃d ex cibis oriẽ, ex facili corrigitur.3°.de ſym.cau. 3ª.25.C

Symptoma ſuccorum fuſorum.1°.de ſymp.cau. 3ª.18.B

Symptomata maxima ſuccus atq; humor exiguus in vna parte contẽtus inferre poteſt.6°.de loc.aff. 4ª.40.A

Symptoma & ſignum eſt rigor.2°.de ſymp.cau. 3ª.22.E

Symptomata neceſſaria in pleuritide.de conſt.ar. Iſa.40.E

Symptomata quomodo ſint motus inteſtinorum, vteri, & veſicæ.2°.de ſympto.cau. 3ª.21.E

Symptoma in lienteria.3°.de ſympto.cau. 3ª.25.F

Symptoma in venis quod.3°.de ſympto.cau. 3ª.25.A

Symptomatum omnium genere, actionis amiſſio, defectus, & priuatio eiuſdem reperiuntur.3°.de ſympt.cau. 3ª.25.A

Symptomata facit ſcorpionis ictus, & quæ.6°.de loc.aff. 4ª.40.A

Symptomata ſunt diuerſa in partibus aĩalibus ratiõe qua ſunt animata, & ratione qua ſunt naturalia.1°.de loc.aff. 4ª.8.B

Symptomata cur creſcant, & minuantur.de opt.ſec. Iſa.25.B

Symptomati non debetur curatio, ſed affectui ipſum creanti.in 6m.de morb.vulg.com.2°. 3ª.161.F

Symptoma vt Symptoma non indicat curationẽ.12°.meth.me. 7ª.74.G

Symptomata in totum ſunt inutilia ad curationem ſecundũ methodicos, quod negat Galenus, & quare.de opt.ſec. Iſa.24.G

Symptomati non eſt attendendum, ſed morbo cum vires conſtent.12°.methodi medendi. 7ª.74.H

Symptoma in cõtrariũ ducitur, cũ affectus ſanatur.11°.me.me. 7ª.70.H

Symptomata quandoq; grauia ſunt, & affectio mitior.de victus ratione in morbis acutis, com.3°. 7ª.133.E

Symptomata peſſima, & vrina optima ſignãt hoĩem euaſurum, ſed acute ægrotaturũ, ſi vrina praua breui interiturum, ſi mediocris, lõgiori tẽpore ſuperſtitẽ eandẽ moriturũ.in 6m.de mor.vulg.cõ.6°. 3ª.197.B

Symptomata quę neq; bonũ neq; malũ portendunt.1°.de criſi. 4ª.131.C

Symptomata mala in die iudicatorio peiora.de victus ratione in morbis acutis, commen.4°. 7ª.142.G

Symptomata docent morbum curandum, locum affectum, & diſpoſitionem.1°.de locis aff. 4ª.7.G

Symptomata duo ſi contingant contraria fortius conſiderandum eſt.1°.de arte curatiua ad Glauconem. 7ª.98.E

Symptomati maximo primo occurrendum.11°.meth.med. 7ª.69.H

Symptoma magis vrgens quid ſit, & quid conſiderandum ſemper.7°.de comp.me.ſec.loc. 5ª.181.B

Symptomata quæ trahunt ad ſe curationem.12°.meth.med. 7ª.74.F

Symptoma trahens ad ſe curationem, quando incidit, neceſſe eſt curationis finis ſerius adueniat, & quare.11°.meth.med. 7ª.70.E

Symptoma quod nullã ſeorſum curationẽ exigit.12°.meth.me. 7ª.74.F

cõtra Symptoma q pugnãt, hñt ſtupefaciẽtia ꝓpria.12°.me.me. 7ª.75.D

Symptomatis curatio nõ eſt, ſedatio doloris per miſſionem ſanguinis, vel per medicamentum in pleuritide.12°.meth.med. 7ª.74.G

Symptoma non adimentia, ſed affectum quæ.12°.meth.med. 7ª.75.D

SYMPTOMASIS *quid.introductio.* Iſa.59.B

SYMPTOSIS *eſt affectus meatuum pupillæ.introd.* Iſa.58.E

SYNANCHE *quid ſit.de vict.rat.in morb.acu.com.4°.* 7ª.137.A

Synanche quid ſit ſecundum Eraſiſtratum.de ven.ſect. 6ª.11.B

Synanches duas ſpecies.de vict.rat.in morb.ac.com.4°. 7ª.138.F

S ynanchon, ſiue Cynanchon, aut Synanchen, vel Cynãchem dicas parui refert, mõ ſcias duas eẽ ſynãches rões.de vi.ra.in m.a.c.4°. 7ª.138.F

Synanche, non cynanche ſecũdum aliquos, quamq̃ parũ referre videtur apud Hippocratem quouis modo dicas.in prog.com.3°. 4ª.209.C

Synanche iuxta ſynãche quid ſit, quomodo fiat, quomodo appelletur ab alijs.commenta.4°.aph.34°. Ex.31.D

E Συνάγχη *ſpecies anginæ eſt, & qualis.introd.* Iſa.55.G

Synanche ceruicis eſt affectus.introd. Iſa.59.C

Synanche eſt inflammatio faucium.2°.de art.cur.ad Glauc. 7ª.101.D

Synanche morbus acutus eſt.introd. Iſa.55.E

Synanche morbus eſt peracutus.finitiones medicæ. Iſa.45.F

Synanche ponitur inter morbos vere apparentes, & qui ex plenitudine oriuntur.5º.de ſan.tuen. 2ª.94.D
in Synanche ſanguis mittendus. de ven.ſec.aduerſ.Era. 6ª.9.D
in Synanche.i.angina quæ venæ ſecandæ.12º.meth.med. 7ª.83.B
in Synãche ſecã venã extrinſecã è directo.2º.de ar.cu.ad Gl. 7ª.102.G
in Synãche vena ſub lingua cur incidẽda.2º.de ar.cu.ad Gla. 7ª.102.G
Synanche ſi quis laboret catharticis vtimur.de dynam. Sp.20.E
ad Synanchen vſtæ hirũdines quo cõferãt.11º.de ſim.med.fac. 5ª.82.B
Synanchen ſiue anginam mitigat lac.10º.de ſimp.med.fac. 5ª.73.H
Synãchẽ cũ tumore veniẽtẽ emẽdat ſuccus mororũ.de ſim.me.Sp.87.G
Synanchen curat raphanus.de ſimplicib.medicam. Sp.89.F
ad Synanchen quæ in faucem rumpit electarium vtile.de dyn.Sp.26.C
ad Synanchen.2º.de comp.med.per gene. 5ª.222.E
ad Synanchas, & reliquas in ore affectiones ſtomatichum Ariſtotelis. 6º.de compoſi.med.ſec.loc. 5ª.170.D
Synanches meminit.6º.de compo.med.ſec.loc. 5ª.174.B
SYNANCHICORVM *pulſus.de dynam.* Sp.34.G
Synanchicis robur virium eſt vna ſalus.10º.meth.med. 7ª.63.H
Synanchici mortui quia vena non ſecta.de ve.ſect.aduer.Era. 6ª.9.F
Synanchicis cur arteria vlceratur.de vic.ra.in mor.acu.c.4º. 7ª.139.C
Synanchicis damus cholagoga.de dynam. Sp.20.G
Synanchico iuuat ſuccus centaureæ.de vir.centau. Sp.93.D
Synanchicos melius curant mora ſylueſtria alijs.de ſimp.med. Sp.87.H
ad Synanchicos Paſtillus Aſclepiadis 5º.de comp.me.per ge. 5ª.251.B
Synanchici caſus.de ven.ſectione aduer.Era. 6ª.9.H
SYNAPI *tam cibus quã medicamentũ calidũ eſt.3º.de temp.* 1ª.24.D
Synapi nobis admotum calefacere aptum eſt.3º.de temp. 1ª.21.H
Synapi impoſitum cuti exulcerat & erodit.3º.de temp. 1ª.22.G
Synapi miſtum cum re dulci extra non exulcerat.3º.de temp. 1ª.22.H
in Synapi quando vt nutrimentum ſumitur, quod ſuperuacuũ & acre eſt, excernitur per aluum, vrinas, & ſudores.3º.de temp. 1ª.22.H
Synapi ſolũ moleſtiam adferre ventriculo, comeſtũ.3º.de temp. 1ª.22.H
Συνάρθρωσις *quid apud græcos ſignificet.intr.Iſa.54.F/de oſſ.1ª.40.A*
Synarthroſeos triplex ſpecies.de oſſibus. 1ª.40.B
SYNCERVM *quid ſignificet.in prog.Hip.com.2º.* 4ª.201.F
Syncerus qlibet hũor pter ſanguinẽ ẽ malus.in prog.Hip.c.2º. 4ª.202.E
Synceræ vomitiones atq; iplacidæ, malæ.in 1m.pror.Hip.c.2º. 4ª.173.D
Syncera ſcreatio nigra peſſima eſt.in prog.Hip.com.2º. 4ª.202.G
Syncera deiectio quæ.in 1m. prorrh.commẽ. 2º.171.C/4ª.205.B/com.7º. aphoriſmo 6º. Ex.54.D
Syncera deiectio quæ, & quid agat.com.7º.aph.23º. Ex.55.E
ex Syncera deiectione difficultas inteſtinorum.c.7º. aphoriſmo 23º.55. E/aphoriſmo 71º. Ex.60.G
Synceræ & ſpumoſę deiectiões prauæ ſunt in 1m.pror.Hip.c.2º.4ª.171.B
Syncera omnia mala.in 1m.pror.com.2º. 4ª.173.D
SYNCRIMATA *vocantur cõpoſitiones ex elemẽtis.de diff.mor.3ª.3.C*
Συγχρίσματα *inunctiones Aſclepiades vocat.2º.de antid.* 5ª.113.H
SYNCHYSIS *affectus pupillę.introd.* Iſa.58.D
SYNCHRYSMA. *7º.de compoſitio.medicam.per genera.* 5ª.278.G
Συγκομιστοὺς *appellabant antiqui panes medios inter puros, & ſordidos.1º.de alim.fac.* 2ª.9.G
SYNCOMISTE *pinea qualis.5º.de com.me.per ge.* 5ª.233.D
SYNCONDROSIS *quid.de oſſi.* 1ª.40.C
inter SYNCOPEM, *& animi deliquiũ differẽtia.12º.me.me.7ª.77.F*
Syncopem antecedit animi defectus.1º.de ar.cur.ad Glauc. 7ª.98.F
Syncopam qui facile incurrant.de vict.rat.in mor.acut.c.2º. 7ª.123.H
Syncope fit ob oris ventriculi affectum.5º.de loc.aff. 4ª.32.E
Syncopas & ſymptomata non parua incurrit os ventriculi ob ſenſum exquiſitum.12º.methodi medendi. 7ª.77.F
Syncope vitio ſtomachi qualis.5º.de loc.aff. 4ª.32.H
Syncope qui detinentur ore ventriculi vexato.11º.meth.med. 7ª.74.D
Syncopes cum ſudore in ventriculo affecto.7º.meth.med. 7ª.48.G
Syncope affectus nominatur, quando ſudores proueniunt reſoluto corporis habitu.3º.de ſymp.cauſ. 3ª.28.F
Syncope ſtomachica.de vict.rat.in morb.acu.com.4º. 7ª.133.B
Syncopim inducẽtẽ affectũ, ſtomachicũ vocãt.1º.de pſ.ex pul. 4ª.109.C
Syncope ſtomachica quæ.6º.de loc.aff. 4ª.41.E
Syncopæ ſtomachicæ cuius ſint.1º.de ſymp.cau. 3ª.17.H
Syncopę ſtomachicæ quæ ſequantur.6º.de loc.aff. 4ª.29.C
Syncopæ ſtomachicæ qd ſignificẽt.de vic.ra.in mor.acu.cõ.2º. 7ª.123.B
in Syncopæ vitio ſtomachi quo mori contingat.5º.de lo.affe. 4ª.29.B
Syncopæ cardiacæ vnde oriantur.de vic.rat.in mor.acu.c.4º. 7ª.137.F
Syncopæ ſunt paſſiones à corde prouenientes.de virt.noſt. Sp.60.B
Syncope cardiaca quę ſequatur.5º.de loc.affect. 4ª.29.C
in Syncopi quę eſt paſſio cordis imaginãtur quidã.de vtil.reſp.Sp.63.F
in Syncopa cordis vel ſtomachi licet manus ſint imbecilles, tamẽ nõ habet affectum.5º.de loc.affe. 4ª.35.C
Syncope cardiaca quomodo animal moriatur.5º.de lo.aff. 4ª.29.D
Syncopis ex corde vel ſtomacho affecto pulſus.de pulſ.ad Tyro.4ª.45.E
ad Syncopem euitandam quid agendum.12º.meth.med. 7ª.77.F
in Syncopis cardiacis pulſus.de pulſ.ad Tyro. 4ª.44.H
Syncopes alij modi.12º.meth.med. 7ª.78.B
de Syncope ex tenuibus humoribus ocyſſime exhalantibus.12º.methodi medendi. 7ª.77.G
in Syncope ex tenuibus ſuccis, ſi adſit phlegmon intrinſeca, moriuntur. 12º.methodi medendi. 7ª.77.H
in Syncope quando periculum extremum.12º.meth.med. 7ª.75.G
Syncope proſternit vim vitalem.4º.de præſag.expul. 4ª.121.G
Syncopa intercepti cito obeunt.5º.de loc.aff. 4ª.29.E
Syncopa arrepti de repente moriuntur.com.2º.aph.41º. Ex.18.A
Syncopa correpti moriuntur frigidi.1º.de præſag.expul. 4ª.107.H
Syncopis periculũ quo pulſu cognoſcatur.4º.de pſag.expul. 4ª.122.E
Syncopa qualem habeat pulſum.4º.de cau.pulſ. 4ª.100.H
Syncopa quomodo cognoſcatur ex pulſu.4º.de cauſ.pulſ. 4ª.100.H
in Syncopis quas concitant exitiales, & acutæ febres pulſus qualis.de pulſibus ad Tyrones. 4ª.44.G
in Syncopa crebri ſunt pulſus.2º.de præſag.expul. 4ª.111.F
Syncopẽ futurã in phreneſi quo deprehẽdatur.de pulſ.ad Tyr. 4ª.45.G
Syncopem cũ cruditate habẽtium pulſus, qualis.12º.meth.me. 7ª.76.B
in Syncopa qui frigidos habent ſuccos, pulſum parum tardum & rarum habent.12º.meth.med. 7ª.76.B
in Syncope quando deſperatus æger.12º.meth.med.75.H/ 7ª.76.A
in Syncope quando ſpes ſalutis.12º.meth.med. 7ª.75.H
Syncope quibus fiat.12º.meth.med. 7ª.77.F
Syncope cardiaca quando incidit.1º.de ſympt.cau. 3ª.18.F
SYNCOPA *præſens ipſa eſt curanda.12º.meth.med.* 7ª.78.A
Syncopes actu curatio.12º.meth.med. 7ª.76.C
Syncope quæ ab alimento ſanatur, & quomodo.12º.meth.med. 7ª.75.D
Syncope in ſtomacho afflicto quomodo curetur.11º.meth.med. 7ª.70.F
Syncopem cum affert ſtomachus ex ardenti febre offenſus quibus vtendum vinis.13º.meth.med. 7ª.76.E
Syncope ex flaua bile circa os ventriculi quomodo curanda.12º.methodi medendi. 7ª.76.C
Syncope ex cruditatibus quæ contraria.12º.metho.med. 7ª.76.B
Syncope ex dolore quomodo curetur.12º.meth.med. 7ª.78.C
in Syncope actu calida danda, & quando.12º.meth.me. 7ª.76.C
in Syncopa mediocri quæ danda.1º.de art.cur.ad Glauc. 7ª.99.E
in Syncope quando danda alica.12º.meth.med. 7ª.75.H
cum Syncope febri conuenit mulſa cum hyſſopo.12º.meth.me. 7ª.75.G
in Syncope vſq; ad ſeptimam aqua mulſa cum hyſſopo quando ſufficiat 12º.methodi medendi. 7ª.76.A
Syncopim patiẽtibus corporibus prodeſt omphacomeli.de dyn. Sp.22.C
Syncope ex tenuibus humoribus correpti, quibus nutriendi.12º. methodi medendi. 7ª.77.G
in Syncope ex tenuibus ſuccis ouorum vitellos eſſe dandos. 12º. metho. medendi. 7ª.78.A
in Syncope ex tenuibus ſuccis cum febre oua dedit ante quartum diem, poſt quartum vero carnem.12º.meth.med. 7ª.78.A
in Syncope ex ſuccis tenuibus carnẽ dat poſt oua.12º.me.me. 7ª.78.A
in Syncope oxymeli quando conueniat.12º.meth.med. 7ª.76.A
in Syncope dandus panis ex vino diluto.12º.meth.med. 7ª.75.H
in Syncope panis ex vino dandus, eò quòd celerem in corpus digeſtionẽ adiuuet.12º.meth.med. 7ª.76.C
in Syncopa ptiſanę cremor pro mulſa vel alica quando conueniat. 12º. methodi medendi. 7ª.76.A
in Syncope ex tenuibus ſuccis teſtes gallorum lacte altorum, & cerebrum ſuis diligenter aſſum conueniunt.12º.meth.med. 7ª.78.A
cum Syncope ad ſtomachi ardorem ſorbitiones. 8º. de compoſitione me ic.ſecundum locos. 5ª.191.H
in Syncope ex tenuibus ſuccis laborantibus vinum aquoſum conuenit. 12º.methodi medendi. 7ª.78.A
in Syncope ex humoribus crudis vina qualia eſſe debent. 12º. methodi medendi. 7ª.76.E
Syncope ex bile circa os vẽtriculi cõueniẽtia vina, q.12º.me.m.7ª.76.D

in Syncope vina,

in Syncope vina qualia eſſe debent.12°.met.me. 7ª.76.D
in Syncope fugienda vina auſtera,& aqua.12°.met.me. 7ª.76.H
℘ Syncope vina fulua tenuia faciunt.12°.met.me. 7ª.76.H
in Syncope omni cur vinum conueniat.12°.met.me. 7ª.76.D
in Syncope dat vinum.11°.met.me. 7ª.70.F
in Syncope vina fugienda quæ.12°.met.me. 7ª.76.H
in Syncope amara vina non ſumenda.12°.met.me. 7ª.76.D
in Syncope relaxantia ex abſinthio mediocriter perfundere quando cõ uenit.12°.meth.med. 7ª.76.A
Syncopam facile patienti,non eſt ſecanda vena.de ſubfi.emp. Iſa.32.F
SYNCOPOSI maraſmi qui.de marc. 3ª.47.A
Syncopoſi maraſmi,ſymptomata quæ.de marc. 3ª.48.F
Συγκρίνεσθαι τά σώματα καί διακρίνεσθαι, quid ſignificent verba hæc.4°.methodi medendi. 7ª.26.B
de Syncriticis librum fecit Theſſalus.1°.met.me. 7ª.2.G
Σύνδεσμος quid.1°.de motu muſcu. 1ª.308.H
Syndeſmi dolorem non poſſunt pati cor & pulmo.1°.de loc.aff. 4ª.6.D
cũ SYNDONE faciebant frictiones.de pue.epilep. 7ª.180.B
SYNDROME qd ſit.de mul.76.D/in 1m.de mor.vul.c.1°. 3ª.102.F
Συνδρομὴν concurſum vocant empirici.5°.de ſan.tu. 2ª.93.B
Syndrome empiricorum quid ſit.2°.met.me. 7ª.11.C
Syndrome empiricorum ſunt in pauciſſimis.5°.de ſan.tu. 2ª.93.E
Syndromẽ empiricorũ rep̃hendit.de vic.rat.in mor.acu.cõ.2°. 7ª.121.G
à Syndrome qui loquuntur deridendi.3°.de ſan.tu. 2ª.81.A
abſq; Syndrome plectorica quando ſanguis detrahitur.de victus ratione in morbis acutis,com.4°. 7ª.136.H
ex Syndrome plectorica ſanguinis mittendi quantitas ſumitur. de curandi ratione per ſang.miſſ. 6ª.18.D
Syndrome pathognomonica ſymptomatum morbum indicantiũ concurſus à græcis dicitur.de vict.rat.in morb.acut.com.4°. 7ª.142.A
Syndromes in peripneumonia,& laterum cõpunctione inueniuntur.5°. de ſanitate tuenda. 2ª.93.E
Συνεδρεύονται.i.conſident.de vict.rat.in mor.acu.com.4°.7ª.134.H
Συνεδρεύοντα.i.conſidẽtia.de vict.rat.in mor.acu.com.4°. 7ª.134.G
Syneuroſis quid.de oſſi. 1ª.40.C
SYNOCHA vnde dicatur.2°.de diff.feb. 3ª.36.F
Synocha febris continuæillioſæ ſpecies eſt.2°.de diff.feb. 3ª.36.F
Synochæ non habent circuitus.3°.de criſi. 4ª.139.H
Synochæ febris diſtinctio.in 6m.de morb.vul.com.1°. 3ª.160.A
Synocharum tres differentiæ.9°.met.me. 7ª.56.B
Synocharum triplices differentiæ ſunt,homotonæ.ſ.vel acmaſticæ,epacmaſticæ,vel anabaticæ,& paracmatice hoc eſt decreſcentes. 2°. de differentijs febrium. 3ª.36.F
Synochæ quæ vna acceſſione finiunt.2°.de diff.feb. 3ª.42.G/H
Synocharum febrium cauſam facilius eſt inuenire, quã earum quæ per circuitus acceſſiones faciunt.2°.de diffe.feb. 3ª.40.E
Synochæ in duobus cõicant cum diarijs febribus.11°.met.me. 7ª.69.B
Synocha quæ acuitur in horis ſanguinis,qualis ſit.de ſperm. Sp.39.H
Synocha ſi magis acuitur in horis choleræ rubræ non eſt propria ſynoca de ſpermate. Sp.39.G
Synocha quando habet miſtam pituitam ſalſam.de ſper. Sp.40.A
de Synocharum pulſu & vrina.de dyna. Sp.34.B
Synochæ cõſimilem pulſum habent cauſus & ſynochus.de dy. Sp.34.B
Synocharum febrium vrinæ quales.de vrinis. 4ª.124.H
in Synocha vrina alba aut ſubliuida morte ſignificat.de dyna.Sp.35.D
Synocha qñ mutabitur in quotidianã,vel tertianam.de ſper. Sp.40.A
Synocha quando tranſit in quartanam.de ſperma. Sp.40.A
Synocha & cauſus phlegmatico ſi cõtingãt,quid agẽdũ.de dy.Sp.39.G
in Synocha febre epithema ad præcordia.de dyna. Sp.33.C
in Synocha febre vnctio præcordiorum.de dyna. Sp.33.D
ad Synocham febrem.de dyna. Sp.33.C
SYNOCHVS quæ febris dicitur.2°.de criſi. 4ª.135.G
Synochi,quæ febres dicerentur apud iuniores medicos tempore Galeni. in 1m.de mor.vulg.com.3°. 3ª.118.D
Synochi febres quæ ſint.9°.met.me.56.A/11°. 7ª.68.G
Synochus eſt febris ardens.2°.de criſi. 4ª.135.G
Synochi non habent circuitus.de morb.temp. 3ª.87.D
Synocho hecticã cõparat in cõtinuatione Galenus.1°.de diff.feb. 3ª.35.C
Synochus febris habet longum ſtatum.3°.de criſi. 4ª.140.C
Synochus quanto tempore ad vigorem peruenit, & ꝙ poſtea æqualis ſibi permanẽs continue ad iudicium ꝑperat.de tot.morb.tẽp.3ª.89.B
Synochus proprie eſt continua.1°.de diffe.feb. 3ª.35.C
Synochi non habent declinationem.de morb.temp. 3ª.86.D
Synochi tres differentiæ,quæ.2°.de criſi. 4ª.135.G
Synochorum tres differentiæ.9°.met.me. 7ª.57.A
Synochi genus quod habet cũ diarijs eandẽ naturã.9°.met.me. 7ª.56.C
iter Synochos numerant febres liuidæ.in 6m.de mor.vul.c.1°.3ª.159.G
Synochi,& hecticæ differentiæ.1°.de diff.feb. 3ª.35.C
Synochi ſecundum genus.9°.met.me. 7ª.56.C
Synochi cauſa.2°.de diff.feb. 3ª.42.G/H
Synochus à putredine per totum corpus.11°.met.me. 7ª.69.G
Synochus ex ſanguinis putredine fit.in 6m.de morb.vul.cõ.1°. 3ª.153.D
Synochus paſſio ex ſanguine.de ſpermate. Sp.38.B
Synochus ex ſanguinis abundantia.9°.met.me. 7ª.56.E
Synochus paſſio ex bile.de ſpermate. Sp.38.B
Synochus,& cauſus fiunt ex acuitate bilis.de ſperma. Sp.39.H
Synochus qũo ab vtero põt peruenire.in 6m.de mor.vul.cõ.1°. 3ª.153.D
Synochus in quibus non fiat.9°.met.me. 7ª.56.H
Synochus & cauſus ſanguineo,& cholerico ſunt ĩfirmitates naturales plegmatico vero accidentales de ſpermate. Sp.39.G
Synochus in quibus fiat.9°.met.me. 7ª.56.C
Synochus,& alia ex ſanguine procedentia cõtingunt edito homini ſi cõceptũ ſperma ſit à muliere in tribus horis ſanguinis.de ſper. Sp.37.C
Synochus cuius ætatis,& corporis propria.11°.met.me. 7ª.71.F
Synochi pulſus qualis.9°.met.me. 7ª.56.D
Synochus,& cauſus habẽt pulſum ſynochæ conſimilẽ.de dy. Sp.34.A
Synochum,& cauſum ſignificat vrina ſanguinea.de dyn. Sp.35.E
in Synochis ſunt morbi acutiſſimi.in 1m.de morb.vul.com.3°. 3ª.118.G
Synochus breui finit.11°.met.me. 7ª.74.D
Synochi finiunt in quarto per criſim.3°.de criſi. 4ª.140.D
Synochus & cauſus quando letales.de dyna. Sp.34.A
de Synocho incidit homo in phrenitim.de dyna. Sp.35.E
Synocharũ febrium duo maxima præſidia ſunt,venæ ſectio,& potio frigida.9°.methodi medendi. 7ª.57.H
in Synochis quocũq; tempore fit venæ ſectio.9°.met.me. 7ª.57.H
in Synocho ſi venæ ſectio p̃tereat,quid ſequi põt.9°.met.me. 7ª.57.C
in Synocho non eſt mittendus ſanguis in puero, qui annos, adhuc non attigit quatuordecim,& cur.11°.met.me. 7ª.71.F
in Synocho duorum caſus.9°.met.me. 7ª.56.D
in Synocho & putredine caſus.9°.met.me. 7ª.56.H
in Synocho vſq; ad animi defectum venam ſecuit.9°.met.me.7ª.56.H
SYNODONTI venter in ore rapitur.3°.de nat.fac. 1ª.304.H
SYNTATICA quæ vocant medicamenta.4°.met.me. 7ª.29.C
SYNTAXIS conſtructio & ordinatio.dr̃.in 1m.pror.c.3°. 4ª.178.F
SYNTESIS .i.compoſitio.in 1m.pror.com.3°. 4ª.170.F
SYNTESIM .i.colliquationem renum denunciat vrina, quæ velut raſurã habuerit,& arenã,et in nebulis quaſi ſanguinẽ.de dy. Sp.34.F
Syntexis.i.colliquatio proprium ſymptoma eſt peſtilentis febris. in 1m. de morb.vulgaribus,com.3°. 3ª.145.D
Συνουλωτικά medicamenta & epulωtica quæ græce vocẽtur. 12°.methodi medendi. 7ª.81.F
Synulotica emplaſtra quæ.2°.de comp.me.per gen. 5ª.223.H
Συπεδονώδεις.i.putredinoſos græci vocant.8°.met.me. 7ª.54.C
SYPHON rectus in quibus deſideretur.5°.met.me. 7ª.32.D
Syphones recti quibus in veſicam aliquid infunditur catheteras dicũt. 5°.methodi medendi. 7ª.34.D
SYRACI roris meminit.de dyna. Sp.28.B
SYRAEVM quid.7°.de comp.me.ſec.loc. 5ª.177.F
Syræum ſapa dicitur vel hepſema.3°.de comp.me.per ge. 5ª.229.D
Syræum quale & qũo fiat.de vict.rat.in mor.acu.com.3°. 7ª.125.G
Syræum vinum ſolum dulce.4°.de ſimp.me.fac. 5ª.26.F
SYRIAM cauam,& in Cyprum nauigauit Galenus diſcendi gratia. 9°.de ſimp.me.fac. 5ª.65.B
in Syria caua naſcitur bitumen.9°.de ſimp.me.fa. 5ª.65.B
SYRIACVS ſuccus eſt adſtringentibus parabilibus. 6°. de compoſi. medi.ſec.loc. 5ª.169.F
Syriaco ſucco vtitur.5°.de compoſi.med.ſec.loc.164. C/7°.5ª.186.B/de med.fac.par. 7ª.174.D
Syriacum crocinum.7°.de comp.me.per ge. 5ª.272.E
Syriacum vnguentum.2°.de comp.me.ſec.loc. 5ª.135.E/F
Syriacum malum.de dyna. Sp.33.B/C
SYRIA mala.de dynami. Sp.24.D
SYRICIVM quid.de ſimp.med. Sp.90.C
Syricium vrinam & calculũ prouocat,& ſternutare copioſe facit tunſa

& cribrata & in naribus impoſita.de ſimp.med. Sp.90.C
SYRICVM quomodo fiat, & eius vires.de ſimpl.med. Sp.89.H
SYRINGOTOMA, quæ à græcis appellentur.6°.met.me. 7ª.39.D
SYRINX quid.fin.med. Iſa.49.A
Syringa eſt ſpecillum oricularium.de op.ſec. Iſa.25.B
Syringa cathetera nominatur.de op.ſec. Iſa.25.B
Syringa catheterem græci vocant,nunc argentea, tempore Galeni erat ænea.1°.de loc.affec. 4ª.3.A
ex Syringa qũo cognoſcatur vlcus,quando fuerit.1°.de loc.aff. 4ª.3.B
Syringæ apponebant lanam & quare.introd. Iſa.60.B
Συρματισμοὶ .i.tractus qui appellarẽt à græcis.de art.c.2°. 7ª.267.H
κατὰ Συρμὸν.i.per tractum non κατὰ πληγὴν ſcarificatio facienda eſt.de cucur.ſcar. 6ª.3.G
SYRVPVS acetoſus ad corporis ſanitatẽ conſeruandã.ſecr. Sp.103.D
Syrupus de calamintha ſpaſmo conferens.ſecre. Sp.103.E
Syrupus de fructibus.ſecre. Sp.98.D
Syrupi Galenus facit mentionem ſimpliciter.de dyna. Sp.26.E
Syrupus mellis quomodo fiat.de medi.exper. Sp.104.B
Syrupus de melle pro potu.ſecre. Sp.102.E
Syrupus de ſacharo.de cura lap. Sp.112.B
Syrupus dat pro pituita lenta diſſecanda.7°.met.me. 7ª.48.D
Syrupi quibus vti debemus in lapide.de cura lap. Sp.111.H
per Syrupos aufert dolorem lapidis.de cura lap. Sp.111.H
SYRVM vires habet acriter relaxantes,veſicam petit, vrinam prouocat,in antidota aduerſus venena mittitur.de ſimp.med. Sp.90.H
SYSSARCOSIS quid.de oſſi. 1ª.40.C
SYSTASIS emmoton quid ſit.2°.de comp.me.per gen. 5ª.221.H
Σύσημα quid ſignificet.2°de præſag.ex pulſ. 4ª.110.C
Συσηματικὴ quid ſignificet.2°.de præſag.ex pulſ. 4ª.110.C
Syſtematice dicitur a græcis inæqualitas.12°.met.me. 7ª.75.E
Syſtematica quæ.de diff.reſp. 3ª.61.A
SYSTOLE quid.fin.med. Iſa.46.G
Syſtole an arteriarum actio ſit.de vſu pulſ. 1ª.229.A
Syſtole in pulſibus quid.de vſu pul. 1ª.229.D
Syſtole quibus fiat.6°.de vſu par. 1ª.150.E
per Syſtolem quid ſequatur.de vſu pulſ. 1ª.228.E
Syſtole quid agat.4°.de vſu par. 1ª.140.D
Syſtole dormientiũ qui ample comederint,qualis.de vſu pul. 1ª.229.E
Συστροφαὶ quæ dicantur.de vict.rat.in mor.acu.com.4°. 7ª.137.D
Συστροφαὶ ſanguinis miſſiõe iuuant.de vic.ra.in mor.ac.c.4°.7ª.137.D

T & r, non poteſt lingua aliquorũ exquiſite dearticulare,vt in voce traulus, trepidus, tremit,tradit,trochus, triſtis & quæcunq; aliæ tales,hæ ſiquidem omnes exigunt linguam ſe ampliantem,ac prioribus dentibus innitentẽ. com.6°.aph.33°. Ex.49.G
T & r, ſonum articulare non potens lingua imbecilla ad t,& l pronunciandum labitur.comment.6°.aph.32°. Ex.49.H

TABES quid.fin.med.47.E/introd. Iſa.56.F
Tabes ſeu maraſmus non eſt idem morbus ac paſſio cum febre maraſmode,id eſt tabida.1°.de diff.feb. 3ª.34.E
Tabes numeratur inter motus.4°.de pulſ.dif. 4ª.67.D
Tabes morbus eſt diuturnus.fin.med.Iſa.45.F/cõ.1°.aph.12°. Ex.5.D
Tabes eſt morbus longus intrinſecus.intro. Iſa.56.B
Tabes Hippocrates appellat vlceroſas diſpoſitiones in pulmone.com.5°.aphoriſmo.11°. Ex.38.D
Tabes pulmonũ,aut thoracis,vel fauciũ eſt vlceratio.fi.med. Iſa.47.E
Tabes eſt fruſtratio in nutriendi actione.de ſymp.diff. 3ª.12.A
ad Tabem veram accedunt fame pereuntes.de marc. 3ª.46.H
in Tabe vera cor eſt debito frigidius. de marc. 3ª.46.H
Tabes quibus ætatibus maxime fiat.com.5°.aph.9°. Ex.38.C
Tabes an fiat iuuenibus,& cur.com.3°.aph.29°. Ex.26.C
Tabes quomodo fiat in ætate conſiſtentiæ.com.3°.aph.39°. Ex.26.C
Tabes ſine febre in decrepitis.1°.de diffe.feb. 3ª.34.E
à Tabe,& maraſmo arripi dñr q̃ ſiccitas corruperit.de marc. 3ª.45.C
ad Tabem inclinati qui.in 1^{m}.de morb.vulga.com.1°.3ª.105.F/com.3°.aph.13°.22.B/com.5°.aph.9°. Ex.38.C
ad Tabem producentibus febribus q̃ bilioſa ſubducantur. de victus ratione in morb.acut.com.3°. 7ª.128.A
ad Tabẽ perducens febris quæ.de vic.rat.in mor.acu.cõ.3°. 7ª.128.A
TABES in oculo quid.fin.med. Iſa.48.E
TABES ventriculi.de decub.prog.ex math.ſcien. Sp.13.F
Tabem ſolo eriſipelate facit venter.de marc. 3ª.47.G
Tabes renum νεφριτικὴ nominata eſt ab Hippocrate.intr. Iſa.56.G
Tabes quomodo fiat.in 1^{m}.de morb.vulga.cõ.1°. 3ª.105.E/2°.de præſa. ex pulſ. 4ª.109.G
Tabes quomodo facta.in 3^{m}.de morb.vul.cõ.1°.127.H/cõ.3°. 3ª.146.A
Tabis duæ differentiæ.in 1^{m}.de morb.vulg.com.1°. 3ª.105.F
Tabis cauſa.in 1^{m}.de morb.vulg.com.2°. 3ª.109.D
Tabes diſtillationem capitis ſequitur.in 3^{m}.de morb.vul.cõ.3°.3ª.143.E
Tabes fit à ſanguine collecto iter pectus,et pulmonẽ.8°.de dec. 1ª.275.F
Tabes fit ex ſuppreſſione menſium.de opt.ſect. Iſa.26.F
in Tabem tranſeunt ſuppurati à morbo laterali, ſi in quadraginta diebus non purgantur.com.5°.aph.15°. Ex.38.F
Tabes ſequitur ſanguinis ſputum.com.3°.aph.29°. Ex.26.B
Tabes in ſanguinis vomitu,& puris purgatio ſupra. commentario. 7°. aphoriſmo.74°. Ex.60.H
ad Tabem balnea quendam duxere.1°.de arte cur.ad Glau. 7ª.97.B
Tabes quem ordinem habeat quando fit.com.7°.aph.74°. Ex.60.H
Tabes incipiens quæ.1°.de diff.feb. 3ª.34.G
Tabes cur & quomodo fiat autumno.com.3°.aph.22°. Ex.24.E
Tabes fiunt ſi æſtas ſicca auſtro perflante, & autumnus fuerit pluuioſus.de aere aquis,& locis.2ª.2.F/com.3°.aph.13°. Ex.21.H
Tabes,tetanus,& tremor cur non facti fuerint in conſtitutione frigida & humida.in 1^{m}.de morb.vulg.com.2°. 3ª.108.H
ad Tabem hecticæ quædam deductæ ſunt medicorum inſcitia.1°.de differentijs febrium. 3ª.34.E
in Tabẽ vergẽtis hecticę ĩditia facile cognoſcunt.1°.de diff.feb.3ª.34.F
Tabes figuram naturalem immutat.de cauſ.mor. 3ª.8.H
Tabi quotidie & magis p̄ noctẽ acceſſiones fiunt.c.1°.aph.12°. Ex.5.D
Tabes non eſt cauſa anaſarcæ.1°.de nat.fac. 1ª.292.F
Tabe quomodo iuuenes moriantur.com.3°.aph.30°. Ex.26.E
qui Tabe moleſtãtur,ſi ſputum quod extuſſiunt graue olet iniectum carbonibus,& capilli à capite defluunt letale.cõ.5°.aph.11°. Ex.38.D
Tabe quibuſcunq; laborantibus capilli à capite defluunt,ijs alui profluuio ſuperueniente,moriuntur.com.5°.aph.12°. Ex.38.D
ex Tabe profluuiũ eſt mala cã,& malũ ſignũ.cõ.5°.aph.12°. Ex.38.E
à Tabe habito p̄fluuiũ alui ſuperueniens,letale.c.5°.aph.14°. Ex.38.F
in Tabe qui ſint magis propinqui morti.com.5°.aph.14°. Ex.38.F
Tabis curatio.intro. Iſa.56.G
in Tabe lac aſininum adhuc calidum dandum.de marc. 3ª.48.D
ad Tabem.7°.de compoſi.medic.ſecun.locos.182.F/9°.5ª.201.A/de reme.par.facilibus. 7ª.165.G
Tabes lege Phthiſis.
ad TABESCENTES Arteriace Blaſti valde bona.7°.de compoſitio. med.ſec.loc. 5ª.178.D
Tabeſcentibus commodæ confectiones.7°.de comp.me.ſec.loc.5ª.184.G
ad Tabeſcentes.7°.de comp.me.ſec.loc.179.F/181.E/F/183.C/185.C/D/H/187.A/8°.5ª.191.D/de med.fac.par. 7ª.171.C
TABIDI qui vocent.in 1^{m}.de mor.vul.c.1°.105.F/cõ.2°. 3ª.109.D
Tabidi qui ſint.com.aph.10°.20.H/com.4°.aph.8°. Ex.28.B
ſi qua Tabida diſpoſitio in dubio eſt,maxime autũno deprehẽditur propter frigiditatem,ſiccitatem,& temporis inæqualitatem & humorum prauitatem.com.3°.aph.22°. Ex.24.F
Tabidis ſcapulæ ſunt in modũ alarũ.in 3^{m}.de mor.vul.cõ.3°. 3ª.146.C
Tabidis cur cor ſiccatur.de marc. 3ª.45.D
Tabidi vnde fiant.in 3^{m}.de morb.vulg.com.3°. 3ª.142.B
Tabida febris qualis.1°.de diff.feb. 3ª.34.E
Tabida febris in affectibus pręter naturã numeratur.de marc.3ª.46.H
à Tabidis febribus differunt hecticæ.1°.de diff.feb. 3ª.34.E
Tabidam hecticam qui ingrediantur.1°.de diff.feb. 3ª.35.D
Tabidi hectica laborant.in 1^{m}.de morb.vul.com.3°. 3ª.120.A
Tabidi fiunt vaſe aliquo pulmonis rupto.com.6°.aph.12°. Ex.47.E
Tabidi quæ habeant inditia.de cauſ.morb. 3ª.8.H
Tabidorum indicium vngues adunci.1°.de loc.aff. 4ª.6.D
Tabidis cur corpus glabrum.in 3^{m}.de morb.vulg.com.3°. 3ª.146.D
Tabidi hectici pulſus.1°.de diff.feb. 3ª.34.G
Tabidi quã habeãt reſpirandi neceſſitatẽ.in 1^{m}.pror.cõ.1°. 4ª.164.H
Tabidis ad frigidum conuerſiones infeſtiſſimæ ſunt.in 3^{m}. de morb. vul. commeutario.3°. 3ª.146.B
in Tabidis extremum malum eſt caſus capillorum & fluxus. cõmen. 7°.aph.

7°.aphoriſmo.16°. Ex.55.B
Tabidorum ſputum grauiter olet.com.5°.aph.11°. Ex.38.D
Tabidorum conſuetudo non eſt ſecura.1°.de diff.feb. 3ª.31.C
Tabidi non curantur.de marc. 3ª.47.D
Tabidi non debent purgari ſuperius.com.4°.aph.8°. Ex.28.B
Tabidis ex vlcere pulmonis prodeſt lac.com.5°.aph.46°. Ex.44.G
Tabidis conuenit lac.3°.de ali.fac. 2ª.28.H
Tabidorum cibi lac,ptiſſana,chondrus.de marc. 3ª.48.E
Tabidis lac quomodo,& quando conueniat.com.5°.aph.64°. Ex.44.E
Tabidis balnea conueniunt.de marc. 3ª.47.D
qbus Tabidis febribus balnea cõueniant,et qbus nõ.de mar. 3ª.48.A
Tabidis prodeſt Aelij Galli antidotus.2°.de anti. 5ª.110.H
ad Tabidos.7°.de comp.me.ſec.loc.5ª.179.C|de rem.par.fac.7ª.158.E
Tabidis quomodo adhibeantur ferramenta candentia.intro. Iſa.59.F
Tabidi mortui ex triſtitia.6°.de comp.me.per gen. 5ª.254.H
Tabidi lege Phthiſici.
TABIAE locus Neapoli.5°.met.me. 7ª.34.H
Tabiæ vbi ſint.5°.met.me. 7ª.34.H
in TABIANO colle quas herbas & quos frutices eſſe ſupponat, vt lac fiat præſtantiſſimum.5°.metho.me. 7ª.35.A
TABITVDINES vnde fiant,& quot modis,quibus membris,& quibus temporibus.com.3°.aph.16°. Ex.22.H
TACENT melancholici.in 3m.de morb.vulg.com.3°. 3ª.151.G
Tacere debet qui curatur.de iis,quæ in med.fi.com.1°. 7ª.201.A
Tacere ſitim prohibet.in 6m.de morb.vulg.com.3°. 3ª.178.A
ταχέος & πυκνοῦ nomina apud veteres confunduntur.de vict.ratio. in mor.acut.com.3°. 7ª.132.E
TACITVRNITAS accidit per melancholiam.de ana.viu. Sp.45.F
Taciturnitas reſpõſionis ſeqr ad dñium phlegmatis.de ana.vi. Sp.45.E
Taciturnitas,& loquacitas pter naturã.i 1m.de mor.vul.c.3°.3ª.117.G
TACTIBILIS qualitas toti corpori pſtatur.de cõp.memb. Sp.58.E
TACTIVORVM nomina.3°.de pul.differ. 4ª.63.H
TACTILES qualitates quæ ſolæ.1°.de elem. 1ª.8.A
Tactiles qualitates impropriæ,quæ.1°.de elem. 1ª.8.A
Tactilis natura eſt fermè media oĩum qualitatũ.de cõp.memb. Sp.58.E
Tactile nihil eſt ſine ſoliditate.7°.de decr.Hipp. 1ª.271.H
TACTVS qui.fin.med.Iſa.45.B|de hiſt.philo. Sp.9.H
Tactum ſolum animalia habentia,quæ.14°.de vſu par. 1ª.105.G
Tactum duntaxat habent oſtrea.de ana.viu. Sp.45.F
Tactus inſtrumentum eſt terreum.7°.de decr.Hipp. 1ª.271.A
Tactus cur dicatur terreus.de ocul. 7ª.185.B
Tactus craſſior eſt alijs ſenſibus.de ocul. 7ª.183.A|B
Tactus ſenſoria quæ.1°.de ſimp.med.fac. 5ª.8.F
Tactus fit in carne totius corporis ſm Ariſtotelẽ.de vtil.reſp. Sp.63.D
Tactus fit nõ ĩ carne,ſed ĩ pelliculis carni cõmiſtis.de vti.reſp.Sp.63.D
Tactus noſter eſt medium quoddam.5°.de ſimp.me.fac. 5ª.32.F
Tactum maxime ſentiunt manus.de compag.memb. Sp.58.E
Tactum maxime omnium ſentit vola manus.de compag.mẽb. Sp.58.E
Tactus ſenſum habent nerui omnes.de ocul. 7ª.183.B
Tactus qualitas quæ.2°.de loc.affe. 4ª.9.H
Tactus qualitates,q̃ depẽdẽt à primis q̃litatibus.de na.hu.c.1°.1ª.28.H
Tactus pathemata,& paſſiones quæ.de ſymp.diff. 3ª.10.C
Tactu,& guſtu euidentia ſunt delectatio, & dolor, poſtea in odoratu, poſtea in auditu.1°.de ſymp.cau. 3ª.16.F
in Tactu Titillatio quid.de ocul. 7ª.185.H
ad Tactum pertinet coitus.1°.de ſymp.cau. 3ª.17.F
Tactu quæ cognoſcamus.de ther.ad Piſo. 5ª.90.E
Tactu ſolum aut viſu quæ cognoſcuntur,verbis accurate doceri non poſſunt.7°.de ana.adm. 1ª.95.G
Tactus crebro fallitur.3°.de ſimp.me.fac. 5ª.18.C
Tactus,et viſus magis exprimũt rẽ q̃ aliqua orõ.12°.de vſu p.1ª.195.A
Tactus ſolus iudex eſt corporis calidi & frigidi.2°.de temp. 1ª.17.F
Tactus rem frigidam iudicat.2°.de temp. 1ª.18.B
Tactui alicuius quædã ſunt calida, quæ alterius tactui ſunt frigida.3°.de ſimp.me.fac. 5ª.18.C
Tactus,& ratio iudices ſunt corporis humidi.2°.de temp.17.F| 1ª.18.B
Tactus,& ratio iudices ſunt corporis ſicci.2°.de temp. 1ª.17.F
Tactus eſt ſolidi corporis ſenſus.1°.de ſymp.cauſ. 3ª.17.C
Tactus iudicat mollitiem,& duritiem.de ſympto. differen. 3ª.13.C|3°.de pulſ.diff. 4ª.63.D
Tactus magnitudinẽ, & formã percipit accidens.7°.de decr.1ª.271.A
Tactus quõ ſentiat corporis formã accidentaliter.de occul. 7ª.185.A
Tactus probat ſimplicia medicamenta.9°.de ſimp.me.fac. 5ª.6.C
Tactꝰ,et viſus pbat de calce,et de roſa qualitates.ď the.ad Pi.5ª.90.E
Tactum & guſtum dant linguæ nerui à tertia coniugatione.4°.de locis affectis. 4ª.22.G
Tactũ & guſtũ ſeruat lingua,tñ paralytica fit.4°.de loc.aff. 4ª.22.H
Tactu lædit lignum omne ſm Hippocratem.de machin. 7ª.319.E
in Tactu,& guſtu acerbum.3°.de pulſ.diff. 4ª.58.H
Tactus agit in propinquas partes tantum.de ana.viu. Sp.49.H
Tactus qui iudicare debet,expers eſſe debet omnis acquiſititij caloris.3°.de temperamentis. 1ª.25.D
in Tactu exercitato, opus eſt pro pulſibus noſcendis.1°.de dignoſcen.pulſibus.70.C| 4ª.75.C
Tactum exercitatũ exigit pulſus formicans.2°.de dign.pulſ. 4ª.75.C
ad Tactũ exercendũ multo tẽpore indigemus.1°.de dig.pulſ. 4ª.70.D
à Tactu ſentiuntur diſtenſio,& ictus pulſus.1°.de dig.pulſ. 4ª.71.D
Tactus quid patiatur in diſtentione arteriæ.4°.de dig.pul. 4ª.84.C
Tactu ſolo quid agat torpedo marina.6°.de loc.aff. 4ª.40.A
in Tactu quæ ſunt ægritudines.de ſymp.diff. 3ª.11.E
ex Tactu ſigna futuræ ægritudinis quæ habeantur.ars med. Iſa.67.H
Tactu ſolo res quaſdã per qualitatis vim alterare poſſe vicina videtur quibuſdam.6°.de loc.affe. 4ª.40.A
Tactus tria patitur.de ocul. 7ª.185.H
Tactus ſenſui contingunt maximi dolores.de ſymp.diff. 3ª.11.E
ad Tactum pertinent oculorum dolores,& dentium, & craſſi inteſtini.de ſymp.diff. 3ª.11.E
Tactus habet dolores ab externis,& ab his quę ſunt in corpore.de ſymptomatum differentijs. 3ª.11.C
Tactus dolet à magnis ſenſibilibus.de ſymp.diff. 3ª.11.C
Tactus habet egregium ſymptoma.de ſymp.diff. 3ª.11.E
ad Tactũ pertinẽt oris,ventriſq́,ſymptomata.1°.de ſymp.cau.3ª.17.G
Tactus ſymptoma dentium.1°.de ſymp.cauſ. 3ª.16.C
Tactus corruptus quid.de ocu. 7ª.185.H
Tactus ſtupidus qui.de ocul. 7ª.185.H
TAFEA ex lepore.de cura lap. Sp.112.E
Ταγηνῖται ſeu τιγανῖται placentæ quõ conficiãtur.de ali.fa.2ª.10.D
TALENTII Marci Aſclepiadis malagma.7°.de compo.med.per genera. 5ª.265.F
Talentum argenti.in 3m.de morb.vulg.com.2°. 3ª.137.A
TALPARVM oculi habent,vitreum, & chryſtallinum humorem, & tunicas,& tamen non ſunt aperti.4°.de vſu par. 1ª.105.G
Talpæ cur habent oculos intus,& non foris.2°.de ſem. 1ª.339.G
Talpæ ex cæcitate nihil habent commodi.2°.de ſemi. 1ª.339.G
ad TALPAS vocatas in capite.de med.fac.par.7ª.174.G| 7ª.176.C
TALVS qui vulgo dicatur.de frac.com.2°. 7ª.234.G
Talus qui.intro. Iſa.53.F
Tali qui ſint.de iis quæ in med.fi.com.2°. 7ª.209.E
Talus vbi comprehendatur.de oſſi. 1ª.43.F
Talus ab imis tibiæ,ſuræq́, proceſſibus cõprehenditur.de oſſi. 1ª.45.F
Tali ſitus vbi.intro. Iſa.55.A
Talum in pede ponit.de frac.com.1°.232.E|com.2°. 7ª.234.C
Tali pars quæ τέτρωγον dicitur ſurſum vergit.de oſſi. 1ª.43.F
in Talo venæ quando ſecari debent.com.6°.aph.36°. Ex.50.D
de Tali vena ſecanda quid indicet.13°.met.me. 7ª.82.H
circa Talos,aut poplitẽ venæ ſecanẽ ĩ Iſchia.10°.ď cõp.m.ſ.l.5ª.207.A
in Talis venas ſecari oportet in phrenitide.præſag.exper.cõſ.Sp.78.C
Tali ſcarificatio menſes prouocat.de cur.rat.per ſang.miſſ. 6ª.20.E
Tali Hydropicorum ſcarificandi ſunt.9°.de comp.me.ſe.lo. 5ª.200.H
de Tali luxatione & repoſitione.de frac.com.3°. 7ª.292.D
Talus quot modis prolabatur,& quõ reſtituatur.de machin. 7ª.315.C
Talus in quot partes procidat.de machin. 7ª.321.H
Talus qui prociderit,quomodo reſtituatur.de machin. 7ª.321.H
Talus difficulter vel nunquam reſtauratur,ſi magna ſit luxatio, & violenta.introductio. Iſa.60.H
ad Tali contorſionem.2°.de comp.me.per gen. 5ª.226.D
ad Talos.de faſcijs. 7ª.306.B
ad Talos vinciendos,vinculum.de faſcijs. 7ª.306.B|D
ad Talum prolapſum vbi reponatur laqueus.de laqueis. 7ª.307.C
ad Talum ſuo loco motũ vbi recondatur laqueus.de laqueis. 7ª.307.E
Talus ſuis inflatos,& tormina ſanat.11°.de ſimp.me.fac. 5ª.80.C
Talus bouis rotundos lumbricos educit,lienem conſumit,& leucas tollit&, uenereus eſt.de theria.ad Piſo. 5ª.95.C
Talus bouis dentes vacillantes confirmat.de ther.ad Piſo. 5ª.93.E

TAMARISCUS expurgat in icteris.de cura icteri. Sp.111.B
Tamarix abſtergit,incidit,parum deſiccat.7°.de ſimp.me.fa. 5ª.56.D
Tamarix liẽi idurato ꝓdeſt,et dẽtiũ dolores ſanat.7°.đ ſim.m.f.5ª.56.D
ex Tamariſco poculum pro ſpleneticis. de dyna. Sp.26.G
Tamarice vtaris,galla deficiente.7°. de ſimp.me.fac. 5ª.56.D
Tamarix gallæ omphacitidi ſimilis eſt. 7°.de ſimp.me.fac. 5ª.56.D
TANGENDI vis in homine eſt valde hebes, & diſtributa per totum corpus.de inſtru.odor. 1ª.110.E
Tangendi ſenſorium quale.4°.de loc.affe. 4ª.22.G
Tangendi inſtrumentum quale.de inſtru.odor. 1ª.110.F
Tangendi inſtrumentum terreum eſt.3°.de decr.Hipp. 1ª.271.H
Tangẽdi facultate ſæpius lædit guſtãdi facultas.4°.de loc.af. 4ª.22.G
à TANGENTIBUS rebus dolor.2°.de loc.affe. 4ª.9.C
TANGIBILIUM qualitatũ ꝓpria hẽmus noĩa.2°.de lo.af. 4ª.12.E
Tãgibiles q̃litates poſt priæ ſequũt,et q̃ deĩde aliæ.1°.de na.fa. 1ª.291.F
Tangibiles qualitates,de quibus egit cõmodiſſime Ariſtoteles, quæ.1°. de natur.facul. 1ª.291.F
Tangibilium qualitatum ſymptoma.de ſym.diff. 3ª.13.C
Tangibilis actio nõ fit abſq; obuiatione rei tãgendæ.de ana.vi. Sp.45.B
TANGIT, & guſtat neruus idem in lingua.4°.de loc.affe. 4ª.22.G
Tangere quomodo debemus arteriam.1°.de dign.pulſ. 4ª.74.H
TANITRI Aſclepiadis meminit.6°.de ſimp.me.fac. 5ª.39.H
Ταραχώδεις et παραφρονοῦντες ĩ quo differãt.ĩ 1m.ꝓr.c.1°.4ª.162.F
TARATIT fit mentio.ſecreto. Sp.102.G
TARAXIS quid.intro. Iſa.58.E
Taraxis affectus eſt,qui totum oculum exercet.intro. Iſa.58.D
TARDARUM caro media inter grues,et anſeres.3°.de ali.fa.2ª.29.E
TARDE quæ digerantur,& cur.de diſſ.cont. Sp.73.D
Tarde quæ aues digerantur.de diſſ.cont. Sp.73.D
Tarde digeruntur oua dura.de diſſ.cont. Sp.73.D
Tarde deſcendentia quæ ſint.de diſſ.cont. Sp.74.H
Tarde ſi deſcendant ſuperfluitates ciborum,dari debent cibi lenientes, & pungentes.de diſſ.cont. Sp.74.H
TARDIUS, & tardus differunt.2°.de digno.pulſ. 4ª.76.B
Tardius & maturius eſt in genere quando.de pulſ.diff. 4ª.55.F
Tardiores quando ſunt ad agendum, & intelligendum homines. in 6m. de morb.vulg.com.4°. 3ª.186.F
Tardior qui motus ſit,& qui celerior.2°.de dign.pulſ. 4ª.75.G
TARDITAS in motu ſequitur ad dominium phlegmatis. de anatomia viuorum. Sp.45.E
Tarditas accidit per melancholiam.de ana.viu. Sp.45.F
Tarditas concoctionis vnde proueniat.2°.de ſymp.cauſ. 3ª.24.H
TARDAT canitiem quid.ſecret. Sp.101.F
ſi Tardauerit matrix,quid fieri oporteat.de paſſ.mul. Sp.96.A
TARDAE digeſtionis ſunt pulli anſerum.de diſſ.cont. Sp.73.D
Tardæ,& duræ digeſtionis cibi ſunt præponendi in fundo ſtomachi. de diſſ.cont. Sp.71.H
Tardus motus qui.3°.de dign.pulſ. 4ª.80.A
Tardus pulſus qui.3°.de dign.pulſ. 4ª.79.G
Tardus,celer,& rarus,& creber quid ſint,& vnde accipiantur.1°.de pulſ.diffe. 4ª.48.E
Tardus pulſus & ſegnis fit à cholera nigra.de dyna. Sp.19.F
Tardum pulſum efficit triſtitia.de ana.viu. Sp.47.A
Tardus & torpens ſi appareat ſobrius cogitabundus, peruigil, & loquax mentem læſam ſignificat.in 6m.de morb.vul.com.2°.3ª.168.G
Ταριχεύεσθαι quid ſignificet.de vict.rat.in mor.acu.cõ.2°. 7ª.122.G
TARSENSIA elychnia.13°.met.me. 7ª.81.G
Tarſenſis magni extractorium hæmorrhoidum. 9°. de compoſitione medicamentorum ſec.loc. 5ª.205.B
TARSI quæ partes iuxta oculos appellentur.intro. Iſa.53.A
Ταρσὸς quid à græcis vocatur intro. Iſa.53.F
Tarſus quæ pars pedis.de oſſibus.1ª.43.F| 1°.de cõp.me.ꝑ ge. 5ª.216.D
Tarſus.i.prima pars plantæ.de muſculorũ diſſectione.1ª.52. B| de fract. commen.2°.233.A| 7ª.234.H
Ταρσὸς pars eſt ante planum pedis.3°.de vſu par. 1ª.129.C
Tarſus in pede ſimilis eſt carpo in manu.3°.de vſu par. 1ª.129.F
Tarſus quibus conſtituatur.3°.de vſu par. 1ª.130.E
Tarſi oſſa tria quomodo ſita,& diſpoſita.3°.de vſu par. 1ª.130.C
Tarſi quartum os eſt calcaneo iunctum.3°.de vſu par. 1ª.130.C
Tarſus vbi firmatur.3°.de vſu par. 1ª.130.C
Tarſus pedis an conueniat corpori.3°.de vſu par. 1ª.130.E
per Tarſos pedũ excurrentes arteriæ pulſant.de ven.art.diſſ. 1ª.59.D
TAURINAE carnes generant ſanguinem craſſum, & nigrum.de atrabile. 1ª.35.A
Taurina caro facit humorem melancholicum.3°.de loc.aff. 4ª.18.F
TAURINUS adeps qualis.3°.de comp.me.per gen. 5ª.233.H
Taurino adipe minus eſt calidus vitulinus.11°.de ſimp.me.fac. 5ª.79.B
Taurinus adeps valentior adipe caprarum.3°.de ſimp.me.fac. 5ª.34.E
Taurinus adeps medius ẽ ĩter ſuillũ,& leoninũ.11°.de ſim.m.f. 5ª.79.C
ex Taurino,& leonino adipe,& terebinthina,pice,& reſina,medicamenta.2°.de arte cur.ad Glauconem. 7ª.105.A
Taurinũ adipẽ ſequitur pardi adeps.2°.de arte cur.ad Glau. 7ª.104.A
Taurinus adeps mollificat.2°.de arte cur.ad Glau. 7ª.104.A
TAURINUM pingue omnium maxime ſiccat.4°. de compoſi. medica. per genera. 5ª.242.A
TAURINUM ſeuum odoramentis conditum. 7°. de compoſi. medica. per genera. 5ª.272.E
Taurinum ſeuum molliendo digerit.14°.met.me. 7ª.87.H
TAURINUM ſanguinem ſiquis biberit quid ſit remedium. 2°. de antidotis. 5ª.114.D
TAURINUM Fel ad viſus obſcuritatẽ facit.de re.par.fac. 7ª.156.G
Taurinum fel lumbricos infantibus necat.de dyna. Sp.27.F
Taurinum fel aperit.5°.de ſimp.me.fac. 5ª.35.G
Taurino felle aperiunt hæmorrhoides.10°.de ſimp.me.fac. 5ª.74.G
TAURINI cornu raſura ſanguinẽ cohibet.de ther.ad Piſo. 5ª.93.E
TAURO calidior eſt Canis.11°.de ſimp.me.fac. 5ª.78.E
Taurus calidior eſt boue execto.11°.de ſimp.me.fac. 5ª.78.E
Taurus quandoq; vtitur ira.3°.de vſu par. 1ª.128.B
Taurus quia vtitur ira,habet cornua.3°.de vſu par. 1ª.128.B
Tauri cur iracũdi ſunt,animoſi,& furibundi.ꝙ animi mor. 1ª.319.D
Tauri non facile domantur ab hominibus.3°.de alim.fac. 2ª.27.B
Taurus terram findit ingenio ſimplici,& opere pio.de ſper. Sp.38.G
TAURI ſanguis venenoſus eſt.de vtil.reſp. Sp.64.E
Taurus habet ſanguinem valde ſpiſſum ac terreſtrem, qui coagulatur ſtatim.de vtil.reſp. Sp.64.E
Taurorum ſanguis omnium celerrime coit.ꝙ animi mor. 1ª.319.D
TAURORUM caro qualis.3°.de ali.fac. 2ª.26.A
TAURORUM teſtes inſuaues, concoctu difficiles, & mali ſucci ſunt. 3°.de alim.fac. 2ª.27.A
TAURORUM adeps qualis.3°.de comp.me.per gen. 5ª.265.E
Taurorum adeps calidior,& ſiccior ſuillo.11°.de ſimp.me.fac.5ª.79.A
Taurorũ adeps minus eſt calidius quã leonũ.11°.de ſimp.me.f. 5ª.79.B
Tauri adeps acrior.5°.de ſimp.me.fac. 5ª.34.B
Tauri vetuſtum adipem accipi iubet.3°.de comp.me.per ge. 5ª.233.H
TAURI & hirci pinguedo acrimoniam multam, & igneam habet. 4°.de ſimp.me.fac. 5ª.26.E
TAURORUM medulla acris eſt.11°.de ſimp.me.fac. 5ª.79.C
TAURI bilem cæruleã vidit Galenus.10°.de ſimp.me.fac. 5ª.74.F
Taurorũ fel calidius eſt q̃ caſtratorũ boum.9°.de ſimp.me.fac.5ª.74.F
Taurorum fel valentior eſt felle caprarum, vrſorum, & boum.10°. de ſimp.me.fac. 5ª.74.H
Taurorũ fel inferior eſt bile hyænnarum.10°.de ſimp.me.fac. 5ª.74.H
Tauri fel incidit.de ocul. 7ª.188.F
TAURI femora vſta ſanguinem cohibent, & aluum. de theriaca ad Piſonem. 5ª.93.E
TAURO collæ meminit.5°.de comp.me.per ge. 5ª.252.B
TAURUS, virgo,capricornus ſunt terrei,frigidi, & ſicci meridionales,de ſperma. Sp.38.H
Taurus frigidus eſt in tertio gradu,ſiccus in ſecundo.de ſper. Sp.38.H
in Tauro conceptus vbi habebit mutationes.3°.de dieb.decr. 4ª.157.G
Taurus reſpicit caput.de decub.progn.ex math.ſcien. Sp.13.C
ex Tauro contraxit Alexander frontem cornutam.de ſper. Sp.38.G
Taurus tempeſtates,& ventos concitat in mari, & in terra. de decub. progno.ex math.ſcien. Sp.13.C
Ταῦρος quid.intro. Iſa.53.D
TAXIS eſt coſmos. in progn.com.3°. 4ª.207.G
TEAPHEN adhibet in pulmonum inflammationibus.de med.fac.par. 7ª.176.C
Τέκμαρσις dicitur coniecturalis cognitio.de vict.rat.in morbis acut. commentario.1°. 7ª.108.C
Τεκμήριον quid ſit.de vict.rat.in mor.acu.com.1°. 7ª.108.C
Τεκμήριον,ſignum,& inditium differunt.in progn.com.3°. 4ª.212.C
TECTUM aquilatum.de art.com.3°. 7ª.270.F
Tectum teſtudinatum quid.de art.com.3°. 7ª.270.F

TECTI *cur debẽt eſſe dormientes.in* 6^{m}*.de morb.vul.cõ.4°.* 3ª.183.F
TEDÆ *folia vlcerum glutinatoria.8°.de ſimp.me.fac.* 5ª.58.F
Tedæ piceæ,& coni fuligo qualis.8°.de ſimp.me.fac. 5ª.58.F
Tedæ cortex qualis.8°.de ſimp.me.fac. 5ª.57.F
Tedæ cito ignem accipiunt.3°.de temp. 1ª.22.F
ex Teda ſpatulam laudat.5°.de comp.me.ſe.lo.163.D/F/5°. de compo. me.per gen.247.B/G/5ª.259.F/de reme.par.fac. 7ª.157.E
TEDIVM *affert oleum.12°.met.me.* 7ª.75.F
TEGENDVM *corpus totum à balneo.de vict.rat.in morb.acutis, commentario.3°.* 7ª.132.G
TEGENDA, *& continenda lana alligabimus.de faſcijs.* 7ª.293.F
TEGVLAM *eſſe ſiccam collige.in* 3^{m}*.de mor.vul.com.3°.* 3ª.141.A
TEGVMENTA, *medicamenta,& alimenta habent calidam poteſtatem.2°.de ſimp.me.fac.* 5ª.15.D
vt Tegumentum calefacit oleum.2°.de ſimp.me.fac. 5ª.15.F
Τένειν *quid ſignificet.1°. de mot.muſc.* 1ª.308.H
TELAS *conficiendi anſas dedit aranea.de ther.ad Piſo.* 5ª.94.B
Tela aranei à phlegmone tuetur vlcera cutis.11°.de ſim.me.fa. 5ª.80.F
Tela aranea panniculus oculi.de ocul. 7ª.183.H
TELAMONIS *emplaſtrum.2°.de comp.me.per gen.* 5ª.224.E
TELEPHANI *candidum.2°.de comp.me.per gen.* 5ª.225.A
TELEPHIVM *calidũ et ſiccũ eſt in ſcđo ordine.8°.de ſim.m.f.* 5ª.62.C
Telephium ad putrida vlcera conuenit,& vitiliginem vtrãq; ſanat.8°. de ſimp.me.fac. 5ª.62.D
TELEPHIVM *vlcus vnde dictum.2°.meth.me.* 7ª.9.F
Telephia & chironia vocare vlcera ſuperuacuũ eſt, ſat enim eſt oĩa cõiter cacoethæ.i.maligna appellare.de tum.præter naturam. 3ª.84.E
Telephiũ nomẽ vlcerũ curioſũ appellat Galenus.c.6°.aph.45°. Ex.51.F
Telephiũ eſt nomẽ quod nihil facit ad curationẽ.14°.met.me. 7ª.92.E
Telephia vlcera à Galeno nominantur.com.5°.apho.22°. Ex.39.D
Telephia vlcera ex cacochimia naſcuntur.3°.de temp. 1ª.23.A
TELEPHVS *grammaticus centum annorum qua victus ratione vſus fuerit.5°.de ſan.tuen.* 2ª.90.G
Telephus grãmaticus bis terue in mẽſe lauabatur.2°.de ſa.tu. 2ª.94.G
TELINVM *vnguentũ.i.ex fœnogræco.7°.de cõp.me.ꝑ gen.* 5ª.267.A
TELLINAE *ſalſæ vſtæ ꝓhibẽt renaſci pilos.11°.de ſimp.me.fa.* 5ª.82.D
TELOSIS *ſcabiei palpebrarum quarta ſpecies.de ocul.* 7ª.186.H
Telis,id eſt fœnugræcum.8°.de ſimp.me.fac. 5ª.62.D
TELVM *quoduis graue iaculari,eſt vehemens exercitatio. 2°. de ſanitate tuenda.* 2ª.74.G
Tela nõ extrahunt̃ à iecore,à corde et à pulmone.3°.de ana.ad. 1ª.79.F
Tela quibus modis extrahenda.2°.de ana.adm. 1ª.68.H
Telum quomodo eximatur.14°.met.me. 7ª.93.A
Tela educens.5°.de comp.me.per gen.246.H/ 5ª.250.B
Telorum cuſpides euellentia proprias ſibi qualitates attrahunt.1°.de natural.facul. 1ª.295.A
ad Telorum aculeos,& cuſpides.5°.de comp.me.per gen. 5ª.249.A
Telis venena illita aliqua educunt eo modo, quo magnes ferrum.1°. de naturalibus facultatibus. 1ª.295.A
ad Telorum Toxico madefactorum vulnera.2°.de anti. 5ª.119.G
ad Tela.5°.de comp.me.per gen. 5ª.247.F
TEMERARIE *deſipientiæ ſunt periculoſæ.cõ.6°.aph.53°.* Ex.53.B
Temeraria reſponſio mala ſemper.1°.de diff.reſp. 3ª.61.A
Temerarij quomodo poſſunt reſpondere.1°.de diff.reſp. 3ª.61.A
TEMERE *quæ fiunt non ita vocantur ex veritate, ſed ex noſtra cognitione.4°.de decr.Hipp.* 1ª.250.H
TEMERITAS, *atq; immanitas,ſi mentis delirio iungant̃, ab atrabile ſunt.com.4°.aph.2°.* Ex.27.F
de TEMPERAMENTIS *tractatus præcedere debet tractatum de ſimpliciũ medicamentorum facultatibus.1°.de ſimp.me.fac.* 5ª.2.D
Temperamentum quid,& quomodo dicatur.1°.de ſan.tu. 2ª.64.B
de Tẽperamẽtis ſciẽtia neceſſaria eſt in multis rebus. 2°.đ tẽp. 1ª.16.F
de Temperamentis liber ſequitur librum de elemẽtis.1°.de tẽp. 1ª.10°. *C/de cur.rat.per ſang.miſſ.* 6ª.290.G
Temperamentũ eſt animę eſſentia,vel quatuor qualitatum,vel quatuor corporum,calidi,humidi,frigidi,& ſicci.ꝙ animi mores. 1ª.317.G
Temperamentorum differentiæ ſunt nouem.1°.de temp. 1ª.14.D
Temperamentorum diuerſitates tot ſunt, quot functionum differentiæ. 1°.de ſan.tuen. 2ª.63.E
in Temperamenti qualitate conſiſtit ſanitas.1°.de ſan.tu. 2ª.63.D
Temperamentum ſanitatis ſymmetriã egreſſum eſt morbo propinquũ. 8°.meth.med. 7ª.51.H
ex Temperamenti mediocritate prouenit mediocritas in carne.1°. de temperamentis. 1ª.15.A
Temperamenta primo inſunt corporibus.1°.de vſu par. 1ª.115.D
Temperamenta complent propriam ſubſtantiam particularum.1°. de vſu partium. 1ª.115.D
ſm Temperamẽti proprietatem particula agit.5°.de loc.affe. 4ª.35.F
Temperamentum eſt cauſa,vt facile vel difficile homo patiatur. in 1^{m}*. de mor.vul.com.2°.* 3ª.108.E
Temperamenta hominum conſiderantes, ſingulas partes conſiderare debent.2°.de temp. 1ª.19.G
ex Tẽperamẽtis duobus immodicis vnũ fit modicũ.3°.met.me. 7ª.17.B
Temperamentum calidũ nacto ſi fuerit adiectum piper, ſinapi, allium, accenditur febris.præſag.exper.conf. Sp.77.D
Temperamenti frigidi tres differentiæ.6°.de ſan.tu. 2ª.96.G
Temperamentum calidum,& humidum optimum eſſe antiqui putabãt. 1°.de temperamentis. 1ª.11.D
Temperamẽtum calidum,& humidum peſſimum eſt. 1°. de tẽp. 1ª.11.H
Temperamentum calidum,& humidum aeris,quale.1°.de tẽp. 1ª.12.D
Temperamentũ humidũ in principio deterius eſt.6°.de ſan.tu. 1ª.96.G
Temperamenta anni temporum, non nomina ipſorum faciunt morbos. in.3^{m}*.de morb.vulg.com.3°.* 3ª.147.C
Temperamenti ſicci notæ ſm aliquos.2°.de temp. 1ª.20.G
Temperamentum quæ immutent.1°.de ſan.tu. 2ª.64.F
pro Temperamentis aſcititijs pulſus.3°.de cauſ.pul. 4ª.98.C
Temperamentum quomodo ſeruetur.6°.de ſan.tu. 2ª.96.C
Temperamentum præſens ſolum conſiderandum.11°.met.me. 7ª.68.F
à Temperamento corporis ſumuntur medicatoriæ indicationes. 9°.methodi medendi. 7ª.59.G
Temperamentum curationem indicat.1°.de comp.me.ſec.loc. 5ª.121.B
à Tẽperamẽto partis laborãtis indicatio ſumitur.7°.me.me. 7ª.49.A
Tẽperamentũ oẽ nõ reſtituit̃ per cõtraria.de natu.hu.com.1°. 1ª.35.E
Temperamentum inæquale habentes,vt iecur habeat aliam naturam, à ventriculo,his,diuerſum eſt quod accipitur iocundum, ab eo quod eſt particulæ idoneum.6°.de ſan.tu. 2ª.96.C
Temperamenta pugnantia à diuerſis membris habens, quo medicamento ex malorum ſucco vti debet.6°.de ſan.tu. 2ª.101.C
Tẽperamẽtũ egrediẽtia corpora qbus cibis indigeãt.de diſ.cõt. Sp.73.G
Temperamento vicina medicamenta,quæ.de ocul. 7ª.189.B
Temperamentum aquoſum.4°.de comp.me.ſec.loc. 5ª.154.C/D
TEMPERANS *qui.4°.de decre.Hipp.* 1ª.249.E
TEMPERANTIA *non eſt,ſi tollatur facultas concupiſcibilis. 8°. de decre.Hippo.* 1ª.257.B
Temperantia medicamenta quomodo agant.2°.de ſimp.me.fa. 5ª.12.D
TEMPERATIO *corporis animæ functiones immutat, et ſeiungere poteſt ipſas à corpore.ꝙ animi mor.* 1ª.318.B
Temperatio moderata in aere,quæ.2°.de ſimp.me.fac. 5ª.15.F
ex Tẽperatione locorũ aliqui iuuant̃ ad prudentiã.ꝙ ani.mo. 1ª.320.D
TEMPERATIVS *lac quod nam ſit.de diſſ.cont.* Sp.73.H
TEMPEATISSIMVM *oĩum rerum hõ eſt.2°.de temp.* 1ª.15.G
Temperatiſſima pars in homine quæ.2°.de temp. 1ª.15.G
Temperatiſſimus humorum ſanguis in temperatiſſima cõſtitutione abũdat vere nimirum.in 1^{m}*.de morb.vul.com.1°.* 3ª.100.H
Temperatiſſimum corpus quale.de opt.noſt.cor.conſt. 1ª.38.G
Temperatiſſima regio quæ ſit,& vbi.com.3°.aph.14°. Ex.22.F
TEMPERATVRA *quomodo fiat in quatuor qualitatibus, & in duabus ſolis.com.5°.aph.62°.* Ex.43.F
Temperaturas fieri qualitatibus peruadẽtibus ſe totas inuicem corporis ſubſtãtijs ꝓbabilius eſt apud Galenũ.de ſubſ.facul.nat. 1ª.230.F
Temperatura corporalis qũo fiat ſm Ariſtotelem.ꝙ ani.mo. 1ª.317.G
Temperaturam recipientia quomodo per totum temperentur,non eſt neceſſe ſciri à medicis.1°.de elem. 1ª.8.C
Temperaturæ quot modis diuiſæ ſint.3°.de ſimp.me.fac. 5ª.19.F
Tẽperaturæ ſunt nouẽ,vna optima,& octo vitioſæ, inter vitioſas ſunt quatuor ſimplices,& quatuor compoſitæ.cõ.3°. aph.2°. Ex.20.A
Temperatura temperata vna eſt.1°.de temp. 1ª.14.D
Temperatura optima quæ ſit.2°.de pulſ.dig. 4ª.78.B
Temperaturæ æqualitas in quibus conſiſtat.1°.de temp. 1ª.13.D
Tẽperatura ꝓba fit ex quatuor elementis.1°.de p̃ſag.ex pulſ. 4ª.107.E
Temperatura quatuor elementorum dicitur natura.com. 2°. apho.34°. 17.C/com.3°.aph.2°. Ex.20.A
Tẽperaturã ſignificat natura.de vict.rat.in mor.acu.cõ.2°. 7ª.124.A
Tẽperatura cõmoda primorũ ſanitas ẽ.in 1^{m}*.de mor.vul.c.1°.* 3ª.101.A

Temperatura mulieris, & maris differunt.bre.denot.dog. 1ª.231.G

Temperaturæ intemperatæ octo ſunt.1°.de temperamentis. 1ª.14.D/*de mult.* 3ª.82.A

Tẽperaturæ ſimplices quatuor ſunt.de cõ.ar. Iſ.38.G/1°.*de tẽp.* 1ª.14.D

Tẽperaturæ cõpoſitæ q̃tuor ſunt.de cõ.ar. Iſa.38.G/1°.*de temp.* 1ª.14.D

Temperatura temperatiſſima eſt omnium prima.de conſt.ar. Iſa.38.G

*Temperaturam corrumpunt exceſſus, & defectus.8°. de decr. Hippocratis.*271.A/ 1ª.274.E

Temperaturæ commodæ quæ ſint.2°.de temp. 1ª.18.B

Temperaturæ moderatæ ſigna quæ ſecundum totum animalis habitum. ars med. Iſa.65.F

Temperaturæ deterioris cognitio q̃uo habeatur.de conſt.ar. Iſa.38.H

Temperatura ſicca cur peſſima ſit.6°.de ſan.tu. 2ª.96.H

Temperaturæ ſicciores natura ſalubrius degunt humidioribus.com.6°. aphoriſmo.2°. Ex.46.E

Temperaturæ magis, & minus poſſibilem faciunt naturam.commẽ.3°. aphoriſmo.11°. Ex.21.C

Temperatura ſicca quæ in homine eſt, & huiuſmodi animalibus cur per ducit pilos.2°.de temp. 1ª.18.G

ob Temperaturam calidam efficimur iracundi.ꝙ ani.mo. 1ª.322.G

Temperatura calida & ſicca à calidis & ſiccis nunquã ducetur in bonam temperaturam.ars med. Iſa.68.G

Temperatura calida & ſicca incidit tertianã.cõ.4°.aph.59°. Ex.33.H

Temperatura hectica quæ.in 6m.de morb.vul.com.6°. 3ª.196.F

ad Temperaturæ æqualitatem quomodo perducat calor febrilis. com. 6°.aphoriſmo.40°. Ex.51.A

Temperaturæ opportuniſſimæ ægrotationibus ex partibus conſtant tẽperatura contrarijs.fin.med. Iſa.45.E

Temperaturæ naturales appetunt ſimilia.ars med. Iſa.66.D

Temperaturæ male appetunt contraria.ars med. Iſa.66.D

Temperaturas corporis animæ facultates ſequi, verum eſt, & vtile volentibus ſuos animos excolere.ꝙ animi mo. 1ª.317.B

Temperaturis corporis anima ancillatur.ꝙ animi mo. 1ª.318.C

Temperatura eſt anima, aut vis tẽperaturæ comes.ꝙ ani.mo. 1ª.318.D

Temperaturæ ratione conſiſtens ſubſtantia animæ, ſit à corpore naturali.quòd animi mires. 1ª.318.G

Tẽperatura ſeruata nõ ſeiungit̃ aĩa corpore.de ſub.fac.nat. 1ª.130.F

Temperaturam quoq; ſequuntur artes.quòd animi mores. 1ª.320.B

Temperaturam eandem habent quandoq; membra omnia, vt in cachexia, & elephanthiaſi.de mel.ex Gal.& Ruf.& Poſſ. Sp.109.B

à Temperatura indicatio qualis.2°.de arte cura.ad Gla. 7ª.102.E

ſm Temperaturas & ætates, medicamentorum variatio.7°.de comp. medi.ſecundum locos. 5ª.181.B

in Temperaturis conuenientibus niſi dentur medicamenta non valent. de medi.expertis. Sp.106.F

Temperaturam ad vnguem ſcire eſt difficile.9°.met.me. 7ª.60.D

in Temperaturis cognoſcendis qui vult exercitari, vnde incipere debeat.1°.de temperamentis. 1ª.14.D

in Temperaturarum cognitione q̃uo deuenimus.1°.de temp. 1ª.14.E

Temperaturæ quæ ſint temporibus aptæ.com.3°.aph.2°. Ex.20.A

Tẽperaturã mutat aer ambiens.de vict.rat.in mor.acut.c.3°. 7ª.134.C

Temperatura anni, & temporum anni, cauſa eſt omnium bonorum in Aſia.quòd animi mores. 1ª.219.H

Temperaturæ aeris ſiccæ pluuioſis temporibus ſalubriores ſunt, & minus mortiferæ.com.3°.aph.11°. Ex.21.B

Tẽperaturæ ſunt cauſæ morborũ, nõ tempora.cõ.3°.aph.4°. Ex.20.C

ſm Temperaturas temporũ factas alterationes intelligit Galenus, dũ inquit Hippocrates, mutationes temporum.com.3°.aph.1°. Ex.19.H

Temperaturæ humanæ familiaris eſt glycyrizæ ſuccus.6°. de ſimpliciũ medicamen.facul. 5ª.45.G

Temperaturis medicamenta probanda.3°.de ſimp.me.fac. 5ª.19.F

Temperatura medicamenti Craſſior.4°.de comp.me.ſec.loc. 5ª.154.D

Temperatura diluta.4°.de comp.me.ſec.loc. 5ª.155.C

Temperatura aquoſa.4°.de comp.me.ſec.loc. 5ª.156.A/D

TEMPERATVM *nihil eſt ſm quoſdam.2°.de ſimp.me.fac.* 5ª.15.E

Temperatus non manet momento temperatus.1°.de ſan.tu. 2ª.64.F

Temperata natura ſoli conuenit homini.de ſpermate. Sp.41.B

Temperatum in omnibus quod eſt.1°.de temperamentis. 1ª.13.B

Temperata natura omnium prima eſt virtute, potentia, & ordine cognitionis.2°.de temperamen. 1ª.15.F

Temperatum ſimpliciter in natura quid.2°.de temp. 1ª.15.F

Temperata in ſingulis generibus, quæ.2°.de temp. 1ª.15.F

Temperatum quid ſit.3°.de ſimp.me.fac. 5ª.19.D

Temperata quæ ſint.3°.de ſimp.me.fac. 5ª.19.A

Temperatum medicamentum quid ſit.5°.de ſimp.me.fac. 5ª.39.B

ad Temperatum hominem referenda ſunt medicamenta.9°.de ſimplic. medica.facul. 5ª.69.F

Temperatus homo pro menſura, & regula accipitur.5°. de ſimplicium medicamen.facul. 5ª.33.E

Temperatum, & tepidum media ſunt inter calidum, & frigidum.1°.methodi medendi. 7ª.7.C

Temperatum poculum, & balneum nonnunquàm dicimus calidum appellationis abuſu.4°.de ſimp.me.fac. 5ª.24.E

Temperatorum quatuor ordines.5°.de ſimp.me.fac. 5ª.39.B

Temperatum quomodo cognoſcatur.3°.de ſimp.me.fac. 5ª.18.A

Temperata non pariunt mordicationem.4°.de ſimp.me.fac. 5ª.25.F

Temperata res in actiuis qualitatibus ſicca conſiſtẽtia terreſtris eſt, ac citra morſum deſiccat.4°.de ſimp.me.fac. 5ª.26.D

Temperata in actiuis qualitatibus eſt & ſicca cadmia. 9°.de ſimpliciũ medicamen.facul. 5ª.69.F

Temperatus eſt Conus.7°.de ſimp.me.fac. 5ª.54.A

Temperatæ in actiuis qualitatibus, & ſiccæ in ſecundo ordine ſunt Lentes.8°.de ſimp.me.fac. 5ª.63.B

Tẽperatus in paſſiuis qualitatibus eſt Lẽtiſcus.8°.de ſim.me.f. 5ª.61.H

Temperatus eſt Lithargyrus.9°.de ſimp.mc.fac. 5ª.70.A

Temperatũ eſt in paſſiuis qualitatibus pſilliũ.8°.de ſim.me.f. 5ª.64.A

Temperatus eſt calor natiuus.3°.de cauſ.pulſ. 4ª.97.C

Tẽperati nõ poſſunt gigni in regionibꝰ intẽperatis.2°.de ſan.tu. 2ª.73.B

Temperatum ne per ſomniũ quidẽ inuenies apud Gallos, Scytas, Aegyptios, & Arabes.2°.de ſan.tu. 2ª.73.B

Temperati abſolutiſſimi qui credantur.1°.de ſan.tu. 2ª.64.E

Temperata natura vna eſt.de ſpermate. Sp.41.B

Temperatum omnino quid ſit.1°.de tem. 1ª.14.A

Temperatum corpus quæ habeat.de opt.noſtri corp.con. 1ª.38.E

Tẽperatus in altera oppoſitione, in altera vero intẽperatus, medius eſt inter omnino temperatũ, & penitus intẽperatũ.1°.de tẽp. 1ª.14.D

Temperatus in ſummo neutram habet oppoſitionem ſuperantem.1°. de temperamentis. 1ª.14.D

Temperatus homo quibus inditijs cognoſcatur.2°.de temp. 1ª.15.H

Temperatus optime eſt pulcherrimus.1°.de ſan.tuen. 2ª.64.G

Temperatus, prudens, alacer, humanus amicorum amans erit.2°.de ſemine. 1ª.15.H

Temperati omniũ menſuras manifeſtas obtinẽt.2°.de ſan.tu. 2ª.73.E

Temperatis calor ſimilis ineſt vſq; ad ſummum incrementum.1°. de ſanitate tuenda. 2ª.67.B

Temperatus, qui nulli negocio ſit adſtrictus, quomodo tractandus, vt diu viuat & ſanus.1°.de ſan.tu. 2ª.67.D

Temperatus debet ſeruari nõ alterari.2°.de ſan.tu.75.F/4°. 2ª.87.E

Temperata conſimilibus conſeruantur.de natu.hu.c.1°. 1ª.35.E

non Temperata corriguntur contrarijs.de natu.hu.c.1°. 1ª.35.E

Temperatum ſm naturam ſimilibus ſeruatur.3°.de ali.fac. 2ª.33.D

male Temperatum à contrarijs ad proprium temperamentum reducitur.3°.de ali.fac. 2ª.33.D

Temperatum improprie corpus per contrariam reducitur ad temperatum, & quomodo.1°.de ali.facul. 2ª.8.F

Temperato adhibenda ſunt omnia mediocria.2°.de ſan.tu. 2ª.75.G

Temperato homini qualis aer conueniat.1°.de ſan.tu. 2ª.67.B

Temperatus aer cui comparetur.2°.de ſimp.me.fac. 5ª.15.F/G

Temperata moderatio in aere, quæ.2°.de ſimp.me.fa. 5ª.15.F

Tẽperatis ſanis ſunt tẽperati ſtatus.in 1m.de mor.vul.cõ.2°. 3ª.108.E

Temperatus annus naturalem ſeruat temperiem. de victus ratione in morbis acutis, com.4°. 7ª.134.C

Temperato homini dandus eſt locus temperatus, medium veris, & meridies quando debet exerceri.2°.de ſan.tu. 2ª.73.C

Temperata regio facit mores temperatos.quòd animi mores. 1ª.319.H

Temperatæ regionis deſcriptio.quòd animi mores. 1ª.319.H

Temperata eſt Delus.in prognoſt.com.3°. 4ª.212.H

Temperatas regiones incolentes, ſunt corpore, animi moribus, ingenio, prudentia, quàm prudentiores alijs.quòd animi mores. 1ª.320.D

Temperati nutritio à principio ortus incipiens.1°. de ſan.tu. 2ª.66.G

Temperatũ corpus cur ſeruatur alimentis tẽperatis.1°.de ali.fa. 2ª.8.E

Temperata corpora quibus indigeant cibis in tempore non temperato. de diſſol.continua. Sp.73.G

Temperatus qui non multum mouetur cibãdus eſt cibarijs medijs inter

ſubtilia

ſubtilia & craſſa.de diſ.cont. Sp.73.A
Temperati augendi ſunt potius quã ſiccandi.2°.de ſan.tu. 2ª.73.A
Temperati ſemper tendunt ad ſiccam.1°.de ſan.tu. 2ª.64.F
Temperatorum ciborum diuerſitas in craſſum, ſubtile & medium. de diſſolutione continua. Sp.73.G
Temperatæ craſſitiei oua quæ.de diſſ.cont. Sp.73.A
Temperata ſunt hepata pullorum,& anſerũ,& axillæ ipſorum.de diſſolutione continua. Sp.73.A
Temperato ſanguine calidiorem & craſſiorem generat caro pullorum columbarum, & auium paruarum.de diſſol.cont. Sp.73.A
Temperati ſunt piſces omnes non duræ carnis,nec multę viſcoſitatis.de diſſolutione continua. Sp.73.A
Temperatos cibos in ſubtilitate, & craſſitie dabimus quando motus eſt conueniens.de diſſol.cont. Sp.71.G
in Temperatis,cibi debent eſſe oppoſiti naturis.de diſſol.cont.Sp.71.G
nõ Temperati cibi non generant ſanguinem purum, mundum, clarum. de diſſol.cont. Sp.73.H
Temperatis quanto iucundius fuerit quod comedunt, tanto vtiq; ſit magis nutriens.6°.de ſan.tu. 2ª.96.C
Temperatus vſq; ad quartumdecimum annum quàm ſeruare debet victus rationem.1°.de ſan.tu. 2ª.67.C
Temperati quomodo regendi ſunt ab anno decimoquarto vſq; ad vigeſimum primum.1°.de ſan.tu. 2ª.67.C
Temperato qñ abſtinendum à cibo,& potu.2°.de ſan.tu. 2ª.73.F
Temperatum extrinſeca facile offendunt.2°.de ſan.tu. 2ª.75.G
Temperatis balnea pauca conueniunt.3°.de ſan.tu. 2ª.78.B
Temperatus & modice humidus aer balnei quomodo fiet.10°. methodi medendi. 7ª.66.H
Temperatus quomodo eat ad frigida.3°.de ſan.tu. 2ª.78.B
Temperatus quando poteſt vti aqua frigida.3°.de ſan.tu. 2ª.78.B
Temperato qualis lotio conueniat.2°.de ſan.tu. 2ª.76.B
Temperati ad labores quomodo ſe habeant.5°.de ſan.tu. 2ª.89.H
Temperati apotherapia vtantur.3°.de ſan.tu. 2ª.76.G
Temperatus quo gñe exercitationis ſit exercẽdus.2°.de ſan.tu.2ª.75.E
Temperato quando vtendum puluere.5°.de ſan.tu. 2ª.76.B
Temperati quando ad exercitium prodire debent.2°.de ſan.tu. 2ª.75.F
Temperatus non poteſt laborare plus iuſto,nec cibis impleri.2°.de ſanitate tuenda. 2ª.73.F
Temperatus liber raro laſſitudine tentatur.3°.de ſan.tu. 2ª.76.F
in Temperato quomodo laſſitudo curanda.4°.de ſan.tu. 2ª.84.D
Temperatis quando ſanguis mittendus eſt in laſſitudine, & quando nõ. 4°.de ſanitate tuen. 2ª.84.D
Tẽperati aliqui ob prauũ victũ facti intemperati.2°.de ſan.tu. 2ª.73.F
Tẽperati facti quidã ſunt,qui prius erãt intẽperati.2°.de ſa.tu. 2ª.73.F
Temperati non debent abſtinere à venere vt ſicci.6°.de ſan.tu.2ª.97.F
Temperati quinto loco ſunt proni ad febrem.8°.met.me. 7ª.54.E
Temperatorum duorum hominum qui ſe contingant experientia. 2°.de ſimp.me.facul. 5ª.15.H
Temperati non indigent quæ curari debent.3°.de ſimp.me.fac. 5ª.19.B
TEMPERIEM, cauſas,& accidentia ſcire debet medicus.de medicinis expertis. Sp.103.G
Temperies ſm naturam cognoſcenda eſt,& quare.ars med. Iſa.71.B
Temperies eſt vna.3°.de ſimp.me.fac. 5ª.19.F
ad Temperiẽ mediã qualitates ſunt referendæ.3°.de ſimp.me.f.5ª.19.F
Temperie media eſt cutis.5°.de ſimp.me.fac. 5ª.32.E
Temperies naturalis eſt ſanitas.com.4°.aph.39°. Ex.32.D
Temperie optima conſtans vnus,eſt ex ſalubribus habitibus.de conſtitutione artis medicæ. Iſa.38.H
Temperiem optimã in adoleſcẽtia corpus obtinet.6°.de ſan.tu. 2ª.95.F
Temperies proba vnde.quod animi mores. 1ª.317.C
Tẽperies bona ſm Ariſtotelẽ eſt cã roboris mẽbrorũ.1°.de ſe. 1ª.334.G
Temperies bona corporis facit intellectum,non compoſitionis varietas 8°.de vſu par. 1ª.170.C
Temperies corporis actiões animæ variare poſſunt.3°.de lo.af. 4ª.19.C
à Temperie manant actiones.2°.de nat.fac. 1ª.300.F
Tẽperies ſm naturã in ſingulis inſtrĩs eſt cã actiõis.2°.de na.f.1ª.301.A
Temperies cognoſcitur ex functionibus partium principalium, & non ex ſenſu.2°.de tem. 1ª.20.A
Temperiem naturalem ſeruat annus temperatus. de victus ratione in morbis acutis,com.4°. 7ª.134.C
Temperiem naturalem inculpatam habẽtia animalia, debent ſimilibus nutriri.1°.de alim.fac. 2ª.33.D
Temperiem cerebri ſeruare debent,qui recte viuere, & recte meditari volunt.de vir.noſtr.corp.diſpen. Sp.60.C
Temperiem optimam qui non habent.1°.de ſan.tu. 2ª.64.E
Tẽperiẽ prauã aĩalibus hñtibus cibi cõtrarij cõueniũt.3°.d al.f.2ª.33.D
à Tẽperie deficiẽs corpus,ꝑ quorũ cauſas deficit.5°.de ſan.tu. 1ª.89.E
Temperies partium quando eſt varia,ex vna earum non licet pronunciare de toto.2°.de temp. 1ª.19.H
Temperies alia calida actu eſt.1°.de temp. 1ª.14.E
Temperies alia calida poteſtate eſt,& quę.1°.de tem. 1ª.14.E
Temperiei calidæ homo quibus ſit nutriendus.de diſſol.cont. Sp.72.B
Temperies calida,& humida,vt puerorum,facile abſumitur.de curan. ratione per ſanguinis miſſionem. 6ª.19.F
Temperies ſicca ſæpe facit animal calidius in augmento, in decremento fit ſiccum,& frigidum.6°.de ſan.tu. 2ª.95.F
ad Temperiem corpora vt reducantur quomodo ſeruanda æqualitas in calido,& frigido.1°.de alim.fac. 2ª.8.F
ad Temperiem tarde veniunt frigidi,& ſicci.8°.met.me. 7ª.54.F
Temperies corporis facit ad inuentionẽ auxiliorũ.8°.met.me. 7ª.58.G
Temperies laborantis oſtendit indicationes menſuræ contrarietatis.11°. methodi medendi. 7ª.67.D
Temperiem aeris comprehendit ſub cœli ſtatu.8°.met.me. 7ª.57.H
ſub Tẽperie aeris cõtinetur anni tẽpus,& regio.8°.met.me. 7ª.58.A
à Temperie loci laborantis indicatio prima in vẽtriculo affecto.7°.methodi medendi. 7ª.48.H
TEMPERARI æqualiter quid ſit.6°.de ſan.tu. 2ª.95.C
TEMPESTAS valida quomodo ex luna cognoſcatur.3°.de diebus decretorijs. 4ª.157.F
Tempeſtatem ſignificat luna rutila.3°.de dieb.decr. 4ª.157.F
Tẽpeſtates et vẽtos cõcitat taurus in mari,& ĩ terra.de decub.Sp.13.C
Tempeſtas ſerena qualis.in 3m.de morb.vulg.com.2°. 3ª.140.H
Tempeſtas auſtrina qualis.in 3m.de morb.vulg.com.2°. 3ª.140.H
Tempeſtas aquilonia qualis.in 3m.de morb.vulg.com.2°. 3ª.140.H
Tempeſtas vnaquæq; pro ratione ſuæ temperaturæ, ac non propter nomen,ſuccos auget.in 1m.de morb.vulg.com.1°. 3ª.100.H
Tempeſtate vnaquaq; cur non omnes vno & eodem morbo capiuntur. in 1m.de morb.vulg.com.1°. 3ª.101.A
TEMPLVM paruum Soſtrati.de faſcijs. 7ª.302.H
Templum paruum Apollonij Thirij.de faſcijs. 7ª.302.H
TEMPORALES muſculi qui.de muſcul.diſſectio.44.G|4°. de anato. admin. 1ª.80.A
Temporales muſculi duo ſunt.11°.de vſu par. 1ª.185.D
Temporales muſculi quales.11°.de vſu par. 1ª.184.F
Temporalis muſculi caput quale in animalibus habentibus maxillã magnã,& in ijs etiã quæ habent dentes ſerratos.16°.de vſu pa. 1ª.217.B
Tẽporales muſculi tendunt in vnũ magnũ tẽdonẽ.11°.de vſu pa.1ª.185.H
Temporalis muſculus vbi.11°.de vſu par. 1ª.184.G
Tpales muſculi ꝓpinquiores ſunt cerebro alijs.11°.de vſu par. 1ª.185.C
circa Temporales muſculos oſſa cur dura in orbem quaſi ſeptum quoddam circumiecit.11°.de vſu par. 1ª.185.B
Temporalium muſculorum tutamen.11°.de vſu par. 1ª.185.C
Temporalis muſculus cur abditus ſolus omnium muſculorum in oſſibus capitis.11°.de vſu par. 1ª.185.B
Temporalis muſculus magnus quorſum à natura effectus in quibuſdã animalibus.16°.de vſu par. 1ª.217.B
Temporalis muſculi tendo ex medio oculo.11°.de vſu par. 1ª.185.H
Temporales muſculi in hominibus minimi, & minimum neruoſi ſunt. 11°.de vſu par. 1ª.184.F
Tpalis muſculus in hoĩbus et ſimijs exiguus eſt.16°.de vſu.p. 1ª.217.A
Temporalis muſculus cur paruulus hominibus.11°.de vſu pa. 1ª.184.H
Temporalis muſculus cur minimus hominibus.11°.de vſu p.1ª.185.A|B
Temporales muſculi in quibus animalibus maximi ſint,& neruoſi.11°. de vſu partium. 1ª.184.F
Temporalis muſculus quibuſdam animantibus eſt maximus.16°.de vſu partium. 1ª.217.A
Temporales muſculi cur magni in quibuſdã animalibus à natura facti. 11°.de vſu par. 1ª.184.G
Tpalis muſculus p plures neruos cõicat cerebro.11°.de vſu par. 1ª.185.C
Temporalium muſculorum officium.4°.de ana.adm.80.A|2°. de motu muſculorum. 1ª.314.E
Temporalibus muſculis læſis,qui morbi contingant.11°.de vſu. 1ª.185.B
TEMPORARIA aqua quæ.in 6m.de mor.vul.com.4°. 3ª.184.F
TEMPVS quid.de hiſt.philoſ. Sp.5.C

Tempus non conſumendum.3°.de loc.aff. 4ª.17.D
Tempus non conterendũ in obſcuris.in 6^{m}.de morb.vul.cõ.3°. 3ª.179.C
Tempus perditur ſub malis præceptoribus.8°.met.me. 7ª.52.B
Tempus habet omnes motus.2°.de dignoſ.pulſ. 4ª.75.B
Tempus, et ſpatiũ inſeparabilia in motu diuiſiuo.1°.de dif.reſp.3ª.57.A
Tempus quid faciat in pulſu.2°.de dign.pulſ. 4ª.75.B
Tẽpus maximã vim habet ad perturbationẽ motus.4°.de dec. 1ª.253.H
Tempus formationis in tres partes diuiditur.de ana.viu. Sp.52.B
Tempus motus quando poſt formationem.de ana.viu. Sp.52.B
Tempus partus quando poſt motum.de ana.viuo. Sp.52.B
Temporis partus diuerſitas.de ana.viu. Sp.52.B/C
Tempore vina fiunt flaua.de vinis. Sp.76.G
TEMPVS anni & regio cõtinẽt ſub tẽpie aeris.8°.me.me. 7ª.58.A
Temporum quatuor anni ſol eſt auctor.3°.de diebus decreto. 4ª.156.H/ de ſpermate. Sp.40.E
Tempora anni quomodo mutẽt in qualitatibus.de ſperma. Sp.39.B
Temporũ mutationes obſeruãdæ, & quare.de aere,aq.& loc. 2ª.2.D
Temporum magnæ mutationes ſeruandæ.de aere,aqu.& loc. 2ª.2.G
circa Tẽporũ mutationes quæ ſint à medico cõſideranda.de ſp. Sp.39.F
Temporum mutationes vbi non ſunt, omnes ferè ſunt ſimiles. de aere, aquis,& locis. 2ª.4.G
Tẽpora cũ ſint inter ſe ſimilia,nullas corruptiones,neq; malignitates inferũt in ſeminis genitalis miſturã ac cõpactionẽ.de ae.aq.et l. 2ª.5.F
in Tempore mutationes magnæ,& frequentes faciunt magnam diuerſitatem in hominibus.de aere,aquis,& locis. 2ª.4.F
Tempora formarum naturam variantia,ſunt diuerſa.de aere,aquis,& locis. 2ª.4.G
Temporum mutationes vbi fortes non fiunt,corpus,& animus non fiũt apta exercitationibus.de aere,aquis,& locis. 2ª.5.A
Temporum mutatio facit generoſiores. de aere aq. & loc. 2ª.5.B
Temporis cõſtitutionẽ qui poterit prædicere.de aere,aq.& loc. 2ª.2.D
Tempora quomodo à medicis diſtinguantur.com.3°.aph.14°. Ex.22.F
Temporum ordo qui ſm medicos.com.3°.aph.14°. Ex.22.F
Tempora omnia, vt æſtas,hyems, quòd poſſint in plures partes ſecari, poteſt colligi.com.3°.aph.23°. Ex.24.H
Temporis mutationis an hominis natura concordet conſiderandum eſt. de ſpermate. Sp.39.F
Temporis qualitates afficiunt corpus.de nat.hum.com.1°. 1ª.32.D
Temporum varietates naturam permutant.de aere,aq.& loc. 2ª.4.G
Temporibus anni non afficiuntur omnes ætates,nec omnes naturæ, nec omnes pulſus.2°.de digno.pulſ. 4ª.78.F
quæ Tempora cui ætati cõueniant,& cui non.cõ.3°.aph.18°. Ex.23.G
Tempora optima, peſſima, & media, quomodo inueniantur.commentario.3°.apho.18°. Ex.23.H
Tempora ſicca ſunt magis ſalubria pluuioſis.commẽ.3°.apho. 7°.20.F/ aphoriſmo.11°. Ex.21.B
Tempora ſicca generant paucos humores,ſed bilioſos. commentario.3°. aphoriſmo.7°. Ex.20.F
Tempore ſicco fiunt febres acutæ,ſed nõ multæ.cõ.3°.apho.7°.Ex.20.F
Tempus notat humores peccantes.com.4°.aph.2°. Ex.27.E
Temporũ mutationi concordare ſolet paſſio cholerica, & ſanguinea.de ſpermate. Sp.39.H
Tempora cur humidiora.2°.de temper. 1ª.19.E
Tempora mutant reſpirationem.de vtil.reſp. 1ª.225.G
Tempora extenuant corpora,& quæ tẽpora.cõ.2°.aph.28°. Ex.16.D
Tempora anni calida & regiones calidæ ſunt cauſa exolutionis virium in euacuatione,vt in pueris ſubſtantia mollis,& humida.de vict.ra. in morbis acutis.com.1°. 7ª.115.F
Tempore quolibet poſſunt fieri omnes morbi,tamen aliqui magis quàm alij.com.3°.aph.19°. Ex.24.A
Temporum anni mutatio præter naturã in cauſa eſt vt morbis corripiamur.in 3^{m}.de morb.vulg.cõ.3°.140.F/cõ.3°.aph.4°. Ex.20.C
Temporũ mutationes vt plurimũ morbũ pariunt.cõ.3°.aph.1°.Ex.19.G
Temporum mutationes,id eſt ſucceſſiones faciunt, & ſoluunt morbos. commen.3°.aph.1°. Ex.19.G
Temporũ magnæ permutationes vt frigoris,caloris,humidi,ſicci,morbos vt plurimum pariunt.com.3°.aph.1°. Ex.19.G
Temporum ratione morbi,qui.6°.de decr.Hip. 1ª.276.G
Tẽpora ad quæ morbi bene vel male ſe habeant.cõ.3°.aph.3°.Ex.20.A
Tempora ſimilia complexioni faciunt morbos,diſſimilia ſoluunt,præter quàm ſi ætas temperata, & victui, & regioni, & loco temperato comparetur,hoc enim ſolo modo ſimiles à ſimilibus bene afficiuntur. commentario.3°.aphoriſmo.3°. Ex.20.B
Tempus quantum valeat.de vic.rat.in morbis acutis,com.1°. 7ª.115.F
à Tempore anni indicatio oritur.de ſectis. Iſa.16.E
Tempus anni facit ad inuentionem auxiliorum.8°.met.me. 7ª.58.G
Tempora anni quomodo valent ad victus rationem inſtituendam.commentario.1°.aphoriſmo.15°. Ex.8.A
Tempora anni,partes,& regiones quomodo ſe habeant ad purgationes quos purg.opor.quib.med. 5ª.88.E
Tempora purgandi ſunt ver,& autumnus.de dyna. Sp.20.G
Tempus præbendi pharmacum quod.de ſperma. Sp.39.G
in Tẽpore debito niſi dẽt medicamẽta nõ valent.de med.exp.Sp.106.F
Tempore quouis fiat venæ ſectio,ſi vſus poſtulet.præſ.exper. Sp.78.D
Tempus accommodatius venæ ſectioni in febre continua eſt matutinũ. præſ.exper.conf. Sp.78.D
Tempore matutino ſanguis detrahendus.præſ.exper.conf. Sp.77.H
Tempus quo venæ ſectio prohibenda eſt.præſ.exper.conf. Sp.78.D
in Tempore anni multum calido,et multum frigido non eſt ſecanda vena,& in febre acuta.de ſect. Iſa.161.E
Tempore calido,& ſicco ſanguis non eſt mittendus. de victus ratione in morbis acutis,com.3°. 7ª.136.H
à Tempore anni ſumitur etiam inditium bonæ excretionis,commenta. 4°.aphoriſmo.47°. Ex.33.A
Temporum differentiæ duæ apud medicos celebrãtur,ſiquidẽ aliqua dicuntur tempora morborũ,& aliqua auxiliorũ.de opt.ſect. Iſa.27.E
Tempora auxiliorum & morborum diuerſa ſunt.de opt.ſect. Iſa.28.A
Tempora auxiliorum eodem inſtrumento non iudicãtur, & iudicatoria inſtrumenta particularium temporum ipſorum remediorum ſcribi nequeunt.de opt.ſect. Iſa.27.H
Tempus in morbis eſt,vt ætas in animalibus.de morb.tem. 3ª.85.B
Tempora morborũ vnde ſm aliquos diſtinguãtur.1°.de criſi. 4ª.125.G
Tempora morborum quatuor.1°.de criſi. 4ª.125.G
Tempora quatuor morborum quomodo diſtinguũtur.de opt. Iſa.28.A
Tempora vl'ia qũo à particularibus diſtinguantur.de opt.ſect.Iſa.27.H
Tempora morborum vniuerſalia,quæ non diſtinguuntur dierum numero.1°.de ſcrib. 4ª.125.G
Tempora omnia in alia diſtinguuntur.de morb.tem. 3ª.86.E
quò ad Tempora morborũ differentiæ tres.in progno.com.1°. 4ª.193.B
Tempora ſex morborum intermittentium.de morb.tem. 3ª.86.B
p Tempora febris inceſſus qũo ſe habeat.3°.de præſ.exper. 4ª.119.A
Tempora tria ſimul in quibus ſint febribus.de morb.tem. 3ª.87.B
Tempora quatuor habet hectica.1°.de diff.feb. 3ª.36.C
Tempora tria in continuis,& earum diuiſio. de morb.tem. 3ª.87.D
Tempora morborum non ſunt æqualia.1°.de criſib. 4ª.126.D
Tempora æqualia longo morbo habere non poteſt morbus breuis. 1°.de criſibus. 4ª.125.G
Tempora morborum habent latitudinem.de tot.morb.tem. 3ª.89.B
Tempus breue qui morbi habeant.1°.de criſi. 4ª.126.F
Tempora quomodo habet apoplexia.de tot.morb.tem. 3ª.89.C
Tempora habet comitialis morbus.de tot.morb.tem. 3ª.89.C
Tẽpora quatuor habẽt ãpata,& quæ cõueniant in illis.de ocu.7ª.189.E
Tempora quomodo habet ſcirrhus in cruribus.de tot.mor.tẽp. 3ª.89.C
Tempora quatuor habet ceruicis truncatio.de tot.mor.tem. 3ª.89.C
Tempora morbi in morituris.de tot.morb.tem. 3ª.89.F
Temporis inæqualitas inditium atræ bilis quæ dominatur.1°.de arte curatiua ad Glauconem. 7ª.96.B
Tempora mala cur dicantur.an qualitates incorporeæ ſint. Iſa.10.B
Temporibus certis natura ordinata ſemper agit, ſi materiam ſuperet. 2°.de diebus decre. 4ª.151.H
circa Tẽpora oĩa verſatur prognoſticatio.in progn.com.1°. 4ª.190.H
Tempus præfinitum vnde cognoſcatur à medico quo euadendum vel pereundum eſt homini.de conſtit.art. Iſa.42.A
Tempora à nullo ſigno fideliter indicantur.1°.de criſi. 4ª.130.G
Tempora morbi vl'ia qũo quis cognoſcet anteq̃ ſint.1°.de criſi. 4ª.131.F
Tempora morborum quantum debeant perdurare, quomodo coniectandum,& vnde.1°.de criſi. 4ª.128.E
Tp̃e longo indigẽt fixi humores vt expellant̃.cõ.4°.aph.30°. Ex.30.F
Temporis longitudo ab Hippocrate oſtenditur per hæc verba capti, & capiuntur.com.5°.aph.70°. Ex.45.E
à Tempore nulla eſt indicatio.4°.met.me. 7ª.27.E
à Tempore non eſt indicatio curandi ſumẽda,ſed à morbo. 4°. methodi medendi. 7ª.24.H
Tempus ad præſidia conducit.de tot.morb.tem. 3ª.88.E

in Temporibus

in Temporibus diuerſis auxilia diuerſa adhibenda ſunt.de totius morb. temporibus. 3ª.89.A
Temporis occaſio,& auxiliorum quantitas ad medendum conferunt.1°. de arte cur.ad Glauc. 7ª.94.C
Tẽpus occaſionis in medicina breue,& p̃ceps eſt.cõ.1°.aph.1°. Ex.2.C
Temporis opportunitas multum facit.de puero epilep. 7ª.180.B
Temporis occaſio vnde habet ortum.ars med. Iſa.68.D
Tempus oſtendit victus rationem.7°.meth.med. 7ª.46.G
ſine Temporum cognitione victus ratio inſtitui nõ poteſt. de totius morbi temporibus. 3ª.90.A
pro Tempore victus ratio immutanda eſt.de ſal.diæt. 2ª.40.H
circa Tempora varia quæ curatio adhibenda.de tot.mor.tẽp.3ª.90.A
per Tempora quatuor aſperæ arteriæ laſſitudinibus tenſiuis quid agendum.7°.de comp.med.ſecundum locos. 5ª.177.G
Temporum in morbo laterali caſus.1°.de criſi. 4ª.132.E
TEMPORA quæ partes corporis appellantur.intro. Iſa.52.H
Tempora ſubiacent vbi galea eſt.de nat.& ord.cuiuſl.corp. Sp.41.H
Temporum duo ſunt oſſa.introd. Iſa.54.F
Temporis oſſis abſciſſio cõuulſionem facit in 1m.pror.com.3°. 4ª.183.H
Temporũ muſculus euidens ſi os iugale duntaxat excideris.4°. de anatomicis adminiſtr. 1ª.81.E
circa Tempora muſculorũ motus duo ſunt.1°.de motu muſc. 1ª.309.G
Temporum venę duæ flexuoſæ incedunt.de ana.viuo. Sp.55.A
Temporum venę graues & plenę ſunt edito homini ſi ſperma conceptũ fuerit à muliere in tribus horis ſanguinis.de ſper. Sp.37.B
Tempora pulſant à poto meri, & in ardentibus febribus, & in capitis doloribus.4°.de pul.diff. 4ª.64.C
Temporũ venæ cur pulſent in capitis dolore.in 1m.pror.cõ.3°. 4ª.180.D
Temporum venæ pulſantes iudicationis ſunt ſignum.1°.de arte curatiua ad Glauconem. 7ª.100.D
in Temporum pulſibus vinũ euitandũ eſt.1°.de arte cur.ad Gl. 7ª.95.F
Temporũ venæ ſecantur,vel inciduntur,vel extrahuntur, vel aduruntur,vt rheumatiſmi ſubtiles qui ad oculos deſcendunt conſtringant̃. de ana.ocul. Sp.55.B
Temporum arteriæ illuſtrem habent motum.de pul.ad Tyr. 4ª.43.C
in Temporum arterijs cum dolore vehementi pulſus non naturalis motus eſt.de ijs,quæ in med.ſi.com.3°. 7ª.222.D
Temporis arteria quandoq; ſecatur,quandoque inciditur, quãdoq; extrahitur,quandoq; aduritur.de ana.viuo. Sp.55.B
Temporum arterię ſecantur propter oculos,& fluxum calidum, & ſpumoſum.de cur.rat.per ſang.miſſ. 6ª.303.F
Tempora adſtricta mala.in prog.com.1°. 4ª.191.B
Tempora quomodo adſtringãtur in acutis.in prog.com.1°. 4ª.191.C
ad Tempora,& ad Thoracem à capite cur materia tranſmittatur. 2°. de diff.febr. 3ª.40.H
TEMVLENTI cur nõ habeãt inſomnia.in 1m.prorrhe.cõ.1°. 4ª.163.G
Temulenti calido quodam modo victo, & grauato humoris copia dormiunt.2°.de temp. 1ª.16.F
TENACITAS in medicamentis facit ſubſtantiam emplaſticã.9°. de ſimp.med.fac. 5ª.66.B
TENAX, & viſcoſus eſt ſamius aſter.9°.de ſimplic.med.fac.5ª.66.A
Tenacia omnia opplendo quippiã in tranſitu relinquũt.de ptiſ. 2ª.47.F
Tenacis carnis animalia vitanda ſunt in quartana. 1°. de arte curat.ad Glauconem. 7ª.97.F
Tenax materia tarde diſſoluitur.com.6°.apho.49°. Ex.52.E
Tenax humor bullas facit ſtabiles.com.7°.aph.34°. Ex.56.E
TENDINES qui.introd. Iſa.53.B
Tendines ſępius videndi ſunt.3°.de compoſi.me.per ge. 5ª.231.F
Tendines oriuntur ex muſculis.3°.de com.med.per gen. 5ª.231.E
ad Tendines capiendos hamo,& ſcalpello hebetiore vtendũ.1°.de anatomicis adminiſt. 1ª.65.H
Tendines quales ſint in partibus diuerſis.3°.de com.me.per ge. 5ª.231.B
Tendines viſcide immodicę,& glutinoſæ ſunt vbi elixæ fuerint.de bonitate & vitio ſucc. 2ª.35.H
Tendines non vacant periculo.3°.de com.me.per ge. 5ª.231.D
Tendines quid patiantur.3°.de compoſi.medicam.per genera. 5ª.231.A
Tendinibus affectis per ſympathiam patitur principium. 3°. de compo. med.per ge. 5ª.231.E
Tendines in anteriorem partem extenſi,quo modo curẽtur.de vic.ratio. in mor.acu.com.4°. 7ª.144.E
Tendines qui dilatantur,& qui non.3°.de com.med.per ge. 5ª.231.E
in Tendinis capite punctura aliquando adeo anguſta fit,vt piculũ ſit ne ſummis partibus conglutinatis profundiores adhuc nõ coaluerint.1°. de anat.admi. 1ª.64.D
Tendines quando amputandi in vulneribus,vt ſimus tuti. 3°. de compo. medicamen.per ge. 5ª.231.B
Tendines non ſuuntur ſine periculo.3°.de com.me.per ge. 5ª.231.D
TENDENS ſurſum totum pedem muſculus.de muſ.diſſ. 1ª.52.D
Tendentia quo modo faciant dolorem.1°.de ſym.cau. 3ª.16.H
Tendens dolor eſt ſpecies doloris.com.6°.aph.5°. Ex.47.A
TENDVNTVR chordæ à ſicco,& humido.2°.de lo.aff. 4ª.11.A
Tendi quidam dolentes videntur.2°.de loc.aff. 4ª.12.F
TENDONES τένοντας vocant græci.5°.de ſan.tuen. 2ª.90.A
Tendones dicũtur aponeuroſis quaſi eneruationes.1°.de loc.aff. 4ª.7.D
Tendones etiam nerui nominantur ab aliquibus. 3°. de compoſitio.medicamen.per ge. 5ª.229.B
Tendones à quibus nerui dicantur.2°.de loc.aff. 4ª.11.A
Tendones ab ignaris nerui putantur.6°.meth.med. 7ª.38.H
Tendones qui vocentur.3°.de comp.med.per ge. 5ª.229.B
Tendo quid ſit.1°.de vſu par.117.C/1°.de motu muſ. 1ª.308.G
Tendo quid nam ſit,& à quo fiat.1°.de decr.Hip. 1ª.234.B
Tendones qui.fin.med.Iſa.44.C/2°.de arte cur.ad Glau. 7ª.104.B
Tendones qui ſint,& vnde oriantur.de oſſibus. 1ª.40.D
Tendones ſunt partes neruoſæ.com.5°.apho.1°. Ex.37.D
Tendones quo modo generentur.2°.de vſu par. 1ª.122.G
Tendones quomodo ex cerebro oriantur.6°.meth.med. 7ª.38.H
Tendo ex ligamentis,& neruis eſt.1°.de motu muſ. 1ª.309.C
Tendo neq; inſenſilis neq; ſenſilis eſt,vt neruus.1°.de mot.mu.1ª.309.C
Tendones quidam ſenſus expertes ſunt.3°.de alim.fac. 2ª.26.F
Tendo quantum excedat neruum.1°.de motu muſ. 1ª.309.C
Tendo cur neruo maior.1°.de motu muſ. 1ª.309.D
Tendo multo maior eſt neruo, qui in muſculum deſcendit.1°. de motu muſculorum. 1ª.309.C
Tendo naſcitur ex fine muſculi.1°.de motu muſcu.1ª.309.C/ de bonitate & vitio ſuccorum. 2ª.35.G
in Tendonem deſinunt omnes muſculi.11°.de vſu par. 1ª.185.G
Tendo eſt in quod muſculus deſinit.1°.de decr.Hipp. 1ª.333.G
in Tendonem non deſinit omnis muſculus.1°.de motu muſ. 1ª.309.E
Tẽdo nõ oritur ex muſculis mouẽtibus linguã.1°.de motu muſ.1ª.309.E
in Tendones deſinunt muſculi mouentes oſſa.1°.de motu muſ. 1ª.309.F
Tendo quando circa oſſa quomodo os diſponat̃.2°.de vſu par. 1ª.123.C
Tendo vt plurimum in oſſis terminũ chartilagine illitum inſeritur.1°. de motu muſc. 1ª.309.D
Tendo muſculum alligat oſſibus ſubiectis in quæ inſerit qua ratione nihil differt à ligamento.1°.de motu muſ. 1ª.309.D
Tendo vnde finiat.1°.de motu muſ. 1ª.308.G
ad Tẽdonẽ conſtituẽdũ muſculus fuit cõparatus.12°.de vſu p. 1ª.193.D
in Tendones multos cum deſinit vnus muſculus, non amplius vnus eſſe videtur,ſed quot ſunt tendones.1°.de motu muſ. 1ª.308.F
Tendo ex quibus affectus.1°.de ſem. 1ª.332.C
Tendo ex neruo,& ligamento conſtat.1°.de motu muſ. 1ª.309.C
Tendo ligamenti,& nerui vſum habet.1°.de motu muſ. 1ª.309.D
Tendo medius eſt inter ligamentum,& neruũ.1°.de motu mu. 1ª.308.H
Tendones quam qualitatem habeant.2°.de temp. 1ª.18.A
Tendo idem quod chorda.de ana.viuo. Sp.55.E
Tendo,copula,neruus quo modo differant, & quid ſint. 1°. de decretis Hippocratis. 1ª.233.F
Tendo,neruus,copula,alba ſunt,exãguia,foraminibus carẽtia.1°.de decretis Hippocratis. 1ª.233.H
Tendo non omnis eſt teres neq; copulæ.1°.de decr.Hip. 1ª.233.F
Tendo minus ſiccus chartilagine eſt.1°.de tem. 1ª.15.C
Tendones ſunt minus duri ligamentis,propterea ſunt inutiles ad pudendorum conſtructionem.14°.de vſu par. 1ª.210.D
Tendones non habent cauitatem.14°.de vſu par. 1ª.210.D
Tendo primum inſtrumentum eſt motus.12°.de vſu par. 1ª.193.D
Tendones,nerui,muſculi, & ligamenta quanto ſunt ſicciora, tanto ſunt valentiora.3°.de ſymp.cau. 3ª.29.D
Tendones duos habet actio valida.5°.de vſu par.119.F/2°. 1ª.123.D
Tendones parui habent actiones imbecilles.2°.de vſu par. 1ª.123.D
Tendonum media conſtitutio quæ.1°.de vſu par. 1ª.119.C
Tendonum actiones voluntariæ ſunt.2°.de ſan.tuen. 2ª.75.A
Tendonũ exercitatio fit p ſe ex motibus volũtarijs.2°.de ſa.tu. 2ª.75.A
Tẽdo tpalis muſculi cur ex medio oculo emergat.11°.de vſu p. 1ª.185.H
in Tendonem magnũ tendunt muſculi tẽporales.11°.de vſu p. 1ª.185.H

Tendo trahit particulam ad ſuum caput.1°.de vſu par. 1ª.117.H
Tendones manus à quibus muſculis oriantur.2°.de vſu par. 1ª.121.D
Tendo cauæ manus diligenter inſpiciendus eſt in diſſectione.1°.de anatomicis adminiſtrationibus. 1ª.66.B
Tendo digitorum pars.de ineq.intemp. 3ª.43.D
Tendones digitorum vnde oriantur.1°.de vſu par. 1ª.118.F
Tēdones ſunt nerui vocati ab antiqs digitos mouētes.1°.de vſu. 1ª.117.C
de Tendonibus mouentibus digitos.1°.de vſu par. 1ª.118.C
Tendonum euntium ad digitos vtilitas.1°.de vſu par. 1ª.117.C
Tendones quatuor in vnumquenq; digitum ſingulus producens muſculos.de muſc.diſſ. 1ª.48.C
Tendones producit vnū quodq; caput digitis quos mouent numero æquales.de muſc.diſſ. 1ª.48.C
Tendones digitos extēdentes & incuruātes qui.2°.de loc.aff. 4ª.11.A
à Tendone exteriori fit digitorum extenſio.1°.de vſu par. 1ª.117.D
à Tendone interiori fit digitorum flexio.1°.de vſu par. 1ª.117.D
Tendones à quibus digiti flectūtur interni ſunt.1°.de motu mu. 1ª.311.A
Tendo vnus ſufficit ad extenſionem digiti.2°.de vſu par. 1ª.121.D
Tendo vnus non ſufficit ad flexionem digiti.2°.de vſu par. 1ª.121.D
Tendone externo abſciſo particula flectitur.1°.de motu muſ. 1ª.311.G
Tendoni flectenti aliquis non eſt omnino exquiſite oppoſitus in magno digito.1°.de vſu par. 1ª.117.G
Tendones qui in orbem circūuoluuntur quales.1°.de vſu par. 1ª.214.C
de Tendonibus pollicis.1°.de vſu par. 1ª.117.D
Tendonis mouentis pollicem cur caput ſit in media cauitate manus.1°. de vſu partium. 1ª.117.H
Tendo pollicis it modo ſimili iugorum habenis.1°.de vſu par. 1ª.118.A
Tendo pollicis cur ſuper alios.1°.de vſu par. 1ª.118.B
de Tendonibus quatuor aliorum digitorum.1°.de vſu par. 1ª.117.E
Tendones aliorum digitorum quomodo locati.1°.de vſu par. 1ª.118.B
de Tendonibus indicis.1°.de vſu par. 1ª.117.G
Tendones interni cur duplices in digitis.1°.de vſu par. 1ª.117.F
Tendo vnuſquiſq; à muſculis vſque ad articulos exquiſite eſt rotūdus.1°. de vſu par. 1ª.117.G
à quo Tēdone flectat primus & tertius articulus.de mu.diſ. 1ª.48.A
Tendo mouens primum articulum ſi patiatur, quid ſequitur.1°. de vſu partium. 1ª.118.D
Tendones ad laterales partes digitorū vn̄ oriantur.1°.de vſu p. 1ª.118.E
Tendones cur in lateribus digitorum.1°.de vſu par. 1ª.118.E
Tendones in manu ſumma male curati.3°.de compoſitione medicamentorum per genera. 5ª.228.C
Tēdones ad carpū tēdentes quod officiū habeant.2°.de vſu par. 1ª.117.D
Tendones mouentes digitos pedum qui, & quibus motibus.3°. de vſu partium. 1ª.133.G
Tendones digitorum pedum ſunt multo minores quàm manuum.3°.de vſu partium. 1ª.131.G
Tendonis germē in calcaneo diſſeminatū eſt ad omnes pedis particulas. 3°.de vſu par. 1ª.133.H
Tendo calcis cur robuſtus.3°.de com.me.per ge. 5ª.231.E
Tendo non exiſtens in pede humano, ſed bene in ſimia, qui.2°.de anatomicis admin. 1ª.72.A
Tendonibus patientibus eadem fiunt, quæ fiunt patientibus muſculis.1°. de motu muſ. 1ª.308.G
Tendo ſeipſum grauare non poteſt.de mul. 3ª.78.A
Tendones aliquibus ex leui qualibet cauſa dolent.5°.de ſan.tu. 2ª.90.A
ex Tendonum doloribus animi defectus quomodo curetur.1°. de arte curatiua ad Glauco. 7ª.99.G
ad Tendonum phlegmonas.7°.de comp.medicamen.per ge. 5ª.269.D
Tendones ſcirrhoſi quibus indigeant, & quo modo vſus aceti illis conueniat.14°.meth.med. 7ª.88.A
in Tendone interno ſcirrho nato pars flexa nō extenditur, è contrario in externo.1°.de motu muſ. 1ª.310.H
Tendonum ſcirrhi quibus curentur.2°.de arte cur.ad Glauc. 7ª.104.B
Tendonis punctura facit conuulſionem.ars med. Iſa.70.A
Tendo punctus ex euphorbio ſanatur.3°.de com.med.per ge. 5ª.233.B
Tendonū vulnus quo nominandum.3°.de com.med.per ge. 5ª.229.B
in Tēdonibus vlcera ſunt doloroſa, ſpaſmoſa, & delirium facientia.4°. meth.med. 7ª.28.B
ad Tendonum ſpaſma valet Theriaca.de theria.ad Piſo. 5ª.91.G
TENEBRAE *ψέφαι dicuntur à Pindaro.in 1ᵐ.pror.cō.3°.* 4ª.182.H
Tenebræ an videantur.de hiſt.phil. Sp.9.E
Tenebris oppoſitis quid faciat lux.de hiſt.philo. Sp.9.E
ꝙ Tenebris altiſſimis circundatum nobis aerem ad tempus occupātibus, nobis extrinſecus fit, id melancholiæ vitio laborātibus ab interno & ipſo corpore contingit.2°.de ſymp.cau. 3ª.24.D
Tenebræ formidoloſæ ſunt.de mel.ex Gal.Ru.& Poſſ. Sp.109.D
Tenebræ inducunt timorem.3°.de loc.aff. 4ª.19.C
in Tenebris pueri timent, & ex adultis non conſueti.de melancholia ex Gal.Ruf.& Poſſ. Sp.109.D
Tenebræ terrent nos in anima, ideo atra bilis tenebroſa eſt.2°.de ſymp. cauſis. 3ª.24.D
Tenebræ animæ rationalis atra bilis.2°.de ſymp.cauſ. 3ª.24.D
Tenebrarum ſomniū ſignificat atrā bilē.de præſ.ex inſom. 4ª.213.C
Tenebris ſimilem mentem reddens, atræ bilis color timorem efficit.3°.de locis affectis. 4ª.19.C
Tenebræ veternum augent ſecundum methodicos.de opt.ſect. Iſa.25.A
Tenebræ obortæ oculis qn̄ bonæ, & qn̄ non bonæ.1°.de criſi. 4ª.128.B
TENEBRICOSVM *quod circa oculos à quo fiat.in prognoſt.commentario 3°.* 4ª.210.E
TENEBROSA *viſa vt in ſuffuſionibus.in progn.com.3°.* 4ª.210.F
TENENDI, *nec repellendi vim habet quod ita eſt molle vt tum humidum tum fluxile tum nulli innitens ſit.3°.de ſymp.cau.* 3ª.28.H
Tenere fortiter, trudere violenter, & trahere valenter quicquid voluerit poteſt, quod ita durum eſt: vt nec difficile ad flectendum ſit, & ſimiter imitatur.3°.de ſymp.cau. 3ª.28.H
TENERA *& viridia participant ſubſtantiæ aquæ.6°. de ſimplicium medicamentorum facul.* 5ª.45.A
Tenera creſcentia ſunt moderata.de atten.vic. 2ª.44.A
Teneri piſces, parui, quibus non eſt pinguedo multa, ſunt boni chymi, & ſubtilis.de diſſ.cont. Sp.73.H
Tenera labia ſunt homines in tribus horis ſanguinis à muliere concepti. de ſpermate. Sp.37.B
Tenera carne prædita corpora facile morſum recipiunt.4°. de com.me. per genera. 5ª.236.F
Teneris qualis debet exibi medicamētū.3°.de com.me.per ge. 5ª.232.H
Teneris non eſt adhibenda calx viua, ſed cocta.1°.de compoſi.medicam. per genera. 5ª.212.A
ad Teneros, & vlceribus magnis nimis grauiter conflictantes.4°. de comp.med.per ge. 5ª.245.D
ad Tenerorum vlcera.1°.de com.med.per gen. 5ª.214.D
ad Teneros.2°.de compoſi.me.per ge. 5ª.223.A
TENERICVLA *pro pleuritide.de dyna.* Sp.35.E
in TENERITVDINE *quid agendum.5°.de ſan.tuen.* 2ª.89.D
TENESMOSIS *valet adeps caprinus.11°.de ſimp.med.fac.* 5ª.79.A
Teneſmoſis, & dyſenterijs cur imponatur adeps caprinus potius quàm ſuillus.11°.de ſimplic.med.fac. 5ª.79.A
TENESMVS *vnde nomen habeat.2°.meth.med.* 7ª.9.D
Teneſmus quid ſin.med.Iſa.47.F in 3ᵐ.de mor.vulg.com.3°. 3ª.145.B
Teneſmi qui ſint.in 1ᵐ.de mor.vul.com.1°. 3ª.111.C
Teneſmus ſymptoma eſt.2°.de ſymp.cau. 3ª.21.E
Teneſmus morbus longus intrinſecus.intro. Iſa.56.B
Teneſmus cuius ſit partis morbus.introd. Iſa.57.E
Teneſmus dicitur inteſtini recti vlcus.6°.de loc.aff. 4ª.36.F
Teneſmus ſedem habet cognitu facilem.6°.de loc.aff. 4ª.36.D
Teneſmus pertinet ad dyſenteriam, & habet vehementiores nixus.3°. de ſymp.cau. 3ª.28.C
Teneſmus peior eſt dyſenteria, et diſtinctus ab illa.in 3ᵐ.de morbis vul. commentario 3°. 3ª.146.H
Teneſmi cauſa quæ.in 3ᵐ.de mor.vulg.com.3°. 3ª.145.B
Teneſmi fiunt ex defluxionibus ad partes imbecillas.in 1ᵐ.de mor.vul. commen.2°. 3ª.109.A
Teneſmus fit à pituita copioſius collecta ex prauo aliquo corporis affecto.5°.de vſu par. 1ª.143.C
Teneſmus ex acri, & putrida pituita.in 3ᵐ.de mor.vul.cō.3°. 3ª.146.H
Teneſmon in inteſtinis facit quandoque ſecaniabin.de diſſ.con. Sp.75.A
Teneſmo quæ emittuntur.6°.de loc.aff. 4ª.36.F
Teneſmi curatio.introd. Iſa.57.E
ad Teneſmon.ſecr. Sp.99.F
Τέγγεσαι quid græci appellent.9°.de ſimp.med.fac. 5ª.66.E
Τένοντα Tendones vocant greci.5°.de ſan.tuen. 2ª.90.A
Τένοντες proneruationes ideſt neruoſæ muſculorum partes vocantur. de fract.com.3°. 7ª.249.C
TENORES *qui apud Hippocratem.de fract.com.1°.* 7ª.258.E
Tenor aut neruus nominatur ſenſum ac motum exhibens.1°. de decretis Hippocratis.

tis Hippocratis. 1ª.233.G
Tenores cur vocentur nerui ſub alis.de fract.com.1°. 7ª.259.B
Tenores quo modo accepti.de artic.com.3°. 7ª.282.A
TENSIONI oppoſita eſt relaxatio.3°.de ſan.tuen. 2ª.79.C
Tenſioni obſiſtit mollities.15°.de vſu par. 1ª.210.D
Tenſiones quo modo fiant.de vict.ratio.in morbis acu.com.2°. 3ª.117.C| 5°.de ſimplicium medicamentorum facultatibus. 5ª.34.H
Tenſio à quo fiat.1°.de diff.feb. 3ª.34.B
Tenſio fit à multis cauſis.2°.de cau.pul. 4ª.93.G
Tenſio à quibus muſculis fiat.1°.de mot.muſ. 1ª.310.E
in Tenſione vehementi omnes muſculorum fibræ tenduntur.3°. de ſanitate tuenda. 2ª.78.G
Tenſionis nerui cauſæ ſunt ſpiritus inflantes.de vtil.reſp. Sp.63.D
ex Tenſione neruorum ſunt vires corporis.de vtil.reſp. Sp.63.D
ob Tenſionem aliqua ægre mouentur.2°.de ſan.tuen. 2ª.72.F
Tenſionis laſſitudo quid prædicat.4°.de ſan.tuen. 2ª.87.E
Tenſionis laſſitudo quomodo curetur.4°.de ſan.tuen. 2ª.87.E
Tenſio arteriarum vnde ſit.1°.de præſ.ex pul. 4ª.107.G
Tenſio,& tumor durus à græcis ſchyrron dictus durum pulſum faciũt. 1°.de diff.feb. 3ª.34.B
Tenſio neruorum,& tumor viſcerum durus, pulſum durum in putridis faciunt.1°.de diff.feb. 3ª.34.C
Tenſio cutis inflãmatæ ſcarificetur.2°.de arte cur.ad Glauc. 7ª.105.C
Tenſionũ colli,& ſtomachi petroſelinũ remediũ eſt.de ſim.m. Sp.98.C
ad Tenſionem ſtomachi.de dyna. Sp.27.H
ad Tenſiones præcordiorum.7°.de com.me.per ge. 5ª.265.A|B
Tenſionem ſubito tollens malagma.7°.de com.med.per ge. 5ª.267.A
TENSIVVS motu.2°.de ſymp.cau. 3ª.20.B
Tenſiua laſſitudo ex quo fiat.4°.de ſan.tuen. 2ª.82.F
Tenſiua laſſitudo fit poſt celeres motus.3°.de ſan.tuen. 2ª.79.D
Tenſiua laſſitudo quo modo fiat.3°.de ſan.tuen. 2ª.78.G
Tenſiuæ laſſitudinis curatio.3°.de ſan.tuen. 2ª.79.C
Tenſiuę laſſitudinis victus ratio.3°.de ſan.tuen. 2ª.79.G
in Tenſiua laſſitudine dandi cibi glutinoſi.3°.de ſan.tuen. 2ª.79.G
Tenſiui dolores ex nimijs exercitationibus.2°.de loc.aff. 4ª.11.E
Tẽſiui dolores quid ſignificent.2°.de comp.med.ſec.loc. 5ª.137.C
TENSVM pedis veſtigium qui muſculus faciat.de muſ.diſſ. 1ª.52.A
ad Tenſos muſculos.7°.de com.me.per ge. 5ª.274.E
Tenſa remittit chamæmalum.3°.de ſimp.med.fac. 5ª.18.H
TENTANDA ſunt omnia.com.2°.aph.50°. Ex.19.C
TENTIO quæ ſit apud Eraſiſtratum.com.6°.apho.1°. Ex.46.B
Tentio quid.fin.med. Iſa.50.C
Tentio quid ſit,& in quo fiat loco,& quare ſic dicatur, & quas deiectiones habeat.com.7°.aph.27°. Ex.55.H
Tentio fit circa inteſtinum rectum.com.7°.apho.27°. Ex.55.H
Tentio ſi ſuperuenerit prægnãti,facit aborſum.c.7°.apho.27°. Ex.55.H
Tentio oblonga pherea dicitur.in 6m.de mor.vulg.cõ.2°. 3ª.172.G
Tentio rotunda gongrona dicitur.in 6m.de mor.vulg.com.2°. 3ª.172.G
Tentio cauſat laſſitudinem.com.2°.apho.5°. Ex.11.G
Tentionis laſſitudo quæ.in 1m.prorrh.com.2°. 4ª.169.B
TENTVRA & repulſura aguntur cum loci mutatione. 3°. de ſymptomatum cauſis. 3ª.28.H
TENVANTIA medicamenta habent vim calefaciendi.de bonitate,& vitio ſucco. 2ª.34.F
TENVATORIA victus ratio quibus apta.1°.de ſan.tuen. 2ª.68.G
TENVIVS dupliciter dicitur.3°.de ali.fac. 2ª.30.E
Tenuiorum partium eſt aer.4°.de ſimp.med.fac. 5ª.24.F
Tenuiora à craſſioribus fuiſſe propagata ex quo ſumatur. de fœtuũ formatione. 1ª.324.E
Tenuius nutrimentum quid ſit ſimpliciter.3°.de alim.fac. 2ª.30.E
Tenuius omphacio eſt acetum.4°.de ſimp.medic.fac. 5ª.27.E
Tenuiora,& calidiora oĩa fiunt vetuſtate[neſcio an verum.]11°. de ſimplic.med.fac. 5ª.79.C
Tenuior eſt anſeris pinguedo quàm ſuum,& minimum terreſtris. 4°. de ſimplic.medic.fac. 5ª.25.E
Tenuiora ſunt promptiora ad patiendum.1°.de ſim.med.fac. 5ª.5.B
Tenuiora habent parum limi.1°.de ſimplicium medicam.facul. 5ª.5.B
Tenuius inter illa quæ ſunt eiuſdem generis minus eſt mordax.9°.de ſimpli.me.fa. 5ª.69.H
Tenuior pulſus à cholera rubra fit.de dyna. Sp.19.F
Tenuius videntur quæ longe ſunt.de comp.memb. Sp.58.D
TENVE aliquo pacto opponit mediocri.com.4°.apho.76°. Ex.36.E
Tenuium partium quæ ſint.1°.de ſimp.med.fa.2.G|4.A|4°. 5ª.24.G
Tenuia quæ ſunt,ac continua quæ facile accenduntur ab igne à noſtro calore æque vt ab igne facile alterantur.1°.de ſimplic.med.fac. 5ª.4.G
Tenue omne non eſt ignis nec è contrario.1°.de ſimp.med.fac. 5ª.6.C
Tenue omne & mordax non eſt calidum.1°.de ſim.med.fac. 5ª.6.D
Tenuis eſſentiæ multa frigida.1°.de ſimp.med.fac. 5ª.6.F
Tenuium partium exacte frigidum inueniri non poteſt.9°.methodi medendi. 7ª.64.H
Tenuium partium quod eſt,magis eſt actiuum, quàm quod eſt craſſarũ. 1°.de ſymp.cau. 3ª.17.A
Tenuium quæ ſunt partium rarefaciunt.6°.de ſimp.med.fac. 5ª.40.H
Tenuium partium frigidum plurimum,& parum calidum Acetum. 1°. com.me.ſe.lo. 5ª.128.H
Tenuium partium,& frigidum acetum habet aliquam caliditatem. 9°. meth.med. 7ª.64.H
Tenue acetum.1°.de ſimp.med.fac. 5ª.6.D
Tenuium partium acetum album.6°.de com.me.ſe.loc. 5ª.170.F
Tenuium partium,& refrigerans acetum,ideo penetrat.3°. de compoſitio.med.per ge. 3ª.228.D
Tenuiũ partiũ eſt Acida frigiditas.4°.de ſimp.me.fa. 5ª.25.B|H
Tenuiũ partiũ eſt Adeps qui. 3°.de cõp.med.per ge.232.H|7°.5ª.263.E
Tenuia quæ habent parum Adſtrictionis,humectant efficaciſſime.3°. de ſimp.med.fac. 5ª.21.G
in Tenuiũ partium ſubſtantia adſtringendi vis multum proficit. 6°. de compoſitione medicamentorum ſecundum locos. 5ª.167.H
Tenuium partium adſtringentia pro capillis.1°.de compoſi.medicamentorum ſec.loc. 5ª.126.G
Tenuis quomodo intelligatur eſſe aer.1°.de ſimp.med.fac. 5ª.6.C
Tenuis non calidus eſt aer borealis.1°.de ſimp.med.fac. 5ª.6.D
Tenuiũ partium ſunt quæ Alopeciam ſanant,vt in profundũ penetrent. 1°.de comp.med.ſec.loc. 5ª.122.D
Tenuium partium ſunt Amara omnia, & abſque morſu aperiunt meatus.3°.de compoſi.med.ſec.loc. 5ª.141.B
Tenuium partium ſunt Aromata.7°.de compoſi.med.ſec.loc. 5ª.186.F
Tenuium partium eſt balſamum, adeo vt odoratum ſit. 6°. de ſimplic. med.fac. 5ª.44.E
Tenuium partium Calefacientia.3°.de compoſi.me.per ge. 5ª.228.D
Tenuiũ partiũ calefacientia qualia ſint.8°.de com.me.ſe.lo. 5ª.196.A
Tenuia penitus,& calida digerunt,& diſcutiunt. 3°. de ſimplicium me. facultatibus. 5ª.21.G
Tenuium partium calida ſunt infeſtiſſima ſanguinis reiectationi: tamen ponuntur vbi pulmo aut thorax aut arteria affecta eſt. 7°. de comp. med.ſec.loc. 5ª.183.E
Tenuium partium calidis,quibus in locis indiget ſanguis.7°. de compoſ. med.ſec.loc. 5ª.183.E
Tenues,& boni nutrimenti Cibi,qui.de diſſ.cont. Sp.73.G
Tenuium partium cibi parum nutriunt.de mar. 3ª.48.D
Tenuium partium quodcunque parum alit.2°.de alim.fa. 2ª.21.E
quæ Tenuis ſucci ſunt parum nutriunt,& corpora reddunt gracilia,& imbecilla.de bon.& vitio ſuc. 2ª.36.E
Tenui & calida natura cõſiſtũt Epithymũ,et elleborus.de ca.Sp.94.A
Tenuium partium quæ ſunt,& excalfactoria dentes perforatos iuuant. 8°.de ſimp.med.fac. 5ª.58.D
Tenuium partium,& calidus Euphorbij liquor.2°.de compoſi.medicament.per ge. 5ª.228.E
Tenues cur debeant eſſe Faſciæ.de faſcijs. 7ª.293.G
Tenue vinculum ocularium,vel ſimplex oculus. de faſcijs. 7ª. 297. D| idem ab inferiori parte ſurſum ibidem.
Tenuium partium Herbæ,quæ.3°.de comp.med.per ge. 5ª.234.B
Tenuium partium Herbę valent ad neruos vulneratos.3°. de comp.medic.per ge. 5ª.234.B
Tenues Homines non ſunt pręter naturam.de tum.pręt.nat. 3ª.82.G
Tenues præter naturam prægnantes abortiunt priusq̃ craſſeſcant. comment.5°.apho.44°. Ex.41.F
Tenues multum ſunt albæ.in 1m.de mor.vul.com.3°. 3ª.126.H
Tenues ſunt pallidæ.in 1m.de mor.vulg.com.3°. 3ª.126.H
Tenues,& humidi ſunt duo canales in memoria.de ana.ocul. Sp.58.B
Tenues,& muſculoſa tota cutis frontis.de muſc.diſſ. 1ª.44.F
Tenues mediocriter venas habentibus,& atras ad euacuandum minus parcendum eſt.præſ.exper.conf. Sp.77.H
Tenuis tunica,vt aſperæ arterię non poteſt habere inflammationem quę ſtrangulet.com.4°.aph.34°. Ex.31.D

Tenue inteſtinum tertium eſt in ordine.5°.de vſu par. 1ª.142.E
Tenuia inteſtina purgantia quæ.de cathar. Sp.95.C
Tenue recluditur facile.3°.de ſymp.cau. 3ª.27.A
Tenue cur facile rumpatur.3°.de ſymp.cau. 3ª.27.A
Tenuia corpora non agglutinantur. 15°. de vſu partium. 1ª.211.G| commentario 6°.aph.19°. Ex.48.C
Tenuia Humida & tepida poſſunt penetrare.3°.de ſim.med.fac.5ª.21.G
inter Tenues,& craſſos Humores qui cibi generētur.de diſſol.Sp.73.G
Tenuis cum ſit ſanguis venæ in ceruo,& lepore non poteſt coagulari. de vtil.reſp. Sp.64.F
Tenuium humorum ebullitio qualis.2°.de diff.feb. 3ª.40.C
Tenues humores tubercula faciūt.in 6m.de mor.vul.com.2°. 3ª.164.F
Tenuis,ac acidus humor exulcerationē facit.cō.4°.aph.12°. Ex.28.E
Tenues quo modo cognoſcātur eſſe humores, & quo modo craſſi. in 3m. de mor.vulg.com.3°. 3ª.145.G
Tenues & aquoſi humores euacuandi ſunt in principio morbi, nulla facta coctione.quos purg.opor.quibus med. 5ª.88.F
Tenues & calidi humores ſunt paratiſſimi ad excretionem.in prognoſt. commentario 3°. 4ª.209.F
Tenuium materierum morbi finiunt per excretionem. in prognoſtica commen.2°. 4ª.201.C
Tenuia exeunt hepaticis.in 1m.prorrh.com.2°. 4ª.175.B
Tenuis humor cur difficulter expuatur.4°.de loc.aff. 4ª.27.G
Tenues humores cur non expurgentur per pulmonem. de victus ratione in mor.acu.com.3°. 7ª.126.B
Tenuis materia diſſoluitur cito.com.6°.aph.49°. Ex.52.E
Tenuium partium quæ ſunt abſque morſu Lapidem afferunt in renibus. 3°.de com.me.ſe.lo. 5ª.141.B
à Tenuium partium exiſtentibus & lapidem in renibus afferētibus, aures deobturantur.3°.de comp.med.ſec.loc. 5ª.141.B
Tenuium partium quæ ſunt lapides frangunt, & Lienes liquant. 6°. de ſimp.med.fa. 5ª.44.A
Tenuium partium ſunt Liquores calidi.8°.de ſimplic.med.fac.5ª.70.A
Tenue eſt Lixiuium.9°.de ſimp.me.fa. 5ª.69.G
Tenuis eſſentiæ Medicamēta non ſunt ſolum calida.5°. de ſimplicium medicamen.facul. 5ª.38.D
Tenuium partium debet eſſe medicamentum pro cutis morbis.1°.de compoſi.med.ſec.loc. 5ª.121.H
Tenuium partium calida,& parum adſtringentia Metalla.3°. de compoſitio.med.per ge. 5ª.228.E
Tenuiū partiū metalla citra calorē.3°.de comp.med.per ge. 5ª.228.E
Tenuium partium eſt Myrrha:propterea in altum penetrat.6°.de compoſi.med.ſec.loc. 5ª.173.D
Tenuiū partium eſt Nitrū Bereniciū.6°.de comp.med.ſec.loc. 5ª.167.E
Tenuium partium eſt Nucum ſuccus. 6°.de com.me.ſe.lo. 5ª.167.G
Tenuia ſicut,& calida Odorata.4°.de ſim.med.fac. 5ª.31.B
Tenuium partium,& vrinam cientia odorata ſemina.9°.de comp.med. ſec.loc. 5ª.200.H
Tenuium partium vetuſtas facit Oleum, & adipem. 4°. de cōpoſitione medicamentorum ſecundum locos. 5ª.211.A
Tenuium partium oleum ſabinum eſt.1°.de com.me.ſe.loc.122.A|2°.5ª.140.F|9°.meth.med.65.A|11°.73.G|14°. 7ª.88.B
Tenuium partium Opobalſamum eſt non multum calefaciens.3°.de compoſi.me.per ge. 5ª.228.E
vt Tenue oui album eſt ſecundus oculi humor.de comp.memb.Sp.58.C
Tenuium partium & calidi ſunt Panacis liquor,& tithymallorum. 3°. de com.me.per ge. 5ª.228.E
Tenuium partium eſt Paronychia,& exiccat ſine morſu.8°.de ſimplic. medic.fac. 5ª.57.H
Tenuis ſubſtantiæ calida,& ſicca in tertio ordine eſt paronychia. 8°. de ſimp.med.fac. 5ª.58.A
Tenuis & calida eſt Thaleris.8°.de ſimp.medic.facul. 5ª.63.C
Tenuium partium eſt phorbium.8°.de ſimp.med.fac. 5ª.63.D
Tenuis ſubſtantię eſt Piſtachium.8°.de ſim.me.fa. 5ª.57.F
Tenuiū partiū & deſiccans eſt Polemoniū.8°.de ſimp.med.fac.5ª.59.A
Tenue & aereū quod eſt in Rheo natura reluctat terreſtri frigido immo eo quod deducat,& in altum perducat valētioris effectus cauſa exiſtit.8°.de ſimplicium medicamentorum facultatibus. 3ª.59.E
Tenuiū partium,& calidū eſt Sagapenum.3°.de cōp.me.p ge. 5ª.228.E
Tenuium partium eſt Seuum galli,& anſeris, et altius penetrat.14°.methodi medendi. 7ª.93.E
Tenuium partium eſt ſplendidum.1°.de ſymp.cau. 3ª.17.A
Tenuis ſubſtātiæ cogit languide ab eo quod craſſum.1°.de ſym. 3ª.17.A
Tenuium partium ſubſtantia tranſpirationes facit. de victus ratione in mor.acu.com.3°. 7ª.130.B
Tenuem ſubſtantiā faciens præparatio.6°.de com.med.per ge. 5ª.256.F
Tenuium partium calidi ſucci qui.3°.de com.me.per ge. 5ª.228.E
Tenuis,& calidus eſt ſuccus cyrenaicus.8°.de ſimp.med.fac. 5ª.57.D
Tenuis Victus ratio tripliciter intelligiť.de ven.ſect.ad.Eraſ. 6ª.8.G
Tenue Vinū mūdificat venas ab humore craſſo.de diſſ.cont. Sp.74.G
Tenue vinum confert habenti humorē craſſum & frigidum in corpore. de diſſ.cont. Sp.74.G
Tenuis vrina quę intelligatur.com.7°.apho.32°. Ex.56.D
Tenuis integre vrina eſt aquoſa. de vrin.ſign.ex Hip. Sp.79.A
Tenuis vrina in quibus affectibus mingatur.quæſi.in Hippoc. Sp.113.C
Tenuis vrina,& fortis turbulenta quid ſignēt.quæſ.in Hipp. Sp.113.B
Tenuis vrina ita permanens vnde fiat.quæſ.in Hip. Sp.113.B
Tenuis vrina permanens tenuis,quid ſignificet.quæſ.in Hip. Sp.113.B
Tenues & albæ hypoſtaſes admodum malę.de vrin.ſign. Sp.78.G
Tenuis vrina & alba ob quid mingatur.quæſ.in Hip. Sp.113.C
Tenuis admodum vrina cruditatē pnitioſam ſignificat.quæſi. Sp.113.B
Tenuis,& rutila vrina ægritudinem ſignificat crudam, ac diuturnam, & ſine periculo eſſe non poteſt.de vrin.ſign.ex Hipp. Sp.78.G
Tenuis vrina & pallida quid ſignificet.quæſ.in Hip. Sp.113.A
Tenue & fuluum in vrina quid ſignificet.quæſ.in Hip. Sp.113.B
Tenuia ſedimina ſupra & bilioſa,longum morbum ſignificant. com. 7°. aphoriſmo 32°. Ex.56.D
Tenues vrinę à quibus mingātur & crudæ diuturnę,ſi alia ſigna tanquā euaſuris affuerint,hos abſceſſum ad ſepti tranſuerſi regionem expectare oportet.de vrinæ ſign.ex Hipp. Sp.78.G
Tenuis vrinæ copia aduenies illis,quibus non febricitantibus ſunt vrinæ craſſæ,grumoſæ,paucæ,prodeſt.de vrin.ſign.ex Hip. Sp.78.G
Tenuis aut raro aut nunquam eſt atra vrina.quæſi.in Hip. Sp.113.E
Tenuis,& nigra vrina deterior eſt.de vrin.ſign.ex Hip. Sp.79.A
Tenuis vrina nigra cum nebulis phrenitim ſignificat.de dyna. Sp.34.B
Tenuis vrina nigra cum aurium obtuſione ſanguinis fluxū imminere oſtēdit.de dynam. Sp.34.B
Tenuis vrina cum nebulis non bonis phrenitim,ſiue mortem,aut ſpaſmū ſignificat.de dyna. Sp.34.C
Tenuis vrina nigra,& æſtuoſa in ſynocha,ſi æſtuatio fuerit cū faſtidio, & ſi turbatum ſenſum patiens habuerit,& non recte intelligat,et loquatur aut malefactio non defuerit,mortem oſtendit.de dy. Sp.34.E
Tenuis vrina ſi dolor capitis,& ſcapularū affuerit & inſomnia, phrenitim,paracopē,dementiam ſiue cardiacam ſignificat.de dyn.Sp.34.E
Tenuis vrina in ſynocha,ſi dolor capitis ſcapularum & inſomnia fuerit mulieribus mortem ſignificat.de dyn. Sp.34.E
Tenuis vrina in ſynocha,ſi aſpera critico die facta fuerit, ſtatim ſudorē venturum demonſtrat.de dyna. Sp.34.E
Tenuis vrina in ſynocha, ſi poſt criſim ſe mutauerit,eius febris fiet repetitio.de dyna. Sp.34.E
Tenuis vrina,ſi poſt criſim venerit,& longo tēpore preſeruauerit, repetitio cuiuslibet egritudinis fiet.de dy. Sp.34.G
Tenuis vrina ſi in malū colorē ſe poſt criſim mutauerit,& ij qui patiuntur prima ætate fuerint,cōtractionē corporis ſignat.de dy. Sp.34.G
Tenuis vrina veluti limum liuidum habens in pleuriticis, indigeſtionem aut mortem nunciat.de dyna. Sp.34.H
Tenuis vrina,pulſatus capitis,febriū vertigines quibus à principio ſunt eis expectanda eſt ad criſes febris acumine augeri.de vrin.Sp.78.H
Tenues ſi à principio fuerint vrinæ medm ne pbeto.de vrinæ. Sp.79.A
TENVISSIMVS, & leuiſſimus in corpore humano eſt ſpiritus.3°.de natu.facul. 1ª.307.F
Tenuiſſimæ ſubſtātiæ calidę ſuccus cyrenaicus.3°.de cōp.me. 5ª.228.E
Tenuiſſimarum partium eſt lixiuium.14°.meth.med. 7ª.88.F
TENVITAS vnde proueniat.3°.de ſymp.cau. 3ª.27.A
Tenuitas ex tabe,et tumor aquę intercutis præter naturā ſunt. de tum. præter naturam. 3ª.82.G
Tenuitas quid ſignificet in vrinis.de vrinis. 4ª.124.G
quibus Tenuitates in vrinis ſupernæ,& hypoſtaſes bilioſæ, celerē ægritudinem ſignificant.de vrin.ſign.ex Hip. Sp.78.H
TENVARE dicitur de humoribus.in 6m.de mor.vulg.cō.1°. 3ª.156.B
Tenuat vētrē,et expellit ĩflationē Acetū miſtū cū melle.de diſ.Sp.74.G
Tenuat,& detergit Amarum.11°.meth.med. 7ª.73.H
Tenuant Amigdalæ proprie amaræ.de diſſ.cont. Sp.74.G
Tenuat mel ſputum craſſum.de diſſ.cont. Sp.74.G

Tenuat mel,

Tenuat mel, & mundificat, & quod mel hoc agat. de diff. cont. Sp.74.G
Tenuat, & incidit humiditatẽ craſſam Secaniabin. de diff. cõt. Sp.74.G
TENVS *inſula eſt in mari ægeo, quę vnam ſolam habet ciuitatem ex nomine inſulę. 9°. de ſim. me. fac.* 5ª.65.C
TEPEFACIT *med^{m}. in vaſe duplo. 6°. de cõp. med. ſe. lo.* 5ª.168.F
TEPIDVM *& temperatum media inter calidum, & frigidum. 1°. metho. med.* 7ª.7.C
Tepidum valde quid ſit. de vict. rat. in mor. acu. com. 3°. 7ª.129.H
Tepidis exiſtentibus febribus, ſi ſudores frigidi adſint contingit ſaluari hominem concocta in proceſſu temporis multitudine humorum frigidorum atque euicta à natura. com. 4°. aph. 37°. Ex.32.C
Tepida humida, & tenuia poſſunt penetrare. 3°. de ſimplicium medicament. facul. 5ª.21.G
Tepida lapidẽ cõminuũt, & quæ ſint. de ren. affe. dign. et med. 7ª.194.C
Tepida attractione ventrem purgat chamælea. de ſim. med. Sp.85.F
Tepidum oleum particulæ ne refrigeſcat infundemus, vbi omnes hirudines ineſerint. de cucur. ſcar. 6ª.4.C
Tepidum neruis non vtile. 3°. de com. me. per ge. 5ª.229.E
TEREBELLI *inſtrumenta chirurgica. de ijs, quæ in medicat. fiunt, commentaurio 1°.* 7ª.200.H
Terebella cur ſunt ſuſpecta in fracturis capitis, et quando illis vtendum. 6°. meth. med. 7ª.42.B
Terebellis contuſum debet remoueri. 6°. meth. med. 7ª.42.B
Terebellæ quæ mergi non poſſunt. 6°. meth. med. 7ª.42.C
TEREBINTHINA *liquida quandoq; larix dicitur. 4°. de comp. med. per ge.* 5ª.244.G
Terebinthina reſina qualis. 1°. de antid. 5ª.107.A/8°. de compoſitione medicam. ſec. loc. 194.G/5°. de cõp. me. p ge. 246.C/247.C/6°. 5ª.258.B
Terebinthina optima quæ. de ſimp. med. Sp.89.D
Terebinthinam optimam eſſe reſinarum quomodo intelligi debet. 3°. de comp. me. per gene. 5ª.230.D
Terebinthina qualis. 2°. de ſimp. med. fac. 5ª.15.A
Terebinthina recens liquidior eſt veteri. 3°. de com. med. per ge. 5ª.233.C
Terebinthina pellucida. 7°. de compoſi. med. ſec. loc. 179.A/2°. de comp. medicamentorum per genera. 221.G/7°. 5ª.273.E
Terebinthina eſt odorata. 3°. de comp. me. per ge. 5ª.235.E
Terebinthina melior colophonia, & phrycte. 1°. de compoſi. medicamẽt. per genera. 5ª.215.D
Terebinthina fricta quę. 3°. de comp. med. per ge. 5ª.233.C
Terebinthina reſinæ mitiſſima eſt. 1°. de cõp. me. p ge. 213.H/2°. 5ª.219.E
Terebinthina magis digerit quã maſtice. 8°. de ſimp. med. fac. 5ª.59.F
Terebinthina reſina quibus, & quomodo, & propter quid danda. 5°. de ſanitate tuenda. 2ª.92.F
Terebinthina valet omnibus viſceribus. 5°. de ſan. tuen. 2ª.92.F
Terebinthina admiſcenda eſt omnibus medicamentis, quæ vlcera curant. 2°. de compoſitio. med. per ge. 5ª.219.F
Terebinthina reſina valet ad vlcera maligna. 1°. de compoſitione medicamentorum per genera. 5ª.217.D
Terebinthina ad vlcera maligna minus idonea laricina. 4°. de compoſi. med. per genera. 5ª.241.H
Terebinthina pſoras ſanat. 8°. de ſimp. med. fac. 5ª.59.F
Terebinthina trahit à profundo ſine morſu. 5°. meth. med. 7ª.37.E
Terebinthina elota pro neruis detectis. 5°. meth. med. 7ª.38.C
Terebinthinæ fuligo qualis. 7°. de ſimp. med. fac. 5ª.54.F
Terebinthina quibuſdam pharmacorum compoſitionibus materiæ locũ obtinet, non ſecus ac cera. 6°. de comp. med. per ge. 5ª.258.B
Terebinthina viribus eſt præſtantior cera: etenim magis mollit quã illa, item calfacit, & digerit, ex quibus cera ne alterum quidem facit. 6°. de comp. med. per ge. 5ª.258.B
Terebinthina ingreditur Theriacam. de ther. ad Piſ. 5ª.92.F
Terebinthina aloes inſuauitatem remittit. de dyna. Sp.20.H
Terebinthina ſtyraci additur. de dyna. Sp.21.H
ex Terebinthina, pice, reſina, adipe leonino, atq; taurino, medicamento quas paſſiones ſanauerit Galenus. 2°. de arte cur. ad Glau. 7ª.104.H
Terebinthina facit ne rigidum ſit pharmacum. 1°. de compoſi. medicam. per genera. 5ª.215.E
Terebinthina fricta ingreditur compoſitionẽ dictam Iſchæmos Aphrodæ. 3°. de comp. med. ſec. loc. 5ª.149.B
Terebinthinarum loco quid vendatur ignaris. 3°. de compoſitio. medic. per genera. 5ª.232.G
Terebinthina ponitur pro reſina pini. 4°. de ſan. tuen. 2ª.86.H
Terebinthina pro laricina. 4°. de comp. med. per ge. 5ª.236.G
Terebinthinæ ſimilis eſt larinx reſina. 2°. de com. med. per ge. 5ª.219.A
pro Terebinthina larix reſina. 1°. de comp. med. per gene. 5ª.215.D
Terebinthinę loco quando laricina ſit vſui in chironijs medicamẽtis. 4°. de comp. med. per ge. 5ª.244.G
pro Terebinthina reſina pinea humida, vel abietina. 5°. me. me. 7ª.37.G
Terebinthina vera deficiente vtitur reſina fricta & colophonia. 8°. de comp. med. ſec. loc. 5ª.193.D
TEREBINTHVS *terminthos dicitur. 8°. de ſimp. med. fac.* 5ª.62.A
Terebinthi germina omniũ ſunt præſtantiſſima. 2°. de alim. fa. 2ª.24.C
Terebinthi teneri ſurculi quomodo manduntur. 2°. de alim. fac. 2ª.21.F
Terebinthi germina in aceto vel in muria cõduntur. 2°. de ali. 2ª.24.C
Terebinthi turiones ſeruantur in aceto, vel muria pro appetentia prouocanda. 2°. de alim. fac. 2ª.22.C
Terebinthi germina, muria vel oxyalme condita, humorem faciunt melancholicum. 3°. de loc. aff. 4ª.18.F
Terebinthi fructus exiguum habet alimentum. 2°. de ali. fac. 2ª.22.B
Terebinthi fructus eſt praui ſucci. 2°. de alim. fac. 2ª.22.B
Terebinthi fructus torrefacti ad qd vtiles. 5°. de com. me. ſe. l. 5ª.164.A
Terebinthi ſemen magis ſiccat quàm cucurbita, cucumeres maturi, pruna, & mora. 5°. de ſan. tuen. 2ª.92.C
TEREBINTHVS *nomen puſtularum vnde dicta. in 6^{m}. de morbis vulgar. com. 3°.* 3ª.178.E
TEREBRO *perforanti ſimiles ſunt aliqui dolores. 2°. de locis affectis. 9.E/* 4ª.11.F
TEREDO *quid & vnde ſic nominata. fin. med.* Iſa.49.A
Teredo in oſſe quid appelletur. de conſt. ar. Iſa.37.D
ad Teredines. 5°. de comp. med. per ge. 251.B/6°. 5ª.261.A
TERENTIVM *collyrium. 4°. de comp. med. ſec. loc.* 5ª.154.F
Terentij paſtillus. 5°. de comp. med. per ge. 5ª.251.D
TERES *non eſt omnis tendo neq; copula. 1°. de decr. Hip.* 1ª.233.F
Teres eſt neruus omnis. 1°. de decr. Hipp. 1ª.233.F
TEREVM *fama eſt cum philomelæ vocem adimere vellet, vocis inſtrumentum, linguam inquam abſcidiſſe. de voc. inſtr. diff.* 1ª.106.E
TERGVS *quid ſignificet. de artic. com. 2°.* 7ª.265.D
Tergus denſum habere non eſt magno vſui homini ratione prędito. 1°. de ſan. tuen. 2ª.66.F
Tergus denſum habere vtiliſſimum Aſino. 1°. de ſan. tuen. 2ª.66.G
Tergus denſum quid boni, & quid mali agat. 1°. de ſan. tuen. 2ª.66.F
à Tergo quando fiant conuulſiones, & diſtentiones, & in qua parte, & quando. com. 5°. apho. 65°. Ex.44.H
TERMINVS *gñalior initio. de ijs, quæ in med. fi. com. 1°.* 7ª.207.H
Termini vocis qui ſint. de voce & anhelitu. Sp.61.H
TERNARII *circuitus. de mor. temp.* 3ª.85.G
TERRA *nomen ab eſſentia. 1°. de ſan. tuen.* 2ª.62.E
Terrę nomine duo dicuntur. 9°. de ſimp. med. fac. 5ª.64.F
Terræ differentiæ. 9°. de ſimp. med. fac. 5ª.64.G
Terra quę ſit ſecundũ communem ſententiã. 9°. de ſim. me. fa. 5ª.64.G
Terræ differentiæ communes. 9°. de ſimp. med. fac. 5ª.64.H
Terra ſecundum Agricolas quæ ſit. 9°. de ſimp. med. fac. 5ª.64.G
Terra plantis eſt perinde ac mater animalibus. 2°. de ſem. 1ª.338.E
Terræ ſucco plantæ nutriuntur. 2°. de ſem. 1ª.338.E
Terra facile tranſit in triticũ & hordeum. 4°. de ſimp. med. fac. 5ª.28.D
Terris ſiccis ac nudis quorundam conſtitutio ſimilis exiſtit. de aere, aqs, & locis. 2ª.4.G
Terra vt ſtirpibus, ita venter animalibus tanq̃ penu. 1°. de ſym. 3ª.17.H
Terra q̃ colitur q̃uo valeat ad medicationes. 9°. de ſimp. med. fa. 5ª.65.F
Terra ſecundum philoſophos quæ. 9°. de ſimp. med. fac. 5ª.64.G
Terra ſm philoſophos habet tres differẽtias. 9°. de ſim. me. fa. 5ª.64.G
Terra apud latinos quæ. 9°. de ſimp. med. fac. 5ª.64.H
Terræ natura quę eſt elementum. 1°. de elem. 5ª.5.D
Terra, & aqua ſunt materialia. in tim. Plat. 1ª.287.B
Terram elementum eſſe dicentes cui innituntur. 1°. de ele. 1ª.4.E
ex Terra quo modo fiant alia elementa. 1°. de elem. 1ª.4.E
Terram ſolam eſſe elementum nullus antiquus poſuit. de natura humana, commen. 1°. 1ª.27.E
Terram ſolam elementum ponentes accuſandi ſunt. de natura humana, commentario 1°. 1ª.27.C
Terra ſyncera non poteſt oſtendi in mundo. 1°. de elem. 1ª.5.D
Terra ſyncera non poteſt oſtendi in animali. 1°. de elem. 1ª.5.D
Terra nuſquã in corpore ſola congregata videtur. 8°. de decr. 1ª.275.F
Terræ differentia ex miſtione aliorũ corporũ. 9°. de ſimp. me. f. 5ª.65.A
ex Terra & igne vniuerſi corpus cõſtat vt inqt Plato, 7°. de de. 1ª.271.H

Terra ob pondus non miſcetur aliјs elementis.de ſper. Sp.40.F
Terra quæ eſt in animali quomodo cognoſcatur.1°.de elem. 1ª.5.E
Terra eſt corpus extreme frigidum,& ſiccũ.9°.de ſimp.me.fa.5ª.64.G
Terra non eſt prorſus frigida,& ſicca.de nat.hum.com.1°. 1ª.32.H
in Terra frigida facies Hippoc.non eſt exitioſa.in pg.com.3°. 4ª.191.E
Terræ ſubſtantia,humiditas eſt.de ſper. Sp.41.B
Terre differentia eſt ſiccitas.de ſper. Sp.41.B
Terra ſimpliciter ſicca eſt,& non cõparata ad aliud.1°.de temp.1ª.12.F
Terra eſt pars vniuerſi ignobilior.17°.de vſu par. 1ª.222.B
Terram eſſe mediam mundi partem probatur ab Euclide.8°. de decretis Hippocratis. 1ª.273.E
Terra omnium mater,omnium nutrix, origo, & elementum eſt à cælo genita.de nat.hum.com.1°. 1ª.31.A
Terra ex quibus orta.de hiſt.phil. Sp.4.E
Terra immutabilis.de hiſt.phil. Sp.5.C
Terra an vna an plures.de hiſt.phil. Sp.8.C
Terræ figura quæ.de hiſt.phil. Sp.8.C
Terræ partes cubicæ ſunt ſecũdũ Platonẽ,& qũo.8°.de decr. 1ª.274.G
Terræ ſitus.de hiſt.phil. Sp.8.C
Terram,& aquam contineri,ignem,& aerem continere dicunt. de multitudine. 3ª.77.D
inter Terram,& ignẽ cur aqua & aer media.8°.de vſu par. 1ª.169.A
Terram extra duos circulos habitabilẽ primus Parmenides dixit.de hiſtoria phil. Sp.8.C
Terræ inclinatio.de hiſt.philo. Sp.8.D
Terræ ſtabilitas.de hiſt.phil. Sp.8.D
Terræ diuiſio.de hiſt.phil. Sp.8.D
Terræ metiendæ ars eſt illuſtris.ad Thra. 2ª.105.E
Terræ concuſſio.de hiſt.phil. Sp.8.E
Terræ motus cauſæ.de hiſt.phil. Sp.8.E
Terrarum differentiæ.de aere,aq.& loc. 2ª.2.C
Terræ ſunt diuerſæ ſecundum quatuor mundi partes.de ſper. Sp.39.F
Terrarũ diuerſitates,et qđ ex ipſis hoĩes ſunt diuerſi.de ſper. Sp.40.D
Terram conſiderare debet medicus.de ſper. Sp.39.F
Terrȩ paſſiones,in qua homines ſunt geniti, conſiderare debet medicus. de ſpermate. Sp.39.F
ex Terræ natura,& planetarum mutatione in rebus in diuerſis regionibus.de ſperm. Sp.40.C
Terra frigida & ſicca in quarto gradu eſt ſub potentia Saturni. de ſpermate. Sp.40.C
Terra calida in ſecundo gradu,humida in primo eſt ſub Martis ditione. de ſpermate. Sp.40.C
Terra calida et ſicca ĩ quarto gradu,ẽ ſub ditiõe Solis.de ſper. Sp.40.C
Terra calida et humida in primo gradu,ẽ ſub Mercurio.de ſpe.Sp.40.C
Terra humida in primo gradu,frigida in ſecundo, habens aliquantulum temperamenti calidi,ſubiacet Veneri.de ſper. Sp.40.C
Terra Lunæ ſuppoſita quæ.de ſper. Sp.39.E
Terra faciens homines bellicoſos,quæ.de ſper. Sp.40.D
Terra generat naturam corporis.de ſper. Sp.40.E
in Terram vertuntur corpora noſtra.de ſper. Sp.40.H
in Terram redire humores mortuo homine inquit.de ſper. Sp.40.E
in Terram cur omnia redigantur.de ſper. Sp.40.F
Terræ & mari communia animalia reſpirant vaporem per branchias. de ana.viuo. Sp.48.C
ſm Terræ naturam per quàm tranſeunt aquæ,diuerſificantur.de bonitate aquæ. Sp.75.E
Terra craſſiorum eſt partium,aer tenuiorũ,medium eorum tenet aqua. 4°.de ſimp.med.fac. 5ª.24.G
Terra quo modo denſa.1°.de ſan.tuen. 2ª.72.F
ſine Terra nihil ſolidum.7°.de decr.Hip. 1ª.271.H
Terrȩ plurimum habent durum.9°.de ſim.me.fac. 5ª.64.G
Terra oleo probe non irrigatur.2°.de ſimp.med.fac. 5ª.14.G
Terra vino,aqua & aceto madeſcit.2°.de ſimp.med.fac. 5ª.14.G
Terra aquæ permiſta lutum efficit.1°.de elem. 1ª.5.E
Terra vt fiat caro impoſſibile eſt.4°.de ſimp.med.fac. 5ª.28.D
Terra guſtui inſipida.4°.de ſimp.med.fac. 5ª.28.F
Terra quot ſapores contineat.de nat.hum.com.1°. 1ª.31.G
ex Terra miſta vinũ & liquores,hñt ſapores varios.de vtil. Sp.64.G
Terra Accenſa fit pruna.4°.de ſim med.fac. 5ª.24.F
Terra eſt carbo.1°.de ſimp.me.fac. 5ª.4.G
Terra incenſa eſt ſal.de vtil.reſp. Sp.64.F
Terræ proprium eſt vt non fundatur.9°.de ſim.med.fac. 5ª.66.C
Terræ Aegyptiȩ luto quomodo curẽtur aqua inter cutem laborantes,et lienoſi.9°.de ſim.me.fac. 5ª.65.F
Terra Ampelitis,quæ & vnde dicta.9°.de ſimp.med.fa. 5ª.66.E
Terra Ampelitis quid.de ſimp.med. Sp.85.A
Terra ampelitis qualis.5°.de com.me.per ge. 5ª.246.C
Terra ampelitis nigra.2°.de antid. 5ª.119.G
Terra ampelitis nigrum medicamentũ.2°.de com.me.per ge. 5ª.220.F
Terra ampelitis capillos inficit & in calliblephara mittitur.de ſimplic. medicaminibus. Sp.85.A
Terra ampelitis exiccat vlcera.4°.de compoſi.me.per ge. 5ª.236.G
Terra Arenoſa non gignit.11°.de vſu par. 1ª.190.B
Terra Arenoſa inutilis eſt ad multa.9°.de ſimp.med.fac. 5ª.64.G
Terra Argilloſa inutilis ad multa.9°.de ſimp.med.fac. 5ª.64.G
Terra Argyritis quæ.9°.de ſimp.med.fac.5ª.66.C|de ſimp. Sp.85.C
Terra Armenia,ſiue bolus armenus,ſiue lapis armenus vocetur, nihil refert.9°.de ſimplicium medicamentorum facultatibus. 5ª.66.G
Terra armenia ad dyſenterias,& ventris profluuia, tũ ſanguinis expuitiones,& catarrhos,ad hæc ad putreſcẽtia oris vlcera in primis cõpetit,quin & eos magnifice iuuat quibus ex capite in thoracẽ fluxio decũbit,& eos etiam qui phthoe laborant.9°.de ſimp.med.fa.5ª.66.G
Terra armenia contra peſtem mira.9°.de ſimp.me.fa. 5ª.66.G
Terra Aſter dicta.4°.de comp.med.ſec.loc. 5ª.154.H
Terra Atra pinguis,& viſcoſa eſt.9°.de ſimp.med.fa. 5ª.64.H
Terra chia qualis.9°.de ſimp.med.fac. 5ª.66.A
Terra chia ſtringit efficaciter, cutem purgat & extenuat, & ſplendidã facit.de ſimp.med. Sp.85.A
Terra Chryſites quæ.9°.de ſimp.medica.fac. 5ª.66.C
Terra Cimolia quid.de ſimp.med. Sp.85.B
Terra cimolia duplex.9°.de ſimp.me.fa. 5ª.66.G
Terra cimolia qualis.9°.de ſimplicium medi.fac. 5ª.66.B
Terra cimolia ſicca eſt citra morſum.9°.de ſim.me.fac. 5ª.66.F
Terra cimolia debet ſæpe lauari.9°.de ſimp.me.fa. 5ª.66.F
Terra cimolia acoribus conuenit.1°.de com.me.ſe.lo. 5ª.128.H
Terra cimolia ad ignem ſacrum & combuſta illinitur:puſtulas enim fieri.prohibet.de ſimp.med. Sp.85.B
Terra cimolia appetitur à grauidis.1°.de ſymp.cau. 3ª.18.C
Terræ cimoliæ fit mentio.1°.de comp.med.ſec.loc. 5ª.126.A
Terra cretica qualis.9°.de ſimp.med.fa. 5ª.66.F
Terra cretica acoribus conuenit.1°.de comp.med.ſec.loc. 5ª.128.B
Terra cretenſis emplaſticum eſt elotum.4°.de ſimp.med.fac. 5ª.25.D
Terra Dulcis dicitur vbi aqua melior eſt.de bon.aquæ. Sp.75.E
Terra dulcis & pinguis aquam bonam facit.de bon.aquȩ. Sp.76.A
Terra Erethria quid.de ſimp.med. Sp.85.A
Terra erethria valde ſtringentes vires habet.de ſimp.med. Sp.85.A
Terra erethriẽſis qualis,& ꝙ debet ſæpe lauari.9°.de ſim.m.f.5ª.66.F
Terra erethria exiccat vlcera.4°.de comp.med.per ge. 3ª.236.G
Terra erethria generalis ad vlcera.6°.de compoſi.med.per ge.5ª.255.C
Terra erethria odoratas reddit cõpoſitiones.1°.de cõp.me.ſ.lo. 5ª.128.C
Terra erethria vtitur.5°.de comp.med.ſec.loc. 5ª.161.E
Terra Figularis frigida,& ſicca eſt.2°.de nat.fac. 1ª.301.H
Terræ Francigenæ meminit.de dyn. Sp.30.H
Terra Friabilis nihil habet pinguedinis,talis eſt argilla quæ, & candida eſt.9°.de ſimp.med.fac. 5ª.64.H
Terra Fullonum emplaſticum eſt elotum.4°.de ſim.me.fa. 5ª.26.D
in Terra Humida,& lacuſtri non admodum naſci poſſunt herbæ.2°.de temperamentis. 1ª.18.H
in Terra humida herbæ creſcunt altiſſimæ.11°.de vſu par. 1ª.190.A
Terram humidam exigunt triticum,hordeum,& cerealia.9°.de ſimp. medic.facul. 5ª.64.F
Terra Lẽnia qũo pararetur,& paretur.9°.de ſimp.med.fac. 5ª.65.A
Terra lemnia quomodo habebat ſigillũ dianæ.9°.de ſim.me.fa.5ª.65.A
Terra lemnia qualis,& vnde.9°.de ſim.m.f.66.A|1°.de ant. 5ª.107.B
Terræ lemniæ tres differentiȩ.9°.de ſimplic.medic.fac. 5ª.65.B
à Terra lẽnia qũo differat rubrica lẽnia.9°.de ſimp.me.fa. 5ª.65.A
Terra lemnia ſemel ſolum debet lauari.9°.de ſimplic.med.fac. 5ª.65.G
Terræ lemniȩ vſus qualis.9°.de ſimplicium medicamen.facul. 5ª.65.D
Terra lemnia achoribus conuenit.1°.de com.me.ſe.lo. 5ª.128.H
Terra lẽnia ad ſanguinis expuitiones valet.9°.de ſim.med.fac.5ª.65.H
Terra lemnia quando ſanguinem multum ſiſtat.5°.meth.med. 7ª.32.E
Terra lemnia ſanguinis ex vtero profluuia, & fluxũ muliebrem iuuat, exulcerationibus dyſentericisq́ prodeſt.9°.de ſimp.med.fa.5ª.65.H
Terræ lemniæ in vlceribus prauis vſus.9°.de ſimp.med.fac. 5ª.65.E

Terræ lemniȩ

Terrę lemniæ paſtillorum vſus ad vlcera contumacia valet. 9°. de ſimp. med. fac. 5ª.65.F
ex Terra lemnia medicamentum ad venena valet. 9°. de ſimplicium medicament. facul. 5ª.65.E
Terra lemnia rabientis canis morſum ſanare dicitur, in vino diluto epota, & vlceri ex aceto impenſę acri impoſita, & aliarum ferarũ ictus ſanare. 9°. de ſimp. med. fac. 5ª.65.E
Terra lemnia quos offendat. 9°. de ſimp. med. fac. 5ª.65.H
ab omni Terra Leui, & aceto vel oxicrato iuuantur ambuſta, & prohibentur bullæ. 9°. de ſimp. me. fa. 5ª.66.B
Terræ Lotio quomodo fieri debeat. 9°. de ſim. me. fac. 5ª.65.G
Terra Medicamentoſa quæ ſit. 9°. de ſimp. med. fa. 5ª.65.F
Terræ medicamentoſę probandi ratio. 9°. de ſimp. med. 5ª.66.A
Terra Melina quid, & eius vires. de ſimp. med. Sp.85.A
in Terra Molli naſcitur corallus arbor duriſſima. de ana. vi. Sp.46.A
Terra nigra pro ſmegmate. 3°. de comp. med. ſec. loc. 5ª.146.B
Terra nigra. 3°. de compoſitione medicamentorum ſec. lo. 5ª.146.B
Terræ genus Ochra. in progn. com. 2°. 4ª.201.G
Terra Paluſtris, harenoſa, argilloſa, calida valde, cur nõ faciunt herbas. com. 5°. apho. 62°. Ex.43.G
ex Terra Pelagia emplaſtrum. 6°. de comp. me. per ge. 5ª.261.C
Terra petroſa non gignit. 11°. de vſu par. 1ª.190.B
in Terra petroſa herbæ, & plantæ paruæ & durę naſcuntur. 11°. de vſu partium. 7ª.190.A
Terram Pinguem, & mollem, & madidam habitantes, quales. quòd animi mores. 1ª.320.B
Terra Plana deterior eſt ad effluxiones aquarum. de bo. aquæ. Sp.75.F
Terra Pnigites qualis. 9°. de ſimplic. med. fac. 5ª.66.G
Terra Samia quid. de ſimp. med. Sp.84.H
Terra ſamia mediocriter refrigerat. 9°. de ſim. me. fa. 5ª.65.H
Terra ſamia ſtringit inſtantius, cœliacis, dyſentericis, & ad omne profluuiũ fortiter prodeſt. de ſimp. med. Sp.84.H
Terra ſamia ad phlegmonas calidas, & bubones vtilis eſt. 9°. de ſimp. med. fac. 5ª.65.H
Terra ſamia vtilis eſt ad podagricas influxiões. 9°. de ſim. m. f. 5ª.66.A
Terra ſamia, & non lemnia quibus conueniat. 9°. de ſimplicium medicamentorum facul. 5ª.65.H
Terræ ſamiæ, & lemniæ cur roſatũ miſcetur. 9°. de ſimp. me. fa. 5ª.65.H
Terra ſamia internis vlceribus opitulatur. 4°. meth. med. 7ª.28.H
ex Terra ſamia cygnus. 4°. de comp. med. ſec. loc. 5ª.154.G
Terra ſamia non debet lauari. 9°. de ſimp. med. fac. 5ª.65.G
Terra Sarda dicta qua tinctores vtũtur. 4°. de cõp. me. per ge. 5ª.242.H
Terra Selinuſia quid. de ſimp. med. Sp.85.A
Terra ſelinuſia qualis. 9°. de ſimp. med. fac. 5ª.66.A
Terra ſelinuſia frigida eſt, quamuis alba. 1°. de ſim. me. fac. 5ª.2.E
Terra ſelinuſia, et chia pulcherrima ſunt ad ambuſta vlcerum remedia. 9°. de ſimp. med. fac. 5ª.66.A
Terræ ſelinuſiæ meminit. 1°. de comp. med. ſec. loc. 5ª.127.A
Terra Sicca non producit herbas. 2°. de temp. 1ª.18.H
Terram Sigillatam è lemno accepit. 1°. de antid. 5ª.100.C
Terra ſigillata adulterata difficillime cognoſcitur. 1°. de antid. 5ª.100.C
Terra ſimplex exiccat. 9°. de ſimp. med. fac. 5ª.65.F
Terra q̃libet habet vim deſiccandi ſine morſu. 9°. de ſim. me. fa. 5ª.65.G
Terra ſimplex exiccat ſine morſu. 9°. de ſimp. med. fac. 5ª.66.C
Terra exiccat, ſed non ſicut ignis. 1°. de ſan. tuen. 2ª.62.E
Terra ſanantur dolores fixi diutini. 9°. de ſimp. med. fac. 5ª.65.G
Terra Scriptoria. de rem. par. fac. 7ª.166.A
Terra Sideritis quæ. 9°. de ſimp. med. 5ª.66.C
Terra Viſcoſa quæ. 9°. de ſimp. med. fac. 5ª.64.H
Terra Vſta qualis. 9°. de ſimp. med. fac. 5ª.66.F
Terra vſta vlceribus accommoda eſt, & ad ea quæ carnem ſibi reſtitui ægre patiuntur, & ad ea quę ad cicatricẽ difficulter proueniunt magis congruit. 9°. de ſimp. med. fac. 5ª.66.G
TERRAE inteſtina ſiue lumbrici. 11°. de ſimp. med. fac. 5ª.82.D
Terræ inteſtinũ appellatum animalculum coctum, & excolatum auribus inſtillat. 3°. de comp. med. ſec. loc. 5ª.145.A
Terram abradit & fermentat atra bilis. com. 4°. aph. 23°. Ex.29.H
TERRENVS magis ſapor eſt acerbus. 4°. de ſimp. me. fa. 5ª.25.G
Terrenum & frigidum eſſe probatur acerbum. 4°. de ſimplicium med. facultatibus. 5ª.25.G
Terrena magis, & calidiora ſuibus animalia quæ. 4°. de ſimplic. medic. facultatibus. 5ª..25.E
Terrena ſunt ligna, fructuum partes, & animalium partes. 9°. de ſim. p medic. facul. 5ª.64.H
Terrena & frigida eſt mirtus, & multnm deſiccat. 7°. de ſimplic. medic. facultatibus. 5ª.56.E
Terrenum magis oleo albumen. 4°. de ſimp. med. fac. 5ª.25.E
Terrenum corpus, & frigidum tripliciter ſoluit. 4°. de ſimplicium medicamentorum facul. 5ª.26.E
Terrenum diſiungit. 4°. de ſimp. med. fac. 5ª.25.H
TERRESTREM plagam luna immutat. 3°. de dieb. dec. 4ª.160.B
Terreſtris eſſentia in palea ſuperat. 4°. de ſimp. med. fac. 5ª.28.C
Terreſtre frigus intus ducit tenuis ſubſtantia aerea. 8°. de ſimp. medica. facultatibus. 5ª.59.E
Terreſtris medicina quid agat. de ocul. 7ª.189..A
Terreſtrem, & frigidam ſubſtantiam habent epithymum, & elleborus. de catharticis. Sp.94.E
Terreſtri grauitate, & aere ſpirituali admiſta medicamina ſuperiorem purgant ventrem, & inferiorem. de cathar. Sp.94.F
Terreſtris ericius conuenit icterico. de cura icteri. Sp.111.C
Terreſtria craſſa, vel ſubtiliatiua, & aquoſa ſunt conſtringentia. de ocul. 7ª.188.A
Terreſtria & craſſa ſunt conſtrictiua, & põtica multũ. de oc. 7ª.188.A
Terreſtrius tanto eſt vinum quanto fortius. de vtil. reſp. Sp.64.F
ad Terreſtria ita ſe hẽt pulmo, vt brãchiæ ad piſces. de an. viu. Sp.53.B
Terreſtris ſanguis plurimum calidus eſt pro eo quod eſt receptaculum amoris. de vtil. reſp. Sp.64.F
Terreſtrem ſanguinem valde ſpiſſum qui coagulatur ſtatim habent animalia quædam, vt taurus. de vtil. reſp. Sp.64.F
Terreſtris pinguedo ſepum dicitur. de vtil. reſp. Sp.64.F
Terreſtre corpus in animali ſunt oſſa, & chartilagines. 1°. de elem. 1ª.5.D
Terreſtre membrum omne priuatum ſenſu congelatum ex melancholia eſt. de ana. viuo. Sp.45.F
Terreſtri ſubſtantia quæ conſtant ægre coquuntur, & à iecore ſanguificantur. de bon. & vitio ſucc. 2ª.36.F
Terreſtria dura cur plus dant alimenti. 1°. de alim. fac. 2ª.14.D
TERREA, & veluti ſemicocta cum innato calore ſint omnia velut fuliginoſa fauilloſa ac fumoſa recrementa. 1°. de diff. reſp. 3ª.62.A
Terream ſubſtantiam habent grauia. 9°. de ſimp. med. fac. 5ª.66.C
Terreæ, & craſſæ ſubſtantiæ tantum eſt ſolatium, quantum adſtringit. 2°. de comp. med. ſec. loc. 5ª.136.C
Terrea humiditate quę ſunt, corrigi debẽt. 4°. de ſimp. me. fac. 5ª.28.H
Terreum eſt inſtrumentum tactus. 7°. de decr. Hip. 1ª.271.B/H
TERRIBILES aſpectu qui. in 6ᵐ. de mor. vul. com. 1°. 3ª.159.F
TERRI quæ debeat ſub canis æſtu. 5°. de comp. med. per ge. 5ª.252.C
TERROR vnde fiat. 4°. de decr. Hip. 1ª.249.H
Terror exturbat cor. 6°. de decr. Hip. 1ª.261.G
Terrore ſanatur ſingultus. de remed. par. fac. 7ª.166.C
ex Terrore animi defectus q̃uo curetur. 1°. de arte cur. ad Gl. 7ª.99.G
TERTIANA febris, quæ. fin. med. Iſa.46.D
Tertianæ nomina. in 1ᵐ. de morbis vulgaribus, commentario 3°. 119. D/ in 6ᵐ. de mor. vul. com. 2°. 3ª.164.C
Tertiana febris morbus eſt intermittens. fin. med. 45. F/intro. Iſa.55.D/ 2°. de diff. feb. 3ª.36.E
Tertianę veniunt ad integritatem. in 1ᵐ. de mor. vul. com. 3°. 3ª.119.A
Tertiana febris ex intermittentibus breuiſſima, & mitiſſima eſt. 1°. de arte cur. ad Glauc. 7ª.96.E
Tertiani typi qui. de typ. 3ª.90.E/F
Tertianis typus qualis. de typ. 3ª.1.C
Tertiani periodi proprium. 2°. de cri. 4ª.136.F
Tertianarum febrium circuitus cum quotidianis comparatus, quantus. de mult. 3ª.87.H
Tertianum typum quæ comitentur. de typ. 3ª.90.F
in Tertiana noctes ante febrem moleſtę. de typ. 90.F/ in 6ᵐ. de morbis vulg. com. 2°. 3ª.164.B
Tertianæ diſtinctio. in 1ᵐ. de mor. vul. com. 1°. 3ª.110.D
Tertianarum febrium differentia. in 1ᵐ. de mor. vul. com. 3°. 3ª.119.A
Tertianarum q̃uo duo genera. de vict. rat. in mor. acu. com. 4°. 7ª.135.H
Tertianæ ſimplices quæ. 2°. de diff. feb. 39. G/ in 1ᵐ. de morbis vulgarib. commentario 3°. 3ª.119.D
Tertiana ſimpliciſſima quę. 2°. de criſi. 4ª.135.A
Tertiana exquiſita quæ. 2°. de dif. feb. 36. H/ in 1ᵐ. de morbis vulgaribus, commentario 3°. 3ª.119.D
Tertiana exquiſita qualis. 2°. de diff. feb. 3ª.39.G

Tertiana febris exqſita quot horis pduret.1°.de ar.cu.ad Glau.7ª.96.H
Tertiana exquiſita durat minus etiam duodecim horis, et qua de cauſa. 2°.de diff.feb. 3ª.36.H
Tertiana in duodecim horis perficitur, et in minori ſpatio.in 6m.de mor. vulg.com.2°. 3ª.164.B
Tertiana non extenditur vltra duodecim horas.2°.de criſi. 4ª.135.A
Tertiani circuitus horarum quadraginta octo.de mor.temp. 3ª.85.F
in Tertiana quæ conſideranda.2°.de criſi. 4ª.134.B
Tertianæ febres ex bile flaua fiunt.8°.de decr.Hipp.1ª.277.B/2°.de differen.febr.3ª.36.E/de ſper. Sp.38.B
Tertianæ omnium febrium biliosę maxime, & calidæ ſunt. 2°. de ſymptomatum cauſis. 3ª.22.E
Tertianæ veræ bilioſiſſimæ ſunt.in prog.com.3°. 4ª.211.A
Tertiana ſi acuitur in horis bilis, vera tertiana eſt, & propria. de ſpermate. Sp.39.H
Tertiana fit ex iecore laborante.1°.de arte cur.ad Glauc. 7ª.95.H
Tertianæ quo tempore, & qua regione fiant, & qua temperie, & quo victu.2°.de criſi. 4ª.34.D
Tertianæ febres ex aquæ redũdantia, ex Platone.8°.de decr. 1ª.277.B
Tertianæ in quibus maximę fiant.2°.de diff.feb. 3ª.36.D
Tertianæ quibus neglectis fiant.de dyna. Sp.19.H
ad Tertianas & quartanas diſpoſita eſt periſtereon herba ſiue colũbaria.de ſimp.med. Sp.89.C
Tertianæ febres ſunt ex genere ardentium. 8°. de decr.Hipp.1ª.277.C/de trem.palp.conuulſ.3ª.55.A/2°.de criſ. 4ª.134.E
Tertiana, & ardens febris quomodo differant, & conueniant. in 1m.de mor.vul.com.2°. 3ª.109.H
Tertianæ fiunt cum totius corporis carnes affluant bile flaua. in 1m. de mor.vul.com.2°. 3ª.109.H
in Tertianis, & ardentibus, bilis mouetur per carnes, & fit rigor.de tremore & palp.conuulſ. 3ª.55.E
Tertianæ, & cauſi differentiæ.2°.de criſi. 2ª.134.E
Tertiana quæcunq; habet, habet & hemitritæus.de typ. 3ª.85.G
Tertianæ ſimiles ſunt ſanguinis febres.2°.de diff.feb. 3ª.40.C
Tertiana notha exqſitæ valde cõtraria eſt.1°.de ar.cu.ad Gla. 7ª.96.G
Tertiana non exquiſita duodecim horis durat.in 6m.de morbis vulgaribus, commentario 2°. 3ª.164.B
Tertianę extẽſæ quæ.2°.de diff.feb. 39. G/in 1m. de morbis vulgaribus, com.3°.119.D/in 6m.com.2°. 3ª.164.C
Tertiana phlegmatica ſi acuitur bilis horis minus periculoſa eſt.de ſpermate.39.H/ Sp.40.A
Tertiana febris nõ exquiſita per ſex mẽſes durauit in iuuene, cuius hiſtoria adducitur.1°.de arte cur.ad Glau. 7ª.96.F/G
Tertianæ naturam quæ referant febres.in 1m.de morbis vulgaribus, cõmentario 1°.110.D/com.3°.119.D/in 6m.com.2°. 3ª.164.B
Tertianæ naturã referantes febres, deteriores fiunt diebus decretorijs. in 1m.de morbis vulgaribus, com.1°. 3ª.110.F
Tertiana duplex quæ.2°.de criſi. 4ª.136.H
Tertianæ tres ſimul complicatæ.2°.de criſi. 4ª.137.C
cum Tertiana quotidie diſtinctio.2°.de criſi. 4ª.135.D
Tertianarum cum quotidianis duplex coniunctio.2°.de diff.feb.3ª.37.H
Tertianarum implexum vnam eſſe quotidianam medici putãtes.ad eos, qui de typ.ſcripſ. 3ª.92.F
quæ Tertiana pituitoſę miſta difficilis cognitu ſit, & quæ facilis.2°.de differen.feb. 3ª.37.H
Tertiana ſuperante pituitoſam, quid contingat.2°.de diff.feb. 3ª.39.B
ſi Tertiana vehemẽtior ſit quotidiana, quid contingat.2°.de dif.3ª.39.B
Tertianæ intermittentis cum quotidiana caſus.2°.de diff.feb. 3ª.37.H
in Tertiana, & quotidiana caſus Adoleſcentis.2°.de diff.feb. 3ª.38.C
Tertiana continua, & pituitoſa continua ſimul miſta quando.2°. de different.feb. 3ª.39.D
in Tertianę modum febris ex pituita, & bile miſta.in 1m.de morb. vul. commentario 1°. 3ª.110.E
in Tertianam quando vertatur quotidiana.de ſper. Sp.39.H
in Tertianam quo modo tranſeat quartana, et è cõtra.de ſper. Sp.39.H
Tertianæ febris inditia.1°. de arte cur.ad Glauc. 7ª.95.H
Tertianæ principium 1° cum horrore, poſtea cum rigore.de mor. 3ª.85.G
Tertianam ſignificat rigor validus.1°.de arte cur.ad Glauc. 7ª.95.H
Tertianarum nota eſt rigor.de trem.palp.conuulſ. 3ª.55.A
Tertiana ex bile flaua cur rigorẽ habeat vehemẽtẽ.2°.de criſ. 4ª.134.F
Tertiana, & quartana faciunt cum rigore acceſſionẽ, & quomodo differant.1°.de artę cur.ad Glauc. 7ª.95.G
in Tertianis, & quartanis cur fiat rigor.de trem.palp.conuulſ. 3ª.55.F
Tertianarum rigor qualis.2°.de diff.feb.3ª.36.E/2°.de criſ. 4ª.134.F
Tertianarum rigor diuerſus eſt à rigore quartanarum. 2°. de differentijs febrium. 3ª.36.E
Tertianæ habent rigorem.2°.de ſymp.cau. 3ª.22.E
Tertianæ rigor cui ſimilis.de trem.palp.conuulſ. 3ª.56.A
Tertianarũ ꝓpriũ eſt ſignũ bilis vomitus.1°.de arte cur.ad Gla.7ª.96.B
in Tertiana integre expurgatur materia.2°.de diff.feb. 3ª.37.B
Tertiana cur per ſeipſam expurgetur.2°.de criſi. 4ª.134.E
in Tertianis vomitus in quibus fiat.in progn.com.3°. 4ª.211.A
Tertianæ cur per ſudorem, & vomitum finiant.2°.de criſi. 4ª.134.E
in Tertiana cur fiat ſudor.2°.de ſymp.cau. 3ª.22.F
in Tertianis ſudor quo nuncietur.2°.de criſ. 4ª.134.H
Tertianis ſudores boni.præſ.exper.conf. Sp.77.G
Tertianę calor qualis.2°.de diff.feb. 3ª.37.B
Tertianæ, quartanæ, & quotidianę pulſus differentia.de typ. 3ª.91.A
Tertianæ, quartanæ, & quotidianæ pulſuũ cõparatio.de dyna. Sp.34.F
Tertianarũ febrium ſyncerarum pulſus qualis.2°.de cau.pul. 4ª.91.B
Tertianarũ pulſus in principio, & in proceſſu, qui.2°.de criſ. 4ª.134.G
Tertianę principij pulſus qui.de mor.temp. 3ª.85.G
Tertianæ principium quod.de mor.temp. 3ª.86.B
Tertianæ principium per duas horas.de mor.temp. 3ª.85.G
Tertianæ augumenti pulſus, qui.de mor.temp. 3ª.85.H
in Tertiana quod tempus inæqualitatis.de mor.temp. 3ª.86.B
Tertianæ febris intermiſſionis pulſus, qualis.2°.de diff.feb. 3ª.36.H
Tertianæ ſymptomata, & pulſus.de typ. 3ª.90.F
Tertianarum pulſus, & vrina.de dyna. Sp.34.F
Tertianam ſignificat vrina quaſi ignea.de dyna. Sp.35.E
Tertianæ vrinæ quę.de typ.3ª.90.G/1°.de arte cur.ad Glau. 7ª.96.D
in Tertianam conuertentur acutę febres, ſi vrina turbulenta, & tarde reſidens fuerit: maxime ſi adſit ſanitas intraneorum, & per multos dies perſeuerauerit.de dyna. Sp.34.C
in Tertiana vrina alba, aut ſubliuida mortẽ ſignificat.de dyn. Sp.35.D
Tertianam primo die nouit Galenus.1°.de criſi. 4ª.33.E
Tertianã & quartanam Galenus nouit in prima acceſſione. 1°.de diebus decretorijs. 4ª.150.H
vt Tertianæ præiudicari poſſunt quartanæ.in prog.com.3°. 4ª.207.F
Tertiana in quot periodis terminetur.2°.de criſi. 4ª.135.G
Tertiana exqſita vltra quartũ circuitũ nõ ꝓgreditũ.2°.de cri. 4ª.135.A
Tertiana febris exquiſita non tranſit ſeptimum circuitum. 1°. de arte curatiua ad Glauc. 7ª.86.F
Tertianę puræ vacant diſcrimine.in 6m.de mor.vul.com.2°. 3ª.164.B
Tertiana exquiſita cito iudicatur nec eſt letalis.in 1m.de morbis vulga. commentario 3°. 3ª.119.H
Tertiana, & quartana ſunt ſine periculo.in 1m. de morbis vulgaribus, commentario 2°. 3ª.117.C
Tertiana exquiſita ſubito iudicatur.in 1m.de mor. vul.com.2°. 3ª.117.C
in Tertianis ſola nubecula indicat ſolutionem.de vrinis. 4ª.125.C
Tertiana febre laborãs ſingulis ęſtatibus, quomodo ſit ſeruatus à Galeno.quos purg.opor.quib.med. 5ª.88.C
Tertiana quibus ſanetur.3°.de criſi. 4ª.139.D
Tertiana exquiſita refrigeranda, & humectanda eſt.1°.de arte curatiua ad Glauconem. 7ª.97.A
Tertiana ſiccitatem inducit.1°.de arte cur.ad Glauc. 7ª.96.C
in Tertiana facta coctione vtaris abſinthio.1°.de ar.cu.ad Gl. 7ª.97.B
in Tertianis quies, & calefactio circa præcordia iuuant, & ſorbitiones concoqui faciles, & clyſteres non admodum molles.1°.de arte curat. ad Glauconem. 7ª.97.E
in Tertiana clyſteres molles.1°.de arte cur.ad Glau. 7ª.97.B
in Tertiana quibus prouocatur vrina.1°.de arte cur.ad Glauc.7ª.97.B
in Tertianis exquiſitis ſtatim balneandum, ſed in inexquiſitis nõ ſtatim ſed apparentibus ſignis coctionis.1°.de ar.cur.ad Glauc. 7ª.97.E
in Tertiana quid faciat balneum.1°.de arte cur.ad Glau. 7ª.97.B
in Tertiana oleum in aqua perfundendum in quo ægri natent quantum poſſunt.1°.de arte cur.ad Glauc. 7ª.97.C
in Tertianis inutilia ſunt balnea ex aqua marina, ſalſa, nitroſa, atq; ſulphurea.1°.de arte cur.ad Glauc. 7ª.97.B
in Tertiana febre qui cibi dãdi, & quantũ.1°.de arte cu.ad Gl.7ª.97.C
in Tertiana vinum non eſt dandum niſi poſt concoctionem.1°.de ar.cur. ad Glauconem. 7ª.97.C
Tertianã exquiſitioni patienti quando bibendũ.2°.de criſi. 4ª.134.H
in Tertiana abſtinẽdum eſt à melle, ſinapi, ſalinis, acribus, viniſq; vetuſtis.1°.de

ſtis.1°.de arte cura.ad Glauco. 7ª.97.C
in Tertiana febre tempus ad exhibendum cibũ.2°.de diff.feb.3ª.39.H
TERTIANAE nothæ curatio.1°.de arte cura.ad Gla. 7ª.97.D
in Tertiana non exquiſita venæ ſectio.1°.de arte cur.ad Glau. 7ª.97.E
in Tertiana notha ptiſſanæ ſuccus cũ pipe.1°.de art.cur.ad G. 7ª.97.E
in Tertiana notha bibendum propina hyſſopũ,origanũ & nardũ, aqua mulſa infundens,& concoquens.1°.de arte cura.ad Glau. 7ª.97.E
in Tertiana notha abſinthij coma iugiter danda eſt poſt ſeptimam.1°. de arte cur.ad Glauco. 7ª.97.E
in Tertiana notha ventrem molliter ſubducentia exhibenda.1°.de arte cura.ad Glauconem. 7ª.97.E
ad Tertianam febrem decoctio.ſecretorum. Sp.101.A
ad Tertianam facit hydropoton.de dynamidijs. Sp.32.D
ad Tertianam febrem trociſci.ſecretorum. Sp.98.E
ad Tertianas cum typo.de dyna. Sp.32.F
ad Tertianam miſtam quotidianæ.de dyna. Sp.32.F
ad Tertianas acutas.de dyna. Sp.32.G
ad Tertianas duplices.de dyna. Sp.32.G
ad Tertianam febrem.de med.fac.par.7ª.172.H/de dyna. Sp.32.D
TERTIANARIIS damus cholagoga.de dyna. Sp.20.G
TERTIAE diei inediam ſeruabant,vt viderent quid tertio die ſequeretur.8°.methodi medendi. 7ª.50.C
Tertius dies qualis.2°.de diebus decre. 4ª.154.F
Tertius dies principiũ determinatũ acutorũ.3°.de dieb.decr. 4ª.158.D
Tertio quoq; die acceſſiones fiunt in acutis.3°.de dieb.decre. 4ª.158.G
per Tertium quæ mouentur in his potiſſimũ eſt prænotionis vſus. ad eos qui de typ.ſcripſ. 3ª.92.B
Tertius quomodo decernat.de dieb.decre. 4ª.158.D
Tertius cur decernat.3°.de dieb.decre. 4ª.158.G
Tertio die morbi peracuti iudicantur per ſudorem,magis quàm quarto com.4°.apho.36°. Ex.31.H
Tertius dies iudicat morbos breues ante quartũ.cõ.4°.ap.36°.Ex.31.H
Tertius,& quartus quando habent grauia ſymptomata,breui expectãdum eſt iudicium.in 1ᵐ.de mor.vulg.com.3°. 3ª.124.G
ad Tertium,& ad quintum cur tranſmutatur criſis quartæ diei. 3°.de criſibus. 4ª.140.D
Tertius decimus eſt poſt nonum,vndecimum,& vigeſimum. 1°. de diebus decretorijs. 4ª.147.B
poſt Tertium decimũ,& quintũ eſt quartus.1°.de dieb.decr. 4ª.147.B
Tertius decimus qualis.1°.de dieb.decre. 4ª.147.C
ad TERTIAS coctura quomodo intelligenda.8°.de compoſi.medica. ſecundum locos. 5ª.189.C
ad Tertias coctura.5°.de comp.me.ſec.loc.165.B/7°.184. C/8°. 196.C/ 9°.200.F/202.E/F/204.F/2°.de comp.me.per gen.225. H/ 4°. 243. E/5°.5ª.248.G/de remed.parat.facilibus.157.C/167. F/ de med. fac. par.170.B/176.D/ 7ª.179.A
TESTA proportione reſpondet cuti.3°.de ali.fac. 2ª.32.B
Teſta qualis.9°.de ſimpl.me.fac. 5ª.70.G
Teſtã pro cute habentia habẽt ſuccũ qui ſubducit.3°.de ali.fac.2ª.26.D
Teſta quæ teguntur cuitet ſenex.5°.de ſanitate tuenda. 2ª.91.D
Teſta buccinorũ & purpurarum qualis.11°.de ſimp.me.fac. 5ª.80.G
Teſtã callainã aſſatã ac tritã dẽtibus affricat.5°.d cõ.me.ſe.lo.5ª.163.H
Teſta oſtrearum qualis.11°.de ſimp.me.fac. 5ª.80.H
Teſta ſepiarum qualis.11°.de ſimp.me.fac. 5ª.81.A
Teſta ſplendorem inducit.9°.de ſimp.me.fa. 5ª.69.G
TESTA Attica.3°.de comp.me.ſe.loc. 5ª.142.B
Teſta romana.3°.de comp.me.ſec.loc. 5ª.142.B
Teſta ærea.5°.de comp.me.ſec.loc. 5ª.176.E
Teſta clibani dentes ſplendidi fiunt.11°.de comp.me.ſec.loc. 5ª.81.A
Teſta figulina.5°.de comp.me.ſec.loc. 5ª.176.E
in Teſtis cocta oua generant ſanguinem craſſum, & corruptibilem.de diſſol.conti. Sp.75.A
in Teſtis panis cum oleo,& ſine oleo cibus craſſus, & cur.de diſſolutione continua. Sp.72.A
Teſtarum fragmentis ſimilia quandoq; in abſceſſibus inuenta ſunt.14°. met.me.90.E/2°.de arte cura.ad Gla. 7ª.105.B
TESTACEA animalia quæ.3°.de ali.fac. 2ª.32.B
Teſtacea duram carnem habentia,difficulter coquuntur, & difficulter corrumpuntur.3°.de ali.fac. 2ª.32.C
Teſtacea quæ conueniunt ſtomachicis.8°.de comp.me.ſec.loc. 5ª.192.C
Teſtacea ſunt in pollinem tenuiſſimum redigenda.11°.de ſimplicium medicamentorum facultatibus. 5ª.80.G
Teſtacea vaſa.7°.de comp.me.per gen. 5ª.273.A
TESTICVLI ſunt earum partiũ in noſtro corpore, quæ principia quædam dicuntur.ars med. Iſa.63.B
Teſticuli,renes,veſica ſunt mẽbra minus prĩcipalia.ẽ ana.vi.Sp.56.A
Teſticulorum officium.introd. Iſa.54.E
Teſticulos habent fœminæ.com.5°.aph.48°. Ex.41.H
Teſticulorum virorum,& mulierum differentia.de natura, & ordine cuiusl.corp.42.B/de ana.viuo. Sp.51.F
Teſticuli maris maiores q̃ fœminę teſticuli.14°.de vſu.206.B/ 1ª.208.E
Teſticuli mulierum minores,& imperfectiores ſunt teſticulis virorum. 14°.de vſu par. 1ª.206.B
Teſticuli mulierum breuiores,& frigidiores.de nat.& ord. Sp.42.B
Teſticuli matricis vbi ſint.de anatomia parua.43.C/ Sp.51.F
Teſticuli mulierum ꝓ in loco ſint opportuniſſimo.14°.de vſu.1ª. 208.G
Teſticuli mulierum duo ſunt,quorum vnus ſub dextro rene, alter ſub ſiniſtro tenetur.de compag.memb. Sp.59.D
in Teſticulis fœminarum cur ἐπιδιδυμίδες non ſunt manifeſtæ. 14°. de vſu partium. 1ª.209.G
de Teſticulorum compoſitione.de ſpermate. Sp.36.F
Teſticuli quatuor habent panniculos.de ſpermate. Sp.36.F
Teſticulorum tunicæ quales.de nat.& ord.cuiusl.corp. Sp.42.B
Teſticuli cur glanduloſi.de vtil.reſp. Sp.63.A
Teſticulorum caro alba eſt.de ana.viu. Sp.55.H
Teſticulus ſiniſter habet ſanguinem impurum excrementoſum,humidũ, & ſeroſum.14°.de vſu par. 5ª.106.F
Teſticulus ſiniſter habet ea quæ continẽtur in ipſo ſeroſiora, & frigidiora.com.5°.aph.48°. Ex.42.A
in Teſticulos debet ire ſanguis ſeroſus acris.14°.de vſu par. 1ª.209.B
Teſticulus ſiniſter cur in aliquo põt eẽ fortior.14°.de vſu par.1ª.206.H
Teſticulus fortior quomodo cognoſcatur.14°.de vſu par. 1ª.206.H
Teſticulos nutrientia vaſa vnde.14°.de vſu par. 1ª.208.H
Teſticuli hñt ſemẽ quo nutriunt,& qđ alterãt.cõ.5°.aph.39°. Ex.41.C
ad Teſticulos à cerebro prodeunt venæ dicuntur vaſa ſeminaria antecedentia.de anato.viuo. Sp.51.G
à Teſticulis vaſa ſpermatica,quæ ex plãtantur, παραστάτας κιρσοειδεῖς primus Herophilus nominauit.14°.de vſu par. 1ª.208.B
Teſticulorum venas,& arterias à longinquis partibus ducit natura, & quare.16°.de vſu par. 1ª.219.C
ad Teſticulos arteriæ quæ feruntur eas ordine conſequuntur, quæ ad renes accedunt.16°.de vſu par. 1ª.219.B
Teſticulorum arteriæ debebant aliquid impuri & feroſi recipere. 16°. de vſu partium. 1ª.219.B
in Teſticulis plicant venæ,& arteriæ quoq; ſicut venæ, ſed plurimum arteriæ inuoluuntur in retiformi plexu.16°.de vſu par. 1ª.219.C
propè Teſticulos cum acceſſerint arteriæ cur multiplici plexu inuoluãtur.16°.de vſu par. 1ª.219.B/C
ante Teſticulos venæ,& arteriæ multipliciter inuoluuntur, quæ retardant ſemen.14°.de vſu par. 1ª.139.B
Teſticulus totus & vas ſeminale in quibus ſint ſemine repleta. 1°. de ſemine. 1ª.335.D
ad Teſticulum ſunt muſculi parui.16°.de vſu par. 1ª.218.D
Teſticuli habent neruos duos pẽdentes,& deſcendentes à principali oſſe colli & fundamẽto corporis ꝑ dorſum et renes, q nerui alios habent neruos coniunctos alijs oſſibus totius corporis.de ſpermate. Sp.36.F
ad Teſticulos ab omni parte corporis trahunt nerui, & venæ propriæ ſperma.de ſpermate. Sp.36.A
Teſticulorum temperaturæ ſimplices,quę.ars.med. Iſa.65.D
Teſticulorum temperaturæ calidæ,& ſiccæ,quæ.ars med. Iſa.65.D
Teſticulorum temperaturæ calidæ,& humidæ,quæ.ars med. Iſa.65.D
Teſticulorum tẽperaturæ frigidæ,& humidæ ſigna.ars med. Iſa.65.D
Teſticulorum temperaturæ frigidæ,& ſiccæ ſigna.ars med. Iſa.65.D
Teſticuli puerorum quomodo impuberes ſeruantur. 1°. de comp. medic. ſecundum locos. 5ª.117.E
Teſticulus alter quibuſdam,alijs vterque cum dolore inflammabatur, & cur.in 1ᵐ.de morb.vulg.com.1°. 3ª.105.C
Teſticulos vlcere Aphtæ non abſimili apprehenſos ex terra cimolia cũ aqua oblinito,& exſiccari ſinito.9°.de comp.me.ſe.loc. 5ª.205.E
ad Teſticulorum Apoſtemata.ſecretorum. Sp.100.B
Teſticulorũ Carnẽ excreſcentem cinis ſarmentitius cum nitro & aqua ſubactus ſanat cataplaſmatis vice ĩpoſitus.10°.de cõ.m.ſ.l.5ª.205.E
Teſticulorum Contuſiones.3°.de comp.me.per gen. 5ª.235.C
ad Teſticulorũ dolorẽ,& apa & ventoſitatẽ in eis.ſecreto. Sp.100.B

Teſticulorum Durities iuuat Eryſimum.6°.de ſimp.me.fac. 5ª.47.F
ad Teſticulorum Pruritum.ſecretorum. Sp.100.B
Teſticulorum Ramex.ſecretorum. Sp.100.B
Teſticulorum Tumores κήλας id eſt hernias ſiue ramices vocant.de tum.præter naturam. 3ª.84.F
Teſticuli quibuſdam cur ſupra modum increuerunt.de diff.morb. 3ª.5.C
Teſticulus cum aliquando tumefit tuſſientibus, eſt indicium affinitatis cum pectore & mammis.in 6m.de morb.vul.com.3°. 3ª.178.G
ex Teſticulo quomodo cognoſcamus renem affectum. de renũ affectuũ dignotione & medela. 7ª.192.H
in Teſticulis Varices quandoq; exciduntur.14°.met.me. 7ª.90.G
TESTICVLI gallorum languentibus dari conſueuerunt. de victus ratione in morbis acutis,com.1°. 7ª.113.C
Teſticuli gallorum dandi ſunt his quibus dolet caput.2°.de comp.medicamen.ſecun.locos. 5ª.133.E
Teſticuli gallorũ dãdi in tertiana pro cibo.1°.de arte cu.ad Gla.7ª.97.C
TESTICVLI caſtoris conuulſionibus medent.de the.ad Pi. 5ª.93.E
TESTIMONIVM quid ſit.de fract.com.2°. 7.235.C
TESTES honeſtius vocantur gemelli.9°.de ana.adm. 1ª.105.F
Teſtes vnũ principium vniuerſi corporis.2°.de ar.cu.ad Gla. 7ª.103.B
Teſtes ſunt partes ad gẽneris inſtaurationem à natura conſtitutæ. 13°.de vſu partium. 1ª.204.C
Teſtes in maribus penduli ſunt.1°.de vſu par. 1ª.209.H
Teſtes cur extra membranam abdominis ſunt.1°.de ſemi. 1ª.333.F
Teſtes auium vbi ſint.1°.de ſemine. 1ª.334.F
Teſtes intra membranam abdominis habent aues.1°.de ſemi. 1ª.333.G
Teſtes altiores ſunt in auibus quàm vaſa ſeminaria.1°. de ſemi. 1ª.333.G
Teſtes ad ventrem adſtrictos habent ſues.1°.de ſemi. 1ª.334.F
à Teſtibus in totum corpus vis quædam diſpergitur, quę quidem in maribus robuſti ac maſculi habitus, in fœminis ipſius fœmineæ naturæ in cauſa eſt.1°.de ſemi. 1ª.335.B
Teſtium ſubſtantia qualis.14°.de vſu par. 1ª.209.G
Teſtes carnoſi perfragileſq; ſunt.ſin.med. Iſa.44.A
Teſtes ſunt ex genere glandularum.3°.de alim.fac. 2ª.27.A
Teſtes cur glanduloſi, & molles.1°.de ſem. 1ª.335.F
Teſtes partes ſunt in homine ex illis, quæ ſunt laxiores, & humidiores. 9°.de ſimp.me.fac. 5ª.65.H
Teſtes laxi, ac cauernoſi ſunt.14°.de vſu par. 1ª.207.G
Teſtium anfractus cur natura comparauit.7°.de decr.Hipp. 1ª.269.E
Teſtes non ſunt laxi iuuenibus, & validis.1°.de ſemine. 1ª.334.E
Teſtes cur laxi ſeneſcentibus, & imbecillis.1°.de ſem. 1ª.334.E
Teſtes in muliere intrinſeci ſunt.14°.de vſu par. 1ª.205.F
Teſtes q̃uo iungantur ſeminalibus meatibus.1°.de ſem. 1ª.335.F
Teſtes intus, & vuluam cur habeat fœtus frigidior, & humidior.2°.de de ſemine. 1ª.339.C
Teſtes extra cur habeat fœtus calidior, & ſiccior.2°.de ſem. 1ª.339.C
Teſtes fœminæ quales.9°.de diſſ.vul. 1ª.109.B
Teſtes fœminæ minores ſunt teſtibus maſculorum.de diſſo.vul. 1ª.109.B
Teſtes marium maiores, ac perfectiores teſtibus fœminæ. 14°. de vſu partium. 1ª.207.G
Teſtis fœmininus exiguus eſt.14°.de vſu par. 1ª.209.B
Teſtes mulierũ minores & dẽſiores ſunt q̃ mariũ.de ve.ar.diſſ. 1ª.58.C
Teſtes mulierum cur parui, & vnde vincti.14°.de vſu par. 1ª.208.F
Teſtes maiores habentes mulieres viragines appellantur.de natura, & ordine cuiusl.corp. Sp.42.B
Teſtes fœminæ imperfectiores teſtibus maris.14°.de vſu par.1ª.207.G
Teſtium fœminæ forma qualis.de diſſ.vul. 1ª.109.B
Teſtes fœminæ vbi.de diſſ.vul. 1ª.109.B
Teſtes quomodo vuluis ſint annexi.2°.de ſem. 1ª.335.G
Teſtes ianitores matricis.de ana.viuo. Sp.51.F
Teſtes mulierum continent ſemen, vt virorum teſtes in vaſis ſeminarijs de diſſ.vul. 1ª.109.C
Teſtes mulierum reperiuntur pleni ſemine.2°.de ſemine. 1ª.336.D
in Teſtibus mulierũ ſemen quod continetur, & humor qui in glanduloſis virorũ partibus, ſpecie ſunt ſimillima.14°.de vſu par. 1ª.208.B
in Teſtes cur nõ locauit natura vas ſpermaticũ.14°.de vſu p.1ª.209.G
Teſtium venæ quæ.de ven.art.diſſo. 1ª.58.C
Teſtium venæ vnde ducantur.de ven.art.diſſ. 1ª.58.C
Teſtium arteriæ, & venæ inceſſus, qui.1°.de ſemine. 1ª.333.E
Teſtiũ vena & arteria operiunt abdominis mẽbrana.1°.de ſe. 1ª.333.E
ad Teſtem vtrunq; vena & arteria cur deſcendunt, & non recto itinere.1°.de ſemine. 1ª.332.F
in Teſtiũ venis, & arterijs paulatim albeſcit ſanguis.1°.de ſe.1ª.332.F
Teſtes quibus alantur, & qualis in ipſis ſanguis appareat in prognoſt. commentario.1°. 4ª.197.B
ad Teſtes defertur ſanguis dealbatus ad nutrimentum cerebri.de anatomia viuorum. Sp.51.G
Teſtes nutriuntur à ſeroſo humore.1°.de ſem. 1ª.335.A
Teſtes trahunt ſeroſum humorem.1°.de ſem. 1ª.335.C
Teſtes nutrientia vaſa vnde oriantur.2°.de ſem. 1ª.339.D
in Teſtibus fit alia coctio.14°.de vſu par. 1ª.207.G
Teſtes efficiunt ſemen cito, & multum & exquiſite confectum.1°.de ſemine. 1ª.335.A
Teſtes ſm Ariſtotelẽ nihil faciũt ad gñationẽ ſeminis.1°.de ſe. 1ª.332.G
Teſtes ſm Ariſtotelem quid faciant in generatione.1°.de ſem. 1ª.333.D
de Teſtibus Ariſtotelis ignorantia.1°.de ſemine. 1ª.333.B
Teſtes non multum faciunt ad ſeminis generationem ſecũdum Herophilum.1°.de ſemine. 1ª.333.E
in Teſtibus ſolum fit ſemen ſm aliquos.1°.de ſemine. 1ª.333.C
ex Teſtibus qualis ſit dexter in ijs, qui ꝓcreãt mares.2°.de ſe. 1ª.339.Cſ
Teſtis dexter qualis in ijs qui procreant fœminæ.2°. de ſem. 1ª.339.C
Teſtes duabus tunicis conteguntur.introd. Iſa.54.E
Teſtium burſæ comparatur cauitas matricis.de ana.viuo. Sp.51.E
ad Teſtes maximus meatus pertinens vnde oriatur.1°.de ſem.1ª.333.E
Teſtes habent quatuor vaſa.de ſpermate. Sp.36.F
ad Teſtes & mãmas vaſa habẽt cõmunẽ vſum.16°.de vſu p. 1ª.220.G
ad Teſtes deſcendunt duo muſculi, & eorum ortus, ac finis. de muſculorum diſſectione. 1ª.50.D
Teſtium muſculi vnde.1°.de motu muſ. 1ª.309.F
ad Teſtes muſculus cur ab ilibus proueniat.14°.de vſu par. 1ª.209.H
Teſtiũ muſculi mouẽt aliud quippiã, & nõ os.1°.de motu muſc.1ª.309.F
Teſtes cur habeãt neruos pauciſſimos.14°.de vſu par. 1ª.209.C
à Teſtibus dependentiam quæ habeant, & ortum.ars med. Iſa.63.B
Teſtes habent motum voluntarium.14°.de vſu par. 1ª.209.G
Teſtes ſunt principium in bene viuendi.1°.de ſemi. 1ª.334.C
Teſtes dant robur, & perpetuitatem.1°.de ſem. 1ª.334.B
in Teſtibus vniuerſarũ viriũ aĩalis principiũ apparet.1°.de ſe. 1ª.334.C
Teſtes quomodo per totum corpus mittant ſuã vim.1°.de ſem. 1ª.335.B
Teſtes nonnunquam auferuntur à corpore.de diff.morb. 3ª.4.G
Teſtes poſſunt eximi non motis vaſis ſeminarijs.1°.de ſem. 1ª.333.H
Teſtes poſſunt videri extra animal.4°.de ana.adm. 1ª.81.H
Teſtes cur eximantur ſuibus.3°.de ali.fac. 2ª.27.B
Teſtes cur eximantur bobus.3°.de ali.fac. 2ª.27.A
Teſtibus exectis, quid ſequatur.1°.de ſemine. 1ª.333.H
Teſtium naturam totum corpus alterare Galenus primus inuenit.2°.de ſemine. 1ª.340.F
Teſtibus exciſis fœmina fit ſimilis mari caſtrato.1°.de ſemi. 1ª.335.B
Teſtes amittentes cur frigeſcunt.1°.de ſemine. 1ª.334.B
Teſtes ammittentes depiles non modo mento, ſed toto etiam corpore euadunt.1°.de ſemine. 1ª.334.B
Teſtes ammittẽtes habẽt paruas venas vt mulieres.1°.de ſem. 1ª.334.B
Teſtibus exectis, aĩal ammittit coeundi cupiditatẽ.2°.de ſem.1ª.340.A
Teſtes ammittentes non appetunt venerem.1°.de ſem. 1ª.334.B
Teſtibus exectis vox exilis fit. 1°.de ſemine. 1ª.334.D
in Teſtes abſceſſus quandoq; incidunt diutius tuſſientes ſine dolore coſtarum.in 6m.de mor.vulg.com.2°. 3ª.162.H
Teſtium Affectorum pulſus.4°.de præſ.ex pulſ. 4ª.121.F
ad Teſtium Contuſiones.2°.de comp.me.per gen. 5ª.225.E
Teſtes conuulſi quid ſignificent.in progno.com.2°. 4ª.198.G
in Teſtium Doloribus quæ vena ſecanda.de natu.hum.com.1°. 1ª.36.F
Teſtes induratos diſcutit cicerum genus orobiæum appellatũ.6°.de ſimplicium medica.facul. 5ª.47.E
Teſtes inflati refrigerari moderate amant.7°.de ſimp.me.fac. 5ª.53.E
Teſtis intentio vnde fiat.de vict.rat.in mor.acu.com.4°. 7ª.136.C
Teſtium phlegmonas ſanare oſtracitem lapidem dicũt aliqui.9°.de ſimplic.medicam.facul. 5ª.67.D
ad Teſtiũ phlegmonas vtilis eſt plũbi ſuccus.9°.de ſimp.me.f. 5ª.70.F
Teſtes quomodo non tumeſcant.9°.de ſimp.medi.facul. 5ª.67.D
Teſtium tumores myrta curat.de ſimp.med. Sp.87.E
in Teſtibus & cruribus varix.13°.met.med. 7ª.86.G
Teſtium aptũ cataplaſma eſt fabæ farina.7°.de ſimp.me.fac. 5ª.53.E
TESTES greſſilium ſunt difficiles coctu.3°.de ali.fac. 2ª.27.A
Teſtes gallinaceorum altilium ſuauiſſimi ſunt.3°.de alim.fac. 2ª.27.A
Teſtes gallinaceorum altilium laudabile præbent corpori alimẽtum.3°. de alimen-

de alimentorum facul. 2ª.27.A
Teſtes gallorum gallinaceorum ſunt præſtantiſſimi & eorum maximæ qui ſaginati fuerint.3°.de alim.fac. 2ª.27.B
Teſtes gallinaceorum præſertim altilium ſunt boni ſucci.de bonitate & vitio ſuccorum. 2ª.35.F
Teſtes iuniorum animalium ſunt boni ſucci.3°.de ali.fac. 2ª.27.A
Teſtes animalium adultiorum ſunt mali ſucci.3°.de ali.fac. 2ª.27.A
Teſtes ſunt craſſi ſucci.de bon.& vitio ſucco. 2ª.35.F
Teſtes gallinaceorũ lacte altorũ dantur in ſiccitate.7°.me.me. 7ª.45.D
Teſtes gallorum altorum lacte dãtur in ſyncope ex tenuibus ſuccis. 12°. methodi medendi. 7ª.78.A
TESTILIA vaſa quare ita dicantur.1°.de anti. 5ª.100.D
TESTVDINATVM tectum quid.de arti.com.3°. 7ª.270.F
Teſtudinem paluſtrem quidam amyda,hoc eſt lutariam vocant.2°.de cõpoſi.medica.ſecun.locos. 5ª.138.D
Teſtudo lacuſtris pro capitis dolore.de reme.par.fac. 7ª.154.B
Teſtudo vbi debet iugulari pro ſanguine colligendo.7°. de compoſi.medicamentorum per genera. 5ª.271.A
Teſtudinis ſanguis qualis.1°.de compoſi.medic.ſecun.locos. 5ª.129.G
Teſtudinis terreſtris ſanguis ad quid vtilis.7°.de compoſi.medicamentorum per genera. 5ª.271.A/B/C/D/E
Teſtudinis marinæ ſanguis.7°.de comp.me.per gen. 5ª.267.B
Teſtudinum plurium ſanguis.7°. de comp.me.per gen. 5ª.271.D
Teſtudinis marinæ felle inferior eſt bilis hyenarum. 10°. de ſimplicium medicamen.facul. 5ª.74.H
Teſtudinis vnguis.de reme.par.fac. 7ª.164.E
TESTVDO vinculi nomen.de faſcijs. 7ª.293.H
Teſtudo vinculum quale.de faſcijs. 7ª.305.H
TESTVDINES pars organorum.de machin. 7ª.309.E
Teſtudines organorũ ex robuſtiori mã fieri debent.de mach. 7ª.309.D
Teſtudinum differentiæ.de machin. 7ª.310.B
Teſtudinis prima pars frons dicitur.de machin. 7ª.317.A
Teſtudines locum mutant in organis.de machin. 7ª.310.F
Teſtudines vſui ſunt cum organa mouentur.de machin. 7ª.310.F
TETANICOS haud raro ſanauit theriaca.de the.ad Pi. 5ª.96.D
TETANVS quid.fin.med.47.A/introductio.Iſa.56.B/1°. de motu muſculorum. 1ª.311.G
Tetanus id eſt æqualis tentio,ſpecies conuulſionis quomodo fiat. commenta.4°.aph.57°. Ex.33.F
Tetanus videtur totius corporis conuulſio.de ſymp.diff. 3ª.11.F
Tetanus habet omnes ceruicis neruos extentos.de muſc.diff. 1ª.47.A
Tetanos,& ſpaſmus fit in neruoſis partibus.4°.de p̃ſa.expe. 4ª.121.F
Tetanus eſt perpetuus.3°.de loc.affe. 4ª.17.F
Tetani tres morbi.de vict.rat.in mor.acut.com.1°. 7ª.108.H
Tetanus morbus eſt acutus.introd. Iſa.55.E
Tetanus morbus eſt peracutus.fin.med. Iſa.45.F
Tetani,et torpores affectus ſunt frigiditate vincẽte.de trem.p. 3ª.54.D
Tetanus,tabes,& tremor cur non facti in conſtitutione frigida, & humida.in 1m.de morb.vulg.com.2°. 3ª.108.H
Tetanos ſuſcitat dura aqua & frigida.de boni.aquæ. Sp.75.G
Tetani ex immodico vini potu fiunt.3°.de temp. 1ª.22.G
Tetanus frigida lauatione curatur.1°.de ſympt.cauſ. 3ª.17.F
ad Tetanum valet theriaca.de theria.ad Piſo. 5ª.91.G
Tetanus lumborũ ſanguinis miſſione ſoluitur.de victus ratione in morbis acutis,com.4°. 7ª.143.H
TETHALASSOMENON dicitur vinum,in quo aqua marina largior miſta eſt.de vic.rat.in morb.acut.com.4°. 7ª.134.D
TETRADRACHMON quid.de pond.& menſu. 5ª.276.D
TETRAMYRON id eſt ex quatuor vnguentis confectum.7°. de compoſi.medi.per gene. 5ª.270.A
TETRAPHARMACVM ex quibus componatur.1°. de elementis.1ª.5.C/aduerſus Lycum. Ex.65.E
Tetrapharmacum ex quibus confectum,& ad quid valeat.11°. de ſimplicium medicamen.facul. 5ª.79.C
Tetrapharmacum ingredientia non poſſunt oſtendi,tamen ob hoc non eſt dicendum ꝙ non inſit.de nat.hu.com.1°. 1ª.27.B
Tetrapharmacum eſt vnum quid diſtinctum à cera,Pice,adipe, & reſina quæ in eo ſunt.de nat.hu.com.1°. 1ª.28.C
Tetrapharmacum quale ſit.5°.met.me. 7ª.33.H
Tetrapharmaco quando vtendum.introd. Iſa.58.B
Tetrapharmacum ex oleo pro dolore.13°.met.me. 7ª.81.A
Tetrapharmacũ ad cruſtas excidentes.2°.de arte cur.ad Gla. 7ª.107.B
Tetrapharmacũ non apponendũ vlceri.2°.de art.cu.ad Glau. 7ª.101.H
Tetrapharmacum ad quid vtile.3°.de comp.me.ſecun.loc.5ª.140.G/de fract.com.3°. 7ª.247.E
TETRICI erant,& barbam nutriebant ſophiſtæ.2°. de pulſuum differentijs. 4ª.53.F
Tetricum eſſe,& barbam nutrire pro dignotione habebatur.2°. de differentijs pulſ. 4ª.53.G
Τέτρωρον quæ pars ſit tali.de oſſibus. 1ª.43.G
TEVCRIVM eſt in tertio ordine exſiccantium,ſecũdo vero calfaciẽtium.8°.de ſimp.me.fac. 5ª.62.B
Teucrium lienes ſanat.8°.de ſimp.me.fac. 5ª.62.B
Τευτλοφακή edulium eſt ex lente,& beta.1°.de ali.fac. 2ª.9.C
Teutlophace vocant edulium ex beta,& lente confectum.1°. de alimentorum facultatibus. 2ª.13.G
Teutlophace edulium eſt medium ex pugnantibus compoſitum. 1°.de alimentorum facultatibus. 2ª.13.G
Teutlophacem dabat Heraclides Tarentinus ægrotantibus.1°. de alimentorum facultatibus. 2ª.13.G
TEVTLON ideſt Beta.8°.de ſimp.me.fac. 5ª.62.A
TEXENDI ars ad mulierem ſpectare videtur.9°.de decr. 1ª.280.G
TEXTILES nerui qui.de compag.memb. Sp.58.H
TEXTORIA ars cur inuenta.ad Thraſy. 2ª.106.C
Textoriæ arti reſpondet natura effectrix.ad Thraſy. 2ª.105.B
TEXTRIX ars quot artibus indigeat.in 6m.de morbis vulgaribus.cõmentario.5°. 3ª.188.C
TEXTVRAS particulares habent organa particularia.de anatomia viuorum. Sp.43.F
Textura tenuis,& rara facit vt corpora cito euacuentur, craſſa vero & ſpiſſa contrarium,com.2°.aph.28°. Ex.16.D/F
Θ. ſignificat mortem.in 3m.de morbis vulgaribus,com.2°.130. H/133.D/commen.2°. 3ª.136.E
THAIS Perigenis,vel Molpi vinculum.de faſcijs. 7ª.295.D
Thais vinculum alterum quale de faſcijs. 7ª.295.E
Thais vinculum alterum.de faſcijs. 7ª.295.G
THALASSERVM collyrium.4°.de compoſitio.med.ſec.loc. 5ª.156.C
THALASSOCRAMBEN marinam braſſicam vocant.5°. de ſanitate tuenda. 2ª.92.F
Θαλερὸν quid ſignificet.in 1m.pror.com.2°. 4ª.177.G
Thales Mileſius primus philoſophiæ inuentor apud Iones. de hiſtoria philoſophica. Sp.4.E
de Thalete nihil in ſcriptis habetur.de nat.hu.com.1°. 1ª.31.A
THALIETRVM exſiccat citra morſum.6°.de ſimp.m.fac. 5ª.48.C
Thalietrum vlcera inueterata ad cicatricem perducit. 6°. de ſimpliciũ medicamentorum facultatibus. 5ª.48.C
THALLI id eſt oleæ ſurculi.2°.de comp.me.per gen. 5ª.220.A
THAMYNAE infuſum ad dyſentericos.9°.de compoſi. medicamentorum ſecundum locos. 5ª.203.H
THAPSIA quid.de ſimp.med. Sp.91.F
Thapſia eſt calida,& humida.6°.de ſimp.me.fac. 5ª.48.C
Thapſia cur facile corrumpatur.6°.de ſimp.me.fac. 5ª.48.C
Thapſia quot annis duret.1°.de comp.me.ſec.loc. 5ª.122.A
Thapſia quanto duret tempore.3°.de comp.me.per gen. 5ª.230.H
Thapſiæ recẽtis à vetuſtiori differentia.1°.de comp.me.ſec.lo.5ª.122.A
Thapſia vires habet acerrimas,& in modum ignis cauſticas, longinquis vitijs prodeſt.de ſimp.med. Sp.91.F
Thapſiam guſtare non audeas,tamen eius guſtum eſſe acrem ex ijs cognoſcere licet,quæ in toto agat corpore.4°.de ſimp.me.fac. 5ª.29.E
Thapſiam,aconitum erificium proprio guſtu probare de vita.de ſimplicibus medicaminibus. Sp.83.H
Thapſiæ minimum ſi ſumatur,lædit.5°.de ſimp.me.fac. 5ª.37.C
Thapſia genere non quantitate obeſt.5°.de ſimp.me.fac. 5ª.37.C
Thapſiam qui ſumpſerint,ijs exhibetur lac.9°.de ſimp.me.fac.5ª.73.H
ad Thapſiam valet Theriaca.de theria.ad Piſo. 5ª.91.E
Thapſiæ quæ aduerſentur.in 6m.de morb.vulg.com.6°. 3ª.196.H
Thapſia quid faciat parti applicata.2°.de dif.feb. 3ª.41.A
Thapſia applicata parti excitat tumorem.introd. Iſa.61.D
à Thapſia Tumor factus quomodo a Galeno per ſpacium horæ ſanatus dolore omni ablato.introd. Iſa.61.E
Thapſia ad calefaciendũ tempus requirit.6°.de ſimp.me.fac. 5ª.48.F
Thapſia accẽditur & plurimo tẽpore durat.6°.de ſimp.me.fa. 5ª.48.C
Thapſia vrere poteſt.5°.de ſimp.me.fac. 5ª.38.F
Thapſia facit exulcerationes in arte.1°.de comp.me.ſec.loc. 5ª.122.A

Thapſiæ ardor aceto reſtinctus.1°.de ſimp.me.fac. 5ª.5.G
per Thapſiam fit rubrificatio.7°.met.me. 7ª.44.A
Thapſia numeratur inter attrahētia ſponte nata.5°.de ſim.m.f. 5ª.36.E
Thapſia quomodo vtendum.1°.de comp.me.ſec.loc. 5ª.122.C
Thapſiæ admiſtionē reqrētis pharmaci regula.1°.de cō.me.ſ.l. 5ª.122.C
ex Thapſia medicamentum pro comitiali morb.3°.de loc.aff. 4ª.19.H
ex Thapſia medicamento quidam ad omnia capitis vitia vtuntur. 6°. de ſanitate tuenda. 2ª.98.G
cur Thapſia optimum ſit medicamentum pro cute capitis.1°. de compoſi.med.ſec.loc. 5ª.122.A
Thapſiam miſcuit ad alopeciā,et ponit curationē.14°.met.me.7ª.93.D
Thapſia quo loco reponatur inter calida quæ conueniūt alopecijs. 1°.de comp.me.ſecun.locos. 5ª.122.D
Thapſiæ miſceīceratū cū oleo,ne vlceret.1°.de cōp.me.ſe.lo. 5ª.122.A
Thapſia ſola in capite ob caliditatē nō vtit̄.1°.de cōp.me.ſe.l. 5ª.122.A
Thapſia vti non debemus in fluxionibus acribus oculorum.13°. methodi medendi. 7ª.86.D
Thapſiæ ceratum ſupra pectus in catharro.5°.met.me. 7ª.35.E
Thapſia ex melle pro membris,q̄ ægre reficiunt̄.14°.met.me. 7ª.91.H
Thapſiæ meminit.in 6m.de mor.vul.com.6°. 3ª.196.B
pro Thapſia naſturtium,aut eruca.1°.de comp.me.ſec.loc. 5ª.122.E
Thapſiæ vice lepidium,& iberis.10°.de comp.me.ſec.loc. 5ª.208.G
THARSEI chirurgi Indum.4°.de comp.me.per ge. 5ª.243.F
THASVS quo loco ſita.in 1m.de mor.vulg.com.1°. 3ª.103.F
THEAGENIS philoſophi cynici caſus in iecoris phlegmone. 13°. methodi medendi. 7ª.83.F
è THEATRIS multitudo exiens, in exitu hæret.3°. de ſanitate tuenda. 2ª.77.F
THEBAICAE palmæ quales.2°.de alim.fac. 2ª.20.G
THEBAEI emplaſtrum ad Achoras.1°.de comp.me.ſec.loc. 5ª.130.H
THEION id eſt ſulphur.9°.de ſimp.me.fac. 5ª.69.C
THELYPTERIS fœmina,filix.8°.de ſimp.me.fac. 5ª.59.C
THEMISON laodiceus ſyrius methodicæ ſectæ auctor fuit. introductio. Iſa.51.D
Themiſon inuentor cōitatum.1°.met.me.7ª.5.C/contra Iul. Ex.68.D
Themiſonis Hiera antidotus.8°.de comp.me.ſec. lo. 5ª.190.H
Themiſonis hiera quomodo fiat.de mel.ex Gal.Ruf.& Poſſ. Sp.109.H
Themiſon quo acopo vteretur ad laſſitudinum moleſtias. 7°. de compo. medicamen.per genera. 5ª.269.G
THEMISTOCHLES qualis fuerit.in 6m.de morbis vulgaribus,commentario.5°. 3ª.188.H
THENAR græce quod latine vola manus dicitur. introd. Iſa. 53.C/ 2°.de vſu partium. 1ª.117.H
Θέναρα quæ ſint.de fract.com.1°. 7ª.227.C
THEODORICVM anacardinum ictericis medetur.de dyn. Sp.26.F
Theodoricū emperiſton magnū antidotum in cephalea.de dyna.Sp.23.C
Theodoricon emperiston malecoloratis prodeſt.de dyna. Sp.25.F
THEODOTIA medicamēta ad oculorum diſpoſitiones. intr. Iſa.58.C
THEOLOGIA præſtantior medicina eſt.17°.de vſu par. 1ª.222.D
Theologiæ verū principiū eſt liber de vſu partiū. 17°.de vſu p. 1ª.222.D
Θεομάντεις,ideſt diuini vates de vict.rat.in mor.acut.cō.1°. 7ª.110.A
THEON Alexandrinus belliſſime totam exercitationis materiam docuit.2°.de ſan.tuen. 2ª.77.H
Theon vitioſe athletarum artem tractauit.ad Thraſ. 2ª.109.E
Theon,& tripho quomodo exercitia nominabant.ad Thra. 2ª.109.E
Theon rectius ſenſit de frictione q̄ Hippocrates.2°.de ſan.tu. 2ª.70.F
Theon Gymnaſtes fecit librum de Gymnaſticis.2°.de ſan.tu. 2ª.70.F
THEOPHANI antidotus.2°.de anti. 5ª.17.G
THEOPHILI medici imaginatio parum proba.de ſymp.di. 3ª.11.H
THEOPHRASTVS auſcultationes fecit.de ſub.fa.na. 1ª.230.B
Theophraſti ſcripta ſunt ceu commentaria phiſiologiæ Hippocratis.2°. de naturalibus facultatibus. 1ª.297.H
Theophraſtus librum fecit de laſſitudine.5°.de ſan.tu. 2ª.78.E
Theophraſtus,& Ariſtoteles non ſunt legendi ſine methodo.3°. de ſimplicium medicamen.facul. 5ª.17.E
Theophraſtus omnes animæ facultates à corde oriri dicit. 6°. de dere. Hippocratis. 1ª.260.E
THEOREMA quid.fin.med. Iſa.43.F
Theorema,notio,notitia,ſcientia idem.de par.art.med. Sp.17.B
Theorematum differentiæ quatuor.de ſubſi.emp. Iſa.31.E
THEORIA demonſtratiua diſcenda.de lib.prop. Iſa.13.E
THEOTROPI fit mentio.2°.de comp.me.per ge. 5ª.254.A
THERAEVM vinum nigrum eſt.de bon.& vitio ſucc. 2ª.38.C
Theræum vinum craſſum eſt.de boni.& vitio ſuc. 2ª.38.C
Theræum vinum ſolum dulce.4°.de ſimp.me.fac. 5ª.26.F
Theræum vinum eſt dulce non acerbum.3°.de pulſ.diff. 4ª.63.H
Theræum vinum eſt abſolutæ dulcedinis.de boni. & vitio ſuc. 2ª.38.C
Theræum vinum nimis craſſum,& dulce.de boni. & vitio ſuc. 2ª.38.F
Theræum vinū nō valde craſſum eſt,& valde dulce.de vinis. Sp.76.H
Theræi vini fit mentio de atten.vict.2ª.46.E/7°. de compoſi. medicam. ſecundum locos. 5ª.177.F
THERIACAM vocauit primus Crito.de vſu ther. 5ª.99.C
Theriaca vnde dicta.de theria.ad Piſo. 5ª.91.D
Theriacæ nomina varia.de theria.ad Piſo. 5ª.91.D
Theriaca cur vocata à Galeno.de theria.ad Piſo. 5ª.95.H
Theriaca Aelij Galli quam dedit Cæſari.2°.de antidotis. 5ª.116.A
Theriaca agreſtium,allium vocatur à Galeno.12°.met.me. 7ª.79.F
Theriacæ deſcriptio ſecundum Andromachū.de ther. ad Piſo. 5ª.95.A
Theriacæ Andromachi cōpoſitione vti debemus. de the.ad Piſ.5ª.95.E
Theriaca Antiochi Philomitoris cōtra vipæ morſus.2°.de ana 5ª.118.B
Theriaca nominata antidotus Antipatri.2°.de anti. 5ª.115.H
Theriaca eſt medicamentum Claudij Apollonij contra canem rabidū. 2°.de antidotis. 5ª.117.A
Theriaca Damocratis.1°.de antid. 5ª.108.A
Theriacæ compoſitio Damocratis præſtantiſſimi medici quo differat ab Andromachi compoſitione.de ther.ad Piſo. 5ª.95.B
Theriacæ compoſitio Demetrij primarij medici quo differat ab Andromachi compoſitione.de theria.ad Piſo. 5ª.95.B
Theriaca Euclidis palatiani ad dolores internos.2°.de anti. 5ª.116.B
Theriaca Eupatorios.6°.de comp.me.per gen. 5ª.259.B
Theriaca Galli.2°.de antidotis. 5ª.116.A
Theriacæ compoſitio Magni quo differat ab Andromachi compoſitione de theriaca ad Piſonem. 5ª.95.B
Theriaca Marij imperatoris.2°.de antidotis. 5ª.120.C
Theriaca Mithridatis.2°.de antidotis. 5ª.115.D
Theriaca Neronis ſcripta.de ther.ad Piſo. 5ª.91.D
Theriaca Philonis ſimilis viribus, & guſtu.1°.de anti. 5ª.100.A
Theriacæ compoſitio Xenocratis quo differt ab Andromachi compoſitione.de ther.ad Piſo. 5ª.95.A
Theriaca Zenonis laodicei.2°.de anti. 5ª.116.B
Theriaca bona ē antidotus Zenonis ad canes rabidos.2°.de āti.5ª.116.H
Theriaca.6°.de comp.me.per gen. 5ª.269.B
Theriaca pabat̄ à multis diuitib⁹ Romæ tpe Antonini.1°.de āti.5ª.101.F
Theriaca cōuenit primatibus,& exercituum ducibus.de ther. 5ª.91.D
Theriacā Galenus fecit Antonino Imperatori.1°.đ ant.99.H/ 5ª.105.H
Theriacā Antoninus accepit ante duos mēſes factā.1°.de ant. 5ª.105.H
Theriacam ſumebat quotidie Antoninus Imperator.1°.de ant.5ª.99.G
Theriacam quare ſumeret Antoninus.1°.de anti. 5ª.99.H
Theriacam accepit Antoninus accepta Hiera picra,& quid ſequutum ſit.de præco.ad Poſth. 4ª218.H
Theriacam Cæſari confecit Galenus.1°.de antidotis. 5ª.101.G
Theriacam fecit Galenus Seuero Imperatori.1°.de anti. 5ª.105.H
Theriaca eſt vſus M.Ant.Imper.de ther.ad Piſo. 5ª.90.B
Theriacā q principi cōpoſiturus eſt qualis eſſe debet.1°.de ant. 5ª.101.G
Theriacæ compoſitio.4°.de loc.aff.4ª.28.D/1°.de anti.107.D/1°.de compoſi.me.per genera. 5ª.209.G
Theriaca ex ſola librorū lectione nō eſt conficienda.1°.de ant. 5ª.100.F
Theriacam verſibus ſcribere ſummopere comendat Galenus. 1°. de antidotis. 5ª.102.C
Theriacæ compoſitio pedeſtri oratione.1°.de anti. 5ª.103.H
Theriacæ confectio quo fiat.de vſu ther. ad Phamp. 5ª.99.B
Theriacæ compoſitio exponitur.1°.de antidotis. 5ª.104.H
Theriacæ conficiendi modus incipit.de theria.ad Piſo. 5ª.94.F
Theriacam conficere docet.de ther.ad Piſo. 5ª.95.C
Theriacæ compoſitio diuerſa.de theria.ad Piſo. 5ª.95.A
Theriaca cur ex varia fiat miſtura.de ther.ad Piſo. 5ª.91.C
Theriaca exacta ratione compoſita de ther.ad Piſo. 5ª.90.D
Theriacam qui fructus cum virgultis,quæ radices, & quæ ſemina ingrediantur.1°.de antidotis. 5ª.107.D
Theriacam ingredientia ſimplicia quæ videtur Galenus difficulter haberi.1°.de antidotis. 5ª.101.F
p Theriaca quo tempore herbæ ſint colligendæ.1°.de anti. 5ª.102.B
Sheriaca ex optimis præparata.de ther.ad Piſo. 5ª.91.B
Theriaca debet fieri ex medicinis optimis.1°.de anti. 5ª.101.F

Theriaca cur Acida fiat.1°.de antid. 5ª.100.G
Theriaca recipit multa Amara.1°.de anti. 5ª.102.A
Theriaca amara à petroſelino.1°.de anti. 5ª.106.H
Theriacæ Artiſci quomodo conficiendi.11°.de ſimp.me.fac. 5ª.78.C
in Theriacis artiſcæ cur caput, & caudæ viperæ ſunt abijciendæ.10°. de ſimp.me.fac. 5ª.78.C
Theriacam inficit Chalcitidis etiam minima pars.1°.de anti. 5ª.107.H
Theriaca ſine feris fiebat, & qui primus ipſas in illa poſuit.de theriaca ad Piſonem. 5ª.91.D
Theriaca quomodo proſit etiã ſi recipiat feras.de ther.ad Piſ. 5ª.94.A
Theriacam cur ingrediatur Hypociſtis.7°.de ſimp.me.fac. 5ª.51.D
Theriacæ mel quale imponendum.1°.de anti. 5ª.101.C
Theriacæ quantum mel debeat poni.de theria.ad Piſo. 5ª.95.G
Theriaca quæ Myrrham ſapiat.1°.de anti. 5ª.100.A
in Theriacam quantum Panis poni debeat 1°.de anti. 5ª.104.B
Theriacæ paſtilli quomodo conficiãtur.de vſu ther.ad Phãph. 5ª.99.H
Theriaci paſtilli quo vaſe recondi debeant.1°.de anti. 5ª.104.D
Theriaci paſtilli quanto tempore durant.1°.de anti. 5ª.104.D
à Theriacis paſtillus puluiſculus quidam qui ipſis obnaſci conſueuit mundis mantilibus interdum abſtergatur.1°.de anti. 5ª.104.D
Theriacæ Sal cur imponatur.11°.de ſimp.me.fac. 5ª.78.D
Theriacum ſal quomodo cõficiatur, & ad qd valeat.de ſubfig. Iſa.34.B
Theriaci quomodo conficiantur.de theria.ad Piſo. 5ª.97.E
Theriaci ſalis alia confectio.de ther.ad Piſo. 5ª.97.G
Theriacorum ſalium quãdo perfecta eſt coctura.de the.ad Piſ. 5ª.97.F
Theriaci ſales quales ſint.de ther.ad Piſo. 5ª.97.C
Theriaci ſales ad quæ vtiles.de theria.ad Piſo. 5ª.97.D
Theriaco ſale corpulentia curantur.14°.met.me. 7ª.91.E
Theriacã quod vinũ ingrediat.de ther.ad Piſ.95.F/1°.de ant. 5ª.100.G
ad Theriacã vinũ quale eẽ debeat, ſi falernũ careat.1°.de ant. 5ª.101.H
pro Theriaca falernum quod eligendum.1°.de anti. 5ª.101.C
Theriacam non debet ingredi falernum vetus.1°.de anti. 5ª.101.C
Theriaca vnde vinum redoleat.1°.de anti. 5ª.100.F
pro Theriaca qũo condiuntur viperæ.2°.de arte cur.ad Gla. 7ª.107.F
Theriaca in ſole miſcenda.1°.de anti. 5ª.107.G
Theriaca debet fieri nigra.1°.de anti. 5ª.107.H
Theriaca quo vaſe reponenda.de vſu ther.ad Pamph. 5ª.99.D
Theriaca in quibus vaſis reponi debeat, & quomodo ſit aperienda, & quomodo claudenda.de ther.ad Piſo. 5ª.95.G
Theriaca concoquitur vt plurimum intra annos duodecim. de theriaca ad Piſonem. 5ª.95.G
Theriaca recens quæ.de vſu ther.ad Pamph. 5ª.98.E
Theriaca potens eſt vſq; ad triginta annos.de theria.ad Piſo. 5ª.95.G
Theriaca veteraſcit ſicut illa quæ ingrediuntur compoſitionem. de vſu theria.ad Pamph. 5ª.98.E
Theriaca quomodo deprehẽdatur antiqua.de vſu the.ad Pãph. 5ª.98.F
Theriaca quomodo poſſit probari an bona.de ther.ad Piſo. 5ª.90.B
Theriacam in gallis expertus eſt Galenus.de ther.ad Piſo. 5ª.90.A
Theriacæ pbatio optima.d ther.ad Piſ.95.H/de vſu the.ad Piſ. 5ª.98.E
Theriaca praua multa pecunia emitur.de ther.ad Piſo. 5ª.90.B
Theriaca cur quandoq; inutilis, & praue facta.de the.ad Piſo. 5ª.94.G
in Theriaca quot errores fiant.1°.de anti. 5ª.100.A
Theriaca quomodo ſumenda.de ther.ad Piſo. 5ª.91.H
Theriacæ quantum accipiendum.de theriaca ad Piſonem.95.H/97.B/ de vſu theria.ad Pamph. 5ª.98.D/F
Theriaca ad fabæ græce magnitudinem.5°.met.me. 7ª.35.D
Theriaca quo tempore ſumenda.de ther.ad Piſo. 5ª.97.B
Theriaca non ſumenda æſtate.de theria.ad Piſo. 5ª.97.B
Theriaca quando æſtate exhibenda.de ther.ad Piſo. 5ª.97.B
ex Theriaca puer diſſolutus.de theria.ad Piſon. 5ª.97.B
Theriaca optima eſt in pegrinatiõe hyemis tẽpore.d the.ad Pi. 5ª.96.H
Theriaca in qua regione ſumenda.de ther.ad Piſo. 1ª.97.C
Theriaca quibus diebus ſumenda.de vſu ther.ad Pamph. 5ª.98.D
Theriacæ vſus.de vſu theri.ad Pamph. 5ª.98.F
Theriacam laudat præ omnibus Galenus.1°.de anti. 5ª.99.E
Theriacam quid debet præcedere.5°.de ſan.tu. 2ª.91.E
Theriaca ad quæ valeat.in 6ᵐ.de mor.vulg.com.6°. 3ª.196.H/de theriaca.ad Piſo.91.E/de vſu theri.ad Pamph. 5ª.98.F
Theriacæ, & Mithridati operatio.1°.de anti. 5ª.99.G
Theriaca ad Abſceſſus in viſceribus.14°.met.me. 7ª.90.F
Theriaca quas Aegritudines ſanet poſt venena.de the.ad Piſ. 5ª.95.H
Theriaca valet ad animi prudẽtiã, et acrimoniã.de the.ad Piſ. 5ª.97.A
Theriaca auxiliatur animo affecto.de ther.ad Piſo. 5ª.96.D
Theriaca Calefacit & exſiccat.8°.met.me. 7ª.54.D
Theriaca quanti temporis vti debemus in morſis à Cane rabido, & à venenoſis.de ther.ad Piſo. 5ª.95.G
Theriacam dat in Catharro.5°.met.me. 7ª.35.D
Theriaca in Coli dolore.12°.met.me. 7ª.79.F
Theriaca Corpulentia curatur.14°.met.me. 7ª.91.E
Theriaca exugit vt Cucurbita.de ther.ad Piſo. 5ª.96.G
Theriaca in Deſperatis valet.de vſu ther.ad Pamph. 5ª.98.H
Theriaca ſanat Elephantiaſim.de ſubfig.emp. Iſa.34.B
Theriaca quomodo Febrem tollat.de vſu ther.ad Pamph. 5ª.98.F
Theriaca ad quos Morbos valeat.1°.de anti. 5ª.102.D
Theriaca curatus Nephriticus affectus.de ther.ad Piſo. 5ª.90.D
Theriaca vtatr ſenex, qui cibis obſtruẽtibus ſit vſus.5°.de ſa.tu. 2ª.91.D
Theriaca liberat à Peſte, & ab aĳs prauis.de vſu ther.ad Pãp. 5ª.98.D
Theriaca liberat à peſtilentia de vſu ther.ad Pamph. 5ª.98.D
Theriaca ad phalangiorum ictus.2°.de anti. 5ª.120.C, D
Theriaca danda in Quartana.1°.de arte cu.ad Glau. 7ª.97.G
Theriaca quomodo quartanarĳs exhibenda.de ther.ad Piſo. 5ª.96.D
Theriacã dabãt quo die quartana ventura erat.de præcogn. 4ª.214.F
Theriaca cur duplicauit quartanam.de præcog.ad Poſth. 4ª.214.F
Theriaca in quartana ante ſtatum hominem necat.1°. de arte curatiua ad Glauconem. 7ª.97.H
à Theriaca quomodo fiat Sanguis bonus.de vſu the.ad Pãph. 5ª.98.D
Theriaca vtendum in Sanitate.de ther.ad Piſo. 5ª.96.H
Theriaca quomodo proſit ſano.de ther.ad Piſo. 5ª.96.C
Theriaca ſanis in vſu ſit.de vſu ther.ad Pamph. 5ª.98.C
Theriacam dat in affectu ex Scammonio facto.12°.met.me. 7ª.79.A
Theriaca Somnum inducit.de theria.ad Piſo. 5ª.96.A
Theriaca facit hominem diu ſuperuiuere.de theri. ad Piſo. 5ª.97.H
Theriaca ſani vtantur, qui timent Venenari.de ther.ad Piſo. 5ª.90.B
Theriaca qui vtuntur, his venena nihil faciunt.de ther.ad Piſ. 5ª.97.A
Theriaca prodeſt ante, & poſt venenum.1°.de anti. 5ª.99.G
Theriaca ſi ſolum valeret ad venena et morſum ſerpentum, eſſet nullius momenti.de vſu theria.ad Pamph. 5ª.98.C
Theriaca contra quæ venena valeat.de vſu theria.ad Pamph. 98.E/1°. de antidotis. 5ª.102.D
ꝙ Theriaca valeat ad plura venena Mithridatum, ſed minus viperæ ictus ſanat.2°.de anti. 5ª.110.C
Theriaca ſanatur viperæ morſus.5°.de loc.aff. 4ª.34.B
Theriaca magis viperæ ictum ſanat q̃ Mithridatum, Mithridatum tamen ad plura venena valet.2°.de anti. 5ª.110.C
Theriacam q ſtatim biberit, nullus mortuus eſt à feris venenoſis morſus.de theria.ad Piſonem. 5ª.90.A
Theriacæ Vrinam cientes.9°.de cõp.me.ſec.loc. 5ª.200.G
Theriacæ eaſdem vires habens antidotus.2°.de anti. 5ª.112.H
in Theriacæ temperie medicamentum.ſecretorum. Sp.101.G
Theriaca medicamentum melius.de med.exper. Sp.106.C
THERINVM *collyrium.i.æſtiuum.4°.de comp.me.ſec.loc.* 5ª.154.H
THERIOMA *quid.in 6ᵐ.de mor.vulg.com.2°.* 3ª.164.F
Therioma affectus eſt cuiuslibet partis corporis.introd. Iſa.59.D
THERMARVM *aquę qbus in locis apud græcus.6°.de ſan.t.* 2ª.98.G
Thermarum aquæ qũo conficiantur arte.1°.de ſimp.me.fac. 5ª.3.E
Thermarum aquæ capiti obſunt.6°.de ſan.tu. 2ª.98.G
è Thermarũ ſordidis aqs piſces ſũt multarũ ſupfluitatũ.de diſſ. S.73.E
THERMANTICA *quæ.de dyna.* Sp.18.H
Thermanticum eſſe pluſquã oportet oleum cum bacca lauri decoctum certum eſt.de ſimp.med. Sp.88.D
Thermãticam virtutem habet oleum in quo radix agreſtis cucumeris admiſta & decocta fuerit.de ſimp.med. Sp.88.D
THERMINTES *affectus eſt, qui corporis quãcunq; partem infeſtat. introductio.* Iſa.59.D
THERMOS *agrios lupinus agreſtis.6°.de ſimp.me.fac.* 5ª.48.D
THERSITES *fuit paruus.11°.de ſimp.me.fac.* 5ª.80.H
Therſites corpus deforme.de cogno.cur.animi mor. 2ª.51.F
THESSALICORVM *nomina.5°.de ſimp.me.fac.* 5ª.38.F
Theſſalicum ſedile.de artic.com.3°. 7ª.255.E
à THESSALIIS *quomodo ſanetur vlcus.4°.met.me.* 7ª.25.G
THESSALVS *filius Hippocratis.de ĳs, quæ in medicatrina fiunt, cõmentario.1°.* 7ª.200.E
Theſſalus clariſſimus Hippocratis filius.in 3ᵐ.de morbis vulgaribus, commentario.2°. 3ª.134.G

Theſſalus Hippocratis filius non diſcedit ab Hippocratica via.de natura humana,com.1°. 1ª.26.F
Theſſali filij Hippocratis eſt ſextus epidemiorum. in 6ᵐ. de morbis vulgaribus,commenta.1°. 3ª.152.E
Theſſalus librum de chirurgia fecit.4°.met.me. 7ª.24.G
Theſſalus librum fecit de medicamentis.4°.met.me. 7ª.25.C
THESSALVS *Trallianus meth.ſectam abſoluit.introd.* Iſa.51.D
THESSALVS *contra Hippocratem contumelioſe ſcripſit. contra Iulianum.* Ex.66.C
cōtra Theſſalum Galenus conuitijs agit.2°.de criſibus.4ª.135.B/1°.methodi medendi. 7ª.2.H
Theſſalum reprehendit Galenus.1°.de comp.me.per ge. 5ª.212.A
Theſſalus diatrion ideſt tridui inediā excogitauit.4°.met.me. 7ª.25.H
Theſſalus exiſtimauit plenitudinem cauſam morborum continentem. contra Iulianum. Ex.68.F
Theſſalus ſex menſibus artem medicam ſe docere profitebatur.1°.methodi medendi. 7ª.2.E
Theſſalus librum fecit de communitatibus.1°.met.me. 7ª.2.G
Theſſalus librum fecit de ſyncriticis.1°.met.me. 7ª.2.G
Theſſalus epiſtolam ſcribit ad Neronem.1°.met.me. 7ª.2.G
THESAVRVS *ex theſauris medicinæ.ſecretorum.* Sp.99.F
Theſaurus naturæ primus,& melior qui.de ana.viu. Sp.45.B
Theſaurus naturæ melior eſt ſanguis.de ana.viu. Sp.46.B
THESPESIANA *antidotus ad quid vtilis.7°.de cōp.m.ſ.l.* 5ª.186.A
Theſpeſiana confectio ſuppuratis faciens & ad abſceſſus occultos.7°.de comp.me.ſec.loc. 5ª.185.G
THESPIANA *Apollonij ad internos abſceſſus.8°.de compoſi. medic. ſecundum locos.* 5ª.182.H
THEVDAE *ſarcophagi emplaſtrū.6°.de comp.me.per gen.* 5ª.261.A
THEVTAS *diuidit medicinā in tres partes,& quo.de ſubfi.* Iſa.31.H
THEVTH *literas inuenit apud Aegyptios.9°.de decr.* 1ª.282.E
Θυρεοειδὴ *ideſt ſcutiformem quam chartilaginem appellent.7°.de vſu partium.160.A/16°.* 1ª.215.F
THYRII *Apollonij paruum templum.de faſcijs.* 7ª.302.H
Θλάσμα *appellatur ſolutio continui in muſculis.4°.met.me.* 7ª.23.B
Θλάσματα *ideſt contuſio eſt fractura in capite.fin.med.* Iſa.48.C
Θλάσματα *ideſt contuſiones.de ijs,quæ in med.fi.com.3°.* 7ª.219.C
THLAPSI *quid.de ſimp.med.* Sp.91.G
Thlapſi quā in Italia æquale illi,quod in Creta naſcit.1°. de antid. 5ª.105.D
Thlapſin Romæ vidit Galenus.1°.de antidotis. 5ª.102.B
Thlapſi quale.1°.de anti. 5ª.107.C
Thlapſi vires habet acres,& relaxātes,et veluti mordentes,aſperitudines oculorū et cicatrices extenuat,ventrē ſurſum et deorſum purgat pūctiones frigora,et horrores in acceſſione diſcutit.de ſim. Sp.91.G
*Thlapſi ſemē potū internos abſceſſus diſrūpit.6°.de ſimp.me.f.*5ª.48.D
Thlapſi euacuat bilioſos humores.6°.de ſimpl.me.fac. 5ª.48.D
Thlapſi menſes cit,& fœtū necat,& per ſedem infuſum ſanguinolenta euacuans iſchiadibus prodeſt.6°.de ſimp.me.fac. 5ª.48.D
Thlapſi ingreditur Theriacam.de theria.ad Piſo. 5ª.92.F
Thlapſi quomodo contundenda.1°.de antidotis. 5ª.107.F
Θολερὸν·πνεῦμα *quid ſignificet.in 1ᵐ.pror.com.2°.* 4ª.177.F
THOLVS *eſt vinculum ſecundum.de faſcijs.* 7ª.293.H
Tholus vinculum.de faſcijs. 7ª.295.C
Tholus vinculum ad caluariam.de faſcijs. 7ª.295.C
Tholus diocleus quomodo fiat.de faſcijs. 7ª.295.F
THORAX *quid.introd.Iſa.53.C/6°.de vſu par.* 1ª.147.H
Thorax quid proprie ſit.7°.de ana.adm. 1ª.99.C
*Thorax quāq; vēter ſupior dictus.de vic.rat.in mor.ac.cō.4°.*7ª.149.C
Thoracis ſectionē aptū ē aīal habēs āpliſſimā vocē.8°.de ana. 1ª.100.C
Thoracem ſecandi tertius modus.7°.de ana.adm. 1ª.98.H
Thorax configitur ad eam ſpinæ partem,quæ metaphrenum id eſt dorſum dicitur,tanquam ad carinam nauis.ars med. Iſa.64.E
Thorax ſub ceruice eſt.4°.de loc.aff. 4ª.24.C
Thorax eſt poſt ſeptimum ſpondylum.13°.de vſu par. 1ª.201.B
Thoracis vertebræ quot.de oſſi. 1ª.42.B
Thorax ex duodecim ſpondylis conſtat.13°.de vſu par. 1ª.201.F
in Thorace cur requirant duodecim ſpōdyli.13°.de vſu par. 1ª.204.E
Thoracis vertebræ cuius figuræ ſint.de oſſi. 1ª.42.B
Thoracis ſpondilorum vtilitates,quæ.13°.de vſu par. 1ª.198.B
Thoracis oſſa quot.de oſſi. 1ª.42.E
Thoracis oſſa ſeptem ſunt.de oſſibus. 1ª.42.E
Thoracis oſſa quæ.de oſſibus. 1ª.42.E
Thoracis oſſa quomodo glutinentur.de oſſibus. 1ª.42.E
Thorax quomodo fiat.1°.de ſem. 1ª.331.D
Thoraci quando ſuccinctorium ſubſternere opus ſit,& cum quibus eodem tempore fiat.1°.de ſem. 1ª.332.A
Thoracis elatior finis clauiculæ ſunt in ijs animalibus, quæ clauiculas obtinent.8°.de ana.admi. 1ª.99.C
à Thorace ſcapularum diuiſio.5°.de ana.adm. 1ª.84.F
Thoracis terminus in parte inferiori,qui.5°.de loc.aff. 4ª.31.E
Thoracis partes plerūq; à nutricibus deprauant,et quo.de cauſ. 3ª.8.F
Thorax eſt ex venis,& arterijs,& neruis,ad reſpirationem incitandā à natura conſtitutus.fin.med. Iſa.43.H
Thorax debet eſſe proportionatus alijs partibus.13°.de vſu par. 1ª.201.D
Thoracis latitudo quæ.ars med. Iſa.64.F
Thorax fit latus ob ſpiritum calidum.2°.de ſemine. 1ª.339.B
Thorax quā magnitudinem habere debeat.13°.de vſu par. 1ª.201.D
Thoracis magnitudo quæ.ars med. Iſa.64.F
Thoracis capacitas intrinſeca quanta.6°.de vſu par. 1ª.148.A
Thoracis magnitudo ſequit magnitudinē pulmōis.13°.de vſu. 1ª.201.D
Thorax quæ complectatur.8°. de ana.adm. 1ª.99.B
Thoracis cauitatem implet pulmo.7°. de vſu par.159.E/13°. 1ª.201.D
Thorax circundat pulmonem,& cor.6°.de vſu par. 1ª.149.H
Thoraci an iunctus vel diſiunctus ſit pulmo.8°.de ana.adm. 1ª.103.B
Thoraci an iunctus pulmo qua ſectione videtur.8°.de ana. 1ª.103.C
à Thorace diſtare videtur pulmo.8°.de ana.adm. 1ª.103.F
Thorax cor ambit,& pulmonem.6°.de vſu par. 1ª.148.D
in Thoracis amplam capacitatem aliquid ſpiritus è pulmone pertranſit.8°.de anato.adm. 1ª.103.F
Thoracis capacitas āplior apparet poſt curſū.8°.de ana.adm. 1ª.103.E
in Thoracis medio eſt cor.6°.de vſu partium.149.H/2°.de decretis Hippocratis. 1ª.240.B
in Thoracis medio penitus eſt cor.6°.de vſu par. 1ª.148.D
in Thoracis medio cur eſt cor.6°. de vſu par. 1ª.148.D
*in Thorace quod piſces cor ſolū hñt,pulmone carēt.6°.de vſu pa.*1ª.148.A
in Thoracis leua cur duo ſunt pulmonis lobi,in dextera tres.6°.de vſu partium. 1ª.148.H
Thoracis officia.13°.de vſu par. 1ª.201.D
Thoracis actiones non ſunt valde manifeſtæ.1°.de vſu par. 1ª.114.G
Thoracis opus cum quibus membris eſt cōmune.7°.met.me. 7ª.49.B
Thorax,& genitalia habēt cōſortiū.in 3ᵐ.de mor.vul.cō.3°. 3ª.148.E
Thorax inſtrumentum ſpiritus eſt.6°.de ana.adm. 1ª.93.H
Thorax reſpirationis inſtrumentum eſt ſicut pulmo,qui in eo continetur 13°.de vſu partium. 1ª.202.E
Thorax animalis membrū organū reſpiratoriū.1°.de diffe.reſp. 3ª.58.G
per Thoracem reſpirationem efficit cerebrum.4°.de loc.aff. 4ª.27.E
Thorax ſub tempore partus præcipuū eſſe debebat reſpirationis inſtrumentum.1°.de ſemine. 1ª.331.D
Thorax reſpirationi deſeruit.4°.de præſag.ex pulſ. 4ª.119.F
in Thoracis pulſibus reſpiratio motus naturalis eſt.de ijs,quę in medi. fiunt,commenta.3°. 7ª.222.D
Thorax quid conferat ad ſpirandum aerem.5°.de loc.aff. 4ª.29.A
*Thoracem replet aer corpus ambiens ſecundum Platonē.in tim.Pla.*1ª.289.F
Thorax diſtentus per aſperam arteriam neceſſario attrahit aerem exteriorem in os.5°.de decr.Hippo. 1ª.278.B
Thorax niſi permittat cor non attrahit quippiam aeris ſecundum Eraſiſtratum.de vtil.reſp. 1ª.223.E
Thorax mouetur vt patet,de mot.thor.& pul. 1ª.316.G
Thoracis motus ab anima fit.7°.de vſu par. 1ª.159.G
Thorax mouetur motu animali.1°.de diff.reſp. 3ª.58.G
Thorax motu perpetuo agitur.6°.de vſu par.148.G/ 1ª.153.E
*Thoracis motus duplex cōtrarijs partibus cōſtās.6°.de vſu p.*1ª.148.B
Thoracis motui quæ ſubminiſtrent.8°.de ana.adm. 1ª.99.F
Thoracis motui quomodo gubernentur.8°.de ana.adm. 1ª.99.G
Thorax mouet pulmonē.6°.de vſu par.1ª.151.C/1°.de diff.reſp. 3ª.61.B
à Thorace pulmonis motus initium eſt.6°.de vſu par. 1ª.148.A
à Thorace mouetur pulmo.6°.de vſu par.155.F/2°.de decre. Hippocr. 236.G/de motu thor.& pul. 1ª.316.H
ad Thoracis motū mouet pulmo.7°.de vſu.1ª.159.E/1°.de dif. 3ª.57.D
Thorace indiget pulmo vt moueatur.de vtil.reſp. 1ª.226.B
ob Thoracem mouetur pulmo.de ana.viu. Sp.47.H
à Thorace quomodo moueatur pulmo.de mot.thor.& pul. 1ª.316.H
ad Thoracis dilatationem & conſtrictionem mouetur pulmo. de anat. viuorum. Sp.47.H

in Thoracẽ aliquid ſp̃us ex pulmone permeat.8°.de ana.adm. 1ª.103.E
Thoracis motus magni quomodo fiant.8°.de ana.adm. 1ª.99.F
Thoracẽ circũdare ventrẽ cur nõ fuit cõueniẽs.7°.de vſu par. 1ª.164.B
Thorax ſi circundaret ventrem ſemel ne poſſemus quidem ad ſaturitatẽ comedere.7°.de vſu par. 1ª.164.B
Thorax ſi circũdaret vẽtrẽ, fœminæ nõ cõciperẽt.7°.de vſu p. 1ª.164.B
ꝑ Thoracem quomodo tranſit œſophagus, & tamen non lædit thoracẽ. 6°.de vſu partium. 1ª.119.C
ĩ Thoracis via ad os tẽdẽte Eraſiſtratus deceptus ẽ.5°.de lo.af. 4ª.30.B
ĩter Thoracem & caput cur ſpondyli.8°.de vſu par. 1ª.165.H
ĩ Thorace aliqd capiti ſĩle hẽnt aĩalia nõ hẽntia caput.8°.đ vſu. 1ª.165.C
ĩtra Thoracem omnibus inſtrumentis obducitur membrana ſuccingẽs. 6°.de ana.adm. 1ª.94.C
Thoracẽ inter ſepiẽtes mẽbranæ q̃uo ſe habeãt.in prog.cõ.1°. 4ª.204.C
Thoracem circumiens mẽbrana vnde nutriat̃.6°.de dec.Hipp. 1ª.263.B
Thoracis membranarum vtilitates.6°.de vſu par. 1ª.148.D
ad Thoracis anteriorem partem venæ quæ ferũtur quomodo conſtent. de ven.art.diſſect. 1ª.57.B
ꝑ Thoracẽ q̃uo extẽdat̃ vena ſine pari.2°.de arte cur.ad Glau. 7ª.117.D
Thoracem nutriens vena per ſpinã ſine arteria deſcendit.de ven. 1ª.59.E
Thoracis partes inferiores alens vena ſub corde emergit.de vict. ratio. in morbis acutis.com.2°. 7ª.117.G
ex Thorace primũ par arteriarum quorſum tendat.1°. de dec. 1ª.232.E
ex Thorace ſ̃m par arteriarũ quorſum tẽdat.1°.de dec.Hip. 1ª.232.E
in Thorace muſculorum differentiæ.5°.de loc.affe. 4ª.29.G
Thoracis, & ventris muſculi carnoſi ſunt.4°.de præſa.ex p. 4ª.121.D
ad Thoracẽ à ceruice muſculi ſex deſcendũt.8°.de ana.adm. 1ª.102.F
Thoracis ſuperni muſculi ſex ſunt.1°.de loc.affec. 4ª.6.F
Thoracis muſculi intercoſtales ſunt vigintiduo.de muſc.diſſ. 1ª.49.D
Thoracis et abdominis muſculi tardi ſunt trãſitus.3°.de ſymp. 3ª.27.D
à Thorace ad oſſa pubis muſculi medij quo tẽdãt.ĩ 1m.p.c.2°. 4ª.186.D
extra Thoracem muſculi, qui ſupra muſculos abdominis iacent, vnde alant.de ven.art.diſſect. 1ª.58.D
Thoracis omnes muſculi non ſunt propter motũ.8°.de ana.ad. 1ª.99.F
Thorax quibus muſculis moueatur.5°.de ana.adm. 1ª.86.B
Thoracis muſculi quomodo videantur moueri.3°.de mo.mu. 1ª.309.G
Thorax q̃uo mouetur parte inferiore, & ſupiore.de mot.muſ. Sp.67.A
Thoracis muſculi mouent pulmonem.de cauſ.reſp. 1ª.227.A
Thoracis omnes muſculi propter quid ſint.8°.de ana.adm. 1ª.99.F
Thorax quibus dilatetur.de mot.man.& obſ. Sp.67.A
Thoracẽ dilatãt ſeptũ tranſuerſum vnà cũ muſculis.de muſ.diſ. 1ª.49.F
Thoracem qui muſculi dilatant.de muſ.diſſect. 1ª.49.E
Thoracem dilatans muſculus.de muſ.diſſec. 1ª.46.H
Thoracem magna dilatatione dilatans muſculus qualis, & vnde oriatur, ac deſinat.de muſculo.diſſect. 1ª.47.A
Thorax quibus vehementer dilatetur.4°.de loc.affect. 4ª.27.A
Thoracis omnes partes dilatantur ob virium infirmitatem, & ob vnius particulæ imbecillitatem.4°.de loc.aff. 4ª.25.A
Thoracis dilatatio magnam inſpirationem facit.4°.de loc.affe. 4ª.27.B
à Thoracis muſculis fit reſpiratio.2°.de mot.muſc. 1ª.314.H
Thorax quibus contrahatur.de muſc.diſſ. 1ª.49.F
Thoracis contractioni cõducũt muſculi abdominis.de muſ.diſſ. 1ª.49.F
Thorax cur conſtringatur in egeſtione.2°.de mot.muſ. 1ª.316.B
in Thorace muſculi in locis inter oſſa medijs priuſquam agunt, habent figuram totis coſtis ſimilem, curui quidem extrinſecus, caui vero intrinſecus.2°.de motu muſc. 1ª.316.F
Thoracis muſculorũ motus cur ſeruet̃ in ſomno.5°.de loc.aff. 4ª.29.B
Thoracis muſculi dum agũt intro cõpelluntur.2°.de mo.muſ. 1ª.316.F
Thoracẽ dilatantes fibræ quæ, & earum exortus.de muſ.diſſ. 1ª.49.D
Thoracem contrahentes fibræ vbi ſitæ.de muſc.diſſ. 1ª.49.E
Thoracem mouentes nerui oriuntur à medulla dorſi.de fœt.f. 1ª.324.H
ex Thoracis vertebris ꝓdeũtiũ neruorũ cõiugatiões.de ner.diſ. 1ª.54.H
Thorace elatior eſt diaphragmatis neruorũ origo.8°.de anat. 1ª.101.C
ꝑ Thoracem quomodo ferantur nerui.16°.de vſu par. 1ª.217.F
Thoraci motũ nerui dantes vnde ducantur.8°.de decr.Hipp. 1ª.278.B
Thoracem mouentes nerui vbi.3°.de loc.affe. 4ª.20.H
ex Thorace voces & gemitus non ex corde ꝓdeũt.3°.de decr. 1ª.246.F
Thorax per quas partes expurgatur.2°.de arte cur.ad Glau. 7ª.102.H
Thorax per ſputum & tuſſim purgatur.de cathar. Sp.94.G
Thorax purgatur quandoq; per inteſtina.6°.de loc.affe. 4ª.39.C
Thorax per aluum purgatur raro.6°.de loc.affe. 4ª.39.C
Thoracis excrementa deorſum tendere debent.3°.de ſan.tu. 2ª.77.B
Thoracis excrementa non ita facile exeunt, ſicuti ventris excrementa. 3°.de ſanitate tuenda. 2ª.77.B
Thoracis excrementa quomodo excernantur.3°.de ſan.tu. 2ª.77.B
Thoracis exercitationes quæ.2°.de ſan.tu. 2ª.74.H
in Thorace muſculorũ exercitatio ẽ ſp̃us cohibitio.2°.de ſan.tu. 2ª.75.C
Thorax q̃uo exerceatur in paruæ pilæ ludo.de par.pil.exer. 2ª.49.A
Thoracis partes exercitatione inferiorũ iuuãtur.5°.de ſan.tu. 2ª.90.A
THORACE, capite, ventre, & veſica origo infirmitatis vel ſanitatis oſtenditur.de dyna. Sp.19.G
Thorax qualis, ſi tota temperies ſit æqualis.2°.de tempe. 1ª.19.H
Thorax ſi habeat omnia contraria, & temperies totius ſit æqualis, qualis erit.2°.de temper. 1ª.19.H
Thorax non læditur à laganis cum melle.1°.de alim.fac. 2ª.9.C
Thoraci omne lac conuenit.3°.de alim.fac. 2ª.28.A
Thoracis abſceſſus credita eſt rũpere tuſſilago.6°.de ſim.m.f. 5ª.45.A
Thoracis proprius affectus qui.5°.de loc.af. 4ª.29.F
de Thoracis affectibus agit Galenus & potiſſimum de pleuritide. de victus rat.in morb.acut.com.3°. 7ª.133.C
in Thoracis affectibus aqua mulſa per vlcus impoſita exit per ſputa. 5°.de locis affectis. 4ª.29.H
Thorax quando deprehenditur primo infeſtari.4°.de loc.af. 4ª.25.H
Thoracis affectus pulſus.4°.de præſag.ex pulſ. 4ª.120.B
Thorace affecto tuſſis increſcit.2°.de loc.aff. 4ª.13.E
Thorax vbi affectus, calida tenuium partium ponuntur, tamen ſunt infeſtiſſima ſanguinis reiectioni.7°.de comp.me.ſe.loc. 5ª.183.E
in Thoracis affectibus conueniunt vina craſſa & dulcia, ſi cum attenuantibus medicamentis adhibeantur.de atten.vict. 2ª.46.D
Thoracis affectibus conducunt vuæ paſſæ.de atten.vic. 2ª.46.A
ſupra Thoracẽ ſi ſit affectio æger reſideat.de victus ratione in morbis acutis, com.4°. 7ª.151.D
Thoraci cathartica danda.de cathar. Sp.94.G
Thoracem purgantia quæ.de cathar. Sp.95.B
Thoracis longi affectus ſine febre quomodo fœnu græco curentur.1°. de alimentorum facul. 2ª.14.E
ad Thoracis affectiones.7°.de comp.me.ſecun.locos. 5ª.182.B
ad Thoracis oẽs inueteratas affectiones.7°.de cõp.me.ſec.lo. 5ª.179.C
ad Thoracis affectos, moleſtos, & inueteratos.7°. de compoſi. medicamentorum per genera. 5ª.271.F
Thoracem anguſtum habentes q̃uo à græcis vocẽtur.2°.de tẽp. 1ª.19.F
Thorax fit anguſtior propter gibbum.com.6°.aph.46°. Ex.51.H
Thorax non creſcit gibbis ex tuſſi aut aſthmate ante pubertatem. com. 6°.aphoriſmo.46°. Ex.51.H
Thoracem exiguum & admodum anguſtum habens, eſt ineptus ad pleraſq; exercitationes.5°.de ſan.tu. 2ª.89.H
in Thorace caliditatẽ parit alliũ.de vic.rat.in mor.ac.cõ.4°. 7ª.145.C
circa Thoracem caliditas præter naturam fuit congregata in morbis æſtuoſis.de vtil.reſp. 1ª.124.D
in Thorace quomodo caliditas deprehendatur.4°.de loc.af. 4ª.24.G
Thorax Coarctatus quam faciat reſpirationem.1°.de dif.reſp. 3ª.59.D
Thoracis coaceruata Collapſio quid agat.1°.de dif.reſp. 3ª.62.H
ad Thoracis Collectiones.7°.de comp.me.ſec.loc. 5ª.179.A
Thorax Confoſſus, & ſuccingens membrana confoſſa quomodo deprehendantur.1°.de loc.af. 4ª.2.E
Thoracem offendunt diſtillationes ex capite propter frigus.commenta. 5°.aphoriſmo.24°. Ex.39.G
ad Thoracem à capite cur materia trãſmittat̃.2°.de dif.feb. 3ª.40.H
ex Thorace in pulmone materiæ deducuntur.5°.de loc.af. 4ª.30.A
ad Thoracem ſi debeant deferre medicamenta quæ exigant.7°.de compoſi.medi.ſecun.locos. 5ª.184.B
in Thoracem quomodo non eat potus qui ſumitur.1°.de vſu p. 1ª.137.B
Thorax ſi ex capite ægrotet q̃uo curandus.6°.de ſan.tu. 2ª.100.A
Thoracis Dolores cur intenſiores ſunt pulmonis remiſſiores.4°. de locis affectis. 4ª.25.G
Thoracis dolores cur fiant ſpirante aquilone.com.3°.aph.5°. Ex.20.E
Thoraci obeſt Aquilo vniuerſaliter.in 3m.de morb.vul.cõ.3°. 3ª.146.B
Thorax quomodo vexatur à dolore.1°.de dif.reſp. 3ª.58.H
circa Thoracem & pulmonẽ dolor, qui non deſerit quid ſignificet.in ꝓgnoſti.commen.2°. 4ª.203.D
in Thoracis dolore cur pulſus paucus, et velox.1°.de dif.reſp. 3ª.59.A
in Thoracis dolore coarctatę reſpirationes.1°.de dif.reſp. 3ª.59.D
ad Thoracis dolorem.7°.de comp.me.per ge. 5ª.266.G
in Thoracem cum fluxerit materia ex abſceſſibus erũpens fit animi defectus.

fectus.1°.de arte cura.ad Glau. 7ª.98.G
ex Thorace vt materias educerent quidam ſternutationem mouerũt. 2°.de ſymptomatum cauſis. 3ª.22.H
ex Thorace et pulmone educẽdis cõfert thymũ.6°.de ſim.m.f. 5ª.48.E
Thoracem expurgat marubium 8°.de ſimp.me.fac. 5ª.59.B
Thoracis expuitionibus conferunt pini,& pitiÿdes fructus. 8°. de ſimpli.medi.facul. 5ª.57.F
ad Thoracis expuitiões medicamẽtũ.de vic.ra.in m.ac.c.4°.7ª.143.H
Thoracis vitioſæ figuræ vocem offendunt.5°.de ſan.tu. 2ª.89.H
Thoracẽ pueri q̃uo Gal.deduxit ꝑ artẽ ad ſymetriã.5°.de ſan. 2ª.92.H
in Thorace ſæpe auditur fluctuatio.4°.de loc.aff. 4ª.27.G
ĩ Thorace cõſiſtẽtes fluxiões d̃ſiccat ſpica nardi.8°.de ſim.m.f. 5ª.56.H
Thoracis fluxionibus ex capite prodeſt armenica terra.9°. de ſimp.medicamen.facul. 5ª.66.G
circa Thoracem conſiſtentes fluxionum ſimpliciter omniũ ſpecies quid iuuet.7°.de comp.me.ſec.loc. 5ª.180.D
in Thoracem fluxionum remedium. 7°. de compoſitio.medica.ſec.loc. 179.D/182.H/ 5ª.185.E
Thorax totus frigidus,& ventriculus calidus ſunt in corporibus morbis obnoxiÿs.3°.de ali.fac. 2ª.28.F
Thoracis partibus ſunt inimiciſſima frigida,vt glacies. commẽtario.5°. aphoriſmo.24°. Ex.39.G
Thorax,& pulmo frigore laborant.in 1ᵐ.de morb.vul.cõ.1°. 3ª.101.C
ad Thoracem applicata refrigerantia in ſanguineo profluuio obſunt.5°. methodi medendi. 7ª.31.H
Thorax & pulmones refrigerati nonnullis fuere cauſa necis. 11°.de vſu partium. 1ª.188.D
Thoracẽ,et pulmonẽ grauamina purgat myrrhis.7°.d̃ ſim.m.f.5ª.56.E
in Thorace Humoris ſeroſi,& pituitoſi inditia.4°.de loc.af. 4ª.27.G
ex Thorace ſuccos craſſos & lentos educunt amygdalæ amaræ.2°.de alimen.facul. 2ª.21.B
Thoracis craſſos humores expurgat orobus.1°.de alim.fac. 2ª.15.C
in Thoracis inflammationibus quæ ſint danda ſm varias partes.2°.de arte cura.ad Glauconem. 7ª.102.H
Thoracẽ totũ Mouere inter ſpirãdũ q̃d ſignificet.4°.de loc.af. 4ª.24.G
Thoracem mouentis potentiæ imbecillitas facit anhelitus carentiam. com.4°.aphoriſmo.34°. Ex.31.B
Thoracis cauſa morbus eſſe quomodo cognoſcatur.de dyna. Sp.19.G
in Thoracis morbis quid conſiderandum.3°.de criſi. 4ª.139.D
Thoracis morbis ex craſſitudine viſcoſitateq; humorum prouenientib. conuenire creditur peucedanum.8°.de ſimp.me.fac. 5ª.58.D
in Thoracis morbis quomodo delyria fiant,& lædantur cogitatio, ſciẽtia,& opinio,quæ in anima conſiſtunt.2°.de loc.aff. 4ª.13.F
à Thorace,& capite attrahuntur bilioſa & vigiliȩ accidunt.de victus ratione in morb.acut.com.2°. 7ª.122.F
Thoracis morbi vomitu ſanantur.de dyna. Sp.19.G
in Thoracis morbis ptiſſana q̃uo danda,& augenda.de ptiſſ. 2ª.48.A
Thoraci conuenit ptiſſana.de ptiſſ. 2ª.47.G
Thoracis muſculis affectus quomodo affectio inueſtiganda ſit.in 1ᵐ.prorrhet.commentario.1°. 4ª.163.C
Thoracem muſculi ac nerui mouentes iam conuulſioni parati oſtenduntur à ſpiritu offendente.com.4°.aph.68°. Ex.34.G
Thoracis muſculi frigore dureſcunt,& incidunt diſpoſitionem ſimilem conuulſioni.com.6°.aph.54°. Ex.53.C
Thoracis muſculi quando omnes moueantur.4°.de loc.aff. 4ª.26.G
Thoracis muſculis inflãmatis febris fit.4°.de præſa.ex pul. 4ª.121.D
Thoracis obſtructiones liberat piſtacium.5°.de ſimp.me.fac. 5ª.57.F
in Thorace,& iecore cur nunquam œdema pituitoſum naſcatur.4°.de præſag.ex pulſ. 4ª.120.B
Thoracis patientis ſigna.ars med. Iſa.67.C
Thoracis paſſiones difficultatẽ ſpirãdi faciunt.cõ.4°.apho.50°. Ex.33.C
ex Thoracis perforatione q̃uo vox pereat.1°.de loc.aff. 4ª.6.H
Thoracẽ à Phlegmate laborãtẽ raphanus emẽdat.de ſim.me. Sp.89.F
inter Thoracẽ & pulmonẽ fit puris effuſio.com.5°.aph.8°. Ex.38.C
inter Thoracis & pulmonis ſpacium continetur pus ſuppuratorum ex morbo laterali.com.5°.aph.15°. Ex.38.F
in Thorace pus contineri cognoſcitur.1°.de loc.aff. 4ª.2.F
in Thorace puris multitudinis inditia.4°.de loc.aff. 4ª.27.G
inter Thoracem & pulmonem ſpacium plenum ſtrangulat, ſed non cito.com.4°.aph.34°. Ex.31.B
inter Thoracem,& pulmonem inter media anguſtiam faciunt.commẽtario.4°.aphoriſmo.34°. Ex.31.B
Thoracis pus purgat ſymphytum petreum.8°.de ſimp.me.fac. 5ª.61.F
è Thorace pus educentia mediocria.13°.met.me. 7ª.84.H
è Thorace pus educentia valentiora.13°.met.me. 7ª.84.H
è Thorace pus educit medicamentũ valde incidẽs.13°.met.m. 7ª.85.A
è Thorace pus valde educit oxymely ex marrubio.13°.me.m.7ª.85.A
in Thorace Ruptiones ſuſcitat,& ſpuitionis ſanguineas,& empyemata,aqua dura,& frigida.de bonitate aquæ. Sp.75.G
in Thorace ſi rumpi debeat vena,noli exercere corpus.de ven.ſectione aduerſus Eraſiſtra. 6ª.8.F
inter Thoracem,& pulmonem concreſcit Sanguis.de atra bile. 1ª.34.D
Thorax vbi prauã hẽt ſtructurã,ſanguinẽ mitte.de cu.ra.ꝑ ſan.6ª.18.F
ex Thorace ſanguinem tuſſientes quales.4°.de loc.aff. 4ª.25.G
ex Thorace ſanguinis reiectiones leporinum coagulum ſupprimere aliqui prodiderunt.10°.de ſimp.me.fac. 5ª.74.D
ex Thorace ſanguis q̃uo in aſperã arteriã tranſmittat̃.5°.meth.7ª.32.F
Thoracis Sorditiem purgant caricæ.de ſimp.med. Sp.84.C
ex Thoracis vel iecoris tumor̃ cur pulſus nũq̃ mollis fiat.d̃ p̃ſ. 4ª.120.B
ex Thorace tuſſi confert papaueris ſemen.1°.de alim.fac. 2ª.15.E
in Thorace materia per tuſſim euacuatur.de conſt.ar. Iſa.41.D
in Thorace contenta per tuſſim excutiuntur.de conſt.ar. Iſa.42.E
Thoracis vitiÿs oĩb⁹ magis noxia ſunt acerba q̃ auſtera. de att.2ª.46.E
Thoracis vitiÿs omnibus opponũtur vina auſtera.de atten.vic.2ª.46.E
Thoracis ad vitia omnia facit caſia.de ſimp.med. Sp.82.H
Thoracis vitiÿs omnibus daucum idonee facit.de ſimp.med. Sp.83.E
Thoracis vitia ſedat ſtechas.de ſimpl. med. Sp.90.G
Thoracis vitiÿs thymus aptiſſimus.de ſimp.med. Sp.91.G
ad Thoracis vitia.8°.de cõp.me.ſ.l.5ª.104.E/de rem.par.ſa. 7ª.158.E
inter Thoracem Vlcera qualia.4°.met.me. 7ª.28.B
in Thorace vlcera ſanantur.4°.de loc.affe. 4ª.25.H
ad Thoracis vlcera medicamenta qualia.5°.met.me. 7ª.34.D
in Thoracis,& pulmonis vlceris medicamẽtis mel miſceri debet. 4°. methodi medendi. 7ª.29.A
Thoracis Vſtio ac veluti flãma quo lunæ aſpectu fiat.de decub. Sp.12.G
Thorace Vulnerato,ſpiritus efflatur per vulnus.1°. de loc.af. 4ª.2.E
Thorace vulnerati aquã mulſam iniectã expuunt.5°.de loc.aff.4ª.31.A
Thorax ẽ vulneratus ſi pulmõis fibra ꝑ vulnus exeat.1°.de lo.a.4ª.2.F
in Thorace q̃n eſt vulnus q̃uo recipiat̃ in pulmone.5°.de loc.aff.4ª.31.B
in Thoracis parte vulnus magnum penetrans dimidiam vocis partem demit.6°.de vſu par. 1ª.148.E
Thoracis vulnera quomodo vocem impediant.4°.de loc.aff. 4ª.26.D
in Thoracis vtraq; parte vulnus demit̃ vocem, & reſpirationem.6°. de vſu par. 1ª.148.E
Thoracis neruis preciſis cor reſpiratione priuat̃.de fœt.for. 1ª.324.H
Thorace nihil laborãte ex ſp̃ie affectu reſpiratio lædit̃.5°.de lo. 4ª.29.F
Thorace etiam non affecto ſpiratio difficilis.2°.de loc.aff. 4ª.13.F
in Thoracis cauitate vulnus tribus diebus conglutinatum. de uen.ſectio.aduerſus Eraſiſtratum. 6ª.13.C
Thoracis medicamenta quibus paranda.5°.de ſimp.me.fac. 5ª.35.C
THORAX Amintæ.de faſciÿs. 7ª.301.H
Thorax ad idem x literam repræſentans.de faſciÿs. 7ª.301.H
ad Thoracem vinciendum vinculum.de faſciÿs. 7ª.301.G
THOREXIS, id eſt,vini potio.com.2°.aph.21°. Ex.14.G
THRACIAE loca à mari diſtãtia in frigiditate, & humiditate modum excedunt.com.3°.aph.14°. Ex.22.E
in Thracia eſt aqua,quam ſi quis biberit moritur.de bo.aq. Sp.76.A
ex Theriaca literæ Galeno afferebantur.4°.de loc.aff. 4ª.22.C
THRACIAS lapis quid,& eius vires.de ſimp.med. Sp.86.G
Thracias lapis accẽditur aqua,extinguitur oleo.de ſimp.med.Sp.86.G
Thracias lapis qualis.9°.de ſimp.me.fac. 5ª.68.A
THRACES incolunt frigidam regionem.12°.met.me. 7ª.79.F
Thracibus cutis qualis.2°.de temp. 1ª.20.A
Thraces ſunt pingues. 2°.de ſimp.medi.facul. 5ª.14.E
Thraces iracũdi,audaces,et cõſiliÿ præcipitis ſunt.2°.de tẽp. 1ª.20.A
Thraces ſerui.1°.met.me. 7ª.2.E
Thracum multa nomina cur colligit Galenus.ad Thraſ. 2ª.106.H
THREPTI paſtillus ad ſerpẽtia vlcera.5°.de cõp.med.per gen.5ª.51.E
THRIDAX quid ſit.2°.de comp.me.ſec.loc.132.G/10°. 5ª.211.H
Thridax ideſt lactuca.6°.de ſimp.me.fac. 5ª.48.E
Θριδακα lactucã hortẽſem nõiare cõſueuerũt.2°.de alim.fa. 2ª.22.F
Thridacinæ quid.10°.de comp.me.per gen. 5ª.211.H
Θριδακίνη genus oleris eſt inſtar lactucæ.2°.de ali.fac. 2ª.22.E
THROMBOS ſanguis dicitur concretus.1°.de ſemine.1ª.329.G/3°. de ſymp.

de ſymp.cau.3ª.28.B/1°.de loc.aff.4ª.2.F/5°.meth.med. 7ª.30.D
Θρόμβωσις quid ſignificet.de fract.com.2°. 7ª.234.C
THRYALLIS ſpecies verbaſci.8°.de ſim.med.fac. 5ª.63.C
Θρυπτικαὶ λίθων facultates quæ vocentur.5°.de ſimp.me.fa. 5ª.32.B
THVCIDIDIS locus citatur.5°.de decr.Hip. 1ª.260.D
Thucidides quæ ſcribat.2°.de diff.reſp. 3ª.65.F
Thucididis cōſilium,agendū aliquid vel periclitari.9°.met.m. 7ª.66.D
à Thucidide peſtis deſcripta qualis.2°.de differ. reſpira.65.G/in 6ᵐ.de mor.vulg.com.4°. 3ª.183.C
Thucidides idiota.2°.de diff.reſp. 3ª.66.A
THVNNI grandiores inter cetacea animalia numerantur. 3°. de alim. facultatibus. 2ª.32.E
Thunni ſunt in genere cetaceorum.de bon.& vitio ſuc. 2ª.35.E
Thunnorum caro qualis.3°.de alim.fac. 2ª.31.F
Thunni caro ſalſa facit humorem melancholicū.3°.de loc.affe. 4ª.18.F
THVS quid.de ſimp.med. Sp.91.D
Thus quibus adulteretur.de ſimp.med. Sp.91.D
Thus quale.4°.de com.me.ſec.lo.151.E/5°.de compoſi.med.per ge. 247.C/6°.5ª.258.B/de ocul. 7ª.188.H
Thus quale reſpectu hominis.3°.meth.med. 7ª.18.B
Thus calidum eſt in ſecundo ordine,ſiccum in primo. 7°. de ſimplicium medic.facultatibus. 5ª.54.D
Thus vires habet leniter excalfacientes.de ſimp.med. Sp.91.E
Thus eſt imbecillum medicamentum.4°.de cōp.med.per ge. 5ª.240.G
Thus ex aceto quo loco reponatur inter calida quæ valent alopecijs. 1°. de cōpoſitio.med.ſec.loc. 5ª.122.D
Thus eſt odoratum,& calidum.com.5°.apho.59°. Ex.43.C
Thuris odor aliquibus dolorem capitis facit.3°.de loc.aff. 4ª.20.G
Thus vitandus eſt in capitis doloribus à ſtomacho & ab alijs partibus. 2°.de com.me.ſec.lo. 5ª.137.B
Thuris epitheton eſt nitor.1°.de antid. 5ª.106.F
Thus maſculum. 7°. de compoſit.medicamentorum ſecundum locos.5ª.184.F/de medi.facil.par. 7ª.174.A
Thus integrum non ſectum.4°.de compoſi.medic.ſec.loc.159. G/ 7°.181.D/10°.206.F/209.C/1°.de comp.medic.per ge. 5ª.215.G
Thus per ſe ſolum in mortario comminui iubet.1°.de antid. 5ª.107.F
Thus habet eaſdem vires chalbano,ſed imbecilliores. 4°. de comp.med. per ge. 5ª.246.C
Thure in vno præſtantiora in alio inferiora, crocus, & myrrha. 4°. de com.me.ſec.loc. 5ª.151.D
Thus emplaſticam vim habet.5°.de ſimplic.med.facultat. 5ª.35.H
Thus adſtringit,concoquit,& diſcutit.4°.de com.med.ſec.loc.5ª.150.H
Thus concoctorium eſt.3°.de comp.me.ſe.loc.143.A/ 4°.149.H/150.E/1°.de comp.med.per ge. 5ª.214.B
Thus concoquit ſufficienter.7°.de compoſiti.med.ſec.loc. 5ª.178.G
Thus dolorem leuat,& concoquit.2°.de comp.med.per ge. 5ª.219.G
Thus maturat.de ocul. 7ª.188.E
Thus pus mouet.4°.de compoſi.medicam.per genera. 5ª.239.G
Thus mundificatiuum,& collatiuum eſt.de ocul. 7ª.189.C
Thus emollit,& digerit.7°.de compoſitio. medic.per genera. 5ª.264.C
Thus parum extergit,& quale ſit.4°.de comp.med.ſec.loc. 5ª.151.C
Thus ad oculos valet.5°.de ſimp.med.fac.5ª.38.E/de ocul. 7ª.188.G
Thus ſiſtit oculorum fluorem.introd. Iſa.58.C
Thus fortiter ſtringit.de ocul. 7ª.189.D
Thus ſtypticum facit.de ocul. 7ª.190.C
Thus prohibet humorem fluentem.de ocul. 7ª.189.D
Thus ad pilos palpebrarum adglutinandos idoneum eſt.11°. de ſim.med. faculta. 5ª.81.E
Thus ponitur in theriaca.de ther.ad Piſo. 5ª.92.E
Thus debet īgredi oīa medicamēta metallica.3°.de cōp.me.p g.5ª.232.F
Thus vim fortiū pharmachorū exoluit.1°.de com.me.ſec.loc. 5ª.122.E
Thus mitigat pharmaca.4°.de comp.med.per ge. 5ª.240.C
Thus ponitur pro forma emplaſtri.5°.de comp.med.per ge. 5ª.246.B
cum Thure,vel melle orobi farina cruſtas optime diſrumpit.2°. de arte curatiua ad Glauc. 7ª.107.B
ex Thure medicamentum.5°.meth.med. 7ª.34.B
Thus & ærugo quomodo ſimul commiſceantur in medicamentis. 2°. de cump.med.per gen. 5ª.219.E
Thus quo medicamento miſcendum ſit.2°.de comp.me.per ge. 5ª.219.G
Thus non fert coctionem.2°.de comp.med.per gene. 5ª.222.H
Thus quale eſſe debeat in ſanguinis profluuio.5°.meth.med. 7ª.31.A
Thuris pars vna,& aloes partis vnius ſemiſſi cum oui candido miſto & excepta pilis leporis medicamentum optimum ſunt ad ſanguinem ſupprimendum.5°.meth.med. 7ª.30.H
cū Thure cochleæ mucoſitas ſiccat ſine morſu.de art.cō.2°. 7ª.268.A
Thus exiccat ſine morſu.de art.com.2°. 7ª.268.A
Thus ſarcoticū eſt.1°.de cō.me.per gen.5ª.214.B/3°.meth.med. 7ª.16.G
Thus carnem facit,& qualem.13°.meth.med. 7ª.18.A
ex Thure collyriū vlcera caua explet.4°.de comp.me.ſec.loc.5ª.150.E
Thus vlceri cauo conuenit.2°.de com.med.per ge. 5ª.218.F
Thus coquit vlcera malefica.1°.de comp.med.per ge. 5ª.217.C
Thus iungendum melli pro fiſtulis & laceroſis cutibus.2°. de arte cura. ad Glauconem. 7ª.106.G
Thus ſubducit aluum.9°.de comp.med.ſec.loc. 5ª.197.G
Thuris meminit.1°.de comp.med.per ge. 5ª.268.A
pro Thure liquida reſina.de art.com.2°. 7ª.267.A
THVRIS cortex qualis.4°.de comp.med.ſec.loc.5ª.151.E/13°. methodi medendi. 7ª.81.F
Thuris cortex ſiccus eſt in ſecundo ordine.7°.de ſimp.me.fa. 5ª.54.D
Thuris cortex oculis conuenit.de ocul. 7ª.188.G
Thuris cortex in hæmoptoicis,ſtomachicis,cœliacis,ac dyſentericis multi eſt vſus.7°.de ſimplicium medicamentorum facul. 5ª.54.E
Thuris cortex maturat.de ocul. 7ª.189.D
Thuris corticem accipit.4°.de compoſi.med.ſec.loc. 156.D/7°.184.C/5°. de comp.med.per gene.251.H/252.B/7°. 5ª.272.F
Thuris cortice vtitur ad profuſiones ſanguinis.13°.meth.med. 7ª.81.F
THVRIS ramus calidus & ſiccus eſt in tertio ordine.7°.de ſimplic.medic.facultatibus. 5ª.54.E
Thuris ramus vlcera oculorum expurgat,& quare.7°.de ſim.medica. facultatibus. 5ª.54.E
THVRIS manna qualis.5°.de com.me.per ge. 5ª.247.C
Thuris manna quomodo adulteratur.de ſim.med. Sp.91.D
Thure qualis manna ſit vtilior.13°.meth.med. 7ª.81.B
à Thure quomodo differat manna.4°.de comp.me.ſe.lo. 5ª.151.E
Thus pinguius eſt manna.de artic.com.2°. 7ª.267.A
Thus emplaſticum magis eſt quam manna.5°.meth.med. 7ª.31.A
Thus magis quam manna adſtringit.5°.meth.med. 7ª.31.A
Thuris plus quando immiſcendū,& qn̄ plus mannæ.5°.met.me.7ª.31.A
Thus pro manna.de artic.com.2°. 7ª.267.A
THVRIS fuligo ad quę valeat.7°.de ſimp.medica.facultati. 5ª.54.F
Thuris fuligini ſimilis eſt fuligo ſtoracis.8°.de ſimp.med.fac. 5ª.61.E
THYITES lapis quid.de ſimp.med. Sp.86.H
Thyites lapis qualis ſit.9°.de ſimp.med.fac. 5ª.67.E
Thyites valet ad purgandum,& abſtergendum quæ pupillam offuſcāt. 9°.de ſim.med.fac. 5ª.67.F
Thyites lapis acriter mordet caliginem,& cicatrices oculorū extenuat. de ſimp.med. Sp.86.H
Thyites lapis cicatrices recentes attenuare poteſt, & etiā oculorum vngues.9°.de ſimp.med.fac. 5ª.67.F
THYLACITIS dicitur nardus montana.8°.de ſimp.me.fac. 5ª.56.H
THYMBRA tam cibus q̄ medicamentū calidū eſt.3°.de temp. 1ª.24.D
Thymbra pro origano.6°.de com.med.ſe.lo. 5ª.168.F
THYMIAMA ammoniacū emollit ſcirrhū.5°.de ſimp.med.fac. 5ª.33.F
Thymiama emollit.5°.de ſimp.med.fa. 5ª.34.F
Thymiama molliendo digerit.14°.meth.med. 7ª.88.A
Thymiama concoquit.introd. Iſa.58.A
THYMVS quid.de ſimp.med. Sp.91.F
Thymus amat loca edita,& ſicca.4°.de ſan.tuen. 2ª.86.D
Thymi copia vbi proueniat.1°.de antid. 5ª.10.E
Thymus in quibus locis melior ſit.4°.de ſan.tuen. 2ª.85.C
Thymus ex quibus prouincijs probatur.4°.de ſan.tuen. 2ª.86.D
Thymus atticus optimus eſt.4°.de ſan.tuen. 2ª.86.C
Thymum cretenſe.de remed.par.fac. 7ª.167.H
Thymus pro origano.6°.de compoſitione medic.ſec.loc. 5ª.168.F
Thymus tam cibus quam medicamentū calidum eſt.3°.de tem. 1ª.24.D
Thymus potius pro obſonio,q̄ pro alimēto comedit.2°.de ali.f. 2ª.22.H
Thymus eſt obſonium quod ſponte naſcitur.2°.de ali.fac. 2ª.25.D
cū Thymo ficus an̄ cibū quādo cōueniat exhibere 2°.de ali.fa. 2ª.17.F
Thymus in tertio ordine calidus & ſiccus.6°.de ſimp.med.fac.5ª.48.E
Thymus acris.de atten.vic.2ª.43.H/9°.de ſimplic.med.fac. 5ª.64.C
Thymus acres vires habet,excalfactorias,ſtringentes,ſtomachi & thoracis vitijs aptiſſimus.de ſimp.med. Sp.91.G
Thymus attenuat.de atten.vic. 2ª.43.H
Thymus habet vim ſubtiliandi.commen.1°.aph.24°. Ex.10.G

Thymus vrinam & menſes prouocat, fœtũ euellit, viſcera potũ expurgat ex thorace, & pulmone educẽdis cõfert. 6°. de ſim.m.fa. 5ª.48.E
Thymus exiccat. 3°. de alim.fac. 2ª.26.D
Thymi decoctum in aqua mulſa diſcuſſorium eſt parabile moderatũ. 6°. de com.me.ſe.lo. 5ª.169.G
Thymus in melicrato ebulitus pro potu in animi defectu ex multitudine. 1°. de arte cur.ad Glauc. 7ª.99.B
Thymus in aceto coctus naribus applicandus eſt in lethargo. 13°. methodi medendi. 7ª.85.F
Thymus purgat nares. de cathar. Sp.95.B
Thymus purgat pulmonem, & thoracem. de cathar. Sp.95.B
Thymi decoctio purgat cibos indigeſtibiles, & lumbricos rotundos. de cathart cis. Sp.95.C
Thymus purgat pituitam, & bilem, & qua doſi, & cũ quibus miſcetur. de dynamidijs. Sp.21.H
THYMVM vocant glandium ideſt glandulam vel adenem. de venarum arteriarumq; diſſect. 1ª.56.C
Thymum ideſt glandium maximum, et molliſſimum adena nominant. 6°. de vſu partium. 1ª.148.G
Thymus propter quid factus. 6°. de vſu par. 148.H| 1ª.149.B
THYMVS quid. fin.med. Iſa.49.B
Thymi epulides, & parulides quid. de tum.prȩter nat. 3ª.84.H
Thymi cutis affectus ſunt & partium totius corporis. introd. Iſa.59.D
Thymi curatio. introd. Iſa.60.D
Thymos eijciunt groſſi crudi. 8°. de ſimp.med.fac. 5ª.57.B
Thymos auferunt tithymalli. 8°. de ſimp.med.fac. 5ª.62.D
Thymi in ſede excidendi ſunt. 14°. meth.med. 7ª.91.G
ad Thymos valet ſtercus ouillum. 10°. de ſimp.med.fac. 5ª.76.G
THYNNI fel ad quid vtile. de remed.par.fac. 7ª.161.E
Θυρεὸς ideſt ſcutum. de voc.inſtr.diſſect. 1ª.106.G
Θυρεὸν ſcutum non vndiq; rotundum ſed prælongum appellamus. 1°. de vſu partium. 1ª.160.A
THYRAEVM vinum quale. 5°. de ſan.tuen. 2ª.91.C
THYRINVM vinum. de atten.vic. 2ª.46.E
Θυρεοειδῆ ideſt ſcuti formẽ chartilaginẽ quã appellet. de voc. 1ª.106.G
Θιτικὴ. de vict.rat.in mor.acu.com. 1°. 7ª.110.A

TIBERIAS. de med.fac.par. 7ª.178.H
TIBERII Cæſaris ad Herpetas. 5°. de com.med.per ge. 5ª.252.D
TIBIA quid. introd. Iſa.53.E| de oſſibus. 1ª.43.D
Tibia cruris pars. de inæqu.intemp. 3ª.43.C
Tibiæ oſſa quæ. introd. Iſa.54.H
in Tibia duo oſſa ſunt vt in vlna. 3°. de vſu par. 1ª.131.A
Tibia eſt vnũ ex oſſibus Tibiȩ vocatũ à noĩe totius. 3°. de vſu p. 1ª.131.A
Tibia os ſolum vocatur ab Hippocrate. de fract.com. 2°. 7ª.236.E
Tibiæ oſſa os ſuræ vocat. de fract.com. 3°. 7ª.284.F
Tibia & ſura quomodo iungantur. de fract.com. 2°. 7ª.236.E
Tibia quot oſſium ſit. de fract.com. 2°. 7ª.236.E
Tibia tota quid ſit. de fract.com. 2°. 7ª.236.E
Tibiæ os maius quo vocatum, & quæ eius vtilitas. 3°. de vſu p. 1ª.134.A
Tibiæ paruũ os fibula dictũ eſt, & q̃ eius vtilitas. 3°. de vſu pa. 1ª.134.H
Tibiarum oſſa ſunt ſuſtentamentum ſenſus, & motus. de anato. Sp.55.C
Tibiæ os interius maiorẽ oneris partẽ fert. de fract.com. 2°. 7ª.239.G
in Tibiæ, & calcanei medio cur ſit aſtragalus. 3°. de vſu par. 1ª.130.G
Tibiæ, & fibulæ cur calcanei os non fuit articulatũ. 3°. de vſu. 1ª.130.G
Tibiæ quibus ligetur calcaneus. 3°. de vſu par. 1ª.130.G
Tibia cur caua. 11°. de vſu par. 1ª.191.D
Tibia qualis. de oſſibus. 1ª.43.D
Tibia in crure talis qualis cubitus in manu tota. 3°. de anatom.adminiſt. 1ª.74.A| de fract.com. 1°. 7ª.232.H
Tibia cur minor femore. 3°. de vſu par. 1ª.134.D
Tibiam habere ſymetriam ad femur, & ad pedem quomodo probetur. 3°. de vſu par. 1ª.134.D
Tibia craſſior vitiat motum. 3°. de vſu par. 1ª.134.D
Tibia tenuior debilitat motum. 3°. de vſu par. 1ª.134.E
ex Tibia duo motus fiunt, & vnde. 3°. de vſu par. 1ª.132.B
in Tibia motus compoſitus qui. 2°. de ana.admin. 1ª.70.A
Tibiæ ventrem gaſtronomiam appellant. de muſ.diſſ. 1ª.51.F
Tibiæ pars anterior ſine carne ocrea dicitur. de oſſib. 1ª.43.E
de Tibiæ muſculis. 2°. de ana.admi. 1ª.71.D
Tibiæ non habent in anterioribus muſculos in chordas validas deſinentes. com. 5°. aph. 65°. Ex.45.A
in Tibia ſunt tredecim capita tendonum. 3°. de vſu par. 1ª.132.D
Tibiæ priores muſculi tres ſecundum antiquos: tamen Galenus ſeptẽ eſſe ponit. de muſc.diſſect. 1ª.52.C
Tibiæ poſterioris muſculi ſex. 3°. de vſu par. 1ª.132.H
Tibiam mouentes muſculi octo ſunt. de muſ.diſſ. 1ª.50.F
Tibiam introrſum non nihil mouens muſculus. de muſc.diſſ. 1ª.50.F
Tibiam ad interiora ſimul flectens muſculus, & ſurſum ipſam quo quomodo attollens. de muſ.diſſ. 1ª.51.D
Tibiam introrſum inuertens muſculus, in rectum illum attollẽdo. de muſculorum diſſect. 1ª.51.D
Tibiam ad internas partes trahens muſculus. de muſ.diſſ. 1ª.51.F
Tibiam ad exteriora oblique inuertens muſculus, & ſimul flectens. de muſculorum diſſ. 1ª.51.E
Tibiam qui muſculus extrorſum vertat. de muſ.diſſ. 1ª.51.E
Tibiam ad exteriora flectens muſculus. de muſ.diſſ. 1ª.51.E
Tibiam ſenſim ad exteriora inclinantem qui muſculus faciat. de muſculorum diſſectione. 1ª.52.F
Tibiæ nerui. 3°. de ana.adm. 1ª.74.F
ad Tibiam anteriorem nullus neruus inuenitur. 16°. de vſu par. 1ª.218.C
Tibiȩ cur inſeruntur vaſa quædam tenuia. 13°. de vſu par. 1ª.202.B
de TIBIARVM & genuum paſſionibus. de dyna. Sp.30.A
Tibiæ robur ſi phlegmonẽ habeat, nõ ẽ cõſiderãdũ. 13°. me.med. 7ª.84.E
Tibijs inflãmatis cõuulſione corripit æger. 4°. de prȩſ.ex p. 4ª.121.D
in Tibiæ carnoſa parte ſinus quo modo ſanatus. de ijs, quȩ in medica.fi. commentario 2°. 7ª.212.C
in Tibia vlcus quomodo ſanetur. de atra bile. 1ª.35.D
in Tibia vlcus mediocre ſi in quiete ſanetur, non debet repente moueri. de vict.rat.in mor.acu.com. 3°. 7ª.124.D
ad Tibiarum vlcerationem, cicatricem, vel maculam nigram, vel albã. de dynamidijs. Sp.30.A
ad Tibiarum contumaces, & malignas nigritias. 4°. de comp.med.per genera. 5ª.242.G
ad Tibiarum vlcera. de dyna. Sp.30.A
ad Tibias fractas de phlegmate ſalſo remedium. de dyn. Sp.30.B
in Tibia quid ſit diſcriminatio. de fract.com. 2°. 7ª.236.F
Tibiæ prolapſus quo modo fiat. de fract.com. 2°. 7ª.236.H
de Tibiæ muſculo lato abrupto, caſus. 2°. de ana.admin. 1ª.70.B
Tibiæ oſſis portione abſciſſa quid agendum. 14°. meth.med. 7ª.92.B
Tibia moleſtior in curatione eſt. de fract.com. 2°. 7ª.239.G
Tibiæ os in quadraginta diebus corroboratur. de fract.c. 2°. 7ª.239.G
Tibiȩ oſſa fracta breuiora redduntur. de fract.com. 3°. 7ª.242.F
Tibiæ vt femoris deligatio qualis eſſe debeat. de fract.com. 2°. 7ª.238.G
in Tibia quæ aptantur, minus moleſtæ aptantur, quam quæ in manu. de fracturis, com. 2°. 7ª.236.H
Tibiȩ prolapſȩ ligatio quando aptetur. de fract.com. 2°. 7ª.230.H
TIBIA pulmonis quo modo ramificetur. de ana.viuo. Sp.53.C
TIBIAE, & citharæ ſonus non eſt à tibia, & à cithara, ſed à tibicine, & à citharedo. de trem.palp.conuul. 3ª.53.C
Tibiam non debent attingere ſenes. 5°. de ſan.tuen. 2ª.89.H
Tibiam infantibus collum omne dilatatur, facies intumeſcit, et caput validiſſime impletur. 3°. de ſan.tuen. 2ª.77.C
Tibiam inflantes quo modo reſpirent. 3°. de ſan.tuen. 2ª.77.C
Tibiam inflantes quos muſculos moueant. 3°. de ſan.tuen. 2ª.77.C
ad Tibias flatus comparatio. 3°. de ſymp.cau. 3ª.27.G
Tibiæ comparantur ſtomachus, aſpera arteria in tim.Plat. 1ª.288.F
Tibia qui cecinerint, fiunt quandoq; balbi. com. 6°. aph. 32°. Ex.49.H
TIBICINES indigent vehemẽti inſpiratione. 2°. de mot.ma. 1ª.316.C
Tibicines putabat adeſſe qui non aderunt Theophylus medicus ægrotãs. 1°. de ſymp.cau. 3ª.11.H
TIBINVM vinum in Aſia imbecille. de vinis. Sp.76.D
Tibinum vinum in Aſia cito redditur idoneum, vt bibatur. de bonitate, & vitio ſucc. 2ª.38.G| de vinis. Sp.76.D
Tibinum vinum exolutione languet. de bon. & vitio ſuc. 2ª.38.G
Tibinum vinum quale. 1°. de antid. 5ª.100.H
TIBII ſerui. 1°. meth.med. 7ª.2.E
TIBVRTINAE aquæ deſcendunt per lapideas fiſtulas. in 6m. de mor. vul.com. 4°. 3ª.182.E
Tiburtinȩ aquæ Romæ crudiuſculȩ. in 6m. de mor.vul.cõ. 4°. 3ª.182.E
TIBVRTINVM vinum in Italia octo annorum [vel vt alij legunt viginti] digeſtũ eſt, pluribus vero durat nõ amareſcens. de vi. Sp.77.A
Tiburtinum vinum duplex. 12°. meth.med. 7ª.76.D
Tiburtinũ vinũ quale. 5°. de ſan.tuen. 90.H| 2ª.91.B| 1°. de ant. 5ª.76.D

Tiburtinũ vinũ conuenit in ſyncope ex bile circa os ventriculi. 12°. methodi medendi. 7ª.76.D
TILIAE codicibus, & mẽbranis libros ſcribebant. de ijs quæ in me. ſi.commen.1°. 7ª.197.E
Tilia confecti canales.de fract.com.2°. 7ª.239.E
Τίλματα, hoc eſt vellicationes.de ijs, quæ in med.ſi.com.3°. 7ª.219.C
TIMAEVS duodecim menſibus partum geſtari credidit.de hiſtoria philoſophica. Sp.11.C
TIMENTIBVS pallidus color.1°.metho.med. 7ª.7.H
Timentes facit cholera nigra.de dyna. Sp.19.F
TIMERE, ſperare, & expectare ſunt verba prænotionis propria. 3°. de diff.reſp. 3ª.73.E
Timent pueri in tenebris, & ex adultis non conſueti. de mel. ex Galeno Rufo, & Poſſ. Sp.109.D
Timet incedens ſuper apicem pinnaculi aut montis excelſi, et pedes eius tremunt.de mot.man.& obſc. Sp.69.D
TIMIDIORA animalia qui ſanguis faciat.quod animi mor. 1ª.319.D
TIMIDISSIMI ſunt qui viuunt ſub Regibus.de aere, aq.& lo. 2ª.5.B
TIMIDITAS à quibus fiat.in 6ᵐ.de morb.vulg.com.2°. 3ª.167.G
ad Timiditatem, & audaciam regiones faciunt.5°.de decre. 1ª.267.B
Timiditatis cauſa non eſt paruitas cordis.de ana.viuo. Sp.53.A
TIMIDI qui dicantur.de vict.rat.in mor.acu.com.2°. 7ª.119.D
Timidus dicitur ſine corde.3°.de decre.Hip. 1ª.243.F
Timidũ, & puſillanimẽ ſine corde eſſe dicunt.3°.de loc.aff. 4ª.16.E
Timidum propter quid ſit animal.de ana.viuo. Sp.56.E
Timidum non eſt cor paruum.de ana.viuo. Sp.46.G
Timida animalia ſunt lepores, & cerui.de ana.viuo. Sp.46.G
Timidi cum ſint lepus, & ceruus magnum cor habent ſecundum menſuralem ſibi proportionem.de ana.viuo. Sp.53.A
Timidi habent iecur magnum, & multifidum.6°.de ana.adm. 1ª.92.D
Timidum aliquod animal non armauit natura.1°.de vſu par. 1ª.113.C
Timida aĩalia hñt vngues latos molles, & obtuſos.11°.de vſu p.1ª.187.G
Timida animalia non habent vngulam, neque cornua, ſed vngulas ſciſſas ſolum.3°.de vſu partium. 1ª.128.B
Timidis velocitas conuenit.1°.de vſu par. 1ª.113.C
Timida animalia ſunt eò quod habent frigidum ſanguinem, & aquoſum. de vtil.reſp. Sp.64.E
Timidi & boni ſenſus ſunt homines liquidioris ſanguinis, quia molles carne.de vtil.reſp. Sp.64.G
Timidis, & ſtultis ſolum illa dicenda, quibus meliori animo futuri ſint. in 6ᵐ.de morb.vulg.com.2°. 3ª.168.F
Timidis ægris qũo prædicẽda ſanitas.in 6ᵐ.de mor.vul.cõ.2°. 3ª.168.F
Timidis valens medicamen.de med.exper. Sp.106.B
TIMOCRATIS dentifricium.5°.de comp.me.ſe.lo. 5ª.165.H
TIMOR animi affectus, & perturbatio eſt.de cogn.cur. 2ª.50.H
Timoris motus qui.2°.de ſymp.cauſis. 3ª.23.D
Timoris, & verecundiæ differentia.2°.de ſymp.cau. 3ª.23.D
Timor ſubitus & vehemens eſt animi affectus.12°.meth.med. 7ª.77.D
Timorem inducunt tenebræ.3°.de loc.aff. 4ª.19.C
Timorem efficit atræ bilis color, mentem ſimilem tenebris reddẽs. 3°. de locis affectis. 4ª.19.C
Timor accidit per melancholiam.de ana.viuo. Sp.45.F
Timor diuturnus ſignificat melancholiam.2°.de ſymp.cauſ.3ª.24.C/cõ. 6°.apho.23°. Ex.48.E
Timor nunquàm deſerit melancholicos.3°.de loc.aff. 4ª.19.B
Timor melancholicorum.2°.de ſymp.cau.24.D/in 6ᵐ.de morb.vulga. com.2°. 3ª.172.A
ex Timore attoniti quibus comparantur.com.7°.aph.14°. Ex.54.H
Timor in ardẽtibus quid ſignificet.in 1ᵐ.de morb.vul.com.1°. 3ª.115.A
Timor in febribus ex ſomnis, mali.com.4°.aph.67°. Ex.34.F
Timores ex ſomnis in morbis exitialibus quo modo fiant, & ex quo humore.com.4°.apho.67°. Ex.34.F
Timorem quandoq; ſequitur rigor.2°.de ſymp.cau. 3ª.23.D
Timoris ſimilia ſymptomata facit dolor.2°.de ſymp.cau. 3ª.23.E
Timoribus cognatę ſunt mœſtitiæ.in 1ᵐ.de morb.vulg.com.1°. 3ª.115.A
Timor quomodo corpus mutet.de incant.adiur.& ſuſp. 7ª.181.G
Timoris color & pulſus qui.2°.de ſymp.cau. 5ª.23.E
Timoris pulſus q.de pul.ad Tyr.44.H/2°.de ca.p.91.D/4°. 4ª.99.H
in Timoribus quæ facimus, cur in poſterum nõ recordamur amplius eorum.2°. de motu muſ. 1ª.315.B
Timor deicit virtutem.2°.de ſymp.cau. 3ª.20.D
Timor eneruat tonum virtutis.de trem.palp.conuulſ. 3ª.51.E
Timor facit animi deliquium.2°.de ſymp.cau. 3ª.23.E
ex Timore animi defectus quo modo curet̃.1°.de ar.cu.ad G. 7ª.99.G
pro Timore, & gaudio excrementorum exitur præter voluntatem.2°. de ſymp.cau. 3ª.23.F
Timor facit aborſum.com.5°.apho.45°. Ex.41.G
Timor quandoque interimit.12°.methodi medendi. 7ª.77.D
ex Timore graui quo modo mori contingat.5°.de loc.aff. 4ª.29.B
ex Timore aliqui mortui.2°.de ſymp.cau. 3ª.23.E
Timores euitandi.ars med. Iſa.58.E
Timoris quæ voluptas oppoſita ſit.12°.meth.med. 7ª.77.D
ad Timorem, & cogitationem.ſec. Sp.103.C
Timor, lege Pauor.
Τιμωρῆσαι pro βοηθῆσαι de vict.rat.in mor.acu.com.1°. 7ª.113.F
Τιμωρεῖν. de vict.rat.in mor.acu.com.1°. 7ª.114.C
Τιμωρούμενος ἑαυτὸν. de artic.com.1°. 7ª.258.H
TINCTORES vtũtur ſucco nucũ.6°.de comp.med.ſec.loc. 5ª.167.G
Tinctores qui cognoſcunt ex vrina colores.de cauſ.procatar. 3ª.98.C
TINCTVRA nulla adeo ineluibiliter imbuitur, vt affectio ad vitioſa dogmata.2°.de diff.reſp. 3ª.64.B
TINEAS interficit cedrea.7°.de ſimplic.medic.fac. 5ª.50.E
Tineas expellit filix.de ſimp.med. Sp.84.D
Tineas expellit nepita.de ſimp.med. Sp.87.H
TINEAE velareę quid aduerſetur.de dynam. Sp.23.D
ad Tineam.ſecre. Sp.97.G
TINGIT capillos myrta.de ſimp.med. Sp.87.E
TINNITVS auriũ cur in phrenitidẽ.in 1ᵐ.prorrhet.cõ.1°. 4ª.166.B
ad Tinnitus & ſonos repẽte exortos in auribus.de rem.pa.fa.7ª.162.E
apud Tiſamenum exiſtentis mulieris hiſtoria.in 3ᵐ. de morbis vulgari. commentario 2°. 3ª.138.H
TITACAZENVM vinum quale.4°.de ſanitate tuen.2ª.85.G/1°. de antidotis. 5ª.100.H
Titacazenum vinum in Aſia imbecille.de vinis. Sp.76.D
Titacazenum vinum in Aſia aquoſum.2°.de com.me.ſe.lo. 5ª.133.D
Titacazenum vinum aquoſum in acidam & amaram qualitatem facile permutatur.de vinis. Sp.77.A
Titacazenum vinum auſterum.7°.metho.med. 7ª.45.F
Titacazenum vinum ſimile adriano, & ſabino.5°.de ſan.tuen.2ª.90.H
Titacazenum vinum cito redditur idoneum vt bibatur.de bon.& vitio ſuc.2ª.38.G/de vinis. Sp.76.D
TITANOS ideſt calx.9°.de ſimplic.med.fac. 5ª.71.B
TITANE elixa cum fœniculo abſorpta lac generat. de medicinis facile parandis. 7ª.174.F
TITHYMALLVM quid.de ſimp.med. Sp.91.E
Tithymallus characias dicitur.8°.de ſimp.medic.fac. 5ª.62.E
Tithymallus paralias ſiue marinus.8°.de ſimp.med.fac. 5ª.62.E
Tithymallus myrſinites fœmina dicitur.8°.de ſimp.med.fac. 5ª.62.E
Tithymallus myrſinites ad quid vtilis.5°.de comp.me.ſe.lo. 5ª.165.F
Tithymallus cypariſſias.8°.de ſim.med.faculta. 5ª.62.E
Tithymallus helioſcopus.8°.de ſimp.me.fa. 5ª.62.E
Tithymalli ſpecies putatur Pityuſa, quoniam lac habet & purgat.5°.de ſimp.med.fac. 5ª.58.G
Tithymallus nõ eſt lathyris, tñ habet lac.7°.de ſim.med.fac. 5ª.54.A
Tithymallorum ordo in valore.8°.de ſim.medica.facultatibus. 5ª.62.E
Tithymallus characia valentior eſt cæteris tithymallis. 8°. de ſimpliciũ medicamentorum facul. 5ª.62.E
Tithymallorum qualitates quales.8°.de ſimp.med.fac. 5ª.62.D
Tithymalli in quarto ordine calidi & adurentes ſunt.8°. de ſimp.medica.facultati. 5ª.62.D
Tithymallum eſt quaſi pſilothrum pilos tollit, quaſi cauſticum vrit.de ſimplic.medic. Sp.91.E
Tithymalli ſuccus pilos tollit.8°.de ſimp.med.fac. 5ª.62.D
Tithymalli verrucas, quas acrochordonas nominant, et myrmecias et pterygia, ſiue oculorum vngues, & thymos auferunt detergentquę pſoras & lichenas.8°.de ſimp.me.fac. 5ª.62.D
Tithymalli radix dolores dentium ſanat.8°.de ſimp.med. 5ª.62.D
Tithymallorum ſuccus qualis.2°.de alim.fac. 2ª.22.F
Tithymallorum liquor tenuium partium eſt, & calidus.3°.de com.med. per ge. 5ª.228.E
Tithymalli ſuccus vlcerat linguam.de dyna. Sp.21.E
Tithymalli comæ ſiccæ debiliores ſunt.de dyna. Sp.21.E
Tithymalli liquores ad foramina dentium valent.8°. de ſimplicium medica.faculta. 5ª.165.A

Tithymalli ſemen & liquor eius purgat indigeſtibiles cibos, & lumbricos rotundos.de cath. Sp.95.C
Tithymallum educit pituitam & atram bilem.de dyna. Sp.21.E
Tithymalli infuſionis doſis.de dynam. Sp.21.E
Tithymalli virginalis ſuccus antidotum.in cephalea.de dyna. Sp.23.C
ex Tithymalli lacte farina.de remed.par.fac. 7ª.164.G
Tithymalli ſuccus pro vulnere neruorum.3°. de compoſitione medicam. per genera. 5ª.229.G
Tithymalli vlcerum phagedænica, anthracode, & gangrenode iuuant, & fiſtularum callos eximunt.8°.de ſimplicium medicam.fac.5ª.62.E
Tithymallorum cinis qualis.8°.de ſimp.med.fac. 5ª.62.C
ex Tithymallis combuſtis fit lixiuiũ.3°.de comp.med.per gene.5ª.228.F
ex Tithymallis qui characias nuncupatur fit præſtantiſſimum lixiuiũ. 3°.de compoſitione medicamen.per gene. 5ª.228.F
vt Tithymallus peplium habet ſuccum.8°.de ſim.med.fac. 5ª.58.A
vt Tithymallus purgat Peplos.8°.de ſimp.med.fac. 5ª.58.A
TITILLATIO in tactu quid.de ocul. 7ª.185.H
TITVLVM libri negligit Galenus.in 1^{m}.pror.com.1°. 4ª.160.G
Titulus libri de differentijs pulſuum.2°.de diff.pul. 4ª.58.G
Titulus libri Menecratis mirus.7°.de comp.med.per ge. 5ª.268.A
TITVS Cæſar.10°.de comp.med.ſec.loc. 5ª.209.C
TYTII Iecur ab aquila eroſum dicunt.3°.de loc.aff. 4ª.16.E
Tytij flagitium apud Homerum.6°.de decre.Hip. 1ª.267 C
TMOLITES vinum celebratiſſimum.de attenuãte vic. 2ª.46.D
Tmolites vinum quale.de atten.vic. 2ª.46.E
Tmolites vinum fuluum, & odoratum.4°.de com.me.ſe.lo. 5ª.152.B
Tmolites vinum auſterum.de bon.& vitio ſuc. 2ª.38.B
Tmolites vinum rutilum, & dulce.de bon.& vitio ſuc. 2ª.38.D
Tmolites rutilũ dulce non eſt idoneum billioſis vel natura, vel alia cauſa. de bon.& vitio ſuc. 2ª.38.E
Tmolites vinũ eſt eiuſdẽ generis cũ falerno.de bo.& vitio ſuc. 2ª.38.D
Tmolites vinum ſimile falerno.5°.de ſan.tuen. 2ª.90.H
Tmolites vinum idoneum eſt ſenibus, ſi caput ſit valentius.5°. de ſanitate tuenda. 2ª.90.H
TOLERANTIAE facilitas quid ſignat. cõ.4°.a.2°. Ex.27.F
Tolerantia bona notat bene excretum eſſe.com.4°.apho.47°. Ex.33.A
TOLLENS ſurſum caput femoris, & vna ad interiora inuertens muſculus.de muſ.diſſ. 1ª.51.B
TOLME caraus meminit in quadam compoſitione ad ſputum. de medicinis facile parandis. 7ª.177.H
Τομὴ quid ſignificent, & vnde.3°.de ana.admi. 1ª.74.B
Τομεῖς à græcis qui dicantur dentes, & quare.introd. Iſa.54.G
Τομεῖς dentes vnde dicti.de oſſibus. 1ª.41.F
Τομεῖς dentes qui.de oſſibus. 1ª.41.F
Τομεῖς dentes quot.de oſſibus. 1ª.41.F
TONICVM officiũ habere debẽt muſculi.in prog.com.1°. 4ª.198.E
Tonicam dictam actionem habet oppoſiti muſcula actio. 2°. de motu muſculorum. 1ª.313.C
Tonici motus qui.1°.de motu muſ. 1ª.311.D
TONITRVALIS aqua melior eſt procellari.de bon.aq. Sp.75.G
Tonitrualis aqua cur approbetur ab Hippocrate.in 6^{m}.de morbis vulg. com.4°. 3ª.184.H
TONITRVA quid.de hiſt.philo. Sp.7.G
Tonitrua duorum ſunt modorum. in 6^{m}.de morb. vulgaribus, commentario 4°. 3ª.184.H
Tonitrua quõ contingant.in 6^{m}.de morbis vulgarib.com.4°. 3ª.184.H
Tonitruo ſolo, & horribili ſpectaculo viſo pregnans infantem eiecit. de theriaca ad Piſ. 5ª.94.D
TONOS vnde dicatur.1°.de mot.muſ. 1ª.308.H
Tonos quid apud Chryſippum.4°.de decre.Hip. 1ª.251.A
Toni qui dicantur ab Hippocrate.1°.de loc.aff. 4ª.7.E
Tonos quid, & quod officium habeat.in 6^{m}.de mor.vul.com.1°.3ª.153.B
Τόνος vnde oriatur.1°.de motu muſ. 1ª.308.H
Toni quo modo accepti.de artic.com.3°. 7ª.282.A
Tonus hexameter.1°.methodi medendi. 7ª.3.C
TONSILLAE quatuor cur genitæ.intro. Iſa.54.A
ad Tonſillas duo muſculi quid agant.16°.de vſu par. 1ª.216.H
Tonſillæ, pariſthmia, & vuæ quid, & quo fiant loco.de tumoribus præter naturam. 3ª.84.H
Tonſillæ quid ſint, & quo in loco ſint.com.3°.apho.26°. Ex.25.D
Tonſillæ os infeſtant.intro. Iſa.59.C
Tonſillas pueri non patiuntur, quia prius moriuntur. commentario 3°. aphoriſmo 26°. Ex.25.D
Tonſillę quibus facile incidunt, exercitatio fieri non debet inclinato capite vel dorſo.5°.de ſan.tuen. 2ª.90.A
ad Tonſillarum fluxiones.7°.de comp.me.ſe.lo. 5ª.383.G
Tonſillis tumentibus optimum gargariſmum caricę cũ hyſſopo, & careno decoctæ.de ſimp.med. Sp.84.C
ad Tonſillarum tumores.de remed.par.fac. 7ª.165.B
in Tonſillarũ phlegmonis quæ conueniant.7°.de ſimp.med.fac. 5ª.51.H
Tonſillarum ideſt pariſthmiων phlegmonas tollit ſcarificatio crurum.de cucur.ſcar. 6ª.4.B
Tonſillas phlegmone affectas mitigat lac.9°.de ſimp.med.fac. 5ª.73.G
ad Tonſillas inflãmatas.6°.de com.me.ſec.loc.170.H/171.E/7°.181.D/G/8°.191.E/5°.de cõ.me.p.5ª.251.C/de re.p.fa.157.H/165.A/7ª.171.E
ad Tonſillarum abſceſſus.de rem.par.fac. 7ª.165.B
ad Tonſillarum vitia.de med.fac.par. 7ª.171.H
ad Tonſillas.6°.de comp.med ſec.lo.169.G/7°. 5ª.183.A
in Tõſillis et glãdibus q ſuffocat, quare curatus.6°.de cõ.m.ſ.l.5ª.167.F
Tonſillarum pharmacum.6°.de com.med.ſec.loc. 5ª.173.F
TONSORIS appellatũ emplaſtrũ.9°.de comp.med.ſec.loc. 5ª.200.C
TONSI oẽs ad cutĩ erãt tpe Antonini.ĩ 6^{m}.de m.vul.c.4°. 3ª.181.G
Tonſos mimos vocabat Lucius.in 6^{m}.de morb.vulg.com.4°. 3ª.181.G
ad TOPHOSAS concretiones.8°.de comp.med.ſec.loc. 5ª.206.E
TOPHVS quid.fin.med.Iſa.49.A/de fract.com.1°. 7ª.230.A
Tophos gignens compoſitio inæqualis.6°.de ſan.tuen. 2ª.99.F
Tophi in quibus gignantur.6°.de ſan.tuen. 2ª.99.F
Tophi qui naſcuntur in aquis quales.in 6^{m}.de mor.vul.cõ.1°. 3ª.155.F
Tophi in vaſis vbi aqua caleſit.in 6^{m}.de mor.vulg.com.1°. 3ª.155.F
Tophus affectus eſt albi oculorum.introd. Iſa.58.D
Tophi in arthriticis generantur.1°.de alim.fac. 2ª.10.G
Tophi in arthritide ex qua materia fiãt.in 6^{m}.de mor.vul.cõ.1°.3ª.155.F
pro Tophis in articulis medicamentum.9°.de ſimp.med.fa. 5ª.74.B
pro Tophis ſanandis caſeus decoctus in iure cruris ſuilli ſalſi valet. 10°.de ſim.med.fac. 5ª.74.B
Tophi affectus genus.introd. Iſa.59.D
Tophus quo modo gignatur in renibus.1°.de alim.fac. 2ª.10.G
Tophos faciunt renes habentes igneum calorem.1°.de alim.fa. 2ª.10.G
Tophos veſicæ.2°.de compo.medicamentorum ſecundum loc. 5ª.106.E
ad Tophos diſſoluendos.10°.de com.me.ſec.loc.206.F/ 5ª.209.B
TORCVLAR quid, & cur.9°.de vſu par. 1ª.173.C
TORDYLI ſemen amarum apparet guſtantibus.4°.de ſimplicium medicamen.facul. 5ª.26.E
Tordylio vtitur.5°.de comp.me.ſec.loc.159.G/9°. 5ª.203.E
TORMINA vnde fiant.com.4°.apho.11°. Ex.28.D
Tormina alui ſi fiant mulieri dormienti quæ biberit aquam mulſam, cõcepit, ſi non, non concepit.com.5°.aph.41°. Ex.41.D
Torminum cauſæ multæ adducuntur.com.5°.aph.41°. Ex.41.D
Tormina facit pituita vitrea.2°.de diff.feb. 3ª.37.F
Tormina coli à pituita facta.2°.de diff.feb. 3ª.37.F
Tormina, & vertigines fiũt ſi qs ſanus purgetur.c.4°.a.2°. Ex.27.F
Tormina cur fiant poſt vehementes ſanguinis profuſiones. de articulis. commentario 3°. 7ª.288.C
Tormina faciunt animi defectus.1°.de arte cur.ad Glau. 7ª.98.G
Tormina ſi accidant ſine febre notant per inferiora purgationem fieri debere.com.4°.apho.20°. Ex.29.C
ad Tormina ſine febre.de vict.rat.in mor.acu.acu.com.4°. 7ª.149.C
ad Tormina ſternutatio proficit.de remed.par.fac. 7ª.167.D
Tormina ex ventre flatu diſtento adiuuat caſtoreum.11°.de ſimplic.medicam.facul. 5ª.80.D
Tormina, & inflatos ſanat talus ſuis.11°.de ſim.me.fa. 5ª.80.E
Tormina ventris ſedat Theriaca.de vſu ther.ad Pamph. 5ª.98.F
ad Tormina inteſtinorum valet theriaca.de ther.ad Piſ. 5ª.91.F
ad Tormina ventris.de med.fac.par.170.B/ 7ª.173.A
Torminibus inteſtinorum laborantes iuuat antidotus Zopyra.2°. de antidotis. 5ª.115.B
ad Tormina inteſtinorũ.2°.de antid.5ª.115.H/de rem.p.fa. 7ª.167.D/E
ad Tormina vteri.de remed.par.fac. 7ª.169.B
Tormina patientibus ſuccurrit phalangites.8°.de ſimp.med.fa.5ª.63.B
Tormina patientibus exhibetur ſiſymbriũ.8°.de ſimp.med.fac.5ª.60.G
ad Tormina.7°.de compoſi.med.ſec.loc.185.A/8°.5ª.191.D/de remed. par.fac.167.E/ 7ª.168.A

Tormina, lege

Tormina, lege Dolores.
TORMINOSI *quibus neglectis fiant.de dyna.* Sp.19.H
Torminoſis prodeſt meſpilum.de opt.ſect. Iſa.21.G
ad Torminoſos potiones.de remed.par.fac. 7ª.167.F
ad Torminoſorum dolores.de remed.par.fac. 7ª.167.H
ad Torminoſos.de remed.par.fac. 7ª.167.F
TORPEDINIS *mediæ partes videntur habere chartilaginē quādam tabidam.3°.de alim.fac.* 2ª.32.E
Torpedo marina quid agat ſolo tactu.6°.de loc.aff. 4ª.40.A
Torpedinis marinæ contactu fit torpor.1°.de ſymp.cau. 3ª.16.B
ex Torpedine cur piſcatores extorpeſcant.de vtil.reſp. 1ª.225.D
Torpedo proxime aſellos vtilis eſt in cal:dis.& ſiccis.8°.me.m. 7ª.51.B
*Torpedo ex chartilagineis ſola conuenit epilepticis.de pue.ep.*7ª.180.H
Torpedo ſanat capitis dolorem.11°.de ſim.med.fac. 5ª.82.F
Torpedinē ſedem euerſam coercere eſt proditum.11°.de ſimplic.medica. facul. 5ª.82.F
Torpedo habet carnem mollem.3°.de alim.fac. 2ª.32.E
Torpedines præcipue habent partes ad caudam corpulentiores his, quæ ſunt in medio.3°.de alim.fac. 2ª.32.E
TORPEDO *caput tenet correptis à morbo ex cerebro. de ſalubri dieta.* 2ª.43.D
TORPENS *& tardus ſi appareat ſobrius, cogitabundus, peruigil & loquax mētē ſignificat læſam.in* 6^{m}*.de mor.vul.com.2°.* 3ª.168.G
Torpētiū motus eſt opus morbi & facultatis ſimul.2°.de ſymp. 3ª.19.F
Torpentibus non eſt medicamentum exh:bendum.de victus rat.in mor. acu.com.4°. 7ª.150.F
TORPESCVNT *ſenſus per infrigidantia.cō.6°.apho.31°.* Ex.49.E
TORPIDAS *animalis partes efficit frigida intemperies.3°.de locis affectis.* 4ª.16.F
Torpidi cur digiti manus ex caſu.3°.de loc.aff. 4ª.14.F
TORPOR *quid ſignificet.in* 6^{m}*.de mor.vul.com.2°.* 3ª.169.H
Torporem inducere quid ſit.3°.de cau.pul. 4ª.98.G
Torpor quid, & quomodo fiat.1°.de ſymp.cau. 3ª.19.C
Torpor voluntariæ potentiæ læſio eſt.2°.de ſymp.cau. 3ª.19.G
Torpor ex morbo & facultate eſt ſymptoma.2°.de ſymp.cau. 3ª.19.H
Torpor leuis quædam paralyſis.2°.de ſymp.cau. 3ª.19.H
Torporis & paralyſis differentia.1°.de ſymp.cau. 3ª.16.C
Torpor qua cauſa fiat.2°.de ſymp.cau. 3ª.19.H
Torporis continens cauſa quæ.1°.de ſymp.cau. 3ª.16.B
Torpor à quibus fiat.in 6^{m}*.de mor.vul.com.2°.* 3ª.167.G
Torpor à frigore fit.1°.de ſympt o.cau. 3ª.16.B
Torporem fācientia ſunt frigida poteſtate.3°.de temp. 1ª.23.F
*Torporē facit frigus cū humiditate vel ſiccitate.3°.de ſym.cau.*3ª.29.D
Torpor notat pituitam peccare.com.4°.apho.2°. Ex.27.F
Torporis quædam cauſæ.1°.de ſymp.cau. 3ª.16.B
Torpor mentis fit à calido.com.5°.aph.16°. Ex.38.H
à Torpore animali ſtupor etiam.2°.de loc.aff. 4ª.8.D
Torpor ad motus oſtendit futuram ægritudinem.ars med. Iſa.67.F
Torpor eſt ſpecies doloris.com.6°.aph.5°. Ex.47.A
cū Torpore lateris dolor firmatus, malus.in 1^{m}*.pror.com.2°.* 4ª.174.B
Torpor modicus ſoluit dolorē ſenſus hebetādo.cō.5°.apho.25°. Ex.39.H
Torpor ſeparans.in 1^{m}*.de mor.vul.com.3°* 3ª.117.G
TORQVEM *ex Iaſpide viridi ori ventriculi applicuit Galenus, & pro fuit.9°.de ſim.med.fac.* 5ª.67.D
TORTIONES *fortes inferuntur ob colocynthim.de dynam.* Sp.21.D
*Tortiones, & inflationes vētris ſedat cardamomū.de ſimp.me.*Sp.82.F
Tortionibus, & inflationibus prodeſt cyminum.de ſimp.med. Sp.82.E
Tortionibus prodeſt erbum.de ſimp.med. Sp.85.B
ad Tortiones ventris.de remed.par.fac. 7ª.167.F
TORTIO *quid ſit.de iis, quæ in med.fi.com.3°.* 7ª.219.C
Tortio, & diſtortio quo modo differant, & quid ſignificent.de iis, quæ in med.fi.com.3°. 7ª.219.G
ad TORTVRAM *in facie.ſecr.* Sp.103.D
Torturę oris quid valeat.de cura lap. Sp.112.F/G
ad Torturam odoramentum.ſecr. Sp.103.D
TOSTA *caro creat carnem non humidam nec laxam. in* 6^{m}*.de morb. vulg.com.2°.* 3ª.171.A
TOTVM *& vniuerſum differunt.de hiſt.phil.* Sp.5.F
Totum & integrum idem.1°.meth.med. 7ª.6.A
Totum, & pars ſunt ad aliquid.1°.meth.med. 7ª.6.A
Totum complentia dicuntur partes.in tim.Plato. 1ª.287.A
Totius cognitio quæ partes habeat.4°.de pul.diff. 4ª.67.E
Totius principium eſt dimidiū adagio dici ſolet.9°.de decr. 1ª.279.C
Totius principium dimidium eſſe dicitur.1°.de ſem. 1ª.330.D
Totum primo euacuandū quàm pars laxet in plethora.de ſect. Iſa.18.D
Totius corporis curationem primo moliendam eſſe in morbis omnibus eſt commune præceptum.3°.de loc.aff. 4ª.15.D
Totum purgandum eſt antequam pars remediis ſubiiciatur.4°. methodi medendi. 7ª.26.F
ante Totum ſanari non poteſt pars.4°.meth.med. 7ª.25.E
TOXICA *quę.de dynam.* Sp.18.H
Toxicum bibentibus quid auxiliatur.2°.de antid. 5ª.114.B
TRABECVLA *quid ſignificet.de fract.cōmentario 2°.* 7ª.237.G
TRABES *quid.de hiſt.phil.* Sp.7.F
TRACHEA *quæ.de dynam.* Sp.18.H
Trachea arteria & æſophagus vbi ſint.de anat.par. Sp.42.H
Trachea arteria facit pellem plenam fiſtulis, quæ recipiunt aerem ſolū, & non ſanguinem.de vtil.reſp. Sp.64.C
Trachea arteria, lingua, epiglottis ſunt neceſſaria voci & orationi. de voce, & anhelitu. Sp.60.H
Tracheæ aſperæ annuli nō ſunt rotūdi pp cibū.7°.de vſu par. 1ª.158.D
*ad Tracheas arterias ſolus aer ex pharynge puenit.7°.de vſu.*1ª.159.F
Tracheæ arteriæ motus videt̄ in aīali mortuo.7°.de vſu par. 1ª.157.F
TRACHOMATICA *medicamēta detergunt.14°.meth.me.* 7ª.93.F
TRACHVRVS *habet carnem duram.3°.de alim.fac.* 2ª.31.F
Trachurus ægre conficitur, & parit ſuccos craſſos, & ſalſos.3°.de alimentorum facul. 2ª.31.E
TRACTATIO *iuſta quæ.de fract.com.1°.* 7ª.230.H
TRACTIONVM *duo genera ſunt.3°.de nat.fac.* 1ª.307.G
Tractionis ordo à membris.1°.de ſymp.cau. 3ª.17.H
TRACTORIA *organa quæ.de machin.* 7ª.309.C
Tractoria organa imperfecta ſunt.de machin. 7ª.311.E
Tractorii organi motus quo modo fiat.de machi. 7ª.311.E
Tractus, ideſt σϰρμάϊσμοὶ*, mediocres purgationes ſiue per aluum ſiue per vomitum fierent, à veteribus vocabantur.de art.c.4°.*7ª.267.H
TRACTVS *& expulſio per eundem fiunt meatum in diuerſis temporibus.3°.de nat.fac.* 1ª.205.F
Tractus fit ex periptoſi.de ana.ocul. Sp.57.G
Tractus cucurbitularum ęnearum quemadmodum etiam vinearum per ignem fit.de cucur.ſcar. 6ª.3.E
Tractus cornearum cucurbitularum fit ſine igne.de cucur.ſcar. 6ª.3.E
Tracta ab hirudinibus pars refrigeratur, ideo fouenda eſt, & recalfacienda.de cucur.ſcar. 6ª.4.D
Tractus ſanguis ab hirudinibus, quando nimis fluit nō eſt frigidis ſiſtendus, ſed adſtringentibus, & emplaſticis.de cucur.ſcar. 6ª.4.D
TRACTVM *ad aperiendum, purgandum, ſanandum dolorem, carnem mortuam & carbunculum auferendum.de dyna.* Sp.31.F
Tractum ad omnem plagam.de dyna. Sp.32.C
TRADVCERE *vbi volumus materiam ex aliis partibus, in aliam vtimur ſcarificatione.de cucur.ſcar.* 6ª.3.F
TAAGACANTHA *quid.de ſimp.med.* Sp.91.D
Tragacantha qualis.7°. de compoſi.medicamentorum ſecundum locos. 179.A/5ª.184.B/de ocu. 7ª.188.H
Tragacanthum viſcoſum, & humidum.de ocul. 7ª.189.B
Tragacanthæ liquor acrimoniæ expers.4°.de com.me.ſe.lo. 5ª.151.C
Tragacantha emplaſtra eſt.8°.de ſimp.med.fac. 5ª.62.E
Tragacantha magis ſtringit quam ſarcocolla plus, & lachrymam reprimit.de ſimp.med. Sp.91.D
Tragacanthum oculis conuenit.de ocul. 7ª.188.G
Tragacanthum valet contra vngulas, ſcabies palpebrarum, pruritus, & craſſas puſtulas.de ocul. 7ª.189.C
Tragacantha exaſperata mitigat.7°.de comp.medic.ſec.lo. 5ª.178.F
Tragacantha aſperitudines leuigat.7°.de compoſ.med.ſec.loc. 5ª.182.E
Tragacantha medicamentis admiſcenda, quando vlcus eſt in gula.4°. methodi medendi. 7ª.29.A
Tragacantha arteriæ aſperitates ſanat.7°.de ſimp.med.fac. 5ª.49.F
Tragacantha leniſſima eſt in principiis inflammationum arterię. 7°. de compo.medicam.ſecundum lo. 5ª.177.G
Tragacantha primo debet lacte macerari, quàm ponatur in antidoto. 7°.de compoſiti.med.ſec.loc. 5ª.179.E
TRAGASIAE *aquæ quæ, & quales.11°.de ſimp.med.fac.* 5ª.83.D
TRAGEMATA *quę vocentur.1°.de alim.fac.* 2ª.15.F
pro Tragematibus cicer elixum vel frixum in cœna ſumitur.1°. de alimentorum

mentorum facul. 2ª.11.A
de Tragematibus frixa cicera ſunt optima ictericis.de cura ic. Sp.111.D
TRAGICI id ſolum quod dicenti perſonæ conuenire videtur ornatu orationis adhibito explicare conſueuerunt.5°.de decre. 1ª.259.D
Tragici nihil probare volunt.1°.de decr.Hipp. 1ª.259.D
TRAGION ſolum in creta naſcitur.8°.de ſimp.med.fac. 5ª.62.F
Tragion calidum in tertio ordine.8°.de ſimp.med.fac. 5ª.62.E
Tragion ſtipites hærentia corporibus extrahit, & lapides frangit. 8°. de ſimplicium medicament.facul. 5ª.62.E
Tragion mentes mouet.8°.de ſim.me.fa. 5ª.62.F
Tragion ad fluxionum affectus conuenit.8°.de ſimp.med.fac. 5ª.62.F
TRAGOEDIAM agentes cur multis vtantur balneis,& cibos lenes,et laxantes edant.7°.de compoſitione medicamento.ſec.loc. 5ª.177.E
TRAGORIGANVM quale.8°.de ſimplic.med.fac.57.E| 5ª.62.F
Tragoriganus habet vim ſubtiliandi.com.1°.aph.24°. Ex.10.G
Tragoriganum atram bilem educit.da dyna. Sp.21.C
TRAGI & olyre ſemen ab aliquibus idem genere putatur.1°.de alimẽtorum facul. 2ª.12.H
Tragus ex nobiliſſima olyra quo modo conficiatur, & quo modo eo plerię; vtantur.1°.de alim.fac. 2ª.12.H
Tragus eſt eiuſdem naturę cum alica, & quomodo differant.de bonitate & vitio ſuc. 2ª.34.G
Tragi ſemen alicę ſimile eſt.1°.de alim.fac. 2ª.12.G
Tragus fit ex Zea.de vict.rat.in mor.acu.com.1°. 7ª.111.B
Tragi ſemen minus nutrit quam Zea.1°.de alim.fac. 2ª.12.G
Tragi ſemen aluum magis mollit quam Zea.1°.de alim.fac. 2ª.12.G
Tragi ſemen difficile coquitur.1°.de alim.fac. 2ª.12.G
Tragus habet multum aceris.1°.de alim.fac. 2ª.12.G
Tragus cibus eſt craſſus.3°.de alim.fac. 2ª.28.B
Tragus eſt ex genere cacochymorum.2°.de ſimp.med.fac. 5ª.12.H
Tragus nihil detergit.1°.de alim.fac. 2ª.13.H
Tragi ſuccum non adhibemus oculis.in 6ᵐ.de mor.vul.com.5°.3ª.196.D
ex Trago probè cocto ſorbitio leniſſima in principijs inflammationum arteriæ.7°.de comp.med.ſec.loc. 5ª.177.H
Tragus cibus eſt conueniens ſtomachicis.8°.de comp.me.ſe.lo. 5ª.192.B
Tragi ſuccus valet in dyſentericorum deiectionibus,vbi vehementer rodunt.12°.meth.med. 7ª.74.G
TRAHENDI opus eſt naturale,non animale.1°.de ſymp. 3ª.17.H
Trahendi ad ſe conuenientia vim habent membra.de purg.m. 5ª.87.A
TRAHENTES deorſum maxillam muſculi vbi ſint. de muſculorum diſſectione. 1ª.44.G
Trahentium ſcapulas ad caput muſculorum ortus,& proceſſus.de muſculorum diſſectione. 1ª.45.A
Trahens muſculus ex inferiori, & priori parte totam ſcapulam deorſum,ac in priora ad ſe.de muſc.diſſ. 1ª.45.C
Trahentes ſurſum primas coſtas fibræ.de muſ.diſſ. 1ª.49.E
Trahentes coſtam decimam & vndecimam fibræ.de muſ.diſ. 1ª.49.E
Trahens femur in poſteriora,& exacte extendens muſculus. de muſculorum diſſectione. 1ª.50.H
Trahens caput femoris ad exteriorem regionem.de muſc.diſſ. 1ª.51.A
Trahens caput femoris ſurſum ſimul & extrorſum muſculus. de muſculorum diſſect. 1ª.51.A
Trahens tibiam ad internas partes muſculus.de muſ.diſſ. 1ª.51.F
Trahens oblique leniter ſurſum magnum digitum muſculus. de muſculorum diſſect. 1ª.52.D
Trahentium,& non trahentium conſtitutiones,& æqualiter,et minus. 2°.de motu muſ. 1ª.311.E
Trahentia attractrice virtute præpollẽt.6°.de com.me.per g.5ª.260.H
Trahentium rerum comparatio ad medicamentũ.de cathar. Sp.94.H
Trahens medicamentum quo modo agat.de cathar. Sp.94.D
Trahentia ex alto humiditates cum acrimonia id efficiunt. 4°. de cõ.medic.per ge. 5ª.235.H
Trahentem facultatem poſſidet laſſerpitij liquor.8°. de ſimplicium me. facultatibus. 5ª.60.F
Trahentia digerunt.4°.de comp.me.per ge. 5ª.235.H
Trahentia diſcutiunt.6°.de comp.me.per gen. 5ª.250.H
Trahens emplaſtrum.6°.de com.med.per ge. 5ª.261.D
TRAHI, effringere,emergere, & exilire verba vetera ad extra motum.de trem.palp.conuulſ. 3ª.54.H
Trahis vis vitalis.4°.de præſag.ex pul. 4ª.122.G
Trahit quod eſt valentius.3°.de nat.fac. 1ª.306.C
Trahatur quo muſculo deorſum naſus.de muſ.diſſ. 1ª.44.F
Trahatur quo muſculo ſurſum labrum ſuperius, quò ad latus, & quò deorſum.de muſc.diſſ. 1ª.44.E
Trahit cor in dilatatione quod repleturum eſt id, quod ex eo vacuatum fuit.in tim.Plat. 1ª.290.D
Trahant quo modo carnes ex ventre, & extrinſecus. in 6ᵐ. de morbis vulg.com.5°. 3ª.194.H
Trahunt etiam carnes aerem.in 6ᵐ.de mor.vul.com.5°. 3ª.194.H
Trahunt ad ſe humores dolentia,& calentia.de ren.aff.dig. 7ª.193.G
Trahit plus calida pars quàm euaporet.de victus ratione in morbis ac. commentario 2°. 7ª.116.C
Trahunt ſuccum ſibi cõuenientem medicamẽta quadã facultate. de the. ad Piſonem. 5ª.90.G
Trahant quo modo humores medicamenta.de purg.med.fac. 5ª.86.H
Trahunt medicamenta ob familiaritatem.5°.de ſimp.me.fa. 5ª.37.E
Trahunt acria medicamenta.in 6ᵐ.de mor.vul.com.2°. 3ª.166.B
Trahunt diſcutientia.6°.de comp.me.per ge. 5ª.250.H
Trahunt cauterium.& eſcharam facientia.13°.meth.med. 7ª.82.D
Trahant quæ vehementius.5°.de ſimp.med.fac. 5ª.36.E
Trahit geniſta.8°.de ſim.me.fac. 5ª.61.C
Trahere à profundo quæ poſſint.5°.meth.med. 7ª.37.D
Trahunt à pfundis propolis,ſagapenũ,& opopanax.5°.me.me.7ª.37.D
Trahunt à profundo ſine morſu Terebinthina, & euphorbium. 5°. methodi medendi. 7ª.37.D
Trahũt à toto corpore rubrificãtia,vt cucurbitula.4°.met.me. 7ª.25.E
Trahunt citra calefactionem cucurbitulæ,& cornua caua. 13°. methodi medendi. 7ª.82.D
Trahant quo modo ſanguinem hirudines.de cucur.ſcar. 6ª.4.D
Trahũt ſanguinẽ auidius hirudines,vbi illũ guſtarint.de cuc.ſca. 6ª.4.E
ne Trahant amplius hirudines quõ prohibendũ ſit.de cuc.ſcar. 6ª.4.C
Trahit herculeus lapis ferrum ad ſe.de cathar. Sp.94.H
Trahit electrum fricatum paleas.de cathar. Sp.94.H
Trahit ceruus ſpiritu ſuo ſerpentem de cauernis.de cathar. Sp.94.H
Trahit ſerpens ſpiritu ſuo mures ad ſe.de cathar. Sp.94.H
TRAIANVS refecit vias Italiæ.8°.meth.med. 7ª.58.G
TRALLIANIS à Philippo data antidotus.7°. de compo.medicamen. ſecundum locos. 5ª.186.B
TRAMIAE meminit.de med.fac.par. 7ª.175.C
TRANQVILLVM & callidum,lenẽ vocat Hippocrates.in 3ᵐ.de morbis vulg.com.3°. 3ª.141.E
TRANSCRIBENTIBVS nulla eſt lex poſita: ideo licet pro arbitrio vnicuię; ſcribere in obſcuris.com.7°.aph.64°. Ex.60.C
TRANSEANT in ſe quæ facile,et quę difficulter.4°.de ſimplicium medic.facultatibus. 5ª.28.D
Tranſire quæ non poſſunt per anguſta niſi eliquata.in 6ᵐ.de morbis vul. commentario 2°. 3ª.173.D
Tranſire medicamenta celeriter facit mel.4°.meth.med. 7ª.29.A
TRANSFERRE ad ſuperficiem quæ in profundo ſunt poteſt cucurbitula.de cucurb.ſcar. 6ª.3.F
in TRANSGLVTIENDO quæ tunica œſophagi magis agat. de mot. man.& obſc. Sp.68.F
Trãſglutire,& reſpirare non fiunt eodem tempore.7°.de vſu p.1ª.158.D
Tranſglutire non poſſunt ſupini.5°.de loc.aff. 4ª.32.B
Tranſglutire ſi non poterit homo febriẽs,& collum peruertatur ſine aliquo tumore,letale.com.4°.aph.35°. Ex.31.E
Tranſglutiendi difficultas ex frigidæ potu.7°.meth.med. 7ª.47.D
TRANSITIVVS motus qui,& vnde.fin.med. Iſa.45.B
TRANSITVS per œſophagum ineuitabile accidens eſt eleuatio nodi gutturis.de mot.man.& obſc. Sp.70.F
Tranſitus anguſtia à quibus fiat.1°.de ſan.tuen. 2ª.68.C
à TRANSLATITIIS nominibus tranſlationes fieri non poſſunt.3°. de diff.pul. 4ª.63.D
TRANSLATIONES à nominibus proprijs fieri poſſunt,non à tranſlatitijs.3°.de diff.pul. 4ª.63.D
per Tranſlationem nomen dictum.com.5°.aph.16°. Ex.38.G
per Tranſlationem Argumenta non conueniunt philoſopho, neq; Rhetori.3°.de decr.Hip. 1ª.249.G
Tranſlatio ſemper ad meliora fieri debet.ars med. Iſa.68.H
ex TRANSMVTABILIBVS & ſenſu carentibus vel ex ſentientibus,& patientibus fiunt corpora.1°.de elem. 1ª.3.G
Tranſmutationes multas & oĩmodas faciũt vẽti.de aer.aq.& l.2ª.6.B
Tranſmutatio corporis fit per motum.com.4°.aph.14°. Ex.28.H
Tranſmutatio in peregrinam qualitatẽ iuxta cruditatem peior eſt, quã ſi cibus

ſi cibus non mutatur.8°.de com.me:ſec.lo. 5ª.194.B
Tranſmutatio quæ dolorem facit, duplex eſt.de victus ratione in morbis acutis,commen.2°. 7ª.116.B
TRANSMVTARE arterias in neruos putauit Praxagoras.1°.de decretis Hipp. 1ª.232.C
TRANSPIRABILE & fluxile debet eſſe corpus. 8°. methodi medendi. 7ª.51.F
Tranſpirabilis excrementi retentio cauſa ſimul & ſymptoma.11°.metho di medendi. 7ª.71.C
Tranſpirabilium reſpiratio quid contrarietur.11°.meth.med. 7ª.71.D
TRANSPIRANDI defectus exercitio ſarcitur. 2°. de ſanitate tuenda. 7ª.72.H
TRANSPIRATIO quid.1°.de ſan.tuen. 2ª.67.D
Tranſpiratio quid ſit,& à quo fiat.6°.de loc.aff. 4ª.39.F
Trāſpiratio,perſpiratio,perflatus ſenſum latēs,idē.1°.de ſa.tu. 2ª.67.H
Tranſpiratio in noſtro corpore duplex eſt qualis vapor,& qualis aer ſiccus.aduer.Lycum. Ex.72.E
Tranſpiratio fit à corde per arterias.4°.de loc.aff. 4ª.27.E
per Tranſpirationem inſenſibilem mittuntur ſuperflua tenuis ſubſtantiæ.de atra bile. 1ª.35.B
Tranſpirationes facit tenuium partium ſubſtantia.de victus rat.in mor. acutis,com.3°. 7ª.130.B
Tranſpirationem prouocantia.8°.meth.med. 7ª.58.A
Tranſpirationem quæ prohibeant.8°.metho.med. 7ª.58.A
Tranſpirationis prohibitio quibus fiat modis,et curetur.11°. methodi medendi. 7ª.69.F
Tranſpirationis retētio ſymptoma eſt obſtructionis.11°.me.me. 7ª.70.C
TRANSPIRANT per cutim exteriorem animalia omnia.de venæ ſec. aduerſ.Eraſ. 6ª.8.H
Tranſpirat quibus aliquid acre à qbus debēt abſtineri.8°.me.m. 7ª.51.C
Tranſpirent ægre quæ.8°.meth.med. 7ª.58.A
TRANSPONVNTVR quæ non poſſunt auferri.ars me. Iſ.71.C
TRANSVERSALES muſculi vulgo dicti,qui.5°.de anatomicis adminiſtrationibus. 1ª.87.D
Tranſuerſales villi retinent.de ana.viuo. Sp.55.H
TRANSVERSARIA pars organorum.de machin. 7ª.309.E
Tranſuerſaria quæ ſint in organis.de machin. 7ª.309.F
Tranſuerſaria organorum ex robuſtiori materia fieri debent. de machinamentis. 7ª.309.D
Tranſuerſaria in organis ſemper immobilia manēt.de machin. 7ª.310.E
TRANSVERSIO ventris naſcitur conceptis in bilis boris ob ſiccum rheuma per corpus currens.de ſper. Sp.37.C
TRANSVERSOS, & latitudinales villos magis habet mēbrum quod dam,vt ſtomachus.de ana.viuo. Sp.56.A
ex Tranſuerſis quibuſdam filis,& quibuſdam lōgitudinalibus componitur panniculus ſtomachi interior.de ana.viuo. Sp.49.G
Tranſuerſus muſculus ſedis ipſam claudens.de muſ.diſſ. 1ª.50.E
Tranſuerſi nerui vindicant ſibi poteſtatem anelcticem ideſt retentiuā.de comp.memb. Sp.58.H
Tranſuerſum ſeptum cur dictum phrenę.5°.de loc.aff. 4ª.31.E
ad TRANSVMPTIONEM oportet eſſe non ſolum quod trahit, ſed & quod tribuit.de vtil.reſp. 1ª.223.E
TRAVLIZEIN, ideſt balbutire eſt vitium linguæ,non vocis. com. 6°. aphoriſmo 32°. Ex.49.G
in TREMENTIBVS quo motus eſt miſtus.de tre.palp. 3ª.54.G
Tremētibus ex plenitudine vtiliſſimum eſt caſtoreum.11°. de ſimplicium medicam.facul. 5ª.80.B
ad Trementes.8°.de cōpoſitio.med.ſec.loc. 5ª.208.B
TREMITVS aſcendentes cur.2°.de ſymp.cau. 3ª.20.D
TREMVNT cur Iuuenes.2°.de ſymp.cau. 3ª.20.E
Tremunt cur ſenes.2°.de ſymp.cau. 3ª.20.E
Tremunt cur ſenes ſub ponderibus.2°.de ſymp.cau. 3ª.20.D
Tremunt qui in multorum conſpectu loquuntur.2°.de ſymp. 3ª.20.D
Tremunt formidabilē magiſtratū adeuntes.2°.de ſymp.cau. 3ª.20.D
Tremit ſerpentem videns.2°.de ſymp.cau. 3ª.20.D
Tremunt pedes incedentes ſuper apicem pinnaculi aut mōtis excelſi. de mot.man.& obſc. Sp.69.D
TREMOR quid.de trem.palp.conuulſ. 3ª.52.C
Tremoris,conuulſionis,palpitationis,rigoris,horroris,ſingultus, tuſſis, ructus,ſternutationis,pandiculationis,oſcitationis,Tryſmu ideſt dentium concuſſionis,genus commune eſt,motus illegitimus, & quomodo hæc in genere differant.2°.de ſymp.cau. 3ª.19.E
Tremor voluntariæ potentiæ læſio eſt.2°.de ſymp.cau.19.G| 3ª.20.C
Tremor non ſine voluntate.de trem.palp.conuulſ. 3ª.53.D
Tremor opus morbi & facultatis ſimul.2°.de ſymp.cau. 3ª.19.F
Tremor quo modo ſit paſſio,& ſymptoma.de ſymp.diff. 3ª.11.A
Tremorum affectio.in 3^{m}.de mor.vul.com.1°. 3ª.129.E
Tremor cuius ſymptoma ſit nullus ante Galenum dixit.1°.de ſymptoma tum cauſis. 3ª.19.D
Tremor,& palpitatio quid ſint,& quo differant.de trem.palp. 3ª.51.G
Tremoris,& palpitationis differentia.2°.de ſympto. cauſ. 3ª. 20. H| de trem.palp.conuul. 3ª.51.G
Tremor,palpitatio,& pulſus motus arteriarum ſecundū Praxagorā.de trem.palp.conuulſ. 3ª.52.E
Tremor,ſaltus,ſpaſmus pulſui ſimilia,et eorū differētia.de cōp.Sp.65.B
Tremor,& rigor idem apud Platonem.de trem.palp.conuulſ. 3ª.53.E
cum Tremore motus frigidus eſt rigor.de trem.palp.conuulſ. 3ª.52.D
Tremor & cōuulſio differūt toto gñe.in 3^{m}.de mor.vulg.cō.1°. 3ª.129.D
Tremores,conuulſiones,& cōcuſſiones muſculorum propriæ affectiones ſunt.1°.de diff.reſp. 3ª.61.C
Tremorem quid faciat.de trem.palp.conuulſ. 3ª.51.E
Tremoris cauſæ.in 3^{m}.de mor.vulg.com.1°. 3ª.129.E
Tremoris cauſæ tres.in 3^{m}.de mor.vul.com.1°. 3ª.129.F
Tremor ſemp ex imbecillitate oritur.in 3^{m}.de mor.vul.cō.1°. 3ª.129.E
Tremor habet cauſam continentem viriū imbecillitatem. in 3^{m}.de mor. vulg.com.1°. 3ª.127.D
Tremoris cauſa ē infirmitas muſculorū.in 3^{m}.de mor.vul.c.1°. 3ª.127.C
Tremores quo fiant.2°.de ſymp.cau.3ª.20.C|in 1^{m}.pr.cō.1°. 4ª.164.C
Tremor ex duobus motibus quo conſtet.2°.de ſymp.cau. 3ª.20.B
Tremores fiunt quando materiæ in venis traducuntur ad neruos. cō.6°. aphoriſmo 26°. Ex.48.F
Tremor non fit à frigore,& à quo fiat.de trem.palp.conuulſ. 3ª.52.G
Tremor,& tetanus,& tabes cur non facti in conſtitutione frigida, & humida.in 1^{m}.de mor.vulg.com.2°. 3ª.108.H
Tremor ex aqua frigida.2°.de ſymp.cau. 3ª.20.E
Tremor in corpore ſequitur ad dominium phlegmatis.de an.vi.Sp.45.E
Tremorem faciunt craſſi,& glutinoſi ſucci.2°.de ſymp.cau. 3ª.20.E
Tremore capiuntur ſenes.2°.de temp. 1ª.16.D
Tremorem facit venus immoderata.in 3^{m}.de morb.vulg.cō.1°.3ª.127.C
Tremoris cauſa in ſenibus,quæ.de trem.palp.conuulſ. 3ª.51.F
Tremor ſimilis pulſui fornicanti.2°.de ſymp. cau. 3ª.20.C
Tremor,palmos,ſaltus,ſpaſm° p quas fiant particulas.cōp.p. Sp.65.B
de TREMORE capitis.de remed.par.fac. 7ª.161.H
Tremor linguæ vnde.in 1^{m}.prorrh.com.1°. 4ª.166.B
Tremores manuum ac pedum ex defectu.com.7°.aph.9°. Ex.54.E
Tremor manuum.de vict.rat.in mor.acu.com.2°. 7ª.122.F
Tremor à manibus primo die, & febris acuta.in 3^{m}. de morbis vulgar. com.1°. 3ª.122.F
Tremor ob pondus.2°.de ſymp.cau. 3ª.20.D
Tremoris exemplum in homine onus gerente.de trem.palp. 3ª.51.E
in Tremore quæ paſſio ſæpe accidat.de diff.morb. 3ª.3.F
in Tremore cum abſunt dolor,ſuppuratio,& febris,pars putreſcit, vt cogamur quādoq; ſolidā pcidere.in 3^{m}.de morb.vulg.cō.1°. 3ª.132.D
Tremoris cauſa in morbo.de trem.palp.conuulſ. 3ª.51.F
Tremor in principio morbi,qui fit ob imbecillitatē,ob quæ fiat.in 3^{m}. de mor.vulg com.1°. 3ª.127.D
Tremoris cauſa in reſolutionibus.de trem.palp.conuulſ. 3ª.51.F
Tremorem quo modo choleræ habent.de trem.palp.conuulſ. 3ª.52.G
TREMOR quandoq; calidis curatur,& qui.de trem.palp. 3ª.52.H
Tremor quandoq; frigidis curat̄,& qui.de trem.palp.conuul. 3ª.52.H
Tremor quo alimento curetur.de trem.palp.conuulſ. 3ª.52.H
ad Tremores febrium per interualla inuadentiū, antidotus Mithridatis Eupatoris Diaſcinci nominata.2°.de antid. 5ª.115.C
Tremores qui in febribus ardentibus fiunt, delirio ſoluuntur. com. 6°. aphoriſmo 26°. Ex.48.F
ad Tremores febrium tollendos valet theriaca.de vſu th.ad P.5ª.98.F
Tremores oleum neq; iuuat neq; lædit.2°.de ſimp.me.fac. 5ª.15.C
Tremorem habenti fecuit venā Hippocrates.de ven.ſec.ad.Er. 6ª.6.F
Tremorem in febribus auferens medicamentū.de med.exper.Sp.106.B
Tremori membrorum quid valeat.de cura lap. Sp.112.F
ad Tremorem cordis valens electarium.de med.exper. Sp.107.A
ad Tremorem cordis linimentum.ſec. Sp.100.H
ad Tremorem cordis.ſecr. Sp.100.G
TREMVLA & tumida frigida ſunt omnia.de trem.palp. 3ª.52.D

Tremulę manus vnde.in 3^{m}*.de morb.vulg.com.*1°. 3ª.127.G
Tremulis oleum calidum valet 2° *de ſimp med.fac.* 5ª.11.E
*ad Tremulos.*7°*.de cõp.me.per gene.*269. *H*/270.*D*/5ª.271.*A*/*D*/*F*/*G*
TRIANGVLARE *eſt qualitas.*2°*.de diff.pulſ.* 4ª.58.*H*
Triangulare foramen habent duo oſſa naſi.de ana.viuo. Sp.49.*A*
TRIANGVLVS *æquilaterus ex quibus conſtet.*8°*.de decr.* 1ª.274.F
TRIASANDALI *confectio.de dyna.* Sp.26 E
Triaſandali confert ad dolorem hepatis ex calore ictericorum, colorem emendat potenter, omnem calorem intraneorum vſitatum extirpat, ſitim intolerabilem temperat.de dyna. Sp.26.E
TRIATETTARA *quid vocent græci.* 4°*. de compoſitio. medicamen. per genera.* 5ª.243.G
Τριβὴ *id eſt exercitatio, ars, experientia in quo conſiſtant ſm Platonẽ. aduer.emp.med.* Iſa.35.E
Τριβὴ *ideſt exercitatio.de ſubſ.emp.* Iſa.11.G
Τριβικὴ *ideſt trita experientia quæ.de ſubſ.emp.* Iſa.31.E
Τρίβον *quid vocent.de artic.com.*1°. 7ª.255.D
Τρίβονα *id eſt exercitatum.de ſubſig.emp.* Iſa.31.G
Tribones qui ſint.de ſubſi.emp. Iſa.33.H
TRIBOLVS *parum eſt frigidus, & multum ſiccus.* 8°*. de ſimp. med. faculta.* 5ª.62.F
*Tribulus refrigerat.*2°*.de comp.me.ſe.lo.* 5ª.132.H
*Tribuli ſuccus frigidus eſt.*6°*.de ſan.tuen.* 2ª.100.G
*Tribulus ad phlegmonarũ generationes, & contra omnes influxus congruit.*8°*.de ſimp.med.fac.* 5ª.62.F
*Tribulus viridis condenſat.*2°*.de ſimp.med.fac.* 5ª.34.G
*Tribulus viridis.*5°*.meth.med.* 7ª.65.*A*
*Tribuli fructus lapides in renibus cõminuit.*8°*.de ſimp.me.fac.*5ª.62.F
*Tribuli meminit.*4°*.de com.me.ſe.lo.*157.*D*/9°. 5ª.200.F
per TRICAM *quid intelligat.in Tim.Plat.* 1ª.288.H
TRICARDVMEAS *ad quid vtilis.de rem.par.fac.* 7ª.166.F
TRICHIASIS *quid.fin.med.* Iſa.48.F
Trichiaſis genus eſt fracturę capitis ſecundũ nõ nullos.intr. Iſa.59.F
Trichiaſis affectus eſt, qui contrahitur circa genas, anguloſq́, oculorũ. fin.med. Iſa.48.F
Trichiaſis eſt coronæ affectus.introd. Iſa.58.D
Trichiaſis oculorum morbus manu indiget.introd. Iſa.59.G
Trichiaſis tres differentiæ.fin.med. Iſa.48.F
*ad Trichiaſin.*4°*.de comp.me.ſe.loc.* 5ª.158.B
*Trichiaſis Antonij muſæ.*4°*.de comp.me.ſe.lo.* 5ª.153.B
non TRICHOMANES *ſed callithrichum appellatur Adiantum.* 2°*. de compoſitione medicamentorum ſecundum locos.* 5ª.138.C
*Trichomanes eadẽ præſtat quæ adiantum.*8°*.de ſimp.med.fac.* 5ª.62.G
TRICONIZATVS *puluis.de dynam.* Sp.32.*A*
TRICLOSIS *quo modo curetur per chirurgiam. de victus ratione in mor.acu.com.*4°. 7ª.152.F
TRICVSPIS *membrana quæ.*6°*.de decr.Hip.* 1ª.264.C
TRIENS *valet vncias quatuor.*4°*.de comp.med.per gene.* 5ª.245.*A*
*Trientis fit mentio.*4°*.de comp.med.ſec.loc.* 5ª.156.F
TRIERARCHAS *Triremium principes græci vetes vocabant. ad Thraſybul.* 2ª.109.E
TRIFOLINVS *collis.*1°*.de antid.* 5ª.101.B
TRIFOLIVM *quid.de ſimp.med.* Sp.91.G
Trifolij herbę vires diuerſæ, & quales.de ther.ad Piſo. 5ª.91.H
*Trifolium odoratum quale.*7°*.de ſimp.med.fac.* 5ª.55.F
Trifolij acidi meminit [quod vulgo dicitur alleluia.] 8°*. de comp.med. ſec.loc.* 5ª.196.B
Trifolium bituminoſum.de med.fac.par. 7ª.169.G
*Trifolij odorati radix fluxiones cohibet, & profluuium mulicbre.*7°*. de ſimplicium med.facultatibus.* 5ª.54.F
*Trifolij odorati ſemen menſes cit.*7°*.de ſimp.med.fa.* 5ª.54.F
Trifolij folia viperæ morſus remediant.de ſimp.med. Sp.91.G
Trifolij radix in antidota mittitur.de ſimp.med. Sp.91.G
Trifolium ad venenoſorum ſerpentum morſus facit.de ſim.me Sp.91.G
TRIGEMINI, *& gemini quomodo fiant, & cur.de hiſt.* Sp.10.G
à TRIGESIMO *anno ad trigeſimum quintum declinatio eſt in homine.in progn.com.*3°. 4ª.210.C
*Trigeſimus primus dies qualis ſit.*1°*.de dieb.decr.* 4ª.149.C
*Trigeſimus quartus qualis ſit.*1°*.de dieb.decr.* 4ª.149.C
*Trigeſimus primus, & trigeſimus quartus ſunt dies boni iudicatorij, qui rarò per ſudores iudicant.com.*4°*.apho.*36°. Ex.32.*A*
Trigeſimi quartani ſudores boni.præſag.exper.conf. Sp.77.G
*Trigeſimus ſeptimus qualis ſit.*1°*.de dieb.decr.* 4ª.149.C
TRIGLA *piſcis pelagicus eſt.*3°*.de alim.fac.* 2ª.30.E
*Trigla celebrat̃ tanq̃ alios piſces ſuperet voluptate.*3°*.de ali.fa.* 2ª.30.F
*Triglæ caro qualis.*3°*.de alim.fac.* 2ª.30.F
*Trigla ſuper omnes nutrit, ſi conficitur.*3°*.de alim.fac.* 2ª.30.F
*Triglæ caro cur iniucunda aliquibus.*3°*.de alim.fac.* 2ª.30.F
*Triglæ hepar propter voluptatem à guloſis ſummopere expetitur.*3°*.de alim.facul.* 2ª.30.F
*Triglæ iecur quomodo coquatur.*3°*.de alim.fac.* 2ª.30.F
*Trigla quo inſtinctu comedatur.*3°*.de alim.fac.* 2ª.30.F
*Triglæ Iecur non eſt viſum ſuaue Galeno.*3°*.de alim.fac.* 2ª.30.F
*Triglæ caput guloſi laudant.*3°*.de alim.fac.* 2ª.30.F
*Triglas magnas quidam emerat ingenti pecunia propter iecur, & caput.*3°*.de alim.fac.* 2ª.30.G
*Triglæ magnę peiores ſunt paruis.*3°*.de alim.fac.* 2ª.30.G
*Triglæ prauæ ſunt quæ cancellos vorant.*3°*.de alim.fac.* 2ª.30.G
*Triglæ, quæ edunt cancellos, q̃uo cognoſcãtur.*3°*.de alim.fac.* 2ª.30.G
TRIGLIA *ſanat morſum draconis.*11°*.de ſimp.med.fac.* 5ª.82.G
TRIGONOS *confectio.*7°*.de com.me.ſe.lo.* 5ª.185.B
*Trigona medicamenta.*12°*.meth.med.* 7ª.75.C
*Trigonus paſtillus.*2°*.de com.me.ſec.loc.* 5ª.136.H
TRIMESTRES *cur abortiant ſine cauſa.*5°*.de vſu par.* 1ª.211.H
TRIOBOLVS. *de pond.& menſ.* 5ª.275.H
TRYPHERVM *ideſt delicatum.*5°*.de cõp.me.ſe.lo.*162.*A*/ 5ª.184.E
*Tripherum collyrium ideſt delicatum.*4°*.de com.me.ſe.lo.* 5ª.154.F
*Tripherum collyrium.*4°*.de comp.med.ſec.loc.* 5ª.154.F
Tripheræ quædam compoſitio.ſecr. Sp.102.F
Tripherę alia compoſitio.ſecre. Sp.102.F
Tripheræ magnæ confectio.de dyna. Sp.26.D
Triphera magna facit ad dolorem ſtomachi ex frigiditate, ſudorem prouocat, phrenitis prodeſt, & mulieribus quę ex melancholia de matrice inſomnia patiuntur, ſuauiter ſomnum præſtat, rheumaticis, & qui faciunt ventrem cum ſanguine vtiliſſima eſt, aſcaridas, & lumbricos educit, menſtrua prouocat.de dyna. Sp.26.D
TRIPHILENVM *vinum quale.*5°*.de ſan.tuen.* 2ª.90.H
TRIPHON *archæus.*4°*.de com.med.per ge.* 5ª.243.H
Tripho, & theon quo modo exercitia nominabat.ad Thraſ. 2ª.109.E
Tripho vitioſam athletarum artem tractauit.ad Thraſ. 2ª.109.E
TRIPHILLON *hoc eſt trifolium nominant aliqui lotum domeſticam.* 7°*.de ſimpli.me.fa.* 5ª.54.H
*Triphillon calidum, & humidum eſt.*8°*.de ſimplic.med.fac.* 5ª.60.B
Triphyllum calidum, & ſiccum eſt vt bitumen in tertio ordine. 8°*. de ſimp.medic.fac.* 5ª.62.F
*Triphillum laterum dolores ab obſtructione natos liberat, & vrinas menſeſq́, prouocat.*8°*.de ſimplic.medic.fac.* 5ª.62.F
in TRIREMIBVS *remorum extremitates ad æqualitatem vnam per ueniunt, cum tamen ipſi oẽs non ſint æquales.*1°*.de vſu par.* 1ª.120.E
Triremium principes trierarchas græci vocabant.ad Thraſ. 2ª.109.E
TRISPASTVM *quid appelletur.de machin.* 7ª.309.H
Triſpaſtum quod organum ſit appellatum, & cur.de machin. 7ª.316.F
Triſpaſtum quid ſit, & quo modo confectum.de machin. 7ª.316.C
Triſpaſtum Apellidis, ſeu Archimedis.de machin. 7ª.316.C
TRISTANS *quibus curetur.de med.exper.* Sp.104.D
TRISTICHIA *eſt coronæ affectus.introd.* Iſa.58.D
TRISTES *& amari qui fiant.de victus ratione in morbis acutis, com mentario* 2°. 7ª.122.F
Triſtes natura homines quales.de incant.adiur.& ſuſp. 7ª.181.H
Triſtes efficit cholera nigra.de dyn. Sp.19.F
Triſtibus valens medicamen.de med.exper. Sp.105.H
*Triſtis ſenſus, grauis, & dolorificus idem.*1°*.de ſymp.cau.* 3ª.16.H
Triſtia non ſunt ęgro d cenda.in 6ᵐ*.de mor.vul.com.*4°. 3ª.181.*A*
TRISTITIA *eſt animi affectus.de cogn.cur.anim.mor.* 2ª.53.G
*Triſtitiæ motus qui.*2°*.de ſymp.cau.* 3ª.23.E
*Triſtitia vnde.in progn.com.*1°. 4ª.190.E
Triſtitiæ cauſa inſatiabilitas eſt.de cogn.cur.animi mor. 2ª.55.B
Triſtitiæ euitandæ ſunt.ars med. Iſa.58.E
*Triſtitia introfert humores.*4°*.de ſan.tuen.* 2ª.86.*A*
Triſtitia quo modo corpus mutet.de incant.adiur.& ſuſp. 7ª.181.G
*Triſtitia refrigerat.*4°*.de cau.pul.* 4ª.99.H
*Triſtitia accendit febres.*1°*.de ſan.tuen.* 2ª.65.F
*ex Triſtitia quidam febricitant.*1°*.de diff.feb.* 3ª.31.B
*ex Triſtitia febris quomodo fiat.*1°*.de diff.feb.* 3ª.31.F

ex *Triſtitia ephemera quę habeat colorē.1°.de art.cu.ad Gla.* 7ª.95.C
ex *Triſtitia ephemera quomodo cognoſcatur.2°.de criſi.* 4ª.138.F
à *Triſtitia corpus fit gracile, & aridum.3°.de ſan.tuen.* 2ª.81.F
Triſtitia vires reſoluit.12°.methodi medendi. 7ª.77.D
ex *Triſtitia tabidi mortui.6°.de compo.med.per gen.* 5ª.254.H
in *Triſtitia magis inflata, & rotunda ſecundū quos eſſe deberet.de anatomia viuorum.* Sp.47.A
Triſtitiæ pulſus qui.de pul.ad Tyron.44/H 4°. de cauſ.pul. 4ª.99.H
Triſtitia efficit pulſum rarum,& tardum.de anato.viuo. Sp.47.A
ex *Triſtitia & vigilijs & cogitationibus laborantes, vrinam habent croceam & igneam, & extra conſuetudinem cholericam cum morſu veretri exientem.de dynam.* Sp.34.A
Triſtitiæ nec frictionibus multis nec lauationibus indigent. 8°. methodi medendi. 7ª.51.E
ex *Triſtitia animi defectus quō curet.1°.de arte cur. ad Glau.*7ª.99.G
contra *Triſtitiam dantur drachmæ duæ aloes.de med.exper.* Sp.106.E
Triſtitiam vultus diſcutit ſtyrax paucus potatus, multus vero ſomnos multum turbulentos inducit.2°.de comp.med.ſecun. loc. 5ª.137.B
Triſtitiam auferens electarium.de med.exper. Sp.107.A
ad *Triſtitiam.ſecretorum.* Sp.98.H
TRITAEOPHYES *continuarum ſpecies. 2°. de differen.feb. 36. F/in in1m.de mor.vul.com.2°.* 3ª.110.C
TRITAPTA *quæ.de ſimp.med.* Sp.79.G
TRITARII *medici errabāt.de cauſ.procat.* 3ª.95.F
TRITICEI *acerui granum ſingulum elementum dicere potes. 8°.de decretis Hippocratis.* 1ª.274.H
Triticeo ſyncomiſto quomodo panis ex laudatiſſima Typha in nutriendo pene par ſit.1°.de alim.fac. 2ª.12.H
Triticeus panis ſyncomiſtus.1°.de alimen.facul. 2ª.12.H
Triticei panes magis nutriunt quàm hordacei ex bono hordeo.1°.de alimentorum facultatibus. 2ª.11.G
Triticea farina temperata eſt.3°.de ſimp.me.fa. 5ª.19.B
Triticea farina chondrus ſiccior eſt.5°.de ſimp.med.fac. 5ª.34.D
Triticea farina cum lacte decocta præſtat ſuccum craſſum.de bonitate & vitio ſuccorum. 2ª.35.D
ex *Triticea farina,et lacte eduliū intus obſtruit. 1°.de alim.fa.* 2ª.10.G
ex *Triticea farina & muſto placenta eſt craſſi ſucci.de bonitate, & vitio ſuccorum.* 2ª.35.D
Triticea farina fluxionibus aduerſatur.2°.de arte cur.ad Gla. 7ª.101.G
Triticeę farinæ cataplaſma,quale.5°.de ſimplici.medi.fa. 5ª.32.C
ex *Triticea farina cataplaſma emplaſticam uim habet. 5°.de ſimplicium medicamentorum facultatibus.* 5ª.34.D
Triticea farina adſtringit,& eſt emplaſtica.1ª.de ſimp.med. fac. 5ª.8.D
ex *Triticea farina aqua & oleo cataplaſma concoquens.2°.de ar. curatiua ad Glauconem.* 7ª.105.C
ex *Triticea farina cataplaſma quomodo moueat pus. 5°. de ſimplicium medicamentorum facultatibus.* 5ª.33.B
Triticea farina plurimū ſuppurat.2°.de ar.cur.ad Glau. 7ª.105.E/H
Triticea farina cum oleo putreſacit.5°.meth.med. 7ª.37.F
ex *Triticea farina cataplaſma.5°.de ſim.me.fac.* 5ª.34.B
Triticea polenta miſta hordeacea ad tormina ſine febre.de victus ratione in morbis acutis,commen. 7ª.149.D
TRITICVM *ſemen eſt frequentiſſimum, & vtiliſſimum.1°.de alimentorum facultatibus.* 2ª.9.E/F
Triticum habet ęſtiuam, & anniuerſariam generationem.2°.de alimentorum facul. 2ª.16.D
in *Triticum terra facile tranſit.4°.de ſimp.me.fac.* 5ª.28.D
in *Tritico frequens ſæpe lolium inuenitur.1°.dealimen.fac.* 2ª.15.G
ex *Tritico lolium generatur.1°.de alimen.fac.* 2ª.15.G
ex *Tritici mutatione melampyron generatur.1°.de alim.fac.* 2ª.15.H
Triticorum differentiæ.de atten.vic. 2ª.44.F
Triticum hornotinum quod.de artic.com.2°. 7ª.266.F
Triticum hornotinum unde.de artic.com.2°. 7ª.267.B
Triticum quale.de atten.vict. 2ª.44.F
Triticum flauum.de atten.vict. 2ª.45.A
Tritica flaua optima.1°.de alim.fac. 2ª.9.F
Triticum fuluum,flauum,& rubrum albo calidius.4°.de ſimpliciū medicamentorum facultatibus. 5ª.31.G
Tritica optima quæ.1°.de alimen.fac. 2ª.9.F
*Triticum generoſum quale.2°.de arte curatiua ad Glauconem.*7ª.105.E
Tritica grauiora ſunt meliora. 1°.de alimen.fac. 2ª.9.F
Triticum quō fiat ponderoſum & in mole amplius,1°.de nat. 1ª.295.C
Triticum trahit aquam per fictile.1°.de nat.fac. 2ª.295.C
Triticum ſuffurandi modus apud ruſticos.1°.de nat.fac. 1ª.295.B
Triticum præſtantius quod plus farinæ facit, deterius contra.de bonitate,& vitio ſuccorum. 2ª.36.G
Triticum debet probari aperiendo.1°.de alim.fac. 2ª.9.F
Tritica peſſima quæ.1°.de alimen.fac. 2ª.9.F
Tritici differentia facit panes varios.1°.de alimen.fac. 2ª.9.G
Triticum quando reponitur,non mutatur in contrariam naturam.2°.de alimentorum facultatibus. 2ª.16.D
Trititicum primo qualitate caret, poſtea fit dulce.4°.de ſimplicium medicamentorum facul. 5ª.29.G
Tritici ſapor dulcis eſt.4°.de ſimp.med.fa. 5ª.26.C
Tritica quæ plus nutriunt,& quæ minus.1°.de alim.fac. 2ª.9.E/F
Triticum calidum eſt in primo ordine,temperatum in paſſiuis qualitatibus.8°.de ſimp.med.fac. 5ª.61.H
Triticum calefacit.1°.de alim.fac. 2ª.11.C
ſuper *Tritici aceruum manus frigida poſita calorem ſentit.3°.de ſimpl. medicamentorum.facul.* 5ª.22.G
Tritici aceruus cedit,ſed non eſt mollis.5°. de ſimp.med.fac. 5ª.32.G
Tritico frigidius & ſiccius eſt amylum.8°. de ſimpl.medi.fac. 5ª.59.D
ex *Tritico fit amylum.1°.de alimen.facul.* 2ª.11.C
Tritico ſimillima ſunt duo hæc, typha, & zeia.1°.de ali.fac. 2ª.12.F
Triticum exile typha dicitur.1°.de alim.fac. 2ª.13.B
Tritici & Typhæ differentia, & ꝙ à nonnullis inter tritica hæc connumeretur.1°.de alimen.fac. 2ª.13.B
ex *Tritico, & zeia crimnon fit.1°.de alim.fac.* 2ª.12.F
inter *Triticum,& hordeum media eſt zeia.6°.de ſimp.me.fa.* 5ª.47.H
inter *Triticum,& hordeū media eſt olyra.8°.de ſimp.me.fa.* 5ª.57.C
vt *Triticum,optimū eſt nutrimentū chondrus. 8°.de ſim.me.f.*5ª.63.H
Tritico plus nutrit chondrus.1°.de ſimp.me.fac. 5ª.63.H
Triticum bene mundandum.1°.de alimen.fac. 2ª.15.H
ex *Tritico nō bene mundo noxæ quæ fiunt quotidie, denique erumpunt. 2°.de alimentorum facul.* 2ª.15.H
Tritico loliū miſcent in penuria piſtores publici.2°.de alim.fac. 2ª.15.H
Triticum eſt uiſcoſum nimis.de diſſol.cont. Sp.73.B
Triticum lentum,& abſtruens eſt.8°.de ſimp.me.fac. 5ª.59.D
è *Tritico liquor quomodo exeat.5°.de comp.med.ſec.loc.* 5ª.160.H/*de remed.par.fac.* 7ª.157.B
Triticum adſtringebat Herodotum.1°.de ſimp.me.fa. 5ª.8.H
Triticum ab aliquibus ante quàm molletur rigatur, ab aliquibus lauatur.de artic.commen.7°. 7ª.266.F
*Trititici ſiligo vētrē ſtringit,ardorē et corruptionē.de ſim.m.*Sp.90.A
Tritici farina quot indigeat ſi bonum nutrimentum facere debeat. 1°.de alimentorum facul. 2ª.11.B
Tritici præparatio.de atten.vic. 2ª.44.F
Triticum generat humorem craſſum,& lentum.1°.de alim.fac. 2ª.11.D
ex *Tritico bellaria omnia ſine fermēto, quoties caſei etiam aliquid adijcitur, craſſi valde ſucci ſint. de bon. & vit.ſuc.* 2ª.35.D
Triticum facile tranſit in carnem.4°.de ſimp.me.fac. 5ª.28.D
Triticum nerum ab equis ſine noxa non editur.1°.de alim.fac. 2ª.13.B
*Triticum videtur durum,ſed elixū eſt molle.de bon.& vit.ſucc.*2ª.36.F
Triticum in aqua elixum raro vidit Galenus.1°.de alim.fac. 2ª.11.A
Tritico elixo in Aſia veſcuntur.de atten.vict. 2ª.44.F
Triticum elixum nutrit valenter, & calefacit ſi coquatur.1°. de alimentorum facultatibus. 2ª.11.C
Tritico elixo non eſt veſcendum.de atten.vict. 2ª.44.F
à *Tritico elixo ruſtici offenduntur.1°.de alim.fac.* 2ª.11.B
Triticum elixum pondus in ventriculo facit, ac ſi eſſet lutum non coctū flatus parit, capitis dolorem inducit, & oculorum caligationes. 1°. de alimentorum facultatibus. 2ª.11.B
ex *Tritico polenta.de vic.rat.in morbis acutis,com.4°.* 7ª.149.C
ex *Tritico panis quę excrementa faciat. in 1m.prorr.cō.3°.* 4ª.182.G
Tritici paſta olcima dr̄,ſi accuratiſſime ſubacta fuerit.2°.de lo. 4ª.12.B
Tritici farina facit pus.5°.de ſimp.med.fac. 5ª.34.B
Tritici panis facit pus.5°.de ſimp.med.fac. 5ª.34.B
Tritici cataplaſmate magis digerit cataplaſma ex pane.8°.d ſimplicium medicamentorum facultatibus. 5ª.59.F
non *Tritico,ſed pane maſticato ſanantur furunculi puerorū. 10°.de ſimplic.medicamentorum facultatibus.* 5ª.75.D
Triticum manſum, non tamen aqua pinſum, furunculos concoquit.3°.de naturalibus facultatibus. 1ª.304.A
Tritici cliſſiſſia id eſt ſimila.ſecretorum. Sp.100.D

Tritici oleum.2°.de compo.med.per gen. 5ª.227.G
TRITVNICALIS, & quatritunicalis cur videatur arteria. de par-tib.artis medic. Sp.16.H
TRITVRA multa cum craſſo liquore facit, vt trita farina lenta appa-reat.1°.de alim.fac. 2ª.12.B
TRIXAGO vrinam mouet. de mel.ex Gal. Ruff.& poſ. Sp.110.B
TROCHANTHERAE proceſſus qui.de oſſibus. 1ª.23.D
Trochantheris magni proceſſum quod muſculorum caput attingat. 2°. de anato.admin. 1ª.70.D
TROCHILIA in inſtrumentis fractorũ crurium.6°.meth.me.7ª.41.H
TROCHISCI vnde dicantur.5°.de comp.med.per gen. 5ª.251.B
Trochiſcis admiſcetur bilis.10°.de ſimp.me.fac. 5ª.74.F
Trochiſci de carabe.de remed.par.fac. 7ª.165.H
Trochiſci de corallo.de remed.par.fac. 7ª.165.H
Trochiſci ad febrem aduſtam.ſecretorum. Sp.98.G
Trochiſci ad febrem tertianam.ſecretorum. Sp.98.E
Trochiſci ad febrem quartanam.ſecretorum. Sp.101.B
Trochiſci ad febrem quotidianam.ſecretorum. Sp.101.A
Trochiſci ad morpheam albam vel nigram. de dynam. Sp.25.F
TROCLEAE ad quid in organis.de machina. 7ª.309.D
TROMATA quę ſint apud Hippocratem.in 6ᵐ.de morbis vulgaribus, commentario 5°. 3ª.191.C
τρώματα quæ læſiones ſint.in 1ᵐ.pror.com.2°. 4ª.185.A
τρώματα,i.vulnera,vocant Iones oēs læſiones. de arti.c.2°.7ª.264.D
TROMOS vnde habeat nomen.2°.meth.med. 7ª.9.D
τρόπος quid ſignificet.in 1ᵐ.de morbis vulg.com.3°. 3ª.117.G
τρόπος ῥοικοειδής. de artic.commen.3°. 7ª.272.C
TRVNCVS, & radix ſemper eodem modo ſe habent. 6°. de decre-tis Hippocratis. 1ª.252.A
Truncus arteriarum omnium eſt arteria maxima.1°.de decre. 1ª.232.D
TRYBLIA, & coclearia idem. de ponde.& menſ. 5ª.275.E
Tryblion quantum capiat.de ponde.& menſu. 5ª.275.E
Tryblion quod pondus ſit apud Atticos.de ponde.& menſ. 5ª.276.B
Tryblion quomodo figuretur.de pond.& menſ. 5ª.175.D
Tryblion.de ponde.& menſ.276.D|F|H| 5ª.277.E
TRYCNON. 8°.de ſimp.med.facul. 5ª.62.G
TRYPHON Gortyniates.9°.de compo.medica.ſec.loc. 5ª.199.B
Tryphonis cephalicum.5°.de comp.med.per gen. 5ª.253.E
TRYSMOS quid.2°.de ſympt.cauſis. 3ª.19.H
Tryſmos ſonitus qui.3°.de ſymp.cauſ. 3ª.27.G
Tryſmu id eſt dentium concuſſionis, tuſſis, tremoris, conuulſionis, palpi-tationis, rigoris, horroris, ſingultus, ructus, ſternutationis, pandicu-lationis, oſcitationis genus cōmune eſt motus illegitimus, & quomo-do hæc in genere differant.2°.de ſympto.cauſis. 3ª.19.E
Tryſmos ſymptoma.2°.de ſympt.cauſis. 3ª.21.E
Tryſmi quorum ſint ſymptomata.de ſympt.diff. 3ª.13.E
τρύξ, id eſt vinaceus.2°.de alim.fac. 2ª.18.D
τρύγα vinaceorum dilutum vocitant.2°.de alim.fac. 2ª.18.C
τρύγα, id eſt fecem appellant.2°.de alim.facul. 2ª.18.A|C
in τρύγα ollas nouas vuis refertas cōdũt,& quo.2°.de ali.f.2ª.19.A
TVI IPSIVS ſemper te pudeat. de cognoſ. curand. animi morb. 2ª.52.G
TVBA inſtrumentum quod appellatum.2°.de anat.admi. 1ª.104.F
Tubam non debet ſonare ſenex.5°.de ſan.tuen. 2ª.89.H
TVBER terræ.7°.de ſimp.med.facul. 5ª.53.E
Tubera terræ qualia ſint.8°..de ſimp.me.fac. 5ª.62.H
Tubera radicibus vel bulbis numeranda.2°.de alim.fac. 2ª.25.B
Tuber cur habet mollem ſubſtantiam.1°.de vſu par. 1ª.115.H
Tubera nullam inſignem facultatem habent.2°.de alim.facul. 2ª.25.B
Tubera ſunt in vſu ad recipienda condimenta.2°.de alim.fac. 2ª.25.B
Tubera dant nutrimentum, nullam habentia inſignem qualitatem.2°.de alimentorum facultatibus. 2ª.25.B
ex Tuberibus alimentum craſſum eſt.2°.de alim.fac. 2ª.25.C
Tuber hēt ſuccũ leniter craſſum non mali ſucci.de boni.& uit. 2ª.35.F
Tubera craſſi ſunt ſucci.1°.de comp.med.ſecun.loc. 5ª.128.D
TVBERA cruda quæ ſm Hippocratem.4°.de loc.affect. 4ª.24.D
TVBERCVLA & phymata vnde dicta, & quid proprie ſint.in 6ᵐ.de morb.vulgaribus,com.1°. 3ª.157.G
Tuberculi nōie Hippocrates intelligit ſuppurationē.c.7°.a.8°. Ex.54.D
Tuberculi nōie quid proprie intelligēdũ ſit.cõ.3°.apho.26°. Ex.25.G
Tubercula proprie ſiunt vbi ſunt adenes.com.3°.apho.26°. Ex.25.G
Tuberculorum aliqua tendunt in acutum, vel in ſublime, aliqua exten-duntur & ſiunt humilia in latum.com.6°.aphor.9°. Ex.47.G
Tubercula ſublimia ſiunt ab humore calido, humida verò à frigido.com-mentario 6°.aphor.9°. Ex.47.C
Tubercula acuta cur meliora latis.in 6ᵐ.de mor.vul.com.1°. 3ª.157.C
Tubercula decliuia meliora.in 6ᵐ.de mor.vulg.com.1°. 3ª.157.D
Tubercula non bifida meliora.in 6ᵐ.de morb.vulg.com.1°. 3ª.157.D
Tubercula circũ data peiora.in 6ᵐ.de morb.vulg. com.1°. 3ª.157.D
Tubercula dura peiora.in 6ᵐ.de morb.vulg.com.1°. 3ª.157.D
Tubercula calida & frigida unde.in 6ᵐ.de morb.uulg.cõ.2°. 3ª.164.E
Tubercula ſiunt acrochordones,& ēt ſtrumæ.cõ.3°.aph.26°. Ex.25.G
Tubercula in corpore unde ſiant.com.2°.apho.15°. Ex.12.D|F|G
Tubercula faciunt humores craſſi et tenues.in 6ᵐ.de morbis uulgaribus commentario 2°. 3ª.164.F
Tubercula cur generentur in uere.com.3°.apho.20°. Ex.24.B
Tubercula poſt aures in ardētibus febribus.in 1ᵐ.de morbis uulgaribus commentario 1°. 3ª.101.G
Tubercula ſm aures.in 1ᵐ.de morbis uulgaribs,com.2°. 3ª.116.E
Tubercula quæ euaneſcebant obſcure, plena erant ſlatu.in 1ᵐ.de morbis uulgaribus, commentario 1°. 3ª.101.G
Tubercula poſt aures quæ euanuerunt.in 1ᵐ.de mor.vul.c.1°. 3ª.114.D
Tubercula poſt aures quæ non ſuppurabāt.in 1ᵐ. de morb. vulgaribus, commentario 1°. 3ª.116.A
Tubercula quæ æqualiter ſuppurant cur meliora ſunt.in 6ᵐ.de morbis vulgaribus, commentario 1°. 3ª.157.D
Tubercula palpebrarum prius exaſperāda, deinde medicamētis oblinienda.in 6ᵐ.de morbis vulg.com.2°. 3ª.161.A
ad Tubercula oculorum.4°.de comp.me.ſec.loc. 5ª.154.E
Tubercula in articulis ſiunt in febribus lōgis.cõ.4°.aph.44°. Ex.32.F
Tubercula his ſiunt quibuſcunq; febres longæ.cõ.7°.aph.61°. Ex.59.G
Tubercula diutina quibuſcunq; ex febre decumbũt ij cibo pleniora vtantur.commen.7°.apho.63°. Ex.59.G
Tubercula peſſima indicia.in 1ᵐ.prorrh.com.1°. 4ª.161.F
Tuberculi crudi in pulmone indicia.4°.de loc.affect. 4ª.27.F
Tuberculum in pulmonem quē ſpũm faciat.4°.de loc.affect. 4ª.27.A
à Tuberculi intus ruptione, exholutio, vomitio, aut animi defectio ſit. comen.7°.aphoriſmo 8°. Ex.54.D
Tubercula ſpinæ quomodo differunt per locum & duritiem. commentario 6°.apho.46°. Ex.51.H
ex Tuberculis ſit ſpinæ diſtortio in anteriorem partem.de fracturis, cõmentario 3°. 7ª.268.F
Tubercula cruda intra ſpinam faciunt euerſionem ſpinæ.commenta.4°. aphoriſmo 35°. Ex.31.F
Tubercula dura, et concoqui difficilia faciunt gibbum. commentario 6°. aphoriſmo 46°. Ex.51.H
Tubercula præter naturam in ſpina faciunt difficultatem anhelitus.commentario 6°.aphoriſmo 46°. Ex.51.H
Tubercula in fiſtula vrinaria phibent vrinā.cõ.4°.aph.82°. Ex.27.A
Tubercula quibus in vrinario meatu ſiũt, his ſuppuratione facta, et eruptione ſoluitur morbus.commen.7°.aphor.57°. Ex.59.B
Tubercula in priapo ad ſuppurationem ducta ſoluuntur. commenta.4°. aphoriſmo 82°. Ex.27.A
Tuberculis ſi affecta ſint crura in febribus quādo ſanguis è naribus profluet.de vic.rat.in morb.acu.com.4°. 7ª.138.C
Tubercula oīa quo ſananť, vult dari excēplũ vlc.c.4°.aph.82°.Ex.27.A
Tubercula dura concoquunt ficus aridæ.8°.de ſimp.med.fac. 5ª.61.E
Tuberculorum vlceratorum medicamenta quæ. in 6ᵐ. de morbis vulgaribus, commentario 2°. 3ª.160.H
Tubercula prius ſcalpenda, et ſimilia antequam medicamenta apponantur.in 6ᵐ.de morb.vulg.commen.2°. 3ª.161.A
Tuberculi quæ partes ſint in brachio.de fract.com.1°. 7ª.226.E
TVBICINES indigent vehementi inſpiratione.2°.de mo.m. 1ª.316.C
TVCETA faciebant.de fract.com.3°. 7ª.245.H
ad TVENDVM eſt os cranij. de anato.viuo. Sp.55.C
TVLLII Colica.9°.de compo.med.ſecun.loc. 5ª.202.A
TVMEFACTIO quid ſecundum methodicos.de opt.ſec. Iſa.26.F
TVMENTES gingiuas impoſitum lentiſcum emendat, & ſanat.de ſimplic. medicamēn. Sp.86.B
ad Tumentes fauces remedium.de dynamidijs. Sp.25.E
ad Tumentes articulos.7°.de comp.med.per gen. 5ª.268.F
Tumentem aqua inter cutem carnem exſiccant arenæ fluuiales, & marinæ.9°.de ſimp.med.fac. 5ª.67.G
Tumentibus tumore frigido danda phlegmagoga.de dyna. Sp.21.C

Tumentia reprimunt anagyri folia.6°.de ſimp.me.fa. 5ª.42.H
TVMESCAT *prius,& rubeſcat pars, cui apponenda cucurbitula ſit. de cucurb.ſcariſ.* 6ª.3.C
TVMIDVM *& aquoſum corpus quomodo durius reddatur. in 6^{m}.de morb.vulgaribus,com.2°.* 3ª.161.A
Tumidis gingiuis prodeſt ſuccus centaureæ.de virt.cen. Sp.93.D
ad Tumidas maxillas remedium.de dynam. Sp.25.E
Tumidi ex hæmorrhoidarum nimia purgatione luto ægyptio ſanati. 9°. de ſimplici.medi.fac. 5ª.65.F
TVMOR, *& ὄγκος quid ſit.de tum.præter nat.* 7ª.82.F
Tumor corporis quid.de mult. 3ª.80.G
Tumor quid ſm Chryſippum.4°.de decretis Hippocratis. 1ª.248.E
Tumorem omnem præter naturam ſignificat œdema apud Hippocratē. in 6^{m}.de morbis vul.com.1°.152.H/commentario 2°.3ª.172.B/commē tario 5°.aphor.65°. Ex.44.H
Tumor,inflatio idem erant apud antiquos.com.4°.aph.34°. Ex.31.C
ex Tumore omni œdema.in 6^{m}.de mor.vul.com.1°. 3ª.158.A
Tumores pręter naturam quo nomine in Aſia vocentur. de victus ratio ne in morbis acutis,commen.4°. 7ª.137.E
Tumor eſt inæqualis intemperies in parte cum fluxione.de inæq. intemper.43.B/ 3ª.44.H
Tumores cur ægritudines compoſitæ.de diff.morb. 3ª.5.F
Tumor eſt in ſecunda morborum differentia.de diff.mor. 3ª.3.D
Tumor quando eſt morbus.de diff.mor. 3ª.5.F
Tumor quando accidens eſt,& non morbus.de diff.mor. 3ª.5.F
de Tumoribus intentio eſt in libro tertiodecimo methodi medendi. 13°. methodi medendi. 7ª.80.D
de Tumoribus præter naturam,libri intētio.de tum.præt.nat. 3ª.82.G
Tumorum differentia triplex.com.4°.aph.34°. Ex.31.C
Tumor quadruplex.de ocul. 7ª.186.G
Tumorum aliqui tendunt in acutum,vel in ſublime,aliqui extenduntur, & ſunt humiles,in latum.com.6°.aph.9°. Ex.47.C
Tumorum varietas vnde naſcatur.13°.meth.med. 7ª.80.G
Tumor cur fiat,& quomodo.de tum.præter nat. 3ª.82.G
Tumoris cauſa in vijs.3°.de ſymptomat. cauſis. 3ª.26.B
Tumores facit plenitudo quò ad vaſa.de cur.rat.per ſang.miſ. 6ª.18.A
à Tumore vel dolore infeſtetur particula affecta,tertio loco conſiderādum.2°.de loc.affect. 4ª.13.C
Tumores fiunt natura tranſmittente ad partes ignobiles materiam inutilem.de cauſ.morb. 3ª.8.C
Tumor in qbus afficit in corpore.de ijs,quæ in med.fi.com.2°. 7ª.212.D
Tumor dicitur generari ex omnibus humoribus pręter naturam. commentario 5°.aphor.66°. Ex.45.B
in Tumoribus humor vnus raro purus.de diff.mor. 3ª.5.F
Tumores quos facit ſanguis ſm ſuam diuerſitatem.de ocul. 7ª.189.E
Tumores quos generat phlegma.de ocul. 7ª.189.E
Tumores quos generat melancholia.de ocul. 7ª.189.E
Tumor aquoſus.de ocul. 7ª.189.E
Tumor frigidus quomodo cognoſcatur.7°.de ſimp.med.fac. 5ª.52.D
Tumorem quæ ventoſitas generet.de ocul. 7ª.189.E
in Tumoribus apparet elementum aereum in hoīe.5°.de decr. 1ª.275.E
Tumorē ex ſpiritu quidā ſecuere.de vic.rat.in morb.acu.c.4°. 7ª.136.C
Tumores flatuoſi quando magis.13°.meth.med. 7ª.80.G
Tumor indolēs,ac laxus œdema græce dicitur.3°.de ſymp.cau. 3ª.26.C
Tumor laxus quomodo fiat.de cur.rat.per ſang.miſſ. 6ª.18.A
Tumor rubeus ſignificat ſanguinem.14°.meth.me. 7ª.89.D
Tumor pallidus ſignificat bilem.14°.meth.med. 7ª.89.D
Tumor flauus ſignificat bilem.14°.meth.med. 7ª.89.D
Tumor ſubalbidus laxus ſignificat pituitam.14°.meth.me. 7ª.89.D
Tumor laxus à pituita.de diff.morb. 3ª.5.F
Tumor laxus œdema apud recētes dr̄.in 6^{m}.de morb.vul.c.2°. 3ª.172.C
Tumores à pituita proueniunt.8°.de decre.Hipp. 1ª.275.F
Tumores veluti inflati ſignificant pituitam.com.6°.aph.2°. Ex.27.F
Tumor durus σκίῤῥωσις dicitur.com.6°.aph.42°. Ex.51.A
Tumores ſcirrhoſi qui.14°.meth.me. 7ª.88.E
ex Tumoribus perfrigeratis fit ſcyrrhus.de tum.præt.nat. 3ª.74.C
Tumor durus,à græcis ſchyrron dictus,durum pulſum facit. 1°.de different.febrium. 3ª.34.B
Tumores duri ſunt morbus euidens.de diff.morb. 3ª.3.D
Tumoris quod genus Cyrtoma.in progn.com.2°. 4ª.200.A
ad TVMORES *ficoſos capitis,& mentis. 5°.de compoſi.medicamentorum ſecun. loc.* 5ª.162.C
Tumores præter naturam raro incidunt capitis grauedinem habentes. in 6^{m}. de morbis vulgar.commentario 2°. 3ª.168.D
Tumor coniunctiuæ morbus.de ocul. 7ª.186.F
Tumores palpebrarum quid faciant.1°.de ſymp.cau. 3ª.15.E
Tumoribus oculorum prodeſt lenticula.de ſimp.med. Sp.86.B
Tumores oculorum myrta compeſcit.de ſimp.med. Sp.87.E
Tumorem oculorum ſertula ſedat.de ſimp.med. Sp.90.H
Tumoris oculorum caliginis & ſanguinis præſidium.de dyn. Sp.24.G
ad Tumores circa oculos ex plaga.4°.de comp.med.ſec.loc. 5ª.157.H
Tumores iuxta aures quando fiebant.in 1^{m}.de mor.vul.com.1°. 3ª.111.D
Tumores poſt aures quando boni,& qn̄ non boni.1°.de criſi. 4ª.128.B
Tumores poſt aures quando apparent in principio, nunquam per criſim diſcernunt.1°.de criſi. 4ª.128.E
Tumores præter naturam poſt aures ſunt eparmata.in 6^{m}.de mor.vulgaribus,commen.4°. 3ª.179.D
Tumore poſt aures qui euaneſcunt faciunt recidiuam. in 6^{m}.de mor.vulgaribus,commen.4°. 3ª.179.E
Tumores vocem lædunt.4°.de lo.aff. 4ª.26.C
Tumor cum inflammatione in gula vnde.5°.de lo.aff. 4ª.32.C
Tumore non exiſtente in faucibus à febre habito, ſi ſtrangulatio repente ſuperueniat,letale.com.4°.aph.34°. Ex.31.B
Tumore non exiſtente in faucibus ſiquis febricitet, & repente ſtranguletur,letale.com.4°.aph.34°. Ex.31.C
Tumor ſi fiat in collo ab angina habito bonū.cō.6°.aph.37°. Ex.50.D
Tumor ab angina habito ſuperueniens,bonū.c.7°.aph.49°. Ex.58.A
ad Tumores gutturis.3°.de comp.med.per gen. 5ª.235.C
Tumorem cancroſum in mammilla quomodo ſanauit Galenus. commentario.6°.aphoriſ.47°. Ex.52.C
ad Tumorem vberum.de paſſ.mul. Sp.96.D
Tumor quandoq; in partibus vicinis iecori, & quomodo cognoſcatur. 2°.de loc.affect. 4ª.13.E
Tumori Iecinoris quid proprium.5°.de locis affect. 4ª.33.F
Tumor dexteræ partis præcordiorum ſignificat iecinoris affectum.1°.de locis affectis. 4ª.6.B
Tumor in ſiniſtra parte præcordiorum ſignificat lienis affectum. 1°.de locis affectis. 4ª.6.B
ex Tumoribus præter naturam grauitatem vnde ſentiant hepar,renes & pulmo.2°.de loc.affect. 4ª.9.B
Tumor durus hepatis facit morbū regiū.com.4°.aph.62°. Ex.34.B
Tumor durus facit regium morbū diutinū.com.4°.aph.62°. Ex.34.B
Tumores duri qūo faciant morbum regium.com.4°.aph.64°. Ex.34.D
Tumores hepatis,ſplenis,& coli,q̄ reſpirationē faciāt.1°.de dif. 3ª.59.C
ad Tumorem hepatis epithema.de dyna. Sp.26.D
Tumoris lienis differentię.in 6^{m}.de mor.vulg.com.2°. 3ª.168.B
in Tumorem rotundum lien allatus.in 1^{m}.de mor.vul.com.3°. 3ª.121.B
Tumor viſcerum durus,& tenſio neruorum pulſum durū in putridis faciunt.1°.de diff.feb. 3ª.34.C
Tumorem ventris ſedat vrtica.de ſimp.me. Sp.92.A
ad Tumorem ventris.2°.de antid. 5ª.119.A
Tumoribus ventris profundis conuenit peplium.de dyna. Sp.21.A
Tumor aquę inter cutis,& tenuitas ex tabe præter naturam ſunt.de tumor.præter naturam. 3ª.82.G
Tumor inguinum bubon eſt ex genere inflāmationum.1°.de diff. 3ª.32.G
in Tumoribus inguinum et in inflāmationibus ob duplicem cauſam ſanguis corrumpitur.2°.de diff.feb. 3ª.40.B
ex Tumoribus inguinum febres quomodo differant ab his, quæ ex putredine.1°.de diff.feb. 3ª.32.H
ex Tumoribus inguinum ephemeræ,quæ.1°.de diff.feb. 3ª.32.H
Tumor vteri in grauidis extēditur vſq; ad ilia.com.6°.ap.44°. Ex.51.C
Tumor vteri pōt anguſtare inteſtina gracilia.cō.6°.aph.44°. Ex.51.D
Tumor durus præter naturam comprimens vterum quomodo differt à compreſſione conceptus.com.5°.aph.54°. Ex.42.F
Tumor durus qūo differat à duritie vteri.com.5°.aph.51°. Ex.42.B
Tumor durus vteri poteſt eſſe cauſa paucorum menſtruorum.commentario 5°.aphoriſ.57°. Ex.43.A
Tumoribus & dolorib⁹ vuluæ ꝑprie vtile ē butyrū.de ſim.me. Sp.81.D
ad Tumorem matricis.de dyna.29.H/de paſſ.mul. Sp.95.H
Tumor veſicæ ſolum poteſt premere inteſtinum rectum. commentario 6°.aphoriſmo 44°. Ex.51.D
Tumor cōtra naturā facit difficultatē vrinæ.com.7°.aph.48°. Ex.58.A
Tumores ſcroti qui.fin med. Iſa.49.C
Tumores teſtium myrta curat.de ſimp.med. Sp.87.E

ad Tumores ani exterius prominentes.de med.fac.par. 7ª.177.E
in Tumoribus arthriticis articulorum deſiccant cancri vſti.11°.de ſimplic.medicamentorum facultatibus. 5ª.81.G
ad Tumorem inueteratum in genu ſtercus caprinum valet.10°.de ſimplicium medicamentorum facult. 5ª.76.E
ad Tumores genuum diuturnos.9°.de ſimp.med.fac. 5ª.68.A
ad Tumorem genu remedium.de dynamidijs. Sp.30.B
Tumorem in crure & in alijs partibus excitat thapſia.intro. Iſa.61.D
Tumorem nihil adeo repente excitat vt thapſia.intro. Iſa.6.D
TVMORES in vlceribus ſi appareāt, & ſi euaneſcant, quas diſpōnes faciāt,& in parte anteriori,& poſteriori.com.5°.aph.65°.Ex.44.H
Tumor ſi non appareat in vulneribus magnis & prauis,ingens malum. commentario 5°.aphor.66°. Ex.45.B
Tumores ex deligatione facti lanis ſuccidis in vino & oleo intinctis curantur.de fract com.3°. 7ª.241.C
Tumor primo curandus in vlcere tumorē habēte.4°.meth.med.7ª.23.F
TVMORVM accidens commune eſt intendi.2°.de loc.affect. 4ª.10.G
in Tumoribus cedere diuerſimode contingit,& quomodo.2°.de arte cu rati. ad Glauc. 7ª.105.B
Tumorem euaneſcere quid ſignificet.in progn.com.1°. 4ª.205.F
Tumorem deſiſtere quid ſignificet.in progn.com.1°. 4ª.203.F
in Tumoribus retrocedere quid ſit.in progn.com.1°. 4ª.205.F
Tumores non fiunt in morbis bonæ iudicationis.de cau.morb. 3ª.8.C
Tumorum morbi cur augentur.de cauſ.morb. 3ª.8.E
Tumores molles ſunt optimi.com.5°.aph.67°. Ex.45.C
Tumores renitentes,id eſt duros eſſe impoſſibile eſt bene cōcoquente mēbri natura.com.5°.aph.67°. Ex.45.C
Tumores duri figuram euariant.de cau.morb. 3ª.9.A
Tumores duri extenſionē neruorū faciunt.com.4°.apho.49°. Ex.33.C
Tumores duri ſunt praui,quos dicit Hippocrates crudos. commentario 5°.aphoriſmo.67°. Ex.45.C
Tumores ex ictu nati difficile ſolubiles quomodo curentur. 11°. de ſimplic.medicamen.facultatib. 5ª.81.G
Tumor magnus ſi ſuppuretˀ vniuerſim,moriuntˀ.c.6°.ap.27°. Ex.48.H
de Tumoribus ſuppuratis.2°.de arte cur.ad Gla. 7ª.105.F
Tumor durus poteſt adeo obturare partes,vt nihil ad ipſas poſſit tranſire.com.6°.apho.44°. Ex.51.C
ex Tumoribus,& meatibus ſimilaria conſtructa eſſe volētes,falſa ſupponunt.de cauſ.morb. 3ª.9.B
Tumore duro ſiquis doloris ſenſu carente,per triennium, aut quatrienniū laborauerit,nunq̄ ſanabitˀ.de cuiuſq; aī pec.not.atq; me. 2ª.57.F
TVMORES quomodo curentur.in progn.com.1°. 4ª.196.B
Tumores quibus curentur.7°.de compo.med.ſecun.loc. 5ª.186.D
Tumor ex ſpiritu flatuoſo qūo curetur.2°.de arte cur.ad Gla. 7ª.104.F
in Tumoribus indicationes quatuor.2°.de arte cur.ad Glau. 7ª.102.E
Tumores omnes indicant de euacuatione.14°.meth.me. 7ª.87.H
Tumorum prima indicatio eſt euacuatio.14°.meth.med. 7ª.88.A
in Tumoribus duplex vacuatio.14°.meth.me. 7ª.87.D
Tumores cur non ſint fortiter adſtringendi.1°.de compoſit. medicamentorum per gen. 5ª.212.D
in Tumoris reſolutione quæ addenda.2°.de arte cur.ad Gla. 7ª.105.E
Tumor quando reſoluitur ne aliquid duri remaneat, quid agendum.2°. de arte curatiua ad Glauconem. 7ª.105.E
Tumoribus inueteratis, & ſcirrhi in morem induratis aptiſſimus eſt Adeps leonis.11°.de ſimp.med.fac. 5ª.79.B
Tumori omni prodeſt Auena.de ſimp.med. Sp.81.A
quos Tumores ſanet Butyrum.10°.de ſimp.me.fac. 5ª.74.C
Tumores duros digerit capparis radicis cortex.7°.de ſim.me.f.5ª.29.H
ad Tumorem corporis præter ſolitū Elleborus eſt dandus.de vic.rat.in morb.acu.com.4°. 7ª.144.G
Tumorem efficaciſſime lenit fimus omnis.de ſimplic. medic. Sp.84.E
Tumores & vulnera delicate mūdat caninus fimus.de ſim.me.Sp.84.E
Tumori omni prodeſt fœnum græcum.de ſimp.med. Sp.84.G
Tumores & durities ſoluit Git.de ſimp.med. Sp.84.F
Tumorem omnem placant radices Glycyrrhizæ.de ſimp.med.Sp.84.G
Tumores diſcutiunt Groſſi cocti.8°.de ſimp.med.facul. 5ª.57.B
Tumores induratos digerit Hydropiper.8°.de ſimp.me.fac. 5ª.62.H
Tumori duro & laxo Lac nocet.com.5°.apho.64°. Ex.44.F
Tumores mollit,& relaxat Medulla omnis.de ſimp.me. Sp.87.D
Tumores omnes duros & crudos concoquunt Pices. 8°.de ſimp.medicamento.facultatibus 5ª.57.E
Tumores præter naturam per halitum digerūt Sordes paleſtritarū cum ſudore.10°.de ſimp.me.fac. 5ª.75.G
ad Tumores ſcyrrhoſos oēs Stercus bubulū.10°.de ſim.me.fa. 5ª.76.G
contra Tumores duros,& inflammationes in melancholicis.de mel.ex Gal. Ruff.& Poſ. Sp.110.C
ad Tumores omnes exteriores remedium.de dyna. Sp.30.E
ad Tumores p̄ter naturā in molli corpore.1°.de cōp.me.p gen. 5ª.214.B
pro Tumore ſuppurato medicamentum ex fermento, & oſtreis.2°.de ar.cur.ad Glau. 7ª.105.G
ad Tumores diſſolutos.6°.de comp.med.per gen. 5ª.262.A
Tumorem omnem reprimens.6°.de comp.med.per gen. 5ª.263.A
ad Tumores.4°.de comp.me.ſec.loc. 5ª.154.A
Tumores qui ſcarificandi.14°.meth.me. 7ª.90.C
TVNICA, & mēbrana idē ſunt apud Galenū.4°.de vſu par. 1ª.137.H
in Tunicis apud aliquos nominum differētia quæ.4°.de vſu p. 1ª.137.H
Tunicæ dicuntur vaſorum corpora.6°.de anat.adm. 1ª.92.H
Tunicæ quæ ſint.6°.de anat.adm.1ª.94.B/7°.de compoſitio.medicamentorum ſecundum loc. 5ª.177.B
Tunicæ partes ſimilares.1°.meth.me. 7ª.6.D
Tunicæ numerantˀ inter primas partes quæ formantˀ.2°.de tēp. 1ª.16.A
Tunica ex mēſtruo matris ſanguine eſt generata.1°.de nat.fa. 1ª.291.G
penes Tunicas membrorum diuerſitas.de anato.viuo. Sp.56.A
Tunicam vnam habentia inſtrumenta,habent vtrunq; genus fibrarum rectarum,& tranſuerſarum.3°.de nat.fac. 1ª.305.E
Tunicas duas habentia inſtrumenta, habent tertium fibrarum genus. 3°.de natural.facul. 1ª.305.E
Tunicæ ſunt elementa inſtrumentorum ex tunicis geminis conſtantium, & diſſimilibus ſimplicibus tamen.1°.de nat.fa. 1ª.291.G
Tunicæ vaſorum trahunt ſanguinem maxime ſibi proprium. 3°.de naturalibus facultatibus. 1ª.307.G
in Tunicis vis alteratrix eſt.1°.de nat.fac. 1ª.291.G
Tunicæ in multis inſtrumentis nōnullæ quidem tenuitate, omnes autem ſimul figura ſunt ſimiles araneis.5°.de vſu par. 1ª.145.H
Tunicarum craſſities non eſt pro dignitate inſtrumenti, ſed pro vſu cuiuſq;.5°.de vſu par. 1ª.145.H
cur Tunicæ plures in membro aliquo.de anat.viu. Sp.45.C
Tunicæ ſentiūt ſolū,et nō hn̄t motū voluntariū.16°.de vſu par. 1ª.214.H
Tunicæ molles faciliores ſunt ad motum.de vſu pul. 1ª.229.F
Tunicæ duræ celerius reuertuntur quàm molles cum amotę permittuntur rurſus ad ſtatum proprium redire.de vſu pulſ. 1ª.229.F
Tunicæ neruoſorum vaſorum quot.de anat.viuo. Sp.44.H
Tunicas duas habent arteriæ,ſtomachus,& inteſtina.de ana.Sp.56.A
Tunicas duas cur habeant arteriæ.de anat.viuo. Sp.46.F
Tunicas plures cur habeant arteriæ.de anat.viu. Sp.45.A
Tunicæ arteriæ ex quibus fibris ſint.3°.de natu.fac. 1ª.305.F
Tunicæ arteriæ differentiæ quæ.1°.de cauſ.pul. 4ª.87.B
in Tunica venæ ſunt fibræ multæ.10°.meth.me. 7ª.68.A
in Tunicis cerebrorum grandinis glacialis, & humorum ſuorum iuuamentum.de anat.viu. Sp.44.C
Tunicas quatuor habet oculus.de anat.ocul. Sp.57.B
Tunicæ oculorum quot.de nat.& ord.cuiusl.corp. Sp.41.H
Tunicæ oculorum ſunt ſeptem.de compag.memb. Sp.58.D
Tunica circumocularis quæ.de anat.ocul. Sp.57.B
Tunica coniunctiua quæ,& vbi.de anat.viu. Sp.48.F
Tunicæ ſecundinę ſitus,& vſus,& vnde naſcantur. de anatomia viuorum.48.D/de anat.ocul. Sp.57.E
Tunica foraminalis quę.de anat.ocul. Sp.57.E
Tunica vuea vnde ſit dicta.de anat.ocul. Sp.57.E
Tunica retiformis quę ſit.de anat.ocul. Sp.57.E
Tunica retiformis vnde.8°.de vſu par. 1ª.167.D
Tunica retina cur dicta ſit.de anat.ocul. Sp.57.F
Tunica retina quę ſit,& vnde naſcatur.de anat.viuo. Sp.48.E
Tunica retina partes habet innumerabiles.de anat.viuo. Sp.48.E
Tunica tertia oculi vbi oriatur.de anat.ocul. Sp.57.E
Tunica arachnoeides.1°.meth.med. 7ª.6.D
Tunica aranea quę ſit,& vnde naſcatur.de anat.viu. Sp.48.E
Tunica aranei formis quę.de anat.ocul. Sp.57.F
Tunica quarta oculi quę.de anat.ocul. Sp.57.F
Tunicam quartam oculi quomodo habeant leones.de anat.ocul.Sp.57.F
Tunica vuea quę ſit,& vnde naſcatˀ,& eius color.de anat.vi. Sp.48.F
Tunica vuea qualis ſit.de anat.viuo. Sp.48.F
Tunica rhagoeides.1°.meth.med. 7ª.6.D
Tunica amphibliſtroeides.1°.meth.med. 7ª.6.D

Tunica ſclerotica quæ ſit,& vnde oriatur.de anat.viu. Sp.48.F
Tunica cornea cornu aſſimilatur.de anat.viu. Sp.48.E
Tunica cornea vnde naſcatur.de ana.viu. Sp.48.E
Tunica cornea non eſt inſtrumentum.1°.meth.med. 7ª.6.D
Tunica cornea appellata nõnunq̃ habet ꝓfundũ vlcus.de dif.mor.3ª.5.H
Tunica corniformis vlcerata,& extenſa quomodo curatur.4°.de compo.med.ſec.loc. 5ª.150.C
in qua Tunica fiat heterocrania paſſio.de anat.ocul. Sp.57.C
Tunica quæ recipiat chemoſes.de ana.ocul. Sp.57.C
Tunica in qua fiant pterygia.de ana.ocul. Sp.57.C
in Tunica prima quibus venæ ruptę faciunt vt res rubræ appareant. 1°.de ſymp.cau. 3ª.15.C
ad Tunicas oculorum indurantes.4°.de comp.me.ſe.lo. 5ª.151.G
Tunicę narium ſunt frigidæ,& ſiccæ.de compag.memb. Sp.58.D
Tunicæ quæ ſubnata eſt ex partibus gulæ,& gutturis interioribus cõio q̃n ꝑuertit collũ cã ẽ nõ poſſe deuorare,& q̃uo. c.7°.ap.59°. Ex.59.E
Tunica tenuis vt aſperæ arteriæ non poteſt habere inflammationem quæ ſtrangulet.com.4°.aph.34°. Ex.31.D
Tunica bronchi,arteriæ,& venæ q̃nq; expuitur.4°.de lo.aff. 4ª.25.G
Tunica œſophagi quæ magis agit in tranſglutiendo. de mo.mu. Sp.68.F
Tunicę duæ ſunt in gula.5°.de loc.affect. 4ª.32.A
Tunica quæ os,ſtomachũ,& ventriculũ iungit.7°.de vſu par. 1ª.157.D
Tunica viſcoſa craſſa tuſſiendo emiſſa oſtendit ligulam vel epiglotidem eſſe affectam.1°.de loc.affect. 4ª.2.D
Tunicæ membranoſæ fruſtulum ſi excernatur id vlcus eſſe alicubi oſtendit,verũ in qua ſit particula ex poſitu diſci poteſt.1°.de lo.af. 4ª.6.B
in Tunica cor ambiente humor eſt.5°.de loc.affect. 4ª.29.D
in Tunica cordis exiſtente Tumore emaciabat ſimia.5°.de loc.4ª.29.D
Tunicas duas habet vena arterialis.de anat.viu. Sp.46.F
Tunicam vnam,& mollem cur habeat arteria venalis.de ana. Sp.52.H
Tunicam venoſam habẽs arteria vbi & quorſum tendat,et qualis.1°.de decretis Hippocratis. 1ª.233.C
Tunica cõmunis ventriculo,Gulæ,linguæ,palato,& toti ori. in prognoſtica,commen.3°. 4ª.210.G
Tunicarum in ſtomacho ordinis ratio.de anat.viu. Sp.45.B
Tunicarum ventriculi inteſtinorum, & vteri ſubſtãtiam altera virtus effingit,alia vero compagen,& formam.1°.de nat.fac. 1ª.291.H
Tunicæ tertiæ ventriculi generatio vnde.4°.de vſu par. 1ª.138.A
in Tunicis ventris ſi ſint humores,affectio fit peſſima.2°.de comp.medicamen.ſecun.loc. 5ª.133.E
Tunicæ inteſtinorum duplices ſunt.12°.meth.med. 7ª.79.D
Tunicæ inteſtinorum tenuium rara tenuique eſſentia conſtant.6°.de locis affectis. 4ª.36.H
Tunica inteſtini eiecta lata,& craſſa,ſignificat dyſenteriam eſſe in magnis inteſtinis.1°.de lo.aff. 4ª.2.D
Tunicã vnã habent vterus,ambæ veſicæ,& vena.3°.de na.fa. 1ª.305.E
Tunicæ duę matricis.de anat.viu. Sp.51.F
Tunicæ vteri extenſæ prius q̃uo fœtus eijciant.2°.de ſymp.cau. 3ª.21.E
Tunicam vnam habet veſica.de anat.viuo. Sp.56.A
Tunica exterior veſicæ ex quibus conſtet.de ana.viu. Sp.51.D
in Tunica exteriore veſicæ magis viget attractiua.de ana.viu. Sp.51.D
Tunica interior veſicæ quibus texatur.de ana.viu. Sp.51.D
Tunica veſicæ interior propter quid duplicata.de ana.viu. Sp.51.D
Tunicæ teſticulorum quales.de nat.& ord.cuiusl.corp. Sp.42.B
Tunica ex quot modis diuidatur.5°.meth.me. 7ª.30.H
Tunica ſubiecta chartilaginibus facilis ſanatu eſt.7°.de vſu pa. 1ª.158.C
Tunicas erodẽtia vlcera quibus curẽtur.4°.de cõp.med.ſe.lo. 5ª.151.A
Tunicæ difficillimum eſt vt fiat caro.1°.de ſem. 1ª.332.E
Tunica ſupra cubitos nõ geſtãda.de ijs,quæ in med.fi.com.1°. 7ª.200.H
TVRBATIO fortis in corpore fit his,quibus vrinæ diſtantes ſunt. commen.7°.aphor.35°. Ex.56.F
TVRBIDVS ſpiritus quid ſignificet.in 1^m.pror.com.2°. 4ª.177.F
TVRBITH electarium.de med.exper. Sp.108.C
TVRBO quid.de hiſt.philoſ. Sp.7.G
Turbines ſtant,& mouentur.9°.de decre.Hipp. 1ª.285.H
TVRBAT fortiter euphorbium frigidos ventres non habentes. de dynamidijs. Sp.22.B
Turbantur corpora nauigatione.com.4°.aph.14°. Ex.28.G
TVRBVLENTI qui ſint homines.in 1^m.pror.com.1°. 4ª.162.F
Turbulenti,& leues homines deliri facile fiunt, contrarij difficulter. in 3^m.de morb.vulgaribus,com.3°. 3ª.151.G
Turbulenta vrina,& non varia criſim cum dolore aliquo venturã oſtẽdit.de dynamidijs. Sp.34.B
Turbulenta vrina,et tardius reſidẽs in ſynocha maxime ſi ſanitas intra neorum fuerit,& per multos dies perſeuerauerit et nõ ſe mutauerit, pro certo ſcias acutas febres in tertianam conuerti.de dyn. Sp.34.C
Turbulenta,& crocea vrina cum nebulis non bonis,aut longinquã ægritudinem,aut mortem futuram dicit.de dyna. Sp.34.C
Turbulenta vrina ſine nebula in ſynocha non bonum ſignificat.de dynamidijs. Sp.34.D
Turbulenta,& alba vrina in ſynocha,& non compoſita, dolorem cum periculo nunciat.de dyna. Sp.34.E
Turbulenta foris vrina,& tenuis quid ſignificet.quæſi.in Hip. Sp.113.B
TVRDI montani edendi.de atten.vic. 2ª.45.C
Turdorũ caro duriorẽ cõcoctu carne ꝑdicis,et colũbi.3°.de al.f. 2ª.29.C
Turdi neq; craſſi,neq; ſucci ſunt.de bon.& vit.ſuc. 2ª.34.H
Turdorum caro quibus accommoda.6°.de ſan.tuen. 2ª.99.G
Turdorum caro ſenibus non aduerſatur.6°.de ſan.tuen. 2ª.99.G
Turdi conueniunt ſtomachicis.8°.de compo.medicamen.ſec.lo. 5ª.192.C
TVRDVS piſcis inter ſaxatiles numeratur.3°.de alim.fac. 2ª.30.H
Turdi piſces ſunt in ſecundo loco ſuauitatis inter ſaxatiles piſces. 5°.de alimentorum facultatibus. 2ª.30.H
Turdi piſces ſunt molles carne.5°.de alim.fac. 2ª.30.A
Turdi inter piſces numerantur qui facilius cæteris cõficiuntur. 5°.de alimentorum facultatibus. 2ª.30.A
TVRGENTIS materiæ motus,eſt motus humorum ſuperabundantiũ. 1°.de criſi. 4ª.128.G
Turgente materia natura feſtinat ad excretionem humorum. in 6^m.de morbis vul.com.2°. 3ª.167.F
Turgens materia quæ ſit,& cur educenda in principio.8°.de compo.medicamen.ſec.loc. 5ª.191.C
Turgẽte mã ſi purgamus,debemus ad aluũ ducere.c.4°.ap.1°. Ex.27.B
Turgente materia pręparatio fieri non poteſt.quos purgare oportet,quibus medicamentis. 5ª.88.H
Turgẽte materia q̃uo poſſit fieri cita cõcoctio.com.1°.aph.24°. Ex.10.F
Turgẽte materia quæ dari poſſunt.quos purg opor.quib.med. 5ª.88.H
nõ Turgẽte materia cur nõ debeamus euacuare.c.1°.aph.22°. Ex.10.B
Turgẽtibus et diſtẽſis locis ĩpoſitũ haſeg cito emollit.de ſim.m. Sp.85.C
TVRGERE quid ſignificet,& vnde dicatur.com.1°.aphoriſ.22°.10.B| com.1°.aph.10°. Ex.28.C
Turgere quid ſit,& vnde ſumptum, & ꝙ humores turgentes debeant in principio purgari.com.4°.aph.1°. Ex.27.B
TVRGENT raro humores.com.1°.aph.22°. Ex.10.C
Turgere puſtulas q̃uo cognoſcatur.in 6^m.de mor.vul.com.2°. 3ª.164.G
TVRGIDI humores qui intelligantur.quos pur.op.quib.med. 5ª.88.H
Turgidi humores ſunt paratiſſimi ad exitum, & properant ad euacuationem.in 6^m. de morbis vulgar.com.2°. 3ª.162.B
Turgidi habitu fiũt q à morbis ĩmodicè ſe ſatiãt.3°.de ſymp.cau. 3ª.26.B
Turgidæ partes quando doleant,& quando non.de mult. 3ª.81.B
TVRPILIANI quod philoſophorum dicitur.4°.de compoſit. medicamen.per genera. 5ª.243.A
TVRPE eſt in oĩ arte eſtẽtare & nihil efficere.de art.c.3°. 7ª.271.A
TYRPITVDO quid.5°.de dec.Hipp. 1ª.256.B
Turpitudo animę,quæ.5°.de decr.Hipp. 1ª.256.C
TVRRITAE paſſeres ſunt aues laudabiles.de renum affectuum dignotione atq; medela. 7ª.195.F
TVRTVRIS ſanguis ſupra duram membranam,quando caluaria infracta.9°.de ſimp.me.fa. 5ª.72.G
Turturum caro qualis.de attenuante victu. 2ª.45.F
Turturis caro durior eſt concoctu carne turdorum, & merularum.5°. de aliment.facult. 2ª.29.C
Turtures neq; craſſi,neq; tenuis ſucci ſunt.de bon.& vit.ſuc. 2ª.34.H
Turtures non ſtatim mãdendę cum ſunt mortuæ.de atten.vic. 2ª.45.F
TVRTVR non mandenda recens mactata,ſed ſaltem per vnum diem ſuſpenſa ſit.de atten.vict. 2ª.45.F
Turtures non mandendę homini ocioſe viuenti.de atten.vict. 2ª.45.F
Turturæ conueniunt ſtomachicis.8°.de comp.medi.ſec.lo. 5ª.192.C
TVRTVRIS marinæ venenum q̃uo afficiat.5°.de locis affect. 4ª.19.F
Turturis marinæ morſibus confert centaurea.de virt.cen. Sp.93.H
Turturi marino aduerſatur ſulphur.9°.de ſimplici.medi.fac. 5ª.69.C
TVSCIA vina qualia.5°.de ſan.tuen. 2ª.90.H
Tuſca vina nonnulla tenuis ſubſtantiæ.de bon.& vit.ſuc. 2ª.38.G
TVSSICVLA ſuabaſpera eſt nuntius febris.ꝓſag.exper.cõſ. Sp.77.E
à Tuſſicula cũ ſputo frequẽti parotides tollunt.in prorr.c.2°. 4ª.188.G

ppp iij ad

ad Tuſſiculam.de med.facile parandis. 7ª.171.D
TVSSICVLARES compoſitiones ex ſeminibus. 9°.de compoſitio. medicamentorum ſecundum loc. 5ª.200.H
TVSSICVLOSI cur fiant homines.com.6°.apho.46°. Ex.51.H
ad Tuſſiculoſas affectiones.7°.de comp.me.ſec.loc. 5ª.181.H
TVSSIENDO quandoque expellitur ſanguis à cerebro, & gurgulione.4°.de locis affectis. 4ª.25.F
Tuſſiendo quomodo ſanguis eijciatur.4°.de loc.aff. 4ª.25.G
Tuſſiendo quidam eiecit duas cotylas ſanguinis,& quomodo ſanatus. de ven.ſect.aduer.Eraſ. 6ª.13.C
inter Tuſſiēdū ſanguinē frequēter expuentis caſus.4°.de lo.af. 4ª.25.F
Tuſſiendo eiecta ephelcis inſtrumentorum ſpiritalium vlceratione oſtendit.1°.de loc.affect. 4ª.2.F
TVSSIENTES ſanguinem ex thorace,quales.4°.de lo.af. 4ª.25.G
Tuſſientes ſine dolore coſtarum incidunt abſceſſus quandoque in teſtes. in 6^{m}.de morb.vul.c.2°. 3ª.162.H
Tuſſientes ſi habent teſticulum tumefactum eſt inditium affinitatis cum pectore & mammis.in 6^{m}.de mor.vulg.com.3°. 3ª.178.G
Tuſſientibus ſanguinem ex pulmone adſtringentia aduerſantur. de conſtitutione artis. Iſa.41.F
Tuſſientibus ſiccè,non eſt medicamentum exhibendum. de vict.ratio.in morb.acu.com.4°. 7ª.150.F
Tuſſientibus ob gutturis aſperitatem conuenit Bugloſſum coctum in melicrato.6°.de ſimp.me.fac. 5ª.45.B
Tuſſientibus facit centaurea.de ſimp.med. Sp.82.A
Tuſſientibus ſiccè,prodeſt Diapenidion magnum.de dyna. Sp.26.D
Tuſſientibus prodeſt Hyſſopum.de ſimp.me. Sp.92.E
Tuſſientibus prodeſt Lentiſcus in mulſa calida.de ſimp.me. Sp.86.B
Tuſſientibus Medicamentum valens.de med.exper. Sp.104.C
Tuſſientibus prodeſt Origanum.de ſimp.med. Sp.88.E
ad Tuſſientes Paſtillus de ſeminibus.de med.fac.par. 7ª.173.D
ad Tuſſientes Placentula.7°.de compo.med.ſecun.loc. 5ª.182.B
Tuſſientibus prodeſt Pulegium.de ſimp.med. Sp.88.H
Tuſſientibus prodeſt Ruta.de ſimp.med. Sp.89.D
Tuſſientibus datur Scylla.de ſimp.med. Sp.90.H
Tuſſientibus prodeſt Smyrnium.de ſimp.med. Sp.91.B
Tuſſientibus,& ęgre ſcreantibus datur theriaca Euclidis palatiani.2°. de antidotis. 5ª.116.B
ad Tuſſientes aſſidue.de remed.fac.par. 7ª.165.E
ad Tuſſientes. 7°.de compoſi.med.ſec. loc.185.D/186.A/187.A/ 9°.5ª. 203.C/de med.fac.par.171.C/ 7ª.173.G
Tuſſientis pueri caſus.in 6^{m}.de mor.vul.com.1°. 3ª.157.G
TVSSILAGO credita eſt rumpere thoracis abſceſſus. 6°. de ſimpliciū medicamentorum facult. 5ª.45.A
Tuſſilaginis folia virentia partes cruda phlegmone obſeſſas illitu extrinſecus adiuuant.6°.de ſim.me.fa. 5ª.45.A
Tuſſilaginis ſicca folia phlegmoni non conueniunt. 6°.de ſimplic.medicamentorum facultatibus. 5ª.45.A
Tuſſilago valet in deauriculatione.de arti.com.3°. 7ª.285.E
TVSSIRE nullum animal docetur.2°.de ſymp.cauſ. 3ª.21.D
Tuſſire quomodo faciat panis micula.2°.de ſimp.med.facul. 5ª.13.E
Tuſſire facit potus.2°.de ſimp.me.fac. 5ª.13.E
TVSSIS quid.2°.de ſymp.cau. 3ª.21.F
Tuſſis naturale accidens.5°.de loc.aff. 4ª.31.C
Tuſſis duplex.2°.de ſimp.med.fac. 5ª.13.E
Tuſſis,tremoris,cōuulſionis,palpitationis,rigoris, horroris, ſingultus, ructus,ſternutationis,pandiculationis,oſcitationis,Tryſmu.i.dentiū cōcuſſionis genus commune eſt motus illegitimus,& quomodo hęc in genere differant.2°.de ſymp.cauſ. 3ª.19.E
Tuſſis motus qualis.2°.de ſymp.cauſ. 3ª.21.D
in Tuſſi qui motus clibani pectoris.de mot.mani.& obſ. Sp.69.G
Tuſſis motus non naturalis eſt.de ijs quæ in med.fi.com.3°. 7ª.222.D
Tuſſis facultatis opus.2°.de ſymp.cau. 3ª.19.F
Tuſſis expultricis facultatis validus motus eſt.2°.de ſymp.cau. 3ª.23.G
Tuſſis eſt motus quo natura intēdit aliquid violenter expellere. com.6°. aphoriſmo 39°. Ex.50.H
Tuſſis talis vis in pectore & pulmone,qualis actio expultricis facultatis in ventriculo.2°.de ſymp.cau. 3ª.21.C
Tuſſi maiorem vim ſpiritus habet ſternutatio.2°.de ſymp.cau. 3ª.21.F
Tuſſis ſymptoma facultatis voluntariæ.2°.de ſymp.cau. 3ª.21.G
Tuſſis ſymptoma clarum.2°.de ſymp.cau. 3ª.21.E
per Tuſſim ſolum expurgatur pulmo.5°.meth.me. 7ª.33.A
Tuſſim pręcedit cerchnos.2°.de ſymp.cau. 3ª.21.G
Tuſſim quæ faciant.2°.de ſymp.cau.21.G/ 3ª.24.A
Tuſſes vehementes vnde.2°.de ſymp.cau. 3ª.21.F
Tuſſes cur. in 6^{m}.de mor.vulgaribus,commen.5°. 3ª.189.B
Tuſſis vnde fiat,& quibus ex cauſis.in progn.com.2°. 4ª.202.A
Tuſſes fiunt ex materia deſcendente à cerebro.com.6°.aph.2°. Ex.46.E
Tuſſis oſtendit temperamentum cerebri.2°.de temp. 1ª.20.E
Tuſſis fit quandoq; patiente hepate per compaſſionē partium obſeruientium reſpirationi.com.6°.apho.16°. Ex.47.G
Tuſſis vehemens quomodo fiat.4°.de loc.aff. 4ª.27.G
Tuſſis vehemens cur parum expuat.4°.de loc.aff. 4ª.27.G
Tuſſes à varijs rebus fiunt.in 6^{m}.de mor.vul.com.2°. 3ª.164.H
Tuſſis propter quid.2°.de ſimp.me.fac. 5ª.13.D
Tuſſis quibus excitetur.2°.de ſimp.med.fac. 5ª.13.D
Tuſſis quomodo excitetur.4°.meth.med. 7ª.29.A
Tuſſes excitant,ſi cibus & potus in arteriā ingrediūtur.intro. Iſa.54.C
Tuſſes faciunt aquæ paludoſæ hyeme.de diff.cont. Sp.72.E
Tuſſibus occupatur qui biberit aquam pluuialem.de bon.aquæ. Sp.75.F
Tuſſis excitabitur quando largius incidunt medicamenta in aſperam arteriam.4°.methodi medendi. 7ª.29.A
Tuſſim mouēt mordacia & acria,non è contra.2°.de ſimp.me.f. 5ª.13.B
Tuſſim prouocans non eſt mordax.2°.de ſimp.med.fac. 5ª.13.C
Tuſſim mouent pinguia.2°. de ſimp.med.fac. 5ª.13.D
Tuſſim quomodo faciant mordacia oleoſa & pinguia.2°. de ſimplic.medicamen.facultatib. 5ª.13.F
Tuſſis ex intemperie inſtrumentorum.2°.de ſymp.cau. 3ª.21.H
Tuſſis ex intēperie ſpūalium mēbrorum quę.2°.de ſymp.cauſ. 3ª.22.H
Tuſſis ex intemperie quomodo fiat.2°.de ſymp.cau. 3ª.21.H
Tuſſis ex inæquali intemperie ſpūalium cur fiat.2°.de ſymp.cau. 3ª.21.H
Tuſſis per quæ inſtrumenta fiat.2°.de ſymp.cau. 3ª.21.F
Tuſſim gignunt faucium aſperitates.de diff.morb. 3ª.4.E
Tuſſim quomodo faciat aſperitas arterię.2°.de ſimp.med. fac. 5ª.13.E
Tuſſim facit ſanguis in aſpera arteria.7°.de vſu par. 1ª.159.A
Tuſſim non facit potus,tamen ſemper tendit ad pulmonem.2°.de ſimpl. medicament.facultatibus. 5ª.13.E
Tuſſim vehemētē aliqd humoris qđ cōcitare poſſet linguā amouētes in arteriā cur inſtillarēt Cnidij medici.et ī quo caſu.de opt.ſec. Iſa.21.F
Tuſſes quomodo faciunt lumbrici.in 3^{m}.de mor.vul.c.2°. 3ª.163.D
Tuſſis increſcit thorace affecto.2°.de loc.aff. 4ª.13.E
Tuſſes fiunt ꝑpter frigus,vt nix,& glacies.com.5°.aph.24°. Ex.39.G
Tuſſes cur fiant ſpirante aquilone.com.3°.apho.5°. Ex.20.D
Tuſſes hyeme cur fiant,& quomodo.com.3°.aph.31°. Ex.26.G
Tuſſes fiunt tempore hyemis quando ęſtas præceſſerit ſicca, et autūnus pluuioſus,& quare.com.3°.aph.13°. Ex.22.A
Tuſſes cur vere fiant.com.3°.apho.20°. Ex.24.A
Tuſſes fiunt,ſi æſtas ſicca auſtro perflante, & autumnus pluuioſus ſit. de aere,aq.& loc. 2ª.4.C
Tuſſis nimia adeſt conceptis in hora phlegmatis.de ſper. Sp.37.C
Tuſſis phlegmatica.ſecre. Sp.101.F
Tuſſis cur data animalibus.5°.de loc.aff. 4ª.31.C
per Tuſſim & ſputum purgatur thorax.de cathart. Sp.94.G
per Tuſſim excutiuntur quæ in thorace,& pulmone continentur. de cōſtitutione artis. Iſa.41.E
per Tuſſim educuntur quæ in pectore contenta ars med. Iſa.70.D
Tuſſis expurgat pectus atq; palatum.com.4°.aph.2°. Ex.27.D
Tuſſis quomodo expurgetur.de ijs quæ in med.fi.com.3°. 7ª.221.C
Tuſſis neceſſario fit ſi ſit ruptio ſuppurationis in thorace, vel pulmone. commen.7°.aphor.8°. Ex.54.E
per Tuſſim educuntur quæ in pulmone contenta.ars med. Iſa.70.D
per Tuſſes expurgatur pulmo à craſſis,& glutinoſis humoribus.de victus rat.in morb.acu.c.3°. 7ª.126.A
Tuſſis ea,quæ in pectore & pulmone continentur,indicat. in 1^{m}.de morbis uulgaribus,com.1°. 3ª.112.A
Tuſſis cōmunis eſt pleuritidi & peripneumoniæ.de ſubfi.emp. Iſa.32.E
Tuſſis cur ſtatim in pleuritide adeſt.non tū ſputa.2°.de criſi. 4ª.137.F
ſine Tuſſi nihil expuitur ex ſpiritalibus. 4°.de lo.affe. 4ª.25.H
abſq; Tuſſi valida humores lenti,& craſſi exire non poſſunt. 4°.de locis affectis. 4ª.27.G
Tuſſi quæ expellantur.2°.de ſymp.cau. 3ª.21.G
Tuſſi magis expellit humores arteriæ adherentes ſternutatio. 2°.de ſymptomatum cauſis. 3ª.21.F
per Tuſſim cur non poſſunt expelli aquoſa, & glutinoſa. 2°.de ſymptomatum

matum cauſis. 3ª.21.F
per Tuſſes cur non exeunt tenues & aquei humores.in 6^{m}.de mor.vulgarib.commen.2°. 3ª.174.C
in Tuſſi aer iuuat ad emittẽdos hũores.ꝺ vi.ra.ĩ mor.ac.c.3°.7ª.126.A
Tuſſis vehemens calefacit.in 6^{m}.de mor.vul.com.2°. 3ª.164.F
Tuſſes cur nihil iuuant caput.2°.de ſymp.cau. 3ª.21.F
Tuſſibus vehementibus caput repletur. in 6^{m}.de morb.vulgaribus, commentario 2°. 3ª.174.C
Tuſſis cauſa fractionis aliquorum receptaculorum . in 6^{m}.de morb.vul. comment.2°. 3ª.174.C
Tuſſi ex ſpiritalibus partibus ſanguis eijcitur.4°.de lo.aff. 4ª.25.F
per Tuſſim quot modis ſanguis expuatur.4°.de loc.aff. 4ª.27.H
Tuſſis ortæ ex frigore cum ſanguinis ſputo,caſus.5°.meth.me. 7ª.35.E
Tuſſi quidam expuit cruſtam.5°.meth.med. 7ª.34.F
cum Tuſſi expuuntur partes ex aſpera arteria & pulmone.commentario 7°.aphor.37°. Ex.56.H
TVSSIS in retentione menſtruorum.ſecret. Sp.99.B
Tuſſim ſignificat eructatio.in 6^{m}.de mor.vulg.com.2°. 3ª.166.D
Tuſſim aliquando ſignificat vrina ſpumoſa ſuperius.de dyna. Sp.35.E
Tuſſes non malignæ,quæ.in 6^{m}.de mor.vul.com.2°. 3ª.164.E
Tuſſes aridæ in ardentibus febribus ſitim extinguunt.in 6^{m}.de mor.vulgaribus,com.2°. 3ª.164.E
Tuſſis arida quę.in 6^{m}.de morb. vulga.com.2°. 3ª.163.D
Tuſſes ſiccæ quid,& quomodo fiant.com.4°.aphoriſ.54°. Ex.33.E
Tuſſes aridæ quomodo fiant.in 1^{m}.de morb.vul.commen.1°. 3ª.105.B
Tuſſes ſiccæ ſi fiant in febribus ardentibus , non multa ſiti infeſtantur . comment.4°.apho.54°. Ex.33.E
Tuſſim quã faciat ſubtilis diſtillatio.in 1^{m}.de mor.vul.c.1°. 3ª.105.B
Tuſſi arida qui infeſtabantur.in 1^{m}.de mor.vul.com.1°. 3ª.105.B
Tuſſes ferinę quę. in 6^{m}.de morb.vulgarib.com.2°. 3ª.163.D
Tuſſis ſi peruenerit hydropico,malum.commentario 2°.aphor.35°.50.C/ com.7°.aphor.47°. Ex.57.H
Tuſſe ſi q gibbi fiũt ante pubertatẽ moriunt̃.c.6°.aph.46°. Ex.51.G/H
Tuſſes comitantur ſenes ad mortem.com.2°.aph.40°. Ex.18.A
Tuſſim quomodo quis poſſit prohibere.8°.de decre.Hipp. 1ª.278.H
ad Tuſſim commoda eſt Apollonij confectio. 7°.de compoſitio.medicamen.ſecun.loc. 5ª.183.B
ad Tuſſim Aſclepiadę.7°.de comp.med.ſec.loc. 5ª.182.H
Tuſſi veteri prodeſt Aſphodelus.de ſimp.med. Sp.81.B
Tuſſes antiquas ſanat antidotus Athanaſia Mithridatis. 2°.de antidotis. 5ª.114.H
Tuſſi veteri prodeſt Cardamomum.de ſimp.me. Sp.82.F
Tuſſibus antiquis proſunt Caricæ.de ſimp.med. Sp.84.C
ad Tuſſim Catapotium.7°. de compo.med.ſecun.loc. 5ª.182.E
Tuſſi inueteratę conuenit Centaurium maius. 7°.de ſimplicium medicamentorum faculta. 5ª.50.F
Tuſſes mitigare vidi ſuccum centaureæ datum in fabę magnitudine cum aqua.de virtute centaureæ. Sp.94.A
Tuſſi veteri facit Chamedris.de ſimpl.med. Sp.82.G
ad Tuſſim Concoctorium.7°.de comp.me.ſe.lo. 5ª.183.A
ad Tuſſim Criſpi liberti.7°.de comp.med.ſec.lo. 5ª.182.H
Tuſſi veteri facit Daucum.de ſimp.med. Sp.83.E
ad Tuſſes chronicas Decoctio.de med.exper. Sp.107.D
ad Tuſſim Eclegma.7°.de comp.me.ſe.l.5ª.182.H/de rem.p.f.7ª.158.D
Tuſſi maxime prodeſt electarium Diapraſiu.de dyna. Sp.26.F
ad Tuſſim chronicam valet Electarium Laccæ.de med.exp. Sp.107.A
Tuſſi valens electarium.de med.exper. Sp.107.A
Tuſſientibus prodeſt Helenium.de ſimp.med. Sp.83.H
Tuſſi veteri prodeſt Ladanum.de ſimp.med. Sp.86.D
Tuſſibus antiquis prodeſt Lentiſcus.de ſimp.med. Sp.86.B
Tuſſi prodeſt Marubium.de ſimp.med. Sp.87.D
Tuſſes mitigat Mulſa.de vic.rat.in mor.acu.commen.3°. 7ª.127.D
Tuſſis veteris medicamẽtis inditur Myrrha.8°.de ſimp.me.fa.5ª.61.A
Tuſſes incitat Oxymeli,& qũo.de vict.rat.in morb.acu.c.3°. 7ª.127.E
ad Tuſſim Pilulæ.de dynam. Sp.26.F
ad Tuſſim pilulæ probatæ.de dynam. Sp.26.C
ad Tuſſim Potio.7°.de comp.med.ſecun. loc. 5ª.182.G
ad Tuſſim ex Piperibus duobus.9°.de comp.med.ſec.loc. 5ª.182.E
ad Tuſſim Scribonij.7°.de comp.med.ſec.loc. 5ª.182.H
Tuſſim quomodo ſedat Spiritus cohibitio in ſpiritualibus, & auget calorem.2°.de ſymptomatum cauſis. 3ª.21.H
Tuſſis parua cohibetur ſpiritus retentione.2°.de ſymp.cau. 3ª.21.H
Tuſſis violẽta nõ poteſt cohiberi ſpũs retẽtione.2°.de ſymp.cau. 3ª.21.H
Tuſſi prodeſt Spondylium.de ſimp.med. Sp.91.A
in Tuſſi vehementi da Stupefacientia.12°.meth.med. 7ª.75.B
Tuſſibus prodeſt Styrax.8°.de ſimpli.me.fac. 5ª.61.E
ad Tuſſim Suffitus.de med.par.fac. 7ª.165.E
Tuſſi tã nouæ q̃ antiquæ auxiliat̃ Theriaca.de vſu ther.ad Pam.5ª.98.F
ad Tuſſim veterem optime facit Vella.de ſimp.med. Sp.92.A
ad Tuſſis irritationem.7°.de comp.med.ſec.loc. 5ª.180.A
ad Tuſſim ſiccam.7°.de comp.medica.ſec.loc.5ª.182.E/F/ de med.par. fac.158.D/7ª.171.H/ſecretorum. Sp.97.C
ad Tuſſes ſumendas.7°.de cõp.me.ſe.lo.180.D/5ª.183.A/D/ de medic. paratu facilibus. 7ª.165.E
ad Tuſſim recentem.7°.de compo.medic.ſec.loc. 5ª.182.B
ad Tuſſes extremas,& inueteratas.7°.de comp.me.ſec.lo. 5ª.182.A
ad Tuſſes inueteratas.7°.de cõpo.med.ſec.loc.179.F/182.D/185.E/H/ 5ª.186.A/B/de medicinis facil.parandis. 7ª.171.E
ad Tuſſim veterem,& recentem.7°.de comp.me.ſec.loc.181.D/G/184. E/8°.5ª.191.E/de dyna. Sp.26.B
ad Tuſſim cum icteritia.ſecretorum. Sp.99.E
ad Tuſſim omnem.7°.de comp.medi.ſec.loc.5ª.183.C/de dynam. 26.D/ de catharticis. Sp.95.C
ad Tuſſim ſtatim auxilians.7°.de comp.med.ſe.lo. 5ª.183.C
ad Tuſſim.5°.de compoſit.med.ſecun.loc.164.C/ 7°.182. B/E/F/183.A/ B/D/185.A/B/H/9°.5ª.201.A/de rem.par.fa.158.D/ 165.E/de me.fa. par.171.E/F/G/H/171.E/F/7ª.179.C/D/de dy.26.D/ſec. Sp.99.A/F
TVTIA qualis ſit.de ocul. 7ª.188.H
Tutia lota temperamento vicina.de ocul. 7ª.189.B
Tutia obſtruit.de ocul. 7ª.187.H
TYBERIAS de med.fac.parandis. 7ª.172.G
TYBERINI piſces quales.3°.de alimentorum facultatibus. 2ª.31.B
in Tyberim quanto ſpacio fluit Nar fluuius.3°.de ali.fac. 2ª.31.C
in Tyberi Romæ murena peſſima eſt.3°.de alim.fac. 2ª.31.B
TYLOSIS quid.introd. Iſa.58.F
Tyloſis affectus eſt partium internarum palpebrarum.intro. Iſa.58.D
TYMBAVLI ſonitus qui.3°.de ſymp.cauſ. 3ª.27.G
TYMBON hoc eſt ſepulchrum.11°.de ſimp.me.fac. 5ª.82.C
TYMPANIAS à tympani ſimilitudine dr̃.com.4°.aph.11°. Ex.88.D
Tympanias hydrops quid.fin.med. Iſa.47.G
cur Tympanias ab Hippocrate hydrops ſicca dr̃.c.4°.ap.11°.Ex.28.D
Tympanias à minori frigiditate generatur,quàm aſcites,& ꝓpter quid. commentario 4°.aph.11°. Ex.28.D
in Tympania nihil cruentum ſecerni ſolet.5°.de lo.aff. 4ª.33.H
in Tympaniã hydropa & lyẽteriã quid finiat.3°.de ſymp.cau. 3ª.25.C
Tympania ſanguinis miſſione non ſanatur. de vic.rat.in morbis acutis, commentario 4°. 7ª.149.A
Τιμπανίτης eſt ſpecies hydropis.intro.Iſ.56.G/c.4°.aph.11°. Ex.28.D
Tympanitis pulſus qualis.4°.de cauſ.pul. 4ª.103.E
in TYMPANIS & Tympania per cutem extenſam aer percutitur. commen.4°.aphor.11°. Ex.28.D
TYMPANA pars organorum.de machin. 7ª.309.E
Tympana vſui ſunt cum organa mouentur.de machi. 7ª.310.F/G
Tympana mouentur in eodem loco manentia.de machin. 7ª.310.F
Tympanum mouet cochlea ad imaginem lentis .de machi. 7ª.310.D
TYMPANORVM nullum vtile ſeni.5°.de ſan.tuen. 2ª.91.D
TYPHA Βρίζα dr̃ in Thracia,& Macedonia.1°.de alim.fa. 2ª.12.E
Typha inter cerealia ſemina.de vic.ra.in mor.ac.com.1°. 7ª.111.B
Typha vbi plurima.1°.de alim.fac. 2ª.13.B
Typha in Aſia eſt frequens & potiſſimum in regione quæ ſupra Pergamum.1°.de alimen.facul. 2ª.12.G
Typha qũo triticũ facultatibus ſequitur ex Diocle.1°.de ali.fac. 2ª.12.C
Typha ſimilis tritico eſt.1°.de alim.fac. 2ª.13.B
Typha triticum exile dicitur.1°.de alim.fac. 2ª.13.B
Typha flaua vt triticum.de atten.vic. 2ª.45.A
Taphæ color flauus eſt.1°.de alim.fac. 2ª.13.B
Typha ſequitur hordeum in bonitate.de bon.& vit.ſuc. 2ª.37.D
Tapha & olyra nõ ſunt diſtincta ſemina ſm Galenũ.1°.de ali.fa. 2ª.12.C
Typha & olyra ſunt zea.de atten.vict. 2ª.44.H
Typha & zeia tritico ſimillima ſunt.1°.de alim.fac. 2ª.12.F
Typha licet vti in ptiſſana.de atteu.vict. 2ª.44.H
ex Typha fit panis.de vict.ra.in mor.acu.commentario.4°. 7ª.146.E
Typhæ panis qualis.1°.de alim.fac. 2ª.12.E

ex Typha panis facit humorem melancholicum.3º.de lo.aff. 4ª.18.F
Typhæ, & zeiæ panũ differentiæ ſm Mneſitheũ.1º.de ali.facul. 2ª.12.D
Typham dabat ſuis equis Hector, ex Homero.1º.de alim.fac. 2ª.13.B
Typha ab equis ſine noxa editur.1º.de alim.fac. 2ª.13.B
Typhini panes quales.1º.de alim.fac. 2ª.12.G
Typhini panes habent lentorem.1º.de alim.fac. 2ª.11.F
TYPHODES eſt genus febris.com.7º.aph.42º. Ex.57.D
Typhodes febres ſumme humidę ſunt.aduer.Lyc. Ex.62.A
Typhodes febris morbus eſt continuus.fin.med. Iſa.45.F
TYPHOMANIA quid.de com. 3ª.50.A
TYPHONIA quid.fini.med. Iſa.47.B
TYPICAM ægritudinem venturam ſignificat vrina viridis, ſi ſe mutauerit in album aut aquoſum colorem.de dyna. Sp.34.B
TYPVS quid.fine med.Iſa.46.D/de typ. 3ª.90.D
Typus quid apud ignaros.ad eos qui de typ.ſcrip. 3ª.92.G
de Typis, & notis febrium Archigenes ſcripſit.2º.de criſi. 4ª.136.D
de Typis librũ pcedit liber de differentijs febriũ.2º.de dif.feb. 3ª.39.F
de Typis liber quid tractet, & quid liber de differentijs febrium.2º.de differentijs febrium. 3ª.39.F
Typum maxime habent febres.de typ. 3ª.90.D
Typorum differentię.de typ. 3ª.90.D
Typi primi qui.de typ. 3ª.90.D
Typi ſecundi qui.de typ. 3ª.90.E
Typi conſiſtentes qui.de typ. 3ª.90.E
Typi mobiles qui.de typ. 3ª.90.E
Typi pręoccupatorij qui.de typ. 3ª.90.E
Typi ſimplices qui.de typ. 3ª.90.E
Typorum ſimplicium differentiæ quæ.de typ. 3ª.90.E
Typus quotidianus qui.de typ. 3ª.90.E
Typus quotidianus qualis.de typ. 3ª.91.C
Typum quotidianum quæ comitentur.de typ. 3ª.90.F
Typus tertianus qui.de typ. 3ª.90.F
Typus tertianus qualis.de 3ª.91.C
Typum tertianum quæ comitentur.de typ. 3ª.90.F
Typi ſemitertianę quales.de typ. 3ª.85.H
Typus ſemitertianæ difficilis, & quantus.de typ. 3ª.85.G
Typus ſemitertianus omnium minime infeſtat.de typ. 3ª.90.F
Typus quartanus qui.de typ. 3ª.90.F
Typi quartani, tertiani, quotidiãi, et extẽſe ſemitertiani.de ty. 3ª.90.E
Typus quartanus qualis.de typ. 3ª.91.C
Typus quintanus qui.de typ. 3ª.90.F
Typus ſeptimanus qui.de typ. 3ª.90.F
Typi febrium inordinatarum quales.de typ. 3ª.91.A
Typi compoſiti qui.de typ. 3ª.90.E
Typorum compoſitorum differentiæ quæ.de typ. 3ª.90.F
Typorum miſcellæ quales.de typ. 3ª.91.C
Typorum expertes febres quales.de typ. 3ª.91.C
Typum non habet atrophia.de typ. 3ª.90.D
Typum in febribus chronicis remouet electarium ariſtolochię.de medicinis exper. Sp.105.F
Typum febrium auferens medicamen.de medic.exper. Sp.105.G
ad Typos.de ſimpl.medic. Sp.80.A
TYRANNI domini qui.de cognoſcẽ.curandiſq; animi mor. 2ª.55.E
Tyranni cur odio habeantur.2º.meth.me. 7ª.11.F
Tyrãnorum menſas ſequuntur mendaces.de cogn.cur.aĩ mor. 2ª.50.H
Tyrannis dicta antidotus ab Antipatro compoſita.2º.de anti. 5ª.116.D
à Tyranno medicamentum.9º.de compo.medica.ſec.loc. 5ª.204.G
Tyranno aſſimilatur ſextus dies.1º.de die.decr. 4ª.146.G
TYRIACA habens viperas ad differentiam eius, quæ non habet.de melancho.ex Gale.Ruf.& Poſſi. Sp.110.F
Tyriaca ad capitis dolorem & ventoſitatem.de med.exper. Sp.106.G
Tyriacæ eadẽ faciens emplaſtrum.2º.de comp.med.per ge. 5ª.223.D
TYRIVM emplaſtrum.6º.de comp.med. per gen. 5ª.259.F
TYRONIBVS non ſunt proferendæ diffinitiones eſſentiales, & quibus ſunt proferendæ, & quales.4º.de pulſ.differ. 4ª.66.A
TYRRHENICA cera.4º.de compo.med.per gen. 5ª.240.D
TYRVS paruum cor habet, & tamen eſt audax, quia calidum habet. de anatomia viuorum. Sp.53.A
contra TYRI morſum acetum forte calidum.de me.exper. Sp.106.D
ad Tyri puncturam electarium.de med.exper. Sp.107.A
TZIARIACAE meminit.de medicinis facile parandis. 7ª.175.C

VACCAE lac incraſſat. de diſſol.contin.Sp.73.F
Vaccæ pedes non velociter corrumpuntur in ſtomacho.de diſſolu.cont. Sp.75.A
VACCINA caro numeratur inter cibaria media.de diſſolu.conti. Sp.74.B
Vaccina caro non velociter corrumpitur in ſtomacho.de diſſol.cont. Sp.75.A
Vaccina caro nutrit eum qui digerit eam nutrimento multo craſſo.de diſſolu.conti. Sp.73.E
VACILLANTES animo quid agant.de trem.palp. 3ª.60.A
VACILLATIO mentis eſſe poteſt catochus.in 1^{m}.pror.c.2º. 4ª.176.E
Vacillatio oculorum quibus eueniat.præſag.exper.conf. Sp.78.E
VACVANDI modus ſumitur à viribus.11º.meth.med. 7ª.69.A
Vacuandum eſt audacter vbi vires conſtent.11º.meth.med. 7ª.69.A
VACVANTIVM auxiliorum duplex genus.13º.met.med. 7ª.82.F
Vacuantia omnia lædunt vires.9º.meth.med. 7ª.59.C
VACVATIO quæ ſit.14º.meth.med. 7ª.89.A
Vacuationum genera quæ.fin.med. Iſa.48.H
Vacuatio eſt lactis generatio in mammillis.de ven.ſect.ad.Era.6ª.6.H
Vacuatio menſtrua non ſolum vacuatio eſt, ſed etiam purgatio.in 3^{m}.de mor.vulg.com.3º. 3ª.148.E
Vacuatio excrementorum duplex, & qualis.6º.de locis affec. 4ª.41.G
Vacuatio excrementorũ omni febri vtiliſſima eſt.10º.meth.me.7ª.65.H
Vacuatio inſignis in morbis acutis quibus fiat. de vic.rat.in morb.acu. commentario.2º. 7ª.116.C
Vacuatio propriæ materiæ quæ.in progn.com.2º. 4ª.199.C
Vacuatio quomodo fiat.13º.meth.med. 7ª.82.C
Vacuatio etiam adſtringentibus, & frigidis fit.13º.meth.med. 7ª.82.C
Vacuationes omnes promouet lauacrum aquæ dulcis temperatum. 11º. methodi medendi. 7ª.69.H
Vacuationes omnes promouet vinum aquoſum.11º.meth.med. 7ª.69.H
Vacuationis conditiones conſiderandæ ſunt.13º.meth.med. 7ª.82.H
Vacuationis conditiones quæ.13º.meth.med. 7ª.81.C
Vacuationis alio modo indigent mẽbra rariora, alio modo denſiora.14º. methodi medendi. 7ª.88.A
Vacuationis modi humorũ craſſorũ & glutinoſorũ.14º.meth. 7ª.87.H
Vacuatio totius corporis non ſolum fit ob abundantiam humorũ, ſed etiã ob morbi magnitudinem.13º.meth.med. 7ª.81.C
Vacuatio quibus ſit vtilis.9º.meth.med.59.D/12º. 7ª.75.F
Vacuatione validiore interdũ ægẽt qui nõ ſunt liberi, vt ante cibũ exerceri poſſint, & cibũ aptis tẽporibus ſumere.de bon.& vitio.2ª.34.E
Vacuatio eſt medicamentũ vitioſorũ humorũ.4º.de ſani. tuen. 2ª.83.A
Vacuatio prima eſt tumorũ curationis indicatio.14º.meth.me.7ª.88.A
Vacuatio duplex in tumoribus.14º.meth.med. 7ª.87.D
Vacuatio eſt cõmunis indicatio phlegmonũ corporis.13º.meth. 7ª.81.G
Vacuationis indicatio vincit refrigerationis indicationem in phlegmone & eryſipelate.12º.meth.med. 7ª.82.E
Vacuatio duplex in phlegmone.13º.meth.med. 7ª.82.F
Vacuatio vnum eſt conuulſionis caput.2º.de ſymp.cau. 3ª.20.A
Vacuatio in doloribus.in 3^{m}. de mor.vulg.com.3º. 3ª.149.F
ad Vacuationem celerem quæ exigantur.16º.de vſu par. 1ª.220.G
Vacuatio prompta & continua quæ.in progn.com.2º. 4ª.202.A
Vacuatio notabilis per cutim ex quibus fiat.9º.meth.med. 7ª.60.H
Vacuatio modica corporis vomitu fieri debet.de ſal.diæ. 2ª.42.C
Vacuationis terminum obtinent in pluribus affectibus ſanguinis fluentis vigor labaſcens, & pulſus mutati.de ven.ſect.aduer.Era.6ª.7.G
Vacuatio quæ mala faciat.9º.meth.med. 7ª.59.B
in Vacuationibus largis fiunt pulſus vermiculãtes. 2º.de pſ. 4ª.113.A
Vacuatio immodica lædit vires.12º.meth.med. 7ª.74.F
Vacuatio ſanguinis retẽta facit incidere morbos plethoricos. in 1^{m}.prorrhet. comment.3º. 4ª.185.D
Vacuationem ſanguineam vbi conſiderare oportet vitreæ ſint cucurbitulæ.de cucurb.ſcarif. 6ª.3.D
Vacuatio ſi conueniat in Iecoris phlegmone, quæ conſideranda. 13º.methodi medendi. 7ª.82.H
Vacuatione prius facta debet apponi cucurbitula.13º.met.me. 7ª.85.B
Vacuatione facta quid agendum in cancro.14º.meth.med. 7ª.89.G
VACVATVM cum ante fuerit corpus, eduliorum multa ſiccant abunde.de vict.ratio.mor.ac.com.4º. 7ª.145.C
cur Vacuato corpore balnea fieri debent. de vic.rat.in morbis acutis, commentario 3º. 7ª.133.E

Vacuati

Vacuati quidam ex vacuatione periere.9°.meth.med 7ª.59.A
VACVITAS *quid.4°.de dign.pul.* 4ª.83.C
Vacuitatis ratione fit caloris augmentatio deficiente nutrimento.de vtilitate reſpirationis. Sp.63.C
VACVARE *quando cupimus quid agendum.7°.meth.med.* 7ª.45.B
Vacuare poteſt materiam capitis cucurbitula.de cucur.ſcar. 6ª.3.F
Vacuatur quod eſt imbecillius.3°.de nat.fac. 1ª.306.C
VACVVM *& plenum quæ vocabula ſint.4°.de dign.pul.* 4ª.85.B
Vacuum an ſit,& quo modo.de hiſto.philo. Sp.5.C
Vacuum quid.1°.de elem.1ª.2.F/3°.de diff.pul. 4ª.62.B
Vacua loca quo modo dicantur.3°.de diff.pul. 4ª.62.C
Vacuũ qui poſuerũt,& qui nõ.in 6^{m}.de morb.vulg. com. 4°. 3ª.182.G
Vacuum,& atomos vera putabat Democritus.aduer.emp.me. Iſa.35.C
Vacuum infinitum magnitudine Epicurus dicebat. de cuiuſque animi pecc.not.atque med. 2ª.60.A
de *Vacuo philoſophorum rationes rhethoricæ. de cuiuſque animi pecc. not.atque med.* 2ª.60.A
Vacuum nullum in mundo.3°.de diff.pul. 4ª.62.D
Vacui nihil in mundo aſſerebat ſtoicus, ſed extra mundum. de cuiuſque animi pec.not.atque med. 2ª.60.A
in *Vacuo an corpus poſſit manere.de cuiuſ.aĩ.pec.not.atq; me.* 2ª.59.C
Vacuum nihil inuenitur in corpore.3°.de nat.fac. 1ª.303.E
de in *Vacuo exiſtenti corpore quid ſenſiſſet architectus. de cuiuſq; animi pec.not.atque med.* 2ª.59.F
Vacuum ne detur cor non attrahit,quando reſpiramus.de util. 1ª.223.D
Vacuum arguitur ex molli.in 3^{m}.de morb.vulg.com.1°. 3ª.131.B
Vacuum vinum quomodo dicatur.3.de diff.pul. 4ª.62.C
Vacua vina & plena quæ dicantur.4°.de dign.pul. 4ª.85.B
Vacua,& plena lana quo modo dicatur.4°.de dign. pul. 4ª.85.B
Vacuus quomodo dicatur ſermo falſus.3°.de diff.pul. 4ª.62.C
Vacua mens quo modo ſit.3°.de diff.pul. 4ª.62.C
Vacui homines quomodo intelligantur.3°.de diff.pul. 4ª.62.C
Vacuus & plenus pulſus q.3°.de dif.pul.62. D/ 4°.de dig.pul. 4ª.84.E
Vacuum in quibus totum corpus eſt,quiſpiam maxime poſſet experiri, q cibi ſint vniuerſim,et velociter nutriẽtes.cõ.2°.aph.18°. Ex.14.A
in *Vacuus quo modo ſe habẽt muſculi epigaſtrij.2°.de mot.mu.* 1ª.316.F
Vacuus venter caleſit.de anat.viu. Sp.47.G
Vacuum cur ſit ieiunum inteſtinum.de ana.viu. Sp.50.C
Vacua inteſtina omnia cur bilis non faciat.de anat.viu. Sp.50.C
Vacui cur debẽt eſſe anginoſi.de vict.rat.in morb.acu.com.4°. 7ª.138.G
Vacuum ſi apprehenderit in oſſis præciſione deſipientiæ. commentario. 7°.aphoriſmo.24°. Ex.55.F
VAGINALIS *tunica.2°.de ſem.* 1ª.339.D
VALDE pro raro.com.6°.apho.33°. Ex.50.A
in *Valde talibus,bonis,malis,optimis,et peſſimis Hippocratis loquendi modi.1°.de cri.* 4ª.131.D
VALENTIVS, *& robuſtius idem.de mult.* 3°.78.F
Valentium bene proprium eſt exercitium.ad Thraſ. 2ª.106.C
VALENTIS *Terentij colica.9°.de comp.med.ſecun.loc.* 5ª.202.B
Valens qua colica vſus. 9°.de compo.medicamen.ſec.lo. 5ª.202.F
Valentis ad dyſentericos.9°.de comp.medi.ſec.lo. 5ª.203.C
Valentis pharmacum.7°.de comp.med.ſec. loc. 5ª.187.A
VALERE *bene eſt ſecundum naturam operari.ad Thraſ.* 2ª.103.B
Valere bene eſt ſecundum naturam eſſe inſtructum.ad Thraſ. 2ª.103.B
Valeat quando homo.8°.de decr.Hip. 1ª.275.C
VALERIVS *Paulinus.7°.de cõp.med.per gen.* 5ª.271.C/D
in VALETVDINARIIS *non idem eſt rigere, horrere,& frigeſieri. de trem.palp.* 3ª.53.G
VALETVDINI *q̃ maxime pateãt corpora.6°.de ſanitate tuẽ.* 2ª.95.D
Valetudinis bonæ victus ratio cur ab omnibus ſeruari non poteſt.de bonitate,& vitio ſuc. 2ª.36.D
Valetudini bonæ maximum commodum affert ante cibum exercitatio. de bonitate,& vitio ſuc. 2ª.35.A
Valetudini bonæ ſumpto cibo qualiſcunque motus admodum noxius.de bonitate,& vitio ſuc. 2ª.35.A
Valetudini bonæ ſtudentes quid agere debẽt.de bo.& vitio ſuc. 2ª.35.A
Valetudinem vitiat ſanguis abundans.de dyna. Sp.19.D
Valetudinem infirmam & valetudinis infirmitatem dicere nihil refert. 2°.meth.med. 7ª.10.D
Valetudinẽ ſperare debet ſenex ęgrotus.de cog.cur animi mor. 2ª.51.E
ad *Valetudinẽ bonã cibi accommodatiſſimi.de boni.& vit.ſuc.* 2ª.36.E
VALIDVM *quid ſit. de natura humana. com.2°.* 7ª.182.F
Validum quomodo differat à duro.3°.de diff.pul. 4ª.63.D
Validus teſtes non ſunt laxi.1°.de ſem. 1ª.334.E
VALGI *qui ſint.de art.com.3°.* 7ª.278.B
Valgi in genu luxatione quomodo fiat. de art.com. 3°. 7ª.292.D
VALLVM, *ſeu coniunctum, ſeu diſiunctum, nomen vinculi ab euentis ſumptum.de faſcijs.* 7ª.293.H
Vallum Amintæ.de faſcijs. 7ª.299.A
Vallum,ſeu phaleræ.de faſcijs. 7ª.299.B
Vallũ Amintæ ad naſum in alterã partem declinatũ.de faſc. 7ª.299.D
VAPOR quid ſit.1° de ſimp.med. 5ª.3.F
Vapor tanto craſſior eſt aere,q̃to aer craſſior luce.8°.de vſu p. 1ª.167.F
Vaporem eſſe craſſum argumentum probans.8°.de vſu par. 1ª.167.F
Vapor,& fumus in aere aſcendentes quid faciant.de ſper. Sp.39.D
Vapor hũorũ et ĩſpiratio ẽ materia ſpũs vitalis.đ vir.noſt. cor. Sp.60.C
Vapor paucus ſatis eſt piſcibus reſpirantibus.de anat.viu. Sp.48.C
Vaporem reſpirant per branchias delphinus,lepus marinus, & animalia alia,quæ ſunt communia terræ,& mari,quæ arabice dicuntur cenalia,& piſces.de anat.viu. Sp.48.C
Vaporem emanat ſemper à corpore, in ſiccitatibus quidem multus,in humiditatibus paucus.in 1^{m}.de morb.vul. com. 1°. 3ª.104.C
Vapor calidus ſupra petit.in 1^{m}.de morb. vul.cõ.1°. 3ª.104.D
Vapor quomodo aſcendat.in 1^{m}.de morb.vul.com.1°. 3ª.104.D
Vapores dulcis aquæ quales.com.1°.aphor.14°. Ex.7.D
Vapores rei ſolidę quales.com.1°.aph.14°. Ex.7.E
Vapor humidus in quo nunq̃ ſentiatur.8°.meth. med. 7ª.53.G
Vapore fuliginoſo detento inæqualis intemperies oriri ſolet in toto corpore.de inęqu.intemp. 3ª.44.D
Vapores acres faciunt aſperitates.de cau.morb. 3ª.9.C
ex *Vapore capitis dolor.de remed.par.fac.* 7ª.153.F
Vapores ſuſcipiens qñ eſt caput calidũ, p̃termittamus cibaria calida & ſicca,licet conueniant in reliquo corpore.de diſſ. cont. Sp.71.G
ex *Vaporibus ad caput viſa,& viſa in ſuffuſis ſunt diuerſa. 1°. de locis affectis.* 4ª.6.G
Vapores vti ſuffuſiones hñt atrabilarij.đ mel.ex Gal.R. et P. Sp.109.G
de *Vapore melancholiam extrahens medicamentum. ſecr.* Sp.101.G
Vapores reſiccat braſſica.2°.de compoſi.medicamen.ſec. lo. 5ª.133.D
Vapor qũo p̃ lanam in aures eat.3°.de compo.me.ſec.loc. 5ª.142.E
VAPORATIONEM *vitioſorum humorum ſequuntur ſymptomata, quæ cerebrum,& oculos afficiunt.5°.de loc.aff.* 4ª.32.H
VAPOROSVS *ſpiritus quomodo faciat pandiculationes,& oſcitationes.com.7°.aph.56°.* Ex.59.A
Vaporoſum eſt inſtrumẽtum olfactus.7°.de decr.Hipp.& Pla. 1ª.271.C
VARICIFORMIS flexus qui.9.de vſu par. 1ª.172.E
Variciformis vaſa ſpermatica q̃ à teſticulis explantantur Herophilus nuncupauit παρασάτας κιρσοειδεῖς.*14°. de vſu par.* 1ª.208.C
VARICOSVS *meatus cur factus.1°.de ſem.* 1ª.333.F
Varicoſum aſſiſtens dicitur meatus genitalis.1°.de ſem. 1ª.333.E
Varicoſus aſſiſtens vas ſeminis.1°.de ſem. 1ª.335.C
ĩ *Varicoſis vaſis aliquẽ p̃tiũ numerũ auferre cõtinget.đ dif.mor.* 3ª.5.A
Varicoſæ venæ cur in cruribus.1°.de elem. 1ª.9.A
Varicoſæ venæ extrahuntur.de diff.mor. 3ª.4.G
VARIANT *curationem profluuiorum ventris cauſæ diuerſæ.de medicinis expertis.* Sp.103.H
VARIOLAS *generat ſanguis calidiſſimus. de ocul.* 7ª.189.F
VARIVM *eſt vinculum geranium dictum.de faſcijs.* 7ª.293.E
Varia vincula quidam negligunt.de faſcijs. 7ª.293.D
Varia vincula non dãnauit Hippocrates.de faſcijs. 7ª.293.D
Variũ vinculũ aptatur ſolũ femori,humero,& cubito.de faſc. 7ª.293.E
Vario vinculo cum caput cuidam fuerit deligatum, illi oculi procidere. de faſcijs. 7ª.293.D
VARICES *&* κιρσοὶ *quid.de tum.prę̃t. nat.* 3ª.84.G
Varices quid.2°.de lo.af.4ª.10.F/13°.meth.med. 7ª.86.G
Varices quid ſint,& vnde ſint.com.6°.aph.21°. Ex.48.D
Varices tibiæ affectus.introd. Iſa.59.D
Varix in cruribus,& in teſtibus fit.13°.meth.med. 7ª.86.G
Varices qũo fiant,docuit Hippocrates.de ven.ſec.aduer.Eraſi. 6ª.7.E
Varices qũo fiant,& in quibus venis.de art.com.3°. 7ª.269.B
Varices ex quo fiant ſanguine.de art.com.3°. 7ª.269.B
Varices in cruribus ab atra bile fiunt.de atra bi. 1ª.35.D
per *Varices deſcendit atra bilis.2°.de arte curati. ad Glauc.* 7ª.107.D
Varices nigræ ab humore melãcholico fiunt.de bon.& vit.ſuc. 2ª.39.D
Varices denigratę ſignificant atrã bilem.com.4°. aphor.2°. Ex.27.F

Varices dum generantur, pituita influit cum melancholico humore. 4°. de comp.med.per gen. 5ª.237.B
circa *Varices actio.ad Thraſ.* 2ª.104.H
Varices quos morbos ſanent.in 6m.de morb.vulga.com.6°, 3ª.197.F
Varices furorem curarunt.in 6m.de mor.vul.com.2°. 3ª.162.H
Varices ſi in inſanientibus ſuperuenerint, inſaniæ ſolutio. commentario 6°.aphoriſmo.21°. Ex.48.D
ex *Varicum ſublatione melancholici facti.de atra bile.* 1ª.35.E
Varices magnæ ſupuenie͂tes caluis, fiu͂t capillati.c.6°.aph.34°. Ex.50.B
Varices magnæ caluis nunquam adueniunt, nec è contra.commenta.6°. aphoriſmo.34°. Ex.50.C
ad *Varices.ſecretorum.* Sp.103.A
in *Varice multum iuuat ſectio iſchiadicæ.de anat.viu.* Sp.54.H
Varices qn̄q; excidunt in cruribus, & teſticulis.4°.meth.me. 7ª.90.G
Varix quando excidenda.4°.de compoſit.med. per gen. 5ª.237.A
Varices quomodo incidendæ.introd. Iſa.60.D
Varices ſupra vlceratu͂ locu͂ primo ſanandæ ſunt.4°.meth.me. 7ª.23.H
VARVS *quid ſit.5°.de comp.medicamen.ſec.loc.* 5ª.160.B
Varus quid ſit.de remed.par.fac. 7ª.157.B
à *Varo qu͂o differat ficoſus tumor in me͂to.de remed.par.fac.* 7ª.157.B
Vari faciei affectus.intro. Iſa.59.C
ad *Varos in facie.de remed.par.fac.* 7ª.157.B
pro *Varis ſapo.de remed.par.fac.* 7ª.157.B
ad *Varos ſmegma.1°.de comp.me.ſec.loc.131.D/5°.* 5ª.160.F
ad *Varos ex Critone.5°.de comp.me.ſec.loc.* 5ª.160.D
ad *Varos callofos.5°.de comp.me.ſec.loc.* 5ª.160.E
ad *Varos.1°.de comp.med.per gen.* 5ª.214.G
Vari in genu luxatione quomodo fiat.de artic.com.3°. 7ª.292.D
VAS quid ſignificet.in 6m.de mor.vul.com.2°. 3ª.160.G
Vaſa maxima quę ſint.11°.metho.med. 7ª.68.G
Vaſa pulſantia ſunt arteriæ.7°.de ana.adm. 7ª.94.F
Vaſa non poſſunt ſecari ignoratis muſculis.1°.de anato.admin. 1ª.69.E
Vaſorum corpora tunicæ dicuntur.6°.de anat.adm. 1ª.92.D
Vaſorum neruoſorum tunicæ quot.de anat.viu. Sp.44.H
ꝑ *Vaſoru͂ tunicã ſanguis attrahit in nutritione.6°.de vſu par.* 1ª.151.D
Vaſoru͂ tunicę trahu͂t ſanguine͂ maximè ſibi ꝓpriu͂.3°.de na.fa. 1ª.307.G
Vaſa tenuia cur in magna oſſa inſeruntur.13°.de vſu par. 1ª.202.B
Vaſorum diuiſiones implent glandulæ.8°.de vſu par. 1ª.165.B
Vaſa quæ debeant eſſe ſpiſſa.de ana.viu. Sp.45.A
Vaſa magna cur non ſint in ſuperficie poſita.16°.de vſu par. 1ª.219.F
in *Vaſis radix quæ.5°.methodi medendi.* 7ª.30.G
Vaſa quæ à deriuatis deriuantur, habent eandem originem cum deriuatis.6°.de decr.Hipp. 1ª.265.C
Vaſa quæ deferunt ad oculos fluxiones qn̄q; incidenda.13°.m.m. 7ª.85.E
Vaſa quæ ferunt ad oculos fluxiones quę incidi non poſſunt. 13°. methodi medendi. 7ª.86.E
Vaſa locutionis quæ.de anat.viu. Sp.49.B
Vaſa vociferationis in brutis quæ.de ana.viu. Sp.49.B
Vaſa ad aſperã arteriã ĩ collo capilloru͂ ſpe͂m referu͂t.1°.de lo.af. 4ª.2.D
Vaſa ad mãmas & teſtes habe͂t cõmune͂ vſum.16°.de vſu par. 1ª.221.A
Vaſorum tria genera cor connectunt cerebro.2°.de decretis Hippocrat. & Platonis. 1ª.239.B
Vaſorum à corde proficiſcentium orificia quales habeãt membranas, et earum vſus.6°.de vſu par. 1ª.152.B
Vaſorum ora non poſſunt ita claudi in corde, vt nihil retro recurrat.3°. de natural.facul. 1ª.307.E
Vas proprium pituitæ eſt pulmo.de anat.viu. Sp.52.G
Vas exiguum in pulmone.15°.de vſu par. 1ª.212.F
Vas ruptum in pulmone ex clamore, pondere, curſu, & ex ſaltu.5°.methodi medendi. 7ª.30.C
Vas in pulmone ruptu͂ letale nocume͂tu͂.de ven.ſect.aduer.Eraſ. 6ª.9.E
Vas in pulmone ruptum quãdo curauit Galenus.5°.meth.me. 7ª.36.B
Vas in thorace ſi rumpi debeat, noli exercere corpus. de venæ ſectione aduerſus Eraſiſtrateos. 6ª.8.F
Vas proprium melancholię eſt ſplen.de anat.viu. Sp.51.A
Vas ſecundæ digeſtionis eſt veſica.de anat.viu. Sp.51.D
Vaſorum excrementa per vrinas.de conſt.ar.med. Iſa.42.B
Vaſorum excrementa continentium muſculi ſunt cibi inſtrumenta. 6°. de anat.adminiſtr. 1ª.90.C
Vaſis eiſdem natura non vtitur ad materias ſemicoctas, & perfecte coctas.6°.de decr.Hipp.& Plat. 1ª.263.D
ex *Vaſis vrina aſſa, & cruda.de tot.morb.temp.* 3ª.88.G
Vaſoru͂ vrinæ dilatatio qu͂o cognoſcat͂.de ren.aff.dig.& med. 7ª.192.G
Vaſorum vrinæ imbecillitas quomodo cognoſcatur. de ren.affect.dign. & medela. 7ª.192.G
Vaſorum reuolutio vbi efficiatur.1°.de ſemine. 1ª.333.E
Vaſorum reuolutio eſt in vaſis ſeminis.1°. de ſemine. 1ª.335.C
Vaſa pauciſſima ſunt reflexa, & cur.16°.de vſu par. 1ª.214.G
Vas quod ſpermaticu͂ nu͂cupat͂, licet vere nõ ſit.14°.de vſu par. 1ª.208.C
Vaſa ſeminaria quæ in antecedentia, & cõſequentia.de ana.vi. Sp.51.G
Vaſa ſeminaria qualia in viris, & in mulieribus, et cur.de ana. Sp.51.G
Vas ſpermaticum in viro quale.14°.de vſu par. 1ª.207.H
Vaſa ſpermatica virorum ſunt duriora vaſis ſpermaticis mulieru͂.14°. de vſu partium. 1ª.209.H
Vaſoru͂ ſpermaticorum ſitus in maribus qui.14°.de vſu par. 1ª.209.A
Vas ſpermaticum in muliere quale.14°.de vſu par. 1ª.207.H
Vas ſpermaticum in fœminis cur non in teſtes.14°.de vſu par. 1ª.209.G
Vaſorum ſeminalium coniunctio in muliere ignorata à ſummis viris.de diſſectione vuluæ. 1ª.109.C
Vaſorum ſpermaticorum ſubſtantia qualis.14°.de vſu par. 1ª.209.G
Vas ſpermaticum cur varicoſum.14°.de vſu par. 1ª.208.A
de *Vaſorum ſpermaticorum magnitudine, & de ſuo inceſſu, cur ita longe eant.14°.de vſu par.* 1ª.208.H
Vaſa ſpermatica in mare qu͂o maiora q̃ fœmina.14°.de vſu par. 1ª.208.F
Vas ſpermaticum fœminis paruum.14°.de vſu par. 1ª.209.H
Vaſa ſpermatica in mare magna ex piſcibus, & auibus cognoſcuntur. 14°.de vſu par. 1ª.208.G
Vaſa ſpermatica in piſcibus, & auibus cur iuncta diaphragmati. 14°.de vſu partium. 1ª.208.G
Vaſa ſpermatica in piſcibus, & auibus longa.14°.de vſu par. 1ª.208.G
Vaſa ſpermatica breuiora ſunt in homine, quàm in quocunq; alio animali.14°.de vſu partium. 1ª.208.G
Vaſoru͂ ſpermatis orificia alarum formã habent.de cõp.memb. Sp.59.C
Vaſa per quę alter fit mas, alter fœmina.14°.de vſu par. 1ª.207.D
Vaſa quatuor habent teſticuli.de ſpermate. Sp.36.F
Vaſa nutrientia teſticulos vnde.14°.de vſu par. 1ª.208.H
Vaſa nutrientia partes pudendas in mulieribus, et viris. 14°.de vſu partium. 1ª.209.B
à *Vaſis vteri pendent ſecundæ.com.5°.aph.45°.* Ex.41.G
Vaſa vteri quibus obſtruantur.com.5°.aph.57°. Ex.43.A
Vaſa quæ in conceptu aperiuntur.de diſſ.vul. 1ª.109.E
Vaſa quæ feruntur ad crura, cur interne ferãtur.16°.de vſu pa. 1ª.219.F
Vaſa omnia non ſunt neceſſaria.ad Thraſ. 2ª.104.D
in VASORVM *finibus quot de cauſis obſtructio fiat.* 11°.methodi medendi. 7ª.68.H
Vaſorum exiguitas non facile deprehenditur.6°.de vſu par. 1ª.220.D
Vaſorum anguſtia quo modo fiat.1°.de ſan.tu. 2ª.68.C
Vaſorum imbecillitas vnde proueniat in purgationibus.3°.de ſimp.medicam.facul. 5ª.23.H
Vaſa totius corporis, & viſcera non ſunt intemperanter replenda. de cucurb.ſcarif. 6ª.3.A
Vaſorum repletio quæ habeat ſymptomata.9°.meth.med. 7ª.57.C
ad *Vaſa & ad robur plenitudinis duæ differentiæ.de mul.* 3ª.77.A
Vas poteſt grauari, & homo nõ ægrotabit.de cur.rat.per ſang. 6ª.16.E
Vaſorum inanitio pro purgatione apud Hippocratem.commentario.4°. aphoriſmo 2°. Ex.27.C
Vaſoru͂ inanitiões fortes fieri nõ debe͂t.de vi.ra.ĩ mor.ac.c.2°. 7ª.120.G
in *Vaſis ſolis quandoq; humores putreſcunt, quandoq; in toto corpore.* commen.4°.aph.37°. Ex.32.B
in *Vaſis humorum putredo qualis.1°.de diff.feb.* 3ª.33.B
Vaſa totius corporis plena pituita alba inducunt aquam intercutem, dictam à Græcis leucophlegmatiam.cõ.7°.aph.70°. Ex.60.G
Vas effundens põt cauſare ſpumoſa excrementa.c.7°.ap.30°. Ex.56.A
Vaſorum recluſio quibus fiat cauſis.3°.de ſymp.cau. 3ª.27.A
Vas quot modis poſſit rumpi.3°.de ſympt.cauſis. 3ª.26.H
in *Vaſe continui ſolutio Rhegma dicitur.4°.methodi med.* 7ª.23.B
Vaſorum oris apertio Anaſtomoſis appellatur.4°.meth.med. 7ª.23.B
Vaſorum ora reſerat ficus arbor.8°.de ſimp.me.fa. 5ª.61.F
Vaſoru͂ apertio vnde ꝓueniat in purgationibus.3°.de ſimp.me.f. 5ª.23.H
Vaſe quocu͂q; diſrupto ſanguinis emanãtis ꝓhibitio.8°.de ana. 1ª.101.G
Vaſorum ſanguinis deligatio.5°.meth.me. 7ª.30.F
in *Vaſis abſciſis quando vincula debe͂t decidere, caro habetur pro operculo.13°.meth.med.* 7ª.86.F
VASA *ex quibus fieri non debent.de ſubſ.emp.* Iſa.32.C

Vas duplex quid ſit, & à quo in eis fiat coctura. 7°.de compoſi.medicamen.ſecun.loc. 5ª.180.A
Vas duplex quõ ſit, & quõ intelligat̃.3°.de comp.med.per gen. 5ª.233.E
Vaſe duplici quid ſignificet, & quę incoqui debeant.7°.de compo.medicamen.ſec.loc. 5ª.180.B
in *Vaſe duplici quõ debeat cera liquefieri.8°.de cõp.me.ſec.lo.* 5ª.187.E
in *Vaſe duplici debet liquari chalbanũ.3°.de comp.me.per ge.* 5ª.233.E
in *Vaſe duplici mellis coctura, quo ad manus non inquinet.7°.de comp.medic.ſec.loc.* 5ª.178.H
in *Vaſe duplici miſcent̃ vnguenta oĩa.3°.de comp.med.p gen.* 5ª.234.F
in *Vaſe duplici caleſcant vnguenta.8°.meth.med.* 7ª.53.C
Vaſe duplici vtuntur vnguentarij.7°.de comp.me.ſec.loc.180.E/181.F/7°.de compo.med.per gen.269.H/ 5ª.271.A/E
in *Vaſe duplici coquebant medicamenta.4°.de ſanitate tuen.* 2ª.87.A
in *Vaſe duplici quõ coquebant medicamenta.4°.de ſan.tu.* 2ª.87.A
Vaſe duplici vtitur.7°.de comp.med.ſec.lo.178.H/179.D/E/180.A/7°.de comp.me.per gen.273.A/5ª.274.D/10°.meth.me. 7ª.65.A
Vas, in quo viperæ coqui debent, quale eſſe debeat.de theria. 5ª.95.F
Vaſa in quibus reponi Theriaca debet, & quomodo aperienda, & quomodo claudenda.de theria.ad Piſ. 5ª.95.G
Vas quomodo præparetur operculis & centonibus.7°.de compoſit.medicamentorum per gen. 5ª.273.A
in *Vaſe Aeneo in quo ponit punica.3°.de comp.me.ſec.loc.* 5ª.147.G
Vas æneum.6°.de comp.med.ſec.loc.5ª.170.A/ de vict.ratio. in morb.acutis, comment.4°.152.G/de ocul. 7ª.191.F
Vas Aereum elegit pro coctura.de rem.par.fac. 7ª.155.G
in *Vas æreum ſemper ponit malum punicum.3°. de compoſitio.medicamen.ſecun.loc.* 5ª.48.D
Vas æreum.3°.de comp.medi.ſec.loc.145.H/4°.152.H/153.A/6°.170.C/9°.209.B/ 2°.de comp. me.per ge.225.F/4°.243.F/ 5ª.246.F
Vas æris Cyprij.5°.de comp.medi.ſec.loc.161.F/5°.de compoſi.medicamen.per genera. 5ª.254.D
Vas æris rubri.3°.de comp.me.ſe.lo.148.A/2°.de cõp.me.p g. 5ª.226.C
Vaſa ex nõ puro Argẽto rubiginẽ cito cõtrahunt.5°.de antid. 5ª.104.D
Vas argenteum craſſum.7°.de compo.med.per gen. 5ª.274.G
Vas argenteum.7°.de comp.me.ſec.lo.181.G/H/ 7°.de compoſi.medica.per gen.5ª.274.G/de incant.adiur. 7ª.182.B
Vas Eirennum.ſecre. Sp.98.D
Vas Buxeum.7°.de compo.medi.per ge. 5ª.273.F
Vas Corneum.8°.de comp.med.ſec.lo. 5ª.189.C
Vaſa fictilia Alexandrotica purpurea appellata. 2°.de compo.medicamen.ſecun.loc. 5ª.128.B
Vas fictile nõ picatũ [ergo erãt picata.] 10°.de cõp.me.ſe.l. 5ª.209.A
Vas fictile.5°.de comp.medi.ſec.loc.162.A/163.B/164.A/3°.de compo.medica.per gen. 5ª.235.C
Vaſa figulina, in quibus debent alia coqui, cur debeant eſſe bene cocta. 4°.de ſanitate tuenda. 2ª.85.A
Vas figulinum.3°.de compoſi.medicamen.ſecundum loc.144.H/148.C/4°.152.G/10°. 5ª.209.A
Vas Iliceum.4°.de comp.me.ſec.loc. 5ª.152.H
Vaſis genus Meliterium dictum.de puer.epil. 7ª.181.A
Vas Nouum.8°. de comp.medi.ſec.loc. 5ª.196.B
Vas Plumbeum quod non perſpiret.7°.de comp.med.per gen. 5ª.271.C
Vas plumbeum.3°.de comp.medica.ſec.lo. 5ª.148.C
Vas Stamneũ pro ſeruãdo medicamento.6°. de cõp.me.ſec.lo. 5ª.171.A
in *Vaſe ſtãneo mali punici ſuccũ ſeruãt.3°.de comp.med.ſe.lo.* 5ª.148.E
Vas ſtamneum.3°.de comp.me.ſe.loc.143.E/F/148.E/ 7°.de comp.med.per ge.269.G/272.F/5ª.273.F/de ocul. 7ª.191.F
Vaſa teſtacea ſunt prima aqua ſaturanda.de rem.par.fac. 7ª.154.A
Vaſa teſtacea.7°.de compo.medica.per ge. 5ª.273.A
Vaſa vinaria obturandæ ſunt ne vinum aceſcat.de vinis. Sp.77.A
Vaſa vinaria aperta cito faciunt vinum acetum. in 6^{m}.de morbis vulgaribus, commentario 4°. 3ª.182.H
Vaſa minus plena citius faciunt acetum. in 6^{m}. de morbis vulgaribus, commentario 4°. 3ª.183.A
Vas Vitreum craſſum.7°.de comp.med.per ge. 5ª.274.G
Vas vitreum.2°.de comp.med.ſe.lo.139.C/3°.143.D/144.A/5°.160.F/7°.179.E/180.E/181.G/H/182.A/185.E/F/9°.203.A/4°.de compo.medicamen.per gen.243.H/244.A/7°.269.G/273.A/5ª.274.F/de med.fac.par.169.D/ 7ª.174.D
Vas vnguentarium exiguum ſtãneum.7°.de comp.me.per ge. 5ª.272.H
Vas vnguentarium.7°.de comp.med.ſec.loc. 5ª.181.G
pro *Vaſe pellicula.5°.de compo.med.ſecun.loc.* 5ª.162.C
Vaſa attrita fiunt ſicciora.in 6^{m}.de mor.vul.com.3°. 3ª.170.B
Vaſa proijciebat quidam delirans, tamen illa cognoſcebat, & nominabat.de ſymp.diff. 3ª.12.H
Vas ſe eſſe cur quiſpiã arbitrabat̃.de mel.ex Gal. Ru.& Poſ. Sp.109.D
VASCVLORVM *immunditia quid ſignificet.in 6^{m}.de mor.vul. commentario 3°.* 3ª.162.H
Vaſculo teſtaceo vel æneo poſita aqua fomentum eſt calidum.de vic.ra.in morb.acu.com.2°. 7ª.116.D
Vaſculum pro menſura.7°.de comp.medicamen.per gene. 5ª.272.F/H
VATES tanquã pręſentia dicit præterita.in progn.com.1°. 4ª.189.H
Vates exiſtimatus Galenus.in progn.com.3°. 4ª.211.G
VATICINATIONI *ſimilis eſt ars medica.de vic.ratio.in morb.acu.commentario.1°.* 7ª.109.H
VATICINATORIAE *ſcientiæ quæ.de pręcog.ad Poſth.* 4ª.215.B
VATICINIA *obſcura.1°.de dieb.decr.* 4ª.150.G
Vaticinium Galeni.de præcog.ad Poſth. 4ª.217.B
VBERA *ſunt partes in hoĩe ex illis, quæ ſunt laxiores, & humidiores.9°. de ſimpl.med.fac.* 5ª.65.H
Vbera vocantur mammarum glandulæ, ſi lac continent.de bonitate, & vitio ſuccorum. 2ª.35.H
Vberũ caro albior eſt glandis carne, & teſticulorũ.de ana.viu. Sp.55.H
Vbera quibuſdam ſupra modum increuerunt.de diff.mor. 3ª.5.C
ad *Vberum tumorem.de paſſ.mul.* Sp.96.D
Vberum durities antiquas iuuat Eryſimum.6°.de ſimp.me.fa. 5ª.47.E
ad *Vberum duritiem, & inflationem, & vlcera, & craſſitiem, & omnem paſſionem.de paſſ.mul.* Sp.96.D
Vberum phlegmonas ſanare oſtraciten dicit̃.9°.de ſimp.me.fa. 5ª.67.D
Vberum phlegmonibus ſolæ ſordes ſe exercentium impoſitæ efficaciori ſunt remedio.10°.de ſimp.me.fac. 5ª.75.C
Vbera inflammata refrigerari moderate amãt.7°.de ſim.me.fa. 5ª.53.E
Vberum aptum cataplaſma.7°.de ſimp.me.fac. 5ª.53.E
Vbera inflammata ex lacte concreto quomodo curantur. 7°.de ſimplic.medicamen.facul. 5ª.53.E
ad *Vbera vlcerata.de paſſ.mul.* Sp.96.D
Vbera generant bonum chymum, & craſſum.de diff.cont. Sp.74.A
Vbera eſt cibus craſſus, & cur.de diff.cont. Sp.72.G
VBI quid ſignificet.de ijs, quæ in med.fi.com.1°. 7ª.200.E
Vbi genere eſt ſuperius, & inferius.2°.de diff.pul. 4ª.56.F
VECTIO *inter facienda numeratur.1°.de ſanita.tuenda.* 2ª.68.H
VECTES *pars organorum.de machin.* 7ª.309.E
Vectes aerei vel ferrei comparantur.de machin. 7ª.309.D
VEHEMENTER βιαιωσ. in 1^{m}.prorrh.com.2°. 4ª.174.F
VEHEMENTIA *quæ dicantur.4°.de dign.pul.* 4ª.83.D
Vehementis proprium.4°.de dign.pul. 4ª.83.F
Vehemens dolor notus.2°.de loc.aff. 4ª.12.G
VEHEMENTIAE *nomen vulgo cui applicatum.3°.de differentijs pulſuum.* 4ª.61.H
Vehementia, & magnitudo idem in morbis.com.1°.aph.12°. Ex.5.F
VEHEMENTIVS *pro maius dicitur à medicis. commentar.6°.aphoriſmo 5°.* Ex.47.A
VEHI *naui eſt paſſio.1°.meth.med.* 7ª.6.C
Vegetatiua anima in iecore eſt.1°.methodi medendi. 7ª.58.H
VEGETABILIS anima dicta ab Ariſtotele, concupiſcibilis à Platone à & ſtoicis natura dicitur.de fœt.for. 1ª.326.B
Vegetatiua anima quæ in iecore eſt poteſt vocari appetitrix, naturalis, & altrix.9°.meth.me. 7ª.58.H
VELLA quid.de ſimp.med. Sp.92.A
Vella calefactoria eſt, ſubmordens viribus relaxans ad tuſſim veterem & ad regium morbum cum melle optime facit.de ſimp. Sp.92.A
pro VELLE, *poſſe.de artic.com.3°.* 7ª.281.H
VELLICATIO *in ægris quid ſignificet. in 1^{m}.de morbis vulgaribus, commentario 2°.* 3ª.118.A
VELLICANT *gulam acria, & ſalſa.5°.de loc.aff.* 4ª.32.D
VELLVS *nemo portat ad fullonem, prouerbiũ.2°.de dif.pul.* 4ª.58.B
VELOCITAS *timidis conuenit.1°.de vſu par.* 1ª.113.C
Velocitas reſponſionis ſequitur ad dominium bilis.de anat.vi. Sp.45.F
Velocitas, & ſpiſſitudinis in pulſu differentia.comp.pul. Sp.65.H
VELOCITER *nutrire.com.2°.aph.18°.* Ex.13.F
VELOCEM *linguam ferè ſemper habent melancholici, ſed balbe, & exili voce loquuntur.de mel.ex Gal.Ruf.& Poſſ.* Sp.109.D

Velox pul-

Velox pulſus eſt qui in paruo tempore longitudinem explet. compendiũ pulſuum. Sp.65.H
Veloces nutritiones deprehenduntur ex pulſibus qui ſunt fortes & magni, & ex motibus qui ſunt voluntarij, quia habent robur. comm.2°. aphoriſmo 18°. Ex.13.G
Velocioris coctionis ſunt quę appetuntur & ſapiunt. de diſſol. Sp.73.B
Velocius digeritur quod leuiter, & facile maſticatur, quam quod difficulter. de diſſ. cont. Sp.73.D
Velocis digeſtionis de ſe ſunt cibaria ſubtilia, & media. de diſſ. Sp.73.C
Velocius digeruntur raram habentia ſubſtantiam, quam habentia ſpiſſam. de diſſol. cont. Sp.73.C
Velocius digeruntur cibi craſſi in aliquo corpore. de diſſ. cont. Sp.73.C
Velocis digeſtionis cibariorum qui modi. de diſſ. cont. Sp.73.B
Velocius digerũtur carnes auiũ quã quadrupedũ. de diſſ. cont. Sp.73.C
Velocius digeruntur axillę omnium auium pinguium, & iuuenum, quã axillę macrarum, & antiquarum. de diſſ. cont. Sp.73.C
Velocius digeritur ex animalibus ſiccis quod eſt paruum, quàm magnũ. de diſſ. cont. Sp.73.C
Velocis digeſtionis ſunt caro gallinę, duragi, & ſtarnę, & hepata pullorum anſerum, & eorum axillę. de diſſ. cont. Sp.73.C
Velocius digeritur caro vituli, quam caro bouis. de diſſ. cont. Sp.73.C
Velocius digeruntur oua non dura, quam dura. de diſſ. cont. Sp.73.D
Velocius digeruntur nuces, quam auellanę. de diſſ. cont. Sp.73.C
VELI *linteum. de artic. commen.3°.* 7ª.270.H
VENAE *quid ſignificent. de ijs, quæ in me. ſi. com.2°.* 7ª.212.E
Vena quæ ſit apud antiquos. 8°. de decretis Hippocra. & Pla. 1ª.266.E
Vena pro arteria accipitur. 6°. de decr. Hippocrat. 266.E/ in Tim. Plat. 287.G/ ꝙ animi mor. 320.C/ de fœt. for. 1ª.323.G/ de cauſ. morb. 7.E/ in 6^{m}. de morb. vulg. commen. 6°. 3ª.195.C/ in 1^{m}. pror. cõ. 3°. 4ª.180. D/ 7°. de comp. med. ſecun. loc. 5ª.177.B/ de cur. rat. per ſang. miſſ. 6ª.21. D/ de vict. rat. in mor. acu. com. 4°. 7ª.138.A
Venæ, & arteriæ differentia. 6°. de vſu partium. 151. A/ 1ª.152.G/ 4°. de differen. pulſ. 4ª.65.D
Vena tenuior eſt ac imbecillior arteria. 5°. de loc. affect. 4ª.30.F
quàm Vena ſiccior eſt arteria. 5°. meth. med. 7ª.32.D
Vena ſexcuplo minus craſſa arteria. 1°. de ſem. 1ª.333.A
Vena cur tenuis in omni animali. 16°. de vſu par. 1ª.148.B
Venæ vas non albicat ſicut vas arteriæ. 6°. de anat. adm. 1ª.93.B
Venarũ, neruorum, & arteriarũ facultas diuerſa eſt. de mult. 3ª.77.A
Venas tantum appellant recentes quę non pulſant. de cau. mor. 3ª.7.E
Vena pulſatilis, & vena quieta ſunt coniunctæ. de anat. viu. Sp.56.E
Vena pulſatilis in interioribus membris ſuperpoſita eſt quietæ, in exterioribus ſuppoſita quieta, & è contra. de ana. viu. Sp.56.E
VENA *quid, & vnde oriatur. de anatomia viuorum.* Sp.55.E
Vena quid ſit. 7°. de ana. adm. 1ª.95. A/ de anat. viu. Sp.44.B
Venæ ſunt mẽbra cõplexa, ꝗ tñ vocãtur ſimplicia. de ana. viu. Sp.44.G
Venæ ſi demantur ab inſtrumentis ſunt ſimplicia. 1°. de nat. fac. 1ª.291.G
Vena, arteria, & neruus ſunt elementa hominis. 2°. meth. me. 7ª.11.H
Venæ ſunt ligamenta carnium. de anatomia viuorum. Sp.44.B
ex Vena, neruo, & arteria particulæ omnes animalis contextæ ſunt. 7°. de vſu partium. 1ª.158.H
Venis indigent partes compoſitæ. ars med. Iſa.63.B
Venis, & arterijs cur indigeãt naturalia membra. 1°. de loc. affe. 4ª.8.B
ex Venis, neruis, arterijs, oſſibus, & carne compoſitum incorruptibile eſſe non poteſt. 14°. de vſu par. 1ª.204.D
Venæ inter partes ſimilares numerantur. de diff. mor. 3ª.2.F
Vena inter prima inſtrumenta numeratur. de diff. mor. 3ª.3.B
Venæ numerantur inter primas partes quæ formantur. 2°. de tempera. 16. A/ 1°. de nat. fac. 1ª.291.F
Venæ, & nerui quando formentur. de ſper. Sp.36.C
Vena ex quibus fiat. 3°. de ſimp. med. fac. 5ª.17.D
Vena exanguis eſt, tamen ex ſanguine facta. 2°. de nat. fac. 1ª.297.E
Vena eſt exanguis. 1°. de ſem. 1ª.330.C
Venæ ſunt minus ſiccæ chartilagine. 1°. de temp. 1ª.15.C
Venæ ſunt exangues & frigidę natura. 1°. de temp. 1ª.15.C
Venæ fiunt calidæ ex tactu ſanguinis, & veniunt ad medium temperamentum. 1°. de temp. 1ª.15.C
Venam difficillimum eſt fieri ex ſanguine. 1°. de ſem. 1ª.332.E
Vena non fit e ſanguine ſed è ſemine. 1°. de ſem. 330.C/ 1ª.331.H
Venæ primæ ex ſeminis ſubſtantia generantur. de fœt. for. 1ª.324.A
Venarum corpus cum prorſus exangue ſit, veriſimile eſt primam è ſemine generationem habere. de fœt. for. 1ª.322.G
ad Venarum generationem quæ neceſſaria ſunt, in ſeminis ſubſtantia inueniuntur. 1°. de ſem. 1ª.330.E
Venæ potius à neruo quàm à carne naſcuntur. de anat. viu. Sp.50.F
Venæ quibus componantur. de anat. viu. Sp.44.G
Venæ & arteriæ ex fibris membranisq́; fiunt. de inęq. intemp. 3ª.43.D
Venę oẽs habẽt vnã tunicã, & varias fibras. 6°. de anat. admi. 1ª.93.C
Vena ex vna conſtat tunica. 6°. de anat. adm. 1ª.95.A
Vena habet ſolum vnam tunicam. 3°. de nat. fac. 1ª.305.E
Venæ non indigent multiplicitate tunicarum. de anat. viu. Sp.45.A
Venarum tunica cur dura. 7°. de vſu par. 1ª.159.D
in Venæ tunica ſunt fibræ multę. 10°. meth. med. 7ª.67.D
Venæ quas habeant fibras. 2°. de temp. 1ª.18.A
Venę quam habeant carnem. 2°. de temp. 1ª.18.A
Venæ quam habeant caliditatem. 2°. de temp. 1ª.18.A
in Venis, et ſanguine caliditatem habet animal omne veluti fontẽ ignis. in Timæum Platonem. 1ª.289.H
Venæ caliditate, & ſiccitate citius fiſtulantur. 2°. de ſem. 1ª.339.B
Venæ fiunt latę ob ſpiritum calidum. 2°. de ſem. 1ª.339.B
VENARVM *vtilitas quæ. 1°. de vſu par. 1ª.117.B/ de ana.* Sp.44.B
Venæ cur inditæ membris. 6°. de decr. Hipp. 1ª.266.A
Venę neceſſariæ oĩ aĩanti. 6°. de ana. adm. 90.D/ 6°. de vſu par. 1ª.155.B
Venę commune corporis inſtrumentum. 16°. de vſu par. 1ª.214.D
Vena commune inſtrumentum, quo omnia membra gubernantur. 1°. de ſemine. 1ª.330.C
Venæ duæ veniunt ad omne mẽbrũ inſtrumentale. de ana. viu. Sp.44.B
Venis & arterijs cur indigeant aĩalia inſtrumenta. 1°. de lo. aff. 4ª.8.B
Vena communis eſt toti animanti. 2°. meth. med. 7ª.12.G
Venæ habent functionem ſimilem in omni parte. 6°. de decr. 1ª.266.B
Venis carens corpus quod nam dicatur. de artic. com. 3°. 7ª.277.F
pp Venam & arteriam muſculus eſt inſtrumentum naturale. 1°. de motu muſculorum. 1ª.309.B
Venis, & arterijs cur indigeant muſculi. 1°. de locis aff. 4ª.8.B
ſine Vena, & arteria nullus eſt muſculus. 16°. de vſu par. 1ª.220.A
Venæ pertinent ad muſculos. 9°. de decr. Hipp. 1ª.284.H
Venę ſequuntur muſculos in figura. 1°. de anat. adm. 1ª.63.E
ex Vena, & arteria motus præcedentes ſunt naturales, & voluntatis expertes. 1°. de motu muſ. 1ª.309.B
Venarum motus actiones dicuntur. 1°. de natu. fac. 1ª.291.B
in Venis tertium genus motus. de trem. palp. 3ª.51.G
Venarum exercitatio per accidens fit à motibus voluntarijs. 2°. de ſanitate tuenda. 2ª.75.A
Vena, neruus, arteria cõtinuantur vnicuiq; lacerto. de mo. ma. Sp.66.E
Vena, & arteria ſimul ſunt in toto corpore præterquam in iecore, & ſplene. de vtil. reſp. Sp.64.G
Venæ ſunt robuſtiores adenibus. 13°. meth. med. 7ª.80.H
Venæ in quas glandulas inſerantur. 2°. de ſem. 1ª.340.D
ad Venas tranſeuntes ab vno in aliud recipiendas quandoq; glandulæ factę ſunt. de anat. viuo. Sp.44.D
Venæ quid contineant. 6°. de vſu par. 1ª.154.H
Vena, pellis, & neruus ſunt receptacula ſanguinis, & ſpiritus. de vtilitate reſpir. Sp.63.C
in Venis adſunt ſpiritus. fin. med. Iſa.44.C
Venæ in conatu omnes inflantur. de vtil. reſp. Sp.63.G
Vena ſanguinis receptaculum eſt. de ven. ſect. aduerſ. Eraſ. 6ª.5.G
in Venis cur ſolus ſanguis appareat. 8°. de decr. Hip. & Pla. 1ª.275.A
ex Venis qualiſcunque ſit vocatur ſanguis. de atra b. 1ª.34.D
in Vena multus eſt ſanguis, & ſpiſſus. de vtil. reſp. Sp.64.E
Venæ ſanguine liquidior eſt ſanguis arteriæ. de vtil. reſp. Sp.64.E
in Venis ſanguis exquiſitus nunquam. de mult. 3ª.80.H
Venarum ſanguine calidior ſanguis arteriarum. de fœt. form. 1ª.323.E
Venæ quæ ſanguinẽ regunt ꝑ oſſa, & ꝑ viſcera currunt. de dyn. Sp.19.D
Venæ ſingulę pertingunt ad oſſa ſingula. 9°. de decr. Hipp. 1ª.284.G
Venę exiguæ in oſſibus. 16°. de vſu par. 1ª.220.G
per Venas confluit calor. de vſu pul. 1ª.228.D
ad Venas à corde fluit calor continue ita vt flamma eſt in continuo motu. de vtil. reſp. Sp.62.F
Venarum calor minor eſt illo arteriarum. de vſu pul. 1ª.228.D
Venæ non ſunt vt arteriæ in meatibus. de vſu pul. 1ª.228.G
Venę, & arteriæ habent ora communia. de vſu pul. 1ª.228.G
à Vena ad arteriam meatus aliquis eſt. de vtil. reſp. Sp.64.F
in Venas tranſeunt arteriæ. de venæ ſect. aduerſ. Eraſ. 6ª.5.F
Venarum meatus manifeſti ſunt. de diff. morb. 3ª.4.G

Vena vbi nuſquam relinquitur ab arteria.16°.de vſu par. 1ª.220.H
cum Venis cur vbiq; natura ponit arterias,niſi quid maius obſtet.5°. de vſu partium. 1ª.142.C
Venæ profundæ habent arteriam.de ven.art.diff. 1ª.59.C
Vena eſt vbi vas arterioſum eſt.16°.de vſu par. 1ª.220.H
ſine Vena ſua non inuenitur arteria.16°.de vſu par. 1ª.220.E
Vena ſine arteria.de vena.art.diff.59.D/E/16°.de vſu par. 1ª.220.E
ſine Venis arteriæ quæ.de ven.art.diff.59.G/16°.de vſu par. 1ª.220.H
Venæ,& arteriæ in quibus partibus ſe cõtingũt.9°.de vſu par. 1ª.172.H
Venæ & arteriæ in conceptibus non perfectis quales.de ven.ar. 1ª.59.E
Venæ & arteriæ cum inferuntur in arteriam partem, ſemper propagines mittunt,ſed differenter.16°.de vſu par. 1ª.220.D
Venas nunquàm miſceri arterijs,& è contrario eſt mirabile.& non temere factum.15°.de vſu par. 1ª.211.C
Venas,& arterias comparat naſſularum funibus.in tim. Pl. 1ª.288.G
Venæ, & arteriæ minimo interuallo ducuntur ad membra. 16°. de vſu partium. 1ª.220.A
Venas & arterias ducit natura ad omnes partes breuiſſimo interuallo. 16°.de vſu par. 1ª.219.A/C
Venæ non habent ſenſum.16°.de vſu par. 1ª.220.D
præter Venas,& arterias,& pelliculas, & neruos nihil de corpore ſenſibile eſt.de vtil.reſp. Sp.62.G
Vena vt vẽtricul⁹,arteria & neru⁹,diuerſo mõ ſentiũt.de mul. 3ª.77.F
Venæ ſenſibiles.14°.meth.med. 7ª.92.C
Vena ſentit ſolum,& non habet motũ volũtariũ.16°.de vſu p. 1ª.214.H
VENARVM *aut arteriarum aut neruorum anatomia poſt oſſa muſculos tertio loco ſine ordine ſpectanda eſt.1°.de ana.admin.* 1ª.64.B
Venarum anatome cur à iecore incipienda.6°.de dec.Hipp. 1ª.264.A
Venæ non videntur in ſimia ablata membrana ob tenuitatem. 3°.de anatomicis adminiſt. 1ª.74.D
Vena in ſimijs quomodo ſit.de ven.art.diff. 1ª.56.C
Venæ videntur in equis, aſinis, mulis, & bobus ablata membrana ob craſſitiem.3°.de ana.admin. 1ª.74.D
Venę quibus alligentur.6°.de vſu par. 1ª.148.F
in Venis quæ Hippocrates docuerit.de ven.ſect.aduer.Era. 6ª.7.D
Venas,de quibus Hippocrates conſiderationem facit,cõſidera. de ven. ſect.aduerſ.Eraſ. 6ª.12.D
Venarum diſtinctio ſecundum Hippocratem.6°.de decretis. 1ª.266.G
de Venarum diſſectione liber neq; eſt Hippocratis neq; Polybi. 6°.de decre.Hippo. 1ª.262.E
Venarum origo vnde ſit.de vtil.reſp. Sp.63.G
Venarum,& nutritionis origo quæ.de marc. 3ª.46.G
Venarum principium,& finis idem ſecundum aliquos. 6°. de decretis Hippocratis. 1ª.265.F
Venæ dependent ab hepate.ars med.Iſa.63.E/1°.de vſu p.117.B/ 4°.138. F/6°.152.D/15°.212.E/16°. 1ª.214.D
Venarum principium multo magis eſt iecur, quàm cor arteriarum. 6°. de decr.Hip.& Plat. 1ª.265.C
Venarum principium,& finis eſt Iecur.6°.de decr.Hip. 1ª.265.F
Venarum radicatio Iecur.6°.de decre.Hipp. 1ª.266.G
Venarũ principiũ eſſe iecur demonſtratio prima. 8°.de decret. 1ª.273.G
Venarũ principiũ eſſe iecur demõſtratio ſecunda.8°.de decr. 1ª.273.H
Venarũ principium eſſe iecur demonſtratio tertia.8°.de decr. 1ª.273.H
Venas oriri à Iecore demonſtratio quarta.8°.de decr.Hipp. 1ª.274.A
Venarum principium eſt Iecoris caro.4°.de vſu par. 1ª.138.H
ex Venis componitur hepar.de ana.viu. Sp.50.F
Venis ſolis tenuiſſimis atq; rariſſimis nutriũ hepar.6°.de vſu p. 1ª.155.C
Venis virtutem largitur Iecur.ars med. Iſa.71.A
Venarum facultatis iecur veluti fons eſt.de mul. 3ª.77.A
Venæ accipiunt ab hepate virtutem naturalem.1°.de vſu par. 1ª.117.B
Venæ vis quomodo cognoſcatur.in progno.com.2°. 4ª.200.C
Venarum corpus non videtur à iecore,vel à corde germinaſſe. de fœtuũ formatione. 1ª.324.G
Venarum principium non eſſe hepar,ſuadetur.de anat.viu. Sp.56.F
ad Venarũ nãm iecoris ſubſtãtia ne ꝑpè qdẽ accedit.de fœ.for. 1ª.324.E
Venæ quod naſcanẽ à corde,nõ ab hepate,ꝓhibitio.de ana.vi. Sp.46.A
Venas à corde oriri aliqui dicunt.6°.de dec.Hipp. 1ª.261.H
Venarum fons eſt cor apud Platonem.3°.de decr.Hipp. 1ª.241.F
Venarum,& arteriarum principium eſſe cor tribus rationibus probatur ſecundum Ariſtotelem.de anato.viuo. Sp.56.E
Venæ,& arteriæ porriguñt à cono cordis ꝑ totum.de ana.viu. Sp.56.G
Venæ principium quod non ſit cor probatur.6°.de decr.Hipp. 1ª.262.H/ *de anatomia viuorum.* Sp.56.E
Venarum principium non eſſe cor optimum argumentum præter alia. 6°.de decr.Hipp. 1ª.263.G
Venæ cordis & iecoris ſunt tanquam radices.1°.de ſem. 1ª.331.C
Venę totius corporis fœtus ſunt tanquam trunci.1°.de ſem. 1ª.331.C
Venæ duæ in fœtu.15°.de vſu par. 1ª.211.C
ex Venis attrahit ſanguinem fœtus dum augetur.1°.de ſem. 1ª.330.H
Venis tutius erat per interna iter facere.16°.de uſu par. 1ª.217.H
Venæ cur ſint minus profundę, quàm arteriæ.16°.de vſu par. 1ª.219.F
Venæ cur ſuperiores arterijs.16°.de vſu par. 1ª.219.E
Venæ infernæ ſurſum feruntur.8°.de vſu par. 1ª.165.A
Venę extrinſecæ vt præſeferunt magnam differentiam,ita internæ.5°.de ſanitate tuenda. 2ª.91.F
Venæ maiores ex minoribus fiũt vſq; ad portas.4°. de vſu pa. 1ª.141.G
Venę omnes in quam concurrant venam 6°.de decr.Hipp. 1ª.265.B
Venę omnes à qua vena oriantur.16°.de vſu par. 1ª.220.E
VENARVM *anatome ad cor à cerebro.2°.de decr.* 1ª.235.A
Venæ cerebri ſpirituales.de nat.& ord.cuiusl.corp. Sp.41.H
Venę cur tot in cerebro.7°.de decre.Hipp.& Plat. 1ª.269.D
ex Venis etiam fit plexus retiformis.16°.de vſu par. 1ª.220.C
ſine Vena rete mirabile.de ven.art.diff. 1ª.59.H
Venæ cum venis commiſſæ in toto capite.16°.de vſu par. 1ª.220.D
Venæ & arterię ĩ cerebro cur veniãt à diuerſo loco.9°.de vſu. 1ª.172.H
Venæ veniũt ab externa parte ĩ cerebrũ ꝑ craniũ.9°.de vſu p. 1ª.173.A
Venæ,arteriæ,nerui ſimul commiſcentur.16°.de vſu par. 1ª.220.D
Venæ æquales numero neruis.13°.de vſu par. 1ª.202.A
Vena frontis inter duo ſupercilia exiſtit.de anat.viu. Sp.55.A
Venæ duæ temporum flexuoſe incedunt.de anat.viu. Sp.55.A
Venarum quatuor paria à capite deſcendere,vanum eſt dicere.de natura hum.com.2°. 7ª.183.D
Venarum quatuor paria in corpore.de nat.hum.com.2°. 7ª.183.B
Venæ quæ deſcendunt ad oculum.4°.de loc.aff. 4ª.22.F
Vena non eſt in oculorum humoribus.10°.de vſu par. 1ª.177.G
Venæ duæ quæ ſunt in angulis oculorum lachrymalibus non apparent multum.de anat.viu. Sp.55.A
Venæ oculorum quandoq; videtur,quãdoq; nõ,& cur.de mul. 3ª.80.G
ꝑ Venas auriũ qd intelligere oporteat.in 6ᵐ.de mor.vul.c.5°. 3ª.192.F
Venæ circa faciem,& aures quę.de ven.art.diff. 1ª.57.H
Venas multas,& arterias propter quid habeat vuea.de ocul. 7ª.183.C
Venæ in lingua communes cum alijs carnibus.3°.de alimen.fac. 2ª.26.G
Venę duæ in lingua cur.de voce & anhel. Sp.61.G
Venæ in lingua maiores & plures ſunt, quàm linguæ corpus exigat. 3°. de alim.fac. 2ª.26.G
Venæ linguæ.de ven.art.diff. 1ª.58.A
Venis qbus nutriãtur corpora linguæ circũiecta.de ven.ar.diff. 1ª.58.A
Venæ gutturis anguſtę.de vic.rat.in morb.acu.com.4°. 7ª.138.F
Venæ gutturis ſtrictiores quàm faucium.de vict.ratio. in morb.acutis, comment.4°. 7ª.138.G
Venæ quomodo in collum ferantur.16°.de vſu par. 1ª.218.G
à Venis quibus nutriantur ſcapulæ,& collum. de vic.ra.in morb.acu. comment.2°. 7ª.117.E
à Venis quibus nutriantur caput,& collum.de vict.rat.in mor.acutis commentario.2°. 7ª.117.E
Venæ carotides vnde ſint dictæ.de vtilitate reſpir. Sp.63.F
Venæ obſcuræ cur ad oeſophagum.4°.de vſu par. 1ª.137.C
Venæ manuum interiores appellantur.com.6°.aph.36°. Ex.50.D
Venarum manus ſectio.3°.de anat.adm. 1ª.76.B
de Venarum manus anatomia.de anat.viu. Sp.54.G
Venę manus ſunt duæ.com.6°.aph.36°. Ex.50.D
Venarũ & arteriarum manus cõmunis ratio.16°.de vſu par. 1ª.221.A
Venarum brachij poſitus non eſt ſemper idem, ſed tres habet differentias.de ven.art.diff. 1ª.56.G
Venæ duę in totam manum propagantur.3°.de anat.adminiſt. 1ª.76 B
Vena humeraria quæ.de uen.art.diff.57.E/3°.de ana.adm. 1ª.76.B
cur Vena humeralis dicitur craſſa.de artic.com.1°. 7ª.259.A
Vena humeraria vnde.de ven.art.diff.56.G/1ª.57.E/F/de vict.ratio.in mor.acu.com.2°. 7ª.117.D
Vena humeraria in cubiti articulo diuiditur in tres ramos. 3°. de anatomicis adminiſt. 1ª.76.C
Venæ plures in interno cubiti articulo.de victus ratione in morb.acutis commentario.2°. 7ª.117.B
Venæ quæ per axillas tẽdunt ad manus,quomodo incedant. de vict.ratione in

tione in

tione in mor.acu.com.2°. 7ª.117.E
Vena axillaris humerali multo maior eſt.3°.de anat.adm. 1ª.76.D
Venæ axillari vna arteria vicina in brachio.3°.de ana.adm. 1ª.77.F
Vena media quarum communis.3°.de lo.aff. 4ª.18.G
Vena communis quę.3°.de anat.adm. 1ª.77.D
Venæ ramus ſimilis y literę in radio.3°.de anat.admi. 1ª.76.F
Venæ in quibus egregius videantur.3°.de anat.adm. 1ª.76.D
Vena quomodo euidentius videatur.3°.de ana.adm. 1ª.76.D
Venæ in quibus non compareant.de aere,aq.& loc. 2ª.2.G
Venæ quæ non apparent, quomodo poſſint videri.de ven.art. 1ª.56.F
Venarum in brachio quę vidētur conſideratio.de ven.art.diſſ. 1ª.56.G
Venarũ occultarũ in brachio,& manu cõſideratio.de ven.art. 1ª.57.A
Venarum profundarum brachij anatomia.3°.de ana.adm. 1ª.77.E
Venę internæ brachij vñ oriãtur.de vic.rat.in mor.ac.com.2°. 7ª.117.E
Venæ duæ per totum brachium.3°.de ana.adm. 1ª.77.E
Vena baſilica qui nam ramus ſit.de ana.viu. Sp.54.E
Vena cephalica qui nam ramus ſit.de anat.viuo. Sp.54.E
Vena quæ gaudet cholera.de anat.viu. Sp.54.F
Venæ critrinæ.ſecr. Sp.97.G
Vena purpurea cuius ſit ramus.de anat.viu. Sp.54.F
Vena funis brachij quæ.de ana.viu. Sp.54.F
Vena vna ſuperat brachium & crus.16°.de vſu par. 1ª.221.A
Vena ſaluatella cuius venæ ſit ramus.de anat.viu. Sp.54.F
Venæ quæ brachium nutriunt vnde oriantur.de ijs, quæ in medicatrina fiunt,commen.3°. 7ª.220.E
ſub Venis certis vngues connaſcuntur.in Tim.Plat. 1ª.286.H
Vena & vnguis digitorum partes.de inæq.intemp. 3ª.43.D
Venæ quę ferunt̃ ad anteriorem thoracis partem quo modo ſe habeant. de ven.art.diſſ. 1ª.57.B
Venas mammarũ,& teſticulorum natura ducit à longinquis partibus. 16°.de vſu par. 1ª.219.C
Venę quę ſunt ſub mammis, ſunt illæ quæ veniunt ad vterum. comment. 5°.aphoriſmo 50°. Ex.42.A
Venas cões ponit Galenus mãmis,& vtero.com.5°.aph.52°. Ex.42.B
Venæ iugulares ſunt maximę.de natura humana, com.2°. 7ª.184.B
Venæ iugulares vñ oriãtur.de ven.ar.1ª.57.D/de na.hu.cõ.2°. 7ª.183.B
Venæ iugulares vñ à caua vena oriãt̃.de vic.ra.ĩ mor.ac.c.2°. 7ª.117.D
Vena caua recte ad iugulum tendit.6°.de decr.Hipp. 1ª.263.D
Venæ iugulariæ ſuperficiales vnde.de ven.art.diſſ. 1ª.57.G
Venæ iugulariæ altius conditæ,quæ.de vena.arte.diſſect. 1ª.57.F
Venę iugulariæ externæ ſine arterijs ſunt.de ven.art.diſſ. 1ª.59.B
Venæ iugulares per quem locum tranſeant.de nat.hu.com.2°. 7ª.184.B
Vena iugularis in collo ſine coniuge.16°.dc vſu par. 1ª.221.A
Venæ iugulares iungunt cor cerebro.2°.de decr.Hip. 1ª.239.B
Venæ iugulares quas partes nutriãt.de vic.rat.ĩ mor.ac.c.2°. 7ª.117.E
Vena ad iugulum alit coſtas quatuor ſuperiores.5°.de locis aff. 4ª.30.H
Venę quę nutriunt ſuperiores coſtas.de vcn.ar.diſſ. 1ª.56.D
Vena vna ex vtraq; parte ad coſtas fertur.dc art.com.3°. 7ª.269.A
Venę quæ ſunt in dextera parte ſunt ẽt in ſiniſtra.9°.de decr. 1ª.284.H
in Venis diſtribuendis naturæ ęquitas.16°.de vſu par. 1ª.220.F
à Venis ortis à caua, antequam in iugulare ſoluatur, coſtæ quatuor inferiores nutriuntur.de vict.rat.in mor.acu.commentario.2°. 7ª.117.D
Vena ſine pari à dextra cordis auricula orta, octo coſtas inferiores alit. 5°.de loc.affect. 4ª.30.H
Vena ſine pari vbi ſit,& quomodo per thoracem extendatur.de vic.ra. in mor.acu.com.2°. 7ª.117.D
Vena quę alit thoracem.de ven.art.diſſ. 1ª.59.E
Vena ſine pari quæ octo coſtas nutrit.16°.de vſu par. 1ª.220.H
Vena alens inferiores partes Thoracis,ſub corde emergit.de vict.ratio. in mor.acu. com.2°. 7ª.117.G
Vena nutriens octo coſtas inferiores thoracis qualis, & eius arteria. 16°.de vſu partium. 1ª.219.A
Vena parua quæ nutrit octo coſtas inferiores eſt vena ſine pari. in Timęum Platonis. 1ª.287.H
Vena octo inferiores coſtas alens quorſum tendat.5°.de loc.aff. 4ª.30.G
Vena cordis in qua parte.7°.de ana.admin. 1ª.95.A
Vena magna ex parte dextera cordis.de anatomia viuorum. Sp.46.F
Vena,& arteria amplectunt̃ totũ cordis corpus.6°.de vſu par. 1ª.155.F
Vena magna ex corde naſcitur,& quorſum tendat, & quæ ab illa naſcãtur.5°.de loc.affect. 4ª.30.F
Vena magna,& arteria procedunt à ventriculis cordis ad ſupremum ſpondylum colli.de vtilitate reſpi. Sp.62.G
Venæ cordis quot.de nat.& ord.cuiusl. Sp.42.A
per Venas,neruos,pelliculas colligantiam habent ad cor omnes corporis partes.de vtil.reſp. Sp.62.G
Venæ aortæ officiũ & ex quibus compoſita ſit.de anat.viu. Sp.52.H
Venæ quæ correſpondeant arterijs in corde.16°.de vſu par. 1ª.220.E
Vena ventrem habens ad cor vnde tranſmittat ad cor nutrimentum. de anatomia viuorum. Sp.54.E
Vena à corde ad pulmonem minor eſt, quàm illa, quæ cordi inſeritur.6°. de vſu partium. 1ª.155.C
Vena quę infigitur cordi maior eſt, quàm illa, quæ ab eo exoritur. 6°. de vſu partium. 1ª.155.C
Venæ quæ correſpondent à corde in pulmones.16°.de vſu par. 1ª.220.E
Venarum, arteriarum cordis, thoracis, renũ, et vtriuſq; veſicæ eſt opus commune.7°.methodi med. 7ª.49.B
à Vena magna nulla vena it in pulmonem.5°.de lo.aff. 4ª.30.G
Vena magna in pulmone.16°.de vſu par. 1ª.220.G
per Venam magnam ſanguis ex corde ſubminiſtratur pulmoni. de natura humana,com.2°. 7ª.184.A
Vena eſt craſſa in pulmone.6°.de vſu par. 1ª.151.B
Vena arterioſa in pulmone.6°.de vſu par. 1ª.151.A
Venæ pulmonis ex arterioſis cordis partibus.6°.de vſu par. 1ª.153.A
Vena arterialis quæ, vbi,& ob quem finem.de ana.viu. Sp.47.F
in Vena arterioſa membranæ σιγμοειδεῖς.6°.de vſu par. 1ª.153.F
Venam, quæ pulmonem nutrit, cur natura ducit à corde, & non à iecore.6°.de decr.Hipp. 1ª.263.G
Venæ quæ fertur ad pulmonem vas magnam arteriam nectens ſemper minuitur.15°.de vſu par. 1ª.212.H
Venæ ĩ pulmone cur nõ dilatant̃ nec cõprimunt̃.7°.de vſu par. 1ª.159.D
Vena,& arteria, quæ veniunt à corde, faciunt circa pulmonem pelles duas plenas venis,& arterijs.de vtil.reſp. Sp.64.C
Vena caua propter quid dicta.de ven.art.diſſ. 1ª.56.C
Vena caua vnde dicatur.de fœt.for. 1ª.323.E
Vena caua ita dicitur ob magnitudinem.8°.de decr.Hipp. 1ª.273.H
Vena magna ob quid dicatur caua.16°.de vſu par. 1ª.214.F
Vena magna quæ dicitur caua quorſum procedat.de vtil.reſp. Sp.62.G
Vena maxima quo modo intelligatur apud Anatomicos.3°.de anatomicis adminiſtr. 1ª.75.C
Venas maximas vocauit Plato dorſales.in Tim.Plat. 1ª.287.G
Venam maximam poetæ cognoſcunt.de nat.hu.com.2°. 7ª.183.G
Venarum maxima vnde habeat ortum.de fœt.form. 1ª.323.E
Venæ maximæ ortus ex Hepate.16°.de vſu par. 1ª.220.H
Vena magna ex quibus fiat.de anat.par. Sp.43.B
in Venæ magnæ anatomia ſanguis quando multus quando paucus. 7°. de anat.adminiſtr. 1ª.95.C
Vena caua quòd vas etiam vocetur.16°.de vſu par. 1ª.218.G
Vena iecoraria dr̃ ab Hippocrate vena caua.de na.hu.com.2°. 7ª.183.E
Venam cauam iecorariam vocat Hippocrates.de fœt.for. 1ª.323.E
Vena caua cur ab Hippocrate dicat̃ iecoraria.8°.de dec.Hipp. 1ª.273.H
cum Vena iecoraria ſimul cor generatur.de fœt.for. 1ª.323.A
Vena iecoraria quorſum eat.6°.de decr.Hipp. 1ª.266.G
Vena caua ſuperius in iecorc oritur.5°.de vſu par. 1ª.142.B
Vena caua an oriatur à Iecore, vel à corde, ambiguũ.de fœt.f. 1ª.324.E
Vena portæ inferius in iecore oritur.5°.de vſu par. 1ª.142.B
Venæ portæ propter quid ita dictæ ab antiquis.de ven.arter. 1ª.56.B
Vena portæ cur ſic appellata.de nat.hum.com.2°. 7ª.184.C
Venæ ad portas iecoris facile inueniuntur.6°.de ana.adm. 1ª.92.B
Venas multas vniuit natura ad portas, propter quid iterum diuiſit.4°. de vſu partium. 1ª.138.H
Vena ad portonarium breuis.de ven.art.diſſect. 1ª.55.G
Vena caua & arteria magna ſub ſepto tranſuerſo ſuper vertebras incumbit.in Tim.Plat. 1ª.287.H
Venæ concauæ anatomia.de anat.viu. Sp.54.D
Vena caua vbi fiat.de anat.par. Sp.43.B
Venæ cauæ locus in hominibus, & in quadrupedibus omnibus, & in alijs.4°.de vſu par. 1ª.136.D
Vena concaua vnde.de ana.par. Sp.42.H
Venę cauę ortus vnde.de anat.viu. Sp.50.H
Vena caua qualis ſit.dc vict.rat.in mor.acu.com.4°. 7ª.138.B
Vena caua vice trunci eſt.6°.de decr.Hipp. 1ª.262.H
Vena iecoraria trunco comparatur.de ven.art.diſſ. 1ª.55.G
Venæ quo modo ſimiles arboribus.6°.de decr.Hipp. 1ª.262.G
Venæ ſtelechiæ quæ.6°.de loc.aff. 4ª.39.C

Venarum maxima germina quorſum.6°.de vſu par. 1ª.149.C
Venæ cauæ orificio tres membranæ.6°.de decr.Hip. 1ª.264.C
Vena magna in dorſo.de ana.par. Sp.43.B
Vena caua cur non iuncta ſpinæ.16°.de vſu par. 1ª.218.G
Venæ cauæ propinquius eſt pectus q̃ ſpina.16°.de vſu par. 1ª.218.G
Venæ cauæ ſitus,& inceſſus.6°. de vſu par. 1ª.148.F
Vena magna in quo loco magis erat locanda.4°.de vſu par. 1ª.141.H
Vena caua latiſſima eſt inferius.6°.de decretis Hippocratis. 1ª.262.H
Vena latiſſima quę.6°.de decr.Hipp. 1ª.263.G
Venæ cauæ inceſſus.16°.de vſu par.218.G/ 8°.de decre.Hippocratis.1ª.274.A/de nat.hu.com.2°. 7ª.183.E
Venæ cauæ inceſſus,& diuiſio in partes.de fœt.for. 1ª.323.E
Venæ cauæ quem inceſſum notauit ſemper Galenus.de ven.art. 1ª.57.F
Vena caua in oı̃ aı̃ali diſſecto à Galeno ſemper viſa.6°.de decr. 1ª.263.F
Vena caua quibus innitatur ne patiatur.6°.de vſu par. 1ª.148.G
Vena caua diuiſa velut in duos neruos.16°.de vſu par. 1ª.214.F
Vena caua ſurſum,& deorſum per propagationes mittit ſanguinem per totum corpus,& quo modo.de ven.art.diſſ. 1ª.56.C
Vena caua quomodo aſcendat.de vic.rat.in morb.acu.com.2°. 7ª.117.D
Venæ quæ naſcuntur à caua aſcendendo.dc ven.art.diſſ. 1ª.56.C
Vena caua quando non adeſt dexter vẽtriculus cordis vbi ſcindatur.6°.de decr.Hipp. 1ª.263.F
Vena caua vbi ſcindatur in volucribus,reptilibus,& aliquibus greſſibilibus.6°.de decr.Hip.& Plat. 1ª.263.F
Venæ cauę pars,quæ tẽdit in cor amplior illa,quę tendit in pulmones.3°.de natur.facul. 1ª.307.H
à *Vena caua q̃ nutriant̃ antequã perueniant ad cor.6°.de dec.* 1ª.263.B
à *Venæ cauæ ſanguine nutritur cor.6°.de vſu par.* 1ª.155.D
Vena arterioſa quæ.7°.de anat.adm. 1ª.94.H
Vena arterialis habet duas tunicas.de anat.viu. Sp.46.F
Venæ arterialis officium quod.de ana.vi. Sp.52.G
Venarum à caua deriuatio ad partes internas.de ven.art.diſſ. 1ª.53.B
Vena caua q̃uo tẽdat ad partes inferiores.de re.aff.dig.& m. 7ª.192.A
Venarum inferiorum ortus.de ven.art.diſſ. 1ª.55.G
Vena caua in arteriam venoſam cur pertuſa.15°.de vſu par. 1ª.212.F
Venæ cauæ ſanguis comparatur fluuio.de nat.hum.com.2°. 7ª.184.B
Vena vna ſanguinem in totum corpus riuat,ex qua multæ.de natura humana,com.2°. 7ª.184.B
ex *Vena caua ſanguis qui fluit in membra comparatur canali. de natura humana,com.2°.* 7ª.184.B
in *Vena caua ſanguis purus.2°.de decr.Hipp.* 1ª.240.F
à *Vena caua omnia mẽbra & cor nutriũtur.2°.de decr.Hip.* 1ª.240.F
Venę iecinoris tunicam habent tenuiorem quàm in toto animante.6°.de anat.adminiſt. 1ª.92.D
Venę in iecore ſunt omnium tenuiſſimæ.4°.de uſu par. 1ª.139.B
Venæ multæ,& amplæ ſunt in hepate.ars med. Iſa.70.H
Venarum iecoris terminus.ars med. Iſa.70.H
Venæ ad iecur feruntur in fœtu.15°.de vſu par. 1ª.211.D
Vena fœtus cur in ſima hepatis,& non in gibba.15°.de vſu par. 1ª.211.E
Venę iunguntur in ſima iecoris parte.15°.de vſu par. 1ª.211.D
Venæ ſimæ partis iecoris quales.5°.de loc.aff. 4ª.33.G
Venæ,& arteriæ inueniuntur in curuatura hepatis,& ſplenis. de vtili. reſpirationis. Sp.64.G
Venę quæ ſunt in ſimo iecoris ferunt ſurſum alimẽtum ex periculis, quæ ad ventriculum attinent.4°.de vſu par. 1ª.138.F
Vena in concaua parte iecoris.6°.de ana.adm. 1ª.91.D
Venę in gibba iecoris parte vnde incipiant.5°.de lo.aff. 4ª.33.G
Venæ ſolæ inueniuntur in gibbo hepatis.de vtil.reſp. Sp.64.G
an̄ *Venas gibbi hepatis cur ſit meat⁹ bilẽ trahẽs.4°.de vſu p.* 1ª.139.C
Venę quæ ſunt in gibbo iecoris ſumũt alimentũ.4°.de vſu par. 1ª.138.H
per *Venas,per quas currit nutrimentũ ad hepar, an ſanguis perfectus recurrat.4°.de vſu par.* 1ª.141.F
per *Venas eaſdem nutrimentum tranſit à iecore in ventrem, & è contrario.3°.dc nat.fac.* 1ª.306.E
Venæ non ſolum ducunt nutrimentum ad hepar, ſed etiam præparant. 4°.de vſu par. 1ª.135.H
ad *Venam hepatis non omnino tranſmitti ſuccum cibi, immo etiam partem ad arteriam.de vtil.reſp.* Sp.64.G
Venas cõparat riuis in hortis,nutrimentum aquæ.in Tim.Pla. 1ª.287.F
Venæ è iocinore in ventriculum ſecunda principia alimenti.2°.de decretis Hippocratis. 1ª.240.F
Vena caua quartum principium alimenti.2°.de dec.Hipp. 1ª.240.F
Venæ inſtrumenta concoquendi.3°.de temp. 1ª.22.C
in *Venas plurimum rapitur nutrimẽtum ab inteſtinis. 3°.de naturalibus facultatibus.* 1ª.307.B
Venæ habent actionem propriam naturalem 2°.de ſanitate tuẽ. 2ª.75.A
Vena habet quatuor virtutes naturales.3°.de nat.fac. 1ª.305.C
Venæ vis attractoria ex vicinis partibus trahit.de vict.ratio.in morb. acu.comm.3°. 7ª.134.D
Venæ nõ trahunt ſanguinem prauum [huius contrariũ habes in principio quarti de victu acutorum.] in 6^{m}.de mor.vul. com.4°. 3ª.186.H
Venę trahũt vt pueri,& bruta.4°.de vic.ra.in mor.acu.c.3°. 7ª.134.D
per *Venas cito lac diſtribuitur.com.5°.aph.64°.* Ex.44.G
in *Venas velociter tendit mellis aqua.de diſſolu.conti.* Sp.75.A
in *Venis coctio.in progno.com.2°.* 4ª.197.F
in *Venis fit ſecunda coctio.4°.de ſan.tuen.* 2ª.88.B
Venas concurrere cum hepate in ſecunda digeſtione, poteſt colligi. com̃. 1°.aphoriſmo 15°. Ex.8.F
in *Venis quę agitur concoctio eſt alteratio.3°.de ſymp.cau.* 3ª.26.C
in *Venis omnibus ſanguis etiam coquitur.4°.de vſu par.* 1ª.140.E
in *Venis,et iecore ſanguis coquitur.in 6^{m}.de mor.vul.com.5°.* 3ª.188.B
Venæ cibos in ſanguinem vertunt.de theriaca ad Piſo. 5ª.96.H
in *Venis alimentũ dum ab innato calore alteratur,ſanguis ex mediocri calore fit,reliqui ſucci ex calore immodico.2°.de nat.fac.* 1ª.300.C
in *Venis eſt facultas ſanguifica.1°.de nat.fac.* 1ª.291.D
in *Venis ſanguis generatur.1°.de vſu par.* 1ª.117.B
in *Venis primum gignitur ſanguis.2°.de decr.Hipp.* 1ª.240.F
Venarum tunicas ſanguinem generare dicentes errant. 6°.de decretis Hippocratis. 1ª.265.G
Vena ſeroſi humoris ſubſtantiam gignit ſecundum Ariſtotelem. 1°.de tẽperamentis. 1ª.332.A/G
Venæ faciunt ſemen paucum,& tarde.1°.de ſem. 1ª.335.A
Venæ alendæ ſemen accommodatum eſt.1°.de ſem. 1ª.332.G
in *Venis confectus ſanguis datur arterijs.de vſu par.* 1ª.155.C
ex *Venis aliquid trahunt arteriæ.6°.de vſu par.* 1ª.156.F
ex *Venis in arterias ſanguis defertur.3°.de nat.fac.* 1ª.307.G
à *Venis propinquis arteriæ trahunt ſanguinem tenuiſſimum. 3°.de nat. facultatibus.* 1ª.307.E
à *Venis trahunt arteriæ cum dilatantur.de vſu pul.* 1ª.228.G
ad *Venas mittunt arteriæ cum conſtringuntur.de vſu pul.* 1ª.228.G
per *Venas nutrimenti trãſitus ἀνάδοσις dicit̃.2°.de na.fac.* 1ª.299.C
ꝑ *Venas lationẽ ſanguinis Plato aq̃ ductũ vocauit.in Tim̃.Pl.* 1ª.288.C
Venæ tanq̃ canales.2°.de nat.facul. 1ª.308.B
in *Venis ſanguinis differentia.2°.de nat.fac.* 1ª.299.F
Venarum opus quomodo variatur.2°.de ſan.tuen. 2ª.75.B
ex *Venis craſſius q̃ ex arterijs alimẽtũ attrahit̃.4°.de vſu pa.* 1ª.140.B
à *Venis capiũt membra ſuccũ ſibi accommodatum.1°.de ſem.* 1ª.335.A
ex *Venis ad carnes alimentum.3°.de ſymp.cau.* 3ª.25.A
in *Venas ex ventre,ex venis ad carnes alimentũ pertranſit. 3°.de ſympto.cauſis.* 3ª.25.A
Venarũ & arteriarũ ora ꝑueniunt ad cutem.1°.de ſimp.me.fac. 5ª.4.D
à *Venis ad cutem quandoq; natura humores tranſmittit per viam criſis.com.6°.aph.42°.* Ex.51.B
ꝑ *Venas in vẽtrẽ q̃nq; natura excremẽta expellit.3°.de na.f.* 1ª.306.B
ex *Venis humoribus attractis ad mẽbra ſolida ꝑuenit̃.2°.de el.* 1ª.9.H
Vena caua per vrinæ meatum expurgatur.11°.meth.med. 7ª.73.F
in *Venis tenuia & aquoſa ꝑ vrinã expurgãtur.de cõſt.ar.m.* Iſa.42.E
Venæ aggregant pituitoſam ſubſtantiam,quę per renes expurgatur.commentario 4°.aph.6°. Ex.36.D
Venarũ ſucci in quibus coniecturis noſcantur.4°.de ſan.tuen. 2ª.83.B
in *Venis contentæ ſunt vrinæ.in 1^{m}.de morb. vul.com.2°.* 3ª.112.A
à *Venis omnibus,& arterijs corporis mittitur vrina,& ſudor.de vtilitate reſpir.* Sp.64.G
in *Venis contentorum humorũ vrina.eſt ſerum. in 3^{m}.de morb.vulgari. commentario.1°.* 3ª.131.D
in *Venis excremẽtũ eſt ſicut ſerũ in lacte cõcreto.1°.de ſan.tu.* 2ª.67.G
ex *Venis ſupfluitas ſeroſa facit acritudinẽ vrinæ.c.5°.ap.58°.* Ex.43.B
in *Venis ex altera excrementorum ſecretio.1°.de nat.fac.* 1ª.292.E
in *Venis adſunt viæ,ꝑ quas excrementa ducũtur ad exitum, ne ſuccis bonis obſint.1°.de decr.Hipp.* 1ª.292.E
Venarũ excrementa in locum quendã colliguntur,vt cũ in copia ſint,collecta excernantur.1°.de decr.Hip. 1ª.292.E
in *Venarum cõcoctione triplex excrementũ.3°.de ſymp.cau.* 3ª.26.A
in *Venarum concoctione amara bilis,atra,et ſeroſitas ſunt excremẽta. 3°.de ſympto-*

3°.de ſymptomatis cauſis. 3ª.26.A
Venarum coctio quæ non ſit bona.de vrin. 4ª.125.B
in Venis quæ ſunt male concocta, quomodo ſe habeant ad concoctionem quæ fit carne.4°.de ſan.tuen. 2ª.88.B
Venarũ primarũ ſuperfluitates p quos meatus euacuent.ars me. Iſ.71.E
in Venis cruditatem ſignificant vrinæ tenues. in 3^{m}. de morbis vulgar. commentario 2°. 3ª.139.A
in Venis primis cruditas quomodo curanda.4°.de ſan.tuen. 2ª.87.C
in Venis extremis cruditas qũo curanda.4°.de ſan.tuen. 2ª.87.C
in Venis primis cruditati datur dia trion pipereon, & quale.4°.de ſanitate tuenda. 2ª.87.D
in Venis primis crudos humores habentes quomodo nutriendi. 4°.de ſanitate tuenda. 2ª.84.H
in Venis primis cruditatum copiam habentes quibus debeant nutriri. 4°.de ſanitate tuenda. 2ª.85.G
in Venis primis crudos humores & multos habentes cibandi ſunt oximelite, ptiſſana, & mulſæ exiguo.4°.de ſan.tuen. 2ª.84.H
in Venis primis humorum crudorum copiam habentes nec lauandi, nec mouendi, nec exercendi.4°.de ſan.tuen. 2ª.84.G
in Venis qñ ſeroſam humiditatem non hñt ſenes pp abundantiam aquoſorum excrementorum quæ uina conueniant.5°.de ſan.tuen. 2ª.91.B
in Venis primis excremẽta deiectorijs expurgãda.đ cõſt.ar.m. Iſ.42.E
in Venis biliosa per purgationem.de conſt.ar.med. Iſ.42.E
in Venis tenuia deiectorijs expurganda.de conſt.ar.me. Iſa.42.E
in Venis pituita non debet euacuari.2°.de nat.fa. 1ª.302.B
Venas mundificat ab humore craſſo uinum tenue.de diff.cont. Sp.74.H
Venas aperiens medicina.de med.exper. Sp.104.A
Venæ ſeptem ad ventrem pertinentes, oriuntur ex caua parte iecoris, quæ porta vocatur.5°.de uen.art.diſſect. 1ª.55.G
Venę in Ventrẽ & inteſtina radicibus cõparantur.đ ven.ar.diſ. 1ª.55.G
Venæ pertinẽtes in ventriculũ è iecore.2°.de decr.Hip.& Pl. 1ª.240.F
Venæ paucæ cur in uentriculo.4°.de vſu par. 1ª.137.C
Vena q̃ fertur ad ventriculũ, & ſplenẽ vñ naſcat̃.4°.de vſu p. 1ª.141.G
Venæ paucæ cur in ore ventriculi.4°.de vſu par. 1ª.137.C
Venę ventriculi habent vim mutandi ſuccum in ſanguinẽ, anteq̃ veniant ad hepar.4°.de vſu par. 1ª.138.F
Venæ à ventre in iecur trahunt.3°.de nat.fac. 1ª.306.B
Venæ ventriculi, & inteſtinorum ferunt vtile ad nutriendum iecur. 4°. de vſu par. 1ª.135.H
Vena à ventriculi gibbo ad lienis concauum.6°.de ana.adm. 1ª.91.D
nec Vena, nec arteria eſt in gibbo ſplenis.de vtil.reſp. Sp.64.G
Vena protenditur à corde ad ſplenem, quemadmodum ad hepar, per quã cor attrahit ſibi ſuccum cibi à ſplene. de vtil.reſp. Sp.64.G
Venæ inter iecur, et vẽtrẽ hñt duplex miniſteriũ.3°.de nat.fa. 1ª.306.C
Vena ad lactes, & inteſtina, quæ.in 6^{m}.de morbis vul.com.4°.3ª.180.E
Vene à portis ortus in inteſtina, ſplenẽ, & uentrem adit.de venarum arteriarumque diſſect. 1ª.55.H
Venarum omnis diſtributio in inteſtinum fit ſimul cum arterijs. 16°. de vſu partium. 1ª.220.H
Vena vna in omni reuolutione inteſtinorum.5°.de vſu partium. 1ª.145.F
Vena quæ in flexus inteſtinorum it.6°.de vſu par. 1ª.219.A
Venæ multæ cur ad ſingula inteſtina.4°.de vſu par. 1ª.137.B
Venæ quæ per inteſtina, ventriculum, lienem, & omentũ, ad hepatis portas veniunt in omni animali.6°.de ana.adm. 1ª.91.F
Venæ inteſtinorum habent vim mutandi ſuccum in ſanguinẽ antequam veniant ad hepar.4°.de vſu par. 1ª.138.F
Venæ ad inteſtina multum cibi ſumunt.4°.de vſu par. 1ª.141.A
Venæ proprię quæ nutriunt inteſtina in meſenterio, quæ non trahunt ad hepar.4°.de vſu par. 1ª.141.F
Venæ in epiploo nutriunt inteſtina, & partes propinquas. 4°. de vſu partium. 1ª.141.F
Venæ meſenteriæ innumeræ conueniunt in venam portæ. de natura humana, com.2°. 7ª.184.C
Venæ meſaraicæ vnde ortæ.13°.meth.med. 7ª.83.F
Venæ meſaraicæ quæ orificia quandoque aperiant, & claudant.de anatomia viuorum. Sp.56.E
Venis meſaraicis vti manibus iecur vtitur.5°.de loc.affect. 4ª.35.C
per Venas capillares, & in modum filorum araneæ quid intelligendum ſit. de ven.art.diſſ. 1ª.58.C
Venæ ſubtiliſſimæ ſunt pori, per quas efluit calor.de vtil.reſp. Sp.62.F
Vena cur ad deorſum arterię in partę anteriore.7°.de vſu par. 1ª.159.C
Venæ arteria non eſt ſubiecta in vltimis lumborum vertebris, ſed è contrario. de ven.art.diſſ. 1ª.58.D
Vena ſuper vertebras fertur.de ven.art.diſſect. 1ª.59.D
Venæ ad vmbilicum quæ.de diſſ.vul. 1ª.109.G
Venæ ab vmbilico in fœtu unde.6°.de decr.Hipp. 1ª.265.B
Vena cur per vmbilicum ſolum ingreditur.15°.de vſu par. 1ª.211.D
Venæ duæ cur vna fiant in vmbilico fœtus.15°.de vſu par. 1ª.211.F
Venæ ſub duplici peritonęo.6°.de ana.admin. 1ª.91.D
Vena ad omentũ, ventriculũ, & lienẽ vñ oriat̃.16°.de vſu p. 1ª.220.H
Venæ omento intertextę vnde. de ven.art.diſſ. 1ª.51.A
Vena cauaq́, à ſublimis ad ſpinam flectitur habet dextrum renem.14°. de vſu partium. 1ª.206.E
Vena caua à læua habet ſiniſtrum renem.14°.de vſu par. 1ª.206.E
Venæ renum, & teſtium vnde.de vena.arte.diſſect. 1ª.58.C
Venæ concauæ rami deſcendunt ad renes.6°.de loc.aff. 4ª.39.C
Venæ renum ampliſſimæ à caua.de ven.art.diſſ. 1ª.58.C
Venæ renum cur latæ.16°.de vſu par. 1ª.220.H
Venæ renum tanquam ſtomachi ſunt.16°.de vſu par. 1ª.220.H
Venæ renum, & teſtium quę. de ven.art.diſſ. 1ª.58.C
Venæ cauæ in renes dilatatio quid agat.6°.de loc.affect. 4ª.37.F
à Vena hepatis & etiam ab arteria ſunt meatus quidam ad renes. de vtilitate reſpi. Sp.64.G
Venas non habent renes inferius.de ana.viu. Sp.51.C
Venæ non mittunt ſanguinem ad renes.1°.de nat.fac. 1ª.295.D
Venæ veſicæ non ſunt nudæ aut inſtabiles, vt venæ renum. commen.4°. aphoriſmo 78°. Ex.36.G
Venæ veſicam nutrientes vnde.de ven.art.diſſ. 1ª.58.E
Venæ circa vrinaculũ ſunt in ſupioribus partibus.15°.de vſu p. 1ª.211.G
Venæ per quas vrina venit ad renes.de anat.par. Sp.43.B
Vena, & arteria in matrice vbi, & ad quid.15°.de vſu par. 1ª.211.B
Venas plurimas, et maximas habet vterus.in 6^{m}.de mor.vulgaribus, commentario 1°. 3ª.153.D
Venarum multa ora ad vterum pertingunt.6°.de locis aff. 4ª.40.F
Venæ vteri vnde.de ven.art.diſſ. 1ª.58.E
Venarum ora, & arteriarum quę feruntur ad vterum, dicuntur acetabula.com.5°.aph.45°. Ex.41.G
Venę communes vtero, & mammis.5°.de ſimp.me.fa. 5ª.37.H
Venę communes cur ſoli matrici ac mammis.14.de vſu par. 1ª.207.A
Venæ ad vterum quibus maxime communicat cum mammis.de venarũ arteriarumq́, diſſect. 1ª.58.F
Venæ, & arteriæ organa ſpermatis.de ſper. Sp.36.E
Venę ſpermatis diuerſę ſunt à venis vrinę.de ſper. Sp.36.B
Venæ ducẽtes ſperma quales.de natura, & ord.cuiuſl.corp. Sp.42.B
Venæ quæ prodeunt à cerebro vſq; ad teſticulos appellantur vaſa ſeminaria antecedentia.de ana.viu. Sp.51.H
Venas proprias & neruos habet ſperma quæ trahunt à toto corpore ad teſticulos.de ſper. Sp.36.B
Vena vna ſeminis propria, quæ ab alijs quatuor recipit ſemen. de ſpermate. Sp.36.G
Venæ quatuor ſeminis vbi ſint.de ſper. Sp.36.G
Venę cur maximæ, & duplices in pudendis, & quorſum eant.14.de vſu partium. 1ª.209.B
Venæ breui veniunt ad genitalia, & vnde.14°.de vſu par. 1ª.209.C
Venæ teſtium inceſſus.1°.de ſem. 1ª.333.C
Vena & arteria cur deſcendant ad vtrunque teſtem, & non recte.1°.de ſemine. 1ª.332.F
Venæ, & arteriæ plicantur in teſticulis, & retiformi plexu. 6°. de vſu partium. 1ª.219.C
Venæ multipliciter inuoluuntur ante teſticulos quæ retardent ſemen.4°. de vſu par. 1ª.139.B
Vena teſtium operitur membrana abdominis.1°.de ſem. 1ª.333.E
in Venis teſtium albeſcit paulatim ſanguis.1°.de ſem. 1ª.332.F
Venæ ad os latum quales.16°.de vſu par. 1ª.219.E
Venæ ad ilia à vertebris.de ven.art.diſſ. 1ª.58.D
Venæ per foramen oſſis pubis.de ven.art.diſſ. 1ª.58.F
Vena iſchiadica cuius ſit ramus.de ana.viu. Sp.54.G
Venæ ſub genu trifariam diuiduntur.com.6°.aph.36°. Ex.50.D
Venarum crurum ſectio.3°.de ana.admin. 1ª.78.H
Venæ crurum vnde oriantur.de ven.art.diſſ. 1ª.58.E
Venæ magnæ diuiſio ad crura qũo deriuetur.de ven.art.diſſ. 1ª.58.F
Venæ magnę diuiſio ad crura vnde fiat.de vena.art.diſſ. 1ª.58.G
Vena intrinſeca cruris in tres partes diuiditur.de ven.art.diſſ. 1ª.58.F
Venæ qua via tendant ad crura.16°.de vſu par. 1ª.218.D

Venæ in cruribus, & brachijs proprie mittuntur à natura per ſuperficiem ſine arterijs.16°.de vſu par. 1ª.221.A
Venæ quę crura nutriũt vnde orianẽ.de ijs q̃ in med.ſi.com.3°. 7ª.220.E
Venæ quatuor deſcendunt ad pedes.de ven.art.diſſec. 1ª.58.G
Venæ in tarſum excurrentes ad pedis extremum porrigũtur.3°.de anatomicis adminiſtrationibus. 1ª.79.C
Vena ſaphena cuius venæ ſit ramus.de ana.viu. Sp.54.G
Vena ſupra calcaneum eſt ſaphenæ ramus.de ana.viu. Sp.54.H
Venarum Cappar ſit mentio.ſecretorum. Sp.99.E
in VENIS *Actio deficiens eſt cum ſucci ſunt ſemicocti.3°.de ſymptomatum cauſis.* 3ª.25.A
in *Venis actiõis priuatio ẽ cũ ſucci oĩno ſunt crudi.3°.de ſymp.* 3ª.25.A
in *Venis actio praua eſt cum ſucci vitioſi ſunt.3°.de ſymp.cau.* 3ª.25.A
Venæ quibus Anguſtæ, & quibus amplæ.com.2°.aph.44°. Ex.18.F
Venarũ anguſtia, & laxitas qũo cõſiderãda ex fame.2°.de tẽp. 1ª.18.C
Venarum anguſtiam in aliquibus vidit Galenus.ars med. Iſa.66.H
Venæ apertio quo modo cognoſcatur.de ren.aff.dig.& med. 7ª.192.G
Venarum Ariditates quomodo cognoſcantur.de ptiſſ. 2ª.48.A
Venæ Conſtipatæ non ſuſcipiunt cibos comeſos.de ſal.diæ. 2ª.42.F
Vena Corroſa quibus renutriatur.7°.de comp.me.ſe.lo. 5ª.183.E
in *Venis Corruptio ſignũ humectati, & infrigidati corpis.ſec.* Sp.98.G
Venæ Craſſæ, latæ, plenæ, & citrinæ ſunt concepto in horis bilis.de dynamidijs. Sp.37.C
Vena aut diuiſa aut aperta non eſt naturalis affectus.de ſymp. 3ª.13.G
Venæ, & arteriæ vario Dolore afficiuntur.de inæq.intemp. 3ª.43.E
Venarum Dolores qui.2°.de lo.aff. 4ª.11.E
Venæ Exiccant tempore æſtiuo acutos, & bilioſos trahũt humores, quibus fiunt ardentes febres.com.4°.aph.58°. Ex.33.G
Venæ exiccatæ trahunt à partibus propinquis.de vict.rat.in mor.acut. commentario.3°. 7ª.134.C
Venæ quibus Exinanitæ præter conſuetudinem quo modo reficiendi. de victus ratio. in morbis acu.commentario.2°. 7ª.120.B
Venas extantes habent macri.in 6m.de mob.vulgari.com.3°. 3ª.177.E
per *Venas flatuum oblationes quibus eueniant.præſ.exper.* Sp.78.E
in *Venas flatus aliquis vtilis tendit.4°.de vſu par.* 1ª.137.H
Venæ, & arteriæ à Fluxione incaleſcunt.de inæq.intemp. 3ª.43.E
in *Venis quid ſit Gangrena.de frac.com.2°.* 7ª.235.D
Venæ inſenſibiles apparent in Inflammatione.de tum.præt.nat. 3ª.83.C
Venę & arteriæ intenduntur in inflammatione.2°.de loc.aff. 4ª.10.G
Venæ quando inflentur.de vtil.reſp. Sp.63.D
Venarum Interceptiones quæ.de vict.ra.in mor.acu.c.4°. 7ª.137.F
Venarum interceptiones habentibus medicamentum non eſt exhibendum.de vic.ra.in morb.acu.com.4°. 7ª.150.F
Venas Latas habentes macri, nigri, & hirſuti aptiſſimi ſunt, vt in ipſis humores melancholici cumulentur.3°.de lo.aff. 4ª.18.E
Venas latas et anguſtas aliquẽ habere qũo cognoſcaẽ.5°.de ſa.t. 2ª.91.F
Venas Magnas habent mulieres graciles, & nigræ. de curã.rat.per ſanguinis miſſionem. 6ª.18.G
in *Venis Multitudo plethora ab Eraſiſtrato.de cauſ.proc.* 3ª.99.C
Venæ plenę ſanguinis quibus videantur.1°.de diff.feb. 3ª.36.A
in *Venis quid ſit nauſeatio.de frac.com.2°.* 7ª.235.D
ad *Venas Orificiorum arteriarum apertiones non ſine ratione parauit natura.6°.de vſu par.* 1ª.155.B
Venarum oſcillorum, & arteriarum apertio in toto corpore mutua eſt anaſtomωſis.6°.de vſu par. 1ª.151.H
Venarum orificia quid aperiat.de cura lap. Sp.112.H
Venarum ora adaperta.6°.de compo.medicamen.per ge. 5ª.255.F
Venarum oſculorum relaxatio in quibus partibus fiat.de mul. 3ª.78.G
Venę os dilatatum, aut ruptum quibus obturetur. 7°.de comp. medicamen.ſecun.loc. 5ª.183.E
Venæ os quomodo claudatur.5°.meth.me. 7ª.30.D
Venæ diſruptæ & venarum ora aperta, quomodo differant in mittendo ſanguinem.com.4°.aph.78°. Ex.36.G
Venas paruas habent mulieres candidæ & carnoſæ.de curan. 6ª.18.G
Venas Pati quid ſit.com.4°.aph.76°. Ex.36.D
in *Venis Perturbatio à qua vrina ſignificetur.in 1m.pr.c.1°.* 4ª.167.G
Venæ totius corporis hyeme Refrigeratæ non probe concoquunt. de natura humana, com.1°. 1ª.32.F
Venæ Sanguifluæ quæ intelligendæ.de fractu.com.2°. 7ª.235.D
ex *Vena ſanguis immodicus quomodo curetur.3°.meth.med.* 7ª.21.H
extra *Venas ſanguis concreſcit.1°.de ſemine.* 1ª.329.G
in *Venis Satietas quæ dicatur.de mult.* 3ª.77.F
Venæ Scabiæ laborant, & quomodo in vrina diſtinguantur. commentario 4°.aphoriſmo 77°. Ex.36.F
Venarum, & arteriarum morbi Sicci cognoſcuntur linguæ ſiccitate, & corporis ariditate.de vict.ratione in mor.acu.com.1°. 7ª.112.F
Venæ Tenues ſi fuerint, non ſe hñt ſm naturã.cõ.4°.apho.77°. Ex.36.E
ad *Venam craſſam Tubercula fieri ſignificant arenę ſubſidentes aut tophi in vrinis.de natu.hu.com.2°.* 7ª.180.F
VENAE *inflatæ videntur in cranio fracto.de vtil.reſp.* Sp.63.G
Venas rumpi facile eſt in capite.in 1m.de morb.uul.com.1°. 3ª.104.G
Venę plenæ oculorum, & oculi ſqualidi oſtendunt ſi doleant vino debere ſanari.com.6°.aph.31°. Ex.49.F
Venæ ruptę in prima tunica faciunt vt res rubræ appareant.1°.de ſymptomatum cauſis. 3ª.15.C
Venę temporum graues ſunt ac plenæ hominis conceptis à muliere in tribus horis ſanguinis.de ſpermate. Sp.37.B
Venę temporum cur pulſent in capitis dolore.in 1m.prr.cõ.3°. 4ª.180.E
Venę temporum pulſantes ſunt iudicationis ſignum.1°.de arte curati.ad Glauconem. 7ª.100.D
Venę quæ prius ſuſcipiant materias deſcendentes à capite ad inteſtina, & quo ordine.com.7°.aph.30°. Ex.56.B
ex *Vena in gula aperta non ſentitur dolor.5°.de loc.affect.* 4ª.32.H
Venæ colli ſi ligentur quid ſequatur.2°.de decr.Hip. 1ª.239.B
Venis quibuſdam colli cõpreſſis fit homo inſenſibilis, & ſimilis dormienti.de vtilitate reſpirationis. Sp.63.F/G
Venæ colli abſciſæ cauſæ mortis.de cauſ.procatar. 3ª.98.D
Venis iugularibus vinctis animal per diem viuit.de vſu pulſ. 1ª.227.H
de *Venis iugularibus ligatis exemplum.de vſu pul.* 1ª.227.H
Venæ iugulares pulſant quandoq;.in 1m.prorr.com.3°. 4ª.180.E
Vena quibus in cubito pulſat ſunt furioſi, & p̃cipites.ꝙ aĩ mo. 1ª.320.C
Vena quibus in cubito non pulſat ſunt ſtupidi.quòd ani.mor. 1ª.320.C
in *Venis vnus morbus eſſe poteſt, & in thorace alter. in 3m.de morbis vulgaribus, com.1°.* 3ª.127.H
Venæ ruptionis in pulmone cauſæ præcedentes quæ ſint.4°.de locis affectis. 4ª.27.H
Vena quot modis poſſit rumpi.3°.de ſymp.cau. 3ª.26.H
Venæ ruptionis cauſæ.4°.de lo.aff. 4ª.28.A
Venæ eroſio quo modo fiat in pulmone.4°.de loc.aff. 4ª.28.B
Venæ ora quo modo aperiantur in pulmone.4°.de lo.aff. 4ª.28.A
Venas quo modo frangit aqua frigida.4°.de lo.af. 4ª.28.A
Venarum diſruptio ob frigidi vim.in 6m.de mor.vul.com.3°. 3ª.172.H
Venæ clamantibus rumpuntur.3°.de ſymp.cau. 3ª.26.H
Venam rumpi facit vox vehemens.4°.de loc.aff. 4ª.27.H
Venæ rũpuntur ob ſolã ſanguinis plenitudinẽ qñq;.5°.de lo.af. 4ª.32.E
Venarum ruptiones facit plenitudo quò ad vaſa. de cur.rat.per ſanguinis miſſionem. 6ª.17.B
Venæ rumpuntur ob ſpiritus.in 1m. de morb.vulgar.com.1°. 3ª.104.G
Venæ ruptio in pulmone quomodo cognoſcatur.4°.de loc.aff. 4ª.27.H
ex *Venæ fractura, & ex Venæ eroſione, vel apertione ſanguinem expuentes, habent ſimilia ſymptomata, ſed curatione longe diſtant. de optima ſecta.* Iſa.24.A
ex *Venæ fractura apertione eroſione ſanguinem reiectantes, & ſi omnes habent tuſſim, & ſanguinis copiam, tamen curatio eſt diuerſa.de optima ſecta.* Iſa.24.B
Venæ tunica quandoq; expuitur.4°.de loc.affect. 4ª.25.G
Venæ fractæ facilius ſanantur, quam arterię.fin.med. Iſa.50.A
in *Vena rupta lauacra dimittenda ſunt.de ven.ſect.aduer.Eraſ.* 6ª.8.F
ad *Venam ruptam reſtringendam remedium.de dyna.* Sp.27.B
ob *Venam ruptam ſanguinem fundentibus remedium.de dyn.* Sp.27.C
à *Venis ſi aqua intercutem ſubito defluxerit in ventrem, ſoluitur morbus.commen.6°.apho.14°.* Ex.47.F
è *Venis ad neruos poſſunt fieri tranſmutationes humorum noxiorum. commentario 6°.aph.26°.* Ex.48.G
Venarum iecoris intemperies quẽ morbũ faciant.2°.meth.me. 7ª.12.H
Venæ in cauo Iecoris obſtructæ quem morbum faciant. 2°.methodi medendi. 7ª.12.H
Venæ tunica in hepatis gibbis patiente, quot ibi erũt ægritudines.de different.morb. 3ª.4.C
in *Venis iecoris, & ventris ardens febris.in 1m.de morb.vulgarib.commentario 2°.* 3ª.109.H
Venas meſaraicas afficit phlegmone in iecoris cauo.13°.met.me. 7ª.83.F
Venæ meſaraicæ quibus afficiantur.5°.de locis affect. 4ª.33.F
Venarum meſaraicarum cauſa Iecur imbecillitatur.5°.de lo.af. 4ª.33.F

in Vena renũ ſiſtenda frigida non danda.de ren.aff.dig.& m. 7ª.192.H
Vena rumpi poteſt in renibus ex influentis ſanguinis abundantia. commentario 4°.aphoriſmo 78°. Ex.36.G
propè Venam magnam,aut arteriam vlcus bubones excitat.13°.methodi medendi. 7ª.81.A
Vena per totum membrum videtur rubra extenta, & dolens tactu. 13°. methodi medendi. 7ª.81.A
Venæ vteri faciunt fluxum menſtruorum,ſi corpus aggrauetur ſanguine propter malum aliquem habitum.commen.5°.aph.57°. Ex.43.A
Venę quędam quæ ſunt in dextra parte colli matricis franguntur in defloratione virginis,& exit ſanguis.de anat.viuo. Sp.51.E
Venarum ſedis per ora euacuationes,ſunt euacuationes totius corporis. commentario 4°.aphoriſmo.2°. Ex.27.D
Vena qua ꝓuocentur hæmorrhoides.de cur.rat.per ſang.miſſ. 6ª.20.H
Venarum hæmorrhoidum ora aperiuntur ex acritudine humorum euacuatorum.com.6°.aph.47°. Ex.52.C
Venæ ſedis fluor in mulieribus deriuandus ad venas vteri.de cucurbit. ſcarificatione. 6ª.4.F
Venæ magnę in coxas quibus læſis vix aĩal viuit.3°.de vſu par. 1ª.131.B
Vena magna vulnerata ſtatim ſequitur mors.4°.de vſu par. 1ª.139.G
in Vena magna Vlixes vulnerauit Cyclopem.4°.de vſu par. 1ª.139.G
ex Venis vulneratis ſanguis,qui.de atrab. 1ª.34.D
Vena magna vulnerata quibus curetur.5°.meth.me. 7ª.30.A
ſupra Venam vlcus curetur vt in carne.5°.meth.me. 7ª.32.A
Venæ vulnus non ſuendum.5°.meth.med. 7ª.30.D
Venis ligatis,aut ſectis quid ſequatur.de fœt.for. 1ª.324.D
Vena inciſa nullam habet propriam appellationẽ.6°.met.me. 7ª.36.G
Venis quibus inciſis animal periret.2°.de decr.Hipp. 1ª.239.B
Vena animalis inciſa,ſi ſanguinem effluere in aquam modice calidam ſinas,iecoris ſimilem coagulationem adipiſcetur.de fœt.for. 1ª.322.F
Vena quo modo intorquenda pro vulneris ſanguine ſiſtendo. 5°.methodi medendi. 7ª.30.G
in Venis ligatio quo modo fieri debet.5°.methodi med. 7ª.31.C
ad Venarũ capita ſanguinẽ fundẽtia vinciẽda,laque⁹.de laq. 7ª.307.G
Venas vnit vinculum capitis.in Tim.Plat. 1ª.288.A
Venæ non indigent tam imputreſcibili materia deligari ſicut arteriæ.13° methodi medendi. 7ª.86.F
Venę quando auferuntur.de diff.morb. 3ª.5.A
Vena ablata cur non creſcat.1°.de ſem. 1ª.332.D
Venam renaſci raro viſum.1°.de ſem. 1ª.333.A
Venæ aliquę nouæ ſenſibiliter viſæ ſunt progigni.14°.meth.me. 7ª.93.H
Venæ viſæ renaſci in magnis vulneribus.1°.de ſem. 1ª.332.H
Vena quando iterum poterit gigni.1°.de ſem. 1ª.333.A
Venæ circa cãcros ſunt plenæ humore mel'ico.cõ.6°.aph.38°. Ex.50.F
Venæ detegebantur in carbunculorum lue in Aſia.de ven.art. 1ª.57.G
Venę cur poſt mortem in ſe decidant.de vſu pul. 1ª.229.B
ex VENIS detractio ſanguinis.præſa.exper.conf. Sp.77.H
Venę ſectio omnibus manifeſta.de ven.ſect.aduer.Eraſ. 6ª.11.G
Venas ſoluere inter primas actiones numeratur.ad Thraſ. 2ª.108.F
Venæ ſectionis euacuatio qualis ſit.com.4°.aph.2°. Ex.27.D
de Venę ſectione quę conſideranda.de ven.ſec.aduer.Eraſi. 6ª.15.D
de Venæ ſectione ambiguitas & problemata.de ven.ſectione aduerſus Eraſiſtratæos. 6ª.11.G
Venæ ſectio præſtantiſſimũ eſt remedium.de ven.ſec.adu.Eraſ. 6ª.5.C
Venæ ſectio cur ſecurior medicamento . de vict.ratione in morb.acutis, commen.2°. 7ª.118.C
Venæ ſectio magna fuit in æxiſtimatione Hippocratis . in 3m.de morbis vulgaribus commentario 2°. 3ª.127.E
Venæ ſectionẽ qui rationales exercuere.de ven.ſect.aducr.Era. 6ª.6.G
de Venę ſectione à qualibet vena ſentẽtiæ.de ve.ſec.adu.Era. 6ª.12.D
Vena quælibet euacuat à toto.de ven.ſec.aduer.Eraſ. 6ª.12.D
Vena omnis à toto corpore euacuat ſed non celerrime.de victus ratio.in morb.acutis,commentario.2°. 7ª.117.F
Venæ ſectio quibus fuerit exoſa.de ven.ſec.adu.Eraſi. 6ª.5.F
Venæ ſectionẽ abhorrentes medici.de venæ ſec.aduer.Eraſi. 6ª.9.D
Venę ſectionẽ Chryſippus auferebat.de cur.rat.per ſang.miſſ. 6ª.15.H
pro Venæ ſectione quid agebant Eraſiſtratæi . de venæ ſectione aduerſ. Eraſiſtratæos. 6ª.9.D
Vena quòd non ſit incidenda argumenta.de ven.ſect.adu.Era. 6ª.5.F
Venæ ſectionem aliqui in omni morbo faciebant.de atra bile. 1ª.36.C
Venę ſectio cur fiat.9°.meth.med. 7ª.59.C
Venę ſectio ſuccos è vaſis emittit.4°.de ſan.tuen. 2ª.87.H
Venæ ſectionis conditiones.de cur.rat.per ſang.miſſio.17.C| 6ª.18.B
Venæ ſecandæ inditia.1°.de art.cur. ad Glau. 7ª.97.H
Venæ ſectionem expetit morbus,qui ſit futurus grauis. de curan.ratio. per ſanguinis miſſ. 6ª.18.B
in Vena ſecanda habitus corporis conſiderandus . de victus ratione in mor.acu.commen.4°. 7ª.137.G
in Venæ ſectione imbecilles vires penitus obſeruandæ ſunt . præſagium experientia confirmatum. Sp.78.D
Venã cũ ſecas,manũ pone ad arteriam.de cur.rat.per ſan.miſſ. 6ª.21.C
in Venæ ſectione conſideranda eſt facilitas ferendi ægrotantis. 1°.de arte cur.ad Glauconem. 7ª.98.C
ad Venę ſectionem aliqui magis propenſi ſunt.de pur.med.fa. 5ª.86.D
Venam ſecare aſſueti quid agere debent.de conſuetud. 2ª.61.H
Venæ ſectionem quæ impediant.de curan.rat.per ſang.miſ.6ª.15. G|14°. methodi medendi. 7ª.85.E
Venę ſectio quibus non eſt facienda.2°.de comp.me.ſe.lo. 5ª.136.D
Vena non eſt ſecanda craſſis aut macilentis.1°.de art.cu.ad Gl. 7ª.98.D
Vena non ſecanda pueris,& ſenibus.1°.de ar.cur.ad Glau. 7ª.98.D
Venam quando ſecat Galenus ſenibus,& ſeptuagenarijs.de cur.rat.per ſangui.miſſionem. 6ª.19.C
Venæ ſectio quo tempore prohibenda.præſa.exper.conf. Sp.78.D
Vena non eſt ſecanda anni tempore multum calido, & multum frigido, etiam in febre acuta.de ſectis. Iſa.16.E
Vena non eſt incidenda in regione valde frigida, vel valde calida. de ſectis. Iſa.16.E
Venæ ſectio non debet fieri in aere calido,& ſicco. 1°.de art.curatiua ad Glauconem. 7ª.98.C
Vena ſecta in diebus canicularibus cauſa mortis fuit.1°.de art.curat.ad Glauconem. 7ª.98.C
Venæ ſectionem prohibet cruditas.de curã.rat.per ſang.miſſ. 6ª.17.D
Vena non eſt ſecanda niſi cibi ſint cocti.de cu.rat.ꝑ ſang.miſſ. 6ª.19.A
Venæ ſectionem vt prohibere poſſit,nunquàm eſt tanta crudorum humorum plenitudo.de cur.rat.per ſang.miſſio. 6ª.19.D
à Venæ ſectiõe an excuſent mẽſes,et hęmorrhoides.9°.me.me. 7ª.57.H
Venam ſecare debemus quibus à venis ſanguinem mittere oportet.commen.7°.aphor.54°. Ex.58.G
Vena ſecãda in quibus.2°.de comp.med.ſe.loc. 5ª.137.A
Venæ ſectio quibus conueniat.de cur.rat.per ſang.miſſ. 6ª.17.G
Venas atras habentibus,& mediocriter tenues minus parcendũ in ſanguinis tractione.præſagium experientia confirmatum. Sp.77.H
Vena quando ſecanda eſt ſecundum aliquos.de mult. 3ª.76.D
Venæ ſectio quando fieri debeat.ſecretorum. Sp.97.D
Venæ ſectio quando potius adhibenda q̃ medicamentum, & è conuerſo. 2°.de compo.med.ſec. loc. 5ª.136.H
Venam ſecandam eſſe notamus in altero,ſi vertiginoſus cadens, & ex caſu ſanguinem effundens liberetur.de optima ſecta. Iſa.23.F
ꝑ Venas alij humores vacuantur,& non ſanguis.3°.de na.fa. 1ª.306.E
Venæ ſectio in principio.com.2°.aph.29°. Ex.16.G
Venæ ſectio in initio vſq; ad tertiũ diẽ à recẽtibus ſtatuitur.intr. Iſ.55.E
Venæ ſectio poſt tertium diem à veteribus ſtatuitur.intro. Iſa.55.E
Venam ſecuit octauo die Galenus.in 1m.de morb.vul.c.3°. 3ª.150.B
in Vena ſecanda dierum numerus non conſiderandus,ſed vires.9°.methodi medendi. 7ª.57.D
Vena ſecanda in remiſſione.de opt.ſec. Iſa.28.B
Vena ſecanda in declinatione particulari.de cu.ra.ꝑ ſang.miſſ. 6ª.21.B
Vena ſecanda quacunque hora diei cum morbus inclinat. de curan.rat. per ſangui.miſſ. 6ª.21.B
Venæ ſectio quouis tempore fiat.præſ.exper.conf. Sp.78.D
Venę ſectio iteranda eadem die.de cur.ra.per ſang.miſſ. 6ª.20.A
Venę ſectio bis terue.5°.meth.med. 7ª.32.H
Venas eodem anno ſæpius ſecare non eſt idoneum.de cucur.ſcar. 6ª.3.H
in Venæ ſectione quantum ſanguinis trahendum ſecundum aliquos . de venæ ſectione aduerſus Eraſiſtratæos. 6ª.12.C
Venæ ſectio vſq; ad animi defectus qbus cõueniat.14°.me.me. 7ª.90.B
in Venæ ſectione vſque ad animi deliquiũ duos mortuos vidit Galenus. 9°.methodi medendi. 7ª.59.A
Venæ ſectio quomodo facta,& in quanta quantitate Galeni tempore. in 6m.de morb. uulgaribus,com.3°. 3ª.175.B
Venæ ſectio quando facienda.10°.de comp.med.ſec.lo. 5ª.207.A
Venam ſecare aliquis eſt idoneus,alius arteriam.ad Thraſ. 2ª.105.E
de Vena ſecanda orationi cur annectit Galenus ſermonem de ſecanda arteria.de cur.rat.per ſang.miſſ. 6ª.21.D

Venam ſoluere

Venam ſoluere & arteriam ſecare inter ſe diſtant.ad Thraſ. 2ª.105 A
Venam ſcindẽtes miniſtri medicorum.in 6m.de morb.uul.cõ.5°. 3ª.188.C
Venas incidebant medici.5°.meth.me. 7ª.32.C
à *Venæ inciſore factæ inflãmationis remediũ.de med.par.fa.* 7ª.174.D
Venæ in quibus non eſt profundanda nouacula.de anat.viu. Sp.55.A
è *Vena ſanguis detrahendus eſt poſt aliqua conſueta exercitia.præſag. experientia confirmatum.* Sp.77.H
inter *Venæ ſectionem, & cibum tempus interponendum, collige, licet obſcure.9°.meth.med.* 7ª.56.H
Venæ ſectio fieri non debet exiſtente cibo crudo in ventriculo. 9°.methodi medendi. 7ª.57.H
Vena non ſecanda in his, qui fuere ferè ſine cibo per quatuor dies. 5°.methodi medendi. 7ª.35.C
poſt *Venæ ſectionem quando cibus illico dandus.de opt.ſec.* Iſa.28.B
Vena ſecta non eſt inedia imponenda.de ven.ſec.aduer.Eraſi. 6ª.11.A
à *Venæ ſectione fames ſoluit vires.de ve.ſec.aduer.Eraſi.* 6ª.5.D
Venæ ſectio pręcedit purgationem.10°.de comp.me.ſe.lo. 5ª.207.A
Venæ ſectio & purgatio vtraq; agenda.10°.de cõp.me.ſe.lo. 5ª.207.A
Venam ſecamus & purgamus ſi opus ſit, & clyſtere vtimur in principio.de tot morborum temporibus. 3ª.88.E
Vena non ſecanda & purgandum.de re.affe.dign.& med. 7ª.193.E
ante *Venæ ſectionem clyſterem ponit.3°.de comp.mecamen.ſecun.loc. 142.D/6°.5ª.174.A/præſ.exper.conf.* Sp.78.D
pro *Venæ ſectione clyſtere vtitur.2°.de cõp.med.ſe.loc.* 5ª.133.H
Venę ſectione, medicamento, vel vtroq; primo corpora pręparanda docet.4°.de compo.medicamen.per genera. 5ª.236.C
Venæ ſectione indigentibus non eſt danda ptiſſana.de ptiſſana.2ª. 47.H
Venæ ſectione cum æger indiget, & dolor ex repletione naſcitur, ſi ptiſſana offeratur interficit hominem.de ptiſ. 2ª.48.C
Vena quibus debet ſecari, prius eſt ſecanda, quàm detur ptiſſanæ cremor.de vict.rat.in mor.acutis commentario.1°. 7ª.112.B
VENARVM *capitis quæ phlebotomantur, aliæ quietę ſunt, aliæ pulſatiles.de anat.viuo.* Sp.55.A
Vena ſuper cornu capitis quando ſecatur.de ana.viu. Sp.55.A
Venæ frontis ſectio.6°.de compo.medicamen.ſec.loc. 5ª.174.A
Venæ frontis ſectio cui conueniat.de anat.viu. Sp.55.A
Venæ in angulis oculorum ſectio.6°.de comp.med.ſec.lo. 5ª.174.A
Venæ magnorum angulorum oculi parum mittunt ſanguinis. de curan. ratio.per ſanguinis miſſ. 6ª.19.G
Venæ auris inciſio.de oculis. 7ª.191.A
Venæ aurium quando ſecandæ.in 6m.de morb.vulgar.com.5°. 3ª.192.F
Venæ poſt aures quando ſecandæ.de anat.viu. Sp.55.A
Vena ſecta in naſo & fronte.2°.de comp.med.ſec.lo. 5ª.137.H
Venę ſub lingua ſectio.6°.de comp.med.ſec.loc. 5ª.174.A
Venæ ſub lingua quando ſecatur.de anat.viu. Sp.55.B
Venæ linguæ obliquæ diſſecandæ ſunt.præſag.exper.conf. Sp.78.D
Venę labiorum quando ſecandæ.de anat.viuo. Sp.55.A
Vena inter mentum, & labium quando ſecatur.de ana.viu. Sp.55.B
Venæ iugulares quando ſecandæ.de ana.viu. Sp.55.A
Venas iugulares ligandi modus.de ana.viu. Sp.55.A
Venę iugulares quando ſectæ, quid agendum.5°.meth.med. 7ª.31.B
ad *Venas iugulares ſectas medicamentum.5°.meth.me.* 7ª.31.B
Vena qua euacuantur clauiculæ loca ſublimiora.de victus ratio. in morbis acu.commentario.2°. 7ª.117.F
Vena quæ ſecãda ſi morbus ſit infra clauiculam.3°.de ana.adm. 1ª.77.D
Venę quo ordie ſecãdæ ſi morb° ſit ſupra clauiculã.3°.de an.ad. 1ª.77.D
Vena in parte inflata in brachio non incidenda, quia arteria propinqua eſt.3°.de anat.admin. 1ª.77.C
Venę quæ incidendæ in brachio.3°.de anat.adm. 1ª.77.C
Venæ quinq; in brachio quæ ſecãtur ſunt nigra, ſiue purpurea, baſilica, funis brachij, & axillaris, & ſceilẽ, et cephalica.de an.vi. Sp.54.G
Venę in brachio ſecandæ tres.præſa.exper.conf. Sp.78.B
ſi *Vena ſit occulta quid agendum.de ana.viu.* Sp.54.H
Venæ ſi non apparent in brachio, illam accipe quæ apparet. 13°.methodi medendi. 7ª.82.H
Venam vnã pro alia accipere non curat Galenus.3°.de ana.ad. 1ª.77.D
Vena ſecta cubiti quas partes iuuat.de cur.rat.per ſang.miſſ. 6ª.20.E
Venæ cubiti ſectionem petunt membra ſupra iecur.in 6m.de morbis vulgaribus, com.1°. 3ª.156.A
Venæ ex manibus ſecandæ ſunt, ſi ſupra hepar ſit morbus.comment.6°. aphoriſmo 36°. Ex.50.D
Vena cubiti in qbus affectibus incidẽda.de cur.ra.p ſang.miſſ. 6ª.20.A
Vena cubiti ſecanda, vel vomitus prouocandus ſi fluxio ſit in pedes vel crura.in 6m.de mor.vul.com.2°. 3ª.162.C
Venæ in cubito ſectio quæcunq; dolent a rupta ex dorſo ad cubitum deſcendunt, ſoluit.com.6°.aph.22°. Ex.48.D
Vena cephalica in quibus affectibus ſecatur.de anat.vi. Sp.54.G
Vena baſilica in quibus affectibus ſecatur.de anat.viu. Sp.54.G
Venam baſilicam ſecare cur ſit periculoſum.de anat.viu. Sp.54.G
Vena baſilica, axillaris, & cephalica debent ſecari ſuper iuncturam.de anatomia viuorum. Sp.54.G
Venã baſilicam cum ſecas tende verſus brachium.de anat.vi. Sp.54.H
ex *Vena ĩteriori brachij dexteri sãguis detrahẽd°.pſ.exp.cõf.* Sp.78.E
pro *Vena interna cubiti media ſecanda.13°.meth.med.* 7ª.82.H
Vena interna quando ſecanda.4°.de ſan.tuen. 2ª.87.F
Venæ interiores cur ſecandæ.1°.de ar.cur.ad Glau. 7ª.102.G
Vena media quando ſecanda.4°.de ſan.tuen. 2ª.87.F
Vena humeralis quando ſecanda.4°.de ſan.tuen. 2ª.87.F
Vena humeralis quando ſecanda.de cur.rat.per ſang.miſ. 6ª.20.A
Venæ humerales ſecandę vbi ſuperiores pectore partis laborant. de curandis rationibus per ſang.miſſ. 6ª.20.D
Vena axillaris quas ptes magis euacuet.de vi.ra.ĩ mor.a.c.2°. 7ª.117.E
Vena nigra in quibus affectibus ſecatur.de ana.viu. Sp.54.H
Vena funis brachij in quibus affectibus ſecatur.de anato.viu. Sp.54.H
Vena ſaluatella in quibus affectibus ſecatur.de ana.viu. Sp.54.H
Vena furculæ quando ſecatur.de anat.viu. Sp.55.B
Venæ duæ ſupra ventrem etiam ſecantur, vna ſupra iecur, alia ſupra lienem.de anat.viu. Sp.55.B
Venæ duæ ſupra ventrem quando ſecantur.de anat.vi. Sp.55.B
Vena poplitis quas partes iuuat.de cur.rat.per ſang.miſſ. 6ª.20.E
Venas inferiores ſecare debemus.i.quæ ſunt ſub genu, ſi ſub hepate ſit morbus.com.6°.aph.36°. Ex.50.D
Venæ crurum ſectionem petunt membra infra iecur.in 6m. de morb.vulgar.commen.1°. 3ª.156.A
Vena malleolorum quas partes iuuet.de cur.rat.per ſang.miſſ. 6ª.20.E
Vena ſaphena quando ſecanda eſt.de anat.viu. Sp.54.H
Vena ad ſanguinẽ mittẽdũ cõmodiſſima in pede.de ven.ar.diſſ. 1ª.58.G
Venæ pedũ in quibus affectibus ſint ſecandæ.prę ſ.exper.conf. Sp.78.D
Venarum pedum ſectio quomodo fieri debet.de anat.vi. Sp.54.H
Venæ pedis ſectio magis debilitat q̃ venæ brachij.de ana.viu. Sp.54.H
de *Vena tali ſecanda quid indicet.13°.meth.me.* 7ª.82.H
Venæ ſectio à cõibus cũ mẽbro affecto ſumenda.de trem.& pal. 3ª.53.B
Venæ ſectio non prodeſt facta à venis cum affecto membro minime communibus.de tremore & palpita. 3ª.53.B
Vena quæ non ſecanda ſine cauſa.de med.fac.par. 7ª.176.A
Venæ ſecandæ quæ vtiles quibus partibus.de cur.ra.p ſan.mi. 6ª.20.A
VENAE *quæ ſecandæ ſm varias ægritudines.ſecret.* Sp.97.D
Venæ quæ incidendæ ſunt, non oẽs ſciunt.de ven.ſec.aduer.Eraſ. 6ª.8.D
Vena incidenda in quatuor humorum Abundantia.de renum affectunm dignotione & medela. 7ª.193.E
Vena ſecanda in morbo Acuto.de bon.& vit.ſuc. 2ª.34.C
Vena brachij dextri interna quibus ſecanda in acutis.de vict.ratione in mor.acu.com.4°. 7ª.137.G
ex *Vena ſanguinẽ detrahit p morbos acutos.præſ.exper.conf.* Sp.78.D
Vena ſecanda potius in acutis morbis, quàm medicamentum dandum. de vict.rat.in mor.acu.com.2°. 7ª.118.C
Venam cur Hippocrates non ſecuit quãdoq; in acutiſſimis.in 1m.de mor. vulgar.com.3°. 3ª.124.H
Vena quę incidenda in Angina.13°.meth.med. 7ª.83.B
Venæ ſub lingua in anginæ morbo ſecãdę, & qũo.pſ.exp.cõfir. Sp.78.D
Vena quæ ſecanda in angina gutturis, & arteriæ.de cur.rat. per ſangu. miſſionem. 6ª.20.G
Venæ ſub lingua ſecantur in angina.de cur.rat.per ſang.miſſ. 6ª.20.G
Vena ſub lingua cur ſecanda in ſynanche.2°.de arte cur.ad Gl. 7ª.102.G
Vena quia non ſecta ſynanchici mortui.de ven.ſec.adu.Eraſ. 6ª.9.F
Venæ ſectio in initio Apoſthematis in ſanguine.de ocul. 7ª.189.F
Venæ ſectione præſeruatarum mulierum caſus quæ potauerant Aquam frigidiſſimam ex niue.de ven.ſec.aduer.Eraſ. 6ª.11.A
Vena ſecanda in Atra bile, quæ.de mel.ex Gal.Ru.& Poſſ. Sp.109.H
Vena quæ ſecanda in Capitis morbis.de med.fac.par. 7ª.26.A
Vena quænam ſecanda in capite & collo affecto.de conſt.ar.me. Iſ.41.E
Vena ex naribus incidenda in capitis dolore. 2°.de compo.medicamentorum ſecun.locos. 5ª.137.D
Vena frontis quos dolores capitis leuat. de cur.ra.per ſan.miſ. 6ª.20.G

Vena recta inciſa in fronte dolenti capitis partem poſteriorem prodeſt. commen.5°.aph.68°. Ex.45.D
Vena ſecanda petiente parte capitis poſteriore.13°.meth.me. 7ª.83.B
Venam ſibi ſecuit quidam medicus quinquagenarius in dolore capitis. 12°.methodi medendi. 7ª.74.H
Vena primo ſecanda eſt percuſſis capite, ſi alia conſentiant.2°.de compoſi.medi.ſecun.loc. 5ª.133.H
Venam ad cubitũ ſecat in Cõtuſione coſtarum.de frac.com.2°. 7ª.237.D
Vena ſecta dolor ſoluitur.de vict.rat.in mor.acu.com.1°. 7ª.114.A
Venę quę in dorſi doloribus, & Coxarum ſecantur.de natu.huma.commentario.2°. 1ª.183.B
Venam non ſecabimus in Eryſipelate, ſed medicamentum cholagogum dabimus.14°.meth.med. 7ª.87.D
Vena non eſt ſecanda in eryſipelate, ſed dandum cholagogum. 2°.de arte cura.ad Glauco. 7ª.102.A
Venæ ſub lingua euacuant phlegmonem in Faucibus ſine medicamento. de vic.rat.in mor.ac.com.4°. 7ª.138.G
Venæ ſectio in quauis Febre.de ven.ſec.aduer.Eraſ. 6ª.10.B
Venam incidere ſaluberrimum eſt in febribus non continentibus modo, verum etiam alijs omnibus, quas putreſcẽs humor concitat, vbi præſertim nec ætas nec vires prohibent.11°.meth.med. 7ª.72.D
Venæ ſectio non conuenit in omni febre in principio. de ven.ſectione aduerſus Eraſiſtratæos. 6ª.12.H
Vena vnde ſecanda in vere illis, qui febre æſtate corripiuntur. de curã. rat.per ſang.miſſ. 6ª.20.H
Vena ſecanda in febre ex obſtructione etiam ſi non adſint ſigna plenitudinis.8°.meth.med. 7ª.52.E
Vena incidenda antequam putredo incipiat.9°.meth.med. 7ª.56.G
Venæ ſectio maximum remedium continuæ febris.9°.met.me. 7ª.56.G
cur Vena ſecanda in continua.1°.de ar.cur.ad Glau. 7ª.97.H
Vena quæ ſecanda in quartana.1°.de ar.cur.ad Glau. 7ª.97.F
Venę ſectio, & potio aquæ frigidæ ſunt duo maxima præſidia febrium ſynocharum.9°.meth.med. 7ª.57.H
Venam ſecuit vſq; ad animi defectum in ſynocho.9°.meth.me. 7ª.56.H
Venæ ſectio quocunq; tempore fit in ſynochis.9°.meth.med. 7ª.57.H
Venæ ſectio ſi prætereatur in ſynocho, quid ſequi põt.8°.met.m. 7ª.57.C
Venę ſectio in tertiana non exquiſita.1°.de ar.cur.ad Glau. 7ª.97.E
Vena brachij ſecta in fluxum ad genu.2°.de ar.cur.ad Glau. 7ª.1C1.F
Venam ſub lingaa ſecat in Ictcritia.9°.de comp.med.ſecun.loc. 5ª.198.B
Vena quę incidenda in affectibus Iecoris, pectoris, pulmonis, & cordis. 13°.methodi med. 7ª.83.B
Vena interna cubiti ſecanda in iecoris phlegmone.13°.met.me. 7ª.82.H
Venam interiorem dextri brachij ſeca iecore inflammato.2°.de art.cur. ad Glauconem. 7ª.102.G
ꝑ Venæ ſectionẽ nõ ꝑ inediã curat̃ Inflãmatio.de ve.ſe.adu.Era. 6ª.6.B
Vena quænam ſecanda in iſchiade.de conſt.art.med. Iſa.41.E
Venę circa poplitem, aut talos ſecantur in Iſchiade.10°.de compoſi medicamen.ſec.loc. 5ª.207.A
Vena potius poplitis incidenda, quàm malleoli in Iſchiade. de curan.ratio.per ſangui.miſſio. 6ª.20.F
Venæ ſectio q̃uo facienda in Iſchiade.10°.de comp.med.ſec.lo. 5ª.207.A
Venam incide ſi vires conſtent in laſſitudine tenſiua, & phlegmonode.de curan.rat.per ſang.miſſ. 6ª.17.D
ꝑ Vena ſecãda in laſſitudine & dolore oculorũ nõ eſt ſpectãda febris declinatio, ſed doloris magnitudo.de cur.ra.per ſang.miſſ. 6ª.21.C
Vena ſecãda ſtatĩ ab initio ĩ Lethargo, et ĩ phrenitide.13°.me.m. 7ª.85.E
Vena quæ ſecatur in lienis affectibus ſm aliquos ſinẽtes exire ſanguinẽ quantum poteſt.3°.de anat.adm. 1ª.76.G
Venã ĩteriorẽ ſiniſtræ manꝰ ſeca ſplene ĩflãmato.2°.d̃ a.c.ad G. 7ª.102.G
à Vena parui digiti curatur lien.de cur.rat.per ſang.miſſ. 6ª.19.G
ex Venæ ſaluatellæ ſectione lien iuuatur.præſ.exper.conf. Sp.78.B
Vena q̃ ſecãda in doloribus Lũborũ & teſtium.de na.hu.cõ.2°. 7ª.183.B
Vena q̃ ſecãda, vbi Mẽbra extrema patiũtur.2°.de ar.c.ad G. 7ª.102.G
Vena ſecanda in Melancholicis.de mel.ex Gal.Ru.& Poſſ. Sp.109.G
Venam primo ſecandam eſſe, poſtea euacuãdũ iubet Poſſidonius, ſi quis eductõe ſãguinis ĩ melãcholia ĩdigeat.de mel.ex G.R.et P. Sp.109.h
Venę ſectio in mel'ia vſq; ad aĩ deliquiũ.de mel.ex Ga.R.& P. Sp.110.F
Venæ ſectio prĩcipiũ auxiliorũ ĩ Mẽſibꝰ retẽtis.de ve.ſe.ad.Er. 6ª.10.G
Venam ſtatim ſeca in menſtruis ſuppreſſis.de cu.ra.ꝑ ſang.miſſ. 6ª.18.F
Venam ſeca Mulieribus nigris.de cur.ra.per ſang.miſſ. 6ª.18.G
Vena ſecãda in mulieribus atrabilarijs, quibus mẽſes defecerint. de me. ex Gal.Ruf.& Poſſ. Sp.109.H
Vena pro menſtruis quæ ſecanda.de ven.ſec.aduer.Eraſi.11.A| de cur. rat.per ſang.miſſio. 6ª.20.H
Venæ malleolorũ et poplitis maxĩe ꝓuocãt mẽſes.de.c.r.ꝑ ſã.m. 6ª.18.F
Venæ ſectio fieri debet tp̃e, quo expectant̃ mẽſes.de ve.ſ.ad.Er. 6ª.11.A
Vena ſecanda tribus quatuorve diebus ante purgationes, quibus mẽſes non defluunt.de cur.rat.per ſang.miſſ. 6ª.20.E
Vena vna vno die ſecanda, alia altero pro menſtruis ciendis.de cur.rat. per ſangui.miſſionem. 6ª.20.E
Venæ brachiorũ nõ ſũt ſecãdæ ĩ ſupp̃ſſis mẽſibꝰ.de cu.ra.ꝑ.ſ.mi. 6ª.18.G
Venæ cubiti ſectione menſtrua cohibẽtur.de cu.rat.ꝑ ſang.miſſ. 6ª.20.E
ꝑ Venæ ſectionẽ dẽt fieri mĩoratio nõ ꝑ medicamẽtũ.11°.me.m. 7ª.72.D
Venę ſectio ſanat ocl'orũ dolores, et quos, et q̃uo.c.7°.aph.46°. Ex.57.G
Vena ſecanda in oculorum doloribus, quæ.præſ.exper.conf. Sp.78.B
Venæ ſectio ad diſtillationem in oculos.de remed.par.fac. 7ª.156.C
Vena eiuſdem lateris humeralis ſecanda in oculorum doloribus.de cur. rat.per ſang.miſſio. 6ª.20.A
Venæ ſectio in oculorum fluxionibus.4°.de comp.med.ſec.loc. 5ª.157.C
Vena anguli oculorum ſecanda in inflammatione indurata oculorum.de cur.rat.per ſang.miſſ. 6ª.20.G
Vena extrinſeca è directo ſecãda in ophthalmia, ſynanche, & capitis affectibus.2°.de art.cur.ad Glau. 7ª.102.G
Venam humeralem incide in Oris affectibus.13°.meth.med. 7ª.83.B
Vena humeraria q̃n ſecanda, quę accipienda.7°.de ana.adm. 1ª.77.C
Vena humeraria quas partes magis euacuat. de victus ra.in morb.acutis, commentario.2°. 7ª.117.E
Vena ſecanda in oſſe fracto.6°.meth.me. 7ª.41.E
Venæ ſectio in Parotidibus q̃n exercẽda.3°.de comp.me.ſe.lo. 5ª.146.E
Vena ſecta ad duas libras Peſtilentiam minuit.præſa.exp.cõf. Sp.78.C
Vena ſecta in peſtilenti tempore ægre ad cicatricem deducitur. de bonitate & vitio ſuccorum. 2ª.33.H
Venæ in talis ſunt ſecandę in Phrenitide.præſa.exper.conf. Sp.78.C
Venæ ſectio eſt commune auxilium earum quæ ex Plenitudine fiunt diſpoſitionum.com.6°.aph.47°. Ex.52.B
Venæ ſectione plenitudo euacuatur.de ven.ſect.aduer.Eraſ. 6ª.15.A
per Venam ſanguis mittitur in Plethora. 13°. methodi medendi. 81.B| de remedijs paratu facilibus. 7ª.160.D
Venæ ſectione ſtatim vtimur, quando corpus fuerit plethoricorum, vel cacochimum.6°.de comp.med.ſe.loc. 5ª.166.H
Vena quę ſecanda pro plenitudine ſola demenda in vere.de curan.ratio. per ſanguinis miſſ. 6ª.20.H
Venã ſecat Hippo.abſq; plethora in coſtarũ ictu.de art.cõ.3°. 7ª.275.G
Vena ſecanda eſt quandoq; etſi non adſit plethora.de art.c.3°. 7ª.275.G
Vena an ſecanda plethorico.de ſubſ.emp. Iſa.32.F
ante Venę ſectionem cur purgatio non facienda in plenitudine. de renũ affect.dign.& med. 7ª.193.E
Vena prius ſecanda q̃ purgandum.de ren aff.dig.& med. 7ª.193.E
Vena ſecanda in Pleuritide viribus, anni tempore, & ætate non prohibentibus.in 6m.de morb. uulgaribus, com.4°. 3ª.179.A
Vena ſecanda in pleuritide quando.de vic.rat.in mor.ac.c.2°. 7ª.117.C
Vena brachij interna in pleuritide quando ſecanda. de victus ratione in mor.acu.commen.4°. 7ª.143.G
Vena ab eodem latere ſecanda in pleuritide.de vict.ratio.in morb.acut. commentario.4°. 7ª.143.G
Venæ ſectio in pleuritide ab eodẽ latere fiat.in 1m.pror.cõ.3°. 4ª.187.F| de cur.rat.per ſang.miſſ.18.G|19.H|6°.20.B|1°.de art.cur. ad Glau. 7ª.102.G|præſa.exper.conf. Sp.78.B
Vena è directo ſemper ſecanda.13°.meth.med. 7ª.83.B
Venam incidit à parte oppoſita.de dynamidijs. Sp.25.E
in Venę ſectione in pleuritide ſanguis debet mutari. de vic.ra.in morb. acutis, commen.4°. 7ª.143.G
Vena quando non ſecanda in laterali morbo. in 6m.de morb.vulgaribus commentario 4°. 3ª.179.B
Vena non eſt ſecanda pleuritico puero.de ſubſ.emp. Iſa.32.F
Vena vnde ſecanda Podagricis, comitialibus, & vertiginoſis.de curan. rat.per ſang.miſſ. 6ª.20.H
Venæ ſectio in Prꝫſeruatione fiat vere.præſ.exper.conf. Sp.78.D
quæ Vena ſecanda in vere his, qui volunt ab aliquibus morbis præcaueri.de cur.rat.per ſang.miſſ. 6ª.20.H
Vena quibus ſecanda vere.de curan.rat.per ſang.miſſ. 6ª.17.E
Venę ſectione vel medicamento qui in vere ſint euacuandi. de curã.rat. per ſang.miſſ. 6ª.17.F
Vena incidenda primo in puſtulis.14°.meth.med. 7ª.90.B

Vena quæ pro Renibus ſecanda.de curan.rat.per ſang.miſſ. 6ª.20.E
Venam quam ſecare cogat nephritis.de cur.rat.per ſan.miſſ. 6ª.20.E
Venæ quæ ſecandæ in renum affectu.de ren.aff.dig.& med. 7ª.193.F
Vena quæ incidenda in affectibus renum,veſicæ,pudendi, & vteri.13º. methodi medendi. 7ª.83.H
Vena quando ſecanda in lapide renũ.in 6m.de mob.vulga.c.1º. 3ª.156.A
in *Venæ ſectione quibus curari poſſit repletio.de venæ ſect.* 6ª.14.C
Venæ ſectio in reuellendo præſtantior.de ven.ſect.aduer.Eraſ. 6ª.8.D
Venæ ſectio reuulſiua non eſt euacuatiua.in 1m.prorr.com.3º. 4ª.187.F
Venæ ſectio reuellit à capite.2º.de comp.me.ſe.lo. 5ª.137.D
Venæ ſectio non contemnenda vt ſit præſidium reuulſorium . de curã.ratio.per ſanguinis miſſionem. 6ª.18.G
p *Venæ ſectionem reuulſio ſtatim confert.præſ.exper.conſ.* Sp.78.A
Venæ ſectio fieri debet ſi Sãguis peccet,antequàm alicuius partis dolor ſanetur.commen.6º.apho.31º. Ex.49.G
Venam ſeca vbi feruet ſanguis.de curan.rat.per ſang.miſſ. 6ª.19.A
à *Venæ ſectione debet incipere curatio,ſi ſanguis melancholicus ſit in vniuerſo corpore.3º.de loc.aff.* 4ª.18.E
Venam cubiti mediam ſecato ſanguine melancholico abundante.3º.de locis affectis. 4ª.18.G
Venæ ſectio prodeſt immodicæ profuſioni ſanguinis.in 6m.de morbis vulgaribus,com.3º. 3ª.175.B
Vena ſecanda in ſanguinis eruptione.in 1m.prorrh.c.3º.185.H/ 4ª.187.E
Venam frontis ſecat in ſanguinis profluuio.de remed.par.fac. 7ª.163.F
Vena quando ſecanda in profluuio ſanguinis narium, & quod ab eodem latere.5º.meth.med. 7ª.30.E
Venæ ſectione ſanatum ſanguinis profluuium. de curã.rat.per ſanguinis miſſionem. 6ª.18.G
Vena ſecta ſanguinis profluuium irreſtinguibile ſanatum.de venæ ſectione aduerſus Eraſiſtrat. 5ª.8.D
Venam ſecuit in ſputo ſanguinis.5º.meth.me. 7ª.35.E
Venæ ſectionem quando impediant ſputa cruenta, & propter quas cauſas.in 6m.de morb.uul.com.3º. 3ª.179.A
per *Venam euacuabimus ſanguinem,imitantes naturam bene operantem,quando mulier vomit ſanguinem.com.5º.aph.32º.* Ex.40.D
Venæ poſt aures inciſæ faciunt ſomnum.de aere aq.& lo. 2ª.5.H
Venę poſt aures sectæ Sterilitatem pariunt.de aer.aq.& lo. 2ª.5.H
Venæ ſectio in Stomachi diſtentiones.8º.de comp.med.ſec.loc. 5ª.192.D
Vena non eſt ſecanda Syncopam facile patienti.de ſubſ.emp. Iſa.32.F
Venæ ſectio, & clyſteres conueniunt mire Suffocatis.6º.de comp.medicamen.ſecun.loc. 5ª.174.C
Vena quænã ſecãda ĩ Thorace & pulmone affecto.de cõ.ar.me. Iſ.41.E
Vena incidẽda ſi in Thorace ſanguinis copia.de ven.ſe.adu.Era. 6ª.8.D
Venam ſecuit Hippocrates tremorem habenti.de ve.ſe.adu.Era. 6ª.6.F
Vena q̃ ſecari debet in morbis Veſicæ,vuluæ,renũ.pręſ.exp.c. Sp.78.C
Venæ ſectio ſoluit difficultatem vrinæ.comment. 6º.aph.36º. Ex.50.D
Vena niſi incidatur quæ pericula immineant in retentione vrinæ. de venæ ſectione aduer.Eraſ. 6ª.9.E
Venæ ſectio ſoluit vrinæ ſtillicidium.com.7º.aph.48º. Ex.57.H
Venæ ſectio quãdo in Vlcere facienda.4º.de comp.med.p gen. 5ª.237.B
Venę ſuper vlcus ſcarificatio.4º.de compo.medicamen.per ge. 5ª.237.B
Vena quę nam ſecanda in Vteri affectione.de conſt.ar.med. Iſa.41.E
Venæ ſectio à poplite in vtero.de trem.palp.conuul. 3ª.53.A
Venæ ſectio à pede,quãdo vterus eſt male affectus.de trem.pal. 3ª.53.A
Vena qua ſecta vteri inflammatio iuuetur.de cur.rat.per ſang. 6ª.20.E
Venarum in cruribus ſectarum adiumento non parum lauantur in Vuluis inflammationes.præſ.exper.conf. Sp.78.C
ex *Vena ſecta ſãguis hẽt tenuẽ humiditatẽ,q̃ ſupnatat.de atrab.* 1ª.34.D
Vena ſecta ſanguis extractus hẽt paucã aquoſitatẽ.5º.de vſu. 1ª.144.F
Venæ ſectio corpus refrigerat.de venæ ſect.aduer.Eraſ. 6ª.6.F
Venæ ſectio facit abortum.de ſpermate. Sp.36.D
Vena ſecta membrũ facit ſtupidum,& pp quid.3º.de ana.adm. 1ª.78.A
VENALIS *arteria quæ,& qualis.de ana.viu.* Sp.47.E
Venalis arteria eſt ab omnibus alijs diuerſa.de ana.viu. Sp.46.F
Venalis arteria cur vnam habet tunicam et mollem.de ana.vi. Sp.52.H
Venalis arteriæ officium,quod.de anat.viu. Sp.52.G
ad *Venalem arteriam comparatio iunci.de anat.viu.* Sp.52.H
in *Venali arteria ſanguis delatus qualis.de ana.viu.* Sp.47.E
VENATIONIS *inuentores ſapientes.de par.pil.exerc.* 2ª.48.G
Venatio indiget multo apparatu.de par.pil.exerc. 2ª.48.H
Venatio eſt exercitatio & opus.2º.de ſanita.tuenda. 2ª.73.G
Venationes vita ratio.3º.de ſymp.cauſ. 3ª.25.E
Venationibus incumbere non poſſunt ciuilibus negocijs implicati, & artifices.de par.pil.exerc. 2ª.48.H
ad *Venationes diuerſas quo modo ſe habet anima.1º.de ſan.tu.* 2ª.65.G
ob *Venationẽ fit capitis dolor.de vict.rat.in mor.acut.cõ.4º.* 7ª.150.E
VENATORES *duri & aridi.6º.de compo.medica.ſec.loc.* 5ª.176.F
Venatores quibus faſcijs vtant̃ ad crura defendenda.de faſc. 7ª.293.G
VENATORIA *ars inter acquiſitiuas.ad Thraſ.* 2ª.106.D
ad VENEFICIA. *de med.fac.par.* 7ª.177.F
VENENATI *ſunt neutri.de part.art.med.* Sp.17.D
Venenato ferro,aut ſerpentibus vulneratorum communis curatio.2º.de antidotis. 5ª.120.B
ad *Venenatę feræ morſus Antidotus Apollodori. 2º.de ant.* 5ª.117.H
ad *Venenatarum beſtiarum morſus aſſumitur calamintha arefacta.7º. de ſimpl.med.fac.* 5ª.49.D
ad *Venenata conueniunt cauteria, & medicamenta calida & acria. 7º.de ſimp.me.fac.* 5ª.49.D
ad *Venenatorũ aĩaliũ multa reſiſtit ſulphur.9º.de ſim.me.fa.* 5ª.69.C
Venenatorum emplaſtrum.5º.de comp.med.per ge. 5ª.248.H
Venenata qbus p cibũ obrepſerĩt lauri lixiuio liberant̃.de ſimp. Sp.85.H
Venenatorum morſus quo modo curandus.intro. Iſa.60.H
ad *Venenatorũ oĩum morſus valet antidotᵒ Diæmatõ.2º.de an.* 5ª.115.B
ad *Venenatorum omnium materiam mortem inferentem facit antidotus Mithridatis Eupatoris Diaſcinci nominata.2º.de antid.* 5ª.115.C
ad *Venenatorũ morſus valet antidotus Mithridatis.2º.de ant.* 5ª.115.D
ad *Venenatorum omnium morſus valet antidotus Mithridatis athanaſia.2º.de antidotis.* 5ª.114.H
ad *Venenatos percuſſus,& morſus.5º.de comp.me.per ge.* 5ª.250.F
ad *Venenatorum morſus.2º.de ant.116.A/D/* 5ª.118.G
ad *Venenata.5º.de compo.med.per gen.* 5ª.249.A
VENENARI *qui timent ſani vtantur theriaca.de ther.ad Piſ.* 5ª.90.B
ob VENENOSI *animalis ictum colligantis & incidentis digitum caſus.3º.de loc.affect.* 4ª.19.H
Venenoſum valde eſt aconitum.de ſimp.med. Sp.80.F
Venenoſę cantharides.de ſimp.med. Sp.82.D
Venenoſa ceruſa.de ſimp.med. Sp.81.F
Venenoſa herba eſt dorycnium,& aliacacabum.de ſimp.med. Sp.83.E
Venenoſus eſt hyoſcyamus.de ſimp.me. Sp.92.D
Venenoſus eſt ſanguis tauri.de vtil.reſp. Sp.64.E
Venenoſum eſt veratrum.de ſimp.me. Sp.91.H
Venenoſæ materiæ ex ĩprobo victu.in 6m.de mor.vul.com.6º. 3ª.196.G
Venenoſum medicamẽtũ,et nutrimẽtũ q̃uo dr̃ant.3º.de nat.f. 1ª.304.A
Venenoſa medicamenta non ſunt accipienda ad oris curationem. 6º.de comp.med.ſec.loc. 5ª.167.B
à *Venenoſis morſæ partes languidæ ſunt.3º.de lo.aff.* 4ª.19.G
ad *Venenoſos morſus quomodo incidendum.de virt.cent.* Sp.93.H
ad *Venenoſorum omnium ictus valet Philippi Macedonis Ambroſia. 2º.de antidotis.* 5ª.115.A
ad *Venenoſas feras valet ſuccus centaureæ.de vir.cent.* Sp.93.H
Venenoſas facultates corrigit Cinnamomũ 8º.de cõp.me.ſe.l. 5ª.194.E
Venenoſis aduerſatur Gentiana.de ſimp.med. Sp.84.G
Venenoſa polium extinguit.de ſimplic. medic. Sp.89.A
Venenoſis beſtijs aduerſa eſt ſaliua.10º.de ſimp.me.fac. 5ª.75.G
contra *Venenoſorum ictus prædicabatur ſcordium, centaurium exile, & Marrubium.9º.de ſimp.me.fac.* 5ª.65.E
Venenoſa animalia fugantia ſuffumigia.de med.fac.par. 7ª.169.F
à *Venenoſis feris morſus nullus perijt, qui ſtatim Theriacam biberit. de theria.ad Piſ.* 5ª.90.A
Venenoſis morſibus quãto tpe theriaca vti poſſumᵒ.de th.ad P. 5ª.95.G
ad *Venenoſorum ſerpentum morſus facit trifoliũ.de ſimp.mc.* Sp.91.G
ad *Venenoſorum animalium morſum.de med.fac.par.169.F/* 7ª.170.G
ad *Venenoſi medicamenti potum.de rem.fac.par.* 7ª.179.G
ad *Venenoſam oẽm materiã,ac corruptoriã.7º.de cõp.me.ſ.l.* 5ª.186.B
Venenoſa res quando adeſt ſcarificatio fiat.de Hirud. reuulſ.cucurbitu. & ſcarificat. 6ª.2.F
VENENVM *inter vitæ mala difficilius.de theriaca ad Piſo.* 5ª.91.C
Venenum eſt medicamẽtum ſanguinẽ educẽs.de purg.med.fac. 5ª.87.D
inter *Venena ſunt purgantia medicamenta. in 6m.de morb.vulgaribus commentario 6º.* 3ª.196.H
Venena ſunt ĩ aliq̃bus locis medicinæ ĩ alijs sũt bonæ.de m.ex. Sp.108.H
Venenum hominibus eſt apocynum.6º.de ſimp.me.fac. 5ª.43.H
Venenũ eſſe dicitur elateriũ ſi plus mõ ſumatur.de ſimp.med. Sp.85.G
Venenum eſt morſus canum rabidorum.11º.de ſimp.med.fac. 5ª.82.A

Venenum ictu animalia quędam infundere obſeruatione compertum eſt. de opt.ſect. Iſa.22.E
Venena quædam enumerantur.in 6^{m}*.de morb. uulg.com.6º.* 3ª.197.A
Venena reticenda ſunt.de pur.med.fac. 5ª.87.D
Venena ſcribere eſt prauum & reprehendendum.2º.de anti. 5ª.114.F
Venenorũ cõpoſitiones docere improbi hoĩs eſt.2º.de ant. 5ª.114.E
Venenorum cõpoſitiones ſcripſere Orpheus, Theologus, Horus, Mendeſius, Heliodorus Athenienſis, & Aratus.2º.de antid. 5ª.114.F
Venenum medicus dedit, & de eo legis caſus.de cauſ.procat. 3ª.99.F
Venena ſunt aduerſiſſima corporibus.5º.de ſimp.med.fac. 5ª.36.H
Venenũ necat genere, non copia.in 3^{m}*.de morb.vul.c.3º.* 3ª.149.D
Venenum deleterium in pauca quantitate breui totum corpus immutat. 1º.de ſemine. 1ª.335.A
Venena quæ obſunt genere, non quantitate.5º.de ſimp.me.fac. 5ª.37.C
Venena non ſine quantitate nocent.com.2º.aph.17º. Ex.13.B
Venenum letale altero vel tertio die interficit.in 3^{m}*.de morbis uulgaribus commentario 3º.* 3ª.149.D
in *Venenum mutantur medicamenta, quę non purgant. quos purg.opo. quibus med.& quo temp.* 5ª.8[illegible].B
Venena pharmacorũ alterãt humores & tranſmutãt.ars me. Iſa.71.E
Venenum redditur ſanguis ſi bibatur à fera.de theriaca ad Piſ. 5ª.93.G
Venena ferarum alterant, & tranſmutant humores.ars med. Iſa.71.E
Venena calida frigida ferarum.quòd animi mor. 1ª.318.B
Venena calida ſunt toto genere letalia.3º.de ſimp.med.fac. 5ª.22.D/H
Venena calida erodunt.3º.de ſimp.med.facul. 5ª.22.H
Venena calida putrefaciunt.3º.de ſimp.me.fac. 5ª.22.H
Venena erodentia, & putrefacientia indigent tempore. 3º.de ſimpli.medicament.facultatibus. 5ª.22.B
Venena calida quo modo tempore necent.3º.de ſim.me.fa. 5ª.22.G
Venena calida propter quid quandoq; non interficiant.3º.de ſimplicium medicamen.facul. 5ª.23.A
Venena craſſa, & terrena eſſentia longo tempore interimunt. 3º. de ſimplic.medicamen.facultatib. 5ª.22.H
Venena frigida non ſunt genere letalia, ſed ſola quantitate. 3º.de ſimplicium medic.facul. 5ª.22.D
Venena frigida non poſſunt necare, niſi prius cor refrigerent.3º.de ſimp. medicamen.facul. 5ª.21.D
Venena frigida ſunt craſſarum partium.3º.de ſimp.me.fa. 5ª.21.D
Venena frigida niſi cito necẽt, vires amittũt.3º.de ſimp.me.fac. 5ª.22.B
Venena frigida comparat lignis viridibus.3º.de ſimp.med.fac. 5ª.22.B
Venenum aſpidum frigidum eſt vt cicuta.ꝙ animi mor. 1ª.318.B
Venenum ſcorpionis frigidum eſt.4º.meth.me. 7ª.24.B
Venenum eſt helenium cuſpidibus impoſitum.de ther.ad Piſ. 5ª.93.H
Venena ſpiculorũ nõ necãt niſi ſanguinẽ attigerint.de the.ad Pi. 5ª.93.H
Veneno tinctis ſpiculis trucidantur cerui, tamen ipſorum caro nõ eſt venenata.de ther.ad Piſ. 5ª.93.H
Veneno cum frigefactum eſt corpus arteriarum, neruorum, & muſculorum motus ceſſant.8º.de decr.Hipp. 1ª.277.E
Venenum turturis marinæ quomodo afficiat.3º.de loc.aff. 4ª.19.F
veluti *Venenũ nõ fieri põt corruptio in aĩalibus.6º.de lo.aff.* 4ª.40.B
vt *Veneno epoto ſic citra venenum corrumpuntur humores.5º.de locis affectis.* 4ª.34.B
Veneni inſtar qui fructus in ſtomacho corrũpãtur.de diff.cõti. Sp.74.H
Venenis pernitioſarum ferarum comparari poteſt humor in parte corporis epilepſiam faciens.3º.de lo.af. 4ª.19.F
vt *Venenum idem agit ſperma retentum.de ſpermate.* Sp.36.F
VENENI *an ſit propria ſigna propter quid medici quærant.5º.de locis affectis.* 4ª.34.B
Venenum an habeat proprias notas.6º.de lo.af. 4ª.40.B
Venenum ſumpſiſſe aliquem quo deprehẽdatur.6º.de loc.aff. 4ª.40.B
à *Veneno morientes & ab aliqua corporis affectione cognoſcuntur. de bon.& vit.ſuc.* 2ª.34.B
à *Venenis dolores maligni.in* 6^{m}*. de morb.vulgar.com.6º.* 3ª.196.G
à *Venenis præſeruantia medicamenta Antidota.2º.de anti.* 5ª.114.G
VENENA *quomodo curantur.in* 6^{m}*.de mor.vul.cõ.6º.* 3ª.196.H
per *Venenorum remedia curatio quo modo fiat.1º.de ſem.* 1ª.335.B
Venenum compoſitum ignotum quomodo quis curare poterit. 2º.de antidotis. 5ª.114.G
Venena alteranda & euacuanda.de conſt.ar.med. Iſa.42.E
Venenis quæ aduerſentur.in 6^{m}*.de mor.vul.com.6º.* 3ª.196.G
contra *Venena medicamenta qualia.5º.de ſimp.med.fac.* 5ª.36.G
contra *Venena medicamenta lædunt corpus largius ſumpta. 5º.de ſimplicium medicamen.facul.* 5ª.36.H
Venenum omne à foris impoſitis medicamentis euacuatur. 5º.de ſimplicium medica.fac. 5ª.36.H
Venena ſerpentum medicamenta aliqua educunt eodem modo, quo magnes ferrum.1º.de nat.fac. 1ª.295.A
Venena telis illita medicamenta aliqua educũt eo modo, quo magnes ferrum.1º.de nat.fac. 1ª.295.A
Venenum trahunt Acria, & calida.de ſect. Iſa.16.G
ad *Venena omnia valentia medicamenta omnia in vnũ miſcuit Mithridates.1º.de antidotis.* 5ª.99.G
Veneno interire non potuit Mithridates.de ther.ad Piſ. 5ª.97.A
Venenis aduerſantia medicamenta in condemnatis morti Mithridates, & Attalus experti ſunt.1º.de anti. 5ª.99.F
ad *Venena valet Philippi Macedonis Ambroſia.2º.de antid.* 5ª.115.A
ad *Venena ebibita, morſuq; illata valet Antidotus Aelij Galli. 2º. de antidotis.* 5ª.110.H
ad *Venena Antidotus Apellis.2º.de antid.* 5ª.114.H
ad *Venena ãtidot⁹ Clodij tuſci, qua Crater⁹ vtebat̃.2º.de anti.* 5ª.114.H
ad *Venena valet Antidotus Dięmaton.2º.de antid.* 5ª.115.B
ad *Venena cæteris melior ẽ antidotus ex ſanguinib⁹.2º.de ant.* 5ª.115.D
ad *Venena facit Antidotus Mithridatis Eupatoris Diaſcinci nominata 2º.de antidotis.* 5ª.115.C
ad *Venena valet Antidot⁹ Athanaſia Mithridatis.2º.de ant.* 5ª.114.H
ad *Venena pernitioſa valet Antidotus Mithridatis.2º.de ant.* 5ª.115.D
ad *Venena omnia facit Mithridatica antidotus.2º.de ant.* 5ª.110.C
ad *Venena plura valet Mithridatica antidotus, quàm theriaca, ſed minus viperæ ictus ſanat.2º.de anti.* 5ª.110.C
ad *Venena valet Antidotus Zopyria.2º.de anti.115.A/* 5ª.120.E
ad *Venena Antidotus in omni tempore.2º.de ant.* 5ª.120.F
ad *Venena valens antidotus.2º.de anti.115.C/116.E/* 5ª.119.D
Venenis alijs nedum viperarum morſibus intrinſecus aduerſatur Ariſtolochia.de ſimpli.me. Sp.86.F
contra *Venena caricę, ruta, & nuces valẽt.de bon.& vit.ſuc.* 2ª.37.F
contra *Venena Electarium bonum.de medi.exper.107.D/* Sp.108.D
ad *Venena valet medicamentum ex fructu Iuniperi, & terra lemnia. 9º.de ſimpl.med.fac.* 5ª.65.E
ad *Venena, quæ eroſione interimũt, Lac valet.10º.de ſim.me.f.* 5ª.73.H
contra *Venena potui datur ſemen Napi.de ſimpli.me.* Sp.89.F
ad *Venena omnia potui datur Periſtereon.de ſimpli.me.* Sp.89.C
Venenis reptilium aduerſatur Scordium.1º.de anti. 5ª.105.F
Venenis reſiſtentibus in antidota Syrũ mittitur. de ſimp.me. Sp.90.H
Venena contra quæ valet Theriaca.de vſu theriacæ ad Pamph.98.E/1º. de antidotis. 5ª.102.D
Venena nihil faciunt his, qui Theriaca vtuntur.de ther.ad Piſ. 5ª.97.A
ante *Venenum & poſt, theriacæ portio.1º.de anti.* 5ª.99.G
Venenum paſtinacæ marinæ venena alia educunt.1º.de nat.fa. 1ª.295.B
Venenum viperæ alia venena educunt.1º.de nat.fac. 1ª.295.B
Venena miſcentur alexipharmacis.3º.de ſimp.me.fac. 5ª.23.A
ad *Venenum iaculantium beſtiarum plagas.7º.de compo.medicamentorum ſecun.loc.* 5ª.186.A
ad *Venena letalia.6º.de compo.med.ſec. loc. 182.G/* 5ª.186.H
ad *Venena omnia.2º.de anti.* 5ª.116.D
ad *Venena mirabile.7º.de comp.med.ſe.loc.* 5ª.182.G
ad *Venena.2º.de anti.113.E/G/116.A/* 5ª.120.D
VENETICI *oculi dicebant̃ ab antiqs q hñt cataractas.de oc.* 7ª.187.D
VENOSI *qui dicantur.in* 6^{m}*.de morb.vulg.com.4º.* 3ª.186.F
Venoſa ſunt, & arterioſa anteriora.com.5º.aph.65º. Ex.45.A
Venoſa vaſa coniunguntur cum vaſis quæ deorſum à mammis feruntur. 16º.de vſu par. 1ª.219.E
Venoſæ arteriæ mẽbranis null⁹ anatomic⁹ dedit nomẽ.6º.de vſu. 1ª.153.G
Venoſa arteria cur ita dicta.7º.de anat.adm. 1ª.94.H
Venoſa arteria quæ.7º.de anat.adm.94.H/6º.de decr.Hip. 1ª.264.C
Venoſam tunicam habens arteria vbi, & quorſum tendat, & qualis.1º. de decr.Hippocratis. 1ª.233.C
de *Venoſa arteria vana dicta ab antiquis.7º.de anat.adm.* 1ª.98.A
Venoſo corpore conſtans arteria in corde.2º.de decr.Hip. 1ª.236.A
Venoſæ arteriæ orificiũ cur habet duas membranas.6º.de vſu. 1ª.154.D
ex *Venoſę arterię ore retro plus reddit̃, q̃ ex alijs.3º.de na.f.* 1ª.307.E
Venoſarũ, et arterioſarũ ptiũ pulſus maiores.4º.de præſ.expu. 4ª.121.E
in *Venoſo genere ſunt q̃ faciũt febrẽ ardentẽ.cõ.6º.aph.26º.* Ex.48.F
Venoſi generis, & arteriarum paſſiones ſunt febres, ideo vrinæ in febribus attendendæ ſunt.1º.de criſibus. 4ª.128.D

ſupra Venoſum genus ſignificat vrina.1°.de criſi. 4ª.127.H
Venoſæ materiæ paſſionem ſignificat vrina aquoſa 1°.de cri. 4ª.130.H
Venoſi generis omnia compatientia in longa leuitate inteſtinorum aquã intercutem faciunt.com.6°.aph.43°. Ex.51.C
Venoſæ partes inflammatæ non indigent multa exiccatione.1°.de arte curatiua ad Glauconem. 7ª.102.E
VENEREIS in congrua menſura vtendum.de conſuet. 2ª.61.G
ob Venerea fit capitis dolor.de vict.rat.in mor.acu.com.4°. 7ª.150.F
VENTER quid ſignificet.4°.meth.med. 7ª.28.B
Venter quid aliquando ſignificet.com.7°.aph.55°. Ex.58.H
Ventrem ſine articulo Græci appellant omnem cauitatem. commentar. 6°.aphoriſmo.20°. Ex.28.C
Venter ſuperior qui ab Hippocrate dicatur ſecundum Galenum. commẽtario 7°.aphor.38°. Ex.57.A
Vẽter ſupior q̃q; dictus ẽ thorax.de vic.ra.in mor.ac.cõ.4°. 7ª.149.C
Venter quo modo gignatur.de fœt.for. 1ª.322.H
Ventris fibræ quales.3°.de nat.fac. 1ª.304.F
in Ventre fibrarum genus diuerſum.1°.de ſemine. 1ª.332.C
Ventris fundi exitus medium,& ieiuni quo modo à græcis dicatur.2°. de temperamentis. 1ª.20.D
Venter inter inſtrumentales partes.de diff.morb. 3ª.2.E
Venter inſtrumentum eſt.de nat.hu.com.1°. 1ª.26.C
Ventres duos ad quid natura fabricauerit.de ana.viu. Sp.47.C
Venter ſuperior eſt cordis domus.de anat.viu. Sp.47.C
Venter inferior eſt pro nutrimento.de ana.viu. Sp.47.C
Ventrem cur prima die ſecaret Galenus.4°.de anat.admin. 1ª.87.A
Vẽtres multos nõ hẽt aĩal hñs dentes ſupiores.6°.de ana.adm. 1ª.90.E
Ventres multos habet Camelus.6°.de ana.adm. 1ª.90.E
Ventres cameli cur aſperi.6°.de ana.admin. 1ª.90.E
Ventres cornigerorum cur aſperi.6°.de anat.adm. 1ª.90.E
Ventrẽ circũdari à thorace cur nõ fuit conueniẽs.7°.de vſu p. 1ª.164.B
Venter ſi circundaretur à thorace ſemel non poſſemus multum comedere.7°.de vſu par. 1ª.164.B
Venter,& Hepar non premunt diaphragma.2°.de diff.reſp. 3ª.67.F
in Vẽtre cur aĩalia hñt mãmas,& nõ in pectore.7°.de vſu p. 1ª.164.D
Ventrem anguſtiſſimum omnium animalium habet homo à poſteriore in anteriorem partem.de artic.com.3°. 7ª.273.D
Venter meatus amplos habet.5°.de ſimp.me.fac. 5ª.35.B
Venter cur amplus à natura factus.de ren.aff.dign. & me. 7ª.195.C
in Ventre quot cauitates.8°.de comp.med.ſec.loc. 5ª.193.D
in Ventre non eſt ſanguis 1°.de ſemine. 1ª.333.B
ad Ventrem,renes,viſcera,iecur,lienem perueniunt nerui à cerebro à prima,tertia,& ſexta coniugatione.de neru.diſſ. 1ª.54.D
Ventris,& thoracis muſculi ſunt carnoſi.4°.de præſa.exper. 4ª.121.D
Ventris muſculi conuexi ſunt,et qbus aſſimilãtur.2°.de mo.m. 1ª.316.E
ſupra Ventrem venæ duæ quando ſecantur.de ana.viu. Sp.55.B
in Ventre animal habet pulſus.de fœt.for. 1ª.323.F
Venter mouet ad reſpiratoriorũ organorũ motũ.de trem.palp. 3ª.59.H
Ventri commune quid,& muſculis,& inteſtinis, veſicæ, & vuluæ.7°. de anatomicis admin. 1ª.95.G
Ventri proprium quid.7°.de ana.adm. 1ª.95.G
in Ventre quatuor virtutes.3°.de nat.fac. 1ª.305.C
Venter primum principium alimenti.2°.de decr.Hipp. 1ª.240.F
ex Ventre appetentia ciborum.in 3^{m}.de morb.vul.com.3°. 3ª.145.E
Venter quid faciat in vehementi appetentia.3°.de natu.fac. 1ª.305.A
Venter quibus animalibus in os rapitur.3°.de nat.fac. 1ª.305.A
Venter trahit à cibis alimentum ſibi accõmodatũ.6°.de decre. 1ª.265.H
Venter per gulam trahit veluti manus.3°.de natu.fac. 1ª.305.A
in Ventrem ex iocinore in inedia venæ trahunt.3°.de nat.fac. 1ª.306.B
Venter ſui ipſius cauſa nutrimentum ſuſcipit.4°.de ſan.tu. 2ª.88.B
Venter non immutat cibum propter iecur.6°.de decr.Hip. 1ª.265.H
Venter habet nutrimentum craſſum & graue.3°.de nat.fac. 1ª.307.F
Venter πυλωρὸν aperit cum eſt ſatur,& ſuperfluum tranſmittit.4°.de ſanitate tuenda. 2ª.88.B
à Ventre parum aut nihil trahunt arteriæ.3°.de natu.fac. 1ª.308.D
Venter habet retentricem facultatem.3°.de nat.fac. 1ª.302.G
Ventri ſtudentes ferculorum multitudine gaudent.de cogn.cur. 2ª.53.D
in Ventre qũo fiat miſtio.de vic.rat.in mor.acu.com.4°. 7ª.149.B
in Ventre quæ agitur concoctio eſt alteratio.3°.de ſymp.cau. 3ª.26.E
ad Ventris concoctionem catharri cõparatio.3°.de ſymp.cau. 3ª.29.F
in Ventre cuiuſuis animalis oĩs cibus non coquitur.4°.de ſan. 2ª.82.H
ex Vẽtre i venas,ex venis ad carnes alimẽtũ trahit.3°.de ſym.3ª.25.A
ex Ventre,& extrinſecus quomodo trahunt carnes. in 6^{m}.de morbis vulgar.commentario 6°. 3ª.195.A
ex Vẽtre aliquid in arteria,ſed exiguũ defertur.3°.de nat.fa. 1ª.307.F
Venter dulci delectatur.de vict.rat.in mor.acu.com.3°. 7ª.127.G
Vẽtri diſplicet aſperãtia,& amara.de vic.ra.in mor.acu.c.3°.7ª.127.G
Vẽter quomodo exerceatur in paruæ pilæ ludo.de par.pil.ex. 2ª.49.A
ad Ventrẽ facile deſcendũt medicamẽta.7°.de cõp.me.ſec.lo. 5ª.184.B
in Ventre ſupernè cur defertur excrementũ.3°.de ſymp.cau. 3ª.27.H
de VENTRIS affectibus,& quales ſint.de med.fac.par. 7ª.175.A
Ventris vitia.introductio. Iſa.57.D
Ventris affectionum ſunt octo differentiæ.1°.de ſan.tuen. 2ª.68.A
Ventris moles non notat de cibi copia.de tre.palp. 3ª.60.E
Ventris plenitudinis ſenſus non eſt idem apud omnes.de mul. 3ª.76.F
in Ventre repleto muſculi epigaſtrij qũo ſe habẽt.2°.de motu. 1ª.316.F
Venter extenſus pp cibum ſi concoquat,non fit læſio aliqua, quod ſi etiã nõ ſit bene plenus & nõ cõcoquat,fit læſio.cõ.2°.apho.17°. Ex.13.A
Ventris & vteri differentia in dilatatione,& conſtrictione.de victus ratione in morb.acu.com.3°. 7ª.131.A
Venter diſtentus ob nimium cibum facit dolorem.de mul. 3ª.76.F
Ventris maximam intemperiem non faciunt cibi mediocres conſueti.3°. de ſymp.cauſ. 3ª.25.C
Ventris intemperies vnde accipiatur.1°.de ſanitate tuenda. 2ª.68.B
circa Ventrem inęqualis intemperatura non poteſt in longum extendi, ſi omnia circa ægrum opportunè fiant.com.7°.aph.22°. Ex.55.E
Ventris vis quo modo cognoſcatur.in progno.com.2°. 4ª.200.C
Venter ſuperior p quæ robuſtus cognoſcatur.de conſt.ar.me. Iſa.42.B
Ventris inſtrumentorum imbecillitas vnde.3°.de ſymp.cau. 3ª.27.D
Ventri imbecillo quid contingat.3°.de ſymp.cau. 3ª.27.H
Ventris imbecillitas facit ventum.com.5°.aph.72°. Ex.45.F
Venter debilitatus vomit,quãdo debilitatæ ſunt partes inferiores. 3°.de ſimp.medicament.facul. 5ª.23.F
Venter minus valens quàm iecur.3°.de nat.fac. 1ª.306.C
Venter male concoquit,ſi partes corporis ſint tenues, è contra ſi craſſæ. com.2°.aph.35°. Ex.17.E
Ventris robur conciliat medicamentum ex malorum cotoneorum ſucco. 6°.de ſanitate tuenda. 2ª.101.B
Vẽtris tractrix facultas tria habet ſymptomatũ gña.3°.de ſym.3ª.25.G
Ventris ſymptoma vt nutritur quod.de ſymp.diffe. 3ª.12.G
Ventrẽ qũo turbent cibi ex cõtrarijs ſubſtantijs.1°.de alim.fac. 2ª.7.G
Ventres æſtate perturbant aquæ paludoſæ.de bonit.aquæ. Sp.75.D
ſecundum Ventrem permanet multo tempore aqua dura, & frigida.de bonitate aquæ. Sp.75.G
Venter læditur à ſtagnantibus & olentibus aquis.de aere aq. 2ª.6.D
Venter laborat ob flatus.8°.de decre.Hip. 1ª.274.E
Ventrem inflantes cibi,qui.de diſſol.cont. Sp.74.F
Ventrem flatibus implent fabæ.2°.de alim.fac. 2ª.17.E
Ventrem turbat ex naturę proprietate mel.de victus ratio.in mor.acu. commentario 3°. 7ª.129.B
Ventrem flatibus implet muſtum.2°.de alim.fac. 2ª.17.H
Ventrem inflatum habentibus ructus mouendi.in 6^{m}.de mor.vulgarib. commentario.2°. 3ª.166.D
Ventrem flatu diſtentum ita vt tormina,& ſingultus fiant, adiuuat caſtoreum.11°.de ſimp.me.fac. 5ª.80.D
ad Ventris flatum valet acetum ſcillinum.de med.fac.par. 7ª.178.C
ad Ventris inflationes Antidotus Zopyria.2°.de antid. 5ª.120.E
in Ventre quomodo lac non cogetur.5°.de ſan.tuen. 2ª.91.H
Ventris actio læditur ab immodico calore.2°.de nat.fac. 1ª.300.E
Venter ſupercalefactus refrigerãdus, perfrigeratus calefaciẽdus, exiccatus humectandus,humidus exiccandus eſt.2°.de nat.fac. 1ª.301.B
in Vẽtre actio praua,& errãs in quo cõſiſtit.3°.de ſymp.cau. 3ª.25.A
in Vẽtre cur fiant prauæ coctiones.de curan.rat.per ſang.miſſ.6ª.16.G
in Vẽtre q̃ male ſunt cõfecta,eadẽ rõne ſe hñt ad ſecũdã concoctionem, qua male p̃parati cibi ad cõcoctionẽ,q̃ fit in vẽtre.4°.de ſan. 2ª.88.B
in Ventre actio deficiens quæ ſit.3°.de ſymp.cau. 3ª.25.A
in Ventre actionis priuatio quæ ſit.3°.de ſymp.cau. 3ª.25.A
in Ventre longo tempore durant animi,ſeſeli,& libyſticum ſi ſint cruda.4°.de ſani.tuen. 2ª.85.B
in Ventre eorũ quę coquũtur cruditatẽ,aut cõcoctionẽ per aluũ deiecta excrementa indicant ex ſua forma.in 1^{m}.de mor.vul.cõ.2°. 3ª.112.A
in Ventre ſi cibus non ſit crudus mittendus ſanguis.in 3^{m}.de morbis vulgaribus, com.1°. 3ª.127.E
Venter ſub frigidioribus morbis acidas,ſub calidioribus vero nidoroſas

facit mutationes.3°.de ſymp.cauſ. 3ª.24.H
in Ventre quibus ciborum corruptio accidit,quid agendum. 6°.de ſanitate tuenda. 2ª.97.H
in Ventre corrupta quomodo ſtatim expellenda.4°.de ſan.tu. 2ª.83.A
Venter vacuus caleſit.de anat.viuo. Sp.47.G
Venter excrementis impletur,ſi abſit alimentū.3°.de nat.fac. 1ª.306.D
in Ventre cur faciant rememorari excrementa cibus & potus.1°.de ſanitate tuenda. 2ª.68.A
in Ventre cur remorantur cibus,acerba,auſtera,& ſicca natura.1°.de ſanitate tuenda. 2ª.68.A
ī Vētre vt retineāt excremēta cur ciborū ordo cā eſt.1°.de ſa. 2ª.68.A
Venter quando retinetur ægrotamus multitudine.2°.de elem. 1ª.9.C
Venter quomodo retinebit & coquet.de ſal.diæ. 2ª.42.C
in Ventre cibum retinet ciborum modus.1°.de ſan.tuen. 2ª.68.A
Vēter vbi retinet,et os nauſeat,q̄uo curādi ſint ęgri.6°.de ſan. 2ª.99.D
Ventrem retinentem habentes poſt cibum aſſumptum quid adſtringens excernere facit.6°.de ſan.tu. 2ª.99.E
*Ventris vitium ſequēs excrementi mora cur accidat.1°.de ſan.*2ª.68.A
in Ventris tunicis cum ſunt humores,affectio ſit peſſima. 2°.de compo. medicamentorum ſecun.loc. 5ª.135.D
in Ventre poteſt eſſe laſſitudo.de cur.rat.per ſan.miſſ. 6ª.16.F
Ventris palpitatio & conuulſio clare ſentitur.de ſymp.diff. 3ª.12.E
Ventris conuulſio dicitur ſingultus.de ſymp.diff. 3ª.12.E
in Ventre ſonus fieri ſine potione nequit.3°.de ſymp.cau. 3ª.25.E
Ventris tremor non clare ſentitur.de ſymp.diff. 3ª.12.E
Ventris principium ſtomachus.introductio. Iſa.57.C
Ventri ſtomachus coniunctus eſt.de nat.& ord.cuiusl.corp. Sp.42.A
Ventris os ſtomachus.2°.de alim.fac.20.B/6°.2ª.99.D/2°.de compoſit. medicamentorum ſecun.loc. 5ª.135.C
Ventris os quando ſtomachus dicitur.de ven.ſect.aduer.Eraſ. 6ª.14.G
Ventris os ſtomachus vocatur non modo à medicis,ſed ab alijs hominibus.6°.de ſanita.tuen. 2ª.100.E
Vētris os à veteribus græce καρδία dicebatur.6°.de ſan.tu. 2ª.100.E
Ventris os cor vulgo dicitur.1°.de ſymp.cauſ. 3ª.17.G
Ventris os manifeſte ſentit.de victus rat. in mor.acu.c.3°. 7ª.127.H
Ventris duo ora.3°.de ſymp.cauſ. 3ª.25.F
Ventris duo orificia ad quid.de nat.& ord.cuiusl.corp. Sp.42.A
per Ventris duo ora expelluntur choleræ.3°.de ſymp.cau. 3ª.25.F
Ventris oris ſymptomata pertinent ad tactum.1°.de ſymp.cau. 3ª.17.G
Ventris os & ventrem ledunt medicamenta omnia purgantia. de vict. rat.in morb.acu.com.2°. 7ª.118.B
Ventri frigidum mordax.4°.de ſimp.med.fac. 5ª.24.C
Ventris os quibus refrigeretur.1°.de ſymp.cau. 3ª.18.C
in Ventre contenta coitus frigefacit.in 6m.de mor.vul.cō.5°. 3ª.193.F
Ventrē frigidū,& caput calidū hn̄tes q̄uo regēdi.6°.de ſan.tu. 2ª.99.B
Venter aliquibus calidus eſt,& caput frigidum,& è contra. 6°.de ſanitate tuenda. 2ª.95.D
in Ventrem ſi eat fluxio quid agat.6°.de ſan.tuen. 2ª.98.F
in Ventre frigida fluxio quid faciat.6°.de ſan.tuen. 2ª.98.F
in Ventre frigus hn̄tibus quod medicamentū dandū.4°.de ſa.t. 2ª.85.B
Ventre temperie frigidus quale medicamentum ex malorum ſuccis accipere debet.6°.de ſan.tuen. 2ª.101.C
Ventres frigidos habentibus datur euphorbium.de dyna. Sp.22.B
Ventres cholericos turbat euphorbium.de ſimp.med. Sp.83.F
Ventris complexio calidiſſima,& caput frigidum faciunt grauem complexionem nec facile tractabilem.6°.de ſan.tuen. 2ª.99.D
Ventrē calidū hn̄tes,& caput frigidū q̄uo curādi.6°.de ſa.tu. 2ª.99.D
Ventris os offenditur ab his quę calorē accēdunt.6°.de ſan.tu. 2ª.99.D
in Ventrem calidum cum ſucci pituitoſi decidunt, curatio eſt difficilis. 6°.de ſanitate tuenda. 2ª.99.B
ad Ventrem calidum cum caput ſaniem tranſmittit quid agendum. 6°. de ſanitate tuenda. 2ª.99.A
*in Ventrem quomodo non veniet bilioſus humor.6°.de ſan.tu.*2ª.98.H
Venter ſi imbecillus,& totius corporis temperamentum bilioſius quomodo curandus.6°.de ſan.tuen. 2ª.98.H
Ventrem bilioſum habentes primum ſemper debent comedere, & bibere aluum deijcientia.6°.de ſan.tu. 2ª.97.F
Venter quando acribus excrementis eſt plenus,quod lac dandum.3°.de alimen.facul. 2ª.27.G
*Vēter quorū excremētis abūdat,ptiſſana nō eſt danda.de ptiſſ.*2ª.47.H
Ventris morbi ſicci qui vocentur.de ptiſſ.2ª.48.A/de vict. rat.in mor. acut.commen.1°. 7ª.112.F
*in Vētre q̄bus bilioſus humor colligit̄,qb° purgādi.6°.de ſan.*2ª.99.A
Ventres bilioſi quo modo debent purgari.6°.de ſan.tuen. 2ª.97.H
Ventris os quibus amara bile abundat,aut imbecillū eſt, aut ſupra modum ſenſibile,ijs ſanguis non eſt detrahendus.9°.meth.me. 7ª.58.A
Ventre languente quæ vena ſit ſecanda.præſ.exper.conſ. Sp.78.B
Ventri intemperie calido,& bilioſo quo modo valebit malorum medicamentum.6°.de ſan.tuen. 2ª.101.B
Ventrem bilioſum habentes vitent vina auſtera.6°.de ſan.tu. 2ª.97.F
Ventres medio temperamento habentes piper, & gingiber ſumant ex malorum medicamento.6°.de ſan.tuen. 2ª.101.C
in Ventre roborando allia excedit piper album.4°.de ſan.tu. 2ª.85.H
*Ventris ībecillitatibus cōuenit reſina lētiſcina.8°.de ſim.me.fa.*5ª.59.F
Ventris os ſtomachumue afficiunt fungi,bupreſtes,ceruſa,gypſum, & lac coagulatum.1°.de ſymp.cauſ. 3ª.18.G
in Ventre ardorē,& morſum facit cedrides.7°.de ſimp.me.fa. 5ª.50.F
ad Ventris morſus non indigemus collyrijs. in 6m.de morb. vulgarib. commentario 6°. 3ª.196.D
Ventris mordicationē hn̄tes alicā colatā accipiant.1°.de ali.fa. 2ª.11.A
Ventris os quibus reſoluitur.6°.de ſan.tuen. 2ª.100.E
Ventris os quando reſoluitur,quæ ſequantur.6°.de ſan.tu. 2ª.100.E
Venter reſolutus,& languidus roborari poteſt pomis auſteris, & acidis.7°.de ſimplic.medicamen.fac. 5ª.55.H
ad Ventris firmitatem ac robur vtimur malis,piris,meſpilis, & punicis vt medicamentis.de bon.& vit.ſuc. 2ª.37.F
in Ventris ore ex bile animi defectio.de ven.ſect.aduer.Eraſ. 6ª.12.C
in Ventris ore ex pituita animi defectio.de ven.ſect.adu.Eraſ. 6ª.12.C
circa Ventrem faſciarum ſtrictio quo modo fiat.3°.de ſa. tuen. 2ª.77.D
Venter nō fricādus,et ſi fricet̄ quid mali contingat.3°.de ſan.tu. 2ª.82.B
Ventri muſculi vicini quando vngendi.3°.de ſan.tuen. 2ª.82.B
in Ventris inflammationibus reſpiratio qualis.de vtil.reſp. 1ª.225.G
Ventris inflammationibus cōpetit maſtiche.7°.de ſimp.me.fac. 5ª.55.C
Ventris phlegmonis prodeſt ſchini flos.8°.de ſimp.medic.fac. 5ª.61.H
Ventris os trahit ſecum ad ſympathia principalia membra, & quæ ſymptomata faciat.de vict.ra.in mor.acu.c.2°. 7ª.123.H
Vētris oris affectiones magnę q̄uo curent̄.8°.de comp.me.ſe.lo. 5ª.192.E
circa Vētris os ſi ſit dolor fit denſus,& paruus ſpiritus.de trem. palp. 59.H/3°.de diff.reſp. 3ª.71.C
Venter,& ſplen minime doloroſa membra.2°.de diff.reſp. 3ª.67.F
Ventris maiores affectus qui cum dolore fiunt,et tumore denſum ac paruum efficiunt ſpiritum.3°.de diff.reſp. 3ª.71.D
Ventris dolores ſublimes fortiores,non ſublimes leuiores. commentario 6°.aphoriſmo.7°. Ex.47.B
à Ventris dolore diuturno ſuppuratio.com.7°.aph.22°. Ex.55.E
in Ventris ſuperioris dolore oleum ſimplex datur bibendum vel aqua temperatum.in 6m.de mor.vulgarib.commen.6°. 3ª.196.D
à Ventre capitis dolor quomodo curetur.2°.de comp.me.ſe.l. 5ª.136.H
Ventris partes cur ſenſibiliter exaſperantur.in 6m.de morb.uulgaribus commentario.2°. 3ª.160.H
Ventris aſperitatibus medetur ouum.11°.de ſimplic.med.facul. 5ª.81.G
*in Vētre ſi diu maneāt pituitoſi humores corrūpunt̄.6°.de ſan.*2ª.99.B
*à Vētre pituitoſi humores corrupti q̄d mali agāt.6°.de ſan.tu.*2ª.99.B
Venter quibus phlegmate abūdat phlegmagoga damus.de dyn. Sp.21.C
in Ventrē defluens pituita eget dia trion pipereon,& dia calaminthes. 6°.de ſanitate tuenda. 2ª.99.D
in Ventre infarctos humores detergit ptiſſanæ cremor, & aqua mulſa. de vict.rat.in mor.acu.com.1°. 7ª.111.E
Ventris tunicis quæ inhærent quomodo euacuanda.de ijs,quæ in medicatrina fiunt,commen.3°. 7ª.221.C
in Ventre contentorum præſidia communia ſunt clyſter, & vomitus. de vict.rat.in mor.acu.com.4°. 7ª.148.E
in Ventrem ſuperiorem diſtillationes ſuppurantur intra viginti dies. cōmentario 7°.apho.38°. Ex.57.A
in Ventrem ſi ſanguis præter naturam effunditur,neceſſe eſt ſuppurari. com.6°.aphoriſmo 20°. Ex.48.C
Venter cum ex capite ęgrotat,q̄uo curandus.6°.de ſan.tu. 2ª.100.A
Venter aliquibus magis medicamentis obediens, aliquibus minus.5°.de ſanitate tuenda. 2ª.92.G
Venter & ſtomachus iuuantur aloe.8°.de compo.med.ſec.loc. 5ª.188.F
Ventri frigido pituita pleno aloe non conducit.6°.de ſan.tuen. 2ª.99.C
Ventrem temperat epithymum.de ſimp.me. Sp.84.A
Ventrem temperant lupini ſi cocti manducentur.de ſimp.med. Sp.86.C
*Ventris os adiuuat adhæſa Iaſpis viridis.9°.de ſimpli.med.fac.*5ª.67.D
Ventrem ſupe-

Ventrem ſuperiorem purgantia, quæ. de cathar. Sp.95.C
Vētrē ſupiorē purgat ſeſamoides. de vict. ra. in mor. acu. c. 4°. 7ª.152.F
ad *Ventris reiectiones ſanguinis. 2°. de antido.* 5ª.113.C
ad *Ventrem aſcendit p anū calor, aut frigus. com. 5°. aph. 22°.* Ex.39.F
Ventri ſuperiori danda ſunt cathartica. de cathar. Sp.94.G
ad *Ventrem ſuperiorem, & ad inferiorem inclinationes per vrinas ac ſudores reuellendæ ſunt. de cucurb. ſcar.* 6ª.4.F
ad *Ventrem à Iecore quando trahendi humores. ars med.* Iſa.71.A
VENTER *tarde digeritur. de diſſo. con.* Sp.73.D
Ventres omnium auium tarde digeruntur. de diſſol. cont. Sp.73.D
Ventres craſſus cibus, & cur. de diſſ. con. Sp.72.H
Ventres generant phlegma, & cur. de diſſ. con. Sp.74.A
Venter parum nutrit, & cur. de diſſ. cont. Sp.73.F
Venter inter carnes cōuenit ſtomachicis. 8°. de comp. me. ſe. lo. 5ª.192.C
Ventres caprarum pingues, & ſanguine pleni qui cibi ſint. de vict. ratio. in morbis acutis, commentario. 4°. 7ª.147.C
Ventris gallinæ tunica pro ſtomachicis. 11°. de ſimp. me. fac. 5ª.80.A
in *Vētre Gallinarū pelliculæ p vrina puocāda. de med. ſ. par.* 7ª.168.D
Ventres leporum. 1°. de compo. medicamen. ſec. loc. 5ª.126.E
Venter mergi ad quæ valeat. 11°. de ſimp. me. fac. 5ª.80.A
Venter ſuillo licet veſci qui ſe exercet. de atten. vic. 2ª.45.D
VENTRES *tres habet cor intrinſecus. de ana. viu.* Sp.56.A|C
Vēter cordis dexter eſt inferior, & magis verſus hepar diſpoſitus, attrahens ab hepate. de ana. viu. Sp.56.C
Venter cordis ſiniſter eſt minor, & ſuperior verſus pulmonem poſitus, attrahens ab eo. de ana. viu. Sp.56.C
Ventris ſiniſtri cordis calor à quo nutriatur. de vtil. reſp. Sp.63.B
ad *Ventrem ſiniſtrum cordis per quæ foramina fiat inſpiratio. de vtilitate reſpirat.* Sp.64.C
Ventres cordis ob quid. de ana. viu. Sp.46.E
Ventrem tibiæ gaſtrocnomiam quid appellant. de muſc. diſſ. 1ª.51.F
VENTER *inferior quid ſignificet. in progn. com. 2°.* 4ª.199.B
Venter inferior qui intelligatur. 1°. de criſ. 4ª.129.A
Vēter inferior qui, & q ſupior. de vic. rat. in mor. acu. com. 4°. 7ª.149.B
Venter inferior colon. de victus ra. in mor. acu. com. 4°. 7ª.149.C
Venter ſignificat etiam inteſtinorū ſubſtantiam. 1°. de alim. fac. 2ª.8.D
Vētris īferioris anatomia qūo incipiēda, & pficiēda. 5°. de anat. 1ª.87.E
in *Ventris inferioris ſectione linea candida oſtendit ſectionem recte factam. 5°. de anat. admin.* 1ª.87.H
Venter prægnantis quomodo incidi debeat, eſt antiquum inuentum. 6°. de decretis Hippocratis. 1ª.265.B
ad *Ventrem adſtrictos teſtes habent ſues. 1°. de ſemine.* 1ª.334.F
in *Ventre fœtus animans quando eſt. 15°. de vſu par.* 1ª.212.D
Vēter magnus qūo habeat viſcera. de vict. rat. in mor. ac. c. 2°. 7ª.120.C
Vēter puus quo mō habeat viſcera. de vic. ra. in mor. acu. c. 2°. 7ª.120.G
Venter mollis, & corpatus in omni morbo ſit. in pgnoſt. cō. 2°. 4ª.199.F
Ventrem lenem habere ſupra omnia conducit calculo renum. de renum aff. dign. & med. 7ª.195.E
Venter craſſus mentem ſubtilem non parit. ad Thraſ. 2ª.107.H
Vētris ſeu abdominis ſuturæ vocātur gaſtroraphiæ. de muſ. diſſ. 1ª.50.C
Venter inferior durus fit ī aquilonijs tēporibus. cō. 3°. aph. 5°. Ex.20.D
in *Ventre quæ ſunt cur duriora fiunt aere frigido exiſtēte. in 6^{m}. de morbis vul. commen. 5°.* 3ª.193.D
Ventre cur frigeſcit in aliquibus hyeme. de nat. hu. com. 1°. 1ª.32.E
Venter frigidus, & ſiccus qūo pice illinendus. 7°. meth. me. 7ª.47.B
Ventris denſitas ob cutis raritatem. in 6^{m}. de mor. vul. cō. 3°. 3ª.169.G
Venter recte habens & male habens per quæ trahat, & ad quæ demittat. 3°. de ſympto. cauſis. 3ª.25.G
à *Ventre quæ excernuntur ipſæ circa hęc particulæ ſe contrahunt. 2°. de ſymptom. cauſ.* 3ª.21.E
Venter quo modo excernat exprimendo eo modo quo manus exprimit aliquid. 2°. de ſymp. cau. 3ª.21.E
Ventris excrementa non excludentur ſi muſculi abdominis ocientur. 3°. de ſanitate tuenda. 2ª.77.B
Ventris excrementa facilius exeunt, quàm excremēta thoracis, & pulmonis. 3°. de ſan. tuen. 2ª.77.B
Ventris excrementa quomodo excernantur. 3°. de ſan. tuen. 2ª.77.B
Vēter excernēdo euacuat cauſam, q moleſtat. de nat. hu. c. 2°. 7ª.182.H
de *Ventris paſſionibus. de dynam.* Sp.27.A
Ventris paſſiones, dolores, & dyſenteria, tranſuerſio ventris, lienteria naſcuntur conceptis in bilis horis ex rheumate ſicco per corpus delato. de ſpermate. Sp.37.C
Ventre, veſica, capite, & thorace origo infirmitatis vel ſanitatis oſtenditur. de dynam. Sp.19.G
Ventris conſtrictionem malam cum animi turbatione, & anguſtia oſtendit vrina crocea ſi guttatim ſtillando fuerit egeſta. de dyna. Sp.34.B
Ventris crepitus ſymptoma. 2°. de ſymp. cau. 3ª.21.E
Venter his aqua repletur, & moriuntur, quibus hepar aqua plenum in omentum eruperit. com. 7°. aph. 55°. Ex.58.H
Ventris expultricis facultatis ſymptomata quæ. de ſymp. diff. 3ª.12.G
Ventri inferior ad vrinam, & ſudorem reuocatur. de hirud. reuulſ. cucurb. & ſcarif. 6ª.2.D
in *Ventrem quæ fluxerunt trahuntur ad mammas. de hiru. reuulſione cucurbit. & ſcarif.* 6ª.2.D
in *Vētris et iecoris venis ardēs febris. in 1^{m}. de mor. vul. c. 2°.* 3ª.109.H
in *Ventre, & iecore ob materiam fit febris ardens. in 3^{m}. de morb. vul. commentario 3°. 131.G|* 3ª.143.F
in *Ventris paſſionibus conſidera ſola excrementa ſi ſine febre, ſi cum febre, vrinas. 1°. de criſ.* 4ª.128.D
Ventris paſſionum curatio. de dynam. Sp.27.A
in *Ventris dolore forti partium extremarum frigiditas, malum. commētario 7°. aphoriſ. 26°.* Ex.55.G
Vētris imi dolor qd ſignat. c. 4°. aph. 8°. 36.H|c. 7°. aph. 39°. Ex.37.A|B
Venter imus proprie ſignificat partem ventris quæ vmbilicum, & pudenda interiacet. com. 2°. aph. 35°. Ex.17.E
ad *Ventris dolores ob frigidos humores valet chamęmelum puluerizatum, & malaxatum cum melle. de med. exper.* Sp.106.D
ad *Ventris & coxæ dolorem in mulieribus. de paſſ. mul.* Sp.95.H
ad *Ventris dolorem. de med. fac. par. 7ª. 167.D|F| de dynami. 27.A|G de paſſ. mul.* Sp.95.H
in *Ventre dolor Galeni vbi fuerit. 2°. de lo. af.* 4ª.9.D
in *Ventre durities. ſecretorum.* Sp.100.H
ad *Ventris lumbricos. de med. fac. par. 7ª. 175.D| ſecretorum.* Sp.97.B
Ventris murmur ſymptoma. 2°. de ſympto. cau. 3ª.21.E
ad *Ventris ſciſſuras. de med. fac. par.* 7ª.169.B
ad *Ventris ſudores à partu. de me. fac. par.* 7ª.169.B
ad *Ventris tormina. de me. fac. par. 167.D|* 7ª.170.A
ad *Ventris tortiones. de me. fac. par.* 7ª.167.F
ad *Ventris tormina, & inflationes. de me. fac. par.* 7ª.173.A
Venter quibus neglectis tumeſcat. de dyna. Sp.20.A
Ventris tumoribus profundis conuenit peplium. de dyna. Sp.21.A
Ventris tumorem ſedat vrtica. de ſimp. med. Sp.92.A
ad *Ventris tumorem. 2°. de anti.* 5ª.119.A
Ventrem perturbantes rugitus iuuans antidotus. 2°. de anti. 5ª.111.H
in *Vētre & inteſtinis ſanguis inflationē facit. 3°. de cō. me. ſ. l.* 5ª.149.A
Ventris inflationes & ſtrepitus ſentiuntur quando morbus in veſica naſcitur. de dynam. Sp.19.H
Venter inflatus quid ſignificet. in 1^{m}. prorr. com. 3°. 4ª.179.C
Venter quomodo vento impleatur. 2°. de compo. medica. ſec. loc. 5ª.135.G
in *Vētre vētoſitatē multā gigni qd phibeat. de mel. ex Gal. R.* Sp.110.B
ad *Ventris ventoſitatem & dolorem, remedium. de dyna.* Sp.26.H
ad *Ventris ventoſitatem. ſecretorum.* Sp.99.C
ad *Ventris morbos. 2°. de anti.* 5ª.116.D
in *Ventrem cubare quo modo malum. in progn. com. 1°.* 4ª.193.H
in *Vētre īferiori ſi ſit dolor iacendū. de vic. ra. ī mor. acu. c. 4°.* 7ª.151.D
Ventrem replet orobum. de ſimp. me. Sp.88.F
Ventrem deſiccat milium. 7°. de ſimp. me. fac. 5ª.50.D
Ventrem exiccat refrigeratio extrinſeca. in 6^{m}. de morbis vulgaribus, commentario 5°. 3ª.193.D
Ventrem humectat et lenit refrigeratio intrinſeca. in 6^{m}. de morbis vul. commentario 5°. 3ª.193.D
ex *Ventre inferiori quæ ſoluuntur, per quas vias ſoluantur. de victus ratio. in morbis acutis, commentario 4°.* 7ª.151.D
Vētrē nō facile ſolubilē hūs, habet peſſimū ſtatū. 6°. de ſan. tu. 2ª.99.B
Ventris inferiores partes debilitatę faciunt leuitatem inteſtrinorum. 3°. de ſimplicium medicament. facul. 5ª.23.F
p *Ventrē excretio nō eſt toto gñe præter naturā. de ſymp. diffe.* 3ª.13.H
Venter & veſica, & renes, vrinæ diuerſæ totum corpus expurgant. in 1^{m}. de morb. vulg. com. 2°. 3ª.111.F
per *Ventrem quæ promptius euacuentur. ars med.* Iſa.71.E
per *Ventrem educendi ſunt humores ex ſimo hepatis. de cath.* Sp.94.G
Ventris onus non deijciunt animo vacillantes. de palp. 3ª.60.A
Venter deijcitur ſtomachum imbecillum habentibus, cum poſtremo adſtringentis quippiam ſumunt. 2°. de alim. fac. 2ª.20.B

Ventri qui

Ventri qui cruda egerit non eſt medicamentum exhibendum. de victus rat.in mor.acu.com.4°. 7ª.150.F
in Ventre adſtricto clyſterem mollem adhibe. de victus ratio.in morb. acu.commentario.4°. 7ª.151.C
Ventrem mollificantibus,& deſcēdere faciētibus indigemus q̄n ſupflui tas cibi eſt difficilis deſcēſus de ſtomacho,& iteſtinis.de diſſ.Sp.71.G
Vētris ſubductio cōuenit in cauſo.de vict.ra.in morb.acu.c.4°. 7ª.135.B
Ventrem mollitur ſubducentia exhibenda in tertiana notha & ſæpe.1°. de ar.curatiua ad Glauconem. 7ª.97.E
cum Ventris profluuio febris non indiget euacuatione, aliter obeſt.1°. de art.cur. ad Glau. 7ª.98.B
Vēter q̄n ſubducēdus in pleuritide.de vic.rat.in mor.acu.c.2°.7ª.117.H
Ventris purgatio rheumatiſmos ſtringit.de dyna. Sp.20.F
Venter ante cucurbitulas emolliatur.de cucurb.ſcarif. 6ª.3.C
VENTREM lenientia quæ ſint.de diſſol.cont. Sp.75.A
ad Ventrem leniendum quæ excitent.de diſſ.cont. Sp.75.B
Ventrem quæ ſoluant hyeme.5°.de ſan.tuen. 2ª.92.E
Ventris cenotica.ars med.Iſa.70.D|de cathar. Sp.95.D
Ventrem tenuat,& expellit inflationem Acetum miſtum cum melle.de diſſolut.continua. Sp.74.G
Ventrem purgat Agaricum.de ſimp.med. Sp.80.E
Ventrem ſubducit Aloe.6°.de ſimp.med.fac. 5ª.42.C
Ventrem ad excretionem irritant Caricæ.2°.de alim.fac. 2ª.17.F
Ventrem purgat Centaurea.de ſimp.med. Sp.82.A
Ventrem purgat Chamælea.de ſimpli.me. Sp.85.F
Ventres ſolubiles facit cholera rubra.de dyna. Sp.19.E
de Ventre liquido cum bilis excretione.de victus ratione in morb.acu. commentario.4°. 7ª.148.F
Ventrem mollientes Cibi.de puero epilep. 7ª.180.C
Ventrem incitat Cicer.1°.de alim.fac. 2ª.14.B
Ventrem totum purgat Cnicum.de ſimp.med. Sp.83.B
Ventrem purgat Colocynthis.de ſimp.med. Sp.89.C
Venter ſubducitur Cyclamine abdomine illito.7°.de ſimp.me.fa.5ª.53.E
Ventris fluxus Augetur Denſantibus & refrigerantibus.1°.de art.curatiua ad Glauconem. 7ª.99.B
Ventris ſunt purgatiua Ebuli folia.de ſimp.med. Sp.84.B
Ventrem ſubducunt marini Echini.de atten.vic. 2ª.45.B
Ventrem,& viſcera purgat Elaterium.de ſimp.med. Sp.83.G
Ventrem vtiliter laxant herba albiora.de ſimp.med. Sp.85.B
Vēter quo modo ſubducatur Eruiala,& phaſelis.1°.de ali.fac. 2ª.14.F
Ventrem cito permeat Faba.1°.de alim.fac. 2ª.13.H
Ventrem prompte permeant Ficus.2°.de alim.fac. 2ª.17.E
Ventrem deponunt ficus nimium comeſtę.de ſimp.med. Sp.84.C
Ventrem mollientes vires habet Filix.de ſimp.med. Sp.84.D
Venter ſoluitur Lacte aſinæ pro ſanguine ſupprimendo. de victus rat.in mor.acu. com.4°. 7ª.152.F
Ventrem magis ſubducit lac aſinæ omnibus alijs.de vict.ratio.in morb. acutis,commentario 4°. 7ª.148.F
Ventrem lenit aquoſitas lactis.de diſſ.cont. Sp.75.B
Ventrem ſubducunt Lapathi folia.de ther.ad Piſ. 5ª.90.H
Ventrem viſcide purgat Lathyris.de ſimp.med. Sp.86.E
Ventrem prouocat decoctum Lentis.8°.de ſimp.me.fac. 5ª.63.B
Ventrem ſoluit iuſculum ex lente.2°.de alim.fac. 2ª.13.D
Ventrem lenit Mel non coctum.de diſſol.cont. Sp.75.A
Ventrem non lenit mel ſi coquatur.de diſſ.cont. Sp.75.B
Ventrem purgat Mercurialis.7°.de ſimp.me.fac. 5ª.55.G
Ventrem laxant Mora.de ſimp.med. Sp.87.H
Ventrem ſubducit morum maturum.7°.de ſimp.med.fa. 5ª.56.C
Ventri leniciam reddit Oleum.de ſimp.med. Sp.88.D
Ventrem ſoluit oleum ex grano cnidio.6°.de ſimp.me.fac. 5ª.47.A
Ventrem ſubducit oleum cicinum.6°.de ſimp.me.fac. 5ª.47.A
Ventrem detrahit Origanum.de ſimp.med. Sp.88.E
pro Ventre expurgando Panax debet miſceri mulſæ aquoſæ multæ. de vict.ratione in morb.acu.commen.4°. 7ª.144.C
Ventrem mouet Polium.de ſimp.med. Sp.89.A
Ventrem ſoluit Polypodium.de ſimp.med. Sp.89.C
Ventrem leniunt Poma,& granata acetoſa,ſi inueniunt in ſtomacho humorem malū,& craſſum,quē incidunt,& expellunt.de diſſ.Sp.75.C
Ventrem ſubducit Prunus.7°.de ſimp.me.fac. 5ª.51.H
Ventrem relaxat Raphanus.de ſimp.med. Sp.89.F
Venter excitatur à Salſis,& acribus.2°.de alim.fac. 2ª.22.F
Ventrem viſcide purgat Scammonium.de ſimp.med. Sp.90.D
Ventrem ſubducit Serum.10°. de ſimplic.medicam.facultatibus. 73.G| de theria.ad Piſ. 5ª.90.H
Ventrem ſoluit acrimonia ſua Spondylium.de ſimp.med. Sp.91.B
Ventrem ſoluit decoctio Squinanti.de med.exper. Sp.107.B
Ventrem leniunt Vinum dulce,& muſtum.de diſſ.cont. Sp.75.B
Ventrem procurat vinum recens.de ſimp.med. Sp.92.C
Ventrem procurat vinum roſatum.de ſimp.med. Sp.92.C
Ventrem procurat vinum ſambucatum.de ſimp.med. Sp.92.C
Ventrē infundit & procurat botrus vuæ imaturæ.de ſimp.me.Sp.92.B
Ventrem laxat zingiber.de ſimp.med. Sp.90.D
ad Ventrem ſoluendum catapotia Galeni.de dynamidijs. Sp.27.F
Ventrem laxans electarium probatum.de med.exper. Sp.106.G
ad Ventrem ſoluendum panus.de dyna. Sp.27.F
ad Ventris| olutionem aliud remedium.de dynamidijs. Sp.27.F
ad Ventrem laxandum remedium.de dyna. Sp.27.F
Ventres humidi natura minus ægrotant.com.6°.aph.32°. Ex.49.H
Vēter ſuſcipit humidas ſupfluitates cerebri.com.6°.aph.32°. Ex.49.H
Ventris ſolutio ſuperflua ſignum humectati, & infrigiditati corporis. ſecretorum. Sp.98.G
ex VENTRIS ꝓfluuio defectus animi.1°.de ar.cur.ad Gla. 7ª.98.E
Ventris ſanguis, qualis.com.2°.aph.43°. Ex.18.D
Ventrem inferiorem calidum habētes cum acribus deiectionibus ob colliquationem id patiuntur.de vic.ra.in mor.ac.com.4°. 7ª.149.B
Ventrem inferiorem habentes cum calidis deiectionibus quo potu debēt vti.de vict.ra.in mor.acu.com.4°. 7ª.149.B
Ventris fluxiones quæ.in 1m.de mor.vul.com.2°. 3ª.111.C
Ventris profluuia fiunt à materia deſcendente ad ventriculū à cerebro. commentario 6°.aphoriſmo 2°. Ex.46.E
Vētris profluuia cur fiant ęſtate,& q̄uo.commen.3°.aph.21°. Ex.24.D
Ventris flux us longi potius conſiſtentibus,q̄ iuuenibus.commētario 3°. aphoriſmo.30°. Ex.26.E
Ventris difficultates quare ex atra bile potius iuuenibus q̄ conſiſtentibus.commen.3°.aphoriſmo 30°. Ex.26.E
Ventris fluxus fortis ſi ſuperuenerit laborat,qui alba pituita detinetur. cōmentario 7°.aph.29°. Ex.55.H
Vētris prærubra proluuies cur mala.in 3m.de mor.vul.cō.2°. 3ª.139.H
Ventris proluuies quid ſit.in 1m.prorrh.com.1°. 4ª.162.H
Venter quæ emittit ſi ſint liuida,ſanguinea,billoſa,fœda,mala, cum vero bene excernuntur,bonum eſt.com.7°.aph.65°. Ex.60.E
ex Ventris profluuio,& vomitibus diuturnis euacuationes diuturnæ ſiccitatem faciunt.1°.de diff.feb. 3ª.34.D
Ventris leuitate multa,& vitalis roboris exolutione tremor fit.de tremore & palpit. 3ª.52.H
Ventris profluuiorum validorum pulſus.de pulſ.ad Tyr. 4ª.44.H
Ventris ꝓfluuiorū diuerſæ cauſæ variāt curationē.de med.ex.Sp.103.H
Ventrem ſtringentia cum ſtypticitate,& ponticitate.de diſſol. Sp.75.B
Ventrem ſtringentia cum ſiccitate,quæ.de diſſ.cont. Sp.75.B
Ventrem ſtringentia ob craſſitiem.de diſſ.cont. Sp.75.B
Vēter tāto magis adſtringitū,q̄to fuerit euacuatus.5°.de ſan.tu. 2ª.92.G
Venter quibus hyeme ſtringitur.5°.de ſan.tuen. 2ª.92.G
VENTREM claudentes,quæ.de diſſol.cont. Sp.75.B
Ventrem ſiſtunt Acida,ſi purum inuenerint.2°.de alim.fac. 2ª.19.G
Ventris profluuium ſiſtit Adiantum.6°.de ſimp.med.fac. 5ª.41.E
ad Ventris profluuium immoderatum vſus adſtringentium conuenit. de vict.rati. in morbis acutis,comment.1°. 7ª.111.G
Ventrem conſtipat qualitas adſtringens.2°.de alim.fac. 2ª.19.A
Ventris profluuio prodeſt Amylum.de ſimp.med. Sp.80.A
Ventrem ſiſtit ſuccus Auſterus.2°.de alim.fac. 2ª.20.G
Ventrem laxum firmant omnia auſtera.de bon.& vit.ſucc. 2ª.38.D
Venter ſiſtitur ab auſteris,& acerbis.2°.de alim.fac. 2ª.22.F
ad Vētris & vteri profluuia omnes medici vſi ſunt Balauſtio.6°.de ſimpli.medicamen.facultatib. 5ª.44.F
in Ventris fluxionibus Balnea aptiſſima.1°.de arte cu.ad Gl. 7ª.99.A
Ventris profluuia iuuat Bromus.6°.de ſimp.me.fac. 5ª.45.D
ad Ventris fluxū ſanguis Caprarum toſtus.10°.de ſim.me.fa. 5ª.73.B
Ventrem ſtringunt Caricæ.de ſimp.med. Sp.84.C
Ventris fluxui obnoxijs paſſionibus prodeſt Caudæ equinæ ſuccus.6°.de ſimplicium medic.facul. 5ª.48.G
Ventris humoris,& ſanguinis profluuio Chalcitis vtiliſſima eſt.de ſimplici.medicam. Sp.81.G
Ventris imbecillitates fluxusq́; ac humiditates ſanant Ciſthi flores.7°.de ſimplicium medic.faculta. 5ª.51.D

Ventrem reſtringit

Ventrem reſtringit valenter Cornus.7°.de ſimp.med.fac. 5ª.52.G
Ventris fluxus reſiccat Gramen.6°.de ſim.me.fac. 5ª.41.C
Ventrem ſtringit ſuccus Hordei immaturi.de ſimp.me. Sp.90.A
Ventrem ſiſtit Hippomarathrum.7°.de ſimp.medic.fac. 5ª.55.B
Ventrem ſtringit Hypericon.de ſimp.med. Sp.92.E
Ventris profluuium reprimit Hypociſthis.de ſimp.med. Sp.92.E
Ventris fluxus deſiccat Iuncus leuis.8°.de ſimp.me.fac. 5ª.61.A
Ventrem ſiſtunt Lentes,& deſiccant.8°.de ſimp.me.fa. 5ª.63.B
Ventrem ſtringit Lenticula.de ſimp.med. Sp.86.B
Ventris fluxui vtilis Lentiſcus.de ſimp.med. Sp.86.B
Ventrem ſiſti à Macere cur credimus.de ſubfig.emp. Iſa.33.C
Ventrem ſtringunt Meſpila.7°.de ſimp.me.fac. 5ª.52.G
Ventrem cohercet mire meſpilum,qm̃ acerbũ.7°.de ſimp.me.fa. 5ª.55.F
Ventrem ſtringit ſuccus Mororum ſylueſtrium.de ſimp.med. Sp.87.H
Ventris fluxum Myrta emendat.de ſimp.med. Sp.87.E
Ventrem cohibet placenta ex Oleo craſſi ſucci.1°.de alim.fac. 2ª.10.E
Ventrem ſiſtit Orchis ſcrapias.8°.de ſimp.me.fac. 5ª.57.F
Ventrem mediocriter ſiſtit Oriza.8°.de ſimp.med.fac. 5ª.57.F
Ventris fluxiones deſiccat Ouũ coctũ cũ aceto.11°.de ſimp.me.fa. 5ª.81.E
Vẽtris ꝓueniẽtes fluxiones ſiſtit Peoniæ radix.6°.de ſimp.me.f. 5ª.45.G
Ventrem ſiſtit Piceæ cortex.8°.de ſimp.me.fac. 5ª.58.F
Ventrem ſtringit Pomum granatum.de ſimp.med. Sp.87.C
Ventrem ſtringunt poma, & granata acetoſa ſi inueniunt ſtomachum mundum à malis,& craſſis humoribus.de diſſ.cont. Sp.75.C
Ventris fluxui conueniunt Pontica,& auſtera.de atten.vic. 2ª.45.H
ad Ventris fluxus commoda eſt membrana,quæ eſt ſub cortice Roboris & ſub glande eius.6° de ſimpl.medicam.facul. 5ª.46.E
ad Ventris profluuium idonea remedia ſunt Rubi fructus,& flos. 6°.de ſimplic.medi.facul. 5ª.44.G
Ventrem deijciunt ſub Salſa & ſub amara.7°.de ſimp.me.fac. 5ª.52.H
Ventri fluenti cibus vtiliſſimus Sorba,& meſpila.2°.de ali.fa. 2ª.20.F
in Ventre conſiſtentes fluxiones deſiccat Spica nardi. 8°. de ſimplic.medicamen.facult. 5ª.56.G
ad Ventris ꝓfluuia cõpetit Terra armenica.9°.de ſim.me.fac. 5ª.66.G
Ventrem ſtringit Tritici ſiligo.de ſimp.med. Sp.90.A
Ventris fluxibus confert Vinum cyrrhum auſterum.de vinis. Sp.76.F
Ventrem ſtringit botrus Vuæ immaturæ.de ſimp.me. Sp.92.B
Ventris omnibus affectibus cum profluuio iunctis impendio conferunt acinorum vuæ nuclei.6°.de ſimplicium med.facul. 5ª.45.E
ad Ventris nimiam ſolutionem clyſtere vtile.de dyna. Sp.27.G
ad Ventris ſolutionem omnem pillulæ.de dyna. Sp.27.G
ad Ventris nimiam ſolutionem remedium.de dyna. Sp.27.B
ad Ventris fluxum immoderatum.ſecretorum. Sp.101.A
ad Ventris acres fluxiones.10°.de ſimp.medicament.facul. 5ª.73.G
ad Ventris profluuium.de med.fac.par. 7ª.167.G
ad Ventris fluxum valens medicamentum.de med.exper. Sp.104.G
ad Ventris fluxum.ſecretorum. Sp.99.F
ad Ventris ſolutionem.ſecretorum.98.D| Sp.99.A|B
ad Ventris ſolutionem & puncturam.ſecretorum. Sp.99.G
ad Ventrem ſtringendum ex quacunq; cauſa.de dyna. Sp.27.G
VENTILATIONE adunatur per commotionem granum ſeorſum à palea.de vtil.reſp. Sp.64.A
Ventilationis pulſuum,& reſpirationis vtilitas.11°.meth.me. 7ª.68.G
per VENTOSAE poros exit ignis.de vtilitate reſpirationis. Sp.64.D
Ventoſa in mammis ſtringit ſanguinem ex vtero.de cath. Sp.94.G
Ventoſam ad vmbilicum ponit.de med.fac.par. 7ª.166.D
Ventoſas neq; laudat neq; vituperat in ictero.de cura icter. Sp.110.H
per Ventoſam hepar poteſt euacuari.de cura icteri. Sp.110.H
per Ventoſam ſplen non poteſt euacuari.de cura icter. Sp.111.A
VENTOSITATEM fieri à caliditate diminuta, collige.commentario 4°.aphoriſ.11°. Ex.28.D
Ventoſitatem omnem deponit lens bene cocta.de puero epil. 7ª.180.H
Ventoſitas quæ non eſt ſubtilis tumorem non generat.de ocul. 7ª.189.E
Ventoſitatis aurium remedium.de dyna. Sp.25.A
Ventoſitatem in ſtomacho generat lac,& mel quando non coquitur. de diſſolutione continua. Sp.74.F
Vẽtoſitatem ſtomachi ſignificat ſpumoſa vrina ſuperius.de dyn. Sp.35.E
Ventoſitati ſtomachi conferens oleum.de dyna. Sp.27.C
ad Ventoſitatem ſtomachi remedium.de dyn. Sp.26.H
ad Ventoſitates vẽtriculi in melancholicis.de mel.ex Gal.Ru. Sp.110.B
ad Ventoſitatem ventris.ſecretorum. Sp.99.C
Ventoſitatem multam in ventre gigni quid prohibeat.de melan.ex Gal. Ruſo & Poſſido. Sp.110.B
Ventoſitatis matricis ſigna,& curatio.de paſſ.mul. Sp.96.A
ad Ventoſitatem in teſticulis.ſecretorum. Sp.100.B
ex Ventoſitate craſſa dolor quomodo curetur.de ocul. 7ª.189.H
ex Ventoſitate colicæ quid ſuccurrat.de med.exper. Sp.107.E
ex Ventoſitate natis paſſionibus conuenit epithimum.de dyn. Sp.21.B
ex Ventoſitate factis paſſionibus conuenit peplium.de dyn. Sp.21.A
Ventoſitates quando ſunt multę,quid fieri oporteat.de med. Sp.106.A
Ventoſitatem craſſam quid fuget.ſecretorum. Sp.101.F
Ventoſitatibus craſſis rheumatizantibus prodeſt omphacomeli. de dynamidijs. Sp.22.C
Ventoſitatem diſſoluentes ſpecies.de diſſ.cont. Sp.74.G
Ventoſitates craſſas diſſoluens medicina.de med.exper. Sp.105.A
Ventoſitates craſſas laxans,& diſſoluens medicina.de med. Sp.105.F
Ventoſitates diſſoluens decoctio.de me.exper. Sp.105.D
Ventoſitatem expellens medicina.de med. Sp.104.E
Ventoſitates diſſoluẽs medicina.de med.105.A|G|106.A|B| Sp.108.D
Vẽtoſitates diſſoluens electarium.de me.exper.105.F|107.A| Sp.108.D
Ventoſitatibus craſſis valens electarium.de me.exper.105.B| Sp.108.D
ad Ventoſitates electarium.de me.exper.106.G| Sp.108.D
ad Ventoſitatem & capitis dolorem theriaca.de me.exper. Sp.106.H
ad Ventoſitatem fortem.de me.exper. Sp.107.E
Ventoſitati conferens compoſitio.ſecretorum. Sp.101.H
ad Ventoſitatem.ſecretorum.102.E|H|de cura lap. Sp.112.C
VENTOSI proprie qui ſint,& vnde.com.5°.aph.72°. Ex.45.F
Ventoſi non ſunt qui regio morbo laborant.com.5°.aph.72°. Ex.45.F
Vẽtoſa ſunt oĩa legumina potiſſimũ faba,et cicera.de pue.ep. 7ª.180.H
Ventoſa eſt ptiſſana non diligenter cocta.de puero epil. 7ª.180.H
Ventoſa ſunt vina dulcia.de vinis. Sp.76.E
Ventoſi fructus euitãdi ſunt ab ictericis,& qui edendi.de cura. Sp.111.D
ad VENTICVLOSOS. de med.fac.par.167.F|170.A| 7ª.176.D
VENTRICVLVS, nec ventriculi os eſt muſculus. 3°.de ſymptomatũ cauſis. 3ª.25.E
Ventriculus.fin.med. Iſa.44.A
Vẽtriculus eſt cauitas ampliſſima ĩter ꝑtes aĩalis.3°.de na.fa. 1ª.302.F
de Ventriculo librum fecit Eraſiſtratus,quem vituperat Galenus.commentario 6°.apho.1°. Ex.46.B
Ventriculi ſectio.6°.de ana.adm. 1ª.92.D
Ventriculus poteſt videri extra animal.3°.de ana.adm. 1ª.81.H
Ventriculos cum format natura quid agat.2°.de ſemine. 1ª.339.F
Ventriculi totius natura conſideranda eſt inteſtinis exemptis.6°.de anatom.adminiſt. 1ª.92.B
Ventriculus in medio animalis eſt.4°.de vſu partium. 1ª.135.G
Ventriculus vt in medio eſt iuuatur ſuperiorum,& inferiorum exercitatione.5°.de ſanitate tuenda. 2ª.90.B
Ventriculus medius inter abdomen & ſeptum.3°.de ſan.tu. 2ª.77.B
in Ventriculi os ne qd aſcẽderet natura poſuit ſeptũ.5°.de vſu. 1ª.147.C
Vẽtriculus talẽ hẽt ſtructurã à natura,qualẽ neruus.2°.de ana. 1ª.73.D
Ventriculus in duas partes ſecatur.6°.de loc. affec. 4ª.36.D
Ventriculi os diſtinguitur à ſpacio ipſius.1°.de loc.aff. 4ª.6.C
Ventriculi os muſculus eſt.1°.de motu muſculo. 1ª.309.F
pro Ventriculi ore ſtomachus.3°.de loc.aff.20.A|6°. 4ª.41.D
Ventriculi os tẽpore Galeni ſtomachus vocabatur.5°.de loc.aff. 4ª.33.F
Ventriculi os etiam ſtomachus dicitur.com.6°.aph.39°. Ex.50.H
Ventriculi os ſtomachum vulgus vocauit.4°.de differen.pulſ. 4ª.103.C| 12°.methodi medendi. 7ª.80.A
Ventriculi os vſitato nomine ſtomachus dicitur.de præcog. 4ª.217.E
Ventriculi os dicitur ſtomachus per abuſum. de cur.rat.per ſangu.miſſ. 6ª.15.G|8°.meth.med.7ª.53.C|com.7°.aph.56°. Ex.59.A
Ventriculi os ſtomachus eſt.de pulſ.ad Tir.4ª.46.C|de vict.ra.in mor.acu.commen.4°. 7ª.140.G
Ventriculus cur non ſtatim poſitus poſt os.4°.de vſu par. 1ª.136.F
Ventriculi os quo modo ſituetur.4°.de vſu par. 1ª.139.A
Ventriculus cur magis eſt in dextera parte.4°.de vſu par. 1ª.136.G
Ventriculum cur ambit iecur.4°.de vſu par. 1ª.137.C
Ventriculus cõplectiĩ lobis à iecore quaſi digitis.7°.de vſu pa. 1ª.159.H
Vẽtriculus retro habet ſpinã,et muſculos ſpinales.4°.de vſu p. 1ª.137.C
Ventriculi propugnaculum eſt ſpina.4°.de vſu par. 1ª.137.C
Ventriculi forma cur rotunda & oblonga.4°.de vſu par. 1ª.136.G
Ventriculi fundus in hoĩbus eſt latior orificio.4°.de vſu par. 1ª.136.H
Ventriculus in brutis tendit verſus anteriora ad hypochondrion,propterea quod id illis eſt deorſum.4°.de vſu par. 1ª.136.H

Ventriculi

Ventriculi figuræ exemplum.4°.de vſu partium. 1ª.136.H
ex Ventriculi figura diſponitur iecur.4°.de vſu part. 1ª.137.C
Ventriculi terminus inferior pyloron dicitur, et ſitum habet prope iecur ad dexteram.de ven.art.diſſ. 1ª.55.H
Ventriculi ſiniſtræ partes caleſiunt liene.4°.de vſu par. 1ª.137.C
Ventriculus caleſit muſculis ſpinalibus.4°.de vſu partium. 1ª.137.C
Ventriculi os cur latum.4°.de vſu par. 1ª.136.H
Vētriculi pars quę ingredit̃ inteſtina cur ſtricta.4°.de vſu pa. 1ª.136.H
Ventriculorum quorundam diſpoſitiones.4°.de vſu par. 1ª.136.H
Vētriculi ps οἰσόφαγος ē illa ps ab or̃ ad vētriculũ.4°.de vſ.p. 1ª.137.A
ad Ventriculum via eſt in thorace.1°.de loc.aff. 4ª.6.C
ad Vētriculũ via nutrimēti maxª cōis et publica ē os.4°.de vſ.1ª.135.G
in Ventriculi fundo exortus qui, & qualis.5°. de vſu partium.1ª.142.F
Vētriculi fundo ĩteſtinũ inhęrēs nō ē pars vētriculi.4°.de vſu. 1ª.137.A
Ventriculo primũ inteſtinũ cōiunctũ, quod, & vbi.5°.de vſu p. 1ª.142.E
Ventriculo, & inteſtinis quæ communia.6°.de lo.aff. 4ª.36.A
à Vētriculo ĩteſtinorũ ſuba non multũ diuerſa eſt.4°.de vſu p.1ª.140.F
Ventriculus quod non inhęreſcat ano.4°.de vſu partium. 1ª.140.F
Ventriculi fundus poteſt peruenire ad anum.4°.de vſu part. 1ª.140.F
Ventriculus in nullo animali eſt contiguus inſtrumentis, quibus ſuperflua deijciuntur.4°.de vſu par. 1ª.140.F
Ventriculi compoſitio.6°.de anat.adm. 1ª.92.D
Ventriculi duæ tunicæ.6°.de anat.adm. 1ª.92.C
in Ventriculo cur duæ tunicę.5°.de vſu par.146.B/14°. 1ª.209.E
Ventriculi duæ ſunt tunicæ factę ob aliquē finē.3°.de nat.fac. 1ª.304.E
Ventriculi tunicæ quales.5°.de vſu par. 1ª.145.G
Ventriculi tunicæ perueniunt vſq; ad os, & q̃uo ſint.3°.de nat. 1ª.304.E
Ventriculi tunicæ cur habent contrarias inter ſe fibrarum diſpoſitiones. 3°.de nat.fac. 1ª.304.E
Ventriculus cur habeat omne genus fibrarum.5°.de vſu par. 1ª.146.A
Ventriculus quas habeat fibras.2°.de tēp.18.A/6°.de ana.ad. 1ª.92.D
Ventriculi tegmen craſſiſſimum omnium.4°. de vſu partium. 1ª.140.E
Ventriculus cur non indigeat operimento.6°.de vſu par. 1ª.148.F
Ventriculi tunica cur craſſa.5°.de vſu par. 1ª.146.B
Vētriculus hēt tunicas carnoſas et quodāmō calidas.5°.de vſ.1ª.146.B
in Ventriculo tunica interna membranoſior habet villos rectos ſemper ſurſum tendentes.4°.de vſu par. 1ª.137.A
Ventriculi tunicæ externæ cur hñt villos trãſuerſos.5°.de vſu.1ª.146.A
Ventriculi tunicæ internæ cur hñt villos rectos.5°.de vſu par. 1ª.146.A
Ventriculi interna tunica facit guttur.de vic.rat.ĩ m.ac.c.4°. 7ª.127.H
in Ventriculo tunica externa carnoſior habet villos tranſuerſos. 4°.de vſu partium. 1ª.137.A
Ventriculi tertiæ tunicæ generatio vnde.4°.de vſu par. 1ª.138.A
Ventriculi tertia tunica eſt peritonæum.6°.de anat.adm. 1ª.92.D
Ventriculi cur tunica vna continua.4°.de vſu par. 1ª.137.B
Ventriculus, eius os, & ſtomachus vna tunica iũgunt̃.7°.de vſ.1ª.157.D
Ventriculo, gulæ, linguæ, & toti ori tunica communis eſt. in prognoſtic. commentario 3°. 4ª.210.G
Ventriculus habet vnam tunicam communem ad linguam. commentar. 6°.aphoriſmo.32°. Ex.50.A
Ventriculo gratis ſuccis gaudet lingua.1°.de ſymp.cauſ. 3ª.17.D
Ventriculi, & linguæ ſocietas quæ.1°.de ſymp.cau. 3ª.17.D
Ventriculi partes internæ cur duriores, & denſiores partibus inteſtinorum.4°.de vſu par. 1ª.137.B
Ventriculum aſperũ, & magnũ aĩalia habentia.6°.de ana.adm.1ª.90.D
Ventriculus vnde fiat aſper.de cauſ.mor. 3ª.9.C
Ventriculos plures habet animal non habens dētes ſuperiores.6°.de anatomicis admin. 1ª.90.D
Ventriculum duplicem habent hædi.6°.de loc.aff. 4ª.42.B
Vētriculus ſecũdus dari nō debet primo cōiunctus.4°.de vſ.p.1ª.140.G
Ventriculus quam habeat carnem.2°.de temp. 1ª.18.A
Ventriculi ſunt durioris ſubſtantiæ quàm caro, & quales. de bonita.& vitio ſuccorum. 2ª.37.B
Ventriculus cur craſſus.5°.de vſu par. 1ª.146.C
Ventriculi corpus gracile habentes deterius concoquunt, quàm qui craſſum, & carnoſum.5°.de vſu par. 1ª.146.B
Ventriculi corpus qua temperie effectum.3°.de ſymp.cau. 3ª.25.A
Ventriculus quam habeat caliditatem.2°.de temperam. 1ª.18.A
in Ventriculo cur venæ paucæ.4°.de vſu par. 1ª.137.C
in Ventriculi ore cur venæ paucæ.4°.de vſu par. 1ª.137.C
in Ventriculum vena vnde oriatur.16°.de vſu par. 1ª.220.H
in Ventriculum venarum diſtributio fit ſimul cum arterijs.16°. de vſu partium. 1ª.220.H
in Ventriculo venæ, & arterię ſe contingunt.9°.de vſu par. 1ª.172.H
quod Ventriculus eſt venis, id venæ ſunt arterijs.6°.de vſu pa.1ª.155.C
Vētriculus habet venas, & arterias vt viuat.2°.de ana.adm. 1ª.73.B
Ventriculus vnde accipiat arteriam.16°.de vſu par. 1ª.219.A
Vētriculus cur habeat vincula fortia, et opimēta.4°.de vſu p. 1ª.138.B
Ventriculi muſculi qui.5°.de vſu par. 1ª.145.H
VENTRICVLI officium.intro.Iſa.54.D/in progn.c.2°. 4ª.197.F
Ventriculi vſus qualis.11°.methodi medendi. 7ª.72.E
Ventriculi opus quale.2°.de art.curatiua ad Glauconem. 7ª.103.B
Ventriculi officium quale ad vitam.7°.methodi meden. 7ª.49.C
Ventriculus pars propria ad vitam.fin.med. Iſa.45.E
Ventriculus neceſſarius omni animanti.6°.de anat.adm. 1ª.90.D
Ventriculus eſt quaſi promptuarium commune omnium particularum corporis.4°.de vſu par. 1ª.135.G
Ventriculus eſt vas nutrimenti.intro. Iſa.54.B
Ventriculus deſeruit nutritioni.4°.de præſ.ex pul. 4ª.119.F
Ventriculus primum cibi inſtrumentum.6°.de ana.adm. 1ª.90.C
Ventriculus habet vim attractricem, retentricem, excretricem, alteratricem.4°.de vſu par. 1ª.136.E
Vētriculus trahit, retinet, & depellit vt cor, unde habet multas fibras. 6°.de vſu partium. 1ª.150.D
Ventriculi ſolum tres vires enumerat alteratricem, expultricem, & retētricē, attractrice caret, quia fit à gulæ muſculis.1°.de cri. 4ª.129.C
Ventriculi tractus ſecundum Eraſiſtratum.1°.de nat.fac. 1ª.295.G
in Ventriculo vis retentrix.3°.de nat.facul. 1ª.303.B
Ventriculus ſolus & eius os habent ſenſum indigentiæ, quam non habēt aliæ partes.4°.de vſu par. 1ª.136.E
Ventriculi os inſtrumentum appetentiæ.5°.de lo.af. 4ª.32.H
Vētriculus eſt inſtrumentum appetendi cibum, & potum, potiſſimum eius os.de inſtr.odor. 1ª.111.E
Ventriculi cupiditas qua cibum potumq; appetit, animale officium eſt, quod citra ſenſum noſtrum non fit.6°.de loc.affe. 4ª.37.H
Ventriculi os appetit non cōcoquit.de vic.ra.in mor.ac.com.1°.7ª.111.F
Ventriculus habet neruum quo ſentit cibi, & potus defectum.9°.de vſu partium. 1ª.174.G
Ventriculi orificio maximi nerui tributi.5°.de vſu par. 1ª.145.C
Vētriculi orificium habet ſenſum alimēti deficiētis.5°.de vſu p. 1ª.145.C
in Ventriculo potus ſeruari poteſt longo tempore.6°.de lo.aff. 4ª.38.B
Ventriculi proprium corpus eſt elemētum ſenſibile.1°.de nat. 1ª.291.G
Ventriculus ſentit ſolum, & non habet motum voluntarium.16°.de vſu partium. 1ª.214.H
Vētriculus mouetur motu naturali nō volũtario.10°.de vſu p. 1ª.180.H
Vētriculus, vena, arteria, & neruꝰ diuerſo mō ſentiũt.de mul. 3ª.77.F
Ventriculi os valde ſenſibile eſt.5°.de vſu par. 1ª.143.E
Ventriculi os vehementiſſime ſentit.9°.de vſu par. 1ª.174.G
Ventriculi os exactiſſimum habet ſenſum.1°.de ſymp.cau. 3ª.17.G
Ventriculi os cur debuit habere magnum ſenſum.de inſtr.odor. 1ª.111.E
Ventriculi os cor dicitur.3°.de criſi.144.E/in progno.com.3°.4ª.210.F/com.4°.aph.17°.29.A/com.4°.aph.65°. Ex.34.D
Ventriculi os cur ab antiquis cor dictum.5°.de locis affectis. 4ª.32.E
Ventriculi os cur excellenter ſentit.1°.de ſymp.cau. 3ª.17.G
Ventriculi os propter quid habet ſenſum potiorē omnibus partibus corporis.3°.de locis affect. 4ª.18.C
Ventriculus valde ſenſibilis eſt eò ꝙ habet multos neruos, & magnos à cerebro.com.4°.aph.17°. Ex.29.A
Ventriculo mittuntur nerui à ſexta cōiugatione.16°.de vſu pa. 1ª.215.H
ad Ventriculi os neceſſario venit neruus à cerebro.16°.de vſu. 1ª.215.E
Vētriculi cauſa nerui ſunt tranſmiſſi deorſum.9°.de vſu par. 1ª.174.G
in Ventriculi os inſeritur plurima portio neruorum à capite oriētium. de ner.diſſec.54.E/16°.de vſu par. 1ª.216.E
Ventriculi os neruos habet magnos à cerebro.1°.de ſymp.cau. 3ª.17.H
ad Vētriculi os à cerebro neruorum magnitudo.3°.de lo.aff. 4ª.18.C
Ventriculi oris neruus minor eſt quàm ille oculi.de inſtr.odor. 1ª.111.G
Ventriculi nerui quales oriant̃ à principio.4°.de præſ.ex pul. 4ª.120.D
Ventriculus habet alterũ genus neruorum molle.16°.de vſu p. 1ª.215.A
Ventriculi nerui quanta ſecuritate deſcendunt.9°.de vſu par. 1ª.174.G
ad Vētriculum qua via, & q̃uo incedant nerui.9°.de vſu par. 1ª.175.B
ad Vētriculũ à cerebro nerui obliqua via ĩcedũt.6°.de vſu p. 1ª.149.G
Ventriculi bonus ſenſus quid agat.3°.de ſymp.cau. 3ª.30.D
Ventriculus hebetioris ſenſus quid agat.3°.de ſymp.cau. 3ª.30.D
in Ventriculo ineſt quandoque affectus, qualis hebetudo in oculo. 5°.de

ſimplicium

ſimplicium medicamentorum facultatibus. 5ª.38.D
Ventriculi os aliquibus inſenſibile ſit.3°.de loc.aff. 4ª.20.G
Ventriculus attollitur in ſpiritus retentione.3°.de ſanitate tuen.2ª.77.B
Ventriculo prẹparat alimentum os.de bonitate, & vitio ſuc. 2ª.37.A
Ventriculus trahit cibos per gulam.3°.de nat.fac. 1ª.304.G
Ventriculus trahit cibum & potum villis rectis.4°.de vſu p. 1ª.137.A
Ventriculus trahit conueniens nutrimentum.de ſymp.diff. 3ª.12.C
Ventriculus cum cibo indiget quid agat.1°.de ſem. 1ª.329.H
Ventriculus ſine cibo vnde accipiat nutrimentũ.3°.de nat.fac. 1ª.307.C
Ventriculus trahit,& emittit per eandem viam.3°.de na.fac. 1ª.307.D
Ventriculus eſuriens trahit ad ſe cibos antequam ſint in ore bene leuigati.3°.de natu.facul. 1ª.305.E
Ventriculus quibus impleatur in inedia.3°.de nat.fac. 1ª.306.D
Vẽtriculus à quo accipiat nutrimẽtũ in inedia.3°.de nat.fac. 1ª.306.D
Ventriculus in longis inedijs trahit humorem non per vnam ſolã venã. de atra bile. 1ª.36.G
ad Ventriculum nutriendum in ieiunijs longis venit optimus ſanguis. de atra bile. 1ª.36.G
ad Ventriculum aliquid peruenit à cute.3°.de nat.fac. 1ª.306.F
in Vẽtriculũ ſtomachus naturalr̃ deducit alimẽtũ.15°.de vſ.p. 1ª.213.B
ad Vẽtriculũ it ſpũs nobis tranſglutientibus.6°.de vſu par. 1ª.154.H
Ventriculus recipit cibum.an omnes particulæ animalis. 1ª.326.E
Ventriculus os ſuum inferius claudit poſt cibum ſumptum.2°.de ſymptomatum cauſis. 3ª.21.C
Ventriculus quomodo ſe habet ad cibos.3°.de nat.fac. 1ª.303.E
Ventriculi proprium eſt cibos amplecti.com.6°.aph.1°. Ex.45.H
Ventriculus cibos cõplectitur, vt vterus fœtum.3°.de nat.fac. 1ª.303.E
Ventriculus contrahitur.1°.de natu.fac. 1ª.295.G
Ventriculus inſtrumentum concoquendi.2°.de temperamen. 1ª.22.E/de ſymptoma.differ. 3ª.12.C
Vẽtriculi ꝓpria actio eſt concoctio.15°.de vſu par.143.E/17°. 1ª.222.F
in Ventriculo concoctio actio naturæ.intro. Iſa.55.B
Ventriculi actio alteratrix eſt coctio.de ſymp.differ. 3ª.12.D
in Ventriculo quæ fit coctio & alteratio eſt minor, quàm illa quẹ fit in iecore,& venis.3°.de nat.fac. 1ª.304.A
in Ventriculi fundo fit coctio.5°.de loc.aff. 4ª.33.A
Ventriculo attribuitur prima concoctio.introductio.Iſa.57.D/4°.de vſu partium. 1ª.135.G
in Ventriculo ciborum concoctio quæ.3°.de natu.fac. 1ª.303.D
in Ventriculo & iecore à qua vi fiat coctio.in progno.com.1°.4ª.197.B
in Ventriculo quæ ſunt per quietem concoquuntur. in 6^{m}. de morb. vulgaribus, commentario 5°. 3ª.194.A
in Ventriculo fit purgatio,& ſeparatio inutilis ab vtile.4°.de vſu partium. 1ª.135.G
in Ventriculo,& iecore quæ mutationes fiant.in ꝓgno.cõ.1°. 4ª.197.B
in Ventriculo mutationis ciborum cauſa.3°.de ſymp.cauſ. 3ª.25.A
Ventriculus diſtribuit quod vtile eſt venis quæ ſunt in ipſo ventriculo. 4°. de vſu partium. 1ª.135.G
Ventriculus ſatiatus in ſuas tunicas vtiliſſimum reponit, reliquum abijcit tanquam onus.3°.de nat.fac. 1ª.305.G
Ventriculus nutritur in ipſa concoctione,& etiam trahit ab Hepate.4° de vſu partium. 1ª.141.F
Ventriculus elaborat cibũ,& mittit hepati.an oẽs aĩalis par. 1ª.326.E
in Ventriculo cibus præparatur iecori.6°.de anat.admin.90.C/de fœt. for.1ª.324.H/de bon.& vit.ſuc. 2ª.37.A
à Ventriculo ad iecur quo modo eat cibus.de conſt.ar. Iſa.41.D
à Ventriculo in iecur,& ab hoc in totum corpus cibi deductio. 3°. de ſymptom.cau. 3ª.26.A
à Ventriculo trahit iecur.6°.de decr.Hipp. 1ª.265.H
in Ventriculum aliquid tendit à iecore,& liene.3°.de nat.fa. 1ª.307.D
à Vẽtriculo oẽs partes conſequenter exurgunt.4°.de vſu par. 1ª.136.E
ex Ventriculo reliquie in inteſtina deſcendunt.2°.de ſem. 1ª.340.C
à Ventriculo non trahunt inteſtina.6°.de loc.aff. 4ª.37.G
Ventriculus excernit alienum.de ſymp.diff. 3ª.12.C
in Vẽtriculo quæ cõtinent̃ expultrix vis expellit 2°.de ſymp. 3ª.22.G
Ventriculus quandoq; tolerat ſua excrementa, quandoq; non.3°.de ſymptoma.cau. 3ª.28.G
Ventriculus expellit cibũ,& potũ villis tranſuerſis.4°.de vſu. 1ª.137.B
à Ventriculo in ieiunum cibi tranſmiſſio eſt opus naturæ.6°.de locis affectis. 4ª.38.E
à Ventriculo deſcendit ius ſpatio duarũ horarum.de cura lap.Sp.112.G
Ventriculus duos habet meatus, per quos expurgat̃.2°.de lo.af.4ª.13.B
è Ventriculo cibus non emittitur antequam ſit perfecte coctus. 4°.de vſu partium. 1ª.140.F
Ventriculus & iecur non patiuntur apud ſe aliqua cocta morari. 3°.de ſymptom.cau. 3ª.28.A
Ventriculi os inferius aperitur cibo concocto.3°.de nat.fac. 1ª.303.D
in Ventriculo quæ ſint concocta.de conſuet. 2ª.60.H
Vẽtriculi os inferius qñ aperiatur nõ cocto cibo.2°.de ſymp.cau.3ª.21.C
in Ventriculi & hepatis partibus reſidet quodcunq; corruptum eſt, ac paulatim per tempus coquitur, atq; optimum fit in his, qui ſunt boni habitus.1°.de differ.feb. 3ª.31.H
Ventriculus quãdoq; excernit ante coctiones.3°.de dieb.decr. 4ª.158.E
Ventriculus naturaliter quando excernat.3°.de dieb.dec. 4ª.158.E
Vẽtriculus per quas partes expurgatur.2°.de ar.cu.ad Gla. 7ª.102.H
Ventriculus per rectum inteſtinum expurgatur.11°.meth.med.7ª.73.F
in Ventriculo veloces exitus cur fiant.com.6°.aph.1°. Ex.45.H
Ventriculi imus terminus pyloron.6°.de anat.adm. 1ª.91.F
in Ventriculo factus eſt pylorus qui retardet deſcenſum chyli. 4°.de vſu partium. 1ª.139.B
Ventriculo quid faciat pyloron.8°.de vſu par. 1ª.170.D
Ventriculi meatus anguſtia nõ eſt cauſa cur exeant, vel non exeant traſglutita.3°.de natur.facul. 1ª.303.C
Ventriculum non exeunt liquida, quia liquida.3°.de nat.fac. 1ª.303.C
ad Ventriculum mittitur melancholicum excrementum à liene.5°.de vſu partium. 1ª.143.G
in Ventriculum mittitur atra bilis.1°.de ſan.tu. 2ª.67.F
Ventriculũ nõ offendit atra bilis, ſed illi prodeſt.5°.de vſu par. 1ª.143.G
Ventriculo nullam noxã afferunt acerba,& acida.5°.de vſu p.1ª.143.H
Ventriculum iuuant pruna pontica.de atten.vic. 2ª.46.A
Ventriculum non lædunt contrahentia, & conſtringentia. 5°. vſu partium. 1ª.143.H
in VENTRICVLO affectus multi.7°.meth.me. 7ª.48.G
Ventriculi octo affectus.2°.meth.med. 7ª.11.E
Ventriculus quando dici poteſt ægrotare vel affici.1°.de loc.aff. 4ª.5.A
Ventriculi ſymptomata octo qũo numerentur.de ſymp.diff. 3ª.12.B
in Ventriculi alteratrice facultate ſymptomata.de ſymp.diff. 3ª.12.C
Ventriculi retentricis facultatis ſymptomata. de ſymptomatum differ. 12.D/3°.de ſymp.cauſ. 3ª.25.D
Ventriculi ſymptoma fruſtratio in alterando.3°.de ſymp.cauſ. 3ª.24.F
Ventriculus non poteſt acinos tranſmutare.1°.de loc.aff. 4ª.5.C
Ventriculo nocentes cibi, quales.1°.de loc.aff. 4ª.5.B
Ventriculum lædentes cibi viribus inſignibus. de vict.ratio. in morbis acutis, comment.2°. 7ª.120.H
Ventriculum inualidum reddit aqua.de bon.& vit.ſuc. 2ª.38.H
in Ventriculo non facile corrumpuntur melopepones vt pepones.2°.de aliment.facul. 2ª.17.B
in Ventriculo bilioſum humorem, vel aliud excrementum habentes, cõcoctu facilia corrumpunt.2°.de alim.fac. 2ª.17.C
Ventriculum aggrauantes panes vt lutum.1°.de alim.fac. 2ª.12.G
in Ventriculo pondus facit triticum elixum, ac ſi eſſet lutum. 1°.de alimentorum facultatib. 2ª.11.B
in Vẽtriculo põdus frigidũ facit cucurbita cruda.2°.de ali.fac. 2ª.16.F
à Ventriculis quibuſuis non concoquuntur carnes bubulæ. de vic.rat. in morb.acu.commentario.4°. 7ª.146.H
in Ventriculo ex concreto lacte ſuffocationis remedia. de remedijs paratu facilibus. 7ª.160.H
Ventriculi patientis ſigna.ars med.Iſa.67.B/1°.de loc.aff. 4ª.6.C
Ventriculi affecti pulſus.4°.de prẹſ.ex pul. 4ª.120.D
de Ventriculi oris affectibus.de rem.par.fac. 7ª.158.F
Ventriculi oris affectus qualis.de cur.rat.per ſang.miſſ. 6ª.16.F
Ventriculi oris affectus vnde.5°.de lo.affe. 4ª.29.C
ex Ventriculi ore ſymptomata.5°.de loc.aff. 4ª.32.G
Ventriculi oris ſymptomata longe maiora, q̃ fundi.5°.de lo.af. 4ª.33.A
Ventriculi ſymptomata quando vehementiora.3°.de ſymp.cau. 3ª.18.F
ad Ventriculi oris affectus qui morbi ſequantur.5°.de loc.aff. 4ª.32.E
Ventriculi os, non fundus, appetentia prohibet.5°.de lo.aff. 4ª.32.E
in Ventriculi ore canina appetentia quomodo.6°.de loc.affe. 4ª.37.H
Ventriculi fundus cibos non corrumpit.5°.de loc.affect. 4ª.32.E
Ventriculi os cibos corrumpit natantes.5°.de loc.aff. 4ª.32.E
Ventriculi oris affectus ſunt nauſea, cordis dolores, & ſingultus. 5°.de locis affectis. 4ª.32.H
Ventriculi os læſum cauſat faſtidium in prægnantibus, & picam.commentario 5°.aphoriſmo 61°. Ex.43.E

Ventriculi os læſum ſignificat appetentia canum, & ciborum malorum. 5°.de loc.affect. 4ª.32.H
Ventriculi faſtidia quando bona, & quando non bona, conſiderandum. 1°.de criſibus. 4ª.128.B
Ventriculus reijcit cibos, quos faſtidit.3°.de nat.fac. 1ª.305.E
Ventriculũ ſubuertũt maluæ cũ oleo, & garo. 2°.de alim.fac. 2ª.20.B
Ventriculi os ſupinat, & humectat chondri ſorbitio. de vict.rat.in mor. acu.commen.1°. 7ª.111.F
ad Ventriculum ſubuerſum quæ dãda.de rem.par.fa.158.H/ 7ª.159.A
Ventriculum lędunt & potiſſimum os eius medicamenta purgantia, & cur.quos pürg.opor.quib.med. 5ª.89.C
Ventriculi os quo modo non lædat medicamentum. de vic.rat.in morbis acu.commen.2°. 7ª.118.D
Vẽtriculi os acria medicamẽta nõ fert.2°.de arte cur.ad Gla. 7ª.103.D
Ventriculus ne euertatur quæ miſcenda medicamentis. 3°. de ſimpliciũ medicamen.facul. 5ª.20.E
Ventriculi os quando prius roborandum quàm medicamentum exhibeatur.1°.de arte curati. ad Glauc. 7ª.98.B
Ventriculi os ad amaritudinem alteratum, choleram ſignificat.commentario 3°.aphor.22°. Ex.24.F
Ventriculi morſus quibus fiat.3°.de nat.fac. 1ª.305.H
Ventriculi os ab humoribus mordacibus moleſtatur. commentario 4°. aphoriſmo.17°. Ex.29.A
*Ventriculũ mordicãt acria ſi plus iuſto ſumpta ſint.de atte.vic.*2ª.43.G
Ventriculi oris morſus cur dolor cordis dicatur.in pgn.cõ.3°. 4ª.210.F
in Ventriculi ore morſus refertur ad cor.2°.de decr.Hip. 1ª.240.A
Ventriculi oris morſus vbi fiant.2°.de decr.Hip. 1ª.240.B
Ventriculi oris mordicationes præcedit vomitus bilioſus.5°.de vſu partium. 1ª.143.D
ad Ventriculi morſus ſine bilis vomitu.de rem.fac.par. 7ª.166.C
Ventriculi morſus à flaua bile ebulliẽte in ipſius tunicis generatur. commentario 4°.aphor.65°. Ex.34.E
Ventriculi morſus notat choleram peccare.com.3°.aph.22°. Ex.24.F
in Ventriculi ore bilis quid faciat.5°.de vſu par. 1ª.143.E
in Ventriculo roſio, dolor, aut calor auget febrẽ.8°.meth.me. 7ª.53.B
in Ventriculo cur cardialgia.1°.de ſymp.cau. 3ª.18.E
*Vẽtriculi morſus facit excernere oĩa q̃ in eo ſunt.5°.de vſu par.*1ª.143.D
in Ventriculi morſu, & paſſione opera animę detrimentum patiuntur. commen.4°.aph.17°. Ex.29.A
ex Ventriculi ore à prauis humoribus mordicato diſſolutio quomodo curanda.1°.de arte cur. ad Glau. 7ª.99.C
*Ventriculi os cũ quibus conueniat mẽbris.de mel.ex Gal.Ruf.*Sp.109.B
Vẽtriculus qñ per cõpaſſionem afficitur, & quibus.2°.de temp. 1ª.20.C
*Vẽtriculi os in patiendo habet ſocietatẽ cũ neruis.cõ.5°.aph.1°.*Ex.37.C
Ventriculi os afficit vtrunq; principium.1° de ſymp.cau. 3ª.17.G
*Ventriculi oris & cerebri quantus ſit conſenſus.5°.de loc.affe.*4ª.32.H/ *de mel.ex Gal.Ru.& Po.* Sp.109.B
Ventriculus cerebro, & cerebrum ventriculo ſuas affectiones tranſmittunt.3°.de loc.affect. 4ª.18.C
Ventriculi oſtiolum quiduis patiens facile in ſimilem affectum cerebrũ ducit.de mel.ex Gal.Ru.& Poſſ. Sp.109.B
Ventriculi oris, & cordis quantus conſenſus.5°.de lo.aff. 4ª.32.G
Vẽtriculi os in cõſenſum ducit animũ.in 6m.de mor.vul.cõ.4°. 3ª.186.F
Ventriculi os ſyncopas, & ſymptomata non parua incurrit ob ſenſum exquiſitum.12°.meth.med. 7ª.77.F
Ventriculi os quibus laborat, ſolet animæ defectus ſuperuenire.de articulis, commen.2°. 7ª.264.H
Ventriculi os plenum humoribus facit animi defectum.commentario 1°. aphoriſmo 23°. Ex.10.D
*ex Vẽtriculi inflãmatione fit animi defectus.1°.de ar.cu.ad G.*7ª.98.F
Ventriculi os quibus male affectum, illis fit animi defectus.1°.de art.cura.ad Glauconem. 7ª.98.F
ad Ventriculum cum tendit materia ex abſceſſu erumpens fit animi defectus.1°.de arte cur.ad Glau. 7ª.98.F
Ventriculi os vitio humorũ mordicãtiũ aut craſſis, & lentis humoribus aggrauatũ facit defectũ aĩ.1°.de ar. curat. ad Gla.98.F/2°. 7ª.103.C
ad Ventriculi os cum tendit materia ex abſceſſu erumpens fit animi defectus.1°.de arte curatiua ad Glauconem. 7ª.98.F
Ventriculi ore vexato ſyncope detinentur ęgri.11°.meth.med. 7ª.74.D
Ventriculi os vel propter nimium ſenſum, vel propter debilitatem facit exolutionem.com.2°.aph.41°. Ex.18.A
in Ventriculus affectione eſt ſyncopi cum ſudore.7°.meth.me. 7ª.48.G
circa Ventriculi os ſyncope ex flaua bile quomodo curanda. 12°.methodi medendi. 7ª.76.C
ex Vẽtriculi ore defectus animi qũo curet̃.1°.de ar.cu.ad Gla. 7ª.99.B
circa Ventriculi os in ſyncope ex bile quę vina conueniant. 12°.methodi medendi. 7ª.77.B
à Ventriculi vaporibus vel humoribus aſcendentibus cogitatio læditur.1°.de locis aff. 4ª.6.E
ex Ventriculi ore amentia.5°.de lo.af. 4ª.32.H
Ventriculi cauſa iecur imbecillitatur.5°.de loc.aff. 4ª.33.F
Ventriculus, & iecur quandoq; valentiora, quandoq; imbecilliora ſunt inuicem comparata.3°.de nat.fac. 1ª.306.C
Vẽtriculi os ratiõe ſocietatis facit diſpnœas, apnęas, morſus, epilepſias deliria, & melancholias.1°.de ſymp.cau. 3ª.17.H
à Vẽtriculo flauã bilem continẽte fit dolor capitis.3°.de lo.aff. 4ª.19.B
in Ventriculo humores contenti faciunt quandoq; dolorem capitis. cõmentario 4°.apho.70°. Ex.35.B
à Ventriculi materiaillioſa capitis dolor, non eſt affectio capitis.1°.de locis affectis. 4ª.3.F
ex Ventriculi cruditate capitis dolor.de rem.par.fac. 7ª.153.F
cum Ventriculi oris offenſione febris ex cruditate qualis. 12°.methodi medendi. 7ª.76.E
in Ventriculi ore ſi ſint excrementa fiunt ſymptomata ſuffuſioni ſimilia.1°.de lo.aff.3.F/H/3°.18.C/ 4ª.19.B
ob Ventriculi affectum oculi affecti in ſuffuſiones incidunt. de medic. conſt.ar. Iſa.41.B
ob Vẽtriculũ aliqui videntur ſuffuſi, cũ non ſint.1°.de ſym.cau. 3ª.15.B
à Ventriculo ſuffuſiones imaginariæ.3°.de comp.me.ſe.lo. 5ª.144.D
Ventriculo affecto aliter eueniunt ſuffuſionis accidentia. 3°.de locis affectis. 4ª.14.F
in Vẽtriculo euaporãs humor quid faciat in oculo.1°.de lo.af. 4ª.4.B
in Ventriculo contentorum humorum oculi participant, ſi videndo debet animal errare.1°.de locis affect. 4ª.3.A
à Ventriculi ore qũo cognoſcatur fieri vertigo.3°.de lo.aff. 4ª.20.D
Ventriculi ore patiente, cur ſingultus fiat.com.5°.aph.1°. Ex.37.D
in Ventriculo adeſt palpitatio.2°.de ſymp.cau. 3ª.20.F
ex Ventriculi ore ſomni tumultuoſi.5°.de loc.aff. 4ª.32.H
Ventriculi os in ſomnis facit conuulſionem, labores, timores quandoque. com.4°.aphor.67°. Ex.34.F
Ventriculi os belleboro conuulſionem facit.com.5°.aph.1°. Ex.37.D
à Ventriculo etiam fit morbus comitialis.3°.de lo.aff. 4ª.19.B/E
*ex Ventriculo comitialis morbus p quot cauſas fiat.5°.de lo.a.*4ª.32.G
à Ventriculo dependentis comitialis morbi exemplum habet melancholiæ tertium genus.3°.de loc.aff. 4ª.18.G
pro Ventriculi oris morbo comitiali vinum album modice adſtringens. 5°.de loc.affect. 4ª.32.F
ex Ventriculi ore in comitiali morbo datur medicamẽtum ex aloe amarum.5°.de loc.affect. 4ª.32.G
Ventriculo mortificationem quandam aduenifſe ex compatiendi ratione quo caſu ſignificetur.com.6°.aph.3°. Ex.46.F
Ventriculi os vt plurimum in quotidiana intermittente patitur. 1°.de arte curatiua ad Glauconem. 7ª.95.H
Ventriculi ſpatium internum quibus afficiatur.5°.de lo.aff. 4ª.33.A
Ventriculi tres vires qũo validæ eẽ deprehendãtur.1°.de criſ. 4ª.129.C
Ventriculi vis ad cibos concoquendos quid agat.in 6m.de morb.vulgaribus, commen.5°. 3ª.188.B
Ventriculi os per ſeipſum habet inappetentiam diminutam, & vitioſam appetentiam.1°.de ſympto.cau. 3ª.17.H
Ventriculi fundus eſt cauſa cruditatis.5°.de loc.aff. 4ª.33.B
in Ventriculo quo modo fiat cruditas.1°.de loc.aff. 4ª.5.B
ad Ventriculi cruditatem, & inflationes.de med.fac.par. 7ª.172.E
Ventriculi imbecillitas.de diff.morb. 3ª.3.G
Ventriculus imbecillus non põt probè concoquere.de nat.fa. 1ª.303.C
Ventriculi eſt accidens concoctio vitiata.1°.de lo.aff. 4ª.5.H
Ventriculi imbecillitas in concoquendo eſt cauſa corporis affectuum. in 6m.de morb.vulg.com.3°. 3ª.169.H
Ventriculi concoctionem vt labefactent non ſatis ſunt vlcus, & bubo. 2°.de natur.facul. 1ª.300.D
Ventriculi actionem lædit immodica vis caloris febrilis. 2°.de natural. facultatibus. 1ª.300.D
Vẽtriculi cõcoctionẽ difficilẽ imbecilléq́, reficit theriaca.de the. 5ª.96.B
Vẽtriculum male coquere ſignificat deiectio nõdum in chylum mutata. de tot morb.temp. 3ª.88.G

in *Ventriculo male cocti cibi,in iecore non coquuntur. in* 6^{m}*.de morbis vulgaribus ,commentario 4º.* 3ª.186.D
ad *Ventriculum in quo cibus acceſcit.de rem.par.fac.* 7ª.158.G
Ventriculo non bene coquenti quid agendum.de mel.ex Gal. Sp.110.D
Ventriculum ad concoquendum non idoneum habenti,huic frequēter balneis vti prodeſt.de mel.ex Gal.Ru.& Po. Sp.110.D
Ventriculus male concoquens q̃uo corrigendus.2º.meth.med. 7ª.10.H
Ventriculi ori apponendum lanæ manipulum nardino pigmento inunctum,quando non eſt facta coctio.de præcog.ad Poſth. 4ª.219.A
in *Ventriculo cibo exiſtente crudo venę ſectio fieri non debet.9º.methodi medendi.* 7ª.57.H
Ventriculi ori torquem ex Iaſpide applicuit Galenus & profuit. 9º. de ſimplic.medicamen.facult. 5ª.67.D
Ventriculo non coquente viuimus.6º.de decr.Hipp. 1ª.264.F
in *Ventriculo corrupti cibi q̃uid agant.2º.de ſymptom.cau.* 3ª.21.C
Ventriculus imbecillis facit leuitatem inteſtinorum,& quomodo cognoſcatur.com.6º.aph.1º. Ex.45.H
Ventriculus imbecillis q̃uo ab antiquis curaretur.7º.met.me. 7ª.43.H
ad *Vētriculi oris imbecillitatem chia maſtiche in nardino vnguento valet.8º.methodi medendi.* 7ª.53.C
Ventriculi os cum eſt imbecillum,curatio.in progn.Hipp. 4 .191.G
Ventriculi imbecilli octo curationes.7º.meth.me. 7ª.44.B
Ventriculi imbecillitati commune remedium.7º.meth.me. 7ª.44.A
ad *Ventriculi exoluti robur quid vtile.2º.de aliment.facul.* 2ª.20.D
Ventriculum roborantia,quæ.de atten.vic. 2ª.44.D
Ventriculum roborant adſtringentia.2º.de alim.fac. 2ª.20.B
Ventriculi os roborant adſtringentia,& plus iuſto exiccant.de vict.ratio. in morbis acutis,comment.1º. 7ª.111.F
Ventriculum imbecillum habentibus,adſtringentia vltimo ſumpta,ſunt deiectionis cauſa.2º.de alim.fac. 2ª.20.A
Ventriculum roborat ſuccus punici.2º.de ali.fac. 2ª.20.E
Ventriculi imbecillitas ex aqua frigida ſanata.7º.meth.me. 7ª.44.B
Ventriculum diſſolutum roborat vua ſeruata.2º.de alim.fac. 2ª.18.A
Vētriculū corroborandi vim habet vua paſſa.de rem.par.fac. 7ª.153.H
Ventriculo imbecillo cōueniunt pontica,& auſtera.de att.vic. 2ª.45.H
*Vētriculū roborāt vina auſtera.12º.met.med.*7ª.76.H/*de vi.* Sp.76.G
Ventriculum robuſtum efficiens vinum,& caput non tentans,quale.5º. de locis affectis. 4ª.32.F
Ventriculi ore male affecto da vinum calidum,& extrema fricato.1º.de ar.cur.ad Glauconem. 7ª.99.C
pro *Vētriculi imbecillitate vſus aquarum calidarū* [*id eſt thermarū.*] *7º.methodi medendi.* 7ª.44.A
pro *Ventriculo roborando alica flaccida calida , & probè cocta. 2º.de comp.med.ſec.lo.* 5ª.133.D
ad *Ventriculi os valet acetum ſcillinum.de medi.fac.par.* 7ª.178.C
Ventriculo ībecillo q̃ applicabant extra ab antiqs.7º.mct.me. 7ª.43.H
pro *Ventriculi ore imbecillo ceratum.8º.meth.med.* 7ª.53.D
Ventriculo imbecillo reſtituit vires cucurbitula.de Hirud.reuulſ.cucurbit.& ſcarif. 6ª.287.E
Ventriculi os quo modo dicatur corroborare eructatio. in 6^{m}*.de morbis vulgar.com.2º.* 3ª.166.D
Ventriculū roborādi vim hn̄s emplaſtrū.1º.de arte cur.ad Gla. 7ª.99.C
Ventriculum non roborant pinguia 1º.de alim.fac. 2ª.15.D
Ventriculi relaxatio quæ.3º.de ſymp.cau. 3ª.25.G
in *Ventriculo fit relaxatio.de mult.* 3ª.78.G
VENTRICVLI *temperies quomodo cognoſcatur.2º.de temp.* 1ª.20.B
Ventriculi cauitas in multis temperata & os intemperatum . 1º.de ſanitate tuenda. 2ª.64.H
de *Ventriculi calida intemperie.de rem.par.fac.* 7ª.158.G
Ventriculi calidi qui dicantur.in 6^{m}*.de mor.vul.c.4º.* 3ª.186.F
Ventriculi calidi ſigna.ars med. Iſa.66.C
Ventriculorum calidorum & frigidorum inditium.in 6^{m}*.de morbis vulgaribus ,commentario 4º.* 3ª.186.D
Ventriculi calida intēperies q̃uo cognoſcatur.de rem.par.fac. 7ª.158.G
Ventriculi caloris intemperies adeo vehemens vt perueniat ad cor facit febrem.7º.meth.med. 7ª.47.F
in *Vētriculo igneum calorem ſignificat ructus fumoſus,ſi nihil nidoroſi comederit.1º.de loc. affec.* 4ª.5.D
Ventriculus vbi habet igneum calorem panis, & chondrus non coquuntur.1º.de loc.affectis. 4ª.5.E
ad *Ventriculi affectus , & cauſas referenda eſt conuerſio ciborum ad fumoſum,& acidum ructum.1º.de loc.aff.* 4ª.5.H
ad *Ventriculum acidum cibum faciētem valet Antidotus Athanaſia Mithridatis.2º.de antido.* 5ª.114.H
Ventriculi vitio acidum ructantes iuuat Antidotus zopyria. 2º.de antidotis. 5ª.115.A
ad *Ventriculi acorem.de med.fac.par.* 7ª.172.E
Ventriculum calidum & cerebrum frigidum habentes ſunt morbis obnoxÿ.3º.de alimentorum facultatib. 2ª.28.F
Ventriculi os ſupercalefactum quibus refrigerantibus curetur. 1º.de arte cur. ad Glauconem. 7ª.99.E
pro *Ventriculo calido fructus quando comeduntur debent refrigerari. 1º.de alimen.facultat.* 2ª.16.F
Ventriculi calidiores aliquo commodo fruuntur oxiga lacte. 3º.de alimentorum facultatib. 2ª.28.C
Ventriculi calidiores ferunt oxigala niue refrigeratum. 3º.de alimentorum facultatib. 2ª.28.D
Ventriculus calidus fert aquā niue refrigeratā.3º.de alim.fac. 2ª.28.D
de *Ventriculo calido concoquente lactucam à qua refrigeratur , & calefit.3º.de temperam.* 1ª.24.D
Ventriculis bile infeſtatis conuenit lactuca.2º.de alim.fac. 2ª.22.E
ad *Ventriculum refrigerandum & firmandum quæ conueniant.8º.methodi medendi.* 7ª.53.D
Ventriculo calido mel deſpumatū eſt aduerſiſſimū.7º.met.me. 7ª.47.A
Ventriculi ori ęſtuanti imponuntur violæ.6º. de ſimplicium medicamentorum facultatibus. 5ª.48.F
ad *Ventriculum æſtuantem,nec cibi tenacem. de med.fa.par.*7ª.172.E
ad *Vētriculum qui intus vratur ceratum melinum eſt vtilius. 8º.methodi medendi.* 7ª.53.D
Ventriculi inflammationes vehementiſſimæ.5º.de loc.aff. 4ª.33.E
Ventriculi phlegmone eſt cum periculo mortis.10º.meth.me. 7ª.63.H
Ventriculi phlegmone laborantibus robur virium eſt vna ſalus.10º.methodi medendi. 7ª.63.H
in *Ventriculo videtur inflammatio in flatu hypochondriaco. 3º.de locis affectis.* 4ª.19.B
Ventriculi oris inflammatio quid faciat.de pulſ.ad Tiro. 4ª.45.B
Ventriculi inflammatio quid faciat.de pulſ.ad Tir. 4ª.45.B
Ventriculi & Iecoris inflāmationē hecticæ ſequuntur.1º.de diff. 3ª.35.F
Ventriculi inflammati pulſus qualis.de pulſ.ad Tiro. 4ª.45.A
Ventriculo,Iecore,& pulmone inflammatis fiunt febres ardentes.5º.de locis affectis. 4ª.33.D
circa *Ventriculum ardens febris fit.in* 1^{m}*.de mor.vul.com.1º.*3ª.104.F
circa *Ventriculi os præcipue fit ardens febris.in* 1^{m}*.de mor.vul.com.1º* 3ª.104.F/*de vict.rat.in mor.acu.com.3º.* 7ª.134.D
circa *Ventriculum in febribus fortis æſtus,& cordis morſus , vel dolor,malum,& cur.com.4º.aph.65º.* Ex.34.E
ad *Ventriculum ęſtuantem.de rem.par.fac.* 7ª.159.B
ex *Ventriculi phlegmone exit aliquid.13º.meth.med.* 7ª.84.H
Ventriculus ſi phlegmone laboret quid agendum.2º.meth.me. 7ª.11.H
in *Ventriculi phlegmone artus vinciuntur.13º.meth.me.* 7ª.83.B
in *Ventriculi phlegmone victus.13º.meth.med.* 7ª.83.D
Ventriculi inflammatio non exigit cibos.10º.meth.med. 7ª.63.H
Vētriculi oris inflammatio æget adſtringentibus non ſolis relaxantibus. de remed.par.fac. 7ª.158.F
*Ventriculi ori quæ adſtringētia ſint cōueniētia.de rem.par.fac.*7ª.158.F
pro *Ventriculi ore inflammato ceratum.8º.de comp.me.ſe.lo.*5ª.187.D
*Ventriculi inflammationi mulſa acer non eſt vtilis.11º.meth.me.*7ª.73.F
in *Ventriculi phlegmone non purgandum.13º.meth.med.* 7ª.83.A
ad *Ventriculi inflammationes abſinthiū pōticū.11º.meth.med.* 7ª.72.F
de *Ventriculi frigida intemperie.de rem.par.fac.* 7ª.158.G
Ventriculi frigidi ſigna.ars med. Iſa.66.D
ad *Ventriculi refrigerationem.de rem.par.fac.* 7ª.159.A
Ventriculus quandoq; frigidior,& caput plus iuſto calidius eſt,& è contra.de bonitate, & vitio ſuc. 2ª.38.B
Ventriculi frigidæ affectionis ſignum optimum . 8º.de compoſit.medicamentorum ſecun.loc. 5ª.189.D
Ventriculi mordacitatem,& refrigerationem quid ſequatur . 1º.de different.febrium. 3ª.33.G
in *Ventriculo frigiditatem ſentiunt,quibus omentum excidit, & vulneratum ſit,& abſciſſum.4º.de vſu partium.* 1ª.137.E
Vētriculus redditus eſt frigidus pinguedine ſupra ventriculum ablata. de vtilit.reſpir. Sp.63.A
Ventriculi oris affectionem facit viduarum perfrigcratio in vtero,& ÿs quæ non purgantur.1º.de ſymp.cauſ. 3ª.18.G

quibus Ventriculus

quibus *Ventriculus perfrigeratus eſt, ijs quodnam ſymptoma incidat. 3°.de ſymp.cau.* 3ª.25.F

Ventriculus frigidior non bene conficit oxigala.3°.de alim.fac. 2ª.28.C

Ventriculus frigidus etiam ſine materia facit quandoq; leuitatem inteſtinorum.com.6°.aph.1°. Ex.45.H

Ventriculi intemperaturæ faciunt leuitatem inteſtinorum. cõmentario 4°.aphoriſ.12°. Ex.28.E

in *Ventriculo qui frigiditatem ſentiunt quomodo ſunt curandi.1°.de arte curatiua ad Glauconem.* 7ª.99.C

Vẽtriculo frigido mel deſpumatũ eſt cibus optimus.7°.met.m. 7ª.47.A

Ventriculo frigido aut temperato aptum eſt dioſpoliticon medicamentũ. 6°.de ſanitate tuenda. 2ª.99.D

ad *Ventriculum frigidiorem.de rem.par.fac.* 7ª.158.G

Ventriculi humidi quibus ſint.de aere,aq.& loc. 2ª.5.E

Ventriculi humidi ſigna.ars med. Iſa.66.C

Vẽtriculus eſt humidus ſi lingua eſt humida.cõ.6°.aph.32°. Ex.50.A

Ventriculi ex humiditate imbecillis propria paſſio eſt profluuium diuturnum.com.6°.aph.32°. Ex.50.A

Vẽtriculi humida intẽperies facile curatur,& qũo.7°.met.m. 7ª.48.G

Ventriculi ſicci ſigna.ars med. Iſa.66.C

Vẽtriculum ſenis quis habeat anteq̃ conſenuerit.7°.meth.me. 7ª.46.D

Vẽtriculi ſicca intemperies in ſolida parte nunquàm perfecte ſanabitur. 7°.methodi medendi. 7ª.46.D

Ventriculi tabes.de decub.progn.ex math.ſcientia. Sp.13.C

Ventriculus qñ æſtuat ſqualore idem patitur iecur.2°.de ali.fa. 2ª.18.H

Ventriculus quando ſqualore ęſtuat, vtendum peponibus & moris.2°. de alimen.facul. 2ª.18.H

in *Ventriculo ſiccitatis curatio.7°.meth.med.* 7ª.44.D

Ventriculum,& totum corpus ſiccum habentis curatio, quoniam male à medicis curatus.7°.meth.me. 7ª.44.E

Ventriculus temperatus quamuis ægre aliquantum tamen conficit oxigala.3°.de alimen.fac. 2ª.28.C

Ventriculi calida,et humida intemperies qũo curatˉ.7°.me.m. 7ª.47.H

Ventriculus calidus,& ſiccus ſitim facit com.4°.aphor.19°. Ex.29.C

Ventriculi calor ſiccus, & igneus in bilem conuertit nutrimentum.2°. de temperamentis. 1ª.20.E

Vẽtriculus calidus,& ſicc⁹ nõ dẽt temere refrigerari.7°.m.m. 7ª.48.F

Ventriculi calidi,& ſicci caſus.7°.meth.med. 7ª.47.D/E

Vẽtriculus frigidus,humidus facit hoĩem nõ ſitire.c.4°.a.19°. Ex.29.C

Vẽtriculi humida,& frigida intẽperies qũo curatˉ.7°.met.me. 7ª.47.H

Ventriculus quando ſiccus,& frigidus nardino inungendus.7°.methodi medendi. 7ª.46.G

Ventriculus facit appetentes calidum & frigidum. intro. Iſa.66.D

Ventriculus qũo faciat ſitibundos aut minime ſitiẽtes.ars med. Iſ.66.D

in *Ventriculo bilis facit ſitim continuam.2°.de nat.fac.* 1ª.301.C

Vẽtriculus nõ læditur à pauco aere,ſed à multo.c.2°.aph.17°. Ex.13.A

Ventriculi intemperies ex materia.7°.meth.me. 7ª.47.H

Ventriculus quando ſpiritu halituoſo impletur.3°.de ſymp.cau. 3ª.25.C

Ventriculi inflatio quo modo curetur.14°.methodi medendi. 7ª.88.E

ad *Ventriculi inflationes.de ther.ad Piſ.91. F/ de vſu ther. ad Pamph. 98.F/2°.de antid.5ª.116.D/de remed.par.fac.159.C/* 7ª.172.F

ad *Ventriculi vẽtoſitates in melancholicis.de mel.ex Gal.Ru.* Sp.110.B

in *Ventriculo humores tribus modis degunt.fin.med.* Iſa.44.C

in *Vẽtriculo ſucci tripliciter eſſe poſſunt.7°.meth.med.* 7ª.48.E

Ventriculus humores recipit bilioſos ſi quis ſanus ieiunet. commenta. 1°.aphoriſmo 50°. Ex.52.F

in *Vẽtriculum quibus cauſis bilis venit.2°.de decr.Hip.* 1ª.240.C

ad *Ventriculum vnde vas bilem ferens.5°.de vſu par.* 1ª.142.G

ad *Vẽtriculum bilis trãſiens cur per illã viam.5°.de vſu par.* 1ª.143.A

in *Ventriculum cur regurgitat bilis ex iecore in inteſtina.1°.de alimentorum facultatibus.* 2ª.7.G

in *Ventriculo bilis ob malam qualitatem.1°.de alim.fac.* 2ª.7.F

in *Ventriculum cur non eat bilis.5°.de vſu partium.* 1ª.143.B

Ventriculi officiũ quomodo euertatur à flaua bile.5°.de vſu pa. 1ª.143.D

Ventriculus impletur ſuperfluitatibus in magnis mæroribus, atq; doloribus.commen.6°.aph.50°. Ex.52.G

in *Ventriculi ore bilis magis colligitur.2°.de comp.me.ſe.lo.* 5ª.135.D

in *Ventriculi fundo pituita magis colligitˉ. 2°.de cõp.me.ſe.lo.* 5ª.135.D

in *Ventriculo pituitæ proprietates.de anat.viu.* Sp.45.F

in *Ventriculo generatur pituitoſum excrementũ.5°.de vſu p.* 1ª.143.E

in *Vẽtriculo qũo creatur pituita.in 6m.de morb.vulg.com.1°.* 3ª.115.E

in *Ventriculo pituita,qualis.2°.de nat.fac.* 1ª.302.B

in *Ventriculo vbi pituita multa frigida coaceruata fuerit, quid agendũ. 1°.de arte curatiua ad Glauconem.* 7ª.99.D

ad *Ventriculi nimiam ſaliuam.de remed.par.fac.* 7ª.159.B

in *Ventriculi intemperie cum materia quo modo curatio procedat. 7°. methodi medendi.* 7ª.48.H

Ventriculi morbi ob alias partes.7°.meth.med. 7ª.48.A

ad *Ventriculum qñq; conuertuntur deſtillationes.7°.met.me.* 7ª.48.B

ad *Vẽtriculũ à capite cur materia tranſmittatˉ.2°.de diff.feb.* 3ª.40.H

in *Ventriculũ,& in aſperã arteriã fluxio capitis.3°.de ſymp.* 3ª.29.F

Ventriculus offunditur à materia deſcendente à cerebro. commentario 6°.aphoriſmo.2°. Ex.46.E

ad *Ventriculum ſpirituoſus humor ex capite defluens, ſpumoſa excrementa aliquando facit.com.9°.aph.30°.* Ex.56.A

in *Ventriculum humoris frigidi à cerebro defluentis caſus. 7°.methodi medendi.* 7ª.48.F

Ventriculus quando fluxione tentatur ex totius corporis redundantia. 7°.methodi meden. 7ª.48.B

in *Ventriculi cauitates ſanies quædam ex toto corpore defluit, vt fieri ſolet his, qui premuntur inedia quando aqua illum inualidum fecerit. de bonit.& vit.ſuccorum.* 2ª.38.H

in *Ventriculum ex ſplene vitioſa ſanies ex flatu hypochondriaco. 5°.de locis affectis.* 4ª.32.H

in *Ventriculo quo modo fluxio curanda, quæ fit ab alio membro. 7°.methodi medendi.* 7ª.48.A

ad *Ventriculum à cerebro fluxus curatio à cerebro incipiat, ſi nihil impediat.7°.methodi medendi.* 7ª.48.H

in *Ventriculũ fluxiões quod vinũ reqrẽt.1°.de ar.cu.ad Gla.* 7ª.99.A

in *Ventriculi tunicis ſuccus cõtentus qũo curãdus.7°.met.me.* 7ª.48.C

in *Ventriculi tunicis cũ ſucci ſunt ex aloe medicamenta & aloe ipſa cõuenit.7°.metho.med.* 7ª.48.C

Ventriculo pleno quę ſpiratio fiat.6°.de lo.aff. 4ª.40.E

in *Ventriculi tunicis quando adeſt calidus humor ſequitur nauſea.1°.de locis affectis.* 4ª.5.E

in *Vẽtriculi tunicis cõtẽtus humor facit nauſeã ianẽ.1°.de lo.af.* 4ª.5.F

in *Ventriculi tunicis plenis balnea.7°.meth.me.* 7ª.48.D

in *Ventriculi tunicis contentus humor excutitur medicamento dia triũ pipereum,abſinthio,& hiera picra.1°.de loc.aff.* 4ª.5.F

Ventriculus plenus pituita quę ſymptomata faciat.5°.de vſu p. 1ª.143.B

Ventriculus pituita plenus quibus abſtergatur.in 6m.de morb.vulgaribus,commen.2°. 3ª.160.H

in *Ventriculo quando pituita tenuis fuerit abſinthium in mulſam coctũ conuenit.7°.metho.med.* 7ª.48.D

de *Ventriculi ore quidam conquerebatur ob aceruatam pituitam,& leuatus eſt ſinapi,beta,& porro.1°.de alim.fac.* 2ª.8.G

Ventriculo pituitoſo dat agnum.de med.fac.par. 7ª.175.H

in *Ventriculi ore humor vitiatus imbibitus quid faciat.2°.de art.curatiua ad Glauconem.* 7ª.103.C

inter *Ventriculum & ſeptum pituita repoſita per venas ad veſicã uertitur,& quomodo,& per quam viam.com.7°.aph.54°.* Ex.58.F

Ventriculus aquam prębet omento.com.7°.aph.55°. Ex.58.H

in *Ventriculi venis exiſtens bilis, quo modo extrahatur. 8°.de compo. medicamen.ſecun.loc.* 5ª.191.H

Ventriculus aquam præbet omento.com.7°.aph.55°. Ex.58.H

Ventriculi abſceſſus qui bonus.de inæqu.intemp. 3ª.43.F

Ventriculi abſceſſus malus.de inæqu.intemp. 3ª.43.F

in *Vẽtriculi maximo dolore fomẽtũ cũ milio. de med.fa.par.* 7ª.166.D

Ventriculo dolente vena cubiti incidẽda.de cur.rat.p ſan.miſſ. 6ª.20.A

in *Ventriculi dolore ſemper odoratum aliquid, & adſtringens ſuperponimus.in 6m.de mor.vul.com.6°.* 3ª.196.D

in *Ventriculi dolore adſtringẽtia.in 6m.de mor.vul.com.6°.* 3ª.196.D

ad *Ventriculi dolorem.de remed.par.fac.159.B/* 7ª.172.E

de *Ventriculi prauis motibus vbi dictum.3°.de ſymp.cauſ.* 3ª.25.E

Ventriculus quibus inditijs cognoſcatur conſtringi cum tremore.de ſymptomatum different. 3ª.12.F

Vẽtriculi motus vibrans clare ſentitur in febribus.de ſymp.diff. 3ª.12.F

Ventriculi os habens materias aliquas moleſtas facit anxietatem. commentario 7°.aphor.56°. Ex.59.A

Ventriculus totus plenus humoribus,& ventriculi os plenum humoribus cauſant ſingultum.com.7°.aph.3°. Ex.54.B

Ventriculus cupiens expellere quæ ſunt in ore ſtomachi, ſingultum facit. commentario 6°.aph.39°. Ex.50.H

Ventriculus quomodo ſingultum faciat.com.6°.aph.17°. Ex.55.C

Ventriculus patitur

Ventriculus patitur in vomitu bilis.com.7°.aph.50°. Ex.52.F
Ventriculus ſuppuratus cum rumpitur ſuppuratio,fit vomitus. commẽ tario.7°.apho.8°. Ex.54.D
Ventriculus habet magnam inflammationem quando vomitus eſt à ſingultu.com.7°.aph.3°. Ex.54.B
in *Ventriculi regionibus ſanguis concreſcit.de atra bile.* 1ª.39.D
in *Vẽtriculum ſanguis effuſus vomere cogit.3°.de ſymp.cau.* 3ª.27.B
à *Ventriculo ſanguis vomitione deijcitur.4°.de lo.aff.* 4ª.25.F
ex *Ventriculo ſanguinis vomitus qualis.5°.de loc.aff.* 4ª.33.B
ex *Ventriculo & gula ramẽta vomitu eijciuntur.4°.de lo.af.* 4ª.25.H
Ventriculus quod fluitat per vomitũ deijcit,quod ſubſidet per deiectionem.3°.de natu.facul. 1ª.306.F
Ventriculus ita in vomitu mouetur vt in partu vterus.2°.de ſymptoma tum cauſis. 3ª.21.D
in *Ventriculi vlcere vomitus non ſine periculo.5°.meth.med.* 7ª.34.E
Ventriculi exulceratio facit læuitatẽ inteſtinorũ.c.3°.aph.22°. Ex.24.F
in *Vẽtriculo vulnus eẽ ſignat cibus exiẽs è vulnere.1°.de lo.af.* 4ª.2.E
Ventriculi,& gulæ vlcerationem oſtendit ephelcis per vomitum exiẽs. 1°.de locis affectis. 4ª.2.F
Ventriculi oris vlcera quomodo ſint inſanabilia.6°.meth.med. 7ª.39.G
Ventriculi oris vlcera ob nimiũ ſenſum nõ ſanãtur.6°.me.me. 7ª.39.G
Ventriculus diſciſſus letale eſt.com.6°.aph.18°. Ex.47.H
Ventriculi vulnera qua parte ſanentur.6°.methodi med. 7ª.39.G
Ventriculus vlceratus quomodo curandus.4°.meth.med. 7ª.28.G
Ventriculi vlcera p ea q̃ comedunt,et bibunt ſanant.5°.me.me. 7ª.34.D
Ventriculus vulneratus per potiones ſanatur quandoq;. commentario 6°.aphoriſmo 18°. Ex.48.B
Vẽtriculus affectus per comeſta & bibita iuuatur.10°.me.m. 7ª.64.F
Ventriculus per os ſumptis purgatur.13°.meth.med. 7ª.84.G
in *Ventriculo curando indicationes octo.7°.methodi medendi.* 7ª.44.C
in *Ventriculo affecto prima indicatio à temperie loci laborantis.7°.methodi medendi.* 7ª.48.H
in *Ventriculo affecto indicatio ſecũda ex actione cõi.7°.meth.* 7ª.48.H
in *Ventriculo affecto tertia indicatio ex figura.7°.meth.me.* 7ª.48.H
in *Ventriculo affecto quarta indicatio ex poſitura.7°.met.m.* 7ª.49.A
Ventriculus vomitu,& deiectione inanitur.7°.meth.me. 7ª.49.C
Ventriculus quando euacuandus,tumidum.7°.methodi meden. 7ª.49.B
Ventriculum non licet euacuare plene.7°.meth.med. 7ª.49.B
in *Ventriculo ſanguiſuga.4°.de locis affectis.* 4ª.26.A
Ventriculo propinquæ partes ſanantur cibis.1°.de lo.aff. 4ª.5.H
à *Ventriculo remotæ partes ſanantur medicamento, & clyſteri.1°.de locis affectis.* 4ª.5.H
ad *Ventriculũ vſq; clyſteria nõnunq̃ pueniunt.3°.de ſymp.cau.* 3ª.25.G
Ventriculus & iecur cur adſtringentia præ cęteris expetunt.11°.methodi medendi. 7ª.72.E
Ventriculo ſemper addenda adſtringentia.11°.meth.me. 7ª.73.D
Ventriculus cum laborabit abſinthium ex oleo adhibebimus.11°.methodi medendi. 7ª.72.F
Vẽtriculo prodeſt abſinthij decoctum.de mel.ex Gal.Ruf. Sp.110.A
Ventriculus fomentetur abſinthio ex oleo.8°.meth.me. 7ª.53.B
Ventriculo conueniunt amara adſtringentia,non ſimpliciter amara.11°.methodi medendi. 7ª.72.G
Ventriculi os non debet curari ſolis laxatorijs, ſed etiam adſtringentib. 7°.de compoſit.medicamentorum ſecun.loc. 5ª.187.C
in *Ventriculo ſolui robur eſt periculoſum.11°.meth.me.* 7ª.73.B
Ventriculo quæ adhibentur ſint calida abunde.8°.meth.me. 7ª.53.C
Ventriculus iuuatur à calore pueri,& catuli.7°.meth.me. 7ª.47.B
Ventriculi vires diſſoluuntur tepidis.8°.meth.me. 7ª.53.C
Ventriculo applicata refrigerantia obſunt in ſanguinis profluuio.5°.methodi medendi. 7ª.31.H
Ventriculi vitio laborantes ſanans antidotus.2°.de anti. 5ª.116.C
in *Ventriculi affectu valet hiera.4°.de lo.aff.* 4ª.22.C
Ventriculo commodum medicamentum.de med.fac.par. 7ª.173.D
ad *Ventriculi os valẽt vnguẽta foliata,& ſpicata.8°.met.me.* 7ª.53.D
Ventriculo admouit vnguentum nardinum Galenus in defectu animi. de præcogn.ad Poſth. 4ª.217.F
ad *Ventriculum valet maſtichinum vnguentum.8°.meth.me.* 7ª.53.D
Ventriculo auxiliantur zingiber,piper,vinum,& acetum.3°.de alimentorum facultatibus. 2ª.29.G
ad *Ventriculum in melancholicis cataplaſma. de me.ex G.R.* Sp.110.C
VENTRICVLVS *ex pedeſtrium,& volatilium genere maxime differt.de bonitate, & vitio ſuc.* 2ª.37.B
Ventriculũ edat rediens ex balneis.de bonita.& vitio ſucco. 2ª.39.C
Vẽtriculus ſi coquatur qualem ſuccum generat.3°.de alim.fac. 2ª.27.E
Ventriculi aliquorum volatilium manduntur.3°.de alim.fac. 2ª.29.E
Ventriculus ex volatilibus craſſus,& durus,& coctu difficilis. de bonitate,& vitio ſuccorum. 2ª.37.B
Ventriculus auiũ ſi coquatẽ vberrime nutrit.de bo.& vit.ſuc. 2ª.37.B
Ventriculi auium omnium digerentem illos,nutriunt nutrimento multo craſſo.de diſſol.cont. Sp.73.E
Ventriculi gallinarum altilium iucundi ſunt,ſed nõ vt anſerum.3°.de alimentorum facultatibus. 2ª.29.F
Ventriculus ſtruthocameli ad quid vtilis.de med.fac.par. 7ª.167.G
Ventriculus lege Venter, Stomachus.
VENTRICVLORVM *trium capitis harmonia.de ſper.* Sp.37.G
Ventriculorum Cerebri ſectio.9°.de anat.adm. 1ª.104.H
Ventriculi quatuor in cerebro,& qui ſint.de ocul. 7ª.183.H
Ventriculi cerebri anteriores cur duo,& nõ vnꝰ.8°.de vſu p. 1ª.169.D
Ventriculorum anteriorum cerebri figura.de neru.diſſ. 1ª.53.C
Ventriculi anteriores cur coeant.8°.de vſu par. 1ª.169.F
Ventriculi cerebri anteriores quid faciant.8°.de vſu par. 1ª.169.D
Ventriculorũ anteriorum cerebri ſeptum vbi.3°.de loc.aff. 4ª.20.F
Vẽtriculus poſterior cerebri cur nõ potuit eẽ duplex.8°.de vſ. 1ª.169.F
Ventriculus poſterior cur magnus.8°.de vſu partium. 1ª.169.E
Vẽtriculus cerebri poſterior cur minor anterioribꝰ.8°.de vſu. 1ª.170.A
Vẽtriculus poſterior accipit à prioribus ſpũm aïalẽ.8°.de vſu. 1ª.169.E
Ventriculus medius cerebri non contemnendus.3°.de locis affe. 4ª.17.H
in *Ventriculo tertio cerebri meatus maximi.9°.de ana.adm.* 1ª.105.D
Ventriculus medius cerebri ſi ſit attritus oſſe terebra perforato ſopor fit.4°.de locis affectis. 4ª.23.A
Ventriculus medius cerebri maxime ſoporẽ facit.4°.de lo.af. 4ª.23.A
Ventriculus quartus cerebri qui à nõnullis dicatẽ.8°.de vſu pa. 1ª.169.G
Ventriculis cerebri propter quid.16°.de vſu par. 1ª.125.D
Ventriculi cerebri odoratus ſenſorium.1°.de ſymp.cauſ. 3ª.15.G
Ventriculi cerebri cur comprimuntur.9°.de vſu par. 1ª.173.E
Ventriculo cerebri compreſſo ſenſus amittitur,& motus. 1°.de decretis Hippocratis. 1ª.232.A
VENTRICVLI *cordis ſunt duo tantum.de vtil.reſp.* Sp.64.D
Vẽtriculꝰ vnus ſolus cordis videtẽ in paruis aïalibus.de vtil. Sp.64.D
Ventriculi cordis tam in magnis, quàm in paruis animalibus, quales. 6°. de vſu partium. 1ª.150.G
in *Ventriculo ſiniſtro cordis duo orificia.6°.de vſu par.* 1ª.150.B
in *Vẽtriculis cordis ſanguis generatur ſm Ariſtotelẽ.de vtil.* Sp.62.F
Vẽtriculũ ſiniſtrũ cordis ſanguine plenum eſſe pbat.1°.de decr. 1ª.231.G
in *Ventriculo ſanguinem habent boues vulnerati in exortu dorſi medullæ.1°.de decre.Hipp.* 1ª.231.G
in *Ventriculo ſiniſtri ſinus cordis quòd ſanguis calidus exiſtat. de inæquali intemperie.* 3ª.44.A
Ventriculus ſiniſter cordis arteriarum origo.de ven.art.diſſec. 1ª.58.H
in *Ventriculo ſiniſtro cordis eſt magna arteria,à qua oẽs arteriæ oriuntur.1°.de decre.Hipp.* 1ª.233.C
à *Ventriculis duobus cordis incedunt magna vena & arteria ad ſupremum ſpondylum colli.de vtil.reſp.* Sp.62.G
Ventriculum tertium cordis vbi putauit eſſe Ariſtoteles. de venarũ arteriarumq; diſſectione. 1ª.58.H
Ventriculus medius cordis qualis ſit.de anat.viuo. Sp.56.C
Ventriculi cordis an pulſent.4°.de diff.pulſ. 4ª.64.G
Ventriculi cordis quomodo recipiant materias à capite deſcendentes. commen.7°.aph.30°. Ex.56.A
Ventriculi cordis cur nunq̃ comprimuntur.9°.de vſu par. 1ª.173.E
VENTI *qui ſint.de hiſt.phil.* Sp.8.B
Ventum quidam cognouit ex capitis conſenſu cum eſſet in lecto. de theriaca ad Piſonem. 5ª.94.D
Venti ab ortu ſpirantes quales.5°.meth.med. 7ª.34.H
Venti calidi ſunt qui inter brumalem ſolis exortum,itidemq; brumalem occaſum perflant.de aere,aq.& loc. 2ª.2.E
Venti in vere quomodo,& à quo generentur.3°.de ſymp.cau. 3ª.27.F
Vẽti cũ nõ ſpirãt æſtate,& æſtꝰ magnus.in 3ᵐ.de mor.vul.c.3°. 3ª.141.D
Venti hyeme ſecundum naturam magni debent eſſe.in 1ᵐ.de morbis vulgaribus, commentario 1°. 3ª.103.H
Venti frigidi arcturo oriente ſpirãt.1°.de morbis vulg.com.1°. 3ª.103.B
Venti condenſati à niuibus,glacie,& imbribus.de aere,aq.& lo. 2ª.5.E
ad *Ventos calidos ſita ciuitas.de aere,aq.& loc.* 2ª.2.E
Venti proprij aliquarum regionum.de aere,aq.& lo. 2ª.2.E

à *Ventis ſeptentrionalibus ciuitas tuta.de aere aquis,& loc.* 2ª.2.E
Venti frigidi ab vrſis perpetuo in Scythia.de aer.aq.& lo. 2ª.5.E
Venti calidi non ſunt in Scythia.de aer.aq.& lo. 2ª.5.E
Venti nunquam diſcedunt à montibus.de aer.aq.& lo. 2ª.5.E
Venti multas,& oĩmodas faciunt tranſmutationes.de aere,aq. 2ª.6.B
Venti variatio corpora variat.de ther.ad Piſ. 5ª.94.D
Venti plurimum valent ad animi mores.quòd animi mores. 1ª.320.E
Ventorum magnæ mutationes morbos pariunt.cõ.3°.aph.1°. Ex.19.H
Ventus Auſter calidus eſt & humidus.com.3°.aph.5°. Ex.20.D
Ventus auſter frequens eſt phaſianis.de aer.aq.& lo. 2ª.5.A
Vẽtus auſter quas ęgritudines,& q̃ bona faciat.c.3°.aph.17°. Ex.23.F
Ventus auſter auditum hebetat,caliginem facit,caput grauat,pigros facit,corpora diſſoluit.com.3°.aph.5°. Ex.20.C
Vento quomodo impleatur caput.2°.de compo.med.ſec.loc. 5ª.135.G
Vento nullo ſlante,& vento auſtro flante fiunt genitalium putredines. commen.3°.aph.21°. Ex.24.D
ſine *Ventis annus pluuius auſtrinus deſcribitur. in 3^{m}.de morbis uulgaribus commentario 3°.* 3ª.140.F
Vẽtus auſtrinus quid egit,qualisq; ſit.in 1^{m}.de mor.vul.c.1°. 3ª.102.H
Venti aquilonij quales.in 1^{m}.de morb.vulg.com.1°. 3ª.103.F
Venti aquilonij frigidi ſunt.in 1^{m}.de mor.vul.com.1°. 3ª.103.F
Ventus aquilo frigidus eſt,& ſiccus.com.3°.aph.17°. Ex.23.E
Ventus aquilo omnes ſuperfluitates conſumit,facit robur, denſat corpora,facit bene mobilia,coloratiora,melius audientia,aluos duros,oculos mordet,& pectoris dolores auget.com.3°.aph.17°. Ex.23.F
Ventis frigidis,& aquilonis ſpirantibus caput apertum plurimum læditur.in 1^{m}. de morb.vulgar.com.2°. 3ª.113.F
Ventus aquilo tuſſes facit,fauces,aluos duras,difficultates vrinæ, horrores,coſtarum dolores,& pectoris.com.3°.aph.5°. Ex.20.D
Venti ab arcto ſpirantes refrigerant loca maritima æſtate in regionibus calidis.com.3°.aph.14°. Ex.22.F
Venti aquilonij,& ventus auſtrinus,quid egerint. in 1^{m}.de morb.vulg. commentario.1°. 3ª.102.H
Venti qui aerem contaminant vnde.in 1^{m}.de morb.vul.c.1°. 3ª.101.D
ex *Vento quomodo fiat paraplegia.in 1^{m}.de mor.vul.c.2°.* 3ª.113.F
Venti cauendi.de ijs,quæ in me.fi.com.1°. 7ª.202.A
Vẽti cauendi vbi timemus aliqd neruis.de ijs,q̃ in me.fi.c.1°. 7ª.202.A
Ventus validus qui.3°.de diff.pul. 4ª.63.D
Ventus imbecillus qui.3°.de diff.pulſ. 4ª.63.D
Ventus durus qui.3°.de diff.pulſ. 4ª.63.F
Ventos,& tempeſtates concitat taurus terra,mariq;.de decub.progno. ex math.ſcientia. Sp.13.C
Venti ex mari paludibus & ſtagnis quales.1°.de ſemine. 1ª.329.F
Venti pelagij & terreni quales.1°.de ſemine. 1ª.329.F
ex *Ventis aquarum differentiæ.de bon.aquæ.* Sp.75.G
Ventus in mari quomodo faciat ſpumam.com.2°.aph.43°. Ex.18.D
Venti vehementia in mari ſpumam facit.com.7°.aph.30°. Ex.56.A
Venti piſcium bonitatem augent.3°.de alim.fac. 2ª.30.C
Ventus debet eſſe flammæ proportionatus,ſi debet illam augere. de cauſis morborum. 3ª.7.D
VENTVS *fit à caliditate diminuta.com.5°.aph.72°.* Ex.45.F
Ventus flatuoſus non poteſt in longũ extendi.cõ.7°.apho.22°. Ex.55.E
Ventus facit tormina.com.4°.aph.11°. Ex.28.D
ad *Ventum manus,& pedes lædentem.de med.fac.par.* 7ª.176.B
VENVLAS *ſpiritum tantum capientes habet neruus, & ideo findi poteſt in longum.de vtil.reſp.* Sp.63.C
Venulas meningum non poteſt ſanguis ſubintrare, niſi fuerit plurimum digeſtus.de vtil.reſp. Sp.63.A
Venulæ à renibus fractio ſignificatur quibus ſanguis ſponte mingẽtibus. exit.de vrin.ſign.ex Hipp. Sp.78.H
VENVS *ex ſpuma orta.1°.de ſemine.* 1ª.330.F
Venus frigida eſt & humida.de compag.memb. Sp.59.G
Veneri ſubiacet terra humida in primo gradu, frigida in ſecundo,habens aliquid temperamenti calidi.de ſpermate. Sp.40.C
VENERIS *vmbilicus refrigerat.14°.meth.me.* 7.87.D
VENERIS *ratio habenda.6°.de ſan.tuen.* 2ª.101.A
Venus vitę ratio.3°.de ſymp.cau. 3ª.25.B
Venus ad quod genus cauſæ dicenda.1°.de ſan.tuen. 2ª.68.H
Venus ſub quarta parte medicinæ continetur.ad Thraſyb. 2ª.108.D
Veneris vſus damnabatur ab Epicuro.ars med. Iſa.68.E
Ven ris vſum nunquam prodeſſe dicebat Epicurus. in 3^{m}.de morb. vulgaribus ,commentario 1°. 3ª.130.D
in *Veneremproniores euadunt pleriq; melancholici.de melan.ex Gal. Rufo & Poſſido.* Sp.109.C
ad *Venerem excitant,quæ humiditatem ſemicoctam, & flatuoſam continent.6°.de ſimp.med.fac.48.B|8°.57.F|* 5ª.60.B
Venerem excitat Bouis talus.de ther.ad Piſ. 5ª.93.E
Veneris deſiderium auget Cicer.de bon.& vit.ſuc. 2ª.37.D
Venerem excitat Coſtus.7°.de ſimp.me.fac. 5ª.52.G
Venerem procreat Daucus.6°.de ſimp.me.fac. 5ª.46.B
Venerem cur ſtimulet Eruca.6°.de ſimp.med.fac. 5ª.41.A
Venerem percitat Gladiolum.de ſimp.med. Sp.84.H
ad *Venerem Humor qui excitat,qualis ſit.14°.de vſu par.* 1ª.208.B
Venerem excitat in mulieribus humor acris,et mordax.14°.de vſu partium. 1ª.207.E
ad *Venerem excitat Menta.6°.de ſimp.med.facul.* 5ª.48.A
Venus excitatur ab vna Radice,ab alia cohibetur. 8°. de ſimpli.medicament.facultatibus. 5ª.57.F
Venerem excitat Rapum,& generat ſpiritum flatuoſum. 6°. de ſimpli. medicamen.facultatib. 5ª.46.A
Venerem prouocat Satyrij radix potata.de ſimpli.me. Sp.91.B
Venerem excitat Scincus.de ſimp.med. Sp.90.H
in *Venerem incitat Semen genitale calidum.6°.de ſan.tu.* 2ª.100.E
ad *Venerem valet Theriaca.de ther.ad Piſ.* 5ª.91.G
Venerem extimulat Vrtica flatuoſa.6°.de ſimp.me.fac. 5ª.41.H
Veneris immodica,& intempeſtiua concupiſcentia oſtendit futurã ęgritudinem.ars med. Iſa.67.F
Veneris deſiderium aliquando ſignificat vrina ſpumoſa ſuperius.de dynamidijs. Sp.35.E
de *Venere ſomnium quid ſignificet.de digno.ex in ſom.* 4ª.213.D
Veneris nocturnę imagines quæ.6°.de ſan.tuen. 2ª.100.F
Venerem cohibent calida & ſicca.8°.de ſimp.me.fac. 5ª.57.F
Venerem ſomniantibus prodeſt plumbum.9°.de ſimp.med.fa. 5ª.70.F
Venerem fluentem cohibent Paliuri folia.8°.de ſimp.me.fac. 5ª.57.G
contra *Venerem ruta agreſtis.8°.de ſimp.me.fac.* 5ª.58.D
Venerem cohibent viticis ſemen,& folia.6°.de ſimp.me.fac. 5ª.40.H
contra *Venerem viticis folia ſubſtrata valẽt.6°.de ſim.me.fa.* 5ª.41.A
ad *Venerem impediendam.de med.fac.par.* 7ª.174.H
in VENERE *qui minus errent.ars med.* Iſa.68.F
Venus innocua calidis, & humidis.6°.de ſan.tu. 2ª.96.H
à *Venere non debent abſtinere temperati vt ſicci.6°.de ſan.tu.* 2ª.97.F
Venus tantum pertinet ad florentes ætate.2°.de ſan.tu. 2ª.69.A
Veneris vſu aliqui citra noxã ad ſeniũ ſufficiunt.6°.de ſan.tu. 2ª.101.A
Veneris copia nonnulli exultarunt.de cogn.cur animi mor. 2ª.53.D
Venus quomodo conferat.ars med. Iſa.68.E
Veneris tempus opportunum.ars med. Iſa.68.F
Venus ſit mediocris.2°.de ſan.tuen. 2ª.69.D
Veneris mediocritas conuenit habentibus prauos ſuccos. 6°.de ſanitate tuenda. 2ª.97.F
Venus valet ad morbos pituitoſos,& quando . in 6^{m}.de morb. uulgaribus,commen.5°. 3ª.192.F
poſt *Venerem laxitas quomodo corrigenda.3°.de ſan.tu.* 2ª.82.A
poſt *Venerem exercitatio præparatoria ſequatur.3°.de ſan.tu.* 2ª.81.F
à VENERE *nonnulli immodice læduntur.6°.de ſan.tu.* 2ª.101.A
Venus quæ mala faciat.3°.de ſan.tuen. 2ª.81.E
Veneris vſus intempeſtiuus quid facit fœtui.11°.de vſu par. 1ª.188.B
Veneris vſus cauſat podagram.com.6°.aph.28°. Ex.49.B
Veneris vſum priuſquam pertingat puer podagra non laborat. commentario 6°.aphor.30°. Ex.49.C
Venerem non experti pueri vrina.de med.fac.par. 7ª.170.B|D
Venus ſiccis temperamentis inimiciſſima.6°.de ſan.tu. 2ª.96.E|H
Venus aduerſſiſima frigidis & ſiccis.6°.de ſan.tuen. 2ª.96.H
Venere cum vtuntur declinantes ætate, & flatu hypochondriaco vexati,ijs flatus excitatur.in 6^{m}.de morb.vulgaribus,com.3°. 3ª.171.G
Veneris intemperantia quid faciat.ꝙ animi mores. 1ª.319.B
Venus lædit neruos, & cerebrum debilitat . in 3^{m}.de morbis vulgarib. commentario 3°. 3ª.151.G
Venus immoderata facit tremorem.in 3^{m}.de mor.vul.com.1°. 3ª.127.D
Venus ſtomachum deijcit.in 3^{m}.de mor.vul.com.1°. 3ª.130.C
Venus facit ventris oris reſolutionem.6°.de ſan.tuen. 2ª.100.E
Veneri immodice operam dare comitialem morbum ex ventriculo facit. 5°.de locis affectis. 4ª.32.G
Venus exſiccat omne corpus.in 6^{m}.de mor.vulg.com.5°. 3ª.193.F
Venus exſiccat,& calefacit.8°.meth.med. 7ª.54.D

Veneris vſus quæ quibuſdam agat.in 6^{m}.de mor.vul.com.3°. 3ª.171.G
Venere quando abſtinendum.de dynamidijs. Sp.20.C
Venere quando abſtinendum,& quando non.de dyna. Sp.20.C
*Venerem non appetunt teſtes amittentes.*1°.*de ſemine.* 1ª.334.B
Venere qui non vtuntur pudcnda habent exilia ac rugoſa, vt ſenes. 6°. *de locis affectis.* 4ª.42.G
Venere non vtuntur cantores,& Athletæ.6°.de loc.aff. 4ª.42.G
Veneri deditum non licet induſtrium eſſe quẽquã.ſiquis opt.m. Iſa.6.F
*à Venere omnino abſtineat nutrix.*1°.*de ſan.tuen.* 2ª.66.B
*à Venere abſtinentibus quid accidat.*1°.*de ſemine.* 1ª.335.C
à Venere abſtinentes quid patiantur.6°.de ſan.tuen. 2ª.100.E
Venus lege Coitus.
VENVS *appellatum emplaſtrum 6°.compo.medica.per gen.* 5ª.256.H
VER *quando ſit.in* 1^{m}.*de mor.vul.com.*1°. 3ª.103.B
*Veris principium quando ſit.in 6^{m}.de mor.vul.com.*1°. 3ª.101.H
Veris initium æquinoctium.in 1^{m}.*de mor.vul.com.*2°. 3ª.108.C
Veris principium æquinoctium poſt hyemẽ.com.3°.aph.14°. Ex.22.E
Veris initium reſpondet fini autumni.de pulſ.ad Tiro. 4ª.44.B
Ver non habet duos ſolidos menſes.in 1^{m}.*de mor.vul.com.*1°. 3ª.102.B
Veris conuerſio quando ſit,& quis humor creſcat, & quibus vti debemus.de dynamidijs. Sp.20.B
*Ver contrarium eſt autumno.de nat.hu.com.*1°. 1ª.32.C
*Ver calidum & humidum eſt.*1°.*de temper.*11. C/ *de nat.hu. com.*1°.32. A/*bre.denot.dogm.Hipp.231.B/8°.de decr.Hipp.*1ª.276. E/ *com.3°. aph.6°.Ex.20.E/de ſpermate.* Sp.40.E
Ver vnde calidum,& humidum.de ſper. Sp.39.B
*Ver quomodo ſit calidum,& humidum,cum dictum ſit eſſe temperatũ. de natu.hu.com.*1°. 1ª.32.D
*Ver calidũ,et humidũ cur dr̃ à philoſophis,et medicis.*1°.*de tẽp.* 1ª.12.C
*Ver cur dictum ſit calidum & humidum.de nat.hu.com.*1°. 1ª.32.B
*Ver non eſt calidum & humidum.*1°.*de temp.* 1ª.12.B
*Ver ſi eſſet calidum & humidum non eſſet ſalubre.*1°.*de temp.* 1ª.12.B
*Ver debet per ſe æſtimari.*1°.*de temp.* 1ª.11.F
*Ver non debet comparari hyemi & æſtati.*1°.*de tempe.* 1ª.11.F
*Ver potius dicẽdũ tẽperatũ,q̃ calidũ,et humidũ.de nat.hu.c.*1°. 1ª.32.B
*Ver tẽperatum.*1°.*de temp.*1ª.11.C/1°.*de ali.fac.*13.G/2°. 2ª.73.C
Ver eſt in medio temperamento inter extrema.de ſal.diæ. 2ª.40.C
Veris tempus medium temperatiſſimum.2°.de temp. 1ª.18.H
*Ver quomodo intelligatur temperatum.*1°.*de temp.*1ª.12.C/ *in* 1^{m}.*de morbis vulg.commen.*1°. 3ª.103.A
Veris medium dandum homini temperato,quando debet exerceri.2°.de ſanitate tuenda. 2ª.73.C
Ver moderatum eſt.de ſal.diæ. 2ª.40.A
Ver temperatiſſimum eſt.in 1^{m}.*de morbis vulg.com.*1°. 3ª.101.C
Ver comparatur cuti corporis temperati.2°.de tempe. 1ª.18.H
Veris ad exercitia comparatio.com.3°.aph.20°. Ex.24.C
*Ver matutino tempori ſimile.in 6^{m}.de morb. vul.com.*1°. 3ª.157.G
*Ver non eſt bene temperatum.*1°.*de tempe.* 1ª.11.D
Ver prope æſtatem ſiccius eſt.2°.de temp. 1ª.18.H
*Vere qui humor abundet.de natu.hu.com.*1°. 1ª.32.A
Vere humorum temperatiſſimus in bene temperata conſtitutione abundat.in 1^{m}.*de morbis vulgaribus, com.*1°. 3ª.100.H
*Veris tpe abundat ſanguis ſm̃ Hippocratẽ.bre.den.dogm.Hip.*1ª.231.B
Vere ſanguis abundat.8°.de decre.Hip.& Pla. 1ª.276.D
in Vere cur ſanguis fiat.in 1^{m}.*de mor. vulg.com.*1°. 3ª.101.C
Ver ſi inueniat bonos humores,etiam bonos conſeruat. commentario 3°. aphoriſmo 20°. Ex.24.C
*Vere corpora laxantur,& fiunt rara.com.*1°.*aph.18°.* Ex.9.F
Vere humores qui ſunt in profundo corporis ad circũferentia emittuntur.comment. 3°.aph.20°. Ex.24.C
Vere quę naturæ melius ſe habeant.commen.3°.aph.18°. Ex.23.H
Veris opera aſſimilantur operibus naturæ.com.3°.aph.20°. Ex.24.C
Ver eſt medium omnibus naturis [id eſt nec optimum, nec peſſimum] demptis adoleſcentibus.com.3°.aph.18°. Ex.23.H
Vere optime degunt adoleſcentes.com.3°.aph.18°. Ex.23.G
in Vere venti quomodo,& à quo generentur.3°.de ſymp.cau. 3ª.27.F
Vere ineunte quãdo frigidus Auſter.in 1^{m}.*de mor.vul.com.*1°.3ª.103.D
*Ver pluuioſum,& auſtrinũ ſi hyems fuerit ſicca,& aquilonia quæ ægritudines ſequantur.com.3°.aph.*11°. Ex.21.A
Ver ſi auſtrinum,& pluuioſum,hyems ſicca & pluuioſa, quæ cõtingant æſtate.de aer.aq.& loc. 2ª.4.A
Ver quando eſt male ſanum præſertim mulieribus & infantibus. commentario.3°.aphoriſmo 12°. Ex.21.F
Vere frigido,& humido oculi laborant. in 1^{m}.*de morbis vulgarib.commentario 2°.* 3ª.108.G
Ver tempus ſaluberrimum.com.3°.aph.20°. Ex.24.A
*Ver ſequitur hyemem etiam in regendis hoĩbus.cõ.*1°.*aph.18°.* Ex.9.E
VERE *qũo edendum,& bibendum,& quid agendum.de ſal.* 2ª.40.C
Veris cibi,& potus.de ren.aff.dign. & me. 7ª.195.B
*Vere qũo debeãt ægri cibari,& ẽt ſani tractari.com.*1°.*aph.17°.* Ex.9.C
*Vere vtendum cibis temperatis.*1°.*de alim.fac.* 2ª.13.G
Vere paucis oleribus vtendum de ſal.diæ. 2ª.40.C
Vere aſſa elixis commutanda.de ſal.dię. 2ª.40.C
Vere ſuffocatur qui hyeme multum edit.de ven.ſect.adu.Eraſ. 6ª.9.F
Vere propter multitudinem,& propter extraneam qualitatem aggrauant materiæ.com.6°.aph.55°. Ex.53.D
VERE *mouentur ægritudines, quæ reuerti ſolent.de pue.ep.* 7ª.179.H
Vere quæ ægritudines apparent.5°.de ſan.tuen. 2ª.94.D
Veris propriæ ægritudines.com.3°.aph.20°. Ex.24.A
Vere homines calidiſſimi rubri.8°.de decr.Hip. 1ª.276.E
Vere hoĩes patiunt̃ defluuia ſanguinis ex naribus.8°.de decre. 1ª.276.E
*Vere cur ſanguinis profluuium.de nat.hu.com.*1°. 1ª.32.A
*Vere cur dyſenteriæ.de nat.hu.com.*1°. 1ª.32.A
Vere homines capiuntur inteſtinorũ difficultate.8°.de decr. 1ª.276.E
Vere augentur articulares morbi.com.6°.aph.55°. Ex.53.D
Vere podagrici dolores magna ex parte fiunt.com.6°.aph.55°. Ex.53.D
Vere quomodo propter hyemem excitantur longæ ægritudines.commẽtario 6°.aphoriſmo 55°. Ex.53.D
VERE *omnes morbi periculo vacant.com.3°.aph.20°.* Ex.24.B
*Veris morbi in Autumno finiuntur.de nat.hu.com.*1°. 1ª.33.D
*in Vere terminantur morbi Autumni.de nat.hu.com.*1°. 1ª.33.D
Vere in epileſia quid agendum.de puero epil. 7ª.179.H
in VERE *qui ſint euacuandi.de cur.rat.per ſangu.miſſ.* 6ª.17.E
in Vere qui ſint euacuandi venæ ſectione,vel medicamento. de curã.ratio.per ſanguinis miſſionem. 6ª.17.F
Vere melancholiæ factæ & facturæ à ſanguine hæmorrhoidali ſoluuntur.commen.4°.apho.21°. Ex.29.D
Veris tempore vſus emittendi ſanguinem.5°.metho.me. 7ª.32.C
Vere venam ſecare debemus quibus à venis ſanguinẽ mittere oportet. commentario 7°.aph.54°. Ex.53.C
Vere quibus ſecanda vena.de curan.rat.per ſang.miſſ. 6ª.17.E
in Vere quæ vena ſecanda his,qui volunt ab aliquibus morbis pręcaueri.de cur.rat.per ſan.miſſ.6ª.20.H/præſ.exper.conf. Sp.78.D
Vere quæ vena ſecanda pro plenitudine ſola demenda.de curã.ratio.per ſanguinis miſſionem. 6ª.20.H
Vere quomodo ſanguis trahendus.5°.de ſan.tuen. 2ª.94.D
Vere propter metum ægritudinis futuræ,qua hora vena ſecanda.de curan.rat.per ſang.miſſ. 6ª.21.C
Vere vnde ſecanda vena illis,qui febre æſtate corripiuntur.de curã.rat. per ſang.miſſio. 6ª.20.H
Vere debent phlebotomari illi,qui ſanguinem à pectore reiecerunt.de curan.ra.per ſang.miſſ. 6ª.17.E
Ver & autumnus purgandi tempus.de dyna. Sp.20.G
Vere poſſunt fieri purgationes per ſuperius & inferius ſecundum naturas.com.4°.aph.7°. Ex.28.B
in Veris principio qui humores debeant purgari,& qui in fine. commẽtario 6°.aphoriſmo 47°. Ex.52.C
Vere aliquibus ſatis eſt vna purgatio.6°.de ſan.tuen. 2ª.100.E
Vere purgandi qui ægrotaturi ſunt.quos purg.opor. 5ª.88.B
Vere medicamentum compoſitum exhibendum.5°.de ſan.tu. 2ª.94.D
Vere ineunte euacuans multos ſeruauit Galenus à podagra,atra bile comitiali morbo attonito,& à melancholia.quos purg.opor.5ª.88.B/cõmentario 6°.aph.47°. Ex.57.B
Vere niſi purgaretur quidam,melancholiam ſingulis annis patiebatur. quos purg.opor. 5ª.88.C
in Veris principio debent purgari morbi à craſſitie humorũ,vt podagrici,arthitides,& melancholici.quos purg.opor. 5ª.88.D
VERRIS *vrina.de rem.par.fac.* 7ª.162.B
VERATRVM *quid.de ſimp.med.* Sp.91.G
Veratrum molle quid.de fract.com.3°. 7ª.248.B
*Veratris ſe ſamoides miſcet.de victus ra.in mor.acu. com.4°.*7ª.192.F
*Veratrum album calidum quamuis album.*1°.*de ſimp.me.fac.* 5ª.2.E
*Veratrum quo loco reponatur inter calida, quæ valent alopecijs.*1°.*de comp.med.ſec.loc.* 5ª.122.D

Veratrum guſtu excalfacit, vomitum prouocat, viſcidiſſimũ eſt medicamẽtũ fortiſſimũ purgatoriũ venenoſum eſſe dicitur.de ſimp. Sp.91.H
Veratrum purgare obſeruatione compertum eſt.de opt.ſect. Iſa.22.E
Veratrum eſt valentiſſimum purgatorium medicamentũ.in 6^{m}*.de morbis vulg.com.*5°. 3ª.193.F
*Veratrum homini medicamentum.*3°*.de temper.* 1ª.24.E
*Veratrum purgat hominem.*1°*.de ſimp.me.fac.* 5ª.2.D
*Veratrum non purgat coturnices.*1°*.de ſimplic.med.facul.* 5ª.2.E
Veratro veſcũtur coturnices.in 6^{m}*.de mor.vul.c.*5°.3ª.194.B/ 3°*.de ſimpli.med.fac.* 5ª.23.D
Veratrum homines male corrumpit, cibus tamen eſt coturnicum. de theriaca ad Piſ. 5ª.91.A
*Veratrum quibus animãtibus nutrimentum ſit.*6°*.de ſan.tu.* 2ª.96.D
Veratrum purgare inter primas actiones numerat̃.ad Thra. 2ª.108.F
cur Veratri datores medici.ad Thraſ. 2ª.105.B
Veratri, & ſcammonij comparatio cum pane, & carnibus. 2°*.de differentijs pulſuum.* 4ª.53.C
Veratri potio et eſus ciborũ nulla ſocietate pticipãt.ad Thra. 2ª.105.A
*Veratri albi ſurculi in raphano.de artic.com.*2°. 7ª.267.H
*Veratro albo vtitur pro vomitu.de vict.rat.in morb.acu.c.*4°.7ª.138.E
Veratro qui purgandi, & in quo caſu.in 6^{m}*.de mor.vul.cõ.*1°. 3ª.156.A
Veratro albo melancholia curatur.de atra bile. 1ª.36.D
*ex Veratro nigro Hiera atrã bilẽ purgat.*1°*.de comp.me.ſe.lo.* 5ª.121.E
*Veratrum præbet ſi febris abſit, ſi adſit non.de artic.com.*3°. 7ª.292.F
*Veratrum album, & nigrum miſcentur in articularia medicamenta.*3°*. de compo.medica.ſec.loc.* 5ª.141.B
*Veratrũ nigrũ dat in pleuritide.de victus rat. in mor.acu.c.*2°.7ª.117.H
*Veratro vtitur in dislocationibus.de artic.com.*3°. 7ª.285.A
*Veratrum dat in calcis deriuatione.de fract.com.*2°. 7ª.235.F
ad Veratrũ præparantur homines.in 6^{m}*.de mor.uul.com.*1°. 3ª.156.B
Veratrum qui ſumpſerunt quem pulſum habeant.de pul.ad Tyr. 46.D/ 4°*.de pulſ.differ.* 4ª.103.G
Veratro ſumpto quando lauandum.in 6^{m}*.de mor.uul.com.*5°. 3ª.193.G
*Veratrum non audet dare Galenus.de fract.com.*2°. 7ª.235.H
Veratrum facit muſculorum diſtentiones. in 6^{m}*.de morbis vulgaribus, commentario.*5°. 3ª.194.B
*Veratrum album quandoq; ſtrangulat.de fract.com.*2°. 7ª.235.F
*Veratri nigri cortex.*13°*.meth.me.* 7ª.84.A
VERAX *vir Hippocrates.*1°*.de dieb.decr.* 4ª.145.H
*Verax Galenus veritatis amatoribus ſcribit.*3°*.de lo.aff.* 4ª.15.A
VERBASCVM. 8°*.de ſimp.med.fac.* 5ª.63.C
*Verbaſcus fœmina.*2°*.de antid.* 5ª.118.D
VERBENA *quid, & eius vires.de ſimp.me.* Sp.89.C
VERBENACA *recta viridis maxime diſcutit.*2°*.de compoſit.medicamentorum ſecun.loc.* 5ª.137.D
Verbenaca dicitur ſacra herba.de reme.par.fac. 7ª.154.A
*Verbenaca liberat à capitis dolore coronæ modo impoſita.*2°*.de compo. medica.ſecun.loc.* 5ª.138.D
VERBERATOS *ſanat pellis ouina recens detracta.* 11°*. de ſimplicium medicament. facul.* 5ª.80.E
VERBA *ipſa ſunt etiam nomina.de ſoph.* Iſa.7.G
Verborum, & nominum copia plerunq; non eſt indecora. 5°*.de ſimplic. medicamen.fac.* 5ª.32.F
*Verba non deſcendere quid ſignificet.*3°*.de decr. Hippocratis.*1ª.244.D
Verba vetera reſilire, intrudi, reprimi, et cõfugere.de tre.pal. 3ª.54.H
*Verbis facilius eſt rerum omnium ortum explicare, quam rem conficere.*15°*.de vſu par.* 1ª.210.E
Verbis qui loquuntur expoſitores multa dicere poſſunt, quæ in libro dicere non licet.in 6^{m}*.de mor.uul.com.*3°. 3ª.171.G
*ꝙ Verba etiam ſint perpendenda.com.*4°*.aph.*46°. Ex.32.G
Verba non adeo ſunt conſideranda, vt ſententiæ.de vtil.reſp. 1ª.223.C
*in Verbis diſtinguendum eſſe ſi in præterito vel præſenti dicantur. comment.*4°*.aph.*75°. Ex.36.B
VERE *ſcribentes, & vera qui.de opt.ſect.* Iſa.23.C
VERECVNDIAE *& timoris differentia.*2°*.de ſymp.cauſ.* 3ª.23.D
*Verecundiæ motus qui.*2°*.de ſymp.cau.* 3ª.23.D
*Verecũdiæ motus cõparat̃ lauationi ex frigida.*2°*.de ſymp.cau.* 3ª.23.F
vt in Verecundia & lauatione frigida non vt in timore rigoris motus. 2°*.de ſymp.cauſ.* 3ª.23.F
VERECVNDI *quomodo incaleſiant.*2°*.de ſan.tuen.* 2ª.74.B
VERENDORVM *aliqua particula aufertur.de diff.mor.* 3ª.4.G
vt VERETRVM *maſculo ita eſt matrix mulieri columna.de natura, & ord.cuiuslibet corp.* Sp.42.B
Veretrum cui nectatur.de nat. & ord.cuiusl.corp. Sp.42.B
Veretrum aliquando nõ poteſt tenere vrinã vel non poteſt emittere, & in oĩbus neruis vſq; ad pedẽ patit̃ ob ſupfluũ bilis.de ſper. Sp.36.H
in Veretro dolor generatur ex ſuperfluo bilis.de ſpermate. Sp.36.H
Veretri vitia emendat lenticula.de ſimp.med. Sp.86.B
VERGILIARVM *duplex ſignificatio. in* 1^{m}*.de morb.uulgaribus, commentario* 1°. 3ª.101.H
inter Vergilias & arcturum quod ſpacium interſit. in 1^{m}*.de morb. uulgaribus, commen.*1°. 3ª.102.B
ad Vergilias ab arcturo duo menſes.in 1^{m}*.de mor.vul.cõ.*2°. 3ª.107.G
Vergilię quando occidant.in 1^{m}*.de mor.vulga.com.*1°.101.H/ 3ª.102.D
Vergiliarum occaſus autumni finis. in 1^{m}*.de morbis uulgaribus commẽtario* 1°.103.H/*com.*2°. 3ª.107.G
Vergiliarũ occaſus principium hyemis.in 1^{m}*.de mor.vul.c.*1°. 3ª.103.B
vbi VERGIT *materia illuc ducenda.in* 1^{m}*.de morb. vulgaribus, commentario* 2°. 3ª.112.B
VERISIMILIA *argumenta remotiora ſunt.*2°*.de decr.* 1ª.235.C
VERISIMILLIMA *ad examen redacta fuere falſa.in* 6^{m}*.de mor.vulgarib.commen.*3°. 3ª.175.F
VERITAS *quid.de hiſt.phil.* Sp.3.D
Veritas ſenſuum, & imaginationum.de hiſt.phil. Sp.9.A
Veritatem omnium rerum omnes homines cognoſcere debent.de cuiuſq; animi pec.not.atq; med. 2ª.58.H
ad Veritatem debet eſſe natus homo.de cuiuſq; animi pec. 2ª.56.G
Veritas ob quem finem ſequenda.in 6^{m}*.de mor.vul.c.*2°. 3ª.164.H
Veritas ſolum eſt in eruditis.de hiſt.philo. Sp.3.E
*Veritatis ſtudio incumbunt philoſophi.*3°*. de decre.Hipp.* 1ª.241.D
Veritatis verus oſtenſor ſolus fuit Ariſtoteles.de vtil.reſp. Sp.64.H
*Veritatis amatorẽ vnũ multis alijs ꝓponit Galenus.*2°*.de dign.* 4ª.78.B
*Veritatis amicum alloquitur Galenus.*2°*.de criſi.* 4ª.134.B
*Veritatis amatoribus ſcribit Galenus verax.*3°*.de lo.aff.* 4ª.15.A
*Veritatis ſtudioſus quid agere debet.de ſymp.diffe.*10.E/ 2°*.de ſympto. cau.*3ª.21.B/2°*.de cauſ.pulſ.* 4ª.94.E
*Veritatis ſyncerus amator quid agere debeat.an ſang.in art.na.*1ª.61.F
*Veritatis cultoribus manifeſta non occultanda.*2°*.de differ.* 3ª.64.E
*Veritatem occultare iniquiſſimum.*1°*.de dieb.decre.* 4ª.145.H
*Veritatis fallacia hominis inimica.*2°*. de decretis Hippocra.* 1ª.238.A
*Veritatis curam non habẽt ſophiſtę, ſed gloriæ.*10°*.de vſu par.* 1ª.181.B
*Veritatis inquiſitioni nemo deditus tempore Galeni.*1°*.meth.me.*7ª.2.C
Veritatẽ qui poſſit explorare.de cuiuſq;.ani.pec.not.atq; me. 2ª.57.C
*Veritas rerum quæſitarum q̃uo poſſit inueniri.*9°*.de decre.* 1ª.279.C
*Veritas celerrime inuenitur.*2°*.de ſim.me.fac.* 5ª.17.B
*Veritatis via nõ eſt longa multũ.de cuiuſq; ani.pec.not.atq; m.*2ª.58.H
*Veritas eſt breui.*7°*.de decretis Hippocratis.* 1ª.268.D
Veritas per diſſectiones exploratur.in 6^{m}*. de mor.vul.cõ.*2°. 3ª.169.F
Veritatis ſignum manifeſtum concordia.de ſubſ.emp. Iſa.33.E
de VERMICVLANTE *pulſu.*1°*.de diff.pulſ.* 4ª.51.H
Vermiculans pulſus qui, & vnde. de pulſibus ad Tyrones. 4ª.44.G/ *comp.pulſ.* Sp.66.B
*Vermiculans pulſus cæteris tardior.*2°*.de dign.pulſ.* 4ª.76.A
*Vermiculantes pulſus vnde.*2°*.de præſag.ex pulſ.* 4ª.112.H
Vermiculans pulſus quomodo fiat.de pulſ.ad Tyr. 4ª.46.D
*Vermiculans pulſus ad quẽ affectum ſequatur.*4°*.de diff.pul.* 4ª.103.D
*Vermiculantes pulſus quę ſequantur.*3°*.de diff.pulſ.* 4ª.99.D
*Vermiculans pulſus quid ſignificet.*2°*.de præſ.ex pulſ.* 4ª.113.G
VERMICVLARIS *excreſcentia in cerebro quæ.*9°*.de anat.* 1ª.105.F
VERMICVLARIS *ærugo.*5°*.de compo.me.per gen.* 5ª.249.C
VERMICVLA *medicamenta.de fract.com.*3°. 7ª.242.D
VERMICVLI *vbi generantur in aure, quid agendum.*3°*.de compo.medicamentorum ſecun.loc.* 5ª.143.B
ad Vermiculos in auribus. 3°*.de compo.medicamento. ſecundum locos* 5ª.145.H/*de remed.par.fac.* 7ª.162.F
VERMIFORMIS *epiphyſis qualis, & eius vſus.*8°*.de vſu.* 1ª.170. F
VERMIS *vbi ſit in cerebro.de ocul.* 7ª.183.G
Vermes non fiunt ab eodem opifice à quo homo.de fœt.form. 1ª.326.B
*Vermes nunquam diſſecuit Galenus, neque unquam diſſecare voluit.*6°*. de decretis Hippoc.* 1ª.263.F
*Vermibus quibuſdam nulli prorſus oculi.*2°*.de ſemine.* 1ª.339.G
*Vermis humidus vt animal.*1°*.de tempera.* 1ª.12.G
*Vermes in humidis naſcuntur corporibus.*4°*.de ſimp.med.fac.* 5ª.30.C
Vermes fiunt in materia quaſi in vtero.an ani.ſit qđ inter eſt. 1ª.328.A

Vermes quo

Vermes quomodo in plantis.an animal ſit id quod in vtero eſt. 1ª.328.B
Vermes qui in vitibus ſunt ſcnipæ dicuntur.9°.de ſimp.me.fac. 5ª.66.E
Vermes qui obſunt vitibus.9°.de ſimpli.med.facul. 5ª.66.E
Vermis mouetur motu vndarum.1°.de diff.pulſ. 4ª.51.H
Vermes terræ in oleo coctos auriũ dolores mitigare ſcripſit Apollonius. 11°.de ſimp.me.fa. 5ª.82.H
Vermes rubri.3°.de comp.med.ſec.loc. 5ª.145.A
Vermes qdã minuti ſunt ex toto genere p̃ter naturã.de diff.mor. 3ª.4.F
Vermes necat amaritudo.7°.de ſimp.me.fac. 5ª.49.H
Vermes aurium amaritate ſua occidit capparis fructus. 7°.de ſimpliciũ medic.faculta. 5ª.49.H
Vermes auriũ necat ſuccus calaminthæ.7°.de ſimp.me.fac. 5ª.49.D
Vermes in auribus nepita occidit.de ſimp.me. Sp.87.H
ad Vermes auriũ.3°.de comp.me.ſe.lo.5ª.144.D/de rem.pa.f.7ª.155.D
Vermes quomodo è corpore expellantur.14°.meth.med. 7ª.93.H
Vermes necant amara.14°.meth.me. 7ª.93.H
Vermes teretes abſinthium perimere poteſt.14°.meth.me. 7ª.93.H
Vermes in corporibus natos interfecit cedrea.7°.de ſimp.me.fa.5ª.50.E
Vermium latorum indicia ſunt cucurbitæ ſeminibus ſimilia excrementa.1°.de locis affectis. 4ª.6.C
Vermes lati vehementiora medicamenta deſiderant abſinthio. 14°.methodi medendi. 7ª.93.H
ad Vermes occidendos remedium.de dyna. Sp.31.B
ad Vermes.de medicinis fac.par. 7ª.175.F
ad VERMES in ventre.ſecre. Sp.97.B
Vermes ex apoſtemate renum.de ſper. Sp.36.H
ad Vermes vlcerum.4°.de comp.medi.per gen. 5ª.242.G
VERNACVLI morbi qui.ſin.med. Iſa.45.H
VERNALES aquę optimæ ſunt.de bon.aquæ. Sp.75.F
Verno,aut æſtiuo tempore fieri vt plurimum morbos acutos inquit Hippocrates.breuis denotat.dogm.Hip. 1ª.231.D
VERRVCARVM genera ſunt toto gñe p̃ter naturã.de diſ.mor.3ª.4.F
Verrucæ myrmeciæ dictæ.in 6m.de morb. vul.com.2°. 3ª.161.A
Verrucarum genus eſt acrocordona. com.3°.aph.26°. Ex.25.D
Verrucæ quibus curentur.de dyna. Sp.19.A
Verrucis difficilius curatur myrmecia.10°.de ſimp.me.fac. 5ª.73.E
Verrucæ indicant ſui ablationem.3°.meth.mc. 7ª.16.C
Verrucæ quomodo eximantur.14°.meth.me. 7ª.93.A
Verrucas eijcit ficus arbor.8°.de ſimp.me.fac. 5ª.61.F
Verrucas fertur decidere facere ſanguis murium domeſticorum.10°.de ſimplic.medicam.facultat. 5ª.73.D
Verrucas auferunt tithymalli.8°.de ſimp.me.fa. 5ª.62.D
ad Verrucas.de med.fac.par. 7ª.170.G
VERSANTES baculi pars organorum.de machin. 7ª.309.E
VERSIBVS qui res illuſtrant ſunt commendandi.2°.de anti. 5ª.114.F
Verſibus ſcripſit oĩa medicamenta Damocrates.1°.de anti. 5ª.102.C
Verſibus ſcribere medicamenta probat Galenus.1°.de anti. 5ª.102.C
Verſibus ſcripta medicamenta quid melius habeant alijs.1°.de compoſi. medica.per genera.217.F/5°. 5ª.251.F
Verſibus conſcripta antidota habent & vera pondera, & facile memoriæ mandantur.2°.de anti.111.A/ 5ª.118.G
Verſibus ſcripta medicamenta non poſſunt adulterare doſim.1°.de antidotis. 5ª.108.A
VERTEBRAE ſpinæ q̃uo intelligantur.de artic.com.3°. 7ª.268.E
Vertebræ quæ ſunt in ſpina,id eſt, quibus hoc ineſt vt ſint in ſpina. commentar.4°.aphoriſmo.48°. Ex.33.B
Vertebræ protractæ ſunt quæ ſpinam incuruant, & quare, & quomodo. commentario 6°.aphor.46°. Ex.51.H
Vertebræ ſpinæ habent armoniam, & quos caſus patiantur.commentario 7°.aphoriſmo 58°. Ex.59.C
Vertebræ quare iungantur.de oſſi. 1ª.41.H
Vertebræ quot in ſpina.de oſſ. 1ª.41.G
Vertebræ viginti quatuor.intro.Iſa.54.G/12°.de vſu par. 1ª.194.H
Vertebræ in collo ſeptem.de oſſib. 1ª.41.G
Vertebris ſeptem conſtat collum in animantibus, quę non multum diuerſam ab hominibus naturam habent.de ven.diſſ. 1ª.54.G
Vertebra in ceruice eſt pars ſpinæ.in progno.com.1°. 4ª.193.E
Vertebræ in ceruice quomodo ſe habeant.4°.de loc.aff. 4ª.24.B
Vertebræ proceſſus pyrenoides dictus qui.de oſſ. 1ª.41.H
Vertebra ſumma latiſſima, & tenuiſſima.de oſſi. 1ª.41.H
Vertebra inferior anguſtior validiorq;.de oſſ. 1ª.41.H
Vertebrarum inferiorum foramina cur minuantur.de oſſ. 1ª.42.A
Vertebrarum quæ habeant foramina.de oſſ. 1ª.42.A
Vertebræ anterior pars oblonga eſt prima excepta.de oſſ. 1ª.42.A
Vertebra prima tenuiſſima.3°.de anat.adm. 1ª.83.A
Vertebra prima articulatur cum oſſe capitis.12°.de vſu par. 1ª.194.E
Vertebra prima habet ſuos motus diſtinctos.12°.de vſu par. 1ª.194.G
Vertebrã primã mouere caput ad latera collige.12°.de vſu pa.1ª.194.G
à Vertebra prima muſculis qualis nam ſit, & eius proceſſus ac inſertio.de muſculorum diſſ. 1ª.45.B
Vertebrę primæ dearticulationem ad latera annuendo mouentes muſculi qui.de muſc.diſſ. 1ª.46.A
Vertebra ſecunda articulatur cum prima.12°.de vſu par. 1ª.194.E
à Vertebra ſecunda ceruicis incipiunt muſculi ſpinales, & quot ſint.de muſculorum diſſect. 1ª.49.F
Vertebræ ſecundæ productionis nomina.12°.de vſu par. 1ª.194.E
Vertebram totam ſecundam dentem nominauit.de oſſi.1ª.41.H/4°.de locis affectis. 4ª.23.E
Vertebra quæ dens dicitur, cur dicatur.in 1m.prorr.com.2°. 4ª.176.D
Vertebræ ſecundæ dentem egit natura, ne ſpinalis medulla contunderetur.12°.de vſu par. 1ª.194.F
Vertebra ſecunda habet ſuos motus diſtinctos.12°.de vſu par. 1ª.194.F
Vertebra ſecunda attollit & deprimit caput.12°.de vſu par. 1ª.192.F
Vertebras paruas habentia animalia, vt ſimiæ, paruam habent primã colli neruorum coniugationem.de neru.diſſ. 1ª.54.E
Vertebras magnas habentia animalia vt cornigera, & quæ ſerratos habent dentes, magnam habent neruorum colli primam coniugationem. de neruorum diſſectione. 1ª.54.E
ex Vertebris primis ſpinæ ad caput aſcendunt nerui quatuor.4°.de locis affectis. 4ª.25.D
à Vertebris quo ordine incedant neruorum coniugationes.8°.de anatomicis adminiſtrationibus. 1ª.102.F
Vertebris primis remedia adhibenda neruis conuulſis, & dimidia parte reſolutis.3°.de loc.aff. 4ª.17.C
Vertebrarũ magnitudo tãta eſt, q̃ta ẽ ſpinalis medulla.ars me.Iſa.64.F
Vertebra magna quæ ſit.de art.com.3°. 7ª.269.E
Vertebræ ad coſtas duodecim.de oſſ. 1ª.41.G
Vertebræ dorſi vel Thoracis quot.de oſſ. 1ª.42.B
Vertebrę dorſi vel Thoracis cuius figurę.de oſſ. 1ª.42.B
ex Vertebris thoracis p̃deũtiũ neruorũ cõiugatiões.de ner.diſ.1ª.54.H
ſuper Vertebras ſub ſepto tranſuerſo incumbit arteria magna, et vena caua.in tim.Plat. 1ª.287.H
ſuper Vertebras longiſſimè exporrigitur arteria eis partibus, quę ſupra ſeptum ſunt.in Tim.Plat. 1ª.287.H
Vertebræ in dorſo q̃uo dicantur.in 6m.de morbis vulga.com.3°.3ª.171.E
Vertebræ lumborum quot.de oſſ. 1ª.42.C
Vertebræ ad lumbos quinq;.de oſſ. 1ª.41.G
Vertebras quinq; in lumbis habet homo.de art.com.3°. 7ª.273.B
Vertebrę lumborum quales.de oſſ. 1ª.42.C
ex Vertebris lũborũ p̃deũtiũ neruorũ coniugationes.de ner.diſ. 1ª.55.B
ex Vertebris omnibus muſculus natus.de muſc.diſſ. 1ª.46.G
Vertebræ q̃uo trahant̃, et ſpina ĩcuruet̃, et extẽdat̃.de muſ.diſ.1ª.49.F
Vertebræ trahuntur per neruos, & ligamenta, vel intra, vel ad latus. commen.4°.aphor.35°. Ex.31.F
Vertebræ trahuntur ad latus, ſi vna propago neruorum tendatur, ſi vero ambæ tendantur ad intra.com.4°.aph.35°. Ex.31.F
VERTEBRARVM dolores incidũt equitãtes.de ae.aq.& lo. 2ª.6.A
Vertebra prima percuſſa cur motus amittatur.7°.de dec.Hip.1ª.269.F
in Vertebra quinta vitiata ſpina perdere facit ſenſum, & motum brachiorum.1°.de ſymp.cau. 3ª.16.D
in Vertebra ſexta læſa ſpina quid ſequatur.1°.de ſymp.cau. 3ª.16.D
in Vertebra ſeptima vitiata ſpina quid ſequat̃.1°.de ſymp.cau. 3ª.16.D
à Vertebra ſeptima nerui primi inflammati auferunt ſenſum digitis.1°. de locis affectis. 4ª.7.C
Vertebrarũ inflãmationẽ q̃n ſequatur cõuulſio.4°.de loc.aff. 4ª.24.C
in Vertebra octaua vitiata ſpina quid ſequat̃.1°.de ſymp.cau. 3ª.16.D
ad Vertebræ cõpreſſionem q̃n ſequitur paralyſis.4°.de lo.aff. 4ª.24.C
Vertebrę primæ medulla dorſi læſa reddit immobile animal.2°.de decretis Hippoc.& Plat. 1ª.237.A
in Vertebra ſpinali medulla affecta inferiores partes reſoluuntur.2°.de locis affectis. 4ª.7.F
Vertebra qua læſa animal amittat ſpirationem, & totum corpus immobile.8°.de anat.admin. 1ª.103.A
in Vertebris quid ſit quaſſatio.de art.com.3°. 7ª.268.H

Vertebræ quomodo luxentur.4°.de loc.aff. 4ª.24.D
Vertebræ luxatio vocem lædit.4°.de loc.aff. 4ª.26.D
Vertebrarum expulſio ceruicis affectio.intro. Iſa.59.C
Vertebrarum oſſa habent quandam ſocietatem per neruos, & ligamenta ad partes gulæ.com.4°.aph.35°. Ex.31.F
ad Vertebrarum in ceruice luxationẽ ſequit angina.3°.de lo.af.4ª.32.B
Vertebræ inuerſio neque introrſum, neque extrorſum. in 6ᵐ.de morbis vul.commentario 3°. 3ª.173.G
Vertebræ luxationes ad interiora quales ſint.cõ.3°.aph.26°. Ex.25.D
Vertebræ luxationem non patiuntur pueri, quia prius moriuntur. commen.3°.aphor.26°. Ex.25.E
Vertebræ colli intro vergebant, & extra apparebant collum habere cauitatẽ, & hoc tactum dolebat in angina ab Hippocrate in Epidemijs deſcripta.com.4°.aph.35°. Ex.31.F
Vertebra quando eſt reponenda.9°.de decre.Hipp. 1ª.281.E
*Vertebrarũ dislocatiões cur Hip.erubuerit curare.de ar.c.3°.*7ª.270.C
pro Vertebris aptandis inſtrumentum.de art.com.3°. 7ª.273.E
ad Vertebras aptandas ſcalis vtitur.de artic.com.3°. 7ª.270.D
VERTEBRAE *pars organorum.de mach.* 7ª.309.E
Vertebræ æreæ vel ferreæ comparentur.de machi. 7ª.309.D
Vertebræ ad quid in organis.de machi. 7ª.309.G
Vertebræ cum organa mouentur vſui ſunt.de mach. 7ª.310.F
Vertebræ in organis mouentur eodem loco manẽtes.de mach. 7ª.310.F
VERTEBRAE *piſces habent carnem duram.3°.de alim.fac.* 2ª.32.B
VERTENS *ſe crebro quid faciat.3°.de loc.aff.* 4ª.20.C
Vertens tibiam extrorſum muſculus.de muſc.diſſ. 1ª.51.E
VERTEX *qui.intro.* Iſa.52.H
Verticis duo oſſa.intro. Iſa.54.F
à Vertice ad frontem ſutura.9°.de vſu par. 1ª.173.E/H
ex Vertice tuſſis.in 6ᵐ.de morbis vul.commen.6°. 3ª.197.C
Verticis humeri fractura, humeri affectus.intro. Iſa.59.C
in Vertice quæ deligatio fieri debeat.de ijs, q̃ in med.ſi.cõ.2°. 7ª.206.D
inter Verticem proximas partes, & frontem deuinciens vinculum. de faſcijs.295.H/ 7ª.296.A
VERTEX *dicta membrana peritonæi.5°.de anat.adm.* 1ª.88.E
VERTICELLI *marini tarde, & paulatim nutriunt.commentario.2°. aphoriſmo 18°.* Ex.13.F
VERTIGINOSI *qui.fin.med.* Iſa.47.D
Vertiginoſum ſpiritum parit cerebri inæqualis intemperies.3°.de locis affectis. 4ª.20.D
Vertiginoſi quomodo regendi.6°.de ſan.tuen. 2ª.100.A
Vertiginoſus in terram cadens, & ex caſu ſanguinem effundens, ſi libere tur, hunc notamus, & in altero venam ſecamus.de op.ſect. Iſa.23.F
Vertiginoſis ſanguinem mittendum perſuaſit Galenus.de curan.rat.per ſang.miſſionem. 6ª.18.E
Vertiginoſis vena vnde ſecanda.de curã.rat.per ſang.miſſio. 6ª.20.H
in Vertiginoſis arteriæ ſecantur.3°.de loc.aff. 4ª.20.D
in Vertiginoſis arteriẽ poſt aures ſecantur.3°.de lo.aff. 4ª.20.D
Vertiginoſi purgandi non ſunt.in 1ᵐ.prorr.com.2°. 4ª.174.D
Vertiginoſi vere ſunt inaniendi.de curan.ratio.per ſangui.miſſ. 6ª.17.F
pro Vertiginoſis medicamentum.2°.de comp.me.ſe.lo. 5ª.144.E
VERTIGO *ſcotoma græce dicitur.6°.de ſan.tu.* 2ª.100.A
Vertigo quid ſit, & vnde proueniat.com.4°.aph.17°. Ex.29.A
Vertigo quæ ſit, & quomodo fiat.3°.de loc.aff. 4ª.20.C
Vertigo magnus morbus.6°.de ſan.tuen. 2ª.100.A
Vertigines ſunt magnum malum ad omne opus animæ ad vitam.commentario 3°.aphoriſ.17°. Ex.23.F
Vertigines proximæ ſunt morbis comitialibus, & apoplexijs. commentario 3°.aphor.17°. Ex.23.F
Vertigo cognata eſt comitiali morbo.intro. Iſa.56.C
Vertigo morbus longus intrinſecus.intro. Iſa.56.B
Vertigo in qua parte cerebri fiat, & quomodo.3°.de lo.af. 4ª.20.D
Vertiginis cauſa.intro. Iſa.56.C
Vertigo quõ cognoſcatur fieri ab ore ventriculi.3°.de lo.aff. 4ª.20.D
Vertigines hyeme cur fiant, & quõ.com.3°.aph.23°. Ex.24.H
Vertigines vnde accidant, & cur ſenibus.com.3°.aph.31°. Ex.26.G
Vertigines, & tormina fiunt, ſi quis ſanus purgetur.commenta.3°.aphoriſmo 31°. Ex.26.G
Vertiginem capitis infert vinum nigrum dulce.de ſimp.me. Sp.92.B
Vertigines, capitis pulſus, & vrina tenuis cũ adſunt in febribus à principio expecta febrem vſque ad iudicationem.de vict.ratio.in morbis acutis, commentario.4°. 7ª.139.H
Vertigine affectus Galenus.3°.de loc.affec. 4ª.15.F
in VERTIGINES *propter arteriarum temperamentum capita incidentia quibus curentur.6°.de ſan.tuen.* 2ª.98.H
Vertigines quos male habent quæ exercitatio ſit illis vitanda. 4°.de ſanitate tuenda. 2ª.90.A
Vertiginem habens debet per ſuperiora purgari. commentario 4°.aphoriſmo 17°. Ex.29.A
Vertigine affectis venẽ ſectio cõuenit.de cur.rat.per ſang.miſſ. 6ª.17.G
Vertigini valens electarium.de med.exper. Sp.107.C
per Vertigines ſecantur arteriæ poſt aures. de curã.ratio.per ſanguinis miſſionem. 6ª.21.D
contra Vertiginem electarium.de med.exper. Sp.108.C
Vertigines ſanare poteſt Theriaca.de ther.ad Piſ. 5ª.95.H
Vertiginis capitus præſidium.de dyna. Sp.23.H
ad Vertiginem.ſecretorum. Sp.101.D
VERTITVR *in lacteum ſuccum cibus in ſtomacho. de compagine mẽbrorum, ſiue de natu.hum.* Sp.58.H
VERVM *quid.de hiſtor.phil.* Sp.3.D
Verum à Veritate differt.de hiſt.philo. Sp.3.D
Verum dicunt etiam ignari.de hiſt.philo. Sp.3.D
Vera ratio eſt inuentu difficilis, præſertim in medicina. commentario 1°. aphoriſmo 1°. Ex.2.D
Verum ex falſis non contingit inueniri.3°.de criſi. 4ª.142.C
Verum cognoſcentes & eo non vtentes, ſunt magis reprehendendi.2°.de decretis Hippocr. 1ª.238.H
Vera putabat Democritus atomos & vacuum.adu.emp.med. Iſa.35.C
Vera inter ſeſe omnia conueniunt, & conſentanea ſunt. 4°.de ſimpli.medicamen.facultatib. 5ª.27.F
Vera quibus dicenda in morbis.in 6ᵐ.de mor.vul.com.2°. 3ª.168.F
VESANVM fuiſſe dementem intelligit Hippocrates. in 3ᵐ.de mor.vulgarib.commentario.1°. 3ª.127.C
VESCI *nunquam à quoquam diſcimus.1°.de ſan.tuen.* 2ª.61.D
VESICAE *tres generantur in ſpermate.de ana.viu.* Sp.51.H
Veſicæ duæ cur.de ana.viu. Sp.50.H
Veſica fellis, & ſplenis anatomia.de ana.viu. Sp.50.H
Veſica fellis ſitus.de nat.& ord.cuiusl.corp. Sp.42.A
Veſica fellis vbi ſita, & cur.de ana.viu. Sp.50.H
Veſica maxima inter renes.de nat.& ord. cuiusl.corp. Sp.42.B
Veſica bilis habet proportionem cum vretera.5°.de vſu par. 1ª.146.C
Veſica fellis quomodo ſe habeat.3°.de nat.fac. 1ª.303.F
Veſica fellis quibus componatur.de anat.viuo. Sp.51.A
Veſica fellis cur ex tunica.14°.de vſu par. 1ª.209.E
Veſica fellis cur vna.5°.de vſu par. 1ª.144.D
Veſica fellis tres habet meatus, & qui.de anat.viu. Sp.50.H
ex Veſica bilis meatus ad pyloron.6°.de anat.adm. 1ª.93.B
Veſicẽ bilis meatus quo inteſtina ingrediantur.5°.de vſu par. 1ª.146.C
Veſica fellis bilem ad ſe trahit.5°.de lo.aff. 4ª.35.F
Veſica fellis trahit bilem duriſſimam.5°.de vſu par. 1ª.144.G
Veſica fellis in iecore ſita recipit leue, & flauũ.4°.de vſu par. 1ª.136.B
Veſica fellis trahit purum excrementum.5°.de vſu par. 1ª.144.H
Veſica fellis cur trahat bilem.5°.de vſu par. 1ª.144.E
Veſica fellis expurgat ſanguinem.6°. de decre.Hipp. 1ª.263.C
Veſicæ fellis excrementum non putreſcit.3°.de nat.fac. 1ª.306.A
Veſica quæ iocinori ſubeſt, bilioſum purgat excrementum. 3°.de ſymptomatum cauſis. 3ª.26.A
Veſica fellis per eandem viã euacuat, & implet.3°.de nat.fa. 1ª.306.A
Veſica fellis vñ habeat neruos, venas, et arterias.5°.de vſu p. 1ª.145.A
Veſicæ fellis neruus vbi.5°.de vſu par. 1ª.145.C
Veſicæ fellis neruus quantus.5°.de vſu par. 1ª.145.C
Veſica fellis nutritur ab alijs vaſibus.5°.de vſu par. 1ª.44.H
Veſica fellis quòd nihil patiatur à bile.5°.de vſu par. 1ª.145.G
Veſicæ fellis ſymptomata.5°.de lo.aff. 4ª.35.F
Veſica fellis, lien, & renes quomodo male purgent.3°.de ſymptomatum cauſis. 3ª.26.A
ex Veſica fellis ſanguis cur impurus fiat nõnunq̃.5°.de lo.aff. 4ª.35.F
Veſica fellis quo iudicio cognoſcat̃ eſſe valde plena.5°.de lo.aff. 4ª.35.H
VESICA *quid.fin.med.* Iſa.44.A
Veſica, renes, & teſticuli ſunt membra minus principalia. de anatomia viuorum. Sp.56.A
Veſicæ anatomia.de ana.viu. Sp.51.D
Veſica poteſt videri extra animal.3°.de anat.adm. 1ª.81.H
Veſicæ natura conſideranda eſt inteſtinis exẽptis. 6°.de anatomicis adminiſtrationibus

miniſtrationibus. 1ª.92.B
Veſicam cur prima die ſecaret Galenus.5°.de anat.adm. 1ª.87.B
Veſicæ ſitus.14°.de vſu par. 1ª.209.A
Veſica cur ſit ante rectum inteſtinum.14°.de vſu par. 1ª.209.F
in Veſica virorum,& fœminarum differentia.5°.de vſu part. 1ª.145.B
Veſica eſt pars neruoſa.com.5°.aph.22°. Ex.39.E
Veſica eſt exanguis.com.3°.aph.5°. Ex.20.E
Veſica neruoſa eſt,tenuis,& exanguis.com.6°.aph.18°. Ex.47.H
Veſica quomodo dicatur neruoſa. in 6m.de morbis vulgaribus commentario.1°. 3ª.153.B
Veſicarũ corpora dura & vix patibilia nam.14°.de vſu par. 1ª.209.E
Veſicæ partes quales.6°.de lo.aff. 4ª.39.B
Veſicæ collum muſculoſum.4°.de vſu par. 1ª.141.E
Veſicæ colli duæ partes.de compag.memb. Sp.59.B
Veſicæ collum admodum obliquum.15°.de vſu par. 1ª.212.D
Veſicæ collum cur totum perinæum occupauit.15°.de vſu par. 1ª.211.A
Veſicæ collum mulierum apophyſi caret quàm habent viri. 15°. de vſu partium. 1ª.211.A
Veſicę collum mulierum quale. 15°.de vſu partium. 1ª.211.A
Veſicę colli glandulæ ſunt de natura teſtium.3°.de ali.fac. 2ª.27.A
Veſicæ collum irrigant glandulæ.2°.de ſemine. 1ª.340.E
circa Veſicam glandoſa corpora quid agant.14°. de vſu par. 1ª.207.F
in Veſicæ vrinę collo ſex vaſa,& quæ.5°.de vſu par. 1ª.145.A
in Veſicę collo vrinarius meatus mulieris habet vnam flexionẽ,viri autem duas.5°.de vſu par. 1ª.147.G
Veſicæ ceruix lata in pueris.in 6m.de mor.vul. com.3°. 3ª.173.C
Veſicæ os quibus conſtet.de anat.viu. Sp.51.D
Veſicæ os intrat collum matricis.de anato.viuor. Sp.51.H
Veſica qualem ſtructuram habeat à natura.2°.de anat.adm. 1ª.73.B
in Veſicis cur membranæ.5°.de vſu par. 1ª.145.B
Veſicæ habẽt ſolũ vnã tunicã.3°.de nat.fac.1ª.305.E/de anat. Sp.56.A
Veſica cur ex vna tunica.14°de vſu par. 1ª.209.E
Veſica non eget multiplicitate tunicarum.de ana.viu. Sp.45.A
Veſicæ habent tunicas mẽbranoſas duras exangues frigidas.5°.de vſu partium. 1ª.146.B/C
Veſicæ tunicæ quomodo habeant villos.5°.de vſu par. 1ª.145.H
in Veſicis fibrarum genus diuerſum.1°.de ſemine. 1ª.332.C
Veſicę exterior tunica habet eandem naturam cum peritonæo. 1°.de naturalibus facultatibus. 1ª.293.D
Veſicæ exterior tunica oritur à peritonæo.1°.de natu.facul. 1ª.293.D
Veſicæ tunica exterior ex quibus conſtet.de anat.viuo. Sp.51.D
Veſicæ tunica interna eſt propria veſicæ.1°.de nat.fac. 1ª.293.D
Veſicæ tunica interna in duplo peritonæũ excedit.1°.de na.fac.1ª.293.D
Veſicæ interior tunica quibus texatur.de ana.viu. Sp.51.D
Veſicæ interior tunica propter quid duplicata.de ana.viu. Sp.51.D
Veſicæ cur exigua vaſa.16°.de vſu par. 1ª.219.E
Veſicam quomodo vreteres ingrediantur.de ana.vi. Sp.51.D
in Veſica venæ & arteriæ ſe contingunt.9°.de vſu par. 1ª.172.H
Veſica habet venas,& arterias vt viuat.2°.de ana.adm. 1ª.73.B
in Veſicis cur venæ magnæ.5°.de vſu par. 1ª.144.H
Veſicæ vtriuſq;,venarum,arteriarum,cordis,Thoracis, & renũ opus commune eſt.7°.methodi medendi. 4ª.49.B
Veſica vrinæ nutritur ab alijs vaſibus.5°.de vſu par. 1ª.144.H
Veſicæ indigent vaſe quo nutriantur.5°.de vſu par. 1ª.145.B
Veſicæ nutrimenti inſtrumenta apud medicos.5°.de vſu par. 1ª.146.D
Veſicæ datur tantus ſanguis,quantus ipſi ſufficiens eſt.commẽtario.4°. aphoriſmo 78°. Ex.36.G
Veſica vrinæ vñ habeat neruos venas,& arterias.5°.de vſu. 1ª.145.A
Veſica vnde accipiat neruos.16°.de vſu par. 1ª.218.D
Veſicę nerui ſphincteri dicti.de anat.viu. Sp.54.C
Veſicæ muſculi quomodo ſe habeant.2°.de motu muſc. 1ª.315.G
Veſicæ,& ani muſculis comparantur muſculi anhelitum conſtringẽtes. de voc.inſtr.diff. 1ª.107.H
ad Veſicæ os muſculus qualis.1°.de ſan.tuen. 2ª.67.G
Veſicæ muſculi rotundioris officium quale.6°.de lo.aff. 4ª.38.E
in Veſica obliqui muſculi officium,& inceſſus.5°.de vſu par. 1ª.147.F
in Veſica vnus muſculus circularis,q ipſam claudit.6°.de ana.1ª.93.H
ad Veſicam muſculi parui vnde.16°. de vſu partium. 1ª.218.D
Veſicæ colli muſculi munus quale ſit.de muſc.diſſec. 1ª.50.D
in Veſicæ ceruice muſculus.1°.de motu muſc. 1ª.309.F
Veſicæ ceruicis muſculus nihil agit cum veſica.1°.de loc.aff. 4ª.2.H
Veſicæ muſculi quomodo moueantur.1°.de motu muſc. 1ª.309.F
in Veſica quomodo ſe habeat media conſtitutio.2°.de mot.mu. 1ª.315.G
Veſica maior eſt matrice in ãialibus quæ augẽtur.14°.de vſu p. 1ª.205.C
Veſica minor eſt matrice in ãialibus iam auctis.14°.de vſu par.1ª.205.C
Veſicam paruam vidit Galenus.ars med. Iſa.66.G
Veſica augetur ad portionem ætatum.14°.de vſu par. 1ª.205.C
Veſicę ſuum quomodo à pueris extendãtur.1°.de nat.fac. 1ª.292.A
Veſicis ludunt pueri in Ionia.1°.de nat.fac. 1ª.292.A
Veſicã fricantes pueri in Ionia canunt verſus numeroſo cantu, & rhythmo hortantur veſicam ad incrementum.1°.de nat.fac. 1ª.292.A
Veſica quantum augetur,tantum eius corpus in tenuius eſt redactum. 1°.de naturalib.facultatib. 1ª.292.A
Veſica ad nares pueri appoſita quid oſtenderit.de vtil.reſp. 1ª.226.A
Veſica trahit,retinet,& depellit vt cor,vnde habet multas fibras. 6°. de vſu partium. 1ª.150.D
i Veſicæ tunica exteriora magis viget atractiua vis.de ana.vi.Sp.51.D
Veſica habet vim retentricem,& alteratricem.1°.de criſi. 4ª.130.H
Veſicæ quomodo attrahant,& expellent.3°.de nat.fac. 1ª.305.G
in Veſica vis eſt contentrix.6°.de lo.aff. 4ª.41.H
Veſica non trahit à renibus.6°.de locis affe. 4ª.37.G
Veſica vrinæ trahit purum excrementum.5°.de vſu partium. 1ª.144.H
Veſicæ officium quod.6°.de loc.aff. 4ª.38.E
Veſica vtraq; deſeruit nutritioni.4°.de prẹſag.ex pulſ. 4ª.119.F
Veſica eſt vas ſecundæ digeſtionis.de ana.viu. Sp.51.D
Veſica,& craſſum inteſtinũ colligũt excremẽta.4°.de vſu pa. 1ª.141.D
Veſica excipit quod aquoſum eſt,& ſeroſum.6°.de ana.admi. 1ª.90.C
Veſica eſt pars per quam hepar euacuatur.com.1°.aph.29°. Ex.10.A
vt Veſica ad Hepar,ita ſe habet monoculum inteſtinum ad ſtomachum. de anatomia viuorum. Sp.50.F
Veſica numeratur inter loca cõferentia ad euacuationem. commentario 1°.aphoriſmo 21°. Ex.10.A
per Veſicam,& renes,& ventrem expurgatur nõ raro totum corpus. in 1m.de mor.vul.com.2°.109.B/ 3ª.111.F
Veſica excernendo euacuat cauſam, quæ moleſtat. de natura humana. commentario 2°. 7ª.182.H
p Veſicã,et Veſicã fellis purgãt bilioſi hũores ſeroſi.de atra b.1ª.37.A
Veſica agit naturaliter,& non voluntarie.1°.de lo.af. 4ª.2.H
Veſica,& inteſtina lædere poſſunt actiones naturales,vt muſculi affecti actiones à voluntate.1°.de loc.aff. 4ª.8.A
Veſica naturali vtitur facultate.6°.de locis affectis. 4ª.38.F
Veſicę officium non eſt à voluntate.6°.de lo.aff. 4ª.38.E
Veſica ſentit ſolũ,& non hẽt motũ voluntariũ. 16°.de vſu par.1ª.214.H
in Veſica vrinæ cur paruus ſenſus.5°.de vſu par. 1ª.145.F
Veſicæ obtuſus ſenſus quomodo fiat.6°.de locis affectis. 4ª.38.F
Veſicę opus eſt indeſinens.com.6°.aph.6°. Ex.47.B
Veſicæ proprium.7°.de anat.adm. 1ª.95.G
Veſicæ vis quomodo cognoſcatur.in progno.com.2°. 4ª.200.C
Veſica quomodo ſuperflua retineat,& expellat.5°.de vſu par. 1ª.147.E
Veſica quandoque tolerat ſua excrementa,quandoq; non.3°.de ſymptomatum cauſis. 3ª.28.G
Veſica vnde expurgetur.2°.de lo.af. 4ª.13.C
Veſica ſi multos habet ſuccos prauos per ſeceſſum euacuantur,ſi paucos per vrinam.7°.methodi medendi. 7ª.49.D
Veſicæ ſuperfluitates expurgantur per vrinam. ars med.Iſa.71. E/ 11°. methodi medendi. 7ª.73.F
in Veſica contenta per vrinas exeunt.de conſt.ar.med. Iſa.42.B
in Veſica quæ cõtinent expultrix vis expellit.2°.de ſymp.cau. 3ª.22.G
ad Veſicã cur vrina affatim,& celeriter feratur.6°.de lo.af. 4ª.37.F
Veſicæ functo deſtinatur vrina.de comp.memb. Sp.59.B
Veſica vrinæ quomodo ſe habeat.3°.de natu.fac. 1ª.303.F
in Veſica quomodo fiat expulſio.3°.de nat.fac. 1ª.306.A
per Veſicam excretio non eſt toto genere præter naturam. de ſymptomatum differentijs. 3ª.13.H
Veſica quomodo excernat exprimẽdo vt manus exprimit aliquid.2°.de ſymptomatum cauſis. 3ª.21.E
à Veſica quæ excernuntur ipſę particulæ circa hæc ſe contrahunt. 2°. de ſymptomatum cauſis. 3ª.21.E
p Veſicæ collũ cur fœtus poſt partũ emittit lotiũ.15°.de vſu pa. 1ª.212.C
Veſicæ comprimendi motus quando fuiſſet fruſtra.1°.de lo.aff. 4ª.3.E
Veſicæ motus quomodo ſymptoma.2°.de ſymp.cau. 3ª.21.D
Veſicę excrementa [ideſt vrinæ] debent inſpici:ſi ſint ſimiles ſanis, bonum,ſi non,malum.com.7°.aph.64°. Ex.60.B
Veſica qualę excrementum excernat,& quibus adiuuetur. 1°.de ſanitate tuenda.

te tuenda. 2ª.67.G
Veſicæ excrementa quid portendant.6°.de loc.affec. 4ª.41.E
Veſica quæ emittit ſi ſint liuida,ſanguinea,biliofa,fœtida,mala, cum vero bene excernuntur bonum eſt.com.7°.aph.65°. Ex.60.E
Veſicæ qualia fuerint excrementa,ſi multum,multus eſt morbus,ſi parum,paucus,ſi valde multum,letale eſt.com.7°.aph.75°. Ex.60.H
à Veſica tarde pertranſeunt æſtate paludoſæ aquæ.de bon.aq. Sp.75.D
Veſicam purgantia quæ.de cathar. Sp.95.D
Veſicæ proſunt caricæ.de ſimp.med. Sp.84.C
ad Veſicam valet ſolanum halicacabum, & vrinæ ciendæ eſt idoneũ. 8°.de ſimp.me.fac. 5ª.62.G
ad Veſicam venit ſpiritus & humor.com.4°.aph.73°. Ex.35.G
Veſicam lædit ſylphij radix.de ſimp.med. Sp.90.C
Veſicam petit ſyrum.de ſimpli.me. Sp.90.H
ad Veſicam fluere faciens materiam antidotus.2°.de antid. 5ª.118.E
Veſicæ Actio quando læditur.6°.de lo.aff. 4ª.38.D
circa Veſicã Aegritudinem eſſe ſignificat,ſi ſanguinem mingat, & grumos,ſtranguriaq; affligatur,dolorq; ad perinæum ac epigaſtrium incidat.de vrin.ſign.ex Hipp. Sp.78.H
Veſica ægra exiſtente non ſit iudicium per vrinam niſi ſecundum ipſam veſicam.de vrin.ſign.ex Hipp. Sp.78.G
Veſicæ ægritudinibus quid conferat.ſecre. Sp.101.F
Veſicæ Affectus qui.de mult. 3ª.76.F
Veſica affecta quomodo differat à cole affecto.6°.de lo.aff. 4ª.41.F
Veſica cum alijs communes affectus.6°.de loc.aff. 4ª.38.C
Veſica quo tempore ætatis afficiatur.in progno.com.2°. 4ª.206.C
Veſicam affectam habentibus cicadæ aſſæ edendæ dantur. 11°.de ſimplicium medic.facult. 5ª.82.B
ad Veſicam circa exiſtentes affectiones.7°.de compo.medicamen.ſec.loc.181.F/185.H/186.A/191.D/ 5ª.193.C
Veſicæ affectionibus medetur antidotus Zopyria.2°.de antid. 5ª.115.B
ad Veſicæ affectiones.7°.de comp.me.ſec.lo.182.C/8°.191.F/9°.202.F/10°.5ª.206.A/B/C/F/de rem.par.fac. 7ª.160.B
ad Veſicæ affectus,& vlcerationes.10°.de comp.me.ſec.lo. 5ª.206.A
in Veſicæ affectibus quæ vena ſecanda.13°.methodi medendi. 7ª.83.B/præſag.exper.conf. Sp.78.C
Veſica iuuat vena poplitis & malleolorũ.de cur.rat.per ſang. 6ª.20.E
Veſicæ Aſperitatibus medetur ouum.11°.de ſimp.med.fa. 5ª.81.G
in Veſica ſcabras aſperitates linire poteſt glycyriza.6°.de ſimpli.medicamen.facultatib. 5ª.45.G
Veſicæ Collum quot de cauſis claudatur.3°.de ſymp.cau. 3ª.28.D
Veſicę colli obſtructio quomodo.3°.de ſymp.cau. 3ª.28.D
Veſicę Conniuentia vnde ſit.3°.de ſymptomatum cauſ. 3ª.28.D
circa Veſicam ita eſt Diabete,vt circa aluum leuitas inteſtinorum. 1°. de criſibus. 4ª.130.H
in Veſicæ,ſtomachi,& renum Difficultatibus tabis hectica ſequitur. 1°.de differ.feb. 3ª.35.F
in Veſica difficultatem vrinæ ſedat theriaca.de ther.ad Piſ. 5ª.96.A
Veſica dolet mire.in progno.com.2°. 4ª.206.A
Veſicæ dolor quibus neglectis fiat.de dyna. Sp.20.A
Veſicæ colli dolores intenſiſſimi ob lapides.de re.aff.dig.& m. 7ª.193.B
Veſicæ doloris meminit.ſecretorum. Sp.100.H
inter Veſicam & renes dolor acutus,cum calculus in veſicam tendit. 1°.de naturalibus facultatibus. 1ª.293.C
Veſicæ,& renum dolorem,& capitis aliquantum ſignificat vrina alba pinguedinoſa vel iumentina.de dyna. Sp.35.E
Veſicæ dolore qui moriantur.in progn.com.2°. 4ª.206.B
ad Veſicæ dolorem cura.de dyna. Sp.29.B
Veſicę dolorem mitigant radices glycyrhizę.de ſimp.med. Sp.84.G
ad Veſicæ dolores potari vtiliter creduntur phalaridis folia. 8°.de ſimplicium medicamento.facultatibus. 5ª.63.B
ad Veſicę dolores valet theriaca.de ther.ad Piſ. 5ª.91.G
ad Veſicæ dolores.10°.de comp.medi.ſecun.loc. 5ª.206.A
ad Veſicæ dolorem,& lapidem.ſecreto. Sp.99.H
circa Veſicam dolentis caſus.6°.de lo.aff. 4ª.39.A
Veſica magis læditur à Frigidis,quàm alia membra,& cur.commentario 3°.aphoriſmo 5°. Ex.20.E
Veſicę nocet frigus. com.3°.aph.22°. Ex.24.F
Veſica calidũ amicum,frigidum inimicum.com.5°.aph.22°. Ex.39.D
p Veſicã frigus & calor aſcendũt in ventrẽ.com.5°.aph.22°. Ex.39.F
Veſicæ refrigeratio quomodo fiat.in 1ᵐ.prorrh.com.2°. 4ª.171.C
Veſicæ infrigidationẽ habẽt qui vrinã ſæpius mingunt.de dyn. Sp.35.E
ex Veſicę frigiditate retenta vrina mala.in 1ᵐ.prorr.com.2°. 4ª.171.C
Veſica & ſede infrigidatis in quodam excrementa retineri non poterãt. 4°.de locis affectis. 4ª.25.C
in Veſica meatu Grumi ſymptomata.6°.de lo.af. 4ª.39.A
in Veſica vel inteſtinis grumi quid faciant.6°.de locis affe. 4ª.38.H
Veſicæ Imbecillitas ſit propter intemperaturam,vel aliquem humorem præter naturam.com.5°.aph.58°. Ex.43.B
Veſicæ magnam imbecillitatem inferre non poſſunt nerui orti à ſpina,& ſpinæ affectus.6°.de loc.aff. 4ª.38.D
Veſicæ retentiua potentia imbecillis facit vrinę ſtillicidium.com.5°.aph.58°.43.B/com.7°.aph.39°.& 48°. Ex.57.B/H
à Veſica,ventre,capite,et thorace origo Infirmitatis vel ſanitatis oſtẽditur.de dynamidijs. Sp.19.G
Veſicæ Inflammationis ſigna.introd. Iſa.57.B
Veſicæ inflammatæ pulſus qualis.de pulſ.ad Tyro. 4ª.45.A
Veſica inflammata facit ilium ſecundum antiquos,quos Galenus reprehendit.com.6°.aph.44°. Ex.51.D
Veſicæ inflammatio quomodo cognoſcatur,& quod peſſimum.in progn. commen.2°. 4ª.206.A
Veſica læſa ob Intemperiem quid agat.6°.de lo.af. 4ª.38.D
in Veſicæ phlegmone non ſemper danda quæ vrinam prouocant. 13°.methodi medendi. 7ª.82.A
in Veſica vbi eſt phlegmone quæ vrinam cient medicamẽta non ſunt exhibenda.13°.meth.me. 7ª.83.A
ob Veſicæ colli inflãmationẽ vrina ſupprimit.de artic.com.3°.7ª.282.B
in Veſica Lapis eſt toto genere præter naturam.de diff.mor. 3ª.4.F
Veſicæ lapis puerorum malum.de ren.aff.dig.& me. 7ª.192.F
Veſicæ lapis in pueritia.in 6ᵐ.de morbis vulgaribus com.1°. 3ª.155.C
in Veſica lapis cur pueris.in 6ᵐ.de mor.vul. com.3°. 3ª.173.B
Veſicæ lapides cur pueris.de ren.aff.dign.& med. 7ª.192.E
in Veſica,vel renibus eſſe lapidem cognoſcitur.1°.de loc.aff. 4ª.2.F
in Veſica lapidis ſigna.intro.Iſa.57.B/1°.de lo.aff.3.A/ 4ª.6.C
Veſicæ calculum,& renum ſignificant vrinæ habẽtes arenoſam ſubſidẽtiam.com.4°.aph.79°. Ex.36.H
Veſica ijs calculeſcit quibus in vrina arenoſa ſubeſt materies. de vrinæ ſignif.ex Hippocrate. Sp.78.H
in Veſica lapidem maiorem habentis ſigna.de dyna. Sp.29.B
Veſica calculo obnoxia quibus aquis lædatur. in 6ᵐ.de morb.vulgaribus,commen.4°. 3ª.182.D
in Veſica lapidem habentium ſitus vt mingant.2°.de lo.af. 4ª.3.A
in Veſica à lapide obſtructo quomodo curetur.ars medi. Iſa.70.A
Veſicæ calculus quid primo indicet.3°.meth.me. 7ª.16.C
Veſicæ calculi quid expetant.5°.de ſimp.me.fac. 5ª.38.B
Veſicæ calculus indicat penitus de ſui remotione.14°.met.me. 7ª.90.F
Veſicæ calculus non ętatis lapſu,ſed manuum opera dũtaxat curari poteſt.in 6ᵐ.de mor.vul.com.5°. 3ª.193.B
in Veſica lapidem habentibus vtile eſt Adrianum balſamatum,& philantropon.de dyna. Sp.28.B
Veſica lapidem qui Lapis frangat.de ren.aff.dign.& med. 7ª.196.D
Veſicæ lapis non comminuit lapidem.10°.de ſimp.med.fac. 5ª.75.G
in Veſicę lapide nihil facit lapis iudaicus.ſecretorum. Sp.102.D
Veſicæ lapides conterit Ophites.9°.de ſimp.me.fac. 5ª.67.D
Veſicæ calculos comminuit murium ſtercus.de ther.ad Piſ. 5ª.93.F
Veſicæ calculos comminuit Paliuri fructus.8°.de ſimp.me.fac. 5ª.57.G
Veſicæ calculos conterit Scorpius.de ther.ad Piſ. 5ª.93.F
Veſicę calculis prodeſt Theriaca.de theria.ad Pamp. 5ª.98.H
Veſicæ lapidi frangendo quid valeat.de cura lap. Sp.112.D
Veſicę,& renum lapidem quę educant.de cathart. Sp.95.D
Veſicæ lapis emittitur poſt mictum.in 6ᵐ.de mor.vul.com.3°. 3ª.173.C
ad Veſicæ calculos medicamenta.intro. Iſa.57.H
ad Veſicæ,& renum lapidem valens medicamen. de medicinis expertis.105.G/ Sp.106.B
ad Veſicæ petrã remediũ.de dyn.29.B/de me.exper.107.D/ Sp.108.F
Veſicæ duodecim Morbi.de vic.rat.in mor.acu.commen.1°. 7ª.108.H
Veſicæ morbos facit gibber ſupra ſeptum.de artic.com.3°. 7ª.269.G
Veſicæ morbos ſanat antidot° Athanaſia Mithridatis.2°.de an.5ª.114.H
ad Veſicę morbos.5°.de comp.me.per gen. 5ª.250.B
Veſica Mordetur acritudine vrinæ.com.5°.aph.58°. Ex.43.B
Veſica ſtimulatur acribus humoribus.com.3°.aph.22°. Ex.24.F
in Veſica adeſt Palpitatio.2°.de ſymptomatum cauſis. 3ª.20.F
Veſicã Pati,& circa veſicam paſſio differunt.cõ.4°.aph.80°. Ex.36.H
Veſicam pati quibus indicijs cognoſcatur.com.7°.aph.39°. Ex.57.B

Veſicæ aut

Veſicæ aut renum paſſionem ſignificat vrina mediocris, ſi aliqua in ipſa exeant.com.4°.aph.77°. Ex.36.E
Veſicæ,& matricis paſſiones ſi prolixæ fuerint vtimur catharticis. de dynamidijs. Sp.20.E
Veſicæ,& renibus per longum patientibus vtiliter datur colocynthis. de dynamidijs. Sp.21.D
ad Veſicam per venas inter ventriculum,et ſeptũ Pituita repoſita vertitur,& quo modo,& per quàm viam.com.7°.aph.54°. Ex.58.F
Veſica quando eſt Plena ſecũdum totam ſuam circumſcriptionem apparet plena.com.6°.aph.44°. Ex.51.D
Veſicæ plenæ non ſunt duræ.5°.de ſimp.me.fac. 5ª.52.G
Veſica vrinæ cur ob multitudinem non poſſit vrinam emittere. 5°.de locis affectis. 4ª.35.H
ob Veſicæ plenitudinem vrina quãdoq; ſupprimit.6°.de lo.af. 4ª.38.H
ad Veſicæ Præcluſionem antidotum.de dyn. Sp.29.A
ex Veſica Pus,& ſanies ſponte exeunt.5°.meth.me. 7ª.33.A
Veſicæ Rigorem remollit meu.de ſimp.med. Sp.87.F
in Veſica non poteſt Rũpi vena,ſicut in renibus ex ſanguine ſuperabundante. com.4°.aph.77°.& 78°. Ex.36.F/G
in Veſica ſi vas magnum præruptum ſit,vtaris adſtringẽtibus, & quibus.5°.meth.me. 7ª.31.G
in Veſica ſi vas paruum ſit præruptum,quibus adſtringentibus vtendum.5°.meth.me. 7ª.31.G
Veſica cum male habet non ſunt admouenda adſtringentia. 11°. methodi medendi. 7ª.73.B
ad Veſicæ Sanguinis profluuia.9°.de comp.me.ſe.lo. 5ª.206.A
in Veſica ſanguis concreſcit.de atrab. 1ª.34.D
in Veſica congelatum ſanguinem quid diſſoluat.de cura lap. Sp.112.H
in Veſica coagulato ſanguini quid opem ferat.de cura lap. Sp.112.F
Veſica ijs ſcabie laborat quibus in vrina craſſa, furfurea ſimul exeunt. commen.4°.aph.77°. Ex.36.F
Veſicę ſcabioſæ ſigna.de na.hu.com.2°. 7ª.180.H
Veſicę ſcabiei vrina.de dyn. Sp.35.C
Veſicæ ſcabies qua vrina ſignificetur.de vrin.ſign.ex Hip. Sp.78.H
Veſica ſcabie laborant quibus furfura quædam ſimul exeunt in vrina craſſa.com.4°.aph.77°. Ex.36.E
Veſicæ ſiccitas ex cauſarum numero eſt eam conniuere facientibus. 3°. de ſymp.cauſ. 3ª.28.D
in Veſica fit vrinæ Stillicidium.com.6°.aph.1°. Ex.45.H
Veſicæ accidẽs qñ eſt ſtillicidiũ,& quot fiat modis.6°.de lo.af. 4ª.38.C
ad Veſicæ ſtillicidium.10°.de compo.medica.ſec.loc. 5ª.206.E
Veſica in ſtrãguria qũo det vrinã.in 3ᵐ.de morbis vul.com.1°. 3ª.128.D
Veſica quo modo Supprimatur.in progn.com.2°. 4ª.206.A
in Veſica Suppuratio quando eſſe cognoſcatur.6°.de loc.aff. 4ª.39.H
ad Veſicæ ſymptomata.10°.de compoſit.medica ſecun.loc. 5ª.206.B
Veſicæ Tedia ſuſtinentibus myrta vtilis.de ſimp.me. Sp.87.E
ad Veſicæ Tofos diſſoluendos.10°.de comp.medica.ſec.lo. 5ª.206.E
Veſica Tumida ſolum põt inteſtinũ rectũ ꝑmere.c.6°.aph.44°. Ex.51.D
circa Veſicæ tumorem vrinę ſuppreſſio à quo fiat.1°.de lo.aff. 4ª.3.F
Veſicæ Vitia ſunt morbi longi.com.6°.aph.6°. Ex.47.B
Veſicæ vitia in ſenioribus difficulter ſanãtur.com.6°.aph.6°. Ex.47.B
Veſicę vitia quomodo finiant.3°.de criſ. 4ª.139.F
in Veſicæ vitijs quę ſint miſcenda medicamenta.4°.met.me. 7ª.29.A
Veſicam ſolam Vlcerant cantharides.3°.de ſimplic.med.facul.23.A/1°. de compo.me.per gen. 5ª.209.H
Veſicam lędit cantharis.de theria. 5ª.91.A
Veſicam quomodo lædat,& iuuet cantharis.de ther.ad Piſ. 5ª.96.F
Veſicam vlcerant vrinæ acres.6°.de loc.aff. 4ª.37.E
Veſica vrinę ab vrina patitur.5°.de vſu par. 1ª.145.G
Veſicæ vlcerationes quomodo cognoſcantur, & quibus diſtinguantur. 9°.de compo.medicamentorum ſecun.loc. 5ª.205.C
Veſicæ,& renũ vlceratio q̃ vrinã faciat.de vri.ſign.ex Hip. Sp.78.H
Veſicæ aut renum vlceratio ſignificat, ſi ſanguinem aut pus minxerit. commen.4°.aph.75°. Ex.36.A
Veſicæ vlcerationes quibus curentur.9°.de comp.med.ſec.lo. 5ª.205.D
ad Veſicæ vlcerationem.de remed.par.fac. 7ª.160.B
inter Veſicam,& renes fiunt etiam vlcera.com.4°.aph.75°. Ex.36.B
à Veſicæ vlceribus qũo diſtinguãtur quæ in renibus.1°.de lo.af. 4ª.2.D
Veſicæ vlcerationibus pręſidiũ eſt theriaca.de theriaca ad Piſ. 5ª.96.B
Veſicæ & renum vlceris differentiæ quę.com.4°.aph.75°. Ex.36.B
Veſicæ vlcus quo modo cognoſcatur.com.4°.aph.75°.36.A/ apho.80°. 36.H/aphor.81°. Ex.37.A
Veſicæ vlceratiõe oſtendit ephelcis cũ vrina exiẽs.1°.de lo.af. 4ª.2.F
Veſica exeſa aut reſoluta emittit particulas ſimiles folijs, aut ſquãmis. comment.4°.aph.76°. Ex.36.C
ex Veſica,& renibus cũ vrina eijciũtur ramẽta.4°.de lo.aff. 4ª.25.H
à Veſica folijs ſimilia in vrinis vcniũt.in 6ᵐ.de mor.vul.c.5°. 3ª.192.A
in Veſica vlcerata exit ſanguis.com.4°.aph.78°. Ex.36.G
Veſicæ vlcera odore graui percipiuntur.com.5°.aph.11°. Ex.38.D
Veſicę aut renum vlcus ita vt eorum ſubſtantia diſſolueretur, læditur valde ab extenuantibus,atque incidentibus medicinis, & victu humido.com.4°.aph.76°. Ex.36.D
Veſicæ ceruix qũo cognoſcaĩ ab vlcere obſtructa.1°.de loc.aff. 4ª.3.B
ad Veſicam exulceratam.2°.de antid.116.C/1°.de compo.medicamentorum ſecun.loc. 5ª.206.A/F
ad Veſicæ vlcera,& inflammationes.9°.de comp.me.ſe.lo. 5ª.206.B
Veſica Vlcerata quomodo deprehenſa.1°.de lo.aff. 4ª.2.E
Veſica diſciſſa letale eſt.com.6°.aph.18°. Ex.47.H
Veſicæ vulnera ſanauit cauda equinę.6°.de ſimp.me.fac. 5ª.48.F
ad Veſicæ vlcera medicamenta.intro. Iſa.57.H
in Veſica Vrina nimia collecta facit dolorem.de mul. 3ª.76.F
pp Veſicam & renes quandoq; vrina aſpera,fœtida,& bilioſa.in prognoſt.commen.2°. 4ª.201.E
Veſica cum ab vrinæ qualitate mordetur excretio fit aſſidua.de multitudine. 3ª.76.G
ad Veſicam.7°.de comp.me.ſe.lo. 181.A/8°. 5ª.188.H
in VESICIS *exemplum.in 6ᵐ.de mor.vul.com.3°.* 3ª.176.E
in Veſica quomodo aliquid immittimus.5°.meth.me. 7ª.31.F
in Veſicam quomodo inijciantur medicamenta.5°.meth.me. 7ª.32.D
in Veſicã aliquid infunditur per rectos ſyphones.5°.meth.me. 7ª.34.D
in Veſicam quomodo res inijciantur ex pene.4°.meth.med. 7ª.29.B
in Veſica poſita aqua calida fomentum eſt calidum. de vict. rat.in morbis acutis,commentario.2°. 7ª.116.D
Veſica cui ſit fiſtula iuncta ponit in rectum inteſtinum medicamenta. 5°. methodi medendi. 7ª.32.E
de Veſica ſuilla cuiꝰ ſit vſus ĩ curõne ſinꝰ.2°.de ar. cur.ad Gl. 7ª.105.H
Veſica pro conſeruando medicamento.5°.de compo.medicamento.ſecundum locos. 5ª.161.B
Veſica lupina.de dynam. Sp.28.F
ex VESICARIIS *paſtillus.5°. de compo.medi.per ge.* 5ª.252.A
VESPAE *obeunt oleo.2°.de ſimp.med.fac.* 5ª.14.E
Veſparum morſus iuuat ſtercus bubulum.10°.de ſim.me.fac. 5ª.76.H
ad Veſparum puncturas medicina.2°.de antid. 5ª.118.G
vti Veſpa incidẽti dolori matricis quid opẽ ferat.de paſſ.mul. Sp.95.G
VESPERI *pro poſterius.de victus ratione in morb.acutis, commentario.4°.* 7ª.140.D
Veſperi non videntium oculorum remedium.de ocul. 7ª.191.A
VESPERTILIONVM *vitam agunt cubantes interdiu,nocte vigilantes.in 1ᵐ.de mor.uul.com.2°.* 3ª.119.G
Veſpertilionis ſanguine vtitur.4°.de compo.med.ſec.loc. 5ª.158.B
Veſpertilionis cerebrum ad quid vtile.de med.fac.par. 7ª.161.E
de VESPERTINA *frictione.3°.de ſan.tuen.* 2ª.81.H
VESTIGIVM *pedis qui muſculus ſolidum,tenſum, durum pilis nudum,& facile ſentiens.de muſ.diſſ.* 1ª.52.A
VESTIMENTVM *chirurgi quale eſſe debeat.de ijs quæ in medicatrina fiunt,commen.1°.* 7ª.202.F
Veſtimenta omnia non ſunt neceſſaria.ad Thraſ. 2ª.104.D
Veſtimẽta ex auro cõtexta nõ recte appetũt.de cogn.cur.aĩ m. 2ª.54.H
Veſtimenta quomodo calefaciant.2°.de ſimp.med.fac. 5ª.15.F
VESTES *texere quid.ad Thraſ.* 2ª.105.E
Veſtes texere,& ſuere idem.ad Thraſ. 2ª.105.E
Veſtẽ facit alter artifex,alter dilaceratam reficit.ad Thraſ. 2ª.102.B
Veſtes reſarcienti ſimiles ſunt agricola,& medicus.ad Thra. 2ª.104.H
Veſtes reponere ne ſurripiantur an ſint ars.ad Thraſ. 2ª.104.B
Veſtis diuerſa ab alijs philoſophum non facit,ſed animus.de hiſtoria philoſophica. Sp.2.D
Veſte muliebri induunt ſe homines, qui putant ſe eſſe euiratos. de aere, aquis,& locis. 2ª.5.H
Veſtem duplicem habere ſatis eſt.de cogn.cur.animi mor. 2ª.54.H
Veſtes cur noctu plures.in 6ᵐ.de mor.uul.com.4°. 3ª.183.D
Veſtes cur calefiant.de vtil.reſp. Sp.62.F
Veſtes attritu fiunt ſicciores.in 6ᵐ.de mor.uul.com.3°. 3ª.170.B
Veſtes hyeme mundæ ſunt induendę.de ſal.diæ. 2ª.41.A
Veſtes mundæ quæ refrigerant.de ſal.diæ. 2ª.41.A

Veſtes debent eſſe oleo infectæ æſtate.de ſal.diæ. 2ª.41.A
Veſtes oleo infectæ tempore plus calefaciunt,ſed primo impetu refrigerant.de ſal.diæ. 2ª.41.A
Veſtes oleo infectæ ſordidæ.de ſal.diæ. 2ª.41.A
*Veſtes ſordidæ vrina expurgantur.*10º.*de ſimp.me.fac.* 5ª.75.D
Veſtes putrefacit immobilitas.in 3^{m}*.de morb.uul.com.*3º. 3ª.141.A
*Veſtes quia non difflantur putreſcere ſolent.*2º.*de diff.feb.* 3ª.40.B
Veſtes quatiuntur ne putreſcant cum tempus eſt calidum & humidum. in 3^{m}*.de mor.vulga.com.*3º. 3ª.141.A
Veſtium à pectore reiectiones quid ſignificent. de victus ratio.in morb. acutis commentario 2º. 7ª.122.F
VESVVIVS *mons vbi.*5º.*methodi medendi.* 7ª.34.H
VETERASCVNT *oĩa præter vinum ſm aliquos.*1º.*de antid.* 5ª.101.C
ad VETERATA *omnia.*7º.*de compoſi.medica.per genera.*5ª.274.A
VETERNOSI *loco ſplendido detinendi.de opt.ſec.* Iſa.25.A
VETERNVM *facit vltima adſtrictio.de cau.mor.* 3ª.7.D
Veternum phrenitis ſanat. in 6^{m}*.de morb. vul.com.*6º. 3ª.197.E
in Veternũ verti phrenitim malum.in 6^{m}*.de mor. vulg.c.*6º. 3ª.197.E
VETAT *conceptum menta.de ſimp.med.* Sp.87.D
VETONICA *quid,& eius vires.de ſimp.med.* Sp.92.A
Vetonica vires habet leniter acres,& diureticas.de ſim.me. Sp.92.A
in VETVLIS *ſubſtantia mammarum qualis. in* 6^{m}*. de morbis vulgaribus,commentario* 3º. 3ª.177.E
*Vetulæ capillos denigrant.*1º.*de comp.me.ſe.lo.* 5ª.126.F
*Vetulæ cantilena,prouerbium.*1º.*de criſ.* 4ª.131.H
VETVLA *quid ſit in vrina.in progn.com.*2º. 4ª.201.C
VETERVM *teſtimonia qñ citari cõuenit.* 5º. *de decre.Hipp.* 1ª.260.C
*Veterũ dicta amice ĩterpretãda,nõ maleuole.*2º.*de ſymp.cau.* 3ª.23.A
*Veteres dictiones mutare temerarium.*3º.*de diff.reſp.* 3ª.69.F
Veteres ſcripturas ſemper elegit Galenus, licet difficilius explicentur. in 6^{m}*.de morbis vulg.com.*3º. 3ª.177.H
Veterum libros non facile eſt intelligere,ſi deſint qui curioſe exponunt. 2º.*de ſan.tuen.* 2ª.72.B
*Veteribus qñ opus non habeamus collige.*7º.*de comp.me.ſe.lo.*5ª.178.B
Veteribus meliores & cruditiores poſſumus effici. 9º.*de decretis Hippocratis,& Platonis.* 1ª.279.F
Veteribus viſus ẽ notior motus reſpiratiõis.de mo.ma.& ob. Sp.66.H
ad Veterem cephaleam electarium.de me.exper. Sp.108.C
Veteri tuſſi prodeſt aſphodelus.de ſimp.med. Sp.81.B
*ad Vetera & calloſa.*4º.*compo.medicamentorum per gen.* 5ª.242.B
VETVSTATE *omnia fiunt calidiora [neſcio an verum].*11º.*de ſimplicium medicament. facul.* 5ª.79.C
*Vetuſtas facit oleũ & adipẽ tenuiũ partiũ.*1º.*de cõp. me.p̃ge.* 5ª.211.A
Vetuſtiores capitis dolores,& faucium inflammationes diſſoluimus ſcarificationum ſectionibus.præſ. exper.conf. Sp.78.C
*Vetuſta omnia & obſoleta marcida appellãtur.de frac.cõ.*3º. 7ª.247.H
*Vetuſta oĩa medicamẽta fugiẽda,& cur.*2º.*de cõp.me.ſe.loc.* 5ª.122.C
cum Vexationibus magnis laſer excalfacit.de ſimp.med. Sp.85.G
VIAS *Italię refecit Traianus Imp̃ator.*8º.*meth.me.* 7ª.58.F
Viam à rubis,& ſpinis emundantium,& bene ſcribẽtium comparatio.de cau.procatar. 3ª.95.H
à Via,neq; à ſolis æſtu dandũ eſt phalernum, neq; moletes, neq; ariuſium,neq; lesbium.de vinis. Sp.76.G
*Viam aperuere Galeno antiqui errantes.*4º.*de dign.pul.* 4ª.85.E
*Via breuis in re medica.*14º.*methodi medendi.* 7ª.88.G
*Via regia probandi medicamentorum qualitates.*1º.*de ſim.me.f.* 5ª.6.F
Viæ per quas excernunt ſuperflua.de cõpag.mẽb.ſiue de na.h. Sp.59.B
Via breuis quandoq; conueniens in his,quæ in corpore fiunt. 15º.*de vſu partium.* 1ª.211.E
Via longa quandoque eſt conueniens in his, quæ in corpore fiunt. 15º.*de vſu partium.* 1ª.211.E
*Via ex pulmone in renes.*6º.*de loc.aff.* 4ª.39.C
*Via pulmonis ad renes.*6º.*de locis affectis.* 4ª.39.C
*Via à pulmone ad aluum,quæ.*6º.*de loc.af.* 4ª.39.C
*Viarum anguſtia vnde.*3º.*de ſymp.cau.* 3ª.26.B
*Vias arctant morbi inſtrumentales.*3º.*de ſymp.cau.* 3ª.26.B
*in Vijs tumoris cauſa.*3º.*de ſymp.cau.* 3ª.26.A
*in Vijs obſtructionis cauſa.*3º.*de ſymp.cau.* 3ª.26.A
VIATORES *quibus veſci debent.de ren.aff.dig.atq; me.* 7ª.195.B
de VIBRATO *pulſu.*1º.*de diff.pul.* 4ª.52.C
*Vibratus pulſus cur violenter feriat.*4º.*de dign.pul.* 4ª.83.C
*Vibratus quidam pulſus eſt dicrotus.*2º.*de præſag.ex pul.* 4ª.112.D
VICEAE *color qualis,& cur.de ocul.* 7ª.183.C
*Vicia non rotunda,ſed lata vt lens.*1º.*de alim.fac.* 2ª.15.G
*Viciæ ſubſtantia,natura,& vſus.*1º.*de alim.fac.* 2ª.15.G
per VICINA *trahendum aut euacuandum fluxione conſiſtẽte.* 4º.*methodi medendi.* 7ª.28.C
VICTIMAE *ſæpius offeruntur à diuitibus,quàm à pauperibus.de aere aq.& locis.* 2ª.6.A
*Victima aufugit corde erepto.*2º.*de decre.Hip.& Pla.* 1ª.236.H
Victimarum nouellarum teſtes quales circa generationem humorum. de bonitate,& vitio ſuccorum. 2ª.35.H
à VICTORIBVS *quid ageretur.*1º.*methodi medendi.* 7ª.3.B
ad VICTORIAM *ex iraſcibili trahimur.*5º.*de decr.Hipp.* 1ª.256.H
Victoria eſt finis artis aurigandi.de cau.reſp. 1ª.227.B
Victoria non debetur celeriter fugientibus.de par.pil.exer. 2ª.49.E
*Victoria cadmea prouerbium.*1º.*de dieb. decr.* 4ª.147.G
VICTI *quomodo ſe habeant erga victores.*2º.*de nat.fac.* 1ª.297.B
VICTVS *ratio quid ſignificet.in* 3^{m}*.de mor.vul.com.*3º. 3ª.141.F
*Victus ratio quid ſit.de vic.rat.in mor.acu.cõ.*1º. 7ª.108.G
Victus inſtitutrix medicinæ pars,quæ.fin.med. Iſa.48.A
*Victus ordinandi ratio eſt maxima pars artis.*11º.*meth.med.* 7ª.71.H
Victus rõnem inſtituere inter actiones vniuerſales numeratur. ad Thraſybulum. 2ª.108.F
Victus ratio exacta eſt primus & præcipuus curandi ſcopus in omni ægritudine.de rem.par.fac. 7ª.156.B
de Victus ratione Baſilij.de med.par.fac. 7ª.175.G
Victus hominum qualis perquirendus.de aer.aq.& lo. 2ª.2.C
Victus rationem qui valde negligant.in 6^{m}*.de mor.vul.com.*1º. 3ª.153.C
*Victus ſui nulla cura eſt aliquibus.*6º.*de ſan.tu.* 2ª.100.D
*Victum pauci medici recte præſcribunt.*1º.*de dieb.decr.* 4ª.151.E
Victus ratione qui vti non poſſunt.de ſal.diæ. 2ª.39.H
Victus ratio facit differentiam in viris & mulieribus. breuis denotatio dogma.Hipp. 1ª.231.C
*Victus ratio recta facit bonos mores.*1º.*de ſan.tuen.* 2ª.64.H
Victus poteſt aeris ſtatum euitare.in 1^{m}*.de morbis vulgaribus, com.*2º. 108.F/*in* 3^{m}*.com.*3º. 3ª.143.E
*Victus ratio quando ægritudo ex aere.de nat.hu.com.*2º. 7ª.182.D
*ob Victũ prauũ tẽperati facti intemperati.*2º.*de ſanita.tuen.*2ª.73.F/G
ex Victu improbo venenoſæ materiæ.in 6^{m}*.de mor.vul.c.*6º.3ª.196.G
*Victus errata faciunt morbos.com.*3º.*aph.*19º. Ex.24.A
*ex Victu aliquando fiunt morbi.de nat.hu.com.*2º. 7ª.182.B
ob Victum & naturam morbi fiunt à temperamẽto aeris.in 3^{m}*.de morbis.vulg.com.*3º. 3ª.141.F
ex Victu morbi fiunt diuerſi.in 1^{m}*.de mor.vul.com.*1º. 3ª.101.A
*Victus ratio variat febrem.*2º.*de diff.feb.* 3ª.42.G
*ob Victum partes laborantes,& nõ ob imbecillitatem, quomodo cognoſcantur.*6º.*de ſan.tuen.* 2ª.100.C
ex Victus rõne præſagia ſumũtur.in 1^{m}*.de mor.vul.com.*2º. 3ª.117.F
Victus ratio præcedens multum facit ad cognoſcendos humores. 14º.*methodi medendi.*7ª.93.C/*comment.* 4º.*aph.*2º. Ex.27.F
*Victus antecedens confert euacuationibus dignoſcendis. commenta.*4º. *aphoriſmo* 2º. Ex.27.F
*Victus ratio conducit ad cognoſcendam obſtructionem meatus vrinę.*1º. *de locis affectis.* 4ª.3.B
*ad Victus vniuerſalem formam pertinet vrinarum conſideratio. de victus rat. in morb.acu.commentario.*4º. 7ª.144.B
*ſm Victum ſedimentum.in progn.com.*2º. 4ª.200.C
VICTVS *ratio quibus integretur.ad Thraſybulum.*2ª.106.C/11º.*methodi medendi.* 7ª.71.H
*Victus ordinandi vera ratio.*11º.*meth. med.* 7ª.71.H
*Victus vna ratio non conuenit omnibus.*5º.*de ſan.tuen.* 2ª.93.D
*Victus inſtituendi ratio duo reſpicit.commen.*1º.*aph.*12º. Ex.5.B
Victus ex tribus intentionibus regulatur.commentario 1º.*apho.*12º.5.B/ *aphoriſmo* 19º. Ex.9.F
*Victus ratio debet ſequi plures indicationes.*8º.*meth.med.* 7ª.55.C
*Victus ratio quomodo ordinanda in conſentientibus indicationibus, & diſſentientibus.*8º.*meth.med.* 7ª.55.A
*Victus quomodo offerri debeat.com.*1º.*aph.*17º. Ex.9.B
*de Victu ĩſtituẽdo vigor morbi et vires docẽt.de tot.mor.tẽp.*3ª.90.A
Victus ratio ex vigore.in 1^{m}*.de mor.vul.com.*2º.3ª.120.C/1º.*de criſ.* 4ª.126.D/*com.*1º.*aph.*7º. Ex.4.E/F
Victus ratio non poteſt haberi in morbis inordinatis. commentario 1º. *aphoriſmo* 19º. Ex.9.F

Victus ratio ex viribus ægroti.com.1°.aph.9°. Ex.4.H
ad *Victum* pertinentia debere probari per ſanos, collige. commenta.2°. aphoriſmo.18°. Ex.13.F
Victus ratio ſumitur à natura temperata.1°.de tempe. 1ª.11.A
Victus ratio diuerſorum habituum corporis.de ren.aff.dig. 7ª.195.E
Victus ratio diuerſa eſſe debet ſecundum exercitiorum diuerſitatem. 1°. de ſanitate tuenda. 2ª.67.C
Victus ſumitur ex conſuetudine.7°.meth.me. 7ª.46.C
Victus rationem oſtendunt regio, & tempus.7°.meth.me. 7ª.46.D
à *Victus* ratione, & vitæ inſtituto colligitur ex tempore proportio. in 1m.de morb. vulgarib.commentario 1°. 3ª.103.E
Victus ratio inſtitui nõ põt ſine tẽporũ cognitione.de tot.mor. 3ª.90.A
Victus ratio per tempora anni.com.1°.aph.15°. Ex.8.A
Victus idem eſt æſtate, & hyeme Scythis.de aere aq.& lo. 2ª.5.E
Victus particularium temporum commodus.com.1°.aph.19°. Ex.9.F
Victus ratio quo modo ad Tempus ægritudinis componenda ſit. 1°.de arte curatiua ad Glauconem. 7ª.96.E
Victus ratio in principijs diuerſorum morborum eſt inuenienda. 1°. de criſibus. 4ª.131.F
Victus ratio non poteſt inſtitui, nec ſine criſis præſagio, nec ſine cognitione ſtatus.1°.de dieb.decre. 4ª.150.C
ad *Victus* rõnẽ iſtituẽdã vtile ẽ ſcire tps iudicij.3°.de die.dec. 4ª.160.C
Victus ratio per duos dies ſeruanda poſt iudicationem.de vic.ra.in mor. acu.commen.1°. 7ª.113.A
Victus offerendi qualitas.com.1°.aph.16°. Ex.8 H
Victus ratio ſit diligens.1°.de dieb.decr. 4ª.145.C
Victus ſpecies quomodo augenda.6°.de ſan.tu. 2ª.96.F
Victus rationem medicus immutare qui non verebitur qualis eſſe debet. 9°.de decr.Hip. 1ª.283.B
Victus rõnis differẽtiæ vñ ſumant.de vict.ra.in mor.acu.c.1°. 7ª.115.A
de *Victus* rõne i acutis liber q̃uo inſcriberet.9°.de decre.Hip.1ª.282.G
de *Victus* ratione in acutis liber inſcriptus de ptiſſana, & contra Cnidias ſententias.de vict.rat.in mor.acu.com.1°. 7ª.111.A
de *Victus* ratione in morbis acutis quæ tractat Hippocrates. de vic.ratio.in mor.acu.c.4°. 7ª.134.B
de *Victus* ratione in acutis qui Hippocrates ſcripſit.de victus ratio.in morbis acutis, commentario 1°. 7ª.111.C
de *Victu* morborũ acutorũ liber ẽ Hippocratis.3°.de dif.reſp. 3ª.69.F
de *Victus* ratione libri tres exiſtimati ſunt Hipp.3°.de dif.reſp. 3ª.71.E
de *Victus* ratione in morbis acutis liber quartus an ſit Hippocrate dignus.de vic.ra.in mor.acu.com.3°. 7ª.128.D
de *Victus* ratione in acutis Liber quartus non eſt Hippocratis. de vict. rat.in mor.acu.com.4°. 7ª.149.C
de *Victus* ratione in acutis libri quæ pars non ſit Hippocratis. de vict. ratione in morb.acu.com.2°. 7ª.122.B
de *Victus* ratione librum cur inordinatus iudicat.de vict.rat.in morb. acu.commen.2°. 7ª.125.B
de *Victus* rõne liber hẽt duas partes. in 3m.de mor.vulg.c.2°.3ª.134.F
de *Victus* ratione in acutis librum alio commentario commentatũ fuiſſe Galenum conſtat.de vic.rat.in mor.acu.com.4°. 7ª.152.H
de *Victus* ratione librũ prius expoſuit Galenus in prognoſticorum, de humoribus, & aphoriſmis.de vic.ra.in mor.acu.c.2°. 7ª.123.E
de *Victu* acutorum fruſtra legit qui de naturalibus facultatibus non legit.de victus rat.in mor.acu. com.1°. 7ª.111.H
Victus ratio in Aegris qualis.2°.de dieb.decr. 4ª.155.D
Victus rõ debet aſſignari q̃n ignoramus ægritudinẽ.1°.de criſ. 4ª.133.E
Victus Alexandrinorum qui.com.2°.aphori.20°. Ex.14.D
Victus ratio Attenuans.de atten.vic. 2ª.43.G
Victus ratio attenuatoria quæ.3°.de comp.me.ſe.lo. 5ª.145.B
Victus qua ratione regendi ſunt Calidi & humidi. in 1m.de morb.vulgaribus commentario.2°. 3ª.108.G
Victus Conualeſcentium qualis eſſe debeat.7°.meth.me. 7ª.46.C
Victus Cubiti fracturæ.de frac.com.1°. 7ª.230.E
Victus ratio Craſſanti.de atten.vic. 2ª.43.G
Victus ratio in non Delitioſis.1°.de ar.cur.ad Gla. 7ª.97.D
Victus ratio Diatritoriorum.10°.meth.me. 7ª.64.A
Victus ratio Epileptici.de puero epilep. 7ª.179.H
Victus Exactior qui.de artic.com.3°. 7ª.275.F
Victus Exiccãs in morbo comitiali dari debet.com.5°.aph.7°. Ex.38.A
Victu exiccante paſtus digitos cœpit non poſſe mouere, & non ſentire. 6°.de ſan.tuen. 2ª.99.F
Victu eò Exquiſitiore, & diuturniore vtendum, quò grauiora ſunt vulnera.de fract.com.3°. 7ª.243.F
Victus Extenuans qui.1°.de ſan.tuen. 2ª.68.E
Victus q̃ non dandus ſtatim ante febrem, neq; in febre, ſed in declinatione.com.1°.aphor.11°. Ex.5.A
Victus non eſt exhibendus niſi in declinatione, ſi vires conſtent. de tot. morb.temp. 3ª.90.A
Victus febrium continuarum.1°.de arte cur.ad Gla. 7ª.98.A
Victu quo vtantur frigidi, & humidi.8°.meth.me. 7ª.54.F
Victus rationem frigidam & humidam febris exigit.8°.meth. 7ª.54.G
Victus vniuerſus frigidus, & ſiccus quartanã efficit.2°.de diff. 3ª.36.E
ad *Victum* Humectantem recurrendum ſi in ſenibus propter pituitam aliquid incidens, & diſſecans opus eſt petere.5°.de ſan.tu. 2ª.92.D
Victus ratio humida excrementa, & ſuccorum abundantiam parit. 6°. de ſanita.tuen. 2ª.96.G
Victus rationem humidam qui expetent.6°.de ſan.tuen. 2ª.96.E
Victus quo modo exhibendus ſecundum Humores corruptos, & debilitatem virtutis, & è contra.com.1°.aph.17°. Ex.9.B
Victus Inflammatorũ circa aſperã arteriã.7°.de cõp.me.ſe.lo. 5ª.177.H
in *Victu* antiquorũ diuerſitas in Laterali morbo.9°.de decr. 1ª.283.B
Victus ratio Liquida.2°.de compo.med.ſec.loc. 5ª.136.H
Victus rõnes Monſtruoſæ quæ.de victus ra.in morb.acu.c.1°. 7ª.109.G
Victus ratio in Mulieribus qualis eſſe debeat.de ſal.diæ. 2ª.42.D
Victus Mutationes inſignes in quibus temporibus fieri non debent.de victus ratio.in mor.acu.commentario 2°. 7ª.122.G
Victus ratio non eſt ſubito mutanda.de nat.hu.com.2°. 7ª.182.D
Victus Parcus facit aborſum.com.5°.aph.45°. Ex.41.G
Victus ratio non põt ſeruari in Prægnantibus.cõ.5°.aph.55°. Ex.42.G
Victus ratio Quiete vitam agentium.de bon.& vit.ſuc. 2ª.34.E
Victus ratio Refectoria quæ.7°.meth.me. 7ª.45.H
Victus rõne refectoria q̃n in ſiccis vti debemus.7°.meth.me. 7ª.45.H
Victus ratio Renutritoria quãdo in ſiccis eſt facienda.7°.meth. 7ª.45.H
de *Victu* Salubri liber non eſt Hippocratis, & cuius ſit. de vict.rat.in morb.acu.commentario.1°. 7ª.111.C
Victus ſalubris ratio quæ.de ſect. Iſa.15.H
Victus ſalubris caput quod ſit.in 6m.de mor.vul.c.4°. 3ª.185.G
in *Victu* ſalubri duo præcipue obſeruanda, ne ſit mali ſucci cibus, & nõ faciat obſtructiones.de bon.& vit.ſuc. 2ª.37.D
Victus ſanus ſimilis ægris contrarius.com.1°.aph.16°. Ex.8.H
Victus ratio Sicci & parum frigidi quæ.7°.meth.me. 7ª.46.G
Victum Similem poſtulat ætas, & conſuetudo.8°.meth.me. 7ª.54.H
Victus genera ſimilia faciunt morbos, diſſimilia naturis diſſoluũt præter quam in naturis temperatis, quæ à ſimilibus iuuantur.com.2°.apho. 20°.& com.3°.aph.3°.14.F| Ex.20.B
Victus ratio in Stomacho pituitæ pleno.de med.fac.par. 7ª.175.H
Victum Tenuantẽ lõga experientia nouit Galenus.de atten.vic.2ª.43.G
Victus ratio tenuatoria quibus apta.1°.de ſan.tu. 2ª.68.E
Victus tenuatorius ad quid conducat.6°.de ſan.tuen. 2ª.97.H
Victus tenuis in extremo tenuis & plenus, q.com.1°.aph.4°. Ex.4.A
Victus ratio tenuis quæ.de venæ ſect.aduer.Eraſ. 6ª.8.G
Victum tenuem maxime ſuſtinent habentes multos humores craſſos in primis venis.4°.de ſa. tuen. 2ª.84.H
Victus tenuis periculoſus eſt.com.1°.aph.5°. Ex.4.C
à *Victus* ratione tenui vigiliæ ſiunt.2°.de lo.af. 4ª.14.A
Victus tenuis facit melancholiam.3°.de loc.aff. 4ª.18.E
ob *Victum* tenuem, & laborem in colendis vitibus agricola memoriã rationemq; vitiatam habuit.3°.de loc.aff. 4ª.17.A
Victus Tenuiſſimus qui.de fracturis, commentario 2°.7ª.236.A| commentario 1°.aph.7°. Ex.4.E
Victu tenuiſſimo vtaris in ſtatu.1°.de ar.curatiua ad Glaucon. 79.H| de vict.ratione in morbis acutis, commentario.2°.7ª.122.E| commentario 1°.aphoriſmo 7°. Ex.4.E
Victus tenuiſſimus cur in vigore exhibendus.com.1°.aph.8°. Ex.4.G
Victus Validus qui.in 6m.de morbis vulgaribus com.5°. 3ª.192.G
Victus Vulgaris quid ſignificet.de artic.com.3°. 7ª.275.B
Victus vulgaris qui.de frac.com.3°. 7ª.248.C
Victus ratio omnes non curat. de victus ratione in morbis acutis, commentario.1°. 7ª.110.E
VICVS ſutorius Romæ.de præcog.ad Poſth. 4ª.215.E
VIDENDI ſenſorium quale.4°.de loc.aff. 4ª.22.G
Vidẽdi præcipuũ principiũ eſt Criſtallinus humor.de inſtr.odor. 1ª.111.G
Videndi inſtrumentum cur lucidum.de inſtr.odor. 1ª.111.E
Videndi modus quomodo fiat.de hiſt.phil. Sp.9.D

Videndi ſenſus

Videndi ſenſus quibus de cauſis amittatur.4°.de lo.af. 4ª.21.G

Videndi praua conſuetudine mores animi corrumpuntur. 1°.de ſanitate tuenda. 2ª.65.F

VIDENTIBVS *obſcure non eſt medicamentum exhibendum. de vict. rati. in morbis acutis, comment.4°.* 7ª.150.F

Videns homo egerentem, mingentem, pandiculatione agentem, prouocatur ad hoc.de mot.man.& obſ. Sp.69.D

Videns homo ſerpentem ſubito pallet.de mot.man.& obſ. Sp.69.D

VIDERE *oculi officium eſt.1°.meth.me.* 7ª.5.H

Videre ſe negant quidã, ignorãtes q̃uo videãt.aduer.emp.med. Iſa.35.C

Videant quare in vltimo ſerui conſtituti.1°.de ſymp.cau. 3ª.15.D

Vident qui non à longe cur.1°.de ſymp.cau. 3ª.14.B

cur Videbit praue animal.1°.meth.med. 7ª.6.E

Videntur largius quæ ſunt prope.de comp.memb. Sp.58.C

Videntur tenuius quæ ſunt procul.de comp.memb. Sp.58.C

Videntur quo modo res duplices.de ocul. 7ª.186.B

Videantur quando omnia perforata.de ocul. 7ª.186.D

Videatur quo modo vulua.de anat.viu. Sp.49.E

VIDERI *potius, quã eſſe plures volunt.de præc.ad Poſthu.* 4ª.213.G

Videri potius quàm eſſe volunt.2°.meth.me. 7ª.12.D

VIDVIS *minoribus ſymptomatibus capiuntur virgines. 6°.de locis affectis.* 4ª.40.D

Viduarum perfrigeratio in vtero & ijs, quę non purgãtur, facit affectionem oris ventriculi.1°.de ſymp.cau. 3ª.18.G

Viduis cõtigit ſæpe dolor matricis ob abſtinẽtiã viri.de paſ.m. Sp.95.G

Viduæ potiſſimum præfocantur.6°.de loc.af. 4ª.39.F

Viduæ cur præfocentur.6°.de locis affe. 4ª.39.F

VIETVS penis.de hiſt.phil. Sp.10.H

VIGENTIVM *natura quæ.fin.med.* Iſ.44.G

Vigentis calor mordax eſt.commen.1°.aph.14°. Ex.7.D

Vigentium calor ſiccior eſt q̃ puerorum.3°.de ſymp.cau. 3ª.29.C

Vigente ætate abundat bilis flaua ſecundum Hippocratem.bre. dcnota. dogmat.Hipp. 1ª.231.B

Vigentes retentricem & expultricem vim fortiorem habent ea puerorum.3°.de ſymp.cau. 3ª.29.B

Vigentibus trahendi vim imbecilliorem habent pueri, ſed ad vſum ſuũ ſufficientem.3°.de ſymp.cau. 3ª.29.B

Vigentium alteratrice facultate fortior eſt ea puerorum. 3°.de ſympto. cauſis. 3ª.29.B

vt Vigentium in duris melior eſt coctio, ita puerorũ in humidis, & mollibus rebus.3°.de ſymp.cau. 3ª.29.C

Vigentibus quæ edulia competant.3°.de ſymp.cau. 3ª.29.C

Vigente ætate fieri vt plurimum acutos morbos inq̃t Hippocrates.breu. den.dogm.Hippoc. 1ª.231.D

VIGENTE *morbo nutrimus, & quare.com.1°.aph.9°.* Ex.4.H

VIGENTEM *pulſum & ſordidum ſine intermiſſione habet acmaſticus.de dynam.* Sp.34.C

VIGESIMVS, *vigeſimus ſeptimus ſunt dies boni iudicatorij. commẽtario 4°.aphoriſmo 36°.* Ex.31.G

Vigeſimus dies cur ſit iudicatorius primus Galenus rationem reddidit. in progno.com.3°. 4ª.207.C

Vigeſimus dies cur decernat.3°.de dieb.decre. 4ª.159.D

Vigeſimus an acutus vel diuturnus nihil facit ad rẽ.2°.de dieb. 4ª.155.B

Vigeſimus dies tertij ſeptenarij finis.in progn.com.3°. 4ª.206.F

Vigeſimo die nõ põt morbus finire, ſi ſeptimo die cruditas adhuc adeſt. 1°.de dieb.decr. 4ª.151.C

Vigeſimo die iudicatus eſt, qui in decimo quarto habet ſignum vrinæ rubræ.commentario 4°.aphoriſmo.71°. Ex.35.E

Vigeſimus dies ambiguitatem facit.2°.de dieb.decr. 4ª.157.F

poſt Vigeſimum vndecimum, & nonum ineſt quintus, & decimus tertius.1°.de dieb.decr. 4ª.147.B

poſt Vigeſimum dies non decernentes.1°.de dieb.decr. 4ª.149.D

Vigeſimum primum indicat decimus octauus.2°. de dieb.decr. 4ª.152.F

Vigeſimum primum aliqui præponebant vigeſimo, ſed non ipſe Galenus neq; Hippocrates.1°.de dieb.decr. 4ª.149.C

Vigeſimus dies, non vigeſimus primus eſt apud Hippocratem indicatorius.commen.7°.aphoriſmo 38°. Ex.57.A

Vigeſimus primus dies cur decernat.3°.de dieb.decr. 4ª.159.D

Vigeſimus ſeptimus quo modo decernat.1°.de dieb.decr. 4ª.149.C

Vigeſimus ſeptimus raro iudicat per ſudores.cõ.4°.apho.36°. Ex.32.B

Vigeſimi ſeptimani ſudores boni.præſ.exper.conf. Sp.77.G

Vigeſimus octauus dies non decretorius. in 1^{m}.de morbis vulgaribus, commentario 2°. 3ª.120.C

Vigeſimus octauus quo modo decernat.1°.de dieb.decr. 4ª.149.C

VIGIL *multum cogitabundus, loquax, ſobrius, ſi torpens, et tardus appareat mentem læſam ſignificat. in 6^{m}. de morbis uulgaribus, commentario 2°.* 3ª.168.H

VIGILANDVM *in principijs acceſſionum.com.2°.aph.1°.* Ex.11.A

VIGILANTI *exteriora magis calent.in 6^{m}.de mor.vul.cõ.5°.* 3ª.193.H / *commentario 2°.aph.1°.* Ex.11.B

Vigilantis partes extrinſecæ calidiores, intrinſecæ frigidiores. in 6^{m}.de mor.vul.com.4°. 3ª.183.D

in Vigilante, & dormiente pulſus diuerſitas.de ana.viu. Sp.45.H

à Vigilãtiũ pulſu q̃uo differat pulſus dormiẽtiũ.3°.de diff.pul. 4ª.98.H

Vigilantes quo modo febrem incidunt.1°.de diff.feb. 3ª.31.G

Vigilantibus remedia capiti applicantur.3°.de lo.aff. 4ª.17.H

VIGILANS *genus catochi.fin.med.* Iſa.47.B

Vigilans ſopor, & catochus quo modo differant. in 3^{m}.de morbis vulgaribus commen.2°. 3ª.140.A

Vigilans ſopor fit cum pituitoſus, & bilioſus humor abundauerit. 3°.de locis affectis. 4ª.16.H

Vigilans ſopor vocem lædit.4°.de locis affectis. 4ª.26.D

VIGILANTIA *quibus à natura inſit.de aere, aq.& loc.* 2ª.6.E

Vigilantiæ quo modo ſit iunctum coma.in 1^{m}.prorrh.com.3°. 4ª.178.D

VIGILIA *quid.fin.med.* Iſa.45.C

Vigiliæ coma opponitur.de com. 3ª.49.E

Vigiliæ ſunt caſus.com.2°.aph.30°. Ex.16.H

Vigilia neceſſario noſtro corpori occurrit.ad Thraſ. 2ª.104.D

Vigilia vnum ex ſex rebus non naturalibus.ars med. Iſa.68.C

Vigilia ad quod genus cauſæ reducenda eſt.1°.de ſan.tuen. 2ª.68.H

Vigilia ſub quarta parte medicinæ continetur. ad Thra. 2ª.108.D

Vigilia vnde ſit.1°.de ſymp.cau.3ª.19.C / in 1^{m}.prorr.com.2°. 4ª.173.E

Vigilię, & ſomnus vnde.com.2°.aph.1°. Ex.11.B

Vigiliæ quibus fiant.de vic.ra.in mor.ac.com.2°. 7ª.123.A

Vigilias cauſa poteſtate calida efficit.2°.de loc.aff. 4ª.14.A

Vigilias, & motum excitat cauſa calida.2°.de loc.aff. 4ª.14.B

Vigilias inducit ardor.3°.de lo.aff. 4ª.16.F

Vigiliæ, & deliria ſequuntur calidos humores, & mordaces. in 3^{m}. de mor.vul.com.1°. 3ª.124.E

Vigiliæ accedunt cum bilioſa attrahuntur à capite, & thorace.de vic.ratione in morb.acu.commen.2°. 7ª.122.E

ex Vigiliis redundantis ſucci indicia quandoq; ſumuntur.4°.de ſanitate tuenda. 2ª.84.E

Vigilias inducunt bilioſi, & calidi morbi.3°.de lo.aff. 4ª.16.F

Vigilias, & motus inducunt medicamenta calida.2°.de loc.af. 4ª.14.A

Vigiliæ à ſiccitate fiunt.de vict.ra.in mor.acu.com.4°. 7ª.134.G

Vigiliæ proprium ſiccitatis cerebri.4°.de præſ.ex pul. 4ª.120.G

Vigilias efficit ariditas ſola.3°.de lo.aff. 4ª.16.F

Vigiliæ cauſa eſt ſiccitas, & repreſentationis ſomniorum. in 1^{m}.prorrh. commentario 1°. 4ª.163.G

Vigilia ταρακώδης *id eſt turbulenta proprium phreniticorum. in 1^{m}. prorrh.commen.1°.* 4ª.163.H

Vigiliarum cauſa fluxiones.7°.de comp.me.ſec.lo. 5ª.180.D

Vigiliæ quo lunę aſpectu fiant.de decub.prog.ex math.ſcien. Sp.12.G

Vigiliæ propter quid pueris inſit.com.3°.aph.24°. Ex.25.A

Vigiliis infeſtantur qui ætate declinant.2°.de alim.fac. 2ª.22.E

Vigiliæ plus nocent conſiſtentibus q̃ iuuenibus.cõ.3°.aph.30°. Ex.26.D

Vigilias faciunt curæ.com.3°.aph.31°. Ex.26.H

Vigilia quo modo ſequatur morbi cruditatem.de vict.ratio.in mor.acutis, comment.2°. 7ª.123.A

Vigilia non neceſſaria ſequit̃ male cõcoquentẽ.3°.de ſymp.cau. 3ª.30.H

Vigiliæ à vino meraciori, & à tenui ratiõe victus.2°.de lo.aff. 4ª.14.A

Vigiliæ continuo inſunt canibus vt ſit ipſis proprium, commentario 3°. aphoriſmo 31°. Ex.26.H

in Vigilia calor extra ẽ, in ſomno int°.in 6^{m}.de mor.vul.c.5°. 3ª.190.H

in Vigilia totum corpus alitur.in 6^{m}.de mor.vul.com.5°. 3ª.194.A

Vigilia, & cogitatio non rudis magis quàm ſomnus intellectum perſpicacem reddunt.ad Thraſ. 2ª.107.H

poſt Vigilias exercitatio quæ dicitur apotherapia ſequatur.3°.de ſanitate tuenda. 2ª.81.F

de Vigilia, & ſomno, & quãdo fieri debeant.in progn.cõ.2°. 4ª.198.H

VIGILIIS *in congrua menſura vtendum.de conſuet.* 2ª.61.G

Vigilia ſecundum alios antiquos nunquam eſt moderata.commentar.2°. aphoriſmo 3°. Ex.11.F

Vigilię quan-

Vigiliæ quando bonæ,& q̃n nõ bonæ,cõſiderandum.1°.de criſi. 4ª.128.B
Vigilię numerantur inter cauſas extrinſecas læſionum noſtri corporis. de opt.noſtri corp.conſt. 1ª.38.C
Vigiliæ ſunt cauſę recentes morborum.de nat.hum.com.2°. 7ª.180.E
Vigiliæ pariunt morbos.de nat.hu.com.2°. 7ª.182.B
Vigilia quo modo alteret corpus.ars med. Iſa.68.C
Vigilia modum excedens ab aliquibus antiquis malum ſignum exiſtimatur & cauſa,non tamen ſomnus.com.2°.aph.3°. Ex.11.E
Vigiliæ,& ſomnus vtraq; modum excedentia, morbus . commenta.7°. aphoriſmo 67°. Ex.60.F
Vigiliæ vnde ſint excedentes.com.2°.aph.3°. Ex.11.E
Vigilias ferre nõ põt à morbo liber anteq̃ ſit affectus.ad Thr. 2ª.102.D
per Vigilias,& inedias minus humorũ colligit.2°.de præſ. 4ª.109.F
Vigilia fortis potus cibosq; crudos reddit & incoctos . de vict. ratio.in morbis acutis,commentario.2°. 7ª.125.A
Vigiliæ generant bilem.in 6^{m}.de mor.vul.com.1°. 3ª.157.A
in Vigilijs redditur ſanguis bilioſior.com.7°.aph.18°. Ex.55.C
Vigiliæ plures oſtendunt futuram ęgritudinem.ars med. Iſa.67.E
ob Vigilias immodicas fit pulſus durus ĩ ephemeris.1°.de diff. 3ª.34.C
Vigilię conſuetæ magis tolerantur inconſuetis.cõ.2°.aph.50°. Ex.19.B
Vigilia edax.in 6^{m}.de mor.vul.com.4°. 3ª.185.B
Vigilia cur pariat appetentiam.in 6^{m}.de mor.vul. com.4°. 3ª.185.B
à Vigilia & à ſomno quando ſedatur ſitis aut non. in 6^{m}.de morb.vulgaribus,commen.4°. 3ª.185.H
Vigiliæ à cibis duplex finis.in 6^{m}.de morb.vulg.com.4°. 3ª.185.C
Vigilia cur refrigeret.in 6^{m}.de mor.vul.com.4°. 3ª.183.H
Vigiliæ augent halitum fuliginoſum.10°.meth.me. 7ª.62.H
Vigilia per halitum digerit,& ſiccat,& non coquit quæ in imo . de vic. rat.in mor.acu.commen.2°. 7ª.125.B
Vigiliæ digerunt.12°.methodi meden. 7ª.75.G
Vigilia extenuat ſufficienter.com.2°.aph.28°. Ex.16.D
Vigiliæ corpus exiccant.ars med.Iſa.68.G/de cau.mor. 3ª.7.H
Vigilia ſemper exiccat non tamẽ calefacit vel refrigerat . in 6^{m}.de morbis vulgaribus com.4°. 3ª.183.H
Vigilia ſiccat totum corpus.7°.meth.me. 7ª.46.D
à Vigilijs corpus fit gracile,& aridum.3°.de ſan.tuen. 2ª.81.F
Vigiliæ vitandæ ſunt ſiccis temperamentis.6°.de ſan.tuen. 2ª.96.E
vt Vigilia exiccat concubitus,& quomodo.in 6^{m}.de mor.vulgaribus, commentario 5°. 3ª.192.F
Vigiliæ lædunt vires.12°.meth.me. 7ª.73.G
Vigiliæ vires reſoluunt.12°.meth.me. 7ª.77.D
ob Vigilias & laborem in ſtudijs læditur memoria, & ratio. 3°.de locis affectis. 4ª.17.A
Vigiliæ ꝙ vomitum non excitent.de ren.aff.dign.& med. 7ª.193.A
Vigiliæ multæ accendunt febres.1°.de ſan.tuen. 2ª.65.F
ex Vigilijs ephemera qualis.1°.de art.curatiua ad Glauconem. 7ª.95.C
ex Vigilijs quidam febricitant.1°.de diff.feb. 3ª.31.B
pp Vigilias nimias ephemera quomodo cognoſcat̃.2°.de cri. 4ª.138.G
ex Vigilijs ephemeræ pulſus hñt minores.1°.de ar.cur.ad Gla. 7ª.95.C
Vigilijs vita aſſueta faciliter tertianas incurrit.2°.de diff. 3ª.36.D
ob Vigilias cauſus q̃nq; factus.de victus ra.in mor.acu.c.4°. 7ª.134.F
in Vigilia conuulſio,& deſipientia.com.7°.aph.18°. Ex.55.C
Vigiliæ quo modo faciant conuulſionem , & deſipientiam , & propter quid.com.7°.aph.18°. Ex.55.C
à Vigilijs fit conuulſio ex ſiccitate.3°.de lo.af. 4ª.17.F
Vigilia vt in ſentiendi functione,ita conuulſio in epilepſiis.1°.de ſymptomatum cauſis. 3ª.19.C
Vigilię faciunt melancholiam.3°.de loc.aff. 4ª.18.E
Vigiliæ cum comate fiunt.in 1^{m}.prorr.com.1°. 4ª.161.B
cum Vigilijs & delirijs coniunctus ſopor vnde.4°.de præſ. 4ª.120.H
Vigilia cur ſequatur ſoporem quandoque in acutis.in 3^{m}.de morb.vulg. commentario 3°. 3ª.143.F
Vigilijs vacans ſopor à qua materia fiat . in 3^{m}.de morbis vulgaribus , commentario 3°. 3ª.142.A
Vigiliæ ſopore non confuſæ à qua materia. in 3^{m}.de morbis vulgaribus , commentario.3°. 3ª.142.A
ex Vigilijs triſtitia,cogitationibus laborantes vrinam habent croceam igneam,& extra conſuetudinẽ cholericam cum morſu verctri exeuntem.de dynam. Sp.34.A
Vigiliæ ſigna indicatiua criſis.1°.de criſ. 4ª.128.E
Vigiliæ propter morbũ non offendunt iudiciũ.1°.de dieb.decr. 4ª.150.A
Vigiliæ & angor in ardentibus ſemper exitioſum ſymptoma . in 1^{m}. de morb.vulg.com.2°. 3ª.115.A
Vigilię non indigent frictionibus , & lauationibus multis. 7°. methodi medendi. 7ª.51.E
Vigiliæ medicamentis admotis capiti ſanantur.1°.de ſymp.cau. 3ª.19.B
in Vigilijs,& delirio perfuſio ex papauerum capitibus.13°.methodi medendi. 7ª.85.E
Vigilias compeſcit mandragora.de ſimp.med. Sp.87.C
in Vigilijs dat ſtupefacientia.12°.meth.med. 7ª.75.E
contra Vigilias ἀλεξιφάρμακον*.2°.de alim.fac.* 2ª.22.E
ad Vigilias valet antidotus Archiuij.2°.de antid. 5ª.115.H
ad Vigilias infeſtantes.8°.de comp.medi.ſecun.loc. 5ª.192.H
ad Vigilias.7°.de compo.medicamen.ſec.loc.180.D/5°.de comp.medi. per gen.5ª.245.H/de med.fac.par. 7ª.170.E
VIGILANT *cur non nulli.2°.de alim.fac.* 2ª.22.E
Vigilant magna ex parte ægri,quando iudicatio eſt propinqua. commentario 4°.aphoriſmo 71°. Ex.35.C
Vigilant,& delirant in ardentium vigore,inclinãte iam febre dormiũt, & ſapiunt.2°.de lo.aff. 4ª.14.B
Vigilare præter voluntatem,graue.2°.de alim.fac. 2ª.22.E
Vigilare qui non poſſint.1°.de alim.fac. 2ª.10.B
Vigilauerit cũ homo ꝑ horã ſanguis detrahẽdus.præſ.exp.cõſ. Sp.77.H
VIGINTI *annis finiunt aliqui morbi.1°.de dieb.decr.* 4ª.149.D
VIGOREM *habet ætas.de mor.temp.* 3ª.86.D
Vigoris finem quidam ſiccũ,& frigidum arbitrantur.de marc. 3ª.46.D
VIGOR *in morbo quid.fin.med.Iſa.44.G/1°.de criſ.* 4ª.125.G
Vigor morbi quid ſit,& quando in peracutis.com.1°.aph.7°. Ex.4.E
Vigor eſt quando maxima fit concoctio.de tot.mor.temp. 3ª.88.F
Vigoris terminus eſt puris g̃natio in inflãmatione.de tot.mor. 3ª.89.G
in Vigore phlegmonis cur repercutientibus non vtamur. 13°. methodi medendi. 7ª.84.E
Vigorẽ,& declinationẽ habet morbus oĩs q ſoluit̃.de tot.mor. 3ª.89.E
Vigorem ſemper habentia mala,deterrima ſunt.de vrin. 4ª.123.H
Vigoris ſigna quæ.1°.de criſi. 4ª.126.C
Vigor maior ſ̃m breuiorem febrem.2°.de diff.feb. 3ª.36.H
in Vigore ſummo nunq̃ ẽ febris acuta ĩ primo ĩſultu.1°.de cri. 4ª.132.B
ad Vigorẽ tarde accedũt frigidæ affectiões.in 1^{m}.prorrh.c.1°. 4ª.164.E
ad Vigorẽ cito veniũt calidę affectiones.in 1^{m}.prorr.com.1°. 4ª.164.E
in Vigore quædam ægritudines occidunt,quædam in tempore acceſſionis.1°.de criſ. 4ª.125.G
Vigor morbi,& vires docent de victu inſtituendo.de tot.mor. 3ª.90.A
ex Vigore ratio victus.in 1^{m}.de mor.vul.com.2°. 3ª.120.C
in Vigore morbi nihil dandum.com.1°.aph.19°. Ex.9.F/G
in Vigore morbi tenuiſſimo victu vtendum.de victus ratione in morbis acutis, commentario.2°. 7ª.122.E
in Vigore cibus non eſt dandus.de vict. ra. in mor. acu.c.2°. 7ª.120.G
poſt Vigorem conuenit cibum mutare,non ante.de victus ratio.in morbis acutis,commentario 2°. 7ª.122.G
in Vigore ſummo quidam cibandi.10°.meth.me. 7ª.63.C
ante Vigorem error eſt grauior,quam in principio.de vict.rat.in mor. acu.commen.2°. 7ª.122.C
Vigorem ceſſantem acceſſionis in febricitantibus aduertere oportet vbi ſanguinem detrahis.præſ.exper.conf. Sp.77.H
in Vigore prohibetur venæ ſectio.præſ.exper.conf. Sp.78.D
per Vigores febrium deliria quomodo fiant.3°.de lo.aff. 4ª.18.B
Vigor Lege Status,& Conſiſtentia.
per VILLOS *carnis diuiſio.de ana.viu.* Sp.55.H
Villi cordis quot.de anato.viuor. Sp.46.D
penes Villos membrorum diuerſitas.de anat.viuo. Sp.55.H
per Villos fit motus omnis.de ana.viu. Sp.44.G
per Villos fit motus voluntarius in muſculis.de ana.viu. Sp.44.G
Villorum fortium diuerſitates plurimæ.de ana.viu. Sp.46.D
Villi attrahentes qui.de ana.viu. Sp.44.H
Villi retinentes qui.de ana.viu. Sp.44.H
Villi expellentes.de anat.viu. Sp.44.H
in Villis rectis facultates attractrices. 4°.de vſu par. 1ª.141.B
Villi longitudinales attrahunt.de ana.viu. Sp.55.H
Villi tranſuerſales retinent.de ana.viu. Sp.55.H
Villi latitudinales expellunt.de ana.viu. Sp.55.H
in Villis tranſuerſis facultates expultrices .4°.de vſu par. 1ª.141.H
Villi qui attrahunt veſicis cur adſint.11°.de vſu par. 1ª.145.H
Villi qui retinent veſicis cur adſint.5°.de vſu par. 1ª.145.H
Villi qui excernunt veſicis cur adſint.5°.de vſu par. 1ª.145.H

Villis quibus

Villis quibus componatur gula. de anat. viu. Sp.49.F
Villos longitudinales, & latitudinales plures quàm alterius generis habet gula. de anat. viu. Sp.55.H
Villos tranſuerſos, & latitudinales plures quàm alios habet ſtomachus. de anat. viu. Sp.55.H
Villos latitudinales magis quã alios habẽt inteſtina. de ana. vi. Sp.56.A
Villi recti in aliquibus inteſtinis.4º. de vſu par. 1ª.141.B
Villi recti cur in inteſtino recto.4º. de vſu par. 1ª.141.B
Villos longitudinales habet longaon. de ana. viu. Sp.50.E
Villos latitudinales cur nam habet longaon propter compreſſionem. de anato. viuor. Sp.50.E
Villi retentiui ſunt in monoculo. de ana. viu. Sp.44.H
Villi mẽbrorũ in qbus debet aliquid immorari, quales. de ana. Sp.44.H
Villos ſtragulæ ſcalpens, & vellens. in 3^{m}*. de mor. vulga. com.3º.* 3ª.151.D
VINACEA *quæ ſint.2º. de alim. fac.* 2ª.18.C
Vinaceorum dilutum quo modo vocetur.2º. de ali. fac. 2ª.18.C
in Vinaceis vuę conduntur, & quales. de atten. vict. 2ª.46.A
in Vinacijs qui paſtilli ſeruentur.9º. de comp. med. ſec. loc. 5ª.203.H
VINARIA *vaſa aperta cito faciunt acetum. in* 6^{m}*. de morbis vulgari. commentario 4º.* 3ª.182.H
Vinaria vaſa obturanda ſunt ne vinum aceſcat. de vinis. Sp.77.A
VINCIENDAE *parti, & affectui debet vinculum conuenire. de faſcijs.* 7ª.294.A
Vinciendæ quo modo ſint partes diuerſæ. de faſcijs. 7ª.294.A
Vinciendi rationis diuerſitas. de faſcijs. 7ª.293.H
Vinciendæ quomodo ſint faſcię quæ curant. de faſcijs. 7ª.294.B
Vinciendum quo modo ſit faſcijs. de faſcijs. 7ª.294.B
Vinciendi ratio qua caput inuolutum ſine nodis defenditur à tedio quod nodi comprimendo faciunt. de faſ. 7ª.294.G
ad Vinciẽda venarũ capita ſanguinẽ fundẽtia, laqueº. de laq. 7ª.307.G
VINCIENTES *faſcijs abundent. de faſc.* 7ª.293.G
VINCIVNTVR *membra fracta faſcijs glomeratis. de faſc.* 7ª.293.F
VINCTVM *firmius tenent faſciæ factæ in longitudinem lintei. de faſcijs.* 7ª.293.H
VINCERE *q debeant ſciũt aliq luctatores. in progn. com.3º.* 4ª.207.E
VINCI *eſt alterari.3º. de nat. fac.* 1ª.304.A
Vicit ſe ligatore & iudice Theſſalus.1º. meth. med. 7ª.3.B
VINCVLORVM *diuerſitas, & diuerſa nomina. de faſcijs.* 7ª.295.A
Vincula vnde nomen accipiant. de faſc. 7ª.293.H
Vinculorum nomen ab animalibus. de faſcijs. 7ª.293.H
Vinculorum nomen ab euentis. de faſ. 7ª.293.H
Vinculum à ſuperiori parte iunctum. de faſc. 7ª.297.A
Vinculorum quædam ſunt vincula tantum, quædam vincula, & laquei. de faſcijs. 7ª.293.H
Vinculum aliud ab altero faſciarum capite incipit, aliud ab vtroque. de faſcijs. 7ª.293.H
Vinculorum diuerſitates multæ. de faſcijs. 7ª.293.H
Vinculum cõuenire debet parti vinciendæ & affectui. de faſ. 7ª.294.A
Vinculum quo modo ſit iniÿciendum. de faſc. 7ª.294.B
Vinculorum vſus qualis. de faſc. 7ª.294.B
Vinculum partes quadantenus alterat.3º. de ſim. me. fa. 5ª.17.D
Vincula quando debent decidere in vaſis Abſciſſis caro habeẽ pro operculo.13º. meth. me. 7ª.86.F
Vinculo quando excipienda Arteria.13º. meth. med. 7ª.86.E
Vincula pro arterijs qualia eſſe debent.13º. meth. med. 7ª.86.F
Vinculum vocatum Auriga ad latera deliganda. de faſc. 7ª.303.A
Vinculum quo vinciuntur quæ iuxta Aurem ſunt, & maxillæ proceſſum. de faſcijs. 7ª.296.F
Vinculum Barbaricum.2º. de lo. af. 4ª.10.C
Vincula Brachiorum, & crurum reuellunt. de cucur. ſcar. 6ª.4.F
Vinculum vocatum Calceus. de faſcijs. 7ª.306.C
Vinculum ad Calculoſos educto calculo ſm aliquos Galeno authore non probatur & quo ipſe vteretur vinculo. de faſc. 7ª.304.E
Vinculum ad Caluariam eſt ſcapha vel tholus. de faſc. 7ª.295.C
Vinculum ad Calcem alligandum de faſc. 7ª.306.A
Vinculum Cancer appellatum. de faſc. 7ª.294.G
Vinculum cancrum pro inguine. de faſc. 7ª.304.B
Vinculum Capitis vnit venas. in tim. Plat. 1ª.288.A
Vinculum ad ſummum caput vinciendũ, & id quod inter ipſum & frontem eſt. de faſc. 7ª.295.C
Vinculum quod à fulmine κεραύνιος appellatur. de faſc. 7ª.302.C
Vinculum ſimplex ad Ceruicem. de faſc. 7ª.302.C
Vinculum duplex ad ceruicem. de faſcijs. 7ª.302.B
Vinculum in ſpeciem literæ x, ad alam, & pectus. de faſ. 7ª.301.G
Vinculum Cœcum nominatum egre ſoluitur.8º. de ana. adm. 1ª.100.G
Vinculum vbi Coniungere diducta neceſſe eſt. de faſc. 7ª.295.F
Vinculũ ad Cõtinẽdũ mẽbrũ, quod in ſuũ locũ reſtituiẽ. de faſ. 7ª.304.H
Vinculum ad Digitum magnum alligandum ſecundũ antiquos, quos author reprehendit. de faſc. 7ª.306.C
Vinculum vocatum Diſcrimen. de faſc. 7ª.295.F
Vinculum ad Dorſum deuinciendum. de faſc. 7ª.302.B
Vinculũ ad Fracturas qbus carnis quoq; vulnº acceſſit. de fa. 7ª.305.D
Vinculum quibus quod inter Frontem, & verticẽ eſt ac proximas partes conuenit deuincire. de faſc. 7ª.295.H
Vinculum inter frontem, & verticem ac proximas partes deuinciẽs. de faſcijs. 7ª.296.A
Vinculum ad frontem & ad id quod inter ipſum & verticem eſt. de faſc. 7ª.296.G|idem in vtranque partem ductum à ſuperiori parte deorſum. H|idem ab inferiori parte ſurſum. ibidem.
Vinculum γυναῖκος ſub mento circum agitur. de faſc. 7ª.295.A
Vinculum his quibus Genu in alteram partem lapſum reconditum eſt. de faſcijs. 7ª.305.H
Vinculum Geranium eſt varium. de faſc. 7ª.293.E
Vinculum Geranium Hippocratis. de faſc. 7ª.301.A
Vinculum quod à gruis ſimilitudine γερανίδαι dicitur ad fractum iugulum admouet Hippocrates. de faſc. 7ª.293.E
Vinculum Glaucis cui magis fidendum eſt quam vinculo ad caluariam. de faſcijs. 7ª.295.H
Vinculum Glaucij valde iunctum. de faſc. 7ª.297.A
Vinculum ad partum quas vulnus duxit Glutinationem atq; ad emittendum humorem. de faſc. 7ª.295.B
Vinculũ ad corporum quæ abſceſſerunt glutinationem. de faſ. 7ª.304.H
Vinculum Hippocratis adducens. de faſc. 7ª.299.E
Vinculum vbi Humerus excidit. de faſc. 7ª.300.G
Vinculum ad Inguen vinciendum. de faſc. 7ª.304.B
Vinculum vbi Iugulum fractum eſt. de faſc. 7ª.300.G
Vinculum ad deligandum iuxta iugulum latum os ſcapularum, pectus, dorſum aut latera. de faſc. 7ª.301.E|idem in vtranq; partẽ ductũ. F.
Vinculi genus idem ſunt Lepus ſine auribus, ſemirhombus, nauicula. de faſcijs. 7ª.296.G
Vinculum ad Maxillam vulneratam, ſeu prolapſam, ſeu ob diſtentionem oris. de faſcijs. 7ª.296.B
Vinculum ad maxillam vtrinq; ſuo loco motam. de faſc. 7ª.296.C
Vinculum Menecrati ad partes extremas. de faſc. 7ª.305.A
Vinculum μετωπιαῖος frontem ambit. de faſc. 7ª.295.A
Vinculum ad Naſum qui accipiter dicitur. de faſc. 7ª.298.G
Vinculum ad Occipitium. de faſc. 7ª.294.E
Vinculum tenue Ocularium, vel ſimplex oculus. de faſc. 7ª.297.D|idem ab inferiori parte ſurſum. ibidem.
Vinculum oppoſitum. de faſcijs. 7ª.305.D
Vinculum vt in Palæſtra ductum. de faſc. 7ª.305.D
Vinculum ad alligandã Palmã, vel primã palmæ partẽ. de faſ. 7ª.305.B
Vinculum παρειάς à malis p quas ducit nomen habet. de faſ. 7ª.295.A
Vinculũ ad Patelam quæ quocũq; à ſua ſede pruperit. de faſ. 7ª.306.A
Vinculum ad vinciendũ medium pectus, vel dorſum, aut latera, aut thoracem. de faſc. 7ª.301.G
Vinculum ad Pollicem uinciendum. de faſc. 7ª.305.C
Vinculum Regium quale. de faſc. 7ª.296.A
Vinculũ Rhõbus duplex eſt ſimplex & Hippocratis. de faſc. 7ª.295.C
Vinculum ſanguinem obturat.5º. methodi meden. 7ª.30.F
Vinculum ſciſſum ad ſcrotum. de faſc. 7ª.304.F
Vinculi genus eſt Semirhõbus lepus ſine auribus tholus. de fa. 7ª.295.C
Vinculi ſpecies ſimplex debet eſſe orbicularis. de faſc. 7ª.293.E
Vinculum Soſtrati rectum ad alam, & pectus. de faſc. 7ª.301.F
Vinculum ſpecioſum. de faſc. 7ª.295.H
Vinculi genus dictum ςεφανιαῖος, & quod. de faſc. 7ª.295.A
Vinculo Stricta reuocant ad contrarium.5º. methodi medendi. 7ª.30.F
Vinculum ubi inter ſupercilia uel medium naſum deligare opus ſit. de faſcijs. 7ª.299.B
Vinculum Suſpendens ſex habens capita. de faſc. 7ª.303.E
Vinculum ſuſpendens ad colem. de faſc. 303.H| 7ª.304.A
Vinculũ ſuſpendẽs ad colem ex faſcia ſciſſa, & zona. de faſc. 7ª.304.A
Vinculum ad ſuturas ubi dehiſcunt. de faſc. 7ª.295.B
Vinculum ad Talos uinciendos. de faſc. 7ª.306.B

Vinculi iun-

Vinculi iungentis teſtes & vaſa ſubſtantia.14°.de vſu par. 1ª.209.*H*
Vinculum teſtudo dictum.de faſcijs. 7ª.305.*H*
Vinculum dictum Thais Perigenis,vel Molphi.de faſcijs. 7ª.295.D
Vinculum alterum thais quale.de faſcijs. 7ª.295.E/*H*
Vincula Varia quidam negligunt.de faſcijs. 7ª.293.D
Viculo vario caput cuidã dligatũ fuit,cui oculi pcidere.đ faſ. 7ª.293.D
Vincula varia non damnauit Hippocrates.de faſc. 7ª.293.D
Vinculũ variũ ſolũ aptatur femori,humero,et cubito.de faſ. 7ª.293.E
Vinculum ad eos quibus propter Varices qui inguen implent manus curatio admouetur.de faſcijs. 7ª.304.D
Vincula Violenta corrumpunt,& refrigerant aliquando particulã animalis.de cau.mor. 3ª.7.*H*
VINDEMIAE *tempus,quale.1°.de anti.* 5ª.110.*A*
VINDICTAE *appetentia quid ſit in ira.2°.de ſan.tu.* 2ª.74.*B*
Vindictæ cupiditas quales faciat pulſus.2°.de cau.pul. 4ª.91.D
VINOSAE *vuæ quæ.2°.de alim.fac.* 2ª.18.*B*
*Vinoſi non iuuantur euacuationibus.de curan.ra.per ſang.miſſ.*6ª.17.F
VINVM *quid.de ſimp.med.* *Sp*.92.*B*
Vinum ex quo fiat.2°.de alim.fac. 2ª.17.*H*
Vinũ totũ in vimineũ ſub torculari conijcitur.1°.de nat.fac. 1ª.295.D
Vinum quot habeat partes.4°.de ſimplicium medicam.facul. 5ª.24.*H*
Vinorum diuerſitas.in 3^{m}*.de morbis vulgaribus,com.2°.*3ª.138.D/1°.*de compo.medica.ſec.loc.*129.F/3°.5ª.147.*A*/12°.*meth.me.*76.E/ *de victus ra.in mor.acu.com.*3°.125.D/*de ren.aff.dig.& me.* 7ª.195.G
Vina maxima differunt ſpecie.de bon.& vi.ſuc. 2ª.38.*H*
Vinorum differentiæ qui obſunt.4°.de ſan.tu. 2ª.8ª.*B*
Vina diſſimilia cur fiant.de hiſt.phil. *Sp*.12.*A*
Vinũ diuerſum facit vitis ad alia loca mutata.3°.de ſymp.cauſ. 3ª.26.E
Vinorum propria natura qñ cognoſcatur.4°.de ſimp.me.fac. 5ª.27.C
Vina quæ apud omnes ferè nationes inuenit Galenus.de bonitate & vitio ſuccorum. 2ª.38.G
Vinum,mel,oleum,diutius ſeruantur,quàm alij ſucci.3°.de ſimplicium medic.faculta. 5ª.20.F
Vino põderoſius mel quarta parte,& decima.de pon.& men. 5ª.275.F
ad Vinum & mel in pondere olei differentia.de pon.& men. 5ª.275.F
Vinum,& oleum eliquata parum relinquunt excrementi,ſed tendit in aerem & vapores.2°.de diff.feb. 3ª.41.E
Vinum Abſinthites ad quid valeat.de ſimp.me. *Sp*.92.C
Vino ex abſinthio cõfecto curata eſt ſtomachi diſſolutio, quæ fecit atrophiam.de theriaca ad Piſo. 5ª.90.D
Vinum poſt abſinthij comã qñ exhibẽdũ.1°.de arte cur.ad Gla. 7ª.99.D
Vinum quomodo intelligatur.3°.de diff.pul. 4ª.63.G
Vinum acerbum quomodo mutetur perdulce, & amarum tempore.4°.de ſimplic.me.facul. 5ª.27.D
Vina acerba frigida ſunt.3°.de comp.me.ſe.lo. 5ª.147.*A*
Vina acerba non calefaciunt.com.2°.aph.21°. *Ex*.14.F
Vina acerba omnibus vitijs thoracis magis noxia ſunt,quàm acerba.de attenuante vict. 2ª.46.E
Vino acerbo madefacta lana munda pro fluxione.2°.de art.curatiua ad Glauconem. 7ª.101.*H*
Vinum nullum ſecundum naturam Acidum.aduerſ.Ly. *Ex*.63.*H*
Vina facile acida fiunt in tepido loco.1°.de anti. 5ª.101.*A*
Vina aceſcunt ſoli expoſita.4°.de ſimp.me.fac. 5ª.27.*H*
Vinum acetum cito faciunt vinaria vaſa aperta.in 6^{m}*.de morb.vulgaribus,commentario 4°.* 3ª.182.*H*
Vinum quod acidum non fiet.1°.de anti. 5ª.101.*A*
Vinum aceſcere non ſinit calor [conſidera].1°.de anti. 5ª.101.*B*
Vino immittitur reſina ne aceſcat. 2°.de ali fac. 2ª.18.E
Vinum Acre ſecundum guſtandi qualitatem nominatur. de victus rat. in morb.acutis,commentario.3°. 7ª.125.G
Vinum tempore fit acre.3°.de compo.me.per gen. 5ª.233.*H*
*Vina acria deponũt tpe dulcedinẽ,& fiũt amara.4°.đ ſim.me.f.*5ª.27.C
Vinum acre & vetuſtum bibat,qui frigidos humores habet.de bonit. & vitio ſuccorum. 2ª.38.D
Vinum neque acre,neque vetuſtum bibat, qui calidos habet humores. de boni.& vit.ſuccor. 2ª.38.D
Vinum Actum & acre.de ther.ad Piſ. 5ª.95.D
Vinum Adrianum quale.2°.de ar.cur.ad Glau. 7ª.102.C
Vinum adrianum aquoſum.12°.meth.med. 7ª.76.F
Vinum adrianum auſterum.7°.meth.me. 7ª.45.F
*Vinum adrianum.2°.de anti.*5ª.116.F/7°.*meth.me.* 7ª.47.*A*
Vinorum qualitas Adſtringẽs ſeparata ab acida,vt bonitas à vitio eſt. aduerſus Lycum. *Ex*.63.*H*
Vina adſtringentia generoſa ſunt.aduer.Lyc. *Ex*.63.*H*
Vina adſtrictionem tempore abijciunt.4°.de ſimp.med.fac. 5ª.27.E
Vinum adſtrictionis particeps.3°.de ſim.me.fac. 5ª.21.E
Vinum Aegeates craſſum vt ſapa.12°.methodi medendi. 7ª.76.F
*Vinũ Aeginũ nigrũ & auſterũ.de vict.ra.in mor.acu.com.3°.*7ª.126.*H*
Vinum Aegyptium.de remed.par.fac. 7ª.163.G
Vinũ Albanum,ſabinũ,& marſum aquoſa ſunt.1°.de antid. 5ª.100.*H*
Vinum album aquoſum.12°.meth.me. 7ª.76.F
Vinum albanum auſterum.7°.meth.med. 7ª.45.F
Vinum Albates craſſum vt ſapa.12°.meth.med. 7ª.76.F
Vinum albates auſterũ & dulce.de vic.rat.in mor.acu.c.3°. 7ª.126.*H*
Vinum Album tempore fit fuluius,& flauum.de vict.ra.in morb.acu. commentario.3°. 7ª.126.E
Vinorum alborum differentiæ.de bon.& vit.ſuc. 2ª.38.C
Vina alba non ſunt dulcia.de bon.& vit.ſuc. 2ª.38.C
Vinum album non poteſt valenter calefacere. de vict.rat.in morb.acu. commentario.3°. 7ª.126.G
Vina alba nulla calida.12°.meth.med. 7ª.76.F
in Vino albus color non calidiſſimus.5°.de ſan.tu. 2ª.91.*A*
*Vinum album nullum eſt dulce.de atte.vic.*2ª.46.C/ *de vic.rat.in mor. acu.commen.3°.*7ª.125.G/*de vinis.* *Sp*.76.F
Vinum album auſterum quale.de vinis. *Sp*.76.F
Vinũ album ponticum eſt minus calidũ vino albo.de diff.cont. *Sp*.74.D
Vinum album auſterum recens craſſum ſenſibiliter refrigerat. de bonit. & vitio ſuccorum. 2ª.38.*H*
*Vina alba adſtringentia inueterata.4°. de compo.medi.per ge.*5ª.236.D
Vinum album minime calidum eſt.de victus ratione in morbis acutis, commentario 3°. 7ª.126.E
Vinum quanto albidius,tanto minus calidum.4°.de ſimplicium medicamento.facultatibus. 5ª.31.D
Vinum album minus calidum dulci.de vinis. *Sp*.76.F
Vinũ album,& auſterũ,& iuuenile infrigidat ſenſibil'r.de vin. *Sp*.76.F
Vina valde alba ab initio inueterata primo pallidula,mox planè pallida fiunt.5°.de ſanitate tuenda. 2ª.91.*A*
Vina alba non poſſunt omnino fieri flaua.5°.de ſan.tu. 2ª.91.*B*
*Vina alba craſſa,& acerba minus nutriunt nigris rubris & craſſis.3°. de alim.fac.*2ª.33.*B*/*com.2°.aph.18°.* *Ex*.13.G
Vina craſſa magis nutriunt,quàm tenuia.3°.de alim.fac. 2ª.33.*B*
Vinũ album purũ cur prõpte in corpus digeritur.3°.de na.fac. 1ª.308.D
Vinum album vinoſum ad quæ valeat.de vict.ratione in morbis acutis. commentario 3°. 7ª.126.G
Vinum album à balneo quando bibere debet ſenex.5°.de ſa.tu. 2ª.91.C
Vina alba flaua qualem ſanguinem gignant.de atten.vict. 2ª.46.C
Vinum album diureticum eſt.de ſimp.med. *Sp*.92.*B*
Vina alba per vrinas ſecedunt.de atten.vict. 2ª.46.D
Vinum album non facit dolere caput.de diff.cont. *Sp*.74.F
Vinum album modice adſtringens pro morbo comitiali ex ore ventriculi.5°.de loc.affect. 4ª.32.F
Vinorum alba,& ſubſtyptica,& ſubtilia,& non valde antiqua optima ictericis.de cura icter. *Sp*.111.D
Vino albo tenui paucifero quomodo mulſa ſit fortior, & imbecillior. de vict.rat.in mor.acu.com.3°. 7ª.128.E
Vina alba tenuia humores craſſos incidunt,& ſanguinem per renes purgant.de atten.vict. 2ª.46.D
Vinum colore album,& ſubſtantia tenue, exiguum & dilutum quibus dandum.5°.de ſan.tu. 2ª.94.G
Vinum album & tenue quibus idoneum.6°.de ſan.tuen. 2ª.96.*A*
Vina alba tenuia ſimilia aquis hydromeliti faciendo commoda minimũ nutriunt.3°.de alim.fac. 2ª.33.*B*
Vinum album tenue in laſſitudine phlegmonodes.4°.de ſan.tu. 2ª.87.G
Vina alba & tenuia qñ vlceribus conueniant.6°.meth.me. 7ª.38.E
Vina alba tenuia ſunt.de fract.com.3°. 7ª.244.*H*
Vinum album tenue dulce.1°.de comp.med.ſec.loc. 5ª.128.E
Vinum album mutatum quid faciat.de victus ratione in morbis acutis, commentario.2°. 7ª.121.*B*
Vina amara ſiccant immodice.7°.meth.me. 7ª.47.*B*
Vina amara in ſyncope non ſumenda.12°.meth.me. 7ª.76.D
Vinũ Aminæũ neapolitanũ differt à ſiculo,et bithynio.1°.đ.a. 5ª.100.*H*
Vinum aminæum in Sicilia.4°.de comp.me.per gen. 5ª.236.D
Vinũ aminæũ in magnis fictilibus ſiculi reponũt.12°.meth.me. 7ª.76.G
Vinum vitis aminææ acerbum tantum.4°.de ſimp.medic.fac. 5ª.26.F

Vinum Aminæum adſtringit euidenter.1°.de ſimpl.med.fac. 5ª.8.C

Vinum aminæum aquoſum.12°.meth.me. 7ª.76.F

*Vinum aminæum.2°.de antidotis.*116.F/118.F/1°.*de compo.med.ſec.loc.* 124.H/3°.148.C/4°.153.E/6°.171.E/7°.185.G/8°.188.G/189.F/196.C/ 9°.200.G/202.A/205.C/10°.206.B/2°.*de comp.med.p gen.* 5ª.224. C/*de med.fac.par.*166.G/170.H/ 7ª.179.D

Vina quæ tarde Antiquantur.de vinis. Sp.77.A

Vinum nullum antiquum album manet. de vict.ratio.in morbis acutis, commentario 3°. 7ª.126.D

Vinum antiquum calidum.2°.de loc.aff. 4ª.14.A

Vinum antiquum calefacit.de præcogn.ad Poſth. 4ª.214.E

*Vinum antiquum eligendum in frigidis, & ſiccis.7°.meth.me.*7ª.47.A

Vinum antiquum quibus inimicum.6°.de ſan.tuen. 2ª.96.A

Vinum Aparachyton quale.4°.de compo.medicamen.per ge. 5ª.241.F

Vinum Aphrodiſeum in Aſia.4°.de comp.med.per ge. 5ª.236.D

Vinum aphrodiſienſe in Aſia.12°.methodi medendi. 7ª.76.G

Vinum aquoſum, & oligophorum quale ſit.7°.meth.me. 7ª.45.E

Vinum aquoſum quid nam ſit.de vinis. Sp.76.C

Vinum aquoſum quod vocetur, & quale ſit. de vict.rati. in morbis acutis, comment.3°. 7ª.125.G

Vina aquoſa in Italia, & Aſia.2°.de comp.medicamen.ſec.lo. 5ª.133.D

Vinum aquoſum quale.de vic.ra.in mor.ac.com.3°. 7ª.125.E

Vina aquoſa ſunt vina alba tenuia.com.2°.aph.11°. Ex.12.D

Vinum aquoſum nouum quale ſit.7°.meth.me. 7ª.45.E

Vinum aquoſum antiquum quale ſit.7°.meth.me. 7ª.45.E

Vinũ aquoſum flauũ & inodorum.de vic.rat.in mor.acu.c.3°. 7ª.131.E

Vinum aquoſum habuit in ligno vitis pauciſſimam tranſmutationem, & leuiſſimam elementi terrei permiſtionem. de victus ratione in morb. acu.commen.3°. 7ª.128.H

*Vina aquoſa quæ.1°.de antidotis.*5ª.100.G/12°.*meth.me.* 7ª.76.F

Vina aquoſa quando perueniant ad vetuſtatem.1°.de anti. 5ª.100.H

Vina aquoſa cito veteraſcunt.de vinis. Sp.76.H

Vina aquoſa primo acida, poſtea amara fiunt.de vinis. Sp.77.A

Vina aquoſa quibus locis conſeruanda.de vinis. Sp.76.H

Vina aquoſa non adiuuant coctionem.1°.de anti. 5ª.100.G

Vina aquoſa tenuia ſunt, & pauciſſimi alimẽti.de bo.et vit.ſuc. 2ª.38.C

*Vina aquoſa caput non feriunt.12°.methodi medendi.*7ª.77.A/*de diſſolutione continua.* Sp.74.F

Vino quomodo aqua miſcenda.de vict.ra.in mor.acu.com.3°. 7ª.131.C

Vinum dum aqua miſcetur partes cuiusque ad minima cõfringuntur. 1°. de element. 1ª.8.E

*Vino miſta aqua quem colorẽ faciat, & habeat.5°.de ſan.tuen.*2ª.91.A

Vino ſi permiſcueris modicum bonæ aquæ ad digeſtionem, & vrinarum ſeceſſionem erit benigna.de bon.aquę. Sp.75.F

Vinum plurimum oportet inferre aquis autumnalibus, & ęſtiuis vt earum vincantur malitiæ.de bon.aquæ. Sp.75.F

Vinum aqua miſtum quid agat.commen.7°.apho.56°. Ex.59.B

Vina aquoſa parum in ſanguinem mutantur.12°.meth.me. 7ª.77.A

Vina aquoſa, ideſt alba, & tenuia exiguum præbent corpori alimentum. comment. 2°.aph.18°. Ex.13.G

Vinum aquoſum nõ degenerat ab adſtringente.de victus ratio.in morb. acu.commentario.3°. 7ª.125.G

Vinum aquoſum languide, & exolute adſtringit. de vict.ratio.in morb. acut.commentario.3°. 7ª.125.G

Vinum aqua temperatũ curat diſſolutiones ex magnis euacuationibus. 1°.de art.curatiua ad Glauconem. 7ª.98.H

Vinum aquoſum omnes vacuationes promouet.11°.meth.me. 7ª.69.H

Vinum aquoſum poſt dulce ſputa educit. de victus ratio.in morb.acutis commentario 3°. 7ª.126.F

Vina aquoſa ſuper omnia mouent vrinas.12°.meth.me. 7ª.77.A

Vina aquoſa celerrime par vrinam tranſeunt.com.2°.aph.18°. Ex.13.G

Vina aquoſa, cum ad vrina cieant pauciſſimum nutrimentum præbent corpori.de vinis. Sp.76.D

Vini aquei potus vrinæ quales.in 6m.de mor.vulga.com.5°. 3ª.192.A

Vinum cur citius ſurſum aſſumatur aqua.3°.de nat.fac. 1ª.308.D

Vino aquoſum auſterum conuenit imbecillas vires habentibus. 7°.methodi medendi. 7ª.45.E

Vinum aquoſum exhibuit Galenus ſeni ægrotanti. de vict.rat. in morb. acu.commentario.3°. 7ª.131.C

Vinum redolens inſtar Aromatis & vnguenti.de vict.ratione in morb. acu.commen.3°. 7ª.125.E

Vinum Ariuſium in Aſia celebratum.1°.de anti. 5ª.101.H

Vinum ariuſium quale.12°.meth.me. 7ª.76.E

Vinum ariuſium odoratum dulce, & tenue.1°.de ant. 5ª.102.A

Vinum ariuſium pro antidotis.de vinis. Sp.76.H

Vinũ ariuſiũ aptiſſimũ ad deductionẽ in corpus.12°.meth.me. 7ª.76.G

Vini ariuſii meminit.3°.de ſimp.me.fac. 5ª.22.F

*Vinum Arſinium quale.1°.de antidotis.*5ª.100.H/ 2°.*de ar.curatiua ad Glauconem.* 7ª.102.C

Vinum arſinium auſteram.7°.meth.me. 7ª.45.F

Vinum arſinium aquoſum.12°.meth.me. 7ª.76.F

Vinum arſinium pro ſiccis in Aſia, & quale.7°.meth.me. 7ª.45.E

*Vinũ Aruiſium in Chio quale.1°.de cõp.me.per gen.*213.D/2°. 5ª.223.B

Vinum aruiſium giluum in Chio.4°.de comp.me.per ge. 5ª.236.D

*Vinum aruiſium.2°.de anti.*118.E/2°.*de compo.med.per gen.* 5ª.223.B

Vina in Aſia.12°.meth.me. 7ª.76.G

Vina celebrata in Aſia.1°.de anti. 5ª.104.E

*Vina quõ in Aſia tractentur, vt fiant mitiora.4°.de ſimp.me.f.*5ª.28.A

Vina tria in Aſia ad medicamenta.2°.de comp.med.per gen. 5ª.223.B

Vinum Atrum adſtringit.8°.de ſimp.me.fac. 5ª.61.C

Vinum Auſterum ſecundum guſtandi qualitatem nominatur. de victus rat.in mor.acu.com.3°. 7ª.125.G

Vinum auſterum calidum.6°.meth.me. 7ª.39.D

Vina auſtera nobilia vocat, & qualia ſint.7°.meth.me. 7ª.45.F

Vina auſtera alba ætate fiunt fulua.12°.meth.me. 7ª.76.F

Vinum auſterum frigidum ex terreſtri ſubſtantia ortum.de fracturis, cõmentario 3°. 7ª.245.A

*Vina auſtera ſenſim auſteritatem deponunt.4°.de ſimp.me.fac.*5ª.27.C

Vina auſtera tempore acquirunt dulcedinem, & acrimoniam.4°.de ſimpli.med.facul. 5ª.27.C

Vina auſtera craſſarum partium niſi vetera ſint.4°.de compoſi.medica. per genera. 5ª.239.F

Vinum auſterum quanto tempore eſt in ætate media.4°.compo.medicamentorum per gen. 5ª.239.F

Vina auſtera frigida.3°.de comp.me.ſe.lo. 5ª.147.A

Vinum auſterum calidius 3°.de ſimp.me.fac. 5ª.22.F

Vina auſtera & dulcia.4°.de ſimp.me.fac. 5ª.26.F

Vina auſtera caput minime tentant.12°.meth.me. 7ª.76.H

Vinum auſterum nõ vetus adſtringit.5°.de comp. me.per ge. 5ª.250.D

Vinum auſterum adſtringit.com.2°.aph.20°. Ex.14.D

Vina auſtera ventriculum roborant.12°.methodi medendi. 7ª.76.H/ *de vinis.* Sp.76.G

Vino auſtero curabantur ventriculo imbecilles.7°.meth.me. 7ª.43.H

Vina auſtera omnibus vitijs thoracis opponũtur.de atten. vic. 2ª.46.E

Vinis auſteris vtimur ad alui fluxiones ſiſtendas, & non ad aliud.de bonita.& vitio ſuccorum. 2ª.38.D

Vinum auſterum magis calefacit quam aqua, et roborat in inteſtina.6°. methodi medendi. 7ª.39.D

Vina auſtera dyſentericis dantur.6°.de ſimp.med. fac. 5ª.46.A

Vina auſtera fugienda in ſyncope.12°.meth.me. 7ª.76.H

Vinum auſterum.8°.de ſimp.me.fac. 5ª.63.F

Vina cur non ita facile excerni noſcant, quæ cito ab expreſſione Bibantur.de bon.& vitio ſuc. 2ª.38.G

Vina quomodo cognoſcantur, an poſſint cito bibi à vindemia.de bonitate & vitio ſucco. 2ª.38.G

Vinum Bithynum ſplendens & album.de vinis. Sp.76.H

Vinum Bycium quale.de bon.& vit.ſuc. 2ª.38.D

Vinum habet Calidam naturam.com.5°.aph.5°. Ex.37.G

Vinum cur poteſtate calidum dicatur.3°.de temp. 1ª.23.E

Vinum calidum deſcribitur.3°.de ſimp.med.fac. 5ª.22.F

Vinum ex ſecundo ordine eſt calefacientiũ, ſed quod admodum vetus eſt ex tertio, ſicut muſtum quod vocant ex primo: caliditati eius proportione reſpondet ſiccitas.8°.de ſimp.me.fac. 5ª.57.B

Vina calidiora quæ.3°. de ſimplicium medicament. facul. 5ª.22.E

Vina valde calefacientia quæ.7°.meth.me. 7ª.44.B

Vinũ calidum eſt quod aquã ducit. in 1m.de morb.uul.com.2°. 3ª.108.F

Vinorum calidorum color qui.5°.de ſan.tuen. 2ª.91.A

Vina calidiora in Græcia quæ.5°.de ſanita.tuenda. 2ª.90.H

Vina calidiora in Italia quæ.5°.de ſan.tuen. 2ª.90.H

Vina minus calida in Italia quæ.5°.de ſan.tuen. 2ª.90.H

Vinum calidum ſumme eſt flauũ.de vic.rat.in mor.acu.cõ.3°. 7ª.126.G

*Vinum calidum quibus dãdum.5°.de ſan.tu.*2ª.94.G/ *de uin.* Sp.76.G

Vina calidiora, & vrinas mouẽtia cõueniũt ſeni.5°.de ſan.tu. 2ª.92.A

Vina calida antiqua conueniunt habẽtibus in venis humorem frigidum. de vinis.

de vinis. Sp.76.G
Vinum calidum incidit phlegma,& mundificat ſtomachũ.de diſſolutione continua. Sp.74.D
Vinũ calidũ da ore vẽtriculi male affecto.1°.de ar.cur. ad Gla. 7ª.99.C
Vina vehementer calida capitis grauedinem faciunt, et prudentiæ nocumentum.de vinis. Sp.76.E
Vinum Calidiſſimum frigidiſſimis dandum.5°.de ſan.tuen. 2ª.94.G
Vina calidiſſima ſunt flaua.12°.meth.me. 7ª.76.F
Vinis Candidis pellucere peculiare eſt.2°.de cõp.me.per gen. 5ª.223.A
Vinum Caryinum dulce morſu carens.6°.meth.me. 7ª.38.E
Vinum caryinum dulce.7°.de comp.med.ſec.loc.5ª.177.H/de vict.rati. in mor.acutis,comment.3°. 7ª.125.G
Vinum caryinum.de atten.vic.rat. 2ª.46.E
Vinum Cæcubum calefacit.de bon.& vit.ſucc. 2ª.38.H
Vinum cæcubum.12°.meth.med.7ª.76.F/de vinis. Sp.76.H
Vina Celebratiſſima quæ.de atten.vic.rat. 2ª.46.D
ad Vinorũ alterationẽ multũ faciunt Cellæ vinariæ.1°.de ant. 5ª.100.H
Vinis in fidelias translatis quæ cella melior.1°.de anti. 5ª.101.B
Vinum Chium in Aſia celebratum.1°.de antidotis. 5ª.101.H
Vinum odorum chium.7°.de comp.medi.per gen. 5ª.272.B
Vinũ chiũ.2°.de anti.118.C/3°.de comp.me.ſe.lo.147.G/4°.152.G/H/155.H/156.A/C/5°.164.A/6°.169.H/7°.183.B/8°. 5ª.194.H
Vinum Coum.5°.de comp.med ſec.lo.5ª.164.A/de med.fa.p. 7ª.168.A
Vinum Cilicium auſterum,& dulce ſimul.de boni.& vitio ſuc. 2ª.38.C
Vinum Cirrhum calidum.de vinis. Sp.76.F
Vinum cirrhum auſterum quale.de vinis. Sp.76.F
Vinum Citrinum antiquum facit dolere caput. de diff.cont. Sp.74.F
Vinum citrinum clarum,ſubtile,antiquum,calidum eſt cibus acutus incidens,& aperiens.de diff.cont. Sp.72.E
Vina Clara pellucida,pallida flaua non ſunt dulcia.de att.vic. 2ª.46.C
Vinum Cnidium.6°.de comp.me.ſe.lo. 5ª.176.C
Vina Cocta dulciora tempore euadunt.4°.de ſimp.me.fac. 5ª.27.D
Vinorũ differentiæ in Colore.de victus ra.in mor.acu.com.3°. 7ª.125.D
Vini calor per ſe nec prodeſt nec obeſt. de vict.ratione in morbis acutis, commentario.3°. 7ª.125.H
Vinum coloris granati eſt boni nutrimenti.de diff.cont. Sp.73.B
Vinorũ differẽtia in cõſiſtẽtia.de vic.rat.in mor.acu.com.3°. 7ª.125.D
Vinũ ex mali Cotonei ſucco pro vẽtriculo ĩbecillo.7°.meth.me.7ª.43.H
Vina craſſa vt ſapa,quæ.12°.meth.me. 7ª.76.F
Vina craſſa fecem faciunt.com.4°.aph.21°. Ex.29.D
Vina craſſa odora,& fortia in calidis regionibus reperiuntur . de vict. rati. in morbis acutis,comment.3°. 7ª.127.B
Vina nulla craſſa,& dulcia,quæ nigra non ſint.de bon.& vit. 2ª.38.C
Vina craſſa dulcia,nec acerba,nec auſtera,nec adſtringentia.de attenuãte dieta. 2ª.46.D
Vina craſſa,& dulcia habent humiditatem craſſam perdurantem. de at tenuan.vict. 2ª.46.D
Vina craſſa,& colore rubra maxime nutriunt.c.2°.aph.11°. Ex.12.D
Vina craſſa,& fuſca magis alunt.commẽtario 2°.aphori.18°. Ex.13.G
Vina nigra magis,adhuc magis alunt,ſed fuſca vniuerſim, & velociter alunt.com.2°.aph.18°. Ex.13.G
Vina craſſa valde nutriunt.de bonitate, & vitio ſuccorum.2°.38.C/14°. methodi medendi. 7ª.91.F
Vina craſſa tenuioribus in alendo prestantiora.3°.de alim.fac. 2ª.33.B
Vinis dat vim nutriendi craſſities.de bon.& vit.ſuc. 2ª.38.D
Vinum vuæ quod eſt coctum ex vua craſſa in natura ſua craſſus cibus, & cur.de diſſol.cont. Sp.72.G
Vina admodum craſſa ſi conficiantur dant copioſius alimẽtum. 3°.de aliment.facul. 2ª.33.B
Vina craſſa,& dulcia iuuant affectus thoracis,& pulmonis,ſi cum tenuantibus medicamentis adhibeantur.de atten.vic. 2ª.46.D
Vina craſſa dulcia melli conueniunt in multis.de atten.vic. 2ª.46.E
Vina craſſa celerrime nutriunt.com.2°.aph.11°. Ex.12.D
Vina craſſa dulcia aluum deijciunt.de bon.& vit.ſuc. 2ª.38.E
Vina craſſa nigra.de fract.com.3°. 7ª.244.G
Vina craſſa nigra dulcia fugienda.de ſanitate tuenda. 2ª.91.C
Vina craſſa nigra dulcia craſſo ſanguine venas replet.de atten. 2ª.46.C
Vina craſſa nigra ſanguinẽ melancholicum gignunt.3°.de loc.af.4ª.18.F
Vina craſſa vitanda,& mali odoris,guſtu non grata,& auſtera.de bonitate,& vitio ſucco. 2ª.38.D
à Vinis craſſis lien læditur.de vict.ra.in mor.acu.com.3°. 7ª.126.A
à Vinis craſſis nõ lędiť pulmo.de vic.ra.in mor.ac.com.3°. 7ª.126.A
Vinum Creticum vinoſum dat in conuulſione.de vict.rat.in mor.acutis, commentario 4°. 7ª.144.E
Vinum creticum dulce.1°.de dignoſ.pulſ.4ª.70.H/8°.de comp.med.ſec. lo.5ª.195.F/de rem.par.fac. 7ª.171.D
Vinum creticum.3°.de compo.med.ſec.loc.143.C/10°. 5ª.209.A
Vini Decoctio facit magis adſtringere.7°.de ſimpli.med.facul. 5ª.51.B
Vinum Dilutum ὑδατῶδες vocant.5°.de ſan.tuen. 2ª.94.F
Vinum dilutum quomodo intelligendum.1°.de comp.me.ſec.lo.5ª.129.F
Vinũ dilutũ exoluit robur corpis.de vic.ra.in mor.acu.cõ.2°. 7ª.120.C
Vinum dilutum quibus dandum,& quantum.5°.de ſan.tu. 2ª.93.G
Vinum dilutum cur infantibus exhibendum.de ſal.diæ. 2ª.42.D
Vinum dilutum quid agat.de vic.rat.in mor.acu.c.2°. 7ª.121.B
Vinum aqua dilutũ nutrit cuſtodire ſanitatem.de ſimp.me. Sp.92.B
Vinum dilutum perfrigeratum quale.de bon.& vit.ſuc. 2ª.39.C
Vinum dilutum perfrigeratũ debet dari æſtuoſis.de bon.& vit. 2ª.39.C
Vinum modice dilutum ſomnum conciliat.2°.de lo.aff. 4ª.14.A
Vinum dilutũ,& frigidiſſimũ bibant ſiti moleſtati.de ſal.diæ. 2ª.43.B
Vino diluto os abluendum lacte ſumpto.3°.de alim.fac. 2ª.28.C
Vinum dulce ſecundum guſtandi qualitatem nominatur. de vict. rati.in mor.acut.commen.3°. 7ª.125.G
Vinum dulce neq; ſubtile,neq; lucidum eſt.de vinis. Sp.76.D
Vina dulcia ſunt nigra craſſa.de atten. 2ª.46.B
Vina dulcia morſu carentia,quæ.6°.meth.me. 7ª.38.E
Vinum dulce vinoſum album,& nigrum.de vict.ratio. in morb.acutis, commentario.2°. 7ª.125.D
Vinũ dulce ſtatim et nigrũ exiſtit.de vict.rat.in mor.acu.c.3°.7ª.126.H
Vina ſolum dulcia.4°.de ſimp.me.fa. 5ª.26.F
Vina dulcia,& nigra quæ ſint.de vict.rat.in mor.acu.com.3°. 7ª.125.G
Vinum dulce quale ſit,& quæ bona quæq; mala faciat. de vict.ratio.in morbis acu.com.3°. 7ª.125.G
Vinum dulce,& calidum eſt cibus calidus.de diff.cont. Sp.74.C
Vinum dulce,antiquum citrinum eſt cibus calidus.de diff.cõt. Sp.74.C
Vinum dulce minus calidum rubro.de vinis. Sp.76.F
Vina dulcia ſunt calidiora auſteris.3°.de alim.fac. 2ª.33.B
Vinum dulce,& auſterum quale in Cilicia.de vinis. Sp.76.F
Vina dulcia,& craſſa,lenta,& humida.1°.de alim.fac. 2ª.6.G
Vinum dulce quid agat.9°.de dec.Hip.1ª.283.E/de diff.cont. Sp.74.G
Vinum dulce cur minus inebriet.de vic.rat.in morb.acu.c.3°. 7ª.126.B
Vinum dulce calefacit.de vinis. Sp 76.E
Vinum dulce calefacit mediocriter & ſitim facit.de victus rat. in morbis acu.commentario 3°. 7ª.125.G
Vina dulcia in quantũ deficiunt à vehementi caliditate, in tantũ minus capitis grauedinẽ faciũt,& nocumẽtũ prudẽtiæ.de vinis. Sp.76.E
Vinũ dulce quẽ calorẽ febrilẽ faciat.de vic.rat.in mor.ac.c.3°.7ª.126.F
Vinũ dulce ſiticuloſum eſt.de vict.rat.in mor.acu.com.3°. 7ª.127.E
Vina dulcia cur ſitim faciant. de victus ratione in morbis acutis.commentario 3°.7ª.126.C/de vinis. Sp.76.E
Vina dulcia ſunt ventoſa.de vinis. Sp.76.E
Vina dulcia cur flatuoſa. de vic.rat.in mor.acu.com.3°. 7ª.126.C
Vini dulcis flatus difficile reſoluitur.de victus ratione in morbis acutis, commentario 3°. 7ª.125.G
Vinũ dulce,& ponticũ,& vua quando nõ inflãt.de diff.cont. Sp.74.F
Vina dulcia facilius quam auſtera conficiuntur in ventriculo ac diſtribuuntur.3°.de alim.fac. 2ª.33.B
Vinum dulce eſt aſpero digeſtibilius.de diſſol.cont. Sp.73.D
Vina dulcia bibenda his qui debent nutriri,niſi viſcus aliquod aut renes impediant.de vinis. Sp.76.F
Vina dulcia ſanguinem craſſum gignunt.de atten.vic. 2ª.46.B
Vinum dulce lenit.3°.de comp.medi.ſec.loc. 5ª.145.G
Vina dulcia aſperitudines leuigant.7°.de comp.me.ſe.loc. 5ª.182.E
Vinis dulcibus dolorem magis ſedat ſapa.3°.de cõp.me.ſec.loc.5ª.140.C
Vinũ dulce cur in acutis cõueniat.de vic.rat.in mor.acu.c.3°.7ª.126.A
Vinũ dulce in affectionibus acutis ad expuitionẽ bonũ.de vinis.Sp.76.E
Vinum dulce facit expuere,& quando dandũ in pleuritide, et peripneumonia.de vic.rat.in morbis acu.com.3°. 7ª.126.A
Vinum dulce cæteris aptius ſpuma mouet.de vic.ratione in mor.acutis, commentario 3°. 7ª.126.E
Vinum dulce quòd ſputa educit.de vic.rat.in mor.acu.com.3°.7ª.126.E
Vina dulcia poſſunt mollire ventrem.6°.de ſan.tuen. 2ª.97.F
Vinũ dulce aut comedatur,aut bibatur lenit ventrẽ.de diff.cõ.Sp.75.A
Vinum dulce lenit ventrem.de diff.cont.75.B/de vinis. Sp.76.E
Vinum dulce deiectionis cauſa præbibatur.2°.de alim.fac. 2ª.20.A

Vino aliquo dulci debent miſceri medicamenta Thoracis & pulmonis. 5°.de ſimpli.medicamen.facultatib. 5ª.35.C
Vinũ dulce,ponticũ craſſum,nouũ tarde deſcendit.de diff.con. Sp.74.H
Vina dulcia,& craſſa cur facile deſcendant & ſubducant ventrem. 1°.de alimen.facul. 2ª.8.C
*Vinum dulce poſt pruna deijcere facit.*2°.de alim.fac. 2ª.21.D
Vinum dulce quantum participat craſſitie,tãtum eſt tardi tranſitus. de vinis. Sp.76.D
Vina dulcia inferioribus inteſtinis haud ſunt nocua:quãuis flatus ab ipſis genitus tarde meet,moreturq; in hypochondrijs quouſq; perfecte concoctus,ac tenuatus fuerit.de vinis. Sp.76.F
Vinũ dulce bilioſos humores nec ſecũ educit nec euacuat.de vi. Sp.76.E
Vina omnia dulcia materia ſunt flauæ bilis.de vinis. Sp.76.E
*Vinum dulce picrocolis non dandum.de vic.ra.in mor.acu.commen.*3°. 7ª.125.G/de vinis. Sp.76.E
Vinum dulce iecori affecto maxime nocuũ eſt, præcipueq; quãdo phlegmone aliqua vel ſcirrhus in ipſo ſit.de vinis. Sp.76.E
Vina dulcia ad vrinas non cito tranſeunt.de vinis. Sp.76.E
*Vinum dulce optimum ſeni,quod.*5°.de ſan.tuen. 2ª.91.C
*Vina dulcia pallida ſenibus conueniunt.*5°.de ſan.tuen. 2ª.91.C
Vina exigue dulcia non aſpernenda.de atten.vic. 2ª.46.E
Vinum dulce potens conuenit his,qui refici indigent,ſi iecur lien,& renes vitio careant.de bon.& vit.ſuc. 2ª.38.D
Vinum dulce purgatis tuto exhibetur.præſ.exper.conf. Sp.78.D
*Vinum dulce cur antidotis imponitur.*1°.de anti. 5ª.102.A
Vina dulcia febriẽtibus nõ cõpetunt,eo quod ſunt craſſa.de vi. Sp.76.E
*Vino dulci nuper expreſſo comparat humores.*2°.de nat.fa. 1ª.301.G
*Vinũ dulce obſtructiones auget.de vict.rat.in mor.ac.com.*3°. 7ª.125.H
Vinũ dulce craſſum obſtruit & obſtructionem perficit.de vin. Sp.76.E
*Vinũ dulce quando hepati obeſt.de vict.ra.in mor.acu.cõ.*3°. 7ª.125.H
Vinum dulce hepaticis affectionibus proprie obeſt.de victus ra.in mor. acutis,commentario 3°. 7ª.125.H
Vinum dulce facit oppilationem in iecore,& lapidẽ in renibus.de diſſolutione continua. Sp.74.H
*Vinum dulce dilutum quibus concedendum.*6°.de ſan.tuen. 2ª.96.A
*Vinũ dulce aquoſum ꝑ hydrope.de vic.ratio.in mor.acu.c.*4°. 7ª.152.G
*Vina dulcia.*7°.de comp.me.ſe.lo.177.H/8°. 5ª.195.F
ex *Vino dulci roſaceo,& cera dolorem mitigans.*2°.de art.curatiua ad Glauconem. 7ª.101.G
*Vinum dulce ad vlcera neruorum.*6°.meth.me. 7ª.38.E
*Vinum quomodo dicatur Durum.*3°.de præſ.ex pul. 4ª.117.F
*Vinũ durum quomodo per metaphoram dicatur.*3°.de dif.pul. 4ª.63.H
*Vinum Epheſium.*9°.de comp.me.ſe.lo. 5ª.200.G
*Vinum in Ereſſo flauum.*12°.meth.me. 7ª.76.E
*Vinũ Exiguũ & dilutũ quale,& quibus dandum.*5°.de ſan.tu. 2ª.94.F
*Vinorum differentia in Facultate.de vic.ra.in mor.acu.c.*3°. 7ª.125.D
*Vini facultas qũo cognoſcatur.de vict.ratio. in mor.acu.c.*3°. 7ª.129.B
*Vinum Falernũ giluum in Italia.*4°.de compo.medica.per ge. 5ª.236.D
*Vinum falernum quale.de bon.& vit.ſuc.*2ª.38.C/2°. de arte curati. ad Glauconem. 7ª.102.C
*Vinum falernum quod à cauponibus venditur quale.*1°.de ant. 5ª.101.F
*Vinum falernum calidius.*3°.de ſimp.me.fa. 5ª.22.F
*Vinum falernum ex ſignis dulce cognouit Galenus cum primum Romæ oblatum ei eſſet.*1°.de dign.pul. 4ª.70.H
*Vinorum falernorum differentię.*12°.meth.me. 7ª.76.E
*Vinũ falernum duplex.de ther.ad Piſ.*95.G/1°.de anti.101.C/ 5ª.102.A
*Vini falerni dulcis ſpecies eſt vinũ Hippodomãtiũ.*12°.met.me. 7ª.76.H
*Vinum falernum dulce,& flauum.*6°.meth.me. 7ª.38.E
*Vinum falernum valde calefacit.*7°.meth.med. 7ª.44.B
*Vinum falernum temperat omnia alia vina.*12°.meth.me. 7ª.76.E
ex *Vino falerno quando ſumendum far ſeni.*5°.de ſan.tuen. 2ª.92.D
*Vinũ falernũ quale in ſyncope ex crudis humoribus.*12°.meth. 7ª.76.E
*Vinum falernum omnia eccedit in Antidotis.*1°.de ant. 5ª.101.C
Vino falerno conficitur Theriaca.de theria. ad Piſ. 5ª.95.G
*Vinum falernum vnum ex ſimplicibus Theriacam ingredientibus, quæ videntur Galeno difficulter haberi.*1°.de anti. 5ª.104.B
*Vinum falernum quale optimum ad theriacam.*1°.de anti. 5ª.101.G
*Vinum falernum quod eligendum.*1°.de anti. 5ª.101.C
*Vina falerna adulterantur.*1°.de anti. 5ª.106.H
*Vinum falernum viginti annorum.*1°.de anti. 5ª.101.G
*Vinum falernum deſcriptum ſm ætates in fidelijs.*1°.de anti. 5ª.101.G
*Vinum falernũ vetus non debet ingredi Theriacam.*1°.de anti. 5ª.101.C
*Vinum falernum caput tentat.*12°.meth.me. 7ª.76.H
*Vinum falernum per ſaccum non excolatum.*9°.de compo.medicamentorum ſec.loc. 5ª.202.F
*Vinum falernum auſterum.*2°.de comp.me.ſec.loc. 5ª.140.A
*Vinum falernum fuluũ eſſe colligitur.*4°.de comp.me.ſec.lo. 5ª.152.B
*Vinum falernum nigrum.*7°.de comp. me.per ge. 5ª.274.B
*Vinum falernum vetus.*3°.de comp.me.ſe.lo. 5ª.148.G
*Vini ſalerni fit mentio.*2°.de anti.111.H/112.C/119.C/120.F/2°.de comp. medi.ſec.lo.140.C/4°.155.E/H/156.B/157.B/7°.179.F/180.A/182.A/F/184.D/185.E/8°.193.D/197.A/9°.198.H/200.D/202.E/203.B/204.F/1°.de compo.me.per gene.213.C/2°.222.D/223.A/224.F/5°.251.C/252.A/7°.271.G/ 5ª.272.G
pro *Vino falerno quid ſuſcipiendum.*1°.compoſitio.medica.per genera. 213.D/2°. 5ª.223.B
*Vino falerno ſimile Tmolite,& quale.*1°. de compo.me.per ge. 5ª.213.D
Vinum Fauſtinum quale.de bon.& vit.ſuc. 2ª.38.C
Vinum fauſtianum,& ſabinum pauciferum.de vinis. Sp.76.D
Vinum fauſtianum.de the.ad Piſ. 5ª.95.G
*Vinum fauſtianum.*1°.de anti. 5ª.101.C
Vinum Feruefactum venenis aduerſatur. in 6ᵐ.de mor.vulgarib.commentario.6°. 3ª.196.G
*Vini Fex quæ.*2°.de nat.fac. 1ª.301.G
*Vini craſſum eſt fex.*1°.de ſimp.me.fac. 5ª.5.D
*Vini Fex vſta vnum ex fortiſſimis medicamentis ad achoras.*1°.de compoſi.me.ſec.lo. 5ª.129.D
*Vini fex vſta.*9°.de comp.med.ſec.lo.203.G/10°. 5ª.207.D
*Vinorum feci humorẽ melãcholicũ aſſimilat.cõ.*6°.aph.11°. Ex.47.D
*Vini feci recte aſſimilatur niger ſanguis.*14°.meth.me. 7ª.89.F
*Vini fecibus humor ſimilis,& quando.*6°.de lo.aff. 4ª.36.E
*Vini feci ſimilis humor in apoſtematibus quandoq; inuẽtus eſt.*14°.methodi medendi. 7ª.90.E
Vina fiunt flaua tempore.de vinis. Sp.76.H
*Vina flaua quæ.*12°.meth.me. 7ª.76.F
Vinum flauum duplex vt nigrum.de vinis. Sp.76.F
in *Vino color flauus calidiſſimus eſt.*5°.de ſa. tuen. 2ª.91.A
Vinum flauum calidum eſt.de vinis. Sp.76.F
Vinum flauum nullum eſt multum dulce.de atten.vict.ra. 2ª.46.C
Vina flaua rutila ſunt mediocriter dulcia.de bon.& vit.ſuc. 2ª.38.C
*Vina flaua tenuia vetera,qualia.*12°.meth.me. 7ª.76.D
*Vina flaua tenuia.de fract.com.*3°. 7ª.244.H
Vina flaua dulcia ſplendida,qualia.de atten.vic.rat. 2ª.46.D
Vinum flauum tangit caput quia calidius nigro.de vinis. Sp.76.F
Vinorum flauorũ vrinæ quales.in 6ᵐ.de mor.vul.com.5°. 3ª.192.A
*Vini Flos quid.*2°.de nat.fac.1ª.301.G/4°.de ſimp.me.fa. 5ª.24.H
in *Vino flos eſt id quod ſupernatat.*4°.de vſu par. 1ª.136.A
Vinum quanto Fortius eſt,tanto terreſtrius.de vtil.reſp. Sp.64.E
Vinum quanto fortius eſt,tanto ponderoſius.de vtil.reſp. Sp.64.F
*Vina multa fortia epota præſertim ante cibum cauſant podagram.commentario.*6°.aph.28°. Ex.49.A
*Vina quæ fuerũt in Frigido loco vbi poſtea ponẽda.*1°.de anti. 5ª.101.A
*Vina quæ non exigunt frigus,neq; à principio.*1°.de anti. 5ª.101.A
Vinum frigidum cur à calore extrinſeco arguatur. 4°.de ſimplic.medicamen.facultat. 5ª.27.H
*Vinis frigidis aquoſioribus quid contingat.*4°.de ſimp.me.fac. 5ª.27.H
ex *Vino frigido,& mulſo alica nihil mali ſucci in ſe habet.* de bonit. & vitio ſuccorum. 2ª.39.C
*Vinum frigidum conuenit in animi defectu ex ſudore.*1°.de art.curatiua ad Glauconem. 7ª.99.B
*Vinum fuluum duplex eſt,dulce,& auſterum.de vict.rat.in morb.acutis,commentario.*3°. 7ª.126.H
*Vina fulua,& odorata.*4°.de compo.medicamen.ſecun.loc. 5ª.152.B
Vinum fuluum eſt calidum prope flauum. de vic.ratio.in morb.acutis, commentario.3°. 7ª.126.G
Vina fulua,vel alba ſubſtantia tenuia, quæ ſint in Italia. 4°.de ſanitate tuenda. 2ª.85.G
Vina fulua,vel alba ſubſtantia tenuia, quæ ſint in Aſia. 4°. de ſanitate tuenda. 2ª.85.G
*Vina fulua,vel alba ſubſtãtia tenuia,quibus dãda.*4°.de ſa.tu. 2ª.85.G
*Vina fulua tenuia pro ſyncope.*12°.meth.me. 7ª.77.A
*Vina fulua craſſa tardius in corpus deducuntur,& qualia ſint.*12°.methodi medendi. 7ª.77.A
Vina fulua poteſtate calida ſunt.de bon.& vit.ſuc. 2ª.38.G

Vina fulua in totum calidiora.3°.de comp.med.ſec.loc. 5ª.147.A
Vina fulua protinus caput replent.de bon.& vit.ſuc. 2ª.38.G
Vina fulua caput feriunt.12°.meth.me. 7ª.77.A
Vina fulua magis coctioni conducunt.12°.meth.me. 7ª.76.H
Vino fuluo quando vtendum.de vict.rati.in mor.acutis.c.3°. 7ª.126.H
Vinum fuluum antiquum da in Hydrope.de vict.ratione in morbis acutis,commentario.4°. 7ª.149.B
Vinũ fuluum contra febrẽ eſt.de vict.ra.in mor.acu.com.3°. 7ª.126.F
Vino Galla incocta ad quid valeat.7°.de ſimp.me.fac. 5ª.51.B
Vinum Gaurianum aquoſum.12°.meth.me. 7ª.76.F
Vinorum Græcorum & Italorum comparatio.5°.de ſan.tuen. 2ª.90.B
Vinum græcum.2°.de comp.me.per gen. 5ª.225.B
Vinorum differentia ex guſtu.dc victus ra.in mor.acu.com.3°. 7ª.125.D
Vinum humidum.1°.de temp. 1ª.12.G
Vinum Hippodamãtiũ eſt ex ſpecie falerni dulcis.12°.met.me. 7ª.76.H
Vinum hyppodamantium quale.de bo.& vit.ſuc. 2ª.38.C
Vina igni admota non aceſcunt.4°.de ſimpli.med.facul. 5ª.27.D
Vinum Imbecille quale.de vic.rat.in mor.acu.c.3°. 7ª.125.E
Vinum quod magis Inebriat.de diff.cont. Sp.74.F
Vinum Italicum nigrum.9°.de comp.me.ſe.lo. 5ª.200.G
Vinum Italicum odoratũ.1°.de comp.med. ſec.lo.125.A/8°. 5ª.193.B/C
Vinum Italicũ optimũ inter auſtera.3°.de compo.med.per ge. 5ª.230.A
Vinũ Italicum.4°.de comp.me.ſec.loc.152.E/154.C/155.B/156.A/H/7°.184.G/185.F/8°.193.C/9°.200.C/204.C/H/10°.207.H/2°.de compo.med.per gen.224.B/C/ 5ª.225.H
Vini Italici fex.7°.de comp.medi.per gen. 5ª.270.G/H
cum *Vino debet miſceri Ladanum,non cum oleo.4°.de compo.medicamento.per gen.* 5ª.241.A
Vinum Lentiſcinum.de med.fac.par. 7ª.167.B
Vinum Lesbium vbi naſcatur,& quod odorum.1°.de compoſit.medicamen.per gen. 5ª.213.D
Vinum lesbium in Aſia.de vinis. Sp.76.G
Vinum lesbium in Aſia celebratum.1°.de antid. 5ª.101.H
Vinum lesbium quale.1°.de ar.cur. ad Gla. 7ª.99.A
Vinum lesbium odoratum giluum.4°.de comp.med.per gen. 5ª.236.D
Vinum lesbium odoratum dulce,& tenue.1°.de anti. 5ª.102.A
Vinum lesbium flauum.12°.methodi medendi. 7ª.76.E
Vina lesbia optima quæ.1°.de antid. 5ª.102.A
Vinum lesbium calidius.3°.de ſimp.me.fa. 5ª.22.F
Vinum lesbiũ aptiſſimũ eſt ad deductionẽ in corpus.12°.me.m. 7ª.76.G
Vinum lesbium caput tentat.12°.meth.mc. 7ª.76.H
Vinũ lesbium ad medicamenta vtile.2°.de comp.med.per ge. 5ª.223.B
Vinum mixtum cum Licio, & nitro eſt confortatiuum, conſtrictiuum, & ſolidatiuum.de ocul. 7ª.189.F
Vina quæ ſunt in Mæonia dulcia ſunt.de vict. ratione in morbis acutis, comment.3°. 7ª.125.G
Vinum habens aquam marinam ſi quis ſiticuloſus biberit,corpus inceditur.de vic.ra.in mor.ac.com.3°. 7ª.134.C
Vina cum aqua marina ad quæ.2°.de ar.cur.ad Gla. 7ª.101.H
Vinũ mari miſtum bibat ſplenicus.9°.de comp.med.ſec.lo. 5ª.199.B/F
Vinum maris expers.1°.de compo.med.ſec.lo. 5ª.126.A
Vinum Marſum in Italia.4°.de comp.med.per ge. 5ª.236.D
Vinum marſum quale.1°.de antid. 5ª.100.H
Vinum marſum adſtringit vehementer.1°.de ſimpl.med.fac. 5ª.8.C
Vinum marſum.12°.meth.med. 7ª.76.D
Vinum Maſſilioticum quale.2°.de ar.cur.ad Gla. 7ª.102.C
Vina vt Medicamenta ſunt conſideranda.5°.de ſan.tu. 2ª.94.G
de *Vino Hippocrates egit vt mcdicamentum,nõ vt alimentum in libro de ratione victus.3°.de alim.fac.* 2ª.33.A
Vinum pro medicamento aſſumitur aſſumpto cibo.in 6^{m}. de morbis uulgaribus, commentario 6°. 3ª.196.F
Vina quæ non recipienda in medicamentis.1°.de anti. 5ª.101.B
ex *Vino medicamentum facit in inflammationibus arteriæ, tamẽ in ipſis à vino eſt abſtinendum.7°.de comp.me.ſec.lo.* 5ª.177.H
Vinum Medicatum pro articularibus.5°.de ſan.tuen. 2ª.91.C
Vinum medicatum pro calculoſis.5°.de ſan.tuen. 2ª.91.C
Vinum Mediocre mediocribus dandum.5°.de ſanitate tuenda. 2ª.94.F
Vinis Melle conditis quando bibere debent ſenes.5°.de ſan.tu. 2ª.91.C
Vinum aptum compoſitioni mellis.5°.de ſan.tu. 2ª.91.C
Vini mellis & mulſæ meracitas quo differat in nutriendo. de vict.ra.in mor.acutis,commentario 3°. 7ª.129.A
Vino mel miſcendũ ad colluẽdos dẽtes poſt lac.3°.de alim.fac. 2ª.28.C
Vinum Mendeſium.2°.de comp.medi.ſec.loc.138.B/4°.5ª.154.D/de medic.fac.par. 7ª.173.F
Vinum Meracius inteſtinis magis conuenit. de vict.ratio. in morb.acutis,commentario.3°. 7ª.127.A
Vinum Meracius quid agat.de vict.rat.in morb.acu.com.1°. 7ª.121.B/ *commenta.7°.aphoriſmo 56°.* Ex.59.B
Vinum meracius ebulit & ſitim facit.in 6^{m}.de morbis vulgaribus,commentario.4°. 3ª.185.H
Vinum meraciſſimum calfacit,& exiccat,ſi cum maza, & oleribus cõferatur.de ſalubri diæta. 2ª.40.A
Vinum Merum exiccat.3°.de præſag.ex pulſ. 4ª.119.C
Vino meraco qui ſe implent tremunt.2°.de ſymp.cau. 3ª.20.E
Vinum meracius plurimum epotum comitialem morbum ex ventriculo facit.5°.de loc.af. 4ª.32.G
ob *Vini meri potationem dolori capitis confert ſuccus cẽtaureæ. de virtute centaureæ.* Sp.93.B
Vino meraciori quandoq; ſanatur hemicranea.in 6^{m}.de morbis vulgaribus commen.6°. 3ª.196.E
Vinum meracius cur bibendum lotis calida.de ſal.diæ. 2ª.41.H
Vino trita Metalla qualia.4°.de compo.med.per gen. 5ª.241.D
Vinum Metymne flauum.12°.meth.me. 7ª.76.E
Vina Mollia,quæ.7°.de comp.me.ſe.loc. 5ª.177.F
Vinum Mulſum ſeruabatur vt inueteraſceret.3°.de compo.medicamento.ſecun.loc. 5ª.143.F
Vinum mulſum ad conglutinandum melius eſt melicrato.2°.de arte cur. ad Glauconem. 7ª.106.C
Vinum mulſum.3°.de comp.med.ſec.loc. 5ª.143.C
Vinum multiferum quale.de vict.rati.in morbis acu.com.3°. 7ª.128.H
Vinum Muſteum craſſi ſucci.de atten.vic. 2ª.46.C
de *Vino muſto exemplum ad coctionẽ Iecoris.4°.de vſu par.* 1ª.136.A
Vinum Myrteum.8°.de comp.me.ſec.loc.189.E/ 5ª.192.G
Vinum myrthite.3°.de comp.me.ſec.loc.143.H/8°. 5ª.191.E
Vinum Myſinum vbi.12°.meth.med. 7ª.76.F
Vinum myſium in Aſia.4°.de comp.medicamen.per gene. 5ª.236.D
Vinum Mytilenum flauum.12°.meth.med. 7ª.76.E
Vinum Nardinum.9°.de compoſit.medic. ſecun.loc. 5ª.200.G
Vina nigra vbi naſcantur.5°.de ſan.tuen. 2ª.91.B
Vina nigra vetuſtate in rubrum,fuluum,& flauum tranſeunt.de bonitate,& vitio ſucco. 2ª.38.F
Vinum fit nigrius vetuſtate.1°.de antid. 5ª.101.D
Vinum nigrum commotum ſpumam albam facit.de natura & ordine cuiuslibet corporis. Sp.42.C
Vinum nigrius non ita calidum eſt vt rutilum.de bo.& vit.ſuc. 2ª.38.E
Vinũ nigrũ neceſſario nõ eſt dulce.de vict.ra.in mor.acu.c.3°. 7ª.126.H
Vinum nigrum duplex eſt,dulce,& auſterum.de victus ratio.in morbis acu.commentario 3°. 7ª.126.H
Vina nigra auſtera quæ,& vbi.de vic.rat.in mor.acu.com.3°. 7ª.126.H
Vinum nigrum auſterum habet hebetem odorem nec effumat ad caput. de fracturis.com.3°. 7ª.245.A
Vino nigro auſtero qñ vtendum.de vic.ra.in mor.acu.cõ.3°. 7ª.126.H
Vini nigri auſteri exemplum petit ex eo quod Cilicia fert, quod vocant Aegeatem.de attenuante vict.ra. 2ª.46.E
Vina nigra dulcia quæ,& vbi.de vic.rat.in mor.acu.c.3°. 7ª.126.H
Vinum nigrum dulce,auſterum,quale.de vinis. Sp.76.F
Vinum nigrum auſterum quale.9°.de dec.Hip. 1ª.283.F
Vinum nigrum auſterum adſtringens.5°.meth.med. 7ª.31.G
Vino nigro auſtero vtitur in fracturis.de frac.com.3°. 7ª.244.E
Vinum nigrum auſterum ad faſciandũ aptum.de frac.cõ.3°. 7ª.244.G
Vinum magnum & dulce ſanguinem nutrit,oculis contrarium eſt, capitis vertiginem,id eſt ſcotoſim,corpori grauedinem ſtomacho turbationem,ſomnos graues infert.de ſimp.med. Sp.92.B
Vina nigra ante cibum.5°.de ſan.tuen. 2ª.91.B
Vina nigra inutilia ſenibus.5°.de ſan.tuen. 2ª.91.B
Vina nigra craſſa ſenes bibentes aquam intercutem, & calculum incidunt.5°.de ſan.tuen. 2ª.91.B
Vina nigra craſſa,quę.5°.de ſan.tuen. 2ª.91.B
Vina nigra craſſa adſtringentia,quę.5°.de ſan.tuen. 2ª.91.B
Vina nigra craſſa non adſtringentia,quæ.5°.de ſan.tuen. 2ª.91.B
Vina nigra craſſa parum adſtringunt.3°.de alim.fac. 2ª.33.A
Vinum nigrum auſterum repellit.14°.meth.me. 7ª.88.G
Vinum nigrum turbidum cur hæret per viam,& retardat. 3°. de naturalibus facultatib. 1ª.308.D

Vinum nigrum ſanguinem plurimum gignit, ſed ſuperfluum & melancholicum.de vic.ra.in mor.acu.com.4°. 7ª.149.A
Vinum nigrum craſſum & auſterum generat ſanguinem craſſum & nigrum.de atra bile. 1ª.35.A
Vina nigra craſſa dulcia generant ſanguinem poſt rubra.3°.de alimentorum facultatibus. 2ª.33.A
Vini nigri craſſi potus vrinæ quales . in 6ᵐ.de morbis vulgaribus,commentario.5°. 3ª.192.A
Vina nigra non mouent vrinam,ſed ventrem.5°.de ſan. tuen. 2ª.91.B
Vinum nigrum expetunt maxima vulnera.de frac.com.3°. 7ª.244.H
Vinũ nigrũ nõ febriẽtibus dãdũ.de vict.rat.in mor.acu.c.4°. 7ª.149.B
Vinum nigrum mutatũ quid faciat.de vict.rat.in mor.ac.c.2°. 7ª.121.B
Vina nobilia vocat auſtera,& qualia ſint.7°.meth.me. 7ª.45.F
cum Vino miſtum Nitrum purgat aures.de cathar. Sp.95.B
Vina Noua feruẽſcentia cur perturbata.1°.de criſi. 4ª.130.G
Vinum nullum nouum eſt fuluũ.de vic.ra.in mor.acu.com.4°. 7ª.149.B
Vina noua non calefaciunt.7°.methodi medendi. 7ª.47.G
Vinum nouum craſſum nigrum ponticum velociter aceſcit in ſtomacho, & incenſionem facit.de diſſ.con. Sp.74.E
Vinũ nouũ craſſum pp ſupfluitatem tarde digeritur.de diſſ.cõt. Sp.73.E
Vinum nouum generat facile pituitam.de nat.hu.com.1°. 1ª.32.F
Vinorum differentiæ in Nutritione.de diſſ.cont. Sp.73.F
Vinorum differentia in Odore.de vic.rat.in morb.acu.c.3°. 7ª.125.D
Vinum olere non debet medicus.in 6ᵐ.de mor.vul.com.4°. 3ª.180.H
in Vino odoris carentes ſignificant imbecillitatem. de vic.ratio.in morbis acutis,commentario.3°. 7ª.128.H
in Vino odor ſignificat robur.de vict.rat.in mor.acu.com.3°. 7ª.128.H
Vina odorata ſunt alijs calidiora,& caput tentãt.de atte.vic. 2ª.46.D
Vinum odorum quid gignat.de bon.& vit.ſuc. 2ª.38.D
Vinum odoriferum melius eſt ad euchymiam,niſi percutiat caput. de vinis. Sp.76.G
Vinum boni odoris perſicum,vel citrinum eſt boni chymi, & ſubtilis. de diſſolutione contin. Sp.73.H
Vinum boni odoris dulce generat bonum chymum & craſſum . de diſſolutione continua. Sp.74.A
Vinum boni odoris leue,in quo eſt dulcedo pauca, bonum generat humorem inter tenuem & craſſum.de diſſ.cont. Sp.73.H
Vina odora iuuant affectus longos thoracis, & pulmonis ſine febre . de attenuante victu. 2ª.46.D
Vina odorata in quibus morbis vitanda.de atten.vict. 2ª.46.D
Vina odorata,& fulua caput tentãt,& quæ ſint.12°.met.me. 7ª.76.H
cur Vinum odoratius,dulcius, & tenuius ad componendas antidotos aptius eſt.1°.de antid. 5ª.102.A
Vinum Olbinum.de med.fac.par. 7ª.166.D
Vinum Oligophorum quale.de vic.ratio.in mor.acu.c.3°. 7ª.128.H
Vinũ Omphaciũ plus adſtringit, q̃ oportet.1°. de cõp.me.p ge. 5ª.219.D
Vinum omphaciũ pro capite refrigerãdo.2°.de comp.me.ſe.lo. 5ª.132.G
Vinum Originale quid.4°.de comp. me.per ge. 5ª.241.F
Vina Pallida aut flaua ſi ſint pinguis ſubſtantiæ ſanguinẽ augent, & corpus nutriunt.5°.de ſan.tuen. 2ª.91.B
Vinum Pamphiliæ quale.de atten.vic. 2ª.46.E
Vinum Paſſum creticum.1°.de compo.med.ſec.loc.126.D/9°. 5ª.203.A
Vinum Pauciferum quid.de vinis. Sp.76.C
Vina paucifera cur dicta.de bonit. & vitio ſuccorum. 2ª.38.G
Vinum pauciferum quale.de vict.ra.in mor.acu.com.3°. 7ª.128.H
Vinum pauciferum virtute ſimile eſt aquæ.de vinis. Sp.76.C
Vinum pauciferum ſtipticum.de vinis. Sp.76.C
Vinum pauciferum ad quæ valeat.de vinis. Sp.76.D
Vina paucifera non noxia capiti.de bon.& vit.ſuc. 2ª.38.G
Vina paucifera tollunt capitis dolorem,qui fit ab humoribus in ventriculo collectis.de bon.& vit.ſuc. 2ª.38.G
Vinũ Perperinũ nigrũ & auſterũ.de vic.rat.in mor.acu.c.3°. 7ª.126.H
Vinum perperinum craſſum vt ſapa.12°.meth.me. 7ª.76.F
Vini Perſpicui,& coccini confectio.de med.fac.par. 7ª.175.G
Vinum Picatum quale.7°.de compo.me.per gene. 5ª.265.G
Vinum picatum.7°.de compo.medica.per ge. 5ª.265.H
Vinum Pipere inſperſum dandum his qui non concoxere.de præcognitione ad Poſth. 4ª.219.A
Vinum cum pipere vrinam deducit,& ſtomachum corroborat. de ſimplicibus medicaminib. Sp.92.C
ex Vino & Pipere Galenus ſingultiebat.8°.de compoſitio.medicamentorum ſec.loc. 5ª.190.E
Vinum Plenum quomodo dicatur & vacuum.3°.de diff.pul. 4ª.62.C
Vina plena & vacua quæ.4°.de dignoſ.pul. 4ª.85.B
Vina Pluuia aſſidua aliena humiditate impleta prompte aceſcunt. 4°. de ſimp.me.fac. 5ª.27.D
cum Vino Polenta. 8°.de comp.me.ſe.lo. 5ª.192.A
Vinum Polyphorum quale.de vict.rat.in morb.acu.com.3°. 7ª.128.H
Vinum Ponticum ſolemne,& quale.de atten.vic. 2ª.46.E
Vinum ponticum nimis eſt abominabile.de diſſ.cont. Sp.73.B
Vinum ponticum euidenter nutrit.de atten.vic. 2ª.46.F
Vinum ponticum mundificat ſtomachum.de diſſ.cont. Sp.74.E
Vinum poticũ rectificat mollẽ & debilẽ ſtomachũ.de diſ.cõt. Sp.74.D
Vinum ponticum ſtringit ventrem cum ſtipticitate, & põticitate.de diſſolutione continua. Sp.75.B
Vinum Potens quale.de victus ra.in mor.acutis,commen.3°. 7ª.125.E
Vinum Prannium.7°.de comp.medi.ſec.lo. 5ª.181.H
Vinum Protropum dulce.8°.de comp.me.ſec.loc. 5ª.195.F
Vinum protropum.de atten.vic.2ª.46.E/6°.de compoſi.me.ſec.lo.176. C/7°.178.D/184.E/8°.191.E/9°. 5ª.202.E
Vini Qualitas plenitudo dicitur ibidem.3°.de diff.pul. 4ª.62.G
Vina Recentia quæ incommoda habeant.de bon.& vit.ſuc. 2ª.38.F
Vina recentia remanent ſuſpenſa in ventre, vt aqua. de bonitate & vitio ſuccorum. 2ª.38.F
Vina recentia quæ tuto bibantur.de bon.& vit.ſuc. 2ª.38.F
Vina recentia quomodo pro vetuſtis vendant caupones. de bonitate & vitio ſuccorum. 2ª.38.F
Vinum recens ventrem procurat.de ſimp.med. Sp.92.B
Vinum penitus refrigeratum aceſcit.4°.de ſimp.me.fa. 5ª.27.D
Vinum odorum Rhodium.7°.de comp.med.per gen. 5ª.272.B
Vinum rhodiacum.7°.de comp.me.per ge. 5ª.271.H
Vini Rhodij fex.1°.de comp.med.ſec.loc. 5ª.128.F
Vinum ex Roſis ad quid valeat.de ſimp.med. Sp.92.C
Vinum roſatum infrigidat,vrinam & ventrem procurat.de ſimplicibus medicaminibus. Sp.92.C
Vinum roſaceum album.2°.de anti. 5ª.116.F
Vinum roſaceum.2°.de anti. 5ª.120.F
Vinum roſatum.3°.de comp.med.ſec.lo. 5ª.148.C
Vinum declinans ad Rubedinem & dulcedinem magis nutritiuum eſt, & minus nutritiuum album ſubtile.de diſſ.cont. Sp.73.F
Vinum Rubrum calidum poſt fuluum.de vic.ratione in mor.acutis,commentario 3°. 7ª.126.G
Vinum rubrum minus calidum cirrho.de vinis. Sp.76.F
Vina rubra ſunt craſſiora flauis.de vinis. Sp.76.F
Vinũ rubrum craſſum dulce eſt nutribilius, & poſt hoc nigrum craſſum dulce,& poſt hoc album craſſum dulce,& poſt hoc craſſum rubrum aſperum,poſtea nigrum craſſum aſperum,& poſt hoc vinum ſubtile. de diſſo.cont. Sp.73.F
Vina rubra craſſa cur ſanguinem generant.3°.de alim.fac. 2ª.33.A
Vinum Ruffum auſterum quale.9°.de decr.Hip. 1ª.283.F
Vina Rutila non ſunt dulciſſima.de bon.& vit.ſuc. 2ª.38.E
Vina rutila dulciora ſunt nigriora.de bon.& vit.ſuc. 2ª.38.E
Vinum rutilum dulce quibus accommodatum.de bon.& vi.ſu. 2ª.38.E
Vinum rutilum dulce quibus non dandum.de bon.& vi.ſuc. 2ª.38.E
Vinum rutilum dulce non facit vitioſos humores, & cur aliquibus non detur.de boni.& vit.ſuc. 2ª.38.E
Vinum Sabinum quale.1°.de antidotis.5ª.100.H/2°.de arte curatiua ad Glauconem. 7ª.102.C
Vinum ſabinum nobile quale ſit.7°.meth.me. 7ª.45.F
Vinum ſabinum aquoſum.12°.meth.me. 7ª.76.F
Vinum ſabinum,& Marſum aquoſa ſunt.1°.de antid. 5ª.100.H
Vinum ſabinum in Italia datur febrientibus . de vict.ratione in morbis acutis, commen.3°. 7ª.127.B
Vinum ſabinum pro ſiccis in Italia,& quale.7°.met.me. 7ª.45.E
Vinum ſabinum.de præcognitione ad Poſthumium.4ª.219.A/12°.methodi medendi. 7ª.76.D
Vinum Salſum.2°.de antid. 5ª.118.E
Vinum Sambucatum ventrem procurat, & choleram rubram temperat.de ſimplicib.medicamin. Sp.92.G
Vinum & liquores habent varios Sapores ex terra admixta. de vtilitate reſpirationis. Sp.64.F
Vinum Scybelites craſſum.de bon.& vit.ſuc. 2ª.38.C
Vinum ſcybelites nõ valde craſſum eſt & valde dulce.de vin. Sp.76.G
Vinum ſcybelites craſſum vt ſapa.12°.meth.med. 7ª.76.E

Vinum

Vinum ſcybellite adſtringit mire.1°.de dignoſ.pul. 4ª.70.H
Vinum ſcybellites pro vlceribus.14°.meth.me. 7ª.90.B
Vinum ſcybellites dulce morſu carens.6°.meth.me. 7ª.38.E
Vinum ſcybellite dulce.7°.de comp.me.ſec.lo. 5ª.177.H/ *de vic.ratio.in mor.acu.com.3°.* 7ª.125.G
Vinum ſcybellites molle.7°.de comp.me.ſe.lo. 5ª.177.F
*Vinum ſcybellites.7°.de comp.med.ſec.loc.*5ª.180.A/181.G/H/184.E/C/185.F/8°.191.E/195.F/9°. 5ª.202.E
Vini Scillini compoſitio.de remed.fac.par. 7ª.178.D
Vina quæ in magnis & quę in paruis Seruantur vaſis ſunt diuerſa.12°. methodi medendi. 7ª.76.G
pro *Vinis ſeruandis ſtœbe.1°.de antid.* 5ª.101.B
Vinum ſeruandi modus in Italia.1°.de antid. 5ª.101.B
Vina quæ calido ſeruantur petunt caput facile.1°.de antid. 5ª.101.B
Vinum Seſaminum dulce in Lydia.1°.de dignoſ.pul. 4ª.70.H
Vinum Sicytes.6°. de comp.medi.ſec.loc. 5ª.173.G
Vinum Signinum in Italia.4°.compoſitio.medica.per genera. 5ª.236.D
Vignum ſigninum quale.1°.de antid. 5ª.100.H
Vinum ſigninum.12°.meth.med. 7ª.76.D
Vinum Spicatum.9°.de comp.medica.ſec.lo. 5ª.200.G
Vinum Suaue.2°.de antid. 5ª.119.E
Vina Subflaua calidiora ſunt.4°.de ſimp.me.fac.. 5ª.31.D
Vina Subrubea vel rubea abſq; acri ſapore calefaciunt & valent contra famem caninam.com.2°.aph.21°. Ex.14.H
Vinum Subtile aquoſum adiuuat ad ſpuendum humiditatem ex pulmone.de diſſol.continua. Sp.74.G
Vina ſubtilia vtilia ſunt hñtibus craſſũ humorẽ in venis.de vi. Sp.76.G
Vinum Surrentinum quale.1°.de antid. 5ª.100.H
Vinum ſurrentinum calidius.3°.de ſimp.me.fa. 5ª.22.F
Vinum ſurrentinum valde calefacit.7°.meth.me. 7ª.44.B
Vini ſurrentini ætas.1°.de antid. 5ª.100.H
Vinum ſurrentinum contendit cum falerno.1°.de antid. 5ª.100.H
Vinum ſurrentinum.12°.meth.med. 7ª.76.D
Vinum Suſpenſum ad ignem in vtribus euaporante aqua indureſcit in modum ſalis in quadam regione.de vtil.reſp. Sp.64.F
Vinum Syncerum quale.in progn.com.2°. 4ª.201.F
Vina ſyncera diutius ſeruant dolia picata & gypſata.in 6m.de morbis vulgaribus,commentario.4°. 3ª.183.A
Vinorum differentia ex Tempore.de vict.rati.in mor.ac.c.3°. 7ª.125.E
Vina habere ſua tempora,collige.com.4°.aph.21°. Ex.29.D
Vina Tenuia in quibus regionibus reperit Galenus.de victus ratione in morbis acutis,commentario.3°. 7ª.127.B
Vina tenuia in Aegypto reperta,quod eſt mirum.de vict.ra.in mor.acutis.commen.3°. 7ª.127.B
Vina tenuia gigni in Italia Bithinia & Aſia,non eſt mirum.dc victus ratio.in mor.acu.com.3°. 7ª.127.B
Vina tenuia ſubalba,flaua,& vermicula.de frac.com.3°. 7ª.244.H
Vinũ nullũ tenue exqſite eſt dulce.de vic.rat.in mor.acu.c.3°. 7ª.125.G
Vinum tenue quod in altum corporis penetrat,quale ſit.1°.de comp.medicamen.per gen. 5ª.211.D
*Vinorum tenuiũ qualis ſit flatus.de vic.ra.in mor.ac.com.3°.*7ª.126.D
Vinum tenuium partium in capitis dolore à frigiditate.2°.de compo.medicamen.ſec.loc. 5ª.133.A
Vinum tenue,& album detergit.4°.de ſan.tuen. 2ª.84.F
Vinum tenuis ſubſtantiæ bibat,qui craſſos humores per venas habet.de bonita.& vit.ſucc. 2ª.38.D
Vinum tenue confert ei,in cuius corpore eſt humor craſſus,& frigidus. de diſſol.cont. Sp.74.G
*Vinum tenue mundificat venas ab humore craſſo.de diſſ.cont.*Sp.74.G
Vinum tenue penetrabile facit mingere.1°.de nat.fac. 1ª.296.D
Vinum tenue ſubſtantia flaua vrinas mouet.5°.de ſan.tuen. 2ª.91.A
Vinum tenue vetus meracius quid agat.de vict. ratione in morbis acutis,comment.4°. 7ª.148.F
Vinũ ſumptum è paruis teſtis & magnis differt.de bon.& vit. 2ª.38.D
ob *Vini Tethalaſſomeni potum cauſus quandoq; factus. de vict.rat.in mor.acutis,commentario 4°.* 7ª.134.F
Vinum Theræum craſſum.de bon.& vit.ſuc. 2ª.38.C
Vinum theræum craſſum vt ſapa.12°.meth.me. 7ª.76.F
*Vinũ theræum non eſt valde craſſum,nec valde dulce.de vinis.*Sp.76.G
Vinum theræum eſt dulce,non acerbum.3°.de diff.pulſ. 4ª.63.H
*Vinum theræum dulce.7°.de comp.me.ſe.lo.*177.H/8°.195.F/*de vict.ratio.in morb.acu.com.3°.* 7ª.125.G
Vinum theræum pro vlceribus.14°.meth.med. 7ª.90.B
*Vinum theræum creticum.7°.de comp.med. ſec.lo.*179.B/ 5ª.181.A
Vinum theræum dulce morſu carens.6°.meth.med. 7ª.38.E
Vinum Theræum molle.7°.de compo.med.ſec.lo. 5ª.177.F
*Vinum therẹum.de attenuante vict.ra.*2ª.46.E/ *7°.de comp.me.ſec.lo.* 177.E/181.H/184.E/8°. 5ª.191.E
Vinũ,quod theriacã ingreditur,quale eſſe debeat.1°.de antid. 5ª.100.G
Vinum quod theriacam ingrediatur.de ther.ad Piſ. 5ª.95.G
Vinũ ad theriacã,ſi falerno careas,quale eẽ debet.1°.de anti. 5ª.101.H
*Vinum Therinum dulce.7°.de comp.me.ſec.loc.*5ª.177.H/*de vict.ratio. in morb.acutis,commentario.3°.* 7ª.125.G
Vinum Thuſcum aquoſum.12°.meth.me. 7ª.76.F
Vinum Thyrinum.de atten.vic. 2ª.46.E
Vinum Tibenum dictum à regione Tiba quale.1°.de antid. 5ª.100.H
Vinum Tibecinum aquoſum.12°.met.me. 7ª.76.F
Vinum Tibicenum in Aſia datur febrientibus. de vict.ratio.in morbis acu.commen.3°. 7ª.127.B
Vinum Tiburtinum in Italia.4°.de comp.med.per ge. 5ª.236.D
Vinum tiburtinum quale.1°.de antid. 5ª.100.H
Vinum tiburtinum duplex.12°.meth.me. 7ª.76.D
Vina vetera tiburtina,& ſegnina calidiora.5°.de ſan.tu. 2ª.90.H
Vinum tiburnum.7°.meth.mc.47.A/12°. 7ª.76.D
Vinum Titacazenum auſterum.7°.meth.med. 7ª.45.F
Vinum titacazenum in Aſia imbecillum datur febricitantibus. de vict. rat.in mor.acu.com.3°. 7ª.127.B
Vinum titacazenum,& tibinum in Aſia imbecille.de vinis. Sp.76.D
Vinum titacazenum quale.1°.de antid. 5ª.100.H
Vinum titacazenum aquoſum.12°.meth.med. 7ª.76.F
*Vinum Tmolite in Aſia celebratum.1°.de antidotis.*5ª.102.A/ *12°.methodi medendi.* 7ª.76.G
Vinum tmolite giluum in Aſia.4°.de compo.med.per ge. 5ª.236.D
Vinum tmolite duo habet vini genera.1°.de antid. 5ª.102.A
Vini tmolitis differentia.12°.meth.med. 7ª.76.H
Vinum tmolite ſimile falerno,& quale.1°.de compoſitio.medicamentorum per genera. 5ª.213.D
Vinum tmolite quale.de atten.vict.rat. 2ª.46.E
Vinum tmolite calidius.3°.de ſimp.me.fac. 5ª.22.F
Vinum tmolite dulce.7°.de comp.med.ſec.lo. 5ª.177.H
Vinum tmolite caput tentat.12°.meth.med. 7ª.76.H
Vinum tmolite ad medicamenta.2°.de compo.med.per gen. 5ª.223.B
Vinum tmolite.7°.de comp.medi.per gen. 5ª.269.H
Vina Vermicula tenuia.de frac.com.3°. 7ª.244.H
*Vina quæ celeriter Vetera fiunt.1°.de antid.*5ª.100.G/*de vinis.*Sp.76.H
Vinum quomodo fiat quàm celerrime vetus.1°.de antid. 5ª.101.A
Vinum quomodo cognoſcatur veteraſcere.1°.de antid. 5ª.100.G
præter *Vinum veteraſcunt omnia.1°.de antid.* 5ª.101.C
Vinum vetus calidius.3°.de ſimpli.med.facul. 5ª.22.F
*Vina valde vetuſta calida.4°.de ſimp.me.fac.*5ª.26.E/*1°.de arte curatiua ad Glauconem.* 7ª.97.D
Vina vetuſtate fiunt calidiora.4°.de ſimp.me.fac. 5ª.27.C
Vinum vetuſtate fit calidius,& tenuius.11°.de ſimplicium medicamentorum facultat. 5ª.79.C
Vina quæ inueterantur ſemper acredinem quandam,& dulcedinem aſciſcunt.4°.de ſimp.me.fac. 5ª.27.C
Vina omnia quæ nec craſſa valde,nec dulcia nimium ſunt, vetuſtate fiũt flaua corruſcantia inſtar ignis.de bo.& vit.ſuc. 2ª.38.F
Vinum vetus valde calefacit.7°.meth.me. 7ª.44.B
Vinum vetuſtiſſimum calefacit exactiſſime.de bo.& vit.ſuc. 2ª.38.H
Vinum vetuſtiſſimum acre.in 6m.de mor.vul.com.5°. 3ª.192.G
Vinum quod vetuſtate amareſcit.de bonitate,& vitio ſucco. 2ª.38.F
Vina valde vetuſta amara ſunt.4°.de ſimp.me.fac. 5ª.26.E
Vina vetera eligenda,ſed quæ non ſint amara.7°.meth.me. 7ª.47.A
Vina nimis vetuſta,& nimis recentia cur vitanda. de bonitate, & vitio ſuccorum. 2ª.38.F
ex *Vini veteris meracioris potu Galeno ſitis eſt acuta.de victus ratio. in morbis acu.commentario 3°.* 7ª.134.C
Vini vetuſti ſaporem habet hydromeli.de dyna. Sp.22.D
Vinum vetus ad ebrietatem bibitũ facit ſitim.1°.de ſymp.cau. 3ª.18.E
à *Vinis vetuſtis abſtinendum eſt in tertiana.1°.de arte curati. ad Glauconem.* 7.97.D
ex *Vini veteris,& acris potu febris.de cauſ.morb.* 3ª.6.G
Vinum Vinoſum οἰνώδες quale.7°.meth.med. 7ª.45.E

Vinum vinoſum quale.de vic.rat.in mor.acu.com.3°. 7ª.125.E
Vinum vinoſum cur calidum, & odoratum.de victus ratio.in mor.acu. commentario 3°. 7ª.129.A
Vinũ vinoſum vitãdũ ab habẽtibus vires imbecillas.7°.me.me. 7ª.45.E
Vinum vinoſum album quale.9°.de decr.Hip. 1ª.283.E
Vinum vinoſum quid agat.9°.de decr.Hipp. 1ª.283.E
Vinum vinoſum dulce quid agat repente potum. de vict.ratione in morbis acutis, commen.2°. 7ª.121.C
Vinum vinoſum album vrinas mouet, & quale ſit. de vic.ratio. in morbis acutis, commentario 3°. 7ª.126.D
Vinum Violaceum.de ſimp.med. Sp.92.C
Vinum violaceum vrinam prouocat, ſtomachum corroborat, & lumbricos excludit.de ſimp.med. Sp.92.C
ex Vino, in quo mortua eſt Vipera, ſanatus eſt habens elephantiaſim. de ſubſ.emp. Sp.33.H
VINVM *quidam non guſtant.de conſue.* 2ª.61.A
Vinum vidit non bibit æger cur dixerit quidam Galeno.de victus rat.in mor.acutis, commen.3°. 7ª.131.C
Vinum pro voluptate, & pro vtilitate. de vict.ratione in morb.acutis, commentario.3°. 7ª.131.C
Vini potio thorexis appellat ab Hippocrate.com.2°.aph.21°. Ex.14.G
Vinũ vnũ bibere intereſt, vt vẽter et retineat, et coquat.de ſal. 2ª.42.E
Vini vis qualis.de frac.com.3°. 7ª.241.D
Vina aquæ contraria viribus.7°.met.me. 7ª.45.F
Vinum quibus aquæ præualeat in 6m.de morbis vul.com.4°. 3ª.185.C
Vinum propinatum quid facere poſſit.in 6m.de morb.vulgaribus, commentario 5°. 3ª.188.A
Vinum quid boni agat.quòd animi mor. 1ª.318.B
Vinum quę bona faciat.8°.de comp.med.ſec.lo. 5ª.194.G
Vinorum bona qualia ſint.7°.methodi medendi. 7ª.45.F
Vini dotes, & laudes, & quomodo malum.quod animi mor. 1ª.318.A
Vinum quid faciat mali. quod animi mor. 1ª.321.A
Vinum quid in aliquibus agat.4°.de ſan.tu. 2ª.85.E
Vini potio quid faciat quandoq;.in progn.com.1°. 4ª.193.A
Vini potatio præter conſuetudinem quid agat.de vict.rat.in mor.acutis, commentario.2°. 7ª.121.B
Vinum prodeſt in potu quod vnuſquiſq; libenter bibit. 8°.de compoſitione medicamentorum ſecundum locos. 5ª.192.D
Vinum alit corpus.3°.de alim.fac. 2ª.33.A
Vini proprium cito mutari in nutrimentum.3°.de temp. 1ª.22.F
Vinum celerrime nutrit.com.2°.aph.18°. Ex.13.G
Vinum eſt cibus ſi quicquid alit cibus eſt.3°.de alim.fac. 2ª.33.A
Vinum alit vniuerſim.com.2°.aph.18°. Ex.13.G
Vinum multum nutrit.de diſſo.cont. Sp.73.F
Vinum habet maiorem familiaritatem nobiſcum quàm oleum, & mel. de renum affe.dign.& med. 7ª.195.G
Vini duplum minus alit, quàm mellis ſimplum. de vict.ratio.in morbis acutis, commentario.3°. 7ª.129.B
Vino excepto alij liquores non nutriunt.de renum affect. dignotione & medela. 7ª.195.G
Vino quando vti debemus.11°.meth.me. 7ª.70.A
Vinũ quibus dandũ in Acutis, & quibus nõ.9°.de decr.Hip. 1ª.282.G
Vinum Adſtringit.2°.de comp.med.ſec.loc. 5ª.134.E
Vinum ab Aduſtis modice ſumendum.1°.de ſan.tu. 2ª.66.H
Vinum cur præbeatur Aegrotantibus.de bon.aquæ. Sp.75.G
Vinum obeſt plurimis ægrotis.in 6m.de morbis vulgaribus, commentario 4°. 3ª.185.C
Vinum quos Affectus ſanet.3°.de ſimp.me.fac. 5ª.22.F
Vini potio affectum adimit non ſymptoma.12°.meth.me. 7ª.75.D
Vinum concitat validam Alterationem.1°.de cauſ.pul. 4ª.87.H
Vinum partẽ Animæ rõnalẽ hebetẽ turbidãq; reddit.1°.de ſan. 2ª.66.H
Vinum quando in animi defectu dandum, & quod, & in qua ætate.12°. methodi medendi. 7ª.77.G
Vinum eſt Aperitiuum propter motum.com.6°.aph.31°. Ex.49.G
ex Vino collyrium Aſperitudinibus accommodatum. 4°.de compoſit. medicamentorum ſec.loc. 5ª.150.D
Vinum purgat Aures.de cathar. Sp.95.B
Vinum à Balneo non conuenit.de ren.aff.dign.& med. 7ª.196.B
Vina quæ cõueniant Calculoſis, & q̃ nõ.de re.aff.dign.& me. 7ª.194.E
Vinũ bibitũ cur Calefacit, applicatũ cuti nõ calefaciat.3°.de tẽp. 1ª.22.E
Vinum magis patit̃ à noſtro corpore, q̃ agat in illud.3°.de tẽp. 1ª.23.H
Vinum ſemper non calefacit.3°.de temp. 1ª.22.G
Vinum modice hauſtum, vt quod proprium alimentum ſit, natiuum calorem adauget.de cauſ.morb. 3ª.7.D
Vinũ calefacit, reſumit, & reficit oĩa mẽbra, quæ ex frigore, & dolore cõſtricta tenent̃, & ijs q̃ ĩ hũeris dolore tenent̃, ꝑdeſt.de ſim. Sp.92.B
Vinum calefacit totum corpus.com.7°.aph.56°. Ex.59.B
Vinum calefacit neruos, & quandoq; iuuat.com.5°.aph.5°. Ex.37.G
Vino quo vti debeant Calidi.de vinis. Sp.76.D
Vinum an calidis omnibus idoneum.5°.de ſan.tuen. 2ª.94.E
Vinum Caput tentat, ſi vel mox à balneo præ omnibus alijs cibis, & potibus bibitur.de ſal.diæ. 2ª.41.G
Vinum cur caput tentet & mentẽ.de vic.rat.in mor.acu.c.3°. 7ª.131.E
Vinum caput replet.1°.de ſan.tuen. 2ª.66.G
Vinum caput replet, & inflammat.de puero epil. 7ª.180.E
ne Vinum caput tentet, poſt illud aquã bibe.de vict.rat.in mor.acutis, commentario 3°. 7ª.131.E
Vinum non tentans caput, & ventriculum robuſtum efficiens, quale.5°. de locis affectis. 4ª.32.F
Vinum quod exhibendum capiti imbecillo, quod facile vinis calidis impletur.12°.meth.med. 7ª.76.G
Vini potio larga officit capiti affecto.in 3m.de mor.vulg.c.2°. 3ª.135.D
à Vino abſtinendum in capitis grauitate, & in mentis læſione.de vic.ratio.in mor.acu.c.3°. 7ª.131.E
Vino vtitur in Capitis fracturis.2°.dc comp.med.per gen. 5ª.225.F
Vinum in Caſtris non guſtandum, ſed aqua.quod animi mo. 1ª.320.H
Vinum ſine cibo lædit.in 6m. de morb.vulg.com.6°. 3ª.196.F
Vinum non habet tempus Coctionis præfinitũ, ſicut nec cibus, ſed ſm̃ naturã vini, et potatoris tardius, & citius digerĩt. c.5°.ap.5°. Ex.37.H
Vinum concoquit ſemicrudos humores quantum aliud quid vis. 4°.de ſanitate tuenda. 2°.83.E
Vinũ ętatẽ habens mediocrẽ cõualeſcentibus optimũ.ars med. Iſa.71.F
Vinum ſi quis potauerit ante cibos qui ſit euacuatus, vel per fluxũ aut alui, aut ſanguinis, aut altero modo, incidit ſtatim conuulſionem, aut delirium.com.2°.aph.21°. Ex.14.H
Vinum facit conuulſionem, ſanat, & quomodo.cõ.5°.aph.5°. Ex.37.G
Vino, & à carne abſtinendũ in Cubiti fractura.de fra.com.1°. 7ª.230.G
Vina aptiſſima ad Deductionem in corpus.12°.met.me. 7ª.76.G
Vina quæ facile in omne corpus deducantur.12°.meth.me. 7ª.76.H
Vinum quod facile deſcendit.de ren.aff.dign.& med. 7ª.195.G
Vinum facit deſcendere cibum.de diſſ.cont. Sp.72.A
ex Vini potione Deſipientiæ.in 1m.prorr.com.1°. 4ª.164.B
ex Vino vel aqua accipitur Dia trion pipereon.1°.de lo.aff. 4ª.5.F
Vina quæ conueniant ad Digeſtionẽ in corpore.12°.met.me. 7ª.76.E
Vina non idonea ad digeſtionem in corpus.12°.meth.me. 7ª.76.G
ex Vino Dolet caput.3°.de loc.aff. 4ª.20.G
Vinum vitandum in capitis dolore ab ardore.2°.de compoſitio.medicamento.ſecun.loc. 5ª.132.B
Vinum euitandum in capitis dolore, & temporum pulſibus.1°.de arte curatiua ad Glauconem. 7ª.95.F
Vinum etiam prohibet in dolore capitis frigido. 2°.de compoſit.medicamento.ſecun.loc. 5ª.132.C
ex Vini potu dolente capite corona.de med.fac.par. 7ª.170.H
ex Vini potu dolores capitis remedia.de med.fac.par. 7ª.153.G
Vinum, & alicam dat in capitis dolore per conſenſum. 2°.de compoſit. medic.ſec.loc. 5ª.136.H
Vini potione quando oculorum dolor ſanatur.de ocul. 7ª.190.B| *commentario 6°.aph.31°.* Ex.49.F
Vini potio ſanat oculorum dolores, & quos, & quomodo. comment.7°. aphoriſmo 46°. Ex.57.G
Vini potione oculorũ dolores grauiſſimos ſanauit Gale.3°.meth. 7ª.17.D
ex Vino Emplaſtrum Publij.2°.de comp.me.per ge. 5ª.225.B
Vinum Euacuat per ſudores, & per vrinas.1°.de ſan.tuen. 2ª.66.H
Vinum Exſiccare, elice.8°.de comp.me.ſe.lo. 5ª.194.G
Vino melius ẽ melicratũ ad expurgãdũ.2°.de ar.cur.ad Glau. 7ª.106.C
Vinum eſt remedium Extentionum poſt totius corporis euacuationem, apud Aſclepiadem.com.7°.aph.46°. Ex.57.G
Vinum quibus dari non debet.8°.de compo.med.ſec.loc. 5ª.194.F
Vinum an febrientibus dari debet.9°.de decre.Hip. 1ª.282.E
Vinũ ꝓhibet febris magnitudo, qualis ẽ in cõtinuis.11°.me.me. 7ª.69.H
Vinum febrientibus non exhibetur.7°.de ſimp.med.fac.50.F|9°.66.H| 7°.de comp.me.ſe.lo.184.G|8°.195.E|G|9°.197.G|H|198.A|B|199. G|202.H|203.D|204.E|D|10°.5ª.206.A|B|8°.meth.me.52.G|de re med.par.fac.159.E|F|de med.fac.par.167.G| 7ª.169.F

Vinum non dat febrientibus, ſed aquam.8°.de compoſitio.medicamentorum ſecundum locos. 5ª.196.B
Vinum non dandum in febre tertiana niſi poſt coctionem, & quòd poſtea dandum.1°.de arte cur.ad Glauconem. 7ª.97.C
Vinum in febre melius quàm aqua, & cur.8°.meth.me. 7ª.51.G
Vinum concedit febricitantibus, & quale.8°.meth.me. 7ª.51.G
de Vino dando in Hippocrate conditio.8°.meth.med. 7ª.51.G
Vinum prohibet in febribus, tamen dat in moderatis. 9°.de compoſi.medicamen.ſec.lo. 5ª.197.G
Vinum dat in febre mediocri.11°.meth.me. 7ª.70.B
Vinum dandum in ephemera ex ira, mœſtitia, & cogitatione. 1°.de arte curatiua ad Glauconem. 7ª.95.F
Vinum in quartana quale.1°.de arte curati. ad Glauconem. 7ª.97.F
Vina febribus idonea quæ. de vic.ratio.in mor.acu.com.3°. 7ª.127.A
Vinum, & carnem febrientibus dabat Petronas.de victus ratio.in morbis acutis, commentario.1°. 7ª.109.F
Vini datores cur medici.ad Thraſ. 2ª.105.B
Vini potus quandò ante acceſſionem.de cauſ.pro cathar. 3ª.95.G
Vinum in fluxionibus ad vẽtriculũ quale.1°.de art.cu.ad Gl. 7ª.99.A
Vinum plus bibitum Frigefacit.3°.de temp. 1ª.22.G
Vinum etſi calidum quomodo morbos frigidos generet.de cauſ. 3ª.7.D
Vinum frigidum corpus roborat.de ſal.diæ. 2ª.41 C
Vinum modicum calidum dandũ frigidis & humidis.in 1^{m}.de mor. vulgaribus, commentario.2°. 3ª.108.F
Vinum cur conueniat frigidis, & ſiccis.5°.de ſan.tu. 2ª.94.E
Vinum Furioſis non eſt exhibendũ, & qñ.1°.de ar.cur.ad Gla. 7ª.95.F
Vinum quale ad Glutinandum.2°.de arte cur.ad Glau. 7ª.106.C
Vinum æquale æquali potum ſoluit Halicem, ideſt anxietudinem, oſcitationem, horrorem.com.7°.aph.56°. Ex.59.A
Vini potio Humectat.5°.de ſan.tuen. 2ª.92.D
Vinum humectat nimium, & calefacit.1°.de ſan.tuen. 2ª.66.G
Vinum magis humectat q̃ ptiſſana.de vict.rati.in mor.ac.c.1°. 7ª.112.F
poſt Vini potũ humiditas quomodo corrigenda.3°.de ſan.tu. 2ª.82.A
à Vini potione humiditates quomodo ſeruentur.3°.de ſan.tuen. 2ª.81.G
Vinum omnes humores optimos reddit.com.7°.aph.56°. Ex.59.B
Vinum valet contra Hyoſciamum.de opt.ſect. Iſa.21.F
ex Vini vno cyatho quomodo quis ebrius fiet.de me.fac.par. 7ª.174.E
Vino quando indulgendum.de dyna. Sp.20.C
Vinum quale ab Infantibus bibendum.de ſal.diæ. 2ª.42.D
Vinum prohibetur in inflãmationibus, in dolore capitis, in deliris, & febre incendente.1°.de arte curati. ad Glauc. 7ª.99.A
Vinum dari non debet inflammatis.1°.de arte cu.ad Gla. 7ª.95.E
à Vino abſtinendum in inflammationibus arteriæ, tamen medicamentum facit ex vino.7°.de comp.me.ſe.lo. 5ª.177.H
Vinum quando optimũ in Intemperie.8°.de comp.med.ſec.loc. 5ª.194.F
Vinum interdiu non bibendum.quòd animi mor. 1ª.320.H
Vinum ad Iram, & libidinem præcipites facit.1°.de ſan.tuen. 2ª.66.H
Vino an aqua vti debeat Iuuenis qui exercitatur.5°.de ſan.tu. 2ª.94.E
Vinum dat in morbo Laterali, & dat ante cibum.de victus ratio.in morbis acu.com.1°. 7ª.112.E
ex Vino qui Lauabantur.de ven.ſect.aduer.Eraſ. 6ª.11.G
Vinum à quibus Liberet.de bon.& vit.ſuc. 2ª.38.H
Vino epoto cur fiat Lætitia neſciuit Galenus.ꝙ animi mor. 1ª.318.A
Vino in quo Maraſmo vtimur, & in quo non.de mar. 3ª.48.E
Vinum cur ponebãt in coquẽdis Medicamentis.4°.de ſa.tuen. 2ª.87.A
Vinum vtilius ad medicamenta podagricorum, & articulariorum.4°. de ſanitate tuenda. 2ª.87.A
Vinum habet valentes vires pro Mitigando.14°.meth.med. 7ª.88.G
Vinum cito mouentur ad omnes partes. com.7°.aph.56°. Ex.59.B
Vino, aqua, & aceto terra Madeſcit.2°.de ſimp.me.fac. 5ª.14.G
Vinum nõ bibant Magiſtratus, gubernatores, iudices in ſuo officio. quòd animi mores. 1ª.320.H
Vinum Melancholicorum quale eſſe debeat. de mel.ex Gal. Sp.110.D
Vina imodica oĩa tẽtãt Mẽtẽ, et neruos.in 3^{m}.de mor.vul.c.2°. 3ª.138.D
Vinum mitigat ac frãgit acrimoniã bilis amaræ.1°.de ſan.tu. 2ª.66.H
Vinum nõ bibendũ volentibus Mulieres implere.ꝙ ani.mor. 1ª.320.H
Vinum Neruos, & mentem ferit.de vict.ra.in mor.acut.c.1°. 7ª.113.F
Vinum neruis non adhibendum, quare nec acetum vinoſum.3°.compoſitio.medica.per genera. 5ª.229.G
Vinum lędit principium neruorum.3°.de præſ.ex pul. 4ª.118.E
Vini epoti Noxa à Græcis dicitur κραιπάλη & vnde deriuatur. commentario.5°.aph.5°. Ex.37.G
à Vino noxa quem faciat pulſum.1°.de præſag.ex pulſ. 4ª.107.G
ad Vini noxam.de med.fac.par. 7ª.176.B
ex Vinis obſtructio qualis.5°.de ſan.tuen. 2ª.91.D
Vinum vt Odio ſit.de med.fac.par. 7ª.174.E
Vinum quod in potu à Palæſtritis ſumebatur non aliter quàm ſuilla caro in cibo.de attenuante vict.rat. 2ª.46.E
Vinum qñq; dare cogimur ad periculũ depellendũ.12°.met.me. 7ª.75.D
Vina pro Pinguibus qualia eſſe debeant.14°.meth.me. 7ª.91.F
Vino madeſcunt Plagulæ.de fract.com.3°. 7ª.241.D
Vinũ non toleratur à Plethorica diſpoſitione.cõ.7°.aph.46°. Ex.57.G
Vinum dat in Pleuritide.de vic.rat.in mor.acu.c.4°. 7ª.139.D
Vinum acceptum ante euacuationem in pleuritide obeſt. de vict. ratione in morbis acutis, comment.1°. 7ª.114.B
Vino potato qui Pulſus ſequantur.1°.de cauſ.pul. 4ª.87.H
Vini intempeſtiuus potus quos faciat pulſus.1°.de dignoſ.pul. 4ª.77.C
ex Vino pulſuum mutatio qualis.3°.de diff.pul. 4ª.99.C
ex Vino pulſuũ mutatio eſt diuturna.1°.de præſ.ex pul. 4ª.104.H
Vinum ne guſtent Pueruli temperati.1°.de ſan.tuen. 2ª.66.G
Vinũ nõ guſtẽt pueri niſi poſt decimũ octauũ annũ.ꝙ ani.mor. 1ª.320.G
Vino moderate vtendum à decimo octauo anno ad trigeſimum. quòd animi mores. 1ª.320.G
Vinum pueris alieniſſimum.5°.de ſan.tuen. 2ª.90.H
ob Vinum pueri qui vigilias incidit, caſus.2°.de loc.aff. 4ª.14.A
Vinum dari debet omnibus qui Refici debent, modo non febricitent. 7°. methodi medendi. 7ª.45.E
Vinum reficiens quale eſſe debeat.ars med. Iſa.71.G
Vinum quod cõuenit in Renũ affectibus.de ren.aff.dig.& me. 7ª.195.G
Vini potio Sanguinem, ſui motus vehemẽtia diffundit, obſtructiones aperit.com.6°.aph.31°. Ex.49.F
Vinum in ſanguinis fluxionibus quale.1°.de ar.cur.ad Gla. 7ª.99.A
Vinum Senibus aptiſſimum.5°.de ſan.tuen. 2ª.90.H
Vinum quæ bona faciat ſenibus.5°.de ſan.tuen. 2ª.91.A
Vinum medicina eſt contra ſenij auſteritatẽ.ꝙ ani.mor. 1ª.320.G
Vinum ſenibus bibendum vt iuueneſcant.ꝙ ani.mor. 1ª.320.G
cum Vino aliquo panis ſenum conficitur.5°.de ſan.tuen. 2ª.92.D
Vina quę bibere poſſint ſenes, ſi caput ſit valẽtius.5°.de ſan.tu. 2ª.90.H
Vinum pro ſenibus quomodo eligendum.5°.de ſan.tu. 2ª.91.A
Vini potio non prodeſt ſenibus, ſi humectationis non indigent. 5°.de ſanitate tuenda. 2ª.92.D
Vinum nunquàm bibant Serui.ꝙ ani.mor. 1ª.320.H
Vina pro Siccis.7°.meth.me. 7ª.45.E
Vinum ad quam ſiccitatem vtile.1°.de ſan.tuen. 2ª.66.H
Vina quæ maxime ſiccent.4°.de compo.medica.per ge. 5ª.236.D
Vini quo plurimum ponitur ſiccum eſt.de diff.cont. Sp.74.C
Vinum ſi quis biberit dilutũ aqua calida, & prius aliqua comederit, Singultum incidit.com.6°.aph.39°. Ex.50.H
Vinum in cibo ad ſedandam ſolam ſitim ſumendũ.de diff.cont. Sp.72.A
Vinum ſitim creſcere facit.1°.de ſimp.me.fa. 5ª.7.E
Vinum ſitim facit, & quomodo.com.5°.aph.27°. Ex.40.A
Vinum quando debet dari ſitientibus, & quando non, ſed aqua.commentario 5°.aphor.27°. Ex.40.A
à Vino fit Sopor.in 3^{m}.de mor.vul.com.1°. 3ª.131.H
Vinum ſomnum conciliat.4°.de ſan.tuen. 2ª.83.E
Vinum liberalius ſumptum ſomnum conciliat.1°.de ſymp.cau. 3ª.19.A
Vini moderata potio ſoporifera eſt.3°.de loc.aff. 4ª.17.G
Vinum prõpte Submittit oĩa, niſi ſit craſſum.com.5°.aphor.5°. Ex.37.G
Vino cur macerentur ſucci.1°.de antid. 5ª.107.E
Vinum Sudorem, & vrinam prouocat.4°.de ſan.tu. 2ª.83.E
Vinum cum oleo irino prouocat ſudorem.de cathar. Sp.95.D
Vinum in Syncope datur.11°.meth.me. 7ª.70.F
ex Vino panis in ſyncope.12°.methodi medendi. 7ª.76.C
Vinum cur conueniat in omni ſyncope.12°.meth.med. 7ª.76.C
Vina in ſyncope qualia eſſe debeant.12°.meth.me. 7ª.76.D
Vina conuenientia in ſyncope ex bile circa os ventriculi.12°.methodi medendi. 7ª.76.D
Vina in ſyncope ex humoribus craſſis qualia eſſe debeant. 12°.methodi medendi. 7ª.76.F
Vina fugienda in ſyncope quæ.12°.meth.me. 7ª.76.H
Vino & oleo intinctis lanis ſuccidis tumores ex deligatione facti curantur.de fract.com.3°. 7ª.241.C

Vinũ quomodo Venenis aduerſetur.in 6ᵐ. de morb.vulg.c.6°. 3ª.196.H
Vina quæ morantur in Ventre,quæ.5°.de ſan.tu. 2ª.91.B
Vina quæ in ventre morãtur non ſunt apta ſeni.5°.de ſan.tuen. 2ª.91.B
Vinum auxiliatur ventriculo.3°.de alim.fac. 2ª.29.G
Vinũ ad veſicã valde penetrãs.de vic.ratio.in mor.acu.cõ.3°. 7ª.126.G
Vinũ quando dandũ,& qñ nõ dandũ in Vlceribus.4°.met.me. 7ª.28.H
Vinum optimum medicamentũ omnibus vlceribus.3°.met.me. 7ª.19.D
Vinũm quid faciat in vlceribus.de frac.com.3°. 7ª.242.E
Vino vtendum ad vlcus abluendum.2°.de ar.cur.ad Gla. 7ª.101.H
Vino lauandum vlcus humidum.4°.methodi medendi. 7ª.23.E
Vino aut aqua frigidis madidam ſpongiam vlceri applicat. 4°.de comp. medica.per gen. 5ª.236.H
Vinũ,& oleũ lana cõcepta ſupra vlcera.4°. de cõp.me.p gen. 5ª.244.E
à Vino,& cibis craſſis abſtineant Vulnerati in capite. 2°.de compoſit. medicamento.ſecun.loc. 5ª.134.A
Vinũ vulnerũ grandiũ glutinatoriũ quõ fiat.6°.de ſimp.me.fa. 5ª.43.A
Vinis mouendæ Vrinæ in ſenibus.5°.de ſan.tu. 2ª.92.E
cum Vino eandem facultatem habet mel, & quomodo differat. 8°.de compoſitio.medicamento.ſecun.loc. 5ª.194.G
ex Vino,& melle prodeſt panax per vrinas expelli deſiderantibus.de vict.rat.in mor.acutis,commentario 4°. 7ª.144.C
Vini facultatem habet onagron.8°.de ſimp.me.fac. 5ª.59.C
Vinum redolet onagron.8°.de ſimp.me.fac. 5ª.57.C
Vina quorum loco ſapa ponenda.14°.meth.me. 7ª.90.B
VIOLÆ ſpecies,& earum vires.de ſimp.med. Sp.91.H
Violę frigidæ humidæ.6°.de ſimp.me.fa. 5ª.48.F
Violæ omnes viſcide relaxant,vrinam prouocant.de ſimp.me. Sp.91.H
Violæ mundificant.de ocul. 7ª.188.E
Violarum ſemen partum expellit,lũbricos occidit.de ſimp.me. Sp.91.H
Violæ albæ ſanguinem purgant.de dyn. Sp.22.C
ex Violis albis medicamentum.4°.de comp.me.ſe.lo. 5ª.155.E
Violæ albæ.4°.de compo.med.ſec.loc.153.D/6°. 5ª.175.E
Viola minor de angelica.de dyna. Sp.31.E
Viola pro dolore.de dyna. Sp.35.E
VIOLACEVM *vinum vrinam prouocat,ſtomachum corroborat,lumbricos excludit.de ſimp.med.* Sp.92.C
ne VIOLATA *mulier cognoſcatur.de paſſ.mul.* Sp.96.D
VIOLENTER, *& robuſte dicere nihil refert.2°.de ſan.tu.* 2ª.74.C
VIOLENTVS *dolor notus.2°.de lo.aff.* 4ª.12.G
VIPERÆ non fiũt ab eodẽ opifice à quo homo.de fœt.for. 1ª.326.B
Viperæ deſcriptio.de theriaca ad Piſ. 5ª.95.D
Vipera fœmina quomodo differat à mare.de ther.ad Piſ. 5ª.95.E
Viperæ ſpẽs Dipſas [nota dipſadẽ eẽ viperæ ſpeciẽ.] 1°.de ſymp. 3ª.18.E
Viperæ cur dipſadæ dictæ.11°.de ſimpl.med.fac. 5ª.78.B
Vipera per os accipit ſemen.de theria. ad Piſ. 5ª.93.C
Vipera caput maris truncat in coitu.de ther.ad Piſ. 5ª.93.C
Viperam interimunt filij.de ther.ad Piſ. 5ª.93.D
Viperæ deponunt ſenium,& quale.de ther.ad Piſ. 5ª.95.D
Viperæ ſunt frigidæ.2°.de locis affectis. 4ª.14.B
Viperæ quibus veſcantur.de theriaca ad Piſo. 5ª.95.D
Viperæ ſub cane furiunt.2°.de lo.aff. 4ª.14.B
Viperæ detentæ ſunt magis venenoſæ.de vſu ther.ad Pamph. 5ª.92.B
Viperarum aer non inſpirandus.de theria.ad Piſ. 5°.97.F
Viperas venantur Romę marſi.11°.de ſimp.me.fac. 5ª.78.B
Viperas viuas capere Quartus arte inſtituit.11°.de ſimp.me.f. 5ª.78.A
Viperæ quando venandę.1°.de anti. 5ª.104.A
Viperæ quando capiendæ.de ther.ad Piſ. 5ª.95.D
Viperæ quo tempore eligendę.1°.de antid. 5ª.110.A
Viperæ quo tempore prębendendæ,& quales ſumendæ. de vſu theriacæ ad Pamphil. 5ª.99.B
Viperæ quo tempore capiendæ,& quod non nutriendæ cibis inſolitis. de theriaca ad Piſonem. 5ª.94.G
Vipera quomodo & quando capienda.de ther.ad Piſ. 5ª.92.A
Viperas cur necamus.q̃ animi mor. 1ª.321.C
Viperæ quando pro Baccho lacerantur.1°.de anti, 5ª.104.A
Viperæ in Aegypto comeduntur.3°.de alim.fac. 2ª.26.D
Viperæ cũ exeunt terrã ſunt minus venenoſę.de ther.ad Piſ. 5ª.95.D
Viperæ prægnantes reijciendæ ſunt.1°.de anti. 5ª.104.B
Vipæ ĩ maritimis ĩuẽtæ aut in lacuna ſalſa omittẽdę.1°.de anti. 5ª.104.B
Viperæ non debent diu detineri captæ.de vſu ther.ad Pamp. 5ª.99.B
Vipera non manſueſcit.de cog.cur.animi mor. 2ª.54.C
Viperæ quomodo edendę.de ſubfi.empi. Iſa.34.E
Viperæ quomodo parandæ pro cibo.2°.de ar.cur.ad Glau. 7ª.107.E
Viperæ partes quæ abijciendæ.de theria.ad Piſon.95.E/de vſu theriacæ ad Pamphil. 5ª.99.B
Viperæ quæ partes incidendæ,& cur.de theria.ad Piſo. 5ª.92.B
Viperæ partes abijciendæ quæ,& quantæ.1°.de anti. 5ª.104.B
Viperæ partes ad quantã longitudinẽ amputãdæ.de ther.ad Piſ. 5ª.95.E
Viperarum caput,& cauda cur abijciantur.de ther.ad Piſo. 5ª.93.C
Vipera caput habet pernitioſius,alijs feris.de ther.ad Piſ. 5ª.93.C
Viperis cur caudę amputantur.de ther.ad Piſ. 5ª.93.D
Vipera debet habere motum etiam ſecta,ſi ſit futura vtilis ad Theriacam.de theria.ad Piſ. 5ª.95.E
Vipera cur ſola ingrediatur Theriacam.de ther.ad Piſ. 5ª.92.H
Vipera minus tabifica eſt alijs feris.de ther.ad Piſ. 5ª.92.H
Viperæ quot in compoſitione ſumendæ.de ther.ad Piſo. 5ª.95.D
Viperæ quomodo in theriaca cõdãtur. 2°.de arte cura. ad Gl. 7ª.107.G
Viperæ quomodo coquendæ.1°.de anti. 5ª.104.B
Viperę in quo vaſe coqui debeant.de ther.ad Piſ. 5ª.95.F
Vipera qũo coquẽda,& quæ in coctura miſcẽda.de ther.ad Piſ. 5ª.92.C
in Viperæ coctione ſal,& anethũ miſcenda ſunt.de ther.ad Piſ. 5ª.95.F
Viperæ venenum ſal,& anhetum auferunt.de ther.ad Piſ. 5ª.94.A
in Viperarũ coctione ſal qñ ponendũ,& qñ non.1°.de anti. 5ª.104.B
Viparũ carnes quantũ excoquendæ.2°.de arte curatiua ad Gl. 7ª.107.G
Vipera quando cocta.de theria.ad Piſo. 5ª.92.C
Vipera quomodo cognoſcatur an ſit cocta.de ther.ad Piſ. 5ª.95.F
Viperarum caro qualis.11°.de ſimp.med.fac. 5ª.78.D
Viperarum caro quo tempore bona.11°.de ſimpli.med.fac. 5ª.78.D
Viperæ caro habet natiuã virtutem ad ſalutem.de ther.ad Piſ. 5ª.93.E
Viperarum carnes quales in iure albo coctæ.11°.de ſimp.med.fa. 5ª.81.B
Viperarũ caro euacuat totũ corpus p cutem.11°.de ſim.me.fac. 5ª.77.G
Viperarum caro qũo humores eijciat.11°.de ſimp.me.fa. 5ª.78.D
in Viperarũ eſu curatio elephãtiaſis.2°.de arte cur.ad Glau. 7ª.107.G
ex Viperis ſanatus elephantus.11°.de ſimp.me.fa.77.H/ 5ª.78.A
Vipera mortua in vino ſanat elephantiaſim.de ſubfi.emp. Iſa.33.H
Viperarũ caro adeo ſiccat vt ſitim inducat.11°.de ſimp.me.fa. 5ª.78.B
Viperam comedens ſiti vehementi incitatus fuit.1°.de ſymp. 3ª.18.D
Viperæ paſtilli quomodo fiant.de ther.ad Piſ. 5ª.95.F
ex Viperis paſtillorum compoſitio.1°.de anti. 5ª.104.A
ex Vipera paſtilli quanti eſſe debeant.1°.de anti. 5ª.104.C
Viperarum iure macerari non debet panis.1°.de anti. 5ª.104.C
Viperæ panis eſt miſcendus.de ther.ad Piſ. 5ª.95.F
Viperarum ſal quomodo fiat.11°.de ſimp.me.fa. 5ª.78.D
ex Viperis ſal potenter extenuat.14°.meth.me. 7ª.91.D
Viperæ ex vſtione prauam vim deponunt.de ther.ad Piſ. 5ª.97.E
vt VIPERA *non mordeat.de med.fac.par.* 7ª.169.G
Viperarum dentium foramina macis obſtruuntur.de theria. 5ª.94.G
Viperæ tractatæ hyeme non mordent.2°.de loc.aff. 4ª.14.B
Vipera ſæpe mordens amittit virus.de ther.ad Piſ. 5ª.94.G
à Viperis morſi quomodo ſitiant.11°.de ſimp.me.fac. 5ª.78.B
Viperę ſaliua necat hominem.de inæq.intemp. 3ª.44.C
Viperam necat ſaliua hominis.de inæq.intemp. 3ª.44.C
Viperæ magis venenoſi ſunt hoĩes ieiuni.de vſu ther.ad Pamp. 5ª.99.B
Viperę ictus quomodo curandi.3°.de lo.aff. 4ª.19.G
à Viperis morſi ſanantᷓ Anchuſa Alcibiadia.6°.de ſimp.me.f. 5ª.41.D
contra Viperas Antidotus Appollodori.2°.de anti. 5ª.118.A
contra Viperam antidotus Ceſari à Gallo data.2°.de anti. 5ª.118.F
ad Viperæ morſus Antidotus Ruſtici medici.2°.de anti. 5ª.118.B
ad Viperarum morſus facit Ariſtolochia.de ſimp.med. Sp.80.F
ad Viperarũ morſus Caprinum ſtercus.10°.de ſimp.med.fac. 5ª.76.F
Viperas,& ſerpentes fugant Conizæ folia.de ſimp.me. Sp.83.A
Viperas,& ſerpentes fugat Cornu ceruinum.de ſimp.med. Sp.83.C
Viperas,& ſerpentes occidit Dictamũ odore ſuo.de ſimp.me. Sp.83.D
contra Viperas Dorothei remedia.2°.de anti. 5ª.118.A
contra Viperæ morſus Enneapharmacos Heraclidis Antidotus. 2°.de antidotis. 5ª.118.D
Viperæ morſis opitulatur Erbum.de ſimp.med. Sp.85.B
ad Viperæ morſus Inunctio.de med.fac.par. 7ª.169.F
Viperæ morſus ſanauit Ophites Lapis ſuſpenſus. 9°.de ſimplicium medicamentorum facultat. 5ª.67.E
Viperas fugat Opoponax.de ſimp.med. Sp.88.B
Viperas fugat Peucedanum.de ſimp.med. Sp.89.B

Viperam omnem

Viperam omnem Polium ſugat.de ſimp.med. Sp.89.A
contra Viperarum morſus prodeſt Raphanus.de ſimp.med. Sp.89.F
ad Viperas facit Scordium.de ſimp.med. Sp.91.A
à Vipera morſos Scorpio ſanat.11°.de ſimpl.med.fac. 5ª.82.G
ad Viperæ morſus valet Terra lemnia.9°.de ſimp.me.fac. 5ª.65.D
Viperæ morſus ſanatur Theriaca.5°.de loc.aff.4ª.34.B/ de ther.ad Piſ. 91.E/ de vſu ther.ad Pamph. 5ª.98.E
Viperas habentis Tyriacæ meminit [quaſi fiat aliqua theriaca ſine viperis.]de mel.ex Gal.Ru.& Poſſ. Sp.110.F
Viperæ ictus magis ſanat theriaca,quàm mithridatica antidotus, tamē mithridatica antidotus ad plura venena valet.2°.de anti. 5ª.110.C
cōtra Vipæ morſus theriaca Antiochi Philomitoris.2°.de ant.5ª.118.B
Viperæ morſibus medetur Trifolium.de theria.ad Piſ.5ª.90.H/de ſimplic.medic. Sp.91.G
à Vipera morſi ſanantur ab ipſa Vipera.de ther.ad Piſ. 5ª.94.A
contra Viperarum ictū medicamentū ex viperis.3°.de lo.aff. 4ª.19.H
ſi Vipera hominem perimit,quomodo poteſt illum iuuare à ſuo morſu. de theria.ad Piſ. 5ª.93.G
Viperam vipera morſu non necat.de inæq.intemp. 3ª.44.C
à Vipera morſorum epithema.de med.fac.par. 7ª.169.G
contra Viperam remedia.2°.de anti. 5ª.118.A
Viperarum ictus imponendum medicamentum.2°.de anti. 5ª.118.F
ad Viperarum ictum medicamentum.2°.de anti. 5ª.118.G
ad Viperarum morſus medicina.2°.de anti.118.G/7°.de compoſitio.medicamen ſecun.loc.5ª.182.G/de med.fac.par. 7ª.169.G
à Viperæ morſu liberans.de med.fac.par. 7ª.179.C
à Vipera morſi exemplum.de ſect. Iſa.16.G
à Vipera commorſi caſus.3°.de loc.aff.19.H/5°. 4ª.34.A
Viperæ venenum trahens.5°.de comp.med.per ge. 5ª.246.E
contra Viperas.2°.de anti. 5ª.119.A
ad Viperas,& alias feras.2°.de anti. 5ª.119.C
Viperarum adipem non ſinere pilos ſub alis euulſos creſcere falſum eſt, & etiam ſuffuſionum initia ſanare.11°.de ſimp.med.fa. 5ª.79.D
Viperæ pellicula in puluerem redacta impoſitaq; alopecijs mirifice pilos regenerat.de theria.ad Piſ. 5ª.93.F
Vipera ſuſpenſa contra ſuffocationē.de incant.adiur.& ſuſp. 7ª.182.B
Vipera ſuſpēſa ad fauciū apoſtemata.de incant.adiu.& ſuſp. 7ª.182.B
VIRI, *& mulieres habēt diuerſam naturā.de pulſ.ad Tyr.4ª.44.A*
Virorum differentia ex habitu corporis.3°.de diff.pul. 4ª.95.G
Viri ſunt mulieribus plerūq; nigriores.ī 6^{m}*.de mor.vul.c.2°.* 3ª.169.A
Viri cute alba molles ſunt.4°.de compo.me.per gene. 5ª.236.F
Viri ſunt fortiores,& calidiores fœminis.com.5°.apho.9°. Ex.45.D
Viri emittunt p os,& nares ſpūs fortiores q̃ fœminæ.de ſper. Sp.36.D
Vir muliere calidior eſt.3°.de cau.pul. 4ª.95.D
Viri ſunt ſicciores mulieribus.de ſal.diæ. 2ª.42.E
Vir ætate florens ſiccior eſt puero.3°.de alim.fac. 2ª.25.H
Virorum reſpectu mulierum pulſus qui.de pul.ad Tyr. 4ª.44.A
Virorum pulſus qualis.3°.de cauſ.pul. 4ª.95.D
Viro quo maiorē pulſum habere poterit mulier.3°.de diff.pul. 4ª.95.E
Viro,puero,ſeni,mulieri,ęſtate,hyeme,in loco calido,in loco frigido nō æque conueniunt capilli.11°.de vſu par. 1ª.189.F
Viri qui comuntur an corpore quidpiam habeant pręſtantius ignorant. 11°.de vſu par. 1ª.189.E
Viri habent quinque ſuturas in capite.de na.& or.cuiuſl.cor. Sp.41.G
in Viris,& mulieribus quot dētes.de nat.& ord.cuiuſl.cor. Sp.41.H
Viri & mulieres habent viſcerum interiorum compaginem, & lineationem vnam.de nat.& ord.cuiuſl.corp. Sp.42.B
Virorum,& fœminarum differentia in veſica.5°.de vſu par. 1ª.145.B
Vir quomodo fœmina fiat.14°.de vſu par. 1ª.205.F
Viri pudendum in loco eſt commodiſſimo,& non poteſt per minimū etiā tranſponi.15°.de vſu par. 1ª.210.B
Viris cur factum pudendum.14°.de vſu par. 1ª.207.H
Viris quibuſdam ſolet adijci in generatione illud muliebre quo luxuriātur.de compag.memb. Sp.59.H
Virorum,& mulierū teſticulorum differentia.de nat.& ord. Sp.42.B
Viri teſtes ſunt molliores,& humidiores teſtibus fœminarū.14°.de vſu partium. 1ª.209.H
ad Virium ita ſe habet mulieris inſtrumentum generationis,vt cera ad ſigillum.de anat.viuo. Sp.51.E
in Viris qualia ſint vaſa ſeminaria,& cur talia.de ana.viu. Sp.51.H
Vir coiens multa conſiderare debet pro filijs conformandis.14°.de vſu partium. 1ª.206.H
Viri qui ſint ſteriles.com.5°.aph.62°. Ex.43.F
Viri,qui ſemper generarunt,& qui non.com.5°.aph.62°. Ex.43.F
Viri qui arboribus immodice fructiferis à Platone comparantur.6°.de locis affectis. 4ª.39.G
Viros ingeneratiuos facit ſybaris fluuius.de bon.aquæ. Sp.76.A
Viri contrariæ temperaturæ quando mulieribus contrarijs iungi debēt. com.5°.aph.62°. Ex.43.F
Viri ne culpa,an mulieris non concipiat mulier, quomodo cognoſcatur. de paſſ.mul. Sp.96.C
ex Viri,& mulieris calefactione ſemen emittitur.de ſper. Sp.36.B
in Viris quædam humiditas exiens delectat.14°.de vſu par. 1ª.208.C
Viri ſemen ſanguis eſt.de nat.& ord.cuiuſl.corp. Sp.42.C
Viri ſemen perfectum eſt.14°.de vſu par. 1ª.207.H
Viri ſperma calidius eſt,& fortius muliebri.de ſper. Sp.36.B
Viri ſperma comparatur coagulo.de ana.viu. Sp.55.H
Viri ſperma aſſociatur ſpermati mulieris.de ſper. Sp.36.B
Viris ſpermatis nutrimentum eſt ſperma fœminæ.de ſper. Sp.37.A
Viri ſperma ſicut poteſtatem habet in toto corpore, ita natura poteſtatē habet in matrice.de ſper. Sp.37.A
Viri ſemen vaſorum omnium principium eſt.14°.de vſu par. 1ª.208.B
Viri etiam læduntur ex ſemine retento.6°.de loc.aff. 4ª.39.H
Viri ſi diuti⁹ abſūt,mulieres īcidūt ſæpe ī dolorē m̄ricis.de paſ. Sp.95.G
ob Viri abſtinentiam dolori matricis quid proſit.de paſſ.mul. Sp.95.G
Viri cur menſtrua non patiantur.de ſper. Sp.36.D
ex Viri conſuetudine menſes prouocantur.1°.de ſan.tu. 2ª.66.B
Viri q ſua ſpōte veſci poſſūt cibis craſſi,et lēti ſucci.de bo.& vi.2ª.34.B
in Viros bonos vt euadamus turpe eſt nō laborare.de cogn.cu. 2ª.52.C
Viris minus nocet acetū q̃ mulierib⁹.de vi.ra.in mor.ac.c.3°. 7ª.130.H
Virū robuſtum quibus morbis turpe ſit ægrotare.5°.de ſan.tu. 2ª.88.H
Viris,et mlierib⁹ ex exſeſſu,et defectu morbi fiūt.cō.5°.a.57°. Ex.42.H
Viri qua parte habeant rigores.com.5°.aph.69°. Ex.45.D
Virorū hypoſtaſis maior eſt ea,quæ eſt mulierū.de vrin.ſign. Sp.79.A
in Viris quæ vrina optima ſit.de vrinis. 4ª.125.A
in Viris,& mulieribus vrinæ peſſimæ,quæ.1°.de criſ. 4ª.130.F
in Viro,& muliere peſſima eſt vrina atra.de vrin.78.G/quæſ.Sp.113.F
Viri,Lege Mares.
VIRAGINES *appellantur mulieres quæ habent maiores teſtes.de natu.& ord.cuiuſl.corp.* Sp.42.B
VIRGAE *mediocriter tēſæ ad īteriora reflectūt.c.6°.ap.46°.* Ex.51.H
Virgarum tenellarum comparatio ad pulſus.2°.de cau.pul. 4ª.93.D
Virgæ corneæ meminit.de frac.com.3°. 7ª.245.F
de VIRGIS *& gemino Sole.de hiſt.phil.* Sp.8.B
VIRGAE *genitalis anatomia.de ana.viu.* Sp.52.E
Virgæ virilis maxima pars eſt chartilago procedēs ab oſſe pubis.de vtilitate reſpir. Sp.62.H
Virga cur habeat plures neruos.14°.de vſu par. 1ª.209.D
de Virgæ motu.de mot.man.& obſ. Sp.67.C
Virga vide Membrum virile Priapus Pudendum Veretrum.
VIRGINALIS *tithymalli ſuccus antidotū in cephalea.de dy.Sp.23.C*
VIRGINIBVS *puellis mām̄ę increſcūt.in* 6^{m}*.de mor.vul.* 3ª.186.H
Virginibus antiquis græcis nutrices ſtudebant augere coxas, & ilia vt ſuperarent thoracem,& quomodo ligarent.de cau.mor. 3ª.8.G
in Virginis defloratione dilatatur collum matricis, & quæ venæ frangantur.de ana.viu. Sp.51.E
Virgines minoribus ſymptomatibus capiūt,q̃ viduæ.6°.de lo. 4ª.40.D
Virginibus cōtingit dolor matricis ob abſtinētiā viri.de paſ.m.Sp.95.G
Virgo vt appareat mulier quæ ſit corrupta, præſidiū.de med.fac.par. 168.F/7ª.169.D/de dyn. Sp.29.C
Virginis abderitanæ caſus.in 3^{m}*.de morb.uulgaribus,com.3°.* 3ª.149.H
Virginis lariſſæ caſus.in 3^{m}*.de mor.vul.com.3°.* 3ª.150.H
VIRGINIS *porci axungia vtitur.de paſſ.mul.* Sp.95.G
Virginis nuncis cortex.de dyn. Sp.28.H
VIRGO, *Taurus,Capricornus ſunt planetæ terrei frigidi, & ſicci mediocriter.de ſper.* Sp.38.H
Virgo frigida eſt in ſecundo gradu,ſicca in tertio.de ſper. Sp.38.H
VIRGVLTA *qualia eſſe debeant.1°.de antid.* 5ª.107.D
vt Virgulta ſunt nerui ipſi.de ana.viu. Sp.43.G
VIRIDIA *quo vocent à quibuſdā.2°.de comp.med.per gen.* 5ª.222.B
Viride quid ſignificet.in progn.com.3°. 4ª.211.D
Viride quid.in progn.com.1°. 4ª.191.D

Viridis color duo ſignificat.in 6^{m}.de morbis vulgarib. com.3°. 3ª.175.A
Viride pro pallido.in 6^{m}.de mor.vul.com.2°. 3ª.163.C
Viride χλωρὸν dicunt Aſiatici.de vic.rat.in mor.acu.c.2°. 7ª.119.D
Viridis color quo modo fiat.de victus ra.in morb.acu.c.2°. 7ª.119.E
Viride eſt veluti principium nigri.1°.de criſi. 4ª.130.E
Viridia quæ.in 6^{m}.de mor.vul.com.2°. 3ª.163.B
Viridis color confert lippientibus.de ſubfig.emp. Iſa.32.B
Viridis color aliquando eſt concepto in bilis horis.de ſper. Sp.37.C
Viride corpus quo modo fiat.in 6^{m}.de morbis vulg.com.3°. 3ª.178.A
Viridis color cur in acutis.in prog.com.1°. 4ª.191.D
Viridis color totius vultus malus.in progn.com.2°. 4ª.191.B
Virides, & nigri habent ſanguinem melancholicum. in 6^{m}. de morb. uul garibus, commentario 3°. 3ª.175.A
Viride mare ſpumam albam facit.de nat.& ord.cuiusl.corp. Sp.42.C
Viride excrementum quid ſignificet.1°.de criſ. 4ª.129.E
Viridis ſubſidentia quid ſignificet.1°.de criſi. 4ª.130.D
Viridis vrina ideſt pallida.de vict.rat.in morb.acu.c.2°. 7ª.119.H
Viridis vrina critico die immutata mortem oſtendit.de dyna. Sp.34.B
Viridis vrina ſi ſe mutauerit in album aut aquoſum colorẽ typicã ægritudinem venturam ſignificat.de dyn. Sp.34.B
VIRIDIA *quædam habent vnam temperiem, ſicca vero aliam. 8°.de ſimp.med.fac.60.G|* 5ª.61.C
*Viridia oĩa, et tenera pticipãt ſubſtãtiæ aqueæ.6°.de ſimp.me.*5ª.45.A
Viride omne eſt minus valens ſicco.de atten.vic. 2ª.43.H
Viridia, & ſicca ꝙ qualitatem mutent.8°.de ſimp.me.fac. 5ª.62.A
Viridia quæ manduntur exiccata ſunt medicinæ.de atten.vic. 2ª.43.H
Virides fabæ ſunt multarum ſuperfluitatum.de diſſolutio.cont. Sp.73.E
Viridia ligna ſunt cauſæ vt domus ruat.de cau.procatar. 3ª.96.E
*Viridis, & aridæ mẽtæ nõ facit differẽtiã.2°.de comp.me.ſe.lo.*5ª.138.G
Viride oleum datur cõtra ſpaſmũ ex ſiccitate.de med.exper. Sp.106.F
*Viridis, & arida ruta multũ differũt.2°. de comp.medi.ſec.lo.*5ª.136.D
Viride, & aridum ſerpyllum multum differunt. 2°.de compoſit.medica mento.ſec.loc. 5ª.136.E
Viride ſiſymbrium calidum, & ſiccum eſt in ſecundo ordine, ſiccum vero in tertio.8°.de ſimp.me.fa. 5ª.60.G
VIRIDIA *quomodo fiant.2°.de comp.medicamen.per gen.* 5ª.221.E
Viride Acopon.7°.de comp.med.per ge. 5ª.273.G
Viridia ſunt vt plurimũ Carnẽ gñantia.2°.de comp.me.per ge. 5ª.225.B
Viride Cephalicum.2°.de comp.medi.per gen. 5ª.226.G
Viride Collyrium ad oculorũ affectiones.4°.de comp.me.ſec.lo. 5ª.155.B
Viridia Emplaſtra ſanant capitis mala.intr. Iſa.58.B
Viridia emplaſtra ſanant canum morſus.intr. Iſa.58.B
Viride Epicuri multa promittens.9°.de compo.med.per ge. 5ª.249.D
Viride Euangei.5°.de comp. me.per ge. 5ª.249.C
Viride Galli.2°.de comp.med.per gen. 5ª.219.C
Viride Medicamẽtũ.5°.meth.me.33.E|de frac.com.3°. 7ª.242.D
Viridia medicamenta ſunt acriora.2°.de ar.cur. ad Gla. 7ª.105.H
Viridia quo modo fiant Melina per cocturã, & poſtea gilua.2°.de compo.medicamento.per gen. 5ª.223.E
VIRIDITAS, *& ſiccitas ſimplicium mutant temperiem.8°.de ſimp. medicamen.fac.* 5ª.59.C
VIRILIS *vis in corde.3°.de loc.aff.* 4ª.16.E
Viriles non poſſunt degere ſub legibus.de aere, aq.& loc. 2ª.5.B
VIRILE *Membrum ex quibus componatur.de anat.viu.* Sp.52.E
Virile membrum ſentitur trahi ab vtero.1°.de ſem. 1ª.329.C
ex Virili, & Muliebri ſpermate fit fœtus.de ana.par. Sp.43.C
VIRILITAS *debet fieri conſuetudine.de aere aq.& loc.* 2ª.6.D
Virilitas creſcit ab exercitio, & laboribus.de aere, aq.& lo. 2ª.6.C
VIROSE *excalfacit ſylphij radix.de ſimp.med.* Sp.90.C
VIRTVS, *perfectio, & cuiuſq; rei bonum, idem.ad Thraſ.* 2ª.103.E
Virtus in anima rationali ſcientia eſt.7°.de decretis Hippoc. 1ª.268.B
Virtutes quatuor in anima quomodo ſint. 7°.de dec.Hip. 1ª.268.C
Virtus vna ſola ſcientia ſecundum Galenum.7°.de decr.Hipp. 1ª.268.E
Virtus eſt ſcientia.7°.de decr.Hippocra. 1ª.268.D
*de Virtutibus ſciẽtia depẽdet ex facultatibus aĩæ.4°.de dec.*1ª.249.E
ad Virtutem quomodo formetur homo.5°.de decr.Hippo. 1ª.256.H
Virtutum moralium baſis & radix eſt cor.de ana.viu. Sp.46.B
Virtus inuicta, & inſuperabilis quæ.3°.de vſu par. 1ª.133.D
Virtutis via qualis.de cogn.cur.animi mor. 2ª.53.E
Virtutis via breuis, & plana eſt, non vt Heſiodus cecinit. de cuiuſque animi pec.not.atq; med. 2ª.58.H
Virtutem parit educatio.quod animi mores. 1ª.321.B
Virtutem pariunt ſtudia, & diſciplinæ.quod ani.mor. 1ª.321.B
Virtuti ſequendæ oẽs hoĩes idonei ſunt ſm ſtoicos.ꝙ ani.mor. 1ª.321.D
Virtutem vnam qui habet, reliquas virtutes habere neceſſe eſt. ſi quis opt.med. Iſa 6.G
de Virtutibus decretum eſt annexum dogmati de affectibus. 4°.de decre.Hippocratis. 1ª.249.E
Virtute, ſtatione, pondere, & guſtu differunt aquæ.de aere aq. 2ª.9.C
VIRTVS *in ſingulari, & plurali dici põt.com.2°.aph.16°.* Ex.12.H
Virtus eſt vna genere, plura ſpeciebus.com.2°.aph.16°. Ex.12.H
Virtus vna actu, potentia vero plures eſt anima.de ana.viu. Sp.45.G
de Virtutum differentia diſcrepant Plato, Ariſtoteles, & Chryſippus, ſed conueniunt in concluſione.5°.de decre.Hip. 1ª.258.E
Virtus vna ſola ſecundum Ariſtonem.7°.de dec.Hippoc. 1ª.267.H
Virtutes quomodo diuerſæ ſecundum Chyſippum.7°.de decr. 1ª.267.H
Virtus diuiditur in originalem naturam & affectum acquiſititium.11°. methodi medendi. 7ª.68.C
Virtutes quales, & quot, in qua ſunt corporis parte dictum eſt in primo libro de decr.Hippoc.& Pla.2°.de decre.Hip. 1ª.234.D
Virtutes noſtrum corpus diſpenſantes ex tribus proueniunt partibus.de virtu.noſtrum corpus diſpen. Sp.60.B
Virtus calida dominatur in ſuperiori parte.de dyn. Sp.19.F
VIRTVS *animalis tranſit per neruos non habentes meatus tanquam Solis radij per aquam, & aerem.1°.de ſymp.cau.* 3ª.16.C
per Virtutes animales quinque corpus fruitur nouẽ voluptatibus. de compagine memb. Sp.59.B
Virtutis ſenſibilis debilitas eſt cauſa, non videndi, non audiendi.commẽtario 4°.aphor.49°. Ex.33.C
Virtutem audiendi pręſtat auribus ſpiritus aĩalis.de cõp.mẽb. Sp.58.C
Virtutis diffuſio quid ſit.7°.de decr.Hip. 1ª.270.C
VIRTVS *vitalis vocatur vis animoſa.8°.meth.me.* 7ª.58.H
Virtutes vitales, & operationes naturales reducendæ ad vnum principium.de ana.viu. Sp.45.G
*Virtus vitalis vñ ſit & qũo cognoſcatur.1°.de ar.cur.ad Glau.*7ª.99.G
Virtus vitalis influit à corde ad cætera membra.de ana.viu. Sp.50.F
Virtus motiua eſt principium motus cordis.de ana.viu. Sp.56.D
Virtutis motiuæ cordis cauſa eſt anima.de ana.viu. Sp.56.D
Virtutes omnes à corde incipiunt.de ana.viu. Sp.46.C
Virtus attollit, & ſubſtinet membra.2°.de ſymp.cau. 3ª.20.A
de VIRTVTE *rectrice dicitur natura.ſecr.* Sp.96.F
de Virtutibus naturalibus liber præcedit librum de ſymptomatum cauſis.2°.de ſymp.cau. 3ª.21.A
Virtus naturalis ſtomachi, & inteſtinorũ.de mot.man.& ob. Sp.69.C
Virtutis defectus exigit adiectionem.com.1°.aph.17°. Ex.9.C
pp Virtutem cibi dantur, non propter febrem.11°.meth.me. 7ª.71.G
Virtuti digeſtiuæ debet cibus adæquari.de diſſ.cont. Sp.71.G
Virtutis alteratricis in quaq; particula noxa atrophiam neceſſario inducit.3°.de ſymp.cau. 3ª.30.D
Virtutes naturales, digeſtiuam præcipue, quod medicamentum excitet. ſecretorum. Sp.101.G
Virtutis digeſtiuæ debilitati confert puluis gariophilorum.de medicinis expertis. Sp.106.F
Virtutem retentiuam confortans medicamen.de med.exper. Sp.106.D
Virtutem roborat vinum pauciferum.de vinis. Sp.76.D
Virtus quędam expulſiua ineſt in arterijs, quę facit fluxus criticos, & ſudores & alias deiectiones.com.7°.aph.21°. Ex.55.D
Virtus expulſiua ſtomachi naturalis eſt, non voluntaria.de motibus manifeſtis, & obſcuris. Sp.68.G
Virtus ſollicitas de fœtu nouẽ mẽſibus qd agat.2°.de ſymp.cau. 3ª.21.C
Virtutes tres ſpiritus ſpermatici.de ſper. Sp.37.F
ad Virtutem non debet referri ætas, ſed ad habitũ corporis. de victus rat.in morb.acu.commentario.4°. 7ª.137.G
VIRTVS *eadem in eodem animali, in vno membro debiliſſima, & in altero robuſtiſſima.de nat.hu.com.2°.* 1ª.182.F
Virtutis inualidæ functio eſt tremor.de trem.palp. 3ª.53.C
Virtutis ad pondus collatio.in progn.com.2°. 4ª.198.E
Virtutem morbo ſuperante, quid ſequatur.2°.de ſymp.cau. 3ª.19.H
Virtute morbum ſuperante, quid ſequatur.2°.de ſymp.cau. 3ª.19.H
Virtus, & morbus quando æque pugnant, quid ſequatur.2°.de ſymptomatum cauſis. 3ª.19.H
Virtus quomodo lædatur.3°.de ſymp.cau. 3ª.26.H

Virtutes læſe ſunt læſo corpore.3°.de ſymp.cau. 3ª.28.G
Virtutis læſio duplex.3°.de ſymp.cau. 3ª.24.F
Virtutem deijciunt omnes magnæ intemperies.3°.de ſymp.cau. 3ª.25.C
Virtutem faciunt imbecillem intemperies.3°.de ſymp.cau. 3ª.26.A
Virtutes ſoluit dolor etiam imbecillus.de cura lap. Sp.111.G
Virtutes diſſoluunt ſuper excellentiæ.de conſuet. 2ª.61.G
Virtutem deijcit timor.2°.de ſymp.cau.20.D/de trem.palp. 3ª.51.E
Virtutẽ mẽbri ſoluũt laxãtia ĩmoderate.2°.de arte cur.ad Gl. 7ª.103.C
Virtutis debilitas quo ſedimento indicetur.de vrinis. 4ª.125.G
Virtute languentibus affectiones magnæ vehementesq; pernitioſæ ſunt. in 1^{m}.prorrh.com.3°. 4ª.179.B
Virtus indicationem præbet.11°.meth.me. 7ª.68.B
Virtus coindicat.13°.meth.me. 7ª.84.D
à Virtute prima indicatio ſumitur.11°.meth.me. 7ª.68.E
à Virtute indicatio non eſt ex numero curatricũ.9°.met.me. 7ª.59.G
à Virtute indicatio quæ nam ſit.2°.de arte cur.ad Gla. 7ª.103.D
Virtutis ſcopus eſt præcipuus.de vic.ra.in mor.acu.com.1°. 7ª.115.F
Virtutibus quæ nocẽt inueniẽdarum cauſarum principium eſt modi quo per ſanitatem operabantur cognitio.3°.de ſymp.cau. 3ª.24.F
Virtus docet ſui cuſtodiam.11°.meth.me. 7ª.68.E
Virtus omnium prima cuſtodienda eſt.9°.meth.me. 7ª.59.F
Virtute robuſtis trahenda cathartica.de dyn. Sp.20.G
Virtute forti clyſter imponendus.de vic.rat.in mor.acu.cõ.1°. 7ª.115.E
Virtute imbecilla balanus imponendus.de victus ratio. in morbis acutis, commentario 1°. 7ª.115.E
Virtute defeſſa non lauandum.8°.meth.me. 7ª.53.C
Virtutes variæ medicinarum.de ocul. 7ª.188.D
Virtutes ſecundæ medicinarum quæ.de ocul. 7ª.188.D
Virtutes tertiæ medicinarum.de ocul. 7ª.188.F
Virtutem medicinæ innuit ſapor.de ocul. 7ª.187.G
VIRTVS appellatum medicamen.2°.de compoſitione medicamentorũ per genera. 5ª.224.H
Virtus appellatus paſtillus.5°.de comp.med.per ge. 5ª.251.H
VIRVLENTIA hirudinum nuper captarum reſpirabit ſi per dies ſeruantur,& ſanguis pro nutrimento detur.de cucur.ſcar. 6ª.4.C
VIRVLENTA facultas vbi extrinſecus inciderit, ſcarificatione vtimur.de cucur.ſcar. 6ª.3.F
ad Virulentos ictus.5°.de compo.me.per gene. 5ª.249.B
Virulentorum vomitus.in 1^{m}.de mor.vul.c.3°. 3ª.123.A
Virulentus vomitus ex quo fiat.in 1^{m}.de mor.vul.com.2°. 3ª.112.H
VIRVS canis rabidi difficulter cognoſcitur.de conſt.ar. Iſa.42.C
Virus caninum.in 1^{m}.prorr.com.2°. 4ª.171.E
Virus aĩalium alterandũ,& euacuandũ eſt.de conſt.ar.med. Iſa.42.E
Virus quomodo abijciat hirudines.de cucurb.ſcar. 6ª.4.C
Virus vt extrahatur à loco vbi hirudo fuerit, cucurbitula apponẽda eſt vel ſpongijs locus fouendus.de cucur.ſcar. 6ª.4.C
Virus genitale quid.in progn.com.1°. 4ª.197.B
Virus exugunt quidam ore.13°.meth.me. 7ª.82.D
VIRES & natura idem ſunt.3°.de criſ. 4ª.141.C
de Virium eſſentia.1°.de præſag.ex pul. 4ª.107.D
Virium eſſentia in quibus conſiſtat.12°.meth.me. 7ª.77.A
Virium omnium eſſentia in quo conſiſtat.5°.de loc.aff. 4ª.34.D
Virium ſubſtantia eſt natiuus calor ſecundum plures,& ſummos medicos, vel ſaltem primum,& neceſſarium virium inſtrumentum. 2°.de ar.curatiua ad Glauc. 7ª.103.C
Vis triplex.de ocul. 7ª.185.E/H
Vires tres animal gubernantes.8°.meth.me. 7ª.58.H
Vires noſtri corporis tres eſſe, naturalem, vitalem, & animalem colligi poteſt.com.2°.aph.29°. Ex.16.G
Vires tres vbi habeant ſedem.in progn.com.2°. 4ª.198.D
Vires duplices animalis,& naturalis.de cur.rat.p ſang.miſſ. 6ª.10.C
Vis animalis quibus nominibus dicatur.9°.meth.me. 7ª.58.H
Vis vitalis quæ.de ocul. 7ª.185.E
Vires naturæ quomodo in nobis,& in rebus.de ther.ad Piſ. 5ª.90.H
Vis naturalis vbi ſit,& q̃uo cognoſcat.1°.de ar. curat. ad Gla. 7ª.99.G
ex Viribus viuimus.9°.meth.me. 7ª.59.E
Vires animalis in teſtibus.1°.de ſem. 1ª.334.C
Vim vitalem non habent oſtreæ & ſtirpes.4°.de præſ.ex pul. 4ª.122.C
Vis vitalis eſt in ſanguinem habentibus.4°.de preſ.ex pul. 4ª.122.C
Vis neruorum habet principium cerebrum. de victus ratione in morbis acutis, commentario .2°. 7ª.123.H
Vis arteriarum habet principium cor.de victus ratio.in morbis acutis, commentario 2°. 7ª.123.H
à Vi vitali fit pulſus.4°.de præſag.ex pul. 4ª.122.C
Vis vitalis quid excernat per pulſus.4°.de præſ.ex pul. 4ª.122.C
Vis in venis hẽt principiũ Iecur.de vic.rat.in morb.acu.c.2°. 7ª.123.H
Vis animi præcipua in qua parte reſideat.3°.de locis affectis. 4ª.16.D
Vis venæ quo modo cognoſcatur.in progn.com.2°. 4ª.200.C
Vis rationalis in cerebro.3°.de locis affectis. 4ª.16.E
Vis voluntaria in cerebro.in progn.com.2°. 4ª.200.B
Vires noſtri corporis quatuor ſunt, & quæ ſint. de curandi ratione per ſanguin.miſſ. 6ª.17.H
Vis virilis in corde.3°.de loc.aff. 4ª.16.E
Vires quatuor in omni membro.in 6^{m}.de morb.uulgaribus commentar. 5°.3ª.188.B/5°.de locis affectis.4ª.35.B/9°.de compoſitio.medicamentorum ſecun.loc. 5ª.198.D
Vires naturales quatuor ſunt, quibus ſtirpes,& animalia gignuntur.2°. de differ.feb. 3ª.40.F
de Viribus naturalibus liber ante librum de differentijs febrium.2°.de differ.fer. 3ª.41.F
Vis naturalis quomodo per omnia mẽbra.4°.de præſ.ex pul. 4ª.122.D
Vires naturales quę ſint.de ſub.fac.nat. 1ª.230.C
Vis nutritiua quadruplex.de ocul. 7ª.185.E
Vis naturalis trahit, retinet, cõcoqt, et excernit.4°.de præſag. 4ª.122.C
Vires quatuor ſunt inter quas alteratrix perfectior eſt. de vict.ratio. in mor.acu.com.4°. 7ª.140.D
Vires tres ſolum ventriculi enumerat, alteratricẽ, retentricẽ,& expultricẽ, attractrice caret quia fit à gulæ muſculis.1°.de criſ. 4ª.129.C
Vires tres ventriculi q̃uo validæ eſſe deprehẽdant.1°.de criſi. 4ª.129.C
Vis ventris quomodo cognoſcatur.in progn.com.2°. 4ª.200.C
Virium robur eſt vna ſalus ventriculi phlegmone laborantibus.10°.methodi medendi. 7ª.63.H
Vis veſicæ quo modo cognoſcat.in progn.com.2°. 4ª.200.C
Vis naturalis operatur in ſomno, aĩalis vero qeſcit. 1°.de ſymp.3ª.18.H
Vires robuſtas non habet pinguedo.de cur.rat.per ſang.miſſ. 6ª.17.H
Vires ſunt in omni parte animantis, quæ habent vim alterandi,& mutãdi in alimentum.com.5°.aph.39°. Ex.41.B
Vires quæ ſunt in omni parte animalis quodammodo habet intellectum. com.5°.aph.39°. Ex.41.B
Vis alteratrix genere.5°.de loc.aff. 4ª.34.D
Vis alterans,& concoquens q̃uo cognoſcat.in prog.com.2°. 4ª.200 C
Vis altrix propter quid.in 6^{m}.de mor.vul.com.5°. 3ª.188.E
Vis attractrix trahit familiare.de cur.rat.per ſang.miſſ. 6ª.17.G
Vim attractiuã habet pulmo cũ ſit calidus et ſpõgioſus.de vti.Sp.64.D
Vim retentricem in inteſtinis eſſe colligitur.6°.de lo.aff. 4ª.37.A
Vis retentrix & expultrix quomodo ſe habeant.5°.de loc.aff. 4ª.35.E
Vis concoctrix propter quid.in 6^{m}.de mor.vulga.com.5°. 3ª.188.E
Vis ſanguifica in ſpecie.5°.de loc.aff. 4ª.34.D
Vis ſanguifica propter quid. in 6^{m}.de mor.uul.com.5°. 3ª.188.E
Vis ſeparatrix errans quid faciat.3°.de ſymp.cau. 3ª.30.D
Vi expultrice non vtuntur membra, niſi cum excrementis vrgentur.1°. de locis affectis. 4ª.2.H
Vis expultrix in omni parte.3°.de dieb.decre. 4ª.158.E
Vis excretoria quomodo excitetur.2°.de diff.feb. 3ª.41.F
Vis expultrix expellit alienum.de cur.rat.per ſang.miſſ. 6ª.17.G
Vis excretoria quomodo excitetur, retentrice laborante. 3°.de ſymptomatum cauſis. 3ª.26.G
Vis quæ faciat vomitum.de mot.man.& obſ. Sp.68.G
Vis nutriendi quibus conſiſtat, et quomodo cognoſcatur, an bona, an mala.de cur.rat.per ſang.miſſ. 6ª.17.D
Virium omnium corporis origo eſt diaphragma.de vtil.reſp. Sp.63.F
Vires corporis ſunt ex tenſione neruorum.de vtil.reſp. Sp.63.D
Vis motiuæ diuiſio.de anat.viuo. Sp.44.F
Vis viſibilis eſt in primo humore oculi, qui eſt aqua lucidiſſima. de compagine membrorum. Sp.58.C
Vis concupiſcibilis in iecore.3°.de loc.aff. 4ª.16.E
Vis vna qua ſobolem diligimus, ac formamus.1°.de na.fa. 1ª.293.A
Vis per quam, quæ ſunt eiuſdem generis, complectimur.1°.de naturalib. facultatibus. 1ª.293.A
Virium munijs homo ſtatim ortus ſcit vti.15°.de vſu par. 1ª.213.B
à Viribus,& ab inſtrumentis operationes fiunt,& impediuntur.de tremore palp.conuulſ. 3ª.53.C
Viribus robuſtas actionibus firmior eſt.de mult. 3ª.79.A
Virium roboris proprium eſt firmitudo actionum.de mult. 3ª.79.A

Vires vbi impendet neceſſitas maiore vi ſuas functiones obeunt. 4°.de differ.pul. 4ª.99.G
Vires valentes omnia tolerant, è cõtra imbecilles.10°.me.me. 7ª.63.A
Vis vnde cognoſcatur.4°.de præſ.ex pul. 4ª.121.G/H
Virium modus ex quantitate & qualitate vnde.11°.meth.me.7ª.69.A
Virium quantitas conſideranda eſt.1°.de ar.cur. ad Gla. 7ª.95.H
à Viribus vnde ſumantur indicia.in progn.com.3°. 4ª.209.G
Vires robuſtæ vnde cognoſcantur.de curã.rat.per ſang.miſſio. 6ª.17.D
Vis vitalis quo modo cognoſcatur.4°.de præſ.ex pul. 4ª.121.H
Vires robuſtas qui pulſus ſignificet.de curan.rat.per ſang.miſ. 6ª.19.D
Virium validarum proprij pulſus magni ſunt.3°.de diff.pul. 4ª.95.G
Vires oſtendunt ciborũ rationes,ſomnos,& exercitia.de ſal. 2ª.40.A
Vires integras qui habet,ſenex non eſt.11°.meth.med. 7ª.70.A
Viribus valentibus non poteſt eſſe corp us calidum, & ſiccum febricitans.11°.methodi medendi. 7ª.63.H
VIRIVM maxima dignitas.9°.meth.me. 7ª.59.E
Vires non conſiderantes medici temerarij ſunt,& inconſiderati.9°.methodi medendi. 7ª.59.B
Vires propter quid conſiderentur.11°.meth.me. 7ª.70.A
Vis maxime neceſſaria ad curationem.9°.met.me. 7ª.58.D
Vis non neceſſaria ad curationem.9°.meth.met. 7ª.58.E
Vires ægri qua coniectura poſſint cognoſci.com.1°.aph.12°. Ex.5.B
de Viribus ægrotantis.9°.meth.me. 7ª.58.C
à Viribus indicatio qualis.11°.meth.me. 7ª.69.A
à Viribus ducta intentio maxima eſt.in progn.com.2°. 4ª.203.G
à Viribus indicatio adhibenda in omnibus.8°.meth.me. 7ª.55.E
Vires quid ſemper indicent.9°.meth.me. 7ª.59.E
Vires in diarijs non conſiderandæ.9°.meth.me. 7ª.58.G
Vires in diarijs parum faciunt.10°.meth.me. 7ª.62.B
Vires imbecilles raro in primo ſecundoue die cernuntur, & cur accidãt. 10°.meth.med. 7ª.62.B
Vires,& vigor morbi docent de victu inſtituendo.de tot.morb. temp. 3ª.90.A/com.1°.aph.17°. Ex.9.B
pro Viribus, conſiderandi cibi. 12°.meth.me. 7ª.77.E
Vires ſi cõſtẽt victus nõ exhibẽdus,niſi in declinatione.de tot.3ª.90.A
pro Viribus ſolida corpora quomodo ſeruanda.12°.meth.me. 7ª.77.E
à Viribus indicationẽ ſequit̃ indicatio ab affectu.9°.met.me. 7ª.59.F
à Viribus ſumitur vacuandi modus.11°.met.me. 7ª.69.A
Vis,& morbi magnitudo ſanguinis mittendi primi ſcopi. de curan.rat. per ſangui.miſſ. 6ª.18.B
Vires cõſiderandæ in vena ſecãda,nõ dierũ numerus.9°.meth. 7ª.57.D
Vires pro ſanguine detrahendo conſiderandæ.9°.meth.me. 7ª.59.D
Vires ægri,& ætas conſiderantur ab Hippocrate in ſanguinis miſſione, cum magnus ſit morbus.in 3^{m}.de mor.vul.com.1°. 3ª.127.F
Viribus conſtantibus ſanguis in putrida febre mittendus eſt. 11°.methodi medendi. 7ª.71.F
Vires vbi conſtãt vacuandum audacter.11°.meth.me. 7ª.69.A
Vires validas habẽtes,ſi purgent̃,ſanãtur æſtate.c.2°.a.25°. Ex.16.A
Vis cum fortis ſit humor eſt quandoq; vitiatus.1°.de diff.feb. 3ª.33.C
Vires validæ exigunt frictionẽ rarã,& multã.5°.de ſan.tuen. 2ª.90.E
Vires q̃uo intelligãtur non naturaliter ſe habere.10°.met.me. 7ª.62.B
à Viribus alienum duplex eſt,alterum quantitate, alterum qualitate. de cur.rat.per ſan.miſſ. 6ª.17.G
Vires læduntur in febribus acutis colliquationis.12°.meth.me. 7ª.77.C
Vires quæ lædant.12°.meth.me. 7ª.73.G
Vires imbecilles faciẽtia quæ.de vict. rat. in mor. acu.c.2°. 7ª.124.G
Vires quot modis imbecilles.in 3^{m}.de morbis vul.com.1°. 3ª.127.D
Vires deijciunt calefacientia valenter.de cur.rat.per ſang.miſ. 6ª.17.E
Virium robur exoluit emollitio,& laxatio immoderata. de renum affe. dign.& med. 7ª.193.H
Vires ſoluit aqua calida frequens.de ren.aff.dign. & med. 7ª.194.B
Vires diſſoluit calidæ lotio.de ren.aff.dig.& med. 7ª.196.C
Vires imbecillitantur imbecillibus concũbẽtibus.3°.de ſan.tuen.2ª.81.D
Vires ad ſe contrahi facit dolor.in progn.com.2°. 4ª.198.H
Vires exoluit dolor.in prognoſt.commen.1°.4ª.196.E/de vict.ra.in morbis acutis,commentar.3°. 7ª.130.E
Vires cuſtodire debet dolores mitigans.12°.meth.me. 7ª.75.A
Viriũ imbecillitas ob inanitionẽ.de vic.ra.in mor.acu.cõ.2°. 7ª.123.F
Vires quæ euacuatio imbecillitet.de vic.rat.in mor.acu.c.2°. 7ª.123.G
Vires lædunt vacuantia omnia.9°.meth.me. 7ª.59.C
Vires proſternit euacuatio,niſi paulatim fiat. in 6^{m}. de morbis uulgaribus, commentario 3°. 3ª.170.G
Vires ſiunt imbecilles ex medicamento epoto,& euacuatione. commentario.6°.aphoriſmo 52°. Ex.53.A
Vires adeo debilitantur in multa & ſubita euacuatione puris, vt non ſit facile remedium.com.6°.aph.27°. Ex.48.H
Vires debiles,& imbecilles habentes, ſi euacuentur, vna diſſoluuntur æſtate.commen.2°.aph.25°. Ex.16.A
Vis imbecillis non poteſt ferre rigores,quos euacuatio ſequitur. commẽtario 4°.aphoriſmo.46°. Ex.32.G
Vires labefactat non nutrire.4°.de ſanitate tuenda. 2ª.84.E
Virium lapſus quomodo fiat in longiſſimis morbis ex atrophia. 12°.methodi medendi. 7ª.77.C
Viribus tantum,vel amplius officiunt inediæ quantum proſunt ad concoctionem.1°.de ar.cur.ad Glau. 7ª.97.D
Virium imbecillitatem ex inedia qui non cognoſcunt medici ridẽdi ſunt. de victus rat.in morb.acu.commentario.2°. 7ª.124.A
Vires frangit inteſtinorũ abraſio.de vict.rat.in morb.acu.c.3°.7ª.130.C
Vires ſunt imbecilles pp motũ vehementẽ.com.4°.aph.32°. Ex.30.H
Virium imbecillitatem cauſam habet continentem tremor. in 3^{m}.de morbis vulg.com.1°. 3ª.127.D
Virium imbecillitas in conualeſcentibus bene comedentibus caſus plethoricos facit,ideſt tubercula,& labores in articulis.commenta.4°. aphoriſmo 45°. Ex.32.G
Vires imbecilles ducunt ad locum affectum ſuperfluitates. commen.4°. aphoriſmo 32°. Ex.30.H
Viriũ imbecillitas eſt cauſa pauci ſudoris.com.4°.aph.41°. Ex.32.E
ob Virium imbecillitatem fit ſopor.in 3^{m}.de mor.vul.c.1°. 3ª.131.D
Vires ex morbi debilitate quandoq; balbutiem cauſant. commenta.6°. aphoriſmo 32°. Ex.49.H
Vires quibus reſoluantur.10°.meth.me.62.B/12°. 7ª.77.D
Vires quæ euertant.de victus ra.in morb.acu.c.3°. 7ª.128.E
Vires diſſoluere pñt qualitates extraneę.2°.de ar.cur.ad Gla. 7ª.103.C
Vis vitalis quibus affectibus ſuffocetur.4°.de præſ.ex pul. 4ª.121.G
Vis vitalis à quibus proſternitur.4°.de prẹſ.ex pul. 4ª.121.G
Vires deficiunt ſi cor ſit valde intemperatum.5°.de lo.af. 4ª.32.H
Vis animalis quibus deijcitur,& proſternitur.4°.de prẹſag. 4ª.121.H
Vis vitalis quo indicio cognoſcatur maximo incendio laborare.commentario 4°.aphor.37°. Ex.32.B
Vis naturalis quomodo cognoſcatur deficere. in 3^{m}.de morbis vulgaribus commen.3°. 3ª.148.A
Vires debiles vnde cognoſcantur.de cur.rat.per ſang.miſſ. 6ª.17.C
Vis grauata quem pulſum faciat.4°.de diff.pul. 4ª.103.D
Vires non robuſtas ſignificat actionum infirmitas.de mult. 3ª.80.E
Vires imbecillas habentium oculi.in 6^{m}.de mor.vul.com.4°. 3ª.187.A
ob Virium imbecillitatem ſpiratio quomodo differat à magna.4°.de locis affectis. 4ª.27.B
ob Viriũ ĩbecillitatẽ oẽs thoracis partes dilatãtur.4°.de l.af. 4ª.25.A
Vires imbecilles penitus obſeruandæ ſunt in venæ ſectione.præſagiũ experientia confirmatum. Sp.78.D
Viribus imbecillis,& affectu forti an euacuandũ.9°.meth.me. 7ª.59.C
Viribus deficientibus potius deiectio adhibẽda, quàm ſanguis mittendus.4°.de ſan.tuen. 2ª.83.E
ex Virium propria imbecillitate animi defectus quo modo curandus. 1°.de arte curatiua ad Glauconem. 7ª.99.G
in Virium imbecillitate non curemus affectum.9°.meth.me. 7ª.59.F
Vires ꝓſternenti attẽdendũ in affectibus cõplicatis.7°.meth. 7ª.48.G
Vires diſſolutas habentibus Hippocrates conſuluit ſubitam animi cõcitationem fieri,vt incitationis robore ſolutionis imbecillitati medeatur,poſtea dat cibum,& cur.de theriaca ad Piſ. 5ª.94.D
Vires concitatiores cur faciat metus.1°.de cau.pul. 4ª.88.B
Vi vna amiſſa omnes amittuntur.9°.meth.me. 7ª.58.H
Vires quæ poſſint reficere.8°.de comp.med.ſec.loc. 5ª.192.E
Vires ex vſu ſimilium roborantur.de ren.aff.dig.atq; med. 7ª.196.F
Vires ex cibis,potibus,& balneis conuenientibus roborantur. de renũ affect.dign.& med. 7ª.196.F
Vires & virtus cito recuperantur humido citiſſime odore. cõmenta.2°. aphoriſmo 11°. Ex.12.C
Vires imbecillas habentibus conuenit vinum aquoſum auſterum.7°.methodi medendi. 7ª.45.E
Vires imbecillas habentibus vinũ vinoſum vitãdũ.7°.met.me. 7ª.45.E
Virium robur quæ lotio faciat.de vic.rat.in mor.acu.c.3°. 7ª.132.D
Vires quibus languent non ſunt lauandi. de victus ratione in morb.acutis, commentario.3°. 7ª.133.A

Vires quomodo recreet aqua.de vic.ra.in mor.acu.com.3°. 7ª.128.F
Vires imbecilles exigunt frictionem crebram,& exiguam.5°.de ſanitate tuenda. 2ª.90.E
Vires quo modo alicui membro dari poſſint.de ijs,quæ in medicat.fiunt, comment.3°. 7ª.220.B
ad Vires recreandas ſedere facit.8°.meth.me. 7ª.50.B
VIRES *multas habent omnes res.2°.de ſimp.med.fac.* 5ª.12.E
Vires vniuerſales non dicere error.1°.de comp.med.per gene. 5ª.215.F
Vires contrariæ vnde iudicentur.5°.de ſimp.me.fa. 5ª.38.H
Vires quę ſola experientia inueniuntur.6°.de ſimp.me.fac. 5ª.40.E
Vis inuenta per experientiã,non methodo.6°.de ſimp.me.fac. 5ª.42.C
Vis maior in medicamentis quæ intelligenda.14°.meth.me. 7ª.88.G
Vires medicinæ maxime ſaporibus oſtenduntur.de ocul. 7ª.187.G
Vis iuris caulium,& lentium quæ.de diſſ.cont. Sp.75.A
Vis ſucci centaureæ,quæ.de virt.cent. Sp.93.A
VISCEROSI *qui.3°.de decre.Hipp.* 1ª.244.A
VISCIDVM *ſignificatur ab holcimo.2°.de loc.aff.* 4ª.12.B
Viſcidum quid ſit.2°.de locis affectis. 4ª.12.B
Viſcide ſtringit Acacia.de ſimp.med. Sp.79.G
Viſcide ſtringit Chalcanthum optimum.de ſimp.me. Sp.81.H
Viſcidiſſime ſtringere poteſt Diphriges.de ſimp.med. Sp.83.D
Viſcide ſtringentes vires habet Huſtolex. de ſimp.med. Sp.85.D
Viſcide Iris excalfacit.de ſimp.med. Sp.85.D
Viſcide relaxat Lapis aſius.de ſimp.med. Sp.86.F
Viſcide ſtringit lapis hæmatites.de ſimp.med. Sp.86.E
Viſcidas vires habet lapis quadratus.de ſimp.med. Sp.86.G
Viſcidum eſt odore Laſer.de ſimp.med. Sp.85.G
Viſcide ventrem purgat Lathyris.de ſimp.med. Sp.86.E
Viſcide Lapis ſtringit.de ſimp.med. Sp.81.G
Viſcide tedia ſuſtinentibus Myrta vtilis.de ſimp.med. Sp.87.E
Viſcide excalefacit Naſcaphtum.de ſimp.med. Sp.88.A
Viſcide excalfacit Opobalſamum.de ſimp.med. Sp.88.C
Viſcide laxat Opoponax.de ſimp.med. Sp.88.B
Viſcide ſiſtit Orobum.de ſimp.med. Sp.88.F
Viſcide ſtringit acrimonia Pelecinus.de ſimp.med. Sp.89.B
Viſcide expurgat Peucedanum.de ſimp.med. Sp.89.B
Viſcide ſtringit Portulaca.de ſimp.med. Sp.81.A
Viſcide laxat Sagapenum cum acrimonia.de ſimp.med. Sp.90.B
Viſcide excalfactorium eſt Sium.de ſimp.med. Sp.91.D
Viſcide ſtringit Smiris.de ſimp.med. Sp.87.A
Viſcidiſſime relaxat Staphyſagria.de ſimp.med. Sp.90.C
Viſcide relaxat Sulphur.de ſimp.med. Sp.90.C
Viſcide ſtringit,& glutinat Symphytum.de ſimp.med. Sp.90.F
Viſcidiſſimum medicamentum eſt Veratrum.de ſimp.med. Sp.91.G
Viſcide relaxant Violæ.de ſimplici.medicam. Sp.91.H
VISCOSITAS *ſi dominatur piſcibus duris generant phlegma. de diſſolutione cont.* Sp.74.A
nõ Viſcoſitatis multæ piſces nec duræ carnis sũt tẽpati.de bo. Sp.75.H
Viſcoſitatis non multæ piſces,nec cum duritie bonum gignunt humorem inter tenuem,& craſſum.de diſſ.cont. Sp.73.H
Viſcoſitatem piſcium remouet furfur hordei.de diſſ.cont. Sp.73.H
Viſcoſitatem piſcium ſal remouet.de diſſ.cont. Sp.73.H
Viſcoſitas continua quæ.de vic.rat.in mor.acu.com.1°. 7ª.111.D
ex Viſcoſitate craſſitudineq; humorũ prouenïẽtibus in pulmone thoraceq; morbis conuenire credit Peucedanũ.8°.de ſimp.me.fa. 5ª.58.D
Viſcoſitas morbus palpebræ ſuperioris.de ocul. 7ª.186.H
VISCOSVM *quo modo fiat.2°.de ſimpl.med.fac.* 5ª.14.D
Viſcoſa quę non ſunt tenuium partium.1°.de ſimp.med.fac. 5ª.4.A
Viſcoſos craſſos,et frigidos humores gñantes cibi.de pue.epil. 7ª.180.D
Viſcoſum nimis eſt triticum.de diſſ.cont. Sp.73.B
Viſcoſus,& humidus cibus eſt caro hædi,anniculi caput,& caro pecudum.de diſſ.cont. Sp.73.A
Viſcoſi piſces,& duri ſunt craſſi.de diſſ.cont. Sp.72.H
Viſcoſæ & craſſæ carnis piſces nutriũt eum,qui digerit illos nutrimento multo craſſo.de diſſ.cont. Sp.73.E
Viſcoſis cibis cur Athletæ vtantur.1°.de alim.fac. 2ª.10.B
Viſcoſa tarde digeruntur.de diſſ.cont. Sp.73.D
Viſcoſi,& craſſi cibi ſi coquantur multum nutriunt,aliter faciunt oppilationem.de diſſ.cont. Sp.72.G
à Viſcoſo,& craſſo humore fit obſtructio meatuum ſubita. 3°.de locis affectis. 4ª.17.G
Viſcoſus humor in quibus partibus ſit circũfuſus.13°.de vſu p. 1ª.201.H
Viſcoſus humor pituitoſus cur in epiglottide gñeĩ.de vo.& an. Sp.61.C
Viſcoſi humores quibus tollantur.7°.de comp.me.ſe.lo. 5ª.186.D
Viſcoſi humores quibus indigeant vt educantur.de victus ratio. in morbis acutis, commentario 3°. 7ª.126.A
Viſcoſorum è pectore pulmoneque excretionibus confert adiantum. 6°. de ſimp.med.fac. 5ª.41.E
Viſcoſos humores oxymeli facit expuere.de victus ratione in morb.acutis,commentario.3°. 7ª.126.A
ad Viſcoſum,ac glutinoſum reiectantes.7°.de comp.me.ſec.lo. 5ª.185.E
Viſcoſus humor,& vnctuoſus requirit multum tempus ad reſolutionẽ. 7°.de vſu par. 1ª.161.C
Viſcoſorum craſſorũq; humorũ in extremis vaſis impactorũ obſtructiones in iecore ſanant amygdalæ amaræ.6°.de ſimp.me.fa. 5ª.42.G
Viſcoſos,& craſſos humores ſoluit ſuccus centaureæ cum melicrato . de virtute centaureæ. Sp.93.G
Viſcoſa omnia,& pinguia educit lapis armenus.de dyn. Sp.21.C
Viſcoſos humores laxans electarium.de med.exper. Sp.108.B
Viſcoſum phlegma ſcindens electarium.de med.exper. Sp.107.C
Viſcoſum phlegma liquefaciens electarium.de med.exper. Sp.108.D
Viſcoſos humores laxans experimentum.de med.exper. Sp.104.F
Viſcoſum humorem laxãs medicamẽ.de med.exp.105.G/ Sp.106.A/G
ad Viſcoſum humorem educendum.de med.exper. Sp.105.E
ex Viſcoſo phlegmate quo deſtruitur motus dolori iuncturarum conferens medicamen.de med.exper. Sp.108.E
Viſcoſum excrementum quid ſignificet.1°.de criſi. 4ª.129.E
Viſcoſa ſcreatio quid ſignificet.in progn.com.2°. 4ª.202.A
Viſcoſa,& craſſa quomodo curentur.5°.de vſu par. 1ª.143.B
Viſcoſa craſſa,& profunda humiditas quibus extrahatur.8°.de compoſi.med.ſec.loc. 5ª.196.E
Viſcoſa,& humida medicamenta quæ.de ocul. 7ª.189.B
Viſcoſus & tenax eſt ſamius aſter.9°.de ſimp.me.fac. 5ª.66.A
Viſcoſa quæ palpebris aduerſantur,& cur.11°.de ſim.me.fac. 5ª.81.F
VISCVS *quid,& eius vires.de ſimp.med.* Sp.91.H
Viſcum emittere dicunt folia chamæleontis.de ſimp.med. Sp.82.F
Viſcus quercubus agnaſcitur.11°.de ſimp.med.fac. 5ª.81.C
Viſcus quercinus quo modo coquatur.9°.de comp.med.ſec.lo. 5ª.199.D
Viſcus qualis ſit.9°.de ſimp.me.fac. 5ª.66.B
Viſcus calidus,& viſcoſus eſt.2°.de ſimp.med.fa. 5ª.14.D
Viſcum habet aeream,& aqueam ſubſtantiam multam, terrenam paucam.6°.de ſimp.me.fac. 5ª.48.F
Viſcũ valenter trahit humores,& digerit.6°.de ſimp.me.fac. 5ª.48.F
Viſcum vires habet acres,& quæ durities remollire poſſunt.de ſimplic. medicamin. Sp.91.H
Viſcum ad calefaciendum tempus requirit.6°.de ſimp.me.fac. 5ª.48.F
Viſcum ſubſtantiam.10°.de compoſi.med.ſec.lo. 5ª.207.G
Viſcum probe ſubactum.10°.de comp.me.ſec.loc. 5ª.207.H
Viſcum elaboratum.2°.de comp.med.per ge. 5ª.222.E
VISCERA *quæ vocentur.3°.de alim.fac.* 2ª.29.E
Viſcera quæ.6°.de decretis Hippoc. 1ª.261.H
Viſceris nomine quid intelligatur.3°.de alim.fac. 2ª.27.D
Viſceris nomine cor intelligitur.com.4°.aph.65°. Ex.34.E
Viſcera dicuntur cor & iecur.de mar. 3ª.46.G
Viſcus pulſans dicitur cor.7°.de ana.admin. 1ª.94.F
Viſceris caput dicitur baſis cordis.7°.de ana.adm. 1ª.94.E
Viſcus non eſſe cor videtur,cum Galenus dicat in viſceribus,& corde. de inæq.intemp. 3ª.44.A
Viſcus calidius habet ſanguinẽ flauiorem.6°.de decr.Hippo. 1ª.266.C
Viſceris nomine intelligit Galenus cor,pulmonem,cum dicat, & viſcera quæ ſunt in thorace.com.6°.aph.27°. Ex.48.H
quòd Viſceris nomine intelligantur etiam cor, & pulmo collige quia dicit ſanguinem trahi intus.com.7°.aph.1°. Ex.54.B
Viſcera frigido continentur vnde ſpiramus.de dyn. Sp.19.D
Viſceris aliquid effertur,& tunc eſt ſpumoſum ſputum. commenta . 7°. aphoriſmo 30°. Ex.56.B
Viſcera aſperæ arterię.com.7°.aph.30°. Ex.56.B
Viſceris nomine intelligit Galenus ventriculum, ſplen, & hepar.commentario 6°. aphori.27°. Ex.48.H
Viſcera quæ adiacent ventriculo,tanquam ignis magno lebeti.3°.de naturalibus facult. 1ª.304.B
Viſcera quomodo habeat vẽter magnus,& quomodo paruus.de victus ratio.in mor.acut.commen.2°. 7ª.120.G
Viſceris nomine hepar intelligit Galenus.com.4°.aph.64°. Ex.34.D

Viſcera omnia

Viſcera omnia intranea vocantur, & etiam inteſtina.1°.*de ſem*. 1ª.333.E
Viſcera videntur intelligi omnia, quæ teguntur ab abdominis membrana.1°.*de ſemine*. 1ª.333.E
à *Viſceribus inteſtina videntur diſtingui*.1°.*de diff.feb*. 3ª.34.G
à *Viſceribus extrema procul abſunt.de trem.palp*. 3ª.55.F
Viſcera ſunt primę partes quæ formantur.2°.*de temp*. 1ª.16.A
Viſcera ſcrutati ſunt antiqui, vt ſcirent vnde, & quo modo homines morerentur.de nat.& ord.cuiusl.corp. Sp.41.G
in *Viſcerum latentium functionibus debet eſſe optime exercitatus medicus*.1°.*de anat.adm*. 1ª.69.H
Viſcerum anatomia quarto loco ſpectanda eſt.1°.*de ana.adm*. 1ª.64.B
Viſcerum interiorum mulierum, & virorum compago, & lineatio vna. de nat.& ord.cuiusl.corp. Sp.42.B
Viſcera in auibus habent proportionē ad carnē.3°.*de alim.fac*. 2ª.29.E
Viſcera ex carne plurima conſtant.11°.*de ſimp.me.fac*. 5ª.77.F
Viſcerū caro parenchyma cur vocetur.11°.*de ſimp.me.fa*.5ª. 77.F/14°.*meth.med*.7ª.87.B/*de part.art.med*. Sp.17.A
Viſcerum carnes nutriunt ſanguine parū alterato.3°.*de nat.fa*. 1ª.308.B
Viſcera alia à corde habent inter vaſcula concreti ſanguinis ſubſtantiā. de bo.& vit.ſuc. 2ª.135.F
ad *Viſcera, ventrem, renes, iecur, lienē, & perueniunt nerui à cerebro prima, tertia, & ſexta coniugatione.de ner.diſſ*. 1ª.54.D
Viſcera quæ habent neruos à cerebro.16°.*de vſu par*. 1ª.215.E
Viſceribus ſuggeruntur nerui à cerebro.16°.*de vſu par*. 1ª.215.E
in *Viſcera oīa diſpēſant nerui ſimili diſtributione*.1°.*de ſem*. 1ª.332.C
Viſcera omnia ſentiunt ſolum, & non habent motum voluntarium. 16°.*de vſu partium*. 1ª.214.H
Viſcus nullum habet motum voluntarium, ſed bene aliquem ſenſum.9°.*de vſu partium*. 1ª.174.G
Viſcera meatus amplos habent.5°.*de ſimp.medicamen.fac*. 5ª.35.B
Viſcera & vaſa totius corporis non ſunt intemperāter replenda, et quare.de cucur.ſcar. 6ª.3.H
Viſcera non deprauata habentes à craſſis, & glutinoſis ſuccis non læduntur.de bon.& vitio ſuc. 2ª.36.B
Viſcera dulci delectantur, & id attendunt. de vict.rat.in morb.acutis, commentario.3°. 7ª.127.G
Viſceribus diſplicent aſperantia, & amara. de victus rat.in morb.acu. commentario.4°. 7ª.127.G
Viſcera frigida generant paucam bilem.com.2°.*aph*.20°. Ex.14.F
Viſceris cænoſa excrementa lien expurgat.de fœt.for. 1ª.324.H
Viſceri debilitas accreſcet, vbi neq; ſplen bene expurgauerit, & ille qui in hepate continetur ſanguis multum limoſæ ſuperfluitatis habuerit. commen.4°.*aph*.21°. Ex.29.D
Viſcera pręcipue agitantur equitantibus, & ſalientibus. 2°.*de ſanitate tuenda*. 2ª.75.C
Viſcera ſub ſepto quibus concutiantur.2°.*de ſan.tu*. 2ª.75.C
in *Viſceribus quid faciat ſomnus.in* 6^m.*de mor.vul.com*.5°. 3ª.190.H
Viſcera in ſomnis exercitantur.in 6^m.*de morbis vul.com*.5°. 3ª.190.H
ad *Viſcera trahitur materia in ſomnis, ideo habetur ex ſomno nocumētum, ſed habetur inde maius iuuamentum, quia materia cōcoquitur. com*.4°.*aph*.67°. Ex.34.F
Viſcus vnum quidam habent intemperatum alij autem plura, & ita de alijs partibus.1°.*de ſan.tuen*. 2ª.64.H
Viſcera ſuſpenſa quibus.de vict. rat. in mor. acu.c.2°. 7ª.120.G
ad *Viſcerum ſuſpenſionē valet acetū ſcillinū.de med.fac.par*. 7ª.178.C
Viſcerum inflatio quo modo curetur.14°.*meth.me*. 7ª.88.E
ad *Viſcera ꝑtingere frigiditatē non eſt ſalubre*.10°.*meth.me*. 7ª.66.C
Viſcera obſtruunt vina craſſa dulcia nigra.5°.*de ſani. tuen*. 2ª.91.C
Viſcerum obſtructiones faciunt pauci motus.1°.*de ſan.tuen*. 2ª.65.F
Viſcera obſtruunt exercitationes à cibo vehementes.de ſal.diæ. 2ª.41.B
Viſcera obſtructa ob comeſtionē anhelando factam.de ſal.diæ. 2ª.41.H
Viſcerum dolores potiſſimum in Iecinore incidunt à cibo exercitati, & balneati.de ſal.diæ. 2ª.43.C
Viſcera ſentiunt dolorem in febribus acutis vehemētibus propter ſiccitatem, & eſt ſignum malum.com.4°.*aph*.66°. Ex.34.E
Viſcerum dolores, aut propter inflammationem, aut propter heryſipelas, aut propter fortem obſtructionem, aut propter aliquem abſceſſum.com.4°.*aph*.66°. Ex.34.E
Viſcera quibus dolent quid agendum.de ſal.diæ. 2ª.43.C
in *Viſcerū dolore nihil aptius eſt phlebotomia.de cura icteri*.Sp.110.G
ad *Viſcerum dolores*. 8°.*de compoſitione medicamentorum ſecundum loc*.193.B/9°. 5ª.201.A
in *Viſceribus phlegmonem inchoantem augent cibi dulces.de bonit.& vitio ſuccorum*. 2ª.36.E
in *Viſcerum inflammationibus magnis accidit frigus partium extremarum.com*.7°.*aph*.1°.54.A/*aph*.26°. Ex.55.G
Viſcera peruruntur à calore inflammationum trahente ſanguinem ex toto corpore ad ſe.com.7°.*aph*.1°. Ex.54.A
Viſcus totum occupans inflammatio facit carentiam anhelitus. commētario 4°.*aphoriſmo*.34°. Ex.31.E
Viſcerum inflammationes faciunt tumores inguinum periculoſos. commentar. 4°.*aphoriſmo* 55°. Ex.33.E
Viſcerum inflammatio, vel durus tumor in putridis febribus pulſum durum faciunt.1°.*de diff.feb*. 3ª.34.C
Viſcera hecticas, & maraſmos faciunt.10°.*meth.me*. 7ª.64.F
ex *Viſcerum omnium phlegmone exit aliquid*.13°.*meth.me*. 7ª.84.H
ad *Viſceris inflammatione præcordia indurata*. 6°.*de compoſi.medicamen.per gene*. 5ª.263.B
ad *Viſcerum ſcirrhoſos affectus*.7°.*de comp.med.per gen*. 5ª.271.G
ad *Viſcerum induratas affectiones*.10°.*de comp.med.ſec.loc*.5ª.207.G
Viſcerū abſceſſus īdigēt medicamētis ex aromatis.14°.*met.m*.7ª.90.E
ad *Viſcerum abſceſſum medicamenta*.14°.*meth.met*. 7ª.90.F
ad *Viſcera, & caput vergentes ſuccos reuellunt acria medicamēta brachijs, & manibus impoſita.de hiru.reuul*.2.E.*de cuc.ſcar*. 6ª.4.G
Viſceris cuiuſpiam fibra quando ob vehementiores caſus aut afflictationes exciderit, hæc ægritudo ad ſitus, & figuræ variationem pertinebit.de cau.mor. 3ª.9.E
Viſceris fibra aut aliquod alterum quod exierit introducitur propter omentum.com.6°.*aph*.58°. Ex.53.F
Viſcerum ægritudinibus quid conferat.ſecr. Sp.100.F
Viſcera ſub ſepto quo modo expurgentur.3°.*de ſan.tuen*. 2ª.77.C
VISCERVM *infarctus expurgandi vim habet Agaricum*. 6°.*de ſimplic. medicament.facul*. 5ª.41.E
Viſcerum obſtructiones extergit Carpeſium. 7°.*de ſimplicium medicamento.facul*. 5ª.50.C
Viſcerum obſtructiones purgat Chamedrys.8°.*de ſimp.me.fac*. 5ª.63.E
Viſcera expurgat abſtergitq; Chamæpitys.8°.*de ſimp.me.fac*. 5ª.63.F
Viſcera omnia expurgat Dracunculi radix.6°.*de ſimp.me.fa*. 5ª.46.C
Viſcera, & ventrem purgat Elaterium.de ſimp.me. Sp.83.G
Viſceribus vtiliſſimus eſt Elleborus niger.de dyn. Sp.21.A
Viſceribus ſub Hypochondrijs gratum Lini ſemen. 3°.*de ſimplicium medicamen.facul*. 5ª.18.H
Viſcerum obſtructiones expurgat Pelecinus.6°.*de ſim.me.fac*.5ª.48.B
Viſcera omnia obſtructione liberat Polium.8°.*de ſimp.me.fa*. 5ª.59.A
Viſcera obſtructione liberat Scandix.8°.*de ſimp.me.fac*. 5ª.60.G
Viſcera expurgat, & calfacit Scordion.8°.*de ſimp.med.fac*. 5ª.60.H
Viſcerum obſtructiones diſiicit Siſon.8°.*de ſimpli.med.fac*. 5ª.60.F
Viſcera, & totum corpus roborat Stæchas.8°.*de ſimp.me.fac*. 5ª.61.C
Viſceribus omnibus valet Terebinthina 5°.*de ſan.tuen*. 2ª.92.F
Viſcera expurgat thymum epotum.6°.*de ſimp.me.fac*. 5ª.48.E
Viſcera vngenda, & emplaſtranda in quartanis. 1°.*de arte curatiua ad Glauconem*. 7ª.97.G
Viſceribus omnibus cur abſtinendum.de atten.vic. 2ª.45.E
VISIBILIVM *qualitatum habemus nomina*.2°.*de lo.aff*. 4ª.12.E
Viſibilis qualitas calida, & ſicca eſt, & cur.de comp.memb. Sp.58.C
Viſibilis qualitas vnde adueniat oculis.de comp.memb. Sp.58.C
Viſibilis vis eſt in primo humore oculi, qui eſt aqua luciditſſima.de compag.membrorum. Sp.58.C
Viſibilem ſpūm ſeruās neruus cur ꝓpinquior cerebro.de ocul. 7ª.185.A
Viſibile nihil ignē priuatum eſt.7°.*de decr.Hipp*. 1ª.271.H
VISIO *quid ſit*.1°.*meth.me*. 7ª.6.C
Viſio ſunt illæ lineæ tenuiſſimæ à re viſa ad pupillā.10°.*de vſu*. 1ª.182.D
Viſio apud ſtoicos quæ.9°.*de decr.Hippo*. 1ª.286.B
Viſio cuius ſit opus.7°.*meth.me*. 7ª.43.D
Viſio quomodo fiat.10°.*de vſu partium*.1ª.182.B/*de oculis*.7ª.184.D/ *de hiſt.philo*. Sp.7.H
Viſio quomodo fiat ſecundum Chryſippum.de hiſt.phil. Sp.9.E
Viſio in ſpeculis quomodo fiat.7°. *de decre.Hipp*. 1ª.272.C
in *Viſione Ariſtotelē reprehendit Galenus*.7°.*de decr.Hip*. 1ª.272.C
Viſio per rectas lineas.10°.*de vſu par*. 1ª.182.D
Viſio à longo differt à propinqua.de cuiuſque animi peccatorum notitia atque medela. 2ª.59.D
Viſionis primum inſtrumentum eſt chryſtallinus humor. 1°.*methodi medendi*. 7ª.6.D

ad *Viſionem quid faciat cornea ante pupillam ſecundum ſuā diſpoſitionem.1°.de ſympto.cauſis.* 3ª.15.C
Viſio quæ percipiat.7°.de decretis Hippoc. 1ª.272.E
Viſionis diuerſitatis cauſa.de hiſt.phil. Sp.7.H
Viſionem eſſe certam probant fila impoſita per tenuiſſimas acus, & pili.10°.de vſu par. 1ª.183.C
Viſio mala vnde proueniat.1°.de ſymp.cau. 3ª.14.C
VISITATIONE *prima omnia febrium genera cognouit Galenus.2°.de criſi.* 4ª.133.G
VISIVVS *ſpiritus vnde naſcatur.de ocul.* 7ª.184.E
Viſiui ſpiritus iunguntur oculo.de ocul. 7ª.184.G
Viſiuus ſpiritus per quas partes tendat.de ana.ocul. Sp.57.D
Viſiuus ſpiritus gaudet colore cyaneo.de ana.ocu. Sp.57.E
Viſiuorum neruorum origo.7°.de decr.Hip. 1ª.269.H
Viſiui nerui imbecillitas duplex.de ocul. 7ª.186.B
Viſiui ſpiritus accidentia.de ocul. 7ª.186.D
VISORIA *vis læditur à valde ſtupefacientibus.commenta.6°.aphoriſmo 21°.* Ex.49.E
Viſorij ſpiritus qui.in progn.com.1°. 4ª.194.E
Viſorij nerui proprietates.7°.de decr.Hip. 1ª.270.G
Viſorius neruus omnium maximus.7°.de decre.Hip. 1ª.270.G
VISVALIS *conus quantus.7°.de decr.Hippoc.* 1ª.270.B
VISA *eminus quomodo ſint.3°.de dign.pul.* 4ª.80.B
Viſa ſimilia Suffuſioni quo modo fiant.in progn.com.1°. 4ª.194.F
Viſa in ſuffuſis, & viſa ex vaporibus ad caput ſunt diuerſa.1°.de locis affectis. 4ª.6.G
Viſa tenebricoſa vt in ſuffuſionibus.in progn.com.3°. 4ª.210.F
Viſa cur in phreniticis varia.4°.de loc.aff. 4ª.22.F
quæ *Viſa robur ſuum oſtendunt.de theriaca ad Piſ.* 5ª.93.G
præter *Viſa quidam nihil intelligunt.de frac.com.3°.* 7ª.247.A
VISVS *quid.ſin.med.Iſa.45.B/de hiſt.phil.* Sp.9.H
Viſus oculorum actio eſt.1°.meth.me. 7ª.6.B
Viſus eſt primus ſenſus, & qualis ſit.de ocul. 7ª.183.G
Viſus quinto gradu additur cum natura incedit à plantis ad animal.2°.de ſemine. 1ª.339.G
Viſus tractatio exigit mathematicā ſpeculationē.10°.de vſu. 1ª.182.A
de *Viſu demonſtrationes.7°.de decr.Hipp.* 1ª.271.B
Viſus quomodo fiat.in progn.com.1°. 4ª.194.E
Viſus qualiter oculis adueniat.de compag.memb. Sp.58.C
Viſus quomodo fiat ſecundum Platonem.7°.de decr.Hip. 1ª.271.D
Viſus inſtrumentum quale apud Platonem.7°.de dec.Hippoc. 1ª.271.C
Viſus quomodo fiat an recipiendo, vel emittendo.7°.de decretis Hippocratis, & Plat. 1ª.270.D
Viſus fit extra mittendo.7°.de dec.Hippo. 1ª.267.E
Viſus miniſtri qui ſint.de ocul. 7ª.186.B
Viſus inſtrumentum quod ſit.de ocul. 7ª.186.B
Viſus inſtrumentum oculus.de inſtr.odor. 1ª.111.E
Viſui deſeruiunt particulæ oculi.1°.de ſymp.cau. 3ª.14.C
Viſus inſtrumentum eſt chryſtallinus humor.2°.meth.me. 7ª.12.G
Viſus principaliſſimum inſtrumentum humor Cryſtallinus.8°.de vſu partium. 1ª.167.A
Viſus fit in chriſtallino humore.de ocul. 7ª.182.F
Viſus quòd ſit in chryſtallino humore probatur.de ocul. 7ª.182.G
Viſus fit in pelliculis oculi non in chryſtallino.de vtil.reſp. Sp.63.D
Viſui deſeruientes humiditates, quales.de ana.viu. Sp.44.F
Viſus fit per pupillam.7°.de decr.Hippocratis. 1ª.270.D
ad *Viſum quo modo ſe habeat aer vt inſtrumentū ſicut neruus ad alios ſenſus.7°.de decr.Hippocra.* 1ª.272.D
Viſus non fit per circunfuſum aerem, quaſi per baculum vt ſtoici dicebant.7°.de decr.Hippocratis. 1ª.272.E
Viſus vtitur aere non tanquam baculo.7°.de decr.Hippocrat. 1ª.271.B
Viſus reſpectu aer eſt, vt neruus in corpore.7°.de decr. 1ª.270.D
Viſus præcipua pars in neruis ſenſificis.10°.de vſu par. 1ª.179.A
Viſus neruus qualis.7°.de decr.Hip.& Plat. 1ª.270.F
Viſus vis deſcendit per neruos concauos.de ocul. 7ª.186.B
Viſus ſpiritus.3°.de decr.Hippocratis. 1ª.255.G
Viſum quē faciat ſpūs multus humidus in oculo.1°.de ſymp.cau. 3ª.15.C
Viſus ſenſoria quæ.1°.de ſimp.me.fac. 5ª.8.F
Viſus ſenſorium quale eſſe debet, & quomodo à cerebro ad ipſum tranſmittitur.8°.de vſu par. 1ª.167.E
Viſus quomodo ingrediatur cerebrum.8°.de vſu par. 1ª.167.F
Viſu quæ cognoſcantur.16°.de vſu par. 1ª.215.C
Viſus quid primo ſentiat, & quid ſecundo.de ocul. 7ª.185.A
Viſus accedit ad rem videndam.de ocul. 7ª.185.A
Viſus cur ſentiat ſolus formam corporis, & quantitatem, & motum.de oculis. 7ª.185.A
Viſus magnitudinem, & formam percipit.7°.de decr.Hip. 1ª.271.A
Viſus ſitum, & diſtantiam diſcernit, quod alij ſenſus non faciunt.7°.de decr.Hippocr. 1ª.271.A
à *Viſu qualitates dijudicatæ.2°.de loc.aff.* 4ª.10.A
Viſus qualitates q̄ depēdēt à primis qualitatib⁹.de na.hu.c.1°. 7ª.28.H
Viſus pathema, & paſſiones quæ.de ſymp.diff. 3ª.10.C
Viſus proprium ſenſibile color.7°.de decre.Hip.& Pla. 1ª.271.A
Viſus poſt colorem cognoſcit coloratum.7°.de decr.Hip. 1ª.271.A
Viſus, & tact⁹ pbāt de calce, & de roſa qualitates.de th.ad P. 5ª.90.E
Viſus rem humidam iudicat.2°.de temp. 1ª.18.B
Viſus ſenſus ſplendoris.1°.de ſymp.cau. 3ª.17.C
Viſus inſtrumentum habet ſpiritum ſplendidum à cerebro affluentem.16°.de vſu par. 1ª.215.D
Viſus inſtrumentum lucidum.7°.de decr.Hip. 1ª.271.B
Viſus inſtrumentum cur lucidum.7°.de decr.Hipp. 1ª.272.A
Viſus inſtrumentum ſplendidum.1°.de ſymp.cau. 3ª.17.A
Viſus inſtrumentum non poteſt in offenſe ſplendidam lucem tolerare.1°.de ſympto.cau. 3ª.14.F
Viſus corrumpitur magno ſplendore.1°.de ſymp.cau. 3ª.16.H
Viſus cur igneus dicatur.de ocul. 7ª.185.B
Viſum qui colores conſolentur.1°.de ſymp.cau. 3ª.14.F
Viſui iucundus eſt cæruleus color.1°.de ſymp.cau. 3ª.17.A/B
Viſum cur delectat fuſcum.1°.de ſymp.cau. 3ª.17.A
Viſui cur inimicum ſit album, & ſplendens.1°.de ſymp.cau. 3ª.17.A
Viſum contriſtat album & cur.1°.de ſymp.cau. 3ª.17.A
Viſus pictoribus offenditur, quando in albis pingunt, ideo cæruleum & fuſcum habent ante.9°.de vſu par. 1ª.178.H
Viſui non eſt iocundum nigrum, & cur.1°.de ſymp.cau. 3ª.17.A
Viſui minus obeſt nigerrimum quā ſplendidiſſimum.1°.de ſymp. 3ª.17.A
Viſui inimicus Sol.1°.de ſymp.cau. 3ª.17.A
Viſum cur ſol offendat.1°.de ſymp.cau. 3ª.17.B
vt *Viſui tenebræ ita ſilentium auditui ſimile.1°.de ſymp.cau.* 3ª.17.C
in *Viſu quomodo voluptas, & an intenſa.1°.de ſymp.cau.* 3ª.17.C
in *Viſu dolor quo modo ſit, & an intenſus.1°.de ſymp.cau.* 3ª.17.C
Viſus eſt ſenſus certiſſimus, & quid habeat proprij.16°.de vſu. 1ª.215.C
Viſus, & tactus magis exprimunt rem, quam aliqua oratio.12°.de vſu partium. 1ª.195.B
Viſu ſolum aut tactu quæ cognoſcuntur, verbis accurrate doceri nō poſſunt.7°.de anat.adm. 1ª.95.G
à *Viſu tactus deductus non fallitur.10°.de vſu par.* 1ª.183.C
Viſus mouet imaginationē, rōcinationē, et memoriā.8°.de vſu. 1ª.167.E
Viſu, & phantaſia immutantur res.de ther.ad Piſ. 5ª.94.E
Viſus cæteris ſenſibus eſt acutior, & ſubtilior.de ocul. 7ª.185.A
Viſuum diuerſitates ob materias deſcendentes in vuea.de ocu. 7ª.186.D
Viſus acutiſſimus quibus.1°.de ſymp.cau. 3ª.14.D
Viſum perfectiſſimum habent aliqui qui videntur ſuffuſi.1°.de ſymptomatum cauſis. 3ª.15.C
Viſus ſynceriſſimus videt exigua quæ à ventriculo aſcendunt.1°.de locis affectis. 4ª.8.B
Viſus excellētia pſpicitur exēplo granorū milij.16°.de vſu. 1ª.215.C
Viſus debilitate oculi piſcium non diſcernunt inter colores medios.de anatomia viuorum. Sp.49.B
de *Viſum effugientibus morbis agit Galenus libro de locis affectis.6°.de locis affectis.* 4ª.37.B
VISVS *qui crebro mouetur ſignificat inſaniam.in prognoſt.commentario 1°.* 4ª.195.H
Viſus laborat in equitante.2°.de ſan.tuen. 2ª.75.C
Viſus quibus cauſis obtenebretur.1°.de ſymp.cau. 3ª.15.D
Viſus offuſcationis curatio.4°.de comp.me.ſe.lo. 5ª.158.C
Viſui quo modo humiditas nocet.de ocul. 7ª.186.E
Viſui quomodo ſiccitas obſit.de ocul. 7ª.186.E
Viſui conferentiū partiū morbi & ſymptomata.1°.de ſymp. 3ª.14.C
Viſum quem faciat cornea ſpiſſior, & craſſior.1°.de ſymp.cau. 3ª.15.C
Viſum quem faciat cornea humidior.1°.de ſymp.cau. 3ª.15.C
Viſum impediunt corneæ morbi magni.1°.de ſymp.cau. 3ª.15.D
Viſum quomodo impedire poteſt cornea tunica.1°.de ſymp.cau. 3ª.14.D
Viſui quomodo obſit cornea perforata.de ocul. 7ª.186.E
Viſum tollit cornea rugata.1°.de ſymp.cau. 3ª.15.D

Viſui cur

Viſui cur duplicia quandoque omnia videntur.1°.de ſymp.cau. 3ª.14.C
Viſus non impeditus rhagoide procidente.1°.de ſymp.cau. 3ª.14.D
Viſus læditur læſo humore albugineo.de ana.viu. Sp.48.E
Viſus prauitas.1°.de ſymp.cau. 3ª.16.B
Viſus amiſſus cur.4°.de lo.aff. 4ª.21.H
Viſus quomodo repente deſtruitur in vertigine, & cur.commentar. 4°. aphoriſmo 17°. Ex.29.A
Viſui qui non ſunt perſpicaces ob quid.1°.de ſymp.cau. 3ª.14.H
Viſus caliginoſus cur fiat ab auſtro.com.3°.aph.5°. Ex.20.C
Viſus obſcurior quo modo fiat.4°.de lo.aff. 4ª.21.H
Viſus cur hebes in ſenibus.com.3°.aph.31°. Ex.26.H
Viſus hebetudo ex quibus.1°.de ſymp.cau. 3ª.15.C
Viſum integrum, & inculpatum hebetat lens.1°.de alim.fac. 2ª.13.E
Viſus hebetior oſtendit futuram ęgritudinem.ars med. Iſa.67.G
ex *Viſu ſigna futuræ ægritudinis.ars med.* Iſa.67.G
Viſus quare futurus acutior.10°.de vſu par. 1ª.184.A
Viſum acutiſſimum reddit aſpidis exuuium.de ther.ad Piſ. 5 .93.F
Viſus hebetudini ab humorum craſſitudine medetur cedrea.7°.de ſimp. medicamen.fac. 5ª.50.E
Viſus hebetudinem à craſſitie natam adiuuat chameſyce. 8°.de ſimplic. medicament.facul. 5ª.63.G
ad *Viſum acuendū cōmodum eſt chelidoniū.8°.de ſimp.me.fac.* 5ª.63.G
Viſum non acuit ſanguis crocodili terreſtris, vt fertur . 10°.de ſimpliciū medicament.facul. 5ª.73.D
ad *Viſum acuendum cinis hirundinum.11°.de ſimp.me.fac.* 5ª.82.B
Viſum acuit fel hyenæ.de ther.ad Piſ. 5ª.93.F
Viſum exacuens collyrium.4°.de comp.me.ſec.lo. 5ª.156.D
Viſum exacuens compoſitio.4°.de compo.med.ſec.loc.152.H/ 5ª.153.A
ad *Viſum mire exacuendum.de med.fac.par.* 7ª.170.C
ad *Viſum acuendum.4°.de compo.medica.ſecun.lo.152.H/5ª.156.D/ de med.fac.par.* 7ª.170.E
ad *Viſus hebetudinem collyrium.4°.de comp.me.ſe.l.156.F/* 5ª.157.A
ad *Viſum hebetem.4°.de compoſit.medic. ſecun.loc.157.B/5ª.161.H/de med.facil.par.* 7ª.170.E
Viſus obtuſus.1°.de ſymp.cau. 3ª.16.B
ad *Viſum obtuſum hieracium.4°.de comp.med.ſec.loc.* 5ª.156.F
ad *Viſus omnem obtuſionē collyriū.4°.de comp.med.ſec.loc.* 5ª.157.A
ad *Viſum obtuſum.4°.de compo.medica. ſecun. loc.152.G/* 5ª.161.H
ad *Viſus obſcuritatem.de rem.par.fac.* 7ª.156.H
Viſus clarificandi pręſidia.de dyn. Sp.24.H
Viſum quid abſtergat.ſecr. Sp.101.F
VITA *actio animæ.de vtil.reſp.* 1ª.223.C
Vita nihil prius in animali.9°.meth.me. 7ª.59.F
Vita in calido, & humido conſiſtit.de anat.viu. Sp.50.F
Vitam ſtabilem ac firmam habent animæ.de ſper. Sp.38.A
ad *Vitam partes propriæ quæ.fin.med.* Iſa.45.E
ad *Vitam partes commodæ.fin.med.* Iſa.45.E
Vita noſtra tribus regitur facultatibus.5°.de decr.Hippo. 1ª.258.E
ad *Vitam partes conferentes ſunt principes.6°.de vſu par.* 1ª.150.B
ad *Vitam cerebri officium quale.7°.meth.med.* 7ª.49.C
Vitæ totius principium cor.13°.de vſu par. 1ª.202.E
in *Vitam ſpiritualem mutatur ſpiritus à corde.de ſper.* Sp.37.F
Vita cordis quæ.de anat.viu. Sp.53.A
ad *Vitam arteria principalior eſt ſtomacho. 16°.de vſu par.* 1ª.218.H
Vitam hepati, & renibus defert materia quæ à corde ad ipſa dirigitur. de anat.viuo. Sp.51.C
ad *Vitam refertur reſpiratio.de vtil.reſp.* 1ª.223.B
à *Vita ſpiratio ſeparari nō pōt, nec vita à ſpiratiōe.6°.de lo.af.* 4ª.39.E
Vitæ maxima cauſa eſt ignis.com.1°.aph.14°. Ex.7.D/E
ad *Vitam neceſſaria eſt appetentia.com.6°.aph.3°.* Ex.46.F
VITAE *genus conſiderandum . in 1m.de morbis vulgaribus, commentario 2°.* 3ª.108.E
Vitę ſtudia debent ſciri ſecundum empiricos.de ſect. Iſa.16.D
Vitæ genus optimum deligendum eſt.de cogn.cur.animi mor. 2ª.53.E
Vitæ ratio quid ſit.3°.de ſymp.cau. 3ª.25.B
Vitæ inſtituta quæ.in 1m.de mor.vul.c.2°. 3ª.17.F
Vita in actionibus voluntarijs conſiſtit.de mot.man.& obſc. Sp.67.F
in *Vitæ gn̄ibus quod ſit ſimplex, & inculpatū.2°.de ſan.tuen.* 2ª.69.C
ſecundum *Vitæ conditionem habet medium ſibi temperatum vnus homo.3°.de alim.facul.* 2ª.33.D
Vita optima quæ.in 6m.de mor.vul.com.5°. 3ª.188.D
Vita optima eſt ſecundum virtutem viuere.de hiſt.phil. Sp.2.H
in *Vita quid magis ſpectandum.in oratione ſuaſ.* Iſa.3.E
ad *Vitæ actiōes exēpla dedere Hippocrat.& Plat.9°.de dec.* 1ª.280.D
ad *Vitā pficiēdā natura ī pueris plurimū pōt.de cog.cur.aī m.* 2ª.53.H
ad *Vitam beatam cynica philoſophia eſt iter ſecundum aliquos . de cuiuſ.animi pec.atq; med.* 2ª.57.D
Vitæ humanæ parū cōfert diſputatio de natura rerū.de hiſt.phil. Sp.2.C
Vitæ humanæ conferunt moralia.de hiſt.phil. Sp.2.C
Vita Pyrrhonis ſceptici.de ſubſ.emp. Iſa.34.D
Vita Empirici.de ſubfi.emp. Iſa.34.C
de *Vitæ fine opinio falſa multorum peccatorum eſt cauſa.de cuiuſq; animi pec.not.atque med.* 2ª.57.H
Vitæ finis qui.de cuiuſque animi pec.not.atq; med. 2ª.56.E
Vitæ temperantia intemperati facti temperati.2°.de ſani. tuen. 2ª.73.G
Vita praua quæ.in 6m.de mor.vul.com.5°. 3ª.188.E
Vita quibus ſit magis ſana, & quibus non.com.6°.aph.2°. Ex.46.E
Vitæ rationis errores.3°.de ſymp.cau. 3ª.25.B
Vita mollior cauſa præcedens pulſus mollis.1°.de præſ.ex pul. 4ª.109.D
Vita otioſa, & omni labore vacans cauſa eſt humidarum ægritudinum. de cauſ.morb. 3ª.8.A
in *Vita otioſa quam crapulæ comitantur fiunt quotidianæ febres. 2°.de differen.feb.* 3ª.36.D
Vitam otioſam & inertem agentes, vitent cibos craſſi, & lenti ſucci.de bo.& vit.ſuc. 2ª.35.A
Vita diuitum quæ.in progn.com.2°. 4ª.198.H
Vitam viuere quam πεϱισατικὸν vocant ideſt afflictum, & calamitoſum vitæ genus.de ſal.diæ. 2ª.39.H
Vita dura.3°.de diff.pul. 4ª.63.F
à *Vitæ inſtituto, & à victus ratione colligitur ex tempore proportio. in 1m. de morbis uulgaribus, commentario 1°.* 3ª.103.E
Vitæ ſtudia indicant.de ſectis. Iſa.16.E
Vitæ inſtituta dant præſagia.in 1m.de mor.vul.com.2°. 3ª.117.F
Vita tota humana reqrit ad pulſuū cognitionē.1°.de dign.pulſ. 4ª.70.E
Vitæ ſortes alterant pulſus.de vſu pul. 1ª.229.E
Vitæ inſtituta conferunt euacuationibus dignoſcendis.commentario 4°. aphoriſmo.2°. Ex.27.E
Vita hominis quomodo ſit breuis.commen.1°.aph.1°. Ex.2.C
Vita vnius hōis rē vnā non inuenit.de cuiuſ.aī pec.not.atq; me. 2ª.58.F
pro *Vita omnia fiunt.9°.meth.me.* 7ª.59.G
Vitam ſeruare quid ſit.9°.meth.me. 7ª.58.H
Vitę cuſtodia communis finis.9°.meth.me. 7ª.59.A
Vitam tuetur quod fit pro ſanitate tuenda.9°.meth.me. 7ª.59.A
Vitam quæ artes per accidens ſeruant.ad Thraſ. 2ª.104.C
Vitam non cuſtodiunt ægritudines diſcutientia.9°.meth.me. 7ª.59.A
Vita longa quo modo procuranda.de med.fac.par. 7ª.178.B
Vitam longam promittit Theriaca.de vſu Theria.ad Pamph. 5ª.98.C
Vita Britannorum eſt annorum centum viginti.de hiſt.phil. Sp.12.B
Vita Aethiopum eſt annorum ſexaginta.de hiſt.phil. Sp.12.B
Vita proroganda eſt vbi ſanitas introduci nō pōt.5°.meth.met. 7ª.35.F
Vita deſpicienda ſui & liberorū pro ſalute patriæ.4°.de decre. 1ª.249.E
de *Vita, & morte qualiter iudicandum. com.2°.aph.33°.* Ex.17.B
Vitę diſcrimen ægro quando affert Saturnus.de decub.prog. Sp.12.F
ad *Vitam & omne opus animæ diſſolutio eſt maximum malum.commēta.3°.aphoriſmo 17°.* Ex.23.F
ad *Vitæ functiones cenſetur inutilis qui corporis partes mouere nō poteſt.3°.de loc.aff.* 4ª.21.B
Vita aufertur ablata ſanguinis generatione.6°.de decr.Hipp. 1ª.264.G
ad *Vitam cuſtodiendam à beluis.de med.fac.par.* 7ª.175.B
VITALIS *virtus, ſiue facultas vocatur vis animalis.9°.methodi medendi.* 7ª.58.H
Vitalis vis quæ.de ocul. 7ª.185.E
Vitalis facultas libera eſt.de trem.palp. 3ª.61.D
Vitalis vis eſt in ſanguinem habentibus.4°.de præſ.ex pul. 4ª.122.C
Vitalis ſanguinis, & nutrimētalis quæ differētia ſit.de ana.vi. Sp.53.A
Vitalem vim nō habent oſtreæ, & ſtirpes.4°.de præſ.ex pulſ. 4ª.122.C
Vitalis vis vnde ſit, & quō cognoſcat̄.1°.de ar.cur.ad Gla. 7ª.99.G
Vitalis vis quomodo cognoſcatur.4°.de præſ.ex pulſ. 4ª.121.H
Vitalis virtus influit à corde ad cætera membra.de anat.viu. Sp.50.F
Vitales virtutes, & operationes naturales reducendæ ſunt ad vnū principium.de anat.viu. Sp.45.G
à *Vitali vi fit pulſus.4°.de præſ.ex pul.* 4ª.122.C
Vitalis vis quid excernat per pulſus.4°.de præſag.ex pul. 4ª.122.C
Vitalis facultas quid indicet.de vict. ra. in mor. acu.c.1°. 7ª.115.C
Vitalis po-

Vitalis potentia ex corde qñ robuſta.in 6^{m}.de mor.vul.cõ.1°. 3ª.154.G
Vitali & voluntaria facultate potior eſt ad febres vis cõcoctrix. 11°.*methodi medendi.* 7ª.70.A
*Vitalis facultatis emorientis ſigna.in 3^{m}.de mor.vul.com.*1°. 3ª.132.G
Vitalis roboris exolutione & ventris leuitate multa tremor fit. de tremore & palp. 3ª.52.H
Vitale robur excitat frictio.5°.de ſan.tuen. 2ª.89.F
VITALIS *calor incipit à corde.de ana.viu.* Sp.47.A
Vitalis calor qui eſt in corde nutritur à ſanguine pingui, & vnctuoſo.de vtilitate reſpiratio. Sp.62.C
Vitalis calor indiget nutrimento,nõ reſpiratione.de vtil.reſp. Sp.64.B
Vitalis calor quomodo dupliciter extinguitur.de vtil.reſp. Sp.62.D
*Vitalis caloris flos in quibus ſit extinctus.*1°.*de diff.feb.* 3ª.34.F
ex VITALIBVS *organis principaliſſimis ſunt arteriæ.de vtilitate reſpirationis.* 5ª.225.H
*Vitalis principij anguſtia facit anhelitus carentiam . commentario.*4°.*aphoriſmo.*34°. Ex.31.B
VITALIS *ſpiritus dicitur ſpiritus cordis.de vir.noſt.cor.* Sp.60.B
Vitalis ſpiritus vbi oriatur.2°.de decre.Hip. 1ª.240.F
Vitalis ſpiritus vbi ſit.de ana.viu. Sp.56.C
Vitalis ſpiritus in arterijs.7°.de decr.Hip. 1ª.269.E
Vitalis ſpiritus in arterijs,& corde gignitur.7°.de decr.Hip. 1ª.269.E
Vitalis ſpiritus intendit generationem cordis.de ana.vi. Sp.51.H
Vitalis ſpiritus quando fiat,& ad quem finem.de ana.vi. Sp.51.H
Vitalis ſpiritus ex qua materia fiat.7°.de decr.Hip. 1ª.269.E
*Vitalis ſpiritus in arterijs,& corde generatur,& habet materiam, inſpirationem,& vaporem humorum.de virt.noſt.corp.diſp.*Sp.60.C
ex Vitali ſpiritu elaborato fit ſpiritus animalis.de vir.noſt. Sp.60.C
Vitalis ſpiritus propria materia ſpũs animalis.8°.de vſu par. 1ª.172.E
*Vitali ſpiritu plenum eſſe ſinum ſpiritus aſſerit Eraſiſtratus.*1°.*de decre. Hippocratis.* 1ª.232.A
*Vitali ſpiritu ſemen plenum.*1°.*de ſemine.* 1ª.330.E
*Vitali ſpiritu oẽs aĩalis partes nimio coitu priuãtur.*1°.*de ſemi.* 1ª.335.D
Vitalis ſpiritus excretio facit exolutionem,& animi defectum.commẽtario 7°.aphor.8°. Ex.54.E
VITALIS *actio qua arteriæ,& cor pulſant.de na.hu.c.2°.* 1ª.182.F
Vitales motus.de trem.palp. 3ª.51.D
Vitales motus ſunt ab arterijs & corde.de trem.& palp. 3ª.51.D
in Vitalibus non poteſt voluntas.de trem.palp. 3ª.58.F
VITELLINA *bilis vnde efficiatur.2°.de nat.fac.* 1ª.301.G
Vitellina bilis quomodo tranſeat in atram.2°.de nat.fac. 1ª.295.C
VITELLVS *oui extrinſecus illinitus paregoricus,vel ſtypticus inuenitur.de ſimp.med.* Sp.88.E
Vitella ouorum facilius coquuntur quàm albumina. 1°.*de arte curatiua ad Glauconem.* 7ª.97.D
*Vitella ouorũ danda in tertiana pro cibo.*1°.*de art.cur.ad Gla.* 7ª.97.D
*Vitellorum ouorum aſſorum,& elixorum differentia.*11°.*de ſimplic. medicament.facul.* 5ª.81.E
Vitellis ouorum aſſatorum vtitur.5°.de compo.medica.per ge. 5ª.251.G
*Vitella ouorum emplaſtris de meliloto miſcent.*11°.*de ſimp.me.f.*5ª.81.E
Vitellus ouorum miſcetur cataplaſmatis phlegmonem extinguentibus. 11°.*de ſimp.me.fac.* 5ª.81.E
VITAE *ligna cremat.de reme.par.fac.* 7ª.164.H
VITEX *calidus eſt & ſiccus in tertio ordine.6°.de ſimplicium medicamento.facul.* 5ª.40.H
Vitex eſt multum tenuis ſubſtantiæ.6°.de ſimp.me.fa. 5ª.40.H
Vitex guſtu acris eſt & adſtringens.6°.de ſimp.me.fac. 5ª.40.H
Vitex menſes cit.6°.de ſimp.me.fac. 5ª.41.B
Vitex induratas partes digerit.6°.de ſimplic.me.fa. 5ª.41.B
Vitex flatus ventris diſcutit.6°.de ſimp.medicamen.facul. 5ª.41.A
Vitex flatus diſcutit ſuper omnia.6°.de ſimp.me.fa. 5ª.41.A
Viticis germina omnium præſtantiſſima.2°.de alim.fac. 2ª.24.C
Viticis aſparagi ſtomacho accommodati.de attenuante vict. 2ª.44.D
Viticis aſparagi auſteri ſunt,& adſtringentes.de atten.vict. 2ª.44.D
Viticis turiones ſeruantur in aceto vel muria pro appetentia . 2°.de alimentorum facul. 2ª.22.C
Viticis folia moderate frigida.2°.de compoſi.medica.ſec.lo. 5ª.136.F
Viticis folia cohibent venerem.6°.de ſimp.me.fac.40.H| 5ª.41.A
Viticẽ cur mulieres in ſacris Cereris ſternãt.6°.de ſim.me. fa. 5ª.41.A
*Viticis ſemen eſt frigidũ & ſiccũ,& eius vſus.*1°.*de alim.fac.* 2ª.15.F
*Viticis ſemen creditur appetitus venereos inhibere.*1°.*de ali.fa.* 2ª.15.F
Viticis ſemen manſum capitis dolorẽ facit.6°.de ſimp.me.fac. 5ª.40.H
Viticis ſemen vitandum in capitis dolore à ſtomacho . 2°.de compoſitio. medicamentorum ſecundum locos. 5ª.137.A
Viticis ſemen eſt acopum.6°.de ſimpli.medica.facultatib. 5ª.41.B
Viticis ſemine quomodo laſſitudo ſanetur.6°.de ſimp.me.fac. 5ª.41.B
Viticis ſemen Iecur,& lienem induratam, & obſtructam ſanat. 6°.de ſimp.med.fac. 5ª.41.B
*Viticis ſemen frictũ editur cum tragematis.6°.de ſimp.me.fa.*5ª. 40.H
*Vitici ſimile eſt cannabis ſemen.*1°.*de alim.fac.* 2ª.15.F
inter Viticem,& laurum ſunt populi folia. 2°.de compoſit.medicamentorum ſec.loc. 5ª.136.F
VITILIGINOSI *ſunt non natura.fin.med.* Iſa.45.E
VITILIGINES *inter morbos euidentes numerant. de dif.mor.*3ª.3.D
Vitiligines quid ſint,& quomodo fiant, & cur vere . commentario 3°. aphoriſmo 20°. Ex.24.B
Vitiligo qui morbus ſit,& quomodo differat ab ophiaſi,alopecia, ptiloſi,myrmecia,leuce,ſphacclo,elephante,ſcabie,& lepra, & quomodo curandus.14°.meth.me. 7ª.92.C
Vitiliginum generatio vnde.3°.de ſymp.cau. 3ª.26.D
Vitiligines ſunt toto genere præter naturam.de diff.mor. 3ª.4.F
*Vitiligo quomodo fiat.*1°.*de nat.fac.* 1ª.292.F
Vitiligines fiunt ex commiſtis humoribus.de cau.morb. 3ª.8.B
in Vitiligine mutantur color.de ſymp.diff. 3ª.13.B
Vitiligo alba quæ.intro. Iſa.57.G
*Vitiligo alba qualis.*1°.*de comp.me.ſe.lo.* 5ª.121.D
Vitiligo nigra quæ.intro. Iſa.57.G
*Vitiligo docet differre aſſimilationẽ & adhærẽtiã.*1°.*de na.fa.* 1ª.292.F
Vitiligine an ſit affectus laſſitudine laborans percontandum eſt.4°.de ſanitate tuenda. 2ª.83.B
Vitiliginem,& ephelin expurgat Aliſſon.6°.de ſimp.me.fac. 5ª.42.D
Vitiligines detergunt radix,& ſemen Althee.6°.de ſim.me.f. 5ª 46.F
Vitiligines ſanat radix Anchuſæ onochleæ cum aceto. 6°.de ſimpl.medicamen.facul. 5ª.41.D
*Vitiligines detrahit capparis radicis cortex.7°.de ſimp.me.fa.*5ª.49.H
ad Vitiligines adhibetur Chamæleon.8°.de ſimplic.medi.fac. 5ª.63.F
Vitiliginem cum aceto expurgat Dracunculi radix. 6°.de ſimpliciũ medicamen.facul. 5ª.46.D
Vitiligines exterguntur radice Liliorum cum melle. 7°. de ſimplic.medicamen.facult. 5ª.53.B
Vitiligines iuuat Lupinas.6°.de ſimp.me.fac. 5ª.48.D
Vitiligines albas iuuat Rubiæ radix.6°.de ſimpli.med.facu. 5ª.47.F
*ad Vitiligines ſepiarum teſtæ.*11°.*de ſim.me.fac.* 5ª.81.A
*Vitiliginem tollit Stercus crocodilorum terreſtrium.*10°.*de ſimp.medicamen.facul.* 5ª.77.H
*ad Vitiligines ſtercus ouillum.*10°.*de ſimp.me.fac.* 5ª.76.H
Vitiliginem vtranq; ſanat Telephium.8°.de ſimp.me.fac. 5ª.62.D
ad Vitiligines oculorum.de remed.par.fac. 7ª.156.G
VITIOSVM *quid ſit.de ſymp.diff.* 3ª.12.C
Vitioſa ſunt plurima.6°.de ſan.tuen. 2ª.95.D
Vitioſi cibi cupiditas quibus accidat.6°.de ſan.tuen. 2ª.98.F
Vitioſum accumulant aliqui ex vitioſo victu diebus feſtis.6°.de ſanitate tuenda. 2ª.98.A
Vitioſa corpora ſunt in duplici differentia.6°.de ſan.tuen. 2ª.95.C
Vitioſum corpus à quibus cauſis cito offendatur.de opt.noſtri. 1ª.38.D
Vitioſos humores habentes quomodo curandi.6°.de ſan.tu. 2ª.97.D
Vitioſorum humorum medicamenta ſunt alteratio,& euacuatio. 4°.de ſanitate tuenda. 2ª.83.A
Vitioſi ſucci non æque educuntur ex vna parte vt ex alia.4°.de ſanitate tuenda. 2ª.83.A
ad Vitioſos humores.8°.de comp.med.ſec.loc. 5ª.195.B
VITIS *quid,& eius vires.de ſimp.med.* Sp.92.B
Vitis quam terram deſideret.9°.de ſimp.me.fac. 5ª.64.F
Vitis ad alia loca mutata diuerſum facit vinum.3°.de ſymp.ca. 3ª.26.E
Vitis neglecta,aut nullum,aut malum fructum gignit.de cognoſcendis curan.animi mor. 2ª.54.B
Vitis culta eſt imbecillior agreſti.6°.de ſimp.med.fac. 5ª.42.F
Vites qui putat exercetur,& operatur.2°.de ſan.tuen. 2ª.73.G
Vitis finis,& bonum idem.ad Thraſ. 2ª.103.E
*Vitis bonitas in quo conſiſtat.*1°.*de temp.* 1ª.13.D
in Vitis ligno leuiſſimam tranſmutationem habuit vinum aquoſum, & leuiſſimam elementi terrei permiſtionem . de victus ratio.in morbis acutis,commentario.3°. 7ª.128.H
in Vite valde coctum eſt vinum vinoſum. de victus ratio. in mor.acutis, commen-

tis, commentario 3°. 7ª.129.A
Vitium vermes ſcnipæ dicuntur.9°.de ſimpl.med.fac. 5ª.66.E
Vitium anulis conſternebant pauimenta cum herbis frigidis indigebāt. 1°.de ar.cur.ad Glau. 7ª.99.B
Vitiū capreoli ſternēdi in cubiculo febricitātium.10°.met. me. 7ª.64.E
Vitium capreoli adhibendi in Herpete exedente. 2°.de arte curatiua ad Glauconem. 7ª.102.B
Vitis fructus acinus.2°.de alim.fac. 2ª.16.C
Vitis ſemen γιγαρτον.2°.de alim.fac. 2ª.16.C
Vitis germina omnium præſtantiſſima.2°.de alim.fac. 2ª.24.C
Vitis folia adſtringunt & reprimunt.de reme.par.fac. 7ª.156.D
Vitis folia ſternenda ad refrigerandum.de remed.par.fac. 7ª.153.E
Vitis folia oculis ex rheumate dolentibus pſunt.de ſimp.med.Sp.92.A
Vitis botrus infundit, & procurat ventrem.de ſimp.med. Sp.92.A
Vitis frigida pro capite.2°.de compoſitio.medicamen ſecun.loc.5ª.132.H
Vitis frigida. in 6m.de morb.uulgaribus, com.4°. 3ª.182.C
Vitis decoctum adſtringit.4°.meth.me. 7ª.28.H
Vitis Aminæ fructus acerbus tantum.4°.de ſimp.med.fac. 5ª.26.F
Vitis aminææ vinum acerbum tantum.4°.de ſimp.med.fa. 5ª.26.F
Vites aminææ.6°.de comp.me.ſe.loc. 5ª.171.E
VITIS ſylueſtris à quo Oenanthe vocata.13°.meth.me. 7ª.83.H
ex Vitium œnanthe aqua.de vic.ratio.in mor.acu.cō.4°. 7ª.149.B
Vitis agreſtis quæ.2°.de alim.fac. 2ª.21.H
Vitis agreſtis racemi extergunt.6°.de ſim.me.fac. 5ª.42.F
Vitis agreſtis germina adſtringunt.6°.de ſimp.me.fa. 5ª.42.F
Vitis agreſtis germina ſale condiri ſolent.6°.de ſimp.med.fac. 5ª.42.F
Vitis agreſtis extergit ephelis, & neuos.6°.de ſimp.me.fac. 5ª.42.F
VITIS alba dicitur per relationem.an qualit.in corp.ſint. Iſa.10.B
Vitis albæ aſparagi ſtomachum iuuant.de atten.vic. 2ª.44.D
Vitis albæ germina ſtomacho grata ſunt ob adſtrictionem. 6°.de ſimplicium medicamentorum facultat. 5ª.42.F
Vitis albæ germina ſubamara, ſubacriaq;.6°.de ſimp.med.fa. 5ª.42.F
Vitis alba vrinam modice cit.6°.de ſimp.me.fac. 5ª.42.F
Vitis albæ radix adſtringentem, & deſiccantem vim habet, & moderate calidam.6°.de ſimp.me.fa. 5ª.42.F
Vitis albæ radix lienes induratos ſanat, & pſoram atque lepram. 6°.de ſimp.medic.fac. 5ª.42.F
Vitis albæ radix poteſt ſumi pro roſmarino.4°.de ſan.tuen. 2ª.87.B
Vitis albæ fructus pro corijs denſandis.6°.de ſimp.me.fa. 5ª.42.F
Vitis albæ fit mentio.5°.de comp.med.ſec.lo. 5ª.159.G
VITIS naſca.de dynam. Sp.24.B
VITIA quæ.14°.meth.med. 7ª.93.B
Vitis non ſunt naturalia animæ ſm Andronicum.de ſper. Sp.40.D
Vitiorū genera eadem ſunt his quæ virtutē perficiūt.ars med. Iſa.62.H
de Vitijs, & moribus ſenex conſulendus eſt.de cog.cu.aī mor. 2ª.53.G
de Vitijs cur amicos non reprehendimus.de cog.cur.ani.mo. 2ª.51.B
Vitijs affectus non debet terreri, quin fieri poſſit probus. de cognoſcendis cur.animi morbis. 2ª.51.E
Vitium vnum ſolum ignorantia ſm Galenum.7°.de decr. 1ª.268.E
Vitia abolent ſtudia & diſciplinæ.φ animi mor. 1ª.321.B
Vitia abolet educatio.φ animi mor. 1ª.321.B
Vitia functionum ſunt ſymptomata communi nomine.2°.metho.7ª.9.H
Vitia circa aures, & ceruicē interdū ob pituitā oriūtur.de dy. Sp.19.H
Vitia aquæ remouentur per ebulitionem.de bon.aquæ. Sp.75.D
Vitia renum quibus vrinis ſignificentur.de vrin.ſign.ex Hip. Sp.78.H
ad Vitia antiqua quibus vtendum.de remed.par.fac. 7ª.154.H
ad Vitia recentia quibus vtendum.de remed.par.fac. 7ª.154.H
de VITREO, & criſtallino humore.10°.de vſu par. 1ª.178.B
Vitreus humor oculi.de ocul. 7ª.182.G
Vitreus humor.7°.de decre.Hippocratis. 1ª.270.G
Vitreus humor eſt pars ſimilaris.1°.meth.me. 7ª.6.D
Vitreus oculi humor vbi.de anat.par. Sp.43.D
Vitreus humor vbi in oculo.de ocul. 7ª.183.A
Vitreus humor eſt poſt cryſtallinū, & vnde, et quare.de anato.Sp.48.D
Vitreus humor qualis.10°.de vſu par.1ª.177.F/3°.de loc.aff. 4ª.18.A
Vitreus humor qualis, & è quo ſit ſanguine.de ocul. 7ª.182.B
Vitreus humor à quo accipitur.10°.de vſu par. 1ª.177.F
Vitreus humor à quo nutriatur.10°.de vſu par. 1ª.177.G
Vitreus humor cui, & per quæ vnitus.10°.de vſu par. 1ª.178.G
Vitreum humorem qui nerui circuunt.de ner.diſſ. 1ª.53.D
Vitreum humorem tunicæ continentis natura.10°.de vſu par. 1ª.179.B
Vitrei humoris officium.7°.de decretis Hippoc. 1ª.270.H
Vitreus humor in quo deſeruiat chryſtallino.de ocul. 7ª.182.H
Vitreus humor ſe habet ad chryſtallinum in comparatione ſtomachi ad hepar.de ana.viu. Sp.48.D
VITREVS ſuccus qui vocetur à Praxagora.4°.de ſan.tu. 2ª.84.B
Vitreus humor qui à Praxagora.2°.de diff.feb.37. E/ de inæq.intempe. 44.F/in 6m.de mor.vul.com.2°.3ª.167.C/2°.de lo.aff.9.D/1°.de præſag.ex pulſi. 4ª.107.F
Vitreus ſuccus qui ſecundum Praxagoram, & Philotimum.1°.de ſymptomatum cauſis. 3ª.18.F
Vitreus humor qui ſecundum Philotimum.1°.de alim.fac. 2ª.12.A
Vitreus humor frigidiſſimus omnium humorū.in 1m.prr.cō.1°.4ª.168.F
Vitreus humor frigidiſſimus cur ita dictus.2°.de lo.aff. 4ª.9.D
Vitreus humor dolores facit.1°.de loc.aff. 4ª.4.B
Vitreus humor qui, & quos faciat dolores.in 1m.prorr.cō.1°. 4ª.168.F
Vitreus humor dolorem vehementem parit.12°.meth.me. 7ª.80.A
ex Vitreo humore rigor.de inæq.intemp. 3ª.44.F
Vitreæ ſint cucurbitulæ in quibus ſanguinis vacuationem cōſiderare eſt opus.de cucur.ſcarif. 6ª.3.D
Vitrea Pixis.7°.de comp.me.ſec.lo.186.A/7°.de cōp.me.p g.5ª.274.F
Vitreum vas craſſum.7°.de compo.me.per gene. 5ª.274.G
Vitreum vas.2°.de comp.me.ſec.loc.139.C/3°.143.D/144.A/5°.160.F/7°.179.E/180.E/181.G/H/182.A/185.E/F/9°.203.A/ 4°.de compoſi. med.per genera.243.H/244.A/7°.269.G/273.A/5°.274. F/ de medic.fac.par.169.D/ 7ª.174.D
Vitreum vinum.7°.de comp.med.per gen. 5ª.274.C
VITRIOLVM quomodo fiat, quid ſit, & eius vires.de ſimp. Sp.79.G
Vitriolum.de med.fac.par. 7ª.163.D
VITRVM in terra reperitur.9°.de ſimp.med.fac. 5ª.66.D
Vitrum in arena inuenitur.9°.de ſimpli.med.fac. 5ª.66.D
Vitrum congelatur.1°.de ſimp.med.fa. 5ª.5.B
Vitro nihil fraudolenter admiſceri poteſt.1°.de anti. 5ª.104.D
Vitrum quale.9°.de ſim.me.fac. 5ª.67.D
vt Vitrum eſt tenuis humor oculi.de compag.memb. Sp.58.C
Vitrum ſecando alterat.3°.de ſimp.me.fa. 5ª.17.D
Vitrum vſtum incidens eſt minus calidum.5°.de ſimp.me.fac. 5ª.35.E
Vitrum vſtum bene vrinam prouocat.5°.de ſimp.me.fa. 5ª.35.E
Vitrum combuſtum lapidem patenter frangit.de ren.aff.dig. 7ª.196.D
Vitrū vſtū pro vlceribus exſiccandis.4°.de comp.med.per ge.5ª.236.G
VITVLINA caro eſt in magno vſu.2°.de alim.fac. 2ª.16.B
Vitulina caro tertio loco probus cibus.de bon.& vit.ſuc. 2ª.37.C
VITVLINVS adeps taurino minus calidus.11°.de ſimplicium medicamentorum facul. 5ª.79.E
Vitulinus adeps vlcerū ora īdurata emollit.4°.de cō. me.p g.5ª.240.A
Vitulinus adeps mouet pus.5°.de ſim.me.fa. 5ª.34.B
pro Vitulino adipe ſuillus antiquus.4°.de comp.med.per ge. 5ª.239.E
VITVLINA medulla qualis.5°.de ſimpl.med.fac. 5ª.34.E
Vitulina medulla poſt ceruinam optima.11°.de ſimp.me.fac. 5ª.79.E
Vitulina medulla minus efficax ceruina, efficacior caprina. de ſimplicib. medicamin. Sp.87.D
Vitulina medulla mollificat.2°.de ar. curat. ad Glau. 7ª.104.A
Vitulina medulla emollit modice.5°.de ſimp.me.fa. 5ª.34.E
Vitulina medulla mollitiua eſt, & in quo gradu.de ocul. 7ª.188.D
Vitulina medulla molliendo digerit.14°.meth.med. 7ª.87.H
ex Vitulina medulla peſſi vterum mollientes.11°.de ſim.me.fa.5ª.79.E
Vitulina medulla vlceris caua indurata emollit. 2°.de compoſi.medica. per genera. 5ª.220.B
Vitulina medulla quomodo miſcenda medicamentis.4°.de compoſi.medicamento.per gen. 5ª.237.H
Vitulina medulla.3°.de comp.me.per gen. 5ª.234.A
VITVLINVM ſeuum, & caprinum indifferenter accipit. 5°.de compoſi.medicamen.per gene. 5ª.249.E
Vitulinum ſeuum mollit, & concoquit. 2°.de compoſitione medicamentorum per genera. 5ª.221.D
Vitulinum ſeuum curatum.4°.de comp.med.per gen. 5ª.243.H
Vitulinum ſeuum.2°.de comp.medicamen.per gen. 5ª.225.G
VITVLVS cornu petit priuſquam cornua produxerit. de fœtuum formatione. 1ª.325.E
Vituli ſunt natura ſicciores.de bo.& vit.ſuc. 2ª.35.H
Vituli habent carnes præſtantiores bobus ad conficiendum.3°.de alimentorum facultatibus. 2ª.52.H
Vituli caro velocius digeritur quàm caro bouis.de diff.cont. Sp.73.C
Vituli caro bonum generat chymum, & craſſum.de diff.cont. Sp.73.H

VITVLVS marinus habet multum ſanguinem, & reſpirat in aere miro modo.6°.de vſu par. 1ª.150.H
Vituli marini carnes ſalſæ faciunt humorem melancholicum. 3°.de locis affectis. 4ª.18.F
Vituli marini pingue.7°.de compo.medica.per ge. 5ª.270.H
pro Vituli marini pingui, medulla cerui vetuſtiſſima vti poſſumus.7°. de comp.medi.per gen. 5ª.270.H
VITVPERATIO maxima eſt pugnare aduerſus euidentia.aduer.empir.med. Iſa.35.C
Vituperabat apparentia Democritus.aduer.emp.med. Iſa.25.C
VIVENDI principium cor.1°.de ſemine. 1ª.334.C
bene Viuendi principium teſtes.1°.de ſem. 1ª.334.C
Viuendi ratio ſignificat aliquando ſolum cibum, & potum. de natu.humana.commentario.2°. 7ª.182.B
Viuendi omnis ratio delicatior eſt cauſa humidarum ægritudinũ. de cauſis morborum. 3ª.7.H
Viuendi rationem idoneam, q̃nque expetit æger.de faſcijs. 7ª.293.C
Viuendi ratio inducit colicam.ars med. Iſa.61.C
à Viuendi ratione contraria conſeruatur ſanitas. in 1^{m}.de morbis vulgaribus, commentario.1°. 3ª.101.A
ad Viuendum partes neceſſariæ quę.14°.de vſu par. 1ª.204.C
ad Viuendum commodius partes quæ.14°.de vſu par. 1ª.204.C
VIVENTEM non ſpirare, & ſpirantem non viuere, eſt impoſſibile. 6°. de locis affectis. 4ª.39.E
Viuens quandiu fuerit victima reſpirat, vocem emittit, & currit. 2°.de decre.Hippocratis. 1ª.237.A
Viuẽte aĩali difflatio, expiratio, et iſpiratio fit ſemp.in Tim.Pl.1ª.289.C
Viuentia ſolum augentur.2°.de nat.fac. 1ª.297.H
Viuente animali capitis anatome.7°.de decr.Hip. 1ª.269.B
Viuentia maraſmum pati poſſunt.de marc. 3ª.45.C
Viuentibus cur duræ partes.de marc. 3ª.46.C
Viuentes ſuo iure ſunt bellicoſiores.de aere, aq.& loc. 2ª.6.C
Viuentibus laus multorum prodeſt, mortuis nihil prodeſt. 7°.methodi medendi. 7ª.43.B
VIVERE tantum tria dicuntur, animalia, plantæ, & ſemina. de marc. 3ª.45.C
Viuunt fructus propter ſemina.de marc. 3ª.45.C
Viuant cur ſeptimeſtres partus.de hiſt.phil.11.C/de cõp.memb.Sp.59.G
Viuere cur non poſſit infans octauo menſe editus.de cõp.mẽb. Sp.59.G
Viuere poteſt per multos dies bibens minus.de trem.palp. 3ª.60.B
Viuere non poteſt nec per minimam partem diei reſpirans minus.de tremore & palpitatione. 3ª.60.B
Viuant cur aĩalia quædam ſine pulmone, & corde.de vtil.reſp. Sp.63.B
Viuit aĩal læſo cerebro, et iecore, corde nõ affecto.5°.de lo.aff. 4ª.28.H
Viuit dum animal cor in vtriſq; ſinibus ſanguine repletum eſt. 9°.de decre.Hipp.& Plat. 1ª.231.F
Viuimus ex viribus.9°.meth.me. 7ª.59.E
Viuere qui recte volunt, temperiem cerebri debent ſeruare. de virt.noſtrum corp.diſpenſ. Sp.60.C
Viuat vt diu, qui optima ſit natura fieri poteſt.1°.de ſan.tuen. 2ª.67.E
Viuunt diutius qui ſpiſſum corpus hñt, q̃ qui rarũ.de hiſt.phil. Sp.12.B
Viuere neſciunt quidam ſine medicamentis.1°.de præſ.ex pul. 4ª.105.B
ex VIVI radice ſolet aliquid pullulare.de cogn.cur.aĩ mor. 2ª.53.H
Viui anatomiam præcedit anatomia mortui.9°.de anat.adm. 1ª.103.H
Viui animantis ſectio.7°.de anat.adm.97.D/ 1ª.98.B
in Viuo animali tres modi ſecandi.7°.de anat.adm. 1ª.97.G
in Viui anatomia quid videatur.9°.de anat.adm. 7ª.103.H
Viuum corpus nunquã habet ἀσφυξίαν.1°.de præſa.ex pul.4ª.106.A
Viuorum more iacere non poſſe, peſſimum.de trem.& palp. 3ª.51.H
VIVVM ſimpliciter ſignificat calcẽ.4°. de cõp.me.per gene. 5ª.239.G
VIX curabiles non ſunt purgandi.de dyna. Sp.20.F
VLCERATIONEM afferunt exaſperantes cauſæ.de cauſis morborum. 3ª.9.C
Vlceratio in oculo quid.fin.med. Iſa.48.D
Vlcerationes oculorum affectus.fin.med. Iſa.48.D
Vlcerationem in oculis differentiæ.fin.med. Iſa.48.D
Vlcerationi oris confert ſuccus centaureę.de virt.cent. Sp.93.C
Vlcerationis intrinſecę oris remedium.de dyna. Sp.25.C
ad Vlcerationes narium confert ſuccus centaureę.de vir.cent.Sp.93.C
Vlceratio non fit in bronchio quin animal prius moriatur. 1°.de locis affectis. 4ª.2.C
Vlceratio cur fiat in pulmone ſine animalis morte.1°.de lo.aff. 4ª.2.C
Vlceratio facit vrinæ difficultatem.com.7°.aph.48°. Ex.57.H
Vlcerationes ani mitigat ſuccus centaureæ.de vir.cent. Sp.93.E
ad Vlcerationem tibiarum remedium.de dyna. Sp.30.A
ad Vlcerationes valet Lycium.7°.de ſimp.me.fac. 5ª.54.G
ad Vlcerationes, & ſuppurationes in profundo. 7°.de compoſitio.medicamentorum ſecundum locos. 5ª.182.A
Vlcerationẽ habẽtes cancri an debeãt curari.com.6°.aph.38°. Ex.50.E
VLCERATA, & inflammata membra quomodo patiantur quatuor ægritudines.de diff.morb. 3ª.5.F
Vlcerata cutis eſt rarior.com.5°.aph.20°. Ex.39.B
Vlceratæ partes quibus cognoſcantur.4°.meth.me. 7ª.29.B
Vlcerata pars plures requirit facultates.4°.de cõp.me.per g. 5ª.239.H
Vlcerata quibus indigeant.9°.de compoſi.medica.ſec.lo. 5ª.205.H
Vlceratum corpus ſanatur ſimilibus.2°.de comp.med.per ge.5ª.220.A
Vlcerata, frigore præſertim, ſanantur calido.cõ.5°.aph.22°. Ex.39.E
Vlcerata caro fit mollis, & fluuida ſi aqua calida perfundatur.1°.de ſimplic.medicamen.facult. 5ª.3.F
Vlceratæ particulę ex cauſtico medicamento horrent, rigent, & febricitant.2°.de ſymp.cau. 3ª.22.E
Vlceratus balneo abſtineat.4°.de comp.med.per ge. 5ª.237.D
Vlceratorum tuberculorum medicamenta quæ. in 6^{m}.de morb.vulgaribus, commentario 2°. 3ª.160.H
Vlceratę arteriæ curatio.5°.meth.me. 7ª.32.C
Vlcerata arteria quòd non poſſit coaleſcere.5°.meth.med. 7ª.32.B
in Vlcerato capite porci adeps, & roſaceum.de reme.par.fa.7ª.154.H
in Vlcerata aure proceſſus curationis ſm Galenũ.5°.met.me. 7ª.34.A
Vlcerata nare quid agendum.5°.meth.med. 7ª.34.B
Vlceratis gingiuis prodeſt ſuccus centaureæ.de vir.cent. Sp.93.C
Vlcerata gula quomodo curanda.4°.meth.med. 7ª.28.G
ad Vlcerata vbera.de paſſ.mul. Sp.96.L
Vlceratus ventriculus quomodo curandus.4°.meth.me. 7ª.28.G
ad Vlceratas perniones.1°.de compo.med.per gen. 5ª.211.E
Vlcerati cancri, & non vlcerati quomodo curari debeant. commentar. 6°.aphoriſmo 38°. Ex.50.E
ſupra Vlceratum locum varices primo ſanande.4°.meth.me. 7ª.23.H
ad Vlceratas affectiones.10°.de comp.me.ſe.lo. 5ª.206.E
in Vlceratis per exeſum creſcit caro.com.6°.aph.19°. Ex.48.B
VLCERATVM ſenſum quomodo pręcedat, & quomodo ſequatur pruriginoſus ſenſus.2°.de lo.aff. 4ª.11.G
VLCERAT ficus arbor.8°.de ſim.me.fac. 5ª.61.F
VLCEROSA laſſitudo quæ.in 1^{m}.prorr.com.2°. 4ª.169.B
Vlceroſæ laſſitudinis affectus qui, & vnde oriat̃.4°.de ſan.tu. 2ª.82.F
Vlceroſus ſenſus qui.de mult. 3ª.79.F
Vlceroſus affectus laſſitudinis oritur à copia excremẽtorum tenuium, & acrium.3°.de ſan.tuen. 2ª.78.G
cum Vlceroſa laſſitudine crudorum humorum copia quomodo fiat, & quomodo curetur.4°.de ſan.tuen. 2ª.86.B
Vlceroſus affectus vnde proueniat.3°.de ſan.tuen. 2ª.78.G
Vlceroſę laſſitudinis cauſa quæ.4°.de ſanitate tuenda. 2ª.82.G
Vlceroſorum affectuum ſuccus qualis.2°.de ſymp.cau. 3ª.23.H
Vlceroſam laſſitudinem pariunt excrementa mordacia. 4°.de ſanitate tuenda. 2ª.82.H
Vlceroſam laſſitudinẽ excitãt celeres ac multi motus.3°.de ſa. 2ª.79.A
Vlceroſa laſſitudo in cauſo.de vic.rat.in mor.acu.c.3°. 7ª.134.F
Vlceroſa laſſitudo quid faciat.4°.de ſan.tuen. 2ª.82.F
in Vlceroſa laſſitudine alij fatentur inter mouendum dolore vlceris ritu, alij cutim tantum, alij etiam ſubiectã carnẽ.3°.de ſa.tu. 2ª.79.A
in Vlceroſa laſſitudine oriuntur horror & rigor.3°.de ſan.tu. 2ª.78.G
Vlceroſa diſpoſitio cauſa leuitatis inteſtinorũ.cõ.3°.aph.30°. Ex.26.F
Vlceroſa laſſitudo quomodo ſanetur.4°.de ſan.tuen. 2ª.83.B
Vlceroſę laſſitudinis cum copia crudorum humorum in toto corpore, curatio.4°.de ſan.tuen. 2ª.87.C
Vlceroſæ laſſitudinis victus ratio.3°.de ſani.tuen. 2ª.79.F
in Vlceroſa laſſitudine cibi glutinoſi prohibendi.3°.de ſan.tu. 2ª.79.G
Vlceroſi dolores qui.2°.de loc.aff. 4ª.11.D
Vlceroſi dolores ex nimijs exercitationibus.2°.de loc.aff. 4ª.11.D
Vlceroſus dolor quo humore fiat.2°.de loc.aff. 4ª.11.H
Vlceroſus dolor ad intima etiam extenditur.2°.de lo.aff. 4ª.11.G
Vlceroſa extergit balanus.6°.de ſimpl.medicamen.facul. 5ª.44.D
VLCVS nec locum affectum, nec cauſam repreſentat. 2°.methodi medendi. 7ª.9.E

Vlcus quid.de conſt.ar.Iſa.37.D/de inæq.intemp. 3ª.44.C
Vlcus quorum communis morbus.3°.meth.me. 7ª.18.F
Vlcus dicitur ſolutio continuitatis in carne.de differ.mor.3ª.5.D/3°.methodi med.16.C/4°. 7ª.23.B
Vlcus in carne.de cau.mor.3ª.9.F/de artic.com.2°. 7ª.267.F
in *Vlceris ratione comprehenditur caro.de fract.com.2°.* 7ª.230.H
Vlcus,& ruptio eſt in muſculis.6°.meth.me. 7ª.36.G
Vlcera ab aliquibus ſymptomata dicuntur.12°.meth.me. 7ª.74.F
Vlcus quomodo fiat.5°.de lo.aff. 4ª.32.E
Vlcera cur fiant vere,& quomodo.com.3°.aph.20°. Ex.24.B
Vlcera nonnunquàm comitantur eryſipelati. de diff.mor. 3ª.5.F
Vlcera habent magnam differentiã.4°.de comp.med.per gen. 5ª.240.G
Vlcerum differentiæ ſecundum antiquos.3°.meth.me. 7ª.19.E
Vlcera quomodo ſm Galenum differant.com.6°.aph.45°. Ex.51.F
Vlcerum omnium differentiæ,& nomina.com.6°.aph.45°. Ex.51.F
Vlceris differentiæ variæ.2°.meth.me. 7ª.9.F
Vlceris plures differentiæ.3°.meth.me. 7ª.22.B
ad *Vlcera duci poſſunt omnes morbi.de frac.com.3°.* 7ª.246.E
Vlcus quid ſignificet in Acuto.in prognoſt.Hipp.com.1°. 4ª.194.D
Vlcus Aequale.2°.meth.me. 7ª.9.F
Vlcus ęquale,& inæquale vnde ſumatur.3°.meth.med. 7ª.22.B
ad *Vlcus,quamuis Agreſte,mitius efficiendum.5°.de compoſitione medicamentorum per genera.* 5ª.245.H
Vlcera ſpecie Ambigua quæ.14°.meth.me. 7ª.90.G
Vlcera igni Ambuſta iuuat atramentum ſutorium.9°.de ſimplicium medicamento.facul. 5ª.70.B
Vlcera ambuſta curat coriorum veterũ cinis.11°.de ſim.me.fa. 5ª.80.F
ad *Vlcera ambuſta adhibentur Pilulæ platani.8°.de ſimp.medicamentorum facultatibus.* 5ª.58.G
ad *Vlcera ambuſta ſtercus ouillum.10°.de ſimp.me.fa.* 5ª.76.H
Vlcera quæcunq; Annua ſunt,aut etiã diuturniora, os abſcedere eſt neceſſarium,& cicatrices cauas fieri.com.6°.aph.45°. Ex.51.E
ad *Vlcera Antiqua valet ſuccus centaureæ.de virt.cent.* Sp.93.F
Vlcera Ani ſanat aloe.6°.de ſim.me.fac. 5ª.42.C
Vlcus Aperiſtaton.2°.de compoſi.medica.per genera. 5ª.218.E
ad *Vlcus Apertum quæ cõueniant.2°.de comp.med.per ge.* 5ª.220.C
Vlcus Arroſum.3°.meth.med. 7ª.22.E
Vlcus prope magnam Arteriam,aut venam bubones excitat.13°.methodi medendi. 7ª.81.A
Vlcus in aſpera arteria quomodo deprehẽdatur.4°.de lo.aff. 4ª.28.B
Vlcera aſperæ arteriæ cum pauco dolore.4°.de loc.aff. 4ª.28.B
Vlcus in aſpera arteria quomodo curandum.4°.meth.me. 7ª.29.A
Vlcera aſperæ arterię quando curanda.5°.meth.med. 7ª.34.E
Vlcera maligna Articulorum animi defectum inducunt.1°.de arte curatiua ad Glauconem. 7ª.98.G
Vlcus ab Atra bile incurabile eſt.de atra bile. 1ª.35.F
ad *Vlcera Auriũ quidã vtuntur ſuũ bile.10°.de ſimp.me.fa.* 5ª.74.H
Vlcera quæ ſunt in auribus ſanat ſuccus centaureæ.de vir.cen. Sp.93.C
Vlceribus aurium prodeſt Polygonon.8°.de ſimp.medic.fac. 5ª.58.H
ad *Vlcera auriũ diuturniora valet ſpõdylon.8°.de ſimp.me.fa.* 5ª.61.G
ad *Vlcera aurium,& ſedis.6°.de comp.med.ſe.lo.* 5ª.170.C
ad *Vlcera aurium,& naturalium.5°.de compo.med.per ge.* 5ª.248.D
ad *Vlcera in auribus,ac pudendo.7°.de comp.me.ſe.lo.* 5ª.180.A
Vlcera Balneatorum ſunt humida,ac mollia.1°.de ſimp.me.fa. 5ª.3.D
ob *Vlcus fit Bubo qui aliquando,vlcere curato,diutius infeſtat.2°.de locis affectis.* 4ª.14.C
Vlcus Cacochymon quod.3°.meth.me. 7ª.22.E
Vlcera κακοήθη quæ.4°.meth.me. 7ª.26.H
Vlcus cacoethe omne eſt cauum.4°.meth.me. 7ª.25.C
Vlcus cacoethes ex pruritu factum.4°.meth.me. 7ª.25.F
ex *Vlceribus quæ cacoethe, dicunt̃ dyſenteriæ. 3°.de ſymp.ca.* 3ª.27.E
Vlcera cacoethe prætumida.1°.de compo.medicamen.per gen. 5ª.217.D
Vlcera quæ cacoethe vocant cum melle ſanat, cicerum genus orobiæum appellatum.6°.de ſimp.med.fac. 5ª.47.E
ad *Vlcera cacoethe,& phagedænica adhibetur Petaſites. 8°.de ſimpl. medicamen.facul.* 5ª.58.C
Vlcera cacoethe,& nomode ſiue depaſcentia ſanat ſolanum manicum. 8°.de ſimp.me.fac. 5ª.62.H
ad *Vlcera cacoethe & putrida valet terra lemnia. 9°.de ſimplic.medicamen.facul.* 5ª.65.E
ad *Vlcera cacoethe.2°.de antid.119.G/1°.de comp.med.per gen.216.D/217.B/4°.240.D/6°.* 5ª.259.A
Vlcera Calida,& ſicca aqua potabili ſanantur.1°.de ſimplicium medicamento.facultatibus. 5ª.3.D
Vlcus Calloſum affectus totius corporis.intro. Iſa.59.D
ad *Vlcera calloſa.4°.de compoſi.med.per genera.* 5ª.241.B
de *Vlceribus calloſis.4°.de comp.med.per gen.* 5ª.242.H
ad *Vlcerum Callos.5°.de compo.me.per gene.* 5ª.250.F
ad *Vlcera quibus callus obduci non poteſt,& vetera. 4°.de compoſit. medicamentorum per genera.* 5ª.242.D
Vlcera Canceroſa.com.5°.aph.22°. Ex.39.D
Vlcera ad cicatricem perduci non poſſunt in cancris. commentario 6°: aphoriſmo 38°. Ex.50.F
Vlceribus cancroſis lac valet.10°.de ſimp.me.fa. 5ª.73.H
ad *Vlcera cancroſa idonea eſt pompholyx.9°.de ſimp.me.fac.* 5ª.70.H
ad *Vlcera cancroſa.4°.de comp.med.per gen.* 5ª.242.G
Vlcus à Cane rabido illatum quomodo tractãdum.de vir.cent. Sp.93.H
Vlcus canis rabidi quantũ debeat ꝑmanere apertũ.2°.de antid. 5ª.117.B
Vlceribus à mordente cane inflictis competit mutulorũ caro.11°.de ſimplic.medic.facul. 5ª.78.F
Vlcera in Capite naſcuntur ob pituitam.de dyn. Sp.19.G
de *Vlceribus manantibus capitis,& quid ſint.de rem.pa.fa.* 7ª.154.C
Vlcera Capitis manantia quæ.1°.de comp.me.ſe.lo. 5ª.128.G
ad *Vlcera capitis manantia, quæ achores à græcis appellantur. 2°.de comp.medicamen.per gene.* 5ª.224.E
Vlceribus capitis maxime prodeſt calor.com.5°.aph.22°. Ex.39.E
Vlceribus capitis cõfert ſectio venæ ſup cornu capitis.de anat. Sp.55.A
ad *Vlcera capitis.5°.de compoſi.med.per gen.* 5ª.251.F
ſuper *Vlcus Carbunculi medicamenta valida.14°.meth.me.* 7ª.90.B
Vlcera Carne implenda quo indigeant.2°.de comp.me.per ge. 5ª.218.G
Vlceri carnem apta ſunt inducere,quæ leuiter abſtergunt.9°.de ſim.medicamen.facul. 5ª.66.A
Vlceribus carne explendis cõmodior eſt ariſtolochia longa quàm rotunda.6°.de ſimp.me.fac. 5ª.43.E
Vlceris caro qualis eſſe debeat.4°.meth.med. 7ª.23.C
in *Vlceribus,in quibus caro redundat, fiunt augmenta. de differentiis morborum.* 3ª.5.B
Vlceris caro quando vlcerata, quid agendum.2°.de compoſitione medicamentorum per gene. 5ª.220.A
Vlcerum carnes humidas,& molles eliquat lana vſta, et in medicamen deſiccatorium inditur.11°.de ſimp.me.fac. 5ª.81.B
Vlcerum carnes ſupercreſcentes adſtringit, & exſiccat aloe, & æris ſquamma.de ther.ad Piſ. 5ª.90.H
Vlcus cum cauſa quando dicatur.3°.meth.me. 7ª.22.F
Vlcera in quibus deeſt cauſa.5°.meth.me. 7ª.30.C
in *Vlceribus quando manet cauſa qũo curandum.5°.meth.me.* 7ª.30.C
in *Vlcere quid habet rationẽ cauſæ ſine qua non.3°.met.me.* 7ª.21.H
Vlcus Cauum.2°.meth.me. 7ª.9.F
Vlcus cauum quomodo ab vlcere ſimpliciter differat.3°.meth. 7ª.19.A
in *Vlcere cauo duo conſideranda.3°.meth.med.* 7ª.17.G
Vlceri cauo quid agendum.de conſt.ar. Iſa.39.C
Vlcera caua cum phlegmone quomodo curanda.11°.meth.me. 7ª.70.G
in *Vlcere cauo citra phlegmonem quid agendum.2°.de compoſitio.medicamentorum per gene.* 5ª.22.D
Vlcus cauum ſordidum quomodo curetur,& vnde debeat incipere curatio.3°.meth.med. 7ª.21.G
Vlceri cauo quæ conueniant.2°.de comp.med.per gen. 5ª.218.G
Vlcus cum cauitate quo indigeat.3°.meth.me. 7ª.16.F
Vlcus cauum quomodo ſm Hippocratem ſanetur.3°.meth.me. 7ª.17.F
Vlcus cauum apertum quomodo curetur.2°.de com.me.per ge. 5ª.218.F
Vlceris caui aperti caſus.2°.de comp.me.per ge. 5ª.220.E
in *Vlcere cauo ſordido,quid habeat cauſæ rationẽ.3°.met.me.* 7ª.21.H
Vlceribus cauis quid vtendum.intro. Iſa.58.B
Vlcera caua quibus medicamentis curentur. in 6m.de morbis vulgaribus,commentario 2°. 3ª.160.H
Vlcera caua in ſummum indigent medicamento craſſo.2°.de compoſitione medicamento.per gen. 5ª.221.H
Vlcus cauum exſiccante, & expurgante medicamento indiget.3°.methodi medendi. 7ª.17.H
in *Vlcera caua imponebãtur medicamẽta cornu cui applicata erat porcina veſica,clyſteris modo.2°.de comp.med.per gen.* 5ª.221.G
in *Vlceribus cauis quæ carnẽ inducant.2°.de cõp.med.ꝑ gen.* 5ª.221.H
Vlcus cauum implet natura,non medicus.de conſt.ar.med. Iſa.39.E
Vlcera quibus explentur.4°.de compo.med.ſec.loc. 5ª.150.D

in Vlceribus cauis gñatur caro q̃ vr̃ germinare.c.6°.aph.19°.Ex.48.B
ad Vlcera caua,& carnis indigna.7°.de comp.me.per ge. 5ª.269.D
Vlceri cauo aduerſiſſimum eſt oleum.3°.meth.med. 7ª.17.A
in Vlcere cauo quando timor putredinis.3°.meth.med. 7ª.17.A
Vlcera caua indurata,quæ emolliant.2°.de comp.me.per ge. 5ª.220.B
Vlcera Chironia vnde habeant nomen.com.6°.aph.45°. Ex.51.E
Vlcera chironia quæ ſint.4°.de comp.med.per ge.237.G/ 5ª.239.D
in Vlceribus chironijs arida debent eſſe bene leuigata. 4°.de compoſit. medicamentorum per genera. 5ª.244.H
ad Vlcera chironia.4°.de compoſi.med.per gen.237.G/239.D/242.G/243.C/244.B/245.E/5°. 5ª.245.G
Vlcerum Cicatrices ab atra bile nigrę.2°.de nat.fac. 1ª.301.E
Vlcus ducere ad cicatricem quid ſit.3°.meth.me. 7ª.19.G
Vlcera quę debent ad cicatricē duci quę poſtulēt.5°.meth.me. 7ª.29.G
Vlcera q̃uo ad cicatricē perducantur.2°.de ar.cura. ad Gla. 7ª.106.F
Vlcus cum phlegmone q̃n ad cicatricem ducitur.3°.metho.me. 7ª.21.B
Vlceribus ſi illinatur balauſtium celerrime illa cicatricem contrahunt. 6°.de ſimp.me.fac. 5ª.44.F
Vlcera ad cicatricem ducit ſpina ægyptia.6°.de ſim.me.fac. 5ª.42.A
Vlcera ad cicatricem perducentia.6°.de compoſi.med.ſe.loc.175.D/10°. 207.G/2°.de comp.me.per gen. 5ª.223.D
ad Vlcera,quæ ad cicatricē veniunt.1°.de comp.me.per gen. 5ª.212.H
Vlcera cur cicatricem non inducunt.4°.de comp.med.per ge. 5ª.242.H
Vlcera difficulter cicatricem inducentia quibus indigeant. 4°.de compoſi.medicamen.per genera. 5ª.241.C
Vlcera,quæ ægre ad cicatricem duci poſſunt,ſanat aloe. 6°.de ſimpliciũ medicamen.facult. 5ª.42.C
Vlceribus,quę præ nimia humiditate cicatricem non admittunt, mirifice proſunt cyperi radices.7°.de ſim.me.fac. 5ª.53.H
Vlcera ægre ad cicatricem prouenientia curat leucoij decoctum cum cerato.7°.de ſimp.med.fac. 5ª.54.D
ad Vlcera ægre recipientia cicatricem.4°.de comp.med.ſec.loc.152.G/1°.de comp.me.per ge.211.C/215.F/2°.223.B/4°.242.G/243.A/244.B/D/5°.249.E/6°. 5ª.259.A
ad Vlcera in quocunq; corporis loco, quæ cicatricem ægre ducunt. 4°. de comp.med.per gen. 5ª.242.E
ad Vlcera claudenda,quæ cicatricem ægre ducunt,præſertim vbi calloſa & dura labra vlcus amplectant.6°.de comp.me.per ge. 5ª.259.B
Vlcera tm̃ relinquũt cicatrices cauas,q̃ta ipſa sũt.c.6°.ap.45°.Ex.51.G
Vlcerum cicatrices quare q̃nq; ſoluuntur.com.6°.aph.45°. Ex.51.F
ad Vlcera Circularia.4°.meth.med. 7ª.27.F
Vlcus quomodo Claudatur.5°.meth.me. 7ª.30.D
ad Vlcera quę nequaquã Coeunt.4°.de comp.me.per ge. 5ª.243.G
ad Vlcera Colli,mãmillarum,& dorſi.5°.de comp.med.p ge. 5ª.250.G
Vlceribus Contumacibus aptiſſimum eſt medicamen Chryſocolla. 9°.de ſimpl.medicamen.facul. 5ª.71.F
Vlcerũ contumacium,quę κακοηθῆ nuncupant optimum remedium eſt Dracunculus.6°.de ſimp.med.fac. 5ª.46.D
ad Vlcera contumacia valet lycium.7°.de ſimp.me.fac. 5ª.55.G
Vlceribus contumacibus remedium eſt Peucedani radix.8°.de ſimplic. medicament.facul. 5ª.58.D
ad Vlcera contumacia eſt vſus Polyidæ,& terræ lemniæ.9°.de ſimpl. medica.facultatib. 5ª.65.F
ad Vlcera contumacia vſus eſt Praſionis,Andronis, & Betini paſtillorum.9°.de ſimp.med.fac. 5ª.65.F
ad Vlcera contumacia valent ſquammæ ferri, & ſtomomatis. 9°. de ſimplic.medicamen.facul. 5ª.69.H
ad Vlcera contumacia.1°.de compo.medicamento.per gene. 5ª.216.D
Vlcera Contuſa non debent exiccari.4°.meth.med. 7ª.27.D
Vlcerum Conuulſiones vnde,& q̃uo ſanantur.com.5°.aph.21°. Ex.39.C
Vlcus Cruentum ab externis ſymptomatis.2°.meth.me. 7ª.9.G
Vlcera cruenta frigidis,& ſiccis ſanantur.6°.de ſimp.me.fac. 5ª.41.C
Vlcera cruenta ſanat graminis radix.6°.de ſimp.me.fac. 5ª.41.B
ad Vlcera cruenta non adeo magna glutinanda.2°.de compoſitio.medicamen.per genera. 5ª.220.F
Vlcerum cruentorum medicamentum.2°.de comp.me.per gen.5ª.219.B
ad Vlcera cruenta.1°.de comp.me.per genera.211.C/213.H/4°.243.A/244.B/5°.245.G/ 5ª.248.H
Vlcera in crure habentes non debent ſtare.de trem.& palpe. 5ª.51.H
Vlceribus crurium,colli,& poſteriorum capitis partium confert ſectio venarum poſt aures.de ana.viu. Sp.55.A
Vlcus cum cruſta quomodo fiat.2°.de arte cur.ad Gla. 7ª.101.C
Vlcerum cruſtæ cum ſanguine quandoq;.3°.de ſymp.cau. 3ª.28.B
Vlcus cruſtoſum affectus totius corporis.introd. Iſa.59.C
Vlcus cruſtoſum.14°.metho.medendi. 7ª.90.A
Vlceribus curatu difficilibus cicatricē īducēs.4°.de cõ.me.p g.5ª.241.B
ad Vlcera curatu difficillima concoquēda. 2°. de cõ.me.p gen.5ª.223.G
ad Vlcera curatu difficilia.2°.de comp.med.per gene.221.D/4°.237.G/243.B/D/E/244.B/5°. 5ª.251.F
Vlcus Cuti noſtræ molliuntur acria.4°.de ſimp.med.fac. 5ª.29.E
Vlcus ex materia defluēte ad cutim q̃uo ſanet.4°.meth.med. 7ª.24.D
Vlcera cutis à phlegmone tuetur aranei tela.11°.de ſim.me.fa. 5ª.80.F
ad Vlcera ſummæ cutis valent exiccantia ſine morſu,& in actiuis temperata.9°.de ſimp.med.fac. 5ª.66.A
ad Vlcera Dehiſcentia.5°. de compoſi.medicamen.per gene. 5ª.246.E
ad Vlcera vbi Deliria faciunt.4°.meth.me. 7ª.28.B
Vlcera Depaſcentia aĩ defectũ inducunt.1°.de arte cur.ad Gla.7ª. 98.G
Vlcera depaſcentia ſola purgatione ſanata de purg.med.fac. 5ª.87.G
ad Vlcera paſcentia.1°.de compo.med.per ge.216.D/2°. 5ª.222.E
Vlceris Deſperata quid ſignificet.4°.de comp.me.per gen. 5ª.239.D
ad Vlcera deſperata.4°.de comp.medica.per gen. 5ª.239.D
Vlcere Difficilia ſanat chryſocolla ex vrina.10°.de ſimp.me.fa. 5ª.75.E
ad Vlcera difficilia.1°.de cõp.med.per gene.213.H/216.G/4°.5ª.243.H
Vlceribus difficillimis,calloſis,& inueteratis cicatricem maxime inducens.2°.de compoſi.medicamen.per gen. 5ª.223.D
Vlcus Diuturnum multam ſaniem puſq; continens ſicciorem bilem præfert.10°.de ſimp.me.fac. 5ª.74.H
ad Vlcera diutina,& callo preſſa.6°.de comp.me.per gen. 5ª.260.B
ad Vlcera diuturna.1°.de compo.medicamentorum per gen.216.G/2°.224.E/4°. 5ª.243.A/B/H
in Vlcerum genere qui poni poſſunt dolores.de frac.com.3°. 7ª.246.E
Vlcus facit dolorem.4°.de lo.aff. 4ª.27.H
in Vlceribus dolores vbi ſint.2°.de comp.med.ſec.loc. 5ª.133.H
Vlcera vbi doloroſa.4°.meth.me. 7ª.28.B
Vlcera in Dorſo quid agant.com.5°.aph.65°. Ex.45.A
ad Vlcera Dulcia.4°.de compoſit.medic.per gen. 5ª.242.H
Vlcera amplianda cum Dura,& calloſa ſunt.4°.meth.me. 7ª.25.A
in Vlcere vbi ſit durities quo oleo vtendũ.4°.de cõp.me.p ge.5ª.237.A
ad Vlcera Dyſcepulota.2°.de compo.med.per ge.224.E/4°. 5ª.245.C
Vlcus Erodit à ſiccis hũoribus,et q̃uo cognoſcat̃.c.6°.aph.4°.Ex.46.G
Vlcera Excedentia ſunt cacoethe.4°.meth.med. 7ª.28.C
in Vlcere exedēte alumē cõbuſtum.in 6m.de mor.vul.c.4°. 3ª.180.D
Vlcerum differentiæ Extrinſecæ.3°.methodi medendi. 7ª.22.C
pro Vlceribus extrinſecis quæ ſumenda.4°.meth.me. 7ª.28.H
Vlcera quomodo Faſciarent nonnulli.9°.de decr.Hippocr. 1ª.283.C
in Vlcere ligatura q̃ debeat eſſe cõueniēs.4°.de cõp.me.p g. 5ª.236.D
in Vlcere quomodo deligatio incipienda.de fract.com.3°. 7ª.243.H
ſuper Vlcus fieri non debet nodus.de ijs,quæ in med.fi.cõ.2°.7ª.207.F
Vlcerum differentiæ ex Ferro vulnerante.3°.meth.me. 7ª.22.B
Vlcus Fiſtuloſum affectus totius corporis.intro. Iſa.59.D
Vlcus Fluens affectus totius corporis.intro. Iſa.59.D
Vlcus fluxione vexatum.3°.methodi medendi. 7ª.22.E
ad Vlcus ſi ſucci fluunt quomodo diuertendi.4°.methodi med. 7ª.23.F
ad Vlcera fluxio quibus compeſcenda.4°.meth.me. 7ª.23.F
in Vlceribus ſucci vitioſi ſignum.4°.meth.me. 7ª.27.A
ad Vlcerum fluxiones.2°.de comp.me.per gen. 5ª.224.E
ad Vlcera fluentia,vetera,et vix ſanabilia.6°.de cõ.me.p g. 5ª.262.A
ad Vlcera fluentia.3°.de compoſitio.medicamen.per genera. 235.B/4°.243.A/B/C/D/5°. 5ª.246.H
Vlcus cur bullæ p̃cedãt in Gãgrena et carbunculo.de tu.p̃t.nat. 3ª.83.H
Vlcera gãgrenoſa defectũ animi inducũt.1°.de ar.cur.ad Gla. 7ª.98.G
Vlcerum differentiæ à Generationis ratione.3°.meth.me. 7ª.22.C
Vlceribus Gingiuarũ conferet ſectio venarũ labiorũ.de ana.vi. Sp.55.B
Vlcera Glutinat Braſſica.7°.de ſimp.me.fac. 5ª.52.H
Vlcera glutinat Centaurium.7°.de ſimp.med.fac. 5ª.50.F
Vlcera magna in duris corporibus glutinant cupreſſi folia, germina, pilulæ recentes,& molles 7°.de ſimp.me.fac. 5ª.53.G
ad Vlcera glutinanda,cicatrice claudenda,& carne implenda adhibentur Lapides.9°.de ſimp.med.fac. 5ª.67.G
Vlcerũ glutinatoria ſunt folia Piceæ,& tedæ.8°.de ſimp.me.fa. 5ª.58.F
Vlcera glutinat Polycnemon.8°.de ſimp.me.fac. 5ª.59.A
Vlcera glutinare valet Sarcocolla.8°.de ſimp.me.fac. 5ª.60.B
Vlcera glutinare poteſt Stratiotes.8°.de ſimp.me.fac. 5ª.61.D
ad Vlcera glutinanda.1°. de comp.med.per gen. 5ª.210.H

Vlcus an ſit in Gula experimentū ex aceto, et ſinapi. 5°.*me.me.* 7ª.34.F
Vlcera gulæ quomodo inſanabilia. 6°.*meth.me.* 7ª.39.G
Vlcus qñ eſt in gula, quæ admiſcenda medicamentis. 4°.*meth.* 7ª.29.A
Vlcera quę tantum ſummas partes occupant cutis, Herpetas, ideſt repẽtes nominat Galenus.com. 6°.*aph.* 45°. Ex.51.F
Vlceribus Humentibus quæ conueniant. 9°.*de comp.me.ſec.lo.* 5ª.205.D
in Vlcere humido ſordido quid agendum. 2°.*de cōp.me.ꝑ gen.* 5ª. 220.D
Vlcus humidum quibus lauandum. 4°.*metho.medendi.* 7ª.23.E
Vlcus ſi humidū ſit, & particula ſit ſicca, quid agendū. 3°.*meth.* 7ª.21.F
Vlcus humidum indiget ſicco. 3°.*meth.me.* 7ª.18.B
Vlcera magnopere humida, aut putreſcentia in corporibus impẽdio mollibus adiuuat cadmia. 9°.*de ſimp.med.facul.* 5ª.69.F
ad Vlcera quæ ob humiditatem vix cicatricem recipiunt. 1°.*de compoſitio. medicamentorum per gene.*213.D/ 5ª.214.C
ad Vlceris humiditatem, & ſordes, quæ conueniant. 2°.*de compoſi.medicamento.per gen.* 5ª.220.C
ad Vlcera humida, & ſordida. 2°.*de comp.me.per gen.* 5ª.219.H
Vlcerib⁹ nimis humidis mollibuſq; ꝓdeſt anethū. 6°.*de ſim.m.f.* 5ª.43.H
Vlcera humida implet caries lignorum. 8°.*de ſimp.me.fac.* 5ª.60.A
ad Vlcera tum multa humiditate tum ſordibus et impuritate ſcaturiẽtia valet humana vrina. 10°.*de ſimpl.medicamen.facul.* 5ª.75.D
Vlcera in humidioribus minus ſiccanda ſunt. 3°.*methodi meden.* 7ª.18.B
Vlcera in Hidropicis difficulter ſanantur.com. 6°.*aph.* 8°. Ex.47.C
Vlcus Inflammatum non eſt vlceris ſpecies. 2°.*de lo.aff.* 4ª.8.E
in Vlceribus inflammatis quare pulſus fiat, & quid ſignificet.commentario. 6°.*aphoriſmo* 27°. Ex.55.D
Vlcera ſine inflammatione curantur acerbis.com. 7°.*aph.* 37°. Ex.57.A
Vlcera cum inflammatione & febre quomodo curentur. commentario 7°.*aphoriſmo* 37°. Ex.57.A
in Vlcere vbi apparet inflãmatio qd agẽdū. 4°.*de cōp.m.ꝑ g.* 5ª.237.A
ob Vlcera quando, & quomodo Inſaniæ, & diſtentiones fiant. commentario 5°.*aph.* 65°. Ex.45.A
Vlcus Inſigne, & vlcus magnū idẽ.de vic.ra.in mor.ac.c. 2°. 7ª.124.E
Vlcus inſigne vnde dicatur.de vic.rat.in mor.acu.com. 2°. 7ª.124.E
Vlcus cum intemperie quomodo curetur. 3°.*methodi medendi.* 7ª.21.B
Vlceris Inteſtinorum notæ. 1°.*de loc.aff.* 4ª.6.C
Vlcus quomodo deprehendatur eſſe in inteſtinis craſſis, & quomodo in ſuperioribus & inferioribus. 6°.*de loc.aff.* 4ª.36.E
Vlcera in tenuibus ĩteſtinis qūo curãda et ꝑ quas ptes. 4°.*met.* 7ª.28.G
Vlcera in craſſis inteſtinis quomodo curanda. 4°.*meth.me.* 7ª.28.G
Vlcera in ſuperficie faciũt leuitatẽ inteſtinorū.com. 6°.*aph.* 1°. Ex.45.H
circa Vlcera putredo aliqua eſt, ſi febris vna cum appetentia fiat in difficultatibus longis inteſtinorum.com. 6°.*aph.* 3°. Ex.46.F
Vlcera inteſtinorū qūo per os, & per anū curẽtur. 5°.*met.me.* 7ª.34.D
ad Vlcera inteſtinorum valet theriaca.de ther.ad Piſ. 5ª.96.B
Vlceribus intrinſecis quæ opitulentur. 4°.*meth.med.* 7ª.28.H
Vlceribus intrinſecis familiaria ſunt ſumenda. 4°.*meth.me.* 7ª.28.G
Vlceribus intrinſecis quæ ſumi non debeant. 4°.*meth.me.* 7ª.28.H
Vlcera Inueterata ad cicatricem perducit thapſia. 6°.*de ſimplic.medicamentorum facultat.* 5ª.48.C
ad Vlcera inueterata, & quæ difficilem curationem accipiunt. 5°.*de cōpoſi.medica.per genera.* 5ª.251.B
ad Vlcus omne inueteratum & recens. 2°.*de comp.me.per g.* 5ª.223.A
ad Vlcera inueterata. 4°.*de comp.med.per gen.* 5ª.245.C
in Vlcere quæ Labia ochthodeſi dicãtur. 4°.*de comp.me.ꝑ ge.* 5ª.239.B
Vlcera, quæ poſtulant labra coniungi, quid expetãt. 5°.*me.me.* 7ª.29.G
Vlceris labia fibulis conſtringuntur. 2°.*de comp.med.ſec.loc.* 5ª.133.G
Vlceris labra quomodo iungantur. 5°.*meth.me.* 7ª.30.D
Vlceris labia quæ incidenda. 4°.*met.me.* 7ª.25.B
Vlcera hñtia labra decolorata, et dura qūo incidẽda. 4°.*meth.* 7ª.23.F
Vlceris labiorum inciſio quanta ſit facienda. 4°.*meth.med.* 7ª.23.F
Vlcus Lachrymoſum quid ſit.de frac.com. 3°. 7ª.243.A
Vlcus eſt cauſa Laſſitudinis.com. 2°.*aph.* 5°. Ex.11.G
Vlceris laſſitudo quibus corporibus, & quibus de cauſis fiat. 3°.*de ſanitate tuenda.* 2ª.79.A
Vlceris laſſitudinis curatio. 3°.*de ſan.tu.* 2ª.79.A
cum Vlcere Laxatio incurabilis eſt. 17°.*de vſu par.* 1ª.222.F
Vlcus ſi ex Liene laboret debet primo pars illa curari. 4°.*meth.* 7ª.22.H
Vlcera Longo tempore manẽt, vel quia cicatrix nullo modo fit, vel ſi fiat rurſus ſoluitur.com. 6°.*aph.* 45°. Ex.51.E
Vlcera ex mala curatione medici quandoque in longum tempus protrahuntur.com. 6°.*aph.* 45°. Ex.51.E
Vlceribus protractis in longum tempus quæ conueniant. 2°.*de arte curatiua ad Glauconem.* 7ª.102.C
cum Vlcere quando eſt Luxatio quid agendum. 3°.*meth.me.* 7ª.21.H
Vlcerum differentiæ à Magnitudine. 3°.*meth.med.* 7ª.22.B
Vlcus magnum vnde dicatur.de vict.rati.in mor.acu.cō. 2°. 7ª.124.F
Vlcera magna appellauit Hippocrates, aut quod multū occuparent loci, aut qđ adiūctã malignitatẽ haberẽt.in 3ᵐ.*de mor.vul.c.* 3°. 3ª.145.A
Vlcera magna faciunt acria. de atten.vict. 2ª.43.G
Vlcera magna quomodo curanda. 3°.*meth. me.* 7ª.22.G
Vlcera magna ſuuntur, aut ligantur. 4°.*meth.me.* 7ª.28.G
Vlcera magna centaurij minoris illitu glutinant. 7°.*de ſim.m.f.* 5ª.50.G
Vlcera grandia conglutinant folia Hedere in vino decocta. 7°.*de ſimpli. medicamento.facultatibus.* 5ª.51.F
Vlcera maxima glutinat narciſſi radix. 8°.*de ſimp.me.fac.* 5ª.56.H
Vlcera Malefica coquit Thus. 1°.*de comp.me.per gen.* 5ª.217.D
Vlcera Maligna quæ.de tum.præt.naturam. 3ª.84.E
Vlcera maligna quomodo tractanda. 4°.*de comp.me.per gen.* 5ª.245.B
ad Vlcera maligna medicamẽtū quale. 4°.*de comp.me.per ge.* 5ª.237.E
Vlceribus malignis qualitas auſtera neceſſaria. 5°.*de compoſit.medicamen.per genera.* 5ª.246.B
Vlcera maligna ſanat Braſſica. 7°.*de ſim.me.fa.* 5ª.52.H
Vlceribus malignis cataplaſmatis modo impoſitus Capparis radicis cortex non malum eſt remedium. 7°.*de ſimp.me.fac.* 5ª.49.H
Vlceribus malignis, quæ cacoæthe dicuntur, facit Chamæleon. de ſimplicibus medicaminibus. Sp.82.F
Vlcera maligna iuuare poſſunt Centaurium, & chamæleon. 5°.*de compoſi.medic.per genera.* 5ª.246.A
Vlcera maligna ſanat cẽtaurij minoris radix. 7°.*de ſim.me.fa.* 5ª.50.G
Vlcera maligna mirifice adiuuat Chryſocolla. 4°.*de compoſitione medicament.per genera.* 5ª.242.A
Vlceribus malignis competunt exſiccantia citra morſum. 11°.*de ſimpli. med.fac.*80.G/4°.*de comp.me.per ge.* 5ª.237.D
ad Vlcera maligna medicamenta in Emplaſtri modum. 4°.*de compoſitione medic.per genera.* 5ª.237.D
ad Vlcera maligna emplaſtrum Andromachi. 4°.*de compoſi.medicamentorum per genera.* 5ª.238.C
Vlcera maligna ad ſanitatem reducunt Hederæ folia in vino decocta. 7°. *de ſimp.med.fac.* 5ª.51.F
Vlcera maligna quibus Herbis curari debeant. 5°.*de compo.medicamẽtorum per genera.* 5ª.246.A
ad Vlcera maligna omnia reſiſtit Iſatis. 6°.*de ſimp.med.fac.* 5ª.48.G
Vlcera maligna iuuat Lupinus. 6°.*de ſimp.me.fac.* 5ª.48.D
ad Vlcera maligna medicamentum. 4°.*de comp.me.per gen.* 5ª.238.B
ad Vlcera maligna, & contumacia valet cortex radicis Panacis heraclijs. 8°.*de ſimp.med.facul.* 5ª.57.B
ad Vlcera oĩa maligna idonea eſt Pōpholyx. 9°.*de ſimp.me.f.* 5ª.70.H
ad Vlcera maligna valet Reſina laricina, & terebinthina. 1°.*de compoſitio.med.per gen.* 5ª.217.D
in Vlceribus malignis Stercus caninū qūo. 10°.*de ſimp.me.fa.* 5ª.76.A
ad Vlcera maligna Terebinthina minus idonea laricina. 4°.*de compoſitio.medic.per gen.* 5ª.241.H
Vlcera maligna fœlicius ſanans. 5°.*de comp.me.per ge.* 5ª.247.A
ad Vlcera maligna. 4°.*de comp.medicamen.per gen.*236.F/ 5ª.243.B
ad Vlcera nondum maligna. 4°.*de comp.me.per ge.* 5ª.238.H
Vlceribus iam ad malignitatem declinantibus cicatricem obducens. 6°. *de comp.med.per gen.* 5ª.258.D
ad Vlcera non maligna quomodo vſus medicamentorum accommodatur. 4°.*de compoſi.medic.per gen.* 5ª.245.B
ad Vlcus Malum extorum valet Cyphi antidotus. 2°.*de antid.* 5ª.111.E
ad Vlcera mala. 6°.*de compoſi.medicament.per gen.* 5ª.260.B
propter Vlcus Manus, aut pedis cur intumeſcant glandulæ inguinum, & alarum. 13°.*meth.med.* 7ª.80.H
Vlcera Matricis iuuat ſuccus centaureæ.de virt.cent. Sp.94.A
ad Vlcera depaſcẽtia matricē cōfert ſucc⁹ cẽtaureæ.de vir. Sp.94.A
ad Vlcus matricis ex partu.de paſſ.mul. Sp.96.B
ad Vlcera matricis.de paſſ.mul. Sp.96.A
Vlcera Mollia nimis humidaq;, & putredinoſa ſanat Hypericum. 8°.*de ſimplicium medicamento.facul.* 5ª.63.A
Vlceribus Multis ſpontaneis & vix cicatrizantibus & rheumatizantibus cum quis affligitur chatarticis vtimur.de dyna. Sp.20.F
Vlcera Munda à natura explentur. 4°.*de comp.me.ſec.lo.* 5ª.151.A
Vlcera in Naris meatibus quibus à Galeno curata. 3°.*de compo.medicamentorum*

camentorum ſecundum locos. 5ª.148.F
ad Vlcera in naſo.3°.de compoſi.medic.ſe.lo.147.G/148.A/ 5ª.248.D/ 5ª.251.E/F/de med.fac.par. 7ª.163.B
Vlcera Nephelia quæ ſint.de med.fac. 7ª.163.A
Vlcera Neruorum ſæpa detergenda.6°.meth.me. 7ª.38.D
ad Vlcera neruorum vinum dulce.6°.meth.med. 7ª.38.E
Vlcus Nigrum qui habent q̃uo curandi ſint.de frac.com.3°. 7ª.243.G
ad Vlcera nigrantia.4°.de comp.me.per ge. 5ª.242.F
Vlceris Noui & veteris vna indicatio,& quæ.3°.meth.me. 7ª.22.F
de Vlceribus Oculorum.de med.fac.par. 7ª.163.A
Vlcus in oculo totum oculum exercet.introd. Iſa 58.D
Vlcus affectus albi oculorum.intro. Iſa.58.D
Vlcus affectus iridis oculi.intro. Iſa.58.D
Vlcus pertinet ad ſolam corneam.de diff.mor. 3ª.5.H
Vlcus mainſculum quid faciat in oculo.1°.de ſymp.cau. 3ª.15.C
Vlcera caua in palpebra q̃uo explētur.4°.de comp.me.ſe.lo. 5ª.150.E
Vlcus oculorum mundū ſeruari debet.4°.de comp.med.ſec.lo. 5ª.151.A
Vlcera erodētia tunicas oculorū q̄bus curāda.4°.de cōp.m.ſ.l.5ª.151.A
Vlcera inflammata oculorum quid petant, quando ſunt recentia. 4°.de compo.med.ſec.loc. 5ª.151.B
Vlcera oculorum cum acri fluxione,quæ poſſunt curare.4°.de compoſi. medicamen.ſec.loc. 5ª.150.C
Vlcera vetuſta oculorum quid petant.4°.de comp.me.ſe.loc. 5ª.151.B
ad Vlcera carnis impletionem poſcentia,& in oculis vtilis eſt cadmia. 9°.de ſimp.me.fac. 5ª.69.F
ad Vlcera multa oculorum accommoda ſunt remedia ocularia, quibus mixtus eſt Ebenus.6°.de ſim.me.fac. 5ª.46.F
ad Vlcera oculorum lapidem hæmatitē expertus eſt Galenus.9°.de ſimplic.medicamen.facult. 5ª.68.C
Vlcera oculorum ſolus per ſe cicatrice includit lapis hæmatites. 9°.de ſimpl.medicamen.facul. 5ª.68.D
Vlcera oculorum expurgant Myrrha, ſtyrax, & thuris ramus.7°.de ſimplic.medicamen.facul. 5ª.54.E
ad Vlcera oculorum collyria.4°.de compo.med.ſec.loc. 5ª.154.F
ad Vlcera ſerpētia,& ſordida oculorū.4°.de comp.me.ſec.lo.5ª.154.D
ad Vlcera ſordida oculorum.4°.de comp.me.ſec.loc.151.A/ 5ª.154.E
ad Vlcera oculorum.4°.de compoſit.medic.ſecun.loc.154.F/ 5ª.155.A
Vlceris Ora quot modis iungantur.3°.meth.med. 7ª.19.B
Vlcerum ora indurata adeps vitulinus emollit.4°.de compoſit.medicamentorum per genera. 5ª.240.A
in Vlceribus vbi ora dura valet œſypus.4°.de com.me.p ge. 5ª.237.H
Vlcerum craſſas oras ſanans.2°.de comp.me.per ge. 5ª.221.A
ad Vlcera pretumidas oras & duras habentia. 4°.de compoſi.medicamen.per genera. 5ª.251.E
Vlcera Oris in ſumma parte apthe dicuntur.cō.3°.aph.24°. Ex.25.A
Vlcera maligna in ore atramento ſutorio ſanantur. 6°.de comp.medica. ſecundum locos. 5ª.169.B
Vlceri oris conueniunt cyperi radices.7°.de ſimp.me.fac. 5ª.53.H
Vlceribus in ore aphthodeſi,& ipſis aphthis conueniunt cypri folia cōmanſa.7°.de ſimp.me.fac. 5ª.53.H
ad Vlcera oris putreſcentia valet diphriges poſt cadmiam repertus. 9°.de ſimp.med.fac. 5ª.69.A
Vlcera oris ſanant folia & germina rubi recens nata.6°.de ſimplic.medica.facultatib. 5ª.44.F
ad Vlcera ſerpentia oris.4°.de compo.medi.ſec.loc. 5ª.152.G
ad Vlcera oris.6°. de comp.me.ſec.loc.5ª.170.C/H/5°.meth.me. 34.B/ de med.fac.par.104.C/ 7ª.174.H
Vlceribus oris confert ſectio venarum labiorum.de ana.viu. Sp.55.B
Vlcus cum periculo corrumpendi Os.4°.meth.me. 7ª.28.B
Vlcera difficilia habet os ſacrum.de frac.com.3°. 7ª.245.D
Vlcera Parua quomodo curanda.3°.meth.med. 7ª.22.G
ad Vlcera parua.1°.de comp.med.per ge.211.G/ 5ª.212.H
Vlcera in Pene ſanguinem,& pus faciunt.com.4°.aph.75°. Ex.36.B
Vlcera penis,& ſedis nullū cataplaſma deſiderāt.5ª.meth.me. 7ª.36.D
Vlcera in pedum digitis q̃uo fiant.1°.de comp.med.ſec.loc. 5ª.123.A
ad Vlcera in medio digitorum pedum.1°.de comp.me.ſe.loc. 5ª.123.A
Vlceribus qui ſcatebant ſanabantur in magna quadam Peſtilētia. 5°.me thodi medendi. 7ª.34.F
Vlcera Phagedenica quę.in 6ᵐ.de mor.vul.c.3°. 3ª.178.D
Vlcera maiora atq; deteriora phagedenas antiqui appellarunt.commentario 6°.aphoriſmo 45°. Ex.51.E
Vlcera quę ſubiectam carnem corrumpunt,phagedenas appellat Galenus.commen.6°.aph.45°. Ex.51.F
Vlcera phagedenica ſanat illita chamæleon.8°.de ſimp.me.fac. 5ª.63.F
Vlcera phagedenica anthracode,& gangrenode iuuant Tithymalli. 8°. de ſimp.med.fac. 5ª.62.E
ad Vlcera phagedenica.4°.de compo.med.per gen. 5ª.243.D
Vlceris differentia non eſt in Phlegmone,& cur.3°.metho.me. 7ª.22.D
in Vlceribus phlegmonem excitat cædrea.7°.de ſimp.me.fa. 5ª.50.E
ex Vlceris phlegmone in initio febris ſomnus intempeſtiuus. in 6ᵐ.de morb.vulgaribus,commentario 4°. 3ª.184.B
in Vlcere cum phlegmone valet aqua in nonnullis.1°.de compoſitio.me dicamen.per genera. 5ª.217.A
Vlceribus phlegmone affectis adhibetur oleum cum aqua moderate calida perfuſum.2°.de ſimp.me.fac. 5ª.12.A
ad Vlcerū phlegmonas vtilis eſt plūbi ſuccus.9°.de ſim.me.f.5ª.70.F
Vlcera Piſcatorum ſicca,ac ſi forent ſalita.1°.de ſimp.med.fac. 5ª.3.D
Vlcera plana ad cicatricem perducit aloe.ꝙ animi mor. 1ª.317.D
ad Vlcera Podicis.1°.de comp.me.per gen. 5ª.211.E
in Vlceribus Prauis terrę lemniæ vſus.9°.de ſimp.me.fa. 5ª.65.E
ad Vlcera Prætumida cum duritie & caua.4°. de compoſi.medicamento.per genera. 5ª.240.E
Vlcerum differentiæ ex Profunditate vnde ſint.14°.meth.med.7ª.92.D
Vlcera omnia profunda ſi ad cutem vertantur, bonum, ſi intra, malum. commenta.6°.aph.25°. Ex.48.F
Vlcera profunda quomodo ſananda.3°.meth.me. 7ª.22.H
Vlcera profunda longa quomodò ſānanda.3°.metho.medendi. 7ª.22.H
Vlceribus profundis quæ conueniant.9°.de comp.med.ſe.lo. 5ª.205.D
in Vlceribus quomodo fiat Pruritus.de frac.com.1°. 7ª.230.B
Vlcera Pudendarum partium quo indigeant.5°.meth.me. 7ª.36.D
Vlcera pudendorum ſanat aloe.de ſimp.me.fac. 5ª.42.C
Vlceribus,quæ pudendorum præputijs accidunt, conuenit cucurbita ſic ca vſta,& anethi radix.6°.de ſimp.me.fac. 5ª.40.H
Vlceribus omnibus pudendorum atq; ani valet Dyphriges poſt cadmiā repertus.9°.de ſimp.me.fac. 5ª.69.B
ad Vlcera pudendorum lac valet.10°.de ſimp.med.fac. 5ª.73.H
ad Vlcera pudendorum ac ſedis optimum medicamentum eſt Pompholyx.9°.de ſimp.me.fac. 5ª.70.H
ad Vlcera pudendi.1°.de comp.me.per gen. 5ª.211.E
Vlcus Pulmonis quomodo differat ab illis aſperę arteriæ. 4°.de locis affectis. 4ª.28.E
Vlcera pulmonis ſine dolore.4°.de lo.aff. 4ª.28.B
Vlcera in pulmone an ſanentur.4°.de locis affectis.4ª.25. H/ 5°.methodi medendi. 7ª.32.E
Vlcera pulmonis cur difficilia.5°.meth.me. 7ª.34.E
Vlcus in pulmone quod inſanabile.5°.meth.med. 7ª.35.G
Vlcus pulmonis cur non poſſit ſanari.5°.meth.me. 7ª.33.A
Vlcera pulmonis quando inſanabilia.5°.meth.me. 7ª.34.E
Vlcus pulmonis cum habet phlegmonem difficulter ſanatur. 5°.methodi medendi. 7ª.33.A
ad Vlcera pulmonis.7°.de comp.med.ſec.loc. 5ª.179.B
Vlcus Purum ab externis ſymptomatis dictum.2°.meth.me. 7ª.9.G
Vlcus purum affectus totius corporis.introd. Iſa.59.C
Vlcus purum ſeruat medicamentum morſu expers.2°.de compo.medicamento.per gene. 5ª.227.A
Vlcus purum quid requirat.6°.de comp.me.per ge. 5ª.255.D
Vlcera pura reddentia medicamenta quæ.de frac.com.3°. 7ª.241.D
Vlceri Pus generāti nil mali poteſt aduenire.cō.5°.aph.22°. Ex.39.D
Vlcus ex Puſtula & pruritu factum.4°.meth.me. 7ª.25.F
Vlcera Putrida,& depaſcentia quę proprie ſint. commentario 6°.aphoriſmo 45°. Ex.51.F
Vlcera putrida,& ſimpliciter omnia quę fluxiones habent, adeo nō ſuppurat calidū,vt his ēt plurimum noceat.com.5°.aph.22°. Ex.39.D
Vlcera putrida habent liquores ſanioſos nihil diſpoſitioni conferentes. com.4°.aph.47°. Ex.33.A
Vlcera putrida mordicantibus indigent.2°.de ar. cur. ad Gla. 7ª.102.D
Vlcera putredinoſa iuuant Ciſthi flores.7°.de ſimp.med.fac. 5ª.51.D
ad Vlcera putreſcentia valet garum.11°.de ſimp.med.fac. 5ª.83.G
ad Vlcera putrida valet phrigius lapis combuſtus.1°.de ſimplicium medicament.facul. 5ª.67.G
Vlcera putreſcentia,& contumacia ſanitati reſtituit orchis ſerapias. 8°.de ſimp.med.fac. 5ª.57.F
ad Vlcera putreſcentia vtuntur palmæ velut decocto. 8°.de ſimpli.medicamen.facul. 5ª.63.D

*Vlcera putreſcentia in dyſenteria colluit atq; deſiccat ſalſugo piſciũ ſalſorum.*11°.*de ſimp.me.fac.* 5ª.83.H
ad *Vlcera putrida accommodatur ſalſugo ſilurorum,& mænidum.*11°.*de ſimp.med.facul.* 5ª.83.H
*Vlcera putreſcentia deſiccans ſmegma.*11°.*de ſimp.me.fac.* 5ª.81.A
ad *Vlcera putrida conuenit Telephium.*8°.*de ſimp.me.fac.* 5ª.62.D
ad *Vlcera putrida cum ambientes partes depaſcunt.*5°.*de compoſi.medicamentorum per genera.* 5ª.254.A
ad *Vlcera putreſcentia.*11°.*de ſimp.me.fac.* 5ª.80.G
ad *Vlcera putrida.*3°.*de comp.me.ſec.lo.* 5ª.148.A
ad *Vlcera Rebellia omnia cõueniunt medicamenta, quæ cum ijs quæ refrigerant vnà adſtringunt.*6°.*de ſimp.med.fac.* 5ª.43.E
Vlcerum rebellium optimum medicamen eſt Dyphriges. 9°.*de ſimplic. medicamentorum facultat.* 5ª.69.A
ad *Vlcera rebellia miſcetur vitellus ouorũ.*11°.*de ſimp.me.fac.* 5ª.81.E
ad *Vlcera rebellia optimũ eſt remediũ plũbũ.*9°.*de ſim.me.fa.* 5ª.70.G
*Vlceribus rebellibus vtilis eſt Plũbi ſuccus.*9°.*de ſimp.me.fa.* 5ª.70.F
*Vlcera rebellia ſanat Polium.*8°.*de ſim.me.fa.* 5ª.59.A
*Vlcera recentia ſimul & vetera ſanant medicamenta, quæ cum ijs, quæ refrigerant, vnà adſtringunt.*6°.*de ſimplic.medic.facul.* 5ª.43.E
Vlceribus recentibus, & ſiccis aloes lota bona eſt. 9°.*de compoſi.medicament.ſecun.loc.* 5ª.205.D
*Vlceribus & vulneribus recenter inflictis accommoda ſunt dracunculi folia.*6°.*de ſimp.me.fac.* 5ª.46.D
*Vlcera recentia glutinat papyrus.*8°.*de ſimp.me.fac.* 5ª.57.G
ad *Vlcera recentia cruenta.*5°.*de comp.medicamen.per gen.* 5ª.246.H
ad *Vlcera recentia.*1°.*de comp.me.per gen.*217.H/5°. 5ª.247.D
ad *Vlcera Rheumatica diuturna, & vix ſanabilia.* 6°.*de compoſitione medic.per genera.* 5ª.261.H
*Vlcerum Sanatio vnde ſumatur.*4°.*meth.me.* 7ª.24.E
in *Vlcere ſanando quæ conſideranda.*3°.*meth.me.* 7ª.21.C
*Vlcus quomodo ſanetur à Theſſalijs.*4°.*meth.me.* 7ª.25.G
*Vlcera difficulter aliquibus ſanãtur, aliquibus facile, aliquibus mediocriter.de vict.rati.in mor.acu.cõ.*2°. 7ª.124.D
*Vlceris ſanationem quid moretur.*4°.*meth.med.* 7ª.23.D
*Vlcerum ægre ſanabilium tres modi.*4°.*meth. me.* 7ª.23.D
*Vlcera vix ſanabilia quibus curentur.*2°.*de cõp.med.per gen.* 5ª.220.B
*Vlcera vix ſanabilia chryſocolla mirabilis.*4°.*de compoſitione medicament.per genera.* 5ª.244.C
Vlcera vix ſanabilia curantur ladano, & chamæleonte. 4°.*de compoſi. medic.per genera.* 5ª.241.F
Vlcera quæ ægre ſanabilia.in 6ᵐ.*de morbis vul.com.*1°. 3ª.158.B
ad *Vlcera vix ſanabilia.*2°.*de cõp.me.ꝑ ge.*219.G/4°.243.H/5ª.244.B
*Vlcera non ſanantur, vel propter influxũ vitioſorum humorum, vel ꝑꝑ diſpoſitionem in membris contractam ex influẽtibus humoribus, vel propter aliquam diſpoſitionem in oſſe.com.*6°.*aph.*45°. Ex.51.E
ad *Vlcera quæ Sanie acri infeſtantur optimum eſt ſerum.*10°.*de ſimp. medicament.facul.* 5ª.73.G
ab *Vlcere exit Sanguis.*8°.*de decretis Hippoc.* 1ª.276.C
in *Vlceribus ſanguis quomodo comprimitur.de tum.præt.na.* 3ª.83.A
*Vlcera in Scroto à ſudoribus.*9°.*de compoſi.medic.ſec.loc.* 5ª.205.D
*Vlcera Sedis & pudendorum requirunt ſuauiſſima medicamenta.*11°.*de ſimplicium medicamento.facul.* 5ª.81.D
*Vlcera ſedis mitigantur lacte.*10°.*de ſimp.me.fa.* 5ª.73.H
*Vlcera ſedis phlegmonas, perpetientia lacte mitigantur.*10°.*de ſimplic. medic.facul.* 5ª.73.H
ad *Vlcera dolentia ſedis.*1°.*de comp.med.ſec.loc.* 5ª.130.C
*Vlcus in Senibus difficulter ſanatur.com.*3°.*aph.*31°. Ex.26.H
ad *Vlcera ſenum.*1°.*de comp.me.per gen.*214.A/C/6°. 5ª.256.H
*Vlceris Senſus non eſt affectus, ſed ſymptoma.*3°.*de ſan.tu.* 2ª.78.G
Vlceris ſenſus, & laſſitudinis vis.de puero epil. 7ª.180.A
ad *Vlceris ſenſum oleum dulciſſimum optimum.*3°.*de ſan.tu.* 2ª.79.B
*Vlcera Serpentia ex vitioſis ſuccis naſcuntur.*3°.*de ſymp.cau.* 3ª.25.B
*Vlcera ſerpentia comitantur amaram bilem, cum vnam quamq; particulam corporis obtinet.*3°.*de ſymp.cau.* 3ª.26.B
*Vlcus ſerpens quomodo curetur.*14°.*meth.me.* 7ª.92.C
ad *Vlcera ſerpentia.*3°.*de comp.med.ſec.loc.*148.A/5°. 5ª.251.E
Vlcus Siccum affectus totius corporis.intro. Iſa.59.D
*Vlcus ſiccum cur.in progn.com.*1°. 4ª.194.D
*Vlcera in ſiccioribus magis ſiccanda.*3°.*meth.med.* 7ª.18.B
*Vlcera corporum temperatura ſiccorum curat amurca.*6°.*de ſimp.medicamentorum facultatibus.* 5ª.42.D
in *Vlcere nihil Simplicius quod prima carne oritur.*3°.*met.m.* 7ª.16.F
*Vlcus habens Sinum etiam deſiderat adſtringẽtia.*5°.*met.me.* 7ª.29.G
*Vlcerum ſinus iungens medicamentũ.*2°.*de cõp.med.per gen.* 5ª.221.A
ad *Vlcerum ſinuoſorum glutinationem vtuntur melle.*7°.*de ſimpli. medicamento.facultatibus.* 5ª.55.D
Vlcerum Solidatio quomodo fiat, & quando.in 6ᵐ.*de morbis vulgarib. commentario.*2°. 3ª.161.A
*Vlcus Sordidum ab externis ſymptomatibus dictum.*2°.*me.m.* 7ª.9.G
Vlcus ſordidum affectus totius corporis.introd. Iſa.59.C
*Vlcus quibus ſordidam fieri poſſit, & quomodo cognoſcatur.*4°.*de compoſi.medicamen.per gene.* 5ª.237.C
*Vlcus ſordidum facit cera.*2°.*de comp.me.per gen.* 5ª.218.G
*Vlcus ſordidum quid requirat.*6°.*de comp.me.per gen.* 5ª.255.E
*Vlcus cum ſorde quibus indigeat.*5°.*meth.me.* 7ª.29.G
*Vlcera ſordida quibus curentur.*6°.*de comp.me.ſec.loc.* 5ª.171.H
in *Vlceribus ſordidis quibus vtendum.intro.* Iſa.58.B
*Vlcerum ſordes quibus auferantur.*2°.*de comp.me.per gen.* 5ª.218.F
*Vlcus quare abluendum, & quare non.*2°.*de ar.cur.ad Gla.* 7ª.101.H
Vlcus eluere, ac purgare, & medicamentum liquidum imponere, differunt.ad Thraſybulum. 2ª.105.A
*Vlcera ſordida expurgant anemonæ.*6°.*de ſimp.med.fac.* 5ª.43.B
*Vlcera ſordida repurgat Ariſtolochia rotũda.*6°.*de ſim.me.fa.* 5ª.43.E
*Vlcera admodum ſordida, & quæ maximas habent cruſtas cum melle purgare poteſt chamælea.*8°.*de ſimpl.med.fac.* 5ª.63.F
*Vlcera emundantes cibi.*4°.*meth.me.* 7ª.28.H
ad *Vlcera ſordida valet erinaceus combuſtus.*11°.*de ſim.me.f.* 5ª.81.G
*Vlcera ſordida expurgat orchis ſerapias.*8°.*de ſimp.med.fac.* 5ª.57.F
*Vlcera ſordida admodum, & contumacia iuuant folia, & flores papaueris cornuti.*7°.*de ſimp.me.fa.* 5ª.55.G
*Vlceris ſordes quando expurgare volumus, quid addendum medicamẽto.*4°.*de comp.me.per gen.* 5ª.237.F
*Vlcus quando non expurgatur, quid agendum.*3°.*meth.me.* 7ª.22.F
*Vlcera ſordida purgans.*2°.*de comp.me.per gen.* 5ª.221.A
ad *Vlcera ſordida.*3°.*de compoſi.medica.ſecundum locos.* 5ª.148.A
*Vlcera vbi Spaſmoſa.*4°.*meth.med.* 7ª.28.B
Vlcus ſubpaſcens affectus totius corporis.intro. Iſa.59.D
Vlcus ſupercreſcens carne affectus totius corporis.intro. Iſ.59.C
*Vlcera quibus deueniant ad Suppurationem.com.*5°.*aph.*20°. Ex.39.B
*Vlcera quæ ſuperabilia non ſunt.com.*5°.*aph.*22°. Ex.39.D
*Vlcera quæ conuulſionem afferunt, non ſuppurantur. commentario.*5°. *aphoriſmo* 22°. Ex.39.D
*Vlcera quę calido non ſuppurantur.com.*5°.*aph.*22°. Ex.39.E
Vlceribus, & abſceſſibus ſuppu rantibus rigor fit. in 6ᵐ.*de morbis uulgaribus, com.*3°. 3ª.174.D
Vlcera quæ non indigent Suturis per longitudinem muſculorum facta. 3°.*methodi medendi.* 7ª.22.G
*Vlcera in quibus vtendum ſuturis, & fibulis.*3°.*meth.me.* 7ª.22.G
in *Vlcerum ſuitione filum quale eſſe debeat.*6°.*met.me.* 7ª.39.F
*Vlcera appellata à Symptomatis extrinſecis quæ.*2°.*meth.me.* 7ª.9.G
Vlcera Telephia, & herpes chironia vocare eſt ſuperuacuum. de tumo. præter naturam. 3ª.84.E
*Vlceris differentiæ à Tempore.*3°.*meth.me.* 7ª.22.C
Vlcerum tempora quæ.de tot.morb.temp. 3ª.88.G
ad *Vlcera Tenerorum.*1°.*de comp.me.per gen.* 5ª.214.A
ad *Vlceribus nimis grauiter conflictantes, & teneros.* 4°.*de compoſi. medica.per genera.* 5ª.245.D
*Vlcus Thoracis impoſita aqua mulſa exit ꝑ ſputa.*5°.*de lo.aff.* 4ª.29.H
*Vlcera in thorace ſanantur.*4°.*de loc.aff.* 4ª.25.H
ad *Vlcera thoracis, & pulmonis medicamẽta qualia.*5°.*met.* 7ª.34.D
Vlceribus thoracis, & pulmonis medicamentis mel miſceri debet. 4°. *metho.medendi.* 7ª.29.A
Vlcus in partibus à Thorace ad imos pedes vrina ſanatur. 10°.*de ſimpl. medicamen.facul.* 5ª.75.E
*Vlcus in Tibia mediocre ſi in quiete curetur, non debet repente moueri. de vic.rat.in mor.acu.com.*2°. 7ª.124.D
*Vlcus habens qui læditur ambulans, & qui non.de vict.ratio.in morbis acutis, commentario.*2°. 7ª.124.E
Vlcus in tibia cuidam quomodo ſanatum.de atra bile. 1ª.35.D
ad *Vlcera tibiarum remedium.de dyna.* Sp.30.A
*Vlceris differentiæ à toto.*3°.*methodi medendi.* 7ª.22.C
*Vlcera Tranſuerſa qua indigeant curatione.*3°.*meth.me.* 7ª.22.G
in *Vlcere cum Tumore primo tumor curandus.*4°.*met.med.* 7ª.23.F

in Vlceribus tumores apparentes, & euaneſcentes quid faciant. commentario 5°.aph.65°. Ex.44.H
Vlcerũ relictas tuniculas exedẽs med^m.5°.de comp.me.per ge. 5ª.253.E
ad Vlcera Vberum.de paſſ.mul. Sp.96.D
Vlcus ſupra Venam curatur in carne.5°.meth.me. 7ª.32.A
Vlcus Ventriculum infeſtans iudicatur cauſa cur cibi non coquantur. de differ.morb. 3ª.3.G
in Vlcere ventriculi vomitus non ſine periculo.5°.meth.me. 7ª.34.E
Vlcera oris ventriculi inſanabilia quomodo.6°.meth.me. 7ª.39.G
Vlcera oris ventriculi ob nimiũ ſenſum nõ ſanãtur.6°.met.me. 7ª.39.G
Vlcera ventriculi, pulmonis, & pectoris per ea, quę bibuntur & comeduntur, ſanantur.5°.meth.me. 7ª.34.D
ad Vlcerum Vermes.4°.de compoſitio.medicam.per genera. 5ª.242.G
Vlcus Veſicæ aut renum quomodo fiat, & ex quo.commentar. 4°. aphoriſmo 75°. Ex.36.A
Vlceris veſicæ ſigna quæ ſint.com.4°.aph.78°. Ex.36.G
Vlcus quando fuerit quõ cognoſcatur ex ſyringa.1°.de lo.aff. 4ª.3.B
Vlcera veſicæ odore graui percipiuntur.com.5°.aph.11°. Ex.38.D
Vlcus poteſt eſſe in aliquo vrinæ meatu, & pus, & ſanguis per vrinam exibit.com.4°.aph.75°. Ex.36.A
Vlcus poteſt eſſe cauſa ſtillicidij.com.3°.aph.16°. Ex.23.D
Vlcera Vetera glutinat aſtragalos.6°.de ſimp.med.fac. 5ª.44.A
Vlcera vetuſta centaurij minoris illitu glutinantur.7°.de ſimp.medicament.facultat. 5ª.50.G
Vlceribus veteribus mederi poſſunt folia lappæ tertiæ ſpetiei.6°.de ſimpli.medic.facul. 5ª.43.F
ad Vlcera vetera, & ſolida adhibetur Platani cortex combuſtus.8°.de ſimp.med.facul. 5ª.58.G
ad Vlcera vetuſta cicatricem ægre ducentia, & fluentia.5°.de compoſi. medicamento.per gen. 5ª.248.H
ad Vlcera vetera, & vix ſanabilia.1°.de comp.me.per gen. 217.A/2°. 224.D/5°. 5ª.229.D
ad Vlcera vetera, & vix ad cicatricem viuentia.4°.de compoſitio. medicamentorum per gene. 5ª.244.E
ad Vlcera vetera.4°.de cõp.med.p gen.241.C/D/242.G/5°. 5ª.246.H
Vlcus Vile vnde dicitur.de vic.rat.in mor.acu.com.2°. 7ª.124.F
Vlcus propè Vnguem quid faciat neglectum.2°.de diff.feb. 3ª.41.B
Vlceris notæ cum per Vomitum apparent, quomodo cognoſcenda determinata pars.1°.de loc.aff. 4ª.6.B
cum Vlcere qñque eſt vomitus ſanguinis.com.7°.aph.37°. Ex.57.A
ad Vlcera Vteri.5°.de comp.med.per gen. 5ª.247.D
Vlcus ὑπερσαρκον, ideſt cuius ſupercreſcit caro.2°.meth.me. 7ª.9.F
Vlceris indicium eſt ramentum.6°.de lo.aff. 4ª.39.B
Vlcera mala ſigna.9°.de decre.Hipp. 1ª.283.D
VLCERIS curatio qualis eſſe debeat.4°.de com.me.per ge. 5ª.236.A
Vlcus quomodo curari debeat.3°.meth.me. 7ª.18.G
in Vlceribus quæ conſideranda.4°.de comp.me.per ge. 5ª.238.F
Vlceris intentiones.6°.meth.med. 7ª.36.G
Vlceris curatiõis indicatio à quibus differẽtijs ſumat.3°.metho.7ª.22.F
in Vlcere quando facilis, & quãdo difficilis curatio.13°.meth. 7ª.81.A
Vlceris ſolius curatio.3°.meth.med. 7ª.18.H
in Vlcerum complexionibus adeſt duplex finis.3°.meth.me. 7ª.21.G
in Vlcere quando multa ſunt complicata à quo exordienda curatio.3°. methodi medendi. 7ª.21.H
Vlcus curandum prius linito dolore.4°.de comp.med.per ge. 5ª.244.C
in Vlceribus cur in principio exhibeãtur repellentia.1°.de comp.medicamen.per gene. 5ª.214.A
in Vlceribus repellentia.2°.de comp.me.per ge. 5ª.220.H
Vlcus prius quàm cures, corpus totum euacuandum.4°.de compoſi.medica.per genera. 5ª.237.B
Vlcus ſanatur contrarijs.2°.de comp.med.per gen. 5ª.220.A
Vlcus omne quid exigat.3°.meth.me. 7ª.19.E
Vlcera omnia indigent vt cute tegantur.de frac.com.3°. 7ª.247.E
Vlcus deligatum balneandum, ſed aqua frigida.4°.de compoſit.medicamentorum per genera. 5ª.237.D
Vlcus madefaciendum aqua frigida.4°.de compo.me.per gen. 5ª.238.F
Vlceri applicat ſpongiam madidam vino aut aqua frigidis.4°.de compo. medicamen.per gen. 5ª.236.H
Vlcera aqua abluenda.4°.de comp.med.per gen. 5ª.244.E
Vlcus in qua parte aperiendum.3°.meth.me. 7ª.22.G
de Vlcus maius reddentibus & curatione.4°.meth.me. 7ª.23.C
in Vlcere omni ſanguis mittendus, & cur.4°.meth.me. 7ª.28.C
in Vlcere quando facienda venæ ſectio, et quando danda medicamenta. 4°.de comp.med.per gen. 5ª.237.B
Vlcera in quibus purganda.4°.meth.med. 7ª.28.C
Vlcera quæ purgationem deſiderant.4°.meth.me. 7ª.28.C
ſuper Vlcus venæ ſcarificatio.4°.de compo.med.per ge. 5ª.237.B
in Vlcere quando fienda ſcarificatio, & ſanguinis miſſio.4°.metho.medendi. 7ª.27.F
in Vlcere quandoq; ſatis ſcarificatio.4°.de comp.med.per ge. 5ª.236.C
Vlcera quæ expurganda, & quæ implenda.5°.meth.me. 7ª.33.D
Vlcera an ſæpe medicanda.4°.de comp.med.per ge. 5ª.238.A
in Vlceribus quibus vtendum.intro. Iſa.58.B
in Vlceribus medicamentum vnum pro omnibus parari non poteſt. 4°. de comp.me.per ge. 5ª.237.C
in Vlceribus quæ conueniunt pueris, Eunuchis, mulieribus, & mollibus.4°.de comp.me.per ge. 5ª.236.B
ad Vlcera mollem cuticulam habentium. 1°.de compoſit.medicamento. per genera. 5ª.214.C
ſupra Vlcus quæ apponenda.de fract.com.3°. 7ª.244.A
ſupra Vlcera quõ ponãtur medicamẽta.4°.de cõp.me.per ge. 5ª.238.E
Vlceribus quæ ſola nõ admouẽtur.4°.de comp.med.per gen. 5ª.236.G
Vlceribus, & cuti mordax Acetũ.5°.de compo.med.ſec.loc. 5ª.159.A
in Vlceribus Acre pharmacum quid agat.de trem.& palp. 3ª.55.B
Vlceribus quæ acria non conueniunt.4°.de comp.med.per ge.5ª.236.H
Vlceri ſuppoſitum pharmacum acre facit rigere.in 6^m.de morbis vulgaribus, commentario 3°. 3ª.174.D
Vlcera curantibus medicamẽtis miſcetur Adeps caprinus. 11°.de ſimp. medicamen.facul. 5ª.78.H
in Vlceribus Aeris temperies conſideranda.3°.meth.me. 7ª.21.C
ad Vlcera quõ præparanda Aerugo.2°.de comp.me.per ge. 5ª.219.G
Vlceri quid faciat ærugo.3°.meth.me. 7ª.17.A
ad Vlcera qualis ſquamma æris.4°.de comp.med.per ge. 5ª.236.F
ad Vlcera quid faciat ſquamma æris.3°.de ſimp.med.fac. 5ª.20.B
Vlceribus quibus conueniat Aloe.5°.meth.me. 7ª.36.E
Vlcera deſiccãt Aquæ cæteræ præter potabilẽ.1°.de ſimp.me.fa.5ª.3.E
Vlceribus valent aquę aluminoſę, & aquæ fontis albulæ.1°.de ſimp.medicamen.facul. 5ª.3.D
Vlcera quæ aquæ exaſperent.1°.de ſimp.me.fa. 5ª.3.E
pro Vlceribus exiccandis Buccinarum, purpurarum, & oſtrearum teſtæ toſtæ.4°.de comp.med.per gen. 5ª.236.F
in Vlceribus Calida nimis fugienda.3°.meth.me. 7ª.21.C
in Vlceribus calor, & frigus ſupra modũ vitãda.3°.meth.me. 7ª.21.C
in Vlceribus Cera quæ deligenda.4°.de compo.med.per gen. 5ª.237.D
ad Vlcera qualia Chryſocolla, & terra Eretras. 6°.de compoſitio.medica.per genera. 5ª.255.C
Vlceribus medetur Dracunculi radix.5°.de compoſitione medicamentorum per genera. 5ª.246.G
Vlcus omne deſiderat Exiccari.5°.methodi med. 7ª.29.F
Vlcus omne exiccari deſiderat medicamento non mordente. 2°.de arte curatiua ad Glauconem. 7ª.102.D
Vlcera exiccanda.4°.methodi medendi. 7ª.27.E
in Vlcere ſiccitas ꝓpria partis inducẽda.4°.de cõp.me.per g. 5ª.236.B
Vlcera ſanantur à medicamentis, quæ ſiccant ad plenum.4°.de compoſi. medic.per genera. 5ª.240.G
Vlcera quomodo ſanentur ſiccitate, & quanta debeat eſſe ſiccitas, & ordo.com.6°.aph.45°. Ex.51.G
Vlcera prius exiccantur, quàm ad cicatricem perducantur. commẽ.6°. aphoriſmo 8°. Ex.47.C
Vlcera mundificant exiccantia & detergentia.4°.de compoſit.medica. per genera. 5ª.237.B
Vlcera exiccantia.4°.de comp.me.per gen. 5ª.236.F/G
Vlcera exiccantium ordo.5°.meth.me. 7ª.36.E
Vlcera quę non ſint exiccanda.4°.meth.me. 7ª.27.D
Vlceribus impoſita vim habet valenter deſiccandi Filix.8°.de ſimp.medicamen.facul. 5ª.59.C
in Vlceribus Frigida nimis fugienda.3°.meth.med. 7ª.21.C
Vlceribus frigus inimicum.com.5°.aph.20°. Ex.39.B
Vlceribus mordacia frigida.1°.de ſimp.me.fac.5ª.6.D/ commentario.5°. aphoriſmo 23°. Ex.39.F
Vlceribus non conueniunt frigida humida, ſed bene frigida ſicca & terreſtria, et ad influẽtes humores reprimẽdos.de artic.cõ.3°. 7ª.285.D
Vlceribus nullum Humectans conuenit.1°.de comp.me.per ge.5ª.213.A
Vlceribus omnibus competit hæmatites lapis.9°.de ſimp.me.fa.5ª.68.C

Vlceribus Malactica non conueniunt,& quæ. 4°.*de compo.medicamentorum per genera.* 5ª.236.H
*ad Vlcera Medicamentum minime mordax.*4°.*de compo.medicamentorum per genera.* 5ª.239.A
*Vlceribus mordax Mel eſt non cuti.*5°.*de comp.med.ſec.lo.* 5ª.159.A
Vlceribus diuerſis quomodo valeat medicamentum ex Meliloto. 8°.*de comp.me.ſec.loc.* 5ª.187.F
*ad Vlcera medicamentis propter quid miſcentur Myrteum, & lentiſſimum.*4°.*de comp.med.per ge.* 5ª.237.H
*Vlcera lenit Oleum.*1°.*de ſimp.med.fac.* 5ª.11.A
*in Vlceribus oleoſa vitanda,& quæ.*4°.*de comp.me.per ge.* 5ª.236.H
Vlcera ſanant oleum,& adeps quadraginta annorum. 4°.*de compoſit. medicamento.per gen.* 5ª.240.B
*ad Vlcera valent Panacis aſclepij flores.*8°.*de ſimp.me.fac.* 5ª.57.H
pro Vlcere Piloſella.de dyn. Sp.35.E
*Vlcerum bonum eſt remedium Polygonon.*8°.*de ſimp.me.fac.* 5ª.58.H
*ad Vlcerum impletionem,& ad eadem cicatrice obducenda optimum medicamentum eſt Plumbum lotum.*9°.*de ſimp.me.fac.* 5ª.70.G
*ſupra Vlcus ponit medicamentū purgans.de fract.com.*3°. 7ª.244.A
Vlcera curantibus medicamentis omnibus admiſcenda Reſina. 2°.*de cōpo.med.per gen.* 5ª.219.F
*ad Vlcera medicamentis propter quid reſina miſcetur.*4°.*de compoſitio.med.per gen.* 5ª.237.H
ad Vlcera qualia Sal ammoniacus & auripigmentum. 6°.*de compoſi. med.per genera.* 5ª.255.C
*Vlcera deſiccat ſæpiarum teſta.*11°.*de ſimp.med.fa.* 5ª.81.A
*ad Vlcera ſeuum quando ponendum.*4°.*de comp.me.per ge.* 5ª.241.A
*Vlceribus accommoda eſt terra vſta.*9°.*de ſim.me.fac.* 5ª.66.F
*ſupra Vlcera vinū & oleū lana cōcepta.*4°.*de cōp.per gen.* 5ª.244.E
*Vlceribus omnibus optimū medicamentū eſt vinū.*3°.*met.me.* 7ª.19.D
in Vlceribus quando dandum,& quando non dandum Vinum. 4°.*methodi medendi.* 7ª.28.H
*Vlceribus quando conueniant vina alba tenuia.*6°.*meth.me.* 7ª.38.E
*in Vlceribus quid faciat vinum.de fract.com.*3°. 7ª.242.E
*ad Vlcus omne.*1°.*de comp.me.per ge.*5ª.216.D/217.G/5°.247.F/6°.5ª.258.B/*de paſſ.mul.* Sp.96.D
*Vlceris caſus.*3°.*de compoſitio.medicamen.per gen.* 5ª.234.C
Vlcus vlcerari,lege Exulceratio Exulcerari.
ad VLCVSCVLA *eminentia in partibus corporis.*5°.*de compoſi. medicamento.ſec.loc.* 5ª.162.D
ad Vlcuſcula,quæ fiunt in capite ſpiſſa & parua & rubicunda, valet ſuccus centaureæ.de vir.cent. Sp.93.B
*VLMI folijs recentibus Galenus vulnus glutinauit.*8°.*de ſimplic.medicamen.facul.* 5ª.59.C
Vlmi virentia folia conciſa ad fracturam quæ glutinari non poſſit. de remed.par.fac. 7ª.154.A
*Vlmi cortex lepram ſanat vulneribus vinculi vice circunligatum ea glutinare poteſt.*8°.*de ſimp.med.fac.* 5ª.59.C
*Vlmi cortex ad fracturā quæ glutinari nō poſſit.de rem.pa.fa.*7ª.154.A
*Vlmi radices decoctæ fracturas fundunt, quæ tolpho ſiue callo inductæ opus habent.*8°.*de ſimpl.med.fac.* 5ª.59.C
*Vlmi caries adſtringit,& abſtergit.*8°.*de ſimp.me.fac.* 5ª.60.A
*Vlmi lachryma.*5°.*de comp.medi.ſec.lo.* 5ª.160.H
*Vlmus in ſacchis ex corio recondita.*2°.*de comp.me.per ge.* 5ª.222.F
*VLNA pars manus,& inter magnas partes.*2°.*de mo.mu.* 1ª.313.F
*Vlna ſumitur pro ſpatio à cubito ad articulationem manus, in qua ſunt duo oſſa.*2°.*de vſu par.* 1ª.121.B
*Vlna proprie eſt os maius cubiti.*2°.*de vſu par.* 1ª.121.B
*Vlna minor brachio.*2°.*de vſu par.* 1ª.126.E
*Vlnæ conformatio.*2°.*de vſu par.* 1ª.125.A
*Vlnæ poſitio.*2°.*de vſu par.* 1ª.125.A
*Vlna habet duo oſſa.*2°.*de motu mu.* 1ª.313.F
*in Vlna cur duo oſſa.*2°.*de vſu par.* 1ª.126.G
*Vlnæ cur incumbit radius.*2°.*de vſu par.* 1ª.125.B
*Vlnæ os paruum radius.*2°.*de motu muſ.* 1ª.313.F
*Vlnæ radius vbi inarticulatur.*2°.*de motu muſ.* 1ª.313.F
*in Vlnæ medio partes cur tenuiores.*2°.*de vſu par.* 1ª.125.B
Vlnæ finis in cubito craſſior 2°.*de vſu par.* 1ª.125.C
*Vlnæ cauitas cui figuræ ſimilis.*2°.*de motu muſc.* 1ª.313.G
*Vlnæ corona cur ita vocata.*2°.*de vſu par.* 1ª.125.C
*in Vlna corona quæ ſit.*2°.*de vſu par.* 1ª.125.C
*Vlnæ coronæ vtilitas.*2°.*de vſu partium.* 1ª.125.D
*Vlnæ coronæ quid faciant.*2°.*motu muſ.* 1ª.313.G
*Vlnæ vertex quid ſit.de frac.com.*2°. 7ª.240.C
*īter Vlnā,et digitorū ſciſſionē ordines tres medij.*2°.*de vſu pa.* 1ª.124.D
*in Vlnam vaſa tenuia cur inſeruntur.*13°.*de vſu par.* 1ª.202.B
*Vlna habet duos motus.*2°.*de vſu par.* 1ª.125.D
*Vlna habet quatuor motus.*2°.*de vſu par.* 1ª.122.D
*Vlnæ motus qui.*2°.*de vſu par.* 1ª.122.B
*Vlnæ motus à quibus fiant.*2°.*de vſu par.* 1ª.122.B
*Vlnæ motus quomodo fiant.*2°.*de vſu par.* 1ª.122.B
*Vlnæ muſculi quot.*2°.*de vſu par.* 1ª.122.C
*Vlnæ muſculi vnde.*16°.*de vſu par.* 1ª.218.A
*Vlnam duo muſculi extendunt.*2°.*de vſu par.* 1ª.126.D
*Vlnam duo muſculi flectunt.*2°.*de vſu par.* 1ª.122.G
*in Vlnæ muſculo anatomicorū error ān Galenū.*2°.*de vſu par.* 1ª.121.D
*Vlnæ neruus externus vnde.*16°.*de vſu par.* 1ª.218.A
*Vlnis vel tibijs inflammatis conuulſio fit.*4°.*de preſ.ex pulſ.* 4ª.121.A
Vlna Vide Cubitus.
VLPIANVS. 6°.*de comp.med.per gene.* 5ª.263.A
*VLYSSES fuit paruus.*11°.*de ſimpli.med.fac.* 5ª.80.H
*Vlyſſes ſapiens græcus.*3°.*de decr.Hipp.* 1ª.245.H
*Vlyſſes dominabatur iracundiæ.*3°.*de decr.Hip.& Pla.* 1ª.242.F
*Vlyſſes vicit iram.*3°.*de decr.Hipp.* 1ª.242.H
VMBILICVS *qui.introductio.Iſa.*53.D/*de diſſ.vul.* 1ª.109.G
*Vmbilicus eſt in medio:*2°.*de dec.Hip.* 1ª.236.B
*inter Vmbilicū,& præcordia pars qualis cēſenda.*6°.*de decr.*1ª.261.D
Vmbilicus fœtus vmbilico matris continuatur.de ſper. Sp.36.E
in Vmbilico fœtus ligatur,& per eundem nutritur.de ſper. Sp.36.E
ad Vmbilicum vaſorum coniugium.de ven.arter.diſſ. 1ª.59.E
*in Vmbilico fœtus quatuor vaſa,duæ venæ,duæ arteriæ.*15°.*de vſu partium.* 1ª.211.F
Vmbilici vena quomodo ſcindatur.de fœt.form. 1ª.323.D
per Vmbilicum vena ad Iecur cui aſſimiletur.de fet.for. 1ª.324.F
ad Vmbilicum arteriæ ramuli.de ven.art.diſſ. 1ª.59.D
*circa Vmbilicum arterias ſi laqueo cōſtringas,vel digitis comprimas quid ſequatur.*6°.*de decr.Hip.& Pla.* 1ª.265.A
Vmbilico infantis neruus inſertus.intro. Iſa.54.E
*in Vmbilico nullus neruus.*6°.*de decr.Hippocr.* 1ª.265.A
*per Vmbilicum fœtus reddit lotiū, nō p pudēdū.*15°.*de vſu pa.* 2ª.211.G
VMBILICI *affectus.fin.med.* Iſa.49.B
ad Vmbilicum palpitatio.in 3^m^.*de mor.vul.com.*1°. 3ª.134.D
*Vmbilici dolor perſeuerans inducit ſiccam hydropem, ideſt tympaniā. com.*4°.*aph.*11°. Ex.28.D
Vmbilici inflammatio vnde fiat.de anat.par. Sp.43.C
*Vmbilici inflammationes propter quid puerulis veniant. commenta.*3°. *aphoriſmo.*24°. Ex.25.A
*ſub Vmbilico œdema raro in pus vertitur.in progn.com.*1°. 4ª.196.F
in Vmbilici inferioribus partibus abſceſſus ſalubriores.in 6^m^.*de morbis vulgarib. com.*1°. 3ª.157.H
infra Vmbilicum nō fit ſuppuratio.in 6^m^.*de mor.vul.cō.*2°. 3ª.168.A
ad Vmbilicum ventoſam ponit.de med.fac.par. 7ª.166.D
ad Vmbilicos procidentes.de med.fac.par. 7ª.167.D
ad Vmbilicos prominentes.de med.fac.par. 7ª.169.B
*Vmbilicus vt è partu magnus ac elegans fiat.de med.fac.par.*7ª.169.B
VMBILICVS *Veneris cuius ſit facultatis.*7°.*de ſim.me.fac.* 5ª.52.F
*Vmbilici Veneris ſuccus frigidus eſt.*6°.*de ſan.tu.* 2ª.100.G
*Vmbilicus veneris refrigerat.*14°.*meth.me.* 7ª.87.D
VMBRAE *piſces inter illos numerantur,qui cæteris facilius conficiuntur.*3°.*de alim.fac.* 2ª.31.A
*Vmbræ piſces ſunt molles carne.*3°.*de alim.fac.* 2ª.31.A
Vmbræ piſces non habent carnem mollem veluti ſaxatiles. 3°.*de alimen. facultatibus.* 2ª.31.C
de VMBRA *aſini prouerbium:*3°.*de diff.pul.* 4ª.59.D
in Vmbra exiccat medicamentum. 3°. *de compoſitio.medicamentorum ſec.lo.*149.A/4°.153.E/154.B/8°.192.G/9°.198.H/ 4°.*de comp.med. per genera.* 5ª.243.H
VMBRATILI *diutina conſuetudine contractus candor nō eſt morbus.* 1°.*de ſan.tuen.* 2ª.64.A
VMBROSVM *quid ſignificet.in* 3^m^.*de morbis vulgaribus, commentario* 3°. 3ª.141.C
VNAPIA *vel zinzipha.de medicinis facile parandis.* 7ª.176.G

VNCIA

VNCIA nomen Romanum.1°.de compo.med.per ge. 5ª.215.D
Vncias vel libras dicunt Romani.3°.de comp.med.per ge. 5ª.232.F
Vnciæ menſurales quomodo differant à ponderalibus.6°.de compoſitio. medica.per genera. 5ª.257.G
Vnciæ ponderales quales.1°.de comp.med.per ge. 5ª.214.D
Vnciæ menſurales quales.1°.de comp.med.per ge. 5ª.214.D
Vncias ponderales in cornibus faciebant Romani.5°.de compoſit.medicamento.per genera. 5ª.250.A
pro *Vncijs menſurandis cornibus ſignatis vtebantur.1°.de compoſi.me dic.per genera.* 5ª.216.A
Vnciarum differentia.de pond.& menſ. 5ª.276.C
Vnciæ Italicæ quantæ.5°.de comp.me.per ge. 5ª.250.A
Vncia vocatur Italicus quatruſſis.1°.de comp.med.per gen. 5ª.276.C
Vncia apud Romanos quæ.3°.de comp.me.per ge. 5ª.232.F
Vncia romana menſuralis quæ.8°.de comp.me.ſe.loc. 5ª.187.D
Vnciæ quales.6°.de comp.med.per ge. 5ª.267.F
Vnciam vnam efficiunt drachmæ octo.6°.de com.me.ſec.lo.170.B/1°.de comp.me.per ge.217.E/2°. 5ª.225.G
*Vnciam faciunt Drachmæ argenteę octo.8°.de comp.me.ſe.lo.*5ª.191.A
Vnciam faciunt drachmæ ſeptem,& dimidia.8°.de compoſitione medicamentorum ſecun.loc. 5ª.191.A
Vncia quot capiat denarios.5°.de comp.med.per ge. 5ª.247.H
Vnciam faciunt Denarij octo.2°.de comp.med.per gen. 5ª.221.A
Vnciæ dimidium eſt Denarium pondo quatuor.2°.de compoſit.medica. per genera. 5ª.221.A
Vncia quomodo figuretur.de pond.& menſ. 5ª.275.D
Vncia ponderalis valet octo denarios.6°.de cõp.med.per gen. 5ª.259.C
Vncias duas pendet ſextans.4°.de compo.me.per gen. 5ª.244.H
Vnciæ duæ ſunt denarij ſexdecim.4°.de comp.me.per gen. 5ª.244.G
Vnciæ tres ſunt denarij ſex.1°.de comp.me.per ge. 5ª.217.F
Vnciæ tres ſunt denarij viginti quatuor.4°.de cõp.me.per ge. 5ª.244.G
Vncias tres pendet ſextarium.6°.de comp.me.per gen. 5ª.262.B
Vncias tres valet quadrans.3°.de comp.me.per ge. 5ª.233.H
Vncias quatuor valet triens.4°.de comp.med.per ge. 5ª.244.H
Vnciæ ſex eſt ſelibra.1°.de comp.me.per ge.211.C/ 5ª.217.B
Vncias octo habet ſextarius.9°.de comp.med.ſec.lo. 5ª.198.H
Vncias nouem valet Hemina Romana.1°.de compoſitio. medicamẽ.per genera.216.F/6°. 5ª.257.G
Vnciæ nouẽ metallicorum hemina.5°.de comp.med.per gen. 5ª.248.A
Vnciarum duodecim hemina.5°.de comp.medicamen.per ge. 5ª.248.A
Vnciarum ſexdecim mina.2°.de comp.med.per gen.220.G/ 5ª.226.D
*Vnciarum ſexdecim hemina.1°.de comp.me.per gen.215.D/6°.*5ª.257.G
Vncia.de pond.& menſ. 5ª.276.C/F/G/H
VNCINVM. *3°.de compo.med.ſec.loc.* 5ª.145.H
Vncini quid ſint.de ijs,quæ in med.ſi.com.3°. 7ª.218.D
VNCTIO *quam vim haberet Quintus interrogatus, reſpondit veſtis ſummouendæ.3°.de ſan.tuen.* 2ª.81.H
Vnctiones extrinſecus quid faciant ventriculo.6°.de ſan.tu. 2ª.99.A
Vnctiones valent contra febrem.de victus ratione in morb.acutis,commentario.4°. 7ª.140.E
Vnctio præcordiorum in febre ſynocha.de dyn. Sp.33.C
Vnctiones rarefacientes prohibet magnitudo febris, qualis eſt in continuis.11°.meth.med. 7ª.69.H
Vnctionibus digerentibus plenitudo exhauritur. de curan.rat.per ſanguinis miſſionem. 6ª.18.E
Vnctio fieri debet quando ingenti frigori occurrendum eſt.3°.de ſanitate tuenda. 2ª.81.H
Vnctio calfaciens humores foras fert.4°.de ſan.tuen. 2ª.86.A
Vnctiones frigidæ pro lumbis,quæ.6°.de ſan.tuen. 2ª.100.F
Vnctiones craſſioris ſubſtantiæ componebat Galenus, ne facile fluerent à corpore.6°.de ſan.tuen. 2ª.100.F
Vnctiones frigidæ ex papauere,& mandragora à quibus vitande.6°.de ſanitate tuenda. 2ª.100.F
Vnctionis prohibitione pereunt ſanitatem in carcere tuentes.5°.de ſanitate tuenda. 2ª.94.A
VNCTVOSITATES *differentiam faciunt in partibus diſſimilaribus. 3°.de ſimp.med.fac.* 5ª.20.F
Vnctuoſitatem multam habentia tarde digerũtur.de diff.cont. Sp.73.D
VNCTVOSVS, *& pinguis ſapor à Theophraſto additus.1°.de ſimp. medicamen.facul.* 5ª.9.B
Vnctuoſus ſapor qualis ſit,& vnde oriatur.de ocul. 7ª.188.A
Vnctuoſa quæ ſint.de ocul. 7ª.187.H
Vnctuoſi quomodo fiant fructus pontici.de ocul. 7ª.188.B
Vnctuoſum multum eſt ſiſamum.de diſſ.cont. Sp.73.B
Vnctuoſi operationes.de ocul. 7ª.188.B
Vnctuoſo,& pingui ſanguine nutritur calor vitalis, qui eſt in corde. de vtilitate reſpirationis. Sp.62.D
VNCTI *in balneo ſudant.2°.de ſimp.me.fa.* 5ª.14.F
VNCI *pars organum.de machin.* 7ª.309.E
Vnci ærei vel ferrei comparentur.de machin. 7ª.309.D
Vnci ad quid in organis.de machin. 7ª.309.G
Vnci cum organa mouentur vſui ſunt.de machin. 7ª.310.F
Vnci in organis mouentur in eodem loco manentes.de machin. 7ª.310.F
VNDECIMANI *ſudores boni.præſ.exper.conſ.* Sp.77.G
VNDECIMVS *dies qualis.2°.de dieb.decre.* 4ª.154.F
Vndecimus dies eſt dies iudicatorius bonus.com.4°.aph.36°. Ex.31.G
Vndecimus dies indicium præbuit quandoque decimi ſeptimi, quandoq; vigeſimi.com.4°.aph.71°. Ex.35.E
Vndecimus viribus eſt prope ſeptimum,& quartumdecimum.1°.de die bus decretorijs. 4ª.147.B
VNDARVM *motu vermis mouetur.1°.de diff.pul.* 4ª.51.H
de VNDOSO *pulſu.1°.de diff.pul.* 4ª.51.H
Vndoſi pulſus vnde.2°.de præſag.ex pul. 4ª.112.H
Vndoſus pulſus quid ſignificet.2°.de præſ.ex pul. 4ª.113.G
VNEDON *dicitur ab Italiæ ruſticis fructus epimelidis.6°.de ſimpl. medicamen.facul.* 5ª.47.D
Vnedo eſt acerbus cum exigua dulcedine.2°.de alim.fac. 2ª.21.H
Vnedo nocet ſtomacho,& dolorem capitis facit.2°.de alim.fa. 2ª.21.H
VNGENDI *locus erat in vrbe.2°.de ſan.tuen.* 2ª.69.E
Vngendus non eſt qui bene ſe habet.3°.de ſan.tuen. 2ª.81.H
Vngendũ corpus nõ valde ſiccũ.de vic.ratio.in mor.acut.c.3°. 7ª.132.E
*Vngendum quando in balneo. de victus rat. in morb.acu.c.3°.*7ª.132.E
cur *Vngendum poſt lotionem oleo.7°.meth.me.* 7ª.45.C
VNGEBANTVR *& lauabantur poſt febrem ciues, non agreſtes.10°. methodi medendi.* 7ª.61.H
VNGVENTARII *miniſtri medicorum. in 6ᵐ.de morbis vulgaribus, commentario 5°.* 3ª.188.C
Vnguentarij ſiccas herbas,non virides cognoſcunt.1°.de ant. 5ª.102.B
Vnguentarij Romę cognoſcunt ſuccorum fraudes.1°.de anti. 5ª.100.D
Vnguentarij vaſe duplici vtuntur.7°.de comp.med.ſec.loc. 5ª.180.B
Vnguentarium vas.7°.de comp.me.ſecun.loc. 5ª.181.G
Vnguentarium vas duplex.7°.de comp.med.ſec.loc. 5ª.181.F
VNGVENTVM *quid ſit.6°.de ſimp.medicamen.facu.* 5ª.47.A
Vnguenta quæ ſint,collige.7°.de compo.medicamen.per gen. 5ª.269.E
Vnguenta ſunt olea ex herbis.6°.de ſimp.me.fac. 5ª.47.A
Vnguenta ſunt ex nobis foris incidentibus.1°.de ſan.tuen. 2ª.68.H
de *Vnguentis & ſuffumigijs documenta ſunt extra medicinam. 2°.de comp.med.ſecun.loc.* 5ª.127.E
ad *Vnguenta vtuntur vnguentarij ariſtolochia de matite.6°.de ſimpli. medicament.facultat.* 5ª.43.E
in *Vnguentis ceræ doſis.4°.de ſan.tuen.* 2ª.87.B
in *Vnguentis reſinę doſis.4°.de ſan.tuen.* 2ª.87.B
Vnguenti craſſitudo.3°.de compoſi.medic.ſec.loc. 5ª.148.D
Vnguenta caleſcunt in vaſe duplici.8°.meth.me. 7ª.53.C
*Vnguenta omnia in duplici vaſe miſcẽtur.3°.de cõp.me.per ge.*5ª.234.F
Vnguentum excipit purpura.7°.meth.me. 7ª.47.A
Vnguenta Acopa quæ.3°.de compo.me.per gen. 5ª.233.B
Vnguentum Aegyptiacum.10°.de comp.med.ſe.lo. 5ª.208.A
Vnguentum Aegyptium dicitur Mendeſium & Megaleum.2°.de compoſitione medicamento.ſecun.loc. 5ª.137.H
Vnguentum Aegyptium quale ſit.2°.de comp.me.ſec.loc. 5ª.137.H
Vnguenti albi confectio.de dyna. Sp.32.A
Vnguentum Amaracinum quale.1°.de antid. 5ª.104.A
Vnguentum amaracinum aperit.5°.de ſimp.me.fac. 5ª.35.F
Vnguentũ amaracinũ rarefacit,& diſcutit.9°.de cõ.me.ſe.lo. 5ª.197.F
Vnguentum Arabicum.3°.de comp.me.ſec.loc. 5ª.144.G
Vnguentum ad Aures.3°.de comp.me.ſec.loc. 5ª.145.A
Vnguentum poſtrigilem auribus infunditur.3°.de compoſi.medicamentorum ſecundum locos. 5ª.142.D
Vnguentum Babylonium.7°.de com.me.per ge. 5ª.272.A
Vnguenta quibus vti oportet poſt Balneum.8°.meth.me. 7ª.51.F
Vnguenta Comptoria calida.2°.de comp.me.ſec.loc. 5ª.132.H
Vnguentum Crocinum quale.1°.de comp.me.ſec.loc. 5ª.129.G
Vnguentũ crocinũ rarefacit,& diſcutit.9°.de comp.me.ſe.lo. 5ª.197.F

Vnguentum Cyprinum,& oleum cyprinum quo differant.4°.de compo. medicamentorum per genera. 5ª.239.H
Vnguenta Delicatarum mulierum.8°.meth.me. 7ª.53.D
Vnguentum ad omnes Dolores matricis poſt partum.de dyn. Sp.29.H
Vnguentum ad qualemcunq; dolorem.de dyn. Sp.30.B
Vnguenta pro Epilepſia.de dyna. Sp.24.C
Vnguentum Foliatum quod Romæ.3°.de comp.me.per genera. 5ª.234.F
Vnguenta foliata preciosa,& ſpicata.4°.de lo.aff. 4ª.28.D
Vnguentum fœminarum diuitũ foliatum.1°.de cõp.med.ſec.lo. 5ª.125.G
Vnguenta mulierum præcioſa foliata & ſpicata.3°.de comp.medicamentorum ſec.loc. 5ª.141.A
Vnguentũ foliatum & ſpicatum quas habeant vires, & quod ſolum diuites poſſunt ipſis vti.6°.de ſan.tu. 2ª.99.A
Vnguentum foliatum nardino præſtantius.6°.de ſan.tu. 2ª.99.A
Vnguentum foliatum calidum.2°.de comp.medi.ſec.lo. 5ª.133.A
Vnguenta foliata valent ad ventriculi os.8°.meth.me. 7ª.53.H
Vnguentum foliatum valet in defluuio capillorum.1°.de compoſi. medicamento.ſec.loc. 5ª.125.G
Vnguentum foliatum.7°.de comp.me.ſec.loc. 5ª.187.D
Vnguentum pro frigidis multum,& ſiccis.7°.methodi meden. 7ª.47.A
Vnguentum ſupra frontem imponendum.de ocul. 7ª.190.C
Vnguenti Fuſci compoſitio qualis.de dyn. Sp.31.D
Vnguentum Gleucinũ rarefacit,et diſcutit.8°.de cõp.me.ſe.lo. 5ª.197.F
Vnguentum ad Guttam.de dyna. Sp.31.D/E
Vnguentum ad Hæmorrhoidas.de dyna. Sp.28.G
Vnguentum ad Impetiginem.de dyna. Sp.25.E
Vnguentum ad impetiginem,& pruritum.ſecre. Sp.97.G
Vnguentum Irinum aperit.5°.de ſim.me.fac. 5ª.35.F
Vnguentum irinũ rarefacit,& diſcutit.9°.de comp.med.ſe.lo. 5ª.197.F
Vnguento irino vtendum poſt balneum.8°.meth.me. 7ª.51.F
Vnguenti irini fæx repurgans eſt & extergens. 1°.de compoſitio.medicamen.ſecun.loc. 5ª.129.H
Vnguentum Laurinum calfacit ſufficienter. 1°.de compo.medicamentorum ſecun.loc. 5ª.122.B
Vnguentum Laxatiuum quod caput alleuiat,ſtomachum purgat,appetitum confortat,oculos clarificat.de dyn. Sp.23.D
Vnguentum Malabathrinum primæ confectionis. 7°.de compoſit.medicamento.per gen. 5ª.271.G
Vnguenti malabathrini fæx.7°.de comp.med.ſec.loc. 5ª.178.D
Vnguentum Maſtichinum quale.7°.de ſimpl.med.fac. 5ª.55.C
Vnguentum maſtichinum valet ad ventriculum.8°.meth.me. 7ª.53.D
Vnguentum maſtichinum ventriculo imbecillo applicabant antiqui. 7°. methodi medendi. 7ª.43.H
Vnguento Melino pectus æſtate vngendum.5°.meth.me. 7ª.32.H
Vnguentum melinum applicabant ventriculo imbecillo antiqui. 7°.methodi medendi. 7ª.43.H
Vnguentum melinum dum fluit aluus.8°.meth.me. 7ª.53.C
Vnguentum melinum.3°.de comp.med.per gene. 5ª.270.E
Vnguentum melinum pro vnguento nardino. 8°.de compoſi.medicamento.ſecun.locos. 5ª.187.D
Vnguentum Mendeſium quale.2°.de comp.me.ſe.lo. 5ª.134.D/E
Vnguentum ad Morpheam.de dyna. Sp.25.F
Vnguentum pro Mentula album.de dyn. Sp.29.C
Vnguentum ex Nardo quod optimũ,& vbi fiat.11°.meth.med. 7ª.72.H
Vnguentum nardinum vbi optimum.8°.de comp.med.ſe.lo. 5ª.187.D
Vnguentem nardinum Aſianum.8°.de comp.med.ſe.lo. 5ª.193.D
Vnguentum nardinum curioſe factum.8°.meth me. 7ª.53.C
Vnguentum nardinum calefacit valentius.11°.meth.me. 7ª.72.H
Vnguentum nardinum melinum maſtichinum quẽ ordinem habeant inter ſe,& quo anni tempore exhibenda.6°.de ſan.tu. 2ª.99.A
Vnguento nardino pectus hyeme vngendum.5°.meth.me. 7ª.32.H
Vnguentum nardinum optimum adhibet pro fomẽto in dolore auris. 3°. de comp.med.ſec.loc. 5ª.141.A
Vnguento nardino præcordia pſricauit Galenus.de præcog. 4ª.219.A
Vnguento nardino vtendum poſt balneum.8°.meth.me. 7ª.51.F
Vnguentũ nardinum ori ventriculi conuenit.de remed.par.fa. 7ª.158.F
in *Vnguento nardino chia maſtiche valet ad oris ventriculi imbecillitatem.8°.meth.med.* 7ª.53.C
Vnguentum nardinum applicabant ventriculo imbecillo antiqui. 7°.methodi medendi. 7ª.43.H
Vnguento nardino imbuta lana pro ſtomachi ore.7°.de compoſi.medic. ſecundum locos. 5ª.187.D
Vnguentum nardinum ventriculo admouit Galenus in defectu animi.de præcogn.ad Poſth. 4ª.217.F
Vnguentum nardinum valet in defluuio capillorum. 1°.de compo.medicam.ſecun.loc. 5ª.125.F
Vnguenti Nardini fit mentio.7°.de comp.me.per ge. 5ª.271.G
pro *Vnguento nardino melinum.7°.de comp.med.ſec.loc.* 5ª.187.D
Vnguentum ad Naſcentia mala.de dyn. Sp.30.D
Vnguentum Odoratum hedyſma.1°.de comp.me.ſec.loc. 5ª.126.D
Vnguentum de Oleo frumenti probatum eſt ad morpheam nigram.de dynamidijs. Sp.30.D
Vnguentum ad Oris vitium vel vulnus.de dyna. Sp.25.D
Vnguentum ad Paralyſim.de dyn. Sp.31.C
Vnguentum ad Plagas.de dyna. Sp.31.F
Vnguentum bonum in Pleuritide.de med.fac.par. 7ª.166.A
Vnguenta Prætioſa calida.2°.de comp.med.ſec.loc. 5ª.133.A
Vnguentum præcioſiſſimum.2°.de comp.me.ſec.loc. 5ª.134.D
Vnguentum ad Quartanam.de dyn. Sp.33.B
Vnguenta quæ Rarefaciũt,& diſcutiũt.8°.de cõp.med.ſec.lo. 5ª.197.F
Vnguentum Roſaceum,& oleum roſaceum quo differant. 4°.de compoſitio.med.per gen. 5ª.239.H
Vnguentum roſaceum quomodo conficiendum.2°.de ſimpl.medicamentorum facul. 5ª.16.E
Vnguento roſaceo pectus æſtate vngendum.5°.meth.me. 7ª.32.H
Vnguentum roſaceum.3°.de comp.me.ſec.loc.144.G/ 5ª.145.C
Vnguentum ad Serpiginem & ad carnem mortuam manducandam. de dynamidijs. Sp.30.G
Vnguentum Spicatum quod Romæ.3°.de comp.me.per ge. 5ª.234.F
Vnguentum ſpicatum nardino præſtantius eſt.6°.de ſan.tuen. 2ª.99.A
Vnguentum ſpicatum calidum.2°.de comp.med.ſec.loc. 5ª.133.A
Vnguenta ſpicata valent ad ventriculi os.8°.meth.me. 7ª.53.D
Vnguentum ſpicatum valet in defluuio capillorum.1°.de compoſi.medicamen.ſecun.loc. 5ª.125.G
Vnguentum ſpicatum.7°.de comp.med.ſec.loc. 5ª.187.D
Vnguentum ad Subducenda ſtercora etiam duriſſima pro vngendo ano. de dynamidijs. Sp.27.F
Vnguentum Suſinum.3°.de comp.med.ſec.loc.142.B/5°. 5ª.164.G
Vnguentum Syriacum.2°.de comp.med.ſec.loc. 5ª.135.F
Vnguentum Telinum.7.°de compo.med.per gen. 5ª.267.A
Vnguentum ad Tibias fractas de phlegmate ſalſo.de dyn. Sp.30.B
ex *Vnguentis fomenta.3°.de comp.me.ſec.lo.* 5ª.141.A
VNGVINOSA *in vrinis ab adipe veniunt. in 6m.de morbis vulgaribus, commen.5°.* 3ª.192.A
VNGVES. *fin.med.44.D/* Iſa.49.D
Vngues vltimæ partes,quæ perficiuntur.2°.de temp. 1ª.16.A
de *Vnguibus vniuerſaliter manuũ,& pedũ.2°.de ana.adm.* 1ª.73.A
Vngues quomodo ſe habeant in corpore.2°.de ana.adm. 1ª.73.A
Vnguium nullum eſt regimen,ſed tantum generatio.ars med. Iſa.63.B
Vngues pili,cutis cur in extremis partibus ſint genita.in tim. 1ª.268.G
Vngues cur ſiti in ſuis locis.2°.de ana.adm. 1ª.73.C
Vngues ſub certis venis connaſcuntur.in tim.Plat. 1ª.286.H
Vngues ex quibus geniti.in tim.Plat. 1ª.286.H
Vngues ex quibus conſtent.de hiſt.phil. Sp.11.F
Vngues ſunt chartilagineæ.de voc.inſtr.diſſ. 1ª.106.C
Vnguis commune habet cũ chartilagine ſenſu carere. fin.med. Iſa.49.D
Vnguis dura per exceſſum. 5°.de ſimp.med.fac. 5ª.32.E
Vngues cur ita duri.1°.de vſu par. 1ª.115.F
Vnguis ſiccus.1°.de temp. 1ª.12.G
Vngues ſicciſſimi.2°.de temp. 1ª.18.A
Vngues cur non oſſei.1°.de vſu par. 1ª.115.F
Vngues ſimiles,& diſſimiles ab vnguibus animalium non fortium habent animalia fortia.11°.de vſu par. 1ª.187.D
Vngues in animalibus manſuetis,aut timidis ſunt lati,molles,& obtuſi. 11°.de vſu par. 1ª.187.G
Vngues in animalibus agreſtibus aut fortibus acuti,magni,fortes, ac rotundi.11°.de vſu par. 1ª.187.G
Vngues curui cur inſunt animalibus carniuoris.2°.de vſu par. 1ª.128.B
Vnguis hominũ cur mollior aliorum animalium.1°.de vſu par. 1ª.115.H
Vngues biſulcas habentia animalia quæ.de artic.com.1°. 7ª.256.H
Vngues cur rotundi.1°.de vſu par. 1ª.115.H
Vngues propter quid facti.1°.de vſu par. 1ª.115.F
Vnguibus cur indiguit manus.1°.de vſu par. 1ª.114.E
n *Vnguiũ vtilitate mire errãt Plato et Ariſtot.1°.de vſu par.* 1ª.114.F

ex *Vngue &*

ex *Vngue,& carne digitorum ſummitas.1°.de vſu par.* 1ª.114.D
Vnguis,& vena digitorum partes.de inæq.intemp. 3ª.43.D
Vnguis in digito cur extrinſecus.1°.de vſu par. 1ª.114.D
Vngues longi non poſſunt rē paruā apprehēdere.1°.de vſu par. 1ª.114.D
Vngues parui faciunt carnem inualidam ad apprehendendum.1°.de vſu partium. 1ª.114.D
Vngues debent eſſe æquales carni.1°.de vſu par. 1ª.114.E
Vngues ſunt nutrimētū ſm Platonē,& Ariſtotelē.1°.de vſu p. 1ª.114.F
Vngues ſemper creſcunt.2°.de anat.adm. 1ª.73.B
Vngues augentur in longum.1°.de vſu par. 1ª.115.H
Vngues cur creſcant.1°.de vſu par. 1ª.115.H
Vngues pedū ꝓportione rūdet vnguibus manuū.3°.de vſu par. 1ª.133.A
Vngues quales eē debeāt in chirurgo. de iis,quæ in med.cō.1°. 7ª.204.B
VNGVES *aſinorum comitiales ſanant.11°.de ſim.me.fa.* 5ª.80.E
Vngues aſinarum coercadas ſanant.11°.de ſimp.me.fac. 5ª.80.E
Vngues caprarum [illegible]cias ſanant.11°.de ſimp.me.fa. 5ª.80.E
Vnguis teſtudi[illegible].de reme.par.fac. 7ª.164.E
VNGVES *[illegible]ellunt Batrachij caulis & folia virentia.6°.de ſimpliciū medicamentorum facultat.* 5ª.44.G
in *Vngue ægritudinum cauſæ.de diff.mor.* 3ª.4.F
ad *Vnguium Aſceſſus.8°.de comp.me.ſec.lo.* 5ª.188.G
Vngues Adunci Tabidorum iudicium.1°.de lo.aff. 4ª.6.D
Vngues cur Curuentur in purulentis.in ꝓgn.Hip.com.2°. 4ª.204.E
Vnguibus curuis,& nigris prædicitur mors.de vſu pul. 1ª.227.E
circa *Vnguium radices Dolor.de inæq.intempe.* 3ª.44.E
Vngues Leproſos eximunt pices.8°.de ſim.me.fa. 5ª.58.E
Vngues ac digiti Liuidi ſignificāt mortem.in progn.com.2°. 4ª.198.F
Vngues Pſorodeas ſanant cantharides.11°.de ſimpl.med.fac. 5ª.82.E
ad *Vngues Putridos.4°.de compoſi.medicamen.per gene.* 5ª.244.F
ad *Vngues Quaſſatos,& apoſtematos valet ſuccus centaureæ. de virtute centaureæ.* Sp.93.B
ad *Vnguium Scabiem.de med.fac.par.* 7ª.177.G
Vngues Scabros eijcit chelidonium minus.8°.de ſimp.me.fac. 5ª.63.G
ad *Vngues ſcabros diuinum auxilium.de med.fa.par.* 7ª.174.A
ad *Vngues offendicula vacillātes vel confirmandas, vel extrudendas.* 5°.de comp.medicamen.per gen. 5ª.248.C
propè *Vnguem vlcus quid faciat neglectum.2°.de diff.feb.* 3ª.41.B
VNGVIBVS *& vrinæ ſimilia in abſceſſibus inueniuntur . de tumoribus præter nat.* 3ª.83.G
Vnguium ſimilia corpora inuenta quandoque in abſceſſibus.14°.metho. medendi. 7ª.90.E
VNGVES *piſces habent carnem duram.3°.de alim.fac.* 2ª.32.B
VNGVES *roſis reſecat.4°.de comp.me.ſec.loc.* 5ª.155.D
VNGVIS *in oculo quid.fin.med.48.E|introd.* Iſa.58.G
Vnguis in oculo.de diff.mor.5.H|6.B|de tum.præt.nat. 3ª.84.H
Vnguis affectus iridis oculi. intro. Iſa.58.D
Vnguis vlceratio oculorum.fin.med. Iſa.48.D
Vnguis in oculo eſt ex genere naturali.de dif.mor. 3ª.4.F
Vnguis eſt ægritudo.de diff.mor. 3ª.4.F
Vnguis pupillam obtenebrat.de diff.mor. 3ª.4.F
Vnguis oculorum morbus manu indiget.intro. Iſa.59.G
Vngues in oculo præciduntur.intro. Iſa.59.G
Vngues lino vel hamulo attrahuntur.intro. Iſa.59.G
Vngues oculorum quibus attenuentur.4°.de comp.me.ſec.loc. 5ª.151.A
Vngues oculorum eliquat ſepiarum teſta ſali foſſili miſta.11°.de ſimplic. medicament.facul. 5ª.81.A
Vngues oculorum auferunt tithymalli.8°.de ſimp.me.fa. 5ª.62.D
ad *Vnguem oculi.de remed.par.fac.* 7ª.156.H
VNGVLA *ex qua ſubſtantia.1°.de vſu par.* 1ª.115.G
Vngulæ ſolidæ ſunt duræ,& inſenſibiles.3°.de vſu par. 1ª.134.A
Vngulæ biſulcæ ſunt duræ & inſenſibiles. 3°.de vſu par. 1ª.134.A
Vngulas ſolidas aut bifidas animalia habentia habent collum longius. 11°.de vſu par. 1ª.187.D
Vngula ſicca.1°.de temp. 1ª.12.G
Vngulæ ſicciſſimæ ſunt.2°.de temp. 1ª.18.A
Vngula cur non indiguit homo.1°.de vſu par. 1ª.113.D
per *Vngulas expelluntur ſuperflua. de compag.memb.* Sp.59.B
Vngula Vrſina.de dyn. Sp.24.B
de VNGVLA, *& quid ſit.de med.fac.par.* 7ª.162.D
Vngula quid ſit.de ocul. 7ª.186.F
Vngula in oculo.de ocul. 7ª.186.E
Vngula eſt morbus coniunctiuæ.de ocul. 7ª.186.E
Vngulæ oculorum præſidium.de dyn. Sp.24.H
ad *Vngulas quę faciant.de ocul.* 7ª.189.C
Vngulæ vetuſtæ putrefactiua valent.de ocul. 7ª.189.C
VNIT *venas vinculum capitis.in Tim.Plat.* 1ª.288.A
VNIONES *nō rectè tāto ſtudio appetuntur.de cog.cu.aī mor.* 2ª.54.H
VNIO *eſt intentio ſolutionis continuitatis.ars med.* Iſa.69.G
Vnio impoſſibilis in inſtrumentis.ars med. Iſa.69.G
ad *Vnionem vtilia.ars med.* Iſa.69.G
VNITAS *Deus.de hiſt.phil.* Sp.4.F
Vnitas eſt cauſa cur pars ſit vna.de diff.mor. 3ª.3.C
in *Vnitate morbi qui.de ocul.* 7ª.181.C
VNITATIS *ſolutio nomen inuentum à Galeno.de cau.mor.* 3ª.9.F
Vnitatis ſolutio,& continuitatis ſolutio idem ſunt,et in quibus ſint partibus.5°.meth.me. 7ª.29.H
Vnitatis ſolutio ægritudo communis omnibus.de cauſis morborum.9.F| 1°.de ſymp.cau. 3ª.14.C
Vnitatis ſolutio cōmunis ſimilaribus,& inſtrumentis.2°.met. 7ª.13.D
Vnitatis ſolutio in carne quid ſit.5°.met. me. 7ª.16.E
Vnitatis ſolutio in oſſe quid ſit.3°.meth.me. 7ª.16.D
Vnitas quomodo ſoluatur,quoque modis.de inæq.intemp. 3ª.43.F
Vnitatem ſoluunt calor,& frigus.de inæq.intemp. 3ª.44.C
Vnitatis diuiſio in rhagoide.1°.de ſymp.ca. 3ª.14.H
Vnitatis ſolutio vnitionem poſtulat.3°.meth.me. 7ª.16.D
VNIVERSALES *differentiæ in ſingulares diſtinguntur. in 6m.de morbis uulgaribus,com.3°.* 3ª.175.G
Vniuerſalia ꝗ primo addiſcenda ſunt,& poſt particularia . in 1m.prorr. commentario 3°. 4ª.184.H
ab *Vniuerſali,& generaliſſimo ad ſingulare inuentores Plato & Hippocrates.9°.de decretis Hippoc.* 1ª.283.H
in *Vniuerſalibus particularia continentur.de vic.ratio.in mor.acutis, commentario 2°.* 7ª.124.F
Vniuerſalia ex ſingularibus fiunt.in 6m.de morbis vulgaribus, commentario.3°. 3ª.174.G
ad *Vniuerſalium cognitionem conducunt ſingularia.in 1m.de morb.vulgaribus,commen.2°.* 3ª.120.H
in *Vniuerſalibus conſiſtit methodus.9°.meth.me.* 7ª.58.C
Vniuerſalis doctrina ex particularibus fit .de vic.ratio.in mor.acutis, commentario.1°. 7ª.111.A
ex *Vniuerſalibus doctrina fit.de vict.rati.in mor.acu.cō.4°.* 7ª.142.H
ex *Vniuerſalibus iudicantur artes.ad Thraſ.* 2ª.106.A
Vniuerſalium quædam perpetuo ſunt,quædam vt plurimum.de vic.rat. in mor.acu.com.4°. 7ª.142.H
Vniuerſali facultate cognita in particulares vſus facile deuenimus. 11°. de ſimp.med.fac. 5ª.81.D
de *Vniuerſali iudicium fit ex vno vel altero experimento.11°.de ſimpli. medic.facul.* 5ª.81.D
Vniuerſali inuenta facultate non indigemus experientia ad particulares actiones,ſed ad confirmationem.10°.de ſimp.med.fa. 5ª.72.A
Vniuerſalia non ſat eſt nouiſſe,niſi in particularibus exercitetur.13°.methodi medendi. 7ª.82.G
pro *Vniuerſalibus Hippocrates vtitur particularibus.de vict.ratio.in mor.acut.com.1°.* 7ª.111.A
Vniuerſale intelligere & de particulari loqui mos eſt Hippocratis.de articulis,commen.3°. 7ª.277.D
Vniuerſalia ex duobus exemplis facit Hippocrates. in 3m.de mor.vulg. commentario.1°. 3ª.128.G
Vniuerſales morbi qui.in 1m.de mor.vul.com.1°. 3ª.101.D
Vniuerſale principium ad omnia membra eſt cor.de ana.viu. Sp.56.H
Vniuerſale,& primum inſtrumentum omnium ſenſuum eſt cor.de vtilitate reſpirationis. Sp.62.F
Vniuerſalē cauſam in rebus ponit Hippocrates.cō.7°.aph.26°. Ex.55.G
VNIVERSALITER *quando dicere poſſumus medicinam iuuare.com men.3°.aphor.9°.* Ex.20.H
VNIVERSIM *nutrire quid.com.2°.aph.18°.* Ex.13.F
VNIVERSI *corpus ex igne & terra.7°.de decre.Hippocra.* 1ª.271.H
Vniuerſum & totum differunt.de hiſt.phil. Sp.5.F
VNIVOCA *quæ ſint.de iis,quæ in med.fi.com.3°.* 7ª.218.D
VNVM *quid vere,& ſimpliciter dicatur.1°.de vſu par.* 1ª.113.B
Vnum multa,& multa vnum ſm Platonem.2°.meth.med. 7ª.14.F
Vnum,& idem poteſt dici gñe,ſpecie,& numero.2°.meth.me. 7ª.15.A
Vnum propter quid dicatur animal.1°.de vſu par. 1ª.113.B
Vnum propter quid dicatur animalis particula.1°.de vſu par. 1ª.113.B

Vnum vni

Vnum vni tantum aduerſari natura inſtitutum eſt.de opt.ſect. Iſa.29.B
Vnum eſt ſi quod optimũ eſt in vnaquaq; re.7°.de decr.Hip. 1ª.268.B
Vnum eſſe impatibile probatur.1°.de elem. 1ª.3.C
Vnum pati non poteſt,quia nihil ipſum afficit.1°.de elem. 1ª.3.G
Vnum quod non eſt dolet.1°.de conſt.ar.med. Iſa.38.B
Vnũ dicitur quod eſt ſubiectum queſtionis.9°.de decre.Hip. 1ª.286.C
Vno dicto,aut duobus ab authoribus,quod alia ſubintelligi debeant,col lige.com.1°.aph.16°. Ex.9.A
ex *Vno alia poſſunt intelligi.com.5°.aph.7°.* Ex.37.H
Vnum diſcere quod ſit ornatiſſimum melius quàm ſexcenta deprauata. 2°.de differ.pul. 4ª.55.A
Vnum veritatis amatorem multis alijs præponit Galenus. 2°.de dignoſcendis pulſibus. 4ª.78.B
Vnum hallucinatum ſecuti ſunt omnes.2°.de dign.pul. 4ª.78.H
VNICVIQVE *credendum in ſua arte.in oratio.ſuaſ.* Iſa.4.C
VOCABVLORVM *ſignificatiões ex longo vſu deprehenduntur.2°.de loc.aff.* 4ª.12.B
Vocabulorũ vſitatorũ ſignificationes ſeruãdæ.2°.de alim.fac. 2ª.17.A
Vocabulis quomodo vti debemus.9°.de decr.Hippocr. 1ª.279.D
Vocabulis qui volunt recte vti reprehenduntur.1°.de loc.aff. 4ª.5.A
Vocabula noua effingere quis docuit.Hip.ling.explan. Ex.71.E
Vocabulis ſæpius abutimur,in medicina præſertim. comment.1°.aphoriſmo 14°. Ex.7.C
Vocabula latina.3°.de diff.pul. 4ª.63.H
VOCALIVM *grecarum differentia.1°.meth.me.* 7ª.4.D
Vocalium inſtrumentorum officium quo modo læditur. 3°.de locis affectis. 4ª.14.F
in *Vocalibus inſtrumentis nullo exiſtente vitio aliter vox offenſa eſt ei qui ab alto decidit.3°.de lo.aff.* 4ª.14.F
Vocales nerui,quos Galenus ita vocauit,qui.1°.de loc.aff. 4ª.6.H
ad *Vocalis arteriæ aſperitatem.de remed.par.fac.* 7ª.158.C
ſemi *Vocale quomodo redditur animal. 8°. de anatomicis adminiſtrationibus.100.D/* 1ª.101.H
in *Vocale fit animal inciſa aſpera arteria.2°.de dec.Hip.* 1ª.236.C
VOCALISSIMI *ſunt qui calidum plurimum habent in corde. in 6m. de morbis vulgarib. com.4°.* 3ª.185.H
VOCATVM *& vocari quando vtitur Hippocrates.de vict.ratione in morb.acu.com.3°.* 7ª.129.E
VOCIFERATIONIS *vaſa in brutis quæ.de ana.viu.* Sp.49.B
in *Vociferatione aperit cooperculũ epiglotidis.de vo.& anh.* Sp.61.G
in *Vociferationib⁹ neceſſaria eſt vocis lõgæ emiſſio.de ana.vi.* Sp.48.B
Vociferationes aborſum faciunt.com.5°.aph.53°. Ex.42.D
VOLA *thenar græce dicitur.2°.de vſu part.* 1ª.121.B
Vola quæ.introd. Iſa.53.C
vt *Volæ manuum debent eſſe membra bonæ comprehenſionis.de anatomia viuorum.* Sp.50.G
Vola manus maxime omnium ſentit tactum.de comp.memb. Sp.58.E
VOLATILIVM *colla ſimilia caudis.de bon.& vit.ſuc.* 2ª.37.B
Volatilia & quadrupedia dum ambulant habent eandem figuram, quã habent homines ſedentes.3°.de vſu par. 1ª.128.D
Volatilia quadrupedia nunquam ſtant recta.3°.de vſu par. 1ª.128.D
Volatilia optima quæ.8°.met.me. 7ª.51.B
Volatilia carne mollia danda in tertiana pro cibo.1°.de arte curatiua ad Glauconem. 7ª.97.6
Volatilium alæ quales circa concoctionem.de bon.& vit.ſuc. 2ª.35.H
Volatilium aliquorum ventriculi manduntur.3°.de alim.fac. 2ª.29.E
VOLARE *ad terram,& cadere ad terram in auibus diuerſa. de tremore & palpit.* 3ª.52.A
Volare non poteſt auis ſuper locum quendam,qui eſt in Sauromatibus. de bonitate aquæ. Sp.76.A
Volare ſe ſomniare quid ſignificet.de dign.ex inſom.ſum. 4ª.213.D
VOLSELLA *naribus illapſa corpuſcula extrahuntur.3°.de compo.medicamen.ſec.loc.* 5ª.148.E
Volſella.3°.de comp.med. ſec.lo.145.H/ 5ª.148.D
VOLVCRVM *maius incidit,& excalfacit vehementer.8°.de ſimplic. medicamen.facul.* 5ª.58.B
Volucri maioris fructus,& folia vrinam ſanguinolentam efficiunt, & lienoſos difficulter ſpirantes iuuant.8°.de ſimp.me.fa. 5ª.58.B
Volucri maioris ſemen ſterilitatem bibentibus affert.8°.de ſimplic.medica.facultatib. 5ª.58.B
VOLVCRIA *animalia ὄρνιθας antiqui nominabant.3°.de alimentorum facultatibus.* 2ª.29.C
Volucres volare conantur antequam idoneæ ſint.de fœt.for. 1ª.325.E
Volucres ſunt ſicciores greſſibilibus.14°.de vſu par. 1ª.206.D
Volucria habent exiguum cerebrum.3°.de alim.fac. 2ª.29.F
Volucribus vena caua vbi ſcindatur.6°.de decr. Hip. 1ª.263.F
Volucres quę laudantur.de ren.aff.dig.& med. 7ª.195.F
Volucres omnes clauſæ excrementoſæ.8°.meth.me. 7ª.51.B
VOLVNTARIA *vis in cerebro.in progn.com.2°.* 4ª.200.B
Voluntaria facultate vtuntur muſculi.6°.de loc.aff. 4ª.38.F
Voluntaria non eſt virtus expulſiua ſtomachi ſed voluntaria.de motib. manifeſtis,& obſcuris. Sp.68.G
*Voluntarię facultates non ſemper operantur.de trem.& palp.*3ª.60.A
Voluntaria & vitali facultate potior eſt ad febres vis concoctrix.11°. metho.med. 7ª.70.A
Voluntariæ potentiæ læſiones quæ.2°.de ſymp.cau. 3ª.19.G
VOLVNTARIVS *motus diſtinguitur à naturalibus, & voluntatis expertibus.de bon.& vitio ſuc.* 2ª.35.G
Voluntarius motus proprius animalium,& opus animæ. 1°.de naturalibus facultatibus. 1ª.290.G
ad *Voluntarium motum tribus animæ partibus incitamur. 4°.de decr. Hippocrat. & Plat.* 1ª.256.H
ad *Voluntariũ motum muſculi ſunt conſtricti.16°.de vſu par.* 1ª.214.H
Voluntarij motus ex muſculis.2°.de decre.Hipp.236.D/7°.272.F/1°.de motu mu.308.F/1ª.309.B/de bonit.& vitio ſuccorum.2ª.35.G/de tremo.palp.3ª.56.B/6°.meth.me.7ª.38.D/commen.2°.aph.18°.Ex.13.G de voce & anhel. Sp.60.F
Voluntariè quod moueatur membrum nullum caret muſculo qui accipit neruum à cerebro.1°.de decr.Hipp. 1ª.234.B
Voluntario motu quæ mouetur partes,habent ad minus duos muſculos. 10°.de vſu par. 1ª.180.G
Voluntarius motus fit per villos in muſculis.de ana.viu. Sp.44.G
Voluntarius motus non eſt tantum muſculorum.de mot.man. Sp.68.E
Voluntarij motus inſtrumẽta hñt magnos neruos.5°.de vſu pa. 1ª.145.D
Voluntarium motum partes habentes,habent neruos duros. 8°.de vſu partium. 1ª.166.H
Voluntarij nerui qui ſint,& vnde oriantur.de oſſi. 1ª.40.D
Voluntarij motus principium cerebrum.2°.de decr. 1ª.240.D
Voluntarij motus fons cerebrum.2°.de decr.Hipp. 1ª.237.A
Voluntariorũ motuum principium eſt in cerebro.in tim.Plat. 1ª.287.D
Volũtario motu mẽbra primo mouet cerebrũ.de mo.m.& ob. Sp.66.G
Voluntarius motus,& ſenſus à cerebro mittuntur ad alia membra. de voce & anhel. Sp.61.G
Voluntarius motus eſt neruorum motus.1°.de loc.aff. 4ª.6.H
Voluntarij motus principiũ cor.2°.de decr.Hip.& Pla. 1ª.240.D
à *Volũtario motu motus pulſus cordis diuerſus.2°.de decr.* 1ª.240.D
Voluntarij motus cauſa quæ.de mot.man.& obſ. Sp.69.E
de *Voluntario motu motis membris.de mot.man.& obſ.* Sp.68.H
Voluntarium motum habent palpebræ.10°.de vſu par. 1ª.179.G
Voluntario motu mouentur palpebræ ſupiores.10°.de vſu par. 1ª.181.A
*Volũtarius,& naturalis ẽ motus palpebrarũ.de mo.m.& ob.*Sp.69.G
Voluntarium motum habet aſpera arteria.7°.de vſu par. 1ª.160.C
an *Voluntarius ſit vel naturalis motus pectoris.de mot.ma.* Sp.69.G
an *Voluntarius ſit motus diaphragmatis.de vtil.reſp.* Sp.63.G
Volũtariũ motũ eſſe anhelitũ probatur.de mot.man.& obſ. Sp.66.H
an *Volũtarius ſit motus vel naturalis ſternutatio.de mo.ma.*Sp.69.H
in *Voluntario motu cõſumitur ſpiritus animalis.de vſu pulſ.* 1ª.227.H
an *Voluntarius vel naturalis motus ſit riſus.de mo.man.* Sp.69.H
Voluntaria inſtrumenta,& naturæ concurrunt ad excernendum. 2°.de motu muſcul. 1ª.316.A
circa *Voluntaria membra tremor fit .de trem.palp.* 3ª.53.D
VOLVNTARIA *functione non vtitur fœtus.de fœt.for.* 1ª.323.G
Voluntaria actio quæ.de nat.hum.com.2°. 7ª.182.E
Voluntaria actio quomodo ab animali fit facultate.de vo.inſt. 1ª.106.D
Volũtaria actio fit ex nobiliſſimo motu animæ ſcilicet ex motu cogitationis,& deliberationis.de voce,& anhe. Sp.61.G
Voluntariorum operum quædam libera ſunt,quædam affectibus corporis ſeruiunt.2°.de motu muſ. 1ª.315.D
Voluntariæ actiones intentione ſecunda quæ.de mot.m.et ob. Sp.69.A
Voluntariæ per intentionem primam ſunt actiones pedum.de mot.man. & obſcuris. Sp.69.A
*Volũtariæ ſunt actiões manuũ,vox,loquela.de mo.ma.& ob.*Sp.69.A
in *Voluntarijs actionibus conſiſtit vita.de mot.man.& obſ.* Sp.67.F

Voluntaria actio

Voluntaria actio nobiliſſima eſt vox.de voc.& anhel. Sp.61.G
Voluntaria eſt actio anhelitus ſecundum quoſdã.de vo.et anhe. Sp.62.B
inter *Voluntatem & naturam media eſt actio anhelitus ſecundũ quoſdam.de voce & anhel.* Sp.62.B
Voluntaria eſt erectio priapi.de mot.man.& obſ. Sp.67.H
Voluntarium quando non eſt egerere,& mingere ſed naturale. de mot. manif.& obſc. Sp.69.C
ad *Voluntariã actionẽ adoleſcentes aptiſſimi.1°.de ſan.tuen.* 2ª.64.D
ad *Volũtariam actionẽ inepti ſenes & infantes.1°.de ſan.tu.* 2ª.64.D
Voluntarias actiones faciunt dormientes.2°.de motu muſ. 1ª.314.G
Voluntariæ actiones fiũt per muſculos,& neruos.de vo.inſtr. 1ª.106.D
Voluntaria eſſe opera quo iudicari debeant.2°.de motu muſc. 1ª.34.H
Voluntarias plures actiones cur mente non aſſequimur.2°.de motu muſculorum. 1ª.315.A
Voluntarias actiones qui habeãt infirmas.4°.de præſ.ex p. 4ª.120.H
Voluntariæ actiones quando vitiantur.in 6^{m}.de morbis vulgaribus,cõmentario 3°. 3ª.174.H
an *Volũtaria ſit vel naturalis laxatio actiõis lacerti.de moti.* Sp.68.H
VOLVNTAS *deſiderium,& appetitus idem.in progn.c.2°.* 4ª.198.E
ſm *Voluntatem noſtram plurimæ ex animalibus actionibus perficiuntur.de voc.inſtr.diſſ.* 1ª.106.C
à *Voluntate non omnis eſt facultas animalis.de voc.inſtr.* 1ª.100.C
Voluntatis conſeruatio,imaginatio,rerum cogitatio, ſunt tria actionum genera.de voce & anhel. Sp.61.G
Voluntas in ſanis iuxta neruorum originem ordinata, motus principiũ primo dat neruis,poſtea muſculis.3°.de lo.aff. 4ª.17.E
Voluntas quando conſilij inops.de trem.palp. 3ª.61.F
à *Voluntate tantum non fit actio generationis inſtrumentorum. de mo. man.& obſc.* Sp.68.F
Voluntati obediunt œſophagus,& ſtomachus.de mo.m.& ob. Sp.68.E
à *Voluntate tanquam ab agente fit vox.de voc.inſtr.diſſ.* 1ª.106.D
Voluntas quid agat in reſpiratione.de cau.reſp. 1ª.226.H
Voluntas ſimilis eſt equiti in reſpiratione.de cau.reſp. 1ª.227.B
Voluntatis opus eſt digitorum extenſio flexioq;.6°.de loc.aff. 4ª.38.F
à *Voluntate & natura vomituum differentia.de mot.man.* Sp.68.G
à *Voluntate facta excretio,& vrina.de mot.man.& obſc.* Sp.68.G
à *Voluntate pendet non veſicę ſed meiendi officiũ.6°.de lo.aff.* 4ª.38.E
à *Voluntate eſt deijciendi munus non inteſtinorũ.6°.de loc.aff.* 4ª.38.E
Voluntas emittit ſtercus per ſedem.2°.de decr.Hip. 1ª.233.F
Voluntas coeundi vnde generetur.de ſper. Sp.36.F
Voluntas non poteſt in vitalibus.de trem.& palp. 3ª.58.F
Voluntatis inſtrumenta ſunt muſculi.4°.de vſu par. 1ª.141.E
Voluntatis noſtræ imperium imitatur muſculi actio.1°.de lo.aff. 4ª.2.H
Voluntas agit in tremoribus.2°.de ſymp.cau. 3ª.20.C
Voluntate non caret tremor.de trem.palp. 3ª.53.E
à *Voluntate actiones lædere vt poſſunt muſculi affecti,ita veſica & inteſtina naturales.1°.de locis affectis.* 4ª.8.A
ſine *Voluntate eſt rigor.de trem.& palp.* 3ª.53.E
VOLVPTAS *quid.2°.de lo.aff.* 4ª.8.D
Voluptas timori oppoſita quæ.12°.meth.me. 7ª.77.D
Voluptatem nominat paſſionem Plato.de ſymp.diff. 3ª.10.D
Voluptas philoſophiæ finis eſt ſm Ariſtippum.de hiſt.phil. Sp.2.H
Voluptas quæ ſit ſecundum Ariſtippum.de hiſt.phil. Sp.2.H
Voluptas quid ſm Zenonem,& Epicurum.4°.dc decre.Hip. 1ª.248.F
Voluptas animantibus quæ.4°.de ſimp.med.fac. 5ª.24.E
ad *Voluptatem vis irrationalis ducit omnes.5°.de decre.Hip.* 1ª.258.H
ad *Voluptatem ex concupiſcibili trahimur.5°.de decr.Hippo.* 1ª.256.H
ad *Voluptatis creationem quid exigitur.7°.de decr.Hipp.* 1ª.271.H
Voluptatis fons,& radix eſt ſenſus.1°.de elem. 1ª.3.H
Voluptatibus nouem fruitur corpus per quinq; virtutes animales.de cõpagine membrorum. Sp.59.B
Voluptates nouem à cerebro præbentur.de comp.memb. Sp.59.B
Voluptas quomodo in viſu,& an intenſa.1°.de ſymp.cau. 3ª.17.C
Voluptas quomodo in auditu.1°.de ſymp.cau. 3ª.17.C
Voluptas quomodo in odoratu.1°.de ſymp.cau. 3ª.17.C
Voluptas,& cupiditas cur in coitu,et quo fiat.14°.de vſu pa. 1ª.207.D
ob *Voluptatem non indulgendum coitui.6°.de lo.aff.* 4ª.39.H
Voluptatem ſentiunt laſſatæ particulæ, redeuntes ad proprium ſtatum. 1°.de ſymp.cau. 3ª.17.E
Voluptas ex reditu ad naturam eius, quod diuelli periclitabatur.1°.de ſympto.cau. 3ª.17.A
Voluptates quærebant tempore Galeni.1°.meth,me. 7ª.2.C
Voluptates quæ ſequendæ,& quæ fugiendæ.9°.de decr. 1ª.283.F
Voluptates qui ſequitur,qualis ſit.de conſue. 2ª.61.F
Voluptates animi longe maiores ſunt quam corporis . de cuiuſque animi pec.not.atque med. 2ª.58.G
Voluptates ſunt cauſæ præcedentes pulſus mollis.1°.de præſ. 4ª.109.D
Voluptas diſſoluit vires vitales.1°.de ſem. 1ª.335.D
in *Voluptate maxima quomodo mors contingat.5°.de lo.aff.* 4ª.29.B
Voluptate nimia affecti non nulli interierunt.1°.de ſem. 1ª.335.D
VOLVVLOSI *qui vomitus dicantur. 8°.de compoſitio.medicamentorum ſecun.loc.* 5ª.190.A
Voluuloſæ ſubuerſiones quæ.8°.de compo.me.ſec.loc. 5ª.190.A
ad *Voluuloſas ſtomachi ſubuerſiones.8°.de comp.me.ſe.lo.* 5ª.190.D
ad *Voluuloſas affectiones.9°.de comp.med.ſec.lo.* 5ª.202.F
ad *Voluuloſas ſtomachi affectiones.8°.de comp.me.ſec.loc.* 5ª.190.H
ad *Voluuloſos.7°.de compoſit.medicamento.ſec.lo.182.G/9°.5ª.202.B*
VOLVVLVS *quid.ſin.med.47.C/intro.Iſa.56.A/in 3^{m}. de morb.vulgar.com.2°.* 3ª.138.H
Voluuli,qui dicuntur ilei,quid ſint,& quomodo fiant,præſertim autumno.com.3°.aph.22°. Ex.24.G
in *Voluulo reuoluitur ſtercus.8°.de comp.me.ſe.lo.* 5ª.190.A
in *Voluulo lætali ſtercus euomitur.in 1^{m}.prorrh.com.3°.* 4ª.187.F
Voluulus graue olens qui.in 1^{m}.prorrh.com.3°. 4ª.187.E
Voluulus & ſi habeat bonas vrinas eſt parua ſpes. in 3^{m}.de mor.vulg. commentario 2°. 3ª.138.H
Voluuli curatio.intr. Iſa.56.A
ad *Voluulos.8°.de compo.med.ſec.lo.5ª.191.E/de med.fac.p.* 7ª.166.D
de VOMENDI *motu.de mot.man.& obſ.* Sp.68.G
Vomẽdi volũtas aliqñ adeſt cõceptis in hora phlegmatis.de ſp. Sp.37.C
ad *Vomendum quæ ſint apta,& quę non.com.4°.aph.12°.* Ex.28.A
Vomendi ordo bis in menſe.de ſal.diæ. 2ª.42.B
Vomendum à cæna quando calculoſis.de ren.aff.dig.& med. 7ª.194.F
Vomendum quando in capitis dolore.1°.de ar.cur.ad Gla. 7ª.99.H
VOMENTES *qua de cauſa lacerantur.com.5°.aph.1°.* Ex.37.C
Vomentes facile graciles ſurſum purgare conuenit vitantes hyemem.de catharticis. Sp.94.C
Vomentes difficulter, & mediocriter craſſi deorſum purgare conuenit æſtatem vitantes.de cathar. Sp.94.C
Vomentes facile quomodo tractandi.de ſal.diæ. 2ª.42.C
Vomentes difficulter quomodo tractandi.de ſal.diæ. 2ª.42.C
Vomẽtes cito pro qualibet occaſione nõ ſunt purgandi.de dyn. Sp.20.E
Vomentibus difficulter ſcamonium dandum.de dyn. Sp.20.H
Vomentes poſt aliquod tempus cur.5°.de nat.fac. 1ª.303.D
Vomentes quibus cibis vti debeant.5°.de vſu par. 1ª.143.E
Vomentibus prodeſt faba.7°.de ſimp.me.fa. 5ª.53.D
ad *Vomentes crebro.de med.fac.par.* 7ª.166.E
ad *Vomentes cibum.1°.de comp.me.ſec.lo.189.E/* 5ª.190.D
ad *Vomentes bilem.8°.de compoſi.med.ſec.loc.* 5ª.193.C
Vomentes ſanguinem ſi ſine febre ſalutare,ſi cum febre malum.com.7°. aphoriſmo 37°. Ex.56.H
Vomentibus ſanguinem vtile ſcliroſmon.de dyn. Sp.28.C
ad *Vomentes ſanguinem.de med.fac.par.* 7ª.173.F
ad *Vomentes ſtercus.de med.fac.par.* 7ª.166.D
VOMICA *ſub ſepto tranſuerſo qualis.intro.* Iſa.56.F
VOMITIO *quid ſit.1°.de nat.fac.* 1ª.303.G
Vomitiones quando fiunt.3°.de nat.fac. 1ª.303.G
in *Vomitionẽs eſt vis expultrix in ventre.3°.de nat.fac.* 1ª.305.C
Vomitionem incurrrere poſſunt ſiti infeſtati.6°.de loc.aff. 4ª.38.B
Vomitionẽ quomodo faciat iecur,& per quã viã.3°.de ſymp.c. 3ª.27.H
Vomitiones,& vrinæ difficultates ex defluxionibus ad partes imbecillas.in 1^{m}.de mor.vul.com.2°. 3ª.109.A
Vomitio quomodo paranda.1°.de arte cur.ad Glau. 7ª.99.C
Vomitio caput replet.de ven.ſect.aduer.Eraſ. 6ª.14.H
Vomitio à tuberculi intus ruptione fit.com.7°.aph.8°. Ex.54.D
Vomitio biliosa quando expectanda.in prog.com.3°. 4ª.210.E
Vomitio cum mera eſt ſemper praua.in 1^{m}.de mor.vul.com.3°. 3ª.121.C
Vomitione ſanguis è gula & ventriculo eijcitur.4°.de lo.aff. 4ª.25.F
Vomitio vtiliſſima,& peſſima quæ.in progn.com.2°. 4ª.201.F
VOMITIVVM. *de ſal.diæ.* 2ª.41.F
VOMITORIA *medicamenta ſumpturus, quomodo tentandum an ſit facilis vomitus, & quomodo præparandus ſit ad vomitum per gradus.com.4°.aph.13°.* Ex.28.F
per *Vomitoria medicamenta fit vacuatio.14°.methodi med.* 7ª.89.A

Vomitorijs

Vomitorijs vtaris in priapiſmo.14°.meth.med. 7ª.89.C
Vomitorium medicamētum nunquàm dandum ei, cui inhæret pituita inteſtinis.com.4°.aph.12°. Ex.28.F
Vomitorium ſine anguſtia.de dyna. Sp.27.A
Vomitorium ſine periculo.de dyn. Sp.27.A
Vomitoria.2°.de antid.5ª.114.B/de med.fac.par. 7ª.173.E
Vomitorium medicamentum.de dyn. Sp.27.F
VOMITVRI *quomodo bibere debeant.de ſal.diæ.* 2ª.41.G
Vomituri quæ ſymptomata ſint.1°.de ſymp.cau. 3ª.15.B
Vomituris cur labia tremant.in 1m.prorr.com.1°. 4ª.167.E
Vomituris ſputo os plenum.in 1m.prorr.com.1°. 4ª.167.E
de VOMITVS *& deuorationis motu.de mot.man.& obſ.* Sp.68.D
Vomitus, & nauſea qui motus ſint.3°.de ſymp.cau. 3ª.25.F
Vomitus Precedunt nauſeæ.2°.de ſymp.cau. 3ª.21.G
Vomitus ſymptoma.2°.de ſymp.cau. 3ª.21.E
Vomitum quæ vis faciat.de mot.man.& obſ. Sp.68.G
Vomitus ſymptoma facultatis naturalis.2°.de ſymp.cau. 3ª.21.G
Vomitus ex toto genere præter naturam.de ſymp.diff. 3ª.13.G
Vomitus ſi tempeſtiue fiat, non eſt præter naturā.de ſymp.diff. 3ª.13.G
Vomitus opponitur alimento, quod dicitur ſecundum tertium ſignificatum.1°.de ſan.tuen. 2ª.69.A
Vomitus eſt ex genere reſupinitatum.8°.de comp.me.ſec.lo. 5ª.189.H
in *Vomitus genere eſt ſingultus.com.6°.aph.39°.* Ex.50.G
in *Vomitibus & ſingultibus q̄uo nō idē affectus.3°.de ſymp.c.* 3ª.25.F
Vomitus eſt motus minus intenſus q̄ ſingultus.cō.6°.aph.39°. Ex.50.G
Vomitus trahit quæ ſunt in ſtomacho, ſingultus quæ in ore, ſed altius cōment.6°.apho.39°. Ex.50.G
in *Vomitu, & ſingultu quæ deijciantur.3°.de ſymp.cau.* 3ª.25.F
Vomitus quando potius iuuat quàm euacuare per inferna viſcera.de remedijs paratu facil. 7ª.160.D
Vomitus euacuat.com.4°.aph.2°. Ex.27.D
Vomitus ſunt euacuationes communes.ars med. Iſa.71.E
Vomitus fit è gula, & ventriculo.com.7°.aph.37°. Ex.56.H
per *Vomitum vacuantur ſucci praui, qui à toto corpore defluunt in ſuperiorem ventriculi partem.2°.de alim.fac.* 2ª.19.E
Vomitu, & deiectione inanitur ventriculus.7°.meth.me. 7ª.49.C
Vomitu ex ventriculo & gula ramenta eijciuntur.4°.de lo.aff. 4ª.25.H
per *Vomitum ſupernatantia vacuantur.2°.de alim.fac.* 2ª.19.E
Vomitus nihil euacuat corū, q̄ ſunt in inteſtinis.c.4°.aph.12°. Ex.28.F
per *Vomitum humores exeuntes qui. in 6m.de morbis vulgaribus commentario 4°.* 3ª.187.E
per *Vomitum nec per ſeceſſum ſunt euacuandi humores per cutem euacuandi.in 6m. de morb. uulgaribus, com.2°.* 3ª.165.G
in *Vomitu ita ventriculus mouetur, vt in partu vterus. 2°.de ſymptomatum cauſis.* 3ª.21.D
ad *Vomitum valens pellicula.de mot.man.& ob.* Sp.70.H
in *Vomitu quomodo ſe habeant partes gulæ.3°.de nat.fac.* 1ª.304.H
Vomitus à differentia à natura & à volūtate.de mo.m.& obſ. Sp.68.G
Vomitus ſpontaneus ſoluit longū ꝓfluuiū alui.cō.6°.aph.15°. Ex.47.F
Vomitus bilioſi ſoluunt febrem tertianam.com.4°.aph.59°. Ex.33.H
per *Vomitum & ſudorem cur tertianæ finiuntur.2°.de cri.* 4ª.134.E
Vomitus in quibus tertianis adſit.in prog.com.3°. 4ª.211.A
Vomitus bilis Tertianarum febrium proprium eſt ſignum.1°.de ar.cur. ad Glauconem. 7ª.96.B
Vomitus quandoque fit in principijs.quos purg.opor. 5ª.88.F
Vomitus quando apparent in principio nunquam per criſim decernunt. 1°.de criſi. 4ª.129.E
per *Vomitum, & ſeceſſum iudicata. in 1m.de morbis vulgaribus, commentario.3°.* 3ª.122.G
Vomitus ſigna quæ.3°.de criſ. 4ª.144.E
Vomitum futurum ſignificat pulſus.3°.de criſ. 4ª.144.E
ante *Vomitum cur labra commouentur.in progn.com.3°.* 4ª.210.F
Vomitus futuri ſignum eſt cardiagmos ideſt ſtomachi morſus.in 1m.prorrhetic.com.1°. 4ª.167.E
Vomitus bilioſus præcedit καρδιαλγίαν.5°.de vſu par. 1ª.143.D
Vomitus inditium inſeparabile eſt capitis dolor. 1°.de arte curatiua ad Glauconem. 7ª.100.B
Vomitum decretorium, vel ſanguinis fluxum quando ſignificat dolor capitis quomodo curandus.1°.de ar.cur. ad Gla. 7ª.100.B
Vomitus vbi futurus eſt, & ſanguinis profluuium ſymptomata apparent ſuffuſioni ſimilia.1°.de loc.aff. 4ª.3.H
Vomitus quid ſignificet.3°.de præſa.ex pul. 4ª.118.A
ad *Vomitum ineptiſſimi ſunt, qui pectus habent anguſtum, & compreſſum.quos purg.opor.* 5ª.88.E
Vomitus periculoſius in habentibus partes corporis tenues.commen.2°. aphoriſmo 35°. Ex.17.F
ad *Vomitum procliues ſi bilioſi ſint per ſuperiora purgandi, cauentes hyemem.com.4°.aphor.6°.* Ex.28.A
Vomitus tempore hyemis fieri non debet ab his, qui habent leuitatem inteſtinorum.com.4°.aph.12°. Ex.28.A
ad *Vomitum cogere qui non poteſt eſt abſurdum.1°.de loc.aff.* 4ª.5.E
ad *Vomitum quos non debemus compellere.com.4°.aph.7°.* Ex.28.B
Vomitus propter quid difficilis.de ana.viu. Sp.49.F
Vomitus facilis quomodo paretur.de ſal.diæ. 2ª.41.F
Vomitus cōtinuus facit aſſuefacere corpus.com.4°.aph.13°. Ex.28.F
Vomitus vt ſit facilis.de med.fac.par.166.D/ 7ª.173.F
in *Vomitibus aſſueti quomodo tractandi.de conſuet.* 2ª.61.H
Vomitus quo anni tempore fieri debet.de ſal.diæ. 2ª.41.E
Vomitus vnde fiat, & cur fiat æſtate.com.3°.aph.21°. Ex.24.D
Vomitus quibus fiat cauſis.3°.de ſymp.cau. 3ª.27.B
Vomitus pp quid paruulis nuper natis inſit.com.3°.aph.24°. Ex.25.A
Vomitū impediētes philoſophos ſpernit Galenus.6°.de ſan.tu. 2ª.95.H
ad *Vomitum quādo robuſtus debeat ꝓuocari.cō.7°.aph.61°.* Ex.59.F
Vomitus nullus debet prouocari cum inedia.com.6°.aph.16°. Ex.12.H
Vomitus oſtendit ventriculū ieiunij pati.com.5°.aph.50°. Ex.52.G
Vomitus quomodo fiat aliquando poſt cibum.8°.de compoſitio.medicamento.ſec.loc. 5ª.189.C
Vomitum à cibo ſemel, aut bis in menſe cur laudat Galenus.5°.de vſu partium. 1ª.143.E
Vomitu qui indigeant.com.4°.aph.17°. Ex.29.B
Vomitus quibus conferat.de ſal.diæ. 2ª.42.C
ꝑ *Vomitū educēda Bilis, ſi ſurſum repat.1°.de ar.cur.ad Gla.* 7ª.97.B
Vomitū prouocat in capitis dolore.2°. de comp.medi.ſec.lo. 5ª.135.B
Vomitus à raphano in capitis dolore ex craſſis & glutinoſis humoribus in ſtomacho.2°.de comp.me.ſe.lo. 5ª.137.A
Vomitus conuenit in Cauſo.de vict.rat.in morb.acu.c.4°. 7ª.135.B
Vomitus quibus Ictericis conueniat.de cura icter. Sp.110.H
per *Vomitum & aluum expurgari poteſt Iecur.7°.met.me.* 7ª.49.D
Vomitus Iſchiadicis, potius quàm deiectiones prouocandæ.10°.de compo.medicamen.ſec.loc. 5ª.207.B
Vomitus Melancholicis conuenit, & quando, & ex quibus. de melanc. ex Gal.Rufo & Poſſido. Sp.110.E
Vomitus fortes obſunt melancholicis.de mel.ex Gal.Ruf. Sp.110.E
Vomitus aliquibus exacuunt melācholiā.de mel.ex Gal.Ru. Sp.110.E
Vomitibus expurganda Pituita ſi hyeme in ventre generatur. de ſalubri diæta. 2ª.41.E
Vomitus in Priapiſmo fieri debet non excretio. 9°.de compoſitione medicamentorum ſecundum locos. 5ª.205.F
Vomitus conuenit in Pudendorum phlegmone.13°.meth.me. 7ª.83.A
Vomitus poſt cibū in Quartana cōuenit.1°.de arte cu.ad Gla. 7ª.97.G
Vomitus poſt cibū in Quotidiana.1°.de arte cur.ad Glauco. 7ª.97.H
Vomitus qn̄ ꝓuocādus eſt in renū affectu.de ren.aff.dig.& me. 7ª.193.D
Vomitus ad partes inferiores Reuellitur.de hirud.reuul.cucurb.& ſcarifi.2.D/de cucur. 6ª.4.F
Vomitus prouocandus vel vena cubiti ſecanda, ſi fluxio ſi in pedes vel in crura.in 6m.de morbis vulgarib. com.2°. 3ª.162.C
Vomitu auertitur fluxio ex clyſteri acri.de hirud.reuul.cuc. 6ª.2.D
Vomitu Singultus ceſſat. de remed.par.facil. 7ª.159.A/ commenta.7°. aphoriſmo 3°. Ex.54.B
Vomitus cui ſingultui remedio eſt.de med.fac.par. 7ª.177.H
Vomitus poſt cibum in Tertiana notha vtiliſſimus eſt. 1°.de arte curati. ad Glauconem. 7ª.97.E
Vomitu ſanantur Thoracis morbi.de dyn. Sp.19.G
Vomitus præſidium commune eorum, quæ in ventre continentur. de victus ra.in morb.acu.c.4°. 7ª.148.E
in *Vomitibus quod cernitur, id in ventre manifeſtius eſt.2°.de ſymptomatum cauſis.* 3ª.21.H
Vomitus euitandus ſtomacho affecto.13°.meth.me. 7ª.83.B
Vomitus frequens ſtomachum corrumpit.de dyn. Sp.19.H
à *Vomitu abſtinendū decimo quoque die ſtomacho laborantibus.de dynamidijs.* Sp.19.H
Vomitus non ſine periculo eſt in vlcere ventriculi.5°.meth.me. 7ª.34.E
Vomitus ad quæ ſequitur.8°.de comp.med. ſec.lo. 5ª.189.H
Vomitum ſibi parit canis.de ven.ſect.aduer.Eraſ. 6ª.7.C

Vomitus quo

Vomitus quomodo fieri debeat.de med.fac.par. 7ª.176.B
Vomitus quomodo prouocetur.2°.de comp.me.ſec.lo. 5ª.135.B
Vomitus quibus prouocetur.de rem.par.fac. 7ª.160.D
Vomitum quæ faciunt ſunt contraria his, quæ ſiſtunt. commentario 4°. aphoriſmo 15°. Ex.28.H
Vomitum facit Cedri cortex cum oximelite ſinapis cum mulſa, elleborus albus, ireos puluis cum mulſa.de cathar. Sp.95.C
Vomitum cit Cerebrum.3°.de alim.fac. 2ª.27.B
Vomitum & profluuium facit Cibus ſupra modum ſumptus. 2°.de differentijs febrium. 3ª.40.G
Vomitum facientes cibi.3°.de ſymp.cau. 3ª.27.B
Vomitum facile cientes cibi, qui.de ſal.diæ. 2ª.41.H
Vomitum ſuſcitat Elaterium.de ſimp.med. Sp.83.G
Vomitum facit Epithymum.de ſimp.med. Sp.84.A
Vomitum faciunt, & alui profluuium Excrementa tenuia, quæ in ventre defluunt in animi defectu.de artic.com.2°. 7ª.264.H
pro Vomitu hydreleon.de rem.par.fac. 7ª.160.H
Vomitum cient Inſuauia.2°.de alim.fac. 2ª.19.E
per Vomitum purgantia Medicamenta, quæ.de cathar. Sp.94.F
ad Vomitum inducendum Melopepones non ita apti, vt pepones.2°.de alimentorum facult. 2ª.17.B
Vomitum facit ſolus Motus.com.4°.aph.14°. Ex.28.H
Vomitum facit Nauigatio.com.4°.aph.14°. Ex.28.H
Vomitus ex Oxymelite & radicula.5°.meth.med. 34.E/7°. 7ª.48.D
Vomitum inducit Pepon.2°.de alim.fac. 2ª.16.H
Vomitum præparant Pituita acida, ſalſa & dulcia.3°.de ſymp. 3ª.27.B
Vomitus à Ptiſſanæ cremore.7°.meth. me. 7ª.48.D
ad Vomitũ non minus valet ptiſſana, quàm mulſa.8°.met.me. 7ª.51.A
Vomitum mouet Raphanus.de ſimp.med. Sp.89.F
Vomitum bilis facit Rigor.in progn.Hipp.com.3°. 4ª.210.G
Vomitus bilioſi ſequuntur rigores.com.4°.aph.58°. Ex.33.G
Vomitum quibuſdam mouet Sori.de ſimp.med. Sp.90.F
pro Vomitu vtitur Veratro albo. de vic.ratio. in morbis acutis, commentario 4°. 7ª.138.E
Vomitum prouocat veratrum.de ſimp.med. Sp.91.G
Vomitum q non excitent Vigiliæ.de ren.aff.dig.& me. 7ª.193.A
Vomitum prouocat Vinorum diuerſorum miſcella.de ſal.diæ. 2ª.41.G
Vomitum prouocat vinum nigrũ dulce auſterũ bibitũ.de vinis. Sp.76.F
ad Vomitũ poſt balneũ vinũ dulce bibebãt antiqui.4°.de ſa.tu. 2ª.83.C
Vomitus bilioſis ventre fiat ex vino dulci.6°.de ſan.tu. 2ª.97.H
ad Vomitum pituitæ citandum.de med.fac.par. 7ª.173.F
ad Vomitum prouocandum electarium.de dyna. Sp.27.B
ad Vomitum prouocandum remedium.de dyna. Sp.26.H
Vomitus quando reiterandus.2°.de antid. 5ª.118.B
Vomitus ſi fiat ſine digeſtione, quæ accidentia ſequantur. commentario 2°.aphoriſmo 9°. Ex.12.B
à Vomitu ſingultus, & rubor oculorũ, malũ.com.7°.aph.3°. Ex.54.B
in Vomitu odor ſulphuris fœtidus malus.in progn.com.2°. 4ª.201.H
Vomitus & ructus fœtentes non ſentiunt aliqui ructantes, & vomẽtes. 3°.de loc.affect. 4ª.20.G
à Vomitu ſtuporem dentium portulaca non ſanat.de op.ſect. Iſa.22.H
ad Vomitu cibum reijcientes.de rem.par.fac. 7ª.158.H
Vomitus ſanguinis ex ventriculo, qualis.5°.de loc.aff. 4ª.33.B
Vomitus non fit per ruptionem pectoris aut pulmonis, ſed tuſſis.commẽtario 7°.aphar.8°. Ex.54.E
per Vomitum cum apparent vlceris notæ, quomodo cognoſcenda determinata pars.1°.de loc.aff. 4ª.6.B
per Vomitum exiens ephelcis oſtendit vlcerationem gulæ, & ventriculi.2°.de locis affect. 4ª.2.F
Vomitum facit bilioſum, nauſeam, & ſtomachi morſum fracturę capitis.3°.de locis affectis. 4ª.18.C
Vomitus bilis his neceſſario fit, quibus præciditur cerebrum, & cor.cõmentario 5°.aph.50°. Ex.52.F
Vomitus bilis fit vulnerata dura membrana cerebri. commentario 5°. aphoriſmo 50°. Ex.52.G
Vomitus cur fiat cerebro affecto.in 1^{m}.prorr.com.1°. 4ª.164.E
Vomitus bilis ſolæ non fit, ſed cum mixtione ſuperfluitatis aquoſæ. commen.5°.aph.50°. Ex.52.G
in Vomitu bilis ventriculus patitur.com.5°.aph.50°. Ex.52.F
in Vomitu bilioſo nocet lac.com.5°.aph.64°. Ex.44.F
Vomitus exigui, & bilioſi mali.in 1^{m}.prorr.com.2°. 4ª.175.C
cum Vomitu bilioſo conuulſi ex febre.5°.de lo.aff. 4ª.32.G
ad Vomitum bilis, qui febris acceſſionem præuenire ſolet, bona eſt theriaca.de vſu ther.ad Pamphilianum. 5ª.98.F
ad Vomitum bilioſum.de med.fac.par. 7ª.177.H
Vomitus porraceus, liuidus, aut niger quid ſignificet.in progn. Hippoc. commentario 2°. 4ª.201.G
Vomitus porracei ſanarunt quoſdam.5°.de loc.aff. 4ª.32.G
ad Vomitum atræ bilis.de rem.par.fac. 7ª.159.B
ad Vomitum atrabilarem.de med.fac.par. 7ª.177.H
per Vomitum nigra.in 3^{m}.de mor.vul.c.2°. 3ª.140.C
Vomitus nigri quandoq; boni.in progn.com.3°. 4ª.211.F
Vomitus fuſci ſanarunt quoſdam.5°.de loc. aff. 4ª.32.G
Vomitus nigrorũ qñ in phreniticis.in 1^{m}.prorr.com.1°. 4ª.167.E
Vomitum faſtidioſum habent phrenitici.in 1^{m}.prorr.com.1°. 4ª.166.A
Vomitus faſtidioſus vnde.in 1^{m}.pror.com.1°. 4ª.166.A
neq; in Vomitibus, neq; in ſputis, neq; in ſudoribus ſigna phrenitica.in 1^{m}.prorrhe.com.1°. 4ª.162.E
Vomitus à liene qualis.6°.de loc.aff. 4ª.36.B
Vomitus ſanguinis vnde.com.7°.aph.37°. Ex.57.A
Vomitus ſanguinis factus ob clauſas euacuationes hæmorroidarum.de ven.ſec.aduer.Eraſ. 6ª.7.E
à Vomitu ſanguinis tabes, & puris purgatio ſupra. commentario. 7°. aphoriſmo 74°. Ex.60.H
Vomitus ſanguinis ſanatur in mulieribus erumpentibus menſtruis. cõmentario 5°.apho.32°. Ex.40.D
ad Vomitum ſanguinis.9°.de comp.med.ſec.loc. 5ª.201.A
Vomitus cum varietate mali.in 1^{m}.prorr.com.2°. 4ª.173.B
Vomitus omnium colorum exitialis.in prog.com.2°. 4ª.201.H
Vomitus ſynceri atq; implacidi mali.in 1^{m}.prorr.com.2°. 4ª.173.D
Vomitus ęruginoſi.in 6^{m}.de morb.vulgaribus, commenta.1°. 3ª.155.C / *in 1^{m}.prorrhe.com.1°.* 4ª.164.H
Vomitus æruginoſus differt ab ærugine euomita.cõ.5°.aph.1°. Ex.37.C
Vomitus æruginoſus quibus contingat, & cur.in 6^{m}.de mor.vulg.commentario 1°. 3ª.155.E
Vomitus virulentus conſequitur ardentes febres.in 3^{m}.de mor.vulgar. commentario 3°. 3ª.149.D
Vomitus virulentus ex quo.in 1^{m}.de mor.vul.com.2°. 3ª.112.H
Vomitus virulentorum.in 1^{m}.de mor.vul.com.3°. 3ª.123.A
Vomitus qui voluuloſi dicantur.8°.de comp.me.ſec.lo. 5ª.190.A
Vomitus ab ileo malum.com.7°.10°. Ex.54.F
Vomitus non ſemper adeſt in ileo, ſed quando exitiales ſunt. commentario 7°.aphoriſmo 10°. Ex.54.F
ex Vomitibus diuturnis, & ventris profluuio euacuationes diuturnæ ſiccitatem faciunt.1°.de diff.feb. 3ª.34.D
Vomitus ſuperfluus extenuat corpus.com.2°.aph.28°. Ex.16.E
Vomitus ſuperfluus noxius eſt.in 6^{m}.de morbis vulgar.cõ.2°. 3ª.166.F
Vomitus multus ſignũ corpis infrigiditati, & humectati.ſecr. Sp.98.G
Vomitus quid faciat quandoq;.in progn.Hipp.com.1°. 4ª.193.A
in Vomitibus vehemẽtibus fiũt pulſus vermiculãtes.2°.de pſ. 4ª.113.A
Vomitus quibus curentur.8°.de comp.me.ſec.loc. 5ª.189.H
Vomitus vomitu quõ curetur.in 6^{m}.de mor.vul.com.2°. 3ª.161.H
Vomitu laborantes iuuant poma cum pane.2°.de alim.fac. 2ª.19.H
Vomitus quomodo ſiſtatũr.1°.de ar.cur.ad Gla. 7ª.98.H
Vomitum reprimentia.de med.fac.par. 7ª.173.E
Vomitus nimios reprimit menta.de ſimp.med. Sp.87.D
per Vomitum quod exit reuellunt acres clyſteres.de cucur.ſca. 6ª.4.F
ad Vomitum, & dolorem, & concuſſionem ſtomachi cum ventris dolore, remedium.de dyna. Sp.27.A
ad Vomitum nimium, & ventris ſolutionem, remediũ.de dyn. Sp.27.B
ad Vomitum immoderatum.ſecreto. Sp.101.A
ad Vomitum comprimendum.de med.fac.par.7ª.166.D/E/ de dynamidijs.27.A/ Sp.35.F
ad Vomitum chronicum.de med.exper. Sp.107.F
Vomitum auferens medicamen.de med.exper. Sp.105.G
ad Vomitum.de me.fa.p.7ª.174.H/de dyn.27.A/ſec.98.D/ Sp.99.G
ad Vomitum, & choleram.de rem.fac.par. 7ª.166.D
VOMERE *& deglutire ſunt contraria, & quomodo. 3°.de naturalib. facultatibus.* 1ª.304.H
Vomere nullum animal docetur.2°.de ſyup.cau. 3ª.21.D
Vomere cur difficilius ſit quàm deglutire.3°.de nat.fac. 1ª.304.H
non Vomunt aliqui nauſeantes.2°.de ſymp.cau. 3ª.21.G
Vomunt, & deijciunt pueri ſæpius quàm ætate florentes. 3°.de ſymptomatum cauſis. 3ª.29.B

Vomere qui ex facili nõ põt, habet peſſimũ ſtatũ.6°.de ſan.tu. 2ª.99.B
Vomere cogit ſanguis in ventriculũ effuſus.3°.de ſym.cauſ. 3ª.27.B
Vomitu venter quando debilitatę ſunt partes ſuperiores. 3°. de ſimplicium medica.facul. 5ª.23.F
Vomere non debent in primis venis crudorum humorum copiam habentes.4°.de ſan.tuenda. 2ª.85.H
Vomant cur aliqui.3°.de nat.fac. 1ª.303.G
Vomant quæ qui.2°.de ſymp.cauſ. 3ª.21.C
nõ Vomunt bilẽ quotidiana, & quartana laborãtes.2°.de diff. 3ª.36.D
Vomere bilem ieiunum melius eſt.de dyna. Sp.19.H
Vomant quæ phrenitici.in 1m.de morb.vulg.com.2°. 3ª.112.H
Vomunt monſtruoſa, & abominabilia melancholici. de melancholia ex Galeno, Ruf. & Poſſ. Sp.109.C
Vomuere quidam in peſtilentia, quidam habuere alui profluuium.5°.methodi medendi. 7ª.35.B
Vomantur quæ.2°.de ſympto.cauſ. 3ª.21.C
VORACIORES pueri.1°.de criſi. 4ª.130.C
Voraces habent in vrinis pus.de nat.hu.com.2°. 7ª.180.C
VOTVM extremus eſt reſpirationis vtilitas.de cauſ.reſ. 1ª.227.B
VOX, & ſermo, & res differunt.4°.de loc.affe. 4ª.26.B
de Voce, & anhelitu.de voc.& anh. Sp.60.F
Vox quid.fin.med.Iſa.45.B/4°.de loc.affe. 4ª.26.B
Vox quid, & quomodo fiat.de hiſt.philo. Sp.9.G
Vocis diffinitio quæ.de voce, & anhelitu. Sp.61.G
Vox eſt aer percuſſus.de vocalium inſtr.diſſ. 1ª.106.D
Vox aer percuſſus, ſiue aeris quædam percuſſio.8°.de vſu par.1ª.167.G
Vox hominum eſt proprie locutio.de hiſt.philo. Sp.9.G
Vox an ſit corpus.de hiſt.philo. Sp.9.G
Vocis an ſilentium contrarium vel priuatio.1°.de ſymp.cau. 3ª.17.C
Vox ſecundum naturam cur vſurpata.14°.met.me. 7ª.91.B
Vox quomodo efficiatur.2°.de vſu partium.157.E/160.H/2°.de motu muſcul.316.E 2°.de decretis Hippocratis.1ª.238.A/de voce & anhelitu.60.G/ Sp.61.B
Vox ſi debeat fieri quid requiratur.de voce, & anhe. Sp.61.D
Vox quando fiat.de voce, & anhelitu. Sp.60.H
Vocis generationis initium vbi.de voce, & anhel. Sp.61.D
Vocis origo vnde.2°.de decr.Hipp.& Pla. 1ª.236.C/H
Vocis, mentis, & orationis eadẽ eſt origo.2°.de decr.Hipp. 1ª.237.C
Vox à corde creatur ſecundum aliquos.2°.de decr.Hipp. 1ª.236.B/D
Vocem à corde oriri dicentium error.2°.de decre.Hipp. 1ª.236.D
Vox non eſt à corde.2°.de decret.Hipp.& Pla. 1ª.237.A
Voces ex thorace non ex corde.3°.de decr.Hipp. 1ª.246.F
Vocis origo eſt diaphragma.de vtil.reſp. Sp.63.F
Vocis artifex facultas quæ.de hiſto.philoſ. Sp.9.H
Vox fit ab animali facultate.de voc.inſtr.diß. 1ª.106.D
Vox fit à voluntate tanquam ab agente.de voc.inſtr.diſſ. 1ª.106.D
Vox eſt voluntaria.de mot.man.& obſc. Sp.69.A
Vox eſt nobiliſſima actio voluntaria.de voce, & anhel. Sp.61.G
Vox principaliſſima omnium animæ actionum.16°.de vſu par. 1ª.215.E
Vox nuncia eſt cogitationum mentis.16°.de vſu par. 1ª.215.E
Vocum prolationis quæ cauſa ſit.de vtil.reſp. Sp.63.F
de Voce pronunciatum Diogenis babilonij.2°.de decre. 1ª.237.B
Vocis propria materia quæ.4°.de loc.affec. 4ª.26.D
Vocis materia eſt ſuperflua res quædam.6°.de vſu par. 1ª.148.C
Vocis propria materia efflatio.7°.de vſu par.157.H/8°.1ª.165.A/1°.de locis affectis. 4ª.6.B/D/E
Vox fit ex anhelitu, qui eſt ei vti materia.de voc.& anhel. Sp.60.F
Vocis materia eſt aer qui dicitur ſpiritus in nobis.de voc.inſtr.1ª.106.D
Vocis aer quo indigeat.de voce, & anhelitu. Sp.61.F
Voci materiam præparant præcones.8°. de ana.admi. 1ª.101.F
Vocis locus qui nam ſit ſecundum diuerſos. de voc.inſtr.diſſ. 1ª.106.D
vt Vocis cauſa eſt bronchus.de voc.inſtr.diſſ. 1ª.106.E
vt Vocis receptaculum eſt os.de voce inſtr.diſſ. 1ª.106.E
vt Vocis meatus ſunt nares.de voc.inſtr.diſſ. 1ª.106.E
Vocem nutriunt ſpiritus meatus.voc.inſtr.diſſ. 1ª.106.E
Vocem quæ faciant partes.de voc.inſtr.diſſ. 1ª.106.E
Vocis partes quæ ſunt, & quot [ideſt organorum vocis.] 1°. de locis affectis. 4ª.6.F
Vox per quas partes fiat.7°.de vſu par. 1ª.157.H
Vocem quæ adiuuent.4°.de loc.affe. 4ª.26.E
Vocis inſtrumentum quod.7°.de vſu par. 1ª.158.B
Vox à quibus fiat inſtrumentis.2°.de decretis Hippocratis. 1ª.236.F/ 7°.de compoſi.medica.ſecundum locos. 5ª.177.D
Vocis organa quæ, & quot.in 1m.de morb.vulg.com.2°. 3ª.115.F
Voci & orationi tria deſtinata mẽbra, & quæ.de voc.& anhe.Sp.61.G
Vocis inſtrumenta quõ à Deo ordinata ſint.de voce & anhel. Sp.60.H
pro Vocis inſtrumentis hœdos, & porcos diſſecuit Galenus. de præcognitione ad Poſthumium. 4ª.216.B
Vocis proprium inſtrumentum.7°.de vſu par. 1ª.157.F
Vocis principiũ ac ꝓprium inſtrumentũ guttur.2°.de decr. 1ª.236.C/F
Vox quomodo per guttur procedit.2°.de decr.Hipp. 1ª.237.D
Vocis primum inſtrumentum & principalſſimum corpus ſimile linguæ fiſtulæ.7°.de vſu par. 1ª.160.G
Vocis primum, & principaliſſimum inſtrumentũ larinx. 7°.de vſu partium.157.G/16°.de vſu par. 1ª.215.F
Vocis principalſſimũ inſtrm larynx.8°.de vſu.165.A/B/13°. 1ª.201.D
Vocis inſtrumentum larynx eſt.6°.de ſan.tu. 2ª.98.E
Vocem laringi arteria concinnat.7°.de vſu par. 1ª.157.H
pro Voce muſculi in larynge qui.16°.de vſu par. 1ª.215.H
Vocis inſtrumentum fauces.in 1m.de morb.vulg.com.2°. 3ª.115.F
ad Vocem muſculi requiſiti.2°.de decr.Hipp.& Pla. 1ª.236.C
Vocem qui muſculi faciant.4°.de loc.affe. 4ª.26.E
ad Vocem neceſſarij ſunt ſex muſculi ex octo.de voc.et anhe. Sp.61.A
ad Vocem ſitus muſculorum.de voc.& anhel. Sp.61.B
Vox dum editur muſculus qui mouetur vbi ſit.de muſc.diſſ. 1ª.46.G
ad Vocẽ præcipui muſculi claudẽtes, & apiẽtes.4°.de loc.af. 4ª.26.B
Vox anhelitus non fiunt niſi extendantur muſculi pectoris.de voce, & anhelitu. Sp.60.H
Vocis prima canna eſt epiglottis.de anato.viuo. Sp.49.E
Vocis maxime proprium inſtrumentum epiglottis.1°.de loc. aff. 4ª.6.F
Vocis ſecunda canna eſt vuula.de ana.viu. Sp.49.E
Vocis principium eſt vuula.de vtil.reſp. Sp.63.F
in Voce canna quam habeat actionem.de voce, & anhel. Sp.61.G
Vox fit quando epiglottis inchordatur ita quod conſtringatur, & quando cõſtringit̃ inchordant̃ muſculi, ex quibus pendet.de voc.Sp.60.G
Vox dũ eſt in epiglottide à quibus muſculis fiat.đ voce, et anb.Sp.60.G
Vocis gratia muſculi magni in epigaſtrio.4°.de vſu par. 1ª.137.F
ad Vocem nerui qui mittuntur, vnde.16°.de vſu par. 1ª.215.H
ad Vocem præcipui nerui recurrentes.4°.de loc.affe. 4ª.26.C
pro Voce edenda neruus à cerebro.16°.de vſu par. 1ª.216.H
Voces non oſtendunt locum vnde veniant.7°.de decr.Hipp. 1ª.272.B
Vocis diſtinctio quomodo.de voc.& anhel. Sp.60.G
Vocum fictio à quo fiat.de mot.man.& obſc. Sp.69.D
ad Vocem formandam quid requiratur.de voce, & anhel. Sp.60.G
Vocis formationis primum inſtrumentum eſt canna pulmonis. de anatomia viuorum. Sp.53.D
Vocis inſtrumentum pulmo.6°.de vſu par. 1ª.148.A
Vocis inſtrumentum an lingua.2°.de decre.Hipp.& Plat. 1ª.236.F
in Vocibus exprimendis lingua quibus inhereat.de fœt for. 1ª.325.H
in Vocis formatione peccãt lingua acuta, & obtuſa.de ana.vi.S.49.C
Vox non poteſt reddi niſi vehementer ſpũs egrediat̃.1°.de lo.af. 4ª.6.F
Vox fieri non poteſt niſi tranſitus anguſtctur.6°.de vſu par. 1ª.160.H
Vox quando non auditur.7°.de decr.Hipp. 1ª.271.G
Vocem ad quantum ſentiat muſicus.2°.de loc.affe. 4ª.57.G
ex Voce fit ſermo.de voce, & anhel. Sp.61.A
Vocis elementa quot ſint.1°.met.me. 7ª.4.B
Vocis elementorum differentiæ.1°.met.me. 7ª.4.D
Vocis elementa diſtinguuntur.8°.de decr.Hipp. 1ª.274.C
Vocis elementa quomodo ſe habeant.8°.de decre.Hipp. 1ª.274.H
Vocũ differentiæ.9°.de decr.Hipp.1ª.282.C/4°.de loc.af. 4ª.26.B/F
Vocis termini qui ſint.de voc.& anhel. Sp.61.H
Vox ex ore quomodo ſit vna, & infinita.9°.de decr.Hippo. 1ª.228.C
ex Voce deſtructura animantis iudicatur.6°.de ana.adm. 1ª.89.H
ex Voce coniectura aliqua habetur de morbo.in 6m.de morbis vulgaribus, commentario.2°. 3ª.168.G
Vox Abrupta quomodo fiat.de vict.rat.in mor.acut.cõ.4°. 7ª.139.B
Vox Acuta cur fiat.de voc.& anhel. Sp.61.D
Vox acuta quomodo fiat.ars med.Iſa.66.F/in 1m.pror.com.1°. 4ª.162.D/de voc.& anhel. Sp.61.G
Vocis acutæ ſonora eſt epiglottis cum ſit chartilaginoſa ſicca. de voce, & anhelitu. Sp.61.F
Vocem acutam cur habeant ſpadones, mulieres, & pueri.in 1m. pror. cõmentario.2°. 4ª.170.E
Vox acuta fit grauior in pubertate.in 6m.de mor.vul.cõ.4°. 3ª.186.H

Vox quibus acuitur, Hypochondria trahuntur intus. in 1^{m}. prorrhe. cōmentario. 2°. 4ª.170.D
Vox alba quomodo dicatur. 3°. de diff. pulſ. 4ª.63.G
Vox alba, & nigra ſicuti dicit̃, ita etiam pulſus. 3°. de diff. pulſ. 4ª.63.H
Vocis Amiſſionem qn̄ vocet Hippocrates. com. 7°. aph. 58°. Ex.59.C
Vox quomodo amittitur nullo affectu exiſtente in vocis inſtrumentis. 1°. de locis affectis. 4ª.6.E
Vocis priuatio vnde fiat. de vic. rat. in morb. acut. com. 4°. 7ª.137.G
Vox quomodo aboletur. 8°. de ana. adm. 1ª.100.D
Vox quomodo pereat ex perforatione Thoracis. 1°. de loc. aff. 4ª.6.H
Vox quomodo ex laqueo amittatur. 1°. de loc. affe. 4ª.7.A
Vox quibus neruis exciſis penitus amittatur. 1°. de loc. affe. 4ª.6.H
Vox quibus neruis abſciſſis amittat̃. 1°. de præcog. ad Poſth. 4ª.216.C
Vox perit neruis exiguis in dorſo laqueo interceptis. 8°. de anatomicis adminiſtrationibus. 1ª.100.F
Vox, & anhelitus deſtruetur læſis neruis inter coſtas propè ſpondylos. de voce, & anhelitu. Sp.60.F
Vocis tanta pars perit, quanta muſculorum intercoſtalium portio reſoluitur. 8°. de anato. adm. 1ª.102.C
neq; Vox neq; anhelitus amittitur fracta ſpinali medulla in coſtis. de voce, & anhelitu. Sp.60.F
Vox animalis ex medulla ſpinali impedita. de mot. man. & obſ. Sp.67.B
Vocem aufert ſpina in collo vitiata. 1°. de ſymp. cauſ. 3ª.16.D
Vox animalis perit vna cum pulmone. 6°. de vſu par. 1ª.150.F
Vox non ineſt piſcibus quia pulmone carent. 6°. de vſu par. 1ª.148.A
Vocis cur nulla vtilitas piſcibus. 6°. de vſu par. 1ª.150.G
Voce non priuaretur homo corde detecto, & manu apprehenſo. 2°. de decret. Hippo. 1ª.236.H
Vocis amiſſæ à caſu ab alto curatio. 1°. de loc. affe. 4ª.6.F
Vocẽ amiſſam ob frigus quomodo reuocauit Galenus. 1°. de loc. 4ª.6.H
Vocem perditam ex calore perfecte reparat diapenidion magnum. de dynamidijs. Sp.26.D
ad Vocem amiſſam. de med. fac. par. 171. A/D/H/ 7ª.179.D
Vocis amiſſionis caſus ob ſtrumas. 1°. de loc. affe. 4ª.7.A
Voce ablata guttur ſpiritum adhuc habet. 1°. de loc. affe. 4ª.6.G
Vocis materia tota amiſſa quomodo. 1°. de loc. affe. 4ª.6.G
Vocem Ampliſſimam habens animal, aptum eſt ad Thoracis ſectionem 8°. de anato. adm. 1ª.100.B
Vox cur ampla. in 6^{m}. de morb. vulg. com. 4°. 3ª.186.A
Vocis inſtrumenta ampliſſima vocem deſtruūt. de voc. et anh. Sp.62.A
Vocem quam faciat Angina. in 1^{m}. pror. com. 2°. 4ª.170.E
Vocem quomodo tollat angina. 1°. de loc. affe. 4ª.7.A
Vox Articulata. 2°. de decre. Hipp. & Plat. 1ª.237.C
Vox Aſpera vnde. ars med. 66. F/in 1^{m}. de mor. vulg. com. 2°. 3ª.115.F
ad Vocis aſperitudinem qui cibi conueniant. 7°. de compoſi. medicam. ſecundum locos. 5ª.177.E
Voce qua contriſtetur Auditus. 1°. de ſymp. cauſ. 3ª.16.H
Vox αὐδὴ quæ in 1^{m}. pror. com. 2°. 4ª.177.A
Vox vt Canora reddatur de med. fac. par. 7ª.179.D
Vox Clangoſa mala in 1^{m}. pror. com. 2°. 4ª.170.G
Voces cur fiunt clangoſæ in febribus ardentibus. 7°. de vſu par. 1ª.158.F
Vox clangoſa vnde fiat. in 1^{m}. prorrhet. commen. 1°. 162. D/166. A/B/cōmentario. 2°. 4ª.170.G
Vox Clara ante potũ, & cibũ, poſt minus clara. de voce, et anh. Sp.61.F
Vocis clarioris ſunt ſicca quam humida. de voce, & anhel. Sp.61.G
Vocem claram prohibet humiditas. 7°. de comp. me. ſec. loc. 5ª.178.A
ad Vocem clarificandam electarium. de dyna. Sp.26.B
Vocem quid clarificet. ſecretorum. Sp.101.F
ad Vocis claritatem. de med. fac. par. 7ª.171.H
Vox quando efficiatur Craſſa. de ana. viuo. Sp.53.F
Vox craſſa ex quo fiat, & quomodo. de voce, & anhel. Sp.61.D
Vox quomodo Creſcat. de voce, & anhelitu. Sp.60.H
Vocis defectus ſignificat extinctionem naturæ. in 3^{m}. de morbis vulgaribus, commentario. 3°. 3ª.149.A
Vox quando Depreſſior. 8°. de ana. adm. 1ª.100.C
Vocis Diminutio vnde fiat. de voce, & anhel. Sp.61.A
Vox dura quomodo dicatur. 3°. de diff. pulſ. 4ª.63.F
Vox quando Elatior. 8°. de ana. adm. 1ª.100.C
Vox Exilis exectis teſtibus. 1°. de ſemine. 1ª.334.D
Voce exili loquuntur melācholici. de mel. ex Gal. Ruf. & Po. Sp.109.E
Vox Gracilis, & vox tenuis vnde fiant, & quomodo differant. in 1^{m}. de morbis vulgaribus, com. 2°. 3ª.115.F
Vox Gracilis vnde fiat. de anato. viuo. Sp.53.E
Vocem gracilem habentibus quid contingat. in 3^{m}. de morbis vulgaribus, commentario. 3°. 3ª.143.C
Vox Grauis, & craſsa eſt cōcepto in hora phlegmatis. de ſper. Sp.37.C
Vox grauis, & rauca debilis eſt homini concepto in tribus horis ſanguinis. de ſpermate. Sp.37.B
Vox grauiſſima cur ſit Phaſim incolentibus. de aer. aq. & loc. 2ª.5.A
Vox grauis cur fiat. de voce, & anhelitu. Sp.61.D
Vox grauiſſime vitiata ab humiditate. 4°. de loc. aff. 4ª.26.C
Voces Imperfectæ, & confuſæ cur fiant. de ana. viu. Sp.49.A
Vox quæ infeſtiſſima auditui. 1°. de ſymp. cau. 3ª.17.C
Vox Intercepta hoc eſt non poſſe loqui fit ob varias cauſas. 7°. de compoſi. med. ſecun. locos. 5ª.177.C
Vox à quibus intercipiatur. 2°. de dec. Hipp. 1ª.236.H
Vox intercepta decimo quarto die febricitanti quid ſignificet. de victus ratione in morbis vcutis, com. 4°. 7ª.142.F
ad Vocem interceptā Antonij muſæ. 7°. de comp. me. ſec. loc. 5ª.181.B
ad Vocis interceptiones ex diſtẽſione. 7°. de comp. me. ſe. lo. 5ª.181.C
ad Vocem interceptam ob contentionẽ. 7°. de comp. me. ſe. lo. 5ª.179.H
ad Vocẽ interceptā. 7°. de cōp. me. ſe. lo. 179. F/181. C D/E/G/ 5ª.182.A
ad Vocem interruptam ſubmiſſamq;. de remed. par. fac. 7ª.165.C
Vox quæ Iucundiſſima in auditu. 1°. de ſymp. cauſ. 3ª.17.C
Vox, loquela, expirationes, exufflationes citra ſtrepitũ, et exufflationes cum ſtrepitu qũo ſe habeant ad Læſionem. 4°. de loc. aff. 4ª.26.D
Vox quomodo lædatur à motu voluntario. 4°. de loc. affe. 4ª.26.D
Vox læſa ob vehementem clamorem. 7°. de comp. me. ſec. loc. 5ª.177.D
Vocem lædit polypus obſtruens nares. 4°. de loc. affe. 4ª.26.F
Vocem lædunt dentes amiſſi. 4°. de loc. affe. 4ª.26.F
Vox læditur non ſola in mutis. com. 6°. aph. 51°. Ex.52.G
Vox, & exufflatio quando omnino lædentur læſa ſpinali medulla. de voce, & anhelitu. Sp.62.A
Vocem lædit vertebræ luxatio. 4°. de loc. affe. 4ª.26.D
Vocem lædunt tumores. 4°. de loc. affe. 4ª.26.C
Vox Lenis vnde. ars med. Iſa.66.F
Vocis longæ emiſſio neceſſaria eſt ſermonibus vociferationibus, & cantibus. de anato. viuo. Sp.48.B
Vox Magna vnde. ars med. Iſa.66.E
Vocis magnæ cauſæ. in 6^{m}. de morb. vulg. com. 4°. 3ª.186.B
Voce magna animalia prædita qualia. 16°. de vſu par. 1ª.216.H
Vocem magnam animalia habentia quot muſculos habeant in aſpera arteria. 7°. de vſu partium. 1ª.160.D
Voces magnæ caput magis plenũ, et graue reddũt. de inſtr. odo. 1ª.112.D
Vocem magnam edentibus dilatatur collum, intumeſcit facies, & caput validiſſime impletur. 3°. de ſan. tu. 2ª.77.C
Voces magnæ quid mali fecerint. de par. pil. exer. 2ª.49.G
Voces Nigræ vnde. in 1^{m}. pror. com. 1°. 4ª.162.D
Voci quando accidat maximum nocumentum. de voc. & anhel. Sp.61.E
Vocem offendit thorax vitioſæ figuræ. 5°. de ſan. tu. 2ª.89.H
Vocem quomodo impediant Thoracis vulnera. 4°. de loc. aff. 4ª.26.D
Voci obeſt arteria ſecta, ſed non priuat reſpirationẽ. 1°. de lo. aff. 4ª.7.A
Vox aliter offenſa eſt ei, qui ab alto decidit nullo exiſtente vitio in vocalibus inſtrumentis. 3°. de loc. affe. 4ª.14.F
Vox à deſtillationibus offenditur. in 3^{m}. de mor. vulg. com. 3°. 3ª.141.F
ad Vocem quid agat acris fluxio. 6°. de ſan. tu. 2ª.98.E
Vox parua vnde. ars med. Iſa.66.E
Vox parua quomodo efficiatur. 4°. de loc. affe. 4ª.26.B
iter Voce parua prædita animalia eſt ſimia. de voc. inſtr. diſ. 1ª.107.A
Vox Ploroſa vnde. in 1^{m}. pror. com. 2°. 4ª.170.G
Vox quomodo Prohibeatur. de voce, & anhel. Sp.61.B
Vox cur poſſit Protrahi abſq; interpollatione. de vtil. reſp. Sp.64.B
Vox ſine Raucedine quomodo fiat. de voce, & anhel. Sp.61.G
Voces raucæ quorum ſymptomata. de ſymp. diffe. 3ª.13.H
Voces raucæ vnde. in 1^{m}. pror. com. 1°. 162. D/4ª. 166. E/7°. de cōp. med. ſec. loc. 5ª. 177. G/de voce, & anhel. Sp.61.F
Vox rauca ab humiditate fit. in 3^{m}. de morb. vulg. com. 3°. 3ª.143.F
Vox rauca ob potum fit. de voce, & anhel. Sp.61.G
Vocem raucam faciunt diſtillationes. 4°. de loc. affe. 4ª.26.C
Voces cur raucæ in catharris, & grauedinibus. 7°. de vſu par. 1ª.158.F
Vocem raucam facit larynx madefactus poſtea paruam deinde totam adimit. 6°. de ſan. tu. 2ª.98.E
Vocis raucedini confert ſectio iugularium de ana. viu. Sp.55.B
ad Vocem raucoſam. 7°. de comp. me. ſec. loc. 5ª.181.C

Vox quomodo Reſtituatur.8°.de ana.admi. 1ª.100.D
Voces quæ ſignificant quæ non.2°.met.med. 7ª.15.B
Vox ſignificans.2°.de decre.Hipp. 1ª.237.C
Voces aliquæ ſignificant,& nihil ipſis ſubijcitur.2°.met.me. 7ª.14.A
Voces non ſignificatiuæ.2°.met.me. 7ª.15.A
Vox Sonora,& acuta à ſiccitate fit.in 3^{m}*.de morb.vulg.c.3°.* 3ª.143.F
Vocem habentes ſonoram,gracilem & aſperã, quando peribant. in 1^{m}*. de morbis vulga.com.2°.* 3ª.115.D
ad Vocis Sonum fractum.7°.de comp.me.ſec.loc. 5ª.181.C/D
Vox ſubtilis non alta eſt conceptis in horis melãcholiæ.de ſper. Sp.37.C
Vocum ſymptomata à quo morbo pendeant.de ſymp.diff. 3ª.13.D
Vox Tenuis,& vox aſpera vnde.in 1^{m}*.de morb.vul.com.2°.* 3ª.115.F
Vox Vehemens facit venam rumpi.4°.de loc.affe. 4ª.27.H
Vox à vehementi exclamatione læditur.4°.de loc.affe. 4ª.26.C
Vox Vitiata à vitio epiglottidis.1°.de loc.affe. 4ª.2.D
Vox vitiatur ob fauces.4°.de loc.affe. 4ª.26.C
Vocem quomodo vitiet gula.4°.de loc.affe. 4ª.26.D
Vocis vitium non eſt balbutire,ſed linguæ.com.6°.aph.32°. Ex.49.G
à Voce Viua diſcere et à libro non eſt idẽ.6°.de cõp.me.ſe.lo. 5ª.166.G
ad Vocem meliorem reddendam præſidium.de dyna. Sp.26.F
ad Vocem valet acetum ſcillinum.de med.fac.par. 7ª.178.C
Voci congrua balnea.7°.de comp.me.ſec.loc. 5ª.177.E
Voces non conſiderant res conſiderantes.de ijs,quæ in medicatrina fiũt, commentario.1°. 7ª.200.E
Voce ſolæciſmus cõmittitur à Chryſippo.2°.de decr.Hipp. 1ª.238.C
VRANISCVS *quid.finitiones medicę.* Iſa.44.D
VRBIS *conditor quid agat.4°.de vſu par.* 1ª.204.D
Vrbis conditori comparatur natura.14°.de vſu par. 1ª.204.D
Vrbes ad ſeptentrionem ſitæ,& ad Auſtrum,& ad orientem, & ad occidentem differunt.de aere,aquis,& locis. 2ª.2.E
Vrbes meridionales quales.in 1^{m}*.de morb.vulg.com.1°.* 3ª.103.F
Vrbs Cranon in loco concauo & meridionali ſita eſt.in 1^{m}*.de morbis vulgaribus,com.1°.* 3ª.103.F
in Vrbe manens,lauansq́; ſe quos humores coaceruet. in 1^{m}*. de morbis vulgaribus,com.2°.* 3ª.117.F
Vrbem incognitam qui peruenit,quid agendum.de aere,aquis. 2ª.2.C
in Vrbem aqua vnde debeat deriuare.6°.de decr.Hipp. 1ª.264.A
Vrbes quæ carbunculis,& morbis putridis obnoxiæ ſint. in 1^{m}*. de morbis vulgaribus,com.1°.* 3ª.103.F
VRCEI *coperculum cartaceum.de med.fac.par.* 7ª.169.B
VRENTIA *medicamenta quæ.5°.de ſimp.me.fac.37.E/2°. de compoſ. medicamen.ſec.loc.* 5ª.127.F
Vrentia medicamenta vt ignis.2°.de arte cur.ad Glau. 7ª.102.A
ab Vrentibus quõ differant erodentia.2°.de cõp.me.ſec.loc. 5ª.127.F
Vrentibus locis prodeſt myrta.de ſimp.med. Sp.87.E
VRETERES *vbi ſint.de ana.parua.* Sp.43.B
Vreter vnam habet tunicam.6°. de ana.admi. 1ª.93.D
Vretera quomodo veſicam ingrediatur.5°.de vſu par.1ª.146.C/ de anatomia viuorum. Sp.51.D
VRETHRA *quot modis conſtipari cõtingat.1°.de loc.affe.* 4ª.2.H
VRGENTIA *magis quæ ſint.com.5°.aph.19°.* Ex.39.A
ad Vrgens vergi debet medicus.7°.met.me. 7ª.48.F
Vrgentia magis prius curanda ſunt.com.5°.aph.19°. Ex.39.A
VRINAS *noſſe ad pictorem pertinere dicebat.Quintus.3°. de ſanitate tuenda.* 2ª.81.H
Vrina quid.finitiones medicæ. Iſa.44.A
de Vrinis.1°.de criſibus. 4ª.130.F
Vrina eſt vna ſuperfluitas ſanguinis.de ana.viu. Sp.50.F
Vrina eſt ſerum humorum in venis contentorum. in 3^{m}*. de morbis vulgaribus,com.1°.* 3ª.131.D
Vrina eſt ex aquoſa,& ſeroſa humiditate.de atrab. 1ª.34.F
Vrinam excrementum nutrimenti renum eſſe dicentes errant.5°.de vſu partium. 1ª.144.C
Vrina euacuat ſeroſam partem corporis.com.4°.aph.2°. Ex.27.D
ꝑ Vrinas expelluntur ſuperflua.de comp.memb. Sp.59.B
ꝑ Vrinas naturam expurgare totius corporis ſuperfluitates collige.in 1^{m}*.de mor.vul.com.2°.3ª.111.F/com.4°.aph.69°.* Ex.34.H
Vrinæ,ſtercoris,& geniture euacuatio naturalis eſt . in 6^{m}*. de morbis vulgaribus,com.3°.* 3ª.174.H
Vrinæ,& ſudor quandoq; ſunt vt ſuperfluitates humorum , & non vt euacantia.in 3^{m}*.de morb.vulg.com.3°.* 3ª.144.D
per Vrinas euacuatio totius fit.ars med. Iſa.69.E
Vrina eſt euacuatio quæ exigit plures dies.cõ.4°.aph.74°. Ex.36.A
Vrina vbi fiat,& quomodo mittatur.de compag.memb. Sp.59.A
Vrina mittĩ ab omnibus venis,& arterijs corporis.de vtil. Sp.64.G
Vrinæ quomodo ex venis in renes,deinde in veſicam tranſmittantur.cõmentario.4°.aphoriſmo.77°. Ex.36.E
Vrina per quas venas veniat ad renes.de anato.parua. Sp.43.B
Vrina trahitur à renibus.4°.de vſu par.139.A/1°.de ſem. 1ª.335.B
Vrinam quomodo trahant renes.6°.de loc.affe. 4ª.37.G
Vrinam trahendi qualitatem habent renes.1°.de natur.fac. 1ª.295.D
de Vrinæ tractu Eraſiſtrati errores.1°.de nat.fac. 1ª.295.G
cũ Vrina ſanguis attractus eſt alimentum renũ.5°.de vſu pa. 1ª.144.G
Vrinæ coctionis inſtrumenta non ſunt renes.de vrinis. 4ª.124.E
Vrinam à ſanguine renes ſecernunt.1°.de nat.fac. 1ª.293.B
Vrina ea ratione per Renes ad veſicã fertur, qua ſanguis in omnes alias partes.2°.de nat.fac. 1ª.296.G
Vrina veſicæ fundo deſtinatur.de compag.memb. Sp.59.B
Vrina cur affatim,& celeriter ad veſicam feratur.6°.de lo.af. 4ª.37.F
Vrina quomodo exeat per vaſa.2°.de decr.Hipp. 1ª.237.F
per Vrinam quæ frequentius euacuentur.in progn.com.3°. 4ª.209.G
cũ Vrinæ vaſis pudenda habẽt eandẽ indicationẽ.13°.met.me. 7ª.83.A
Vrina quomodo excernatur.2°.de decr.Hipp. 1ª.237.G
Vrinæ ſecretio quomodo fiat,& per quæ inſtrumenta. in 6^{m}*. de morbis vulgaribus,com.5°.* 3ª.189.D
Vrina quõ excernatur & qui muſculi concurrant.1°.de loc.aff. 4ª.3.E
Vrinam deducẽs muſculus à veſica ad pudẽdũ.5°.de vſu par. 1ª.147.G
Vrina exit per viam,per quam intrat ſperma.de ana.viu. Sp.51.H
Vrinæ cauſa efficiens quæ fin.med. Iſa.44.B
Vrina à qua vi emittatur.2°.de decr.Hipp. 1ª.237.F
Vrina per inſtrumenta quæ emittitur.5°.de vſu par. 1ª.143.H
Vrina à voluntate per penem emittitur.2°.de decr.Hipp. 1ª.237.F
Vrinæ ſeruientia inſtrumenta quæ,& quibus ſignis indicentur male affecta.com.4°.aph.80°. Ex.36.H
Vrina retinetur à muſculo,ne effluat veſicam.5°.de vſu par. 1ª.143.H
Vrinam exire faciens muſculus qui.5°.de vſu par. 1ª.147.F
Vrinam expellunt muſculi abdominis.3°.de nat.fac. 1ª.303.B
Vrinæ venæ,& nerui diuerſi ſunt à venis & neruis ſpermatis. de ſpermate. Sp.36.B
Vrinæ pori videntur etiam in motu ſuo,licet author libri de vtilitate reſpirationis hoc inficietur.de vti.reſp. Sp.64.C
Vrina in concepto animali vbi colligatur.1°.de ſemine. 1ª.331.H
Vrina vbi colligatur in fœtu.de anatom.viu. Sp.52.C
Vrina excernitur à fœtu.1°.de ſemine. 1ª.331.H
Vrinam per quam partem exeat compreſſa veſica,cum diſſecandi ratio in fœtu exercetur.15°.de vſu par. 1ª.212.D
Vrina quomodo expellatur comprimendo,ſi aderit tumor præter naturam.1°.de locis affectis. 4ª.2.H
ꝑ Vrinæ meatus quæ promptius euacuentur.ars med. Iſa.71.E
Vrina aquea,& alba cur.2°.de ſan.tu. 2ª.69.H
ꝑ Vrinam euacuantur renes,veſica , & iocinoris gibba , ſi paucos habent prauos ſuccos.7°.met.me. 7ª.49.D
ꝑ Vrinam quæ partes expurgentur.6°.de loc.affe. 4ª.39.C
ꝑ Vrinam purgatur Iocinoris gibba.13°.met.me. 7ª.83.H
ꝑ Vrinam euacuanda Iecoris gibba.2°.de arte cura.ad Glauconem.7ª.102.H/de cathart. Sp.94.G
Vrina expurgat ſuperfluitates veſicæ.ars med. Iſa.71.E
ꝑ Vrinam exeunt contenta in renibus,& veſica.de conſt.ar. Iſa.42.B
ad Vrinam à Iecore quando promouendi humores.ars med. Iſa.71.A
Vrina expurgat ſuperfluitates renum.ars med. Iſa.71.E
ꝑ Vrinam vt exeat aqua intercutem.de med.fac.par. 7ª.167.D
ꝑ Vrinas aquoſus humor hydropũ mouetur.cõ.7°.aph.55°. Ex.58.H
Vrina emittit etiam ſæpe ſpiritũ flatuoſum.com.4°.aph.73°. Ex.35.G
ꝑ Vrinam q̃nq; excernuntur abſceſſus.in progn.com.2°. 4ª.201.E
Vrina quo tempore contemplanda.1°.de criſi. 4ª.130.B
Vrinæ ſupra quæ ſignificent.in 1^{m}*.pror.com.1°.162.G/* 4ª.168.H
Vrinæ formis humorum correſpondent . in 6^{m}*. de morbis vulgaribus, commentario.5°.* 3ª.192.A
Vrina excernitur ſm proportionẽ excremẽtorũ.3°.de ſympto. 3ª.28.C
Vrina eſt nota ſuccorum,qui in vaſis continentur. 4°. de ſanitate tuenda.83.B/G/ 2ª.84.A
Vrina ſignificat ſupra genus venoſum.1°.de criſibus. 4ª.127.H
Vrina oſtendit ſupra venas,renes,& veſicam.c.4°.aph.77°. Ex.36.F

Vrinæ in

Vrinæ in venis contentę indicant.in 1^{m}.*de morb.vulg.com.*2°. 3ª.112.*A*
Vrina à qua ſignificeť in venis perturbatio.in 1^{m}.*pror.cǫ.*1°. 4ª.167.*G*
*Vrina ſignificat ſupra morbos febriculoſos, ſupra alios non.in prognoſt. commentario.*2°. 4ª.200.*D*
*ex Vrina, pulſu, et calore cognoſciť putredo in ſuccis.*10°.*met.* 7ª.63.*D*
*Vrina oſtēdit qualis ſit ſanguis, q in vaſis cōtineť.*4°.*de ſan.tu.* 2ª.83.*H*
*Vrina qualis eſſe debeat, dum coquitur ſanguis.*1°.*de criſi.* 4ª.130.*A*
*in Vrina apparet ſanguis concoctus.*4°.*de ſan.tu.* 2ª.83.*H*
*Vrina qualis eſſe debeat cocto ſanguine.*1°.*de criſi.* 4ª.130.*A*
Vrina eſt iudex indigeſtionis.de dyna. Sp.34.*B*
*ex Vrinis, ſputis, et deiectiōibus noſcunť cōcoctiōes.de tot.mor.*3ª.88.*G*
ex Vrina morbus qũo cognoſcať incoctus.in 1^{m}.*pror.cō.*3°. 4ª.188.*C*
ex Vrina morbus qũo cognoſcatur coctus.in 1^{m}.*pror.com.*3°.4ª.188.*C*
Vrinæ potiſſimum ſignificant morbos.de vrin.ſign.ex Hipp. Sp.79.*A*
*ex Vrinis quomodo cognoſcatur coctio perfecta.*1°.*de criſi.* 4ª.132.*B*
Vrinæ oſtendunt ſuper inſtrumenta nutritionis.in 3^{m}. *de morbis vulgaribus, com.*2°. 3ª.139.*A*
Vrinæ quādo ſunt inſpiciendæ ideſt in quibus mēbris læſis.in 3^{m}. *de morbis vulgaribus, com.*2°. 3ª.139.*A*
*ab Vrinis quādo abſceſſus prædicētur.de vrin.ſign.ex Hipp.*Sp.78.*H*
*Vrinæ non ſolū oſtēdūt indicationē, ſed & alia.cō.*4°.*aph.*71. Ex.35.*C*
per Vrinam non fit iudicium ægra exiſtente veſica, niſi ſecūdum ipſam veſicam.de vrin.ſign.ex Hippo. Sp.78.*G*
Vrinæ iudicant de vitæ exitu, quando adſunt vēhementia ſymptomata. in 1^{m}.*de morb.vulg.com.*3°. 3ª.122.*F*
*Vrina non ſemper oſtendit verum.*3°.*de præſag.ex pulſ.* 4ª.116.*F*
Vrinam prognoſticantia quæ.de diſſo.cont. Sp.75.*B*
ad Vrinam vergente natura medicamētū nihil efficit. quos purg.opor. quibus med.& quo temp. 5ª.89.*B*
VRINARVM *diuerſitas.in* 1^{m}.*de morbis vulgaribus, commentario* 1°.3ª.106.*D*/1°.*de criſi.* 4ª.127.*H*
Vrina, & excretio diuiduntur in facta à natura, & à voluntate. de motibus manifeſtis, & obſcuris. Sp.68.*G*
Vrina diuerſa genere, & tempore quæ.in 3^{m}.*de morbis vulgaribus, cōmentario.*2°. 3ª.138.*D*
Vrinarum differentiæ duæ præcipue de vrin. 4ª.122.*F*
*Vrina quomodo incedat per ordinem.*2°.*de loc.affe.* 4ª.2.*G*
*Vrinarum Acritudines vnde fiant.commentario.*3°. *apho.* 16°.23.*C*/*D*/ *com.*5°.*aph.*58°. Ex.43.*B*
*Vrinæ acritudo aperit ora arteriarum, quæ ſunt in renibus, & ita aliquis ſpiritus exit, qui eſt in renibus.com.*7°.*aph.*34°. Ex.56.*E*
Vrinæ cum acritudine, & graueolentia veſicam vlcerabant his, qui malos cibos ob annonæ caritatem ederant.de boni.& vit.ſuc. 2ª.33.*H*
*Vrinæ acres veſicam vlcerant.*6°.*de loc.aff.* 4ª.37.*E*
*Vrinæ acritudo facit vrinæ ſtillicidiū.com.*5°.*aph.*58°.43.*B*/*commentario.*7°.*aph.*49°. Ex.57.*H*
*Vrinæ Acuties ex cauſa ſtillicidij.com.*3°.*aph.*16°. Ex.23.*C*/*D*
*Vrina, quæ morbum Acutū indicat, qualis ſit.cō.*7°.*aph.*32°. Ex.56.*D*
Vrina Aeruginoſa ſtranguriam ſignificat.de dyna. Sp.34.*B*
Vrina æruginoſum habens colorē ſpaſmum ſignificat de dyna. Sp.34.*B*
Vrinæ ſi color ſit Albicās, et hypoſtaſis rufa, mitte ſanguinē, ſin imbecillis ſit, medicamē adhibe, aut accōmodatū cibū.de vri.ſign. Sp.79.*D*
Vrina Alba eſt aquoſa.de vrin.ſing.ex Hipp. Sp.79.*A*
Vrina alba ſine febribus in maſculis ſiue fœminis dolorem laterum, & aliquando renum ſignificat, & prægnātem fœminā ſignificat aliquātulum.de dyna. Sp.35.*D*
*Vrinæ albæ, & perſpicuæ, malæ, præſertim ſi in deliramentis fiant.commentario.*4°.*aph.*72°. Ex.35.*E*
*Vrinæ albæ & perſpicuæ in delirijs oſtendunt neceſſariam mortem.commentario.*4°.*aphoriſmo.*72°. Ex.35.*E*
*Vrinæ albæ perſpicuæ extremam cruditatem ſignificāt, & morbum longum.com.*4°.*aph.*72°. Ex.35.*F*
*Vrina alba tenuis, & turbulenta quid ſignificet.*1°.*de criſi.* 4ª.130.*E*
Vrina alba tenuis quid ſignificet.de vrin. 4ª.132.*B*
Vrina alba, & aquoſa, et nebulam bonam habens phrenitim purgat.de dynamidijs. Sp.34.*D*
Vrina alba, & aquoſa in augmento ægritudinis, aut in ſtatu veniens laborē corporis cū frigore, et maciē nunciat futurā.de dy. Sp.34.*A*/*B*
Vrina alba, & nuda in omnibus debilitatē, & frigiditatē corporis ſignificat.de dyna. Sp.35.*D*
Vrina colore alba, & conſtitutione tenuis in acmaſtico, homotono & paracmaſtico cum nebulis non bonis renum, & dolorem, & indignationem ſignificat.de dynamidijs. Sp.34.*C*
*Vrina alba, & turbulenta dolorem cū periculo nūciat.de dyn.*Sp.34.*F*
Vrina alba, & pinguedinoſa, vel iumentina dolorē renū ſignificat, & veſicæ, & capitis aliquantulum.de dyna. Sp.35.*E*
Vrina alba ſi ſe mutauerit in ſynocha apoſtema celerius venturū ſcias de dynamidijs. Sp.34.*C*
Vrina alba in quibus ſignificet mortem.de dyna. Sp.35.*D*
Vrina alba & ſubliuida mortem demonſtrat.de dyna. Sp.34.*H*
Vrina alba, aut ſubliuida mortē ſignificat in phrenitide, pleuritide, ſynocha, cauſo, & tertiana.de dyna. Sp.35.*D*
Vrina alba ſi ſe ſubito in malum colorem mutauerit, proximam nunciat mortem.de dyna. Sp.34.*G*
*Vrinæ albæ craſſæ cum leuibus ſubſidentijs fit mentio.de vic. ratione in morbis acutis, com.*4°. 7ª.135.*D*
Vrina alba craſſa cum tali ſedimento quid ſignificet.de vri. 4ª.124.*G*
Vrina ſi fuerit alba, & nigra, & craſſa epilepſia erit de melācholia.de dynamidijs. Sp.24.*A*
Vrina ſi fuerit alba, et craſſa epilepſia erit đ phlegmate.đ dy. Sp.24.*A*
Vrina alba craſſa quid ſignificet.de vrin. 4ª.123.*E*
*Vrina alba, ſpumoſa, & nebuloſa non bonū ſignificat.de dyna.*Sp.34.*D*
Vrina alba ſpumoſa, & nebuloſa ſi in die critico, aut poſt criticum diem ſuperuenerit, ſolutionem ægritudinis oſtendit.de dyna. Sp.34.*D*
Vrina alba ſi lōgo tēpore perſeuerauerit frigora ſoluit.de dyn. Sp.34.*F*
Vrinæ Amentiam ſignificantes quales.de vrin.ſign.ex Hipp. Sp.78.*H*
per Vrinam aquam ſecedere bonum.de bon.aquæ. Sp.76.*A*
Vrina potus Aquæ aut vini aquei qualis.in 6^{m}.*de morbis vulgaribus, commentario.*5°. 3ª.192.*A*
Vrinæ aquoſæ quæ.in 3^{m}.*de morb.vul.com.*3°. 3ª.148.*E*
Vrinæ aquoſæ quid ſignificent.in 1^{m}.*pror.com.*3°. 4ª.188.*C*
*Vrinæ aquoſæ crudum adhuc in venis eſſe indicant ſuccum eū, qui a vētre ſubmittitur.*2°.*de ſan.tu.* 2ª.69.*G*
*Vrina aquoſa cruda eſt, & diuturna.com.*7°.*aph.*32°. Ex.56.*D*
*Vrina aquoſa tenuis quid ſignificet.in progn.com.*2°. 4ª.201.*A*
Vrina aquoſa ſignificat venoſæ materiæ paſſionē. 1°. *de criſi.* 4ª.130.*H*
*Vrinæ aquoſæ ſunt iſtæ albæ perſpicuæ oſtendūt flauam bilem ad caput tendere.com.*4°.*aph.*72°. Ex.35.*F*
*Vrina ad ſummū ĩcocta ē aquoſa exquiſite.*1°.*de cri.*130.*G*/*H*/4ª.132.*A*
*Vrina aquea in primis diebus in febre.miti.*1°.*de criſi.* 4ª.131.*H*
*Vrina aquoſa in pueris deterrima eſt.in progn.cō.*2°.4ª.201.*E*/ *de vrin. ſign.ex Hipp.*78.*G*/*quæſ.in Hipp.* Sp.11[illegible].*E*
vt in Vrinis aquoſum, ita eſt in pleuritide extreme crudum. 1°. *de criſibus.* 4ª.132.*D*
in Vrinis quibus arenoſa ſubeſt materies, ijs veſica calculeſcit. de vrinæ ſign.ex Hippo. Sp.78.*H*
*Vrina Aſpera eſt propter renes, & veſicam quandoq; in progno. commentorio.*2°. 4ª.201.*E*
Vrina aſpera ſi poſt criſim fuerit, in eandem febrem reintegrari demonſtrat ægrotum.de dyna. Sp.34.*G*
Vrina Aſſa, & cruda ex vaſis.de tot.morb.temp. 3ª.88.*G*
Vrina Aſterica quæ, & quid ſignificet.de dyna. Sp.35.*D*
Vrina Aſterica, ideſt habens quaſi ſtellas vbi fœmina eſt dolorem ſtomachi grauitatemue capitis, muſculis ſcapularum dolorem ſignificat.de dynamidijs. Sp.35.*D*
Vrina Atra aut raro, aut nunquàm eſt tenuis.quæſ.in Hip. Sp.113.*E*
Vrinæ atræ quid ſignificent.quæſ.in Hipp. Sp.113.*E*
Vrina atra in viro, & muliere peſſima eſt.de vrin.ſign. ex Hipp. 78.*G*/ *quæſita in Hippo.* Sp.113.*F*
Vrina atra in acutis ægritudinibus pernitioſa vt plurimum eſt. quæſita in Hippocratem. Sp.113.*E*
Vrinæ atræ in lienoſis ſunt minus pernitioſæ.quæſ.in Hipp. Sp.113.*E*
*Vrinæ Bilioſæ ſunt in calidis, & ſiccis.*8°.*met.me.* 7ª.50.*F*
*Vrina bilioſa eſt propter renes & veſicam quandoq;.in prognoſt. commentario.*2°. 4ª.201.*E*
Vrinæ color ſi bilioſus fuerit, hypoſtaſis autem alba, erit bilis cum pituita.de vrin.ſign.ex Hippo. Sp.79.*D*
Vrina magis bilioſa notat eſſe euacuandum per vrinam, vel per ſeceſſum.de vri.ſign.ex Hipp. Sp.79.*D*
Vrinas bilioſas non habent quotidiana, & quartana febre laborātes. 2°.*de differentijs febrium.* 3ª.36.*D*
*Vrinæ Bonæ quales & earum odor.*1°.*de criſi.* 4ª.130.*E*
Vrina mortem ſignificat ſi ex bono colore in malum die critica conuerſa fuerit.de dyna. Sp.34.*C*

in *Vrinis Bullæ inſidentes morbum renalem, & longum ſignificant cõmen.7°.aph.34°.Ex.56.E/de vrin.ſig.* Sp.78.H
Vrinæ Calculo laborantium quales.de ren.aff.dig.& med. 7ª.193.B
in *Vrina cur Candidum ſit ſedimentum.in progno.com.1°.* 4ª.197.D
Vrina candida debet eſſe vbi cruditas non eſt.de dyna. Sp.19.G
Vrina habens veluti Capillos,qui morbus dicitur capillitium, vnde ſit. com.4°.aph.76°. Ex.36.C
in *Vrina cuiuſdam tam longi aderant capilli, vt æquarent longitudinẽ dimidij cubiti.com.4°.aph.76°.* Ex.36.C
Vrina Cardiacorum alba,& aquoſa cum nebulis albis eorum ægritudi nis ſolutionem oſtendit.de dyna. Sp.34.H
Vrina in cardiacis ſpiſſa quando fuerit,ſi ſpiſſitudo velut ſciſſa apparet paralyſim ſignificat.de dyn. Sp.34.H
Vrina Cholerico colore nebulam albam habens,& furfures ſupernatãtes in homotono,acmaſtico & peracmaſtico aut longam ægritudinẽ aut mortem ſignificat.de dyna. Sp.34.C
Vrina eius,qui à Cibo ſe abſtinuit,qualis.14°.met.met. 7ª.87.A
Vrina ſi fuerit Citrina,& parum nigredinis habuerit, epilepſia erit de cholera rubra.de dyna. Sp.24.A
Vrina ſi Claritatem ſuperius habuerit,& inferius nebuloſa & ſublinida fuerit,dolorem renum ſignificat,& coxæ, & genu, & ſuperius ſtomachi.de dyna. Sp.35.D
Vrina quæ ſignum eſt Coctionis.1°.de criſi. 4ª.131.C
Vrina optime cocta qualis in ſanis.1°.de criſi. 4ª.130.F
Vrinæ coctæ quæ ſint.de vic.rat.in mor.acut.com.4°. 7ª.144.B
Vrina minus cocta quæ de vrin.ſign.ex Hipp. Sp.79.B
Vrina cocta poſtea ceſſans mala.in 1m.pror.com.3°. 4ª.189.B
Vrinæ Colicam patientium quæ.6°.de loc.affe. 4ª.36.G
Vrina indicans Colliquationem qualis . in 6m. de morbis vulgari. com. 5°.3ª.192.A/de vrin.ſign.ex Hippo. Sp.78.G
Vrina in principio colliquefactionis qualis,in augmento, in ſtatu, & de clinatione.quæſ.in Hippo. Sp.113.C
Vrinæ Color conſiderandus eſt.4°.de ſan.tu. 2ª.83.H
Vrinarum colores quales.de vrin. 4ª.123.A
in *Vrinis quando color cineritius & cur.in 6m.de morbis vulgaribus commentario.1°.* 3ª.155.F
ex *Vrina colores qui tinctores cognoſcant. de cauſ. procatar.* 3ª.98.C
Vrinarum bonus color ſignificat maximam in laborantibus humorum affluentiam.in 3m.de morb.vulg.com.3°. 3ª.150.B
Vrinæ bonus color ſalutem promittit.in 1m.de mor.vul.cõ.3°. 3ª.125.A
Vrinam duntaxat bene coloratam eſſe quandoq; ſufficit ad morbi ſolutionem.de vrin.ſign.ex Hipp. Sp.79.C
Vrina non bonum colorem habens,ſi non fuerit digeſta, vel conſtitutionem vrinæ animalis ſimilem habuerit,& miſſa in calice cito reſederit,& amens patiens fuerit,& inſaniam ſenſerit,ſpaſmum,aut mortem ſignificat.de dyna. Sp.34.E
Vrina ſi mane mutauerit colorem, oſtẽdit ſubeſſe vitiũ.de dy. Sp.19.G
Vrinæ coloris eſt ſudor in balneis.13°.met.me. 7ª.87.A
Vrinæ conſiſtentia conſideranda eſt.4°.de ſan.tu. 2ª.83.H
in *Vrina Contentorum ſitum euariat flatus.de vri.* 4ª.124.A
Vrina ſi careat contentis,morbus eſt concoctus.de vrin.ſig. Sp.79.C
Vrina quæ ſignificat futurã Contractionem corporis. de dyn. Sp.34.A
Vrinæ Copia niſi proueniat,aut flatus erumpant,humectantur alui,qui bus hypochondria ſublata,murmurantia ſunt ilium dolore accedente.de vrin.ſigni.ex Hipp. Sp.78.G
in *Vrinis copioſis fiũt pulſus vermiculãtes.2°.d pſa.ex pul.* 4ª.113.A
in *Vrinis Craſſarum ſubſtantiarum tres drĩæ.quæſ.in Hipp.* Sp.113.E
Vrina craſſa,& ruffa non eſt.de vri. 4ª.123.F
Vrina craſſa flaua non eſt.de vri. 4ª.123.F
Vrina craſſa nigra quid ſignificet.de vri. 4ª.123.F
Vrina multa,craſſa,& alba ſoluit abſceſſum futurum poſt aurem, & articulorum.com.4°.aph.74°. Ex.35.H
Vrina craſſa ab Hippocrate ſm Galenum dicitur quæ eſt mediocris reſpectu tenuis,com.4°.aph.76°. Ex.36.E
Vrinæ craſſæ sũt paucæ,q̃re vix renes ptrãſeũt.c.4°.ap.69°. Ex.35.A
Vrina craſſior naturalis quid ſignificet.in prog.com.2°. 4ª.201.A
Vrina craſſior coctionem imperfectam ſignificat.1°.de criſi. 4ª.130.F
Vrinæ craſſæ,& tenues quomodo ſignificent humorem crudum. in 3m. de morb.vulga.com.1°. 3ª.131.E
Vrina craſſa permanens craſſa quid ſignificet.quæſ.in Hipp. Sp.113.B
Vrina craſſa quæ micta craſſa efficitur quid ſignificet.de vri. 4ª.122.H
Vrinæ craſſæ à pueris fiunt.in 6m.de mor.vul.com.3°. 3ª.173.B
Vrinæ craſſitudo eſt cauſa prima creandorum calculorum.in 6m.de morbis vulga.commenta.3°. 3ª.173.B
Vrinæ fiunt craſſæ in declinatione.com.4°.aph.69°. Ex.34.H
Vrina craſſa quid ſignificet.in prog.com.2°. 4ª.201.A
Vrina craſſa alba in quartanis.in 6m.de morb.vul.com.4°. 3ª.179.F
Vrinæ craſſiores,pallidiores meliores.de vi.ra.in m.ac.c.4°. 7ª.141.A
Vrina craſſa nigra cum tali ſedimento quid ſignificet.de vri. 4ª.124.H
Vrina craſſa rubea quid ſignificet.de vri. 4ª.123.E
in *Vrina craſſa,quibus veluti furfura quædam exeunt ſimul, veſica ſcabie laborant.com.4°.aph.77°.* Ex.36.E
cũ *Vrina craſſa carunculæ in ſpeciem pilorum ſignificant vitium in renibus,aut morbum articularem.de nat.hu.com.2°.* 7ª.180.G
Vrina craſſa exiſtẽs,ſi carũculas paruas habeat,aut veluti capilli vna excant,à renibus ſunt.cõ.4°.aph.76°.Ex.36.C/de vri.ſig. Sp.78.H
Vrina craſſa eſt,ſi debeat exire veluti capilli.cõ.4°.aph.76°. Ex.36.D
Vrina in qua velociter ſeparantur craſſa à liquidis,& habet ſedimentũ album,leue,& æquale quid ſignificet.4°.de ſan.tu. 2ª.83.H
Vrinæ craſſæ quæ non ſubſident quales,& quid ſignificent.in 3m.de morbis vulga.commen.1°. 3ª.131.E
Vrinæ craſſæ quæ capitis dolorem pariunt,& prædicunt,& cur.in 3m. de morb.vulg.com.1°. 3ª.131.E
Vrinam craſſam ſubſecuta tenuis,& copioſa bonum.in 3m.de mor.vul. com.1°.3ª.131.E/com.4°.aph.69°.Ex.34. H/ de vrinæ ſignificatione ex Hippocrate. Sp.78.G
Vrina crocea,& turbulenta cum nebulis non bonis,aut longam ægritu dinem,aut mortem prædicit.de dyna. Sp.34.B
Vrina crocea ſi guttatim ſtillando fuerit egeſta,ventris conſtrictionem malam cum animi turbatione,& anguſtia oſtendit.de dyn. Sp.34.B
Vrina crocea,& ſpiſſa,laborem,dolorem,& grauedinem in ſynocha ſi ue mortem oſtendit.de dyna. Sp.34.E
Vrinæ Crudeſcentes quales.de vict.rat.in morb.acu.com.2°. 7ª.122.F
Vrina cruda quæ.de tot.morb.temp. 3ª.89.F
Vrinæ crudæ quæ dicantur.de vict.rat.in morb.acu.com.2°. 7ª.123.A
Vrina quæ eſt ſemper ſignum cruditatis.1°.de criſi. 4ª.131.C
Vrina cruditatem ſignificans qualis.in prog.com.2°. 4ª.201.A
cũ *Vrina cruda morbus diutinus.in prog.com.2°.* 4ª.200.H
in *Vrinis crudus ſuccus videtur pus,ſed diſtinguitur,& quomodo.1°. de alimentorum facultatibus.* 2ª.10.C
cũ *Vrina excretus humor crudus, & albus euenit,vt ſubſidat, prabe atq; videndum vtilem hypoſtaſim.de vri.ſign.* Sp.79.C
Vrina ſolũ Cruenta ſignificat venas laborare.de na.hu.cõ.2°. 7ª.180.F
Vrina quando cruenta eſt in renum affectibus.in 6m.de morbis vulgari bus,commentario.1°. 3ª.155.G
Vrinæ Deficientes in ægrotantibus quæ.de vrin. 4ª.125.C
Vrinæ Denſatæ quæ.in 1m.pror. com.3°. 4ª.178.H
Vrina denſa,pallida,melior.de vri.ſig.ex Hipp. Sp.79.A
Vrina Deterior in ægrotante quæ.de vri.ſig. Sp.79.B
Vrina Ebriorum qualis.10°.de ſimp.me.fac. 5ª.74.G
Vrina Eleuationem habens albam,& leuem,& æqualem quæ.de vrinę ſignificatione ex Hipp. Sp.79.B
in *Vrinis Epantiſmata æruginoſa.in 1m.pror.com.2°.* 4ª.172.H
Vrina oſtendit humorem facientem Epilepſiam.de dy. Sp.24.A
in *Vrinis ſpeciem Erui,aut hordei referẽtia vnde.in 6m.de morbis vul garibus,com.5°.* 3ª.192.A
Vrina exitioſa qualis.in progn.Hipp.com.2°. 4ª.201.A
Vrinæ quare in Febribus attendendæ.1°.de criſi. 4ª.128.C
Vrinæ maxime ſpectandæ in febribus.3°.de criſi. 4.139.D
Vrina ſignificat de febre,ſed non de muſculorum morbis .de vict. rat.in morb.acu.com.4°. 7ª.144.F
Vrinæ in principijs febrium tenues,vnde paulatim fiunt craſſiores. com men.4°.aph.69°. Ex.34.H
ex *Vrina proprium ſignum ephemeræ.1°.de diffe.feb.* 3ª.33.D
Vrinæ ephemerarum quales.1°.de diff.feb.3ª. 34. A/1°. de arte curatiua ad Glau.7ª.94.H/de dyna. Sp.33.H
Vrina ephemeræ ex triſtitia,& cupiditate quæ.de dyna. Sp.33.H
Vrinas quas habẽt febricitantes inedia,& labore.1°.de criſi. 4ª.130.C
Vrina in febre ex inguinum dolore qualis.de dyna. Sp.34.A
Vrina febrium putridarum qualis.1°.de diff.feb. 3ª.34.A
in *Vrina quot formæ apparent,tot ſunt febrium putridarum differentiæ.1°.de diff.feb.* 3ª.33.C
in *Vrinis,& in pulſu quando non eſt putredinis ſenſus in febre ex obſtructione.8°.met.me.* 7ª.52.E

Vrinæ tertianæ

Vrinæ tertianæ febris quales.de typ.3ª.90.G/1°.de art. cur. ad Glauco. 7ª.96.D/de dyn. Sp.34.F
Vrinę quartanæ febris quales.de vrin.123.B/2°.de criſi.135.D/1°.de art. cur.ad Glauc.7ª.96.D/de dyn.34.F/queſ.in Hip. Sp.113.C
Vrina quartanarum declinantium qualis.de vrin. 4ª.123.F
Vrinę febrium errantium quales.in 1^{m}.de mor.vul.com.3°. 3ª.123.B
Vrinę febrium quotidianarum quales.in 1^{m}.de arte cu. ad Gl.7ª.96.D/ de dynamidijs. Sp.34.F
Vrina febriũ cõtinuarũ vi ſanguinis excitatarũ qualis.q̃ſ.ĩ Hi. Sp.113.B
Vrinę ſynocharum febrium quales.de vrin. 4ª.124.H
Vrina qua ſignificatur phrenitis in cauſonide.de vrin. 4ª.123.C
Vrinæ ſolę in ardentibus febribus tanta vis ineſt, vt illi ſoli credendum ſit.in 6^{m}.de mor.vul.com.1°. 3ª.156.H
Vrinæ quæ fiant in cauſo,& phrenitide.in 1^{m}.prorrh.com.1°. 4ª.162.E
Vrinæ Fermentatę quę.in 1^{m}.prorrh.com.2°. 4ª.174.C
in Vrina Flatus quoque cognoſcuntur.de vrin.ſign.ex Hip. Sp.79.B
Vrina Flaua non poteſt eſſe tenuis.de vrin. 4ª.124.G
Vrina flaua tenuis quid ſignificet.queſ.in Hip. Sp.113.B
Vrinę abunde flauę, & mordentes ſunt in ſiccis.8°.meth.med. 7ª.50.C
Vrina Fœminarum qualis.de vri.ſign.ex Hip. Sp.79.A
Vrina mulierũ habẽt maiorẽ hypoſtaſim q̃ virorũ.de vrin.ſig. Sp.79.A
Vrinę Fœtent in calidis & humidis.8°.meth.med. 7ª.54.B
Vrina fœtida eſt ꝑpter renes & veſicã q̃nque.in ꝑg.com.2°. 4ª.201.E
Vrina fœtida qualis.in prog.Hip.com.2°. 4ª.201.A
Vrinæ fœtidæ quid ſignificent.de vri.124.F/1°.de criſi. 4ª.130.E
in Vrinis hypoſtaſes Folioſæ quibus ſint peiores.de vri.ſig. Sp.78.G
per Vrinas cito exit Fructuum nutrimentum.2°.de ali.fac. 2ª.17.D
Vrinæ cur Furfureæ,& quot modis habeant furfura. commentario 4°. aphoriſmo 77°. Ex.36.F
in Vrina furfures quid ſignificent.de nat.hum.com.2°. 1ª.180.H
Vrina Groſſa,& q̃ manet groſſa vnde,& quid ſigñet.de vri. 4ª.123.A
Vrina groſſa quę fit tenuis vnde,& quid ſigñet.de vri. 4ª.123.A
Vrina groſſa rubea cum tali ſedimento quid ſigñet.de vri. 4ª.124.H
Vrina Hepaticorum.de dynam. Sp.35.A
in Vrina quid ſit Humor.de vri. 4ª.122.H
Vrina bilioſorũ,& crudorũ humorũ qualis.in prog.cõ.2. 4ª.200.D
Vrinę humorum crudorum quales.de vri.ſig.ex Hip. Sp.79.D
Vrinę bonę proceſſus in humoribus crudis.de vri. 4ª.125.C
Vrina humoris non cocti eſt tenuis & alba.de vri. 4ª.124.G
Vrina Hydropicorum qualis.de dyn. Sp.35.B
Vrinę Hypoſtaſis tres partes.de vri.ſig.ex Hip. Sp.79.B
Vrinę habentes hypoſtaſim poſtea non habentes quid ſignificent.de vri. ſign.ex Hippoc. Sp.79.C
in Vrinis Hypoſtaſes quales vbi coctæ ſunt. de victus ratione in morb. acu.commen.4°. 7ª.144.B
Vrinę hypoſtaſis quæ fallat homines.de vri.ſig. Sp.79.C
Vrinarum hypoſtaſes craſſioris farinę ſpecie quid ſignificent.de vrin.ſig. ex Hippoc. Sp.78.F
Vrina Ictericorum qualis.de dyna. Sp.35.B
Vrina in ictericis ruffa & ſpiſſa plurimum egeſta ſanitatem, & ſolutionem ventris promittit.de dyn. Sp.35.B
Vrina quæ ſignificat Iecoris obſtructionem qualis.de vri. 4ª.123.B
Vrina quaſi Ignea ſignificat tertianam.de dyn. Sp.35.E
Vrina Inculpata quæ.in 1^{m}.prorrh.com.2°. 4ª.168.H
Vrina Infantium habet craſſam hypoſtaſim.de vrin.ſign. Sp.79.A
in Vrina quid ſit inhærentia.de vri. 4ª.122.H
Vrina Iumentorum qualis.in prog.com.2°. 4ª.200.C
Vrina ſimilis iumentorum vrinæ quæ.in 1^{m}.de mor.vul.cõ.3°. 3ª.122.C
Vrinæ iumentorum lotio ſimiles eliquationẽ non indicant.in 6^{m}.de mor. vulg.com.5°. 3ª.192.A
Vrina turbida qualis iumentorũ quid ſignificet.4°.de ſan.tuen. 2ª.83.H
Vrinæ perturbatæ quales iumentorum,dolorem capitis,vel adeſſe, vel futurum ſignificant.com.4°.apho.70°. Ex.35.B
Vrinæ perturbatæ velut iumẽtorum quibus ſunt,ijs cephalalgiæ aut adſunt,aut aderunt.de vri.ſig. Sp.78.G
Vrinæ non ſunt neceſſario perturbatæ, ſi alicui caput doleat,vel dolere debeat.com.4°.apho.70°. Ex.35.B
Vrinę iumentorum ab extrinſeca caliditate in ſpiritum ſoluuntur,vt bitumen,pix,atq; reſina,com.4°.apho.70°. Sp.35.B
ad Vrinæ iumentorum difficultatem.de med.fac.par. 7ª.174.C
Vrina q̃uo ex labore,fame,& ſiti mutetur.10°.de ſimp.me.fa. 5ª.74.G
Vrina Lactea in ſynocha,ſi in initio ægritudinis iuuenibus euenerit, non bonum ſignificat.de dyn. Sp.34.D
Vrina Letalis quæ.de tot.mor.temp. 3ª.89.G
Vrinæ Lapides habentium quales.2°.de loc.aff. 4ª.9.F
Vrinæ leuem hypoſtaſim inquit Galenus vocare Hippocratem continuã & indiuulſam.de vri.ſig.ex Hipp. Sp.79.B
Vrinæ Lienoſorum quales.quæſ.in Hipp. Sp.113.E
Vrina Liuida quid ſignificet.1°.de criſ. 4ª.130.E
Vrina colore liuida,& tenuis conſtitutione phrenitim futuram denuntiat in homotono acmaſtico & paracmaſtico.de dyna. Sp.34.C
Vrina liuida caput dolentibus ſignificat augumentum.de dyna. Sp.34.G
per Vrinas citius meat Lora dulcis.2°.de alim.fac. 2ª.18.D
Vrinam difficilius cit lora acerba,& acida.2°.de alim.fac. 2ª.18.D
Vrina lucida nimis in hepaticis bonum ſignum ſigñat.de dyn. Sp.35.A
Vrina valde lucida in ſynocha phrenitim vẽturã oſtẽdit.de dy. Sp.44.F
per Vrinam Lutum expellens.10°.de compoſit.medic.ſec.loc. 5ª.206.F
Vrina Mediocris non poteſt eſſe alba.de vri. 4ª.124.H
Vrina mediocris,ſi aliqua in ipſa exeant, veſicæ, aut renum paſſio ſignificatur.com.4°.apho.77°. Ex.36.E
Vrina mediocris,quę neq; laudanda ſit,neq; vituperãda, & ſymptomata peſſima ſignificant hominem longiori tempore ſuperſtitẽ tandem moriturum.in 6^{m}.de mor.vulg.com.6°. 3ª.197.B
Vrinæ Medię inter coctum,& crudum.1°.de criſi. 4ª.130.E
Vrinæ in melancholia,& amentia quales.quæſ.in Hip. Sp.113.E
Vrinæ ſunt meliores,quæ ſecundum naturam morbi ſunt, vel humoris peccantis.com.4°.aph.72°. Ex.35.F
Vrinæ quæ Mentis aberrationem portendant.in 1^{m}.prorrhet. commentario 1°. 4ª.167.F
Vrina quando ſignificet Morbum diuturnum, & non tutum.de vrinæ ſignificatione ex Hipp. Sp.78.F
Vrina Multa ſignificat paucas deiectiones.com.4°.apho.83°. Ex.37.B/ *de vrin.ſign.ex Hip.* Sp.78.H
Vrinæ multę incipientes in diebus iudicatorijs bonę, & qui ſint dies iudicatorij.com.4°.aph.36°. Ex.31.G
Vrinæ multitudo impedit ne ilia ſuſpenſa murmurantia lumborum dolore ſuperueniente alui humectentur.com.4°.aph.73°. Ex.35.F
Vrina Naturalis qualis.in prog.com.2°. 4ª.200.H
Vrinæ ſecundum naturam non ſunt ſimpliciter tenues,nec craſſæ,ſed mediocres.com.4°.aph.69°. Ex.35.A
Vrina naturalis modice pallida eſt.10°.de ſimp.med.fac. 5ª.75.B
in Vrina naturali quæ conſideranda.de vrin. 4ª.12[illegible].B
in Vrina Nebula,& ſubnebula quomodo fiant.de vrin.ſig. Sp.79.B/D
Vrinæ in quibus ſunt nebulæ ſurſum ne an deorſum meent, quoſue colores habeant,conſiderandę.de vri.ſigni. Sp.78.G
in Vrinis nebularum ſuſpenſarum ſignificatio.de vri.ſig. Sp.78.F
in Vrinis nebulæ deorſum labentes cum quibus coloribus ſint malæ. de vrin.ſign.ex Hip. Sp.79.C
Vrina cum nebulis ſciſſis macronoxiam ſignificat.de dyn. Sp.34.G
Vrina nebulas cholericas habens,in ęgritudinem acutam tranſire morbum ſignificat.de dyna. Sp.34.G
Vrina ſine nebula turbulẽta in ſynocha non bonũ ſigñat.de dy. Sp.34.E
Vrinæ nebuloſæ quę.de vic.rat.in mor.acu.com.4°. 7ª.140.C
Vrinę ſi ſint nebuloſæ & craſſæ purgãdũ.de vi.r.in m.ac.c.4°. 7ª.140.B
Vrinas nebuloſas,vel craſſas à principio habẽtes purgãdi ſunt. de vri. ſign.ex Hipp. Sp.79.A
Vrinæ Nephriticæ quales.6°.de loc.af.36.G/4ª.37.C/de dyna. Sp.35.C
Vrina in nephriticis ſpiſſa,cuius color ſit velut ſperma hominis mortem ſignificat.de dyna. Sp.35.C
Vrina in nephriticis vinoſa augumentũ doloris ſignificat.de dy. Sp.35.C
Vrinæ Nigræ vnde generentur.in 1^{m}.prorrh.com.1°. 4ª.162.E
Vrinæ nigræ vnde.in 1^{m}.de mor.vul.com.2°.3ª.115.B/in 1^{m}. prorrhetic. commentario 3°. 4ª.178.H
Vrinæ nigræ in triplici ſunt differentia.de vri. 4ª.123.E
Vrinę nigræ differentiæ, & quid ſignificent. in prognoſtica.commentario 2°. 4ª.201.A
Vrinæ nigrę colliquati lienis notę ſunt.in 6^{m}.de morbis vulgaribus, commentario 5°. 3ª.192.A
Vrina nigra quartanam nunciat.de dy. Sp.34.G
Vrina nigra in principio malũ ſignificat. de ijs, quę in medicatrina fiũt. commentario 1°. 7ª.198.C
Vrina nigra in mulieribus,& viris deterrima.in prognoſtica.commentario 2°. 4ª.201.B
Vrina nigra peſſima eſt,& omnes necat.1°.de criſi. 4ª.129.E

Vrina nigra

Vrina nigra letalis c̃.1°.de cri.4ª.127.D/H/in 1^{m}.pror.cõ.2°. 4ª.169.D
Vrinarum nigrarum deteriores quæ.in 1^{m}.prorrh.com.1°. 4ª.162.E
Vrina nigra,aut liuida in ſynocha nõ ſine periculo erit.de dyn. Sp.34.E
Vrina nigra cum ſudore in ſynocha non bona ſigna imminere oſtendit. de dynamidijs. Sp.34.D
Vrina nigra in ſynocha per varios colores frequenter mutata cũ nebulis nõ bonis,& velut conciſis,& ſeparatis,& frequenter in nigrũ colorẽ conuerſa phrenitim cum morte ſignificat.de dyna. Sp.34.E
Vrina nigra,& lucida cum ſudore, & dolore hypochondriorum in ſynocha mortem nunciant.de dyn. Sp.34.E
Vrina nigra,& tenuis cum nebulis phrenitim oſtendit.de dyn. Sp.34.B
Vrina nigra, & tenuis cum aurium obtuſione ſanguinis fluxum imminere oſtendit.de dyna. Sp.34.B
Vrina nigra,& tenuis,& æſtuoſa,ſi æſtuatio fuerit cũ faſtidio, & ſi turbatũ ſenſum patiẽs habuerit,& nõ recte intelligat,& loquat aut maleſactum non defuerit,mortem oſtendit.de dyna. Sp.34.F
Vrina nigra,& ſpiſſa non boni coloris mortem ſignificat in ſynocha. de dynamidijs. Sp.34.F
Vrina nigra turbulenta, & veluti capilloſa, & aliquid raſuræ habens mortem ſignificat in hepaticis.de dyna. Sp.35.A
Vrinæ nigræ oleoſæ tenues.in 3^{m}.de mor.vul.c.3°. 3ª.151.D
Vrina nigra.in 1^{m}.de mor.vul.com.3°.121.A/124.F/ 3ª.151.B
Vrinam nigram habentis caſus.in 1^{m}.prorrh.com.2°. 4ª.171.F
Vrinæ Nubecula quid ſignificet.in prog.com.2°. 4ª.201.D
in Vrina qualis nubecula appet ſi ſanguis ſit coctus.4°.de ſa.t. 2ª.83.H
Vrina habens nubeculam rubram quarto die,oſtẽdit in ſeptimo iudicationem futuram.com.4°.aph.71°. Ex.35.C
ad Vrinas Nubis nomen q prius dixit.in 3^{m}.de mor.vul.cõ.1°.3ª.128.C
in Vrinis nubes rubræ raro apparent,albæ frequenter, & ſunt ſignum coctionis manifeſtę.com.4°.aph.71°. Ex.35.D
in Vrinis rubra nubes bona,ſed alba melior, meliuſque ſublimamentũ album,æquale,atque conſiſtens.com.4°.aph.71°. Ex.35.C
in Vrinis Nubiloſæ ſuſpenſiones quę.in 3^{m}.de mor.vulg.cõ.1°. 3ª.128.B
Vrina male Olens,& aquoſa,& atra,& craſſa letalis eſt. de vrinæ ſignifi.ex Hippocrate. Sp.78.G
Vrina ſi male olens fuerit,et hypoſtaſis atra in acuta ægritudine non mori ægrum impoſſibile.quæſ.in Hip. Sp.113.E
Vrina grauiter olens eſt puris particeps.de vri.ſign.ex Hip. Sp.79.C
Vrina grauiter olens quid ſignificet.quæſita in Hip. Sp.113.D
Vrinæ Oleagineæ vnde gignantur.quæſ.in Hippoc. Sp.113.C
Vrinæ oleagineæ quid ſignificent.de vrin. 4ª.124.D
Vrina oleoſa ſecundum Sabinum in 3^{m}.de mor.vulg.com.3°. 3ª.148.B
Vrina oleoſa quæ.in 3^{m}. de morbis vulgar.com.3°. 3ª.147.F
Vrina oleoſa non eſt vnius coloris vt nec oleum.in 3^{m}. de morb.vulgari. com.3°. 3ª.147.H
Vrinæ oleoſæ meminit.in 1^{m}.de mo..vul.cõ.3°.125.C/147.E/ 3ª.151.G
Vrinæ paucæ oleoſæ.in 1^{m}.de mor.vul.com.3°. 3ª.125.C
Vrina veluti oleum quid ſignificet.1°.de criſ. 4ª.130.E
Vrina Optima in viris,quæ.de vrin. 4ª.125.A
Vrina optima in mulieribus,quę.de vrin. 4ª.125.B
Vrina optima puerorum qualis.de vrin. 4ª.125.B
Vrina optima in ægrotantibus quæ.de vrinis.4ª.125. B/ de vrinæ ſignificatione ex Hippocrate. Sp.79.B
Vrina optima quoad colorem.in progn.com.2°. 4ª.202.B
Vrina optima quæ.1°.de diff.feb.33. C/de tot. mor. temp.3ª.89.F/3°.de pręſag.ex pul.116.G/1°.de criſ.4ª.130.A/F/de vict.rat. in mor.acu. com.4°.7ª.135.D/de vrin.ſign.ex Hip. Sp.78.F
Vrina optima quę ſit ſm Hippocratẽ.de vict.rat.in m.a.c.4°.7ª.144.C
Vrina optima quæ,& quæ non.in prog.com.2°. 4ª.200.B
Vrina optima quæ,& quod ſignum.com.1°.apho.12°. Ex.6.E
Vrina optima,& ſymptomata peſſima ſignificant hominem euaſurum, ſed acutæ ægrotaturum.in 6^{m}.de mor.vul.com.6°. 3ª.197.B
Vrina quæ Pallet peractę ſecundę actionis ſignũ eſt.2°.de ſa.t. 2ª.69.G
Vrina pallida non poteſt eſſe tenuis.de vri. 4ª.124.G
Vrina pallida quid ſignificet.1°.de criſi. 4ª.130.A
Vrinæ Paucæ vnde.in 1^{m}.de mor.vul.com.2°. 3ª.115.B
Vrinæ paucæ quandoque iecur purgãt,& ſunt bonę.5°.de lo.aff.4ª.35.E
Vrinæ Pendentia conſideranda.4°.de ſan.tuen. 2ª.83.H
Vrina in Peripneumonicis indigeſta in initio, & ante criſim ſignificat mortem futuram.de dyna. Sp.35.A
Vrina in peripneumonicis ſanguinea cum nebulis varijs vitæ periculum nunciat.de dyn. Sp.35.A
Vrina in Peripneumonicis nigra cum varijs nebulis mortem futurã oſtẽdit.de dynamidijs. Sp.35.A
Vrinæ quę Pernitiem ſignificant.1°.de criſi. 4ª.130.E
quibus Vrinæ Perſpicuæ albę ſunt, improbæ, præcipue in phreniticis apparentes.de vri.ſign.ex Hip. Sp.78.G
Vrinæ poßunt eſſe perſpicuæ,& non albæ, ſed habentes colorem bilis. com.4°.aph.72°. Ex.35.F
Vrinæ Peſſimę in viris & mulieribus quę.1°.de criſi. 4ª.130.F
Vrina peſſima quæ.1°.de diff.feb. 3ª.33.C
Vrina omnium peſſima,quę.1°.de criſi. 4ª.130.H
Vrinę Peſtilentium quales.3°.de præſag.ex pul. 4ª.116.G
Vrina Phlegmatica ſi apparuerit ſicut ſol in limpidis coloribus indignationem renum denunciat.de dyn. Sp.34.G
neq; in Vrinis, neq; in ſputis, neq; in ſudoribus,neq; in vomitibus ſigna Phrenitica.in 1^{m}.prorrh.com.1°. 4ª.162.E
Vrinę quæ phreneſim ſignificant ,quales.in 1^{m}.prorrh.com.1°.4ª.162.E
in Vrinis Pilis ſimilia & longa.6°.de loc.aff. 4ª.37.H
per Vrinas pili qui exeunt in venis oriuntur.6°.de loc.aff. 4ª.37.H
in Vrina quomodo pili naſcantur,& quomodo curetur illa affectio. 6°. de locis affectis. 4ª.37.E
Vrinę pingues quæ.in 3^{m}.de mor.vul.com.3°. 3ª.147.G
Vrina pinguis quid ſignificet,& quomodo fiat.cõ.7°.aph.35°. Ex.56.F
ſupra Vrinã pingue ſignãt conſumptionem.in prog.com.2°. 4ª.201.C
Vrina pinguis ſine febre ſenibus eueniens apoplexiam facit, quæ cum ſoluta fuerit caliginem oculorum cito tranſeuntem, & cibi delectationem oſtendit.de dyna. Sp.34.B
Vrina pinguis in cauſo mortem ſignificat.de dyn. Sp.34.B
Vrina pinguis,& ruffa in pleuriticis mortem futuram oſtendit. de dynamidijs. Sp.34.H
Vrinæ etiam in Pleuritide conſiderandæ,quia eſt cum febre. 1°. de criſibus. 4ª.128.D
Vrina pleuritidis qualis.de dyna. Sp.35.E
per Vrinas & per ſudorem, & per inſenſibilem tranſpirationem aliquid meat,quod ex Potu cum ſanguine tendit.de atra bile. 1ª.34.D
Vrina potui quandoq; ſimilis.in 6^{m}.de mor.vul.com.5°. 3ª.192.A
Vrinæ potum excedentes.in 3^{m}.de mor.vul.com.3°. 3ª.145.E
Vrinæ Prauæ quæ.de vrin.125.A/1°.de criſi. 4ª.130.F/G
Vrina praua & ſymptomata peſſima ſignificant hominem breui moriturum.in 6^{m}.de mor.vul.com.6°. 3ª.197.B
Vrinæ excretiones prauæ ſi bene exeant, ad bonum terminantur. commentario 4°.apho.47°. Ex.32.H
Vrina quæ ſignificet finem Principij.1°.de criſ. 4ª.132.D
in Vrinis Puerorum otioſorum, & plethoricorum multa eſt ſubſidentia.1°.de criſ. 4ª.130.C
Vrinæ puerorum craſſę.de ren.aff.dig.& med. 7ª.192.F
Vrinę puerorum cur craſſę.in 6^{m}.de mor.vul.com.3°. 3ª.173.D
Vrinæ peſſimę in pueris quę.1°.de criſ. 4ª.130.F
Vrinæ puerperarum quales.in 3^{m}.de mor.vul.com.3°. 3ª.141.F
Vrina Pulmonis pinguedinoſa, & alba peripneumoniam ſignificat.de dynamidijs. Sp.35.E
per Vrinam cur ſæpe non it pus pulmonis.6°.de loc.aff. 4ª.39.E
Vrina Puluerulenta,& maxime ſi frigus, & lippitudo oculorũ fuerit, & caligo,& ſuperiores partes in ſudorem veniant,ventrem ſpaſmũ denunciat.de dyna. Sp.34.D
cum Vrina quandoque Pus excernitur iecore aut renibus languẽtibus, & ſubſidendo fallit minus acutum artificẽ.de vrin.ſign.ex. Sp.79.C
Vrinis fit pus quandoque ex abſceſſu longi temporis. commentario 4°. aphoriſmo 75°. Ex.36.B
in Vrina pus quid ſignificet.6°.de loc.aff. 4ª.37.E
abſq; Vrinis quando pus & ſanguis fiat, & quando non. commentario 4°.aphoriſmo 75°. Ex.36.B
Vrina purc miſta,quæ poſtea turbet̃,quid ſignẽt.4°.de ſani.tu. 2ª.83.H
Vrina purulenta quæ bona.in prog.com.2°. 4ª.206.B
cum Vrinæ miſcella puris conſideratio.6°.de loc.aff. 4ª.39.A
Vrina Pura quæ longo tempore turbetur quid ſignificet. 4°. de ſanitate tuenda. 2ª.83.H
in Vrina etiam Ramenta expelluntur.6°.de lo.aff. 4ª.37.D
cũ Vrina ex veſica & renibus eijciũtur ramẽta.4°.de loc.aff.4ª.25.H
Vrina quæ velut Raſuram habuerit,& arenam, & in renibus quaſi ſanguinem,ſyntexin renũ colliquationem oſtendit.de dyn. Sp.34.G
Vrinã quam faciat exulceratio renũ,& veſicæ.de vrin.ſign. Sp.78.H
Vrinæ quibus vitia renum ſignificantur.de vrin.ſig.ex Hip. Sp.78.H

Vrinæ quæ ſignificent renum dolorem.de dyna. Sp.35.D
Vrina q̃ diſtinguat ſcabiẽ renũ à ſcabie veſicæ.cõ.4°.apho.77°.Ex.36.F
Vrina renum vlceratarum.de dynam. Sp.35.C
Vrinæ non Reſidẽtes,ſi æger ſit fortis,longus eſt morbus,ſi debilis, mortem oſtendunt.com.4°.aph.70°. Ex.35.B
Vrinæ in quibus nihil reſidet male.de vrin. 4ª.125.A
Vrina in febribus Roſea & obſcura phrenitim ſignificat.de dy. Sp.35.E
Vrinas Rubras tingit ſanguinis ſeroſa ſuperfluitas.1°.de criſi. 4ª.130.F
Vrina rubra ſignificat abundare ſanguinem crudiorem, & ſeroſiorem. in 3^{m}.de mor.vul.com.1°. 3ª.131.C
Vrina rubra eſt & candida his,qui nimia fatigatione fuerint laſſi. de dynamidijs. Sp.34.B
Vrinæ rubræ longũ ſignificant morbum.in 3^{m}.de mor.vul.cõ.1°.3ª.131.C
Vrina rubra ſignificat longum morbum, licet ſalubrem. in 1^{m}. de morb. vul.com.3°. 3ª.123.B
Vrinæ rubrę cur ſalubres, licet morbi longitudinem ſignificent.1°. de criſibus. 4ª.130.F
Vrina rubra cur ſignificet longũ morbũ,ſed ſalubrẽ.de vrin. 4ª.124.B
Vrinæ rubrę raro pręter quartũ,& quibus diebus iudicationes ſecundũ ipſas oſtendantur.com.4°.aph.71°. Ex.35.E
Vrina rubra mala,quæ.in 1^{m}.prorrh.com.2°. 4ª.172.H
Vrinã rubrã & obſcurã habet qui patitur vitiũ hepatis.de dy. Sp.35.E
Vrina rubra mortem ſignificat in phtiſi,hydrope,apoplexia, epilepſia, paralyſi,peripneumonia,cholica,& dyſenteria.de dyn. Sp.35.D
Vrina rubra & ſpiſſa in ſynocharum febrium augumento mortem cito futuram ſignificat.de dynam. Sp.34.D
Vrina rubra, & ſpiſſa ſi fuerit egeſta frequentius in ſynocha futuram phrenitim denunciat.de dynam. Sp.34.D
Vrinarũ Ruffarũ tenuiũ præſagia.in 3^{m}.de mor.vul.com.1°. 3ª.128.A
Vrina magis fit ruffa quando ſine cibo manemus.1°.de criſi. 4ª.130.A
Vrinæ ruffę ſunt ephemeris.1°.de arte cur.ad Glauc. 7ª.95.B
Vrina ruffa in acmaſticis inuenitur.de dyna. Sp.34.C
Vrina ruffa non poteſt eſſe tenuis.de vrin. 4ª.124.G
Vrina ruffa cur.2°.de ſan.tuen. 2ª.69.H
Vrina ruffa quid ſignificet.quæſ.in Hippoc. Sp.113.B
Vrina ruffa & atra ſignificat abundare bilem flauam. in 3^{m}.de morbis vul.com.1°. 3ª.131.D
Vrina ruffa ſi caput dolentibus ſanguis de naribus fluxerit, huius doloris fiet ſolutio.de dynam. Sp.34.G
Vrina ruffa,& craſſa cum hypoſtaſi ruffa quid ſignificet.quęſita in Hippocratis. Sp.113.B
Vrina ruffa & biliosa iandudum coctum eſſe ſuccum indicat,qui à ventriculo ſummittitur.2°.de ſa.tue. 2ª.69.G
Vrina Sanguinea cur ſit.de anat.viuo. Sp.51.C
Vrina ſanguinolenta quid ſignificet.de ren.aff.dig.& med. 7ª.192.G
Vrina ſanguinea ſynochon cauſon ſignificat.de dyn. Sp.35.E
Vrina ſanguinea,& obſcura cauſon ſignificat.de dyn. Sp.35.E
Vrina ſanguinea in hepaticis mortifera eſt.de dyn. Sp.35.A
Vrina ſanguinea cum dolore capitis & hypochondrij dexteræ partis ſtatim ſubitaneam mortem ſignificat.de dyn. Sp.34.B
Vrina ſuadẽs ſanguinẽ mittẽdũ ĩ quotidiano acuta ĩ æſtate.de d.Sp.32.E
Vrinæ Sanioſæ in febre quales.de cauſ.procatar. 3ª.98.C
Vrinæ ſanioſæ in ſolutione phlegmonis.de cauſ.procatar. 3ª.98.C
Vrina ſani hominis qualis.de dynam. Sp.19.G
Vrinæ debent inſpici,ſi ſint ſimiles ſanis,bonum,ſi non,malum. commentario 7°.apho.63°. Ex.59.H
Vrina ſignificans ſanitatem alba,& ſpiſſa.de dyna. Sp.34.A
Vrina optima ſanorum qualis.de vrin.ſig.ex Hip. Sp.79.A
in Vrinis ſanorum ſunt etiam crudi ſucci.1°.de alim.fa. 2ª.10.C
Vrinæ reſidentia conſideranda eſt.4°.de ſan.tuen. 2ª.83.H
Vrinæ Sedimentum quid.3°.de prеſag.ex pulſ. 4ª.119.A
Vrinę,quæ ſedimen cito craſſum habent,ſignificant morbum cito debere terminari.com.4°.aph.70°. Ex.35.B
Vrinę quę in principijs morborum habent ſedimen,non ſunt bonæ. commen.4°.apho.69°. Ex.35.A
Vrinam cuius ſedimen bilioſum eſſet, pars vero ſuperfluitas aquoſa, nũquam vidit Galenus.com.7°.aph.32°. Ex.56.D
in Vrinis ſedimen vt plus fabacea.de mult. 3ª.81.F
Vrinæ habentes ſedimen veluti craſſa farina quid ſignificent. commentario 7°.aphoriſmo 31°. Ex.56.C
in Vrinis ſi ſedimenta fiant veluti farina craſſa febricitantibus longa eſt ęgritudo.com.7°.apho.31°. Ex.56.C
Vrina ſpiſſa,& cholerica ſi fuerit in augumento febris ſynochę mortem ſignificat.de dynamidijs. Sp.34.E
Vrina Spleniticorum qualis.de dynam. Sp.35.B
Vrina ſi Spumoſa ſuperius fuerit ſinigficat ſtomachi ventoſitatem,et aliquando deſiderium veneris,& tuſſim,& frigiditatẽ.de dyn.Sp.35.E
Vrinæ quales in Statu,de quo Hippocrates.in 1^{m}.de morbis vulgaribus, commentario 2°. 3ª.111.G
Vrinæ non habent aliquid ſimile Strigmentis,ſed bene alui excrementa. com.7°.aphoriſ.64°. Ex.60.B
Vrina Subalbida,et ſpumoſa,aut ruffa in ſynocha mortem ſignificat.de dynamidijs. Sp.34.D
in Vrina Sublatio quomodo fiat.de vrin.ſig.ex Hipp. Sp.79.D
in Vrina Sublimitas quomodo fiat.de vri.ſign.ex Hip. Sp.79.D
in Vrinis ſublime occultato dolore coxæ ſignificat delirium.in 1^{m}.pror. commentario 2°. 4ª.168.G
Vrinæ Subnigræ qd ſignificẽt.in 1^{m}.de morb.vul.com.3°.122.H/3ª.123.C
Vrina ſi ſuperius fuerit ſubnigra, & plena, & inferius claritatem habuerit inferius dolorem renum,& ſuperius grauitatem capitis obturationem aurium,& narium ſignificat.de dynam. Sp.35.D
Vrina Subpallida quid ſignificet.1°.de criſi. 4ª.130.A
Vrina ſubrubra & ſedimentum ſubrubrum longitudinem ſalubrem ſignificat.in prog.com.2°.4ª.200.E/com.4°.apho.71°. Ex.35.D
Vrina ſi fuerit ſubrubra,& hypoſtaſis ſubrubra & leuis, qd ſignificet. de vri.ſig.ex Hipp. Sp.78.F
Vrina ſubrubra cur.in progn.com.2°. 4ª.200.E
Vrina Subruffa quid ſignificet.1°.de criſi. 4ª.130.A
in Vrina Subſidentiam ὑπόστασιν vocant.4°.de ſan.tuen. 2ª.85.H
Vrinæ ſubſidentia quid ſit.in prog.com.1°. 4ª.197.D
in Vrinis ſubſidens proportionatur puri.1°.de diff.feb. 3ª.33.B
Vrinarum ſubſidentium,& non ſubſidentium ſignificatio,quæ.4°.de ſanitate tuenda. 2ª.83.H
Vrinarum ſubſidentiarum colores varij,& cur. in 6^{m}. de morbis vulgaribus,commentario 1°. 3ª.155.G
Vrinæ non ſubſidentes malę.in 1^{m}.de mor.vul.com.3°. 3ª.125.C
Vrinæ habentes arenoſam ſubſidentiam ſignificant calculum veſicæ, & etiam renum.com.7°.apho.79°. Ex.36.H
Vrinæ ſubſidentijs comparantur ſputa in pleuritide,& pulmonis paſſionibus.1°.de criſi. 4ª.132.D
in Vrinis ſubſiſtẽtia pus dr̃ ab Eraſiſtrato.de nat.hum.cõ.2°. 7ª.180.C
in Vrinis prompta eſt & expedita ſubſiſtentium cognitio,quod ita non eſt in alui excrementis.com.7°.apho.64°. Ex.60.B
Vrinæ oſtendunt p vas factũ ex vitro ſubſiſtẽtiam,& ſi in altero ponatũ vaſe ſola ſubſiſtẽtia relinquere poſſumus abiectis his quæ ſupnatant, quod fieri nõ poteſt in alui excrementis.com.7°.aph.64°. Ex.60.B
Vrinæ Subſtantiam quam vocet author libri de vrinæ ſignificatione ex Hippocrate.de vri.ſign.ex Hipp. Sp.78.F
in Vrinæ ſubſtantia quid,& qualis.de vri. 4ª.122.H
in Vrinis ſubſtantiæ defectus eſt alijs deterior.de vri. 4ª.123.H
Vrina cum Sudore ſi in ſynocharum febrium augumẽto fuerit,& abundantia vrinæ fuerit,mortem cito venturam nuntiat.de dy. Sp.34.D
Vrinarũ Suſpẽſiones deliriũ ſignificãt.in 3^{m}.de mor.vul.com.3°.3ª.151.B
in Vrina diſperſæ ſuſpenſiones.in 1^{m}.de mor.vulg.com.3°. 3ª.124.H
Vrina cum ſuſpenſione vt farina.in 3^{m}.de mor.vulg.cõ.1°. 3ª.133.H
in Vrinis ſuſpenſio genituræ ſimilis.in 3^{m}.de morb.vul.cõ.2°. 3ª.135.C
Vrina tenuis qualis intelligatur à Galeno.com.7°.aphor.32°. Ex.56.D
Vrinæ tenues:i.dilutæ.in 1^{m}. de morbis vulgar.com.2°. 3ª.114.E
Vrina integre tenuis eſt aquoſa.de vri.ſign.ex Hip. Sp.79.A
Vrina tenuis ſi fuerit,non ſe hẽt ſm naturã.cõ.4°.aphor.77°. Ex.36.E
in Vrina quid ſignificet tenue,& fuluum.quæſ.in Hip. Sp.113.B
Vrina tenuis q̃ ita mingitur,& manet quid ſignificet.de vri. 4ª.122.H
Vrina tenuis ita permanens vnde fiat.quæſita in Hip. Sp.113.B
Vrinæ tenues ita manentes quid ſignificent.1°.de criſibus. 4ª.130.F
Vrina tenuis permanens tenuis quid ſignificet.quęſ.in Hipp. Sp.113.B
Vrinæ tenues quæ fiunt craſſę quid ſignificent.1°.de criſi. 4ª.130.F
Vrina tenuis in quibus affectibus mingatur.quæſi.in Hippo. Sp.113.C
Vrina tenuis quid ſignificet.de vict.ra.in morb.acu.com.4°. 7ª.140.B
Vrina tenuis ac craſſa quid ſignificet.in prog.Hip.com.2°. 4ª.200.H
Vrina tenuior coctionem imperfectam ſignificat.1°.de criſi. 4ª.130.F
in Vrinis tenuitas quid ſignificet.de vri. 4ª.124.G
Vrinæ tenues cruditatem ſignificant in venis.in 3^{m}. de morbis vulgarib. commentario 2°. 3ª.139.A
Vrina tenuis notat omnes venas pati.com.4°.apho.76°. Ex.36.E

Vrina apparet tenuis, & aquoſa ſine hypoſtaſi ſi ſanguis ſit crudus. 4°. de ſanitate tuenda. 2ª.83.H
Vrinarum tenuitas ſignificat cruditatem. de victus ratione in morbis acutis, commentario 4°. 7ª.141.A
Vrina admodũ tenuis cruditatẽ ꝑnitioſam ſigñat. quæſ. in Hip. Sp.113.A
Vrina tenuis, & rutila ægritudinem ſignificat crudam, & diuturnam, & ſine periculo eſſe non poteſt. de vrin. ſign. ex Hipp. Sp.78.G
Vrinæ quibus tenues. & crudæ mingũtur diuturnæ, ſi alia ſigna tanquã euaſuris adfuerint, hos abſceſſum ad ſepti tranſuerſi regiones infernas expectare oportet. de vrin. ſign. ex Hippo. Sp.78.G
Vrina tenuis ſignificat morbum crudum. in 3^{m}. de morbis vulgaribus, commentario 1°. 3ª.132.F
Vrina tenuis oſtendit febrem longam. de victus ratione in morbis acutis, commentario 4°. 7ª.140.F
Vrinę tenues indigent longo tempore pro coctione. in 1^{m}. de morbis vulgaribus, commentario 3°. 123. C/ 3ª.125.A
Vrinæ tenues morbos producunt. in 1^{m}. de morb. vulg. com. 3°. 3ª.122.H
Vrina tenuis cruda ſignificat futurum abſceſſum in conualituris. in prognoſt. commentario 2°. 4ª.201.C
Vrina tenuis, & alba ob quid mingatur. quæſ. in Hipp. Sp.113.C
Vrina tenuis, & alba quid ſignificet. de vrin. 4ª.124.G
in Vrinis hypoſtaſes tenues, & albæ admodum malæ. de vrinę ſignificatione ex Hippocrate. Sp.78.G
Vrina tenuis & nigra, non poſſunt ſimul ſtare. de vrinis. 4ª.123.E
Vrinæ tenues nigræ. in 3^{m}. de morbis vulg. com. 3°. 3ª.151.B
Vrinæ tenues nigræ dilutæ. in 3^{m}. de morb. vulg. com. 3°. 3ª.141.E
Vrina tenuior nigra deterior eſt. de vrin. ſign. ex Hipp. Sp.79.A
Vrinæ tenuiores nigriores pernitioſæ. de victus ratione in morbis acutis, commentario 2°. 7ª.141.A
Vrina tenuis & pallida quid ſignificet. de vrinis. 4ª. 123. C/ *quæſita in Hippocratem.* Sp.113.A
cũ Vrina tenui non põt eſſe pallidũ ruffum & flauũ. de vrin. 4ª.124.G
Vrina non poteſt eſſe tenuis, & rubra. de vrin. 4ª.123.D
Vrina tenuis, & foris turbulenta quid ſignificet. quæſ. in Hipp. Sp.113.B
Vrinæ tenues, & decolores non ſignificant mortem, ſed deſideratur tempus ad coctionem. in 1^{m}. de morb. vulg. commen. 3°. 3ª.122.E
Vrina tenuis cũ nebulis nõ bonis in homotono, acmaſtico, & paracmaſtico phrenitim ſiue mortem aut ſpaſmũ ſigñat. de dynam. Sp.34.C
Vrina tenuis, maxime ſi dolor capitis, & ſcapularũ, & inſomnia fuerit in ſynocha phrenitim, & parocopẽ, & dementiã, ſiue cardiacã ſignificat in alijs, in mulieribus mortem. de dynamidijs. Sp.34.E
Vrina tenuis ſi mediocriter craſſa efficiatur, & ſi alba ruffa fiat, iudicationem ſignificat. commen. 4°. aph. 71°. Ex.35.D
quibus Vrina tenuis, pulſatus capitis, febriũ vertigines à principio ſunt eis, expectanda eſt ad criſes febris acumine augeri. de vrinę ſignificatione ex Hippocrate. Sp.78.H
Vrina tenuis in critico die ſi aſpera facta fuerit in ſynocha ſtatim ſudorẽ futurum demonſtrat. de dynamidijs. Sp.34.E
Vrina tenuis ſi ſe mutauerit poſt criſim, eius febris fiet repetitio. de dynamidijs. Sp.34.E
Vrina tenuis ſi poſt criſim venerit, & longo tempore perſeuerauerit repetitio cuiuslibet ægritudinis fiet. de dynamidijs. Sp.34.G
Vrina tenuis ſi in malũ colorẽ ſe poſt criſim mutauerit, & ij q patiuntur prima ætate fuerint, contractionem corporis ſigñat. de dyn. Sp.34.G
Vrina tenuis, & boni coloris frequens & multa egeſta macronoxiam et ſolutionẽ ægritudinis oſtendit, ſed apoſtema futurũ. de dyn. Sp.34.E
Vrina tenuis, & ſanioſa ſi in initio ægritudinis venerit, & per multos dies manſerit quando ad phrenitim futuram nũciat. de dyn. Sp.34.H
Vrina tenuis habens veluti limum liuidum indigeſtionem aut mortẽ nunciat. de dynamidijs. Sp.34.H
Vrina tenuis vertigines, & capitis pulſus cum adſunt in febribus à principio expecta febrem vſque ad iudicationem. de victus ratione in morbis acutis, commentario 4°. 7ª.139.H
Vrina ſi tenuis à principio non purgandum. de victus ratione in morbis acutis, commentario 4°. 7ª.140.B
Vrinæ cum ſunt tenues à principio medicamentum ne præbeto. de vrinæ ſignificatione ex Hippocrate. Sp.79.A
Vrina Turbata quę & quomodo. in 3^{m}. de morbis vulgaribus, commentario 3°. 3ª.142.A
Vrinæ turbatę vel obuerſę quales ſint. com. 4°. aph. 70°. Ex.35.B
Vrinę turbatę fiunt à materia craſſa ac denſa à calore agitata. commentario 4°. aphoriſmo 70°. Ex.35.B
Vrinarum quę turbantur generalis nota. 4°. de ſanita. tu. 2ª.83.H
Vrinę turbatę non ſubſidentes ſignificant flatuoſam turbationem, et craſſitiem crudorum humorum. in 3^{m}. de mor. vulg. com. 1°. 3ª.131.F
Vrinę turbatę ſignificant aliquam coctionem ſi ſtatim ſubſidant. in 3^{m}. de morbis vulg. com. 1°. 3ª.131.E
Vrinę aliquę diu perturbatę manent, & quid ſignificant. commentario 4°. apho. 70°. Ex.35.B
Vrinarum Turbidarum tres differentię, & quid ſignificant, & portendunt. 1°. de criſibus. 4ª.130.G
Vrina turbida quę. in 1^{m}. prorrh. com. 2°. 4ª.169.D
Vrinam Turbulentam facientibus vtile eſt Adrianum balſamatum, & Philantropon. de dynamidijs. Sp.28.B
Vrina turbulenta, & non varia criſim cum dolore aliquo venturũ oſtendit. de dyn. Sp.34.C
Vrina turbulenta, & tardius reſidens in ſynocha: ſi ſanitas intraneorũ fuerit, & per multos dies perſeuerauerit, & non ſe mutauerit, acuta febris in tertianam conuertetur. de dyna. Sp.34.C
Vrinę Varię quid ſignificent. in prognoſt. com. 2°. 4ª.200.C
Vrinę varię ſignificant longitudinem morbi. de victus ratione in morbis acutis, commenta. 4°. 7ª.141.A
Vrinę conſiderandę in ventris paſſionibus ſi cum febre ſint. 1°. de criſibus. 4ª.128.D
Vrina Veſicę ſcabiei. de dynamidijs. Sp.35.C
Vrina qua ſignificatur veſicę ſcabies. de vrin. ſign. ex Hippo. Sp.78.H
Vrina in ſcabie veſicæ ſanioſa & plurimum egeſta, & velut coagulata aut aliquam eruptionem in renibus aut initium calculi in proximo venturum oſtendit. de dyn. Sp.35.C
cũ Vrina exiens ephelcis veſicę vlcerationẽ oſtẽdit. 1°. de lo. af. 4ª.2.F
per Vrinas minus ſecedit vinaceorum dilutum ſi quis eo hyeme vtatur. 2°. de alim. fac. 2ª.18.D
Vrinę flauorum vinorum quales. in 6^{m}. de mor. vul. com. 5°. 3ª.192.A
Vrina quę habet formam vini tenuis atq; albi, quomodo fiat, & quid ſignificet. 1°. de criſ. 4ª.130.H
Vrinę potus vini craſſi nigri quales. in 6^{m}. de morbis vulgaribus, commentario 5°. 3ª.192.A
Vrina quę veluti florem vini ſupernatantem habuerit phrenitim aut paracopem venturam oſtendit. de dyna. Sp.34.F
Vrina Viridis ideſt pallida. de vict. ra. in morb. acut. com. 2°. 7ª.119.H
Vrina viridis quid ſignificet. 1°. de criſi. 4ª.130.D
Vrina viridis critico die immutata mortem oſtendit. de dynam. Sp.34.B
Vrina viridis ſi ſe mutauerit in album aut aquoſum colorem typicã ægritudinem venturam ſignificat. de dynam. Sp.34.B
Vrinas bonas licet habeat Voluulus, eſt tamen parua ſpes. in 3^{m}. de morbis vulgaribus, commentario 2°. 3ª.138.H
Vrinarum Vtilium partes quę. de vrin. ſign. ex Hipp. Sp.79.C
per VRINAM *& ſudorem expellant mali ſucci corrupti qui concoqui non poſſunt. 4°. de ſan. tuen.* 2ª.83.E
per Vrinas ſi quis ſanguinem purgare voluerit quid agendum. de attenuante victus ratione. 2ª.44.E
ꝑ Vrinas vel ꝑ vterũ trãſmittẽda quę ꝑ aluũ fluũt. 5°. me. med. 7ª.30.E
per Vrinas ac ſudores reuellendę ſunt inclinationes ad ſuperiorem ventrem & ad inferiorem. de cucur. ſcarif. 6ª.4.F
Vrinę fluxus ad ſudorem reuocatur, & deiectionem alui. de Hirudinibus reuulſ. cucurb. & ſcarif. 6ª.2.D
ad Vrinam, & ſudorem reuocantur venter ſuperior, & inferior. de Hirud. reuulſ. cucura. & ſcarif. 6ª.2.D
per Vrinas, vel aluum educenda per vterum erumpentia. 5°. methodi medendi. 7ª.30.E
Vrinę quotidie mouendę in ſenibus, & quibus. 5°. de ſan. tu. 2ª.92.E
Vrinam cientibus in quibus vti non debemus. 13°. meth. med. 7ª.83.A
Vrinam prouocantia non ſemper danda in phlegmone, in veſica, in cole, & in renibus. 13°. methodi medendi. 7ª.82.A
Vrinam mouere in icteritia bonum. de cura icteri. Sp.110.H
per Vrinam, & ſudorẽ bilis diuertenda. 1°. de arte cur. ad Gl. 7ª.97.B
Vrina quomodo debeat ꝓuocari in hñtibus lapidẽ. 6°. de loc. af. 4ª.38.H
Vrinã cientia in tertiana notha exhibenda. 1°. de arte cu. ad Gl. 7ª.97.E
Vrina quibus prouocetur in tertiana. 1°. de arte cur. ad Glauco. 7ª.97.B
VRINAS *mouentia habent quandam affinitatẽ cum humore tracto. 5°. de ſimp. med. facul.* 5ª.37.F
per Vrinam quę educant. ars med. Iſa. 70.D/7°. *de compoſi. medicam. ſecundum locos.* 5ª.182.E/14°. *methodi medendi.* 91. D/1°. *de arte curatiua ad Glauco.* 7ª.99.F/*de mel. ex Gal. Ruf. & Poſſ.* Sp.110.A

Vrinam quæ

Vrinam quæ bene prouocent.5°.de ſimp.med.fac. 5ª.35.D
Vrinam quæ prouocent,& attenuent.9°.de comp.me.ſe.lo. 5ª.201.H
per Vrinas euacuat Abſynthium.6°.de ſimp.med.fa. 5ª.44.C
Vrinam mouet Acorum.6°.de ſimplic.medicam.facul. 5ª.42.A
Vrinam mouendi vim habent Acria tenuis eſſentiæ. 4°. de ſimplicium medic.facul. 5ª.29.H
Vrinas ciet Allium.de vic.rat.in morb.acu.com.4°. 7ª.145.C
Vrinam mouet Ami.6°.de ſim.me.fa. 5ª.42.D
Vrinam,& menſtrua prouocat Ami.de ſimp.med. Sp.80.G
Vrinas prouocat Ampelopraſſum.6°.de ſimp.med.fa. 5ª.42.E
Vrinam prouocare poteſt,tum Androſaces ipſa,tum fructus eius.6°.de ſimplicium medicamen.facul. 5ª.43.A
Vrinam cit Aniſum.6°.de ſim.med.fac. 5ª.43.C
Vrinas cient Apium,equapiũ,ſion,& ſmyrnium.2°.de ali.fac.2ª.23.E
Vrinas ciet apium.8°.de ſim.me.fac. 5ª.60.B
Vrinas modice mouet apium.13°.meth.med. 7ª.83.H
Vrinã ꝓuocant in tertianis apiũ,& anethũ.1°.de arte cu.ad G. 7ª.97.B
Vrinam quomodo ex Aqua calida infuſa oleo reddere fecit Galenus. 1°. de locis affectis. 4ª.3.C
Vrinam,& menſtrua prouocat Artemiſia.de ſimp.med. Sp.80.F
Vrinam prouocat Aſparagi ſemen,& radix.de ſimp.med. Sp.80.G
Vrinam,& menſtrua prouocat Aſphodelus.de ſimp.med. Sp.81.B
Vrinam prouocat fortiter decoctio Aſari.de med.exper. Sp.104.D
Vrinas ciet Balneum.de vic.rat.in morb.acu.com.3°. 7ª.132.H
Vrinæ vias aperit balneũ,tamen non calefacit.11°.meth.med. 7ª.70.E
Vrinas ciere apparet Bdellium arabicum in potu ſumptum.6°. de ſimp. med.fac. 5ª.44.H
Vrinam educit plus bibere,minus comedere, & è contra. commentario 4°.aphoriſmo 83°. Ex.37.B
Vrinam mouet Bunium.6°.de ſim.me.fa. 5ª.45.B
Vrinam mouet Calamus odoratus.7°.de ſim.me.fa. 5ª.49.E
Vrinam cientia Calida,& acria.5°.de ſim.me.fa. 5ª.35.D
Vrinã acribus,& calefacientibus prouocatur.5°.de ſim.me.fa. 5ª.35.D
Vrinã mouẽtia ſunt calida,ſicca,& acria.de ren.aff.dig.et m.7ª.196.E
Vrinam ꝓuocãtia calida lapidẽ indurãt.de ren.aff.dign.& m.7ª.194.C
Vrinas mouentibus,menſes mouentibus, & lac cientibus commune eſt calefacere.5°.de ſim.med.fa. 5ª.38.A
ad Vrinas efficaciora medicamenta Cantharides recipiunt.4°.de ſimp. med.fac. 5ª.30.C
Vrinam cientibus cantharides miſcentur.3°.de ſimp.me.fac. 5ª.23.B
Vrinam mouentia medicamenta accipiunt parum cantharidum. 11°. de ſimp.med.fac. 5ª.82.E
Vrinam prouocat medicamentum ex cantharidibus citra incommodũ. de vict.rat.in morbis acutis,com.4°. 7ª.152.E
Vrinam,& menſtrua prouocat Cardamomum.de ſimp.med. Sp.82.G
Vrinas ciet Caron.7°.de ſimp.med.fac. 5ª.50.B
Vrinæ viæ obſtructiones apit Cardui decoctio.de ren.aff.dig. 7ª.194.F
Vrinam mouet Carpeſium.7°.de ſim.me.fa. 5ª.50.C
Vrinam ciet Caucalis.7°.de ſim.me.fa. 5ª.50.C
Vrinã fortiter ꝓuocat decoctio Carui,& ſeminis apij.de med.Sp.104.D
Vrinas prouocat Chamædrys.8°.de ſimplic.med.fac. 5ª.63.E
Vrinam,& menſtrua prouocat Chamedrys.de ſimp.med. Sp.82.G
Vrinam mouet Chamæleon.de ſimp.med. Sp.82.F
Vrinam prouocat Chamemelum puluerizata, & malaxata cum melle. de med.exper. Sp.106.D
Vrinæ mouendæ medicamen eſt Chamæpitys.8°.de ſimp.me.fa. 5ª.63.F
Vrinam prouocat Cicer.6°.de ſimp.me.fac. 5ª.47.E
Vrinam cit Crocodilij ſemen.7°.de ſimp.med.fac. 5ª.53.C
Vrinas prouocat Coſtus.7°.de ſim.me.fa. 5ª.52.F
Vrinam mouet Cotyledon.7°.de ſim.me.fa. 5ª.52.F
Vrinam mounet Cucumis,& pepon.8°.de ſimp.med.fac. 5ª.60.E
Vrinam mouent cucumeres.2°.de alim.fa. 2ª.17.B
Vrinam mouet Cyminum.7°.de ſimplic.med.fac. 5ª.53.F
Vrinam prouocant Cyperi radices.7°.de ſimp.medic.fac. 5ª.53.H
Vrinam prouocant Dactyli vſq; ad ſanguinem.de cura icteri. Sp.111.D
Vrinas prolicit Daphne herba.6°.de ſimp.me.fa. 5ª.46.B
Vrinam,& menſtrua prouocat Daucum.de ſimp.med. Sp.83.E
Vrinæ mouendæ efficax eſt dauci ſemen.6°.de ſim.med.faculta. 5ª.46.B
Vrinam & menſtrua prouocat Dictamum.de ſimp.med. Sp.83.D
Vrinam prouocat Eleliſphacos.de ſimp.med. Sp.84.A
Vrinam mouet Erbum.de ſimp.med. Sp.85.F/E
Vrinas euocat ſanguinẽ Eruũ.8°.de ſim.m.f.5ª.57.E/de ſim. Sp.85.B
Vrinam cient Eryngium & mel.8°.de com.me.ſe.lo. 5ª.196.B
Vrinas ciet Fœniculum.7°.de ſimp.med.fa. 5ª.55.B
Vrinã bilioſam,& multã ꝓuocat Fumus terræ.7°.de ſimp.m.f.5ª.49.F
Vrinam prouocat Galbanum.de me.exper. Sp.106.F
pro Vrina ꝓuocãda pelliculæ in vẽtre Gallinarũ.de me.fa.p. 7ª.168.D
Vrinam & menſtrua prouocat Git.de ſimp.med. Sp.84.F
Vrinã & mẽſtrua prouocant radices Glycyrrhizæ.de ſim. Sp.84.G
Vrinam cit Gramen.6°.de ſimp.med.fa.5ª.41.C/de ſimp.med. Sp.81.C
Vrinam,& menſtrua prouocat Helenium.de ſimp.med. Sp.83.H
Vrinas prouocat hypericũ.8°.de ſim.m.f.5ª.63.A/de ſim.me. Sp.92.E
Vrinas mouet Hippomarathri radix & ſemen.7°.de ſim.me.fa.5ª.55.B
Vrinam prouocant Incidentia,& calefacientia vehementer. 6°.de ſim. medica.facultatibus. 5ª.48.E
Vrinas mediocriter vacuat Iuniperi fructus.2°.de alim.fac. 2ª.19.C
Vrinam mouet Lini ſemen.1°.de alim.facul. 2ª.15.E
Vrinam cit Lonchitis.7°.de ſim.med.fac. 5ª.55.G
Vrinæ mouendæ idoneum medicamen ſunt Lumbrici cum mulſo epoti. 11°.de ſimp.med.fac. 5ª.82.E
Vrinam mouet radix lupinorum.de ſimp.med. Sp.86.C
Vrinas cient Libyſtici radix,& ſemen.7°.de ſimp.med.fac. 5ª.55.F
in Vrinam ſtatim mittunt ſuam qualitatem Medicus & cyrenaicus ſuccus.1°.de ſemine. 1ª.335.A
per Vrinam humiditatem educit Mel.8°.de comp.me.ſe.lo. 5ª.195.C
Vrinã minus mouent Melopepones,quàm pepones.2°.de ali.fa.2ª.17.A
Vrinam cit Meum.7°.de ſimp.medica.facultati. 5ª.56.B
Vrinam cit meon,& Aſaron.9°.de comp.med.ſec.loc. 5ª.202.A
Vrinam,& menſtrua prouocat meu.de ſimp.med. Sp.87.F
Vrinam mouet Moly.7°.de ſimp.me.fac. 5ª.56.F
Vrinam cit Mulſa.de vict.rat.in morb.acu.com.4°. 7ª.127.G
Vrinam mouet Myrta.de ſimp.med. Sp.87.E
Vrinam prouocat Nardus gallica.8°.de ſimp.med.fac. 5ª.56.H
Vrinam prouocantes vires Ocymum habet.de ſimp.med. Sp.88.E
Vrinam mouentia Olera ſuauiſſima.de cura icteri. Sp.111.D
Vrinas prouocat Ononis.8°.de ſimp.med.fac. 5ª.57.D
Vrinam & menſtrua prouocat Origanum.de ſimp.med. Sp.88.E
Vrina ſanguinem prouocat Orobum.de ſimp.med. Sp.88.F
Vrinas mouet Oxymeli parũ acre.de vic.rat.in mor.ac.cõ.3°. 7ª.130.B
per Vrinas expelli deſiderantibus prodeſt Panax ex vino,& melle.de vic.rat.in mor.acu.com.4°. 7ª.144.C
pro Vrina prouocanda Parietaria.de med.fac.par. 7ª.168.C
Vrinas prouocat Paſtinaca.8°.de ſimp.med.fac. 5ª.61.C
Vrinam cient Pepones.2°.de alim.fac. 2ª.16.H
Vrinas affatim prouocat Petroſelinon.8°.de ſimp.med.fac. 5ª.58.C
Vrinas mouet Phu,plus q̃ indica,aut ſirica nardus.8°.de ſimplicium medicamen.facult. Sp.62.D
Vrinam ciet Polium.8°.de ſimp.med.fac. 5ª.59.A
ad Vrinam ciendam Potio qualis.5°.de ſan.tuen. 2ª.91.C
Vrinam mouet Raphanus.de ſimp.med. Sp.89.F
Vrinam mouet Roſmarinus.de ſimp.med. Sp.89.D
Vrinas craſſas,multaſq;,& nonnunq̃ etiam ſanguinolentas mouet Rubiæ radix.6°.de ſimp.med.fac. 5ª.47.F
Vrinam prouocat Ruta & menſtrua.de ſimp.med. Sp.89.D
Vrinas mouet ruta agreſtis.8°.de ſimp.med.fac. 5ª.58.D
per Vrinas ſanguinem mouet Sabina.6°.de ſimp.med.fac. 5ª.45.C
Vrinam valenter ciet Scandix.8°.de ſimp.med.fac. 5ª.60.G
Vrinam mouet Schini flos.8°.de ſimp.med.fac. 5ª.61.H
Vrinam graueolentem elicit Scolimos.8°.de ſimp.med.fac. 5ª.60.H
Vrinam prouocat Scordion.8°.de ſimp.med.fac. 5ª.60.H
Vrinam cientia Semina.9°.de compoſi.medic.ſec.loc. 5ª.200.H
Vrinam prouocat Serycium.de ſimp.med. Sp.90.C
Vrinas mouet Serpillum.6°.de ſimp.med.fac. 5ª.47.E
Vrinam & menſtrua prouocat ſerpillum.de ſimp.med. Sp.84.B
Vrinam mouet Seſeli.8°.de ſimp.med.fac. 5ª.60.C
Vrinam mouet Sion.8°.de ſimp.med.fac. 5ª.60.F
Vrinæ ciendæ eſt idoneum Solanum haliacacabum.8°. de ſimpliciũ medicamentorum facultatibus. 5ª.62.G
Vrinæ ciendæ poteſtatem habet ſolanum hypnoticum.8°. de ſimplicium medicamen.facult. 5ª.62.G
Vrinas mouet Smyrnium.8°.de ſimp.med.fac. 5ª.61.B
Vrinam ciet Spica nardi.8°.de ſimp.med.fac. 5ª.56.G
Vrinam prouocat decoctio Squinanti.de med.exper. Sp.107.A
Vrinam,& menſes cit Staphilinus.6°.de ſimp.med.fac. 5ª.46.B

Vrinam pro-

Vrinam prouocat Syrum.de ſimp.med. Sp.90.H
Vrinam prouocat terebinthus.8°.de ſimp.me.fac. 5ª.61.A
Vrinam cientes Theriacæ.9°.de comp.me.ſec.loc. 5ª.200.G
Vrinam prouocat Thymum.6°.de ſimp.me.fac. 5ª.48.E
Vrinam prouocat Triphyllum.8°.de ſimp.med.facul. 5ª.62.G
Vrinam promouet Vinum.4°.de ſan.tuen. 2ª.83.E
Vrinas mouent ſuper omnia vinoſa aquoſa.12°.meth.me. 7ª.77.A
Vrinam mouent vina aquoſa tenuia.de bon.& vit.ſuc. 2ª.38.C
Vrinam mouent aquoſa,& ſubtilia vina pauciſſimum nutrimentū præbentia corpori.de vinis. Sp.76.D
Vrina maxime prouocatur à vinis aquoſis.com.2°.aph.11°. Ex.12.D
Vrinam procurat vinum roſatum.de ſimp.med. Sp.92.C
Vrinam prouocat vinum violaceum.de ſimp.med. Sp.92.C
Vrinam mouet vinum tenue.de bon.& vit.ſucc. 2ª.38.D
ad Vrinarum ſeceſſionem prodeſt ſi vino modicum bonæ aquæ miſcueris. de bonitate aquæ. Sp.75.F
ad Vrinam ciendam vina craſſa deteriora.3°.de alim.fac. 2ª.33.B
Vrinam non mouēt vina nigra.5°.de ſan.tuen. 2ª.91.B
ad Vrinas non cito veniunt vina dulcia.de vinis. Sp.76.E
Vrinam deducit vinum cum pipere.de ſimp.med. Sp.92.C
Vrinas mouentibus vinis indigent ſenes propter abundātiam aquoſorū excrementorum.5°.de ſan.tuen. 2ª.91.B
Vrinam prouocant Violæ.de ſimp.med. Sp.91.H
Vrinam modice cit Vitis alba.6°.de ſimp.me.fac. 5ª.42.F
Vrinam ciet Xiris.8°.de ſimp.med.fac. 5ª.57.B
VRINAM *ciens confectio à Macedone profecta. 10°.de compoſit.medicamen.ſec.loc.* 5ª.206.B
Vrinam multam ducens confectio.8°.de comp.me.ſe.lo. 5ª.195.G
Vrinam prouocans Compoſitio.ſecret. Sp.101.H
Vrinam prouocat Electarium iridis.de med.exper. Sp.105.E
Vrinam prouocans electarium.de medicin.expertis.105.B/106. H/107. F/G/ Sp.108.B
Vrinam fortiter prouocans electarium.de med.exper. Sp.105.F
Vrinam,& menſtrua prouocans electarium.de med.exper. Sp.107.D
Vrinam proritans Epithema.de med.fac .par. 7ª.168.C
ad Vrinam prouocandam Fomentum.de dyna. Sp.28.D
*Vrinam ciens medicamētū Hicerati.9°.de comp.medi.ſec.loc.*5ª.197.H
Vrinam mouens medicina.9°.de comp.me.ſec.loc. 5ª.199.A/de medic. exper.104.A/E/F/H/105.E/106.F/107.G/ Sp.108.F
Vrinam fortiter prouocans medicina.de med.exper. Sp.105.A
Vrinam,& menſtrua prouocans medicamen.de med.exper. Sp.106.B
Vrinam ciens Paſtillus.10°.de cōp.med.ſec.lo. 5ª.206.E
*Vrinæ excretionem valde promouens.6°.de comp.me.per ge.*5ª.263.A
ad Vrinam ciendam.7°.de compo.med.ſe.loc.186.A/8°.190.H/195.G/ 9°.198.H/5ª.199.D/de rem.fac.par. 7ª.178.E
Vrinam purgans electarium.de med.exper. Sp.105.B
Vrinam purgans medicamentum.9°.de comp.me.ſecun.loc. 5ª.200.G
Vrinam craſſam plurimum educens antidotus.2°.de antid. 5ª.116.D
Vrinam craſſam quę ducant.de ren.aff.dign.& med. 7ª.196.D
per Vrinam feces expellens medicamen.de med.exper. Sp.105.G
Vrinas frequentes quæ ducant.de ren.affe.dig.& med. 7ª.196.E
VRINAE *affectus in veſica,qui.de dyna.* Sp.19.H
VRINAE *ſtillicidium quid.fin.med.47.G/intro.* Iſa.57.A
Vrinę ſtillicidiū quid ſignificet,& vnde fiat.cō.7°.aph.49°. Ex.57.H
Vrinæ ſtillicidium quomodo fiat & vnde ſit,& quid ſit.commentario 5° aphoriſmo 58°. Ex.43.B
Vrinæ ſtillicidium quando ægritudo,& quando accidens.commenta.3°. aphoriſmo 16°. Ex.23.A/B
Vrinæ ſtillicidium fit in veſica.com.6°.aph.1°. Ex.45.H
Vrinæ ſtillicidium ſignificat veſicam pati.com.7°.aph.39°. Ex.57.B
Vrinæ ſtillicidij cauſa.introd. Iſa.57.A
Vrina quibus cauſis diſtillet.6°.de loc.aff. 4ª.37.B
Vrinæ ſtillicidia quomodo fiant,& tres addit conditiones. commentario 3°.aphoriſmo 16°. Ex.23.A/B
Vrinæ ſtillicidia cur fiant autumno.com.3°.aph.22°. Ex.24.F
Vrinæ ſtillicidium fit ob acritudinem vrinæ,ob imbecillitatem potentiæ retentiuæ in veſica,ob intemperaturam,præſertim frigidam. commētario.7°.aphor.49°. Ex.57.H
Vrinę ſtillicidium quibus fiat.in 1^{m}.de mor.vul.com.2°. 3ª.111.F
ex Vrinæ ſtillicidio quibus ileos ſuperuenerit,in ſeptem diebus pereunt niſi febre ſupueniente ſatis vrina fluxerit.com.6°.aph.44°. Ex.51.C
Vrinæ ſtillicidij curatio.intro. Iſa.57.A
Vrinæ ſtillicidiū vini potio et venæ ſectio ſoluit.c.7°.aph.49°. Ex.57.H
ad Vrinæ ſtillicidia.de remed.fac.par. 7ª.178.F
ad Vrinam excitandam cū natura eſt pigra quæ conueniat.de renum affec.dign.& med. 7ª.196.E
ad Vrinæ exitum lentum.de cura lap. Sp.112.F
ad Vrinam reddentes ægre,aut nequaquā.de rem.fac.par. 7ª.178.E
VRINAE *difficultas quid.intro.* Iſa.57.A
Vrinæ difficultas quid,& vnde.com.7°.apho.49°. Ex.57.H
Vrinæ difficultatis cauſa.intro. Iſa.57.A
Vrinæ difficultates cur fiant in aquilonijs conſtitutionibus.commentar. 3°.aphoriſmo 5°. Ex.20.E
Vrinæ difficultates,et vomitiones ex defluxiōibus ad partes imbecillas. in 1^{m}.de mor.uul.com.2°. 3ª.109.A
Vrinæ difficultatē faciunt inflammatio,abſceſſus,vlceratio inæqualis, intemperatura,& ſpiritus flatuoſus.com.7°.aph.49°. Ex.57.H
Vrinæ difficultatis curatio.intro. Iſa.57.A
Vrinæ difficultatem in veſica ſedat Theriaca.de ther.ad Piſ. 5ª.96.A
ad Vrinæ difficultatē.9°.de comp.me.ſec.lo.201.A/ 10°.5ª.206.A/de rem.par.fac.160.B/168.C/E/177.E/178.F/ 7ª.179.B
Vrinæ difficultatem,& ſtillicidium.de rem.fac.par. 7ª.179.A
Vrinę difficultatem venæ ſectio ſoluit.com.6°.aph.36°. Ex.50.D
Vrinam cum tormento reddentibus potio ꝓbatiſſima.de dyna. Sp.28.D
VRINAE *ſuppreſſio quid.fin.med.47.G/intro.* Iſa.57.A
Vrina quibus cauſis retineatur.3°.de ſymp.cau. 3ª.28.C
Vrinę ſuppreſſionis cauſa.intro. Iſa.57.A
Vrinæ ſuppreſſio quot modis fiat.fin.med. Iſa.44.B
Vrina quot modis ſupprimatur,& curetur.de opt.ſect. Iſa.25.B
Vrina inhibetur octo modis.fin.med. Iſa.47.G
Vrinam ſi quis tribus diebus nō emiſerit,quomodo cognoſcatur in qua corporis parte ſit affectus.1°.de lo.aff. 4ª.2.G
Vrinam nullus potuit etiā ꝑ dies paucos retinere.2°.de mo.mu. 1ª.315.E
Vrina qūo vrgeat nos operari ſecundū ipſam.2°.de motu muſ. 1ª.315.E
ad Vrinæ impedimentum gratia humoris frigidi.de cura lap. Sp.112.F
Vrina retenta ex frigiditate veſicę mala.in 1^{m}.pror.com.2°. 4ª.171.C
Vrinæ retentio cū rigore quid ſignificet.in 1^{m}.prorr.com.3°. 4ª.181.H
Vrinæ retentio propter veſicæ inflammationē.introd. Iſa.57.B
Vrina ſupprimitur ob colli veſicę inflāmationē.de art.com.3°. 7ª.282.B
Vrinam non poteſt veretrum emittere ex ſupfluo bilis.de ſper. Sp.36.H
Vrina ſupprimitur qn̄q; ob plenitudinem veſicæ.6°.de loc.aff. 4ª.38.H
*Vrinā emittere cur n̄ poſſit veſica vrinæ ob mltitudinē.5°.de lo.*4ª.35.H
ī Vrinæ ſupꝑſſiōe,ſi ab vrinæ copia ſit,fiſtulā demittimus.de ſe. Iſ.21.D
Vrinæ collectio cur.3°.de ſymp. cau. 3ª.28.D
Vrina nimia in veſica collecta facit dolorem.de mult. 3ª.76.F
Vrina ſupprimitur aluo egerente.in 6^{m}.de mor.vulg.c.1°. 3ª.156.H
Vrina ſi nō emittatˉ,& in pube ſit tumor qd ſign̄et.1°.de lo.aff. 4ª.2.G
Vrina ſuppreſſa citra veſicæ tumorem à quo fiat.1°.de lo.aff. 4ª.3.F
Vrinam cur reddere non poterat percuſſus in peritonæo,& quomodo cognoſcatur.1°.de locis affect. 4ª.3.C
Vrina retenta quid fecerit.3°.de ſymp.cau. 3ª.28.D
Vrinam ſupprimere poſſunt grumi ſanguinis.6°.de lo.aff. 4ª.38.H
Vrinam ſupprimere grumos quomodo cognoſcatur.2°.de lo.aff. 4ª.3.B
Vrinæ ſuppreſſio ex pure.6°.de loc.aff. 4ª.38.H
Vrinæ meatum obſtruxiſſe pus vel craſſum humorem quomodo cognoſcatur.1°.de loc.aff. 4ª.3.B
Vrina retinetur à lapide.6°.de loc.aff. 4ª.38.H
Vrina qn̄q; retinetˉ à tuberculo in priapo.com.4°.aph.82°. Ex.37.A
in Vrinæ ſuppreſſiōe ſi à calculo,calculoſum incidim⁹.de ſec. Iſa.21.D
in Vrinæ ſupꝑſſiōe,ſi à phlegmōe ſit cataplaſma addim⁹.de ſec. Iſ.21.D
Vrinæ retentæ craſſæ,& plurimæ conſueuerunt repēte ſimul crudis humoribus concoctis euacuari.com.6°.aph.44°. Ex.51.E
Vrinæ ſuppreſſionis curatio.intro. Iſa.57.A
ad Vrinæ impedimentum valet theriaca.de ther.ad Piſ. 5ª.91.G
ad Vrinam ſuppreſſam.7°.de comp.me.ſec.loc. 5ª.182.G
*p Vrinā nō facta purgatiōe mēſtrua nigra iūguntˉ aliqn̄.de atr.*1ª.37.A
ad Vrinę retentionem.ſecreto. Sp.98.D
VRINA *quandoque multo amplior,quàm pro naturæ modo valentibus incidit.de ſymp.diff.* 3ª.13.G
*Vrinam qui ſæpius mingit,habet veſicæ infrigidationē.de dyna.*Sp.35.E
Vrinæ celeris excretiōis cauſa eſt loci calor.de na.hu.com.2°. 7ª.180.D
ab Vrinę qualitate cum mordetur veſica,excretio fit aſſidua.de multitudine. 3ª.76.G
Vrinæ fluorem currere poſſunt ſiti infeſtati.6°.de loc.aff. 4ª.38.E

Vrinæ pro-

Vrinæ profluuium quæ affectio.9°.de loc.affect. 4ª.37.F
Vrinę excretio immoderata, quæ.6°.de locis affectis. 4ª.38.C
Vrinarum immoderatæ excretiones fiunt patiente hepate.de virtutibus noſtrum corpus diſpenſantibus. Sp.60.B
Vrinæ diarrhææ ſymptomata.2°.de ſymp.cau. 3ª.21.E
Vrinæ pfluuiũ raro fit, et illud tñ bis vidit Galenus.6°.de lo.af. 4ª.37.F
Vrinæ quatuor heminæ ab adoleſcēte ſemel excretę.1°.de lo.af. 4ª.2.E
Vrinæ fluor ſubito fieri non poteſt.6°.de lo.aff. 4ª.37.H
Vrinæ profluuium cur peſſimum.1°.de criſ. 4ª.130.H
Vrina ſuperflua extenuat corpus.com.2°.aph.28°. Ex.16.E
Vrinæ fluentis curatio.introd. Iſa.60.A
Vrinas ad ſudores, & ad alui deiectiones reuelles.de cucur.ſcar.6ª.4.F
p̄ Vrinas q̃ fluũt, vel p̄ vterũ, vel p̄ ſedē transferēda.5°.me.m.7ª.30.E
ad Vrinam totius exuberantiam ſiſtendam.de med.fac.par. 7ª.168.D
VRINAM *tenere nō pōt veretrum ex ſuperfluo bilis.de ſper.* Sp.36.H
Vrinas non continentibus non eſt medicamentum exhibendum.de vict. rat.in mor.acu.c.4°. 7ª.150.F
ad Vrinæ incontinentiam.de cura lap. Sp.112.F
ad Vrinam inuoluntariè reddentes.de med.fac.par. 7ª.168.D
ad Vrinæ exitum inuoluntarium.de remed.par.fac. 7ª.178.F
Vrinæ exitus inuitus cur.6°.de lo.aff. 4ª.41.H
Vrinæ mictio cur præter voluntatem.6°.de lo.aff. 4ª.38.F
Vrina quomodo præter voluntatem excernatur.6°.de loc. aff. 4ª.38.F
Vrina cur inuolũtariè emittatur.in 6ᵐ.de mor.vul.com.3°. 3ª.174.H
*Vrinæ præter voluntatē emiſſæ caſus multi, & cur.1°.de loc.aff.*4ª.7.H
*Vrinæ vaſorũ imbecillitas quo cognoſcat.de re.af.dig.et med.*7ª.192.G
*Vrinæ vaſorum dilatatio quo cognoſcatur.de ren.af.di.& me.*7ª.192.G
Vrinæ excretio ſine recordatione mala.in 1ᵐ.prorrh.com.1°. 4ª.167.C
de Vrina plus ſcripſerũt medici, q̃ cōueniat.10°.de ſimp.me.fa. 5ª.75.C
cum Vrina eandem materiã habet ſudor.10°.de ſimp.me.fac. 5ª.75.A
VRINA *habet aliquid bilioſi miſti.10°.de ſimpli.med.facul.* 5ª.75.A
Vrinarum differentię.10°.de ſimp.medicamen.fac. 5ª.75.B
Vrinę ita ſunt diuerſę vt biles in animalibus.10°.de ſimp.me.f. 5ª.75.D
Vrinam aliqui putarunt craſſiorem bile.2°.de nat.fac. 1ª.297.B
Vrina tenuior bili.2°.de nat.fac. 1ª.297.B
Vrinæ odore cognoſcũt an acres, & quales.10°.de ſimp.me.fa. 5ª.75.D
Vrinę vſus an debeat eſſe.1°.de comp.med.ſec.loc. 5ª.129.H
Vrina Aprorum valida & acerrima odore.10°.de ſimp.me.fa. 5ª.75.D
Vrina Aſini quòd non bibenda.6°. de comp.me.ſec.loc. 5ª.174.E
Vrina Cameli qualis.1°.de comp.me.ſec.loc. 5ª.129.H
Vrina Canis.1°.de comp.med.ſe.loc. 5ª.127.A
Vrinam Caprę dat potui.9°.de cōpo.medic.ſec.loc. 5ª.200.G
Vrina humana omnium eſt imbecilliſſima pręter illam ſuum domeſticorum caſtratorum.10°.de ſimplici.medic.facul. 5ª.75.D
Vrina humana in Achoribus.1°.de comp.med.ſecun.loc. 5ª.131.D
Vrina humana pſoras & lepras detergit, ad vlcera tum multa humiditate, tum ſordibus, & impuritate ſcatentia, ad pudenda putredine affecta, & aures pure fluentes valet, achoras, & furfures curat.10°. de ſimplic.medic.facul. 5ª.75.D
*Vrina humana vlcera digitorum pedis ſanat.10°.de ſimp.me.fa.*5ª.75.E
Vrina oculis conuenit.de ocul. 7ª.188.G
Vrina pueri pro orthopnæa.10°.de ſimp.med.fac. 5ª.75.F
Vrina pueri veneris expertis.9°.de compo.medic.ſecum.loc.200. F/4°. de comp.medica.per ge.5ª.242.H/de med.fac.par. 7ª.170.B/D
Vrinam pueri deguſtare viſum eſt cuidam abominabile.10°.de ſimplic. medicamentorum facul. 5ª.75.D
ex Vrina vlcera difficilia Chryſocolla ſanat.10°.de ſim.me.fa. 5ª.75.E
Vrina vetus vnius viri.5°.de comp.me.per ge. 5ª.252.H
Vrina Suis ſylueſtris.3°.de comp.med.ſecun.loc. 5ª.143 E
Vrina verris.de remed.fac.par. 7ª.162.B
Vrina Tauri qualis.1°.de compoſi.medic.ſecum.loc. 5ª.129.H
ex Vrinæ potu q̃ peſtis ſanabat in Syria.11°.de ſimp.me.fac. 5ª.75.D
Vrina omittēda cũ alia adſint medicamina.10°.de ſim.me.fac. 5ª.75.D
in Vrina ſubſidēs craſſum ſanat eryſipelata.10°.de ſimp.m.fa. 5ª.75.F
*Vrina expurgantur veſtes ſordidæ.10°.de ſimplic.medicam.fac.*5ª.75.D
*Vrinæ & vnguibus ſilia in abſceſſibus inueniunt.de tu.præt.na.*3ª.83.G
VRINACVLVM *quid.de diſſe.vuluæ.* 1ª.109.G
Vrinaculum admodum rectum.15°.de vſu par. 1ª.212.D
Vrinaculi latitudo quanta.15°.de vſu par. 1ª.212.D
*circa Vrinaculũ arterię ſunt ĩ inferioribus ptibus.15°.de vſu p.*1ª.211.G
Vrinaculum non habet muſculum extrinſecum, vt habet collum veſicæ. 15°.de vſu partium. 1ª.212.D
Vrinaculi os à quatuor vaſis ſeparatum paulatim laxatur, & membranam facit inteſtino ſimilem dictam inteſtinale.de fœt.for. 1ª.322.F
in VRINARIA *fiſtula exiſtens tuberculum ſuppuratione ſanatur. comment.4°.apho.82°.* Ex.37.A
Vrinaria fiſtula eſt meatus in pene.com.4°.aph.82°. Ex.37.A
in Vrinario meatu quibus tubercula fiunt, his ſuppuratione facta, & eruptione ſanantur.com.5°.aphor.57°. Ex.59.B
Vrinarius meatus quid.6°.de anat.adm. 1ª.93.D
de Vrinario meatu Aſclepiadis opinio.1°.de natu.fac. 1ª.293.H
Vrinarij meatus quales.de ren.aff.dig.& med. 7ª.192.A
Vrinarij meatus vbi ſiti.5°.de vſu par.143.H/1°.de natu.fac. 1ª.293.E
Vrinarius meatus veſicæ vbi ſit.2°.de ſem. 1ª.340.C
Vrinariorum meatuum ſectio in viuo animali quomodo fieri debeat.1°. de naturalibus facultatibus. 1ª.293.F
Vrinarios meatus Galenus diſſecuit in viuo animali vrinam proſtillãte. 1°.de natur.facultatib. 1ª.293.F
Vrinariorum meatuum ſectio.6°.de anat.adm. 1ª.93.D
Vrinarius meatus non debet incidi.de ren.aff.dig.& med. 7ª.193.C
Vrinariorum meatuum vſus.5°.de vſu partium. 1ª.143.H
Vrinario meatui ineſt humor viſcoſus, & propter quid.13°. de vſu partium. 1ª.201.H
Vrinarij meatus excipiunt quod aquoſum eſt, & ſeroſum.6°.de anatomicis adminiſtrationibus. 1ª.90.C
ad Vrinarium meatum ſiccum habentem quid ſequatur.14°.de vſu partium. 1ª.208.D
per Vrinarium meatum quæ expurgentur.11°.meth.me. 7ª.73.F
in Vrinarijs meatibus cur dolor ſeuiſſimus.de renum affectuum dignotione & medela. 7ª.193.B
ad Vrinariæ viæ dolorem.de remed.fac.par. 7ª.178.F
Vrinarius meatus quomodo in tumorem attollatur.1°.de lo.aff. 4ª.3.A
Vrinarius meatus quot modis cõſtipari contingat.1°.de loc.aff. 4ª.2.H
Vrinarij meatus obſtructio à quibus fiat.1°.de loc.aff. 4ª.3.A
Vrinarij meatus obſtructio quomodo oriatur.2°.de lo.aff. 4ª.3.A
ad Vrinarij meatus obſtructionem cognoſcendam victus ratio conducit.1°.de loc.affect. 4ª.3.B
in Vrinario meatu quomodo oriatur caro.2°.de loc.aff. 4ª.3.A
Vrinarij meatus à lapide acuto & aſpero vlcerantur. commentario 4°. aphoriſmo 75°. Ex.36.B
Vrinarias vias dilatantia.de ren.aff.dig.& med. 7ª.193.H
VRNA. *de pond.& menſ.* 5ª.277.B/E
VRANTVR *quomodo res in olla foramine dimiſſo, & vaſe lutato. 5°.de compoſi.medic.ſec.loc.* 5ª.165.H
Vrere acris ſaporis terminus eſt.4°.de ſimp.me.fac. 5ª.29.F
Vrere quæ poſſint.5°.de ſimp.me.fac. 5ª.38.F
Vrunt quæ in quarto ordine calida.3°.de comp.me.per gen. 5ª.230.H
Vrit altercus calefacta.1°.de ſimp.med.fac. 5ª.3.C
Vrit calx, tamen adſtringendi vim non habet.5°.meth.me. 7ª.31.D
Vrit tithymallum quaſi cauſticum.de ſimpli.med. Sp.91.E
Vrit vua agreſtis.6°.de ſimp.me.fac. 5ª.44.B
Vritur quando æger in frigido ambiente, de illo deſperandum.11°.methodi medendi. 7ª.70.B
Vrantur ſi partes interiores, & exteriores frigeſcant in continua febre cum ſiti, letale.com.4°.aph.48°.33.A/com.7°.aph.68°. Ex.60.F
Vri debent quibus brachium iugiter excidit. commentario 6°.aphoriſmo 60°. Ex.53.G
Vri debent qui habent mucores in coxendicum articulis. commentario 6°.aphoriſmo 6°. Ex.53.G
Vrimus propter difficultatem anhelitus, & propter anguſtiam loci. comment.6°.aphoriſmo.27°. Ex.48.G
Vruntur quorum hepar ſuppuratur, ex his aliqui euadunt, aliqui nor. commen.7°.apho.45°. Ex.57.F
Vruntur qui ſuppurati euadũt, & qui non.com.7°.aph.44°. Ex.57.F
Vruntur quicunque ſupparati, aut aquam intercutem patiuntur, ſi pus aut aqua vniuerſum effluxerit, moriuntur.cō.6°.aph.27°. Ex.48.G
VRSAE *opus in effingendus filijs.de ther.ad Piſ.* 5ª.94.F
Vrſæ filij caro quædam ex in informis.de ther.ad Piſo. 5ª.94.F
VRSA *ſepti ſtella.3°.de dieb.dec.* 4ª.159.H
ab Vrſis ſpirat Boreas.de aere, aq.& lo. 2ª.5.D
VRSVS *habet tertium locum inter animalia pro diſſectione. 6°.de anatomicis adminiſtrationibus.* 1ª.98.D
Vrſus manſuefactus non eſt ſemper talis. de cognoſcendis curandisq́, animi morbis. 2ª.54.C

inter Vrſum & ſuem animal medium in Lucania.3°.de ali.fac.2ª.26.C
Vrſi frigidi ſunt.2°.de ſimp.med.fac. 5ª.14.E
Vrſi pingues.2°.de ſimp.med.fac. 5ª.14.E
Vrſorum ſanguis abſceſſus concoquit.10°.de ſimp.me.fac. 5ª.73.D
Vrſi adeps tenuium partium.3°.de comp.medi.per gen.232.H|5ª.233.H
Vrſi adeps mollificat.2°.de arte curati.ad Glauco. 7ª.104.A
Vrſi adipem ſequitur pardi adeps.2°.de ar.cur.ad Glau. 7ª.104.A
Vrſorum adipem alopecias curare vere eſt proditum.11°.de ſimplicium medicamentorum facultatib. 5ª.79.E
Vrſi adeps quo loco reponatur inter calida, quæ valent alopecijs.1°.de comp.medica.ſec.lo. 5ª.122.D
Vrſi caro qualis.3°.de alim.fac. 2ª.26.A
Vrſorum lien non eſt eſculentium.de atra bile. 1ª.36.E
Vrſorum eſus feris hominibus relinquendus.de atten.vic.rat. 2ª.45.E
Vrſorum nerui ad profundam laryngem euidentiſſime apparent.16°.de vſu partium. 1ª.216.E
Vrſorum fel ſupra ouillum.10°.de ſimpl.me.fac. 5ª.74.H
VRSI vua quæ ſit,& vbi naſcatur.7°.de comp.me.ſec.loc. 5ª.184.D
Vrſi vuæ meminit.7°.de comp.me.ſec.lo. 5ª.184.D
ex VRSINO felle antidotus.8°.dc comp.med.ſe.lo. 5ª.195.G
Vrſinum fel ad viſus obſcuritatem.de remed.par.fac. 7ª.156.H
Vrſina vngula.de dynamidijs. Sp.24.B
VRTICA herba agreſtis.2°.de alim.fac. 2ª.23.E
Vrtica eſculenta prius quàm exiccetur.de atten.vic ratio. 2ª.44.B
Vrticam nemo comedit niſi coactus.2°.de alim.fac. 2ª.23.E
Vrticæ prauus cibus.1°.de differen.feb. 3ª.31.C
Vrtica obſonium eſt.2°.de alim.fac. 2ª.23.G
ex Vrtica minutal confert lapidem habenti.de cur.lap. Sp.112.A
Vrtica pruritum facit.2°.de ſymp.cau. 3ª.23.H
Vrtica cur faciat prurire partes,quas tãgit.6°.de ſimp.me.fa. 5ª.41.H
Vrticæ morſus oleum ſanat.1°.de ſimp.me.fa.11.A| 5ª.12.E
Vrtica flatuoſa venerem ſtimulat.6°.de ſimp.med.fac. 5ª.41.H
Vrtica eſt multum tenuium partium.6°.de ſimp.medic.fac. 5ª.41.H
Vrtica eſt tenuium partium & ſicca,non tantum calida vt mordicet.6° de ſimp.med.facul. 5ª.41.H
Vrticæ vires.6°.de ſimp.med.fac. 5ª.41.H
Vrtica contra frigus facit,morbum regium emendat,antidotis, quæ colicis ſunt propria,admiſcetur,tumorem ventris vel frigus,ex tumoribus conceptum ſedat,omnem humorem diſſoluit.de ſimpl. Sp.92.A
Vrtica multum digerit.6°.de ſimp.me.fac. 5ª.41.G
Vrtica adſtringens eſt,& repercutiens.4°.de comp.med.ſe.lo.5ª.157.D
Vrtica in phlegmone intrinſeca.13°.meth.med. 7ª.85.C
Vrtica pro phlegmone cauæ partis iecoris.13°.meth.med. 7ª.84.A
Vrtica quomodo ventrem ſubducat.6°.de ſimp.med.fac. 5ª.41.H
Vrtica medicamentum eſt,quod aluum deijcit.2°.de alim.fac. 2ª.23.G
Vrtica ſanat phymata,parotidas,gangrenoſa,cãcroſa, & è pectore pulmoneq́; educit.6°.de ſimp.med.fac. 5ª.41.H
Vrticæ ſemen meatus purgat.5°.de ſimp.med.fac. 5ª.35.C
Vrticæ ſemen pus valenter educit è thorace.13°.meth.med. 7ª.84.H
Vrticę ſemen toſtum.7°.de compo.medic.ſecun.loc. 5ª.182.A
VRTICAE marinæ valent ad depilationẽ.11°.de ſimp.med.fa.5ª.82.G
VSTIO duplex.in 6ᵐ.de morbis vulgaribus, commentario.5°. 3ª.196.A
Vſtio quando fiat.in 6ᵐ.de mor.vul.com.6°. 3ª.196.A
Vſtio debet refrigerari.8°.methodi medendi. 7ª.51.E
ex Vſtione febricitantes lauandi.8°.meth.med. 7ª.51.E
ad Vſtionem oculorum collyrium.de ocul. 7ª.191.D
Vſtiones accipit lupinus cum aceto,in modum cataplaſmatis impoſitus. de ſimpli.medic. Sp.86.C
Vſtio ac veluti flamma in thorace quo lunæ aſpectu fiat,de decubitu progno.ex mathem.ſcien. Sp.12.G
Vſtio in quibus fiat.introd. Iſa.59.F
Vſtio vtilis eſt in oſſibus.introductio. Iſa.59.F
Vſtio corporis habitum conſtipat.11°.meth.med. 7ª.61.G
Vſtio ſoluit humiditatem ab humeris.de aere,aquis,& loc. 2ª.5.F
Vſtione indigent qui plurimum habent pus, quod non poteſt expuitione expurgari.com.6°.aph.27°. Ex.48.G
Vſtione qui cancri indigeant.com.7°.aph.36°. Ex.50.E
Vſtio quid requirat introd. Iſa.59.F
Vſtio vbi fit,debẽt muniri ptes ꝑpinquæ.6°.de comp.me.ſe.lo. 5ª.172.E
Vſtionum curatio qualis.de artic.com.2°. 7ª.259.C
VSTVS aqua feruenti ambuſtus dicitur, & quomodo curetur.1°.de compoſi.medicamentorum per genera. 5ª.211.F
Vſta omnia lota fiunt moderatiora,& minus mordacia.9°.de ſimpli.medicamen.facul. 5ª.71.E
Vſta debent tegi.de artic.com.2°. 7ª.259.C
cum VSVRA inueniuntur quæſita,& paulatim quomodo.1°.de dignotione pulſuum. 4ª.70.G
VSVS quid ſignificet.9°.de ſimpl.med.fac. 5ª.64.E
Vſus roborat.de conſuet. 2ª.61.G
Vſum hominum conſiderare debet medicus.de ſpermate. Sp.39.F
in Vſu perpetuo nihil eſſe debet.5°.de ſan.tuen. 2ª.92.F
Vſui alieno à ratione non inſueſcendum.11°.meth.med. 7ª.72.A
Vſus inſignis mutatio facit magnos,& celeres pulſus.1°.de cauſis pulſuum. 4ª.90.G
Vſu maxima,facillima quantum ad noſtram cognitionem ſpectant dicuntur ſenſibilia,& intelligibilia.9°.de decr.Hip. 1ª.279.E
Vſus medicorum in hydrope curanda.com.6°.aph.27°. Ex.48.G
VSVS quid ſit.1°.de loc.affect. 4ª.3.E
Vſus conſiderandus non artium inuentio.3°.de lo.aff. 4ª.14.H
Vſus,inſtrumentum,& facultas conſideranda ad pulſus mutantes cauſas inueniendas.3°.de præſag.ex pulſ. 4ª.118.A
Vſus partis quõ differat ab actione,& quid ſit.17°.de vſu par. 1ª.221.C
Vſus inuentionem præcedit actionum cognitio.16°.de vſu par. 1ª.220.E
Vſibus & actionibus membrum vnumquodq; non forma corporis iudicatur.1°.de decre.Hippocrat. 1ª.233.E
ex Vſibus inſtrumẽta iudicãtur eadẽ vel diuerſa.2°.dc decr. 1ª.240.E
Vſum medicinæ non habens,quamuis ipſam habeat,idem tamen eſt ac ſi liram habeat,& eius vſu careat.de the.ad Piſ. 5ª.98.C
VTENDI & componendi methodus in pharmacis eadem.4°.de comp.me.ſec.lo. 5ª.149.C
VTRES pleni non ſunt duri.5°.de ſimp.me.fac. 5ª.32.G
Vtres & dolia rumpuntur in muſtis ob ſpiritus.in 1ᵐ.de morb.vulgari. commentario 1°. 3ª.104.G
in Vtre poſita aqua calida fomentum eſt calidum.de vict.rat.in morb.acu.commen.1°. 7ª.116.D
in Vtribus ſuſpenſum vinum ad ignem,euaporante aqua, indureſcit in modum ſalis in quadam regione.de vtil.reſp. Sp.64.F
in Vtre experimentum Hippocratis.de articulis.com.3°. 7ª.274.D
in Vtribus exemplum.in 6ᵐ.de mor.vulg.com.3°. 3ª.176.E
VTERARIAE mulieres quæ in 6ᵐ.de morbis vulg.c.1°. 3ª.153.C
VTERINA ſtrangulatio quæ.com.5°.aph.35°. Ex.40.F
Vterinis ſtrangulationibus ſuperueniente ſternutatione patiens aliquantulum leuatur.com.5°.aph.35°. Ex.40.F
Vterina ſymptomata pertinent ad vterum, tanquam ad radicem.6°.de locis affectis. 4ª.40.C
Vterini clyſteres.5°.meth.me.32.D| 7ª.34.C
VTERVS græce dicitur ὑστέρων cum accentu circunflexo.commentario.5°.aphoriſmo.49°. Ex.42.A
Vterus,& vulua idem,& quid ſint.6°.de loc.aff. 4ª.39.D
Vteri quando dicantur ſecundæ.com.5°.aph.35°. Ex.40.F
Vterus dicitur conceptaculum,non tamen ab Hippocrate.in 6ᵐ.de morbis vulg.commen.5°. 3ª.192.D
Vterus quas habeat fibras.2°.de temperam. 1ª.18.A
Vterus habet ſolum vnam tunicam.3°.de natu.facul. 1ª.305.E
Vteri ſunt durioris ſubſtantię quàm caro,& quales.de bonitate, & vitio ſuccorum. 2ª.37.B
Vterus quam habeat carnem.2°.de tempera. 1ª.18.A
Vterus quam habeat caliditatem.2°.de temper. 1ª.18.A
Vterus eſt pars neruoſa.com.5°.aph.22°. Ex.39.E
Vterus neruoſa particula.in 6ᵐ.de mor.vulgaribus,com.1°. 3ª.153.A
Vterus neruoſus eſt.de vic.ra.in mor.acu.com.3°. 7ª.130.H
Vterus quomodo dicatur neruoſus.in 6ᵐ.de morb.vul.c.1°. 3ª.153.B
Vterus habet neruos ſed puſillos.in 6ᵐ.de mor.vul.com.1°. 3ª.153.C
Vteri corpus eſt elementum ſenſibile.1°.de nat.fac. 1ª.291.G
Vterus quibus locis ſituetur.de diſſec.vul. 1ª.108.D
Vteri qualis ſitus ſecundum magnitudinem.de diſſ.vul. 1ª.108.F
Vteri magnitudo quanta.de diſſec.vul. 1ª.108.D
Vterus multis partibus alligatur.de diſſ.vul. 1ª.108.F
Vteri cornuum figura cur talis.14°.de vſu par. 1ª.208.E
Vteri os quod ſit,& collũ,& ſuæ partes.com.5°.aph.46°. Ex.41.G|H
Vteri pars anterior cunnus dicitur.1°.de ſemine. 1ª.329.H
Vterus vtitur collo & gula tanquam manu.1°.de ſemine. 1ª.329.H
in Vtero cornuum generatio quare.14°.de vſu par. 1ª.208.D

in Vtero muſculoſæ partes vnde.14°. de vſu par. 1ª.208.E
ad Vterum multa venarum ora pertingunt.6°.de loc. aff. 4ª.40.F
Vterus habet plurimas,& maximas venas.in 6^{m}.de morbis vulgaribus,commen.1°. 3ª.153.D
in Vtero venæ maiores,quàm arteriæ.de diſſ.vul. 1ª.108.G
in Vtero venæ,& arteriæ ſe contingunt.9°.de vſu par. 1ª.172.H
Vtero,& mammis communes venæ quæ.5°.de ſimp.me.fac. 5ª.37.H
Vterus & mammæ habent quaſdam communes venas. commentario. 5°.aphoriſmo.37°. Ex.40.H
Vterus mammæ ſoccietate coniungitur. in 6^{m}. de morbis vulgaribus, commentario.5°. 3ª.192.D
Vterũ lãguere ſignat mãmæ affectus.in 6^{m}.de mor.vul.cõ.5°. 3ª.192.D
Vteris ſimile corpus totum habent mulieres.com.5°.aph.62°. Ex.43.F
Vteri ſanguinis temperaturam ſequuntur animæ facultates ſecundum Ariſtotelem.quòd animi mor. 1ª.319.C
Vterus cur à natura conditus.3°.de nat.fac. 1ª.302.G
Vterus inſtrumentum eſt.de nat.hu.com.1°. 1ª.26.C
in Vtero humoris vtilitas.15°.de vſu par. 1ª.211.H
Vterus cum tendit ad ſemen,quo eat.1°.de ſemine. 1ª.329.H
Vteri trahũt ſemen,cõplectuntur,& continent.1°.de ſemine. 1ª.129.B
Vteri quomodo attrahant & expellant.3°.de nat.fa. 1ª.305.G
Vteri os præ pinguedine cõcluditur,vt ſemen ſuſcipere nequeat. de aere aquis,& locis. 2ª.5.G
Vteris os comprimitur omento in pinguibus,hinc non poſſunt concipere niſi extenuentur.com.5°.aph.46°. Ex.41.G
in Vterum quando ſperma animatum veniat.de ſper. Sp.38.A
Vterus recipit ſemen,& expellit fœtum per eandem viam. 3°. de natural.facultatibus. 1ª.306.B
Vteri retentricis virtutis opus quod.3°.de nat.fac. 1ª.302.H
Vterus habet retentricem facultatem.3°.de nat.fac. 1ª.302.G
in Vtero clarius videtur vis retentrix,quam in ventriculo.3°. de naturalibus facultatibus. 1ª.302.G
Vterum in ſeipſum concurrere ſentiunt prægnantes in principio conceptus.3°.de nat.fac. 1ª.302.H
Vterus cum acceperit ſemen,ſtatim claudit os.cõ.5°.aph.51°. Ex.42.B
Vteri os dum eſt prægnans non ingreditur ſpecilli acumen ſecundum Herophilum.3°.de nat.fac. 1ª.302.H
Vteri os in prægnante nec ſtyli mucro ĩgredcretur.2°.de ſymp. 3ª.21.B
Vteri ſteriles qui ſint.com.5°.aph.59°. Ex.43.C/F
Vteri fœcundi & ſterilis cognitio.com.5°.aph.62°. Ex.43.H
Vteri pars dextera cur ſit calidior,& ſiniſtra frigidior. commentario. 5°.aphoriſmo.48°. Ex.41.H
in Vteri dextro latere mares,in ſiniſtro fœminæ generantur ſecundum Hippocratem.bre.den.dogm.Hipp. 1ª.231.C
Vteri pars ſiniſtra frigida,& cur.com.5°.aph.48°. Ex.41.H
Vteros frigidos denſitas comitatur.com.5°.aph.62°. Ex.43.F
Vterus mulieris frigidus facit fœminas.com.5°.aph.42°. Ex.41.E
ab Vteris frigidis ſemen viri refrigeratur,niſi ſit calidiſſimum.commẽtario.5°.aph.62°. Ex.43.H
Vterus mulieris grauidæ habet tumorem,tamen non facit ileon,quanto magis veſica plena.com 6°.aph.44°. Ex.51.D
Vterus mulieris prægnantis propter tumorem poteſt quandoq; præmere inteſtina gracilia.com.6°.aph.44°. Ex.51.D
Vteri os quomodo cognoſcatur,quando eſt compreſſum ob tumorẽ præter naturam,& conceptum.com.5°.aph.54°. Ex.42.F
Vteri os quibus durum eſt,his vteri os comprimi eſt neceſſarium. commentar.o.5°.aph.54°. Ex.42.F
Vterus cur non multum intumeſcit,ſi genitura in ſpiritum difflatur.1°. de ſemine. 1ª.329.F
in Vteri cauitate vt plurimum ſemen extenditur, vel non concipiunt. com.5°.apho.62°. Ex.43.G
in Vtero quomodo diſponatur ſperma.de compag.memb. Sp.59.D/E
Vterus habens ſinus,& clauſtra.an animal ſit. 1ª.327.D
Vterus duos ſinus habet.in 6^{m}.de morb.vulg.com.2°. 3ª.169.C
Vterus quomodo habeat duos ſinus.com.5°.aph.48°. Ex.41.H
Vteri os quomodo nouem menſibus claudatur.6°.de loc.aff. 4ª.42.D
Vterus quid patiatur ſpatio nouem menſium. 2°.de ſymp.cau. 3ª.21.B
in Vtero quomodo formetur fœtus.1°.de ſan.tu. 2ª.62.F
in Vtero quid prius conformetur.fin.med. Iſa.49.H
in Vtero formãdi infantiũ modus.de nat.& ord.cuiusl.cor. Sp.42.C
in Vtero quot pelliculis infans circundetur.15°.de vſu par. 1ª.211.C
in Vtero inuoluitur fœtus tribus pelliculis.de anato.viu. Sp.52.C
Vterum attingens pars ſeminis fit membrana.1°.de ſemine. 1ª.330.G
Vteri membranæ duriores efficiuntur, quanto magis in vtero gerit mulier.de diſſec.vul. 1ª.108.H
ab Vtero ad ſecundas nullus neruus peruenit.6°.de de.Hip.1ª.265.A
in Vtero quod geſtatur non eſt pars gerentis vterũ.fin.med. Iſa.49.F
in Vtero maris,& fœminæ notæ.de med.fac.par. 7ª.168.F
in Vtero mas apparet calidior,& fœmina ſiccior.2°.de ſem.1ª.339.A
in Vtero mas breuius,fœmina longius fingitur.2°.de ſemi. 1ª.339.A
in Vtero quod eſt an ſit animal Deus primo nouit.an aĩal ſit. 1ª.326.H
in Vtero exiſtente infante quid à natura fiat.15°.de vſu par. 1ª.211.B
in Vtero quod eſt animal .an animal ſit. 1ª.327.C
in Vtero exiſtens eſt potentia animal.an animal ſit. 1ª.327.D
in Vtero ſpirat animal.an animal ſit. 1ª.327.E
Vterus ab aliquibus putatur animal.6°.de loc.aff. 4ª.40.D
in Vtero fœtus nutritur,& augetur.1°.de nat.fac. 1ª.291.H
in Vtero exiſtens fœtus quibus veſcatur.com.5°.aph.37°. Ex.41.A
in Vtero vnde nutriatur fœtus.de anat.parua. Sp.43.C
ex Vteri ſanguine nutritur conceptus.de ven.ſect.aduerſ.Era. 6ª.6.H
in Vtero ſanguine nutrimur.1°.de ſan.tu. 2ª.65.C
in Vtero in muliere ſanguis & ſpiritus per quæ coquantur, & vbi ſint 14°.de vſu partium. 1ª.207.G
in Vtero vis formatrix trahit optimum ſanguinem.de atra.bi.1ª.36.H
in Vtero vaſa trahũt ſãguinẽ ad viſcerũ generationẽ.de fœt. 1ª.324.F
in Vtero quæ ſunt Cotylidonæ trahunt.an animal ſit. 1ª.327.E
Vtero non gerentibus lac non adeſt.de ven.ſect.aduer.Eraſ. 6ª.7.A
in Vtero poſitio infantis.de nat.& ord.cuiuſl.corp. Sp.42.C
in Vtero fœtus cur emittat lotium ad vmbilicum.15°.de vſu p.1ª.212.C
in Vtero quando infans moueatur.de ſpermate. Sp.36.D
ab Vtero non eſt motus fœtus,ſed à ſeipſo.in 6^{m}.de morbis vulgaribus commentario.1°. 3ª.154.G
in Vtero fœtus non vtitur motu voluntario.15°.de vſu par. 1ª.212.C
in Vtero geſtis pulmo cur ruber poſtea ſubalbus.15°.de vſu p.1ª.212.F
in Vtero cur non mouetur pulmo.15°.de vſu par. 1ª.212.F
Vtero gerentium mulierum errores.11°.de vſu par. 1ª.188.B
Vterus ad fœtum edendum vtitur actione facultatis expultricis. 2°. de ſymptom.cauſ. 3ª.21.B
in Vtero q̃ cõtinentur expultrix vis expellit.2°.de ſymp.cau. 3ª.22.G
Vteri collũ quantũ aperiatur in fœtu edendo.2°.de ſymp.cauſ. 3ª.21.B
Vteri os quando aperiatur à natura.com.5°.aph.53°. Ex.42.D
Vteri os conniuet in conceptibus,& phlegmone.3°.de nat.fa. 1ª.303.A
Vteri os conniuet viuente fœtu.3°.de nat.fac. 1ª.303.A
Vteri os aperitur fœtu mortuo.3°.de nat.fac. 1ª.303.A
in Vtero mortui fœtus remedia.de med.fac.par. 7ª.177.F
Vteri tunicæ extentæ prius quomodo fœtum eijciant. 2°. de ſymptomatum cauſis. 3ª.21.B
Vterus quomodo dilatatur,& conſtringatur.de ana.viu. Sp.56.E
Vteri & ventris differentia in dilatatione & conſtrictione. de vic. rat. in morbis acutis,com.3°. 7ª.131.A
vt Vterus in partu,ita ventriculus in vomitu.2°.de ſymp.cau.3ª.21.D
Vteri molæ indicant penitus de ſui remotione.14°.meth.med. 7ª.90.F
ab Vtero aliquid ducunt vitia.3°.de ſymp.cauſ. 3ª.27.A
p̄ Vterũ excretio non eſt toto genere præter naturã.3°.de ſym. 3ª.13.H
Vterus excernendo euacuat cauſam,quæ moleſtat.de natura humana, commentario.2°. 7ª.182.H
Vterus quomodo excernat exprimendo,vt manus exprimit aliquid.2°. de ſympto.cauſ. 3ª.21.E
ab Vtero quæ excernuntur ipſæ particulæ circa hæc ſe contrahunt.2°. de ſympto.cau. 3ª.21.E
Vteri euacuationes ſunt euacuationes totius corporis.commentario.4°. aphoriſmo.2°. Ex.27.D
per Vterum vniuerſum corpus q̃q; euacuatur.6°.de loc.aff.4ª.41.D
ad Vteros ex toto corpore fertur ſanguis.com.5°.aph.60°. Ex.43.B
per Vterum,vel per vrinas tranſmittenda ſunt,quę per aluum fluunt. 5°.methodi medendi. 7ª.30.E
ad Vteri venas fluor venæ ſedis in mulieribus deriuãdus eſt. de cucurbitulis ſcarificationibus. 6ª.4.F
per Vterum purgantur mulieres laxarum carnium, & pituitoſarum. 6°.de locis affectis. 4ª.41.D
ad Vteros eſt motio ſanguinis natura experente,hinc mammæ graciles fiunt.com.5°.aph.52°. Ex.42.B
ad Vterum peruenit ſanguis,ſed non poteſt ingredi interna,& cur.6°. de locis affectis. 4ª.40.G

ad Vteri corpus nunquam natura materiam mittit inutilem, nec facit inflammationem.com.5°.apho 53°. Ex.42.E
Vterus habet ora venarum, quæ ſi aperiantur menſes fiunt.commenta. 5°.aphoriſmo.36°. Ex.40.G
Vteri vaſorum ora cur ſint cauſa multorum menſtruorum. commenta. 5°.aphoriſmo.57°. Ex.43.A
Vteri laxantur in menſibus.3°.de nat.fac. 1ª.303.A
Vtero non affecto ſeminis profluuium.6°.de loc.affe. 4ª.41.D
Vteri rheumata cur.3°.de ſymp.cauſ. 3ª.29.G
in Vteri profluuiis ſanguinis fiunt pulſus vermiculantes.2°. de preſagitione ex pulſibus. 4ª.113.A
p Vterũ erũpẽtia vel p vrinas vel p aluũ trãſmittẽda.5°.met. 7ª.30.E
ab VTERO quõ fiat retractio.1°.de arte cur.ad Glau. 7ª.102.F/G
ad Vteri profluuia ſanguinis valent aſter ſammius, & terra lemnia. 9°.de ſimp.me.fac. 5ª.65.H
ad Vteri, & ventris profluuia omnes medici vſi ſunt balauſtio. 6°.de ſimp.me.fac. 5ª.44.F
ab Vtero fit reuulſio cucurbitę ſub mãmis.5°.methodi med. 30. E/13°. 7ª.85.H/de cathar. Sp.94.G
per Vterum immodicas ſanguinis irruptiones reuellunt cucurbitulæ, quæ affiguntur hypochondriis.de cucurb.ſcar. 6ª.4.G
ad Vteri eruptiones ſanguinis valet lentiſcus.8°.de ſim.me.f. 5ª.61.H
ex Vtero morbi cõtingũt, ſi nõ fiũt mẽſtrua.cõ.5°.aph.57°. Ex.42.H
Vterus quas paſſiones incidat, ſi eius vaſa ſint oppreſſa.cõmentario.5°. aphoriſma.57°. Ex.43.A
Vteri os quæ aperiant.5°.de ſimp.me.fac. 5ª.35.G
Vteri, & ſedis ſuppreſſas excretiões apit theriaca.đ the.ad P. 5ª.96.B
ad Vterum pertinentia vaſa obſtructa, obſerata, vel denſata etiam ſecundum totam ſubſtantiam vteri.com.5°.aph.28°. Ex.40.B
Vteri affectuum differentiæ, quæ.6°.de loc.affe. 4ª.39.D
Vteri proprij morbi quid agant.3°.de ſym.cau. 3ª.30.G
Vterus affectus quæ membra ſecum trahat in compaſſionem, & quæ faciat ſymptomata. de vic.rat.in morb.acut.com.2°. 7ª.123.H
Vteri affectionibus medetur antidotus Zopyria.2°.de anti. 5ª.115.B
in Vteri affectibus quæ vena ſecanda.13°.met.me. 7ª.83.B
Vterus qñ ẽ male affect⁹ ſectio venæ à pede faciẽda.de tre.et p.3ª.53.A
in Vtero à poplite ſectio venæ.de trem.& palp. 3ª.53.A
Vterus iuuat vena poplitis, & malleolorũ.de cur.ra.p ſan.m. 6ª.20.E
circa Vterũ exiſtentiũ affectionũ remediũ.8°.de cõp.me.ſe.lo.5ª.191.D
Vtero affecto oxymeli nõ cõuenit.de vic.rat.in mor.acu.cõ.1°. 7ª.113.C
ad Vterũ circa exiſtẽtes affectiões.7°.de cõp.me.ſ.l.181.F/8°. 5ª.193.C
ad Vteri affectiones.7°.de comp.me.ſe.loc.182.C/8°.190. H/5°. de cõpoſitione me.per genera. 5ª.251.B
ad Vterum tanquàm ad radicem pertinent hyſterica ſymptomata. 6°. de locis affectis. 4ª.40.C
Vteri dolores cur fiant.in 1^{m}.de mor.vul.com.2°. 3ª.113.D
in Vtero cur dolores aliquibus.3°.de nat.fac. 1ª.303.A
Vtero acetum dolorem infert.de vic.ra.in morb.acut.com.3°.7ª.130.H
ad Vteri dolorem remedium ſanctorum argumentum non poſſidẽtium de medic.fac.par. 7ª.174.B
Vteri doloribus in peſſo prodeſt clematis daphnoides.7°. de ſimplicium medica.facultatibus. 5ª.51.F
ad Vteri dolorẽ.5°.de cõp.me.per gen.5ª.246.H/de me.f.p. 7ª.169.B
ad Vteri tormĩa à partu corruptiões et ſtragulatus.de m.f.p.7ª.169.B
Vterus diſtorquetur.2°.de cauſ.pulſ. 4ª.93.G
Vteri peruerſiones vnde fiant.6°.de loc.affe. 4ª.41.A
Vteri contorſio prohibet euacuationẽ.de ve.ſec.aduer.Era. 6ª.6.G
Vteri motus quomodo ſymptoma ſit.2°.de ſymp.cauſ. 3ª.21.D
Vterus cur ſurſum, & ad latus feratur.6°.de loc.affe. 4ª.40.G
Vteri ceruix cum vtero mouetur.6°.de loc.affe. 4ª.40.G
in Vtero adeſt palpitatio.2°.de ſymp.cauſ. 3ª.20.F
Vterina ſuffocatio quid.fin.med.Iſa.48.A/6°.de loc.affe.4ª.39.D/9°. de comp.me.ſec.loc. 5ª.205.F
Vteri ſuffocationis differentiæ.9°.de comp.me.ſe.lo. 5ª.205.F
Vteri ſuffocationis ſymptomata, quæ.6°.de loc.affe. 4ª.39.D
ob Vterum ſpirationis oblatio.6°.de loc.affe. 4ª.39.D
Vteri ſuffocati pulſus, quales.4°.de diff.pulſ. 4ª.103.B
Vteri præfocationis curatio.de paſſ.mul. Sp.95.F
Vteri ſuffocatione periclitantes iuuant purpurarum opercula ſuffitu. 11°.de ſimp.me.fac. 5ª.81.B
pro Vteri ſuffocatione ſternutatio.de paſſ.mul. Sp.95.G
Vteri paſſionibus quibus ſternutatio proſit, & quibus obſit.commentario.5°.aphoriſmo.35°. Ex.40.F
pro Vteri ſuffocatione peſſarium.de paſſ.mul. Sp.95.G
ad Vteri ſuffocationes.7°.de cõp.m.ſ.l.186.A/8°.191.F/9°. 5ª.205.F
Vteri ſtrangulatus quæ excitent olphatu.9°.de cõp.me.ſec.lo.5ª.205.G
ad Vteri ſtrãgulationes Antidotus Apollodori. 2°.de anti. 5ª.117.H
ad Vteri ſtrangulationem.7°.de comp.me.ſec.loc.5ª.182.G/ de medicinis faci.para.169.B/ 7ª.175.B
in Vtero perfrigeratio viduarum, & iis, quæ non purgantur affectionẽ facit oris ventriculi.1°.de ſymp.cauſ. 3ª.18.G
ex Vtero q̃ diſſoluũtur mulieres, qũo curãdæ.1°.de ar.c.ad Gl.7ª.99.B
ex Vtero quot modis fiat aĩ defectus.1°.de arte cur.ad Glauc.7ª.98.E
Vtero odorata adhibẽda ĩ defectu aĩ ex vtero.1°.de ar.c.ad G. 7ª.99.B
Vteri intemperies vnde.3°.de ſymp.cauſ. 3ª.29.G
in Vtero inflammatio quando fiat.fin.med. Iſa.48.A
Vteri oris inflammatio, & durities vteri quomodo diſtinguantur commentario.5°.apho.51°. Ex.42.B
Vteri inflãmatio euerſio ſupprimũt mẽſtrua.cõ.5°.aph.28°. Ex.40.B
Vterus an poſſit eſſe inflammatus viuente fœtu, eſt magna quæſtio. commen.5°.aph.43°. Ex.41.E
Vteri inflammatio cur non corrũpit fœtus.com.5°.apho.53°. Ex.42.E
Vteri inflammatus facit vrinæ ſtillicidium.com.5°.aph.58°. Ex.43.B
in Vteri phlegmone mẽſes nõ ſunt puocãdi.13°.me.me.82.A/ 7ª.83.A
Vteri magnas inflãmatiões febres ſequũtur.in 1^{m}.pror.cõ.3°. 4ª.183.F
Vtero phlegmone correpto calidiſſimæ fiunt febres.in 6^{m}.de mor. vulg. commentario.5°. 3ª.191.H
ex Vtero quandoq; fit hectica.10°.met.me. 7ª.64.F
ex Vtero cur fiat quandoq; in mulieribus diſtentio & cõuulſio. in 6^{m}. de morbis vulgaribus, com.1°. 3ª.153.C
Vterus habet eandem indicationẽ cum ventriculo et inteſtinis in phlegmone.13°.met.me. 7ª.83.A
ad Vteri phlegmonas valet calamus odoratus.9°.de ſim.m.f.5ª.49.E
Vteri phlegmonas ſanat decoctũ Leucoij.7°.de ſimp.me.fac. 5ª.54.D
Vteri inflãmatio à qua vena ſecta iuuatur.de cu.ra p ſan.miſs. 6ª.20.E
ad Vteri inflãmationes diutinas, et recẽtes.7°.de cõ.me.p g. 5ª.268.H
ad Vteri inflammationes.7°.de comp.me.per gen.265.F/ 5ª.273.F
Vterus prægnãtis ſi eryſipelate laboret lætale eſt.cõmentario. 5°.aphoriſmo.43°. Ex.41.E
Vteri Eryſipelas aborſum facit.com.5°.aph.53°. Ex.42.D
Vteri duriticbus eſt aptiſſimum oleum liliorũ.7°.de ſimp.me.fa.5ª.53.B
Vterum mollientes peſſi ex medulla vitulina & ceruina. 11°. de ſimpli. medicamen.facultatibus. 5ª.79.E
Vteri abſceſſus cauſa.fin. med. Iſa.50.A
in Vtero abſceſſus.quando fin.med. Iſa.48.A
Vteri eroſio vt plurimum in ceruice.6°.de loc.affe. 4ª.41.D
Vteri eroſio quomodo deprehendatur.6°.de loc.affe. 4ª.41.D
Vteri ſectio difficulter conglutinatur.6°.de loc.affe. 4ª.41.C
Vteri vlcerationes quibus curantur.9°.de comp.me.ſec.loc. 5ª.205.D
Vtero lacerato lac infunditur.10°.de ſimp.me.fac. 5ª.73.H
in Vterum quomodo iniiciantur medicamenta.5°.met.me. 7ª.32.D
ad Vteri vlcera.5°.de comp.me.per gen. 5ª.247.D
in Vtero carcinoma quid.fin.med. Iſa.48.B
ex Vtero pus, & ſanies ſponte exeunt.5°.met.me. 7ª.33.A
Vterus quomodo excidat.3°.de nat.fac. 1ª.303.A
Vterus vergens in coxam ſi ſuppuratur, neceſſe eſt linamentum fieri cõmentario.5°.aph.47°. Ex.41.H
Vtero calidum amicũ eſt, frigidũ inimicum.com.5°.aph.22°. Ex.39.D
p Vterum frigus & calor aſcẽdũt in ventrẽ.c.5°.aph.22°. Ex.39.E
p Vterum poterat corpus in diſpoſitionibus frigidis continuo ſuffiri, niſi aromata nocerent capiti.com.5°.aph.28°. Ex.40.B
ad Vteri vitia quæ adſtringentia conueniant.7°.met.me. 5ª.51.D
Vterus cum male habet non ſunt admouenda adſtringentia. 11°. methodi medendi, 7ª.73.B
in Vtero ſi vas magnum præruptum vtaris adſtringentibus, & quibus.5°.methodi medendi. 7ª.31.G
in Vtero ſi vas paruum ſit præruptum quibus adſtringentibus vtendũ 5°.methodi medendi. 7ª.31.G
Vteri morbos ſanat Antidot⁹ Athanaſia Mitridatis.2°.de an.5ª.114.H
ad Vteri omnem laborem.7°.de comp.me.ſec.loc. 5ª.185.C
ad Vterum.5°.de comp.me.per gen.5ª.245.H/de medicinis facile parandis.175.D/ 7ª.177.F
Vteri mala vacuatio quæ. 3°.de ſymp.cauſ. 3ª.30.G
Vterus ſi coquatur qualem ſuccum generet.3°.de ali.fac. 2ª.27.E

Vterus. Lege Matrix, & Vulua.
VTILE, & noxium ad aliquid dicitur.1°.de comp.me.per g.5ª.216.F
Vtile, conueniens, conferens, conducens, & ſecundum naturã idem ſunt. 14°.methodi meden. 7ª.91.A
Vtile quod eſt vnicuiq; explet natura.6°.de lo.aff. 4ª.42.E
Vtilia bis, & ter repetenda, & cur.4°.de comp.me.per ge. 5ª.237.D
Vtilia ſi bis reuocent in memoriam authores in varia libri parte, nõ eſt inconueniens.com.1°.aph.25°. Ex.10.H
Vtilium vrinarum quæ partes.de vrin.ſign.ex Hipp. Sp.79.C
Vtilem hypoſtaſim videndam præbet quandoq; crudus humor, et albus cum vrina excretus ſubſidens.de vrin.ſign.ex Hipp. Sp.79.C
per *Vtiles hypoſtaſes crudus humor diſtinguitur ab inæquali ſubſtãtia eius, quod ſubſidet*.de vrin.ſign.ex Hipp. Sp.79.C
VTILISSIMA *ſæpe repetuntur*.in progn.com.3°. 4ª.211.D
VTILITAS *inter cauſas*.de ſymp.cau. 3ª.10.F
Vtilitati, elegantiæ, & mundiciei ſtudeat medicus.de faſcijs. 7ª.293.C
Vtilitas gñatiõe poſterior eſt, actiõe dignitate prior.11°.de vſu.1ª.189.C
Vtilitas eſt ſcopus cõſtructionis oĩum partium.11°.de vſu par. 1ª.189.C
Vtilitatem partium ſcire oportet.de ſect. Iſa.18.F
Vtilitas, & actio ſingularum partium neceſſario ſciri debent. de conſtitutione artis medicæ. Iſa.40.G
Vtilitates exponendæ cognita actione. 7°. de vſu partium. 163. F/8°. 166.B/ 1ª.172.E
Vtilitates ſubſequuntur actiones.6°.de vſu par. 1ª.155.C
Vtilitas prima animalibus ab actionibus accedit.17°.de vſu p. 1ª.221.C
Vtilitates contrarias ex contrarijs qualitatibus natura temperauit.14° de vſu partium. 1ª.204.G
in *Vtilitatibus ita res ſe habet ſicuti in actionib⁹*.17°.de vſu p. 1ª.222.F
Vtilitatem & actionem augere non idem.2°.de ſimp.me.fac. 5ª.16.C
Vtilitatum cognitio confert ad affectam partem cognoſcendam. 17°.de vſu partium. 1ª.222.F
quæ *Vtilitas habetur ex inueſtigatione locorum primario affectorum*. bre.denot.dogm.Hipp. 1ª.231.D
per *VTRICVLOS ſomẽta*.de vic.rat.in mor.acu.cõ.4°. 7ª.144.E
VVAM *nunquam feret rubus*. de cognoſcendis curandisq; animi morbis. 2ª.54.B
Vuæ frigidæ.4°.de ſimp.me.fac. 5ª.26.D/de diſſol.cont. Sp.74.C
Vuæ ſunt humidæ.de diſſo.cont. Sp.74.D
Vuarum partes ſolidæ quomodo vocentur.2°.de alim.fac. 2ª.18.C
Vuæ craſſum quomodo vocetur.2°.de alim.fac. 2ª.18.C
Vuarum tegmentum propter quid.2°.de alim.fac. 2ª.17.H
Vuarum caro non firma nec denſa, ſed laxa & humida. 2°.de alimentorum facultatibus. 2ª.17.G
Vuarum acini terreni ſunt.9°.de ſimpl.medica.facultatib. 5ª.64.H
Vuæ nuclei acerbi.6°.de ſimp.med.fac. 5ª.45.E
Vuæ nuclei frigidi in primo, ſicci in ſecundo.6°.de ſimp.med.fa. 5ª.45.E
Vuæ ſemina ſunt ſicca, & adſtringentia.2°.de alim.fac. 2ª.17.H
Vuæ ſemen coquitur, vt ficuum ſemen.2°.de alim fac. 2ª.17.H
in *Vuis ſemina, & tegmenta expuenda*.2°.de alim.fac. 2ª.17.H
Vuæ nuclei conferunt omnibus ventris affectibus cum profluuio iũctus. 6°.de ſimp.me.fac. 5ª.45.E
Vuarum acini pro dyſenteria adſtringenda.11°.de ſimp.med.fac.5ª.81.E
Vua ſeruatur vſq; ad alium annum.2°.de alim.fac. 2ª.18.B
Vuas ſeruandi modi.2°.de alim.fac. 2ª.18.A
Vuæ ſeruatæ vtilitates & noxæ.2°.de alim.fac. 2ª.18.A
Vuæ ſunt præſtantiores horeis fructibus in opora. de bonitate & vitio ſuccorum. 2ª.37.E
Vuæ, & ficus obtinent principatum inter fructus autumnales. 2°.de alimentorum facultatibus. 2ª.17.G
Vuæ inter fructus horeos minus noxij, tamen cum moderatione ſumendæ.de bo.& vit.ſuc. 2ª.34.D
Vuis affluenter veſcendum.2°.de alim.fac. 2ª.20.F
ab *Vuis nunquam abſtinuit Galenus*.de bon.& vit.ſuc. 2ª.34.D
Vuæ ſunt cibaria media.de diſſ.cont. Sp.74.B
Vua concoctu facilia.2°.de alim.fac. 2ª.18.H
Vuę tarde digeruntur.de diſſ.cont. Sp.73.E
Vuæ velociter ſubſident.2°.de alim.fac. 2ª.17.G
Vuæ quales ſumantur deijciendi gratia.2°.de alim.fac. 2ª.18.C
Vuę habent minimum prauũ ſucci.2°.de alim.fac. 2ª.17.G
Vuæ non facile in probum ſanguinem tranſeunt.2°.de alim.fac. 2ª.17.G
Vuas nutrire argumentum.2°.de alim.fac. 2ª.17.G
Vuæ magis nutriũt omnibus fructibus fugacibus.2°.de alim.fa.2ª.17.G
Vuæ minus alunt quàm ficus.2°.de alim.fac. 2ª.17.G
Vuæ quæ magis nutriũt, minus deijciũt, & è cõuerſo.2°.de ali. 2ª.17.H
Vuæ boni nutrimenti, quæ.de diſſ.cont. Sp.73.A
Vuæ obſoniũ in capitis dolore ex ſtomacho.2°.de cõp.me.ſec.lo. 5ª.135.B
Vuæ grauiter lædunt, ſi quando hæſerint.2°.de alim.fac. 2ª.17.G
Vua non guſtanda in febribus acutis.in 3ᵐ.de mor.vul.com.2°. 3ª.135.F
Vua quando non inflet.de diſſ.cont. Sp.74.F
VVARVM *differentiæ*.2°.de alim.fac. 2ª.18.B
Vuarum diuerſa natura.2°.de alim.fac. 2ª.17.H
Vua Agreſtis acris eſt.6°.de ſimp.me.fac. 5ª.44.B
Vuæ agreſtis ſuccus contra aſperitatem palpebrarum.de ocul. 7ª.189.C
Vua agreſtis vrendi vim habet.6°.de ſimp.me.fac. 5ª.44.B
Vua culta quas habeat dotes.6°.de ſimp.me.fac. 5ª.44.B
Vuæ quales debeant eſſe in vſu.2°.de alim.fac. 2ª.18.B
Vuæ Acerbæ & ſiccę ſunt nup enatæ, vbi maturuerint dulces, & progreſſu temporis humidiores redduntur.4°.de ſimp.me.fac. 5ª.25.F
Vua prima eſt pontica, deinde dulceſcit.de ocul. 7ª.188.B
Vuæ acerbæ etiam ſi diutius ſuſpenſæ fuerint, non aſſequuntur dulcedinem.2°.de alim.fac. 2ª.18.B
Vuarum acerbarum vſus vitandus.2°.de alim.fac. 2ª.18.B
Vua acerba refrigerãs, & adſtringẽs eſt.1°.de ar.cura. ad Gla. 7ª.99.C
Vuæ acerbæ ſuccus tẽpore dureſcit.6°.de comp.med.ſec.loc. 5ª.172.H
Vuæ acerbæ ſuccus ꝑ ore vẽtriculi ſupcalefacto.1°.de arte cur.7ª.99.C
Vuæ acerbæ ſuccus ꝑ dolore capitis calido.de remed.par.fac. 7ª.153.E
Vuæ acerbæ amaræ ſuccus amarus.de vic.rat.in mor.ac.c.4°. 7ª.152.F
Vuarum acidarum vſus vitandus.2°.de alim.fac. 2ª.18.B
Vuarum acidarum muſtum ad omnia peſſimum.2°.de alim.fac. 2ª.18.C
Vuæ acidę quid agant.2°.de alim.fac. 2ª.18.B
Vuæ acidæ ſunt noxiæ coctioni in ventriculo, diſtributioni, & nutritioni. 2°.de alimen.facul. 2ª.18.B
Vuæ acinus acidus tantum frigidus.4°.de ſimp.med.fac. 5ª.25.B
Vuæ Amineæ auſteræ.6°.de comp.med.ſec.lo. 5ª.169.B
Vua arefacta boni eſt ſucci.1°.de comp.me.ſec.lo. 5ª.128.E
Vuarum Auſterarum muſtum ad oĩa peſſimum.2°.de alim.fac. 2ª.18.C
Vuæ auſteræ quid agant.2°.de alim.fac. 2ª.18.B
Vuę auſteræ noxiæ coctioni in ventriculo, diſtributioni, & nutritioni.2°. de alimen.facul. 2ª.18.B
ex *Vua Craſſa in natura ſua vinum quod eſt coctum cibus eſt craſſus, & cur*.de diſſol.cont. Sp.72.G
Vuæ Dulces, acidæ, & auſteræ.2°.de alim.fac. 2ª.18.B
Vuę dulces quales.de atten.vict. 2ª.48.G
Vuę dulces habent ſuccum calidum.2°.de alim.fac. 2ª.18.B
Vuæ dulces ſunt cibi calidi.de diſſ.cont. Sp.74.C
Vuæ dulces ſitibundæ, & cur.2°.de alim.fac. 2ª.18.B
Vuę dulces ſubducunt aluum, & maxime ſi ſint humidæ. 2°. de alimentorum facultatibus. 2ª.18.B
Vua expreſſa ad oculorũ dolores.de vict.ra.in mor.acu.c.4°. 7ª.152.G
Vuę Generoſæ quæ.2°.de alim.fac. 2ª.18.A
Vuæ botrus Immaturus vẽtrẽ ſtrigit, dyſentericis facit.de ſim.Sp.92.B
Vuæ immaturæ ſucci quĩ ſint.6°.de ſan.tuen. 2ª.100.G
Vuæ immaturæ ſuccus reprimit.de rem.par.fac. 7ª.137.G
ex *Vuis immaturis cremor portulacis admixtus contuſus & expreſſus ad quid ſit vtilis*.de marc. 3ª.48.B
Vuarum immaturarum ſuccus oleo roſaceo adhibendus.2°.de compoſi. medicam.ſec.loc. 5ª.132.F
Vua immatura.10°.meth.med. 7ª.65.A
Vua Maronea.7°.de compoſitio.med.per gen. 5ª.272.F
Vuæ Maturæ ſunt minus inflatiuæ.de diſſ.cont. Sp.74.G
Vuæ maturæ epileptico concedi poſſunt.de puero epilep. 7ª.180.C
Vua Omphax acida eſt.4°.de ſimp.me.fac. 5ª.27.D
Vuarum omphaciarum differentia.4°.de ſimp med.fac. 5ª.27.F
Vuę paſſæ ſunt probatæ à guſtu.2°.de alim.fac. 2ª.18.E
Vuæ paſſæ proportionem habent recentibus.2°.de alim.fac. 2ª.18.D
Vuæ non poſſunt maturari in frigidis regionibus.2°.de alim.fa. 2ª.18.E
Vua paſſa qualis.5°.de comp.me ſec.loc.159.A/7°. 5ª.179.A
Vuæ paſſæ præſtantiores quæ pingues, & corticem habent tenuem.2°. de alimen.facul. 2ª.18.E
Vuæ paſſæ pingues maturæ.de med.fac.par. 7ª.175.C
Vuarum paſſarum colores.2°.de alim.fac. 2ª.18.E
Vuæ paſſæ albæ.5°.de comp.me.ſec.loc. 5ª.164.B
Vuæ paſſæ plurimum mixtæ ſunt ex qualitate dulci, & auſtera. 2°.de alimentorum facult. 2ª.18.D

Vuę paſſæ acerbę fiunt paucæ.2°.de alim.fac. 2ª.18.D
Vuæ paſſæ acerbæ multo magis cõſtipãt auſteris.2°.de alim.fa.2ª.18.D
Vua paſſa qualis adſtringat.8°.de comp.me.ſec.loc. 5ª.194.F
Vuæ paſſæ auſteræ frigidiores.2°.de alim.fac. 2ª.18.D
Vuæ paſſæ auſteræ non nihil dulcedinis habent.2°.de alim.fac. 2ª.18.D
Vuæ paſſæ auſteræ parcius alimentum diſtribuũt.2°.de alim.fa.2ª.18.F
Vuæ paſſæ auſteræ auſterum in corpus alimentum diſtribuunt.2°.de alimentorum facultatibus. 2ª.18.F
Vuæ paſſæ auſterę ſtomachum roborant, & ventrem conſtipant.2°.de alimentorum facult. 2ª.18.D
Vuæ paſſæ ponticæ parum nutriunt,& cur.de diſſ.cont. Sp.73.F
Vuæ paſſę multæ fiunt dulces.2°.de alim.fac. 2ª.18.D
Vuæ paſſę dulces obtinent mediam conſtitutionem inter auſteras et acerbas.2°.de alim.fac. 2ª.18.D
Vuę paſſę dulces non nihil auſteritatis habent.2°.de alim.fac. 2ª.18.D
Vuę paſſę dulces calidiores.2°.de alim.fac. 2ª.18.D
Vuę paſſę dulces dulce alimẽtũ ĩ corpus diſtribuũt.2°.de ali.fac.2ª.18.F
Vuę paſſę dulces & pingues copioſius alimentum diſtribuunt.2°.de alimentorum facul. 2ª.18.F
Vuę paſſę dulces quid agant.2°.de alim.fac. 2ª.18.D
Vuæ paſſę dulces mordicationes oris ventriculi obtundunt.2°.de alimẽtorum facultatib. 2ª.18.E
Vuę paſſę maximę.2°.de alim.fac. 2ª.18.E
Vua paſſa rhodia.7°.de comp.me.ſe.lo. 5ª.186.E
Vuę paſſę ſcybelitides quales.2°.de alim.fac. 2ª.18.E
Vuę paſſæ non habentes ſemen vbi ſint.2°.de alim.fac. 2ª.18.E
Vuis paſſis quibus eximantur ſemina.2°.de alim.fac. 2ª.18.E
ab Vuis paſſis grandibus quo ſemen eximatur.2°.de alim.fac. 2ª.18.E
Vua paſſa exacinata.8°.de cõp.med.ſec.loc.159.A|5°.164.B|6°.175.E|H|7°.179.A|G|8°.5ª.195.B|de rem.par.fac. 7ª.158.C|D
Vua paſſa munda.7°.de comp.med.ſec.loc. 5ª.183.B
Vua paſſa non exacinata.9°.de comp.med.ſe.lo. 5ª.204.A
Vua paſſa pinguis circa acinos.7°.de comp.med.ſec.loc. 5ª.182.B
Vua exacinata paſſa pinguis.7°.de comp.med.ſe.lo. 5ª.186.E
Vuarum paſſarum alimentum quale.2°.de alim.fac. 2ª.18.F
Vuarum paſſarum alimentum à quantitate.2°.de alim.fac. 2ª.18.F
Vuæ paſſæ ſunt inter ea, quę minus nutriunt, & plurimum nutriunt.de diſſolutione continua. Sp.73.G
Vuę paſſæ plenę dulces multum nutriunt.de diſſ.cont. Sp.73.F
Vuæ paſſæ valentius nutriunt vuis.2°.de alim.fac. 2ª.18.F
Vua paſſa ardorem facit,& ventrem procurat.de ſimp.med. Sp.92.B
Vuę paſſæ minus quam caricæ ſubducunt,& abſtergunt.2°.de alimentorum facultatibus. 2ª.18.F
Vuę paſſę magis quam caricę ſtomachũ iuuant.2°.de alim.fac. 2ª.18.F
Vuę paſſæ ſtomachum roborant.2°.de cõp.me.ſe.lo. 5ª.133.D
Vua paſſa habet vim corroborandi ventriculũ.de rem.par.fa. 7ª.153.H
Vua paſſa familiaris Iecori.8°.de comp.med.ſec.loc. 5ª.194.F
Vua paſſa habet paſſi facultatem.7°.de comp.me.ſe.lo. 5ª.179.A
Vuæ paſſę quibus conferant,& quibus non.de atten.vict. 2ª.46.A
Vua paſſa torretur.7°.de comp.med.ſec.loc. 5ª.179.H
Vuę Penſiles quales.de atten.vict.rat. 2ª.46.A
Vua penſilis quid agat.2°.de alim.fac. 2ª.18.A
Vuæ appenſę nihil habent vitij.de bon.& vit.ſuc. 2ª.37.E
Vuæ ſuſpenſæ quid agant.2°.de alim.fac. 2ª.18.B
Vuæ maturantur ſuſpenſæ.2°.de alim.fa. 2ª.18.B
Vuæ Sepultæ in Vinatijs vuarum rectificant ſtomachum mollem,& debilem.de diſſ.cont. Sp.74.D
Vua q̃ ſepulta ẽ in vinatijs vuarũ facit dolere caput.de diſ.con.Sp.74.E
Vua Taminea medicamẽtũ apophlegmaticũ.de reme.par.fac. 7ª.154.F
Vuæ in Vino conduntur,& quales ſint.de atten.vict. 2ª.46.A
Vuæ Vinoſæ.2°.de alim.fac. 2ª.18.B
Vuę vinoſæ medium locum obtinent inter calidum, & frigidum.2°.de alimentorum facult. 2ª.18.B
Vua exprimẽda quæ nihil habet roris.7°.de comp.me.per ge. 5ª.272.H
VVA amomi.7°.de comp.med.per gen. 5ª.272.H
VVA lupina quid,& eius vires.de ſimp.med. Sp.83.C
VVA vrſi quæ ſit,& vbi naſcatur.7°.de comp.med.ſec.lo. 5ª.184.D
Vuæ vrſi fit mentio.7°.de comp.me.ſe.lo. 5ª.184.D
VVA quid ſit.6°.de compo.med.ſec.loc. 5ª.172.F
Vua proprie quæ ſit.de tum.prӕter natu. 3ª.84.C
Vua ab aliquibus dicitur particula.6°.de comp.med.ſe.lo. 5ª.173.E
Vua cuius ſpatij particula.de diſſ.morb. 3ª.4.H
Vua columna.11°.de vſu par. 1ª.188.F
Vuæ vtilitas.11°.de vſu par. 1ª.188.F
Vua eſt propugnaculum pharingi.15°.de vſu par. 1ª.211.A
Vua organum locutionis.de anat.viu. Sp.49.B
in Vua caro ſubnigra,vel nigra eſt.de ana.viu. Sp.44.D
Vuæ pariſthmia,et tõſillæ quid,et quo fiant loco.de tum.præt. 3ª.84.H
Vua oris affectus.intro. Iſa.59.C
de Vuæ vitijs curandis.de med.fac.par. 7ª.169.H
Vua dicitur columellæ inflammatio.6°.de comp.med.ſec.loc. 5ª.173.E
Vua inflãmata nõ laxatur,ſicut inflãmata manus & cr°.de ſect.Iſ.18.C
Vuæ inflammatę adhibetur fructus ſpinę ægyptiæ, & alumen ſciſſile.de ſectis. Iſa.18.C
ad Vuæ inflammationes.6°.de comp.me.ſec.loc. 5ª.171.E
Vua conſequitur ſaniem à capite decidentem.6°.de ſan.tuen. 2ª.98.F
ad Vuæ fluxiones.7°.de compoſi.medi.ſec.loc. 5ª.183.E
Vua demiſſa morbus paruus.de vſu ther.ad Pamph. 5ª.99.A
Vuæ demiſſæ curatio.introd. Iſa.59.H
ad Vuã contingẽdam cochleario vtitur.6°.de cõp.me.ſe.loc. 5ª.174.F
ad Vuas laxatas.5°.de comp.me.per ge. 5ª.251.C
ad Vuæ radicis vitia.de med.fac.par. 7ª.171.E
Vua non temere excidenda,ſed relinquenda pars.11°.de vſu p. 1ª.188.D
in Vua aliquem partium numerũ auferre cõtinget.de diſ.mor. 3ª.5.A
Vua aufertur.de diſſ.mor. 3ª.4.G
Vua radicitus dempta quid faciat.de diſſ.morb. 3ª.4.H
Vuæ abolitio palato ægritudinem affert.de diſſ.morb. 3ª.4.H
ad Vuas.6°.de comp.me.ſec.loc. 5ª.169.G
VVA vlceratio oculorum eſt.fin.med. Iſa.48.D
ad Vuas oculorum.4°.de comp.me.ſec.loc. 5ª.158.C
VVEA panniculus oculi.de ocul. 7ª.182.H
Vuea tunica vnde ſit dicta.de anato.oculorum. Sp.57.E
Vuea poſt corneã ordine ſita eſt.de diſſ.mor.3ª.5.H|de anat.p. Sp.43.D
Vuea propter quid,& cur ita dicta.10°.de vſu par. 1ª.179.B
Vuea quæ tunica ſit,vnde naſcatur,& eius color.de anat.viu. Sp.48.E
Vuea vnde procedit.de ocul. 7ª.183.B
Vuea qualis ſit tunica.de anat.viu. Sp.48.E
Vueæ neceſſitas qualis.de ocul. 7ª.183.C
Vuea propter quid habeat multas venas,& arterias.de ocu. 7ª.183.C
Vueæ foramen fit maius ex materia,vel ſpiritu.10°.de vſu pa.1ª.179.E
Vuea ſemper debet madere vt ſit mollis.10°.de vſu par. 1ª.179.G
in Vuea materierum deſcenſu viſuum diuerſitates.de ocul. 7ª.186.D
Vuea tunica vt plurimum relaxatur cum corneam nimium erodi contingit.de cauſ.morb. 3ª.9.E
Vueæ dilatatio quot modis fiat.de ocul. 7ª.187.C
Vuea ſi dilatatur quid ſequatur.7°.de decr.Hipp. 1ª.270.A
in Vuea ſeparatio iuncturæ quid faciat.de ocul. 7ª.186.D
Vueæ conſtrictio quot modis fiat.de ocul. 7ª.187.C
Vueæ egreſſio quot modis fiat.de ocul. 7ª.187.C
ad Vueę exitum collyrium.de ocul. 7ª.191.D
VVLCANVS in lemnum cecidiſſe cur ab Homero dicatur.9°.de ſimp.medicamen.facul. 5ª.65.D
Vulcano,& ſuis inſtrumentis comparat partes hominis Galenus.4°.de vſu partium. 1ª.135.H
ex Vulcani tẽpli adytis ĩ Aegypto medicᵐ.5°.de cõp.m.p.g. 5ª.246.F
ex Vulcani templo in Memphi emplaſtrum ſacrum appellatum.5°.de comp.med.per gen. 5ª.246.G
VVLGARES iſaniũt,et diſſidẽt à ſe,et ab alijs.3°.de dec. 1ª.244.C
Vulgares non adducunt teſtes contra ſe.3°.de decr.Hip. 1ª.244.C
Vulgarium argumenta propinqua ſunt captioſis.2°.de decre. 1ª.235.H
Vulgaria lẽmata nõ aſſumũtur in demõſtrationibᵘ.2°.de decr. 1ª.234.D
Vulgaribus probabat argumenta Chryſippus.2°.de decretis. 1ª.234.E
Vulgares non poſſunt probare.2°.de decr.Hipp.& Pla. 1ª.234.E
Vulgares quid parum probant.2°.de decr.Hip. 1ª.234.F
Vulgares non ſolum in ſimilitudinibus aberrant, ſed & medici eruditi quandoq; decipiuntur.com.4°.aph.2ᵐ. Ex.27.E
VVLGARIS morbus qui gręce ἐπιδήμιος dicitur.in 1ᵐ.de morbis uulgaribus,com.1°. 3ª.101.F
Vulgares morbi qui.fin.med.Iſa.45.H|in 3ᵐ.de morbis vulgarib.commentario.3°. 3ª.142.B
Vulgares morbi vnde.in 1ᵐ.de morbis vulgarib.com.1°. 3ª.103.C
Vulgariũ morborũ cauſa cœlum.in 3ᵐ.de mor.vulg.cõ.1°.3ª.101.A|C|F
de Vulgaribus morbis librum ante quæ diſcenda ſint.in 1ᵐ.de morbis vulgaribus,commentario 1°. 3ª.101.B

VVLGVS

VVLGVS *admiratur rara non admirabilia.6°.de loc.aff.* 4ª.42.B
*Vulgus deſpicit demonſtrationes.de nat.hu.com.*1°. 1ª.29.A
*Vulgo,& indoctis quid contingat.*2°.*de loc.aff.* 4ª.56.A
Vulgi gratia ineunt medici.de præcogn.ad Poſth. 4ª.213.G
Vulgi famam contempſit Galenus.7°.meth.me. 7ª.43.B
apud *Vulgus non ſunt infamanda remedia.*11°.*meth.med.* 7ª.70.B
VVLNERANTIA *ſunt omnibus nota.*1°.*de ſan.tuen.* 2ª.63.B
Vulnerantia qualia ſint. 5°.*meth.me.* 7ª.30.B
*Vulnerans ferrum ſuam formam relinquit in loco.*3°.*meth.me.* 7ª.22.B
VVLNERARIA *ſpeculatio quę.*3°.*de comp.med.per ge.* 5ª.232.A
*Vulneraria emplaſtra.*2°.*de comp.med.per ge.* 5ª.226.H
VVLNERATIO *quid ſit.*7°.*de anat.adm.* 1ª.97.H
Vulneratio eſt morbus ſimilarium partium.de ſymp.diff. 3ª.13.E
in VVLNERATIS *partes conſiderandæ ſunt.*1°.*de ana.ad.* 1ª.64.A
*Vulneratum membrum ſi functionem amittat,& medicus non prædixerit,hoc medico imponitur.*1°.*de ana adm.* 1ª.64.D
Vulnerata pars altiorem locum occupat.6°.meth.me. 7ª.39.D
Vulneratæ partes quę neceſſario afferant mortem,& quę non.commentario 6°.aphor.18°. Ex.47.H
Vulnerati in Abdomine ſitus qualis.6°.meth.med. 7ª.39.D
in *Vulnerato abdomine clyſteres ex puro oleo.6°.meth.me.* 7ª.39.G
*Vulneratus ab Acu afficitur,vt ab acri humore.*2°.*de loc.aff.* 4ª.9.D
*Vulnerata Arteria,& vena magna quomodo curanda.*5°.*me.*7ª.30.A
Vulneratas arterias quibus neceſſe fuit ligare.de vſu pul. 1ª.228.D
in *Vulneribus magnis arteria,& neruus nunquam vel raro viſa renaſci.*1°.*de ſemine.* 1ª.332.H
Vulneratæ Auris remedium.de dyna. Sp.25.A
*Vulnerati Capite à vino & cibis craſſis abſtineant.*2°.*de compoſi.medicamen.ſecun.loc.* 5ª.134.A
in *Vnlnerato capite oleum roſaceum,& acetum.* 2°.*de compoſi. medicamento.ſec.loc.* 5ª.134.A
Vulneratum vbi eſt caput pluribus vulneribus galea vtilis . de faſcijs. 7ª.297.B|*galea aliter ab eoſdem ibidem.*
Vulnerata cerebri ſubſtantia raro ſanatur.de ſubfig.emp. Iſa.32.E
Vulnerato corde mors ſequitur.de ſubfig.emp. Iſa.32.D
*Vulnerati boues in Dorſi medullæ exortu habent ſanguinem in aliquo ventriculo.*1°.*de decr.Hip.& Pla.* 1ª.231.D
Vulnerati Iuuenis caſus.6°.meth.me. 7ª.38.D
Vulnerato Ligamentum cur non creſcat.de conſt.ar.med. Iſa.37.E
Vulneratorum ligamentorum curatio.6°.met.me. 7ª.38.G
Vulnerati ligamenti curatio.6°.met.med. 7ª.38.H
Vulnerata foris ſi fuerit Matrix qd fieri debeat.de paſſ.mul. Sp.96.A
*Vulnerata Mēbrana coſtas ſuccingēs qũo cognoſcatur.*1°.*de loc.* 4ª.2.E
ad *Vulneratos Muſculos.*7°.*de comp.medica.per gen.* 5ª.268.G
*Vulnerati Nerui qũo ab antiquis curarent.*3°.*de cōp.me.per g.*5ª.231.C
Vulnerato neruo qui in muſculum venit,muſculus ſenſu & motu priuatur.de conſt.artis medicę. Iſa.36.H
*Vulnerati nerui debent ſæpe curari.*3°.*de comp.med.per gen.* 5ª.232.D
Vulnerato neruo aqua inimica eſt.6°.methodi medendi. 7ª.38.E
Vulneratis neruis aqua calida eſt inimiciſſima.6°.meth.me. 7ª.37.D
ad *Vulneratos neruos medicamēta ex metallis.*3°.*de cōp.m.p.*5ª.232.B
in *Vulnerato neruo valet ſulphur.6°.methodi meden.* 7ª.37.E
ad *Vulneratos neruos quod medicamentum pręſtantius.* 3°.*de compo. medica. per gen.* 5ª.232.C
*Vulneratos neruos qui ſemper ſanabit.*3°.*de cōp.me.per gen.* 5ª.232.A
*Vulneratus in neruo nullus mortuus ē Galeno.*3°.*de cō.me.p g.* 5ª.231.C
Vulnerato neruus cur non creſcat.de conſt.ar.med. Iſa.37.E
*Vulnerati in Pectore hiſtoria.*7°.*de ana.adm.* 1ª.97.E
Vulnerato Peritoneo omentum excidit.6°.metho.medendi. 7ª.39.H
Vulneratorum à ſerpentibus aut ferro venenato communis curatio. 2°. *de antidotis.* 5ª.120.B
*Vulnerati Thorace expuunt aquā mulſam iniectā.*5°.*de lo.aff.* 4ª.31.A
VVLNERARI *eſt cauſa fluxus ſanguinis in iuuenibus.commētario* 3°. *aphoriſmo.*20°. Ex.26.C
VVLNEROSOS *promouet & curat rapa.de ſimp.med.* Sp.89.E
VVLNERA *vocant Iones omnes læſiones.de arti.com.*2°. 7ª.264.D
*Vulnus qd ſignēt apud Hippocratē.de ijs,q̄ in me.fi.cō.*3°. 7ª.219.D|H
*Vulnus quid ſit.*3°.*meth.med.* 7ª.16.E
de *Vulneribus librum fecit Eraſiſtratus.de ven.ſect.adu.Eraſ.* 6ª.8.B
de *Vulneribus exitialis liber antiquus,quē non nouit Galenus, an Hippocrates an alterius.com.6°.aph.18°.* Ex.48.A
Vulnera quę prohibeant.de ocul. 7ª.189.C
*Vulnus cauſat dolorem.com.*2°.*aph.6°.* Ex.11.G
*Vulnera niſi cito conſuantur fiunt dolores intenſi.de ijs, quę in medicat. fiunt,commen.*1°. 7ª.201.A
ex *Vulneribus animi defectus fit.*1°.*de arte curatiua ad Gla.* 7ª.98.E
in *Vulneribus aī defectus qũo curādus.*1°.*de ar.cur.ad Glau.*7ª.99.G
in *Vulneribus quando ligatura ſatis ſit.*3°.*de cōp.me.per ge.* 5ª.231.D
Vulnera quibus faſcijs plerunq; obligemus.de faſcijs. 7ª.293.G
in *Vulneribus qn̄ ſutura fieri debeat.*3°.*de comp.me.per gen.* 5ª.231.D
*Vulneribus illatis cōuenit ſcīa cōſtitutionū.de decr.pg.ex ma.ſ.*Sp.16.B
Vulnus in Abdomine in quo habeat minus periculi.6°.me.me. 7ª.39.B
in *Vulnere abdominis quid agendum.6°.meth.me.* 7ª.39.B
Vulnus abdominis paruum quomodo curandum quādo inteſtinum exierit.6°.metho.med. 7ª.39.D
ī *Vulneribus abdominis deligatio extrinſeca neceſſaria.6°.met.*7ª.39.G
in *Vulnerato abdomine quę pars vngenda.6°.meth.med.* 7ª.40.A
Vulnera ex Acu quid exigant in curatione.6°.meth.me. 7ª.37.A
Vulnera Alta,& caua,& limpida anapleroticis & lenibus rebus curantur.de dynamidijs. Sp.19.A
ad *Vulnera Ampla.6°.de comp.me.per gen.* 5ª.259.G
ad *Vulnera Antiquata peucedanum facit.de ſimp.med.* Sp.89.B
*Vulnera Articulorum qualia.*4°.*meth.me.* 7ª.28.B
Vulnus ſi ſit in Auribus quid pręſidij ſit.de dyna. Sp.25.B
ad *Vulnera aurium.de ocul.* 7ª.191.D
Vulnera Calloſa difficilia ad ſanandum longo tempore ſordida ad ſanitatem perducit lixiuium.de ſimp.med. Sp.86.A
Vulneribus cancroſis faciunt ederę folia.de ſimp.med. Sp.84.A
*Vulnera cācroſa aufert lixiua ex cinere nuclei oliuę.de ſimp.*Sp.86.A
ad *Vulnera cancroſa quę depaſcūtur in circuitu probatum remedium. de dynamidijs.* Sp.30.H
Vulneribus cancroſis ſi aqua frigida ſola adhibeatur pernitiem affert.de ſimplic.medic. Sp.92.B
Vulnus ampliandum in morſu à Cane rabido.de ther.ad Piſ. 5ª.96.F
*Vulnera Capitis quę medico indigent legittimo,& quę non.*2°.*de comp. medicam.ſec.loc.* 5ª.138.E
in *Vulneribus capitis radit capillos.*2°.*de comp.med.ſec.loc.* 5ª.138.E
ad *Vulnera capitis faſcię.de faſcijs.* 7ª.293.F
*Vulnera capitum glutinare poteſt myrrha.*8°.*de ſimp.med.fa.* 5ª.61.A
ad *Vulnera capitū cum oſſium pręciſione.*5°. *de cō.me.p ge.* 5ª.246.E
ad *Vulnera capitis.*2°.*de comp.med.ſec.loc.* 5ª.138.E
*Vulnus ad caluariā vſq; qũo curandū.*2°.*de cōpo.med.ſec.loc.* 5ª.133.H
*Vulnus mēbranę cerebri qũo curetur.*2°.*de comp.me.ſec.loc.* 5ª.133.H
*Vulnera ventriculi poſterioris ſunt peiora.*7°.*de decre.Hipp.* 1ª.269.C
Vulnus cerebri vidit Galenus ſępe ſanari.com.6°.aph.18°. Ex.48.A
Vulnus in Carne.de cauſ.morb. 3ª.9.F
Vulnere caro ablata cur creſcat.de conſt.ar.med. Iſa.37.E
in *Vulneribus cur caro creſcat.*1°.*de ſem.* 1ª.332.D
Vulnera Caua comprendit ariſtolochia.de ſimp.med. Sp.80.F
Vulnera caua iris replet.de ſimp.med. Sp.85.D
*Vulnera quę ægre ad cicatricem perducuntur,exiccari abſq; morſu poſtulant.*7°.*de ſimp.med.fac.* 5ª.53.C
Vulnera quę non Coaleſcant,& in quibus partibus interioribus,com.6°. aphoriſmo 18°. Ex.47.H
Vulnera quæ coaleſcebant antequam vena ſecaretur . de venę ſectione aduerſus Eraſiſtrateos. 6ª.13.B
ad *Vulnera Colli medicamentum.*5°.*meth.med.* 7ª.31.B
*Vulnus cordis quomodo necet,& quanto tēpore.*5°.*de lo.aff.* 4ª.29.D
Vulnera Cruenta glutinat aloe.ꝙ animi mor. 1ª.317.B
ad *Vulnerum cruentorum glutinationes valet bitumē in mari mortuo.* 11°.*de ſimp.med.fac.* 5ª.83.F
Vulnerum cruentorum glutinatorium eſt Polygonon. 8°.*de ſimp.medicament.facult.* 5ª.58.H
ad *Vulneris cruenti glutinationem ſalicis folijs vti poſſumus.6°.de ſimplic.medic.facul.* 5ª.48.H
Vulnera cruenta glutinans medicamētum.9°.de ſimp.med.fa. 5ª.68.A
ad *Vulnera cruenta glutinanda.*2°.*de comp.med.per gen.* 5ª.219.G
ad *Vulnera cruēta facile glutināda.*2°.*de comp.med.per gen.* 5ª.223.G
*Vulnerū cruentorum glutinantius.*2°.*de comp.med.per ge.* 5ª.223.F
ad *Vulnera cruenta.*1°.*de compoſi.med.per gen.*213.*D*|2°.227. *D*|*E*|3°. 234.*H*|4°.243.*A*|6°. 5ª.258.*B*|*F*
*Vulneris Crurum,& brachiorum differentia.de frac.com.*2°. 7ª.238.D
cum *Vulnere crus luxatum quare non reparetur.de ſubf.emp.* Iſ.32.G
ad *Vulnus Cuſpide illatum.*2°.*de antid.* 5ª.120.A

Vulnera Dif-

Vulnera Difficilia, & cicatrices craſſę catuloticis & colleticis rebus curantur. de dynamidijs. Sp.19.A
Vulnera diuturna exiccari abſq; morſu poſtulant. 7°. de ſimpli. medicamentorum facul. 5ª.53.C
ad Vulnera diuturna, quæ vix cicatricem recipiunt. 2°. de compoſi. medicamen. per gene. 5ª.224.D
Vulnerũ durities, & rheumatiſmũ emẽdãt caricæ. de ſimp. me. Sp.84.C
Vulnus omne in corpore dulce eſſe videtur. de ſimp. med. Sp.92.C
ad Vulnus dulce. de med. fac. par. 7ª.175.E
Vulnera durorum corporum magis ab alijs ſanantur, q̃ ſanentur vulnera molliorum corporum. 7°. de ſimp. me. fac. 5ª.52.G
Vulnera corporum durorũ glutinat ſatis. 6°. de ſim. me. fac. 5ª.48.G
Vulneribus Extrinſecis non ęque poſſunt medicamenta applicari, ſicut extrinſecis, ideo per potiones ſanantur. com. 6°. aph. 18°. Ex.48.B
ad Vulnera Faucium alba vel nigra remedium. de dyna. Sp.26.B
Vulneris in Femore caſus. 3°. de comp. me. per ge. 5ª.231.C
ad Vulnera Ferro facta in bello. 5°. de comp. me. per gen. 5ª.248.C
Vulnera ſi mittant Fluxionem, quibus ſanentur à medicis. commentar. 5°. aphoriſmo 66°. Ex.45.B
ĩ Vulnerib⁹ egrediũt duo ſupflua, vnũ tenue, aliud craſſũ. đ oc. 7ª.190.F
Vulnera quæ ſint, à quibus materia exit ad partes principaliores. commentario 5°. aph. 66°. Ex.45.B
in Vulneribus fortibus & prauis ſi tumor non apparuerit ingens malum. com. 5°. aph. 66°. Ex.45.B
Vulnera circum Glabra praua ſunt. com. 6°. aph. 4°. Ex.46.G
Vulnera quò Grauiora eò exquiſitiore, & diuturniore victu vtendum. de fractu. com. 3°. 7ª.243.F
ad Vulnera ex Ictu. 2°. de comp. me. per ge. 5ª.225.D
ad Vulnera Incurabilia. de med. fac. par. 7ª.176.C
ad Vulnus incurabile in quauis parte. de med. fac. par. 7ª.174.F
ꝑ Vulnus ſtercus exiẽs ſignat Inteſtinũ eẽ vlceratũ. 1°. de lo. aff. 4ª.2.E
ad Vulnera q̃ ĩtriſec⁹ ſũt maturãda facie diapẽidiõ min⁹. de dy. Sp.26.D
Vulnera habẽtia Labra diſtãtia nõ coaleſcũt. cõ. 6°. apho. 19°. Ex.48.C
Vulneris Linguæ pręſidium. de dyna. Sp.25.D
Vulnera quæ Luxuriantur ſori exiccat. de ſimp. med. Sp.90.F
Vulnera Magna ab Hipp. deſciſiones dicuntur. cõ. 6°. aph. 18°. Ex.48.A
in Vulneribus magnis quid cognoſcendum. 1°. de anat. adm. 1ª.64.D
Vulnera magna quid exigant in curatione. 6°. meth. med. 7ª.37.A
Vulnera omnia ingentia debent exiccari abſque morſu. 7°. de ſimplicium medicamen. facult. 5ª.53.B
Vulnus magnũ abſq; inflãmatione coaluit. de ven. ſec. adu. Eraſ. 6ª.13.C
Vulnus magnũ curauit Caſe⁹ oxygalactinus. 10°. de ſimp. me. fa. 5ª.74.C
Vulnera vel maxima cõglutinat cauda equina. 6°. de ſim. me. f. 5ª.48.F
ad Vulnera ingentia congruit Coccus. 7°. de ſimp. med. fac. 5ª.51.H
Vulnera maiora glutinant pira ſylueſtria. 6°. de ſim. me. fa. 5ª.43.D
Vulnera magna glutinat polium. 8°. de ſimp. med. fac. 5ª.59.A
Vulnera magna conglutinat ſcordion viride. 8°. de ſimp. me. fa. 5ª.60.H
Vulnera magna conglutinat ſtœbe. 8°. de ſim. me. fac. 5ª.61.C
Vulnerũ grandiũ glutinatoriũ vinũ q̃uo fiat. 6°. de ſimp. me. fa. 5ª.43.A
ad Vulnera magna glutinanda. 1°. de comp. me. per gen. 211.E/2°. 221.A/4°. 245.D/6°. 5ª.258.D
ad Vulnera magna. 2°. de comp. med. per ge. 223.H/6°. 5ª.259.B
ad Vulnera Maiora glutinanda. 2°. de comp. med. per gen. 5ª.219.G
Vulnera maxima expetunt vinum nigrum. de fract. com. 3°. 7ª.244.H
Vulnera Maxima glutinata ſine phlegmone. 5°. meth. me. 7ª.36.B
ad Vulnera maxima barbarũ Galeni. 2°. de comp. me. per ge. 5ª.227.H
ad Vulnera Minora barbarũ Galeni. 2°. de comp. me. per gen. 5ª.227.H
ad Vulnera Membranarum. 7°. de comp. me. per ge. 5ª.269.B
Vulnera Mollia exiccari abſq; morſu poſtulant. 7°. de ſimp. m. f. 5ª.53.C
Vulnera in Muſculorum capitibus exiccari abſque morſu poſtulant. 7°. de ſimplic. medicamen. facul. 5ª.53.C
ad Vulnera magna muſculorum quid ſequatur. 6°. de loc. aff. 4ª.38.H
ad Vulnera muſculorum. 7°. de comp. me. per gen. 5ª.269.B
Vulneribus partium Neruoſarum quomodo ſuccurrant medici. commẽtario 5°. aphoriſ. 66°. Ex.45.C
Vulnera Neruorum qui curat, partium corporis naturas ſciat. 3°. de cõpoſitio. medicamen. per genera. 5ª.231.B
ob Vulnera, & ſpicula infixa cognoſcere oportet neruum omnium muſculorum. 3°. de anat. adm. 1ª.77.H
in Vulnere nerui tranſuerſo maior timor cõuulſionis. 6°. me. m. 7ª.38.F
Vulneris nerui per tranſuerſum curatio. 6°. meth. med. 7ª.38.F
Vulneris nerui curationem inuenit Galenus. 6°. meth. me. 7ª.37.C
ad Vulnera neruorũ Galenus inuenit medicamẽta. 6°. met. me. 7ª.37.E
Vulneris nerui curatio qualis. 6°. meth. me. 7ª.37.H
Vulnerib⁹ neruorũ q̃ cõueniãt in gñe. 3°. de comp. me. per ge. 5ª.230.F/G
Vulneribus anguſtis neruorũ q̃ aptiora. 3°. de comp. me. ꝑ ge. 5ª.232.C/D
ĩ Vulnerib⁹ neruorũ Aqua nõ vtĩt. 3°. de cõp. med. ꝑ gen. 229.E/5ª.231.C
ĩ Vulnerib⁹ neruorũ calida ſemp applicãda. 3°. de cõ. me. ꝑ ge. 5ª.229.H
in Vulneribus neruorum Calx lota. 6°. meth. med. 7ª.37.E
in Vulnus cum nerui vulneratione, & contuſione factum carnes limacium ſolæ imponuntur. 11°. de ſimpl. medicamen. facul. 5ª.78.F
pro Vulneribus neruorum Emplaſtrum Galeni ex euphorbio, cera, reſina fricta, & pice. 6°. meth. med. 7ª.37.F
ad Vulnera neruorũ emplaſtri Galeni compoſitio. 6°. meth. me. 7ª.37.G
in Vulneribus neruorum quibus Farinis vſus eſt Galenus. 3°. de comp. medic. per genera. 5ª.229.H
in Vulnere nerui farina hordeacea cum lixiuio leuat à putrefactione. 6°. metho. medendi. 7ª.37.F
in Vulnere nerui leuat à putrefactione farina erui in lixiuio cocta. 6°. methodi medendi. 7ª.37.F
Vulnus cur non contingendum Frigidis in neruis & in alijs partibus. 6°. methodi medendi. 7ª.38.D
contra Vulnus neruorum Lana quomodo manebit calida. 3°. de compo. med. per genera. 5ª.229.F
in Vulnere nerui ad putredinem factum Medicamentum extemplo. 6°. methodi medendi. 7ª.37.F
in Vulneribus neruorum Metalla adſtringentia vitanda. 3°. de compoſitio. medica. per gene. 7ª.232.E
Vulnus neruorũ à principio niſi adeſt ſanguis Oleo eluendum. 3°. de compoſi. medicamen. per gen. 5ª.229.F
ĩ Vulnerib⁹ neruorũ q̃n oleũ dẽt eẽ vetus. 3°. de cõp. me. per ge. 5ª.229.H
pro Vulnere neruorum Oxeleon. 3°. de compo. med. per gen. 5ª.229.H
ꝑ Vulnere neruorũ Pix liquida cũ fermẽto. 3°. de cõp. me. ꝑ ge. 5ª.229.H
ſup Vulnus neruorũ Propolis, et fermẽtũ. 3°. de cõp. me. ꝑ ge. 5ª.229.G
in Vulneribus neruorum Sapa valet. 3°. de comp. me. per gen 5ª.232.C
in Vulneribus neruorum Stacte. 3°. de comp. medica. per gen. 5ª.229.H
ad Vulnera neruorum valet Sulphur. 3°. de comp. me. per ge. 5ª.230.F
pro Vulnere neruorũ Tithimali ſuccus. 3°. de cõp. med. ꝑ gen. 5ª.229.H
ad Vulnera neruorum. 5°. de compo. medi. per gen. 5ª.248.D
à Vulnere nerui cuiuſdam qui nimis cito domum exiuit, caſus. 3°. de cõpoſit. medic. per gen. 5ª.229.F
Vulneris in neruo caſus. 6°. meth. me. 7ª.37.H
Vulnera Nigra liuida quibus iuuentur. 2°. de anti. 5ª.119.G
de Vulnerum oculorum diſtinctione & curatione. de ocul. 7ª.191.E
Vulnus & ſanguinem oculorum quid tollat. de dyna. Sp.24.G
ad Vulnera ſimplicia oculorum. de ocul. 7ª.190.G
ad Vulnera oculorum cum tumore, & dolore. de ocul. 7ª.190.G
ad Vulnera oculorum cum putredine. de ocul. 7ª.190.G
in Vulneribus oculorum initio collyrium. de ocul. 7ª.191.D
ad Vulnera oculorum collyrium. de ocul. 7ª.191.D
ad Vulneris oculorum putredinem mundificandam. de ocul. 7ª.191.C
ad Vnlnera ſanioſa oculorum. de ocul. 7ª.191.D
ad Vulnera oculorum quæ valeant. de ocu. 7ª.189.C
Vulnus corneæ propria paſſio. de ocul. 7ª.187.A
Vulnus in cornea prætenſa pupillæ facit cæcũ. 1°. de ſymp. cau. 3ª.15.D
Vulneri Oris vnguentum bonum. de dyn. Sp.25.D
Vulnera ouium ſanat pix humida. 7°. de ſimplic. medica. fac. 5ª.50.F
Vulnera ouium à forfice facta cedrea ſanat. 7°. de ſimp. med. fac. 5ª.50.F
Vulnus intra Peritonæum quale. 4°. meth. me. 7ª.28.B
Vulnera intra peritonæum cur difficilia curatu. 5°. meth. me. 7ª.33.B
Vulnera peſſima q̃uo Galenus curauit. de frac. com. 3°. 7ª.244.H
in Vulnere cũ Phlegmone ſymptomata. 7°. de comp. me. ꝑ ge. 5ª.268.B
Vulnerũ cũ inflãmatione curatio ꝑm Eraſiſtratũ. de ven. ſec. ad. 6ª.6.A
ad Vulnera à phlegmõe ſecura recte glutinãda. 7°. de. c. m. ꝑ g. 5ª.268.B
ad Vulnera Polyæma faciunt ebeni ſcobes. de ſimp. med. Sp.83.F
Vulnera Praua quæ ſint. com. 5°. aph. 66°. Ex.45.B
Vulnus Profundum quomodo curandum. 3°. meth. med. 7ª.19.G
Vulnera profunda ſuuntur, vel infibulantur. de opt. ſect. Iſa.22.D
Vulnus quomodo cognoſcatur eſſe in Pulmone. 5°. meth. me. 7ª.32.G
per Vulnera magna pulmonis fibra procidit. 5°. de locis affect. 4ª.31.C
Vulnera Recentia ſanguinem mittunt. de tum. pręt. nat. 3ª.83.A
Vulnera recẽtia citra phlegmonẽ ſeruãs. 7°. de comp. me. ꝑ ge. 5ª.268.G
in Vulnerum recentium profundum poſitus cinis ſanguinem ſtatuit à curſu. de ſimpli. medic. Sp.86.A

Vulnera recentia glutinat cytinus.de ſimp.med. Sp.87.C
Vulneribus & vlceribus recens inflictis accommoda ſunt Dracunculi folia.6°.de ſimp.med.fac. 5ª.46.D
ad Vulnera recentia oīa facit emplaſtrum barbarum.de dyna. Sp.35.F
ad Vulnera recentia a gladio aut ligno illata.de rem.par.fac. 7ª.179.C
ad Vulnus omne recens Iceſii.5°.de comp.med.per ge. 5ª.247.F
ad Vulnera recentia.2°.de compoſ.med.per gene. 223.D/225.E/227.G/ 3°.235.C/4°.241.D/5°.248.D/250.B/ 5ª.251.B
in Vulneribus Repletio duplex.in 6ᵐ.de mor.vulg.com.5°. 3ª.191.B
Vulnerum rheumatiſmum ſanat myrta.de ſimp.med. Sp.87.E
Vulnera Rubra mala.7°.de compoſitione medicamen.per gen. 5ª.268.C
Vulnera Sanguine manantia q̃uo curētur.2°.de arte cu.ad Gl. 7ª.106.F
in Vulnere ſanguinis fluxus remediat.de remed.par.fac. 7ª.160.G
ad Vulnera ſanguinolenta medicamentum Galeni cirrhum dictum.2°. de arte curatiua ad Glauconem. 7ª.106.E
Vulnerum Sanies ex Sanguine.de dynamidijs. Sp.19.D
in Vulneribus q̄n retinetur ſanies & exit.de tum.præt.nat. 3ª.83.E
Vulnerum Septi tranſuerſi quæ curari non poſſint.5°.meth.med. 7ª.33.B
Vulnera ſordida expurgat cadmia,et ad cicatricē pducit.d ſim. Sp.81.F
Vulnera ſordida lauanda ſunt acriore lixiuia.de ſimp.med. Sp.85.H
Vulnerum ſorditiem mel adhibitum comedit.de ſimp.med. Sp.87.A
Vulnera ſordida purgat,& contumacia ad cicatricem perducit ſcordiō aridum.8°.de ſimp.med.fa. 5ª.60.H
Vulnera Superficialia non ſuuntur.de opt.ſect. Iſa.22.D
ad Vulnera Telorum toxico madefactorum.2°.de antidotis. 5ª.119.G
ĩ Vulneribus q̄n āputādi Tēdines vt ſimus tuti.3°.de cō.me.pg. 5ª.231.C
Vulnus Tendonum q̃uo nominandum.3°.de comp.med.per ge. 5ª.228.C
Vulnus intra Thoracem quale.4°.meth.med. 7ª.28.B
Vulnus magnū ĩ thoracis pte dmit vocē, et reſpiratiōē. 6°.d v.1ª.148.E
Vulnus magnū in thoracis parte ſemiuocē demit.6°.de vſu pa. 1ª.148.E
Vulnera thoracis quomodo vocem impediant.4°.de loc.affect. 4ª.26.D
per Vulnus ſpiritus exit ſi thorax ſit vulneratus.1°.de loc.affe. 4ª.2.E
Vulnus ĩ cauitate thoracis tribus diebus cōglutinatū.de ven.ſec. 6ª.13.C
Vulnus Venæ & arteriæ non ſuendum.5°.methodi medendi. 7ª.30.D
è Vulnere ſi exeat cibus,vulnus ſig̃nat eē in Vētriculo.1°.de lo. 4ª.2.E
Vulnera ventriculi qua parte ſanentur.6°.methodi medendi. 7ª.39.G
ad Vulnera Vetera,& cicatrici inducendæ contumacia valet terra lē-nia.9°.de ſimplic.medicam.facul. 5ª.65.D
ad Vulnera vetera depaſcentia.5°.de comp.med.per gene. 5ª.250.B
ad Vulnus vetus.5°.de compoſitio. medic.per genera.247.F/ 5ª.251.B
in VVLNERE *q̃ intētio pro curatiōe.2°.de comp.me.ſec.loc.* 5ª.133.G
Vulneribus quæ adhibeantur.de opt.ſect. Iſa.22.D
in Vulneribus medicinæ debent eſſe ſiccæ.de ocul. 7ª.190.F
Vulnera glutinantia multum ſicca.7°.de ſim.me.fa. 5ª.56.D
Vulneribus non conueniunt ſicciora.6°.de ſim.med.fac. 5ª.46.D
Vulnera glutinat Aloe.6°.de ſimplicium medicamen.facul. 5ª.42.B
Vulnerum glutinatoria eſt Brettonica.6°.de ſimp.med.fa. 5ª.45.C
Vulnera et tumores delicate mūdat Caninus fimus.de ſimp.me. Sp.84.E
Vulnera ſanat Caſeus recens,& quomodo.10°.de ſimp.med.fa. 5ª.74.C
in Vulneribus ceratum liquidum.de frac.com.3°. 7ª.245.A
Vulnera glutinare p̄nt folia & germina Corni.7°.de ſim.me.fa. 5ª.52.G
Vulnera purgat & implet Erbum.de ſimp.med. Sp.85.B
Vulneribus ſuperponi poſſunt Lapathi folia.10°.de ſim.me.fac. 5ª.74.B
in Vulneribus multis cauſis neceſſariū c̄ lauri lixiuiū.de ſimp. Sp.85.H
Vulneribus multum præſtat Lauri lixiuium.de ſimp.med. Sp.85.H
Vulnera purgat & glutinat Lenticula.de ſimp.med. Sp.86.B
Vulneribus ad obductam vſq; ad cicatricem imponuntur folia Liliorū. 7°.de ſimp.med.fac. 5ª.53.B
ad Vulnera glutināda valēt folia Lōchitis viridia.7°.de ſim.m.f. 5ª.55.G
Vulnera glutinari p̄nt Malis auſteris & acidis.3°. de ſim.me.f. 5ª.58.H
Vulneribus minus moleſta Medicamēta liqda.3°.de cō.m.pg. 5ª.230.H
Vulnera curat ſuccus Mororum.de ſimp.med. Sp.87.H
Vulnera glutinat Myriophyllon.7°.de ſim.med.fac. 5ª.56.D
Vulnera glutinat,& ſine tumore cuſtodit millefoliū.de ſimp. Sp.87.G
Vulnera ſanat Myrta.de ſimp.med. Sp.87.E
Vulnera curat myrta,ſi frequenter inde lauentur.de ſim.med. Sp.87.E
Vulneri nihil Oleoſum apponendum.2°.de arte cu.ad Glau. 7ª.101.H
Vulnera purgat Orobum.de ſimp.med. Sp.88.F
Vulnera cōglutinat Periſtereō.8°.de ſim.m.f.5ª.58.C/de ſimp. Sp.89.C
Vulnus glutinauit Galenus Piris.6°.de ſimp.med.fac. 5ª.43.D
Vulneribus glutinandis congruit Pix arida.8°.de ſimp.med.fac. 5ª.58.E
Vulneribus illinitur Polygonatum.8°.de ſimp.me.fac. 5ª.58.H
Vulnus glutinauit Gal.folijs Quercus,& q̃uo.6°.de ſim.me.fa. 5ª.46.E
Vulnera glutinat Rhu.de ſimp.med. Sp.89.E
Vulnera glutinant folia,& germina Rubi recens nata.6°.de ſimplicium medicam.fac. 5ª.44.F
Vulnera deſiccat Spongia cum aqua,oxycrato,aut vino.11°. de ſimplic. med.fac. 5ª.83.G
Vulnus glutinauit Galenus Vlmi folijs recētibus.8°.de ſim.me.f. 5ª.59.C
Vulneribus vinculi vice circumligatum vlmi cortex ea glutinare poteſt. 8°.de ſimp.med.fac. 5ª.59.C
ad Vulneris diductarū partiū glutinationē vinculū.de faſcijs. 7ª.295.B
ad Vulnera glutinanda.de med.fac.par. 7ª.172.D
Vulnera conglutinans.1°.de comp.med.per ge. 5ª.215.F
ad Vulnera tanquam glutinatorium.4°.de comp.med.per g. 5ª.241.H
ad Vulnus omne.4°.de comp.med.per gene. 244.E/5°.246.E/248.C/ 249.H/6°. 5ª.256.H
ad Vulnera excellens.2°.de comp.me.per ge. 5ª.235.F
ad Vulnera.8°.de cōp.m.ſ.l.188.G/2°.de cōp.me.pge.222.H/3°.235.C/ 5ª.245.G/247.A/6°.5ª.261.G/de med.fac.par.7ª.175.D/ Sp.35.F
VVLPINA *caro facit humorem melancholicum.3°.de loc.aff.* 4ª.18.F
Vulpinus pulmo ſi bibatur reſiccatus aſthmaticos iuuat.11°.de ſimpliciū med.fac. 5ª.79.H
Vulpinus adeps ad aurium affectiones.3°.de comp.med.ſec.lo. 5ª.144.D
Vulpina cauda.de dynamidijs. Sp.28.C
VVLPES *recipit ſperma canis.2°.de vſu partium.* 1ª.127.F
ex Vulpibus,& canibus g̃natur mixtū aīal.de nat.hum.cō.1°. 1ª.29.D
Vulpes ſunt ſiccæ temperamento.de atten.vic. 2ª.45.F
Vulpium caro qualis.de atten.vic. 2ª.45.F
Vulpinum carnes cur autumno comedantur.3°.de alim.fac. 2ª.26.B
Vulpes habent autumno probatiſſimam carnem ob vuas.de victus ratione in morbis acutis,com.4°. 7ª.147.B
Vulpis hepar pro ſplenicis.9°.de com.me.ſec.loc. 5ª.199.H
Vulpes quomodo arthriticos curent.11°.de ſim.me.fa. 5ª.82.H
Vulpes in oleo cocta quale ipſum efficiat.11°.de ſimp.med.fac. 5ª.82.H
Vulpis pingue quale.7°.de comp.med.per gene. 5ª.269.F
Vulpiū adipē auriū dolores ſanare n̄ eſt attēdēdū.11°.de ſi.m.fa. 5ª.79.E
Vulpis adeps.3°.de compo.medicamentorum ſecundum loc. 5ª.146.E
Vulpis calybitidis.de dynam. Sp.23.F
VVLSIO *in qua fiat parte.de ijs,quæ in med.fi.com.3°.* 7ª.218.G
ad Vulſiones confert ſuccus centaureæ.de virt.cent. Sp.94.A
VVLTVRES *b̄n h̄nt in ſiccitatibus.in 6ᵐ.de mor.v.com.4°.* 3ª.186.H
Vulturis fel ad viſus obſcuritatem.de remed.par.fac. 7ª.156.H
VVLTVM *nigrum & partim album habet conceptus in horis melancholię.de ſpermate.* Sp.37.D
Vultus triſtitiā diſcutit ſtyrax paucus potatus.2°.de cō.me.ſ.l. 5ª.137.B
Vultus inditia mala.in progn.commen.1°. 4ª.191.B
Vultus totius color viridis,aut niger malus in progn.com.1°. 4ª.191.B
Vultus ſimilis ſibi ſano in acutis bonus,diſſimilis vero malus. in progn. commentario 1°. 4ª.190.G
VVLVA *& vterus idem,& quid ſint.6°.de locis affe.* 4ª.39.G
Vulua poteſt videri extra animal.3°.de anatom.admi. 1ª.81.H
Vuluæ natura conſideranda inteſtinis exemptis.6°.de ana.ad. 1ª.92.B
Vuluam cur prima die ſecaret Galenus.5°.de ana.adm. 1ª.87.B
Vuluæ figura.de diſſec.vul. 1ª.108.D
Vulua ſcroti conuerſi ſimilitudinem habet.introd. Iſa.54.E
Vuluarum differentia in ſuibus.de diſſ.vul. 1ª.108.E
Vulua porcina qualis.de diſſec.vul. 1ª.108.E
Vuluam vt mulier habent capra,& vacca.de diſſ.vul. 1ª.108.E
Vuluæ ſitus.de diſſec.vul.1ª.108.C/de anat.par. Sp.43.C
Vuluæ cur iecur vicinius.de fœt.form. 1ª.323.G
Vulua habet talem ſtructurā qualem neruus.2°.de anat.admi. 1ª.73.B
Vulua mulierum biformis.2°.de ſem. 1ª.339.C
Vulua habet proceſſus quaſi cornua.1°.de ſem. 1ª.330.H
in Vulua cornua quę.de diſs.vul. 1ª.108.D
in Vulua cornua habent magnam functionem.de diſſ.vul. 1ª.108.E
in Vuluæ cornibus ſunt vaſa ſeminaria.1°.de ſem. 1ª.331.A
in Vulua cirri qui.de diſſ.vul. 1ª.108.D
in Vulua ſinus qui.de diſſ.vul. 1ª.108.D
in Vuluis fibrarum genus ſit diuerſum.1°.de ſem. 1ª.332.C
Vuluæ duę tunicæ.de diſſec.vul. 1ª.108.H
Vuluæ tunicæ quales.de diſſ.vul. 1ª.108.H
Vuluæ tunicæ quomodo ſint ſecundum ætates.de diſſ.vul. 1ª.109.A
Vuluæ tunicæ q̃uo ſint ſecundum occaſiones.de diſſec.vul. 1ª.109.B

Vulua q̃uo ſit inſtante purgatione menſtruorum.de diſſ.vul. 1ª.109.B
Vulua quomodo ſit ante purgationẽ menſtruorum.de diſſ.vul. 1ª.109.B
Vulua quomodo ſint in his,quæ vterum geſſerunt.de diſſ.vul. 1ª.109.B
Vulua quomodo ſint in enixis.de diſſ.vul. 1ª.109.B
Vuluarum ceruix intus collocata.2°.de ſemine. 1ª.339.D
Vulue ceruix neque prominet,neque nuda eſt,ſed intus collocata. 2°. de ſemine. 1ª.340.E
Vulua ceruix qualis.de diſſ.vul. 1ª.109.A
Vulua ceruix ſummæ parti gutturis comparatur.de diſſ.vul. 1ª.109.A
in Vuluam quæ inſtrumenta ponantur.2°.de ſemine. 1ª.335.H
Vuluis quo modo ſint annexi teſtes.2°.de ſemine. 1ª.335.G
Vulua habet venas,& arterias vt viuat.2°.de anat.admin. 1ª.73.B
ad Vuluam quæ venæ veniant.de diſſ.vul. 1ª.108.G
in Vulua venarum initia cui aſſimilentur.de fœt.for. 1ª.324.E
Vulua venarum officia.introd. Iſa.54.E
Vuluam quæ arteriæ nutriant.de diſſ.vul. 1ª.108.H
Vulua attrahit,retinet,et expellit,vt faciũt alia mẽbra.1°de ſe.1ª.330.G
Vulua ñ ĩdiget alio ꝑ ſua fũctiõe,cũ ꝑfecte abſoluta ẽ.de fœt.f. 1ª.324.G
Vulue proprium.7°.de anat.admin. 1ª.95.G
Vulue vincula laxa ſunt,ideo poteſt moueri.de diſſ.vul. 1ª.108.F
Vulua multæ partes inſeruiunt.de diſſ.vul. 1ª.108.F
Vulua partium adiacentium diuiſio.de diſſ.vul. 1ª.108.E
Vulua indiget ſemine animalis.1°.de ſemine. 1ª.331.G
Vulua trahit ſemen,complectitur,& continet.1°.de ſem. 1ª.329.B
Vulua partes mirifice appetunt ſemen complecti.1°.de ſem. 1ª.331.A
Vulua quomodo arripiat ſemen.1°.de ſemine. 1ª.331.A
Vuluam totam cur non poſſit ſemen aſpergere.1°.de ſemine. 1ª.330.H
Vulua os ñ ĩgrederet̃ acumẽ ſpecilli,qñ mulier ẽ ꝑgnãs.de di.u.1ª.109.A
in Vulua quæ oriantur.de diſſ.vul. 1ª.109.D
in Vulua chorion oritur.de diſſ.vul. 1ª.109.D
in Vulua oriuntur membrane inuoluẽtes fœtum.de diſſ.vul. 1ª.109.D
Vulua quomodo inhereſcat chorion.de diſſ.vul. 1ª.109.D
ad Vulua Affectus longos.8°.de com.me.ſec.lo. 5ª.196.H
ad Vulua affectus.7°.de comp.med.per.ge. 5ª.272.G
Vuluam Apertam ſanat myles radix.7°.de ſimp.med.fac. 5ª.56.D
Vulua Deſtillatio ob pituitam.de dynamidijs. Sp.19.H
ad Vuluam deſtillantem remedium.de dynamidijs. Sp.25.E
Vulua & matricis Dolorem & febrem oſtendit vrina vti iumentorum in muliere.de dynamidijs. Sp.35.E
Vulua doloris cura.de dynamidijs. Sp.35.F
Vulua doloribus & tumoribus butyrũ ꝓprie vtile eſt.de ſimp. Sp.81.D
Vulue Duritiei.1°.de compoſitio.medicamen.per genera. 5ª.214.H
ad Vulua Exeſum.5°.de comp.me.per gene. 5ª.254.A
Vulua Grauitas ob pituitam.de dynamidijs. Sp.19.H
in Vuluis inflammationes non parum leuantur adiumento venarum ſectarum in cruribus.preſag.exper.conf. Sp.78.C
Vulua Labores.9°.de compoſitio.med.ſec.loc. 5ª.202.B
Vulua Morbi qui.introductio. Iſa.59.D
in Vulua morbis que vena ſecanda.præſag.exper.conf. Sp.79.C
Vulua q̃ ꝓciderit collocatio ſpẽs eſt cõpoſitiõis chirurgiæ.intr. Iſa.59.E
ad Vulue Procidentias idoneus eſt lentiſcus.8°.de ſim.me.fac.5ª.61.H
è Vulua Sanguis quandoq; periculoſus.5°.meth.med. 7ª.31.F
Vulua ſanguinem ſiſtit plantaginis ſucco Galenus.5°.meth.med.7ª.31.G
Vulue Strãgulatio q̃uo cognoſcat̃.de vic.ra.in mor.ac.c.4°. 7ª.152.G
ad Vulua ſtrangulatus.9°.de comp.med.ſec.loc. 5ª.202.F
ad Vuluam Stringendam puluis.de dynamidijs. Sp.29.C
ad Vuluam ſtringendam confectio.de dynamydijs. Sp.29.C
ad Vuluam ſtringendam quaſi virgo ſit.de dynamidijs. Sp.29.C
in Vuluam fumus ingrediens.de dynamidijs. Sp.29.H
Vulua longinqua Vitia remediant conyzæ folia.de ſimp.med.Sp.83.A
ad Vuluam medicamenta.introd. Iſa.57.H
Vulua.lege Vterus,Matrix.
VVVLA quid.de anatom.viuo. Sp.49.E
Vuula anatomia.de anato.viuo. Sp.49.E
Vuula eſt ſecunda canna vocis.de anat.viuo. Sp.49.E
Vuula qualitas,& organorum reſpirationis.de comp.memb. Sp.58.F
Vuula cur ſit principium vocis.de vtil.reſp. Sp.63.F
Vuula cur palato ſuſpenſa ſit.de compa.memb. Sp.58.F
Vuula quomodo videatur.de anatom.viuo. Sp.49.E
Vuulæ ſubiectæ pelliculæ duæ dictæ galſamach.de ana.viuo. Sp.49.E
in Vuula glandulæ vnde ortæ.de nat.& ord.cuiusl.corp. Sp.41.H
Vuulam cadentem ſubleuat diamoron de rubis.de dynamidijs.Sp.26.B
ad Vuulæ deſtillationem ſuffumigium.de dynamidijs. Sp.35.G
Vuulam dislocatam,vel relaxatam vel phlegmone affectam curat ſuccus centaureæ.de vir.cent. Sp.93.D
Vuulam humoroſam deſiccat diamoron de rubis.de dynam. Sp.26.E
Vuula inciſa, aut ablata facit raucedinem.de ana.viuo. Sp.49.E
ad Vuule inflammationes.de remed.par.fac.157.B| 7ª.165.A
ad Vuulæ morbos.de remed.par.fac. 7ª.164.H
ad Vuulã euidenter faciũt folia,flos,& mora rubi.de ſim.me.Sp.89.E

XANITAE compoſitio cuius vſus.9°. de compoſitione medicamento.ſec.loc. 5ª.204.H
XANTHIVM digerit.8°.de ſimp.med.fac. 5ª.57.B
XENOCRATES curioſus. 6°.de ſimplicium medicam.facul. 5ª.39.G
Xenocrates à Galeno reprehenditur in his,que ſcrip ſit de illis,quæ fiunt in homine.10°.de ſim.med.fac. 5ª.72.B
Xenocrates librum fecit de percipienda ab animalibus vtilitate. 10°. de ſimplic.medicament.fac. 5ª.73.C
Xenocratis emplaſtrum.6°.de comp.medic.per ge. 5ª.261.F
Xenocratis compoſitio Theriacæ quo modo differat ab Andromachi cõpoſitione.de ther.ad Piſo. 5ª.95.B
Xenocrates.5°.de compoſi.medicam.per genera. 5ª.253.E
XENOPHANES Elææ floruit.de hiſt.phil. Sp.2.G
Xenophanes hominem terram dixit, ſed hoc negat Galenus. de natura humana,commentario 1°. 1ª.27.G
XENOPHON longe fuit ante Galenum.9°.de dec.Hip. 1ª 284.D
Xenophõtis milites oculis læſi qa ꝑ niuẽ ambularũt.10°.de vſu.1ª.178.H
XEROPHTALMIA quid.introd. Iſa.58.E
Xerophtalmia totum oculum exercet.introd. Iſa.58.D
XEROTRIBIA frictio dicitur ſicca.8°.meth.me. 7ª.51.D
XESTE quomodo figuretur.de pond.& menſ. 5ª.275.D
Xeſte quantum capiat.de pond.& menſ. 5ª.275.D
Xeſtes.de pond.& menſ. 5ª.276.A
XINZYPHA habent exiguum alimentum. 2°. de alim.fac. 2ª.22.B
Xinzypha ſunt praui ſucci.2°.de alim.fac. 2ª.22.B
XIPHOειS tota pectoralis oſſis figura.de oſſibus. 1ª.42.F
Xiphoειs ſola chartilago.de oſſibus. 1ª.42.F
Xiphoειs chartilago cur in tali parte ſit ſita.de oſſibus. 1ª.164.A
XYRIS digerit,ſiccat,& attrahit.8°.de ſimp.med.faculta. 5ª.57.B
Xyris vrinã ciet,lienes induratos ſanare poteſt.8°.de ſim.me.fa.5ª.57.B
Χυραλειφεῖν quid ſignificet.2°.de ſimplic.med.facultat. 5ª.16.B
XYLOBALSAMVM quid,& eius vires.de ſimp.med. Sp.92.C
Xylobalſamũ inter aromata numeratur.7°.methodi medendi.7ª.44.A
Xylobalſamum calefacit,& relaxat.de ſimp.med. Sp.92.C
XYLOCINAMOMVM quid,& eius vires.de ſimp.med. Sp.92.C
Xylocinamomum.de ther.ad Piſo.94.G|8°.de comp.me.ſe.lo. 5ª.193.C
XIPHION. 8°.de ſimplicium medic.facultatibus. 5ª.57.B
XYSTER quid.introductio. Iſa.52.H
XYSTICVS ideſt iaculator.7°.de comp.med.per ge. 5ª.271.B

Y Signum ſanitatis deſcribit,& quare.in 3m. de morbis vulgaribus,com.1°.130.G|133.D| 3ª.136.E
YARI ſuccus contra maculam oculorũ. de medicinis expertis.Sp.106.D
Υ῞βωμα quid.de artic.commen.3°. 7ª.274.H
Υ῾γιεινός qui.2°.de ſan.tueu. 2ª.73.H
Υ῾γίειαν qui profitetur ὑγιεινὸς appellandus.2°.de ſa.tuen. 2ª.73.H
Υ῾γροφανῆ pulſum quem vocent.3°.de pulſ.diff. 4ª.62.D
Υ῾δατοειδῆ quem humorem vocent.introductio. Iſa.53.G
Υδατόχολα excrementa quæ.in 3m.de mor.vul.com.3°. 3ª.148.F
Υ῾δατώδης vinum dilutum vocant.5°.de ſan.tuen. 2ª.94.G
Υ῾λαοειδῆ quem humorem vocent.introductio. Iſa.53.H
Υ῾οειδὲς os quod.introductio. Iſa.54.F
Υοειδὲς os quale,& eius vſus.7°.de vſu partium. 1ª.163.D
Υ῾πάρχον quid latine ſignificat.2°.methodi medendi. 7ª.16.A
Υ῾πεζωκότα quid vocent.introductio. Iſa.53.H
Υ῾πεζώκος membrana quæ.1°.de motu muſ. 1ª.316.F
Υ῾περκαθάρσις purgatiões nimiæ à græcis dñr.3°.de ſim.m.f.5ª.23.F
Υ῾περκένωσις quid ſignificet.in 1m.prorrh.com.3°. 4ª.186.E

Υ῾περκρίσις

Υπερκρίσις quid ſignificet.in 1m.prorrh.com.3º. 4ª.186.F
Υπηνέμια oua id eſt ſubuentanea à gallinis concipiuntur abſque coitu cum mare.14º.de vſu par. 1ª.206.D
Υπήνη quid.introductio. Iſa.53.B
Υπὸ quid ſignificet.2º.de decre.Hipp. 1ª.237.E
Υποχόνδρια φλεγμαίνοντα id eſt flagrantia Hypocondria. de vict. i[illegible].morb.acu.com.4º. 7ª.137.B
Υποδεσμίδες quid ſignificet.de ijs,quæ in medic.fi.com.3º.214.G/de [illegible]acturis,commen.1º. 7ª.228.D
Υπ[illegible]ναρ quid.introductio. Iſa.53.C
Υποφαίνεσθαι quid.in progn.com.1º. 4ª.193.B
Υπόφασις quid.in progn.com.1º. 4ª.193.B
Υπόσπαδιαῖοι cur non generent,& quomodo curari poſſunt adeo vt generent.15º.de vſu par. 1ª.210.H
Υπ[illegible]ασιν vocant ſubſidentiam in vrina.4º.de ſan.tuen. 2ª.85.H
Υ[illegible]συμμιγῆ quid vocent Græci.2º.de ſan.tuen. 2ª.74.A
Υπόξηρα quæ vocentur.de ijs,quæ in med.fi.com.3º.214.D/ de fracturis,commentario 1º. 7ª.228.F
Υφεστὸς quid latine ſignificet.2º.meth.me. 7ª.16.A
V[illegible]e Hy.

YSION pituitam purgat.de dynamidijs. Sp.21.F
Yſionis doſis.de dynamidijs. Sp.21.F
Yſion ſi debeat educere,anus non eſt aqua lauandus, ſed pãno lineo abſtergendus.de dynam. Sp.21.F

ZACHARAE fit mentio in cõpoſitione quę inſcribitur.Triaſandali expertũ.de dyna. Sp.26.E
ZACHA[illegible]ONIS electarium.de me.exp. Sp.106.H
ZACINTHIVM. 4º.de cõp.med.per ge. 5ª.243.F
ZANELB id eſt roſmarini.ſecretorũ. Sp.102.A
ZARVR parum nutrit,& cur.de diſſol.cont. Sp.73.F
ZEAE nomen quale apud antiquos.de attenuante victus ratione. 2ª.45.A
Zea eſt olira,& typha.de atten.vict. 2ª.44.H
Zeia & typha tritico ſimillima.1º.de alim.facul. 2ª.12.E
Zea flaua vt triticum,non alba vt hordeum.de atten.vic. 2ª.45.A
Zea munda tenuior hordeo,tritico,& olyra.de atten.vict. 2ª.45.A
Z[illegible] à cortice emundanda.de atten.vict. 2ª.45.A
Zeia media inter triticum & hordeum.6º.de ſimplic.med.fa. 5ª.47.G
Zeæ ſapor dulcis eſt.4º.de ſimpl.medic.facul. 5ª.25.C
Zea Herodotum adſtringebat.1º.de ſimp.me.fac. 5ª.7.H
Zea minu[illegible] humectat quàm panicum.5º.de ſan.tuen. 2ª.92.C
ex Zea fit panis.de vict.ra.in mor.acu.com.4º. 7ª.146.F
Zeiæ,& typhæ panũ differẽtiæ ſm Mneſitheũ.1º.de alim.fac. 2ª.12.E
Zeia frigoribus reſiſtit vehementer.1º.de alim.fac. 2ª.12.D
ex Zeia fit tragus.de vic.ra. in mor.ac.com.1º. 7ª.111.B
ex Zeia,& tritico crimnon.1º.de alim.fac. 2ª.12.E
ex Zea crimnon quale.7º.de ſimp.medicamen.facul. 5ª.53.A
Zea non continuatur.de vic.ra.in mor.acu.com.1º. 7ª.111.D
Zea.9º.de cõp.med.ſe.lo.5ª.200.A/de vic.ra.in mor.ac.c.1º. 7ª.111.A
ZEMMA.de med.fac.par. 7ª.170.C
ZENO Citieus ſtoicæ ſectæ author.de hiſt.philoſ. Sp.2.E
Zeno ſtoicorum pater.1º.de decre.Hipp. 1ª.233.D
Zeno potius ſophiſta,quam philoſophus.1º.de decr.Hipp. 1ª.233.H
ZENO Herophilius fuit.4º.de differen.pulſ. 4ª.67.E
Zenonis pulſus diffinitio.4º.de diff.pulſ. 4ª.67.E
Zenonis antidotus ad rabidos canes ẽ bona theriaca.2º.de ant. 5ª.116.H
Zenonis medicina.de med.exper. Sp.107.F
Zenonis laodicei Theriaca.2º.de antido. 5ª.116.B
Zeno.6º. de compo.medicamen.per gen. 5ª.258.H
ZEOPYRVM in bithynia.1º.de alim.fac.12.E/ 2ª.13.A
ZEPHYRIA oua ſubuentanea quæ.1º.de ſen[illegible]e. 1ª[illegible]
ZEPISTANIA. de med.fac.par. [illegible]
Ζεσολουσία aquæ feruentis lauatio.3º.de ſan.tuen. 2ª.8[illegible].B
ZEVXIS,& Heraclides omnia Hippocratis opera commẽtati ſunt. de ijs,quæ in medic.fiunt,com.1º. 7ª.19[illegible].F
Zeuxis empiricus interpretatus ẽ aphoriſmos.c.7º.aph.64º. Ex.60.D
ZINGIBER caſia vocatur ab indigenis. de theriaca ad Piſonem. 5ª.94.H
Zingiber qui[illegible]us vires.de ſimp.med. Sp.90.D
Zingiberis,piperis albi,& piperis nigri drĩæ.6º.de ſim.me.f. 5ª.47.H
Zingiber.1º.de antidotis. 5ª.107.A
Zingiber[illegible] facile perforetur.6º.de ſimp.me.fac. 5ª.47.H
à Zingibere expimẽtũ ſumẽdũ.de acredine.4º.de ſimp.me.fac. 5ª.26.B
Zingiber non adeo tenuium partium.6º.de ſimp.me.fa. 5ª.47.H
Zingiber ingreditur Theriacam.de ther.ad Piſ. 5ª.92.F
Zingiber ventriculo auxiliatur.3º.de alim.fac. 2ª.29.G
Zingiber proprie digeſtionem facit,ſtomachum confirmat, & corroborat,ventrem laxat.de ſimp.med. Sp.90.E
cum Zingibere ficus ante cibum quando.2º.de alim.fac. 2ª.17.F
ex Zingibere,aceto,melle,ſucco cidoniorum,& pipere albo medicamẽtum ad appetentiam deiectam.2º.de alim.fac. 2ª.20.D
Zingiberis drachmæ tres dantur ad infirmitates frigidas, & calefacit. de medicinis expertis. Sp.106.E
Zingiber vlceribus non conuenit.4º.de comp.medica.per gen. 5ª.236.H
ZINIAR Vide Gingiber.ſecretorum. Sp.97.G
ZINVMA. de diſſolutione continua. Sp.73.H
ZIRBVS. de anatomia viuorum. Sp.44.E
ZIRVNGEM.de med.exper.107.G/ Sp.108.F
ZOCHIVM. de medicinis facile paran. 7ª.177.F
ZODIACI obliqtatẽ primus iuenit Pythagoras.de hiſt.[illegible]h. Sp.6.C
ZOILVS apud maledicos eſt in admiratione. 1º metho. medendi. 7ª.3.G
Zoilus Homeri ſtatuam flagellauit.1º.meth.med. 7ª.3.G
Zoili antidotus pro ſcorpionis punctura.2º.de antidotis. 5ª.11[illegible]
ZONA ab aliquibus dicitur paralellus.com.3º.aph.14º. Ex.22.F
Zonam eſſe lineam imaginariam,collige.com.3º.aph.14º. Ex.22.F
Zonæ cœli.de hiſt.philoſ. Sp.6.C
Zonarum diſtinctio.com.3º.aph.14º. Ex.22.F
Zona media orbis terrarũ ẽ,quæ ẽ tẽpatiſſima.cõ.3º.aph.14º. Ex.22.F
Zona tẽpatiſſima eſt,quæ trãſit p Gnidũ & Co.com.3º.aph.14º. Ex.[illegible].F
ZONAE nomen quæ faſciam inuenit. de faſci[illegible] 7ª.304.D
ex Zona,& faſciam ſciſſa vinculum ad colem.de faſcijs. 7ª.304.A
ZOPYRIA antidotus.2º.de ant.110.H/115.A/ 5ª.120.D
ZOPYRI epiſtola ad Mithridatem.2º.de antidotis. 5ª.115.A
ZVLAPION. de medicinis facile par. 7ª.177.H
Zupha.de medic.fac.par. 7ª.177.G
ZIGOMA ideſt iugale vnde ortum habeat.de muſculorum diſſectione. 1ª.44.H
Zigœma os.de oſſibus. 1ª.46.F
ZYMAE. 6º.de ſimplicium medicamen.facul. 5ª.48.A
Zythum ex hordeo.de vict.ratio.in mor.acu. com.4º. 7ª.143.F
Zythus flatuoſus,acris,calidus,frigidus,aqueus,acidus. 6º.de ſimplicium medicamentorum facultatibus. 5ª.48.A
Zythum eſt aperitiuum,& facit deijcere.com.2º.aph.20º. Ex.14.D
Zythus eſt praui ſucci.6º.de ſimp. medica. fac. 5ª.48.A

Indicis in omnes qui extãt Galeni libros, Antonio Muſa Braſauolo Medico Ferrarienſi Authore f[illegible]is: In quo nihil deſiderare cand[illegible]dus lector poterit pręter explanationem linguarum Hipp[illegible]atis, quam in hoc indice conſulto prętermiſimus, cum per literarũ ſeriem in eo Galeni volumine qui extra ordinem inſcribitur redacta ſit.

REGISTRVM.

* a b c d e f g h i k l m n o p q r ſ t u x y z aa bb cc dd ee ff gg hh ii kk ll mm nn oo pp qq rr ſſ tt uu xx yy zz aaa bbb ccc ddd eee fff ggg hhh iii kkk lll mmm nnn ooo ppp qqq rrr ſſſ ttt uuu xxx

Omnes ſunt quaterniones, præter * duernionem, & uuu & xxx ternionem.